

# 2008 台灣物種多樣性

## II. 物種名錄



邵廣昭、彭鏡毅、吳文哲  
行政院農業委員會林務局  
中華民國魚類學會  
中央研究院生物多樣性研究中心  
中華民國九十七年十二月

主編  
出版  
策劃  
製作

# 2008台灣物種多樣性

## II.物種名錄

邵廣昭、彭鏡毅、吳文哲 主編  
行政院農業委員會林務局 出版  
中華民國魚類學會 策劃  
中央研究院生物多樣性研究中心 製作  
中華民國九十七年十二月



# 前言

## 一、緣起及目的

推動生物多樣性保育的許多工作都需要正確的物種名錄作為基礎，因此物種名錄的建置是生物多樣性資料庫整合的首要工作。經由各物種惟一的有效學名 (valid scientific name)，方可查到國內外相關資料庫中該物種的所有資料，這也是整合生物多樣性資料庫最容易實現的一種方式。此外，「物種數」亦為一個國家生物多樣性豐富與否，及其變遷狀況的一個重要的量化指標。然而由於生物物種之類群甚多，各有不同專長的分類學家，資訊十分分散，分類系統及物種名也不斷地被更動及新增，因此必須建置一個動態且可隨時更新的物種名錄的電子資料庫，及其整合及修訂的機制或交換平台（網站），才能達成此一目標。此項工作又必須靠大家的共同合作才能完成。

國科會在2002年即委託中央研究院進行台灣生物多樣性資訊網之整合，亦即TaiBNET網站。過去此網站的全名是「台灣生物多樣性資訊網」，其主要內容是物種名錄，但為了和後來與全球生物多樣性資訊機構 (GBIF) 接軌所建構的TaiBIF網站的中文名稱：「台灣生物多樣性國家入口網站」作區隔，故TaiBNET網站的中文名稱現已改為「台灣物種名錄」 (Catalogue of Life in Taiwan)，其英文名亦和全球物種名錄建置的英文名稱，Catalogue of Life (CoL) 一致。中研院循GBIF的推動方式，先建置物種名錄、標本及其分佈兩項資料庫。名錄之建置工作，GBIF係委請「物種2000」 (即Species 2000)，及國際分類資訊系統 (ITIS) 二計畫合作進行；標本及分布資訊之整合機制，則由GBIF自行開發，並徵求各地博物館或研究機構加入成為資料提供者 (data provider) 來提供資料。2002年當年台灣正好開始推動數位典藏國家型科技計畫，且國內標本及其分布的資料也正是由中研院在負責整合，故標本資料之整合工作則交由數典計畫來進行，以避免重覆。而物種名錄建置工作則由TaiBNET計畫來執行。隨後於2006年起，農委會亦開始部分支助本計畫，包括名錄的更新及照片的徵集等。國科會雖於2006~2008年再度恢復計畫之補助，但其工作主要內容係用來維護及擴充另一項在2004年之專案經費所建置完成的TaiBIF網站，作為整合跨部會資料，並與國際GBIF接軌。又為加速推動國內生物多樣性資訊跨部會之整合，2008年3月在國科會的委託中，經由中研院指導成立了一個GBIF的中華民國委員會。

TaiBNET計畫剛開始須先邀請國內頂尖或資深的各生物類群分類學家來合作，擔任各該類群名錄的召集人；再請他們推薦及邀請同行學者或研究生協助。後來就有不少熱心的學者主動直接提供名錄給TaiBNET或是修訂名錄，這些直接合作的學者總人數迄今已達一百六十餘人 (表一)。當然間接貢獻名錄的學者，也就是他們所發表的分類報告被我們引用納入的人數就更多了。由於篇幅有限，無法將其芳名一一羅列，但在網站上仍可查到每一物種的原始文獻依據或出處。本名錄資料庫中資料之徵集的方法是請大家依規定的欄位及格式，儘可能地提供資料。表二即為過去這些年來所蒐集到的各分類階層的數量，包括拉丁學名或中文名的統計表。此外，名錄的查詢、統計及下載的功能也發展的相當完備。此外，原本TaiBNET即容許使用者比對檢核自行上傳的任何名錄資料的正確性，故已具有偵錯及提升資料品質的功能，至此TaiBNET之建置可謂相當先進及成熟。(請參閱第一冊研究現況一書中TaiBNET之專文介紹)。

表三為在2004~2008年期間內，物種名錄每年所新增或修訂的數量統計表，可作為計畫執行成果自我管考及未來仍應努力的依據。又鑑於與國內的農林漁牧及與微生物的種原中心或農改場之資料庫進行合作連接及分享資料時，常因對方的許多物種均為外來種、栽培種或歸化種而無法相連。故自2006年起，我們也開始收集非本土物種的名錄資料。2007年起開始收錄同物異名的資料，以方便使用者如使用到外來物種或無效名時，同樣可以查到該物種的資料。目前的表一及表二內之數字均尚未包括到外來種及同物異名的種數。

表一、建置物種名錄資料庫之各別類群召集人及提供各子類群物種資料的學者或學生之名單

(本表係以生物類群，及各類群提供者姓氏筆畫數來排列)

生物類群	提供者姓名	類別明細	名錄筆數
病毒	葉錫東	植物病毒	121
病毒	徐亞莉(召集人)	魚貝類病毒	10
病毒	趙磐華、涂堅	動物病毒	307
病毒	吳和生、黃元品	人類病毒	51
古菌	賴美津	廣域古菌門	5
細菌	生物資源保存及研究中心 袁國芳 (召集人)	變形菌門、放線菌門、擬桿菌門、厚壁菌門	109
細菌	周瑞興	變形菌門、放線菌門	32
細菌	楊秋忠	變形菌門、放線菌門、擬桿菌門	19
細菌	徐源泰	厚壁菌門	1
細菌	黃淑芳、王建平	藍菌門	261
原生生物	王建平	鞭毛蟲、纖毛蟲、眼蟲等	1092
原生生物	葉增勇	網柱粘菌門	1
原生生物	劉錦惠	黏菌門	240
原藻界	楊天南	定鞭藻門	70
原藻界	謝煥儒	卵菌門	147
原藻界	簡秋源	卵菌門	21
真菌	陳又嘉	壺菌門	1
真菌	王也珍	子囊菌綱	375
真菌	田志仁、汪碧涵	酵母菌	44
真菌	朱宇敏	炭角菌	108
真菌	何小曼	接合菌綱	12
真菌	吳美麗	子囊菌綱	24
真菌	吳聲華(召集人)	子囊菌門、擔子菌門	442
真菌	汪碧涵	擔子菌門	5
真菌	阮列陽	子囊菌門	77
真菌	周文能	擔子菌門	588
真菌	張和喜	子囊菌門	1
真菌	張東柱	擔子菌門	259
真菌	陳金亮	子囊菌門	1409
真菌	陳桂玉	子囊菌門、接合菌門	12
真菌	陳啟楨	擔子菌門	21
真菌	陳淑芬	網黏菌門、壺菌門	95
真菌	曾顯雄	子囊菌門	495
真菌	蔡竹固	黑腐皮殼菌科	8
真菌	賴明洲	地衣	547
真菌	謝文瑞	子囊菌門	533
真菌	謝煥儒	擔子菌門	506
真菌	簡秋源	接合菌門	183
真菌	羅南德	子囊菌門	10
藻類	黃淑芳	綠藻門、褐藻門、紅藻門	462
藻類	王建平	綠藻門、紅藻門	878
植物	彭鏡毅(召集人)	植物	4654
植物	蔣鎮宇	蘚苔植物門	1090
植物	葉慶龍	野牡丹科、芭蕉科、蘭科	5
植物	王震哲	龍膽科、水玉簪科	2
海綿動物	宋克義	尋常海綿綱	65
苔蘚動物	Dennis P. Gordon	唇口目	50
輪蟲動物	張文炳	單卵巢綱、雙卵巢綱	75
星蟲動物	薛攀文	星蟲綱、革囊星蟲綱	25
棘皮動物	趙世民、李坤瑄	海星、海百合、陽遂足、海膽	261
刺胞動物	戴昌鳳	珊瑚蟲綱、水螅蟲綱	338
刺胞動物	羅文增、余淑楓	水螅蟲綱：管水母目	73
環節動物	林康捷	水生貧毛類	26

生物類群	提供者姓名	類別明細	名錄筆數
環節動物	張智涵、陳俊宏	蚯蚓	66
環節動物	謝蕙蓮	多毛綱	53
寄生蟲	施秀惠	圓形動物門、扁形動物門	25
寄生蟲	陳宣汶	鉤頭動物門、圓形動物門、扁形動物門	192
節肢動物	Zoltán Korsós	倍足綱：馬陸	58
節肢動物	石長泰	甲殼綱：端足目、橈腳類	621
節肢動物	朱耀沂	蜘蛛目	266
節肢動物	何琦琛	蛛形綱：葉蟎	2
節肢動物	林清龍	顎足綱：杯口水蚤目、管口水虱目	47
節肢動物	陳國勤	顎足綱：有柄目、無柄目	68
節肢動物	張永浩	蜘蛛目	1
節肢動物	黃坤煒	蛛形綱：蟎、蟬	663
節肢動物	趙瑞隆	唇足綱：蜈蚣	74
昆蟲綱	David Rédei、蔡明諭、林政行	半翅目：椿象	91
昆蟲綱	Jose A. Marrero Alonso、李奇峰	鞘翅目：步行蟲科	9
昆蟲綱	王清玲	纓翅目：管蓟馬科	93
昆蟲綱	石憲宗	蝨目、鞘翅目、紡足目	56
昆蟲綱	吳文哲(召集人)	昆蟲綱	2003
昆蟲綱	蔡明諭	昆蟲綱	496
昆蟲綱	吳文哲、李奇峰	鞘翅目	229
昆蟲綱	吳文哲、葉文琪	蜻蛉目	155
昆蟲綱	吳文哲、鄭明倫	長翅目	47
昆蟲綱	宋一鑫	膜翅目：花蜂	93
昆蟲綱	李奇峰	鞘翅目	3233
昆蟲綱	李奇峰、Jałoszyński	鞘翅目：蘚苔蟲科	34
昆蟲綱	李奇峰、林毓隆	鞘翅目：吉丁蟲科	82
昆蟲綱	李春霖	鞘翅目：金龜子	504
昆蟲綱	周文一	鞘翅目：天牛	932
昆蟲綱	周樑鎰	膜翅目：蜂	79
昆蟲綱	周樑鎰、陳淑佩	膜翅目：蜂	2522
昆蟲綱	陳淑佩	膜翅目：蜂	105
昆蟲綱	林宗岐	膜翅目：蟻科	218
昆蟲綱	施禮正	鱗翅目：草螟科	11
昆蟲綱	徐堉峰	鱗翅目：蝶	421
昆蟲綱	徐崇斌	蜉蝣目	65
昆蟲綱	徐歷鵬	毛翅目：石蛾	120
昆蟲綱	連裕益	鞘翅目：金龜子、球蕈甲	254
昆蟲綱	陳建宏	半翅目：蟬科	3
昆蟲綱	陳彥霖	鱗翅目：鈎蛾科	15
昆蟲綱	陳振祥、蕭旭峰	半翅目：蟬科	55
昆蟲綱	陳瑋晨	半翅目：蠟蟬科	11
昆蟲綱	陸聲山	膜翅目：胡蜂科	2
昆蟲綱	楊正澤	蜚蠊目、半翅目、直翅目	979
昆蟲綱	楊曼妙	半翅目：木蝨、葉蟬、沫蟬	459
昆蟲綱	葉文琪	膜翅目：胡蜂科	9
昆蟲綱	詹美鈴	啮蟲目	76
昆蟲綱	蔡思聖	積翅目：石蠅	21
昆蟲綱	蔡經甫	半翅目：椿象	99
昆蟲綱	鄭明倫	鞘翅目：螢、扁泥蟲	212
昆蟲綱	鄭明倫、汪澤宏	鞘翅目：龍蝨科	59
昆蟲綱	蕭旭峰	雙翅目	2924
昆蟲綱	顏聖紘	鱗翅目：蛾	4023
甲殼類	何平合	十足目：蟹	54
甲殼類	李政璋	十足目：蟹	4
甲殼類	施習德	十足目：蟹	595
甲殼類	陳天任(召集人)	十足目、等足目、糠蝦目、口足目	739

生物類群	提供者姓名	類別明細	名錄筆數
軟體動物	吳書平	陸生軟體動物	140
軟體動物	巫文隆	軟體動物	3468
軟體動物	李彥錚	腹足綱	14
軟體動物	陳文德	腹足綱	15
軟體動物	蔡政達	鳳凰螺	10
軟體動物	鄭明修	後鰓亞綱	45
軟體動物	盧重成	頭足綱	100
軟體動物	藍子樵、賴景陽、鐘柏生、李彥錚	腹足綱	209
毛顎動物	羅文增	箭蟲綱	21
尾索動物	羅文增	海樽綱	16
頭索動物	林秀瑾	文昌魚綱：文昌魚目	4
脊椎動物	邵廣昭(召集人)、陳義雄、莫顯蕃、莊守正、陳鴻鳴、陳正平、陳麗淑、江偉全、何宣慶、林沛立、廖運志、李柏鋒、李茂榮、葉信明等	輻鰭魚綱、軟骨魚綱、盲鰻綱	2915
脊椎動物	吳聲海	兩生綱、爬蟲綱	11
脊椎動物	李培芬(召集人)、呂光洋、楊懿如	兩生綱、爬蟲綱	124
脊椎動物	劉小如(召集人)	鳥綱	543
脊椎動物	李培芬(召集人)、李玲玲	哺乳綱：陸生	82
脊椎動物	王明智、姚秋如、周蓮香	哺乳綱：鯨目	31

表二、台灣物種名錄近六年變動情形一覽表，括弧內數字係有中文名的數目

	2003年	2004年	2005年	2006年	2007年	2008年
界及界中文	5	5	5	5	7	8
門(中文名)	24(12)	37(33)	44(42)	45(43)	50(50)	54(54)
綱(中文名)	41(35)	69(54)	88(73)	88(73)	116(110)	122(119)
目(中文名)	290(244)	413(290)	500(373)	519(388)	561(517)	587(542)
科(中文名)	1593(1282)	1979(1458)	2396(1820)	2538(1979)	2620(2254)	2892(2444)
屬(中文名)	11292(0)	12969(0)	14931(0)	15651(0)	15915(6439)	16618(6439)
種(中文名)	32589(18569)	39382(21921)	45040(24031)	46607(25111)	46827(23686)	49730(24363)

說明：表格內數字為各分類階層資料筆數。

表三、台灣物種名錄近六年修訂新增情形一覽表，括弧內數字係有中文名的數目

	2004年		2005年		2006年		2007年		2008年	
	修改	新增	修改	新增	修改	新增	修改	新增	修改	新增
門(中文名)	0(0)	13(11)	1(1)	7(9)	1(0)	1(1)	8(10)	5(7)	1(3)	4(4)
綱(中文名)	1(2)	28(19)	0(0)	19(19)	7(7)	0(0)	14(7)	28(37)	3(8)	6(9)
目(中文名)	4(3)	123(46)	2(2)	87(83)	12(35)	19(15)	35(32)	42(129)	15(28)	26(25)
科(中文名)	2(7)	386(176)	21(147)	417(362)	39(98)	142(159)	27(71)	82(275)	73(164)	272(110)
屬(中文名)	17(0)	1677(0)	45(0)	1962(0)	311(0)	720(0)	83(0)	264(6439)	3016(2411)	703(0)
種(中文名)	139(113)	6793(3352)	1358(79)	5658(2110)	2124(518)	1567(1080)	457(165)	220(-1425)	2985(5628)	2903(677)

說明：1.表格內數字為各分類階層之資料筆數。

2. 2007年減少1425個種中文名，原因為該1425個中文名為屬之中文名，故將此數目移至屬中文名欄位。

## 二、研究方法

表一為建置物種之名錄資料庫初期所邀請各別類群的召集人，以及提供或增修訂各子類群物種資料的學者或學生們的名單。在此也特別感謝這些合作者的協助，他們才是完成此冊名錄最大的功臣，也是各類群名錄的真正作者。如要引用本書名錄內各類群之資料，請直接將該類群名錄提供者視為作者，本書之編輯只是在彙整名錄資料及編輯出版而已。此外，我們也請本計畫之助理李瀚先生自行上網或到圖書館去查閱與分類相關的期刊，設法補充可能遺漏的分類群或新種、新記錄種的資訊；當然也有不少種類是來自熱心同仁的主動提供。TaiBNET網站的建置及維護則主要是由中研院林永昌先生負責，李瀚協助內容之增修訂。

為能先蒐集到一定數量的名錄，初期我們只要求提供物種的分類階層(綱、目、科、屬、種)之學名及其中文名、命名者、年代、出處或文獻或標本之依據，以及是否為特有種或保育類等少數欄位。外來物種及同物異名之資料格式欄位亦然。也未嚴格要求一定要提供所有欄位的資料予名錄，因此目前仍有甚多資料或名錄的欄位，特別是中文名及文獻內容。這也讓我們在未來仍有不少努力的空間。至於分類階層之架構及其修訂，則主要是依據Species 2000之系統。有些修訂則是依據國際上最新的資料，譬如真核生物的分界是依據：Cavalier-Smith, T. (1998). *A Revised Six-kingdom System of Life* 將黃綠藻門與矽藻門移至原藻界；被子植物則是依據：Cronquist, A. (1968). *The Evolution and Classification of Flowering Plants*；蕨類的目級分類依據為：Moran, R. C. (2004). *A Natural History of Ferns*；魚類的分類依據為：Nelson, J. S. (2006). *Fishes of the World*, 4th Edition；鳥類的分類依據為：Dickinson, E. C. (2003). *The Howard and Moore Complete Checklist of the Birds of the World*；真菌界主要依據為中華民國真菌學會及其資料庫內容，也同時參考與TaiBNET有合作之國際真菌資料庫Index Fungorum (<http://www.indexfungorum.org>)。同仁如有異議，則會請各該類群的召集人協商及作最後的認定。

為增進名錄之正確性及權威性，我們也主動將TaiBNET名錄中的資料和Species 2000每年出版光碟中的名錄資料比對，羅列出不符合的部分，再請各召集人修訂。至於同物異名的資料則是直接下載台灣已有該物種的異名錄。當然這些異名是不計入有效名的統計數字。而非本土物種與本土物種亦係分別統計。

又為配合2008年舉辦之生物多樣性推動方案成果展，林務局在2008年委託中研院的計畫中，列入年底正式出版台灣官方物種名錄之紙本及光碟的工作項目，並在八月十五、十六日在台中科博館舉辦「2008台灣物種多樣性研究現況國際研討會」，以便在名錄出版前，先聚集全國分類學者就已登錄在TaiBNET的名錄，再作詳細的討論與修訂；並就各類群目前在台灣研究的現況、困難及展望作一回顧，撰文彙編成書後正式出版，提供各界參考。本書的出版距1991年中研院植物所所主辦的「台灣生物資源調查及資訊管理研習會」也已有十七年之久。當時雖也有出版專書，但並未整理物種名錄，亦未進行物種數目的統計。因此，此書及名錄的出版，不但具劃時代的意義，也顯示近二十年來台灣生物分類研究領域的長足進步。

### 三、結果

迄2008年底為止，TaiBNET共收錄到8界54門122綱587目2,892科16,618屬49,730(不含病毒)本土物種。外來種及歸化種等共有8門14綱82目171科644屬1,056種。同物異名與無效名則共有35,862種。表四即為這些物種所屬各類群的全球估計種數、台灣的累計種數、以及特有種所佔的比例。其中的微生物、真菌、植物的綱及無脊椎動物等，因缺乏高階分類資料，故無法統計。目前資料較完整者仍以脊椎動物、植物及昆蟲等類群為主，故其內容尚包括特有種的比例。許多門因缺乏分類學者，故資料完全闕如，譬如已知的34個動物門中，僅14個門有資料，其餘20個門則一片空白。如苔蘚動物門的50種名錄，還是藉著紐西蘭學者Dennis Gordon兩次來台訪問及出席研討會的機會，由他鑑定並熱心提供；而病毒的命名系統因與林奈的二名法分類系統架構不同，此次研討會特邀負責全球病毒名錄資料庫的Prof. Cornelia Osmond來台指導，才得以增添資料。也由於病毒資料在最後要付梓時才加入，其數目多達489筆。但因病毒之命名規則及種之定義與其他七界不同，故暫未計入總物種之統計數目中。如果計入，則台灣物種名錄實際已突破了五萬種。

2008年8月在科博館所舉辦的「2008台灣物種多樣性研究現況」研討會相當成功，共吸引232位學者與會，邀請的國內外講者共27位(部分與會人員的團體照請參見第一冊書末)；壁報論文亦有55篇，更有75位學者主動熱心提供名錄，令人振奮與感動。這次的研討會可謂極為難得的認識台灣物種多樣性現況之精彩饗宴。為使此次的成果能被廣為流傳及引用，也可成為作者們的一項學術成績與貢獻，我們乃就研討會中與物種名錄及分類直接相關的文章，再請作者們修訂潤飾或重新編撰，名錄部份亦請各類群召集人再作審訂後，正式連同此冊名錄，一併出版另一本「2008台灣物種多樣性-I. 研究現況」一書。為能將學者們的研究成果更能廣為流傳，以促進生物多樣性的研究、教育及保育，並讓學術走入社會。故這兩本書的內容也都發行光碟，並在TaiBNET (<http://taibnet.sinica.edu.tw>)及TaiBIF (<http://taibif.org.tw>)的網站公開，供使用者查閱或下載。特別是名錄中還有許多詳細資訊，因本書之篇幅有限，無法全部印出。只有建議讀者自行上網去查閱。

表四、全球及台灣現有物種數量統計表、及若干類群台灣特有種比例之概估。

界	門	綱	目前全球 現有種數*	台灣記錄種數	估計台灣 特有種比例
病毒界	--	--	1,906	489	
細菌界	--	--	9,841	435	
古菌界	--	--	281	6	
原生生物界	--	--	6,791	1,376	
原藻界	--	--	7,504	1,927	
真菌界	--	--	34,258	5,816	2%
植物界					25%
	藻類植物	--	15,669	1,249	
	苔蘚植物	--	14,157	1,090	
	蕨類植物	--	1,068	609	
	裸子植物	--	1,529	71	
	顯花植物	--	180,075	3,985	
動物界					
	海綿動物門	--	8,368	65	
	苔蘚動物門	--	0	50	
	星蟲動物門	--	144	25	
	輪蟲動物門	--	2,234	75	
	扁形動物門	--	1,935	191	
	圓形動物門	--	3,172	6	
	刺胞動物門	--	9,937	490	
	棘皮動物門	--	1,067	247	
	軟體動物門	--	12,398	4,135	
	鉤頭動物門	--	950	23	
	環節動物門	--	4,014	157	
	節肢動物門				
		倍足綱	11,015	58	
		蛛形綱	56,841	1,025	
		軟甲綱	19,212	1,556	
		顎足綱	5,234	136	
		昆蟲綱	678,508	20,515	63%
		唇足綱	3,466	73	
	毛顎動物門	--	179	21	
	脊索動物門				
		文昌魚綱	34	4	
		海樽綱	74	16	
		鳥綱	21,397	543	18%
		哺乳綱	7,237	113	64%
		爬蟲綱	13,106	99	31%
		兩生綱	5,831	36	27%
		魚上綱	30,252	2,845	2%
<b>合計</b>			<b>1,750,000</b>	<b>49,730</b>	

\*資料來源：The 2008 Catalogue of Life Annual Checklist. Species 2000 Website. <http://www.sp2000.org/>。

#### 四、討論

台灣的物種總數，如用已鑑定出種名的有效物種數，49,900種來計算，除以36,000平方公里土地面積計算，則台灣每單位平方公里約有1.39個物種，遠高於紐西蘭剛出版的國家物種名錄書中53,522/268,200=0.2個物種。更是全球單位面積陸域生物物種數的100倍，而海洋生物更高達400倍之多，實在值得國人驕傲與珍惜。當然台灣現生的本土物種數必定遠高於此數目，此乃因：(1) 疑問種、尚未發表、及未鑑定種均未計入，本名錄中僅少數較確定為新種，但尚未命名的種類，會以sp.來表示；(2) 非本土或原生之外來種、歸化種、栽培種等未計入；(3) 古生物或已滅絕的化石種亦未計入；(4) 許多微細生物與無脊椎動物，因乏人研究，故均無資料；(5) 不少棲地或生態系因缺乏調查及探勘，尤其以深海、底土等環境為然。

這兩年來在行政院生物多樣性推動方案的要求下，國科會亦另撥專款推動各類群生物誌之編撰，

其內容除可在TaiBIF (<http://taibif.org.tw>) 之網站上瀏覽及查閱外，亦會陸續出版紙本。這些最新的研究成果在未來也會用來更新及增補TaiBNET中物種名錄之資料庫。

當然在資料庫建立的初期所蒐集來的資料相當不完整，格式彼此間亦不統一，譬如有些缺命名者、中文名、引用文獻之格式及內容亦不統一等。如果只是在網站上就個別物種來查詢時，並不會發覺到這些問題的存在，但在將資料庫編印成書時，這些不一致的問題則立即昭然若揭。然而因編印在即，已很難再請原來名錄的提供者仔細地再去做修訂及補遺，特別是低等生物中文名的命名、文獻標題及期刊名稱或頁碼等工作，也就只好就目前現有的資料加以編輯修整，除了分類階層外，只保留了學名、命名者、年代、中文名、是否為特有種及文獻等。文獻部份原則上只列出作者及年代，如需瞭解該文章之題目及出處，則請上TaiBNET網站自行查詢。又該篇文獻如係英文發表，則用英文，中文發表則用中文。又為了方便查詢，且許多類群之演化關係還有可能會變動，因此本書物種名錄之排序，除了脊索動物門以外，其餘各門以下之綱、目、科及種名均依字母排序。

分類的研究工作也隨著DNA定序的技術與工具不斷精進便捷，以及資訊技術的發達，使得新種及新記錄種的報導或修訂快速成長。因此名錄的修訂是一項長期且持續性的工作，必須由分類學家共同來參與才能永續經營、發揮功能。希望這件工作未來縱使沒有固定的計畫支助，分類學家也能基於學術服務社會，為了生物多樣性的保育的責任感，仍願主動熱心地提供各項資料。

由於資料庫的建置與整合純屬學術服務工作，如依目前學術之評量辦法只看SCI報告，是無法被計入成績的。因此更需要靠大家的熱心及無私的幫忙，為了我們的後代子孫及生物多樣性資源的永續，願意提供其研究的成果和資料，並能公開上網、分享資料。名錄的蒐集以及正確性之認定是件十分專業的工作，亦涉及對物種有效性的不同見解。因此這本第一版的物種名錄，必定有不少缺失與疏漏之處，但總得要跨出這第一步。因此在農委會、國科會及各界先進之鼓勵與支持下，決定先出版以激起大家共同來做補充與修訂，希望能達到拋磚引玉之效果，更祈讀者們不吝指正，以匡不逮。



# 目錄

Kingdom Viruses 病毒界	1	Class Granuloreticulosea 果粒性網狀根足蟲綱	37
Group +ssRNA 正鏈 RNA 病毒	1	Class Heliozoa 真正太陽蟲綱	45
Group dsDNA 雙鏈 DNA 病毒	5	Class Heterolobosea 根足蟲綱	48
Group dsDNA-RT DNA 逆轉錄病毒	7	Class Labyrinthulea 盤蝸綱	48
Group dsRNA 雙鏈 RNA 病毒	8	Class Lobosa	48
Group ssDNA 單鏈 DNA 病毒	9	Class Lobosea 葉狀根足蟲綱	48
Group +,-ssRNA ambisense 雙義 RNA 病毒	9	Class Zoomastigophora 動物性鞭毛蟲綱	48
Group -ssRNA 負鏈 RNA 病毒	10		
Group ssRNA-RT RNA 逆轉錄病毒	11	Kingdom Chromista 原藻界	51
Subviral Agents 亞病毒因子	11	Phylum Bacillariophyta 矽藻門	51
		Class Bacillariophyceae 矽藻綱	51
Kingdom Bacteria 細菌界	13	Phylum Cryptophyta 隱藻門	67
Phylum Actinobacteria 放線菌門	13	Class Cryptophyceae 隱藻綱	67
Class Actinobacteria 放線菌綱	13	Phylum Haptophyta 定鞭藻門	67
Phylum Bacteroidetes 擬桿菌門	13	Class Prymnesiophyceae 定鞭藻綱	67
Class Flavobacteria 黃桿菌綱	13	Phylum Labyrinthulomycota 網黏菌門	68
Class Sphingobacteria 鞘脂桿菌綱	13	Class Labyrinthulomycetes 網黏菌綱	68
Phylum Cyanobacteria 藍菌門	13	Phylum Ochrophyta 褐藻門	69
Class Chlorobacteriaceae 綠色細菌綱	14	Class Chrysophyceae 金藻綱	69
Class Cyanophyceae 藍藻綱	14	Class Coscinodiscophyceae 圓篩藻綱	69
Phylum Deinococcus-thermus 異常球菌-棲熱菌門	18	Class Phaeophyceae 褐藻綱	75
Class Deinococci 異常球菌綱	18	Class Raphidophyceae 針胞藻綱	77
Phylum Firmicutes 厚壁菌門	18	Class Synurophyceae 黃群藻綱	77
Class Bacilli 桿菌綱	18	Class Xanthophyceae 黃藻綱	78
Class Clostridia 梭菌綱	19	Phylum Oomycota 卵菌門	78
Class Mollicutes 柔膜菌綱	19	Class Oomycetes 卵菌綱	78
Phylum Proteobacteria 變形菌門	19	Phylum Xanthophyta 黃綠藻門	81
Class Alphaproteobacteria 甲型變形菌綱	19	Class Chloromonadineae 綠胞藻綱	81
Class Betaproteobacteria 乙型變形菌綱	20		
Class Gammaproteobacteria 丙型變形菌綱	20		
		Kingdom Fungi 真菌界	83
Kingdom Archaea 古菌界	23	Phylum Ascomycota 子囊菌門	83
Phylum Crenarchaeota 泉古菌門	23	Class Ascomycetes 子囊菌綱	83
Class Thermoprotei 熱變形菌綱	23	Class Dothideomycetes 座囊菌綱	138
Phylum Euryarchaeota 廣域古菌門	23	Class Orbiliomycetes 圓盤菌綱	138
Class Methanococci 甲烷球菌綱	23	Class Saccharomycetes 半子囊菌綱	139
Class Methanomicrobia 甲烷微菌綱	23	Class Schizosaccharomycetes 裂殖酵母綱	140
		Class Taphrinomycetes 外囊菌綱	140
Kingdom Protozoa 原生生物界	25	Phylum Basidiomycota 擔子菌門	140
Phylum Acrasiomycota 集胞黏菌門	25	Class Basidiomycetes 擔子菌綱	140
Class Acrasiomycetes 集胞菌綱	25	Class Tremellomycetes 銀耳綱	158
Phylum Apicomplexa 頂複合器門	25	Class Urediniomycetes 銹菌綱	159
Class Gregarinae 簇蟲綱	25	Class Ustilaginomycetes 黑粉菌綱	166
Phylum Ciliophora 纖毛蟲動物門	25	Phylum Chytridiomycota 壺菌門	167
Class Ciliata 纖毛綱	25	Class Chytridiomycetes 壺菌綱	168
Class Polyhymenophora 多膜口綱(多膜綱)	27	Phylum Deuteromycota 不完全菌	169
Phylum Dictyosteliomycota 網柱粘菌門	27	Class Hyphomycetes 絲孢綱	169
Class Dictyosteliomycetes 網柱黏菌綱	27	Phylum Zygomycota 接合菌門	169
Phylum Dinophyta 甲藻門	27	Class Trichomycetes 毛菌綱	170
Class Dinophyceae 甲藻綱	27	Class Zygomycetes 接合菌綱	170
Phylum Euglenozoa 眼蟲門	30		
Class Euglenida 眼蟲綱	30	Kingdom Plantae 植物界	175
Phylum Myxomycota 黏菌門	33	Phylum Rhodophyta 紅藻植物門	175
Class Myxomycetes 黏菌綱	33	Class Bangiophyceae 頭髮菜綱	175
Class Protosteliomycetes 原柱菌綱	37	Class Compsopogonophyceae 真紅藻綱	175
Phylum Myxospora 黏孢子蟲門	37	Class Florideophyceae 真紅藻綱	175
Class Myxosporia 黏孢子蟲綱	37	Class Rhodellophyceae 紅藻綱	181
Phylum Plasmodiophoromycota 根腫菌門	37	Phylum Prasinophyta 綠枝藻門	181
Class Plasmodiophoromycetes 根腫菌綱	37	Class Desmophyceae 縱裂甲藻綱	181
Phylum Sarcomastigophora 肉質鞭毛蟲門	37	Phylum Chlorophyta 綠藻植物門	181
Class Filosea 絲狀根足蟲綱	37	Class Bryopsidophyceae 羽藻綱	181
		Class Charophyceae 輪藻綱	182

Class Chlorophyceae 綠藻植物綱	182	Order Orthoptera 直翅目	619
Class Trebouxiophyceae	189	Order Phasmida 竹節蟲目	620
Class Ulvophyceae 石蓴綱	190	Order Phthiraptera 毛蟲目	621
Class Zygnematophyceae 雙星藻綱	191	Order Plecoptera 襍翅目	621
Phylum Bryophyta 蘚類植物門	195	Order Protura 原尾目	622
Class Andreaeopsida 黑蘚綱	195	Order Psocoptera 嚙蟲目	623
Class Bryopsida 蘚綱	195	Order Siphonaptera 蚤目	625
Class Sphagnopsida 泥炭蘚綱	212	Order Strepsiptera 撚翅目	625
Phylum Lycopodiophyta 石松門	212	Order Thysanoptera 纓翅目	625
Class Lycopodiopsida 石松綱	212	Order Trichoptera 毛翅目	628
Phylum Psilophyta 松葉蕨門	213	Order Zoraptera 缺翅目	631
Class Psilopsida 松葉蕨綱	213	Class Malacostraca 軟甲綱	631
Phylum Equisetophyta 木賊門	213	Class Maxillopoda 顎足綱	655
Class Equisetopsida 木賊綱	213	Phylum Annelida 環節動物門	658
Phylum Pteridophyta 蕨類植物門	213	Class Clitellata 環帶綱	658
Class Filicopsida 真蕨綱	213	Class Polychaeta 多毛綱	659
Phylum Cycadophyta 蘇鐵門	222	Phylum Sipuncula 星蟲動物門	661
Class Cycadopsida 蘇鐵綱	222	Class Phascolosomatidea 革囊星蟲綱	661
Phylum Coniferophyta 毬果門	222	Class Sipunculidea 星蟲綱	661
Class Pinopsida 松綱	222	Phylum Mollusca 軟體動物門	661
Phylum Magnoliophyta 木蘭植物門	223	Class Bivalvia 雙殼綱	661
Class Liliopsida 百合綱	223	Class Cephalopoda 頭足綱	675
Class Magnoliopsida 木蘭綱	241	Class Gastropoda 腹足綱	678
Kingdom Animalia 動物界	287	Class Polyplacophora 多板綱	725
Phylum Porifera 海綿動物門	287	Class Scaphopoda 掘足綱	726
Class Calcarea 石灰海綿綱	287	Phylum Bryozoa 苔蘚動物門	726
Class Demospongiae 尋常海綿綱	287	Class Stenolaemata 窄唇綱	726
Phylum Cnidaria 刺胞動物門	289	Phylum Chaetognatha 毛顎動物門	728
Class Anthozoa 珊瑚蟲綱	289	Class Sagittoidea 箭蟲綱	728
Class Hydrozoa 水螅蟲綱	295	Phylum Echinodermata 棘皮動物門	728
Phylum Platyhelminthes 扁形動物門	296	Class Asteroidea 海星綱	728
Class Cestoda 條蟲綱	296	Class Crinoidea 海百合綱	729
Class Trematoda 吸蟲綱	298	Class Echinoidea 海膽綱	730
Class Turbellaria 渦蟲綱	301	Class Holothuroidea 海參綱	731
Phylum Nematoda 圓形動物門	301	Class Ophiuroidea 蛇尾綱	732
Class Chromadorea 色矛綱	301	Phylum Chordata 脊索動物門	733
Class Secernentea 胞管腎綱	301	Class Thaliacea 海樽綱	733
Phylum Acanthocephala 鉤頭動物門	301	Class Amphioxichthyes 文昌魚綱	734
Class Palaeacanthocephala	301	Class Myxini 盲鰻綱	734
Phylum Rotifera 輪蟲動物門	302	Class Chondrichthyes 軟骨魚綱	734
Class Digononta 雙卵巢綱	302	Class Actinopterygii 條鱗魚綱	738
Class Monogononta 單卵巢綱	302	Class Amphibia 兩生綱	781
Phylum Arthropoda 節肢動物門	303	Class Reptilia 爬蟲綱	782
Class Arachnida 蛛形綱	303	Class Aves 鳥綱	784
Class Chilopoda 唇足綱	320	Class Mammalia 哺乳綱	793
Class Copepoda 橈足綱	321		
Class Diplopoda 倍足綱	331		
Class Insecta 昆蟲綱	333		
Order Blattaria 蜚蠊目	333		
Order Coleoptera 鞘翅目	334		
Order Dermaptera 革翅目	424		
Order Diptera 雙翅目	425		
Order Embiidina 紡足目	469		
Order Ephemeroptera 蜉蝣目	469		
Order Hemiptera 半翅目	470		
Order Hymenoptera 膜翅目	506		
Order Isoptera 等翅目	549		
Order Lepidoptera 鱗翅目	550		
Order Mantodea 螳螂目	614		
Order Mecoptera 長翅目	614		
Order Neuroptera 脈翅目	615		
Order Odonata 蜻蛉目	617		

# Kingdom Viruses 病毒界

## Group +ssRNA 正鏈 RNA 病毒

### [Not assigned to a family]

#### Genus *Hordeivirus*

Barley stripe mosaic virus 大麥條斑嵌紋病毒 (Plant Virus)

#### Genus *Sadwavirus*

Strawberry latent ringspot virus 草莓潛隱輪斑病毒 (Plant Virus)

#### Genus *Tobamovirus*

Cucumber green mottle mosaic virus 胡瓜綠斑嵌紋病毒 (Plant Virus)

Hibiscus latent Singapore virus 朱槿菸嵌病毒 (Plant Virus)

Odontoglossum ringspot virus 齒舌蘭輪點病毒 (Plant Virus)

Pepper mild mottle virus 辣椒微斑病毒 (Plant Virus)

Tobacco mild green mosaic virus 煙草微綠嵌紋病毒 (Plant Virus)

Tobacco mosaic virus 煙草嵌紋病毒 (Plant Virus)

Tomato mosaic virus 蕃茄嵌紋病毒 (Plant Virus)

### Family Arteriviridae

#### Genus *Arterivirus*

Equine Arteritis virus 馬病毒性動脈炎 (Animal Virus)

Lactate dehydrogenase-elevating virus(mice) (Animal Virus)

Lelystad virus (Animal Virus)

Porcine reproductive and respiratory syndrome 豬生殖與呼吸綜合症候群 (Animal Virus)

Simian hemorrhagic fever virus (Animal Virus)

Systematic disease death 系統性疾病死亡 (Animal Virus)

VR2332 virus (similar to PRRS virus) (Animal Virus)

### Family Astroviridae

#### Genus *Astrovirus*

Bovine astrovirus 1-2 (Animal Virus)

Canine astrovirus (Animal Virus)

Duck astrovirus (Animal Virus)

Ovine astrovirus (Animal Virus)

Porcine astrovirus (Animal Virus)

### Family Bromoviridae

#### Genus *Cucumovirus*

Cucumber mosaic virus 胡瓜嵌紋病毒 (Plant Virus)

Tomato aspermy virus 蕃茄種子不稔病毒 (Plant Virus)

### Family Caliciviridae

#### Genus *Floating*

Enteritic infection 腸炎感染症 (Animal Virus)

Hepatitis E-like virus (a similar virus of swine) (Animal Virus)

#### Genus *Lagovirus*

European brown hare syndrome virus (Animal Virus)

Reptile calicivirus (Animal Virus)

#### Genus Unclassified

(Bovine enteritis calicivirus (Animal Virus)

Canine calicivirus (Animal Virus)

Chicken and other birds calicivirus (Animal Virus)

Lion calicivirus (Animal Virus)

Mink calicivirus (Animal Virus)

Porcine enteric calicivirus (Animal Virus)

Walrus calicivirus (Animal Virus)

#### Genus Unnamed

(SRSV group 1 & 2 viruses) (Animal Virus)

Swine calicivirus (Animal Virus)

#### Genus *Vesivirus*

Cetacean calicivirus (Animal Virus)

Rabbit hemorrhagic fever virus 兔出血病 (Animal Virus)

San Miguel sea lion viruses (Animal Virus)

Skunk calicivirus (Animal Virus)

Vesicular exanthema virus 水皰疹 (Animal Virus)

## **Family Closteroviridae**

### **Genus *Ampelovirus***

Grapevine leafroll-associated virus 葡萄捲葉病毒 (Plant Virus)  
Pineapple mealybug wilt-associated virus 鳳梨介殼蟲萎凋病毒 (Plant Virus)

### **Genus *Closterovirus***

Citrus tristeza virus 柑桔萎縮病毒 (Plant Virus)

## **Family Comoviridae**

### **Genus *Fabavirus***

Broad bean wilt virus 蠶豆萎凋病毒 (Plant Virus)

## **Family Coronaviridae**

### **Genus *Coronavirus***

Severe acute respiratory syndrome coronavirus 嚴重急性呼吸道症候群病毒 (Human Virus)

### **Genus *Coronavirus* group I**

Canine coronavirus (Animal Virus)  
Diarrhea 犬出血性下痢症 (Animal Virus)  
Diarrhea in kitten 幼貓下痢 (Animal Virus)  
Feline enteric coronavirus (Animal Virus)  
Feline infectious peritonitis virus 貓傳染性腹膜炎 (Animal Virus)  
Porcine epidemic diarrhea virus (Animal Virus)  
Swine gastroenteritis 豬胃腸炎 (Animal Virus)  
Transmissible gastroenteritis virus 豬傳染性胃腸炎 (Animal Virus)

### **Genus *Coronavirus* group II**

Bovine coronavirus 牛冠狀病毒感染症 (Animal Virus)  
Hemagglutinating encephalomyelitis virus (Animal Virus)  
Hepatitis, enteritis, encephalitis (Animal Virus)  
Mouse hepatitis viruses (Animal Virus)  
Rat coronavirus (Animal Virus)  
Sialodacryadenitis (Animal Virus)  
Swine vomiting, wasting, encephalomyelitis (Animal Virus)  
Turkey bluecomb virus (Animal Virus)  
Winter dysentery 冬季下痢 (Animal Virus)

### **Genus *Coronavirus* group III**

Avian infectious bronchitis virus (Animal Virus)  
Infectious bronchitis 傳染性支氣管炎 (Animal Virus)

### **Genus *Coronavirus* ungrouped**

Rabbit coronavirus (Animal Virus)

### **Genus *Togovirus***

Berne virus of horse (Animal Virus)  
Breda virus of calf (Animal Virus)  
Diarrhea 下痢 (Animal Virus)

### **Genus *Togovirus-like particle***

Porcine togovirus (Animal Virus)

## **Family Flaviviridae**

### **Genus *Flavivirus***

Border disease virus of sheep 邊界病 (Animal Virus)  
Bovine viral diarrhea virus 牛病毒性下痢 (Animal Virus)  
Dengue virus 登革熱病毒 (Human Virus)  
Dengue viruses 1-4 (Animal Virus)  
Hepacivirus (Animal Virus)  
Hepatitis C and G virus (Animal Virus)  
Hog cholera virus 豬瘟 (Animal Virus)  
Israel turkey eningoencephalitis virus (Animal Virus)  
Japanese encephalitis 日本腦炎 (Animal Virus)  
Japanese encephalitis virus (Animal Virus)  
Japanese encephalitis virus of human 日本腦炎病毒 (Human Virus)  
Murray Valley encephalitis virus (Animal Virus)  
Pestivirus (Animal Virus)  
St. Louis encephalitis virus (Animal Virus)  
Tick-borne encephalitis virus complex (Animal Virus)  
Wesselsbornvirus of sheep (Animal Virus)  
West Nile virus (Animal Virus)  
West Nile virus infection 西尼羅病毒感染症 (Animal Virus)  
West Nile Virus of Human 西尼羅病毒 (Human Virus)  
Yellow fever virus (Animal Virus)

Yellow fever virus of human 黃熱病病毒 (Human Virus)

### **Genus *Hepacivirus***

Hepatitis C virus 急性C型肝炎病毒 (Human Virus)

### **Family Flexiviridae**

#### **Genus *Allexivirus***

Garlic mite-borne filamentous virus 大蒜蟻媒長絲狀病毒 (Plant Virus)

#### **Genus *Capillovirus***

Apple stem grooving virus 蘋果莖凹陷病毒 (Plant Virus)

Citrus tatter leaf virus 柑桔破葉病毒 (Plant Virus)

#### **Genus *Carlavirus***

Chrysanthemum virus B 菊花嵌紋病毒 B (Plant Virus)

Garlic common latent virus 大蒜普通潛隱病毒 (Plant Virus)

Garlic latent virus 大蒜潛隱病毒 (Plant Virus)

Garlic mosaic virus 大蒜嵌紋病毒 (Plant Virus)

Lily symptomless virus 百合隱微型病毒 (Plant Virus)

Lycoris virus T 石蒜 T 病毒 (Plant Virus)

Potato virus M 馬鈴薯 M 病毒 (Plant Virus)

Potato virus S 馬鈴薯 S 病毒 (Plant Virus)

Shallot latent virus 分蔥潛隱病毒 (Plant Virus)

#### **Genus *Foveavirus***

Apple stem pitting virus 蘋果莖痘斑病毒 (Plant Virus)

#### **Genus *Potexvirus***

Bamboo mosaic virus 竹類嵌紋病毒 (Plant Virus)

Cactus virus X 仙人掌 X 病毒 (Plant Virus)

Cymbidium mosaic virus 蕙蘭嵌紋病毒 (Plant Virus)

Foxtail mosaic virus 狐尾草嵌紋病毒 (Plant Virus)

Potato virus X 馬鈴薯 X 病毒 (Plant Virus)

#### **Genus *Trichovirus***

Apple chlorotic leaf spot virus 蘋果黃化葉斑病毒 (Plant Virus)

#### **Genus *Vitivirus***

Grapevine virus A 葡萄 A 病毒 (Plant Virus)

### **Family Hepeviridae**

#### **Genus *Hepevirus***

Hepatitis E virus 急性E型肝炎病毒 (Human Virus)

### **Family Luteoviridae**

#### **Genus *Polerovirus***

Beet western yellows virus 甜菜西方黃化病毒 (Plant Virus)

Cucurbit aphid-borne yellows virus 瓜類蚜媒黃化病毒 (Plant Virus)

Sugarcane yellow leaf virus 甘蔗黃葉病毒 (Plant Virus)

### **Family Nodaviridae**

#### **Genus *Betanodavirus***

Grouper Nervous Necrosis Virus 石斑神經壞死病毒 (Animal Virus)

### **Family Picornaviridae**

#### **Genus *Aphthovirus***

Foot & mouth disease in ruminant & swine 口蹄疫 (Animal Virus)

Foot and mouth disease virus O, A, C, SAT1-3, Asia 1 (Animal Virus)

#### **Genus *Cardiovirus***

Encephalomyocarditis virus (Animal Virus)

Swine vesicular disease virus (Animal Virus)

#### **Genus *Enterovirus***

Avian encephalomyelitis 鳥禽腦脊髓炎 (Animal Virus)

Avian enterovirus (Animal Virus)

Bovine enterovirus (Animal Virus)

Enterovirus 腸病毒 (Human Virus)

Enterovirus encephalomyelitis 腸病毒性腦脊髓炎 (Animal Virus)

Poliovirus 小兒麻痺症病毒 (Human Virus)

Simian enterovirus (Animal Virus)

Swine vesicular disease virus 豬水疱病 (Animal Virus)

Theiler's murine encephalomyelitis virus (Animal Virus)

#### **Genus *Hepatovirus***

Hepatitis A virus (Animal Virus)

Hepatitis A virus of human 急性A型肝炎病毒 (Human Virus)

Simian hepatitis A virus (Animal Virus)

### **Genus *Parechovirus***

Ungrouped (equine rhinovirus 2 and 3) (Animal Virus)

### **Genus *Rhinovirus***

Bovine rhinovirus 1-3 (Animal Virus)

### **Genus *Teschovirus***

Porcine teschovirus 1 (Animal Virus)

Teschovirus encephalomyelitis 豬鐵士古病毒性腦脊髓炎 (Animal Virus)

## **Family Potyviridae**

### **Genus *Ipomovirus***

Sweet potato yellow dwarf virus 甘藷黃萎病毒 (Plant Virus)

### **Genus *Potyvirus***

Alpinia mosaic virus 月桃嵌紋病毒 (Plant Virus)

Alstroemeria mosaic virus 百合水仙嵌紋病毒 (Plant Virus)

Basella rugose mosaic virus 落葵皺葉嵌紋病毒 (Plant Virus)

Bean common mosaic virus 菜豆普通嵌紋病毒 (Plant Virus)

Bean yellow mosaic virus 菜豆黃化嵌紋病毒 (Plant Virus)

Blackeye cowpea mosaic virus 黑眼豇豆嵌紋病毒 (Plant Virus)

Calla lily latent virus 海芋潛微病毒 (Plant Virus)

Chili veinal mottle virus 辣椒脈斑病毒 (Plant Virus)

Cowpea aphid-borne mosaic virus 豇豆蚜媒嵌紋病毒 (Plant Virus)

Dasheen mosaic virus 芋頭嵌紋病毒 (Plant Virus)

Glory lily mosaic virus 火焰百合嵌紋病毒 (Plant Virus)

Hippeastrum mosaic virus 百子蓮花葉病毒 (Plant Virus)

Jasmin virus T 茉莉花黃化嵌紋病毒 (Plant Virus)

Konjak mosaic virus 蒟蒻嵌紋病毒 (Plant Virus)

Leek yellow stripe virus 分蔥黃條斑紋病毒 (Plant Virus)

Lettuce mosaic virus 萵苣嵌紋病毒 (Plant Virus)

Lily mottle virus 百合斑紋病毒 (Plant Virus)

Lycoris mild mottle virus 石蒜微斑紋病毒 (Plant Virus)

Lycoris potyvirus 石蒜 Y 病毒 (Plant Virus)

Maize dwarf mosaic virus 玉米矮化嵌紋病毒 (Plant Virus)

Melon vein-banding mosaic virus 甜瓜脈綠嵌紋病毒 (Plant Virus)

Narcissus yellow stripe virus 水仙黃化條斑病毒 (Plant Virus)

Onion yellow dwarf virus 蔥萎黃病毒 (Plant Virus)

Ornithogalum mosaic virus 天鵝絨嵌紋病毒 (Plant Virus)

Papaya leaf distortion mosaic virus 木瓜畸葉嵌紋病毒 (Plant Virus)

Papaya ringspot virus 木瓜輪點病毒 (Plant Virus)

Papaya ringspot virus type W 木瓜輪點病毒-西瓜系統 (Plant Virus)

Passion fruit crinkle virus 百香果連葉病毒 (Plant Virus)

Passion fruit mottle virus 百香果斑紋病毒 (Plant Virus)

Passion fruit woodiness virus 百香果木質化病毒 (Plant Virus)

Pea seed-borne mosaic virus 豌豆種媒嵌紋病毒 (Plant Virus)

Peanut mottle virus 花生斑紋病毒 (Plant Virus)

Peanut stripe virus 花生條斑病毒 (Plant Virus)

Pepper veinal mottle virus 辣椒葉脈斑紋病毒 (Plant Virus)

Phalaenopsis chlorotic spot virus 蝴蝶蘭黃斑病毒 (Plant Virus)

Potato virus A 馬鈴薯 A 病毒 (Plant Virus)

Potato virus Y 馬鈴薯 Y 病毒 (Plant Virus)

Pterostylis virus Y 翅柱蘭 Y 病毒 (Plant Virus)

Shallot yellow stripe virus 分蔥黃條斑紋病毒 (Plant Virus)

Soybean mosaic virus 大豆嵌紋病毒 (Plant Virus)

Sugarcane mosaic virus 甘蔗嵌紋病毒 (Plant Virus)

Sunflower chlorotic spot virus 向日葵黃化斑點病毒 (Plant Virus)

Sweet potato feathery mottle virus 甘藷羽狀斑紋病毒 (Plant Virus)

Sweet potato latent virus 甘藷潛伏病毒 (Plant Virus)

Tobacco vein banding mosaic virus 煙草脈綠嵌紋病毒 (Plant Virus)

Tuberose mild mosaic virus 夜來香微嵌紋病毒 (Plant Virus)

Tulip breaking virus 鬱金香條斑病毒 (Plant Virus)

Turnip mosaic virus 蕪菁嵌紋病毒 (Plant Virus)

Zantedeschia mild mosaic virus 海芋微嵌紋病毒 (Plant Virus)

Zantedeschia mosaic virus 海芋嵌紋病毒 (Plant Virus)

Zucchini yellow mosaic virus 矮南瓜黃化嵌紋病毒 (Plant Virus)

## **Family Togaviridae**

### **Genus *Alphavirus***

Chikungunya virus 屈公病病毒 (Human Virus)

Eastern equine encephalitis virus 東方馬腦脊髓炎 (Animal Virus)

Equine encephalitis virus (Animal Virus)

Equine encephalomyelitis 馬腦脊髓炎 (Animal Virus)  
Sindbis virus (Animal Virus)  
Venezuela equine encephallitis virus 委內瑞拉馬腦脊髓炎 (Animal Virus)  
Western equine encephallitis virus 西方馬腦脊髓炎 (Animal Virus)

### **Genus Rubivirus**

Rubella virus (Animal Virus)  
Rubella virus of Human 德國麻疹病毒 (Human Virus)

### **Family Tombusviridae**

#### **Genus Carmovirus**

Carnation mottle virus 康乃馨斑駁病毒 (Plant Virus)  
Hibiscus chlorotic ringspot virus 朱槿黃脈嵌紋病毒 (Plant Virus)

#### **Genus Necrovirus**

Lisianthus necrosis virus 洋桔梗壞疽病毒 (Plant Virus)

### **Family Unclassified**

#### **[Not assigned to a Genus]**

Duck hepatitis virus I,II,III 鴨病毒性肝炎 (Animal Virus)  
Equine rhinovirus 1 (Animal Virus)

## **Group dsDNA 雙鏈 DNA 病毒**

### **Family Adenoviridae**

#### **Genus Atadenovirus (Proposed)**

Bovine adenovirus 4,5,6,7,8 (Animal Virus)  
Egg drop syndrome virus (Animal Virus)  
Fowl egg drop syndrome 家禽卵墜落症候群 (Animal Virus)  
Ovine adenovirus 287 (Animal Virus)

#### **Genus Aviadenovirus**

Avian marble spleen disease 家禽大理石脾病 (Animal Virus)  
Avian Pneumonitis and edema 家禽肺炎與水腫 (Animal Virus)  
Fowl adenovirus 1 (Animal Virus)  
Hemorrhagic enteritis of fowl and turkey 家禽出血性腸炎 (Animal Virus)  
Mable spleen disease virus (Animal Virus)  
Unnamed virus (Animal Virus)

#### **Genus Mastadenovirus**

Bovine adenovirus 1,2,3,10 (Animal Virus)  
Canine adenovirus 1 (Animal Virus)  
Canine adenovirus 2 犬第二型腺病毒 (Animal Virus)  
Equine adenovirus 1 and 5 (Animal Virus)  
Infectious canine hepatitis 犬傳染性肝炎 (Animal Virus)  
Ovine adenovirus 3 (Animal Virus)

### **Family Asfviridae**

#### **Genus Asfivirus**

African swine fever virus 非洲豬瘟 (Animal Virus)

### **Family Herpesviridae**

#### **[Not assigned to a Genus]**

Abalone Herpesvirus 九孔疱疹病毒 (Animal Virus)  
Cyprinid herpesvirus 3 (Koi Herpesvirus) 錦鯉疱疹病毒 (Animal Virus)  
Oncorhynchus masou necrosis disease 櫻鱒病毒病 (Animal Virus)  
Salmonid herpesviruses 1,2 (Animal Virus)

#### **Genus Simplexvirus**

Bovine herpesvirus 2 (Animal Virus)  
Bovine mamillitis(Pseudo-lumpyskin disease) 牛假性皮炎 (Animal Virus)  
Cercopithecine herpesvirus 1 胞疹 B 病毒 (Human Virus)  
Monkey B-virus infection 猴 B 型病毒感染症 (Animal Virus)

#### **Genus Varicellovirus**

Bovine herpesvirus 1 牛第一型疱疹病毒 (Animal Virus)  
Duck herpesvirus 1 (Animal Virus)  
Duck viral enteritis 鴨病毒性腸炎 (Animal Virus)  
Equine abortion 馬流產症 (Animal Virus)  
Equine herpesvirus 1 (Animal Virus)  
Equine herpesvirus 4 (Animal Virus)  
Equine rhinopneumonitis 馬鼻肺炎症 (Animal Virus)  
Herpesvirus 3, Varicella-Zoster virus 水痘病毒 (Human Virus)  
Infectious bovine rhinotracheitis 牛傳染性鼻氣管炎 (Animal Virus)

Infectious pustular vulvovaginitis 牛傳染性化膿性陰炎 (Animal Virus)  
Pseudorabies 假性狂犬病 (Animal Virus)  
Pseudorabies virus (Animal Virus)

### **Genus Unnamed (Marek's disease-like viruses)**

Avian Marek's disease 馬立克病 (Animal Virus)  
Marek's disease virus (Animal Virus)

### **Genus *Iltovirus***

Anatid herpesvirus 1 (Animal Virus)  
Avian Infectious laryngotracheitis 雞傳染性喉頭氣管炎 (Animal Virus)  
Canine herpesvirus 1 犬第一型疱疹病毒 (Animal Virus)  
Coital exanthema 駒疹 (Animal Virus)  
Duck plague 鴨瘟 (Animal Virus)  
Equine herpesvirus 3 (Animal Virus)  
Feline rhinotracheitis 貓鼻氣管炎 (Animal Virus)  
Feline herpesvirus 1 貓第一型疱疹病毒 (Animal Virus)  
Gallid herpesvirus 1 (Animal Virus)  
Gallid herpesvirus 2 (Animal Virus)  
Marek's disease of chicken 雞馬立克病 (Animal Virus)

### **Genus *Cytomegalovirus***

Inclusion body rhinitis 包涵體鼻炎 (Animal Virus)  
Porcine cytomegalovirus (Animal Virus)

### **Genus *Muromegaiovirus***

Mouse cytomegalovirus 1 (Animal Virus)

### **Genus *Rhadinovirus***

Alcelaphine herpesvirus 1 (Animal Virus)  
Bovine malignant catarrhal fever 牛惡性卡他熱 (Animal Virus)  
Equine herpesvirus 2 (Animal Virus)  
Equine herpesvirus 5 (Animal Virus)  
Ovine herpesvirus 2 (Animal Virus)

### **Genus Unnamed**

European Eel Herpesvirus 歐洲鰻疱疹病毒 (Animal Virus)

### **Genus Unnamed (channel catfish herpesvirus-like viruses)**

Channel catfish herpesvirus infection 河魴疱疹病毒感染症 (Animal Virus)  
Ictalurid herpesvirus 1 (Animal Virus)

### **Family Iridoviridae**

#### **Genus *Lymphocystivirus***

Flounder virus (Animal Virus)  
Lymphocystis disease 魚淋巴囊泡症 (Animal Virus)

#### **Genus *Megalocytivirus***

Grouper Iridovirus of Taiwan 台灣石斑虹彩病毒 (Animal Virus)

#### **Genus *Ranavirus***

Enzootic haematopoietic necrosis virus 魚流行性造血組織壞死症 (Animal Virus)

### **Genus Unnamed**

Goldfish virus 1-2 (Animal Virus)

### **Family Papovaviridae**

#### **Genus *Papillomavirus***

Bovine papillomavirus (Animal Virus)  
Canine oral papillomatosis virus (Animal Virus)  
Cattle cutaneous papillomas 牛皮膚乳突瘤 (Animal Virus)  
Cottontail rabbit papillomavirus (Animal Virus)  
Mammals and birds papillomas (Animal Virus)  
Rabbit papillomavirus (Animal Virus)

#### **Genus *Polyomavirus***

Budgerigar fledgling disease virus (Animal Virus)  
Murine PolyomavirusSV40 virus (Animal Virus)  
Polyoma acute disease (Animal Virus)  
SV40 virus (Animal Virus)

### **Family Poxviridae**

#### **Genus *Avipoxvirus***

Canarypox 金絲雀痘 (Animal Virus)  
Fowlpox 禽痘 (Animal Virus)  
Pigeonpox 鴿痘 (Animal Virus)

#### **Genus *Capripoxvirus***

Cattle lumpy skin disease (Animal Virus)

Goatpox (Animal Virus)

Sheeppox virus (Animal Virus)

### **Genus *Entomopoxvirus* A,B,C**

Insect virus (Animal Virus)

### **Genus *Leporipoxvirus***

Hare fibroma 野兔黏液瘤 (Animal Virus)

Myxoma virus (Animal Virus)

Rabbit myxomatosis 兔黏液瘤 (Animal Virus)

Rabbit Shope fibroma 兔 Shope 黏液瘤 (Animal Virus)

Squirrel fibroma 松鼠黏液瘤 (Animal Virus)

### **Genus *Molluscipoxvirus***

Molluscum contagiosum virus (Animal Virus)

### **Genus *Orthopoxvirus***

Buffalopox 水牛痘 (Animal Virus)

Cowpox 牛痘 (Animal Virus)

Ectromelia virus 鼠痘 (Animal Virus)

Horse pox 馬痘 (Animal Virus)

Monkeypox 猴痘 (Animal Virus)

Mousepox 鼠痘 (Animal Virus)

Rabbitpox 兔痘 (Animal Virus)

Vaccinia virus (Animal Virus)

Variola virus 天花病毒 (Human Virus)

### **Genus *Parapoxvirus***

Bovine popular stomatitis 牛膿皰性口炎 (Animal Virus)

Orf virus 傳染性化膿性皮膚炎 (Animal Virus)

Pseudocowpox 假性牛痘 (Animal Virus)

Red deer parapox 紅鹿副痘瘡 (Animal Virus)

Seal parapoxvirus 海豹副痘瘡 (Animal Virus)

### **Genus *Suiopoxvirus***

Swinepox virus 豬痘 (Animal Virus)

### **Genus *Yatapoxvirus***

Monkey Yabapox and tanapox (Animal Virus)

Yaba monkey tumor virus (Animal Virus)

## **Group dsDNA-RT DNA 逆轉錄病毒**

### **Family Caulimoviridae**

#### **Genus *Badnavirus***

Banana streak virus 香蕉條紋病毒 (Plant Virus)

Bougainvillea spectabilis chlorotic vein-banding virus 九重葛黃化葉脈帶狀病毒 (Plant Virus)

#### **Genus *Caulimovirus***

Cauliflower mosaic virus 花椰菜嵌紋病毒 (Plant Virus)

### **Family Hepadnaviridae**

#### **Genus *Avihepadnavirus***

Duck hepatitis B virus (Animal Virus)

Heron hepatitis B virus (Animal Virus)

#### **Genus *Orthohepadnavirus***

Ground squirrel hepatitis B virus (Animal Virus)

Hepatitis B virus 急性 B 型肝炎病毒 (Human Virus)

Woodchuck hepatitis B virus (Animal Virus)

### **Family Retroviridae**

#### **Genus (Bovine leukemia virus & human T lymphotropic viruses)**

Simian T lymphotropic virus (Animal Virus)

#### **Genus *Alpharetrovirus* (Avian type C retroviruses)**

Avian blastosis virus (Animal Virus)

Avian carcinoma virus (Animal Virus)

Avian leukemia virus 家禽白血病 (Animal Virus)

Avian myeloblastosis virus (Animal Virus)

Avian sarcoma virus (Animal Virus)

Duck spleen necrosis virus (Animal Virus)

Rous sarcoma virus (Animal Virus)

#### **Genus *Betaretrovirus* (mammalian type B & type D retroviruses)**

Langur type D virus (Animal Virus)  
Mason-Pfizer monkey virus (Animal Virus)  
Mouse mammary tumor virus (Animal Virus)  
Ovine pulmonary adenomatosis virus 綿羊肺腺瘤病 (Animal Virus)  
Simian type D virus 1 (Animal Virus)  
Squirrel monkey type D virus (Animal Virus)

#### **Genus *Deltaretrovirus***

Bovine leukemia virus (Animal Virus)  
Enzootic bovine leucosis 牛白血病 (Animal Virus)

#### **Genus *Epsilonretrovirus* (fish retroviruses)**

Similar viruses of fish (Animal Virus)  
Walleye dermal sarcoma virus (Animal Virus)  
Walleye epidermal hyperplasia virus 1 & 2 (Animal Virus)

#### **Genus *Gammaretrovirus* (mammalian & reptilian type C retroviruses)**

Avian reticuloendotheliosis virus (Animal Virus)  
Feline leukemia virus (Animal Virus)  
Feline sarcoma virus (Animal Virus)  
Gibbon ape leukemia virus (Animal Virus)  
Guinea pig type C virus (Animal Virus)  
Murine leukemia virus (Animal Virus)  
Murine sarcoma virus (Animal Virus)  
Porcine type C virus (Animal Virus)  
Viper type C virus (Animal Virus)  
Woolly monkey sarcoma virus (Animal Virus)

#### **Genus *Lentivirus***

Bovine immunodeficiency virus (Animal Virus)  
Caprine arthritis/encephalitis virus 山羊關節炎/腦炎 (Animal Virus)  
Equine infectious anemia 馬傳染性貧血 (Animal Virus)  
Equine infectious anemia virus (Animal Virus)  
Feline immunodeficiency virus (Animal Virus)  
Maedi/visna virus 慢性進行性間質性肺炎 (Animal Virus)  
Simian immunodeficiency virus (Animal Virus)

## **Group dsRNA 雙鏈 RNA 病毒**

### **Family Birnaviridae**

#### **Genus *Aquabirnavirus***

Infectious Pancreatic Necrosis Virus 感染性胰臟壞死病毒 (Animal Virus)  
Infectious pancreatic necrosis virus of salmonid fish 傳染性胰臟壞死症 (Animal Virus)

#### **Genus *Avibirnavirus***

Infectious bursal disease virus of fowl 傳染性華氏囊病 (Animal Virus)

### **Family Reoviridae**

#### **Genus *Aquareovirus***

Channel catfish reovirus (Animal Virus)  
Chub reovirus (Animal Virus)  
Golden shiner virus (Animal Virus)  
Grass carp reovirus (Animal Virus)  
Hard Clam Virus 文蛤病毒 (Animal Virus)  
Landlocked Salmon Virus 櫻花鉤吻鮭病毒 (Animal Virus)  
Rainbow Trout Virus 鱒魚病毒 (Animal Virus)  
Salmon reoviruses (Animal Virus)

#### **Genus *Coltivirus***

Colorado tick fever virus & Eyach virus (Animal Virus)

#### **Genus *Orbivirus***

African horse sickness 非洲馬疫 (Animal Virus)  
African horse sickness viruses (Animal Virus)  
Bluetongue viruses 藍舌病 (Animal Virus)  
Epizootic hemorrhagic disease of deer viruses (Animal Virus)  
Equine encephalosis viruses (Animal Virus)  
Ibaraki virus (Animal Virus)

#### **Genus *Orthoreovirus***

Avian reoviruses (Animal Virus)  
Reovirus 3 (Animal Virus)

#### **Genus *Oryzavirus***

Echinochloa ragged stunt virus 稗草皺縮矮化病毒 (Plant Virus)

Rice ragged stunt virus 水稻皺縮矮化病毒 (Plant Virus)

### **Genus *Rotavirus***

Group A rotaviruses (Animal Virus)

Group C,E rotaviruses(porcine) (Animal Virus)

Group D rotaviruses(fowl) (Animal Virus)

Group F rotaviruses(avian) (Animal Virus)

Simian Rotavirus SA11 (Animal Virus)

## **Group ssDNA 單鏈 DNA 病毒**

### **Family Circoviridae**

#### **[Not assigned to a Genus]**

Chicken anemia virus 2 (Animal Virus)

Porcine circovirus (Animal Virus)

Porcine circovirus infection 豬環狀病毒感染 (Animal Virus)

Postweaning multisystemic wasting syndrome in swine 豬哺乳後期全身多系統性消耗性症候群 (Animal Virus)

Psittacine beak and feather disease virus (Animal Virus)

### **Family Geminiviridae**

#### **Genus *Begomovirus***

Ageratum yellow vein virus 霍香薊黃脈病毒 (Plant Virus)

Mungbean yellow mosaic virus 綠豆黃化嵌紋病毒 (Plant Virus)

Okra yellow crinkle virus 秋葵黃化皺縮病毒 (Plant Virus)

Papaya leaf curl virus 木瓜捲葉病毒 (Plant Virus)

Pepper leaf curl virus 辣椒曲葉病毒 (Plant Virus)

Pepper yellow leaf curl virus 辣椒黃化曲葉病毒 (Plant Virus)

Pumpkin yellow mosaic virus 南瓜黃化嵌紋病毒 (Plant Virus)

Squash leaf curl virus 南瓜捲葉病毒 (Plant Virus)

Tomato leaf curl virus 蕃茄捲葉病毒 (Plant Virus)

Tomato yellow leaf curl virus 蕃茄黃化捲葉病毒 (Plant Virus)

#### **Genus *Swepevirus***

Sweet potato leaf curl virus 甘藷捲葉病毒 (Plant Virus)

### **Family Nanoviridae**

#### **Genus *Babuvirus***

Banana bunchy top virus 香蕉萎縮病毒 (Plant Virus)

### **Family Parvoviridae**

#### **Genus *Dependovirus***

Goose & muscovy duck parvovirus (Animal Virus)

Waterfowl parvovirus infection 水禽小病毒感染症 (Animal Virus)

#### **Genus *Parvovirus***

Aleutian mink disease virus (Animal Virus)

Bovine parvovirus (Animal Virus)

Canine parvovirus 1,2a,2b 小病毒感染症 (Animal Virus)

Feline panleukopenia virus 貓泛白血球減少症 (Animal Virus)

Goose parvovirus (Animal Virus)

Mink enteritis virus (Animal Virus)

Minute virus of mice (Animal Virus)

Murine parvovirus (Animal Virus)

Porcine parvovirus (Animal Virus)

Rabbit parvovirus (Animal Virus)

Rat parvovirus (Animal Virus)

#### **Genus *Pefudensovirus***

Hepatopancreatic virus 肝胰腺小型 DNA 病毒感染症 (Animal Virus)

## **Group +,-ssRNA ambisense RNA 雙義 RNA 病毒**

### **Family Arenaviridae**

#### **Genus *Arenavirus***

Lassa virus 拉薩熱病毒 (Human Virus)

Lymphocytic choriomeningitis In mouse (Animal Virus)

Lymphocytic choriomeningitis virus (Animal Virus)

### **Family Bunyaviridae**

#### **Genus *Hantavirus***

Hantavirus 漢他病毒 (Human Virus)

### **Genus *Nairovirus***

Crimen-Congo hemorrhagic fever virus (Animal Virus)  
Nairobi sheep disease virus 綿羊奈洛比病 (Animal Virus)

### **Genus *Orthobunyavirus***

Aino virus (livestock pathogen) (Animal Virus)  
Akabane virus (livestock pathogen) 赤羽病 (Animal Virus)

### **Genus *Phlebovirus***

Rift valley fever virus 里夫谷熱 (Animal Virus)  
Rift Valley Fever Virus of Human 裂谷熱病毒 (Human Virus)  
Sandfly fever Sicilian virus (Animal Virus)

### **Genus *Tospovirus***

Calla lily chlorotic spot virus 彩色海芋黃化斑點病毒 (Plant Virus)  
Capsicum chlorosis virus 甜椒黃化病毒 (Plant Virus)  
Melon yellow spot virus 甜瓜黃斑病毒 (Plant Virus)  
Peanut chlorotic fan-spot virus 花生黃化扇斑病毒 (Plant Virus)  
Tomato spotted wilt virus 蕃茄斑點萎凋病毒 (Plant Virus)  
Watermelon silver mottle virus 西瓜銀斑病毒 (Plant Virus)

## **Group -ssRNA 負鏈 RNA 病毒**

[Not assigned to a family]

### **Genus *Deltavirus***

Hepatitis delta virus 急性 D 型肝炎病毒 (Human Virus)

### **Genus *Tenuivirus***

Maize stripe virus 玉米條紋病毒 (Plant Virus)  
Rice grassy stunt virus 草狀矮化病毒 (Plant Virus)  
Rice stripe virus 水稻縞葉病毒 (Plant Virus)  
Rice wilted stunt virus 水稻萎凋矮化病毒 (Plant Virus)

### **Family Bornaviridae**

#### **Genus *Bornavirus***

Borna disease virus (Animal Virus)  
Vertebrate meningoencephalomyelitis (Animal Virus)

### **Family Filoviridae**

#### **Genus *Ebola-like viruses***

Ebola viruses 伊波拉病毒 (Human Virus)

#### **Genus *Marburgvirus***

Marburgvirus 馬堡病毒 (Human Virus)

#### **Genus Unnamed (Ebola-like viruses)**

Ebola virus (Animal Virus)

#### **Genus Unnamed (Marburg-like viruses)**

Marburg virus (Animal Virus)

### **Family Orthomyxoviridae**

#### **Genus *Influenzavirus***

Influenza virus 流感病毒 (Human Virus)

#### **Genus *Influenzavirus A***

Influenza A virus (H5N1 subtype) H5N1 流感 (Human Virus)

### **Family Paramyxoviridae**

#### **Genus *Metapneumovirus***

Turkey rhinotracheitis virus (Animal Virus)

#### **Genus *Morbillivirus***

Canine distemper 犬瘟熱 (Animal Virus)  
Canine distemper virus (Animal Virus)  
Marine mammal morbillivirus (Animal Virus)  
Measles virus 麻疹病毒 (Human Virus)  
Peste des petis ruminants virus 小反芻獸疫 (Animal Virus)  
Rinderpest virus 牛瘟 (Animal Virus)

#### **Genus *Pneumovirus***

Bovine respiratory syncytial virus (Animal Virus)  
Pneumonia virus of mice (Animal Virus)

#### **Genus *Respirovirus***

Bovine parainfluenza virus 3 (Animal Virus)

Mouse parainfluenza virus 1 (Animal Virus)  
Mouse parainfluenza virus 1(Sendai virus) (Animal Virus)  
Semian parainfluenza virus 10 (Animal Virus)

### **Genus *Rubulavirus***

Avian parainfluenza virus 1 (Animal Virus)  
Avian parainfluenza virus 2 (Animal Virus)  
Avian parainfluenza virus 3,4,5 (Animal Virus)  
Mumps virus 腮腺炎病毒 (Human Virus)  
Newcastle disease 新城病 (Animal Virus)  
Porcine parainfluenza virus (Animal Virus)  
Semian parainfluenza virus 5,41 (Animal Virus)

### **Genus Unnamed(Australian equine morbillivirus)**

Australian equine morbilliviruses (Animal Virus)

### **Family Rhabdoviridae**

#### **Genus *Ephemerovirus***

Adelaide River virus (Animal Virus)  
Berrimah virus (Animal Virus)  
Bovine ephemeral fever virus 牛流行熱 (Animal Virus)

#### **Genus *Lyssavirus***

European bat viruses 1,2 (Animal Virus)  
Lagos bat virus (Animal Virus)  
Rabies virus 狂犬病 (Animal Virus)  
Rabies virus of human 狂犬病病毒 (Human Virus)

#### **Genus *Norirhabdovirus***

Infectious Hematopoietic Necrosis Virus 感染性造血組織壞死病毒 (Animal Virus)  
Viral hemorrhagic septicemia virus of salmon (Animal Virus)

#### **Genus *Nucleorhabdovirus***

Rice transitory yellowing virus 水稻黃葉病毒 (Plant Virus)

#### **Genus *Vesiculovirus***

Carp Spring viremia (Animal Virus)  
Grass carp rhabdovirus (Animal Virus)  
Pike fry rhabdovirus (Animal Virus)  
Spring viremia of carp virus (Animal Virus)  
Vesicular stomatitis virus 水疱性口炎 (Animal Virus)

## **Group ssRNA-RT RNA 逆轉錄病毒**

### **Family Retroviridae**

#### **Genus *Lentivirus***

Human immunodeficiency virus 人類免疫缺乏病毒 (Human Virus)

## **Subviral Agents 亞病毒因子**

### **Family Dicistroviridae**

#### **Genus Unclassified**

Taura syndrome 蝦套拉症 (Animal Virus)

### **Family Nimaviridae**

#### **Genus *Whispovirus***

White spot syndrome 白斑症候群 (Animal Virus)

### **Family Nodaviridae**

#### **Genus *Betanodavirus***

Viral nervous necrosis 病毒性神經壞死症 (Animal Virus)

### **Family Prions**

#### **[Not assigned to a Genus]**

Bovine spongiform encephalopathies transmissible (Animal Virus)  
BSE,Maddish cow disease 狂牛症 (Animal Virus)  
Chronic wasting disease of mule, deer and elk 騾、鹿、馴鹿之慢性消耗性病 (Animal Virus)  
Mink encephalopathy 貂腦病變 (Animal Virus)  
Scrapie of sheep and goat 羊搔癢症 (Animal Virus)

### **Family Roniviridae**

#### **Genus *Okavirus***

Yellow head disease/ Gill associated virus 黃頭症及鰓相關病毒 (Animal Virus)

**Family Satellites**

**Genus *Floating***

Delavirus (Hepatitis delta virus) (Animal Virus)

# Kingdom Bacteria 細菌界

## Phylum Actinobacteria 放線菌門

### Class Actinobacteria 放線菌綱

#### Order Actinomycetales 放線菌目

##### Family Cellulomonadaceae 纖維單胞菌科

*Cellulomonas flavigena* (Kellerman & McBeth) Bergey et al. 產黃纖維單胞菌

##### Family Corynebacteriaceae 棒狀桿菌科

*Corynebacterium glutamicum* (Kinoshita et al.) Abe et al. 谷氨酸棒狀桿菌

##### Family Dermabacteraceae 表皮菌科

*Brachybacterium phenoliresistens* Jui-Hsing Chou, 2007 抗酚短狀桿菌

##### Family Gordoniaceae 戈登氏菌科

*Gordonia alkanivorans* Kummer et al., 1999 烷源戈登氏菌 Ref. Int J Syst Bacteriol. 49:1513-22.

*Gordonia amicalis* Kim et al., 2000 和善戈登氏菌 Ref. Int J Syst Evol Microbiol. 50:2031-6.

*Gordonia hirsuta* corrig. Klatte et al., 1996 披發戈登氏菌 Ref. Int J Syst Bacteriol. 46:876-80.

*Gordonia malaquae* Yassin et al., 2007 污水戈登氏菌 Ref. Int J Syst Evol Microbiol. 57:1065-1068.

*Gordonia namibiensis* Brandao et al., 2002 納米比亞戈登氏菌 Ref. Int J Syst Evol Microbiol. 52:685-90.

*Gordonia soli* Shen et al., 2006 土壤戈登氏菌 Ref. Int J Syst Evol Microbiol. 56:2597-2601.

*Gordonia terrae* corrig. (Tsukamura 1971) Stackebrandt et al., 1989 臺式戈登氏菌 Ref. Int J Syst Bacteriol. 39: 371.

##### Family Micrococcaceae 微球菌科

*Arthrobacter citreus* Sacks 檸檬節桿菌

*Arthrobacter globiformis* (Conn) Conn & Dimmick 球形節桿菌

*Rothia denticariosa* (Onishi) George & Brown

*Rothia terrae* Yi-Ju Chou, 2008

##### Family Nocardioideaceae 類諾卡氏菌科

*Nocardioides fonticola* Jui-Hsing Chou, 2008 泉生類諾卡氏菌

##### Family Pseudonocardiaceae 假諾卡氏菌科

*Amycolatopsis taiwanensis* Tseng, M., Yang, S. F., Li, W. J., Jiang, C. L. Ref. IJSEM 56: 1811-1815

##### Family Williamsiaceae 威廉西亞菌科

*Williamsia serinedens* Yassin et al., 2007 威廉呀氏食絲胺酸菌 Ref. Int J Syst Evol Microbiol. 57:558-561.

#### Order Bifidobacteriales 雙歧桿菌目

##### Family Bifidobacteriaceae 雙歧桿菌科

*Bifidobacterium bifidum* (Tissier) Orla-Jensen 比菲德氏菌

## Phylum Bacteroidetes 擬桿菌門

### Class Flavobacteria 黃桿菌綱

#### Order Flavobacteriales 黃桿菌目

##### Family Flavobacteriaceae 黃桿菌科

*Chryseobacterium formosense* Young et al., 2005 台灣金黃桿菌 Ref. Int J Syst Evol Microbiol. 55:423-426.

*Chryseobacterium taichungense* Shen et al., 2005 台中金黃桿菌 Ref. Int J Syst Evol Microbiol. 55:1301-1304.

*Chryseobacterium taiwanense* Tai et al., 2006 [特有] Ref. Int. J. Syst. Evol. Microbiol. 2006. 56:1771-1776.

*Flavobacterium lutescens* (Migula) Bergey et al. 淺膝黃黃桿菌

*Flavobacterium multivorum* Holmes et al. 多食黃桿菌

*Tenacibaculum aiptasiae* Jih-Terng Wang, 2008 海葵屈撓桿菌

*Tenacibaculum litopenaei* Shih-Yi Sheu, 2007 對蝦屈撓桿菌

*Zobellella denitrificans* Lin Y.T. & Shieh W.Y., 2006 Ref. Lin & Shieh, 2006

*Zobellella taiwanensis* Lin Y.T. & Shieh W.Y., 2006 Ref. 同前

### Class Sphingobacteria 鞘脂桿菌綱

#### Order Sphingobacteriales 鞘脂桿菌目

##### Family Crenotrichaceae 泉髮菌科

*Chitinophaga skermanii* Kämpfer et al., 2006 斯克曼噬甲殼菌 Ref. Int J Syst Evol Microbiol. 56:2223-2228.

##### Family Flexibacteraceae 屈撓桿菌科

*Cytophaga* sp. 噬纖維菌屬

## Phylum Cyanobacteria 藍菌門

## Class Chlorobacteriaceae 綠色細菌綱

[Not assigned to a order]

[Not assigned to a family]

*Katagnymene pelagic* Lemmermann Ref. Tseng, 1969

*Katagnymene spiralis* Lemmermann Ref. Tseng, 1969

*Pelogloea bacillifera* Lauterborn Ref. Shen, 1955

## Class Cyanophyceae 藍藻綱

Order Chroococcales 色球藻目

[Not assigned to a family]

*Dactylococcopsis acicularis* Lemmermann Ref. Schwabe 1947a

*Dactylococcopsis fascicularis* Lemmermann Ref. Chuang, 1984

*Dactylococcopsis raphidoides* Hansgirg Ref. Shen, 1950

*Dactylococcopsis rupestris* Hansgirg Ref. Huang, 1990

*Gurleyi marssoniella* Doflein, 1898

*Marssoniella elegans* Lemmermann Ref. Yamagishi, 1992

*Microcystis pseudofilamentosa* Crow. 假絲微囊藻

*Synechococcus* sp. Ref. Lai et al., 1994

Family Chroococcaceae 色球藻科

*Chroococcus cimneticus* Ong Ref. Ong, 1971

*Chroococcus cohaerens* (Breb.) Naegeli Ref. Schwabe 1947a

*Chroococcus dispersus* (Keissler) Lemmermann Ref. Chen, 1989

*Chroococcus dispersus* var. *minor* G. M. Smith Ref. Wu & Su, 1991

*Chroococcus limneticus* Lemmermann Ref. Shen, 1955

*Chroococcus minimus* (Keissler) Lemmermann

*Chroococcus minor* (Kützing) Nag. Ref. Lin et al., 1994a

*Chroococcus minutus* Lemmermann Ref. Jang, 1975

*Chroococcus thermalis* (Meneghini) Naegeli

*Chroococcus turgidus* (Kützing) Naegeli Ref. Schwabe 1947a

*Chroococcus tenax* Kirchn Wang 色球藻屬

*Coelospharium dubium* Grunow Ref. Shen, 1950

*Coelospharium kutzingianum* Naegeli Ref. Jang, 1975

Family Merismopediaceae

*Aphanothece nidulans* Richter

*Aphanothece saxicola* Naegeli Ref. Yamagishi, 1992

*Aphanothece stagnina* (Spreng.) Ref. Schwabe 1947a

*Aphanothece stagnina* (Sprengel) Braun Ref. Schwabe 1947a

*Gomphosphaeria aponina* Kützing Ref. Wu & Su, 1991

*Gomphosphaeria lacustris* var. *lacustris* Chodat Ref. Yamagishi, 1992

*Merismopedia arctica* (Kosinskaja) Komarek & Anagnostidis

*Merismopedia convoluta* Brebisson Ref. Ong, 1971

*Merismopedia elegans* var. *major* G. M. Smith Ref. Jang, 1975

*Merismopedia elegans* A. Braun Ref. Shen, 1955

*Merismopedia glauca* var. *glauca* Yamagishi Ref. Yamagishi, 1992

*Merismopedia glauca* (Ehrenberg) Naegeli Ref. Schwabe 1947a

*Merismopedia litoralis* (Oersted) Rabenhorst

*Merismopedia minima* Beck Ref. Chang, 1969

*Merismopedia punctata* Meyer Ref. Schwabe 1947a

*Merismopedia smithii* De Toni

*Merismopedia tenuissima* Lemmermann Ref. Chang, 1969

*Microcystis aeruginosa* var. *aeruginosa* Yamagishi Ref. Yamagishi, 1992

*Microcystis aeruginosa* Kützing Ref. Negora, 1953

*Microcystis calciphila* Schwabe Ref. Schwabe 1947a

*Microcystis elachista* (W. West & G. S. West) Compere

*Microcystis flos-aquae* (Wittr.) Kirchner Ref. Schwabe 1947a

*Microcystis incerta* Lemmermann Ref. Jang, 1976

*Microcystis litoralis* Forti Ref. Wu & Su, 1991

*Microcystis smithii* Komarek & Anagnostidis

*Microcystis wesenbergii* Komarek Ref. Yamagishi, 1992

*Synechocystis aquatilis* var. *aquatilis* Yamagishi Ref. 同前

*Synechocystis aquatilis* Sauvageau Ref. Chang, 1969

*Synechocystis crassa* Woronichin Ref. Yamagishi, 1992

*Synechocystis endobiotica* (Elenkin & Hollerbach) Elenkin

*Synechocystis pevalekii* Ercegovic Ref. Wu & Su, 1991

*Woronichinia compacta* (Lemmermann) Komarek & Hindak

Family Microcystaceae

*Anacystis compacta* Gardner Ref. Yamagishi, 1992

*Aphanocapsa delicatissima* W. & G. S. West Ref. Jang, 1975

*Aphanocapsa elachista* Yamagishi 細小隱球藻 Ref. Jang, 1975  
*Aphanocapsa elachista* var. *conferta* W. & G. S. West Ref. Yamagishi, 1992  
*Aphanocapsa endophytica* Smith Ref. 同前  
*Aphanocapsa grevillei* (Berkely) Rabenhorst Ref. Chuang, 1984  
*Aphanocapsa incerta* (Lemmermann) Cronberg & Komarek  
*Aphanocapsa littoralis* Hansgirg  
*Aphanocapsa littoralis* Hansgirg Ref. Chang, 1969  
*Aphanocapsa pulchra* (Kützing) Rabenhorst Ref. Wong et al., 1973  
*Aphanocapsa rivularis* (Charmicheal) Rabenhorst  
*Aphanocapsa roeseana* de Bary Ref. Yamagishi, 1992  
*Eucapsis alpina* Clements & Shantz. Ref. Shen, 1950  
*Gloeocapsa conglomerata* Kützing Ref. Shen, 1950  
*Gloeocapsa gigas* W. & G. S. West Ref. Shen, 1950  
*Trochiscia aspera* (Reinsch) Hansgirg Ref. Hsu, 1993  
*Trochiscia reticularis* (Reinsch) Hansgirg 小箍藻

### Family Synechococcaceae

*Cyanodictyon reticulatum* (Lemmermann) Geiler Ref. Yamagishi, 1992  
*Gloeothoece confluens* Naegeli Ref. 同前  
*Gloeothoece rupestris* (Lynb.) Born. Ref. Schwabe 1947a

## Order Hormogonales 藻殖段目

### Family Nostocaceae 念球藻科

*Anabaena affinis* Lemmermann Ref. Chang, 1968a  
*Anabaena azollae imbricatae* Schwabe Ref. Schwabe 1947b  
*Anabaena azollae* Strasburger Ref. Schwabe 1947a  
*Anabaena azollae caroliniana* Schwabe Ref. Schwabe 1947b  
*Anabaena birgei* Hong Ref. Hong & Hsu, 1977  
*Anabaena catenula* (Lemmermann) Geitler  
*Anabaena constricta* Hong Ref. Hong, 1988  
*Anabaena laxa* Braun Ref. Yamagishi, 1992  
*Anabaena cylindrica* Lemmermann Ref. Hsu, 1993  
*Anabaena menderi* Huber-Pestalozzi Ref. Huang, 1977  
*Anabaena planctonica* Brunenthaler Ref. Chang, 1969  
*Anabaena raciborskii* Wolozynska Ref. 森若及齊家。1990  
*Anabaena rivularis* (Carmichael) Rabenhorst Ref. Fang & Chen, 1991  
*Anabaena spiroides* var. *spiroides* Yamagishi Ref. Yamagishi, 1992  
*Anabaena spiroides* Klebahn Ref. Shen, 1950  
*Anabaena thermophila* Schwabe Ref. Schwabe 1947a  
*Anabaena turgidus* (Kütz) Nageli Ref. Fang & Chen, 1991  
*Anabaena viguieri* Denis & Frey Ref. Yamagishi, 1992  
*Anabaenopsis circularis* Wolozynska & Miller Ref. Wu & Su, 1991  
*Anabaenopsis raciborskii* Wolozynska Ref. Negora, 1953  
*Aphanizomenon flos-aquae* (Lemmermann) Ralfs Ref. Chuang, 1985  
*Cylindrospermum stagnale* Born. Ref. Schwabe 1947a  
*Hapalosiphon hibernicus* W. & G. S. West 眠狀軟管藻  
*Hapalosiphon luteolus* W. & G. S. West 淺黃軟管藻  
*Nostoc linckia* Bornet Ref. Jang, 1975  
*Nostoc muscorum* Kützing fa. *crassa* Schw. Ref. Schwabe 1947a  
*Nostoc paludosum* Kützing Ref. Huang, 1990  
*Nostoc punctiforme* (Kützing) Hariot Ref. Shen, 1950  
*Nostoc sphaericum* Vauch Ref. Schwabe 1947a  
*Raphidiopsis curvata* f. *vata* Fritsch & Rich Ref. Yamagishi, 1992  
*Richelia intracellularis* J. Schmidt Ref. Tseng, 1969

## Order Nostocales 念珠藻目

### Family Microchaetaceae 微毛藻科

*Tolypothrix distorta* var. *penicillata* Kützing Ref. Schwabe 1947a

### Family Rivulariaceae 膠鬚藻科

*Branchytrichia quoyi* (C. Agardh) Born. & Flah. Ref. Shen & Fan, 1950  
*Calothrix brevissima* West Ref. Schwabe 1947a  
*Calothrix cylindrica* Frey Ref. Schwabe 1947a  
*Calothrix parietina* (Naegeli) Thuret Ref. Shen, 1950  
*Dichothrix spiralis* Fritsch Ref. Schwabe 1947a  
*Rivularia atra* Roth ex Bornet & Flahault, 1984 黑色膠鬚藻 Ref. Huang, 1990  
*Rivularia haematites* (D.C.) Agardh Ref. Schwabe 1947a

### Family Scytonemataceae 偽枝藻科

*Scytonema julianum* (Kützing) Menegh. Ref. Schwabe 1947a  
*Scytonema* sp. 1 Schwabe 1947a, p. 24, fig. 12.  
*Scytonema* sp. 2 Schwabe 1947a, p. 24, fig. 13.

## Order Oscillatoriales 顫藻目

## Family Oscillatoriaceae 顫藻科

- Arthrospira gomontiana* Setchell Ref. Chang, 1969  
*Arthrospira platensis* f. *nulata* Desikachary Ref. Yamagishi, 1992  
*Arthrospira platensis* (Nordst.) Gomont Ref. Chuang, 1984  
*Arthrospira platensis* f. *tensis* Yamagishi Ref. Yamagishi, 1992  
*Jaaginema geminatum* (Meneghini ex Gomont) Anagnostidis & Komarek  
*Jaaginema lemmermannii* (Woloszynska) Anagnostidis & Komarek  
*Jaaginema neglecta* (Lemmermann) Anagnostidis & Komarek  
*Jaaginema pseudogeminata* (Schmidle) Anagnostidis & Komarek  
*Jaaginema subtilissimum* (Kützing) Anagnostidis & Komarek  
*Komvophonon constrictum* (Szafer) Anagnostidis & Komarek  
*Leptolyngbya angustissima* (W. West & G. S. West) Anagnostidis & Komarek  
*Leptolyngbya distincta* (Nordstedt) Anagnostidis & Komarek  
*Leptolyngbya foveolarum* (Montagne ex Gomont) Anagnostidis & Komarek  
*Leptolyngbya fragilis* (Gomont) Anagnostidis & Komarek  
*Leptolyngbya laminosa* (Gomont) Anagnostidis & Komarek  
*Leptolyngbya nostocorum* (Bornet) Anagnostidis & Komarek  
*Lyngbya aerugineo-coerulea* (Kützing) Gomont Ref. Shen, 1950  
*Lyngbya aestiaroo* (Mertens) Liebmann Ref. Chang, 1969  
*Lyngbya birgei* G. M. Smith Ref. Jang, 1976  
*Lyngbya confervoides* C. Agardh, 1824 絲狀鞘絲藻  
*Lyngbya contorta* Lemmermann Ref. Huang, 1977  
*Lyngbya lagerheimia* (Moebius) Gomont Ref. Chang, 1969  
*Lyngbya lagerheimii* f. *erheimii* (Möbius) Gomont, 1892 Ref. Yamagishi, 1992  
*Lyngbya limnetica* var. *acicularis* Lemmermann Ref. 森若及齊家。1990  
*Lyngbya limnetica* Lemmermann Ref. Negora, 1953  
*Lyngbya majuscula* (Dillwyn) Harvey, 1833 巨大鞘絲藻 Ref. Huang, 1999  
*Lyngbya martensiana* Meneghini Ref. Hong, 1988  
*Lyngbya putealis* Montagne ex Gomont Ref. Lin et al., 1994a  
*Lyngbya putealis* var. *putealis* (Montagne ex Gomont) Anagnostidis & Komarek, 1988 井欄鞘絲藻 Ref. Yamagishi, 1992  
*Lyngbya semiplena* (C. Agardh) J. Agardh Ref. Chang, 1969  
*Microcoleus chthonoplastes* Thuret ex Gomont Ref. Chang, 1969  
*Oscillatoria acuminata* Gomont Ref. Schwabe 1947a  
*Oscillatoria acutissima* Kuff. Ref. Schwabe 1947a  
*Oscillatoria agardhii* Gomont Ref. Chen, 1981  
*Oscillatoria amoena* Gomont Ref. Tseng & Chen, 1982  
*Oscillatoria amphibia* Agardh Ref. Hu et al., 1980  
*Oscillatoria amphibia* var. *amphibia* Yamagishi Ref. Yamagishi, 1992  
*Oscillatoria anguina* (Bory) Gomont Ref. Tseng & Chen, 1982  
*Oscillatoria angusta* Koppe Ref. Wu & Su, 1991  
*Oscillatoria animalis* Agardh Ref. Schwabe 1947a  
*Oscillatoria articulata* sensu Tseng Ref. Tseng & Chen, 1982  
*Oscillatoria beggiatoiformis* (Grunow) Gomont  
*Oscillatoria boryana* Bory Ref. Chang, 1969  
*Oscillatoria brevis* (Kützing) Gomont Ref. Tseng & Chen, 1982  
*Oscillatoria chalybea* var. *chalybea* Yamagishi Ref. Yamagishi, 1992  
*Oscillatoria chalybea* Martens Ref. Chang, 1968a  
*Oscillatoria constricta* Szafer Ref. Chang, 1968a  
*Oscillatoria curviceps* Agardh Ref. Hong & Hsu, 1977  
*Oscillatoria earlei* Gardner Ref. Wu & Su, 1991  
*Oscillatoria formosa* Bory Ref. Chang, 1968a  
*Oscillatoria geminata* Meneghini Ref. Tseng & Chen, 1982  
*Oscillatoria granulata* Gardner Ref. 同前  
*Oscillatoria irrigua* Lai Ref. Lai et al., 1994  
*Oscillatoria jasorvensis* Vouk Ref. Liu, 1990  
*Oscillatoria kawwanuruae* Negoro Ref. Hong & Hsu, 1977  
*Oscillatoria lemmermannii* Woloszynska Ref. Yamagishi, 1992  
*Oscillatoria limnetica* var. *limnetica* Yamagishi Ref. 同前  
*Oscillatoria limnetica* Lemmermann Ref. Tseng & Chen, 1982  
*Oscillatoria limnetica* var. *acicularis* Nygaard Ref. 森若及齊家。1990  
*Oscillatoria limosa* Agardh Ref. Schwabe 1947a  
*Oscillatoria minima* Gicklhorn Ref. Huang, 1977  
*Oscillatoria neglecta* Lemmermann Ref. Tseng & Chen, 1982  
*Oscillatoria nigra* Vaucher Ref. Schwabe 1947a  
*Oscillatoria ornata* Kützing Ref. Tseng & Chen, 1976  
*Oscillatoria peronides* Skuja Ref. Lin et al., 1994a  
*Oscillatoria perornata* Skuja Ref. Tseng & Chen, 1982  
*Oscillatoria princeps* Vaucher ex Gomont Ref. Schwabe 1947a  
*Oscillatoria princeps* var. *princeps* Yamagishi Ref. Yamagishi, 1992  
*Oscillatoria proboscidea* Gomont fa. *taiwanensis* Schwabe Ref. Schwabe 1947a  
*Oscillatoria pseudogeminata* var. *pseudogeminata* Yamagishi Ref. Yamagishi, 1992

*Oscillatoria pseudogeminata* Schmid Ref. Wu & Su, 1991  
*Oscillatoria putrida* Schmidle Ref. Schwabe 1947a  
*Oscillatoria quasperforata* Skuja Ref. Tseng & Chen, 1982  
*Oscillatoria raciborskii* var. *raciborskii* Woloszynska Ref. Yamagishi, 1992  
*Oscillatoria sakashitae* Yoneda Ref. Tseng & Chen, 1982  
*Oscillatoria sancta* (Kützing) Gomont Ref. Jang, 1976  
*Oscillatoria simplicissima* Gomont Ref. Shen, 1950  
*Oscillatoria splendida* var. *splendida* Greville Ref. Yamagishi, 1992  
*Oscillatoria splendida* Greville Ref. Schwabe 1947a  
*Oscillatoria splendida* var. *truncata* Emoto & Hirose Wang  
*Oscillatoria subfusca* Schwabe Ref. Schwabe 1947a  
*Oscillatoria subtilissima* Kützing Ref. Wu & Su, 1991  
*Oscillatoria tenuis* var. *asiatica* Wille Ref. Schwabe 1947a  
*Oscillatoria tenuis* var. *tergestina* Rabenhorst Ref. Chang, 1968a  
*Oscillatoria tenuis* var. *tenuis* Yamagishi Ref. Tseng & Chen, 1982  
*Oscillatoria tenuis* Agardh Ref. Schwabe 1947a  
*Oscillatoria terebriformis* (Agardh) Gomont Ref. Schwabe 1947a  
*Oscillatoria tortuosa* Garner Ref. Yamagishi, 1992  
*Oscillatoria willei* Garner Ref. 同前  
*Phormidium amoenum* Kützing  
*Phormidium angustissimum* W. & G. S. West Ref. Schwabe 1947a  
*Phormidium animale* (C. Agardh ex Gomont) Anagnostidis & Komarek  
*Phormidium antarcticum* W. & G. S. West Ref. Shen, 1950  
*Phormidium autumnale* (Agardh) Gomont Ref. Schwabe 1947a  
*Phormidium biforme* Schwabe Ref. Schwabe 1947a  
*Phormidium corium* fa. major Schwabe Ref. Schwabe 1947a  
*Phormidium foveolarum* (Mount.) Gomont Ref. Schwabe 1947a  
*Phormidium fragile* (Meneghini) Gomont Ref. Shen, 1950  
*Phormidium interruptum* Kützing Ref. Shen, 1950  
*Phormidium inundatum* Kützing Ref. Shen, 1950  
*Phormidium irriguum* (Kützing ex Gomont) Anagnostidis & Komarek  
*Phormidium laminosum* Gomont Ref. Schwabe 1947a  
*Phormidium molle* (Kütz.) Gomont Ref. Chang, 1969  
*Phormidium mucicola* Huber-Pestalozzi & Naumann Ref. Hong, 1988  
*Phormidium nigrum* (Vaucher) Anagnostidis & Komarek  
*Phormidium orientale* G. S. West Ref. Chang, 1968a  
*Phormidium ornatum* (Kützing) Anagnostidis & Komarek  
*Phormidium putealis* (Mont. ex Gomont) Anagnostidis & Komarek  
*Phormidium tenue* (Meneghini) Gomont Ref. Schwabe 1947a  
*Planktolyngbya contorta* (Lemmermann) Anagnostidis & Komarek  
*Planktolyngbya subtilis* (G. S. West) Anagnostidis & Komarek  
*Planktomyces bekefii* Gemesi Ref. Yamagishi, 1992  
*Planktothrix agardhii* (Gomont) Anagnostidis & Komarek  
*Plectonema nostocorum* Born. Ref. Schwabe 1947a  
*Plectonema schmidlei* Lim. Ref. Schwabe 1947a  
*Plectonema* sp. (Marina) Ref. Schwabe 1947a  
*Plectonema* sp.o Ref. Schwabe 1947a  
*Plectonema* sp.r Ref. Schwabe 1947a  
*Plectonema* sp.s Ref. Schwabe 1947a  
*Plectonema* sp.ts Ref. Schwabe 1947a  
*Schizothrix* sp. Schwabe, 1947 Ref. Schwabe, 1947a  
*Spirulina gomontiana* (Setchell) Geitler  
*Spirulina laxissima* G. S. West Ref. Chang, 1969  
*Spirulina major* Kütz. Ref. Fang & Chen, 1991  
*Spirulina nordstedtii* Gomont Ref. Chang, 1968a  
*Spirulina platensis* (Nordst.) Geitl. Ref. Wu & Su, 1991  
*Spirulina princeps* W. & G. S. West 爲首螺旋藻 Ref. Schwabe 1947a  
*Spirulina subsalsa* Oersted Ref. Chang, 1969  
*Spirulina thuretii* Crouan. Ref. Heydrich, 1894  
*Trichodesmium erythraeum* Ehrenberg Ref. Tseng, 1969  
*Trichodesmium hildebrandtii* (Gomont) J. De Toni Ref. Tseng, 1983  
*Trichodesmium* sp. Ref. Wu, 1996  
*Trichodesmium thiebautii* Gomont Ref. Tseng, 1969

#### Family Phormidiaceae 席藻科

*Symploca caespitosa* Tseng & Hua 簇生束藻 Ref. Huang, 1990  
*Symploca hydroides* (Harvey) Kützing 蘚狀束藻 Ref. Huang, 1999  
*Symploca muscorum* (Agardh) Gomont Ref. Schwabe 1947a  
*Symploca robusta* Schwabe Ref. Schwabe 1947a

#### Family Pseudanabaenaceae

*Romeria elegans* (Koczwara) Woloszynska Ref. Yamagishi, 1992

## Order Pleurocapsales 寬球藻目

### Family Chroococciaceae

*Cyanosarcina burmensis* (Skuja) Kovacic  
*Myxosarcina burmensis* Skuja Ref. Yamagishi, 1992

### Family Pleurocapsaceae 厚皮藻科

*Oncoerysa rivularis* Kützing  
*Pleurocapsa fulginosa* Hauck Ref. Chang, 1969

## Order Stigonematales 真枝藻目

### Family Mastigocladaceae 鞭枝藻科

*Brachytrichia quoyi* (C. Agardh) Bornet & Flahault 海電菜 Ref. Huang, 1999

## Phylum Deinococcus-thermus 異常球菌-棲熱菌門

### Class Deinococci 異常球菌綱

#### Order Deinococcales 異常球菌目

##### Family Deinococcaceae 異常球菌科

*Deinococcus ficus* Lai et al., 2006 菩提奇異球菌 Ref. Int J Syst Evol Microbiol. 56:787-791.

## Phylum Firmicutes 厚壁菌門

### Class Bacilli 桿菌綱

#### Order Bacillales 芽孢桿菌目

##### Family Bacillaceae 芽孢桿菌科

*Bacillus anthracis* Cohn, 1872  
*Bacillus cereus* Frankland & Frankland 仙人掌桿菌  
*Bacillus circulans* Jordan 環狀桿菌  
*Bacillus coagulans* Hammer 凝結桿菌  
*Bacillus fusiformis* (ex Meyer & Gottheil 1901) Priest et al., 1989  
*Bacillus licheniformis* (Weigmann) Chester 地衣桿菌  
*Bacillus pumilus* Meyer & Gottheil 短小桿菌  
*Bacillus* sp.  
*Bacillus sphaericus* Meyer & Neide 球形桿菌  
*Bacillus subtilis* (Ehrenberg) Cohn 枯草桿菌  
*Bacillus thuringiensis* subsp. *kurstaki* de Barjac & Lemille 蘇力菌庫斯克亞種  
*Bacillus thuringiensis* Berliner  
*Bacillus thuringiensis* subsp. *israelensis* de Barjac 蘇力菌以色列亞種  
*Bacillus thuringiensis* subsp. *berliner* de Barjac & Bonnefoi  
*Geobacillus stearothermophilus* (Donk) Nazina et al.  
*Virgibacillus chiguensis* C. Y. Wang, C. C. Chang, C. C. Ng, T. W. Chen & Y. T. Shyu, 2008 七股芽苞桿菌 Ref. Wang et al., 2008

##### Family Listeriaceae 李斯特菌科

*Listeria ivanovii* Seeliger et al., 1984  
*Listeria monocytogenes* (Murray et al.) Pirie 李斯特單胞菌

##### Family Paenibacillaceae 類芽孢桿菌科

*Paenibacillus contaminans* Jui-Hsing Chou, 2008 污染類芽孢桿菌  
*Paenibacillus fonticola* Jui-Hsing Chou, 2007 泉生類芽孢桿菌  
*Paenibacillus taiwanensis* Lee et al., 2007 [特有] Ref. Int. J. Syst. Evol. Microbiol. 2007. 57:1351-1354.

##### Family Staphylococcaceae 葡萄球菌科

*Staphylococcus aureus* subsp. *aureus* Rosenbach 金黃色葡萄球菌金黃色亞種  
*Staphylococcus epidermidis* (Winslow & Winslow) Evans 表皮葡萄球菌  
*Staphylococcus simulans* Kloos & Schleifer 模仿葡萄球菌  
*Staphylococcus warneri* Kloos & Schleifer 沃氏葡萄球菌

#### Order Lactobacillales 乳桿菌目

##### Family Enterococcaceae 腸球菌科

*Enterococcus faecalis* (Andrewes & Horder) Schleifer & Kilpper-Balz 糞腸球菌  
*Enterococcus faecium* (Orla-Jensen) Schleifer & Kilpper-Balz 屎腸球菌  
*Tetragenococcus halophilus* (Mees) Collins et al.

##### Family Lactobacillaceae 乳酸菌科

*Lactobacillus acidophilus* (Moro) Hansen & Møcquot 嗜酸乳酸菌  
*Lactobacillus brevis* (Orla-Jensen) Bergey et al. 短乳酸菌  
*Lactobacillus buchneri* (Henneberg) Bergey et al. 布氏乳酸菌  
*Lactobacillus casei* subsp. *casei* (Orla-Jensen) Hansen & Lessel 酪酸乳酸菌酪酸亞種  
*Lactobacillus delbrueckii* subsp. *bulgaricus* (Orla-Jensen) Weiss et al. 德布律克氏乳酸菌保加利亞亞種  
*Lactobacillus fermentum* Beijerinck 酵素乳桿菌

*Lactobacillus helveticus* (Orla-Jensen) Bergey et al. 瑞士乳酸菌  
*Lactobacillus jensenii* Gasser et al. 詹氏乳酸菌  
*Lactobacillus plantarum* (Orla-Jensen) Bergey et al. 胚芽乳酸菌  
*Lactobacillus rhamnosus* (Hansen 1968) Collins et al., 1989  
*Pediococcus damnosus* Claussen 有害片球菌

#### Family Streptococcaceae 鏈球菌科

*Streptococcus salivarius* (Orla-Jensen 1919) Farrow & Collins, 1984  
*Streptococcus thermophilus* Orla-Jensen 嗜熱性鏈球菌

### Class Clostridia 梭菌綱

#### Order Clostridiales 梭菌目

##### Family Clostridiaceae 梭菌科

*Clostridium carnis* (Klein) Spray  
*Clostridium septicum* (Mace) Ford  
*Clostridium sporogenes* (Metchnikoff) Bergey et al.

#### Order Thermoanaerobacteriales 熱厭氧菌目

##### Family Thermoanaerobacteriaceae

*Moorella thermoacetica* (Fontaine et al.) Collins et al.

### Class Mollicutes 柔膜菌綱

#### Order Entomoplasmatales 蟲原體目

##### Family Spiroplasmataceae

*Spiroplasma diminutum* Williamson DL et al., 1996 Ref. Williamson et al., 1996

## Phylum Proteobacteria 變形菌門

### Class Alphaproteobacteria 甲型變形菌綱

#### Order Caulobacterales 柄桿菌目

##### Family Caulobacteraceae 柄桿菌科

*Brevundimonas vesicularis* (Büsing et al.) Segers et al.

#### Order Rhizobiales 根瘤菌目

##### [Not assigned to a family]

*Pseudoxanthobacter soli* A. B. Arun, 2008 accepted 土壤假黃桿菌

##### Family Bradyrhizobiaceae 慢生型根瘤菌科

*Bradyrhizobium japonicum* (Buchanan) Jordan  
*Rhodopseudomonas palustris* (Molisch) van Niel

##### Family Methylobacteriaceae 甲基桿菌科

*Methylobacterium extorquens* (Urakami & Komagata) Bousfield & Green

##### Family Phyllobacteriaceae 葉桿菌科

*Mesorhizobium loti* Jarvis et al.

##### Family Rhizobiaceae 根瘤菌科

*Agrobacterium* sp. 農桿菌屬  
*Rhizobium leguminosarum* Jordan  
*Sinorhizobium fredii* (Scholla & Elkan) Chen et al.

##### Family Rhodobiaceae 紅菌科

*Rhodobium marinum* Imhoff

##### Family Xanthobacteraceae 紗麗桿菌科

*Labrys neptuniae* Yi-Ju Chou, 2007 水合歡雙面斧菌  
*Pseudolabrys taiwanensis* Kämpfer et al., 2006 台灣假雙頭斧形菌 Ref. Int J Syst Evol Microbiol. 56:2469-2472.

#### Order Rhodobacterales 紅細菌目

##### Family Rhodobacteraceae 紅細菌科

*Oceanicola marinus* Kuan-Yin Lin, 2007 海洋海棲菌

#### Order Rhodospirillales 紅螺旋菌目

##### Family Acetobacteraceae 醋酸菌科

*Acetobacter pasteurianus* (Hansen) Beijerinck 巴斯德醋酸菌  
*Gluconacetobacter hansenii* (Gossele et al.) Yamada et al.  
*Gluconobacter oxydans* (Henneberg) De Ley 氧化葡糖酸桿菌

##### Family Rhodospirillaceae 紅螺旋菌科

*Azospirillum brasilense* Tarrand et al.  
*Azospirillum lipoferum* (Beijerinck) Tarrand et al.  
*Azospirillum rugosum* A. F. Yassin, 2008 皺紋固氮螺旋菌

## Order Sphingomonadales 鞘脂單胞菌目

### Family Sphingomonadaceae 鞘脂單胞菌科

*Sphingobium olei* Chiu-Chung Young, 2007 油污鞘脂菌

*Sphingobium rhizovicinum* Chiu-Chung Young, 2008 accepted 根圈鞘脂菌屬

## Class Betaproteobacteria 乙型變形菌綱

### Order Burkholderiales 伯克氏菌目

#### [Not assigned to a family]

*Tepidimonas taiwanensis* Tien-Lai Chen, 2006 臺灣溫單胞菌

### Family Alcaligenaceae 產鹼菌科

*Alcaligenes faecalis* subsp. *faecalis* Castellani & Chalmers 糞產鹼菌

*Alcaligenes xylooxidans* subsp. *xylooxidans* (Yabuuchi & Yano) Kiredjian et al. 木糖產鹼菌

### Family Burkholderiaceae 伯克氏菌科

*Burkholderia andropogonis* (Smith 1911) Gillis et al., 1995

*Burkholderia caryophylli* (Burkholder) Yabuuchi et al.

*Burkholderia cepacia* (Palleroni & Holmes) Yabuuchi et al. 洋蔥伯克氏菌

*Burkholderia mallei* (Zopf, 1885) Yabuuchi et al., 1993 馬鼻疽伯克氏菌

*Burkholderia mimosarum* Wen-Ming Chen, 2006 含羞草伯克霍德氏菌

*Ralstonia pickettii* (Ralston et al.) Yabuuchi et al. 皮氏羅爾斯頓氏菌

*Ralstonia solanacearum* (Smith) Yabuuchi et al.

*Ralstonia taiwanensis* Wen-Ming Chen, 2001 臺灣貪銅菌

### Family Comamonadaceae 叢毛單胞菌科

*Caldimonas taiwanensis* Wen-Ming Chen, 2005 臺灣熱單胞菌

*Comamonas composti* Chiu-Chung Young, 2008 堆肥叢毛單胞菌

*Comamonas odontotermitis* Chou et al., 2007 土白蟻叢毛單胞菌 Ref. Int J Syst Evol Microbiol. 57:887-891.

*Comamonas odontotermitis* Jui-Hsing Chou, 2007 土白蟻叢毛單胞菌

*Pseudacidovorax intermedius* Peter Kämpfer, 2008 中型假食酸菌

*Schlegelella aquatica* Yi-Ju Chou, 2006 水生施萊格爾氏菌

### Order Neisseriales 奈瑟氏菌目

#### Family Neisseriaceae 奈瑟氏菌科

*Chitinibacter tainanensis* Chern LL et al., 2004 Ref. Chern et al.

*Chitinilyticum aquatile* Shu-Chen Chang, 2007 水生幾丁質溶解菌

*Chromobacterium aquaticum* Chiu-Chung Young, 2008 水生色桿菌

*Chromobacterium aquaticum* Young et al., 2008 水生色桿菌 Ref. Int J Syst Evol Microbiol. 58:877-880.

*Chromobacterium violaceum* Bergonzini 紫色色桿菌

*Janthinobacterium lividum* (Eisenberg 1891) De Ley et al., 1978

*Pseudogulbenkiania subflava* Mei-Chun Lin, 2008 accepted 淡黃色假高炳根氏菌

*Vogesella perlucida* Yi-Ju Chou, 2008 accepted 透明藉伏氏菌

### Order Rhodocyclales 紅環菌目

#### Family Rhodocyclaceae 紅環菌科

*Azonexus hydrophilus* Jui-Hsing Chou, 2008 嗜水固氮捲菌

*Chitinimonas taiwanensis* Shu-Chen Chang, 2004 臺灣幾丁單胞菌

## Class Gammaproteobacteria 丙型變形菌綱

### Order Acidithiobacillales 酸硫桿狀菌目

#### Family Acidithiobacillaceae 酸硫桿狀菌科

*Acidithiobacillus ferrooxidans* Temple & Colmer, Kelly & Wood

*Acidithiobacillus thiooxidans* (Waksman & Joffe) Kelly & Wood

### Order Aeromonadales 氣單胞菌目

#### Family Aeromonadaceae 氣單胞菌科

*Aeromonas caviae* (ex Eddy) Popoff 豚鼠氣單胞菌

*Aeromonas hydrophila* (Chester) Stanier 嗜水氣單胞菌

*Aeromonas jandaei* Carnahan et al. 簡達氣單胞菌

*Aeromonas sobria* Popoff & Veron 溫和氣單胞菌

### Order Alteromonadales 異單胞菌目

#### Family Alteromonadaceae 異單胞菌科

*Marinobacter lutaoensis* Shieh WY et al., 2003 Ref. Shieh, Jean & Lin, 2003

*Shewanella putrefaciens* (Derby & Hammer) MacDonell & Colwell 腐敗希瓦氏菌

### Order Enterobacteriales 腸桿菌目

#### Family Enterobacteriaceae 腸桿菌科

*Alterococcus agarolyticus* Shieh WY, Jean WD. 1998 Ref. Shieh & Jean, 1998

*Edwardsiella tarda* Ewing & McWhorter

*Enterobacter aerogenes* Hormaeche & Edwards

*Erwinia carotovora* subsp. *carotovora* (Jones) Bergey et al.  
*Erwinia chrysanthemi* Burkholder et al.  
*Erwinia nigrifluens* Wilson et al., 1957 (Approved Lists 1980)  
*Escherichia coli* (Migula) Castellani & Chalmers 大腸埃希氏菌  
*Klebsiella pneumoniae*  
*Pantoea agglomerans* (Beijerinck) Gavini et al.  
*Proteus vulgaris* Hauser 普通變形桿菌  
*Providencia alcalifaciens* (de Salles Gomes) Ewing 產鹼普羅威登斯菌  
*Salmonella choleraesuis* subsp. *choleraesuis* (Smith) Weldin 豬霍亂桿菌豬霍亂亞種  
*Serratia marcescens* Bizio 萎垂桿菌  
*Trabulsiella odontotermis* Chou et al., 2007 土白蟻特拉布爾希氏菌 Ref. Int J Syst Evol Microbiol. 57:696-700.  
*Trabulsiella odontotermis* Jui-Hsing Chou, 2007 土白蟻特拉布爾希氏菌

## Order Pseudomonadales 假單胞菌目

### Family Moraxellaceae 莫拉氏菌科

*Acinetobacter baumannii* Bouvet & Grimont 鮑氏靜止桿菌

### Family Pseudomonadaceae 假單胞菌科

*Acidovorax avenae* (Manns 1909) Willems et al., 1992  
*Pseudomonas aeruginosa* (Schroeter) Migula 綠膿桿菌  
*Pseudomonas andropogonis* (Smith) Stapp  
*Pseudomonas avenae* Manns  
*Pseudomonas cichorii* (Swingle) Stapp  
*Pseudomonas glumae* Kurita & Tabei

## Order Vibrionales 弧菌目

### Family Vibrionaceae 弧菌科

*Vibrio aerogenes* Shieh WY, Chen AL, Chiu HH. 2000 Ref. Shieh, Chen & Chiu, 2000  
*Vibrio damsela* Love et al., 1982 熱帶魚弧菌  
*Vibrio mimicus* Davis et al. 擬態弧菌  
*Vibrio parahaemolyticus* (Fujino et al.) Sakazaki et al. 腸炎弧菌  
*Vibrio ruber* Shieh et al.  
*Vibrio vulnificus* (Reichelt et al.) Farmer 創傷弧菌

## Order Xanthomonadales 黃單胞菌目

### Family Xanthomonadaceae 黃單胞菌科

*Arenimonas malthae* Young et al., 2007 沙單胞菌 Ref. Int J Syst Evol Microbiol. 57:2790-2793.  
*Luteimonas aquatica* Jui-Hsing Chou, 2008 水生黃色單胞菌  
*Luteimonas compostii* Chiu-Chung Young, 2007 食物堆肥黃色單胞菌  
*Luteimonas compostus* Young et al., 2007 堆肥綠島單胞菌 Ref. Int J Syst Evol Microbiol. 57:741-744.  
*Lysobacter defluvii* Yassin et al., 2007 污泥溶桿菌 Ref. Int J Syst Evol Microbiol. 57:1131-1136.  
*Pseudoxanthomonas kaohsiungensis* Jo-Shu Chang, 2005 高雄假黃單胞菌  
*Pseudoxanthomonas spadix* Chiu-Chung Young, 2007 褐色假黃單胞菌  
*Stenotrophomonas maltophilia* (Hugh) Palleroni & Bradbury  
*Xanthomonas campestris* var. *vesicatoria* (Doidge) Dye  
*Xanthomonas campestris* var. *phaseoli* (Smith) Dye  
*Xanthomonas campestris* var. *campestris* (Pammel) Dowson  
*Xanthomonas campestris* var. *mangiferaeindicae* (Patel et al.) Robbs et al.  
*Xanthomonas campestris* var. *glycines* (Nakano) Dye  
*Xanthomonas campestris* var. *citri* (Hasse) Dye



# Kingdom Archaea 古菌界

## Phylum Crenarchaeota 泉古菌門

### Class Thermoprotei 熱變形菌綱

#### Order Sulfolobales 硫化葉菌目

##### Family Sulfolobaceae

*Sulfolobus yangmingensis* Jan RL et al., 1999 Ref. Jan et al., 1999

## Phylum Euryarchaeota 廣域古菌門

### Class Methanococci 甲烷球菌綱

#### Order Methanococcales 甲烷球菌目

##### Family Methanococcaceae 甲烷球菌科

*Methanococcus voltae* Lai et al.

#### Order Methanomicrobiales 甲烷菌目

##### [Not assigned to a family]

*Methanocalculus chungsingensis* Lai et al.

*Methanocalculus taiwanensis* Lai et al., 2002

##### Family Methanomicrobiaceae 甲烷菌科

*Methanofollis aquaemaris* Lai and Chen, 2001

### Class Methanomicrobia 甲烷微菌綱

#### Order Methanosarcinales 甲烷疊球菌目

##### Family Methanosarcinaceae 甲烷疊球菌科

*Methanosarcina mazei* Lai et al.



# Kingdom Protozoa 原生生物界

## Phylum Acrasiomycota 集胞黏菌門

### Class Acrasiomycetes 集胞菌綱

#### Order Acrasiales 集胞菌目

##### Family Acrasiaceae 集胞菌科

*Acrasis rosea* Olive & stoianovitch Ref. Chung & Liu, 1996

##### Family Guttulinaceae 班瘤菌科

*Guttulinopsis niver* Raper Ref. 李靜宜。1999

## Phylum Apicomplexa 頂複合器門

### Class Gregarinae 簇蟲綱

#### Order Eugregarinida 真簇蟲目

##### Family Lecudinidae 衣孢蟲科

*Ascogregarina armigerei* Lien & Levine, 1980 叢蚊簇蟲 Ref. Chen, 1999

*Ascogregarina culicis* Ross, 1895 家蚊簇蟲 Ref. Chen, 1999

*Ascogregarina lanyuensis* Lien & Levine, 1980 蘭嶼簇蟲 Ref. Chen, 1999

*Ascogregarina taiwanensis* Lien & Levine, 1980 臺灣簇蟲 Ref. Chen, 1999

## Phylum Ciliophora 纖毛蟲動物門

### Class Ciliata 纖毛綱

#### Order Heterotrichida 異毛目

##### [Not assigned to a family]

*Fabrea salina* Henneguy Ref. Huang, 1984

*Stentorella coeruleus* Ehrenberg Ref. Chen, 1982

*Stentorella igneus* Ehrenberg

*Stentorella polymorphus* Müller

*Stentorella viridis* Ghosh

##### Family Metopidae 扭頭科

*Metopus striatus* McMurrich Ref. 戴。1962

##### Family Spirostomidae

*Blepharisma undulans* Stein Ref. 戴。1962

*Spirostomum ambiguum* Ehrenberg Ref. 盧。1958

#### Order Hymenostomatida 膜口目

##### [Not assigned to a family]

*Cyclidium* sp. Ref. 戴。1962

##### Family Frontoniidae 前口蟲科

*Frontonia leucas* Ehrenberg Ref. 盧。1958

##### Family Glaucoidae

*Glaucoma pyriformis* (Ehrenberg) Schewiakoff Ref. Hong, 1979

*Glaucoma scintillans* Ehrenberg Ref. 戴。1962

##### Family Ichthyophthiriidae

*Cryptocaryon irritans* Brown, 1951 海水白點蟲 Ref. Yambot et al., 2003

##### Family Parameciidae 綠草履蟲科

*Paramecium aurelia* Ehrenberg Ref. 戴。1962

*Paramecium bursaria* Ehrenberg Ref. 盧。1958

*Paramecium caudatum* Ehrenberg Ref. 盧。1958

*Paramecium multimicronucleatum* Powers & Mitchell Ref. 戴。1962

##### Family Pleuronematidae 卷帆口蟲科

*Pleuronema crassum* Ref. 戴。1962

##### Family Tetrahymenidae 四肢科

*Colpidium campylum* (Stokes) Bresslau Ref. 戴。1962

*Colpidium colpoda* Ehrenberg Ref. 戴。1962

*Colpidium* sp. Ref. Chen, 1982

*Tetrahymena pyriformis* Ehrenberg Ref. 戴。1962

### Family Urocentridae

*Urocentrum turbo* (O. F. Müller) Kahl Ref. 戴。1962

### Order Hypotrichida 下毛口目

#### [Not assigned to a family]

*Acineta* sp. Ref. Chang et al., 1991

*Ciliata* sp. Ref. 同前

*Ctedoctema* sp. Ref. Hong, 1988

*Enchelys farcimen* Ehrenberg Ref. 盧。1958

*Epicatilis* sp. Ref. Hong, 1988

*Holophrya* sp. Ref. 盧。1958

*Lionotus fasciola* Ehrenberg Ref. 盧。1958

*Podopyrya fixa* O. F. Müller Ref. Hong, 1988

*Stichotricha nankingensis* Ref. Hong, 1988

*Uroleptus piseis* Ref. 戴。1962

### Family Amphileptidae 裂口蟲科

*Amphileptus claparedei* Stein Ref. Jang, 1975

*Amphileptus daparedei* Ref. Hong, 1985

### Family Aspidiscidae 織蟲科

*Aspidisca costata* (Dujardin) Kahl Ref. 戴。1962

*Aspidisca furruta* Ref. Hong, 1988

### Family Euplotidae 遊僕蟲科

*Balladyna parvula* Kowalewsky Ref. Hong & Hsu, 1977

*Euplotes charon* (Müller) Ehrenberg Ref. 盧。1958

*Urostyla* sp. Ref. Hong, 1988

### Family Oxytrichidae

*Oxytricha fallax* Hong Ref. Hong, 1979

*Stylonychia mytilus* Ehrenberg Ref. 盧。1958

*Stylonychia pustulata* Ehrenberg Ref. 戴。1962

*Stylonychia steini* Ref. Hong & Hsu, 1977

### Order Oligotrichida 小毛口目

#### Family Bilidiidae

*Bursaria truncatella* Müller Ref. 盧。1958

#### Family Codoenllidae

*Tintinnopsis aperta* Brandt Ref. Wang, 1994

*Tintinnopsis brevicollis* Hada Ref. Wang, 1994

*Tintinnopsis butchlii* Daday Ref. Lei, 1989

*Tintinnopsis campanula* (Ehrenberg) Daday

*Tintinnopsis cratera* (Leidy) Hada Ref. Chuang et al., 1984

*Tintinnopsis fluviatile* (Stein) Kent Ref. 同前

*Tintinnopsis gracilis* Kofoid & Campbell Ref. Lei, 1989

*Tintinnopsis radix* (Imhof) Brandt Ref. Lei, 1989

*Tintinnopsis tocantinensis* Kofoid & Campbell

#### Family Codonellopsidae 類鈴蟲科

*Cononellopsis americana* Kofoid & Campbell Ref. Lei, 1989

*Cononellopsis ostefeldi* (Schmidt) Kofoid & Campbell Ref. Lei, 1989

*Cononellopsis schabi* Kofoid & Campbell

#### Family Halteriidae 彈跳蟲科

*Halteria grandinella* Müller Ref. 盧。1958

#### Family Mbidiidae

*Strombidium* sp. Ref. Hong, 1985

#### Family Ptychocylididae 杯狀纖毛蟲科

*Favella ehrenbergii* (Claparede & Lachmann) Jørgensen Ref. Lei, 1988

#### Family Stentoridae 喇叭科

*Stentor coeruleus* Ehrenberg Ref. 戴。1962

*Stentor igneus* Ehrenberg Ref. Jang, 1975

*Stentor polymorphus* Müller Ref. 盧。1958

*Stentor roeseli* Kahl Ref. 戴。1962

#### Family Tintinnididae

*Leprotintinnus nordqvisti* (Brandt) Jørgensen Ref. Lei, 1989

*Tintinnidium fluviatile* Stein Ref. Dai, 1962

### Order Peritrichida 緣毛目

#### Family Vorticellidae 鐘蟲科

*Carchesium polypinum* Linne Ref. 戴。1962

*Ophrydium versatile* (O. F. Müller) Ehrenberg Ref. 戴。1962  
*Vorticella campanula* Ehrenberg Ref. 戴。1962  
*Vorticella convallaria* (L.) Ref. Chen, 1982  
*Vorticella microstomata* Ehrenberg Ref. 戴。1962  
*Vorticella monilata* Ehrenberg Ref. Dai, 1962  
*Vorticella nebulifera* O. F. Müller Ref. 盧。1958  
*Zoothamnium arbuscula* Ref. 戴。1962

## **Class Polyhymenophora 多膜口綱(多膜綱)**

### **Order Odontostomatida 齒口目**

[Not assigned to a family]

*Saprodinium dentatum* Lauterborn Ref. Dai, 1962

## **Phylum Dictyosteliomycota 網柱粘菌門**

### **Class Dictyosteliomycetes 網柱黏菌綱**

#### **Order Dictyosteliales 網柱黏菌目**

##### **Family Acytosteliaceae**

*Acytostelium ieptosomum* Raper Ref. Hagiwara et al., 1992

##### **Family Dictyosteliaceae 網柱黏菌科**

*Dictyostelium aureo-stipes* Cavender, Raper & Norberg Ref. Hagiwara et al., 1992

*Dictyostelium brefeldianum* Hagiwara Ref. Yeh & Chien, 1983

*Dictyostelium clavatum* Hagiwara. Ref. Fan, Chen & Yeh, 2002

*Dictyostelium coeruleo-stipes* Raper & Fennell. Ref. Fan & Yeh, 2001

*Dictyostelium delicatum* Hagiwara. Ref. Hsu et al., 2001

*Dictyostelium exiguum* Hagiwara Ref. Yeh & Chen, 2004

*Dictyostelium giganteum* Singh Ref. Yeh & Chien, 1983

*Dictyostelium lavandulum* Raper & Fennell Ref. Hagiwara et al., 1992

*Dictyostelium macrocephalum* Hagiwara, Yeh & Chien Ref. Hagiwara et al., 1985

*Dictyostelium minutum* Raper Ref. Fan, Chen & Yeh, 2002

*Dictyostelium monochasioides* Hagiwara Ref. Hagiwara et al., 1992

*Dictyostelium polycephaleum* Raper Ref. 同前

*Dictyostelium purpureum* OLeve Ref. Wang, 1989

*Dictyostelium rhizopodium* Raper & Fennell Ref. Hagiwara et al., 1992

*Polysphondylium pallidum* Olive, 1901 Ref. Yeh, 1982

*Polysphondylium pseudocandidum* Hagiwara. Ref. Lin & Yeh, 1999

*Polysphondylium violaceum* Bref., 1884 Ref. Yeh, 1982

## **Phylum Dinophyta 甲藻門**

### **Class Dinophyceae 甲藻綱**

#### **Order Dinoflagellida 腰鞭毛目**

##### **Family Gymnodiniidae**

*Amphidinium turbo* Kofoid & Swezy 前溝藻屬 Ref. Wu & Su, 1991

*Gymnodinium aeruginosum* Stein 裸甲藻 Ref. Dai, 1962

*Gymnodinium simplex* Lohmann Ref. Lu, 1958

*Gymnodinium skvortzowii* Chen Ref. Chen, 1987

*Gyrodinium fusiforme* Kofoid & Swezy Ref. Wu & Su, 1991

*Gyrodinium instriatum* Freudenthal & Lee Ref. Wu & Su, 1991

*Gyrodinium* sp. Ref. Anonymous 1996, p. 2-218.

*Gyrodinium spirale* Kofoid & Swezy Ref. Wu & Su, 1991

#### **Order Dinophysiales 甲藻目**

##### **Family Amphisoleniaceae**

*Amphisolenia asymmetrica* Kofoid Ref. Huang, 1994

*Amphisolenia bidentata* Schroder Ref. Huang, 1994

*Amphisolenia globifera* Stein Ref. Huang, 1994

*Amphisolenia schauinslandi* Lammermann Ref. Huang, 1994

*Amphisolenia thrinax* Schutt Ref. Huang, 1994

##### **Family Dinophysiaceae 鱗藻科**

*Dinophysis caudata* Saville-Kent Ref. Huang, 1994

*Dinophysis hastata* Stein Ref. Huang, 1994

*Dinophysis homunculus* Stein Ref. Tseng & Liu, 1969

*Dinophysis meles* Cleve Ref. Huang, 1994

*Histioneis depressa* Schiller Ref. Huang, 1994

*Histioneis pulchra* Kofoid Ref. Huang, 1994

*Ornithocercus quadratus* Schutt Ref. Huang, 1994

*Ornithocercus splendidus* Schutt Ref. Huang, 1994  
*Ornithocercus steinii* Marray Ref. Tseng & Liu, 1969  
*Ornithocercus thurnii* (Schmidr) Kofoid & Skogsberg Ref. Huang, 1994  
*Phalacroma cuneus* Schutt Ref. Huang, 1994  
*Phalacroma doryphorum* Stein Ref. Huang, 1994  
*Phalacroma favus* Kofoid & Mthener Ref. Huang, 1994  
*Phalacroma mitra* Schutt Ref. Huang, 1994

## **Order Gymnodiniales 裸甲藻目**

### **Family Gymnodiniaceae 裸甲藻科**

*Katodinium asymmetricum* (Massart) Loeblich 加藤甲藻 Ref. Wu & Su, 1991

## **Order Noctilucales 月光藻目**

### **Family Noctilucaeae 月光藻科**

*Noctiluca millaris* (Scintillans) Suriray Ref. Wu & Su, 1991  
*Noctiluca scintillans* (Macartney) Kofoid & Swezy Ref. Lei, 1989

## **Order Peridiniales 多甲藻目**

### **Family Ceratiaceae 角藻科**

*Ceratium arcuatum* (Gourret) Pavillard Ref. Tseng & Liu, 1969  
*Ceratium axiale* Kofoid Ref. Huang, 1994  
*Ceratium azoricum* Cleve Ref. Huang, 1994  
*Ceratium belone* Cleve Ref. Huang, 1994  
*Ceratium breve* var. *parallelum* (Schmidt) Jorgensen Ref. Huang, 1994  
*Ceratium breve* (Ost. & Schmidt) Schroder Ref. Huang, 1994  
*Ceratium carriense* Gourret f. *ans* (Cleve) Ref. Huang, 1994  
*Ceratium caudelabrum* (Ehrenberg) Stein Ref. Tseng & Liu, 1969  
*Ceratium contortum* (Gourret) Cleve Ref. Huang, 1994  
*Ceratium contortum* var. *saltans* (Schroder) Jorgensen Ref. Huang, 1994  
*Ceratium cornutum* Ehrenberg Ref. Dai, 1962  
*Ceratium declinatum* Karsten Ref. Huang, 1994  
*Ceratium deflexum* (Kofoid) Jorgensen Ref. Huang, 1994  
*Ceratium dens* Ostenfeld & Schmidt Ref. Huang, 1994  
*Ceratium euarcuatum* Jorgensen Ref. Huang, 1994  
*Ceratium extensum* (Gourret) Cleve Ref. Tseng & Liu, 1969  
*Ceratium falcatum* (Kofoid) Jorgensen Ref. Huang, 1994  
*Ceratium furca* (Ehrenberg) Claparede & Lachmann Ref. Tseng & Liu, 1969  
*Ceratium fusus* var. *schuttii* Lemmermann Ref. Huang, 1994  
*Ceratium fusus* var. *seta* (Ehr.) Jorgensen Ref. Huang, 1994  
*Ceratium fusus* (Ehrenberg) Dujardin Ref. Huang, 1994  
*Ceratium gibberum* var. *dispar* (Pouchet) Sournia Ref. Huang, 1994  
*Ceratium gibberum* Gourret Ref. Huang, 1994  
*Ceratium gravidum* Gourret Ref. Tseng & Liu, 1969  
*Ceratium gravidum* var. *angustum* Jorgensen Ref. 同前  
*Ceratium hexacanthum* f. *rale* (Kofoid) Schiller Ref. Huang, 1994  
*Ceratium hirundinella* (O. F. Müller) Schrank Ref. Negora, 1953  
*Ceratium horridum* var. *claviger* (Kofoid) Graham & Bronikovsky Ref. Huang, 1994  
*Ceratium horridum* (Cleve) Gran Ref. Huang, 1994  
*Ceratium humile* Jorgensen Ref. Huang, 1994  
*Ceratium incisum* (Karsten) Jorgensen Ref. Huang, 1994  
*Ceratium inflatum* (Kofoid) Jorgensen Ref. Huang, 1994  
*Ceratium karstenii* Pavillard Ref. Huang, 1994  
*Ceratium limulus* Gourret Ref. Huang, 1994  
*Ceratium lineatum* (Ehrenberg) Cleve Ref. Lu, 1958  
*Ceratium longissimum* (Schroder) Kofoid Ref. Huang, 1994  
*Ceratium lunulus* Gourret Ref. Huang, 1994  
*Ceratium macroceros* var. *gallicum* (Kofoid) Jorgensen Ref. Huang, 1994  
*Ceratium macroceros* (Ehrenberg) Cleve Ref. Lei, 1989  
*Ceratium massiliense* (Gourret) Karsten Ref. Huang, 1994  
*Ceratium pentagonum* Gourret Ref. Huang, 1994  
*Ceratium pentagonum* var. *longisetum* (Ostenf. & Schmidt) Jorgensen Ref. Huang, 1994  
*Ceratium platycornia* Von Dady Ref. Huang, 1994  
*Ceratium praelongum* (Lemm.) Kofoid Ref. Huang, 1994  
*Ceratium pulchellum* B. Schroder f. *ipulchellum* Jorgensen Ref. Huang, 1994  
*Ceratium ranipes* Cleve Ref. Huang, 1994  
*Ceratium ranipes* var. *palmatum* (Schroder) Jorgensen Ref. Huang, 1994  
*Ceratium sumatranum* (Karsten) Jorgensen Ref. Tseng & Liu, 1969  
*Ceratium symmetricum* Pavillard Ref. Huang, 1994  
*Ceratium symmetricum* var. *coarctatum* (Pavill.) Graham & Bron Ref. Huang, 1994  
*Ceratium teres* Kofoid Ref. Huang, 1994  
*Ceratium trichoceors* (Ehrenberg) Kofoid Ref. Huang, 1994  
*Ceratium tripos* (O. F. Müller) Nitsch. Ref. Lei, 1989

*Ceratium tripos* var. *atlanticum* (Ost.) Paulsen Ref. Huang, 1994  
*Ceratium vultur* Cleve Ref. Tseng & Liu, 1969  
*Ceratium vultur* var. *japonicus* (Schroder) Jorgensen Ref. Huang, 1994  
*Ceratium vultur* var. *sumatranum* (Karsten) St. Nielsen Ref. Huang, 1994  
*Ceratium vultur* var. *recuvun* Jorgensen Ref. Huang, 1994  
*Ceratum bucephalum* (Cleve) Cleve Ref. Tseng & Liu, 1969  
*Ceratum gracile* (Gourret) Jorgensen Ref. 同前

#### **Family Ceratocoryaceae**

*Ceratocorys horrida* Stein Ref. Tseng & Liu, 1969

#### **Family Glenodiniaceae 薄甲藻科**

*Glenodinium oculatum* Stein Ref. Dai, 1962  
*Glenodinium pulvisculus* Ehrenberg Ref. Shen, 1955

#### **Family Gonyaulaceae**

*Gonyaulax pacific* Kofoid Ref. Huang, 1994  
*Gonyaulax polyedra* Stein Ref. Huang, 1994  
*Gonyaulax verior* Sournia Ref. Wu & Su, 1991

#### **Family Heterodiniaceae**

*Heterodinium blackmanii* (Muur. & Whitt.) Kofoid Ref. Huang, 1994

#### **Family Oxytoxaceae**

*Oxytoxum scolopax* Stein Ref. Huang, 1994

#### **Family Peridiniaceae 多甲藻科**

*Cachonina hallii* Freudenthal & Lee 薄甲藻 Ref. Wu & Su, 1991  
*Peridinium aciculiferum* Lemmermann Ref. Hsu, 1993  
*Peridinium apiculatum* (Ehrenberg) Lindemann Ref. Shen, 1950  
*Peridinium bipes* Stein fa. *occulatum* (Lindem.) Lef. Ref. Fang & Chen, 1991  
*Peridinium conicum* (Gran) Ostenfeld & Schmidt Ref. Huang, 1994  
*Peridinium depressum* Bailey Ref. Tseng & Liu, 1969  
*Peridinium divergens* Ehrenberg Ref. Huang, 1994  
*Peridinium elegans* Cleve Ref. Huang, 1994  
*Peridinium grande* Kofoid Ref. Huang, 1994  
*Peridinium longipes* Karsten Ref. Huang, 1994  
*Peridinium murray* Kofoid Ref. Huang, 1994  
*Peridinium oceanicum* Vanhoffen Ref. Huang, 1994  
*Peridinium ovum* Schiller Ref. Huang, 1994  
*Peridinium pedunculatum* Schott Ref. Tseng & Liu, 1969  
*Peridinium pentagonum* Gran Ref. Huang, 1994  
*Peridinium playfairi* Lindemann Ref. Harada, 1933  
*Peridinium pusillum* (Pen.) Lemm. 微小多甲藻  
*Peridinium sphaericum* Tseng Ref. Tseng & Liu, 1969  
*Peridinium spinipes* Haeckel Ref. Huang, 1994  
*Peridinium steinii* Jorgensen Ref. Huang, 1994  
*Peridinium tumidum* Okamura Ref. Huang, 1994  
*Peridinium volzii* Lemm. fa. *vancouverense* (Wailes) Lef. 沃爾多甲藻 Ref. Negora, 1953  
*Peridinium willei* Huitfeldt-Kaas Ref. Dai, 1962  
*Protoperidinium divergens* Ehrenberg Ref. Wu & Su, 1991  
*Protoperidinium leonis* Balech Ref. Wu & Su, 1991  
*Protoperidinium minutum* Loeblich II Ref. Wu & Su, 1991  
*Protoperidinium quiaecorne* Balech Ref. Wu & Su, 1991  
*Protoperidinium steinii* Balech Ref. Wu & Su, 1991

#### **Family Podolampadaceae**

*Podolampas bipes* Stein Ref. Huang, 1994  
*Podolampas bipes* var. *reticulata* (Kofoid) Statnov. Ref. Huang, 1994  
*Podolampas palmipes* Stein Ref. Huang, 1994

#### **Family Pyrophacaceae**

*Pyrophacus horologicum* Stein Ref. Tseng & Liu, 1969

### **Order Prorocentrales 雙甲藻目**

#### **Family Prorocentraceae 原甲藻科**

*Prorocentrum compressum* (Bailey) ab'e & Doge Ref. Wu & Su, 1991  
*Prorocentrum minimum* Schiller Ref. Wu & Su, 1991  
*Prorocentrum triestinum* Schiller Ref. Wu & Su, 1991

### **Order Pyrocystales 梨甲叢目**

#### **Family Pyrocystaceae 梨甲叢科**

*Dissodinium lunula* (Schutt) Pascher Ref. Huang, 1994  
*Pyrocystis fusiformis* Murray Ref. Huang, 1994  
*Pyrocystis gerbautii* Pavillard Ref. Huang, 1994  
*Pyrocystis hamulus* Cleve Ref. Huang, 1994

*Pyrocystis hamulus* var. *inaequalis* Schroder Ref. Huang, 1994  
*Pyrocystis lunula* Schutt Ref. Tseng & Liu, 1969  
*Pyrocystis pseudonociluca* Murray Ref. Huang, 1994  
*Pyrocystis robusta* Kofoid Ref. Huang, 1994

## Phylum Euglenozoa 眼蟲門

### Class Euglenida 眼蟲綱

#### Order Euglenales 眼蟲目

##### Family Astasiaceae 變胞藻科

*Cyclidiopsis acus* Korschikoff Ref. Yamagishi, 1992  
*Distigma proteus* Ehrenberg Ref. Chen et al., 1989  
*Petalomonas angusta* (Klebs) Lemmermann Ref. Yamagishi, 1992  
*Petalomonas mediocanellata* Stein var. *distomata* Lemmermann Ref. 同前  
*Petalomonas phacoides* Skuja Ref. 同前  
*Petalomonas platyrhyncha* Skuja Ref. 同前

##### Family Colaciaceae 柄裸藻科

*Colacium* sp. Ref. Chang, 1969

##### Family Euglenaceae 裸藻科

*Astasia lagenula* (Schewiakoff) Lemmermann Ref. Hong, 1988  
*Astasia margaritifera* Schmarda Ref. Jang, 1975  
*Euglena acus* var. *acus* Yamagishi Ref. Yamagishi, 1992  
*Euglena acus* var. *minor* Hansgirg Ref. 同前  
*Euglena acus* Ehrenberg 梭形裸藻 Ref. Shen, 1950  
*Euglena adhaerens* Matvienko Ref. Yamagishi, 1992  
*Euglena caudata* Hubn. 尾裸藻  
*Euglena chadefaudii* Lai Ref. Lai et al., 1994  
*Euglena charkowiensis* Swirenko Ref. Hsu et al., 1990  
*Euglena convoluta* Korschikov Ref. Huang, 1977  
*Euglena deses* Ehrenberg Ref. Jang, 1975  
*Euglena ehrenbergii* Klebs var. *ehrenbergii* Yamagishi 帶形裸藻 Ref. Yamagishi, 1992  
*Euglena gasterosteus* Skuja Ref. Hu et al., 1980  
*Euglena gaumei* Akkirge & Kefevre Ref. Yamagishi, 1992  
*Euglena gracilis* Klebs Ref. Dai, 1962  
*Euglena hemichromata* Skuja Ref. Yamagishi, 1992  
*Euglena limnophila* Lemmermann var. *lemmermannii* Drezepolski Ref. 同前  
*Euglena mutabilis* Schm 易變裸藻  
*Euglena oblonga* Jang Ref. Jang, 1975  
*Euglena oxyuris* Schmarda Ref. Dai, 1962  
*Euglena oxyuris* var. *minor* Prescott Ref. Chang, 1968a  
*Euglena oxyuris* var. *charkowiensis* (Swirenko) Chu Ref. Yamagishi, 1992  
*Euglena pisciformis* Klebs Ref. Jang, 1975  
*Euglena polymorpha* Dangeard Ref. Hu et al., 1980  
*Euglena proxima* Dangeard Ref. Huang, 1977  
*Euglena rubra* Dai Ref. Dai, 1962  
*Euglena sanguinea* Ehrenberg 血紅裸藻 Ref. Dai, 1962  
*Euglena schmitzii* Gokdics Ref. Chang, 1969  
*Euglena sciotensis* Lackey Ref. Yamagishi, 1992  
*Euglena spirogyra* var. *spirogyra* Ehrenberg 旋紋裸藻 Ref. 同前  
*Euglena spirogyra* Ehrenberg 旋紋裸藻 Ref. Chuang, 1984  
*Euglena tristella* Chu 三星裸藻  
*Euglena viridis* Ehrenberg Ref. Shen, 1950  
*Lepocinclis acicularis* var. *acicularis* France Ref. Yamagishi, 1992  
*Lepocinclis constricta* Matvienko Ref. 同前  
*Lepocinclis cylindrica* (Korschikoff) Conrad var. *minor* Chu 圓筒鱗孔藻 Ref. 同前  
*Lepocinclis fusiformis* var. *minor* Chu Ref. 同前  
*Lepocinclis fusiformis* var. *major* Fritsch & Rich Ref. Huang, 1977  
*Lepocinclis fusiformis* (Carter) Lemmermann Ref. Dai, 1962  
*Lepocinclis fusiformis* var. *fusiformis* (Carter) Lemm. emend. Conr., 1934 Ref. Yamagishi, 1992  
*Lepocinclis glabra* var. *raciborskii* Drezepolski Ref. 同前  
*Lepocinclis glabra* Drezepolski Ref. Huang, 1977  
*Lepocinclis glabra* var. *glabra* Drezepolski, 1925 Ref. Yamagishi, 1992  
*Lepocinclis glabra* var. *gracilicauda* Drezepolski, 1925 Ref. 同前  
*Lepocinclis gracilicauda* Defl.  
*Lepocinclis longistriata* var. *papilla* Chu Ref. Yamagishi, 1992  
*Lepocinclis longistriata* var. *longistriata* Chu Ref. 同前  
*Lepocinclis marssonii* Lemmermann var. *marssonii* Chu Ref. 同前  
*Lepocinclis marssonii* var. *sinensis* Popova Ref. 同前  
*Lepocinclis marssonii* var. *inflata* Conrad Ref. 同前

*Lepocinclis ovum* var. *ovum* (Ehrenberg) Minkewicz, 1898 Ref. 同前  
*Lepocinclis ovum* var. *angustata* (Deflandre) Conrad Ref. 同前  
*Lepocinclis ovum* var. *obesa* Chu Ref. 同前  
*Lepocinclis ovum* var. *dimidio-minor* Deflandre Ref. 同前  
*Lepocinclis ovum* var. *globula* (Perty) Lemmermann Ref. 同前  
*Lepocinclis ovum* (Ehrenberg) Lemmermann 卵形鱗孔藻 Ref. Dai, 1962  
*Lepocinclis ovum* var. *buetschlii* (Lemmermann) Conrad Ref. Yamagishi, 1992  
*Lepocinclis ovum* var. *conica* Allorge & LEfevre Ref. 同前  
*Lepocinclis pseudo-ovum* Conrad Ref. 同前  
*Lepocinclis redekei* var. *redekei* Conrad, 1934 Ref. 同前  
*Lepocinclis reeuwykiana* var. *kriegeri* Conrad Ref. 同前  
*Lepocinclis salina* Fritsch Ref. Hong, 1988  
*Lepocinclis salina* var. *pachyderma* (Deflandre) Conrad Ref. Yamagishi, 1992  
*Lepocinclis salina* var. *salina* F.E. Fritsch, 1914 Ref. 同前  
*Lepocinclis spirogyra* var. *spirogyra* Korschikoff Ref. 同前  
*Lepocinclis steinii* var. *steinii* Lemmermann Ref. 同前  
*Lepocinclis teres sehmitz* Ref. Jang, 1975  
*Lepocinclis wangi* var. *wangi* Chu Ref. Yamagishi, 1992  
*Menoidium obtusum* Pringsheim Ref. 同前  
*Phacus acuminatus* var. *megaparamylica* (Roll) Huber-Pestalozzi 扁裸屬 Ref. 同前  
*Phacus acuminatus* Stokes var. *acuminatus* Yamagishi 尖尾扁裸藻 Ref. 同前  
*Phacus agilis* Skuja var. *agilis* Yamagishi 扁裸屬 Ref. 同前  
*Phacus angulatus* Pochmann 扁裸屬 Ref. 同前  
*Phacus ankyonoton* Pochmann 扁裸屬 Ref. 同前  
*Phacus brachykentron* Pochmann 扁裸屬 Ref. 同前  
*Phacus brevicaudatus* (Klebs) Lemmermann 扁裸屬 Ref. 同前  
*Phacus caudatus* Stein 扁裸屬 Ref. Jang, 1975  
*Phacus circulatus* Pochmann var. *circulatus* Yamagishi 扁裸屬 Ref. Yamagishi, 1992  
*Phacus contortus* Bourrelly var. *contortus* Yamagishi 扁裸屬 Ref. 同前  
*Phacus curvicauda* Swirenko 扁裸屬 Ref. Chang, 1968a  
*Phacus cylindraceus* Popova 扁裸屬 Ref. Yamagishi, 1992  
*Phacus granum* Drezepolsky 扁裸屬 Ref. 同前  
*Phacus hamatus* Pochmann 勾狀扁裸藻 Ref. 同前  
*Phacus hamelii* Allorge & LEfevre 扁裸屬 Ref. 同前  
*Phacus helikoides* Pochmann 扁裸屬 Ref. Lei, 1988  
*Phacus hispidula* (Eickwald) Lemmermann 扁裸屬 Ref. Hong, 1988  
*Phacus inflexus* var. *inflexus* (Kisselew) Pochmann 扁裸屬 Ref. Yamagishi, 1992  
*Phacus lefevrei* Bourrelly 扁裸屬 Ref. 同前  
*Phacus lismorensis* Playfair 扁裸屬 Ref. 同前  
*Phacus longicaudus* var. *insecta* Koczwara 扁裸屬 Ref. 同前  
*Phacus longicaudus* var. *rotunda* (Pochmann) Huber-Pestalozzi 扁裸屬 Ref. 同前  
*Phacus longicaudus* var. *major* Swirenko 扁裸屬 Ref. 同前  
*Phacus longicaudus* var. *attenuata* (Pochmann) Huber-Pestalozzi 扁裸屬 Ref. 同前  
*Phacus longicaudus* (Ehrenberg) Dujardin 長尾扁裸藻 Ref. Shen, 1950  
*Phacus mangini* var. *mangini* Lefevre 扁裸屬 Ref. Yamagishi, 1992  
*Phacus nannos* Pochmann 扁裸屬 Ref. 同前  
*Phacus obolus* Pochmann 圓貨貝扁裸藻 Ref. 同前  
*Phacus onyx* Pochm. 爪形扁裸藻  
*Phacus orbicularis* var. *orbicularis* Huebner 扁裸屬 Ref. Yamagishi, 1992  
*Phacus oscillans* Klebs 扁裸屬 Ref. Hong, 1988  
*Phacus ovalis* (Woronichin) Popova 扁裸屬 Ref. Yamagishi, 1992  
*Phacus pleuronectes* (Müller) Dujardin 扁裸屬 Ref. Dai, 1962  
*Phacus pleuronectes* var. *pleuronectes* (O. F. Müller) Dujardin 寬扁裸藻 Ref. Yamagishi, 1992  
*Phacus pseudonordstedtii* Pochmann 扁裸屬 Ref. Huang, 1977  
*Phacus pseudoswirenkoi* Prescott 扁裸屬 Ref. Shen, 1955  
*Phacus pusillus* Lemmermann 扁裸屬 Ref. Yamagishi, 1992  
*Phacus pyrum* Stein 扁裸屬 Ref. Jang, 1975  
*Phacus raciborskii* Drezepolski 扁裸屬 Ref. Yamagishi, 1992  
*Phacus ranula* Pochmann 扁裸屬 Ref. 同前  
*Phacus segretii* var. *segretii* Allorge & LEfevre 扁裸屬 Ref. 同前  
*Phacus skujai* Skvortzov 扁裸屬 Ref. 同前  
*Phacus stokesii* Lemmermann var. *minor* Conrad 扁裸屬 Ref. 同前  
*Phacus suecicus* var. *suecicus* (Lemmermann) Lemmermann 扁裸屬 Ref. 同前  
*Phacus swirenkoi* Skvortzov 扁裸屬 Ref. Chang, 1968a  
*Phacus tortus* var. *tortus* (Lemmermann) Skvortzov 扭曲扁裸藻 Ref. Yamagishi, 1992  
*Phacus trimarginatus* Allegre & Jahn 扁裸屬 Ref. 同前  
*Phacus tripteris* Dujardin 扁裸屬 Ref. 同前  
*Phacus triqueter* var. *triqueter* 扁裸屬 Ref. 同前  
*Phacus triqueter* (Ehrenberg) Dujardin 扁裸屬 Ref. Hong, 1988  
*Phacus undulatus* var. *undulatus* (Skvortzov) Pochmann 扁裸屬 Ref. Yamagishi, 1992  
*Phacus venustus* Pochmann var. *prescottii* Huber-Pestalozzi 扁裸屬 Ref. 同前  
*Phacus wettsteini* Drezepolski 扁裸屬 Ref. 同前

*Strombomonas borystheniensis* (Roll) Popova Ref. 同前  
*Strombomonas conspersa* (Pascher) Tell & Conforti Ref. 同前  
*Strombomonas cuneata* (Playfair) Deflandre Ref. 同前  
*Strombomonas deflandrei* var. *deflandrei* (Roll) Deflandre Ref. 同前  
*Strombomonas eurystoma* f. *ystoma* (Stein) Popova Ref. 同前  
*Strombomonas eurystoma* f. *nensis* (Skvortzov) Popova Ref. 同前  
*Strombomonas fluviatilis* var. *fluviatilis* (Lemmermann) Deflandre Ref. 同前  
*Strombomonas gibberosa* var. *gibberosa* (Playfair) Deflandre Ref. 同前  
*Strombomonas girardiana* var. *girardiana* (Playfair) Deflandre Ref. 同前  
*Strombomonas maxima* (Skvortzov) Deflandre Ref. 同前  
*Strombomonas napiformis* var. *napiformis* (Playfair) Deflandre Ref. 同前  
*Strombomonas praeliaria* var. *praeliaria* (Palmer) Deflandre Ref. 同前  
*Strombomonas praeliaria* var. *nana* (Palmer) Ref. 同前  
*Strombomonas rotunda* f. *unda* (Playfair) Deflandre Ref. 同前  
*Strombomonas schauinslandii* (Lemmermann) Deflandre Ref. 同前  
*Strombomonas tetraptera* Balech & Dastuge var. *gallica* Bourrelly & Coute 陀螺藻 Ref. 同前  
*Strombomonas triquetra* var. *triquetra* (Playfair) Deflandre Ref. 同前  
*Strombomonas verrucosa* (Dady) Deflandre var. *elongata* (Skvortzov) Ref. Hsu et al., 1990  
*Trachelomonas abrupta* Swirenko var. *minor* Deflandre 囊裸藻 Ref. Yamagishi, 1992  
*Trachelomonas acanthostoma* var. *minor* Drezepolski 囊裸藻 Ref. 同前  
*Trachelomonas acanthostoma* var. *acanthostoma* Stokes 囊裸藻 Ref. 同前  
*Trachelomonas aculata* Dolgoff 囊裸藻 Ref. Chang, 1968a  
*Trachelomonas acuminata* var. *amphora* Playfair 囊裸藻 Ref. Hsu, 1993  
*Trachelomonas alisoviana* Skvortzov 囊裸藻 Ref. Yamagishi, 1992  
*Trachelomonas allia* var. *allia* Drezepolski 囊裸藻 Ref. 同前  
*Trachelomonas armata* f. *inii* Lemmermann 尾棘囊裸藻 Ref. 同前  
*Trachelomonas armata* var. *armata* (Ehrenberg) Stein 囊裸藻 Ref. 同前  
*Trachelomonas armata* f. *ata* (Ehrenberg) F. Stein, 1878 囊裸藻 Ref. 同前  
*Trachelomonas armata* f. *voluta* Deflandre 囊裸藻 Ref. 同前  
*Trachelomonas armata* f. *onata* Deflandre 囊裸藻 Ref. 同前  
*Trachelomonas bacillifera* Playfair var. *minima* Playfair 囊裸藻 Ref. 同前  
*Trachelomonas bernardi* Woloszynska var. *bernardi* Playfair 囊裸藻 Ref. 同前  
*Trachelomonas bernardinensis* var. *bernardinensis* Vischer emend. Deflandre 囊裸藻 Ref. 同前  
*Trachelomonas borodiniana* Swirenko Ref. 同前  
*Trachelomonas crebea* var. *crebea* Kellicott emend. Deflandre 囊裸藻 Ref. 同前  
*Trachelomonas curta* var. *curta* Da Cunha 囊裸藻 Ref. 同前  
*Trachelomonas curta* var. *subpunctata* Bourrelly 囊裸藻 Ref. 同前  
*Trachelomonas cylindrica* Ehrenberg var. *decollata* Playfair 囊裸藻 Ref. 同前  
*Trachelomonas dybowski* Drezepolski 囊裸藻 Ref. Jang, 1975  
*Trachelomonas granulata* Swirenko emend. Deflandre 囊裸藻 Ref. Yamagishi, 1992  
*Trachelomonas guttata* Middelhoek 囊裸藻 Ref. 同前  
*Trachelomonas hispida* var. *hispida* (Perty) F. Stein ex Deflandre, 1926 囊裸藻 Ref. 同前  
*Trachelomonas hispida* (Perty) Stein emend. Deflandre 棘刺囊裸藻 Ref. Dai, 1962  
*Trachelomonas hispida* var. *crenulatoollis* (Mask) Lemmermann 囊裸藻 Ref. Hsu, 1993  
*Trachelomonas intermedia* var. *papillifera* (Popova) Popova 囊裸藻 Ref. Yamagishi, 1992  
*Trachelomonas intermedia* var. *minor* Tell Ref. 同前  
*Trachelomonas intermedia* var. *spinifera* (Popova) Popova 囊裸藻 Ref. 同前  
*Trachelomonas intermedia* var. *intermedia* Dangeard 囊裸藻 Ref. 同前  
*Trachelomonas klebsii* var. *klebsii* Deflandre 囊裸藻 Ref. 同前  
*Trachelomonas lacustris* var. *lacustris* Drezepolski 囊裸藻 Ref. 同前  
*Trachelomonas lemmermannii* var. *lemmermannii* Woloszynska emend. Deflandre 囊裸藻 Ref. 同前  
*Trachelomonas mirabilis* Swirenko var. *affinis* Skvortzov 囊裸藻 Ref. 同前  
*Trachelomonas nikliewskii* Drezepolski f. *rrellyi* Huber-Pestalozzi 囊裸藻 Ref. 同前  
*Trachelomonas oblonga* Lemmermann var. *australica* Playfair 矩圓囊裸藻的變種 Ref. Jang, 1975  
*Trachelomonas oblonga* var. *truncata* Lemmermann 囊裸藻 Ref. Yamagishi, 1992  
*Trachelomonas oblonga* var. *oblonga* 囊裸藻 Ref. 同前  
*Trachelomonas ovalis* Playfair var. *iminor* Playfair 囊裸藻 Ref. 同前  
*Trachelomonas pavlovskoensis* f. *lovskoensis* (Poljanski) Popova 囊裸藻 Ref. 同前  
*Trachelomonas pavlovskoensis* f. *ipsoidea* Popova 囊裸藻 Ref. 同前  
*Trachelomonas planctonica* var. *oblonga* Drezepolski 囊裸藻 Ref. 同前  
*Trachelomonas planctonica* var. *planctonica* Swirenko 囊裸藻 Ref. 同前  
*Trachelomonas planctonica* var. *oviformis* Hortobafyi 囊裸藻 Ref. 同前  
*Trachelomonas pseudobulla* var. *pseudobulla* Swirenko 囊裸藻 Ref. 同前  
*Trachelomonas pseudobulla* var. *bulloides* Balech & Dastuge 囊裸藻 Ref. 同前  
*Trachelomonas pusilla* Playfair var. *punctata* Playfair 囊裸藻 Ref. 同前  
*Trachelomonas rasumowskoensis* var. *rasumowskoensis* Dolgoff 囊裸藻 Ref. 同前  
*Trachelomonas robusta* Swirenko emend. Deflandre 囊裸藻 Ref. 森若及齊家。1990  
*Trachelomonas robusta* var. *robusta* Swirenko 粗壯囊裸藻 Ref. Yamagishi, 1992  
*Trachelomonas rotunda* var. *rotunda* Swirenko, 1914 囊裸藻 Ref. 同前  
*Trachelomonas scabra* var. *scabra* Playfair 囊裸藻 Ref. 同前  
*Trachelomonas scabra* var. *coberensis* Deflandre, 1926 囊裸藻 Ref. 森若及齊家。1990  
*Trachelomonas scabra* var. *elliptica* Playfair 囊裸藻 Ref. Yamagishi, 1992

*Trachelomonas schewiakoffii* Skvortzow 囊裸藻 Ref. Chang, 1968a  
*Trachelomonas similis* var. *similis* Stokes 囊裸藻 Ref. Yamagishi, 1992  
*Trachelomonas spirogyra* Balech 囊裸藻 Ref. 同前  
*Trachelomonas stokesiana* var. *stokesiana* Palmer 囊裸藻 Ref. 同前  
*Trachelomonas superba* var. *superba* Swirenko emend. Deflandre 囊裸藻 Ref. 同前  
*Trachelomonas tshopenensis* Van Oye 囊裸藻 Ref. 同前  
*Trachelomonas tuberculata* Middelhoek 囊裸藻 Ref. 同前  
*Trachelomonas varians* var. *variens* Deflandre 囊裸藻 Ref. 同前  
*Trachelomonas volvocina* var. *volvocina* Ehrenberg 旋轉囊裸藻 Ref. 同前  
*Trachelomonas volvocina* var. *punctata* Playfair 囊裸藻 Ref. 同前  
*Trachelomonas volvocina* var. *derephora* Conard 囊裸藻 Ref. Chang, 1968a  
*Trachelomonas volvocina* Ehrenberg 旋轉囊裸藻 Ref. Shen, 1950  
*Trachelomonas volzii* Lemmermann var. *cylindracea* Playfair 囊裸藻 Ref. Yamagishi, 1992  
*Trachelomonas woycickii* Koczwara var. *pusilla* Drezepolski 囊裸藻 Ref. 同前

#### Family Eutreptiaceae

*Eutreptia* sp. Ref. Chang, 1969

#### Family Peranemaceae

*Turbinella aenigmatica* Deflandre Ref. Yamagishi, 1992

#### Family Peranemataceae

*Anisonema acinus* Duji. Ref. Dai, 1962

*Peranema trichophorum* Stein Ref. Dai, 1962

### Phylum Myxomycota 黏菌門

[Not assigned to a class]

[Not assigned to a order]

[Not assigned to a family]

*Paradicheopsis fimbriata* (G. Lister & Cran) Hertel ex Nann.-Brem. Ref. Wang et al., 1981

#### Class Myxomycetes 黏菌綱

##### Order Echinosteliales 刺絲黏菌目

###### Family Clastodermataceae 碎皮黏菌科

*Clastoderma debaryanum* Blytt Ref. Liu, 1983

*Clastoderma debaryanum* var. *imperatorium* Emoto Ref. Chung & Liu, 1997

###### Family Echinosteliaceae 刺絲黏菌科

*Echinostelium apitectum* Whitney Ref. 陳淑芬。1996

*Echinostelium arboreum* Keller & Brooks Ref. Liu et al., 2007

*Echinostelium minutum* de Bary Ref. Liu, 1983

*Echinostelium paucifilum* Whitney Ref. 陳淑芬。1996

##### Order Liceales 無絲黏菌目

###### Family Cribrariaceae 篩黏菌科

*Cribraria angulospora* C.H. Liu & J. H. Chang Ref. Liu & Chang, 2007

*Cribraria argillacea* (Pers.) Pers. Ref. Nakazawa, 1929

*Cribraria aurantiaca* Schrad. Ref. Wang et al., 1981

*Cribraria cancellata* var. *cancellata* (Batsch) Nann.-Bremek. Ref. Liu & Chung, 2007

*Cribraria cancellata* var. *fusca* (A. Lister) Nann.-Bremek. Ref. 同前

*Cribraria confusa* Nann. Brem. & Y. Yamam. Ref. Chiang & Liu, 1991

*Cribraria intricata* var. *intricata* Schrad. Ref. Nakazawa, 1929

*Cribraria intricata* var. *dictyodioides* (Cooke & Balf.) A. Lister Ref. 同前

*Cribraria languescens* Rex Ref. 同前

*Cribraria laxa* Hagelst. Ref. Liu et al., 2006

*Cribraria macrocarpa* Schrad. Ref. Wang et al., 1981

*Cribraria microcarpa* var. *pachydictyon* (Nann.-Bremek.) Y. Yamam. Ref. Liu et al., 2006

*Cribraria microcarpa* var. *microcarpa* (Schrad.) Pers. Ref. Nakazawa, 1929

*Cribraria minutissima* Schw. Ref. Emoto, 1942

*Cribraria mirabilis* (Rostaf.) Masee Ref. Liu et al., 2006

*Cribraria piriformis* Schrad. Ref. Nakazawa, 1929

*Cribraria splendens* (Schrad.) Pers. Ref. Wang et al., 1981

*Cribraria tenella* Schrad. Ref. Nakazawa, 1929

*Cribraria violacea* Rex Ref. 同前

*Cribraria vulgaris* var. *oregana* (H.C. Gilbert) Nann.-Bremek. & Lado Ref. Liu et al., 2006

*Cribraria vulgaris* var. *vulgaris* Schrad. Ref. Wang et al., 1981

###### Family Enteridiaceae 孔膜黏菌科

*Dictydiaethalium plumbeum* (Schum.) Rost. Ref. Nakazawa, 1929

*Enteridium intermedium* (Nann.-Bremek.) Farr Ref. Liu, 2006

*Enteridium lycoperdon* (Bull.) Farr Ref. Nakazawa, 1929

*Lycogala conicum* Pers. Ref. Wang et al., 1981  
*Lycogala epidendrum* (L.) Fries Ref. Nakazawa, 1929  
*Lycogala exiguum* Morgan Ref. Wang et al., 1981  
*Lycogala flavofuscum* (Ehrenb.) Rost. Ref. Nakazawa, 1929  
*Tubifera casparyi* (Rost.) Macbr. Ref. Wang et al., 1981  
*Tubifera dimorphotheca* Nann.-Bremek. & Loerak. Ref. Chen et al., 2005  
*Tubifera ferruginosa* (Batsch) J. F. Gmel. Ref. Nakazawa, 1929  
*Tubifera microsperma* (Berk. & Curt.) Martin Ref. 同前

#### Family Liceaceae 無絲黏菌科

*Licea biforis* Morgan Ref. Shi, 1981  
*Licea capitata* B. Ing & McHugh Ref. Chiang & Liu, 1991  
*Licea erecta* Thind & Dhillon Ref. Liu et al., 1989  
*Licea kellerii* Nann.-Brem. & Y. Yamam. Ref. Chung et al., 1998  
*Licea kleistobolus* Martin Ref. Chiang & Liu, 1991  
*Licea minima* Fries Ref. Shi, 1981  
*Licea operculata* (Wing.) Martin Ref. Chiang & Liu, 1991  
*Licea parasitica* (Zukal) Martin Ref. Liu, 1992  
*Licea pescadorensis* Chao-H. Chung & C.-H. Liu Ref. Chung & Liu, 1996  
*Licea retiformis* Nawawi Ref. Liu et al., 2002  
*Licea scyphoides* Brooks & Keller Ref. Liu et al., 1989  
*Licea tropica* Chao-H. Chung & C.-H. Liu Ref. Chung & Liu, 1996

### Order Physarales 絨泡黏菌目

#### Family Didymiaceae 鈣皮菌科

*Diderma chondrioderma* (de Bary & Rost.) G. Lister Ref. Nakazawa, 1929  
*Diderma cingulatum* var. *rimosum* (Eliasson & Nann.-Brem.) Nann.-Brem. Ref. Liu & Chen, 1999  
*Diderma effusum* (Schw.) Morgan Ref. Nakazawa, 1929  
*Diderma effusum* var. *pachytrichon* Nann.-Brem. Ref. Chung & Liu, 1996  
*Diderma floriforme* (Bull.) Pers. Ref. Nakazawa, 1929  
*Diderma hemisphaericum* (Bull.) Hornem. Ref. 同前  
*Diderma platycarpum* var. *berkeleyanum* Nann.-Brem. Ref. Chung & Liu, 1998  
*Diderma platycarpum* Nann.-Brem. Ref. Liu, 1982  
*Diderma rugosum* (Rex) Macbr. Ref. Liu, 1998  
*Diderma spumarioides* (Fries) Fries Ref. Chung & Liu, 1998  
*Diderma subdictyospermum* (Rostaf) G. Lister Ref. Liu & Chen, 1999  
*Diderma testaceum* (Schrader) Persoon Ref. Chung & Liu, 1998  
*Didymium anellus* Morgan Ref. Wang et al., 1981  
*Didymium clavus* (Alb. & Schw.) Rab. Ref. Nakazawa, 1929  
*Didymium complanatum* (Batsch) Rost. Ref. 同前  
*Didymium difforme* (Pers.) S.F. Gray Ref. Liu & Chen, 1998  
*Didymium flexuosum* Yamashiro Ref. 同前  
*Didymium floccosum* Martin, Thind & Rehill Ref. Chung & Liu, 1996  
*Didymium iridis* (Ditmar) Fries Ref. Wang et al., 1981  
*Didymium lenticulare* Thind & Lakhapal Ref. Chung & Liu, 1995  
*Didymium leoninum* Berk. & Br. Ref. Liu, 1989  
*Didymium listeri* Masee Ref. Liu & Chen, 1998  
*Didymium melanospermum* (Pers.) Macbr. Ref. Nakazawa, 1929  
*Didymium melanospermum* var. *bicolor* G. Lister Ref. 同前  
*Didymium minus* (A. Lister) Morgan Ref. Wang et al., 1981  
*Didymium nigripes* (Link) Fries Ref. Nakazawa, 1929  
*Didymium ovoideum* Nann.-Brem. Ref. Liu, 1982  
*Didymium perforatum* Yamashiro Ref. Chung & Liu, 1997  
*Didymium serpula* Fries Ref. Liu, 1982  
*Didymium squamulosum* (Alb. & Schw.) Fries Ref. Nakazawa, 1929  
*Didymium verrucosporum* Welden Ref. Wang et al., 1981  
*Didymium bahiense* Gottsb. Ref. Chung & Liu, 1996e  
*Didymium iridis* (Ditmar) Fries Ref. Liu, 1982  
*Didymium megalosporum* Berk. & Curt. Ref. Chung & Liu, 1996  
*Trabrooksia applanatum* Keller Ref. Chung & Liu, 1997

#### Family Physaraceae 絨泡黏菌科

*Badhamia affinis* Rost. Ref. Nakazawa, 1929  
*Badhamia formosana* Liu & Chen 台灣鈣絲黏菌 Ref. Liu et al., 2002  
*Badhamia gracilis* (Macbr.) Macbr. Ref. Liu, 1990  
*Badhamia gracillis* (Macbr.) Macbr. Ref. Liu, 1990  
*Badhamia macrocarpa* (Ces.) Rost. Ref. Nakazawa, 1929  
*Badhamia nitens* Berk. Ref. 同前  
*Badhamia panicea* (Fries) Rost. Ref. Wang et al., 1981  
*Craterium aureum* (Schum.) Rost. Ref. 同前  
*Craterium leucocephalum* (Pers.) Ditmar Ref. Nakazawa, 1929  
*Craterium leucocephalum* (Pers.) Ditmar *scyphoides* (Cooke & Balf.) G. Lister Ref. Chung & Liu, 1997  
*Craterium leucocephalum* var. *leucodephalum* (Pers.) Ditmar Ref. Nakazawa, 1929

*Craterium leucocephalum* (Pers.) Ditmar *sessile* Liu, Huang & Chang Ref. Liu et al., 2001  
*Craterium minutum* (Leers) Fries Ref. Chung & Liu, 1997  
*Craterium reticulatum* Nann. Brem. & Y. Yamam. Ref. 同前  
*Fuligo aurea* (Penz.) Y. Yamam., 1998 Ref. Nakazawa, 1929  
*Fuligo cinerea* (Schw.) Morgan Ref. 同前  
*Fuligo intermedia* Macbr. Ref. 同前  
*Fuligo septica* (L.) Wiggers Ref. 同前  
*Fuligo septica* var. *flava* (Pers.) Morgan Ref. Chen et al., 2005  
*Leocarpus fragilis* (Dicks.) Rost. Ref. Chung & Liu, 1994  
*Physarella oblonga* (Berk. & Cooke) Morgan Ref. Nakazawa, 1929  
*Physarum aeneum* R. E. Fries Ref. Liu & Chung, 1993  
*Physarum alvoradianum* Gottsb. Ref. Chung & Liu, 1997  
*Physarum bivalve* Pers. Ref. Wang et al., 1981  
*Physarum bogoriense* Racib. Ref. Liu & Chung, 1993  
*Physarum braunianum* de Bary 紅褐絨泡黏菌 Ref. Liu et al., 2002  
*Physarum cinereum* (Batsch) Pers. Ref. Nakazawa, 1929  
*Physarum compressum* Alb. & Schw. Ref. 同前  
*Physarum crateriforme* Petch Ref. 同前  
*Physarum cremeiluteum* Chen & Liu Ref. Liu & Chen, 1998  
*Physarum decipiens* (Pers.) Rost. Ref. 魏道行、劉錦惠。1989  
*Physarum didermoides* (Pers.) Rost. Ref. 魏道行、劉錦惠。1989  
*Physarum didermoides* var. *lividum* (Rost.) A. Lister Ref. Nakazawa, 1929  
*Physarum echinosporum* A. Lister Ref. Liu & Chung, 1993  
*Physarum flavicomum* Berk. Ref. Nakazawa, 1929  
*Physarum globuliferum* (Bull.) Pers. Ref. Wang et al., 1981  
*Physarum gyrosum* Rost. Ref. 同前  
*Physarum hongkongense* Chao-H. Chung Ref. Chung & Tzean, 1998  
*Physarum laevisporum* Agnihotrudu Ref. Liu, 2001  
*Physarum lakanpalii* Nann.-Brem. & Y. Yamam. Ref. Chiang & Liu, 1991  
*Physarum leucophaeum* Fries Ref. Nakazawa, 1929  
*Physarum leucopus* Link Ref. Wang et al., 1981  
*Physarum melleum* (Rost.) G. Lister Ref. Nakazawa, 1929  
*Physarum mutabile* (Berk. & Br.) Masee Ref. Chung & Liu, 1997  
*Physarum nasuense* Emoto Ref. Liu & Chen, 1998  
*Physarum nicaraguense* Macbr. Ref. Nakazawa, 1929  
*Physarum notabile* Macbr. Ref. 同前  
*Physarum nucleatum* Rex Ref. 同前  
*Physarum nutans* Pers. Ref. 同前  
*Physarum nutans* var. *rubrum* (Nann.-Brem. & Y. Yamam.) Chao-H. Chung Ref. Chung & Liu, 1997  
*Physarum oblatum* Macbr. Ref. Wang et al., 1981  
*Physarum obpyriforme* Liu & Chen Ref. Liu & Chen, 1998  
*Physarum ovisporum* G. Lister Ref. Nakazawa, 1929  
*Physarum penetrale* Rex Ref. Chung & Liu, 1997  
*Physarum pezizoideum* (Jungh.) Pav. & Lag. Ref. Nakazawa, 1929  
*Physarum plicatum* Nann.-Brem. & Y. Yamam. Ref. Chung & Liu, 1997  
*Physarum polycephalum* Schw. Ref. Nakazawa, 1929  
*Physarum polycephalum* var. *obrusseum* Lister Ref. 同前  
*Physarum psittacinum* Ditmar Ref. Chung & Liu, 1997  
*Physarum pusillum* (Berk. & Curt.) G. Lister Ref. Nakazawa, 1929  
*Physarum retisporum* Martin, Thind & Rehill Ref. Liu, 1989  
*Physarum rigidum* (G. Lister) G. Lister Ref. Nakazawa, 1929  
*Physarum roseum* Berk. & Br. Ref. 同前  
*Physarum serpula* Morgan Ref. Wang et al., 1981  
*Physarum sessile* Brandza Ref. Liu, 1982  
*Physarum stellatum* (Masee) Martin Ref. Wang & Chien, 1987  
*Physarum straminipes* A. Lister Ref. Liu, 1982  
*Physarum superbum* Hagelstein Ref. Chung & Tzean, 1998  
*Physarum taiwanianum* Chao-H. Chung & C.-H. Liu Ref. Chung & Liu, 1996  
*Physarum tenerum* Rex Ref. 陳淇釧、劉錦惠。1991  
*Physarum tessellatum* Martin & Farr Ref. Wang et al., 1981  
*Physarum verum* Somm. Ref. 同前  
*Physarum viride* (Bull.) Pers. Ref. Nakazawa, 1929  
*Physarum viride* (Bull.) Pers. *aurantium* Lister Ref. 同前  
*Willkommangea reticulata* (Albertini & Schweinitz) D. Kuntze Ref. Chung & Liu, 1982

## Order Stemonitales 髮網黏菌目

### Family Stemonitidaceae 髮網黏菌科

*Collaria arcyriomena* (Rostaf.) Nann.-Brem. ex Ing Ref. Liu, 1981  
*Collaria elegans* (Racib.) Dhillon & Nann.-Brem. Ref. Chung & Liu, 1997  
*Collaria lurida* (A. Lister) Nann.-Brem. Ref. Chiang & Liu, 1991  
*Collaria rubens* (A. Lister) Nann.-Brem. Ref. Wang et al., 1981  
*Comatricha laxa* Rost. Ref. 同前

*Comatricha nigra* (Pers.) Schroot Ref. Nakazawa, 1929  
*Comatricha parvispora* Dhillon & Nann.-Bremek. Ref. Chen et al., 2005  
*Comatricha pulchella* (C. Bab.) Rost. Ref. Nakazawa, 1929  
*Comatricha tenerrima* (M. A. Curt.) G. Lister Ref. Wang et al., 1981  
*Diachea bulbillosa* (Berk. & Br.) A. Lister Ref. Nakazawa, 1929  
*Diachea leucopodia* (Bull.) Rost. Ref. 同前  
*Diachea subsessilis* Peck Ref. Liu & Chen, 1999  
*Elaeomyxa cerifera* (G. Lister) Hagelst. Ref. Nakazawa, 1929  
*Enerthenema papillatum* (Pers.) Rost. Ref. Wang et al., 1981  
*Lamproderma muscorum* (Lév) Hagelst Ref. Chang, Huang & Liu, 2003  
*Lamproderma scintillans* (Berk. & Br.) Morgan Ref. Nakazawa, 1929  
*Macbrideola cornea* (G. Lister & Cran) Aleop. Ref. Liu, 1983  
*Macbrideola martinii* (Alexop. & Beneke) Alexop. Ref. Chiang & Liu, 1991  
*Paradiacheopsis acanthodes* (Alexop.) Nann.-Bremek. Ref. 同前  
*Stemonaria irregularis* (Rex) Nann.-Brem., Sharma & Y. Yamam. Ref. Nakazawa, 1929  
*Stemonaria longa* (Peck) Nann.-Brem., Sharma & Y. Yamam. Ref. Liu, 1981  
*Stemonaria pilosa* Nann.-Brem. Ref. Chung & Liu, 1997  
*Stemonitis axifera* (Bull.) Macbr. *smithii* (Macbr.) Halgst. Lister Ref. Chung & Liu, 1995  
*Stemonitis axifera* (Bull.) Macbr. Ref. Liu, 1980  
*Stemonitis axifera* var. *axifera* (Bull.) Macbr. Ref. Liu, 1980  
*Stemonitis fusca* Roth *violacea* Lister Ref. Nakazawa, 1929  
*Stemonitis fusca* Roth *papillosa* Meylan Ref. Liu, 1981  
*Stemonitis fusca* Roth *nigrescens* (Rex) Torrend Ref. Nakazawa, 1929  
*Stemonitis fusca* Roth Ref. 同前  
*Stemonitis fusca fusca* Roth Ref. Liu, 1980  
*Stemonitis mussooriensis* var. *emotoi* (Nann.-Brem. & Y. Yamam.) Y. Yamam. Ref. Chung & Liu, 1997  
*Stemonitis mussooriensis* Martin, Thind & Rehill Ref. Wang & Chien, 1988  
*Stemonitis pallida* Wingate Ref. Nakazawa, 1929  
*Stemonitis splendens* Rostaf. f. *estrata* Rex Ref. 同前  
*Stemonitis splendens splendens* Rost. Ref. Liu, 1981  
*Stemonitis splendens* Rost. f. *fenestrata* Rex Ref. Nakazawa, 1929  
*Stemonitis trechispora* (Berk.) Macbr. Roth *trechispora* Torr. Ref. 同前  
*Stemonitis uvifera* Macbr. Ref. 同前  
*Stemonitis virginensis* Rex. Ref. Liu, 1981  
*Stemonitopsis aequalis* (Peck) Y. Yamam. Ref. Wang et al., 1981  
*Stemonitopsis gracilis* (G. Lister) Nann.-Brem. Ref. Nakazawa, 1929  
*Stemonitopsis hyperopta* (Meylan) Nann.-Brem. Ref. Wang & Chien, 1988  
*Stemonitopsis microspora* (Lister) Nann.-Brem. Ref. Nakazawa, 1929  
*Stemonitopsis reticulata* (H. C. Gilbert) Nann.-Brem. & Y. Yamam. Ref. Wang et al., 1981  
*Stemonitopsis typhina* (Wiggers) Nann.-Brem. *similis* (G. Lister) Nann.-Brem. & Y. Yamam. Ref. Nakazawa, 1929  
*Stemonitopsis typhina typhina* (Wiggers) Nann.-Brem. Ref. 同前  
*Symphytocarpus amaurochaetoides* Nann.-Brem. Ref. 同前  
*Symphytocarpus flaccidus* (Lister) Ing & Nann.-Brem. Ref. 同前  
*Symphytocarpus herbaticus* Ing, 1967  
*Symphytocarpus trechisporus* (Berk. ex Torrend) Nann.-Bremek., 1967 Ref. Nakazawa, 1929

## Order Trichiales 團毛黏菌目

### Family Arcyriaceae 團網菌科

*Arcyria annulifera* G. Lister & Torrend Ref. Liu, 1983  
*Arcyria cinerea* (Bull.) Pers. Ref. Nakazawa, 1929  
*Arcyria denudata* (L.) Wettst. Ref. 同前  
*Arcyria globosa* Schw. Ref. Liu, 1983  
*Arcyria incarnata* (Pers.) Pers. Ref. Nakazawa, 1929  
*Arcyria insignis* Kalchbr. & Cooke Ref. 同前  
*Arcyria leiocarpa* (Cooke) Martin & Alexop. Ref. 同前  
*Arcyria magna* Rex Ref. Tzean et al., 2005  
*Arcyria major* (G. Lister) Ing Ref. Liu et al., 2005  
*Arcyria margino-undulata* Nann.-Brem. & Y. Yamam. Ref. Liu, 2002  
*Arcyria minuta* Buchet Ref. Liu, 1983  
*Arcyria obvelata* (Oeder) Onsberg Ref. Nakazawa, 1929  
*Arcyria pomiformis* (Leers) Rost. Ref. 同前  
*Perichaena chrysoesperma* (Currey) A. Lister Ref. 同前  
*Perichaena corticalis* var. *liceoides* (Rost.) G. Lister Ref. 同前  
*Perichaena corticalis* (Batsch) Rost. Ref. 同前  
*Perichaena depressa* Libert Ref. 同前  
*Perichaena papulosa* Liu & Chang Ref. Liu et al., 2007  
*Perichaena pedata* (A. & G. Lister) G. Lister Ref. 同前  
*Perichaena vermicularis* var. *microsperma* Y. Yamam. & Nann.-Brem. Ref. Liu et al., 2002  
*Perichaena vermicularis* (Schw.) Rost. Ref. Nakazawa, 1929

### Family Dianemataceae

*Calomyxa metallica* (Brek.) Nieuwl. Ref. Wang et al., 1981

### Family Trichiaceae 團毛黏菌科

- Hemitrichia calyculata* (Speg.) M. L. Farr Ref. Liu, 1982  
*Hemitrichia clavata* (Pers) Rost. Ref. Nakazawa, 1929  
*Hemitrichia leiotricha* (Lister) G. Lister Ref. Liu et al., 2006  
*Hemitrichia pardina* (Minakata) Ing Ref. 同前  
*Hemitrichia serpula* (Scop.) Rost. Ref. Nakazawa, 1929  
*Hemitrichia velutina* Nann.-Brem. & Y. Yamam. Ref. Liu, 2002  
*Metatrichia vesparium* (Batsch) Nann.-Brem. Ref. Liu, 1980  
*Minakatella longifila* G. Lister. Ref. Nakazawa, 1931  
*Trichia botrytis* var. *cerifera* G. Lister Ref. Nakazawa, 1929  
*Trichia botrytis* (J. F. Gmel.) Pers. Ref. 同前  
*Trichia contorta* var. *iowensis* (Macbr.) Torr. Ref. 同前  
*Trichia contorta* var. *karstenii* (Rost.) Ing Ref. Liu, 1983  
*Trichia decipiens* (Pers.) Macbr. Ref. Wang et al., 1981  
*Trichia erecta* Rex Ref. Chung & Tzean, 1998  
*Trichia favoginea* (Batsch) Pers. Ref. Liu, 1980  
*Trichia munda* (A. Lister) Meylan Ref. Liu, 2002  
*Trichia papillata* Adamonyte Ref. Liu et al., 2007  
*Trichia scabra* Rost. Ref. Wang, 1981  
*Trichia verrucosa* Berk. Ref. Nakazawa, 1929

### Class Protosteliomycetes 原柱菌綱

#### Order Protosteliales 原柱菌目

##### Family Ceratiomyxaceae 鵝絨黏菌科

- Ceratiomyxa fruticulosa* var. *descendens* Emoto Ref. Liu, 2002  
*Ceratiomyxa fruticulosa* (Müller) Macbri. Ref. Nakazawa, 1929  
*Ceratiomyxa fruticulosa* var. *porioides* (Alb. & Schw.) Lister Ref. 同前

### Phylum Myxospora 黏孢子蟲門

#### Class Myxosporae 黏孢子蟲綱

##### Order Bivalvulida 雙殼目

##### Family Myxobolidae 孢子蟲科

- Myxobolus episquamalis* Egusa, Maeno & Sorimachi, 1990 黏液孢子蟲 Ref. 何汝諧、林清龍。1997

##### Order Multivalvulida 多殼目

##### Family Kudoidae

- Kudoa lutjanus* Wang P.C. et al., 2005 Ref. Wang et al., 2005

### Phylum Plasmodiophoromycota 根腫菌門

#### Class Plasmodiophoromycetes 根腫菌綱

##### Order Plasmodiophorales 根腫菌目

##### Family Plasmodiophoraceae 根腫菌科

- Plasmodiophora brassicae* Woronin Ref. Sawada, 1933  
*Woronina polycystis* Cornu Ref. Chien, 1981

### Phylum Sarcomastigophora 肉質鞭毛蟲門

#### Class Filosea 絲狀根足蟲綱

##### Order Aconchulinida 無殼目

##### Family Cyphoderiidae 曲頸蟲科

- Cyphoderia ampulla* Dai Ref. Dai, 1962

##### Family Euglyphidae 鱗殼科

- Assulina seminulum* Ehrenberg Ref. Dai, 1962  
*Euglypha mucronata* Dai Ref. Dai, 1962  
*Euglypha tuberculata* Dai Ref. Dai, 1962  
*Sphenoderia lenta* Schlumberger Ref. Dai, 1962

##### Family Gromidae

- Paulinella chromatophora* Lauterborn Ref. Yamagishi, 1992

##### Family Trinematidae 三足蟲科

- Trinema enchelys* (Ehrenberg) Leidy Ref. Dai, 1962

#### Class Granuloreticulosea 果粒性網狀根足蟲綱

## Order Foraminiferida 有孔蟲目

### Family Alabaminidae 阿拉巴馬蟲科

- Gyroidina neosoldani* Brotzen Ref. Huang, 1975  
*Gyroidina orbicularis* d'Orbigny Ref. Huang, 1975  
*Gyroidina tainanensis* Nakamura Ref. Huang, 1975

### Family Almaenidae

- Anomalinella ungeriana* (d'Orbigny) Ref. Huang, 1975

### Family Alveolinidae

- Borelis melo* (Fichtel & Moll) Ref. Huang, 1975

### Family Amphisteginidae

- Amphistegina gibbosa* d'Orbigny Ref. Huang, 1975  
*Amphistegina lessoni* d'Orbigny Ref. Huang, 1994  
*Amphistegina madagascariensis* d'Orbigny Ref. Huang, 1975  
*Amphistegina radiata* (Fichtel & Moll) Ref. Huang, 1975

### Family Anomalinidae

- Anomalina colligera* Chapman & Parr Ref. Huang, 1975  
*Anomalina glabrata* (Cushman) Ref. Huang, 1975

### Family Astrorhizidae

- Bathysiphon eocenicus* Cushman & Hanna Ref. 黃。1975  
*Saccamina atlantica* (Cushman) Ref. Huang, 1994

### Family Bagginidae

- Baggina philippinensis* (Cushman) Ref. Huang, 1975  
*Eponides (Neoeponides) subornatus* (Cushman) Ref. Huang, 1975  
*Valvulineria laevigata* Phleger & Parker Ref. Huang, 1994

### Family Bolivinidae

- Bolivina (Brizalina) acerosa* (Cushman) Ref. Huang, 1994  
*Brizalina semicostata* (Cushman) Ref. Huang, 1975  
*Brizalina tainanensis* (Nakamura) Ref. Huang, 1975  
*Brizalina (Lugdunum) hantkeniana* (Brady) Ref. Huang, 1975

### Family Bolivinitidae 劍頭蟲科

- Bolivina bassensis* Parr Ref. Huang, 1994  
*Bolivina spathulata* (Williamson) Ref. Huang, 1994  
*Bolivina subangularis* Brady Ref. Huang, 1994

### Family Bolivinitidae

- Bolivinita subangularis* (Brady) Ref. Huang, 1994

### Family Buliminidae

- Bulimina aculeata* d'Orbigny Ref. Huang, 1975  
*Bulimina marginata* d'Orbigny Ref. Huang, 1994  
*Bulimina nipponica* Asano Ref. Huang, 1975  
*Globobulimina perversa* (Cushman) Ref. Huang, 1975

### Family Calcarinidae

- Baculogypsina sphaerulata* (Parker & Jones) Ref. Huang, 1975  
*Baculogypsinoides spinosus* Yabe & Hanzawa Ref. Huang, 1975  
*Calcarina hispida* Brady Ref. Huang, 1975  
*Calcarina spengleri* (Gmelin) Ref. Huang, 1975

### Family Candeinidae

- Candeina nitida nitida* d'Orbigny Ref. Huang, 1974

### Family Cassidulinidae

- Cassidulina carinata* Silvestri Ref. Huang, 1994  
*Cassidulina (Burseolina) pacifica* Cushman Ref. Huang, 1975  
*Ehrenbergina pacifica* Cushman Ref. Huang, 1975

### Family Catapsydracidae

- Globoquadrina altispira globosa* Bolli Ref. Huang, 1974  
*Globoquadrina altispira altispira* (Cushman & Jarvis) Ref. Huang, 1974  
*Globoquadrina dehiscens dehiscens* (Chapman, Parr & Collins) Ref. Huang, 1974  
*Globoquadrina dehiscens* (Chapman, Parr & Collins) Ref. Huang, 1975  
*Globoquadrina dehiscens advena* Bermudez Ref. Huang, 1974  
*Globoquadrina venezuelana* (Hedberg) Ref. Huang, 1963  
*Globorotaloides hexagona variabilis* Bolli Ref. Huang, 1974  
*Globorotaloides suteri* Bolli Ref. Huang, 1974

### Family Cibicididae

- Cibicides margaritiferus* (Brady) Ref. Huang, 1975  
*Cibicides sintikuensis* Nakamura Ref. Huang, 1994

*Cibicides subhaidingeri* Parr Ref. Huang, 1994  
*Cibicides (Heterolepa) pseudoungerianus* (Cushman) Ref. Huang, 1975  
*Cibicides (Lobatula) lobatulus* (Walker & Jacob) Ref. Huang, 1975  
*Planulina ariminensis* d'Orbigny Ref. Huang, 1975  
*Planulina elegans* Tolmachoff Ref. Huang, 1994  
*Planulina wuellerstorfi* d'Orbigny Ref. Huang, 1975

#### **Family Cornuspiridae**

*Cornuspiroides foliaceus* (Philippi) Ref. Huang, 1994

#### **Family Cyclamminidae**

*Cyclammina compressa* Cushman Ref. Huang, 1975  
*Cyclammina tani* Ishizaki Ref. Huang, 1975  
*Reticulophragnium sintikuensis* (Nakamura) Ref. 黄。1975

#### **Family Discorbidae**

*Discorbis asterocides* Hao & Zeng Ref. Huang, 1994  
*Discorbis chinensis* Huang Ref. Huang, 1994  
*Discorbis taiwanensis* Huang Ref. Huang, 1975  
*Discorbis (Rosalina) australis* Parr Ref. Huang, 1975  
*Discorbis (Rosalina) vilardeboana* (d'Orbigny) Ref. Huang, 1994  
*Epistominella exigua* (Brady) Ref. Huang, 1983  
*Helenina anderseni* (Warren) Ref. Huang, 1994  
*Neoeponides subornatus* (Cushman) Ref. Huang, 1975

#### **Family Eggerellidae**

*Karreriella hantkeniana* Cushman Ref. Huang, 1975  
*Karreriella shangtaoensis* Chang Ref. Huang, 1975  
*Martinotiella communis* (d'Orbigny) Ref. Huang, 1975  
*Martinotiella victoriensis* (Cushman) Ref. Huang, 1975  
*Schenckiella (Martinotiella) victoriensis* Cushman Ref. Huang, 1975

#### **Family Ellipsolagenidae**

*Favulina squamosa* (Montagu) Ref. Huang, 1994  
*Oolina (Favulina) squamosa* (Montagu) Ref. Huang, 1994

#### **Family Elphidiidae**

*Cellanthus (Elphidium) tikotoensis* (Nakamura) Ref. Huang, 1975  
*Criboelphidium porisuturalis* Zheng Ref. Huang, 1994  
*Elphidium advenum* (Cushman) Ref. Huang, 1994  
*Elphidium clavatum* Cushman Ref. Huang, 1994  
*Elphidium crispum* (Linne) Ref. Huang, 1975  
*Elphidium hokkaidoense* Asano Ref. Huang, 1975  
*Elphidium tsudai* Chiji & Nakaseko Ref. Huang, 1994  
*Elphidium (Cellanthus) craticulatum* (Fichtel & Moll) Ref. Huang, 1975

#### **Family Epistomariidae**

*Pseudoeponides nakazatoensis* (Kuwano) Ref. Huang, 1983

#### **Family Eponididae**

*Eponides repandus* (Fichtel & Moll) Ref. Huang, 1975  
*Eponides varvus* Stschedrina Ref. Huang, 1994  
*Poroeponides cribrorepandus* Asano & Uchio Ref. Huang, 1994  
*Poroeponides lateralis* (Fichtel & Moll) Ref. Huang, 1975

#### **Family Fursenkoinidae**

*Fursenkoina taiwanica* (Nakamura) Ref. Huang, 1975  
*Fursenkoina titutoensis* (Nakamura) Ref. Huang, 1975  
*Fursenkoina (Virgulina) paucitoculata* (Brady) Ref. Huang, 1975

#### **Family Gavelinellidae**

*Gyroidina (Hansenisca) soldanii* d'Orbigny Huang 1975 ; Huang 1994, p. 177.  
*Gyroidinoides nipponicus* Ishizaki Ref. Huang, 1975  
*Hanzawaia convexa* Ho, Hu, & Wang Ref. Huang, 1994  
*Hanzawaia hoppoensis* Nakamura Ref. Huang, 1975  
*Hanzawaia mantaensis* Galloway & Morrey Ref. Huang, 1994  
*Hanzawaia sumitomoii* Asano & Murata Ref. Huang, 1994

#### **Family Glabratellidae**

*Glabratella patelliformis* (Brady) Ref. Huang, 1994

#### **Family Glandulinidae**

*Fissurina marginata* Sequenza Ref. Huang, 1975  
*Fissurina orbignyana* (Sequenza) Ref. Huang, 1975  
*Glandulina echinata* Millett Ref. Huang, 1994  
*Oolina globosa* (Montagu) Ref. Huang, 1975

#### **Family Globigerinidae**

*Alloglobigerinoides conglobatus* (Brady) Ref. Huang, 1986  
*Bolliella adamsi* (Banner & Blow) Ref. Huang, 1994  
*Globigerina angustiumbilitata* Bolli Ref. Huang, 1963  
*Globigerina apertura* Cushman Ref. Huang, 1963  
*Globigerina borealis* Brady Ref. Huang, 1983  
*Globigerina bradyi* Wiesner Ref. Huang, 1983  
*Globigerina bulloides* d'Orbigny Ref. Huang, 1963  
*Globigerina conglomerata* chwager Ref. Huang, 1974  
*Globigerina decoraperta* Takayanagi & Saito Ref. Huang, 1974  
*Globigerina diplostoma* Reuss Ref. Huang, 1963  
*Globigerina druryi* Akers Ref. Huang, 1994  
*Globigerina dutertrei* d'Orbigny Ref. Huang, 1974  
*Globigerina eggeri multiloba* Remeo Ref. Huang, 1974  
*Globigerina eggeri eggeri* Rhumbler Ref. Huang, 1974  
*Globigerina falconensis* Blow Ref. Huang, 1963  
*Globigerina foliata* Bolli Ref. Huang, 1974  
*Globigerina nepenthes* Todd Ref. Huang, 1974  
*Globigerina parva* Bolli Ref. Huang, 1974  
*Globigerina praebulloides praebulloides* Blow Ref. Huang, 1974  
*Globigerina riveroae* Bolli & Bermudez Ref. Huang, 1974  
*Globigerina siphonifera* (d'Orbigny) Ref. 福。1988  
*Globigerina spiralis* Bolli Ref. Huang, 1974  
*Globigerina subcretacea* Lomnicki Ref. Huang, 1963  
*Globigerina trilocularis* d'Orbigny Ref. Huang, 1974  
*Globigerina triloculinoides* Plummer Ref. Huang, 1974  
*Globigerina tripartita* Koch Ref. Huang, 1974  
*Globigerina venezuelana* Hedberg Ref. Huang, 1974  
*Globigerina woodi* Jenkins Ref. Huang, 1963  
*Globigerina (Globigerinella) calida* Parker Ref. 福。1988  
*Globigerina (Globorotaloides) hexagona* Natland Ref. Huang, 1963  
*Globigerina (Neogloboquadrina) eggeri* Rhumbler Ref. Huang, 1963  
*Globigerinita bradyi* (Wiesner) Ref. 福。1988  
*Globigerinita glutinata* Egger Ref. Huang, 1974  
*Globigerinita humilis* Brady Ref. Huang, 1974  
*Globigerinita naparimaensis* Bronnimann Ref. Huang, 1974  
*Globigerinita uvula* Ehrenberg Ref. Huang, 1974  
*Globigerinoides bisphericus* Todd Ref. Huang, 1974  
*Globigerinoides bolli* Blow Ref. Huang, 1963  
*Globigerinoides conglobatus* (Brady) Ref. Huang, 1994  
*Globigerinoides conglobatus conglobatus* (Brady) Ref. Huang, 1974  
*Globigerinoides elongatus* (d'Orbigny) Ref. Huang, 1961  
*Globigerinoides helicina* (d'Orbigny) Ref. Huang, 1974  
*Globigerinoides immaturus* LeRoy Ref. Huang, 1994  
*Globigerinoides mitra* Todd Ref. Huang, 1974  
*Globigerinoides obliquus obliquus* Bolli Ref. Huang, 1974  
*Globigerinoides obliquus* Bolli Ref. Huang, 1963  
*Globigerinoides obliquus extremus* Bolli & Bermudez Ref. Huang, 1974  
*Globigerinoides quadrilobatus trilobus* (Reuss) Ref. Huang, 1974  
*Globigerinoides quadrilobatus primordius* Blow & Banner Ref. Huang, 1974  
*Globigerinoides quadrilobatus immaturus* LeRoy Ref. Huang, 1974  
*Globigerinoides quadrilobatus fistulosus* Schubert Ref. Huang, 1974  
*Globigerinoides quadrilobatus sacculifer* (Brady) Ref. Huang, 1974  
*Globigerinoides quadrilobatus* (d'Orbigny) Ref. Huang, 1974  
*Globigerinoides ruber* (d'Orbigny) Ref. Huang, 1974  
*Globigerinoides sacculifera* (Brady) Ref. 福。1988  
*Globigerinoides sicanus* De Stefani Ref. Huang, 1974  
*Globigerinoides trilobus* (Reuss) Ref. Huang, 1994  
*Globigerinoides (Globigerinoidesella) fistulosus* (Schubert) Ref. Huang, 1975  
*Globigerinoidesella fistulosus* (Schubert) Ref. Huang, 1975  
*Hastigerina aequilateralis* (Brady) Ref. Huang, 1974  
*Hastigerina pelagica* (d'Orbigny) Ref. Huang, 1974  
*Hastigerina siphonifera involuta* (Cushman) Ref. Huang, 1974  
*Hastigerina siphonifera siphonifera* (d'Orbigny) Ref. Huang, 1974  
*Orbulina suturalis* Bronnimann Ref. Huang, 1974  
*Orbulina universona* d'Orbigny Ref. Huang, 1974  
*Sphaeroidinellopsis seminulina seminulina* (Schwager) Ref. Huang, 1974  
*Sphaeroidinellopsis seminulina Kochi* Ref. Huang, 1963  
*Sphaeroidinellopsis subdehiscens subdehiscens* (Blow) Ref. Huang, 1974

#### Family Guembeltriidae

*Gallitellia vivans* (Cushman) Ref. Huang, 1994  
*Globorotalia acostaensis humerosa* Takayanagi & Saito Ref. Huang, 1974

*Globorotalia acostaensis acostaensis* Blow Ref. Huang, 1974  
*Globorotalia archeomenardii* Bolli Ref. Huang, 1994  
*Globorotalia conoidea* Walter Ref. Huang, 1994  
*Globorotalia crasaformis* (Galloway & Wissler) Ref. Huang, 1974  
*Globorotalia crasaformis oceanica* Cushman & Bermudez Ref. Huang, 1974  
*Globorotalia crasaformis ronda* Blow Ref. Huang, 1974  
*Globorotalia crassula viola* Blow Ref. Huang, 1974  
*Globorotalia crassula crassula* Cushman & Stewart Ref. Huang, 1974  
*Globorotalia cultrata menardii* (Parker, Jones & Brady) Ref. Huang, 1974  
*Globorotalia cultrata nitida* (d'Orbigny) Ref. Huang, 1974  
*Globorotalia cultrata cultrata* (d'Orbigny) Ref. Huang, 1974  
*Globorotalia cultrata limbata* (Fornasini) Ref. Huang, 1974  
*Globorotalia fimbriata* (Brady) Ref. Huang, 1974  
*Globorotalia fohsi barisanensis* LeRoy Ref. Huang, 1974  
*Globorotalia fohsi robusta* Bolli Ref. Huang, 1974  
*Globorotalia fohsi* Cushman & Ellisor Ref. Huang, 1974  
*Globorotalia fohsi fohsi* Cushman & Ellisor Ref. Huang, 1974  
*Globorotalia hirsuta hirsuta* (d'Orbigny) Ref. Huang, 1974  
*Globorotalia inflata* (d'Orbigny) Ref. Huang, 1974  
*Globorotalia margaritae* Bolli & Bermudez Ref. Huang, 1974  
*Globorotalia mayeri* Cushman & Ellisor Ref. Huang, 1974  
*Globorotalia merotumida* Blow & Banner Ref. Huang, 1974  
*Globorotalia miocenica* Palmer Ref. Huang, 1974  
*Globorotalia miozea cibaoensis* Bermudez Ref. Huang, 1974  
*Globorotalia multicamerata* Cushman & Jarvis Ref. Huang, 1974  
*Globorotalia obesa* Bolli Ref. Huang, 1974  
*Globorotalia opima opima* Bolli Ref. Huang, 1974  
*Globorotalia padana* Dondi & Papetti Ref. Huang, 1975  
*Globorotalia peripheroacuta* Blow & Banner Ref. Huang, 1974  
*Globorotalia peripheroronda* Blow & Banner Ref. Huang & Chiu, 1973  
*Globorotalia praefohsi* Blow & Banner Ref. Huang, 1974  
*Globorotalia praemenardii praemenardii* Cushman & Stainforth Huang 1974, p. 58-59.  
*Globorotalia praemenardii* Cushman & Stainforth Ref. Huang & Chiu, 1973  
*Globorotalia praemenardii archeomenardii* Bolli Ref. Huang, 1974  
*Globorotalia pseudobulloides* (Plummer) Ref. Huang, 1974  
*Globorotalia pseudomiocenica* Bolli & Bermudez Ref. Huang, 1974  
*Globorotalia robusta* Bolli Ref. Huang, 1975  
*Globorotalia scitula scitula* (Brady) Ref. Huang, 1974  
*Globorotalia scitula* Brady Ref. Lei, 1989  
*Globorotalia* sp. Ref. Lei, 1989  
*Globorotalia subcretacea* (Lomnicki) Ref. Huang, 1974  
*Globorotalia tosaensis tosaensis* Takayanagi & Saito Ref. Huang, 1974  
*Globorotalia tosaensis tenuithea* Blow Ref. Huang, 1974  
*Globorotalia truncatulinooides truncatulinooides* (d'Orbigny) Ref. Huang, 1974  
*Globorotalia truncatulinooides* (d'Orbigny) Ref. Huang, 1994  
*Globorotalia truncatulinooides pachythea* Blow Ref. Huang, 1974  
*Globorotalia tumida tumida* (Brady) Ref. Huang, 1974  
*Globorotalia tumida plesiotumida* Blow & Banner Ref. Huang, 1974  
*Globorotalia ungulata* Bermudez Ref. Huang, 1974  
*Guembeltria (Gallitellia) vivans* (Cushman) Ref. Huang, 1994  
*Lecquereusis spiralis* Dai  
*Quadrula symmetrica* Dai Ref. Dai, 1962  
*Turborotalia crasaformis* (Galloway & Wissler) Ref. Huang, 1994  
*Turborotalia (Globorotalia) peripheroronda* Blow & Banner Ref. Huang, 1994  
*Zoogloea* sp. Chen Ref. Chen, 1982

### **Family Haplophragmoididae**

*Cribrostomoides yeni* Chang Ref. 黃。1975  
*Haplophragmoides taiwanensis* Nakamura Ref. 黃。1975

### **Family Hauerinidae**

*Agglutinella arenarium* (Nakamura) Ref. Huang, 1975  
*Biloculinella taiwanica* Huang Ref. Huang, 1975  
*Biloculinella (Pyrgoella) tenuiaperta* Huang Ref. Huang, 1975  
*Cycloforina contorta* (d'Orbigny) Ref. Huang, 1994  
*Dentostomina agglutinans* (d'Orbigny) Ref. Huang, 1983  
*Flintina bradyana* Cushman Ref. Huang, 1994  
*Flintina crassatina* (Brady) Ref. Huang, 1975  
*Flintina (Pseudofintina) triquertra* (Brady) Ref. Huang, 1975  
*Massilina inaequalis* Cushman & Todd Ref. Huang, 1994  
*Miliolinella chaoyii* Huang Ref. Huang, 1970  
*Miliolinella chui* Huang Ref. Huang, 1970  
*Miliolinella iongchuanae* Huang Ref. Huang, 1970

*Miliolinella oceanica* (Cushman) Ref. Huang, 1994  
*Miliolinella temeii* Huang Ref. Huang, 1970  
*Miliolinella twebbiana* d'Orbigny Ref. Huang, 1994  
*Pseudofintina triquetra* (Brady) Ref. Huang, 1975  
*Pyrgo lucernula* (Schwager) Ref. Huang, 1975  
*Pyrgo sarsii* (Schlumberger) Ref. Huang, 1975  
*Pyrgo tainanensis* (Ishizaki) Ref. Huang, 1994  
*Pyrgoella sphaera* (d'Orbigny) Ref. Huang, 1994  
*Quinqueloculina argunica* (Gerke) Ref. Huang, 1994  
*Quinqueloculina bicarinata* d'Orbigny Ref. Huang, 1975  
*Quinqueloculina boschiana* d'Orbigny Ref. Huang, 1983  
*Quinqueloculina candeiana* d'Orbigny Ref. Huang, 1994  
*Quinqueloculina distortaqueata* cushman Huang, 1961  
*Quinqueloculina juani* Huang Ref. Huang, 1970  
*Quinqueloculina kansireiensis* Nakamura Ref. Huang, 1975  
*Quinqueloculina kerimbatica* (Heron-Allen & Earland) Ref. Huang, 1975  
*Quinqueloculina parkeri* (Brady) Ref. Huang, 1975  
*Quinqueloculina polygona* d'Orbigny Ref. Huang, 1961  
*Quinqueloculina rugosa* d'Orbigny Ref. Huang, 1994  
*Quinqueloculina sawanensis* Asano Ref. Huang, 1975  
*Quinqueloculina seminula* (Linne) Ref. Huang, 1983  
*Quinqueloculina tikotoensis* Nakamura Ref. Huang, 1994  
*Quinqueloculina vulgaris* d'Orbigny Ref. Huang, 1983  
*Scutuloris tegminis* Loeblich & Tappan Ref. Huang, 1994  
*Sigmoilina arenaria* (Brady) Ref. Huang, 1975  
*Sigmoilina elliptica* Galloway & Wissler Ref. Huang, 1994  
*Sigmoilina formosana* Nakamura Ref. Huang, 1975  
*Sigmoilina schlumbergeri* Silvestri Ref. Huang, 1975  
*Sigmoilina (Spirosigmoilina) tenuis* (Czjzek) Ref. Huang, 1994  
*Siphonaperta formosana* (Nakamura) Ref. Huang, 1974  
*Spirosigmoilina crenata* (Karrer) Ref. Huang, 1994  
*Spirosigmoilina tenuis* (Czjzek) Ref. Huang, 1994  
*Triloculina bertheliniana* (Brady) Ref. Huang, 1975  
*Triloculina tricarinata* d'Orbigny Ref. Huang, 1975  
*Triloculina trigonula* (Lamarck) Ref. Huang, 1994  
*Triloculina (Scutuloris) tegminis* (Loeblich & Tappan) Ref. Huang, 1994

#### **Family Heterolepidae**

*Heterolepa praecincta* (Karrer) Ref. Huang, 1975

#### **Family Lepidocyclinidae**

*Lepidocyclina formosa* Schlumberger Ref. Huang, 1994

#### **Family Lituolidae**

*Ammobaculites agglutinans* (d'Orbigny) Ref. Huang, 1994

*Ammobaculites cylindricus* Cushman Ref. Huang, 1975

*Ammobaculites hayasakai* Ishizaki Ref. Huang, 1975

#### **Family Loxostomatidae**

*Loxostomum formosana* (Nakamura) Ref. Huang, 1975

*Loxostomum karrerianum* (Brady) Ref. Huang, 1975

#### **Family Nodosariidae**

*Astaculus planulatus* Galloway & Wissler Ref. Huang, 1975

*Dentalina communis* d'Orbigny Ref. Huang, 1975

*Dentalina consobrina* d'Orbigny Ref. Huang, 1975

*Dentalina insecta* (Schwager) Ref. Huang, 1975

*Lagenula sulcata* (Walker & Jacob) Ref. Huang, 1975

*Lenticulina calcar* (Linne) Ref. Huang, 1975

*Lenticulina changi* Huang Ref. Huang, 1975

*Lenticulina dorso-costata* (Cushman) Ref. Huang, 1975

*Lenticulina hoppoensis* Nakamura Ref. Huang, 1975

*Lenticulina iota* (Cushman) Ref. Huang, 1975

*Lenticulina lucida* (Cushman) Ref. Huang, 1975

*Lenticulina orbicularis* (d'Orbigny) Ref. Huang, 1975

*Lenticulina sintikuensis* Nakamura Ref. Huang, 1975

*Lenticulina stachei* Huang Ref. Huang, 1975

*Lenticulina surugaensis* (Asano) Ref. Huang, 1975

*Lenticulina taluensis* (Chang) Ref. Huang, 1975

*Lenticulina totomiensis* Makiyama Ref. Huang, 1975

*Lenticulina tumida* (Asano) Ref. Huang, 1975

*Lingulina costata* d'Orbigny Ref. Huang, 1975

*Lingulina kansireiensis* Nakamura Ref. Huang, 1975

*Lingulina paucicostata* Chang Ref. Huang, 1975

*Marginulinopsis bradyi* (Goes) Ref. Huang, 1975  
*Nodosaria albatrossi* Cushman Ref. Huang, 1975  
*Nodosaria tainanensis* Karamura Ref. Huang, 1975  
*Nodosaria (Dentalina) vertebralis* (Batsch) Ref. Huang, 1975  
*Nodosaria (Pyramidulina) raphana* (Linne) Ref. Huang, 1975  
*Pseudonodosaria laevigata* (d'Orbigny) Ref. Huang, 1975  
*Pseudonodosaria radricula* (Linne) Ref. Huang, 1975  
*Pyramidulina raphana* (Linne) Ref. Huang, 1975  
*Saracenaria italica* DeFrance Ref. Huang, 1994  
*Saracenaria schencki* Cushman & Hobson Ref. Huang, 1975

#### **Family Nonionidae**

*Astrononion italicum* Cushman & Edwards Ref. Huang, 1994  
*Astrononion umbilicatum* Uchio Ref. Huang, 1994  
*Chilostomella oolina* Schwager Ref. Huang, 1975  
*Florilus manpukujiense* (Ostsuka) Ref. Huang, 1975  
*Florilus (Nonion) boueanus* (d'Orbigny) Ref. Huang, 1975  
*Florilus (Nonionella) japonicus* (Asano) Ref. Huang, 1975  
*Florilus (Pseudononion) limbatostratus* (Cushman) Ref. Huang, 1983  
*Melonis barleeenum* (Williamson) Ref. Huang, 1975  
*Melonis umbilicatum* (Montagu) Ref. Huang, 1975  
*Nonion akitaense* Asano Ref. Huang, 1994  
*Nonion japonicum* Asano Ref. Huang, 1975  
*Nonionella penghuensis* Huang Ref. Huang, 1975  
*Nonionella tredeca* (Asano) Ref. Huang, 1994  
*Nonionella (Pseudononion) decora* Cushman & McCulloch Ref. Huang, 1994  
*Pullenia apertula* Cushman Ref. Huang, 1975  
*Pullenia bulloides* (d'Orbigny) Ref. Huang, 1975

#### **Family Nummulitidae**

*Assilina formosensis* Hanzawa Ref. Huang, 1994  
*Heterostegina suborbicularis* d'Orbigny Ref. Huang, 1975  
*Nummulites ammonoides* (Gronovius) Ref. Huang, 1994

#### **Family Oridorsalidae**

*Oridorsalis umbonatus* (Reuss) Ref. Huang, 1994

#### **Family Patellinidae**

*Patellina advena* Cushman Ref. Huang, 1994

#### **Family Planorbulinidae**

*Planorbulina mediterraneensis* d'Orbigny Ref. Huang, 1975

#### **Family Polymorphinidae**

*Globulina pacifica* (Cushman & Ozawa) Ref. Huang, 1975  
*Globulina regina* (Brady, Parker & Jones) Ref. Huang, 1994  
*Sigmoidella bacomensis* Yabe & Asano Ref. Huang, 1975  
*Sigmoidella subtaiwanica* Nakamura Ref. Huang, 1994  
*Sigmoidella taiwanensis* Nakamura Ref. Huang, 1975

#### **Family Pseudogaudryinidae**

*Clavulinoides szaboi* (Hantken) Ref. Huang, 1975

#### **Family Pseudoparrellidae**

*Epistominella (Asanonella) tubulifera* (Heron-Allen & Earland) Ref. Huang, 1975

#### **Family Reussellidae**

*Reussella aculeata* Cushman Ref. Huang, 1975

#### **Family Rosalinidae**

*Planodiscorbis lingi* Huang Ref. Huang, 1994  
*Rosalina glovularis* d'Orbigny Ref. Huang, 1975

#### **Family Rotaliidae**

*Ammonia beccarii* (Linne) Ref. Huang, 1975  
*Ammonia equatoriana* (LeRoy) Ref. Huang, 1994  
*Ammonia ketienziensis* (Ishizaki) Ref. Huang, 1975  
*Ammonia nakamurai* (Ishizaki) Ref. Huang, 1994  
*Ammonia nipponica* (Asano) Ref. Huang, 1994  
*Ammonia sikokuensis* (Ishizaki) Ref. Huang, 1975  
*Ammonia tepida* (Cushman) Ref. Huang, 1994  
*Ammonia (Pseudorotalia) yabei* (Ishizaki) Ref. Huang, 1994  
*Ammonia (Rotalidium) annectens* (Parker & Jones) Ref. Huang, 1994  
*Asterorotalia inspinosa* Huang Ref. Huang, 1994  
*Asterorotalia trispinosa* (Thalmann) Ref. Huang, 1975  
*Pararotalia minuta* (Takayanagi) Ref. Huang, 1994  
*Pararotalia ozawai* (Asano) Ref. Huang, 1963

*Pararotalia taiwanica* (Nakamura) Ref. Huang, 1994  
*Pseudorotalia indopacifica* (Thalman) Ref. Huang, 1963  
*Pseudorotalia papillosa* (Brady) Ref. Huang, 1975  
*Pseudorotalia schroeteriana* (Carpenter, Parker & Jones) Ref. Huang, 1975  
*Pseudorotalia tikotoensis* (Nakamura) Ref. Huang, 1975  
*Pseudorotalia (Rotalinoides) gaimardii* (d'Orbigny) Ref. Huang, 1994

#### **Family Siphogenerinoididae**

*Rectobolivina bifrons* (Brady) Ref. Huang, 1994  
*Saidovina karreriana* (Brady) Ref. Huang, 1975  
*Saidovina striata* (Schwager) Ref. Huang, 1975

#### **Family Siphoninidae**

*Siphonina glabra* (Heron-Allen & Earland) Ref. Huang, 1975  
*Siphonina tubulosa* Cushman Ref. Huang, 1975

#### **Family Soritidae**

*Amphisorus hemprichii* Rhrenberg Ref. Huang, 1994  
*Sorites marginalis* (Lamarck) Ref. Huang, 1994

#### **Family Sphaeroidinidae**

*Sphaeroidina bulloides* d'Orbigny Ref. Huang, 1975  
*Sphaeroidinella dehiscens excavata* (Banner & Blow) Ref. Huang, 1974  
*Sphaeroidinella dehiscens dehiscens* (Parker & Jones) Ref. Huang, 1974

#### **Family Spirillinidae**

*Spirillina planoconcava* Zhegn Ref. Huang, 1994

#### **Family Spiroloculinidae**

*Spiroloculina communis* Cushman & Todd Ref. Huang, 1994  
*Spiroloculina corrugata* Cushman & Todd Ref. Huang, 1994  
*Spiroloculina eximia* Cushman Ref. Huang, 1994  
*Spiroloculina huanghaiensis* Zheng Ref. Huang, 1994  
*Spiroloculina limbata* d'Orbigny Ref. Huang, 1975  
*Spiroloculina lucida* Cushman & Todd Ref. Huang, 1994  
*Spiroloculina norvegica* Cushman & Todd Ref. Huang, 1994  
*Spiroloculina soldani* Fornasini Ref. Huang, 1994  
*Spiroloculina (Sigmoidina) arenaria* Brady Ref. Huang, 1975

#### **Family Spiroplectamminidae**

*Spiroplectammina adamsi* Lalicker Ref. Huang, 1994  
*Spiroplectammina taiwanica* Chang Ref. Huang, 1975  
*Spiroplectammina wrightii* (Silvestri) Ref. Huang, 1994

#### **Family Stilostomellidae**

*Siphonodosaria insoluta* (Schwager) Ref. Huang, 1975  
*Siphonodosaria insoluta* (Schwager) Ref. Huang, 1975

#### **Family Textulariidae**

*Bigenerina ammobaaculitoidea* Chang Ref. Huang, 1975  
*Bigenerina irregularis* Phleger & Parker Ref. Huang, 1971  
*Bigenerina nodosaria* d'Orbigny Ref. Huang, 1983  
*Bigenerina shihtiensis* Chang Ref. Huang, 1975  
*Bigenerina taiwanica* Nakamura Ref. Huang, 1975  
*Cribrobigenerina taiwanica* (Nakamura) Ref. Huang, 1975  
*Siphoscutula crassisepta* (Cushman) Ref. Huang, 1975  
*Siphoscutula saulcyana* (d'Orbigny) Ref. Huang, 1994  
*Textularia akaminei* Ishizaki Ref. Huang, 1975  
*Textularia alishanensis* Chang Ref. Huang, 1975  
*Textularia articulata* d'Orbigny Ref. Huang, 1961  
*Textularia bradyi* (Moller) Ref. Huang, 1994  
*Textularia conica* d'Orbigny Ref. Huang, 1975  
*Textularia excavata* Cushman Ref. Huang, 1975  
*Textularia foliacea* Heron-Allen & Earland Ref. Huang, 1994  
*Textularia gramen* d'Orbigny Ref. Huang, 1975  
*Textularia hakisikeiensis* Nakamura Ref. Huang, 1975  
*Textularia hoppoensis* Nakamura Ref. Huang, 1975  
*Textularia hosomoi* Ishizaki Ref. Huang, 1975  
*Textularia intosiana* Nakamura Ref. Huang, 1975  
*Textularia kansaiensis* Ishizaki Ref. Huang, 1975  
*Textularia pseudogramen* Chapman & Parr Ref. Huang, 1994  
*Textularia rokuzyukeniensis* Nakamura Ref. Huang, 1975  
*Textularia secasensis* Lalicker & McCulloch Ref. Huang, 1994  
*Textularia sineiensis* Nakamura Ref. Huang, 1975  
*Textularia sintikuensis* Nakamura Ref. Huang, 1971  
*Textularia stricta* Cushman Ref. Huang, 1975

*Textularia tainanensis* Nakamura Ref. Huang, 1975  
*Textularia (Siphotextularia) crassisepta* Cushman Ref. Huang, 1975

### **Family Tritaxidae**

*Tritaxia changi* Huang Ref. Huang, 1975

### **Family Uvigerinidae**

*Neouvigerina (Siphouvigerina) ampullacea* (Brady) Ref. Huang, 1975  
*Siphouvigerina interrupta* (Brady) Ref. Huang, 1975  
*Siphouvigerina proboscidea* (Schwager) Ref. Huang, 1975  
*Trifarina bradyi* Cushman Ref. Huang, 1994  
*Uvigerina asperula* Czjzek Ref. Huang, 1975  
*Uvigerina auberiana* d'Orbigny Ref. Huang, 1975  
*Uvigerina bifurcata* d'Orbigny Ref. Huang, 1975  
*Uvigerina mediterranea* Hofker Ref. Huang, 1975  
*Uvigerina nitidula* Schwager Ref. Huang, 1975  
*Uvigerina pigmea* d'Orbigny Ref. Huang, 1975  
*Uvigerina schwageri* Brady Ref. Huang, 1975  
*Uvigerina segumdoensis* Cushman & Galliher Ref. Huang, 1975  
*Uvigerina tenuistriata* Cushman & Galliher Ref. Huang, 1975  
*Uvigerina (Euuvigerina) aculeata* d'Orbigny Ref. Huang, 1975

### **Family Vaginulinidae**

*Lenticulina (Spinterules) costata* (Fichtel & Moll) Ref. Huang, 1975  
*Marginulina obesa* Cushman Ref. Huang, 1975  
*Robulus (Lenticulina) nicobarensis* (Schwager) Ref. Huang, 1994  
*Robulus (Lenticulina) orbicularis* (d'Orbigny) Ref. Huang, 1975  
*Robulus (Lenticulina) tumidus* Asano Ref. Huang, 1975  
*Robulus (Spinterules) costatus* (Fichtel & Moll) Ref. Huang, 1975  
*Spinterules costatus* (Fichtel & Moll) Ref. Huang, 1975  
*Vaginulina bradyi* Cushman Ref. Huang, 1975

### **Family Verneulidae**

*Gaudryina asanoi* Huang Ref. Huang, 1975  
*Gaudryina collinsi* Cushman Ref. Huang, 1975  
*Gaudryina hayasakai* Chang Ref. Huang, 1994  
*Gaudryina kokuseiensis* Ishizaki Ref. Huang, 1975  
*Gaudryina mai* Huang Ref. Huang, 1975  
*Gaudryina oinomikadoi* Huang Ref. Huang, 1975  
*Gaudryina pseudohayasakai* Chang Ref. Huang, 1975  
*Gaudryina taiwanica* Huang Ref. Huang, 1975

## **Order Lagenina 瓶蟲目**

### **[Not assigned to a family]**

*Biorbulina bilobata* d'Orbigny Ref. Huang, 1974  
*Clathrulina elegans* Cienkowski Ref. Dai, 1962  
*Praeorbulina glomerosa glomerosa* Blow Ref. Huang, 1974  
*Praeorbulina glomerosa curva* Blow Ref. Huang, 1974  
*Praeorbulina glomerosa circularis* Blow Ref. Huang, 1974  
*Pulleniatina obliquiloculata finalis* Banner & Blow Ref. Huang, 1974  
*Pulleniatina obliquiloculata praecursor* (Banner & Blow) Ref. Huang, 1974  
*Pulleniatina obliquiloculata obliquiloculata* (Parker & Jones) Ref. Huang, 1974  
*Pulleniatina primalis* Banner & Blow Ref. Huang, 1974

## **Class Heliozoa 真正太陽蟲綱**

### **[Not assigned to a order]**

### **[Not assigned to a family]**

*Acanthocorys variabilis* Popofsky Ref. Huang, 1994  
*Amphirphopalum ypsilon* Haeckel Ref. Huang, 1994  
*Archnosphaera myriacantha* Haeckel Ref. Huang, 1994  
*Artostrobium auritum* (Ehrenberg) Ref. Huang, 1994  
*Astrophaera hexagonalis* Haeckel Ref. Huang, 1994  
*Botryopyle scutum* (Harting) Ref. Huang, 1994  
*Centrocubus cladostylus* Haeckel Ref. Huang, 1994  
*Choenicosphaera flammabunda* Haeckel Ref. Huang, 1994  
*Cladococcus scoparius* Haeckel Ref. Huang, 1994  
*Corocalyptra cervus* (Ehrenberg) Ref. Huang, 1994  
*Cyclastrum trifastifiatum* Tan & Tchang Ref. Huang, 1994  
*Dictycoryne profunda* Ehrenberg Ref. Huang, 1994  
*Dictycoryne trimaculatum* Tan & Tchang Ref. Huang, 1994  
*Dictyoceras virchowii* Haeckel Ref. Huang, 1994  
*Drymosphaera dendrophora* Haeckel Ref. Huang, 1994  
*Eucoronis challengerii* Haeckel Ref. Huang, 1994

*Euconis nephrospyris* Haeckel Ref. Huang, 1994  
*Haliomma macrodoras* Haeckel Ref. Huang, 1994  
*Hexastylus aristarchi* Haeckel Ref. Huang, 1994  
*Hexastylus dimensivas* Haeckel Ref. Huang, 1994  
*Hexastylus mellarium* Tan & Su Ref. Huang, 1994  
*Liphopilium macrocetas* Popofsky Ref. Huang, 1994  
*Lithelius nerites* Tan & Su Ref. Huang, 1994  
*Lithelius solaris* Haeckel Ref. Huang, 1994  
*Lithelius spiralis* Haeckel Ref. Huang, 1994  
*Lithelius xanthiformis* Tan & Su Ref. Huang, 1994  
*Lithomelissa monoceras* Popofsky Ref. Huang, 1994  
*Lithomelissa spinosissima* Tan & Tchang Ref. Huang, 1994  
*Lithomelissa thoracites* Haeckel Ref. Huang, 1994  
*Medusetta inflata* Borgert Ref. Huang, 1994  
*Monozonium pachystylum* Popofsky Ref. Huang, 1994  
*Octodendron spathillatum* Haeckel Ref. Huang, 1994  
*Panartus tetrahalamum* Haeckel Ref. Huang, 1994  
*Peridium spinipes* Haeckel Ref. Huang, 1994  
*Phorticium pylonium* Haeckel Ref. Huang, 1994  
*Polodiscus echinatus* Tan & Su Ref. Huang, 1994  
*Pylolena armata* Haeckel Ref. Huang, 1994  
*Pylospira octopyle* Haeckel Ref. Huang, 1994  
*Rhizoplecta trithyris* Freguelli Ref. Huang, 1994  
*Solenophaera pandora* Haeckel Ref. Huang, 1994  
*Solenophaera polysiphonia* Haeckel Ref. Huang, 1994  
*Solenophaera zanguebarica* (Ehrenberg) Ref. Huang, 1994  
*Spirema haliomma* (Ehrenberg) Ref. Huang, 1994  
*Spongoliva ellipsoides* Popofsky Ref. Huang, 1994  
*Spongotrochus glacialis* Popofsky Ref. Huang, 1994  
*Spongotrochus multispinus* Haeckel Ref. Huang, 1994  
*Stichopilium campanulatum* Haeckel Ref. Huang, 1994  
*Stichopilium rapaeformis* Popofsky Ref. Huang, 1994  
*Stichopilium thoracopterum* (Haeckel) Ref. Huang, 1994  
*Streblacantha circumtexta* (JOrgensen) Ref. Huang, 1994  
*Stylodictya ararchnia* (Müller) Ref. Huang, 1994  
*Stylodictya dujardinii* Haeckel Ref. Huang, 1994  
*Stylodictya polygonia* Popofsky Ref. Huang, 1994  
*Stylodictya validispina* Haeckel Ref. Huang, 1994  
*Theocon hertwigii* (Haeckel) Ref. Huang, 1994  
*Theophormis callipilium* Haeckel Ref. Huang, 1994  
*Theopilium tricostatum* Haeckel Ref. Huang, 1994  
*Tholospyris fenestrata* Haeckel Ref. Huang, 1994  
*Triastrum aurivillii* Cleve Ref. Huang, 1994  
*Xanthiosphaera lappacea* Haeckel Ref. Huang, 1994

## Order Actinophryida 太陽目

### Family Actinophryidae 太陽科

*Actinophrys sol* Ehrenberg Ref. Dai, 1962

### Family Actinosphaeridae

*Actinosphaerium eichhorni* Ehrenberg Ref. 戴。1962

## Order Centrohelida 中心粒太陽蟲目

### Family Acanthocistidae

*Acanthocystis aculeata* Hertwig & Lesser Ref. Dai, 1962

## Order Polycystina 多囊蟲目

### Family Acanthodesmiidae

*Acanthodesmia vinculata* Müller Ref. Ling, 1972

*Amphispyris bria* Tan & Su Ref. Huang, 1994

*Amphispyris costata* Haeckel Ref. Huang, 1994

*Amphispyris reticulata* (Ehrenberg) Ref. Huang, 1994

*Lophospyris pentagona pentagona* (Ehrenberg) Ref. Cheng & Yeh, 1989

*Nephrospyrus paradictyum* Kaeckel Ref. Huang, 1994

*Nephrospyrus renilla* Haeckel Ref. Cheng & Yeh, 1989

### Family Actinomidae

*Actinomma arcadophorum* Haeckel Ref. Huang, 1994

*Heliosoma radians* Haeckel Ref. Cheng & Yeh, 1989

*Hexacontium axotrias* Haeckel Ref. 同前

*Hexalonche aristarchi* Haeckel Ref. 同前

*Ommatartus tetrahalamus tetrathalamus* Haeckel Ref. Ling, 1972

*Ommatartus tetrahalamus* Haeckel Ref. Cheng & Yeh, 1989

### **Family Archiphormididae**

*Litharachnium* sp. Ref. Cheng & Yeh, 1989

### **Family Artostrobiidae**

*Botryostrobus seriatus* (Joergensen) Ref. Cheng & Yeh, 1989

*Spirocyrtris scalaris* Haeckel Ref. 同前

### **Family Astrosphaeridae**

*Astrosphaera hexagonalis* Haeckel Ref. Cheng & Yeh, 1989

### **Family Coccodiscidae**

*Heliodiscus asteriscus* Haeckel Ref. Ling, 1972

*Heliodiscus echiniscus* Haeckel Ref. Ling, 1972

*Heliodiscus phacodiscus* (Haeckel) Ref. Huang, 1994

### **Family Collosphaeridae**

*Acrosphaera spinosa* (Haeckel) Ref. Huang, 1994

*Buccinosphaera invaginata* Haeckel Ref. Ling, 1972

*Collosphaera invaginata* (Haeckel) Ref. Cheng & Yeh, 1989

*Collosphaera macropora* Popofsky Ref. Huang, 1994

*Disolenia quadrata* Ehrenberg Ref. Ling, 1972

*Polysolenia flammabunda* Haeckel Ref. Ling, 1972

*Polysolenia sponosa* Haeckel Ref. Ling, 1972

*Siphonosphaera polysiphonia* Haeckel Ref. Cheng & Yeh, 1989

*Trisolenia megalactis megalactis* (Ehrenberg) Ref. 同前

### **Family Lithellidae**

*Larcopyle butschlii* Dreyer Ref. Huang, 1994

*Larcospira quadrangula* Haeckel Ref. Ling, 1972

### **Family Lophophaenidae**

*Conarachnium facetum* Haeckel Ref. Cheng & Yeh, 1989

### **Family Neosciadiocapsidae**

*Eucecryphalus cervus* Ehrenberg Ref. Ling, 1972

### **Family Plagiacanthidae**

*Clathrocanium diadema* Haeckel Ref. Ling, 1972

### **Family Plagonidae**

*Callimitra* sp. Ref. Cheng & Yeh, 1989

### **Family Plectanidae**

*Verticillata hexacantha* Popofsky Ref. Cheng & Yeh, 1989

### **Family Porodiscidae**

*Amphirhopalum virchowii* (Haeckel) Ref. Cheng & Yeh, 1989

*Amphirhopalum ypsilon* Haeckel Ref. 同前

*Amphymenium* sp. Ref. 同前

*Euchitonia aequipondata* Popofsky Ref. Huang, 1994

*Euchitonia elegans* (Ehrenberg) Ref. Ling, 1972

*Euchitonia furcata* Ehrenberg Ref. Ling, 1972

*Hymeniastrum euclidis* Haeckel Ref. Ling, 1972

*Ommatodiscus murrayi* Dreyer Ref. Cheng & Yeh, 1989

### **Family Pterocorythidae**

*Anthocyrtydium ophirensis* (Ehrenberg) Ref. Ling, 1972

*Anthocyrtydium zanguebaricum* (Ehrenberg) Ref. Cheng & Yeh, 1989

*Eucyrtydium acuminatum* (Ehrenberg) Ref. 同前

*Eucyrtydium cienkowskii* Haeckel Ref. 同前

*Eucyrtydium hexagonatum* Haeckel Ref. Ling, 1972

*Lamprocyclas maritalis* Haeckel Ref. Huang, 1994

*Lithopera becca* (Ehrenberg) Ref. Cheng & Yeh, 1989

*Pterocorys campanula* Haeckel Ref. 同前

*Pterocorys* sp. Ref. 同前

*Theocorythium trachelium* Ehrenberg Ref. 同前

*Theocorythium trachelium trachelium* Haeckel Ref. Ling, 1972

### **Family Pyloniidae**

*Octopyle octospinosa* Tan & Tchang Ref. Huang, 1994

*Octopyle stenozona* Haeckel Ref. Cheng & Yeh, 1989

*Tetrapyle circularis* Haeckel Ref. Huang, 1994

*Tetrapyle octacantha* Müller Ref. Ling, 1972

*Tetrapyle* sp. Ref. Cheng & Yeh, 1989

### **Family Sethophormididae**

*Sethophormis* sp. Ref. Cheng & Yeh, 1989

### **Family Sethopillidae**

*Eucaryphalus geganauri* Haeckel Ref. Cheng & Yeh, 1989  
*Lampromitra coronata* Haeckel Ref. 同前  
*Lampromitra quadricuspis* Haeckel Ref. 同前

#### **Family Spongodiscidae**

*Spongaster berminghami* Campbell & Clark Ref. Cheng & Yeh, 1989  
*Spongaster* sp. Ref. 同前  
*Spongaster tetras* Ehrenberg Ref. Huang, 1994  
*Spongaster tetras tetras* Ehrenberg Ref. Ling, 1972  
*Spongocore puella* Haeckel Ref. Cheng & Yeh, 1989  
*Spongodiscus biconcarus* Haeckel Ref. Huang, 1994  
*Spongodiscus resurgens* Ehrenberg Ref. Cheng & Yeh, 1989

#### **Family Theocorythidae**

*Cecryphalium sestrodiscus* Haeckel Ref. Cheng & Yeh, 1989  
*Stichopodium dictyopodium* Haeckel Ref. 同前

#### **Family Theoperidae**

*Pterocanium orcinum* Haeckel Ref. Cheng & Yeh, 1989  
*Pterocanium praetextum traetextum* (Haeckel) Ref. Ling, 1972  
*Pterocanium praetextum praetextum* (Ehrenberg) Ref. Cheng & Yeh, 1989  
*Pterocanium trilobum* (Haeckel) Ref. Ling, 1972  
*Pterocanium virgineum* Haeckel Ref. Cheng & Yeh, 1989

#### **Family Triospyridae**

*Dorcadospyrus pentagona* Ehrenberg Ref. Ling, 1972  
*Tristephanium* sp. Ref. Cheng & Yeh, 1989

### **Class Heterolobosea 根足蟲綱**

#### **Order Schizopyreniida**

##### **Family Valkampfiidae**

*Valkampfia limax* Dujardin Ref. Dai, 1962

### **Class Labyrinthulea 盤蝟綱**

#### **Order Piroplasmida 梨形蟲目**

##### **Family Raphidiophyidae**

*Raphidiophrys pallida* Schultze Ref. 戴。1962

### **Class Lobosa**

#### **Order Amoebida 變形蟲目**

##### **Family Amoebidae 真正變形蟲科**

*Amoeba limax* Dujardin Ref. Dai, 1962  
*Amoeba proteus* Leidy Ref. Dai, 1962  
*Amoeba rodiosa* Dai Ref. Dai, 1962  
*Amoeba spumosa* Hong Ref. Hong, 1988  
*Amoeba verrucosa* Ehrenberg Ref. Dai, 1962

##### **Family Pelomyxidae**

*Pelomyxa palustris* Greeff Ref. 戴。1962

### **Class Lobosea 葉狀根足蟲綱**

#### **Order Arcellinida 表殼蟲目**

##### **Family Arcellidae 葶頂蟲科**

*Arcella dentata* Ehrenberg Ref. Dai, 1962  
*Arcella discoides* Ehrenberg Ref. Dai, 1962  
*Arcella polypora* Ehrenberg Ref. Jang, 1975  
*Arcella vulgaris* Ehrenberg Ref. Dai, 1962

##### **Family Centropyxidae 匣殼科**

*Centropyxis acureata* Stein Ref. Dai, 1962

##### **Family Diffflugidae 砂殼科**

*Diffflugia acuminata* Dai Ref. Dai, 1962  
*Diffflugia globulosa* Dujardin Ref. Jang, 1975  
*Diffflugia kizakiensis* Dai Ref. Dai, 1962  
*Diffflugia oblonga* Ehrenberg Ref. Dai, 1962  
*Diffflugia urceolata* Dai Ref. Dai, 1962  
*Lesquereusia spiralis* Dai Ref. Dai, 1962

##### **Family Nebelidae 梨殼科**

*Nebela collaris* Ehrenberg Ref. Dai, 1962

### **Class Zoomastigophora 動物性鞭毛蟲綱**

## Order Choanoflagellida 鞭毛蟲目

### Family Acanthoecidae 領鞭毛科

- Acanthocorbis camarensis* Hara in Hara et al. Ref. Hara, 1996  
*Acanthoeca spectabilis* Ellis Ref. Hara, 1997  
*Apheloecion pentacanthum* Thomsen in Thomsen & Boonruang Ref. Hara, 1997  
*Campyloacantha imbricata* Hara & Takahashi Ref. Hara, 1997  
*Cosmoeca phuketensis* Thomsen in Thomsen & Boonruang Ref. Hara, 1997  
*Cosmoeca ventricosa* Thomsen in Thomsen & Boonruang Ref. Hara, 1997  
*Crinolina isefjordensis* Thomsen Ref. Hara, 1997  
*Diaphanoeca spiralifurca* Hara in Hara & al Ref. Hara, 1996  
*Diaphanoeca undulata* Thomsen Ref. Hara, 1997  
*Diplothea costata* Valkanov Ref. Hara, 1997  
*Nannoeca minuta* (Leadbeater) Thomsen Ref. Hara, 1997  
*Parvicorbicula aff. superpositus* Booth Ref. Hara, 1997  
*Platypleura cercophora* Thomsen & Boonruang Ref. Hara, 1997  
*Platypleura infundibuliformis* (Leadbeater) Thomsen in Thomsen & Boonruang Ref. Hara, 1997  
*Pleurasiga echinocostata* Espeland in Espeland and Ref. Hara, 1997  
*Polyoeca dichotoma* Kent Ref. Hara, 1997  
*Saroeca paucicostata* Hara & Takahashi Ref. Hara, 1997  
*Savillea parva* (Ellis) Loeblich III Ref. Hara, 1997  
*Stephanacantha apheles* Thomsen in Thomsen et al. Ref. Hara, 1997  
*Stephanacantha formosa* Thomsen in Thomsen & Boonruang Ref. Hara, 1997  
*Stephanoeca aff. cupula* in Thomsen Ref. Hara, 1997  
*Stephanoeca diplocostata paucicostata* Throndsen Ref. Hara, 1997  
*Stephanoeca diplocostata* Ellis Ref. Hara, 1997  
*Stephanoeca supracostata* Hara in Hara et al. Ref. Hara, 1996  
*Syndetophyllum pulchellum* (Leadbeater) Thomsen & Moestrup Ref. Hara, 1997

### Family Codonosigidae

- Monosiga ovata* Kent Ref. Hara, 1997

### Family Salpingoecidae

- Diploeca aff. elongata* (Foot) Bourrelly Ref. Hara, 1997  
*Salpingoeca inquilata* Kent Ref. Hara, 1997  
*Salpingoeca* sp. Ref. Dai, 1962  
*Salpingoeca tuba* Kent, 1880 Ref. Hara, 1997

## Order Protomonadina

### [Not assigned to a family]

- Bodo* sp. Ref. Chen, 1982  
*Oikomonas termo* Dai Ref. Dai, 1962



# Kingdom Chromista 原藻界

## Phylum Bacillariophyta 矽藻門

### Class Bacillariophyceae 矽藻綱

#### Order Acnanthales 曲殼藻目

##### Family Achnantheaceae 曲殼藻科

- Achnanthes angustata* Greville Ref. Huang, 1979  
*Achnanthes bengalensis* Grunow Ref. Huang, 1994  
*Achnanthes biasolettiana* Kützing Ref. Lin et al., 1994a  
*Achnanthes brevipes* var. *brevipes* Li Ref. Li, 1978  
*Achnanthes brevipes* C. Agardh Ref. Heydrich, 1894  
*Achnanthes brevipes* var. *parvula* (Kützing) Cleve Ref. Huang, 1994  
*Achnanthes brevipes* var. *intermedia* (Kützing) Cleve Ref. Chen & Li, 1974  
*Achnanthes brevipes* var. *angustata* (Gregory) Cleve Ref. Li, 1978  
*Achnanthes brevipes* var. *leudgeri* (Tempere & Brun) Cleve Ref. Huang, 1994  
*Achnanthes citronella* (Mann) Hustedt Ref. Li, 1978  
*Achnanthes coarctata* (Brebisson In W. Smith) Grunow Ref. Li, 1976  
*Achnanthes convergens* H. Kobayashi Ref. Chuang, 1986  
*Achnanthes crenulata* Grunow Ref. Wong et al., 1973  
*Achnanthes cronulata* Grunow Ref. Chen & Lai, 1984  
*Achnanthes deflexa* Reim Ref. Fang & Chen, 1991  
*Achnanthes delicatula* (Kützing) Grunow Ref. Li, 1978  
*Achnanthes exigua* Grunow Ref. Krasske & Schwabe, 1950  
*Achnanthes exilis* Kützing Ref. Huang, 1982  
*Achnanthes gracele* Lee Ref. Lee, 1982  
*Achnanthes hauckiana* Grunow Ref. Huang, 1994  
*Achnanthes hungarica* Grunow Ref. Krasske & Schwabe, 1950  
*Achnanthes inflata* var. *elata* (Leuduger-Fortmorel) Hustedt Ref. 同前  
*Achnanthes inflata* (Kützing) Grunow Ref. 同前  
*Achnanthes javanica* Grunow Ref. Huang, 1979  
*Achnanthes javanica* var. *tenuistauros* (Mann) Meister Ref. Li, 1978  
*Achnanthes lanceolata* (Brebisson) Grunow Ref. Krasske & Schwabe, 1950  
*Achnanthes linearis* (W. Smith) Grunow Ref. Li, 1976  
*Achnanthes longipies* Agardh Ref. Heydrich, 1894  
*Achnanthes microcephala* (Kützing) Cleve Ref. Krasske & Schwabe, 1950  
*Achnanthes minutissima* var. *cryptocephala* Grunow Ref. Chang, 1966  
*Achnanthes minutissima* var. *macrocephala* Hustedt Ref. Li, 1976  
*Achnanthes minutissima* (Kützing) Cleve Ref. Krasske & Schwabe, 1950  
*Achnanthes montana* Krasske Ref. 同前  
*Achnanthes nollii* Bock Ref. Chen & Lai, 1984  
*Achnanthes orientalis* Hustedt Ref. Chen & Li, 1974  
*Achnanthes radiata* Du & Cheng Ref. Huang, 1994  
*Achnanthes similis* Hustedt Ref. Huang, 1982  
*Achnanthes simplex* Hustedt Ref. Krasske & Schwabe, 1950  
*Achnanthes* sp. Ref. Heydrich, 1894  
*Achnanthes subhudsonis* Hustedt Ref. Chuang, 1986  
*Achnanthes subsessilis* Kützing Ref. Li, 1978  
*Diatomella baifouriana* Greville Ref. Krasske & Schwabe, 1950  
*Diatomella* sp. Ref. Lin et al., 1994a

##### Family Cocconeaceae 卵形藻科

- Anorthoneis eurystoma* Cleve Ref. Huang, 1994  
*Anorthoneis excentrica* (Donkin) Grunow Ref. Huang, 1994  
*Campyloneis grevillei* (W. Smith) Grunow Ref. Huang, 1979  
*Cocconeis brevicostata* Hustedt Ref. Krasske & Schwabe, 1950  
*Cocconeis costata* Gregory Ref. Huang, 1994  
*Cocconeis dirupta* Gregory Ref. Huang, 1994  
*Cocconeis diruptoides* Hustedt Ref. Huang, 1994  
*Cocconeis discoloides* Hustedt Ref. Huang, 1994  
*Cocconeis distant* Gregory Ref. Huang, 1990  
*Cocconeis distant* var. *bahusiensis* Cleve-Euler Ref. Huang, 1994  
*Cocconeis fluminensis* (Ehrenberg) Brown Ref. Huang, 1994  
*Cocconeis heteroidea* Hantzsch Ref. Huang, 1979  
*Cocconeis heteroidea* var. *heteroidea* Li Ref. Li, 1978  
*Cocconeis heteroidea* var. *curvirotonda* (Tempere & Brun) Cleve Ref. Li, 1978  
*Cocconeis hustedti* Krasske Ref. Krasske & Schwabe, 1950  
*Cocconeis molesta* Kützing Ref. Huang, 1994

*Cocconeis pediculus* Hantzsch & Grunow Ref. Huang, 1975  
*Cocconeis pellucida* var. *minor* Grunow Ref. Li, 1978  
*Cocconeis pellucida* Hantzsch Ref. Huang, 1994  
*Cocconeis pellucida* var. *pellucida* Grunow Ref. Li, 1978  
*Cocconeis placentula* var. *lineata* (Ehrenberg) Van Heurck Ref. Chen & Li, 1974  
*Cocconeis placentula* var. *klinoraphis* Geitler Ref. Chang, 1966  
*Cocconeis placentula* Ehrenberg Ref. Krasske & Schwabe, 1950  
*Cocconeis placentula* var. *euglypta* (Ehrenberg) Cleve Ref. Li, 1976  
*Cocconeis pseudomarginata* Gregory Ref. Huang, 1979  
*Cocconeis pseudomarginata* var. *intermedia* Grunow Ref. Li, 1978  
*Cocconeis scutellum* var. *speciosa* Cleve-Euler Ref. Huang, 1979  
*Cocconeis scutellum* var. *parva* (Grunow) Cleve Ref. Huang, 1994  
*Cocconeis scutellum* var. *minutissima* Grunow Ref. Huang, 1994  
*Cocconeis scutellum* var. *stauroneiformis* Rabenhorst Ref. Huang, 1994  
*Cocconeis scutellum* Ehrenberg Ref. Li, 1978  
*Cocconeis* sp. Ref. Liu, 1990  
*Cocconeis sublittoralis* Hendey Ref. Huang, 1994  
*Cocconeis tenuistriata* Lin & Chin Ref. Huang, 1994  
*Rhoicospenia curvata* (Kützing) Grunow Ref. Liu, 1990

## Order Bacillariales 矽藻目

### Family Bacillariaceae 矽藻科

*Bacillaria paradoxa* Gmelin Ref. Krasske & Schwabe, 1950  
*Bacillaria* sp. Ref. Lin, 1969  
*Cylindrotheca closterium* (Ehrenberg) Reimann & Lewin Ref. Li, 1978  
*Cylindrotheca closterium* var. *californica* (Mereschk.) Reimann & Lewin Ref. Huang, 1994  
*Cylindrotheca gracilis* (Brebisson) Grunow Ref. Huang, 1994  
*Denticula elegans* Kützing Ref. Chang, 1966  
*Denticula* sp. Ref. Chen, 1980  
*Denticula subtilis* Grunow Ref. Huang, 1994  
*Denticula tenuis* Kützing Ref. Lin et al., 1994a  
*Denticula thermalis* Kützing Ref. Chang, 1966  
*Hantzschia amphioxys* (Ehrenberg) Grunow Ref. Krasske & Schwabe, 1950  
*Hantzschia amphioxys* var. *capitata* O. F. Müller Ref. Li, 1976  
*Hantzschia distincte-punctata* Hustedt Ref. Huang, 1984  
*Hantzschia marina* (Donkin) Grunow Ref. Huang, 1984  
*Hantzschia sigma* Hust. Ref. Huang, 1982  
*Hantzschia virgata* (Roper) Grunow Ref. Huang, 1994  
*Hantzschia virgata* var. *capitellata* Hust. Ref. Huang, 1982  
*Nitzschia acicularis* (Kützing) W. Smith Ref. Krasske & Schwabe, 1950  
*Nitzschia acuminata* (W. Smith) Grunow Ref. Huang, 1982  
*Nitzschia aequatorialis* Heiden Ref. Huang, 1990  
*Nitzschia alpina* Hust. Ref. Huang, 1982  
*Nitzschia amphibia* (Kützing) Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia angularis* W. Smith Ref. Huang, 1994  
*Nitzschia antillarum* (Cleve) Meister Ref. Huang, 1994  
*Nitzschia apiculata* (Greg) Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia baccata* Hust. Ref. 同前  
*Nitzschia brevissima* Grunow Ref. Huang, 1982  
*Nitzschia clausi* Hantzsch Ref. Krasske & Schwabe, 1950  
*Nitzschia closterium* (Ehrenberg) W. Smith Ref. 同前  
*Nitzschia coarctata* Grunow Ref. Huang, 1994  
*Nitzschia cocconeiformis* Grunow Ref. Huang, 1994  
*Nitzschia commutata* Grunow Ref. Hong & Hsu, 1977  
*Nitzschia constricta* var. *parva* Van Heurck Ref. Chang, 1969  
*Nitzschia constricta* (Gregory) Grunow Ref. Li, 1978  
*Nitzschia constricta* var. *subconstricta* Grunow Ref. Huang, 1982  
*Nitzschia corpulenta* Hendey Ref. Huang, 1994  
*Nitzschia cursoria* (Donkin) Grunow Ref. Huang, 1994  
*Nitzschia dehilis* Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia delicatissima* Cleve Ref. Wu & Su, 1991  
*Nitzschia denticula* Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia didyma* Liu & Chin Ref. Huang, 1994  
*Nitzschia dissipata* (Kützing) Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia distans* Gregory Ref. Huang, 1979  
*Nitzschia dubia* W. Smith Ref. Krasske & Schwabe, 1950  
*Nitzschia epithemoides* Grunow Ref. Huang, 1994  
*Nitzschia fasciculata* (Grunow) Grunow Ref. Huang, 1994  
*Nitzschia filiformis* (W. Smith) Van Heurck Ref. Huang, 1994  
*Nitzschia fluminensis* Grunow Ref. Huang, 1990  
*Nitzschia fontricola* Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia frigida* Grunow Ref. Huang, 1994

*Nitzschia frustulum* var. *perpusilla* (Rabh.) Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia frustulum* var. *subsalina* Hustedt Ref. Chang, 1966  
*Nitzschia frustulum* (Kützing) Grunow Ref. Huang, 1994  
*Nitzschia frustulum* var. *minutula* Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia geniculata* Hustedt Ref. 同前  
*Nitzschia gracilis* Hantzsch Ref. Jang, 1976  
*Nitzschia granulata* Grunow Ref. Huang, 1984  
*Nitzschia hungarica* Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia hybrida* Grunow Ref. Huang, 1994  
*Nitzschia ignorata* Krasske Ref. Huang, 1982  
*Nitzschia ingenua* Hust. Ref. Krasske & Schwabe, 1950  
*Nitzschia insignis* var. *lanceolata* Hustedt Ref. Huang, 1994  
*Nitzschia insignis* Gregory Ref. Huang, 1994  
*Nitzschia intermedia* Hantzsch ex Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia invicta* Hust. Ref. 同前  
*Nitzschia kittlii* Grunow Ref. 同前  
*Nitzschia kutzingiana* Hilse Ref. 同前  
*Nitzschia lanceola* (Grunow) Grunow Ref. Huang, 1994  
*Nitzschia lanceolata* var. *minor* Grunow Ref. Huang, 1994  
*Nitzschia lanceolata* var. *chinensis* Skvirtzow Ref. Huang, 1994  
*Nitzschia lanceolata* var. *incrustoms* Grunow Ref. Huang, 1994  
*Nitzschia lanceolata* W. Smith Ref. Chang, 1969  
*Nitzschia lesbia* Cholnoky Ref. Huang, 1984  
*Nitzschia limulus* Hohn Ref. Huang, 1982  
*Nitzschia linearis* W. Smith Ref. Krasske & Schwabe, 1950  
*Nitzschia littoralis* Grunow Ref. Huang, 1990  
*Nitzschia longirostris* Hust. Ref. Krasske & Schwabe, 1950  
*Nitzschia longiseta* Zach. Ref. Huang, 1990  
*Nitzschia longissima* (Brebisson) Ralfs Ref. Tseng, 1969  
*Nitzschia longissima* var. *reversa* W. Smith Ref. Chang, 1968a  
*Nitzschia lorenziana* var. *densestriata* (Perag. & Perag.) Hustedt Ref. Huang, 1982  
*Nitzschia lorenziana* var. *subtilis* Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia lorenziana* Grunow Ref. Huang, 1984  
*Nitzschia macilenta* Gregory f. *reviata* Grunow Ref. Huang, 1994  
*Nitzschia majuscula* var. *lineata* Liu & Chin Ref. Huang, 1994  
*Nitzschia marginulata* Grunow Ref. Huang, 1990  
*Nitzschia marginulata* var. *didyma* Grunow Ref. Li, 1978  
*Nitzschia marginulata* var. *subconstricta* Grunow Ref. Huang, 1994  
*Nitzschia marina* Grunow Ref. Huang, 1990  
*Nitzschia maxima* Grunow Ref. Huang, 1994  
*Nitzschia membranace* Chen Ref. Chen et al., 1994  
*Nitzschia microcephala* Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia navicularis* (Brebisson) Grunow Ref. Huang, 1994  
*Nitzschia nelsonii* Hanna & Grant Ref. Huang, 1990  
*Nitzschia obtusa* W. Smith Ref. Hong & Hsu, 1977  
*Nitzschia obtusa* var. *scalpelliformis* Grunow Ref. Chang, 1966  
*Nitzschia palea* var. *sumatrana* Hust. Ref. Krasske & Schwabe, 1950  
*Nitzschia palea* (Kützing) Wm. Smith Ref. 同前  
*Nitzschia paleacea* Grunow Ref. Chuang, 1986  
*Nitzschia panduriformis* Gregory Ref. Li, 1978  
*Nitzschia paradoxa* Gmelin Ref. Chang, 1968a  
*Nitzschia parvula* (W. Smith) Lewis Ref. Krasske & Schwabe, 1950  
*Nitzschia petitiiana* Grunow Ref. Huang, 1994  
*Nitzschia plana* W. Smith Ref. Huang, 1990  
*Nitzschia pseudohungarica* Hust. Ref. Krasske & Schwabe, 1950  
*Nitzschia pseudosigma* Hust. Ref. Huang, 1982  
*Nitzschia punctata* (W. Smith) Grunow Ref. Huang, 1982  
*Nitzschia punctata* var. *coarctata* Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia punctata* var. *elongata* (Grunow) Grunow Ref. Huang, 1994  
*Nitzschia pungens* (Grunow) Grunow Ref. Huang, 1994  
*Nitzschia pupula* Kützing Ref. Fang & Chen, 1991  
*Nitzschia ricta* Chen Ref. Chen, 1989  
*Nitzschia romanowi* Pantocsek Ref. Li, 1978  
*Nitzschia ronana* Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia rosenstockii* Lange-Bertalot Ref. Chen & Lai, 1984  
*Nitzschia scalaris* (Ehrenberg) W. Smith Ref. Jang, 1975  
*Nitzschia sigma* (Kützing) Wm. Smith Ref. Krasske & Schwabe, 1950  
*Nitzschia sigma* var. *intercedens* Grunow Ref. Huang, 1994  
*Nitzschia sigma* var. *sigmatella* Grunow Ref. Huang, 1994  
*Nitzschia sigma* var. *curvula* (Ehrenberg) Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia sigma* var. *rigida* (Kützing) Grunow Ref. Huang, 1994  
*Nitzschia sigmoidea* (Ehrenberg) W. Smith Ref. Huang, 1990

*Nitzschia similis* Hust. Ref. Krasske & Schwabe, 1950  
*Nitzschia sinensis* Liu Ref. Huang, 1994  
*Nitzschia sinuata* (W. Smith) Grunow var. *delognei* Lange-Berta. Ref. Chen & Li, 1985  
*Nitzschia sinuata* (W. Smith) Grunow var. *tabellaria* Grunow Ref. Fang & Chen, 1991  
*Nitzschia socialis* Gregory Ref. Huang, 1994  
*Nitzschia* sp. Ref. Lin, 1969  
*Nitzschia spathulata* Brebisson Ref. Huang, 1994  
*Nitzschia spathulata* var. *hyalina* (Gregory) Grunow Ref. Huang, 1994  
*Nitzschia spectabilis* (Ehrenberg) Ralfs Ref. Lin et al., 1994a  
*Nitzschia stagnorum* Rabenh. Ref. Huang, 1982  
*Nitzschia strigillata* Hust. Ref. Krasske & Schwabe, 1950  
*Nitzschia subacicularis* Hust. Ref. 同前  
*Nitzschia sublinearis* Hust. Ref. Lin et al., 1994a  
*Nitzschia subtilis* Grunow Ref. Huang, 1994  
*Nitzschia subvitroa* Hust. Ref. Krasske & Schwabe, 1950  
*Nitzschia thermalis* var. *minor* Hilse Ref. Chang, 1966  
*Nitzschia tryblionella* var. *crassa* (Pant.) Cleve Ref. Huang, 1982  
*Nitzschia tryblionella* var. *subsalina* f. *constricta* Hustedt Ref. Huang, 1994  
*Nitzschia tryblionella* var. *levidensis* (W. Smith) Grunow Ref. Krasske & Schwabe, 1950  
*Nitzschia tryblionella* var. *maxima* Krasske Ref. 同前  
*Nitzschia tryblionella* var. *victoriae* (Grunow) Grunow Ref. Huang, 1994  
*Nitzschia tryblionella* Hantzsch Ref. Krasske & Schwabe, 1950  
*Nitzschia ventricosa* Kitton Ref. Huang, 1994  
*Nitzschia vermicularis* (Kützing) Hantzsch Ref. Huang, 1977  
*Nitzschia vitraea* Norman Ref. Chen et al., 1994  
*Nitzschia vitraea* var. *salinarum* Grunow Ref. Krasske & Schwabe, 1950

## Order Cymbellales 橋彎藻目

### Family Cymbellaceae 橋彎藻科

*Cymbella affinis* Kützing Ref. Krasske & Schwabe, 1950  
*Cymbella alpina* Grunow Ref. Li, 1976  
*Cymbella aspera* (Ehrenberg) Cleve Ref. Li, 1976  
*Cymbella bengalensis* Grunow Ref. Krasske & Schwabe, 1950  
*Cymbella cistula* (Hemprich) Grunow Ref. Li, 1976  
*Cymbella cuspidata* Kützing Ref. Lin et al., 1994a  
*Cymbella cymbiformis* (Kützing) Brebisson Ref. Huang, 1982  
*Cymbella cymbiformis* var. *nonpunctata* Font Ref. Huang, 1982  
*Cymbella delicatula* Kützing Ref. Lin et al., 1994b  
*Cymbella delicatula* var. *delicatula* Kützing Ref. Hu et al., 1980  
*Cymbella ehrenbergii* Kützing Ref. Jang, 1975  
*Cymbella fenticola* Hust. Ref. Krasske & Schwabe, 1950  
*Cymbella gracilis* Wang  
*Cymbella hauckii* V.H. Ref. Chen & Lai, 1984  
*Cymbella hustedtii* Krasske Ref. Krasske & Schwabe, 1950  
*Cymbella lacustris* (Agardh) Cleve Ref. Chen & Lai, 1984  
*Cymbella laevis* Naeg. ex Kützing Ref. Huang, 1982  
*Cymbella lanceolata* (Ehrenberg) Van Heurck Ref. Krasske & Schwabe, 1950  
*Cymbella lata* Grunow Ref. Huang, 1982  
*Cymbella leptoceros* Kützing Ref. Chen & Lai, 1984  
*Cymbella microcephala* Grunow Ref. Krasske & Schwabe, 1950  
*Cymbella minuta* Hilse ex. Rabh. Ref. Huang, 1982  
*Cymbella minuta* var. *pseudogracilis* (Choln.) Reim. Ref. Huang, 1982  
*Cymbella mulleri* var. *javanica* Hust. Ref. Krasske & Schwabe, 1950  
*Cymbella norvegica* var. *norvegica* Grunow Ref. Hsu, 1993  
*Cymbella prostrata* (Berkeley) Cleve Ref. Jang, 1975  
*Cymbella prostrata* var. *auerswaldii* (Rabh.) Reim Ref. Chen & Lai, 1984  
*Cymbella pusilla* Grunow Ref. Krasske & Schwabe, 1950  
*Cymbella sinuata* Gregory Ref. Hu et al., 1980  
*Cymbella subaequalis* Grunow Ref. Huang, 1982  
*Cymbella tunida* (Br/bisson ex Kützing) Van Heurck Ref. Krasske & Schwabe, 1950  
*Cymbella turgida* (Gregory) Cleve Ref. 同前  
*Cymbella turgidula* Grum. Ref. 同前  
*Cymbella ventricosa* Kützing Ref. 同前  
*Cymbella wallaceana* Hustedt Ref. Chen & Lai, 1984  
*Didymosphenia geminata* (Lyngby.) Schm. Ref. Lin et al., 1994b

## Order Diatomales 等片藻目

### Family Diatomaceae 等片藻科

*Arcocellulus cornucor* Hasle, Von Stosch & Syverten Ref. Huang, 1994  
*Arcocellulus mammifer* Hasle, Von Stosch & Syverten Ref. Huang, 1994  
*Asterionella formosa* Hass. Ref. Miu et al., 1969  
*Asterionella glacialis* Castracane Ref. Huang, 1994

*Asterionella japonica* Cleve Ref. Tseng, 1969  
*Asterionella kariana* Grunow Ref. Huang, 1994  
*Asterionella* sp. Ref. Hau et al., 1976  
*Climacosphenia elongata* Bailey Ref. Huang, 1979  
*Climacosphenia moniliger* Ehrenberg Ref. Li, 1978  
*Climacosphenia* sp. Ref. Lin, 1969  
*Cymatosira gibberula* Cheng & Gao Ref. Huang, 1994  
*Cymatosira lorenziana* Grunow Ref. Huang, 1994  
*Diatoma elongatum* Agardh Ref. Jang, 1975  
*Diatoma hiemale* var. *mesodon* (Ehrenberg) Grunow Ref. Krasske & Schwabe, 1950  
*Diatoma hiemale* (Lyngbye) Heib. var. *hiemale sensu* Li Ref. Li, 1976  
*Diatoma hiemale* (Roth) Heib. Ref. Wong & Chang, 1970  
*Diatoma hyalinum* Kützing Ref. Huang, 1994  
*Diatoma* sp. Ref. Shen, 1961  
*Diatoma vulgare* Bory Ref. Miu et al., 1969  
*Diatoma vulgare* var. *vulgare* Hsu Ref. Hsu, 1993  
*Diatoma vulgare* var. *breve* Grunow Ref. Hsu, 1993  
*Dimeregramma fudiformis* Huang, Cheng & Chin Ref. Huang, 1994  
*Fragilaria brevistriata* Grunow Ref. Chen & Lai, 1984  
*Fragilaria capucina* Desmazieres Ref. Chang, 1966  
*Fragilaria construens* (Ehrenberg) Grunow Ref. Krasske & Schwabe, 1950  
*Fragilaria crotonensis* var. *oregona* Sov. Ref. Huang, 1982  
*Fragilaria crotonensis* Kitton Ref. Jang, 1976  
*Fragilaria crotonensis* var. *venter* (Ehrenberg) Grunow Ref. Huang, 1977  
*Fragilaria crotonensis* var. *prolongata* Grunow Ref. Huang, 1977  
*Fragilaria cylindrus* Grunow Ref. Huang, 1994  
*Fragilaria heidenii* Oestrup Ref. Huang, 1994  
*Fragilaria hyalina* (Kützing) Grunow Ref. Huang, 1994  
*Fragilaria intermedia* Grunow Ref. Chang, 1966  
*Fragilaria longissima* var. *protenta* Li, Cheng & Chin Ref. Huang, 1994  
*Fragilaria oceanica* Cleve Ref. Huang, 1994  
*Fragilaria pinnata* (Ehrenberg) Hustedt Ref. Krasske & Schwabe, 1950  
*Fragilaria* sp. Ref. Lin, 1969  
*Fragilaria striatula* Lyngbye Ref. Huang, 1994  
*Fragilaria vaucheriae* (Kützing) Peters. Ref. Li, 1976  
*Fragilaria virescens* Ralfs Ref. Hong & Hsu, 1977  
*Fragilariella dusenii* (Cleve) Hendeby Ref. Huang, 1979  
*Grammatophora angulosa* Ehrenberg Ref. Huang, 1994  
*Grammatophora hamulifera* Kützing Ref. Huang, 1979  
*Grammatophora marina* (Lyngb.) Kützing Ref. Huang, 1994  
*Grammatophora oceanica* (Ehrenberg) Grunow Ref. Huang, 1979  
*Grammatophora* sp. Ref. Anonymous 1996, p. 2-217.  
*Grammatophora undulatus* Ehrenberg Ref. Huang, 1979  
*Licmophora abbreviata* Agardh Ref. Wu & Su, 1991  
*Licmophora californica* Agardh Ref. Huang, 1994  
*Licmophora ehrenbergii* (Kützing) Grunow var. *ovata* (W. Smith) Van Heurck Ref. Li, 1978  
*Licmophora paradoxa* (Lyngb.) Agardh Ref. Huang, 1994  
*Licmophora tenuis* (Kützing) Grunow Ref. Huang, 1994  
*Minutocellus polymorphus* (Harger. & Guill.) Hasle, Von Stosch & Syverten Ref. Huang, 1994  
*Opephora martyi* Heribaud Ref. Huang, 1994  
*Opephora pacifica* (Grun.) Petit Ref. Huang, 1994  
*Perissomoe cruciata* (Janisch & Rabenhorst) Andrews & Stoelze Ref. Huang, 1994  
*Plagiogramma minimum* Salah Ref. Huang, 1979  
*Plagiogramma pulchellum* var. *pygmaea* (Greville) Peragallo Ref. Li, 1978  
*Plagiogramma pulchellum* Greville Ref. Huang, 1994  
*Plagiogramma staurorophorum* (Gregory) Hustedt Ref. Huang, 1994  
*Plagiogramma vanheurckii* Grunow Ref. Chen, 1980  
*Raphoneis ampiceros* (Ehrenberg) Ehrenberg Ref. Huang, 1994  
*Raphoneis ampiceros* var. *ampiceros* Li Ref. Li, 1978  
*Raphoneis belgica* (Grunow) Grunow Ref. Huang, 1994  
*Raphoneis elliptica* Ehrenberg Ref. Huang, 1994  
*Raphoneis surirella* (Ehrenberg) Grunow Ref. Huang, 1984  
*Raphoneis surirella* var. *australis* (Petit) Grunow Ref. Huang, 1994  
*Rhabdonema adriaticum* Kützing Ref. Huang, 1979  
*Rhabdonema arcuatum* (Agardh) Kützing Ref. Huang, 1994  
*Raphoneis ampiceros* var. *tetragona* Grunow Ref. Li, 1978  
*Raphoneis rhomoides* Hendeby Ref. Huang, 1979  
*Striatella delicatula* (Kützing) Grunow Ref. Huang, 1994  
*Synedra acus* Kützing Ref. Krasske & Schwabe, 1950  
*Synedra affinis* Kützing Ref. Huang, 1975  
*Synedra binalis* Hong Ref. Hong, 1988  
*Synedra capitata* Ehrenberg Ref. Fang et al., 1996

*Synedra crystallina* (Agardh) Kützing Ref. Li, 1978  
*Synedra delicatissima* var. *delicatissima* W. Smith Ref. Hsu, 1993  
*Synedra delicatissima* W. Smith Ref. Huang, 1982  
*Synedra dorsiventralis* O. F. Müller Ref. Chen & Li, 1974  
*Synedra fasciculata* (Ag.) Kützing Ref. 同前  
*Synedra fasciculata* var. *truncata* (Gregory) Patr. Ref. Huang, 1982  
*Synedra formosa* Hantzsch ex Rabenhorst Ref. Huang, 1994  
*Synedra fulgens* (Greville) W. Smith Ref. Li, 1978  
*Synedra gaillonii* (Bory) Ehrenberg Ref. Huang, 1982  
*Synedra goulardi* Bred. Ref. Huang, 1982  
*Synedra hennedyana* Gregory Ref. Li, 1978  
*Synedra laevigata* Grunow Ref. Huang, 1979  
*Synedra longiceps* Ehrenberg Ref. Huang, 1982  
*Synedra parasitica* (W. Smith) Hustedt Ref. Krasske & Schwabe, 1950  
*Synedra radians* (Kützing) Grunow Ref. Huang, 1979  
*Synedra robusta* Ralfs Ref. Heydrich, 1894  
*Synedra robusta* var. *sinica* Skvortzow Ref. Huang, 1994  
*Synedra rumpen* var. *meneghiniana* Grunow Ref. Huang, 1982  
*Synedra rumpen* var. *rumpens* Hsu, 1993 Ref. Hsu, 1993  
*Synedra rumpen* var. *familiaris* (Kützing) Hustedt Ref. Chen & Li, 1974  
*Synedra socia* var. *socia* Wallace Ref. Hsu, 1993  
*Synedra* spp. Ref. Liaw, 1969  
*Synedra tabulata* (Agardh) Kützing Ref. Hong & Hsu, 1977  
*Synedra tabulata* var. *parva* (Kützing) Hustedt Ref. Huang, 1994  
*Synedra ulna* var. *contracta* Hsu, 1993 Ref. Hsu, 1993  
*Synedra ulna* var. *danica* (Kützing) Van Heurck Ref. Huang, 1979  
*Synedra ulna* var. *amphirhynchus* (Ehrenberg) Grunow Ref. Huang, 1982  
*Synedra ulna* var. *impress* Hustedt Ref. Huang, 1975  
*Synedra ulna* var. *ramesi* (Herib.) Hust. Ref. Huang, 1982  
*Synedra ulna* (Nitzsch) Ehrenberg Ref. Krasske & Schwabe, 1950  
*Synedra undulata* Bailey Ref. Li, 1978  
*Synedra undulata* var. *curvata* Heiden & Kolbe Ref. Huang, 1979

## Order Eunotiales 短縫藻目

### Family Eunotiaceae 短殼縫藻科

*Eunotia arcus* Ehrenberg Ref. Lin et al., 1994a  
*Eunotia bigibba* Kg. Ref. Li, 1976  
*Eunotia curvata* (Kützing) Lagerst. Ref. Huang, 1982  
*Eunotia diodon* Ehrenberg Ref. Li, 1976  
*Eunotia epithemioides* Hustedt Ref. Li, 1976  
*Eunotia exigua* (Breb) Rabh. Ref. Krasske & Schwabe, 1950  
*Eunotia fallax* Cleve Ref. 同前  
*Eunotia formica* Ehrenberg var. *sumatrana* Hustedt Ref. 同前  
*Eunotia lunaris* var. *capitata* Grunow Ref. Jang, 1975  
*Eunotia lunaris* (Ehrenberg) Grunow Ref. Chang, 1970  
*Eunotia major* var. *scandia* A. Cleve-Euler Ref. Huang, 1982  
*Eunotia monodon* Ehrenberg Ref. Huang, 1982  
*Eunotia monodon* var. *koreana* Skv. Ref. Huang, 1982  
*Eunotia naegeli* Migula Ref. Huang, 1982  
*Eunotia pectinallis* var. *ventralis* (Ehrenberg) Hust. Ref. Huang, 1984  
*Eunotia pectinallis* var. *minor* (Kützing) Rabh. Ref. Chang, 1970  
*Eunotia pectinallis* (Kützing) Rabh. Ref. Krasske & Schwabe, 1950  
*Eunotia praerupta* Ehrenberg Ref. 同前  
*Eunotia praerupta* var. *inflata* Grunow Ref. Chang, 1970  
*Eunotia praerupta* var. *bidens* (W. Smith) Ref. Krasske & Schwabe, 1950  
*Eunotia robusta* Ralfs. Ref. Chang, 1970  
*Eunotia similis* Hustedt Ref. Krasske & Schwabe, 1950  
*Eunotia* sp. Ref. Lin, 1969  
*Eunotia sudetica* O. Mull. var. *incisa* (May.) Cleve-Euler Ref. Huang, 1982  
*Eunotia tschirchiana* O. Mull. Ref. Krasske & Schwabe, 1950

## Order Naviculales 舟形藻目

### Family Gomphonemaceae 異極藻科

*Auricula complexa* (Gregory) Cleve Ref. Li, 1978  
*Gomphonema abbreviatum* Ahardh Ref. Chen & Lai, 1984  
*Gomphonema acuminatum* Ehrenberg Ref. Krasske & Schwabe, 1950  
*Gomphonema acuminatum* var. *sinica* Skvortzow Ref. Huang, 1982  
*Gomphonema affine* Kützing Ref. Huang, 1982  
*Gomphonema angustatum* var. *producta* Grunow Ref. Chang, 1966  
*Gomphonema angustatum* var. *obtusatum* (Kützing) Van Heurck Ref. Chang, 1966  
*Gomphonema augur* var. *gautieri* Van Heurck Ref. Chang, 1966  
*Gomphonema augur* Ehrenberg Ref. Huang, 1975

*Gomphonema augur* var. *sinica* Skvortzow Ref. Huang, 1982  
*Gomphonema berggrenii* Cleve Ref. Huang, 1982  
*Gomphonema clevei* Fricke Ref. Krasske & Schwabe, 1950  
*Gomphonema constrictum* Ehrenberg Ref. Huang, 1990  
*Gomphonema constrictum* var. *capitata* (Ehrenberg) Cleve Ref. Krasske & Schwabe, 1950  
*Gomphonema constrictum* f. *va* Grunow Ref. Huang, 1984  
*Gomphonema dichotomum* Kützing Ref. Huang, 1982  
*Gomphonema dubravicense* Pant. Ref. Huang, 1982  
*Gomphonema globiferum* Meister Ref. Fang & Chen, 1991  
*Gomphonema gracile* Ehrenberg emend V. H. Ref. Krasske & Schwabe, 1950  
*Gomphonema gracile* f. *ris* (Ehrenberg) Hust. Ref. Huang, 1982  
*Gomphonema helveticum* Brum. Ref. Chuang, 1986  
*Gomphonema intricatum* Kützing Ref. Krasske & Schwabe, 1950  
*Gomphonema lagerheimii* Cleve Ref. Huang, 1982  
*Gomphonema lanceolatum* var. *capitata* Skvortzow Ref. Huang, 1977  
*Gomphonema lanceolatum* Ehrenberg Ref. Krasske & Schwabe, 1950  
*Gomphonema longiceps* var. *subclavata* Grunow Ref. 同前  
*Gomphonema olivaceum* (Lyngbye) Kützing Ref. Huang, 1975  
*Gomphonema oxycephalum* var. *puiggarianum* Grunow Ref. Huang, 1984  
*Gomphonema parvulum* (Kützing) Grunow Ref. Krasske & Schwabe, 1950  
*Gomphonema* sp. Ref. Lin, 1969  
*Gomphonema sphaerophorum* Ehrenberg Ref. Chang, 1968a  
*Gomphonema subclavatsum* Hust. Ref. Krasske & Schwabe, 1950  
*Gomphonema subclavatum* (Grunow) Grunow Ref. Li, 1976  
*Gomphonema subclavatum* var. *mexicanum* (Grunow) Patr. Ref. Chen & Lai, 1984  
*Gomphonema tenellum* Kützing Ref. Huang, 1982  
*Gomphonema tenerrimum* Hust. Ref. Krasske & Schwabe, 1950  
*Gomphonema truncatum* Ehrenberg Ref. Huang, 1982  
*Gomphonema truncatum* var. *capitatum* (Ehrenberg) Patr. Ref. Huang, 1982  
*Gomphonema turris* Ehrenberg Ref. Huang, 1982  
*Gomphonema undulatum* Hust. Ref. Krasske & Schwabe, 1950  
*Gomphonema ventricosum* Gregory Ref. Huang, 1977  
*Gomphonema vibrio* Fang Ref. Fang et al., 1996

#### Family Naviculaceae 舟形藻科

*Amphipleura pellucida* Kützing Ref. Krasske & Schwabe, 1950  
*Amphipleura rutilans* (Trentep.) Cleve. Ref. Huang, 1994  
*Amphiprora alata* (Ehrenberg) Kützing Ref. Chang, 1969  
*Amphiprora gigantea* Grunow Ref. Huang, 1984  
*Amphiprora lineata* Gregory Ref. Chang, 1969  
*Amphiprora ovalis* Kützing Ref. Chen, 1989  
*Amphora angusta* var. *diducta* (A. Schmidt) Cleve Ref. Huang, 1994  
*Amphora angusta* Gregory Ref. Krasske & Schwabe, 1950  
*Amphora angusta* var. *eulensteinii* (Grunow) Cleve Ref. Huang, 1994  
*Amphora angusta* var. *chinensis* Skvortzow Ref. Huang, 1994  
*Amphora arenaria* Donkin Ref. Li, 1978  
*Amphora bigibba* Grunow Ref. Li, 1978  
*Amphora bullatoides* Hohn & Hellerm. Ref. Huang, 1982  
*Amphora coffeaeformis* var. *acutiuscula* (Kützing) Hustedt Ref. Huang, 1979  
*Amphora coffeaeformis* (Agardh) Kützing Ref. Krasske & Schwabe, 1950  
*Amphora commutata* Grunow Ref. Huang, 1994  
*Amphora costata* W. Smith Ref. Huang, 1990  
*Amphora costata* var. *inflata* (Grunow) Peragallo & Peragallo Ref. Li, 1978  
*Amphora crassa* var. *canpechiana* Grunow Ref. Huang, 1990  
*Amphora crassa* Gregory Ref. Huang, 1994  
*Amphora crassa* var. *punctata* Grunow Ref. Huang, 1990  
*Amphora cymbelloides* Grunow Ref. Chen & Lai, 1984  
*Amphora cymbifera* Gregory Ref. Huang, 1984  
*Amphora decussata* Grunow Ref. Li, 1978  
*Amphora exigua* Gregory Ref. Li, 1978  
*Amphora fontinalis* Hust. Ref. Krasske & Schwabe, 1950  
*Amphora javanica* A. Schmidt Ref. Huang, 1984  
*Amphora libyca* Ehrenberg Ref. Huang, 1990  
*Amphora maria* Hanna & Grant Ref. Huang, 1990  
*Amphora montana* Krasske Ref. Krasske & Schwabe, 1950  
*Amphora normani* Rabh. Ref. Chang, 1966  
*Amphora oculus* A. Schmidt Ref. Huang, 1990  
*Amphora ostrearia* var. *vitrea* (Cleve) Cleve Ref. Li, 1978  
*Amphora ostrearia* Brebisson Ref. Huang, 1994  
*Amphora ovalis* f. *cilis* (Ehrenberg) Cleve Ref. Huang, 1977  
*Amphora ovalis* var. *affinis* Kützing Ref. Fang & Chen, 1991  
*Amphora ovalis* var. *libyca* (Ehrenberg) Cleve Ref. Krasske & Schwabe, 1950

*Amphora ovalis* var. *pediculus* (Kützing) Van Heurck Ref. Huang, 1982  
*Amphora ovalis* Kützing Ref. Wu & Su, 1991  
*Amphora perpusilla* Grunow Ref. Chang, 1966  
*Amphora protues* var. *oculata* Peragallo & Peragallo Ref. Li, 1978  
*Amphora protues* Gregory Ref. Huang, 1984  
*Amphora rhombica* Kittom Ref. Huang, 1994  
*Amphora rhombica* var. *sinica* Skvortzow Ref. Huang, 1994  
*Amphora sabiniana* Reim. Ref. Hsu, 1993  
*Amphora sinuata* Greville Ref. Huang, 1979  
*Amphora* sp. Ref. Lin, 1969  
*Amphora spectabilis* Gregory Ref. Huang, 1990  
*Amphora subturgida* Hust. Ref. Krasske & Schwabe, 1950  
*Amphora terroris* Ehrenberge Ref. Li, 1978  
*Amphora veneta* Kützing Ref. Krasske & Schwabe, 1950  
*Anomoeoneis costata* (Kützing) Hustedt Ref. Huang, 1994  
*Anomoeoneis exilis* (Kützing) Cleve Ref. Chang, 1966  
*Anomoeoneis serians* var. *brachysira* forma *thermalis* (Grunow) Hustedt Ref. Chang, 1966  
*Anomoeoneis sphaerophora* (Kützing) Pfitzer Ref. Krasske & Schwabe, 1950  
*Caloneis aemula* (A. Smith) Cleve Ref. Huang, 1994  
*Caloneis alpestris* f. *errupta* a Cleve-Euler Ref. Huang, 1982  
*Caloneis amphibaena* var. *fuscata* (Schum.) Cleve Ref. Huang, 1994  
*Caloneis apestris* (Grunow) Cleve Ref. Huang, 1979  
*Caloneis bacillaris* (Gregory) Cleve Ref. Huang, 1994  
*Caloneis bacillum* (Grunow) Mereschkowsky Ref. Huang, 1982  
*Caloneis bacillum* var. *truncalata* Grunow Ref. Huang, 1982  
*Caloneis brevis* var. *distoma* (Grunow) Cleve Ref. Huang, 1994  
*Caloneis brevis* var. *vexans* (Grunow) Cleve Ref. Huang, 1994  
*Caloneis consimilis* (A. Schmidt) Cleve Ref. Huang, 1994  
*Caloneis elongata* (Grunow) Boyer Ref. Li, 1978  
*Caloneis fenlzii* (Grunow) Patr. Ref. Huang, 1982  
*Caloneis formosa* (Gregory) Cleve Ref. Huang, 1994  
*Caloneis latiuscula* Kützing Ref. Huang, 1982  
*Caloneis liber* (Wm. Smith) Cleve Ref. Huang, 1984  
*Caloneis linearis* (Gregory) Boyer Ref. Huang, 1994  
*Caloneis ophiocephala* (Cleve & Grove) Cleve Ref. Huang, 1990  
*Caloneis oregonica* (Ehrenberg) Patrick Ref. Huang, 1994  
*Caloneis permagna* (Bailey) Cleve Ref. Huang, 1994  
*Caloneis placentula* Ehrenberg var. *lineata* (Ehrenberg) Cleve Ref. Fang & Chen, 1991  
*Caloneis platycephala* Cheng & Chin Ref. Huang, 1994  
*Caloneis robusta* (Grun.) Cleve Ref. Huang, 1994  
*Caloneis samonensis* (Grunow) Cleve Ref. Huang, 1984  
*Caloneis silicula* var. *truncatula* Cleve Ref. Huang, 1979  
*Caloneis silicula* Cleve Ref. Jang, 1975  
*Caloneis* sp. Ref. Hsu et al., 1993  
*Caloneis ventricosa* (Ehrenberg) Meist. var. *minuta* (Grunow) Patr. Ref. Chen & Lai, 1984  
*Caloneis ventricosa* var. *subundulata* (Grunow) Patr. Ref. Huang, 1982  
*Cistula lorenziana* (Grunow) Cleve Ref. Huang, 1994  
*Dictyoneis marginata* (Lewis) Cleve Ref. Huang, 1990  
*Diploneis bomboides* (A. Schm.) Cleve Ref. Li, 1978  
*Diploneis bombus* (Ehrenberg) Cleve Ref. Huang, 1979  
*Diploneis borealis* (Grunow) Cleve Ref. Huang, 1994  
*Diploneis chersonensis* (Grunow) Cleve Ref. Li, 1978  
*Diploneis coffaeiformis* (A. Smith) Cleve Ref. Huang, 1994  
*Diploneis crabro* f. *pecta* (A. Schmidt) Hustedt Ref. Huang, 1984  
*Diploneis crabro* (Ehrenberg) Ehrenberg Ref. Li, 1978  
*Diploneis crabro* f. *dura* (Brebisson) Cleve Ref. Huang, 1994  
*Diploneis dalmatica* (Grunow) Cleve Ref. Huang, 1990  
*Diploneis debyi* (Pantocs.) Cleve Ref. Huang, 1994  
*Diploneis decipiens* Cleve Euler var. *parallela* Cleve-Euler Ref. Huang, 1994  
*Diploneis diplosticata* (Grunow) Hustedt Ref. Huang, 1990  
*Diploneis elliptica* (Kützing) Cleve Ref. Krasske & Schwabe, 1950  
*Diploneis fusca* var. *pelagi* (A. Schmidt) Cleve Ref. Huang, 1994  
*Diploneis fusca* (Gregory) Cleve Ref. Huang, 1990  
*Diploneis gorjanovici* var. *major* Chin & Lin Ref. Huang, 1994  
*Diploneis gruendleri* (A. Schmidt) Cleve Ref. Huang, 1994  
*Diploneis hospes* A. Schmidt Ref. Huang, 1994  
*Diploneis incurvata* (Gregory) Cleve Ref. Huang, 1994  
*Diploneis interrupta* (Kützing) Cleve Ref. Krasske & Schwabe, 1950  
*Diploneis littoralis* (Donkin) Cleve Ref. Huang, 1994  
*Diploneis nitescens* Gregory Ref. Huang, 1990  
*Diploneis notabilis* (Greville) Cleve Ref. Li, 1978  
*Diploneis novaeseelandiae* (A. Schmidt) Hustedt Ref. Huang, 1994

*Diploneis ostracodarum* (Pant.) Jur Ref. Li, 1976  
*Diploneis ovalis* (Hilse) Cleve Ref. Krasske & Schwabe, 1950  
*Diploneis ovalis* var. *oblongella* (Agardh) Cleve Ref. Hsu, 1993  
*Diploneis papula* (A. Schmidt) Cleve Ref. Huang, 1994  
*Diploneis pseudovalis* Hust. Ref. Huang, 1982  
*Diploneis puella* (Schumann) Cleve Ref. Chang, 1966  
*Diploneis pulcherrima* Hustedt Ref. Krasske & Schwabe, 1950  
*Diploneis schmidtii* Cleve Ref. Huang, 1994  
*Diploneis serratula* (Grunow) Hustedt Ref. Huang, 1994  
*Diploneis smithii* var. *dilatata* (M. Peragardh) Boyer Ref. Li, 1976  
*Diploneis smithii* (Brebisson ex W. Smith) Cleve Ref. Krasske & Schwabe, 1950  
*Diploneis smithii* var. *pumila* (Grunow) Hust. Ref. Huang, 1982  
*Diploneis smithii* var. *rombica* Mereschkowsky Ref. Huang, 1990  
*Diploneis* sp. Ref. Huang, 1990  
*Diploneis splendida* var. *puella* A. Smith Ref. Chen, 1989  
*Diploneis splendida* (Gregory) Cleve Ref. Chen, 1989  
*Diploneis suborbicularis* (Gregory) Cleve Ref. Li, 1978  
*Diploneis subovalis* Cleve Ref. Krasske & Schwabe, 1950  
*Diploneis weissflogii* (A. Schm.) Cleve Ref. Huang, 1990  
*Frustulia interposita* (Lewis) De Toni Ref. Huang, 1994  
*Frustulia interposita* var. *chinensis* Skvortzow Ref. Huang, 1994  
*Frustulia interposita* var. *dispar* Liu & Chin Ref. Huang, 1994  
*Frustulia lewisiana* (Greville) De Toni Ref. Huang, 1994  
*Frustulia rhomboides* (Ehrenberg) De Toni Ref. Chang, 1970  
*Frustulia rhomboides* var. *saxonica* (Ehrenberg) De Toni Ref. Krasske & Schwabe, 1950  
*Frustulia rhomboides* (Rabh.) De Toni var. *saxonica* f. *itata* Mayer Ref. Chen & Lai, 1974  
*Frustulia* sp. Ref. Hau et al., 1976  
*Frustulia splendida* Hustedt Ref. Krasske & Schwabe, 1950  
*Frustulia vividula* Wang  
*Frustulia vulgaris* (Thwaites) Toni De  
*Gyrosigma acuminata* (Kützing) Rabenhorst Ref. Huang, 1975  
*Gyrosigma acuminata* var. *gallica* (Grunow) Cleve Ref. Huang, 1994  
*Gyrosigma attenuatum* Kützing Ref. Wong et al., 1973  
*Gyrosigma balticum* var. *sinensis* (Ehrenberg) Cleve Ref. Huang, 1994  
*Gyrosigma balticum* var. *brevius* Chin & Liu Ref. Huang, 1994  
*Gyrosigma balticum* var. *sinicum* Chin & Liu Ref. Huang, 1994  
*Gyrosigma balticum* (Ehrenberg) W. Smith Ref. Chang, 1969  
*Gyrosigma compactum* (Grunow) Cleve Ref. Huang, 1994  
*Gyrosigma distortum* (W. Smith) Griffith & Henfrey Ref. Huang, 1994  
*Gyrosigma fasciola* var. *sulcata* (Grunow) Cleve Ref. Huang, 1994  
*Gyrosigma fasciola* var. *arcuata* (Donkin) Cleve Ref. Huang, 1994  
*Gyrosigma fasciola* var. *tenuirostris* (Grunow) Cleve Ref. Huang, 1994  
*Gyrosigma grovei* (PerAgardh) Cleve Ref. Huang, 1994  
*Gyrosigma kutzingii* (Grunow) Cleve Ref. Krasske & Schwabe, 1950  
*Gyrosigma macrum* (W. Smith) Griffith & Henfrey Ref. Huang, 1994  
*Gyrosigma nodiferum* West Ref. Huang, 1994  
*Gyrosigma nodiferum* var. *latum* Chin & Liu Ref. Huang, 1994  
*Gyrosigma obliquum* (Grunow) Boyer Ref. Huang, 1994  
*Gyrosigma obscurum* (W. Sm.) Griff. & Henfr. Ref. Huang, 1982  
*Gyrosigma obtusatum* (SulLev. & Wormley) Boyer Ref. Huang, 1982  
*Gyrosigma peisonis* (Grunow) Hustedt Ref. Li, 1978  
*Gyrosigma rectum* (Donkin) Cleve Ref. Huang, 1994  
*Gyrosigma scalproides* (Rabh.) Cleve Ref. Chang, 1968a  
*Gyrosigma sciotense* (Sull. & Wormley) Cleve Ref. Huang, 1994  
*Gyrosigma* sp. Ref. Lin, 1969  
*Gyrosigma spencerii* var. *curvula* (Grun.) Reim. Ref. Huang, 1982  
*Gyrosigma spencerii* (Quek.) Griffi & Henfr. Ref. Huang, 1982  
*Gyrosigma strigilis* (W. Smith) Griffith & Henfrey Ref. Huang, 1994  
*Gyrosigma strigilis* var. *excentrapphe* Chin & Liu Ref. Huang, 1994  
*Gyrosigma tenuissimum* (W. Smith) Griffith & Henfrey Ref. Huang, 1994  
*Gyrosigma terryanum* (PerAgardh) Cleve Ref. Huang, 1994  
*Gyrosigma wansbeckii* (Donkin) Cleve Ref. Huang, 1994  
*Gyrosigma wormleyi* (SulLev.) Boyer Ref. Huang, 1982  
*Mastogloia acutiuscula* Grunow var. *elliptica* Hustedt Ref. Li, 1978  
*Mastogloia amoyensis* Voigt Ref. Huang, 1994  
*Mastogloia apiculata* W. Smith Ref. Huang, 1994  
*Mastogloia binotata* (Grunow) Cleve Ref. Li, 1978  
*Mastogloia brauni* (Grunow) Ref. Huang, 1994  
*Mastogloia brauni* var. *elongata* Voigt Ref. Huang, 1994  
*Mastogloia brauni* var. *constricta* Liu & Chin Ref. Huang, 1994  
*Mastogloia citrus* (Cleve) De Toni Ref. Huang, 1994  
*Mastogloia corsicana* Grunow Ref. Li, 1978

*Mastogloia cribrosa* Grunow Ref. Li, 1978  
*Mastogloia crucicula* (Grunow) Cleve Ref. Li, 1978  
*Mastogloia cyclops* Voigt Ref. Huang, 1979  
*Mastogloia decussata* Grunow Ref. Li, 1978  
*Mastogloia dubitabilis* Meister Ref. Huang, 1984  
*Mastogloia elliptica* var. *dansei* (Thwaites) Cleve Ref. Huang, 1982  
*Mastogloia fallax* Cleve Ref. Huang, 1994  
*Mastogloia fascistriata* Liu & Chin Ref. Huang, 1994  
*Mastogloia fimbriata* (Brightwell) Cleve Ref. Li, 1978  
*Mastogloia imitatrix* Mann Ref. Huang, 1994  
*Mastogloia inaequalis* Cleve Ref. Li, 1978  
*Mastogloia jelineckiana* Grunow Ref. Huang, 1990  
*Mastogloia latericia* A. Schmidt Ref. Huang, 1979  
*Mastogloia lemniscata* Leuduger-Fortmorel Ref. Huang, 1990  
*Mastogloia malayensis* Hustedt Ref. Krasske & Schwabe, 1950  
*Mastogloia manokwariensis* Cholnoky Ref. Huang, 1994  
*Mastogloia neorugosa* Voigt Ref. Huang, 1994  
*Mastogloia pisciculus* Cleve Ref. Huang, 1994  
*Mastogloia punila* (Cleve & Moeller) Cleve Ref. Huang, 1994  
*Mastogloia pusilla* Grunow var. *subcapitata* Hustedt Ref. Li, 1978  
*Mastogloia quinquecostata* Grunow Ref. Huang, 1994  
*Mastogloia rostrate* (Wallich) Hustedt Ref. Huang, 1994  
*Mastogloia savensis* Jurily Ref. Huang, 1994  
*Mastogloia smith* Thwaites Ref. Krasske & Schwabe, 1950  
*Mastogloia smith* var. *amphicephala* Grunow Ref. Huang, 1982  
*Mastogloia smith* var. *lacustris* Grunow Ref. Huang, 1982  
*Mastogloia* sp. Ref. Huang, 1984  
*Mastogloia splendida* (Gregory) Cleve Ref. Huang, 1979  
*Mastogloia varians* Hustedt Ref. Huang, 1979  
*Navicula abrupta* (Gregory) Donkin Ref. Huang, 1994  
*Navicula accomoda* Hustedt Ref. Huang, 1982  
*Navicula acicularis* Kützing Ref. Hong, 1988  
*Navicula alpha* Cleve Ref. Huang, 1984  
*Navicula amphibola* Cleve Ref. Fang & Chen, 1991  
*Navicula anglica* Ralfs Ref. Jang, 1975  
*Navicula anglica* var. *subsalsa* (Grunow) Cleve Ref. Chang, 1969  
*Navicula angusta* Grunow Ref. Huang, 1982  
*Navicula approximata* Greville Ref. Huang, 1990  
*Navicula arvensis* Hustedt Ref. Krasske & Schwabe, 1950  
*Navicula asymmetrica* Cleve Ref. Huang, 1994  
*Navicula atomus* (Naegeli) Grunow Ref. Chang, 1966  
*Navicula auriculata* Hustedt Ref. Huang, 1982  
*Navicula bacilliformis* Grunow Ref. Krasske & Schwabe, 1950  
*Navicula bacillum* Ehrenberg Ref. 同前  
*Navicula binodis* Ehrenberg Ref. Hsu, 1993  
*Navicula brasiliensis* Grunow Ref. Huang, 1994  
*Navicula brehkaensis* Petersen Ref. Krasske & Schwabe, 1950  
*Navicula bryophila* Petersen Ref. 同前  
*Navicula cancellata* Donkin Ref. Chen, 1989  
*Navicula capitata* var. *luneburgensis* (Grunow) Patr. Ref. Huang, 1982  
*Navicula cari* var. *angusta* Grunow Ref. Krasske & Schwabe, 1950  
*Navicula carinifera* Grunow Ref. Huang, 1994  
*Navicula chingmaiensis* Foged Ref. Huang, 1982  
*Navicula cincta* (Ehrenberg) Ralfs Ref. Krasske & Schwabe, 1950  
*Navicula citrus* Krasske Ref. 同前  
*Navicula clavata* Gregory Ref. Huang, 1990  
*Navicula clevei* (Lagst.) Cleve Ref. Krasske & Schwabe, 1950  
*Navicula confervacea* (Kützing) Grunow Ref. Huang, 1982  
*Navicula contenta* Grunow Ref. Krasske & Schwabe, 1950  
*Navicula corymbosa* (Agardh) Cleve Ref. Huang, 1994  
*Navicula crucicular* (W. Smith) Donkin Ref. Huang, 1982  
*Navicula cryptocephala* var. *veneta* (Kützing) Rabh. Ref. Huang, 1982  
*Navicula cryptocephala* var. *exilis* (Kütz) Grumow Ref. Chuang, 1986  
*Navicula cryptocephala* Kützing Ref. Krasske & Schwabe, 1950  
*Navicula cryptolyra* Brockmann Ref. Wu & Su, 1991  
*Navicula cuspidata* Kützing Ref. Krasske & Schwabe, 1950  
*Navicula cuspidata* var. *ambigua* (Ehrenberg) Cleve Ref. Chang, 1966  
*Navicula dicephala* (Ehrenberg) W. Smith Ref. Krasske & Schwabe, 1950  
*Navicula digito-radiata* (Gregory) Ralfs Ref. Huang, 1979  
*Navicula directa* var. *javanica* Cleve Ref. Huang, 1994  
*Navicula directa* (W. Smith) Ralfs Ref. Huang, 1990  
*Navicula directa* var. *remota* Grunow Ref. Li, 1978

*Navicula distans* (W. Smith) Ralfs Ref. Huang, 1994  
*Navicula elginensis* (Gregory) Ralfs var. *neglecta* (Krasske) Patrick Ref. Chen & Li, 1974  
*Navicula elliptica* var. *rectangularis* (Grunow) Grunow Ref. Huang, 1982  
*Navicula elliptica* Hust. Ref. Huang, 1982  
*Navicula eta* Cleve Ref. Huang, 1994  
*Navicula exigua* Gregory ex Grunow Ref. Krasske & Schwabe, 1950  
*Navicula exigua* var. *capitata* Patr. Ref. Li, 1976  
*Navicula falaisiensis* Grunow Ref. Huang, 1975  
*Navicula flanatica* (W. Smith) Ralfs Ref. Huang, 1984  
*Navicula fonticola* Grunow Ref. Fang & Chen, 1991  
*Navicula forcipata* var. *densestriata* A. Schmidt Ref. Huang, 1994  
*Navicula forcipata* var. *nummularioides* Grunow Ref. Huang, 1982  
*Navicula forcipata* Greville Ref. Huang, 1994  
*Navicula fortis* (Gregory) Ralfs Ref. Huang, 1994  
*Navicula fujianensis* Chin & Cheng Ref. Huang, 1994  
*Navicula gastrum* (Ehrenberg) Kützing Ref. Krasske & Schwabe, 1950  
*Navicula genuflexa* Kuetzig Ref. Huang, 1994  
*Navicula gibbosa* Hustedt Ref. Krasske & Schwabe, 1950  
*Navicula glacialis* (Cleve) Grunow Ref. Huang, 1994  
*Navicula graclis* Ehrenberg Ref. Krasske & Schwabe, 1950  
*Navicula granulata* Bailey Ref. Li, 1978  
*Navicula gregaria* Donkin Ref. Chuang, 1986  
*Navicula grimmei* Krasske Ref. Krasske & Schwabe, 1950  
*Navicula guatemalensis* Cleve & Grunow Ref. Huang, 1982  
*Navicula gysingensis* Foged Ref. Chen & Lai, 1984  
*Navicula halophila* (Grunow) Cleve Ref. Chang, 1966  
*Navicula hambergii* Hust. Ref. Huang, 1982  
*Navicula h-blbum* Cleve Ref. Huang, 1994  
*Navicula hennedyii* W. Smith Ref. Huang, 1984  
*Navicula hennedyii* var. *leptocephala* (Breb. ex Grunow) Petag. Ref. Huang, 1982  
*Navicula hennedyii* var. *nebulosa* (Gregory) Cleve Ref. Huang, 1994  
*Navicula hetro-punctata* Chin & Cheng Ref. Huang, 1994  
*Navicula heufleri* var. *leptocephala* (Brebisson ex Grunow) Patr. Ref. Chen & Lai, 1984  
*Navicula horchestetteri* Grunow Ref. Huang, 1984  
*Navicula humerosa* Brebisson Ref. Huang, 1994  
*Navicula humerosa* var. *minor* Heicen Ref. Huang, 1994  
*Navicula humerosa* var. *constricta* Cleve Ref. Huang, 1994  
*Navicula hungarica* Grunow Ref. Krasske & Schwabe, 1950  
*Navicula hyalina* Hustedt Ref. 同前  
*Navicula impressa* Grunow Ref. Huang, 1994  
*Navicula incoguita* Krasske var. *capitata* Hustedt Ref. Krasske & Schwabe, 1950  
*Navicula inflexa* (Gregory) Ralfs Ref. Li, 1976  
*Navicula inhalata* A. Schmidt Ref. Huang, 1990  
*Navicula inserata* Hustedt Ref. Huang, 1994  
*Navicula insociabilis* Krasske Ref. Krasske & Schwabe, 1950  
*Navicula integra* var. *maculata* Chin & Cheng Ref. Huang, 1994  
*Navicula integra* (W. Smith) Ralfs Ref. Huang, 1994  
*Navicula jejuna* A. Schmidt Ref. Huang, 1994  
*Navicula krasskei* Hustedt Ref. Krasske & Schwabe, 1950  
*Navicula laevissima* Kützing Ref. Huang, 1982  
*Navicula lagerheimii* var. *ovata* Skvortzow Ref. Chang, 1966  
*Navicula lagerheimii* var. *intermedia* Hustedt Ref. Chang, 1966  
*Navicula lagerheimii* Cleve Ref. Krasske & Schwabe, 1950  
*Navicula lagerstedti* Cleve Ref. 同前  
*Navicula lanceolata* (Ag.) Kützing Ref. Huang, 1982  
*Navicula laterostrata* Hustedt Ref. Huang, 1975  
*Navicula lmaculata* (Bailey) Edwards Ref. Huang, 1994  
*Navicula longa* (Gregory) Ralfs Ref. Huang, 1990  
*Navicula lorenzii* (Grunow) Hustedt Ref. Huang, 1994  
*Navicula luxuriosa* Greville Ref. Huang, 1994  
*Navicula lyra* var. *dilatata* A. Smith Ref. Huang, 1994  
*Navicula lyra* var. *insignis* A. Smith Ref. Huang, 1994  
*Navicula lyra* Ehrenberg Ref. Li, 1978  
*Navicula lyra* var. *signata* A. Smith Ref. Huang, 1994  
*Navicula lyra* var. *recta* Greville Ref. Huang, 1994  
*Navicula lyroides* Hendey Ref. Li, 1978  
*Navicula marina* Ralfs Ref. Chang, 1969  
*Navicula mediocris* Krasske Ref. Krasske & Schwabe, 1950  
*Navicula medisculus* Schumann Ref. Jang, 1975  
*Navicula membranacea* Cleve Ref. Huang, 1994  
*Navicula menisculus* var. *upsaliensis* (Grun.) Grunow Ref. Chen & Lai, 1984  
*Navicula menisculus* Schum. Ref. Krasske & Schwabe, 1950

*Navicula minima* Grunow Ref. 同前  
*Navicula mollis* (W. Smith) Cleve Ref. Huang, 1994  
*Navicula monilifera* Cleve Ref. Huang, 1979  
*Navicula monilifera* var. *minor* Patr. Ref. Chen & Lai, 1984  
*Navicula muralis* Grunow Ref. Krasske & Schwabe, 1950  
*Navicula mutica* var. *gracilis* Hustedt Ref. 同前  
*Navicula mutica* f. *nii* (Hilse) Grunow Ref. Li, 1976  
*Navicula mutica* Kützing Ref. Krasske & Schwabe, 1950  
*Navicula mutica* var. *ventricosa* (Kützing) Cleve Ref. 同前  
*Navicula mutica* var. *tropica* Hustedt Ref. Li, 1976  
*Navicula mutica* var. *stigma* Patr. Ref. Huang, 1982  
*Navicula mutica* var. *undulata* (Hilse) Grunow Ref. Krasske & Schwabe, 1950  
*Navicula netescens* (Gregory) Ralfs Ref. Huang, 1994  
*Navicula nummularia* Greville Ref. Li, 1978  
*Navicula oblonga* Kützing Ref. Huang, 1977  
*Navicula palea* (Kützing) W. Smith Ref. Fang & Chen, 1991  
*Navicula pantocsekiana* De Toni Ref. Huang, 1994  
*Navicula pava* (Ehrenberg) Ralfs Ref. Huang, 1994  
*Navicula pavillardii* Hustedt Ref. Li, 1978  
*Navicula perotettii* Grunow Ref. Huang, 1982  
*Navicula perplexoides* Hustedt Ref. Huang, 1990  
*Navicula perrhombus* Hustedt Ref. Li, 1978  
*Navicula perrotetti* Grunow Ref. Krasske & Schwabe, 1950  
*Navicula picula* Lee Ref. Lee, 1982  
*Navicula pinna* Chin & Cheng Ref. Huang, 1994  
*Navicula placenta* var. *obtusa* Krasske Ref. Krasske & Schwabe, 1950  
*Navicula placenta* (Ehrenberg) Kützing Ref. 同前  
*Navicula placentula* (Ehrenberg) Grunow Ref. 同前  
*Navicula polae* Heiden Ref. Huang, 1984  
*Navicula praetexta* Ehrenberg Ref. Huang, 1994  
*Navicula pseudobryophila* Hustedt Ref. Krasske & Schwabe, 1950  
*Navicula pseudodemerarae* Hustedt Ref. Li, 1976  
*Navicula pupula* Kützing Ref. Krasske & Schwabe, 1950  
*Navicula pupula* var. *elliptica* Hustedt Ref. Huang, 1994  
*Navicula pupula* var. *capitata* Hustedt Ref. Hu, 1980  
*Navicula pusilla* W. Smith Ref. Krasske & Schwabe, 1950  
*Navicula pygmaea* Kützing Ref. 同前  
*Navicula pygmaeformis* Kobayasi Ref. Huang, 1982  
*Navicula radiosa* Kützing Ref. Li, 1976  
*Navicula raeana* (Castr.) De Toni Ref. Huang, 1994  
*Navicula ramosissima* var. *mollis* (W. Smith) Aleem Ref. Li, 1978  
*Navicula ramosissima* Agardh Ref. Wu & Su, 1991  
*Navicula rhynchocephala* var. *germainii* (Wallace) Patr. Ref. Chen & Lai, 1984  
*Navicula rhynchocephala* Kützing Ref. Krasske & Schwabe, 1950  
*Navicula robertisiana* Greville Ref. Huang, 1990  
*Navicula rostellata* Kützing Ref. Huang, 1977  
*Navicula rotaeana* (Rabh.) Grunow Ref. Krasske & Schwabe, 1950  
*Navicula rutneri* Hustedt Ref. 同前  
*Navicula salinarum* var. *intermedia* (Grunow) Cleve Ref. Chuang, 1986  
*Navicula salinarum* Grunow Ref. Chen et al., 1994  
*Navicula satura* A. Smith Ref. Huang, 1994  
*Navicula schonfeldi* Hustedt Ref. Krasske & Schwabe, 1950  
*Navicula schroeteri* var. *escambia* Patr. Ref. Huang, 1982  
*Navicula schroeteri* Meister Ref. Krasske & Schwabe, 1950  
*Navicula scintillans* A. Smith Ref. Li, 1978  
*Navicula scopulorum* Brebisson Ref. Huang, 1994  
*Navicula scutiformis* Grunow Ref. Huang, 1994  
*Navicula silicula* (Ehrenberg) Cleve Ref. Krasske & Schwabe, 1950  
*Navicula similis* Krasske Ref. 同前  
*Navicula sohrensis* Krasske Ref. 同前  
*Navicula spectabilis* Gregory Ref. Li, 1978  
*Navicula spicula* Cleve Ref. Jang, 1975  
*Navicula spp.* Ref. Liaw, 1969  
*Navicula subatomoides* Hustedt Ref. Chuang, 1986  
*Navicula subdecussis* Hustedt Ref. Krasske & Schwabe, 1950  
*Navicula subrynchocephala* Hustedt Ref. 同前  
*Navicula suchlandti* Hustedt Ref. 同前  
*Navicula swminulum* Grunow Ref. 同前  
*Navicula symmetrica* Patr. Ref. Huang, 1982  
*Navicula takoradiensis* Hendey Ref. Huang, 1994  
*Navicula tenellaeformis* Hustedt Ref. Krasske & Schwabe, 1950  
*Navicula tenelloides* Hustedt Ref. 同前

*Navicula tenera* Hustedt Ref. 同前  
*Navicula thienemanni* Hustedt Ref. 同前  
*Navicula toulae* Pantocsek Ref. Huang, 1994  
*Navicula tripunctata* (O.F. Mull.) Bory var. *shizonemoides* (V.H.) Patr. Ref. Li, 1976  
*Navicula tuscula* var. *cuneata* Cleve-Euler Ref. Huang, 1994  
*Navicula tuscula* (Ehrenberg) Van Heurck 舟行藻 Ref. Huang, 1979  
*Navicula undulata* Skv. Ref. Huang, 1982  
*Navicula veneta* Kützing Ref. Chen & Lai, 1984  
*Navicula virdula* var. *avenacea* (Brebisson) Grunow Ref. Chen & Li, 1974  
*Navicula virdula* var. *capitata* Mayer Ref. Huang, 1982  
*Navicula virdula* var. *rostellata* (Kützing) Cleve Ref. Huang, 1982  
*Navicula virdula* Kützing Ref. Krasske & Schwabe, 1950  
*Navicula viridis* (Nitzing) Ehrenberg Ref. Chen, 1989  
*Navicula viridis* var. *slesvicensis* (Grunow) Grunow Ref. Huang, 1994  
*Navicula zosterei* Grunow Ref. Huang, 1994  
*Neidium affine* var. *amphirhynchus* (Ehrenberg) Cleve Ref. Krasske & Schwabe, 1950  
*Neidium affine* var. *ceylonicum* (Skv.) Reim. Ref. Huang, 1982  
*Neidium affine* var. *longiceps* (Gregory) Cleve Ref. Huang, 1982  
*Neidium affine* f. *ulata* Hustedt Ref. Krasske & Schwabe, 1950  
*Neidium affine* (Ehrenberg) Pfitzer Ref. 同前  
*Neidium amphirhynchus* (Ehrenberg) Cleve Ref. Huang, 1994  
*Neidium binode* (Ehrenberg) Hust. Ref. Huang, 1982  
*Neidium bisulcatum* (Lagst.) Cleve Ref. Krasske & Schwabe, 1950  
*Neidium dubium* (Ehrenberg) Pfitzer Ref. Chang, 1970  
*Neidium gracile* Hust. Ref. Krasske & Schwabe, 1950  
*Neidium hankensis* Skv. Ref. Huang, 1982  
*Neidium hercynicum* Mayer Ref. Chen & Li, 1974  
*Neidium iridis* var. *amphigomphus* (Ehrenberg) Van Hendeey Ref. Huang, 1982  
*Neidium iridis* (Ehrenberg) Cleve Ref. Krasske & Schwabe, 1950  
*Neidium kozlowi* var. *parva* Mer. Ref. Lin et al., 1994a  
*Neidium saccoense* Eeim. Ref. Huang, 1982  
*Neidium* sp. Ref. Lin, 1969  
*Oestrupia musca* (Gregory) Hustedt Ref. Li, 1978  
*Pinnularia abaujensis* (Pant.) Ross var. *subundulata* (A. Mayer ex Hustedt) Patr. Ref. Li, 1976  
*Pinnularia acrosphaeria* var. *turgidula* Grunow Ref. Krasske & Schwabe, 1950  
*Pinnularia acrosphaeria* Brebisson Ref. 同前  
*Pinnularia acuminata* W. Sm. Ref. Huang, 1982  
*Pinnularia adaujensis* var. *subundulata* (Mayer ex Hust.) Patr. Ref. Huang, 1982  
*Pinnularia appendiculata* (Ag.) Cleve Ref. Krasske & Schwabe, 1950  
*Pinnularia biceps* Gregory Ref. Huang, 1982  
*Pinnularia borealis* var. *rectangularis* Carlson Ref. Li, 1976  
*Pinnularia borealis* Ehrenberg Ref. Huang, 1982  
*Pinnularia braunii* var. *amphicephala* (A. Mayer) Hustedt Ref. Huang, 1982  
*Pinnularia braunii* var. *amphicephala* Hustedt Ref. Chen & Li, 1974  
*Pinnularia braunii* (Grunow) Cleve Ref. Krasske & Schwabe, 1950  
*Pinnularia brevicostata* Cleve Ref. 同前  
*Pinnularia brevicostata* var. *sumatorana* Hustedt Ref. Chen & Li, 1974  
*Pinnularia dactylus* Ehrenberg Ref. 同前  
*Pinnularia debesi* Krasske Ref. Krasske & Schwabe, 1950  
*Pinnularia dubitabilis* Hust. Ref. 同前  
*Pinnularia gentilis* (Donkin) Cleve Ref. Huang, 1975  
*Pinnularia gibba* Ehr. var. *mesogongyla* (Ehr.) Hust.  
*Pinnularia gibba* var. *parva* (Ehrenberg) Grunow Ref. Krasske & Schwabe, 1950  
*Pinnularia gibba* var. *gibba* Ehrenberg  
*Pinnularia gibba* Ehr. var. *linearis* Hust.  
*Pinnularia gibba* Hustedt Ref. Chang, 1970  
*Pinnularia graciloides* Hust. Ref. Krasske & Schwabe, 1950  
*Pinnularia hedinii* Hustedt Ref. Li, 1976  
*Pinnularia intermedia* (Lagerst.) Cleve Ref. Huang, 1982  
*Pinnularia interrupta* W. Smith Ref. Krasske & Schwabe, 1950  
*Pinnularia interrupta* f. *apitata* (Lagerstedt) Freitsch Ref. Chang, 1970  
*Pinnularia kneuckeri* Hustedt Ref. Chang, 1966  
*Pinnularia legumen* (Ehrenberg) Ehrenberg Ref. Huang, 1982  
*Pinnularia leptosoma* Grunow Ref. Krasske & Schwabe, 1950  
*Pinnularia major* (Kützing) Cleve Ref. 同前  
*Pinnularia mesogongyla* Kützing Ref. Huang, 1982  
*Pinnularia mesolepta* (Ehrenberg) W. Smith Ref. Krasske & Schwabe, 1950  
*Pinnularia microstauron* (Ehrenberg) Cleve Ref. 同前  
*Pinnularia microstauron* var. *microstauron* (Ehrenberg) Cleve, 1891 Ref. Hsu, 1993  
*Pinnularia moralis* Grunow Ref. Krasske & Schwabe, 1950  
*Pinnularia nobilis* Ehrenberg Ref. Hong, 1988  
*Pinnularia obscura* Krasske Ref. Krasske & Schwabe, 1950

*Pinnularia parva* Gregory Ref. Huang, 1977  
*Pinnularia schweinfurthii* (A.S.) Patr. Ref. Huang, 1982  
*Pinnularia* sp. Ref. Lin, 1969  
*Pinnularia stomatophora* Grunow Ref. Krasske & Schwabe, 1950  
*Pinnularia subcapitata* var. *paucistrata* (Grunow) Cleve Ref. 同前  
*Pinnularia subcapitata* Gregory Ref. Huang, 1982  
*Pinnularia subsolaris* (Grunow) Ref. Krasske & Schwabe, 1950  
*Pinnularia substomatophora* Hustedt Ref. Huang, 1982  
*Pinnularia sundaensis* Hustedt Ref. Krasske & Schwabe, 1950  
*Pinnularia tabellaria* Ehrenberg Ref. Huang, 1975  
*Pinnularia towutensis* Hustedt Ref. Krasske & Schwabe, 1950  
*Pinnularia trevelyana* (Donkin) Rebenhorst Ref. Huang, 1994  
*Pinnularia triumvirorum* Hustedt Ref. Krasske & Schwabe, 1950  
*Pinnularia undulata* Gregory Ref. Li, 1976  
*Pinnularia viridis* (Nitz.) Ehrenberg Ref. Krasske & Schwabe, 1950  
*Pinnularia viridis* var. *sudetica* Hustedt Ref. Jang, 1975  
*Pleurosigma acutum* Norman & Ralfs var. *latum* Chin & Liu Ref. Huang, 1994  
*Pleurosigma aestuarii* (Brebisson) W. Smith Ref. Huang, 1994  
*Pleurosigma affinis* Grunow Ref. Chen, 1989  
*Pleurosigma angulatum* var. *quadratum* (W. Smith) Van Heurck Ref. Huang, 1994  
*Pleurosigma angulatum* var. *falcatum* Liu & Chin Ref. Huang, 1994  
*Pleurosigma angulatum* var. *steigosa* Chen Ref. Chen, 1989  
*Pleurosigma angulatum* var. *aestuarii* (Brebisson) Van Heurck Ref. Chang, 1969  
*Pleurosigma angulatum* (Quek.) W. Smith Ref. Huang, 1982  
*Pleurosigma decorum* W. Smith Ref. Huang, 1994  
*Pleurosigma delicatulum* W. Smith Ref. Li, 1978  
*Pleurosigma directum* Grunow Ref. Wang & Chen, 1998  
*Pleurosigma diverse-striatum* Heister Ref. Li, 1978  
*Pleurosigma elongatum* W. Smith Ref. Huang, 1982  
*Pleurosigma elongatum* var. *sinica* Skvortzow Ref. Huang, 1994  
*Pleurosigma falx* Mann Ref. Huang, 1994  
*Pleurosigma finmarchicum* Grunow Ref. Huang, 1994  
*Pleurosigma formosum* W. Smith Ref. Huang, 1994  
*Pleurosigma intermedium* W. Smith Ref. Huang, 1994  
*Pleurosigma intermedium* var. *dongshanense* Chin & Liu Ref. Huang, 1994  
*Pleurosigma lognum* var. *inflata* (PerAgardh) Cleve Ref. Huang, 1994  
*Pleurosigma major* Liu & Chin Ref. Huang, 1994  
*Pleurosigma marinum* Donkin Ref. Huang, 1990  
*Pleurosigma naviculaceum* Brebisson Ref. Huang, 1984  
*Pleurosigma normanii* f. *uta* Cleve Ref. Huang, 1994  
*Pleurosigma normanii* Ralfs Ref. Chang, 1969  
*Pleurosigma pelagicum* (PerAgardh) Cleve Ref. Huang, 1994  
*Pleurosigma rhombeum* (Grunow) Peragallo Ref. Huang, 1994  
*Pleurosigma rigidum* var. *incurvata* Brunthaler Ref. Jang, 1975  
*Pleurosigma rigidum* W. Smith Ref. Huang, 1994  
*Pleurosigma rostratum* Hustedt Ref. Huang, 1994  
*Pleurosigma salinarum* Grunow Ref. Chang, 1969  
*Pleurosigma* sp. Ref. Lin, 1969  
*Pleurosigma speciosum* W. Smith Ref. Huang, 1994  
*Pleurosigma strigosum* W. Smith Ref. Li, 1978  
*Pleurosigma tahitianum* Huang Ref. Huang, 1994  
*Raphidivergens bacilliformis* Chin & Cheng Ref. Huang, 1994  
*Scoliopleura tumida* (Brebisson) Rabenhorst Ref. Huang, 1994  
*Stauroneis acuta* W. Smith Ref. Krasske & Schwabe, 1950  
*Stauroneis alabamae* var. *angulata* Heiden Ref. Jang, 1975  
*Stauroneis anceps* Ehrenberg Ref. Jang, 1975  
*Stauroneis anceps* var. *javanica* Hustedt Ref. Krasske & Schwabe, 1950  
*Stauroneis constricta* Ehrenberg Ref. Huang, 1994  
*Stauroneis distinguenda* var. *ventricosa* Krasske Ref. Krasske & Schwabe, 1950  
*Stauroneis distinguenda* Hustedt Ref. 同前  
*Stauroneis phoenicenteron* var. *brunii* (M. PerAgardh & Herib.) Viogt Ref. Chen & Li, 1974  
*Stauroneis phoenicenteron* f. *cilis* (Ehrenberg) Hust. Ref. Huang, 1982  
*Stauroneis phoenicenteron* (Nitzsch) Ehrenberg Ref. Krasske & Schwabe, 1950  
*Stauroneis producta* Grunow Ref. Huang, 1977  
*Stauroneis smithii* Grunow Ref. Krasske & Schwabe, 1950  
*Stauroneis* sp. Ref. Chen & Li, 1974  
*Stauroneis tencia* Hustedt Ref. Krasske & Schwabe, 1950  
*Stigmophora rostrata* Huang Ref. Huang, 1994  
*Trachyneis antillarum* (Cleve & Grunow) Cleve Ref. Huang, 1990  
*Trachyneis aspera* var. *residua* (A. Schmidt) Cleve Ref. Huang, 1994  
*Trachyneis aspera* var. *unilatera* Chin & Cheng Ref. Huang, 1994  
*Trachyneis aspera* var. *producta* Chin & Cheng Ref. Huang, 1994

*Trachyneis aspera* var. *contermina* (A. Schmidt) Cleve Ref. Huang, 1994  
*Trachyneis aspera* var. *angusta* Cleve Ref. Huang, 1994  
*Trachyneis aspera* var. *perobliqua* Cleve Ref. Huang, 1994  
*Trachyneis aspera* var. *oblonga* (Bailey) Cleve Ref. Huang, 1994  
*Trachyneis aspera* var. *pulchella* (A. Schmidt) Cleve Ref. Huang, 1994  
*Trachyneis aspera* var. *vulgaris* Cleve Ref. Huang, 1994  
*Trachyneis aspera* (Ehrenberg) Cleve Ref. Li, 1978  
*Trachyneis brunii* (Cleve & Brun) Cleve Ref. Huang, 1994  
*Trachyneis cleosydra* (Donkin) Cleve Ref. Huang, 1990  
*Trachyneis debyi* (Leuduger-Fortm.) Cleve Ref. Huang, 1994  
*Trachyneis formosa* Meister Ref. Huang, 1994  
*Trachyneis johnsiniana* (Greville) Cleve Ref. Huang, 1994  
*Trachyneis minor* Chin & Cheng Ref. Huang, 1994  
*Trachyneis olivaeformis* Chin & Cheng Ref. Huang, 1994  
*Trachyneis velata* (A. Schmidt) Cleve Ref. Li, 1978  
*Trachyneis velata* var. *oblonga* Chin & Cheng Ref. Huang, 1994  
*Trachyneis velatoides* Ricard Ref. Huang, 1994  
*Tropidoneis constricta* Li, Cheng & Chin Ref. Huang, 1994  
*Tropidoneis lepidoptera* (Gregory) Cleve Ref. Huang, 1994  
*Tropidoneis lepidoptera* var. *javanica* Hust. Ref. Krasske & Schwabe, 1950  
*Tropidoneis longa* (Cleve) Cleve Ref. Huang, 1994  
*Tropidoneis maxima* (Gregory) Cleve Ref. Huang, 1994  
*Tropidoneis pusilla* (Gregory) Cleve Ref. Li, 1978

### Family Plagiotropidaceae

*Plagiotropis lepidoptera* var. *proboscidea* (Cleve) Reim. Ref. Huang, 1982

## Order Phaeodactylales 褐指藻目

### Family Phaeodactylaceae 褐指藻科

*Phaeodactylum tricorutum* Bohlin Ref. Huang, 1994

## Order Surirellales 雙菱藻目

### [Not assigned to a family]

*Cyanarcus* sp. Ref. Shen, 1961  
*Dispora* sp. Ref. Chuang, 1985  
*Glenkenia* sp. Ref. Shen, 1961  
*Kephron ruvri-claustri* Ref. 森若及齊家。1990  
*Odontell regia* Ostenfeld Ref. Wu & Su, 1991  
*Pelagothrix clevei* Schmidt Ref. Tseng, 1969  
*Pelogloea* sp. Ref. Shen, 1961  
*Platymonas elliptica* G. M. Smith Ref. Hsu et al., 1990  
*Platymonas subcordiformis* Wille Ref. Chang, 1969  
*Pleurodiscus purpureus* (Wolle) Lagerh. Ref. Chang, 1968a  
*Pseudoanabaena schmidlei* Jaag. O. Ref. Wu & Su, 1991  
*Pseudoanabaena* sp. Ref. Shen, 1961  
*Schrodella delicalula* Ref. Chen, 1980  
*Sohaerellopsis* sp. Ref. Wu & Su, 1991  
*Tetraplektron laevis* (Bourrelly) Ettl Ref. Yamagishi, 1992  
*Thalassiothria tsybtukus* Ref. Chen, 1980  
*Tricodesmium hildobrantii* Ref. Chen, 1980  
*Tricodesmium thiebauti* Ref. Chen, 1980

### Family Epithemiaceae 窗紋藻科

*Epithemia andnata* (Kützing) Breb. Ref. Huang, 1982  
*Epithemia andnata* var. *proboscidea* (Kützing) Patr. Ref. Huang, 1982  
*Epithemia anrgus* var. *alpestris* Grunow Ref. Huang, 1982  
*Epithemia cistula* (Ehrenberg) Ralfs Ref. Krasske & Schwabe, 1950  
*Epithemia sorex* Kützing Ref. 同前  
*Epithemia* sp. Ref. Chuang, 1985  
*Epithemia zebra* (Ehrenberg) Kützing Ref. Krasske & Schwabe, 1950  
*Rhopalodia contorta* Hust. Ref. 同前  
*Rhopalodia gibba* var. *ventricosa* (Kützing) H. & M. Perage. Ref. Huang, 1975  
*Rhopalodia gibba* (Kützing) O. Müller Ref. Krasske & Schwabe, 1950  
*Rhopalodia gibberula* (Ehrenberg) O. Müller Ref. 同前  
*Rhopalodia gibberula* var. *vanheurckii* O. F. Müller Ref. Huang, 1982  
*Rhopalodia musculus* (Kützing) O. Müller Ref. Huang, 1979  
*Rhopalodia musculus* var. *constricta* (Breb) Peragallo & Peragallo Ref. Huang, 1994

### Family Nitzschiaceae 菱形藻科

*Gomphonitzschia chinensis* Skvortzow Ref. Huang, 1994  
*Nitzschiella longissima* (Brebisson) Rabenhorst Ref. Huang, 1994  
*Nitzshia seriata* Cleve 菱形藻屬 Ref. Chang, 1968a  
*Pseudonitzschia delicatissima* (Cleve) Heiden Ref. Huang, 1994

*Pseudonitzschia sicula* var. *migrans* (Cleve) Hasle Ref. Huang, 1994  
*Pseudonitzschia sicula* (Castr.) var. *bicuneata* (Grunow) Hasle Ref. Huang, 1994

### Family Surirellaceae 雙菱藻科

*Campylodiscus adriaticus* Grunow Ref. Li, 1978  
*Campylodiscus alfsii* Smith Ref. Tseng, 1969  
*Campylodiscus australis* Grunow Ref. Huang, 1990  
*Campylodiscus biangulatus* Greville Ref. Huang, 1990  
*Campylodiscus birostratus* Deby Ref. Huang, 1994  
*Campylodiscus brightwellii* Grunow Ref. Li, 1978  
*Campylodiscus daemelianus* Grunow Ref. Huang, 1994  
*Campylodiscus decorus* Brebisson Ref. Huang, 1990  
*Campylodiscus ecclesianus* Greville Ref. Huang, 1994  
*Campylodiscus hodgsonii* W. Smith Ref. Huang, 1994  
*Campylodiscus incertus* A. Smith Ref. Huang, 1994  
*Campylodiscus latus* Shadbolt Ref. Huang, 1994  
*Campylodiscus ralfsii* W. Smith Ref. Huang, 1979  
*Campylodiscus simulans* Gregory Ref. Huang, 1979  
*Campylodiscus wallichianus* var. *normanicus* (Grevory) De Toni Ref. Huang, 1994  
*Campylodiscus wallichianus* Greville Ref. Li, 1978  
*Corithorn* sp. Ref. Chen, 1980  
*Cylindropyxis profunda* Chen Ref. Chen et al., 1994  
*Cymatopleura cochlea* Brun. Ref. Huang, 1982  
*Cymatopleura elliptica* var. *constricta* Grun. Ref. Huang, 1982  
*Cymatopleura solea* (Brebisson) W. Smith Ref. Negora, 1953  
*Cymatopleura* sp. Ref. Lin, 1969  
*Fragilariacylin drus* Grunow Ref. Tseng, 1969  
*Licomophora deby* (Leuduger-Fortmorel) Mann Ref. Huang, 1979  
*Lymbella ventricosa* Wong Ref. Wong & Chang, 1970  
*Plagiodiscus nervatus* Grunow Ref. Li, 1978  
*Schuetzia annulata* var. *minor* De Toni Ref. Huang, 1984  
*Schuetzia annulata* (Walli.) De Toni Ref. Huang, 1984  
*Stenopterobia intermedia* (Lewis) Van Heurck Ref. Huang, 1994  
*Sticodiscus nitidus* Grove & Sturt Ref. Huang, 1979  
*Streptothecha* sp. Ref. Anonymous 1996, p. 2-217.  
*Streptothecha thamensis* Shrubsole Ref. Wu & Su, 1991  
*Surirella angustata* Kützing Ref. Krasske & Schwabe, 1950  
*Surirella arabica* Grunow Ref. Huang, 1994  
*Surirella armonicana* Peragallo & Peragallo Ref. Li, 1978  
*Surirella bengalensis* Grunow Ref. Huang, 1982  
*Surirella biseriata* Brebisson Ref. Wong et al., 1973  
*Surirella biwaensis* Hong Ref. Hong, 1988  
*Surirella capronii* Brebisson Ref. Krasske & Schwabe, 1950  
*Surirella echeneis* Ehrenberg Ref. 同前  
*Surirella elegans* Ehrenberg Ref. 同前  
*Surirella excellens* Hust. Ref. 同前  
*Surirella eximia* Greville Ref. Huang, 1990  
*Surirella fastuosa* var. *spinifera* A. Schmidt Ref. Huang, 1990  
*Surirella fastuosa* var. *cuneata* (A. Schmidt) Peragallo Ref. Huang, 1990  
*Surirella fastuosa* (Ehrenberg) Kützing Ref. Li, 1978  
*Surirella fluminensii* Grunow Ref. Huang, 1984  
*Surirella fluminensis* Grunow Ref. Huang, 1984  
*Surirella gemma* Ehrenberg Ref. Li, 1978  
*Surirella kurzii* Grunow Ref. Huang, 1994  
*Surirella linearis* Wm. Smith Ref. Krasske & Schwabe, 1950  
*Surirella margritacea* Kützing Ref. Chen & Lai, 1984  
*Surirella orientalis* Mann Ref. Huang, 1979  
*Surirella ovata* Kützing  
*Surirella ovulum* Hust. Ref. Huang, 1982  
*Surirella pseudosplendida* Hust. Ref. Krasske & Schwabe, 1950  
*Surirella robusta* var. *armata* Hust. Ref. 同前  
*Surirella robusta* var. *splendida* Van Heuck Ref. Chang, 1966  
*Surirella robusta* Ehrenberg Ref. Hong & Hsu, 1977  
*Surirella saxonica* Anerswald Ref. Huang, 1982  
*Surirella* spp. Ref. Lin, 1969  
*Surirella striatula* Turpin var. *gautieri* Herib. & Brun. Ref. Li, 1976  
*Surirella tenera* Gregory Ref. Krasske & Schwabe, 1950  
*Surirella tenera* var. *nervosa* A. Schmidt Ref. Huang, 1977  
*Surirella vermicularis* Grunow Ref. Jang, 1975  
*Surirella voigtii* Skvortzow Ref. Huang, 1994  
*Surirella wotzoli* Schmidt Ref. Chen & Lai, 1984  
*Trigonium graeffeanum* (Witt.) Hendey Ref. Huang, 1979

*Tryblioptychus cocconeiformis* (Cleve) Hendey Ref. Li, 1978

## Order Thalassionematales

### Family Thalassionemataceae

- Thalassionema laevis* (Kützing) Ralfs Ref. Huang, 1990  
*Thalassionema nitzschioides* Hustedt Ref. Tseng, 1969  
*Thalassiothrix delicatula* Cupp Ref. Huang, 1994  
*Thalassiothrix frauenfelduii* Grunow Ref. Tseng, 1969  
*Thalassiothrix longissima* (Cleve) Grunow Ref. Huang, 1990  
*Thalassiothrix mediterranea* var. *pacifica* Cupp Ref. Huang, 1994  
*Thalassiothrix mediterranea* Pavillard Ref. Huang, 1994  
*Thalassiothrix nitzschiodies* Tseng Ref. Tseng et al., 1971  
*Thalassiothrix vanhoeffenii* Heiden Ref. Huang, 1994

## Phylum Cryptophyta 隱藻門

### Class Cryptophyceae 隱藻綱

#### Order Cryptomonadales 隱鞭藻目

##### Family Cryptomonadaceae 隱鞭藻科

- Chilomonas paramaecium* Ehrenberg Ref. Dai, 1962  
*Chroomonas salina* Butcher Ref. Wu & Su, 1991  
*Chroomonas* sp. Wu & Su 1991, p. 62, fig. 113.  
*Cryptomonas erasa* Ehrenberg Ref. Chen et al., 1989  
*Cryptomonas ovata* Ehrenberg Ref. Dai, 1962

## Phylum Haptophyta 定鞭藻門

### Class Prymnesiophyceae 定鞭藻綱

[Not assigned to a order]

[Not assigned to a family]

- Coronosphaera mediterranea* (Lohmann) Gaarder in Gaarder & Heimdal 地中海花冠球藻 Ref. Cros & Fortuno, 2002  
*Florisphaera profunda* var. *elongata* Okada & McIntyre, 1980 深水花球藻 Ref. Okada & Honjo, 1973  
*Florisphaera profunda* var. *profunda* Okada & Honjo, 1973 深水花球藻深水變種 Ref. 同前  
*Gladiolithus flabellatus* (Halldal & Markali) Jordan & Chamberlain, 1993 扇形劍石藻 Ref. Jordan & Chamberlain, 1993  
*Placorhombus ziveriae* Young & Geisen in Young et al., 2003 濟氏菱盤藻 Ref. Young et al., 2003

##### Family Umbellosphaeraceae

- Umbellosphaera irregularis* Paasche in Markali & Paasche, 1955. 不規則傘球藻 Ref. Kleijne, 1993  
*Umbellosphaera tenuis* (Kamptner) Paasche in Markali & Paasche, 1955 纖細傘球藻 Ref. Kleijne, 1993

#### Order Coccoisphaerales

##### Family Calcidiscaceae

- Hayaster perplexus* (Bramlette & Riedel) Bukry, 1973. 紊亂哈氏星藻 Ref. Young et al., 2003  
*Oolithotus antillarum* (Cohen) Reinhardt in Cohen & Reinhardt, 1968. 反仔卵石藻 Ref. Kleijne, 1993  
*Oolithotus fragilis* (Lohmann) Martini & Müller, 1972 脆弱卵石藻 Ref. Kleijne, 1993  
*Umbilicosphaera anulus* (Lecal) Young & Geisen in Young et al., 2003 環形臍球藻 Ref. Young et al., 2003  
*Umbilicosphaera foliosa* (Kamptner ex Kleijne) Geisen in Saez et al., 2003 疊葉臍球藻 Ref. Kleijne, 1993  
*Umbilicosphaera hulbertiana* Gaarder, 1970. 賀氏臍球藻 Ref. Kleijne, 1993  
*Umbilicosphaera sibogae* (Weber-van Bosse) Gaarder, 1970. 希布格臍球藻 Ref. Kleijne, 1993

##### Family Calciosoleniaceae

- Alveosphaera bimurata* (Okada & McIntyre) Jordan & Young, 1990. 雙壁槽球藻 Ref. Okada & McIntyre, 1977  
*Calciosolenia brasiliensis* (Lohmann) Young in Young et al., 2003 巴西舟管藻 Ref. Cros & Fortuno, 2002  
*Calciosolenia murrayi* Gran, 1912. 穆氏舟管藻 Ref. 同前

##### Family Calyptrosphaeraceae

- Calicasphaera diconstricta* Kleijne, 1991. 雙束杯球藻 Ref. Kleijne, 1991  
*Calyptrolithina divergens* (Halldal & Markali) Heimdal, 1982 歧散覆石藻 Ref. Kleijne, 1991  
*Calyptrolithophora gracillima* (Kamptner) Heimdal in Heimdal & Gaarder, 1980 纖細具覆石藻 Ref. Cros & Fortuno, 2002  
*Calyptrolithophora hasleana* (Gaarder) Heimdal in Heimdal & Gaarder, 1980. 黑氏具覆石藻 Ref. Kleijne, 1991  
*Helladosphaera cornifera* (Schiller) Kamptner, 1937. 有角賀拉德球藻 Ref. Kleijne, 1991  
*Holococcolithophora heimdaliae* (Norris) Jordan, Cros & Young 2004. 翰氏同石藻 Ref. Cros & Fortuno, 2002  
*Homozygosphaera spinosa* (Kamptner) Deflandre, 1952. 刺突同合球藻 Ref. Kleijne, 1991  
*Poricalyptra magnaghii* (Borsetti & Cati) Kleijne, 1991. 瑪氏孔蓋藻 Ref. Kleijne, 1991  
*Poritectolithus maximus* Kleijne, 1991. 極大孔蓋石藻 Ref. Kleijne, 1991  
*Sphaerocalyptra quadridentata* (Schiller) Deflandre, 1952. 四齒球蓋藻 Ref. Kleijne, 1991  
*Zygosphaera amoena* Kamptner, 1937. 可愛合球藻 Ref. Kleijne, 1991

##### Family Ceratolithaceae 角狀石科

- Ceratolithus cristatus* Kamptner, 1950. 翎狀角石藻 Ref. Young et al., 2003

## Family Rhabdosphaeraceae 棒球蕈科

- Acanthoica acanthifera* Lohmann, 1912 ex Lohmann, 1913. 棘狀針刺藻 Ref. Kleijne, 1992  
*Acanthoica quattropina* Lohmann, 1903. 四棘針刺藻 Ref. Kleijne, 1992  
*Algirosphaera robusta* (Lohmann) Norris, 1984. 粗壯環翼球藻 Ref. Kleijne, 1992  
*Anacanthoica cidaris* (Schlauder) Kleijne, 1992. 波斯王冠無刺藻 Ref. Kleijne, 1992  
*Cyrtosphaera aculeata* (Kamptner) Kleijne, 1992. 尖角曲球藻 Ref. Kleijne, 1992  
*Discosphaera tubifera* (Murray & Blackman) Ostenfeld, 1898 喇叭盤球藻 Ref. Kleijne, 1992  
*Palusphaera vandellii* Lecal emend. Norris, 1984. 梵氏青甲球藻 Ref. Kleijne, 1992  
*Rhabdosphaera clavigera* Murray & Blackman, 1898. 桿形棒狀球藻 Ref. Kleijne, 1992  
*Rhabdosphaera xiphos* (Deflandre & Fert) Norris, 1984. 劍形棒狀球藻 Ref. Kleijne, 1992

## Family Syracosphaeraceae

- Calcioappus rigidus* Heimdal in Heimdal & Gaarder, 1981. 堅硬毛舟藻 Ref. Kleijne, 1993  
*Michaelsarsia adriaticus* (Schiller) emend. Manton et al., 1984 亞得理亞海麥氏藻 Ref. Kleijne, 1993  
*Michaelsarsia elegans* Gran emend. Manton et al., 1984 優雅麥氏藻 Ref. Cros & Fortuno, 2002  
*Ophiaster formosa* Gran sensu Gran emend. Manton & Oates, 1983 美麗蛇星藻 Ref. 同前  
*Ophiaster hydroideus* (Lohmann) Lohmann emend. Manton & Oates, 1983 水螅蛇星藻 Ref. 同前  
*Syracosphaera anthos* (Lohmann) Janin, 1987. 花形條結藻 Ref. 同前  
*Syracosphaera bannockii* (Borsetti et Cati) Cros et al., 2000 薄片條結藻 Ref. 同前  
*Syracosphaera delicata* Cros & al, 2000. 纖細條結藻 Ref. Cros et al., 2000  
*Syracosphaera epigrosa* Okada & McIntyre, 1977 突釘條結藻 Ref. Okada & McIntyre, 1977  
*Syracosphaera exigua* Okada & McIntyre, 1977 短小條結藻 Ref. 同前  
*Syracosphaera halldalii* Gaarder in Gaarder & Hasle ex Jordan & Green, 1994 哈氏條結藻 Ref. Young et al., 2003  
*Syracosphaera lamina* Lecal-Schlauder, 1951. 層狀條結藻 Ref. Okada & McIntyre, 1977  
*Syracosphaera molischii* Schiller, 1925. 莫氏條結藻 Ref. 同前  
*Syracosphaera nana* (Kamptner) Okada & McIntyre, 1977 矮小條結藻 Ref. Cros & Fortuno, 2002  
*Syracosphaera nodosa* Kamptner, 1941. 瘤狀條結藻 Ref. 同前  
*Syracosphaera ossa* (Lecal) Loeblich & Tappan, 1968. 歐莎條結藻 Ref. Okada & McIntyre, 1977  
*Syracosphaera pirus* Halldal & Narkali, 1955 梨狀條結藻 Ref. 同前  
*Syracosphaera prolongata* Gran ex Lohmann, 1913. 延長條結藻 Ref. Young et al., 2003  
*Syracosphaera pulchra* Lohmann, 1902. 美麗條結藻 Ref. 同前  
*Syracosphaera rotula* Okada & McIntyre, 1977 輪狀條結藻 Ref. Cros & Fortuno, 2002  
*Syracosphaera tumularis* Sanchez-Suarez, 1990. 墓塚條結藻 Ref. 同前

## Order Isochrsidales

### Family Noelaerhabdaceae

- Emiliania huxleyi* Hay & Mohler in Hay et al., 1967 赫氏艾密里藻 Ref. Cros & Fortuno, 2002  
*Gephyrocapsa ericsonii* McIntyre & Be, 1967. 艾氏橋石藻 Ref. 同前  
*Gephyrocapsa oceanica* Kamptner, 1943. 大洋橋石藻 Ref. Okada & McIntyre, 1977  
*Reticulofenestra sessilis* (Lohmann) Jordan & Young, 1990 無柄網格藻 Ref. 同前

## Order Syracosphaerales

### Family Alisphaeraceae

- Alisphaera gaudii* Kleijne et al., 2002 高氏翼球藻 Ref. Kleijne et al., 2001  
*Alisphaera pinnigera* Kleijne et al., 2002 別針翼球藻 Ref. 同前  
*Alisphaera spatula* Steinmetz, 1991. 莖狀翼球藻 Ref. 同前  
*Alisphaera unicornis* Okada & McIntyre, 1977 獨角翼球藻 Ref. 同前

## Order Zygodiscales

### Family Helicosphaeraceae

- Helicosphaera hyalina* Gaarder, 1970. 玻璃質螺旋球藻 Ref. Young et al., 2003  
*Helicosphaera pavementum* Okada & McIntyre, 1977 鋪底螺旋球藻 Ref. Okada & McIntyre, 1977  
*Helicosphaera wallichii* (Lohmann) Okada & McIntyre, 1977 瓦氏螺旋球藻 Ref. 同前

## Phylum Labyrinthulomycota 網黏菌門

### Class Labyrinthulomycetes 網粘菌綱

#### Order Thraustochytriales

##### Family Thraustochytriaceae

- Schizochytrium aggregatum* Goldstein & Belsky Ref. Volz et al., 1976  
*Schizochytrium mangrovei* Raghu-kumar Ref. 蔡喬筑。1999  
*Schizochytrium octosporum* Raghu-kumar Ref. 蔡喬筑。1999  
*Thraustochytrium aggregatum* Ulken Ref. Volz et al., 1976  
*Thraustochytrium antarcticum* Bahnweg & Sparrow Ref. 蔡喬筑。1999  
*Thraustochytrium aureum* Goldstein Ref. Volz et al., 1976  
*Thraustochytrium globosum* Kobayashi & Ookubn Ref. 同前  
*Thraustochytrium kerguelensis* Bahnweg & Sparrow Ref. Chen & Chien, 2002  
*Thraustochytrium motivum* Goldstein Ref. 羅婉岷。1991  
*Thraustochytrium multirudimentale* Goldstein Ref. Chen & Chien, 2002  
*Thraustochytrium pachydermum* Scholz Ref. 羅婉岷。1991

*Thraustochytrium proliferous* Sparrow Ref. Volz et al., 1976  
*Thraustochytrium roseum* Goldstein Ref. 同前  
*Thraustochytrium rossi* Bahnweg & Sparrow Ref. Chen & Chien, 2002  
*Thraustochytrium striatum* Schneider Ref. Volz et al., 1976  
*Thraustochytrium visergense* Ulken Ref. 同前  
*Ulkenia radiata* Gaertner Ref. 蔡喬筑。1999  
*Ulkenia visurgensis* (Ulken) Gaertner Ref. 蔡喬筑。1999

## Phylum Ochrophyta 褐藻門

### Class Chrysophyceae 金藻綱

#### Order Chrysamoebidales 金變形藻目

##### Family Coccolithophoridae

*Chrysopyxis* sp. 金鐘藻  
*Dicera phaseolus* Fott. 腎形雙角藻  
*Hymenomonas coronata* Mills Ref. Wu & Su, 1991

##### Family Stylococcaceae

*Lagynion ampullaceum* (Stokes) Pascher  
*Lagynion macrotrachelum* (Stokes) Pascher Ref. Yamagishi, 1992  
*Lagynion scherffelii* Pascher

#### Order Chrysocapsales 金囊藻目

##### Family Hydruraceae 水樹藻科

*Hydrurus foelidus* Dai Ref. Dai, 1962

#### Order Ochromonadales 棕鞭藻目

##### Family Dinobryaceae 錐囊藻科

*Anthophysa steinii* Senn Ref. Dai, 1962  
*Dinobryon cylindricum* Imhof Ref. Dai, 1962  
*Dinobryon divergens* Imhof Ref. Dai, 1962  
*Dinobryon divergens* var. *divergens* O.E. Imhof Ref. Yamagishi, 1992  
*Dinobryon elegantissimum* Bourrelly Ref. 同前  
*Dinobryon sertularia* var. *sertularia* Ehrenberg, 1838 Ref. 同前  
*Dinobryon sertularia* Ehrenberg 密集錐囊藻 Ref. Dai, 1962  
*Dinobryon* sp. Chang 1968a, p. 312, pl. 1, fig. 18.  
*Ochromonas mutabilis* Klebs Ref. Hu et al., 1980  
*Ochromonas pinguis* Conrad Ref. Huang, 1990  
*Ochromonas vallesiaca* Ched. Ref. Hu et al., 1980  
*Stokesiella lepteca* (Stokes) Lemmermann Ref. Yamagishi, 1992  
*Uroglena volvox* Ehrenberg Ref. Dai, 1962

##### Family Synuridae 黃群藻科

*Synura ulna* (Nitzsch) Ehrenberg Ref. Miu et al., 1969  
*Synura uvella* Ehrenberg Ref. Lu, 1958  
*Synura vaucheriae* Kützing Ref. Lin et al., 1994a

#### Order Pedinomonadales 平藻目

##### Family Pedinomonas 平藻科

*Pedinomonas* sp. Ref. Wu & Su, 1991

#### Order Prymnesiida 定鞭藻目

##### [Not assigned to a family]

*Pyramimonas* sp. Ref. Wu & Su, 1991

##### Family Prymnesidae 定鞭藻科

*Prymnesium* sp. 二毛金藻屬 Ref. Wu & Su, 1991

#### Order Rhizochysidales 根金藻目

##### Family Rhizochysidaceae 根金藻科

*Rhizochrysis* sp. Ref. Shen, 1961

### Class Coscinodiscophyceae 圓篩藻綱

#### Order Anaulales

##### Family Anaulaceae

*Terpsinoe musica* Ehrenberg Ref. Krasske & Schwabe, 1950

#### Order Asterolamprales 星紋藻目

##### Family Asterolampraceae 星紋藻科

*Asterolampra marylandica* Ehrenberg Ref. Huang, 1994  
*Asterolampra vanheurckii* Brun Ref. Huang, 1994

## Order Biddulphiales 盒形藻目

### Family Biddulphiaceae 盒形藻科

- Attheya zachariasi* Brun Ref. Hu et al., 1980  
*Bellerochea malleus* (Brightw.) Van Heurck Ref. Wu & Su, 1991  
*Biddulphia aurita* (Lyngb.) Brebisson & Godey Ref. Li, 1978  
*Biddulphia dubia* (Brightw.) Cleve Ref. Huang, 1994  
*Biddulphia granulata* Roper Ref. Huang, 1994  
*Biddulphia gruendleri* A. Smith Ref. Huang, 1994  
*Biddulphia heteroceros* Grunow Ref. Huang, 1990  
*Biddulphia laevis* Ehrenberg Ref. Huang, 1994  
*Biddulphia longicuris* Greville Ref. Huang, 1994  
*Biddulphia mobiliensis* Bailey Ref. Chang, 1969  
*Biddulphia obtusa* (Kuetz.) Ralfs Ref. Huang, 1994  
*Biddulphia pangeroni* (Leuduger-Fortmorel) Hustedt Ref. Krasske & Schwabe, 1950  
*Biddulphia plana* A. Schmidt Ref. Huang, 1990  
*Biddulphia pulchella* Gray Ref. Heydrich, 1894  
*Biddulphia reticulata* Roper Ref. Huang, 1994  
*Biddulphia retiformis* Mann Ref. Huang, 1984  
*Biddulphia rhombus* var. *trigona* (Cleve) Hustedt Ref. Huang, 1994  
*Biddulphia rhombus* (Ehrenberg) W. Smith Ref. Huang, 1994  
*Biddulphia rigia* (Schultze) Ostefeld Ref. Huang, 1994  
*Biddulphia ruthenica* Witt. Ref. Huang, 1984  
*Biddulphia seticulosa* Grunow Ref. Huang, 1994  
*Biddulphia seticulosas* Grunow Ref. Huang, 1990  
*Biddulphia sinensis* Greville Ref. Chang, 1968a  
*Biddulphia* sp. Ref. Anonymous 1996, p. 2-217.  
*Biddulphia toumey* Ref. Chen, 1980  
*Biddulphia tridens* Ehrenberg Ref. Huang, 1994  
*Biddulphia varicon* Tseng Ref. Tseng, 1969  
*Biddulphia zachariasi* J. Brun. Ref. Huang, 1990  
*Cerataulus turgidus* (Ehrenberg) Ehrenberg Ref. Huang, 1994  
*Climacodium biconcavum* Cleve Ref. Huang, 1994  
*Climacodium frauenfeldiaonum* Grunow Ref. Tseng, 1969  
*Climacodium* sp. Ref. Chen, 1980  
*Ditylum brightwellii* (West) Grunow Ref. Tseng, 1969  
*Ditylum sol* Grunow Ref. Tseng, 1969  
*Ditylum* sp. Ref. Anonymous 1996, p. 2-217.  
*Eucampia cornuta* (Cleve) Grunow Ref. Tseng, 1969  
*Eucampia* sp. Ref. Chen, 1980  
*Eucampia zodiac* Ref. Chen, 1980  
*Eucampia zodiacus* Ehrenberg Ref. Wu & Su, 1991  
*Hemiaulus chinensis* Greville Ref. Huang, 1994  
*Hemiaulus hauckii* Grunow Ref. Tseng, 1969  
*Hemiaulus indicus* Karsten Ref. Huang, 1994  
*Hemiaulus membranaceus* Cleve Ref. Tseng, 1969  
*Hemiaulus sinensis* Grunow Ref. Huang, 1994  
*Hemiaulus* sp. Ref. Anonymous 1996, p. 2-217.  
*Hydrosera triquetra* Wallich Ref. Krasske & Schwabe, 1950  
*Hydrosera whampoensis* Schwarz Ref. Huang, 1994  
*Leudugeria janischii* (Grunow) Van Heurck Ref. Huang, 1994  
*Lithodesmium undulatus* Ehrenberg Ref. Huang, 1994  
*Lithodesmium variable* Takano Ref. Huang, 1994  
*Streptothece indica* Karsten Ref. Huang, 1994  
*Streptothece thamesis* Shrubsole Ref. Huang, 1994  
*Triceratium affine* Grunow Ref. Huang, 1994  
*Triceratium balearicum* f. *uadrata* (Janisch) Hustedt Ref. Huang, 1994  
*Triceratium broeckii* Leuduger-Fortmorel Ref. Huang, 1994  
*Triceratium dubium* Brightwell Ref. Li, 1978  
*Triceratium favus* Ehrenberg Ref. Li, 1978  
*Triceratium formosum* Brightwell Ref. Heydrich, 1894  
*Triceratium japonicum* A. Smith Ref. Huang, 1994  
*Triceratium junctum* A. Smith Ref. Huang, 1994  
*Triceratium pentacrinus* f. *drata* Hustedt Ref. Huang, 1994  
*Triceratium pentacrinus* (Ehrenberg) Wallich Ref. Huang, 1994  
*Triceratium perpendiculare* Lin & Chin Ref. Huang, 1994  
*Triceratium quadrangulare* Greville Ref. Li, 1978  
*Triceratium reticulum* Ehrenberg Ref. Li, 1978  
*Triceratium scitulum* Brightwell Ref. Huang, 1994  
*Triceratium shadboltianum* Greville Ref. Li, 1978  
*Triceratium* sp. Ref. Chen, 1980  
*Triceratium tripolare* Temp. & Bright Ref. Huang, 1979

*Trinacria regina* Heiberg var. *tetragona* Grunow Ref. Li, 1978

## Order Centrales 中心目

### Family Actinodiscaceae 輻盤藻科

- Actinoptychus annulatus* (Wallich) Grunow Ref. Huang, 1994  
*Actinoptychus annulatus* var. *minor* Grunow Ref. Huang, 1994  
*Actinoptychus australis* (Grunow) Andrews Ref. Huang, 1994  
*Actinoptychus punctulatus* Pantocsek Ref. Li, 1978  
*Actinoptychus senarius* Ehrenberg Ref. Huang, 1979  
*Actinoptychus* sp. Ref. Huang, 1990  
*Actinoptychus* sp. 2 Ref. Heydrich, 1894  
*Actinoptychus* sp.1 Ref. 同前  
*Actinoptychus splendens* (Shadb.) Ralfs 華美輻桐藻 Ref. Huang, 1994  
*Actinoptychus stella* var. *thunii* A. Smith Ref. Huang, 1994  
*Actinoptychus triacriformis* Cheng & Chin Ref. Huang, 1994  
*Actinoptychus trilingulatus* (Brightw.) Ralfs Ref. Huang, 1994  
*Actinoptychus undulatus* (Bailey) Ralfs 波狀輻欄藻 Ref. Huang, 1994  
*Actinoptychus vulgaris* Schum. Ref. Huang, 1994  
*Archnoidiscus ornatus* Ehrenberg Ref. Li, 1978  
*Archnoidiscus ehrenbergii* var. *monteriyana* A. Smith Ref. Huang, 1994  
*Archnoidiscus ehrenbergii* Bailey Ref. Huang, 1994  
*Archnoidiscus ornatus* Ehrenberg Ref. Huang, 1994  
*Asteromphalus cleveanus* Grunow Ref. Huang, 1990  
*Asteromphalus elegans* Greville Ref. Huang, 1994  
*Asteromphalus flabellatus* (Brebisson) Greville Ref. Huang, 1994  
*Asteromphalus heptactis* (Brebisson) Ralfs Ref. Huang, 1994  
*Asteromphalus robustus* Castrac Ref. Huang, 1994  
*Asteromphalus roperianus* (Brebisson) Ralfs Ref. Huang, 1994  
*Mastogonia crux* Ehrenberg Ref. Huang, 1994  
*Mastogonia* sp. Ref. Chen et al., 1994  
*Stictodiscus californicus* var. *nitida* Grove & Sturt Ref. Huang, 1994  
*Stictodiscus nitida* Grove & Sturt Ref. Huang, 1994

### Family Chaetoceraceae 角毛藻科

- Chaetoceros abnormis* Proschkina-Levrenko Ref. Huang, 1994  
*Chaetoceros aequatoriale* Cleve Ref. Huang, 1994  
*Chaetoceros affinis* Lauder Ref. Tseng, 1969  
*Chaetoceros affinis* var. *circinalis* (Meunier) Hustedt Ref. Huang, 1994  
*Chaetoceros anastomosans* Grunow Ref. Huang, 1994  
*Chaetoceros atlanticus* var. *neapolitana* (Schroder) Hustedt Ref. Tseng, 1969  
*Chaetoceros atlanticus* var. *skeleton* (Schuett) Hustedt Ref. Huang, 1994  
*Chaetoceros atlanticus* Cleve Ref. Huang, 1994  
*Chaetoceros aurivillii* Cleve Ref. Huang, 1994  
*Chaetoceros borealis* Bailey Ref. Huang, 1994  
*Chaetoceros brevis* Schuett Ref. Huang, 1994  
*Chaetoceros castracanei* Karsten Ref. Huang, 1994  
*Chaetoceros cinctus* Gran Ref. Huang, 1994  
*Chaetoceros coarctatus* Lauder Ref. Tseng, 1969  
*Chaetoceros compressus* Lauder Ref. Huang, 1994  
*Chaetoceros constrictus* Gran Ref. Huang, 1994  
*Chaetoceros convolutus* Castracane Ref. Huang, 1994  
*Chaetoceros costatus* Pavillard Ref. Huang, 1994  
*Chaetoceros crinitus* Schutt Ref. Huang, 1994  
*Chaetoceros curvisetus* Cleve Ref. Chang, 1968a  
*Chaetoceros danicus* Cleve Ref. Huang, 1994  
*Chaetoceros debilis* Cleve Ref. Huang, 1994  
*Chaetoceros decipiens* Cleve Ref. Huang, 1994  
*Chaetoceros decipiens* f. *gularis* Gran Ref. Chen, 1989  
*Chaetoceros denticulatus* Lauder Ref. Huang, 1994  
*Chaetoceros didymus* f. *tubernas* (Lauder) Gran & Yendo Ref. Huang, 1994  
*Chaetoceros didymus* Ehrenberg Ref. Chang, 1969  
*Chaetoceros didymus* var. *anglica* (Grunow) Gran Ref. Huang, 1994  
*Chaetoceros distans* Cleve Ref. Huang, 1994  
*Chaetoceros diversus* Cleve Ref. Tseng, 1969  
*Chaetoceros eibonii* Grunow Ref. Huang, 1994  
*Chaetoceros elegans* (Roth) C.A. Agardh Ref. Huang, 1990  
*Chaetoceros fragile* Meunier Ref. Wu & Su, 1991  
*Chaetoceros gracele* Schutt Ref. Chang, 1969  
*Chaetoceros indicum* Karsten Ref. Huang, 1994  
*Chaetoceros lacinosus* Schuett Ref. Huang, 1994  
*Chaetoceros laevis* Leuduger-Fortmorel Ref. Huang, 1994  
*Chaetoceros lauderi* Ralfs Ref. Tseng, 1969

*Chaetoceros lorenzianus* Grunow Ref. Chang, 1968a  
*Chaetoceros messanensis* Castracane Ref. Huang, 1994  
*Chaetoceros muelleri* Chen Ref. Chen, 1989  
*Chaetoceros nipponica* Ikari Ref. Huang, 1994  
*Chaetoceros paradox* Cleve Ref. Huang, 1994  
*Chaetoceros pelagicus* Cleve Ref. Huang, 1994  
*Chaetoceros pendulum* Karsten Ref. Huang, 1994  
*Chaetoceros perurianus* Brightwell Ref. Tseng, 1969  
*Chaetoceros pseudocurvisetus* Margin Ref. Huang, 1994  
*Chaetoceros pseudodichaeta* Ikari Ref. Huang, 1994  
*Chaetoceros radian* Schuett Ref. Huang, 1994  
*Chaetoceros radicans* Schuett Ref. Huang, 1994  
*Chaetoceros rostratus* Lauder Ref. Huang, 1994  
*Chaetoceros setoensis* Ikari Ref. Huang, 1994  
*Chaetoceros socialis* Lauder Ref. Huang, 1994  
*Chaetoceros* sp. Ref. Anonymous 1996, 2-217.  
*Chaetoceros subsecundus* (Grunow) Hustedt Ref. Huang, 1994  
*Chaetoceros subtilis* Cleve Ref. Huang, 1994  
*Chaetoceros tere* Cleve Ref. Huang, 1994  
*Chaetoceros tortissimus* Gran Ref. Huang, 1994  
*Chaetoceros vanheurcki* Gran Ref. Huang, 1994  
*Chaetoceros vistule* Apstein Ref. Chang, 1969  
*Chaetoceros weissflogii* Schuett Ref. Huang, 1994  
*Chaetoceros xishaensis* Kuo Ref. Huang, 1994

### Family Coscinodiscaceae 圓篩藻科

*Bacteriastrum delicatulum* Cleve Ref. Tseng, 1969  
*Bacteriastrum elongatum* var. *diversum* Ikari Ref. Huang, 1994  
*Bacteriastrum hyalinum* Lauder Ref. Chang, 1968a  
*Bacteriastrum minus* Karsten Ref. Huang, 1994  
*Bacteriastrum seticulosa* Grunow Ref. Huang, 1994  
*Bacteriastrum* sp. Ref. Chen, 1980  
*Bacteriastrum varians* Levder Ref. Tseng, 1969  
*Cerataulina bergonii* Peragallo Ref. Wu & Su, 1991  
*Cerataulina* sp. Ref. Anonymous 1996, 2-218.  
*Climacosira mirifera* Grun. Ref. Heydrich, 1894  
*Corethron pelagicum* Brun Ref. Tseng, 1969  
*Coscinodiscus alandus* A. Smith Ref. Huang, 1994  
*Coscinodiscus anguste-lineatus* A. Schmidt Ref. Tseng, 1969  
*Coscinodiscus argus* Ehrenberg Ref. Huang, 1984  
*Coscinodiscus asteromphalus* Ehrenberg Ref. Tseng, 1969  
*Coscinodiscus bathyomphalus* var. *hispidus* Cheng & Chin Ref. Huang, 1994  
*Coscinodiscus bipartitus* Rattray Ref. Huang, 1994  
*Coscinodiscus centralis* Ehrenberg Ref. Huang, 1984  
*Coscinodiscus concinnus* W. Smith Ref. Huang, 1994  
*Coscinodiscus curvatulus* var. *minor* (Ehrenberg) Grunow Ref. Huang, 1994  
*Coscinodiscus curvatulus* Grunow Ref. Huang, 1984  
*Coscinodiscus decrescens* var. *valida* Grunow Ref. Huang, 1994  
*Coscinodiscus decrescens* Grunow Ref. Huang, 1994  
*Coscinodiscus deformatus* Mann Ref. Huang, 1994  
*Coscinodiscus denarius* A. Smith Ref. Huang, 1994  
*Coscinodiscus diversus* Grunow Ref. Huang, 1994  
*Coscinodiscus eccentricus* Ehrenberg Ref. Wu & Su, 1991  
*Coscinodiscus excentricus* Ehrenberg Ref. Huang, 1994  
*Coscinodiscus excentricus* var. *fasciculata* Hustedt Ref. Huang, 1994  
*Coscinodiscus fimbriatus* Ehrenberg Ref. Huang, 1994  
*Coscinodiscus gigas* Ehrenberg Ref. Huang, 1994  
*Coscinodiscus gigas* var. *praetesta* Ehrenberg, 1841 Ref. Huang, 1994  
*Coscinodiscus granii* Gough Ref. Huang, 1994  
*Coscinodiscus hexagonus* Cheng & Chin Ref. Huang, 1994  
*Coscinodiscus janischii* A. Smith Ref. Huang, 1994  
*Coscinodiscus jonesianus* (Greville) Ostenfeld Ref. Huang, 1994  
*Coscinodiscus jonesianus* var. *commutatus* (Grunow) Hustedt Ref. Huang, 1990  
*Coscinodiscus kutzingii* A. Schmidt Ref. Huang, 1990  
*Coscinodiscus lacustris* (Grunow) Ref. Chang, 1968a  
*Coscinodiscus lineatus* Ehrenberg Ref. Chen, 1989  
*Coscinodiscus marginato-lineatus* A. Smith Ref. Huang, 1994  
*Coscinodiscus marginatus* Ehrenberg Ref. Li, 1978  
*Coscinodiscus minor* Ehrenberg Ref. Huang, 1994  
*Coscinodiscus nitidus* Gregory Ref. Li, 1978  
*Coscinodiscus nobilis* Grunow Ref. Huang, 1994  
*Coscinodiscus nodulifer* A. Schmidt Ref. Huang, 1979

*Coscinodiscus obscurus* A. Schmidt Ref. Huang, 1994  
*Coscinodiscus oculatus* (Fauv.) Petit Ref. Huang, 1990  
*Coscinodiscus oculus-iridis* Ehrenberg Ref. Huang, 1994  
*Coscinodiscus paradoxus* Cheng & Chin Ref. Huang, 1994  
*Coscinodiscus perforatus* Ehrenberg Ref. Huang, 1990  
*Coscinodiscus punctulatus* Gregory Ref. Huang, 1994  
*Coscinodiscus radiatus* Ehrenberg Ref. Li, 1978  
*Coscinodiscus reniformis* Castracane Ref. Huang, 1994  
*Coscinodiscus rothii* var. *grandiuscula* Rattray Ref. Huang, 1994  
*Coscinodiscus rothii* var. *normani* (Gregory) Grunow Ref. Huang, 1990  
*Coscinodiscus rothii* (Ehrenberg) Grunow Ref. Huang, 1994  
*Coscinodiscus* sp. Ref. Chen, 1980  
*Coscinodiscus spinosus* Chin Ref. Huang, 1994  
*Coscinodiscus stellaris* var. *symbolophora* (Grunow) Jorgensin Ref. Huang, 1994  
*Coscinodiscus stellaris* Roper Ref. Huang, 1994  
*Coscinodiscus subaulacodiscoidalis* Rattray Ref. Huang, 1994  
*Coscinodiscus sub-buliens* Jorgensen Ref. Chen, 1989  
*Coscinodiscus subconcauus* Grunow Ref. Chen, 1989  
*Coscinodiscus subtilis* Ehrenberg Ref. Huang, 1984  
*Coscinodiscus temperei* Brun Ref. Huang, 1994  
*Coscinodiscus thorii* Pavillard Ref. Huang, 1994  
*Coscinodiscus wailesii* Gran & Angst Ref. Huang, 1994  
*Coscinodiscus wittianus* Pantocsek Ref. Huang, 1994  
*Cymatodiscus minima* Voigt Ref. Huang, 1994  
*Cymatodiscus planetophorus* (Meister) Hendey Ref. Huang, 1994  
*Cymatodiscus weissflogii* (Grunow) Hendey Ref. Huang, 1994  
*Dactyliosolen* sp. Ref. Tseng et al., 1971  
*Detonula conferrancea* (Cleve) Gran Ref. Tseng, 1969  
*Detonula schroderi* Wang & Chen Ref. Wang & Chen, 1998  
*Ethmodiscus gazellae* (Janisch) Hustedt Ref. Huang, 1994  
*Gossleriella tropica* Schutt Ref. Tseng, 1969  
*Guinardia flaccida* (Castracane) H. Peragallo Ref. Tseng, 1969  
*Hyalodiscus* sp. Ref. Heydrich, 1894  
*Hyalodiscus stelliger* Bailey Ref. Huang, 1994  
*Hyalodiscus subtilis* Bailey Ref. Huang, 1979  
*Lauderia borealis* Gran Ref. Wang & Chen, 1998  
*Lauderia glacialis* (Grunow) Gran Ref. Tseng, 1969  
*Leptocylindrus danicus* Cleve Ref. Chang, 1969  
*Leptocylindrus minimus* Gran Ref. Huang, 1994  
*Leptocylindrus* sp. Ref. Chen et al., 1994  
*Microsolenia simplex* Takano Ref. Huang, 1994  
*Minidiscus chilensis* Rivera Ref. Huang, 1994  
*Minidiscus comicus* Takano Ref. Huang, 1994  
*Minidiscus ocellatus* Guo, Cheng & Chin Ref. Huang, 1994  
*Minidiscus spinulosus* Guo, Cheng & Chin Ref. Huang, 1994  
*Minidiscus subtilis* Guo, Cheng & Chin Ref. Huang, 1994  
*Minidiscus triocutatus* (F.J. R. Taytor) Hasle Ref. Huang, 1994  
*Planktoniella sol* (Walligh) Schutt Ref. Tseng, 1969  
*Planktoniella* sp. Ref. Chen, 1980  
*Podosira hormoides* (Mont.) Kützing Ref. Huang, 1984  
*Podosira stelliger* (Bail.) Mann. Ref. Li, 1978  
*Pyxidicula weyprechtii* Grunow Ref. Huang, 1994  
*Rocella marina* Cheng & Gao Ref. Huang, 1994  
*Stephanodiscus astraea* var. *minutula* (Kützing) Grunow Ref. Lin, 1969  
*Stephanodiscus astraea* (Ehrenberg) Grunow Ref. Krasske & Schwabe, 1950  
*Stephanodiscus hantzschii* Grunow Ref. 同前  
*Stephanodiscus* sp. Ref. Lin, 1969  
*Stephanopyxis nipponica* Gran & Yendo Ref. Huang, 1994  
*Stephanopyxis palmeriana* (Greville) Grunow Ref. Tseng, 1969  
*Stephanopyxis plameriana* Ref. Chen, 1980  
*Stephanopyxis turris* var. *polaris* Grunow Ref. Huang, 1990  
*Xanthiopyxis microspinosa* var. *polaris* Grunow Ref. Huang, 1994

#### Family Hemidiscaceae

*Actinocyclus appendiculatus* (Grunow) Rattray Ref. Huang, 1994  
*Actinocyclus australis* Grunow Ref. Huang, 1994  
*Actinocyclus bipartitus* Mann Ref. Huang, 1979  
*Actinocyclus curvatulus* Janisch Ref. Huang, 1979  
*Actinocyclus ehrenbergii* var. *crassa* (W. Smith) Hustedt Ref. Huang, 1984  
*Actinocyclus ehrenbergii* var. *tenella* (Brebisson) Hustedt Ref. Huang, 1994  
*Actinocyclus ehrenbergii* var. *ralfsii* (W. Smith) Hustedt Ref. Huang, 1994  
*Actinocyclus ehrenbergii* Ralfs Ref. Li, 1978

*Actinocyclus ellipticus* Grunow Ref. Huang, 1994  
*Actinocyclus ellipticus* f. *ceolata* Volbe Ref. Huang, 1994  
*Actinocyclus roperi* (Brebisson) Grunow Ref. Huang, 1994  
*Aulacodiscus argus* (Ehrenberg) A. Schmidt Ref. Huang, 1990  
*Aulacodiscus margaritaceus* Ralfs Ref. Huang, 1984  
*Aulacodiscus reticulata* Pantocsek Ref. Huang, 1990  
*Auliscus incertus* A. Smith Ref. Huang, 1994  
*Auliscus punctatua* Baliey Ref. Huang, 1994  
*Auliscus sculptus* (W. Smith) Ralfs Ref. Li, 1978  
*Hemidiscus cuneiformis* Wallgh Ref. Tseng, 1969  
*Hemidiscus cuneiformis* var. *orbicularis* (Cast.) Hustedt Ref. Huang, 1990  
*Hemidiscus cuneiformis* var. *ventricosa* (Cast.) Hustedt Ref. Huang, 1990  
*Hemidiscus hardmannianus* (Greville) Mann Ref. Huang, 1994  
*Hemidiscus ovalis* Lohman Ref. Huang, 1994  
*Roperia tessellata* (Roper) Grunow Ref. Li, 1978

## Order Cymatosirales

### Family Rutilariaceae 舟輔藻科

*Eunotogramma debile* Grunow Ref. Huang, 1994  
*Eunotogramma frauenfeldii* Grunow Ref. Huang, 1994  
*Eunotogramma laevis* (Leve) Grunow Ref. Huang, 1994  
*Eunotogramma rostratum* Hustedt Ref. Huang, 1994

## Order Fragilariales 脆杆藻目

### Family Fragilariaceae 脆杆藻科

*Meridion circulare* (Grevory) Agardh Ref. Chen, 1982  
*Meridion* sp. Ref. Lin, 1969  
*Podocystis spathulata* (Shadbolt) Van Heurck Ref. Huang, 1979  
*Tabellaria binalis* Hong Ref. Hong & Hsu, 1977  
*Tabellaria fenestrata* (Lyngby.) Kützing Ref. Wong & Chang, 1970  
*Tabellaria flocculosa* (Roth.) Kützing Ref. Lin et al., 1994a  
*Tabellaria* sp. Ref. Lin, 1969

## Order Meloseirales 直縫藻目

### Family Melosiraceae 直縫藻科

*Melosira ambigua* (Grunow) Müller Ref. Chen & Lai, 1985  
*Melosira architecturalis* Ehrenberg Ref. Huang, 1994  
*Melosira crenulata* (Ehrenberg) Kützing Ref. Huang, 1982  
*Melosira distans* (Ehrenberg) Kützing Ref. 森若及齊家。1990  
*Melosira granulata* (Ehrenberg) Ralfs Ref. Krasske & Schwabe, 1950  
*Melosira granulata* var. *angustissima* O. Müller, 1899 Ref. Negora, 1953  
*Melosira hustedti* Krasske Ref. Huang, 1982  
*Melosira islandica* O. F. Müller Ref. Huang, 1990  
*Melosira italica* (Ehrenberg) Kützing Ref. Chang, 1968a  
*Melosira italica* var. *tenuissima* (Grunow) O. Mull. Ref. Huang, 1982  
*Melosira juergensi* Ahardh Ref. Huang, 1994  
*Melosira moniliformis* (Müller) Agardh Ref. Wu & Su, 1991  
*Melosira nummuloides* (Dillw.) Agardh Ref. Li, 1978  
*Melosira roeseana* Rabenhorst Ref. Krasske & Schwabe, 1950  
*Melosira roeseana* var. *epidendron* Grunow Ref. Chen & Lai, 1974  
*Melosira rutneri* Hustedt Ref. Krasske & Schwabe, 1950  
*Melosira setosa greville* Ref. 同前  
*Melosira* spp. Ref. Liaw, 1969  
*Melosira sulcata* (Ehrenberg) Kützing Ref. Huang, 1994  
*Melosira undulata* (Ehrenberg) Kützing Ref. Krasske & Schwabe, 1950  
*Melosira varians* C.A. Agardh 直縫藻屬 Ref. 同前

## Order Paraliales 雙菱藻目

### Family Paraliaceae 雙菱藻科

*Paralia sulcata* var. *coronata* (Ehrenberg) Andrews Ref. Huang, 1984  
*Paralia sulcata* (Ehrenberg) Cleve Ref. Huang, 1984

## Order Rhizosoleniales 根管藻目

### Family Rhizosoleniaceae 根管藻科

*Rhizosolenia acuminata* (PerAgardh) Peragallo & Peragallo Ref. Huang, 1994  
*Rhizosolenia alta* Bright-Well Ref. Tseng, 1969  
*Rhizosolenia alta* f. *cellima* (Cleve) Grunow Ref. Huang, 1994  
*Rhizosolenia alta* f. *ica* (PerAgardh) Hustedt Ref. Huang, 1994  
*Rhizosolenia bergonii* Peragallo Ref. Huang, 1994  
*Rhizosolenia calcar-avis* M. Scholtze Ref. Tseng, 1969  
*Rhizosolenia castracanei* Peragallo Ref. Huang, 1994  
*Rhizosolenia cleivei* Ostefeld Ref. Huang, 1994

*Rhizosolenia crassispina* Schroeder Ref. Huang, 1994  
*Rhizosolenia cylindrus* Cleve Ref. Huang, 1994  
*Rhizosolenia delicatula* Cleve Ref. Huang, 1994  
*Rhizosolenia fragilissima* Bergon Ref. Wu & Su, 1991  
*Rhizosolenia hebetata* f. *ispina* (Hansen) Gran Ref. Huang, 1994  
*Rhizosolenia hyalina* Ostenfeld & A. Smith Ref. Huang, 1994  
*Rhizosolenia imbricata* Brightwell Ref. Huang, 1994  
*Rhizosolenia longiseta* Zach. Ref. Hu et al., 1980  
*Rhizosolenia robusta* Norman ex Ralfs Ref. Tseng, 1969  
*Rhizosolenia setigera* Brightwell Ref. Huang, 1990  
*Rhizosolenia sinensis* Qian Ref. Huang, 1994  
*Rhizosolenia* sp. Ref. Chen, 1980  
*Rhizosolenia stoltzerfohii* H. Peragallo Ref. Tseng, 1969  
*Rhizosolenia styliformis* var. *longispina* Hustedt Ref. Huang, 1994  
*Rhizosolenia styliformis* Brightwell Ref. Huang, 1994  
*Rhizosolenia styliformis* var. *latissima* Brightwell Ref. Huang, 1994

## Order Thalassiosirales 海鏈藻目

### Family Skeletonemaceae 骨條藻科

*Skeletonema costatum* (Greville) Cleve Ref. Tseng, 1969  
*Skeletonema munzelii* (Guillard, Carpeuter & Reimann) Ref. Huang, 1994  
*Skeletonema ocellatum* Lyngbye Ref. Huang, 1990  
*Skeletonema potamos* (Weber) Hasle Ref. Huang, 1994  
*Skeletonema* sp. Ref. Wu, 1996  
*Skeletonema tropicum* Cleve Ref. Huang, 1994

### Family Thalassiosiraceae 海鏈藻科

*Cyclotella comensis* Grunow Ref. Lin et al., 1994a  
*Cyclotella comta* var. *oligactis* (Ehrenberg) Grunow Ref. Chang, 1968a  
*Cyclotella comta* Kützing Ref. Huang, 1975  
*Cyclotella glomerata* Bachmann Ref. Huang, 1977  
*Cyclotella kutzingiana* Thwaites Ref. Jang, 1975  
*Cyclotella meneghiniana* Kützing Ref. Chang, 1969  
*Cyclotella operculata* (C.A. Ag.) Kützing Ref. Lin et al., 1994a  
*Cyclotella profunda* Hendy Ref. Wu & Su, 1991  
*Cyclotella* sp. Ref. 森若及齊家。1990  
*Cyclotella stelligera* Cleve & Grunow Ref. Hu et al., 1980  
*Cyclotella striata* (Kützing) Grunow Ref. Huang, 1979  
*Cyclotella striata* var. *ambigua* Cheng, Gao & Chin Ref. Huang, 1994  
*Cyclotella striata* var. *intermedia* Grunow Ref. Huang, 1994  
*Cyclotella striata* var. *baltica* Grunow Ref. Huang, 1994  
*Cyclotella stylorum* Brightwell Ref. Huang, 1984  
*Thalassiosira baltica* (Grunow) Ostenfeld Ref. Huang, 1994  
*Thalassiosira binata* var. *miner* Gao & Cheng Ref. Huang, 1994  
*Thalassiosira binata* var. *bibinata* Gao & Cheng Ref. Huang, 1994  
*Thalassiosira bramaputrae* (Ehrenberg) Håk. & Locker Ref. 森若及齊家。1990  
*Thalassiosira decipiens* (Grunow) E. Joergensen Ref. Huang, 1994  
*Thalassiosira eccentrica* (Ehrenberg) Cleve Ref. Li, 1978  
*Thalassiosira gravida* Cleve Ref. Huang, 1994  
*Thalassiosira hydra* Gombos Ref. Huang, 1994  
*Thalassiosira laevisima* Gao & Cheng Ref. Huang, 1994  
*Thalassiosira nordenskioldii* Cleve Ref. Huang, 1994  
*Thalassiosira punctigera* Hasle Ref. Huang, 1994  
*Thalassiosira simonsenii* Hasle & Fryxell Ref. Huang, 1990  
*Thalassiosira* sp. Ref. Huang, 1984  
*Thalassiosira symmetrica* Hasle & Hasle Ref. Huang, 1994  
*Thalassiosira weissflogii* (Grunow) Fryxell & Hasle Ref. Huang, 1994

## Class Phaeophyceae 褐藻綱

### Order Dictyosiphonales 網管藻目

#### Family Punctariaceae 點葉藻科

*Endarachne binghamiae* J. Agardh Ref. Shen & Fan, 1950  
*Ilea fascia* (Müller) Fries. Ref. Yamada, 1925b  
*Phyllitis fascia* (Fl. Dan.) Kützing Ref. Heydrich, 1894

### Order Dictyotales 網地藻目

#### Family Dictyotaceae 網地藻科

*Dictyopteris delicatula* Lamouroux, 1809 纖細網翼藻 Ref. Yamada, 1950  
*Dictyopteris repens* (Okamura) Boergesen, 1924 匍匐網翼藻 Ref. Tseng, 1983  
*Dictyopteris undulata* Holmes, 1896 波狀網翼藻 Ref. Chiang, 1960  
*Dictyota bartayresiana* J. V. Lamouroux, 1809 Ref. Lamouroux, 1809  
*Dictyota bartayresii* Lamouroux, 1809 螢光網地藻 Ref. Shen & Fan, 1950

*Dictyota ceylanica* var. *anastomosans* Yamada 錫蘭網翼藻 Ref. Yoshikawa & Yoshikawa, 1977  
*Dictyota dichotoma* (Hudson) Lamouroux, 1809 雙叉網地藻 Ref. Tokida, 1954  
*Dictyota dilatata* Poiret, 1925 Ref. Shen & Fan, 1950  
*Dictyota divaricata* Lamouroux, 1809 叉開網地藻 Ref. Chiang, 1960  
*Dictyota friabilis* Setchell, 1926 脆弱網地藻 Ref. Huang, 1999  
*Dictyota hamifera* Setchell, 1926 Ref. Yamada, 1950  
*Dictyota linearis* (C. Agardh) Greville, 1830 線型網地藻 Ref. Ariga, 1920  
*Dictyota patens* J. Agardh, 1880 平網地藻 Ref. Taniguti, 1976  
*Dictyota spinulosa* Harvey, 1837 刺網地藻 Ref. Ariga, 1920  
*Dilophus okamurae* Dawson, 1950 厚緣藻 Ref. Chiang, 1960  
*Dilophus radicans* Okamura, 1916 放射厚緣藻 Ref. Shen & Fan, 1950  
*Homoeostrichus multifidus* (J. Agardh) J. Agardh 多列同扇藻 Ref. Yamada, 1925b  
*Lobophora variegata* (Lamouroux) Womersley ex OLeveira, 1977 匍扇藻 Ref. Tseng, 1983  
*Neurocarpus repens* Okamura Ref. Shen & Fan, 1950  
*Neurocarpus undulata* Holm. Ref. 同前  
*Neurocarpus undulata* f. *na* Okamura Ref. Chang, 1960  
*Pachydictyon coriaceum* (Holmes) Okamura, 1899 厚網藻 Ref. Chiang, 1976  
*Padina arborescens* Holmes, 1896 樹狀團扇藻 Ref. Huang, 1999  
*Padina australis* Hauck, 1887 南方團扇藻 Ref. Chiang, 1962  
*Padina commersonii* Bory Ref. Shen & Fan, 1950  
*Padina crassa* Yamada, 1931 大團扇藻 Ref. Chiang, 1960  
*Padina durvillaei* Bory Ref. Heydrich, 1894  
*Padina erassa* Yamada Ref. Chang, 1960  
*Padina minor* Yamada, 1925 小團扇藻 Ref. Chiang, 1976  
*Padina pavonia* (L.) Gaill. Ref. Heydrich, 1894  
*Padina sanctae-crucis* Boergesen 日本團扇藻 Ref. Ariga, 1919  
*Padina* sp. Ref. Chiang, 1973  
*Padina tenuis* Bory de Saint-Vincent 纖細團扇藻  
*Spatoglossum pacificum* Yendo, 1920 褐舌藻 Ref. Chiang, 1973  
*Zonaria diesingiana* J. Agardh, 1841 圈扇藻 Ref. Chiang, 1960  
*Zonaria flabellata* (Okamura) Papenfuss 扇狀圈扇藻 Ref. Taniguti, 1976  
*Zonaria stipitata* Tanaka & Nozawa, 1962 有柄圈扇藻 Ref. Chiang & Chou, 1980

## Order Ectocarpales 外子藻目

### Family Acinetosporaceae 不動孢藻科

*Feldmannia formosana* (Yamada) Itono 臺灣水雲 Ref. Yamada, 1950  
*Feldmannia indica* (Sonder) Womersley & A. Bailey Ref. Heydrich, 1894  
*Hincksia breviarticulatus* (J. Agardh) P.C. Silva, 1987 褐茸藻 Ref. Huang, 1999  
*Hincksia mitchellae* (Harvey) P.C. Silva, 1987 棲狀褐茸藻 Ref. Huang, 1999

### Family Chordariaceae 索藻科

*Chnoospora implexa* (Hering) J. Agardh, 1848 毛孢藻 Ref. Chiang, 1960  
*Chnoospora minima* (Hering) Papenfuss, 1956 小毛孢藻 Ref. Chiang, 1976  
*Chnoospora pacifica* J. Agardh Ref. Shen & Fan, 1950  
*Hydroclathrus cancellatus* Bory Ref. Heydrich, 1894  
*Hydroclathrus clathratus* (C. Agardh) Howe, 1920 網胰藻 Ref. Chiang, 1973  
*Hydroclathrus orientalis* (J. Ag.) Heydrich Ref. Heydrich, 1894  
*Hydroclathrus tenuis* Tseng & Lu, 1983 細網胰藻 Ref. Huang, 1990  
*Leathesia difformis* (Linnaeus) Areschoug, 1847 粘膜藻 Ref. Taniguti, 1976

### Family Ectocarpaceae 外子藻科

*Ectocarpus laurenciae* NodYamada, 1931 頂生水雲 Ref. Okamura, 1936  
*Ectocarpus mitchellae* Harv. Ref. Yamada, 1925b  
*Ectocarpus spinosus* Kützing, 1843 刺水雲 Ref. Heydrich, 1894  
*Ectocarpus van-bossea* Setchell & Gardner 范氏水雲 Ref. Yamada, 1950

### Family Florideae

*Chantransia secundata* (Lyngb.) Thur. Ref. Heydrich, 1894

### Family Ishigeaceae 鐵釘菜科

*Ishige okamurae* Yendo, 1907 鐵釘菜 Ref. Chiang, 1973  
*Ishige sinicola* (Setchell & Gardner) Chihara, 1969 葉狀鐵釘菜 Ref. Rho, 1958

### Family Scytosiphonaceae 莖藻科

*Colpomenia sinuosa* (Mertens ex Roth) Derbes & Solier, 1851 囊藻 Ref. Chiang, 1976  
*Petalonia binghamiae* J. Agardh, 1973 小海帶 Ref. Huang, 1999  
*Petalonia fascia* (O. F. Müller) Kuntze, 1898 瓣葉藻 Ref. Chiang, 1976  
*Rosenvingea orientalis* (J. Agardh) Borgesen 東方水窗藻  
*Scytosiphon lomentaria* (Lyngbye) Link, 1833 單管藻 Ref. Chiang, 1976

## Order Fucales 墨角藻目

### Family Cystoseiraceae 囊鏈藻科

*Hormophysa cuneiformis* (Gmelin) P.C. Silva in Silva et al., 1987 楔形翼枝藻 Ref. Chiang, 1976

### Family Sargassaceae 馬尾藻科

*Sargassum amabile* Yamada, 1944 角托馬尾藻 Ref. Shen & Fan, 1950  
*Sargassum aquifolium* (Turner) C. Agardh, 1820 硬葉馬尾藻 Ref. Okamura, 1936  
*Sargassum baccharia* (Martens) C. Agardh, 1824 棒托馬尾藻 Ref. Chou & Chiang, 1981  
*Sargassum berberifolium* J. Agardh Ref. Shen & Fan, 1950  
*Sargassum binfrti* Sonder Ref. 同前  
*Sargassum biserrula* J. Ag. Ref. Heydrich, 1894  
*Sargassum brevifolium* Kützing Ref. 同前  
*Sargassum carpophyllum* J. Agardh, 1848 葉托馬尾藻 Ref. Chou & Chiang, 1981  
*Sargassum crassifolium* J. Agardh, 1848 厚葉馬尾藻 Ref. 同前  
*Sargassum crispifolium* Yamada, 1931 冠葉馬尾藻 Ref. Chiang, 1962  
*Sargassum cristaeifolium* C. Agardh, 1820 重緣葉馬尾藻 Ref. Chou & Chiang, 1981  
*Sargassum fulvellum* (Turner) C. Agardh, 1820 微勞馬尾藻 Ref. Ariga, 1920  
*Sargassum glaucescens* J. Agardh, 1848 粉葉馬尾藻 Ref. Chou & Chiang, 1981  
*Sargassum hemiphyllum* var. *chinense* J. Agardh, 1820 中國半葉馬尾藻 Ref. 同前  
*Sargassum hemiphyllum* (Turner) C. Agardh, 1820 半葉馬尾藻 Ref. 同前  
*Sargassum henslowianum* C. Agardh, 1848 亨氏馬尾藻 Ref. 同前  
*Sargassum heterocystum* Montagne, 1842 異葉馬尾藻 Ref. 同前  
*Sargassum horneri* (Turner) C. Agardh, 1820 銅藻 Ref. 同前  
*Sargassum ilicifolium* (Turner) C. Agardh, 1820 冬青葉馬尾藻 Ref. Chou & Ching, 1981  
*Sargassum ilicifolium* var. *conduplicatum* Grunow ex Reinbold, 1820 冬青葉馬尾藻重緣葉變種 Ref. 同前  
*Sargassum kasyotense* Yamada, 1942 Ref. Shen & Fan, 1950  
*Sargassum microphyllum* Agardh Ref. 同前  
*Sargassum myriocystum* J. Agardh 多囊馬尾藻 Ref. Ariga, 1920  
*Sargassum odontocarpum* Sonder, 1871 革葉馬尾藻 Ref. Okamura, 1936  
*Sargassum oligocystum* Montagne, 1845 賓得馬尾藻 Ref. Chou & Chiang, 1981  
*Sargassum plagiophyllum* C. Agardh, 1824 Ref. Yamada, 1942  
*Sargassum polycystum* C. Agardh, 1824 匍枝馬尾藻 Ref. Chou & Chiang, 1981  
*Sargassum prolongatum* Okamura Ref. Shen & Fan, 1950  
*Sargassum rostratum* J. Agardh, 1896 Ref. Chou & Chiang, 1981  
*Sargassum sandei* Reinbold in W.v. Bosse 山弟馬尾藻  
*Sargassum serratifolium* C. Agardh, 1820 Ref. Chiang, 1973  
*Sargassum siliquosum* J. Agardh, 1848 莢托馬尾藻 Ref. Chou & Chiang, 1981  
*Sargassum siliquosum* J. Agardh Ref. Shen & Fan, 1950  
*Sargassum swartzii* C. Agardh, 1820 斯氏馬尾藻 Ref. Yamada, 1942  
*Sargassum telephifolium* (Turner) C. Agardh, 1820 軟葉馬尾藻 Ref. Okamura, 1936  
*Sargassum tenuifolium* Yamada, 1942 Ref. Yamada, 1942  
*Sargassum thunbergii* (Montagne ex Roth) O. Kuntze, 1893 鼠尾藻  
*Sargassum vulgare* C. Agardh, 1820 Ref. Ariga, 1919  
*Turbinaria conoides* (J. Agardh) Kützing, 1860 小葉喇叭藻 Ref. Chiang, 1973  
*Turbinaria filamentosa* Yamada, 1925 絲狀喇叭藻 Ref. Chiang, 1976  
*Turbinaria ornata* (Turner) J. Agardh, 1848 喇叭藻 Ref. Chiang, 1976  
*Turbinaria trialata* (J. Agardh) Kützing 三角喇叭藻 Ref. Chiang, 1962

## Order Scytosiphonales 莖藻目

### Family Scytothamnaceae 莖藻科

*Asteronema breviarticulatum* (J. Agardh) Ouriques & Bouzon Ref. Shen & Fan, 1950

## Order Sphacelariales 黑頂藻目

### Family Sphacelariaceae 黑頂藻科

*Sphacelaria divaricata* Montagne, 1849 雙叉黑頂藻 Ref. Yamada, 1941  
*Sphacelaria furcigera* Kützing var. *tenuis* Yamada Ref. Shen & Fan, 1950  
*Sphacelaria tribuloides* Meneghini, 1840 三角黑頂藻 Ref. Chihara, 1975

## Class Raphidophyceae 針胞藻綱

### Order Heterosiphonales 異管藻目

[Not assigned to a family]

*Botrydiopsis* sp. Ref. Shen, 1961

### Family Vacuolariaceae

*Vacuolaria virescens* Cienkowski Ref. Dai, 1962

## Class Synurophyceae 黃群藻綱

### Order Synurales 黃群藻目

### Family Chromulinidae 單金藻科

*Chromulina ovalis* Klebs Ref. Wong & Chang, 1970  
*Chromulina rosanoffii* (Woronin) Butchli Ref. Dai, 1962

### Family Mallomonadaceae 魚鱗藻科

*Mallomonas allorgei* (Deflandre) Conrad Ref. Yamagishi, 1992  
*Mallomonas caudata* Ivanov emend. Krieger  
*Mallomonas eoa* Takahashi Ref. Yamagishi, 1992

*Mallomonas fastigata* Zacharias Ref. Dai, 1962  
*Mallomonas fresenii* Kent Ref. Yamagishi, 1992  
*Mallomonas helvetica* Dai Ref. Dai, 1962  
*Mallomonas lefevrei* Villeret Ref. Yamagishi, 1992  
*Mallomonas splendens* (G. S. West) Playfair Ref. 同前  
*Mallomonas tonsurata* Teiling Ref. 同前

## Class Xanthophyceae 黃藻綱

### Order Heterococcales 異球藻目

[Not assigned to a family]

*Halospheera viridix* Tseng Ref. Tseng, 1969  
*Opiocytium capitatum* var. *longispinum* Wolle (Moebius) Lemmermann

### Order Heterotrichales 異絲藻目

[Not assigned to a family]

*Tribonema bombycinum* (Agardh) Derb. & Sol. Ref. Shen, 1950

### Order Mischococcales 柄球藻目

#### Family Botryochloridaceae

*Dichotomococcus curvatus* Korschikoff Ref. 森若及齊家。1990

#### Family Ophiocytaceae

*Ophiocytium capitatum* Wolle var. *capitatum* Yamagishi Ref. Yamagishi, 1992  
*Ophiocytium capitatum* var. *longispinum* (Moebius) Lemmermann Ref. 同前

#### Family Pleurochloridaceae 肋胞藻科

*Isthmochloron lobulatum* (Naegeli) Skuja Ref. Yamagishi, 1992

## Phylum Oomycota 卵菌門

[Not assigned to a class]

[Not assigned to an order]

[Not assigned to a family]

*Saporlegnia asterophora* de Bary Ref. Chiou & Chang, 1976  
*Saporlegnia australis* Elliott Ref. 傅春旭。1997  
*Saporlegnia declina* Humphrey Ref. Chiou, 1975  
*Saporlegnia ferax* (Gruith) Thuret Ref. Chiou, 1975  
*Saporlegnia formosana* Chiou Ref. 邱燈松。1976  
*Saporlegnia parasitica* Coker Ref. Chiou, 1975  
*Saporlegnia subterranea* (Dissmann) Seymour Ref. Chiou, 1975  
*Saporlegnia terrestris* Cookson ex Seymour Ref. Chiou, 1975  
*Saporlegnia unispora* (Coker & Couch) Seymour Ref. Volz et al., 1974

## Class Oomycetes 卵菌綱

### Order Peronosporales 霜霉目

#### Family Albuginaceae 白銹菌科

*Albugo achyanthis* (Henn.) Miyabe Ref. Sawada, 1942  
*Albugo bliti* (Biv.) Kuntze Ref. Sawada, 1959  
*Albugo ipomoeae-aquaticae* Sawada Ref. Sawada, 1922  
*Albugo ipomoeae-hardwickii* Sawada Ref. Sawada, 1927  
*Albugo ipomoeae-panduranae* (Schwein) Sawada Ref. Sawada, 1919  
*Albugo macrospora* (Togashi) S.Ito. Ref. Sawada, 1959  
*Albugo thlaspeos* (Pers.) Sawada Ref. Sawada, 1933  
*Albugo tragopogonis* (Pers.) Gray Ref. Sawada, 1922

#### Family Peronosporaceae 霜霉科

*Bremia elliptica* Sawada Ref. Sawada, 1919  
*Bremia microspora* Sawada Ref. Sawada, 1919  
*Bremia ovata* Sawada Ref. Sawada, 1919  
*Bremia sonchicola* (Schlecht.) Sawada Ref. Sawada, 1927  
*Peronoplasmapara actiniostemmae* Sawada Ref. Sawada, 1933  
*Peronoplasmapara cucumeris* Sawada Ref. Sawada, 1933  
*Peronoplasmapara momordicae* Sawada Ref. Sawada, 1933  
*Peronospora alta* Fuck. Ref. Sawada, 1943  
*Peronospora aparines* (de Bary) Gaum Ref. Sawada, 1927  
*Peronospora aquatica* Gaum Ref. Sawada, 1927  
*Peronospora bothriospermi* Sawada Ref. Sawada, 1922  
*Peronospora brassicae* Gaum Ref. Sawada, 1933  
*Peronospora capparis* Sawada Ref. Sawada, 1943  
*Peronospora chenopodii* Casp Ref. Sawada, 1919

- Peronospora chenopodii-ficifolii* Sawada Ref. Sawada, 1919  
*Peronospora chlorae* de Bary, 1872  
*Peronospora crossostephi* Sawada Ref. Sawada, 1942  
*Peronospora dentariae* Rabh. Ref. Sawada, 1928  
*Peronospora destructor* (Berk.) Casp. Ref. Lo, 1961  
*Peronospora euphorbiae-thymifoliae* Sawada Ref. Sawada, 1927  
*Peronospora lamii* Braun Ref. Sawada, 1927  
*Peronospora manchurica* (Naoum.) Syd. Ref. Sawada, 1959  
*Peronospora parasitica* (Pers.) Fr. Ref. Sawada, 1933  
*Peronospora spinaciae* Laubert Ref. 農業要覽 4 (1) : 273。1965  
*Peronospora stellariae-aquaticae* Sawada Ref. Sawada, 1927  
*Peronospora stellariae-ulginosae* Sawada Ref. Sawada, 1927  
*Peronospora viciae-sativae* Gaum Ref. Sawada, 1933  
*Plasmopara chrysanthemi-coronarii* Sawada Ref. Sawada, 1931  
*Plasmopara halstedii* (Farlow) Berl. & de Ton. Ref. Sawada, 1927  
*Plasmopara paulowniae* Chen Ref. Chen, 1972  
*Plasmopara veroniae-chinensis* Sawada Ref. Sawada, 1919  
*Plasmopara viticola* (Berk. & M. A. Curtis) Berl. & Toni Ref. Sawada, 1944  
*Pseudoperonospora cubensis* (Berk. & M. A. Curtis) Rostowzew Ref. 農業要覽 4 (1) : 298。1965  
*Pseudoplasmopara justiciae* Sawada Ref. Sawada, 1922

## Order Pythiales 腐霉目

### Family Pythiaceae 腐霉科

- Peronophthora litchii* Chen ex Ko & al Ref. Chen, 1961  
*Phytophthora arecae* Pethybridge Ref. Ho, 1995  
*Phytophthora boehmeriae* Sawada Ref. Sawada, 1927  
*Phytophthora cactorum* (Lab. & Cohn.) Sch Ref. Sawada, 1927  
*Phytophthora capsici* Leon Ref. 張和喜、謝煥儒。1977  
*Phytophthora cinnamomi* Rands. Ref. Sawada, 1942  
*Phytophthora citricola* Sawada Ref. Sawada, 1927  
*Phytophthora citrophthora* (R. E. Smith & E. H. Smith) Leonian Ref. Sawada, 1919  
*Phytophthora colocalisae* Racib Ref. Sawada, 1919  
*Phytophthora cryptogea* Peth. & Laff Ref. 高文清。1976  
*Phytophthora cyperi* (Ideta) Ito Ref. Sawada, 1919  
*Phytophthora drechsleri* Tucker Ref. 高文清、呂理燊。1977  
*Phytophthora heveae* Thompson Ref. Chang & Shu, 1981  
*Phytophthora humicola* Ko & Ann Ref. Ko & Ann, 1985  
*Phytophthora infestans* (Mont.) de Bary Ref. Sawada, 1919  
*Phytophthora insolita* Ann & Ko Ref. 安寶貞、柯文雄。1990  
*Phytophthora katsurae* Ko & Chang Ref. Ko & Chang, 1979  
*Phytophthora leersiae* Sawada Ref. Sawada, 1942  
*Phytophthora lepironiae* Sawada Ref. Sawada, 1943  
*Phytophthora macrochlamydospora* Erwin Ref. 張東柱等。1999  
*Phytophthora macrospora* (Sacc.) Ito & Tanaka Ref. Sawada, 1927  
*Phytophthora meadii* Mc Rae Ref. 安寶貞、柯文雄。1990  
*Phytophthora nicotianae* Henn. Ref. Sawada, 1943  
*Phytophthora palmivora* (Butler) Butler Ref. Sawada, 1919  
*Phytophthora polygoni* Sawada Ref. Sawada, 1922  
*Phytophthora vignae* Purss Ref. Kao & Leu, 1977  
*Pythium acanthicum* Drechsler Ref. Watanabe, 1974  
*Pythium adhaerens* Sparrow Ref. Hsieh, 1978  
*Pythium afertile* Kanouse & Humphrey Ref. Watanabe, 1974  
*Pythium aphanidermatum* (Edson) Fitzp. Ref. Sawada, 1942  
*Pythium arrhenomanes* Drechsler Ref. 許師章。朱學曾。1962  
*Pythium carolinianum* Matthews Ref. Hsieh, 1978  
*Pythium catenulatum* Matthews Ref. 許師章。1962  
*Pythium coloratum* Vaartaja Ref. 林益昇、黃淑華。1993  
*Pythium debaryanum* Hesse Ref. Sawada, 1943  
*Pythium deliense* Meurs Ref. Watanabe, 1974  
*Pythium dissotocum* Drechsler Ref. Hsieh & Chang, 1976  
*Pythium elongatum* Matthews Ref. 同前  
*Pythium gracile* Schenk Ref. 同前  
*Pythium graminicolum* Subram. Ref. Sawada, 1927  
*Pythium helicandrum* Drechsler Ref. Hsieh, 1978  
*Pythium hydnosporum* (Mont.) Schroet. Ref. Hsieh, 1978  
*Pythium inflatum* Matthews Ref. Watanabe, 1974  
*Pythium irregulare* Buisman Ref. Hsieh & Chang, 1976  
*Pythium mamillatum* Meurs Ref. 林柳澤等。1971  
*Pythium marsipium* Drechsler Ref. Hsieh & Chang, 1976  
*Pythium myriotylum* Drechsler Ref. 杜自疆。1967  
*Pythium oligandrum* Drechsler Ref. Hsieh, 1978  
*Pythium paroecandrum* Drechsler Ref. Hsieh, 1978

*Pythium pleroticum* Drechsler Ref. Chang, 1993  
*Pythium pulchrum* Von Minden Ref. Hsieh, 1978  
*Pythium spinosum* Sawada Ref. Hsieh, 1980  
*Pythium splendens* Braun Ref. Hsieh, 1978  
*Pythium tardicrescens* Vanterpool Ref. Hsieh, 1978  
*Pythium ultimum* Trow Ref. Chen, 1969  
*Pythium undulatum* Peterson Ref. Hsieh, 1978  
*Pythium vexans* de Bary Ref. Sawada, 1927

#### Family Pythiogetonaceae

*Pythiogeton autossytum* Drechsler Ref. Hsieh & Chang, 1976  
*Pythiogeton ramosum* Von Minden Ref. Watanabe, 1974  
*Pythiogeton uniforme* Lund Ref. Hsieh & Chang, 1976  
*Pythiogeton zizaniae* P.J. Ann & J. H. Huang Ref. Ann et al., 2006

### Order Saprolegniales 水黴目

#### Family Leptolegniaceae

*Aphanomyces androgynus* Chiou Ref. 邱燈松。1976  
*Aphanomyces cladogamus* Drechsler Ref. Chiou, 1975  
*Aphanomyces helicoides* Von. Minden Ref. Chiou, 1975  
*Aphanomyces keratinophilus* (Ookubo & Kobayasi) Seymour & Johnson Ref. 邱燈松。1976  
*Aphanomyces parasiticus* Coker Ref. Chiou & Chang, 1976  
*Aphanomyces scaber* de Bary Ref. 邱燈松。1976  
*Aphanomyces stellatus* de Bary Ref. Chiou, 1975  
*Leptolegnia caudata* de Bary Ref. 邱燈松。1976

#### Family Leptolegniellaceae 水節黴科

*Brevilegniella unisporea* Chiou Ref. 邱燈松。1976  
*Leptolegniella keratinophilum* Huneycutt Ref. 邱燈松。1976  
*Leptolegniella piligena* Ookuba & Kobayasi Ref. 邱燈松。1976

#### Family Saprolegniaceae 水黴科

*Achlya ambisexualis* Raper Ref. Chiou, 1975  
*Achlya americana* Humphrey Ref. Chiou & Chang, 1976  
*Achlya apiculata* de Bary Ref. Chiou, 1975  
*Achlya cambrica* Trow & Johnson comb. Ref. 邱燈松。1976  
*Achlya caroliniana* Coker Ref. Chiou, 1975  
*Achlya crenulata* Ziegler Ref. Volz et al., 1974  
*Achlya diffusa* Harvey ex Johnson Ref. 傅春旭。1997  
*Achlya dubia* Coker Ref. Chiou, 1975  
*Achlya formosana* Chiou & Chang Ref. Chiou & Chang, 1976  
*Achlya inflata* Coker Ref. 傅春旭。1997  
*Achlya klebsiana* Pieters Ref. Chiou, 1975  
*Achlya prolifera* Nees Ref. 鍾虎雲。1973  
*Achlya proliferoides* Coker Ref. Chiou, 1975  
*Achlya recurva* Cornu Ref. 邱燈松。1976  
*Achlya rodrigueziana* Wolf Ref. 邱燈松。1976  
*Achlya spinosa* de Bary Ref. 邱燈松。1976  
*Achlya subterranean* Coker & Braxton Ref. Wu, 1997  
*Brevilegnia linearis* Coker & Braxton Ref. 邱燈松。1976  
*Brevilegnia longicaulis* Johnson Ref. Chiou, 1975  
*Brevilegnia subcentrica* Chiou Ref. 邱燈松。1976  
*Brevilegnia unispema* var. *delica* Coker Ref. 邱燈松。1976  
*Dictyuchus carpophorus* Zopf Ref. 邱燈松。1976  
*Dictyuchus monosporus* Leitgeb Ref. Chiou, 1975  
*Dictyuchus sterile* Coker Ref. Volz et al., 1974  
*Dictyuchus variabilis* (Indoh) Chiou & Chang Ref. Chiou & Chang, 1976  
*Geolegnia inflata* Coker & Harvey Ref. Chiou, 1975  
*Geolegnia terrestris* Chiou Ref. 邱燈松。1976  
*Pythiopsis humphreyana* Coker Ref. Chiou, 1975  
*Pythiopsis subcentrica* Chiou & Chang Ref. Chiou & Chang, 1976  
*Pythiopsis terrestris* (Hohnk) Chiou & Chang Ref. 同前  
*Saprolegnia asterophora* de Bary Ref. 同前  
*Saprolegnia australis* Elliott Ref. 傅春旭。1997  
*Saprolegnia diclina* Humphrey Ref. Chiou, 1975  
*Saprolegnia ferax* (Gruith) Thuret Ref. Chiou, 1975  
*Saprolegnia formosana* Chiou Ref. 邱燈松。1976  
*Saprolegnia parasitica* Coker Ref. Chiou, 1975  
*Saprolegnia subterranea* (Dissmann) Seymour Ref. Chiou, 1975  
*Saprolegnia terrestris* Cookson ex Seymour Ref. Chiou, 1975  
*Saprolegnia unisporea* (Coker & Couch) Seymour Ref. Volz et al., 1974  
*Thraustotheca clavata* Humphrey Ref. Chiou, 1975

### Order Sclerosporales 指梗黴目

**Family Sclerosporaceae 指梗黴科**

*Peronosclerospora miscanthi* (Miyake) Shaw Ref. Sawada, 1942

*Peronosclerospora sacchari* (T. Miyake) Shirai & K. Hara Ref. Sawada, 1919

*Sclerospora graminicola* (Sacc.) Schroet. Ref. Sawada, 1922

*Sclerospora macrospora* Sacc. Ref. 陳其昌。1956

**Phylum Xanthophyta 黃綠藻門**

**Class Chloromonadineae 綠胞藻綱**

[Not assigned to a order]

**Family Scidiaceae**

*Centrtractus belanophorus* Lemmermann Ref. Yamagishi, 1992

*Centrtractus brunneus* Fott Ref. 同前



# Kingdom Fungi 真菌界

## Phylum Ascomycota 子囊菌門

[Not assigned to a class]

[Not assigned to an order]

### Family Englerulaceae

*Rhytidenglerula trematae* (H. Syd.) Arx Ref. Sivanesan & Hsieh, 1989  
*Schiffnerula villebruneae* C. Y. Chen & W. H. Hsieh Ref. Chen & Hsieh, 1996

### Family Meliolinaceae

*Meliolina cladotricha* (Lév.) Syd. Ref. Yamamoto, 1961  
*Meliolina mepheliicola* F. Stevens & Roldan Ref. 同前

## Class Ascomycetes 子囊菌綱

[Not assigned to an order]

[Not assigned to a family]

*Exosporium ampullaceum* (Petch) M. B. Ellis Ref. Matsushima, 1987  
*Exosporium palmivorum* Sacc. Ref. Sawada, 1917  
*Exosporium viticis* Sawada Ref. Sawada, 1959  
*Kumanasamuha sundara* P. R. Rao & D. Rao Ref. Mycopathologia & Mycologia Applicata 22: 333-334, 1964

### Family Apiosporaceae

*Apiospora montagnei* Sacc. Ref. Chen & Hsieh, 1994  
*Arthrinium phaeospermum* (Corda) M. B. Ellis Ref. Matsushima, 1980  
*Arthrinium* sp. Ref. 同前

### Family Glomerellaceae 小叢殼科

*Colletotrichum acutatatum* Simmonds Ref. Weng & Chuang, 1996  
*Colletotrichum agaves* Cavara Ref. Sawada, 1916  
*Colletotrichum ampelopsidis* Sawada Ref. Sawada, 1944  
*Colletotrichum arachidis* Sawada Ref. Sawada, 1959  
*Colletotrichum ardisiae* C. C. Chen Ref. Chen, 1968  
*Colletotrichum artabotrydis* Sawada Ref. Sawada, 1943  
*Colletotrichum bixae* Sawada Ref. Sawada, 1959  
*Colletotrichum boehmeriae* Sawada Ref. Sawada, 1914  
*Colletotrichum camelliae* Massee Ref. Kawakami & Suzuki, 1908  
*Colletotrichum canavaliicola* Sawada Ref. Sawada, 1959  
*Colletotrichum carica* Stevens & Hall Ref. Sawada, 1922  
*Colletotrichum caspici* (Syd.) Sawada Ref. Sawada, 1959  
*Colletotrichum chrysanthemi* (Hori) Sawada Ref. Sawada, 1943  
*Colletotrichum circinans* (Berkeley) Vogl. Ref. Sawada, 1959  
*Colletotrichum cirrhopetalii* Sawada Ref. Sawada, 1959  
*Colletotrichum coffaeophilum* Spegazzini Ref. Sawada, 1959  
*Colletotrichum corchori* Ikata & Tanaka Ref. Ogawa, 1943  
*Colletotrichum crotalariae-juncea* Sawada Ref. Sawada, 1959  
*Colletotrichum cyclobalanopsidis* Sawada Ref. Sawada, 1959  
*Colletotrichum dalberginae* C. C. Chen Ref. Chen, 1968  
*Colletotrichum dematium* (Pers. & Fr.) Grove Ref. Matsushima, 1980  
*Colletotrichum elasticae* Tassi Ref. Sawada, 1943  
*Colletotrichum euryae* Sawada Ref. Sawada, 1944  
*Colletotrichum fagopyri* Sawada Ref. Sawada, 1959  
*Colletotrichum falcatum* Went Ref. Miyake et al., 1916  
*Colletotrichum foliicolum* (Nishida) Sawada Ref. Sawada, 1959  
*Colletotrichum geniculatum* Sawada Ref. Sawada, 1959  
*Colletotrichum gloeosporioides* Penz. Ref. Sawada, 1916  
*Colletotrichum glycines* Hori. Ref. Sawada, 1933  
*Colletotrichum graminicola* (Cesati) Wilson Ref. Sawada, 1935  
*Colletotrichum hibisci-cannabini* Sawada Ref. Sawada, 1959  
*Colletotrichum higginscanum* Sacc. Ref. Sawada, 1931  
*Colletotrichum hydrangeae* Sawada Ref. Sawada, 1943  
*Colletotrichum indigoferae* Sawada Ref. Sawada, 1959  
*Colletotrichum inidicum* Dastur Ref. Sawada, 1959  
*Colletotrichum intermedium* (Saccardo) Sawada Ref. Sawada, 1959  
*Colletotrichum lagenarium* (Pass.) Ell. & Halst. Ref. Kawakami & Suzuki, 1908  
*Colletotrichum lindemuthianum* (Saccardo & Magnus) Briosi & Cav. Ref. 同前  
*Colletotrichum linicolum* Pethybridge & Lefferty Ref. Sawada, 1921  
*Colletotrichum liukuensis* Sawada Ref. Sawada, 1959

*Colletotrichum manihoticola* Sawada Ref. Sawada, 1959  
*Colletotrichum marantae* Sawada Ref. Sawada, 1959  
*Colletotrichum medicaginis-denticulatae* Sawada Ref. Sawada, 1933  
*Colletotrichum moricola* Sawada Ref. Sawada, 1959  
*Colletotrichum morifolium* Hara Ref. Sawada, 1959  
*Colletotrichum morinum* Sawada Ref. Sawada, 1959  
*Colletotrichum musae* (Berk. & Curt.) Arx Ref. Kawakami & Suzuki, 1908  
*Colletotrichum nigrum* Ellis & Halst. Ref. Sawada, 1959  
*Colletotrichum opuntiae* (Ellis & Everhart) Sawada Ref. Sawada, 1959  
*Colletotrichum orchidearum* Allesch. forma *cymbidi* Allesch. Ref. Sawada, 1943  
*Colletotrichum pachyrrhi* Sawada Ref. Sawada, 1943  
*Colletotrichum pachyrrhizicola* Sawada Ref. Sawada, 1959  
*Colletotrichum phalaenopsidis* Sawada Ref. Sawada, 1959  
*Colletotrichum pinelliae* Sawada Ref. Sawada, 1943  
*Colletotrichum plantaginis* Sawada Ref. Sawada, 1943  
*Colletotrichum ricini* Bubak & Frag. Ref. Sawada, 1959  
*Colletotrichum rumicis-crispi* Sawada Ref. Sawada, 1959  
*Colletotrichum sorauerianum* (Allescher) Hori Ref. Sawada, 1917  
*Colletotrichum* sp. Ref. Sawada, 1931  
*Colletotrichum spinaciae* Ellis & Halsted Ref. Sawada, 1916  
*Colletotrichum stephaniae* Sawada Ref. Sawada, 1959  
*Colletotrichum tabacum* Boning Ref. Sawada, 1959  
*Colletotrichum taiwanense* Sivanesan & W. H. Hsieh Ref. Sivanesan & Hsieh, 1993  
*Colletotrichum tricyrtidis* Sawada Ref. Sawada, 1942  
*Colletotrichum viciae-sativae* Sawada Ref. Sawada, 1959  
*Glomerella cingulata* (Stoneman) Spauld. & H. Schrenk Ref. Sawada, 1922  
*Glomerella cinnamomi* Yoshino Ref. Sawada, 1919  
*Glomerella glycines* (Hori) Lehman & F.A. Wolf Ref. Sawada, 1933  
*Glomerella gossypii* (Southw.) Edgerton Ref. Sawada, 1919  
*Glomerella lindermuthianum* (Sacc. & Magnus) Shear Ref. Sawada, 1959  
*Glomerella mori* Sawada Ref. Sawada, 1959  
*Glomerella septospora* Sivan. & W.H. Hsieh Ref. Sivanesan & Hsieh, 1993  
*Glomerella stephaniae* (Sawada) Sawada Ref. Sawada, 1959

#### Family Magnaporthaceae 巨座殼科

*Magnaporthe salvinii* (Catt.) R.A. Krause & R.K. Webster Ref. Chen, 1970  
*Nakataea sigmoidea* (Cav.) Hara Ref. Matsushima, 1980  
*Ophioceras leptosporum* (S.H. Iqbal) J. Walker Ref. Hsieh et al., 1995  
*Pyricularia grisea* Sacc. Ref. Matsushima, 1980  
*Pyricularia leersiae* (Sawada) S. Ito Ref. 同前  
*Pyricularia zingiberi* Nishikado Ref. Sawada, 1959

#### Family Micropeltidaceae

*Armata macrospora* (W. Yamam.) W. Yamam. Ref. Yamamoto, 1961  
*Micropeltis symploci* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1995

#### Family Myxotrichaceae

*Malbranchea cinnamomea* (Lib.) Van Oorschot & de Hoog Ref. Chen, 1992

#### Family Parodiopsidaceae

*Balladyna lelebae* W. Yamam. Ref. Yamamoto, 1961  
*Balladyna velutina* (Berk. & M. A. Curtis) Höhn. Ref. 同前  
*Balladynastrum clerodendri* Sawada & W. Yamam. Ref. Sawada, 1959  
*Balladynastrum diplosporae* W. Yamam. Ref. Yamamoto, 1961  
*Balladynastrum malloti* Sawada & W. Yamam. Ref. Sawada, 1959  
*Dimeriella balsamicola* (Pk.) Pett. Ref. Chen, 1974  
*Dimeriella dedroncalami* Sawada & W. Yamam. Ref. Sawada, 1959  
*Dimeriella sacchari* (Breda de Haan) Hansf. ex Abbott Ref. Sawada, 1943  
*Dimerium clemensiae* Sawada Ref. Sawada, 1959  
*Dimerium melicola* (Petr.) Hansf. Ref. Chen & Hsieh, 1996  
*Dimerium scheffleri* (Henn.) Sacc & D. Sacc. Ref. Sawada, 1959  
*Wageria tremae* Sawada Ref. Sawada, 1944

#### Family Polystomellaceae

*Marchalia fagarae* Sawada Ref. Sawada, 1944

#### Family Pseudoperisporiaceae

*Dimeriellopsis theicola* Sawada & W. Yamam. Ref. Sawada, 1959  
*Dimerina citricola* Sawada & W. Yamam. Ref. Sawada, 1959  
*Lizonia millettiae* Sawada Ref. Sawada, 1943

#### Family Saccardiaceae 薩氏腔菌科

*Dictyonella circinata* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1997

#### Family Strigulaceae 葉上衣科

*Strigula elegans* (Fée) Müll. Arg. 葉上衣 Ref. Lai, 2000

**Family Thyridiaceae 明斑殼科**

*Thyridium vestitum* (Fr.) Fuckel Ref. Chen & Hsieh, 1994

**Family Vialaeaceae**

*Vialaea minutella* Petr. Ref. Wang & Lin, 2004

**Family Zopfiaceae**

*Caryospora phyllostachydis* (Hara) Hino & Katumoto Ref. Hsieh & Chen, 2000

**Order Arthoniales 星裂菌目**

**Family Arthoniaceae 星裂菌科**

*Arthonia ochropallens* Zahlbruckner 黃白斑衣 Ref. Lai, 2000

*Arthonia tumidula* (Ach.) Ach. 腫斑衣 Ref. Lai, 2000

**Family Roccellaceae 染料衣科**

*Chiodecton butyraceum* Zahlbruckner 乳酪座盤衣 Ref. Lai, 2000

*Lecanactis limosescens* Zahlbruckner 泥碗衣 Ref. Lai, 2000

*Lecanactis macrocarpoides* Zahlbruckner 類大果碗衣 Ref. Lai, 2000

*Lecanactis submorosa* Zahlbruckner var. *laetior* Zahlbruckner Ref. Lai, 2000

*Lecanactis submorosa* Zahlbruckner 台灣碗衣 Ref. Lai, 2000

*Opegrapha prosodea* Ach. var. *sclerocarpa* (Mey. & Flot.) Vain. Ref. Lai, 2000

*Opegrapha prosodea* Ach. Ref. Lai, 2000

*Schismatomma margaritaceum* Zahlbruckner 珍珠裂盤衣 Ref. Lai, 2000

*Sclerophyton actinoboloides* Zahlbruckner 輻硬衣 Ref. Lai, 2000

**Order Boliniales**

**Family Boliniaceae**

*Pseudovalsaria ferruginea* (Nitschke) Rappaz Ref. Ju et al., 1996

**Order Caliciales 粉衣目**

**[Not assigned to a family]**

*Tylophoron moderatum* Nyl. subsp. *orientale* Zahlbruckner Ref. Lai, 2000

*Tylophoron moderatum* Nyl. Ref. Lai, 2000

**Order Calosphaeriales 美球菌目**

**Family Calosphaeriaceae 美球菌科**

*Phaeoisaria clematidis* (Fuckel) Hughes Ref. Matsushima, 1980

*Pleurostoma candollei* Tul. & C. Tul. Ref. Wang & Lin, 2004

*Pleurostoma minima* (Tul. & C. Tul.) M.E. Barr Ref. Chen & Hsieh, 1997

**Order Chaetosphaeriales**

**Family Chaetosphaeriaceae**

*Chaetosphaeria ampulliformis* Sivan. & H. S. Chang Ref. Sivanesan & Chang, 1997

*Chaetosphaeria capitata* Sivan. & H. S. Chang Ref. Sivanesan & Chang, 1995

*Chaetosphaeria stenostachyae* Sawada Ref. Sawada, 1943

*Codinaea fertilis* Hughes & Kendrick Ref. Chen, 1994

*Codinaea gonytrichodes* Shearer & Crane Ref. Chen, 1994

*Codinaea lunata* Matsushima Ref. Chen, 1994

*Codinaea simplex* S.J. Hughes & W.B. Kendrick Ref. Matsushima, 1980

*Codinaea* sp. Ref. Watanabe, 1994

*Codinaea triseptata* Matsushima Ref. Chen, 1994

*Gonytrichum chlamydosporium* Barron & Bhatt Ref. Watanabe, 1994

*Gonytrichum macrocladum* (Sacc.) Hughes Ref. Matsushima, 1980

*Porosphaerella cordanophora* E. Müller & Samuels Ref. Chen & Hsieh, 1997

*Saccardoella macrasca* (Sacc.) M. E. Barr Ref. Hsieh & Chen, 2000

*Saccardoella miscanthi* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1997

*Sporoschisma mirabile* Berkeley & Broome Ref. Matsushima, 1980

*Sporoschisma mori* Sawada & Katsuki Ref. Sawada, 1959

*Sporoschisma nigroseptata* D. Rao & R. Rao Ref. Chen, 1994

*Sporoschisma saccardoii* Mason & Hughes Ref. Matsushima, 1980

**Order Chaetothyriales 刺盾菌目**

**Family Chaetothyriaceae 刺盾菌科**

*Chaetothyrium citricola* Sawada & W. Yamam. Ref. Sawada, 1959

*Chaetothyrium echinulatum* W. Yamam. Ref. Yamamoto, 1961

*Chaetothyrium sawadai* W. Yamam. Ref. 同前

*Chaetothyrium spinigerum* (Höhn.) Yamm. Ref. Matsumoto, 1952

*Phaeosaccardinula javanica* (Zimm.) W. Yamam. Ref. Sawada, 1959

*Phaeosaccardinula longispora* Yamam. Ref. Yamamoto, 1961

*Phaeosaccardinula penzigi* (Sacc.) W. Yamam. Ref. 同前

*Zukalia theae* Sawada Ref. Sawada, 1919

**Family Herpotrichiellaceae**

*Capronia glabra* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1997  
*Capronia pilosella* (Karst.) E. Müller Ref. Chen & Hsieh, 1994  
*Exophiala dermatitidis* (Kano) de Hoog Ref. Tsai, 1996

## Order Coronophorales 冠囊菌目

### Family Nitschkiaceae 凹球殼科

*Acanthonitschkea argentinensis* Speg. Ref. Chen & Hsieh, 1994  
*Bertia biseptata* Sivan. & W. H. Hsieh Ref. Hsieh et al., 1995  
*Nitschkia broomeiana* (Berk.) Nannf. Ref. Chen & Hsieh, 1994  
*Nitschkia phaeospora* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1998  
*Scortechinia chaetomioides* (Penz. & Sacc.) Ark & Müller Ref. Chen & Hsieh, 1997  
*Scortechinia conferta* (Schwein.) Subr. & Sekar Ref. 同前  
*Scortechinia culicitella* (Berk. & Rav.) Speg. Ref. Sivanesan & Hsieh, 1989

## Order Diaporthales 間座殼目

### [Not assigned to a family]

*Pseudothis coccodes* (Lév.) Theiss. & H. Syd. Ref. Chen & Hsieh, 1994  
*Valsaria rubricosa* (Fr.: Fr.) Sacc. Ref. Ju et al., 1996

### Family Melanconidaceae

*Coniella diplodiella* Petrak & Sydow Ref. Kuo & Kao, 1986  
*Dictyoportha cinnamomi* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1997  
*Plagiostigme neolitsea* Kobayashi Ref. Li & Hsieh, 1991  
*Prostratus cyclobalanopsidis* Sivan., W.H. Hsieh & C.Y. Chen Ref. Sivanesan et al., 1993  
*Schizoparme straminea* Shear Ref. Wang & Lin, 2004

### Family Valsaceae 黑腐皮殼菌科

*Bagcheea taiwanensis* W. H. Hsieh & L. T. Li Ref. Hsieh et al., 1991  
*Cytospora sacchari* Bult. Ref. Watanabe, 1994  
*Diaporthe arctii* (Lasch) Nitschke Ref. Tsay & Hsieh, 1993  
*Diaporthe conorum* (Desm.) Niessl Ref. 同前  
*Diaporthe eres* Nitschke Ref. 同前  
*Diaporthe nomurai* Hara Ref. 同前  
*Diaporthe pomigena* (Schwein.) Miura Ref. Sun, 1969  
*Diaporthe pustulata* (Desm.) Sacc. Ref. Tsay & Hsieh, 1993  
*Diaporthe spiculosa* (Alb. & Schwein.) Nitschke Ref. 同前  
*Gnomonia lithocarpicola* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1995  
*Gnomonia setacea* (Pers.: Fr.) Ces. & De Not. Ref. Chen & Hsieh, 1996  
*Gnomoniella hibisci* Sawada Ref. Sawada, 1944  
*Gnomoniella lithocarpicola* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1995  
*Hypospilina bifron* (DC.: Fr.) Trav. Ref. Hsieh & Chen, 2000  
*Phoma asclepiadis* Sawada Ref. Sawada, 1942  
*Phoma asparagi* Sacc. Ref. Sawada, 1914  
*Phoma camelliae* Cooke Ref. Sawada, 1915  
*Phoma cepharanthae* Sawada Ref. Sawada, 1959  
*Phoma citrullicola* Sawada Ref. Sawada, 1959  
*Phoma corchori* Sawada Ref. Sawada, 1959  
*Phoma corchorina* Sawada Ref. Sawada, 1959  
*Phoma cryptomeria* K. Kawamura Ref. Chen, 1965  
*Phoma eucalypta* Sacc. Ref. Wang, 1992  
*Phoma exigua* Desm. Ref. Sawada, 1959  
*Phoma garciniae* Sawada Ref. Sawada, 1944  
*Phoma glumarum* Ell. & Tracy Ref. Kawakami & Suzuki, 1908  
*Phoma glycines* Sawada Ref. Sawada, 1959  
*Phoma hemisteptae* Sawada Ref. Sawada, 1943  
*Phoma hibisci-esculenti* Sawada Ref. Sawada, 1943  
*Phoma hypocrelle* Sawada Ref. Sawada, 1959  
*Phoma jasmini-sambactis* Sawada Ref. Sawada, 1914  
*Phoma lebbek* Sawada Ref. Sawada, 1931  
*Phoma macrostylospora* Sawada Ref. Sawada, 1922  
*Phoma manihotina* Sawada Ref. Sawada, 1959  
*Phoma multirostrata* Ref. Chang, 1993  
*Phoma oryzicola* Sawada Ref. Sawada, 1959  
*Phoma pomorum* Thuem. Ref. Tseng & Chen, 1981  
*Phoma pterocaripi* Sawada Ref. Chen, 1965  
*Phoma sesami* Sawada Ref. Sawada, 1922  
*Phoma* sp. Ref. Watanabe, 1994  
*Phoma stephaniae* (Sawada) Sawada Ref. Sawada, 1959  
*Phomopsis acaciae* C.-C. Chen Ref. Chen, 1976  
*Phomopsis cepharanthae* Sawada Ref. Sawada, 1959  
*Phomopsis chionanthi* C. C. Chen Ref. Chen, 1968  
*Phomopsis euphorbiae* Sawada Ref. Sawada, 1959  
*Phomopsis longiparaphysata* Uecker & K.-C. Kuo Ref. Uecker, 1992

*Phomopsis mali* (Schulzer & Sacc.) Died. 1912 Ref. Ko et al., 1994  
*Phomopsis morearum* (Brun.) Curzi & Barbaini Ref. Sawada, 1959  
*Phomopsis moricola* Sawada Ref. Sawada, 1959  
*Phomopsis morina* Sawada Ref. Sawada, 1959  
*Phomopsis orientalis* Nomura Ref. Sawada, 1959  
*Phomopsis ricinella* Sacc. Ref. Sawada, 1959  
*Phomopsis terminaliae* Sawada Ref. Sawada, 1959  
*Phomopsis vexans* (Sacc. & Syd.) Harter Ref. Sawada, 1943  
*Phomopsis vitimegaspura* K. C. Kuo & L.-S. Leu Ref. Kuo & Leu, 1988  
*Plenodomus cocogena* Sawada Ref. Sawada, 1959  
*Pleuroceras quercinum* (Teng) M. Monod Ref. Sivanesan & Hsieh, 1989  
*Valsa leucostoma* Fr. Ref. Wu, 1978  
*Valsa mori* Sawada Ref. Sawada, 1959  
*Valsella hibisci* Sawada Ref. Sawada, 1959

## Order Dothideales 座囊菌目

### [Not assigned to a family]

*Amerodothis musae* Sawada Ref. Sawada, 1959  
*Antenella citri* Sawada Ref. Sawada, 1931  
*Bactrodesmium guamense* (Matsushima, 1981) Ref. Matsushima, 1980  
*Bactrodesmium longisporum* M. B. Ellis, 1976 Ref. Chen, 1994  
*Calothyriopeltis capparidis* Sawada & W. Yamam. Ref. Sawada, 1959  
*Calothyriopeltis scolopiae* Sawada & W. Yamam. Ref. Sawada, 1959  
*Coccochora kusanoi* (Henn.) Höhn. Ref. Sivanesan & Hsieh, 1989  
*Dermatodothis euonymi* W.H. Hsieh & C.Y. Chen Ref. Hsieh & Chen, 1993  
*Dermatodothis javanica* Rac. Ref. 同前  
*Dermatodothis symploci* W.H. Hsieh & C.Y. Chen Ref. 同前  
*Endoxylina mori* Sawada Ref. Sawada, 1959  
*Epichole sinobambusae* Ref. Hsieh, 1987  
*Heptameria obesa* (Dur. & Mont.) Sacc. Ref. Chen & Hsieh, 1997  
*Leptospora implexa* (Ellis & Everh.) J. Walker Ref. Hsieh et al., 1995  
*Leptospora clinopodii* Sawada Ref. Sawada, 1943  
*Limacinia auranti* Henn. Ref. Yamamoto, 1961  
*Limacinia cheni* Sawada & W. Yamam. Ref. Sawada, 1959  
*Limacinia clavatispora* W. Yamam. Ref. Yamamoto, 1961  
*Limacinia elaeocarpi* Sawada & W. Yamam. Ref. Sawada, 1959  
*Limacinia filiformis* W. Yamam. Ref. Yamamoto, 1961  
*Limacinia formosensis* W. Yamam. Ref. 同前  
*Limacinia globosa* W. Yamam. Ref. 同前  
*Limacinia oblongispora* Sawada & W. Yamam. Ref. Sawada, 1959  
*Limacinia ovispora* Sawada Ref. Sawada, 1931  
*Monodictys paradoxa* (Corda) Hughes Ref. Matsushima, 1980  
*Monodictys putredinis* (Wallr.) Hughes Ref. Chen, 1994  
*Mycoporellum leucoplacellum* Zahlbruckner 白乳頭衣 Ref. Lai, 2000  
*Ochrosphaera meliolae* Saeada Ref. Sawada, 1959  
*Phaeofabrea lachnoides* (Rehm) Pfister Ref. Sivanesan & Hsieh, 1989  
*Physalospora stephaniae* Sawada Ref. Sawada, 1959  
*Poconectria coccorum* (Petch) Rossman Ref. Tzean et al., 1997  
*Polyblastiopsis pertusarina* Zahlbruckner 雞皮類多囊衣 Ref. Lai, 2000  
*Pseudocordyceps seminicola* Hauman Ref. Hsieh & Ju, 2002  
*Rhynchospaeria gossypii* Sawada Ref. Sawada, 1959  
*Septonema chaetospira* (Grove) Hughes Ref. Matsushima, 1980  
*Stigmina annulata* (Berk. & Curt.) Seifert Ref. Chang & Tzean, 1998  
*Stigmina mangiferae* (Koorders) M. B. Ellis Ref. Hsieh & Goh, 1990  
*Stigmina sapii* (Miyake) M. B. Ellis Ref. Sawada, 1943  
*Stigmina tineae* (Sacc.) M. B. Ellis Ref. Hsieh & Goh, 1990

### Family Botryosphaeriaceae 葡萄座腔菌科

*Auerswaldiella lithocarpicola* Sivan. & W. H. Hsieh Ref. Sivanesan & Hsieh, 1989  
*Botryodiplodia caricae* (Sacc.) Petr. Ref. 臺灣省政府農林廳農業要覽編審委員會。250。1965  
*Botryodiplodia theobromae* Pat. Ref. Matsushima, 1980  
*Botryosphaeria rhodina* (Cooke) Arx Ref. Chen, 1967  
*Botryosphaeria ribis* Gross & Dugger Ref. Matsumoto & Yamamoto, 1950  
*Botryosphaeria yedoensis* Sawada Ref. Sawada, 1959  
*Greeneria uvicola* (Berk. & Curt.) Punithalingam Ref. Kao & Kuo, 1986  
*Guignardia arecae* Sacc. Ref. Sawada, 1943  
*Guignardia calami* (H. & P. Sydow) Arx & E. Müller Ref. Sawada, 1943  
*Guignardia caricae* Sawada Ref. Sawada, 1959  
*Guignardia castanopsis* W.H. Hsieh Ref. Hsieh et al., 1997  
*Guignardia cepharanthae* Sawada Ref. Sawada, 1959  
*Guignardia citricarpa* Kiely Ref. Sawada, 1919  
*Guignardia clematidis* W.H. Hsieh Ref. Hsieh et al., 1997

*Guignardia coffeana* (F. Noack) Sawada Ref. Sawada, 1943  
*Guignardia dioscoreae* (Averna-Sacc) Sawada Ref. Sawada, 1959  
*Guignardia fici-beecheyanae* Sawada Ref. Sawada, 1944  
*Guignardia fici-septicae* Sawada Ref. Sawada, 1944  
*Guignardia hibisci-sabfariffae* Sawada Ref. Sawada, 1959  
*Guignardia ilicis-formosanae* Sawada Ref. Sawada, 1943  
*Guignardia linderiae* Sawada Ref. Sawada, 1943  
*Guignardia mangiferae* Roy Ref. Sivanesan & Hsieh, 1989  
*Guignardia manihoticola* Sawada Ref. Sawada, 1959  
*Guignardia musae* Racib. Ref. Chuang, 1981  
*Guignardia polygoni-chinense* Sawada Ref. Sawada, 1944  
*Guignardia pruni-persicae* Sawada Ref. Sawada, 1943  
*Guignardia puerariae* Sawada Ref. Sawada, 1943  
*Guignardia rhodomartyi* Sawada Ref. Sawada, 1944  
*Guignardia smilacicola* Sawada Ref. Sawada, 1959  
*Guignardia sojiae* Sawada Ref. Sawada, 1959  
*Guignardia theae* (Racib.) Bern. Ref. Sawada, 1919  
*Montagnellina calami* Sawada Ref. Sawada, 1944  
*Montagnellina catechu* Sawada Ref. Sawada, 1959  
*Montagnellina fici* Sawada Ref. Sawada, 1944  
*Montagnellina rhamni* Sawada Ref. Sawada, 1944  
*Montagnellina rubi* Sawada Ref. Sawada, 1959  
*Montagnellina theae* Sawada Ref. Sawada, 1959  
*Phyllosticta agaves* Sawada Ref. Sawada, 1959  
*Phyllosticta alpiniae-kelungensis* Sawada Ref. Sawada, 1943  
*Phyllosticta ambrosioides* Thuem. Ref. Sawada, 1959  
*Phyllosticta amorphophalli* Hara Ref. Sawada, 1959  
*Phyllosticta ananassae* Sawada Ref. Sawada, 1959  
*Phyllosticta araliae-cordatae* Sawada Ref. Sawada, 1943  
*Phyllosticta boehmeriae* Sawada Ref. Sawada, 1959  
*Phyllosticta bokensis* (P. Henn.) van der Aa Ref. Sawada, 1959  
*Phyllosticta brassicae-oleraceae* Sawada Ref. Sawada, 1959  
*Phyllosticta canavaliae* Sawada Ref. Sawada, 1959  
*Phyllosticta capitalensis* P. Henn. Ref. Sawada, 1943  
*Phyllosticta cassavae* Sawada Ref. Sawada, 1959  
*Phyllosticta castanopsis* C. C. Chen Ref. Chen, 1976  
*Phyllosticta catechu* Sawada Ref. Sawada, 1943  
*Phyllosticta citricarpa* (McAlpine) van der Aa Ref. Sawada, 1915  
*Phyllosticta colocasiae-esculentae* Sawada Ref. Sawada, 1959  
*Phyllosticta corchori* Sawada Ref. Sawada, 1916  
*Phyllosticta coriariae* Sawada Ref. Sawada, 1942  
*Phyllosticta cryptotaeniae* Sawada Ref. Sawada, 1959  
*Phyllosticta cucurbitacearum* Sacc. Ref. Kawakami & Suzuki, 1908  
*Phyllosticta curcuma* Sawada Ref. Sawada, 1959  
*Phyllosticta cylindrospora* Sawada Ref. Sawada, 1942  
*Phyllosticta cypericola* Sawada Ref. Sawada, 1959  
*Phyllosticta dusana* Hara Ref. Huang, 1996  
*Phyllosticta elaeocarpi* Sawada Ref. Sawada, 1959  
*Phyllosticta eriobotryae* Thuem. Ref. Kawakami & Suzuki, 1908  
*Phyllosticta eriobotryicola* Sawada Ref. Sawada, 1959  
*Phyllosticta eugeniae* C.-C. Chen Ref. Chen, 1976  
*Phyllosticta fagopyrina* Sawada Ref. Sawada, 1959  
*Phyllosticta ficicola* Sawada Ref. Sawada, 1959  
*Phyllosticta fici-wightianae* Sawada Ref. Sawada, 1942  
*Phyllosticta fusispora* Sawada Ref. Sawada, 1959  
*Phyllosticta gardeniicola* Sawada Ref. Sawada, 1943  
*Phyllosticta gaultheriae* Ell. & Ev. f. Ref. Chen, 1965  
*Phyllosticta glochidionis* Sawada Ref. Sawada, 1918  
*Phyllosticta glycineum* Tehon & Daniels Ref. Sawada, 1959  
*Phyllosticta gordonicola* Sawada Ref. Sawada, 1943  
*Phyllosticta gossypii* Sawada Ref. Sawada, 1959  
*Phyllosticta grandimaculans* Bub. & Krieg. Ref. Sawada, 1943  
*Phyllosticta heveae* Zimm. Ref. Sawada, 1943  
*Phyllosticta hibisci-cannabini* Sawada Ref. Sawada, 1959  
*Phyllosticta hibiscicola* Sawada Ref. Sawada, 1959  
*Phyllosticta houttuyniae* Sawada Ref. Sawada, 1959  
*Phyllosticta hranicensis* Petr. Ref. Sawada, 1959  
*Phyllosticta ipomeae-reptantis* Sawada Ref. Sawada, 1959  
*Phyllosticta iteae* C. C. Chen Ref. Chen, 1968  
*Phyllosticta ixeridis* Sawada Ref. Sawada, 1959  
*Phyllosticta kawakamii* Sawada Ref. Sawada, 1943  
*Phyllosticta kosshuensis* Sawada Ref. Sawada, 1959

*Phyllosticta kotoensis* Sawada Ref. Sawada, 1942  
*Phyllosticta kuwacola* Hara Ref. Sawada, 1959  
*Phyllosticta lappae* Sacc. Ref. Sawada, 1959  
*Phyllosticta macropycnidia* Sawada Ref. Sawada, 1959  
*Phyllosticta magnoliae-pumilae* Sawada Ref. Sawada, 1942  
*Phyllosticta malkoffii* Bubak Ref. Sawada, 1959  
*Phyllosticta melastomae* Sawada Ref. Sawada, 1959  
*Phyllosticta menthae* Bresadola Ref. Sawada, 1959  
*Phyllosticta morrisianae* C. C. Chen Ref. Chen, 1968  
*Phyllosticta musaecola* Sawada Ref. Sawada, 1959  
*Phyllosticta mussaendae* Sawada Ref. Sawada, 1944  
*Phyllosticta nelumbonis* Sawada Ref. Sawada, 1959  
*Phyllosticta noackiana* Allesch. Ref. Sawada, 1959  
*Phyllosticta oryzae* Hori Ref. Kawakami & Suzuki, 1908  
*Phyllosticta papayina* Sawada Ref. Sawada, 1959  
*Phyllosticta perseae* Ell. & Mart. Ref. Sawada, 1943  
*Phyllosticta persicae* Sacc. Ref. Sawada, 1959  
*Phyllosticta peucedani* Sawada Ref. Sawada, 1944  
*Phyllosticta phaseolina* Sacc. Ref. Sawada, 1959  
*Phyllosticta phaseolorum* Sacc. & Speg. Ref. Kawakami & Suzuki, 1908  
*Phyllosticta piperis-betle* Sawada Ref. Sawada, 1959  
*Phyllosticta pisi* West. Ref. Sawada, 1959  
*Phyllosticta polygonorum* Sacc. Ref. Kawakami & Suzuki, 1908  
*Phyllosticta pterocarpi* Sawada Ref. Sawada, 1959  
*Phyllosticta puerariicola* Sawada Ref. Sawada, 1942  
*Phyllosticta rubi-adenotrichopodi* Sawada Ref. Sawada, 1943  
*Phyllosticta sapindicola* Sawada Ref. Sawada, 1944  
*Phyllosticta scaevolae* C. C. Chen Ref. Chen, 1968  
*Phyllosticta siameae* Sawada Ref. Sawada, 1943  
*Phyllosticta sisalanae* Sawada Ref. Sawada, 1959  
*Phyllosticta sissocola* Sawada Ref. Sawada, 1959  
*Phyllosticta sojaecola* Massal. Ref. Sawada, 1959  
*Phyllosticta solani* Ell. & Martin Ref. Sawada, 1959  
*Phyllosticta sorghina* Sacc. Ref. Sawada, 1959  
*Phyllosticta* sp. Ref. Hsieh et. al., 1997  
*Phyllosticta sterculiae-nobilis* Sawada Ref. Sawada, 1959  
*Phyllosticta symploci* C. C. Chen Ref. Chen, 1968  
*Phyllosticta tabaci* Pass. Ref. Sawada, 1959  
*Phyllosticta theaeifolia* Hara Ref. Sawada, 1959  
*Phyllosticta thladianthae* Sawada Ref. Sawada, 1943  
*Phyllosticta trochodendricola* C. C. Chen Ref. Chen, 1965  
*Phyllosticta wikstroemiae* Sawada Ref. Sawada, 1944  
*Phyllosticta yugokwa* Sawada Ref. Sawada, 1943  
*Phyllosticta zae-maydis* Sawada Ref. Sawada, 1959  
*Phyllosticta zingiberi* Hori Ref. Sawada, 1959  
*Sivanesia rubi* W.H. Hsieh, C.Y. Chen Ref. Hsieh & Chen, 1994

#### Family Coccoideaceae

*Coccoidea quercicola* Henn. & Shirai Ref. Hsieh, 1986  
*Coccoidea sinobambusae* Sawada Ref. Sawada, 1959

#### Family Dothideaceae 座囊菌科

*Phragmodothis hibisci* Sawada Ref. Sawada, 1959  
*Phyllachorella melastomae-candidae* Sawada Ref. Sawada, 1944  
*Pleosphaerulina glycines* Sawada Ref. Sawada, 1959  
*Pleosphaerulina phaseolina* Sawada Ref. Sawada, 1959  
*Pleosphaerulina sojaecola* (Massal.) Miura Ref. Sawada, 1959

#### Family Dothioraceae 穴殼科

*Metasphaeria miscanthi* Sawada Ref. Sawada, 1922  
*Metasphaeria musae* (A. Zimm) Sawada Ref. Sawada, 1943  
*Pringsheimia smilacis* E. Müller Ref. Hsieh & Chen, 2000  
*Sydowia polyspora* (Bref. & Tavel) E. Müller Ref. 謝文瑞、陳啓予及王智立。2000  
*Yoshinagaia quercus* Henn. Ref. Sivanesan & Hsieh, 1995

#### Family Incierta

*Macrovalsaria megalospora* (Mont.) Sivan. Ref. Wang & Lin, 2004

### Order Erysiphales 白粉菌目

#### Family Erysiphaceae 白粉菌科

*Brasiliomyces cyclobalanopsis* Kuo, W.H. Hsieh & Leu Ref. Kuo et al., 1992  
*Erysiphe acalyphae* (Tai) Zheng & Chen Ref. Sydowia 34: 261, 1981  
*Erysiphe aquilegiae* DC. Ref. Sawada, 1959  
*Erysiphe biocellata* Ehrenb. Ref. Wu, 1965

*Erysiphe galeopsidis* DC. Ref. List of Taiwan Farmers: 1037, 1944  
*Erysiphe heraclei* DC. Ref. Tsay, 1990  
*Erysiphe orontii* Cast. Ref. Sawada, 1919  
*Erysiphe pisi* DC. Ref. Sawada, 1959  
*Erysiphe plantaginis* (Link) Sawada Ref. Sawada, 1919  
*Erysiphe polygoni* DC. Ref. Sawada, 1919  
*Erysiphe russellii* Clinton Ref. Hsieh, 1983  
*Erysiphe sordida* L. Junell Ref. Sawada, 1919  
*Erysiphe tabaci* Sawada Ref. Sawada, 1919  
*Ischnochaeta polygoni* (DC.) Sawada Ref. Sawada, 1959  
*Microsphaera alphitoideis* Griffon & Maubl. Ref. Sawada, 1959  
*Microsphaera astragali* (DC.) Trev. Ref. Sawada, 1919  
*Microsphaera divaricata* (Wall.) Lev. Ref. Sawada, 1959  
*Microsphaera nomurae* U. Braun Ref. Sawada, 1959  
*Microsphaera pseudolonicerae* (Salm.) S. Blumer Ref. Sawada, 1959  
*Microsphaera russellii* Clint. Ref. Sawada, 1919  
*Microsphaera sojae* Hori Ref. Sawada, 1959  
*Phyllactinia actinidiae-formosanae* Sawada Ref. Sawada, 1933  
*Phyllactinia actinidiae-latifoliae* Sawada Ref. Sawada, 1933  
*Phyllactinia broussonetiae-kaempferi* Sawada Ref. Sawada, 1933  
*Phyllactinia mali* (Dubg.) U. Braun Ref. Sun, 1967  
*Phyllactinia moricola* Homma Ref. Sawada, 1933  
*Phyllactinia papayae* Wang Ref. Wang, 1965  
*Phyllactinia pyri-serotinae* Sawada Ref. Sawada, 1933  
*Phyllactinia salmonii* S. Blumer Ref. Chen, 1972  
*Phyllactinia sapii* Sawada Ref. Sawada, 1933  
*Podosphaera leucotricha* (Ellis & Everh.) Salm. Ref. Sun, 1969  
*Podosphaera tridactyla* (Wallr.) de Bary Ref. Sawada, 1919  
*Sphaerotheca aphanis* var. *aphanis* (Wallr.) U. Braun Ref. Leu, 1990  
*Uncinula clintonii* Peck Ref. Sawada, 1919  
*Uncinula kusanoi* H. & P. Syd. Ref. Kuo et al., 1991  
*Uncinula verniciferae* Henn. Ref. Sawada, 1933  
*Uncinula zelkowskiae* Henn. Ref. Hsieh, 1986  
*Uncinulopsis subspiralis* (Salmon) Sawada Ref. Sawada, 1919

## Order Eurotiales 散囊菌目

### Family Elaphomycetaceae 大團囊菌科

*Elaphomyces granulatus* Fr. Ref. Hu, 1993

### Family Monascaceae 紅麴科

*Monascus purpureus* Went. Ref. Saito, 1908

### Family Trichocomaceae 髮菌科

*Aspergillus aculeatus* Iizuka Ref. Tseng & Chen, 1981  
*Aspergillus asperescens* Stolk Ref. Tzean et al., 1990  
*Aspergillus avenaceus* G. Smith Ref. 同前  
*Aspergillus caespitosus* Raper & Thom Ref. 同前  
*Aspergillus candidus* Link Ref. Tseng & Chen, 1981  
*Aspergillus carbonarius* (Bainier) Thom Ref. Tzean et al., 1990  
*Aspergillus carneus* Blochwitz Ref. 同前  
*Aspergillus clavatus* Dezm. Ref. Tseng & Chen, 1981  
*Aspergillus equitidis* Samson & W.Gams Ref. Tzean et al., 1990  
*Aspergillus fischerianus* Samson & W.Gams Ref. 同前  
*Aspergillus flaschentraegeri* Stolk Ref. 同前  
*Aspergillus flavipes* (Bainier & Sart.) Thom & Church Ref. 同前  
*Aspergillus flavo-furcatis* Batista & Maia Ref. 同前  
*Aspergillus flavus* Link Ref. Tseng & Chen, 1981  
*Aspergillus foetidus* var. *pallidus* (Nakaz., Simo & A. Watan.) Raper & Fennell 1965 Ref. 同前  
*Aspergillus fumigatus* Fres. Ref. Sawada, 1942  
*Aspergillus giganteus* Wehmer Ref. Tzean et al., 1990  
*Aspergillus glaucus* Link Ref. 同前  
*Aspergillus hollandicus* Samson & W.Gams Ref. 同前  
*Aspergillus japonicus* Saito *aculeatus* (Iizuka) Al-Musallam Ref. 同前  
*Aspergillus japonicus japonicus* Saito Ref. 同前  
*Aspergillus multiplicatus* Yaguchi, Someya & Udagawa Ref. Yaguchi et al., 1994  
*Aspergillus nidulellus* Samson & W. Gams Ref. Tzean et al., 1990  
*Aspergillus niger niger* Van Tieghem Ref. 同前  
*Aspergillus niger* Van Tieghem *awamori* (Nakazawa) Al-Musallam Ref. 同前  
*Aspergillus ochraceus* Wilhelm Ref. 同前  
*Aspergillus oryzae oryzae* (Ahlb.) Cohn Ref. 同前  
*Aspergillus oryzae* var. *microsporus* Ref. Tseng & Chen, 1981  
*Aspergillus oryzae* (Ahlb.) Cohn *effusus* (Tiraboschi) Ohara Ref. Tzean et al., 1990  
*Aspergillus ostianus* Wehmer Ref. 同前

*Aspergillus parasiticus* Speare Ref. 同前  
*Aspergillus penicillioides* Speg. Ref. 同前  
*Aspergillus puniceus* Kwon & Fennell Ref. 同前  
*Aspergillus reptans* Samson & W.Gams Ref. 同前  
*Aspergillus restrictus* G. Smith Ref. 同前  
*Aspergillus rubrobrunneus* Samson & W.Gams Ref. 同前  
*Aspergillus sclerotiorum* Huber Ref. 同前  
*Aspergillus* sp. Ref. 同前  
*Aspergillus spathulatus* M. Takada & Udagawa Ref. Takada & Udagawa, 1985  
*Aspergillus spiculosus* Blaser Ref. Tzean et al., 1990  
*Aspergillus sydowii* (Bain. & Sart.) Thom & Church Ref. Tseng & Chen, 1981  
*Aspergillus taichungensis* Yaguchi, Someya & Udagawa Ref. Yaguchi et al., 1994  
*Aspergillus tamaritii* Kita Ref. Tseng & Chen, 1981  
*Aspergillus terreus* Thom Ref. 同前  
*Aspergillus terricola terricola* Marchal Ref. Tzean et al., 1990  
*Aspergillus ustus* (Bain.) Thom & Church Ref. 同前  
*Aspergillus versicolor* (Vuill.) Tiraboschi Ref. Tseng & Chen, 1981  
*Aspergillus wentii* Wehmer Ref. Sawada, 1943  
*Emericella nidulans* (Eidam) Vuill Ref. Chen & Chen, 1991  
*Eupenicillium brefeldianum* (Dodge) Stolk & Scott Ref. Chen & Chien, 1986  
*Eupenicillium javanicum* (van Beyma) Stolk & Scott Ref. Tzean et al., 1994  
*Eupenicillium shearii* Stolk & Scott Ref. 同前  
*Eurotium amstelodami* L. Mangin Ref. 同前  
*Eurotium chevalieri* L. Mangin Ref. 同前  
*Eurotium cristatum* (Raper & Fennell) Malloch & Cain Ref. 同前  
*Eurotium herbariorum* (Wiggers.: Fr.) Link Ref. 同前  
*Eurotium repens* de Bary Ref. 同前  
*Eurotium rubrum* J. König Ref. 同前  
*Geosmithia eburnea* Yaguchi, Someya & Udagawa Ref. Yaguchi et al., 1994  
*Merimbla ingelheimense* (von Beyma) Pitt Ref. Tzean et al., 1994  
*Neosartorya fischeri* (Wehmer) Malloch & Cain Ref. Chen & Chien, 1986  
*Neosartorya fischeri* (Wehmer) Malloch & Cain var. *spinosa* (Raper & Fennell) Malloch & Cain Ref. 同前  
*Neosartorya multiplicata* Yaguchi, Someya & Udagawa Ref. Yaguchi, Someya & Udagawa, 1994  
*Neosartorya spathulata* Takada & Udagawa Ref. Takada & Udagawa, 1985  
*Paecilomyces breviramosus* Bissett Ref. Tzean et al., 1997  
*Paecilomyces crustaceus* Apinis & Chesters Ref. Chen, 1992  
*Paecilomyces farinosus* (Holm ex S. F. Gray) Brown & Smith Ref. Tzean et al., 1997  
*Paecilomyces fumosoroseus* (Wize) Brown & Smith Ref. 同前  
*Paecilomyces inflatus* (Burnside) Carmichael Ref. Watanabe, 1994  
*Paecilomyces javanicus* (Friederichs & Bally) Brown & Smith Ref. Tzean et al., 1997  
*Paecilomyces macquandii* (Masse) Hughes Ref. Matsushima, 1980  
*Paecilomyces perscinus* Nicot Ref. 同前  
*Paecilomyces striatisporus* Onions & Barron Ref. 同前  
*Paecilomyces taiungiacus* K. Y. Chen & Z. C. Chen Ref. Chen & Chen, 1996  
*Paecilomyces tenuipes* (Peck) Samson Ref. Tzean et al., 1997  
*Paecilomyces terricola* (Miller, Giddens & Foster) Onions & Barron Ref. Matsushima, 1980  
*Paecilomyces variabilis* Barron Ref. Watanabe, 1994  
*Paecilomyces variotii* Bainier Ref. Matsushima, 1980  
*Penicillium clavariaeformis* Solms-Laubach Ref. Hsieh & Ju, 2002  
*Penicillium pseudocordyceps* H.-M. Hsieh & Y. M. Ju Ref. 同前  
*Penicillium aculeatum* Raper & Fennell Ref. Tzean et al., 1994  
*Penicillium assiutense* Samson & Abdel-Farrah Ref. 同前  
*Penicillium aurantiogriseum* Dierckx Ref. 同前  
*Penicillium bilaii* Chalabuda Ref. 同前  
*Penicillium brefeldianum* Dodge Ref. Chen & Chien, 1986  
*Penicillium brevicompactum* Dierckx Ref. Tzean et al., 1994  
*Penicillium canescens* Sopp Ref. 同前  
*Penicillium chermesinum* Biourge Ref. 同前  
*Penicillium chrysogenum* Thom Ref. 同前  
*Penicillium citreonigrum* Dierckx Ref. 同前  
*Penicillium citrinum* Thom Ref. Wei, 1993  
*Penicillium corylophilum* Dierckx Ref. Tseng & Chen, 1981  
*Penicillium crustosum* Thom Ref. 同前  
*Penicillium daleae* Zaleski Ref. Tzean et al., 1994  
*Penicillium dangeardii* Pitt Ref. 同前  
*Penicillium digitatum* (Persoon : Fries) Sacc. Ref. 同前  
*Penicillium dupontii* Griffin & Maugbl Ref. Chen, 1992  
*Penicillium emmonsii* Pitt Ref. Tzean et al., 1994  
*Penicillium erythromellis* Hocking Ref. 同前  
*Penicillium expansum* Link Ref. 同前  
*Penicillium formosanum* H.-M. Hsieh, H.-J. Su & S.-S. Tzean Ref. Goh & Haieh, 1987  
*Penicillium frequentans* Westling Ref. Tseng & Chen, 1981

*Penicillium glabrum* (Wehmer) Westling Ref. Tzean et al., 1994  
*Penicillium godlewskii* Zaleski Ref. Tseng & Chen, 1981  
*Penicillium griseofulvum* Dierckx Ref. Tzean et al., 1994  
*Penicillium herquei* Bainier & Sartory Ref. 同前  
*Penicillium hirsutum* Dierckx Ref. 同前  
*Penicillium implicatum* Biourge Ref. Tseng & Chen, 1981  
*Penicillium indonesiae* Pitt Ref. Tzean et al., 1994  
*Penicillium islandicum* Sopp Ref. Tseng & Chen, 1981  
*Penicillium italicum* Wehmer Ref. Sawada, 1922  
*Penicillium janczewskii* Zaleski Ref. Tzean et al., 1994  
*Penicillium janthinellum* Biourge Ref. 同前  
*Penicillium kloeckeri* Pitt Ref. 同前  
*Penicillium lanosum* Westling Ref. Watanabe, 1994  
*Penicillium leshmanii* Pitt Ref. Tzean et al., 1994  
*Penicillium lividum* Westling Ref. 同前  
*Penicillium marneffeii* Segretain Ref. Wang et al., 1989  
*Penicillium martensii* Biourge Ref. Tseng & Chen, 1981  
*Penicillium melinii* Thom Ref. Tzean et al., 1994  
*Penicillium miczynskii* Zaleski Ref. 同前  
*Penicillium minioluteum* Dierckx Ref. 同前  
*Penicillium nigricans* (Bainier) Thom Ref. Watanabe, 1994  
*Penicillium olsonii* Bainier & Sartory Ref. Tzean et al., 1994  
*Penicillium oxalicum* Currie & Thom Ref. 同前  
*Penicillium paxilli* Bainier Ref. 同前  
*Penicillium phoeniceum* Van Beyma Ref. 同前  
*Penicillium pinophilum* Hedgcock Ref. 同前  
*Penicillium purpurescens* (Sopp) Biourge Ref. 同前  
*Penicillium purpurogenum* Stoll Ref. 同前  
*Penicillium resedanum* McLennan & Ducker Ref. 同前  
*Penicillium reticulosum* Birkinshaw, Raistrick & Smith Ref. Watanabe, 1994  
*Penicillium rolfsii* Thom Ref. Tzean et al., 1994  
*Penicillium rugulosum* Thom Ref. 同前  
*Penicillium sclerotiorum* Van Beyma Ref. 同前  
*Penicillium shearii* Stolk & Scott Ref. 同前  
*Penicillium simplicissimum* (Oudem) Thom Ref. 同前  
*Penicillium spiculispurum* Lehman Ref. Chen & Chien, 1986  
*Penicillium spinulosum* Thom Ref. Tzean et al., 1994  
*Penicillium spp.* Ref. Huang, 1995  
*Penicillium superimpositus* Matsushima Ref. Chen, 1994  
*Penicillium ulaiense* H.-M. Hsieh, H.-J. Su & Tzean Ref. Goh & Haieh, 1987  
*Penicillium unicum* Tzean, J. L. Chen & S. H. Chiu Ref. Tzean et al., 1992  
*Penicillium variabile* Sopp Ref. Tzean et al., 1994  
*Penicillium vermiculatum* Dangeard Ref. Chen & Chien, 1986  
*Penicillium verruculosum* Peyronel Ref. Tzean et al., 1994  
*Penicillium vinaceum* Gilman & Abbott Ref. 同前  
*Penicillium viridicatum* Westling Ref. 同前  
*Penicillium vulpinum* (Cooke & Masee) Seifert & Samson Ref. 同前  
*Sarophorum palmicola* (Henn.) Seifert & Samson Ref. Hsieh & Ju, 2002  
*Spicaria araneae* Saw. Ref. Sawada, 1919  
*Spicaria formosensis* Sawada Ref. Sawada, 1959  
*Spicaria javanica* Bally Ref. Yen & Chu, 1963  
*Spicaria pracina* Aoki Ref. 同前  
*Talaromyces assiutensis* Samson & Abdel-Fattah Ref. Tzean et al., 1994  
*Talaromyces avellaneus* (Thom & Turesson) C.R. Benj. Ref. 同前  
*Talaromyces byssochlamydoides* Stolk & Samson Ref. 劉桂郁。1987  
*Talaromyces eburneus* Yaguchi, Someya & Udagawa Ref. Yaguchi, Someya & Udagawa, 1994  
*Talaromyces flavus* (Klocker) Stolk & Samson var. *macrosporus* Stolk & Samson Ref. Chen & Chien, 1986  
*Talaromyces flavus* (Klocker) Stolk & Samson Ref. Tzean et al., 1994  
*Talaromyces muroii* Yaguchi, Someya & Udagawa Ref. Yaguchi, Someya & Udagawa, 1994  
*Talaromyces stipitatus* (Thom) C.R. Benj. Ref. Tzean et al., 1994  
*Talaromyces trachyspermus* (Shear) Stolk & Samson Ref. Chen & Chien, 1986  
*Talaromyces unicus* Tzean et al. Ref. Tzean et al., 1994  
*Talaromyces wortmannii* (Klöcker) C.R. Benj. Ref. 同前  
*Thermoascus aurantiacus* Miehe Ref. Chen & Chen, 1988  
*Trichocoma paradoxa* Jungh. Ref. Wu, 1996

## Order Gyalectales 凹盤衣目

### Family Gyalectaceae 凹盤衣科

*Coenogonium interplexum* Nyl. 網絨衣 Ref. Lai, 2000  
*Coenogonium linkii* Ehrenb. 林氏絨衣 Ref. Lai, 2000

## Order Halosphaeriales 海殼菌目

## Family Halosphaeriaceae 海殼菌科

*Remispora galerita* Tubaki Ref. Manimohan et al., 1993

## Order Helotiales 柔膜菌目

### Family Bulgariaceae 膠陀螺菌科

*Bulgaria inquinans* Fr. Ref. Wu, 1996

### Family Cudoniaceae

*Cudonia convoluta* Lloyd Ref. Chen & Chien, 1983

*Cudonia japonica* Yasuda. Ref. Wu, 1996

### Family Dermateaceae 皮盤菌科

*Chlorosplenium aeruginosum* (Fr.) De. Not. Ref. Liou & Chen, 1977

*Chlorosplenium fusisporum* S.C. Liou & Z.C. Chen Ref. 同前

*Diplocarpon rosae* Wolf Ref. Taiwan Arg. Farmers 1085, 1944

*Gloeosporium bataticola* Sawada Ref. Sawada, 1959

*Gloeosporium blumeae* Sawada Ref. Sawada, 1959

*Gloeosporium capparidis* Sawada Ref. Sawada, 1944

*Gloeosporium coccolobae* C. C. Chen Ref. Chen, 1968

*Gloeosporium coffeicola* Tassi var. *ramulicola* Gz. Ref. Sawada, 1959

*Gloeosporium dioscoreae* Sawada Ref. Sawada, 1943

*Gloeosporium elaeocarpi* C. C. Chen Ref. Chen, 1965

*Gloeosporium fici-religiosae* C. C. Chen Ref. Chen, 1968

*Gloeosporium fici-septicarum* Sawada Ref. Sawada, 1942

*Gloeosporium hibisci-tiliacei* Sawada Ref. Sawada, 1931

*Gloeosporium kaki* Hori. Ref. Sawada, 1911

*Gloeosporium machili* Sawada Ref. Sawada, 1943

*Gloeosporium passifloricolum* Sawada Ref. Sawada, 1943

*Gloeosporium pithecolobiicola* Sawada Ref. Sawada, 1944

*Gloeosporium rotundimaculatum* Sawada Ref. Sawada, 1943

*Gloeosporium siameae* Sawada Ref. Sawada, 1943

*Gloeosporium theae-sinensis* Miyake Ref. Sawada, 1915

*Gloeosporium viciae* Sawada Ref. Sawada, 1959

*Marssonina potentillae* (Desm.) Magn. Ref. Sawada, 1917

*Marssonina salicis-purpureae* Japp Ref. Sawada, 1959

*Marssonina viticola* Miyake Ref. Sawada, 1959

*Mollisia cf. melaleuca* (Fr.) Sacc. Ref. Wu & Wang, 2000

*Pezicula subcarnea* J. W. Groves Ref. Liou & Chen, 1977

### Family Helotiaceae 柔膜菌科

*Ascocoryne sarcoides* (Jacq. ex Gray) Grove & Wilson Ref. Liou & Chen, 1977

*Bispora betulina* (Corda) Hughes Ref. Chen, 1994

*Bispora novae-zelandiae* Matsushima Ref. Matsushima, 1985

*Bisporella claroflava* (Grev.) Lizon & Korf Ref. Wu & Wang, 2000

*Bisporella sulfurina* (Quél.) S.E. Carp. Ref. Wang, 2005

*Crocicreas coronatum* (Bulliard ex Merat) S. E. Carpenter Ref. Wang, 2002

*Crocicreas helios* (Penzig & Saccardo) S. E. Carpenter var. *helios* S. E. Carpenter Ref. Wang, 2002

*Hymenoscyphus caudatus* (Karsten) Dennis. Ref. Wu & Wang, 2000

*Hymenoscyphus lutescens* (Hedw.) W. Phillips Ref. Wang, 2005

*Idriella fertilis* (Pirozynski & Hodges) Matsushima Ref. Matsushima, 1980

*Idriella lunata* Nelson & Wilhelm Ref. 同前

*Idriella mycogonoidea* Matsushima Ref. Chen, 1994

*Idriella taiwanensis* Matsushima Ref. Matsushima, 1980

*Ionomidotis frondosa* (Kobayasi) Kobayasi & Korf Ref. Wang, 2005

*Varicosporium elodeae* Kegel Ref. Matsushima, 1987

### Family Hyaloscyphaceae 晶杯菌科

*Clavisdisculum acuum* (Alb. & Schwein.) Kirschst. Ref. Wu, 2005

*Dasyscypha leucophaea* (Pers. ex Weinm.) Massee Ref. Liou & Chen, 1977

*Dasyscyphus apala* (Berk & Broome) Dennis Ref. 同前

*Dasyscyphus nudipes* (Fuckel) Sacc. Ref. 同前

*Dasyscyphus subcorticalis* (Pat.) Dennis var. *wulaiensis* Liou & Chen Ref. 同前

*Lachnum albidulum* (Penz. & Sacc.) M. P. Sharma Ref. Wu, 1998

*Lachnum attenuatum* J. H. Haines & Dumont Ref. Wu et al., 1998

*Lachnum brasiliense* (Mont.) J. H. Haines & Dumont Ref. 同前

*Lachnum controversum* (Cooke) Rehm. Ref. Wu, 2004

*Lachnum fushanensis* Wu. M. L. & Haines J. H. Ref. Wu, 1999

*Lachnum indicum* (Cash) Haines & Dumont. Ref. Wu, 2004

*Lachnum lanariceps* (Cooke & Phillips) Spooner Ref. Su et al., 2006

*Lachnum lanyuensis* Y. Z. Wang Ref. Wang, 2002

*Lachnum lushanense* W.Y. Zhuang & Z. Wang Ref. Su et al., 2006

*Lachnum pygmaeum* (Fr.) Bres. Ref. Wu et al., 1998

*Lachnum taiwanense* J. H. Haines, M.L. Wu & Y. Z. Wang Ref. 同前

*Lachnum virgineum* (Batsch : Fr.) P. karst Ref. Wu, 1998  
*Perrotia nanjenshana* Y.-Z. Wang & J. H. Haines Ref. Wang & Haines, 1999.  
*Psilachnum chrysostrigium* (Fr.: Fr.) Raitv. Ref. Wu & Wang, 2000

### Family Phacidiaceae 星裂盤菌科

*Phacidium repandum* (Alb. & Achw.) Rehm Ref. Sawada, 1931

### Family Rutstroemiaceae

*Lanzia glandicola* (Thind & Singh) Dumont Ref. Wang, 2004  
*Lanzia huangshanica* W.Y. Zhuang & Korf Ref. Wang & Wu, 1997  
*Lanzia serotina* (Pers.: Fr.) Korf & W.Y. Zhuang Ref. Wang, 2004

### Family Sclerotiniaceae 核盤菌科

*Asterocalyx mirabilis* Höhn Ref. Wu, 2002  
*Botrytis allii-fistulosi* Sawada Ref. Sawada, 1959  
*Botrytis cinerea* Pers. Ref. Sawada, 1912  
*Botrytis liliorum* Fujikuro Ref. Sawada, 1919  
*Ciboria shiraiana* (Henn.) Whetzel. Ref. Sawada, 1919  
*Ciborinia allii* (Sawada) L.M. Kühn Ref. Sawada, 1919  
*Dicephalospora rufocornea* (Berk. & Broome) Spooner Ref. Wang & Wu, 1997  
*Sclerotinia allii* Sawada Ref. Sawada, 1919  
*Sclerotinia arachidis* Han. Ref. Lo & Ko, 1957  
*Sclerotinia cineria* (Bon.) Schr. Ref. Sun, 1967  
*Sclerotinia fructigena* (Pers.) Schr. Ref. Sun, 1967  
*Sclerotinia libertiana* Fuckel Ref. Sawada, 1919  
*Sclerotinia miyabeana* Hanzawa Ref. Hong, 1956  
*Sclerotinia sclerotiorum* (Lib.) de Bary Ref. Sawada, 1959  
*Sclerotinia shiraiana* Henn. Ref. Sawada, 1919

### Order Hypocreales 肉座菌目

#### [Not assigned to a family]

*Acremoniella atra* (Corda) Sacc., 1886 Ref. Wu & Dow, 1993  
*Acremonium chaetodasci* Sawada Ref. Sawada, 1959  
*Acremonium charticola* (Lindau) Gams Ref. Tzean et al., 1997  
*Acremonium crassum* Petch Ref. 同前  
*Acremonium fusigerum* (Berkeley & Broome) W. Gams Ref. Chen, 1994  
*Acremonium zonatum* (Sawada) W. Gams Ref. Sawada, 1919  
*Acrodictys bambusicola* M. B. Ellis Ref. Matsushima, 1980  
*Acrodictys erecta* (Ellis & Everh.) M. B. Ellis Ref. Matsushima, 1987  
*Acrodictys globulosa* (Toth) M. B. Ellis Ref. Matsushima, 1980  
*Acrodictys polyappendiculata* J. L. Chen & Tzean Ref. Chen, 1994  
*Acrodictys queenslandica* Matsushima Ref. Chang, 1997  
*Acrodictys reniforma* J. L. Chen & Tzean Ref. Chen, 1994  
*Acrogenospora sphaercephala* (Berkeley & Broome) M. B. Ellis Ref. Matsushima, 1980  
*Acrothecium rubi* Sawada Ref. Sawada, 1943  
*Actinocladium brevibrachium* J. L. Chen & Tzean Ref. Chen, 1994  
*Actinocladium rhodosporum* Ehrenb., Ehrenberg Ref. Jb. Gewachskde 1: 52, n. v., 1819  
*Acumispora biseptata* Matsushima Ref. Matsushima, 1980  
*Acumispora phragmospora* Matsushima Ref. 同前  
*Acumispora uniseptata* Matsushima Ref. 同前  
*Aegerita duthei* Berk. Ref. Sawada, 1919  
*Akanthomyces ampullifer* (Petch) Mains Ref. Hsieh et al., 1997  
*Akanthomyces araneorum* (Petch) Mains Ref. 同前  
*Akanthomyces johnsonii* (Masse) Vincent, Seifert & Samson Ref. Chen, 1994  
*Akanthomyces novoguineensis* Samson & Brady Ref. Hsieh et al., 1997  
*Akanthomyces ovalongatus* L.S. Hsieh, Tzean & W.J. Wu Ref. Tzean et al., 1997  
*Alpakesa taiwanensis* Matsushima Ref. Matsushima, 1987  
*Amastigis artemisiae* Sawada Ref. Sawada, 1943  
*Amphichaetella echinata* Hoehnel Ref. Chen, 1994  
*Anthina brunnea* Sawada Ref. Sawada & Kurosawa 1927  
*Anthina citri* Sawada Ref. 同前  
*Antipodium arechae* Matsushima Ref. Matsushima, 1980  
*Antromyces diaphorinae* Sawada Ref. Sawada, 1959  
*Aphanocladium macrosporum* J. L. Chen, W. S. Lin, & S. S. Tzean Ref. Chen, 1999  
*Arachnophora fagicola* Hennebert Ref. Matsushima, 1980  
*Arthobotryum stilboideum* Ces. Ref. Chang, 1989  
*Articulospora ozeensis* Matsushima Ref. Matsushima, 1987  
*Arxiella terrestris* Papendorf Ref. Matsushima, 1980  
*Atractilina paracitica* (Wint.) Deighton & Pirozynski Ref. Chen, 1994  
*Aureobasidium pullulans* (da Bary) Arn. Ref. Wang et al., 1983  
*Aureobasidium pullulaus* (da Bary) Arn. Ref. 同前  
*Bacteridium coccophilum* Sawada Ref. Sawada, 1959  
*Bahusutrabeeja angularis* Vasant Rao & de Hoog Ref. Chang, 1990

*Bahusutrabeeja dwaya* Subramanian & Bhat. Ref. Chang, 1990  
*Bartalinia querna* Harkness Ref. Matsushima, 1987  
*Bartalinia robillardoides* Tassi Ref. 同前  
*Beltrania concurvispora* Matsushima Ref. Chen, 1994  
*Beltrania rhombica* Penzig Ref. Matsushima, 1980  
*Beltraniopsis esenbeckiae* Batista & J. L. Bezerra Ref. 同前  
*Berkleasium caribense* Hol.-Jech. & Mercado Ref. Matsushima, 1987  
*Berkleasium phyllostachydis* Matsushima Ref. Matsushima, 1983  
*Biflagellospora japonica* Matsushima Ref. Matsushima, 1980  
*Blastobotrys nivea* V. Klopotek Ref. 同前  
*Blastophorum truncatum* Matsushima Ref. Chen, 1994  
*Botryosporium pulchrum* Corda Ref. Chen, 1994  
*Brachiosphaera jamaicensis* (Crane & Dumont) Nawawi Ref. Chang, 1994  
*Brachiosphaera tropicalis* Nawawi Ref. Chang, 1994  
*Cacumisporium sigmoideum* Mercado & R. F. Castaneda Ref. Chang, 1997  
*Caldariomyces fasciculatus* Yamamoto Ref. Sawada, 1942  
*Camposporium antennatum* Harkness Ref. Matsushima, 1980  
*Camposporium cambrense* Hughes Ref. Matsushima, 1987  
*Camposporium hyderabadense* P.R. Rao & D. Rao Ref. Matsushima, 1980  
*Camposporium japonicum* Ichinoe Ref. Chen, 1994  
*Camptomeris leucanae* (Stev. & Dalbey) Syd. Ref. Hsieh, 1986  
*Campylospora filicladia* Nawawi Ref. Matsushima, 1980  
*Campylospora parvula* Kuzuha Ref. 同前  
*Catenosubulispora honiaraensis* Matsushima Ref. Matsushima, 1987  
*Cephalophora irregularis* Thaxter Ref. Matsushima, 1980  
*Cephalophora tropica* Thaxter Ref. Chen, 1994  
*Cephalosporium curtipes* (Cordu) Saccardo Ref. Lin, 1996  
*Cephalosporium puerariae* Sawada Ref. Sawada, 1942  
*Cephalosporium rubi* Sawada Ref. Sawada, 1959  
*Ceratosporella deviata* Subramanian Ref. Chen, 1994  
*Ceratosporella flagellifera* Matsushima Ref. Chen, 1994  
*Cercoseptoria liquidambaricola* (Yen) Yen Ref. Hsieh & Goh, 1990  
*Cercoseptoria prunicola* (Ellis & Everhart) Yen Ref. 同前  
*Cercoseptoria pruni-percicae* (Yen) Yen Ref. 同前  
*Cercoseptoria symplocicola* (Yen) Yen Ref. 同前  
*Cercoseptoria whalienensis* (Yen & Sun) Yen Ref. 同前  
*Cerebella cynodontis* Syd. Ref. Sawada, 1943  
*Cerebella ischaemicola* Sawada Ref. Sawada, 1943  
*Cerebella panici-violascentis* Sawada Ref. Sawada, 1914  
*Cerebella paspali* Cook & Massee Ref. Sawada, 1944  
*Chaetendophragmia triangularia* Matsushima Ref. Matsushima, 1980  
*Chaetendophragmia triseptata* Matsushima Ref. Matsushima, 1987  
*Chaetomella raphigera* M.E. Swift Ref. Matsushima, 1980  
*Chaetosphaeronema euphorbiae* Sawada Ref. Sawada, 1959  
*Chalara hughesii* T. R. Nag Raj & B. Kendrick Ref. Matsushima, 1980  
*Chalara montellica* (Sacc.) Sacc. Ref. Chen, 1994  
*Chalara musae* Sawada Ref. Sawada, 1959  
*Chalara* sp. Ref. Tseng & Chen, 1987  
*Chalara urceolata* Nag Raj & Kendrick Ref. Matsushima, 1980  
*Cheiromoniliophora elegans* Tzean & J. L. Chen Ref. Tzean & Chen, 1990  
*Cheirorhynchium formosana* T. Matsushima Ref. Matsushima, 1980  
*Chlamydomyces palmarum* (Cook) Mason Ref. 同前  
*Chloridium chlamydosporis* (van Beyma) S.J. Hughes Ref. 同前  
*Chloridium laeense* Matsushima Ref. Chen, 1994  
*Chromelosporium ochraceum* Corda Ref. in Sturm's Deut. Fl. III, 3 (13): 81-82, 1833  
*Chromelosporium* sp. Ref. Tseng & Chen, 1987  
*Cicinnobolus nicotianae* Sawada Ref. Sawada, 1933  
*Ciliopora gelatinosa* Zimmermann Ref. Matsushima, 1987  
*Circinotrichum falcatisporum* K. A. Pirozynski Ref. Matsushima, 1980  
*Circinotrichum maculiforme* C.G. Nees ex Persoon Ref. 同前  
*Cirrenalia palmicola* Matsushima Ref. 同前  
*Cladobotryum aleuritidis* Sawada Ref. Sawada, 1959  
*Cladobotryum bulbillosum* W. Gams & Mouchacca Ref. Watanabe, 1994  
*Cladobotryum samala* (Subram. & Lodha) W. Gams & Mouchacca Ref. 同前  
*Clasterosporium eriobotryae* Hara Ref. Sawada, 1942  
*Coleodictyospora micronesica* (Matsushima) Matsushima Ref. Matsushima, 1987  
*Conicomycetes* sp. Ref. Chung & Tzean, 1998  
*Conioscypha bawbusicola* Matsushima Ref. Chen & Tzean, 2000  
*Conioscypha hoehnelii* Kirk Ref. 同前  
*Conioscypha japonica* Udagawa & Toyazaki Ref. 同前  
*Conioscypha lignicola* Hohnel Ref. 同前  
*Conioscypha taiwaniana* J. L. Chen & S. S. Tzean Ref. 同前

*Coniosporium koshotankan* Sawada Ref. Sawada, 1959  
*Coniosporium lagerstroemiae* N. D. Sharma Ref. Chen, 1994  
*Cordana musae* (Zimm.) Hohnel Ref. Matsushima, 1980  
*Cordana pauciseptata* preuss Ref. Chen & Hsieh, 1997  
*Coronospora dendrocalami* M. B. Ellis Ref. Matsushima, 1980  
*Coronospora uniseptata* Matsushima Ref. Matsushima, 1987  
*Coryne trichophora* (A. L. Smith) Seifert Ref. Chung & Liu, 1998  
*Craspedodidymum proliferans* Vasant Rao & de Hoog Ref. Chang, 1995  
*Cryptocoryneum millettiae* Sawada Ref. Sawada, 1943  
*Cryptophiale kakombensis* Pirozynski Ref. Matsushima, 1985  
*Cryptophiale udagawae* Pirozynski & Ichinoe Ref. Matsushima, 1980  
*Cryptophialoidea secunda* (Kuthubutheen&Sutton) Kuthubutheen&Nawawi Ref. Chang, 1990  
*Curvidigitus daphniphylli* Sawada Ref. Sawada, 1943  
*Cyclodomus comosi* Sawada Ref. Sawada, 1959  
*Cyclodomus yuccae* Sawada Ref. Sawada, 1959  
*Cyphellophora taiwanensis* Matsushima Ref. Matsushima, 1987  
*Dactylium alpiniae* Sawada Ref. Sawada, 1928  
*Dactylosporium macropus* (Corda) Harz Ref. Matsushima, 1983  
*Deightoniella torulosa* (Sydow) M. B. Ellis Ref. Matsushima, 1980  
*Dendrodochium ampelopsidis* Sawada Ref. Sawada, 1944  
*Dendrographium bambusae* Sawada Ref. Sawada, 1943  
*Dendrophoma mori* Sawada Ref. Sawada, 1959  
*Dendrosporium lobatum* Plakidas & Edgerton ex J. L. Crane Ref. Matsushima, 1980  
*Dicellispora lelebae* Sawada Ref. Sawada, 1944  
*Dichaenopsis ischurochloae* Sawada Ref. Sawada, 1959  
*Dictyoarthrinium sacchari* (Stevenson) Damon Ref. Chen, 1994  
*Dictyochaeta subfuscispora* A.J. Kuthubutheen & A. Nawawi Ref. Mycol. Res. 95: 1214-1215, 1991  
*Dictyochaeta taiwanensis* Matsushima Ref. Matsushima, 1987  
*Dictyosporium elegans* Corda Ref. Matsushima, 1980  
*Dictyosporium triseriale* Matsushima Ref. 同前  
*Dictyosporium bulbosum* Tzean & J. L. Chen Ref. Tzean & Chen, 1989  
*Dictyosporium digitatum* Chang, H. S. should be read as Chen, Hwang & Tzean. Ref. List of the Fungi in Taiwan P.217  
*Dictyosporium heptasporum* (Garov.) Damon. Ref. Chen & Tzean, 1999  
*Dictyosporium micronesianum* Matsushima Ref. 同前  
*Dictyosporium subramanianii* Sutton Ref. 同前  
*Dictyosporium verucosum* Tzean & J. L. Chen Ref. Tzean & Chen, 1989  
*Didymobotryum elastostemae* Sawada Ref. Sawada, 1944  
*Didymobotryum verrucosum* Hino & Katumoto Ref. Chen, 1994  
*Didymobotryum verrucosum* (Sacc. & Paoletti) M. B. Ellis. Ref. Chen & Tzean, 1999  
*Diplocladiella alta* R. Kirschner & C.J. Chen Ref. Kirschner & Chen, 2004  
*Diplocladiella scalaroides* Arnaud Ref. Matsushima, 1980  
*Diplodia agaves* Niessl. Ref. Sawada, 1959  
*Diplodia fici-retusae* Sawada Ref. Sawada, 1959  
*Diplodia morina* Syd. Ref. Sawada, 1959  
*Diplodia pinea* (Desm.) Kickx. Ref. Chang, 1996  
*Diplodia ricinella* Sawada Ref. Sawada, 1959  
*Diplodina epipremi* Sawada Ref. Sawada, 1959  
*Dischloridium laeense* (Matsushima) B. Sutton Ref. Matsushima, 1987  
*Discosia discoreae* Sawada Ref. Sawada, 1959  
*Drumopama girisa* Subramanian Ref. Chang, 1989  
*Dualomyces bambucicola* (Matsushima) Matsushima Ref. Matsushima, 1987  
*Dualomyces taiwanensis* Matsushima Ref. 同前  
*Ectostroma oryzae* Sawada Ref. Sawada, 1912  
*Ellisopsis portoricensis* (F. L. Stevens) Pirozynski Ref. Chen, 1994  
*Endocalyx melanoxanthus* (Berk. & Br.) Petch Ref. Matsushima, 1980  
*Endophragmia achromatica* Tzean & J. L. Chen Ref. Tzean & Chen, 1989  
*Endophragmia alternata* Tubaki & Saito Ref. Matsushima, 1980  
*Endophragmia atra* (Berkeley & Broome) M. B. Ellis Ref. Chang, 1989  
*Endophragmia boewi* Crane Ref. Matsushima, 1980  
*Endophragmia fimbriatylidis* Sawada Ref. Sawada, 1943  
*Endophragmia ovoidea* Matsushima Ref. Matsushima, 1980  
*Endophragmia triseptata* Shearer, Crane & Miller Ref. 同前  
*Endophragmiella dimorphospora* (Awao & Udagawa) Hughes Ref. 同前  
*Epicoccum hyalopes* I. Miyake Ref. Sawada, 1922  
*Epicoccum nigrum* Link, 1815 Ref. Kuo et al., 1994  
*Epicoccum purpurascens* Ehrenb. ex Schlecht. Ref. Matsushima, 1980  
*Epidermophyton flucosum* (Harz) Langeron & Miloshevitch Ref. Jen et al., 1963  
*Esteya vermicola* J. Y. Liou, J. Y. Shih & Tzean. Ref. Liou et al., 1999  
*Exosporella rhois-javanicae* Sawada Ref. Sawada, 1943  
*Exosporella theae* Sawada Ref. Sawada, 1959  
*Exostroma cymbidii* Sawada Ref. Sawada, 1959  
*Exserticlava globosa* Vasant Rao & de Hoog Ref. Chang, 1995

*Exserticlava uniseptata* Bhat & Sutton Ref. Chang, 1995  
*Exserticlava vasiformis* (Matsushima) Hughes Ref. Matsushima, 1980  
*Flabellospora irregularis* Matsushima Ref. Matsushima, 1983  
*Fusariella bizzoeriana* (Sacc.) Hughes Ref. Matsushima, 1987  
*Fusariella concinna* (Sydow) Hughes Ref. Matsushima, 1980  
*Fusariella formosana* Matsushima Ref. Matsushima, 1985  
*Fusariella obstipa* (Pollack) Hughes Ref. Chen, 1994  
*Fusariella sarniensis* M. B. Ellis Ref. Matsushima, 1980  
*Fusella eleocharidis* Sawada Ref. Sawada, 1943  
*Fusicladium alopecuri* Sawada Ref. Sawada, 1943  
*Fusicladium elasticae* C. C. Chen Ref. Chen, 1968  
*Fusicladium junci* Sawada Ref. Sawada, 1943  
*Fusicoccum persicae* Ellis & Everhart Ref. Sawada, 1928  
*Fusoma achyranthis* Sawada Ref. Sawada, 1959  
*Geotricum candidium* Link Ref. Ko, 1990  
*Gilmaniella humicola* Barron Ref. Matsushima, 1980  
*Gliomastix fusigera* (Berkeley & Broome) Dickinson Ref. 同前  
*Gliomastix masseei* (Sacc.) Matsushima Ref. 同前  
*Gliomastix moriformis* (W. Gams) M. B. Ellis Ref. Matsushima, 1983  
*Gliomastix murorum* (Corda) Hughes Ref. Matsushima, 1980  
*Graphium gordoniae* Sawada Ref. Sawada, 1959  
*Graphium penicillioides* Corda Ref. Matsushima, 1980  
*Graphium putredinis* (Corda) Hughes Ref. Chen, 1994  
*Guedea novae-zelandiae* Hughes Ref. Chang, 1997  
*Gyrothrix circinata* (Berkeley & Curtis) Hughes Ref. Matsushima, 1980  
*Gyrothrix microsperma* (Hohnel) Pirozynski Ref. 同前  
*Gyrothrix pediculata* J. L. Cunningham Ref. Mycologia 66: 123, 1974  
*Gyrothrix podosperma* (Corda) Rabenhorst Ref. Matsushima, 1980  
*Hansfordia pulvinata* (Berk. & Curt.) Hughes Ref. 同前  
*Haplobasidium musae* M. B. Ellis Ref. Tsai et al., 1992  
*Haplographium musae* Sawada Ref. Sawada, 1959  
*Harknessia pandani* Sawada Ref. Sawada, 1959  
*Harknessia terminariae* Sawada Ref. Sawada, 1959  
*Harplaria dichotoma* Sawada Ref. Sawada, 1959  
*Harposporium anguillulae* Karling Ref. Tzean et al., 1997  
*Harposporium anguillulae* Karling. Ref. 同前  
*Hemicorynespora mitrata* (Penzig & Sacc.) M. B. Ellis Ref. Matsushima, 1987  
*Hemicorynespora multiseptata* Sivanesan & H. S. Chang Ref. Sivanesan & Chang, 1997  
*Hendersonia citricarpa* Sawada Ref. Sawada, 1931  
*Hendersonia piperis* Sawada Ref. Sawada, 1959  
*Hendersonia stephaniae* Sawada Ref. Sawada, 1959  
*Hendersonia zingiberi* Sawada Ref. Sawada, 1959  
*Henicospora queenslandicum* Matsushima Ref. Chen, 1994  
*Hermatomyces sphaericum* (Sacc.) Hughes Ref. Chen, 1994  
*Hermatomyces tucumanensis* Speg. Ref. Chang, 1995  
*Heterocephalum aurantiacum* Thaxter Ref. Chien, 1972  
*Heteroconidium cassiae* Sawada Ref. Sawada, 1944  
*Heterosporium wikstroemiae* Sawada Ref. Sawada, 1944  
*Hyalotia lateripes* (Ellis & Ev.) Guba Ref. Wu, 1982  
*Hymenopsis cudrania* Masee Ref. Sawada, 1914  
*Hymenostilbe dipterigena* Petch Ref. Tzean et al., 1997  
*Irpicomycetes bambusicolus* Matsushima Ref. Matsushima, 1980  
*Isaria cryptotympanae* Sawada Ref. Sawada, 1959  
*Isariopsis clavispora* (B. & C.) Sacc. Ref. Kawakami & Suzuki, 1908  
*Isariopsis sapindi* Sawada Ref. Sawada, 1942  
*Isthmolongispora intermedia* Matsushima Ref. Matsushima, 1980  
*Isthmolongispora minima* Matsushima Ref. 同前  
*Isthmolongispora quadricellularia* Matsushima Ref. 同前  
*Isthmolongispora rotundata* Matsushima Ref. Matsushima, 1987  
*Ityorhoptrum verruculosum* (M. B. Ellis) P. M. Kirk Ref. Chang, 1997  
*Janetia synnematosus* Sivanesan & W. H. Hsieh Ref. Tzean & Chen, 1990  
*Japonia quercus* Hoehnel Ref. Sivanesan & Hsieh, 1995  
*Kionochaeta pughii* Kuthubutheen & Nawawi Ref. Chang, 1990  
*Kionochaeta ramifera* (Matsushima) P.M. Kirk & B. Sutton Ref. Matsushima, 1980  
*Kirramyces epicoccoides* (Cooke & Masee) J. Walker, B. Sutton & Pascoe Ref. Walker et al., 1992  
*Kmetia ampelopsidis* Sawada Ref. Sawada, 1943  
*Kmetia dioscoreae* Sawada Ref. Sawada, 1943  
*Kmetia fici* Sawada Ref. Sawada, 1942  
*Kmetia pouzolziae* Sawada Ref. Sawada, 1959  
*Kmetia sesbaniae* Sawada Ref. Sawada, 1959  
*Kostermansinda minima* Cabello & Arambarri Ref. Chang, 1989  
*Kostermansindiopsis* sp. Ref. Chung & Tzean, 1998

*Kramasamuha sibika* Subramanian & Vittal Ref. Matsushima, 1980  
*Lambdasporium lushanense* J. L. Chen, W. S. Lin & S. S. Tzean. Ref. Chen, 2000  
*Lasmenia phyllostachydis* Sawada Ref. Sawada, 1944  
*Lateriramulosa ainflata* Matsushima Ref. Matsushima, 1980  
*Lateriramulosa uniinflata* Matsushima Ref. 同前  
*Lepraria* sp.1 Ref. Lai, 2000  
*Lepraria* sp.2 Ref. Lai, 2000  
*Leprocaulon arbuscula* (Nyl.) Nyl. 樹絨枝 Ref. Lai, 2000  
*Leprocaulon pseudoarbuscula* (Asahina) Lamb & Ward 擬樹絨枝 Ref. Lai, 2000  
*Leptographium elegans* M. J. Wingfield, Crous & Tzean Ref. Wingfield et. al., 1994  
*Leptothyrium dendrocalami* Sawada Ref. Sawada, 1959  
*Leuliiisinea bambusicola* Matsushima Ref. Matsushima, 1985  
*Lichenophoma arecae* Sawada Ref. Sawada, 1959  
*Lylea catenulata* Morgan-jones Ref. Chang, 1999  
*Lylea tetracoilum* (Corda) Hoelubova-Jechova Ref. Chen, 1994  
*Macrophoma agaves* Sawada Ref. Sawada, 1959  
*Macrophoma aurantii* Scalia Ref. Sawada, 1959  
*Macrophoma cassavae* Sawada Ref. Sawada, 1959  
*Macrophoma cepharanthae* Sawada Ref. Sawada, 1959  
*Macrophoma chionanthi* C. C. Chen Ref. Chen, 1965  
*Macrophoma dendrocalami* Sawada Ref. Sawada, 1944  
*Macrophoma ehretiae* Cooke & Massee Ref. Sawada, 1931  
*Macrophoma fagopyri* Sawada Ref. Sawada, 1944  
*Macrophoma fagopyricola* Sawada Ref. Sawada, 1959  
*Macrophoma fici-caricae* Sawada Ref. Sawada, 1959  
*Macrophoma gossypii* Sawada Ref. Sawada, 1959  
*Macrophoma ischurochloae* Sawada Ref. Sawada, 1944  
*Macrophoma magnoliae* Sawada Ref. Sawada, 1943  
*Macrophoma neottopteridis* Sawada Ref. Sawada, 1959  
*Macrophoma perseae* Sawada Ref. Sawada, 1922  
*Macrophoma phaseoli-lunati* Sawada Ref. Sawada, 1959  
*Macrophoma phaseoli* (Maublanc) Ashby Ref. Sawada, 1959  
*Mariamaea elegans* (Corda) Samson var. *punicea* Samson Ref. Chen, 1994  
*Marsonia rosae-laevigatae* Sawada Ref. Sawada, 1943  
*Marssonia puerariae* Sawada Ref. Sawada, 1942  
*Megacapitula villosa* J. L. Chen & Tzean Ref. Chen & Tzean, 1993  
*Melanconium citricola* Sawada Ref. Sawada, 1959  
*Melanconium dendrocalami* Petch Ref. Sawada, 1959  
*Melanconium ischurochloae* Sawada Ref. Sawada, 1959  
*Melanconium pandanicola* Sawada Ref. Sawada, 1959  
*Melanconium shiraianum* Syd. Ref. Sawada, 1959  
*Melanobasidium cyclobalanopsidis* Sawada Ref. Sawada, 1959  
*Melanographium citri* (Frag & Cif.) M. B. Ellis Ref. Matsushima, 1980  
*Melanographium selenioides* (Sacc. & Paoletti) M. B. Ellis. Ref. Chen & Tzean, 1999  
*Melanosphaeria circumdata* Sawada Ref. Sawada, 1922  
*Melasmia aceris-trifidi* Sawada Ref. Sawada, 1943  
*Melasmia ilicicola* Sawada Ref. Sawada, 1959  
*Melasmia koshumensis* Sawada Ref. Sawada, 1959  
*Memnoniella echinata* (Riv.) Galloway Ref. Matsushima, 1980  
*Memnoniella subsimplex* (Cooke) Deighton Ref. 同前  
*Menisporopsis novae-zelandiae* Hughes & Kendrick Ref. 同前  
*Menisporopsis theobromae* Hughes Ref. 同前  
*Meristacram asterospermum* Drechsler. Ref. Tzean et al., 1997  
*Microcera fujikuroi* Miyabe & Sawada Ref. Sawada, 1914  
*Mirandina corticola* G. Aruand ex Matsushima Ref. Matsushima, 1983  
*Mirandina cylindrospora* Matsushima Ref. Matsushima, 1980  
*Mirandina dactylloides* Matsushima Ref. 同前  
*Mirandina flagelliformis* Matsushima Ref. Matsushima, 1987  
*Mirandina taiwanensis* Matsushima Ref. 同前  
*Mirandina typica* Matsushima Ref. Matsushima, 1980  
*Miuraea persica* (Sacc.) Hara Ref. Hsieh & Goh, 1990  
*Monacrosporium cionopaga* Drechsler Ref. Tzean et al., 1997  
*Monacrosporium ellipsospora* Drechsler Ref. 同前  
*Monacrosporium eudermata* Drechsler Ref. 同前  
*Monacrosporium phymatopaga* Drechsler Ref. 同前  
*Monilochaetes infuscans* Ellis & Halsted Ref. Sawada, 1959  
*Monodisma fragilis* Alcorn Ref. Chang, 1997  
*Monosporium alpiniae* Sawada Ref. Sawada, 1959  
*Monosporium eichhorniae* Sawada Ref. Sawada, 1942  
*Morrisiella indica* Saikia & Sarbhoy Ref. Chen, 1994  
*Multipatina citricola* Sawada Ref. Sawada & Kurosawa 1927  
*Myceliophthora fergusii* (Klopotek) van Oorschot Ref. Chen & Chen, 1995

*Myceliophthora hinnulea* Awao & Udagawa Ref. 同前  
*Myceliophthora thermophila* (Apinis) van Oorschot Ref. Chen, 1992  
*Mycocentrospora fusarioides* Matsushima Ref. Matsushima, 1987  
*Mycocleptodiscus taiwanensis* Matsushima Ref. 同前  
*Myrothecium cinctum* (Corda) Sacc. Ref. Matsushima, 1980  
*Myrothecium roridum* Tode: Fr. Ref. 同前  
*Myrothecium verrucaria* (Alb. & Schw.) Ditmar: Fr. Ref. 同前  
*Myxosporium psidii* Sawada & Kurosawa Ref. 黑澤英一。1926  
*Napicladium musae* Sawada Ref. Sawada, 1943  
*Neottiospora cepharanthae* Sawada Ref. Sawada, 1959  
*Neottiospora theae* Sawada Ref. Sawada, 1915  
*Neottiosporella radicata* Morris Ref. Matsushima, 1980  
*Neta lignicola* Shearer Ref. Chen, 1994  
*Nomocrosporium cionopaga* Drechsler Ref. Tzean et al., 1997  
*Nomuraea atypicola* (Yasuda) Samson Ref. 同前  
*Nomuraea cylindrospora* (Q. T. Chen & H. L. Guo) Tzean, L. S. Hsieh, J. L. Chen & W. J. u Ref. Tzean et al., 1993  
*Nomuraea rileyi* (Farlow) Samson Ref. Tzean et al., 1997  
*Nomuraea viridulus* Tzean, L. S. Hsieh, J. L. Chen & W. J. Wu Ref. Tzean et al., 1992  
*Ochroconis gamsii* de Hoog Ref. Chen, 1994  
*Oidium agrimoniae* Sawada Ref. Sawada, 1933  
*Oidium cephalanthi* Sawada Ref. Sawada, 1933  
*Oidium crystallinum* Lev. Ref. Sawada, 1928  
*Oidium cylindricum* Sawada Ref. Sawada, 1959  
*Oidium ellipticum* Sawada Ref. Sawada, 1959  
*Oidium emiliae-sonchifoliae* Sawada Ref. Sawada, 1933  
*Oidium heliotropii-indici* Sawada Ref. Sawada, 1933  
*Oidium lactucae-debilis* Sawada Ref. Sawada, 1927  
*Oidium lencoconium* Desm. Ref. Sawada, 1933  
*Oidium leonuri-sibirici* Sawada Ref. Sawada, 1927  
*Oidium leucas-javanicae* Sawada Ref. Sawada, 1927  
*Oidium oblongisporum* Sawada Ref. Sawada, 1959  
*Oidium rosae-indicae* Sawada Ref. Sawada, 1933  
*Oidium sonchi-arvensis* Sawada Ref. Sawada, 1927  
*Olpitrichum patulum* (Sacc. & Berl.) Hoel.-Jech. Ref. Matsushima, 1987  
*Olpitrichum sphaerosporum* Matsushima Ref. Chen, 1994  
*Ordus chiayiensis* (Matsushima) K. Ando, Tubaki & Katumoto Ref. Ando et. al., 1997  
*Ovularia puerariae* Sawada Ref. Sawada, 1959  
*Ovularia pulchella* Sawada Ref. Sawada, 1959  
*Ovulariopsis alni-formosanae* Sawada Ref. Sawada, 1930  
*Ovulariopsis ampelopsidis-ciliatae* Sawada Ref. Sawada, 1930  
*Ovulariopsis ampelopsidis-heterophyllae* Sawada Ref. Sawada, 1930  
*Ovulariopsis asclepiadis-curassavicae* Sawada Ref. Sawada, 1930  
*Ovulariopsis broussonetiae-papyriferae* Sawada Ref. Sawada, 1930  
*Ovulariopsis caricae* Sawada Ref. Sawada, 1930  
*Ovulariopsis cephalanthi* Sawada Ref. Sawada, 1930  
*Ovulariopsis macarangae* Sawada Ref. Sawada, 1930  
*Ovulariopsis salicis-warburgii* Sawada Ref. Sawada, 1930  
*Pachyma cocos* Fr. Ref. Sawada, 1916  
*Papulaspora irregularis* Hotson Ref. Watanabe, 1994  
*Papulaspora pallidula* Hotson Ref. 同前  
*Papulaspora pannosa* Hotson Ref. 同前  
*Passalora circumscissa* (Sacc.) U. Braun Ref. Sawada, 1943  
*Passalora evodiae* (Syd. & P. Syd.) Goh & W. H. Hsien Ref. Hsieh & Goh, 1990  
*Passalora stephaniae* (Sawada) ex Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pellionella musae* Sawada Ref. Sawada, 1959  
*Periconia ananas* Sawada Ref. Sawada, 1959  
*Periconia byssoides* Persoon Ref. Matsushima, 1980  
*Periconia cookei* Mason & M. B. Ellis Ref. 同前  
*Periconia lateralis* Ellis & Everh. Ref. Tseng & Chen, 1987  
*Periconia macrospinosa* Lefebvre & A. G. Johnson Ref. Matsushima, 1980  
*Periconia pycnospora* Fres. Ref. Sawada, 1914  
*Pestalotia coffeicola* Sawada Ref. Sawada, 1959  
*Pestalotia eriobotrycola* Sawada Ref. Sawada, 1959  
*Pestalotia gossypii* Hori Ref. Sawada, 1959  
*Pestalotia lepironiae* Sawada Ref. Sawada, 1959  
*Pestalotia litchii* Sawada Ref. Sawada, 1959  
*Pestalotia longiseta* Speg. Ref. Huang, 1996  
*Pestalotia melaleucaae* C. C. Chen Ref. Chen, 1965  
*Pestalotia pandani* Sawada Ref. Sawada, 1944  
*Pestalotia salicis* Sawada Ref. Sawada, 1959  
*Pestalotia salicis-purpureae* Sawada Ref. Sawada, 1959  
*Pestalozzia bischoffiae* Sawada Ref. Sawada, 1943

*Pestalozzia calami* Sawada Ref. Sawada, 1944  
*Pestalozzia ecdysantherae* Sawada Ref. Sawada, 1943  
*Pestalozzia eriobotryae-japonicae* Sawada Ref. Sawada, 1943  
*Pestalozzia salicis* Sawada Ref. Sawada, 1944  
*Phaeocytostroma sacchari* (Ell. & Ev.) B. Sutton Ref. Sawada, 1959  
*Phaeodactylium curvularioides* Matsushima Ref. Matsushima, 1980  
*Phaeodiscula tremae* Sawada Ref. Sawada, 1944  
*Phaeotrichoconis crotalariae* (Salam & Rao) Subramania Ref. Matsushima, 1983  
*Phialocephala bactrospora* Kendrick Ref. Matsushima, 1980  
*Phialocephala fusca* Kendrick Ref. Chen, 1994  
*Phialocephala humicola* Jong & Davis Ref. Matsushima, 1980  
*Phialocephala phycomyces* (Auersw.) Kendrick Ref. 同前  
*Phialocephala richardsiae* (Nannf.) Conant Ref. 同前  
*Phialomyces taiwanensis* Matsushima Ref. Matsushima, 1985  
*Phialophora cyclaminis* Van Beyma Ref. Watanabe, 1994  
*Phialophora radiculicola* Cain Ref. 同前  
*Phialophora richardsiae* (Melin & Nannfeldt) Conant Ref. 同前  
*Phialophora taiwanensis* Matsushima Ref. Matsushima, 1983  
*Phialosporostilbe turbinata* Mercado & J. Mena Ref. Chang, 1989  
*Phleospora symploci* Sawada Ref. Sawada, 1944  
*Piricauda taiwanensis* Matsushima Ref. Matsushima, 1987  
*Pityrosporium folliculitis* Ref. Lee et al., 1987  
*Pleurophragmium arecae* Matsushima Ref. Matsushima, 1987  
*Pleurophragmium cylindrosporum* Matsushima Ref. Matsushima, 1980  
*Pleurophragmium parvisporum* (Preuss.) Hol.-Jech. Ref. Matsushima, 1987  
*Pleurophragmium taiwanense* Matsushima Ref. 同前  
*Pleurothecium recurvatum* (Morgan) Hoehnel Ref. Chen, 1994  
*Podosporium beccarianum* (Cesati) Seifert & Qkada Ref. Chung & Tzean, 1998  
*Podosporium elongatum* Chen & Tzean Ref. Chen & Tzean, 1993  
*Polyschema olivacea* (Ellis & Ev.) M. B. Ellis Ref. Wu, 1982  
*Polyschema toruloides* Matsushima Ref. Matsushima, 1980  
*Polyscytalum gracillisprium* (Matsushima) Sutton & Hodges Ref. Matsushima, 1987  
*Pseudobotrytis terrestris* (Timonin) Subramanian Ref. Matsushima, 1980  
*Pseudodictyosporium wauense* Matsushima Ref. Chen, 1994  
*Pseudofusarium fusarioideum* Matsushima Ref. Chen, 1994  
*Pseudofusarium purpureum* Matsushima Ref. Chen, 1994  
*Pseudofuscophialis lignicola* Sivanesan & H. S. Chang Ref. Sivanesan & Chang, 1995  
*Pseudohandsfordia lanyuensis* Matsushima Ref. Matsushima, 1987  
*Pseudohandsfordia mycophila* (Tubaki) de Hoog Ref. Eicker, 1990  
*Pseudohandsfordia pulchra* (Linder) Matsushima Ref. Matsushima, 1987  
*Pseudomicrocera henningsii* Koord. Ref. Yen & Tsai, 1969  
*Pseudoramularia ruwenzoriensis* Matsushima Ref. Matsushima, 1987  
*Pseudotorula heterospora* Subramanian Ref. 同前  
*Psilospora bambusae* Sawada Ref. Sawada, 1959  
*Puccinospora tremae* Sawada Ref. Sawada, 1944  
*Pyriculariopsis parasitica* (Sacc. & Berl.) M. B. Ellis Ref. Matsushima, 1980  
*Radiciseta blechni* Sawada & Katsuki Ref. Sawada, 1959  
*Ramichloridium schulzeri* (Sacc.) de Hoog var. *schulzeri* de Hoog Ref. Matsushima, 1987  
*Ramulariopsis areolata* (Speg.) U. Braun Ref. Braun, 1993  
*Rhabdospora curvula* Berl. Ref. Sawada, 1959  
*Rhinocladiella apiculata* (Miller, Giddens & Foster) Matsushima Ref. Matsushima, 1980  
*Rhinocladiella pedrosoi* (Brumpt) Schol-Schwarz Ref. Jen et al., 1968  
*Rhinocladiella rigidiphora* Matsushima Ref. Matsushima, 1980  
*Rhinocladiella schulzerii* (Link) Matsushima Ref. Chen, 1994  
*Rhinotrichella macrospora* Matsushima Ref. Matsushima, 1983  
*Rhychosporium oryzae* Hashioka & Yokogi Ref. Wu & Dow, 1993  
*Rhynchosporium dryopteridis* Sawada Ref. Sawada, 1942  
*Sachybotrys charatum* (Ehrenb.) Hughes Ref. Chen & Tzean, 2000  
*Sarcinomyces crustaceus* Lindner Ref. Kuo et al., 1993  
*Sarocladium oryzae* (Sawada) W. Gams & D. Hawksworth Ref. Chien, 1980  
*Scaphidium ischurochloae* Sawada Ref. Sawada, 1944  
*Scolecotrichum musae* Sawada Ref. Sawada, 1943  
*Scolecobasidium amazonense* Matsushima Ref. Chen, 1994  
*Scolecobasidium constrictum* Abbott Ref. Matsushima, 1980  
*Scolecobasidium fusiforme* Matsushima Ref. Chen, 1994  
*Scolecobasidium humicola* Barron & Busch Ref. Matsushima, 1980  
*Scolecobasidium longiphorum* Matsushima Ref. Chen, 1994  
*Scolecobasidium terreum* Abbott Ref. Matsushima, 1980  
*Scolecobasidium tricladiatum* Matsushima Ref. 同前  
*Scolecobasidium tropicum* Matsushima Ref. Matsushima, 1983  
*Scolecobasidium variabile* Barron & Busch Ref. Matsushima, 1980  
*Scolecobasidium verruculosum* Roy, Dwivedi & Mishra Ref. 同前

*Scytalidium thermophilia* (Coomey & Emerson) Austwick Ref. Chen, 1992  
*Selenophoma obtusa* Sprague & Johnson Ref. Watanabe, 1994  
*Selinia pulchra* (Wint.) Karsten Ref. Wang, 1994  
*Septomyrothecium uniseptatum* Matsushima Ref. Matsushima, 1980  
*Septoriella phragmiticola* Sawada Ref. Sawada, 1959  
*Sirosporium celtidis* (Biv.-Bernh. ex Sprengel) M. B. Ellis Ref. Hsieh & Goh, 1990  
*Solosympodiella clavata* Matsushima Ref. Matsushima, 1980  
*Solosympodiella palmicola* Matsushima Ref. 同前  
*Solosympodiella phyllostachydis* Matsushima Ref. Matsushima, 1983  
*Spegazinia deightonii* (Hughes) Subramanian Ref. Chen & Tzean, 2000  
*Spegazzina sundara* Subramanian Ref. 同前  
*Spegazzina tessartha* (Berkeley & Curtis) Saccardo. Ref. 同前  
*Spegazzinia deightonii* (Hughes) Subramanian Ref. Matsushima, 1980  
*Spegazzinia sundava* Subramanian Ref. Chen, 1994  
*Spegazzinia tessartha* (Berkeley & Curtis) Sacc. Ref. Tseng & Chen, 1982  
*Speiropsis hyalospora* Subramanian & Lodha Ref. Chen, 1994  
*Speiropsis pedatospora* Tubaki Ref. Matsushima, 1980  
*Spermospora taiwanensis* Matsushima Ref. Matsushima, 1983  
*Spharopsis musarum* Cooke Ref. Sawada, 1919  
*Sporidesmiella hyalosperma* var. *hyalosperma* (Corda) P. M. Kirk Ref. Chen, 1994  
*Sporidesmium abscissum* Matsushima Ref. Chen, 1994  
*Sporidesmium adscendens* Baerkeley Ref. Matsushima, 1980  
*Sporidesmium brachypus* (Ellis & Everh.) S. J. Hughes Ref. 同前  
*Sporidesmium cambrense* M. B. Ellis Ref. 同前  
*Sporidesmium casuarinae* Matsushima Ref. Matsushima, 1987  
*Sporidesmium cookei* (Hughes) M. B. Ellis Ref. Matsushima, 1980  
*Sporidesmium coprophilum* Matsushima Ref. 同前  
*Sporidesmium filiferum* Pirozynski Ref. Matsushima, 1983  
*Sporidesmium hyalospermum* (Corda) Hughes Ref. Matsushima, 1980  
*Sporidesmium inflatum* (Berk. & Rav.) M. B. Ellis Ref. 同前  
*Sporidesmium leptosporum* (Sacc. & Roum.) Hughes Ref. Chen, 1994  
*Sporidesmium magnibrachypus* Matsushima Ref. Chen, 1994  
*Sporidesmium minigelatinosum* Matsushima Ref. Matsushima, 1980  
*Sporidesmium taiwanense* Matsushima Ref. Matsushima, 1983  
*Sporidesmium tropicale* M. B. Ellis Ref. Matsushima, 1980  
*Sporidesmium turcomanicum* Hol.-Jech. Ref. Matsushima, 1983  
*Sporidesmium uapacae* M. B. Ellis Ref. Chen, 1994  
*Sporidesmium vagum* C.G. & T. F.L. Nees ex Link Ref. Matsushima, 1980  
*Stachybotrys atra* Corda Ref. Chen, 1994  
*Stachybotrys atra* Corda var. *microspora* Mathur & Sankhla Ref. Chen, 1994  
*Stachybotrys bambusicola* Rifai Ref. Matsushima, 1980  
*Stachybotrys bisbyi* (Srinivasan) Barron Ref. Chen & Tzean, 2000  
*Stachybotrys brevisculus* McKenzie Ref. Chen, 1994  
*Stachybotrys chartarum* (Ehrenb.) S.J. Hughes Ref. Matsushima, 1980  
*Stachybotrys dichroa* Grove Ref. Chen & Tzean, 2000  
*Stachybotrys kampalensis* Hansford. Ref. 同前  
*Stachybotrys mangiferae* Misra & Srivastava Ref. Chen, 1994  
*Stachybotrys microspora* (Matbor & Sankhla) Jon & E. E. Davis. Ref. Chen & Tzean, 2000  
*Stachybotrys nephrospora* Hansford. Ref. 同前  
*Stachybotrys niagirica* Subramanian. Ref. 同前  
*Stachybotrys parvispora* Hughes. Ref. 同前  
*Stachybotrys reniformis* Tubaki Ref. Chen, 1994  
*Stachybotrys theobromae* Hansford. Ref. Chen & Tzean, 2000  
*Stachylidium bicolor* Link ex S. F. Gray Ref. Matsushima, 1980  
*Staphylotrichum coccosporum* Meyer & Nicot Ref. 同前  
*Sterigmatobotrys uniseptata* H. S. Chang Ref. Chang, 1991  
*Stilbella buloloensis* Matsushima Ref. Matsushima, 1980  
*Stilbella buquetii* var. *buquetii* (Mont. & C. Robin) Samson & Evans Ref. Tzean et al., 1997  
*Stilbella jaapii* Matsushima Ref. Chang & Tzean, 1998  
*Stromatographium stromaticum* (Berk.) Hoehnel Ref. 同前  
*Stuchybotrys brevisculus* McKenzie. Ref. Chen & Tzean, 2000  
*Subulispora procurvata* K. Tubaki Ref. Matsushima, 1980  
*Sympodiella laxa* Subramanian & Vittal Ref. 同前  
*Sympodiella multiseptata* Tubaki, K. Tubaki & Yokoyama Ref. 同前  
*Teratosperma litchii* T. Matsushima Ref. 同前  
*Tetracladium marchalianum* De Wildeman Ref. Matsushima, 1987  
*Thermomyces lanuginosus* Tsiklinskaya Ref. Chen, 1992  
*Tiachlidium* sp. Ref. Tzean et al., 1997  
*Torubrella dimorpha* Tzean, Hsieh & Wu Ref. Tzean et al., 1998  
*Torula herbarum* (Persoon) Link & Fries Ref. Matsushima, 1987  
*Torula palmigena* Bubak Ref. Sawada, 1959  
*Torulomyces macrosporus* T. Matsushima Ref. Matsushima, 1987

*Tretopileus sphaerophorus* (Berk. & Curt.) S.J. Hughes & F.C. Deighton Ref. Matsushima, 1980  
*Triadelphia diversa* Tzean & Chen Ref. Tzean & Chen, 1989  
*Tricellula inaequalis* Van Beverwijk Ref. Matsushima, 1987  
*Tricellula taiwanensis* T. Matsushima Ref. 同前  
*Trichobotrys effusa* (Berkeley & Broome) Petch Ref. Chen, 1994  
*Trichobotrys ipomoeae* Sawada Ref. Sawada, 1959  
*Trichocladium asperum* Harz Ref. Matsushima, 1980  
*Trichocladium cylindroclavatum* T. Matsushima Ref. 同前  
*Trichocladium opacum* (Corda) Hughes Ref. 同前  
*Trichocladium pyriforme* Dixon Ref. Matsushima, 1985  
*Trichocladium taiwanense* T. Matsushima Ref. Matsushima, 1983  
*Trichosperma mytri* (Lind) Hughes Ref. Chen, 1994  
*Trichosperma triramiferum* Matsushima Ref. Chen, 1994  
*Trichosperma variabile* Matsushima Ref. Chen, 1994  
*Trichosterigma phaenacanthae* Sawada Ref. Sawada, 1959  
*Trichothecium campaniforme* T. Matsushima Ref. Matsushima, 1980  
*Trichothecium roseum* (Pers.) Link ex S. F. Gray Ref. Sawada, 1942  
*Tricladium minimum* T. Matsushima Ref. Matsushima, 1980  
*Tridentaria carnivora* Drechsler Ref. Matsushima, 1987  
*Tridentaria implicans* Drechsler Ref. 同前  
*Trinacrium incurvum* Matsushima Ref. Chen, 1994  
*Trinacrium parvisporum* T. Matsushima Ref. Matsushima, 1987  
*Trinacrium robustum* Tzean & J. L. Chen Ref. Tzean & Chen, 1989  
*Trinacrium* sp. MFC-6700 Ref. Matsushima, 1980  
*Trinacrium subtile* Riess, Fresenius Beitr. Ref. Chen & Tzean, 1999  
*Trinacrium subuliphora* Matsushima Ref. Chen, 1994  
*Triramulispora bulbophorum* T. Matsushima Ref. Chen, 1994  
*Triramulispora crateriforme* (van Beyma) Matsushima Ref. Chen, 1994  
*Triramulispora deficiens* T. Matsushima Ref. Matsushima, 1983  
*Triramulispora gracillis* T. Matsushima Ref. Chen, 1994  
*Trochophora lateritia* (Berk.) Seifert Ref. Chung & Tzean, 1998  
*Trochophora simplex* (Petch) R.T. Moore Ref. Matsushima, 1987  
*Turturconchata reticulata* J. L. Chen, T. L. Huang & Tzean Ref. Chen, 1999  
*Ustilaginoidea sacchari-narengae* Sawada Ref. Sawada, 1914  
*Ustilaginoidea virens* Takah. Ref. Sawada, 1922  
*Vakrabeija fusispora* T. Matsushima Ref. Matsushima, 1980  
*Vermicularia nigronitentis* Sawada Ref. Sawada, 1943  
*Veronaea coprophila* (Subramanian & Lodha) M. B. Ellis Ref. Chen, 1994  
*Verticillium mori* Sawada Ref. Sawada, 1959  
*Verticillium parlitoriae* Sawada Ref. Sawada, 1959  
*Verticillium agaricicolum* Sawada Ref. Sawada, 1928  
*Verticillium alboatrum* Reinke & Berthold Ref. Chen, 1994  
*Verticillium cinnabarium* (Corda) Reinke & Berthold Ref. Matsushima, 1980  
*Verticillium heterocladum* Penz. Ref. Sawada, 1931  
*Verticillium lecanii* (Zimm.) Viegas Ref. Tzean et al., 1997  
*Verticillium puniceum* Cooke & Ellis Ref. Lin, 1996  
*Verticillium theobromae* (Turc.) E.W. Mason & S.J. Hughes Ref. Matsushima, 1980  
*Verticimonosporium diffractum* Matsushima Ref. Chen, 1994  
*Verticimonosporium ellipticum* T. Matsushima Ref. Matsushima, 1980  
*Virgaria nigra* (Link) Nees ex S.F. Gray Ref. Matsushima, 1987  
*virgatospora echinofibrosa* Finley Ref. Chen, 1994  
*Xylobotryum andinum* Pat. Ref. Ju & Rogers, 1994  
*Zanclospora novae-zelandiae* Hughes & Kendrick Ref. Chang, 1990  
*Zygosporium echinosporum* Bunting & Mason Ref. Matsushima, 1980  
*Zygosporium gibbum* (Sacc., Rouss. & Bomm.) S.J. Hughes Ref. 同前  
*Zygosporium masonii* S.J. Hughes Ref. 同前  
*Zygosporium mycophilum* (Vuill.) P.A. Saccardo Ref. 同前  
*Zygosporium oscheoides* Mont. f. *evonymi* Bianchi Ref. Sawada, 1959  
*Zygosporium oscheoides* Mont. Ref. Matsushima, 1980  
*Zythia elaeocarpi* Sawada Ref. Sawada, 1959

#### Family Bionectriaceae 生赤殼科

*Lasionectria tephrosiae* Sawada Ref. Sawada, 1959  
*Roumegueriella rufula* (Berk. & Broome) Malloch & Cain Ref. Yaguchi, Someya & Udagawa, 1997

#### Family Ceratostomataceae 長喙殼科

*Harzia acremonioides* (Harz.) Cost. Ref. Matsushima, 1980  
*Harzia verrucosa* (Togn.) Hoel.-Jech. Ref. Chen, 1994

#### Family Clavicipitaceae 麥角菌科

*Aciculosporium take* Miyake Ref. Chen, 1970  
*Aschersonia aleyrodalis* Webber Ref. Yen & Tsai, 1969  
*Aschersonia andropogonis* P. Ref. 同前

*Aschersonia badia* Pat. Ref. Tzean et al., 1997  
*Aschersonia basicystis* Berk. & Curtis Ref. 同前  
*Aschersonia burnnea* Petch Ref. 同前  
*Aschersonia cubensis* Berk. & Curtis Ref. 同前  
*Aschersonia fomosensis* Sawada Ref. Sawada, 1959  
*Aschersonia goldiana* Sacc. & Ellis Ref. Yen & Tsai, 1969  
*Aschersonia kawakamii* Sawada Ref. Sawada & Kurosawa 1914  
*Aschersonia marginata* Ellis & Everhart Ref. 同前  
*Aschersonia* sp. Ref. Yen & Tsai, 1969  
*Aschersonia suzukii* Miyabe & Sawada Ref. Miyake & Sawada, 1913  
*Balansia andropogonis* Syd. Ref. Sawada, 1919  
*Beauveria amorpha* (Hohn.) Samson & Evans Ref. Tzean et al., 1997  
*Beauveria bassiana* (Bals.-Criv.) Vuill. Ref. Sawada, 1944  
*Beauveria brongniartii* (Sacc.) Petch Ref. Tzean et al., 1997  
*Beauveria caledonica* Bissett & Widden Ref. 同前  
*Beauveria chiromensis* Sawada Ref. Sawada, 1959  
*Claviceps miscanthi* Sawada Ref. Sawada, 1944  
*Claviceps paspali* (Schw.) F. Stevens & Hall. Ref. Sawada, 1944  
*Claviceps syntherismae* Sawada Ref. Sawada, 1944  
*Cordyceps atrovirens* Kobayasi & Shimizu Ref. Wang, 2002  
*Cordyceps dipterigena* Berk. & Broome Ref. Chen, 1978  
*Cordyceps gryllotarpae* Lloyd Ref. Chen, 1978  
*Cordyceps irangiensis* Moureau Ref. Tzean et al., 1997  
*Cordyceps martialis* Speg. Ref. 同前  
*Cordyceps militaris* (Fr.) Link Ref. Chen, 1978  
*Cordyceps myrmecophila* Ces. Ref. Chen, 1978  
*Cordyceps nutans* Pat. Ref. Chen, 1978  
*Cordyceps pseudolloydii* Evans & Samson Ref. Tzean et al., 1997  
*Cordyceps sobolifera* (Hill.) Berk. & Br. Ref. Wang, 1988  
*Cordyceps takaomontana* Yakush. & Kumaz. Ref. Chen, 1978  
*Cordyceps tuberculata* (Lebert) Maire Ref. Chen, 1978  
*Gibellula araneae* Sawada Ref. Sawada, 1928  
*Gibellula araneicola* Sawada Ref. Sawada, 1959  
*Gibellula clavulifera* (Petch) Samson & Evans var. *major* Tzean, Hsieh, Liou & Wu Ref. Tzean et al., 1997  
*Gibellula dimorpha* Tzean, Hsieh & Wu Ref. Tzean et al., 1998  
*Gibellula formosana* Sawada Ref. Sawada, 1914  
*Gibellula leiopus* (Vuill.) Mains Ref. Tzean et al., 1997  
*Gibellula pulchra* (Sacc.) Cavara Ref. 同前  
*Gibellula tropicalis* Sawada Ref. Sawada, 1959  
*Gibellula unica* Tzean, L. S. Hsieh & W. J. Wu Ref. Tzean et al., 1997  
*Hirsutella formicarum* Petch Ref. 同前  
*Hirsutella saussurei* (Cooke) Speare Ref. 同前  
*Hirsutella stilbelliformis* var. *stilbelliformis* Evans & Samson Ref. 同前  
*Hirsutella versicolor* Petch Ref. 同前  
*Humicola fuseoatra* Traaen Ref. Watanabe, 1994  
*Humicola insolens* (Cooney & Emerson) var. *thermoidea* (Cooney & Emerson) Ellis Ref. Chen & Chen, 1995  
*Humicola nigresceus* Qmviik Ref. Lin, 1996  
*Humicola tainanensis* T. Watanabe Ref. Watanabe, 1975  
*Hypocrella aleyrodalis* (Webb.) Sawada Ref. Sawada, 1919  
*Hypocrella raciborskii* Zimm. Ref. Tzean et al., 1997  
*Meria contiospora* Drechsler. Ref. 同前  
*Phytocordyceps ninchukispora* C.-H. Su & H.-H. Wang Ref. Su & Wang, 1986  
*Polycephalomyces tomentosus* (Schrader: Fr.) Seifert Ref. Chung & Tzean, 1998  
*Torrubiella brunneola* Sawada Ref. Sawada, 1919  
*Torrubiella dimorpha* Tzean, Hsieh & Wu Ref. Tzean et al., 1997  
*Torrubiella flava* Petch Ref. 同前  
*Torrubiella gonylepticida* (Moller) Petch Ref. 同前  
*Torrubiella luterostrata* Zimm. Ref. 同前  
*Torrubiella minutissima* Kobayasi & Shimizu Ref. 同前  
*Torrubiella psyllae* Sawada Ref. Sawada, 1919  
*Torrubiella tenuis* Petch Ref. Tzean et al., 1997

#### Family Hypocreaceae 肉座菌科

*Gliocladium catenulatum* Gilman & Abbott Ref. Matsushima, 1980  
*Gliocladium roseum* Bainier Ref. 同前  
*Gliocladium* sp. Ref. Yaguchi et al., 1997  
*Gliocladium virens* Miller, Giddens & Foster Ref. Watanabe, 1994  
*Gliocladium viride* Matr. Ref. 同前  
*Hypocrea brunneolutea* Doi Ref. Wu & Wang, 2000  
*Hypocrea cf. flavovirens* (Tode) Petch Ref. 同前  
*Hypocrea lenta* (Tode.) Berk & Br. Ref. Sawada, 1919  
*Hypocrea lutea* (Tode.) Petch Ref. Wu, 1995

*Hypocrea patella* Cooke & Peck Ref. Wu & Wang, 2000  
*Hypocrea rufa* Pers.: Fr. Ref. Wu, 1995  
*Hypocrea rufa* Pers.: Fr. var. *formosana* Y. Doi Ref. Doi, 1984  
*Hypocrea schweinitzii* (Fries) Saccardo Ref. Wu & Wang, 2000  
*Mycogone perniciosa* Magnus Ref. Matsushima, 1980  
*Pseudohypocrea citrinella* (Ellis) Doi Ref. Wu & Wang, 2000  
*Sepedonium chrysospermum* (Bull.) Fr. Ref. Sawada, 1933  
*Sepedonium niveum* Massee & Salmon Ref. Matsushima, 1980  
*Trichoderma aureoviride* Rifai Ref. Watanabe, 1994  
*Trichoderma hamatum* (Bonorden) Bainier Ref. 同前  
*Trichoderma harzianum* Rifai Ref. Tseng & Chen, 1981  
*Trichoderma koningi* Oud. Ref. Watanabe, 1994  
*Trichoderma pseudokoningi* Rifai Ref. 同前  
*Trichoderma viride* aggr. Ref. Doi et al., 1984

### Family Nectriaceae 叢赤殼科

*Calonectria crotalariae* (Loos) Bell & Sob. Ref. Chang, 1994  
*Calonectria kyotensis* Loos Ref. Chang, 1991  
*Chaetopsina fulva* Rambelli Ref. Matsushima, 1980  
*Cylindrocarpon bambusicola* Matsushima Ref. Matsushima, 1987  
*Cylindrocarpon chiayiense* Matsushima Ref. Matsushima, 1985  
*Cylindrocarpon chichiense* Matsushima Ref. 同前  
*Cylindrocarpon curtum* Bugnicourt Ref. Matsushima, 1980  
*Cylindrocarpon destructans* (Zins.) Scholten *crassum* (Wollemw.) Booth Ref. 同前  
*Cylindrocarpon formicarium* Matsushima Ref. Matsushima, 1987  
*Cylindrocarpon fusiforme* Matsushima Ref. 同前  
*Cylindrocarpon hederiae* Booth Ref. Tseng & Chen, 1981  
*Cylindrocarpon parvum* Ref. Chen, 1994  
*Cylindrocarpon supersimplex* Matsushima Ref. Chen, 1994  
*Cylindrocarpon tenue* Bugnicourt Ref. Matsushima, 1980  
*Cylindrocarpon tokinense* Bugnicourt Ref. 同前  
*Cylindrocladium camelliae* Venkataramani & Venkata Ram Ref. 同前  
*Cylindrocladium clavatum* Hodges & May Ref. Huang, 1991  
*Cylindrocladium floridanum* Sob. & Seymour Ref. Wang, 1992  
*Cylindrocladium ilicicola* (Hawley) Boedijn & Reitsma Ref. Matsushima, 1980  
*Cylindrocladium infestans* (Boesew.) Peerally Ref. Chang, 1993  
*Cylindrocladium phalaenopsidis* Sawada Ref. Sawada, 1931  
*Cylindrocladium scoparium* Morgan Ref. Matsushima, 1980  
*Fusarium acuminatum* Ref. Sun et. al., 1987  
*Fusarium acuminatum* Ellis & Everhart Ref. Huang, 1992  
*Fusarium aquaeductuum* (Radlk. & Rabenh.) Lagerh. Ref. Huang, 1992  
*Fusarium avenaceum* (Corda: Fr.) Sacc. Ref. Sun et. al., 1987  
*Fusarium biseptatum* Sawada Ref. Sawada, 1959  
*Fusarium buxicola* Sacc. Ref. Sun et. al., 1988  
*Fusarium camptoceras* Wollenw. & Reinking Ref. Sun et. al., 1987  
*Fusarium chlamydosporum* Wollenw. & Reinking Ref. Sun et. al., 1988  
*Fusarium coccophilum* (Desm.) Wollenw. & Reinking Ref. 同前  
*Fusarium culmorum* (W. G. Smith) Sacc. Ref. Sun et. al., 1987  
*Fusarium decemcellulare* Brick Ref. Sun et. al., 1988  
*Fusarium dimerum* Penzig Ref. 同前  
*Fusarium equiseti* (Corda) Sacc. Ref. Sun et. al., 1987  
*Fusarium graminearum* Schwabe Ref. 同前  
*Fusarium graminum* Corda Ref. 同前  
*Fusarium heterosporum* Nees: Fr. Ref. Kawakami & Suzuki, 1908  
*Fusarium juruanum* P. Henn. Ref. Huang, 1992  
*Fusarium larvarum* Fuckel Ref. Sun et. al., 1988  
*Fusarium lateritium* Nees f. *celosiae* (Abe) Matuo & Sato Ref. Sun & Huang, 1996  
*Fusarium lateritium* Nees f. *mori* (Desm.) Matus & Sato Ref. 同前  
*Fusarium lateritium* Ness Ref. Sawada, 1928  
*Fusarium merismoides* Corda Ref. Huang, 1992  
*Fusarium moniliforme* J. Sheldon Ref. Huang, 1992  
*Fusarium niveum* Smith Ref. Sawada, 1928  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *gladioli* (Massey) W. C. Snyder & H. N. Hansen Ref. Sun & Huang, 1996  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *luffae* Kawai, Suzuki & Kawai 絲瓜萎凋病菌 Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *lini* W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *callistephi* (Beach) W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen subsp. *cucumerinum* J.H. Owen 1965 Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *asparagi* Cohen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *apii* (Nels. & Sherb.) W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *tracheiphilum* (E. F. Smith) W. C. Snyder & H. N. Hansen Ref. 同前

*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *raphani* Kendrick & W. C. Snyder Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *dianthi* (Prill. & Del.) W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *lactacum* Hubbard & Gerik Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *cacumerinum* Owen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *pini* (Hartig) W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *periciosum* (Hept.) Toole Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *niveum* (E. F. Sm.) W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *momordicae* S. K. Sun & J. W. Huang 苦瓜萎凋病菌 Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *lycopersici* (Sacc.) W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *sesami* (Zaprometoff) Castellani Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen pro part. Ref. Huang, 1992  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *cubense* (E. F. Sm.) W. C. Snyder & H. N. Hansen Ref. Sun & Huang, 1996  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *conglutinans* (Wollenw.) W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *cepae* (Hanz) W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *melonis* W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. subsp. *lactucae* Hubbard & Gerik 萵苣萎凋病菌 Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *batatas* (Wollenweber) W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *pisi* (van Hall) W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium oxysporum* Schlechtend: Fr. Emend. Snyder & Hansen f. *spinaciae* (Sherb.) W. C. Snyder & H. N. Hansen Ref. 同前  
*Fusarium paspali* P. Henn. Ref. Sawada, 1944  
*Fusarium poae* (Peck) Wollenw. Ref. Sun et. al., 1988  
*Fusarium proliferatum* (Matsushima) Nirenberg Ref. Huang, 1992  
*Fusarium ramulicolum* Sawada Ref. Sawada, 1959  
*Fusarium reticulatum* Mont. Ref. Huang, 1992  
*Fusarium roseum* (Lk.) Snyder & Hansen Ref. Watanabe, 1994  
*Fusarium sambucinum* Fuckel Ref. Sun et. al., 1987  
*Fusarium semitectum* Berk. & Rav. Ref. Matsushima, 1980  
*Fusarium solani* (Mart.) Sacc. Ref. Huang, 1992  
*Fusarium solani* (Mart.) Sacc. f. *pisi* (Jones) W. C. Snyder & H. N. Hansen Ref. Sun & Huang, 1996  
*Fusarium* sp. Ref. Tseng & Chen, 1981  
*Fusarium subglutinans* (Wollenw. & Reinking) Nelson, Tousiou & Moras Ref. Huang, 1992  
*Fusarium vasinfecum* Atkinson Ref. Sawada, 1959  
*Fusarium ventricosum* Appel & Wollenw. Ref. Huang, 1992  
*Gibberella moniliforme* (J. Sheld.) Wineland Ref. Sawada, 1942  
*Gibberella saubinetii* (Mont.) Sacc. Ref. Sawada, 1959  
*Gibberella subglutinans* (E. Edwards) P. E. Nelson et al. Ref. Matsumoto, 1953  
*Gibberella zeae* (Schwein.) Petch Ref. Sawada, 1959  
*Lisea fujikuroi* Sawada Ref. Sawada, 1919  
*Metarhizium anisopliae* var. *majus* (J. R. Johnst.) M.C. Tulloch, 1976 Ref. Tzean et al., 1997  
*Metarhizium anisopliae* (Metsch.) Sorok. var. *major* (Johnston) Tulloch Ref. 同前  
*Metarhizium anisopliae* (Metsch.) Sorok. Ref. Watanabe, 1994  
*Metarhizium anisopliae* var. *anisopliae* (Metsch.) Sorok. Ref. Tzean et al., 1997  
*Nectria citri* Henn. Ref. Sawada, 1959  
*Nectria citricola* Sawada Ref. Sawada, 1931  
*Nectria diversispora* Petch Ref. Sawada, 1928  
*Nectria durantae* Sawada Ref. Sawada, 1959  
*Nectria elephantopodia* Sawada Ref. Sawada, 1959  
*Nectria flammae* (Tul.) Dingley Ref. Chen, 1975  
*Nectria galligena* Bres. Ref. Sun, 1982  
*Nectria haematococca* Berk. & Broome Ref. Lin & Chang, 1982  
*Nectria pterospermi* Sawada Ref. Sawada, 1931  
*Nectria swieteniae-mahoganii* C.C. Chen Ref. Chen, 1965  
*Nectria verrucosa* (Schwein.) Sacc. Ref. Sawada, 1959  
*Ophionectria coccicola* (E. & E.) Berl. Vogl. Ref. Sawada, 1919  
*Ophionectria globosa* Sawada Ref. Sawada, 1943  
*Ophionectria tetraspora* Miy. & Saw. Ref. Sawada, 1919  
*Sphaerostilbe aurantiicola* (Berk. & Broome) Petch Ref. Sawada, 1959  
*Sphaerostilbe coccopila* Tul. Ref. Sawada, 1919  
*Sphaerostilbe fujikuroi* (Miyabi & Sawada) Sawada Ref. Sawada, 1959  
*Sphaerostilbe repens* Berk. & Broome Ref. List of Agriculture 4 (1): 140, 1965  
*Volutella ciliata* (Alb. & Schw.) Fr. Ref. Matsushima, 1980  
*Volutella longepila* A.L. Smith & J. Ramsbottom Ref. 同前

### Family Niessliaceae

*Monocillium arcticicola* W. Gams Ref. Chen, 1994  
*Niesslia taiwanensis* Sivan. & W.H. Hsieh Ref. Sivanesan & Hsieh, 1989  
*Taiwanascus tetrasporus* Sivan. & H. S. Chang Ref. Sivanesan & Chang, 1997

## Order Hysteriales 縱裂菌目

### Family Hysteriaceae 縱裂菌科

*Gloniella bambusae* Zogg Ref. 謝文瑞、陳啓予及王智立。2000  
*Gloniopsis praelonga* (Schwein.) H. Zogg Ref. Chen & Hsieh, 1996  
*Glonium curtisii* (Duby) Lohman Ref. 謝文瑞、陳啓予及王智立。2000  
*Glonium pusillum* H. Zogg Ref. Sivanesan & Hsieh, 1989  
*Hysterographium fraxini* (Pers.) De Not. Ref. Hsieh & Chen, 2000  
*Hysterographium longisporum* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1997

### Family Mytiliniaceae

*Glyphium elatum* (Grev.: Fr.) H. Zogg Ref. Chen & Hsieh, 1996

### Family Parmulariaceae 多腔盾菌科

*Apoa pertrakii* H. Syd. Ref. Sivanesan & Hsieh, 1989  
*Cocconia placenta* (Berk. & Broome) Sacc. Ref. Li, 1990  
*Kentingia corticola* Sivan. & W.H. Hsieh Ref. Sivanesan & Hsieh, 1989  
*Parmulina japonica* Hino & Katum. Ref. Chen & Hsieh, 1994

## Order Laboulbeniales 蟲囊菌目

### Family Ceratomycesaceae 角黴科

*Autoicomycetes falcifer* Thaxter Ref. Sugiyama & Shazawa, 1977  
*Autoicomycetes humilis* (Thaxt.) Thaxt. Ref. Sugiyama & Hayama, 1981  
*Autoicomycetes latens* Thaxter Ref. Sugiyama & Shazawa, 1977  
*Autoicomycetes marginicola* Thaxter Ref. Sugiyama & Hayama, 1981  
*Phurmomycetes obtusus* Thaxter Ref. Sugiyama, 1981  
*Tettigomyces intermedius* Thaxter Ref. Juan & Chien, 1994

### Family Herpomycetaceae 二托菌科

*Herpomyces periplanetae* Thaxter Ref. Juan & Chien, 1994

### Family Laboulbeniaceae 蟲囊菌科

*Chitonomyces bakeri* Thaxter Ref. Sugiyama & Shazawa, 1977  
*Chitonomyces bidessarius* (Thaxt.) Thaxt. Ref. Sugiyama & Hayama, 1981  
*Chitonomyces chinensis* Thaxter Ref. 同前  
*Chitonomyces intermedius* Thaxter Ref. Sugiyama & Shazawa, 1977  
*Chitonomyces melanurus* Peyr. Ref. Sugiyama & Hayama, 1981  
*Chitonomyces paradoxus* (Peyr.) Thaxter Ref. Sugiyama & Shazawa, 1977  
*Coreomyces italicus* Speg. Ref. Sugiyama & Hayama, 1981  
*Coreomyces micronectae* Thaxter Ref. 同前  
*Coreomyces recurvatus* Thaxter Ref. 同前  
*Corethromycetes curtipes* Thaxter Ref. Terada, 1976  
*Dichomyces furcifer* Thaxter Ref. Sugiyama & Shazawa, 1977  
*Dichomyces hybridus* Thaxter Ref. Terada, 1976  
*Dichomyces inaequalis* Thaxter Ref. Sugiyama, 1978  
*Dichomyces vulgatus* Thaxter Ref. Sugiyama & Shazawa, 1977  
*Dimeromyces anisolabis* Thaxter Ref. Juan & Chien, 1994  
*Dimeromyces cherrhonesites* Balazuc Ref. Terada, 1978  
*Dimeromyces rugosus* Thaxter Ref. Terada, 1976  
*Dixomyces stomonaxi* (Thaxter) Tavares Ref. Juan & Chien, 1996  
*Enarthromycetes indicus* Thaxter Ref. Juan & Chien, 1994  
*Eucantharomyces atrani* Thaxter Ref. Lee & Sugiyama, 1984  
*Filariomyces forficulae* Shanor Ref. Terada, 1976  
*Hydraeomyces halipli* (Thaxt.) Thaxt. Ref. Sugiyama & Hayama, 1981  
*Kainomyces hyalinus* Terada Ref. Terada, 1978  
*Kainomyces isomali* Thaxter Ref. Sugiyama, 1978  
*Laboulbenia agoni* Sugiyama Ref. Terada et al., 2004  
*Laboulbenia anaplogenii* Thaxter Ref. Sugiyama & Shazawa, 1977  
*Laboulbenia aristata* Thaxter Ref. Terada, 1976  
*Laboulbenia asiatica* Thaxter Ref. Sugiyama, 1981  
*Laboulbenia balazucii* W. Rossi var. *exilis* Terada Ref. Juan & Chien, 1996  
*Laboulbenia borneensis* Thaxter Ref. Terada et al., 2004  
*Laboulbenia brachionychi* Thaxter Ref. 同前  
*Laboulbenia camponoti* S. T. Batra Ref. Juan & Chien, 1994  
*Laboulbenia celestialis* Thaxter Ref. Terada, 1976  
*Laboulbenia consobrina* Terada Ref. Terada et al., 2004  
*Laboulbenia cristata* Thaxter Ref. Sugiyama & Shazawa, 1977  
*Laboulbenia divaricata* (Thaxt.) Sugiyama Ref. 同前  
*Laboulbenia egens* Spegazzini Ref. Terada et al., 2004  
*Laboulbenia exigua* Thaxter *melanolabiata* Terada Ref. Terada, 1995  
*Laboulbenia exigua* Thaxter Ref. Terada et al., 2004  
*Laboulbenia fasciculata* Peyritsch Ref. Juan & Chien, 1996  
*Laboulbenia formosana* Sugiyama Ref. Sugiyama, 1978  
*Laboulbenia japonica* Thaxter Ref. Juan & Chien, 1997  
*Laboulbenia manubriolata* Thaxter Ref. Terada et al., 2004  
*Laboulbenia nebriae* Peyritsch Ref. Juan & Chien, 1996  
*Laboulbenia nocturna* W. Rossi Ref. Terada et al., 2004

*Laboulbenia obtusa* Thaxter Ref. Lee & Sugiyama, 1984  
*Laboulbenia olivaceae* Thaxter Ref. Juan & Chien, 1996  
*Laboulbenia ophioneae* Terada Ref. Terada, 2005  
*Laboulbenia orientalis* Thaxter Ref. Juan & Chien, 1995  
*Laboulbenia partita* Thaxter Ref. Lee & Sugiyama, 1984  
*Laboulbenia pheropsophi* Thaxter Ref. Sugiyama & Shazawa, 1977  
*Laboulbenia polymorpha* Sugiyama Ref. Sugiyama, 1978  
*Laboulbenia polyphaga* Thaxter Ref. Juan & Chien, 1997  
*Laboulbenia proliferans* Thaxter Ref. Terada, 1976  
*Laboulbenia rougetii* Montagne & Robin Ref. Juan & Chien, 1995  
*Laboulbenia separata* Thaxter Ref. Terada et al., 2004  
*Laboulbenia stenolophi* Spegazzini Ref. Terada, 1976  
*Laboulbenia striata* Sugiyama Ref. Sugiyama, 1978  
*Laboulbenia tachys* Thaxter Ref. 同前  
*Laboulbenia timurensis* Majewski & Sugiyama Ref. Terada et al., 2004  
*Laboulbenia torta* Sugiyama Ref. Juan & Chien, 1996  
*Laboulbenia vulgaris* Peyritsch Ref. Terada, 1976  
*Laboulbenia yamadae* Ishikawa ex Terada Ref. Terada et al., 2004  
*Misgomyces lispini* Thaxter Ref. Terada, 1976  
*Misgomyces ornatus* Thaxter Ref. Terada, 1976  
*Monoicomyces leptochiri* Thaxter Ref. Sugiyama, 1978  
*Monoicomyces sanctae-helenae* Thaxter Ref. Sugiyama, 1981  
*Osoriomyces rhizophorus* Terada Ref. Terada, 1981  
*Peyritschella clivinae* Thaxter Ref. Terada et al., 2004  
*Peyritschella formosana* K. Sugiyama Ref. Sugiyama, 1982  
*Porophoromyces formosanus* K. Sugiyama Ref. 同前  
*Rhachomyces mirei* Balazuc Ref. Terada, 1979  
*Rhachomyces tenuis* Thaxter Ref. Sugiyama, 1978  
*Rhachomyces velatus* Thaxter Ref. Terada, 1979  
*Rickia ancylopi* Thaxter Ref. Terada, 1979  
*Rickia aulachochili* Thaxter Ref. Sugiyama, 1981  
*Rickia coptengalis* Thaxter Ref. Sugiyama, 1978  
*Rickia phloeonomi* Thaxter Ref. 同前  
*Rickia proliferans* Thaxter Ref. Sugiyama, 1981  
*Rickia taiwanensis* Terada Ref. Terada, 1979  
*Rickia wulaiensis* Sugiyama Ref. Sugiyama, 1978  
*Zodiomyces subseriatus* Thaxter Ref. Sugiyama, 1981

## Order Lecanorales 茶漬目

### Family Acarosporaceae 微孢衣科

*Sarcogyne regularis* Körb. 規網盤衣 Ref. Lai, 2000

### Family Alectoriaceae 樹髮衣科

*Oropogon formosanus* Asahina 台灣磚孢髮衣 Ref. Lai, 2000

*Sulcaria sulcata* (Lév.) Bystr. ex Brodo & Hawksw. var. *barbata* (Hawksw.) Hawksw. Ref. Lai, 2000

*Sulcaria sulcata* (Lév. apud Jacquem.) Bystr. ex Brodo & Hawksw. 槽枝 Ref. Lai, 2000

*Sulcaria virens* (Tayl.) Bystr. ex Brodo & Hawksw. 綠絲槽枝 Ref. Lai, 2000

### Family Anziaceae 棉腹衣科

*Anzia cristulata* Stzbgr. 小雞冠綿腹衣 Ref. Lai, 2000

*Anzia formosana* Asahina 台灣綿腹衣 Ref. Lai, 2000

*Anzia hypoleueoides* Müll. Arg. 淡綿腹衣 Ref. Lai, 2000

*Anzia japonica* (Tuck.) Müll. Arg. 日本綿腹衣 Ref. Lai, 2000

*Anzia opuntiella* Müll. Arg. 仙人掌綿腹衣 Ref. Lai, 2000

*Anzia ornata* (Zahlbruckner) Asahina 瘤綿腹衣 Ref. Lai, 2000

*Anzia semiteres* (Mont. & Bosch.) Stzbgr. 半圓柱綿腹衣 Ref. Lai, 2000

### Family Bacidiaceae 桿孢衣科

*Bacidia impura* Zahlbruckner 污桿孢衣 Ref. Lai, 2000

*Bacidia morosa* Zahlbruckner 台灣桿孢衣 Ref. Lai, 2000

*Catinaria kelungana* Zahlbruckner 基隆托盤衣 Ref. Lai, 2000

*Phyllopsora formosana* Zahlbruckner 台灣樹癭衣 Ref. Lai, 2000

*Phyllopsora stenosperma* Zahlbruckner 小孢樹癭衣 Ref. Lai, 2000

*Tephromela atra* (Huds.) Hafellner 黑盤灰衣 Ref. Lai, 2000

### Family Baeomycetaceae 羊角衣科

*Baeomyces absolutus* Tuck. var. *stipitatus* Vain. Ref. Lai, 2000

*Baeomyces absolutus* Tuck Ref. Wu & Wang, 2000

*Baeomyces botryophorus* Zahlbruckner 聚果羊角衣 Ref. Lai, 2000

*Baeomyces brevis* Zahlbruckner 短羊角衣 Ref. Lai, 2000

*Baeomyces fungoides* (Sw.) Ach. 羊角衣 Ref. Lai, 2000

*Baeomyces placophyllus* Ach. 葉羊角衣 Ref. Lai, 2000

*Baeomyces sanguineus* Asahina 血紅羊角衣 Ref. Lai, 2000

### Family **Brigantiaeaceae** 鏽疣衣科

*Brigantiaea leucoxantha* (Sprgl.) R.Sant. & Hafellner 黃白鏽疣衣 Ref. Lai, 2000

### Family **Catillariaceae** 臘腸衣科

*Catillaria arisana* Zahlbruckner 阿里山臘腸衣 Ref. Lai, 2000

*Catillaria limosescens* Zahlbruckner 泥土臘腸衣 Ref. Lai, 2000

*Catillaria renegechina* Zahlbruckner 蓮花池臘腸衣 Ref. Lai, 2000

### Family **Cladoniaceae** 石蕊科

*Cladia aggregata* (Sw.) Nyl. 聚篩蕊 Ref. Lai, 2000

*Cladina ciliata* (Stirt.) Trass var. *tenuis* (Flörke) Ahti & Lai Ref. Lai, 2000

*Cladina ciliata* (Stirt.) Trass Ref. Lai, 2000

*Cladina mitis* (Sandst.) Hale & W. Culb. 軟鹿蕊 Ref. Lai, 2000

*Cladina rangiferina* (L.) Nyl. subsp. *grisea* (Ahti) Ahti & Lai Ref. Lai, 2000

*Cladina rangiferina* (L.) Nyl. Ref. Lai, 2000

*Cladonia bacillaris* (Ach.) Nyl. 粉桿石蕊 Ref. Lai, 2000

*Cladonia bellidiflora* (Ach.) Schaer. 菊花石蕊 Ref. Lai, 2000

*Cladonia chlorophaea* (Flörke ex Sommerf.) Spreng. 喇叭粉石蕊 Ref. Lai, 2000

*Cladonia coniocraea* (Flörke) Spreng. 檜石蕊 Ref. Lai, 2000

*Cladonia crispata* (Ach.) Flot. var. *cetrariiformis* (Del.) Vain. Ref. Lai, 2000

*Cladonia crispata* (Ach.) Flot. Ref. Lai, 2000

*Cladonia fenestralis* Nuno 繁鱗石蕊 Ref. Lai, 2000

*Cladonia floerkeana* (Fr.) Sommerf. 紅頭石蕊 Ref. Lai, 2000

*Cladonia fruticulosa* Kremp. 亞麩皮石蕊 Ref. Lai, 2000

*Cladonia furcata* (Huds.) Schrad. 分枝石蕊 Ref. Lai, 2000

*Cladonia groenlandica* (E. Dahl) Trass 杯角石蕊 Ref. Lai, 2000

*Cladonia gymopoda* Vain. 裸柄石蕊 Ref. Lai, 2000

*Cladonia kurokawae* Ahti & Stenroos 矮石蕊 Ref. Lai, 2000

*Cladonia laii* Stenroos 賴氏石蕊 Ref. Lai, 2000

*Cladonia macilentata* Hoffm. 瘦柄紅石蕊 Ref. Lai, 2000

*Cladonia ochrochlora* Flörke 黃綠石蕊 Ref. Lai, 2000

*Cladonia perfossa* Nuno 空石蕊 Ref. Lai, 2000

*Cladonia pseudodidyma* Asah. 擬小紅石蕊 Ref. Lai, 2000

*Cladonia pseudodigitata* Gyeln. 擬指狀石蕊 Ref. Lai, 2000

*Cladonia pseudogymnopoda* Asah. 擬裸柄石蕊 Ref. Lai, 2000

*Cladonia pyxidata* Hoffm. 喇叭石蕊 Ref. Lai, 2000

*Cladonia ramulosa* (With.) Laundon 麩皮石蕊 Ref. Lai, 2000

*Cladonia rapii* Evans 寬杯石蕊 Ref. Lai, 2000

*Cladonia scabriuscula* (Del.) Leight. 粗皮石蕊 Ref. Lai, 2000

*Cladonia squamosa* (Scop.) Hoffm. 鱗片石蕊 Ref. Lai, 2000

*Cladonia subconistea* Asah. 擬小杯石蕊 Ref. Lai, 2000

*Cladonia submultiformis* Asah. 亞多型石蕊 Ref. Lai, 2000

*Cladonia vulcani* Sav. 多枝紅石蕊 Ref. Lai, 2000

*Cladonia vulcanica* Zoll. & Moritzi 火山石蕊 Ref. Lai, 2000

*Cladonia yunnanensis* (Vain.) Des Abb. ex Wei & Jiang 雲南石蕊 Ref. Lai, 2000

*Glossodium japonicum* Zahlbruckner 日本舌柱衣 Ref. Lai, 2000

### Family **Coccocarpiaceae** 瓦衣科

*Coccocarpia erythroxyli* (Spreng.) Swinscow & Krog 環紋瓦衣 Ref. Lai, 2000

*Coccocarpia parvicola* (Spreng.) L. Arvidss. & D. Gall. 粗瓦衣 Ref. Lai, 2000

*Coccocarpia pellita* (Ach.) Müll. Arg. emend. R. Sant. 鱗瓦衣 Ref. Lai, 2000

*Coccocarpia smaragdina* Pers. emend. L. Arvidss. 翡翠瓦衣 Ref. Lai, 2000

### Family **Crocyniaceae** 棉絮衣科

*Crocynia fauriana* B.de Lesd. apud Hue. 台灣棉絮衣 Ref. Lai, 2000

*Crocynia gossypina* (Sw.) Massal., Atti I. R. Isit. Veneto 棉絮衣 Ref. Lai, 2000

### Family **Dactylosporaceae**

*Dactylospora stygia* (Berk. & Curt.) Hafellner. Ref. Wu & Wang, 2000

### Family **Ectolechiaceae**

*Lopadium ferrugineum* Müll. Arg. 鏽疣衣 Ref. Lai, 2000

*Lopadium hiroshii* Kurok. 日本鏽疣衣 Ref. Lai, 2000

*Sporopodium phyllocharis* (Mont.) Massal. 葉生孢足衣 Ref. Lai, 2000

### Family **Haematommataceae** 赤星衣科

*Haematomma puniceum* (Sm. ex Ach.) Massal. subsp. *pacificum* Asahina Ref. Lai, 2000

*Haematomma puniceum* (Sm. ex Ach.) Massal. 白赤星衣 Ref. Lai, 2000

### Family **Hymeneliaceae**

*Ionaspis odora* (Ach.) Th. Fr. 香尤納衣 Ref. Lai, 2000

### Family **Lecanoraceae** 茶漬衣科

*Lecanora amicalis* Zahlbruckner 台灣茶漬衣 Ref. Lai, 2000

*Lecanora cenisia* Ach. 堅盤茶漬衣 Ref. Lai, 2000

*Lecanora kelungensis* Zahlbruckner 基隆茶漬衣 Ref. Lai, 2000

*Lecanora leprosa* Fée 癩屑茶漬衣 Ref. Lai, 2000  
*Lecanora pachirana* Zahlbruckner 厚茶漬衣 Ref. Lai, 2000  
*Lecanora pallida* (Schreb.) Rabh. 蒼白茶漬衣 Ref. Lai, 2000  
*Lecanora subimmersa* Vain. subsp. *umbrinascens* Zahlbr. Ref. Lai, 2000  
*Lecanora subimmersa* Vain. 半沈茶漬衣 Ref. Lai, 2000  
*Lecanora toroyensis* Zahlbruckner 台灣茶漬衣 Ref. Lai, 2000  
*Lecidella enteroleucella* (Nyl.) Hertel 小盤小網衣 Ref. Lai, 2000

#### Family Lecideaceae 網衣科

*Lecidea cacaotina* Zahlbruckner 可可網衣 Ref. Lai, 2000  
*Lecidea granifera* (Ach.) Vain. 顆粒網衣 Ref. Lai, 2000  
*Lecidea ochroleprosa* Zahlbruckner 赭癩屑網衣 Ref. Lai, 2000  
*Lecidea piperina* Zahlbruckner 胡椒網衣 Ref. Lai, 2000

#### Family Megalosporaceae 大孢衣科

*Megalospora nipponensis* Asahina 日本大孢衣 Ref. Lai, 2000  
*Megalospora tuberculosa* (Fée) Sipman 結瘤大孢衣 Ref. Lai, 2000

#### Family Mycoblastaceae 黑紅衣科

*Mycoblastus sanguinarius* (L.) Norm. Ref. Lai, 2000

#### Family Pannariaceae 鱗葉衣科

*Pannaria conoplea* (Ach.) Bory. 綿毛鱗葉衣 Ref. Lai, 2000  
*Pannaria leucophaea* (Vahl.) P. M. Jørg. 小鱗葉衣 Ref. Lai, 2000  
*Pannaria leucosticta* (Tuck. in Darlingt.) Tuck. ex Nyl. 美鱗葉衣 Ref. Lai, 2000  
*Pannaria lurida* (Mont.) Nyl. 鐵色鱗葉衣 Ref. Lai, 2000  
*Pannaria mariana* (Fr.) Müll. Arg. 瑪麗鱗葉衣 Ref. Lai, 2000  
*Pannaria stylophora* Vain. var. *perconfluens* Vain. Ref. Lai, 2000  
*Pannaria stylophora* Vain. Ref. Lai, 2000  
*Psoroma sphinctrinum* (Mont.) Nyl. 粉苔鱗葉衣 Ref. Lai, 2000

#### Family Parmeliaceae 梅衣科

*Allocterraria stracheyi* (Bab.) Kurok. & Lai 同島衣 Ref. Lai, 2000  
*Asahinea chrysantha* (Tuck.) W. Culb. & C. Culb. 金黃裸腹葉衣 Ref. Lai, 2000  
*Bryoria bicolor* (Ehrh.) Brodo & Hawksw. 雙色小孢髮衣 Ref. Lai, 2000  
*Bryoria confusa* (Awasthi) Brodo & Hawksw. 刺小孢髮衣 Ref. Lai, 2000  
*Bryoria lactinea* (Nyl.) Brodo & Hawksw. 乳小孢髮衣 Ref. Lai, 2000  
*Bryoria lanestris* (Ach.) Brodo & Hawksw. 綿毛小孢髮衣 Ref. Lai, 2000  
*Bryoria trichodes* (Michx.) Brodo & Hawksw. Ref. Lai, 2000  
*Bryoria trichodes* (Michx.) Brodo & Hawksw. subsp. *americana* (Mot.) Brodo & Hawksw. Ref. Lai, 2000  
*Bulbothrix goebellii* (Zenker) Hale 戈氏緣齒梅衣 Ref. Lai, 2000  
*Bulbothrix isidiza* (Nyl.) Hale 裂芽緣齒梅衣 Ref. Lai, 2000  
*Bulbothrix tabacina* (Mont. & Bosch) Hale 煙草緣齒梅衣 Ref. Lai, 2000  
*Canomaculina leucosemtheta* (Hue) Elix 擬白斑梅衣 Ref. Lai, 2000  
*Canomaculina subsumpta* (Nyl.) Elix 粉芽白斑梅衣 Ref. Lai, 2000  
*Canomaculina subtinctoria* (Zahlbr.) Elix 針芽白斑梅衣 Ref. Lai, 2000  
*Canoparmelia amazonica* (Nyl.) Elix & Hale 針芽灰梅衣 Ref. Lai, 2000  
*Canoparmelia texana* (Tuck.) Elix & Hale 粉芽灰梅衣 Ref. Lai, 2000  
*Cetraria islandica* (L.) Ach. Ref. Lai, 2000  
*Cetraria islandica* (L.) Ach. subsp. *orientalis* (Asah. in Sato) Kärnef. Ref. Lai, 2001  
*Cetraria odontella* (Ach.) Ach. 刺島衣 Ref. Lai, 2000  
*Cetrariopsis wallichiana* (Tayl.) Kurok. 瓦氏類島衣 Ref. Lai, 2000  
*Cetrelia braunsiana* (Müll. Arg.) W. Culb. & C. Culb. 粒芽斑葉衣 Ref. Lai, 2000  
*Cetrelia cetrarioides* (Del. ex Duby) W. Culb. & C. Culb. 粉緣斑葉衣 Ref. Lai, 2000  
*Cetrelia chicitae* (Culb.) W. Culb. & C. Culb. 奇西達斑葉衣 Ref. Lai, 2000  
*Cetrelia collata* (Culb.) W. Culb. & C. Culb. 領斑葉衣 Ref. Lai, 2000  
*Cetrelia isidiata* (Asah.) W. Culb. & C. Culb. 裂芽斑葉衣 Ref. Lai, 2000  
*Cetrelia japonica* (Zahlbr.) W. Culb. & C. Culb. 日本斑葉衣 Ref. Lai, 2000  
*Cetrelia nuda* (Hue) W. Culb. & C. Culb. 裸斑葉衣 Ref. Lai, 2000  
*Cetrelia olivetorum* (Nyl.) W. Culb. & C. Culb. 橄欖斑葉衣 Ref. Lai, 2000  
*Cetrelia pseudoliveterum* (Asah.) W. Culb. & C. Culb. 擬橄欖斑葉衣 Ref. Lai, 2000  
*Cetrelia sinensis* W. Culb. & C. Culb. 中華斑葉衣 Ref. Lai, 2000  
*Cetreliaopsis laeteflava* (Zahlbr.) Randle & Saag 黃類斑葉衣 Ref. Lai, 2000  
*Cetreliaopsis asahinae* (Sato) Randle & Thell 東亞類斑葉衣 Ref. Lai, 2000  
*Coelocaulon aculeatum* (Schreb.) Link, Handb. 皮刺角衣 Ref. Lai, 2000  
*Everniastrum cirrhatum* (E. Fr.) Hale ex Sipman 條梅衣 Ref. Lai, 2000  
*Everniastrum nepalense* (Tayl.) Hale ex Sipman 短根條梅衣 Ref. Lai, 2000  
*Everniastrum sorocheila* (Vain.) Hale ex Sipman 粉芽條梅衣 Ref. Lai, 2000  
*Everniastrum subplanum* Sipman 亞平條梅衣 Ref. Lai, 2000  
*Everniastrum vexans* (Zahlbr. ex W. Culb. & C. Culb.) Hale ex Sipman 針芽條梅衣 Ref. Lai, 2000  
*Flavoparmelia caperata* (L.) Hale 皺梅衣 Ref. Lai, 2000  
*Hypogymnia hypotrypa* (Nyl.) Rassad. 黃袋梅衣 Ref. Lai, 2000  
*Hypogymnia hypotrypella* (Asahina) Rassad. 粉黃袋梅衣 Ref. Lai, 2000  
*Hypogymnia physodes* (L.) Nyl. 袋梅衣 Ref. Lai, 2000

*Hypogymnia pseudobitteriana* (Awasthi) Awasthi 擬粉袋梅衣 Ref. Lai, 2000  
*Hypogymnia pseudoenteromorpha* Lai 擬指袋梅衣 Ref. Lai, 2000  
*Hypogymnia pseudophysodes* (Asahina) Rassad. 擬袋梅衣 Ref. Lai, 2000  
*Hypogymnia taiwanalpina* Lai 台灣高山袋梅衣 Ref. Lai, 2000  
*Hypogymnia vittata* (Ach.) Gasilien 條袋梅衣 Ref. Lai, 2000  
*Hypogymnia vittata* (Ach.) Gasilien. f. *stricta* (Hillm.) Kurok. Ref. Lai, 2000  
*Hypotrachyna adducta* (Nyl.) Hale 麗雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna consimilis* (Vain.) Hale 同雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna crenata* (Kurok.) Hale 圓齒雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna endochlora* (Leight.) Hale 內緣雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna exsecta* (Tayl.) Hale 切割雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna exsplendens* (Hale) Hale 平展雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna flexilis* (Kurok.) Hale 柔雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna imbricata* (Zahlbr.) Hale 覆瓦雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna immaculata* (Kurok.) Hale 無網裂雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna infirma* (Kurok.) Hale 弱雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna keitauensis* (Asah.) Hale 溪頭雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna kingii* (Hale) Hale 肯氏雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna koyaensis* (Asah.) Hale 高野雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna majoris* (Vain.) Hale 大雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna osseocalva* (Vain.) Park & Hale 臺灣雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna pseudosinuosa* (Asah.) Hale 灰條雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna revoluta* (Flörke) Hale 卷葉雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna sinuosa* (Sm.) Hale 黃條雙歧根梅衣 Ref. Lai, 2000  
*Hypotrachyna sublaevigata* (Nyl.) Hale 亞平滑雙歧根梅衣 Ref. Lai, 2000  
*Imshaugia aleurites* (Ach.) Meyer 小梅衣 Ref. Lai, 2000  
*Karoonia saxeti* (Stizenb.) Hale 無根黃梅衣 Ref. Lai, 2000  
*Melanelia panniformis* (Nyl) Essl. 氈毛大褐梅衣 Ref. Lai, 2000  
*Menegazzia asahinae* (Yas.) R. Sant. 凸緣孔梅衣 Ref. Lai, 2000  
*Menegazzia asahinae* (Yas.) R. Sant. f. *subimpertusa* (Nyl.) Kurok. Ref. Lai, 2000  
*Menegazzia terebrata* (Hoffm.) Massal. 孔梅衣 Ref. Lai, 2000  
*Myelochroa aurulenta* (Tuck.) Elix & Hale 金葉黃髓梅衣 Ref. Lai, 2000  
*Myelochroa dugens* (Nyl.) Elix & Hale 泡突黃髓梅衣 Ref. Lai, 2000  
*Myelochroa irrugans* (Nyl.) Elix & Hale 黃果黃髓梅衣 Ref. Lai, 2000  
*Myelochroa xantholepis* (Mont. & Bosch) Elix & Hale 細裂片黃髓梅衣 Ref. Lai, 2000  
*Nephromopsis laii* (Thell & Randlane) Saag & Thell 賴氏腎島衣 Ref. Lai, 2000  
*Nephromopsis morrisonicola* Lai 玉山腎島衣 Ref. Lai, 2000  
*Nephromopsis nephromoides* (Ny1.) Ahti & Randlane 腎形腎島衣 Ref. Lai, 2000  
*Nephromopsis ornata* (Müll. Arg.) Hue 麗腎島衣 Ref. Lai, 2000  
*Nephromopsis pallescens* (Schaer.) Park 皮革腎島衣 Ref. Lai, 2000  
*Nephromopsis pallescens* (Schaer.) Park var. *citrina* (Tayl.)Thell & Randlane Ref. Lai, 2000  
*Nephromopsis stracheyi* (Bab.) Müll. Arg. 寬瓣腎島衣 Ref. Lai, 2000  
*Parmelia adaugescens* Nyl. 成長梅衣 Ref. Lai, 2000  
*Parmelia erumpens* Kurok. 破裂梅衣 Ref. Lai, 2000  
*Parmelia isidioclada* Vain. 緣白點梅衣 Ref. Lai, 2000  
*Parmelia laevior* Nyl. 亞平滑梅衣 Ref. Lai, 2000  
*Parmelia masonii* Essl. & Poelt 梅森梅衣 Ref. Lai, 2000  
*Parmelia meiophora* Nyl. 稀生梅衣 Ref. Lai, 2000  
*Parmelia nitakana* Asah. 玉山梅衣 Ref. Lai, 2000  
*Parmelia praesquarrosa* Kurok. 類羽根梅衣 Ref. Lai, 2000  
*Parmelia subdivaricata* Asah. 擬亞廣開梅衣 Ref. Lai, 2000  
*Parmelia submutata* Hue 亞變梅衣 Ref. Lai, 2000  
*Parmelinella wallichiana* (Tayl.) Elix & Hale 裂芽大黃髓梅衣 Ref. Lai, 2000  
*Parmelinopsis expallida* (Kurok.) Elix & Hale 淡葉類黃髓梅衣 Ref. Lai, 2000  
*Parmelinopsis horrescens* (Tayl.) Elix & Hale 類黃髓梅衣 Ref. Lai, 2000  
*Parmelinopsis minarum* (Vain.) Elix & Hale 刺類黃髓梅衣 Ref. Lai, 2000  
*Parmelinopsis spumosa* (Asah.) Elix & Hale 泡沫類黃髓梅衣 Ref. Lai, 2000  
*Parmeliopsis ambigua* (Wulf.) Nyl. 小孔梅衣 Ref. Lai, 2000  
*Parmotrema argentinum* (Kremplh.) Hale 銀裸緣梅衣 Ref. Lai, 2000  
*Parmotrema austrosinense* (Zahlbr.) Hale 華南裸緣梅衣 Ref. Lai, 2000  
*Parmotrema chiapense* (Hale.) Hale. 墨西哥裸緣梅衣 Ref. Lai, 2000  
*Parmotrema chinense* (Osbeck) Hale & Ahti 中華裸緣梅衣 Ref. Lai, 2000  
*Parmotrema corniculans* (Nyl.) Hale 南亞裸緣梅衣 Ref. Lai, 2000  
*Parmotrema crinitum* (Ach.) Choisy 毛裸緣梅衣 Ref. Lai, 2000  
*Parmotrema cristiferum* (Tayl.) Hale 雞冠裸緣梅衣 Ref. Lai, 2000  
*Parmotrema dilatatum* (Vain.) Hale 膨狀裸緣梅衣 Ref. Lai, 2000  
*Parmotrema eciliatum* (Nyl.) Hale 緣毛裸緣梅衣 Ref. Lai, 2000  
*Parmotrema euryacum* (Hue) Hale 美洲裸緣梅衣 Ref. Lai, 2000  
*Parmotrema exquisitum* (Kurok.) DePriest & B. Hale 擬粉芽裸緣梅衣 Ref. Lai, 2000  
*Parmotrema lobulascens* (Stein.) Hale 裂片裸緣梅衣 Ref. Lai, 2000  
*Parmotrema mellissii* (Dodge) Hale 麥氏裸緣梅衣 Ref. Lai, 2000  
*Parmotrema merrillii* (Vain.) Hale 菲律賓裸緣梅衣 Ref. Lai, 2000

*Parmotrema nanfongense* (Kurok.) DePriest & B. Hale 南鳳山裸緣梅衣 Ref. Lai, 2000  
*Parmotrema overeemii* (Zahlbr.) Elix 奧氏裸緣梅衣 Ref. Lai, 2000  
*Parmotrema parahypotropum* (W. Culb.) Hale 臺灣裸緣梅衣 Ref. Lai, 2000  
*Parmotrema permutatum* (Stirt.) Hale 變裸緣梅衣 Ref. Lai, 2000  
*Parmotrema praesorediosum* (Nyl.) Hale 類粉緣裸緣梅衣 Ref. Lai, 2000  
*Parmotrema rampoddense* (Nyl.) Hale 粉芽裸緣梅衣 Ref. Lai, 2000  
*Parmotrema saccatilobum* (Tayl.) Hale 囊瓣裸緣梅衣 Ref. Lai, 2000  
*Parmotrema sancti-angelii* (Lynge) Hale 大緣毛裸緣梅衣 Ref. Lai, 2000  
*Parmotrema subcorallinum* (Hale) Hale 亞珊瑚裸緣梅衣 Ref. Lai, 2000  
*Parmotrema subrugatum* (Krempelh.) Hale 皺紋裸緣梅衣 Ref. Lai, 2000  
*Parmotrema tinctorum* (Nyl.) Hale 大裸緣梅衣 Ref. Lai, 2000  
*Parmotrema ultralucens* (Krog) Hale 亞毛裸緣梅衣 Ref. Lai, 2000  
*Platismatia erosa* W. Culb. & C. Culb. 裂芽寬葉衣 Ref. Lai, 2000  
*Platismatia formosana* (Zahlbr.) W. Culb. & C. Culb. 台灣寬葉衣 Ref. Lai, 2000  
*Punctelia borveri* (Sm.) Krog 粉斑星點梅衣 Ref. Lai, 2000  
*Punctelia neutralis* (Hale) Krog 中星點梅衣 Ref. Lai, 2000  
*Punctelia rudenta* (Ach.) Krog 粗星點梅衣 Ref. Lai, 2000  
*Punctelia subrudecta* (Nyl.) Krog 亞星點梅衣 Ref. Lai, 2000  
*Relicina abstrusa* (Vain.) Hale 玄黃緣齒梅衣 Ref. Lai, 2000  
*Relicina malesiana* (Hale) Hale 馬來黃緣齒梅衣 Ref. Lai, 2000  
*Relicina schizospatha* (Kurok.) Hale 裂黃緣齒梅衣 Ref. Lai, 2000  
*Relicina subabstrusa* (Gyelnik) Hale 亞玄黃緣齒梅衣 Ref. Lai, 2000  
*Relicina sydneyensis* (Gyelnik) Hale 雪梨黃緣齒梅衣 Ref. Lai, 2000  
*Rimelia cetrata* (Ach.) Hale & Fletcher 睫毛網裂梅衣 Ref. Lai, 2000  
*Rimelia clavulifera* (Räs.) Kurok. 白腹緣網裂梅衣 Ref. Lai, 2000  
*Rimelia reticulata* (Tayl.) Hale & Fletcher 黑腹網裂梅衣 Ref. Lai, 2000  
*Tuckneraria ahtii* Randlane & Saag 阿提緣毛腎島衣 Ref. Lai, 2000  
*Tuckneraria laxa* (Zahlbr.) Randlane & Thell 疏緣毛腎島衣 Ref. Lai, 2000  
*Tuckneraria pseudocomplicata* (Asah.) Randlane & Saag 薄皮緣毛腎島衣 Ref. Lai, 2000  
*Xanthoparmelia claviculata* Kurok. 棒芽黃梅衣 Ref. Lai, 2000  
*Xanthoparmelia formosana* Kurok. 臺灣黃梅衣 Ref. Lai, 2000  
*Xanthoparmelia orientalis* Kurok. 東方黃梅衣 Ref. Lai, 2000

#### Family Physciaceae 蜈蚣衣科

*Buellia erubescens* Arnold 玫瑰黑瘤衣 Ref. Lai, 2000  
*Buellia stellulata* (Tayl.) Mudd Ref. Lai, 2000  
*Buellia stellulata* (Tayl.) Mudd var. *macrior* Zahlbruckner Ref. Lai, 2000  
*Buellia subdisciformis* (Leight.) Vain. 亞盤黑瘤衣 Ref. Lai, 2000  
*Dirinaria appianata* (Fée) Awasthi 扁平黑囊基衣 Ref. Lai, 2000  
*Dirinaria caesiopicta* (Nyl.) Awasthi 淺藍黑囊基衣 Ref. Lai, 2000  
*Dirinaria confusa* Awasthi 密果黑囊基衣 Ref. Lai, 2000  
*Dirinaria picta* (Sw.) Clem. & Shear 有色黑囊基衣 Ref. Lai, 2000  
*Heterodermia angustiloba* (Müll. Arg.) D. D. Awasthi 狹葉亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia boryi* (Fée) K. P. Singh & S. R. Singh 卷梢亞鈴孢衣原變種 Ref. Lai, 2000  
*Heterodermia comosa* (Eschw.) Follmann & Rédon 叢毛亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia corallophora* (Tayl.) Skorepa 珊瑚亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia dendritica* (Pers.) Poelt 樹亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia diademata* (Tayl.) D. D. Awasthi 大亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia dissecta* (Kurok.) D. D. Awasthi 深裂亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia flabellata* (Fée) D. D. Awasthi 扇亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia hypocaesia* (Yasuda) D. D. Awasthi 藍腹亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia hypochraea* (Vain.) Swinscow & Krog 黃腹亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia hypoleuca* (Muehlbr.) Trevis. 白腹亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia incana* (Sriert.) D. D. Awasthi 灰白亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia isidiophora* (Nyl.) D. D. Awasthi 裂芽亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia japonica* (Sato) Swinscow & Krog 阿里山亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia leucomela* (L.) Poelt 白亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia lutescens* (Kurok.) Follmann 黃亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia obscurata* (Nyl.) Trevis. 暗亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia pacifica* (Kurok.) Kurok. 太平洋鈴孢衣 Ref. Lai, 2000  
*Heterodermia pandurata* (Kurok.) J. C. Wei 琴亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia podocarpa* (Bel.) D. D. Awasthi 毛果亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia propagulifera* (Vain.) J. P. Dey in Parker & Roane 芽體亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia pseudospeciosa* (Kurok.) W. L. Culb. 擬亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia rubescens* (Räsänen) D. D. Awasthi 紅亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia spinulosa* (Kurok.) J. C. Wei 刺亞鈴孢衣 Ref. Lai, 2000  
*Heterodermia subascendens* (Asahina) Trass 翹亞鈴孢衣 Ref. Lai, 2000  
*Phaeophyscia endococcinea* (Körb.) Moberg 紅髓黑蜈蚣衣 Ref. Lai, 2000  
*Phaeophyscia endococcinodes* (Poelt) Essl. 內赤黑蜈蚣衣 Ref. Lai, 2000  
*Phaeophyscia exornatula* (Zahlbruckner) Kashiw. 裂芽黑蜈蚣衣 Ref. Lai, 2000  
*Phaeophyscia imbricata* (Vain.) Essl. 覆瓦黑蜈蚣衣 Ref. Lai, 2000  
*Physcia denigrata* Hue 十恩蜈蚣衣 Ref. Lai, 2000

*Physcia integrata* Nyl. Ref. Lai, 2000  
*Physcia integrata* Nyl. var. *obsessa* Vain. Ref. Lai, 2000  
*Physcia tribacoides* Nyl. 粉唇蜈蚣衣 Ref. Lai, 2000  
*Physconia tentaculata* (Zahlbruckner) Poelt 觸絲大孢蜈蚣衣 Ref. Lai, 2000  
*Pyxine cocoes* (Sw.) Nyl. 椰子黑盤衣 Ref. Lai, 2000  
*Pyxine copelandii* Vain. 科普藍氏黑盤衣 Ref. Lai, 2000  
*Pyxine limbulata* Müll. Arg. 亞橄欖黑盤衣 Ref. Lai, 2000  
*Pyxine margaritacea* Zahlbruckner 珍珠黑盤衣 Ref. Lai, 2000  
*Pyxine philippina* Vain. 菲律賓黑盤衣 Ref. Lai, 2000  
*Pyxine sorediata* (Ach.) Mont. ex Sagra 粉芽黑盤衣 Ref. Lai, 2000  
*Pyxine subcinerea* Stirt. 淡灰黑盤衣 Ref. Lai, 2000  
*Rinodina imitatrix* Zahlbruckner 台灣餅乾衣 Ref. Lai, 2000  
*Rinodina varians* Zahlbruckner 變異餅乾衣 Ref. Lai, 2000

#### Family Porpidiaceae 假網衣科

*Paraporpidia leptocarpa* (Bab. & Mitt.) Rambold & Hertel 細准網衣 Ref. Lai, 2000  
*Porpidia albocaularescens* (Wulf.) Hertel & Knogh var. *polycarpiza* (Vain.) Hertel & Knogh Ref. Lai, 2000  
*Porpidia albocaularescens* (Wulf.) Hertel & Knogh 白藍假網衣 Ref. Lai, 2000

#### Family Psoraceae 鱗網衣科

*Protoblastenia formosana* Zahlbruckner 台灣原胚衣 Ref. Lai, 2000

#### Family Ramalinaceae 樹花科

*Ramalina calicaris* (L.) Fr. 杯樹花 Ref. Lai, 2000  
*Ramalina farinacea* (L.) Ach. Ref. Lai, 2000  
*Ramalina geniculata* Hook. f. & Tayl. 曲樹花 Ref. Lai, 2000  
*Ramalina hossei* Vain. 侯氏樹花 Ref. Lai, 2000  
*Ramalina intermediella* Vain. 瘤枝樹花 Ref. Lai, 2000  
*Ramalina pollinaria* (Westr.) Ach. 粉粒樹花 Ref. Lai, 2000  
*Ramalina pseudosekika* Asahina 擬石樹花 Ref. Lai, 2000  
*Ramalina pumila* Mont. 矮樹花 Ref. Lai, 2000  
*Ramalina sinensis* Jatta 中國樹花 Ref. Lai, 2000  
*Ramalina subcomplanata* (Nyl.) Kashiw. 亞平樹花 Ref. Lai, 2000  
*Ramalina subgeniculata* Nyl. 亞曲樹花 Ref. Lai, 2000

#### Family Rhizocarpaceae 地圖衣科

*Catolechia wahlenbergii* (Ach.) Körb. 袖珍瘤衣 Ref. Lai, 2000  
*Rhizocarpon geographicum* (L.) DC. 地圖衣 Ref. Lai, 2000

#### Family Sphaerophoraceae 球粉衣科

*Bunodophoron diplotypum* (Vain.) Wedin 二型球孢球粉衣 Ref. Lai, 2000  
*Bunodophoron formosanum* (Zahlbruckner) Wedin 台灣球孢球粉衣 Ref. Lai, 2000  
*Bunodophoron melanocarpum* (Sw.) Wedin 黑果球孢球粉衣 Ref. Lai, 2000  
*Sphaerophorus taiwanensis* Wang-Yang & Lai 台東球粉衣 Ref. Lai, 2000  
*Sphaerophorus yangii* Wang-Yang & Lai 楊氏球粉衣 Ref. Lai, 2000

#### Family Stereocaulaceae 珊瑚枝科

*Pilophorus acicularis* (Ach.) Th. Fr. 針柱衣 Ref. Lai, 2000  
*Pilophorus clavatus* Th. Fr. 棒柱衣 Ref. Lai, 2000  
*Stereocaulon alishanum* Mineta 阿里山珊瑚枝 Ref. Lai, 2000  
*Stereocaulon condensatum* (Ach.) Hoffm. 竹扞珊瑚枝 Ref. Lai, 2000  
*Stereocaulon japonicum* Th. Fr. 日本珊瑚枝 Ref. Lai, 2000  
*Stereocaulon massartianum* Hue 側頂果珊瑚枝 Ref. Lai, 2000  
*Stereocaulon myriocarpum* Th. Fr. 多果珊瑚枝 Ref. Lai, 2000  
*Stereocaulon octomerum* Müll. Arg. 指珊瑚枝 Ref. Lai, 2000  
*Stereocaulon pomiferum* Duvign. 蘋果珊瑚枝 Ref. Lai, 2000  
*Stereocaulon sasakii* Zahlbr. var. *simplex* (Ridd.) Lamb Ref. Lai, 2000  
*Stereocaulon sasakii* Zahlbr. 佐佐木珊瑚枝 Ref. Lai, 2000  
*Stereocaulon sorediiferum* Hue var. *leproslingulatum* Lamb Ref. Lai, 2000  
*Stereocaulon sorediiferum* Hue 大珊瑚枝 Ref. Lai, 2000  
*Stereocaulon verruculigerum* Hue 疣珊瑚枝 Ref. Lai, 2000  
*Stereocaulon vesuvianum* Pers. var. *kilimandscharoense* B. Stein Ref. Lai, 2000  
*Stereocaulon vesuvianum* Pers. Ref. Lai, 2000  
*Stereocaulon vesuvianum* Pers. var. *nodulosum* (Wallr.) Lamb ex Poelt Ref. Lai, 2000

#### Family Trapeliaceae 褐邊衣科

*Placopsis asahinae* Lamb 朝比氏癭茶漬 Ref. Lai, 2000  
*Placopsis cribellans* (Nyl.) Räs. f. *tuberculifera* Lamb Ref. Lai, 2000  
*Placopsis cribellans* (Nyl.) Ras. Ref. Lai, 2000  
*Trapelia subconcolor* (Anzi) Hertel 亞同色褐邊衣 Ref. Lai, 2000

#### Family Umbilicariaceae 石耳科

*Lasallia asiae-orientalis* Asahina 東亞胞臍衣 Ref. Lai, 2000  
*Lasallia mayebarae* (M.Sato) Asahina 中華胞臍衣 Ref. Lai, 2000  
*Umbilicaria formosana* Frey 台灣石耳 Ref. Lai, 2000  
*Umbilicaria polyphylla* (L.) Baumg. 複葉石耳 Ref. Lai, 2000

## Family Usneaceae 松蘿科

- Thamnolia subuliformis* (Ehrh.) Culb. 雪地茶 Ref. Lai, 2000  
*Usnea aciculifera* Vain. 尖刺松蘿 Ref. Lai, 2000  
*Usnea alisani* Asahina f. *condensata* Asahina Ref. Lai, 2000  
*Usnea alisani* Asahina 阿里山松蘿 Ref. Lai, 2000  
*Usnea baileyi* (Stirt.) Zahlbruckner, Densks. Math.-Nat. Classe Kais. Akad. Wiss. Wien. 廣生松蘿 Ref. Lai, 2000  
*Usnea baileyi* (Stirt.) Zahlbruckner subsp. *septentrionalis* Asahina Ref. Lai, 2000  
*Usnea bismolliuscula* Zahlbruckner 柔軟松蘿 Ref. Lai, 2000  
*Usnea ceratina* Ach. 角松蘿 Ref. Lai, 2000  
*Usnea confusa* Asahina subsp. *subconfusa* Asahina Ref. Lai, 2000  
*Usnea confusa* Asahina 紊松蘿 Ref. Lai, 2000  
*Usnea confusa* subsp. *pygmoidea* Asahina Ref. Lai, 2000  
*Usnea diffracta* Vain. 環裂松蘿 Ref. Lai, 2000  
*Usnea eumitrioides* Mont. 擬軸孔松蘿 Ref. Lai, 2000  
*Usnea florida* (L.) Weber em. Clerc 松蘿 Ref. Lai, 2000  
*Usnea fuscorubens* Motyka, Lich. Gen. *Usnea Stud. Monogr.* 紅褐松蘿 Ref. Lai, 2000  
*Usnea galbinifera* Asahina 平滑松蘿 Ref. Lai, 2000  
*Usnea himalayana* Babingt. 喜馬拉雅松蘿 Ref. Lai, 2000  
*Usnea japonica* Vain. 日本松蘿 Ref. Lai, 2000  
*Usnea leucospilodea* Nyl. 白脊松蘿 Ref. Lai, 2000  
*Usnea longissima* Ach. 長松蘿 Ref. Lai, 2000  
*Usnea maculata* Stirt. 斑松蘿 Ref. Lai, 2000  
*Usnea masudana* Asahina 松田氏松蘿 Ref. Lai, 2000  
*Usnea misaminensis* (Vain.) Motyka, Lich. Gen. *Usnea Stud. Monogr.* 米薩松蘿 Ref. Lai, 2000  
*Usnea neoguinensis* Asahina var. *gracilior* Asahina Ref. Lai, 2000  
*Usnea neoguinensis* Asahina 新幾內亞松蘿 Ref. Lai, 2000  
*Usnea niparensis* Asahina 光禿松蘿 Ref. Lai, 2000  
*Usnea ogatai* Asahina 台灣松蘿 Ref. Lai, 2000  
*Usnea orientalis* Motyka f. *esorediosa* Asahina Ref. Lai, 2000  
*Usnea orientalis* Motyka, Lich. Gen. *Usnea Stud. Monogr.* 東方松蘿 Ref. Lai, 2000  
*Usnea pangiana* Stirt. subsp. *hondoensis* (Asahina) Asahina Ref. Lai, 2000  
*Usnea pangiana* Stirt. 環基松蘿 Ref. Lai, 2000  
*Usnea pectinata* Tayl. 擬長松蘿 Ref. Lai, 2000  
*Usnea pseudogatai* Asahina 擬台灣松蘿 Ref. Lai, 2000  
*Usnea pseudomontis-fuji* Asahina 擬粗皮松蘿 Ref. Lai, 2000  
*Usnea pseudorientalis* Asahina 擬東方松蘿 Ref. Lai, 2000  
*Usnea pseudorubescens* Asahina 擬紅皮松蘿 Ref. Lai, 2000  
*Usnea roseola* Vain. 紅髓松蘿 Ref. Lai, 2000  
*Usnea rubescens* Stirt. 紅皮松蘿 Ref. Lai, 2000  
*Usnea rubescens* Stirt. var. *anaemica* Asahina Ref. Lai, 2000  
*Usnea rubicunda* Stirt. 深紅松蘿 Ref. Lai, 2000  
*Usnea rubiginea* Massal. 銹松蘿 Ref. Lai, 2000  
*Usnea schadenbergiana* Goeppert & Stein. 夏登堡松蘿 Ref. Lai, 2000  
*Usnea shimadai* Asahina 島田氏松蘿 Ref. Lai, 2000  
*Usnea subfloridana* Stirt. 亞花松蘿 Ref. Lai, 2000  
*Usnea undulata* Stirt. f. *fruticans* Asahina Ref. Lai, 2000  
*Usnea undulata* Stirt. f. *perspinigera* Asahina Ref. Lai, 2000  
*Usnea undulata* Stirt. Ref. Lai, 2000

## Order Leotiales 錘舌菌目

### Family Geoglossaceae 地舌菌科

- Geoglossum fallax* E. J. Durand Ref. Wang, 2001  
*Trichoglossum farlowi* (Cooke) E. J. Durand Ref. Wang, 2001  
*Trichoglossum hirsutum* (Pers.: Fr.) Boud. Ref. Wu, 1996  
*Trichoglossum walteri* (Berk.) E. J. Durand Ref. Wang, 2001

### Family Icmadophilaceae 霜降衣科

- Icmadophila ericetorum* (L.) Zahlbruckner 霜降衣 Ref. Lai, 2000  
*Pseudobaeomyces insignis* (Zahlbruckner) M. Sato 柄擬羊角衣 Ref. Lai, 2000  
*Tubercularia phyllophila* Syd. Ref. Sawada, 1919  
*Tubercularia puerariae* Sawada Ref. Sawada, 1944

### Family Leotiaceae 錘舌菌科

- Leotia lubrica* Fr. Ref. Liou & Chen, 1977

## Order Meliolales 小煤炭菌目

### Family Meliolaceae 小煤炭菌科

- Amazonia peregrina* (Syd.) Syd. Ref. Sawada, 1942  
*Armatella formosana* W. Yamam. Ref. Yamamoto, 1961  
*Armatella litseae* (Henn.) Theiss. & Syd. Ref. 同前  
*Armatella longispora* W. Yamam. Ref. 同前  
*Asteridiella tremae* (Speg.) Hansf. Ref. 謝文瑞、陳啓予及王智立。2000

*Irene castanopsisifoliae* W. Yamam. Ref. Yamamoto, 1941  
*Irene engelhardtiae* W. Yamam. Ref. 同前  
*Irene formosensis* W. Yamam. Ref. 同前  
*Irene kiraiensis* W. Yamam. Ref. 同前  
*Irene konishii* W. Yamam. Ref. 同前  
*Irene lithocarpicola* W. Yamam. Ref. 同前  
*Irene musyanensis* W. Yamam. Ref. 同前  
*Irene photinicola* W. Yamam. Ref. 同前  
*Irene sinsuiensis* W. Yamam. Ref. 同前  
*Irene stranvaesiicola* W. Yamam. Ref. Yamamoto, 1940  
*Irene styracicola* W. Yamam. Ref. Yamamoto, 1941  
*Irenina cyclobalanopsicola* W. Yamam. Ref. 同前  
*Irenina ebuli* W. Yamam. Ref. 同前  
*Irenina hydrangeae* W. Yamam. Ref. 同前  
*Irenina ligulariae* Sawada & W. Yamam. Ref. Sawada, 1959  
*Irenina loniceriae* W. Yamam. Ref. Yamamoto, 1941  
*Irenina malloticola* W. Yamam. Ref. Yamamoto, 1940  
*Irenina manca* (Ell. & Mart.) F. Stevens Ref. 同前  
*Irenina pithecolobii* W. Yamam. Ref. Yamamoto, 1941  
*Irenina raphirolepis* W. Yamam. Ref. 同前  
*Irenina rhododendri* W. Yamam. Ref. 同前  
*Irenina selaginellae* Sawada Ref. Sawada, 1959  
*Irenina subapoda* (Sydow) F. Stevens Ref. Yamamoto, 1961  
*Irenina turpiniae* W. Yamam. Ref. Yamamoto, 1941  
*Irenina viburni* (Syd.) F. Stevens Ref. Yamamoto, 1940  
*Irenopsis coronata* (F. Stevens) F. Stevens var. *triumfettae* (F. Stevens) F. Stevens Ref. Sawada, 1942  
*Irenopsis hiptages* W. Yamam. Ref. Yamamoto, 1941  
*Irenopsis molleriana* (G. Winter) F. Stevens Ref. Yamamoto, 1961  
*Irenopsis sidae* Sawada & W. Yamam. Ref. Sawada, 1959  
*Irenopsis sinsuiensis* W. Yamam. Ref. Yamamoto, 1940  
*Meliola acaciae-confusae* Sawada Ref. Sawada, 1931  
*Meliola acanthopanacis* W. Yamam. Ref. Yamamoto, 1941  
*Meliola aceris* W. Yamam. Ref. Yamamoto, 1940  
*Meliola aethiops* Sacc. Ref. 同前  
*Meliola alniphylli* W. Yamam. Ref. 同前  
*Meliola amphitricha* Fr. Ref. Sawada, 1943  
*Meliola anodendri* Sawada & W. Yamam. Ref. Sawada, 1959  
*Meliola anropogonis* F. Stevens & Roldan Ref. Yamamoto, 1940  
*Meliola araliicola* W. Yamam. Ref. Yamamoto, 1941  
*Meliola arundinis* Pat. Ref. Yamamoto, 1940  
*Meliola bambusae* Pat. var. *atalantiae* Pat. Ref. 同前  
*Meliola banosensis* Syd. Ref. 同前  
*Meliola bauhiniicola* W. Yamam. Ref. Yamamoto, 1941  
*Meliola beilschmiediae* W. Yamam. Ref. 同前  
*Meliola bicornis* Winter var. *robinsonii* (Syd.) F. Stevens Ref. 同前  
*Meliola brachyodonta* Syd. Ref. Yamamoto, 1940  
*Meliola butleri* Syd. Ref. Sawada, 1931  
*Meliola callicarpae* Syd. Ref. Sawada, 1959  
*Meliola callicarpicola* W. Yamam. Ref. Sawada, 1942  
*Meliola camellicola* W. Yamam. Ref. Yamamoto, 1941  
*Meliola castanopsina* W. Yamam. Ref. 同前  
*Meliola champereiae* W. Yamam. Ref. Sawada, 1942  
*Meliola clerodendri* W. Yamam. Ref. Sawada, 1942  
*Meliola clerodendricola* Henn. Ref. Sawada, 1959  
*Meliola cyclobalanopsina* W. Yamam. Ref. Sawada, 1942  
*Meliola cylindrophora* Rehm Ref. Sawada, 1942  
*Meliola desmodii* Kars. & Roum. Ref. Sawada, 1959  
*Meliola diospyri* Syd. Ref. Yamamoto, 1940  
*Meliola elmeri* Syd. Ref. 同前  
*Meliola eptoclada* Syd. Ref. Yamamoto, 1941  
*Meliola erycibicola* Sawada & W. Yamam. Ref. Sawada, 1959  
*Meliola euchrestae* W. Yamam. Ref. Yamamoto, 1941  
*Meliola fagaricola* W. Yamam. Ref. Yamamoto, 1940  
*Meliola formosensis* W. Yamam. Ref. Yamamoto, 1941  
*Meliola fusispora* W. Yamam. Ref. 同前  
*Meliola glochidiicola* W. Yamam. Ref. Sawada, 1942  
*Meliola hederiae* W. Yamam. Ref. Yamamoto, 1941  
*Meliola heliciae* W. Yamam. Ref. Yamamoto, 1961  
*Meliola heterocephala* Syd. Ref. 同前  
*Meliola hoyae* Sacc. Ref. Yamamoto, 1940  
*Meliola ilicicola* W. Yamam. Ref. 同前  
*Meliola kadsurae* W. Yamam. Ref. Yamamoto, 1941

*Meliola kansireiensis* W. Yamam. Ref. 同前  
*Meliola kawakamii* W. Yamam. Ref. 同前  
*Meliola kiraiensis* W. Yamam. Ref. 同前  
*Meliola knowltoniae* Dodge Ref. 同前  
*Meliola koae* F. Stevens Ref. Sawada, 1931  
*Meliola kodaihoensis* W. Yamam. Ref. Yamamoto, 1941  
*Meliola leptoclada* Syd. Ref. 同前  
*Meliola linderiae* W. Yamam. Ref. 同前  
*Meliola lithocarpina* W. Yamam. Ref. 同前  
*Meliola litseae* Syd. Ref. Yamamoto, 1940  
*Meliola machili* W. Yamam. Ref. Yamamoto, 1941  
*Meliola malacotricha* Speg. Ref. 同前  
*Meliola mangiferae* Earle Ref. Sawada, 1942  
*Meliola matacotricha* Speg. Ref. Yamamoto, 1940  
*Meliola mephitidae* W. Yamam. Ref. Yamamoto, 1941  
*Meliola microtricha* Syd. Ref. Yamamoto, 1940  
*Meliola neolitseae* W. Yamam. Ref. Yamamoto, 1941  
*Meliola nephelicola* F. Stevens & Roldan Ref. Sawada, 1959  
*Meliola niessleana* G. Winter Ref. Yamamoto, 1941  
*Meliola ormosiae* Chen Ref. Chen, 1967  
*Meliola osmanthi* Syd. Ref. Yamamoto, 1940  
*Meliola palmicola* G. Winter Ref. 同前  
*Meliola pandani* Sawada & W. Yamam. Ref. Sawada, 1959  
*Meliola panici* Earle Ref. Yamamoto, 1940  
*Meliola pericampyli* W. Yamam. Ref. Yamamoto, 1941  
*Meliola phyllostachydis* W. Yamam. Ref. 同前  
*Meliola pileostegiae* W. Yamam. Ref. 同前  
*Meliola pisoniae* F. Stevens & Roldan Ref. Yamamoto, 1940  
*Meliola ramulicolai* W. Yamam. Ref. Yamamoto, 1941  
*Meliola robinsonii* Syd. Ref. Yamamoto, 1961  
*Meliola sakahensis* W. Yamam. Ref. Yamamoto, 1940  
*Meliola sakawensis* Henn. Ref. Sawada, 1942  
*Meliola schimicola* W. Yamam. Ref. Yamamoto, 1940  
*Meliola sempeiensis* W. Yamam. Ref. Yamamoto, 1941  
*Meliola shiiae* W. Yamam. Ref. 同前  
*Meliola sidae* Rehm Ref. Yamamoto, 1940  
*Meliola smilacis* F. Stevens Ref. 同前  
*Meliola styracis* W. Yamam. Ref. Yamamoto, 1941  
*Meliola subacuminata* W. Yamam. Ref. 同前  
*Meliola subpellucida* W. Yamam. Ref. 同前  
*Meliola suisyaensis* W. Yamam. Ref. Yamamoto, 1940  
*Meliola symplocacearum* W. Yamam. Ref. Yamamoto, 1941  
*Meliola symploci* W. Yamam. Ref. Yamamoto, 1940  
*Meliola symplocicola* W. Yamam. Ref. Sawada, 1942  
*Meliola taityuensis* W. Yamam. Ref. Yamamoto, 1941  
*Meliola taiwaniana* W. Yamam. Ref. 同前  
*Meliola tenella* Pat. Ref. Sawada, 1942  
*Meliola trachelospermi* Yates. Ref. Sawada, 1959  
*Meliola ventilaginis* W. Yamam. Ref. Yamamoto, 1941  
*Ophioirenina theae* Sawada & W. Yamam. Ref. Sawada, 1959

## Order Microascales 小囊菌目

### Family Ceratocystidaceae 長喙黴科

*Ceratocystis adiposa* (Butler) Sartoris Ref. Matsumoto, 1952  
*Ceratocystis stenoceras* (Robak) C. Moreau Ref. Li & Hsieh, 1991  
*Thielaviopsis adiposa* (Bulter) C. Moreau Ref. Watanabe, 1994  
*Thielaviopsis paradoxa* (da Seyn) Hoehnel Ref. Sawada, 1922

### Family Microscaceae 小囊菌科

*Doratomyces medius* (Sacc.) Matsushima Ref. Matsushima, 1980  
*Doratomyces microsporus* (Sacc.) Morton & G. Smith Ref. Chen, 1994  
*Doratomyces purpureofuscus* (Fr.) Morton & G. Smith Ref. Matsushima, 1980  
*Lophotrichus bartlettii* (Masse & E.S. Salmon) Malloch & Cain Ref. Li & Hsieh, 1991  
*Scopulariopsis brevicaulis* (Sacc.) Bainier Ref. Matsushima, 1980  
*Scopulariopsis carbonaria* Morton & Smith Ref. Chen, 1994  
*Scopulariopsis musae* Matsushima Ref. Matsushima, 1987  
*Trichurus spiralis* H. Hasselbring Ref. Matsushima, 1980

## Order Microthyriales 小盾殼目

### Family Microthyriaceae 小盾殼科

*Asterinella fagarae* Sawada & W. Yamam. Ref. Sawada, 1959  
*Asterinella formosana* W. Yamam. Ref. Yamamoto, 1961

*Asterinella stuhlmanni* (Henn.) Theissen Ref. Sawada, 1959  
*Calothyrium fagarae* Sawada & W. Yamam. Ref. Sawada, 1959  
*Ellisiodothis cocoicola* Sivan. & H. S. Chang Ref. Sivanesan & Hsieh, 1989  
*Ellisiodothis pandani* Syd. & P. Syd. Ref. 同前  
*Halbaniella scolopiae* Sawada & W. Yamam. Ref. Sawada, 1959  
*Microthyrium dryopteridis* Sawada Ref. Sawada, 1944  
*Microthyrium nigropapillatum* Sawada Ref. Sawada, 1922

### Family Schizothyriaceae

*Henningsiella cryptomeriae* Sawada Ref. Sawada, 1959  
*Schizothyrium millettiae* Sivan. & W.H. Hsieh Ref. Hsieh et al., 1995  
*Schizothyrium perexiguum* (Rob.) Höhn. Ref. Li & Hsieh, 1991

## Order Mycosphaerellales 球腔菌目

### Family Mycosphaerellaceae 球腔菌科

*Ascochyta brassicae-juncea* Sawada Ref. Sawada, 1959  
*Ascochyta cucumeris* Fautr. & Roum. Ref. Sawada, 1959  
*Ascochyta dichrocephalae* Sawada Ref. Sawada, 1943  
*Ascochyta fagopyri* Bresadola *tulensis* Bond. Ref. Sawada, 1944  
*Ascochyta gossypii* Syd. Ref. Sawada, 1959  
*Ascochyta lappae* Kabat & Bubak Ref. Sawada, 1959  
*Ascochyta ligulariae* Sawada Ref. Sawada, 1943  
*Ascochyta melongenae* Sawada Ref. Sawada, 1943  
*Ascochyta morifolia* Sawada Ref. Sawada, 1917  
*Ascochyta pisi* Lib. Ref. Sawada, 1943  
*Ascochyta punctata* Naoum. Ref. Sawada, 1943  
*Ascochyta rhea* (Cooke) Grove Ref. Sawada, 1959  
*Ascochyta sidae* Sawada Ref. Sawada, 1959  
*Ascochyta sojiae* Miura Ref. Sawada, 1959  
*Ascochyta urenae* Sawada Ref. Sawada, 1959  
*Ascochyta zingiberi* Sawada Ref. Sawada, 1959  
*Cercospora achyranthis* Syd. & P. Syd. Ref. Hsieh & Goh, 1987  
*Cercospora ageraticola* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Cercospora alocasiae* Sawada ex Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Cercospora althaeicola* Yen & Sun Ref. Hsieh & Goh, 1990  
*Cercospora althaeigena* Yen & Sun Ref. 同前  
*Cercospora althaeina* Sacc. Ref. Yamamoto, 1934  
*Cercospora apii* Fresenius Ref. Kawakami & Suzuki, 1908  
*Cercospora apios* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Cercospora arachidicola* Hori Ref. Sawada, 1920  
*Cercospora arcti-ambrosiae* Helsted Ref. Hsieh & Goh, 1990  
*Cercospora ardisiae* C. C. Chen Ref. Chen, 1968  
*Cercospora arisaemae* Tai Ref. Hsieh & Goh, 1987  
*Cercospora asparagi* Sacc. Ref. Hsieh & Goh, 1990  
*Cercospora astragali* Woronichin Ref. 同前  
*Cercospora atricincta* Heald. & Wolf. Ref. Yamamoto, 1936  
*Cercospora atridis* Syd. Ref. Sawada, 1943  
*Cercospora averrhoae* Petch Ref. Hsieh & Goh, 1987  
*Cercospora bakeri* Syd. & P. Syd. Ref. Sawada, 1944  
*Cercospora bakeriana* Sacc. Ref. Sawada, 1942  
*Cercospora batatae* Zimm. Ref. Kawakami & Suzuki, 1908  
*Cercospora begoniae* Hori Ref. Hsieh & Goh, 1987  
*Cercospora beticola* Sacc. Ref. Sawada, 1922  
*Cercospora bidentis* Tharp Ref. Hsieh & Goh, 1990  
*Cercospora bixae* Allesch. & Noack. Ref. Sawada, 1942  
*Cercospora blmueae-lacerae* Sawada Ref. Sawada, 1942  
*Cercospora bombacis* Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Cercospora brassiciola* P. Henn. Ref. Sawada, 1959  
*Cercospora calendulae* Sacc. Ref. Hsieh & Goh, 1990  
*Cercospora camptothecae* Tai Ref. Chen, 1968  
*Cercospora canavaliicola* Sawada & Katsuki Ref. Sawada, 1959  
*Cercospora canescens* Ellis & Martin Ref. Yamamoto, 1950  
*Cercospora castilloae* Sawada Ref. Sawada, 1943  
*Cercospora castillosae* Sawada ex Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Cercospora catappae* Henn. Ref. Yamamoto, 1934  
*Cercospora celosiae* Syd. Ref. Yamamoto, 1936  
*Cercospora cercosporelloides* Deighton Ref. Hsieh & Goh, 1990  
*Cercospora chenopodii-ambrosioides* Yen Ref. 同前  
*Cercospora chionanthae* Ellis & Everhart Ref. Sawada, 1959  
*Cercospora chrysanthemi* Heald & Wolf Ref. Hsieh & Goh, 1990  
*Cercospora citrullina* Cooke Ref. Sawada, 1928  
*Cercospora clausenae* Thirumalachar & Chupp Ref. Hsieh & Goh, 1990

*Cercospora coffeicola* Berkeley & Cooke Ref. Sawada, 1922  
*Cercospora corchori* Sawada Ref. Sawada, 1916  
*Cercospora crotalariae* Sacc. Ref. Hsieh & Goh, 1990  
*Cercospora cryptomeriae* Shirai Ref. Sawada, 1928  
*Cercospora cyclosori* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Cercospora cyperi* Sawada Ref. Sawada, 1914  
*Cercospora deightonii* Chupp Ref. 孫淑賢。1955  
*Cercospora dubia* (Riess) Winter Ref. Sawada, 1959  
*Cercospora elephantopi* Ellis & Everhart Ref. Sawada, 1959  
*Cercospora erectitis* Atkinson Ref. Sawada, 1959  
*Cercospora erythrinicola* Tharp sensu Sun Ref. 孫淑賢。1955  
*Cercospora eugeniae* (Rangel) Chupp Ref. Hsieh & Goh, 1990  
*Cercospora fagopyri* Nakata & Takimoto Ref. Sawada, 1959  
*Cercospora fatouae* P. Henn. Ref. Sawada, 1943  
*Cercospora fukushiana* (Matsuura) Yamamoto Ref. Yamamoto, 1934  
*Cercospora gaultheriae* Ellis & Everhart Ref. Chen, 1968  
*Cercospora gerberae* Chupp & Viegas Ref. Hsieh & Goh, 1990  
*Cercospora gossypina* Cooke Ref. 同前  
*Cercospora grandissima* Rangel Ref. Yamamoto, 1934  
*Cercospora houttuyniicola* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Cercospora hyalospora* Müller & Chupp Ref. Goh & Haieh, 1987  
*Cercospora hydrangeae* Ellis & Everhart Ref. Hsieh & Goh, 1990  
*Cercospora instabilis* Rangel Ref. 同前  
*Cercospora ipomoeae* Winter Ref. Sawada, 1943  
*Cercospora jatrophiicola* (Speg.) Chupp Ref. Hsieh & Goh, 1990  
*Cercospora juglandis* Kellerman & Swingle Ref. 同前  
*Cercospora jujubae* Chowdhury Ref. 同前  
*Cercospora kaki* Ell. et. Ev. Ref. Sawada, 1931  
*Cercospora kikuchii* Matsumoto & Tomoyasu Ref. Sawada, 1959  
*Cercospora kopkei* Krueger Ref. Matsumoto & Yamamoto, 1934  
*Cercospora krugiana* Mueller & Chupp Ref. Hsieh & Goh, 1990  
*Cercospora kusanoi* Sawada Ref. Sawada, 1928  
*Cercospora lasianthi* C. C. Chen Ref. Chen, 1967  
*Cercospora lasianthicola* C. C. Chen Ref. Chen, 1967  
*Cercospora lespedezae* Ellis & Dearness Ref. Yamamoto, 1936  
*Cercospora longipes* E. Butler Ref. Hsieh & Goh, 1990  
*Cercospora longissima* Sacc. Ref. Yamamoto, 1934  
*Cercospora malachrae* Heald & Wolf Ref. Hsieh & Goh, 1990  
*Cercospora malayensis* Stevens & Solheim Ref. Sawada, 1942  
*Cercospora mamaonis* Viegas & Chupp Ref. Hsieh & Goh, 1990  
*Cercospora melongenae* Welles Ref. 同前  
*Cercospora melothrinae* Sawada Ref. Sawada, 1943  
*Cercospora micromera* Syd. Ref. Sawada, 1943  
*Cercospora miscanthi* Sawada ex Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Cercospora musaeicola* Sawada ex Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Cercospora nasturtii* Passerini Ref. Sawada, 1943  
*Cercospora nicotianae* Ellis & Everhart Ref. Sawada, 1917  
*Cercospora oryzae* Miyake Ref. Sawada, 1920  
*Cercospora pachirae* Chupp & Müller Ref. Sawada, 1959  
*Cercospora panici* Davis Ref. Sawada, 1944  
*Cercospora papayae* Hansford Ref. Hsieh & Goh, 1990  
*Cercospora paulowniae* Hori Ref. Sawada, 1959  
*Cercospora perniciosa* Heald. & Wolf. Ref. Sawada, 1931  
*Cercospora personata* (B. & C.) Ell. Ref. Kawakami & Suzuki, 1908  
*Cercospora pingtungensis* Lin & Yen Ref. Hsieh & Goh, 1990  
*Cercospora piperis-betle* Sawada & Katsuki Ref. Sawada, 1959  
*Cercospora pistaceae* Chupp Ref. Sawada, 1959  
*Cercospora plumbaginea* Sacc. & D. Sacc. Ref. Goh & Haieh, 1987  
*Cercospora polygonacea* Ellis Ref. Hsieh & Goh, 1990  
*Cercospora prunina* Yen Ref. 同前  
*Cercospora pulcherrimae* Tharp Ref. Goh & Haieh, 1987  
*Cercospora pulvinulata* Sacc. & Wint. Ssensu Sawada Ref. Sawada, 1920  
*Cercospora ricinella* Saccardo & Berlese Ref. Yamamoto, 1934  
*Cercospora rosicola* Passerini Ref. 同前  
*Cercospora rubro-tincta* Ellis & Everhart Ref. Sawada, 1959  
*Cercospora scopariae* Thirumalachar & Lacy Ref. Sawada, 1959  
*Cercospora sequoiae* Ellis & Everhart Ref. Hsieh & Goh, 1990  
*Cercospora sesami* Zimmermann Ref. Sawada, 1914  
*Cercospora setariae* Atkinson Ref. Hsieh & Goh, 1987  
*Cercospora sojina* Hara Ref. Hsieh & Goh, 1990  
*Cercospora solanacea* Saccardo & Berlese Ref. Yamamoto, 1936  
*Cercospora sophorae* Sawada & Katsuki Ref. Sawada, 1959

*Cercospora sorghi* Ellis & Everhart Ref. Sawada, 1959  
*Cercospora stachytarphetae* Ellis & Everhart Ref. Hsieh & Goh, 1987  
*Cercospora stephaniae* Sawada & Katsuki Ref. Sawada, 1959  
*Cercospora taihokuensis* Sawada ex Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Cercospora tectoniae* Stevens Ref. Yamamoto, 1936  
*Cercospora ternateae* Petch Ref. Sawada, 1942  
*Cercospora theae* Breda de Haan Ref. Sawada, 1915  
*Cercospora tithoniae* Baker & Dale Ref. Goh & Haieh, 1987  
*Cercospora tosaensis* P. Henn. Ref. Sawada, 1928  
*Cercospora tremae* Sawada Ref. Sawada, 1944  
*Cercospora vexillatae* Yen Ref. Hsieh & Goh, 1990  
*Cercospora violae* Saccardo Ref. 同前  
*Cercospora volkameriae* Speg. Ref. 同前  
*Cercospora zinniae* Ellis & Martin Ref. 同前  
*Cercospora zonata* Winter Ref. Sawada, 1959  
*Cercosporella boehmeriae* Sawada Ref. Sawada, 1959  
*Cercosporella eupatorii* Sawada ex Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Cercosporella indigoferae* Miura Ref. 同前  
*Cercosporella thladianthae* R. Kirschner Ref. Kirschner & Chen, 2007  
*Cercosporella virgaurea* (Thuemen) Allescher Ref. Sawada, 1943  
*Cercosporidium atrides* (H. Sydow) Goh & Hsieh Ref. Hsieh & Goh, 1990  
*Cercosporidium henningsii* (Allesch.) Deighton Ref. 同前  
*Cercosporidium litseae* Goh & Hsieh Ref. Goh & Haieh, 1989  
*Cercosporidium personatum* (Bert. & Curt.) Deighton Ref. Hsieh & Goh, 1990  
*Cladosporium araliae* Sawada Ref. Sawada, 1943  
*Cladosporium brassiciola* Sawada Ref. Sawada, 1959  
*Cladosporium caesalpiniae* Sawada Ref. Sawada, 1943  
*Cladosporium carpophilum* Thuem. Ref. Fujikuro, 1914  
*Cladosporium chlorocephalum* (Fresen.) de Vries Ref. Wu & Chou, 1992  
*Cladosporium cladosporioides* (Fresen.) de Vries Ref. Tseng & Chen, 1981  
*Cladosporium colocasiae* Sawada Ref. Sawad, 1916  
*Cladosporium colocasiicola* Sawada Ref. Sawada, 1959  
*Cladosporium daphniphylli* Sawada Ref. Sawada, 1943  
*Cladosporium elatum* (Harz) Nannfeldt Ref. Matsushima, 1983  
*Cladosporium elegans* Matsushima Ref. Matsushima, 1980  
*Cladosporium fluvium* Cooke Ref. Sawada, 1931  
*Cladosporium indigoferae* Sawada Ref. Sawada, 1959  
*Cladosporium lactucae* Sawada Ref. Sawada, 1943  
*Cladosporium lonicerae* Sawada Ref. Sawada, 1943  
*Cladosporium machili* Sawada Ref. Sawada, 1959  
*Cladosporium oxysporum* Berk. & Curtis Ref. Tseng & Chen, 1981  
*Cladosporium rhodomyrti* Sawada Ref. Sawada, 1944  
*Cladosporium sclerotiophilum* Sawada Ref. Sawada, 1931  
*Cladosporium sphaerospermum* Penz. Ref. Tseng & Chen, 1981  
*Cladosporium spp.* Ref. Wu & Dow, 1993  
*Cladosporium tectonae* Sawada Ref. Sawada, 1943  
*Cladosporium variabile* (Cooke) de Vried Ref. Chen & Wu, 1995  
*Distocercospora pachyderma* (Syd. & P. Syd.) Pons & B. Sutton Ref. Kirschner et al., 2004  
*Fulvia fulva* (Cooke) Cif. Ref. Chen & Wu, 1995  
*Microcyclus pruni* L.T. Li & W.H. Hsieh Ref. Li & Hsieh, 1991  
*Mycosphaerella aleuritis* Ou Ref. Chen, 1967  
*Mycosphaerella arachidis* Deighton Ref. Sawada, 1922  
*Mycosphaerella areola* Ehrlich & Wolf Ref. Sawada, 1959  
*Mycosphaerella artemisiae* Tilak Ref. Li & Hsieh, 1991  
*Mycosphaerella berkeleyi* Jenkins Ref. Sawada, 1922  
*Mycosphaerella brassicicola* (Duby) Lindau Ref. 謝文瑞、陳啓予及王智立。2000  
*Mycosphaerella caricae* H. & P. Sydow Ref. Liou, 1977  
*Mycosphaerella cepharanthae* Sawada Ref. Sawada, 1959  
*Mycosphaerella cerasella* (Sacc.) Aderhold Ref. Hsieh, 1984  
*Mycosphaerella citrullina* (Smith) Gros. Ref. Sawada, 1959  
*Mycosphaerella coffeae* Sawada Ref. Sawada, 1959  
*Mycosphaerella cruenta* Latham Ref. Li, 1990  
*Mycosphaerella cryptomeriae* Shirai & Hara Ref. Chen, 1966  
*Mycosphaerella ecdysantherae* Sawada Ref. Sawada, 1959  
*Mycosphaerella entadae* Sawada Ref. Sawada, 1943  
*Mycosphaerella fici-wightianae* Sawada Ref. Sawada, 1943  
*Mycosphaerella fijiensis* var. *difformis* J.L. Mulder & R.H. Stover, 1976 Ref. Chuang, 1979  
*Mycosphaerella gossypina* Hara Ref. Sawada, 1943  
*Mycosphaerella imperatae* (H. & P. Syd.) Goh & Hsieh Ref. Sawada, 1944  
*Mycosphaerella liukuensis* Sawada Ref. Sawada, 1959  
*Mycosphaerella luzonensis* Kobayashi Ref. Li & Hsieh, 1991  
*Mycosphaerella melonis* (Pass.) Chiu & Walker Ref. Sawada, 1959

*Mycosphaerella mori-albae* Sawada Ref. Sawada, 1959  
*Mycosphaerella moricola* Sawada Ref. Sawada, 1919  
*Mycosphaerella musicola* Mulder Ref. Sawada, 1943  
*Mycosphaerella myricae* Sawada Ref. Sawada, 1943  
*Mycosphaerella oxalidis* Sawada Ref. Sawada, 1944  
*Mycosphaerella phaseolicola* (Desm.) Sacc. Ref. Sawada, 1959  
*Mycosphaerella pinodes* (Berk. & Broome) Stone Ref. List of Taiwan Farmers: 1084, 1944  
*Mycosphaerella piperis* Sawada Ref. Sawada, 1944  
*Mycosphaerella pouzolziae* Sawada Ref. Sawada, 1944  
*Mycosphaerella puerariae* Sawada Ref. Sawada, 1943  
*Mycosphaerella rhois* (Sawada & Katsuki) Chen Ref. Chen, 1967  
*Mycosphaerella rosae* Sawada Ref. Sawada, 1944  
*Mycosphaerella rosigena* (Ellis & Everh.) F. Stevens & Hall. Ref. Sawada, 1944  
*Mycosphaerella schonoprasi* (Rabenh.) Schroet. Ref. Sawada, 1919  
*Mycosphaerella shimadae* Sawada Ref. Sawada, 1959  
*Mycosphaerella shiraiana* Miyake Ref. Sawada, 1959  
*Mycosphaerella smilacis-glabra* Sawada Ref. Sawada, 1959  
*Mycosphaerella sojae* Hori Ref. Sawada, 1959  
*Mycosphaerella stephanie* Sawada Ref. Sawada, 1959  
*Mycosphaerella stephaniicola* Sawada Ref. Sawada, 1959  
*Mycosphaerella tassiana* (De Not.) Johans Ref. USDA: List of Intercepted Plant Pests, 1968: 73, 1969  
*Mycovellosiella broussonetiae* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Mycovellosiella clerodendri* Goh & W. H. Hsieh Ref. 同前  
*Mycovellosiella curvispora* Goh & W. H. Hsieh Ref. 同前  
*Mycovellosiella ferruginea* (Fuckel) Deighton Ref. Hsieh & Goh, 1990  
*Mycovellosiella gonostegiae* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Mycovellosiella imperatae* (Syd. & P. Syd.) Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Mycovellosiella koepkei* (Kruger) Deighton Ref. 同前  
*Mycovellosiella paulownicola* Yen & Sun Ref. 同前  
*Mycovellosiella perfoliati* (Ellis & Everhart) Muntanola Ref. 同前  
*Mycovellosiella rhois* (Sawada & Katsuki) Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Mycovellosiella vaginae* (Kruger) Deighton Ref. Hsieh & Goh, 1990  
*Phaeoisariopsis bataticola* (Cif. & Bruner) M. B. Ellis Ref. 同前  
*Phaeoisariopsis griseola* (Sacc.) Fer. Ref. Sawada, 1943  
*Phaeoisariopsis paulowniae* Yen & Sun Ref. Hsieh & Goh, 1990  
*Phaeoisariopsis tetrapanacis* Sawada Ref. Sawada, 1943  
*Phaeoramularia fusimaculans* (G. F. Atkinson) Liu & Guo Ref. Hsieh & Goh, 1990  
*Phaeoramularia* sp. Ref. 同前  
*Phaeoramularia tithoniae* (Baker & Dale) Deighton Ref. 同前  
*Pseudocercospora abelmoschi* (Ellis & Everhart) Deighton Ref. 同前  
*Pseudocercospora acaciae-confusae* (Sawada) Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora actinidiae* Deighton Ref. Goh & Haieh, 1987  
*Pseudocercospora actinidicola* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora actinostemmae* (Sawada) ex Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora aleuritis* (Miyake) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora allophylina* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora alstoniae* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora alternantherae-nodiflorae* (Sawada) Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora amaranticola* (Yen) Yen Ref. Hsieh & Goh, 1990  
*Pseudocercospora angiopteridis* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora angulo-maculae* (Kar & Mandal) W. H. Hsieh & Goh Ref. 同前  
*Pseudocercospora anisomelicola* [Sawada ex] W. H. Hsieh & Goh Ref. 同前  
*Pseudocercospora annonicola* Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora araliae* (Henn.) Deighton Ref. 同前  
*Pseudocercospora athyrii* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora atrofiliiformis* (Yen, Lo & Chi) Yen Ref. Hsieh & Goh, 1990  
*Pseudocercospora atromarginalis* (Atkinson) Deighton Ref. 同前  
*Pseudocercospora bakeriana* Deighton Ref. 同前  
*Pseudocercospora baphicacanthi* W. H. Hsieh & Goh Ref. Goh & Haieh, 1989  
*Pseudocercospora basellae* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora bauhiniicola* (Yen) Yen Ref. Hsieh & Goh, 1990  
*Pseudocercospora bischofia* (Yamamoto) Deighton Ref. 同前  
*Pseudocercospora bixicola* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora blumeae* (Thumen) Deighton Ref. 同前  
*Pseudocercospora blumeae-balsamiferae* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora boehmeriae* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora bradburyae* (Young) Deighton Ref. Goh & Haieh, 1987  
*Pseudocercospora buddleiae* (Yamamoto) Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora caesalpiniae* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora callicarpicola* [Sawada ex] Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora campanumoeae* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora canavaliigena* Yen & Lim Ref. Hsieh & Goh, 1990

*Pseudocercospora cassiae-fistulae* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora cassiae-occidentalis* (Yen) Yen Ref. 同前  
*Pseudocercospora catappae* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora cephalanthi* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora ceratoniae* (Pat. & Trabut) Deighton Ref. 同前  
*Pseudocercospora chengtuensis* (Tai) Deighton Ref. Goh & Haieh, 1987  
*Pseudocercospora chionanthi-retusi* Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora chrysanthemicola* (Yen) Dighton Ref. Goh & Haieh, 1987  
*Pseudocercospora cinnamomi* (Sawada & Katsuki) Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora cladophora* [Sawada ex] Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora clematidis* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora clerodendri* (Miyake) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora cocculi* (Syd.) Deighton Ref. 同前  
*Pseudocercospora colocasiae* Deighton Ref. 同前  
*Pseudocercospora conyzae* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora costina* (Syd. & P. Syd.) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora cotizensis* (Müller & Chupp) Deighton, 1976 Ref. 同前  
*Pseudocercospora crotalaricola* (Yen) Yen Ref. 同前  
*Pseudocercospora cruenta* (Sacc.) Deighton Ref. 同前  
*Pseudocercospora cryptostegiae* (Yamamoto) Deighton Ref. 同前  
*Pseudocercospora cymbopogonis* (Yen) Yen Ref. 同前  
*Pseudocercospora dalbergiae* (Sun) Yen Ref. 同前  
*Pseudocercospora dendrobii* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora dichrocephalae* (Yamamoto) Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora diospyricola* Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora diospyri-erianthae* (Sawada) ex Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora diospyri-morrisianae* (Sawada) ex Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora diversispora* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora ebulicola* (Yamamoto) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora ecdysantherae* (Yen) Yen Ref. 同前  
*Pseudocercospora ehretiae* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora ehretiae-thysiflorae* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora elephantopodis* (Ell. & Everhart) Castaneda & U. Braun Ref. Hsieh & Goh, 1990  
*Pseudocercospora eriobotryae* (Enjoji) Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora eriobotryicola* (Yen) Yen Ref. Hsieh & Goh, 1990  
*Pseudocercospora erythrigena* Yen Ref. 同前  
*Pseudocercospora eucalyptorum* Crous, M. J. Wingf., Marasas & B. Sutton Ref. 同前  
*Pseudocercospora eupatorii-formosani* (Sawada) Yen Ref. 同前  
*Pseudocercospora fagarae* (Yamamoto) Deighton Ref. 同前  
*Pseudocercospora fagaricola* [Sawada ex] Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora fatouae* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora fengshanensis* (Lin & Yen) Yen Ref. 同前  
*Pseudocercospora fici-caricae* (Sawada) Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora fici-septicae* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora flagellariae* [Sawada ex] Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora formosana* (Yamamoto) Deighton *mista* Bailey Ref. Hsieh & Goh, 1990  
*Pseudocercospora forrestiae* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora fukuii* (Yamamoto) Hsieh & Goh Ref. 同前  
*Pseudocercospora fuligena* (Roldan) Deighton Ref. 同前  
*Pseudocercospora giranensis* (Sawada) ex Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora glochidionis* (Sawada) Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora glycines* (Cooke) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora gomphrenae* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora gymnopetali* (Sawada) ex Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora hibisci-cannabini* (Sawada) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora hibisci-mutabilis* (Sun) Yen Ref. 同前  
*Pseudocercospora humuli-japonici* [Sawada ex] Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora hyaloconidiophora* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora hydrangeae-angustipetalae* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora ilicis-micrococcae* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora iteae* (Sawada & Katsuki) Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora ixorae* (Solheim) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora ixoricola* (Yen) Yen Ref. 同前  
*Pseudocercospora jasminicola* Müller & Chupp ex Deighton Ref. 同前  
*Pseudocercospora jussiaeae* (Atkinson) Deighton Ref. 同前  
*Pseudocercospora jussiaeae-repentis* (Sawada) Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora kaki* Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora kashotoensis* (Yamamoto) Deighton Ref. 同前  
*Pseudocercospora lagerstroemiae-subcostatae* (Sawada) Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora lagerstroemiigena* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora lespedezicola* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora lindericola* Goh & W. H. Hsieh Ref. Goh & Haieh, 1987

*Pseudocercospora liquidambaris* [Sawada ex] Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora lonicericola* (Yamamoto) Deighton Ref. 同前  
*Pseudocercospora lygodii* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora macarangae* (Syd. & P. Syd.) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora machili* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora mallotica* Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora melanolepidis* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora melastomobia* (Yamamoto) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora melothriae* Sawada ex Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora milletiae* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora mitteriana* Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora mori* (Hara) Deighton Ref. 同前  
*Pseudocercospora mucunae-ferrugineae* (Yamamoto) Deighton Ref. 同前  
*Pseudocercospora muntingiicola* (Yen) Yen Ref. 同前  
*Pseudocercospora musae* (Zimm.) Deighton Ref. 同前  
*Pseudocercospora myriactidis* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora mysorensis* (Thirumalachar & Chupp) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora nephrolepidis* R. Kirschner Ref. Kirschner & Chen, 2007  
*Pseudocercospora neriella* (Sacc.) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora nicotianae-benthamianae* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora nigricans* (Cooke) Deighton Ref. 同前  
*Pseudocercospora noveboracensis* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora ocimicola* (Petr. & Cif.) Deighton Ref. Sawada, 1959  
*Pseudocercospora osmanthi-asiatici* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora pachyrrhizi* (Sawada & Katsuki) Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora paederiae* [Sawada ex] Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora paulowniae* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora persicariae* (Yamamoto) Deighton Ref. 同前  
*Pseudocercospora petila* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora phaseolicola* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora phyllanthi* (Chupp) Deighton Ref. 同前  
*Pseudocercospora phyllanthi-reticulati* [Sawada ex] Deighton Ref. 同前  
*Pseudocercospora pini-densiflorae* (Hori & Nambu) Deighton Ref. 同前  
*Pseudocercospora piricola* (Sawada) Yen Ref. 同前  
*Pseudocercospora plagiogyriae* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora platani* (Yen) Yen Ref. Hsieh & Goh, 1990  
*Pseudocercospora platycaryae* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora polliae* [Sawada ex] Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora polygonicola* (Kar & Mandal) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora polysciatis* (Sun) Yen Ref. 同前  
*Pseudocercospora pruni-persicicola* (Yen) Yen Ref. Yen, 1978  
*Pseudocercospora pruni-yedoensis* [Sawada ex] Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora pteridophytophila* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora pueraiicola* (Yamamoto) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora punctiformis* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora punicae* (P. Henn.) Deighton Ref. 同前  
*Pseudocercospora pyrina* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora rhamnaceicola* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora rhapsicola* (Tominaga) Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora rhododendricola* (Yen) Deighton Ref. Ma et al., 1989  
*Pseudocercospora rubro-purpurea* (Sun) Yen Ref. Hsieh & Goh, 1990  
*Pseudocercospora rumohrae* Hsieh & Goh Ref. Goh & Haieh, 1989  
*Pseudocercospora saccharicola* (Sun) Yen Ref. Hsieh & Goh, 1990  
*Pseudocercospora salicina* (Ellis & Everhart) Deighton Ref. 同前  
*Pseudocercospora salviae* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora sapii-sebiferi* [Sawada ex] Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora saururicola* [Sawada ex] Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora sawadae* (Yamamoto) Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora schefflerae* W. H. Hsieh & Goh Ref. Hsieh & Goh, 1990  
*Pseudocercospora scopariicola* (Yen) Deighton Ref. Goh & Haieh, 1987  
*Pseudocercospora sesbaniae* (P. Henn.) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora sesbaniicola* Yen Ref. 同前  
*Pseudocercospora shihmenensis* (Yen) Yen Ref. 同前  
*Pseudocercospora solani-longispora* (Yen) Yen Ref. 同前  
*Pseudocercospora solani-melongenicola* Goh & W. H. Hsieh Ref. 同前  
*Pseudocercospora solani-torvicola* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora spilosticta* (Syd.) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora stachyurina* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora stahliae* (F.L. Stevens) Deighton Ref. Goh & Haieh, 1987  
*Pseudocercospora stillingiae* (Ellis & Everhart) Yen, Kar & Das Ref. Hsieh & Goh, 1990  
*Pseudocercospora stizobii* (Syd. & P. Syd.) Deighton Ref. 同前  
*Pseudocercospora subsessilis* (Syd. & P. Syd.) Deighton Ref. 同前

*Pseudocercospora symphyti* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora symploci* (Sawada ex Katsuki & Kobayashi) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora tabernaemontanae* (Syd. & P. Syd.) Deighton Ref. Goh & Haieh, 1987  
*Pseudocercospora tagetis-erectae* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora taichungensis* Goh & W. H. Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora taiwanensis* (Matsumoto & Yamamoto) Yen Ref. 同前  
*Pseudocercospora theae* (Cavara) Deighton Ref. 同前  
*Pseudocercospora thelypteridis* Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora thladianthae* (Sawada) Goh & W. H. Hsieh Ref. Goh & Haieh, 1987  
*Pseudocercospora timorensis* (Cooke) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora trematicola* (Yen) Deighton Ref. Goh & Haieh, 1987  
*Pseudocercospora trematis-orientalis* (Sun) Deighton Ref. Hsieh & Goh, 1990  
*Pseudocercospora trichophila* (F. L. Stevens) Deighton Ref. 同前  
*Pseudocercospora triumfettae* (Syd.) Deighton Ref. 同前  
*Pseudocercospora ubi* (Racib.) Deighton Ref. 同前  
*Pseudocercospora urariae* [Sawada ex] Deighton Ref. 同前  
*Pseudocercospora viticis* (Sawada) ex Goh & W. H. Hsieh Ref. Goh & Haieh, 1989  
*Pseudocercospora viticis-quinatae* (Yen) Yen Ref. Hsieh & Goh, 1990  
*Pseudocercospora vitis* (Lévl.) Speg. Ref. 同前  
*Pseudocercospora wisteriicola* (Yen) Yen Ref. 同前  
*Pseudocercospora zizyphicola* (Yen) Yen Ref. 同前  
*Pseudocercospora bambusae* Deighton Ref. 同前  
*Pseudocercospora capsellae* (Ellis & Everh.) Deighton Ref. 同前  
*Pseudocercospora clematidis* (Goh & W.H. Hsieh) R. Kirschner Ref. Kirschner et al., 2004  
*Pseudocercospora daucicola* Goh & Hsieh Ref. Hsieh & Goh, 1990  
*Pseudocercospora ipomoeae* Sawada ex Deighton Ref. 同前  
*Pseudocercospora oxalidis* (Goh & Hsieh) U. Braun Ref. Braun, 1992  
*Ramularia agerati* Sawada Ref. Sawada, 1959  
*Ramularia citrifolia* Sawada Ref. Sawada, 1931  
*Ramularia clerodendri* Sawada Ref. Sawada, 1944  
*Ramularia coleosporii* Sacc. Ref. Sawada, 1959  
*Ramularia fagarae* Sawada Ref. Sawada, 1944  
*Ramularia formosana* Sawada Ref. Sawada, 1943  
*Ramularia leonuri* Sorok. Ref. Sawada, 1942  
*Ramularia lobeliae* Sawada Ref. Sawada, 1942  
*Ramularia puerariae* Sawada Ref. Sawada, 1943  
*Ramularia rumicis-crispi* Sawada Ref. Sawada, 1942  
*Ramularia variegata* Ell. & Holw. Ref. Sawada, 1959  
*Ramularia viticis* Syd. Ref. Sawada, 1944  
*Septoria allii-odori* Sawada Ref. Sawada, 1959  
*Septoria astragali* Desm. Ref. Sawada, 1942  
*Septoria bladthiae* Sawada Ref. Sawada, 1944  
*Septoria bothriospermi* Sawada Ref. Sawada, 1959  
*Septoria cannabis* (Lasch.) Sacc. Ref. Sawada, 1959  
*Septoria centellae* Wint. Ref. Sawada, 1931  
*Septoria chrysanthemae-indici* Bubak & Kabat Ref. Sawada, 1919  
*Septoria chrysanthemella* Sacc. Ref. Sawada, 1919  
*Septoria crawfordiae* Sawada Ref. Sawada, 1943  
*Septoria crepidis-japonicae* Sawada Ref. Sawada, 1943  
*Septoria dichrocephalae* Sawada Ref. Sawada, 1943  
*Septoria duchesneae* Sawada Ref. Sawada, 1944  
*Septoria ecliptae* Sawada Ref. Sawada, 1959  
*Septoria emiliae* Sawada Ref. Sawada, 1942  
*Septoria eupatoriicola* Sawada Ref. Sawada, 1959  
*Septoria eupatorii-formosani* Sawada Ref. Sawada, 1959  
*Septoria glumarum* Pass. Ref. Sawada, 1916  
*Septoria gnaphalii-indici* Sawada Ref. Sawada, 1943  
*Septoria isodontis* Sawada Ref. Sawada, 1943  
*Septoria ixeridis-chinensis* Sawada Ref. Sawada, 1943  
*Septoria lablabina* Sacc. Ref. Sawada, 1942  
*Septoria lactucae* Pass. Ref. Sawada, 1922  
*Septoria lycopersici* Speg. f. *italica* Ferr Ref. Sawada, 1959  
*Septoria melongenae* Sawada Ref. Sawada, 1943  
*Septoria menthae* (Thuem.) Oud. Ref. Sawada, 1917  
*Septoria merrillii* Syd. Ref. Sawada, 1942  
*Septoria miurae* Mont. Ref. Sawada, 1943  
*Septoria mizuhoensis* Sawada Ref. Sawada, 1959  
*Septoria modonia* Sacc. Ref. Sawada, 1943  
*Septoria nambuana* Sawada Ref. Sawada, 1942  
*Septoria oenanthis-stoloniferae* Sawada Ref. Sawada, 1943  
*Septoria peucedanicola* Sawada Ref. Sawada, 1943  
*Septoria piricola* Desm. Ref. Kawakami & Suzuki, 1908

*Septoria pirina* Sawada Ref. Sawada, 1943  
*Septoria ranunculi-vernyii* Sawada Ref. Sawada, 1931  
*Septoria rubi* West. var. *brevispora* Sacc. Ref. Sawada, 1944  
*Septoria siegesbeckiae* Sawada Ref. Sawada, 1943  
*Septoria typhae* Sawada Ref. Sawada, 1944  
*Septoria vignae-sinensis* Sawada Ref. Sawada, 1959  
*Septoria violae* West. Ref. Sawada, 1943  
*Septoria violicola* Sawada Ref. Sawada, 1944  
*Septoria xanthicola* Sawada Ref. Sawada, 1943  
*Sphaerulina centellae* Sawada Ref. Sawada, 1944  
*Sphaerulina cucumeris* Sawada Ref. Sawada, 1959  
*Sphaerulina phalaenopsidis* Sawada Ref. Sawada, 1959  
*Sphaerulina phoenicis* Sawada Ref. Sawada, 1959  
*Sphaerulina rhodeae* Henn. Ref. List of Taiwan Farmers: 1085, 1944  
*Sphaerulina staurochili* Sawada Ref. Sawada, 1959  
*Sphaerulina tritici* Sawada Ref. Sawada, 1959  
*Stenella bougainvilleae* Yen & Lim Ref. Hsieh & Goh, 1987  
*Stenella canavaliae* (Syd. & P. Syd.) Deighton Ref. Hsieh & Goh, 1990  
*Stenella citri-grisea* (Fisher) Sivanesan Ref. 同前  
*Stenella dianellae* (Sawada & Katsuki) Goh & Hsieh Ref. Goh & Haieh, 1987  
*Stenella gynurae* (Sawada & Katsuki) Goh & Hsieh Ref. Hsieh & Goh, 1990  
*Stenella iteae* R. Kirschner Ref. Kirschner et al., 2004  
*Stenella myrsines* R. Kirschner Ref. Kirschner & Chen, 2007  
*Stenella taiwanensis* Matsushima Ref. Matsushima, 1987

## Order Myriangiales 多腔菌目

### Family Cookellaceae

*Uleomyces decipiens* Syd. Ref. Sawada, 1931

### Family Elsinoaceae 茄囊腔菌科

*Elsinoe canavliae* Racib. Ref. Sawada, 1959  
*Elsinoe cinnamomi* Pollack & Jenkins Ref. Chen, 1956  
*Elsinoe mangiferae* Bitanc. & Jenkins Ref. Sivanesan & Hsieh, 1989  
*Elsinoe sacchari* Lo Ref. Lo, 1957  
*Sphaceloma ampelina* de Bary Ref. Sawada, 1942  
*Sphaceloma araliae* Ref. Chen, 1961  
*Sphaceloma asteris* Sawada Ref. Sawada, 1943  
*Sphaceloma batatas* Sawada Ref. Sawada, 1931  
*Sphaceloma bidentis* Bitancourt & Jenkins Ref. Chen, 1961  
*Sphaceloma fawcetti* Jenkins Ref. Sawada, 1942  
*Sphaceloma plantaginis* Jenkins & Bitancourt Ref. Chen, 1961  
*Sphaceloma schefferae* C. C. Chen Ref. Chen, 1968  
*Sphaceloma tsujii* Hara Ref. Chen, 1965  
*Sphaceloma viticola* Sawada Ref. Sawada, 1944  
*Zukaliopsis gardemoae* Sawada Ref. Sawada, 1931

### Family Myriangiaceae 多腔菌科

*Myriangium duriae* Montagne & Berkeley Ref. Sawada, 1919

## Order Onygenales 爪甲團囊菌目

### [Not assigned to a family]

*Coccidioides immitis* G.W. Stiles 1896 Ref. Jen et al., 1990

### Family Arthrodermataceae 裸囊菌科

*Microsporium canis* Bodin Ref. Jen et al., 1963  
*Microsporium ferrugineum* Ora Ref. 同前  
*Microsporium gypseum* (Bodin) Guart & Grigvallis Ref. Lu, 1964  
*Trichophyton concentricum* Blanchard Ref. Lin, 1996  
*Trichophyton equinum* (Matruchot & Dassonville) Gedoelst Ref. Huang, 1995  
*Trichophyton ferrugineum* (M. Ota) Langeron & Miloch, 1931 Ref. Lu, 1959  
*Trichophyton georgiae* Varsavsky & Ajello Ref. Lin, 1996  
*Trichophyton mentagrophytes* (Robin) Blanchard var. *interdigitale* Priestley Ref. Jen et al., 1963  
*Trichophyton mentagrophytes* (Robin) Blanchard Ref. Ko, 1982  
*Trichophyton schoneleinii* (Lebert) Langeron & Wilochevitch Ref. Lu, 1959  
*Trichophyton tonsurans* Malmsten Ref. Chao & Hsu, 1994  
*Trichophyton verrucosum* Bodin Ref. Huang, 1995

### Family Gymnoascaceae 裸囊菌科

*Leucothecium coprophilum* Valldosera & Guarro Ref. Yaguchi, Someya & Udagawa, 1995

### Family Onygenaceae 爪甲團囊菌科

*Ardhachandra aequilatera* Matsushima Ref. Matsushima, 1987  
*Ardhachandra cristaspora* (Matsushima) Subramanian & Sudha Ref. Matsushima, 1980  
*Ardhachandra prolatofusiformis* J. L. Chen & Tzean Ref. Chen & Tzean, 1995

*Ardhachandra selenoides* (de Hoog) Subramanian & Sudha Ref. Matsushima, 1980  
*Chrysosporium keratinophilum* (Frey) Carmichael Ref. Chen, 1994  
*Histoplasma capsulatum* S. T. Darling Ref. Kao et al., 1997

## Order Ophiostomatales 長喙殼菌目

### Family Ophiostomataceae 長喙殼菌科

*Sporothrix isarioides* (Petch) de Hoog Ref. Tzean et al., 1997  
*Sporothrix schenckii* Hektoen & Perkins Ref. Lu, 1959

## Order Ostropales 厚頂盤菌目

### Family Graphidaceae 文字衣科

*Glyphis cicatricosa* Ach. 刻痕衣 Ref. Lai, 2000  
*Graphina cleistoblephara* (Nyl.) Zahlbruckner 網毛擬文衣 Ref. Lai, 2000  
*Graphina filiformis* Zahlbruckner 線擬文衣 Ref. Lai, 2000  
*Graphina haloniata* Zahlbruckner 暈擬文衣 Ref. Lai, 2000  
*Graphina japonica* Mull. Arg. Ref. Lai, 2000  
*Graphina japonica* Müll. Arg. var. *major* Zahlbruckner Ref. Lai, 2000  
*Graphina oxyspora* Zahlbruckner 尖孢擬文衣 Ref. Lai, 2000  
*Graphina petrophila* Zahlbruckner 石生擬文衣 Ref. Lai, 2000  
*Graphina plumbicolor* Zahlbruckner 李紫擬文衣 Ref. Lai, 2000  
*Graphina soozana* Zahlbruckner 白粉擬文衣 Ref. Lai, 2000  
*Graphina taiwanensis* Wei 台灣擬文衣 Ref. Lai, 2000  
*Graphina taiwanensis* Wei f. *obscurata* (Zahlbruckner) Wei Ref. Lai, 2000  
*Graphis cervinonigra* Zahlbruckner 黑紅文字衣 Ref. Lai, 2000  
*Graphis desquamescens* (Fée) Hale & Wirth 無鱗文字衣 Ref. Lai, 2000  
*Graphis dupaxana* Vain., Ann. Acad. 曲盤文字衣 Ref. Lai, 2000  
*Graphis endoxantha* Nyl. 內黃文字衣 Ref. Lai, 2000  
*Graphis epiphloea* Zahlbruckner 樹表文字衣 Ref. Lai, 2000  
*Graphis flabellan* Zahlbruckner 扇文字衣 Ref. Lai, 2000  
*Graphis formosana* Zahlbruckner 台灣文字衣 Ref. Lai, 2000  
*Graphis kelungana* Zahlbruckner 基隆文字衣 Ref. Lai, 2000  
*Graphis latibasa* Zahlbruckner 寬基文字衣 Ref. Lai, 2000  
*Graphis ocellata* Zahlbruckner 眼點文字衣 Ref. Lai, 2000  
*Graphis scripta* (L.) Ach. 文字衣 Ref. Lai, 2000  
*Gymnoderma insulare* Yoshimura & Sharp 島圓盤衣 Ref. Lai, 2000  
*Gyrostomum scyphuliferum* (Ach.) Nyl. 圓片衣 Ref. Lai, 2000  
*Phacellium paspali* (Syd.) U. Braun Ref. Kirschner et al., 2004  
*Phaeographina callospora* Zahlbruckner 麗孢黑擬文衣 Ref. Lai, 2000  
*Phaeographina lecanographa* (Nyl.) Müll. Arg. var. *pleiospora* Zahlbruckner Ref. Lai, 2000  
*Phaeographina lecanographa* (Nyl.) Müll. Arg. Ref. Lai, 2000  
*Phaeographina macrospora* (Zahlbruckner) Nakanishi 大孢黑擬文衣 Ref. Lai, 2000  
*Phaeographina micromma* Zahlbruckner 小黑擬文衣 Ref. Lai, 2000  
*Phaeographina montagnei* (Bosch. in Jungh.) Müll. Arg. 曼氏黑擬文衣 Ref. Lai, 2000  
*Phaeographina pyrrochorea* (Mont. & Bosch. in Jungh.) Zahlbruckner 紅色黑擬文衣 Ref. Lai, 2000  
*Phaeographina quasstaecola* (Fée) Müll. Arg. 苦木黑擬文衣 Ref. Lai, 2000  
*Phaeographina valida* Zahlbruckner 壯黑擬文衣 Ref. Lai, 2000  
*Phaeographis gracilentia* Zahlbruckner 細黑文衣 Ref. Lai, 2000  
*Sarcographa albo-maculans* Zahlbruckner 白斑星衣 Ref. Lai, 2000  
*Sarcographa melanocarpa* Zahlbruckner 黑果星衣 Ref. Lai, 2000

### Family Stictidaceae 點盤菌科

*Agyriella nigra* Sawada Ref. Sawada, 1959

### Family Thelotremataceae 疣孔衣科

*Diploschistes anatinus* (Nyl.) Zahlbruckner f. *cinerata* Zahlbruckner Ref. Lai, 2000  
*Diploschistes anatinus* (Nyl.) Zahlbruckner Ref. Lai, 2000  
*Diploschistes scruposus* (Schreb.) Norm. 雙緣衣 Ref. Lai, 2000  
*Leptotrema bahianum* (Ach.) Müll. Arg. var. *asiaticum* Zahlbruckner Ref. Lai, 2000  
*Leptotrema bahianum* (Ach.) Müll. Arg. Ref. Lai, 2000  
*Myriotrema album* Fée 白眾點衣 Ref. Lai, 2000  
*Ocellularia neopertusariiformis* Hale 新雞皮點衣 Ref. Lai, 2000  
*Thelotrema formosanum* Zahlbruckner 台灣疣孔衣 Ref. Lai, 2000  
*Thelotrema microstomum* Müll. Arg. var. *formosanum* Zahlbruckner Ref. Lai, 2000  
*Thelotrema microstomum* Müll. Arg. Ref. Lai, 2000  
*Thelotrema murinum* Zahlbruckner 鼠色疣孔衣 Ref. Lai, 2000

## Order Patellariales 膠皿菌目

### Family Patellariaceae 膠皿菌科

*Rhytidhysterium rufulum* (Spreng.: Fr.) Speg. Ref. Chen & Hsieh, 1996

## Order Peltigerales 地卷菌目

### Family Collemataceae 膠衣科

*Collema complanatum* Hue 扁膠衣 Ref. Lai, 2000

*Collema japonicum* (Müll. Arg.) Hue 日本膠衣 Ref. Lai, 2000  
*Collema leptaleum* Tuck. 薄膠衣 Ref. Lai, 2000  
*Collema peregrinum* Degel. 台灣膠衣 Ref. Lai, 2000  
*Collema pulcellum* Ach. Ref. Lai, 2000  
*Collema pulcellum* Ach. var. *subnigrescens* (Müll. Arg.) Degel. Ref. Lai, 2000  
*Collema substipitatum* Zahlbruckner 短柄膠衣 Ref. Lai, 2000  
*Collema tenax* Ach. em. Degel. var. *ogatae* (Zahlbruckner) Degel. Ref. Lai, 2000  
*Collema tenax* Ach. em. Degel. Ref. Lai, 2000  
*Leptogium arisanense* Asahina 阿里山貓耳衣 Ref. Lai, 2000  
*Leptogium azureum* (Sw.) Mont. ex Webb 藍天貓耳衣 Ref. Lai, 2000  
*Leptogium chloromelum* (Ach.) Nyl. 綠貓耳衣 Ref. Lai, 2000  
*Leptogium cyanescens* (Rabh.) Körb. 變藍貓耳衣 Ref. Lai, 2000  
*Leptogium delavayi* Hue Ref. Lai, 2000  
*Leptogium delavayi* Hue f. *fuliginosulum* Zahlbruckner Ref. Lai, 2000  
*Leptogium menziesii* (Sm.) Mont. 貓耳衣 Ref. Lai, 2000  
*Leptogium moluccanum* (Pers.) Vain. var. *myriophyllum* (Müll. Arg.) Asahina Ref. Lai, 2000  
*Leptogium moluccanum* (Pers.) Vain. 薄刃貓耳衣 Ref. Lai, 2000  
*Leptogium pichneum* (Ach.) Nyl. 青貓耳衣 Ref. Lai, 2000  
*Leptogium splendens* Asahina 閃光貓耳衣 Ref. Lai, 2000  
*Leptogium trichophorum* Müll. Arg. 黑貓耳衣 Ref. Lai, 2000  
*Leptogium trichophorum* Müll. Arg. f. *microsporum* Zahlbruckner Ref. Lai, 2000  
*Physma byrsinum* (Ach.) Müll. Arg. 皮膠囊衣 Ref. Lai, 2000  
*Physma callicarpum* Hue 美果膠囊衣 Ref. Lai, 2000  
*Physma radicans* Vain. 輻射膠囊衣 Ref. Lai, 2000

### Family Lobariaceae 肺衣科

*Lobaria adscripturiens* (Ny1.) Hue 齒果肺衣 Ref. Lai, 2000  
*Lobaria chinensis* Yoshim. 中華肺衣 Ref. Lai, 2000  
*Lobaria crassior* Vain. 厚肺衣 Ref. Lai, 2000  
*Lobaria dendrophora* Zahlbr. 樹生肺衣 Ref. Lai, 2000  
*Lobaria discolor* (Bory in Del.) Hue var. *inactiva* (Asah.) Yoshim. Ref. Lai, 2000  
*Lobaria discolor* (Bory in Del.) Hue Ref. Lai, 2000  
*Lobaria gyrophorica* Yoshim. 針芽肺衣 Ref. Lai, 2000  
*Lobaria isidiosa* (Müll. Arg.) Vain. 裂芽肺衣 Ref. Lai, 2000  
*Lobaria japonica* (Zahlbr.) Asah. f. *exsecta* (Ny1.) Yoshim. Ref. Lai, 2000  
*Lobaria japonica* (Zahlbr.) Asah. Ref. Lai, 2000  
*Lobaria kurokawai* Yoshim. 光肺衣 Ref. Lai, 2000  
*Lobaria lobulata* Yoshim. 小裂片肺片 Ref. Lai, 2000  
*Lobaria lobulata* Yoshim. f. *reagens* Yoshim. Ref. Lai, 2000  
*Lobaria meridionalis* Vain. 南方肺衣 Ref. Lai, 2000  
*Lobaria orientalis* (Asah.) Yoshim. 東方肺衣 Ref. Lai, 2000  
*Lobaria pseudopulmonaria* Gyel. 擬肺衣 Ref. Lai, 2000  
*Lobaria pulmonaria* (L.) Hoffm. 肺衣 Ref. Lai, 2000  
*Lobaria quercizans* Michx. 落葉樹肺衣 Ref. Lai, 2000  
*Lobaria retigera* (Bory) Trev. 網脊肺衣 Ref. Lai, 2000  
*Lobaria scrobiculata* (Scop.) DC. 蜂窩肺衣 Ref. Lai, 2000  
*Lobaria spathulata* (Inum.) Yoshim. 匙芽肺衣 Ref. Lai, 2000  
*Lobaria sublaevis* (Ny1.) Yoshim. 亞平肺衣 Ref. Lai, 2000  
*Lobaria subscrobiculata* Vain 亞蜂窩肺衣 Ref. Lai, 2000  
*Lobaria subscrobiculata* Vain. f. *subdiscolor* Yoshim. Ref. Lai, 2000  
*Lobaria subscrobiculata* Vain. f. *subadscripta* Yoshim. Ref. Lai, 2000  
*Lobaria yoshimurae* Kurok. & Kashiw. 吉村肺衣 Ref. Lai, 2000  
*Pseudocyphellaria argyracea* (Del.) Vain. 銀白假杯點衣 Ref. Lai, 2000  
*Pseudocyphellaria aurata* (Ach.) Vain. 黃假杯點衣 Ref. Lai, 2000  
*Pseudocyphellaria cinnamoma* (Rich.) Vain. 黃褐假杯點衣 Ref. Lai, 2000  
*Pseudocyphellaria intricata* (Gel.) Vain 纏結假杯點衣 Ref. Lai, 2000  
*Pseudocyphellaria mougeotiana* (Del.) Vain. 擬黃假杯點衣 Ref. Lai, 2000  
*Sticta duplolibata* (Hue) Vain. 雙緣牛皮葉衣 Ref. Lai, 2000  
*Sticta flabelliformis* Zahlbruckner 扇形牛皮葉衣 Ref. Lai, 2000  
*Sticta formosana* Zahlbruckner 台灣牛皮葉衣 Ref. Lai, 2000  
*Sticta fuliginosa* (Hoffm.) Ach. 黑牛皮葉衣 Ref. Lai, 2000  
*Sticta gracilis* (Müll. Arg.) Zahlbruckner 柄扇牛皮葉衣 Ref. Lai, 2000  
*Sticta nylanderiana* Zahlbruckner 平滑牛皮葉衣 Ref. Lai, 2000  
*Sticta pulvinata* (Mey. & Flot.) Vain. 墊狀牛皮葉衣 Ref. Lai, 2000  
*Sticta sinuosa* Pers. apud Gaudich. 深波牛皮葉衣 Ref. Lai, 2000  
*Sticta submarginifera* Zahlbruckner 鑲邊牛皮葉衣 Ref. Lai, 2000  
*Sticta weigeli* (Ach.) Vain. var. *enteroxanthella* Zahlbruckner Ref. Lai, 2000  
*Sticta weigeli* (Ach.) Vain. Ref. Lai, 2000  
*Sticta wrighitii* Tuck., Amer. J. Arts & Sci. 深杯牛皮葉衣 Ref. Lai, 2000

### Family Nephromataceae 腎盤衣科

*Nephroma helveticum* Ach. f. *griseum* Inum. Ref. Lai, 2000  
*Nephroma helveticum* Ach. Ref. Lai, 2000

*Nephroma javanicum* Gyeln. 爪哇腎盤衣 Ref. Lai, 2000  
*Nephroma moeszii* Gyeln. 牟氏腎盤衣 Ref. Lai, 2000  
*Nephroma tropicum* (Müll. Arg.) Zahlbruckner var. *mixtoides* Gyeln. Ref. Lai, 2000  
*Nephroma tropicum* (Müll. Arg.) Zahlbruckner f. *livido-greseum* Gyeln. Ref. Lai, 2000  
*Nephroma tropicum* (Müll. Arg.) Zahlbruckner 熱帶腎盤衣 Ref. Lai, 2000

### Family Peltigeraceae 地卷科

*Peltigera canina* (L.) Wild. 犬地卷 Ref. Lai, 2000  
*Peltigera didactyla* (With.) Laundon 分指地卷 Ref. Lai, 2000  
*Peltigera horizontalis* (Huds.) Baumg. 平盤地卷 Ref. Lai, 2000  
*Peltigera lactucifolia* (With.) Laundon 赭腹地卷 Ref. Lai, 2000  
*Peltigera leucophlebia* (Nyl.) Gyeln. 白腹地卷 Ref. Lai, 2000  
*Peltigera membranacea* (Ach.) Nyl. 膜地卷 Ref. Lai, 2000  
*Peltigera meridiana* Gyeln. f. *crispoides* Gyeln. Ref. Lai, 2000  
*Peltigera meridiana* Gyeln. Ref. Lai, 2000  
*Peltigera neopolydactyla* (Gyeln.) Gyeln. 長根地卷 Ref. Lai, 2000  
*Peltigera nigripunctata* Bitter 長根地卷 Ref. Lai, 2000  
*Peltigera polydactyla* (Necker) Hoffm. 多指地卷 Ref. Lai, 2000  
*Peltigera praetextata* (Flk. ex Sommerf.) Zopf Ref. Lai, 2000  
*Peltigera praetextata* (Flk. ex Sommerf.) Zopf f. *subglabra* Gyeln. Ref. Lai, 2000  
*Peltigera pruinosa* (Gyeln.) Inum. 霜地卷 Ref. Lai, 2000  
*Peltigera rufescens* (Weis) Humb. 地卷 Ref. Lai, 2000  
*Peltigera subincusa* (Gyeln.) Inum. 亞霜地卷 Ref. Lai, 2000  
*Solorina simensis* Hochst. apud Flk. 散盤衣 Ref. Lai, 2000

### Order Pertusariales 雞皮衣目

#### Family Coccotremataceae 球孔衣科

*Coccotrema cucurbitula* (Mont.) Müll. Arg. 球孔衣 Ref. Lai, 2000

#### Family Pertusariaceae 雞皮衣科

*Ochrolechia trochophora* (Vain.) Oshio 幹生肉疣衣 Ref. Lai, 2000  
*Pertusaria commutata* Müll. Arg. 雞皮衣 Ref. Lai, 2000  
*Pertusaria composita* Zahlbruckner 複合雞皮衣 Ref. Lai, 2000  
*Pertusaria haematommoides* Zahlbruckner 赤星雞皮衣 Ref. Lai, 2000  
*Pertusaria multipuncta* (Turn.) Nyl. 斑點雞皮衣 Ref. Lai, 2000  
*Pertusaria oshioi* Wei 巨孢雞皮衣 Ref. Lai, 2000  
*Pertusaria pertusa* (L.) Tuck. 孔雞皮衣 Ref. Lai, 2000  
*Pertusaria platycarpiza* Zahlbruckner 寬果雞皮衣 Ref. Lai, 2000  
*Pertusaria sphaerophora* Oshio 球雞皮衣 Ref. Lai, 2000  
*Pertusaria subcomposita* Oshio 亞複合雞皮衣 Ref. Lai, 2000  
*Pertusaria subobductans* Nyl. 海濱雞皮衣 Ref. Lai, 2000  
*Pertusaria tetrathalamia* (Fée) Nyl. var. *octospora* Müll. Arg. Ref. Lai, 2000  
*Pertusaria tetrathalamia* (Fée) Nyl. 四體雞皮衣 Ref. Lai, 2000  
*Pertusaria velata* (Turn.) Nyl. 包被雞皮衣 Ref. Lai, 2000  
*Pertusaria violacea* Oshio 紫羅雞皮衣 Ref. Lai, 2000

### Order Pezizales 盤菌目

#### [Not assigned to a family]

*Coprotus disculus* Kimbr. Ref. Wang, 1993  
*Coprotus glaucellus* (Rehm) Kimbr. Ref. Wang, 1996  
*Coprotus leucopocillum* Kimbr. Ref. Liou & Chen, 1977  
*Coprotus marginatus* Kimb., Luck-Allen & Cain Ref. Wang, 1999  
*Coprotus niveus* (Fuckel) Kimbr., Luck-Allen & Cain Ref. Wang, 1993  
*Coprotus ochraceus* (Cr. & Cr.) Larsen Ref. Wang, 1993  
*Coprotus sexdecimsporus* (Cr. & Cr.) Kimbr. Ref. Wang, 1994  
*Coprotus uncinatus* Y. Z. Wang Ref. Wang, 1994  
*Lasiobolus cuniculi* Velen. Ref. Wang, 1994  
*Lasiobolus intermedius* J. L. Bezerra & Kimbr. Ref. Wang, 2006  
*Lasiobolus microsporus* J. L. Bezerra & Kimbr. Ref. Wang, 1993  
*Oedocephalum glomerulosum* (Bull.: Fr.) Sacc. Ref. Tseng & Chen, 1987  
*Oedocephalum guadalcanalense* Matsushima Ref. Chen, 1994  
*Pseudascozonus racemosporus* Brumm. Ref. Wang, 2006

#### Family Ascobolaceae 糞盤菌科

*Ascobolus amoenus* Oudemans Ref. Wang, 1999  
*Ascobolus carbonarius* P. Karst. Ref. Wang, 1999  
*Ascobolus crenulatus* P. Karst. Ref. Liou & Chen, 1977  
*Ascobolus denudatus* Fr. Ref. Wang, 1996  
*Ascobolus furfuraceus* Pers. ex Hook. Ref. Liou & Chen, 1977  
*Ascobolus fushanus* Y.-Z. Wang & Brumm. Ref. Wang & van Brumm, 1997  
*Ascobolus immersus* Pers. Ref. Wang, 1993  
*Ascobolus lignatilis* Alb. & Schwein. ex Pers. Ref. Liou & Chen, 1977  
*Ascobolus lineolatus* Brumm. Ref. 同前

*Ascobolus mancus* (Rehm) Brumm. Ref. Wang, 1993  
*Ascobolus michaudii* Boud. & Torrend Ref. Liou & Chen, 1977  
*Ascobolus reticulatus* Brumm. Ref. Wang, 1996  
*Ascobolus scatigenus* (Berk.) Brumm. Ref. Liou & Chen, 1977  
*Saccobolus citrinus* Boud. & Torrend Ref. 同前  
*Saccobolus depauperatus* (Berk. & Broome) Hansen Ref. 同前  
*Saccobolus glaber* (Pers. ex Pers.) Lamb. Ref. 同前  
*Saccobolus globuliferellus* Seaver Ref. 同前  
*Saccobolus infestans* (Batista & Pontual) Brumm. Ref. Wang, 1994  
*Saccobolus michiganensis* O'Donnell Ref. Wang, 1996  
*Saccobolus minimus* Vel. Ref. Liou & Chen, 1977  
*Saccobolus saccoboloides* (Seaver) Brumm. Ref. Wang, 1993  
*Saccobolus succineus* Brumm. Ref. Wang, 1994  
*Saccobolus truncatus* Vel. Ref. Liou & Chen, 1977  
*Saccobolus verrucisporus* Brumm. Ref. Wang, 1993  
*Thecotheus agranulosus* Kimbr. Ref. Wang, 1994  
*Thecotheus flavidus* Y.-Z. Wang & Kimbr. Ref. Wang & Kimbrough, 1993  
*Thecotheus formosanus* Y.-Z. Wang Ref. Wang, 1994  
*Thecotheus pelletieri* (Cr. & Cr.) Boud. Ref. Wang, 1993

#### Family Ascodesmidaceae 裸盤菌科

*Ascodesmis macrospora* W. Obrist Ref. Wang, 1994  
*Ascodesmis microscopica* (Crouan) Le Gal Ref. Liou & Chen, 1977  
*Ascodesmis nigricans* Van Tiegh. Ref. 同前  
*Ascodesmis porcina* Seaver Ref. 同前  
*Ascodesmis sphaerospora* W. Obrist Ref. 同前

#### Family Helvellaceae 馬鞍菌科

*Helvella atra* Holmskj. : Fr. Ref. Chen & Wang, 2000  
*Helvella crispa* Scop. : Fr. Ref. 同前  
*Helvella infula* Schaeff. Ref. Chen & Chien, 1983

#### Family Morchellaceae 羊肚菌科

*Morchella conica* Pers. Ref. Chen, 1994

#### Family Pezizaceae 盤菌科

*Iodophanus granulipolaris* Kimbr. Ref. Wang, 1994  
*Iodophanus verrucosporus* Kimbr., Luck-Allen & Cain Ref. Wang, 1993  
*Peziza arvernensis* Boud. Ref. Wang, 2001  
*Peziza badia* Pers. Ref. Wang, 1996  
*Peziza celtica* (Boud.) Moser Ref. Wang, 1996  
*Peziza echinospora* P. Karst. Ref. Wang, 1996  
*Peziza elachroa* Berk. & Curt. Ref. Wang, 1996  
*Peziza moravecii* (Svr̄cke) Donadini Ref. Wang, 1996  
*Peziza sylvestris* (Boud.) Sacc. & Trotter Ref. Sawada, 1959  
*Peziza urinophila* Y.-Z. Wang & Sagara Ref. Wang & Sagara, 1997  
*Peziza varia* (Hedw.) Fr. Ref. Wang, 1996  
*Peziza vesiculosa* Fr. Ref. Sawada, 1959

#### Family Pyronemataceae 火絲菌科

*Aleuria aurantia* (Pers. ex Hook) Fuckel Ref. Liou & Chen, 1977  
*Anthracobia maurilabra* (Cooke) Boud. Ref. Wang, 2001  
*Anthracobia melaloma* (Alb. & Schwein.: Fr.) Arnould Ref. Wang, 2001  
*Cheilymenia fimicola* (DeNot. & Bagl.) Dennis Ref. Wang, 1999  
*Cheilymenia theleboloides* (Albertini & Schweinitz ex Fries) Boudier Ref. Wu, 2001  
*Coprobia granulata* (Bull. : Fr.) Boud. Ref. Liou & Chen, 1977  
*Geneosperma geneosporum* (Berk.) Rifai Ref. Wang, 1998  
*Jafnea fusicarpa* (Gerard) Korf Ref. Wang, 2005  
*Otidea cochleata* (Huds.) Fuckel Ref. Wang, 2005  
*Pulvinula globifera* (Berk. & Curt.) Le Gal Ref. Wang, 2002  
*Pyronema omphalodes* (Bull.) Fuckel Ref. Wang, 2001  
*Scutellinia ascoboloides* (Bert.) Teng Ref. Chien & Yeh, 1986  
*Scutellinia cejpuii* (Vel.) Svr. Ref. Wang, 1998  
*Scutellinia colensoi* (massee) Le Gal Ref. Liou & Chen, 1977  
*Scutellinia jungneri* (P. Henn.) Clem. Ref. Wang, 1998  
*Scutellinia nigrohirtula* (Svr.) Le Gal Ref. Wang, 1998  
*Scutellinia pennsylvanica* (Seav.) Denison Ref. Wang, 1998  
*Scutellinia phymatodeus* S. C. Kaushal & R. Kaushal Ref. Wang, 1998  
*Scutellinia scutellata* (L. ex St. Amans) Lambotte Ref. Chen, 1975  
*Scutellinia subhirtella* Svr. Ref. Wang, 1998  
*Scutellinia umbrorum* (Fr.) Lamb. Ref. Wang, 1998  
*Sowerbyella pallida* (Spoon) J. Moravec Ref. Wang, 2005  
*Sphaerosporella brunnea* (Alb. & Schwein.) Svr̄cek & Kubcka Ref. Wang, 2001  
*Sphaerosporella taiwania* Y.-Z. Wang Ref. Mycotaxon. 80: 197-200, 2001

### Family Rhizinaceae

*Rhizina undulata* Fr. Ref. Chen, 1994

### Family Sarcoscyphaceae 肉杯菌科

*Cookeina sinensis* Z. Wang Ref. Wang, 2001  
*Microstoma apiculosporum* Y. Z. Wang Ref. Wang, 2004  
*Microstoma floccosa* (Schw.) Rativ. Ref. Chen, 1994  
*Phillipsia domingensis* (Berk.) Berk. Ref. Wang, 2001  
*Sarcoscypha humberiana* F. A. Harr. Ref. Wang, 2001  
*Sarcoscypha occidentalis* (Schw.) Sacc. Ref. Liou & Chen, 1977

### Family Sarcosomataceae 肉盤菌科

*Conoplea novae-zelandiae* S. Hughes Ref. N. Z. J. Bot. 16: 320-323, 1978  
*Galiella javanica* (Rehm) Nannf. & Korf Ref. Wu, 1996

### Family Tuberaceae 塊菌科

*Tuber formosanum* Hu Ref. Hu, 1992  
*Tuber furfuraceum* H.T. Hu & Y. Wang Ref. Hu & Wang, 2005

## Order Phyllachorales 黑痣菌目

### Family Phyllachoraceae 黑痣菌科

*Coccodiella arundinariae* Hara Ref. Hsieh, 1987  
*Coccostromopsis bumbusae* Sawada Ref. Sawada, 1959  
*Ophiodothella arengae* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1997  
*Ophiodothella cyclobalanopsidis* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1998  
*Phyllachora arthraxonis-hispidi* Sawada Ref. Sawada, 1943  
*Phyllachora arundinellae* Sawada Ref. Sawada, 1944  
*Phyllachora arundinis* Sawada Ref. Sawada, 1944  
*Phyllachora bauhiniae* Sawada Ref. Sawada, 1943  
*Phyllachora coicis* P. Henn. Ref. Sawada, 1944  
*Phyllachora cudrani* P. Henn. Ref. Sawada, 1928  
*Phyllachora euryae* (Rac.) Arx & E. Müll. Ref. Li & Hsieh, 1991  
*Phyllachora fici-beecheyanae* Sawada Ref. Sawada, 1944  
*Phyllachora fici-pumilae* Sawada Ref. Sawada, 1959  
*Phyllachora fici-septicae* Sawada Ref. Sawada, 1944  
*Phyllachora fici-wightianae* Sawada Ref. Sawada, 1919  
*Phyllachora fimbriatylidis* Sawada Ref. Sawada, 1943  
*Phyllachora glycosmidia* Petch Ref. Li & Hsieh, 1991  
*Phyllachora graminicola* Sawada Ref. Sawada, 1944  
*Phyllachora imperaticola* Sawada Ref. Sawada, 1959  
*Phyllachora indocalami* Sawada Ref. Sawada, 1943  
*Phyllachora laurinearum* Rac. Ref. Li & Hsieh, 1991  
*Phyllachora lelebae* Sawada Ref. Sawada, 1959  
*Phyllachora marisci-sieberiani* Sawada Ref. Sawada, 1943  
*Phyllachora minuta* Henn. Ref. Sawada, 1943  
*Phyllachora pachinensis* Sawada Ref. Sawada, 1943  
*Phyllachora panici-prolifera* Sawada Ref. Sawada, 1944  
*Phyllachora phaseolina* Syd. Ref. Sawada, 1943  
*Phyllachora phragmitis-karkae* Sawada Ref. Sawada, 1944  
*Phyllachora phyllostachydis* Hara Ref. Hsieh, 1987  
*Phyllachora pogonatheri* Syd. Ref. Sawada, 1944  
*Phyllachora repens* (Corda) Sacc. Ref. 謝文瑞、陳啓予及王智立。2000  
*Phyllachora schimae* C.Y. Chen & W.H. Hsieh Ref. Chen & Hsieh, 1996  
*Phyllachora scolopiae* Sawada Ref. Sawada, 1943  
*Phyllachora syntherismae* Sawada Ref. Sawada, 1944  
*Placostroma ischaemi* Sawada Ref. Sawada, 1944  
*Sphaerodothis eremochloae* Sawada Ref. Sawada, 1959

## Order Pleosporales 格孢菌目

### [Not assigned to a family]

*Didymella bryoniae* (Auersw.) Rehm Ref. List of Agriculture 4 (1): 301, 1965  
*Didymella lussoniensis* Sacc. Ref. Sawada, 1959  
*Pyrenochaeta oryzae* Shirai Ref. Sawada, 1933  
*Pyrenochaeta terrestris* (Hansen) Gorenz, Walker & Larson Ref. Watanabe, 1994

### Family Corynesporascaceae

*Corynespora bdellomorpha* (Speg.) M. B. Ellis Ref. Chen, 1994  
*Corynespora cassicola* (Berkely & Curtis) Wei Ref. Matsushima, 1980  
*Corynespora elaeidicola* M. B. Ellis Ref. Chen, 1994  
*Corynespora sesamum* (Sacc.) Goto Ref. 臺灣省政府農林廳農業要覽編審委員會。191。1965  
*Corynespora* sp. MFC-6732 Ref. Matsushima, 1983  
*Corynespora vignicola* (Kawam.) Goto Ref. 臺灣省政府農林廳農業要覽編審委員會。311。1965

### Family Cucurbitariaceae

*Cucurbitodithis pithyphila* (Schmidt & Kunze) Petr. Ref. Chen & Hsieh, 1994

### Family Dacampiaceae

*Munkovalsaria donacina* (Niessl) Aptroot Ref. Chen & Hsieh, 1996

### Family Didymosphaeriaceae

*Didymosphaeria massarioides* Sacc. & Brun. Ref. Hsieh & Chen, 2000

*Didymosphaeria minutella* Penz. & Sacc. Ref. Sivanesan & Hsieh, 1989

*Didymosphaeria spinosa* E. Müll. & S. Ahmad Ref. Chen & Hsieh, 1996

### Family Leptosphaeriaceae 小球腔菌科

*Coniothyrium bambusicola* Sawada Ref. Sawada, 1959

*Coniothyrium hordei* Sawada Ref. Sawada, 1959

*Coniothyrium kallangurense* Sutton & AKörn Ref. Wang, 1992

*Leptosphaeria coicis* Sawada Ref. Sawada, 1944

*Leptosphaeria doliolum* (Pers.) Ces. & De Not. Ref. Chen & Hsieh, 1994

*Leptosphaeria oryzina* Sacc. Ref. USDA: List of Intercepted Plant Pests, 1968: 73, 1969

*Leptosphaeria pandanicola* Sawada Ref. Sawada, 1959

*Leptosphaeria sacchari* Breda de Haan Ref. Sawada, 1931

*Leptosphaeria taiwanensis* (Mat. & Yamam.) Yen & Chi Ref. J. Sugarcane Res. 6:213, 1952

*Leptosphaeria taminensis* H. Wegelin Ref. Sivanesan & Hsieh, 1989

*Ophiobolus herpotrichus* (Fr.) Sacc. Ref. Sawada, 1959

*Ophiobolus miscanthi* Sivan. & W.H. Hsieh Ref. Sivanesan & Hsieh, 1989

*Ophiobolus rubellus* (Pers.: Fr.) Sacc. Ref. 同前

### Family Lophiostomataceae

*Herpotrichia fusispora* C.Y. Chen & W.H. Hsieh Ref. Chen & Hsieh, 2004

*Herpotrichia macrotricha* (Berk. & Broome) Sacc. Ref. 同前

*Herpotrichia rhodosticta* (Berk. & Br.) Ref. 謝文瑞、陳啓予及王智立。2000

*Herpotrichia schiedermayeriana* Fuckel Ref. Chen & Hsieh, 1994

*Lophiostoma fuckelii* Sacc. Ref. Wang & Lin, 2004

*Lophiostoma subcorticale* Fuckel Ref. Sivanesan & Hsieh, 1989

*Massarina microspora* Pass. Ref. 同前

*Phragmosperma ilicis* Sawada Ref. Sawada, 1959

*Sclerochaeta setariae* Sawada Ref. Sawada, 1959

*Tetraploa aristata* Berkeley & Broome Ref. Tseng & Chen, 1982

*Tetraploa ellisii* Cooke Ref. 同前

*Tetraploa javanica* Rifai, Zainuddin & Cholil Ref. Chen, 1994

### Family Melanommataceae

*Astrosphaeriella africana* D. Hawksw. in D. Hawksw. & Boise Ref. Chen & Hsieh, 2004

*Astrosphaeriella exorrhiza* Boise in D. Hawksw. & Boise Ref. 同前

*Astrosphaeriella lenticularis* K. D. Hyde & J. Fröhl. Ref. 同前

*Astrosphaeriella macrospora* C.Y. Chen & W.H. Hsieh Ref. 同前

*Astrosphaeriella maquiliana* (Rehm) K.D. Hyde & J. Fröhl. Ref. 同前

*Astrosphaeriella pallidipolaris* Chen & Hsieh, 2004 Ref. 同前

*Astrosphaeriella pallidipolaris* C.Y. Chen & W.H. Hsieh Ref. 同前

*Astrosphaeriella stella* (Pat.) Sacc. Ref. Hsieh & Chen, 2000

*Astrosphaeriella stellata* (Pat.) Sacc. Ref. Chen & Hsieh, 2004

*Byssosphaeria diffusa* (Schwein.) Cooke Ref. 同前

*Byssosphaeria erumpens* C.Y. Chen & W.H. Hsieh Ref. 同前

*Byssosphaeria jamaicana* (Sivan.) Barr Ref. Sivanesan & Hsieh, 1989

*Byssosphaeria rhodomphala* (Berk.) Sacc. Ref. Chen & Hsieh, 2004

*Byssosphaeria schiedermayeriana* (Fuckel) Barr Ref. 同前

*Melanomma fuscidulum* Sacc. Ref. 謝文瑞、陳啓予及王智立。2000

*Melanomma pyriostictum* Cooke Ref. 同前

*Pseudospiropes aff. rousseianus* Ref. Chang, 1997

*Pseudospiropes bambusicolum* [Sawada ex] Goh & Hsieh Ref. Hsieh & Goh, 1990

*Pseudospiropes longipilus* (Coda) Hol.-Jech. Ref. Matsushima, 1983

*Pseudospiropes miscanthi* Matsushima Ref. Matsushima, 1987

*Pseudospiropes simplex* (Kunze ex Persoon) M. B. Ellis Ref. 同前

*Pseudospiropes* sp. (aff. *Rousseianus*) Ref. Chang, 1997

*Pseudospiropes subuliferus* (Corda) M. B. Ellis Ref. Chang, 1997

*Trematosphaeria citri* Sawada Ref. Sawada, 1959

*Trematosphaeria pertusa* (Pers.) Fuckel Ref. Sawada, 1959

### Family Parodiellaceae

*Parodiella millettiae* Sivan. & W.H. Hsieh Ref. Sivanesan & Hsieh, 1989

*Pyrenochaetina curcumae* Sawada Ref. Sawada, 1959

### Family Phaeosphaeriaceae

*Eudarlucia caricis* (Fr.) O.E. Eriksson Ref. Sivanesan & Hsieh, 1989

*Phaeodothis ligustri* Sawada Ref. Sawada, 1943

*Phaeoseptoria eucalypti* (Hansf.) Walk. Ref. Wang, 1992

*Phaeosphaeria microscopica* (Karst.) Eriksson Ref. Hsieh & Chen, 2000

*Phaeosphaeria musae* Sawada Ref. Sawada, 1959  
*Phaeosphaeria oryzae* (Hori) Miyake Ref. Sawada, 1959  
*Phaeosphaeria zingiberi* Sawada Ref. Sawada, 1959  
*Sphaerellopsis filum* (Bivona-Bernardi: Fr.) Sutton Ref. Sawada, 1919  
*Stagonospora erythrinae* Sawada Ref. Sawada, 1942  
*Stagonospora machili* Sawada Ref. Sawada, 1943  
*Stagonospora sacchari* Sawada Ref. Sawada, 1959  
*Stagonospora subseriata* (Desmazieres) Sacc. Ref. Watanabe, 1994  
*Trematosphaerella oryzae* (Miyake) Padw. Ref. U.S.D.A.: List of Intercepted Plant Pests 1965:80, 1966

#### Family Pleomassariaceae

*Pleomassaria agaves* Sawada Ref. Sawada, 1919  
*Splanchnonema verruculospora* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1997  
*Spondylocladium atrovirens* Harz Ref. Sawada, 1919  
*Spondylocladium mori* Sawada Ref. Sawada, 1919  
*Spondylocladium tremae* Sawada Ref. Sawada, 1931

#### Family Pleosporaceae 格孢菌科

*Alternaria agerati* Sawada ex E. G. Simmons Ref. Simmons, 1997  
*Alternaria alternata* (Fr.) Keissler Ref. Sawada, 1933  
*Alternaria americana* Sawada Ref. Sawada, 1931  
*Alternaria atrans* Gibson Ref. Sawada, 1959  
*Alternaria brassicae* (Berk.) Sacc. Ref. Sawada, 1931  
*Alternaria brassicicola* (Schw.) S.P. Wiltshire Ref. Matsushima, 1980  
*Alternaria brunnea* Sawada Ref. Sawada, 1959  
*Alternaria carthami* Chowdhury Ref. Wu & Chou, 1992  
*Alternaria citri* Ellis & Everhart Ref. Sawada, 1959  
*Alternaria crassa* (Sacc.) Rands. Ref. Sawada, 1944  
*Alternaria dauci* (Kuhn) Grove & Langlois Ref. Sawada, 1959  
*Alternaria dianthi* Steven & Hall Ref. Wu, 1980  
*Alternaria eriobotryae* Sawada Ref. Sawada, 1959  
*Alternaria hordei* Sawada Ref. Sawada, 1959  
*Alternaria longipes* (Ellise & Eresh.) Eimason Ref. Yang et al., 1994  
*Alternaria nigrescens* Sawada Ref. Sawada, 1959  
*Alternaria papaveris-somniferi* Sawada Ref. Sawada, 1959  
*Alternaria passiflorae* Sawada Ref. Sawada, 1959  
*Alternaria porri* (Ellis) Cifferri Ref. Sawada, 1933  
*Alternaria radicina* Meier, Drechs. & E. D. Eddy Ref. Chen & Wu, 1995  
*Alternaria raphani* Groves & Skalko Ref. Yang et al., 1994  
*Alternaria raphini* Ref. 同前  
*Alternaria ricini* (Yoshii) Hansford Ref. Sawada, 1959  
*Alternaria solani* Sorauer Ref. Kawakami & Suzuki, 1908  
*Alternaria tabacina* (Ell. & Everhart) Hori Ref. 同前  
*Alternaria tenuissima* (Kunze) Wiltshire Ref. Yang et al., 1994  
*Alternaria vigneae* Sawada Ref. Sawada, 1959  
*Alternaria zimmiae* M. B. Ellis Ref. Wu & Chou, 1992  
*Bipolaris australiensis* (M. E. Ellis) Tsuda & Ueyama Ref. Chen, 1994  
*Bipolaris cynodontis* (Marigononi) Shorem. Ref. Chang, 1994  
*Bipolaris hawaiiensis* (M. B. Ellis) Uchida & Aragaki Ref. Matsushima, 1980  
*Bipolaris maydis* (Nisikado & Miyake) Shoem. Ref. 同前  
*Bipolaris melinidis* Alcorn Ref. Chang, 1994  
*Bipolaris oryzae* (Breda de Haan) Shoem. Ref. Matsushima, 1980  
*Bipolaris pereqianensis* Alcorn Ref. Chang, 1994  
*Bipolaris sacchari* (Butler) Shoemaker Ref. Watanabe, 1994  
*Bipolaris sorokiniana* (Sacc.) Shoem. Ref. Matsushima, 1980  
*Bipolaris spicifera* (Bainier) Subramanian Ref. 同前  
*Bipolaris zae* Sivanesan Ref. Chang, 1992  
*Brachysporium ananassae* Sawada Ref. Sawada, 1959  
*Brachysporium arecae* (Berkeley & Broome) Sacc. Ref. Sawada, 1959  
*Brachysporium echinochloae* Sawada Ref. Sawada, 1959  
*Brachysporium marantae* Sawada Ref. Sawada, 1959  
*Brachysporium oryzae* Ito & Ishiyama Ref. Sawada, 1959  
*Brachysporium ryticis* Sawada Ref. Sawada, 1959  
*Brachysporium sesami* Sawada Ref. Sawada, 1959  
*Brachysporium syntherisame* Sawada Ref. Sawada, 1959  
*Cochliobolus carbonum* Nelson Ref. List of Agriculture 4 (1): 95, 1965  
*Cochliobolus heterostrophus* (Drechsler) Drechsler Ref. List of Agriculture 4 (1): 92, 1965  
*Cochliobolus miyabeanus* (Ito & Kurib.) Drechsler ex Dastur Ref. Sawada, 1919  
*Cochliobolus sativus* (Ito & Kurib.) Drechsler ex Dastur Ref. Sawada, 1919  
*Cochliobolus setariae* (Ito & Kurib.) Drechsler ex Dastur Ref. Sawada, 1919  
*Cochliobolus stenospilus* (Drechsler) Mats. & W. Yamam. Ref. Sawada, 1942  
*Cochliobolus zae* Chang Ref. Chang, 1992  
*Curvularia affinis* Boedijn Ref. Matsushima, 1980

*Curvularia andropogonis* (Zimmermann) Boedijn Ref. Matsushima, 1987  
*Curvularia brachyspora* Boedijn Ref. Matsushima, 1980  
*Curvularia clavata* Jain Ref. Wu & Dow, 1993  
*Curvularia eragrostidis* (Henn.) J. A. Meyer Ref. Matsushima, 1980  
*Curvularia geniculata* (Tracy & Earle) Boedijn Ref. 同前  
*Curvularia inaequalis* (Shear) Boedijn Ref. Chen & Wu, 1995  
*Curvularia intermedia* Boedijn Ref. Matsushima, 1980  
*Curvularia lunata* (Wakker) Boedijn Ref. 同前  
*Curvularia pallescens* Boedijn Ref. 同前  
*Curvularia senegarensis* (Speg.) Subramanian Ref. 同前  
*Curvularia trifolii* (Kauffman) Boedijn Ref. Matsushima, 1983  
*Curvularia tuberculata* Jain Ref. Matsushima, 1980  
*Curvularia verruculosa* Tandon & Bilgrami ex M. B. Ellis Ref. Matsushima, 1983  
*Dendryphiella eucalypti* Matsushima Ref. 同前  
*Dendryphiella infuscans* (Thum) M. B. Ellis Ref. Matsushima, 1980  
*Dendryphiella uniseptata* Matsushima Ref. Chen, 1994  
*Dendryphiella vinosa* (Berkeley & Curtis) Reisinger Ref. Matsushima, 1980  
*Dendryphion cubense* Matsushima Ref. Chen, 1994  
*Dendryphion penicillatum* (Corda) Fr. Ref. Sawada, 1917  
*Drechslera biseptata* (Sacc. & Roum.) Richardson & Fraser Ref. Chang, 1994  
*Drechslera poae* (Baudys) Shoem. Ref. Wu & Dow, 1993  
*Exserohilum frumentacei* (Mitra) Leonard & Suggs Ref. Wu & Chou, 1992  
*Exserohilum gedarefense* (El Shafie) Alcorn Ref. Tsai & Tsai, 1992  
*Exserohilum holmii* (Luttrell) Leonard & Suggs Ref. Matsushima, 1980  
*Exserohilum rostratum* (Drechsler) Leonard & Suggs Ref. 同前  
*Exserohilum turcicum* (Pass.) Leonard & Suggs Ref. Kawakami & Suzuki, 1908  
*Helminthosporium arundinis* Sawada Ref. Sawada, 1943  
*Helminthosporium avenae-sativae* (Briosi. & Cavara) Lindau Ref. Sawada, 1919  
*Helminthosporium bryophylli* Sawada Ref. Sawada, 1917  
*Helminthosporium catenatum* Matsushima Ref. Chen, 1994  
*Helminthosporium citri* Sawada Ref. Sawada, 1931  
*Helminthosporium corchori* Sawada & Katsuki Ref. Sawada, 1959  
*Helminthosporium dianellae* Sawada Ref. Sawada, 1944  
*Helminthosporium ebuli* Sawada Ref. Sawada, 1944  
*Helminthosporium elephantopi* Sawada Ref. Sawada, 1943  
*Helminthosporium fimbriatylidis* Sawada Ref. Sawada, 1943  
*Helminthosporium foveolatum* Pat. Ref. Matsushima, 1980  
*Helminthosporium gramineum* Rabenhorst Ref. Sawada, 1919  
*Helminthosporium inconspicuum* C. & Ell. Ref. Sawada, 1919  
*Helminthosporium ipomeae* Sawada & Katsuki Ref. Sawada, 1959  
*Helminthosporium ischaemi* Sawada Ref. Sawada, 1944  
*Helminthosporium lablabis* Sawada & Katsuki Ref. Sawada, 1959  
*Helminthosporium machili* Sawada Ref. Sawada, 1943  
*Helminthosporium marantae* Sawada & Katsuki Ref. Sawada, 1959  
*Helminthosporium nodulosum* Berk. & Curtis Ref. Sawada, 1944  
*Helminthosporium oplimeni* Sawada & Katsuki Ref. Sawada, 1959  
*Helminthosporium oryzae* Miyabe & Hori Ref. Kawakami & Suzuki, 1908  
*Helminthosporium palmigenum* Matsushima Ref. Matsushima, 1980  
*Helminthosporium panici* Sawada Ref. Sawada, 1943  
*Helminthosporium papayae* Syd. Ref. Sawada, 1959  
*Helminthosporium piperis* Sawada & Katsuki Ref. Sawada, 1959  
*Helminthosporium ravenelii* Curtis. Ref. Sawada, 1933  
*Helminthosporium sacchari* (Van Breda de Haan) Bulter Ref. Sawada, 1959  
*Helminthosporium sativum* Pammel, King & Bakke Ref. Sawada, 1918  
*Helminthosporium setariae* Sawada Ref. Sawada, 1912  
*Helminthosporium sigmoideum* Cavara var. *irregulare* Cralley & Tullis Ref. Sawada, 1959  
*Helminthosporium teres* Sacc. Ref. Sawada, 1959  
*Helminthosporium torulosum* (Syd.) Ashby. Ref. Sawada, 1942  
*Helminthosporium tritici-vulgaris* Nishikado Ref. Sawada, 1959  
*Helminthosporium velutinum* Link ex Fr. Ref. Matsushima, 1980  
*Helminthosporium zizaniae* Nishikado Ref. Sawada, 1959  
*Leptosphaerulina arachidicola* Yen, Chen & Huang Ref. Yen et al., 1956  
*Leptosphaerulina crassiasca* (Schet) Jackson & Bell Ref. Wu & Hanlin, 1991  
*Leptosphaerulina moricola* Sawada Ref. Sawada, 1919  
*Macrosporium agaves* Sawada Ref. Sawada, 1959  
*Macrosporium nigricans* Atkinson Ref. Sawada, 1959  
*Macrosporium parasiticum* Thuem Ref. Kawakami & Suzuki, 1908  
*Macrosporium ricini* Sawada Ref. Sawada, 1943  
*Macrosporium sonchi* Sawada Ref. Sawada  
*Macrosporium stephaniae* Sawada Ref. Sawada, 1959  
*Pithomyces chartarum* (Berkeley & Curtis) M. B. Ellis Ref. Matsushima, 1980  
*Pithomyces graminicola* R.Y. Roy & Rai Ref. 同前

*Pithomyces maydicus* (Sacc.) M. B. Ellis Ref. 同前  
*Pithomyces taiwanensis* Matsushima Ref. Matsushima, 1987  
*Pleospora herbarum* (Fr.) Rabenh. ex Ces. & De Not. Ref. Sawada, 1919  
*Pyrenophora avenae* (Eid.) Ito & Kurib. Ref. List of Taiwan Farmers: 1089, 1944  
*Stemphylium botryosum* Wallroth Ref. Matsushima, 1980  
*Stemphylium herbarum* E. G. Simmons Ref. Ko et al., 1994  
*Stemphylium lycopersici* (Enjoji) Yamamoto Ref. Matsushima, 1980  
*Stemphylium solani* Weber Ref. Sawada, 1931  
*Stemphylium vesicarium* (Wallr.) Simmons Ref. Chiou & Wu, 1995  
*Trichoconis padwickii* Ganguly 1948 Ref. Wu & Dow, 1993  
*Ulocladium atrum* preuss Ref. Chen & Wu, 1995  
*Ulocladium chartarum* (Preuss) Simmons Ref. Kuo et al., 1994  
*Ulocladium consontiale* (Thuem.) Simmons Ref. Chen & Wu, 1995

### Family Rhopoglyphus 盤菌科

*Rhopoglyphus formosanus* Sawada 台灣褐袍座殼 Ref. Sawada, 1944

### Family Sporormiaceae 莢胞腔菌科

*Sporormiella minima* (Auersw.) Ahmed & Cain Ref. Liou & Chen, 1979

### Family Tubeufiaceae

*Helicoma denisii* M. B. Ellis Ref. Matsushima, 1980  
*Helicoma depressispora* Matsushima Ref. Chang, 1999  
*Helicoma elinorae* Linder Ref. Chang, 1989  
*Helicoma muelleri* Corda Ref. Chang, 1989  
*Helicoma olivaceum* (Karsten) Linder Ref. Matsushima, 1980  
*Helicoma palmigenum* (Penzig & Sacc.) Linder Ref. 同前  
*Helicoma perelegans* Thaxer ex Linder Ref. Chang, 1989  
*Helicoma taiwanensis* Matsushima Ref. Matsushima, 1983  
*Helicomycetes ambiguus* (Morgan) Linder Ref. Chang, 1989  
*Helicomycetes casuarinae* Matsushima Ref. Matsushima, 1985  
*Helicomycetes macrofilamentosus* Matsushima Ref. Matsushima, 1983  
*Helicomycetes roseus* Link Ref. Matsushima, 1980  
*Helicosporium guianensis* Linder Ref. Chang, 1989  
*Helicosporium lumbricoides* Sacc. Ref. Matsushima, 1980  
*Helicosporium nematosporium* Linder Ref. Chang, 1989  
*Helicosporium pannosum* (Berkeley & Curtis) R. T. Moore Ref. Chen, 1994  
*Helicosporium phragmites* Hoehnel Ref. Chang, 1989  
*Helicosporium serpentinum* Linder Ref. Chang, 1989  
*Helicosporium vegetum* Nees f. Ref. Chen & Hsieh, 1997  
*Paranectriella arcuata* (Hansf.) Rossman Ref. Li & Hsieh, 1991  
*Podonectria aurantii* (Höhn.) Petch Ref. Tzean et al., 1997  
*Tubeufia cerea* (Berk. & M. A. Curtis) Höhn. Ref. Chen & Hsieh, 1997  
*Tubeufia javanica* Penz. & Sacc. Ref. Sawada, 1944  
*Tubeufia miscanthi* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1998  
*Tubeufia setosa* Sivan. & W.H. Hsieh Ref. Hsieh et al., 1995  
*Tubeufia vermicularispora* (Hino & Katsumoto) Sivan. Ref. Sivanesan & Hsieh, 1989  
*Xenosporium berkeleyi* (Curtis) Pirozynski Ref. Matsushima, 1980  
*Xenosporium indicum* Panwar, Purohit & Gehlot Ref. Matsushima, 1987

### Family Venturiaceae 黑星菌科

*Acantharia chaetomoides* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1995  
*Coleroa chaetomium* (Kunze: Fr.) Rabenh. Ref. Chen & Hsieh, 1996  
*Coleroa desmodii* (Sawada) Chen & Hsieh Ref. 謝文瑞、陳啓予及王智立。2000  
*Coleroa petasitidis* (Fuckel) Farr Ref. Li & Hsieh, 1991  
*Phaeocryptopus nudus* (Peck) Petr. Ref. Chen, 1974  
*Phaeosphaerella miscanthi* Sawada Ref. Sawada, 1959  
*Rosenscheldiella orbis* (Berk.) Petr. Ref. Li & Hsieh, 1991  
*Rosenscheldiella perseae* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1995  
*Venturia inaequalis* (Cooke) G. Winter Ref. Sun & Leu, 1974  
*Venturia musae* Sawada Ref. Sawada, 1959  
*Venturia pirina* Aderh. Ref. Sawada, 1943  
*Venturia rhododendri* Tengwall Ref. Hsieh, 1981  
*Venturia rhois* Sawada Ref. Sawada, 1959  
*Venturia sacchari* Breda de Haan Ref. Sawada, 1943

## Order Pyrenulales 小核衣目

### Family Asterinaceae 星盾菌科

*Asterina aucubae* Henn. Ref. Sawada, 1943  
*Asterina caseariae* W. Yamam. Ref. Yamamoto, 1961  
*Asterina columellicola* W. Yamam. Ref. 同前  
*Asterina daphniphylli* W. Yamam. Ref. 同前  
*Asterina decipiens* Syd. Ref. 同前  
*Asterina dendroidea* W. Yamam. Ref. 同前

*Asterina diclipterae* W. Yamam. Ref. 同前  
*Asterina durantae* Sawada & W. Yamam. Ref. Sawada, 1959  
*Asterina elaeocarpi-kobanmochii* W. Yamam. Ref. Yamamoto, 1961  
*Asterina elmeri* Syd. Ref. Sawada, 1959  
*Asterina eugeniae-formosanae* W. Yamam. Ref. Yamamoto, 1961  
*Asterina evodiicola* W. Yamam. Ref. 同前  
*Asterina formosana* W. Yamam. Ref. 同前  
*Asterina gonostegiae* W. Yamam. Ref. 同前  
*Asterina heliciae* W. Yamam. Ref. 同前  
*Asterina heterostemmae* W. Yamam. Ref. 同前  
*Asterina ilicicola* W. Yamam. Ref. 同前  
*Asterina jasmini-subtrinervis* W. Yamam. Ref. Sawada, 1959  
*Asterina koshunensis* Sawada Ref. Sawada, 1944  
*Asterina kusukusuensis* W. Yamam. Ref. Yamamoto, 1961  
*Asterina lobulata* W. Yamam. Ref. 同前  
*Asterina lobulifera* Syd. Ref. 同前  
*Asterina loranthe-rhododendricoli* W. Yamam. Ref. 同前  
*Asterina malloti* Sawada & W. Yamam. Ref. Sawada, 1959  
*Asterina melastomae-candidi* Sawada & W. Yamam. Ref. Yamamoto, 1961  
*Asterina meliosmae* Sawada & W. Yamam. Ref. 同前  
*Asterina microspora* Sawada & W. Yamam. Ref. 同前  
*Asterina piperina* Syd. Ref. 同前  
*Asterina scrobiculata* W. Yamam. Ref. 同前  
*Asterina sinsuiensis* W. Yamam. Ref. 同前  
*Asterina sponiae* Racib. Ref. 同前  
*Asterina stauntoniae* W. Yamam. Ref. 同前  
*Asterina stuhlmanni* Henn. Ref. Sawada, 1959  
*Asterina subcylindracea* W. Yamam. Ref. Yamamoto, 1961  
*Asterina theae* W. Yamam. Ref. 同前  
*Asterina triumfeticola* W. Yamam. Ref. 同前  
*Asterina tubocapsici* Sawada & W. Yamam. Ref. Sawada, 1959  
*Asterina zanthoxyli* W. Yamam. Ref. Yamamoto, 1961  
*Asterolibertia hiiranensis* (W. Yamam.) W. Yamam. Ref. 同前  
*Cirsosiella nodulosa* W. Yamam. Ref. 同前  
*Lembosia linderiae* W. Yamam. Ref. 同前  
*Lembosia ormosiae* W. Yamam. Ref. 同前  
*Lembosia verrucosa* W. Yamam. Ref. 同前  
*Morenoella linderiae* W. Yamam. Ref. 同前  
*Trichasterina heritierae* Sawada & W. Yamam. Ref. Sawada, 1959

### Family Monoblastiaceae 單芽枝科

*Anisomeridium ambiguum* (Zahlbruckner) R. C. Harris 疑異形衣 Ref. Lai, 2000

### Family Pyrenulaceae 小核衣科

*Anthracothecium majus* (Zahlbruckner) Kashiw. & Kurok. 大炭殼衣 Ref. Lai, 2000  
*Anthracothecium oculatum* Müll. Arg. 眼點炭殼衣 Ref. Lai, 2000  
*Melanotheca rubromaculata* (Vain.) Zahlbruckner 紅點暗乳頭衣 Ref. Lai, 2000  
*Pleurotheliopsis asahinae* Zahlbruckner 朝比氏側乳頭衣 Ref. Lai, 2000  
*Pyrenula albidopunctata* Zahlbruckner 白點小核衣 Ref. Lai, 2000  
*Pyrenula aspistea* (Afzel. ex Ach.) Ach. 盾小核衣 Ref. Lai, 2000  
*Pyrenula kelungana* Zahlbruckner 基隆小核衣 Ref. Lai, 2000  
*Pyrenula mamillana* (Ach.) Trev. 乳頭小核衣 Ref. Lai, 2000

### Family Trypetheliaceae 乳嘴衣科

*Astrothelium variolosum* (Ach.) Müll. Arg. 瘤星果衣 Ref. Lai, 2000  
*Trypetheliopsis boninensis* Asahina 紅乳嘴衣 Ref. Lai, 2000  
*Trypethelium eluteriae* Spreng *conglobatum* (Ach.) Zahlbruckner Ref. Lai, 2000  
*Trypethelium eluteriae* Spreng. 乳嘴衣 Ref. Lai, 2000  
*Trypethelium formosanum* Zahlbruckner 台灣乳嘴衣 Ref. Lai, 2000  
*Trypethelium tropicum* (Ach.) Müll. Arg. 熱帶乳嘴衣 Ref. Lai, 2000

## Order Rhytismatales 斑痣盤菌目

### Family Rhytismataceae 斑痣盤菌科

*Coccomyces foliiose* (Dennis & Spooner) Sherwood. Ref. Wu & Wang, 2000  
*Coccomyces multangularis* Y.R. Lin & Z.Z. Li Ref. Hou et al., 2006  
*Coccomyces mussaendae* Sawada Ref. Sawada, 1944  
*Coccomyces taiwanensis* C. L. Hou, R. Kirschner & C.J. Chen Ref. Hou et al., 2006  
*Cryptomyces theae* Sawada Ref. Sawada, 1919  
*Lophodermium conigenum* (Brunaud) Hilitzer Ref. Hou et al., 2006  
*Lophodermium mangiferae* Koord. Ref. Sivanesan & Hsieh, 1989  
*Lophodermium petrakii* Durrieu Ref. Hou et al., 2006  
*Lophodermium pinastri* (Schrad.) Chev. Ref. Sawada, 1959  
*Lophodermium rottobaelliae* Sawada Ref. Sawada, 1944

*Rhytisma ilicis* Sawada Ref. Sawada, 1959  
*Rhytisma placenta* Berk. & Broome Ref. Li & Hsieh, 1991  
*Rhytisma rhododendri-oldhami* Sawada Ref. Sawada, 1943  
*Vladracula annuliformis* (Sydow & Butler) P.F. Cannon, Minter & Kamal Ref. Chen & Hsieh, 1994

## Order Sordariales 糞殼菌目

### [Not assigned to a family]

*Ascotaiwania lignicola* Sivan. & H. S. Chang Ref. Sivanesan & Chang, 1992  
*Wallrothiella subiculosa* Höhn Ref. Hsieh & Chen, 2000

### Family Chaetomiaceae 毛殼菌科

*Chaetomium aureum* Chivers Ref. Liou & Chen, 1979  
*Chaetomium caprinum* Bainier Ref. 同前  
*Chaetomium congoensis* L.M. Ames Ref. 同前  
*Chaetomium dolichotrichum* L.M. Ames Ref. 同前  
*Chaetomium gangligerum* L.M. Ames Ref. 同前  
*Chaetomium globosum* Kunze ex Fr. Ref. 同前  
*Chaetomium microcephalum* L. M. Ames Ref. 同前  
*Chaetomium nigricolor* L. M. Ames Ref. Wang, 1989  
*Chaetomium olivaceum* Cooke & Ellis Ref. Tu, 1967  
*Chaetomium reticulopilium* L. M. Ames Ref. Wang, 1989  
*Chaetomium thermophile* La Touche Ref. Liou & Chen, 1979  
*Thielavia pingtungia* K. Y. Chen & Z. C. Chen Ref. Chen & Chen, 1996  
*Thielavia terricola* (J.C. Gilman & E.V. Abbott) C.W. Emmons, 1930 Ref. Tu, 1967

### Family Lasiosphaeriaceae 毛球殼科

*Cercophora acanthigera* (Berk. & Br.) N. Lundq. Ref. Chang & Wang, 2005  
*Cercophora coprophila* (Fr.) N. Lundq. Ref. 同前  
*Cercophora coronata* (Cailleux) Udagawa & T. Muroi Ref. Wang, 1994  
*Cercophora gossypina* N. Lundq. Ref. Chang & Wang, 2005  
*Cercophora mirabilis* Fuckel Ref. Wang, 1994  
*Cercophora tuberculata* Mukerji Ref. Chang & Wang, 2005  
*Lasio-sphaeria breviseta* P. Karst. Ref. Chen & Hsieh, 1996  
*Lasio-sphaeria canescens* (Pers.) Karst. Ref. Hsieh & Chen, 2000  
*Lasio-sphaeria mucida* (Tode) Seaver Ref. 同前  
*Lasio-sphaeria solaris* (Cooke & Ell.) Ref. 同前  
*Podospora absimilis* Cain Ref. Liou & Chen, 1979  
*Podospora argentinensis* (Speg.) J. H. Mirza & Cain Ref. Wang, 2000  
*Podospora communis* (Speg.) Niessl Ref. Liou & Chen, 1979  
*Podospora conica* (Fuckel) A. E. Bell & Mahoney Ref. Wang, 2000  
*Podospora curvicolla* (Wint.) Niessl Ref. Wang, 1992  
*Podospora curvuloides* Cain Ref. Wang, 1992  
*Podospora dakotensis* (Griffiths) J. H. Mirza & Cain Ref. Wang, 2000  
*Podospora decipiens* (Wint. ex Fr.) Niessl Ref. Wang, 1994  
*Podospora dolichopodalis* J. H. Mirza & Cain Ref. Wang, 2000  
*Podospora fimiseda* (Ces. & De Not.) Niessl Ref. Wang, 1994  
*Podospora formosana* Y.-Z. Wang Ref. Wang, 2000  
*Podospora globosa* (Masse & Salm.) Cain Ref. Wang, 1994  
*Podospora hyalopilosa* (R. Stratton) Cain Ref. Wang, 2000  
*Podospora inflatula* Cain Ref. Wang, 2000  
*Podospora longicaudata* (Griff.) Cain Ref. Wang, 1992  
*Podospora multipilosa* J. H. Chang & Y. Z. Wang Ref. Chang & Wang, 2005  
*Podospora myriaspora* (Cr. & Cr.) Niessl Ref. Wang, 1994  
*Podospora pauciseta* (Ces.) Trav. Ref. Wang, 1992  
*Podospora prethopodalis* Cain Ref. Liou & Chen, 1979  
*Podospora setosa* (Wint.) Niessl Ref. Wang, 1992  
*Zygopleurage zygospora* (Speg.) Boedijn Ref. Liou & Chen, 1979

### Family Sordariaceae 糞殼菌科

*Gelasinospora cerealis* Dovoding Ref. Wang, 1989  
*Monilia pruniosa* Cooke & Massee Ref. Watanabe, 1994  
*Monilia sitophila* (Mont.) Sacc. Ref. Tseng & Chen, 1981  
*Sordaria fimicola* (Rob. ex Desm.) Ces. & De Not. Ref. Liou & Chen, 1979  
*Sordaria humana* (Fuckel) Wint. Ref. 同前

## Order Teloschistales 黃枝衣目

### Family Fuscideaceae 棕網衣科

*Fuscidea cyathoides* (Ach.) Wirth & Vezda 杯棕網衣 Ref. Lai, 2000

### Family Letrouitiaceae 多極孢衣科

*Letrouitia domingensis* (Pers.) Hafellner & Bellem. 多極孢衣 Ref. Lai, 2000

### Family Teloschistaceae 黃枝衣科

*Caloplaca flavoirrescens* (Wulf.) Dalla Torre & Saruth. 黃綠橙衣 Ref. Lai, 2000

*Caloplaca flavorubescens* (Huds.) Laundon 黃紅橙衣 Ref. Lai, 2000

*Teloschistes flavicans* (Sw.) Norm. 淺黃枝衣 Ref. Lai, 2000

## Order Thelebolales

### Family Thelebolaceae

*Leptokalpion albicans* Brumm. Ref. Wang, 1996

*Thelebolus stercorus* Tode : Fr. Ref. Wang, 1999

## Order Trichosphaeriales 假毛球殼目

### [Not assigned to a family]

*Nigrospora oryzae* (Berkeley & Broome) Petch Ref. Matsushima, 1980

*Nigrospora sphaerica* (Sacc.) Mason Ref. 同前

### Family Helminthosphaeriaceae

*Chaetosphaerella pheostroma* (Dur. & Mont.) E. Müller & C. Booth Ref. Chen & Hsieh, 1997

*Oedemium minus* (Link) S. Hughes Ref. 同前

*Spadicoides obovata* (Cooke & Ellis) S. Hughes Ref. Can, 1958

### Family Trichosphaeriaceae 假毛球殼科

*Setocampanula taiwanensis* Sivan. & W.H. Hsieh Ref. Sivanesan & Hsieh, 1989

*Trichosphaeria ferenotabilis* Sivan. & W.H. Hsieh Ref. 同前

## Order Trichotheliales 星果衣目

### Family Trichotheliaceae 星果衣科

*Porina formosana* Zahlbruckner 台灣污核衣 Ref. Lai, 2000

*Porina nucula* Ach. 小星果污核衣 Ref. Lai, 2000

*Porina tetracerae* (Afz.) Müll. Arg. in Engler 四角污核衣 Ref. Lai, 2000

*Trichothelium alboatrum* Vain. 白棘星果衣 Ref. Lai, 2000

## Order Verrucariales 瓶口衣目

### Family Verrucariaceae 瓶口衣科

*Endocarpon desquamescens* Zahlbruckner 無鱗石果衣 Ref. Lai, 2000

*Staurothele fauriei* B. d. Lesd. 法氏矮疣衣 Ref. Lai, 2000

*Verrucaria arisana* Zahlbruckner 阿里山瓶口衣 Ref. Lai, 2000

*Verrucaria toroyensis* Zahlbruckner 台灣瓶口衣 Ref. Lai, 2000

## Order Xylariales 炭角菌目

### [Not assigned to a family]

*Amphisphaerella petrakii* Mhaskar & Rao Ref. Sivanesan & Hsieh, 1989

*Dinemasporium strigosum* (Pers.: Fr.) Sacc. Ref. Tseng & Chen, 1987

*Iodosphaeria polygoni* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1997

*Linocarpon pandani* (H. & P. Syd.) H. & P. Syd. Ref. Sivanesan & Hsieh, 1989

*Linocarpon smilacis* W. H. Hsieh, C. Y. Chen & Sivan. Ref. Hsieh et al., 1998

*Melomastia mastoidea* (Fr.) Schroet. Ref. Chen & Hsieh, 1996

*Oxydothis elaeidis* (Beeli) Sivan. Ref. Sivanesan & Hsieh, 1989

*Oxydothis grisea* Penz. & Sacc. Ref. 同前

*Pareutypella nematoceras* Y.M. Ju & J. D. Rogers Ref. Ju & Rogers, 1995

*Pareutypella sulcata* Y.M. Ju & J. D. Rogers Ref. 同前

*Rousoella hysterioides* (Ces.) Höhn. Ref. Ju et al., 1996

*Rousoella intermedia* Y. M. Ju, J. D. Rogers & Huhndorf Ref. 同前

*Rousoella pustulans* (Ellis & Everh.) Y. M. Ju, J. D. Rogers & Huhndorf Ref. 同前

*Urosporellopsis taiwanensis* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1994

### Family Amphisphaeriaceae 黑盤孢科

*Amphisphaeria saccharicola* Sivan. Ref. Sivanesan & Hsieh, 1989

*Beltraniella portoricensis* (F.L. Stevens) K.A. Pirozynski & S.D. P. Patil Ref. Matsushima, 1980

*Brachysporiella gayana* Batista Ref. 同前

*Brachysporiella pulchra* (Subramanian) Hughes Ref. Matsushima, 1987

*Ceratosporium fuscescens* Schw. Ref. Matsushima, 1980

*Ceratosporium* sp. Ref. Hsieh et al., 1997

*Ceratosporium verrucosum* R. Kirschner & C.J. Chen Ref. Kirschner & Chen, 2004

*Lepteutypa hippophaes* (Sollm.) Arx Ref. Chen & Hsieh, 1996

*Pestalospaeria hansenii* Shoem. & Simpson Ref. Sivanesan & Hsieh, 1989

*Pestalotiopsis foedans* (Sacc. & Ellis) Steyaert Ref. Tsai & Lee, 1997

*Pestalotiopsis funerea* (Desm.) Steyaert Ref. Kuo et al., 1994

*Pestalotiopsis leprogena* (Speg.) Kausar Ref. Sawada, 1942

*Pestalotiopsis palmarum* (Cooke) Steyaert Ref. Sawada, 1914

*Pestalotiopsis shiraiana* P. Henn. Ref. Tsai & Lee, 1997

*Pestalotiopsis* sp. Ref. Chang & Chang, 1988

### Family Diatrypaceae 蕉孢殼菌科

*Eutypa kusanoi* Henn. Ref. Sawada, 1931

*Eutypella citri* Sawada Ref. Sawada, 1959

*Eutypella sydowiana* Sawada Ref. Sawada, 1959

*Lopadostoma turgidum* (Pers.: Fr.) Trav. Ref. 謝文瑞、陳啓予及王智立。2000

### Family Hyponectriaceae

- Physalospora cleyeriae* (Sawada) L.T. Li & W.H. Hsieh Ref. Li & Hsieh, 1991  
*Physalospora commelinae* Sawada Ref. Sawada, 1943  
*Physalospora cydoniae* Arn. Ref. Wu, 1977  
*Physalospora erycibes* Sawada Ref. Sawada, 1943  
*Physalospora fici-formosanse* Sawada Ref. Sawada, 1944  
*Physalospora melastomatis* Sawada Ref. Sawada, 1944  
*Physalospora piricola* Nose Ref. Wu, 1977  
*Physalospora smilacis* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1998  
*Physalospora tucumenensis* Speg. Ref. Mstsumoto, 1952  
*Pseudomassaria cyclobalanopsidis* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1997  
*Pseudomassaria islandica* (Johans) Barr Ref. Li & Hsieh, 1991

### Family Xylariaceae 炭角菌科

- Anthostomella caulicola* Sacc. Ref. Chen & Hsieh, 1994  
*Anthostomella longispora* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1997  
*Anthostomella rostrospora* W.H. Hsieh, C.Y. Chen & Sivan. Ref. Hsieh et al., 1995  
*Anthostomella taiwanensis* W.H. Hsieh, C.Y. Chen & Sivan. Ref. 同前  
*Biscogniauxia albosticta* (Ellis & Morg.) Y. M. Ju & J. D. Rogers var. *orientalis* Y. M. Ju & J. D. Rogers Ref. Ju & Rogers, 2001  
*Biscogniauxia ambiens* Y. M. Ju & J. D. Rogers Ref. 同前  
*Biscogniauxia capnodes* (Berk. & Broome) Y. M. Ju & J. D. Rogers var. *rumpens* (Cooke) Y. M. Ju & J. D. Rogers Ref. Ju & Rogers, 1999  
*Biscogniauxia capnodes* (Berk. & Broome) Y. M. Ju & J. D. Rogers Ref. 同前  
*Biscogniauxia citriformis* (Whalley, HammeLev, & Taligoola) Van der Gucht & Whalley Ref. 同前  
*Biscogniauxia cylindrispora* Y. M. Ju & J. D. Rogers Ref. Ju & Rogers, 2001  
*Biscogniauxia formosana* Y. M. Ju & J. D. Rogers var. *kentingensis* Y. M. Ju & J. D. Rogers Ref. 同前  
*Biscogniauxia formosana* Y. M. Ju & J. D. Rogers Ref. 同前  
*Biscogniauxia latirima* Y. M. Ju & J. D. Rogers Ref. 同前  
*Biscogniauxia philippinensis* (Ricker) Whalley & Laessøe var. *microspora* Y. M. Ju & J. D. Rogers Ref. 同前  
*Biscogniauxia philippinensis* (Ricker) Whalley & Laessøe Ref. Ju & Rogers, 1999  
*Biscogniauxia plana* (Petch) Y. M. Ju & J. D. Rogers Ref. 同前  
*Biscogniauxia uniapiculata* (Penz. & Sacc.) Whalley & Laessøe Ref. 同前  
*Collo-discula japonica* Hino & Katumoto Ref. 同前  
*Creosphaeria sassafras* (Schwein.: Fr.) Y. M. Ju, San Martín, & J. D. Rogers Ref. Ju et al., 1993  
*Daldinia caldariorum* Henn. Ref. Wang, 2002  
*Daldinia childiae* J. D. Rogers & Y. M. Ju Ref. Ju & Rogers, 1999  
*Daldinia eschscholzii* (Ehrenb.) Rehm Ref. 同前  
*Dematophora necatrix* R. Hartig Ref. Chang, 1997  
*Gonytrichella olivacea* Emoto & Tubaki Ref. Tseng & Chen, 1987  
*Halorosellinia oceanica* (Schatz) Whalley, E. B. G. Jones, Hyde, & Laessøe Ref. Ju & Rogers, 1999  
*Halosarpheia aquadulcis* S.Y. Hsieh, H. S. Chang & E.B.G. Jones Ref. Hsieh et al., 1995  
*Hypoxylon annulatum* (Schwein.: Fr.) Mont. Ref. Ju & Rogers, 1999  
*Hypoxylon atroroseum* J. D. Rogers Ref. 同前  
*Hypoxylon bovei* Speg. var. *microspora* J. H. Miller Ref. Ju & Tzean, 1985  
*Hypoxylon brevisporum* Y. M. Ju & J. D. Rogers Ref. Ju & Rogers, 1999  
*Hypoxylon cinnabarinum* (Henn.) Y. M. Ju & J. D. Rogers Ref. 同前  
*Hypoxylon cohaerens* (Pers.: Fr.) Fr. var. *microsporum* J. D. Rogers & Candoussau Ref. 同前  
*Hypoxylon crocopleum* Berk. & M. A. Curtis Ref. 同前  
*Hypoxylon duranii* J. D. Rogers Ref. 同前  
*Hypoxylon fendleri* Berk. ex Cooke Ref. 同前  
*Hypoxylon fragiforme* (Pers.: Fr.) Kickx. Ref. Chien & Yeh, 1986  
*Hypoxylon fuscum* (Pers.: Fr.) Fr. Ref. Ju & Rogers, 1999  
*Hypoxylon haematostroma* Mont. Ref. 同前  
*Hypoxylon hypomiltum* Mont. Ref. 同前  
*Hypoxylon ilanense* Y. M. Ju & J. D. Rogers Ref. 同前  
*Hypoxylon investiens* (Schwein.) M. A. Curtis Ref. 同前  
*Hypoxylon lenormandii* Berk. & M. A. Curtis Ref. 同前  
*Hypoxylon lienhwacheense* Y. M. Ju & J. D. Rogers Ref. 同前  
*Hypoxylon lividicolor* Y. M. Ju & J. D. Rogers Ref. 同前  
*Hypoxylon monticulosum* Mont. Ref. 同前  
*Hypoxylon moriforme* Henn. var. *microdiscus* Y. M. Ju & J. D. Rogers Ref. 同前  
*Hypoxylon moriforme* Henn. Ref. 同前  
*Hypoxylon musceum* J. D. Rogers Ref. 同前  
*Hypoxylon nitens* (Ces.) Y. M. Ju & J. D. Rogers Ref. 同前  
*Hypoxylon notatum* Berk. & M. A. Curtis Ref. 同前  
*Hypoxylon parksianum* Y. M. Ju & J. D. Rogers Ref. 同前  
*Hypoxylon perforatum* (Schwein.: Fr.) Fr. Ref. 同前  
*Hypoxylon pilgerianum* Henn. Ref. 同前  
*Hypoxylon repela* Van der Gucht & Van der Veken Ref. 同前  
*Hypoxylon rutilum* Tul. & C. Tul. Ref. 同前  
*Hypoxylon stygium* (Lév.) Sacc. Ref. Ju & Tzean, 1985

*Hypoxylon subgilvum* Berk. & Broome Ref. Ju & Rogers, 1999  
*Hypoxylon subgilvum* Berk. & Broome var. *microsporum* (Abe) Y. M. Ju & J. D. Rogers Ref. 同前  
*Hypoxylon trugodes* Berk. & Broome Ref. 同前  
*Hypoxylon urceolatum* (Rehm) Y. M. Ju & J. D. Rogers Ref. 同前  
*Kretzschmaria clavus* (Fr.) Sacc. Ref. Ann & Ko, 1988  
*Kretzschmaria neocaledonica* (Har. & Pat.) J. D. Rogers & Y. M. Ju Ref. Ju & Rogers, 1999  
*Kretzschmaria pavimentosa* (Ces.) P. Martin Ref. 同前  
*Kretzschmaria zonata* (Lév.) P. Martin Ref. 同前  
*Nemania atropurpurea* (Fr.: Fr.) Pouzar Ref. 同前  
*Nemania bipapillata* Berk. & M. A. Curtis Pouzar Ref. 同前  
*Nemania cf. subaenea* Y. M. Ju & J. D. Rogers Ref. Ju & Rogers, 2002  
*Nemania diffusa* (Sowerby) S. F. Gray Ref. Ju & Rogers, 1999  
*Nemania maritima* Y. M. Ju & J. D. Rogers Ref. Ju & Rogers, 2002  
*Nemania memorabilis* (Rehm) Y. M. Ju & J. D. Rogers Ref. Ju & Rogers, 1999  
*Nemania minutula* (Penz. & Sacc.) Y. M. Ju & J. D. Rogers Ref. 同前  
*Paranthostomella decasperni* Sawada Ref. Sawada, 1943  
*Paranthostomella phyllostachydis* Sawada Ref. Sawada, 1944  
*Poronia pileiformis* (Berk.) Fr. Ref. Ju & Rogers, 2001  
*Rhopalostroma luzonense* (C. G. Lloyd) D. Hawksworth Ref. Ju & Rogers, 1999  
*Rosellinia arcuata* Petch Ref. 同前  
*Rosellinia bambusae* Henn. Ref. 同前  
*Rosellinia bunodes* (Berk. & Broome) Sacc. Ref. 同前  
*Rosellinia corticium* (Schwein.: Fr.) Sacc. Ref. 同前  
*Rosellinia evansii* Laessøe & Spooner Ref. Hsieh & Chen, 2000  
*Rosellinia formosana* Y. M. Ju & J. D. Rogers Ref. Ju & Rogers, 1999  
*Rosellinia griseocincta* Starb. Ref. 同前  
*Rosellinia lamprostoma* Syd. & P. Syd. Ref. 同前  
*Rosellinia merrillii* Syd. & P. Syd. Ref. 同前  
*Rosellinia mirabilis* (Berk. & Broome) Y. M. Ju & J. D. Rogers Ref. 同前  
*Rosellinia necatrix* (Hart.) Berl. Ref. List of Agriculture 4 (1): 141, 1965  
*Rosellinia procera* Syd. & P. Syd. Ref. Ju & Rogers, 1999  
*Rosellinia sublimbata* (Durieu & Mont.) Pass. Ref. Ju & Rogers, 1994  
*Seynesia cynanchi* Sawada & W. Yamam. Ref. Sawada, 1959  
*Stilbohypoxylon quisquiliarum* (Mont.) J. D. Rogers & Y. M. Ju Ref. Ju & Rogers, 1999  
*Theissenia cinerea* Y. M. Ju, J. D. Rogers & H.-M. Hsieh Ref. Ju et al., 2003  
*Whalleya micropilata* (Berk. & M. A. Curtis) J. D. Rogers, Y. M. Ju, & San Martín Ref. Ju & Rogers, 1999  
*Xylaria acuminatolongissima* Y. M. Ju & H.-M. Hsieh Ref. Ju & Hsieh, 2007  
*Xylaria allantoidea* (Berk.) Fr. Ref. Ju & Rogers, 1999  
*Xylaria anisopleura* (Mont.) Fr. Ref. Ju & Tzean, 1985  
*Xylaria apiculata* Cooke Ref. 同前  
*Xylaria apoda* (Berk. & Broome) J. D. Rogers & Y. M. Ju Ref. Ju & Rogers, 1999  
*Xylaria arbuscula* (Fr.) Fr. var. *plenofissura* Ju & Tzean Ref. Ju & Tzean, 1985  
*Xylaria arbuscula* (Fr.) Fr. Ref. 同前  
*Xylaria areolata* (Berk. & M. A. Curtis) Y. M. Ju & J. D. Rogers Ref. Ju & Rogers, 1999  
*Xylaria atrodivaricata* Y. M. Ju & H.-M. Hsieh Ref. Ju & Hsieh, 2007  
*Xylaria atosphaerica* (Cooke & Masee) Callan & J. D. Rogers Ref. Ju & Rogers, 1999  
*Xylaria badia* Pat. Ref. 同前  
*Xylaria bambusicola* Y. M. Ju & J. D. Rogers Ref. 同前  
*Xylaria berteri* (Mont.) Cooke Ref. 同前  
*Xylaria brunneovinosa* Y. M. Ju & H.-M. Hsieh Ref. Ju & Hsieh, 2007  
*Xylaria cf. heliscus* (Mont.) J. D. Rogers & Y. M. Ju Ref. Ju & Rogers, 1999  
*Xylaria cirrata* Y. M. Ju & H.-M. Hsieh Ref. Ju & Hsieh, 2007  
*Xylaria consociata* Starb. Ref. Ju & Rogers, 1999  
*Xylaria cranioides* (Sacc. & Paol.) Dennis Ref. Ju & Rogers, 2001  
*Xylaria cubensis* (Mont.) Fr. Ref. Ju & Tzean, 1985  
*Xylaria curta* Fr. Ref. Ju & Rogers, 1999  
*Xylaria escharoidea* (Berk.) Fr. Ref. Ju & Hsieh, 2007  
*Xylaria fissilis* Ces. Ref. Ju & Tzean, 1985  
*Xylaria formosana* Y. M. Ju & Tzean Ref. 同前  
*Xylaria frustulosa* (Berk. & M. A. Curtis) Cooke Ref. Ju & Rogers, 1999  
*Xylaria glebulosa* (Ces.) Y. M. Ju & J. D. Rogers Ref. 同前  
*Xylaria grammica* (Mont.) Fr. Ref. Ju & Tzean, 1985  
*Xylaria griseosepiacea* Y. M. Ju & H.-M. Hsieh Ref. Ju & Hsieh, 2007  
*Xylaria ianthinovelutina* (Mont.) Fr. Ref. Ju & Rogers, 1999  
*Xylaria intracolorata* (J. D. Rogers, Callan, & Samuels) J. D. Rogers & Y. M. Ju Ref. 同前  
*Xylaria intraflava* Y. M. Ju & H.-M. Hsieh Ref. Ju & Hsieh, 2007  
*Xylaria juruensis* Henn. Ref. Ju & Rogers, 1999  
*Xylaria laevis* C. G. Lloyd Ref. 同前  
*Xylaria leprosa* Speg. Ref. Ju & Tzean, 1985  
*Xylaria melanaxis* Ces. Ref. Ju & Rogers, 1999  
*Xylaria moelleroclavus* J. D. Rogers & Y. M. Ju Ref. Rogers, Ju & Hemmes, 1997  
*Xylaria multiples* (Kunze: Fr.) Fr. Ref. Ju & Tzean, 1985

*Xylaria nigripes* (Klotzsch) Cooke Ref. Sawada, 1931  
*Xylaria obovata* (Berk.) Fr. Ref. Ju & Tzean, 1985  
*Xylaria ochraceostroma* Y. M. Ju & H.-M. Hsieh Ref. Ju & Hsieh, 2007  
*Xylaria papillata* Syd. Ref. Ju & Rogers, 1999  
*Xylaria papulis* C. G. Lloyd Ref. 同前  
*Xylaria papyrifera* (Link.: Fr.) Fr. Ref. 同前  
*Xylaria polymorpha* (Pers.: Fr.) Grev. Ref. Sawada, 1931  
*Xylaria schreuderiana* Van der Bijl Ref. Ju & Rogers, 1999  
*Xylaria schwackei* Henn. Ref. 同前  
*Xylaria schweinitzii* Berk. & Curt. Ref. Ju & Tzean, 1985  
*Xylaria scruposa* (Fr.: Fr.) Fr. Ref. Ju & Rogers, 1999  
*Xylaria striata* Pat. Ref. 同前  
*Xylaria telfairii* (Berk.) Fr. Ref. Ju & Tzean, 1985

## Class Dothideomycetes 座囊菌綱

### Order Capnodiales 煤炱目

#### Family Capnodiaceae 煤炱科

*Aithaloderma clavatisporum* H. & P. Syd. Ref. Yamamoto, 1961  
*Capnodium footii* Berk. & Desm. Ref. Sawada, 1919  
*Capnodium walteri* Sacc. Ref. Yamamoto, 1961  
*Capnophaeum citrivolum* (Hara) Sawada Ref. Sawada, 1931  
*Capnophaeum fuliginodes* (Rehm) W. Yamam. Ref. Yamamoto, 1961  
*Capnophaeum ischurochloae* Sawada & W. Yamam. Ref. Sawada, 1959  
*Chaetoscorias vulgare* W. Yamam. Ref. Yamamoto, 1961  
*Fumago vagans* Person Ref. Yamamoto, 1938  
*Hypocapnodium citri* Sawada Ref. Sawada, 1931  
*Hypocapnodium strigosum* Sawada Ref. Sawada, 1931  
*Scorias capitata* Sawada Ref. Sawada, 1919  
*Scorias communis* W. Yamam. Ref. Yamamoto, 1961  
*Scorias cylindrica* W. Yamam. Ref. 同前  
*Tripaspermum myrti* (Lind) S.J. Hughes Ref. Matsushima, 1980  
*Tripaspermum* sp. MFC-7315 Ref. 同前  
*Tripaspermum variabile* T. Matsushima Ref. 同前  
*Tripasporiopsis spinigera* (Hohn.) W. Yamam. Ref. Sawada, 1959

## Class Orbiliomycetes 圓盤菌綱

### Order Orbiliales 圓盤菌目

#### Family Orbiliaceae 圓盤菌科

*Arthrobotrys cladodes* Drechsler *macroides* Drechsler Ref. Matsushima, 1980  
*Arthrobotrys conoides* Drechsler Ref. Tzean et al., 1997  
*Arthrobotrys dactyloides* Drechsler. Ref. 同前  
*Arthrobotrys musiformis* Drechsler. Ref. 同前  
*Arthrobotrys oligospora* Fresenius. Ref. 同前  
*Dactylaria ampulliformis* (Tubaki) Bahatt & Kendrick Ref. Matsushima, 1980  
*Dactylaria attenuata* Matsushima Ref. Matsushima, 1987  
*Dactylaria biseptata* Matsushima Ref. Chen, 1994  
*Dactylaria brochopaga* Drechsler. Ref. Tzean et al., 1997  
*Dactylaria candidula* (Hoehnel) Bhatt & Kendrick Ref. Chen, 1994  
*Dactylaria cannae* Sawada Ref. Sawada, 1959  
*Dactylaria costi* Sawada Ref. Sawada, 1917  
*Dactylaria curcuma* Sawada Ref. Sawada, 1959  
*Dactylaria cymbiformia* Matsushima Ref. Matsushima, 1980  
*Dactylaria fragilis* de Hoog Ref. Chen, 1994  
*Dactylaria fusiformis* Shearer & Crane Ref. Chen, 1994  
*Dactylaria haptospora* Drechsler. Ref. Tzean et al., 1997  
*Dactylaria haptotyla* Drechsler. Ref. 同前  
*Dactylaria humicola* Bhatt & Kendrick *sensu* Knauss & Alfieri Ref. Chen, 1994  
*Dactylaria inaequilatera* Matsushima Ref. Matsushima, 1983  
*Dactylaria intermedia* Matsushima Ref. Matsushima, 1980  
*Dactylaria irregularis* de Hoog Ref. Chen, 1994  
*Dactylaria lunata* Tzean & J. L. Chen Ref. Tzean & Chen, 1991  
*Dactylaria madrasensis* Matsushima Ref. Chen, 1994  
*Dactylaria obtriangularia* Matsushima *emend.* Matsushima Ref. Matsushima, 1980  
*Dactylaria obtriangularia* Matsushima, 1975 Ref. 同前  
*Dactylaria panici-repentis* Sawada Ref. Sawada, 1928  
*Dactylaria purpurella* (Sacc.) Sacc. Ref. Chen, 1994  
*Dactylaria pyricularioides* Matsushima Ref. Matsushima, 1980  
*Dactylaria sporexamorpha* S. L. Glockling Ref. Glockling, 1992  
*Dactylaria uniseptata* Matsushima Ref. Chen, 1994  
*Dactylella ellipsospora* Grove Ref. Matsushima, 1980

*Dactylella formosana* J. Y. Liou, G. Y. Liou & Tzean. Ref. Liou et al., 1995  
*Dactylella formosensis* Sawada Ref. Sawada, 1959  
*Dactylella heterospora* Drechsler Ref. Matsushima, 1987  
*Dactylella huisuniana* J. L. Chen, T. L. Huang & Tzean Ref. Chen, 1998  
*Dactylella lysipaga* Drechsler Ref. Matsushima, 1980  
*Dactylella papayae* Sawada Ref. Sawada, 1959  
*Dactylella rhombospora* Grove Ref. Matsushima, 1980  
*Dactylella rhopalota* Drechsler Ref. 同前  
*Dicranidion fragile* Harkness Ref. Chen, 1994  
*Dicranidion gracile* Matsushima Ref. Chen, 1994  
*Dicranidion gracilis* Matsushima Ref. Matsushima, 1980  
*Dicranidion palmicolum* Matsushima Ref. Matsushima, 1981  
*Hyalorbilia arcuata* H.O. Baral, M. L. Wu & Y. C. Su. Ref. Wu et al., 2007  
*Hyalorbilia biguttulata* H.O. Baral, M. L. Wu & Y. C. Su. Ref. 同前  
*Orbilbia auricolor* (Bloxam ex Berk. & Broome) Sacc. Ref. Wu, 1998  
*Orbilbia delicatula* (P. Karst.) P. Karst. Ref. Wu, 1998  
*Orbilbia inflatula* (P. Karst.) P. Karst. Ref. Wu, 1998  
*Orbilbia juruensis* Hennings Ref. Wang, 2002

## Class Saccharomycetes 半子囊菌綱

### Order Saccharomycetales 酵母目

#### [Not assigned to a family]

*Candida albicans* (Robin) Berkhout Ref. Jen et al., 1963  
*Candida famata* (Harrison) Meyer & Yarrow Ref. Liu et al., 1997  
*Candida glabrata* (Anderson) Meyer & Yarrow Ref. Hung, 1996  
*Candida guilliermondii* (Castellani) Langeron & Guerra Ref. Pan, 1964  
*Candida humicola* (Daszewska) Diddens & Lodder Ref. Ko, 1990  
*Candida inconspicua* (Lodder & Kreger-van Rij) Meyer & Yarrow Ref. Huang, 1995  
*Candida kefyr* (Beijerinck) van Uden & Buckley Ref. Ko, 1990  
*Candida krusei* (Castellani) Berkhout Ref. Jen et al., 1967  
*Candida lipolytica* (Harrison) Diddens & Lodder Ref. Ko, 1990  
*Candida lusitanae* Van Uden & do Carmo-Sousa Ref. Ko, 1990  
*Candida magnoliae* (Lodder & Kreger-van Rij) Meyer & Yarrow Ref. Huang, 1995  
*Candida maris* (van Uden & Zobell) Meyer & Yarrow Ref. Ko, 1990  
*Candida parakrusei* (Castellani) Langeron & Guerra Ref. Jen et al., 1967  
*Candida parasilosis* (Ashford) Langeron & Talice Ref. 同前  
*Candida peniculosa* Ref. Hung, 1996  
*Candida rugosa* (Anderson) Diddens & Looder Ref. Ko, 1990  
*Candida sake* (Saito & Ota) van Uden & Buckley Ref. Liu et al., 1997  
*Candida* sp. Ref. Watanabe, 1994  
*Candida taiwanensis* Lee, F.-L., W.-H. Hsu & J. J. Hua Ref. Lee et al., 1989  
*Candida tropicalis* (Castellani) Berkhout Ref. Jen et al., 1967  
*Candida zeylanoides* (Castellani) Langeron & Guerra Ref. Hung, 1996

#### Family Eremotheciaceae

*Nematospora coryli* Peglion Ref. Lo, 1952

#### Family Saccharomycetaceae 酵母科

*Debaryomyces hansenii* var. *hansenii* (Zopf) Lodder & Kreger, 1952 Ref. Index Fungorum  
*Debaryomyces hansenii* var. *fabryi* (Ota) Nakase & M. Suzuki Ref. 同前  
*Debaryomyces nepalensis* S. Goto & Sugiyama Ref. 同前  
*Endomycopsis burtonii* (Boidin, Pignal, Lehodey, Vey & Abadie) Arx & Van der Walt 1976 Ref. 同前  
*Geotrichum sericeum* (Stautz) de Hoog, M.T. Sm. & E. Guého 1986 Ref. 同前  
*Hansenula californica* (Lodder) Wickerham Ref. 同前  
*Kloeckera magna* (de Rossi) Janke Ref. 同前  
*Pichia anomala* (E.C. Hansen) Kurtzman, 1984 Ref. Tien & Wang, 2002  
*Pichia burtonii* Boidin et al. Ref. Index Fungorum  
*Pichia guilliermondii* Wickerham, 1966 Ref. Tien & Wang, 2002  
*Pichia hansen* Hansson, H.G. (Comp.) (1998) Ref. Index Fungorum  
*Pichia kluyveri* Bedford ex Kudryavtsev Ref. Tien & Wang, 2002  
*Pichia membranifaciens* (E.C. Hansen) E.C. Hansen, 1904 Ref. Index Fungorum  
*Pichia ohmeri* (Etchells & T.A. Bell) Kreger-van Rij, 1964 Ref. Tien & Wang, 2002  
*Rhodotorula aurantiaca* (Saito) Lodder, 1934 Ref. Chang & Wang  
*Rhodotorula glutinis* (Fresen.) F.C. Harrison, 1928 Ref. Ko, 1990  
*Rhodotorula graminis* Di Menna, 1958 Ref. Chang & Wang  
*Rhodotorula marina* Phaff, Mraak & O.B. Williams (1952) Ref. Chang & Wang  
*Rhodotorula minuta* (Saito) F.C. Harrison, 1928 Ref. Index Fungorum  
*Rhodotorula mucilaginoso* (A. Jörg.) F.C. Harrison, 1928 Ref. Chang & Wang  
*Rhodotorula rubra* (Demme) Lodder, 1934 Ref. Index Fungorum  
*Rhodotorula slooffiae* E.K. Novák & Vörös-Felkai, 1962 Ref. Chang & Wang  
*Saccharomyces bailii* Lindner, (1895) Ref. Index Fungorum  
*Saccharomyces cerevisiae* Meyen ex E.C. Hansen, 1883 釀酒酵母 Ref. 同前

*Saccharomyces chevalie* Guillerm., 1914 Ref. 同前  
*Saccharomyces crataegensis* Ref. 同前  
*Saccharomyces diastaticus* J. Andrews & R.B. Gilliland ex Van der Walt, 1965 Ref. 同前  
*Saccharomyces italicus* T. Castelli, 1939 Ref. 同前  
*Saccharomyces veronae* Lodder & Kreger-van Rij Ref. 同前  
*Williopsis saturnus* (Klöcker) Zender, 1925 Ref. 同前  
*Zygosaccharomyces bailii* (Lindner) Guillerm., 1912 Ref. Huang et al., 1995  
*Zygosaccharomyces bisporus* H.W. Anderson, 1917 Ref. Index Fungorum  
*Zygosaccharomyces fermentati* (Saito) Krumbholz H. Nagan., 1928 Ref. 同前  
*Zygosaccharomyces rouxii* (Boutroux) Yarrow, 1977 Ref. 同前  
*Zygowillipsia californica* (Lodder) Kudryavtsev, 1960 Ref. 同前

#### Family Saccharomycopsidaceae

*Arthroascus fermentans* Lee, Lee, Hsu & Phaff Ref. Lee et al., 1994  
*Cryptococcus albidus* (Saito) Skinner Ref. Jen et al., 1995  
*Cryptococcus magnus* (Lodder & Kreger-van Rij) Baptist & Kurtzman (1977) Ref. Index Fungorum  
*Cryptococcus neoformans* (Sanfelice) Vuillemin *sinensis* T. M. Jen Ref. Jen et al., 1965  
*Cryptococcus neoformans* (Sanfelice) Vuillemin, 1901 Ref. Jen et al., 1962

### Class Schizosaccharomycetes 裂殖酵母綱

#### Order Schizosaccharomycetales 裂殖酵母目

##### Family Schizosaccharomycetaceae 裂殖酵母科

*Saccharomycopsis crataegensis* Kurtzman & Wick., 1973 Ref. Index Fungorum  
*Saccharomycopsis fibuligera* (Lindner) Klöcker Ref. 同前  
*Schizosaccharomyces fimosensis* Nakaz. var. *akoensis* Nakaz. Ref. Nakazawa, 1914  
*Schizosaccharomyces fimosensis* Nakaz. var. *tapaniensis* Nakaz. Ref. 同前  
*Schizosaccharomyces fimosensis* Nakaz. Ref. 同前  
*Schizosaccharomyces hokkoensis* Nakaz. Ref. 同前  
*Schizosaccharomyces pinan* Nakaz. Ref. Nakazawa, 1918  
*Schizosaccharomyces pombe* Lindner, 1893 粟酒裂殖酵母 Ref. Index Fungorum  
*Schizosaccharomyces taito* Nakaz. Ref. Nakazawa, 1918

### Class Taphrinomycetes 外囊菌綱

#### Order Taphrinales 外囊菌目

##### Family Protomycetaceae 原囊菌科

*Protomyces bidentis* Sawada Ref. Sawada, 1922  
*Protomyces inouyei* Henn. Ref. Sawada, 1928  
*Protomyces ixeridis-oldhami* Sawada Ref. Sawada, 1943  
*Protomyces lactucae* Sawada Ref. Sawada, 1928  
*Protomyces lactucae-debilis* Sawada Ref. Sawada, 1928  
*Protomyces pahchydermus* Thüm. Ref. Sawada, 1942  
*Protomyces siegesbeckiae* Sawada Ref. Sawada, 1922

##### Family Taphrinaceae 外囊菌科

*Taphrina deformans* (Berk.) Tul. Ref. Wang, 1963  
*Taphrina mume* Nichida Ref. Sun, 1969  
*Taphrina pruni* Tul. Ref. Sun, 1969

## Phylum Basidiomycota 擔子菌門

### Class Basidiomycetes 擔子菌綱

#### [Not assigned to a order]

#### [Not assigned to a family]

*Sporotrichum aureum* Link ex S. F. Gray Ref. Watanabe, 1994

#### Order Agaricales 傘菌目

##### Family Agaricaceae 傘菌科

*Agaricus abruptibulbus* Perk. Ref. Chen, 1994  
*Agaricus arvensis* Scharff. & Fr. Ref. Hou & Wu, 1971  
*Agaricus bresadolianus* Bohus Ref. 張東柱等。2001  
*Agaricus campestris* (L.) Fr. Ref. Hou & Wu, 1971  
*Agaricus praeclaresquamosus* Freeman Ref. 張東柱等。2000  
*Agaricus purpurellus* (Moller) Moller Ref. Wu et al., 1996  
*Agaricus* sp. Ref. Peng et al., 1993  
*Agaricus subrutilescens* (Kauffm.) Hotson & Stuntz Ref. 陳昇明等。2001  
*Chlorophyllum molybdites* (Fr.:Fr.) Mass. Ref. Yeh & Chen, 1991  
*Lepiota acutesquamosa* (Weinm.) Ref. Sawada, 1942  
*Lepiota alba* (Br.) Sacc. Ref. Sawada, 1959  
*Lepiota alborubescens* Hongo Ref. Hou & Wu, 1971  
*Lepiota cepaestipes* (Fr.: Fr.) Kummer Ref. Liou, 1985

*Lepiota cinnamomea* Hongo Ref. Chen, 1994  
*Lepiota cristata* (Fr.) Quel. Ref. Hou & Wu, 1971  
*Lepiota cygnea* Large Ref. 同前  
*Lepiota fusciceps* Hongo Ref. 張東柱等。2001  
*Lepiota gracilentata* Kromb. ex Fr. Ref. Sawada, 1959  
*Lepiota helveola* Bres. Ref. Yeh & Chen, 1991  
*Lepiota lutea* (Bolt.) Quel. Ref. Sawada, 1944  
*Lepiota naucina* Fr. Ref. Tu et al., 1981  
*Lepiota praetervisata* Hongo Ref. 陳昇明等。2001  
*Lepiota rhachodes* (Vitt.) Quel. Ref. Liou, 1985  
*Lepiota* sp. Ref. Sawada, 1919  
*Lepiota vittadini* (Mor.) Fr. Ref. Sawada, 1942  
*Leucoagaricus bresadolae* (Schulzer) Bon Ref. 張東柱等。2001  
*Leucoagaricus rubrotinctus* (Perk) Sing. Ref. Chen, 1994  
*Leucocoprinus bresadolae* (Schulz.) S. Wasser Ref. Chen, 1994  
*Leucocoprinus brinbaumi* (Corda) Sing. Ref. Chen, 1994  
*Leucocoprinus fragilissimus* (Rav.) Pat. Ref. Chen, 1994  
*Leucocoprinus luteus* (Secr.) Locquin. Ref. Hou & Wu, 1971  
*Leucocoprinus otsuensis* Hongo Ref. Liou, 1980  
*Macrolepiota procera* (Fr.) Sing. Ref. Hou & Wu, 1971  
*Psalliota silvicola* (Vitt.) Fr. Ref. Sawada, 1942

### Family Bolbitiaceae 糞傘科

*Agrocybe arvalis* (Fr.) Fayod Ref. Chien, 1986  
*Agrocybe cylindracea* (DC.:Fr.) Maire Ref. Wu et al., 1996  
*Agrocybe paludosa* (Lange) Kühn. Ref. Tu et al., 1977  
*Agrocybe pediales* (Fr.:Fr.) Fayod Ref. 同前  
*Agrocybe praecox* (Pers.:Fr.) Fayod Ref. Wu et al., 1996  
*Alnicola lactariolens* Clemencón & Hognó Ref. 張東柱等。2001  
*Anellaria ochroleuca* Sawada Ref. Sawada, 1931  
*Anellaria planiuscula* Sawada Ref. Sawada, 1931  
*Anellaria sepuchralis* (Berk.) Sing. Ref. Yeh & Chen, 1991  
*Bolbitius variicolor* Atkinson Ref. 張東柱等。2001  
*Bolbitius vitellinus* (Pers.:Fr.) Fr. Ref. 張東柱等。2001  
*Conocybe fragilis* (Peck) Sing. Ref. 張東柱等。2001  
*Conocybe lactea* (Lange) Metrod Ref. Chien, 1986  
*Conocybe tenera* (Schaeff. ex Fr.) Fayod Ref. Tu et al., 1977  
*Copelandia cyanescens* (Berk. & Br.) Sing. Ref. Yeh & Chen, 1991  
*Hebeloma crustuliniforme* (Bull. ex Fr.) Quel. Ref. Liou, 1980  
*Hebeloma sacchariolens* Quèl. Ref. 張東柱等。2001  
*Hebeloma spoliatum* (Fr.) Karst. Ref. 張東柱等。2001  
*Naucoria foveolata* Sawada Ref. Sawada, 1959  
*Panaeolus acuminatus* Schaeff.:Fr. Ref. Liou, 1985  
*Panaeolus caliginosus* Jungh. Ref. 張東柱等。2001  
*Panaeolus castanefolius* (Murr.) Olan Ref. Yeh & Chen, 1991  
*Panaeolus fimicola* Fr. Ref. Sawada, 1933  
*Panaeolus papilionaceus* (Bull.:Fr.) Quèl. Ref. 張東柱等。2001  
*Panaeolus solidipes* Peck. Ref. Sawada, 1931  
*Panaeolus* sp. Ref. Sawada, 1928  
*Panaeolus sphinctrinus* (Fr.) Quel. Ref. Yeh & Chen, 1991  
*Panaeolus subbalteatus* (Berk. & Br.) Sacc. Ref. 張東柱等。2001

### Family Clavariaceae 珊瑚菌科

*Clavaria purpurea* Muell. ex Fr. Ref. Sawada, 1959  
*Clavulinopsis fusiformis* (Sow.:Fr.) Corner Ref. 張東柱等。2001  
*Clavulinopsis laeticolor* (Berk. & Curt.) Petersen Ref. 陳昇明等。2001  
*Clavulinopsis miyabeana* (S. Ito) S. Ito Ref. 張東柱等。2001  
*Multiclavula clara* (Berk. & Curt.) Petersen Ref. Chou, 2000  
*Multiclavula vernalis* (Schw.) Petersen 原生擬珊瑚菌 Ref. Lai, 2000

### Family Coprinaceae 鬼傘科

*Coprinus atramentarius* Fr. Ref. Sawada, 1959  
*Coprinus cinereus* (Schaeff.:Fr.) S.F. Gray Ref. 張東柱等。2001  
*Coprinus comatus* (Müller:Fr.) Pers. Ref. 張東柱等。2001  
*Coprinus cortinatus* Lange Ref. Tu et al., 1981  
*Coprinus disseminatus* (Pers.) Fr. Ref. Liou & Liu, 1978  
*Coprinus lagopus* (Fr.) Fr. Ref. Tu et al., 1981  
*Coprinus macrorrhizus* (Fr.) Rea. Ref. Hou & Wu, 1971  
*Coprinus micaceus* (Bull.:Fr.) Fr. Ref. 陳昇明等。2000  
*Coprinus neolagopus* Hong & Sagara Ref. 陳昇明等。1999  
*Coprinus patouillardii* Quèl. Ref. 陳昇明等。1999  
*Coprinus plicatilis* (Fr.) Fr. Ref. Chien, 1986  
*Coprinus radians* (Desm.:Fr.) Fr. Ref. 張東柱等。2001

*Coprinus* sp. Ref. Sawada, 1928  
*Coprinus stercorarius* Bull. ex Fr. Ref. Sawada, 1959  
*Coprinus sterquilinus* Fr. Ref. Sawada, 1931  
*Psathyrella candoleana* (Fr.) A. H. Smith Ref. Chien, 1986  
*Psathyrella gracilis* (Fr.) Quel. Ref. Hou & Wu, 1971  
*Psathyrella hydrophila* (Fr.) A. H. Smith Ref. Chien, 1986  
*Psathyrella obtusata* (Fr.) A. H. Smith Ref. Lo, 1998  
*Psathyrella piluliformis* (Bull.:Fr.) P.D. Orton Ref. 張東柱等。2001  
*Psathyrella spadicea* (Schaeff.:Fr.) Singer. Ref. Liou, 1985  
*Psathyrella velutina* (Pers.) Sing. Ref. Chen, 1994  
*Pseudocoprinus disseminatus* (Pers. ex Fr.) Kühner Ref. Chien, 1986

#### Family Cortinariaceae 絲膜菌科

*Cortinarius armillatus* (Fr.) Fr. Ref. Liou, 1980  
*Cortinarius cinnamomeus* (L. ex Fr.) Fr. Ref. Liou, 1978  
*Cortinarius collinitus* (Sow.:Fr.) Fr. Ref. Wu et al., 1996  
*Cortinarius elatior* Fr. Ref. Sawada, 1959  
*Cortinarius haasii* (Moser) Moser Ref. Wu et al., 1996  
*Cortinarius multiformis* Fr. Ref. Sawada, 1959  
*Cortinarius salor* Fr. Ref. 張東柱等。2001  
*Cortinarius semisanguineus* (Fr.) Gill. Ref. Lo, 1998  
*Cortinarius sodagnitus* Hry. Ref. Lo, 1998  
*Cortinarius traganus* Fr. Ref. Liou, 1978  
*Cortinarius violaceus* (L.:Fr.) Fr. Ref. Lo, 1998  
*Crepidotus badiofloccosus* Imai Ref. Chen, 1994  
*Crepidotus flulvotomentosus* (Berk.) Sacc. Ref. 陳昇明等。2001  
*Crepidotus mollis* (Schaeff.:Fr.) Gray Ref. 張東柱等。2000  
*Crepidotus subpurpureus* S. Ito. & Imai Ref. Peng et al., 1993  
*Crepidotus variabilis* (Pers.:Fr.) Quel. Ref. Lo, 1998  
*Dermocybe cinnabarina* (Fr.) Wunsche Ref. 張東柱等。2000  
*Descolea flavoannulata* (L. Vassilieva) Horak Ref. Wu et al., 1996  
*Galera apala* Fr. Ref. Sawada, 1959  
*Galera campanulata* Mass. Ref. Sawada, 1959  
*Galera latericia* Fr. Ref. Sawada, 1959  
*Galerina heterocystis* (Atk.) Sm. & Sing. Ref. Tu et al., 1977  
*Galerina hynorum* (Fr.) Kühner Ref. Liou, 1980  
*Galerina unicolor* (Fr.) Sing Ref. Lo, 1998  
*Galerina vittaeformis* (Fr.) Sing Ref. Chen, 1994  
*Gymnopilus aeruginosus* (Peck.) Sing Ref. Chen, 1975  
*Gymnopilus liquiritiae* (Pers.:Fr.) Karst. Ref. 張東柱等。2001  
*Gymnopilus spectabilis* (Fr.) Sing Ref. Chien, 1986  
*Inocybe calamistrata* (Fr.:Fr.) Gull. Ref. Chen, 1994  
*Inocybe carpta* (Scop. ex Fr.) Sacc. Ref. Sawada, 1959  
*Inocybe cincinnata* (Fr.:Fr.) Quèl. Ref. 張東柱等。2001  
*Inocybe geophylla* (Sow. ex Fr.) Quel. Ref. Liou, 1980  
*Inocybe nodulospora* Kobayasi Ref. 張東柱等。2000  
*Inocybe putilla* Bresad. Ref. Sawada, 1959  
*Rozites caperata* (Pers.:Fr.) Karst. Ref. Wu et al., 1996

#### Family Entolomataceae 粉褶傘科

*Clitopilus hobsonii* (Berk. & Br.) P.D.Ort. Ref. 張東柱等。2001  
*Clitopilus prunulus* (Scop.:Fr.) Kummer Ref. 張東柱等。2001  
*Entoloma aprile* (Britz.) Sacc. Ref. Lo, 1998  
*Entoloma byssisedum* (Pers.:Fr.) Donk Ref. Lo, 1998  
*Entoloma carneogriseum* (Berk. & Br.) Noordel. Ref. 張東柱等。2001  
*Entoloma clypeatum* (L.) Quèl. Ref. 張東柱等。2000  
*Entoloma conferendum* (Britz.) Noordel. Ref. 張東柱等。2001  
*Entoloma juncinum* (Kuhn. & Romagn.) Noordel. Ref. Lo, 1998  
*Entoloma murrainii* (Berk. & Curt.) Sacc. Ref. Wu et al., 1996  
*Entoloma nitidus* Quèl. Ref. 張東柱等。2000  
*Entoloma prunuloides* Fr. Ref. Sawada, 1942  
*Entoloma quadratum* (Berk. & Curt.) Sacc. Ref. 張東柱等。2000  
*Entoloma sericellum* (Fr.:Fr.) Kumm. Ref. 張東柱等。2001  
*Entoloma sinuatum* Fr. Ref. Sawada, 1959  
*Rhodophyllus aeruginosus* (Hiroe) Hongo Ref. Yeh & Chen, 1991  
*Rhodophyllus cyanoniger* Ref. Lo, 1998  
*Rhodophyllus hirtipes* (Schum. & Fr.) Quel. Ref. Liou, 1980  
*Rhodophyllus lampropus* (Fr.) Quel. Ref. Peng et al., 1991  
*Rhodophyllus lazulinus* (Fr.) Quel. Ref. Peng et al., 1993  
*Rhodophyllus sericellus* (Bull.: Fr.) Quel. Ref. Peng et al., 1991  
*Rhodophyllus sphagnorum* Romagon. Ref. Chen, 1994

#### Family Fistulinaceae 牛排菌科

*Fistulina hepatica* Schaeff.: Fr. Ref. Peng et al., 1991

### Family Hydnangiaceae

- Laccaria amethystea* (Bull.) Murr. Ref. 陳昇明等。2001  
*Laccaria laccata* (Scop.:Fr.) Berk. & Br. Ref. 張東柱等。2001  
*Laccaria ohiensis* (Mont.) Sing. Ref. Chen, 1994  
*Laccaria vinaceoavellanea* Hongo Ref. Chen, 1994

### Family Lycoperdaceae 馬勃科

- Bovista plumbea* Pers. Ref. 張東柱等。2001  
*Calvatia craniformis* (Schw.) Fr. Ref. Sawada, 1959  
*Calvatia cyathiformis* (Bosc.) Morg. Ref. Sawada, 1943  
*Calvatia lilacina* (Mont. & Berk.) Lloyd Ref. Wu et al., 1996  
*Lycoperdon gemmatum* Batsch. Ref. Sawada, 1942  
*Lycoperdon hiemale* Bull.:Persl em. Vitt. Ref. 張東柱等。2001  
*Lycoperdon lividum* Pers. Ref. 張東柱等。2001  
*Lycoperdon muscorum* Morgan. Ref. Sawada, 1933  
*Lycoperdon pedicellatum* Peck. Ref. Peng et al., 1993  
*Lycoperdon perlatum* Pers. Ref. Hou & Wu, 1971  
*Lycoperdon polymorphum* Vitt. Ref. Sawada, 1959  
*Lycoperdon pusillum* (Batch) Pers. Ref. Sawada, 1959  
*Lycoperdon pyriforme* Schaeff.: Pers. Ref. Peng et al., 1991

### Family Marasmiaceae 小皮傘科

- Armillariella mellea* (Vahl: Fr.) Karst. Ref. Peng et al., 1993  
*Armillariella* sp. Ref. 同前  
*Baeospora myosura* (Fr.) Sing Ref. Liou & Liu, 1978  
*Brunneocorticium pyriforme* Sheng H. Wu, 2007 梨形棕殼菌 Ref. Wu & Wang, 2007  
*Campanella unghuhni* (Mont.) Sing. Ref. Lo, 1998  
*Cyptotrama asprata* (Berk.) Redhead & Ginns Ref. Chen, 1994  
*Favolaschia nipponica* Kobayasi Ref. Chang, 1993  
*Favolaschia pustulosa* (Jungh.) Sing. Ref. 張東柱等。2000  
*Flammulina velutipes* (Fr.) Sing. Ref. Hou & Wu, 1971  
*Lentinula edodes* (Beck.) Sing. Ref. Peng et al., 1993  
*Macrocystidia cucumis* (Pers.:Fr.) Joss. Ref. 張東柱等。2001  
*Marasmiellus albuscorticis* (Secr.) Singer Ref. Chien, 1986  
*Marasmiellus candidus* (Bolt.) Sing. Ref. 陳昇明等。2000  
*Marasmiellus chamaecyparidis* Hongo Ref. Lo, 1998  
*Marasmiellus dendroegrus* Sing. Ref. 張東柱等。2001  
*Marasmiellus fibula* (Bull.: Fr.) Singer Ref. Liou, 1980  
*Marasmiellus foetidum* Singer Ref. Chien, 1986  
*Marasmiellus nigripes* (Schwein.) Sing. Ref. Hou & Wu, 1971  
*Marasmiellus ramealis* (Bull.: Fr.) Singer Ref. Liou, 1985  
*Marasmius aurantioferrugineus* Hongo Ref. Chou & Wang, 2004  
*Marasmius capillipes* Sacc. Ref. 張東柱等。2000  
*Marasmius cohaerens* (Alb. & Schw.:Fr.) Cooke & Quèl. Ref. 陳昇明等。2000  
*Marasmius epiphyllus* (Pers: Fr.) Fr. Ref. Chou & Wang, 2004  
*Marasmius equicrinis* Muell. Ref. Sawada, 1959  
*Marasmius erythropus* Pers. ex Fr. Ref. Sawada, 1959  
*Marasmius maximus* Hongo Ref. Peng et al., 1991  
*Marasmius oreades* Fr. Ref. Tu et al., 1981  
*Marasmius pilcatus* Hakker Ref. Sawada, 1919  
*Marasmius pulcherripes* Peck Ref. Lo, 1998  
*Marasmius rhyssophylus* Mont. Ref. 陳昇明等。2001  
*Marasmius sacchari* Wakk. Ref. Sawada, 1942  
*Marasmius scorodoni* Fr. Ref. Liou & Liu, 1978  
*Marasmius semiustus* B. & C. Ref. Sawada, 1923  
*Marasmius siccus* (Schw.) Fr. Ref. Tu et al., 1977  
*Micromphale foetidum* (Sow.: Fr.) Fr. Ref. 張東柱等。2001  
*Oudemansiella cf. Canarii*(Jungh.) Hohnel Ref. Peng et al., 1991  
*Oudemansiella cf. Canarii* (Jungh.) Hohnel Ref. 同前  
*Oudemansiella mucida* (Schrader ex Fr.) V. Hoehn. Ref. Liou, 1980  
*Oudemansiella pudens* (Pers.) Pegler Ref. 張東柱等。2001  
*Oudemansiella radicata* (Relhan: Fr.) Sing. Ref. Chen, 1975  
*Oudemansiella* sp. Ref. Peng et al., 1993  
*Strobilurus stephanocystis* (Hora) Sing. Ref. Chen, 1994

### Family Nidulariaceae 鳥巢菌科

- Crucibulum leave* (Huds. Ex Relh) Kambly Ref. Wu et al., 1996  
*Cyathus linubatus* Tul. Ref. Lee & Chien, 1984  
*Cyathus montagnei* Tul. Ref. Sawada, 1931  
*Cyathus olla* (Brodie) ex. pers. Ref. Lee & Chien, 1987  
*Cyathus pictus* Brodie Ref. 同前  
*Cyathus poeppigii* Tul. Ref. Sawada, 1942

*Cyathus stercoreus* De Toni Ref. Lee & Chien, 1984  
*Cyathus striatus* Willd.:Pers. Ref. Chen, 1994  
*Nidula niveo-tomentosa* (Henn.) Lloyd. Ref. Lee & Chien, 1987

### Family Pleurotaceae 側耳科

*Hohenbuehelia hobsoni* (Berk.) Bi Ref. 張東柱等。2000  
*Hohenbuehelia reniformis* (G. Meyer:Fr.) Sing. Ref. 張東柱等。2001  
*Pleurotus cornucopiae* (Paul. ex Pers.) Rolland Ref. Chen, 1975  
*Pleurotus cystidiosus* O.K. Miller Ref. 張東柱等。2001  
*Pleurotus limpidus* Fr. Ref. Sawada, 1959  
*Pleurotus ostreatus* (Jacq. ex Fr.) Kummer Ref. Tu et al., 1977  
*Pleurotus pulmonarius* (Fr.) Quel. Ref. 陳昇明等。2000  
*Pleurotus salmoneostramineus* L. Vass. Ref. Chen, 1994

### Family Pluteaceae 光柄菇科

*Amanita abrupta* Peck Ref. Lo, 1998  
*Amanita avellaneosquamosa* (Imai) Imai Ref. 陳建名等。2002  
*Amanita caesarea* (Scop. Ex Fr.) Pers. Ref. Chien, 1986  
*Amanita castanopsidis* Hongo Ref. 張東柱等。2001  
*Amanita ceciliae* (Berk. & Br.) Bas Ref. Peng et al., 1991  
*Amanita cf. rubrovolvata* Imai Ref. 同前  
*Amanita citrina* (Schaeff.) S. F. Gray Ref. Liou et al., 1978  
*Amanita cokeri* (Gilb. & Kühn.) Gilb f. *roseotincta* Nagasawa & Hongo Ref. 陳昇明等。2001  
*Amanita cokeri* (Gilb. & Kühn.) Gilb f. *eotincta* Nagasawa & Hongo Ref. 陳昇明等。2001  
*Amanita echinocephala* (Vitt.) Quet Ref. Chien, 1986  
*Amanita esculenta* Hong & Matsuda Ref. 張東柱等。2000  
*Amanita fuliginea* Hongo Ref. 張東柱等。2000  
*Amanita griseofarinosa* Hongo Ref. 陳建名等。2002  
*Amanita hemibapha* (Berk. & Br.) Sacc. Ref. Peng et al., 1991  
*Amanita hemibapha* subsp. *hemibapha* (Berk. & Br.) Sacc. Ref. Chen, 1994  
*Amanita hemibapha* (Berk. & Br.) Sacc. subsp. *similis* (Boed.) Corner & Bas. Ref. Chen, 1994  
*Amanita neoovoidea* Hongo Ref. 張東柱等。2001  
*Amanita ovalispora* Boedijn. Ref. 陳建名等。2002  
*Amanita pantherina* (Fr.) Quel. Ref. Tu et al., 1977  
*Amanita porphyria* (A. & S. ex Fr.) Secr. Ref. Chang, 1993  
*Amanita pseudoporphyria* Hongo Ref. Lo, 1998  
*Amanita rubescens* (Pers. ex Fr.) S. F. Gray Ref. Liou, 1980  
*Amanita rubrovolvata* Imai Ref. 張東柱等。2001  
*Amanita rufoferruginea* Hongo Ref. Chen, 1994  
*Amanita spissacea* Imai Ref. Liou, 1980  
*Amanita sprete* (Peck) Sacc. Ref. 張東柱等。2000  
*Amanita sychnopyramis* Corner & Bas f. *subannulata* Hongo Ref. 陳昇明等。2001  
*Amanita sychnopyramis* Corner & Bas f. *annulata* Hongo Ref. 陳昇明等。2001  
*Amanita verrucosa* Sawada Ref. Sawada, 1959  
*Amanita virgineoides* Bas. Ref. 張東柱等。2000  
*Amanita virosa* Lamb. ex Secr. Ref. Chien, 1986  
*Limacella glioderma* (Fr.) Maire. Ref. 張東柱等。2001  
*Limacella illinita* (Fr.:Fr.) Murr. Ref. 張東柱等。2001  
*Pluteus atricapillus* (Batsch) Fayod Ref. Chen, 1994  
*Pluteus exiguus* (Pat.) Sacc. Ref. Wu et al., 1996  
*Pluteus leoninus* (Schaeff.:Fr.) Kummer Ref. Chen, 1994  
*Pluteus petasatus* (Fr.) Gillet Ref. Chen, 1994  
*Pluteus umbrosus* (Pers.:Fr.) Kummer Ref. 陳昇明等。2001  
*Volvaria* sp. Ref. Sawada, 1923  
*Volvariella pusilla* (Pers.:Fr.) Sing. Ref. 張東柱等。2001  
*Volvariella speciosa* (Fr.) Sing. Ref. Chien, 1986  
*Volvariella subtaylori* Hongo Ref. Chien, 1986  
*Volvariella volvacea* (Bull.ex Fr) Sing. Ref. Hou & Wu, 1971

### Family Schizophyllaceae 裂褶菌科

*Schizophyllum commune* Fr. Ref. Sawada, 1931

### Family Strophariaceae 球蓋傘科

*Kuehneromyces mutabilis* (Schaeff.:Fr.) Sing. Ref. 張東柱等。2000  
*Naematoloma dispersum* Karst. Ref. 陳昇明等。2000  
*Pholiota adiposa* (Fr.) Quel. Ref. Liou, 1980  
*Pholiota aegerita* Fr. Ref. Sawada, 1942  
*Pholiota aurivella* (Batsch:Fr.) Kummer Ref. 張東柱等。2001  
*Pholiota flammans* (Fr.) Kummer Ref. Lo, 1998  
*Pholiota highlandensis* (Perk) A.H. Smith & Hesler Ref. Wu et al., 1996  
*Pholiota lenta* (Pers. ex Fr.) Sing. Ref. Tu et al., 1977  
*Pholiota lubrica* (Pers. ex Fr.) Sing. Ref. Peng et al., 1993  
*Pholiota nameko* (T. Ito) S. Ito & Imai in Imai Ref. 張東柱等。2001  
*Pholiota pedicellatum* (Peck.) A.H. Smith & Hesler Ref. 陳昇明等。1999

*Pholiota spumosa* (Fr.) Sing. Ref. Tu et al., 1977  
*Psilocybe corprophila* (Bull. ex Fr.) Kummer. Ref. 同前  
*Psilocybe ericaea* Pers. ex Fr. Ref. Sawada, 1959  
*Psilocybe subaerugina-scens* Hohnel Ref. Chien, 1986  
*Psilocybe subcaerulipes* Hongo Ref. 張東柱等。2000  
*Stropharia cf. aeruginosa* (Curt.: Fr.) Quel. Ref. Peng et al., 1991  
*Stropharia laceriannula* Sawada Ref. Sawada, 1943  
*Stropharia rugosoannulata* Farlow in Murr. Ref. Chen, 1994

### Family Tricholomataceae 口磨科

*Calocybe ionides* (Bull. Fr.) Donk Ref. Chang, 1993  
*Calypotella campanula* (Nees ex pers.) Cooke Ref. 張東柱等。2001  
*Calypotella capula* (Holmsk. ex Pers.) Quel. Ref. 張東柱等。2001  
*Camarophyllus subviolaceus* (Perk) Sing. Ref. Lo, 1998  
*Camarophyllus virgineus* (Wulf.:Fr.) Kummer Ref. Chen, 1994  
*Clitocybe candicans* (Pers.:Fr.) Kummer. Ref. Chen, 1994  
*Clitocybe fragrans* (Fr.) Quel. Ref. Hou & Wu, 1971  
*Clitocybe infundibuliformis* (Fr.) Quel. Ref. 同前  
*Clitocybe nebularis* (Batsch:Fr.) Kummer Ref. 張東柱等。2001  
*Collybia acervata* (Fr.) Gill. Ref. Peng et al., 1993  
*Collybia butyracea* (Bull.:Fr.) Quel. Ref. Lo, 1998  
*Collybia confluens* (Pers. ex Fr.) Kummer. Ref. Chien, 1986  
*Collybia dryphila* (Bull.:Fr.) Kumm. Ref. Wu et al., 1996  
*Collybia peronata* (Fr.) Kummer. Ref. Liou & Liu, 1978  
*Crinipellis stipitaria* (Fr.) Pat. Ref. 同前  
*Cystoderma amianthinum* (Scop. ex Fr.) Fayod Ref. Liou, 1980  
*Dictyopanus gloeocystidiatus* Corner Ref. 張東柱等。2000  
*Filoboletus manipularis* (Berk.) Sing. Ref. Chien, 1986  
*Hydropus* sp. Ref. Peng et al., 1993  
*Hygrocybe cantharellus* (Schw.) Murr. Ref. 陳昇明等。2000  
*Hygrocybe coccinea* (Schaeff.:Fr.) Kummer Ref. 陳昇明等。2001  
*Hygrocybe coccineocrenata* (P.D.Orton) Moser Ref. 張東柱等。2001  
*Hygrocybe conica* (Scop. ex Fr.) Karst. Ref. Liou, 1978  
*Hygrocybe cruenta* (Hongo) Hongo Ref. Peng et al., 1991  
*Hygrocybe miniata* (P.D.Orton) Moser Ref. 張東柱等。2001  
*Hygrocybe psittacina* (Schaeff.:Fr.) Wunsche Ref. Chen, 1994  
*Hygrocybe unguinosa* (Fr.) Karst. Ref. Lo, 1998  
*Hygrocybe virginea* (Wulf.:Fr.) Orton & Watl. Ref. Peng et al., 1991  
*Hygrophorus coccineus* Schaeff. Ref. Sawada, 1942  
*Hygrophorus conicus* Fr. Ref. Sawada, 1942  
*Hygrophorus miniatus* Fr. Ref. Sawada, 1959  
*Hygrophorus russula* (Fr.) Quel. Ref. Sawada, 1959  
*Lepista inversa* (Scop.: Fr.) Pat. Ref. Peng et al., 1993  
*Lepista nuda* (Fr.) W.G. Smith Ref. Liou & Liu, 1978  
*Lepista sordida* (Schum.: Fr.) Sing. Ref. Peng et al., 1993  
*Leucopaxillus alboalutaceus* (Moell.et J. Schff.) Moell Ref. 張東柱等。2001  
*Leucopaxillus giganteus* (Sow ex Fr.) Sing. Ref. Liou, 1980  
*Melanoleuca stridula* (Fr.) Sing. Ref. 張東柱等。2001  
*Mycena adonis* (Bull.:Fr.) S.F. Gray Ref. 陳昇明等。2001  
*Mycena alcalina* (Fr.) Kummer. Ref. Tu et al., 1977  
*Mycena amygdalina* (Pers.) Singer Ref. Chou & Wang, 2004  
*Mycena capillipes* Peck Ref. 張東柱等。2000  
*Mycena chlorophos* (Berk. & Curt.) Sacc. Ref. 張東柱等。2001  
*Mycena haematopoda* (Pers.:Fr.) Kummer Ref. 張東柱等。2000  
*Mycena inclinata* (Fr.) Quel. Ref. 陳昇明等。1999  
*Mycena latifolia* (Peck) A.H. Sm. Ref. Chou & Wang, 2004  
*Mycena leaiana* (Berk.) Sacc. Ref. 同前  
*Mycena osmundicola* Langge Ref. Liou, 1980  
*Mycena overholtzii* Smith & Solheim Ref. Liou & Liu, 1978  
*Mycena photogena* Komin. Ref. Sawada, 1933  
*Mycena polygramma* (Bull.: Fr.) S.F. Gray Ref. Chou & Wang, 2004  
*Mycena pura* (Pers.: Fr.) Kummer Ref. Peng et al., 1991  
*Mycena roseomarginata* Hongo Ref. Liou, 1980  
*Mycena styobates* (Fr.) Kummer Ref. 陳昇明等。2000  
*Mycena tenerrima* (Berk.) Quel. Ref. 陳昇明等。2001  
*Mycena vulgaris* (Pers.: Fr.) Quel. Ref. Lo, 1998  
*Mycenella bryophila* (Voglino) Sing. Ref. 陳昇明等。2001  
*Nematoctonus leiosporus* Drechsler Ref. Tzean et al., 1997  
*Nematoctonus robustus* Jones Ref. 同前  
*Omphalina oniscus* (Fr.) Quel. Ref. 張東柱等。2000  
*Panellus copelandii* (Pat.) Burdsall & Miller Ref. 張東柱等。2000  
*Panellus orientalis* (Kobayashi) Corner Ref. Chang, 1996

*Panellus pusillus* (Pers. ex Lev.) Burdsall & Miller Ref. Chang, 1996  
*Panellus stypticus* (Bull.: Fr) Karst. Ref. 張東柱等。2000  
*Phaeolepiota aurea* Quel. Ref. Liou, 1980  
*Phyllotopsis nidulens* (Pers. ex Fr.) Sing. Ref. Tu et al., 1977  
*Pleurocybella porrigens* (Pers. ex Fr.) Sing. Ref. Liou, 1978  
*Pseudoclitocybe cyathiformis* (Bull.:Fr.) Sing. Ref. 張東柱等。2001  
*Resupinatus trichotis* (Pers.) Sing. Ref. 張東柱等。2001  
*Sinotermitomyces taiwanensis* Zang & C.M. Chen Ref. Zang & Chen, 1998  
*Termitomyces albuminosus* (Beck.) Heim Ref. Chien, 1986  
*Termitomyces rutilans* (Fr.) Sing. Ref. Chien, 1986  
*Tricholoma acerbum* (Fr.) Kummer Ref. Hou & Wu, 1971  
*Tricholoma bakamatsutake* Hongo Ref. Wu et al., 1996  
*Tricholoma giganteum* Masee Ref. 同前  
*Tricholoma impolitum* Las. Ref. Sawada, 1959  
*Tricholoma irinum* (Fr.) Kummer Ref. Liou & Liu, 1978  
*Tricholoma matsutake* Ito. & Imai. var. *formosana* Sawada Ref. Chow, 1983  
*Tricholoma saponaceum* (Fr.) Kummer Ref. Wu et al., 1996  
*Tricholoma sejunctum* (Sow. ex Fr.) Quel. Ref. Hou & Wu, 1971  
*Tricholoma sordidum* (Fr.) Quel. Ref. Sawada, 1959  
*Tricholoma titans* H. E. Bigelow & Kimbrough Ref. Chen & Chen, 1999  
*Tricholoma ustale* (Fr.) Quel. Ref. Sawada, 1942  
*Tricholoma vaccinum* (Pers.:Fr.) Kummer Ref. Lo, 1998  
*Tricholomopsis sanguinea* Hongo Ref. 張東柱等。2001  
*Xeromphalina campanella* (Batsch: Fr.) Maire Ref. Peng et al., 1993

### Family Typhulaceae

*Sclerotium cinnamomi* Sawada Ref. Sawada, 1933  
*Sclerotium fumigatum* Nakata Ref. Sawada, 1959  
*Sclerotium hydrophilum* Sacc. Ref. Sawada, 1959  
*Sclerotium oryzae* Cattaneo Ref. Sawada, 1919  
*Sclerotium paspali* Schw. Ref. Sawada, 1931  
*Sclerotium* sp. Ref. Sawada, 1959  
*Sclerotium spp.* Ref. Watanabe, 1994  
*Sclerotium styracis* Sawada Ref. Sawada, 1959

## Order Aphyllophorales 無褶菌目

### Family Clavulinaceae 灰瑚菌科

*Clavulina cinerea* (Bull. ex Fr.) Schroet. Ref. Chen, 1994  
*Clavulina cristata* (Holmsk.:Fr.) Schroet. Ref. 張東柱等。2001

### Family Gomphaceae 釘菇科

*Gomphus floccosus* (Schw.) Sing Ref. Chen, 1994  
*Ramariopsis kunzei* (Fr.) Donk Ref. 陳昇明等。2000

### Family Hydnaceae 齒菌科

*Hydnum repandum* Fr. Ref. Sawada, 1959

### Family Ramariaceae 枝瑚菌科

*Ramaria aurea* (Schaeff.:Fr.) Quel. Ref. 張東柱等。2001  
*Ramaria botrytis* (Pers.:Fr.) Ricken Ref. Sawada, 1959  
*Ramaria flaccida* (Fr.) Ricken Ref. Chou, 2000  
*Ramaria flava* (Schaeff.:Fr.) Quel Ref. Sawada, 1959  
*Ramaricium polyporoideum* (Berk. & M.A. Curtis) Ginns Ref. Wu, 1991

### Family Sparassidaceae 繡球菌科

*Sparassis crispa* Wulf: Fr. Ref. Chen, 1994

### Family Steccherinaceae 齒耳菌科

*Antrodiella formosana* T. T. Chang & W. N. Chou Ref. Chang & Chou, 1998  
*Antrodiella hydrophila* (Berk. & Curt.) Ryvarden Ref. Wu & Ryvarden, 2003  
*Antrodiella liebmannii* (Fr.) Ryvarden Ref. Chang, 1998  
*Antrodiella romellii* (Donk) Niemela Ref. Wu, 1995  
*Antrodiella semisupina* (Berk. & Curt.) Ryvarden Ref. 張東柱等。2000  
*Irpex lacteus* Fr. Ref. Sawada, 1959  
*Junghuhnia nitida* (Fr.) Ryvarden Ref. Chang, 1994  
*Odontia rimosissima* Peck Ref. Chen & Lin, 1977  
*Steccherinum albofibrillosum* (Hjortstam & Ryvarden) Hallenb. & Hjortstam Ref. Maekawa, 1992  
*Steccherinum ochraceum* (Pers.:Fr.) S.F. Gray Ref. Sawada, 1959  
*Steccherinum rhois* (Schw.) Banker Ref. 張東柱等。2001  
*Steccherinum robustius* (J. Erikss. & Lundell) J. Erikss. Ref. Wu, 1995

## Order Auriculariales 木耳目

### Family Auriculariaceae 木耳科

*Auricularia auricula* (Hook.) Underw Ref. Tu & Cheng, 1975  
*Auricularia cornea* (Ehrenb. ex Fr.) Ehrend. ex Endl Ref. 同前

*Auricularia delicata* (Fr.) Henn. Ref. 同前  
*Auricularia fuscosuccinea* (Mont.) Farlow Ref. 同前  
*Auricularia mesenterica* (Dicks.) Pers. Ref. Hou & Wu, 1971  
*Auricularia peltata* Lloyd Ref. Tu & Cheng, 1975  
*Auricularia polytricha* (Mont.) Sacc. Ref. 同前

## Order Boletales 牛肝菌目

### Family Boletaceae 牛肝菌科

*Austroboletus distyotus* (Boedijn) Corner Ref. Zang, 1999  
*Austroboletus fusisporus* (Kawam. ex Imaz. & Hongo) Wolfe Ref. 張東柱等。2001  
*Austroboletus gracilis* (Peck.) Wolfe Ref. Chfn, 1997  
*Austroboletus subvirens* (Hongo) Wolfe Ref. Chfn, 1997  
*Austroboletus taiwanensis* Zang & C.M. Chien Ref. Zang, 1999  
*Boletellus ananas* (Curtis) Murrill Ref. Yeh & Chen, 1982  
*Boletellus emodensis* (Berk.) Sing. Ref. Chien, 1986  
*Boletellus lignicolus* Yeh & Chen Ref. Yeh & Chen, 1985  
*Boletellus obscurecoccineus* (Hoehn.) Sing. Ref. Chen, 1997  
*Boletellus porphyrius* (Pat. & Baker) Gilbert Ref. Chien, 1986  
*Boletellus projectelus* (Forst) Gibert Ref. Chen, 1998  
*Boletellus retisporus* (Pat. & Baker) Sing. Ref. 張東柱等。2000  
*Boletellus russellii* (Murr.) Sing Ref. Chen, 1998  
*Boletus auripes* Peck. Ref. Chen, 1997  
*Boletus calopus* Fr. Ref. Yeh & Chen, 1981  
*Boletus edulis* Fr. Ref. Sawada, 1959  
*Boletus erythropus* (Fr.) Krombh. Ref. Yeh & Chen, 1981  
*Boletus fraternus* Peck. Ref. Yeh & Chen, 1982  
*Boletus gertrudiae* Peck Ref. 陳昇明等。2001  
*Boletus griseus* Forst in Peck. Ref. Yeh & Chen, 1982  
*Boletus laetissimus* Hongo Ref. 陳昇明等。2001  
*Boletus lewisii* (Sing.) A.E.Bessette, W.C.Roody & A.R.Bessette Ref. 陳昇明等。2001  
*Boletus nigricans* Zang, Yuan & Gong Ref. Chen, 1997  
*Boletus ornatipes* Peck. Ref. Chen, 1997  
*Boletus pachypus* Fr. Ref. Sawada, 1959  
*Boletus pallidus* Forst Ref. Yeh & Chen, 1982  
*Boletus porosporus* (Imler) Watling Ref. 同前  
*Boletus pulverulentus* Opatowski Ref. Sawada, 1959  
*Boletus puniceus* Chiu Ref. Liou, 1980  
*Boletus queletii* Schulzer Ref. Yeh & Chen, 1980  
*Boletus reticulatus* Schaeff. ex Boud. Ref. Yeh & Chen, 1981  
*Boletus rubellus* Krombholz Ref. Yeh & Chen, 1983  
*Boletus speciosus* Forst Ref. Chen, 1998  
*Boletus subglabripes* Peck. Ref. Yeh & Chen, 1982  
*Boletus subvelutipes* Peck. Ref. Yeh & Chen, 1981  
*Boletus tubulus* Zang & C.M. Chen Ref. Zang & Chen, 1998  
*Boletus umbriniporus* Hongo Ref. Chen, 1994  
*Boletus vermiculosus* Peck. Ref. Yeh & Chen, 1982  
*Boletus violaceo-fuscus* Chiu Ref. Chen, 1997  
*Gastroboletus scabrosus* Mazzer & Smith Ref. Yeh & Chen, 1980  
*Heimiella nigricans* Zang Ref. Chen, 1998  
*Leccinum albellum* (Peck) Singer. Ref. Yeh & Chen, 1982  
*Leccinum griseum* (Quel.) Singer. Ref. Yeh & Chen, 1981  
*Leccinum holopus* (Rostkovius) Walting. Ref. Yeh & Chen, 1980  
*Leccinum hortonii* (A.H. Smith & Thiers) Hongo & Nagasawa Ref. Wu et al., 1996  
*Leccinum insigne* Smith, Thiers & Walting Ref. Yeh & Chen, 1981  
*Leccinum rugosiceps* (Peck) Singer. Ref. Yeh & Chen, 1980  
*Phylloporus bellus* (Mass.) Corner Ref. Chen, 1994  
*Phylloporus rhodoxanthus* (Schw.) Bers. Ref. Yeh & Chen, 1980  
*Porphyrellus atrofuscus* Dick & Snell Ref. Chen, 1998  
*Porphyrellus formosanus* Yeh & Chen Ref. Yeh & Chen, 1985  
*Porphyrellus fusisporus* (Kawam. ex) Imaz. & Hongo apud Hongo Ref. Yeh & Chen, 1982  
*Porphyrellus gracilis* (Perk) Singer. Ref. 同前  
*Pulveroboletus auriflammeus* (Berk. & Curt.) Sing. Ref. Wu et al., 1996  
*Pulveroboletus ravenelii* (Berk. & Curt.) Murr. Ref. Chen, 1998  
*Sinoboletus fusus* Zang & C.M. Chen Ref. Zang & Chen, 1998  
*Sinoboletus magnisporus* Zang & C.M. Chen Ref. 同前  
*Strobilomyces confusus* Sing. Ref. Chen, 1998  
*Strobilomyces floccopus* (Vahl ex Fr.) Karst. Ref. Hou & Wu, 1971  
*Strobilomyces nigricans* Berk. Ref. Chen, 1998  
*Strobilomyces seminudus* Hongo. Ref. Chen, 1994  
*Strobilomyces strobilaceus* (Scop.:Fr.) Berk. Ref. Wu et al., 1996  
*Tylopilus albofarinaceus* (Chiu) Tai Ref. Chen, 2004  
*Tylopilus badiceps* (Pk.) Smith & Thiers Ref. Chen & Perng, 1998

*Tylopilus castaneiceps* Hongo Ref. 同前  
*Tylopilus chromapes* (Forst) Smith & Thiers Ref. Yeh & Chen, 1983  
*Tylopilus fellus* (Fr.) Karsten Ref. Yeh & Chen, 1981  
*Tylopilus ferrugineus* (Forst.) Sing. Ref. Chen & Perng, 1998  
*Tylopilus fumosipes* (Pk.) Smith & Thiers Ref. 同前  
*Tylopilus gracilis* (Peck) Henn. Ref. Chen, 2004  
*Tylopilus neofelleus* Hongo Ref. Chen, 2004  
*Tylopilus nigerrimus* (Heim) Hongo & Endo Ref. Peng et al., 1991  
*Tylopilus nigropurpureus* (Corner) Hongo Ref. Chen, 1994  
*Tylopilus porphyrosporus* A.H. Smith & Thiers Ref. Chen, 1994  
*Tylopilus vinosobrunneus* Hongo Ref. Chen, 2004  
*Tylopilus virens* (Chiu) Hongo Ref. Chen, 1994  
*Xanthoconium affine* (Pk.) Sing. Ref. Chen, 1998  
*Xerocomus alutaceus* (Morgan on Peck) Dick & Snell Ref. Chen, 1997  
*Xerocomus badius* (Fr.) Kühner ex Gilbert. Ref. Yeh & Chen, 1981  
*Xerocomus castanellus* (Pk.) Snell & Dick Ref. Chen, 1997  
*Xerocomus chrysenteron* (Fr.) Quel. Ref. Yeh & Chen, 1980  
*Xerocomus junghuhnii* (Hoehn.) Sing. Ref. Chen, 1997  
*Xerocomus nigromaculatus* Hongo. Ref. Chen, 1997  
*Xerocomus parvus* Ying Ref. Chen, 1997  
*Xerocomus pulverulentus* (Opat.) Gilbert. Ref. Chen, 1997  
*Xerocomus subtomentosus* (L.:Fr.) Quel. Ref. Yeh & Chen, 1980

### Family Coniophoraceae 粉孢革菌科

*Coniophora puteana* (Schum.:Fr.) P. Karst. Ref. Wu, 1997  
*Gyrodontium sacchari* (Spreng.:Fr.) Hjortstam Ref. Wu & Chou, 1995  
*Pseudomerulius aureus* (Fr.) Jülich Ref. Wu, 1993

### Family Gomphidiaceae 鉚釘菇科

*Gomphidius maculatus* (Scop.) Fr. Ref. Chen, 1994

### Family Gyroporaceae 圓孢牛肝菌科

*Gyroporus castaneus* (Bull.:Fr.) Quel. Ref. 陳昇明等。1999  
*Gyroporus longicystidiatus* Nagasawa & Hongo Ref. 張東柱等。2001

### Family Paxillaceae 椿菇科

*Gyrodon lividus* (Bull.:Fr.) Sacc. Ref. 張東柱等。2001  
*Paxillus atrotomentosus* (Batsch:Fr.) Fr. Ref. Chen, 1994  
*Paxillus curtisii* Berk. In Berk. & Curt. Ref. 陳昇明等。2001

### Family Suillaceae 乳牛肝菌科

*Boletinus pictus* (Peck) Peck. Ref. Yeh & Chen, 1980  
*Boletinus spectabilis* (Pk.) Murr. Ref. Yeh & Chen, 1981  
*Suillus americanus* (PK.) Snell ex Slipp & Snell Ref. 同前  
*Suillus bovinus* (L.:Fr.) O. Kuntze Ref. Yeh & Chen, 1980  
*Suillus brevipes* (Peck) O. Kuntze Ref. Yeh & Chen, 1983  
*Suillus granulatus* (L.:Fr.) O. Kuntze Ref. Yeh & Chen, 1981  
*Suillus grevillei* (Klotzsch) Singer. Ref. Yeh & Chen, 1980  
*Suillus luteus* (L.:Fr.) S.F. Gray Ref. Liou, 1980  
*Suillus placidus* (Bon.) Singer Ref. 張東柱等。2001  
*Suillus punctipes* (Peck) Singer. Ref. Yeh & Chen, 1980  
*Suillus subalutaceus* (Smith & Thiers) Smith & Thiers Ref. 同前  
*Suillus subaureus* (Peck) Snell. Ref. 同前  
*Suillus subluteus* (Peck) Snell. Ref. Chen, 1994  
*Suillus unicolor* (Forst in Peck) Kuntz Ref. Yeh & Chen, 1982

## Order Cantharellales 雞油菌目

### Family Botryobasidiaceae

*Botryobasidium arachnoideum* G. Langer Ref. Langer, 1994  
*Botryobasidium asterosporum* G. Langer Ref. Langer, 1994  
*Botryobasidium grandisporum* G. Langer Ref. Langer, 1994  
*Botryobasidium laeve* (J. Erikss.) Parmasto Ref. Langer, 1994  
*Botryobasidium latissporum* (Maekawa) G. Langer Ref. Langer, 1994  
*Botryobasidium longisporum* G. Langer Ref. Langer, 1994  
*Botryobasidium musaisporum* G. Langer Ref. Langer et al., 2000  
*Botryobasidium subcoronatum* (Hoehn. & Litsch.) Donk Ref. Langer, 1994  
*Botryobasidium sublaeve* G. Langer Ref. Langer, 1994  
*Botryobasidium tuberculispurum* G. Langer Ref. Langer, 1994  
*Botryobasidium tubulicystidium* G. Langer Ref. Langer, 1994  
*Botryobasidium vagum* (Berk. & M.A. Curtis) D.P. Rogers Ref. Langer, 1994

### Family Cantharellaceae 雞油菌科

*Cantharellus candidus* Sawada Ref. Sawada, 1959  
*Cantharellus cibarius* Fr. Ref. Wu et al., 1996  
*Cantharellus cinereus* Fr.: Fr. Ref. Liou, 1985

*Cantharellus floccosus* Schw. Ref. Sawada, 1959  
*Cantharellus minor* Peck Ref. 張東柱等。2001  
*Cantharellus subcibarius* Corner Ref. Liou, 1985  
*Craterellus aureus* Berk. & Curt. Ref. Chou, 2000  
*Craterellus cinereus* Pers.:Fr. Ref. Chou, 2000  
*Craterellus cornucopioides* Pers. Ref. Chou, 2000

## Order Ceratobasidiales 角擔菌目

### Family Ceratobasidiaceae 角擔菌科

*Ceratobasidium setariae* (Sawada) P.S. Gunnell & R.K. Webster Ref. Sawada, 1919  
*Thanatephorus cucumeris* (A.B. Frank) Donk Ref. Sawada, 1919

## Order Dacrymycetales 花耳目

### Family Cerinomycetaceae

*Cerinomyces aculeatus* Maekawa Ref. Wu, 1991

### Family Dacrymycetaceae 花耳科

*Calocera cornea* (Batsch) Fr. Ref. Chien, 1986  
*Calocera viscosa* (Pers.:Fr.) Fr. Ref. 張東柱等。2001  
*Dacrymyces palmatus* (Schw.) Burt. Ref. Chen, 1994  
*Dacrymyces variisporus* Mc Nabb Ref. 張東柱等。2001  
*Dacryopinax spathularia* (Schw.) Martin Ref. Wu et al., 1996  
*Femsjonia peziziformis* (Leveille) Karsten Ref. Chen, 1975

## Order Hymenochaetales 刺革菌目

### Family Hymenochaetaceae 刺革菌科

*Cryptoderma citrinum* Imaz. Ref. Chen, 1976  
*Cryptoderma fastuosum* (Lév.) Imaz. Ref. Chen, 1976  
*Cryptoderma substygium* (Berk. & Br.) Imaz. Ref. Imazeki, 1952  
*Cyclomyces fuscus* Kunze Ref. Chen, 1976  
*Hymenochaete rheicolor* Berk. & M.A. Curtis Ref. Ito, 1955  
*Hymenochaete rubiginosa* (Dicks.) Lev. Ref. Chang, 1992  
*Inonotus chihshanyenus* T. T. Chang & W. N. Chou Ref. Chang & Chou, 1998  
*Inonotus chilanshanus* T.T. Chang & W.N. Chou Ref. Chang & Chou, 2000  
*Inonotus cuticularis* (Bull. ex Fr.) Karst. Ref. Chen, 1976  
*Inonotus flavidus* (Berk.) T. T. Chang Ref. Chang, 1996  
*Inonotus formosanus* T. T. Chang & W. N. Chou Ref. Chang & Chou, 1998  
*Inonotus fushanus* T. T. Chang Ref. Chang, 1997  
*Inonotus iodinus* (Mont.) Cunn. Ref. Chang, 1997  
*Inonotus radiatus* (Sow.:Fr.) Karst. Ref. 陳昇明等。2000  
*Inonotus rickii* (Pat.) Reid Ref. Chang, 1998  
*Inonotus rodwayi* Rêid. 羅德威纖孔菌 Ref. 張東柱等。2001  
*Inonotus setiporus* Cunn. Ref. Chang, 1997  
*Inonotus xeranticus* (Berk.) Imaz. Ref. Chang, 1997  
*Onnia cumingii* (Berk.) Imaz. Ref. Imazeki, 1952  
*Onnia scaura* (Lloyd) Imaz. Ref. Chang, 1997  
*Phellinus altocedronensis* (Murr.) Ryvarde Ref. 張東柱等。2000  
*Phellinus bicolor* (Jungh.) Cunningham Ref. Chen, 1976  
*Phellinus cancriformans* (M.Lars. et al.) M.Lars. et Lomb. Ref. 張東柱等。2001  
*Phellinus cesatii* (Bres.) Ryvarde Ref. Chang, 1997  
*Phellinus conchatus* (Fr.) Quel. Ref. Chen, 1976  
*Phellinus cyclobalanopsis* T.T. Chang & W.N. Chou Ref. Chang & Chou, 2000  
*Phellinus eugeniae* T. T. Chang Ref. Chang, 1995  
*Phellinus ferreus* (Pers.) Bourd & Galz. Ref. Wu, 1996  
*Phellinus ferrugineovelutinus* (P.Henn.) Ryvarde Ref. 張東柱等。2000  
*Phellinus formosanus* T. T. Chang & W. N. Chou Ref. Chang & Chou, 1999  
*Phellinus fushanus* T. T. Chang Ref. Chang, 1997  
*Phellinus gilvus* Pat. Ref. Chen, 1976  
*Phellinus hoehnelii* (Bres.) Ryvarde Ref. Chang, 1997  
*Phellinus igniarius* (Fr.) Quel. Ref. Chen, 1976  
*Phellinus inermis* (Ell. & Everh.) Cunn. Ref. Chang, 1997  
*Phellinus laevigatus* (Fr.) Bourd. & Galz. Ref. 張東柱等。2001  
*Phellinus linteus* (Berk. & Curt.) Teng Ref. 張東柱等。2001  
*Phellinus longisetulosus* Bond. & Herr. Ref. Chang, 1997  
*Phellinus lundellii* Niem. Ref. 張東柱等。2001  
*Phellinus melleoporus* (Murr.) Ryvarde Ref. Chang, 1997  
*Phellinus membranaceus* Wright & Blumenf. Ref. Chang, 1997  
*Phellinus noxius* (Corner) Cunningham Ref. Ann & Ko, 1992  
*Phellinus pectinatus* (Klotzsch) Ref. 張東柱等。2001  
*Phellinus pini* (Bort.:Fr.) Ames Ref. 張東柱等。2001  
*Phellinus prunicola* T. T. Chang & W. N. Chou Ref. Chang & Chou, 1999  
*Phellinus punctatus* (Fr.) Pilat Ref. 張東柱等。1999

*Phellinus quercinus* Bond. & Ljub. Ref. Chang, 1997  
*Phellinus ribis* (Schum. : Fr.) Karst. Ref. Chang, 1996  
*Phellinus robustus* (Karst.) Bour. & Gal. Ref. Chen, 1976  
*Phellinus senex* (Nees & Mont.) Imaz. Ref. Chen, 1976  
*Phellinus shoushanus* T.T. Chang & W.N. Chou Ref. Chang & Chou, 2000  
*Phellinus torulosus* (Pers.) Bourd. & Galz Ref. Chen, 1976  
*Polystictus phaeus* Lev. Ref. Sawada, 1920

### Family Schizoporaceae

*Echinoporia hydnochora* (Berk. & Broome) Ryvarden Ref. Kirschner & Wu, 2005  
*Hyphodontia alba* Sheng H. Wu Ref. Wu, 1990  
*Hyphodontia alutacea* (Fr.) J. Erikss. Ref. Chen & Lin, 1977  
*Hyphodontia arguta* (Fr.:Fr.) J. Erikss. Ref. Wu, 1990  
*Hyphodontia aspera* (Fr.) J. Erikss. Ref. Chen & Lin, 1977  
*Hyphodontia barba-jovis* (Bull.:Fr.) J. Erikss. Ref. Maekawa, 1992  
*Hyphodontia crassa* S.H. Lin & Z.C. Chen Ref. Lin & Chen, 1990  
*Hyphodontia crustosa* (Pers.:Fr.) J. Erikss. Ref. Wu, 1990  
*Hyphodontia dimorpha* S.H. Lin & Z.C. Chen Ref. Lin & Chen, 1990  
*Hyphodontia fimbriata* Sheng H. Wu Ref. Wu, 1990  
*Hyphodontia formosana* Sheng H. Wu & Burds. Ref. Wu, 1990  
*Hyphodontia hallenbergii* Sheng H. Wu Ref. Wu, 2000  
*Hyphodontia lageniformis* S.H. Lin & Z.C. Chen Ref. Lin & Chen, 1990  
*Hyphodontia lanata* Burds. & Nakasone Ref. Wu, 1990  
*Hyphodontia microspora* J. Erikss. & Hjortstam Ref. Wu, 1990  
*Hyphodontia mollis* Sheng H. Wu Ref. Wu, 1990  
*Hyphodontia nespori* (Bres.) J. Erikss. & Hjortstam Ref. Wu, 1990  
*Hyphodontia niemelaei* Sheng H. Wu Ref. Wu, 1990  
*Hyphodontia nongravis* (Lloyd) Sheng H. Wu Ref. Wu, 2000  
*Hyphodontia nudiseta* Warcup & P.H.B. Talbot Ref. Langer, 1994  
*Hyphodontia pallidula* (Bres.) J. Erikss. Ref. Langer, 1994  
*Hyphodontia pilaecystidiata* (S. Lundell) J. Erikss. Ref. Lin & Chen, 1990  
*Hyphodontia poroideoefibulata* Sheng H. Wu Ref. Wu, 2001  
*Hyphodontia propinqua* Hjortstam Ref. Wu, 1990  
*Hyphodontia pruni* (Lasch) Svrcek Ref. Wu, 1998  
*Hyphodontia rimosissima* (Peck) Gilb. Ref. Chen & Lin, 1977  
*Hyphodontia sambuci* (Pers.) J. Erikss. Ref. 同前  
*Hyphodontia* sp. Ref. Wu, 1990  
*Hyphodontia subalutacea* (P. Karst.) J. Erikss. Ref. Langer, 1994  
*Hyphodontia subglobosa* Sheng H. Wu Ref. Wu, 1990  
*Hyphodontia subspathulata* (H. Furuk.) N. Maek. Ref. Chen & Lin, 1977  
*Hyphodontia taiwaniana* Sheng H. Wu Ref. Wu, 2001  
*Hyphodontia tubuliformis* Sheng H. Wu Ref. Wu, 2006  
*Oxyporus cervinogilvus* (Jungh.) Ryvarden Ref. Wu, 1996  
*Oxyporus corticola* (Fr.) Ryvarden Ref. Wu & Ryvarden, 2003  
*Oxyporus cuneatus* (Murr.) Aoshima Ref. Chang, 1995  
*Schizopora apacheriensis* (Gilbn. & Canf.) Gilbn. & Ryvarden Ref. Chang, 1995  
*Schizopora flavipora* (Cke.) Ryvarden Ref. Chang, 1995

## Order Lycoperdales 馬勃目

### Family Geastraceae 地星科

*Geastrum fimbriatum* (Fr.) Fisch. Ref. 陳昇明等。2000  
*Geastrum saccatum* (Fr.) Fisch. Ref. 張東柱等。2001  
*Geastrum sessile* (Sow.) Pouz. Ref. 張東柱等。2001  
*Geastrum triplex* (Jungh.) Fisch. Ref. Peng et al., 1991  
*Sphaerobolus stellatus* Tode. Ref. Sawada, 1931

## Order Phallales 鬼筆目

### Family Phallaceae 鬼筆科

*Aseroe arachnoidea* Fisch. Ref. Sawada, 1942  
*Clathrus crispatus* Thw. Ref. Sawada, 1942  
*Clathrus ruber* Mich.:Pers. Ref. 張東柱等。2001  
*Dictyophora indusiatus* (Vent.: Pers.) Fisch. Ref. Hou & Wu, 1971  
*Ithyphallus roseus* Sawada Ref. Sawada, 1931  
*Jansia boninensis* (Fisch.) Lloyd Ref. Chien, 1986  
*Kobayasia nipponica* (Kobayasi) Imai & Kawam. Ref. 張東柱等。2001  
*Lysurus mokusin* (Cibot) Fr. Ref. Sawada, 1942  
*Mutinus bambusinus* (Zoll.) Fisch. Ref. 張東柱等。2001  
*Phallus rugulosus* (Fisch.) O. kuntze Ref. Tu et al., 1981  
*Pseudocolus fusiformis* Lloyd Ref. Chen, 1994  
*Simblum periphragmoides* Klotz. Ref. Sawada, 1931

## Order Polyporales 多孔菌目

### Family Albatrellaceae 地花菌科

- Albatrellus avellaneus* Pouz. Ref. 張東柱等。2001  
*Albatrellus cristatus* (Pers.:Fr.) Kotl. & Pouz. Ref. 張東柱等。2001  
*Albatrellus dispansus* (Lloyd) Canf. & Gilbn. Ref. 陳昇明等。2000  
*Jahnporus hirtus* (Quel. ex Cke.) Nuss. Ref. Chang, 1994

### Family Atheliaceae

- Amylocorticium indicum* Thind & Rattan Ref. Wu, 1993  
*Plicatura crista* (Pers.:Fr.) Rea Ref. Wu, 1995

### Family Boreostereaceae

- Veluticeps berkeleyi* (Cooke) Pat. Ref. Chen, 1973

### Family Corticiaceae 皮殼菌科

- Corticium roseum* Pers.:Fr. Ref. Wu, 1997  
*Corticium salmonicolor* Berk. & Broome Ref. Sawada, 1933  
*Corticium zimmermannii* Sacc. & Syd. Ref. Sawada, 1919  
*Pulcherricium caeruleum* (Fr.) Parmasto Ref. Wu & Chen, 1989  
*Punctularia strigosozonata* (Schwein.) W.B. Cooke Ref. Sawada, 1942  
*Rhizoctonia bataticola* (Taub.) Butler. Ref. Wu, 1959  
*Rhizoctonia oryzae-sativae* (Sawada) J. E. M. Mordue, 1974 Ref. CMI Descriptions of Pathogenic Fungi and Bacteria (409): [1], 1974  
*Rhizoctonia solani* Kuehn Ref. Hsieh, 1982

### Family Cyphellaceae 掛鐘菌科

- Pseudolagarobasidium subvinosum* (Berk. & Broome) Sheng H. Wu Ref. Jang & Chen, 1985

### Family Cystostereaceae

- Cystiodontia isabellina* (Berk. & Broome) Hjortstam & Ryvarden Ref. Wu, 1996  
*Cystiodontia laminifera* (Berk. & M.A. Curtis) Hjortstam Ref. Wu, 1997

### Family Epitheliaceae

- Epithele macarangae* Boidin & Lanquetin Ref. Wu & Chen, 2002  
*Epithele nikau* G. Cunn. Ref. Wu, 1998

### Family Fomitopsidaceae

- Daedalea biennis* (Bull.) Fr. Ref. Chen, 1976  
*Daedalea dickinsii* (Berk.) Yasuda Ref. Chang et al., 1997  
*Daedalea kusanoi* Murr. Ref. Sawada, 1942  
*Daedalea quercina* Fr. Ref. Chang, 2003  
*Daedalea sprucei* Berk. Ref. Chang, 1994  
*Fomitopsis cajanderi* (Karst.) Kotl. & Pouz. Ref. Chang et al., 1997  
*Fomitopsis caliginosa* (Berk.) Imaz. Ref. Imazeki, 1952  
*Fomitopsis castanea* Imaz. Ref. Chen, 1976  
*Fomitopsis insularis* (Murr.) Imaz. Ref. Chen, 1976  
*Fomitopsis persoonii* (Fr.) Imaz. Ref. Chen, 1976  
*Fomitopsis pinicola* (Swartz ex Fr.) Karst. Ref. Chen, 1976  
*Fomitopsis rhodophaeus* (Lév.) Imaz. Ref. Chen, 1976  
*Fomitopsis semilaccatus* (Berk. ex cke.) Imaz. Ref. Chen, 1976  
*Fomitopsis vinosa* (Berk.) Imaz. Ref. 陳昇明等。2000  
*Wolfiporia cocos* (Schw.) Ryv. & Gilbn. Ref. 張東柱等。2001

### Family Ganodermataceae 靈芝科

- Amauroderma exile* (Berk.) Torrend Ref. 張東柱等。2000  
*Amauroderma rugosum* (Bl. et Nees) Imaz. Ref. Chen, 1976  
*Ganoderma applanatum* (Pers.) Pat. Ref. Sawada, 1942  
*Ganoderma applanatum* (Pers.) Pat. *laevisporum* Humphrey Ref. Chang, 1994  
*Ganoderma australe* (Fr.) Pat. Ref. Chang et al., 1996  
*Ganoderma boninense* Pat. Ref. Chang, 1992  
*Ganoderma colossum* (Fr.) Baker Ref. 張東柱等。2001  
*Ganoderma flexipes* Pat. Ref. Wang & Wu, 2007  
*Ganoderma formosana* T. T. Chang & T. Chen Ref. Chang & Chen, 1984  
*Ganoderma fornicatum* (Fr.) Pat. Ref. Sawada, 1942  
*Ganoderma japonicum* (Fr.) Saw. Ref. Sawada, 1931  
*Ganoderma limushanense* Zhao & Zhang Ref. Chang, 1992  
*Ganoderma microsporum* Hseu Ref. Hseu, 1989  
*Ganoderma multiplicatum* (Mont.) Pat. Ref. Wang & Wu, 2007  
*Ganoderma neo-japonicum* Imaz. Ref. 嘉義農專學報 19: 57。1989  
*Ganoderma tropicum* (Jungh.) Bres. Ref. Sawada, 1942  
*Ganoderma tsugae* Murr. Ref. Imazeki & Hongo, 1957  
*Ganoderma tsunodae* (Yasuda) Trott. Ref. Sawada, 1942  
*Ganoderma weberianum* (Bres. & Henn.) Steyaert Ref. Chang, 1996  
*Magoderma subresinosum* (Murr.) Steyaert Ref. Chang, 1996  
*Tomophagus colossus* (Fr.) Murr. 鬆芝 Ref. Wu & Zhang, 2003

### Family Gloeophyllaceae

- Gloeophyllum abietinum* (Fr.) Karst. Ref. Chang, 1992

*Gloeophyllum odoratum* (Wulf. ex Fr.) Imaz. Ref. Chen, 1976  
*Gloeophyllum striatum* (Swartz.) Murr. Ref. Chen, 1976  
*Gloeophyllum subferrugineum* (Berk.) B. & G. Ref. Chen, 1976  
*Gloeophyllum trabeum* (Pers. ex Fr.) Murr. Ref. Chen, 1976

#### Family Grammotheleaceae

*Grammothele fuligo* (Berk. & Broome) Ryvarden Ref. Chen & Lin, 1977  
*Grammothele lineata* Berk. & Broome Ref. 同前  
*Theleporus calcicolor* (Sacc. & Syd.) Ryvarden Ref. Wu & Ryvarden, 2003

#### Family Hapalopilaceae 彩孔菌科

*Bjerkandera adusta* (Fr.) Karst. Ref. Chen, 1976  
*Ceriporia alachuana* (Murr.) Hallenb. Ref. Chang, 1996  
*Ceriporia crassitunicata* Y. C. Dai & Sheng. H. Wu Ref. Dai, 2002  
*Ceriporia virdans* (Berk. & Bres.) Donk Ref. Wu, 1995  
*Ceriporiopsis aneirina* (Sommerf.:Fr.) Dom. Ref. 張東柱等。2000  
*Ceriporiopsis lowei* Rajchenberg Ref. Wu & Ryvarden, 2003  
*Ceriporiopsis mucida* (Pers.: Fr.) Gilbn. & Ryvarden Ref. Wu, 1995  
*Ischnoderma resinosum* (Fr.) Karst. Ref. Chang, 1994

#### Family Hyphodermataceae 絲毛伏革菌科

*Brevicellicium olivascens* (Bres.) K.H. Larss. & Hjortstam Ref. Wu, 1995  
*Cerocorticium molle* (Berk. & M.A. Curtis) Jülich Ref. Wu & Chen, 1990  
*Hyphoderma acystidiatum* Sheng H. Wu Ref. Wu, 1997  
*Hyphoderma allantosporum* Sheng H. Wu Ref. Wu, 1990  
*Hyphoderma argillaceum* (Bres.) Donk Ref. Wu, 1990  
*Hyphoderma clavatum* Sheng H. Wu Ref. Wu, 1997  
*Hyphoderma cremeum* Sheng H. Wu Ref. Wu, 1997  
*Hyphoderma cynodontis* Sawada Ref. Sawada, 1959  
*Hyphoderma definitum* (Jacks.) Donk Ref. Wu, 1997  
*Hyphoderma densum* Sheng H. Wu Ref. Wu, 1997  
*Hyphoderma echinocystis* J. Erikss. & Strid Ref. Wu, 1992  
*Hyphoderma hjortstamii* Sheng H. Wu Ref. Wu, 1990  
*Hyphoderma litschaueri* (Burt) J. Erikss. & Strid Ref. Wu, 1990  
*Hyphoderma malenconii* (Manjon & Moreno) Manjon Ref. Wu, 1990  
*Hyphoderma microcystidium* Sheng H. Wu Ref. Wu, 1990  
*Hyphoderma neopuberum* Sheng H. Wu Ref. Wu, 1990  
*Hyphoderma praetermissum* (P. Karst.) J. Erikss. & Strid Ref. Chen & Lin, 1977  
*Hyphoderma puberum* (Fr.) Wallr. Ref. Wu, 1990  
*Hyphoderma rimulosum* Sheng H. Wu Ref. Wu, 1997  
*Hyphoderma rude* (Bres.) Hjortstam & Ryvarden Ref. Chen & Lin, 1977  
*Hyphoderma setigerum* (Fr.:Fr.) Donk Ref. Lin & Chen, 1990  
*Hyphoderma subclavatum* Sheng H. Wu Ref. Wu, 1997  
*Hyphoderma subpraetermissum* Sheng H. Wu Ref. Wu, 1997  
*Hyphoderma subsetigerum* Sheng H. Wu Ref. Wu, 1997  
*Hyphoderma variolosum* Boidin et al. Ref. Wu, 1997  
*Intextomyces contiguus* (P. Karst.) J. Erikss. & Ryvarden Ref. Wu, 1997  
*Subulicystidium brachysporum* (Talbot & Green) Jülich Ref. Maekawa, 1992  
*Subulicystidium longisporum* (Pat.) Parmasto Ref. Wu, 1990  
*Subulicystidium meridense* Oberw. Ref. Maekawa, 1992

#### Family Meripilaceae

*Abortiporus biennis* (Bull. : Fr.) Sing Ref. Chang, 1996  
*Antrodia heteromorpha* (Fr.) Donk Ref. Chang, 1994  
*Antrodia lalashana* T. T. Chang & W. N. Chou Ref. Chang & Chou, 1998  
*Antrodia malicola* (Berk. & Curt.) Donk Ref. Chang, 1996  
*Antrodia taxa* T.T. Chang & W.N. Chou Ref. Chang & Chou, 1999  
*Antrodia xantha* (Fr.) Ryvarden Ref. Wu, 1996  
*Grifola rosularis* Cunningham Ref. Chang, 1994  
*Physisporinus vitreus* (Pers.: Fr.) Karst. Ref. Chang, 1996  
*Rigidoporus durns* (Jungh.) Imaz. Ref. Imazeki, 1952  
*Rigidoporus geotropus* (Cke.) Imaz. Ref. Chen, 1976  
*Rigidoporus lineatus* (Pers.) Ryvarden Ref. Chang, 1998  
*Rigidoporus microporus* (Fr.) Overeem. Ref. Chang, 1992  
*Rigidoporus vincetus* (Berk.) Ryvarden Ref. Hsieh, 1995  
*Rigidoporus zonalis* (Berk.) Imaz. Ref. Chen, 1976

#### Family Meruliaceae 皺皮菌科

*Chondrostereum purpureum* (Pers.:Fr.) Pouzar Ref. Sun, 1975  
*Cylindrobasidium laeve* (Pers.:Fr.) Chamuris Ref. Wu, 1990  
*Cylindrobasidium torrendii* (Bres.) Hjortstam Ref. Wu, 1990  
*Dacryobolus sudans* (Alb. & Schwein.:Fr.) Fr. Ref. Wu, 1990  
*Dictyonema irpicinum* Mont. Ref. Lai, 2000  
*Dictyonema irpicinum* Mont. var. *scabridum* Zahlbruckner Ref. Lai, 2000

*Dictyonema membranaceum* Ag. 膜雲片衣 Ref. Lai, 2000  
*Dictyonema sericeum* (Sw.) Berk. 卷毛雲片衣 Ref. Lai, 2000  
*Gloeoporus dichrous* (Fr.) Bres. Ref. Sawada, 1959  
*Jacksonomyces furfurellus* (Bres.) Sheng H. Wu & Z.C. Chen Ref. Wu & Chen, 1992  
*Jacksonomyces pseudocretaceus* Sheng H. Wu & Z.C. Chen Ref. 同前  
*Merulius tremellosus* Schrad. ex Fr. Ref. 張東柱等。2001  
*Phlebia acerina* Peck Ref. Wu, 1990  
*Phlebia albofibrillosa* Hjortstam & Ryvarde Ref. Maekawa, 1992  
*Phlebia chrysocreas* Berk. & M.A. Curtis Ref. Chen & Lin, 1977  
*Phlebia cretacea* (Romell ex Bourdot & Galzin) J. Erikss. & Hjortstam Ref. Wu, 1990  
*Phlebia dictyophoroides* S.H. Lin & Z.C. Chen Ref. Lin & Chen, 1990  
*Phlebia heterocystidia* Sheng H. Wu Ref. Wu, 1990  
*Phlebia ontoidea* Sheng H. Wu Ref. Wu, 1990  
*Resinicium bicolor* (Alb. & Schwein.:Fr.) Parmasto Ref. Chen & Lin, 1977  
*Resinicium granulare* (Burt) Sheng H. Wu Ref. Wu, 1990  
*Scopuloides hydroides* (Cooke & Masee) Hjortstam & Ryvarde Ref. Wu, 1990

### Family Phanerochaetaceae

*Ceraceomyces cerebrus* (G. Cunn.) Stalpers & P.K. Buchanan Ref. Wu, 1993  
*Erythricium salmonicolor* (Berk. & Broome) Burds. Ref. Sawada, 1933  
*Hyphodermella corrugata* (Fr.) J. Erikss. & Ryvarde Ref. Wu, 1990  
*Lopharia ayresii* (Berk. & Cooke) Hjortstam Ref. Wu, 1990  
*Lopharia cinerascens* (Schwein.) G. Cunn. Ref. Wu, 1995  
*Phanerochaete aculeata* Hallenb. Ref. Wu, 1990  
*Phanerochaete affinis* (Burt) Parmasto Ref. Wu, 1990  
*Phanerochaete alba* S.H. Lin & Z.C. Chen Ref. Wu, 1990  
*Phanerochaete albida* Sheng H. Wu Ref. Wu, 1990  
*Phanerochaete angustocystidiata* Sheng H. Wu Ref. Wu, 2000  
*Phanerochaete argillacea* Sheng H. Wu Ref. Wu, 1998  
*Phanerochaete brunnea* Sheng H. Wu Ref. Wu, 1990  
*Phanerochaete brunneocystidiata* Sheng H. Wu Ref. Wu, 2004  
*Phanerochaete canolutea* Sheng H. Wu Ref. Wu, 2000  
*Phanerochaete capitata* Sheng H. Wu Ref. Wu, 1998  
*Phanerochaete carnosa* (Burt) Parmasto Ref. Wu, 1997  
*Phanerochaete commixtoides* S.H. Lin & Z.C. Chen Ref. Wu, 1990  
*Phanerochaete eburnea* Sheng H. Wu Ref. Wu, 1998  
*Phanerochaete ericina* (Bourdot) J. Erikss. & Ryvarde Ref. Wu, 1990  
*Phanerochaete filamentosa* (Berk. & M.A. Curtis) Burdsall Ref. Wu, 1997  
*Phanerochaete flavido-alba* (Cooke) Rattan Ref. Wu, 1990  
*Phanerochaete flavidogrisea* Sheng H. Wu Ref. Wu, 1998  
*Phanerochaete fulva* Sheng H. Wu Ref. Wu, 1998  
*Phanerochaete gigantea* (Fr.:Fr.) Rattan et al. Ref. Maekawa, 1992  
*Phanerochaete ginsii* Sheng H. Wu Ref. Wu, 2000  
*Phanerochaete globosum* S.H. Lin & Z.C. Chen Ref. Lin & Chen, 1990  
*Phanerochaete himalayensis* (Dhingra) Sheng H. Wu Ref. Wu, 1990  
*Phanerochaete hyphocystidiata* Sheng H. Wu Ref. Wu, 1998  
*Phanerochaete intertexta* Sheng H. Wu Ref. Wu, 1990  
*Phanerochaete lamprocystidiata* Sheng H. Wu Ref. Wu, 2004  
*Phanerochaete laxa* Sheng H. Wu Ref. Wu, 2000  
*Phanerochaete leptoderma* Sheng H. Wu Ref. Wu, 1990  
*Phanerochaete lutea* (Sheng H. Wu) Hjortstam Ref. Wu, 1990  
*Phanerochaete ontoidea* Sheng H. Wu Ref. Wu, 2000  
*Phanerochaete parmastoi* Sheng H. Wu Ref. Wu, 1990  
*Phanerochaete ravenelii* (Cooke) Burds. Ref. Chen & Lin, 1977  
*Phanerochaete reflexa* Sheng H. Wu Ref. Wu, 1998  
*Phanerochaete rubescens* Sheng H. Wu Ref. Wu, 1998  
*Phanerochaete sanguinea* (Fr.) Pouzer Ref. Maekawa, 1992  
*Phanerochaete sordida* (P. Karst.) J. Erikss. & Ryvarde Ref. Chen & Lin, 1977  
*Phanerochaete stereoides* Sheng H. Wu Ref. Wu, 1995  
*Phanerochaete suballantoidea* Sheng H. Wu Ref. Wu, 1998  
*Phanerochaete subglobosa* Sheng H. Wu Ref. Wu, 1990  
*Phanerochaete subodontoidea* Sheng H. Wu Ref. Wu, 2000  
*Phanerochaete subquercina* (Henn.) Hjortstam Ref. Maekawa, 1992  
*Phanerochaete taiwaniana* Sheng H. Wu Ref. Wu, 1990  
*Phanerochaete tropica* (Sheng H. Wu) Hjortstam Ref. Wu, 1990  
*Phanerochaete viticola* (Schum.:Fr.) Parmasto Ref. Wu, 1990  
*Porostereum crassum* (Lév.) Hjortstam & Ryvarde Ref. Chen & Lin, 1977  
*Porostereum spadiceum* (Pers.:Fr.) Hjortstam & Ryvarde Ref. Wu & Chen, 1992

### Family Podoscyphaceae 柄杯菌科

*Cymatoderma caperatum* (Berk. & Mont.) D.A. Reid Ref. Sawada, 1931  
*Cymatoderma dendriticum* (Pers.) D.A. Reid Ref. Chen & Lin, 1977  
*Cymatoderma elegans* Jungh. Ref. 同前

*Cymatoderma lamellatum* (Berk. & M.A. Curtis) Reid Ref. Chang, 1993  
*Podoscypha parvula* (Lloyd) Reid Ref. Wu & Chen, 2002  
*Stereopsis burtianum* (Peck) D. Reid Ref. Sawada, 1942

### Family Polyporaceae 多孔菌科

*Abundisporus roseoalbus* (Jungh.) Ryvardeen Ref. Wu & Ryvardeen, 2003  
*Corioloopsis aspera* (Jungh.) Teng Ref. Chang, 1992  
*Corioloopsis floccosa* (Jungh.) Ryvardeen Ref. Chang, 1992  
*Corioloopsis neaniscus* Berk. Ref. 張東柱等。2001  
*Corioloopsis sanguinaria* (Kl.) Teng Ref. Chang, 1994  
*Corioloopsis strumosa* (Fr.) Ryvardeen Ref. Chang, 1994  
*Corioloopsis telfarii* (Kl.) Ryvardeen Ref. Chang, 1992  
*Corioloopsis torgii* (Berk.) Dom. Ref. 張東柱等。2001  
*Coriolus brevis* (Berk.) Aoshima Ref. Chang, 1994  
*Coriolus pinsitus* (Fr.) Pat. Ref. Chen, 1976  
*Coriolus polyzonus* (Pers.) Imaz. Ref. Chen, 1976  
*Coriolus (Trametes) hirsuta* (Fr.) Pilat Ref. Chen, 1976  
*Coriolus (Trametes) versicolor* (L.: Fr) Pilat Ref. Chen, 1976  
*Daedaleopsis confragosa* (Bolt.: Fr.) Schroet. Ref. Chang, 1994  
*Daedaleopsis tricolor* (Bull.:Fr.) Bond. & Sing. Ref. 張東柱等。2001  
*Datronia stereoides* (Fr.) Ryvardeen Ref. Chang, 1994  
*Earliella scabrosa* (Pers.) Gilbn. & Ryvardeen Ref. Chang, 1992  
*Echinochaete brachyporus* (Mont.) Ryvardeen Ref. Wu & Ryvardeen, 2003  
*Echinochaete russiceps* (Berk. & Br.) Reid Ref. Chang, 1995  
*Favolus spatulatus* (Jung.) Lev. Ref. Chang et al., 1997  
*Fomes annularis* (Fr.) Lloyd Ref. Sawada, 1959  
*Fomes rheicolor* Lloyd Ref. Sawada, 1959  
*Fomitella supina* (Swartz : Fr.) Murr. Ref. Chang et al., 1997  
*Hexagonia apiaria* Pers. Ref. Sawada, 1931  
*Hexagonia heteropora* (Mont.) Imaz. Ref. Sawada, 1959  
*Hexagonia hirta* (Fr.) Fr. Ref. Wu & Ryvardeen, 2003  
*Hexagonia tenuis* (Hook.) Fr. Ref. Chang, 1994  
*Hirschioporus versatilis* (Berk.) Imaz. Ref. Chen, 1976  
*Laetiporus sulphureus* (Bull. ex Fr.) Bond. & Sing. Ref. Chen, 1976  
*Lentinus lepideus* L. ex Fr. Ref. Sawada, 1959  
*Lentinus revelatus* Back. Ref. Sawada, 1942  
*Lentinus strigosus* Fr. Ref. Sawada, 1931  
*Lentinus subnudus* Berk. Ref. Sawada, 1931  
*Lentinus vulpinus* (Sow.) Fr. Ref. Hou & Wu, 1971  
*Lenzites betulina* Fr. Ref. Sawada, 1931  
*Lignosus superpositus* (Berk.) Lloyd. Ref. Sawada, 1931  
*Loweporus inflexibilis* (Berk.) Ryvardeen Ref. Wu & Chen, 2002  
*Megasporoporia cavernulosa* (Berk.) Ryvardeen Ref. Wu & Ryvardeen, 2003  
*Megasporoporia setulosa* (Henn.) Rajchenb. Ref. Wu, 1996  
*Microporellus obovatus* (Jungh.) Ryvardeen Ref. Chang, 1997  
*Microporus affinis* (Nees ex Fr.) Kuntz. Ref. Chen, 1976  
*Microporus flabelliformis* (Kl. ex Fr.) Kuntz. Ref. Chen, 1976  
*Microporus luteus* (Bl. & Nees.) Kuntz. Ref. Chen, 1976  
*Microporus microloma* (Lév.) Cunningham Ref. Chen, 1976  
*Microporus porphyrytis* (Berk.) Imaz. Ref. Chen, 1976  
*Microporus vermiceps* (Berk.) Imaz. Ref. Chen, 1976  
*Microporus xanthopus* (Fr.) Pat. Ref. Chen, 1976  
*Nigroporus vinosus* (Berk.) Murr. Ref. Chang, 1994  
*Oligoporus caesius* (Schrad.: Fr.) Gilbn. Ref. Chang, 1994  
*Oligoporus guttulatus* (Pk.) Gilbn. Ref. Chang, 1995  
*Oligoporus lowei* (Pilat) Gilbn. & Ryvardeen Ref. Chang, 1998  
*Oligoporus peredelicatus* (Murr.) Gilbn. Ref. Chang, 1995  
*Oligoporus sericeomollis* (Romell) Pouzar Ref. Chang, 2003  
*Oligoporus stipticus* (Pers.: Fr.) Gilbn. Ref. Chang, 1995  
*Oligoporus subcaesius* (David) Ryv. & Gild. Ref. Chang, 1996  
*Oligoporus undosus* (Pk.) Gilb. & Ryvardeen Ref. 張東柱等。2001  
*Pachykytospora papyracea* (Schw.) Ryvardeen Ref. Wu, 1996  
*Panus fulvus* (Berk.) Pegler & Rayner Ref. Chen, 1994  
*Panus rudis* Fr. Ref. Sawada, 1959  
*Panus tigrinus* (Bull. ex Fr.) Sing. Ref. Chen, 1994  
*Perenniporia celtis* T.T. Chang & W.N. Chou Ref. Chang & Chou, 1999  
*Perenniporia cystidiata* Y. C. Dai et al. Ref. Dai, 2002  
*Perenniporia formosana* T. T. Chang Ref. Chang, 1994  
*Perenniporia fraxinea* (Bull.: Fr.) Ryvardeen Ref. Chang, 1992  
*Perenniporia isabellina* (Pat. ex Sacc.) Ryvardeen Ref. Wu & Ryvardeen, 2003  
*Perenniporia martius* (Berk.) Ryvardeen Ref. Chang, 1996  
*Perenniporia medullapanis* (Jacq.: Fr.) Donk Ref. Wu, 1996

*Perenniporia nanjenshana* T.T. Chang & W.N. Chou Ref. Chang & Chou, 2000  
*Perenniporia ochroleuca* (Berk.) Ryvardeen Ref. 張東柱等。2000  
*Perenniporia ohioensis* (Berk.) Pyv. Ref. Chang, 1993  
*Perenniporia tephropora* (Mont.) Ryvardeen Ref. Wu, 1996  
*Phaeolus schweinitzii* (Fr.) Pat. Ref. Chen, 1976  
*Polyporellus badius* (Pers.:S.F. Gray) Imaz. Ref. 陳昇明等。2000  
*Polyporus alveolarius* (Dc. ex Fr.) Bond. & Sing. Ref. 陳昇明等。1999  
*Polyporus arcularis* (Batsch.) Fr. Ref. Sawada, 1931  
*Polyporus badius* (Pers.: S. F. Gray) Schw. Ref. Chang, 1995  
*Polyporus brumalis* Pers. Ref. Chang, 1995  
*Polyporus ciliatus* Fr. Ref. Chang, 1994  
*Polyporus dictyopus* Mont. Ref. Wu & Ryvardeen, 2003  
*Polyporus discoideus* Berk. & Curt. Ref. Sawada, 1959  
*Polyporus emerici* Cooke Ref. 陳昇明等。1999  
*Polyporus grammocephalus* Berk. Ref. Chang, 1992  
*Polyporus melanopus* Fr. Ref. Chang, 1993  
*Polyporus moluccensis* (Mont.) Ryvardeen Ref. Chang, 1994  
*Polyporus ostreiformis* Berk. Ref. Sawada, 1920  
*Polyporus philippinensis* Berk. Ref. 張東柱等。2001  
*Polyporus rhipidium* Berk. Ref. Sawada, 1959  
*Polyporus squamosus* Mich. ex Fr. Ref. Chen, 1975  
*Polyporus sulphureus* (Bull.) Fr. Ref. Sawada, 1931  
*Polyporus tenuiculus* (Beauv.) Fr. Ref. 張東柱等。2001  
*Polyporus tuberaster* (Pers.:Fr.) Fr. Ref. 陳昇明等。2000  
*Polyporus varius* (Pers.:Fr.) Fr. Ref. 張東柱等。2000  
*Poria carneolutea* Rodway & Cleland. Ref. Chen, 1976  
*Poria cinerascens* (Bers.) Sacc. & Syd. Ref. Chen, 1976  
*Poria cocos* (Fr.) Wolf. Ref. Chen, 1976  
*Poria nigra* (Berk.:) Cooke. Ref. Chen, 1976  
*Poria nigrescens* Bres. Ref. Chen, 1976  
*Poria reticulata* (Pers. ex Fr.) Cooke. Ref. Chen, 1976  
*Poria versipora* (Pers.) Romell. Ref. Chen, 1976  
*Poria xylina* Yasuda Ref. Sawada, 1920  
*Porodisculus pendulus* (Schw.) Murr. Ref. Chen, 1976  
*Pycnoporus cinnabarinus* Karst. Ref. Chen, 1976  
*Pycnoporus coccinens* (Fr.) Bond. & Sing. Ref. 陳昇明等。1999  
*Pycnoporus sanguineus* (L.: Fr) Murr. Ref. Chen, 1976  
*Skeletocutis albocrema* David Ref. Hsieh, 1995  
*Skeletocutis carneogrsea* David Ref. Chang, 1995  
*Skeletocutis lenis* (Karst.) Niemela Ref. Hsieh, 1996  
*Skeletocutis lilacina* David & Keller Ref. Chang, 1998  
*Skeletocutis nivea* (Jungh.) Keller Ref. Chang, 1996  
*Skeletocutis sensitiva* (Lloyd) Ryvardeen Ref. Wu & Ryvardeen, 2003  
*Taiwanofungus camphoratus* (M. Zang & C.H. Su) Sheng H. Wu, Z.H. Yu, Y. C. Dai & C.H. Su Ref. Wu et al., 2004  
*Taiwanofungus salmoneus* (Chang, T.T. & Chou,W.N.) Wu, Sheng H. & Yu, Z.H. & Dai, Y. C. & Su, C.H. Ref. 同前  
*Trametes acuta* (Berk.) Imaz. Ref. Chen, 1976  
*Trametes aneba* (Berk.) Imaz. Ref. Chen, 1976  
*Trametes brunneola* (Berk.) Imaz. Ref. Sawada, 1959  
*Trametes dickinsii* Berk. Ref. Sawada, 1920  
*Trametes ectypus* (Berk. & Curt.) Gilbn. & Ryvardeen Ref. 張東柱等。2001  
*Trametes elegans* (Spreng.: Fr.) Fr. Ref. Sawada, 1931  
*Trametes feei* (Fr.) Pat. Ref. Chang, 1994  
*Trametes gibbosa* (Fr.) Fr. Ref. Chen, 1976  
*Trametes hirsuta* (Wulfen) Pilát Ref. Chen, 1976  
*Trametes kusanoana* Imaz. Ref. Sawada, 1959  
*Trametes lactinea* Berk. Ref. Chang, 1993  
*Trametes mulleri* Berk. Ref. Sawada, 1959  
*Trametes neaniscus* Berk. Ref. Chang, 1997  
*Trametes orientalis* (Yasuda) Imaz. Ref. Sawada, 1959  
*Trametes pallisoti* (Fr.) Imaz. Ref. Chen, 1976  
*Trametes pocas* (Berk.) Ryvardeen Ref. Wu & Ryvardeen, 2003  
*Trametes pubescens* (Schum.: Fr.) Pilat Ref. Chang, 1992  
*Trametes scabrosa* (Pers.) Cunningham Ref. Chen, 1976  
*Trametes suaveolens* (L.) Fr. Ref. Chen, 1975  
*Trametes versicolor* (L.) Lloyd Ref. Chen, 1976  
*Trametes villosaq* (Fr.) Kreisel. Ref. 張東柱等。2001  
*Trichaptum abietinum* (Dicks.: Fr.) Ryvardeen Ref. Chang, 1992  
*Trichaptum bifforme* (Fr.: Kl.) Ryvardeen Ref. Chang, 1996  
*Trichaptum durum* (Jungh.) Corner Ref. Chang, 1998  
*Trichaptum fusco-violaceum* (Ehrenb.: Fr.) Ryvardeen Ref. Chang, 1998  
*Trichaptum laricinum* (Karst.) Ryvardeen Ref. Chang, 1994  
*Tyromyces aurantilaetus* Corner Ref. Chang, 1996

*Tyromyces incarnatus* Imaz. Ref. Chang, 1993  
*Tyromyces subcaesius* David Ref. Chang, 1993  
*Tyromyces subgiganteus* (Berk. & Curt.) Ryvar den Ref. Chang, 1996  
*Tyromyces taxi* (Bond.) Ryvar den Ref. Chang, 1996  
*Tyromyces wakefieldiae* Kotl. & Pouzar Ref. 張東柱等。2001

#### Family Sistotremataceae

*Repetobasidium intermedium* Oberw. Ref. Oberwinkler & Tschen, 1989  
*Sistotrema brinkmannii* (Bres.) J. Erikss. Ref. Fung. Sci. 10: 15.  
*Trechispora dimitica* Hallenb. Ref. Maekawa, 1992  
*Trechispora farinacea* (Pers.:Fr.) Liberta Ref. Maekawa, 1992  
*Trechispora lunata* (Romell ex Bourdot & Galzin) Jülich Ref. Maekawa, 1992  
*Trechispora praefocata* (Bourdot & Galzin) Liberta Ref. Maekawa, 1992

#### Family Tubulicrinaceae

*Leifia flabelliradiata* (J. Erikss. & Hjortstam) Ginns Ref. Wu, 1997  
*Tubulicium vermiferum* (Bourdot) Oberw. ex Jülich ssp. *Raphidosporum* Boidin & Gilles Ref. Maekawa, 1992  
*Tubulicrinis confusus* K. H. Larss. & Hjortstam Ref. Lin & Chen, 1990  
*Tubulicrinis glebulosus* (Fr.) Donk Ref. Chen & Lin, 1977  
*Tubulicrinis hamatus* (Jackson) Donk Ref. Wu, 1997

#### Family Xenasmataceae

*Phlebiella tulasnelloidea* (Hoehn. & Litsch.) Ginns & Lefebvre Ref. Proc. Natl. Sci. Council 10: 268, 1977  
*Xenasma pruinatum* (Pat.) Donk Ref. Chen & Lin, 1977  
*Xenasma umbonatum* (G. Cunn.) Hjortstam Ref. Wu, 1990

### Order Russulales 紅菇目

#### Family Auriscalpiaceae 耳匙菌科

*Auriscalpium vulgare* S. F. Gray Ref. Wu et al., 1996  
*Clavicornia pyxidata* (Pers.:Fr.) Doty Ref. Chen, 1994  
*Gloeomyces ginnsii* Sheng H. Wu Ref. Wu, 1996  
*Gloeomyces graminicola* Sheng H. Wu Ref. Wu, 1996  
*Gloeomyces moniliformis* (Maekawa) Sheng H. Wu Ref. Wu, 1996  
*Lentinellus ursinus* (Fr.) Kühn. Ref. 張東柱等。2001

#### Family Bondarzewiaceae 刺孢多孔菌科

*Bondarzewia montana* (Quel.) Sing. Ref. Chang, 1992  
*Heterobasidium insulare* (Murr.) Ryvar den Ref. 張東柱等。1999  
*Taiwanoporia amylospora* T.T. Chang & W.N. Chang Ref. Chang & Chou, 2003  
*Wrightoporia avellanea* (Bres.) Pouzar Ref. Wu, 1996

#### Family Echinodontiaceae 木齒菌科

*Laurilia sulcata* (Burt) Pouzar Ref. Sawada, 1933  
*Laurilia taxodii* (Lentz & H. H. McKay) Parmasto Ref. Chen & Lin, 1977

#### Family Hericiaceae 猴頭菇科

*Heridium erinaceum* (Bull.:Fr.) Pers. Ref. Wu et al., 1996  
*Heridium ramosum* (Merat) Banker Ref. Chou, 2000

#### Family Lachnocladiaceae 茸瑚菌科

*Asterostroma muscicola* (Berk. & M.A. Curtis) Masee Ref. Wu, 1995  
*Dichopleuropus spathulatus* D.A. Reid Ref. Wu & Chou, 1995  
*Scytinostroma ochroleucum* (Bres. & Torrend) Donk Ref. Wu, 1998  
*Scytinostroma portentosum* (Berk. & M.A. Curtis) Donk Ref. Wu & Chen, 2002

#### Family Peniophoraceae 隔孢伏革菌科

*Dendrophora versiformis* (Berk. & M.A. Curtis) Chamuris Ref. Wu, 1998  
*Duportella cf. miranda* Boidin et al. Ref. Wu & Chen, 1993  
*Duportella kuehneroides* Boidin et al. Ref. 同前  
*Duportella tristicula* (Berk. & Broome) Pat. Ref. 同前  
*Duportella tristiculoides* Sheng H. Wu Ref. 同前  
*Peniophora aurantiaca* (Bres.) Hoehn. & Litsch. Ref. Chen & Lin, 1977  
*Peniophora bicornis* Hjortstam & Ryvar den Ref. Wu, 2003  
*Peniophora borbonica* Boidin & Gilles Ref. Wu, 2003  
*Peniophora cinerea* (Fr.) Cooke Ref. Chen & Lin, 1977  
*Peniophora incarnata* (Pers.:Fr.) P. Karst. Ref. 同前  
*Peniophora malaiensis* Boidin, Lanquetin & Gilles Ref. Wu, 2003  
*Peniophora ovalispora* Boidin et al. Ref. Wu, 2002  
*Peniophora pseudonuda* Hallenb. Ref. Wu, 2002  
*Peniophora reidii* Boidin & Lanquetin Ref. Wu, 2003  
*Peniophora scintillans* G. H. Cunn. Ref. Wu, 2002  
*Peniophora septentrionalis* Laurila Ref. Wu, 2002  
*Peniophora spathulata* S.H. Lin & Z.C. Chen Ref. Wu, 1990  
*Peniophora taiwanensis* Sheng H. Wu Ref. Wu, 2003

#### Family Russulaceae 紅菇科

*Lactarius acris* (Bolt.:Fr.) S.F. Gray Ref. 張東柱等。2001  
*Lactarius akahatus* Tanaka Ref. Sawada, 1919  
*Lactarius camphoratus* (B. ex Fr.) Fr. Ref. Liou & Liu, 1978  
*Lactarius castanopsidis* Hongo Ref. Chen, 1994  
*Lactarius controversus* (Pers.: Fr.) Fr. Ref. Chen, 1993  
*Lactarius deliciosus* Fr. Ref. Sawada, 1959  
*Lactarius gerardii* Peck. Ref. Chen, 1993  
*Lactarius gracilis* Hongo Ref. Liou & Liu, 1978  
*Lactarius hatsudake* Tanaka Ref. Sawada, 1919  
*Lactarius laeticolorus* (Imai) Imazeki Ref. Chen, 1994  
*Lactarius lignyotus* Fr. var. *marginatus* (Smith & Hesler) Smith & Hesler Ref. Chen, 1994  
*Lactarius lignyotus* Fr. Ref. Chen, 1993  
*Lactarius piperatus* Fr. Ref. Sawada, 1959  
*Lactarius scrobiculatus* (Scop.:Fr.) Fr. Ref. Wu et al., 1996  
*Lactarius subpiperatus* Hongo Ref. 同前  
*Lactarius subvellereus* Pack. Ref. Chen, 1993  
*Lactarius subzonarius* Hongo Ref. Lo, 1998  
*Lactarius torminosus* (Schaeff.:Fr.) S.F. Gray Ref. 張東柱等。2001  
*Lactarius volemus* Fr. Ref. Chien, 1986  
*Russula adusta* (Pers.: Fr.) Fr. Ref. 張東柱等。2001  
*Russula aeruginea* Lindbl. Ref. Wu et al., 1996  
*Russula alboareolata* Hongo Ref. Chen, 1994  
*Russula amoena* Quél. Ref. 張東柱等。2000  
*Russula atropurpurea* (Krombh.) Britzelm. Ref. Chou & Wang, 2004  
*Russula betularum* Hora Ref. Tschen & Tschen, 2005  
*Russula castanopsidis* Hongo Ref. Chen, 1994  
*Russula cavipes* Britz. Ref. Lo, 1998  
*Russula cf. metachroa* Hongo Ref. Peng et al., 1991  
*Russula chamaeleontia* Fr. Ref. Sawada, 1959  
*Russula compacta* Forst & Peck apud Perk Ref. Chen, 1994  
*Russula cyanoxantha* (Schaeff.) Fr. Ref. 張東柱等。2000  
*Russula delicata* Fr. Ref. Chen, 1994  
*Russula densifolia* (Secr.) Gill. Ref. Wu et al., 1996  
*Russula emetica* (Schaeff. ex Fr.) Pers. Ref. Liou, 1980  
*Russula flavida* Forst & Peck. Ref. Chien, 1986  
*Russula foetens* Pers.:Fr. Ref. 張東柱等。2001  
*Russula fragilis* Fr. Ref. Sawada, 1943  
*Russula gracillima* Jul. Schäff. Ref. Chou & Wang, 2004  
*Russula japonica* Hongo Ref. 張東柱等。2001  
*Russula kansaiensis* Hongo Ref. 張東柱等。2000  
*Russula laurocerasi* Melzer Ref. Chou & Wang, 2004  
*Russula livescens* Batsch. Ref. Sawada, 1942  
*Russula mariae* Peck Ref. Chen, 1994  
*Russula metachroa* Hongo Ref. 陳昇明等。2000  
*Russula ochroleuca* (Pers.) Fr. Ref. Liou, 1978  
*Russula olivacea* (Schaeff.) Fr. Ref. Wu et al., 1996  
*Russula omiensis* Hongo Ref. Chou & Wang, 2004  
*Russula pectinatoides* Peck Ref. 同前  
*Russula pseudodelicata* Lange Ref. Liou, 1980  
*Russula purpurina* Quel. & Schul. Ref. Sawada, 1959  
*Russula rubescens* Beardslee Ref. Chou & Wang, 2004  
*Russula sanguinea* (Bull.) Fr. Ref. Wu et al., 1996  
*Russula senecis* Imai Ref. Chien, 1986  
*Russula solaris* Ferd. & Winge Ref. Chou & Wang, 2004  
*Russula sororia* Fr. Ref. 同前  
*Russula* sp. Ref. Peng et al., 1991  
*Russula subdepallens* Peck Ref. Chou & Wang, 2004  
*Russula subfoetens* W.G. Smith Ref. Tschen & Tschen, 2005  
*Russula subnigricans* Hongo Ref. Wu et al., 1996  
*Russula vesca* Fr. Ref. 同前  
*Russula violeipes* Quél. Ref. Tschen & Tschen, 2005  
*Russula virescens* (Schaeff.) Fr. Ref. Peng et al., 1991

### Family Stereaceae 韌革菌科

*Acanthofungus rimosus* Sheng H. Wu et al. Ref. Wu et al., 2000  
*Aleurobotrys botryosus* (Burt) Boidin, Lanq. & Gilles Ref. Wu, 1998  
*Aleurodiscus mirabilis* (Berk. & M.A. Curtis) Hoehn. Ref. Chen & Lin, 1977  
*Aleurodiscus oakesii* (Berk. & M.A. Curtis) Pat. Ref. Wu, 1998  
*Aleurodiscus wakefieldiae* Boidin & Beller Ref. Wu, 1998  
*Boidinia cana* Sheng H. Wu Ref. Wu, 1996  
*Boidinia granulata* Sheng H. Wu Ref. Wu, 1996  
*Boidinia luteola* Sheng H. Wu Ref. Wu, 1996

*Boidinia macrospora* Sheng H. Wu Ref. Wu, 1996  
*Conferticum heimii* (Boidin) Sheng H. Wu Ref. Wu, 1996  
*Conferticum ochraceum* (Fr.:Fr.) Hallenb. Ref. Wu, 1996  
*Conferticum ravum* (Burt) Ginns. & Freeman Ref. Wu, 1996  
*Gloeocystidiellum aculeatum* Sheng H. Wu Ref. Wu, 1996  
*Gloeocystidiellum aspellum* Hjortstam Ref. Wu, 1996  
*Gloeocystidiellum compactum* Sheng H. Wu Ref. Wu, 1996  
*Gloeocystidiellum formosanaum* Sheng H. Wu Ref. Wu, 1996  
*Gloeocystidiellum laxum* Sheng H. Wu Ref. Wu, 1996  
*Gloeocystidiellum luridum* (Bres.) Boidin var. *microsporium* Z. C. Chen & S. H. Lin Ref. Lin & Chen, 1990  
*Gloeocystidiellum moniliforme* Sheng H. Wu Ref. Wu, 1996  
*Gloeocystidiellum porosum* (Berk. & M.A. Curtis) Donk Ref. Wu, 1996  
*Gloeocystidiellum purpureum* Sheng H. Wu Ref. Wu, 1996  
*Gloeocystidiellum tabacinum* Sheng H. Wu Ref. Wu, 1996  
*Gloiothele citrinoidea* Sheng H. Wu Ref. Wu, 1996  
*Gloiothele globosa* Sheng H. Wu Ref. Wu, 1996  
*Gloiothele lactescens* (Berk.) Hjortstam Ref. Chen & Lin, 1977  
*Laxitextum bicolor* (Pers.:Fr.) Lentz Ref. Sawada, 1942  
*Megalocystidium luridum* (Bres.) Jülich Ref. Wu, 1996  
*Stereum fasciatum* Schw. Ref. Sawada, 1931  
*Stereum frustulosum* (Pers.) Fr. Ref. Chen & Lin, 1977  
*Stereum hirsutum* (Will.:Fr.) S.F. Gray Ref. 陳昇明等。1999  
*Stereum membranaceum* Fr. Ref. Sawada, 1942  
*Stereum ochraceo-flavum* (Schw.) Eil. Ref. Chang, 1992  
*Stereum ostrea* (Bl. & Nees.) Fr. Ref. Chang, 1992  
*Stereum princeps* (Jungh.) Lev. Ref. Sawada, 1959  
*Vesiculomyces citrinus* (Pers.) Hagstrom Ref. Wu, 1990  
*Xylobolus annosus* (Berk. & Br.) Boidin Ref. Chang, 1996  
*Xylobolus frustulatus* (Pers.:Fr.) Boidin Ref. Chang, 1993  
*Xylobolus princeps* (Jungh.) Boidin Ref. Sawada, 1959  
*Xylobolus spectabilis* Klotzsch Ref. Chen & Lin, 1977  
*Xylobolus subpileatus* (Berk. & M.A. Curtis) Boidin Ref. Chang, 1993

## Order Sclerodermales 硬皮馬勃目

### Family Sclerodermataceae 硬皮馬勃科

*Calostoma cinnabarinum* (Desv.) Mass. Ref. 張東柱等。2001  
*Calostoma japonicum* P. Henn. Ref. 張東柱等。2000  
*Calostoma junghuhnii* (Schl. & Mull.) Mass. Ref. Chen & Yeh, 1975  
*Mitremyces formosana* Saw. Ref. Sawada, 1933  
*Pisolithus tinctorius* (Pers.) Coker & Couch Ref. Wu et al., 1996  
*Scleroderma cepa* Pers. Ref. Tu et al., 1981  
*Scleroderma geaster* Fr. Ref. Sawada, 1933  
*Scleroderma polyrhizum* Pers. Ref. Sawada, 1933  
*Scleroderma vulgare* Fr. Ref. Sawada, 1931

## Order Thelephorales 革菌目

### Family Bankeraceae 煙白齒菌科

*Sarcodon imbricatus* (L.:Fr.) P. Karst. Ref. Chou, 2000  
*Sarcodon martioflavus* (Snell et al.) Geesteranus Ref. Wu et al., 1996  
*Sarcodon scabrosus* (Fr.) Karst. Ref. Chen, 1994

### Family Thelephoraceae 革菌科

*Thelephora fuscella* (Cesati) Lloyd Ref. Wu & Chou, 1995  
*Thelephora multipartita* Schw. Ref. 張東柱等。2000  
*Thelephora vialis* Schw. Ref. 張東柱等。2000

## Class Tremellomycetes 銀耳綱

### Order Tremellales 銀耳目

#### Family Aporpiaceae

*Elmerina cladophora* (Berk.) Bres. Ref. Wu et al., 1996

#### Family Exidiaceae 黑耳科

*Exidia glandulosa* Fr. Ref. Wu et al., 1996  
*Heterochaete delicata* (Kl. ex Berk.) Bres. Ref. 同前  
*Pseudohydnum gelatinosum* (Scop.:Fr.) P. Karst. Ref. 張東柱等。2001

#### Family Sirobasidiaceae 鍊擔耳菌科

*Sirobasidium magnum* Boed. Ref. Chen, 1998

#### Family Syzygosporaceae 聯軛孢菌科

*Syzygospora nivalis* C. J. Chen & Oberwinkler Ref. Chen et al., 1998

#### Family Tremellaceae 銀耳科

*Bullera begoniae* Nakase et al., 2004 [特有] Ref. Nakase et al., 2004

*Bullera formosana* Nakase et al., 2004b Ref. Nakase et al., 2004b  
*Bullera formosensis* Nakase et al., 2002 Ref. Nakase et al., 2002  
*Bullera melastomae* Nakase et al., 2004b Ref. Nakase et al., 2004b  
*Bullera setariae* Nakase et al., 2004 [特有] Ref. Nakase et al., 2004  
*Bullera taiwanensis* Nakase et al., 2002 Ref. Nakase et al., 2002  
*Torulopsis dattila* (Kluyver) Lodder, 1934 Ref. Index Fungorum  
*Torulopsis mogii* Vidal-Leir., 1966 Ref. 同前  
*Tremella cerebriiformis* C. J. Chen Ref. Chen, 1998  
*Tremella encephala* Pers. ex. Bref. Ref. Chen, 1998  
*Tremella flava* C. J. Chen Ref. Chen, 1998  
*Tremella foliacea* Pers.: Fr. Ref. Chen, 1998  
*Tremella fuciformis* Berkeley Ref. Chen, 1998  
*Tremella fuscosuccinea* C. J. Chen Ref. Chen, 1998  
*Tremella mesenterica* Retz.: Fr. Ref. Chen, 1998  
*Tremella neofoliacea* C. J. Chen Ref. Chen, 1998  
*Tremella nivalis* C. J. Chen Ref. Chen, 1998  
*Tremella occultifuroidea* C. J. Chen Ref. Chen et al., 1999  
*Tremella pulvinaria* Kobayasi Ref. 陳昇明等。2001  
*Tremella resupinata* C. J. Chen Ref. Chen, 1998  
*Tremella taiwanensis* C. J. Chen Ref. Chen, 1998  
*Tremella tropica* C. J. Chen Ref. Chen, 1998

### Family Trichosporonaceae

*Trichosporon asahii* Akagi, 1929 Ref. Index Fungorum  
*Trichosporon behrendii* Lodder & Kreger-van Rij, 1952 Ref. 同前  
*Trichosporon beigelii* (Kuechenmeister & Rabenhorst) Vuillemin Ref. Ko, 1990  
*Trichosporon penicillatum* do Carmo-Sousa Ref. Ko, 1990  
*Trichosporon pullulans* Ref. Huang, 1995

## Class Urediniomycetes 銹菌綱

### Order Microbotryales

#### Family Microbotryaceae

*Sphacelotheca cruenta* (Kuhn.) Potter Ref. Sawada, 1959  
*Sphacelotheca hydropiperis* (Schum.) de Bary Ref. Sawada, 1928  
*Sphacelotheca macrospora* Yen & Wang Ref. 閻若浜、王卓三。1955  
*Sphacelotheca polygoni-senticosa* (Henn.) Miyabe & Takah. Ref. Sawada, 1944  
*Sphacelotheca sorghi* (Link.) Clinton Ref. Sawada, 1959  
*Sphacelotheca sorghicola* (Speg.) Zun. Ref. Sawada, 1959

### Order Septobasidiales

#### Family Septobasidiaceae

*Septobasidium humile* Racib. Ref. Kirschner & Chen, 2008  
*Septobasidium petchii* Couch ex L. D. Gomez & Henk. Ref. 同前

### Order Sporidiobolales 鎖擲酵母目

#### Family Sporidiobolaceae 鎖擲酵母科

*Sporidiobolus pararoseus* Fell & Tallman Ref. Lin, 2004  
*Sporobolomyces carnicolor* Yamasaki & Fujii Ref. Ko & Wang, 2006  
*Sporobolomyces diospyroris* Nakase T. et al., 2005 Ref. Index Fungorum  
*Sporobolomyces fushanensis* Nakase, F.L. Lee & M. Takash. (2005) Ref. 同前  
*Sporobolomyces lophatheri* Nakase, Tsuzuki, F.L. Lee, Jindam. & M. Takash. (2005) Ref. 同前  
*Sporobolomyces magnisporus* Nakase, Tsuzuki, F.L. Lee, Sugita, Jindam. & M. Takash. (2003) Ref. 同前  
*Sporobolomyces pyrrostiae* Nakase, Tsuzuki, F.L. Lee, Jindam. & M. Takash. (2005) Ref. 同前  
*Sporobolomyces roseus* Kluyver & C.B. Niel, 1924 拋孢酵母菌 Ref. 同前

### Order Uredinales 銹菌目

#### [Not assigned to a family]

*Blastospora itoana* Toga et Onu. Ref. Sawada, 1959  
*Coltricia cinnamomea* (Pers.) Murr. Ref. Chang, 1992  
*Coltricia perennis* (L.:Fr.) Murr. Ref. 張東柱等。2001  
*Daedalopsis phaea* Imaz. Ref. Chen, 1976  
*Daedalopsis tenuis* (Hook. ex Fr.) Imaz. Ref. Chen, 1976  
*Deadaleopsis purpurea* (Cke.) Imaz & Aoshi. Ref. 陳昇明等。2000  
*Echinodontium taxodii* (Lentz & Mckay) Gross Ref. Chang et al., 1996  
*Gastrum mirabile* Mont. Ref. Hou & Wu, 1971  
*Glocophyllum sepiarum* (Fr.) Karst. Ref. Chang, 1992  
*Guepinia fissa* Berk. Ref. Sawada, 1959  
*Hemileia gardeniae-floridiae* Sawada Ref. Sawada, 1933  
*Hemileia vastatrix* Berk. et Br. Ref. Sawada, 1922  
*Hemileia wrightiae* Racib. Ref. Hiratsuka & Hashioka, 1937  
*Heterorepetobasidium ellipsoideum* C. J. Chen & Oberwinkler Ref. Chen et al., 2002  
*Heterorepetobasidium subglobosum* C. J. Chen & Oberwinkler Ref. 同前

*Hypochnus cinnamomi* Sawada Ref. Sawada, 1919  
*Hypochnus erythroxyli* Sawada Ref. Sawada, 1959  
*Hypsizigus marmoreus* (Peck) Bigelow Ref. Lo, 1998  
*Lyphyllum ulmarium* (Fr.) Kühn Ref. Chien, 1986  
*Naemateloma epixanthum* (Fr.) Kar. Ref. Peng et al., 1993  
*Naemateloma fasciculare* (Hudson:Fr.) Karst. Ref. Chen, 1994  
*Physopella clemensiae* (Arth. & Cumm.) Cumm & Ramachar Ref. Chen, 1980  
*Physopella compressa* (Mains) Cumm.et Ramachar Ref. Chen, 1980  
*Schroeteriaster cingens* Syd. Ref. 謝煥儒。1986  
*Schroeteriaster ehretiae* (Hirats.) Syd.et E.Butler Ref. Sawada, 1919  
*Schroeteriaster glochidii* Syd. Ref. Sawada, 1919  
*Tricholomopsis rutilans* (Schaeff. Fr.) Sing. Ref. Peng et al., 1991  
*Uredo aggregata* Sawada Ref. Sawada, 1943  
*Uredo alocasiae* Syd. Ref. Hiratsuka & Hashioka, 1937  
*Uredo amitostigmae* Hirats.f.et Hash Ref. Sawada, 1942  
*Uredo artabotrydis* Syd. Ref. Sawada, 1928  
*Uredo autumnalis* Diet. Ref. Sawada, 1943  
*Uredo broussonetiae* Sawada Ref. Sawada, 1943  
*Uredo cajani* Syd. Ref. Sawada, 1928  
*Uredo calystegiae* Sawada Ref. Sawada, 1943  
*Uredo caricis-alopecuroides* Ref. 郭弘吉。1996  
*Uredo caricis-baccantis* Sawada Ref. Sawada, 1943  
*Uredo caricis-satsumensis* Ref. 郭弘吉。1996  
*Uredo cassiae-glancae* Syd. Ref. Sawada, 1942  
*Uredo cissi* Sawada Ref. Sawada, 1943  
*Uredo clemensiae* (Arth.et Cumm.) Hira. Ref. Sawada, 1959  
*Uredo clerodendricola* Henn. Ref. Sawada, 1933  
*Uredo coreana* (Hirats.) Hirats. Ref. Sawada, 1959  
*Uredo cryptogrammes* (Diet.) Hirats. Ref. Sawada, 1959  
*Uredo cudraniae* Sawada Ref. Sawada, 1959  
*Uredo cyperi-tagetiformis* Henn. Ref. Sawada, 1919  
*Uredo desmodii-pulchelli* Syd. Ref. Sawada, 1928  
*Uredo deutziicola* Hirats. Ref. Sawada, 1959  
*Uredo digitariae-violascens* Chen Ref. Chen, 1980  
*Uredo dioscoreicola* Sawada Ref. Sawada, 1943  
*Uredo ditissima* Cumm. Ref. Chen, 1980  
*Uredo ehretiae* Barcl. Ref. Sawada, 1919  
*Uredo elephantopodis* Petch Ref. Sawada, 1933  
*Uredo erigerontis* (H.et P.Syd.) Hiratsuka Ref. 姚瑞禎。1996  
*Uredo euphoriae* Pat. Ref. 農業要覽 4 (1) : 254。1965  
*Uredo fagarae* Syd. Ref. Sawada, 1919  
*Uredo festucae-parmiglumae* Chen Ref. Chen, 1980  
*Uredo fici-nervosae* Sawada Ref. Sawada, 1944  
*Uredo grewiae* Pat.et Hariot Ref. Sawada, 1959  
*Uredo guettardae* Hirats.et Hash. Ref. Hiratsuka & Hashioka, 1935  
*Uredo holci-fulvi* Sawada Ref. Sawada, 1959  
*Uredo houttuyniae* Sawada Ref. Sawada, 1944  
*Uredo ignava* Arth. Ref. Chen, 1980  
*Uredo isachnes* Sawada Ref. Sawada, 1944  
*Uredo lasianthi* Syd. Ref. Hiratsuka & Hashioka, 1934  
*Uredo leucaenae-glaucae* Hirat.et Hash. Ref. Hiratsuka & Hashioka, 1935  
*Uredo luzulae-effusae* Hirats. Ref. Sawada, 1959  
*Uredo malloti* Henn. Ref. Sawada, 1943  
*Uredo microstegii* Chen Ref. Chen, 1980  
*Uredo miscanthi-floriduli* Chen Ref. Chen, 1980  
*Uredo miscanthi-sinensis* Sawada Ref. Sawada, 1943  
*Uredo moricola* Henn. Ref. Sawada, 1919  
*Uredo morifolia* Sawada Ref. Sawada, 1919  
*Uredo morrisonense* (Hirats.) Hirats. Ref. Sawada, 1959  
*Uredo niitakense* (Hirats.f.) Hirats.f. Ref. Sawada, 1959  
*Uredo nokomontana* Sawada Ref. Sawada, 1944  
*Uredo ophiopogonis* Syd. Ref. Hiratsuka & Hashioka, 1937  
*Uredo oplismeni-undulatifolii* Chen Ref. Chen, 1980  
*Uredo orientalis* Racib. Ref. Sawada, 1942  
*Uredo paederiae* Syd. Ref. Sawada, 1944  
*Uredo palmifolia* Cumm. Ref. Chen, 1980  
*Uredo panici-plicati* Sawada Ref. Sawada, 1943  
*Uredo phaji* Racib. Ref. U.S.D.A.: List of Intercepted Plant Pests 1968:77, 1969  
*Uredo phragmitis-karkae* Sawada Ref. Sawada, 1944  
*Uredo phyllanthi-longofolii* Petch Ref. Sawada, 1943  
*Uredo pileae* Bar. Ref. Sawada, 1959  
*Uredo querci* Sawada Ref. Sawada, 1943

*Uredo rube-lasiniato-stipulati* Sawada Ref. Sawada, 1943  
*Uredo rubi-swinhoei* Sawada Ref. Sawada, 1943  
*Uredo sawadae* Ito ex Ito & Murayama Ref. Sawada, 1959  
*Uredo scolopiae* Syd. Ref. Sawada, 1919  
*Uredo scripi-erecti* Sawada Ref. Sawada, 1943  
*Uredo sonchi-arvensis* Sawada Ref. Sawada, 1943  
*Uredo stachyuri* Diet. Ref. Sawada, 1959  
*Uredo swertiicola* Hira. Ref. Sawada, 1959  
*Uredo tainiae* Hirats. Ref. Sawada, 1959  
*Uredo taiwaniana* Hirats. et Hash. Ref. Hiratsuka & Hashioka, 1934  
*Uredo tephrosiae* Rabh. Ref. Sawada, 1943  
*Uredo vernoniicola* Petch Ref. Sawada, 1943  
*Uredo violae-senzanensis* Sawada Ref. Sawada, 1943  
*Uredo violicola* Sawada Ref. Sawada, 1944  
*Vstilaginoides sacchavi-narengae* Sawada Ref. Sawada, 1919

#### Family Chaconiaceae 共基锈菌科

*Maravalia achroa* (Syd.) Arth. et Cumm. Ref. Sawada, 1959  
*Olivea tectonae* Thirum Ref. Chen, 1965

#### Family Coleosporiaceae 鞘锈菌科

*Chrysomyxa expansa* Diet. Ref. Sawada, 1942  
*Chrysomyxa rhododendri* de Bary Ref. Hiratsuka & Hashioka, 1935  
*Chrysomyxa succinea* (Sacc.) Tranzschel Ref. Sawada, 1959  
*Chrysomyxa taihaensis* F. & Hash Ref. Hiratsuka & Hashioka, 1935  
*Coleosporium arundinae* Syd. Ref. Sawada, 1919  
*Coleosporium asterum* (Diet.) Syd. Ref. Sawada, 1919  
*Coleosporium bletiae* Diet Ref. Sawada, 1942  
*Coleosporium campanulae* (Pers.) Lev. Ref. Sawada, 1928  
*Coleosporium campanumoeae* Diet. Ref. Hiratsuka & Hashioka, 1933  
*Coleosporium carpesii* Sacc. Ref. Hiratsuka & Hashioka, 1934  
*Coleosporium clematidis* Barcl. Ref. Sawada, 1943  
*Coleosporium clerodendri* Diet. Ref. Sawada, 1928  
*Coleosporium eupatorii* Arth. Ref. Sawada, 1928  
*Coleosporium evodiae* Diet. Ref. Sawada, 1943  
*Coleosporium knoxiae* Syd. Ref. Sawada, 1919  
*Coleosporium ligulariae* Thum. Ref. Hiratsuka & Hashioka, 1935  
*Coleosporium ligustriae* Thum. Ref. Sawada, 1942  
*Coleosporium liparidis* Sawada Ref. Sawada, 1944  
*Coleosporium paederiae* Diet. Ref. Sawada, 1919  
*Coleosporium perillae* Syd. Ref. Sawada, 1928  
*Coleosporium tussilaginis* (Pers.) Lev. Ref. 姚瑞禎。1996  
*Coleosporium xanthoxyli* Diet. & Syd. Ref. Hiratsuka & Hashioka, 1934  
*Coleosporium yamabense* Hiratsuka Ref. 姚瑞禎。1996

#### Family Cronartiaceae

*Cronartium prenae* Petch Ref. Sawada, 1943  
*Cronartium quercuum* Miyabe Ref. Sawada, 1942  
*Cronartium ribicola* Diet. Ref. Hiratsuka & Hashioka, 1935  
*Cronartium sawadae* Syd. Ref. Sawada, 1919

#### Family Melampsoraceae 柵锈菌科

*Chnoospora itoana* Hirats. Ref. Sawada, 1943  
*Melampsora coleosporioides* Diet. Ref. Sawada, 1959  
*Melampsora euphorbiae-orientalis* Sawada Ref. Sawada, 1943  
*Melampsora hypericum* Schroet. Ref. Sawada, 1942  
*Melampsora kusanoi* Diet. Ref. Sawada, 1933  
*Melampsora larici-epitea* Kleb. Ref. Sawada, 1931  
*Melampsora microspora* Sawada Ref. Sawada, 1943  
*Melampsora ricini* Sawada Ref. Sawada, 1919  
*Melampsora salicis-warburgii* Sawada Ref. Sawada, 1931  
*Melampsora syntherismae* Sawada Ref. Sawada, 1944  
*Melampsora yosinagai* Henn. Ref. Sawada, 1942

#### Family Phakopsoraceae 層锈菌科

*Angiopsora hiratsukae* H. Syd. Ref. Hiratsuka & Hashioka, 1937  
*Cerotelium desmium* Berk. et Br. Ref. Sawada, 1928  
*Cerotelium fici* Arth. Ref. Hiratsuka & Hashioka, 1935  
*Cerotelium gossypii* Arth. Ref. Sawada, 1942  
*Dasturella divina* (Syd.) Mundkur & Kheswalla Ref. Sawada, 1928  
*Phakopsora ampelopsidis* Diet. et Syd. Ref. Sawada, 1943  
*Phakopsora artemisiae* Hirats. Ref. Sawada, 1942  
*Phakopsora fici* Nishida Ref. Sawada, 1928  
*Phakopsora gossypii* (Arth.) Hirats. Ref. Sawada, 1959

*Phakopsora incompleta* (Syd.) Cumm. Ref. Chen, 1980  
*Phakopsora innata* (Syd.) E. Butler Sawada Ref. Sawada, 1943  
*Phakopsora meliosmae* Kusano Ref. Sawada, 1942  
*Phakopsora nishidana* Ito Ref. Sawada, 1943  
*Phakopsora pachyrrhizi* Syd. Ref. Sawada, 1919  
*Phakopsora tecta* Jacks. et Holw. Ref. Sawada, 1942  
*Phakopsora vitis* (Thuem.) Syd. Ref. 藤黒與三郎。1914  
*Phakopsora zizyphi-vulgaria* (Henn.) Diet. Ref. Sawada, 1928  
*Pucciniostele ampelopsidis* Sawada Ref. Sawada, 1943  
*Pucciniostele clarkiana* (Barcl.) Diet. Ref. Sawada, 1933

### Family Phragmidiaceae

*Hamaspora acutissima* Syd. Ref. Sawada, 1919  
*Hamaspora benguetensis* Syd. Ref. Hiratsuka & Hashioka, 1934  
*Hamaspora hashiokai* Hirats. f. Ref. Hiratsuka & Hashioka, 1935  
*Hamaspora longissima* (Thueru.) Koern. Ref. Sawada, 1928  
*Hamaspora taiwaniana* Hirats. et Hash. Ref. Hiratsuka & Hashioka, 1937  
*Kuehneola japonica* Diet. Ref. Sawada, 1928  
*Kuehneola malvicola* Arth. Ref. Sawada, 1942  
*Kuehneola rosae* Sawada Ref. Sawada, 1919  
*Mainsia chinensis* (Diet.) Jacks Ref. Hiratsuka & Hashioka, 1933  
*Phragmidium arisanense* Hirats. et Hash. Ref. Sawada, 1942  
*Phragmidium formosnum* Hirats. Ref. Hiratsuka & Hashioka, 1937  
*Phragmidium griseum* Diet. Ref. Sawada, 1943  
*Phragmidium hashiokai* Hirats. f. Ref. Hiratsuka & Hashioka, 1935  
*Phragmidium heterospora* Diet. Ref. Sawada, 1928  
*Phragmidium pauciloculare* (Diet.) Syd. Ref. Sawada, 1928  
*Phragmidium rosae-laevigatae* Fujik. Ref. Sawada, 1928  
*Phragmidium rubi-fraxinifolii* Syd. Ref. Sawada, 1919

### Family Pileolariaceae

*Pileolaria klughistiana* (Diet.) Diet. Ref. Sawada, 1928  
*Pileolaria pistaciae* Tai. et Wei. Ref. Sawada, 1959  
*Pileolaria shiraiana* Diet. et Syd. Ref. Hiratsuka & Hashioka, 1933  
*Pileolaria toxicodendri* (Berk. et Rav.) Arth. Ref. Sawada, 1959  
*Poliotelium hyalospora* (Sawada) Mains Ref. Sawada, 1959  
*Skierka nephelii* (Sawada) Ito & Muragawa Ref. Sawada, 1943

### Family Pucciniaceae 柄锈菌科

*Aecidium araliae* Sawada Ref. Sawada, 1943  
*Aecidium berberidis-morrisonensis* Sawada Ref. Sawada, 1959  
*Aecidium blumeae* Henn Ref. Sawada, 1928  
*Aecidium cinnamomi* R. Ref. Sawada, 1959  
*Aecidium clerodendri* Henn. Ref. Sawada, 1919  
*Aecidium cunninghamianum* Barcl. Ref. Hiratsuka & Hashioka, 1937  
*Aecidium deutziae* Diet. Ref. Sawada, 1942  
*Aecidium dichrocephali* Henn. Ref. Sawada, 1943  
*Aecidium dispori* Diet. Ref. Sawada, 1959  
*Aecidium elaeagni* Diet. Ref. Sawada, 1928  
*Aecidium elaeagni-umbellatae* Diet. Ref. Sawada, 1959  
*Aecidium farsiae* Syd. Ref. Sawada, 1928  
*Aecidium foetidum* Diet. Ref. Fujikuro, 1914  
*Aecidium hydrangiicola* Henn. Ref. Hiratsuka & Hashioka, 1937  
*Aecidium kaernbachii* Henn. Ref. Sawada, 1919  
*Aecidium machili* Henn. Ref. Sawada, 1919  
*Aecidium mariani-raciborskii* Siem. Ref. Hiratsuka & Hashioka, 1937  
*Aecidium megasporum* Sawada Ref. Sawada, 1943  
*Aecidium mori* (Barcl.) Diet Ref. Sawada, 1928  
*Aecidium orbiculare* Barcl. Ref. Sawada, 1943  
*Aecidium osmanthi* Syd. et E. Butler Ref. Sawada, 1944  
*Aecidium paederiae* Diet. Ref. Sawada, 1919  
*Aecidium patriniae* Henn. Ref. Sawada, 1944  
*Aecidium plantaginis* Ces. Ref. Sawada, 1943  
*Aecidium pourthiaiae* Syd. Ref. Sawada, 1928  
*Aecidium prolixum* Syd. Ref. Hiratsuka & Hashioka, 1935  
*Aecidium pulsatillae* Tranzs Ref. Sawada, 1959  
*Aecidium securinegae* Sawada Ref. Sawada, 1943  
*Aecidium senecionus-scandentis* Sawada Ref. Sawada, 1943  
*Aecidium smilacis-chinae* Sawada Ref. Sawada, 1943  
*Aecidium strobilansthicolum* Sawada Ref. Sawada, 1943  
*Aecidium urenae* Sawada Ref. Sawada, 1944  
*Aecidium urticae* Sawada Ref. Sawada, 1944  
*Coleopuccinia simplex* Hara Ref. Hiratsuka & Hashioka, 1935

*Endophyllum formosanum* (H. & P. Sydow) Hiratsuka, f. & S. Kaneko Ref. 姚瑞禎。1996  
*Gymnosporangium corniforme* Sawada Ref. Sawada, 1928  
*Gymnosporangium formosanum* Hirats.et Hash. Ref. Sawada, 1942  
*Gymnosporangium haraeaeum* Syd. Ref. Wang, 1963  
*Miyagia anaphalidis* Miyabe Ref. Sawada, 1942  
*Puccinia abutili* Berk.et.Br. Ref. Sawada, 1928  
*Puccinia acetosae* Koern. Ref. Trans.Tottori Soc.Agr.Soc.5 (3): 240, 1935  
*Puccinia actinidiae* Hirats.f. Ref. Hiratsuka & Hashioka, 1937  
*Puccinia adenophorae* Diet. Ref. Sawada, 1942  
*Puccinia aestivalis* Diet. Ref. Chen, 1980  
*Puccinia agrostidies* Plowr Ref. Sawada, 1942  
*Puccinia ainsliaeae* Syd. Ref. Sawada, 1959  
*Puccinia allii* (DC.) Rud. Ref. Sawada, 1928  
*Puccinia arachidis* Speg. Ref. 吳哲彥、吳龍溪。1970  
*Puccinia arenariae* (Schum.) Wint. Ref. Sawada, 1942  
*Puccinia arthraxonis* (Henn.) Syd. & Butler Ref. 藤黑與三郎。1914  
*Puccinia arthraxonis-ciliaris* Cumm. Ref. Chen, 1980  
*Puccinia asparagi-lucidi* Diet. Ref. Sawada, 1928  
*Puccinia basyi* (Berk.et Br.) Wint. Ref. Sawada, 1942  
*Puccinia belamcandae* (Henn.) Diet. Ref. Sawada, 1928  
*Puccinia benokiyamensis* Hira. Ref. Sawada, 1959  
*Puccinia breviculmis* Diet. Ref. Sawada, 1942  
*Puccinia brunnea* Ref. 郭弘吉。1996  
*Puccinia bupleuri* Rudolph Ref. Sawada, 1959  
*Puccinia cacao* McAlp. Ref. Chen, 1980  
*Puccinia canaliculata* (Schwein.) Lag Ref. Sawada, 1959  
*Puccinia cannae* (Wint.) P.Henn. Ref. Wu, 1982  
*Puccinia caricis* Rebentish Ref. 郭弘吉。1996  
*Puccinia caricis-baccantis* Ref. 郭弘吉。1996  
*Puccinia caricis-daisensis* Y. Morimoto Ref. 郭弘吉。1996  
*Puccinia caricis-filicinae* Barcl. Ref. Sawada, 1928  
*Puccinia caricis-gibbae* Dietel Ref. 郭弘吉。1996  
*Puccinia caricis-lanceolatae* Y. Morimoto Ref. 郭弘吉。1996  
*Puccinia caricis-lingii* Zhuang Ref. 郭弘吉。1996  
*Puccinia caricis-makinoensis* Ref. 郭弘吉。1996  
*Puccinia caricis-nubigenae* Padwick & Azmatullah Khan Ref. 郭弘吉。1996  
*Puccinia caricis-okushiriensis* Homma Ref. 郭弘吉。1996  
*Puccinia caricis-urelytra* Ref. 郭弘吉。1996  
*Puccinia cenchri* Diet.et Holw. *cenchr* Cumm Ref. Chen, 1980  
*Puccinia cesatii* Schroet Ref. Chen, 1980  
*Puccinia cirsii* Lasch Ref. Sawada, 1919  
*Puccinia citrina* Syd. Ref. Sawada, 1919  
*Puccinia clematidis-hayatae* Sawada Ref. Sawada, 1943  
*Puccinia cnici-olearcei* Pers. Ex Damazieres Ref. 姚瑞禎。1996  
*Puccinia conyzella* Syd. Ref. Sawada, 1943  
*Puccinia coronata* Corda *himalensis* Barcl. Ref. Chen, 1980  
*Puccinia coronata* Corda *coronata* Cumm. Ref. Chen, 1980  
*Puccinia crepidis-japonica* (Lindl.) Diet. Ref. Sawada, 1928  
*Puccinia cynodontis* Lacroix ex Desm. Ref. Sawada, 1943  
*Puccinia cyperi-iriae* Sawada Ref. Sawada, 1943  
*Puccinia diclipterae* Syd. Ref. Sawada, 1928  
*Puccinia dieteliana* Syd. Ref. Sawada, 1942  
*Puccinia dioicae* Magn. Ref. 郭弘吉。1996  
*Puccinia dispori* Syd. Ref. Hiratsuka & Hashioka, 1937  
*Puccinia duthiae* Ell.et Tracy Ref. Chen, 1980  
*Puccinia eleocharidis* Arth. Ref. Sawada, 1928  
*Puccinia elytrariae* Ref. Sawada, 1959  
*Puccinia erythropus* Diet. Ref. Chen, 1980  
*Puccinia exhausta* Diet. Ref. Sawada, 1919  
*Puccinia ferruginea* L'ev. Ref. Sawada, 1931  
*Puccinia fimbrisytylidis* Arthur Ref. 郭弘吉。1996  
*Puccinia flaccida* Berk.et.Br. Ref. Chen, 1980  
*Puccinia flavipes* Syd. Ref. Sawada, 1928  
*Puccinia furinicola* Arth. Ref. Sawada, 1943  
*Puccinia gentianae* (Str.) Link. Ref. Sawada, 1928  
*Puccinia glechomatis* DC. Ref. Sawada, 1933  
*Puccinia glumarum* (Schmidt) Eriks.et Henn. Ref. Sawada, 1919  
*Puccinia graminis tritici* A.L. Guyot, Massenot & Saccas, 1946 Ref. Sawada, 1928  
*Puccinia graminis* Pers., 1794 Ref. Sawada, 1928  
*Puccinia hashiokai* Hirats. Ref. Sawada, 1959  
*Puccinia hemerocallichis* Thum. Ref. Sawada, 1928  
*Puccinia heterospora* Berk.et.M.A.Curtis Ref. Sawada, 1928

*Puccinia hieracii* (Schum.) Mart. Ref. Hiratsuka & Hashioka, 1935  
*Puccinia honnopsiana* Doidge Ref. 郭弘吉。1996  
*Puccinia hordei* Otth. Ref. Sawada, 1928  
*Puccinia horiana* Hennings Ref. 呂理桑等。1982  
*Puccinia hyalina* Dietel Ref. 郭弘吉。1996  
*Puccinia hydrocotyles* (Link.) Cooke Ref. Sawada, 1959  
*Puccinia hypoestis* Sawada Ref. Sawada, 1943  
*Puccinia invenusta* H. Syd.et P.Syd. Ref. Chen, 1980  
*Puccinia ipomoeae* Sawada Ref. Sawada, 1943  
*Puccinia juncelli* Diet. Ref. Sawada, 1919  
*Puccinia kraussiana* Cooke Ref. Chen & Koyama, 1980  
*Puccinia kuehnii* E.Butler. Ref. 藤黒與三郎。1914  
*Puccinia kurosawae* Sawada Ref. Sawada, 1944  
*Puccinia kyllingae-brevifoliae* (Diet.) Miura Ref. Sawada, 1943  
*Puccinia lactucae-debilis* Diet. Ref. Sawada, 1928  
*Puccinia lapsanae* Fuck. Ref. Sawada, 1959  
*Puccinia lateritia* Berk.et Curtis Ref. Sawada, 1919  
*Puccinia levis* (Sacc.et Bizz.) Mag. var. *tricholaenae* (H.Syd.et P.Syd.) Ramachar & Cumm. Ref. Chen, 1980  
*Puccinia levis* (Sacc.et Bizz.) Mag. Ref. Sawada, 1959  
*Puccinia liberta* Körn Ref. 郭弘吉。1996  
*Puccinia lophatheri* (H. Syd.et P.Syd.) Hirats. Ref. Chen, 1980  
*Puccinia magnusiana* Koern. Ref. Sawada, 1943  
*Puccinia marisci-sieberiani* Sawada Ref. Sawada, 1943  
*Puccinia maydis* Bereng. Ref. Sawada, 1943  
*Puccinia melanocephala* H. & P. Syd. Ref. 謝文瑞、李敬修。1976  
*Puccinia menthae* Pers. Ref. Sawada, 1928  
*Puccinia microspora* Diet. Ref. Chen, 1980  
*Puccinia microstegii* Sawada Ref. Sawada, 1943  
*Puccinia miscanthi* Miura Ref. Chen, 1980  
*Puccinia nakanishikii* Diet. Ref. Chen, 1980  
*Puccinia niitakensis* Hirats. f. Hash. Ref. Sawada, 1942  
*Puccinia nishidana* Henn. Ref. 姚瑞禎。1996  
*Puccinia nokoensis* Sawada Ref. Sawada, 1943  
*Puccinia nolitangeris* Corda. Ref. Hiratsuka & Hashioka, 1934  
*Puccinia oahuensis* Ell.et Ev. Ref. Sawada, 1928  
*Puccinia oenanthes* (Diet.) Miyake Ref. Sawada, 1928  
*Puccinia paidii* Ref. 王維洋。1992  
*Puccinia panici-montani* Fujik. Ref. Sawada, 1928  
*Puccinia paspalina* Cumm. Ref. Chen, 1980  
*Puccinia phellopteri* Syd. Ref. Sawada, 1944  
*Puccinia phelloptericola* Sawada Ref. Sawada, 1944  
*Puccinia philippinensis* Syd. Ref. Sawada, 1919  
*Puccinia phyllostachydis* Kusano Ref. 謝煥儒。1987  
*Puccinia pimpinellae* (Str.) Mart. Ref. Hiratsuka & Hashioka, 1935  
*Puccinia pogonatheri* Petch. Ref. 同前  
*Puccinia pollinae* Barcl. Ref. Chen, 1980  
*Puccinia pollinae-imberbis* Hirat. Ref. Sawada, 1959  
*Puccinia polygami-amphibui* Pers. Ref. Hiratsuka & Hashioka, 1934  
*Puccinia polygami-caespitosi* Sawada Ref. Sawada, 1943  
*Puccinia polygami-morrisonensis* Sawada Ref. Sawada, 1943  
*Puccinia polysore* Underw. Ref. 孫明賢等。1976  
*Puccinia pruni-persicae* Hori. Ref. Sawada, 1943  
*Puccinia pruni-spinosae* Pers. Ref. Sawada, 1943  
*Puccinia punctata* L. Ref. Hiratsuka & Hashioka, 1934  
*Puccinia purpurea* Cooke. Ref. Sawada, 1928  
*Puccinia pusilla* Syd.ex Syd.et E.Butler. Ref. Sawada, 1959  
*Puccinia ruelliae* (Berk.et Br.) Lagh. Ref. Sawada, 1943  
*Puccinia rufipes* Diet. Ref. Sawada, 1928  
*Puccinia scirpi* DC. Ref. Sawada, 1928  
*Puccinia scirpi-mucronati* Sawada Ref. Sawada, 1943  
*Puccinia scirpi-ternatani* Hiratsuku Ref. 郭弘吉。1996  
*Puccinia scirpi-triquoteris* Sawada Ref. Sawada, 1943  
*Puccinia scleriae* (Paz.) Art. Ref. Sawada, 1959  
*Puccinia scleriicola* Art. Ref. 郭弘吉。1996  
*Puccinia shiraiana* Syd. Ref. Sawada, 1928  
*Puccinia similacinae* Syd. Ref. Sawada, 1919  
*Puccinia smilacicola* Sawada Ref. Sawada, 1943  
*Puccinia smilacis-chinae* Henn. Ref. Sawada, 1928  
*Puccinia smilacis-seboldii* Hirats. Ref. Sawada, 1959  
*Puccinia solmsii* Henn. Ref. Sawada, 1928  
*Puccinia sorghi* Schwin. Ref. 孫明賢等。1976  
*Puccinia stauntoniae* Tranz.et Diet.ex Dic. Ref. Sawada, 1959

*Puccinia styracinum* Hirats. Ref. Sawada, 1933  
*Puccinia substriata* Ell.et Barth. *penicillariae* (Speg.) Ramachar & Cumm. Ref. Chen, 1980  
*Puccinia taihaensis* Hirats.et Hash. Ref. Hiratsuka & Hashioka, 1935  
*Puccinia taihokuensis* Sawada Ref. Sawada, 1943  
*Puccinia taiwaniana* Hirats.et Hash. Ref. Hiratsuka & Hashioka, 1935  
*Puccinia tanacetii* var. *tana* Ref. 姚瑞禎。1996  
*Puccinia thwaitesii* Berk. Ref. Sawada, 1928  
*Puccinia triticina* Eriks. Ref. Sawada, 1928  
*Puccinia uralensis* Tranzsch. Ref. Sawada, 1928  
*Puccinia ustalis* Berk. Ref. Hiratsuka & Hashioka, 1935  
*Puccinia varians* Diet. Ref. 藤黒與三郎。1914  
*Puccinia variiforme* Pat. Ref. Sawada, 1928  
*Puccinia veronicarum* DC. Ref. Hiratsuka & Hashioka, 1935  
*Puccinia versicolor* Diet.et Holw.ex Holw. Ref. Sawada, 1959  
*Puccinia violae* (Schum.) DC. Ref. Sawada, 1928  
*Puccinia wattiana* Barcl. Ref. Sawada, 1943  
*Puccinia zoysiae* Diet. Ref. Sawada, 1928  
*Uromyces alopecuri* Ito *japonica* Ito Ref. Sawada, 1919  
*Uromyces bidenticola* (Henn.) Arth. Ref. Sawada, 1928  
*Uromyces carryophyllinus* (Schrank.) Wint. Ref. 藤黒與三郎。1914  
*Uromyces cellicarpae* (Petch) Fujik Ref. Hiratsuka & Hashioka, 1933  
*Uromyces commelinae* (Speg.) Cke. Ref. Sawada, 1943  
*Uromyces coronatus* Yosh. Ref. 藤黒與三郎。1914  
*Uromyces cucubali* Hirats.et Hash. Ref. Sawada, 1942  
*Uromyces dactyloctenii* Wakef.et Hansf. Ref. Chen, 1980  
*Uromyces decoratus* Syd. Ref. Sawada, 1933  
*Uromyces deeringiae* Syd. Ref. Sawada, 1919  
*Uromyces dianthi* (Pers.:Pers.) Niessl Ref. Sawada, 1928  
*Uromyces fabae* (Pers.) de Bary *pisi-sativae* Hirats Ref. Sawada, 1943  
*Uromyces fabae* (Pers.) de Bary Ref. 藤黒與三郎。1914  
*Uromyces garanbiensis* (Hirats. & Hash) Sawada Ref. Sawada, 1943  
*Uromyces gemmatus* Berk.et M.A.Curtis Ref. Hiratsuka & Hashioka, 1935  
*Uromyces geranii* Fries. Ref. 同前  
*Uromyces hyperici-frondosi* (Schwein.) Arth. Ref. Hiratsuka & Hashioka, 1933  
*Uromyces inaequaltus* Lasch. Ref. Hiratsuka & Hashioka, 1935  
*Uromyces itoanus* Hirats. Ref. Sawada, 1943  
*Uromyces kawakamii* Syd. Ref. Sawada, 1919  
*Uromyces leptaleus* Syd. Ref. Hiratsuka & Hashioka, 1935  
*Uromyces leptodermus* Syd. Ref. Hiratsuka & Hashioka, 1937  
*Uromyces ligulariae* Hirats.F.et Hash. Ref. Hiratsuka & Hashioka, 1935  
*Uromyces linearis* Brek.et Br. Ref. Sawada, 1928  
*Uromyces mercurialis* Henn. Ref. Sawada, 1959  
*Uromyces mucunae* Rabh. Ref. Sawada, 1928  
*Uromyces punctatus* Schroet. Ref. Sawada, 1959  
*Uromyces pyriformis* Cke. Ref. Sawada, 1928  
*Uromyces rudbeckiae* Arth.et Holw. Ref. Sawada, 1933  
*Uromyces saurari* Henn. Ref. Sawada, 1944  
*Uromyces setariae-italicae* (Diet.) Yochino Ref. Sawada, 1919  
*Uromyces spgazzini* (de Toni) Arth. Ref. Sawada, 1919  
*Uromyces striatus* Schroet. Ref. Sawada, 1943  
*Uromyces strobilanthis* Barcl. Ref. Hiratsuka & Hashioka, 1935  
*Uromyces suzukii* Sawada Ref. Sawada, 1943  
*Uromyces tennicutis* McAlp. Ref. Sawada, 1928  
*Uromyces toxicodendri* Berk.et Rav. Ref. Sawada, 1919  
*Uromyces valerianae-wallichii* Arth & Cumm. Ref. Hiratsuka & Hashioka, 1935  
*Uromyces vignae* Barcl. Ref. Sawada, 1928  
*Uromyces wedeliae* Henn. Ref. Sawada, 1942

### Family Pucciniastraceae

*Hyalopsora hakodatensis* Hirats.f.ex Vemura Ref. Sawada, 1959  
*Hyalopsora polypodii* (Diet.) Magn Ref. Sawada, 1933  
*Hyalopsora taiwaniana* Hirats. Ref. Hiratsuka & Hashioka, 1935  
*Melampsoridium carpini* (Nees.) Deit. Ref. Sawada, 1942  
*Milesina arisanense* Hirats. Ref. Hiratsuka & Hashioka, 1937  
*Milesina coniogrammes* Hirats. Ref. Hiratsuka & Hashioka, 1934  
*Milesina erythrosora* (Faull.) Hirats. Ref. Hiratsuka & Hashioka, 1937  
*Milesina exigua* Faull. Ref. 同前  
*Milesina formosana* Hirats. Ref. Sawada, 1959  
*Milesina hashiokai* Hirats. Ref. Hiratsuka & Hashioka, 1934  
*Milesina miyabei* Kamei Ref. 同前  
*Milesina philippinensis* Syd. Ref. Hiratsuka & Hashioka, 1935  
*Milesina polypodii-superficialis* Hirats. Ref. Hiratsuka & Hashioka, 1937

*Pucciniastrum agrimoniae* (Diet.) Tranz. Ref. Sawada, 1933  
*Pucciniastrum boehmeriae* (Diet.) Syd. Ref. Sawada, 1944  
*Pucciniastrum castaneae* Diet. Ref. Sawada, 1933  
*Pucciniastrum circaeae* (Thum.) Speg. Ref. Hiratsuka & Hashioka, 1935  
*Pucciniastrum coriariae* Diet. Ref. Sawada, 1943  
*Pucciniastrum formosanum* Sawada Ref. Sawada, 1944  
*Pucciniastrum gentianae* Hirats.et Hash. Ref. Hiratsuka & Hashioka, 1935  
*Pucciniastrum hikosanense* Hirats. Ref. Sawada, 1959  
*Pucciniastrum hydrangeae-petislaridis* Hirats. Ref. Sawada, 1942  
*Pucciniastrum ishikariense* Hirats. Ref. Hiratsuka & Hashioka, 1937  
*Pucciniastrum malloti* Hirats. Ref. Sawada, 1942  
*Pucciniastrum pyrolae* (Karst.) Schroet. Ref. Hiratsuka & Hashioka, 1935  
*Pucciniastrum styracinum* Hirats. Ref. Sawada, 1943  
*Thekopsora asterum* Tranzschel Ref. 姚瑞禎。1996  
*Uredinopsis athyrii* Kamei Ref. Sawada, 1959  
*Uredinopsis hashiokai* Hirats. Ref. Hiratsuka & Hashioka, 1937  
*Uredinopsis macrosporma* Magnus Ref. 同前

#### Family Puccinosiraceae

*Dietelia canavaliae* (Arth.) Syd. Ref. Sawada, 1959  
*Gambleola cornuta* Mass. Ref. Hiratsuka & Hashioka, 1934  
*Puccinosira clemensiae* Arth.et Cumm. Ref. Sawada, 1959

#### Family Raveneliaceae

*Diorchidium taiwanensis* Berndt Ref. Berndt, 1996  
*Ravenelia brevispora* Hirats.et Hash. Ref. Hiratsuka & Hashioka, 1935  
*Ravenelia formosana* P.et H. Syd. Ref. Sawada, 1943  
*Ravenelia hobsoni* Cooke. Ref. Sawada, 1959  
*Ravenelia millettiae* Hirats.et Hash. Ref. Sawada, 1931  
*Ravenelia ornata* H.et P.Syd. Ref. Hiratsuka & Hashioka, 1935  
*Ravenelia tephrosiicola* Hira. Ref. Sawada, 1959

#### Family Sphaerophragmiaceae

*Hapalophragmium kawakamii* Hirats.et Hash. Ref. Sawada, 1942  
*Nyssopsora formosana* (Saw.) Lutz. Ref. Sawada, 1959  
*Sphaerophragmium acaciae* (Cke) Magn. Ref. Sawada, 1922  
*Triphragmium ulmariae* (Hedwf.) Link Ref. Hiratsuka & Hashioka, 1935

#### Family Uropyxidaceae 肥柄锈菌科

*Didymopsorella lemanensis* (Doid.) Hira. Ref. Sawada, 1959  
*Ochropsora airae* (Fuck.) Syd. Ref. Sawada, 1942  
*Tranzschelia discolor* (Fuck.) Trang. & Litw. Ref. 孫守恭。1976  
*Uropyxis arisanensis* Hirats. & Hashiok. Ito & Murayama Ref. Sawada, 1959

### Class Ustilaginomycetes 黑粉菌綱

#### [Not assigned to a order]

#### [Not assigned to a family]

*Malassezia furfur* (Robin) Baillon Ref. Jen et al., 1963  
*Malassezia pachydermatis* (Weidman) Dodge Ref. Huang, 1994

#### Order Doassansiales

#### Family Doassansiaceae

*Doassansia opaca* Setchell Ref. Sawada, 1943

#### Order Entylomatales

#### Family Entylomataceae

*Entyloma alopecuri* Sawada Ref. Sawada, 1922  
*Entyloma australe* Speg. Ref. Sawada, 1944  
*Entyloma bidentis* Sawada Ref. Sawada, 1922  
*Entyloma microsporium* (Ung.) Schroet Ref. Sawada, 1943  
*Entyloma oryzae* Sawada Ref. Sawada, 1928  
*Entyloma senecionis* Sawada Ref. Sawada, 1943

#### Order Exobasidiales 外擔菌目

#### Family Graphiolaceae 粉座菌科

*Graphiola phoenicis* (Moug.) Poit. Ref. Sawada, 1931  
*Nigrocupula formosana* Sawada Ref. Sawada, 1944

#### Order Platyglloeales 泛膠耳目

#### Family Platyglloeaceae 泛膠耳科

*Helicogloea contorta* G. E. Baker Ref. Wu et al., 1996  
*Helicogloea globispora* Sheng H. Wu & Z.C. Chen, 2000 Ref. Wu & Chen, 2000  
*Helicogloea globosa* C. J. Chen & Oberwinkler Ref. Chen & Oberwinkler, 2000

*Helicogloea musaispora* C. J. Chen & Oberwinkler Ref. 同前

## Order Tilletiales 腥黑粉菌目

### Family Tilletiaceae 腥黑粉菌科

*Tilletia barclayana* (Bref.) Sacc. et Syd. Ref. U.S.D.A.: List of Intercepted Plant Pests 1968:76, 1969

*Tilletia caries* (DC.) Tul. Ref. 農家要覽 4 (1): 85。1965

*Tilletia faetida* (Wallr.) Liro Ref. 同前

*Tilletia horrida* Takah Ref. Sawada, 1928

## Order Ustilaginales 黑粉菌目

### Family Cintractiaceae

*Cintractia albidii* Ito Ref. Sawada, 1942

*Cintractia fimbristylis-kagiensis* Sawada Ref. Sawada, 1922

*Cintractia limitata* Clinton Ref. Sawada, 1922

*Cintractia minor* (Clint.) Jackson Ref. 農家便覽: 1034。1944

*Cintractia suedae* Sawada Ref. Sawada, 1922

*Tolyposporium bullatum* (Schroet.) Schroet. Ref. Sawada, 1943

### Family Farysiaceae

*Farysia emodensis* (Berk.) Syd. Ref. Sawada, 1944

*Farysia loivacea* (D.C) Syd. Ref. Sawada, 1942

### Family Glomosporiaceae

*Sorosporium andropogonis-aciculai* Petch. Ref. Sawada, 1922

*Sorosporium flagellatum* Syd. et E. Butler Ref. Sawada, 1919

*Sorosporium formosanum* (Sawada) Sawada Ref. Sawada, 1928

*Sorosporium paspali* McAlp. Ref. Sawada, 1922

*Sorosporium reilianum* (Kuhn.) McAlp. Ref. Sawada, 1931

### Family Melanopsichiaceae

*Melanopsichium austro-americanum* (Speg.) Beck. Ref. Sawada, 1919

### Family Ustilaginaceae 黑粉菌科

*Ustilago avenae* (Pers.) Rostrup Ref. Sawada, 1922

*Ustilago coicis* Bref. Ref. 陳俊位等。1995

*Ustilago cordai* Liro Ref. Sawada, 1944

*Ustilago crameri* Koern. Ref. Sawada, 1919

*Ustilago crus-galli* Tracy & Earle. Ref. Sawada, 1943

*Ustilago cynodontis* (Pass.) Henn. Ref. Sawada, 1919

*Ustilago digitariae* (Kunze) Rabh. Ref. Sawada, 1928

*Ustilago eleocharidis* Sawada Ref. Sawada, 1943

*Ustilago esculenta* Henn. Ref. Sawada, 1919

*Ustilago foliorum* Ito Ref. Sawada, 1942

*Ustilago hordei* (Pers.) Kell. et Sw. Ref. Sawada, 1919

*Ustilago isachnes* Sawada Ref. Sawada, 1944

*Ustilago ischaemi-akoenses* Sawada Ref. Sawada, 1944

*Ustilago kolleri* Wille Ref. Sawada, 1922

*Ustilago kusanoi* Syd. Ref. Sawada, 1931

*Ustilago maydis* (DC.) Corda Ref. 農家要覽 4 (1): 94。1965

*Ustilago panici-glauci* (Wallr.) Wint. Ref. Sawada, 1919

*Ustilago reticulata* Liro Ref. Sawada, 1944

*Ustilago scitaminea* H. Syd. Ref. Sawada, 1943

*Ustilago scitaminea* H. Syd. *sacchari-barberi* Mundkur Ref. 陳天華、王卓三。1965

*Ustilago shimadae* Sawada Ref. Sawada, 1944

*Ustilago shiraiana* Henn. Ref. Sawada, 1928

*Ustilago sparsa* Underw. Ref. Sawada, 1922

*Ustilago spherogena* Burr. Ref. Sawada, 1943

*Ustilago tonglinensis* Tracy & Earle. Ref. Sawada, 1919

*Ustilago tritici* (Pers.) Jens. Ref. Sawada, 1919

*Ustilago utriculosa* (Nees) Tul. Ref. Sawada, 1928

## Phylum Chytridiomycota 壺菌門

[Not assigned to a class]

[Not assigned to an order]

[Not assigned to a family]

*Chytrium chaetophilum* Scherffel Ref. Volz et al., 1976

*Chytrium citrifforme* Sparrow Ref. 同前

*Spizellomycetes punctatum* (Koch) Barr Ref. Chen & Chien, 1998

## Order Olpidiopsidales 擬油壺菌目

### Family Olpidiopsidaceae 擬油壺菌科

*Olpidiopsis fusiformis* Cornu Ref. Chiou et al., 1975  
*Olpidiopsis gracile* (Butler) Karling Ref. 邱汀松。1976  
*Pseudolpidium stellatum* Sawada Ref. Sawada, 1919

## Class Chytridiomycetes 壺菌綱

### Order Blastocladales 枝芽黴目

#### Family Blastocladiaceae 芽枝黴科

*Allomyces arbusculus* Butler Ref. Chiou et al., 1975  
*Allomyces javanicus* Kniep Ref. 同前  
*Allomyces macrogynus* (Emerson) Emerson & Wilson Ref. Chien, 1974  
*Allomyces moniliformis* Coker & Braxton Ref. Chiou et al., 1975  
*Allomyces neo-moniliformis* Indoh Ref. Chien, 1974  
*Blastoclada globosa* Kanouse Ref. Chien, 1974  
*Blastoclada gracilis* Kanouse Ref. 林元露。1993  
*Blastoclada incrassata* Indoh Ref. 林元露。1993  
*Blastoclada pringsheimii* Reinsch Ref. Chien, 1974  
*Blastoclada sparrowii* (Sparrow) Indoh Ref. Chien, 1974

### Order Chytridiales 壺菌目

#### Family Chytridiaceae 壺菌科

*Chytridium chaetophilum* P.A. Dang Ref. Volz et al., 1976  
*Chytriomycetes hyalinus* Karling Ref. Chen & Chien, 1995  
*Diplochytridium citrifforme* (Sparrow) Karling Ref. Volz et al., 1976  
*Diplochytridium lagenarium* (Schenk) Karling Ref. Chen, 2002  
*Karlingia chitinophila* Karling Ref. Konno, 1984  
*Karlingia lobata* Karling Ref. Konno, 1984  
*Karlingia rosea* (De Bary & Woronin) Johanson Ref. Konno, 1984  
*Karlingiomyces dubius* (Karling) Sparrow Ref. Konno, 1984  
*Phlyctochytrium acuminatum* (Barr) Barr Ref. 許美蓮。1992  
*Phlyctochytrium chaetiferum* Karling Ref. Chen, 2002  
*Phlyctochytrium closterii* Karling Ref. 王美玲。1994  
*Phlyctochytrium hallii* Couch Ref. 王美玲。1994  
*Phlyctochytrium planicorne* Atkinson Ref. Wang & Chien, 1992  
*Phlyctochytrium reinboldtae* Persiel Ref. Chen, 2005  
*Rhizidium chitinophilum* Sparrow Ref. 許美蓮。1992  
*Rhizidium ramosum* Sparrow Ref. Chen & Chien, 1998  
*Rhizidium windermerense* Canter Ref. 同前  
*Rhizoclostridium globosum* Petersen Ref. 許美蓮。1992  
*Rhizophydium biporosum* (Couch) Barr Ref. Chen & Chien, 1998  
*Rhizophydium capillaceum* Karling Ref. 許美蓮。1992  
*Rhizophydium chaetiferum* Sparrow Ref. Chen & Chien, 1995  
*Rhizophydium chlorogonii* (Serbinow) Jaczewski Ref. Chen & Chien, 1998  
*Rhizophydium collapsum* Karling Ref. Chen et al., 2000  
*Rhizophydium condylosum* Karling Ref. Chen & Chien, 1998  
*Rhizophydium constantineani* Sconstantineani Ref. 許美蓮。1992  
*Rhizophydium elyensis* Sparrow Ref. Konno, 1984  
*Rhizophydium globosum* (Braun) Rabenhorst Ref. 陳淑芬。1996  
*Rhizophydium haynaldii* (Schaarschmidt) Fischer Ref. 王美玲。1994  
*Rhizophydium karlingii* Karling Ref. Chen, 2002  
*Rhizophydium keratinophilum* Karling Ref. 邱汀松。1976  
*Rhizophydium laterale* (Braun) Rabenhorst Ref. Chen & Chien, 1995  
*Rhizophydium macroporosum* Karling Ref. Chen & Chien, 1996  
*Rhizophydium macrosporum* Karling Ref. Chen & Chien, 1998  
*Rhizophydium melosirae* Friedmann Ref. 陳淑芬。1996  
*Rhizophydium nodulosum* Karling Ref. Ho & Chien, 1996  
*Rhizophydium patellarium* Scholz Ref. Chen & Chien, 1998  
*Rhizophydium pollinis-pini* (Braun) Zopf Ref. Konno, 1984  
*Rhizophydium rarotongensis* Karling Ref. Chen, 2002  
*Rhizophydium rostellatum* (de Wild.) Fischer Ref. Chen, 2002  
*Rhizophydium sphaerocarpum* (Zopf) Fischer var. *spirogyrae* Barr Ref. Chen et al., 2000  
*Rhizophydium sphaerotheca* Zopf Ref. Konno, 1984  
*Rhizophydium stipitatum* Sparrow Ref. Konno, 1984

#### Family Cladochytriaceae 歧壺菌科

*Cladochytrium hyalinum* Berdan Ref. 陳淑芬。1996  
*Cladochytrium replicatum* Karling Ref. 許美蓮。1992  
*Nowakowskiella crassa* Karling Ref. Konno, 1984  
*Nowakowskiella elegans* (Nowak.) Schroeter Ref. Konno, 1984  
*Polychytrium aggregatum* Ajello Ref. 許美蓮。1992

#### Family Endochytriaceae

*Allochytridium expandens* Salkin Ref. Chen & Chien, 1995

*Catenochytridium carolinianum* Berdan Ref. 同前  
*Catenochytridium hemicysti* Knox Ref. Chen, 2005  
*Catenochytridium laterale* Hanson Ref. Konno, 1984  
*Diplophlyctis sarcoptoides* (H.E. Petersen) I.J. Dogma, 1974 Ref. Chen, 2002  
*Entophlyctis bulligera* (Zopf) Fischer Ref. 王美玲。1994  
*Entophlyctis confervae-glomeratae* (Cienkowski) Sparrow Ref. Chen & Chien, 1995

#### Family Rhizideaceae

*Asterophlyctis sarcoptoides* Petersen Ref. Chen, 2002

#### Family Synchroniaceae 集壺菌科

*Synchytrium minutum* (Pat.) Gaumann Ref. Sawada, 1943

### Order Neocallimastigales

#### Family Neocallimastigaceae

*Caecomycetes communis* Wubah Ref. 陳又嘉。1997  
*Caecomycetes sympodialis* Chen, Tsai & Jian, 2007 新種瘤胃真菌 Ref. Chen, 2007  
*Neocallimastix frontalis* Health Ref. 陳又嘉。1997  
*Neocallimastix hurleyensis* Webb Ref. 陳又嘉。1997

### Order Spizellomycetales 小壺菌目

#### [Not assigned to a family]

*Rozella allomycelis* Foust Ref. Chiou et al., 1975

#### Family Olpidiaceae 油壺菌科

*Olpidium bothriospermi* Sawada Ref. Sawada, 1922  
*Olpidium pendulum* Braun Ref. Volz et al., 1976

#### Family Spizellomycetaceae 小壺菌科

*Gaertneriomyces semiglobiferus* (Ulbelmesser) Barr Ref. Chen et al., 2000  
*Powellomyces variabilis* Longcore, D.J. S. Barr & Désauln., Ref. Chen, 2005  
*Rhizophlyctis bonseyii* Sparrow Ref. Konno, 1984  
*Rhizophlyctis hyalina* (Karling) Sparrow Ref. Chen & Chien, 1998  
*Rhizophlyctis mastigotrichis* (Nowak.) Fischer Ref. Chen & Chien, 1995  
*Rhizophlyctis variabilis* Karling Ref. 同前  
*Spizellomyces acuminatum* (Barr) Barr Ref. Chen & Chien, 1998  
*Spizellomyces palustre* (Gaertner) Barr Ref. 陳淑芬。1996  
*Spizellomyces pseudodichotomus* Barr Ref. Chen & Chien, 1998

## Phylum Deuteromycota 不完全菌

### [Not assigned to a class]

#### [Not assigned to an order]

#### [Not assigned to a family]

*Dendryphium atra* (Corda) Hughes Ref. Chen, 1994  
*Dendryphium broussonetiae* Sawada Ref. Sawada, 1959  
*Dendryphium cajani* Sawada Ref. Sawada, 1959  
*Dendryphium glycines* Sawada Ref. Sawada, 1959  
*Dendryphium lepidagathidis* Sawada Ref. Sawada, 1943

### Order Haptoglossales

#### Family Haptoglossaceae

*Haptoglossa heterospora* Drechsler. Ref. Tzean et al., 1997

### Class Hyphomycetes 絲孢綱

#### [Not assigned to an order]

#### [Not assigned to a family]

*Exochalara longissima* (Grove) W. Gams & Hol.-Jech. Ref. Stud. Mycol. 13: 56, 1976  
*Hyalosynnema multiseptatum* Matsushima Ref. Icones Fungorum A. Matsushima Lectorum, Publ. by the author, Kobe, p85, 1975  
*Stachycoremium parvulum* (Cooke & Ellis) S. Seifert Ref. Mycologia 77: 987, 1985

## Phylum Zygomycota 接合菌門

### [Not assigned to a class]

#### [Not assigned to an order]

#### [Not assigned to a family]

*Conidibolus coronatus* (Cost.) Batko Ref. 簡秋源。1986  
*Uthramyces equallocaulis* Boedijn Ref. 簡秋源。1994

### Order Endogonales 內囊黴目

**Family Endogonaceae 内囊菌科**

*Peridiospora reticulata* Wu et. Lin Ref. Wu, 1997  
*Peridiospora tatchia* Wu et. Lin Ref. Wu, 1997

**Class Trichomycetes 毛菌綱**

**Order Harpellales 鉤孢毛菌目**

**Family Harpellaceae 鉤孢毛菌科**

*Stachylina nana* Lichtwardt Ref. Ko & Wang, 2006  
*Stachylina pedifer* Williams & Lichtwardt Ref. 同前

**Class Zygomycetes 接合菌綱**

**Order Basidiobolales**

**Family Basidiobolaceae**

*Amphoromorpha entomophila* Thaxter Ref. Juan & Chien, 1996  
*Basidiobolus haptosporus* Drechsler Ref. 許照紅。1989  
*Basidiobolus magnus* Drechsler Ref. 許照紅。1989  
*Basidiobolus meristosporus* Drechsler Ref. 許照紅。1989  
*Basidiobolus ranarum* Eidam Ref. 許照紅。1989

**Order Entomophthorales 蟲菌目**

**Family Ancylistaceae 蟲菌科**

*Conidiobolus coronatus* (Cost.) Batko Ref. 簡秋源。1986

**Family Entomophthoraceae 蟲菌科**

*Empusa grylli* Fries Ref. 澤田兼吉。1931  
*Empusa muscae* (Fr.) Cohn Ref. 澤田兼吉。1931  
*Entomophthora aphids* Hoffmann Ref. 澤田兼吉。1931  
*Entomophthora colombiana* Spain Schenck Ref. 周文能。1990  
*Entomophthora infrequens* (Hall) Ames & Schneider Ref. Wu & Chen, 1985  
*Entomophthora kentinensis* Wu & Liu Ref. Wu, 1995

**Order Glomales 繡球菌目**

**Family Acaulosporaceae 無柄孢子科**

*Acaulospora elegans* Trappe & Gerd. Ref. Hu, 1988  
*Acaulospora formosana* Hu Ref. Hu, 1988  
*Acaulospora foveata* Trapp & Janos Ref. Wu & Chen, 1985  
*Acaulospora kandelia* Hu Ref. Hu, 1988  
*Acaulospora laevis* Gerd. & Trapp Ref. 翁建堯。1981  
*Acaulospora mellea* Spain & Schenck Ref. Hu, 1988  
*Acaulospora morrowae* Spain & Schenck Ref. Hu, 1988  
*Acaulospora myriocarpa* Spain, Sieverding & Schenck Ref. Hu, 1988  
*Acaulospora scrobiculata* Trapp Ref. 黃瑞祥、郭忠吉。1981  
*Acaulospora spinosa* Walker & Trappe Ref. Hu, 1988  
*Acaulospora taiwania* Hu Ref. Hu, 1988  
*Acaulospora trappei* Ames & Linderman Ref. 黃瑞祥、郭忠吉。1981

**Family Gigasporaceae 大孢子科**

*Gigaspora albida* Schenck & Smith Ref. Chung & Liu, 1985  
*Gigaspora alboaurantiaca* Chou Ref. Chou, 1991  
*Gigaspora decipiens* Hall & Abbott Ref. Chou, 1991  
*Gigaspora gigantea* (Nicol. & Gerd.) Gerd. & Trapp Ref. 翁建堯。1981  
*Gigaspora magarita* Becker & Hall Ref. 黃瑞祥、郭忠吉。1981  
*Gigaspora pellucida* Nicol. & Schenck Ref. Chang et al., 1984  
*Gigaspora rosea* Nicol. & Schenck Ref. 同前  
*Scutellospora calospora* (Nicol. & Gerd.) Walker & Sanders Ref. Hu, 1988  
*Scutellospora coralloides* (Trappe & Gerd., & Ho) Walker & Sanders Ref. 周文能。1990  
*Scutellospora erythropha* (Roske & Walker) Walker & Sanders Ref. Chou, 1991  
*Scutellospora gilmorei* (Trappe & Gerd.) Walker & Sanders Ref. Hu, 1988  
*Scutellospora gregaria* (Schenck & Nicol.) Walker & Sanders Ref. Chou, 1991  
*Scutellospora nigra* (Redhead) Walker & Sanders Ref. Hu, 1988  
*Scutellospora pellucida* (Nicol. & Schenck) Walker & Sanders Ref. Hu, 1988

**Family Glomaceae 繡球菌科**

*Glomus aggrrgatum* Schenck & Smith Ref. Hu, 1988  
*Glomus boreale* (Thaxter) Trappe & Gerd. Ref. Hu, 1988  
*Glomus caledonicum* (Nicol. & Gerd.) Gerd. & Trapp Ref. Wu & Chen, 1985  
*Glomus chimonobambusae* Wu & Liu Ref. Wu, 1995  
*Glomus claroideum* Schenck & Smith Ref. Hu, 1988  
*Glomus clarus* Nicol. & Schenck Ref. 黃瑞祥、郭忠吉。1981  
*Glomus diaphanum* Morton & Walker Ref. 周文能。1990  
*Glomus epigaeum* Daniels & Trapp Ref. Chang et al., 1984

- Glomus etunicatum* Berker & Gerd. Ref. Wu & Chen, 1985  
*Glomus etunicatus* Berker & Gerd. Ref. 黃瑞祥、郭忠吉。1981  
*Glomus fasciculatum* (Thaxter sensu Gerd.) Gerd. & Trapp Ref. 翁建堯。1981  
*Glomus formosanum* Wu & Chen Ref. Wu & Chen, 1985  
*Glomus fragilis* (Berk. & Broome) Trappe & Gerd Ref. Hu, 1988  
*Glomus geosporum* (Nicol. & Gerd.) Walker Ref. Hu, 1988  
*Glomus infundibuliformum* Hu Ref. Hu, 1988  
*Glomus intraradices* Schenck & Smith Ref. Hu, 1988  
*Glomus kandelium* Hu Ref. Hu, 1988  
*Glomus leptochium* Schenck & Smith Ref. 簡秋源。1985  
*Glomus macrocarpum* Tul. & Tul. Ref. 翁建堯。1981  
*Glomus microcarpum* Tul. & Tul. Ref. 黃瑞祥、郭忠吉。1981  
*Glomus mosseae* (Nicol. & Gerd.) Gerd. & Trapp Ref. 黃瑞祥、郭忠吉。1981  
*Glomus mosseoides* Hu Ref. Hu, 1988  
*Glomus nigrum* Hu Ref. Hu, 1988  
*Glomus occultum* Walker Ref. 周文能。1990  
*Glomus pustulatum* koske, Friese, Walker & Dalpe Ref. Hu, 1988  
*Glomus scintillans* Ross & Trappe Ref. Hu, 1988  
*Glomus spinosum* Hu Ref. Hu, 1988  
*Glomus taiwanianum* Hu Ref. Hu, 1988  
*Glomus tortuosum* Schenck & Smith Ref. Hu, 1988  
*Glomus versiforme* (Karsten) Berch. Ref. Hu, 1988  
*Sclerocystis clavispora* Trappe Ref. 翁建堯。1981  
*Sclerocystis coremioides* Berk. & Broome Ref. Hu, 1988  
*Sclerocystis cunnighamia* Hu Ref. Hu, 1988  
*Sclerocystis microcarpum* Iqbal & Perveen Ref. Hu, 1988  
*Sclerocystis pachycaulis* Wu & Chen Ref. Wu & Chen, 1987  
*Sclerocystis pakistanica* Iqbal & Bushra Ref. Wu & Chen, 1985  
*Sclerocystis rubiformis* Gerd. & Trapp Ref. 翁建堯。1981  
*Sclerocystis sinuosa* Gerd. & Bakshi Ref. Chung et al., 1989  
*Sclerocystis taiwanensis* Wu & Chen Ref. Wu & Chen, 1987

## Order Kickxellales 梳徽目

### Family Kickxellaceae 梳徽科

- Coemansia aciculifera* Linder Ref. Ho & Hsu, 2005  
*Coemansia interrupta* Linder Ref. 許照紅。1989  
*Linderina macrospora* Chang Ref. 簡秋源。1986  
*Linderina pennispord* Raper & Fennel. Ref. Ho, 2007

## Order Mortierellales 被孢徽目

### Family Mortierellaceae 被孢徽科

- Haplosporangium bisporale* Thaxter Ref. 簡秋源。1986  
*Mortierella ambigua* B. S. Mehrotra Ref. 簡秋源。1986  
*Mortierella ambigua* B. S. Mehrotra Ref. 簡秋源。1986  
*Mortierella bainier* Costantin Ref. 簡秋源。1986  
*Mortierella candelabrum* Van Tieghem & Le Monnier Ref. 簡秋源。1986  
*Mortierella globulifera* Rostrup Ref. 劉桂郁。1993  
*Mortierella humilis* Linnemann Ref. 劉桂郁。1993  
*Mortierella hygrophila* Linnemann Ref. 簡秋源。1986  
*Mortierella jenkini* (Smith) Naumov Ref. 簡秋源。1986  
*Mortierella malleola* (Karkn) Gerd. & Trapp Ref. Hu, 1988  
*Mortierella marburgensis* Linnemann Ref. 簡秋源。1986  
*Mortierella minutissima* Van Tieghem Ref. 劉桂郁。1993  
*Mortierella mutabilis* Linnemann Ref. 簡秋源。1986  
*Mortierella oligospora* Biorling Ref. 劉桂郁。1993  
*Mortierella parvispora* Linnemann Ref. 簡秋源。1986  
*Mortierella ramanniana* (Moeller) Linnemann Ref. 簡秋源。1986  
*Mortierella rammaniana* var. *angulispora* Ref. 簡秋源。1986

## Order Mucorales 毛徽目

### Family Choanephoraceae 筭徽科

- Blakeslea monospora* B. S. Mehrotra & Baijal Ref. 張鈴蘭。1997  
*Blakeslea trispora* Thaxter Ref. 張鈴蘭。1997  
*Choanephora conjunta* Couch Ref. Wu & Chien, 1980  
*Choanephora cucurbitarum* (Berk. & Rav.) Thaxter Ref. 同前  
*Choanephora infundibulifera* (Curreg) Sacc. Ref. 同前

### Family Cunninghamellaceae 小克銀漢徽科

- Cunninghamella bertholletiae* Stadel Ref. Liu et al., 2005  
*Cunninghamella blakesleeana* Lendner Ref. 同前  
*Cunninghamella echinulata* (Thaxter) Thaxter Ref. 同前  
*Cunninghamella elegans* Lendner Ref. 同前

## Family Mucoraceae 毛黴科

- Absidia blakesleeana* Lendner Ref. 簡秋源。1986  
*Absidia corymbifera* Lichth Ref. 簡秋源。1986  
*Absidia cylindrospora* Hagem Ref. 簡秋源。1986  
*Absidia glauca* Hagem Ref. 簡秋源。1986  
*Absidia spinosa* Lendner *azygospora* Boedijn Ref. Ho, 1993  
*Absidia spinosa* Lendner Ref. Ho et al., 2004  
*Actinomucor repens* Bainier Ref. 簡秋源。1986  
*Circinella mucoroider* Saito Ref. 李靜宜。1999  
*Circinella muscae* (sorakine) Berlese & de Toni Ref. 何小曼。1995  
*Circinella rigida* Smith Ref. 簡秋源。1986  
*Circinella simplex* Van Tieghem Ref. 簡秋源。1986  
*Circinella umbellata* Van Tieghem Ref. 何小曼。1995  
*Gongronella butler* (Lendn.) Peyronel & DaLevesca Ref. Ho & Chen, 1990  
*Gongronella butleri* (Lendner) Peyronel & DaLevesco Ref. 同前  
*Mucor abundans* Povah Ref. 簡秋源。1986  
*Mucor adventitus* Oudemans Ref. 簡秋源。1986  
*Mucor albo-ater* Naumov Ref. 劉桂郁。1993  
*Mucor fragilis* Bainier Ref. 劉桂郁。1993  
*Mucor circinelloid* Van Tieghem Ref. 簡秋源。1986  
*Mucor circinelloides* f. *circinellaider* Van Tieghem Ref. Liou et al., 1993  
*Mucor corticolus* Hagem Ref. 簡秋源。1986  
*Mucor falcatus* Schipper Ref. 簡秋源。1986  
*Mucor flarcus* Bainier Ref. Liou et al., 1993  
*Mucor flavus* Bainier Ref. 簡秋源。1986  
*Mucor fragilis* Bainier Ref. 簡秋源。1986  
*Mucor genevensis* Lendner Ref. Liou et al., 1993  
*Mucor geophilis* Oudemans Ref. 簡秋源。1986  
*Mucor griseo-cyanus* Hagem Ref. 簡秋源。1986  
*Mucor hiemalis* Wehmer Ref. 簡秋源。1986  
*Mucor indicus* Lendner Ref. Liou et al., 1993  
*Mucor jasseni* (Lender.) Schipper Ref. 簡秋源。1972  
*Mucor javanicus* Wehmer Ref. 澤田兼吉。1919  
*Mucor lamprosporus* Lendner Ref. 簡秋源。1972  
*Mucor lausannensis* Lenkner Ref. 簡秋源。1986  
*Mucor luteus* (Linnemann) Schipper Ref. 簡秋源。1986  
*Mucor microsporus* Wamyslawski Ref. Liou et al., 1993  
*Mucor minutus* (Baijal & B. S. Mehrotra) Schipper Ref. 同前  
*Mucor mousanensis* Baijal & B. S. Mehrotra Ref. 同前  
*Mucor mucedo* Lend. Ex Fries Ref. 同前  
*Mucor oblongisporus* Naumov Ref. 簡秋源。1986  
*Mucor parvispora* Knonse Ref. Liou et al., 1993  
*Mucor piriformis* Fisher Ref. 同前  
*Mucor plasmaticus* Van Tieghem Ref. 簡秋源。1986  
*Mucor racemosus* Fresenis f. *sphaerosporus* (Hogem) Schipper Ref. Liou et al., 1993  
*Mucor racemosus* f. *aerosporus* (Hagem) Schipper, 1970 Ref. 同前  
*Mucor recurvus* Butler Ref. 劉桂郁。1993  
*Mucor rouxianus* (Calmette) Wehmer Ref. 簡秋源。1986  
*Mucor rouxii* (Calmette.) Wehmer Ref. 澤田兼吉。1919  
*Mucor rufescens* Fischer Ref. 劉桂郁。1987  
*Mucor sciurinus* Naumov Ref. 簡秋源。1986  
*Mucor silvanticus* Hagem Ref. 簡秋源。1986  
*Mucor varians* Povah Ref. 簡秋源。1986  
*Rhizopus arrhizus* Fischer Ref. 簡秋源。1986  
*Rhizopus chinensis* Saito var. *rugosporus* Nakazawa Ref. 澤田兼吉。1931  
*Rhizopus formosaensis* Nakazawa Ref. 澤田兼吉。1931  
*Rhizopus microsporus* Tiegh. var. *chinensis* (Cohn) Schipper & Stalpers Ref. Chen, 2008  
*Rhizopus microsporus* Tiegh. var. *rhizopodiformis* (Saito) Schipper & Stalpers Ref. Chen, 2008  
*Rhizopus nigricans* Ehrenburg Ref. 澤田兼吉。1931  
*Rhizopus oligosporus* Saito var. *glaher* Nakaz Ref. 澤田兼吉。1931  
*Rhizopus oryzae* Went & Gerlings Ref. 劉桂郁。1990  
*Rhizopus peka* Takeda Ref. 澤田兼吉。1931  
*Rhizopus salebrosus* Yamazaki Ref. 澤田兼吉。1931  
*Rhizopus stolonifer* (EhrenbiFr.) Vuill. Ref. 何小曼。1992  
*Sporodiniella umbellata* Boedijn Ref. Chien, 1997  
*Zygorhynchus exponens* Burgeff Ref. 簡秋源。1986  
*Zygorhynchus moelleri* Vuillemin Ref. 簡秋源。1986

## Family Phycomycetaceae

- Phycomyces blakesleanus* Burgeff 布拉克鬚鬚黴 Ref. 陳淑芬。1986

## Family Pilobolaceae 水玉黴科

- Pilobolus crystallinus* (Wiggers) Tode Ref. 吳慕偉。1998  
*Pilobolus sphaerosporus* Palla Ref. 吳慕偉。1998  
*Pilobolus umbonata* Van Tieghem Ref. 吳慕偉。1998

**Family Saksenaaceae**

- Saksenaea vasiformis* Saksena Ref. 簡秋源。1994

**Family Syncephalastraceae 共頭黴科**

- Syncephalastrum racemosum* Cohn ex S'chroeter Ref. 簡秋源。1969

**Family Thamniaceae 枝黴科**

- Backusella circinella* Ellis & Hesseltine Ref. Ho, 2000  
*Thamnidium elegans* Link 枝黴 Ref. Ho, 2002

**Order Zoopagales 捕蟲黴目**

**Family Piptocephalidaceae 頭珠黴科**

- Piptocephalis cruciata* Van Tieghem Ref. 簡秋源。1986  
*Piptocephalis curvata* Baijal & B.S. Mehrotra Ref. Ho, 2004  
*Piptocephalis debaryana* B.S. Mehrotra Ref. Ho, 2006  
*Piptocephalis fimbriata* M.J. Richardson & Leadbeater Ref. Ho, 2004  
*Piptocephalis graefenharii* H. M. Ho Ref. Ho, 2006  
*Piptocephalis indica* B. S. Mehrotra & Baijal 印度頭珠黴 Ref. Ho, 2003  
*Piptocephalis tieghemiana* Matruchot Ref. Ho, 2006  
*Syncephalis cf. ventricosa* Van Tieghem Ref. Ho, 2003  
*Syncephalis cornu* Van Tieghem & Le Monnier 彎梗集珠黴 Ref. Ho, 2003  
*Syncephalis depressa* Van Tieghem & Le Monnier Ref. Ho, 2000  
*Syncephalis obconica* Indoh Ref. Ho, 2001  
*Syncephalis parvula* Gruhn Ref. Ho, 2002  
*Syncephalis reflexa* Van Tieghem Ref. 簡秋源。1986  
*Syncephalis reflexa* Van Tieghem Ref. 簡秋源。1986  
*Syncephalis sphaerica* Van Tieghem Ref. Ho, 2001  
*Syncephalis tenuis* Thaxter Ref. Ho, 2002

**Family Sigmoideomycetaceae**

- Thamnocephalis quadrupedata* Blakeslee Ref. 許照紅。1989

**Family Zoopagaceae 捕蟲黴科**

- Acaulopage pectospora* Drechsler Ref. Tzean et al., 1997



# Kingdom Plantae 植物界

## Phylum Rhodophyta 紅藻植物門

### Class Bangiophyceae 頭髮菜綱

#### Order Bangiales 頭髮菜目

##### Family Bangiaceae 頭髮菜科

- Bangia atropurpurea* (Roth) C. Agardh, 1824 頭髮菜 Ref. Chiang, 1973  
*Bangia yamadae* Tanaka, 1944 紅毛菜 Ref. Shen & Fan, 1950  
*Porphyra angusta* Okamura & Ueda, 1932 狹葉紫菜 Ref. Liaw & Chiang, 1979  
*Porphyra crispata* Kjellman 皺葉紫菜 Ref. Shen & Fan, 1950  
*Porphyra dentata* Kjellman, 1897 長葉紫菜 Ref. Wang & Chiang, 1977  
*Porphyra suborbiculata* Kjellman, 1897 圓葉紫菜 Ref. 同前  
*Porphyra vietnamensis* Tanaka & P. H. Ho, 1962 越南紫菜

### Class Compsopogonophyceae 真紅藻綱

#### Order Erythropeltiales 星絲藻目

##### Family Erythrotrichiaceae 星絲藻科

- Erythrotrichia carnea* (Dillwyn) J. Agardh, 1883 星絲藻 Ref. Shen & Fan, 1950

### Class Florideophyceae 真紅藻綱

#### Order Acrochaetiales 頂絲藻目

##### Family Acrochaetiaceae 頂絲藻科

- Acrochaetium yamadae* (Garbary) Y. Lee & I. K. Lee 頂絲藻

#### Order Bonnemaisoniales 柏安藻目

##### Family Bonnemaisoniaceae 柏安藻科

- Asparagopsis sanfordiana* (Harvey, 1855) Ref. Shen & Fan, 1950  
*Asparagopsis taxiformis* (Delile) Trevisan, 1845 蘆筍藻 Ref. 同前  
*Delisea japonica* (Greville) Montagne, 1844 櫛齒藻 Ref. Huang, 1999

#### Order Ceramiales 仙菜目

##### Family Ceramiaceae 仙菜科

- Aglaothamnion tenuissimum* (Bonnemaisson) Feldmann-Mazoyer Ref. Heydrich, 1894  
*Centroceras clavulatum* (C. Agardh) Montagne, 1846 縱胞藻 Ref. Chiang, 1973  
*Centroceras minutum* Yamada, 1944 小縱胞藻 Ref. Chiang, 1962  
*Ceramium aduncum* Nakamura, 1950 內枝仙菜 Ref. Nakamura, 1950  
*Ceramium ciliatum* var. *robustum* (J. Agardh) Mazoyer, 1805  
*Ceramium ciliatum* (Ellis) Ducluzeau, 1805 捲頂仙菜  
*Ceramium flaccidium* (Kützinger) Ardissonne, 1871 優美仙菜 Ref. Itono, 1977  
*Ceramium nakamurae* Dawson, 1954 Ref. Nakamura, 1965  
*Ceramium paniculatum* Okamura, 1896 圓錐仙菜 Ref. 同前  
*Ceramium tenerrimum* (Martius) Okamura, 1921 柔質仙菜 Ref. Chiang, 1962  
*Crouania minutissima* Yamada, 1944 短絲藻 Ref. Huang, 1999  
*Dasyphila plumarioides* Yendo, 1920 羽狀喜毛藻 Ref. Itono, 1977  
*Griffithsia coacta* Okamura 潤毛藻 Ref. Huang, 1990  
*Griffithsia subcylindrica* Okamura 亞圓柱形潤毛藻 Ref. Huang, 1999  
*Gymnothamnion elegans* (Schousboe ex C. Agardh) J. Agardh, 1892 Ref. Itono, 1977  
*Herpochondria elegans* (Okamura) Itono, 1977 美麗小枝藻 Ref. Chiang, 1962  
*Ptilothamnion cladophorae* (Yamada & Tanaka) Feldmann-Mazoyer, 1940 Ref. Fan, 1974  
*Reinboldiella schmitziana* (Reinbold) De Toni, 1895 Ref. Ariga, 1920  
*Reinboldiella warburgii* Yoshida & Mikami, 1998 Ref. Okamura, 1936  
*Spyridia filamentosa* (Wulfen) Harvey ex Hooker, 1833 藍子藻 Ref. Chihara, 1975  
*Tiffaniella codicola* (Yamada & Tanaka) Doty & Menez, 1960 Ref. Fan, 1974  
*Wrangelia argus* (Montagne) Montagne Ref. Heydrich, 1894  
*Wrangelia tanegana* Harvey, 1859 鋸軸軟毛藻 Ref. Huang, 1999  
*Wrangelia velutina* (Soder) Harvey, 1854 軟毛藻 Ref. Okamura, 1931

##### Family Dasyaceae 絨線藻科

- Dasya sessilis* Yamada 無柄絨線藻  
*Dictyurus purpurascens* Bory de Saint-Vincent 菱藻  
*Grateloupia angusta* (Harv.) Okamura Ref. Shen & Fan, 1950  
*Grateloupia carnosa* Yamada & Segawa 肉質蜈蚣藻 Ref. Chiang, 1962  
*Grateloupia filicina* (Lamouroux) C. Agardh, 1822 蜈蚣藻 Ref. Chiang, 1973  
*Grateloupia livida* (Harvey) Yamada, 1931 舌狀蜈蚣藻 Ref. Huang, 1999  
*Grateloupia okamuraii* Yamada Ref. Chiang, 1973

*Grateloupia ramosissima* Okamura Ref. Shen & Fan, 1950  
*Grateloupia sparsa* (Okamura) Chiang, 1970 稀毛蜈蚣藻 Ref. Huang, 1999

### Family Delesseriaceae 紅葉藻科

*Caloglossa ogasawaraensis* Okamura, 1897 鸕鴣菜 Ref. Fan, 1952  
*Claudea batanensis* Tanaka, 1967 雀冠藻 Ref. Yoshikawa & Yoshikawa, 1977  
*Claudea multifida* Harvey, 1854 多裂雀冠藻 Ref. Huang, 1999  
*Haloplegma duperreyi* Montagne, 1842 毬藻 Ref. Yamada, 1936  
*Martensia flabelliformis* Harvey ex J. Agardh Ref. Shen & Fan, 1950  
*Martensia fragilis* Harvey, 1854 脆紅網藻 Ref. Huang, 1999  
*Neomartensia flabelliformis* Harvey ex J. Agardh, 1863 扇形紅網藻 Ref. Chiang, 1962  
*Vanvoorstia coccinea* Harvey ex J. Agardh, 1863 猩紅斜網藻 Ref. Huang, 1999  
*Zellera tawallina* 1866 Ref. Huang, 1999

### Family Rhodomelaceae 松節藻科

*Acanthophora aokii* Okamura, 1934 青木魚棲苔 Ref. Okamura, 1936  
*Acanthophora muscoides* (Linnaeus) Bory de Saint-Vincent, 1828 蘇狀魚棲苔 Ref. Shen & Fan, 1950  
*Acanthophora orientalis* J. Agardh Ref. 同前  
*Acanthophora spicifera* (Vahl) Borgesen, 1910 穗狀魚棲苔 Ref. Huang, 1999  
*Acrocystis nana* Zanardini, 1872 頂囊藻 Ref. Chiang, 1973  
*Amansia glomerata* Ag. Ref. Shen & Fan, 1950  
*Bostrychia tenella* (Lamouroux) J. Agardh, 1863 柔弱捲枝藻 Ref. Chiang, 1962  
*Chondria armata* (Kützinger) Okamura, 1907 樹枝軟骨藻 Ref. Chiang, 1973  
*Chondria crassicaulis* Harvey 粗枝軟骨藻  
*Chondria dasyphylla* (Woodward) C. Agardh, 1817 軟骨藻 Ref. Ariga, 1920  
*Chondria ryukyuensis* Yamada 琉球軟骨藻  
*Chondrophycus concreta* (Cribb) Nam 脆軟骨凹頂藻  
*Chondrophycus dotyi* (Saito) Nam 多氏軟骨凹頂藻  
*Chondrophycus intermedius* (Yamada) Garbary & Harper, 1994 異枝軟骨凹頂藻  
*Chondrophycus palisadus* (Yamada) Nam 柵狀軟骨凹頂藻  
*Chondrophycus papillosus* (C. Agardh) Garbary & Harper, 1998 乳頭軟骨凹頂藻  
*Chondrophycus parvipapillata* (Tseng) Garbary & Harper 小瘤軟骨凹頂藻  
*Chondrophycus perforatus* (Bory de Saint Vincent) Nam 孔軟骨凹頂藻  
*Chondrophycus undulatus* (Yamada) Garbary & Harper, 1998 波狀軟骨凹頂藻  
*Digenea simplex* (Wulf.) C. Ag. Ref. Shen & Fan, 1950  
*Herposiphonia subdisticha* Okamura, 1899 二列爬管藻 Ref. Chiang, 1962  
*Laurencia brongiartii* J. Agardh, 1841 紅羽凹頂藻 Ref. Su et al., 1982  
*Laurencia forsteri* (Martens ex Turner) Greville, 1830 Ref. Ariga, 1920  
*Laurencia glandulifera* Kützinger 瘤狀凹頂藻  
*Laurencia hamata* Yamada, 1932  
*Laurencia jungermannioides* (Mart. & Hering) Harv. Ref. Chiang, 1962  
*Laurencia nipponica* Yamada, 1931 日本凹頂藻 Ref. Ariga, 1920  
*Laurencia obrusa* Lam. var. *densa* Yam. Ref. Shen & Fan, 1950  
*Laurencia obtusa* var. *dendroidea* (J. Agardh) Yamada 鈍凹頂藻 Ref. Dawson, 1954  
*Laurencia okamurai* Yamada 崗村凹頂藻 Ref. Huang, 1999  
*Laurencia pannosa* Zanardini, 1872 巢凹頂藻  
*Laurencia perpusillum* J. Ag. Ref. Heydrich, 1894  
*Laurencia pinnatifida* var. *simplex* (Gm.) J. Ag. Ref. 同前  
*Laurencia tropica* Yamada, 1931 熱帶凹頂藻 Ref. Shen & Fan, 1950  
*Laurencia venusta* Yamada, 1931 維納凹頂藻 Ref. 同前  
*Leveillea jungermannioides* (Hering & Martens) Harvey, 1855 海蘚藻 Ref. Chiang, 1962  
*Melanamansia glomerata* (C. Agardh) Norris, 1995 旋花藻 Ref. Huang, 1999  
*Murrayella pericladus* (C. Agardh) Schmitz, 1893 有柄輪孢藻 Ref. Yamada, 1936  
*Murrayella squarrosa* (Harv.) Schmitz. Ref. Shen & Fan, 1950  
*Neosiphonia harlandii* (Harvey) Kim & Lee 具皮新多管藻  
*Neurymenia fraxinifolia* (Mertens & Turner) J. Agardh, 1863 脈膜藻 Ref. Chiang, 1973  
*Osmundaria obtusiloba* (Martens ex C. Agardh) R. E. Norris 旋葉藻 Ref. Huang, 1990  
*Osmundea pinnatifida* (Hudson) Stackhouse 羽狀內捲藻  
*Placophora marchantioides* (Harv.) J. Ag. Ref. Heydrich, 1894  
*Polysiphonia kampsaxii* Borgesen, 1939 多管藻 Ref. Segi, 1951  
*Polysiphonia pulvinata* (Roth) Sprengel 多管藻  
*Symphocladia marchantioides* (Harv.) Falkenberg Ref. Shen & Fan, 1950  
*Symphocladia marchantioides* (Harvey) Falkenberg, 1897 苔狀雞毛菜 Ref. Chiang, 1962  
*Tolypocladia glomerulata* (C. Agardh) Schmitz, 1897 球枝藻 Ref. Huang, 1999

## Order Corallinales 珊瑚藻目

### Family Corallinaceae 珊瑚藻科

*Amphiroa anceps* Lamouroux 寬扁叉節藻 Ref. de Toni, 1895  
*Amphiroa bowerbankii* Harv. Ref. Heydrich, 1894  
*Amphiroa brevianiceps* Dawson 短邊叉節藻  
*Amphiroa cultrate* Harv. var. *globulifera* Ktz. Ref. Heydrich, 1894  
*Amphiroa ephedraea* (Lamouroux) Decaisne, 1842 平滑叉節藻 Ref. Segawa, 1974  
*Amphiroa exilis* Harv. Ref. Heydrich, 1894

*Amphiroa foliacea* Lamouroux, 1824 葉狀叉節藻 Ref. Huang, 1999  
*Amphiroa foliaceae* Lamouroux Ref. Yang, 1981  
*Amphiroa fragilissima* (Linnaeus) Lamouroux, 1816 脆叉節藻 Ref. Yoshikawa & Yoshikawa, 1977  
*Amphiroa fragillissima* Lamouroux Ref. 同前  
*Amphiroa pusilla* Yendo, 1902 扁叉節藻 Ref. Rho, 1958  
*Amphiroa subcylindrica* Dawson Ref. Yang, 1981  
*Amphiroa zonata* Yendo, 1902 環狀叉節藻 Ref. Huang, 1990  
*Arthrocardia anceps* (Yendo) Johansen, 1984 邊唇孢藻 Ref. Shen & Fan, 1950  
*Cheilosporum acutilobum* (Decaisne) Piccone, 1886 唇孢藻 Ref. Huang, 1999  
*Cheilosporum anceps* Yendo Ref. Shen & Fan, 1950  
*Cheilosporum cultratum* subsp. *multifidum* (Kützing) Johansen 多扇唇孢藻  
*Cheilosporum jcultratum* subsp. *multifidum* (Ktz) Johansen  
*Cheilosporum jungermannioides* Ruprecht Ref. Okamura, 1931  
*Cheilosporum latissimum* Yendo Ref. Shen & Fan, 1950  
*Corallina adhaerens* (Lamour.) Ktz. Ref. Heydrich, 1894  
*Corallina confusa* Yendo, 1902 點狀珊瑚藻  
*Corallina pilulifera* Postels & Ruprecht, 1840 小珊瑚藻 Ref. Huang, 1999  
*Corallina pumila* Ktz. Ref. Heydrich, 1894  
*Corallina squamata* Ellis & Solander Ref. Yang, 1981  
*Dermatolithon tumidulum* Foslie Ref. Chiang, 1973  
*Hydrolithon farinosum* (Lamouroux) Penrose & Chamberlain, 1993 水石藻 Ref. Okamura, 1936  
*Jania adhaerens* Lamouroux, 1816 寬角叉珊藻 Ref. Chiang, 1962  
*Jania arborescens* (Yendo) Yendo, 1905 樹狀叉珊藻  
*Jania decussato-dichotoma* (Yendo) Yendo Ref. Shen & Fan, 1950  
*Jania longiarthra* Dawson Ref. Yang, 1981  
*Jania mexicana* Taylor Ref. Yang, 1981  
*Jania pacifica* Areschoug, 1852 太平洋叉珊藻  
*Jania pumila* Lamx.  
*Jania radiata* Yendo, 1905 放射叉珊藻 Ref. Chiang, 1962  
*Jania rubens* (Linnaeus) Lamouroux, 1816 鈍叉珊藻  
*Jania* sp. Ref. Chinag, 1973  
*Jania tenella* (Kützing) Grunow, 1858 纖細叉珊藻 Ref. Chiang, 1962  
*Jania unguata* (Yendo) Yendo, 1905 扇狀叉珊藻 Ref. Shen & Fan, 1950  
*Lithophyllum membranaceum* (Espr) Foslie Ref. 同前  
*Lithophyllum pustulatum* Foslie ex Okamura Ref. 同前  
*Lithophyllum tumidulum* Foslie 厚石葉藻 Ref. Chiang, 1973  
*Marginisporum aberrans* (Yendo) Johanson & Chihara, 1969 異邊孢藻 Ref. Huang, 1999  
*Marginisporum crassissimum* (Yendo) Ganesan, 1968 大邊孢藻 Ref. Huang, 1999  
*Mastophora macrocarpus* Mont. Ref. Heydrich, 1894  
*Mastophora pygmaea* Heydrich Ref. 同前  
*Mastophora rosea* (C. Agardh) Setchell, 1943 寬珊藻 Ref. Chiang, 1973  
*Melobesia farinosa* Lamour. Ref. Heydrich, 1894  
*Melobesia membranacea* (Esper) Lamouroux 膜狀石枝藻 Ref. Okamura, 1936  
*Melobesia pustulata* Lamour. Ref. Heydrich, 1894  
*Mesophyllum mesomorphum* (Foslie) Adey, 1970 中葉藻 Ref. Huang, 1990  
*Mesophyllum simulans* (Foslie) Lemoine, 1928 殼狀中葉藻 Ref. Huang, 1999  
*Serraticardia maxima* (Yendo) Silva, 1957 大齒心藻 Ref. Huang, 1999  
*Sphaerococcus schroeteri* (Chodat) Lemmermann Ref. Huang, 1990  
*Titanoderma pustulatum* (Lamouroux) Naqeli 波狀石葉藻 Ref. Okamura, 1936

## Order Cryptonemiales 隱絲藻目

### [Not assigned to a family]

*Desmia hornemanni* Ref. Chinag, 1973

### Family Squamariaceae

*Peyssonelia distenta* (Harv.) Yamada Ref. Chiang, 1962

*Peyssonelia rubra* (Grev.) J. Ag. Ref. Heydrich, 1894

## Order Gelidiales 石花菜目

### Family Gelidiaceae 石花菜科

*Gelidium amansii* (Lamouroux) Lamouroux, 1813 安曼司石花菜 Ref. Santelices & Stexart, 1985

*Gelidium corneum* (Huds.) Lamx var. *pinnatum* Kg. f. a. Ardiss. Ref. Heydrich, 1894

*Gelidium crinale* (Turner) Gaillon 細毛石花菜

*Gelidium divaricatum* Martens, 1866 雙叉石花菜 Ref. Taniguti, 1976

*Gelidium elegans* Kützing 優美石花菜 Ref. Chiang, 1962

*Gelidium foliaceum* (Okamura) Tronchin 葉狀匍匐石花菜

*Gelidium japonicum* (Harvey) Okamura, 1901 日本石花菜 Ref. Chiang, 1962

*Gelidium kintaroi* (Okamura) Yamada, 1941 鈍頂石花菜 Ref. Fan, 1953

*Gelidium latiusculum* Okamura, 1933 寬葉石花菜 Ref. Chiang, 1962

*Gelidium pacificum* Okamura, 1914 太平洋石花菜 Ref. Okamura, 1915

*Gelidium planiusculum* Okamura Ref. Shen & Fan, 1950

*Gelidium pusillum* (Stackhouse) Le Jolis Ref. Chiang, 1962

*Gelidium pusillum* (Stackhouse) Le Jolis, 1863 匍匐石花菜 Ref. Chiang, 1962  
*Gelidium yamadae* (Okamura) Fan, 1951 密枝石花菜 Ref. Fan, 1953  
*Pterocladia nana* (Okamura) Shimada, Horiguchi & Masuda Ref. Chiang, 1962  
*Pterocladia tenuis* (Okamura) Shimada, Horiguchi & Masuda 細翼枝菜 Ref. Huang, 1999  
*Pteroclatiella capillacea* (Gmelin) Santelices & Hommersand, 1997 翼枝菜  
*Ptilophora subcostata* (Okamura) Norris, 1987 刀形石花菜 Ref. Ariga, 1919

#### Family Gelidiellaceae 凝花菜科

*Gelidiella acerosa* (Forsskal) Feldmann & Hamel, 1934 匍枝凝花菜 Ref. Chiang, 1973

### Order Gigartinales 杉藻目

#### Family Caulacanthaceae 莖刺藻科

*Caulacanthus okamurae* Yamada 岡氏莖刺藻  
*Caulacanthus spinellus* (Hooker & Harvey) Kützing 刺枝莖刺藻 Ref. Shen & Fan, 1950  
*Caulacanthus ustulatus* (Turner) Kützing, 1843 莖刺藻 Ref. Taniguti, 1976

#### Family Dumontiaceae 杜蠕藻科

*Dudresnaya japonica* Okamura, 1902 日本杜蠕藻 Ref. Shen & Fan, 1950  
*Gibsmithia hawaiiensis* Doty 夏威夷黏枝藻  
*Rhodopeltis borealis* Yamada, 1931 北方赤盾藻 Ref. Chihara, 1975  
*Rhodopeltis gracilis* Yam. Ref. Shen & Fan, 1950  
*Rhodopeltis setchellii* Yam. Ref. 同前

#### Family Endocladaceae 内枝藻科

*Gloiopeltis complanata* (Harvey) Yamada, 1932 Ref. Ariga, 1921  
*Gloiopeltis furcata* (Postels & Ruprecht) J. Agardh, 1851 海蘿 Ref. Chiang, 1973  
*Gloiopeltis tenax* (Turner) Decaisne, 1842 鹿角海蘿 Ref. Chiang, 1973

#### Family Gigartinaceae 杉藻科

*Chondracanthus intermedius* (Suringar) Hommersand, 1993 小杉藻 Ref. Huang, 1999  
*Chondracanthus tenellus* (Harvey) Hommersand, 1993 線形杉藻 Ref. Arasaki, 1964  
*Chondrus crispus* Stackhouse 皺葉角叉菜 Ref. Ariga, 1920  
*Chondrus ocellatus* Holmes, 1896 角叉菜 Ref. Chiang, 1973  
*Chondrus verrucosa* Mikami, 1965 異色角叉菜 Ref. Huang, 1999  
*Gigartina flabelliformis* Harv. Ref. Shen & Fan, 1950  
*Gigartina intermedia* Suringar Ref. Chiang, 1962  
*Mazzaella affinis* (Harvey) Fredericq 紅舌藻 Ref. Heydrich, 1894

#### Family Hypneaceae 沙菜科

*Hypnea boergesenii* Tanaka, 1941 密毛沙菜 Ref. Chiang, 1962  
*Hypnea cenomyce* J. Agardh, 1852 頂盤沙菜 Ref. Shen & Fan, 1950  
*Hypnea charoides* Lamouroux, 1813 長枝沙菜 Ref. Chiang, 1973  
*Hypnea chordacea* Kützing, 1849 簡枝沙菜 Ref. Chiang, 1962  
*Hypnea cornuta* (Kützing) J. Agardh, 1852 星刺沙菜 Ref. Shen & Fan, 1950  
*Hypnea esperi* Bory, 1867 小沙菜 Ref. 同前  
*Hypnea hamulosa* (Esper) Lamouroux, 1813 硬沙菜 Ref. 同前  
*Hypnea japonica* Tanaka, 1941 日本沙菜 Ref. Chiang, 1962  
*Hypnea nidulans* Setchell 墊生沙菜 Ref. Shen & Fan, 1950  
*Hypnea pannosa* J. Agardh, 1847 巢沙菜 Ref. 同前  
*Hypnea saidana* Holmes, 1896 曲刺沙菜 Ref. Chiang, 1973  
*Hypnea spinella* (C. Agardh) Kützing, 1847 刺沙菜；鹿角沙菜 Ref. Chiang, 1962

#### Family Kallymeniaceae 孔海膜科

*Kallymenia perforata* J. Agardh, 1872 孔海膜 Ref. Huang, 1999

#### Family Peyssonneliaceae 耳殼藻科

*Peyssonnelia caulifera* Okamura, 1899 耳殼藻 Ref. Ariga, 1920  
*Peyssonnelia conchicola* Piccone & Grunow in Piccone, 1884 木耳狀耳殼藻 Ref. Huang, 1999  
*Peyssonnelia distenta* (Harvey) Yamada, 1930 充滿耳殼藻 Ref. Chiang, 1962

#### Family Phacelocarpaceae 叢果藻科

*Phacelocarpus japonicus* Okamura, 1902 日本叢果藻 Ref. Shen & Fan, 1950

#### Family Phylloporaceae 育葉藻科

*Ahnfeltiopsis flabelliformis* (Harvey) Masuda, 1993 扇形叉枝藻 Ref. Huang, 1999  
*Ahnfeltiopsis paradoxa* (Suringar) Masuda, 1993 叉枝藻 Ref. Ariga, 1920

#### Family Polyidaceae 盾葉藻科

*Stenopeltis gracilis* (Yamada & Tanaka) Itono & Yoshizaki, 1992 Ref. Arasaki, 1964  
*Stenopeltis setchelliae* (Yamada) Itono & Yoshizaki, 1992 斯氏赤盾藻 Ref. Nozawa, 1970

#### Family Rhizophyllidaceae 根葉藻科

*Chondrococcus hornemanni* (Mert.) Schmitz. Ref. Shen & Fan, 1950  
*Portieria hornemannii* (Lyngbye) P.C. Silva, 1987 浪花藻 Ref. Huang, 1999

#### Family Sarcodiaceae 海木耳科

*Sarcodia montagneana* (Hooker & Harvey) J. Agardh, 1852 海木耳 Ref. Huang, 1999

### Family Solieriaceae 紅翎菜科

- Betaphycus gelatinum* (Esper) Doty, 1996 瓊枝 Ref. Doty and Norris, 1985  
*Eucheuma arnoldii* Weber-van Bosse, 1928 柏狀麒麟菜 Ref. Kraft, 1972  
*Eucheuma crassum* Zanardini, 1878 粗壯麒麟菜 Ref. Shen & Fan, 1950  
*Eucheuma crustiforme* Weber-van Bosse  
*Eucheuma cupressoideum* Web. v Bos. Ref. Shen & Fan, 1950  
*Eucheuma denticulatum* (Burman) Collins & Hervey, 1917 齒形麒麟菜 Ref. Okamura, 1936  
*Eucheuma gelatinae* J. Ag. Ref. Shen & Fan, 1950  
*Eucheuma muricatum* (Gmelin) Web. Ref. 同前  
*Eucheuma okamurae* Yamada, 1936 崗氏麒麟菜 Ref. Okamura, 1936  
*Eucheuma serra* (J. Agardh) J. Agardh, 1852 鋸齒麒麟菜 Ref. Chiang, 1973  
*Eucheuma spinosum* J. Agardh Ref. Heydrich, 1894  
*Kappaphycus cottonii* (Weber-van Bosse) Doty ex Silva, 1996 耳突麒麟菜  
*Meristotheca coacta* Okamura, 1930 饅頭雞冠菜 Ref. Segawa, 1974  
*Meristotheca papulosa* (Montagne) J. Agardh, 1876 雞冠菜 Ref. Chiang, 1962  
*Solieria robusta* (Greville) Kylin 粗壯紅翎藻

### Family Wurdemanniaceae 層孢藻科

- Wurdemannia miniata* (Sprengel) Feldmann & Hamel, 1934 朱紅層孢藻 Ref. Shen & Fan, 1950

## Order Gracilariales 龍鬚菜目

### Family Gracilariaceae 龍鬚菜科

- Graacilaria spinulosa* (Okamura) Chang & Xia 刺龍鬚菜  
*Gracilaria arcuata* Zanardini, 1858 弓龍鬚菜 Ref. Chiang, 1985  
*Gracilaria blodgettii* Harvey, 1853 芋根龍鬚菜 Ref. Ohmi, 1958  
*Gracilaria bursa-pastoris* (Gmelin) Silva, 1952 脆江蘘 Ref. Chen, 1976  
*Gracilaria canaliculata* (Kützting) Sonder, 1871 粗管龍鬚菜 Ref. Callumpong et al., 1997  
*Gracilaria chorda* Holmes, 1896 繩龍鬚菜 Ref. Chen, 1976  
*Gracilaria coronopifolia* J. Agardh, 1852 傘房龍鬚菜 Ref. Yang & Chiang, 1982  
*Gracilaria edulis* (Gmelin) Silva, 1952 可食江蘘 Ref. Nelson et al., 1983  
*Gracilaria eucheumoides* Harvey, 1859 麒麟龍鬚菜 Ref. Yang & Chiang, 1982  
*Gracilaria gigas* Harvey, 1859 粗龍鬚菜 Ref. Chiang, 1981  
*Gracilaria gracilis* (Stackhouse) Steentoft, L.M. Irvine & Farnham Ref. Shen & Fan, 1950  
*Gracilaria incurvata* Okamura, 1931 捲葉龍鬚菜 Ref. Chiang, 1973  
*Gracilaria punctata* (Okamura) Yamada, 1941 Ref. Ohmi, 1958  
*Gracilaria salicornia* (C. Agardh) E.Y. Dawson, 1954 縵龍鬚菜 Ref. Chiang, 1985  
*Gracilaria spinulosa* (Okamura) Chang & B.M.Xia, 1976 Ref. Shen & Fan, 1950  
*Gracilaria srilankia* (Chang & Xia) Withellm, Millar & Kraft, 1994 紫龍鬚菜 Ref. Tseng, 1983  
*Gracilaria textorii* (Suringar) De Toni, 1891 葉龍鬚菜 Ref. Huang, 1999  
*Gracilaria veillardii* P.C. Silva 齒葉龍鬚菜 Ref. Huang, 1999

## Order Halymeniales 海膜藻目

### Family Halymeniaceae 海膜藻科

- Carpopeltis flabellata* (Holmes) Okamura Ref. Chiang, 1962  
*Carpopeltis maillardii* (Montagne & Millardet) Chiang, 1970 硬盾果藻 Ref. Huang, 1999  
*Carpopeltis rigida* (Harv.) Schm. Ref. Shen & Fan, 1950  
*Halymenia dilatata* Zanardini, 1851 平展海膜 Ref. Huang, 1999  
*Halymenia durvillaei* var. *ceylanica* (Harvey ex Kützting) Weber-van Bosse Ref. Shen & Fan, 1950  
*Halymenia floresia* (Clemente) C. Agardh, 1876 海膜 Ref. Huang, 1999  
*Halymenia formosa* Harvey ex Kützting 臺灣海膜  
*Halymenia microcarpa* (Montagne) P. C Silva, 1987 小果海膜 Ref. Huang, 1990  
*Polyopes lancifolius* (Harvey) Kawaguichi & Wang in Kawaguichi et al. 2003 劍葉海柏  
*Polyopes polyideoides* Okamura, 1895 牛角樹 Ref. Chiang, 1973  
*Polyopes prolifer* (Harriot) Kawaguchi & Wang 增生海柏  
*Prionitis angusta* (Okamura) Okamura, 1899 狹枝鋸齒藻  
*Prionitis cornea* (Okamura) E.Y. Dawson 心形鋸齒藻  
*Prionitis formosana* (Okamura) Kawaguichi & Nguyen, 1998 臺灣鋸齒藻  
*Prionitis ramosissima* (Okamura) Kawaguchi, 1989 繁枝鋸齒藻 Ref. Huang, 1999

### Family Sebdeniaceae 囊膜藻科

- Sebdenia flabellata* (J. Agardh) Parkinson, 1980 扇形囊膜藻 Ref. Huang, 1999

## Order Nemaliales 海索麵目

### Family Galaxauraceae 乳節藻科

- Actinotrichia fragilis* (Forsskal) Borgesen, 1932 輻毛藻 Ref. Chihara, 1975  
*Galaxaura arborea* Kjellm Ref. Chiang, 1962  
*Galaxaura canaliculata* Kützting Ref. Heydrich, 1894  
*Galaxaura clavigera* Kjellm Ref. Shen & Fan, 1950  
*Galaxaura cylindrica* (Sloander) Lamouroux, 1990 長乳節藻  
*Galaxaura distenta* Harvey, 1859 密乳節藻 Ref. Ariga, 1920  
*Galaxaura elegans* Tanaka Ref. Shen & Fan, 1950  
*Galaxaura fasciculata* Kjellman, 1900 簇生乳節藻 Ref. Ariga, 1919

*Galaxaura fastigiata* Decaisne Ref. Shen & Fan, 1950  
*Galaxaura filamentosa* Chou ex Taylor, 1945 絨毛乳節藻 Ref. Itono, 1977  
*Galaxaura lapidescens* (Ellis & Solander) Lamouroux, 1816 Ref. de Toni, 1895  
*Galaxaura marginata* (Ellis & Solander) Lamouroux, 1816 扁乳節藻 Ref. Papenfuss, Mshigeni, and Chiang, 1982  
*Galaxaura oblongata* (Ellis & Solander) Lamouroux Ref. Chiang, 1973  
*Galaxaura obtusata* (Ellis & Solander) Lamouroux, 1816 鈍乳節藻 Ref. Papenfuss, Mshigeni, and Chiang, 1982  
*Galaxaura radis* Kjellm Ref. Shen & Fan, 1950  
*Galaxaura reprecula* Kjellm  
*Galaxaura robusta* Kjellm Ref. Shen & Fan, 1950  
*Galaxaura rugosa* (Ellis & Solander) Lamouroux, 1786 延伸乳節藻 Ref. Itono, 1977  
*Galaxaura tenera* Kjellm Ref. Chiang, 1973  
*Galaxaura veprecula* Kjellm Ref. Shen & Fan, 1950  
*Scinaia boergesenii* Setch Ref. 同前  
*Scinaia boergesenii* Tseng, 1941 波氏鮮奈藻 Ref. 同前  
*Scinaia latifrons* Howe, 1911 寬葉鮮奈藻 Ref. Huang, 1999  
*Scinaia moniliformis* J. Agardh, 1885 唵珠鮮奈藻 Ref. Chiang, 1962  
*Scinaia pseudojaponica* Yamada & Tanaka, 1938 擬日本鮮奈藻 Ref. Chiang, 1973  
*Scinaia pseudo-japonica* Yamada & Tan Ref. Shen & Fan, 1950  
*Tricleocarpa fragilis* (Linnaeus) Huisman & Townsend, 1993 白果胞藻 Ref. Huang, 1999

### Family Liagoraceae 粉枝藻科

*Dermonema dichotoma* Harv. Ref. Heydrich, 1894  
*Dermonema frappieri* (J. Agardh) Pedroche & Avila Ortiz, 1996 皮絲藻 Ref. Huang, 1999  
*Dermonema gracile* (GM Martens) Weber-van Bosse Ref. Shen & Fan, 1950  
*Dermonema pulvinatum* (Grunow ex Holmes) Fan, 1962 墊形皮絲藻 Ref. Chen & Chiang, 1982  
*Dotyophycus yamadae* (Ohmi & Itono) Abbott & Yoshizaki, 1981 杜氏藻 Ref. Chiang & Chen, 1983  
*Ganonema farinosum* (Lamouroux) Fan & Wang, 1974 殖絲粉枝藻 Ref. Huang, 1990  
*Helminthocladia australis* Harvey, 1863 蠕枝藻 Ref. Chen et al., 1981  
*Liagora albicans* Lamouroux, 1816 對生粉枝藻 Ref. Chiang & Chen, 1982  
*Liagora boergesenii* Yamada, 1938 波氏粉枝藻 Ref. 同前  
*Liagora caenomyce* Decaisne Ref. Shen & Fan, 1950  
*Liagora ceranoides* f. *verulenta* (C. Agardh) Yamada, 1816 墊狀粉枝藻 Ref. Chiang & Chen, 1982  
*Liagora ceranoides* Lamouroux, 1816 軟粉枝藻 Ref. 同前  
*Liagora decussata* Montagne Ref. Shen & Fan, 1950  
*Liagora farinosa* Lamour. Ref. 同前  
*Liagora orientalis* (J. Agardh) Huisman & Schils, 2002 東方粉枝藻 Ref. Chiang & Chen, 1982  
*Liagora segawae* Yamada, 1938 Ref. 同前  
*Liagora setchellii* Yamada, 1938 鼓苞粉枝藻 Ref. 同前  
*Liagora valida* Harvey 硬粉枝藻  
*Liagoropsis maxima* Yam. Ref. Shen & Fan, 1950  
*Liagoropsis schrammii* (P. Crouan & H. Crouan) Doty & Abbott 擬粉枝藻 Ref. Fan, 1974  
*Nemalion pulvinatum* Grunow Ref. Shen & Fan, 1950  
*Trichogloea requienii* (Montagne) Kützing, 1847 果絲藻 Ref. Huang, 1999  
*Yamadaella caenomyce* (Decaisne) Abbott, 1970 絲擬藻 Ref. Chiang, 1973  
*Yamadaella cenomyce* Ref. Chinag, 1973

## Order Nemastomatales

### Family Schizymeniaceae 裂膜藻科

*Schizymenia dubyi* (Chauvin in Duby) J. Agardh, 1851 裂膜藻 Ref. Huang, 1999  
*Titanophora pulchra* Dawson 線翼藻  
*Titanophora weberae* Borgesen, 1943 波狀線翼藻 Ref. Huang, 1999

## Order Plocamiales 海頭紅目

### Family Plocamiaceae 海頭紅科

*Plocamium ovicornis* Okamura, 1896 卵形海頭紅 Ref. Ariga, 1920  
*Plocamium serrulatum* Okamura 鋸齒海頭紅 Ref. Okamura, 1936  
*Plocamium telfairiae* (Hooker & Harvey) Harvey ex Kützing, 1849 海頭紅 Ref. Shen & Fan, 1950

## Order Rhodymeniales 紅皮藻目

### Family Champiaceae 環節藻科

*Champia bifida* Okamura, 1901 扁平環節藻 Ref. Huang, 1990  
*Champia parvula* (C. Agardh) Harvey, 1853 環節藻 Ref. Chiang, 1962

### Family Faucheaceae 葉囊藻科

*Halichrysis micans* (Hauptfleisch) P. Huve & H. Huve, 1977 扁葉囊藻 Ref. Huang, 1999

### Family Lomentariaceae 蘿蔓藻科

*Ceratodictyon spongiosum* Zanardini, 1878 角網藻 Ref. Arasaki, 1964  
*Gelidiopsis hachijoensis* Yamada & Segawa, 1953 叉枝擬石花藻 Ref. Yoshikawa & Yoshikawa, 1977  
*Gelidiopsis repens* (Kützing) Schmitz, 1895 匍匐擬石花 Ref. Chiang, 1973  
*Gelidiopsis variabilis* (J. Agardh) Schmitz, 1895 多變擬石花 Ref. Yamada, 1932

### Family Rhodymeniaceae 紅皮藻科

*Botryocladia leptopoda* (J. Agardh) Kylin, 1931 葡萄藻

*Botryocladia skottsbergii* (Borgesen) Levring, 1941 厚壁葡萄藻 Ref. Huang, 1999  
*Chamaebotrys boergesenii* (Weber-van Bosse) Huisman 聚集腔節藻  
*Chrysymenia okamuræ* Yamada & Segawa 全緣隱蜘蛛藻 Ref. Huang, 1999  
*Chrysymenia procumbens* Weber-van Bosse, 1928 金膜藻 Ref. Okamura, 1936  
*Erythrocolon padagricum* (Harv.) J. Ag. Ref. Shen & Fan, 1950  
*Erythrocolon podagricum* (J. Agardh) J. Agardh ex Kylin 紅腸藻 Ref. 同前  
*Weberella micans* Hauptfl. Ref. 同前

## **Class Rhodellophyceae 紅藻綱**

### **Order Porphyridiales 紫球藻目**

#### **Family Goniotrichaceae 角毛藻科**

*Chroodactylon ornatum* (C. Agardh) Basson, 1979 角毛藻 Ref. Shen & Fan, 1950  
*Stylonema alsidii* (Zanardini) Drew, 1956 Ref. Tanaka, 1952

## **Phylum Prasinophyta 綠枝藻門**

### **Class Desmophyceae 縱裂甲藻綱**

[Not assigned to a order]

[Not assigned to a family]

*Alexandrium tamrense* Balech 塔瑪藻 Ref. Wu & Su, 1991

## **Phylum Chlorophyta 綠藻植物門**

### **Class Bryopsidophyceae 羽藻綱**

#### **Order Bryopsidales 羽藻目**

##### **Family Bryopsidaceae 羽藻科**

*Bryopsis harveyana* J. Agardh, 1887 偏列羽藻 Ref. Tseng, 1983  
*Bryopsis indica* A. Gepp & E.S. Gepp, 1908 印度羽藻 Ref. Chiang, 1962  
*Bryopsis mucosa* Lamouroux 蘚狀羽藻 Ref. Chiang, 1960  
*Bryopsis plumosa* (Hudson) C. Agardh, 1823 羽藻 Ref. Chiang, 1960  
*Bryopsis* sp. Ref. Chiang, 1972  
*Trichosolen mucronatus* (Boergesen) Taylor, 1962 短尖假羽藻

##### **Family Caulerpaceae 蕨藻科**

*Caulerpa brachypus* f. *vifolia* (Harvey) Cribb, 1958 舌葉蕨藻 Ref. Huang, 1999  
*Caulerpa cupressoides* var. *lycopodium* f. *corum* (Harvey) W.-v. Bosse 柏葉蕨藻  
*Caulerpa microphysa* (W.-v. Bosse) Feldmann 小葉蕨藻  
*Caulerpa peltata* J. V. Lamouroux Ref. Shen & Fan, 1950  
*Caulerpa racemosa* var. *peltata* (Lamouroux) Eubank, 1944 總狀蕨藻盾葉變種 Ref. Fan, 1953  
*Caulerpa racemosa* var. *macrophysa* (Sonder ex Kützing) W.R. Taylor, 1928 總狀蕨藻大葉變種 Ref. Fan, 1953  
*Caulerpa serrulata* var. *serrulata* f. *a* (Weber-van Bosse) Tseng, 1936 齒形蕨藻 Ref. Segawa, 1974  
*Caulerpa serrulata* (Weber-van Bosse) Eubank, 1837 Ref. Shen & Fan, 1950  
*Caulerpa sertularioides* f. *gipes* (J. Agardh) Collins, 1909 針葉蕨藻 Ref. Ariga, 1920  
*Caulerpa taxifolia* (Vahl) C. Agardh, 1817 杉葉蕨藻 Ref. Yamada, 1926  
*Caulerpa webbiana* Montagne, 1837 絨毛蕨藻 Ref. Ariga, 1919  
*Caulerpella ambigua* (Okamura) Prudhomme van Reine & Lokhorst Ref. Shen & Fan, 1950

##### **Family Codiaceae 松藻科**

*Codium adhaerens* C. Agardh Ref. Scagel, 1957  
*Codium arabicum* Kützing, 1856 阿拉伯松藻 Ref. Tseng, 1983  
*Codium barbatum* Okamura, 1930 細松藻  
*Codium contractum* Kjellman, 1897b 縊叉松藻 Ref. Taniguti, 1976  
*Codium cylindricum* Holmes, 1896 長松藻 Ref. 同前  
*Codium dichotomum* (Hudson) Gray, 1821 雙叉松藻 Ref. Fan, 1953  
*Codium edule* P. C. Silva, 1952 食用松藻  
*Codium formosanum* Yamada, 1950 臺灣松藻 Ref. Huang, 1990  
*Codium fragile* (Suringar) Hariot, 1889 刺松藻 Ref. Ariga, 1919  
*Codium geppiorum* O. Schmidt, 1923 杰氏松藻 Ref. Huang, 1999  
*Codium intricatum* Okamura, 1913 交織松藻 Ref. Chiang, 1973  
*Codium mamillosum* Harvey 球松藻 Ref. Huang, 1999  
*Codium reediae* P. C. Silva, 1952 芮氏松藻 Ref. Chiang, 1973  
*Codium repens* P.L. Crouan & H. M. Crouan, 1905 匍匐松藻 Ref. Tseng, 1983  
*Codium spongiosum* Okamura 小球松藻  
*Codium tenue* (Kützing) Kützing, 1856 纖細松藻 Ref. Rho, 1958  
*Codium tomentosum* Stackhouse, 1797

##### **Family Derbesiaceae 德氏藻科**

*Pedobesia simplex* (Meneghini ex Kützing) Wynne & Leliaert 德氏藻 Ref. Taniguti, 1976

##### **Family Halimedaceae 仙掌藻科**

*Halimeda cuneata* Hering 楔形仙人掌藻  
*Halimeda discoidea* Decaisne, 1842 盤狀仙人掌藻 Ref. Ariga, 1920  
*Halimeda incrassata* (J. Ellis) Lamouroux, 1816 厚節仙人掌藻 Ref. Yendo, 1909  
*Halimeda macroloba* Decaisne, 1841 大葉仙人掌藻 Ref. Chiang, 1973  
*Halimeda opuntia* (Linnaeus) J. V. Lamouroux, 1816 仙人掌藻 Ref. Chiang, 1973  
*Halimeda velasquezii* W.R. Taylor, 1962 未狀仙人掌藻 Ref. Chiang, 1962

#### Family Udoteaceae 鈣扇藻科

*Avrainvillea erecta* (Berkeley) A. Gepp & E. S. Gepp, 1911 直立絨扇藻  
*Avrainvillea lacerata* Harvey ex J. Agardh, 1887  
*Avrainvillea riukiensis* Yamada, 1932 琉球絨扇藻 Ref. Huang, 1999  
*Chlorodesmis caepitosa* J. Agardh Ref. Agardh, 1887  
*Chlorodesmis caespitosa* J. Agardh, 1887 臺灣綠毛藻 Ref. Chiang, 1973  
*Chlorodesmis fastigiata* (C. Agardh) Ducker, 1969 帚狀綠毛藻  
*Rhipidosiphon javensis* Montagne 扇繖藻  
*Tydemania expeditionis* Weber-van Bosse 瘤枝藻  
*Udotea fragilifolia* Tseng & Dong 脆葉鈣扇藻  
*Udotea javensis* (Montagne) A. Gepp & E. S. Gepp, 1904 小鈣扇藻 Ref. Huang, 1990

### Class Charophyceae 輪藻綱

#### Order Charales

##### Family Characeae 輪藻科

*Chara benthamii* Imahori Ref. Imahori, 1954  
*Chara brachypus* var. *major* Imahori Ref. Imahori, 1953  
*Chara brachypus* A. Braun Ref. Imahori, 1953  
*Chara braunii* Gmelin Ref. Imahori, 1953  
*Chara brnyhsmii* A. Braun Ref. Imahori, 1953  
*Chara corallina* Willdenow Ref. Imahori, 1953  
*Chara globularis* Thuiller Ref. Imahori, 1953  
*Chara gymnopitys* var. *flaccida* (A. Braun) Imahori Ref. Imahori, 1953  
*Chara gymnopitys* var. *taiwania* Imahori Ref. Imahori, 1953  
*Chara gymnopitys* A. Braun Ref. Imahori, 1953  
*Chara gymnopitys* var. *gymnopitys* (A. Braun) Imahori Ref. Imahori, 1953  
*Chara hydropitys* Reichenbach Ref. Imahori, 1953  
*Chara pseudo-brachypus* J. Groves & Stephens Ref. Imahori, 1953  
*Chara pseudo-hydropitys* Imahori Ref. Imahori, 1953  
*Chara vulgaris* subsp. *squamosa* Zaneveld Ref. Imahori, 1953  
*Chara vulgaris* Linnaeus Ref. Imahori, 1953  
*Chara zeylanica* Willdenow Ref. Imahori, 1953  
*Nitella acuminata* var. *belangeri* Imahori Ref. Imahori, 1954  
*Nitella acuminata* var. *capitulifera* (Allen) Ref. Imahori, 1951  
*Nitella acuminata* A. Braun Ref. Imahori, 1951  
*Nitella axillaris* A. Braun Ref. Imahori, 1951  
*Nitella axilliformis* Imahori Ref. Imahori, 1951  
*Nitella flexilis* Agardh Ref. Imahori, 1951  
*Nitella gracilis* Agardh Ref. Imahori, 1951  
*Nitella polycarpa* Pal Ref. Imahori, 1951  
*Nitella sublucens* Allen Ref. Imahori, 1951  
*Nitella tenuissima* var. *callista* J. Groves Ref. Imahori, 1951  
*Nitella tenuissima* Kützing Ref. Imahori, 1951  
*Tribus chareae* Von Leonhardi  
*Tribus nitelleae ganterer* Ganterer

### Class Chlorophyceae 綠藻植物綱

#### Order Chaetophorales 內植藻目

##### Family Chaetophoraceae 內植藻科

*Chaetophora elegans* Chang Ref. Chang, 1968b  
*Endophyton ramosum* Gardner, 1909 多枝內植藻 Ref. Chiang, 1973  
*Stigeoclonium lubricum* (Dillwyn) Kützing Ref. Wong et al., 1973  
*Stigeoclonium tenue* Chang Ref. Chang, 1968b

##### Family Protococcaceae

*Protococcus* sp. Ref. Lin, 1969

##### Family Schizomeridaceae

*Schizomeris leibleinii* Chang Ref. Chang, 1968b

#### Order Chlorococcales 綠球藻目

##### Family Characiaceae 小庄藻科

*Characium ambigrum* Hermann Ref. Chang, 1968a  
*Characium limneticum* Lemmermann Ref. Jang, 1975  
*Characium rabenhorstii* De Toni Ref. Hsu, 1993

*Characium substrictum* Jao Ref. Lin et al., 1994b

### Family Chlorococcaceae 綠球藻科

- Ankyra ancora* (Smith) Fott f. *nosa* (Korschikoff) Fott Ref. Yamagishi, 1992  
*Ankyra* sp. (Korshikovella) *mystacina* (Hortvagyi & Nemeth) Philipose Ref. 同前  
*Chlorococcum humicola* (Nag.) Rab. 土生綠球藻  
*Chlorococcum* sp. 綠球藻 Ref. Shen, 1961  
*Desnatractum indutum* (Geitler) Pascher var. *indutum* Yamagishi Ref. Yamagishi, 1992  
*Schroederia delicatula* Pavillard Ref. Wu & Su, 1991  
*Schroederia indica* Philipose Ref. Yamagishi, 1992  
*Schroederia nitzschoides* (West) Korsch. Ref. Hu et al., 1980  
*Schroederia setigera* var. *setigera* Yamagishi Ref. Yamagishi, 1992  
*Schroederia setigera* (Schroeder) Lemmermann Ref. Chang, 1968a  
*Schroederia spiralis* (Printz) Korschikoff Ref. Chen, 1981  
*Tetraedron arthrodesmiforme* var. *arthrodesmiforme* (G. S. West) Woloszynska Ref. Yamagishi, 1992  
*Tetraedron caudatum* var. *caudatum* Yamagishi Ref. 同前  
*Tetraedron caudatum* var. *longispinum* Lemmermann Ref. Chuang, 1985  
*Tetraedron caudatum* (Corda) Hansgirg Ref. Chuang, 1984  
*Tetraedron elegans* Playhair Ref. Chang, 1968a  
*Tetraedron enorme* (Ralfs) Hansgirg var. *enorme* Yamagishi Ref. Yamagishi, 1992  
*Tetraedron gracile* (Reinsch) Hansgirg var. *enorme* Yamagishi Ref. 同前  
*Tetraedron hastatum* var. *hastatum* Yamagishi Ref. 同前  
*Tetraedron hastatum* (Reinsch) Hansgirg Ref. Hu et al., 1980  
*Tetraedron incus* (Teiling) Smith Ref. Hong, 1988  
*Tetraedron incus* var. *incus* Yamagishi Ref. Yamagishi, 1992  
*Tetraedron limneticum* var. *limneticum* Yamagishi Ref. 同前  
*Tetraedron limneticum* Borge Ref. Shen, 1955  
*Tetraedron minimum* (A. braum) Hansgirg Ref. Shen, 1950  
*Tetraedron minimum* var. *scrobiculatum* Lagerheim Ref. 森若及齊家。1990  
*Tetraedron minimum* var. *tetralobulatum* (Reinsch) De Toni Ref. Chuang, 1985  
*Tetraedron muticum* (Braun) Hansgirg Ref. Jang, 1975  
*Tetraedron pentaedricum* W. & G. S. West var. *pentaedricum* Yamagishi Ref. Yamagishi, 1992  
*Tetraedron pusillum* (Wallich) W. & G. S. West var. *angolense* W. & G. S. West Ref. 同前  
*Tetraedron regulare* Kützing Ref. Lin et al., 1994a  
*Tetraedron regulare* var. *regulare* Yamagishi Ref. Yamagishi, 1992  
*Tetraedron regulare* var. *incus* Telling Ref. Hong, 1988  
*Tetraedron staurogeniaeforme* Lemmermann Ref. Jang, 1975  
*Tetraedron trigonum* (Naegeli) Hansgirg Ref. Jang, 1975  
*Tetraedron trigonum* var. *gracile* (Reinsch) De Toni Ref. Hong, 1988  
*Tetraedron trigonum* var. *verrucosum* Jao Ref. Yamagishi, 1992  
*Tetraedron trigonum* var. *trigonum* Yamagishi Ref. 同前  
*Tetraedron trilobulatum* (Reinsch) Hansgirg Ref. Hsu, 1993  
*Tetraedron tumidulum* (Reinsch) Hansgirg Ref. Yamagishi, 1992  
*Tetraedron victoriae* Woloszynska var. *victoriae* Yamagishi Ref. 同前

### Family Chlorosarcinaceae 綠八迭藻科

*Tetracystis* sp. Ref. Chen, 1981

### Family Coccomyxaceae 膠球藻科

*Coccomyxa* sp. Ref. Lin, 1969

### Family Coelastraceae 空星藻科

- Dicellula geminata* (Printz) Korschikoff Ref. Yamagishi, 1992  
*Dicellula planctonica* Swirenko var. *planctonica* Yamagishi Ref. 同前  
*Dicloster acuatus* Jao, Wei & Hu Ref. 同前  
*Didymogenes anomala* (Smith) Hindak var. *anomala* Yamagishi Ref. 同前  
*Didymogenes anomala* var. *palatina* Yamagishi Ref. 同前  
*Gloeoactinium limneticum* Smith Ref. 同前  
*Hofmania agricana* Woloszynska Ref. 同前  
*Pectodictyon pyramidale* Akiyama & Hirose Ref. 同前  
*Tetrachlorella alternans* (Smith) Korschikoff var. *alternans* Yamagishi Ref. 同前  
*Tetrachlorella coronata* (Korschikoff) Korschikoff Ref. 同前  
*Tetrachlorella cumbricus* G. W. West var. *apiculatus* Korschikoff Ref. 同前  
*Tetrachlorella wisconsinensis* Smith f. *consinensis* Yamagishi Ref. 同前  
*Tetrademus formosana* Shen Ref. Shen, 1955  
*Tetranephris elegans* Playfair Ref. Yamagishi, 1992  
*Tetranephris europaea* (Hindak) Komarek Ref. 同前  
*Tetranephris glabrum* (Roll) Ahlstrom & Tiffany Ref. 同前

### Family Hydrodictyaceae 水網藻科

- Hydrodictyon reticulatum* (L.) Lagerheim Ref. Shen, 1950  
*Pediastrum biwae* Negoro Ref. Chang, 1970  
*Pediastrum boryanum* var. *longicorne* Reinsch Ref. Yamagishi, 1992  
*Pediastrum boryanum* var. *boryanum* Yamagishi Ref. 同前

*Pediastrum boryanum* var. *brevicorne* Braun Ref. 同前  
*Pediastrum boryanum* var. *perforatum* Racib. Ref. Chang, 1968a  
*Pediastrum boryanum* (Turpin) Meneghini Ref. Shen, 1950  
*Pediastrum duplex* var. *reticulatum* Lagerheim Ref. Negora, 1953  
*Pediastrum duplex* var. *clathratum* (A. Braum) Lagerheim Ref. Chuang, 1984  
*Pediastrum duplex* var. *duplex* Yamagishi Ref. Yamagishi, 1992  
*Pediastrum duplex* var. *punctatum* (Krieger) Parra Ref. 同前  
*Pediastrum duplex* var. *cohaerens* Chuang Ref. Chuang, 1985  
*Pediastrum duplex* Meyen 二角盤星藻 Ref. Shen, 1950  
*Pediastrum duplex* var. *gracillimum* W. & G. S. West Ref. Chang, 1968a  
*Pediastrum duplex* var. *rugulosum* Raciborski Ref. Yamagishi, 1992  
*Pediastrum integrum* Naegeli var. *integrum* Yamagishi Ref. 同前  
*Pediastrum ovatum* (Ehrenberg) A. Braum Ref. Chuang, 1984  
*Pediastrum simplex* var. *uodenarium* (Bailey) Rabenhorst Ref. Hsu et al., 1990  
*Pediastrum simplex* (Meyen) Lemmermann 單角盤星藻 Ref. Shen, 1950  
*Pediastrum simplex* var. *simplex* Yamagishi Ref. Yamagishi, 1992  
*Pediastrum simplex* var. *sturmii* (Reinsch) Wolle Ref. 同前  
*Pediastrum simplex* var. *echiulatum* Wittrock Ref. 同前  
*Pediastrum simplex* var. *duodenarium* (Bailey) Rabenhorst Ref. Shen, 1950  
*Pediastrum taylori* Sieminska Ref. Yamagishi, 1992  
*Pediastrum tetras* (Ehrenberg) Ralfs 四角盤星藻 Ref. Shen, 1955  
*Soropediastrum rotundatum* Wille Ref. Yamagishi, 1992

### Family Micractiniaceae 微放射藻科

*Acanthosphaera zachariasii* Lemmermann Ref. Yamagishi, 1992  
*Golenkinia brevispina* Korschikoff Ref. 同前  
*Golenkinia paucispina* W. & G. S. West Ref. Chen & Tseng, 1986  
*Golenkinia radiata* var. *radiata* Yamagishi Ref. Yamagishi, 1992  
*Golenkinia radiata* (Chodat) Ref. Jang, 1975  
*Golenkinopsis minutissima* Chuang Ref. Chuang, 1985  
*Golenkinopsis solitaria* (Korschikoff) Korschikoff var. *solitaria* Yamagishi Ref. Yamagishi, 1992  
*Micractinium bornhemense* (Conard) Korschikoff Ref. 同前  
*Micractinium crassisetum* Hortobagyi Ref. 同前  
*Micractinium pusillum* Fresenius Ref. Shen, 1950  
*Micractinium pusillum* var. *pusillum* Yamagishi Ref. Yamagishi, 1992  
*Micractinium quadrisetum* (Lemmermann) Smith Ref. 森若及齊家。1990

### Family Oocystaceae 卵囊藻科

*Chodatella balatonica* Scherffel Ref. Yamagishi, 1992  
*Chodatella chodatii* (Bernard) Ley var. *chodtii* Yamagishi Ref. 同前  
*Chodatella ciliata* (Lagerheim) Lemmermann Ref. 同前  
*Chodatella citrififormis* Snow Ref. 森若及齊家。1990  
*Chodatella longiseta* Lemmermann Ref. Chen, 1981  
*Chodatella quadriseta* Lemmermann Ref. Chen, 1981  
*Chodatella subsalsa* Lemmermann Ref. Chang, 1968a  
*Chodatella wretislaviensis* var. *wretislaviensis* Yamagishi Ref. Yamagishi, 1992  
*Chodatella wretislaviensis* (Schroeder) Ley Ref. Hu et al., 1980  
*Diacantos belanophorus* Korschikoff Ref. Yamagishi, 1992  
*Diacantos javanica* (Bernard) Hortobagyi Ref. 同前  
*Franceia aranea* (Begré) Fott Ref. 同前  
*Franceia droescheri* (Lemmermann) G. M. Smith Ref. Chang, 1969  
*Granulocystis helenae* Hindak Ref. Yamagishi, 1992  
*Granulocystopsis pseudocoronata* (Korschikoff) Hindak Ref. 同前  
*Hyaloraphidium contotum* Pascher & Korschikoff Ref. 森若及齊家。1990  
*Hyaloraphidium rectum* Korschikoff Ref. Yamagishi, 1992  
*Kirchneriella aperta* Teiling var. *aperta* Yamagishi Ref. 同前  
*Kirchneriella contorta* (Schmidle) Bohlin 扭曲蹄形藻 Ref. Shen, 1955  
*Kirchneriella contorta* var. *gracillima* (Bohlin) Chodat Ref. Yamagishi, 1992  
*Kirchneriella contorta* var. *contorta* Yamagishi Ref. 同前  
*Kirchneriella danubiana* Hindak Ref. 同前  
*Kirchneriella diana* (Bohlin) Comas var. *diana* Yamagishi Ref. 同前  
*Kirchneriella incurvata* Belcher & Swale Ref. 同前  
*Kirchneriella irregularis* (Smith) Korschikoff var. *irregularis* Yamagishi Ref. 同前  
*Kirchneriella lunaris* (Kirchner) Moebius Ref. Negora, 1953  
*Kirchneriella microscopica* Nygaard Ref. Yamagishi, 1992  
*Kirchneriella obesa* var. *obesa* Yamagishi Ref. 同前  
*Kirchneriella obesa* (W. West) Schmidle Ref. Chang, 1969  
*Kirchneriella phaseoliformis* Hortobagyi Ref. Yamagishi, 1992  
*Kirchneriella pinguis* Hindak Ref. 同前  
*Lagerheimia longiseta* (Lemmermann) Ptintz Ref. Chuang, 1984  
*Monoraphidium arcuatum* (Korschikoff) Hindak Ref. Yamagishi, 1992  
*Monoraphidium braunii* (Naegeli) Komarkova-Legnerova Ref. 同前  
*Monoraphidium caribeum* Hindak Ref. 森若及齊家。1990

*Monoraphidium circinale* (Nygaard) Nygaard Ref. 森若及齊家。1990  
*Monoraphidium contortum* (Thuret) Komarkova-Legnerova Ref. Yamagishi, 1992  
*Monoraphidium dybowskii* (Woloszynska) Hindak & Komarkova-Legnerova Ref. 森若及齊家。1990  
*Monoraphidium griffithii* (Berkeley) Komarkova-Legnerova Ref. Wu & Su, 1991  
*Monoraphidium irregulare* (Smith) Komarkova-Legnerova Ref. Yamagishi, 1992  
*Monoraphidium komarkovae* Nygaard Ref. 同前  
*Monoraphidium minimum* (Naegeli) Komarkova-Legnerova Ref. 森若及齊家。1990  
*Monoraphidium mirabile* (W. & G. S. West) Pankow Ref. 森若及齊家。1990  
*Monoraphidium pusillum* (Printz) Komarkova-Legnerova Ref. Yamagishi, 1992  
*Nephrochlamys allanthoidea* Korschikoff Ref. 同前  
*Nephrochlamys subsolitaria* (G. S. West) Korschikoff Ref. Chen, 1981  
*Nephrocystium agardhianum* Naegeli var. *agardhianum* Yamagishi Ref. Yamagishi, 1992  
*Nephrocystium limneticum* (Smith) Smith Ref. 同前  
*Nephrocystium lunatum* var. *lunatum* Yamagishi Ref. 同前  
*Nephrocystium lunatum* W. West Ref. Jang, 1976  
*Nephrocystium perserverans* Printz Ref. 森若及齊家。1990  
*Oocystis borgei* Snow Ref. 森若及齊家。1990  
*Oocystis borgei* var. *borgei* Yamagishi Ref. Yamagishi, 1992  
*Oocystis elliptica* var. *minor* W. West Ref. Hsu, 1993  
*Oocystis elliptica* W. West Ref. Chuang, 1985  
*Oocystis gloeocystiformis* Borge Ref. Hsu, 1993  
*Oocystis granulata* Hortobagyi Ref. Yamagishi, 1992  
*Oocystis lacustris* Chodat Ref. Hong, 1988  
*Oocystis lacustris* var. *lacustris* Yamagishi Ref. Yamagishi, 1992  
*Oocystis marssonii* Lemm. Ref. Wu & Su, 1991  
*Oocystis parva* W. & G. S. West Ref. Chuang, 1984  
*Oocystis pusilla* Hansgirg Ref. Shen, 1950  
*Oocystis rhomboidea* Fott Ref. 森若及齊家。1990  
*Oocystis solitaria* var. *solitaria* Yamagishi Ref. Yamagishi, 1992  
*Oocystis solitaria* Wittrock Ref. 森若及齊家。1990  
*Oocystis submarina* Lagerheim Ref. Hsu, 1993  
*Pachycladella umbrina* (Smith) Silva Ref. Yamagishi, 1992  
*Planktosphaeria gelatinosa* G. M. Smith Ref. Hu et al., 1980  
*Polyedriopsis spinulosa* (Schmidle) Schmidle Ref. Chuang, 1984  
*Polyedriopsis spinulosa* var. *sensu* Yamagishi Ref. Yamagishi, 1992  
*Polyedriopsis spinulosa* var. *spinulosa* Yamagishi Ref. 同前  
*Quadrigula chodatii* G. M. Smith Ref. Jang, 1975  
*Quadrigula closterioides* (Bohlin) Printz Ref. Shen, 1955  
*Quadrigula recustris* G. M. Smith Ref. Jang, 1975  
*Quadrigula sabulosa* Hindak Ref. Yamagishi, 1992  
*Scotiella nivalis* (Chodat) Fritsch Ref. 同前  
*Selenastrum gracile* Reinsch Ref. Shen, 1950  
*Selenastrum maximum* Lee Ref. Lee, 1982  
*Selenastrum minutum* Collins Ref. Chang, 1968a  
*Selenastrum westii* G. M. Smith Ref. Shen, 1955  
*Siderocelis ornata* (Fott) Fott Ref. Yamagishi, 1992  
*Treubaria schmidlei* (Schroeder) Fott & Kovacik Ref. 同前  
*Treubaria setigera* (Archer) G. M. Smith Ref. 同前

#### Family Radiococcaceae 幅球藻科

*Coenochloris planoconvexa* Hindak Ref. Yamagishi, 1992  
*Coenochloris pyrenoidosa* Korschikoff Ref. 同前  
*Coenocystis planctonica* Korschikoff Ref. 同前  
*Coenocystis subcylindrica* Korschikoff Ref. 同前  
*Diplochlois lunata* (Fott) Fott Ref. 同前  
*Radiococcus bavaricus* (Skuja) Komarek Ref. 同前  
*Radiococcus nimbatus* (De Wildemann) Schmidle Ref. 同前  
*Radiococcus planktonicus* Lund Ref. 同前

#### Family Scenedesmaceae 柵藻科

*Coelastrum astroideum* var. *rugosum* (Rich) Sodomkova Ref. Yamagishi, 1992  
*Coelastrum astroideum* De Notaris Ref. 森若及齊家。1990  
*Coelastrum astroideum* var. *astroideum* Yamagishi Ref. Yamagishi, 1992  
*Coelastrum cambricum* Archer Ref. Hsu, 1993  
*Coelastrum cambricum* var. *cambricum* Yamagishi Ref. Yamagishi, 1992  
*Coelastrum lunatum* Thompson Ref. 同前  
*Coelastrum microporum* var. *microporum* Yamagishi Ref. 同前  
*Coelastrum microporum* Naegeli Ref. Shen, 1955  
*Coelastrum morus* W. & G. S. West Ref. Yamagishi, 1992  
*Coelastrum polychordum* var. *polychordum* Yamagishi Ref. Hsu, 1993  
*Coelastrum polychordum* (Korschikoff) Hindak Ref. 森若及齊家。1990  
*Coelastrum pulchrum* Schmidle Ref. 森若及齊家。1990  
*Coelastrum reticulatum* (Dangeard) Senn Ref. Chuang, 1986

*Coelastrum scabrum* Reinsch Ref. Chuang, 1985  
*Coelastrum sphaericum* var. *sphaericum* Yamagishi Ref. Yamagishi, 1992  
*Coelastrum sphaericum* Naegeli Ref. Chuang, 1986  
*Coelastrum tetrapedia* (Kirch.) W. et. G. S. West Ref. 森若及齊家。1990  
*Crucigenia apiculata* (Lemmermann) Schmidle Ref. Hsu et al., 1990  
*Crucigenia crucifera* (Wolle) Collins Ref. Yamagishi, 1992  
*Crucigenia fenestrata* (Schmidle) Schmidle Ref. Chang, 1968a  
*Crucigenia fenestrata* var. *fenestrata* Yamagishi Ref. Yamagishi, 1992  
*Crucigenia irregularis* Wille Ref. Shen, 1956  
*Crucigenia lauterbornii* (Schmidle) Schmidle Ref. Chang, 1968a  
*Crucigenia mucronata* (Schmidle) Komarek Ref. Yamagishi, 1992  
*Crucigenia neglecta* Fott & Ettl Ref. 同前  
*Crucigenia quadrata* Morren Ref. Shen, 1956  
*Crucigenia quadrata* var. *quadrata* Hong Ref. Hong, 1988  
*Crucigenia rectangularis* Gay Ref. Shen, 1956  
*Crucigenia tetrapedia* (Kirch.) West & West Ref. Shen, 1956  
*Crucigenia tetrapedia* var. *tetrapedia* Yamagishi Ref. Yamagishi, 1992  
*Didymocystis bicellularis* (Chodat) Komarek Ref. 同前  
*Didymocystis inermis* (Fott) Fott var. *inermis* Yamagishi Ref. 同前  
*Didymocystis planctonica* Korschikoff Ref. 同前  
*Elakatothrix gelatinosa* Wille Ref. Hu et al., 1980  
*Elakatothrix genevensis* (Reverdin) Hindak Ref. 森若及齊家。1990  
*Elakatothrix* sp. Ref. Lin, 1969  
*Elakatothrix viridis* Chuang Ref. Chuang, 1985  
*Scenedesmus abundans* (Kirchner) Chodat. Ref. Shen, 1956  
*Scenedesmus abundans* var. *brevicauda* G. M. Smith Ref. Shen, 1956  
*Scenedesmus abundans* var. *longicauda* G. M. Smith Ref. Shen, 1956  
*Scenedesmus accuminatus* (Lagerheim) Chodat 尖細柵藻 Ref. Shen, 1956  
*Scenedesmus accuminatus* f. *imus* Uherkovich Ref. Chuang, 1984  
*Scenedesmus acuminatus* var. *acuminatus* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus acuminatus* var. *elongatus* Smith Ref. 同前  
*Scenedesmus acuminatus* var. *tortuosus* (Skuja) Ooshima Ref. 同前  
*Scenedesmus acuminatus* (Lagerheim) Chodat Ref. 森若及齊家。1990  
*Scenedesmus acuminatus armatus* Uherkovich Ref. 森若及齊家。1990  
*Scenedesmus acutiformis* Schroeder Ref. Shen, 1956  
*Scenedesmus acutiformis* var. *acutiformis* (Skuja) Ooshima Ref. Yamagishi, 1992  
*Scenedesmus acutus* var. *acutus* Yamagishi Ref. 同前  
*Scenedesmus acutus* Meyen Ref. 森若及齊家。1990  
*Scenedesmus arcutus* Lemmermann Ref. Shen, 1956  
*Scenedesmus armatus* Chodat 被甲柵藻 Ref. Negora, 1953  
*Scenedesmus armatus* var. *bicaudatus* (Guglielmetti) Chodat Ref. Chuang, 1984  
*Scenedesmus bernardii* Smith Ref. Yamagishi, 1992  
*Scenedesmus bicaudatus* var. *bicaudatus* Dedusenko Ref. 同前  
*Scenedesmus bicaudatus* (Hansgirg) Chodat Ref. Chuang, 1984  
*Scenedesmus bijuga* (Turp.) Lagerheim Ref. Shen, 1950  
*Scenedesmus bijuga* var. *alternans* (Reinsch) Hansgirg Ref. Shen, 1956  
*Scenedesmus biugtus* Flexusesus Ref. Chen, 1981  
*Scenedesmus brevispina* (G. M. Smith) Chodat Ref. 森若及齊家。1990  
*Scenedesmus carinatus* var. *carinatus* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus carinatus* (Lemmermann) Chodat Ref. Shen, 1956  
*Scenedesmus carinatus* var. *diagonalis* Shen. Ref. Shen, 1956  
*Scenedesmus carinatus* var. *bicaudatus* Uherkovich Ref. 森若及齊家。1990  
*Scenedesmus circumfusus* Hortobagyi var. *bicaudatus* Hort. Ref. Hong, 1988  
*Scenedesmus circumfusus* var. *semiquadrifidus* Hortobagyi Ref. Chuang, 1984  
*Scenedesmus denticulatus* var. *minor* Shen Ref. Shen, 1956  
*Scenedesmus denticulatus* Lagerheim Ref. Shen, 1956  
*Scenedesmus diagonalis* S.Fang Ref. Shen, 1956  
*Scenedesmus dimorphus* (Turpin) Kützing Ref. Shen, 1950  
*Scenedesmus disciformis* (Chodat) Fott & Komarek Ref. Lin et al., 1994a  
*Scenedesmus disciformis* (Chodat) Fott & Komarek f. *disciformis* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus dispar* var. *costato-granulatus* Hortobagyi, 1973 不等柵藻顆粒中脊變種 Ref. Hortobagyi, 1969  
*Scenedesmus dispar* Brebisson Ref. Chuang, 1984  
*Scenedesmus ecornis* (Ehrenberg) Chodat Ref. Hsu et al., 1990  
*Scenedesmus ellipsoideus* Chodat Ref. Wong et al., 1973  
*Scenedesmus grahneisii* (Heynig) Fott Ref. 森若及齊家。1990  
*Scenedesmus granulatus* f. *disciformis* Hortobagyi Ref. Chuang, 1984  
*Scenedesmus granulatus* f. *ruco-costatus* Hortobagyi  
*Scenedesmus granulatus* W. & G. S. West Ref. 森若及齊家。1990  
*Scenedesmus incrassatulus* Bohlin Ref. Chang, 1968a  
*Scenedesmus intermedius* Chodat var. *valatonicus* f. *ophilus* Uherkovich Ref. Chuang, 1984  
*Scenedesmus javanensis* Chodat Ref. Yamagishi, 1992  
*Scenedesmus lefevrii* Deflandre var. *lefevrii* Yamagishi Ref. 同前

*Scenedesmus longispina* Chodat Ref. Hong & Hsu, 1977  
*Scenedesmus longus* Meyen Ref. Shen, 1956  
*Scenedesmus maximus* (W. & G. S. West) Chodat Ref. Hong, 1988  
*Scenedesmus multicauda* Massjuk var. *multicauda* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus obliquus* Kützing Ref. Shen, 1955  
*Scenedesmus obliquus* (Turpin) Kützing f. *iquus* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus opoliensis* forma Ref. Shen, 1950  
*Scenedesmus opoliensis* var. *diagonalis* Shen Ref. Shen, 1956  
*Scenedesmus opoliensis* var. *opoliensis* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus opoliensis* var. *dispar* Shen Ref. Shen, 1956  
*Scenedesmus ovalternus* Chod. Ref. Wu & Su, 1991  
*Scenedesmus ovalternus* var. *ovalternus* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus ovalternus* var. *graevenizii* (Bernard) Chodat Ref. 森若及齊家。1990  
*Scenedesmus pannonicus* Hortobagyi var. *pannonicus* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus perforates* Lemmermann Ref. Shen, 1956  
*Scenedesmus perforates* var. *perforatus* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus platydisc* Chodat Ref. Shen, 1956  
*Scenedesmus polydenticulatus* Ho Ref. Yamagishi, 1992  
*Scenedesmus praetervisus* Chodat Yamagishi 1992, p. 134, pl. 55, fig. 2-4.  
*Scenedesmus producto-capitatus* var. *indicus* (Philipose) Ref. Yamagishi, 1992  
*Scenedesmus producto-capitatus* var. *producto-capitatus* Yamagishi Ref. 同前  
*Scenedesmus producto-capitatus* Schmula Ref. Hsu et al., 1990  
*Scenedesmus protuberans* var. *cornuto-granulatus* Hortobagyi Ref. Yamagishi, 1992  
*Scenedesmus protuberans* Fritsch & Rich Ref. 森若及齊家。1990  
*Scenedesmus protuberans* var. *protuberans* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus pseudoarmatus* Hortob. Ref. Wu & Su, 1991  
*Scenedesmus quadricauda* var. *longispina* f. *mmetricus* (Hortobagyi) Uherkovich Ref. Hsu, 1993  
*Scenedesmus quadricauda* (Turpin) de Brebisson Ref. Shen, 1950  
*Scenedesmus quadricauda* var. *longispina* (Chod.) G. M. Smith Ref. Shen, 1956  
*Scenedesmus quadricauda* var. *quadricauda* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus quadricauda* var. *parvus* G. M. Smith Ref. Shen, 1955  
*Scenedesmus quadricauda* var. *westii* G. M. Smith Ref. Shen, 1955  
*Scenedesmus quadrispina* var. *quadrispina* (Chodat) G. M. Smith Ref. Chang, 1969  
*Scenedesmus quadrispina* var. *longispina* Chuang Ref. Chuang, 1985  
*Scenedesmus quadrispina* (Turp.) de Brebisson Ref. Chang, 1969  
*Scenedesmus securiformis* Chen Ref. Chen, 1981  
*Scenedesmus serratus* var. *serratus* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus serratus* (Corda) Bohlin Ref. Chuang, 1984  
*Scenedesmus smithii* Teiling Ref. 森若及齊家。1990  
*Scenedesmus spicatus* West & G.S. West Ref. Hsu et al., 1990  
*Scenedesmus spinoso-aculeolatus* Yamagishi Ref. Yamagishi, 1992  
*Scenedesmus spinosus* var. *spinosus* Yamagishi Ref. 同前  
*Scenedesmus spinosus* var. *bicaudatus* Hortobagyi Ref. Chuang, 1984  
*Scenedesmus spinosus* Chodat Ref. Chuang, 1984  
*Scenedesmus spinulatus* Biswas Ref. Yamagishi, 1992  
*Scenedesmus verrucosus* Roll Ref. 同前  
*Tetrallantos lagerheimii* Teiling Ref. Shen, 1955  
*Tetrastrum biradiatum* Meyen var. *longecornutum* Gutwinski Ref. Yamagishi, 1992  
*Tetrastrum glabrum* (Roll) Ahlstrom & Tiffany Ref. Lin et al., 1994a  
*Tetrastrum heterocanthum* var. *heterocanthum* Yamagishi Ref. Yamagishi, 1992  
*Tetrastrum heterocanthum* (Nordstedt) Chodat 異刺四星藻 Ref. Shen, 1956  
*Tetrastrum multisetum* (Schmidle) Chodat var. *heterocanthum* Yamagishi Ref. Yamagishi, 1992  
*Tetrastrum olegans* Ref. Hsu et al., 1990  
*Tetrastrum punctatum* (Schmidle) Ahlstrom & Tiffany Ref. 同前  
*Tetrastrum reticulatum* (Linneus) Lagerheim Ref. Yamagishi, 1992  
*Tetrastrum staurogeniaeforme* (Schroder) Lemmermann Ref. Chang, 1969  
*Tetrastrum staurogeniaeforme* var. *staurogeniaeforme* Yamagishi Ref. Yamagishi, 1992  
*Tetrastrum tetracanthum* (G. S. West) Brunthaler Ref. Shen, 1956  
*Tetrastrum triangulare* (Chodat) Komarek Ref. Yamagishi, 1992

### Family Sorastraceae 群星藻科

*Actinastrum aciculare* Playfair var. *aciculare* Yamagishi Ref. Yamagishi, 1992  
*Actinastrum fluviatile* (Scgrieder) Fott Ref. 同前  
*Actinastrum gracillimum* var. *gracillimum* Yamagishi Ref. 同前  
*Actinastrum gracillimum* G. S. Smith Ref. Shen, 1956  
*Actinastrum hantzschii* var. *fluviatile* Schroeder Ref. Chang, 1968a  
*Actinastrum hantzschii* var. *hantzschii* Yamagishi Ref. Yamagishi, 1992  
*Actinastrum hantzschii* Lagerheim Ref. Shen, 1950  
*Actinastrum raphidioides* (Reinsch) Brunthaler Ref. Yamagishi, 1992

## Order Microsporales 微孢藻目

### Family Microsporaceae 微孢藻科

*Microspora crassior* (Hansg.) Hazen Ref. Hong, 1988  
*Microspora floccosa* (Vauch.) Thur. Ref. Lin et al., 1994a  
*Microspora pachyderma* (Wille) Lag. Ref. Chen & Tseng, 1986  
*Microspora stagnorum* (Kützing) Lag. 池生微孢藻 Ref. Lin et al., 1994a  
*Microspora tumidula* Hazen Ref. Hong, 1988  
*Microspora wileana* Lag. Ref. Lin et al., 1994a

## Order Oedogoniales 鞘藻目

### Family Oedogoniaceae 鞘藻科

*Bulbochaete monile* Wittrock & Lund. 念珠毛鞘藻  
*Oedocladium* sp.  
*Oedogonium inconspicuum* Hirm. Ref. Shen, 1950  
*Oedogonium pisanum* var. *gracilis* Trans. & Tiff. Ref. Shen, 1950

## Order Prasinocladida

### [Not assigned to a family]

*Eutetramorus tetrasporus* Kom. Ref. Wu & Su, 1991

### Family Botryococcaceae 葡萄藻科

*Botryococcus braunii* Kützing Ref. Chuang, 1986  
*Botryococcus calcareus* W. West Ref. Yamagishi, 1992  
*Botryococcus protuberans* W. & G. S. West Ref. Chuang, 1986  
*Botryococcus protuberans* var. *protuberans* Yamagishi Ref. Yamagishi, 1992  
*Dimorphococcus lunatus* Braun Ref. Negora, 1953  
*Quadricoccus ellipticus* Hortobagyi Ref. Yamagishi, 1992  
*Quadricoccus laevis* Fott var. *laevis* Yamagishi Ref. 同前  
*Quadricoccus verrucosus* Fott Ref. 同前  
*Westella botryoides* (W. West) De Wildemann Ref. Shen, 1950  
*Westella botryoides* var. *botryoides* Yamagishi Ref. Yamagishi, 1992  
*Westellopsis* sp. Ref. Lin et al., 1994a

### Family Dictyosphaeriaceae 膠網藻科

*Dictyosphaerium ehrenbergianum* Naegeli Ref. 森若及齊家。1990  
*Dictyosphaerium ehrenbergianum* var. *ehrenbergianum* Yamagishi Ref. Yamagishi, 1992  
*Dictyosphaerium granulatum* Hindak Ref. 同前  
*Dictyosphaerium pulchellum* Wood 美麗膠網藻 Ref. Shen, 1950  
*Dictyosphaerium pulchellum* var. *pulchellum* Yamagishi Ref. Yamagishi, 1992  
*Dictyosphaerium tetrachotomum* Printz var. *tetrachotomum* Yamagishi Ref. 同前

## Order Prasiolales 溪菜目

### Family Prasiolaceae 溪菜科

*Prasiola formosana* Okada Ref. Shen, 1950

## Order Tetrasporales 四孢藻目

### [Not assigned to a family]

*Genimella interrupta* Chang 雙孢藻屬 Ref. Chang et al., 1995

### Family Dasyclaceae

*Cladomorphora chelonum* Chang, 1968 Ref. Chang, 1968b

### Family Gloeocystaceae

*Asterococcus limneticus* G. M. Smith 綠星球藻屬 Ref. Shen, 1955  
*Gloeocystis gigas* Lagerheim Ref. Shen, 1955  
*Gloeocystis planctonica* (W. & West) Lemmermann Ref. Chuang, 1985  
*Gloeocystis* sp. Ref. Liaw, 1969  
*Gloeocystis vesiculosa* Nag.

### Family Palmellaceae 四集藻科

*Palmella miniata* Leibl. Ref. Lin et al., 1994a  
*Palmella mucosa* Kützing Ref. 同前  
*Sphaerocystis schroeteri* Chodat Ref. Shen, 1955  
*Sphaerocystis* sp. Ref. Lin, 1969

### Family Tetrasporaceae 四孢藻科

*Schizochlamys compacta* Chuang Ref. Chuang, 1985  
*Schizochlamys gelatinosa* A. Braun Ref. Chen, 1989  
*Schizochlamys* sp. Ref. Chuang, 1985  
*Tetraspora cylindrica* Agardh Ref. Jang, 1976  
*Tetraspora* sp. Ref. Lin, 1969

## Order Trentepohliales 桔色藻目

### Family Trentepohliaceae 董青藻科

*Cephaleuros virescens* Kunze Ref. Sheu et al. 1988  
*Eremosphaera* sp.  
*Trentepohlia aurea* (L.) Mart. Ref. Shen, 1950

## Order Volvocales 團藻目

### Family Chlamydomonadaceae 衣藻科

- Carteria cordiformis* (Varter) Dillwyne Ref. Lin et al., 1994a  
*Carteria globulosa* Pascher Ref. Hsu, 1993  
*Carteria klebsic* (Dang.) France em. Troitzk Ref. Chen et al., 1989  
*Chlamydomonas angulosa* Dill Ref. Dai, 1962  
*Chlamydomonas cingulata* Pascher Ref. Chen et al., 1989  
*Chlamydomonas debaryana* Gor. Ref. Hu et al., 1980  
*Chlamydomonas globosa* Snow Ref. Shen, 1955  
*Chlamydomonas mucicola* Schmidle Ref. Chang, 1969  
*Chlamydomonas ovalis* Pasch. Ref. Wu & Su, 1991  
*Chlamydomonas pertusa* Chodat Ref. Chuang, 1985  
*Chlamydomonas reinhardi* Dang. Ref. Lin et al., 1994a  
*Chlamydomonas umbonata* Pascher 單胞藻 Ref. Wang  
*Chlorogonium elongatum* P.A. Dangeard 綠梭藻 Ref. Wang

### Family Goniaceae

- Gonium formosum* Pascher Ref. Yamagishi, 1992  
*Gonium pectorale* O. F. Müller, 1773 Ref. Dai, 1962  
*Gonium sociale* var. *sociale* (Duhardin) Warming Ref. Yamagishi, 1992

### Family Haematococcaceae 紅球藻科

- Haematococcus lacustris* (Girod) Rostafiniski  
*Haematococcus pluvialis* Flotow Ref. Dai, 1962

### Family Phacotaceae 殼衣藻科

- Coccomonas orbicularis* Stein Ref. Yamagishi, 1992  
*Coccomonas platyformis* Jane Ref. 同前  
*Dysmorphococcus variabilis* Takeda 異形藻屬 Ref. 同前  
*Phacotus lenticularis* (Ehrenberg) Stein Ref. Hu et al., 1980  
*Pteromonas aculeata* Lemmermann Ref. Chuang, 1984  
*Pteromonas aculeata* var. *aculeata* Lemmermann Ref. Yamagishi, 1992  
*Thorakomonas subulosa* Korschikoff Ref. 同前

### Family Spondylomoraceae 椎槲藻科

- Spondylomorom quafermarium* Ehrenberg Ref. Dai, 1962

### Family Volvocaceae 團藻科

- Eudorina elegans* Ehrenberg Ref. Shen, 1950  
*Eudorina illinoensis* Dai Ref. Dai, 1962  
*Eudorina unicocca* G. M. Smith Ref. Chuang, 1985  
*Pandorina morum* (Müller) Bory Ref. Shen, 1950  
*Pandorina unicocca* Rayburn & Starr Ref. Chuang, 1984  
*Pleodorina californica* Shaw Ref. Dai, 1962  
*Volvox aureus* Ehrenberg Ref. Dai, 1962  
*Volvox globator* Ehrenberg Ref. Dai, 1962

## Class Trebouxiophyceae

### Order Chlorellales 小球藻目

#### Family Chlorellaceae 小球藻科

- Ankistrodesmus acicularis* (Br.) Korsch 針形纖維藻  
*Ankistrodesmus bernardii* Komarek Ref. Yamagishi, 1992  
*Ankistrodesmus bibraianus* (Reinsch) Korschikoff Ref. 同前  
*Ankistrodesmus convolutus* Corda Ref. Wu & Su, 1991  
*Ankistrodesmus densus* Korschikoff Ref. Yamagishi, 1992  
*Ankistrodesmus falcatus* var. *falcatus* G. M. Smith Ref. Shen, 1950  
*Ankistrodesmus falcatus* var. *tumidus* (W. & G. S. West) G. S. West Ref. Chuang, 1984  
*Ankistrodesmus falcatus* (Corda) Ralfs 鐮形纖維藻 Ref. Shen, 1950  
*Ankistrodesmus falcatus* var. *acicularis* (A. Braun) G. S. West Ref. Shen, 1955  
*Ankistrodesmus falcatus* var. *mirabilis* (W. & G. S. West) G. S. West Ref. Chuang, 1984  
*Ankistrodesmus fusiformis* Corda Ref. Yamagishi, 1992  
*Ankistrodesmus gracile* (Reinsch) Korschikoff Ref. Chuang, 1985  
*Ankistrodesmus spirallis* Lemmermann 螺旋纖維藻 Ref. Shen, 1955  
*Ankistrodesmus spirilliformis* Chen Ref. Chen, 1981  
*Chlorella ellipsoidea* Gerneck Ref. Shen, 1955  
*Chlorella faginea* Hsu Ref. Hsu et al., 1990  
*Chlorella pyrenoidosa* Chick. Ref. Hu et al., 1980  
*Chlorella sorokiniana* Ref. Chen & Lin, 1980  
*Chlorella vulgaris* Beyerinck Ref. Shen, 1955  
*Closteriopsis acicularis* (G. M. Smith) Belcher & Swale Ref. Wu & Su, 1991  
*Closteriopsis longissima* var. *longissima* Yamagishi Ref. Yamagishi, 1992  
*Closteriopsis longissima* (Lemmermann) Lemmermann Ref. Hsu, 1993  
*Closteriopsis longissima* var. *tropica* West & West Ref. Hsu, 1993

## Class Ulvophyceae 石莖綱

### Order Cladophorales 剛毛藻目

#### Family Anadyomenaceae 肋葉藻科

- Anadyomene wrightii* Harvey ex Gray, 1866 肋葉藻 Ref. Chiang, 1973  
*Microdictyon japonicum* Setchell, 1925 日本小網藻 Ref. Chiang, 1962  
*Microdictyon nigrescens* (Yamada) Setchell, 1925 黑葉小網藻 Ref. Shen & Fan, 1950  
*Microdictyon okamurae* Setchell, 1925 粗矮小網藻 Ref. 同前  
*Microdictyon okamurai* Setch Ref. 同前  
*Rhipidiphylon nigrescens* Yamada Ref. Yamada, 1925a  
*Rhipidiphylon reticulatum* (Asken.) Heydrich Ref. Heydrich, 1894  
*Valoniopsis pachynema* (Martens) Boergesen, 1934 指枝藻 Ref. Chiang, 1973

#### Family Cladophoraceae 剛毛藻科

- Chaetomorpha aerea* (Dillwyn) Kützing, 1849 氣生硬毛藻 Ref. Ariga, 1921  
*Chaetomorpha aerea* (Dillw.) Kützing, 1849 f. *sata* Heydr. Ref. Shen & Fan, 1950  
*Chaetomorpha antennina* (Bory) Kützing, 1847 硬毛藻 Ref. Huang, 1999  
*Chaetomorpha basiretrorsa* Setchell, 1926 Ref. Chiang, 1960  
*Chaetomorpha brachygona* Harvey, 1958 短節硬毛藻 Ref. Shen & Fan, 1950  
*Chaetomorpha crassa* (C. Agardh) Kützing, 1845 粗硬毛藻 Ref. Chiang, 1973  
*Chaetomorpha linum* (O. F. Müller) Kützing, 1845 線形硬毛藻 Ref. Chiang, 1960  
*Chaetomorpha spiralis* Okamura, 1903 螺旋硬毛藻 Ref. Chiang, 1973  
*Cladophora albida* (Hudson) Kützing 柔剛毛藻 Ref. Okamura, 1936  
*Cladophora aokii* Yamada, 1925 青木剛毛藻 Ref. Okamura, 1936  
*Cladophora catenata* (Linnaeus) Kützing, 1843 聚枝剛毛藻 Ref. Huang, 1999  
*Cladophora glomerata* (Linnaeus) Kützing Ref. Day et al., 2005  
*Cladophora meridionalis* Sakai & Yoshida, 1977 伸展剛毛藻 Ref. Okamura, 1936  
*Cladophora montagnei* var. *radicans* Yamada 蒙氏剛毛藻 Ref. Okamura, 1936  
*Cladophora ohkuboana* Holmes, 1896 長管剛毛藻  
*Cladophora patentiramea* (Montagne) Kützing, 1849 墊狀剛毛藻 Ref. Shen & Fan, 1950  
*Cladophora pellucida* (Hudson) Kützing  
*Cladophora prolifera* (Roth) Kützing 黑剛毛藻 Ref. Ariga, 1920  
*Cladophora sakaii* Abbott, 1972 輪剛毛藻  
*Cladophora sibogae* Reinbold, 1905 枕狀剛毛藻 Ref. Shen & Fan, 1950  
*Cladophora vagabunda* (Linnaeus) Hoek, 1963 束生剛毛藻 Ref. Huang, 1999  
*Rhizoclonium hieroglyphicum* (Ag.) Kützing Ref. Heydrich, 1894

### Order Codiolales 似松藻目

#### Family Monostromataceae 礁膜科

- Monostroma latissimum* Wittrock Ref. Chiang, 1973  
*Monostroma nitidum* Wittrock, 1866 礁膜 Ref. Chiang, 1960  
*Monostroma oxyspermum* (Kützing) Doty 寬礁膜

### Order Dasycladales 絨枝藻目

#### Family Dasycladaceae 絨枝藻科

- Bornetella nitida* Sonder, 1880 軸球藻 Ref. Huang, 1990  
*Bornetella sphaerica* (Zanardini) Solms-Laubach, 1892 球形軸球藻 Ref. Chiang, 1973  
*Cymopolia van-bosseae* Solms-Laubach 端根聚繖藻  
*Neomeris annulata* Dickie, 1874 環蠕藻 Ref. Chiang, 1973  
*Neomeris van-bosseae* M.A. Howe 范氏蠕藻 Ref. Huang, 1990

#### Family Polyphysaceae 多枝藻科

- Acetabularia gigas* Solms-Laubach, 1895 傘藻 Ref. Okamura, 1936  
*Acetabularia major* G. Martens, 1868 大傘藻 Ref. Okamura, 1936  
*Acetabularia ryukyuensis* Okamura & Yamada ex Okamura 琉球傘藻  
*Parvocaulis parvula* (Solms-Laubach) S. Berger, et al., 2003 小傘藻 Ref. Huang, 1999

### Order Siphonocladales 管枝藻目

#### Family Boodleaceae 布氏藻科

- Boodlea coacta* (Dickie) Murray & de Toni, 1889 半球布氏藻 Ref. Yamada, 1950  
*Boodlea composita* (Harvey) F. Brand, 1905 布氏藻 Ref. Chiang, 1973  
*Boodlea montagnei* (Harvey ex J. E. Gray) Egerod, 1952 蒙氏布氏藻 Ref. Shen & Fan, 1950  
*Boodlea vanbosseae* Reinbold 范氏布氏藻 Ref. Okamura, 1936  
*Phyllocladon anastomosans* (Harvey) Kraft & M.J. Wynne Ref. Kraft & Wynne, 1996  
*Struvea delicatula* Kützing Ref. Yamada, 1925a  
*Struvea enomotoi* Chihara, 1998 網結網葉藻 Ref. Huang, 1999

#### Family Siphonocladaceae 管枝藻科

- Boergesenia forbesii* (Harvey) Feldmann, 1938 香蕉菜 Ref. Chiang, 1973  
*Chamaedoris orientalis* Okamura & Higashi, 1931 東方輪生藻 Ref. Okamura, 1936  
*Cladophoropsis fasciculata* (Kjellman) Borgesen Ref. Yamada, 1925a  
*Cladophoropsis herpestica* (Montagne) Howe, 1914 擬剛毛藻 Ref. Shen & Fan, 1950  
*Cladophoropsis javanica* (Kützing) P. Silva 爪哇擬剛毛藻

*Cladophoropsis* sp. Ref. Chiang, 1973  
*Cladophoropsis sundanensis* Reinbold, 1905 尙擬剛毛藻 Ref. Chiang, 1960  
*Cladophoropsis zollingeri* (Kützling) Borg Ref. Shen & Fan, 1950  
*Siphonocladus tropicus* (P. Crouan & H. Crouan) J. Agardh, 1887 管枝藻 Ref. Yoshida, 1998  
*Ventricaria ventricosa* (J. Agardh) Olsen & West, 1988 球法囊藻 Ref. Huang, 1999

### Family Valoniaceae 法囊藻科

*Dictyosphaeria bokotensis* Yamada Ref. Yamada, 1925a  
*Dictyosphaeria cavernosa* (Forsskal) Boergesen, 1932 網球藻 Ref. Chiang, 1973  
*Dictyosphaeria fabulosa* (Agardh) Decaisne Ref. Yamada, 1925a  
*Trebouxia anticipata* Group II Ref. Wang & Yang, 1968  
*Trebouxia arboricola* Group II Ref. Wang & Yang, 1970  
*Trebouxia gelatinosa* Group II Ref. Wang & Yang, 1968  
*Trebouxia glomerata* Group I Ref. Wang & Yang, 1970  
*Trebouxia impressa* Group II Ref. Wang & Yang, 1968  
*Trebouxia* sp. Group II Ref. Wang & Yang, 1970  
*Valonia aegaglopila* Ag. Ref. Yamada, 1925a  
*Valonia aegagropila* C. Agardh, 1822 法囊藻 Ref. Chiang, 1973  
*Valonia aegarropila* Ref. Chiang, 1973  
*Valonia confervoides* Harvey Ref. Yamada, 1925a  
*Valonia fastigiata* Harvey ex J. Agardh, 1887 帚狀法囊藻 Ref. Okamura, 1931  
*Valonia forbesii* Harvey Ref. Yamada, 1925a  
*Valonia utricularis* (Roth) C. Agardh, 1822 Ref. Shen & Fan, 1950

## Order Ulotrichales 軟絲藻目

### Family Ulotrichaceae 軟絲藻科

*Gloeotila pelagica* (Nygaard) Skuja Ref. Yamagishi, 1992  
*Gloeotilopsis planctonica* Iyenger & Philipose Ref. 同前  
*Hormidium subtile* Heering Ref. Jang, 1975  
*Planctonema lauterbornii* Schmidle Ref. Chen & Tseng, 1986  
*Stichococcus bacillaris* Naegeli Ref. Hsu et al., 1990  
*Ulothrix aequalis* Kützling Ref. Jang, 1975  
*Ulothrix flaccida* (Dillwyn) Thuret in Le Jolis, 1863 軟絲藻 Ref. Taniguti, 1976  
*Ulothrix subtilis* Kützling Ref. Shen, 1950  
*Ulothrix zonata* Kützling Ref. Jang, 1975  
*Uronema africanum* Birge Ref. Yamagishi, 1992

## Order Ulvales 石蓴目

### Family Ulvaceae 石蓴科

*Enteromorpha compressa* (L.) Grev. Ref. Yamada, 1925a  
*Enteromorpha crinita* (Roth.) K. Ag. Ref. Heydrich, 1894  
*Enteromorpha intestinalis* (L.) Link Ref. Shen & Fan, 1950  
*Enteromorpha linza* (L.) Ag. Ref. Chang, 1960  
*Enteromorpha* sp. Ref. Chiang, 1973  
*Enteromorpha prolifera* (Müller) J. Agardh, 1883 滸苔 Ref. Chiang, 1960  
*Goniotrichum elegans* (Chauv.) LeJol. Ref. Heydrich, 1894  
*Ulva angusta* Setchell & Gardner, 1920 狹葉石蓴 Ref. Okamura, 1935  
*Ulva clathrata* (Roth) C. Agardh, 1811 條滸苔  
*Ulva compressa* (Linnaeus), 1753 扁石髮  
*Ulva globata* Kjellman, 1897 牡丹菜 Ref. Chiang, 1962  
*Ulva fasciata* Delile, 1813 裂片石蓴 Ref. Chiang, 1973  
*Ulva intestinalis* Linnaeus 腸石髮 Ref. Chiang, 1973  
*Ulva lactuca* Linnaeus, 1753 石蓴 Ref. Chiang, 1960  
*Ulva linza* Linnaeus 緣管滸苔  
*Ulva pertusa* Kjellman, 1897 孔石蓴 Ref. Chiang, 1973  
*Ulva reticulata* Forsskal, 1775 網石蓴 Ref. Chiang, 1973  
*Ulva rigid* C. Agardh 硬石蓴 Ref. Yendo, 1916  
*Umbraulva japonica* (Holmes) Bae & Lee 日本石蓴 Ref. Chiang, 1973

## Class Zygnematophyceae 雙星藻綱

### Order Zygnematales 雙星藻目

#### Family Desmidiaceae 鼓藻科

*Actinotaenium cucurbita* (Brebisson) Teiling f. *undatum* (Krieger) Teiling Ref. Yamagishi, 1992  
*Actinotaenium cucurbita* Breb. var. *attenuatum* G. S. West Ref. Lin et al., 1994b  
*Actinotaenium inconspicuum* (W. & G. S. West) Teiling Ref. Yamagishi, 1992  
*Actinotaenium minutissimum* (Nordstedt) Teiling var. *minutissimum* Yamagishi Ref. 同前  
*Arthrodesmus brebissonii* (Meneghini) Ralfs Ref. Weih, 1987  
*Arthrodesmus incus* var. *extensus* Anders Ref. Chen & Wang, 1997  
*Arthrodesmus* sp. Ref. Lin, 1969  
*Arthrodesmus triangularis* Legerheim var. *latiusculum* (W. & G. S. West) Hirano Ref. Yamagishi, 1992  
*Closterium acerosum* var. *acerosum* Yamagishi Ref. 同前  
*Closterium acerosum* var. *elongatum* Brebisson Ref. 同前

*Closterium acerosum* (Schrank) Ehrenberg Ref. Jang, 1975  
*Closterium aciculare* W. West Ref. Chuang, 1984  
*Closterium aciculare* var. *aciculare* Yamagishi Ref. Yamagishi, 1992  
*Closterium acutum* (Lyngbye) Brebisson var. *variabile* (Lemmermann) Krieger Ref. 同前  
*Closterium archerianum* Cleve f. *herianum* Yamagishi Ref. 同前  
*Closterium calosporum* var. *brasiliense* Boergesen Ref. 同前  
*Closterium calosporum* var. *maius* W. & G. S. West Ref. Hori & Yang, 1967  
*Closterium calosporum* Wittrock Ref. 同前  
*Closterium cornu* Ehrenberg f. *nu* Yamagishi Ref. Yamagishi, 1992  
*Closterium cynthia* De Notatis Ref. Weih, 1987  
*Closterium diana* Ehrenberg Ref. Hong, 1988  
*Closterium ehrenbergii* Meneghini Ref. Huang, 1977  
*Closterium gracile* var. *striolatum* Krieger Ref. Chang, 1968a  
*Closterium gracile* var. *gracile* Yamagishi Ref. Yamagishi, 1992  
*Closterium gracile* Brebisson 纖細新月藻 Ref. Jang, 1975  
*Closterium intermedium* W. & G. S. West Ref. Huang, 1977  
*Closterium juncidium* Ralfs Ref. Hong & Hsu, 1977  
*Closterium kutzingii* Brebisson Ref. Jang, 1975  
*Closterium lanceolatum* Kützing Ref. Lin et al., 1994a  
*Closterium leiblei* Kützing Ref. Weih, 1987  
*Closterium leibleinii* Kützing 菜布新月藻 Ref. Shen, 1950  
*Closterium limneticum* Lemmermann Ref. Lin et al., 1994a  
*Closterium limneticum* var. *limneticum* Lemmermann Ref. Yamagishi, 1992  
*Closterium lineatum* Ehrenberg Ref. Jang, 1975  
*Closterium littorale* var. *littorale* Yamagishi Ref. Yamagishi, 1992  
*Closterium littorale* Gay Ref. Hori & Yang, 1967  
*Closterium lunula* (Müller) Nitzsch Ref. Chang, 1968a  
*Closterium moniliferum* var. *moniliferum* Yamagishi Ref. Yamagishi, 1992  
*Closterium moniliferum* (Bory) Ehrenberg Ref. Shen, 1950  
*Closterium nematodes* Joshua Ref. Weih, 1987  
*Closterium parvulum* Nageli Ref. Hong, 1988  
*Closterium praelongum* Brebisson Ref. Weih, 1987  
*Closterium praelongum* var. *praelongum* Yamagishi Ref. Yamagishi, 1992  
*Closterium praelongum* var. *brevius* (Nordstedt) Krieger Ref. 同前  
*Closterium pritchardianum* Archer Ref. Chang, 1968a  
*Closterium pusillum* Hantzsch Ref. Lin et al., 1994a  
*Closterium ralfsii* Brebisson var. *hybridum* Rabenhorst Ref. Yamagishi, 1992  
*Closterium setaceum* var. *setaceum* Yamagishi Ref. 同前  
*Closterium setaceum* Ehrenberg Ref. Hori & Yang, 1967  
*Closterium soluta* Pringsheim Ref. Jang, 1976  
*Closterium strigosum* var. *strigosum* Yamagishi Ref. Yamagishi, 1992  
*Closterium strigosum* Brebisson Ref. Miu et al., 1969  
*Closterium striolatum* Ehrenberg var. *striolatum* Yamagishi Ref. Yamagishi, 1992  
*Closterium subscootium* Gutwincki Ref. Weih, 1987  
*Closterium tumidum* Johnson Ref. Hori & Yang, 1967  
*Closterium tumidum* var. *tumidum* Yamagishi Ref. Yamagishi, 1992  
*Closterium venus* Kützing 小新月藻 Ref. Hori & Yang, 1967  
*Closterium venus* var. *venus* Yamagishi Ref. Yamagishi, 1992  
*Cosmarium abbreviatum* Racib. 短鼓藻 Ref. Hori & Yang, 1967  
*Cosmarium angulosum* Brebisson var. *concinnum* (Rabenhorst) W. & G. S. West Ref. 同前  
*Cosmarium auriculatum* Reinsch Ref. 同前  
*Cosmarium australe* (Racib.) Lutkem Ref. 同前  
*Cosmarium binum* var. *binum* Yamagishi Ref. Yamagishi, 1992  
*Cosmarium binum* Nordstend 雙齒鼓藻 Ref. Hori & Yang, 1967  
*Cosmarium bioculatum* Chen Ref. Chen, 1987  
*Cosmarium blyttii* Wille Ref. Hori & Yang, 1967  
*Cosmarium botrysis* Wittrock Ref. Weih, 1987  
*Cosmarium botrytis* Hong Ref. Hong & Hsu, 1977  
*Cosmarium connatum* Brebisson Ref. Weih, 1987  
*Cosmarium constrictum* Kirchnerg Ref. Hori & Yang, 1967  
*Cosmarium cymatopleurum* Nordstedt var. *cymatopleurum* f. *us* Kurt Ref. Yamagishi, 1992  
*Cosmarium decedens* (Reinsch) Racib. Ref. Chang, 1968a  
*Cosmarium decoratum* W. & G. S. West Ref. Weih, 1987  
*Cosmarium erosum* Archer fo. *minor* Turner Ref. Hori & Yang, 1967  
*Cosmarium fontigenum* Notfdy Ref. Shen, 1950  
*Cosmarium formosulum* Schmidle Ref. Weih, 1987  
*Cosmarium freemanii* W. & G. S. West Ref. Weih, 1987  
*Cosmarium geminatum* var. *geminatum* Yamagishi Ref. Yamagishi, 1992  
*Cosmarium geminatum* Lundell Ref. Weih, 1987  
*Cosmarium geometricum* W. & G. S. West var. *suecicum* Borge  
*Cosmarium geometricum* var. *geometricum* W. & G. S. West  
*Cosmarium globosum* f. *minor* Boldt. Ref. Chang, 1970

*Cosmarium globosum* W. & G. S. West Ref. Hori & Yang, 1967  
*Cosmarium granatum* var. *subgranatum* fo. *Borge* Ref. 同前  
*Cosmarium granatum* Breb. Ref. 同前  
*Cosmarium hammeri* Reinsch var. *protuberans* W. & G. S. West Ref. 同前  
*Cosmarium hammeri* Reinsch Ref. Weih, 1987  
*Cosmarium impressulum* Elfv.  
*Cosmarium laeve* var. *laeve* Yamagishi Ref. Yamagishi, 1992  
*Cosmarium laeve* Rabenhorst 光滑鼓藻 Ref. 森若及齊家。1990  
*Cosmarium lundellii* var. *ellipticum* W. & G. S. West Ref. Yamagishi, 1992  
*Cosmarium lundellii* Delponte var. *circularis* (Reinsch) Krieger Ref. Hori & Yang, 1967  
*Cosmarium maculatum* Turner Ref. Weih, 1987  
*Cosmarium margaritatum* (Lundell) Roy & Bisset Ref. Weih, 1987  
*Cosmarium medioscrobiculatum* var. *medioscrobiculatum* W. & G. S. West Ref. Yamagishi, 1992  
*Cosmarium meneghinii* var. *meneghinii* Brebisson 梅尼鼓藻 Ref. 同前  
*Cosmarium minimum* W. & G. S. var. *subrotundatum* W. & G. S. West Ref. Hori & Yang, 1967  
*Cosmarium moerlianum* var. *brasiliense* Borge Ref. Yamagishi, 1992  
*Cosmarium moniliforme* (Turpin) Ralfs var. *limneticum* W. & G. S. West Ref. 同前  
*Cosmarium morum* Bory Ref. Fang & Chen, 1991  
*Cosmarium nipponicum* Hirano  
*Cosmarium norimbergens* Reinsch var. *depressum* (W. & G. S. West) Krieger & Gerloff Ref. Yamagishi, 1992  
*Cosmarium obsoletum* (Hantzsch) Reinsch 模糊鼓藻 Ref. Hori & Yang, 1967  
*Cosmarium obsoletum* var. *obsoletum* Yamagishi Ref. Yamagishi, 1992  
*Cosmarium obtusatum* Schmidle Ref. Hori & Yang, 1967  
*Cosmarium orthostichum* Lundell fo. *subpolonica* Messikommer Ref. 同前  
*Cosmarium pachydermum* Lundell Ref. Weih, 1987  
*Cosmarium phaseolus* Brebisson f. *minus* Boldt Ref. Yamagishi, 1992  
*Cosmarium pseudobroomei* Woll. 偽布魯鼓藻  
*Cosmarium punctulatum* Brebisson 斑點鼓藻 Ref. Weih, 1987  
*Cosmarium punctulatum* Brebisson var. *punctulatum* Yamagishi Ref. Yamagishi, 1992  
*Cosmarium punctulatum* var. *subpunctulatum* (Nordst) Borg Ref. Hori & Yang, 1967  
*Cosmarium pusillum* Fresenius Ref. 同前  
*Cosmarium quadrifarium* Lundell Ref. Weih, 1987  
*Cosmarium quadrifarium* var. *quadrifarium* Yamagishi Ref. Yamagishi, 1992  
*Cosmarium quadrum* Lundell Ref. Weih, 1987  
*Cosmarium quinarium* Lundell Ref. Weih, 1987  
*Cosmarium radiata* Chodat Ref. Fang & Chen, 1991  
*Cosmarium rectangulare* Grunow Ref. Weih, 1987  
*Cosmarium sexangulare* var. *sexangulare* P. Lundell Ref. Lai et al., 1994  
*Cosmarium sportella* Brebisson var. *sportella* Yamagishi Ref. Yamagishi, 1992  
*Cosmarium striolatum* var. *nordstedtii* (Möbius) Krieger Ref. Chuang, 1985  
*Cosmarium subcostatum* fo. *minor* W. & G. S. West Ref. Hori & Yang, 1967  
*Cosmarium subcrenatum* Hantzsch Ref. Chang, 1970  
*Cosmarium subgranatum* var. *borgei* Krieger Ref. Yamagishi, 1992  
*Cosmarium subgranatum* (Nordstedt) Luetkemuller var. *subgranatum* Yamagishi Ref. 同前  
*Cosmarium subprotumidum* Nordstedt var. *gregorii* (Roy & Bisset) W. & G. S. West Ref. 同前  
*Cosmarium subturgidum* f. *minor* Schmidle Ref. Hori & Yang, 1967  
*Cosmarium trilobulatum* Reinsch. 三葉鼓藻  
*Cosmarium turpinii* Brebisson Ref. Weih, 1987  
*Cosmarium undulatum* Corda Ref. Shen, 1950  
*Cosmarium vonustrum* (De Breb) Arch. Ref. Shen, 1950  
*Cosmocladium* sp. Ref. Wu & Su, 1991  
*Desmidium baileyi* (Ralfs) Nordstedt var. *baileyi* Yamagishi Ref. Yamagishi, 1992  
*Euastrum ansatum* var. *ansatum* Yamagishi Ref. 同前  
*Euastrum ansatum* Ehrenberg Ref. Weih, 1987  
*Euastrum binale* var. *papilliferum* Gutw Ref. Chang, 1970  
*Euastrum binale* var. *koreana* (Skvortzov) Okada Ref. Yamagishi, 1992  
*Euastrum binale* (Turpin) Ehrenberg var. *gutwinskii* Schmidle Ref. Hori & Yang, 1967  
*Euastrum denticulatum* (Kirch.) Gay. 小齒凹頂鼓藻  
*Euastrum egregium* W. & G. S. West Ref. Weih, 1987  
*Euastrum germanicum* (Schmidle) Kreiger Ref. Hori & Yang, 1967  
*Euastrum gnathophorum* W. & G. S. West Ref. Weih, 1987  
*Euastrum horikawae* Hinode Ref. Weih, 1987  
*Euastrum sinuosum* var. *perforatum* Krieger Ref. Yamagishi, 1992  
*Euastrum sinuosum* Lenormand Ref. Weih, 1987  
*Euastrum spinulosum* Delponte 小刺凹頂鼓藻 Ref. Weih, 1987  
*Euastrum spinulosum* var. *spinulosum* Yamagishi Ref. Yamagishi, 1992  
*Euastrum sublobatum* Breb. Ref. Chang, 1970  
*Euastrum substellatum* Nordstedt Ref. Weih, 1987  
*Euastrum turgidum* Wall Ref. Weih, 1987  
*Euastrum verrucosum* Ehrenberg Ref. Weih, 1987  
*Gymnozyga moniformis* Ehrenberg Chuang 1985, p. 12.  
*Hyalotheca dissiliens* var. *dissiliens* Yamagishi Ref. Yamagishi, 1992

*Hyalotheca dissiliens* (Smith) Brebisson Ref. Chuang, 1985  
*Hyalotheca mucosa* (Mertens) Ehrenberg var. *mucosa* Yamagishi Ref. Yamagishi, 1992  
*Hyalotheca* sp. Ref. Chuang, 1985  
*Micrasterias apiculata* Ehrenberg Menegh Ref. Weih, 1987  
*Micrasterias ceylania* Fritsch Ref. Weih, 1987  
*Micrasterias decemdentata* (Naegeli) Arch Ref. Hori & Yang, 1967  
*Micrasterias denticulata* var. *notata* Nordst. Ref. Chang, 1970  
*Micrasterias papillifera* Brebisson Ref. Weih, 1987  
*Micrasterias pinnatifida* (Kützing) Ralfs var. *pinnatifida* Yamagishi Ref. Yamagishi, 1992  
*Micrasterias pinnatifila* Ehrenberg Ref. Weih, 1987  
*Micrasterias thomasiana* Archer Ref. Weih, 1987  
*Microasterias foliacea* Bailey Ref. Chuang, 1985  
*Onychonema* sp. Ref. Chuang, 1985  
*Penium cylindrus* (Ehrenberg) Brebisson Ref. Weih, 1987  
*Penium margaritaceum* (Ehrenberg) Brebisson Ref. Weih, 1987  
*Penium margaritaceum* var. *margaritaceum* Yamagishi Ref. Yamagishi, 1992  
*Penium silvae nigrae* Pabanus Ref. Chang, 1970  
*Penium* sp. Ref. Lin, 1969  
*Penium spirostriolatum* Bark Ref. Weih, 1987  
*Plerurotaenium nodosum* (Bailay) Lundell Ref. Weih, 1987  
*Plerurotaenium ovatum* Nordstedt Ref. Weih, 1987  
*Plerurotaenium verrucosum* (Bailay) Lundell 瘤狀寬帶鼓藻 Ref. Weih, 1987  
*Pleurotaenium baculoides* (Roy & Biss) Playfair Ref. Hori & Yang, 1967  
*Pleurotaenium ehrenbergii* (Brebisson) De Bary Ref. Chuang, 1985  
*Pleurotaenium granuliferum* (Joshua) Hirano Ref. Weih, 1987  
*Pleurotaenium inermium* (Möbius) Hirano Ref. Weih, 1987  
*Pleurotaenium minutum* (Wille) Krieger Ref. Weih, 1987  
*Pleurotaenium repandum* (Wolle) Krieger Ref. Weih, 1987  
*Pleurotaenium trabecula* var. *crassum* Wittrock Ref. Yamagishi, 1992  
*Pleurotaenium trabecula* (Ehrenberg) Naegeli 寬帶鼓藻 Ref. Weih, 1987  
*Pleurotaenium trabecula* var. *trabecula* Yamagishi Ref. Yamagishi, 1992  
*Pleurotaenium truncatum* (Brebisson) Nageli Ref. Weih, 1987  
*Pleurotaenium verrucosum* var. *verrucosum* Yamagishi Ref. Yamagishi, 1992  
*Sphaerosoma granulatum* Boy & Biss. 顆粒瘤接鼓藻  
*Sphaerosoma excavatum* Ralfs Ref. Hori & Yang, 1967  
*Spondylosium pygmaeum* (Cook) West Ref. Lin et al., 1994a  
*Spondylosium moniliforme* Lund. 項圈頂接鼓藻  
*Spondylosium papillostum* W. & G. S. West 乳頭頂接鼓藻  
*Spondylosium planum* (Woll.) W. & G. S. West 平頂頂接鼓藻  
*Staurastrum aculeatum* (Ehrenberg) Menegh Ref. Hori & Yang, 1967  
*Staurastrum apiculatum* Breb. Ref. 同前  
*Staurastrum avicula* Breb. Ref. 同前  
*Staurastrum bicornatum* Johnson var. *simplicius* W. & G. S. West Ref. 同前  
*Staurastrum bifidum* (Ehrenberg) Brebisson Ref. Yamagishi, 1992  
*Staurastrum borgeanum* Schmidle var. *paroum* Messik Ref. Hori & Yang, 1967  
*Staurastrum chaetoceras* (Schrod.) G. M. Smith Ref. Negora, 1953  
*Staurastrum contectum* Turner var. *inevolutum* Turner Ref. Hori & Yang, 1967  
*Staurastrum cuspidatum* Breb. Ref. 同前  
*Staurastrum cyclacanthum* W. & G. S. West Ref. 同前  
*Staurastrum dejectum* Nordstedt Ref. Weih, 1987  
*Staurastrum dilatatum* Ehrenberg var. *hibernicum* W. & G. S. West 膨脹角星鼓藻 Ref. Hori & Yang, 1967  
*Staurastrum diptilum* Nordstedt Ref. Yamagishi, 1992  
*Staurastrum dorsidentiferum* W. & G. S. West var. *ornatum* Gronblad Ref. Jang, 1975  
*Staurastrum excavatum* W. & G. S. West Ref. 森若及齊家。1990  
*Staurastrum furcatum* (Ehrenberg) Breb. Ref. Hori & Yang, 1967  
*Staurastrum furcatum* var. *iyaense* Hinode Ref. 同前  
*Staurastrum gemelliparum* Nordst Ref. 同前  
*Staurastrum gracile* Ralfs Ref. Chen, 1987  
*Staurastrum gracile* var. *ornatum* Boldt Ref. 森若及齊家。1990  
*Staurastrum grillatorium* Nordstedt Ref. 森若及齊家。1990  
*Staurastrum heimerlianum* Lutkem var. *abundans* Krieger Ref. Hori & Yang, 1967  
*Staurastrum irregulare* W. & G. S. West Ref. 同前  
*Staurastrum javanicum* (Nordstedt) Turner Ref. Weih, 1987  
*Staurastrum laeve* Ralfs Ref. Yamagishi, 1992  
*Staurastrum limneticum* Schmidle var. *burmense* W. & G. S. West Ref. 同前  
*Staurastrum margaritaceum* (Ehrenberg) Menedh Ref. Hori & Yang, 1967  
*Staurastrum ornatum* Turner var. *asperum* Schmidle Ref. 同前  
*Staurastrum paradoxum* Meyen Ref. Hsu et al., 1990  
*Staurastrum polymorphum* Breb. Ref. Hori & Yang, 1967  
*Staurastrum pseudotetracerum* (Nordst) W. & G. S. West Ref. 同前  
*Staurastrum sebaldi* var. *ornatum* Nordstedt Ref. Chang, 1970  
*Staurastrum senarium* (Ehrenberg) Ralfs Ref. Weih, 1987

*Staurastrum sexangulare* W. & G. S. West Ref. Negora, 1953  
*Staurastrum simonyi* Heimerl Ref. Weih, 1987  
*Staurastrum subsaltans* W. & G. S. West Ref. Weih, 1987  
*Staurastrum teliferum* Ralfs Ref. Hori & Yang, 1967  
*Staurastrum tetracerum* Ralfs 四角角星鼓藻 Ref. Shen, 1955  
*Staurastrum turgescens* De Not. Ref. Shen, 1950  
*Staurastrum conatum* (Lund.) Roy & Bisset var. *rectangulum* Roy & Bisset  
*Teilingia granulata* (Roy & Bisset) Bourrelly Ref. Yamagishi, 1992  
*Tetmemorus brebissonii* (Meneghini) Ralfs Ref. Weih, 1987  
*Tetmemorus laevis* (Kützing) Ralfs var. *tropica* Krieger Ref. Yamagishi, 1992  
*Tetmemorus laevis* (Kützing) Ralfs Ref. Weih, 1987  
*Triploceras gracile* Bailey 角頂鼓藻 Ref. Weih, 1987  
*Xanthidium* sp. Ref. Lin, 1969

#### Family Mesotaeniaceae 中帶藻科

*Cylindrocystis crassa* de Bary 粗柱孢鼓藻  
*Gonatozygon kinakani* var. *kinahani* Yamagishi Ref. Yamagishi, 1992  
*Gonatozygon kinakani* (Archer) Rabenhorst Ref. Chuang, 1985  
*Mesotaenium* sp. Ref. Lin, 1969  
*Netrium digitus* (Ehrenberg) Itzigson & Rothe var. *lamellosum* (Brebisson) Groenblad 迪格梭形鼓藻 Ref. Yamagishi, 1992  
*Netrium digitus* var. *naegeli* (Brebisson) Krieger Ref. 同前  
*Netrium oblongum* (De Bary) Luetkamueler var. *oblongum* Yamagishi Ref. 同前  
*Netrium* sp. Ref. Hsu, 1994  
*Roya* sp. Ref. Chuang, 1985  
*Spirotaenia* sp. Ref. Hsu, 1993

#### Family Zygnemaceae 雙星藻科

*Mougeotia gracillima* (Hass.) Wittrock  
*Mougeotia parvula* Hass. 小轉板藻  
*Mougeotia quadrangulata* Hass. Ref. Lin et al., 1994a  
*Mougeotia rotundangulata* Jao  
*Mougeotia viridis* (Kütz.) Wittrock  
*Spirogyra arta* Jao Ref. Miu et al., 1969  
*Spirogyra fluviatilis* Hilse Ref. Hong, 1988  
*Spirogyra spreeiana* Rabenh. Ref. Heydrich, 1894  
*Spirogyra varians* (Hassall) Kützing Ref. Hong, 1988  
*Zygnema javanicum* (Martens) De Toni Ref. Heydrich, 1894  
*Zygonema* sp. Ref. Chuang, 1985

## Phylum Bryophyta 蘚類植物門

### Class Andreaeopsida 黑蘚綱

#### Order Andreaeales 黑蘚目

##### Family Andreaeaceae 黑蘚科

*Andreaea hohuanensis* Chuang Ref. 高謙、賴明洲。2003  
*Andreaea morrisonensis* Nog. 玉山黑蘚 [特有] Ref. 高謙、賴明洲。2003  
*Andreaea mutabilis* Hook. f. & Wils. Ref. Chiang, 1998  
*Andreaea rupestris* Hedw. var. *fauriei* (Besch.) Tak. 歐黑蘚東亞變種 Ref. 高謙、賴明洲。2003  
*Andreaea rupestris* Hedw. 歐黑蘚 Ref. Chiang, 1998  
*Andreaea taiwanensis* T.Y. Chiang, 1998 [特有] Ref. 高謙、賴明洲。2003  
*Andreaea wangiana* Chen Chiang, 1998 王氏黑蘚 Ref. 高謙、賴明洲。2003

### Class Bryopsida 蘚綱

#### [Not assigned to a order]

##### Family Myuriaceae 金毛蘚科

*Oedocladium fragile* (Card.) Iwats 南亞金毛蘚 Ref. 高謙、賴明洲。2003  
*Oedocladium serricuspe* (Brotherus) Noguchi & Iwatsuki Ref. 高謙、賴明洲。2003

##### Family Phyllogoniaceae 帶蘚科

*Horikawaea nitida* Nog. Ref. 高謙、賴明洲。2003

#### Order Bryales 真蘚目

##### Family Bartramiaceae 珠蘚科

*Anacolia laevisphaera* (Tayl.) Flow. Ref. 高謙、賴明洲。2003  
*Bartramia halleriana* Hedw. 珠蘚 Ref. 高謙、賴明洲。2003  
*Bartramia ithyphylla* Brid. 直葉珠蘚 Ref. 高謙、賴明洲。2003  
*Bartramia pomiformis* Hedw. 梨蒴珠蘚 Ref. 高謙、賴明洲。2003  
*Bartramia pomiformis* Hedw. var. *elongata* Turner 梨蒴珠蘚變種 Ref. 高謙、賴明洲。2003  
*Bartramidula bartramioides* (Griff.) Wijk. & Marg. Ref. 高謙、賴明洲。2003  
*Bartramidula cernua* (Wils.) Lindb. 小珠蘚 Ref. 高謙、賴明洲。2003  
*Bartramidula roylei* (Hook. f.) B. S. G. Ref. 高謙、賴明洲。2003

*Breutelia arundinifolia* (Duby) Fleisch. 大熱澤蘚 Ref. 高謙、賴明洲。2003  
*Fleischerobryum longicolle* (Hampe) Loeske. 佛氏蘚 Ref. 高謙、賴明洲。2003  
*Fleischerobryum macrophyllum* Broth. Ref. 高謙、賴明洲。2003  
*Philonotis bartramioides* (Griff.) Griffin & Buck Ref. Redfearn et al., 1996  
*Philonotis cernua* (Wilson) Griffin & Buck 小珠蘚 Ref. 同前  
*Philonotis falcata* (Hook.) Mitt. var. *carinata* (Mitt.) Ochi Ref. 高謙、賴明洲。2003  
*Philonotis falcate* (Hook.) Mitt. Ref. 高謙、賴明洲。2003  
*Philonotis fontana* (Hedwig) Bridel 澤蘚 Ref. 高謙、賴明洲。2003  
*Philonotis hastate* (Duby) Wijk & Marg. Ref. 高謙、賴明洲。2003  
*Philonotis lancifolia* Mitt. Ref. 高謙、賴明洲。2003  
*Philonotis mollis* (Dozy & Molke.) Mitt. Ref. 高謙、賴明洲。2003  
*Philonotis nitida* Mitt. Ref. 高謙、賴明洲。2003  
*Philonotis roylei* (Hook. f.) Mitt. Ref. Redfearn et al., 1996  
*Philonotis social* Mitt. f. *utissima* Kab. Ref. 高謙、賴明洲。2003  
*Philonotis thwaitesii* Mitt. Ref. 高謙、賴明洲。2003  
*Philonotis turneriana* (Schwaegr.) Mitt. Ref. 高謙、賴明洲。2003

### Family Bryaceae 真蘚科

*Anomobryum auratum* (Mitt.) Jaeg. Ref. Ochi, 1985  
*Anomobryum filiforme* (Dicks.) Solms var. *concinatum* (Spruce) Loeske 銀蘚變種 Ref. 高謙、賴明洲。2003  
*Anomobryum filiforme* (Dicks.) Solms 銀蘚 Ref. 高謙、賴明洲。2003  
*Anomobryum julaceum* (Brid.) Schimp. Ref. 高謙、賴明洲。2003  
*Anomobryum yasudae* Broth. Ref. Redfearn et al., 1996  
*Brachymenium capitulatum* (Mitt.) Par. Ref. 同前  
*Brachymenium cellulare* (Hook.) Jaeg. Ref. 高謙、賴明洲。2003  
*Brachymenium contortum* Hampe Ref. 高謙、賴明洲。2003  
*Brachymenium exile* (Dozy & Molke.) Bosch & Sande Lac. Ref. 高謙、賴明洲。2003  
*Brachymenium nepalense* Hook. Ref. 高謙、賴明洲。2003  
*Brachymenium ochianum* Gang. Ref. 高謙、賴明洲。2003  
*Brachymenium sikkimense* Ren. & Card. Ref. Lin, 1988  
*Brachythecium auriculatum* Jaeg. Ref. 高謙、賴明洲。2003  
*Brachythecium buchananii* (Hook.) Jaeg. var. *gracillimum* Dix. 細枝青蘚變種 Ref. 高謙、賴明洲。2003  
*Brachythecium buchananii* (Hook.) Jaeg. 細枝青蘚 Ref. 高謙、賴明洲。2003  
*Brachythecium formosae* Broth. nom. nud. Ref. 高謙、賴明洲。2003  
*Brachythecium formosanum* Tak. Ref. 高謙、賴明洲。2003  
*Brachythecium helminthocladum* Broth. & Par. Ref. 高謙、賴明洲。2003  
*Brachythecium pinnatum* Dix. Ref. 高謙、賴明洲。2003  
*Brachythecium plumosum* (Hedw.) B. S. G. 羽枝青蘚 Ref. 高謙、賴明洲。2003  
*Brachythecium plumosum* (Hedw.) B. S. G. var. *concauifolium* Tak. 羽枝青蘚變種 Ref. Qian, 1987  
*Brachythecium plumosum* (Hedw.) B. S. G. var. *Nitidum* (Sak.) Tak. 羽枝青蘚變種 Ref. 高謙、賴明洲。2003  
*Brachythecium populeum* (Hedw.) B.S.G. 長肋青蘚 Ref. Redfearn et al., 1996  
*Brachythecium procumbens* (Mitt.) Jaeg. Ref. 高謙、賴明洲。2003  
*Brachythecium rivulare* B. S. G. 溪邊青蘚 Ref. 高謙、賴明洲。2003  
*Brachythecium rutabulum* (Hedw.) B. S. G. 卵葉青蘚 Ref. 高謙、賴明洲。2003  
*Brachythecium sakuraii* Broth. Ref. 高謙、賴明洲。2003  
*Brachythecium sapporense* (Besch.) Tak. Ref. 高謙、賴明洲。2003  
*Brachythecium wichurae* (Broth.) Par. Ref. 高謙、賴明洲。2003  
*Bryum apiculatum* Schwaegr. Ref. 高謙、賴明洲。2003  
*Bryum argenteum* Hedw. 真蘚 Ref. 高謙、賴明洲。2003  
*Bryum atrovitrens* Vill. ex Brid. Ref. 高謙、賴明洲。2003  
*Bryum bicolor* Dicks. Ref. 高謙、賴明洲。2003  
*Bryum billardieri* Schwaegr. Ref. 高謙、賴明洲。2003  
*Bryum blandum* Hook. f. & Wils. subsp. *handelii* (Broth.) Ochi Ref. 高謙、賴明洲。2003  
*Bryum caespiticium* Hedw. 叢生真蘚 Ref. 高謙、賴明洲。2003  
*Bryum capillare* Hedw. 細葉真蘚 Ref. 高謙、賴明洲。2003  
*Bryum cellulare* Hook. Ref. Redfearn et al., 1996  
*Bryum coronatum* Schwaegr. 蕊形真蘚 Ref. 高謙、賴明洲。2003  
*Bryum dichotomum* Hedw. Ref. Redfearn et al., 1996  
*Bryum leptocaulon* Card. Ref. 高謙、賴明洲。2003  
*Bryum pallescens* Schleich. ex Schwaegr. 黃色真蘚 Ref. 高謙、賴明洲。2003  
*Bryum paradoxum* Schwaegr. Ref. 高謙、賴明洲。2003  
*Bryum petelotii* Ther. & Henry Ref. 高謙、賴明洲。2003  
*Bryum pseudotriquetrum* (Hedw.) Schwaegr. var. *gracilens* (Card.) Ochi 擬三列真蘚變種 Ref. 高謙、賴明洲。2003  
*Bryum pseudotriquetrum* (Hedw.) Schwaegr. 擬三列真蘚 Ref. 高謙、賴明洲。2003  
*Bryum radiculosum* Brid. Ref. 林。1991  
*Bryum recurvulum* Mitt. Ref. 高謙、賴明洲。2003  
*Bryum salakense* Card. Ref. 高謙、賴明洲。2003  
*Bryum yasuda* (Broth.) Ochi Ref. 高謙、賴明洲。2003  
*Epipterygium tozeri* (Grev.) Lindb. 紫色小葉蘚 Ref. 高謙、賴明洲。2003  
*Leptobryum pyriforme* (Hedw.) Wils. 薄囊蘚 Ref. 高謙、賴明洲。2003  
*Mielichhoferia mielichhoferi* (Hook.) Wijk. & Marg. var. *japonica* (Besch.) Wijk. & Marg. 缺齒蘚變種 Ref. 高謙、賴明洲。2003  
*Orthodontium infractum* Dozy & Molke. Ref. 高謙、賴明洲。2003

*Pohlia crudoides* (Sull. & Lesq.) Broth. var. *revolvens* (Card.) Ochi Ref. 高謙、賴明洲。2003  
*Pohlia crudoides* (Sull. & Lesq.) Broth. Ref. 高謙、賴明洲。2003  
*Pohlia elongata* Hedw. 絲瓜蘚 Ref. 高謙、賴明洲。2003  
*Pohlia flexuosa* Hook. Ref. 高謙、賴明洲。2003  
*Pohlia gedeana* Bosch. & Sande Lac.) Gang. Ref. 高謙、賴明洲。2003  
*Pohlia longicollis* (Hedw.) Lindb. Ref. 高謙、賴明洲。2003  
*Pohlia nutans* (Hedw.) Lindb. 黃絲瓜蘚 Ref. 高謙、賴明洲。2003  
*Pohlia prolifera* (Kindb. ex Limpr.) Lindb. ex Arn. Ref. 林。1990  
*Pohlia wahlenbergii* (Web. & Mohr) Andr. 廣口蘚 Ref. 高謙、賴明洲。2003  
*Rhodobryum giganteum* (Schwaegr.) Par. 暖地大葉蘚 Ref. 高謙、賴明洲。2003  
*Rhodobryum roseum* (Hedw.) Limpr. 大葉蘚 Ref. 高謙、賴明洲。2003

#### Family Hypnodendraceae 樹灰蘚科

*Hypnodendron reinwardtii* (Reinw. & Hornsch.) Lindb. Ref. 高謙、賴明洲。2003  
*Hypnodendron vitiense* Mitt. 樹灰蘚 Ref. 高謙、賴明洲。2003

#### Family Lembophyllaceae 船葉蘚科

*Dolichomitra cymbifolia* (Lindb.) Broth. 船葉蘚 Ref. 高謙、賴明洲。2003  
*Isothecium myosuroides* (Hedw.) Podp. Ref. Redfearn et al., 1996  
*Isothecium subdiversiforme* Broth. var. *formosanum* Nog. Ref. 高謙、賴明洲。2003  
*Isothecium subdiversiforme* Broth. var. *filiforme* Nog. Ref. 高謙、賴明洲。2003  
*Isothecium subdiversiforme* Broth. Ref. 高謙、賴明洲。2003

#### Family Mniaceae 提燈蘚科

*Mnium ambiguum* C. Muell. Ref. 高謙、賴明洲。2003  
*Mnium heterophyllum* (Hook.) Schwaegr. Ref. 高謙、賴明洲。2003  
*Mnium laevinerve* Card. 平肋提燈蘚 Ref. 高謙、賴明洲。2003  
*Mnium lycopodioides* Schwaegr. 長尖提燈蘚 Ref. 高謙、賴明洲。2003  
*Mnium marginatum* (With.) P. Beauv. 具緣提燈蘚 Ref. 高謙、賴明洲。2003  
*Mnium orthorrhynchum* Brid. Ref. 高謙、賴明洲。2003  
*Mnium pseudopunctatum* Bruch & Schimper Ref. 高謙、賴明洲。2003  
*Mnium thomsonii* Schimp. 偏葉提燈蘚 Ref. Redfearn et al., 1996  
*Orthomnion dilatatum* (Mitt.) P.-c. Chen 柔葉立燈蘚 Ref. 高謙、賴明洲。2003  
*Orthomnion loheri* Broth. Ref. 高謙、賴明洲。2003  
*Orthomnion piliferum* T. Koponen Ref. 高謙、賴明洲。2003  
*Plagiomnium acutum* (Lindb.) T. Koponen Ref. 高謙、賴明洲。2003  
*Plagiomnium affine* (Blandow ex Funck) T. Koponen 寒地走燈蘚 Ref. Redfearn et al., 1996  
*Plagiomnium confertidens* (Lindberg & Arnell) T. Koponen Ref. Chiang & Kuo, 1989  
*Plagiomnium cuspidatum* (Hedwig) T. Koponen 走燈蘚 Ref. 高謙、賴明洲。2003  
*Plagiomnium integrum* (Bosch & Sande Lacoste) T. Koponen Ref. 高謙、賴明洲。2003  
*Plagiomnium japonicum* (Lindberg) T. Kop. 日本走燈蘚 Ref. 高謙、賴明洲。2003  
*Plagiomnium maximoviczii* (Lindberg) T. Kop. 側枝走燈蘚 Ref. 高謙、賴明洲。2003  
*Plagiomnium rhynchophorum* (Hooker) T. Koponen Ref. 高謙、賴明洲。2003  
*Plagiomnium rostratum* (Schrader) T. Koponen 鈍葉走燈蘚 Ref. 高謙、賴明洲。2003  
*Plagiomnium succulentum* (Mitten) T. Koponen Ref. 高謙、賴明洲。2003  
*Plagiomnium tezukai* (Sakurai) T. Koponen Ref. 高謙、賴明洲。2003  
*Plagiomnium vesicatum* (Bescherelle) T. Koponen Ref. 高謙、賴明洲。2003  
*Rhizomnium horikawae* (Noguchi) T. Koponen Ref. 高謙、賴明洲。2003  
*Rhizomnium magnifolium* (Horikawa) T. Kop. Ref. 高謙、賴明洲。2003  
*Rhizomnium parvulum* (Mitten) T. Koponen Ref. 高謙、賴明洲。2003  
*Rhizomnium pseudopunctatum* (Bruch & W. P. Schimper) T. Koponen Ref. Redfearn et al., 1996  
*Rhizomnium punctatum* (Hedwig) T. Koponen 毛燈蘚 Ref. 高謙、賴明洲。2003  
*Rhizomnium striatulum* (Mitten) T. Koponen 細枝毛燈蘚 Ref. 高謙、賴明洲。2003  
*Rhizomnium tuomikoskii* T. Koponen Ref. 高謙、賴明洲。2003  
*Trachycystis microphylla* (Dozy & Molk.) Linbd. Ref. Redfearn et al., 1996  
*Trachycystis ussuriensis* (Maack & Regel) T. Koponen Ref. 高謙、賴明洲。2003

#### Family Racopilaceae 卷柏蘚科

*Racopilum aristatum* Mitt. 卷柏蘚 Ref. 高謙、賴明洲。2003  
*Racopilum ferriei* Ther Ref. 高謙、賴明洲。2003  
*Racopilum spectabile* Reinw. & Hornsch. Ref. 高謙、賴明洲。2003

#### Family Rhizogoniaceae 檜蘚科

*Pyrrhobryum dozyanum* (Sande Lacoste) Manuel 大赤檜蘚 Ref. 高謙、賴明洲。2003  
*Pyrrhobryum latifolium* (Bosch & Lac.) Mitt. 闊葉赤檜蘚 Ref. 高謙、賴明洲。2003  
*Pyrrhobryum spiniforme* (Hedwig) Mitt. Ref. 高謙、賴明洲。2003  
*Pyrrhobryum spiniforme* (Hedwig) Mitten var. *Ryukyense* (Iwatsuki) Manuel Ref. 高謙、賴明洲。2003

#### Family Spiridentaceae 木毛蘚科

*Spiridens reinwardtii* Nees 木毛蘚 Ref. 高謙、賴明洲。2003

### Order Buxbaumiales 煙桿蘚目

#### Family Buxbaumiaceae 煙桿蘚科

*Buxbaumia minakatae* Okam. Ref. 高謙、賴明洲。2003  
*Hylacomiastrum himalayanum* (Mitt.) Broth. 喜馬拉雅塔蘚 Ref. 高謙、賴明洲。2003

*Hylocomium splendens* (Hedw.) B. S. G. 塔蘚 Ref. 高謙、賴明洲。2003  
*Pleurozium schreberi* (Brid.) Mitt. Ref. 高謙、賴明洲。2003

### Family Diphysciaceae 短頸蘚科

*Diphyscium chiapense* Norris subsp. *unipapillosum* (Deguchi) Chiang & Lin (2000) Ref. 高謙、賴明洲。2003  
*Diphyscium foliosum* (Hedw.) Mohr 短頸蘚 Ref. Chiang & Lin, 2000  
*Diphyscium fulvifolium* Mitt. Ref. 高謙、賴明洲。2003  
*Diphyscium granulosum* Chen 腐木短頸蘚 Ref. 高謙、賴明洲。2003  
*Diphyscium involutum* Mitt. 卷葉短頸蘚 Ref. 高謙、賴明洲。2003  
*Diphyscium rupestre* Doz. & Molk. Ref. Chiang & Lin, 2000

### Order Dicranales 曲尾蘚目

#### Family Bryoxiphiaceae 蝦蘚科

*Bryoxiphium norvegicum* (Brid.) Mitt. subsp. *japonicum* (Berggr.) A. Love & D. L Love 蝦蘚東亞亞種 Ref. 高謙、賴明洲。2003

#### Family Dicranaceae 曲尾蘚科

*Amphidium mougeotii* (B.S.G.) Schimp. Ref. 高謙、賴明洲。2003  
*Amphidium papillosum* Bartr. Ref. 高謙、賴明洲。2003  
*Aongstroemia orientalis* Mitt. 東亞昂氏蘚 Ref. 高謙、賴明洲。2003  
*Brothera leana* (Sull.) C. Muell. 白氏蘚 Ref. 高謙、賴明洲。2003  
*Campylopodium medium* (Duby) Giese & J.-P. Frahm Ref. 高謙、賴明洲。2003  
*Campylopus aureus* Bosch & Lac. Ref. 高謙、賴明洲。2003  
*Campylopus caudatus* (C. Muell.) Mont. Ref. 高謙、賴明洲。2003  
*Campylopus comosus* Reinw. & Hornsch.) Bosch & Sande Lac. Ref. Redfearn et al., 1996  
*Campylopus flexuosus* (Hedw.) Brid. 曲柄蘚 Ref. Frahm, 1992  
*Campylopus fragilis* (B161Brid.) Steud. 脆枝曲柄蘚 Ref. 高謙、賴明洲。2003  
*Campylopus gracilis* (Mitt.) Jaeg. Ref. 高謙、賴明洲。2003  
*Campylopus japonicus* Broth. 日本曲柄蘚 Ref. 高謙、賴明洲。2003  
*Campylopus laxitextus* Lac. Ref. 高謙、賴明洲。2003  
*Campylopus leptoneuron* Broth. Ref. 高謙、賴明洲。2003  
*Campylopus schmidii* (C. Muell.) Jaeg. Ref. Redfearn et al., 1996  
*Campylopus schwarzii* Schimp. Ref. 高謙、賴明洲。2003  
*Campylopus subulatus* Schimp. 狹葉曲柄蘚 Ref. Frahm, 1992  
*Campylopus taiwanensis* Sak. 台灣曲柄蘚 [特有] Ref. 高謙、賴明洲。2003  
*Campylopus umbellatus* (Arnott) Par. 節莖曲柄蘚 Ref. 高謙、賴明洲。2003  
*Cynodontium gracilescens* (Web. & Mohr) Schimp. 狗牙蘚 Ref. Chiang & Kuo, 1989  
*Cyrtohypnum bonianum* (Besch.) Buck & Crum Ref. Redfearn et al., 1996  
*Cyrtohypnum minutulum* (Hedw.) Buck & Crum Ref. 同前  
*Cyrtohypnum sparsifolium* (Mitt.) Buck & Crum Ref. 同前  
*Cyrtohypnum vestitissimum* (Besch.) Buck & Crum Ref. 同前  
*Dichodontium asperinum* Broth. nom. nud. Ref. 高謙、賴明洲。2003  
*Dichodontium pellucidum* (Hedw.) Schimp. 裂齒蘚 Ref. Chiang & Hu, 1997  
*Dicranella coarctata* (C. Muell.) Bosch & Lac. var. *torrentium* Card. Ref. 高謙、賴明洲。2003  
*Dicranella coarctata* (C. Muell.) Bosch & Lac. Ref. 高謙、賴明洲。2003  
*Dicranella heteromalla* (Hedw.) Schimp. 多形小曲尾蘚 Ref. 高謙、賴明洲。2003  
*Dicranella laxiretis* Broth. nom. nud. Ref. 高謙、賴明洲。2003  
*Dicranodontium asperulum* (Mitt.) Broth. 粗葉青毛蘚 Ref. 高謙、賴明洲。2003  
*Dicranodontium denudatum* (Brid.) Britt. 青毛蘚 Ref. 高謙、賴明洲。2003  
*Dicranodontium fleischerianum* Schultz-Motel Ref. Redfearn et al., 1996  
*Dicranodontium nitidum* (Doz. & Molk.) Fleisch. Ref. 高謙、賴明洲。2003  
*Dicranodontium uncinatum* (Harv.) Jaeg. 鉤葉青毛蘚 Ref. 高謙、賴明洲。2003  
*Dicranoloma assimile* (Hampe) Par. Ref. 高謙、賴明洲。2003  
*Dicranoloma blumii* (Nees) Par. Ref. 高謙、賴明洲。2003  
*Dicranoloma brevisetum* (Dozy & Molk.) Par. var. *samoanum* (Broth.) Tan & T. Kop. Ref. 高謙、賴明洲。2003  
*Dicranoloma cylindrothecium* (Mit.) Sak. 長朔錦葉蘚 Ref. Redfearn et al., 1996  
*Dicranoloma striatulum* (Mitt.) Nog. Ref. 高謙、賴明洲。2003  
*Dicranum caesium* Mitt. 厚腳曲尾蘚 Ref. 高謙、賴明洲。2003  
*Dicranum flagellare* Hedw. Ref. Redfearn et al., 1996  
*Dicranum formosanum* Broth. nom. nud. Ref. 高謙、賴明洲。2003  
*Dicranum fragilifolium* Lindb. 折葉曲尾蘚 Ref. 高謙、賴明洲。2003  
*Dicranum hamulosum* Mitt. Ref. 高謙、賴明洲。2003  
*Dicranum japonicum* Mitt. Ref. 高謙、賴明洲。2003  
*Dicranum lorifolium* Mitt. Ref. 高謙、賴明洲。2003  
*Dicranum majus* Turn. Ref. 高謙、賴明洲。2003  
*Dicranum mayrii* Broth. 馬氏曲尾蘚 Ref. 高謙、賴明洲。2003  
*Dicranum muehlenbeckii* B. S. G. Ref. 高謙、賴明洲。2003  
*Dicranum nipponense* Besch. 東亞曲尾蘚 Ref. 高謙、賴明洲。2003  
*Dicranum scoparium* Hedw. 曲尾蘚 Ref. 高謙、賴明洲。2003  
*Dicranum shimadae* Broth. nom. nud. Ref. 高謙、賴明洲。2003  
*Holomitrium densifolium* (Wils.) Wijk & Marg. 密葉荷領蘚 Ref. 高謙、賴明洲。2003  
*Holomitrium densifolium* (Wils.) Wijk & Marg. var. *pseudautoicum* (Card.) S. h. Lin (1988) 密葉荷領蘚變種 Ref. 高謙、賴明洲。2003  
*Leucoloma molle* (C. Muell.) 柔葉白錦蘚 Ref. Mitt.  
*Microcampylopus laevigatum* (Ther.) Giese & J. P. Frahm Ref. 高謙、賴明洲。2003

*Oncophorus crispifolius* (Mitt.) Lindb. 卷葉曲背蘚 Ref. 高謙、賴明洲。2003  
*Oncophorus wahlenbergii* Brid. var. *japonicus* Nog. 曲背蘚變種 Ref. 高謙、賴明洲。2003  
*Oncophorus wahlenbergii* Brid. 曲背蘚 Ref. 高謙、賴明洲。2003  
*Oncophorus wahlenbergii* Brid. var. *longisetus* Nog. 曲背蘚變種 Ref. 高謙、賴明洲。2003  
*Oreoweisia laxifolia* (Hook. f.) Kindb. 疏葉石毛蘚 Ref. 高謙、賴明洲。2003  
*Paraleucobryum enerve* (Thed.) Loeske 擬白髮蘚 Ref. 高謙、賴明洲。2003  
*Paraleucobryum formosanum* Broth. nom. nud. Ref. 高謙、賴明洲。2003  
*Paraleucobryum longifolium* (Hedw.) Loeske 長葉擬白髮蘚 Ref. 高謙、賴明洲。2003  
*Rhabdoweisia crenulata* (Mitt.) Jameson Ref. 高謙、賴明洲。2003  
*Rhabdoweisia crispate* (Dicks. ex With.) Lindb. 微齒粗石蘚 Ref. 高謙、賴明洲。2003  
*Symblepharis angustata* (Mitt.) Chen Ref. 高謙、賴明洲。2003  
*Symblepharis helicophylla* Mont. Ref. 高謙、賴明洲。2003  
*Symblepharis reinwardtii* (Dozy & Molk.) Mitt. 東亞合睫蘚 Ref. 高謙、賴明洲。2003  
*Symblepharis vaginata* (Hook.) Wijk & Marg. 合睫蘚 Ref. 高謙、賴明洲。2003  
*Trematodon logicollis* Michx. 長蒴蘚 Ref. 高謙、賴明洲。2003

#### Family Ditrichaceae 牛毛蘚科

*Ceratodon purpureus* (Hedw.) Brid. 角齒蘚 Ref. 高謙、賴明洲。2003  
*Ceratodon purpureus* (Hedw.) Brid. var. *formosicus* Card. 角齒蘚變種 Ref. 高謙、賴明洲。2003  
*Ceratodon stenocarpus* Bruch & Schimp. Ref. 高謙、賴明洲。2003  
*Distichium capillaceum* (Hedw.) B. S. G. 對葉蘚 Ref. Chiang & Kuo, 1989  
*Ditrichum brevidens* Nog. 短齒牛毛蘚 Ref. 高謙、賴明洲。2003  
*Ditrichum crispatissimum* (C. Muell.) Par. 扭葉牛毛蘚 Ref. Redfearn et al., 1996  
*Ditrichum difficile* (Duby) Fleisch. Ref. 高謙、賴明洲。2003  
*Ditrichum flexicaule* (Schleich.) Hampe 細牛毛蘚 Ref. 高謙、賴明洲。2003  
*Ditrichum heteromallum* (Hedw.) Britt. 牛毛蘚 Ref. 高謙、賴明洲。2003  
*Ditrichum pallidum* (Hedw.) Hampe Ref. 高謙、賴明洲。2003  
*Garckea flexuosa* (Griff.) Marg. & Nork. 荷包蘚 Ref. 高謙、賴明洲。2003  
*Pleuridium julaceum* Besch. Ref. 高謙、賴明洲。2003  
*Wilsoniella decipiens* (Mitt.) Alston Ref. 高謙、賴明洲。2003

#### Family Leucobryaceae 白髮蘚科

*Exostratum blumei* (Nees ex Hampe) Ellis 擬外網蘚 Ref. 高謙、賴明洲。2003  
*Exostratum sullivantii* (Dozy & Molk.) Ellis Ref. 高謙、賴明洲。2003  
*Leucobryum boninense* Sull. & Lesq. 糙葉白髮蘚 Ref. Redfearn et al., 1996  
*Leucobryum bowringii* Mitt. Ref. 高謙、賴明洲。2003  
*Leucobryum galeatum* Besch. f. *gifolium* Broth. Ref. Kuo & Chiang, 1989  
*Leucobryum humillimum* Card. Ref. Redfearn et al., 1996  
*Leucobryum javense* (Brid.) Mitt. 爪哇白髮蘚 Ref. 高謙、賴明洲。2003  
*Leucobryum juniperoides* (Brid.) C. Muell. 南亞白髮蘚 Ref. Redfearn et al., 1996  
*Leucobryum neilgherrense* C. Muell. 南亞白髮蘚 Ref. 高謙、賴明洲。2003  
*Leucobryum neilgherrense* C. Muell. var. *galeatum* (Besch.) Dix. Ref. 高謙、賴明洲。2003  
*Leucobryum neilgherrense* C. Muell. var. *minus* Card. Ref. 高謙、賴明洲。2003  
*Leucobryum scaberulum* Card. 糙葉白髮蘚 Ref. 高謙、賴明洲。2003  
*Leucobryum scabrum* Lac. 疣葉白髮蘚 Ref. 高謙、賴明洲。2003  
*Leucophanes albescens* C. Muell. 刺肋白睫蘚 Ref. 高謙、賴明洲。2003  
*Leucophanes candidum* (Schwaegr.) Lindb. Ref. 高謙、賴明洲。2003  
*Leucophanes glaucum* (Schwaegr.) Mitt. 刺肋白睫蘚 Ref. Redfearn et al., 1996  
*Leucophanes octobleparioides* Brid. 八齒白睫蘚 Ref. 高謙、賴明洲。2003  
*Octoblepharum albidum* Hedw. 八齒蘚 Ref. 高謙、賴明洲。2003

### Order Fissidentales 鳳尾蘚目

#### Family Fissidentaceae 鳳尾蘚科

*Fissidens adelphinus* Besch. Ref. 高謙、賴明洲。2003  
*Fissidens anomalus* Mont. Ref. 高謙、賴明洲。2003  
*Fissidens areolatus* Griff. Ref. 高謙、賴明洲。2003  
*Fissidens bipapillosus* Yang & Lin (1992) (no Latin description, \*invalid) Ref. 高謙、賴明洲。2003  
*Fissidens bogoriensis* Fleisch. Ref. 高謙、賴明洲。2003  
*Fissidens bryoides* Hedw. var. *Ramosissimus* Ther. Ref. 高謙、賴明洲。2003  
*Fissidens bryoides* Hedw. Ref. 高謙、賴明洲。2003  
*Fissidens bryoides* Hedw. var. *esquirolii* (Ther.) Iwats. & T. Suz. Ref. 高謙、賴明洲。2003  
*Fissidens bryoides* Hedw. var. *schmidii* (C. Muell.) R. Chopra & S. Kumar Ref. 高謙、賴明洲。2003  
*Fissidens bryoides* Hedw. var. *lateralis* (Broth.) Iwats. & t. Suz. Ref. 高謙、賴明洲。2003  
*Fissidens capitulatus* Nog. 糙葉鳳尾蘚 Ref. 高謙、賴明洲。2003  
*Fissidens ceylonensis* Dozy & Molk. Ref. 高謙、賴明洲。2003  
*Fissidens crassinervis* Sande Lac. Ref. Chiang & Kuo, 1989  
*Fissidens crenulatus* Mitt. var. *elmeri* (Broth.) Iwats. & Suz. Ref. 高謙、賴明洲。2003  
*Fissidens crenulatus* Mitt. var. *pursellii* (Lin) Chiang & Kuo (1989) Ref. 高謙、賴明洲。2003  
*Fissidens crenulatus* Mitt. Ref. Chiang & Kuo, 1989  
*Fissidens crispulus* Brid. Ref. cf. Zhang et al. (1998)  
*Fissidens curvatus* Hornsch. Ref. 同前  
*Fissidens dubius* P. Beauv. 卷葉鳳尾蘚 Ref. 同前  
*Fissidens esquirolii* Ther. Ref. Chiang & Kuo, 1989

*Fissidens flabellulus* Thwait. & Mitt. Ref. 同前  
*Fissidens formosanus* Nog. 臺灣鳳尾蘚 Ref. 高謙、賴明洲。2003  
*Fissidens ganguleei* Norkett Ref. Chiang & Kuo, 1989  
*Fissidens garberi* Lesq. & James Ref. 高謙、賴明洲。2003  
*Fissidens gardneri* Mitt. 短肋鳳尾蘚 Ref. Redfearn et al., 1996  
*Fissidens geminiflorus* Dozy & Molk. Ref. 高謙、賴明洲。2003  
*Fissidens geppii* Fleisch. Ref. 高謙、賴明洲。2003  
*Fissidens grandifrons* Brid. 大葉鳳尾蘚 Ref. 高謙、賴明洲。2003  
*Fissidens guangdongensis* Iwats. & Li Ref. Yang & Lin, 1992  
*Fissidens gymnogynus* Besch. Ref. 高謙、賴明洲。2003  
*Fissidens hollianus* Dozy & Molk. Ref. 高謙、賴明洲。2003  
*Fissidens hyalinus* Hook. & Wils. Ref. 高謙、賴明洲。2003  
*Fissidens japonico-punctatus* Shin Ref. Chiang & Kuo, 1989  
*Fissidens javanicus* Dozy & Molk. Ref. 高謙、賴明洲。2003  
*Fissidens kinabaluensis* Iwats. Ref. 賴。1986  
*Fissidens laxus* Sull. & Lesq. Ref. 高謙、賴明洲。2003  
*Fissidens leptopelma* auct non Dix. Ref. Chiang & Kuo, 1989  
*Fissidens linearis* Brid. var. *obscurirete* (Broth. & Par.) Stone Ref. cf. Zhang et al. (1998)  
*Fissidens maceratus* Mitt. Ref. 同前  
*Fissidens mangarevensis* Mont. Ref. Chiang & Kuo, 1989  
*Fissidens microcladus* Thwait. & Mitt. 鈍齒鳳尾蘚 Ref. 同前  
*Fissidens minutulus* Sull. Ref. 高謙、賴明洲。2003  
*Fissidens minutus* Thwaites & Mitt. Ref. cf. Zhang et al. (1998)  
*Fissidens mittenii* Par. f. *laxus* Ref. Chiang & Kuo, 1989  
*Fissidens nobilis* Griff. Ref. 高謙、賴明洲。2003  
*Fissidens oblongifolius* Hook. f. & Wils. Ref. cf. Zhang & Lin (1997)  
*Fissidens obscurirete* Broth. & Par. Ref. 高謙、賴明洲。2003  
*Fissidens papillosus* Lac. Ref. 高謙、賴明洲。2003  
*Fissidens pellucidus* Hornsch. Ref. cf. Zhang et al. (1998)  
*Fissidens perdecurrens* Besch. Ref. 高謙、賴明洲。2003  
*Fissidens plagiochiloides* Besch. Ref. 高謙、賴明洲。2003  
*Fissidens planicaulis* Besch. 大葉鳳尾蘚 Ref. 高謙、賴明洲。2003  
*Fissidens polypodioides* Hedw. Ref. cf. Zhang et al. (1998)  
*Fissidens protonemaecola* Sak. 原絲鳳尾蘚 Ref. 高謙、賴明洲。2003  
*Fissidens pursellii* Lin Ref. 高謙、賴明洲。2003  
*Fissidens rupicola* Par. & Broth. Ref. Chiang & Kuo, 1989  
*Fissidens schwabei* Nog. Ref. 高謙、賴明洲。2003  
*Fissidens serratus* C. Muell. Ref. cf. Zhang et al. (1998)  
*Fissidens splchnobryoides* Broth. Ref. 高謙、賴明洲。2003  
*Fissidens strictulus* C. Muell. Ref. 高謙、賴明洲。2003  
*Fissidens subangustus* Fleisch. Ref. Yang & Lin, 1992  
*Fissidens taxifolius* Hedw. 鱗葉鳳尾蘚 Ref. 高謙、賴明洲。2003  
*Fissidens tosaensis* Broth. Ref. 高謙、賴明洲。2003  
*Fissidens wichurae* Broth. & Fleisch. Ref. 高謙、賴明洲。2003  
*Fissidens zippelanus* Doz. & Molk. 黃葉鳳尾蘚 Ref. 高謙、賴明洲。2003  
*Fissidens zollingeri* Mont. Ref. 高謙、賴明洲。2003

## Order Funariales 葫蘆蘚目

### Family Funariaceae 葫蘆蘚科

*Entosthodon buseanus* Dozy & Molk. Ref. 高謙、賴明洲。2003  
*Entosthodon physcomitrioides* (Mont.) Mitt. Ref. 高謙、賴明洲。2003  
*Funaria hygrometrica* Hedw. Ref. 高謙、賴明洲。2003  
*Funaria japonica* Broth. Ref. 高謙、賴明洲。2003  
*Funaria physcomitrioides* Mont. Ref. Redfearn et al., 1996  
*Physcomitrium eurystomum* Sendtn. 紅蒴立碗蘚 Ref. 高謙、賴明洲。2003  
*Physcomitrium japonicum* (Hedw.) Mitt. Ref. 高謙、賴明洲。2003  
*Physcomitrium sphaericum* (C. F. Ludw.) Fuernr. 立碗蘚 Ref. 高謙、賴明洲。2003

### Family Splachnaceae 壺蘚科

*Gymnostomiella longinervis* Broth. 長肋疣壺蘚 Ref. 高謙、賴明洲。2003  
*Splachnobryum luzonense* Broth. Ref. Chiang & Kuo, 1989  
*Splachnobryum pacificum* Dix. Ref. 同前  
*Tayloria hornschurchii* (Grev. & Arnott) Broth. Ref. 同前  
*Tayloria indica* Mitt. 廣西小壺蘚 Ref. 高謙、賴明洲。2003  
*Tayloria recurvi-marginata* Nog. Ref. 高謙、賴明洲。2003  
*Tayloria serrata* (Hedw.) B.S.G. Ref. Tan, 1994  
*Tayloria subglabra* (Griff.) Mitt. Ref. 高謙、賴明洲。2003  
*Tetraplodon angustatus* (Hedw.) B. S. G. 狹葉並齒蘚 Ref. 林。1991  
*Tetraplodon mnioides* (Hedw.) B. S. G. 並齒蘚 Ref. 高謙、賴明洲。2003

## Order Grimmiales 紫萼蘚目

### Family Grimmiaceae 紫萼蘚科

*Coscinodon cribosus* (Hedw.) Spruce 篩齒蘚 Ref. Cao et al. (1991)  
*Grimmia affinis* Hornsch. 近緣紫萼蘚 Ref. 高謙、賴明洲。2003  
*Grimmia elongata* G. Kaulf. Ref. 高謙、賴明洲。2003  
*Grimmia handelii* Broth. Ref. Chiang et al., 1997  
*Grimmia ovalis* (Hedw.) Lindb. Ref. 高謙、賴明洲。2003  
*Grimmia pulvinata* (Hedw.) J. Sm. Ref. Lin, 1988  
*Racomitrium anomodontoides* Card. Ref. 高謙、賴明洲。2003  
*Racomitrium aquaticum* (P. Beauv.) Brid. Ref. Cao et al. (1998)  
*Racomitrium barbulooides* Card. Ref. 高謙、賴明洲。2003  
*Racomitrium canescens* (Hedw.) Brid. Ref. 高謙、賴明洲。2003  
*Racomitrium carinatum* Card. Ref. 高謙、賴明洲。2003  
*Racomitrium crispulum* (Hook. f. & Wils.) Dix. Ref. 高謙、賴明洲。2003  
*Racomitrium diminutum* Card. Ref. 高謙、賴明洲。2003  
*Racomitrium ericoides* (Hedw.) Brid. 短枝砂蘚 Ref. 高謙、賴明洲。2003  
*Racomitrium fasciculare* (Hedw.) Brid. var. *brachyphyllum* Card. 叢枝砂蘚變種 Ref. 高謙、賴明洲。2003  
*Racomitrium fasciculare* (Hedw.) Brid. 叢枝砂蘚 Ref. 高謙、賴明洲。2003  
*Racomitrium fasciculare* (Hedw.) Brid. var. *atroviride* Card. 叢枝砂蘚變種 Ref. 高謙、賴明洲。2003  
*Racomitrium heterostichum* (Hedw.) Brid. var. *sudeticum* (Funck) Bauer 異枝砂蘚變種 Ref. Chiang & Kuo, 1989  
*Racomitrium heterostichum* (Hedw.) Brid. 異枝砂蘚 Ref. 高謙、賴明洲。2003  
*Racomitrium laetum* Besch. & Card. Ref. Redfearn et al., 1996  
*Racomitrium lanuginosum* (Hedw.) Brid. 長毛砂蘚 Ref. 同前  
*Racomitrium nitidulum* Card. Ref. Cao et al. (1998)  
*Racomitrium subsecundum* (Hook. & Grev.) Mitt. 偏葉砂蘚 Ref. 同前  
*Racomitrium sudeticum* Funck Bruch & Schimp Ref. Redfearn et al., 1996  
*Schistidium apocarpum* (Hedw.) B. S. G. 圓果裂齒蘚 Ref. 高謙、賴明洲。2003  
*Schistidium strictum* (Turn.) Loeske 細枝裂齒蘚 Ref. 高謙、賴明洲。2003  
*Schistidium trichodon* (Brid.) Poelt Ref. 高謙、賴明洲。2003

#### Family Ptychomitriaceae 縮葉蘚科

*Campylostelium saxicola* (Web. & Mohr.) Bruch & Schimp. Ref. Tan, 1994  
*Ptychomitrium formosicum* Broth. & Yas. 台灣縮葉蘚 Ref. 高謙、賴明洲。2003  
*Ptychomitrium linearifolium* Reim. 狹葉縮葉蘚 Ref. 林。1990  
*Ptychomitrium longipes* Broth. nom. nud. Ref. 高謙、賴明洲。2003

### Order Hookeriales 油蘚目

#### Family Hookeriaceae 油蘚科

*Callicostella papillata* f. *gifolia* Fleisch. 強肋蘚 Longifolia 型 Ref. 高謙、賴明洲。2003  
*Callicostella papillata* (Mont.) Mitt. 強肋蘚 Ref. Redfearn et al., 1996  
*Calyptrochaeta japonica* (Card. & Ther.) Iwats. & Nog. 柔葉耳柄蘚 Ref. 高謙、賴明洲。2003  
*Calyptrochaeta parviretis* (Fleisch.) Iwats., Tan & Touw Ref. 高謙、賴明洲。2003  
*Calyptrochaeta spinosa* (Nog.) Ninh Ref. 高謙、賴明洲。2003  
*Chaetomitriopsis glaucocarpa* (Schwaegr.) Fleisch. 灰果蘚 Ref. 高謙、賴明洲。2003  
*Chaetomitrium acanthocarpum* Bosch & Lac. Ref. 高謙、賴明洲。2003  
*Chaetomitrium orthorrhynchum* (Dozy & Molk.) Bosch & Lac. Ref. 高謙、賴明洲。2003  
*Cyclodictyon blumeianum* (C. Muell.) O. Kuntze 南亞圓網蘚 Ref. 高謙、賴明洲。2003  
*Daltonia angustifolia* Dozy & Molk. 狹葉小黃蘚 Ref. 高謙、賴明洲。2003  
*Daltonia angustifolia* Dozy & Molk. var. *gemmaephylloides* Fleisch. 狹葉小黃蘚變種 Ref. Chiang & Kuo, 1989  
*Daltonia aristifolia* Ren. & Card. Ref. 高謙、賴明洲。2003  
*Distichophyllum collenchymatosum* Card. 厚角黃蘚 Ref. 高謙、賴明洲。2003  
*Distichophyllum cuspidatum* (Dozy & Molk.) Dozy & Molk. Ref. 高謙、賴明洲。2003  
*Distichophyllum jungermannioides* (C. Muell.) Bosch & Lac. Ref. 高謙、賴明洲。2003  
*Distichophyllum maibarae* Besch. 東亞黃蘚 Ref. 高謙、賴明洲。2003  
*Distichophyllum mittenii* Bosch & Lac. Ref. 高謙、賴明洲。2003  
*Distichophyllum nigricaulis* Mitt. Ref. 高謙、賴明洲。2003  
*Distichophyllum obtusifolium* Ther. Ref. 高謙、賴明洲。2003  
*Distichophyllum osterwaldii* Fleisch. Ref. 高謙、賴明洲。2003  
*Distichophyllum pseudomalayense* Chiang & Kuo, 1989 Ref. 高謙、賴明洲。2003  
*Hookeria acutifolia* Hook. & Grev. 尖葉油蘚 Ref. 高謙、賴明洲。2003  
*Schizomitrium papillatum* (Mont.) Sull. var. *longifolium* (Fleisch.) Mill., Whitt. & Whitt. Ref. 高謙、賴明洲。2003  
*Schizomitrium papillatum* (Mont.) Sull. Ref. 高謙、賴明洲。2003

#### Family Hypopterygiaceae 孔雀蘚科

*Cyathophorella hookeriana* (Griff.) Fleisch. 短肋雉尾蘚 Ref. 高謙、賴明洲。2003  
*Cyathophorella intermedia* (Mitt.) Broth. Ref. 高謙、賴明洲。2003  
*Cyathophorella kyusyuensis* Horik. & Nog. var. *Grandistipulacea* (Dix. & Sak.) Nog. Ref. 高謙、賴明洲。2003  
*Cyathophorella kyusyuensis* Horik. & Nog. Ref. 高謙、賴明洲。2003  
*Cyathophorella taiwaniana* Lai Ref. 高謙、賴明洲。2003  
*Cyathophorella tonkinensis* (Broth. & Par.) Broth. Ref. 高謙、賴明洲。2003  
*Dendroclyathophorum herzogii* Gangulee Ref. 高謙、賴明洲。2003  
*Dendroclyathophorum paradoxum* (Broth.) Dix. 樹雉尾蘚 Ref. 高謙、賴明洲。2003  
*Hypopterygium aristatum* Bosch & Lac. Ref. 高謙、賴明洲。2003  
*Hypopterygium formosanum* Nog. Ref. 高謙、賴明洲。2003  
*Hypopterygium japonicum* Mitt. 東亞孔雀蘚 Ref. 高謙、賴明洲。2003

*Hypopterygium tenellum* C. Muell. 南亞孔雀蘚 Ref. 高謙、賴明洲。2003

### Family Leucomiaceae 白蘚科

*Leucomium aneurodictyon* (C. Muell.) Jaeg. Ref. 高謙、賴明洲。2003

*Leucomium strumosum* (Hornsch.) Mitt. Ref. Redfearn et al., 1996

### Family Symphyodontaceae 刺果蘚科

*Hookeriopsis pappeana* (Hampe) Jaeg. Ref. 高謙、賴明洲。2003

*Hookeriopsis utacamundiana* (Mont.) Broth. Ref. 高謙、賴明洲。2003

*Symphyodon complanatus* Dix. Ref. Tan, 1994

*Symphyodon perrottetii* Mont. 刺果蘚 Ref. 高謙、賴明洲。2003

## Order Hypnales 灰蘚目

### Family Amblystegiaceae 柳葉蘚科

*Amblystegium brevicuspidatum* Dixon Ref. 高謙、賴明洲。2003

*Amblystegium serpens* (Hedw.) B. S. G. 柳葉蘚 Ref. 高謙、賴明洲。2003

*Campyliadelphus stellatus* (Hedw.) Kanda Chiang & Kuo, 1989 Ref. 高謙、賴明洲。2003

*Campylium stellatum* (Hedw.) C. Jens. 仰葉細濕蘚 Ref. Redfearn et al., 1996

*Cratoneuron filicinum* (Hedw.) Spruce. 牛角蘚 Ref. 高謙、賴明洲。2003

*Cratoneuron formosanum* Broth. Ref. 高謙、賴明洲。2003

*Hygrohypnum smithii* (Sw.) Broth. Ref. Chiang & Kuo, 1989

*Platyhypnidium riparioides* (Hedw.) Loesk. 圓葉平灰蘚 Ref. 高謙、賴明洲。2003

*Sanionia uncinata* (Hedw.) Loeske 鈎枝蘚 Ref. 高謙、賴明洲。2003

*Sasaokaea aomoriensis* (Paris) Kanda Ref. 高謙、賴明洲。2003

### Family Brachytheciaceae 青蘚科

*Cirriphyllum cirrosomum* (Schwaegr.) Grout 闊葉毛尖蘚 Ref. Chiang & Kuo, 1989

*Cirriphyllum piliferum* (Hedw.) Grout 毛尖蘚 Ref. 同前

*Eurhynchium angustirete* (Broth.) T. Kop. Ref. 高謙、賴明洲。2003

*Eurhynchium asperisetum* (C. Muell.) Bartr. Ref. 高謙、賴明洲。2003

*Eurhynchium celebicum* Bartr. Ref. 高謙、賴明洲。2003

*Eurhynchium eustegium* (Besch.) Dix. 美喙蘚 Ref. 高謙、賴明洲。2003

*Eurhynchium hians* (Hedw.) Lac. Ref. Redfearn et al., 1996

*Eurhynchium savatieri* Schimp. ex Besch. Ref. 林。1990

*Eurhynchium striatum* (Hedw.) Schimp. Ref. Kuo & Chiang, 1987

*Homalothecium laevisetum* Lac. Ref. 高謙、賴明洲。2003

*Homalothecium leucodonticaule* (C. Muell.) Broth. 密葉同蒴蘚 Ref. Redfearn et al., 1996

*Homalothecium perimbricatum* Broth. var. *brevifolium* Tak. 密葉同蒴蘚變種 Ref. 高謙、賴明洲。2003

*Homalothecium perimbricatum* Broth. 密葉同蒴蘚 Ref. 高謙、賴明洲。2003

*Kindbergia arbuscula* (Brotherus) Ochyra Ref. Redfearn et al., 1996

*Kindbergia praelonga* (Hedw.) Ochyra Ref. 同前

*Leptodictyum riparium* (Hedw.) Warnst. 薄網蘚 Ref. 高謙、賴明洲。2003

*Leptodictyum serrulatum* Broth. nom. nud. Ref. 高謙、賴明洲。2003

*Leptodontium flexifolium* (Dicks. ex With.) Hampe 齒葉薄齒蘚 Ref. 高謙、賴明洲。2003

*Leptodontium taiwanense* Nog. Ref. 高謙、賴明洲。2003

*Leptodontium viticulosoides* (P. Beauv.) Wijk & Marg. 薄齒蘚 Ref. 高謙、賴明洲。2003

*Leptodontium viticulosoides* (P. Beauv.) Wijk & Marg. var. *subdenticulatum* (C. Muell.) Wik & Marg. 薄齒蘚變種 Ref. 高謙、賴明洲。2003

*Palamocladium macrostegium* (Sull. & Lesq.) Iwats. & Tak. 東亞摺葉蘚 Ref. 高謙、賴明洲。2003

*Palamocladium neilgheriense* (Montagne) C. Mueller 東亞摺葉蘚 Ref. 高謙、賴明洲。2003

*Pseudisothecium myosuroides* (Linn.) Grou Ref. 高謙、賴明洲。2003

*Pseudoscleropodium purum* (Hedw.) Fleisch. Ref. 高謙、賴明洲。2003

*Rhynchostegiella leptoneura* Dix. & Ther. 細肋細喙蘚 Ref. 高謙、賴明洲。2003

*Rhynchostegiella celebicum* (Lac.) Jaeg. Ref. Lin, 1988

*Rhynchostegiella fauriei* Card. Ref. 高謙、賴明洲。2003

*Rhynchostegiella inclinatum* (Mitt.) Jaeg. 斜枝長喙蘚 Ref. 高謙、賴明洲。2003

*Rhynchostegiella ovalifolium* Okam. Ref. 林。1990

*Rhynchostegiella pallidifolium* (Mitt.) Jaeg. 淡葉長喙蘚 Ref. Redfearn et al., 1996

*Rhynchostegiella plumosum* Ther. Ref. 高謙、賴明洲。2003

*Rhynchostegiella rubro-carinatum* Sak. Ref. 高謙、賴明洲。2003

*Rhynchostegiella suzukae* Broth. Ref. 高謙、賴明洲。2003

*Rhynchostegiella vagans* Jaeg. Ref. 高謙、賴明洲。2003

*Stereodon deflexifolius* Broth. Ref. 高謙、賴明洲。2003

*Stokesiella arbuscula* (Broth.) Robins. Ref. 高謙、賴明洲。2003

*Stokesiella arbuscula* (Broth.) Robins. var. *acuminata* (Tak.) Tak. Ref. 高謙、賴明洲。2003

*Stokesiella praelonga* (Hedw.) Robins. Ref. 高謙、賴明洲。2003

### Family Entodontaceae 絹蘚科

*Entodon caliginosus* (Mitt.) Jaeg. Ref. 高謙、賴明洲。2003

*Entodon dolichocuculatus* Okamura Ref. 高謙、賴明洲。2003

*Entodon macropodus* (Hedw.) C. Muell. 狹葉絹蘚 Ref. 高謙、賴明洲。2003

*Entodon morrisonensis* Nog. Ref. 高謙、賴明洲。2003

*Entodon obtusatus* Broth. 鈍葉絹蘚 Ref. 高謙、賴明洲。2003

*Entodon sullivantii* (C. Muell.) Lindb. var. *versicolor* (Besch. (Schrebelle)) U. Mizushima 尖葉絹蘚 Ref. 高謙、賴明洲。2003

*Entodon taiwanensis* C.-K. Wang & S.-h. Lin Ref. 高謙、賴明洲。2003  
*Entodon viridulus* Card. Ref. 高謙、賴明洲。2003  
*Erythrodontium julaceum* (Schwaegr.) Par. 穗枝赤齒蘚 Ref. 高謙、賴明洲。2003  
*Mesonodon flavescens* (W. J. Hooker) Buck 黃色斜蒴蘚 Ref. 高謙、賴明洲。2003  
*Pterigynandrum filiforme* Hedw. 腋胞蘚 Ref. Chiang & Kuo, 1989

#### Family Fabroniaceae 碎米蘚科

*Anacamptodon amblystegioides* Card. Ref. 高謙、賴明洲。2003  
*Fabronia ciliaris* (Brid.) Brid. 八齒碎米蘚 Ref. Chiang & Kuo, 1989  
*Fabronia curvirostris* Dozy & Molk. Ref. 高謙、賴明洲。2003  
*Fabronia matsumurae* Besch. 東亞碎米蘚 Ref. Chiang & Kuo, 1989  
*Fabronia secunda* Mont. Ref. 高謙、賴明洲。2003  
*Fauriella tenuis* (Mitt.) Card. 粗疣蘚 Ref. 高謙、賴明洲。2003  
*Helicodontium formosicum* (Cardot) Buck Ref. 高謙、賴明洲。2003  
*Schwetschkeea matsumurae* Besch. 東亞附幹蘚 Ref. 高謙、賴明洲。2003  
*Schwetschkeopsis fabronia* (Schwaegr.) Broth. 東亞擬附幹蘚 Ref. Chiang & Kuo, 1989  
*Schwetschkeopsis formosana* Nog. Ref. 高謙、賴明洲。2003

#### Family Hylocomiaceae 塔蘚科

*Leptocliadiella psilura* (Mitt.) Fleisch. Ref. 高謙、賴明洲。2003  
*Loeskeobryum cavifolium* (Lac.) Fleisch. 船葉假蔓蘚 Ref. 高謙、賴明洲。2003  
*Lopidium nazeense* (Ther.) Broth. 東亞雀尾蘚 Ref. 高謙、賴明洲。2003  
*Lopidium struthiopteris* (Brid.) Fleisch. Ref. 高謙、賴明洲。2003  
*Lopidium trichocladon* (Bosch & Lac.) Fleisch. Ref. 高謙、賴明洲。2003  
*Macrothamnium macrocarpum* (Reinw. & Hornsch.) Fleisch. 南木蘚 Ref. Chiang, 1995  
*Macrothamnium submacrocarpum* (Ren. & Card.) Fleisch. Ref. 高謙、賴明洲。2003  
*Neodolichomitra yunnanensis* (Besch.) T. Kop. 新船葉蘚 Ref. 高謙、賴明洲。2003  
*Rhytidadelphus triquerus* (Hedw.) Warnst. 擬垂枝蘚 Ref. 高謙、賴明洲。2003

#### Family Hypnaceae 灰蘚科

*Ctenidium andoi* Nishimura Ref. 高謙、賴明洲。2003  
*Ctenidium capillifolium* (Mitt.) Broth. 毛葉梳蘚 Ref. 高謙、賴明洲。2003  
*Ctenidium enerve* (Herz. & Nog.) Kanda Ref. 高謙、賴明洲。2003  
*Ctenidium lychnitens* (Mitt.) Broth. Ref. 高謙、賴明洲。2003  
*Ctenidium malacobolum* (C. Muell.) Broth. Ref. 高謙、賴明洲。2003  
*Ctenidium molluscum* (Hedw.) Mitt. 梳蘚 Ref. 高謙、賴明洲。2003  
*Ctenidium pinnatum* Ihs. Ref. 高謙、賴明洲。2003  
*Ctenidium serratifolium* (Card.) Broth. Ref. 高謙、賴明洲。2003  
*Ctenidium stellulatum* Mitt. Ref. 高謙、賴明洲。2003  
*Ectropotheciella distichophylla* (Hampe) Fleisch. Ref. 高謙、賴明洲。2003  
*Ectropothecium buitenzorgii* (Bel.) Mitt. Ref. 高謙、賴明洲。2003  
*Ectropothecium dealbatum* (Reinw. & Hornsch.) Jaeg. Ref. 高謙、賴明洲。2003  
*Ectropothecium formosanum* Broth. nom. nud. Ref. 高謙、賴明洲。2003  
*Ectropothecium intorquatum* (Dozy & Molk.) Jaeg. Ref. 高謙、賴明洲。2003  
*Ectropothecium leptotapes* (Card.) Sak. Ref. 高謙、賴明洲。2003  
*Ectropothecium monumentorum* (Duby) Jaeg. Ref. 高謙、賴明洲。2003  
*Ectropothecium moritzii* Jaeg. Ref. 高謙、賴明洲。2003  
*Ectropothecium obtusulum* (Card.) Iwats. 廣葉偏蒴蘚 Ref. 高謙、賴明洲。2003  
*Ectropothecium ohoshimense* Card. & Thér. Ref. 高謙、賴明洲。2003  
*Ectropothecium pendulum* Broth. nom. nud. Ref. 高謙、賴明洲。2003  
*Ectropothecium perminutum* Broth. Ref. 高謙、賴明洲。2003  
*Ectropothecium yasudae* Broth. Ref. 高謙、賴明洲。2003  
*Ectropothecium zollingeri* (C. Muell.) Jaeg. 平葉偏蒴蘚 Ref. 高謙、賴明洲。2003  
*Eurohypnum leptothallum* (C. Muell.) Ando 美灰蘚 Ref. 高謙、賴明洲。2003  
*Gollania arisanensis* Sak. Ref. 高謙、賴明洲。2003  
*Gollania benguetensis* Broth. Ref. 林。1990  
*Gollania clarescens* (Mit.) Broth. Ref. 高謙、賴明洲。2003  
*Gollania cylindricarpa* (Mitt.) Broth. Ref. 高謙、賴明洲。2003  
*Gollania japonica* (Card.) Ando Ref. 高謙、賴明洲。2003  
*Gollania philippinensis* (Broth.) Nog. Ref. Redfearn et al., 1996  
*Gollania robusta* Broth. Ref. 高謙、賴明洲。2003  
*Gollania ruginosa* (Mitt.) Broth. 皺葉粗枝蘚 Ref. 高謙、賴明洲。2003  
*Gollania varians* (Mitt.) Broth. 粗枝蘚 Ref. 高謙、賴明洲。2003  
*Herzogiella perrobusta* (Broth. ex Card.) Iwats. Ref. 高謙、賴明洲。2003  
*Homomallium connexum* (Card.) Broth. 東亞毛灰蘚 Ref. 高謙、賴明洲。2003  
*Homomallium simlaense* (Mitt.) Broth. Ref. Chiang, 1987  
*Hondaella brachytheciella* (Broth. & Par.) Ando Ref. 高謙、賴明洲。2003  
*Hypnum calcicolum* Ando 尖葉灰蘚 Ref. Chiang, 1987  
*Hypnum cupressiforme* L. 柏狀灰蘚 Ref. 高謙、賴明洲。2003  
*Hypnum densirameum* Ando Ref. 高謙、賴明洲。2003  
*Hypnum fauriei* Card. 果灰蘚 Ref. 林。1990  
*Hypnum kushakuense* Card. Ref. 高謙、賴明洲。2003  
*Hypnum macrogynum* Besch. Ref. 高謙、賴明洲。2003

*Hypnum pallescens* (Hedw.) P. Beauv. 黃灰蘚 Ref. 高謙、賴明洲。2003  
*Hypnum plumaeforme* Wils. 多形灰蘚 Ref. 高謙、賴明洲。2003  
*Hypnum plumaeforme* Wils. var. *Minus* Broth. 多形灰蘚變種 Ref. 高謙、賴明洲。2003  
*Hypnum plumaeforme* Wils. var. *Alare* (Par.) Ihs. 多形灰蘚變種 Ref. 高謙、賴明洲。2003  
*Hypnum subimponens* Lesq. subsp. *ulophyllum* (C. Muell.) Ando Ref. 高謙、賴明洲。2003  
*Hypnum subimponens* Lesq. Ref. 高謙、賴明洲。2003  
*Hypnum tristo-viride* (Broth.) Par. Ref. 高謙、賴明洲。2003  
*Isopterygium albescens* (Hook.) Jaeg. Ref. 高謙、賴明洲。2003  
*Isopterygium minutifolium* Card. & Thér. Ref. 高謙、賴明洲。2003  
*Isopterygium minutirameum* (C. Muell.) Jaeg. Ref. 高謙、賴明洲。2003  
*Isopterygium pohliaecarpum* (Sull. & Lrsq.) Jaeg. Ref. 高謙、賴明洲。2003  
*Isopterygium subdepressum* Broth. nom. nud. Ref. 高謙、賴明洲。2003  
*Isopterygium tenerum* (Sw.) Mitt. Ref. 高謙、賴明洲。2003  
*Phylodon lingulatus* (Card.) Buck Ref. Redfearn et al., 1996  
*Pseudotaxiphyllum pohliaecarpum* (Sull. & Lrsq.) Iwatsuki 東亞同葉蘚 Ref. 同前  
*Ptilium crista-castrensis* (Hedw.) De Not. 毛梳蘚 Ref. 高謙、賴明洲。2003  
*Pylaisiella subcircinata* (Card.) Iwats. & Nog. Ref. 林。1990  
*Taxiphyllum alare* (Brotherus & Yasuda) Lin, 1988 Ref. 高謙、賴明洲。2003  
*Taxiphyllum cuspidifolium* (Cardot) Iwats. Ref. 高謙、賴明洲。2003  
*Taxiphyllum eurhynchioides* Iwats. nom. nud. Ref. 高謙、賴明洲。2003  
*Taxiphyllum eximium* (Sull. & Lesq.) Iwats. Ref. 高謙、賴明洲。2003  
*Taxiphyllum giraldii* (C. Muell.) Fleisch. 鱗葉蘚 Ref. 高謙、賴明洲。2003  
*Taxiphyllum pilosum* (Broth. & Yas.) Iwats. Ref. 高謙、賴明洲。2003  
*Taxiphyllum subarcuatum* (Broth.) Iwats. Ref. 高謙、賴明洲。2003  
*Taxiphyllum taiwanensis* Sak. Ref. 高謙、賴明洲。2003  
*Taxiphyllum taxirameum* (Mitt.) Fleisch. 長葉鱗葉蘚 Ref. 高謙、賴明洲。2003  
*Taxithelium batanense* Bartr. Ref. 高謙、賴明洲。2003  
*Taxithelium instratum* (Brid.) Broth. Ref. 高謙、賴明洲。2003  
*Taxithelium parvulum* (Broth. & Par.) Broth. Ref. 高謙、賴明洲。2003  
*Trachythecium micropyxis* (Broth.) Bartr. Ref. 高謙、賴明洲。2003  
*Trachythecium verrucosum* (Jaeg.) Fleisch. 刺蒴蘚 Ref. 高謙、賴明洲。2003  
*Trachythecium verrucosum* (Jaeg.) Fleisch. var. *binervuhum* Herz. 刺蒴蘚變種 Ref. 高謙、賴明洲。2003

#### Family Leskeaceae 薄羅蘚科

*Bryohaplocladium angustifolium* (Hampe & C. Muell.) Watanabe & Iwatsuki 小羽蘚 Ref. 高謙、賴明洲。2003  
*Bryohaplocladium larminatii* (Broth. & Par.) Watanabe Ref. 高謙、賴明洲。2003  
*Bryohaplocladium microphyllum* (Hedw.) Watanabe 細葉小羽蘚 Ref. 高謙、賴明洲。2003  
*Iwatsukiella leucotricha* (Mitten) Buck & Crum Ref. 高謙、賴明洲。2003  
*Lescurea incurvata* (Hedw.) Lawt. 彎葉多毛蘚 Ref. 高謙、賴明洲。2003  
*Lescurea morrisonensis* (Tak.) Nog. & Tak. Ref. 高謙、賴明洲。2003  
*Lescurea mutabilis* (Brid.) Lindb. ex Hag. Ref. 高謙、賴明洲。2003  
*Lescurea saxicola* (B. S. G.) Mol. Ref. Lor.  
*Leskea subacuminata* Nog. Ref. 高謙、賴明洲。2003  
*Okamuraea brachydictyon* (Card.) Nog. 短枝摺蘚 Ref. 高謙、賴明洲。2003  
*Okamuraea hakoniensis* (Mitt.) Broth. 摺蘚 Ref. 高謙、賴明洲。2003  
*Pseudoleskeopsis zippelii* (Dozy & Molk.) Broth. 擬草蘚 Ref. 高謙、賴明洲。2003  
*Pseudopleuropus morrisonensis* Takaki Ref. Chiang, 1998  
*Regmatodon declinatus* (Hook.) Brid. 異齒蘚 Ref. 高謙、賴明洲。2003

#### Family Plagiotheciaceae 棉蘚科

*Entodontopsis anceps* (Bosch & Sande Lac.) Buck & Ireland 尖葉硬葉蘚 Ref. Chiang & Kuo, 1989  
*Entodontopsis nitens* (Mitt.) Buck & Ireland Ref. 高謙、賴明洲。2003  
*Orthothecium rufescens* (Brid.) B. S. G. Ref. Chiang & Kuo, 1989  
*Plagiothecium cavifolium* var. *fallax* (Cardot & Theriot) Iwats. 圓枝棉蘚 Ref. 高謙、賴明洲。2003  
*Plagiothecium curvifolium* Schlieph. & Limpr. Ref. Chiang & Kuo, 1989  
*Plagiothecium denticulatum* (Hedwig) W. P. Schimper 棉蘚 Ref. 林。1991  
*Plagiothecium euryphyllum* (Cardot & Theriot) Iwatsuki Ref. 高謙、賴明洲。2003  
*Plagiothecium formosicum* Broth. & Yas. Ref. 高謙、賴明洲。2003  
*Plagiothecium neckeroideum* B. S. G. 扁枝棉蘚 Ref. 高謙、賴明洲。2003  
*Plagiothecium neckeroideum* var. *niitakayamae* (Toyama) Iwatsuki 扁枝棉蘚變種 Ref. Redfearn et al., 1996  
*Plagiothecium nemorale* (Mitt.) Jaeg. 垂蒴棉蘚 Ref. 高謙、賴明洲。2003  
*Plagiothecium niitakayamae* Toyama Ref. 高謙、賴明洲。2003  
*Plagiothecium shinii* Sak. Ref. 高謙、賴明洲。2003  
*Plagiothecium sylvaticum* B. S. G. Ref. 高謙、賴明洲。2003  
*Stereophyllum formosanum* Iwats. nom. nud. Ref. 高謙、賴明洲。2003

#### Family Rhytidiaceae 垂枝蘚科

*Rhytidium rugosum* (Hedw.) Kindb. 垂枝蘚 Ref. 高謙、賴明洲。2003

#### Family Sematophyllaceae 錦蘚科

*Acanthorrhynchium papillatum* (Harv.) Fleisch. Ref. 高謙、賴明洲。2003  
*Acroporium alto-pungens* (C. Muell.) Broth. Ref. Chiang & Kuo, 1989  
*Acroporium diminutum* (Brid.) Fleisch. Ref. 高謙、賴明洲。2003  
*Acroporium lamprophyllum* Mitt. Ref. Redfearn et al., 1996

*Acroporium oxyporum* (Sande Lac.) Fleisch. Ref. 高謙、賴明洲。2003  
*Acroporium suzukii* Sak. Ref. 高謙、賴明洲。2003  
*Aptychella brevinervis* (Fl.) Fl. Ref. Chiang & Kuo, 1989  
*Aptychella glomerato-propagulifera* (Toy.) Seki Ref. 高謙、賴明洲。2003  
*Aptychella robusta* (Broth.) Fleisch. Ref. 高謙、賴明洲。2003  
*Brotherella crassipes* Sak. Redfearn et al., 1996 Ref. 高謙、賴明洲。2003  
*Brotherella falcate* (Dozy & Molk.) Fleisch. Ref. Redfearn et al., 1996  
*Brotherella fauriei* (Card.) Broth. Ref. 同前  
*Brotherella formosana* Broth. Ref. 同前  
*Brotherella henonii* (Duby) Fleisch. Ref. 同前  
*Brotherella herbacea* Sak. Ref. 同前  
*Brotherella integrifolia* Broth. Ref. 同前  
*Brotherella recurvans* (Michx.) Fleisch. Ref. 同前  
*Brotherella subintegra* Broth. Ref. 同前  
*Chionostomum rostratum* (Griff.) C. Muell. 花錦蘚 Ref. 高謙、賴明洲。2003  
*Clastobryopsis brevinervis* Fleisch. Ref. Redfearn et al., 1996  
*Clastobryopsis planula* (Mitt.) Fleisch. 扁枝竹蘚 Ref. Lin, 1988  
*Clastobryopsis robusta* (Broth.) Fleisch. Ref. Redfearn et al., 1996  
*Clastobryum glabrescens* (Iwats.) Tan & Iwats. Ref. 同前  
*Gammiella ceylonensis* (Broth.) Tan & Buck Ref. 同前  
*Gammiella merrillii* (Broth.) Tixier Ref. 高謙、賴明洲。2003  
*Gammiella tonkinensis* (Broth. & Par.) Tan Ref. Redfearn et al., 1996  
*Giraldiella levieri* C. Muell. 絲灰蘚 Ref. 高謙、賴明洲。2003  
*Glossadelphus alaris* Broth. & Yas. Ref. 高謙、賴明洲。2003  
*Glossadelphus lingulatus* (Card.) Fleisch. Ref. 高謙、賴明洲。2003  
*Heterophyllum affine* (Mitt.) Fleisch. Ref. 高謙、賴明洲。2003  
*Heterophyllum nemorosum* Broth. Ref. 高謙、賴明洲。2003  
*Isoladiella flagellifera* (Sak.) S.-h. Lin Ref. Lin, 1988  
*Isoladiella surcularis* (Dix.) Tan & Mohamed Ref. Redfearn et al., 1996  
*Mastopoma perundulatum* (Harv.) Mitt. Ref. 高謙、賴明洲。2003  
*Meiothecium microcarpum* (Hook.) Mitt. Ref. 高謙、賴明洲。2003  
*Neacroporium flagelliferum* (Sa.) Iwats. & Nog. Ref. 高謙、賴明洲。2003  
*Palisadula chrysophylla* (Card.) Toyama Ref. 高謙、賴明洲。2003  
*Pylaisiadelpha crassipes* (Sak.) Buck Ref. 高謙、賴明洲。2003  
*Pylaisiadelpha falcata* (Doz. & Molk.) Buck Ref. 高謙、賴明洲。2003  
*Pylaisiadelpha fauriei* (Card.) Buck Ref. 高謙、賴明洲。2003  
*Pylaisiadelpha formosana* (Broth.) Buck Ref. 高謙、賴明洲。2003  
*Pylaisiadelpha hanoi* (Dub.) Buck Ref. 高謙、賴明洲。2003  
*Pylaisiadelpha herbacea* (Sak.) Buck Ref. 高謙、賴明洲。2003  
*Pylaisiadelpha integrifolia* (Broth.) Buck 全緣小錦蘚 Ref. 高謙、賴明洲。2003  
*Pylaisiadelpha recurvans* (Michx.) Buck Ref. 高謙、賴明洲。2003  
*Pylaisiadelpha subintegra* (Broth.) Buck Ref. 高謙、賴明洲。2003  
*Pylaisiadelpha tenuirostris* (Bruch & Schimp ex. Sull.) Buck 扁枝小錦蘚 Ref. Redfearn et al., 1996  
*Pylaisiadelpha yokohamae* (Broth.) Buck Ref. 高謙、賴明洲。2003  
*Radulina hamata* (Dozy & Molk.) Buck & Tan 鈎葉刺疣蘚 Ref. Redfearn et al., 1996  
*Rhaphidostichum boschii* (Dozy & Miolk.) Seki Ref. 高謙、賴明洲。2003  
*Rhaphidostichum boschii* (Dozy & Miolk.) Seki subsp. *thelidictyon* (Sull. & Lesq.) Seki Ref. 高謙、賴明洲。2003  
*Rhaphidostichum piliferum* (Broth.) Broth. Ref. 高謙、賴明洲。2003  
*Rhaphidostichum stissophyllum* (Hampe) Chiang & Kuo, 1989 Ref. 高謙、賴明洲。2003  
*Sematophyllum demissum* (Wils.) Mitt. Ref. 高謙、賴明洲。2003  
*Sematophyllum pulchellum* (Card.) Broth. 美錦蘚 Ref. 高謙、賴明洲。2003  
*Sematophyllum robustulum* (Card.) Broth. 粗錦蘚 Ref. 高謙、賴明洲。2003  
*Sematophyllum subhumile* (C. Muell.) Fleisch. 短錦蘚 Ref. 高謙、賴明洲。2003  
*Sematophyllum subhumile* (C. Muell.) Fleisch. subsp. *japonicum* (Broth.) Seki 短錦蘚亞種 Ref. 高謙、賴明洲。2003  
*Sematophyllum tristiculum* (Mitt.) Fleisch. Ref. 高謙、賴明洲。2003  
*Trichosteleum boschii* (Dozy & Molk.) Jaeg. Ref. Redfearn et al., 1996  
*Trichosteleum hamata* (Dozy & Molk.) Buck & Tan 鈎葉刺疣蘚 Ref. 高謙、賴明洲。2003  
*Trichosteleum stissophyllum* (Hampe) Jaeg. Ref. Redfearn et al., 1996  
*Trichostomum brachydontium* Bruch Ref. 林。1990  
*Trichostomum cylindricum* (Brid.) C. Muell. var. *brotheri* Ihsiba Ref. 高謙、賴明洲。2003  
*Trichostomum lanuginosum* (Hedw.) Brid. Ref. 高謙、賴明洲。2003  
*Trichostomum planifolium* (Dix.) Zande Ref. Redfearn et al., 1996  
*Trichostomum platyphyllum* (Broth. ex Ihs.) P.-c. Chen Ref. 高謙、賴明洲。2003  
*Trichostomum recurvifolium* (Tayl.) Zand. Ref. Redfearn et al., 1996  
*Trichostomum tenuirostre* (Hook. & Tayl.) Lindb. Ref. 同前  
*Trismegistia undulata* Broth. & Yas. 波葉金枝蘚 Ref. 同前  
*Tristichella glabrescens* Iwatsuki Ref. 高謙、賴明洲。2003  
*Wijkia deflexifolia* (Ren. & Card.) Crum Ref. 高謙、賴明洲。2003  
*Wijkia semitortipila* (Fleisch.) Lin 短葉小石蘚 Ref. 高謙、賴明洲。2003  
*Wijkia tanytricha* (Mont.) Crum Ref. Chiang, 1996

#### Family Theliaceae 鱗蘚科

*Myurella julacea* (Schwaegr.) B. S. G. 鈍葉小鼠尾蘚 Ref. 高謙、賴明洲。2003

### Family Thuidiaceae 羽蘚科

- Abietinella abietina* (Hedw.) Fleisch. Ref. 高謙、賴明洲。2003  
*Actinodontium raphidostegum* (C. Muell.) Bosch & Lac. 皺葉假黃蘚 [特有] Ref. 高謙、賴明洲。2003  
*Actinothuidium hookeri* (Mitt.) Broth. 錦絲蘚 Ref. 高謙、賴明洲。2003  
*Anomodon acutifolius* Mitt. Ref. 高謙、賴明洲。2003  
*Anomodon viticulosus* (Hedw.) Hook. & Tayl. Ref. 高謙、賴明洲。2003  
*Boulaya mittenii* (Broth.) Card. 蟲毛蘚 Ref. 高謙、賴明洲。2003  
*Bryonorrhisia acutifolia* (Mitt.) Enroth Ref. Redfearn et al., 1996  
*Claopodium aciculum* (Broth.) Broth. Ref. 高謙、賴明洲。2003  
*Claopodium assurgens* (Sull. & Lesq.) Card. Ref. 高謙、賴明洲。2003  
*Claopodium gracillimum* (Card. & Ther.) Nog. Ref. 高謙、賴明洲。2003  
*Claopodium prionophyllum* Broth. Ref. 高謙、賴明洲。2003  
*Haplocladium angustifolium* (Hampe & C. Mueller.) Broth. 小羽蘚 Ref. Redfearn et al., 1996  
*Haplocladium capillatum* (Mit.) Broth. var. *spurio-capillatum* (Broth & Par.) Ihsiba Ref. 高謙、賴明洲。2003  
*Haplocladium larminatii* (Brotherus & Paris) Broth. f. *vissima* Ther. Nom. Nud. Ref. 高謙、賴明洲。2003  
*Haplocladium larminatii* (Brotherus & Paris) Broth. Ref. Redfearn et al., 1996  
*Haplocladium microphyllum* (Hedw.) Broth. 細葉小羽蘚 Ref. 同前  
*Haplohymenium formosanum* Nog. Ref. 高謙、賴明洲。2003  
*Haplohymenium longinerve* (Broth.) Broth. 長肋多枝蘚 Ref. 高謙、賴明洲。2003  
*Haplohymenium pseudo-triste* (C. Muell.) Broth. Ref. 高謙、賴明洲。2003  
*Haplohymenium sieboldii* (Dozy & Molk.) Dozy & Molk. 多枝蘚 Ref. 高謙、賴明洲。2003  
*Haplohymenium triste* (Ces.) Kindb. 小多枝蘚 Ref. 高謙、賴明洲。2003  
*Herpetineuron toccocae* (Sull. & Lesq.) Card. 羊角蘚 Ref. 高謙、賴明洲。2003  
*Leptopterigynandrum decolor* (Mitt.) Buck Ref. 林。1991  
*Miyabea fruticella* (Mitt.) Broth. 瓦葉蘚 Ref. 高謙、賴明洲。2003  
*Pelekium bifarium* (Doz. & Molk.) Fleisch. 二列鶴嘴蘚 Ref. 高謙、賴明洲。2003  
*Pelekium velatum* Mitt. 鶴嘴蘚 Ref. 高謙、賴明洲。2003  
*Thuidium bipinnatulum* Mitt. 二歧羽蘚 Ref. 林。1990  
*Thuidium bonianum* Besch. Ref. 高謙、賴明洲。2003  
*Thuidium contortulum* (Mitt.) Jaeger. Ref. 高謙、賴明洲。2003  
*Thuidium cymbifolium* (Dozy & Molk.) Dozy & Molk. 羽蘚 Ref. 高謙、賴明洲。2003  
*Thuidium glaucinoides* Broth. Ref. 高謙、賴明洲。2003  
*Thuidium glaucinum* (Mitt.) Bosch & Lac. 灰羽蘚 Ref. 高謙、賴明洲。2003  
*Thuidium kanedae* Sak. Ref. 高謙、賴明洲。2003  
*Thuidium lepidodiaceum* Sak. 細葉羽蘚 Ref. 高謙、賴明洲。2003  
*Thuidium minutulum* (Hedw.) Schimp. 單毛羽蘚 Ref. 高謙、賴明洲。2003  
*Thuidium occultissimum* (C. Muell.) Par. Ref. 高謙、賴明洲。2003  
*Thuidium philibertii* Limpr. 毛尖羽蘚 Ref. 林。1990  
*Thuidium plumulosum* (Dozy & Molk.) Dozy & Molk. Ref. 高謙、賴明洲。2003  
*Thuidium pristocalyx* (C. Muell.) Jaeg. Ref. Watanabe, 1991  
*Thuidium recognitum* (Hedw.) Lindb. var. *delicatulum* (Hedw.) Warnst. Ref. 高謙、賴明洲。2003  
*Thuidium sparsifolium* (Mitt.) Jaeg. Ref. 高謙、賴明洲。2003  
*Thuidium subglaucinum* Card. Ref. 高謙、賴明洲。2003  
*Thuidium tamariscellum* auct non (C. Muell.) Bosch. & Lac. Ref. 高謙、賴明洲。2003

## Order Isobryales 變齒蘚目

### Family Glyphomitriaceae 高領蘚科

- Glyphomitrium calycinum* (Mitt.) Card. Ref. 高謙、賴明洲。2003  
*Glyphomitrium formosanum* Iwats. Ref. 高謙、賴明洲。2003  
*Glyphomitrium formosanum* Iwats. var. *serratum* Iwats. Ref. 高謙、賴明洲。2003

### Family Prionodontaceae 毛蘚科

- Taiwanobryum robustum* Velouira Ref. Lai & Koponen, 1981  
*Taiwanobryum speciosum* Nog. 台灣蘚 Ref. 高謙、賴明洲。2003

### Family Ptychomniaceae 稜蒴蘚科

- Glyphothecium sciuroides* (Hook.) Broth. 直稜蘚 Ref. 高謙、賴明洲。2003  
*Hampeella pallens* (Sande Lac.) Fleisch. Ref. Chiang & Kuo, 1989

### Family Trachypodaceae 扭葉蘚科

- Diaphanodon blandus* (Harv.) Ren. & Card. 異節蘚 Ref. 高謙、賴明洲。2003  
*Duthiella flaccida* (Card.) Broth. var. *media* Nog. 軟枝綠鋸蘚變種 Ref. 高謙、賴明洲。2003  
*Duthiella flaccida* (Card.) Broth. 軟枝綠鋸蘚 Ref. 高謙、賴明洲。2003  
*Duthiella formosana* Nog. Ref. 高謙、賴明洲。2003  
*Duthiella speciosissima* Broth. 美綠鋸蘚 Ref. 高謙、賴明洲。2003  
*Duthiella wallichii* (Mitt.) C. Muell. 綠鋸蘚 Ref. 高謙、賴明洲。2003  
*Pseudospiridentopsis horrida* (Card.) Fleisch. f. *ofolia* Nog. 擬木毛蘚 Ref. 高謙、賴明洲。2003  
*Pseudospiridentopsis horrida* (Card.) Fleisch. 擬木毛蘚 Ref. 高謙、賴明洲。2003  
*Trachypodopsis auriculatus* (Mitt.) Fleisch. 大耳擬扭葉蘚 Ref. 高謙、賴明洲。2003  
*Trachypodopsis formosana* Nog. Ref. 高謙、賴明洲。2003  
*Trachypodopsis serrulata* (P. Beauv.) Fleisch. var. *crispatula* (Hook.) Zant. 擬扭葉蘚卷葉變種 Ref. 高謙、賴明洲。2003  
*Trachypus bicolor* Reinw. & Hornsch. var. *viridulus* (Mitt.) Zanten 扭葉蘚變種 Ref. 高謙、賴明洲。2003

*Trachypus bicolor* Reinw. & Hornsch. var. *hispidus* (C. Muell.) Cardot 扭葉蘚變種 Ref. 高謙、賴明洲。2003  
*Trachypus bicolor* Reinw. & Hornsch. 扭葉蘚 Ref. 高謙、賴明洲。2003  
*Trachypus bicolor* Reinw. & Hornsch. var. *scindifolius* (Sak.) Wijk & Marg. 扭葉蘚變種 Ref. 高謙、賴明洲。2003  
*Trachypus humilis* Lindb. 小扭葉蘚 Ref. 高謙、賴明洲。2003  
*Trachypus longifolius* Nog. Ref. 高謙、賴明洲。2003

## Order Leucodontales 白齒蘚目

### Family Climaciaceae 萬年蘚科

*Climacium dendriodes* (Hedw.) Web. & Mohr 萬年蘚 Ref. 高謙、賴明洲。2003

### Family Cryphaeaceae 隱蒴蘚科

*Cryphaea obovatocarpa* Okam. Ref. Chiang, 1996  
*Forsstroemia cryphaeoides* Card. 擬隱蒴殘齒蘚 Ref. Chiang & Kuo, 1989  
*Forsstroemia indica* (Mont.) Par. Ref. Redfearn et al., 1996  
*Forsstroemia recurvilinearis* Nog. Ref. 高謙、賴明洲。2003  
*Forsstroemia trichomitria* (Hedw.) Lindb. 殘齒蘚 Ref. Lindb.  
*Pilotrichopsis dentate* (Mitt.) Besch. 毛枝蘚 Ref. 高謙、賴明洲。2003  
*Pilotrichopsis dentate* (Mitt.) Besch. var. *hamulata* Nog. Ref. 高謙、賴明洲。2003  
*Sphaerotheciella sphaerocarpa* (Hook.) Fleisch. 球蒴蘚 Ref. Chiang & Kuo, 1989

### Family Hedwigiaceae 虎尾蘚科

*Hedwigia ciliata* (Hedw.) Ehrh. 虎尾蘚 Ref. 高謙、賴明洲。2003

### Family Leucodontaceae 白齒蘚科

*Antitrichia curtispindula* (Hedw.) Brid. 台灣逆毛蘚 [特有] Ref. Lin, 1988  
*Antitrichia formosana* Nog. 台灣逆毛蘚 [特有] Ref. 高謙、賴明洲。2003  
*Leucodon coreensis* Card. Ref. Lin, 1988  
*Leucodon exaltatus* C. Muell. Ref. Chiang & Kuo, 1989  
*Leucodon formosanus* Akiyama, 1987 Ref. 高謙、賴明洲。2003  
*Leucodon luteus* Besch. Ref. 高謙、賴明洲。2003  
*Leucodon morrisonensis* Nog. Ref. Zhang, 1982  
*Leucodon secundus* (Harv.) Mitt. 偏葉白齒蘚 Ref. 高謙、賴明洲。2003  
*Leucodon secundus* (Harv.) Mitt. var. *strictus* (Harvey in W. J. Hooker) Akiyama (1988) 偏葉白齒蘚變種 Ref. 高謙、賴明洲。2003  
*Leucodon sinensis* Ther. Ref. Chiang & Kuo, 1989  
*Leucodon sphaerocarpus* Akiyama, 1987 Ref. 高謙、賴明洲。2003  
*Leucodon subulatulus* Broth. Ref. 高謙、賴明洲。2003  
*Leucodon subulatus* Broth. Ref. Zhang, 1982  
*Leucodon temperatus* Akiyama, 1987 Ref. 高謙、賴明洲。2003

### Family Meteoriaceae 蔓蘚科

*Aerobryidium aureo-nitens* (Schwaegr.) Broth. Ref. Chiang & Kuo, 1989  
*Aerobryidium filamentosum* (Hook.) Fleisch. 毛扭蘚 Ref. 高謙、賴明洲。2003  
*Aerobryidium laosensis* (Broth. & Par.) S.-h. Lin, 1988 波葉假懸蘚 Ref. 高謙、賴明洲。2003  
*Aerobryidium levieri* (Ren. & Card.) S.-h. Lin, 1988 南亞假懸蘚 Ref. 高謙、賴明洲。2003  
*Aerobryidium wallichii* (Brid.) Towns. Ref. 高謙、賴明洲。2003  
*Aerobryopsis cochlearifolia* Dix. 異葉灰氣蘚 Ref. Wu & Lin, 1987  
*Aerobryopsis parisii* (Card.) Broth. Ref. 高謙、賴明洲。2003  
*Aerobryopsis subdivergens* (Broth.) Broth. 大灰氣蘚 Ref. 高謙、賴明洲。2003  
*Aerobryopsis subdivergens* (Broth.) Broth. var. *scariosa* (Bartr.) Nog. 大灰氣蘚變種 Ref. 高謙、賴明洲。2003  
*Aerobryum speciosum* (Dozy & Molk.) Dozy & Molk. 氣蘚 Ref. 高謙、賴明洲。2003  
*Barbella bififormis* Nog. Ref. Kuo & Chiang, 1987  
*Barbella compressiramea* (Ren. & Card.) Fleisch. & Broth. Ref. 高謙、賴明洲。2003  
*Barbella cubens* (Mitt.) Broth. 無肋懸蘚 Ref. 高謙、賴明洲。2003  
*Barbella densiramea* Broth. Ref. 高謙、賴明洲。2003  
*Barbella determesii* (Ren. & Card.) Fleisch. Ref. 高謙、賴明洲。2003  
*Barbella flagellifera* (Card.) Nog. 鞭枝懸蘚 Ref. 高謙、賴明洲。2003  
*Barbella linearifolia* S.-h. Lin, 1988 Ref. 高謙、賴明洲。2003  
*Barbella niitakayamensis* var. *propagulifera* (Nog.) S.-h. Lin, 1988 Ref. 高謙、賴明洲。2003  
*Barbella niitakayamensis* (Nog.) S.-h. Lin, 1988 Ref. 高謙、賴明洲。2003  
*Barbella pendula* (Sull.) Fleisch. 多疣懸蘚 Ref. 高謙、賴明洲。2003  
*Barbella turgida* Nog. Ref. Wu & Lin, 1987  
*Chrysocladium flammeum* (Mitt.) Fl. var. *ochraceum* (Nog.) Nog. Ref. 高謙、賴明洲。2003  
*Chrysocladium flammeum* (Mitt.) Fl. Ref. 高謙、賴明洲。2003  
*Chrysocladium flammeum* (Mitt.) Fl. var. *ruffolioides* (Broth.) Nog. Ref. 高謙、賴明洲。2003  
*Chrysocladium phaeum* (Mitt.) Fl. Ref. 高謙、賴明洲。2003  
*Chrysocladium retrorsum* (Mitt.) Fleisch. 垂蘚 Ref. 高謙、賴明洲。2003  
*Dicladiella trichophora* (Miomt.) Redf. & Tan 無肋懸蘚 Ref. Redfearn et al., 1996  
*Eumyrium sinicum* (Mitt.) Nog. 擬金毛蘚 Ref. 高謙、賴明洲。2003  
*Floribundaria aurea* (Mitt.) Broth. var. *nipponica* (Nog.) Nog. 橙色絲帶蘚變種 Ref. 高謙、賴明洲。2003  
*Floribundaria aurea* (Mitt.) Broth. 橙色絲帶蘚 Ref. 高謙、賴明洲。2003  
*Floribundaria floribunda* (Dozy & Molk.) Fleisch. 絲帶蘚 Ref. 高謙、賴明洲。2003  
*Floribundaria pseudo-floribunda* Fleisch. Ref. 高謙、賴明洲。2003  
*Floribundaria setschwanica* Broth. Ref. 高謙、賴明洲。2003  
*Floribundaria sparsa* (Mitt.) Broth. Ref. 高謙、賴明洲。2003

*Floribundaria torquata* Wang & Lin Ref. 高謙、賴明洲。2003  
*Floribundaria walkeri* (Ren. & Card.) Broth. 疏葉絲帶蘚 Ref. 高謙、賴明洲。2003  
*Meteoriopsis ancistrodes* (Ren. & Card.) Nog. Ref. Redfearn et al., 1996  
*Meteoriopsis reclinata* (C. Muell.) Fleisch. ex Broth. var. *subreclinata* Fleisch. 反葉粗蔓蘚變種 Ref. 同前  
*Meteoriopsis reclinata* (C. Muell.) 反葉粗蔓蘚 Ref. 高謙、賴明洲。2003  
*Meteoriopsis squarrosa* (Hook.) Fleisch. Ref. 高謙、賴明洲。2003  
*Meteoriopsis undulata* Horik. & Nog. 波葉粗蔓蘚 Ref. 高謙、賴明洲。2003  
*Meteorium atrovaregatum* Card. & Thér. Ref. Redfearn et al., 1996  
*Meteorium buchananii* (Card.) Broth. 原枝蔓蘚 Ref. 高謙、賴明洲。2003  
*Meteorium cucullatum* Lin & Wu Ref. Wu & Lin, 1986  
*Meteorium horikawae* Nog. Ref. Redfearn et al., 1996  
*Meteorium longipilum* Nog. Ref. 高謙、賴明洲。2003  
*Meteorium miquelianum* (C. Muell.) Fleisch. 蔓蘚 Ref. 高謙、賴明洲。2003  
*Meteorium miquelianum* (C. Muell.) Fleisch. subsp. *atrovariegatum* (Card. & Thér.) Nog. 蔓蘚亞種 Ref. 高謙、賴明洲。2003  
*Meteorium papillarioides* Nog. 細枝蔓蘚 Ref. 高謙、賴明洲。2003  
*Meteorium polytrichum* Dozy & Molke. Ref. 高謙、賴明洲。2003  
*Meteorium subpolytrichum* (Besch.) Broth. subsp. *horikawa* (Nog.) Nog. Ref. 高謙、賴明洲。2003  
*Meteorium subpolytrichum* (Besch.) Broth. 粗枝蔓蘚 Ref. 高謙、賴明洲。2003  
*Meteorium taiwanensis* Nog. Ref. 高謙、賴明洲。2003  
*Neobarbella comes* (Griff.) Nog. Ref. 高謙、賴明洲。2003  
*Neobarbella pilifera* (Broth. & Yas.) Nog. 尖葉新懸蘚 Ref. 高謙、賴明洲。2003  
*Neodictyella pendula* (Sull.) Buck Ref. Redfearn et al., 1996  
*Neonoguchia auriculata* (Copp. ex Thér.) S.-h. Lin, 1988 Ref. 高謙、賴明洲。2003  
*Papillaria crocea* (Hamp.) Jaeg. Ref. 高謙、賴明洲。2003  
*Papillaria flexicaulis* (Wils.) Jaeg. Ref. 高謙、賴明洲。2003  
*Papillaria semitorta* (C. Muell.) Jaeg. 扭葉松蘿蘚 Ref. 高謙、賴明洲。2003  
*Papillaria torquata* (Wang & Lin) Lin, 1988 Ref. 高謙、賴明洲。2003  
*Pseudobarbella ancistrodes* (Ren. & Card.) Manual Ref. 高謙、賴明洲。2003  
*Pseudobarbella angustifolia* Nog. Ref. 高謙、賴明洲。2003  
*Pseudobarbella attenuata* Thwait. & Mitt.) Nog. Ref. 高謙、賴明洲。2003  
*Pseudobarbella formosica* (Broth.) Nog. Ref. 高謙、賴明洲。2003  
*Pseudobarbella laxifolia* Nog. Ref. 高謙、賴明洲。2003  
*Pseudobarbella levieri* (Ren. & Card.) Nog. 南亞假懸蘚 Ref. 高謙、賴明洲。2003  
*Pseudobarbella propagulifera* Nog. Ref. 高謙、賴明洲。2003  
*Sinskea flammea* (Mitt.) Bucu subsp. *ochracea* (Nog.) Redfearn & Tan Ref. Redfearn et al., 1996  
*Sinskea flammea* (Mitt.) Buck Ref. 同前  
*Sinskea phaea* (Mitt.) Buck Ref. 同前  
*Toloxia semitorta* (C. Muell.) Buck 扭葉松蘿蘚 Ref. 同前  
*Tortula euryphylla* Zander 台灣牆蘚 Ref. 同前  
*Tortula muralis* Hedw. 泛生牆蘚 Ref. 高謙、賴明洲。2003  
*Tortula muralis* Hedw. var. *obcordata* (Schimp.) Limpr. 泛生牆蘚變種 Ref. Redfearn et al., 1996  
*Tortula nankomontana* Nog. Ref. 高謙、賴明洲。2003  
*Tortula norvegica* (Web.) Lindb. Ref. Chiang & Kuo, 1989  
*Tortula truncata* (Hedw.) Mitt. Ref. Redfearn et al., 1996  
*Trachycladiella aurea* (Mitt.) Menzel 橙色絲帶蘚 Ref. 同前  
*Trachycladiella sparsa* (Mitt.) Menzel Ref. 同前

#### Family Neckeraceae 平蘚科

*Himantocladium cyclophyllum* (C. Muell.) Fleisch. 闊葉波葉蘚 Ref. 高謙、賴明洲。2003  
*Himantocladium formosicum* Broth. & Yas. Ref. 高謙、賴明洲。2003  
*Himantocladium loriforme* (Bosch & Lac.) Fleisch. Ref. 高謙、賴明洲。2003  
*Himantocladium plumula* (Nees) Fleisch. Ref. 高謙、賴明洲。2003  
*Homalia trichomanoides* (Hedw.) B.S.G. 扁枝蘚 Ref. He, 1997  
*Homalia trichomanoides* (Hedw.) B.S.G. var. *japonica* (Besch.) S. He 扁枝蘚變種 Ref. He & Enroth, 1995  
*Homaliadelphus sharpie* (Will.) Sharp var. *rotundatus* (Nog.) Iwats. Ref. 高謙、賴明洲。2003  
*Homaliadelphus sharpii* (Will.) Sharp Ref. 高謙、賴明洲。2003  
*Homaliadelphus targionianus* (Mitt.) Dix. & P. Varde var. *rotundatus* Nog. 擬扁枝蘚變種 Ref. Redfearn et al., 1996  
*Homaliadelphus targionianus* (Mitt.) Dix. & P. Varde 擬扁枝蘚 Ref. 高謙、賴明洲。2003  
*Homaliodendron exiguum* (Bosch & Lac.) Fleisch. 小樹平蘚 Ref. 高謙、賴明洲。2003  
*Homaliodendron flabellatum* (Sm.) Fleisch. 樹平蘚 Ref. 高謙、賴明洲。2003  
*Homaliodendron javanicum* (C. Muell.) Fleisch. Ref. 高謙、賴明洲。2003  
*Homaliodendron ligulaefolium* (Mitt.) Fleisch. Ref. 高謙、賴明洲。2003  
*Homaliodendron microdendron* (Mont.) Fleisch. 鈍葉樹平蘚 Ref. 高謙、賴明洲。2003  
*Homaliodendron obtusatum* (Mitt.) Gang. Ref. 高謙、賴明洲。2003  
*Homaliodendron opacum* Nog. Ref. 高謙、賴明洲。2003  
*Homaliodendron pygmaeum* Herz. & Nog. Ref. 高謙、賴明洲。2003  
*Homaliodendron scalpellifolium* (Mitt.) Fleisch. 刀葉樹平蘚 Ref. 高謙、賴明洲。2003  
*Homaliodendron undulatum* Nog. Ref. 高謙、賴明洲。2003  
*Neckera crenulata* Harv. Ref. 高謙、賴明洲。2003  
*Neckera flexiramea* Card. Ref. 高謙、賴明洲。2003  
*Neckera flexiramea* Card. var. *attenuata* Nog. Ref. 高謙、賴明洲。2003  
*Neckera formosana* Nog. Ref. 高謙、賴明洲。2003

*Neckera konoii* Broth. Ref. 高謙、賴明洲。2003  
*Neckera morrisonensis* Nog. Ref. 高謙、賴明洲。2003  
*Neckera neckeroides* Broth. Ref. Enroth & Tan  
*Neckera pennata* Hedw. 羽平蘚 Ref. 高謙、賴明洲。2003  
*Neckera yezoana* Besch. var. *hayachinensis* (Card.) Nog. 短齒平蘚變種 Ref. 高謙、賴明洲。2003  
*Neckera yezozna* Besch. 短齒平蘚 Ref. 高謙、賴明洲。2003  
*Neckeropsis calcicola* Nog. Ref. 高謙、賴明洲。2003  
*Neckeropsis gracilentia* (Bosch & Lac.) Fleisch. Ref. 高謙、賴明洲。2003  
*Neckeropsis lepineana* (Mont.) Fleisch. 截葉擬平蘚 Ref. 高謙、賴明洲。2003  
*Neckeropsis nitidula* (Mitt.) Fleisch. Ref. 高謙、賴明洲。2003  
*Neckeropsis obtusata* (Mont.) Fleisch. Ref. Redfearn et al., 1996  
*Pinnatella ambigua* (Broth. & Sande Lac.) Fleisch. Ref. 同前  
*Pinnatella anacamptolepis* (C. Muell.) Broth. 小硬枝蘚 Ref. 同前  
*Pinnatella makinoi* (Broth.) Broth. 東亞羽枝蘚 Ref. 高謙、賴明洲。2003  
*Pinnatella pusilla* Nog. Ref. 高謙、賴明洲。2003  
*Pinnatella robusta* Nog. Ref. 高謙、賴明洲。2003  
*Pinnatella taiwanensis* Nog. Ref. 高謙、賴明洲。2003  
*Thamnobryum alopecurum* (Hedw.) Nieuwland 木蘚 Ref. 高謙、賴明洲。2003  
*Thamnobryum incurvum* (Noguchi) Noguchi & Iwatsuki Ref. 高謙、賴明洲。2003  
*Thamnobryum pandum* (J. D. Hooker & Wilson) Steere & G. A. Scott Ref. 高謙、賴明洲。2003  
*Thamnobryum plicatulum* (Lac.) Iwatsuki 摺葉木蘚 Ref. 高謙、賴明洲。2003  
*Thamnobryum sandei* (Besch.) Iwats. 匙葉木蘚 Ref. 高謙、賴明洲。2003  
*Thamnobryum subseriatum* (Mitten ex Sande Lacoste) B. C. Tan Ref. Redfearn et al., 1996  
*Thamnobryum subseriatum* (W. J. Hooker) Noguchi & Iwatsuki Ref. Tan et al., 1994  
*Thamnobryum tumidum* (Noguchi) Noguchi & Iwatsuki Ref. 高謙、賴明洲。2003

### Family Pterobryaceae 蕨蘚科

*Calyptothecium compressum* Nog. Ref. 高謙、賴明洲。2003  
*Calyptothecium hookeri* (Mitt.) Broth. 尖葉耳平蘚 Ref. 高謙、賴明洲。2003  
*Calyptothecium philippinensis* Broth. Ref. Redfearn et al., 1996  
*Calyptothecium pinnatum* Nog. Ref. 高謙、賴明洲。2003  
*Calyptothecium ramosii* Broth. Ref. 高謙、賴明洲。2003  
*Calyptothecium tumidum* (Dicks.) Fleisch. Ref. 高謙、賴明洲。2003  
*Calyptothecium urvilleanum* (C. Muell.) Broth. Ref. 高謙、賴明洲。2003  
*Calyptothecium wightii* (Mitt.) Fleisch. Ref. 高謙、賴明洲。2003  
*Garovaglia elegans* (Dozy & Molk.) 南亞美蕨蘚 Ref. Hampe  
*Garovaglia plicata* (Brid.) Bosch & Lac. Ref. 高謙、賴明洲。2003  
*Garovaglia plicata* (Brid.) Bosch & Lac. subsp. *punctidens* (R. S. Williams) During Ref. 高謙、賴明洲。2003  
*Meteoriella soluta* (Mitt.) Okam. 小蔓蘚 Ref. 高謙、賴明洲。2003  
*Pirella formosana* Broth. Ref. 高謙、賴明洲。2003  
*Pterobryopsis acuminata* (Hook.) Fleisch. Ref. 高謙、賴明洲。2003  
*Pterobryopsis angustifolia* Nog. Ref. 高謙、賴明洲。2003  
*Pterobryopsis crassiuscula* (Card.) Broth. 粗莖擬蕨蘚 Ref. 高謙、賴明洲。2003  
*Pterobryopsis cucullatifolia* Okam. Ref. 高謙、賴明洲。2003  
*Pterobryopsis foulkesiana* (Mitt.) Fleisch. Ref. 高謙、賴明洲。2003  
*Pterobryopsis gedehensis* Fleisch. Ref. Chiang & Kuo, 1989  
*Pterobryopsis orientalis* (C. Muell.) Fleisch. 南亞擬蕨蘚 Ref. Noguchi & Li, 1988  
*Pterobryopsis orientalis* (C. Muell.) Fleisch. subsp. *yunnanensis* (Brotherus) Noguchi 南亞擬蕨蘚亞種 Ref. 高謙、賴明洲。2003  
*Pterobryopsis subcrassicaulis* Broth. Ref. 高謙、賴明洲。2003  
*Pterobryum arbuscula* Mitt. Ref. 高謙、賴明洲。2003  
*Pterobryum subarbuscula* Broth. var. *longissima* Nog. 大蕨蘚變種 Ref. 高謙、賴明洲。2003  
*Pterobryum subarbuscula* Broth. 大蕨蘚 Ref. 高謙、賴明洲。2003  
*Trachyloma indicum* Mitt. 南亞粗柄蘚 Ref. 高謙、賴明洲。2003

### Order Orthotrichales 木靈蘚目

#### Family Erpodiaceae 樹生蘚科

*Erpodium biseriatum* (Aust.) Aust. Ref. 高謙、賴明洲。2003  
*Venturiella sinensis* (Vent.) C. Muell. 鐘帽蘚 Ref. 高謙、賴明洲。2003  
*Vesicularia flaccida* (Sull. & Lesq.) Iwats. Ref. 高謙、賴明洲。2003  
*Vesicularia montagnei* (Bel.) Broth. Ref. 高謙、賴明洲。2003  
*Vesicularia perreticulata* Broth. Ref. 高謙、賴明洲。2003  
*Vesicularia reticulata* (Dozy & Molk.) Broth. 長尖明葉蘚 Ref. 高謙、賴明洲。2003

#### Family Orthotrichaceae 木靈蘚科

*Macrocoma tenue* (Hook. & Grev.) Vitt subsp. *sullivantii* (C. Muell.) Vitt Ref. 高謙、賴明洲。2003  
*Macromitrium angustifolium* Dozy & Molk. Ref. 高謙、賴明洲。2003  
*Macromitrium consanguineum* Card. Ref. 高謙、賴明洲。2003  
*Macromitrium cylindrothecium* Nog. Ref. 高謙、賴明洲。2003  
*Macromitrium ferriei* Card. & Thér. Ref. 高謙、賴明洲。2003  
*Macromitrium formosae* Card. Ref. 高謙、賴明洲。2003  
*Macromitrium foxworthyi* Broth. Ref. 高謙、賴明洲。2003  
*Macromitrium gymnostomum* Sull. & Lesq. Ref. 高謙、賴明洲。2003  
*Macromitrium holomitrioides* Nog. Ref. 高謙、賴明洲。2003

*Macromitrium japonicum* Dozy & Molk. var. *makinoi* (Broth.) Nog. 鈍葉箕衣蘚變種 Ref. Redfearn et al., 1996  
*Macromitrium japonicum* Dozy & Molk. 鈍葉箕衣蘚 Ref. 高謙、賴明洲。2003  
*Macromitrium reinwardtii* Schwaegr. Ref. 高謙、賴明洲。2003  
*Macromitrium rhacomitrioides* Nog. Ref. 高謙、賴明洲。2003  
*Macromitrium taiheizanense* Nog. Ref. 高謙、賴明洲。2003  
*Macromitrium taiwanense* Nog. Ref. 高謙、賴明洲。2003  
*Macromitrium uraiense* Nog. Ref. 高謙、賴明洲。2003  
*Orthotrichum callistomum* Fleisch. Ref. 高謙、賴明洲。2003  
*Orthotrichum taiwanense* Lewinsky, 1992 Ref. 高謙、賴明洲。2003  
*Schlotheimia fauriei* Card. Ref. 高謙、賴明洲。2003  
*Schlotheimia grevilleana* Mitt. Ref. Redfearn et al., 1996  
*Schlotheimia japonica* Besch. & Card. 東亞火蘚 Ref. 高謙、賴明洲。2003  
*Schlotheimia latifolia* Card. & Thér. Ref. 高謙、賴明洲。2003  
*Schlotheimia pungens* Bartr. Ref. Koponen & Enroth, 1992  
*Schlotheimia rugulosa* Nog. Ref. 高謙、賴明洲。2003  
*Ulota crispa* (Hedw.)Brid. var. *Longifolia* (Dix. & Sak.) Iwats. 北方卷葉蘚變種 Ref. 高謙、賴明洲。2003  
*Ulota crispa* (Hedw.)Brid. 北方卷葉蘚 Ref. 高謙、賴明洲。2003  
*Ulota morrisonensis* Horik. & Nog. Ref. 高謙、賴明洲。2003  
*Zygodon viridissimus* (Dicks.) Brid. 綠色變齒蘚 Ref. 高謙、賴明洲。2003

## Order Polytrichales 土馬騮目

### Family Polytrichaceae 土馬騮科

*Atrichum crispulum* Schimp. 卷葉仙鶴蘚 Ref. 高謙、賴明洲。2003  
*Atrichum rhytosphillum* (C. Muell.) Par. Ref. Chen et al., 1978  
*Atrichum undulatum* (Hedw.) P. Beauv. 波葉仙鶴蘚 Ref. 高謙、賴明洲。2003  
*Atrichum undulatum* (Hedw.) P. Beauv. var. *gracilisetum* Besch. 波葉仙鶴蘚變種 Ref. 高謙、賴明洲。2003  
*Atrichum yakushimense* (Hor.) Mizutani Ref. 高謙、賴明洲。2003  
*Oligotrichum obtusatum* Broth. Ref. Hyvonen & Lai, 1991  
*Oligotrichum suzukii* (Broth.) C.-c. Chuang Ref. 高謙、賴明洲。2003  
*Pogonatum aloides* (Hedw.) P. Beauv. Ref. Redfearn et al., 1996  
*Pogonatum camusii* (Ther.) Touw 碎髮蘚 Ref. 高謙、賴明洲。2003  
*Pogonatum cirratum* (Sw.) Brid. subsp. *fuscatum* (Mitt.) Hyvonen 刺邊小金髮蘚變種 Ref. Redfearn et al., 1996  
*Pogonatum cirratum* (Sw.) Brid. 刺邊小金髮蘚 Ref. 高謙、賴明洲。2003  
*Pogonatum contortum* (Brid.) Lesq. 扭葉小金髮蘚 Ref. 高謙、賴明洲。2003  
*Pogonatum fastigiatum* Mitt. Ref. 高謙、賴明洲。2003  
*Pogonatum formosanum* Horik. Ref. 高謙、賴明洲。2003  
*Pogonatum gymnophyllum* Mitt. Ref. 高謙、賴明洲。2003  
*Pogonatum heteroproliferum* Horikawa Ref. 高謙、賴明洲。2003  
*Pogonatum inflexum* (Lindb.) Lac. Ref. 高謙、賴明洲。2003  
*Pogonatum japonicum* Sull. & Lesq. 東北小金髮蘚 Ref. Redfearn et al., 1996  
*Pogonatum microstomum* (Schwaegr.) Brid. Ref. 高謙、賴明洲。2003  
*Pogonatum neesii* (C. Muell.) Dozy 長瓶小金髮蘚 Ref. 高謙、賴明洲。2003  
*Pogonatum nipponicum* Nog. & Osada Ref. 高謙、賴明洲。2003  
*Pogonatum nudiusculum* Mitt. Ref. 高謙、賴明洲。2003  
*Pogonatum oligotrichoides* Horikawa Ref. 高謙、賴明洲。2003  
*Pogonatum perichaetiale* (Mont.) Jaeg. 金緣小金髮蘚 Ref. Hyvonen & Lai, 1991  
*Pogonatum perichaetiale* (Mont.) Jaeg. var. *thomsonii* (Mitt.) Hyvonen 金緣小金髮蘚變種 Ref. Redfearn et al., 1996  
*Pogonatum proliferum* (Griff.) Mitt. Ref. 同前  
*Pogonatum spurio-cirratum* Broth. Ref. 高謙、賴明洲。2003  
*Pogonatum subfuscum* Broth. Ref. Redfearn et al., 1996  
*Pogonatum tahitense* Schimp. Ref. Hyvonen & Lai, 1991  
*Pogonatum takao-montanum* Horik. Ref. 高謙、賴明洲。2003  
*Pogonatum thomsonii* (Mitt.) Jaeg. Ref. 高謙、賴明洲。2003  
*Pogonatum urnigerum* (Hedw.) P. Beauv. 疣小金髮蘚 Ref. 高謙、賴明洲。2003  
*Pogonatum wallisi* (C. Muell.) Jaeg. Ref. 高謙、賴明洲。2003  
*Polytrichastrum alpinum* (Hedw.) Smith 高山小金髮蘚 Ref. 高謙、賴明洲。2003  
*Polytrichastrum formosum* (Hedw.) Sm. var. *densifolium* (Mitt.) Iwats. & Nog. 擬金髮蘚變種 Ref. 高謙、賴明洲。2003  
*Polytrichastrum formosum* (Hedw.) Smith 擬金髮蘚 Ref. 高謙、賴明洲。2003  
*Polytrichastrum longisetum* (Brid.) Smith 細葉金髮蘚 Ref. Xu & Xiong, 1985  
*Polytrichum commune* L. ex Hedw. 金髮蘚 Ref. 高謙、賴明洲。2003  
*Polytrichum commune* L. ex Hedw. var. *nigrescens* Warnst. 金髮蘚變種 Ref. 高謙、賴明洲。2003  
*Polytrichum juniperinum* Hedw. 檜葉金髮蘚 Ref. 高謙、賴明洲。2003  
*Polytrichum piliferum* Schreb. 毛尖金髮蘚 Ref. Xu et al., 1985  
*Polytrichum swartzii* Hartm. Ref. 高謙、賴明洲。2003  
*Porotrichum fruticosum* (Mitt.) Jaeg. Ref. 高謙、賴明洲。2003  
*Porotrichum gracilescens* Nog. Ref. 高謙、賴明洲。2003

## Order Pottiales 叢蘚目

### Family Calymperaceae 花葉蘚科

*Calymperes afzelii* Sw. 梯花葉蘚 Ref. Reese & Lin, 1991  
*Calymperes cristatus* Hampe Ref. 高謙、賴明洲。2003  
*Calymperes dozyanum* Mitt. Ref. 高謙、賴明洲。2003

*Calymperes fasciculatum* Dozy & Molke. 劍葉花葉蘚 Ref. 高謙、賴明洲。2003  
*Calymperes graeffeanum* C. Muell. Ref. Redfearn et al., 1996  
*Calymperes lonchophyllum* Schwaegr. 花葉蘚 Ref. 高謙、賴明洲。2003  
*Calymperes serratum* A. Br. ex C. Muell. 齒邊花葉蘚 Ref. 高謙、賴明洲。2003  
*Calymperes strictifolium* (Mitt.) G. Roth 南亞花葉蘚 Ref. 高謙、賴明洲。2003  
*Calymperes tahitense* (Sull.) Mitt. Ref. 高謙、賴明洲。2003  
*Calymperes tenerum* C. Muell. 細葉花葉蘚 Ref. 高謙、賴明洲。2003  
*Mitthyridium flavum* (C. Muell.) Robins. 黃匍網蘚 Ref. 高謙、賴明洲。2003  
*Syrrhopodon armatus* Mitt. 鞘刺網蘚 Ref. Redfearn et al., 1996  
*Syrrhopodon fimbriatulu* C. Muell. Ref. 高謙、賴明洲。2003  
*Syrrhopodon gardneri* (Hook.) Schwaegr. Ref. 高謙、賴明洲。2003  
*Syrrhopodon japonicus* (Besch.) Broth. 日本網蘚 Ref. 高謙、賴明洲。2003  
*Syrrhopodon loreus* (Lac.) Reese Ref. Lin, 1988  
*Syrrhopodon prolifer* Schwaegr. var. *tosaensis* (Card.) Orban & Reese 巴西網蘚變種 Ref. 高謙、賴明洲。2003  
*Syrrhopodon prolifer* Schwaegr. 巴西網蘚 Ref. Reese & Lin, 1991  
*Syrrhopodon tosaensis* Card. Ref. 高謙、賴明洲。2003  
*Syrrhopodon trachyphyllus* Mont. 鞘齒網蘚 Ref. 高謙、賴明洲。2003  
*Syrrhopodon tsushimae* Card. Ref. 高謙、賴明洲。2003

### Family Encalyptaceae 大帽蘚科

*Encalypta ciliata* Hedw. 大帽蘚 Ref. 高謙、賴明洲。2003  
*Encalypta rhabdocarpa* Schwaegr. 尖葉大帽蘚 Ref. Chiang & Kuo, 1989

### Family Pottiaceae 叢蘚科

*Anoetangium aestivum* (Hedw.) Mitt. 叢本蘚 Ref. 高謙、賴明洲。2003  
*Anoetangium stracheyanum* Mitt. Ref. 高謙、賴明洲。2003  
*Anoetangium thomsonii* Mitt. 卷葉叢本蘚 Ref. 高謙、賴明洲。2003  
*Barbula anceps* Card. Ref. Redfearn et al., 1996  
*Barbula arcuata* Griff. 砂地石灰蘚 Ref. 高謙、賴明洲。2003  
*Barbula convolutum* Hedw. 扭毛蘚 Ref. 高謙、賴明洲。2003  
*Barbula cruegeri* Sond. Ref. 高謙、賴明洲。2003  
*Barbula gracilentum* Mitt. 細葉石灰蘚 Ref. 林。1990  
*Barbula indica* (Hook.) Spreng. 小扭口蘚 Ref. 高謙、賴明洲。2003  
*Barbula javanica* Doz. & Molk. Ref. 高謙、賴明洲。2003  
*Barbula subcomosa* Broth. Ref. 高謙、賴明洲。2003  
*Barbula subcontorta* Broth. 狹葉扭口蘚 Ref. 高謙、賴明洲。2003  
*Barbula subinflexa* Broth. nom. nud. Ref. 高謙、賴明洲。2003  
*Barbula subpellucida* Mitt. var. *hyaloloma* Herz. Ref. Redfearn et al., 1996  
*Barbula subpellucida* Mitt. Ref. 同前  
*Barbula unguiculata* Hedw. Ref. 高謙、賴明洲。2003  
*Bryoerythrophyllum recurvirostre* (Hedw.) Chen 紅葉蘚 Ref. Redfearn et al., 1996  
*Chenia leptophylla* (C. Muell.) Zand. Ref. Chiang & Hsu, 1997  
*Didymodon acutus* (Brid.) Saito Ref. 林。1990  
*Didymodon constrictus* (Mitt.) Saito var. *flexicuspis* (Chen) Saito Ref. 高謙、賴明洲。2003  
*Didymodon constrictus* (Mitt.) Saito Ref. 高謙、賴明洲。2003  
*Didymodon fallax* (Hedw.) Ref. Zander  
*Didymodon formosicus* Broth. nom. nud. Ref. 高謙、賴明洲。2003  
*Didymodon nigrescens* (Mitt.) Saito Ref. Chiang & Kuo, 1989  
*Didymodon vinealis* (Brid.) Zand. Ref. Redfearn et al., 1996  
*Gymnostomum aurantiacum* (Mitt.) Jaeg. 橙色淨口蘚 Ref. 林。1990  
*Gymnostomum inconspicuum* Griff. Ref. 高謙、賴明洲。2003  
*Hyogonium anceps* (Card.) Herz. Ref. 高謙、賴明洲。2003  
*Hyogonium subpellucidum* (Mitt.) Hilp. var. *hyaloloma* Herz. Ref. 高謙、賴明洲。2003  
*Hymenostylium recurvirostre* (Hedw.) Dix. Ref. Chiang & Kuo, 1989  
*Hyophila involuta* (Hook.) Jaeg. 卷葉溼地蘚 Ref. 高謙、賴明洲。2003  
*Hyophila propagulifera* Broth. 芽胞溼地蘚 Ref. 高謙、賴明洲。2003  
*Hyophila suzukii* Dix. & Sasaoka nom. nud. Ref. 高謙、賴明洲。2003  
*Microbryum rectum* (With.) Zand. Ref. Redfearn et al., 1996  
*Molendoa sendtneriana* (B.S.G.) Limpr. 高山大叢蘚 Ref. 高謙、賴明洲。2003  
*Oxystegus cuspidatus* (Doz. & Molk.) 小酸土蘚 Ref. 高謙、賴明洲。2003  
*Oxystegus cylindricus* (Brid.) Hilp. 酸土蘚 Ref. 林。1990  
*Oxystegus recurvifolius* (Tayl.) Zander Ref. 高謙、賴明洲。2003  
*Pleurochaete squarrosa* (Brid.) Lindb. 側出蘚 Ref. 高謙、賴明洲。2003  
*Pottia recta* (Sm.) Mitt. Ref. 高謙、賴明洲。2003  
*Pottia truncate* (With.) Buse 叢蘚 Ref. 高謙、賴明洲。2003  
*Pseudosymblepharis angustata* (Mitt.) Chen 挾葉擬合睫蘚 Ref. Redfearn et al., 1996  
*Reimersia inconspicua* (Griff.) P.-c. Chen 仰葉蘚 Ref. 高謙、賴明洲。2003  
*Scopelophila cataractae* (Mitt.) Broth. Ref. 高謙、賴明洲。2003  
*Scopelophila ligulata* (Spruce) Spruce. Ref. 高謙、賴明洲。2003  
*Syntrichia norvegica* Web. Ref. Redfearn et al., 1996  
*Timmiella anomala* (B. S. G.) Limpr. 反扭蘚 Ref. 高謙、賴明洲。2003  
*Tuerckheimia angustifolia* (Saito) Zander Ref. 高謙、賴明洲。2003  
*Tuerckheimia svihlae* (Bartr.) Zand. Ref. Redfearn et al., 1996

*Weisia controversa* Hedw. 小石蘚 Ref. 高謙、賴明洲。2003  
*Weisia crispa* (Hedw.) Mitt. Ref. 高謙、賴明洲。2003  
*Weisia edentula* Mitt. 缺齒小石蘚 Ref. 高謙、賴明洲。2003  
*Weisia longidens* Card. Ref. 高謙、賴明洲。2003  
*Weisia newcomeri* (Bartr.) K. Saito Ref. 高謙、賴明洲。2003  
*Weisia planifolia* Dix. 闊葉小石蘚 Ref. 高謙、賴明洲。2003

### Order Seligeriales 細葉蘚目

#### Family Seligeriaceae 細葉蘚科

*Blindia acuta* (Hedw.) B. S. G. var. *japonica* (Broth.) Gao 小穗蘚 Ref. Chiang & Kuo, 1989  
*Blindia japonica* Broth. Ref. Redfearn et al., 1996

### Order Tetraphidales 四齒蘚目

#### Family Georgiaceae 四齒蘚科

*Tetraphis pellucida* Hedw. 四齒蘚 Ref. 高謙、賴明洲。2003

## Class Sphagnopsida 泥炭蘚綱

### Order Sphagnales 泥炭蘚目

#### Family Sphagnaceae 泥炭蘚科

*Sphagnum cuspidatum* C. Muell. 擬狹葉泥炭蘚 Ref. 高謙、賴明洲。2003  
*Sphagnum cuspidatum* Ehrh. 狹葉泥炭蘚 Ref. 高謙、賴明洲。2003  
*Sphagnum girgensohnii* Russ. 白齒泥炭蘚 Ref. 高謙、賴明洲。2003  
*Sphagnum junghuhnianum* Dozy & Molke. Ref. 高謙、賴明洲。2003  
*Sphagnum magellanicum* Brid. 中位泥炭蘚 Ref. 高謙、賴明洲。2003  
*Sphagnum ovatum* Hampe 卵葉泥炭蘚 Ref. 高謙、賴明洲。2003  
*Sphagnum palustre* L. 泥炭蘚 Ref. 高謙、賴明洲。2003  
*Sphagnum septatum* C. Muell. var. *macrophyllum* Paul nom. nud. Ref. 高謙、賴明洲。2003  
*Sphagnum sericeum* C. Muell. 絲光泥炭蘚 Ref. 高謙、賴明洲。2003

## Phylum Lycopodiophyta 石松門

### Class Lycopodiopsida 石松綱

#### Order Isoetales 水韭目

##### Family Isoetaceae 水韭科

*Isoetes taiwanensis* DeVol, 1972 台灣水韭 [特有] Ref. Flora of Taiwan 2nd ed. 1: 58, 1994

#### Order Lycopodiales 石松目

##### Family Lycopodiaceae 石松科

*Lycopodium annotinum* L., 1753 杉葉蔓石松 Ref. Flora of Taiwan 2nd ed. 1: 30, 1994  
*Lycopodium carinatum* Desv., 1823 覆葉石松 Ref. 同前  
*Lycopodium casuarinoides* Spring, 1842 木賊葉石松 Ref. Flora of Taiwan 2nd ed. 1: 31, 1994  
*Lycopodium cernuum* L., 1753 過山龍 Ref. 同前  
*Lycopodium clavatum* L., 1753 石松 Ref. 同前  
*Lycopodium complanatum* L., 1753 地刷子 Ref. Flora of Taiwan 2nd ed. 1: 35, 1994  
*Lycopodium cryptomerianum* Maxim., 1870 柳杉葉蔓石松 Ref. 同前  
*Lycopodium cunninghamioides* Hayata, 1914 寬葉石松 Ref. Flora of Taiwan 2nd ed. 1: 37, 1994  
*Lycopodium fargesii* Hert., 1909 銳葉石松 Ref. 同前  
*Lycopodium fordii* Baker, 1887 福氏石松 Ref. 同前  
*Lycopodium japonicum* Thunb., 1784 日本石松 Ref. Flora of Taiwan 2nd ed. 6: 18, 2003  
*Lycopodium obscurum* L., 1753 玉柏 Ref. Flora of Taiwan 2nd ed. 1: 37, 1994  
*Lycopodium phlegmaria* L., 1753 垂枝石松 Ref. Flora of Taiwan 2nd ed. 1: 39, 1994  
*Lycopodium quasipolytrichoides* Hayata, 1915 反捲葉石松 Ref. 同前  
*Lycopodium salvinoides* (Hert.) Tagawa, 1939 小垂枝石松 Ref. 同前  
*Lycopodium selago* L. var. *appressum* Desv. 1827 小杉葉石松 Ref. Flora of Taiwan 2nd ed. 1: 42, 1994  
*Lycopodium serratum* Thunb., 1784 千層塔 Ref. 同前  
*Lycopodium sieboldii* Miq., 1867 鱗葉石松 Ref. 同前  
*Lycopodium somae* Hayata, 1915 相馬氏石松 Ref. 同前  
*Lycopodium squarrosum* Forst., 1786 杉葉石松 Ref. Flora of Taiwan 2nd ed. 1: 43, 1994  
*Lycopodium taiwanense* Kuo, 1985 台灣石松 Ref. 同前  
*Lycopodium veitchii* Christ, 1906 玉山石松 Ref. 同前

#### Order Selaginellales 卷柏目

##### Family Selaginellaceae 卷柏科

*Selaginella boninensis* Bak., 1885 小笠原卷柏 Ref. Flora of Taiwan 2nd ed. 1: 46, 1994  
*Selaginella ciliaris* (Retz.) Spring, 1843 緣毛卷柏 Ref. 同前  
*Selaginella delicatula* (Desv.) Alston, 1932 全緣卷柏 Ref. Flora of Taiwan 2nd ed. 1: 48, 1994  
*Selaginella doederleinii* Hieron., 1904 生根卷柏 Ref. 同前  
*Selaginella heterostachys* Baker, 1885 姬卷柏 Ref. Flora of Taiwan 2nd ed. 1: 50, 1994  
*Selaginella involvens* (Sw.) Spring, 1843 密葉卷柏 Ref. 同前

*Selaginella labordei* Hieron. ex H. Christ, 1902 玉山卷柏 Ref. Flora of Taiwan 2nd ed. 1: 52, 1994  
*Selaginella leptophylla* Baker, 1885 膜葉卷柏 Ref. 同前  
*Selaginella moellendorffii* Hieron., 1902 異葉卷柏 Ref. Flora of Taiwan 2nd ed. 1: 53, 1994  
*Selaginella nipponica* Fr. & Sav., 1878 日本卷柏 Ref. 同前  
*Selaginella pseudonipponica* Tagawa, 1973 擬日本卷柏 Ref. Flora of Taiwan 2nd ed. 6: 18, 2003  
*Selaginella remotifolia* Spring, 1854 疏葉卷柏 Ref. Flora of Taiwan 2nd ed. 1: 53, 1994  
*Selaginella repanda* (Desv. ex Poir) Spring, 1846 高雄卷柏 Ref. Flora of Taiwan 2nd ed. 1: 54, 1994  
*Selaginella satakeana* Koidz, 1936 狹葉卷柏 Ref. Flora of Taiwan 2nd ed. 6: 19, 2003  
*Selaginella stauntoniana* Spring, 1850 擬密葉卷柏 Ref. Flora of Taiwan 2nd ed. 1: 54, 1994  
*Selaginella tamariscina* (Beauv.) Spring, 1843 萬年松 Ref. Flora of Taiwan 2nd ed. 1: 56, 1994

## Phylum Psilophyta 松葉蕨門

### Class Psilopsida 松葉蕨綱

#### Order Psilotales 松葉蕨目

##### Family Psilotaceae 松葉蕨科

*Psilotum nudum* (L.) Beauv., 1805 松葉蕨 Ref. Flora of Taiwan 2nd ed. 1: 27, 1994

## Phylum Equisetophyta 木賊門

### Class Equisetopsida 木賊綱

#### Order Equisetales 木賊目

##### Family Equisetaceae 木賊科

*Equisetum ramosissimum* Desf., 1800 木賊 Ref. Flora of Taiwan 2nd ed. 1: 60, 1994

*Equisetum ramosissimum* Desf. subsp. *debile* (Roxb.) Hauke 1962 台灣木賊 Ref. Flora of Taiwan 2nd ed. 1: 61, 1994

## Phylum Pteridophyta 蕨類植物門

### Class Filicopsida 真蕨綱

#### Order Cyatheaales 桫欏目

##### Family Cyatheaceae 桫欏科

*Cyathea fencis* Copel., 1908 蘭嶼筆筒樹 Ref. Flora of Taiwan 2nd ed. 1: 145, 1994

*Cyathea hancockii* Copel., 1909 韓氏桫欏 Ref. 同前

*Cyathea lepifera* (J. Sm. ex Hook.) Copel., 1909 筆筒樹 Ref. 同前

*Cyathea loheri* Christ, 1906 南洋桫欏 Ref. Flora of Taiwan 2nd ed. 1: 147, 1994

*Cyathea metteniana* (Hance) C. Chr. & Tard.-Blot, 1934 台灣樹蕨 Ref. 同前

*Cyathea podophylla* (Hook.) Copel., 1909 鬼桫欏 Ref. Flora of Taiwan 2nd ed. 1: 148, 1994

*Cyathea spinulosa* Wall. ex Hook., 1844 台灣桫欏 Ref. 同前

#### Order Gleicheniales 裏白目

##### Family Gleicheniaceae 裏白科

*Dicranopteris linearis* (Burm. f.) Underw. var. *montana* Holtt. 1957 大羽芒萁 Ref. Flora of Taiwan 2nd ed. 1: 92, 1994

*Dicranopteris linearis* (Burm. f.) Underw. var. *subpectinata* (Christ) Holtt. 1957 賽芒萁 Ref. 同前

*Dicranopteris linearis* (Burm. f.) Underw., 1907 芒萁 Ref. 同前

*Dicranopteris linearis* (Burm. f.) Underw. var. *tetraphylla* (Rosenst.) Nakai 1950 蔓芒萁 Ref. Flora of Taiwan 2nd ed. 1: 94, 1994

*Dicranopteris taiwanensis* Ching & Chiu, 1959 臺灣芒萁 Ref. Flora of Taiwan 2nd ed. 6: 20, 2003

*Diplopterygium blotianum* (C. Chr.) Nakai, 1950 逆羽裏白 Ref. Flora of Taiwan 2nd ed. 1: 96, 1994

*Diplopterygium chinensis* (Rosenst.) DeVol, 1975 中華裏白 Ref. 同前

*Diplopterygium glaucum* (Houtt.) Nakai, 1950 裏白 Ref. 同前

*Diplopterygium laevissimum* (Christ) Nakai, 1950 鱗芽裏白 Ref. Flora of Taiwan 2nd ed. 1: 98, 1994

#### Order Hymenophyllales 膜蕨目

##### Family Hymenophyllaceae 膜蕨科

*Abrodictyum cumingii* Presl., 1843 長片蕨 Ref. Flora of Taiwan 2nd ed. 1: 100, 1994

*Callistopteris apiifolia* (Presl.) Copel., 1938 毛桿蕨 Ref. 同前

*Cephalomanes clathratum* (Tagawa) K. Iwats., 1985 厚葉蕨 Ref. Flora of Taiwan 2nd ed. 6: 20, 2003

*Cephalomanes laciniatum* (Roxb.) DeVol, 1975 菲律賓厚葉蕨 Ref. Flora of Taiwan 2nd ed. 1: 103, 1994

*Crepidomanes bilabiatum* (Nees & Blume) Copel., 1938 圓唇假脈蕨 Ref. Flora of Taiwan 2nd ed. 1: 105, 1994

*Crepidomanes birmanicum* (Bedd.) K. Iwats., 1985 華東瓶蕨 Ref. Flora of Taiwan 2nd ed. 6: 20, 2003

*Crepidomanes kurzii* (Bedd.) Tagawa & K. Iwats., 1975 假脈蕨 Ref. 同前

*Crepidomanes latealatum* (v. d. Bosch) Copel., 1933 翅柄假脈蕨 Ref. Flora of Taiwan 2nd ed. 1: 105, 1994

*Crepidomanes latemarginale* (Eat.) Copel., 1938 潤邊假脈蕨 Ref. Flora of Taiwan 2nd ed. 1: 107, 1994

*Crepidomanes palmifolium* (Hayata) DeVol, 1968 變葉假脈蕨 [特有] Ref. 同前

*Crepidomanes schmidtianum* (Zenker ex Taschner) K. Iwats. var. *latifrons* (Bosch) K. Iwats. 1985 寬葉瓶蕨 Ref. Flora of Taiwan 2nd ed. 6: 21, 2003

*Gonocormus minutus* (Blume) Bosch, 1861 團扇蕨 Ref. Flora of Taiwan 2nd ed. 1: 108, 1994

*Hymenophyllum barbatum* (v. d. Bosch) Bak., 1867 華東膜蕨 Ref. 同前

- Hymenophyllum devolii* Lai, 1976 台灣膜蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 111, 1994  
*Hymenophyllum fimbriatum* J. Sm., 1841 叢葉蕨 Ref. Flora of Taiwan 2nd ed. 6: 21, 2003  
*Hymenophyllum productum* Kunze, 1848 台灣膜蕨 Ref. 同前  
*Hymenophyllum simonsianum* Hook., 1860 寬片膜蕨 Ref. Flora of Taiwan 2nd ed. 1: 111, 1994  
*Hymenophyllum taiwanianum* (Tagawa) Morton, 1968 臺灣蕨 Ref. Flora of Taiwan 2nd ed. 6: 21, 2003  
*Mecodium badium* (Hook. & Grev.) Copel., 1938 蕨 Ref. Flora of Taiwan 2nd ed. 1: 112, 1994  
*Mecodium javanicum* (Spreng.) Copel., 1938 爪哇蕨 Ref. Flora of Taiwan 2nd ed. 1: 113, 1994  
*Mecodium oligosorum* (Makino) H. Ito, 1949 長毛蕨 Ref. 同前  
*Mecodium polyanthos* (Sw.) Copel., 1938 細葉蕨 Ref. 同前  
*Mecodium wrightii* (v. d. Bosch) Copel., 1938 萊氏蕨 Ref. Flora of Taiwan 2nd ed. 1: 115, 1994  
*Meringium blandum* (Racib.) Copel., 1938 爪哇厚壁蕨 Ref. 同前  
*Meringium denticulatum* (Sw.) Copel., 1938 厚壁蕨 Ref. Flora of Taiwan 2nd ed. 1: 116, 1994  
*Meringium holochilum* (v. d. Bosch) Copel., 1938 南洋厚壁蕨 Ref. 同前  
*Microgonium bimarginatum* V. d. Bosch, 1861 叉脈單葉假脈蕨 Ref. Flora of Taiwan 2nd ed. 1: 118, 1994  
*Microgonium motleyi* V. d. Bosch, 1861 細柄單葉假脈蕨 Ref. 同前  
*Microgonium omphalodes* Vieill. ex Fourn., 1873 盾形單葉假脈蕨 Ref. Flora of Taiwan 2nd ed. 1: 119, 1994  
*Microtrichomanes nitidulum* (v. d. Bosch) Copel., 1938 細口團扇蕨 Ref. 同前  
*Nesopteris thysanostoma* (Makino) Copel., 1938 球桿毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 122, 1994  
*Pleuromanthes pallidum* (Blume) Presl., 1849 毛葉蕨 Ref. 同前  
*Reediella humilis* (Forst.) Pichi-Sermolli, 1970 厚邊蕨 Ref. Flora of Taiwan 2nd ed. 1: 125, 1994  
*Selodesmium obscurum* (Blume) Copel., 1938 線片長筒蕨 Ref. Flora of Taiwan 2nd ed. 1: 127, 1994  
*Vandenboschia auriculata* (Blume) Copel., 1938 瓶蕨 Ref. Flora of Taiwan 2nd ed. 1: 129, 1994  
*Vandenboschia maxima* (Blume) Copel., 1938 大葉瓶蕨 Ref. 同前  
*Vandenboschia pyxidifera* (L.) Copel., 1938 熱帶瓶蕨 Ref. Flora of Taiwan 2nd ed. 1: 131, 1994  
*Vandenboschia radicans* (Sw.) Copel., 1938 南海瓶蕨 Ref. 同前

## Order Marattiales 觀音座蓮目

### Family Marattiaceae 觀音座蓮屬科

- Angiopteris lygodiifolia* Rosenst., 1917 觀音座蓮 Ref. Flora of Taiwan 2nd ed. 1: 74, 1994  
*Angiopteris palmiformis* (Cav.) C. Chr., 1937 蘭嶼觀音座蓮 Ref. Flora of Taiwan 2nd ed. 1: 76, 1994  
*Archangiopteris itoi* Shieh, 1970 伊藤氏原始觀音座蓮 [特有] Ref. Flora of Taiwan 2nd ed. 1: 78, 1994  
*Archangiopteris somae* Hayata, 1915 台灣原始觀音座蓮 [特有] Ref. Flora of Taiwan 2nd ed. 1: 76, 1994  
*Marattia pellucida* C. Presl, 1845 觀音座蓮屬 Ref. Flora of Taiwan 2nd ed. 1: 78, 1994

## Order Ophioglossales 瓶爾小草目

### Family Ophioglossaceae 瓶爾小草科

- Botrychium daucifolium* (Wall.) Hook. & Grev., 1829 薄葉大陰地蕨 Ref. Flora of Taiwan 2nd ed. 1: 64, 1994  
*Botrychium lanuginosum* (Wall.) Hook. & Grev., 1829 阿里山蕨其 Ref. 同前  
*Botrychium lunaria* (L.) Sw., 1800 扇羽陰地蕨 Ref. 同前  
*Botrychium ternatum* (Thunb.) Sw., 1800 大陰地蕨 Ref. Flora of Taiwan 2nd ed. 1: 68, 1994  
*Helminthostachys zeylanica* (L.) Hook., 1840 錫蘭七指蕨 Ref. 同前  
*Ophioderma pendula* (L.) Presl, 1845 帶狀瓶爾小草 Ref. 同前  
*Ophioglossum austro-asiaticum* Nishida, 1959 高山瓶爾小草 Ref. Flora of Taiwan 2nd ed. 1: 71, 1994  
*Ophioglossum petiolatum* Hook., 1823 銳頭瓶爾小草 Ref. 同前  
*Ophioglossum thermale* Kom., 1914 狹葉瓶爾小草 Ref. Flora of Taiwan 2nd ed. 6: 19, 2003

## Order Polypodiales 水龍骨目

### Family Adiantaceae 鐵線蕨科

- Acrostichum aureum* L., 1753 鹵蕨 Ref. Flora of Taiwan 2nd ed. 1: 234, 1994  
*Adiantum capillus-junonis* Rupr., 1845 團羽鐵線蕨 Ref. Flora of Taiwan 2nd ed. 1: 236, 1994  
*Adiantum capillus-veneris* L., 1753 鐵線蕨 Ref. Flora of Taiwan 2nd ed. 1: 237, 1994  
*Adiantum caudatum* L., 1771 鞭葉鐵線蕨 Ref. 同前  
*Adiantum diaphanum* Bl., 1828 長尾鐵線蕨 Ref. 同前  
*Adiantum edgeworthii* Hook., 1851 愛氏鐵線蕨 Ref. 同前  
*Adiantum flabellulatum* L., 1753 扇葉鐵線蕨 Ref. Flora of Taiwan 2nd ed. 1: 239, 1994  
*Adiantum formosanum* Tagawa, 1938 深山鐵線蕨 [特有] Ref. 同前  
*Adiantum hispidulum* Sw., 1801 毛葉鐵線蕨 Ref. 同前  
*Adiantum malesianum* Ghatak, 1963 馬來鐵線蕨 Ref. 同前  
*Adiantum monochlamys* Eat., 1858 石長生 Ref. Flora of Taiwan 2nd ed. 1: 241, 1994  
*Adiantum myriosorum* Bak., 1898 灰背鐵線蕨 Ref. 同前  
*Adiantum philippense* L., 1753 半月鐵線蕨 Ref. 同前  
*Adiantum roborowskii* Maxim. var. *taiwanianum* (Tagawa) Shieh 1968 台灣高山鐵線蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 243, 1994  
*Adiantum soboliferum* Wall. ex Hook., 1851 翅柄鐵線蕨 Ref. 同前  
*Anogramma leptophylla* (L.) Link, 1841 翠蕨 Ref. 同前  
*Coniogramme fraxinea* (Don) Diels, 1902 全緣鳳了蕨 Ref. Flora of Taiwan 2nd ed. 1: 245, 1994  
*Coniogramme intermedia* Heiron., 1916 華鳳了蕨 Ref. 同前  
*Coniogramme japonica* (Thunb.) Diels, 1902 日本鳳了蕨 Ref. Flora of Taiwan 2nd ed. 1: 248, 1994  
*Coniogramme procera* (Wall.) Fee, 1865 高山鳳了蕨 Ref. 同前  
*Gymnopteris vestita* (Wall.) Underw., 1902 金毛裸蕨 Ref. 同前  
*Hemionitis arifolia* (Burm.) Moore, 1859 澤瀉蕨 Ref. Flora of Taiwan 2nd ed. 1: 250, 1994  
*Pityrogramma calomelanos* (L.) Link, 1883 粉葉蕨 Ref. 同前

### Family Aspidiaceae 三叉蕨科

- Ctenitis apiciflora* (Wall. ex Mett.) Ching, 1938 頂囊肋毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 281, 1994  
*Ctenitis eatoii* (Bak.) Ching, 1938 愛德氏肋毛蕨 Ref. 同前  
*Ctenitis kawakamii* (Hayata) Ching, 1938 川上氏肋毛蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 282, 1994  
*Ctenitis maximowicziana* (Miq.) Ching, 1938 白鱗肋毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 283, 1994  
*Ctenitis subglandulosa* (Hance) Ching, 1938 肋毛蕨 Ref. 同前  
*Ctenitis transmorrisonensis* (Hayata) Tagawa, 1939 玉山肋毛蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 284, 1994  
*Ctenitopsis dissecta* (Forst.) Ching, 1938 薄葉擬肋毛蕨 Ref. 同前  
*Ctenitopsis fuscipes* (Wall.) C. Chr. ex Tard.-Blot & C. Chr., 1938 屏東擬肋毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 286, 1994  
*Ctenitopsis kusukusensis* (Hayata) C. Chr. ex Tard.-Blot & C. Chr., 1938 高士佛擬肋毛蕨 Ref. 同前  
*Hemigramma decurrens* (Hook.) Copel., 1928 沙皮蕨 Ref. Flora of Taiwan 2nd ed. 1: 288, 1994  
*Hypodematum crenatum* (Forsk.) Kuhn, 1879 腫足蕨 Ref. Flora of Taiwan 2nd ed. 1: 290, 1994  
*Lastreopsis tenera* (R. Br.) Tindale, 1957 金毛蕨 Ref. 同前  
*Pleocnemia cumingiana* Presl, 1851 黃腺羽蕨 Ref. Flora of Taiwan 2nd ed. 1: 293, 1994  
*Pteridrys cnemidaria* (Christ) C. Chr. & Ching, 1934 長柄牙蕨 Ref. Flora of Taiwan 2nd ed. 1: 294, 1994  
*Quercifilix zeylanica* (Houtt.) Copel., 1928 地耳蕨 Ref. 同前  
*Tectaria coadunata* (Wall.) C. Chr., 1931 陰地三叉蕨 Ref. Flora of Taiwan 2nd ed. 1: 296, 1994  
*Tectaria decurrens* (Pr.) Copel., 1907 翅柄三叉蕨 Ref. Flora of Taiwan 2nd ed. 1: 297, 1994  
*Tectaria devexa* (Kze.) Copel., 1907 薄葉三叉蕨 Ref. 同前  
*Tectaria fauriei* Tagawa, 1938 傅氏三叉蕨 Ref. Flora of Taiwan 2nd ed. 1: 299, 1994  
*Tectaria griffithii* (Baker) C. Chr., 1934 葛氏三叉蕨 Ref. Flora of Taiwan 2nd ed. 6: 27, 2003  
*Tectaria kwarensensis* (Hayata) C. Chr., 1934 花蓮三叉蕨 Ref. Flora of Taiwan 2nd ed. 1: 299, 1994  
*Tectaria linlonis* Ching & Chu H. Wang, 1981 毛三叉蕨 Ref. Flora of Taiwan 2nd ed. 6: 27, 2003  
*Tectaria phaeocaulis* (Rosenst.) C. Chr., 1934 蛇脈三叉蕨 Ref. Flora of Taiwan 2nd ed. 1: 300, 1994  
*Tectaria polymorpha* (Wall.) Copel., 1907 南投三叉蕨 Ref. 同前  
*Tectaria subfuscipes* (Tagawa) Kuo, 1997 排灣三叉蕨 Ref. Flora of Taiwan 2nd ed. 6: 27, 2003  
*Tectaria subtriphyllo* (Hook. & Arn.) Copel. var. *ebenosa* (Nakai) Nemoto 1936 紫柄三叉蕨 Ref. Flora of Taiwan 2nd ed. 1: 301, 1994  
*Tectaria subtriphyllo* (Hook. & Arn.) Copel., 1907 三叉蕨 Ref. 同前  
*Tectaria variolosa* (Wall.) C. Chr., 1931 變葉三叉蕨 Ref. 同前  
*Tectaria yunnanensis* (Bak.) Ching, 1931 雲南三叉蕨 Ref. Flora of Taiwan 2nd ed. 1: 302, 1994

### Family Aspleniaceae 鐵角蕨科

- Asplenium ×wangii* C. M. Kuo, 1997 王氏鐵角蕨 Ref. Flora of Taiwan 2nd ed. 6: 34, 2003  
*Asplenium adiantoides* (L.) C. Chr., 1905 革葉鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 451, 1994  
*Asplenium adiantum-nigrum* L., 1753 深山鐵角蕨 Ref. 同前  
*Asplenium antiquum* Makino, 1929 山蘇花 Ref. 同前  
*Asplenium apogamum* N. Murak. & Hatan., 1988 無配鐵角蕨 Ref. Flora of Taiwan 2nd ed. 6: 33, 2003  
*Asplenium australasicum* (J. Sm.) Hook., 1854 南洋山蘇花 Ref. 同前  
*Asplenium bullatum* Wall. ex Mett., 1859 大鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 453, 1994  
*Asplenium capillipes* Makino, 1903 姬鐵角蕨 Ref. 同前  
*Asplenium cheilosorum* Kunze ex Mett., 1859 薄葉孔雀鐵角蕨 Ref. 同前  
*Asplenium cuneatifforme* Christ, 1904 大蓬萊鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 454, 1994  
*Asplenium ensiforme* Wall. ex Hook. & Grev., 1828 劍葉鐵角蕨 Ref. 同前  
*Asplenium excisum* C. Presl, 1849 剪葉鐵角蕨 Ref. 同前  
*Asplenium filipes* Copel., 1908 複齒鐵角蕨 Ref. Flora of Taiwan 2nd ed. 6: 33, 2003  
*Asplenium formosae* Christ, 1904 南海鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 456, 1994  
*Asplenium griffithianum* Hook., 1854 叢葉鐵角蕨 Ref. 同前  
*Asplenium incisum* Thunb., 1794 縮羽鐵角蕨 Ref. 同前  
*Asplenium laciniatum* Don, 1825 鱗柄鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 457, 1994  
*Asplenium lobulatum* Mett. Ex Kuhn, 1869 裂葉鐵角蕨 Ref. Flora of Taiwan 2nd ed. 6: 33, 2003  
*Asplenium neolaserpitiifolium* Tard.-Blot & Ching, 1936 大黑柄鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 457, 1994  
*Asplenium nidus* L., 1753 台灣山蘇花 Ref. 同前  
*Asplenium normale* Don, 1825 生芽鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 458, 1994  
*Asplenium obscurum* Bl., 1828 綠柄剪葉鐵角蕨 Ref. 同前  
*Asplenium oldhami* Hance, 1861 俄氏鐵角蕨 Ref. 同前  
*Asplenium pekinense* Hance, 1867 北京鐵角蕨 Ref. Flora of Taiwan 2nd ed. 6: 33, 2003  
*Asplenium planicaule* Wall. ex Hook., 1860 斜葉鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 459, 1994  
*Asplenium prolongatum* Hook., 1860 長生鐵角蕨 Ref. 同前  
*Asplenium pseudolaserpitiifolium* Ching, 1936 黑鱗鐵角蕨 Ref. Flora of Taiwan 2nd ed. 6: 33, 2003  
*Asplenium pulcherrimum* (Baker) Ching, 1932 細葉鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 459, 1994  
*Asplenium ritoense* Hayata, 1914 尖葉鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 460, 1994  
*Asplenium ruta-muraria* L., 1753 銀杏葉鐵角蕨 Ref. 同前  
*Asplenium scolopendrium* L., 1753 對開蕨 Ref. Flora of Taiwan 2nd ed. 6: 33, 2003  
*Asplenium septentrionale* (L.) Hoffm., 1795 線葉鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 460, 1994  
*Asplenium serricula* Fee, 1852 蘭嶼鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 461, 1994  
*Asplenium shikokianum* Makino, 1899 四國鐵角蕨 Ref. 同前  
*Asplenium subnormale* Copel., 1905 小鐵角蕨 Ref. Flora of Taiwan 2nd ed. 6: 33, 2003  
*Asplenium tenerum* Forst., 1786 鈍齒鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 461, 1994  
*Asplenium tenuicaule* Hayata, 1914 小葉鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 462, 1994  
*Asplenium tenuifolium* Don, 1825 薄葉鐵角蕨 Ref. 同前  
*Asplenium trichomanes* L., 1753 鐵角蕨 Ref. 同前  
*Asplenium tripteropus* Nakai, 1930 三翅鐵角蕨 Ref. Flora of Taiwan 2nd ed. 1: 463, 1994

*Asplenium unilaterale* Lam., 1786 單邊鐵角蕨 Ref. 同前  
*Asplenium viride* Hudson, 1762 綠柄鐵角蕨 Ref. 同前  
*Asplenium wrightii* Eaton, 1860 萊氏鐵角蕨 Ref. 同前  
*Asplenium yunnanense* Franch., 1885 雲南鐵角蕨 Ref. 同前

### Family Athyriaceae 蹄蓋蕨科

*Acystopteris taiwaniana* (Tagawa) A. Love & D. Love, 1977 臺灣亮毛蕨 Ref. Flora of Taiwan 2nd ed. 6: 31, 2003  
*Athyrium ×pseudo-cryptogrammoides* Yoshikawa, 1981 擬合歡蹄蓋蕨 Ref. 同前  
*Athyrium ×purpurascens* (Tagawa) Sa. Kurata, 1997 紫柄蹄蓋蕨 Ref. 同前  
*Athyrium anisopterum* Christ, 1898 宿蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 416, 1994  
*Athyrium arisanense* (Hayata) Tagawa, 1933 阿里山蹄蓋蕨 Ref. 同前  
*Athyrium atkinsonii* Beddome, 1876 亞德氏蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 418, 1994  
*Athyrium auriculatum* Seriz., 1971 耳垂蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 6: 31, 2003  
*Athyrium boryanum* (Willd.) Tagawa, 1935 波氏蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 418, 1994  
*Athyrium cryptogrammoides* Hayata, 1916 合歡山蹄蓋蕨 [特有] Ref. 同前  
*Athyrium drepanopterum* (Kunze) A. Brown ex Milde, 1867 細裂蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 421, 1994  
*Athyrium epirachis* (H. Christ) Ching, 1934 軸果蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 6: 31, 2003  
*Athyrium erythropodum* Hayata, 1914 紅柄蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 421, 1994  
*Athyrium foliolosum* T. Moore ex R. Sim., 1859 薄葉蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 6: 31, 2003  
*Athyrium fragile* Tard.-Blot, 1932 花蓮蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 421, 1994  
*Athyrium iseanum* Rosenst., 1914 細葉蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 422, 1994  
*Athyrium japonicum* (Thunb.) Copel., 1908 東洋蹄蓋蕨 Ref. 同前  
*Athyrium leiopodium* (Hayata) Tagawa, 1933 小葉蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 6: 31, 2003  
*Athyrium nakanoi* Makino, 1929 紅苞蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 424, 1994  
*Athyrium nigripes* (Blume) T. Moore, 1857 蓬萊蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 6: 31, 2003  
*Athyrium niponicum* (Mett.) Hance, 1873 日本蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 424, 1994  
*Athyrium oppositipinnum* Hayata, 1911 對生蹄蓋蕨 Ref. 同前  
*Athyrium pycnosorum* Christ, 1902 深山蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 425, 1994  
*Athyrium reflexipinnum* Hayata, 1914 逆葉蹄蓋蕨 Ref. 同前  
*Athyrium silvicolum* Tagawa, 1933 高山蹄蓋蕨 Ref. 同前  
*Athyrium strigillosum* (T. Moore ex E. J. Lowe) Salomon, 1883 生芽蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 6: 32, 2003  
*Athyrium subrigescens* (Hayata) Hayata ex H. Ito, 1938 姬蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 426, 1994  
*Athyrium tozanense* (Hayata) Hayata, 1914 蓬萊蹄蓋蕨 Ref. 同前  
*Athyrium unifurcatum* (Bak.) C. Chr., 1924 擬大蹄蓋蕨 Ref. 同前  
*Athyrium vidalii* (Fr. & Sav.) Nakai, 1925 山蹄蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 427, 1994  
*Cornopteris decurrenti-alatum* (Hook.) Nakai, 1930 貞蕨 Ref. 同前  
*Cornopteris fluviialis* (Hayata) Tagawa, 1932 大葉貞蕨 Ref. Flora of Taiwan 2nd ed. 1: 429, 1994  
*Cornopteris opaca* (Don) Tagawa, 1939 黑葉貞蕨 Ref. Flora of Taiwan 2nd ed. 6: 32, 2003  
*Cornopteris philippinensis* M. Kato, 1979 菲律賓貞蕨 Ref. 同前  
*Cystopteris fragilis* (L.) Bernh., 1806 冷蕨 Ref. Flora of Taiwan 2nd ed. 1: 429, 1994  
*Cystopteris japonica* Luerss., 1883 毛冷蕨 Ref. Flora of Taiwan 2nd ed. 1: 430, 1994  
*Cystopteris moupinensis* Franchet, 1887 寬葉冷蕨 Ref. 同前  
*Cystopteris tenuisecta* (Bl.) Mett., 1864 粗柄毛冷蕨 Ref. 同前  
*Diplaziopsis agyokuense* Tagawa, 1938 阿玉雙蓋蕨 Ref. Flora of Taiwan 2nd ed. 6: 32, 2003  
*Diplaziopsis javanica* (Blume) C. Chr., 1905 腸蕨 Ref. Flora of Taiwan 2nd ed. 1: 432, 1994  
*Diplazium amamianum* Tagawa, 1934 奄美雙蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 435, 1994  
*Diplazium asperum* Blume, 1828 粗柄雙蓋蕨 Ref. 同前  
*Diplazium chinense* (Bak.) C. Chr., 1905 中華雙蓋蕨 Ref. 同前  
*Diplazium dilatatum* Blume, 1928 廣葉鋸齒雙蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 436, 1994  
*Diplazium doederleinii* (Luerss.) Makino, 1899 德氏雙蓋蕨 Ref. 同前  
*Diplazium donianum* (Mett.) Tard.-Blot, 1932 細柄雙蓋蕨 Ref. 同前  
*Diplazium esculentum* (Retz.) Sw., 1803 過溝菜蕨 Ref. Flora of Taiwan 2nd ed. 1: 438, 1994  
*Diplazium formosanum* Rosenst., 1915 網脈雙蓋蕨 Ref. 同前  
*Diplazium incomptum* Tagawa, 1934 翅柄雙蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 441, 1994  
*Diplazium kawakamii* Hayata, 1911 川上氏雙蓋蕨 Ref. 同前  
*Diplazium laxifrons* Rosenst., 1915 疏葉雙蓋蕨 Ref. Flora of Taiwan 2nd ed. 6: 32, 2003  
*Diplazium lkudairai* Makino, 1906 假耳羽雙蓋蕨 Ref. 同前  
*Diplazium lobatum* (Tagawa) Tagawa, 1962 裂葉雙蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 441, 1994  
*Diplazium megaphyllum* (Bak.) Christ, 1898 大葉雙蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 442, 1994  
*Diplazium mettenianum* (Miq.) C. Chr., 1905 深山雙蓋蕨 Ref. 同前  
*Diplazium petrii* Tard.-Blot, 1932 廣葉深山雙蓋蕨 Ref. 同前  
*Diplazium pseudo-doederleinii* Hayata, 1919 擬德氏雙蓋蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 443, 1994  
*Diplazium pullingeri* (Bak.) J. Sm., 1877 樸氏雙蓋蕨 Ref. 同前  
*Diplazium squamigerum* (Mett.) Matsum., 1904 長苞雙蓋蕨 Ref. 同前  
*Diplazium subinatum* (Wall. ex Hook. & Grev.) Tagawa, 1959 單葉雙蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 444, 1994  
*Diplazium taiwanense* Tagawa, 1936 台灣雙蓋蕨 Ref. 同前  
*Diplazium virescens* Kunze, 1848 刺柄雙蓋蕨 Ref. 同前  
*Diplazium wichurae* (Mett.) Diels, 1899 鋸齒雙蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 445, 1994  
*Gymnocarpium oyamense* (Baker) Ching, 1933 羽節蕨 Ref. 同前  
*Gymnocarpium remote-pinnatum* (Hayata) Ching, 1937 細裂羽節蕨 Ref. Flora of Taiwan 2nd ed. 1: 446, 1994  
*Woodsia okamotoi* Tagawa, 1938 岡本氏岩蕨 [特有] Ref. 同前  
*Woodsia polystichoides* D. C. Eaton, 1858 岩蕨 Ref. 同前

### Family Azollaceae 滿江紅科

*Azolla pinnata* R. Br., 1810 滿江紅 Ref. Flora of Taiwan 2nd ed. 1: 541, 1994

### Family Blechnaceae 烏毛蕨科

- Blechnum melanopus* Hook., 1860 雉尾烏毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 268, 1994  
*Blechnum orientale* L., 1753 烏毛蕨 Ref. 同前  
*Brainea insignis* (Hook.) J. Sm., 1856 蘇鐵蕨 Ref. 同前  
*Diploblechnum fraseri* (A. Cunn.) DeVol, 1975 假杪樺 Ref. Flora of Taiwan 2nd ed. 1: 271, 1994  
*Struthiopteris eburnea* (Christ) Ching var. *obtusata* (Tagawa) Tagawa 1952 天長羅曼蕨 [特有] Ref. 同前  
*Struthiopteris hancockii* (Hance) Tagawa, 1952 韓氏羅曼蕨 Ref. Flora of Taiwan 2nd ed. 1: 273, 1994  
*Woodwardia harlandii* Hook., 1857 哈氏狗脊蕨 Ref. Flora of Taiwan 2nd ed. 1: 275, 1994  
*Woodwardia japonica* (L. f.) Sm., 1793 日本狗脊蕨 Ref. 同前  
*Woodwardia kempii* Copel., 1908 細葉狗脊蕨 Ref. 同前  
*Woodwardia orientalis* Sw. var. *formosana* Rosenst. 1914 台灣狗脊蕨 Ref. Flora of Taiwan 2nd ed. 1: 278, 1994  
*Woodwardia unigemmata* (Makino) Nakai, 1925 生芽狗脊蕨 Ref. 同前

### Family Cheiropleuriaceae 燕尾蕨科

*Cheiropleuria bicuspidis* (Blume) C. Presl, 1849 燕尾蕨 Ref. Flora of Taiwan 2nd ed. 1: 467, 1994

### Family Davalliaceae 骨碎補科

- Araiostegia parvipinnata* (Hayata) Copel., 1927 台灣小膜蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 186, 1994  
*Davallia formosana* Hayata, 1991 大葉骨碎補 Ref. Flora of Taiwan 2nd ed. 1: 188, 1994  
*Davallia mariesii* Moore ex Bak., 1891 海州骨碎補 Ref. 同前  
*Davallia solida* (Forst.) Sw., 1801 闊葉骨碎補 Ref. Flora of Taiwan 2nd ed. 1: 190, 1994  
*Humata chrysanthemifolia* (Hayata) Hayata, 1916 阿里山陰石蕨 Ref. 同前  
*Humata griffithiana* (Hook.) C. Chr., 1931 杯狀蓋陰石蕨 Ref. Flora of Taiwan 2nd ed. 1: 192, 1994  
*Humata pectinata* (J. Sm.) Desv., 1827 馬來陰石蕨 Ref. 同前  
*Humata repens* (L. f.) Diels, 1902 陰石蕨 Ref. Flora of Taiwan 2nd ed. 1: 195, 1994  
*Humata trifoliata* Cav., 1802 鱗葉陰石蕨 Ref. 同前  
*Humata vestita* (Bl.) Moore, 1857 熱帶陰石蕨 Ref. 同前  
*Leucostegia immersa* (Wall.) Presl, 1836 大膜蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 197, 1994

### Family Dennstaedtiaceae 碗蕨科

- Dennstaedtia hirsuta* (Sw.) Mett. ex Miq., 1800 細毛碗蕨 Ref. Flora of Taiwan 2nd ed. 1: 151, 1994  
*Dennstaedtia scabra* (Wall. ex Hook.) Moore, 1861 碗蕨 Ref. 同前  
*Dennstaedtia scandens* (Blume) Moore, 1858 刺柄碗蕨 Ref. 同前  
*Dennstaedtia smithii* (Hook.) Moore, 1861 司氏碗蕨 Ref. Flora of Taiwan 2nd ed. 1: 154, 1994  
*Histiopteris incisa* (Thunb.) J. Sm., 1875 栗蕨 Ref. 同前  
*Hypolepis punctata* (Thunb.) Mett., 1868 姬蕨 Ref. Flora of Taiwan 2nd ed. 1: 156, 1994  
*Hypolepis tenuifolia* (Forst.) Bernh., 1806 細葉姬蕨 Ref. 同前  
*Microlepia calvescens* (Wall. ex Hook.) Presl var. *intramarginalis* (Tagawa) Shieh 1973 羽葉鱗蓋蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 158, 1994  
*Microlepia calvescens* (Wall. ex Hook.) Presl, 1849 光葉鱗蓋蕨 [特有] Ref. 同前  
*Microlepia hookeriana* (Wall. ex Hook.) Presl, 1849 虎克氏鱗蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 159, 1994  
*Microlepia marginata* (Panzer) C. Chr. var. *bipinnata* Makino 1905 台北鱗蓋蕨 Ref. 同前  
*Microlepia marginata* (Panzer) C. Chr., 1905 邊緣鱗蓋蕨 Ref. 同前  
*Microlepia obtusiloba* Hayata, 1901 團羽鱗蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 161, 1994  
*Microlepia platyphylla* (Don) J. Sm., 1842 闊葉鱗蓋蕨 Ref. 同前  
*Microlepia sinostrigosa* Ching, 1959 中華鱗蓋蕨 Ref. Flora of Taiwan 2nd ed. 6: 22, 2003  
*Microlepia speluncae* (L.) Moore, 1858 熱帶鱗蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 161, 1994  
*Microlepia strigosa* (Thunb.) Presl, 1849 粗毛鱗蓋蕨 Ref. 同前  
*Microlepia substrigosa* Tagawa, 1936 亞粗毛鱗蓋蕨 Ref. Flora of Taiwan 2nd ed. 1: 163, 1994  
*Microlepia taiwaniana* Tagawa, 1941 台灣鱗蓋蕨 [特有] Ref. 同前  
*Microlepia tenera* Christ, 1909 嫩鱗蓋蕨 Ref. 同前  
*Microlepia trapeziformis* (Roxb.) Kuhn, 1882 針毛鱗蓋蕨 Ref. 同前  
*Microlepia trichocarpa* Hayata, 1914 毛果鱗蓋蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 164, 1994  
*Microlepia trichosora* Ching, 1959 毛囊鱗蓋蕨 Ref. Flora of Taiwan 2nd ed. 6: 22, 2003  
*Monachosorum henryi* Christ, 1898 稀子蕨 Ref. Flora of Taiwan 2nd ed. 1: 164, 1994  
*Monachosorum maximowiczii* (Bak.) Hayata, 1909 岩穴蕨 Ref. Flora of Taiwan 2nd ed. 1: 166, 1994  
*Paesia taiwanensis* Shieh, 1970 台灣曲軸蕨 [特有] Ref. 同前  
*Pteridium aquilinum* (L.) Kuhn subsp. *latiusculum* (Desv.) Shieh 1973 蕨 Ref. Flora of Taiwan 2nd ed. 1: 169, 1994  
*Pteridium aquilinum* (L.) Kuhn subsp. *wightianum* (Wall.) Shieh 1973 巒大蕨 Ref. 同前

### Family Dicksoniaceae 蚌殼蕨科

- Cibotium barometz* (L.) J. Sm., 1842 金狗毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 140, 1994  
*Cibotium taiwanianum* Kuo, 1975 台灣金狗毛蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 142, 1994

### Family Dipteridaceae 雙扇蕨科

*Dipteris conjugata* Reinw., 1824 雙扇蕨 Ref. Flora of Taiwan 2nd ed. 1: 465, 1994

### Family Dryopteridaceae 鱗毛蕨科

- Acrophorus stipellatus* (Wall.) Moore, 1854 魚鱗蕨 Ref. Flora of Taiwan 2nd ed. 1: 304, 1994  
*Acrorumohra diffracta* (Baker) H. Ito, 1939 彎柄假複葉耳蕨 Ref. 同前  
*Acrorumohra hasseltii* (Blume) Ching, 1964 哈氏假複葉耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 307, 1994  
*Acrorumohra subreflexipinna* (Ogata) H. Ito, 1939 微彎假複葉耳蕨 [特有] Ref. 同前

*Acrorumohra yoroi* (Serizawa) Shieh, 1975 玉山假複葉耳蕨 [特有] Ref. 同前  
*Arachniodes aristata* (Forst.) Tindle, 1961 細葉複葉耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 308, 1994  
*Arachniodes festina* (Hance) Ching, 1962 台灣兩面複葉耳蕨 Ref. 同前  
*Arachniodes globisora* (Hayata) Ching, 1964 台灣複葉耳蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 309, 1994  
*Arachniodes nigrospinosa* (Ching) Ching, 1962 黑鱗複葉耳蕨 Ref. 同前  
*Arachniodes pseudo-aristata* (Tagawa) Ohwi, 1962 小葉複葉耳蕨 Ref. 同前  
*Arachniodes rhomboides* (Wall. Ex Mett.) Ching, 1964 斜方複葉耳蕨 Ref. 同前  
*Arachniodes rhomboides* (Wall. Ex Mett.) Ching var. *yakusimensis* (H.Ito) Shieh 1975 屋久複葉耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 311, 1994  
*Cyrtogonellum fraxinellum* (Christ) Ching, 1938 柳葉蕨 Ref. 同前  
*Cyrtomium caryotideum* (Wall.) Presl, 1836 細齒貫眾蕨 Ref. Flora of Taiwan 2nd ed. 1: 313, 1994  
*Cyrtomium falcatum* (L. f.) Presl, 1836 全緣貫眾蕨 Ref. 同前  
*Cyrtomium hookerianum* (Presl) C. Chr., 1913 狹葉貫眾蕨 Ref. Flora of Taiwan 2nd ed. 1: 314, 1994  
*Cyrtomium macrophyllum* (Makino) Tagawa var. *acuminatum* (Diels) Tagawa 1938 尖葉貫眾蕨 Ref. 同前  
*Cyrtomium taiwanianum* Tagawa, 1938 台灣貫眾蕨 [特有] Ref. 同前  
*Dicalpe aspidioides* Blume, 1828 紅線蕨 Ref. Flora of Taiwan 2nd ed. 1: 316, 1994  
*Dryopteris alpestris* Tagawa, 1934 腺鱗毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 318, 1994  
*Dryopteris atrata* (Wall.) Ching, 1933 桫欏鱗毛蕨 Ref. 同前  
*Dryopteris austriaca* (Jacq.) Woynar ex Schinz & Thell., 1915 闊葉鱗毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 320, 1994  
*Dryopteris barbiger* (Hook.) Ktze., 1891 密毛鱗毛蕨 Ref. 同前  
*Dryopteris chrysocoma* (Christ) C. Chr., 1905 擬岩蕨 Ref. 同前  
*Dryopteris costalisora* Tagawa, 1934 能高鱗毛蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 321, 1994  
*Dryopteris enneaphylla* (Baker) C. Chr., 1905 頂羽鱗毛蕨 Ref. 同前  
*Dryopteris enneaphylla* (Baker) C. Chr. var. *pseudosieboldii* (Hayata) Tagawa & K. Iwats. 1960 大頂羽鱗毛蕨 Ref. 同前  
*Dryopteris fibrillosa* (Clarke) Hand.-Mzt., 1922 密鱗毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 322, 1994  
*Dryopteris formosana* (Christ) C. Chr., 1905 台灣鱗毛蕨 Ref. 同前  
*Dryopteris hendersonii* (Beddome) C. Chr., 1905 小苞鱗毛蕨 Ref. 同前  
*Dryopteris hypophlebia* Hayata, 1914 深山鱗毛蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 324, 1994  
*Dryopteris labordei* (Christ) C. Chr., 1905 疏葉鱗毛蕨 Ref. 同前  
*Dryopteris lacera* (Thunb.) Kuntze, 1891 二型鱗毛蕨 Ref. Flora of Taiwan 2nd ed. 6: 28, 2003  
*Dryopteris lepidopoda* Hayata, 1914 厚葉鱗毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 325, 1994  
*Dryopteris marginata* (Wall.) Christ, 1907 三角葉鱗毛蕨 Ref. 同前  
*Dryopteris polita* Rosenst., 1914 台東鱗毛蕨 Ref. 同前  
*Dryopteris reflexosquamata* Hayata, 1914 逆鱗毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 326, 1994  
*Dryopteris scottii* (Beddome) Ching, 1933 史氏鱗毛蕨 Ref. 同前  
*Dryopteris serrato-dentata* (Beddome) Hayata, 1914 鋸齒葉鱗毛蕨 Ref. 同前  
*Dryopteris sordidipes* Tagawa, 1934 落鱗毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 327, 1994  
*Dryopteris sparsa* (Don) Ktze., 1891 長葉鱗毛蕨 Ref. 同前  
*Dryopteris squamiseta* (Hook.) Ktze., 1891 阿里山鱗毛蕨 Ref. 同前  
*Dryopteris subatrata* Tagawa, 1940 細葉鱗毛蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 328, 1994  
*Dryopteris subexaltata* (Christ) C. Chr., 1905 早田氏鱗毛蕨 Ref. 同前  
*Dryopteris subintegriloba* Serizawa, 1971 蓬萊鱗毛蕨 [特有] Ref. 同前  
*Dryopteris tenuipes* (Rosenst.) Serizawa, 1971 落葉鱗毛蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 329, 1994  
*Dryopteris toyamae* Tagawa, 1939 外山氏鱗毛蕨 Ref. 同前  
*Dryopteris varia* (L.) Ktze., 1891 南海鱗毛蕨 Ref. 同前  
*Dryopteris wallichiana* (Spr.) Alston & Bonner, 1956 瓦氏鱗毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 331, 1994  
*Leptorumohra quadripinnata* Leptorumohra, 1939 毛苞擬複葉耳蕨 Ref. 同前  
*Peranema cyatheoides* Peranema, 1825 柄囊蕨 Ref. Flora of Taiwan 2nd ed. 1: 333, 1994  
*Polystichum acanthophyllum* (Franch.) Christ, 1905 針葉耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 336, 1994  
*Polystichum acutidens* Christ, 1902 台東耳蕨 Ref. 同前  
*Polystichum biaristatum* (Blume) Moore, 1858 二尖耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 338, 1994  
*Polystichum deltodon* (Baker) Diels, 1899 對生耳蕨 Ref. 同前  
*Polystichum duthiei* (C. Hope) C. Chr., 1906 杜氏耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 339, 1994  
*Polystichum eximium* (Mett. & Kuhn) C. Chr., 1933 阿里山耳蕨 Ref. 同前  
*Polystichum formosanum* Rosenst., 1915 台灣耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 340, 1994  
*Polystichum hancockii* (Hance) Diels, 1899 韓氏耳蕨 Ref. 同前  
*Polystichum hecatopterum* Diels, 1900 鋸齒葉耳蕨 Ref. 同前  
*Polystichum inaense* (Tagawa) Tagawa, 1938 小耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 342, 1994  
*Polystichum kiusiuense* Tagawa, 1953 九州耳蕨 Ref. 同前  
*Polystichum lachenense* (Hook.) Bedd., 1865 高山耳蕨 Ref. 同前  
*Polystichum lepidocaulon* (Hook.) J. Sm., 1866 鞭葉耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 343, 1994  
*Polystichum manneiense* (Christ.) Nakaike, 1982 鎌葉耳蕨 Ref. 同前  
*Polystichum morii* Hayata, 1918 玉山耳蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 345, 1994  
*Polystichum neo-lobatum* Nakai, 1925 硬葉耳蕨 Ref. 同前  
*Polystichum nepalense* (Spreng.) C. Chr., 1906 軟骨耳蕨 Ref. 同前  
*Polystichum obliquum* (Don) Moore, 1858 知本耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 346, 1994  
*Polystichum parvipinnulum* Tagawa, 1937 尖葉耳蕨 [特有] Ref. 同前  
*Polystichum piceopaleaceum* Tagawa, 1936 黑鱗耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 347, 1994  
*Polystichum prescottianum* (Wall. ex Mett.) Moore, 1858 南湖耳蕨 Ref. 同前  
*Polystichum prionolepis* Hayata, 1914 鋸葉耳蕨 [特有] Ref. 同前  
*Polystichum stenophyllum* Christ, 1905 芽胞耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 349, 1994  
*Polystichum tacticopterum* (Kunze) T. Moore, 1858 兒玉氏耳蕨 Ref. 同前

- Polystichum thomsonii* (Hook. f.) Bedd., 1866 尾葉耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 350, 1994  
*Polystichum tsus-simense* (Hook.) J. Sm., 1875 馬祖耳蕨 Ref. 同前  
*Polystichum wilsonii* Christ, 1911 福山氏耳蕨 Ref. 同前  
*Polystichum xiphophyllum* (Bak.) Diels, 1899 關山耳蕨 Ref. Flora of Taiwan 2nd ed. 1: 351, 1994

#### Family Grammitidaceae 禾葉蕨科

- Calymmodon cucullatus* (Nees & Blume) C. Presl, 1836 姬荷包蕨 Ref. Flora of Taiwan 2nd ed. 1: 520, 1994  
*Calymmodon gracilis* (Fee) Copel., 1927 疏毛荷毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 521, 1994  
*Ctenopteris curtisii* (Baker) Copel., 1953 蒿蕨 Ref. 同前  
*Ctenopteris merrittii* (Copel.) Tagawa, 1940 擬虎尾蒿蕨 Ref. Flora of Taiwan 2nd ed. 1: 524, 1994  
*Ctenopteris mollicoma* (Nees & Blume) Kunze, 1846 南洋蒿蕨 Ref. 同前  
*Ctenopteris obliquata* (Blume) Copel., 1953 密毛蒿蕨 Ref. Flora of Taiwan 2nd ed. 1: 525, 1994  
*Ctenopteris subfalcata* (Blume) Kunze, 1848 虎尾蒿蕨 Ref. 同前  
*Ctenopteris tenuisecta* (Blume) J. Sm., 1875 細葉蒿蕨 Ref. 同前  
*Grammitis adspersa* (Blume) Blume, 1828 無毛禾葉蕨 Ref. Flora of Taiwan 2nd ed. 1: 526, 1994  
*Grammitis congener* Blume, 1828 大武禾葉蕨 Ref. Flora of Taiwan 2nd ed. 1: 527, 1994  
*Grammitis fenicis* Copel., 1942 短柄禾葉蕨 Ref. 同前  
*Grammitis intromissa* (Christ) parris, 1981 大禾葉蕨 Ref. 同前  
*Grammitis jagoriana* (Mett.) Copel., 1933 擬禾葉蕨 Ref. 同前  
*Grammitis nuda* Tagawa, 1941 長孢禾葉蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 529, 1994  
*Grammitis reinwardtia* Blume, 1828 毛禾葉蕨 Ref. 同前  
*Prosaptia contigua* (Forst.) Presl, 1836 穴子蕨 Ref. Flora of Taiwan 2nd ed. 1: 530, 1994  
*Prosaptia urceolaris* (Hayata) Copel., 1929 台灣穴子蕨 Ref. 同前  
*Scleroglossum pusillum* (Blume) Aldrew., 1912 革舌蕨 Ref. Flora of Taiwan 2nd ed. 1: 532, 1994  
*Xiphopteris okuboi* (Yatabe) Copel., 1947 梳葉蕨 Ref. 同前

#### Family Lindsaeaceae 陵齒蕨科

- Lindsaea cuitrata* (Willd.) Sw., 1806 網脈陵齒蕨 Ref. Flora of Taiwan 2nd ed. 1: 173, 1994  
*Lindsaea ensifolia* Sw., 1801 箭葉陵齒蕨 Ref. 同前  
*Lindsaea heterophylla* Dryand, 1797 異葉陵齒蕨 Ref. Flora of Taiwan 2nd ed. 1: 175, 1994  
*Lindsaea japonica* (Baker) Diels, 1902 日本陵齒蕨 Ref. 同前  
*Lindsaea kawabatae* Sa. Kurata, 1965 細葉鱗始蕨 Ref. Flora of Taiwan 2nd ed. 6: 23, 2003  
*Lindsaea merrillii* Copel. var. *yaeyamensis* (Tagawa) W. C. Shieh 1973 攀緣陵齒蕨 Ref. Flora of Taiwan 2nd ed. 1: 175, 1994  
*Lindsaea odorata* Roxb., 1844 陵齒蕨 Ref. Flora of Taiwan 2nd ed. 1: 177, 1994  
*Lindsaea orbiculata* (Lam.) Mett. ex Kuhn var. *commixta* (Tagawa) W. C. Shieh 1973 海島陵齒蕨 Ref. 同前  
*Lindsaea orbiculata* (Lam.) Mett. ex Kuhn var. *recedens* (Ching) W. C. Shieh 1973 闊片陵齒蕨 Ref. Flora of Taiwan 2nd ed. 1: 180, 1994  
*Lindsaea orbiculata* (Lam.) Mett. ex Kuhn, 1869 圓葉陵齒蕨 Ref. Flora of Taiwan 2nd ed. 1: 177, 1994  
*Lindsaea orbiculata* (Lam.) Mett. ex Kuhn var. *deltoida* Y. C. Wu 1869 三角葉陵齒蕨 Ref. Flora of Taiwan 2nd ed. 1: 180, 1994  
*Lindsaea securifolia* C. Presl var. *kusukusensis* (Hayata) Shieh 1975 方柄陵齒蕨 [特有] Ref. 同前  
*Sphenomeris biflora* (Kaulf.) Tagawa, 1958 闊片烏蕨 Ref. Flora of Taiwan 2nd ed. 1: 181, 1994  
*Sphenomeris chusana* (L.) Copel., 1929 烏蕨 Ref. 同前  
*Tapeinidium gracile* (Blume) Aldrew, 1909 細葉達邊蕨 Ref. Flora of Taiwan 2nd ed. 6: 23, 2003  
*Tapeinidium pinnatum* (Cav.) C. Chr., 1905 達邊蕨 Ref. Flora of Taiwan 2nd ed. 1: 184, 1994  
*Tapeinidium pinnatum* (Cav.) C. Chr., 1973 var. *biserratum* (Blume) W. C. Shieh 二羽達邊蕨 Ref. 同前

#### Family Lomariopsidaceae 蘿蔓藤蕨科

- Bolbitis laxireticulata* K. Iwatsuki, 1959 疏網實蕨 Ref. Flora of Taiwan 2nd ed. 6: 29, 2003  
*Bolbitis nanjenensis* Kuo, 1990 南仁刺蕨 Ref. 同前  
*Bolbitis contaminans* (Wall.) Ching, 1934 細葉實蕨 Ref. Flora of Taiwan 2nd ed. 1: 352, 1994  
*Bolbitis heteroclita* (Pr.) Ching, 1934 尾葉實蕨 Ref. Flora of Taiwan 2nd ed. 1: 353, 1994  
*Bolbitis rhizophylla* (Kaulf.) Hennipman, 1970 大實蕨 Ref. Flora of Taiwan 2nd ed. 6: 29, 2003  
*Bolbitis scalpturata* (Fee) Ching, 1934 紅柄實蕨 Ref. 同前  
*Bolbitis subcordata* (Copel.) Ching, 1934 海南實蕨 Ref. Flora of Taiwan 2nd ed. 1: 355, 1994  
*Egenolfia appendiculata* (Willd.) J. Sm., 1866 刺蕨 Ref. Flora of Taiwan 2nd ed. 1: 356, 1994  
*Egenolfia laxireticulata* (Iwats.) Kuo, 1975 網脈刺蕨 Ref. 同前  
*Egenolfia rhizophylla* (Kaulf.) Fee, 1850 大刺蕨 Ref. 同前  
*Elaphoglossum angulatum* (Blume) T. Moore, 1857 爪哇舌蕨 Ref. Flora of Taiwan 2nd ed. 1: 358, 1994  
*Elaphoglossum callifolium* (Blume) T. Moore, 1857 銳頭舌蕨 Ref. Flora of Taiwan 2nd ed. 1: 359, 1994  
*Elaphoglossum commutatum* Aldrew., 1917 大葉舌蕨 Ref. Flora of Taiwan 2nd ed. 6: 29, 2003  
*Elaphoglossum luzonicum* Copel., 1907 臺灣舌蕨 Ref. Flora of Taiwan 2nd ed. 6: 30, 2003  
*Elaphoglossum marginatum* (Wall. ex Fee) T. Moore, 1857 垂葉舌蕨 [特有] Ref. 同前  
*Elaphoglossum yoshinagae* (Yatabe) Makino, 1901 舌蕨 Ref. Flora of Taiwan 2nd ed. 1: 361, 1994  
*Lomariopsis spectabilis* (Kze.) Mett., 1856 蘿蔓藤蕨 Ref. Flora of Taiwan 2nd ed. 1: 362, 1994

#### Family Marsileaceae 蘋科

- Marsilea crenata* C. Presl, 1825 南國田字草 Ref. Flora of Taiwan 2nd ed. 1: 537, 1994

#### Family Oleandraceae 蔞蕨科

- Arthropteris palisotii* (Desv.) Alston, 1956 蔞蕨 Ref. Flora of Taiwan 2nd ed. 1: 199, 1994  
*Nephrolepis auriculata* (L.) Trimen, 1887 腎蕨 Ref. Flora of Taiwan 2nd ed. 1: 201, 1994  
*Nephrolepis biserrata* (Sw.) Schott., 1834 長葉腎蕨 Ref. 同前  
*Nephrolepis multiflora* (Roxburgh) Jarrett & Morton, 1974 毛葉腎蕨 Ref. Flora of Taiwan 2nd ed. 1: 203, 1994  
*Oleandra wallichii* (Hook.) Presl, 1836 蔞蕨 Ref. 同前

#### Family Onocleaceae 球子蕨科

*Matteuccia orientalis* (Hook.) Trev., 1869 東方莢果蕨 Ref. Flora of Taiwan 2nd ed. 1: 264, 1994

### Family Osmundaceae 紫萁科

*Osmunda banksiaefolia* (Pr.) Kuhn, 1869 粗齒革葉紫萁 Ref. Flora of Taiwan 2nd ed. 1: 80, 1994

*Osmunda cinnamomea* L., 1753 假紫萁 Ref. Flora of Taiwan 2nd ed. 1: 82, 1994

*Osmunda claytoniana* L., 1753 絨假紫萁 Ref. 同前

*Osmunda japonica* Thunb., 1780 紫萁 Ref. 同前

### Family Parkeriaceae 水蕨科

*Ceratopteris thalictroides* (L.) Brongn., 1822 水蕨 Ref. Flora of Taiwan 2nd ed. 1: 535, 1994

### Family Plagiogyriaceae 瘤足蕨科

*Plagiogyria dunnii* Copel., 1908 倒葉瘤足蕨 Ref. Flora of Taiwan 2nd ed. 1: 134, 1994

*Plagiogyria euphlebia* (Kunze) Mett., 1858 華中瘤足蕨 Ref. Flora of Taiwan 2nd ed. 1: 135, 1994

*Plagiogyria formosana* Nakai, 1928 台灣瘤足蕨 Ref. 同前

*Plagiogyria japonica* Nakai, 1928 華東瘤足蕨 Ref. Flora of Taiwan 2nd ed. 1: 137, 1994

*Plagiogyria koidzumii* Tagawa, 1933 小泉氏瘤足蕨 Ref. 同前

*Plagiogyria rankanensis* Hayata, 1919 瘤足蕨 Ref. 同前

*Plagiogyria stenoptera* (Hance) Diels, 1899 耳形瘤足蕨 Ref. Flora of Taiwan 2nd ed. 1: 138, 1994

### Family Polypodiaceae 水龍骨科

*Aglaomorpha meyeniana* Schott, 1834 連珠蕨 Ref. Flora of Taiwan 2nd ed. 1: 470, 1994

*Arthromeris lehmannii* (Mett.) Ching, 1933 肢節蕨 Ref. Flora of Taiwan 2nd ed. 1: 472, 1994

*Belvisia mucronata* (Fee) Copel., 1947 尖嘴蕨 Ref. 同前

*Colysis hemionitidea* (Wall.) C. Presl, 1849 斷線蕨 Ref. Flora of Taiwan 2nd ed. 1: 475, 1994

*Colysis pothifolia* (Don) Presl, 1849 大線蕨 Ref. 同前

*Colysis shintenensis* (Hayata) H. Ito, 1935 新店線蕨 Ref. Flora of Taiwan 2nd ed. 1: 477, 1994

*Colysis wrightii* (Hook.) Ching, 1933 萊氏線蕨 Ref. 同前

*Crypsinus echinosporus* (Tagawa) Tagawa, 1952 大葉玉山弗蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 478, 1994

*Crypsinus engleri* (Luerss.) Copel., 1947 恩氏弗蕨 Ref. 同前

*Crypsinus hastatus* (Thunb.) Copel., 1947 三葉弗蕨 Ref. Flora of Taiwan 2nd ed. 1: 479, 1994

*Crypsinus okamotoi* (Tagawa) Tagawa, 1952 岡本氏弗蕨 [特有] Ref. 同前

*Crypsinus quasidivariatus* (Hayata) Copel., 1947 玉山弗蕨 Ref. Flora of Taiwan 2nd ed. 1: 480, 1994

*Crypsinus taeniatus* (Sw.) Copel. var. *palmatus* (Blume) Tagawa 1954 掌葉弗蕨 Ref. 同前

*Crypsinus taiwanensis* (Tagawa) Tagawa, 1952 台灣弗蕨 [特有] Ref. 同前

*Crypsinus yakushimensis* (Makino) Tagawa, 1952 姬弗蕨 Ref. Flora of Taiwan 2nd ed. 1: 482, 1994

*Drymotaenium miyoshianum* (Makino) Makino, 1901 二條線蕨 Ref. 同前

*Drynaria fortunei* (Kunze) J. Sm., 1857 槲蕨 Ref. Flora of Taiwan 2nd ed. 1: 484, 1994

*Lemmaphyllum diversum* (Rosenst.) Tagawa, 1949 骨牌蕨 Ref. 同前

*Lemmaphyllum microphyllum* Presl, 1849 抱樹蕨 Ref. Flora of Taiwan 2nd ed. 1: 487, 1994

*Lepisorus clathratus* (Clarke) Ching, 1933 網眼瓦葦 Ref. Flora of Taiwan 2nd ed. 1: 489, 1994

*Lepisorus kawakamii* (Hayata) Tagawa, 1936 鱗瓦葦 [特有] Ref. 同前

*Lepisorus kuchenensis* (Wu) Ching, 1933 獐山瓦葦 Ref. Flora of Taiwan 2nd ed. 1: 491, 1994

*Lepisorus megasorus* (C. Chr.) Ching, 1933 長柄瓦葦 [特有] Ref. 同前

*Lepisorus monilisorus* (Hayata) Tagawa, 1942 擬芟瓦葦 [特有] Ref. 同前

*Lepisorus morrisonensis* (Hayata) H. Ito, 1935 玉山瓦葦 Ref. Flora of Taiwan 2nd ed. 1: 492, 1994

*Lepisorus obscure-venulosus* (Hayata) Ching, 1933 奧瓦葦 Ref. 同前

*Lepisorus pseudo-ussuriensis* Tagawa, 1936 擬烏蘇里瓦葦 [特有] Ref. 同前

*Lepisorus suboligolepidus* Ching, 1933 擬鱗瓦葦 Ref. Flora of Taiwan 2nd ed. 1: 493, 1994

*Lepisorus thunbergianus* (Kaulf.) Ching, 1933 瓦葦 Ref. 同前

*Lepisorus tosaensis* (Makino) H. Ito, 1935 擬瓦葦 Ref. 同前

*Leptochilus decurrens* Blume, 1828 萊蕨 Ref. Flora of Taiwan 2nd ed. 1: 494, 1994

*Loxogramme confertifolia* Tagawa, 1939 密葉劍蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 496, 1994

*Loxogramme formosana* Nakai, 1929 台灣劍蕨 Ref. 同前

*Loxogramme grammitoides* (Baker) C. Chr., 1917 小葉劍蕨 Ref. 同前

*Loxogramme remote-frondigera* Hayata, 1915 長柄劍蕨 [特有] Ref. 同前

*Loxogramme salicifolia* (Makino) Makino, 1905 柳葉劍蕨 Ref. Flora of Taiwan 2nd ed. 1: 498, 1994

*Microsorium buergerianum* (Miq.) Ching, 1933 波氏星蕨 Ref. Flora of Taiwan 2nd ed. 1: 499, 1994

*Microsorium dilatatum* (Beddome) Sledge, 1960 箭葉星蕨 Ref. 同前

*Microsorium fortunei* (Moore) Ching, 1933 大星蕨 Ref. Flora of Taiwan 2nd ed. 1: 501, 1994

*Microsorium membranaceum* (Don) Ching, 1933 膜葉星蕨 Ref. 同前

*Microsorium pteropus* (Blume) Copel., 1929 三叉葉星蕨 Ref. Flora of Taiwan 2nd ed. 1: 502, 1994

*Microsorium punctatum* (L.) Copel., 1929 星蕨 Ref. 同前

*Microsorium rubidum* (Kunze) Copel., 1947 長葉星蕨 Ref. 同前

*Microsorium scolopendrium* (Burm.) Copel., 1929 海岸星蕨 Ref. Flora of Taiwan 2nd ed. 1: 504, 1994

*Microsorium steerei* (Harr.) Ching, 1933 廣葉星蕨 Ref. 同前

*Neocheiropteris ensata* (Thunb.) Ching, 1933 扇蕨 Ref. Flora of Taiwan 2nd ed. 1: 505, 1994

*Phymatosorum nigrescens* (Blume) Pic. Serm., 1973 薄葉擬弗蕨 Ref. Flora of Taiwan 2nd ed. 6: 35, 2003

*Polypodium amoenum* Wall. ex Mett., 1857 阿里山水龍骨 Ref. Flora of Taiwan 2nd ed. 1: 507, 1994

*Polypodium argutum* Wall. ex Hook., 1832 箭葉水龍骨 Ref. 同前

*Polypodium formosanum* Bak., 1885 台灣水龍骨 Ref. Flora of Taiwan 2nd ed. 1: 509, 1994

*Polypodium microrhizoma* Clarke ex Bak., 1874 栗柄水龍骨 Ref. 同前

*Polypodium raishanense* Rosenst., 1915 大葉水龍骨 [特有] Ref. 同前

*Polypodium transpianense* Yamam., 1931 疏毛水龍骨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 511, 1994

- Pseudodrynaria coronans* (Wall.) Ching, 1940 崖薑蕨 Ref. 同前  
*Pyrrosia adnascens* (Sw.) Ching, 1935 抱樹石葦 Ref. Flora of Taiwan 2nd ed. 1: 513, 1994  
*Pyrrosia gralla* (Giesenh.) Ching, 1935 中國石葦 Ref. Flora of Taiwan 2nd ed. 1: 514, 1994  
*Pyrrosia linearifolia* (Hook.) Ching, 1935 絨毛石葦 Ref. 同前  
*Pyrrosia linga* (Thunb.) Farw., 1931 石葦 Ref. 同前  
*Pyrrosia matsudae* (Hayata) Tagawa, 1949 松田氏石葦 [特有] Ref. Flora of Taiwan 2nd ed. 1: 515, 1994  
*Pyrrosia polydactyla* (Hance) Ching, 1935 槭葉石葦 [特有] Ref. 同前  
*Pyrrosia sheareri* (Bak.) Ching, 1935 廬山石葦 Ref. Flora of Taiwan 2nd ed. 1: 516, 1994  
*Pyrrosia transmorrisonensis* (Hayata) Ching, 1935 玉山石葦 [特有] Ref. 同前  
*Saxiglossum angustissimum* (Giesenh.) Ching, 1965 石蕨 Ref. Flora of Taiwan 2nd ed. 1: 518, 1994

### Family Pteridaceae 鳳尾蕨科

- Cheilanthes argentea* (Gmel.) Kunze, 1850 長柄粉背蕨 Ref. Flora of Taiwan 2nd ed. 1: 207, 1994  
*Cheilanthes chusana* Hook., 1852 細葉碎米蕨 Ref. 同前  
*Cheilanthes dealbata* D. Don, 1825 臺灣粉背蕨 Ref. Flora of Taiwan 2nd ed. 6: 24, 2003  
*Cheilanthes farinosa* (Forssk.) Kaulf., 1824 深山粉背蕨 Ref. Flora of Taiwan 2nd ed. 1: 207, 1994  
*Cheilanthes hirsuta* (Poir.) Mett., 1859 毛碎米蕨 Ref. Flora of Taiwan 2nd ed. 1: 211, 1994  
*Cheilanthes mexicana* (Fe'e) N. Punetha & Kholia, 1989 粉背蕨 Ref. Flora of Taiwan 2nd ed. 6: 24, 2003  
*Cheilanthes subargentea* (Ching & S. K. Wu) Kuo, 1985 擬長柄粉背蕨 Ref. 同前  
*Cheilanthes tenuifolia* (Burm.) Sw., 1806 薄葉碎米蕨 Ref. Flora of Taiwan 2nd ed. 1: 211, 1994  
*Cryptogramma brunoniana* Wall. ex Hook. & Grev., 1829 高山珠蕨 Ref. 同前  
*Cryptogramma stelleri* (Gmel.) Prantl, 1882 疏葉珠蕨 Ref. Flora of Taiwan 2nd ed. 1: 213, 1994  
*Doryopteris concolor* (Langsd. & Fisch.) Kuhn, 1879 黑心蕨 Ref. 同前  
*Mildella henryi* (Christ) Hall & Lell., 1967 亨利氏擬旱蕨 Ref. Flora of Taiwan 2nd ed. 1: 216, 1994  
*Onychium contiguum* (Wall.) Hope, 1901 高山金粉蕨 Ref. 同前  
*Onychium japonicum* (Thunb.) Kunze, 1848 日本金粉蕨 Ref. Flora of Taiwan 2nd ed. 1: 219, 1994  
*Onychium siliculosum* (Desv.) C. Chr., 1905 金粉蕨 Ref. 同前  
*Pteris ×wulaiensis* Kuo, 1989 烏來鳳尾蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 233, 1994  
*Pteris angustipinna* Tagawa, 1935 細葉鳳尾蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 223, 1994  
*Pteris bella* Tagawa, 1939 長柄鳳尾蕨 [特有] Ref. 同前  
*Pteris biaurita* L., 1753 弧脈鳳尾蕨 Ref. 同前  
*Pteris cadieri* Christ, 1905 二形鳳尾蕨 Ref. Flora of Taiwan 2nd ed. 1: 224, 1994  
*Pteris cretica* L., 1767 大葉鳳尾蕨 Ref. 同前  
*Pteris dactylina* Hook., 1858 掌鳳尾蕨 Ref. 同前  
*Pteris deltodon* Bak., 1888 岩鳳尾蕨 Ref. Flora of Taiwan 2nd ed. 1: 203, 1994  
*Pteris dispar* Kunze, 1848 天草鳳尾蕨 Ref. Flora of Taiwan 2nd ed. 1: 226, 1994  
*Pteris ensiformis* Burm., 1763 箭葉鳳尾蕨 Ref. 同前  
*Pteris excelsa* Gaud., 1827 溪鳳尾蕨 Ref. 同前  
*Pteris fauriei* Hieron., 1914 傅氏鳳尾蕨 Ref. 同前  
*Pteris formosana* Bak., 1885 台灣鳳尾蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 227, 1994  
*Pteris grevilleana* Wall. ex J. Agardh, 1839 翅柄鳳尾蕨 Ref. 同前  
*Pteris kidoi* Kurata, 1964 城戶氏鳳尾蕨 Ref. 同前  
*Pteris linearis* Poir., 1804 三角脈鳳尾蕨 Ref. Flora of Taiwan 2nd ed. 1: 229, 1994  
*Pteris longipes* Don, 1825 蓬萊鳳尾蕨 Ref. 同前  
*Pteris longipinna* Hayata, 1911 長葉鳳尾蕨 [特有] Ref. 同前  
*Pteris multifida* Poir., 1804 鳳尾蕨 Ref. 同前  
*Pteris nipponica* Shieh, 1966 日本鳳尾蕨 Ref. Flora of Taiwan 2nd ed. 1: 231, 1994  
*Pteris pellucidifolia* Hayata, 1916 闊葉鳳尾蕨 Ref. 同前  
*Pteris ryukyuensis* Tagawa Tagawa, 1935 琉球鳳尾蕨 Ref. Flora of Taiwan 2nd ed. 6: 25, 2003  
*Pteris scabristipes* Tagawa, 1936 紅柄鳳尾蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 231, 1994  
*Pteris semipinnata* L., 1753 半邊羽裂鳳尾蕨 Ref. 同前  
*Pteris setuloso-costulata* Hayata, 1914 有刺鳳尾蕨 Ref. Flora of Taiwan 2nd ed. 1: 232, 1994  
*Pteris tokioi* Masam., 1935 鈴木氏鳳尾蕨 Ref. 同前  
*Pteris tripartita* Sw., 1801 三腳鳳尾蕨 Ref. 同前  
*Pteris venusta* Kunze, 1848 爪哇鳳尾蕨 Ref. 同前  
*Pteris vittata* L., 1753 鱗蓋鳳尾蕨 Ref. Flora of Taiwan 2nd ed. 1: 233, 1994  
*Pteris wallichiana* Ag., 1839 瓦氏鳳尾蕨 Ref. 同前

### Family Salviniaceae 槐葉蘋科

- Salvinia natans* (L.) All., 1785 槐葉蘋 Ref. Flora of Taiwan 2nd ed. 1: 539, 1994

### Family Thelypteridaceae 金星蕨科

- Ampelopteris prolifera* (Retz.) Copel., 1947 星毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 365, 1994  
*Cyclosorus ×intermedius* Shieh & Tsai, 1987 擬密毛毛蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 370, 1994  
*Cyclosorus acuminatus* (Houtt.) Nakai var. *kuliangensis* Ching 1935 突尖毛蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 368, 1994  
*Cyclosorus acuminatus* (Houtt.) Nakai, 1935 毛蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 367, 1994  
*Cyclosorus acuminatus* var. *acuminatoides* W. C. Shieh & J. L. Tsai, 1935 賽毛蕨 [特有] Ref. 同前  
*Cyclosorus aridus* (Don) Ching, 1938 擬毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 368, 1994  
*Cyclosorus dentatus* (Forssk.) Ching, 1938 野毛蕨 Ref. 同前  
*Cyclosorus ensifer* (Tagawa) Shieh, 1976 廣葉毛蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 370, 1994  
*Cyclosorus interruptus* (Willd.) H. Ito, 1937 鐵毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 372, 1994  
*Cyclosorus kotoensis* (Hayata) Shieh, 1976 蘭嶼大葉毛蕨 [特有] Ref. 同前  
*Cyclosorus latipinna* (Benth.) Tardieu, 1938 微縮小毛蕨 Ref. Flora of Taiwan 2nd ed. 6: 30, 2003

*Cyclosorus papilio* (Hope) Ching, 1938 薄葉梳毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 372, 1994  
*Cyclosorus parasiticus* (L.) Farw., 1931 密毛毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 374, 1994  
*Cyclosorus subpubescens* (Bl.) Ching, 1938 梳毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 375, 1994  
*Cyclosorus taiwanensis* (C. Chr.) H. Ito, 1937 台灣毛蕨 Ref. 同前  
*Cyclosorus truncatus* (Poir.) Farw., 1931 大葉毛蕨 Ref. Flora of Taiwan 2nd ed. 1: 376, 1994  
*Dictyocline griffithii* Moore var. *wilfordii* (Hook.) Moore 1861 威氏聖蕨 Ref. Flora of Taiwan 2nd ed. 1: 381, 1994  
*Dictyocline griffithii* Moore, 1855 聖蕨 Ref. Flora of Taiwan 2nd ed. 1: 379, 1994  
*Leptogramma pozoi* (Lag.) Ching, 1963 非洲茯蕨 Ref. Flora of Taiwan 2nd ed. 1: 381, 1994  
*Leptogramma totoides* H. Ito, 1935 尾葉茯蕨 Ref. Flora of Taiwan 2nd ed. 1: 382, 1994  
*Metathelypteris adscendens* (Ching) Ching, 1963 微毛凸軸蕨 Ref. 同前  
*Metathelypteris gracilescens* (Blume) Ching, 1963 光葉凸軸蕨 Ref. Flora of Taiwan 2nd ed. 1: 385, 1994  
*Parathelypteris angulariloba* (Ching) Ching, 1963 鈍頭副金星蕨 Ref. Flora of Taiwan 2nd ed. 1: 386, 1994  
*Parathelypteris angustifrons* (Miq.) Ching, 1963 小梯葉副金星蕨 Ref. 同前  
*Parathelypteris beddomei* (Baker) Ching, 1963 縮羽副金星蕨 Ref. Flora of Taiwan 2nd ed. 1: 388, 1994  
*Parathelypteris castanea* (Tagawa) Ching, 1963 栗柄副金星蕨 [特有] Ref. 同前  
*Parathelypteris glanduligera* (Kze.) Ching, 1963 密腺副金星蕨 Ref. Flora of Taiwan 2nd ed. 1: 391, 1994  
*Phegopteris connectilis* (Michx.) Watt, 1870 長柄假金星蕨 Ref. Flora of Taiwan 2nd ed. 1: 392, 1994  
*Phegopteris decursive-pinnata* (van Hall) Fee, 1852 翅軸假金星蕨 Ref. 同前  
*Pronephrium asperum* (C. Presl) W. C. Shieh & J. L. Tsai, 1994 大羽葉新月蕨 Ref. Flora of Taiwan 2nd ed. 1: 394, 1994  
*Pronephrium cuspidatum* (Bl.) Holtt., 1972 頂芽新月蕨 Ref. Flora of Taiwan 2nd ed. 1: 396, 1994  
*Pronephrium insularis* (K. Iwats.) Holtt., 1972 變葉新月蕨 Ref. 同前  
*Pronephrium longipetiolatum* (K. Iwats.) Holtt., 1972 長柄新月蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 397, 1994  
*Pronephrium simplex* (Hook.) Holtt., 1972 單葉新月蕨 Ref. 同前  
*Pronephrium triphyllum* (Sw.) Holtt. var. *parishii* (Bedd.) C. M. Kuo 1975 羽葉新月蕨 Ref. Flora of Taiwan 2nd ed. 1: 399, 1994  
*Pronephrium triphyllum* (Sw.) Holtt., 1972 新月蕨 Ref. Flora of Taiwan 2nd ed. 1: 397, 1994  
*Pseudophegopteris aurita* (Hook.) Ching, 1963 耳羽紫柄蕨 Ref. Flora of Taiwan 2nd ed. 6: 31, 2003  
*Pseudophegopteris paludosa* (Blume) Ching, 1963 毛囊紫柄蕨 Ref. Flora of Taiwan 2nd ed. 1: 401, 1994  
*Pseudophegopteris subaurita* (Tagawa) Ching, 1963 光囊紫柄蕨 Ref. 同前  
*Stegogramma dictyoclinoides* Ching, 1936 溪邊蕨 Ref. Flora of Taiwan 2nd ed. 1: 403, 1994  
*Thelypteris xerubesciquilica* W. C. Shieh & J. L. Tsai, 1987 大斜金星蕨 [特有] Ref. Flora of Taiwan 2nd ed. 1: 405, 1994  
*Thelypteris auriculata* (J. Sm.) K. Iwats., 1961 截葉金星蕨 Ref. Flora of Taiwan 2nd ed. 1: 203, 1994  
*Thelypteris erubescens* (Wall. ex Hook.) Ching, 1936 大葉金星蕨 Ref. Flora of Taiwan 2nd ed. 1: 405, 1994  
*Thelypteris esquirolii* (Christ) Ching, 1936 斜葉金星蕨 Ref. 同前  
*Thelypteris laxa* (Franch. & Sav.) Ching, 1936 柔葉金星蕨 Ref. Flora of Taiwan 2nd ed. 1: 410, 1994  
*Thelypteris omeiensis* (Bak.) Ching, 1936 擬伏蕨 Ref. 同前  
*Thelypteris ornata* (Wall. ex Bedd.) Ching, 1936 刺柄金星蕨 Ref. 同前  
*Thelypteris torresiana* (Gaud.) Alston, 1960 粗毛金星蕨 Ref. Flora of Taiwan 2nd ed. 1: 411, 1994  
*Thelypteris uraiensis* (Rosenst.) Ching, 1936 烏來金星蕨 Ref. Flora of Taiwan 2nd ed. 1: 413, 1994

### Family Vittariaceae 書帶蕨科

*Antrophyum formosanum* Heron., 1915 台灣車前蕨 Ref. Flora of Taiwan 2nd ed. 1: 254, 1994  
*Antrophyum obovatum* Baker, 1898 車前蕨 Ref. Flora of Taiwan 2nd ed. 1: 255, 1994  
*Antrophyum parvulum* Blume, 1828 無柄車前蕨 Ref. 同前  
*Antrophyum sessilifolium* (Cav.) Spring, 1827 蘭嶼車前蕨 Ref. Flora of Taiwan 2nd ed. 1: 257, 1994  
*Vaginularia paradoxa* (Fee) Mett., 1869 連孢一條線蕨 Ref. 同前  
*Vaginularia trichoides* (J. Sm.) Fee, 1852 一條線蕨 Ref. 同前  
*Vittaria anguste-elongata* Hayata, 1916 姬書帶蕨 Ref. Flora of Taiwan 2nd ed. 1: 259, 1994  
*Vittaria flexuosa* Fee, 1851 書帶蕨 Ref. Flora of Taiwan 2nd ed. 1: 260, 1994  
*Vittaria taeniophylla* Copel., 1906 廣葉書帶蕨 Ref. 同前  
*Vittaria zosterifolia* Willd., 1810 垂葉書帶蕨 Ref. 同前

### Order Schizaeales 莎草蕨目

#### Family Schizaeaceae 莎草蕨科

*Lygodium japonicum* (Thunb.) Sw., 1800 海金沙 Ref. Flora of Taiwan 2nd ed. 1: 84, 1994  
*Lygodium microphyllum* (Cav.) R. Brown, 1810 小葉海金沙 Ref. Flora of Taiwan 2nd ed. 1: 86, 1994  
*Schizaea dichotoma* (L.) Sm., 1793 分枝莎草蕨 Ref. 同前  
*Schizaea digitata* (L.) Sw., 1806 莎草蕨 Ref. 同前

## Phylum Cycadophyta 蘇鐵門

### Class Cycadopsida 蘇鐵綱

#### Order Cycadales 蘇鐵目

#### Family Cycadaceae 蘇鐵科

*Cycas taitungensis* C. F. Shen, K. D. Hill, C. H. Tsou & C. J. Chen, 1994 台東蘇鐵 [特有] Ref. Flora of Taiwan 2nd ed. 1: 547, 1994

## Phylum Coniferophyta 毬果門

### Class Pinopsida 松綱

#### Order Pinales 松杉目

### Family Cephalotaxaceae 粗榧科

*Cephalotaxus wilsoniana* Hayata, 1914 台灣粗榧 [特有] Ref. Flora of Taiwan 2nd ed. 1: 555, 1994

### Family Cupressaceae 柏科

- Calocedrus macrolepis* Kurz var. *formosana* (Florin) Cheng & L.K. Fu. 1978 台灣肖楠 Ref. Flora of Taiwan 2nd ed. 1: 588, 1994  
*Chamaecyparis formosensis* Matsum., 1901 紅檜 [特有] Ref. Flora of Taiwan 2nd ed. 1: 586, 1994  
*Chamaecyparis obtusa* Siebold & Zucc. var. *formosana* (Hayata) Rehder 1914 台灣扁柏 Ref. Flora of Taiwan 2nd ed. 1: 588, 1994  
*Juniperus chinensis* L. var. *taiwanensis* R. P. Adams & C. F. Hsieh 2002 清水圓柏 Ref. Flora of Taiwan 2nd ed. 6: 32, 2003  
*Juniperus chinensis* L. var. *tsukusiensis* Masam. 1930 清水圓柏 Ref. Flora of Taiwan 2nd ed. 1: 591, 1994  
*Juniperus formosana* Hayata, 1908 刺柏 Ref. Flora of Taiwan 2nd ed. 1: 593, 1994  
*Juniperus squamata* Buch.-Ham. apud Lamb., 1824 香青 Ref. 同前

### Family Pinaceae 松科

- Abies kawakamii* (Hayata) Ito, 1909 台灣冷杉 [特有] Ref. Flora of Taiwan 2nd ed. 1: 567, 1994  
*Keteleeria davidiana* (Franchet) Beissner var. *formosana* Hayata 1908 台灣油杉 Ref. Flora of Taiwan 2nd ed. 1: 569, 1994  
*Picea morrisonicola* Hayata, 1908 台灣雲杉 [特有] Ref. Flora of Taiwan 2nd ed. 1: 571, 1994  
*Pinus armandii* Franch. var. *masteriana* Hayata 1908 台灣華山松 Ref. Flora of Taiwan 2nd ed. 1: 573, 1994  
*Pinus massoniana* Lambert, 1803 馬尾松 Ref. 同前  
*Pinus morrisonicola* Hayata, 1908 台灣五葉松 [特有] Ref. 同前  
*Pinus taiwanensis* Hayata, 1911 台灣二葉松 [特有] Ref. Flora of Taiwan 2nd ed. 1: 577, 1994  
*Pseudotsuga wilsoniana* Hayata, 1915 台灣黃杉 [特有] Ref. 同前  
*Tsuga chinensis* (Franch.) Pritz. var. *formosana* (Hayata) Li & Keng 1954 台灣鐵杉 Ref. Flora of Taiwan 2nd ed. 1: 580, 1994

### Family Podocarpaceae 羅漢松科

- Nageia fleuryi* (Hickel) de Laub., 1987 長葉竹柏 Ref. Flora of Taiwan 2nd ed. 1: 557, 1994  
*Nageia nagi* (Thunb.) O. Kuntze, 1891 竹柏 Ref. Flora of Taiwan 2nd ed. 1: 559, 1994  
*Podocarpus costalis* Presl, 1849 蘭嶼羅漢松 Ref. Flora of Taiwan 2nd ed. 1: 561, 1994  
*Podocarpus fasciculatus* de Laubenfels, 1985 叢花百日青 [特有] Ref. 同前  
*Podocarpus macrophyllus* (Thunb.) Sweet var. *macrophyllus* (Thunb.) Sweet 1818 大葉羅漢松 Ref. Flora of Taiwan 2nd ed. 1: 564, 1994  
*Podocarpus macrophyllus* (Thunb.) Sweet, 1818 大葉羅漢松 Ref. 同前  
*Podocarpus macrophyllus* (Thunb.) Sweet var. *maki* Sieb. & Zucc. 1846 小葉羅漢松 Ref. 同前  
*Podocarpus nakaii* Hayata, 1916 桃實百日青 [特有] Ref. 同前

### Family Taxodiaceae 杉科

- Cunninghamia konishii* Hayata, 1908 巒大杉 [特有] Ref. Flora of Taiwan 2nd ed. 1: 582, 1994  
*Taiwania cryptomerioides* Hayata, 1906 台灣杉 [特有] Ref. Flora of Taiwan 2nd ed. 1: 584, 1994

## Order Taxales 紅豆杉目

### Family Taxaceae 紅豆杉科

- Amentotaxus formosana* Li, 1952 台灣穗花杉 [特有] Ref. Flora of Taiwan 2nd ed. 1: 553, 1994  
*Taxus sumatrana* (Miq.) de Laub., 1978 南洋紅豆杉 Ref. Flora of Taiwan 2nd ed. 1: 550, 1994

## Phylum Magnoliophyta 木蘭植物門

### Class Liliopsida 百合綱

#### Order Alismatales 澤瀉目

##### Family Alismataceae 澤瀉科

- Alisma canaliculatum* A. Braun & Bouch, 1867 澤瀉 Ref. Flora of Taiwan 2nd ed. 5: 4, 2000  
*Caldesia grandis* Samuel., 1930 圓葉澤瀉 Ref. 同前  
*Sagittaria guayanensis* HBK. subsp. *lappula* (D. Don) Bogin 1955 臺灣冠果草 Ref. Flora of Taiwan 2nd ed. 5: 7, 2000  
*Sagittaria pygmaea* Miq., 1866 瓜皮草 Ref. 同前  
*Sagittaria trifolia* L., 1753 三腳剪 Ref. Flora of Taiwan 2nd ed. 5: 10, 2000

#### Order Arales 天南星目

##### Family Araceae 天南星科

- Acorus gramineus* Soland., 1943 石菖蒲 Ref. Flora of Taiwan 2nd ed. 5: 665, 2000  
*Alocasia cucullata* (Lour.) Schott, 1832 尖尾姑婆芋 Ref. Flora of Taiwan 2nd ed. 5: 667, 2000  
*Alocasia odora* (Lodd.) Spach., 1846 姑婆芋 Ref. 同前  
*Amorphophallus henryi* N. E. Br., 1903 台灣魔芋 [特有] Ref. Flora of Taiwan 2nd ed. 5: 670, 2000  
*Amorphophallus hirtus* N. E. Br., 1903 密毛魔芋 [特有] Ref. 同前  
*Amorphophallus kiusianus* (Makino) Makino, 1913 東亞魔芋 Ref. Flora of Taiwan 2nd ed. 5: 671, 2000  
*Amorphophallus paeoniifolius* (Dennst.) Nicolson, 1977 疣柄魔芋 Ref. 同前  
*Arisaema consanguineum* Schott, 1859 長行天南星 Ref. Flora of Taiwan 2nd ed. 5: 673, 2000  
*Arisaema formosanum* (Hayata) Hayata, 1915 台灣天南星 [特有] Ref. Flora of Taiwan 2nd ed. 5: 674, 2000  
*Arisaema grapsospadix* Hayata, 1915 毛筆天南星 [特有] Ref. 同前  
*Arisaema heterophyllum* Blume, 1835 羽葉天南星 Ref. Flora of Taiwan 2nd ed. 5: 675, 2000  
*Arisaema ilanense* J. C. Wang, 1996 宜蘭天南星 [特有] Ref. 同前  
*Arisaema matsudae* Hayata, 1920 線花天南星 [特有] Ref. 同前  
*Arisaema nanjenense* T. C. Huang & M. J. Wu, 1997 南仁山天南星 [特有] Ref. Flora of Taiwan 2nd ed. 5: 676, 2000  
*Arisaema ringens* (Thunb.) Schott, 1832 申跋 Ref. 同前  
*Arisaema taiwanense* J. Murata var. *brevipedunculatum* J. Murata 1985 短梗天南星 [特有] Ref. Flora of Taiwan 2nd ed. 5: 677, 2000  
*Arisaema taiwanense* J. Murata, 1985 蓬萊天南星 [特有] Ref. 同前

*Arisaema thunbergii* J. Murata subsp. *autumnale* J. C. Wang, J. Murata & H. Ohashi 1996 東台天南星 [特有] Ref. 同前  
*Colocasia esculenta* (L.) Schott var. *antiquorum* (Schott) Hubb. 1932 檳榔芋 Ref. Flora of Taiwan 2nd ed. 5: 678, 2000  
*Colocasia esculenta* (L.) Schott, 1832 芋 Ref. 同前  
*Colocasia formosana* Hayata, 1919 台灣青芋 [特有] Ref. 同前  
*Colocasia gigantea* (Blume) Hook. f., 1893 大野芋 Ref. Flora of Taiwan 2nd ed. 5: 679, 2000  
*Colocasia tonoiimo* Nakai, 1940 紫芋 Ref. 同前  
*Epipremnum formosanum* Hayata, 1915 台灣拾樹藤 [特有] Ref. 同前  
*Epipremnum pinnatum* (L.) Engl. ex Engl. & Kraus, 1908 拾樹藤 Ref. Flora of Taiwan 2nd ed. 5: 681, 2000  
*Homalomena kelungensis* Hayata, 1919 基隆扁葉芋 [特有] Ref. 同前  
*Homalomena philippinensis* Engl. ex Engl. & Kraus, 1912 菲律賓扁葉芋 Ref. Flora of Taiwan 2nd ed. 5: 682, 2000  
*Lasia spinoza* (L.) Thwait., 1864 刺芋 Ref. Flora of Taiwan 2nd ed. 5: 694, 2000  
*Pinellia ternata* (Thunb.) Breit., 1879 半夏 Ref. Flora of Taiwan 2nd ed. 5: 682, 2000  
*Pistia stratiotes* L., 1753 大萍 Ref. 同前  
*Pothoidium lobbianum* Schott, 1857 假柚葉藤 Ref. Flora of Taiwan 2nd ed. 5: 685, 2000  
*Pothos chinensis* (Raf.) Merr., 1948 柚葉藤 Ref. 同前  
*Pothos warburgii* Engl., 1898 台灣石柑 Ref. Flora of Taiwan 2nd ed. 5: 694, 2000  
*Remusatia vivipara* (Lodd.) Schott, 1832 台灣目賊芋 Ref. Flora of Taiwan 2nd ed. 5: 686, 2000  
*Rhaphidophora decursiva* (Roxb.) Schott, 1857 Ref. Flora of Taiwan 2nd ed. 5: 694, 2000  
*Rhaphidophora hongkongensis* Schott, 1857 香港針房藤 Ref. Flora of Taiwan 2nd ed. 5: 687, 2000  
*Rhaphidophora luikuiensis* Hatusima, 1962 針房藤 Ref. Flora of Taiwan 2nd ed. 5: 686, 2000  
*Schismatoglottis kotoensis* (Hayata) T. C. Huang, J. L. Hsiao & H. Y. Yeh, 2000 蘭嶼芋 [特有] Ref. Flora of Taiwan 2nd ed. 5: 687, 2000  
*Typhonium blumei* Nicolson & Sivad., 1981 土半夏 Ref. Flora of Taiwan 2nd ed. 5: 690, 2000  
*Typhonium roxburghii* Schott, 1855 金慈姑 Ref. Flora of Taiwan 2nd ed. 5: 693, 2000  
*Xanthosoma sagittifolium* (L.) Schott, 1832 千年芋 Ref. 同前  
*Xanthosoma violaceum* Schott, 1853 紫柄千年芋 Ref. 同前

### Family Lemnaceae 浮萍科

*Lemna aequinoctialis* Welw., 1859 青萍 Ref. Flora of Taiwan 2nd ed. 5: 695, 2000  
*Lemna trisulca* L., 1753 品藻 Ref. 同前  
*Spirodela polyrhiza* (L.) Schleid., 1839 水萍 Ref. Flora of Taiwan 2nd ed. 5: 696, 2000  
*Spirodela punctata* G. Mey., 1897 紫萍 Ref. 同前  
*Wolffia arrhiza* (L.) Wimm., 1857 無根萍 Ref. 同前

## Order Arecales 棕櫚目

### Family Palmae 棕櫚科

*Arenga tremula* (Blanco) Becc., 1909 山棕 Ref. Flora of Taiwan 2nd ed. 5: 656, 2000  
*Calamus beccarii* Henderson, 2005 土藤 Ref. Taiwania 50(3): 222, 2005  
*Calamus formosanus* Becc., 1902 台灣水藤 [特有] Ref. Flora of Taiwan 2nd ed. 5: 656, 2000  
*Calamus quiquesetinervius* Burret, 1933 黃藤 [特有] Ref. Flora of Taiwan 2nd ed. 5: 658, 2000  
*Calamus siphonospathus* Mart. var. *sublaevis* Becc. 1905 蘭嶼省藤 Ref. 同前  
*Livistona chinensis* R. Br. var. *subglobosa* (Mart.) Becc. 1921 蒲葵 Ref. Flora of Taiwan 2nd ed. 5: 660, 2000  
*Phoenix hanceana* Naudin, 1879 台灣海棗 Ref. 同前  
*Pinanga tashiroi* Hayata, 1913 山檳榔 [特有] Ref. Flora of Taiwan 2nd ed. 5: 662, 2000

## Order Commelinales 鴨跖草目

### Family Commelinaceae 鴨跖草科

*Amischotolype hispida* (Less. & A. Rich.) Hong, 1974 穿鞘花 Ref. Flora of Taiwan 2nd ed. 5: 153, 2000  
*Belosynapsis ciliata* (Blume) R. S. Rao, 1964 毛葉鴨舌症 Ref. Flora of Taiwan 2nd ed. 5: 154, 2000  
*Belosynapsis kawakamii* (Hayata) C. I. Peng & Y. J. Chen, 2000 川上氏鴨舌症 [特有] Ref. Flora of Taiwan 2nd ed. 5: 156, 2000  
*Commelina auriculata* Blume, 1827 耳葉鴨跖草 Ref. Flora of Taiwan 2nd ed. 5: 158, 2000  
*Commelina benghalensis* L., 1753 圓葉鴨跖草 Ref. 同前  
*Commelina communis* L., 1753 鴨跖草 Ref. Flora of Taiwan 2nd ed. 5: 161, 2000  
*Commelina diffusa* Burm. f., 1768 竹仔菜 Ref. 同前  
*Commelina paludosa* Blume, 1827 大葉鴨跖草 Ref. Flora of Taiwan 2nd ed. 5: 163, 2000  
*Cyanotis arachnoidea* C. B. Clarke, 1881 蛛絲毛藍耳草 Ref. Flora of Taiwan 2nd ed. 5: 165, 2000  
*Cyanotis axillaris* (L.) Sweet, 1827 鞘苞花 Ref. 同前  
*Floscopa scandens* Lour., 1790 蔓囊荷 Ref. Flora of Taiwan 2nd ed. 5: 168, 2000  
*Murdannia edulis* (Stokes) Faden, 1980 葶花水竹葉 Ref. Flora of Taiwan 2nd ed. 5: 170, 2000  
*Murdannia keisak* (Hassk.) Hand.-Mazz., 1936 水竹葉 Ref. 同前  
*Murdannia loriformis* (Hassk.) R. S. Rao & Kammathy, 1961 牛鞭草 Ref. Flora of Taiwan 2nd ed. 5: 172, 2000  
*Murdannia spirata* (L.) Br?kn., 1930 矮水竹葉 Ref. Flora of Taiwan 2nd ed. 5: 173, 2000  
*Polia japonica* Thunb., 1784 杜若 Ref. 同前  
*Polia miranda* (H. Lévl.) H. Hara, 1984 小杜若 Ref. Flora of Taiwan 2nd ed. 5: 175, 2000  
*Polia secundiflora* (Blume) Bakh. f., 1950 叢林杜若 Ref. 同前  
*Rhopalephora scaberrima* (Blume) Faden, 1977 毛果竹葉菜 Ref. Flora of Taiwan 2nd ed. 5: 177, 2000

### Family Xyridaceae 黃眼草科

*Xyris formosana* Hayata, 1915 桃園草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 179, 2000

## Order Cycolanthales 巴拿馬草目

### Family Cycolanthaceae 巴拿馬草科

*Carludovica palmata* Ruiz & Pav., 1798 巴拿馬草 Ref. Flora of Taiwan 2nd ed. 5: 663, 2000

## Order Cyperales 莎草目

### Family Cyperaceae 莎草科

- Actinoscirpus grossus* (L. f.) Goetgh. & D. A. Simpson, 1991 大蘆草 Ref. Flora of Taiwan 2nd ed. 5: 192, 2000  
*Bolboschoenus planiculmis* (F. Schmidt) T. Koyama, 1978 扁稈蘆草 Ref. Flora of Taiwan 2nd ed. 5: 193, 2000  
*Bulbostylis barbata* (Rottb.) C. B. Clarke, 1893 毛球柱草 Ref. 同前  
*Bulbostylis densa* (Wall.) Hand.-Mazz., 1930 球柱草 Ref. Flora of Taiwan 2nd ed. 5: 194, 2000  
*Carex alliiformis* C. B. Clarke, 1903 林下蘆 Ref. Flora of Taiwan 2nd ed. 5: 198, 2000  
*Carex alopecuroides* D. Don ex Tillich & Taylor, 1823 川上氏蘆 Ref. Flora of Taiwan 2nd ed. 5: 199, 2000  
*Carex alterniflora* Franch., 1895 宜蘭宿柱蘆 Ref. 同前  
*Carex arisanensis* Hayata, 1911 阿里山疏花蘆 Ref. Flora of Taiwan 2nd ed. 5: 200, 2000  
*Carex atrata* L., 1753 南湖扁果蘆 Ref. 同前  
*Carex baccans* Nees, 1834 紅果蘆 Ref. 同前  
*Carex bilateralis* Hayata, 1911 短葉二柱蘆 Ref. Flora of Taiwan 2nd ed. 5: 202, 2000  
*Carex brachyathera* Ohwi, 1934 垂穗蘆 Ref. 同前  
*Carex breviculmis* R. Br., 1810 短莖宿柱蘆 Ref. Flora of Taiwan 2nd ed. 5: 205, 2000  
*Carex brevicuspis* C. B. Clarke, 1903 大山宿柱蘆 Ref. 同前  
*Carex breviscapa* C. B. Clarke, 1894 寬果宿柱蘆 Ref. 同前  
*Carex brownii* Turkerman, 1843 布朗蘆 Ref. Flora of Taiwan 2nd ed. 5: 206, 2000  
*Carex brunnea* Thunberg, 1784 束草 Ref. 同前  
*Carex capillacea* Boott, 1858 單穗蘆 Ref. Flora of Taiwan 2nd ed. 5: 208, 2000  
*Carex caucasica* Steven, 1813 大井氏扁果蘆 Ref. 同前  
*Carex chrysolepis* Franch. & Sav., 1878 黃花蘆 Ref. 同前  
*Carex cruciata* Wahl., 1803 煙火蘆 Ref. Flora of Taiwan 2nd ed. 5: 209, 2000  
*Carex cryptostachys* Brongn., 1828 隱柱蘆 Ref. 同前  
*Carex doniana* Sprengel, 1826 芒尖蘆 Ref. 同前  
*Carex fernaldiana* Lev. & Vaniot, 1901 線葉宿柱蘆 Ref. Flora of Taiwan 2nd ed. 5: 212, 2000  
*Carex filicina* Nees, 1834 紅鞘蘆 Ref. 同前  
*Carex finitima* Boott, 1958 長柱蘆 Ref. 同前  
*Carex formosensis* Lev. & Vaniot, 1905 寶島宿柱蘆 Ref. Flora of Taiwan 2nd ed. 5: 213, 2000  
*Carex fulvorubescens* Hayata, 1911 茶色扁果蘆 [特有] Ref. 同前  
*Carex gracilispica* Hayata, 1921 細穗宿柱蘆 Ref. 同前  
*Carex grallatoria* Maxim. var. *heteroclita* (Franch.) Kuk. 1905 水鳥蘆 Ref. Flora of Taiwan 2nd ed. 5: 215, 2000  
*Carex hoozanensis* Hayata, 1921 鳳凰宿柱蘆 Ref. 同前  
*Carex kiotensis* Franch. & Sav., 1877 褐柄蘆 Ref. 同前  
*Carex kobomugi* Ohwi, 1930 海米 Ref. Flora of Taiwan 2nd ed. 5: 216, 2000  
*Carex ligulata* Nees, 1834 舌葉蘆 Ref. 同前  
*Carex liui* T. Koyama & Chuang, 1960 劉氏蘆 Ref. Flora of Taiwan 2nd ed. 5: 218, 2000  
*Carex longistipes* Hayata, 1921 長梗扁果蘆 Ref. 同前  
*Carex macrandrolepis* Lev, 1908 菱果蘆 Ref. 同前  
*Carex maculata* Boott, 1846 斑點蘆 Ref. Flora of Taiwan 2nd ed. 5: 220, 2000  
*Carex makinoensis* Franch., 1895 牧野氏蘆 Ref. 同前  
*Carex manca* Boott subsp. *takasagoana* (Akiyama) T. Koyama 1978 夢佳宿柱蘆 [特有] Ref. 同前  
*Carex metallica* H. Lev., 1908 寬穗蘆 Ref. Flora of Taiwan 2nd ed. 5: 222, 2000  
*Carex mitrata* Franch. var. *aristata* Ohwi 1930 具芒宿柱蘆 Ref. 同前  
*Carex morii* Hayata, 1916 森氏蘆 [特有] Ref. 同前  
*Carex nemostachys* Steudel, 1846 毛囊果蘆 Ref. Flora of Taiwan 2nd ed. 5: 223, 2000  
*Carex nubigena* D. Don ex Tillich & Taylor, 1823 聚生穗序蘆 Ref. 同前  
*Carex orthostemon* Hayata, 1911 直蕊宿柱蘆 [特有] Ref. 同前  
*Carex oxyandra* (Franch. & Sav.) Kudo, 1924 球穗蘆 Ref. Flora of Taiwan 2nd ed. 5: 225, 2000  
*Carex perakensis* C. B. Clarke, 1894 黃穗蘆 Ref. 同前  
*Carex phacota* Sprengel, 1826 鏡子蘆 Ref. 同前  
*Carex pumila* Thunb., 1784 小海米 Ref. Flora of Taiwan 2nd ed. 5: 227, 2000  
*Carex purpureotincta* Ohwi, 1933 太魯閣蘆 [特有] Ref. 同前  
*Carex rafflesiana* Boott, 1846 紅頭蘆 Ref. 同前  
*Carex rhynchachanum* C. B. Clarke ex Merrill, 1905 初島氏宿柱蘆 Ref. Flora of Taiwan 2nd ed. 5: 229, 2000  
*Carex rochebrunei* Franch. & Sav., 1879 高山穗序蘆 Ref. 同前  
*Carex satzumensis* Franch. & Sav., 1878 油蘆 Ref. 同前  
*Carex scabrifolia* Steud., 1855 鹼箕 Ref. Flora of Taiwan 2nd ed. 5: 233, 2000  
*Carex scaposa* C. B. Clarke, 1887 花葶蘆草 Ref. Taiwania 50(3): 227, 2005  
*Carex sclerocarpa* Franch., 1895 硬果蘆 Ref. Flora of Taiwan 2nd ed. 5: 233, 2000  
*Carex sociata* Boott, 1859 中國宿柱蘆 Ref. 同前  
*Carex subfilicinoides* Kuk., 1930 亞紅鞘蘆 Ref. 同前  
*Carex taihokuensis* Hayata, 1921 台北蘆 Ref. Flora of Taiwan 2nd ed. 5: 235, 2000  
*Carex taiwanensis* (Ohwi) Akiyama, 1955 台灣疏花蘆 [特有] Ref. 同前  
*Carex transalpina* Hayata, 1911 大武宿柱蘆 Ref. 同前  
*Carex tristachya* Thunb. var. *pocilliformis* (Boott) K. 1909 抱鱗宿柱蘆 Ref. Flora of Taiwan 2nd ed. 5: 236, 2000  
*Carex urelytra* Ohwi, 1934 扁果蘆 [特有] Ref. 同前  
*Carex wahuensis* C. A. Mey., 1831 布氏宿柱蘆 Ref. 同前  
*Cladium jamaicense* Crantz, 1766 克拉莎 Ref. Flora of Taiwan 2nd ed. 5: 237, 2000  
*Cyperus alternifolius* subsp. *flabelliformis* (Rottb.) K., 1936 風車草 Ref. Flora of Taiwan 2nd ed. 5: 239, 2000  
*Cyperus amuricus* Maximowicz, 1859 阿穆爾莎草 Ref. 同前

*Cyperus compressus* L., 1753 扁穗莎草 Ref. 同前  
*Cyperus cuspidatus* Humb., 1815 長尖莎草 Ref. Flora of Taiwan 2nd ed. 5: 240, 2000  
*Cyperus difformis* L., 1756 異花莎草 Ref. 同前  
*Cyperus diffusus* Vahl, 1806 多脈莎草 Ref. 同前  
*Cyperus digitatus* Roxb., 1820 恒春莎草 Ref. Flora of Taiwan 2nd ed. 5: 242, 2000  
*Cyperus distans* L. f., 1781 疏穗莎草 Ref. 同前  
*Cyperus eragrostis* Lam., 1791 頭穗莎草 Ref. Taiwania 52(1): 60, 2007  
*Cyperus esculentus* L., 1753 黃土香 Ref. Taiwania 52(1): 59, 2007  
*Cyperus exaltatus* Retz., 1789 無翅莎草 Ref. Flora of Taiwan 2nd ed. 5: 242, 2000  
*Cyperus haspan* L., 1753 畦畔莎草 Ref. Flora of Taiwan 2nd ed. 5: 244, 2000  
*Cyperus imbricatus* Retz. subsp. *elongatus* (Boeck.) T. Koyama 1978 士林莎草 Ref. Flora of Taiwan 2nd ed. 5: 245, 2000  
*Cyperus imbricatus* Retz. subsp. *imbricatus* Retz. 1789 覆瓦狀莎草 Ref. Flora of Taiwan 2nd ed. 5: 244, 2000  
*Cyperus iria* L., 1753 碎米莎草 Ref. Flora of Taiwan 2nd ed. 5: 245, 2000  
*Cyperus malaccensis* Lam. subsp. *malaccensis* Lam. 1791 荳苳 Ref. Flora of Taiwan 2nd ed. 5: 246, 2000  
*Cyperus malaccensis* Lam. subsp. *monophyllus* (Vahl) T. Koyama 1978 單葉鹹草 Ref. 同前  
*Cyperus nutans* Vahl subsp. *subprolixus* (K.) T. Koyama 1978 點頭莎草 Ref. 同前  
*Cyperus pilosus* Vahl, 1806 毛軸莎草 Ref. Flora of Taiwan 2nd ed. 5: 248, 2000  
*Cyperus platystylis* R. Br., 1810 寬柱莎草 Ref. 同前  
*Cyperus procerus* Rottb., 1773 擬毛軸莎草 Ref. 同前  
*Cyperus pygmaeus* Rottb., 1773 矮莎草 Ref. Flora of Taiwan 2nd ed. 5: 250, 2000  
*Cyperus rotundus* L., 1753 香附子 Ref. 同前  
*Cyperus serotinus* Rottb., 1772 水莎草 Ref. 同前  
*Cyperus stoloniferus* Retz., 1786 粗根莖莎草 Ref. Flora of Taiwan 2nd ed. 5: 251, 2000  
*Cyperus tenuiculmis* Bockeler, 1870 四稜穗莎草 Ref. 同前  
*Cyperus tenuispica* Steud., 1855 窄翅莎草 Ref. Flora of Taiwan 2nd ed. 5: 253, 2000  
*Cyperus tuberosus* Rottb., 1773 粗根莖莎草 Ref. 同前  
*Diplacrum caricinum* R. Br., 1810 裂穎茅 Ref. Flora of Taiwan 2nd ed. 5: 254, 2000  
*Eleocharis acicularis* (L.) Roem. & Schult., 1817 牛毛蕁 Ref. 同前  
*Eleocharis acutangula* (Roxb.) Schult., 1824 桃園蘭 Ref. Flora of Taiwan 2nd ed. 5: 255, 2000  
*Eleocharis atropurpurea* (Retz.) Presl, 1828 黑果蘭 Ref. 同前  
*Eleocharis congesta* D. Don subsp. *japonica* (Miq.) T. Koyama 1978 針蘭 Ref. Flora of Taiwan 2nd ed. 5: 257, 2000  
*Eleocharis dulcis* (Burm. f.) Trin. ex Hensch. var. *dulcis* (Burm. f.) Trin. ex Hensch. 1833 荸薺 Ref. 同前  
*Eleocharis dulcis* (Burm. f.) Trin. ex Hensch. var. *tuberosa* (Roxb.) T. Koyama 1961 甜荸薺 Ref. Flora of Taiwan 2nd ed. 5: 259, 2000  
*Eleocharis geniculata* (L.) Romer & Schultes, 1817 彎形蘭 Ref. 同前  
*Eleocharis ochrostachys* Steudel, 1855 日月潭蘭 Ref. 同前  
*Eleocharis tetraquetra* Nees ex Wight, 1834 四角蘭 Ref. 同前  
*Fimbristylis acuminata* Vahl, 1805 尖穗飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 262, 2000  
*Fimbristylis aestivalis* (Retz.) Vahl var. *esquarrosa* (Makino) T. Koyama 1961 牧野氏飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 265, 2000  
*Fimbristylis aestivalis* (Retz.) Vahl var. *aestivalis* (Retz.) Vahl 1805 小畦畔飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 262, 2000  
*Fimbristylis bisumbellata* (Forsk.) Bubani, 1850 大畦畔飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 265, 2000  
*Fimbristylis complanata* (Retz.) Link, 1827 野飄拂草 Ref. 同前  
*Fimbristylis cymosa* R. Br., 1810 乾溝飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 266, 2000  
*Fimbristylis dichotoma* (L.) Vahl, 1805 竹子飄拂草 Ref. 同前  
*Fimbristylis eragrostis* (Nees & Meyen ex Nees) Hance, 1873 紫穗飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 269, 2000  
*Fimbristylis ferruginea* (L.) Vahl var. *ferruginea* (L.) Vahl 1805 彭佳嶼飄拂草 Ref. 同前  
*Fimbristylis ferruginea* (L.) Vahl var. *anpinensis* (Hayata) H.Y. Liu 2000 安平飄拂草 Ref. 同前  
*Fimbristylis littoralis* Gaudich. var. *koidzumiana* (Ohwi) T. Koyama 1961 小泉氏飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 271, 2000  
*Fimbristylis littoralis* Gaudich. var. *littoralis* Gaudich. 1829 木虱草 Ref. 同前  
*Fimbristylis microcarya* F. Muell. var. *microcarya* F. Muell. 1859 台北飄拂草 [特有] Ref. 同前  
*Fimbristylis microcarya* F. Muell. var. *tainanensis* (Ohwi) H. Y. Liu 2000 台南飄拂草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 272, 2000  
*Fimbristylis miliacea* (L.) Vahl, 1805 四稜飄拂草 Ref. 同前  
*Fimbristylis nutans* (Retz.) Vahl, 1805 點頭飄拂草 Ref. 同前  
*Fimbristylis ovata* (Burm. f.) J. Kern, 1967 卵形飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 274, 2000  
*Fimbristylis polytrichoides* (Retz.) Vahl, 1805 高雄飄拂草 Ref. 同前  
*Fimbristylis schoenoides* (Retz.) Vahl, 1805 嘉義飄拂草 Ref. 同前  
*Fimbristylis sericea* (Poir.) R. Br., 1810 黃色飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 276, 2000  
*Fimbristylis shimadana* Ohwi, 1936 白穗飄拂草 [特有] Ref. 同前  
*Fimbristylis squarrosa* Vahl, 1805 大屯山飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 277, 2000  
*Fimbristylis subinclinata* T. Koyama, 1967 知本飄拂草 [特有] Ref. 同前  
*Fimbristylis tetragona* R. Br., 1810 四方型飄拂草 Ref. 同前  
*Fimbristylis thomsonii* Boeck., 1871 鬼野飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 279, 2000  
*Fimbristylis tomentosa* Vahl, 1805 絨毛飄拂草 Ref. 同前  
*Fimbristylis tristachya* R. Br. var. *subbispicata* (Nees & Meyen) T. Koyama 1961 水蔥 Ref. 同前  
*Fimbristylis umbellaris* (Lam.) Vahl, 1805 繖形飄拂草 Ref. Flora of Taiwan 2nd ed. 5: 281, 2000  
*Fuirena ciliaris* (L.) Roxb., 1820 毛三稜 Ref. 同前  
*Fuirena umbellata* Rottb., 1773 黑珠蒿 Ref. Flora of Taiwan 2nd ed. 5: 282, 2000  
*Gahnia tristis* Nees ex Hook. & Arn., 1836 黑莎草 Ref. Flora of Taiwan 2nd ed. 5: 283, 2000  
*Hypolytrum nemorum* (Vahl) Spreng., 1825 割雞芒 Ref. 同前  
*Kyllinga brevifolia* Rottb., 1773 短葉水蜈蚣 Ref. Flora of Taiwan 2nd ed. 5: 284, 2000  
*Kyllinga nemoralis* (J. R. & G. Forst.) Dandy ex Hutch. & Dalzell, 1936 單穗水蜈蚣 Ref. Flora of Taiwan 2nd ed. 5: 286, 2000  
*Kyllinga sesquiflora* Torrey subsp. *cylindrica* (Nees) T. Koyama 1978 圓筒穗水蜈蚣 Ref. 同前  
*Lepironia articulata* (Retz.) Domin, 1915 石龍芻 Ref. 同前

- Lipocarpa chinensis* (Osbeck) Kern, 1958 華湖瓜草 Ref. Flora of Taiwan 2nd ed. 5: 287, 2000  
*Lipocarpa microcephala* (R. Br.) Kunth, 1837 銀穗湖瓜草 Ref. 同前  
*Mariscus compactus* (Retz.) Druce, 1917 密穗磚子苗 Ref. Flora of Taiwan 2nd ed. 5: 288, 2000  
*Mariscus cyperinus* Vahl, 1806 莎草磚子苗 Ref. Flora of Taiwan 2nd ed. 5: 290, 2000  
*Mariscus javanicus* (Houtt.) Merr. & Metcalfe, 1945 爪哇磚子苗 Ref. 同前  
*Mariscus radicans* (Nees & Meyen) T. Tang & F. T. Wang, 1961 輻射磚子苗 Ref. 同前  
*Mariscus sumatrensis* (Retz.) J. Raynal, 1975 磚子苗 Ref. Flora of Taiwan 2nd ed. 5: 291, 2000  
*Pycneus flavidus* (Retz.) T. Koyama, 1976 球穗扁莎 Ref. Flora of Taiwan 2nd ed. 5: 292, 2000  
*Pycneus polystachyos* (Rottb.) P. Beauv., 1807 多枝扁莎 Ref. 同前  
*Pycneus pumilus* (L.) Domin, 1915 矮扁莎 Ref. Flora of Taiwan 2nd ed. 5: 293, 2000  
*Pycneus sanguinolentus* (Vahl) Nees ex C. B. Clarke, 1893 紅鱗扁莎 Ref. 同前  
*Pycneus sulcinus* (C. B. Clarke) C. B. Clarke, 1893 墾丁扁莎 Ref. 同前  
*Pycneus unioloides* (R. Br.) Urb., 1900 水社扁莎 Ref. Flora of Taiwan 2nd ed. 5: 295, 2000  
*Remirea maritima* Aubl., 1775 海濱莎 Ref. 同前  
*Rhynchospora alba* (L.) Vahl, 1806 白穗刺子莞 Ref. Flora of Taiwan 2nd ed. 5: 296, 2000  
*Rhynchospora chinensis* Nees & Meyen ex Nees, 1834 華刺子莞 Ref. Flora of Taiwan 2nd ed. 5: 297, 2000  
*Rhynchospora corymbosa* (L.) Britton, 1892 三儉草 Ref. 同前  
*Rhynchospora malasica* C. B. Clarke, 1893 馬來刺子莞 Ref. 同前  
*Rhynchospora rubra* (Lour.) Makino, 1903 刺子莞 Ref. Flora of Taiwan 2nd ed. 5: 298, 2000  
*Rhynchospora rugosa* (Vahl) Gale subsp. *brownii* (Romer & Schult.) T. Koyama 1978 布朗氏莞 Ref. 同前  
*Schoenoplectus juncooides* (Roxb.) Palla, 1889 螢蘭 Ref. Flora of Taiwan 2nd ed. 5: 300, 2000  
*Schoenoplectus lineolatus* (Franch. & Sav.) T. Koyama, 1978 匍伏莞草 Ref. 同前  
*Schoenoplectus mucronatus* (L.) Palla subsp. *robustus* (Miq.) T. Koyama 1978 水毛花 Ref. 同前  
*Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (J. F. Gmel.) T. Koyama 1978 小水莞 Ref. Flora of Taiwan 2nd ed. 5: 303, 2000  
*Schoenoplectus triqueter* (L.) Palla, 1888 蒲 Ref. Flora of Taiwan 2nd ed. 5: 305, 2000  
*Schoenoplectus validus* (Vahl) T. Koyama, 1978 莞 Ref. 同前  
*Schoenoplectus wallichii* (Nees) T. Koyama, 1978 豬毛草 Ref. Flora of Taiwan 2nd ed. 5: 306, 2000  
*Schoenus apogon* Romer & Schult., 1817 矮赤箭莎 Ref. Flora of Taiwan 2nd ed. 5: 308, 2000  
*Schoenus falcatus* R. Br., 1810 赤箭莎 Ref. 同前  
*Scirpus ternatanus* Reinw. ex Miq., 1856 大莞草 Ref. Flora of Taiwan 2nd ed. 5: 309, 2000  
*Scleria biflora* Roxb., 1832 二花珍珠茅 Ref. Flora of Taiwan 2nd ed. 5: 311, 2000  
*Scleria laeviformis* T. Tang & F. T. Wang, 1961 光果珍珠茅 Ref. 同前  
*Scleria levis* Retz., 1786 毛果珍珠茅 Ref. 同前  
*Scleria lithosperma* (L.) Sw., 1788 石果珍珠茅 Ref. Flora of Taiwan 2nd ed. 5: 312, 2000  
*Scleria rugosa* R. Br., 1810 皺果珍珠茅 Ref. 同前  
*Scleria scrobiculata* Nees & Mey. ex Nees, 1834 輪葉珍珠茅 Ref. 同前  
*Scleria sumatrensis* Retz., 1789 印尼珍珠茅 Ref. Flora of Taiwan 2nd ed. 5: 313, 2000  
*Scleria terrestris* (L.) Fassett, 1924 陸生珍珠茅 Ref. 同前  
*Torulinum odoratum* (L.) S. Hooper, 1972 斷節莎 Ref. Flora of Taiwan 2nd ed. 5: 315, 2000  
*Trichophorum subcapitatum* (Thwaites & Hook.) D. A. Simpson, 1998 玉山針蘭 Ref. 同前

### Family Poaceae 禾本科

- Agropyron formosanum* Honda, 1927 台灣鵝觀草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 399, 2000  
*Agropyron mayebaratum* Honda, 1927 前原鵝觀草 Ref. 同前  
*Agrostis avenacea* J. F. Gmel., 1791 類燕麥翦股穎 Ref. Taiwania 51(1): 25, 2006  
*Agrostis clavata* Trin., 1821 翦股穎 Ref. Flora of Taiwan 2nd ed. 5: 339, 2000  
*Agrostis dimorpholemma* Ohwi, 1941 多形翦股穎 Ref. Taiwania 48(2): 94, 2003  
*Agrostis infirma* Miq. var. *arisan-montana* (Ohwi) Veldkamp 1996 阿里山翦股穎 [特有] Ref. Flora of Taiwan 2nd ed. 5: 341, 2000  
*Agrostis infirma* Miq. var. *infirma* Miq. 1996 玉山翦股穎 [特有] Ref. 同前  
*Agrostis infirma* Miq. var. *fukuyamae* (Ohwi) Veldkamp 1996 伯明翦股穎 [特有] Ref. Flora of Taiwan 2nd ed. 5: 343, 2000  
*Agrostis infirma* Miq. var. *formosana* (Hack.) Veldkamp 1996 草山翦股穎 [特有] Ref. Flora of Taiwan 2nd ed. 5: 341, 2000  
*Agrostis stolonifera* L., 1753 匍匐翦股穎 Ref. Taiwania 51(1): 26, 2006  
*Alloteropsis semialata* (R. Br.) Hitchc., 1909 毛穎草 Ref. Flora of Taiwan 2nd ed. 5: 454, 2000  
*Alopecurus aequalis* Sobol. var. *amurensis* (Komar.) Ohwi 1941 看麥娘 Ref. Flora of Taiwan 2nd ed. 5: 343, 2000  
*Alopecurus myosuroides* Huds., 1762 大穗看麥娘 Ref. Flora of Taiwan 2nd ed. 5: 345, 2000  
*Alopecurus pratensis* L., 1753 原野看麥娘 Ref. Taiwania 51(1): 27, 2006  
*Aniselytron agrostoides* Merr., 1910 小穎溝稈草 Ref. Flora of Taiwan 2nd ed. 5: 345, 2000  
*Aniselytron treutleri* (Kuntze) Sojak, 1980 溝稈草 Ref. Flora of Taiwan 2nd ed. 5: 348, 2000  
*Anthoxanthum horsfieldii* (Kunth ex Benn.) Mez var. *formosanum* (Honda) Veldkamp 1993 台灣黃花茅 Ref. 同前  
*Anthoxanthum odoratum* L., 1753 香黃花茅 Ref. Flora of Taiwan 2nd ed. 5: 350, 2000  
*Apluda mutica* L., 1753 水蕪草 Ref. Flora of Taiwan 2nd ed. 5: 522, 2000  
*Aristida chinensis* Munro, 1860 華三芒草 Ref. Flora of Taiwan 2nd ed. 5: 366, 2000  
*Arrhenatherum elatius* (L.) J. Presl & C. Presl f. *iegatum* Hitchc. 1914 變葉燕麥草 Ref. Flora of Taiwan 2nd ed. 5: 350, 2000  
*Arthraxon hispidus* (Thunb.) Makino, 1912 蓋草 Ref. Flora of Taiwan 2nd ed. 5: 524, 2000  
*Arthraxon lancifolium* (Trin.) Hochst, 1856 小葉蓋草 Ref. Taiwania 51(4): 308, 2006  
*Arthraxon pauciflorus* Honda, 1925 粗梗蓋草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 526, 2000  
*Arthraxon quartianianus* (A. Rich.) Nash, 1912 暖地蓋草 Ref. 同前  
*Arthrostylidium naibunensis* (Hayata) W. C. Lin, 1978 內門竹 [特有] Ref. Flora of Taiwan 2nd ed. 5: 594, 2000  
*Arundinaria graminea* (Bean) Makino, 1912 大明竹 Ref. 同前  
*Arundinaria hindsii* Munro, 1868 邢氏苦竹 Ref. Flora of Taiwan 2nd ed. 5: 596, 2000  
*Arundinaria linearis* Hackel, 1899 琉球矢竹 Ref. 同前  
*Arundinaria simonii* A. & C. Riviere, 1878 空心苦竹 Ref. 同前

*Arundinaria usawai* Hayata, 1916 苞籜矢竹 Ref. Flora of Taiwan 2nd ed. 6: 120, 2003  
*Arundinaria variegata* (Siebold) Makino, 1912 稚子竹 Ref. Flora of Taiwan 2nd ed. 5: 598, 2000  
*Arundinella hirta* (Thunb.) Tanaka, 1925 野古草 Ref. Flora of Taiwan 2nd ed. 5: 443, 2000  
*Arundinella pubescence* Merr. & Hack. ex Hack., 1907 毛野古草 Ref. Flora of Taiwan 2nd ed. 5: 444, 2000  
*Arundinella setosa* Trin., 1826 刺芒野古草 Ref. 同前  
*Arundo donax* L., 1753 蘆竹 Ref. Flora of Taiwan 2nd ed. 5: 326, 2000  
*Arundo formosana* Hack., 1899 台灣蘆竹 Ref. 同前  
*Avena fatua* L., 1753 野燕麥 Ref. Flora of Taiwan 2nd ed. 5: 351, 2000  
*Avena sativa* L., 1753 燕麥 Ref. 同前  
*Axonopus affinis* Chase, 1938 類地毯草 Ref. Flora of Taiwan 2nd ed. 5: 456, 2000  
*Axonopus compressus* (Sw.) P. Beauv., 1812 地毯草 Ref. 同前  
*Axonopus fissifolius* (Raddi) Kuhl., 1922  
*Bambusa arundinacea* (Retz.) Willd., 1877 茨竹 Ref. Flora of Taiwan 2nd ed. 5: 601, 2000  
*Bambusa beecheyana* Munro var. *pubescens* (Li) W. C. Lin 1964 竹變 Ref. 同前  
*Bambusa dolichoclada* Hayata, 1916 長枝竹 [特有] Ref. Flora of Taiwan 2nd ed. 5: 603, 2000  
*Bambusa dolichomerithalla* Hayata, 1916 火廣竹 [特有] Ref. 同前  
*Bambusa edulis* (Odash.) Keng, 1948 烏腳綠 Ref. Flora of Taiwan 2nd ed. 5: 606, 2000  
*Bambusa multiplex* (Lour.) Raeusch., 1797 蓬萊竹 Ref. 同前  
*Bambusa oldhamii* Munro, 1868 綠竹 Ref. Flora of Taiwan 2nd ed. 5: 609, 2000  
*Bambusa pachinensis* var. *pachinensis* Hayata, 1916 八芝蘭竹 [特有] Ref. Flora of Taiwan 2nd ed. 5: 611, 2000  
*Bambusa pachinensis* Hayata var. *hirsutissima* (Odash.) Lin 1964 長毛八芝蘭竹 [特有] Ref. 同前  
*Bambusa stenostachya* Hackel, 1899 刺竹 Ref. 同前  
*Bambusa utilis* Lin, 1964 烏葉竹 [特有] Ref. Flora of Taiwan 2nd ed. 5: 614, 2000  
*Bambusa ventricosa* McClure, 1937 佛竹 Ref. 同前  
*Bambusa vulgaris* Schard. ex J. C. Wendl. var. *striata* (Lodd.) Gamble 1896 金絲竹 Ref. Flora of Taiwan 2nd ed. 5: 617, 2000  
*Bambusa vulgaris* var. *vulgaris* Schard. ex J. C. Wendl., 1896 泰山竹 Ref. 同前  
*Bothriochloa glabra* (Roxb.) A. Camus, 1931 歧穗臭根子草 Ref. Flora of Taiwan 2nd ed. 5: 527, 2000  
*Bothriochloa intermedia* (R. Br.) A. Camus, 1931 臭根子草 Ref. 同前  
*Bothriochloa ischaemum* (L.) Keng, 1936 白羊草 Ref. 同前  
*Brachiaria mutica* (Forsk.) Stapf, 1919 巴拉草 Ref. Flora of Taiwan 2nd ed. 5: 458, 2000  
*Brachiaria reptans* (L.) C. A. Gardner & C. E. Hubb., 1938 尾桴草 Ref. 同前  
*Brachiaria subquadripata* (Trin.) Hitchc., 1931 四生臂形草 Ref. Flora of Taiwan 2nd ed. 5: 460, 2000  
*Brachiaria villosa* (Lam.) A. Camus, 1922 毛臂形草 Ref. 同前  
*Brachypodium kawakamii* Hayata, 1907 川上短柄草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 368, 2000  
*Brachypodium sylvaticum* (Huds.) P. Beauv., 1812 基隆短柄草 Ref. 同前  
*Briza minor* L., 1753 銀鱗草 Ref. Flora of Taiwan 2nd ed. 5: 374, 2000  
*Bromus carinatus* Hook. & Arn., 1840 長芒扁雀麥 Ref. Taiwania 51(2): 131, 2006  
*Bromus catharticus* Vahl, 1791 大扁雀麥 Ref. Flora of Taiwan 2nd ed. 5: 370, 2000  
*Bromus diandrus* Roth, 1787 硬雀麥 Ref. Taiwania 51(2): 137, 2006  
*Bromus formosanus* Honda, 1928 台灣雀麥 [特有] Ref. Flora of Taiwan 2nd ed. 5: 370, 2000  
*Bromus hordeaceus* L., 1753 毛雀麥 Ref. Taiwania 51(2): 132, 2006  
*Bromus morrisonensis* Honda, 1928 玉山雀麥 Ref. Flora of Taiwan 2nd ed. 5: 371, 2000  
*Bromus pubescens* Muhl. ex Willd., 1809 短毛雀麥 Ref. Taiwania 51(2): 132, 2006  
*Bromus remotiflorus* (Steud.) Ohwi var. *piananensis* Ohwi 1941 卑南雀麥 Ref. Flora of Taiwan 2nd ed. 5: 654, 2000  
*Bromus rigidus* Roth, 1790 硬雀麥 Ref. Flora of Taiwan 2nd ed. 5: 371, 2000  
*Bromus secalinus* L., 1753 歐雀麥 Ref. Taiwania 51(2): 132, 2006  
*Calamagrostis epigeios* (L.) Roth, 1788 拂子茅 Ref. Flora of Taiwan 2nd ed. 5: 352, 2000  
*Capillipedium assimile* (Steud.) A. Camus, 1922 硬稈子草 Ref. Flora of Taiwan 2nd ed. 5: 530, 2000  
*Capillipedium kwashotensis* (Hayata) C. C. Hsu, 1962 綠島細柄草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 531, 2000  
*Capillipedium parviflorum* (R. Br.) Stapf, 1917 細柄草 Ref. 同前  
*Cenchrus echinatus* L., 1753 蒺藜草 Ref. Flora of Taiwan 2nd ed. 5: 462, 2000  
*Centotheca lappacea* (L.) Desv., 1810 假淡竹葉 Ref. Flora of Taiwan 2nd ed. 5: 332, 2000  
*Chikusichloa mutica* Keng, 1931 無芒山澗草 Ref. Taiwania 52(3): 243, 2007  
*Chimonobambusa quadrangularis* (Fenzi) Makino, 1914 四方竹 Ref. Flora of Taiwan 2nd ed. 5: 619, 2000  
*Chloris barbata* Sw., 1797 孟仁草 Ref. Flora of Taiwan 2nd ed. 5: 403, 2000  
*Chloris divaricata* var. *cynodontoides* (Bal.) Lazarides 1972 澳洲虎尾草 Ref. Taiwania 50(1): 29, 2005  
*Chloris formosana* (Honda) Keng, 1957 台灣虎尾草 Ref. Flora of Taiwan 2nd ed. 5: 403, 2000  
*Chloris gayana* Kunth, 1829 蓋氏虎尾草 Ref. 同前  
*Chloris virgata* Sw., 1797 虎尾草 Ref. Flora of Taiwan 2nd ed. 5: 405, 2000  
*Chrysopogon aciculatus* (Retz.) Trin., 1820 竹節草 Ref. Flora of Taiwan 2nd ed. 5: 534, 2000  
*Coix lacryma-jobi* L., 1753 薏苡 Ref. Flora of Taiwan 2nd ed. 5: 536, 2000  
*Cymbopogon tortilis* (Presl) A. Camus, 1925 扭鞘香茅 Ref. 同前  
*Cynodon arcuatus* J. S. Presl ex C. B. Presl, 1830 恒春狗牙根 Ref. Flora of Taiwan 2nd ed. 5: 405, 2000  
*Cynodon dactylon* (L.) Pers., 1805 狗牙根 Ref. Flora of Taiwan 2nd ed. 5: 406, 2000  
*Cyrtococcum accrescens* (Trin.) Stapf, 1922 散穗弓果黍 Ref. Flora of Taiwan 2nd ed. 5: 462, 2000  
*Cyrtococcum patens* (L.) A. Camus, 1921 弓果黍 Ref. Flora of Taiwan 2nd ed. 5: 465, 2000  
*Dactylis glomerata* L., 1753 鴨茅 Ref. Flora of Taiwan 2nd ed. 5: 376, 2000  
*Dactyloctenium aegyptium* (L.) P. Beauv., 1812 龍爪茅 Ref. Flora of Taiwan 2nd ed. 5: 410, 2000  
*Dendrocalamus giganteus* (Wall.) Munro, 1868 老濃巨竹 Ref. Flora of Taiwan 2nd ed. 5: 619, 2000  
*Dendrocalamus latiflorus* Munro var. *latiflorus* Munro 1868 麻竹 Ref. Flora of Taiwan 2nd ed. 5: 622, 2000  
*Dendrocalamus strictus* (Roxb.) Nees, 1834 印度實竹 Ref. Flora of Taiwan 2nd ed. 5: 624, 2000  
*Deschampsia atropurpurea* (Wahl.) Scheele, 1844 高山髮草 Ref. Taiwania 51(1): 28, 2006

*Deschampsia cespitosa* (L.) P. Beauv. var. *festucifolia* Honda 1927 髮草 Ref. Flora of Taiwan 2nd ed. 5: 352, 2000  
*Deschampsia flexuosa* (L.) Trin., 1836 曲芒髮草 Ref. Flora of Taiwan 2nd ed. 5: 355, 2000  
*Deyeuxia brachytricha* (Steud.) Chang, 1959 類蘆野青茅 Ref. 同前  
*Deyeuxia suizanensis* (Hayata) Ohwi, 1958 水山野青茅 [特有] Ref. Flora of Taiwan 2nd ed. 5: 357, 2000  
*Dichanthium annulatum* (Forsk.) Stapf, 1917 雙花草 Ref. Flora of Taiwan 2nd ed. 5: 537, 2000  
*Dichanthium aristatum* (Poir.) C. E. Hubb., 1939 毛梗雙花草 Ref. Flora of Taiwan 2nd ed. 5: 538, 2000  
*Digitaria ciliaris* (Retz.) Koeler, 1802 升馬唐 Ref. Flora of Taiwan 2nd ed. 5: 466, 2000  
*Digitaria fauriei* Ohwi, 1942 佛歐里馬唐 [特有] Ref. 同前  
*Digitaria henryi* Rendle, 1904 亨利馬唐 Ref. Flora of Taiwan 2nd ed. 5: 467, 2000  
*Digitaria heterantha* (Hook. f.) Merr., 1923 粗穗馬唐 Ref. 同前  
*Digitaria ischaemum* (Schreb.) Schreb. ex Muhl., 1817 止血馬唐 Ref. 同前  
*Digitaria leptalea* Ohwi var. *reticulmis* Ohwi 1942 叢立馬唐 Ref. 同前  
*Digitaria longiflora* (Retz.) Pers., 1805 長花馬唐 Ref. Flora of Taiwan 2nd ed. 5: 469, 2000  
*Digitaria magna* (Honda) Tsuyama, 1942 大絨馬唐 [特有] Ref. 同前  
*Digitaria mollicoma* (Kunth) Henrard, 1934 絨馬唐 [特有] Ref. 同前  
*Digitaria radicata* (J. Presl) Miq. var. *radicata* (J. Presl) Miq. 1857 小馬唐 Ref. Flora of Taiwan 2nd ed. 5: 470, 2000  
*Digitaria radicata* (J. Presl) Miq. var. *hirsuta* (Honda) C. Hsu 1978 毛馬唐 Ref. 同前  
*Digitaria sanguinalis* (L.) Scop., 1772 馬唐 Ref. 同前  
*Digitaria sericea* (Honda) Honda, 1930 絹毛馬唐 [特有] Ref. 同前  
*Digitaria setigera* Roth, 1817 短穎馬唐 Ref. Flora of Taiwan 2nd ed. 5: 471, 2000  
*Digitaria violascens* Link, 1827 紫果馬唐 Ref. 同前  
*Dimeria falcata* Hack., 1889 鐮形鱸茅 Ref. Flora of Taiwan 2nd ed. 5: 538, 2000  
*Dimeria ornithopoda* Trin., 1820 鱸茅 Ref. Flora of Taiwan 2nd ed. 5: 540, 2000  
*Diplachne fusca* (L.) P. Beauv., 1812 雙稈草 Ref. Flora of Taiwan 2nd ed. 5: 410, 2000  
*Eccoilopus cotulifer* (Thunb.) A. Camus, 1923 油芒 Ref. Flora of Taiwan 2nd ed. 5: 540, 2000  
*Eccoilopus formosanus* (Rendle) A. Camus, 1923 台灣油芒 [特有] Ref. Flora of Taiwan 2nd ed. 5: 542, 2000  
*Echinochloa colona* (L.) Link, 1833 芒稷 Ref. Flora of Taiwan 2nd ed. 5: 474, 2000  
*Echinochloa crus-galli* (L.) P. Beauv., 1812 稗 Ref. 同前  
*Echinochloa frumentacea* (Roxb.) Link, 1827 參子 Ref. Flora of Taiwan 2nd ed. 5: 476, 2000  
*Eleusine coracana* (L.) Gaertn., 1788 稈子 Ref. Flora of Taiwan 2nd ed. 5: 412, 2000  
*Eleusine indica* (L.) Gaertn., 1788 牛筋草 Ref. 同前  
*Enteropogon dolichostachyus* (Lag.) Keng, 1957 腸鬚草 Ref. Flora of Taiwan 2nd ed. 5: 406, 2000  
*Enteropogon gracilior* Rendle, 1904 細穗腸鬚草 Ref. 同前  
*Eragrostis amabilis* (L.) Wight & Arn. ex Nees, 1838 鯽魚草 Ref. Flora of Taiwan 2nd ed. 5: 416, 2000  
*Eragrostis bulbifera* Steud., 1854 肯氏畫眉草 Ref. 同前  
*Eragrostis cilianensis* (All.) Vignolo-Lutati, 1904 大畫眉草 Ref. Flora of Taiwan 2nd ed. 5: 418, 2000  
*Eragrostis ciliaris* (L.) R. Br., 1818 毛畫眉草 Ref. 同前  
*Eragrostis cylindrica* (Roxb.) Nees, 1838 短穗畫眉草 Ref. 同前  
*Eragrostis fauriei* Ohwi, 1941 佛歐里畫眉草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 420, 2000  
*Eragrostis ferruginea* (Thunb.) P. Beauv., 1812 知風草 Ref. 同前  
*Eragrostis japonica* (Thunb.) Trin., 1831 日本鯽魚草 Ref. 同前  
*Eragrostis minor* Host, 1809 小畫眉草 Ref. Flora of Taiwan 2nd ed. 6: 123, 2003  
*Eragrostis multicaulis* Steud., 1855 多稈畫眉草 Ref. Flora of Taiwan 2nd ed. 5: 422, 2000  
*Eragrostis nevinii* Hance, 1880 尼氏畫眉草 Ref. 同前  
*Eragrostis nutans* (Retz.) Nees ex Steud., 1840 細葉畫眉草 Ref. 同前  
*Eragrostis pilosa* (L.) P. Beauv., 1812 畫眉草 Ref. 同前  
*Eragrostis pilosissima* Link, 1827 多毛知風草 Ref. Flora of Taiwan 2nd ed. 5: 423, 2000  
*Eragrostis pilosiuscula* Ohwi, 1941 毛葉知風草 [特有] Ref. 同前  
*Eragrostis poaeoides* P. Beauv., 1812 小畫眉草 Ref. 同前  
*Eragrostis unioides* (Retz.) Nees ex Steud., 1854 牛虱草 Ref. Flora of Taiwan 2nd ed. 5: 425, 2000  
*Eremochloa ciliaris* (L.) Merr., 1906 蜈蚣草 Ref. Flora of Taiwan 2nd ed. 5: 542, 2000  
*Eremochloa ophiuroides* (Munro) Hack., 1889 假儉草 Ref. Flora of Taiwan 2nd ed. 5: 544, 2000  
*Erianthus arundinaceus* (Retz.) Jeswiet, 1925 斑茅 Ref. 同前  
*Erianthus formosanus* Stapf, 1898 台灣蔗草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 545, 2000  
*Eriochloa procera* (Retz.) C. E. Hubb., 1930 高野黍 Ref. Flora of Taiwan 2nd ed. 5: 476, 2000  
*Eriochloa villosa* (Thunb.) Kunth, 1829 野黍 Ref. Flora of Taiwan 2nd ed. 5: 478, 2000  
*Euchlaena mexicana* Schrad., 1832 類蜀黍 Ref. Flora of Taiwan 2nd ed. 5: 545, 2000  
*Eulalia leschenaultiana* (Decne.) Ohwi, 1947 細稈金茅 Ref. Flora of Taiwan 2nd ed. 5: 546, 2000  
*Eulalia quadrinervis* (Hack.) Kuntze, 1891 四脈金茅 Ref. 同前  
*Eulalia speciosa* (Debeaux) Kuntze, 1891 金茅 Ref. Flora of Taiwan 2nd ed. 5: 548, 2000  
*Eulaliopsis binata* (Retz.) C. E. Hubb., 1935 擬金茅 Ref. 同前  
*Eustachys tener* (Presl) A. Camus, 1925 真穗草 Ref. Flora of Taiwan 2nd ed. 5: 409, 2000  
*Festuca arundinacea* Schreb., 1771 葦狀羊茅 Ref. Flora of Taiwan 2nd ed. 5: 376, 2000  
*Festuca formosana* Honda, 1928 台灣羊茅 [特有] Ref. Flora of Taiwan 2nd ed. 5: 379, 2000  
*Festuca japonica* Makino, 1906 日本羊茅 Ref. 同前  
*Festuca leptopogon* Stapf, 1896 高砂羊茅 Ref. 同前  
*Festuca ovina* L., 1753 羊茅 Ref. 同前  
*Festuca parvigluma* Steud., 1854 小穎羊茅 Ref. Flora of Taiwan 2nd ed. 5: 383, 2000  
*Festuca rubra* L., 1753 紫羊茅 Ref. 同前  
*Garnotia acutigluma* (Steud.) Ohwi, 1941 銳穎葛氏草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 429, 2000  
*Gigantochloa aspera* (Schult) Kurz, 1876 菲律賓巨草竹 Ref. Flora of Taiwan 2nd ed. 5: 624, 2000  
*Glyceria leptolepis* Ohwi, 1931 假鼠婦草 Ref. Flora of Taiwan 2nd ed. 5: 391, 2000

*Hackelochloa granularis* (L.) Kuntze, 1771 亥氏草 Ref. Flora of Taiwan 2nd ed. 5: 549, 2000  
*Helictotrichon abietetorum* (Ohwi) Ohwi, 1937 冷杉異燕麥 Ref. Flora of Taiwan 2nd ed. 5: 358, 2000  
*Hemarthria compressa* (L. f.) R. Br., 1810 扁穗牛鞭草 Ref. Flora of Taiwan 2nd ed. 5: 551, 2000  
*Heteropogon contortus* (L.) P. Beauv. ex Roem. & Schult., 1817 黃茅 Ref. 同前  
*Holcus lanatus* L., 1753 絨毛草 Ref. Flora of Taiwan 2nd ed. 6: 123, 2003  
*Hordeum vulgare* L., 1753 大麥 Ref. Flora of Taiwan 2nd ed. 5: 399, 2000  
*Hygroryza aristata* (Retz.) Nees ex Wight & Arn., 1833 水禾 Ref. Flora of Taiwan 2nd ed. 5: 319, 2000  
*Hymenachne pseudointerrupta* Müll. Hal., 1861 膜稈草 Ref. Flora of Taiwan 2nd ed. 5: 478, 2000  
*Ichnanthus vicinus* (F. M. Bailey) Merr., 1922 距花黍 Ref. Flora of Taiwan 2nd ed. 5: 480, 2000  
*Imperata cylindrica* (L.) P. Beauv. var. *major* (Nees) C. E. Hubb. ex Hubb. & Vaughan 1940 白茅  
*Isachne albens* Trin., 1828 白花柳葉箬 Ref. Flora of Taiwan 2nd ed. 5: 448, 2000  
*Isachne beneckeii* Hack., 1901 本氏柳葉箬 Ref. 同前  
*Isachne dispar* Trin., 1828 異花柳葉箬 Ref. 同前  
*Isachne globosa* (Thunb.) Kuntze, 1891 柳葉箬 Ref. 同前  
*Isachne kunthiana* (Wight. & Arn.) Nees ex Steud., 1854 肯氏柳葉箬 Ref. Flora of Taiwan 2nd ed. 5: 449, 2000  
*Isachne miliaceae* Roth, 1821 類黍柳葉箬 Ref. 同前  
*Isachne myosotis* Nees, 1850 荏弱柳葉箬 Ref. 同前  
*Isachne nipponensis* Ohwi, 1935 日本柳葉箬 Ref. Flora of Taiwan 2nd ed. 5: 453, 2000  
*Ischaemum akonense* Honda, 1923 屏東鴨嘴草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 556, 2000  
*Ischaemum aristatum* L. var. *momiyamai* (Honda) C. C. Hsu 1961 毛穗鴨嘴草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 557, 2000  
*Ischaemum aristatum* L. var. *aristatum* L. 1753 芒穗鴨嘴草 [特有] Ref. 同前  
*Ischaemum aureum* (Hook. & Arn.) Hack., 1889 黃金鴨嘴草 Ref. 同前  
*Ischaemum barbatum* Retz. var. *gibbum* (Trin.) Ohwi 1942 瘤鴨嘴草 Ref. 同前  
*Ischaemum crassipes* (Steud.) Thell., 1912 鴨嘴草 Ref. Flora of Taiwan 2nd ed. 5: 560, 2000  
*Ischaemum cylindrica* (L.) P. Beauv. var. *major* (Nees) C. E. Hubb. ex Hubb. & Vaughan 1940 白茅 Ref. Flora of Taiwan 2nd ed. 5: 554, 2000  
*Ischaemum indicum* (Houtt.) Merr., 1938 印度鴨嘴草 Ref. Flora of Taiwan 2nd ed. 5: 560, 2000  
*Ischaemum muticum* L., 1753 無芒鴨嘴草 Ref. 同前  
*Ischaemum rugosum* Salisb. var. *segetum* (Trin.) Hack. 1889 田間鴨嘴草 Ref. 同前  
*Ischaemum setaceum* Honda, 1923 小黃金鴨嘴草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 562, 2000  
*Leersia hexandra* Sw., 1788 李氏禾 Ref. Flora of Taiwan 2nd ed. 5: 321, 2000  
*Leptaspis formosana* C. C. Hsu, 1971 囊稈竹 [特有] Ref. Flora of Taiwan 2nd ed. 5: 325, 2000  
*Leptochloa chinensis* (L.) Nees, 1824 千金子 Ref. Flora of Taiwan 2nd ed. 5: 425, 2000  
*Leptochloa panicea* (Retz.) Ohwi, 1941 蠟子草 Ref. Flora of Taiwan 2nd ed. 5: 427, 2000  
*Lepturus repens* (G. Forst.) R. Br., 1810 細穗草 Ref. Flora of Taiwan 2nd ed. 5: 429, 2000  
*Lolium multiflorum* Lam., 1778 多花黑麥草 Ref. Flora of Taiwan 2nd ed. 5: 384, 2000  
*Lolium perenne* L., 1753 黑麥草 Ref. 同前  
*Lophatherum gracile* Brongn., 1831 淡竹葉 Ref. Flora of Taiwan 2nd ed. 5: 334, 2000  
*Melica onoei* Franch. & Sav., 1879 小野臭草 Ref. Flora of Taiwan 2nd ed. 5: 394, 2000  
*Melinis minutiflora* P. Beauv., 1812 糖蜜草 Ref. Flora of Taiwan 2nd ed. 5: 480, 2000  
*Melocanna baccifera* (Roxb.) Kurz, 1875 梨果竹 Ref. Flora of Taiwan 2nd ed. 5: 627, 2000  
*Microstegium ciliatum* (Trin.) A. Camus, 1921 剛莠竹 Ref. Flora of Taiwan 2nd ed. 5: 563, 2000  
*Microstegium dilatatum* Koidz., 1930 大穗莠竹 Ref. 同前  
*Microstegium fauriei* (Hayata) Honda, 1930 法利莠竹 [特有] Ref. 同前  
*Microstegium geniculatum* (Hayata) Honda, 1930 曲膝莠竹 [特有] Ref. Flora of Taiwan 2nd ed. 5: 564, 2000  
*Microstegium glaberrimum* (Honda) Koidz., 1929 短軸莠竹 [特有] Ref. 同前  
*Microstegium japonicum* (Miq.) Koidz., 1929 日本莠竹 Ref. 特有生物研究 9 (2): 77—80  
*Microstegium nudum* (Trin.) A. Camus, 1921 竹葉茅 Ref. Flora of Taiwan 2nd ed. 5: 564, 2000  
*Microstegium somae* (Hayata) Ohwi, 1942 相馬莠竹 Ref. Flora of Taiwan 2nd ed. 5: 565, 2000  
*Microstegium vimineum* (Trin.) A. Camus, 1921 柔枝莠竹 Ref. 同前  
*Milium effusum* L., 1753 粟草 Ref. Flora of Taiwan 2nd ed. 5: 394, 2000  
*Miscanthus floridulus* (Labill.) Warb. ex K. Schum. & Lauterb., 1901 五節芒 Ref. Flora of Taiwan 2nd ed. 5: 567, 2000  
*Miscanthus sinensis* Andersson, 1855 芒 Ref. 同前  
*Muhlenbergia huegelii* Trin., 1841 亂子草 Ref. Flora of Taiwan 2nd ed. 5: 433, 2000  
*Narenga porphyrocoma* (Hance) Bor, 1940 河王八 Ref. Flora of Taiwan 2nd ed. 5: 569, 2000  
*Neyraudia arundinacea* (L.) Henr., 1929 類蘆 Ref. Flora of Taiwan 2nd ed. 5: 329, 2000  
*Oplismenus aemulus* (R. Br.) Roem. & Schult., 1917 大屯求米草 Ref. Flora of Taiwan 2nd ed. 5: 482, 2000  
*Oplismenus compositus* (L.) P. Beauv., 1812 竹葉草 Ref. 同前  
*Oplismenus hirtellus* (L.) P. Beauv., 1812 求米草 Ref. Flora of Taiwan 2nd ed. 5: 483, 2000  
*Oryza rufipogon* Griff., 1851 野生稻 Ref. Flora of Taiwan 2nd ed. 5: 321, 2000  
*Oryza sativa* L., 1753 稻 Ref. Flora of Taiwan 2nd ed. 5: 323, 2000  
*Oryzopsis obtusa* Stapf, 1895 純頭落芒草 Ref. Flora of Taiwan 2nd ed. 5: 398, 2000  
*Otochloa nodosa* (Kunth) Dandy, 1931 新店奧圖草 Ref. Flora of Taiwan 2nd ed. 5: 485, 2000  
*Panicum bisulcatum* Thunb., 1815 糠稷 Ref. Flora of Taiwan 2nd ed. 5: 487, 2000  
*Panicum brevifolium* L., 1753 短葉黍 Ref. 同前  
*Panicum curviflorum* Hornem. var. *suishaense* (Hayata) Veldkamp 1996 水社黍 Ref. 同前  
*Panicum dichotomiflorum* Michx., 1803 洋野黍 Ref. Flora of Taiwan 2nd ed. 5: 490, 2000  
*Panicum humile* Nees ex Steud., 1854 南亞黍 Ref. 同前  
*Panicum luzonense* J. Presl, 1830 網脈稷 Ref. 同前  
*Panicum maximum* Jacq., 1781 大黍 Ref. 同前  
*Panicum miliaceum* L., 1753 稷 Ref. Flora of Taiwan 2nd ed. 5: 491, 2000  
*Panicum notatum* Retz., 1786 心葉稷 Ref. 同前

*Panicum paludosum* Roxb., 1820 水生黍 Ref. 同前  
*Panicum repens* L., 1762 鋪地黍 Ref. 同前  
*Panicum sarmentosum* Roxb., 1820 藤竹草 Ref. Flora of Taiwan 2nd ed. 5: 493, 2000  
*Panicum sumatrense* Roth ex Roem. & Schult., 1817 細柄黍 Ref. 同前  
*Paspalidium flavidum* (Retz.) A. Camus, 1922 黃穗類雀稗 Ref. Flora of Taiwan 2nd ed. 5: 494, 2000  
*Paspalidium punctatum* (Burm. f.) A. Camus, 1922 類雀稗 Ref. 同前  
*Paspalum commersonii* Lam., 1791 台灣雀稗 Ref. Flora of Taiwan 2nd ed. 5: 495, 2000  
*Paspalum conjugatum* Bergius, 1762 兩耳草 Ref. 同前  
*Paspalum dilatatum* Poir., 1804 毛花雀稗 Ref. Flora of Taiwan 2nd ed. 5: 497, 2000  
*Paspalum distichum* L., 1759 雙穗雀稗 Ref. 同前  
*Paspalum fimbriatum* Kunth, 1816 裂穎雀稗 Ref. 同前  
*Paspalum longifolium* Roxb., 1820 長葉雀稗 Ref. 同前  
*Paspalum orbiculare* G. Forst., 1786 圓果雀稗 Ref. Flora of Taiwan 2nd ed. 5: 500, 2000  
*Paspalum paniculatum* L., 1759 多穗雀稗 Ref. 同前  
*Paspalum scrobiculatum* L., 1767 鴨姆草 Ref. 同前  
*Paspalum thunbergii* Kunth ex Steud., 1841 雀稗 Ref. 同前  
*Paspalum urvillei* Steud., 1854 吳氏雀稗 Ref. Flora of Taiwan 2nd ed. 5: 501, 2000  
*Paspalum vaginatum* Sw., 1788 海雀稗 Ref. 同前  
*Paspalum virgatum* L., 1759 粗稗雀稗 Ref. 同前  
*Pennisetum alopecuroides* (L.) Spreng., 1825 狼尾草 Ref. Flora of Taiwan 2nd ed. 5: 502, 2000  
*Pennisetum clandestinum* Hochst. ex Chiiov., 1903 鋪地狼尾草 Ref. 同前  
*Pennisetum polystachion* (L.) Schult., 1824 牧地狼尾草 Ref. Flora of Taiwan 2nd ed. 5: 505, 2000  
*Pennisetum purpureum* Schumach., 1827 象草 Ref. 同前  
*Perotis indica* (L.) O. Kuntze., 1891 茅根 Ref. Flora of Taiwan 2nd ed. 5: 431, 2000  
*Perotis macrantha* Honda, 1927 大穗茅根 Ref. 同前  
*Phaenosperma globosa* Munro ex Benth., 1881 顯子草 Ref. Flora of Taiwan 2nd ed. 5: 394, 2000  
*Phalaris arundinacea* L., 1753 鶻草 Ref. Flora of Taiwan 2nd ed. 5: 358, 2000  
*Phalaris canariensis* L., 1753 加拿麗鶻草 Ref. Flora of Taiwan 2nd ed. 5: 361, 2000  
*Phleum alpinum* L., 1753 高山梯牧草 Ref. 同前  
*Phragmites australis* (Cav.) Trin ex Steud., 1841 蘆葦 Ref. Flora of Taiwan 2nd ed. 5: 329, 2000  
*Phragmites vallisoria* (Pluk. ex L.) Veldkamp, 1992 開卡蘆 Ref. Flora of Taiwan 2nd ed. 5: 332, 2000  
*Phyllostachys aurea* Carr. ex A. & C. Riviere, 1878 布袋竹 Ref. Flora of Taiwan 2nd ed. 5: 629, 2000  
*Phyllostachys bambusoides* Siebold & Zucc., 1843 剛竹 Ref. 同前  
*Phyllostachys lithophila* Hayata, 1916 石竹 [特有] Ref. Flora of Taiwan 2nd ed. 5: 632, 2000  
*Phyllostachys makinoi* Hayata, 1912 桂竹 [特有] Ref. 同前  
*Phyllostachys nigra* (Lodd.) Munro, 1868 黑竹 Ref. Flora of Taiwan 2nd ed. 5: 635, 2000  
*Phyllostachys nuda* McClure, 1945 裸籜竹 Ref. 同前  
*Phyllostachys pubescens* E. Mazel ex H. de Leh., 1906 孟宗竹 Ref. 同前  
*Poa acroleuca* Steud., 1854 白頂早熟禾 Ref. Flora of Taiwan 2nd ed. 5: 386, 2000  
*Poa annua* L., 1753 早熟禾 Ref. 同前  
*Poa compressa* L., 1753 扁稈早熟禾 Ref. Taiwania 51(3): 242, 2006  
*Poa formosae* Ohwi, 1934 台灣早熟禾 [特有] Ref. Flora of Taiwan 2nd ed. 5: 388, 2000  
*Poa nankoensis* Ohwi, 1933 南湖大山早熟禾 [特有] Ref. 同前  
*Poa pratensis* L., 1753 草地早熟禾 Ref. Taiwania 51(3): 244, 2006  
*Poa sphondyodes* var. *kelungensis* (Ohwi) Ohwi 1941 基隆早熟禾 [特有] Ref. Flora of Taiwan 2nd ed. 5: 388, 2000  
*Poa taiwanicola* Ohwi, 1937 高山早熟禾 [特有] Ref. 同前  
*Poa takasagomontana* Ohwi, 1934 高砂早熟禾 [特有] Ref. Flora of Taiwan 2nd ed. 5: 389, 2000  
*Poa tenuicula* Ohwi, 1934 細稈早熟禾 [特有] Ref. 同前  
*Poa trivialis* L., 1753 粗莖早熟禾 Ref. Taiwania 51(3): 244, 2006  
*Pogonatherum crinitum* (Thunb.) Kunth, 1833 金絲草 Ref. Flora of Taiwan 2nd ed. 5: 570, 2000  
*Pogonatherum paniceum* (Lam.) Hack., 1906 金髮草 Ref. 同前  
*Polypogon fugax* Nees ex Steud., 1854 棒頭草 Ref. Flora of Taiwan 2nd ed. 5: 364, 2000  
*Polypogon monspeliensis* (L.) Desf., 1798 長芒棒頭草 Ref. 同前  
*Pseudoraphis spinescens* (R. Br.) Vickery, 1952 大偽針茅 Ref. Flora of Taiwan 2nd ed. 5: 505, 2000  
*Pseudosasa japonica* (Siebold & Zucc.) Makino, 1920 日本矢竹 Ref. Flora of Taiwan 2nd ed. 5: 639, 2000  
*Pseudosasa usawai* (Hayata.) Makino & Nemoto, 1931 包籜箭竹 [特有] Ref. Flora of Taiwan 2nd ed. 5: 641, 2000  
*Rhynchelytrum repens* (Willd.) C. E. Hubb., 1934 紅毛草 Ref. Flora of Taiwan 2nd ed. 5: 507, 2000  
*Rottboellia exaltata* L. f., 1779 羅氏草 Ref. Flora of Taiwan 2nd ed. 5: 572, 2000  
*Saccharum barberi* Jeswiet, 1925 細稈甘蔗 Ref. 同前  
*Saccharum officinarum* L., 1753 秀貴甘蔗 Ref. Flora of Taiwan 2nd ed. 5: 574, 2000  
*Saccharum sinensis* Roxb., 1818 甘蔗 Ref. 同前  
*Saccharum spontaneum* L., 1771 甜根子草 Ref. 同前  
*Sacciolepis indica* (L.) Chase, 1908 囊穎草 Ref. Flora of Taiwan 2nd ed. 5: 509, 2000  
*Schizachyrium brevifolium* (Sw.) Nees ex Buse, 1854 裂稈草 Ref. Flora of Taiwan 2nd ed. 5: 576, 2000  
*Schizachyrium fragile* (R. Br.) var. *shimadae* (Ohwi) C. C. Hsu 1962 尖葉裂稈草 [特有] Ref. 同前  
*Schizostachyum brachycladum* (Kurz) Kurz, 1870 短枝黃金竹 Ref. Flora of Taiwan 2nd ed. 5: 641, 2000  
*Schizostachyum diffusum* (Blanco) Merr., 1916 莎勒竹 Ref. Flora of Taiwan 2nd ed. 5: 643, 2000  
*Secale cereale* L., 1753 黑麥 Ref. Flora of Taiwan 2nd ed. 5: 401, 2000  
*Semiarundinaria fastuosa* (Mitford) Makino, 1918 業平竹 Ref. Flora of Taiwan 2nd ed. 5: 643, 2000  
*Setaria faberi* R. A. W. Herrm., 1910 法氏狗尾草 Ref. Flora of Taiwan 2nd ed. 5: 510, 2000  
*Setaria geniculata* P. Brauv., 1812 莠狗尾草 Ref. 同前  
*Setaria glauca* (L.) P. Beauv., 1812 御谷 Ref. 同前

- Setaria italica* (L.) P. Beauv., 1812 小米 Ref. 同前  
*Setaria pallide-fusca* (Schumach.) Stapf & C. E. Hubb., 1930 褐毛狗尾草 Ref. Flora of Taiwan 2nd ed. 5: 512, 2000  
*Setaria palmifolia* (J. König.) Stapf, 1914 棕葉狗尾草 Ref. 同前  
*Setaria plicata* (Lam.) T. Cooke, 1908 皺葉狗尾草 Ref. 同前  
*Setaria sphacelata* (Schumach.) Stapf & C. E. Hubb. ex M. B. Moss, 1929 南非鵝草 Ref. 特有生物研究 8 (1): 83-86  
*Setaria verticillata* (L.) P. Beauv., 1812 倒刺狗尾草 Ref. Flora of Taiwan 2nd ed. 5: 515, 2000  
*Setaria viridis* (L.) P. Beauv., 1812 狗尾草 Ref. 同前  
*Shibataea kumasasa* (Zoll.) Makino, 1914 崗姬竹 Ref. Flora of Taiwan 2nd ed. 5: 645, 2000  
*Sinobambusa kunishii* (Hayata.) Nakai, 1932 台灣矢竹 [特有] Ref. Flora of Taiwan 2nd ed. 5: 648, 2000  
*Sinobambusa tootsik* (Makino) Makino, 1918 唐竹 Ref. 同前  
*Sorghum bicolor* (L.) Moench, 1794 蜀黍 Ref. Flora of Taiwan 2nd ed. 5: 578, 2000  
*Sorghum halepense* (L.) Pers., 1805 詹森草 Ref. Flora of Taiwan 2nd ed. 5: 579, 2000  
*Sorghum nitidum* (Vahl) Pers f. *idum* (Vahl) Pers. 1805 光高粱 Ref. 同前  
*Sorghum nitidum* (Vahl) Pers f. *statum* C. E. Hubb. 1938 小光高粱 Ref. 同前  
*Sorghum propinquum* (Kunth) Hitchc., 1929 擬高粱 Ref. 同前  
*Sphaerocaryum malaccense* (Trin.) Pilg., 1938 桴蕈 Ref. Flora of Taiwan 2nd ed. 5: 446, 2000  
*Spinifex littoreus* (Burm. f.) Merr., 1912 濱刺草 Ref. Flora of Taiwan 2nd ed. 5: 518, 2000  
*Spodiopogon tainanensis* Hayata, 1907 台南大油芒 [特有] Ref. Flora of Taiwan 2nd ed. 5: 581, 2000  
*Sporobolus hancei* Rendle, 1904 韓氏鼠尾粟 Ref. Flora of Taiwan 2nd ed. 5: 435, 2000  
*Sporobolus indicus* (L.) R. Br. var. *major* (Buse) Baaijens 1991 鼠尾粟 Ref. 同前  
*Sporobolus indicus* (L.) R. Br. var. *flaccidus* (R. & S.) Veldkamp 1991 雙蕊鼠尾粟 Ref. 同前  
*Sporobolus tenuissimus* (Mart. ex Schrank) Kuntze, 1898 熱帶鼠尾粟 Ref. Taiwania 50(3): 194, 2005  
*Sporobolus virginicus* (L.) Kunth, 1829 鹽地鼠尾粟 Ref. Flora of Taiwan 2nd ed. 5: 438, 2000  
*Thaumastochloa chenii* C. C. Hsu, 1971 其昌假蛇尾草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 581, 2000  
*Thaumastochloa cochinchinensis* (Lour.) C. E. Hubb., 1936 假蛇尾草 Ref. Flora of Taiwan 2nd ed. 5: 583, 2000  
*Themeda caudata* (Nees) A. Camus, 1922 苞子草 Ref. Flora of Taiwan 2nd ed. 5: 585, 2000  
*Themeda japonica* (Willd.) C. Tanaka, 1925 日本苞子草 Ref. 同前  
*Thlaspi arvense* L., 1753 凹果薪蕒 Ref. Taiwania 51(4): 310, 2006  
*Thuarea involuta* (G. Forst.) R. Br. ex Sm., 1817 芻蓄草 Ref. Flora of Taiwan 2nd ed. 5: 518, 2000  
*Thyrsostachys siamensis* (Kurz) Gamble, 1896 暹羅竹 Ref. Flora of Taiwan 2nd ed. 5: 651, 2000  
*Thysanolaena latifolia* (Roxb. ex Hornem.) Honda, 1930 棕葉蘆 Ref. Flora of Taiwan 2nd ed. 5: 336, 2000  
*Tripsacum chinensis* Hack., 1903 中華草沙蠶 Ref. Flora of Taiwan 2nd ed. 5: 427, 2000  
*Trisetum bifidum* (Thunb.) Ohwi, 1931 三毛草 Ref. Flora of Taiwan 2nd ed. 5: 364, 2000  
*Trisetum spicatum* (L.) Rich. var. *formosanum* (Honda) Ohwi 1941 台灣三毛草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 366, 2000  
*Triticum aestivum* L., 1753 小麥 Ref. Flora of Taiwan 2nd ed. 5: 401, 2000  
*Vetiveria zizanioides* (L.) Nash, 1903 培地茅 Ref. Flora of Taiwan 2nd ed. 5: 587, 2000  
*Vulpia myuros* (L.) Gmel., 1806 鼠茅 Ref. Flora of Taiwan 2nd ed. 5: 389, 2000  
*Yushania niitakayamensis* (Hayata) Keng f., 1957 玉山箭竹 Ref. Flora of Taiwan 2nd ed. 5: 651, 2000  
*Zea mays* L., 1753 玉蜀黍 Ref. Flora of Taiwan 2nd ed. 5: 587, 2000  
*Zizania latifolia* (Griseb.) Turcz. ex Stapf, 1909 菰 Ref. Flora of Taiwan 2nd ed. 5: 323, 2000  
*Zoysia japonica* Steud., 1855 結縷草 Ref. Flora of Taiwan 2nd ed. 5: 438, 2000  
*Zoysia matrella* (L.) Merr., 1912 馬尼拉芝 Ref. Flora of Taiwan 2nd ed. 5: 440, 2000  
*Zoysia sinica* Hance, 1869 中華結縷草 Ref. 同前  
*Zoysia tenuifolia* Willd. ex Trin., 1836 高麗芝 Ref. 同前

## Order Eriocaulales 穀精草目

### Family Eriocaulaceae 穀精草科

- Eriocaulon buergerianum* Koern., 1867 連萼穀精草 Ref. Flora of Taiwan 2nd ed. 5: 181, 2000  
*Eriocaulon cinereum* R. Br., 1810 小穀精草 Ref. Flora of Taiwan 2nd ed. 5: 183, 2000  
*Eriocaulon nantoense* Hayata, 1921 南投穀精草 Ref. Flora of Taiwan 2nd ed. 5: 184, 2000  
*Eriocaulon nepalense* Prescott ex Bongard, 1831 尼泊爾穀精草 Ref. 同前  
*Eriocaulon sexangulare* L., 1753 大葉穀精草 Ref. 同前  
*Eriocaulon taishanense* F. Z. Li, 1988 泰山穀精草 Ref. Flora of Taiwan 2nd ed. 5: 186, 2000  
*Eriocaulon truncatum* Buch.-Ham. ex Mart., 1832 菲律賓穀精草 Ref. 同前

## Order Hydrocharitales 水蘘目

### Family Hydrocharitaceae 水蘘科

- Blyxa aubertii* Rich., 1812 瘤果水蘘 Ref. Flora of Taiwan 2nd ed. 5: 11, 2000  
*Blyxa echinosperma* (C. B. Clarke) Hook. f., 1881 臺灣水蘘 Ref. Flora of Taiwan 2nd ed. 5: 13, 2000  
*Blyxa japonica* (Miq.) Maxim. ex Asch. & Gurke, 1889 日本水蘘 Ref. 同前  
*Halophila beccari* Asch., 1871 貝氏鹽蘘 Ref. Flora of Taiwan 2nd ed. 5: 15, 2000  
*Halophila decipiens* Ostenf., 1902 毛葉鹽蘘 Ref. 同前  
*Halophila ovalis* (R. Br.) Hook. f., 1858 卵葉鹽蘘 Ref. 同前  
*Hydrilla verticillata* (L. f.) Royle, 1839 水王孫 Ref. 同前  
*Hydrocharis dubia* (Blume) Backer, 1925 水蘘 Ref. Flora of Taiwan 2nd ed. 5: 16, 2000  
*Otelia alismoides* (L.) Pers., 1805 水車前草 Ref. 同前  
*Thalassia hemprichii* (Ehrenb.) Asch., 1871 泰來藻 Ref. Flora of Taiwan 2nd ed. 5: 18, 2000  
*Vallisneria gigantea* Graebn., 1912 大苦草 Ref. 同前

## Order Juncales 燈心草目

### Family Juncaceae 燈心草科

- Juncus effusus* L. var. *decipiens* Buchenau 1890 燈心草 Ref. Flora of Taiwan 2nd ed. 5: 147, 2000

- Juncus leschenaultii* J. Gay ex Laharpe, 1827 錢蒲 Ref. Flora of Taiwan 2nd ed. 5: 148, 2000  
*Juncus ohwianus* Kao & DeVol, 1978 大井氏燈心草 Ref. 同前  
*Juncus tenuis* Willd., 1799 阿里山燈心草 Ref. 同前  
*Juncus triflorus* Ohwi, 1937 玉山燈心草 [特有] Ref. 同前  
*Juncus wallichianus* Laharpe, 1827 小葉燈心草 Ref. Flora of Taiwan 2nd ed. 5: 150, 2000  
*Luzula effusa* Buchen., 1880 中國地楊梅 Ref. 同前  
*Luzula multiflora* Lejeune, 1811 山間地楊梅 Ref. Flora of Taiwan 2nd ed. 5: 152, 2000  
*Luzula plumosa* E. Meyer, 1859 台灣糖星草 Ref. 同前  
*Luzula taiwaniana* Satake, 1933 台灣地楊梅 [特有] Ref. 同前

## Order Liliales 百合目

### Family Agavaceae 龍舌蘭科

- Agave americana* Linn. var. *americana* Linn. 1864 龍舌蘭 Ref. Flora of Taiwan 2nd ed. 5: 75, 2000  
*Agave americana* Linn. var. *variegata* Hort. 1864 黃斑龍舌蘭 Ref. Flora of Taiwan 2nd ed. 5: 76, 2000  
*Agave fourcroydes* Lem., 1864 黃條龍舌蘭 Ref. 同前  
*Agave sisalana* Perr. ex Enghlm., 1875 西沙爾瓊麻 Ref. 同前  
*Cordylone terminalis* (Linn.) Kunth., 1820 朱蕉 Ref. 同前  
*Dracaena angustifolia* Roxb., 1814 番仔林投 Ref. Flora of Taiwan 2nd ed. 5: 77, 2000  
*Dracaena fragrans* (Linn.) Ker-Gawl., 1808 香龍血樹 Ref. 同前  
*Yucca aloifolia* L., 1753 金棒蘭 Ref. Flora of Taiwan 2nd ed. 5: 78, 2000  
*Yucca filamentosa* L., 1753 絲蘭 Ref. 同前  
*Yucca gloriosa* L., 1753 美國波羅花 Ref. Flora of Taiwan 2nd ed. 5: 79, 2000

### Family Amaryllidaceae 石蒜科

- Crinum asiaticum* L., 1753 文珠蘭 Ref. Flora of Taiwan 2nd ed. 5: 80, 2000  
*Lycoris aurea* Herb., 1821 龍爪花 Ref. Flora of Taiwan 2nd ed. 5: 83, 2000

### Family Dioscoreaceae 薯蕷科

- Dioscorea alata* L., 1753 大薯 Ref. Flora of Taiwan 2nd ed. 5: 88, 2000  
*Dioscorea batatas* Decne., 1854 家山藥 Ref. 同前  
*Dioscorea bentharii* Prain & Burkill, 1908 田箐 Ref. Flora of Taiwan 2nd ed. 5: 89, 2000  
*Dioscorea bulbifera* L., 1753 山芋 Ref. 同前  
*Dioscorea codonopsidifolia* Kamikoti, 1935 掌葉薯 [特有] Ref. 同前  
*Dioscorea collettii* Hook. f., 1892 南華薯蕷 Ref. Flora of Taiwan 2nd ed. 5: 91, 2000  
*Dioscorea cumingii* Prain & Burkill, 1908 蘭嶼田薯 Ref. 同前  
*Dioscorea doryphora* Hance, 1866 戟葉田薯 Ref. Flora of Taiwan 2nd ed. 5: 93, 2000  
*Dioscorea esculenta* (Lour.) Burkill var. *spinosa* R. Knuth 1924 刺薯蕷 Ref. 同前  
*Dioscorea formosana* R. Knuth, 1924 台灣薯蕷 Ref. Flora of Taiwan 2nd ed. 5: 98, 2000  
*Dioscorea hispida* Dennst., 1818 大苦薯 Ref. Flora of Taiwan 2nd ed. 5: 93, 2000  
*Dioscorea japonica* Thunb. var. *pseudojaponica* (Hayata) Yamamoto 1938 基隆野山藥 Ref. Flora of Taiwan 2nd ed. 5: 94, 2000  
*Dioscorea japonica* Thunb. var. *japonica* Thunb. 1784 薄葉野山藥 Ref. 同前  
*Dioscorea japonica* Thunb. var. *oldhamii* R. Knuth 1924 細葉野山藥 Ref. 同前  
*Dioscorea kaoi* T. S. Liu & T. C. Huang, 1960 圓錐花薯蕷 [特有] Ref. Flora of Taiwan 2nd ed. 5: 96, 2000  
*Dioscorea matsudae* Hayata, 1896 裏白葉薯榔 Ref. 同前  
*Dioscorea persimilis* Prain & Burkill, 1914 假山藥薯 Ref. 同前  
*Dioscorea polystachya* Turcz., 1873 長山藥 Ref. Flora of Taiwan 2nd ed. 5: 98, 2000

### Family Hypoxidaceae 仙茅科

- Curculigo capitulata* (Lour.) Kuntze, 1891 船仔草 Ref. Flora of Taiwan 2nd ed. 5: 84, 2000  
*Curculigo orchioides* Gaertn., 1788 仙茅 Ref. Flora of Taiwan 2nd ed. 5: 86, 2000  
*Hypoxis aurea* Lour., 1790 小金梅葉 Ref. 同前

### Family Iridaceae 鳶尾科

- Belamcanda chinensis* var. *chinensis* (L.) DC., 1807 射干 [特有] Ref. Flora of Taiwan 2nd ed. 5: 137, 2000  
*Belamcanda chinensis* (L.) DC. var. *taiwanensis* Ying 1980 台灣射干 [特有] Ref. 同前  
*Belamcanda chinensis* (L.) DC., 1807 射干 [特有] Ref. Flora of Taiwan 2nd ed. 5: 136, 2000  
*Iris formosana* Ohwi, 1934 台灣鳶尾 [特有] Ref. Flora of Taiwan 2nd ed. 5: 137, 2000  
*Iris nantouensis* S. S. Ying, 1987 南投鳶尾 [特有] Ref. Flora of Taiwan 2nd ed. 5: 139, 2000  
*Sisyrinchium atlanticum* Bickn., 1896 庭菖蒲 Ref. 同前  
*Sisyrinchium iridifolium* Kunth, 1832 黃花庭菖蒲 Ref. Flora of Taiwan 2nd ed. 5: 140, 2000

### Family Liliaceae 百合科

- Alettris formosana* (Hayata) Sasaki, 1928 台灣粉條兒菜 [特有] Ref. Flora of Taiwan 2nd ed. 5: 36, 2000  
*Alettris spicata* (Thunb.) Franch., 1784 束心蘭 Ref. Flora of Taiwan 2nd ed. 5: 38, 2000  
*Allium bakeri* Regel var. *morrisonense* (Hayata) Liu & Ying 1978 玉山蒜 [特有] Ref. Flora of Taiwan 2nd ed. 5: 39, 2000  
*Allium grayi* Regal, 1875 山蒜 Ref. 同前  
*Allium thunbergii* G. Don, 1827 野蒜頭 Ref. 同前  
*Asparagus cochinchinensis* (Lour.) Merr., 1919 天門冬 Ref. Flora of Taiwan 2nd ed. 5: 40, 2000  
*Aspidistra elatior* Blume var. *attenuata* (Hayata) S. S. Ying 2000 台灣蜘蛛抱蛋 [特有] Ref. 同前  
*Barnardia japonica* (Thunb.) Schult. & Schult. f., 2001 綿棗兒 Ref. Flora of Taiwan 2nd ed. 6: 111, 2003  
*Campylandra chinensis* (Baker) M. N. Tamura, 2000 萬年青 Ref. 同前  
*Dianella ensifolia* (L.) DC., 1802 桔梗蘭 Ref. Flora of Taiwan 2nd ed. 5: 41, 2000  
*Disporopsis fuscipicta* Hance var. *arisanensis* (Hayata) S. S. Ying 2000 阿里山假寶鐸花 [特有] Ref. Flora of Taiwan 2nd ed. 5: 43, 2000  
*Disporopsis taiwanensis* S. S. Ying, 1989 台灣假寶鐸花 [特有] Ref. 同前

*Disporum kawakamii* Hayata, 1911 台灣寶鐸花 [特有] Ref. Flora of Taiwan 2nd ed. 5: 44, 2000  
*Disporum nantouense* S. S. Ying, 1990 南投寶鐸花 [特有] Ref. Flora of Taiwan 2nd ed. 5: 46, 2000  
*Disporum shimadae* Hayata, 1911 山寶鐸花 Ref. 同前  
*Disporum taiwanense* S. S. Ying, 1989 紅花寶鐸花 [特有] Ref. 同前  
*Helonias umbellata* (Baker) N. Tanaka, 1998 台灣胡麻花 [特有] Ref. Flora of Taiwan 2nd ed. 5: 47, 2000  
*Hemerocallis aurantiaca* Baker, 1890 橙萱 Ref. Flora of Taiwan 2nd ed. 5: 49, 2000  
*Lilium callosum* Siebold & Zucc. var. *flaviflorum* Makino 1913 野小百合 Ref. Flora of Taiwan 2nd ed. 6: 112, 2003  
*Lilium callosum* Siebold & Zucc., 1913 野小百合 Ref. Flora of Taiwan 2nd ed. 5: 50, 2000  
*Lilium formosanum* Wallace, 1880 台灣百合 [特有] Ref. 同前  
*Lilium longiflorum* Thunb. var. *scabrum* Masam. 1936 粗莖麝香百合 [特有] Ref. Flora of Taiwan 2nd ed. 5: 52, 2000  
*Lilium speciosum* Thunb. var. *gloriosoides* Baker 1880 豔紅鹿子百合 Ref. 同前  
*Liriope minor* (Ohwi) S.S. Ying var. *angustissima* (Ohwi) Ying 2000 細葉麥門冬 [特有] Ref. Flora of Taiwan 2nd ed. 5: 53, 2000  
*Liriope platyphylla* F. T. Wang & T. Tang, 1951 闊葉麥門冬 Ref. 同前  
*Liriope spicata* (Thunb.) Lour., 1790 麥門冬 Ref. 同前  
*Molineria capitulata* (Lour.) Herb., 1837 船仔草 Ref. Flora of Taiwan 2nd ed. 6: 112, 2003  
*Ophiopogon intermedius* D. Don, 1825 間型沿階草 Ref. Flora of Taiwan 2nd ed. 5: 54, 2000  
*Ophiopogon reversus* C. C. Huang, 1977 高節沿階草 Ref. Flora of Taiwan 2nd ed. 5: 55, 2000  
*Paris fargesii* Franch. var. *brevipetalata* (T. C. Huang & K. C. Yang) T. C. Huang & K. C. Yang 1989 短瓣球藥隔七葉一枝花 Ref. Flora of Taiwan 2nd ed. 6: 112, 2003  
*Paris polyphylla* Smith var. *taiungensis* (Ying) S. S. Ying 2000 台東七葉一枝花 [特有] Ref. Flora of Taiwan 2nd ed. 5: 59, 2000  
*Paris polyphylla* Smith var. *stenophylla* Franch. 1888 狹葉七葉一枝花 [特有] Ref. Flora of Taiwan 2nd ed. 5: 57, 2000  
*Paris polyphylla* Smith, 1860 七葉一枝花 [特有] Ref. 同前  
*Peliosanthes macrostegia* Hance, 1885 矮球子草 Ref. Flora of Taiwan 2nd ed. 6: 112, 2003  
*Peliosanthes teta* Andre. var. *kaoi* (Ohwi) S. S. Ying 2000 高氏球子草 Ref. Flora of Taiwan 2nd ed. 5: 60, 2000  
*Peliosanthes teta* Andre., 1881 球子草 Ref. Flora of Taiwan 2nd ed. 5: 59, 2000  
*Peliosanthes teta* Andre. var. *humilis* (Andre.) M. J. Lai 1978 矮球子草 Ref. Flora of Taiwan 2nd ed. 5: 60, 2000  
*Polygonatum alte-lobatum* Hayata, 1915 台灣黃精 [特有] Ref. Flora of Taiwan 2nd ed. 5: 61, 2000  
*Polygonatum chingshuishanianum* S. S. Ying, 1988 清水山黃精 [特有] Ref. 同前  
*Polygonatum odoratum* (Miller) Druce. var. *pluriflorum* (Miq.) Ohwi 1953 萎蕤 Ref. 同前  
*Rohdea japonica* (Thunb.) Roth. var. *watanabei* (Hayata) S. S. Ying 2000 萬年青 [特有] Ref. Flora of Taiwan 2nd ed. 5: 63, 2000  
*Scilla sinensis* (Lour.) Merr., 1919 綿囊兒 Ref. 同前  
*Smilacina japonica* A. Gray., 1878 鹿藥 Ref. Flora of Taiwan 2nd ed. 5: 64, 2000  
*Thysanotus chinensis* Benth., 1861 異蕊草 Ref. Flora of Taiwan 2nd ed. 5: 66, 2000  
*Tricyrtis formosana* Baker var. *grandiflora* S. S. Ying 2000 大花油點草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 67, 2000  
*Tricyrtis formosana* Baker var. *lasiocarpa* (Matsum.) Masam. 1930 毛果油點草 [特有] Ref. 同前  
*Tricyrtis formosana* Baker var. *stolonifera* (Matsum.) Masam. 1930 山油點草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 69, 2000  
*Tricyrtis formosana* Baker var. *formosana* Baker 1879 台灣油點草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 67, 2000  
*Tricyrtis formosana* Baker var. *ovatifolia* (S. S. Ying) S. S. Ying 2000 卵葉油點草 [特有] Ref. 同前  
*Tricyrtis ravenii* C. I. Peng & C. L. Tiang, 2007 高山油點草 Ref. Botanical Studies 48:358, 2007  
*Tricyrtis suzukii* Masam., 1931 鈴木油點草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 69, 2000  
*Trillium taiwanense* Ying, 1989 台灣延齡草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 70, 2000  
*Trillium tschonoskii* Maxim., 1884 延齡草 Ref. Flora of Taiwan 2nd ed. 5: 69, 2000  
*Veratrum formosanum* Loesen. f., 1926 台灣藜蘆 [特有] Ref. Flora of Taiwan 2nd ed. 5: 70, 2000  
*Veratrum shueshanarum* S. S. Ying, 1988 雪山藜蘆 [特有] Ref. Flora of Taiwan 2nd ed. 5: 71, 2000

#### Family Petrosaviaceae 櫻井草科

*Petrosavia sakurarii* (Makino) J. J. Smith ex Steenis, 1934 櫻井草 Ref. Flora of Taiwan 2nd ed. 5: 72, 2000

#### Family Philydraceae 田蔥科

*Philydrum lanuginosum* Banks & Sol., 1788 田蔥 Ref. Flora of Taiwan 2nd ed. 5: 145, 2000

#### Family Pontederiaceae 雨久花科

*Eichhornia crassipes* (Mart.) Solms, 1883 布袋蓮 Ref. Flora of Taiwan 2nd ed. 5: 133, 2000

*Monochoria vaginalis* (Burm. f.) Presl, 1827 鴨舌草 Ref. Flora of Taiwan 2nd ed. 5: 135, 2000

#### Family Smilacaceae 菝葜科

*Heterosmilax indica* A. DC., 1878 土茯苓 Ref. Flora of Taiwan 2nd ed. 5: 100, 2000

*Heterosmilax japonica* Kunth, 1850 平柄菝葜 Ref. 同前

*Heterosmilax seisuiensis* (Hayata) F. T. Wang & T. Tang, 1934 台中假土茯苓 [特有] Ref. Flora of Taiwan 2nd ed. 5: 99, 2000

*Smilax arisanensis* Hayata, 1911 阿里山菝葜 Ref. Flora of Taiwan 2nd ed. 5: 103, 2000

*Smilax bracteata* Presl var. *bracteata* Presl 1827 假菝葜 Ref. 同前

*Smilax bracteata* Presl var. *verruculosa* (Merr.) T. Koyama 1978 糙莖菝葜 Ref. Flora of Taiwan 2nd ed. 5: 106, 2000

*Smilax china* L., 1753 菝葜 Ref. 同前

*Smilax corbularia* Kunth, 1850 裡白菝葜 Ref. Flora of Taiwan 2nd ed. 5: 109, 2000

*Smilax discotis* Warburg, 1900 宜蘭菝葜 Ref. 同前

*Smilax elongato-umbellata* Hayata, 1911 細葉菝葜 Ref. Flora of Taiwan 2nd ed. 5: 112, 2000

*Smilax glabra* Wright, 1903 光滑菝葜 Ref. Flora of Taiwan 2nd ed. 5: 114, 2000

*Smilax hayatae* T. Koyama, 1957 早田氏菝葜 [特有] Ref. 同前

*Smilax horridiramula* Hayata, 1920 密刺菝葜 [特有] Ref. Flora of Taiwan 2nd ed. 5: 117, 2000

*Smilax lanceifolia* Roxb., 1832 台灣菝葜 Ref. 同前

*Smilax luei* T. Koyama, 1975 呂氏菝葜 [特有] Ref. Flora of Taiwan 2nd ed. 5: 120, 2000

*Smilax menispermoidea* A. DC., 1878 巒大菝葜 Ref. 同前

*Smilax nantoensis* T. Koyama, 1975 南投菝葜 [特有] Ref. Flora of Taiwan 2nd ed. 5: 123, 2000

*Smilax nipponica* Miq., 1866 日本菝葜 Ref. 同前

*Smilax ocreata* A. DC., 1878 耳葉菝葜 Ref. Flora of Taiwan 2nd ed. 5: 126, 2000  
*Smilax riparia* A. DC., 1878 烏蘇里山馬薯 Ref. 同前  
*Smilax sieboldii* Miq., 1866 台灣山馬薯 Ref. Flora of Taiwan 2nd ed. 5: 129, 2000  
*Smilax vaginata* Decaisne, 1844 玉山菝葜 Ref. 同前

### Family Stemonaceae 百部科

*Stemona tuberosa* Lour., 1790 百部 Ref. Flora of Taiwan 2nd ed. 5: 73, 2000

### Family Taccaceae 蒟蒻薯科

*Tacca leontopetaloides* (L.) Kuntze, 1891 蒟蒻薯 Ref. Flora of Taiwan 2nd ed. 6: 127, 2003

## Order Najadales 茨藻目

### Family Aponogetonaceae 水薺科

*Aponogeton taiwanensis* Masam., 1941 水薺 [特有] Ref. Flora of Taiwan 2nd ed. 5: 20, 2000

### Family Najadaceae 茨藻科

*Najas ancistrocarpa* A. Br. ex Magnus, 1870 士林拂尾藻 Ref. Flora of Taiwan 2nd ed. 5: 32, 2000  
*Najas browniana* Rendle, 1899 高雄茨藻 Ref. 同前  
*Najas gracillima* A. Br. ex Magnus, 1870 日本茨藻 Ref. 同前  
*Najas graminea* Delile, 1813 拂尾藻 Ref. Flora of Taiwan 2nd ed. 5: 33, 2000  
*Najas indica* (Willid.) Cham., 1829 中華茨藻 Ref. 同前  
*Najas marina* L., 1753 大茨藻 Ref. 同前  
*Najas minor* Allioni, 1785 小茨藻 Ref. 同前

### Family Potamogetonaceae 眼子菜科

*Potamogeton crispus* L., 1753 馬藻 Ref. Flora of Taiwan 2nd ed. 5: 21, 2000  
*Potamogeton cristatus* Regel & Maack, 1861 冠果眼子菜 Ref. 同前  
*Potamogeton distinctus* A. Benn., 1904 異匙葉藻 Ref. Flora of Taiwan 2nd ed. 5: 22, 2000  
*Potamogeton maackianus* A. Benn., 1904 馬克眼子菜 Ref. 同前  
*Potamogeton malaianus* Miq., 1871 匙葉眼子菜 Ref. 同前  
*Potamogeton octandrus* Poir., 1861 眼子菜 Ref. 同前  
*Potamogeton oxyphyllus* Miq., 1867 線葉藻 Ref. Flora of Taiwan 2nd ed. 5: 25, 2000  
*Potamogeton pectinatus* L., 1753 龍鬚草 Ref. 同前  
*Potamogeton pusillus* L., 1753 柳絲藻 Ref. 同前

### Family Ruppiaceae 流蘇菜科

*Ruppia maritima* L., 1753 流蘇菜 Ref. Flora of Taiwan 2nd ed. 5: 26, 2000

### Family Zannichelliaceae 角果藻科

*Halodule pinifolia* (Miki) Hartog, 1964 線葉二藥藻 Ref. Flora of Taiwan 2nd ed. 5: 28, 2000  
*Halodule uninervis* (Forsk.) Asch., 1882 單脈二藥藻 Ref. 同前  
*Zannichellia palustris* L., 1753 角果藻 Ref. Flora of Taiwan 2nd ed. 5: 29, 2000

## Order Orchidales 蘭目

### Family Burmanniaceae 水玉簪科

*Burmanna championii* Thwaites, 1864 頭花水玉簪 Ref. Flora of Taiwan 2nd ed. 5: 141, 2000  
*Burmanna cryptopetala* Makino, 1913 透明水玉簪 Ref. Taiwania 50(4): 303, 2005  
*Burmanna itoana* Makino, 1913 紫水玉簪 Ref. Flora of Taiwan 2nd ed. 5: 143, 2000  
*Burmanna liukuensis* Hayata, 1915 琉球水玉簪 Ref. 同前  
*Gymnosiphon aphyllus* Blume, 1827 小水玉簪 Ref. 同前  
*Thismia taiwanensis* S. Z. Yang, R. M. K. Saunders & C. J. Hsu, 2002 台灣水玉杯 Ref. Flora of Taiwan 2nd ed. 6: 115, 2003

### Family Orchidaceae 蘭科

*Acampe rigida* (Buch.-Ham ex J. E. Sm.) Hunt, 1970 蕉蘭 Ref. Flora of Taiwan 2nd ed. 5: 735, 2000  
*Acanthephippium pictum* Fukuy., 1935 延齡罈花蘭 Ref. Taiwania 50(3): 201, 2005  
*Acanthephippium striatum* Lindl., 1838 一葉罈花蘭 Ref. Flora of Taiwan 2nd ed. 5: 737, 2000  
*Acanthephippium sylvhetense* Lindl., 1830 罈花蘭 Ref. Flora of Taiwan 2nd ed. 5: 739, 2000  
*Agrostophyllum inocephalum* (Schauer) Ames, 1908 台灣禾葉蘭 Ref. 同前  
*Amitostigma alpestre* Fukuy., 1935 南湖雛蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 741, 2000  
*Amitostigma gracile* (Bl.) Schltr., 1919 小雛蘭 Ref. Flora of Taiwan 2nd ed. 5: 744, 2000  
*Androcorys pusillus* (Ohwi & Fukuy.) Masam., 1963 小兜蕊蘭 Ref. 同前  
*Ania penangiana* (Hook. f.) Summerh., 1939 綠花安蘭 Ref. Flora of Taiwan 2nd ed. 6: 130, 2003  
*Anoectochilus formosanus* Hayata, 1914 台灣金線蓮 [特有] Ref. Flora of Taiwan 2nd ed. 5: 746, 2000  
*Anoectochilus koshunensis* Hayata, 1914 恆春金線蓮 [特有] Ref. Flora of Taiwan 2nd ed. 5: 749, 2000  
*Aphyllorchis montana* (Thwaites) Rchb. f., 1876 山林無葉蘭 Ref. 同前  
*Appendicula fenixii* (Ames) Schltr., 1912 長葉竹葉蘭 Ref. Flora of Taiwan 2nd ed. 6: 130, 2003  
*Appendicula reflexa* Blume, 1825 台灣竹葉蘭 [特有] Ref. 同前  
*Arachnis labrosa* (Lindl. & Paxt.) Rchb. f., 1886 龍爪蘭 Ref. Flora of Taiwan 2nd ed. 5: 753, 2000  
*Arundina graminifolia* (D. Don) Hochr., 1910 葶草蘭 Ref. Flora of Taiwan 2nd ed. 5: 755, 2000  
*Ascocentrum pumilum* (Hayata) Schltr., 1919 鹿角蘭 [特有] Ref. 同前  
*Bletilla formosana* (Hayata) Schltr., 1911 台灣白及 Ref. Flora of Taiwan 2nd ed. 5: 758, 2000  
*Bletilla formosana* (Hayata) Schltr. f. *oensis* (Hayata) T. P. Lin 1977 蘭嶼白及 Ref. Flora of Taiwan 2nd ed. 6: 130, 2003  
*Brachycorythis galeandra* (Rchb. f.) Summerh., 1955 寬唇苞葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 760, 2000  
*Bulbophyllum affine* Lindl., 1830 紋星蘭 Ref. Flora of Taiwan 2nd ed. 5: 763, 2000  
*Bulbophyllum albociliatum* (T. S. Liu & H. J. Su) Nackejima var. *weimianum* Lin & Huang 2005 維明豆蘭 Ref. Taiwania 50(4): 290,

- Bulbophyllum albociliatum* (Liu & Su) Nackejima, 1973 Ref. Flora of Taiwan 2nd ed. 5: 763, 2000  
*Bulbophyllum aureolabellum* T. P. Lin, 1975 小豆蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 765, 2000  
*Bulbophyllum chitouense* S. S. Ying, 1995 溪頭豆蘭 Ref. Flora of Taiwan 2nd ed. 6: 130, 2003  
*Bulbophyllum drymoglossum* Maxim. ex Okubo, 1887 狹萼豆蘭 Ref. Flora of Taiwan 2nd ed. 5: 765, 2000  
*Bulbophyllum electrinum* Seidenf., 1973 長軸捲瓣蘭 Ref. 同前  
*Bulbophyllum fimbriperiantium* W. M. Lin, L. L. Huang & T. P. Lin 2006 流蘇豆蘭 Ref. Taiwania 51(3): 162, 2006  
*Bulbophyllum formosanum* (Rolfe) Seidenf., 1973 台灣豆蘭 Ref. Flora of Taiwan 2nd ed. 5: 1085, 2000  
*Bulbophyllum hirundinis* (Gagnep.) Seidenf., 1973 花連捲瓣蘭 Ref. Flora of Taiwan 2nd ed. 5: 767, 2000  
*Bulbophyllum insulsoides* (Gagnep.) Seidenf., 1973 穗花捲瓣蘭 Ref. 同前  
*Bulbophyllum japonicum* (Makino) Makino, 1910 日本捲瓣蘭 Ref. Flora of Taiwan 2nd ed. 5: 768, 2000  
*Bulbophyllum kuanwuensis* S. W. Chung & T. C. Hsu, 2006 觀霧豆蘭 Ref. Taiwania 51(2): 139, 2006  
*Bulbophyllum macraei* (Lindl.) Rchb.f., 1861 烏來捲瓣蘭 Ref. Flora of Taiwan 2nd ed. 5: 768, 2000  
*Bulbophyllum melanoglossum* Hayata, 1914 紫紋捲瓣蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 769, 2000  
*Bulbophyllum omerandrum* Hayata, 1914 毛葉捲瓣蘭 Ref. 同前  
*Bulbophyllum pectenvenenis* (Gagnep.) Seidenf., 1973 黃花捲瓣蘭 Ref. Flora of Taiwan 2nd ed. 5: 771, 2000  
*Bulbophyllum pectinatum* Finet, 1897 阿里山豆蘭 Ref. 同前  
*Bulbophyllum pingtungense* S. S. Ying, 1985 屏東豆蘭 Ref. Flora of Taiwan 2nd ed. 6: 131, 2003  
*Bulbophyllum retusiusculum* Rchb. f., 1869 黃萼捲瓣蘭 Ref. Flora of Taiwan 2nd ed. 5: 773, 2000  
*Bulbophyllum ryanum* Fukuy., 1935 白花豆蘭 Ref. 同前  
*Bulbophyllum rubrolabellum* T. P. Lin, 1975 紅心豆蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 774, 2000  
*Bulbophyllum setaceum* T. P. Lin, 1975 鶴冠蘭 [特有] Ref. 同前  
*Bulbophyllum taiwanense* (Fukuy.) Seidenf., 1973 台灣捲瓣蘭 [特有] Ref. 同前  
*Bulbophyllum tokioi* Fukuy., 1935 小葉豆蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 775, 2000  
*Bulbophyllum umbellatum* Lindl., 1830 傘花捲瓣蘭 Ref. 同前  
*Bulbophyllum wightii* Rchb. f., 1861 大花豆蘭 Ref. Flora of Taiwan 2nd ed. 5: 776, 2000  
*Calanthe × dominii* Lindl., 1858 長距白鶴蘭 Ref. Flora of Taiwan 2nd ed. 5: 791, 2000  
*Calanthe actinomorpha* Fukuy., 1935 輻形根節蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 778, 2000  
*Calanthe alismifolia* Lindl., 1854 細點根節蘭 Ref. 同前  
*Calanthe alpina* Hook. f. ex Lindl., 1854 羽唇根節蘭 Ref. Flora of Taiwan 2nd ed. 5: 780, 2000  
*Calanthe angustifolia* (Bl.) Lindl., 1833 矮根節蘭 Ref. 同前  
*Calanthe arcuata* Rolfe, 1896 尾唇根節蘭 Ref. Flora of Taiwan 2nd ed. 5: 782, 2000  
*Calanthe arisanensis* Hayata, 1911 阿里山根節蘭 [特有] Ref. 同前  
*Calanthe aristullifera* Rchb. f., 1878 翹距根節蘭 Ref. Flora of Taiwan 2nd ed. 5: 783, 2000  
*Calanthe clavata* Lindl., 1833 棒距根節蘭 Ref. 同前  
*Calanthe davidii* Franch., 1888 長葉根節蘭 Ref. Flora of Taiwan 2nd ed. 5: 784, 2000  
*Calanthe densiflora* Lindl., 1833 竹葉根節蘭 Ref. 同前  
*Calanthe graciliflora* Hayata, 1911 細花根節蘭 Ref. Flora of Taiwan 2nd ed. 5: 786, 2000  
*Calanthe lyroglossa* Rchb. f., 1878 連翹根節蘭 Ref. 同前  
*Calanthe puberula* Lindl., 1833 反捲根節蘭 Ref. Flora of Taiwan 2nd ed. 5: 787, 2000  
*Calanthe sieboldii* Decne. ex Regel, 1868 黃根節蘭 Ref. 同前  
*Calanthe speciosa* (Bl.) Lindl., 1833 台灣根節蘭 Ref. Flora of Taiwan 2nd ed. 5: 789, 2000  
*Calanthe sylvatica* (Thouars) Lindl., 1933 長距根節蘭 Ref. 同前  
*Calanthe tricarinata* Lindl., 1933 三板根節蘭 Ref. Flora of Taiwan 2nd ed. 5: 790, 2000  
*Calanthe triplicata* (Willemet) Ames, 1907 白鶴蘭 Ref. Flora of Taiwan 2nd ed. 5: 791, 2000  
*Cephalanthera alpicola* Fukuy., 1938 高山頭蕊蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 792, 2000  
*Cephalantheropsis calanthoides* (Ames) T.S. Liu & H.J. Su, 1978 白花香頭蕊蘭 Ref. 同前  
*Cephalantheropsis gracilis* (Lindl.) S. Y. Hu, 1972 綠花香頭蕊蘭 Ref. Flora of Taiwan 2nd ed. 5: 795, 2000  
*Chamaeanthus wenzilii* Ames, 1915 低藥蘭 Ref. Flora of Taiwan 2nd ed. 5: 1085, 2000  
*Cheirostylis chinensis* Rolfe, 1895 中國指柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 796, 2000  
*Cheirostylis clibborndyeri* S. Y. Hu & Barretto, 1976 斑葉指柱蘭 Ref. Flora of Taiwan 2nd ed. 6: 131, 2003  
*Cheirostylis cochinchinensis* Blume, 1858 雉尾指柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 798, 2000  
*Cheirostylis hungyehensis* T. P. Lin, 1977 Ref. 同前  
*Cheirostylis liukiensis* Masam., 1930 琉球指柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 800, 2000  
*Cheirostylis octodactyla* Ames, 1907 羽唇指柱蘭 [特有] Ref. Flora of Taiwan 2nd ed. 6: 132, 2003  
*Cheirostylis tabiyahanensis* (Hayata) Pearce & Cribb, 1999 東部線柱蘭 [特有] Ref. 同前  
*Cheirostylis takeoi* (Hayata) Schltr., 1919 阿里山指柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 802, 2000  
*Cheirostylis tortilacinia* C. S. Leou, 1990 和社指柱蘭 [特有] Ref. 同前  
*Chilochista segawae* (Masam.) Masam. & Fukuy., 1938 大蜘蛛蘭 Ref. Flora of Taiwan 2nd ed. 5: 804, 2000  
*Chrysoglossum ornatum* Blume, 1825 黃唇蘭 Ref. Flora of Taiwan 2nd ed. 5: 806, 2000  
*Cleisostoma paniculatum* (Ker Gawl.) Garay, 1972 虎紋蘭 Ref. Flora of Taiwan 2nd ed. 5: 808, 2000  
*Cleisostoma uraiensis* (Hayata) Garay & Sweet, 1974 烏來閉口蘭 Ref. 同前  
*Coeloglossum viride* (L.) Hartm., 1820 綠花凹舌蘭 Ref. Flora of Taiwan 2nd ed. 5: 811, 2000  
*Collabium chinense* (Rolfe) T. Tang & F. T. Wang, 1977 柯麗白蘭 Ref. Flora of Taiwan 2nd ed. 5: 813, 2000  
*Collabium formosanum* Hayata, 1911 台灣柯麗白蘭 Ref. 同前  
*Corybas himalaicus* (King & Pantl.) Schltr., 1923 Ref. Taiwan J. For. Sci. 23(1): 100, 2008  
*Corybas shanlinshiensis* W. M. Lin, T. C. Hsu & T. P. Lin 2007 杉林溪盔蘭 Ref. Taiwania 51(4): 281, 2006  
*Corybas sinii* T. Tang & F. T. Wang, 1951 辛氏盔蘭 Ref. Flora of Taiwan 2nd ed. 5: 815, 2000  
*Corybas taiwanensis* T. P. Lin & S. Y. Leu, 1975 紅盔蘭 [特有] Ref. 同前  
*Corymborkis veratrifolia* (Reinw.) Bl., 1859 管花蘭 Ref. Taiwania 51(1): 53, 2006  
*Cremastra appendiculata* (D. Don) Makino, 1904 馬鞭蘭 Ref. Flora of Taiwan 2nd ed. 5: 815, 2000  
*Cryptostylis arachnites* (Bl.) Hassk., 1844 滿綠隱柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 819, 2000

*Cryptostylis taiwaniana* Masam., 1933 蓬萊隱柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 820, 2000  
*Cymbidium aloifolium* (L.) Sw., 1799 紋瓣蘭 Ref. Flora of Taiwan 2nd ed. 5: 1085, 2000  
*Cymbidium cochleare* Lindl., 1859 香莎草蘭 Ref. Flora of Taiwan 2nd ed. 5: 822, 2000  
*Cymbidium dayanum* Rchb. f., 1869 鳳蘭 Ref. Flora of Taiwan 2nd ed. 5: 823, 2000  
*Cymbidium ensifolium* (L.) Sw., 1799 建蘭 Ref. 同前  
*Cymbidium faberi* Rolfe, 1896 九華蘭 Ref. Flora of Taiwan 2nd ed. 5: 825, 2000  
*Cymbidium floribundum* Lindl., 1833 金稜邊蘭 Ref. 同前  
*Cymbidium goeringii* (Rchb. f.) Rchb. f. var. *tortisepalum* (Fukuy.) W. S. Wu & S. C. Chen 1980 菅草蘭 Ref. Flora of Taiwan 2nd ed. 5: 828, 2000  
*Cymbidium goeringii* (Rchb. f.) Rchb. f. var. *serratum* (Schltr.) W. S. Wu & S. C. Chen 1980 細葉春蘭 Ref. Flora of Taiwan 2nd ed. 5: 826, 2000  
*Cymbidium goeringii* (Rchb. f.) Rchb. f., 1852 春蘭 Ref. 同前  
*Cymbidium kanran* Makino, 1902 寒蘭 Ref. Flora of Taiwan 2nd ed. 5: 828, 2000  
*Cymbidium lancifolium* Hook. f., 1823 竹柏蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 829, 2000  
*Cymbidium lancifolium* Hook. f. var. *syunitianum* (Fukuy.) S. S. Ying 1977 大竹柏蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 831, 2000  
*Cymbidium lancifolium* Hook. f. var. *aspidistriifolium* (Fukuy.) S. S. Ying 1977 綠花竹柏蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 829, 2000  
*Cymbidium sinense* (Jackson ex Andr.) Willd., 1805 報歲蘭 Ref. Flora of Taiwan 2nd ed. 5: 831, 2000  
*Cypripedium debile* Rchb. f., 1874 小喜普鞋蘭 Ref. Flora of Taiwan 2nd ed. 5: 833, 2000  
*Cypripedium formosanum* Hayata, 1916 台灣喜普鞋蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 834, 2000  
*Cypripedium macranthum* Sw., 1800 奇萊喜普鞋蘭 Ref. 同前  
*Cypripedium segawai* Masam., 1933 寶島喜普鞋蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 835, 2000  
*Cyrtosia javanica* Blume, 1825 肉果蘭 Ref. 同前  
*Dendrobium aurantiacum* Reichb. f., 1887 Ref. Flora of Taiwan 2nd ed. 5: 840, 2000  
*Dendrobium catenatum* Lindl., 1830 黃花石斛 Ref. Flora of Taiwan 2nd ed. 6: 133, 2003  
*Dendrobium chameleon* Ames, 1908 長距石斛 Ref. Flora of Taiwan 2nd ed. 5: 840, 2000  
*Dendrobium chryseum* Rolfe, 1888 金草 Ref. Flora of Taiwan 2nd ed. 6: 133, 2003  
*Dendrobium crumenatum* Sw., 1799 鵝石斛 Ref. Flora of Taiwan 2nd ed. 5: 842, 2000  
*Dendrobium equitans* Kranzl., 1910 燕子石斛 Ref. 同前  
*Dendrobium falconeri* Hook., 1856 新竹石斛 Ref. 同前  
*Dendrobium furcatopedicellatum* Hayata, 1914 雙花石斛 [特有] Ref. Flora of Taiwan 2nd ed. 5: 844, 2000  
*Dendrobium goldschmidtianum* Kraenzl., 1909 紅石斛 Ref. Flora of Taiwan 2nd ed. 6: 133, 2003  
*Dendrobium leptocladum* Hayata, 1914 細莖石斛 Ref. Flora of Taiwan 2nd ed. 5: 844, 2000  
*Dendrobium linawianum* Rchb. f., 1861 櫻石斛 Ref. Flora of Taiwan 2nd ed. 5: 845, 2000  
*Dendrobium luzonense* Lindl., 1844 呂宋石斛 Ref. Taiwania 52(4): 284, 2007  
*Dendrobium miyakei* Schltr., 1919 Ref. Flora of Taiwan 2nd ed. 5: 845, 2000  
*Dendrobium moniliforme* (L.) Sw., 1799 石斛 Ref. 同前  
*Dendrobium nobile* Lindl. var. *formosanum* Rchb. f. 1883 台灣石斛 Ref. Flora of Taiwan 2nd ed. 5: 1085, 2000  
*Dendrobium okinawense* Hatusima & Ida, 1970 琉球石斛 Ref. Taiwania 52(1): 106, 2007  
*Dendrobium somae* Hayata, 1916 小雙花石斛 [特有] Ref. Flora of Taiwan 2nd ed. 5: 847, 2000  
*Dendrobium tosaense* Makino, 1891 黃花石斛 Ref. 同前  
*Dendrochilum uncatum* Reichb. f., 1855 黃德蘭 Ref. Flora of Taiwan 2nd ed. 5: 849, 2000  
*Didicia cunninghami* King & Prain, 1896 細花軟葉蘭 Ref. Flora of Taiwan 2nd ed. 6: 133, 2003  
*Didymoplexiella siamensis* (Rolfe ex Downie) Seidenf., 1972 錨柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 851, 2000  
*Didymoplexis micradenia* (Rchb. f.) Hemsl., 1883 小鬼蘭 Ref. Taiwania 52(4): 360, 2007  
*Didymoplexis pallens* Griff., 1844 吊鐘鬼蘭 Ref. Flora of Taiwan 2nd ed. 5: 851, 2000  
*Diploprora championii* (Lindl.) Hook. f., 1890 倒吊蘭 Ref. Flora of Taiwan 2nd ed. 5: 854, 2000  
*Disperis siamensis* Rolfe ex Downie, 1925 雙袋蘭 Ref. Flora of Taiwan 2nd ed. 5: 857, 2000  
*Epigeneium fargesii* (Finet) Gagnep., 1932 著類蘭 Ref. Flora of Taiwan 2nd ed. 5: 858, 2000  
*Epigeneium nakaharuae* (Schltr.) Summerh., 1957 蠟著類蘭 [特有] Ref. 同前  
*Epipactis helleborine* (L.) Grantz subsp. *ohwii* (Fukuy.) H. J. Su 2000 台灣鈴蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 861, 2000  
*Epipogium japonicum* Makino, 1905 日本上鬚蘭 Ref. 同前  
*Epipogium roseum* (Don) Lindl., 1857 高士佛上鬚蘭 Ref. Flora of Taiwan 2nd ed. 5: 863, 2000  
*Eria amica* Rchb. f., 1870 小腳筒蘭 Ref. Flora of Taiwan 2nd ed. 5: 864, 2000  
*Eria corneri* Rchb. f., 1878 黃絨蘭 Ref. 同前  
*Eria formosana* Rolfe, 1896 台灣絨蘭 Ref. Flora of Taiwan 2nd ed. 5: 1086, 2000  
*Eria japonica* Maxim., 1887 連珠絨蘭 Ref. Flora of Taiwan 2nd ed. 6: 133, 2003  
*Eria javanica* (Sw.) Blume, 1836 大葉絨蘭 Ref. Flora of Taiwan 2nd ed. 5: 866, 2000  
*Eria ovata* Lindl., 1844 大腳筒蘭 Ref. 同前  
*Eria robusta* (Blume) Lindl., 1830 細花絨蘭 Ref. Flora of Taiwan 2nd ed. 5: 868, 2000  
*Eria tomentosiflora* Hayata, 1912 樹絨蘭 Ref. Flora of Taiwan 2nd ed. 5: 870, 2000  
*Erythrodia blumei* (Lindl.) Schltr., 1905 小唇蘭 Ref. 同前  
*Erythrodes triantherae* C. L. Yeh & C. S. Leou, 2006 三藥細筆蘭 Ref. Taiwania 51(4): 266, 2006  
*Erythrorchis altissima* (Blume) Blume, 1837 蔓莖山珊瑚 Ref. Flora of Taiwan 2nd ed. 5: 872, 2000  
*Eulophia brachycentra* Hayata, 1914 短裂芋蘭 Ref. Flora of Taiwan 2nd ed. 5: 1086, 2000  
*Eulophia dentata* Ames, 1911 紫芋蘭 Ref. Flora of Taiwan 2nd ed. 6: 134, 2003  
*Eulophia formosana* (Rolfe) Rolfe, 1903 台灣芋蘭 Ref. Flora of Taiwan 2nd ed. 5: 1086, 2000  
*Eulophia graminea* Lindl., 1833 禾草芋蘭 Ref. Flora of Taiwan 2nd ed. 5: 874, 2000  
*Eulophia pulchra* (Thouars) Lindl., 1833 南洋芋蘭 Ref. Flora of Taiwan 2nd ed. 5: 876, 2000  
*Eulophia pulchra* (Thouars) Lindl. var. *actinomorpha* (Thouars) Lindl. 2006 輻射芋蘭 Ref. Taiwania 51(1): 163, 2006  
*Eulophia taiwanensis* Hayata, 1911 南洋芋蘭 Ref. Flora of Taiwan 2nd ed. 5: 876, 2000  
*Eulophia zollingeri* (Rchb. f.) J. J. Sm., 1905 山芋蘭 Ref. Flora of Taiwan 2nd ed. 5: 878, 2000  
*Flickingeria comata* (Bl.) Hawkes, 1961 木斛 Ref. Flora of Taiwan 2nd ed. 5: 880, 2000

*Flickingeria pallens* (Ridl.) Hawkes, 1961 淡色暫花蘭 Ref. Flora of Taiwan 2nd ed. 5: 1086, 2000  
*Flickingeria shihfuana* Lin & Huang, 2005 士富暫花蘭 Ref. Taiwania 50(4): 292, 2005  
*Flickingeria tairukounia* (S. S. Ying) T. P. Lin, 1987 輻射暫花蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 880, 2000  
*Galeola falconeri* Hook. f., 1890 小囊山珊瑚 Ref. Flora of Taiwan 2nd ed. 5: 882, 2000  
*Galeola lindleyana* (Hook. f. & Thoms.) Reichb. f., 1874 山珊瑚 Ref. Flora of Taiwan 2nd ed. 5: 884, 2000  
*Gastrochilus ciliaris* F. Maek., 1936 緣毛松蘭 Ref. Flora of Taiwan 2nd ed. 5: 885, 2000  
*Gastrochilus formosanus* (Hayata) Hayata, 1917 台灣松蘭 Ref. 同前  
*Gastrochilus fuscopunctatus* (Hayata) Hayata, 1917 紅斑松蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 887, 2000  
*Gastrochilus hoi* T. P. Lin, 1987 何氏松蘭 [特有] Ref. 同前  
*Gastrochilus japonicus* (Makino) Schltr., 1913 黃松蘭 Ref. 同前  
*Gastrochilus linii* Ormerod, 2002 金松蘭 [特有] Ref. Flora of Taiwan 2nd ed. 6: 134, 2003  
*Gastrochilus matsudae* Hayata, 1920 寬唇松蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 888, 2000  
*Gastrochilus rantabunensis* C. Chow. ex T. P. Lin, 1987 合歡松蘭 Ref. 同前  
*Gastrochilus raraensis* Fukuy., 1934 紅檜松蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 890, 2000  
*Gastrodia appendiculata* C. S. Leou & N. J. Chung., 1990 無蕊喙赤箭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 891, 2000  
*Gastrodia confusa* Honda & Tuyama., 1939 八代赤箭 Ref. 同前  
*Gastrodia elata* Bl., 1856 高赤箭 Ref. Flora of Taiwan 2nd ed. 5: 893, 2000  
*Gastrodia flavilabella* S. S. Ying, 1984 夏赤箭 [特有] Ref. 同前  
*Gastrodia fontinalis* T. P. Lin, 1987 春赤箭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 894, 2000  
*Gastrodia gracillis* Bl., 1856 細赤箭 Ref. 同前  
*Gastrodia javanica* (Bl.) Lindl., 1840 爪哇赤箭 Ref. 同前  
*Gastrodia peichatieniana* S. S. Ying, 1987 北插天山赤箭 Ref. Flora of Taiwan 2nd ed. 5: 1086, 2000  
*Gastrodia pubilabiata* Sawa, 1980 冬赤箭 Ref. Flora of Taiwan 2nd ed. 5: 896, 2000  
*Gastrodia shimizuana* Tuyama, 1982 清水氏赤箭 Ref. Taiwania 51(1): 50, 2006  
*Geodorum densiflorum* (Lam.) Schltr., 1919 垂頭地寶蘭 Ref. Flora of Taiwan 2nd ed. 5: 896, 2000  
*Goodyera arisanensis* Hayata, 1916 阿里山斑葉蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 899, 2000  
*Goodyera biflora* (Lindl.) Hook. f., 1894 大花斑葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 901, 2000  
*Goodyera bilamellata* Hayata, 1914 雙板斑葉蘭 [特有] Ref. 同前  
*Goodyera daibuzanensis* Yamam., 1932 大武斑葉蘭 [特有] Ref. 同前  
*Goodyera foliosa* (Lindl.) Hook. f., 1890 厚唇斑葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 904, 2000  
*Goodyera fumata* Thwaites, 1864 尾唇斑葉蘭 Ref. 同前  
*Goodyera grandis* (Bl.) Bl., 1858 毛苞斑葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 905, 2000  
*Goodyera kwangtungensis* C. L. Tso, 1933 花格斑葉蘭 Ref. 同前  
*Goodyera matsumurana* Schltr., 1906 銀線蓮 Ref. Flora of Taiwan 2nd ed. 5: 906, 2000  
*Goodyera maximowicziana* Makino, 1909 短穗斑葉蘭 Ref. 同前  
*Goodyera nankoensis* Fukuy., 1934 南湖斑葉蘭 [特有] Ref. 同前  
*Goodyera pendula* Maxim., 1888 垂葉斑葉蘭 Ref. Flora of Taiwan 2nd ed. 6: 134, 2003  
*Goodyera procera* (Ker Gawl.) Hook. f., 1823 穗花斑葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 908, 2000  
*Goodyera repens* (L.) R. Br., 1813 南投斑葉蘭 Ref. 同前  
*Goodyera schlechtendaliana* Rchb. f., 1849 斑葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 909, 2000  
*Goodyera seikoomontana* Yamam., 1932 哥綠懷蘭 [特有] Ref. 同前  
*Goodyera velutina* Maxim., 1867 烏嘴蓮 Ref. 同前  
*Goodyera viridiflora* (Bl.) Bl., 1858 綠花斑葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 912, 2000  
*Goodyera yamiana* Fukuy., 1936 蘭嶼金銀草 [特有] Ref. 同前  
*Goodyera yangmeishanensis* T. P. Lin, 1977 小小班葉蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 914, 2000  
*Habenaria ciliolaris* F. Kranzl., 1892 玉蜂蘭 Ref. 同前  
*Habenaria dentata* (Sw.) Schltr., 1919 白鳳蘭 Ref. Flora of Taiwan 2nd ed. 5: 915, 2000  
*Habenaria iyoensis* Ohwi, 1936 岩坡玉鳳蘭 Ref. 同前  
*Habenaria longiracema* Fukuy., 1935 長穗玉鳳蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 916, 2000  
*Habenaria pantlingiana* Kraenzl., 1900 叉瓣玉鳳蘭 Ref. 同前  
*Habenaria petelotii* Gagnep., 1931 毛唇玉鳳蘭 Ref. Flora of Taiwan 2nd ed. 5: 919, 2000  
*Habenaria polytricha* Rolfe, 1896 裂瓣玉鳳蘭 Ref. 同前  
*Habenaria stenopetala* Lindl., 1835 狹瓣玉鳳蘭 Ref. Flora of Taiwan 2nd ed. 5: 920, 2000  
*Haraella retrocalla* (Hayata) Kudo, 1930 香蘭 [特有] Ref. 同前  
*Hemipilia cordifolia* Lindl., 1835 玉山一葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 922, 2000  
*Heminium lanceum* (Thunb. ex Sm.) Vuijk, 1961 細葉零餘子草 Ref. Flora of Taiwan 2nd ed. 5: 924, 2000  
*Hetaeria biloba* (Ridl.) Seidn. & J. J. Wood, 1992 圓唇伴蘭 Ref. Flora of Taiwan 2nd ed. 5: 926, 2000  
*Holcoglossum quasipinifolium* (Hayata) Schltr., 1919 撬唇蘭 Ref. Flora of Taiwan 2nd ed. 5: 929, 2000  
*Hylophila nipponica* (Fukuy.) S. S. Ying, 1977 蘭嶼袋唇蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 932, 2000  
*Lecanorchis japonica* Bl., 1856 日本皿柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 934, 2000  
*Lecanorchis nigricans* Honda, 1931 全唇皿柱蘭 Ref. 同前  
*Lecanorchis thalassica* T. P. Lin, 1987 紋皿柱蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 936, 2000  
*Liparis amabilis* Fukuy., 1938 白花羊耳蒜 [特有] Ref. Flora of Taiwan 2nd ed. 5: 938, 2000  
*Liparis auriculata* Bl. ex Miq., 1865 雙葉羊耳蒜 Ref. 同前  
*Liparis bootanensis* Griff., 1851 一葉羊耳蒜 Ref. 同前  
*Liparis campylostalix* Rchb. f., 1877 彎柱羊耳蒜 Ref. Flora of Taiwan 2nd ed. 5: 939, 2000  
*Liparis cespitosa* (Thouars) Lindl., 1825 小花羊耳蒜 Ref. 同前  
*Liparis cordylobulbon* Rchb. f., 1862 長腳羊耳蒜 Ref. Flora of Taiwan 2nd ed. 5: 941, 2000  
*Liparis cordifolia* Hook. f., 1889 心葉羊耳蒜 Ref. 同前  
*Liparis elliptica* Wight, 1851 扁球羊耳蒜 Ref. Flora of Taiwan 2nd ed. 5: 943, 2000  
*Liparis formosana* Rchb. f., 1880 寶島羊耳蒜 Ref. 同前  
*Liparis grossa* Rchb. f., 1883 恒春羊耳蒜 Ref. Flora of Taiwan 2nd ed. 5: 944, 2000

*Liparis henryi* Rolfe, 1896 齒唇羊耳蒜 [特有] Ref. 同前  
*Liparis hensoensis* Kudo, 1930 明潭羊耳蒜 [特有] Ref. 同前  
*Liparis japonica* (Miq.) Maxim., 1887 長穗羊耳蒜 Ref. Flora of Taiwan 2nd ed. 5: 945, 2000  
*Liparis krameri* (Hayata) T. Hashim. var. *sasakii* (Hayata) T. Hashim. 1987 尾唇羊耳蒜 [特有] Ref. 同前  
*Liparis nakaharai* Hayata, 1911 長葉羊耳蒜 [特有] Ref. Flora of Taiwan 2nd ed. 5: 947, 2000  
*Liparis nervosa* (Thunb.) Lindl., 1830 紅花羊耳蒜 Ref. 同前  
*Liparis nigra* Seidenf., 1969 大花羊耳蒜 Ref. Flora of Taiwan 2nd ed. 5: 948, 2000  
*Liparis somai* Hayata, 1914 高士佛羊耳蒜 Ref. 同前  
*Liparis sootenzanensis* Fukuy., 1933 插天山羊耳蒜 [特有] Ref. Flora of Taiwan 2nd ed. 5: 950, 2000  
*Liparis viridiflora* (Bl.) Lindl., 1830 淡綠羊耳蒜 Ref. 同前  
*Liparis wrayii* Hook. f., 1890 鬚唇羊耳蒜 Ref. 同前  
*Listera japonica* Bl., 1858 日本雙葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 953, 2000  
*Listera kuanshanensis* H. J. Su, 1999 關山雙葉蘭 [特有] Ref. 同前  
*Listera macrantha* Fukuy., 1933 大花雙葉蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 955, 2000  
*Listera meifongensis* H. J. Su & C. Y. Hu, 2000 梅峰雙葉蘭 [特有] Ref. 同前  
*Listera morrisonicola* Hayata, 1912 玉山雙葉蘭 [特有] Ref. 同前  
*Listera nankomontana* Fukuy., 1935 南湖雙葉蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 958, 2000  
*Listera pseudonipponica* Fukuy., 1935 假日本雙葉蘭 [特有] Ref. 同前  
*Listera suzukii* Masam., 1933 鈴木氏雙葉蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 959, 2000  
*Listera taizanensis* Fukuy., 1934 大山雙葉蘭 [特有] Ref. 同前  
*Luisia cordata* Fukuy., 1934 心唇金釵蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 961, 2000  
*Luisia megasepala* Hayata, 1914 台灣金釵蘭 [特有] Ref. 同前  
*Luisia teres* (Thunb.) Bl., 1848 金釵蘭 Ref. 同前  
*Malaxis bancanoides* Ames, 1908 裂唇軟葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 964, 2000  
*Malaxis latifolia* J. E. Sm., 1812 廣葉軟葉蘭 Ref. 同前  
*Malaxis matsudae* (Yamam.) Hatus., 1971 凹唇軟葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 966, 2000  
*Malaxis microtatantha* (Schltr.) T. Tang & F. T. Wangs, 1951 小軟葉蘭 Ref. 同前  
*Malaxis monophyllos* (L.) Sw., 1800 單葉軟葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 967, 2000  
*Malaxis purpurea* (Lindl.) Kuntze., 1891 紫花軟葉蘭 Ref. 同前  
*Malaxis ramosii* Ames, 1911 圓唇軟葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 969, 2000  
*Microtatorchis compacta* (Ames) Schltr., 1911 假蜘蛛蘭 Ref. 同前  
*Micotylis unifolia* (Forst.) Rchb. f., 1871 韭葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 971, 2000  
*Mischobulbum cordifolium* (Hook. f.) Schltr., 1911 心葉蘭 Ref. 同前  
*Myrmechis drymoglossifolia* Hayata, 1916 白花金唇蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 974, 2000  
*Neottia acuminata* Schltr., 1924 鳥巢蘭 Ref. Flora of Taiwan 2nd ed. 6: 136, 2003  
*Nervilia aragoana* Gaudich., 1829 東亞脈葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 976, 2000  
*Nervilia crocifformis* (Zoll. & Moritz) Seidenf., 1978 四重溪脈葉蘭 Ref. Taiwania 52(4): 283, 2007  
*Nervilia lumberlegei* Seidenf. & Smitn., 1965 古氏脈葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 978, 2000  
*Nervilia lanyuensis* S. S. Ying, 1989 蘭嶼脈葉蘭 [特有] Ref. 同前  
*Nervilia nipponica* Makino, 1909 單花脈葉蘭 Ref. 同前  
*Nervilia plicata* (Andr.) Schltr., 1911 紫花脈葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 979, 2000  
*Nervilia taitoensis* (Hayata) Schltr., 1911 台東脈葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 1086, 2000  
*Oberonia arisanensis* Hayata, 1914 阿里山莪白蘭 Ref. Flora of Taiwan 2nd ed. 5: 981, 2000  
*Oberonia caulescens* Lindl. ex Wall., 1929 二裂唇莪白蘭 Ref. Flora of Taiwan 2nd ed. 5: 982, 2000  
*Oberonia gigantea* Fukuy., 1935 大莪白蘭 [特有] Ref. 同前  
*Oberonia insularis* Hayata, 1911 島嶼莪白蘭 Ref. Flora of Taiwan 2nd ed. 5: 1086, 2000  
*Oberonia japonica* (Maxim.) Makino, 1891 台灣莪白蘭 Ref. Flora of Taiwan 2nd ed. 5: 982, 2000  
*Oberonia pumila* (Fukuyama ex S. C. Chen & K. Y. Lang) S. S. Ying ex Ormerod 2002 小騎士蘭 [特有] Ref. Flora of Taiwan 2nd ed. 6: 137, 2003  
*Oberonia rosea* Hook. f., 1890 裂瓣莪白蘭 Ref. Flora of Taiwan 2nd ed. 5: 984, 2000  
*Oberonia seidenfadenii* (H. J. Su) Ormerod, 2002 密花小騎士蘭 [特有] Ref. Flora of Taiwan 2nd ed. 6: 137, 2003  
*Odontochilus brevistylus* Hook. f., 1890 短柱齒唇蘭 Ref. Flora of Taiwan 2nd ed. 5: 986, 2000  
*Odontochilus elwesii* Clarke ex Hook. f., 1890 紫葉齒唇蘭 Ref. 同前  
*Odontochilus inabae* (Hayata) Hayata ex T. P. Lin, 1975 單囊齒唇蘭 Ref. Flora of Taiwan 2nd ed. 5: 988, 2000  
*Odontochilus lanceolatus* (Lindl.) Bl., 1858 雙囊齒唇蘭 Ref. 同前  
*Oreorchis bilanmellata* Fukuy., 1934 雙板山蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 990, 2000  
*Oreorchis fargesii* Finet., 1896 密花山蘭 Ref. Flora of Taiwan 2nd ed. 5: 991, 2000  
*Oreorchis micrantha* Lindl., 1859 南湖山蘭 Ref. 同前  
*Oreorchis patens* (Lindl.) Lindl., 1859 細花山蘭 Ref. 同前  
*Pachystoma pubescens* Bl., 1825 粉口蘭 Ref. Flora of Taiwan 2nd ed. 5: 993, 2000  
*Papilionanthe taiwaniana* (S. s. Ying) Ormerod, 2002 台灣萬代蘭 Ref. Flora of Taiwan 2nd ed. 6: 137, 2003  
*Peristylus calcaratus* (Rolfe) S. Y. Hu, 1974 貓鬚蘭 Ref. Flora of Taiwan 2nd ed. 5: 994, 2000  
*Peristylus formosanus* (Schltr.) T. P. Lin, 1977 台灣鷺草 Ref. Flora of Taiwan 2nd ed. 5: 995, 2000  
*Peristylus goodyeroides* (D. Don) Lindl., 1835 南投闊蕊蘭 Ref. 同前  
*Peristylus lacertiferus* (Lindl.) J. J. Sm., 1927 裂唇闊蕊蘭 Ref. Flora of Taiwan 2nd ed. 5: 998, 2000  
*Phaius flavus* (Bl.) Lindl., 1831 黃鶴頂蘭 Ref. Flora of Taiwan 2nd ed. 5: 999, 2000  
*Phaius mishmensis* (Lindl. & Paxt.) Rchb. f., 1857 細莖鶴頂蘭 Ref. 同前  
*Phaius takeoi* (Hayata) H. J. Su, 1989 粗莖鶴頂蘭 Ref. Flora of Taiwan 2nd ed. 5: 1001, 2000  
*Phaius tankervilleae* (Banks ex L'Her.) Bl., 1852 紅鶴頂蘭 Ref. 同前  
*Phalaenopsis aphrodite* Rchb. f., 1862 白蝴蝶蘭 Ref. Flora of Taiwan 2nd ed. 5: 1003, 2000  
*Phalaenopsis equestris* (Schauer) Rchb. f., 1849 粉紅蝴蝶蘭 Ref. Flora of Taiwan 2nd ed. 5: 1005, 2000  
*Pholidota cantonensis* Rolfe, 1896 烏來石山桃 Ref. 同前

*Phreatia caulescens* Ames, 1908 垂莖芙樂蘭 Ref. Flora of Taiwan 2nd ed. 5: 1007, 2000  
*Phreatia formosana* Rolfe, 1895 寶島芙樂蘭 Ref. 同前  
*Phreatia morii* Hayata, 1914 大芙樂蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1008, 2000  
*Phreatia taiwaniana* Fukuy., 1935 台灣芙樂蘭 [特有] Ref. 同前  
*Platanthera brevicarata* Hayata, 1911 短距粉蝶蘭 Ref. Flora of Taiwan 2nd ed. 5: 1011, 2000  
*Platanthera longicalcarata* Hayata, 1911 長距粉蝶蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1013, 2000  
*Platanthera mandarinorum* (Hayata) T.P.Lin & K.Inoue subsp. *pachyglossa* (Hayata) T. P. Lin 1980 厚唇粉蝶蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1014, 2000  
*Platanthera mandarinorum* T.P. Lin & K.Inoue subsp. *formosana* T. P. Lin & K. Inoue 1980 惠粉蝶蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1013, 2000  
*Platanthera minor* (Miq.) Rchb. f., 1878 卵唇粉蝶蘭 Ref. Flora of Taiwan 2nd ed. 5: 1014, 2000  
*Platanthera sachalinensis* F. Schmidt, 1868 高山粉蝶蘭 Ref. Flora of Taiwan 2nd ed. 5: 1016, 2000  
*Platanthera stenoglossa* Hayata, 1914 狹唇粉蝶蘭 [特有] Ref. 同前  
*Platanthera yangmeiensis* T. P. Lin, 1980 陰粉蝶蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1018, 2000  
*Pleione bulbocodioides* (Franch.) Rolfe, 1903 台灣一葉蘭 Ref. Flora of Taiwan 2nd ed. 5: 1019, 2000  
*Pogonia minor* (Makino) Makino, 1909 小鬚唇蘭 Ref. 同前  
*Pomatocalpa acuminata* (Rolfe) Schltr., 1919 黃繡球蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1022, 2000  
*Ponerorchis kiraishiensis* (Hayata) Ohwi, 1936 紅小蝶蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1024, 2000  
*Ponerorchis taiwanensis* (Fukuy.) Ohwi, 1936 台灣小蝶蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1026, 2000  
*Ponerorchis takasago-montana* (Masam.) Ohwi, 1936 高山小蝶蘭 [特有] Ref. 同前  
*Ponerorchis tominagai* (Hayata) H. J. Su & J. J. Chen, 2000 紅班蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1029, 2000  
*Rhomboda tokioi* (Fukuy.) Ormerod, 1998 白點伴蘭 Ref. Flora of Taiwan 2nd ed. 6: 138, 2003  
*Saccolabiopsis wulaokenensis* W. M. Lin, L. L. Huang & T. P. Lin 2006 假囊唇蘭 Ref. Taiwania 51(3): 165, 2006  
*Sarcophyton taiwanianum* (Hayata) Garay, 1972 台灣肉蘭 Ref. Flora of Taiwan 2nd ed. 5: 1085, 2000  
*Schoenorchis vanoverberghii* Ames, 1915 蘆蘭 Ref. Flora of Taiwan 2nd ed. 5: 1031, 2000  
*Spathoglottis plicata* Bl., 1825 紫苞舌蘭 Ref. 同前  
*Spiranthes sinensis* (Pers.) Ames, 1908 綫草 Ref. Flora of Taiwan 2nd ed. 5: 1034, 2000  
*Staurochilus luchuensis* (Rolfe) Fukuy., 1942 豹紋蘭 Ref. Flora of Taiwan 2nd ed. 5: 1036, 2000  
*Stereosandra javanica* Bl., 1856 肉藥蘭 Ref. 同前  
*Sunipia andersonii* (King & Pantl.) P. F. Hunt, 1971 綠花寶石蘭 Ref. Flora of Taiwan 2nd ed. 5: 1039, 2000  
*Taeniophyllum complanatum* Fukuy., 1935 扁蜘蛛蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1041, 2000  
*Taeniophyllum formosanum* Hayata, 1917 台灣蜘蛛蘭 Ref. Flora of Taiwan 2nd ed. 5: 1086, 2000  
*Taeniophyllum glandulosum* Bl., 1825 蜘蛛蘭 Ref. Flora of Taiwan 2nd ed. 5: 1041, 2000  
*Tainia dunnii* Rolfe, 1908 長葉杜鵑蘭 Ref. Flora of Taiwan 2nd ed. 5: 1043, 2000  
*Tainia hualienia* S. S. Ying, 1977 黃花小杜鵑蘭 Ref. Flora of Taiwan 2nd ed. 6: 138, 2003  
*Tainia latifolia* (Lindl.) Rchb. f., 1857 闊葉杜鵑蘭 Ref. Flora of Taiwan 2nd ed. 5: 1045, 2000  
*Thelasis pygmaea* (Griff.) Bl., 1858 閉花八粉蘭 Ref. Flora of Taiwan 2nd ed. 5: 1046, 2000  
*Thrixspermum annamense* (Guill.) Garay, 1972 白毛風蘭 Ref. Flora of Taiwan 2nd ed. 5: 1048, 2000  
*Thrixspermum eximium* L. O. Williams, 1938 異色鳳蘭 Ref. 同前  
*Thrixspermum fantasticum* L. O. Williams, 1938 金唇風蘭 Ref. 同前  
*Thrixspermum formosanum* (Hayata) Schltr., 1919 台灣風蘭 Ref. Flora of Taiwan 2nd ed. 5: 1049, 2000  
*Thrixspermum laurisilvaticum* (Fukuy.) Garay, 1972 黃蛾蘭 Ref. 同前  
*Thrixspermum merguense* (Hook. f.) Kuntze, 1891 高士佛風蘭 Ref. Flora of Taiwan 2nd ed. 5: 1051, 2000  
*Thrixspermum pensile* Schltr., 1911 倒垂風蘭 Ref. 同前  
*Thrixspermum saruwatarii* (Hayata) Schltr., 1919 小白蛾蘭 [特有] Ref. 同前  
*Thrixspermum subulatum* Rchb. f., 1867 厚葉風蘭 Ref. Flora of Taiwan 2nd ed. 5: 1053, 2000  
*Tipularia odorata* Fukuy., 1938 南湖蠅蘭 [特有] Ref. 同前  
*Trichoglottis rosea* (Lindl.) Ames, 1925 短穗毛舌蘭 Ref. Flora of Taiwan 2nd ed. 5: 1055, 2000  
*Triopidia curculigoides* Lindl., 1840 仙茅摺唇蘭 Ref. Flora of Taiwan 2nd ed. 5: 1057, 2000  
*Triopidia nanhuae* W. M. Lin, L. L. Huang & T. P. Lin 2006 南化摺唇蘭 Ref. Taiwania 51(3): 165, 2006  
*Triopidia nipponica* Masam., 1929 日本摺唇蘭 Ref. Flora of Taiwan 2nd ed. 5: 1057, 2000  
*Triopidia somae* Hayata, 1917 相馬氏摺唇蘭 Ref. Flora of Taiwan 2nd ed. 5: 1058, 2000  
*Tuberolabium kotoense* Yamam., 1923 管唇蘭 [特有] Ref. 同前  
*Tulotis devolii* T. P. Lin & T. W. Hu, 1976 長葉蜻蜓蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1061, 2000  
*Vanda lamellata* Lindl., 1838 雅美萬代蘭 Ref. Flora of Taiwan 2nd ed. 5: 1063, 2000  
*Vanilla albida* Bl., 1823 台灣梵尼蘭 Ref. Flora of Taiwan 2nd ed. 5: 1065, 2000  
*Vexillabium integrum* (Fukuy.) S. S. Ying, 1977 綠葉旗唇蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1067, 2000  
*Vexillabium yakushimense* (Yamam.) Maek., 1935 紫葉旗唇蘭 Ref. 同前  
*Vrydagzynea nuda* Bl., 1858 二尾蘭 Ref. Flora of Taiwan 2nd ed. 5: 1070, 2000  
*Yuania japonica* Maxim., 1872 長花柄蘭 Ref. Flora of Taiwan 2nd ed. 5: 1072, 2000  
*Zeuxine affinis* (Lindl.) Benth. ex Hook. f., 1890 白花線柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 1074, 2000  
*Zeuxine agyokwana* Fukuy., 1934 阿玉線柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 1076, 2000  
*Zeuxine flava* (Wall. ex Lindl.) Benth., 1890 黃花線柱蘭 Ref. Flora of Taiwan 2nd ed. 6: 139, 2003  
*Zeuxine integrilabella* C. S. Leou, 1994 全唇線柱蘭 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1076, 2000  
*Zeuxine kantokeiense* Tatew. & Masam., 1932 關刀溪線柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 1086, 2000  
*Zeuxine nervosa* (Wall. ex Lindl.) Benth. ex Clarle, 1889 台灣線柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 1076, 2000  
*Zeuxine nijimai* Tatew. & Masam., 1932 眉原線柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 1086, 2000  
*Zeuxine odorata* Fukuy., 1936 香線柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 1078, 2000  
*Zeuxine philippinensis* (Ames) Ames, 1938 菲律賓線柱蘭 Ref. Taiwania 50(4): 284, 2005  
*Zeuxine reflexa* King & Pantl., 1898 阿里山線柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 1078, 2000  
*Zeuxine sakagutii* Tuyama, 1936 黃唇線柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 1080, 2000  
*Zeuxine strateumatica* (L.) Schltr., 1911 線柱蘭 Ref. 同前

*Zeuxine tenuifolia* Tuyama, 1936 毛鞘線柱蘭 Ref. Flora of Taiwan 2nd ed. 5: 1082, 2000

## Order Pandanales 露兜樹目

### Family Pandanaceae 露兜樹科

*Freycinetia formosana* Hemsl., 1896 山露兜 Ref. Flora of Taiwan 2nd ed. 5: 698, 2000

*Pandanus odoratissimus* L. f., 1781 露兜樹 Ref. Flora of Taiwan 2nd ed. 5: 700, 2000

## Order Potamogetonales 眼子菜目

### Family Zosteraceae 甘藻科

*Zostera japonica* Asch. & Graebn., 1907 甘藻 Ref. Flora of Taiwan 2nd ed. 5: 30, 2000

## Order Restionales 繩草目

### Family Flagellariaceae 鬚葉藤(鞭藤)科

*Flagellaria indica* L., 1753 印度鞭藤 Ref. Flora of Taiwan 2nd ed. 5: 189, 2000

## Order Triuridales 霉草目

### Family Triuridaceae 霉草科

*Sciaphila ramose* Fukuy. & T. Suzuki, 1936 多枝霉草 [特有] Ref. Flora of Taiwan 2nd ed. 5: 1088, 2000

*Sciaphila secundiflora* Thwaites ex Benth., 1855 錫蘭霉草 Ref. Flora of Taiwan 2nd ed. 5: 1087, 2000

## Order Typhales 香蒲目

### Family Sparganiaceae 黑三稜科

*Sparganium fallax* Graebn., 1898 東亞黑三稜 Ref. Flora of Taiwan 2nd ed. 5: 702, 2000

### Family Typhaceae 香蒲科

*Typha angustifolia* L., 1753 水燭 Ref. Flora of Taiwan 2nd ed. 5: 702, 2000

*Typha orientalis* Presl, 1849 香蒲 Ref. 同前

## Order Zingiberales 薑目

### Family Cannaceae 美人蕉科

*Canna indica* L., 1753 美人蕉 Ref. Flora of Taiwan 2nd ed. 5: 725, 2000

### Family Marantaceae 竹芋科

*Donax cannaeformis* (Forst. f.) K. Schum., 1893 蘭嶼竹芋 Ref. Flora of Taiwan 2nd ed. 5: 727, 2000

### Family Musaceae 芭蕉科

*Ensete glaucum* (Roxb.) Cheesm., 1947 象腿蕉 Ref. 林業研究季刊 29(1): 13。2007

*Musa basjoo* Siebold var. *formosana* (Warb.) S. S. Ying 1985 台灣芭蕉 [特有] Ref. Flora of Taiwan 2nd ed. 5: 704, 2000

*Musa insularimontana* Hayata, 1913 蘭嶼芭蕉 [特有] Ref. 同前

### Family Zingiberaceae 薑科

*Alpinia flabellata* Ridl., 1909 呂宋月桃 Ref. Flora of Taiwan 2nd ed. 5: 708, 2000

*Alpinia formosana* K. Schum., 1899 台灣月桃 Ref. Flora of Taiwan 2nd ed. 5: 709, 2000

*Alpinia galanga* (L.) Sw., 1791 高良薑 Ref. 同前

*Alpinia intermedia* Gagn., 1901 山月桃 Ref. Flora of Taiwan 2nd ed. 5: 711, 2000

*Alpinia japonica* (Thunb.) Miq., 1867 山薑 Ref. 同前

*Alpinia kussshakuensis* Hayata, 1920 屈尺月桃 [特有] Ref. Flora of Taiwan 2nd ed. 5: 712, 2000

*Alpinia mesanthera* Hayata, 1915 角板山月桃 [特有] Ref. 同前

*Alpinia pricei* Hayata var. *sessiliflora* (Kitam.) J. J. Yang & J. C. Wang 1998 阿里山月桃 [特有] Ref. Flora of Taiwan 2nd ed. 5: 713, 2000

*Alpinia pricei* var. *pricei* Hayata, 1915 普來氏月桃 [特有] Ref. 同前

*Alpinia shimadae* var. *shimadae* Hayata, 1915 島田氏月桃 [特有] Ref. 同前

*Alpinia shimadae* Hayata var. *kawakamii* (Hayata) J. J. Yang & J. C. Wang 1998 川上氏月桃 [特有] Ref. Flora of Taiwan 2nd ed. 5: 714, 2000

*Alpinia tonrokuensis* Hayata, 1920 屯鹿月桃 [特有] Ref. 同前

*Alpinia uraiensis* Hayata, 1915 烏來月桃 [特有] Ref. Flora of Taiwan 2nd ed. 5: 715, 2000

*Alpinia zerumbet* (Persoon) B. L. Burtt & R. M. Smith, 1972 月桃 Ref. 同前

*Costus spectosus* (Koenig) Smith, 1800 絹毛鳶尾 Ref. Flora of Taiwan 2nd ed. 5: 724, 2000

*Hedychium coronarium* Koenig, 1783 穗花山奈 Ref. Flora of Taiwan 2nd ed. 5: 717, 2000

*Vanoverberghia sasakiana* Funak. & H. Ohashi, 2000 蘭嶼法氏薑 [特有] Ref. Flora of Taiwan 2nd ed. 5: 719, 2000

*Zingiber kawagotii* Hayata, 1921 三奈 [特有] Ref. Flora of Taiwan 2nd ed. 5: 720, 2000

*Zingiber officinale* Roscoe, 1807 薑 Ref. 同前

*Zingiber oligophyllum* K. Schum., 1904 少葉薑 [特有] Ref. Flora of Taiwan 2nd ed. 5: 723, 2000

*Zingiber pleiostachyum* K. Schum., 1904 多穗薑 Ref. Flora of Taiwan 2nd ed. 5: 724, 2000

*Zingiber zerumbet* (L.) Roscoe ex Smith, 1806 薑花 Ref. Flora of Taiwan 2nd ed. 5: 723, 2000

## Class Magnoliopsida 木蘭綱

### Order Apiales 繖形目

#### Family Araliaceae 五加科

*Aralia armata* (Wall.) Seem., 1868 虎刺櫻木 Ref. Flora of Taiwan 2nd ed. 3: 987, 1993

*Aralia bipinnata* Blanco, 1837 裡白櫻木 Ref. 同前

*Aralia cordata* Thunb., 1784 食用土當歸 [特有] Ref. Flora of Taiwan 2nd ed. 3: 990, 1993

*Aralia decaisneana* Hance, 1866 鵲不踏 Ref. 同前

*Aralia finlaysonianana* (Wall. ex G. Don) Seem.

*Dendropanax dentiger* (Harms ex Diels) Merr., 1941 台灣樹參 Ref. Flora of Taiwan 2nd ed. 3: 992, 1993

*Dendropanax trifidus* (Thunb. ex Murray) Makino, 1905 三菱果樹參 Ref. 同前  
*Eleutherococcus trifoliatus* (Li) Ohashi var. *setosus* (Li) Ohashi 1987 毛脈三葉五加 Ref. Flora of Taiwan 2nd ed. 3: 994, 1993  
*Eleutherococcus trifoliatus* (Li) Ohashi var. *trifoliatus* (L.) S. Y. Hu 1980 三葉五加 Ref. 同前  
*Fatsia polycarpa* Hayata, 1908 台灣八角金盤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 996, 1993  
*Hedera rhombea* (Miq.) Bean var. *formosana* (Nakai) Li 1963 台灣常春藤 [特有] Ref. 同前  
*Osmoxylon pectinatum* (Merr.) Philipson, 1976 蘭嶼八角金盤 Ref. Flora of Taiwan 2nd ed. 3: 999, 1993  
*Pentapanax castanopsicola* Hayata, 1915 台灣五葉參 [特有] Ref. 同前  
*Schefflera arboricola* (Hayata) Kanehira, 1936 鵝掌蘗 Ref. Flora of Taiwan 2nd ed. 3: 1002, 1993  
*Schefflera octophylla* (Lour.) Harms, 1894 鵝掌柴 Ref. Flora of Taiwan 2nd ed. 3: 1003, 1993  
*Schefflera odorata* (Blanco) Merr. & Rolfe, 1908 鵝掌藤 Ref. 同前  
*Schefflera taiwaniana* (Nakai) Kanehira, 1936 台灣鵝掌柴 [特有] Ref. 同前  
*Sinopanax formosana* (Hayata) Li, 1949 華參 [特有] Ref. Flora of Taiwan 2nd ed. 3: 1006, 1993  
*Tetrapanax papyriferus* (Hook.) K. Koch, 1859 通脫木 Ref. 同前

### Family Umbelliferae 繖形科

*Angelica dahurica* Hayata var. *formosana* (Boiss.) Yen 1965 野當歸 [特有] Ref. Flora of Taiwan 2nd ed. 3: 1011, 1993  
*Angelica hirsutiflora* Liu, Chao & Chuang, 1961 濱當歸 [特有] Ref. Flora of Taiwan 2nd ed. 3: 1013, 1993  
*Angelica morii* Hayata, 1921 森氏當歸 [特有] Ref. 同前  
*Angelica morrisonicola* var. *morrisonicola* Hayata, 1911 玉山當歸 [特有] Ref. 同前  
*Angelica morrisonicola* Hayata var. *nanhutashanensis* Liu, Chao & Chuang, 1961 南湖當歸 [特有] Ref. 同前  
*Angelica tarokoensis* Hayata, 1921 太魯閣當歸 [特有] Ref. 同前  
*Apium leptophyllum* (Pers.), 1865 薄葉芹菜 Ref. Flora of Taiwan 2nd ed. 6: 84, 2003  
*Bupleurum kaoi* Liu, Chao & Chuang, 1977 高氏柴胡 [特有] Ref. Flora of Taiwan 2nd ed. 3: 1016, 1993  
*Centella asiatica* (L.) Urban, 1879 雷公根 Ref. 同前  
*Cnidium monnieri* (L.) Gusson var. *formosanum* (Yabe) Kitagawa 1973 台灣芎藭 [特有] Ref. Flora of Taiwan 2nd ed. 3: 1019, 1993  
*Conioselinum morrisonense* Hayata, 1921 玉山彎柱芎 [特有] Ref. 同前  
*Cryptotaenia japonica* Hassk., 1855 鴨兒芹 Ref. Flora of Taiwan 2nd ed. 3: 1022, 1993  
*Eryngium foetidum* L., 1753 刺芫荽 Ref. Flora of Taiwan 2nd ed. 6: 84, 2003  
*Glehnia littoralis* F. Schmidt ex Miquel, 1867 濱防風 Ref. Flora of Taiwan 2nd ed. 3: 1024, 1993  
*Hydrocotyle batrachium* Hance, 1862 台灣天胡荽 Ref. 同前  
*Hydrocotyle benguetensis* Elm., 1909 菲島天胡荽 Ref. Flora of Taiwan 2nd ed. 3: 1027, 1993  
*Hydrocotyle dichondroides* Makino, 1910 毛天胡荽 Ref. 同前  
*Hydrocotyle keelungensis* Liu, Chao & Chuang, 1961 基隆天胡荽 [特有] Ref. 同前  
*Hydrocotyle nepalensis* Hook., 1823 乞食碗 Ref. Flora of Taiwan 2nd ed. 3: 1029, 1993  
*Hydrocotyle setulosa* Hayata, 1908 阿里山天胡荽 [特有] Ref. 同前  
*Hydrocotyle sibthorpioides* Lam., 1789 天胡荽 Ref. 同前  
*Oenanthe javanica* (Bl.) DC., 1830 水芹菜 Ref. Flora of Taiwan 2nd ed. 3: 1030, 1993  
*Oenanthe pterocaulon* Liu, Chao & Chuang, 1961 翼莖水芹菜 [特有] Ref. 同前  
*Oreomyrrhis involucreta* Hayata, 1911 山薰香 [特有] Ref. Flora of Taiwan 2nd ed. 3: 1032, 1993  
*Oreomyrrhis nanhuensis* C. H. Chen & J. C. Wang, 2001 南湖山薰香 [特有] Ref. Flora of Taiwan 2nd ed. 6: 84, 2003  
*Oreomyrrhis taiwaniana* Masam., 1938 台灣山薰香 [特有] Ref. 同前  
*Osmorhiza aristata* (Thunb.) Makino & Yabe, 1903 臭根 Ref. Flora of Taiwan 2nd ed. 3: 1034, 1993  
*Peucedanum formosanum* Hayata, 1921 台灣前胡 [特有] Ref. 同前  
*Peucedanum japonicum* Thunb., 1784 日本前胡 Ref. Flora of Taiwan 2nd ed. 3: 1037, 1993  
*Pimpinella diversifolia* DC., 1830 三葉茴香 Ref. 同前  
*Pimpinella nitakayamensis* Hayata, 1916 玉山茴香 [特有] Ref. Flora of Taiwan 2nd ed. 3: 1038, 1993  
*Sanicula lamelligera* Hance, 1878 三葉山芹菜 Ref. 同前  
*Sanicula petagnioides* Hayata, 1908 五葉山芹菜 [特有] Ref. Flora of Taiwan 2nd ed. 3: 1040, 1993  
*Sium suave* Walt., 1788 細葉零餘子 Ref. 同前  
*Torilis japonica* (Houtt.) DC., 1830 竊衣 Ref. Flora of Taiwan 2nd ed. 3: 1043, 1993  
*Torilis scabra* (Thunb.) DC., 1830 紫花竊衣 Ref. 同前

### Order Aristolochiales 馬兜鈴目

#### Family Aristolochiaceae 馬兜鈴科

*Aristolochia cucurbitifolia* Hayata, 1915 瓜葉馬兜鈴 [特有] Ref. Flora of Taiwan 2nd ed. 2: 637, 1996  
*Aristolochia foveolata* Merr., 1918 蜂窩馬兜鈴 Ref. 同前  
*Aristolochia heterophylla* Hemsl., 1891 異葉馬兜鈴 Ref. 同前  
*Aristolochia kaempferi* Willd., 1805 大葉馬兜鈴 Ref. Flora of Taiwan 2nd ed. 2: 639, 1996  
*Aristolochia zollingeriana* Miq., 1858 港口馬兜鈴 Ref. 同前  
*Asarum caudigerum* Hance, 1881 薄葉細辛 Ref. Flora of Taiwan 2nd ed. 2: 643, 1996  
*Asarum crassusepalum* S. F. Huang, T. H. Hsieh & T. C. Huang, 1995 鴛鴦湖細辛 [特有] Ref. 同前  
*Asarum epigynum* Hayata, 1915 上花細辛 Ref. Flora of Taiwan 2nd ed. 2: 646, 1996  
*Asarum hypogynum* Hayata, 1915 下花細辛 [特有] Ref. 同前  
*Asarum macranthum* Hook. f., 1888 大花細辛 [特有] Ref. Flora of Taiwan 2nd ed. 2: 649, 1996  
*Asarum taipingshanianum* S. F. Huang, T. H. Hsieh & T. C. Huang, 1995 太平山細辛 [特有] Ref. 同前

### Order Asterales 菊目

#### Family Compositae 菊科

*Acmella brachyglossa* Cassini, 1827 短舌花金鈕扣 Ref. Botanical Studies 49:74, 2008  
*Acmella ciliata* (Kunth) Cassini, 1822 天文草 Ref. Botanical Studies 49:76, 2008  
*Acmella oleracea* (L.) R.K. Jansen, 1985 印度金鈕扣 Ref. Flora of Taiwan 2nd ed. 4: 812, 1998  
*Acmella paniculata* (Wall. ex DC.) R. K. Jansen, 1985 金鈕扣 Ref. Flora of Taiwan 2nd ed. 4: 814, 1998

*Acmella uliginosa* (Swartz) Cassini, 1822 沼生金鈕扣 Ref. *Taiwania* 52(3): 276, 2007  
*Adenostemma lavenia* (L.) Kuntze var. *lavenia* (L.) Kuntze 1891 下田菊 Ref. *Flora of Taiwan* 2nd ed. 4: 816, 1998  
*Adenostemma lavenia* (L.) Kuntze var. *parviflorum* (Blume) Hochr. 1934 小花下田菊 Ref. 同前  
*Ageratina adenophora* (Spreng.) R. M. King & H. Rob., 1970 假藿香薷 Ref. *Flora of Taiwan* 2nd ed. 4: 818, 1998  
*Ageratum conyzoides* L., 1753 藿香薷 Ref. *Flora of Taiwan* 2nd ed. 4: 820, 1998  
*Ageratum houstonianum* Mill., 1768 紫花藿香薷 Ref. 同前  
*Ainsliaea fragrans* Champ., 1852 香鬼督郵 Ref. *Flora of Taiwan* 2nd ed. 4: 822, 1998  
*Ainsliaea latifolia* (D. Don) Sch. Bip. subsp. *henryi* (Diels) H. Koyama 1981 臺灣鬼督郵 Ref. 同前  
*Ainsliaea macroclinioides* Hayata, 1908 阿里山鬼督郵 Ref. *Flora of Taiwan* 2nd ed. 4: 824, 1998  
*Ainsliaea secundiflora* Hayata, 1911 中原氏鬼督郵 [特有] Ref. 同前  
*Ambrosia artemisiifolia* L., 1753 豬草 Ref. *Flora of Taiwan* 2nd ed. 4: 826, 1998  
*Ambrosia psilostachya* DC., 1753 裸穗豬草 Ref. *Endemic Sp. Res.* 6(1): 71-74, 2004  
*Anaphalis horaimontana* Masam., 1936 蓬萊籟簫 [特有] Ref. *Flora of Taiwan* 2nd ed. 4: 828, 1998  
*Anaphalis morrisonicola* Hayata, 1919 玉山抱莖籟簫 Ref. 同前  
*Anaphalis nepalensis* (Spreng.) Hand.-Mazz., 1936 尼泊爾籟簫 Ref. *Flora of Taiwan* 2nd ed. 4: 830, 1998  
*Anaphalis royleana* DC., 1838 能高籟簫 Ref. 同前  
*Artemisia annua* L., 1753 黃花蒿 Ref. *Flora of Taiwan* 2nd ed. 4: 834, 1998  
*Artemisia anomala* S. Moore, 1875 珍珠蒿 Ref. 同前  
*Artemisia capillaris* Thunb., 1784 茵陳蒿 Ref. *Flora of Taiwan* 2nd ed. 4: 837, 1998  
*Artemisia chingii* Pamp., 1932 黃毛蒿 Ref. 同前  
*Artemisia fukudo* Makino, 1909 濱艾 Ref. 同前  
*Artemisia indica* Willd., 1800 艾 Ref. *Flora of Taiwan* 2nd ed. 4: 839, 1998  
*Artemisia japonica* Thunb., 1784 牡蒿 Ref. 同前  
*Artemisia kawakamii* Hayata, 1919 山艾 [特有] Ref. *Flora of Taiwan* 2nd ed. 4: 842, 1998  
*Artemisia lancea* Van., 1903 小艾 Ref. 同前  
*Artemisia morrisonensis* Hayata, 1919 細葉山艾 [特有] Ref. 同前  
*Artemisia nitakayamensis* Hayata, 1906 玉山艾 [特有] Ref. *Flora of Taiwan* 2nd ed. 4: 844, 1998  
*Artemisia oligocarpa* Hayata, 1908 高山艾 [特有] Ref. 同前  
*Artemisia simulans* Pamp., 1930 中南蒿 Ref. 同前  
*Artemisia somae* var. *somai* Hayata, 1940 相馬氏艾 Ref. *Flora of Taiwan* 2nd ed. 4: 846, 1998  
*Artemisia somae* Hayata var. *batakensis* (Hayata) Kitam. 1940 太魯閣艾 Ref. 同前  
*Artemisia tsugitakensis* (Kitam.) Ling & Y. R. Ling, 1982 雪山艾 [特有] Ref. 同前  
*Aster ageratoides* Turcz., 1837 山白蘭 Ref. *Flora of Taiwan* 2nd ed. 4: 849, 1998  
*Aster altaicus* Willd., 1809 台東鐵桿蒿 Ref. 同前  
*Aster chingshuiensis* Y. C. Liu & C. H. Ou, 1981 清水馬蘭 [特有] Ref. *Flora of Taiwan* 2nd ed. 4: 850, 1998  
*Aster formosanus* Hayata, 1919 台灣山白蘭 [特有] Ref. *Flora of Taiwan* 2nd ed. 4: 852, 1998  
*Aster hispidus* Thunb., 1784 狗娃花 Ref. 同前  
*Aster indicus* L., 1753 雞兒腸 Ref. *Flora of Taiwan* 2nd ed. 4: 855, 1998  
*Aster itsunboshi* Kitam., 1934 大武山紫菀 [特有] Ref. 同前  
*Aster lasiocladus* Hayata, 1919 絨山白蘭 Ref. *Flora of Taiwan* 2nd ed. 4: 857, 1998  
*Aster morrisonensis* Hayata, 1919 玉山鐵桿蒿 [特有] Ref. 同前  
*Aster oldhamii* Hemsl., 1888 台灣狗娃花 [特有] Ref. *Flora of Taiwan* 2nd ed. 4: 859, 1998  
*Aster ovalifolius* Kitam., 1932 台灣紺菊 [特有] Ref. 同前  
*Aster shimadae* (Kitam.) Nemoto, 1936 島田氏雞兒腸 Ref. *Flora of Taiwan* 2nd ed. 4: 861, 1998  
*Aster subulatus* Michaux var. *sandwicensis* (A. Gray) A. G. Jones 1984 澤掃帚菊 Ref. *Flora of Taiwan* 2nd ed. 4: 864, 1998  
*Aster subulatus* Michaux var. *subulatus* Michaux 1984 掃帚菊 Ref. *Flora of Taiwan* 2nd ed. 4: 861, 1998  
*Aster taiwanensis* Kitam., 1932 台灣馬蘭 [特有] Ref. *Flora of Taiwan* 2nd ed. 4: 864, 1998  
*Aster takasagomontanus* Sasaki, 1931 雪山馬蘭 [特有] Ref. *Flora of Taiwan* 2nd ed. 4: 866, 1998  
*Aster taoyuenensis* S. S. Ying, 1988 桃園馬蘭 [特有] Ref. 同前  
*Austroenpatorium inulifolium* (Kunth) R. M. King & H. Rob., 1970 假澤蘭 Ref. *Taiwania* 51(1): 41, 2006  
*Bidens bipinnata* L., 1753 鬼針 Ref. *Flora of Taiwan* 2nd ed. 4: 868, 1998  
*Bidens biternata* (Lour.) Merr. & Sherff, 1929 鬼針舅 Ref. *Flora of Taiwan* 2nd ed. 4: 869, 1998  
*Bidens pilosa* L. var. *radiata* Sch. Bip. 1842-1850 大花咸豐草 Ref. *Flora of Taiwan* 2nd ed. 4: 870, 1998  
*Bidens pilosa* L. var. *pilosa* L. 1753 白花鬼針 Ref. *Flora of Taiwan* 2nd ed. 4: 869, 1998  
*Bidens pilosa* L. var. *minor* (Blume) Sherff 1925 小白花鬼針 Ref. 同前  
*Bidens tripartita* L., 1753 狼把草 Ref. *Flora of Taiwan* 2nd ed. 4: 870, 1998  
*Blumea aromatica* DC., 1836 薄葉艾納香 Ref. *Flora of Taiwan* 2nd ed. 4: 873, 1998  
*Blumea balsamifera* (L.) DC., 1836 艾納香 Ref. *Flora of Taiwan* 2nd ed. 4: 875, 1998  
*Blumea conspicua* Hayata, 1911 大花艾納香 Ref. 同前  
*Blumea formosana* Kitam., 1933 裏白艾納香 Ref. *Flora of Taiwan* 2nd ed. 4: 878, 1998  
*Blumea hieracifolia* (D. Don) DC., 1834 毛將軍 Ref. 同前  
*Blumea lacera* (Burm. f.) DC., 1834 生毛將軍 Ref. 同前  
*Blumea laciniata* (Roxb.) DC., 1836 裂葉艾納香 Ref. *Flora of Taiwan* 2nd ed. 4: 882, 1998  
*Blumea lanceolaria* (Roxb.) Druce, 1917 走馬胎 Ref. *Flora of Taiwan* 2nd ed. 4: 884, 1998  
*Blumea linearis* C.-I Peng & W. P. Leu, 1999 狹葉艾納香 [特有] Ref. 同前  
*Blumea mollis* (D. Don) Merr., 1910 柔毛艾納香 Ref. 同前  
*Blumea oblongifolia* Kitam., 1933 台灣艾納香 Ref. *Flora of Taiwan* 2nd ed. 4: 888, 1998  
*Blumea riparia* (Blume) DC. var. *megacephala* Randeria 1960 大頭艾納香 Ref. 同前  
*Calypocarpus vialis* Less., 1832 金腰箭舅 Ref. *Flora of Taiwan* 2nd ed. 4: 891, 1998  
*Carpesium abrotanoides* L., 1753 天名精 Ref. *Flora of Taiwan* 2nd ed. 4: 893, 1998  
*Carpesium cernuum* L., 1753 杓兒菜 Ref. 同前  
*Carpesium divaricatum* Sieb. & Zucc., 1845 煙管草 Ref. *Flora of Taiwan* 2nd ed. 4: 895, 1998

*Carpesium minus* Hemsl., 1881 細川氏天名精 Ref. 同前  
*Carpesium nepalense* Less., 1831 黃金珠 Ref. Flora of Taiwan 2nd ed. 4: 898, 1998  
*Centipeda minima* (L.) A. Braun & Ascherson, 1867 石胡荽 Ref. 同前  
*Centratherum punctatum* Cass. subsp. *fruticosum* (Vidal) Kirkman 1981 菲律賓鈕扣花 Ref. Flora of Taiwan 2nd ed. 6: 106, 2003  
*Chromolaena odorata* (L.) R. M. King & H. Rob., 1970 香澤蘭 Ref. Flora of Taiwan 2nd ed. 4: 901, 1998  
*Cichorium intybus* L., 1753 菊苣 Ref. Flora of Taiwan 2nd ed. 4: 903, 1998  
*Cirsium arisanense* Kitam., 1932 阿里山薊 [特有] Ref. Flora of Taiwan 2nd ed. 4: 904, 1998  
*Cirsium brevicaulis* A. Gray, 1859 雞觶刺 Ref. 同前  
*Cirsium ferum* Kitam., 1932 鱗毛薊 [特有] Ref. 同前  
*Cirsium hosokawae* Kitam., 1941 細川氏薊 Ref. Flora of Taiwan 2nd ed. 4: 907, 1998  
*Cirsium japonicum* DC. var. *australe* Kitam. 1931 南國小薊 [特有] Ref. 同前  
*Cirsium japonicum* DC. var. *takaense* Kitam. 1931 白花小薊 [特有] Ref. Flora of Taiwan 2nd ed. 4: 909, 1998  
*Cirsium kawakamii* Hayata, 1911 玉山薊 [特有] Ref. 同前  
*Cirsium lineare* (Thunb.) Sch. Bip., 1847 華薊 Ref. 同前  
*Cirsium morii* Hayata, 1919 森氏薊 [特有] Ref. Flora of Taiwan 2nd ed. 4: 911, 1998  
*Cirsium suzukii* Kitam., 1932 鈴木氏薊 [特有] Ref. 同前  
*Conyza aegyptiaca* (L.) Aiton, 1789 埃及假蓬 Ref. Flora of Taiwan 2nd ed. 4: 914, 1998  
*Conyza bonariensis* (L.) Cronq., 1843 美洲假蓬 Ref. 同前  
*Conyza canadensis* (L.) Cronq. var. *pusilla* (Nutt.) Cronq. 1947 光莖飛蓬 Ref. Flora of Taiwan 2nd ed. 4: 916, 1998  
*Conyza canadensis* (L.) Cronq. var. *canadensis* (L.) Cronq. 1943 加拿大蓬 Ref. 同前  
*Conyza japonica* (Thunb.) Less., 1832 日本假蓬 Ref. Flora of Taiwan 2nd ed. 4: 918, 1998  
*Conyza leucantha* (D. Don) Ludlow & Raven 粘毛假蓬 Ref. 同前  
*Conyza sumatrensis* (Retz.) Walker, 1971 野苧蒿 Ref. Flora of Taiwan 2nd ed. 4: 919, 1998  
*Cosmos bipinnatus* Cav., 1791 大波斯菊 Ref. 同前  
*Cotula hemisphaerica* Wall. ex Benth. & Hook.f., 1873 山茺葵 Ref. Flora of Taiwan 2nd ed. 4: 920, 1998  
*Crassocephalum crepidioides* (Benth.) S. Moore, 1912 昭和草 Ref. Flora of Taiwan 2nd ed. 4: 922, 1998  
*Crepidiastrum lanceolatum* (Houtt.) Nakai, 1920 細葉假黃鸝菜 Ref. Flora of Taiwan 2nd ed. 4: 924, 1998  
*Crepidiastrum taiwanianum* Nakai, 1920 台灣假黃鸝菜 [特有] Ref. 同前  
*Crossostemphium chinense* (L.) Makino, 1906 蘄艾 Ref. Flora of Taiwan 2nd ed. 4: 927, 1998  
*Dendranthema arisanense* (Hayata) Y. Ling & C. Shih, 1980 阿里山油菊 [特有] Ref. Flora of Taiwan 2nd ed. 4: 929, 1998  
*Dendranthema horaimontana* (Masam.) S. S. Ying, 1989 蓬萊油菊 [特有] Ref. 同前  
*Dendranthema indicum* (L.) Des Moul., 1855 油菊 Ref. 同前  
*Dendranthema lavandulifolium* (Fisch. Ex Trautv.) Y. Ling & C. Shih var. *tomentellum* (Hand.-Mazz.) Y. Ling & C. Shih 1980 新竹油菊 Ref. Flora of Taiwan 2nd ed. 4: 932, 1998  
*Dendranthema morii* (Hayata) Kitam., 1978 森氏菊 [特有] Ref. 同前  
*Dichrocephala integrifolia* (L. f.) Kuntze, 1891 伏苓菜 Ref. Flora of Taiwan 2nd ed. 4: 933, 1998  
*Echinops grijsii* Hance, 1866 漏盧 Ref. Flora of Taiwan 2nd ed. 4: 935, 1998  
*Eclipta prostrata* (L.) L., 1771 鱧腸 Ref. 同前  
*Eclipta zippeliana* Blume, 1825 毛鱧腸 Ref. Flora of Taiwan 2nd ed. 4: 937, 1998  
*Elephantopus mollis* Kunth, 1820 地膽草 Ref. Flora of Taiwan 2nd ed. 4: 938, 1998  
*Elephantopus scaber* L., 1753 燈豎朽 Ref. 同前  
*Eleutheranthera ruderalis* (Swartz) Sch.-Bip., 1866 離藥金藥箭 Ref. Taiwania 51(1): 46, 2006  
*Emilia fosbergii* Nicolson, 1975 繡絨花 Ref. Flora of Taiwan 2nd ed. 4: 940, 1998  
*Emilia sonchifolia* (L.) DC. var. *javanica* (Burm. f.) Mattfeld 1929 紫背草 Ref. 同前  
*Epaltes australis* Less., 1831 鵝不食草 Ref. Flora of Taiwan 2nd ed. 4: 942, 1998  
*Erechtites hieracifolia* (L.) Raf. ex DC., 1838 饑荒草 Ref. Flora of Taiwan 2nd ed. 4: 944, 1998  
*Erechtites valerianifolia* (Wolf ex Rchb.) DC., 1837 飛機草 Ref. 同前  
*Erigeron annuus* (L.) Pers., 1807 白頂飛蓬 Ref. Flora of Taiwan 2nd ed. 4: 946, 1998  
*Erigeron morrisonensis* Hayata var. *morrisonensis* Hayata 1935 玉山飛蓬 [特有] Ref. Flora of Taiwan 2nd ed. 4: 948, 1998  
*Erigeron morrisonensis* Hayata var. *fukuyamae* (Kitam.) Kitam. 1935 福山氏飛蓬 [特有] Ref. 同前  
*Eupatorium amabile* Kitam., 1932 腺葉澤蘭 [特有] Ref. Flora of Taiwan 2nd ed. 4: 951, 1998  
*Eupatorium chinense* L. var. *tozanense* (Hayata) Kitam. 1957 塔山澤蘭 [特有] Ref. Flora of Taiwan 2nd ed. 4: 956, 1998  
*Eupatorium clematideum* (Wall. ex DC.) Sch. Bip. var. *clematideum* (Wall. ex DC.) Sch. Bip. 1866 田代氏澤蘭 [特有] Ref. Flora of Taiwan 2nd ed. 4: 953, 1998  
*Eupatorium clematideum* (Wall. ex DC.) Sch. Bip. var. *gracillimum* (Hayata) C.-I Peng & S. W. Chung 1998 高士佛澤蘭 [特有] Ref. Flora of Taiwan 2nd ed. 4: 956, 1998  
*Eupatorium formosanum* Hayata, 1908 台灣澤蘭 Ref. Flora of Taiwan 2nd ed. 6: 107, 2003  
*Eupatorium hualienense* C. H. Ou, S. W. Chung & C. I Peng, 1998 花蓮澤蘭 [特有] Ref. Flora of Taiwan 2nd ed. 4: 956, 1998  
*Eupatorium kiirunense* (Kitam.) C. H. Ou & S. W. Chung, 1998 基隆澤蘭 [特有] Ref. Flora of Taiwan 2nd ed. 4: 960, 1998  
*Eupatorium lindleyanum* DC., 1836 林氏澤蘭 [特有] Ref. 同前  
*Eupatorium shimadae* Kitam., 1932 島田氏澤蘭 Ref. Flora of Taiwan 2nd ed. 4: 963, 1998  
*Farfugium japonicum* (L.) Kitam. var. *japonicum* (L.) Kitam. 1939 山菊 Ref. Flora of Taiwan 2nd ed. 4: 964, 1998  
*Farfugium japonicum* (L.) Kitam. var. *formosanum* (Hayata) Kitam. 1939 台灣山菊 Ref. 同前  
*Gaillardia pulchella* Foug., 1788 天人菊 Ref. Flora of Taiwan 2nd ed. 4: 967, 1998  
*Galinsoga parviflora* Cav., 1795 小米菊 Ref. 同前  
*Galinsoga quadriradiata* Ruiz & Pav., 1798 粗毛小米菊 Ref. Flora of Taiwan 2nd ed. 4: 968, 1998  
*Gerbera anandria* (L.) Sch. Bip., 1844 大丁草 Ref. 同前  
 *Gnaphalium bidens* (Retz.) Veldkamp, 1991 香茹 Ref. Flora of Taiwan 2nd ed. 4: 971, 1998  
*Gnaphalium adnatum* (DC.) Kitam., 1838 紅面番 Ref. Flora of Taiwan 2nd ed. 4: 973, 1998  
*Gnaphalium calviceps* Fernald, 1935 直莖鼠麴草 Ref. Flora of Taiwan 2nd ed. 4: 975, 1998  
*Gnaphalium hypoleucum* DC. var. *amoyense* (Hance) Hand.-Mazz. 1936 假秋鼠麴草 Ref. Flora of Taiwan 2nd ed. 4: 976, 1998  
*Gnaphalium hypoleucum* DC. var. *hypoleucum* DC. 1834 秋鼠麴草 Ref. Flora of Taiwan 2nd ed. 4: 975, 1998

*Gnaphalium involucreatum* Forst. var. *simplex* DC. 1837 細葉鼠麴草 Ref. Flora of Taiwan 2nd ed. 4: 976, 1998  
*Gnaphalium involucreatum* Forst. var. *ramosum* DC. 1837 分枝鼠麴草 Ref. 同前  
*Gnaphalium japonicum* Thunb., 1784 父子草 Ref. Flora of Taiwan 2nd ed. 4: 977, 1998  
*Gnaphalium luteoalbum* L. subsp. *affine* (D. Don) Koster 1941 鼠麴草 Ref. 同前  
*Gnaphalium luteoalbum* L. subsp. *luteoalbum* L. 1753 絲綿草 Ref. 同前  
*Gnaphalium pensylvanicum* Willd., 1809 匙葉鼠麴草 Ref. Flora of Taiwan 2nd ed. 4: 979, 1998  
*Gnaphalium polycaulon* Pers., 1807 多莖鼠麴草 Ref. Taiwania 51(3): 219, 2006  
*Gnaphalium purpureum* L., 1753 鼠麴草 Ref. Flora of Taiwan 2nd ed. 4: 979, 1998  
*Gnaphalium spicatum* Lam., 1786 裏白鼠麴草 Ref. Flora of Taiwan 2nd ed. 4: 981, 1998  
*Grangea maderaspatana* (L.) Poir., 1812 線球菊 Ref. Flora of Taiwan 2nd ed. 4: 982, 1998  
*Gynura bicolor* (Roxb. & Willd.) DC., 1838 紅鳳菜 Ref. Flora of Taiwan 2nd ed. 4: 984, 1998  
*Gynura divaricata* (L.) DC. subsp. *formosana* (Kitam.) F. G. Davies 1979 白鳳菜 [特有] Ref. 同前  
*Gynura elliptica* Yabe & Hayata, 1904 蘭嶼木耳菜 [特有] Ref. 同前  
*Gynura japonica* (Thunb.) Juel, 1891 黃花三七草 Ref. Flora of Taiwan 2nd ed. 4: 987, 1998  
*Hemistepia lyrata* (Bunge) Bunge, 1833 泥胡菜 Ref. Flora of Taiwan 2nd ed. 4: 989, 1998  
*Hieracium morii* Hayata, 1919 森氏山柳菊 [特有] Ref. 同前  
*Hypochaeris radicata* L., 1753 貓兒菊 Ref. Flora of Taiwan 2nd ed. 4: 991, 1998  
*Ixeridium laevigatum* (Blume) J. H. Pak & Kawano, 1992 刀傷草 Ref. Flora of Taiwan 2nd ed. 4: 993, 1998  
*Ixeridium transnokoense* (Y. Sasaki) J. H. Pak & Kawano, 1992 能高刀傷草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 995, 1998  
*Ixeris chinensis* (Thunb.) Nakai, 1920 兔仔菜 Ref. Flora of Taiwan 2nd ed. 4: 996, 1998  
*Ixeris debilis* (Thunb.) A. Gray, 1859 細葉剪刀股 Ref. Flora of Taiwan 2nd ed. 4: 998, 1998  
*Ixeris polycephala* Cass., 1822 多頭苦菜 Ref. 同前  
*Ixeris repens* (L.) A. Gray, 1858 濱剪刀股 Ref. Flora of Taiwan 2nd ed. 4: 1001, 1998  
*Ixeris stolonifera* A. Gray, 1858 蔓苦蕒 Ref. 同前  
*Ixeris strigosa* (H. Lév & Vaniot) H.-J. Pak, 1992 粗毛兔仔菜 Ref. Flora of Taiwan 2nd ed. 4: 1004, 1998  
*Ixeris tamagawaensis* (Makino) Kitam., 1940 澤苦菜 Ref. Flora of Taiwan 2nd ed. 4: 1001, 1998  
*Lagenophora lanata* A. Cunn., 1839 瓶頭草 Ref. Flora of Taiwan 2nd ed. 4: 1004, 1998  
*Laggera alata* (D. Don) Sch. Bip. ex Oliver, 1873 六角草 Ref. Flora of Taiwan 2nd ed. 4: 1006, 1998  
*Lapsanastrum apogonoides* (Maxim.) J. H. Pak & K. Bremer, 1995 稻槎菜 Ref. Flora of Taiwan 2nd ed. 4: 1008, 1998  
*Lapsanastrum takasei* (Sasaki) J. H. Pak & K. Bremer, 1995 台灣稻槎草 [特有] Ref. 同前  
*Leontopodium microphyllum* Hayata, 1908 玉山薄雪草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1010, 1998  
*Leucanthemum vulgare* H. J. Lam., 1778 法國菊 Ref. 同前  
*Ligularia japonica* (Thunb.) Less., 1832 大吳風草 Ref. Flora of Taiwan 2nd ed. 4: 1012, 1998  
*Ligularia kojimae* Kitam., 1934 高山橐吾 [特有] Ref. 同前  
*Ligularia stenocephala* (Maxim.) S. Matsum. & Koidz., 1910 戟葉橐吾 Ref. Flora of Taiwan 2nd ed. 4: 1014, 1998  
*Matricaria maticarioides* (Less.) Porter, 1894 同花母菊 Ref. Taiwania 51(4): 309, 2006  
*Microglossa pyrifolia* (Lam.) Kuntze, 1891 小舌菊 Ref. Flora of Taiwan 2nd ed. 4: 1014, 1998  
*Mikania cordata* (Burm. f.) B. L. Rob., 1934 蔓澤蘭 Ref. Flora of Taiwan 2nd ed. 4: 1015, 1998  
*Myriactis humilis* Merr., 1906 矮菊 Ref. Flora of Taiwan 2nd ed. 4: 1017, 1998  
*Nemosencio formosanus* (Kitam.) B. Nord, 1978 台灣劉寄奴 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1019, 1998  
*Notoseris formosana* (Kitam.) C. Shih, 1987 台灣福王草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1020, 1998  
*Paraprenanthes sororia* (Miq.) C. Shih, 1988 山苦蕒 Ref. Flora of Taiwan 2nd ed. 4: 1022, 1998  
*Parasenecio hawangshanicus* (Ling) C.-I Peng & S. W. Chung, 1998 黃山蟹甲草 Ref. Flora of Taiwan 2nd ed. 4: 1024, 1998  
*Parasenecio monantha* (Diels) C.-I Peng & S. W. Chung, 1998 玉山蟹甲草 Ref. 同前  
*Parasenecio nokoensis* (Masam. & Suzuki) C.-I Peng & S. W. Chung, 1998 能高蟹甲草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1026, 1998  
*Parthenium hysterophorus* L., 1753 銀膠菊 Ref. 同前  
*Pertya simozawai* Masam., 1940 半高野帶 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1028, 1998  
*Petasites formosanus* Kitam., 1933 台灣款冬 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1030, 1998  
*Picris hieracioides* L. subsp. *ohwiana* (Kitam.) Kitam. 1939 高山毛蓮菜 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1032, 1998  
*Picris hieracioides* L. subsp. *morrissonensis* (Hayata) Kitam. 1753 玉山毛蓮菜 [特有] Ref. 同前  
*Pluchea carolinensis* (Jacq.) G. Don, 1839 美洲闊苞菊 Ref. Flora of Taiwan 2nd ed. 4: 1034, 1998  
*Pluchea indica* (L.) Less., 1831 鯽魚膽 Ref. Flora of Taiwan 2nd ed. 4: 1036, 1998  
*Pluchea pteropoda* Hemsl., 1888 光梗闊苞菊 Ref. 同前  
*Pluchea sagittalis* (Lam.) Cabera, 1949 翼莖闊苞菊 Ref. Flora of Taiwan 2nd ed. 4: 1039, 1998  
*Pseudelephantopus spicatus* (Juss.) C. F. Baker, 1902 假地膽草 Ref. Flora of Taiwan 2nd ed. 4: 1041, 1998  
*Pterocypsela ×mansuensis* (Hayata) C.-I Peng, 1998 恆春山苦蕒 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1045, 1998  
*Pterocypsela formosana* (Maxim.) C. Shih, 1988 台灣山苦蕒 Ref. Flora of Taiwan 2nd ed. 4: 1043, 1998  
*Pterocypsela indica* (L.) C. Shih, 1988 鵝仔草 Ref. 同前  
*Rhynchospermum verticillatum* Reinw., 1825 秋分草 Ref. Flora of Taiwan 2nd ed. 4: 1045, 1998  
*Saussurea deltoidea* (DC.) C. B. Clarke, 1876 台灣青木香 Ref. Flora of Taiwan 2nd ed. 4: 1047, 1998  
*Saussurea glandulosa* Kitam., 1934 高山青木香 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1049, 1998  
*Saussurea japonica* (Thunb.) DC., 1810 鳳毛菊 Ref. 同前  
*Saussurea kanzanensis* Kitam., 1939 關山青木香 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1051, 1998  
*Saussurea kiraisanensis* Masam., 1930 奇萊青木香 [特有] Ref. 同前  
*Senecio crataegifolius* Hayata, 1919 小蔓黃苑 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1052, 1998  
*Senecio inaequidens* DC., 1753 窄葉黃苑 Ref. Taiwania 50(3): 191, 2005  
*Senecio kuanshanensis* C. I Peng & S. W. Chung, 2002 關山千里光 Ref. Flora of Taiwan 2nd ed. 6: 108, 2003  
*Senecio morrissonensis* Hayata, 1911 玉山黃苑 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1053, 1998  
*Senecio nemorensis* L. var. *dentatus* (Kitam.) H. Koyama 1969 黃苑 [特有] Ref. 同前  
*Senecio scandens* Buch.-Ham. ex D. Don. var. *incisus* Franch. 1825 裂葉蔓黃苑 Ref. Flora of Taiwan 2nd ed. 4: 1056, 1998  
*Senecio scandens* Buch.-Ham. ex D. Don. var. *scandens* Buch.-Ham. ex D. Don. 1825 蔓黃苑 Ref. 同前  
*Senecio taitungensis* S. S. Ying, 1990 台東黃苑 [特有] Ref. 同前

- Senecio tarokoensis* C.-I Peng, 1999 太魯閣千里光 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1059, 1998  
*Senecio vulgaris* L., 1753 歐洲黃菀 Ref. 同前  
*Sigesbeckia orientalis* L., 1753 豨薟 Ref. Flora of Taiwan 2nd ed. 4: 1062, 1998  
*Solidago altissima* L., 1753 北美一枝黃花 Ref. Flora of Taiwan 2nd ed. 4: 1064, 1998  
*Solidago virgaurea* L. var. *leiocarpa* (Benth.) A. Gray 1857 一枝黃花 Ref. 同前  
*Soliva anthemifolia* (Juss.) R. Br. ex Less., 1832 假吐金菊 Ref. Flora of Taiwan 2nd ed. 4: 1068, 1998  
*Soliva pterosperma* (Juss.) Less., 1832 翅果假吐金菊 Ref. 同前  
*Sonchus arvensis* L., 1753 苦苣菜 Ref. Flora of Taiwan 2nd ed. 4: 1071, 1998  
*Sonchus asper* (L.) Hill, 1769 鬼苦苣菜 Ref. 同前  
*Sonchus oleraceus* L., 1753 苦蕒菜 Ref. Flora of Taiwan 2nd ed. 4: 1073, 1998  
*Sphaeranthus africanus* L., 1763 戴星草 Ref. 同前  
*Synedrella nodiflora* (L.) Gaert., 1791 金腰箭 Ref. Flora of Taiwan 2nd ed. 4: 1075, 1998  
*Syneilesis intermedia* (Hayata) Kitam., 1937 台灣破傘菊 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1077, 1998  
*Syneilesis subglabrata* (Yamamoto & Sasaki) Kitam., 1934 高山破傘菊 [特有] Ref. 同前  
*Tagetes minuta* L., 1753 印加孔雀草 Ref. Taiwania 51(1): 32, 2006  
*Taraxacum formosanum* Kitam., 1933 台灣蒲公英 Ref. Flora of Taiwan 2nd ed. 4: 1079, 1998  
*Taraxacum officinale* Weber ex F. H. Wigg., 1780 西洋蒲公英 Ref. 同前  
*Tephrosia kirilowii* (Turcz. ex DC.) Holub, 1977 狗舌草 Ref. Flora of Taiwan 2nd ed. 4: 1081, 1998  
*Tephrosia taitoensis* (Hayata) Holub, 1973 台灣狗舌草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 1083, 1998  
*Tithonia diversifolia* (Hemsl.) A. Gray, 1883 王爺葵 Ref. 同前  
*Tridax procumbens* L., 1753 長柄菊 Ref. Flora of Taiwan 2nd ed. 4: 1084, 1998  
*Vernonia cinerea* (L.) Less. var. *parviflora* (Reinw.) DC. 1836 小花斑鳩菊 Ref. Flora of Taiwan 2nd ed. 4: 1086, 1998  
*Vernonia cinerea* (L.) Less. var. *cinerea* (L.) Less. 1829 一枝香 Ref. 同前  
*Vernonia elliptica* DC., 1834 光耀藤 Ref. Flora of Taiwan 2nd ed. 4: 1088, 1998  
*Vernonia gratiosa* Hance, 1882 過山龍 Ref. 同前  
*Vernonia maritima* Merr., 1908 濱斑鳩菊 Ref. Flora of Taiwan 2nd ed. 4: 1091, 1998  
*Vernonia patula* (Dryand.) Merr., 1908 嶺南野菊 Ref. 同前  
*Wedelia biflora* (L.) DC. var. *biflora* (L.) DC. 1834 雙花蟛蜞菊 Ref. Flora of Taiwan 2nd ed. 4: 1093, 1998  
*Wedelia biflora* (L.) DC. var. *ryukyuensis* H. Koyama 1982 琉球蟛蜞菊 Ref. 同前  
*Wedelia chinensis* (Osbeck) Merr., 1917 蟛蜞菊 Ref. Flora of Taiwan 2nd ed. 4: 1094, 1998  
*Wedelia prostrata* (Hook. & Arn.) Hemsl. var. *prostrata* (Hook. & Arn.) Hemsl. 1888 天蓬草舅 Ref. 同前  
*Wedelia prostrata* (Hook. & Arn.) Hemsl. var. *robusta* Makino 1888 大天蓬草舅 Ref. 同前  
*Wedelia trilobata* (L.) Hitchc., 1893 南美蟛蜞菊 Ref. Flora of Taiwan 2nd ed. 4: 1097, 1998  
*Xanthium strumarium* L., 1753 蒼耳 Ref. Flora of Taiwan 2nd ed. 4: 1098, 1998  
*Youngia japonica* (L.) DC. subsp. *longiflora* Babc. & Stebbins 1937 大花黃鵪菜 Ref. Flora of Taiwan 2nd ed. 4: 1101, 1998  
*Youngia japonica* (L.) DC. subsp. *japonica* (L.) DC. 1838 黃鵪菜 Ref. Flora of Taiwan 2nd ed. 4: 1098, 1998  
*Youngia japonica* (L.) DC. subsp. *formosana* (Hayata) Kitam. 1937 台灣黃鵪菜 Ref. Flora of Taiwan 2nd ed. 4: 1101, 1998

## Order Callitrichales 水馬齒目

### Family Callitrichaceae 水馬齒科

- Callitriche japonica* Engelm. ex Hegelm, 1868 日本水馬齒 Ref. Flora of Taiwan 2nd ed. 4: 429, 1998  
*Callitriche peploides* Nutt., 1837 凹果水馬齒 Ref. 同前  
*Callitriche verna* L., 1755 水馬齒 Ref. Flora of Taiwan 2nd ed. 4: 430, 1998

## Order Campanulales 桔梗目

### Family Campanulaceae 桔梗科

- Adenophora morrisonensis* Hayata subsp. *uehatae* (Yamamoto) Lammers 1992 高山沙參 [特有] Ref. Flora of Taiwan 2nd ed. 4: 776, 1998  
*Adenophora morrisonensis* Hayata subsp. *morrisonensis* Hayata 1992 玉山沙參 [特有] Ref. 同前  
*Adenophora triphylla* (Thunb.) A. DC., 1830 輪葉沙參 Ref. Flora of Taiwan 2nd ed. 4: 779, 1998  
*Campanula dimorphantha* Schweinf., 1867 桔梗 Ref. 同前  
*Codonopsis javanica* (Blume) Miq. subsp. *japonica* (Maxim. Ex Makino) Lammers 1992 金錢豹 Ref. Flora of Taiwan 2nd ed. 4: 782, 1998  
*Codonopsis kawakamii* Hayata, 1911 玉山人奶草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 784, 1998  
*Cyclocodon lancifolius* (Roxb.) Kurz. subsp. *lancifolius* (Roxb.) Kurz. 1872 台灣土黨參 Ref. 同前  
*Hippobroma longiflora* (L.) G. Don, 1834 馬醉草 Ref. Flora of Taiwan 2nd ed. 4: 787, 1998  
*Lobelia alsinoides* Lam. subsp. *hancei* (Hara) Lammers 1992 短柄半邊蓮 Ref. Flora of Taiwan 2nd ed. 4: 789, 1998  
*Lobelia chinensis* Lour., 1790 半邊蓮 Ref. 同前  
*Lobelia nummularia* Lam., 1792 普刺特草 Ref. Flora of Taiwan 2nd ed. 4: 792, 1998  
*Lobelia seguinii* H. Lev. & Vant., 1913 大本山梗菜 Ref. 同前  
*Lobelia zeylanica* L., 1753 圓葉山梗菜 Ref. 同前  
*Peracarpa carnosus* (Wall.) Hook. f. & Thomson, 1858 山桔梗 Ref. Flora of Taiwan 2nd ed. 4: 796, 1998  
*Triodanis biflora* (Ruiz & Pav.) Greene, 1894 卵葉異擔花 Ref. Flora of Taiwan 2nd ed. 4: 798, 1998  
*Wahlenbergia marginata* (Thunb.) A. DC., 1830 細葉蘭花參 Ref. 同前

### Family Goodeniaceae 草海桐科

- Scaevola hainanensis* Hance, 1878 海南草海桐 Ref. Flora of Taiwan 2nd ed. 4: 803, 1998  
*Scaevola sericea* Forst. f. ex Vahl, 1791 草海桐 Ref. Flora of Taiwan 2nd ed. 6: 104, 2003

### Family Spheocleaceae 密穗桔梗科

- Spheoclea zeylanica* Gaertn., 1788 尖瓣花 Ref. Flora of Taiwan 2nd ed. 4: 801, 1998

## Order Capparales 白花菜目

### Family Capparaceae 白花菜科

- Capparis acutifolia* Sweet, 1830 鏡葉山柑 Ref. Flora of Taiwan 2nd ed. 2: 735, 1996

*Capparis floribunda* Wight, 1840 多花山柑 Ref. 同前  
*Capparis lanceolaris* DC., 1824 蘭嶼山柑 Ref. 同前  
*Capparis micracantha* DC. var. *henryi* (Matsum.) Jacobs 1965 小刺山柑 Ref. Flora of Taiwan 2nd ed. 2: 736, 1996  
*Capparis pubiflora* DC., 1824 毛花山柑 Ref. 同前  
*Capparis sikkimensis* Kurz subsp. *formosana* (Hemsl.) Jacobs 1965 山柑 Ref. Flora of Taiwan 2nd ed. 2: 738, 1996  
*Cleome gynandra* L., 1753 白花菜 Ref. Flora of Taiwan 2nd ed. 2: 739, 1996  
*Cleome rutidosperma* DC., 1824 平伏莖白花菜 Ref. 同前  
*Cleome viscosa* L., 1753 向天黃 Ref. 同前  
*Crateva adansonii* DC. subsp. *formosensis* Jacobs 1964 魚木 [特有] Ref. Flora of Taiwan 2nd ed. 2: 743, 1996

### Family Cruciferae 十字花科

*Arabis formosana* (Masam. ex S. F. Huang) Liu & Ying, 1996 台灣筷子芥 [特有] Ref. Flora of Taiwan 2nd ed. 2: 746, 1996  
*Arabis gemmifera* (Matsumura) Makino ex Hara, 1936 葉芽筷子芥 Ref. 同前  
*Arabis lyrata* L. subsp. *kamchatica* (Fisch. ex DC.) Hulten 1937 玉山筷子芥 Ref. Flora of Taiwan 2nd ed. 2: 747, 1996  
*Arabis serrata* Franch. & Sav., 1875 齒葉南芥 Ref. Flora of Taiwan 2nd ed. 6: 57, 2003  
*Arabis stelleris* DC. var. *japonica* (A. Gray) Fr. Schmidt 1868 基隆筷子芥 Ref. Flora of Taiwan 2nd ed. 2: 747, 1996  
*Barbarea arisanense* (Hayata) S. S. Ying, 1978 高山山芥 [特有] Ref. Flora of Taiwan 2nd ed. 2: 749, 1996  
*Barbarea orthoceras* Ledeb., 1824 山芥菜 Ref. Flora of Taiwan 2nd ed. 6: 57, 2003  
*Barbarea taiwaniana* Ohwi, 1934 台灣山芥菜 [特有] Ref. Flora of Taiwan 2nd ed. 2: 749, 1996  
*Capsella bursa-pastoris* (L.) Medic., 1792 薺 Ref. Flora of Taiwan 2nd ed. 2: 751, 1996  
*Cardamine agyokumontana* Hayata, 1913 阿玉碎米薺 [特有] Ref. Flora of Taiwan 2nd ed. 2: 753, 1996  
*Cardamine flexuosa* With., 1796 焯菜 Ref. 同前  
*Cardamine impatiens* L., 1753 水花菜 Ref. 同前  
*Cardamine nipponica* Fr. & Sav., 1875 日本焯菜 Ref. 同前  
*Cardamine reniformis* Hayata, 1908 腎葉碎米薺 [特有] Ref. Flora of Taiwan 2nd ed. 2: 755, 1996  
*Cardamine scutata* Thunb. var. *rotundiloba* (Hayata) Liu & Ying 1976 台灣碎米薺 [特有] Ref. 同前  
*Cochlearia formosana* Hayata, 1911 台灣假山葵 [特有] Ref. Flora of Taiwan 2nd ed. 2: 756, 1996  
*Coronopus didymus* (L.) Smith, 1800 臭濱芥 Ref. 同前  
*Coronopus integrifolius* (DC.) Prantl, 1891 濱芥 Ref. Flora of Taiwan 2nd ed. 2: 759, 1996  
*Draba sekiyana* Ohwi, 1934 台灣山薺 [特有] Ref. 同前  
*Eutrema japonica* (Miq.) Koidz., 1930 山葵 Ref. Flora of Taiwan 2nd ed. 2: 761, 1996  
*Lepidium bonariense* L., 1753 南美獨行菜 Ref. Endemic Sp. Res. 7(1): 89, 2005  
*Lepidium virginicum* L., 1753 獨行菜 Ref. Flora of Taiwan 2nd ed. 2: 761, 1996  
*Nasturtium officinale* R. Br., 1812 水芥菜 Ref. Flora of Taiwan 2nd ed. 6: 58, 2003  
*Neslia paniculata* (L.) Desv., 1815 Ref. 同前  
*Raphanus sativus* L. f. *hanistroides* Makino 1928 濱菜蕪 Ref. Flora of Taiwan 2nd ed. 2: 766, 1996  
*Rorippa austriaca* (Crantz), 1821 奧地利葶藶 Ref. Flora of Taiwan 2nd ed. 6: 58, 2003  
*Rorippa cantoniensis* (Lour.) Ohwi, 1937 廣東葶藶 Ref. Flora of Taiwan 2nd ed. 2: 766, 1996  
*Rorippa dubia* (Pers.) Hara, 1955 小葶藶 Ref. 同前  
*Rorippa globosa* (Turcz.) Hayek., 1911 風花菜 Ref. Endemic Sp. Res. 8(1): 73, 2006  
*Rorippa indica* (L.) Hiern, 1896 葶藶 Ref. Flora of Taiwan 2nd ed. 2: 766, 1996  
*Rorippa palustris* (L.) Besser, 1822 濕生葶藶 Ref. Flora of Taiwan 2nd ed. 6: 58, 2003  
*Rorippa sylvestris* (L.) Besser, 1822 歐亞葶藶 Ref. Twiania, 50(4): 297, 2005  
*Sisymbrium irio* L., 1753 拖娘蒿 Ref. Flora of Taiwan 2nd ed. 2: 768, 1996  
*Sisymbrium orientale* L., 1753 戟葉拖娘蒿 Ref. Flora of Taiwan 2nd ed. 6: 58, 2003

## Order Caryophyllales 石竹目

### Family Aizoaceae 番杏科

*Sesuvium portulacastrum* (L.) L., 1759 海馬齒 Ref. Flora of Taiwan 2nd ed. 2: 329, 1996  
*Tetragonia tetragonoides* (Pall.) Kuntze, 1891 番杏 Ref. Flora of Taiwan 2nd ed. 2: 331, 1996  
*Trianthemum portulacastrum* L., 1753 假海馬齒 Ref. 同前

### Family Amaranthaceae 莧科

*Achyranthes aspera* L. var. *indica* L. 1753 印度牛膝 Ref. Flora of Taiwan 2nd ed. 2: 389, 1996  
*Achyranthes aspera* L. var. *rubro-fusca* Hook. f. 1753 台灣牛膝 Ref. 同前  
*Achyranthes bidentata* Bl., 1825 牛膝 Ref. Flora of Taiwan 2nd ed. 2: 391, 1996  
*Achyranthes bidentata* Bl. var. *japonica* Miq. 1825 日本牛膝 Ref. 同前  
*Achyranthes bidentata* Bl. var. *bidentata* Bl. 1825 牛膝 Ref. 同前  
*Achyranthes longifolia* (Makino) Makino, 1914 柳葉牛膝 Ref. 同前  
*Aerva sanguinolenta* Bl., 1825 絹毛莧 Ref. Flora of Taiwan 2nd ed. 2: 393, 1996  
*Alternanthera bettzickiana* (Regel) Nicholson, 1884 毛蓮子草 Ref. Flora of Taiwan 2nd ed. 2: 395, 1996  
*Alternanthera paronychioides* St. Hil., 1833 匙葉蓮子草 Ref. 同前  
*Alternanthera philoxeroides* (Mart) Griseb., 1879 空心蓮子草 Ref. 同前  
*Alternanthera sessilis* (L.) R. Brown, 1810 蓮子草 Ref. Flora of Taiwan 2nd ed. 2: 396, 1996  
*Amaranthus dubius* Mart. ex Thell., 1912 假刺莧 Ref. Taiwania 52(1): 64, 2007  
*Amaranthus lividus* L., 1753 凹葉野莧菜 Ref. Flora of Taiwan 2nd ed. 2: 398, 1996  
*Amaranthus patulus* Bertoloni, 1837 青莧 Ref. 同前  
*Amaranthus spinosus* L., 1753 刺莧 Ref. 同前  
*Amaranthus viridis* L., 1763 野莧菜 Ref. Flora of Taiwan 2nd ed. 2: 400, 1996  
*Celosia argentea* L., 1753 青葙 Ref. 同前  
*Celosia cristata* L., 1753 雞冠花 Ref. Flora of Taiwan 2nd ed. 2: 403, 1996  
*Celosia taitoensis* Hayata, 1911 台東青葙 [特有] Ref. 同前  
*Cyathula prostrata* (L.) Bl., 1825 假川牛膝 Ref. 同前

*Deeringia amaranthoides* (Lam.) Merr., 1917 漿果莧 Ref. Flora of Taiwan 2nd ed. 2: 405, 1996  
*Deeringia polysperma* (Roxb.) Miq., 1849 多子漿果莧 Ref. 同前  
*Gomphrena celosoides* Mart., 1826 假千日紅 Ref. Flora of Taiwan 2nd ed. 2: 407, 1996  
*Pupalia micranta* Hauman, 1946 小花鉤牛膝 Ref. Taiwania 51(4): 303, 2006

#### Family Basellaceae 落葵科

*Anredera cordifolia* (Tenore) van Steenis, 1957 洋落葵 Ref. Flora of Taiwan 2nd ed. 2: 339, 1996  
*Basella alba* L., 1753 落葵 Ref. Flora of Taiwan 2nd ed. 2: 340, 1996

#### Family Caryophyllaceae 石竹科

*Arenaria serpyllifolia* L., 1753 無心菜 Ref. Flora of Taiwan 2nd ed. 2: 343, 1996  
*Arenaria subpilosa* (Hayata) Ohwi, 1937 亞毛無心菜 [特有] Ref. 同前  
*Arenaria takasagomontana* (Masam.) S. S. Ying, 1996 高山無心菜 [特有] Ref. Flora of Taiwan 2nd ed. 2: 346, 1996  
*Cerastium holosolanum* Ohwi, 1934 台灣卷耳 [特有] Ref. Flora of Taiwan 2nd ed. 2: 348, 1996  
*Cerastium holosteoides* Fr. var. *hallaisanense* (Nakai) Mizushima 1963 卷耳 Ref. 同前  
*Cerastium parvipetalum* Hosok., 1932 小瓣卷耳 [特有] Ref. 同前  
*Cerastium trigynum* Vill. var. *morrisonense* (Hayata) Hayata 1911 玉山卷耳 [特有] Ref. Flora of Taiwan 2nd ed. 2: 351, 1996  
*Cucubalus baccifer* L., 1753 狗筋蔓 Ref. 同前  
*Dianthus palinensis* S. S. Ying, 1987 巴陵石竹 [特有] Ref. Flora of Taiwan 2nd ed. 2: 354, 1996  
*Dianthus pygmaeus* Hayata, 1914 玉山石竹 [特有] Ref. Flora of Taiwan 2nd ed. 2: 356, 1996  
*Dianthus pygmaeus* Hayata f. *iflorus* (S. S. Ying) S. S. Ying 1996 白花玉山石竹 [特有] Ref. 同前  
*Dianthus superbus* L. var. *longicalycinus* (Maxim.) Willd. 1893 長萼瞿麥 [特有] Ref. Flora of Taiwan 2nd ed. 2: 358, 1996  
*Dianthus superbus* L. var. *taiwanensis* (Masam.) Liu & Ying 1976 台灣瞿麥 [特有] Ref. 同前  
*Drymaria diandra* Bl., 1825 荷蓮豆草 Ref. Flora of Taiwan 2nd ed. 2: 360, 1996  
*Moehringia trinervia* (L.) Clairv., 1811 三脈種草草 Ref. 同前  
*Polycarpaea corymbosa* (L.) Lam., 1793 Ref. Flora of Taiwan 2nd ed. 6: 47, 2003  
*Sagina japonica* (Sw. ex Steud) Ohwi, 1937 瓜槌草 Ref. Flora of Taiwan 2nd ed. 2: 362, 1996  
*Sagina maxima* A. Gray, 1858 大瓜槌草 Ref. 同前  
*Silene fortunei* Vis. var. *kiruninsularis* (Masam.) Ying 1980 基隆蠅子草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 366, 1996  
*Silene fortunei* Vis. var. *fortunei* Vis. 1851 蠅子草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 364, 1996  
*Silene fortunei* Vis., 1851 蠅子草 [特有] Ref. 同前  
*Silene glabella* (Ohwi) Ying, 1975 南湖大山蠅子草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 366, 1996  
*Silene morii* Hayata, 1913 台灣蠅子草 [特有] Ref. 同前  
*Silene morrison-montana* (Hayata) Ohwi & Ohashi, 1974 玉山蠅子草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 368, 1996  
*Silene transalpina* (Hayata) S. S. Ying, 1996 高山蠅子草 [特有] Ref. 同前  
*Spergula arvensis* L., 1753 Ref. Flora of Taiwan 2nd ed. 6: 47, 2003  
*Stellaria alsine* Grimm. var. *undulata* (Thunb.) Ohwi 1941 天蓬草 Ref. Flora of Taiwan 2nd ed. 2: 371, 1996  
*Stellaria aquatica* (L.) Scop., 1772 鵝兒腸 Ref. Flora of Taiwan 2nd ed. 2: 373, 1996  
*Stellaria arisanensis* (Hayata) Hayata, 1913 阿里山繁縷 [特有] Ref. 同前  
*Stellaria media* (L.) Vill. var. *procera* Klett. & Richt. 1830 賽繁縷 [特有] Ref. Flora of Taiwan 2nd ed. 2: 376, 1996  
*Stellaria media* (L.) Vill. var. *media* (L.) Vill. 1789 繁縷 [特有] Ref. 同前  
*Stellaria media* (L.) Vill. var. *micrantha* (Hayata) Liu & Ying 1976 小花繁縷 [特有] Ref. 同前  
*Stellaria reticulivena* Hayata, 1918 網脈繁縷 [特有] Ref. Flora of Taiwan 2nd ed. 2: 379, 1996  
*Stellaria saxatilis* Buch.-Ham., 1825 疏花繁縷 Ref. 同前

#### Family Chenopodiaceae 藜科

*Atriplex maximowicziana* Makino, 1896 馬氏濱藜 Ref. Flora of Taiwan 2nd ed. 2: 382, 1996  
*Atriplex nummularia* Lindl., 1848 台灣濱藜 Ref. Flora of Taiwan 2nd ed. 2: 383, 1996  
*Chenopodium acuminatum* Willd. var. *virgatum* (Thunb.) Kitam. 1962 變葉藜 Ref. Flora of Taiwan 2nd ed. 2: 384, 1996  
*Chenopodium album* L., 1753 藜 Ref. 同前  
*Chenopodium ambrosioides* L., 1753 臭杏 Ref. 同前  
*Chenopodium formosanum* Koidz., 1940 臺灣藜 [特有] Ref. Flora of Taiwan 2nd ed. 2: 385, 1996  
*Chenopodium glaucum* L., 1753 灰綠藜 Ref. 同前  
*Chenopodium serotinum* L., 1756 小葉藜 Ref. 同前  
*Suaeda maritima* (L.) Dum., 1827 裸花鹼蓬 Ref. Flora of Taiwan 2nd ed. 2: 387, 1996

#### Family Molluginaceae 粟米草科

*Glinus lotoides* L., 1753 虎咬 Ref. Flora of Taiwan 2nd ed. 2: 325, 1996  
*Glinus oppositifolius* (L.) Aug. DC., 1901 假繁縷 Ref. Flora of Taiwan 2nd ed. 2: 326, 1996  
*Mollugo stricta* L., 1762 粟米草 Ref. 同前  
*Mollugo verticillata* L., 1753 光葉粟米草 Ref. Flora of Taiwan 2nd ed. 2: 328, 1996

#### Family Nyctaginaceae 紫茉莉科

*Boerhavia coccinea* Mill., 1768 紅花黃細心 Ref. Taiwania 50(1): 31, 2005  
*Boerhavia erecta* L., 1753 直立黃細心 Ref. Taiwania 49(1): 40, 2004  
*Boerhavia glabrata* Bl., 1826 光果黃細心 Ref. Taiwania 52(4): 336, 2007  
*Boerhavia repens* L., 1753 黃細心 Ref. Taiwania 52(4): 335, 2007  
*Pisonia aculeata* L., 1753 腺果藤 Ref. Flora of Taiwan 2nd ed. 2: 322, 1996  
*Pisonia umbellifera* (Forst.) Seem., 1862 皮孫木 Ref. 同前

#### Family Phytolaccaceae 商陸科

*Phytolacca americana* L., 1753 美洲商陸 Ref. Flora of Taiwan 2nd ed. 2: 316, 1996  
*Phytolacca japonica* Makino, 1892 日本商陸 Ref. Flora of Taiwan 2nd ed. 2: 318, 1996

#### Family Portulacaceae 馬齒莧科

*Portulaca oleracea* L., 1753 馬齒莧 Ref. Flora of Taiwan 2nd ed. 2: 336, 1996  
*Portulaca pilosa* L. subsp. *grandiflora* (Hook.) Geesink 1969 大花馬齒莧 Ref. 同前  
*Portulaca pilosa* L., 1753 毛馬齒莧 Ref. 同前  
*Portulaca pilosa* L. subsp. *pilosa* L. 1753 毛馬齒莧 Ref. 同前  
*Portulaca psammotropha* Hance 沙生馬齒莧 Ref. Taiwania 53(1): 90-95, 2008  
*Portulaca quadrifida* L., 1767 四瓣馬齒莧 Ref. Flora of Taiwan 2nd ed. 2: 337, 1996  
*Talinum paniculatum* (Jacq.) Gaertn., 1791 土人參 Ref. 同前

## Order Celastrales 衛矛目

### Family Aquifoliaceae 冬青科

*Ilex arisanensis* Yamamoto, 1925 阿里山冬青 [特有] Ref. Flora of Taiwan 2nd ed. 3: 622, 1993  
*Ilex asprella* (Hook. & Arn.) Champ., 1852 燈稱花 Ref. 同前  
*Ilex bioritsensis* Hayata, 1911 苗栗冬青 Ref. Flora of Taiwan 2nd ed. 3: 624, 1993  
*Ilex cochinchinensis* (Lour.) Loes., 1901 革葉冬青 Ref. 同前  
*Ilex crenata* Thunb., 1784 假黃楊 Ref. 同前  
*Ilex ficoidea* Hemsl., 1886 台灣糊樗 Ref. 同前  
*Ilex formosana* Maxim., 1881 糊樗 Ref. Flora of Taiwan 2nd ed. 3: 627, 1993  
*Ilex goshiensis* Hayata, 1911 圓葉冬青 Ref. 同前  
*Ilex hayataiana* Loes., 1941 早田氏冬青 [特有] Ref. 同前  
*Ilex integra* Thunb., 1784 全緣葉冬青 Ref. 同前  
*Ilex kusanoi* Hayata, 1911 草野氏冬青 Ref. Flora of Taiwan 2nd ed. 3: 630, 1993  
*Ilex lonicerifolia* Hayata var. *matsudai* Yamamoto 1913 松田氏冬青 [特有] Ref. 同前  
*Ilex lonicerifolia* Hayata, 1913 忍冬葉冬青 [特有] Ref. 同前  
*Ilex maximowicziana* Loes., 1901 倒卵葉冬青 Ref. 同前  
*Ilex micrococca* Maxim., 1881 朱紅水木 Ref. Flora of Taiwan 2nd ed. 3: 632, 1993  
*Ilex pedunculosa* Miq., 1868 刻脈冬青 Ref. 同前  
*Ilex pubescens* Hook. & Arn., 1833 密毛假黃楊 Ref. 同前  
*Ilex rarasanensis* Sasaki, 1931 拉拉山冬青 [特有] Ref. 同前  
*Ilex rotunda* Thunb., 1784 鐵冬青 Ref. Flora of Taiwan 2nd ed. 3: 635, 1993  
*Ilex sugerokii* Maxim. var. *brevipedunculata* (Maxim.) S. Y. Hu 1949 太平山冬青 Ref. 同前  
*Ilex suzukii* S. Y. Hu, 1949 鈴木冬青 [特有] Ref. Flora of Taiwan 2nd ed. 3: 637, 1993  
*Ilex tugitakayamensis* Sasaki, 1931 雪山冬青 [特有] Ref. Flora of Taiwan 2nd ed. 3: 635, 1993  
*Ilex uraiensis* Mori & Yamamoto, 1932 烏來冬青 Ref. Flora of Taiwan 2nd ed. 3: 637, 1993  
*Ilex yunnanensis* Fr. var. *parvifolia* (Hayata) S. Y. Hu 1949 雲南冬青 [特有] Ref. 同前

### Family Celastraceae 衛矛科

*Celastrus hindsii* Benth., 1851 南華南蛇藤 Ref. Flora of Taiwan 2nd ed. 3: 640, 1993  
*Celastrus kusanoi* Hayata, 1911 大葉南蛇藤 Ref. Flora of Taiwan 2nd ed. 3: 641, 1993  
*Celastrus paniculatus* Willd., 1797 多花滇南蛇藤 Ref. 同前  
*Celastrus punctatus* Thunb., 1784 光果南蛇藤 Ref. 同前  
*Euonymus carnosus* Hemsl., 1886 厚葉衛矛 [特有] Ref. Flora of Taiwan 2nd ed. 3: 644, 1993  
*Euonymus cochinchinensis* Pierre, 1894 交趾衛矛 Ref. Flora of Taiwan 2nd ed. 3: 645, 1993  
*Euonymus huangii* H. Y. Liu & Yuen P. Yang, 2000 黃氏衛矛 Ref. Flora of Taiwan 2nd ed. 6: 74, 2003  
*Euonymus japonicus* Thunb., 1780 日本衛矛 Ref. Flora of Taiwan 2nd ed. 3: 645, 1993  
*Euonymus laxiflorus* Champ. ex Benth., 1851 大丁黃 Ref. 同前  
*Euonymus oxyphyllus* Miq., 1865 垂絲衛矛 Ref. Flora of Taiwan 2nd ed. 3: 647, 1993  
*Euonymus pallidifolia* Hayata, 1913 淡綠葉衛矛 [特有] Ref. 同前  
*Euonymus spraguei* Hayata, 1911 刺果衛矛 [特有] Ref. 同前  
*Euonymus tashiroi* Maxim., 1886 菱葉衛矛 Ref. Flora of Taiwan 2nd ed. 3: 651, 1993  
*Euonymus trichocarpus* Hayata, 1908 卵葉刺果衛矛 [特有] Ref. 同前  
*Maytenus diversifolia* (Maxim.) Ding Hou, 1962 北仲 Ref. Flora of Taiwan 2nd ed. 3: 654, 1993  
*Maytenus emarginata* (Willd.) Ding Hou, 1962 蘭嶼裸實 Ref. 同前  
*Microtropis fokiensis* Dunn, 1908 福建賽衛矛 Ref. Flora of Taiwan 2nd ed. 3: 656, 1993  
*Microtropis japonica* (Fr. & Sav.) Hall. f., 1910 日本賽衛矛 Ref. 同前  
*Perrottetia arisanensis* Hayata, 1915 佩羅特木 [特有] Ref. Flora of Taiwan 2nd ed. 3: 658, 1993  
*Tripterygium wilfordii* Hook. f., 1862 雷公藤 Ref. 同前

### Family Icacinaceae 茶茱萸科

*Gomphandra luzoniensis* (Merr.) Merr., 1923 呂宋毛蕊木 Ref. Flora of Taiwan 2nd ed. 3: 674, 1993  
*Gonocaryum calleryanum* (Baill.) Becc., 1877 柿葉茶茱萸 Ref. Flora of Taiwan 2nd ed. 3: 676, 1993  
*Nothapodytes nimmoniana* (Graham) Mabblerley, 1980 青脆枝 Ref. 同前

## Order Cornales 山茱萸目

### Family Alangiaceae 八角楓科

*Alangium chinense* (Lour.) Rehder, 1916 華八角楓 Ref. Flora of Taiwan 2nd ed. 3: 977, 1993

### Family Cornaceae 山茱萸科

*Aucuba chinensis* Benth. var. *fongfangshanensis* Liao & al. 1979 鳳凰山珊瑚 Ref. Flora of Taiwan 2nd ed. 3: 981, 1993  
*Aucuba chinensis* Benth., 1979 桃葉珊瑚 Ref. Flora of Taiwan 2nd ed. 3: 979, 1993  
*Aucuba japonica* Thunb., 1783 東瀛珊瑚 Ref. Flora of Taiwan 2nd ed. 3: 981, 1993  
*Benthamidia japonica* (Siebold & Zucc.) H. Hara var. *chinensis* (Osborn) Hara 1948 四照花 Ref. 同前  
*Helwingia japonica* (Thunb.) Dietr. subsp. *formosana* (Kanehira & Sasaki) Hara & Kurosawa 1975 台灣青莢葉 Ref. Flora of Taiwan 2nd ed. 3: 982, 1993

*Swida controversa* (Hemsl.) Sojak, 1960 燈台樹 Ref. 同前  
*Swida macrophylla* (Wall.) Sojak, 1960 椴木 Ref. Flora of Taiwan 2nd ed. 3: 984, 1993

## Order Daphniphyllales 虎皮楠目

### Family Daphniphyllaceae 虎皮楠科

*Daphniphyllum glaucescens* Blume subsp. *oldhamii* (Hemsl.) Huang 1966 奧氏虎皮楠 [特有] Ref. Flora of Taiwan 2nd ed. 3: 505, 1993  
*Daphniphyllum glaucescens* Blume subsp. *oldhamii* var. *kengii* (Hurusawa) Huang 1977 耿氏虎皮楠 [特有] Ref. Flora of Taiwan 2nd ed. 3: 506, 1993  
*Daphniphyllum glaucescens* Blume subsp. *oldhamii* var. *lanyuense* Huang 1992 蘭嶼虎皮楠 [特有] Ref. 同前  
*Daphniphyllum himalaense* Blume subsp. *macropodum* (Miq.) Huang 1966 薄葉虎皮楠 Ref. Flora of Taiwan 2nd ed. 3: 508, 1993

## Order Diapensiales 岩梅目

### Family Diapensiaceae 岩梅科

*Shortia rotundifolia* (Maxim.) Makino var. *transalpina* (Hayata) Yamazaki 1990 高山裂緣花 Ref. Flora of Taiwan 2nd ed. 4: 4, 1998  
*Shortia rotundifolia* (Maxim.) Makino var. *rotundifolia* (Maxim.) Makino 1895 倒卵葉裂緣花 Ref. Flora of Taiwan 2nd ed. 4: 1, 1998  
*Shortia rotundifolia* (Maxim.) Makino var. *subcordata* (Hayata) T. C. Huang & A. Hsiao 1998 圓葉裂緣花 Ref. Flora of Taiwan 2nd ed. 4: 2, 1998  
*Shortia rotundifolia* (Maxim.) Makino var. *ritoensis* (Hayata) T. C. Huang & A. Hsiao 1998 李棟山裂緣花 Ref. 同前

## Order Dipsacales 續斷目

### Family Caprifoliaceae 忍冬科

*Abelia chinensis* R. Br. var. *ionandra* (Hayata) Masam. 1938 臺灣糯米條 [特有] Ref. Flora of Taiwan 2nd ed. 4: 738, 1998  
*Lonicera acuminata* Wall., 1832 阿里山忍冬 Ref. Flora of Taiwan 2nd ed. 4: 740, 1998  
*Lonicera apodantha* Ohwi, 1934 無梗忍冬 [特有] Ref. Flora of Taiwan 2nd ed. 4: 742, 1998  
*Lonicera hypoglauca* Miq., 1866 裡白忍冬 Ref. Flora of Taiwan 2nd ed. 4: 744, 1998  
*Lonicera japonica* Thunb., 1784 忍冬 Ref. 同前  
*Lonicera kawakamii* (Hayata) Masam., 1931 川上氏忍冬 [特有] Ref. Flora of Taiwan 2nd ed. 4: 746, 1998  
*Lonicera macrantha* (D. Don) Spreng., 1827 大花忍冬 Ref. 同前  
*Lonicera oiwakensis* Hayata, 1916 追分忍冬 [特有] Ref. 同前  
*Sambucus chinensis* Lindl., 1826 有骨消 Ref. Flora of Taiwan 2nd ed. 4: 750, 1998  
*Viburnum arboricola* Hayata, 1914 著生珊瑚樹 [特有] Ref. Flora of Taiwan 2nd ed. 4: 752, 1998  
*Viburnum betulifolium* Batal., 1894 樺葉莢蒾 Ref. Flora of Taiwan 2nd ed. 4: 753, 1998  
*Viburnum erosum* Thunb., 1784 松田氏莢蒾 Ref. Flora of Taiwan 2nd ed. 6: 103, 2003  
*Viburnum foetidum* Wall. var. *rectangulatum* (Graebner) Rehder 1908 狹葉莢蒾 Ref. Flora of Taiwan 2nd ed. 4: 754, 1998  
*Viburnum formosanum* Hayata, 1911 紅子莢蒾 Ref. 同前  
*Viburnum integrifolium* Hayata, 1911 玉山糯米樹 [特有] Ref. 同前  
*Viburnum japonicum* (Thunb.) Sprengel, 1825 日本莢蒾 Ref. Flora of Taiwan 2nd ed. 4: 756, 1998  
*Viburnum luzonicum* Rolfe, 1884 呂宋莢蒾 Ref. 同前  
*Viburnum odoratissimum* Ker, 1820 珊瑚樹 Ref. 同前  
*Viburnum parvifolium* Hayata, 1911 小葉莢蒾 [特有] Ref. Flora of Taiwan 2nd ed. 4: 757, 1998  
*Viburnum plicatum* Thunb. var. *formosanum* Y. C. Liu & C. H. Ou 1979 臺灣蝴蝶戲珠花 [特有] Ref. 同前  
*Viburnum propinquum* Hemsl., 1888 高山莢蒾屬 Ref. 同前  
*Viburnum shaerocarpum* Y. C. Liu & C. H. Ou, 1979 球果莢蒾 Ref. Flora of Taiwan 2nd ed. 6: 103, 2003  
*Viburnum sympodioides* Graebner, 1901 假繡球 Ref. Flora of Taiwan 2nd ed. 4: 758, 1998  
*Viburnum taiouense* Hayata, 1911 台灣莢蒾 [特有] Ref. 同前  
*Viburnum urceolatum* Sieb. & Zucc., 1846 壺花莢蒾 Ref. 同前

### Family Dipsacaceae 續斷科

*Scabiosa lacerifolia* Hayata, 1906 玉山山蘿蔔 [特有] Ref. Flora of Taiwan 2nd ed. 4: 773, 1998

### Family Valerianaceae 敗醬科

*Patrinia formosana* Kitam., 1937 台灣敗醬 Ref. Flora of Taiwan 2nd ed. 4: 760, 1998  
*Patrinia glabrifolia* Yamamoto & Sasaki, 1929 禿敗醬 [特有] Ref. Flora of Taiwan 2nd ed. 4: 762, 1998  
*Patrinia scabiosifolia* Fischer ex Trevir., 1820 黃花龍芽草 Ref. 同前  
*Patrinia villosa* (Thunb.) Juss. ex DC., 1830 毛敗醬 Ref. Flora of Taiwan 2nd ed. 4: 765, 1998  
*Triplostegia glandulifera* Wall., 1828 三萼花草 Ref. 同前  
*Valeriana fauriei* Briquet, 1914 纈草 Ref. Flora of Taiwan 2nd ed. 4: 768, 1998  
*Valeriana flaccidissima* Maxim., 1876 嫩莖纈草 Ref. Flora of Taiwan 2nd ed. 4: 770, 1998  
*Valeriana kawakamii* Hayata, 1915 高山纈草 [特有] Ref. 同前

## Order Ebenales 柿樹目

### Family Ebenaceae 柿樹科

*Diospyros eriantha* Champ. ex Benth., 1852 軟毛柿 Ref. Flora of Taiwan 2nd ed. 4: 89, 1998  
*Diospyros ferrea* (Willd.) Bakhuizen, 1933 象牙柿 Ref. 同前  
*Diospyros japonica* Sieb. & Zucc., 1846 山柿 Ref. 同前  
*Diospyros kotoensis* Yamazaki, 1974 蘭嶼柿 [特有] Ref. Flora of Taiwan 2nd ed. 4: 91, 1998  
*Diospyros maritima* Blume, 1825 黃心柿 Ref. 同前  
*Diospyros morrisiana* Hance, 1852 山紅柿 Ref. 同前  
*Diospyros oldhamii* Maxim., 1886 俄氏柿 Ref. Flora of Taiwan 2nd ed. 4: 92, 1998  
*Diospyros philippensis* (Desr.) Gurke, 1891 毛柿 Ref. 同前  
*Diospyros rhombifolia* Hemsl., 1889 菱葉柿 Ref. 同前  
*Diospyros vaccinioides* Lindl., 1825 楓港柿 Ref. Flora of Taiwan 2nd ed. 4: 94, 1998

## Family Sapotaceae 山欖科

- Palaquium formosanum* Hayata, 1911 大葉山欖 Ref. Flora of Taiwan 2nd ed. 4: 83, 1998  
*Planchonella duclitan* (Blanco) Bakh.f., 1963 蘭嶼山欖 Ref. Flora of Taiwan 2nd ed. 4: 85, 1998  
*Pouteria duclitan* (Blanco) Baehni, 1942 Ref. 同前  
*Pouteria obovata* (R. Brown) Baehni, 1890 山欖 Ref. Flora of Taiwan 2nd ed. 4: 86, 1998

## Family Styracaceae 安息香科

- Alniphyllum pterospermum* Matsum., 1901 假赤楊 Ref. Flora of Taiwan 2nd ed. 4: 95, 1998  
*Styrax formosana* Matsum. var. *hayataiana* (Perkins) Li 1963 恒春野茉莉 [特有] Ref. Flora of Taiwan 2nd ed. 4: 97, 1998  
*Styrax formosana* Matsum. var. *formosana* Matsum. 1963 烏皮九芎 [特有] Ref. 同前  
*Styrax japonica* Matsum. var. *kotoensis* (Hayata) Masam. & Suzuki 1939 蘭嶼野茉莉 Ref. Flora of Taiwan 2nd ed. 4: 99, 1998  
*Styrax matsumuraei* Perkins, 1907 台灣野茉莉 [特有] Ref. 同前  
*Styrax suberifolia* Hook. & Arn., 1841 紅皮 Ref. 同前

## Family Symplocaceae 灰木科

- Symplocos acuminata* (Blume) Miq., 1859 大里力灰木 Ref. Flora of Taiwan 2nd ed. 4: 103, 1998  
*Symplocos arisanensis* Hayata, 1911 阿里山灰木 Ref. 同前  
*Symplocos caudata* Wall., 1837 尾葉灰木 Ref. Flora of Taiwan 2nd ed. 4: 104, 1998  
*Symplocos chinensis* (Lour.) Druce, 1917 灰木 Ref. Flora of Taiwan 2nd ed. 4: 105, 1998  
*Symplocos cochinchinensis* (Lour.) S. Moore var. *cochinchinensis* (Lour.) S. Moore 1914 鏽葉灰木 Ref. Flora of Taiwan 2nd ed. 4: 107, 1998  
*Symplocos cochinchinensis* (Lour.) S. Moore var. *philippinensis* (Brand) Noot. 1975 蘭嶼鏽葉灰木 Ref. Flora of Taiwan 2nd ed. 4: 108, 1998  
*Symplocos decora* Hance, 1874 小泉氏灰木 Ref. Flora of Taiwan 2nd ed. 4: 110, 1998  
*Symplocos eriostroma* Hayata, 1915 薄葉灰木 [特有] Ref. Flora of Taiwan 2nd ed. 4: 111, 1998  
*Symplocos formosana* Brand, 1901 台灣灰木 Ref. 同前  
*Symplocos glauca* (Thunb.) Koidz., 1925 山羊耳 Ref. Flora of Taiwan 2nd ed. 4: 112, 1998  
*Symplocos glomerata* subsp. *congesta* (Benth.) King ex Clarke 1861 楊桐葉灰木 Ref. Flora of Taiwan 2nd ed. 4: 108, 1998  
*Symplocos grandis* Hand.-Mazz., 1943 大葉灰木 Ref. Flora of Taiwan 2nd ed. 4: 114, 1998  
*Symplocos heishanensis* Hayata, 1915 平遮那灰木 Ref. 同前  
*Symplocos konishii* Hayata, 1915 小西氏灰木 Ref. Flora of Taiwan 2nd ed. 4: 115, 1998  
*Symplocos koshunensis* Kaneh., 1930 恆春灰木 [特有] Ref. Flora of Taiwan 2nd ed. 4: 116, 1998  
*Symplocos migoi* Nagam., 1998 擬日本灰木 [特有] Ref. 同前  
*Symplocos modesta* Brand, 1901 小葉白筆 [特有] Ref. Flora of Taiwan 2nd ed. 4: 117, 1998  
*Symplocos morrisonicola* Hayata, 1908 玉山灰木 [特有] Ref. Flora of Taiwan 2nd ed. 4: 119, 1998  
*Symplocos nokoensis* (Hayata) Kanehira, 1921 能高山灰木 [特有] Ref. Flora of Taiwan 2nd ed. 4: 121, 1998  
*Symplocos sasakii* Hayata, 1915 佐佐木氏灰木 [特有] Ref. Flora of Taiwan 2nd ed. 4: 122, 1998  
*Symplocos setchuensis* Brand, 1900 四川灰木 Ref. 同前  
*Symplocos shilanensis* Y. C. Liu & F. Y. Lu, 1977 希蘭灰木 [特有] Ref. Flora of Taiwan 2nd ed. 4: 123, 1998  
*Symplocos sonoharae* var. *sonoharae* Koidz. 1928 南嶺灰木 Ref. 同前  
*Symplocos stellaris* Brand, 1900 枇杷葉灰木 Ref. Flora of Taiwan 2nd ed. 4: 124, 1998  
*Symplocos theophrastifolia* Sieb. & Zucc., 1846 山豬肝 Ref. Flora of Taiwan 2nd ed. 4: 125, 1998  
*Symplocos trichoclada* Hayata, 1915 褐毛灰木 Ref. Flora of Taiwan 2nd ed. 4: 126, 1998  
*Symplocos wikstroemiifolia* Hayata, 1915 月桂葉灰木 Ref. 同前

## Order Ericales 杜鵑花目

### Family Ericaceae 杜鵑花科

- Enkianthus perulatus* Schneider, 1911 台灣吊鐘花 Ref. Flora of Taiwan 2nd ed. 4: 17, 1998  
*Gaultheria cumingiana* Vidal, 1885 白珠樹 Ref. Flora of Taiwan 2nd ed. 4: 18, 1998  
*Gaultheria itoana* Hayata, 1906 高山白珠樹 Ref. 同前  
*Lyonia ovalifolia* (Wall.) Drude var. *ovalifolia* (Wall.) Drude 1889 南燭 [特有] Ref. Flora of Taiwan 2nd ed. 4: 20, 1998  
*Lyonia ovalifolia* (Wall.) Drude var. *lanceolata* (Wall.) Hand.-Mazz. 1938 銳葉南燭 [特有] Ref. 同前  
*Pieris taiwanensis* Hayata, 1911 台灣馬醉木 Ref. Flora of Taiwan 2nd ed. 4: 22, 1998  
*Rhododendron breviperulatum* Hayata, 1913 南澳杜鵑 [特有] Ref. Flora of Taiwan 2nd ed. 4: 24, 1998  
*Rhododendron chilanshanense* Kurashige, 1999 棲蘭山杜鵑 [特有] Ref. Flora of Taiwan 2nd ed. 6: 85, 2003  
*Rhododendron ellipticum* Maxim., 1888 西施花 Ref. Flora of Taiwan 2nd ed. 4: 25, 1998  
*Rhododendron formosanum* Hemsl., 1895 台灣杜鵑 [特有] Ref. 同前  
*Rhododendron hyperythrum* Hayata, 1913 南湖杜鵑 [特有] Ref. 同前  
*Rhododendron kanehirai* Wilson, 1921 烏來杜鵑 [特有] Ref. Flora of Taiwan 2nd ed. 4: 27, 1998  
*Rhododendron kawakamii* Hayata, 1911 著生杜鵑 [特有] Ref. 同前  
*Rhododendron leptosantherum* Hayata, 1915 西施花 Ref. Flora of Taiwan 2nd ed. 6: 85, 2003  
*Rhododendron mariesii* Hemsl. & Wilson, 1907 守城滿山紅 Ref. Flora of Taiwan 2nd ed. 4: 27, 1998  
*Rhododendron noriakianum* T. Suzuki, 1935 細葉杜鵑 [特有] Ref. Flora of Taiwan 2nd ed. 4: 29, 1998  
*Rhododendron oldhamii* Maxim., 1870 金毛杜鵑 [特有] Ref. 同前  
*Rhododendron ovatum* Planch. var. *lamprophyllum* (Hayata) Y. C. Liu, F. Y. Lu & C. H. Ou, 1994 長卵葉馬銀花 [特有] Ref. Flora of Taiwan 2nd ed. 4: 31, 1998  
*Rhododendron ovatum* Planch. var. *ovatum* Planch. 1854 馬銀花 [特有] Ref. Flora of Taiwan 2nd ed. 4: 29, 1998  
*Rhododendron pseudochrysantherum* Hayata, 1908 玉山杜鵑 [特有] Ref. Flora of Taiwan 2nd ed. 4: 31, 1998  
*Rhododendron rubropilosum* Hayata var. *taiwanalpinum* (Ohwi) S. Y. Lu, Yuen P. Yang & Y. H. Tseng, 1998 台灣高山杜鵑 [特有] Ref. Flora of Taiwan 2nd ed. 4: 32, 1998  
*Rhododendron rubropilosum* Hayata var. *rubropilosum* Hayata 1911 紅毛杜鵑 [特有] Ref. 同前  
*Rhododendron simsii* Planch., 1854 唐杜鵑 Ref. 同前

*Vaccinium bracteatum* Thunb., 1784 米飯花 Ref. Flora of Taiwan 2nd ed. 4: 33, 1998  
*Vaccinium dunalianum* Wight var. *caudatifolium* (Hayata) H. L. Li 1963 珍珠花 Ref. Flora of Taiwan 2nd ed. 4: 35, 1998  
*Vaccinium emarginatum* Hayata, 1908 凹葉越橘 [特有] Ref. 同前  
*Vaccinium japonicum* Miq. var. *lasiostemon* Hayata 1911 毛蕊花 Ref. 同前  
*Vaccinium kengii* C. E. Chang, 1969 鞍馬山越橘 [特有] Ref. Flora of Taiwan 2nd ed. 4: 38, 1998  
*Vaccinium merrillianum* Hayata, 1908 高山越橘 [特有] Ref. 同前  
*Vaccinium randaiense* Hayata, 1911 巒大越橘 [特有] Ref. 同前  
*Vaccinium wrightii* Gray var. *formosanum* (Hayata) H. L. Li 1963 台灣大葉越橘 [特有] Ref. Flora of Taiwan 2nd ed. 4: 39, 1998  
*Vaccinium wrightii* Gray var. *wrightii* Gray 1859 大葉越橘 [特有] Ref. 同前

### Family Pyrolaceae 鹿蹄草科

*Cheilothea humilis* (D. Don) H. Keng, 1974 水晶蘭 Ref. Flora of Taiwan 2nd ed. 4: 5, 1998  
*Cheilothea macrocarpa* (H. Andres) Y. L. Chou, 1981 阿里山水晶蘭 Ref. Flora of Taiwan 2nd ed. 4: 6, 1998  
*Chimaphila japonica* Miq., 1866 日本愛冬葉 Ref. 同前  
*Chimaphila monticola* H. Andr., 1924 台灣愛冬葉 Ref. Flora of Taiwan 2nd ed. 4: 8, 1998  
*Moneses uniflora* (L.) A. Gray, 1848 單花鹿蹄草 Ref. 同前  
*Monotropa hypopithys* L., 1753 錫杖花 Ref. Flora of Taiwan 2nd ed. 4: 10, 1998  
*Monotropa uniflora* L., 1753 單花錫杖花 Ref. 同前  
*Pyrola albo-reticulata* Hayata, 1913 斑紋鹿蹄草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 13, 1998  
*Pyrola japonica* Klenze ex Alef., 1856 日本鹿蹄草 Ref. 同前  
*Pyrola morrisonensis* (Hayata) Hayata, 1908 玉山鹿蹄草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 15, 1998

## Order Euphorbiales 大戟目

### Family Buxaceae 黃楊科

*Buxus liukuensis* Makino, 1902 琉球黃楊 [特有] Ref. Flora of Taiwan 2nd ed. 3: 666, 1993  
*Buxus microphylla* Siebold & Zucc. subsp. *sinica* (Rehd. & Wils.) Hatusima 1942 黃楊 [特有] Ref. Flora of Taiwan 2nd ed. 3: 668, 1993  
*Pachysandra axillaris* Fr. Pl. Delav., 1889 三角咪草 Ref. Flora of Taiwan 2nd ed. 3: 671, 1993  
*Sarcococca saligna* (Don.) Muell.-Arg., 1869 柳狀野扇花 Ref. 同前

### Family Euphorbiaceae 大戟科

*Acalypha akoensis* Hayata, 1911 屏東鐵莧 [特有] Ref. Flora of Taiwan 2nd ed. 3: 416, 1993  
*Acalypha angatensis* Blanco, 1837 台灣鐵莧 Ref. 同前  
*Acalypha australis* L., 1753 鐵莧菜 Ref. 同前  
*Acalypha brachystachya* Hornem., 1807 短序鐵莧菜 Ref. Flora of Taiwan 2nd ed. 3: 419, 1993  
*Acalypha caturus* Bl., 1825 蘭嶼鐵莧 Ref. 同前  
*Acalypha hontauyuensis* Keng, 1951 紅頭鐵莧 [特有] Ref. 同前  
*Acalypha indica* var. *indica* L., 1991 印度鐵莧 [特有] Ref. Flora of Taiwan 2nd ed. 3: 421, 1993  
*Acalypha indica* L., 1991 var. *minima* (Keng) Huang & Huang 1991 小葉鐵莧 [特有] Ref. 同前  
*Acalypha longi-acuminata* Hayata, 1920 尖尾鐵莧 [特有] Ref. 同前  
*Acalypha matudae* Hayata, 1920 恆春鐵莧 Ref. 同前  
*Acalypha suirensiensis* Yamamoto, 1933 花蓮鐵莧 [特有] Ref. Flora of Taiwan 2nd ed. 3: 422, 1993  
*Alchornea trewioides* (Benth.) Mull. Arg. var. *formosae* (Muell.-Arg.) Pax 1914 台灣山麻桿 [特有] Ref. 同前  
*Antidesma hiiranense* Hayata, 1920 南仁五月茶 [特有] Ref. Flora of Taiwan 2nd ed. 3: 424, 1993  
*Antidesma japonicum* Siebold & Zucc. var. *acutisepalum* (Hayata) Hurusawa 1977 南投五月茶 [特有] Ref. 同前  
*Antidesma japonicum* Siebold & Zucc. var. *densiflorum* Hurusawa 1977 密花五月茶 [特有] Ref. 同前  
*Antidesma pentandrum* Siebold & Zucc. var. *barbatum* Merr. 1914 枯里珍 Ref. Flora of Taiwan 2nd ed. 3: 426, 1993  
*Bischofia javanica* Bl., 1825 茄冬 Ref. 同前  
*Breynia officinalis* Hemsley var. *accrescens* M. J. Deng & J. C. Wang 1993 小紅仔珠 Ref. Flora of Taiwan 2nd ed. 3: 430, 1993  
*Breynia officinalis* var. *officinalis* Hemsley, 1993 紅仔珠 Ref. Flora of Taiwan 2nd ed. 3: 428, 1993  
*Bridelia balansae* Tutch., 1905 刺杜密 Ref. Flora of Taiwan 2nd ed. 3: 430, 1993  
*Bridelia tomentosa* Blume, 1825 土密樹 Ref. 同前  
*Chamaesyce atoto* (Forst. f.) Croizat, 1936 濱大戟 Ref. Flora of Taiwan 2nd ed. 3: 433, 1993  
*Chamaesyce garanbiensis* (Hayata) Hara, 1938 鵝鑾鼻大戟 [特有] Ref. 同前  
*Chamaesyce hirta* (L.) Millsp., 1909 飛揚草 Ref. Flora of Taiwan 2nd ed. 3: 436, 1993  
*Chamaesyce hsinchuensis* Lin & Chaw, 1991 新竹地錦 [特有] Ref. 同前  
*Chamaesyce hypericifolia* (L.) Millsp., 1909 假紫斑大戟 Ref. Taiwania 49(2): 102, 2004  
*Chamaesyce hyssopifolia* (L.) Small, 1905 紫斑大戟 Ref. Flora of Taiwan 2nd ed. 3: 439, 1993  
*Chamaesyce maculata* (L.) Small, 1903 斑地錦 Ref. 同前  
*Chamaesyce makinoi* (Hayata) Hara, 1938 小葉大戟 Ref. Flora of Taiwan 2nd ed. 3: 442, 1993  
*Chamaesyce prostrata* (Ait.) Small, 1903 伏生大戟 Ref. 同前  
*Chamaesyce serpens* (H. B. & K.) Small, 1903 匍根大戟 Ref. Flora of Taiwan 2nd ed. 3: 445, 1993  
*Chamaesyce sparrmannii* (Boiss.) Hurusawa, 1954 心葉大戟 Ref. 同前  
*Chamaesyce taihsiensis* Chaw & Koutnik, 1990 台西大戟 [特有] Ref. 同前  
*Chamaesyce tashiroi* (Hayata) Hara, 1938 田代氏大戟 [特有] Ref. Flora of Taiwan 2nd ed. 3: 448, 1993  
*Chamaesyce thymifolia* (L.) Millsp., 1916 千根草 Ref. 同前  
*Chamaesyce vachellii* (Hook. & Arn.) Hurusawa, 1954 華南大戟 Ref. Flora of Taiwan 2nd ed. 3: 451, 1993  
*Claoxyton brachyandrum* Pax & Hoffm., 1914 假鐵莧 Ref. 同前  
*Croton bonplandianus* Baillon, 1864 波氏巴豆 Ref. Endemic Sp. Res. 8(1): 77, 2006  
*Croton cascarilloides* Raensch., 1797 裏白巴豆 Ref. Flora of Taiwan 2nd ed. 3: 454, 1993  
*Croton tiglium* L., 1753 巴豆 Ref. 同前  
*Drypetes karapinensis* (Hayata) Pax, 1922 交力坪鐵色 [特有] Ref. Flora of Taiwan 2nd ed. 3: 456, 1993  
*Drypetes littoralis* (C. B. Rob.) Merr., 1926 鐵色 Ref. 同前  
*Euphorbia cyathophora* Murr., 1786 猩猩草 Ref. Flora of Taiwan 2nd ed. 3: 458, 1993

- Euphorbia formosana* Hayata, 1911 台灣大戟 [特有] Ref. Flora of Taiwan 2nd ed. 3: 460, 1993  
*Euphorbia graminea* Jacquin, 1763 禾葉大戟 Ref. Taiwania 50(3): 131, 2005  
*Euphorbia heterophylla* L., 1753 白苞猩猩草 Ref. Flora of Taiwan 2nd ed. 3: 460, 1993  
*Euphorbia jolkini* Boiss., 1860 岩大戟 Ref. Flora of Taiwan 2nd ed. 3: 463, 1993  
*Euphorbia peplus* L., 1753 葶艾類大戟 Ref. 同前  
*Euphorbia shouanensis* Keng, 1951 霞山大戟 [特有] Ref. Flora of Taiwan 2nd ed. 3: 466, 1993  
*Euphorbia tarokoensis* Hayata, 1918 太魯閣大戟 [特有] Ref. 同前  
*Euphorbia tirucalli* L., 1753 綠珊瑚 Ref. Flora of Taiwan 2nd ed. 3: 469, 1993  
*Excoecaria agallocha* L., 1789 土沉香 Ref. 同前  
*Excoecaria formosana* (Hayata) Hayata, 1913 台灣土沉香 Ref. Flora of Taiwan 2nd ed. 3: 470, 1993  
*Excoecaria kawakamii* Hayata, 1913 蘭嶼土沉香 [特有] Ref. 同前  
*Flueggea suffruticosa* (Pallas) Baillon, 1858 白飯樹 Ref. Flora of Taiwan 2nd ed. 3: 472, 1993  
*Flueggea virosa* (Roxb. ex Willd.) Voigt, 1845 密花白飯樹 Ref. 同前  
*Gelonium aequoreum* Hance, 1866 白樹仔 [特有] Ref. Flora of Taiwan 2nd ed. 3: 474, 1993  
*Glochidion acuminatum* Muell.-Arg., 1863 裏白饅頭果 Ref. Flora of Taiwan 2nd ed. 3: 476, 1993  
*Glochidion philippicum* (Cavan.) C. B. Rob., 1909 菲律賓饅頭果 Ref. 同前  
*Glochidion puberum* (L.) Hutchinson, 1916 紅毛饅頭果 Ref. Flora of Taiwan 2nd ed. 3: 477, 1993  
*Glochidion rubrum* Bl., 1825 細葉饅頭果 Ref. 同前  
*Glochidion zeylanicum* (Gaertn.) A. Juss., 1824 錫蘭饅頭果 Ref. Flora of Taiwan 2nd ed. 3: 480, 1993  
*Glochidion zeylanicum* (Gaertn.) A. Juss. var. *lanceolatum* (Hayata) M. J. Deng & J. C. Wang 1993 披針葉饅頭果 Ref. 同前  
*Glochidion zeylanicum* (Gaertn.) A. Juss. var. *tomentosum* Trim. 1885 赤血仔 Ref. 同前  
*Homonoia riparia* Lour., 1790 水楊梅 Ref. Flora of Taiwan 2nd ed. 3: 482, 1993  
*Liodendron formosanum* (Kanehira & Sasaki) Keng, 1951 台灣假黃楊 [特有] Ref. 同前  
*Macaranga sinensis* Muell.-Arg., 1866 紅肉橙蘭 Ref. Flora of Taiwan 2nd ed. 3: 484, 1993  
*Macaranga tanarius* (L.) Muell.-Arg., 1866 血桐 Ref. 同前  
*Mallotus japonicus* (Thunb.) Muell.-Arg., 1865 野桐 Ref. Flora of Taiwan 2nd ed. 3: 486, 1993  
*Mallotus paniculatus* (Lam.) Muell.-Arg. var. *formosanus* (Hayata) Hurusawa 1954 台灣白匏子 [特有] Ref. Flora of Taiwan 2nd ed. 3: 487, 1993  
*Mallotus paniculatus* (Lam.) Muell.-Arg., 1865 白匏子 [特有] Ref. 同前  
*Mallotus philippensis* (Lam.) Muell.-Arg., 1865 粗糠柴 Ref. 同前  
*Mallotus repandus* (Willd.) Muell.-Arg., 1865 扛香藤 Ref. Flora of Taiwan 2nd ed. 3: 489, 1993  
*Mallotus tiliaefolius* (Bl.) Muell.-Arg., 1865 椴葉野桐 Ref. 同前  
*Margaritaria indica* (Dalz.) Airy Shaw, 1966 紫黃 Ref. Flora of Taiwan 2nd ed. 3: 490, 1993  
*Melanolepis multiglandulosa* (Reinw.) Reich. f. & Zoll., 1856 蟲屎 Ref. 同前  
*Mercurialis leiocarpa* Sieb. & Zucc., 1845 山靛 Ref. Flora of Taiwan 2nd ed. 3: 492, 1993  
*Omalanthus fastuosus* F.-Vill., 1880 圓葉血桐 Ref. 同前  
*Phyllanthus amarus* Schum. & Thonn., 1829 小返魂 Ref. Flora of Taiwan 2nd ed. 3: 495, 1993  
*Phyllanthus debilis* Klein ex Willd., 1804 銳葉小還魂 Ref. Flora of Taiwan 2nd ed. 6: 70, 2003  
*Phyllanthus embergeri* Haic. & Rossign., 1978 擬葉下珠 Ref. 同前  
*Phyllanthus hookeri* Mull., 1863 疣果葉下珠 Ref. 同前  
*Phyllanthus multiflorus* Willd., 1804 多花油柑 Ref. Flora of Taiwan 2nd ed. 3: 496, 1993  
*Phyllanthus oligospermus* Hayata, 1920 新竹油柑 [特有] Ref. 同前  
*Phyllanthus tenellus* Roxb., 1832 五蕊油柑 Ref. Flora of Taiwan 2nd ed. 6: 70, 2003  
*Phyllanthus urinaria* L. subsp. *nudicarpus* Rossign. 1978 光果葉下珠 Ref. 同前  
*Phyllanthus urinaria* L., 1753 葉下珠 Ref. Flora of Taiwan 2nd ed. 3: 498, 1993  
*Phyllanthus ussuriensis* Rupr. & Maxim., 1857 密甘草 Ref. Flora of Taiwan 2nd ed. 6: 70, 2003  
*Ricinus communis* L., 1753 蓖麻 Ref. Flora of Taiwan 2nd ed. 3: 500, 1993  
*Sapium discolor* Muell.-Arg., 1863 白白 Ref. 同前  
*Sapium sebiferum* (L.) Roxb., 1832 烏白 Ref. Flora of Taiwan 2nd ed. 3: 501, 1993  
*Synstemon bacciformis* (L.) Webster, 1960 假葉下珠 Ref. 同前

## Order Fabales 蠶豆目

### Family Leguminosae 豆科

- Abrus precatorius* L., 1767 雞母珠 Ref. Flora of Taiwan 2nd ed. 3: 190, 1993  
*Acacia caesia* (L.) Willd., 1806 藤相思樹 Ref. Flora of Taiwan 2nd ed. 3: 161, 1993  
*Acacia confusa* Merr., 1910 相思樹 Ref. Flora of Taiwan 2nd ed. 3: 162, 1993  
*Acacia farnesiana* (L.) Willd., 1806 金合歡 Ref. 同前  
*Aeschynomene americana* L., 1753 敏感合萌 Ref. Flora of Taiwan 2nd ed. 3: 192, 1993  
*Aeschynomene indica* L., 1753 合萌 Ref. 同前  
*Albizia julibrissin* Durazz., 1772 合歡 Ref. Flora of Taiwan 2nd ed. 3: 164, 1993  
*Albizia kalkora* (Roxb.) Prain, 1987 山合歡 Ref. 同前  
*Albizia lebbek* (L.) Benth., 1844 大葉合歡 Ref. 同前  
*Albizia procera* (Roxb.) Benth., 1844 黃豆樹 Ref. Flora of Taiwan 2nd ed. 3: 165, 1993  
*Albizia retusa* Benth., 1844 蘭嶼合歡 Ref. 同前  
*Alysicarpus bupleurifolius* (L.) DC., 1825 長葉煉莢豆 Ref. Flora of Taiwan 2nd ed. 3: 194, 1993  
*Alysicarpus ovalifolius* (Schum.) J. Leonard, 1954 圓葉煉莢豆 Ref. 同前  
*Alysicarpus rugosus* (Willd.) DC., 1825 皺果煉莢豆 Ref. 同前  
*Alysicarpus vaginalis* (L.) DC. var. *taiwanensis* Ying 1987 黃花煉莢豆 [特有] Ref. Flora of Taiwan 2nd ed. 3: 196, 1993  
*Alysicarpus vaginalis* (L.) DC., 1825 煉莢豆 [特有] Ref. 同前  
*Amphicarpaea bracteata* (L.) Fernald subsp. *edgeworthii* var. *japonica* (Oliver) Ohashi 1966 野毛扁豆 Ref. Flora of Taiwan 2nd ed. 3: 198, 1993  
*Apios taiwanianus* Hosokawa, 1932 台灣土圞兒 [特有] Ref. 同前

*Arachis hypogea* L., 1753 落花生 Ref. Flora of Taiwan 2nd ed. 3: 201, 1993  
*Archidendron lucidum* (Benth.) I. Nielsen, 1979 頷垂豆 Ref. Flora of Taiwan 2nd ed. 3: 165, 1993  
*Astragalus nankotaizanensis* Sasaki, 1931 南湖大山紫雲英 [特有] Ref. Flora of Taiwan 2nd ed. 3: 201, 1993  
*Astragalus nokoensis* Sasaki, 1931 能高大山紫雲英 [特有] Ref. Flora of Taiwan 2nd ed. 3: 202, 1993  
*Astragalus sinicus* L., 1767 紫雲英 Ref. 同前  
*Bauhinia championii* (Benth.) Benth., 1861 菊花木 Ref. Flora of Taiwan 2nd ed. 3: 175, 1993  
*Bauhinia purpurea* L., 1753 羊蹄甲 Ref. 同前  
*Bauhinia variegata* L., 1753 白花羊紫荊 Ref. 同前  
*Caesalpinia bonduc* (L.) Roxb., 1832 老虎心 Ref. Flora of Taiwan 2nd ed. 3: 177, 1993  
*Caesalpinia crista* L., 1753 搭肉刺 Ref. 同前  
*Caesalpinia decapetala* (Roth.) Alston, 1931 雲實 Ref. 同前  
*Caesalpinia minax* Hance, 1884 蓮實藤 Ref. Flora of Taiwan 2nd ed. 3: 179, 1993  
*Cajanus cajan* (L.) Millsp., 1900 木豆 Ref. Flora of Taiwan 2nd ed. 3: 202, 1993  
*Cajanus scarabaeoides* (L.) du Petit-Thouars, 1817 蔓蟲豆 Ref. Flora of Taiwan 2nd ed. 3: 205, 1993  
*Callerya nitida* (Benth.) R. Geesink, 1984 光葉魚藤 Ref. Flora of Taiwan 2nd ed. 6: 63, 2003  
*Callerya reticulata* (Benth.) Schot, 1994 老荊藤 Ref. 同前  
*Calopogonium mucunoides* Desv., 1826 擬大豆 Ref. Flora of Taiwan 2nd ed. 3: 205, 1993  
*Campylotropis giraldii* (Schindl.) Schindl., 1912 彎龍骨 Ref. Flora of Taiwan 2nd ed. 3: 208, 1993  
*Canavalia cathartica* Thou., 1813 小果刀豆 Ref. Flora of Taiwan 2nd ed. 3: 210, 1993  
*Canavalia ensiformis* (L.) DC., 1825 關刀豆 Ref. 同前  
*Canavalia lineata* (Thunb. ex Murray) DC., 1825 肥豬豆 Ref. 同前  
*Canavalia rosea* (Sw.) DC., 1825 濱刀豆 Ref. 同前  
*Cassia sophora* L. var. *penguana* Y. C. Liu & F. Y. Lu 澎湖決明 [特有] Ref. Flora of Taiwan 2nd ed. 6: 63, 2003  
*Centrosema pubescens* Benth., 1838 山珠豆 Ref. Flora of Taiwan 2nd ed. 3: 211, 1993  
*Chamaecrista garambiensis* (Hosok.) Ohashi, 1988 鵝鑾鼻決明 [特有] Ref. Flora of Taiwan 2nd ed. 3: 180, 1993  
*Chamaecrista mimosoides* (L.) Green, 1901 假含羞草 Ref. 同前  
*Chamaecrista nictitans* (L.) Moench subsp. *Patellaria* var. *glabrata* (Vagel) Irwin & Barneby 1982 大葉假含羞草 Ref. 同前  
*Chamaecrista nomame* (Sieb.) Ohashi, 1989 豆茶決明 Ref. 同前  
*Christia campanulata* (Benth.) Thoth., 1963 蝙蝠草 Ref. Flora of Taiwan 2nd ed. 3: 211, 1993  
*Christia obcordata* (Poir.) Bakh. f. ex van Meeuwen, 1961 鋪地蝙蝠草 Ref. Flora of Taiwan 2nd ed. 3: 214, 1993  
*Clitoria falcata* Lam., 1786 鐮刀莢蝶豆 Ref. Flora of Taiwan 2nd ed. 3: 215, 1993  
*Clitoria ternatea* L., 1753 蝶豆 Ref. 同前  
*Codariocalyx motorius* (Houtt.) Ohashi, 1973 鐘萼豆 Ref. 同前  
*Crotalaria acicularis* Buch.-Ham. ex Benth., 1843 圓葉野百合 Ref. Flora of Taiwan 2nd ed. 3: 220, 1993  
*Crotalaria albida* Heyne ex Roth, 1821 響鈴豆 Ref. 同前  
*Crotalaria bialata* Schrank, 1819 翼莖野百合 Ref. Flora of Taiwan 2nd ed. 3: 221, 1993  
*Crotalaria calycina* Schrank., 1819 長萼野百合 Ref. 同前  
*Crotalaria chiayiana* Liu & Lu, 1979 紅花假地藍 [特有] Ref. 同前  
*Crotalaria chinensis* L., 1759 華野百合 Ref. Flora of Taiwan 2nd ed. 3: 224, 1993  
*Crotalaria elliptica* Roxb., 1832 雙子野百合 Ref. 同前  
*Crotalaria ferruginea* Grah. ex Benth., 1843 假地藍 Ref. 同前  
*Crotalaria incana* L., 1753 恆春野百合 Ref. Flora of Taiwan 2nd ed. 3: 228, 1993  
*Crotalaria linifolia* L. f., 1781 線葉野百合 Ref. 同前  
*Crotalaria medicaginea* Lam., 1786 假苜蓿 Ref. 同前  
*Crotalaria micans* Link, 1822 黃豬屎豆 Ref. 同前  
*Crotalaria pallida* Ait., 1789 黃野百合 Ref. Flora of Taiwan 2nd ed. 3: 232, 1993  
*Crotalaria retusa* L., 1753 凹葉野百合 Ref. 同前  
*Crotalaria sessiliflora* L., 1753 野百合 Ref. 同前  
*Crotalaria similis* Hemsl., 1852 鵝鑾鼻野百合 [特有] Ref. Flora of Taiwan 2nd ed. 3: 236, 1993  
*Crotalaria spectabilis* Roth, 1821 紫花野百合 Ref. 同前  
*Crotalaria triquetra* Dalzell, 1850 砂地野百合 Ref. 同前  
*Crotalaria verrucosa* L., 1753 大葉野百合 Ref. 同前  
*Crotalaria zanzibarica* Benth., 1843 南美豬屎豆 Ref. Flora of Taiwan 2nd ed. 3: 239, 1993  
*Dalbergia benthamii* Prain, 1898 藤黃檀 Ref. 同前  
*Dalbergia sissoo* DC., 1825 印度黃檀 Ref. Flora of Taiwan 2nd ed. 3: 242, 1993  
*Dendrolobium dispernum* (Hay.) Schindl., 1926 雙節山螞蝗 [特有] Ref. 同前  
*Dendrolobium triangulare* (Retz.) Schindl., 1924 假木豆 Ref. Flora of Taiwan 2nd ed. 3: 244, 1993  
*Dendrolobium umbellatum* (L.) Benth., 1852 白木蘇花 Ref. 同前  
*Derris canarensis* (Dalzell) Baker, 1876 蘭嶼魚藤 Ref. Flora of Taiwan 2nd ed. 6: 64, 2003  
*Derris laxiflora* Benth., 1860 疏花魚藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 247, 1993  
*Derris oblonga* Benth., 1860 Ref. 同前  
*Derris trifoliata* Lour., 1790 三葉魚藤 Ref. 同前  
*Desmanthus virgatus* (L.) Willd., 1806 多枝草合歡 Ref. Flora of Taiwan 2nd ed. 3: 168, 1993  
*Desmodium diffusum* DC., 1825 散花山螞蝗 Ref. Flora of Taiwan 2nd ed. 3: 252, 1993  
*Desmodium gangeticum* (L.) DC., 1825 大葉山螞蝗 Ref. Flora of Taiwan 2nd ed. 3: 253, 1993  
*Desmodium gracillimum* Hemsl., 1895 細葉山螞蝗 [特有] Ref. 同前  
*Desmodium heterocarpon* (L.) DC. var. *strigosum* Meeuwen 1825 直毛假地豆 Ref. Flora of Taiwan 2nd ed. 3: 255, 1993  
*Desmodium heterocarpon* (L.) DC., 1825 假地豆 Ref. 同前  
*Desmodium heterophyllum* (Willd.) DC., 1825 變葉山螞蝗 Ref. 同前  
*Desmodium intortum* (DC.) Urb., 1920 西班牙三葉草 Ref. Flora of Taiwan 2nd ed. 3: 256, 1993  
*Desmodium laxiflorum* DC., 1825 疏花山螞蝗 Ref. 同前  
*Desmodium microphyllum* (Thunb. ex Murray) DC., 1825 小葉山螞蝗 Ref. Flora of Taiwan 2nd ed. 3: 259, 1993

*Desmodium multiflorum* DC., 1825 多花山螞蝗 Ref. 同前  
*Desmodium renifolium* (L.) Schindl., 1926 腎葉山螞蝗 Ref. Flora of Taiwan 2nd ed. 3: 262, 1993  
*Desmodium scorpiurus* (SW.) Desv., 1813 蝦尾山螞蝗 Ref. Flora of Taiwan 2nd ed. 3: 265, 1993  
*Desmodium sequax* Wall., 1832 波葉山螞蝗 Ref. 同前  
*Desmodium triflorum* (L.) DC., 1825 蠅翼草 Ref. Flora of Taiwan 2nd ed. 3: 268, 1993  
*Desmodium velutinum* (Willd.) DC., 1825 絨毛葉山螞蝗 Ref. 同前  
*Desmodium zonatum* Miq., 1855 單葉拿身草 Ref. 同前  
*Dolichos trilobus* L. var. *kosyunensis* (Hosokawa) Ohashi & Tateishi 1977 三裂葉扁豆 [特有] Ref. Flora of Taiwan 2nd ed. 3: 270, 1993  
*Dumasia miaoliensis* Y. C. Liu & F. Y. Lu, 1977 苗栗野豇豆 [特有] Ref. Flora of Taiwan 2nd ed. 3: 272, 1993  
*Dumasia miaoliensis* Y. C. Liu & F. Y. Lu subsp. *bicolor* (Hayata) Ohashi & Tateishi 1984 [特有] Ref. 同前  
*Dumasia villosa* DC. subsp. *bicolor* (Hayata) Ohashi & Tateishi 1984 台灣山黑扁豆 [特有] Ref. 同前  
*Dunbaria merrillii* Elmer, 1907 麥氏野扁豆 Ref. Flora of Taiwan 2nd ed. 3: 275, 1993  
*Dunbaria rotundifolia* (Lour.) Merr., 1919 圓葉野扁豆 Ref. 同前  
*Dunbaria villosa* (Thunb.) Makino, 1902 毛野扁豆 Ref. Flora of Taiwan 2nd ed. 6: 64, 2003  
*Dysolobium pilosum* (Willd.) Marechal, 1977 毛豇豆 Ref. Flora of Taiwan 2nd ed. 3: 275, 1993  
*Entada parvifolia* Merr., 1908 恆春鴨跖藤 Ref. Flora of Taiwan 2nd ed. 3: 169, 1993  
*Entada phaseoloides* (L.) Merr., 1914 檣藤子 Ref. 同前  
*Entada pursaetha* DC., 1825 鴨跖藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 171, 1993  
*Entada pursaetha* DC. var. *formosana* (Kanehira) Ho 1985 台灣鴨跖藤 [特有] Ref. 同前  
*Eriosema chinense* Vogel, 1843 豬仔笠 Ref. Flora of Taiwan 2nd ed. 3: 279, 1993  
*Erythrina variegata* L., 1754 刺桐 Ref. 同前  
*Euchresta formosana* (Hayata) Ohwi, 1936 台灣山豆根 Ref. Flora of Taiwan 2nd ed. 3: 281, 1993  
*Flemingia lineata* (L.) Roxb., 1832 線葉佛來明豆 Ref. Flora of Taiwan 2nd ed. 3: 284, 1993  
*Flemingia macrophylla* (Willd.) O. Ktze. ex Prain, 1897 大葉佛來明豆 Ref. 同前  
*Flemingia macrophylla* (Willd.) O. Ktze. ex Prain var. *philippinensis* (Merr. & Rofle) H. Ohashi 2001 菲島佛來明豆 Ref. 同前  
*Flemingia strobilifera* (L.) R. Brown ex Ait., 1812 佛來明豆 Ref. 同前  
*Galactia tashiroi* Maxim., 1886 田代氏乳豆 Ref. Flora of Taiwan 2nd ed. 3: 288, 1993  
*Galactia tenuiflora* (Klein ex Willd.) Wight & Arn., 1834 var. *tenuiflora* (Klein ex Willd.) Wight & Arn. 1834 細花乳豆 [特有] Ref. Flora of Taiwan 2nd ed. 3: 290, 1993  
*Galactia tenuiflora* (Klein ex Willd.) Wight & Arn. var. *villosa* (Wight & Arn.) Baker 1859 毛細花乳豆 [特有] Ref. 同前  
*Gleditsia rolfei* Vidal, 1886 恆春皂莢 [特有] Ref. Flora of Taiwan 2nd ed. 3: 182, 1993  
*Glycine dolichocarpa* Tateishi & Ohashi, 1991 扁豆莢大豆 [特有] Ref. Flora of Taiwan 2nd ed. 3: 291, 1993  
*Glycine max* (L.) Merr. subsp. *formosana* (Hosokawa) Tateishi & Ohashi 1992 台灣大豆 [特有] Ref. 同前  
*Glycine tabacina* (Labill.) Benth., 1864 澎湖大豆 Ref. 同前  
*Glycine tomentella* Hayata, 1920 闊葉大豆 Ref. Flora of Taiwan 2nd ed. 3: 294, 1993  
*Hylodesmum densum* (C. Chen X. J. Chui) H. Ohashi & R. R. Mill, 2000 菱葉山螞蝗 Ref. Flora of Taiwan 2nd ed. 6: 65, 2003  
*Hylodesmum laterale* (Schindl.) H. Ohashi & R. R. Mill, 2000 琉球山螞蝗 Ref. 同前  
*Hylodesmum leptopus* (A. Gray ex Benth.) H. Ohashi & R. R. Mill, 2000 細梗山螞蝗 Ref. 同前  
*Hylodesmum podocarpum* (DC.) H. Ohashi & R. R. Mill, 2000 圓菱葉山螞蝗 Ref. 同前  
*Hylodesmum podocarpum* (DC.) H. Ohashi & R. R. Mill subsp. *oxyphyllum* (DC.) H. Ohashi & R. R. Mill 2000 小山螞蝗 Ref. 同前  
*Indigofera byobiensis* Hosokawa, 1932 貓鼻頭木藍 [特有] Ref. Flora of Taiwan 2nd ed. 3: 296, 1993  
*Indigofera galeoides* DC., 1825 假大青藍 Ref. 同前  
*Indigofera glandulifera* Hay., 1911 腺葉木藍 [特有] Ref. 同前  
*Indigofera hirsuta* L., 1753 毛木藍 Ref. 同前  
*Indigofera linifolia* (L. f.) Retz., 1786 細葉木藍 Ref. Flora of Taiwan 2nd ed. 3: 301, 1993  
*Indigofera nigrescens* Kurz ex Prain, 1898 黑木藍 Ref. 同前  
*Indigofera pedicellata* Wight & Arn., 1834 長梗木藍 Ref. 同前  
*Indigofera ramulosissima* Hosokawa, 1932 太魯閣木藍 [特有] Ref. Flora of Taiwan 2nd ed. 3: 305, 1993  
*Indigofera spicata* Forsk., 1775 穗花木藍 Ref. 同前  
*Indigofera suffruticosa* Mill., 1768 野木藍 Ref. 同前  
*Indigofera taiwaniana* Huang & Wu, 1992 台灣木藍 [特有] Ref. 同前  
*Indigofera tinctoria* L., 1753 木藍 Ref. Flora of Taiwan 2nd ed. 3: 310, 1993  
*Indigofera trifoliata* L., 1756 三葉木藍 Ref. 同前  
*Indigofera venulosa* Champ. ex Benth., 1852 脈葉木藍 Ref. 同前  
*Indigofera zollingeriana* Miq., 1855 蘭嶼木藍 Ref. Flora of Taiwan 2nd ed. 3: 314, 1993  
*Kummerowia stipulacea* (Maxim.) Makino, 1914 圓葉雞眼草 Ref. 同前  
*Kummerowia striata* (Thunb. ex Murray) Schindl., 1912 雞眼草 Ref. 同前  
*Lablab purpureus* (L.) Sweet, 1826 鵲豆 Ref. Flora of Taiwan 2nd ed. 3: 317, 1993  
*Lespedeza chinensis* G. Don., 1832 華胡枝子 Ref. Flora of Taiwan 2nd ed. 3: 319, 1993  
*Lespedeza cuneata* (Dumont d. Cours.) G. Don., 1832 鐵掃帚 Ref. 同前  
*Lespedeza daurica* (Laxm.) Schindl., 1926 大胡枝子 Ref. Flora of Taiwan 2nd ed. 3: 322, 1993  
*Lespedeza thunbergii* (DC.) Nakai subsp. *formosa* (Vogel) H. Ohashi 2001 毛胡枝子 Ref. Flora of Taiwan 2nd ed. 6: 66, 2003  
*Lespedeza virgata* (Thunb. ex Murray) DC., 1825 細梗胡枝子 Ref. Flora of Taiwan 2nd ed. 3: 322, 1993  
*Leucaena leucocephala* (Lam.) de Wit, 1961 銀合歡 Ref. Flora of Taiwan 2nd ed. 3: 171, 1993  
*Lotus australis* Andr., 1799 蘭嶼百脈根 Ref. Flora of Taiwan 2nd ed. 3: 325, 1993  
*Lotus corniculatus* L. subsp. *japonicus* (Regel) H. Ohashi 2001 百脈根 Ref. Flora of Taiwan 2nd ed. 6: 66, 2003  
*Maackia taiwanensis* Hoshi & Ohashi, 1987 台灣馬鞍樹 [特有] Ref. Flora of Taiwan 2nd ed. 3: 328, 1993  
*Macroptilium atropurpureus* (Dc.) Urban, 1928 賽芻豆 Ref. 同前  
*Macroptilium lathyroides* (L.) Urban, 1928 寬翼豆 Ref. Flora of Taiwan 2nd ed. 3: 331, 1993  
*Macrotyloma uniflorum* (Lam.) Verdc., 1970 長硬皮豆 Ref. 同前  
*Medicago lupulina* L., 1753 天藍苜蓿 Ref. Flora of Taiwan 2nd ed. 3: 332, 1993  
*Medicago polymorpha* L., 1753 苜蓿 Ref. 同前

*Medicago sativa* L., 1753 紫苜蓿 Ref. 同前  
*Melilotus indicus* (L.) All., 1785 印度草木樨 Ref. Flora of Taiwan 2nd ed. 3: 333, 1993  
*Melilotus officinalis* (L.) Pall., 1776 黃香草木樨 Ref. 同前  
*Melilotus officinalis* (L.) Pall. subsp. *suaveolens* (Ledeb.) H. Ohashi 2001 草木樨 Ref. Flora of Taiwan 2nd ed. 6: 66, 2003  
*Millettia pachycarpa* Benth., 1855 台灣魚藤 Ref. Flora of Taiwan 2nd ed. 3: 337, 1993  
*Millettia pinnata* (L.) G. Panigrahi, 1989 水黃皮 Ref. Flora of Taiwan 2nd ed. 6: 66, 2003  
*Millettia pulchra* Kurz. var. *microphylla* Dunn 1912 小葉魚藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 337, 1993  
*Mimosa diplotricha* C. Wright ex Sauvalle, 1868 美洲含羞草 Ref. Flora of Taiwan 2nd ed. 3: 172, 1993  
*Mimosa pigra* L., 1755 刺軸含羞草 Ref. Flora of Taiwan 2nd ed. 6: 66, 2003  
*Mimosa pudica* L., 1753 含羞草 Ref. Flora of Taiwan 2nd ed. 3: 172, 1993  
*Mucuna gigantea* (Willd.) DC. subsp. *tashiroyi* (Hay.) Ohashi 1976 大血藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 341, 1993  
*Mucuna macrocarpa* Wall., 1830 血藤 Ref. 同前  
*Mucuna membranacea* Hayata, 1913 蘭嶼血藤 Ref. Flora of Taiwan 2nd ed. 3: 343, 1993  
*Mucuna pruriens* (L.) DC. var. *utilis* (Wall. ex Wight.) Burck 1825 虎爪豆 Ref. 同前  
*Neonotonia wightii* (Wight & Arn.) Lackey, 1977 爪哇大豆 Ref. 同前  
*Ohwia caudata* (Thunb.) H. Ohashi, 1999 小槐花 Ref. Flora of Taiwan 2nd ed. 6: 66, 2003  
*Ormocarpum cochinchinensis* (Lour.) Merr., 1910 濱槐 Ref. Flora of Taiwan 2nd ed. 3: 345, 1993  
*Ormosia hengchuniana* Huang, 1990 恆春紅豆樹 [特有] Ref. Flora of Taiwan 2nd ed. 3: 348, 1993  
*Pachyrhizus erosus* (L.) Urban., 1905 豆薯 Ref. Flora of Taiwan 2nd ed. 3: 350, 1993  
*Phyllodium pulchellum* (L.) Desv., 1813 排錢樹 Ref. 同前  
*Pongamia pinnata* (L.) Merr., 1917 Ref. Flora of Taiwan 2nd ed. 3: 352, 1993  
*Psoralea corylifolia* L., 1753 補骨脂 Ref. Flora of Taiwan 2nd ed. 3: 354, 1993  
*Pueraria lobata* (Willd.) subsp. *thomsonii* (Benth.) Ohashi 1947 大葛藤 Ref. 同前  
*Pueraria montana* (Lour.) Merr., 1935 山葛 Ref. Flora of Taiwan 2nd ed. 3: 356, 1993  
*Pueraria phaseoloides* (Roxb.) Benth., 1865 假菜豆 Ref. 同前  
*Pycnospora lutescens* (Poir.) Schindl., 1926 密子豆 Ref. Flora of Taiwan 2nd ed. 3: 358, 1993  
*Rhynchosia minima* (L.) DC. f. *nuda* (DC.) Ohashi 1977 小葉括根 Ref. 同前  
*Rhynchosia rothii* Benth. ex Aitch., 1896 絨葉括根 Ref. Flora of Taiwan 2nd ed. 3: 360, 1993  
*Rhynchosia volubilis* Lour., 1793 鹿藿 Ref. 同前  
*Senna  $\times$  floribunda* (Cav.) Irwin & Barneby, 1982 大花黃槐 Ref. Flora of Taiwan 2nd ed. 3: 183, 1993  
*Senna hirsuta* (L.) Irwin & Barneby, 1979 毛決明 Ref. 同前  
*Senna occidentalis* (L.) Link, 1831 望江南 Ref. 同前  
*Senna tora* (L.) Roxb., 1832 決明 Ref. Flora of Taiwan 2nd ed. 3: 186, 1993  
*Sesbania cannabiana* (Retz.) Poir, 1806 田菁 Ref. Flora of Taiwan 2nd ed. 3: 362, 1993  
*Sesbania sesban* (L.) Merr., 1912 印度田菁 Ref. 同前  
*Smithia ciliata* Royle, 1834 薄萼坡油甘 Ref. Flora of Taiwan 2nd ed. 3: 364, 1993  
*Smithia sensitiva* Ait., 1789 坡油甘 Ref. 同前  
*Sophora flavescens* Ait., 1789 苦參 Ref. 同前  
*Sophora tomentosa* L., 1753 毛苦參 Ref. Flora of Taiwan 2nd ed. 3: 367, 1993  
*Stylosanthes guianensis* (Aubl.) Sw., 1789 筆花豆 Ref. 同前  
*Tadehagi triquetrum* (DC.) H. Ohashi subsp. *pseudotriquetrum* (DC.) Ohashi 1973 葫蘆茶 Ref. Flora of Taiwan 2nd ed. 3: 369, 1993  
*Tephrosia candida* (Roxb.) DC., 1825 白花鐵富豆 Ref. Flora of Taiwan 2nd ed. 3: 371, 1993  
*Tephrosia noctiflora* Boj. ex Baker, 1871 黃花鐵富豆 Ref. 同前  
*Tephrosia obovata* Merr., 1910 台灣灰毛豆 Ref. 同前  
*Tephrosia purpurea* (L.) Pers., 1807 灰毛豆 Ref. 同前  
*Teramnus labialis* (L. f.) Spur., 1826 野黃豆 Ref. Flora of Taiwan 2nd ed. 3: 376, 1993  
*Trifolium dubium* Sibth., 1794 黃荻草 Ref. Flora of Taiwan 2nd ed. 3: 377, 1993  
*Trifolium pratense* L., 1753 紅荻草 Ref. 同前  
*Trifolium repens* L., 1753 荻草 Ref. 同前  
*Trigonella hamosa* Forssk., 1775 彎果葫蘆巴 Ref. Flora of Taiwan 2nd ed. 6: 67, 2003  
*Urania aequilobata* Hosokawa, 1932 圓葉兔尾草 Ref. Flora of Taiwan 2nd ed. 3: 379, 1993  
*Urania crinita* (L.) Desv. ex DC., 1813 兔尾草 Ref. 同前  
*Urania lagopodioides* (L.) Desv. ex DC., 1826 大葉兔尾草 Ref. 同前  
*Urania picta* (Jacq.) DC., 1825 羽葉兔尾草 Ref. Flora of Taiwan 2nd ed. 3: 381, 1993  
*Vicia cracca* L., 1753 多花野碗豆 Ref. 同前  
*Vicia hirsuta* (L.) S. F. Gray, 1821 小巢豆 Ref. Flora of Taiwan 2nd ed. 3: 382, 1993  
*Vicia sativa* L. subsp. *nigra* (L.) Ehrh. 1780 野碗豆 Ref. 同前  
*Vicia tetrasperma* (L.) Moench, 1794 鳥嘴豆 Ref. 同前  
*Vigna adenantha* Marechal, 1978 腺藥豇豆 Ref. Flora of Taiwan 2nd ed. 3: 384, 1993  
*Vigna angularis* (Ohwi) Ohwi & Ohashi var. *nipponensis* (Ohwi) Ohwi & Ohashi 1969 野紅豆 Ref. Flora of Taiwan 2nd ed. 3: 385, 1993  
*Vigna hosei* (Craib) Backer, 1924 和氏豇豆 Ref. 同前  
*Vigna luteola* (Jacq.) Benth., 1859 長葉豇豆 Ref. 同前  
*Vigna marina* (Burm.) Merr., 1917 濱豇豆 Ref. 同前  
*Vigna minima* (Roxb.) Ohwi & Ohashi var. *minor* (Matsum.) Tateishi 1984 小葉豇豆 Ref. Flora of Taiwan 2nd ed. 3: 388, 1993  
*Vigna minima* (Roxb.) Ohwi & Ohashi var. *minima* (Roxb.) Ohwi & Ohashi 1969 小豇豆 Ref. 同前  
*Vigna radiata* (L.) Wilczek var. *sublobata* (Roxb.) Verdc. 1970 三裂葉豇豆 Ref. Flora of Taiwan 2nd ed. 3: 389, 1993  
*Vigna radiata* (L.) Wilczek var. *radiata* (L.) Wilczek 1954 綠豆 Ref. 同前  
*Vigna reflexo-pilosa* Hayata, 1911 曲毛豇豆 Ref. 同前  
*Vigna umbellata* (Thunb.) Ohwi & Ohashi, 1969 赤小豆 Ref. Flora of Taiwan 2nd ed. 3: 393, 1993  
*Vigna vexillata* (L.) A. Rich. var. *tsusimensis* Matsum. 1902 野豇豆 Ref. 同前  
*Zornia cantoniensis* Mohlenb., 1961 丁葵草 Ref. Flora of Taiwan 2nd ed. 3: 395, 1993  
*Zornia intecta* Mohlenb., 1961 台東葵草 [特有] Ref. 同前

## Order Fagales 殼斗目

### Family Betulaceae 樺木科

- Alnus formosana* (Burkill ex Forbes & Hemsl.) Makino, 1912 台灣赤楊 Ref. Flora of Taiwan 2nd ed. 2: 44, 1996  
*Carpinus hebestroma* Yamamoto, 1932 太魯閣千金榆 [特有] Ref. Flora of Taiwan 2nd ed. 2: 46, 1996  
*Carpinus kawakamii* Hayata, 1913 阿里山千金榆 [特有] Ref. 同前  
*Carpinus rankanensis* Hayata, 1916 蘭郎千金榆 [特有] Ref. Flora of Taiwan 2nd ed. 2: 49, 1996  
*Corylus heterophylla* Fisch. ex Bess., 1884 榛樹 Ref. 同前

### Family Fagaceae 殼斗科

- Castanea crenata* Sieb. & Zucc., 1846 茅栗 Ref. Flora of Taiwan 2nd ed. 2: 52, 1996  
*Castanea mollissima* Bl., 1850 板栗 Ref. Flora of Taiwan 2nd ed. 2: 53, 1996  
*Castanopsis chinensis* Hance, 1868 桂林栲 Ref. Taiwania 51(2): 148, 2006  
*Castanopsis cuspidata* (Thunb.) Schottky var. *carlesii* f. *silis* (Nakai) Liao 1990 單刺苦槠 [特有] Ref. Flora of Taiwan 2nd ed. 2: 53, 1996  
*Castanopsis eyrei* (Champ. ex Benth.) Hutch., 1905 反刺苦槠 Ref. Flora of Taiwan 2nd ed. 2: 57, 1996  
*Castanopsis fabri* Hance, 1884 星刺栲 Ref. 同前  
*Castanopsis fargesii* Fr., 1899 火燒柯 Ref. Flora of Taiwan 2nd ed. 2: 61, 1996  
*Castanopsis formosana* (Skan) Hayata, 1913 台灣苦槠 Ref. 同前  
*Castanopsis indica* (Roxb.) A. DC., 1864 印度苦槠 Ref. Flora of Taiwan 2nd ed. 2: 64, 1996  
*Castanopsis kawakamii* Hayata, 1911 大葉苦槠 Ref. 同前  
*Castanopsis kusanoi* Hayata, 1911 細刺苦槠 [特有] Ref. 同前  
*Cyclobalanopsis championii* (Benth.) Oerst., 1866 嶺南青剛櫟 Ref. Flora of Taiwan 2nd ed. 2: 69, 1996  
*Cyclobalanopsis gilva* (Bl.) Oerst., 1866 赤皮 Ref. 同前  
*Cyclobalanopsis glauca* (Thunb. ex Murray) Oerst. var. *glauca* (Thunb. ex Murray) Oerst. 1866 青剛櫟 Ref. Flora of Taiwan 2nd ed. 2: 72, 1996  
*Cyclobalanopsis glauca* (Thunb. ex Murray) Oerst. var. *kuyuensis* (Liao) Liao 1971 谷園青剛櫟 Ref. 同前  
*Cyclobalanopsis glauca* (Thunb. ex Murray) Oerst., 1866 青剛櫟 Ref. 同前  
*Cyclobalanopsis globosa* Lin & Liu, 1965 圓果青剛櫟 [特有] Ref. Flora of Taiwan 2nd ed. 2: 74, 1996  
*Cyclobalanopsis globosa* Lin & Liu f. *apautaiensis* (Liao) Liao 1971 佳保台圓果青剛櫟 [特有] Ref. 同前  
*Cyclobalanopsis globosa* Lin & Liu f. *bosa* Lin & Liu 1965 圓果青剛櫟 Ref. 同前  
*Cyclobalanopsis hypophaea* (Hayata) Kudo, 1931 灰背櫟 [特有] Ref. 同前  
*Cyclobalanopsis longinix* (Hayata) Schottky var. *longinix* (Hayata) Schottky 1912 錐果櫟 [特有] Ref. Flora of Taiwan 2nd ed. 2: 76, 1996  
*Cyclobalanopsis longinix* (Hayata) Schottky var. *kuoi* Liao 1982 郭氏錐果櫟 [特有] Ref. 同前  
*Cyclobalanopsis longinix* (Hayata) Schottky var. *lativiolacifolia* Liao 1982 紫背錐果櫟 [特有] Ref. Flora of Taiwan 2nd ed. 2: 78, 1996  
*Cyclobalanopsis longinix* (Hayata) Schottky, 1912 錐果櫟 [特有] Ref. Flora of Taiwan 2nd ed. 2: 76, 1996  
*Cyclobalanopsis morii* (Hayata) Schottky, 1912 赤柯 [特有] Ref. Flora of Taiwan 2nd ed. 2: 78, 1996  
*Cyclobalanopsis myrsinifolia* (Bl.) Oerst., 1871 黑櫟 Ref. 同前  
*Cyclobalanopsis pachyloma* (O. Seem.) Schottky, 1912 捲斗櫟 Ref. Flora of Taiwan 2nd ed. 2: 82, 1996  
*Cyclobalanopsis repandifolia* (Liao) Liao, 1971 波葉櫟 [特有] Ref. 同前  
*Cyclobalanopsis salicina* (Bl.) Oerst., 1866 白背櫟 Ref. Flora of Taiwan 2nd ed. 2: 84, 1996  
*Cyclobalanopsis sessilifolia* (Bl.) Schottky, 1912 繸子櫟 Ref. 同前  
*Cyclobalanopsis stenophylloides* (Hayata) Kudo & Masam. ex Kudo, 1930 狹葉櫟 [特有] Ref. Flora of Taiwan 2nd ed. 2: 87, 1996  
*Fagus hayatae* Palib. ex Hayata, 1911 台灣水青岡 Ref. 同前  
*Limlia uraiana* (Hayata) Masam. & Tomiya, 1948 烏來柯 Ref. Flora of Taiwan 2nd ed. 2: 90, 1996  
*Lithocarpus amygdalifolius* (Skan ex Forbes & Hemsl.) Hayata, 1917 杏葉石櫟 Ref. Flora of Taiwan 2nd ed. 2: 92, 1996  
*Lithocarpus castanopsisifolius* (Hayata) Hayata, 1917 鬼石櫟 [特有] Ref. Flora of Taiwan 2nd ed. 5: 40, 2000  
*Pasania chiaratuangensis* (Liao) Liao, 1971 加拉段柯 Ref. Flora of Taiwan 2nd ed. 2: 96, 1996  
*Pasania cornea* (Lour.) Liao, 1991 後大埔石櫟 Ref. 同前  
*Pasania dodoniifolia* Hayata, 1913 柳葉石櫟 [特有] Ref. Flora of Taiwan 2nd ed. 2: 99, 1996  
*Pasania formosana* (Skan ex Forbes & Hemsl.) Schottky, 1912 台灣石櫟 [特有] Ref. 同前  
*Pasania glabra* (Thunb. ex Murray) Oerst., 1866 子彈石櫟 Ref. 同前  
*Pasania hancei* (Benth.) Schottky var. *ternaticupula* f. *naticupula* (Hayata) Liao 1991 三斗石櫟 Ref. Flora of Taiwan 2nd ed. 2: 102, 1996  
*Pasania hancei* (Benth.) Schottky var. *ternaticupula* f. *reticulata* (Hayata) Liao 1991 細葉三斗石櫟 Ref. Flora of Taiwan 2nd ed. 2: 104, 1996  
*Pasania hancei* (Benth.) Schottky var. *arisanensis* (Hayata) Liao 1991 阿里山三斗石櫟 Ref. Flora of Taiwan 2nd ed. 2: 102, 1996  
*Pasania harlandii* (Hance) Oerst., 1866 短尾葉石櫟 Ref. Flora of Taiwan 2nd ed. 2: 104, 1996  
*Pasania kawakamii* (Hayata) Schottky, 1912 大葉石櫟 [特有] Ref. 同前  
*Pasania konishii* (Hayata) Schottky, 1912 油葉石櫟 [特有] Ref. Flora of Taiwan 2nd ed. 2: 108, 1996  
*Pasania nantoensis* (Hayata) Schottky, 1912 南投石櫟 [特有] Ref. 同前  
*Pasania shinsuiensis* (Hayata & Kanehira) Nakai, 1939 浸水營石櫟 [特有] Ref. Flora of Taiwan 2nd ed. 2: 111, 1996  
*Pasania synbalanos* (Hance) Schottky, 1912 菱果石櫟 Ref. 同前  
*Pasania taitoensis* (Hayata) Liao, 1991 台東石櫟 Ref. 同前  
*Quercus acutissima* Carruth., 1862 麻櫟 Ref. Flora of Taiwan 2nd ed. 2: 114, 1996  
*Quercus aliena* Bl. var. *aliena* Bl. 1850 大櫟樹 Ref. 同前  
*Quercus aliena* Bl., 1850 櫟櫟 Ref. Taiwania 48(2): 113, 2003  
*Quercus aliena* Bl. var. *acutiserrata* Maxim. ex Wenzig 1886 孛孛櫟 Ref. Flora of Taiwan 2nd ed. 2: 114, 1996  
*Quercus dentata* Thunb. ex Murray, 1784 櫟樹 Ref. Flora of Taiwan 2nd ed. 2: 115, 1996  
*Quercus glandulifera* Bl. var. *brevipetiolata* (A. DC.) Nakai 1924 思茅櫟 Ref. 同前  
*Quercus phillyrioides* A. Gray, 1859 姥芽櫟 Ref. Flora of Taiwan 2nd ed. 2: 117, 1996  
*Quercus spinosa* A. David ex Fr., 1884 高山櫟 Ref. 同前  
*Quercus suber* L., 1927 西班牙栓皮櫟 Ref. Flora of Taiwan 2nd ed. 2: 119, 1996  
*Quercus tarokoensis* Hayata, 1918 太魯閣櫟 [特有] Ref. 同前

*Quercus tatakaensis* Tomiya, 1944 銳葉高山櫟 [特有] Ref. 同前  
*Quercus variabilis* Bl., 1850 栓皮櫟 Ref. Flora of Taiwan 2nd ed. 2: 122, 1996

## Order Gentianales 龍膽目

### Family Apocynaceae 夾竹桃科

*Alyxia insularis* Kanehira & Sasaki, 1934 Ref. Flora of Taiwan 2nd ed. 4: 193, 1998  
*Alyxia sibuyanensis* Elmer, 1912 蘭嶼念珠藤 [特有] Ref. Flora of Taiwan 2nd ed. 6: 90, 2003  
*Alyxia sinensis* Champ. ex Benth, 1852 中國念珠藤 Ref. Flora of Taiwan 2nd ed. 4: 193, 1998  
*Alyxia taiwanensis* S. Y. Lu & Yuen P. Yang, 1978 台灣念珠藤 [特有] Ref. 同前  
*Anodendron affine* (Hook. & Arn.) Druce, 1917 小錦蘭 Ref. Flora of Taiwan 2nd ed. 4: 196, 1998  
*Anodendron benthamiana* Hemsl., 1889 大錦蘭 [特有] Ref. Flora of Taiwan 2nd ed. 4: 198, 1998  
*Cerbera manghas* L., 1753 海檬果 Ref. 同前  
*Ecdysanthera rosea* Hook. & Arn., 1841 酸藤 Ref. Flora of Taiwan 2nd ed. 4: 201, 1998  
*Ecdysanthera utilis* Hayata & Kawakami, 1906 乳藤 Ref. 同前  
*Holarrhena pubescens* Wall. ex G. Don, 1837 止瀉木 Ref. Flora of Taiwan 2nd ed. 4: 204, 1998  
*Melodinus angustifolius* Hayata, 1911 山橙 [特有] Ref. Flora of Taiwan 2nd ed. 4: 205, 1998  
*Parsonsia laevigata* (Moon) Alston, 1929 爬藤藤 Ref. 同前  
*Rauvolfia verticillata* (Lour.) Baill., 1888 蘿芙木 Ref. Flora of Taiwan 2nd ed. 4: 208, 1998  
*Tabernaemontana subglobosa* Merr., 1912 蘭嶼馬蹄花 Ref. Flora of Taiwan 2nd ed. 4: 210, 1998  
*Trachelospermum formosanum* Liu & Ou, 1972 台灣絡石 [特有] Ref. Flora of Taiwan 2nd ed. 4: 213, 1998  
*Trachelospermum gracilipes* Hook. f., 1882 細梗絡石 Ref. 同前  
*Trachelospermum jasminoides* (Lindl.) Lemaire, 1851 絡石 Ref. Flora of Taiwan 2nd ed. 4: 216, 1998  
*Trachelospermum lanyuense* C. E. Chang, 1981 蘭嶼絡石 [特有] Ref. 同前

### Family Asclepiadaceae 蘿藦科

*Asclepias curassavica* L., 1753 尖尾鳳 Ref. Flora of Taiwan 2nd ed. 4: 221, 1998  
*Cryptolepis sinensis* (Lour.) Merr., 1919 隱鱗藤 Ref. 同前  
*Cynanchum atratum* Bunge, 1831 牛皮消 Ref. Flora of Taiwan 2nd ed. 4: 223, 1998  
*Cynanchum boudieri* H. Lev. & Vaniot, 1904 薄葉牛皮消 Ref. 同前  
*Cynanchum formosanum* (Maxim.) Hemsl. ex Forbes & Hemsl., 1889 台灣牛皮消 Ref. Flora of Taiwan 2nd ed. 4: 225, 1998  
*Cynanchum lanhsuense* Yamazaki, 1968 蘭嶼牛皮消 [特有] Ref. 同前  
*Dischidia formosana* Maxim., 1877 風不動 [特有] Ref. Flora of Taiwan 2nd ed. 4: 227, 1998  
*Dregea volubilis* (L. f.) Benth., 1883 華他卡藤 Ref. 同前  
*Gymnema sylvestre* (Retz.) Schultes, 1820 武靴藤 Ref. Flora of Taiwan 2nd ed. 4: 230, 1998  
*Heterostemma brownii* Hayata, 1911 布朗藤 [特有] Ref. Flora of Taiwan 2nd ed. 4: 232, 1998  
*Jasminanthes mucronata* (Blanco) Stevens & Li, 1995 舌瓣花 Ref. Flora of Taiwan 2nd ed. 4: 235, 1998  
*Marsdenia formosana* Masam., 1930 台灣牛彌菜 Ref. Flora of Taiwan 2nd ed. 4: 237, 1998  
*Telosma pallida* (Roxb.) Craib, 1911 夜香花 Ref. Flora of Taiwan 2nd ed. 4: 239, 1998  
*Tylophora oshimae* Hayata, 1911 疏花鷓鴣 [特有] Ref. Flora of Taiwan 2nd ed. 4: 240, 1998  
*Tylophora ovata* (Lindl.) Hook. ex Steud., 1841 鷓鴣 Ref. 同前  
*Tylophora taiwanensis* Hatusima, 1963 台灣鷓鴣 [特有] Ref. Flora of Taiwan 2nd ed. 4: 243, 1998

### Family Gentianaceae 龍膽科

*Centaurium japonicum* (Maxim.) Druce, 1917 百金 Ref. Flora of Taiwan 2nd ed. 4: 155, 1998  
*Gentiana arisanensis* Hayata, 1917 阿里山龍膽 [特有] Ref. Flora of Taiwan 2nd ed. 4: 157, 1998  
*Gentiana bambuseti* T. Y. Hsieh et al., 2007 竹林龍膽 Ref. Botanical Studies 48:349, 2007  
*Gentiana davidii* Franch. var. *formosana* (Hayata) T. N. Ho 1988 台灣龍膽 Ref. Flora of Taiwan 2nd ed. 4: 160, 1998  
*Gentiana flavomaculata* Hayata var. *flavomaculata* Hayata 1917 黃斑龍膽 [特有] Ref. 同前  
*Gentiana flavomaculata* Hayata var. *yuanyanghuensis* C. H. Chen 1999 鴛鴦湖龍膽 [特有] Ref. Flora of Taiwan 2nd ed. 4: 162, 1998  
*Gentiana horaimontana* Masam., 1936 高山龍膽 [特有] Ref. 同前  
*Gentiana itzershanensis* T. S. Liu & Chiu C. Kuo, 1974 伊澤山龍膽 [特有] Ref. 同前  
*Gentiana kaohsiungensis* C. H. Chen & J. C. Wang, 1999 高雄龍膽 [特有] Ref. Flora of Taiwan 2nd ed. 4: 166, 1998  
*Gentiana scabrida* Hayata var. *scabrida* Hayata 1908 玉山龍膽 [特有] Ref. 同前  
*Gentiana scabrida* Hayata var. *punctulata* S. S. Ying 1978 黑斑龍膽 [特有] Ref. Flora of Taiwan 2nd ed. 4: 169, 1998  
*Gentiana tarokoensis* C. H. Chen & J. C. Wang, 1999 太魯閣龍膽 [特有] Ref. 同前  
*Gentiana tatakensis* Masam., 1943 塔塔加龍膽 [特有] Ref. 同前  
*Gentiana tentyoensis* Masam., 1942 厚葉龍膽 [特有] Ref. Flora of Taiwan 2nd ed. 4: 173, 1998  
*Gentiana tenuissima* Hayata, 1908 台東龍膽 [特有] Ref. 同前  
*Lomatogonium chilaiensis* C. H. Chen & J. C. Wang, 2000 奇萊肋柱花 [特有] Ref. Flora of Taiwan 2nd ed. 6: 89, 2003  
*Nymphoides aurantiaca* (Dalzell) Kuntze, 1891 黃花荳菜 Ref. 同前  
*Nymphoides coreana* (H. Lev.), 1937 小荳菜 Ref. 同前  
*Nymphoides hydrophylla* (Lour.) Kuntze, 1891 龍骨瓣荳菜 Ref. 同前  
*Nymphoides indica* (L.) Kuntze, 1891 印度荳菜 Ref. 同前  
*Nymphoides lungtanensis* S. P. Li, T. H. Hsieh & C. C. Lin, 2002 龍潭荳菜 Ref. Flora of Taiwan 2nd ed. 6: 90, 2003  
*Nymphoides peltata* (S. G. Gmel.) Kuntze, 1891 荳菜 Ref. 同前  
*Pterygocalyx volubilis* Maxim., 1859 翼萼蔓 Ref. Flora of Taiwan 2nd ed. 4: 176, 1998  
*Swertia arisanensis* Hayata, 1911 阿里山當藥 [特有] Ref. Flora of Taiwan 2nd ed. 4: 178, 1998  
*Swertia macrosperma* (C. B. Clarke) C. B. Clarke, 1883 大籽當藥 Ref. 同前  
*Swertia shintenensis* Hayata, 1916 新店當藥 Ref. Flora of Taiwan 2nd ed. 4: 180, 1998  
*Swertia tozanensis* Hayata, 1911 高山當藥 [特有] Ref. 同前  
*Tripterispermum alutaceifolium* (T. S. Liu & Chiu C. Kuo) J. Murata, 1989 台北肺形草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 184, 1998  
*Tripterispermum cordifolium* (Yamamoto) Satake, 1951 高山肺形草 [特有] Ref. 同前  
*Tripterispermum lanceolatum* (Hayata) Hara ex Satake, 1951 玉山肺形草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 186, 1998

- Tripterospermum lilungshanensis* C. H. Chen & J. C. Wang, 2006 里龍山肺形草 Ref. Chen et al., 2006  
*Tripterospermum luzonense* (Vidal) J. Murata, 1989 高山雙蝴蝶 Ref. Flora of Taiwan 2nd ed. 4: 186, 1998  
*Tripterospermum microphyllum* H. Smith, 1967 小葉雙蝴蝶 Ref. Flora of Taiwan 2nd ed. 4: 188, 1998  
*Tripterospermum taiwanense* (Masam.) Satake, 1951 台灣肺形草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 190, 1998

### Family Loganiaceae 馬錢科

- Buddleja asiatica* Lour., 1790 揚波 Ref. Flora of Taiwan 2nd ed. 4: 145, 1998  
*Buddleja curviflora* Hook. & Arn., 1838 彎花醉魚木 Ref. 同前  
*Fagraea ceilanica* Thunb., 1782 灰莉 Ref. 同前  
*Gardneria multiflora* Makino, 1901 多花蓬萊葛 Ref. Flora of Taiwan 2nd ed. 4: 148, 1998  
*Gardneria nutans* Siebold & Zucc., 1846 垂花蓬萊葛 Ref. Flora of Taiwan 2nd ed. 4: 150, 1998  
*Gnostema rupestre* J. R. Forst. & G. Forst., 1776 偽木荔枝 Ref. 同前  
*Mitrasacme pygmaea* R. Brown, 1810 矮形光巾草 Ref. Flora of Taiwan 2nd ed. 4: 152, 1998  
*Strychnos cathayensis* Merr., 1934 台灣馬錢 Ref. Flora of Taiwan 2nd ed. 4: 153, 1998

## Order Geraniales 牻牛兒苗目

### Family Balsaminaceae 鳳仙花科

- Impatiens devolii* Huang, 1973 棗慕華鳳仙花 [特有] Ref. Flora of Taiwan 2nd ed. 3: 616, 1993  
*Impatiens tayemonii* Hayata, 1915 黃花鳳仙花 [特有] Ref. Flora of Taiwan 2nd ed. 3: 618, 1993  
*Impatiens uniflora* Hayata, 1908 紫花鳳仙花 [特有] Ref. 同前

### Family Geraniaceae 牻牛兒苗科

- Erodium cicutarium* (L.) Lher ex Aiton, 1789 芹葉牻牛兒苗 Ref. Flora of Taiwan 2nd ed. 6: 68, 2003  
*Erodium moschatum* (L.) Lher ex Aiton, 1789 麝香牻牛兒苗 Ref. 同前  
*Geranium carolinianum* L., 1753 野老鸛草 Ref. Flora of Taiwan 2nd ed. 3: 403, 1993  
*Geranium hayatanum* Ohwi, 1953 單花牻牛兒苗 [特有] Ref. Flora of Taiwan 2nd ed. 3: 404, 1993  
*Geranium nepalense* Sweet subsp. *thunbergii* (Sieb. & Zucc.) Hara 1966 牻牛兒苗 Ref. 同前  
*Geranium pusillum* L., 1759 小花牻牛兒苗 Ref. Taiwania 52(3): 270, 2007  
*Geranium robertianum* L., 1753 漢紅魚腥草 Ref. Flora of Taiwan 2nd ed. 3: 404, 1993  
*Geranium suzukii* Masam., 1931 山牻牛兒苗 [特有] Ref. 同前  
*Geranium wilfordii* Maxim., 1880 老鸛草 Ref. Flora of Taiwan 2nd ed. 3: 408, 1993

### Family Oxalidaceae 酢漿草科

- Biophytum sensitivum* DC., 1824 羞禮花 Ref. Flora of Taiwan 2nd ed. 3: 397, 1993  
*Oxalis acetocella* L. subsp. *taemoni* (Yamamoto) Huang & Huang 1990 大霸尖山酢漿草 Ref. Flora of Taiwan 2nd ed. 3: 399, 1993  
*Oxalis acetocella* L. subsp. *griffithii* var. *formosana* (Terao) Huang & Huang 1990 台灣山酢漿草 Ref. 同前  
*Oxalis corniculata* L., 1753 酢漿草 Ref. Flora of Taiwan 2nd ed. 3: 401, 1993  
*Oxalis corymbosa* DC., 1824 紫花酢漿草 Ref. 同前

## Order Haloragales 小二仙草目

### Family Haloragaceae 小二仙草科

- Haloragis micrantha* (Thunb.) R. Brown, 1814 小二仙草 Ref. Flora of Taiwan 2nd ed. 3: 971, 1993  
*Myriophyllum aquaticum* (Vell.) Verdc., 1973 粉綠狐尾藻 Ref. Flora of Taiwan 2nd ed. 6: 83, 2003  
*Myriophyllum dicocum* F. Muell., 1859 雙室狐尾藻 Ref. 同前  
*Myriophyllum spicatum* L., 1753 聚藻 Ref. Flora of Taiwan 2nd ed. 3: 973, 1993  
*Myriophyllum ussuriensis* (Regel) Maxim., 1873 烏蘇里聚藻 Ref. Flora of Taiwan 2nd ed. 6: 83, 2003

## Order Hamamelidales 金縷梅目

### Family Hamamelidaceae 金縷梅科

- Corylopsis pauciflora* Sieb. & Zucc., 1835 小葉瑞木 Ref. Flora of Taiwan 2nd ed. 3: 1, 1993  
*Corylopsis stenopetala* Hayata, 1914 台灣瑞木 [特有] Ref. Flora of Taiwan 2nd ed. 3: 2, 1993  
*Distyliopsis dunnii* (Hemsl.) Endress, 1970 尖葉水絲梨 Ref. 同前  
*Distylium gracile* Nakai, 1924 細葉蚊母樹 [特有] Ref. Flora of Taiwan 2nd ed. 3: 4, 1993  
*Distylium racemosum* Sieb. & Zucc., 1885 蚊母樹 Ref. 同前  
*Eustigma formosifolium* Gardn. & Champ., 1849 秀柱花 Ref. 同前  
*Liquidambar formosana* Hance, 1866 楓香 Ref. Flora of Taiwan 2nd ed. 3: 5, 1993  
*Sycopsis sinensis* Oliver, 1890 水絲梨 Ref. 同前

## Order Illiciales 八角目

### Family Illiciaceae 八角科

- Illicium anisatum* L., 1759 白花八角 Ref. Flora of Taiwan 2nd ed. 2: 427, 1996  
*Illicium arborescens* Hayata, 1912 台灣八角 [特有] Ref. Flora of Taiwan 2nd ed. 2: 429, 1996  
*Illicium tashiroi* Maxim., 1888 東亞八角 Ref. 同前

### Family Schisandraceae 五味子科

- Kadsura japonica* (L.) Dunal, 1817 南五味子 Ref. Flora of Taiwan 2nd ed. 2: 423, 1996  
*Kadsura philippinensis* Elm., 1908 菲律賓南五味子 Ref. Flora of Taiwan 2nd ed. 2: 425, 1996  
*Schisandra arisanensis* Hayata, 1915 阿里山五味子 [特有] Ref. 同前

## Order Juglandales 胡桃目

### Family Juglandaceae 胡桃科

- Engelhardtia roxburghiana* Wall., 1831 黃杞 Ref. Flora of Taiwan 2nd ed. 2: 23, 1996  
*Juglans cathayensis* Dode, 1909 野核桃 Ref. Flora of Taiwan 2nd ed. 2: 25, 1996  
*Platycarya oblongifolia* Sieb. & Zucc., 1843 化香樹 Ref. 同前

## Order Lamiales 唇形目

### Family Boraginaceae 紫草科

- Bothriospermum zeylanicum* (J. Jacq.) Druce, 1917 細纒子草 Ref. Flora of Taiwan 2nd ed. 4: 388, 1998  
*Coldenia procumbens* L., 1753 臥莖同籬生果草 Ref. Flora of Taiwan 2nd ed. 4: 389, 1998  
*Cordia aspera* G. Forst., 1998 破布子 Ref. Flora of Taiwan 2nd ed. 4: 390, 1998  
*Cordia aspera* G. Forst. subsp. *kanehirai* (Hayata) H. Y. Liu 1998 金平氏破布子 Ref. Flora of Taiwan 2nd ed. 4: 389, 1998  
*Cynoglossum alpestre* Ohwi, 1933 高山倒提壺 [特有] Ref. Flora of Taiwan 2nd ed. 4: 390, 1998  
*Cynoglossum furcatum* Wallich, 1824 琉璃草 Ref. Flora of Taiwan 2nd ed. 4: 391, 1998  
*Cynoglossum lanceolatum* Forssk., 1775 小花倒提壺 Ref. 同前  
*Ehretia acuminata* R. Brown, 1810 厚殼樹 Ref. Flora of Taiwan 2nd ed. 4: 393, 1998  
*Ehretia dicksonii* Hance, 1862 破皮鳥 Ref. 同前  
*Ehretia longiflora* Champ. ex Benth., 1853 長葉厚殼樹 Ref. Flora of Taiwan 2nd ed. 4: 395, 1998  
*Ehretia philippinensis* A. DC., 1845 蘭嶼厚殼樹 Ref. 同前  
*Ehretia resinosa* Hance, 1880 恒春厚殼樹 Ref. 同前  
*Heliotropium formosanum* I. M. Johnston., 1951 山豆根 [特有] Ref. Flora of Taiwan 2nd ed. 4: 396, 1998  
*Heliotropium indicum* L., 1753 狗尾草 Ref. 同前  
*Heliotropium procumbens* Mill. var. *depressum* (Cham.) H. Y. Liu 1998 伏毛天芹菜 Ref. Flora of Taiwan 2nd ed. 4: 397, 1998  
*Lithospermum zollingeri* DC., 1846 梓木草 Ref. 同前  
*Myosotis arvensis* (L.) Hill, 1764 野勿忘草 Ref. Flora of Taiwan 2nd ed. 6: 95, 2003  
*Thyrocarpus sampsonii* Hance, 1862 盾果草 Ref. Flora of Taiwan 2nd ed. 4: 398, 1998  
*Tournefortia argentea* L. f., 1781 白水木 Ref. 同前  
*Tournefortia sarmentosa* Lam., 1791 冷飯藤 Ref. Flora of Taiwan 2nd ed. 4: 399, 1998  
*Trichodesma calycosum* Collett & Hemsl., 1890 假酸漿 Ref. 同前  
*Trigonotis elevato-venosa* Hayata, 1916 台北附地草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 400, 1998  
*Trigonotis formosana* Hayata var. *elevatovenosa* (Hayata) S. D. Shen & J. C. Wang 2001 台北附地草 [特有] Ref. Flora of Taiwan 2nd ed. 6: 95, 2003  
*Trigonotis formosana* Hayata, 1908 台灣附地草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 400, 1998  
*Trigonotis nankotaizanensis* (Sasaki) Masam. & Ohwi ex Masam., 1933 南湖附地草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 402, 1998  
*Trigonotis peduncularis* (Trev.) Benth. Ex Baker & S. Moore, 1879 附地菜 Ref. Flora of Taiwan 2nd ed. 6: 95, 2003

### Family Labiatae 唇形科

- Acrocephalus indicus* (Burm. f.) Kuntze, 1891 頂頭花 Ref. Flora of Taiwan 2nd ed. 4: 434, 1998  
*Agastache rugosa* (Fisch. & Mey.) Kuntze, 1891 藿香 Ref. Flora of Taiwan 2nd ed. 4: 436, 1998  
*Ajuga decumbens* Thunb ex Murray, 1784 匍伏筋骨草 Ref. Flora of Taiwan 2nd ed. 4: 438, 1998  
*Ajuga dictyocarpa* Hayata, 1919 網果筋骨草 Ref. 同前  
*Ajuga nipponensis* Makino, 1909 日本筋骨草 Ref. 同前  
*Ajuga pygmaea* A. Gray, 1859 矮筋骨草 Ref. Flora of Taiwan 2nd ed. 4: 442, 1998  
*Ajuga taiwanensis* Nakai ex Murata, 1968 臺灣筋骨草 Ref. 同前  
*Anisomeles indica* (L.) Kuntze, 1891 金劍草 Ref. Flora of Taiwan 2nd ed. 4: 445, 1998  
*Basilicum polystachyon* (L.) Moench., 1802 小冠薰 Ref. 同前  
*Bostrychanthera deflexa* Benth., 1876 毛藥花 Ref. Flora of Taiwan 2nd ed. 4: 448, 1998  
*Clinopodium chinense* (Benth.) Kuntze, 1891 風輪菜 Ref. Flora of Taiwan 2nd ed. 4: 450, 1998  
*Clinopodium gracile* (Benth.) Kuntze, 1891 光風輪 Ref. Flora of Taiwan 2nd ed. 4: 452, 1998  
*Clinopodium laxiflorum* (Hayata) Mori var. *taiwanianum* T. H. Hsieh & T. C. Huang 1998 台灣風輪菜 [特有] Ref. Flora of Taiwan 2nd ed. 4: 455, 1998  
*Clinopodium laxiflorum* (Hayata) Mori var. *laxiflorum* (Hayata) Mori 1936 疏花風輪菜 [特有] Ref. Flora of Taiwan 2nd ed. 4: 452, 1998  
*Coleus amboinicus* Lour., 1790 到手香 Ref. Flora of Taiwan 2nd ed. 6: 96, 2003  
*Coleus formosanus* Hayata, 1906 蘭嶼小鞘蕊花 Ref. Flora of Taiwan 2nd ed. 4: 455, 1998  
*Comanthosphace formosana* Ohwi, 1935 台灣白木草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 457, 1998  
*Elsholtzia ciliata* (Thunb.) Hylander, 1941 香薷 Ref. Flora of Taiwan 2nd ed. 4: 459, 1998  
*Elsholtzia strobilifera* Benth., 1833 球花香薷 Ref. 同前  
*Glechoma hederacea* L. var. *grandis* (A. Gray) Kudo 1929 金錢薄荷 Ref. Flora of Taiwan 2nd ed. 4: 462, 1998  
*Gomphostemma callicarpoides* (Yamamoto) Masam., 1942 台灣錐花 [特有] Ref. 同前  
*Hyptis brevipes* Poir., 1806 短柄香苦草 Ref. Flora of Taiwan 2nd ed. 4: 465, 1998  
*Hyptis pectinata* (L.) Poir., 1806 櫛穗香苦草 Ref. Taiwania 50(1): 35, 2005  
*Hyptis rhomboides* Mart. & Gal., 1844 頭花香苦草 Ref. Flora of Taiwan 2nd ed. 4: 466, 1998  
*Hyptis spicigera* Lam., 1789 穗花香苦草 Ref. 同前  
*Hyptis suaveolens* (L.) Poir., 1806 香苦草 Ref. 同前  
*Isodon amethystoides* (Benth.) H. Hara, 1985 香茶菜 Ref. Flora of Taiwan 2nd ed. 4: 470, 1998  
*Isodon macrocalyx* (Dunn) Kudo, 1929 大萼香茶菜 Ref. Flora of Taiwan 2nd ed. 4: 472, 1998  
*Isodon serra* (Maxim.) Kudo, 1929 鋸葉香茶菜 Ref. 同前  
*Keiskea macrobracteata* Masam., 1940 大苞偏穗花 [特有] Ref. Flora of Taiwan 2nd ed. 4: 475, 1998  
*Lamium amplexicaule* L., 1753 寶蓋草 Ref. Flora of Taiwan 2nd ed. 4: 477, 1998  
*Lamium hybridum* Vill., 1786 雜種野芝麻 Ref. Taiwania 51(4): 309, 2006  
*Lamium tuberiferum* (Makino) Ohwi, 1936 塊莖小野芝麻 Ref. Flora of Taiwan 2nd ed. 4: 477, 1998  
*Leonurus japonicus* Houtt., 1778 益母草 Ref. Flora of Taiwan 2nd ed. 4: 480, 1998  
*Leucas chinensis* (Retz.) R. Brown, 1810 白花草 Ref. Flora of Taiwan 2nd ed. 4: 482, 1998  
*Lycopus lucidus* Turcz., 1838 地筍 Ref. 同前  
*Melissa axillaris* Bakh. f., 1965 蜜蜂花 Ref. Flora of Taiwan 2nd ed. 4: 485, 1998  
*Mentha canadensis* L., 1753 薄荷 Ref. Flora of Taiwan 2nd ed. 4: 487, 1998  
*Mesona chinensis* Benth., 1861 仙草 Ref. 同前

*Mosla chinensis* Maxim., 1883 乾汗草 Ref. Flora of Taiwan 2nd ed. 4: 490, 1998  
*Mosla dianthera* (Buch.-Ham. ex Roxb.) Maxim., 1875 粗鋸齒薺草 Ref. Flora of Taiwan 2nd ed. 4: 492, 1998  
*Mosla scabra* C. Y. Wu & H. W. Li, 1974 石薺草 Ref. 同前  
*Ocimum basilicum* L., 1753 羅勒 Ref. Flora of Taiwan 2nd ed. 4: 495, 1998  
*Ocimum gratissimum* L., 1753 美羅勒 Ref. Flora of Taiwan 2nd ed. 4: 497, 1998  
*Ocimum sanctum* L., 1767 神羅勒 Ref. 同前  
*Origanum vulgare* L., 1753 野薄荷 Ref. Flora of Taiwan 2nd ed. 4: 500, 1998  
*Orthosiphon aristatus* (Blume) Miq., 1858 貓鬚草 Ref. 同前  
*Paraphlomis formosana* (Hayata) T. H. Hsieh & T. C. Huang, 1995 台灣假糙蘇 [特有] Ref. Flora of Taiwan 2nd ed. 4: 502, 1998  
*Paraphlomis javanica* (Blume) Prain, 1901 假糙蘇 Ref. Flora of Taiwan 2nd ed. 4: 504, 1998  
*Paraphlomis tomentoso-capitata* Yamamoto, 1934 絨萼舞子草 [特有] Ref. 同前  
*Perilla frutescens* (L.) Britt., 1894 紫蘇 Ref. Flora of Taiwan 2nd ed. 4: 506, 1998  
*Pogostemon auricularia* (L.) Hassk., 1843 耳葉刺蕊草 Ref. Flora of Taiwan 2nd ed. 4: 508, 1998  
*Pogostemon formosanus* Oliv., 1896 台灣刺蕊草 [特有] Ref. 同前  
*Pogostemon stellatus* (Lour.) Kuntze, 1891 水虎尾 Ref. Flora of Taiwan 2nd ed. 4: 511, 1998  
*Prunella vulgaris* L. subsp. *asiatica* var. *nanhutashanensis* S. S. Ying 1975 高山夏枯草 Ref. Flora of Taiwan 2nd ed. 4: 514, 1998  
*Rubiteucris palmata* (Benth. ex Hook f.) Kudo, 1929 掌狀野藿香 Ref. 同前  
*Salvia arisanensis* Hayata, 1919 阿里山紫花鼠尾草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 516, 1998  
*Salvia coccinea* Juss. ex Murr., 1778 紅花鼠尾草 Ref. Flora of Taiwan 2nd ed. 4: 518, 1998  
*Salvia formosana* (Murata) Yamazaki var. *formosana* (Murata) Yamazaki 1969 台灣紫花鼠尾草 [特有] Ref. 同前  
*Salvia formosana* (Murata) Yamazaki var. *matsudae* (Kudo) T. C. Huang & J. T. Wu 1998 蕨葉紫花鼠尾草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 521, 1998  
*Salvia hayatana* Makino ex Hayata, 1919 早田氏鼠尾草 [特有] Ref. 同前  
*Salvia japonica* Thunb. ex Murray, 1784 日本紫花鼠尾草 Ref. Flora of Taiwan 2nd ed. 4: 523, 1998  
*Salvia keitaoensis* Hayata, 1919 隱藥鼠尾草 [特有] Ref. 同前  
*Salvia nipponica* Miq. var. *formosana* (Hayata) Kudo 1929 黃花鼠尾草 [特有] Ref. 同前  
*Salvia plebeia* R. Brown, 1810 節毛鼠尾草 Ref. Flora of Taiwan 2nd ed. 4: 527, 1998  
*Salvia scapiformis* Hance, 1885 卵葉鼠尾草 Ref. 同前  
*Scutellaria austrotaiwanensis* T. H. Hsieh & T. C. Huang, 1997 南台灣黃芩 [特有] Ref. Flora of Taiwan 2nd ed. 4: 530, 1998  
*Scutellaria barbata* D. Don, 1825 向天盞 Ref. Flora of Taiwan 2nd ed. 4: 532, 1998  
*Scutellaria indica* L., 1753 印度黃芩 Ref. 同前  
*Scutellaria playfairii* Kudo, 1929 布烈氏黃芩 [特有] Ref. Flora of Taiwan 2nd ed. 4: 534, 1998  
*Scutellaria taipeiensis* T. C. Huang, A. Hsiao & M. J. Wu 2003 臺北黃芩 Ref. Taiwania 48(2): 133, 2003  
*Scutellaria taiwanensis* C. Y. Wu, 1977 臺灣黃芩 [特有] Ref. Flora of Taiwan 2nd ed. 4: 534, 1998  
*Scutellaria tashiroi* Hayata, 1919 田代氏黃芩 [特有] Ref. Flora of Taiwan 2nd ed. 4: 537, 1998  
*Stachys arvensis* L., 1762 田野水蘇 Ref. Flora of Taiwan 2nd ed. 4: 539, 1998  
*Stachys oblongifolia* Benth., 1830 長葉水蘇 Ref. 同前  
*Suzukia luchuensis* Kudo, 1931 琉球鈴木草 Ref. Flora of Taiwan 2nd ed. 6: 98, 2003  
*Suzukia shikikunensis* Kudo, 1930 鈴木草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 542, 1998  
*Teucrium bidentatum* Hemsl., 1890 二齒香科科 Ref. 同前  
*Teucrium taiwanianum* T. H. Hsieh & T. C. Huang, 1996 臺灣香科科 [特有] Ref. Flora of Taiwan 2nd ed. 4: 545, 1998  
*Teucrium viscidum* Blume, 1825 血見愁 Ref. 同前

### Family Verbenaceae 馬鞭草科

*Avicennia marina* (Forsk.) Vierh., 1907 海茄冬 Ref. Flora of Taiwan 2nd ed. 4: 404, 1998  
*Callicarpa formosana* Rolfe var. *formosana* Rolfe 1935 杜虹花 [特有] Ref. Flora of Taiwan 2nd ed. 4: 406, 1998  
*Callicarpa formosana* Rolfe var. *glabrata* T. T. Chen, S. M. Chaw & Yuen P. Yang, 1935 六龜粗糠樹 [特有] Ref. Flora of Taiwan 2nd ed. 4: 408, 1998  
*Callicarpa formosana* Rolfe var. *longifolia* Suzuki 1935 長葉杜虹花 [特有] Ref. 同前  
*Callicarpa hypoleucophylla* W. F. Lin & J. L. Wang, 1967 灰背葉紫珠 [特有] Ref. Flora of Taiwan 2nd ed. 4: 410, 1998  
*Callicarpa japonica* Thunb. var. *luxurians* Rehd. 1916 朝鮮紫珠 Ref. 同前  
*Callicarpa kochiana* Makino, 1914 鬼紫珠 Ref. Flora of Taiwan 2nd ed. 4: 411, 1998  
*Callicarpa longissima* (Hemsl.) Merr., 1917 長葉紫珠 Ref. 同前  
*Callicarpa pilosissima* Maxim., 1886 細葉紫珠 [特有] Ref. Flora of Taiwan 2nd ed. 4: 412, 1998  
*Callicarpa randaiensis* Hayata, 1911 巒大紫珠 [特有] Ref. 同前  
*Callicarpa remotiflora* W. F. Lin & J. L. Wang, 1967 疏花紫珠 [特有] Ref. Flora of Taiwan 2nd ed. 4: 413, 1998  
*Callicarpa remotiserrulata* Hayata, 1911 疏齒紫珠 [特有] Ref. 同前  
*Callicarpa tikusikensis* Masam., 1940 銳葉紫珠 [特有] Ref. 同前  
*Caryopteris incana* (Thunb. ex Houtt.) Miq., 1865 灰葉薔 Ref. Flora of Taiwan 2nd ed. 4: 415, 1998  
*Clerodendrum canescens* Wall. ex Walpers, 1845 白毛臭牡丹 Ref. Flora of Taiwan 2nd ed. 4: 416, 1998  
*Clerodendrum chinense* (Osbeck) Mabberley, 1989 臭茉莉 Ref. 同前  
*Clerodendrum cyrtophyllum* Turcz., 1863 大青 Ref. Flora of Taiwan 2nd ed. 4: 417, 1998  
*Clerodendrum inerme* (L.) Gaertn., 1788 苦林盤 Ref. 同前  
*Clerodendrum kaempferi* (Jacq.) Siebold ex Steud., 1821 龍船花 Ref. Flora of Taiwan 2nd ed. 4: 419, 1998  
*Clerodendrum ohwi* Kanehira & Hatusima., 1937 花蓮海州常山 [特有] Ref. 同前  
*Clerodendrum trichotomum* Thunb., 1780 海州常山 Ref. 同前  
*Lantana camara* L., 1753 馬櫻丹 Ref. Flora of Taiwan 2nd ed. 4: 420, 1998  
*Phyla nodiflora* (L.) Greene, 1899 鴨舌癩 Ref. Flora of Taiwan 2nd ed. 4: 421, 1998  
*Premna hengchunensis* S. Y. Lu & Yuen P. Yang, 1991 恆春臭黃荊 [特有] Ref. Flora of Taiwan 2nd ed. 4: 422, 1998  
*Premna microphylla* Turcz., 1863 臭黃荊 Ref. 同前  
*Premna octonervia* Merr. & Metc., 1939 八脈臭黃荊 Ref. 同前  
*Premna odorata* Blanco, 1837 毛魚臭木 Ref. Flora of Taiwan 2nd ed. 4: 423, 1998

*Premna serratifolia* Linn., 1771 臭娘子 Ref. 同前  
*Sphenodesme involuocrata* (Presl) B. L. Robinson, 1916 爪楔翅藤 Ref. 同前  
*Stachytarpheta jamaicensis* (L.) Vahl., 1805 長穗木 Ref. Flora of Taiwan 2nd ed. 4: 424, 1998  
*Verbena bonariensis* L., 1753 柳葉馬鞭草 Ref. Flora of Taiwan 2nd ed. 4: 425, 1998  
*Verbena brasiliensis* Vell., 1831 狹葉馬鞭草 Ref. Flora of Taiwan 2nd ed. 6: 96, 2003  
*Verbena officinalis* L., 1753 馬鞭草 Ref. Flora of Taiwan 2nd ed. 4: 425, 1998  
*Vitex negundo* L., 1753 黃荊 Ref. Flora of Taiwan 2nd ed. 4: 426, 1998  
*Vitex quinata* (Lour.) F. N. Williams, 1905 山埔姜 Ref. 同前  
*Vitex rotundifolia* L. f., 1781 海埔姜 Ref. Flora of Taiwan 2nd ed. 4: 428, 1998  
*Vitex trifolia* L., 1753 三葉蔓荊 Ref. 同前

## Order Laurales 樟目

### Family Hernandiaceae 蓮葉桐科

*Hernandia nymphiifolia* (C. Presl) Kubitzki, 1970 蓮葉桐 Ref. Flora of Taiwan 2nd ed. 2: 500, 1996  
*Illiger luzonensis* (Presl) Merr., 1904 呂宋青藤 Ref. Flora of Taiwan 2nd ed. 2: 502, 1996

### Family Lauraceae 樟科

*Beilschmiedia erythrophloia* Hayata, 1914 瓊楠 Ref. Flora of Taiwan 2nd ed. 2: 434, 1996  
*Beilschmiedia tsangii* Merr., 1934 華河瓊楠 Ref. 同前  
*Cassytha filiformis* L., 1753 無根草 Ref. Flora of Taiwan 2nd ed. 2: 437, 1996  
*Cinnamomum austrosinense* H. T. Chang, 1959 牡丹葉桂皮 Ref. Flora of Taiwan 2nd ed. 2: 439, 1996  
*Cinnamomum brevipedunculatum* C. E. Chang, 1970 小葉樟 [特有] Ref. Flora of Taiwan 2nd ed. 2: 440, 1996  
*Cinnamomum camphora* (L.) Presl. var. *nominale* Hayata ex Matsum. & Hayata 1906 樟樟 Ref. 同前  
*Cinnamomum camphora* (L.) Presl. var. *camphora* (L.) Presl. 1825 樟樹 Ref. 同前  
*Cinnamomum camphora* (L.) Presl., 1825 樟樹 Ref. 同前  
*Cinnamomum cassia* Presl., 1825 肉桂 Ref. Flora of Taiwan 2nd ed. 2: 442, 1996  
*Cinnamomum insulari-montanum* Hayata, 1913 台灣肉桂 [特有] Ref. 同前  
*Cinnamomum kanehirae* Hayata, 1913 牛樟 [特有] Ref. Flora of Taiwan 2nd ed. 2: 443, 1996  
*Cinnamomum kotoense* Kanehira & Sasaki, 1930 蘭嶼肉桂 [特有] Ref. 同前  
*Cinnamomum microstemon* Hayata, 1913 胡氏肉桂 [特有] Ref. 同前  
*Cinnamomum micranthum* (Hayata) Hayata, 1913 冇樟 Ref. Flora of Taiwan 2nd ed. 2: 445, 1996  
*Cinnamomum osmophloeum* Kanehira, 1917 土肉桂 [特有] Ref. 同前  
*Cinnamomum reticulatum* Hayata, 1911 土樟 [特有] Ref. Flora of Taiwan 2nd ed. 2: 446, 1996  
*Cinnamomum subavenium* Miq., 1858 香桂 Ref. 同前  
*Cinnamomum tenuifolium* Sugimoto f. *vosum* (Meissn.) H. Hara 1977 天竺桂 Ref. Flora of Taiwan 2nd ed. 2: 448, 1996  
*Cinnamomum verum* J. S. Presl, 1825 錫蘭肉桂 Ref. 同前  
*Cryptocarya chinensis* (Hance) Hemsl., 1891 厚殼桂 Ref. Flora of Taiwan 2nd ed. 2: 449, 1996  
*Cryptocarya concinna* Hance, 1882 土楠 Ref. 同前  
*Cryptocarya elliptifolia* Merr., 1919 菲律賓厚殼桂 Ref. Flora of Taiwan 2nd ed. 2: 451, 1996  
*Dehaasia incrassata* (Jack.) Kosterm., 1952 腰果楠 Ref. 同前  
*Endiandra coriacea* Merr., 1906 三蕊楠 Ref. Flora of Taiwan 2nd ed. 2: 453, 1996  
*Laurus nobilis* L., 1753 月桂 Ref. 同前  
*Lindera aggregata* (Sims) Kosterm., 1974 天臺烏藥 Ref. Flora of Taiwan 2nd ed. 2: 456, 1996  
*Lindera aggregata* (Sims) Kosterm. f. *yfairii* (Hemsl.) J. C. Liao 1988 小葉烏藥 Ref. Flora of Taiwan 2nd ed. 2: 458, 1996  
*Lindera akoensis* Hayata, 1911 內芩子 [特有] Ref. 同前  
*Lindera communis* Hemsl., 1891 香葉樹 Ref. 同前  
*Lindera erythrocarpa* Makino, 1897 鐵釘樹 Ref. Flora of Taiwan 2nd ed. 2: 460, 1996  
*Lindera glauca* (Sieb. & Zucc.) Bl., 1851 白葉釣樟 Ref. Flora of Taiwan 2nd ed. 2: 461, 1996  
*Lindera megaphylla* Hemsl., 1891 大香葉樹 Ref. 同前  
*Litsea acuminata* (Bl.) Kurata, 1968 長葉木薑子 Ref. Flora of Taiwan 2nd ed. 2: 464, 1996  
*Litsea acutivena* Hayata, 1915 銳脈木薑子 Ref. Flora of Taiwan 2nd ed. 2: 465, 1996  
*Litsea akoensis* Hayata var. *akoensis* Hayata 1911 屏東木薑子 Ref. Flora of Taiwan 2nd ed. 2: 467, 1996  
*Litsea akoensis* Hayata var. *chitouchiaoensis* Liao 1982 竹頭角木薑子 Ref. 同前  
*Litsea akoensis* Hayata, 1911 屏東木薑子 Ref. 同前  
*Litsea akoensis* Hayata var. *sasakii* (Kamikoti) Liao 1986 狹葉木薑子 Ref. 同前  
*Litsea coreana* Levl., 1912 鹿皮斑木薑子 Ref. Flora of Taiwan 2nd ed. 2: 470, 1996  
*Litsea cubeba* (Lour.) Persoon, 1807 山胡椒 Ref. 同前  
*Litsea elongata* (Wall. ex Nees) Benth. & Hook. f. var. *mushaensis* (Hayata) J. C. Liao 1988 霧社木薑子 Ref. 同前  
*Litsea garciae* Vidal, 1886 蘭嶼木薑子 Ref. Flora of Taiwan 2nd ed. 2: 471, 1996  
*Litsea hypophaea* Hayata, 1915 黃肉樹 [特有] Ref. 同前  
*Litsea lii* Chang var. *lii* Chang 1986 李氏木薑子 [特有] Ref. Flora of Taiwan 2nd ed. 2: 473, 1996  
*Litsea lii* Chang, 1986 李氏木薑子 [特有] Ref. 同前  
*Litsea lii* Chang var. *nunkao-tahangensis* (Liao) Liao 1986 能漢木薑子 [特有] Ref. 同前  
*Litsea morrisonensis* Hayata, 1911 玉山木薑子 [特有] Ref. Flora of Taiwan 2nd ed. 2: 474, 1996  
*Litsea perrottetii* (Bl.) F.-Vill., 1883 佩羅特木薑子 Ref. 同前  
*Litsea rotundifolia* Hemsl. var. *oblongifolia* (Nees) Allen 1938 橢圓葉木薑子 Ref. 同前  
*Machilus japonica* Sieb. & Zucc. var. *japonica* Sieb. & Zucc. 1846 假長葉楠 [特有] Ref. Flora of Taiwan 2nd ed. 2: 477, 1996  
*Machilus japonica* Sieb. & Zucc. var. *kusanoi* (Hayata) Liao 1982 大葉楠 [特有] Ref. Flora of Taiwan 2nd ed. 2: 479, 1996  
*Machilus konishii* Hayata, 1911 小西氏楠 [特有] Ref. 同前  
*Machilus obovatifolia* (Hayata) Kanehira & Sasaki, 1930 恆春楨楠 [特有] Ref. Flora of Taiwan 2nd ed. 2: 481, 1996  
*Machilus philippinensis* Merr., 1906 菲律賓楠 Ref. 同前  
*Machilus thunbergii* Sieb. & Zucc., 1847 豬腳楠 Ref. Flora of Taiwan 2nd ed. 2: 483, 1996

*Machilus zuihoensis* Hayata var. *zuihoensis* Hayata 1911 香楠 [特有] Ref. 同前  
*Machilus zuihoensis* Hayata var. *mushaensis* (Lu) Y. C. Liu 1981 青葉楠 [特有] Ref. Flora of Taiwan 2nd ed. 2: 484, 1996  
*Neolitsea aciculata* (Bl.) Koidz. var. *aciculata* (Bl.) Koidz. 1918 銳葉新木薑子 Ref. Flora of Taiwan 2nd ed. 2: 486, 1996  
*Neolitsea aciculata* (Bl.) Koidz., 1918 銳葉新木薑子 Ref. 同前  
*Neolitsea aciculata* (Bl.) Koidz. var. *variabilima* (Hayata) J. C. Liao 1986 變葉新木薑子 Ref. 同前  
*Neolitsea acuminatissima* (Hayata) Kanehira & Sasaki, 1930 高山新木薑子 [特有] Ref. Flora of Taiwan 2nd ed. 2: 487, 1996  
*Neolitsea buisanensis* Yamamoto & Kamikoti f. *sutsuoensis* J. C. Liao 1986 石厝新木薑子 [特有] Ref. Flora of Taiwan 2nd ed. 2: 489, 1996  
*Neolitsea buisanensis* Yamamoto & Kamikoti f. *buisanensis* Yamamoto & Kamikoti 1932 武威新木薑子 [特有] Ref. Flora of Taiwan 2nd ed. 2: 487, 1996  
*Neolitsea daibuensis* Kamikoti, 1932 大武新木薑子 [特有] Ref. Flora of Taiwan 2nd ed. 2: 489, 1996  
*Neolitsea hiiranensis* Liu & Liao, 1971 南仁新木薑子 [特有] Ref. Flora of Taiwan 2nd ed. 2: 492, 1996  
*Neolitsea konishii* (Hayata) Kanehira & Sasaki, 1930 五掌楠 Ref. 同前  
*Neolitsea parvigemma* (Hayata) Kanehira & Sasaki, 1930 小芽新木薑子 [特有] Ref. 同前  
*Neolitsea sericea* (Bl.) Koidz. var. *aurata* (Hayata) Hatusima 1969 金新木薑子 Ref. Flora of Taiwan 2nd ed. 2: 494, 1996  
*Neolitsea sericea* (Bl.) Koidz., 1926 白新木薑子 Ref. 同前  
*Neolitsea sericea* (Bl.) Koidz. var. *sericea* (Bl.) Koidz. 1926 白新木薑子 Ref. 同前  
*Neolitsea villosa* (Bl.) Merr., 1909 蘭嶼新木薑子 Ref. Flora of Taiwan 2nd ed. 2: 496, 1996  
*Phoebe formosana* (Hayata) Hayata, 1915 台灣雅楠 Ref. 同前  
*Sassafras randaiense* (Hayata) Rehder, 1920 台灣檫樹 [特有] Ref. Flora of Taiwan 2nd ed. 2: 498, 1996

## Order Lecythidales 玉蕊目

### Family Lecythidaceae 玉蕊科

*Barringtonia asiatica* (L.) Kurz, 1876 棋盤腳樹 Ref. Flora of Taiwan 2nd ed. 3: 901, 1993  
*Barringtonia racemosa* (L.) Bl. ex DC., 1828 水茄苳 Ref. Flora of Taiwan 2nd ed. 3: 903, 1993

## Order Magnoliales 木蘭目

### Family Annonaceae 番荔枝科

*Fissistigma glaucescens* (Hance) Merr., 1919 裏白瓜馥木 Ref. Flora of Taiwan 2nd ed. 2: 415, 1996  
*Fissistigma oldhamii* (Hemsl.) Merr., 1919 瓜馥木 Ref. Flora of Taiwan 2nd ed. 2: 416, 1996  
*Goniothalamus amuyon* (Blanco) Merr., 1915 恒春哥納香 Ref. 同前  
*Polyalthia liukuensis* Hatusima, 1979 琉球暗羅 Ref. Flora of Taiwan 2nd ed. 2: 419, 1996

### Family Magnoliaceae 木蘭科

*Magnolia kachirachirae* (Kanehira & Yamamoto) Dandy, 1927 烏心石舅 Ref. Flora of Taiwan 2nd ed. 2: 410, 1996  
*Michelia compressa* (Maxim.) Sargent var. *formosana* Kaneh. 1930 台灣烏心石 Ref. Flora of Taiwan 2nd ed. 6: 49, 2003  
*Michelia compressa* (Maxim.) Sargent var. *lanyuensis* S. Y. Lu & al. 2000 蘭嶼烏心石 Ref. 同前

### Family Myristicaceae 肉豆蔻科

*Myristica ceylanica* A. DC. var. *cagayanensis* (Merr.) J. Sinclair 1968 蘭嶼肉豆蔻 Ref. Flora of Taiwan 2nd ed. 2: 420, 1996  
*Myristica elliptica* Wall. ex Hook. f. & Thomson var. *simiarum* (A. DC.) J. Sinclair 1958 紅頭肉豆蔻 Ref. Flora of Taiwan 2nd ed. 2: 422, 1996

## Order Malvales 錦葵目

### Family Bombacaceae 木棉科

*Bombax malabarica* DC., 1824 木棉 Ref. Flora of Taiwan 2nd ed. 3: 754, 1993

### Family Elaeocarpaceae 杜英科

*Elaeocarpus argenteus* Merr., 1905 腺葉杜英 Ref. Flora of Taiwan 2nd ed. 3: 714, 1993  
*Elaeocarpus japonicus* Sieb. & Zucc., 1845 薯豆 Ref. Flora of Taiwan 2nd ed. 3: 716, 1993  
*Elaeocarpus multiflorus* (Turcz.) F. Vill., 1880 繁花薯豆 Ref. 同前  
*Elaeocarpus sphaericus* (Gaertn.) Schumann var. *hayatae* (Kanehira & Sasaki) Chang 1977 球果杜英 [特有] Ref. Flora of Taiwan 2nd ed. 3: 718, 1993  
*Elaeocarpus sylvestris* (Lour.) Poir. var. *lanyuensis* (Chang) Chang 1993 蘭嶼杜英 [特有] Ref. Flora of Taiwan 2nd ed. 3: 720, 1993  
*Elaeocarpus sylvestris* (Lour.) Poir., 1811 杜英 [特有] Ref. 同前  
*Sloanea formosana* Li, 1963 猴歡喜 [特有] Ref. 同前

### Family Malvaceae 錦葵科

*Abelmoschus moschatus* (L.) Medicus, 1787 香葵 Ref. Flora of Taiwan 2nd ed. 3: 737, 1993  
*Abutilon crispum* (L.) Medicus, 1787 泡果苧 Ref. Flora of Taiwan 2nd ed. 3: 739, 1993  
*Abutilon grandifolium* (Willd.) Sweet, 1826 大葉苧麻 Ref. Flora of Taiwan 2nd ed. 6: 77, 2003  
*Abutilon indicum* (L.) Sweet, 1836 冬葵子 Ref. Flora of Taiwan 2nd ed. 3: 740, 1993  
*Abutilon indicum* (L.) Sweet var. *guineense* (Schumach.) Feng 1982 畿內冬葵子 Ref. 同前  
*Hibiscus mutabilis* L., 1753 木芙蓉 Ref. Flora of Taiwan 2nd ed. 3: 742, 1993  
*Hibiscus surattensis* L., 1753 刺芙蓉 Ref. 同前  
*Hibiscus syriacus* L., 1753 木槿 Ref. 同前  
*Hibiscus taiwanensis* Hu, 1955 山芙蓉 [特有] Ref. Flora of Taiwan 2nd ed. 3: 743, 1993  
*Hibiscus tiliaceus* L., 1753 黃槿 Ref. 同前  
*Malachra capitata* L., 1767 旋葵 Ref. Flora of Taiwan 2nd ed. 6: 77, 2003  
*Malva neglecta* Wall., 1824 圓葉錦葵 Ref. Flora of Taiwan 2nd ed. 3: 745, 1993  
*Malva sinensis* Cav., 1786 華錦葵 Ref. 同前  
*Malvastrum coromandelianum* (L.) Garcke, 1857 賽葵 Ref. 同前  
*Malvastrum spicatum* (L.) A. Gray, 1849 穗花賽葵 Ref. Flora of Taiwan 2nd ed. 3: 746, 1993  
*Sida acuta* Burm. f., 1768 細葉金午時花 Ref. Flora of Taiwan 2nd ed. 3: 748, 1993  
*Sida cordifolia* L., 1753 圓葉金午時花 Ref. 同前

*Sida javensis* Cavan., 1785 圓葉金午時花 Ref. Flora of Taiwan 2nd ed. 6: 77, 2003  
*Sida mysorensis* Wight & Arn., 1834 薄葉金午時花 Ref. Flora of Taiwan 2nd ed. 3: 748, 1993  
*Sida rhombifolia* L. subsp. *insularis* (Hatusima) Hatusima 1971 恆春金午時花 Ref. Flora of Taiwan 2nd ed. 3: 750, 1993  
*Sida rhomboidea* Roxb. Ex Fleming, 1810 擬金午時花 Ref. Flora of Taiwan 2nd ed. 6: 77, 2003  
*Sida veronicaefolia* Lam., 1783 澎湖金午時花 Ref. Flora of Taiwan 2nd ed. 3: 750, 1993  
*Thespesia populnea* (L.) Solad. ex Correa, 1807 繖楊 Ref. 同前  
*Urena lobata* L., 1753 野棉花 Ref. Flora of Taiwan 2nd ed. 3: 752, 1993  
*Urena procumbens* L., 1753 梵天花 Ref. 同前

#### Family Sterculiaceae 梧桐科

*Firmiana simplex* (L.) W. F. Wight, 1909 梧桐 Ref. Flora of Taiwan 2nd ed. 3: 757, 1993  
*Helicteres augustifolia* L., 1753 山芝麻 Ref. Flora of Taiwan 2nd ed. 3: 759, 1993  
*Heritiera littoralis* Dryand., 1789 銀葉樹 Ref. 同前  
*Kleinhovia hospita* L., 1763 克蘭樹 Ref. Flora of Taiwan 2nd ed. 3: 762, 1993  
*Melochia corchorifolia* L., 1753 野路葵 Ref. Flora of Taiwan 2nd ed. 3: 764, 1993  
*Pterospermum niveum* Vidal., 1816 翅子樹 Ref. Flora of Taiwan 2nd ed. 3: 766, 1993  
*Reevesia formosana* Sprague, 1914 台灣梭羅樹 [特有] Ref. 同前  
*Sterculia ceramica* R. Brown, 1844 蘭嶼蘋婆 Ref. Flora of Taiwan 2nd ed. 3: 769, 1993  
*Waltheria americana* L., 1753 草梧桐 Ref. Flora of Taiwan 2nd ed. 3: 771, 1993

#### Family Tiliaceae 田麻科

*Berrya ammonilla* Roxb., 1842 六翅木 Ref. Flora of Taiwan 2nd ed. 3: 724, 1993  
*Corchorus aestuans* L. var. *aestuans* L. 1753 繩黃麻 [特有] Ref. Flora of Taiwan 2nd ed. 3: 725, 1993  
*Corchorus aestuans* L. var. *brevicaulis* (Hosok.) T. S. Liu & H. C. Lo 1977 短莖繩黃麻 [特有] Ref. 同前  
*Corchorus capsularis* L., 1753 黃麻 Ref. Flora of Taiwan 2nd ed. 3: 727, 1993  
*Corchorus olitorius* L., 1753 山麻 Ref. 同前  
*Grewia eriocarpa* Juss., 1804 大葉捕魚木 Ref. Flora of Taiwan 2nd ed. 3: 729, 1993  
*Grewia piscatorum* Hance, 1866 小葉捕魚木 Ref. 同前  
*Grewia rhombifolia* Kanehira & Sasaki, 1928 菱葉捕魚木 [特有] Ref. Flora of Taiwan 2nd ed. 3: 730, 1993  
*Muntingia calabura* L., 1753 西印度櫻桃 Ref. Flora of Taiwan 2nd ed. 3: 732, 1993  
*Triumfetta bartramia* L., 1759 垂椏草 Ref. Flora of Taiwan 2nd ed. 3: 733, 1993  
*Triumfetta pilosa* Roth., 1821 長葉垂椏草 Ref. 同前  
*Triumfetta semitriloba* Jacq., 1760 菲島垂椏草 Ref. Flora of Taiwan 2nd ed. 3: 735, 1993  
*Triumfetta tomentosa* Baker, 1842 臭垂椏草 Ref. 同前

#### Order Myricales 楊梅目

##### Family Myricaceae 楊梅科

*Myrica adenophora* Hance, 1883 青楊梅 Ref. Flora of Taiwan 2nd ed. 2: 19, 1996  
*Myrica rubra* (Lour.) Sieb. & Zucc., 1846 楊梅 Ref. 同前

#### Order Myrtales 桃金娘目

##### Family Combretaceae 使君子科

*Lumnitzera racemosa* Willd., 1803 欖李 Ref. Flora of Taiwan 2nd ed. 3: 933, 1993  
*Terminalia catappa* L., 1767 欖仁 Ref. Flora of Taiwan 2nd ed. 3: 935, 1993

##### Family Lythraceae 千屈菜科

*Ammannia baccifera* L., 1753 水萹菜 Ref. Flora of Taiwan 2nd ed. 3: 872, 1993  
*Ammannia coccinea* Rathb., 1773 長葉水萹菜 Ref. Flora of Taiwan 2nd ed. 3: 873, 1993  
*Ammannia multiflora* Roxb., 1820 多花水萹菜 Ref. 同前  
*Cuphea cartagenensis* (Jacq.) Macbrids, 1930 克非亞草 Ref. 同前  
*Lagerstroemia subcostata* Koehne, 1883 九芎 Ref. Flora of Taiwan 2nd ed. 3: 876, 1993  
*Pemphis acidula* J. R. & G. Forst., 1776 水芫花 Ref. Flora of Taiwan 2nd ed. 3: 878, 1993  
*Rotala indica* (Willd.) Koehne var. *uliginosa* (Miq.) Koehne 1881 印度水豬母乳 Ref. 同前  
*Rotala mexicana* Cham. & Schltd., 1830 輪生葉水豬母乳 Ref. Flora of Taiwan 2nd ed. 3: 881, 1993  
*Rotala ramosior* (L.) Koehne, 1877 美洲水豬母乳 Ref. 同前  
*Rotala rosea* (Poiret) C. D. K. Cook, 1979 五蕊水豬母乳 Ref. 同前  
*Rotala rotundifolia* (Wallich ex Roxb.) Koehne, 1880 水豬母乳 Ref. Flora of Taiwan 2nd ed. 3: 883, 1993  
*Rotala wallichii* (Hook. f.) Koehne, 1881 瓦氏水豬母乳 Ref. 同前

##### Family Melastomataceae 野牡丹科

*Astronia formosana* Kanehira, 1913 大野牡丹 [特有] Ref. Flora of Taiwan 2nd ed. 3: 906, 1993  
*Barthea barthei* (Hance) Krass, 1893 深山野牡丹 Ref. 同前  
*Blastus cochinchinensis* Lour., 1790 柏拉木 Ref. Flora of Taiwan 2nd ed. 3: 909, 1993  
*Bredia gibba* Ohwi, 1936 小金石榴 [特有] Ref. Flora of Taiwan 2nd ed. 3: 911, 1993  
*Bredia hirsuta* Blume var. *scandens* Ito & Matsumura 1991 布勒德藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 912, 1993  
*Bredia hirsuta* Blume var. *rotundifolia* (Liu & Lu) S.F.Huang & T.C. Huang 1991 圓葉布勒德藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 911, 1993  
*Bredia oldhamii* Hooker f., 1871 金石榴 [特有] Ref. Flora of Taiwan 2nd ed. 3: 912, 1993  
*Bredia quadrangularis* Cogn., 1891 過路驚 Ref. Taiwan J. For. Sci. 21(1): 121, 2006  
*Clidemia hirta* (L.) D. Don, 1823 毛野牡丹藤 Ref. Flora of Taiwan 2nd ed. 6: 81, 2003  
*Medinilla formosana* Hayata, 1912 台灣野牡丹藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 915, 1993  
*Medinilla hayataina* Keng, 1955 蘭嶼野牡丹藤 [特有] Ref. 同前  
*Melastoma affine* D. Don, 1823 基尖葉野牡丹 Ref. 同前  
*Melastoma candidum* D. Don, 1823 野牡丹 Ref. Flora of Taiwan 2nd ed. 3: 918, 1993

*Melastoma intermedia* Dunn, 1908 水社野牡丹 Ref. 同前  
*Memecylon lanceolatum* Blanco, 1837 革葉羊角扭 Ref. Flora of Taiwan 2nd ed. 3: 921, 1993  
*Osbeckia chinensis* L., 1753 金錦香 Ref. 同前  
*Osbeckia oipipara* C. Y. Wu & C. Chen, 1982 闊葉金錦香 Ref. 同前  
*Otanthra scaberrima* (Hayata) Ohwi, 1936 糙葉耳藥花 [特有] Ref. Flora of Taiwan 2nd ed. 3: 923, 1993  
*Pachycentria formosana* Hayata, 1912 台灣厚距花 [特有] Ref. 同前  
*Sarcopyramis nepalensis* Wall. var. *bodinieri* Levl. 1914 肉穗野牡丹 Ref. Flora of Taiwan 2nd ed. 3: 926, 1993  
*Sarcopyramis nepalensis* Wall. var. *delicata* (C. B. Robinson) S.F. Huang & T.C. Huang 1991 東方肉穗野牡丹 Ref. Flora of Taiwan 2nd ed. 3: 927, 1993  
*Sonerila tenera* Royle, 1834 三蕊草 Ref. Flora of Taiwan 2nd ed. 6: 82, 2003

### Family Myrtaceae 桃金娘科

*Acmena acuminatissima* (Bl.) Merr. & Perry, 1938 賽赤楠 Ref. Flora of Taiwan 2nd ed. 3: 886, 1993  
*Decaspermum gracilentum* (Hance) Merr. & Perry, 1938 十子木 Ref. Flora of Taiwan 2nd ed. 3: 888, 1993  
*Rhodomyrtus tomentosa* (Ait.) Hassk., 1842 桃金娘 Ref. Flora of Taiwan 2nd ed. 3: 890, 1993  
*Syzygium buxifolium* Hook. & Arn., 1833 小葉赤楠 Ref. Flora of Taiwan 2nd ed. 3: 892, 1993  
*Syzygium densinervium* var. *insulare* Chang 1964 密脈赤楠 [特有] Ref. 同前  
*Syzygium euphlebiium* (Hayata) Mori, 1938 細脈赤楠 [特有] Ref. 同前  
*Syzygium formosanum* (Hayata) Mori, 1938 台灣赤楠 [特有] Ref. Flora of Taiwan 2nd ed. 3: 895, 1993  
*Syzygium kusukusense* (Hayata) Mori, 1938 高士佛赤楠 [特有] Ref. 同前  
*Syzygium paucivenium* (Robins.) Merr., 1950 疏脈赤楠 Ref. 同前  
*Syzygium simile* (Merr.) Merr., 1950 蘭嶼赤楠 Ref. Flora of Taiwan 2nd ed. 3: 896, 1993  
*Syzygium taiwanicum* Chang & Miau, 1982 台灣捧花蒲桃 Ref. 同前  
*Syzygium tripinnatum* (Blanco) Merr., 1950 大花赤楠 Ref. Flora of Taiwan 2nd ed. 3: 899, 1993

### Family Onagraceae 柳葉菜科

*Circaea alpina* L. subsp. *imaicola* (Asch. & Mag.) Kitamura 1960 高山露珠草 Ref. Flora of Taiwan 2nd ed. 3: 938, 1993  
*Circaea cordata* Royle, 1834 心葉露珠草 Ref. Flora of Taiwan 2nd ed. 3: 940, 1993  
*Circaea erubescens* Franch. & Sav., 1879 台灣露珠草 Ref. 同前  
*Circaea glabrescens* (Pamp.) Hand.-Mazz., 1933 禿梗露珠草 Ref. Flora of Taiwan 2nd ed. 3: 943, 1993  
*Epilobium amurense* Hausskn. subsp. *amurense* Hausskn. 1879 黑龍江柳葉菜 Ref. Flora of Taiwan 2nd ed. 3: 944, 1993  
*Epilobium brevifolium* D. Don subsp. *trichoneurum* (Hausskn.) Raven 1962 短葉柳葉菜 Ref. Flora of Taiwan 2nd ed. 3: 946, 1993  
*Epilobium hohuanense* Ying ex Chen, Hoch & Raven, 1992 合歡柳葉菜 [特有] Ref. 同前  
*Epilobium nankotaizanense* Yamamoto, 1926 南湖柳葉菜 [特有] Ref. Flora of Taiwan 2nd ed. 3: 948, 1993  
*Epilobium pengii* Chen, Hoch & Raven, 1992 彭氏柳葉菜 [特有] Ref. 同前  
*Epilobium platystigmatosum* C. B. Robinson, 1908 闊柱柳葉菜 Ref. 同前  
*Epilobium taiwanianum* Chen, Hoch & Raven, 1992 台灣柳葉菜 [特有] Ref. Flora of Taiwan 2nd ed. 3: 951, 1993  
*Ludwigia × taiwanensis* Peng, 1990 台灣水龍 Ref. Flora of Taiwan 2nd ed. 3: 962, 1993  
*Ludwigia adscendens* (L.) Hara, 1953 白花水龍 Ref. Flora of Taiwan 2nd ed. 3: 954, 1993  
*Ludwigia epilobioides* Maxim., 1859 假柳葉菜 Ref. Flora of Taiwan 2nd ed. 3: 955, 1993  
*Ludwigia hyssopifolia* (G. Don) Exell, 1957 細葉水丁香 Ref. 同前  
*Ludwigia octovalvis* (Jacq.) Raven, 1962 水丁香 Ref. Flora of Taiwan 2nd ed. 3: 958, 1993  
*Ludwigia ovalis* Miq., 1867 卵葉水丁香 Ref. Flora of Taiwan 2nd ed. 3: 960, 1993  
*Ludwigia perennis* L., 1753 小花水丁香 Ref. 同前  
*Oenothera biennis* L., 1753 月見草 Ref. Flora of Taiwan 2nd ed. 3: 964, 1993  
*Oenothera glazioviana* Micheli, 1882 黃花月見草 Ref. Flora of Taiwan 2nd ed. 3: 965, 1993  
*Oenothera laciniata* J. Hill, 1767 裂葉月見草 Ref. 同前  
*Oenothera stricta* Ledeb. ex Link, 1821 待宵草 Ref. 同前  
*Oenothera tetraptera* Cav., 1796 四翅月見草 Ref. Flora of Taiwan 2nd ed. 3: 967, 1993

### Family Thymelaeaceae 瑞香科

*Daphne arisanensis* Hayata, 1912 台灣瑞香 [特有] Ref. Flora of Taiwan 2nd ed. 3: 772, 1993  
*Daphne genkwa* Sieb. & Zucc., 1835 芫花 Ref. Flora of Taiwan 2nd ed. 3: 773, 1993  
*Daphne kiusiana* Miq. var. *atrocaulis* (Rehder) Maekawa 1945 白花瑞香 [特有] Ref. 同前  
*Daphne morrisonensis* C. E. Chang, 1993 玉山瑞香 [特有] Ref. 同前  
*Stellera formosana* (Hayata) Li, 1963 矮瑞香 [特有] Ref. Flora of Taiwan 2nd ed. 3: 775, 1993  
*Wikstroemia indica* (L.) C. A. Mey., 1843 南嶺蕘花 Ref. Flora of Taiwan 2nd ed. 3: 776, 1993  
*Wikstroemia lanceolata* Merr., 1905 披針葉蕘花 Ref. 同前  
*Wikstroemia mononectaria* Hayata, 1915 紅蕘花 [特有] Ref. 同前  
*Wikstroemia retusa* A. Gray, 1865 倒卵葉蕘花 Ref. 同前  
*Wikstroemia taiwanensis* Chang, 1977 台灣蕘花 [特有] Ref. Flora of Taiwan 2nd ed. 3: 779, 1993

### Family Trapaceae 菱科

*Trapa bispinosa* Roxb. var. *iinumae* Nakano 1913 菱 Ref. Flora of Taiwan 2nd ed. 3: 968, 1993  
*Trapa natans* L. var. *japonica* Nakai 1942 鬼菱 Ref. 同前  
*Trapa taiwanensis* Nakai, 1942 台灣菱 Ref. Flora of Taiwan 2nd ed. 3: 969, 1993

## Order Nepentales 豬籠草目

### Family Droseraceae 茅膏菜科

*Drosera burmanni* Vahl, 1794 金錢草 Ref. Flora of Taiwan 2nd ed. 2: 715, 1996  
*Drosera indica* L., 1753 長葉茅膏菜 Ref. Flora of Taiwan 2nd ed. 2: 716, 1996  
*Drosera peltata* J. E. Smith, 1797 茅膏菜 Ref. 同前  
*Drosera spathulata* Lab., 1804 小毛氈苔 Ref. 同前

## Order Nymphaeales 睡蓮目

### Family Cabombaceae 蓴科

*Brasenia schreberi* Gmel., 1796 蓴 Ref. Flora of Taiwan 2nd ed. 2: 615, 1996

### Family Ceratophyllaceae 金魚藻科

*Ceratophyllum demersum* L., 1753 金魚藻 Ref. Flora of Taiwan 2nd ed. 2: 617, 1996

*Ceratophyllum kossinskyi* Kusen.-Proch, 1937 細金魚藻 Ref. 同前

*Ceratophyllum oryzetorum* V. L. Komarov, 1932 五角金魚藻 Ref. Flora of Taiwan 2nd ed. 2: 619, 1996

### Family Nelumbonaceae 蓮科

*Nelumbo nucifera* Gaertn., 1788 蓮 Ref. Flora of Taiwan 2nd ed. 2: 608, 1996

### Family Nymphaeaceae 睡蓮科

*Euryale ferox* Salisb., 1806 芡 Ref. Flora of Taiwan 2nd ed. 2: 610, 1996

*Nuphar shimadae* Hayata, 1916 台灣萍蓬草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 611, 1996

*Nymphaea stellata* Willd., 1797 藍睡蓮 Ref. 同前

*Nymphaea tetragona* Georgi, 1775 睡蓮 Ref. Flora of Taiwan 2nd ed. 2: 613, 1996

## Order Papaverales 罌粟目

### Family Fumariaceae 紫堇科

*Corydalis decumbens* (Thunb.) Pers., 1807 伏莖紫堇 Ref. Flora of Taiwan 2nd ed. 2: 727, 1996

*Corydalis incisa* (Thunb.) Pers., 1807 刻葉紫堇 Ref. 同前

*Corydalis koidzumiana* Ohwi, 1934 密花黃堇 Ref. 同前

*Corydalis ochotensis* Turcz., 1846 疏花黃堇 Ref. Flora of Taiwan 2nd ed. 2: 728, 1996

*Corydalis ophiocarpa* Hook. f. & Thoms., 1855 彎果黃堇 Ref. 同前

*Corydalis pallida* (Thunb.) Pers., 1807 黃堇 Ref. 同前

*Corydalis pallida* (Thunb.) Pers. var. *sparsimamma* (Ohwi) Ohwi 1943 凹子黃堇 Ref. 同前

*Corydalis pallida* (Thunb.) Pers. var. *pallida* (Thunb.) Pers. 1807 黃堇 Ref. 同前

*Corydalis racemosa* (Thunb.) Pers., 1807 小花黃堇 Ref. Flora of Taiwan 2nd ed. 2: 731, 1996

*Corydalis tashiroi* Makino, 1909 台灣黃堇 Ref. 同前

*Fumaria officinalis* L., 1753 球果紫堇 Ref. Flora of Taiwan 2nd ed. 2: 733, 1996

### Family Papaveraceae 罌粟科

*Argemone mexicana* L., 1753 薊罌粟 Ref. Flora of Taiwan 2nd ed. 2: 720, 1996

*Macleaya cordata* (Willd.) R. Brown, 1826 博落迴 Ref. Flora of Taiwan 2nd ed. 2: 722, 1996

*Papaver orientale* L., 1753 鬼罌粟 Ref. 同前

*Papaver rhoeas* L., 1753 虞美人 Ref. Flora of Taiwan 2nd ed. 2: 725, 1996

## Order Piperales 胡椒目

### Family Chloranthaceae 金粟蘭科

*Chloranthus henryi* Hemsl., 1891 寬葉金粟蘭 Ref. Taiwania 51(4): 283, 2006

*Chloranthus oldhami* Solms., 1869 台灣及己 Ref. Flora of Taiwan 2nd ed. 2: 632, 1996

*Sarcandra glabra* (Thunb.) Nakai, 1930 草珊瑚 Ref. Flora of Taiwan 2nd ed. 2: 634, 1996

### Family Piperaceae 胡椒科

*Peperomia japonica* Makino, 1901 椒草 Ref. Flora of Taiwan 2nd ed. 2: 624, 1996

*Peperomia nakaharae* Hayata, 1911 山椒草 Ref. Flora of Taiwan 2nd ed. 2: 625, 1996

*Peperomia pellucida* Kunth., 1816 草胡椒 Ref. Flora of Taiwan 2nd ed. 6: 54, 2003

*Peperomia reflexa* (L. f.) A. Dietr., 1831 小椒草 Ref. Flora of Taiwan 2nd ed. 2: 625, 1996

*Peperomia rubrivenosa* C. DC., 1910 蘭嶼椒草 Ref. 同前

*Peperomia sui* Lin & Lu, 1995 紅莖椒草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 626, 1996

*Piper arborescens* Roxb., 1832 蘭嶼風藤 Ref. Flora of Taiwan 2nd ed. 2: 628, 1996

*Piper betle* L., 1753 老藤 Ref. 同前

*Piper interruptum* Opiz. var. *multinervum* C. DC. 1910 多脈風藤 Ref. 同前

*Piper kadsura* (Choisy) Ohwi, 1934 風藤 Ref. 同前

*Piper kawakamii* Hayata, 1911 恒春風藤 [特有] Ref. Flora of Taiwan 2nd ed. 2: 629, 1996

*Piper kwashoense* Hayata, 1911 綠島風藤 [特有] Ref. Flora of Taiwan 2nd ed. 6: 54, 2003

*Piper sintenense* Hatusima, 1935 薄葉風藤 [特有] Ref. Flora of Taiwan 2nd ed. 2: 629, 1996

*Piper taiwanense* Lin & Lu, 1995 台灣老藤 [特有] Ref. 同前

*Piper umbellatum* L., 1753 台灣胡椒 Ref. Flora of Taiwan 2nd ed. 2: 631, 1996

### Family Saururaceae 三白草科

*Houttuynia cordata* Thunb., 1784 蕺菜 Ref. Flora of Taiwan 2nd ed. 2: 620, 1996

*Saururus chinensis* (Lour.) Baill., 1871 三白草 Ref. Flora of Taiwan 2nd ed. 2: 622, 1996

## Order Plantaginales 車前目

### Family Plantaginaceae 車前科

*Plantago asiatica* L., 1753 車前草 Ref. Flora of Taiwan 2nd ed. 4: 733, 1998

*Plantago lanceolata* L., 1753 長葉車前草 Ref. Flora of Taiwan 2nd ed. 4: 734, 1998

*Plantago macronipponica* Yamamoto, 1938 巨葉車前草 Ref. 同前

*Plantago major* L., 1753 大車前草 Ref. Flora of Taiwan 2nd ed. 4: 736, 1998

*Plantago virginica* L., 1753 毛車前草 Ref. 同前

## Order Plumbaginales 藍雪目

### Family Plumbaginaceae 藍雪科

- Limonium sinense* (Girard) Kuntze, 1891 石菘蓉 Ref. Flora of Taiwan 2nd ed. 4: 80, 1998  
*Limonium wrightii* (Hance) Kuntze, 1891 烏芙蓉 Ref. 同前  
*Plumbago zeylanica* L., 1753 烏面馬 Ref. 同前

### Order Polygalales 遠志目

#### Family Malpighiaceae 黃櫨花科

- Hiptage benghalensis* (L.) Kurz., 1874 猿尾藤 Ref. Flora of Taiwan 2nd ed. 3: 565, 1993  
*Malpighia coccigera* L., 1753 刺葉黃櫨花 Ref. Flora of Taiwan 2nd ed. 3: 566, 1993  
*Malpighia glabra* L., 1753 黃櫨花 Ref. Flora of Taiwan 2nd ed. 3: 568, 1993  
*Malpighia mexicana* Juss., 1843 墨西哥黃櫨花 Ref. 同前  
*Ryssopterys timoriensis* (DC.) Juss., 1837 翅實藤 Ref. 同前  
*Tristellateia australasiae* A. Richard, 1833 三星果藤 Ref. Flora of Taiwan 2nd ed. 3: 569, 1993

#### Family Polygalaceae 遠志科

- Epirixanthes elongata* Blume, 1825 寄生鱗葉草 Ref. Flora of Taiwan 2nd ed. 6: 72, 2003  
*Polygala arcuata* Hayata, 1908 巨葉花遠志 [特有] Ref. Flora of Taiwan 2nd ed. 3: 571, 1993  
*Polygala glomerata* Lour., 1970 無柄花瓜子金 Ref. Flora of Taiwan 2nd ed. 3: 573, 1993  
*Polygala japonica* Houtt., 1779 瓜子金 Ref. 同前  
*Polygala paniculata* L., 1759 圓錐花遠志 Ref. 同前  
*Polygala tatarinowii* Regel, 1861 小扁豆 Ref. Flora of Taiwan 2nd ed. 3: 576, 1993  
*Salomonina oblongifolia* DC, 1824 齒果草 Ref. 同前

### Order Polygonales 蓼目

#### Family Polygonaceae 蓼科

- Antigonon leptopus* Hook. & Arn., 1841 珊瑚藤 Ref. Flora of Taiwan 2nd ed. 2: 294, 1996  
*Fagopyrum cymosum* (Trev.) Meisn., 1832 赤地利 Ref. Flora of Taiwan 2nd ed. 6: 45, 2003  
*Polygonum aviculare* L., 1753 扁蓄 Ref. Flora of Taiwan 2nd ed. 2: 296, 1996  
*Polygonum barbatum* L., 1753 毛蓼 Ref. Flora of Taiwan 2nd ed. 2: 298, 1996  
*Polygonum capitatum* Buchanan-Hamilton ex D. Don 頭花蓼 Ref. Taiwania 49(3): 183, 2004  
*Polygonum chinense* L., 1753 火炭母草 Ref. Flora of Taiwan 2nd ed. 2: 298, 1996  
*Polygonum conspicuum* (Nakai) Nakai, 1911 櫻蓼 Ref. 同前  
*Polygonum cuspidatum* Sieb. & Zucc., 1846 虎杖 Ref. Flora of Taiwan 2nd ed. 2: 299, 1996  
*Polygonum dichotomum* Bl., 1825 水紅骨蛇 Ref. 同前  
*Polygonum filicaule* Wall. ex Meisn., 1832 高山蓼 Ref. Flora of Taiwan 2nd ed. 2: 301, 1996  
*Polygonum foliosum* Lindb., 1900 宜蘭蓼 Ref. 同前  
*Polygonum glabrum* Willd., 1799 紅辣蓼 Ref. 同前  
*Polygonum hastatosagittatum* Makino, 1903 長箭葉蓼 Ref. 同前  
*Polygonum hydropiper* L., 1753 水蓼 Ref. Flora of Taiwan 2nd ed. 2: 302, 1996  
*Polygonum japonicum* Meisn., 1856 蠶繭草 Ref. 同前  
*Polygonum lanatum* Roxb., 1832 白苦柱 Ref. Flora of Taiwan 2nd ed. 2: 304, 1996  
*Polygonum lapathifolium* L., 1753 早苗蓼 Ref. 同前  
*Polygonum longisetum* De Bruyn, 1854 睫穗蓼 Ref. 同前  
*Polygonum maackianum* Regel, 1861 長戟葉蓼 Ref. Flora of Taiwan 2nd ed. 2: 305, 1996  
*Polygonum micranthum* Meisn., 1865 盤腺蓼 Ref. 同前  
*Polygonum multiflorum* Thunb. ex Murray var. *hypoleucum* (Ohwi) Liu, Ying & Lai, 1976 台灣何首烏 [特有] Ref. 同前  
*Polygonum muricatum* Meisner, 1826 小花蓼 Ref. Flora of Taiwan 2nd ed. 2: 306, 1996  
*Polygonum nepalense* Meisn., 1826 野蕎麥 Ref. 同前  
*Polygonum orientale* L., 1753 紅蓼 Ref. 同前  
*Polygonum perfoliatum* L., 1759 扛板歸 Ref. Flora of Taiwan 2nd ed. 2: 307, 1996  
*Polygonum persicaria* L., 1753 春蓼 Ref. 同前  
*Polygonum pilushanense* Liu & Ou, 1976 畢祿山蓼 [特有] Ref. 同前  
*Polygonum plebeium* R. Brown, 1810 假扁蓄 Ref. Flora of Taiwan 2nd ed. 2: 308, 1996  
*Polygonum posumbu* Buch.-Ham. ex Don, 1825 花蓼 Ref. 同前  
*Polygonum praetermissum* Hook. f., 1890 細葉雀翅 Ref. Flora of Taiwan 2nd ed. 2: 309, 1996  
*Polygonum pubescens* Bl., 1825 八字蓼 Ref. 同前  
*Polygonum pulchrum* Bl., 1826 絨毛蓼 Ref. 同前  
*Polygonum runcinatum* Buch.-Ham. ex D. Don, 1825 散血丹 Ref. Flora of Taiwan 2nd ed. 2: 310, 1996  
*Polygonum sagittatum* L., 1753 箭葉蓼 Ref. 同前  
*Polygonum scabrum* Moench, 1794 糙葉蓼 Ref. 同前  
*Polygonum senticosum* (Meisn.) Fr. & Sav., 1875 刺蓼 Ref. Flora of Taiwan 2nd ed. 2: 311, 1996  
*Polygonum thunbergii* Sieb. & Zucc., 1846 戟葉蓼 Ref. 同前  
*Polygonum trigonocarpum* (Makino) Kudo & Masam., 1932 細葉蓼 Ref. Flora of Taiwan 2nd ed. 2: 312, 1996  
*Polygonum virginatum* L. var. *filiforme* (Thunb. ex Murray) Nakai 1909 金線草 Ref. 同前  
*Polygonum viscosum* Buch.-Ham. ex D. Don, 1825 香蓼 Ref. 同前  
*Rumex acetosa* L., 1753 酸模 Ref. Flora of Taiwan 2nd ed. 2: 313, 1996  
*Rumex acetosella* L., 1753 小酸模 Ref. Flora of Taiwan 2nd ed. 2: 314, 1996  
*Rumex crispus* L. var. *japonicus* (Houtt.) Makino 1894 羊蹄 Ref. 同前  
*Rumex crispus* L., 1753 皺葉酸模 Ref. 同前  
*Rumex crispus* L. var. *crispus* L. 1753 皺葉酸模 Ref. 同前  
*Rumex martimus* L., 1753 連明子 Ref. Flora of Taiwan 2nd ed. 2: 315, 1996  
*Rumex nipponicus* Fr. & Sav., 1876 小羊蹄 Ref. 同前

*Rumex obtusifolius* L., 1753 大羊蹄 Ref. 同前

## Order Primulales 報春花目

### Family Myrsinaceae 紫金牛科

- Ardisia brevicaulis* Diels, 1900 屯鹿紫金牛 Ref. Flora of Taiwan 2nd ed. 4: 41, 1998  
*Ardisia chinensis* Benth., 1861 華紫金牛 Ref. Flora of Taiwan 2nd ed. 4: 42, 1998  
*Ardisia cornudentata* Mez subsp. *morrisonensis* var. (Hayata) Yuen P. Yang 1998 玉山紫金牛 Ref. 同前  
*Ardisia cornudentata* subsp. *cornudentata* Mez, 1902 雨傘仔 Ref. 同前  
*Ardisia crenata* Sims, 1918 珠砂根 Ref. Flora of Taiwan 2nd ed. 4: 43, 1998  
*Ardisia crispa* (Thunb.) A. DC., 1834 百兩金 Ref. 同前  
*Ardisia elliptica* Thunb., 1795 蘭嶼紫金牛 Ref. 同前  
*Ardisia japonica* (Hornsted) Blume, 1826 紫金牛 Ref. Flora of Taiwan 2nd ed. 4: 44, 1998  
*Ardisia kusukuensis* Hayata, 1915 高士佛紫金牛 [特有] Ref. 同前  
*Ardisia maclurei* Merr., 1922 麥氏紫金牛 Ref. 同前  
*Ardisia pusilla* A. DC., 1836 輪葉紫金牛 Ref. Flora of Taiwan 2nd ed. 4: 45, 1998  
*Ardisia quinqueгона* Blume, 1826 小葉樹杞 Ref. 同前  
*Ardisia sieboldii* Miq., 1867 樹杞 Ref. 同前  
*Ardisia villosa* Roxb., 1824 雪下紅 Ref. Flora of Taiwan 2nd ed. 4: 46, 1998  
*Ardisia violacea* (T. Suzuki) W. Z. Fang & K Yao, 1979 裡堇紫金牛 [特有] Ref. 同前  
*Ardisia virens* Kurz, 1877 黑星紫金牛 Ref. 同前  
*Embelia laeta* (L.) Mez var. *papilligera* (Nakai) Walker 1954 藤毛木櫛 Ref. Flora of Taiwan 2nd ed. 4: 47, 1998  
*Embelia lenticellata* Hayata, 1915 賽山椒 Ref. Flora of Taiwan 2nd ed. 4: 48, 1998  
*Embelia rudis* Hand.-Mazz., 1922 野山椒 Ref. 同前  
*Maesa japonica* (Thunb.) Moritz ex Zoll., 1846 山桂花 Ref. Flora of Taiwan 2nd ed. 4: 50, 1998  
*Maesa lanyuensis* Yuen P. Yang, 1999 蘭嶼山桂花 [特有] Ref. 同前  
*Maesa perlaria* (Lour.) Merr. var. *formosana* (Mez) Yuen P. Yang 1998 台灣山桂花 Ref. Flora of Taiwan 2nd ed. 4: 52, 1998  
*Maesa perlaria* (Lour.) Merr. var. *perlaria* (Lour.) Merr. 1935 鯽魚膽 Ref. 同前  
*Myrsine africana* L., 1753 小葉鐵仔 Ref. Flora of Taiwan 2nd ed. 4: 53, 1998  
*Myrsine sequinii* Levl., 1914 大明橘 Ref. 同前  
*Myrsine stolonifera* (Koidz.) Walker, 1940 蔓竹杞 Ref. 同前

### Family Primulaceae 報春花科

- Anagalis arvensis* L., 1753 琉璃繁縷 Ref. Flora of Taiwan 2nd ed. 4: 57, 1998  
*Androsace umbellata* (Lour.) Merr., 1919 地錢草 Ref. Flora of Taiwan 2nd ed. 4: 59, 1998  
*Lysimachia ardisioides* Masam., 1932 台灣排香 [特有] Ref. Flora of Taiwan 2nd ed. 4: 61, 1998  
*Lysimachia capillipes* Hemsl., 1889 排香草 Ref. Flora of Taiwan 2nd ed. 4: 63, 1998  
*Lysimachia chingshuiensis* C.-I Peng & C. M. Hu, 1999 清水山過路黃 [特有] Ref. 同前  
*Lysimachia congestiflora* Hemsl., 1889 台灣珍珠菜 Ref. Flora of Taiwan 2nd ed. 4: 66, 1998  
*Lysimachia decurrens* G. Forster, 1786 異葉珍珠菜 Ref. 同前  
*Lysimachia fortunei* Maxim., 1868 星宿菜 Ref. 同前  
*Lysimachia japonica* Thunb., 1784 小茄 Ref. Flora of Taiwan 2nd ed. 4: 70, 1998  
*Lysimachia mauritiana* Lam., 1789 茅毛珍珠菜 Ref. 同前  
*Lysimachia nigropunctata* Masam., 1932 黑點珍珠菜 [特有] Ref. Flora of Taiwan 2nd ed. 4: 73, 1998  
*Lysimachia remota* Petitm., 1907 蓬萊珍珠菜 Ref. 同前  
*Primula miyabeana* Ito & Kawakami, 1911 玉山櫻草 Ref. Flora of Taiwan 2nd ed. 4: 76, 1998  
*Stimpsonia chamaedryoides* C. Wright ex A. Gray, 1859 施丁草 Ref. 同前

## Order Proteales 山龍眼目

### Family Proteaceae 山龍眼科

- Helicia cochinchinensis* Lour., 1790 紅葉樹 Ref. Flora of Taiwan 2nd ed. 2: 258, 1996  
*Helicia formosana* Hemsl., 1891 山龍眼 Ref. Flora of Taiwan 2nd ed. 2: 260, 1996  
*Helicia rengetiensis* Masam., 1951 蓮花池山龍眼 [特有] Ref. 同前

## Order Rafflesiales 大花草目

### Family Rafflesiaceae 大花草科

- Mitrasomon kanehirai* Yamamoto, 1925 菱形奴草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 652, 1996  
*Mitrasomon kawasakii* Hayata, 1912 台灣奴草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 654, 1996

## Order Ranunculales 毛茛目

### Family Berberidaceae 小檗科

- Berberis aristatoserrulata* Hayata, 1913 長葉小檗 [特有] Ref. Flora of Taiwan 2nd ed. 2: 576, 1996  
*Berberis brevisepala* Hayata, 1913 高山小檗 [特有] Ref. 同前  
*Berberis chingshuiensis* Shimizu, 1961 清水山小檗 [特有] Ref. 同前  
*Berberis kawakamii* Hayata, 1911 台灣小檗 [特有] Ref. Flora of Taiwan 2nd ed. 2: 579, 1996  
*Berberis mingetsuensis* Hayata, 1915 眠月小檗 [特有] Ref. 同前  
*Berberis morrisonensis* Hayata, 1911 玉山小檗 [特有] Ref. 同前  
*Berberis tarokoensis* Lu & Yang, 1996 太魯閣小檗 [特有] Ref. Flora of Taiwan 2nd ed. 2: 581, 1996  
*Dysosma pleianthum* (Hance) Woodson, 1928 八角蓮 Ref. Flora of Taiwan 2nd ed. 2: 583, 1996  
*Mahonia japonica* (Thunb. ex Murray) DC., 1821 十大功勞 Ref. Flora of Taiwan 2nd ed. 2: 581, 1996  
*Mahonia oiwakensis* Hayata, 1916 阿里山十大功勞 [特有] Ref. 同前

### Family Coriariaceae 馬桑科

- Coriaria japonica* A. Gray subsp. *intermedia* (Matsum.) Huang 1992 台灣馬桑 Ref. Flora of Taiwan 2nd ed. 3: 579, 1993

### Family Lardizabalaceae 木通科

- Akebia longeracemosa* Matsum., 1899 長序木通 Ref. Flora of Taiwan 2nd ed. 2: 586, 1996  
*Akebia trifoliata* (Thunb.) Koidz. subsp. *australis* (Diels) T. 1961 白木通 Ref. Flora of Taiwan 2nd ed. 2: 588, 1996  
*Stauntonia obovata* Hemsl., 1907 鈍藥野木瓜 Ref. 同前  
*Stauntonia obovatifoliola* Hayata, 1919 石月 Ref. Flora of Taiwan 2nd ed. 2: 590, 1996  
*Stauntonia purpurea* Y. C. Liu & F. Y. Lu, 1978 紫花野木瓜 [特有] Ref. 同前

### Family Menispermaceae 防己科

- Cocculus laurifolius* DC., 1817 樟葉木防己 Ref. Flora of Taiwan 2nd ed. 2: 592, 1996  
*Cocculus orbiculatus* (L.) DC., 1817 木防己 Ref. 同前  
*Cyclea gracillima* Diels, 1910 土防己 [特有] Ref. Flora of Taiwan 2nd ed. 2: 594, 1996  
*Cyclea insularis* (Makino) Hatusima, 1966 蘭嶼土防己 Ref. 同前  
*Cyclea ochiaiana* (Yamamoto) S. F. Huang & T. C. Huang, 1996 台灣土防己 [特有] Ref. 同前  
*Pericampylus formosanus* Diels, 1910 蓬萊藤 Ref. Flora of Taiwan 2nd ed. 2: 598, 1996  
*Sinomenium acutum* (Thunb.) Rehd. & Wils., 1913 漢防己 Ref. Flora of Taiwan 2nd ed. 2: 600, 1996  
*Stephania cephalantha* Hayata, 1913 大還魂 Ref. 同前  
*Stephania japonica* (Thunb. ex Murray) Miers var. *hispidula* Yamamoto 1927 毛千金藤 Ref. Flora of Taiwan 2nd ed. 2: 602, 1996  
*Stephania japonica* (Thunb. ex Murray) Miers var. *japonica* (Thunb. ex Murray) Miers 1866 千金藤 Ref. 同前  
*Stephania merrillii* Diels, 1910 蘭嶼千金藤 Ref. 同前  
*Stephania tetrandra* S. Moore, 1875 石蟾蜍 Ref. Flora of Taiwan 2nd ed. 2: 605, 1996  
*Tinospora dentata* Diels, 1910 恆春青牛膽 [特有] Ref. 同前

### Family Ranunculaceae 毛茛科

- Aconitum fukutomei* Hayata var. *fukutomei* Hayata 1914 臺灣烏頭 Ref. Flora of Taiwan 2nd ed. 2: 507, 1996  
*Aconitum fukutomei* Hayata var. *formosanum* (Tamura) Yang & Huang 1996 蔓烏頭 Ref. 同前  
*Anemone stolonifera* Maxim., 1877 匍枝銀蓮花 Ref. Flora of Taiwan 2nd ed. 2: 511, 1996  
*Anemone vitifolia* Buch. Ham. ex DC., 1818 小白頭翁 Ref. Flora of Taiwan 2nd ed. 2: 509, 1996  
*Calathodes polycarpa* Ohwi, 1933 多果雞爪草 Ref. Flora of Taiwan 2nd ed. 2: 513, 1996  
*Cimicifuga simplex* (DC.) Wormsk. ex Turcz., 1842 單穗升麻 Ref. 同前  
*Clematis akoensis* Hayata, 1911 屏東鐵線蓮 [特有] Ref. Flora of Taiwan 2nd ed. 2: 516, 1996  
*Clematis chinensis* Osbeck, 1757 威靈仙 Ref. Flora of Taiwan 2nd ed. 2: 518, 1996  
*Clematis crassifolia* Benth., 1861 厚葉鐵線蓮 Ref. 同前  
*Clematis formosana* Kuntz., 1945 台灣鐵線蓮 [特有] Ref. Flora of Taiwan 2nd ed. 2: 521, 1996  
*Clematis gouriana* Roxb. ex DC. var. *lishanensis* Yang & Huang 1991 梨山小囊衣藤 [特有] Ref. 同前  
*Clematis grata* Wall., 1830 串鼻龍 Ref. Flora of Taiwan 2nd ed. 2: 524, 1996  
*Clematis henryi* Oliv. var. *morii* (Hayata) Yang & Huang 1992 森氏鐵線蓮 Ref. Flora of Taiwan 2nd ed. 2: 527, 1996  
*Clematis henryi* Oliv. var. *henryi* Oliv. 1889 亨利氏鐵線蓮 Ref. Flora of Taiwan 2nd ed. 2: 524, 1996  
*Clematis henryi* Oliv., 1889 亨利氏鐵線蓮 Ref. 同前  
*Clematis lasiandra* Maxim., 1876 小木通 Ref. Flora of Taiwan 2nd ed. 2: 527, 1996  
*Clematis leschenaultiana* DC., 1817 銹毛鐵線蓮 Ref. Flora of Taiwan 2nd ed. 2: 530, 1996  
*Clematis meyeniana* Walp., 1843 麥氏鐵線蓮 Ref. Flora of Taiwan 2nd ed. 2: 532, 1996  
*Clematis montana* Buch.-Ham. ex DC., 1817 繡球藤 Ref. 同前  
*Clematis parviloba* Gard. ex Champ. subsp. *bartlettii* (Yamamoto) Yang & Huang 1995 巴氏鐵線蓮 [特有] Ref. 同前  
*Clematis psilandra* Kitagawa, 1937 台灣草牡丹 [特有] Ref. Flora of Taiwan 2nd ed. 2: 536, 1996  
*Clematis tamurae* Yang & Huang, 1995 田村氏鐵線蓮 [特有] Ref. 同前  
*Clematis tashiroi* Maxim., 1888 田代氏鐵線蓮 Ref. Flora of Taiwan 2nd ed. 2: 539, 1996  
*Clematis terniflora* DC. var. *garanbiensis* (Hayata) M. C. Chang 1980 鵝鑾鼻鐵線蓮 [特有] Ref. Flora of Taiwan 2nd ed. 2: 541, 1996  
*Clematis tsugetorum* Ohwi, 1933 高山鐵線蓮 [特有] Ref. 同前  
*Clematis uncinata* Champ. ex Benth., 1851 柱果鐵線蓮 Ref. Flora of Taiwan 2nd ed. 2: 544, 1996  
*Clematis uncinata* Champ. ex Benth. var. *okinawensis* (Ohwi) Ohwi 1953 毛果鐵線蓮 Ref. 同前  
*Clematis uncinata* Champ. ex Benth. var. *uncinata* Champ. ex Benth. 1851 柱果鐵線蓮 Ref. 同前  
*Coptis quinquefolia* Miq., 1867 五葉黃連 Ref. Flora of Taiwan 2nd ed. 2: 546, 1996  
*Dichocarpum adiantifolium* (Hook. f. & Thoms.) W. T. Wang & Hsiao, 1964 鐵線蕨葉人字果 Ref. 同前  
*Ranunculus cantoniensis* DC., 1824 馮毛茛 Ref. Flora of Taiwan 2nd ed. 2: 550, 1996  
*Ranunculus cheirophyllus* Hayata, 1913 掌葉毛茛 [特有] Ref. 同前  
*Ranunculus chinensis* Bunge, 1833 茴茴蒜 Ref. Taiwania 50(3): 215, 2005  
*Ranunculus formosa-montanus* Ohwi, 1933 蓬萊毛茛 [特有] Ref. Flora of Taiwan 2nd ed. 2: 553, 1996  
*Ranunculus japonicus* Thunb., 1794 毛茛 Ref. 同前  
*Ranunculus junipericola* Ohwi, 1933 高山毛茛 [特有] Ref. Flora of Taiwan 2nd ed. 2: 556, 1996  
*Ranunculus morii* (Yamamoto) Ohwi, 1936 森氏毛茛 [特有] Ref. 同前  
*Ranunculus nankotaizanus* Ohwi, 1933 南湖毛茛 [特有] Ref. 同前  
*Ranunculus sceleratus* L., 1753 石龍芮 Ref. Flora of Taiwan 2nd ed. 2: 560, 1996  
*Ranunculus sieboldii* Miq., 1867 揚子毛茛 Ref. 同前  
*Ranunculus silerifolius* Lev., 1909 鉤柱毛茛 Ref. Taiwania 50(3): 218, 2005  
*Ranunculus taisanensis* Hayata, 1911 鹿場毛茛 [特有] Ref. Flora of Taiwan 2nd ed. 2: 562, 1996  
*Ranunculus ternatus* Thunb. ex Murray, 1784 小毛茛 Ref. 同前  
*Semiaquilegia adoxoides* (DC.) Makino, 1902 天葵 Ref. Taiwania 49(1): 44, 2004  
*Thalictrum javanicum* Bl. var. *puberulum* W. T. Wang 1979 微毛爪哇唐松草 Ref. Flora of Taiwan 2nd ed. 2: 565, 1996  
*Thalictrum myriophyllum* Ohwi, 1933 密葉唐松草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 567, 1996  
*Thalictrum rubescens* Ohwi, 1933 南湖唐松草 [特有] Ref. 同前  
*Thalictrum sessile* Hayata, 1913 玉山唐松草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 570, 1996  
*Thalictrum urbaini* Hayata, 1911 傅氏唐松草 [特有] Ref. 同前

*Thalictrum urbaini* Hayata var. *majus* T. Shimizu 1911 大花傅氏唐松草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 573, 1996  
*Thalictrum urbaini* Hayata var. *urbaini* Hayata 1911 傅氏唐松草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 570, 1996  
*Trollius taihazanensis* Masam., 1934 臺灣金蓮花 [特有] Ref. Flora of Taiwan 2nd ed. 2: 573, 1996

### Family Sabiaceae 清風藤科

*Meliosma callicarpaefolia* Hayata, 1913 紫珠葉泡花 [特有] Ref. Flora of Taiwan 2nd ed. 3: 611, 1993  
*Meliosma rhoifolia* Maxim., 1867 山豬肉 Ref. Flora of Taiwan 2nd ed. 3: 612, 1993  
*Meliosma rigida* Sieb. & Zucc., 1845 筆羅子 Ref. 同前  
*Meliosma squamulata* Hance, 1876 綠樟 Ref. 同前  
*Sabia swinhoei* Hemsl., 1886 台灣清風藤 Ref. Flora of Taiwan 2nd ed. 3: 614, 1993  
*Sabia transarisanensis* Hayata, 1915 阿里山清風藤 [特有] Ref. 同前

## Order Rhamnales 鼠李目

### Family Elaeagnaceae 胡頹子科

*Elaeagnus formosana* Nakai, 1916 台灣胡頹子 [特有] Ref. Flora of Taiwan 2nd ed. 3: 780, 1993  
*Elaeagnus formosensis* Hatusima, 1952 Ref. 同前  
*Elaeagnus glabra* Thunb., 1784 藤胡頹子 Ref. Flora of Taiwan 2nd ed. 3: 782, 1993  
*Elaeagnus grandifolia* Hayata, 1920 慈恩胡頹子 [特有] Ref. Flora of Taiwan 2nd ed. 3: 785, 1993  
*Elaeagnus ohashii* T. C. Huang, 2002 大橋胡頹子 [特有] Ref. Flora of Taiwan 2nd ed. 6: 78, 2003  
*Elaeagnus oldhamii* Maxim., 1877 椴椴 Ref. Flora of Taiwan 2nd ed. 3: 785, 1993  
*Elaeagnus tarokoensis* Lu & Yang, 1993 太魯閣胡頹子 [特有] Ref. 同前  
*Elaeagnus thunbergii* Serv., 1903 鄧氏胡頹子 [特有] Ref. Flora of Taiwan 2nd ed. 3: 789, 1993  
*Elaeagnus triflora* Roxb., 1820 菲律賓胡頹子 Ref. 同前  
*Elaeagnus umbellata* Thunb., 1784 小葉胡頹子 Ref. Flora of Taiwan 2nd ed. 3: 792, 1993

### Family Leeaceae 火筒樹科

*Leea guineensis* G. Don, 1831 火筒樹 Ref. Flora of Taiwan 2nd ed. 3: 711, 1993  
*Leea philippinensis* Merr., 1906 菲律賓火筒樹 Ref. 同前

### Family Rhamnaceae 鼠李科

*Berchemia arisanensis* Liu & Lu, 1978 阿里山黃鱗藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 681, 1993  
*Berchemia fenchifuensis* Wang & Lu, 1990 奮起湖黃鱗藤 [特有] Ref. 同前  
*Berchemia formosana* Schneider, 1914 台灣黃鱗藤 Ref. 同前  
*Berchemia lineata* (L.) DC., 1825 小葉黃鱗藤 Ref. Flora of Taiwan 2nd ed. 3: 682, 1993  
*Berchemia racemosa* Siebold & Zucc. var. *magna* Makino 1892 大黃鱗藤 Ref. 同前  
*Colubrina asiatica* (L.) Brongn., 1827 亞洲濱棗 Ref. Flora of Taiwan 2nd ed. 3: 684, 1993  
*Paliurus ramosissimus* (Lour.) Poir., 1816 馬甲子 Ref. 同前  
*Rhamnus chingshuiensis* Shimizu var. *chingshuiensis* Shimizu 1963 清水鼠李 [特有] Ref. Flora of Taiwan 2nd ed. 3: 687, 1993  
*Rhamnus chingshuiensis* Shimizu var. *tashanensis* Liu & Wang 1990 塔山鼠李 [特有] Ref. 同前  
*Rhamnus crenata* Sieb. & Zucc., 1845 鈍齒鼠李 Ref. Flora of Taiwan 2nd ed. 3: 688, 1993  
*Rhamnus formosana* Matsum., 1892 桶鉤藤 [特有] Ref. 同前  
*Rhamnus kanagusuki* Makino, 1912 變葉鼠李 Ref. 同前  
*Rhamnus nakaharae* (Hayata) Hayata, 1911 中原氏鼠李 [特有] Ref. Flora of Taiwan 2nd ed. 3: 690, 1993  
*Rhamnus parvifolia* Bunge, 1833 小葉鼠李 Ref. 同前  
*Rhamnus pilushanensis* Liu & Wang, 1990 畢祿山鼠李 [特有] Ref. 同前  
*Sageretia randaiensis* Hayata, 1915 巒大雀梅藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 691, 1993  
*Sageretia thea* (Osbeck) Johnst., 1968 雀梅藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 693, 1993  
*Sageretia thea* (Osbeck) Johnst. var. *taiwaniana* (Masam.) Liu & Wang 1990 台灣雀梅藤 [特有] Ref. 同前  
*Ventilago elegans* Hemsl., 1895 翼核木 [特有] Ref. Flora of Taiwan 2nd ed. 3: 694, 1993  
*Ventilago leiocarpa* Benth., 1860 光果翼核木 Ref. 同前

### Family Vitaceae 葡萄科

*Ampelopsis brevipedunculata* (Maxim.) Trautv. var. *ciliata* (Nakai) Lu 1977 毛山葡萄 Ref. Flora of Taiwan 2nd ed. 3: 697, 1993  
*Ampelopsis brevipedunculata* (Maxim.) Trautv. var. *hancei* (Planch.) Rehder 1922 漢氏山葡萄 Ref. 同前  
*Ampelopsis cantoniensis* (Hook. & Arn.) Planch., 1887 廣東山葡萄 Ref. Flora of Taiwan 2nd ed. 3: 699, 1993  
*Ampelopsis cantoniensis* (Hook. & Arn.) Planch. var. *leecoides* (Maxim.) Lu 1977 大葉廣東山葡萄 Ref. 同前  
*Cayratia japonica* (Thunb.) Gagnep., 1911 虎葛 Ref. 同前  
*Cayratia maritima* B. R. Jakes, 1987 海岸烏斂莓 Ref. Flora of Taiwan 2nd ed. 6: 75, 2003  
*Cissus adnata* Roxb., 1820 紅毛粉藤 Ref. Flora of Taiwan 2nd ed. 3: 701, 1993  
*Cissus elongata* Roxb., 1820 五葉粉藤 Ref. Flora of Taiwan 2nd ed. 6: 76, 2003  
*Cissus lanyuensis* (Chang) Lu, 1977 蘭嶼粉藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 701, 1993  
*Cissus pteroclada* Hayata, 1912 翼莖粉藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 702, 1993  
*Cissus repens* Lam., 1783 粉藤 Ref. 同前  
*Parthenocissus tricuspidata* (Sieb. & Zucc.) Planch., 1887 地錦 Ref. Flora of Taiwan 2nd ed. 3: 703, 1993  
*Tetrastigma alatum* Li, 1963 翼柄崖爬藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 705, 1993  
*Tetrastigma bioritsensis* (Hayata) T.W. Hsu & C.S. Kuoh 苗栗崖爬藤 Ref. 同前  
*Tetrastigma formosanum* (Hemsl.) Gagnep., 1911 三葉崖爬藤 [特有] Ref. Flora of Taiwan 2nd ed. 3: 706, 1993  
*Tetrastigma umbellatum* (Hemsl.) Nakai, 1922 台灣崖爬藤 [特有] Ref. 同前  
*Vitis flexuosa* Thunb., 1794 光葉葡萄 Ref. Flora of Taiwan 2nd ed. 3: 708, 1993  
*Vitis flexuosa* Thunb. f. *vifolia* (Roxb.) Planch. 1883 小葉葛藟 Ref. 同前  
*Vitis kelungensis* Moriyama, 1935 基隆葡萄 [特有] Ref. 同前  
*Vitis thunbergii* Sieb. & Zucc., 1845 細本葡萄 [特有] Ref. Flora of Taiwan 2nd ed. 3: 709, 1993  
*Vitis thunbergii* Sieb. & Zucc. var. *taiwaniana* Lu 1977 小葉葡萄 [特有] Ref. 同前

## Order Rhizophorales 紅樹目

### Family Rhizophoraceae 紅樹科

- Kandelia obovata* Sheue, H.Y. Liu & J. Yong 2003 水筆仔 Ref. Taxon 52: 287, 2003  
*Rhizophora stylosa* Griff., 1854 紅海欖 Ref. Flora of Taiwan 2nd ed. 6: 82, 2003

## Order Rosales 薔薇目

### Family Connaraceae 牛栓藤科

- Connarus subinaequifolius* Elmer, 1908 蘭嶼牛栓藤 Ref. Flora of Taiwan 2nd ed. 6: 62, 2003  
*Rourea minor* (Gaertn.) Leenhouts, 1957 紅葉藤 Ref. Flora of Taiwan 2nd ed. 3: 158, 1993

### Family Crassulaceae 景天科

- Bryophyllum pinnatum* (Lam.) Kurz, 1876 落地生根 Ref. Flora of Taiwan 2nd ed. 3: 10, 1993  
*Hylotelephium subcapitatum* (Hayata) Ohba, 1977 穗花八寶 [特有] Ref. Flora of Taiwan 2nd ed. 3: 11, 1993  
*Kalanchoe garambiensis* Kudo, 1930 鵝鑾鼻燈籠草 [特有] Ref. Flora of Taiwan 2nd ed. 3: 14, 1993  
*Kalanchoe gracilis* Hance, 1870 小燈籠草 [特有] Ref. 同前  
*Kalanchoe spathulata* (Poir.) DC., 1799 倒吊蓮 Ref. 同前  
*Kalanchoe tashiroi* Yamamoto, 1926 蘭嶼燈籠草 Ref. Flora of Taiwan 2nd ed. 3: 15, 1993  
*Sedum actinocarpum* Yamamoto, 1926 星果佛甲草 [特有] Ref. Flora of Taiwan 2nd ed. 3: 17, 1993  
*Sedum bulbiferum* Makino, 1903 珠芽佛甲草 Ref. 同前  
*Sedum cryptomerioides* Bart. & Yamamoto, 1932 杉葉佛甲草 [特有] Ref. 同前  
*Sedum drymarioides* Hance, 1865 大葉火焰草 Ref. Flora of Taiwan 2nd ed. 3: 21, 1993  
*Sedum erythrospermum* Hayata, 1913 紅子佛甲草 [特有] Ref. 同前  
*Sedum formosanum* N. E. Brown, 1885 台灣佛甲草 Ref. 同前  
*Sedum mexicanum* Britt., 1899 松葉佛甲草 Ref. Flora of Taiwan 2nd ed. 3: 25, 1993  
*Sedum microsepalum* Hayata, 1913 小萼佛甲草 [特有] Ref. 同前  
*Sedum morrisonense* Hayata, 1908 玉山佛甲草 [特有] Ref. 同前  
*Sedum nokoense* Yamamoto, 1926 能高佛甲草 [特有] Ref. Flora of Taiwan 2nd ed. 3: 28, 1993  
*Sedum parvisepalum* Yamamoto, 1926 尖萼佛甲草 [特有] Ref. 同前  
*Sedum sekiteiense* Yamamoto, 1926 石碇佛甲草 [特有] Ref. Flora of Taiwan 2nd ed. 3: 31, 1993  
*Sedum stellariaefolium* Franch., 1883 火焰草 Ref. 同前  
*Sedum uniflorum* Hook. & Arn., 1841 疏花佛甲草 Ref. 同前

### Family Pittosporaceae 海桐科

- Pittosporum daphniphylloides* Hayata, 1911 大葉海桐 [特有] Ref. Flora of Taiwan 2nd ed. 3: 65, 1993  
*Pittosporum illicioides* Makino var. *illicioides* Makino 1900 疏果海桐 Ref. Flora of Taiwan 2nd ed. 3: 66, 1993  
*Pittosporum illicioides* Makino, 1900 疏果海桐 Ref. 同前  
*Pittosporum illicioides* Makino var. *angustifolium* Huang ex Lu 1977 細葉疏果海桐 Ref. 同前  
*Pittosporum moluccanum* Miq., 1870 蘭嶼海桐 Ref. 同前  
*Pittosporum pentandrum* (Blanco) Merr., 1905 七里香 Ref. Flora of Taiwan 2nd ed. 3: 67, 1993  
*Pittosporum tobira* Ait., 1811 海桐 Ref. 同前

### Family Rosaceae 薔薇科

- Agrimonia pilosa* Ledeb., 1823 龍牙草 Ref. Flora of Taiwan 2nd ed. 3: 70, 1993  
*Aria alnifolia* (Sieb. & Zucc.) Decne., 1874 赤楊葉梨 Ref. Flora of Taiwan 2nd ed. 3: 71, 1993  
*Cotoneaster apiculatus* Rehd. & Wils., 1912 細尖栒子 Ref. Endemic Sp. Res. 5(1): 45, 2003  
*Cotoneaster dammeri* Schneid., 1906 矮生栒子 Ref. Taiwania 50(1): 57, 2005  
*Cotoneaster horizontalis* Decne., 1877 平枝鋪地蜈蚣 Ref. Flora of Taiwan 2nd ed. 6: 60, 2003  
*Cotoneaster konishii* Hayata, 1913 台灣鋪地蜈蚣 [特有] Ref. Flora of Taiwan 2nd ed. 3: 73, 1993  
*Cotoneaster morrisonensis* Hayata, 1915 玉山鋪地蜈蚣 [特有] Ref. 同前  
*Cotoneaster rokujodaisanensis* Hayata, 1915 樂山鋪地蜈蚣 [特有] Ref. Flora of Taiwan 2nd ed. 6: 60, 2003  
*Cotoneaster subadpressus* T. T. Yu, 1963 高山栒子 Ref. 同前  
*Duchesnea chrysantha* (Zoll. & Mor.) Miq., 1855 台灣蛇莓 Ref. Flora of Taiwan 2nd ed. 3: 75, 1993  
*Duchesnea indica* (Andr.) Focke, 1888 蛇莓 Ref. 同前  
*Eriobotrya deflexa* (Hemsl.) Nakai f. *deflexa* (Hemsl.) Nakai 1918 山枇杷 [特有] Ref. Flora of Taiwan 2nd ed. 3: 77, 1993  
*Eriobotrya deflexa* (Hemsl.) Nakai f. *sanensis* (Hayata) Nakai 1916 武威山枇杷 [特有] Ref. 同前  
*Filipendula kiraishiensis* Hayata, 1920 台灣蚊子草 [特有] Ref. Flora of Taiwan 2nd ed. 3: 79, 1993  
*Fragaria hayatai* Makino, 1912 台灣草莓 [特有] Ref. 同前  
*Malus doumeri* (Bois.) A. Chev., 1920 台灣蘋果 Ref. Flora of Taiwan 2nd ed. 3: 80, 1993  
*Malus hupehensis* (Pamp.) Rehd., 1933 湖北海棠 Ref. Flora of Taiwan 2nd ed. 3: 84, 1993  
*Osteomeles anthyllidifolia* Lindl. var. *subrotunda* (C. Koch) Masam. 1932 小石積 Ref. 同前  
*Osteomeles schwerinae* C. K. Schneid., 1906 華西小石積 Ref. Flora of Taiwan 2nd ed. 6: 60, 2003  
*Photinia nitakayamensis* Hayata, 1911 玉山假沙梨 Ref. Flora of Taiwan 2nd ed. 3: 86, 1993  
*Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* (Desf.) Kalkman 1973 石楠 [特有] Ref. Flora of Taiwan 2nd ed. 3: 88, 1993  
*Photinia serratifolia* (Desf.) Kalkman var. *lasiopetala* (Hayata) Ohashi 1988 毛瓣石楠 [特有] Ref. 同前  
*Photinia serratifolia* (Desf.) Kalkman var. *ardisifolia* (Hayata) Ohashi 1988 台東石楠 [特有] Ref. 同前  
*Potentilla amurensis* Maxin., 1895 小花金梅 Ref. Flora of Taiwan 2nd ed. 6: 60, 2003  
*Potentilla chinensis* Ser., 1825 委陵菜 Ref. Flora of Taiwan 2nd ed. 3: 89, 1993  
*Potentilla discolor* Bunge, 1831 翻白草 Ref. 同前  
*Potentilla leuconota* D. Don, 1825 玉山金梅 Ref. Flora of Taiwan 2nd ed. 3: 90, 1993  
*Potentilla matsumurae* Th. Wolf. var. *pilosa* Koidz. 1913 高山翻白草 Ref. 同前  
*Potentilla nipponica* Th. Wolf., 1908 日本翻白草 Ref. Flora of Taiwan 2nd ed. 3: 91, 1993  
*Potentilla tugitakensis* Masam., 1932 雪山翻白草 [特有] Ref. 同前

*Pourthiaea beauverdiana* (Schneider) Hatusima var. *notabilis* (Rehder & Wilson) Hatusima 1933 台灣老葉兒樹 Ref. Flora of Taiwan 2nd ed. 3: 93, 1993  
*Pourthiaea lucida* Decaisne, 1874 台灣石楠 [特有] Ref. 同前  
*Pourthiaea villosa* (Thunb. ex Murray) Decne. var. *chingshuiensis* (T. Shimizu) Iketani & Ohashi 1991 清水石楠 [特有] Ref. Flora of Taiwan 2nd ed. 3: 95, 1993  
*Pourthiaea villosa* (Thunb. ex Murray) Decne. var. *parvifolia* (Pritz.) Iketani & Ohashi 1991 小葉石楠 [特有] Ref. 同前  
*Prinsepia scandens* Hayata, 1915 假皂莢 [特有] Ref. Flora of Taiwan 2nd ed. 3: 96, 1993  
*Prunus buergeriana* Miq., 1865 布氏稠李 Ref. Flora of Taiwan 2nd ed. 3: 98, 1993  
*Prunus campanulata* Maxim., 1883 山櫻花 Ref. 同前  
*Prunus grisea* (C. Muell.) Kalkm., 1965 蘭嶼野櫻花 Ref. 同前  
*Prunus matuurai* Sasaki, 1931 太平山櫻花 [特有] Ref. Flora of Taiwan 2nd ed. 3: 100, 1993  
*Prunus mume* (Sieb.) Sieb & Zucc., 1836 梅 Ref. 同前  
*Prunus obtusata* Koehne, 1911 台灣稠李 Ref. 同前  
*Prunus phaesticta* (Hance) Maxim. var. *ilicifolia* Yamam. 1938 東青葉桃仁 Ref. Flora of Taiwan 2nd ed. 6: 60, 2003  
*Prunus phaesticta* (Hance) Maxim., 1883 黑星櫻 Ref. Flora of Taiwan 2nd ed. 3: 101, 1993  
*Prunus pogonostyla* Maxim., 1879 庭梅 Ref. 同前  
*Prunus taiwaniana* Hayata, 1911 霧社山櫻花 [特有] Ref. 同前  
*Prunus takasagomontana* Sasaki, 1931 山白櫻 [特有] Ref. Flora of Taiwan 2nd ed. 3: 104, 1993  
*Prunus transarisanensis* Hayata, 1915 阿里山櫻花 [特有] Ref. 同前  
*Prunus zippeliana* Miq., 1855 黃土樹 Ref. 同前  
*Pyracantha koidzumii* (Hayata) Rehder, 1920 台灣火刺木 [特有] Ref. Flora of Taiwan 2nd ed. 3: 105, 1993  
*Pyrus calleryana* Decne., 1871 豆梨 Ref. Flora of Taiwan 2nd ed. 3: 107, 1993  
*Pyrus taiwanensis* Iketani & Ohashi, 1993 台灣野梨 [特有] Ref. 同前  
*Rhaphiolepis indica* (L.) Lindl. ex Ker var. *tashiroi* Hayata ex Matsum. & Hayata 1906 石斑木 [特有] Ref. Flora of Taiwan 2nd ed. 3: 109, 1993  
*Rhaphiolepis indica* (L.) Lindl. ex Ker var. *umbellata* (Thunb. ex Murray) H. Ohashi 1988 厚葉石斑木 [特有] Ref. Flora of Taiwan 2nd ed. 3: 111, 1993  
*Rhaphiolepis indica* (L.) Lindl. ex Ker var. *hiiranensis* (Kanehira) Li 1952 恆春石斑木 [特有] Ref. Flora of Taiwan 2nd ed. 3: 109, 1993  
*Rosa bracteata* Wendl. var. *scabricaulis* Lindl. ex Koidz. 1913 濱野薔薇 Ref. Flora of Taiwan 2nd ed. 3: 115, 1993  
*Rosa bracteata* Wendl. var. *bracteata* Wendl. 1798 琉球野薔薇 Ref. Flora of Taiwan 2nd ed. 3: 113, 1993  
*Rosa cymosa* Tratt., 1823 小果薔薇 Ref. Flora of Taiwan 2nd ed. 3: 115, 1993  
*Rosa laevigata* Michx., 1803 金櫻子 Ref. 同前  
*Rosa luciae* Fr. & Rochebr. ex Crepin, 1871 光葉薔薇 [特有] Ref. 同前  
*Rosa luciae* Fr. & Rochebr. ex Crepin var. *rosea* Li 1952 台灣光葉薔薇 [特有] Ref. Flora of Taiwan 2nd ed. 3: 117, 1993  
*Rosa luciae* Fr. & Rochebr. ex Crepin var. *luciae* Fr. & Rochebr. ex Crepin 1871 光葉薔薇 [特有] Ref. Flora of Taiwan 2nd ed. 3: 115, 1993  
*Rosa multiflora* Thunb. ex Murray var. *formosana* Cardot 1916 台灣野薔薇 [特有] Ref. Flora of Taiwan 2nd ed. 3: 117, 1993  
*Rosa pricei* Hayata, 1915 太魯閣薔薇 [特有] Ref. 同前  
*Rosa sambucina* Koidz., 1917 山薔薇 Ref. Flora of Taiwan 2nd ed. 3: 118, 1993  
*Rosa sericea* Lindl. var. *morrisonensis* (Hayata) Masam. 1938 玉山野薔薇 [特有] Ref. 同前  
*Rosa taiwanensis* Nakai, 1916 小金櫻 [特有] Ref. 同前  
*Rosa transmorrisonensis* Hayata, 1913 高山薔薇 Ref. Flora of Taiwan 2nd ed. 3: 119, 1993  
*Rubus alceifolius* Poiret, 1806 羽萼懸鉤子 Ref. Flora of Taiwan 2nd ed. 3: 121, 1993  
*Rubus alnifoliolus* Levl., 1906 橙葉懸鉤子 Ref. Flora of Taiwan 2nd ed. 3: 123, 1993  
*Rubus amphidasys* Focke, 1900 周毛懸鉤子 Ref. Taiwania 52(1): 113, 2007  
*Rubus arachnoideus* Liu & Lu, 1976 灰葉懸鉤子 [特有] Ref. Flora of Taiwan 2nd ed. 3: 123, 1993  
*Rubus buergeri* Miq., 1867 寒莓 Ref. Flora of Taiwan 2nd ed. 3: 125, 1993  
*Rubus corchorifolius* L. f., 1781 變葉懸鉤子 Ref. 同前  
*Rubus croceacanthus* Levl. var. *croceacanthus* Levl. 1912 虎婆刺 [特有] Ref. Flora of Taiwan 2nd ed. 3: 126, 1993  
*Rubus croceacanthus* Levl. var. *glaber* Koidz. 1930 禿懸鉤子 [特有] Ref. 同前  
*Rubus flagelliflorus* Focke, 1901 裂緣苞懸鉤子 Ref. 同前  
*Rubus formosensis* Ktze., 1879 台灣懸鉤子 Ref. Flora of Taiwan 2nd ed. 3: 127, 1993  
*Rubus fraxinifoliolus* Hayata, 1915 椴葉懸鉤子 [特有] Ref. 同前  
*Rubus fraxinifolius* Poir., 1806 蘭嶼椴葉懸鉤子 Ref. Flora of Taiwan 2nd ed. 3: 128, 1993  
*Rubus hui* Diels, 1922 胡氏懸鉤子 Ref. 同前  
*Rubus kawakamii* Hayata, 1911 桑葉懸鉤子 [特有] Ref. Flora of Taiwan 2nd ed. 3: 129, 1993  
*Rubus lambertianus* Ser. ex DC., 1825 高粱泡 Ref. 同前  
*Rubus lanyuensis* Chang, 1977 蘭嶼懸鉤子 [特有] Ref. 同前  
*Rubus liuii* Yang & Lu, 1976 柳氏懸鉤子 Ref. Flora of Taiwan 2nd ed. 3: 130, 1993  
*Rubus mesogaeus* Focke, 1901 裏白懸鉤子 Ref. 同前  
*Rubus morii* Hayata, 1911 尾葉懸鉤子 [特有] Ref. Flora of Taiwan 2nd ed. 3: 132, 1993  
*Rubus nagasawanus* Koidz., 1939 粗毛懸鉤子 [特有] Ref. 同前  
*Rubus niveus* Thunb., 1989 白絨懸鉤子 Ref. 同前  
*Rubus parviaraliifolius* Hayata, 1915 小椴葉懸鉤子 [特有] Ref. Flora of Taiwan 2nd ed. 3: 133, 1993  
*Rubus parvifolius* L., 1753 紅梅消 [特有] Ref. 同前  
*Rubus parvifolius* L. var. *toapiensis* (Yamamoto) Hosok. 1936 台東紅梅消 [特有] Ref. Flora of Taiwan 2nd ed. 3: 134, 1993  
*Rubus parvifolius* L. var. *parvifolius* L. 1753 紅梅消 [特有] Ref. Flora of Taiwan 2nd ed. 3: 133, 1993  
*Rubus pectinellus* Maxim., 1872 刺萼寒梅 Ref. Flora of Taiwan 2nd ed. 3: 134, 1993  
*Rubus pseudoacer* Makino subsp. *flexuosus* (Liu & Lu) H. Ohashi & Hsieh 1993 清水懸鉤子 [特有] Ref. Flora of Taiwan 2nd ed. 3: 136, 1993  
*Rubus pungens* Camb., 1844 刺懸鉤子 [特有] Ref. 同前  
*Rubus pungens* Camb. var. *oldhamii* (Miq.) Maxim. 1871 毛刺懸鉤子 [特有] Ref. 同前  
*Rubus pungens* Camb. var. *pungens* Camb. 1844 刺懸鉤子 [特有] Ref. 同前

*Rubus pyrifolius* J. E. Sm., 1791 梨葉懸鉤子 Ref. Flora of Taiwan 2nd ed. 3: 138, 1993  
*Rubus ritozanensis* Sasaki, 1931 李棟山懸鉤子 [特有] Ref. 同前  
*Rubus rolfei* Vidal, 1885 高山懸鉤子 Ref. 同前  
*Rubus rosifolius* J. E. Smith, 1791 刺莓 Ref. Flora of Taiwan 2nd ed. 3: 139, 1993  
*Rubus sumatranus* Miq., 1860 紅腺懸鉤子 Ref. Flora of Taiwan 2nd ed. 3: 141, 1993  
*Rubus swinhoei* Hance, 1866 斯氏懸鉤子 Ref. 同前  
*Rubus taitoensis* Hayata var. *taitoensis* Hayata 1911 台東刺花懸鉤子 [特有] Ref. Flora of Taiwan 2nd ed. 3: 143, 1993  
*Rubus taitoensis* Hayata var. *aculeatiflorus* (Hayata) H. Ohashi & Hsieh 1993 刺花懸鉤子 [特有] Ref. 同前  
*Rubus taitoensis* Hayata, 1911 台東刺花懸鉤子 [特有] Ref. 同前  
*Rubus taiwanicolus* Koidz. & Ohwi, 1936 台灣莓 [特有] Ref. 同前  
*Rubus trianthus* Focke, 1911 苦懸鉤子 Ref. Flora of Taiwan 2nd ed. 3: 144, 1993  
*Rubus wallichianus* Wight & Arnott, 1833 鬼懸鉤子 Ref. Flora of Taiwan 2nd ed. 3: 146, 1993  
*Rubus yuliensis* Liu & Lu, 1976 玉里懸鉤子 [特有] Ref. Flora of Taiwan 2nd ed. 3: 144, 1993  
*Sanguisorba officinalis* L. var. *longifolia* (Bertol.) Yu & Li 1979 台灣地榆 Ref. Flora of Taiwan 2nd ed. 3: 146, 1993  
*Sibbaldia procumbens* L., 1763 五蕊莓 Ref. Flora of Taiwan 2nd ed. 3: 148, 1993  
*Sorbus randaiensis* (Hayata) Koidz., 1913 蠻大花楸 [特有] Ref. 同前  
*Spiraea formosana* Hayata, 1911 台灣繡線菊 [特有] Ref. Flora of Taiwan 2nd ed. 3: 149, 1993  
*Spiraea hayatana* Li, 1951 假繡線菊 [特有] Ref. Flora of Taiwan 2nd ed. 3: 152, 1993  
*Spiraea morrisonicola* Hayata, 1911 玉山繡線菊 [特有] Ref. 同前  
*Spiraea prunifolia* Sieb. & Zucc. var. *pseudoprunifolia* (Hayata) Li 1951 笑靨花 Ref. 同前  
*Spiraea tarokoensis* Hayata, 1920 太魯閣繡線菊 [特有] Ref. Flora of Taiwan 2nd ed. 3: 154, 1993  
*Stephanandra incisa* (Thunb. ex Murray) Zabel, 1885 冠蕊木 Ref. 同前

### Family Saxifragaceae 虎耳草科

*Astilbe longicarpa* (Hayata) Hayata, 1911 落新婦 [特有] Ref. Flora of Taiwan 2nd ed. 3: 36, 1993  
*Astilbe macroflora* Hayata, 1908 阿里山落新婦 [特有] Ref. 同前  
*Cardiandra formosana* Hayata, 1906 台灣草紫陽花 [特有] Ref. Flora of Taiwan 2nd ed. 3: 38, 1993  
*Chrysosplenium delavayi* Fr., 1885 青貓兒眼睛草 Ref. 同前  
*Chrysosplenium hebetatum* Ohwi, 1934 大武貓兒眼睛草 [特有] Ref. Flora of Taiwan 2nd ed. 3: 40, 1993  
*Chrysosplenium lanuginosum* Hook. f. & Thomson var. *formosanum* (Hayata) Hara 1957 台灣貓兒眼睛草 [特有] Ref. 同前  
*Deutzia cordatula* Li, 1952 心基葉溲疏 [特有] Ref. Flora of Taiwan 2nd ed. 3: 42, 1993  
*Deutzia pulchra* Vidal, 1886 大葉溲疏 Ref. 同前  
*Deutzia taiwanensis* (Maxim.) Schneider, 1904 台灣溲疏 [特有] Ref. Flora of Taiwan 2nd ed. 3: 45, 1993  
*Hydrangea angustipetala* Hayata, 1911 狹瓣八仙花 Ref. Flora of Taiwan 2nd ed. 3: 47, 1993  
*Hydrangea anomala* D. Don, 1825 藤繡球 Ref. 同前  
*Hydrangea aspera* D. Don, 1825 高山藤繡球 Ref. 同前  
*Hydrangea chinensis* Maxim., 1867 華八仙 Ref. Flora of Taiwan 2nd ed. 3: 48, 1993  
*Hydrangea integrifolia* Hayata ex Matsum. & Hayata, 1906 大枝掛繡球 Ref. 同前  
*Hydrangea longifolia* Hayata, 1908 長葉繡球 [特有] Ref. Flora of Taiwan 2nd ed. 3: 50, 1993  
*Hydrangea paniculata* Sieb., 1929 水亞木 Ref. 同前  
*Itea oldhamii* Schneider, 1906 鼠刺 Ref. Flora of Taiwan 2nd ed. 3: 51, 1993  
*Itea parviflora* Hemsl., 1895 小花鼠刺 [特有] Ref. 同前  
*Mitella formosana* (Hayata) Masam., 1932 台灣噴吶草 [特有] Ref. Flora of Taiwan 2nd ed. 3: 54, 1993  
*Parnassia palustris* L., 1753 梅花草 Ref. 同前  
*Pileostegia viburnoides* Hook. f. & Thoms., 1857 青棉花 Ref. Flora of Taiwan 2nd ed. 3: 57, 1993  
*Ribes formosanum* Hayata, 1906 台灣茶藨子 [特有] Ref. 同前  
*Saxifraga stolonifera* Meerb., 1775 虎耳草 Ref. Flora of Taiwan 2nd ed. 3: 60, 1993  
*Schizophragma integrifolium* Oliv. var. *fauriei* (Hayata) Hayata 1916 圓葉鑽地風 [特有] Ref. Flora of Taiwan 2nd ed. 3: 62, 1993  
*Tiarella polyphylla* D. Don, 1825 黃水枝 Ref. 同前

### Order Rubiales 茜草目

#### Family Rubiaceae 茜草科

*Argostemma solaniflorum* Elmer, 1906 水冠草 Ref. Flora of Taiwan 2nd ed. 4: 247, 1998  
*Canthium gynochthodes* Baill., 1878 朴菜木 Ref. 同前  
*Cephalanthus naucleoides* DC., 1830 風箱樹 Ref. Flora of Taiwan 2nd ed. 4: 248, 1998  
*Coptosapelta diffusa* (Champ. ex Benth.) Steenis, 1969 瓢箪藤 Ref. 同前  
*Damnacanthus angustifolius* Hayata, 1908 無刺伏牛花 [特有] Ref. Flora of Taiwan 2nd ed. 4: 251, 1998  
*Damnacanthus indicus* Gaertn., 1807 伏牛花 Ref. Flora of Taiwan 2nd ed. 4: 252, 1998  
*Dentella repens* (L.) J. R. Forst. & G. Forst., 1776 小牙草 Ref. 同前  
*Diodia virginiana* L., 1753 維州鈕扣草 Ref. Flora of Taiwan 2nd ed. 4: 254, 1998  
*Galium echinocarpum* Hayata, 1911 刺果豬殃殃 [特有] Ref. Flora of Taiwan 2nd ed. 4: 255, 1998  
*Galium formosense* Ohwi, 1934 圓葉豬殃殃 [特有] Ref. 同前  
*Galium fukuyamae* Masam., 1943 福山氏豬殃殃 Ref. 同前  
*Galium gracilens* (A. Gray) Makino 琉球豬殃殃 Ref. Flora of Taiwan 2nd ed. 4: 256, 1998  
*Galium morii* Hayata, 1918 森氏豬殃殃 [特有] Ref. 同前  
*Galium nankotaizanum* Ohwi, 1934 南湖大山豬殃殃 [特有] Ref. Flora of Taiwan 2nd ed. 4: 258, 1998  
*Galium spurium* L. f. *vaillantii* (DC.) R. J. Moore, 1975 豬殃殃 Ref. 同前  
*Galium spurium* L. f. *vaillantii* (DC.) R. J. Moore f. *llantii* (DC.) R. J. Moore 1975 豬殃殃 Ref. 同前  
*Galium taiwanense* Masamune, 1939 台灣豬殃殃 Ref. 同前  
*Galium tarokoense* Hayata, 1918 太魯閣豬殃殃 [特有] Ref. Flora of Taiwan 2nd ed. 4: 259, 1998  
*Galium trifidum* L., 1753 小葉四葉葎 Ref. 同前  
*Gardenia jasminoides* Ellis, 1761 山黃梔 Ref. 同前

*Geophila herbacea* (Jacq.) O. Ktze., 1891 苞花蔓 Ref. Flora of Taiwan 2nd ed. 4: 261, 1998  
*Guettarda speciosa* L., 1753 葛塔德木 Ref. Flora of Taiwan 2nd ed. 4: 263, 1998  
*Hedyotis biflora* (L.) Lam., 1792 雙花耳草 Ref. Flora of Taiwan 2nd ed. 4: 265, 1998  
*Hedyotis brachypoda* (DC.) Sivar. & Biju, 1990 擬定經草 Ref. Flora of Taiwan 2nd ed. 6: 91, 2003  
*Hedyotis butensis* Masam., 1938 臭涼喉茶 [特有] Ref. Flora of Taiwan 2nd ed. 4: 267, 1998  
*Hedyotis chrysotricha* (Palib.) Merr., 1922 金毛耳草 Ref. 同前  
*Hedyotis corymbosa* (L.) Lam., 1791 繖花龍吐珠 Ref. 同前  
*Hedyotis diffusa* Willd., 1797 定經草 Ref. 同前  
*Hedyotis hedyotidea* (DC.) Merr., 1934 南投涼喉茶 Ref. Flora of Taiwan 2nd ed. 4: 268, 1998  
*Hedyotis strigulosa* Bartl. ex DC. var. *parvifolia* (Hook. & Arn.) Yamazaki 1983 脈耳草 Ref. 同前  
*Hedyotis tenelliflora* Blume, 1826 纖花耳草 Ref. Flora of Taiwan 2nd ed. 4: 271, 1998  
*Hedyotis verticillata* (L.) Lam., 1791 粗葉耳草 Ref. 同前  
*Ixora philippinensis* Merr., 1910 小仙丹花 Ref. Flora of Taiwan 2nd ed. 4: 274, 1998  
*Knoxia corymbosa* Willd., 1797 諾氏草 Ref. 同前  
*Lasianthus appressihirtus* Simizu var. *appressihirtus* Simizu 1944 密毛雞屎樹 [特有] Ref. Flora of Taiwan 2nd ed. 4: 277, 1998  
*Lasianthus appressihirtus* Simizu var. *maximus* Simizu ex T.S. Liu & J.M. Chao 1964 大葉密毛雞屎樹 [特有] Ref. 同前  
*Lasianthus bunzanensis* Simizu, 1944 文山雞屎樹 Ref. 同前  
*Lasianthus chinensis* (Champ. ex Benth.) Benth., 1861 白果雞屎樹 Ref. Flora of Taiwan 2nd ed. 4: 280, 1998  
*Lasianthus curtisii* King & Gamble, 1904 柯氏雞屎樹 Ref. 同前  
*Lasianthus cyanocarpus* Jack, 1825 毛雞屎樹 Ref. 同前  
*Lasianthus fordii* Hance, 1885 琉球雞屎樹 Ref. Flora of Taiwan 2nd ed. 4: 284, 1998  
*Lasianthus formosensis* Matsum., 1901 台灣雞屎樹 Ref. 同前  
*Lasianthus hiranensis* Hayata, 1920 棲蘭山雞屎樹 Ref. Flora of Taiwan 2nd ed. 4: 287, 1998  
*Lasianthus japonicus* Miq. var. *japonicus* Miq. 1867 日本雞屎樹 Ref. 同前  
*Lasianthus japonicus* Miq. var. *satsumensis* (Matsum.) Makino 1943 粗毛日本雞屎樹 Ref. 同前  
*Lasianthus microphyllus* Elmer, 1913 小葉雞屎樹 [特有] Ref. Flora of Taiwan 2nd ed. 4: 290, 1998  
*Lasianthus microstachys* Hayata, 1920 薄葉雞屎樹 Ref. 同前  
*Lasianthus obliquinervis* Merr. var. *taitoensis* (Simizu) T. S. Liu & J. M. Chao 1964 台東雞屎樹 Ref. Flora of Taiwan 2nd ed. 4: 293, 1998  
*Lasianthus obliquinervis* Merr. var. *simizui* T.S. Liu & J.M. Chao 1964 清水氏雞屎樹 Ref. 同前  
*Lasianthus obliquinervis* Merr. var. *obliquinervis* Merr. 1907 雞屎樹 Ref. 同前  
*Lasianthus tsangii* Merr. ex H. L. Li, 1953 長苞雞屎樹 Ref. Flora of Taiwan 2nd ed. 4: 295, 1998  
*Lasianthus wallichii* Wight, 1846 圓葉雞屎樹 Ref. 同前  
*Litsea biflora* Blume, 1823 壺冠木 Ref. Flora of Taiwan 2nd ed. 4: 297, 1998  
*Mitchella undulata* Siebold & Zucc., 1846 蔓虎刺 Ref. 同前  
*Morinda citrifolia* L., 1753 檳榔樹 Ref. Flora of Taiwan 2nd ed. 4: 299, 1998  
*Morinda umbellata* L., 1753 羊角藤 Ref. Flora of Taiwan 2nd ed. 4: 301, 1998  
*Mussaenda macrophylla* Wall., 1824 大葉玉葉金花 Ref. 同前  
*Mussaenda pubescens* Ait. f., 1810 毛玉葉金花 Ref. Flora of Taiwan 2nd ed. 4: 302, 1998  
*Neonauclea reticulata* (Havil.) Merr., 1915 欖仁舅 Ref. Flora of Taiwan 2nd ed. 4: 304, 1998  
*Nertera granadense* (Mutis ex L. f.) Druce, 1917 紅果深柱夢草 Ref. Flora of Taiwan 2nd ed. 4: 306, 1998  
*Nertera nigricarpa* Hayata, 1908 黑果深柱夢草 Ref. Flora of Taiwan 2nd ed. 6: 92, 2003  
*Ophiorrhiza hayatana* Ohwi, 1934 早田氏蛇根草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 308, 1998  
*Ophiorrhiza japonica* Blume, 1826 蛇根草 Ref. 同前  
*Ophiorrhiza kuroiwae* Makino, 1906 小花蛇根草 Ref. Flora of Taiwan 2nd ed. 4: 311, 1998  
*Ophiorrhiza michelloides* (Masam.) X. R. Lo, 1998 玉蘭草 Ref. Taiwania 51(2): 145, 2006  
*Ophiorrhiza pumila* Champ. ex Benth., 1852 白花蛇根草 Ref. Flora of Taiwan 2nd ed. 4: 311, 1998  
*Paederia cavaleriei* H. Lev., 1914 毛雞屎藤 Ref. Flora of Taiwan 2nd ed. 4: 314, 1998  
*Paederia foetida* L., 1767 雞屎藤 Ref. 同前  
*Pavetta indica* L., 1753 茜木 Ref. Flora of Taiwan 2nd ed. 4: 315, 1998  
*Psychotria cephdophora* Merr., 1909 蘭嶼九節木 Ref. 同前  
*Psychotria manillensis* Bartl. ex DC., 1830 琉球九節木 Ref. Flora of Taiwan 2nd ed. 4: 316, 1998  
*Psychotria rubra* (Lour.) Poir., 1861 九節木 Ref. Flora of Taiwan 2nd ed. 4: 315, 1998  
*Psychotria serpens* L., 1771 拾壁龍 Ref. Flora of Taiwan 2nd ed. 4: 316, 1998  
*Randia canthioides* Champ. ex Benth., 1852 台北茜草樹 Ref. Flora of Taiwan 2nd ed. 4: 318, 1998  
*Randia cochinchinensis* (Lour.) Merr., 1935 茜草樹 Ref. Flora of Taiwan 2nd ed. 4: 319, 1998  
*Randia sinensis* (Lour.) Roem. & Schult., 1819 華茜草樹 Ref. 同前  
*Randia spinosa* (Thunb.) Poir., 1812 對面花 Ref. 同前  
*Randia wallichii* Hook. f., 1880 大果玉心花 Ref. Flora of Taiwan 2nd ed. 6: 93, 2003  
*Richardia brasiliensis* Gomes, 1801 巴西擬鴨舌廣 Ref. 同前  
*Richardia scabra* L., 1753 鴨舌廣 Ref. Flora of Taiwan 2nd ed. 4: 321, 1998  
*Rubia akane* Nakai var. *akane* Nakai 1937 紅藤仔草 Ref. Flora of Taiwan 2nd ed. 4: 322, 1998  
*Rubia akane* Nakai var. *erecta* Masam. 1939 直立紅藤草 Ref. 同前  
*Rubia lanceolata* Hayata, 1908 金劍草 [特有] Ref. 同前  
*Rubia linii* Chao, 1966 林氏茜草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 324, 1998  
*Serissa serissoides* (DC.) Druce, 1917 六月雪 Ref. 同前  
*Sinoadina racemosa* (Siebold & Zucc.) Ridsdale, 1978 水冬瓜 Ref. Flora of Taiwan 2nd ed. 4: 325, 1998  
*Spermacoce articularis* L. f., 1782 鴨舌廣舅 Ref. Flora of Taiwan 2nd ed. 4: 327, 1998  
*Spermacoce assurgens* Ruiz & Pavon, 1978 光葉鴨舌廣舅 Ref. 同前  
*Spermacoce latifolia* Aubl., 1775 闊葉鴨舌廣舅 Ref. Flora of Taiwan 2nd ed. 4: 329, 1998  
*Spermacoce mauritiana* Gideon, 1983 蔓鴨舌廣舅 Ref. 同前  
*Spermacoce pusilla* Wall., 1820 小鴨舌廣舅 Ref. Flora of Taiwan 2nd ed. 6: 93, 2003  
*Tarenna gracilipes* (Hayata) Ohwi, 1934 薄葉玉心花 [特有] Ref. Flora of Taiwan 2nd ed. 4: 330, 1998

*Tarenna incerta* Koord. & Valenton, 1902 Ref. Flora of Taiwan 2nd ed. 6: 93, 2003  
*Tarenna zeylanica* Gaertn., 1788 錫蘭玉心花 Ref. Flora of Taiwan 2nd ed. 4: 330, 1998  
*Timonius arboreus* Elmer, 1906 貝木 Ref. Flora of Taiwan 2nd ed. 4: 332, 1998  
*Tricalysia dubia* (Lindl.) Ohwi, 1941 狗骨仔 Ref. Flora of Taiwan 2nd ed. 4: 334, 1998  
*Uncaria hirsuta* Haviland, 1897 台灣鉤藤 Ref. 同前  
*Uncaria lanosa* Wall. var. *appendiculata* Ridsd. 1978 恆春鉤藤 Ref. Flora of Taiwan 2nd ed. 4: 337, 1998  
*Uncaria rhynchophylla* (Miq.) Miq. Rx Havil., 1897 嘴葉鉤藤 Ref. Flora of Taiwan 2nd ed. 4: 338, 1998  
*Wendlandia formosana* Cowan, 1932 水金京 Ref. Flora of Taiwan 2nd ed. 6: 93, 2003  
*Wendlandia luzoniensis* DC., 1830 呂宋水錦樹 Ref. Flora of Taiwan 2nd ed. 4: 338, 1998  
*Wendlandia uvarifolia* Hance, 1870 水錦樹 Ref. 同前

#### Family Theligonaceae 纖花草科

*Theligonum formosanum* (Ohwi) Ohwi & Liu, 1977 台灣纖花草 [特有] Ref. Flora of Taiwan 2nd ed. 3: 975, 1993

### Order Rutales 芸香目

#### Family Rutaceae 芸香科

*Acronychia pedunculata* (L.) Miq., 1861 降真香 Ref. Flora of Taiwan 2nd ed. 3: 511, 1993  
*Boeninghausenia albiflora* Reichenb., 1828 臭節草 Ref. Flora of Taiwan 2nd ed. 3: 513, 1993  
*Citrus aurantium* L., 1753 來母 Ref. 同前  
*Citrus depress* Hayata, 1919 台灣香檸檬 Ref. Flora of Taiwan 2nd ed. 3: 516, 1993  
*Citrus tachibana* (Makino) Tanaka, 1926 橘柑 Ref. 同前  
*Citrus taiwanica* Tanaka & Shimada, 1962 南庄橙 [特有] Ref. 同前  
*Clausena anisum-olens* (Blanco) Merr., 1904 短柱黃皮 Ref. Flora of Taiwan 2nd ed. 3: 517, 1993  
*Clausena excavata* Burm. f., 1768 過山香 Ref. 同前  
*Glycosmis citrifolia* (Willd.) Lindl., 1826 石荳舅 Ref. Flora of Taiwan 2nd ed. 3: 519, 1993  
*Melicope pteleifolia* (Champ. ex Benth.) T. Hartley, 1993 三腳壩 Ref. Flora of Taiwan 2nd ed. 3: 521, 1993  
*Melicope semecarpifolia* (Merr.) T. Hartley, 1993 山刈葉 Ref. Flora of Taiwan 2nd ed. 3: 522, 1993  
*Melicope triphylla* (Lam.) Merr., 1913 假三腳壩 Ref. 同前  
*Murraya crenulata* (Turcz.) Oliver, 1861 蘭嶼月橘 Ref. Flora of Taiwan 2nd ed. 3: 523, 1993  
*Murraya euchrestifolia* Hayata, 1916 山黃皮 [特有] Ref. Flora of Taiwan 2nd ed. 3: 526, 1993  
*Murraya paniculata* (L.) Jack. var. *omphalocarpa* (Hayata) Swingle 1943 長果月橘 Ref. Flora of Taiwan 2nd ed. 3: 527, 1993  
*Murraya paniculata* (L.) Jack., 1820 月橘 Ref. Flora of Taiwan 2nd ed. 3: 526, 1993  
*Phellodendron amurense* Rupr. var. *wilsonii* (Hayata & Kanehira) Chang 1974 台灣黃藥 [特有] Ref. Flora of Taiwan 2nd ed. 3: 527, 1993  
*Severinia buxifolia* (Poir.) Tenore, 1840 烏柑仔 Ref. Flora of Taiwan 2nd ed. 3: 529, 1993  
*Skimmia arisanensis* Hayata, 1915 阿里山茵芋 [特有] Ref. 同前  
*Skimmia japonica* Thunb. var. *distincte-venulosa* (Hayata) Chang 1977 顯脈茵芋 [特有] Ref. Flora of Taiwan 2nd ed. 3: 531, 1993  
*Skimmia reevesiana* Fortune, 1952 深紅茵芋 Ref. 同前  
*Tetradium glabrifolium* (Champ. ex Benth.) T. Hartley, 1981 賊仔樹 Ref. Flora of Taiwan 2nd ed. 3: 533, 1993  
*Tetradium ruticarpum* (A. Juss.) T. Hartley, 1981 吳茱萸 Ref. Flora of Taiwan 2nd ed. 3: 535, 1993  
*Toddalia asiatica* (L.) Lam., 1793 飛龍掌血 Ref. 同前  
*Zanthoxylum ailanthoides* Sieb. & Zucc., 1846 食茱萸 Ref. Flora of Taiwan 2nd ed. 3: 537, 1993  
*Zanthoxylum armatum* DC., 1824 秦椒 Ref. Flora of Taiwan 2nd ed. 3: 538, 1993  
*Zanthoxylum integrifolium* (Merr.) Merr., 1923 蘭嶼花椒 Ref. 同前  
*Zanthoxylum nitidum* (Roxb.) DC., 1824 雙面刺 Ref. Flora of Taiwan 2nd ed. 3: 539, 1993  
*Zanthoxylum pistaciiflorum* Hayata, 1913 三葉花椒 [特有] Ref. 同前  
*Zanthoxylum scandens* Bl., 1825 藤花椒 Ref. 同前  
*Zanthoxylum schinifolium* Sieb. & Zucc., 1846 翼柄花椒 Ref. Flora of Taiwan 2nd ed. 3: 541, 1993  
*Zanthoxylum simulans* Hance, 1866 刺花椒 Ref. 同前  
*Zanthoxylum wutaiense* Chen, 1972 屏東花椒 [特有] Ref. Flora of Taiwan 2nd ed. 3: 543, 1993

### Order Salicales 楊柳目

#### Family Salicaceae 楊柳科

*Salix fulvopubescens* Hayata var. *doi* (Hayata) Yang & Huang 1996 薄葉柳 [特有] Ref. Flora of Taiwan 2nd ed. 2: 30, 1996  
*Salix fulvopubescens* Hayata, 1915 褐毛柳 [特有] Ref. 同前  
*Salix fulvopubescens* Hayata var. *tagawana* (Koidz.) Yang & Huang 1996 白毛柳 [特有] Ref. Flora of Taiwan 2nd ed. 2: 33, 1996  
*Salix fulvopubescens* Hayata var. *fulvopubescens* Hayata 1915 褐毛柳 [特有] Ref. Flora of Taiwan 2nd ed. 2: 30, 1996  
*Salix kusanoi* (Hayata) Schneider, 1916 水社柳 [特有] Ref. Flora of Taiwan 2nd ed. 2: 33, 1996  
*Salix okamotoana* Koidz., 1939 關山嶺柳 [特有] Ref. Flora of Taiwan 2nd ed. 2: 36, 1996  
*Salix taiwanalpina* Kimura, 1935 台灣山柳 [特有] Ref. Flora of Taiwan 2nd ed. 2: 38, 1996  
*Salix taiwanalpina* Kimura var. *takasagoalpina* (Koidz.) Ying 1987 高山柳 [特有] Ref. Flora of Taiwan 2nd ed. 2: 41, 1996  
*Salix taiwanalpina* Kimura var. *taiwanalpina* Kimura 1935 台灣山柳 [特有] Ref. Flora of Taiwan 2nd ed. 2: 38, 1996  
*Salix taiwanalpina* Kimura var. *morrisonicola* (Kimura) Yang & Huang 1996 玉山柳 [特有] Ref. 同前  
*Salix warburgii* O. Seemen, 1897 水柳 [特有] Ref. Flora of Taiwan 2nd ed. 2: 41, 1996

### Order Santalales 檀香目

#### Family Balanophoraceae 蛇菰科

*Balanophora fungosa* J. R. Forst. & G. Forst., 1776 粗穗蛇菰 Ref. Flora of Taiwan 2nd ed. 2: 288, 1996  
*Balanophora harlandii* Hook. f., 1859 筆頭蛇菰 Ref. 同前  
*Balanophora laxiflora* Hemsl. ex Forbes & Hemsl., 1894 穗花蛇菰 Ref. Flora of Taiwan 2nd ed. 2: 291, 1996  
*Balanophora wrightii* Makino, 1911 海桐生蛇菰 Ref. 同前

#### Family Loranthaceae 桑寄生科

*Loranthus delavayi* Van Tieghem, 1894 桐樹桑寄生 Ref. Flora of Taiwan 2nd ed. 2: 271, 1996

*Loranthus kaoi* (Chao) Kiu, 1983 高氏桑寄生 [特有] Ref. Flora of Taiwan 2nd ed. 2: 272, 1996  
*Taxillus limprichtii* (Grüning) Kiu., 1983 木蘭桑寄生 Ref. Flora of Taiwan 2nd ed. 2: 274, 1996  
*Taxillus limprichtii* (Grüning) Kiu var. *longiflorus* (Lecomte) Kiu 亮葉木蘭寄生 Ref. 邱少婷。2008  
*Taxillus liquidambaricolus* (Hayata) Hosokawa, 1936 大葉桑寄生 Ref. Flora of Taiwan 2nd ed. 2: 274, 1996  
*Taxillus lonicerifolius* (Hayata) Chiu var. *longifolius* Chiu 1996 大花忍冬葉桑寄生 [特有] Ref. Flora of Taiwan 2nd ed. 2: 276, 1996  
*Taxillus lonicerifolius* (Hayata) Chiu var. *lonicerifolius* (Hayata) Chiu 1996 忍冬葉桑寄生 [特有] Ref. Flora of Taiwan 2nd ed. 2: 275, 1996  
*Taxillus matsudae* (Hayata) Danser, 1933 松寄生 [特有] Ref. Flora of Taiwan 2nd ed. 2: 276, 1996  
*Taxillus pseudochinensis* (Yamamoto) Danser, 1933 恆春桑寄生 [特有] Ref. Flora of Taiwan 2nd ed. 2: 278, 1996  
*Taxillus rhododendricolius* (Hayata) Chiu, 1996 杜鵑桑寄生 [特有] Ref. 同前  
*Taxillus ritozanensis* (Hayata) Chiu, 1996 李棟山桑寄生 [特有] Ref. Flora of Taiwan 2nd ed. 2: 281, 1996  
*Taxillus theifer* (Hayata) H. S. Kiu, 1983 埔姜桑寄生 [特有] Ref. 同前  
*Taxillus tsaii* Chiu, 1996 蓮華池寄生 [特有] Ref. Flora of Taiwan 2nd ed. 2: 282, 1996

#### Family Olacaceae 鐵青樹科

*Olax imbricata* Roxb., 1820 菲律賓鐵青樹 Ref. Flora of Taiwan 2nd ed. 2: 263, 1996  
*Schoepfia jasminodora* Sieb. & Zucc., 1846 青皮木 Ref. Flora of Taiwan 2nd ed. 2: 264, 1996

#### Family Opiliaceae 山柚科

*Champereia manillana* (Bl.) Merr., 1912 山柚 Ref. Flora of Taiwan 2nd ed. 2: 267, 1996

#### Family Santalaceae 檀香科

*Thesium chinense* Turcz., 1837 百蕊草 Ref. Flora of Taiwan 2nd ed. 2: 265, 1996

#### Family Viscaceae 槲寄生科

*Korthalsella japonica* (Thunb.) Engler, 1897 檜葉寄生 Ref. Flora of Taiwan 2nd ed. 2: 269, 1996  
*Viscum alniformosanae* Hayata, 1916 台灣槲寄生 [特有] Ref. Flora of Taiwan 2nd ed. 2: 282, 1996  
*Viscum angulatum* Heyne, 1830 柿寄生 Ref. Flora of Taiwan 2nd ed. 2: 284, 1996  
*Viscum articulatum* Burm., 1768 桐櫟柿寄生 Ref. 同前  
*Viscum multinerve* (Hayata) Hayata, 1915 刀葉槲寄生 [特有] Ref. Flora of Taiwan 2nd ed. 2: 285, 1996

### Order Sapindales 無患子目

#### Family Aceraceae 槭樹科

*Acer alboburpurascens* Hayata, 1911 樟葉槭 [特有] Ref. Flora of Taiwan 2nd ed. 3: 589, 1993  
*Acer buergerianum* Miq. var. *formosanum* (Hayata) Sasaki 1928 台灣三角楓 [特有] Ref. Flora of Taiwan 2nd ed. 3: 591, 1993  
*Acer kawakamii* Koidzumi, 1922 尖葉槭 [特有] Ref. 同前  
*Acer morrisonense* Hayata, 1911 台灣紅榨槭 [特有] Ref. Flora of Taiwan 2nd ed. 3: 594, 1993  
*Acer palmatum* Thunb. var. *pubescens* Li 1952 台灣掌葉槭 [特有] Ref. 同前  
*Acer serrulatum* Hayata, 1911 青楓 [特有] Ref. 同前

#### Family Anacardiaceae 漆樹科

*Buchanania arborescens* Bl., 1850 山欖子 Ref. Flora of Taiwan 2nd ed. 3: 581, 1993  
*Pistacia chinensis* Bunge, 1833 黃連木 Ref. Flora of Taiwan 2nd ed. 3: 583, 1993  
*Rhus ambigua* Lav. ex Dipped., 1892 台灣藤漆 Ref. 同前  
*Rhus hypoleuca* Champ. ex Benth., 1852 裏白漆 Ref. Flora of Taiwan 2nd ed. 3: 585, 1993  
*Rhus javanica* L. var. *roxburghiana* (DC.) Rehd. & Willson 1914 羅氏鹽膚木 Ref. 同前  
*Rhus succedanea* L., 1771 木蠟樹 Ref. 同前  
*Rhus sylvestris* Sieb. & Zucc., 1846 野漆樹 Ref. 同前  
*Semecarpus cuneiformis* Blanco, 1837 鈍葉大果漆 Ref. Flora of Taiwan 2nd ed. 3: 587, 1993  
*Semecarpus gigantifolia* Vidal, 1883 台東漆樹 Ref. 同前

#### Family Bretschneideraceae 鐘萼木科

*Bretschneidera sinensis* Hemsl., 1901 鐘萼木 Ref. Flora of Taiwan 2nd ed. 3: 609, 1993

#### Family Meliaceae 楝科

*Aglaia chittagonga* Miq., 1868 蘭嶼樹蘭 Ref. Flora of Taiwan 2nd ed. 3: 550, 1993  
*Aglaia elliptifolia* Merr., 1908 大葉樹蘭 Ref. Flora of Taiwan 2nd ed. 3: 552, 1993  
*Aglaia formosana* Hayata, 1913 紅柴 Ref. 同前  
*Aphanamixis polystachya* (Wall.) R. N. Parker, 1931 穗花樹蘭 Ref. Flora of Taiwan 2nd ed. 3: 554, 1993  
*Chisocheton patens* Blume, 1825 蘭嶼擬檜木 Ref. Flora of Taiwan 2nd ed. 3: 556, 1993  
*Dysoxylum cumingianum* C. DC., 1878 蘭嶼控木 Ref. Flora of Taiwan 2nd ed. 3: 558, 1993  
*Dysoxylum hongkongense* (Tutch.) Merr., 1934 紅果控木 Ref. 同前  
*Dysoxylum parasiticum* (Osbeck) Kosterm., 1966 大花控木 Ref. Flora of Taiwan 2nd ed. 3: 561, 1993  
*Melia azedarach* Linn., 1753 楝 Ref. Flora of Taiwan 2nd ed. 3: 564, 1993

#### Family Sapindaceae 無患子科

*Allophylus timorensis* (DC.) Bl., 1847 止宮樹 Ref. Flora of Taiwan 2nd ed. 3: 599, 1993  
*Cardiospermum halicacabum* L., 1753 倒地鈴 Ref. Flora of Taiwan 2nd ed. 3: 601, 1993  
*Dodonaea viscosa* (L.) Jacq., 1760 車桑子 Ref. Flora of Taiwan 2nd ed. 3: 602, 1993  
*Euphoria longana* Lam., 1789 龍眼 Ref. 同前  
*Eurycorymbus cavaleriei* (Levl.) Rehd. & Hand.-Mazz, 1934 賽樂華 Ref. Flora of Taiwan 2nd ed. 3: 603, 1993  
*Koelreuteria henryi* Dummer, 1912 台灣樂樹 [特有] Ref. 同前  
*Litchi chinensis* Sonn., 1782 荔枝 Ref. Flora of Taiwan 2nd ed. 3: 606, 1993  
*Pometia pinnata* Forst., 1776 番龍眼 Ref. Flora of Taiwan 2nd ed. 3: 607, 1993  
*Sapindus mukorossii* Gaertn., 1888 無患子 Ref. 同前

#### Family Simaroubaceae 苦木科

*Ailanthus altissima* (Miller) Swingle var. *tanakai* (Hayata) Sasaki 1928 臭椿 [特有] Ref. Flora of Taiwan 2nd ed. 3: 545, 1993  
*Brucea javanica* (L.) Merr., 1928 鴉膽子 Ref. Flora of Taiwan 2nd ed. 3: 547, 1993  
*Picrasma quassioides* Benn., 1844 苦樹 Ref. 同前

#### Family Staphyleaceae 省沽油科

*Euscaphis japonica* (Thunb.) Kanitz, 1878 野鴨椿 Ref. Flora of Taiwan 2nd ed. 3: 661, 1993  
*Turpinia formosana* Nakai, 1924 山香圓 [特有] Ref. Flora of Taiwan 2nd ed. 3: 663, 1993  
*Turpinia ovalifolia* Elmer, 1908 羽葉山香圓 Ref. 同前  
*Turpinia ternata* Nakai, 1924 三葉山香圓 Ref. 同前

#### Family Zygophyllaceae 蒺藜科

*Tribulus taiwanense* T. C. Huang & T. H. Hsieh, 1994 台灣蒺藜 Ref. Flora of Taiwan 2nd ed. 6: 68, 2003  
*Tribulus terrestris* L., 1753 蒺藜 Ref. Flora of Taiwan 2nd ed. 3: 412, 1993

### Order Scrophulariales 玄參目

#### Family Acanthaceae 爵床科

*Asystasia gangetica* (L.) Anderson subsp. *micrantha* (Nees) Ensermu 小花寬葉馬偕花 Ref. Taiwania 50(2): 118, 2005  
*Asystasiella neesiana* (Nees) Lindau, 1895 尼氏擬馬偕花 Ref. Flora of Taiwan 2nd ed. 4: 649, 1998  
*Blechum pyramidatum* (Lam.) Urban., 1918 賽山藍 Ref. Flora of Taiwan 2nd ed. 4: 651, 1998  
*Codonacanthus pauciflorus* (Nees) Nees, 1847 針刺草 Ref. 同前  
*Dicliptera chinensis* (L.) Juss., 1807 華九頭獅子草 Ref. Flora of Taiwan 2nd ed. 4: 654, 1998  
*Dipteracanthus repens* (L.) Hassk., 1843 蘆利草 Ref. Flora of Taiwan 2nd ed. 4: 656, 1998  
*Hemigraphis cumingiana* (Nees) F.-Vill., 1880 直立半插花 Ref. 同前  
*Hemigraphis primulifolia* (Nees) F.-Vill., 1880 恆春半插花 Ref. Flora of Taiwan 2nd ed. 4: 658, 1998  
*Hemigraphis reptans* (Forst.) Ander. ex Hemsl., 1884 匍匐半插花 Ref. 同前  
*Hygrophila lancea* (Thunb.) Miq., 1865 水蓑衣 Ref. Flora of Taiwan 2nd ed. 4: 660, 1998  
*Hygrophila pogonocalyx* Hayata, 1920 大安水蓑衣 [特有] Ref. 同前  
*Hygrophila polysperma* T. Anders., 1867 小獅子草 Ref. 同前  
*Hygrophila salicifolia* (Vahl) Nees, 1832 柳葉水蓑衣 Ref. Flora of Taiwan 2nd ed. 4: 661, 1998  
*Hypoestes cumingiana* Benth. & Hook., 1873 槍刀菜 Ref. 同前  
*Hypoestes purpurea* R. Brown, 1810 六角英 Ref. Flora of Taiwan 2nd ed. 4: 664, 1998  
*Justicia gendarussa* Brum. f., 1768 尖尾鳳 Ref. Flora of Taiwan 2nd ed. 4: 665, 1998  
*Justicia procumbens* L. var. *linearifolia* Yamamoto 1926 狹葉爵床 [特有] Ref. Flora of Taiwan 2nd ed. 4: 667, 1998  
*Justicia procumbens* L. var. *procumbens* L. 1753 爵床 [特有] Ref. Flora of Taiwan 2nd ed. 4: 665, 1998  
*Justicia procumbens* L. var. *hayatae* (Yamamoto) Ohwi 1953 早田氏爵床 [特有] Ref. Flora of Taiwan 2nd ed. 4: 667, 1998  
*Justicia procumbens* L. var. *hirsute* Yamamoto 1926 密毛爵床 [特有] Ref. 同前  
*Justicia quadrifaria* (Nees) T. Anders., 1867 花蓮爵床 Ref. Flora of Taiwan 2nd ed. 6: 101, 2003  
*Kudoacanthus albo-nervosa* Hosok., 1933 銀脈爵床 [特有] Ref. Flora of Taiwan 2nd ed. 4: 669, 1998  
*Lepidagathis formosensis* Clarke ex Hayata, 1911 台灣鱗球花 Ref. Flora of Taiwan 2nd ed. 4: 671, 1998  
*Lepidagathis inaequalis* Clarke ex Elmer, 1913 卵葉鱗球花 Ref. 同前  
*Lepidagathis secunda* (Blanco) Nees, 1847 小琉球鱗球花 Ref. Flora of Taiwan 2nd ed. 4: 673, 1998  
*Lepidagathis stenophylla* Clarke ex Hayata, 1911 柳葉鱗球花 [特有] Ref. 同前  
*Peristrophe japonica* (Thunb.) Bremek., 1943 九頭獅子草 Ref. Flora of Taiwan 2nd ed. 4: 674, 1998  
*Peristrophe roxburghiana* (Schult.) Bremek., 1955 長花九頭獅子草 Ref. 同前  
*Ruellia prostrata* Poir., 1804 匍蘆利草 Ref. Flora of Taiwan 2nd ed. 6: 101, 2003  
*Rungia chinensis* Benth., 1861 明萼草 Ref. Flora of Taiwan 2nd ed. 4: 676, 1998  
*Rungia taiwanensis* Yamazaki, 1968 台灣明萼草 [特有] Ref. 同前  
*Staurogyne concinnula* (Hance) O. Ktze., 1891 哈啞花 Ref. Flora of Taiwan 2nd ed. 4: 686, 1998  
*Staurogyne debilis* (T. Anders.) C. B. Clarke ex Mill., 1907 菲律賓哈啞花 Ref. Flora of Taiwan 2nd ed. 6: 101, 2003  
*Strobilanthes cusia* (Ness) Kuntze, 1891 馬藍 Ref. Flora of Taiwan 2nd ed. 4: 678, 1998  
*Strobilanthes flexicaulis* Hayata, 1915 曲莖馬藍 [特有] Ref. Flora of Taiwan 2nd ed. 4: 680, 1998  
*Strobilanthes formosanus* Moore, 1877 臺灣馬藍 [特有] Ref. 同前  
*Strobilanthes longespiciatus* Hayata, 1920 長穗馬藍 [特有] Ref. 同前  
*Strobilanthes penstemonoides* T. Anders., 1867 腺萼馬藍 Ref. Flora of Taiwan 2nd ed. 4: 684, 1998  
*Strobilanthes rankanensis* Hayata, 1920 蘭坎馬藍 [特有] Ref. 同前  
*Thunbergia fragrans* Roxb., 1795 碗花草 Ref. Endemic Sp. Res. 4(5): 59, 2002

#### Family Bignoniaceae 紫葳科

*Radermachia sinica* (Hance) Hemsl., 1902 山菜豆 Ref. Flora of Taiwan 2nd ed. 4: 647, 1998

#### Family Gesneriaceae 苦苣苔科

*Aeschynanthus acuminatus* Wall. ex A. DC., 1845 芒毛苣苔 Ref. Flora of Taiwan 2nd ed. 4: 689, 1998  
*Chirita anachoreta* Hance, 1866 光萼唇柱苣苔 Ref. Flora of Taiwan 2nd ed. 4: 691, 1998  
*Conandron ramondioides* Siebold & Zucc., 1843 苦苣苔 Ref. Flora of Taiwan 2nd ed. 4: 693, 1998  
*Cyrtandra umbellifera* Merr., 1908 槲果苣苔 Ref. Flora of Taiwan 2nd ed. 4: 695, 1998  
*Epithema taiwanensis* S. S. Ying var. *fasciculata* (Clarke) Z. Y. Li & M. T. Kao 1998 密花苣苔 Ref. Flora of Taiwan 2nd ed. 4: 697, 1998  
*Epithema taiwanensis* S. S. Ying var. *taiwanensis* S. S. Ying 1998 台灣苣苔 Ref. 同前  
*Hemiboea bicornuta* (Hayata) Ohwi, 1936 台灣半蒴苣苔 Ref. Flora of Taiwan 2nd ed. 4: 698, 1998  
*Lysionotus pauciflorus* Maxim. var. *ikedae* (Hatusima) W. T. Wang 1997 蘭嶼吊石苣苔 [特有] Ref. Flora of Taiwan 2nd ed. 4: 700, 1998  
*Lysionotus pauciflorus* Maxim. var. *pauciflorus* Maxim. 1997 吊石苣苔 [特有] Ref. 同前  
*Paraboea swinhooi* (Hance) Burt, 1984 錐序蛛毛苣苔 Ref. Flora of Taiwan 2nd ed. 4: 702, 1998  
*Rhynchoglossum brevipedunculatum* J. C. Wang, 2000 短梗同蕊草 Ref. Flora of Taiwan 2nd ed. 6: 102, 2003  
*Rhynchoglossum obliquum* Blume var. *hologlossum* (Hayata) W. T. Wang 1984 全唇尖舌苣苔 Ref. Flora of Taiwan 2nd ed. 4: 704, 1998  
*Rhynchotechum discolor* (Maxim.) Burt f. *isum* (Ohwi) Hatus. ex J. C. Wang 2000 羽裂同蕊草 Ref. Flora of Taiwan 2nd ed. 6: 102, 2003

*Rhynchotechum discolor* (Maxim.) Burt. var. *incisum* (Ohwi) Walker 1971 羽裂線柱苣苔 Ref. Flora of Taiwan 2nd ed. 4: 708, 1998  
*Rhynchotechum discolor* (Maxim.) Burt., 1962 異色線柱苣苔 Ref. Flora of Taiwan 2nd ed. 4: 706, 1998  
*Rhynchotechum formosanum* Hatusima, 1939 台灣線柱苣苔 Ref. Flora of Taiwan 2nd ed. 4: 708, 1998  
*Titanotrichum oldhamii* (Hemsl.) Solereder, 1909 台蘭苣苔 Ref. Flora of Taiwan 2nd ed. 4: 709, 1998  
*Whytockia sasakii* (Hayata) Burt., 1941 台灣異葉苣苔 [特有] Ref. Flora of Taiwan 2nd ed. 4: 711, 1998

#### Family Lentibulariaceae 狸藻科

*Utricularia aurea* Lour., 1790 黃花狸藻 Ref. Flora of Taiwan 2nd ed. 4: 719, 1998  
*Utricularia australis* R. Brown, 1810 南方狸藻 Ref. Flora of Taiwan 2nd ed. 4: 721, 1998  
*Utricularia bifida* L., 1753 挖耳草 Ref. 同前  
*Utricularia caerulea* L., 1753 短梗挖耳草 Ref. Flora of Taiwan 2nd ed. 4: 724, 1998  
*Utricularia gibba* L., 1753 絲葉狸藻 Ref. 同前  
*Utricularia minor* L., 1753 小狸藻 Ref. Flora of Taiwan 2nd ed. 6: 102, 2003  
*Utricularia striatula* Smith, 1819 圓葉挖耳草 Ref. Flora of Taiwan 2nd ed. 4: 727, 1998  
*Utricularia uliginosa* Vahl, 1804 齒萼挖耳草 Ref. Flora of Taiwan 2nd ed. 4: 729, 1998

#### Family Myoporaceae 苦藍盤科

*Myoporum bontioides* (Siebold & Zucc.) A. Gray, 1862 苦藍盤 Ref. Flora of Taiwan 2nd ed. 4: 731, 1998

#### Family Oleaceae 木犀科

*Chionanthus coriaceus* (Vidal.) Yuen P. Yang & S. Y. Lu, 1998 厚葉李欖 Ref. Flora of Taiwan 2nd ed. 4: 129, 1998  
*Chionanthus ramiflorus* Roxb., 1820 紅頭李欖 Ref. 同前  
*Chionanthus retusus* Lindl. & Paxt., 1853 流蘇樹 Ref. 同前  
*Fraxinus griffithii* C. B. Clarke, 1882 白雞油 Ref. Flora of Taiwan 2nd ed. 4: 132, 1998  
*Fraxinus insularis* Hemsl., 1889 台灣欖 Ref. 同前  
*Jasminum lanceolarium* Roxb., 1820 披針葉茉莉花 Ref. Flora of Taiwan 2nd ed. 4: 134, 1998  
*Jasminum nervosum* Lour., 1790 山素英 Ref. Flora of Taiwan 2nd ed. 4: 135, 1998  
*Jasminum sinense* Hemsl., 1889 華素馨 Ref. 同前  
*Jasminum urophyllum* Hemsl., 1889 川素馨 Ref. 同前  
*Ligustrum liukuense* Koidz., 1916 日本女貞 Ref. Flora of Taiwan 2nd ed. 4: 137, 1998  
*Ligustrum morrisonense* Kanehira & Sasaki, 1931 玉山女貞 [特有] Ref. Flora of Taiwan 2nd ed. 4: 138, 1998  
*Ligustrum pricei* Hayata, 1915 阿里山女貞 Ref. 同前  
*Ligustrum sinense* Lour. ex Dence, 1790 小實女貞 Ref. 同前  
*Osmanthus enervius* Masam. & Mori, 1939 無脈木犀 [特有] Ref. Flora of Taiwan 2nd ed. 4: 140, 1998  
*Osmanthus heterophyllus* (G. Don) P. S. Green, 1958 異葉木犀 Ref. Flora of Taiwan 2nd ed. 4: 141, 1998  
*Osmanthus kanoi* (Liu & Liao) S. Y. Lu, 1985 高氏木犀 [特有] Ref. 同前  
*Osmanthus lanceolatus* Hayata, 1911 銳葉木犀 [特有] Ref. 同前  
*Osmanthus marginatus* (Champ. ex Benth.) Hemsl., 1890 小葉木犀 Ref. Flora of Taiwan 2nd ed. 4: 142, 1998  
*Osmanthus matsumuranus* Hayata, 1911 大葉木犀 Ref. 同前

#### Family Orobanchaceae 列當科

*Aeginetia indica* L., 1753 野菰 Ref. Flora of Taiwan 2nd ed. 4: 713, 1998  
*Boschniakia himalaica* Hooker & Thomson, 1884 丁座草 Ref. Flora of Taiwan 2nd ed. 4: 715, 1998  
*Christisonia hookeri* C. B. Clarke, 1884 假野菰 Ref. 同前  
*Orobanche coerulescens* Stephan, 1800 列當 Ref. Flora of Taiwan 2nd ed. 4: 717, 1998

#### Family Scrophulariaceae 玄參科

*Alectra avensis* (Benth.) Merr., 1917 黑蒴 Ref. Flora of Taiwan 2nd ed. 4: 583, 1998  
*Bacopa monnieri* (L.) Wettst., 1891 過長沙 Ref. Flora of Taiwan 2nd ed. 4: 585, 1998  
*Centranthera cochinchinensis* (Lour.) Merr., 1935 胡麻草 Ref. 同前  
*Deinostema adenocaulon* (Maxim.) Yamazaki, 1953 毛澤番椒 Ref. Flora of Taiwan 2nd ed. 4: 588, 1998  
*Deinostema violaceum* (Maxim.) Yamazaki, 1953 澤番椒 Ref. 同前  
*Digitalis purpurea* L., 1753 毛地黃 Ref. Flora of Taiwan 2nd ed. 4: 589, 1998  
*Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth., 1835 虻眼草 Ref. 同前  
*Ellisiophyllum pinnatum* (Wall. ex Benth.) Makino, 1906 海螺菊 Ref. Flora of Taiwan 2nd ed. 4: 591, 1998  
*Euphrasia nankotaizanensis* Yamamoto, 1930 南湖碎雪草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 593, 1998  
*Euphrasia tarokoana* Ohwi, 1933 太魯閣小米草 [特有] Ref. 同前  
*Euphrasia transmorrisonensis* Hayata var. *durietziana* (Ohwi) T. C. Huang & M. J. Wu 1998 台灣碎雪草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 595, 1998  
*Euphrasia transmorrisonensis* Hayata var. *transmorrisonensis* Hayata 1998 玉山小米草 [特有] Ref. 同前  
*Hemiphragma heterophyllum* Wall., 1822 腰只花 Ref. Flora of Taiwan 2nd ed. 4: 597, 1998  
*Legazpia polygonoides* (Benth.) Yamazaki, 1955 三翅萼 Ref. Flora of Taiwan 2nd ed. 4: 599, 1998  
*Limnophila aromatica* (Lam.) Merr., 1917 紫蘇草 Ref. 同前  
*Limnophila aromaticoides* Yuen P. Yang & S. H. Yen, 1997 擬紫蘇草 Ref. Flora of Taiwan 2nd ed. 4: 601, 1998  
*Limnophila heterophylla* (Roxb.) Benth., 1835 異葉石龍尾 Ref. 同前  
*Limnophila rugosa* (Roth) Merr., 1917 大葉石龍尾 Ref. 同前  
*Limnophila sessiliflora* Blume, 1826 無柄花石龍尾 Ref. Flora of Taiwan 2nd ed. 4: 602, 1998  
*Limnophila taoyuanensis* Yuen P. Yang & S. H. Yen, 1997 桃園石龍尾 [特有] Ref. 同前  
*Limnophila trichophylla* Komarov, 1907 石龍尾 Ref. 同前  
*Lindernia anagallidea* (Michx.) Pennell, 1935 擬櫻草 Ref. Flora of Taiwan 2nd ed. 4: 603, 1998  
*Lindernia anagallis* (Burm. f.) Pennell, 1943 定經草 Ref. Flora of Taiwan 2nd ed. 4: 604, 1998  
*Lindernia antipoda* (L.) Alston, 1931 泥花草 Ref. 同前  
*Lindernia ciliata* (Colsm.) Pennell, 1936 水丁黃 Ref. Flora of Taiwan 2nd ed. 4: 605, 1998  
*Lindernia crustacea* (L.) F. Muell., 1882 藍豬耳 Ref. 同前

- Lindernia dubia* (L.) Pennell, 1935 美洲母草 Ref. 同前  
*Lindernia hyssopoides* (L.) Haines, 1922 尖果母草 Ref. Flora of Taiwan 2nd ed. 4: 606, 1998  
*Lindernia mollis* (Benth.) Wettst., 1891 見風黃 Ref. 同前  
*Lindernia procumbens* (Krock.) Borbas, 1881 陌上草 Ref. 同前  
*Lindernia pusilla* (Willd.) Boldingh, 1916 見風紅 Ref. Flora of Taiwan 2nd ed. 4: 607, 1998  
*Lindernia ruelloides* (Colsm.) Pennell, 1936 旱田草 Ref. 同前  
*Lindernia scutellariiformis* Yamazaki, 1952 台南見風紅 [特有] Ref. 同前  
*Lindernia tenuifolia* (Colsm.) Alston, 1931 薄葉見風紅 Ref. Flora of Taiwan 2nd ed. 4: 608, 1998  
*Lindernia viscosa* (Hornem.) Boldingh, 1916 屏東見風紅 Ref. 同前  
*Lindernia vitacea* (Kerr ex Barnett) Philcox, 1970 擬泥花草 Ref. 同前  
*Mazus alpinus* Masam., 1930 高山通泉草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 609, 1998  
*Mazus delavayi* Bonati, 1908 阿里山通泉草 Ref. 同前  
*Mazus fauriei* Bonati, 1908 佛氏通泉草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 610, 1998  
*Mazus goodenifolius* (Hornem.) Pennell, 1943 薄葉通泉草 Ref. 同前  
*Mazus miquelii* Makino, 1902 匍莖通泉草 Ref. Flora of Taiwan 2nd ed. 6: 99, 2003  
*Mazus pumilus* (Burm. f.) Steenis, 1958 通泉草 Ref. Flora of Taiwan 2nd ed. 4: 612, 1998  
*Mazus tainanensis* T. H. Hsieh, 2000 台南通泉草 Ref. Flora of Taiwan 2nd ed. 6: 100, 2003  
*Mecardonia procumbens* (Mill.) Small, 1903 黃花過長沙舅 Ref. 同前  
*Microcarpaea minima* (Koenig) Merr., 1912 微果草 Ref. Flora of Taiwan 2nd ed. 4: 612, 1998  
*Mimulus tenellus* Bunge var. *japonicus* (Miq.) Hand.-Mazz. 1936 尼泊爾溝酸漿 Ref. Flora of Taiwan 2nd ed. 4: 614, 1998  
*Paulownia × taiwaniana* T. W. Hu. & H. J. Chang, 1974 台灣泡桐 Ref. Flora of Taiwan 2nd ed. 4: 616, 1998  
*Paulownia fortunei* Hemsl., 1890 泡桐 Ref. 同前  
*Paulownia kawakamii* Ito, 1912 白桐 Ref. 同前  
*Pedicularis ikomai* Sasaki, 1930 高山馬先蒿 [特有] Ref. Flora of Taiwan 2nd ed. 4: 619, 1998  
*Pedicularis verticillata* L., 1753 馬先蒿 Ref. 同前  
*Phtheirospermum japonicum* (Thunb.) Kanitz, 1878 日本松蒿 Ref. Flora of Taiwan 2nd ed. 4: 621, 1998  
*Scoparia dulcis* L., 1753 野甘草 Ref. 同前  
*Scrophularia yoshimurae* Yamazaki, 1949 雙鋸齒玄參 [特有] Ref. Flora of Taiwan 2nd ed. 4: 624, 1998  
*Siphonostegia chinensis* Benth., 1855 陰行草 Ref. 同前  
*Striga lutea* Lour., 1790 獨腳金 Ref. Flora of Taiwan 2nd ed. 4: 627, 1998  
*Striga masuria* (Buch.-Ham. ex Benth.) Benth., 1835 高雄獨腳金 Ref. 同前  
*Torenia benthamiana* Hance, 1862 毛蝴蝶草 Ref. Flora of Taiwan 2nd ed. 6: 100, 2003  
*Torenia concolor* Lindl., 1846 地蜈蚣 Ref. Flora of Taiwan 2nd ed. 4: 629, 1998  
*Torenia flava* Buch.-Ham. ex Benth., 1835 母丁香 Ref. 同前  
*Torenia violacea* (Azaola ex Blanco) Pennell, 1943 長梗花蜈蚣 Ref. Flora of Taiwan 2nd ed. 4: 631, 1998  
*Veronica arvensis* L., 1753 直立婆婆納 Ref. Flora of Taiwan 2nd ed. 4: 632, 1998  
*Veronica didyma* Tenore, 1811 婆婆納 Ref. 同前  
*Veronica javanica* Blume, 1826 爪哇水苦 Ref. 同前  
*Veronica linariifolia* Pallas ex Link, 1820 追風草 Ref. Flora of Taiwan 2nd ed. 4: 636, 1998  
*Veronica morrisonicola* Hayata, 1908 玉山水苦 [特有] Ref. 同前  
*Veronica oligosperma* Hayata, 1915 貧子水苦 [特有] Ref. 同前  
*Veronica peregrina* L., 1753 毛蟲婆婆納 Ref. Flora of Taiwan 2nd ed. 4: 639, 1998  
*Veronica persica* Poir., 1808 阿拉伯婆婆納 Ref. 同前  
*Veronica taiwanica* Yamazaki, 1956 台灣水苦蕒 [特有] Ref. Flora of Taiwan 2nd ed. 4: 642, 1998  
*Veronica undulata* Wall., 1830 水苦蕒 Ref. 同前  
*Veronicastrum axillare* (Siebold & Zucc.) Yamazaki var. *simadai* H.-Y. Liu 1998 新竹腹水草 [特有] Ref. 同前  
*Veronicastrum formosanum* (Masam.) Yamazaki, 1957 台灣腹水草 [特有] Ref. Flora of Taiwan 2nd ed. 4: 645, 1998  
*Veronicastrum kitamurae* (Ohwi) Yamazaki, 1957 高山腹水草 [特有] Ref. 同前

## Order Solanales 茄目

### Family Convolvulaceae 旋花科

- Argyreia formosana* Ishigami ex Yamazaki, 1969 鈍葉朝顏 [特有] Ref. Flora of Taiwan 2nd ed. 4: 343, 1998  
*Calystegia soldanella* (L.) R. Brown, 1810 濱旋花 Ref. 同前  
*Cuscuta australis* R. Brown, 1810 菟絲子 Ref. Flora of Taiwan 2nd ed. 4: 344, 1998  
*Cuscuta campestris* Yunck., 1932 平原菟絲子 Ref. Flora of Taiwan 2nd ed. 6: 93, 2003  
*Cuscuta chinensis* Lam., 1786 中國菟絲子 Ref. Flora of Taiwan 2nd ed. 4: 347, 1998  
*Cuscuta japonica* Choisy var. *formosana* (Hayata) Yuncker 1932 台灣菟絲子 [特有] Ref. 同前  
*Cuscuta japonica* Choisy, 1932 日本菟絲子 [特有] Ref. Flora of Taiwan 2nd ed. 6: 93, 2003  
*Dichondra micrantha* Urban, 1924 馬蹄金 Ref. Flora of Taiwan 2nd ed. 4: 349, 1998  
*Erycibe henryi* Prain, 1904 亨利氏伊立基藤 Ref. Flora of Taiwan 2nd ed. 4: 351, 1998  
*Evolvulus alsinoides* (L.) L., 1762 土丁桂 Ref. Flora of Taiwan 2nd ed. 4: 353, 1998  
*Hewittia malabarica* (L.) Suresh, 1988 吊鐘藤 Ref. 同前  
*Ipomoea alba* L., 1753 天茄兒 Ref. Flora of Taiwan 2nd ed. 4: 357, 1998  
*Ipomoea aquatica* Forsk., 1775 蕷菜 Ref. 同前  
*Ipomoea batatas* (L.) Lam., 1793 甘藷 Ref. 同前  
*Ipomoea biflora* (L.) Persoon, 1805 白花牽牛 Ref. Flora of Taiwan 2nd ed. 4: 358, 1998  
*Ipomoea cairica* (L.) Sweet, 1827 番仔藤 Ref. 同前  
*Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D. Austin 1977 樹牽牛 Ref. Flora of Taiwan 2nd ed. 4: 361, 1998  
*Ipomoea eriocarpa* R. Br., 1810 毛果薯 Ref. Taiwania 51(3): 220, 2006  
*Ipomoea hederacea* (L.) Jacq., 1781 碗仔花 Ref. Flora of Taiwan 2nd ed. 4: 361, 1998  
*Ipomoea hederifolia* L., 1759 心葉蔦蘿 Ref. Flora of Taiwan 2nd ed. 6: 94, 2003  
*Ipomoea imperati* (Vahl) Griseb., 1866 厚葉牽牛 Ref. Flora of Taiwan 2nd ed. 4: 361, 1998

- Ipomoea indica* (Burm. f.) Merr., 1917 銳葉牽牛 Ref. Flora of Taiwan 2nd ed. 4: 363, 1998  
*Ipomoea littoralis* Blume, 1826 海牽牛 Ref. 同前  
*Ipomoea mauritiana* Jacq., 1791 掌葉牽牛 Ref. 同前  
*Ipomoea nil* (L.) Roth., 1797 牽牛花 Ref. Flora of Taiwan 2nd ed. 4: 366, 1998  
*Ipomoea obscura* (L.) Ker-Gawl., 1817 野牽牛 Ref. 同前  
*Ipomoea pescaprae* (L.) R. Br. subsp. *brasiliensis* (L.) Oostst., 1940 馬鞍藤 Ref. Flora of Taiwan 2nd ed. 4: 367, 1998  
*Ipomoea pes-tigridis* L., 1753 九爪藤 Ref. 同前  
*Ipomoea polymorpha* Roem. & Schult., 1819 變葉立牽牛 Ref. 同前  
*Ipomoea quamoclit* L., 1753 蔦蘿 Ref. Flora of Taiwan 2nd ed. 4: 371, 1998  
*Ipomoea sumatrana* (Blume) Oostst., 1940 蘇門答臘牽牛 Ref. 同前  
*Ipomoea trifida* (Kunth) G. Don, 1838 大星牽牛 Ref. Flora of Taiwan 2nd ed. 6: 94, 2003  
*Ipomoea triloba* L., 1753 紅花野牽牛 Ref. Flora of Taiwan 2nd ed. 4: 371, 1998  
*Ipomoea violacea* L., 1753 圓萼天茄兒 Ref. 同前  
*Ipomoea wrightii* A. Gray, 1878 槭葉小牽牛 Ref. Flora of Taiwan 2nd ed. 4: 373, 1998  
*Jacquemontia paniculata* (Burm. f.) Hall f., 1893 娥房藤 Ref. Flora of Taiwan 2nd ed. 4: 374, 1998  
*Jacquemontia tamnifolia* (L.) Griseb., 1864 長梗毛娥房藤 Ref. 同前  
*Lepistemon binectariferum* (Wall.) Kuntze var. *trichocarpum* (Gagnepain) van Ooststr., 1943 鮮蕊藤 Ref. Flora of Taiwan 2nd ed. 4: 376, 1998  
*Lepistemon intermedius* Hallier f., 1901 光滑鮮蕊藤 Ref. 同前  
*Merremia gemella* (Burm. f.) Hallier f., 1893 菜藥藤 Ref. Flora of Taiwan 2nd ed. 4: 378, 1998  
*Merremia hederacea* (Burm. f.) Hallier f., 1894 卵葉姬旋花 Ref. 同前  
*Merremia hirta* (L.) Merr., 1912 變葉姬旋花 Ref. 同前  
*Merremia quinata* (R. Brown) Oostst., 1953 掌葉姬旋花 Ref. Flora of Taiwan 2nd ed. 4: 379, 1998  
*Merremia similis* Elmer, 1908 紅花姬旋花 Ref. 同前  
*Merremia tuberosa* (L.) Rendle, 1905 姬旋花 Ref. 同前  
*Merremia vitifolia* (Burm. f.) Hallier f., 1893 掌葉菜藥藤 Ref. Flora of Taiwan 2nd ed. 4: 380, 1998  
*Operculina turpethum* (L.) S. Manso, 1836 盒果藤 Ref. 同前  
*Stictocardia tiliifolia* (Desr.) Hallier f., 1894 大萼旋花 Ref. Flora of Taiwan 2nd ed. 4: 382, 1998  
*Xenostegia tridentata* (L.) D. F. Austin & Staples, 1980 戟葉菜藥藤 Ref. Flora of Taiwan 2nd ed. 4: 383, 1998

#### Family Hydrophyllaceae 田亞麻科

- Hydrolea zeylanica* (L.) Vahl, 1791 探芹草 Ref. Flora of Taiwan 2nd ed. 4: 385, 1998

#### Family Solanaceae 茄科

- Brugmansia suaveolens* (Willd.) Bercht. & Presl, 1823 大花曼陀羅 Ref. Flora of Taiwan 2nd ed. 4: 550, 1998  
*Capsicum annum* L., 1753 辣椒 Ref. 同前  
*Datura innoxia* Mill., 1768 毛曼陀羅 Ref. Flora of Taiwan 2nd ed. 4: 551, 1998  
*Datura metel* L., 1753 曼陀羅 Ref. Flora of Taiwan 2nd ed. 4: 552, 1998  
*Lycianthes biflora* (Lour.) Bitter, 1920 雙花龍葵 Ref. 同前  
*Lycianthes lysimachioides* (Wall.) Bitter, 1920 蔓茄 Ref. Flora of Taiwan 2nd ed. 4: 555, 1998  
*Lycium chinense* Mill., 1768 枸杞 Ref. Flora of Taiwan 2nd ed. 4: 557, 1998  
*Lycopersicon esculentum* Mill. var. *cerasiforme* (Dunal) A. Gray 1806 櫻桃小番茄 Ref. Flora of Taiwan 2nd ed. 4: 559, 1998  
*Lycopersicon esculentum* Mill. var. *esculentum* Mill. 1806 小番茄 Ref. Flora of Taiwan 2nd ed. 4: 557, 1998  
*Nicandra physalodes* (L.) Gaertn., 1791 大本炮仔草 Ref. Flora of Taiwan 2nd ed. 6: 98, 2003  
*Nicotiana plumbaginifolia* Viv., 1802 皺葉煙草 Ref. Endemic Sp. Res. 9(2): 81, 2007  
*Physalium chamaesarachoides* (Makino) Makino, 1928 林氏燈籠草 Ref. Flora of Taiwan 2nd ed. 4: 559, 1998  
*Physalis angulata* L., 1753 燈籠草 Ref. Flora of Taiwan 2nd ed. 4: 560, 1998  
*Physalis peruviana* L., 1763 秘魯苦蕒 Ref. Flora of Taiwan 2nd ed. 4: 562, 1998  
*Physalis pubescens* L., 1753 毛酸漿 Ref. 同前  
*Solanum americanum* Miller, 1768 光果龍葵 Ref. Flora of Taiwan 2nd ed. 4: 564, 1998  
*Solanum capsicoides* Allioni, 1773 刺茄 Ref. 同前  
*Solanum diphyllum* L., 1753 瑪瑙珠 Ref. Flora of Taiwan 2nd ed. 4: 566, 1998  
*Solanum elaeagnifolium* Cav., 1795 銀葉茄 Ref. Endemic Sp. Res. 5(1): 49, 2003  
*Solanum erianthum* D. Don, 1825 山煙草 Ref. Flora of Taiwan 2nd ed. 4: 566, 1998  
*Solanum lasiocarpum* Dunal, 1813 羊不食 Ref. Flora of Taiwan 2nd ed. 4: 567, 1998  
*Solanum luzoniense* Merrill, 1918 呂宋茄 Ref. 同前  
*Solanum lyratum* Thunb., 1784 白英 Ref. Flora of Taiwan 2nd ed. 4: 569, 1998  
*Solanum macaonense* Dunal, 1852 毛柱萬桃花 Ref. 同前  
*Solanum melongena* L., 1753 茄 Ref. Flora of Taiwan 2nd ed. 6: 98, 2003  
*Solanum miyakojimense* Yamazaki & Takushi, 1991 宮古茄 Ref. Taiwan 52(2): 190, 2007  
*Solanum nigrum* L., 1753 龍葵 Ref. Flora of Taiwan 2nd ed. 4: 571, 1998  
*Solanum peikuensis* S. S. Ying, 1997 白狗大山茄 [特有] Ref. 同前  
*Solanum pitosporifolium* Hemsl., 1890 玉山茄 Ref. 同前  
*Solanum pseudocapsicum* L., 1753 珊瑚櫻 Ref. Flora of Taiwan 2nd ed. 4: 575, 1998  
*Solanum rostratum* Dunal, 1813 壺萼刺茄 Ref. Flora of Taiwan 2nd ed. 6: 98, 2003  
*Solanum scabrum* Miller, 1768 木龍葵 Ref. Flora of Taiwan 2nd ed. 4: 575, 1998  
*Solanum seforthianum* Andrews, 1808 星茄 Ref. Flora of Taiwan 2nd ed. 4: 576, 1998  
*Solanum sisymbriifolium* Lam., 1794 擬刺茄 Ref. 同前  
*Solanum torvum* Swartz, 1788 萬桃花水茄 Ref. 同前  
*Solanum undatum* Lam., 1793 黃水茄 Ref. Flora of Taiwan 2nd ed. 4: 578, 1998  
*Solanum violaceum* Ortega, 1798 印度茄 Ref. 同前  
*Tubocapsicum anomalum* (Franch. & Sav.) Makino, 1908 龍珠 Ref. Flora of Taiwan 2nd ed. 4: 580, 1998

## Order Theales 茶目

### Family Actinidiaceae 獼猴桃科

- Actinidia arguta* (Sieb. & Zucc.) Planch. ex Miq., 1867 軟棗獼猴桃 Ref. Flora of Taiwan 2nd ed. 2: 657, 1996  
*Actinidia callosa* Lindl., 1885 硬齒獼猴桃 Ref. 同前  
*Actinidia callosa* Lindl. var. *ephippionidea* C. F. Liang 1885 駝齒獼猴桃 Ref. 同前  
*Actinidia callosa* Lindl. var. *callosa* Lindl. 1885 硬齒獼猴桃 Ref. 同前  
*Actinidia chinensis* Lindl. var. *setosa* Li 1952 台灣羊桃 [特有] Ref. Flora of Taiwan 2nd ed. 2: 659, 1996  
*Actinidia latifolia* (Gardn. & Champ.) Merr., 1922 闊葉獼猴桃 Ref. 同前  
*Actinidia rubricaulis* Dunn, 1906 紅莖獼猴桃 Ref. Flora of Taiwan 2nd ed. 2: 660, 1996  
*Actinidia rufa* (Sieb. & Zucc.) Planch. ex Miq., 1867 腺齒獼猴桃 Ref. 同前  
*Actinidia tetramera* Maxim., 1890 四萼獼猴桃 Ref. 同前  
*Saurauia tristyla* DC. var. *oldhamii* (Hemsl.) Finet & Gagnep. 1905 水冬瓜 Ref. Flora of Taiwan 2nd ed. 2: 661, 1996

### Family Elatinaceae 溝繁縷科

- Bergia ammannioides* Roxb., 1832 伯格草 Ref. Flora of Taiwan 2nd ed. 3: 842, 1993  
*Elatine triandra* Schkuhr, 1791 短柄花溝繁縷 Ref. Flora of Taiwan 2nd ed. 3: 843, 1993

### Family Guttiferaceae 金絲桃科

- Calophyllum blancoi* Planchon, 1862 蘭嶼胡桐 Ref. Flora of Taiwan 2nd ed. 2: 695, 1996  
*Calophyllum inophyllum* L., 1753 胡桐 Ref. 同前  
*Garcinia linii* C. E. Chang, 1964 蘭嶼福木 Ref. Flora of Taiwan 2nd ed. 2: 697, 1996  
*Garcinia multiflora* Champ., 1851 福木 Ref. 同前  
*Garcinia subelliptica* Merrill, 1908 菲島福木 Ref. Flora of Taiwan 2nd ed. 2: 698, 1996  
*Hypericum ascyron* L., 1753 連翹 Ref. Flora of Taiwan 2nd ed. 2: 700, 1996  
*Hypericum erectum* Thunb. ex Murray, 1784 小連翹 Ref. Flora of Taiwan 2nd ed. 2: 701, 1996  
*Hypericum formosanum* Maxim., 1882 台灣金絲桃 Ref. Flora of Taiwan 2nd ed. 2: 702, 1996  
*Hypericum geminiflorum* Hemsl. var. *geminiflorum* Hemsl. 1895 雙花金絲桃 Ref. 同前  
*Hypericum geminiflorum* Hemsl. var. *simplicistylum* (Hayata) Robson 1973 小雙花金絲桃 Ref. Flora of Taiwan 2nd ed. 2: 704, 1996  
*Hypericum geminiflorum* Hemsl., 1895 雙花金絲桃 Ref. Flora of Taiwan 2nd ed. 2: 702, 1996  
*Hypericum gramineum* G. Forster, 1786 細葉金絲桃 Ref. Flora of Taiwan 2nd ed. 2: 704, 1996  
*Hypericum japonicum* Thunb. ex Murray, 1784 地耳草 Ref. Flora of Taiwan 2nd ed. 2: 705, 1996  
*Hypericum monogynum* L., 1763 金絲桃 Ref. 同前  
*Hypericum nagasawae* Hayata, 1911 玉山金絲桃 Ref. Flora of Taiwan 2nd ed. 2: 707, 1996  
*Hypericum nakamurae* (Masam.) Robson, 1973 清水金絲桃 Ref. 同前  
*Hypericum nokoense* Ohwi, 1937 能高金絲桃 Ref. Flora of Taiwan 2nd ed. 2: 709, 1996  
*Hypericum patulum* Thunb. ex Murray, 1784 金絲梅 Ref. 同前  
*Hypericum sampsonii* Hance, 1865 元寶草 Ref. Flora of Taiwan 2nd ed. 2: 710, 1996  
*Hypericum subalatum* Hayata, 1911 方莖金絲桃 Ref. 同前  
*Hypericum taihezanense* Sasaki ex S. Suzuki, 1930 短柄金絲桃 Ref. Flora of Taiwan 2nd ed. 2: 712, 1996  
*Triadenum breviflorum* (Wall. ex Dyer) Y. Kimura, 1951 三腺金絲桃 Ref. Flora of Taiwan 2nd ed. 2: 714, 1996

### Family Theaceae 茶科

- Adinandra formosana* Hayata, 1906 臺灣楊桐 [特有] Ref. Flora of Taiwan 2nd ed. 2: 663, 1996  
*Adinandra formosana* Hayata var. *obtusissima* (Hayata) Keng 1950 鈍葉楊桐 [特有] Ref. 同前  
*Adinandra formosana* Hayata var. *formosana* Hayata 1906 臺灣楊桐 [特有] Ref. 同前  
*Adinandra lasiostyla* Hayata, 1911 毛柱楊桐 [特有] Ref. Flora of Taiwan 2nd ed. 2: 665, 1996  
*Anneslea lanceolata* (Hayata) Kanehira, 1936 細葉茶梨 [特有] Ref. 同前  
*Camellia brevistyla* (Hayata) Coh. Stuart, 1916 短柱山茶 Ref. Flora of Taiwan 2nd ed. 2: 668, 1996  
*Camellia caudata* Wall., 1832 尾葉山茶 Ref. 同前  
*Camellia furfuracea* (Merr.) Cohen-Stuart, 1919 垢果山茶 Ref. Flora of Taiwan 2nd ed. 2: 669, 1996  
*Camellia hengchunensis* Chang, 1971 恆春山茶 [特有] Ref. 同前  
*Camellia japonica* L., 1753 日本山茶 Ref. 同前  
*Camellia nokoensis* Hayata, 1919 能高山茶 [特有] Ref. Flora of Taiwan 2nd ed. 2: 672, 1996  
*Camellia salicifolia* Champ., 1851 柳葉山茶 Ref. 同前  
*Camellia sinensis* (L.) Kuntze f. *mosensis* Kitam. 1950 台灣山茶 [特有] Ref. 同前  
*Camellia tenuifolia* (Hayata) Coh. Stuart, 1916 細葉山茶 [特有] Ref. Flora of Taiwan 2nd ed. 2: 673, 1996  
*Camellia transarisanensis* (Hayata) Coh. Stuart, 1919 阿里山茶 [特有] Ref. 同前  
*Camellia transnokoensis* Hayata, 1919 泛能高山茶 [特有] Ref. Flora of Taiwan 2nd ed. 2: 674, 1996  
*Cleyera japonica* Thunb. var. *morii* (Yamamoto) Masam. 1935 森氏紅淡比 Ref. Flora of Taiwan 2nd ed. 2: 676, 1996  
*Cleyera japonica* Thunb. var. *longicarpa* (Yamamoto) Ling & Hsieh 1996 長果紅淡比 Ref. 同前  
*Cleyera japonica* Thunb. var. *taipinensis* Keng 1950 太平紅淡比 Ref. Flora of Taiwan 2nd ed. 2: 678, 1996  
*Cleyera japonica* Thunb. var. *japonica* Thunb. 1996 紅淡比 Ref. Flora of Taiwan 2nd ed. 2: 674, 1996  
*Cleyera japonica* Thunb., 1996 紅淡比 Ref. 同前  
*Eurya acuminata* DC., 1822 銳葉柃木 Ref. Flora of Taiwan 2nd ed. 2: 679, 1996  
*Eurya chinensis* Brown, 1818 米碎柃木 Ref. 同前  
*Eurya crenatifolia* (Yamamoto) Kobuski, 1938 假柃木 [特有] Ref. 同前  
*Eurya emarginata* (Thunb.) Makino, 1904 凹葉柃木 Ref. Flora of Taiwan 2nd ed. 2: 680, 1996  
*Eurya glaberrima* Hayata, 1919 厚葉柃木 [特有] Ref. Flora of Taiwan 2nd ed. 2: 681, 1996  
*Eurya gnaphalocarpa* Hayata, 1919 毛果柃木 Ref. Flora of Taiwan 2nd ed. 2: 680, 1996  
*Eurya hayatae* Yamam., 1933 早田氏柃木 Ref. Flora of Taiwan 2nd ed. 6: 55, 2003  
*Eurya leptophylla* Hayata, 1920 薄葉柃木 [特有] Ref. Flora of Taiwan 2nd ed. 2: 681, 1996  
*Eurya loquiana* Dunn, 1908 細枝柃木 Ref. 同前

- Eurya nitida* Korthals var. *nanjenshanensis* Hsieh, Ling & Yang, 1996 南仁山柃木 [特有] Ref. Flora of Taiwan 2nd ed. 2: 682, 1996  
*Eurya nitida* Korthals, 1996 光葉柃木 [特有] Ref. 同前  
*Eurya nitida* Korthals var. *nitida* Korthals 1996 光葉柃木 [特有] Ref. 同前  
*Eurya regechiensis* Yamamoto, 1933 蓮華池柃木 [特有] Ref. Flora of Taiwan 2nd ed. 2: 684, 1996  
*Eurya strigillosa* Hayata, 1908 粗毛柃木 [特有] Ref. 同前  
*Eurya taitungensis* Chang, 1962 清水山柃木 [特有] Ref. 同前  
*Gordonia axillaris* (Roxb.) Dietr., 1847 大頭茶 Ref. Flora of Taiwan 2nd ed. 2: 687, 1996  
*Pyrenaria buisanensis* (Sasaki) C. F. Hsieh, S. Z. Yang & M. H. Su 2004 武威山烏皮茶 Ref. Taiwania 49(3): 202, 2004  
*Pyrenaria shinkoensis* (Hayata) Keng, 1972 烏皮茶 [特有] Ref. Flora of Taiwan 2nd ed. 2: 689, 1996  
*Schima superba* Gard. & Champ., 1849 木荷 Ref. 同前  
*Schima superba* Gard. & Champ. var. *kankaoensis* (Hayata) Keng 1950 港口木荷 Ref. Flora of Taiwan 2nd ed. 2: 690, 1996  
*Ternstroemia gymnanthera* (Wight & Arn.) Sprague, 1923 厚皮香 Ref. Flora of Taiwan 2nd ed. 2: 692, 1996

## Order Trochodendrales 昆欄樹目

### Family Trochodendraceae 昆欄樹科

- Trochodendron aralioides* Siebold & Zucc., 1838 昆欄樹 Ref. Flora of Taiwan 2nd ed. 2: 504, 1996

## Order Urticales 蕁麻目

### Family Cecropiaceae 錐頭麻科

- Poikilospermum acuminata* (Trecul) Merr., 1934 錐頭麻 Ref. Flora of Taiwan 2nd ed. 2: 196, 1996

### Family Moraceae 桑科

- Artocarpus incisus* (Thunb.) L. f., 1781 麵包樹 Ref. Flora of Taiwan 2nd ed. 2: 137, 1996  
*Artocarpus xanthocarpus* Merr., 1904 蘭嶼麵包樹 Ref. 同前  
*Broussonetia kaempferi* Sieb., 1830 榕樹 Ref. Flora of Taiwan 2nd ed. 2: 140, 1996  
*Broussonetia kazinoki* Sieb., 1830 小構樹 Ref. 同前  
*Broussonetia papyrifera* (L.) L'Herit. ex Vent., 1799 構樹 Ref. Flora of Taiwan 2nd ed. 2: 142, 1996  
*Fatoua pilosa* Gaud., 1826 細齒水蛇麻 Ref. 同前  
*Fatoua villosa* (Thunb. ex Murray) Nakai, 1927 小蛇麻 Ref. 同前  
*Ficus ampelas* Burm. f., 1768 菲律賓榕 Ref. Flora of Taiwan 2nd ed. 2: 147, 1996  
*Ficus aurantiaca* Griff. var. *parvifolia* (Corner) Corner 1960 大果藤榕 Ref. Flora of Taiwan 2nd ed. 2: 148, 1996  
*Ficus benjamina* L., 1767 垂榕 Ref. 同前  
*Ficus caulocarpa* (Miq.) Miq., 1867 大葉雀榕 Ref. Flora of Taiwan 2nd ed. 2: 151, 1996  
*Ficus cumingii* Miq. var. *terminalifolia* (Elm.) Sata 1944 對葉榕 Ref. 同前  
*Ficus erecta* Thunb. var. *erecta* Thunb. 1786 假枇杷 Ref. Flora of Taiwan 2nd ed. 2: 154, 1996  
*Ficus erecta* Thunb., 1786 假枇杷 Ref. 同前  
*Ficus erecta* Thunb. var. *beecheയാനa* (Hook. & Arn.) King 1888 牛奶榕 Ref. 同前  
*Ficus esquiroliana* Levl., 1914 黃毛榕 Ref. 同前  
*Ficus fistulosa* Reinw. ex Blume, 1825 豬母乳 Ref. Flora of Taiwan 2nd ed. 2: 157, 1996  
*Ficus fistulosa* Reinw. ex Blume f. *guetensis* (Merr.) Liu & Liao 1974 黃果豬母乳 Ref. 同前  
*Ficus formosana* Maxim. f. *madae* Hayata 1919 細葉天仙果 Ref. Flora of Taiwan 2nd ed. 2: 159, 1996  
*Ficus formosana* Maxim., 1919 天仙果 Ref. 同前  
*Ficus heteropleura* Bl., 1825 尖尾長葉榕 Ref. 同前  
*Ficus irisana* Elm., 1906 澀葉榕 Ref. Flora of Taiwan 2nd ed. 2: 163, 1996  
*Ficus microcarpa* L. f. var. *oluangpiensis* Liao 1989 鵝鑾鼻藤榕 [特有] Ref. Flora of Taiwan 2nd ed. 2: 166, 1996  
*Ficus microcarpa* L. f. var. *microcarpa* L. f. 1781 榕樹 [特有] Ref. Flora of Taiwan 2nd ed. 2: 163, 1996  
*Ficus microcarpa* L. f., 1781 榕樹 [特有] Ref. 同前  
*Ficus microcarpa* L. f. var. *pusillifolia* Liao 1989 小葉榕 [特有] Ref. Flora of Taiwan 2nd ed. 2: 166, 1996  
*Ficus microcarpa* L. f. var. *fuyuensis* Liao 1989 傅園榕 [特有] Ref. 同前  
*Ficus microcarpa* L. f. var. *crassifolia* (Shieh) Liao 1974 厚葉榕 [特有] Ref. 同前  
*Ficus nervosa* Heyne ex Roth., 1817 九重吹 Ref. Flora of Taiwan 2nd ed. 2: 168, 1996  
*Ficus pedunculosa* Miq. var. *mearnsii* (Merr.) Corner 1959 鵝鑾鼻蔓榕 Ref. Flora of Taiwan 2nd ed. 2: 171, 1996  
*Ficus pedunculosa* Miq., 1848 蔓榕 Ref. Flora of Taiwan 2nd ed. 2: 168, 1996  
*Ficus pubinervis* Bl., 1825 綠島榕 Ref. Flora of Taiwan 2nd ed. 2: 171, 1996  
*Ficus pumila* L. var. *pumila* L. 1753 薜荔 [特有] Ref. 同前  
*Ficus pumila* L., 1753 var. *awkeotsang* (Makino) Corner 1960 愛玉子 [特有] Ref. Flora of Taiwan 2nd ed. 2: 174, 1996  
*Ficus pumila* L., 1753 薜荔 [特有] Ref. Flora of Taiwan 2nd ed. 2: 171, 1996  
*Ficus ruficaulis* Merr. var. *antaensis* (Hayata) Hatusima & Liao 1989 蘭嶼落葉榕 [特有] Ref. Flora of Taiwan 2nd ed. 2: 174, 1996  
*Ficus sarmentosa* B. Ham. ex J. E. Sm. var. *henryi* (King ex D. Oliver) Corner 1960 阿里山珍珠蓮 Ref. Flora of Taiwan 2nd ed. 2: 177, 1996  
*Ficus sarmentosa* B. Ham. ex J. E. Sm. var. *nipponica* (Fr. & Sav.) Corner 1960 珍珠蓮 Ref. 同前  
*Ficus septica* Burm. f., 1786 大冇榕 Ref. 同前  
*Ficus superba* (Miq.) Miq. var. *japonica* Miq. 1867 雀榕 Ref. Flora of Taiwan 2nd ed. 2: 180, 1996  
*Ficus tannoensis* Hayata, 1919 濱榕 [特有] Ref. 同前  
*Ficus tannoensis* Hayata f. *mbifolia* Hayata 1919 菱葉濱榕 [特有] Ref. 同前  
*Ficus tinctoria* Forst. f., 1786 山豬枷 Ref. Flora of Taiwan 2nd ed. 2: 183, 1996  
*Ficus trichocarpa* Bl. var. *obtusata* (Hassk.) Corner 1960 鈍葉毛果榕 Ref. 同前  
*Ficus vaccinioides* Hemsl. ex King, 1887 越橘葉蔓榕 [特有] Ref. Flora of Taiwan 2nd ed. 2: 186, 1996  
*Ficus variegata* Bl. var. *garciae* (Elm) Corner 1960 幹花榕 Ref. 同前  
*Ficus virgata* Reinw. ex Bl., 1825 白肉榕 Ref. Flora of Taiwan 2nd ed. 2: 188, 1996  
*Humulus scandens* (Lour.) Merr., 1935 葎草 Ref. 同前  
*Maclura cochinchinensis* (Lour.) Corner, 1962 柘樹 Ref. Flora of Taiwan 2nd ed. 2: 191, 1996

*Malaisia scandens* (Lour.) Planch., 1855 盤龍木 Ref. 同前  
*Morus australis* Poir., 1783 小桑樹 Ref. Flora of Taiwan 2nd ed. 2: 194, 1996

### Family Ulmaceae 榆科

*Aphananthe aspera* (Thunb. ex Murray) Planch., 1873 糙葉樹 Ref. Flora of Taiwan 2nd ed. 2: 124, 1996  
*Celtis biondii* Pamp., 1910 沙楠子樹 Ref. Flora of Taiwan 2nd ed. 2: 126, 1996  
*Celtis formosana* Hayata, 1911 石朴 [特有] Ref. Flora of Taiwan 2nd ed. 2: 128, 1996  
*Celtis nervosa* Hemsl., 1894 小葉朴 [特有] Ref. 同前  
*Celtis philippensis* Blanco, 1837 菲律賓朴樹 Ref. 同前  
*Celtis sinensis* Pers., 1805 朴樹 Ref. Flora of Taiwan 2nd ed. 2: 129, 1996  
*Trema cannabina* Lour., 1790 銳葉山黃麻 Ref. 同前  
*Trema orientalis* (L.) Bl., 1852 山黃麻 Ref. Flora of Taiwan 2nd ed. 2: 130, 1996  
*Trema tomentosa* (Roxb.) Hara, 1971 山油麻 Ref. 同前  
*Ulmus parvifolia* Jacq., 1798 榔榆 Ref. 同前  
*Ulmus uyematsui* Hayata, 1913 阿里山榆 [特有] Ref. Flora of Taiwan 2nd ed. 2: 133, 1996  
*Zelkova serrata* (Thunb.) Makino, 1903 欒 Ref. 同前

### Family Urticaceae 蕁麻科

*Boehmeria blinii* H. Lev. var. *podocarpa* W. T. Wang 1981 柄果芋麻 [特有] Ref. Flora of Taiwan 2nd ed. 2: 199, 1996  
*Boehmeria clidemioides* Miq., 1851 序葉芋麻 Ref. 同前  
*Boehmeria densiflora* Hook. & Arn., 1836 密花芋麻 Ref. 同前  
*Boehmeria formosana* Hayata, 1911 台灣芋麻 Ref. Flora of Taiwan 2nd ed. 2: 200, 1996  
*Boehmeria hwaliensis* Liu & Lu, 1978 花蓮芋麻 [特有] Ref. 同前  
*Boehmeria longispica* Steud., 1850 長穗芋麻 Ref. 同前  
*Boehmeria nivea* (L.) Gaudich. var. *tenacissima* (Gaudich.) Miq 1859 青芋麻 Ref. Flora of Taiwan 2nd ed. 2: 201, 1996  
*Boehmeria pilosiuscula* (Bl.) Hassk., 1844 華南芋麻 Ref. 同前  
*Boehmeria pilushanensis* Liu & Lu, 1978 畢祿山芋麻 [特有] Ref. 同前  
*Boehmeria wattersii* (Hance) B. L. Shih & Y. P. Yang, 1998 柄果芋麻 [特有] Ref. Flora of Taiwan 2nd ed. 6: 43, 2003  
*Chamabainia cuspidata* Wight, 1853 蟲蟻麻 Ref. Flora of Taiwan 2nd ed. 2: 202, 1996  
*Cypholophus moluccanus* (Bl.) Miq., 1869 瘤冠麻 Ref. 同前  
*Debregeasia orientalis* C. J. Chen, 1991 水麻 Ref. Flora of Taiwan 2nd ed. 2: 203, 1996  
*Dendrocnide kotoensis* (Hayata ex Yamamoto) Shih & Yang, 1995 紅頭咬人狗 [特有] Ref. Flora of Taiwan 2nd ed. 2: 204, 1996  
*Dendrocnide meyeniana* (Walp.) Chew, 1965 咬人狗 Ref. 同前  
*Drogetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) Friis & Wilmot-Deer 1987 單蕊麻 Ref. Flora of Taiwan 2nd ed. 2: 205, 1996  
*Elatostema acuteserratum* Shih & Yang, 1995 銳齒樓梯草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 206, 1996  
*Elatostema edule* C. Robinson, 1910 食用樓梯草 Ref. 同前  
*Elatostema herbaceifolium* Hayata, 1916 台灣樓梯草 Ref. Flora of Taiwan 2nd ed. 2: 209, 1996  
*Elatostema hirtellipedunculatum* Shih & Yang, 1995 糙梗樓梯草 [特有] Ref. 同前  
*Elatostema hypoglaucum* Shih & Yang, 1995 白背樓梯草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 211, 1996  
*Elatostema lineolatum* Wight var. *majus* Wedd. 1856 冷清草 Ref. 同前  
*Elatostema microcephalanthum* Hayata, 1916 微頭花樓梯草 [特有] Ref. 同前  
*Elatostema multicanaliculatum* Shih & Yang, 1995 多溝樓梯草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 213, 1996  
*Elatostema parvum* (Blume) Miq., 1854 絨莖樓梯草 Ref. 同前  
*Elatostema platyphylloides* Shih & Yang, 1995 闊葉樓梯草 Ref. Flora of Taiwan 2nd ed. 2: 215, 1996  
*Elatostema rivulare* Shih & Yang, 1995 溪澗樓梯草 [特有] Ref. 同前  
*Elatostema strigillosum* Shih & Yang, 1995 微粗毛樓梯草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 217, 1996  
*Elatostema subcoriaceum* Shih & Yang, 1995 近革葉樓梯草 [特有] Ref. 同前  
*Elatostema trilobulatum* (Hayata) Yamazaki, 1972 裂葉樓梯草 [特有] Ref. 同前  
*Elatostema villosum* Shih & Yang, 1995 柔毛樓梯草 [特有] Ref. Flora of Taiwan 2nd ed. 2: 221, 1996  
*Girardinia diversifolia* (Link) Friis, 1981 蠟子草 Ref. 同前  
*Gonostegia hirta* (Bl.) Miq., 1869 糯米團 Ref. Flora of Taiwan 2nd ed. 2: 223, 1996  
*Gonostegia matsudae* (Yamamoto) Yamamoto & Masam., 1931 小葉石薯 Ref. 同前  
*Gonostegia pentandra* (Roxb.) Miq, 1869 五蕊石薯 Ref. Flora of Taiwan 2nd ed. 2: 224, 1996  
*Laportea aestuans* (L.) Chew, 1965 腺花桑葉麻 Ref. Taiwania 52(1): 59, 2007  
*Laportea bulbifera* (Sieb. & Zucc.) Wedd., 1856 珠芽桑葉麻 Ref. Flora of Taiwan 2nd ed. 2: 224, 1996  
*Laportea interrupta* (L.) Chew, 1965 桑葉麻 Ref. Flora of Taiwan 2nd ed. 2: 226, 1996  
*Lecantheus peduncularis* (Wall. ex Royle) Wedd., 1869 長梗盤花麻 Ref. 同前  
*Leucosyke quadrinervia* C. Robinson, 1911 四脈麻 Ref. Flora of Taiwan 2nd ed. 2: 228, 1996  
*Maoutia setosa* Wedd., 1854 蘭嶼水絲麻 Ref. Flora of Taiwan 2nd ed. 2: 229, 1996  
*Nanocnide japonica* Bl., 1855 花點草 Ref. 同前  
*Oreocnide pedunculata* (Shirai) Masam., 1929 長梗紫麻 Ref. Flora of Taiwan 2nd ed. 2: 230, 1996  
*Oreocnide trinervis* (Wedd.) Miq., 1859 三脈紫麻 Ref. 同前  
*Pellionia radicans* (Sieb. & Zucc.) Wedd., 1869 赤車使者 Ref. Flora of Taiwan 2nd ed. 2: 231, 1996  
*Pellionia scabra* Benth., 1861 糙葉赤車使者 Ref. 同前  
*Pilea angulata* (Blume) Blume, 1856 長柄冷水麻 Ref. Flora of Taiwan 2nd ed. 2: 234, 1996  
*Pilea aquarum* Dunn subsp. *brevicornuta* (Hayata) C. J. Chen 1982 短角冷水麻 Ref. Flora of Taiwan 2nd ed. 2: 236, 1996  
*Pilea elliptifolia* Shih & Yang, 1995 橢圓葉冷水麻 [特有] Ref. 同前  
*Pilea funkikensis* Hayata, 1916 奮起湖冷水麻 [特有] Ref. Flora of Taiwan 2nd ed. 2: 239, 1996  
*Pilea japonica* (Maxim.) Hand.-Mazz., 1929 日本冷水麻 Ref. 同前  
*Pilea matsudae* Yamamoto, 1925 細尾冷水麻 Ref. Flora of Taiwan 2nd ed. 2: 242, 1996  
*Pilea melastomoides* (Poir.) Wedd., 1854 大冷水麻 Ref. 同前  
*Pilea microphylla* (L.) Liebm., 1851 小葉冷水麻 Ref. Flora of Taiwan 2nd ed. 2: 245, 1996  
*Pilea peploides* (Gaudich.) Hook. & Arn. var. *major* Wedd. 1832 齒葉矮冷水麻 Ref. 同前

*Pilea peploides* (Gaudich.) Hook. & Arn. var. *peploides* (Gaudich.) Hook. & Arn. 1832 矮冷水麻 Ref. 同前  
*Pilea plataniflora* C. H. Wright, 1899 西南冷水麻 Ref. Flora of Taiwan 2nd ed. 2: 247, 1996  
*Pilea pumila* (L.) A. Gray, 1848 透莖冷水麻 Ref. 同前  
*Pilea rotundinucula* Hayata, 1916 圓果冷水麻 [特有] Ref. Flora of Taiwan 2nd ed. 2: 250, 1996  
*Pilea somae* Hayata, 1916 細葉冷水麻 [特有] Ref. 同前  
*Pilea somai* Hayata, 1916 細葉冷水麻 [特有] Ref. 同前  
*Pilea swinglei* Merr., 1918 三角葉冷水麻 Ref. Flora of Taiwan 2nd ed. 6: 44, 2003  
*Pipturus arborescens* (Link) C. Robinson, 1911 落尾麻 Ref. Flora of Taiwan 2nd ed. 2: 253, 1996  
*Pouzolzia elegans* Wedd., 1869 水雞油 Ref. 同前  
*Pouzolzia zeylanica* (L.) Benn., 1838 霧水葛 Ref. Flora of Taiwan 2nd ed. 2: 254, 1996  
*Procris laevigata* Bl., 1825 烏來麻 Ref. 同前  
*Urtica taiwaniana* Ying, 1975 台灣蕁麻 [特有] Ref. Flora of Taiwan 2nd ed. 2: 256, 1996  
*Urtica thunbergiana* Sieb. & Zucc., 1846 蕁麻 Ref. 同前

## Order Violales 堇菜目

### Family Begoniaceae 秋海棠科

*Begonia ×taipeiensis* C. I Peng, 2000 台北秋海棠 [特有] Ref. Flora of Taiwan 2nd ed. 6: 80, 2003  
*Begonia aptera* Blume, 1827 圓果秋海棠 Ref. 同前  
*Begonia austrotaiwanensis* Y. K. Chen & C. I Peng, 1990 南台灣秋海棠 [特有] Ref. Flora of Taiwan 2nd ed. 3: 847, 1993  
*Begonia bouffordii* C. I Peng, 2005 Ref. Bot. Bull. Acad. Sin 46: 255, 2005  
*Begonia buimontana* Yamamoto, 1933 武崙山秋海棠 Ref. Flora of Taiwan 2nd ed. 3: 848, 1993  
*Begonia chitoensis* Liu & Lai, 1977 溪頭秋海棠 [特有] Ref. 同前  
*Begonia chuyunshanensis* C. I Peng & Y. K. Chen, 2005 Ref. Bot. Bull. Acad. Sin 46: 261, 2005  
*Begonia fenicis* Merr., 1908 蘭嶼秋海棠 Ref. Flora of Taiwan 2nd ed. 3: 848, 1993  
*Begonia formosana* (Hayata) Masam., 1961 水鴨腳 Ref. Flora of Taiwan 2nd ed. 3: 849, 1993  
*Begonia formosana* (Hayata) Masam. f. *omaculata* Liu & Lai 1977 白斑水鴨腳 Ref. 同前  
*Begonia longifolia* Blume, 1823 圓果秋海棠 Ref. Flora of Taiwan 2nd ed. 3: 846, 1993  
*Begonia lukuana* Liu & Ou, 1982 鹿谷秋海棠 [特有] Ref. Flora of Taiwan 2nd ed. 3: 851, 1993  
*Begonia nantoensis* Lai & Chung, 1992 南投秋海棠 [特有] Ref. 同前  
*Begonia palmata* D. Don, 1825 裂葉秋海棠 Ref. Flora of Taiwan 2nd ed. 6: 80, 2003  
*Begonia pinglinensis* C. I Peng, 2005 Ref. Bot. Bull. Acad. Sin 46: 261, 2005  
*Begonia ravenii* C. I Peng & Y. K. Chen, 1988 岩生秋海棠 [特有] Ref. Flora of Taiwan 2nd ed. 3: 853, 1993  
*Begonia taiwaniana* Hayata, 1911 台灣秋海棠 [特有] Ref. 同前  
*Begonia tengchiana* C. I Peng & Y. K. Chen, 2005 Ref. Bot. Bull. Acad. Sin 46: 265, 2005  
*Begonia wutaiana* C. I Peng & Y. K. Chen, 2006 Ref. Bot. Bull. Acad. Sin 46: 268, 2005

### Family Cucurbitaceae 葫蘆科

*Actinostemma tenerum* Griff., 1837 合子草 Ref. Flora of Taiwan 2nd ed. 3: 856, 1993  
*Coccinia grandis* (L.) Voigt, 1845 紅瓜 Ref. Flora of Taiwan 2nd ed. 6: 80, 2003  
*Diplocyclos palmatus* (L.) C. Jeffrey, 1962 雙輪瓜 Ref. Flora of Taiwan 2nd ed. 3: 858, 1993  
*Gymnopetalum chinense* (Lour.) Merr., 1919 裸瓣瓜 Ref. 同前  
*Gynostemma pentaphyllum* (Thunb.) Makino, 1902 絞股藍 Ref. Flora of Taiwan 2nd ed. 3: 860, 1993  
*Melothria pendula* L., 1735 垂瓜果 Ref. Flora of Taiwan 2nd ed. 6: 80, 2003  
*Momordica charantia* L., 1753 苦瓜 Ref. Flora of Taiwan 2nd ed. 3: 861, 1993  
*Momordica cochinchinensis* (Lour.) Spreng., 1826 木鱧子 Ref. 同前  
*Mukia maderaspatana* (L.) M. J. Roem., 1846 天花 Ref. Flora of Taiwan 2nd ed. 3: 862, 1993  
*Neosalsomitra integrifolia* (Cogn.) Hutch., 1942 穿山龍 Ref. 同前  
*Siraitia taiwaniana* (Hayata) C. Jeffrey ex Lu & Zhang, 1984 台灣羅漢果 [特有] Ref. Flora of Taiwan 2nd ed. 3: 864, 1993  
*Solena amplexicaulis* (Lam.) Gandhi, 1976 茅瓜 Ref. Flora of Taiwan 2nd ed. 3: 865, 1993  
*Thladiantha nudiflora* Hemsl. ex Forbes & Hemsl., 1887 青牛膽 Ref. Flora of Taiwan 2nd ed. 3: 866, 1993  
*Thladiantha punctata* Hayata, 1911 斑花青牛膽 Ref. 同前  
*Trichosanthes cucumeroides* (Ser.) Maxim. ex Fr. & Sav., 1875 王瓜 Ref. Flora of Taiwan 2nd ed. 3: 867, 1993  
*Trichosanthes lophophylla* Hayata, 1921 芋葉括樓 [特有] Ref. 同前  
*Trichosanthes laceribracteata* Hayata, 1911 槭葉括樓 Ref. Flora of Taiwan 2nd ed. 3: 868, 1993  
*Trichosanthes ovigera* Bl., 1826 全緣括樓 Ref. 同前  
*Trichosanthes quinquangulata* A. Gray., 1854 蘭嶼括樓 Ref. 同前  
*Trichosanthes rosthornii* Harms, 1938 中華括樓 Ref. Flora of Taiwan 2nd ed. 3: 869, 1993  
*Zehneria japonica* (Thunb.) H.-Y. Liu, 1989 馬交瓜兒 Ref. Flora of Taiwan 2nd ed. 3: 870, 1993  
*Zehneria mucronata* (Bl.) Miq., 1856 黑果馬交瓜兒 Ref. 同前

### Family Flacourtiaceae 大風子科

*Casearia membranacea* Hance, 1868 薄葉嘉賜木 Ref. Flora of Taiwan 2nd ed. 3: 794, 1993  
*Flacourtia rukam* Zoll & Merr., 1854 羅庚果 Ref. Flora of Taiwan 2nd ed. 3: 796, 1993  
*Homalium cochinchinensis* (Lour.) Druce, 1917 天料木 Ref. Flora of Taiwan 2nd ed. 3: 798, 1993  
*Idesia polycarpa* Maxim., 1886 山桐子 Ref. 同前  
*Scolopia oldhamii* Hance, 1866 魯花樹 Ref. Flora of Taiwan 2nd ed. 3: 801, 1993  
*Xylosma congesta* (Lour.) Merr., 1919 柞木 Ref. 同前

### Family Passifloraceae 西番蓮科

*Adenia formosana* Hayata, 1914 假西番蓮 [特有] Ref. Flora of Taiwan 2nd ed. 3: 837, 1993  
*Passiflora edulis* Sims., 1818 西番蓮 Ref. Flora of Taiwan 2nd ed. 3: 839, 1993  
*Passiflora foetida* L. var. *hispida* (DC. ex Triana & Planch) Killip 1931 毛西番蓮 Ref. 同前  
*Passiflora quadrangularis* L., 1758 大果西番蓮 Ref. Flora of Taiwan 2nd ed. 3: 840, 1993

*Passiflora suberosa* Linn., 1753 三角葉西番蓮 Ref. 同前

**Family Stachyuraceae 旌節花科**

*Stachyurus himalaicus* Hook. f. & Thomson ex Benth., 1861 通條樹 Ref. Flora of Taiwan 2nd ed. 3: 835, 1993

**Family Violaceae 堇菜科**

*Hybanthus enneaspermus* (L.) F. v. Muell., 1876 鼠鞭草 Ref. Flora of Taiwan 2nd ed. 3: 805, 1993

*Viola adenothrix* Hayata var. *tsugitakaensis* (Masam.) Wang & Huang 1990 雪山堇菜 [特有] Ref. Flora of Taiwan 2nd ed. 3: 810, 1993

*Viola adenothrix* Hayata, 1913 喜岩堇菜 [特有] Ref. Flora of Taiwan 2nd ed. 3: 808, 1993

*Viola arcuata* Bl., 1825 如意草 Ref. Flora of Taiwan 2nd ed. 3: 810, 1993

*Viola betonicifolia* J. E. Smith, 1817 箭葉堇菜 Ref. 同前

*Viola biflora* L., 1753 雙黃花堇菜 Ref. Flora of Taiwan 2nd ed. 3: 813, 1993

*Viola confusa* Champ. ex Benth., 1851 短毛堇菜 Ref. Flora of Taiwan 2nd ed. 3: 816, 1993

*Viola diffusa* Ging., 1824 茶匙黃 Ref. 同前

*Viola formosana* Hayata var. *stenopetala* (Hayata) Wang, Huang & Hashimoto 1990 川上氏堇菜 [特有] Ref. Flora of Taiwan 2nd ed. 3: 819, 1993

*Viola formosana* Hayata, 1906 台灣堇菜 [特有] Ref. 同前

*Viola grypoceras* A. Gray, 1856 紫花堇菜 Ref. Flora of Taiwan 2nd ed. 3: 822, 1993

*Viola inconspicua* Blume subsp. *nagasakiensis* (W. Becker) Wang & Huang 1990 小堇菜 Ref. 同前

*Viola mandshurica* W. Becker, 1917 紫花地丁 Ref. Flora of Taiwan 2nd ed. 3: 825, 1993

*Viola nagasawae* Makino & Hayata var. *pricei* (W. Becker) Wang & Huang 1990 普萊氏堇菜 Ref. Flora of Taiwan 2nd ed. 3: 827, 1993

*Viola nagasawae* Makino & Hayata var. *nagasawai* Makino & Hayata 1906 台北堇菜 Ref. Flora of Taiwan 2nd ed. 3: 825, 1993

*Viola obtusa* Makino var. *tsuifengensis* Hashimoto 1987 翠峰堇菜 [特有] Ref. Flora of Taiwan 2nd ed. 3: 827, 1993

*Viola senzanensis* Hayata, 1916 尖山堇菜 [特有] Ref. Flora of Taiwan 2nd ed. 3: 830, 1993

*Viola shinchikuensis* Yamamoto, 1933 新竹堇菜 [特有] Ref. 同前

*Viola tenuis* Benth., 1842 心葉茶匙黃 Ref. Flora of Taiwan 2nd ed. 3: 833, 1993



# Kingdom Animalia 動物界

## Phylum Porifera 海綿動物門

### Class Calcarea 石灰海綿綱

#### Order Clathrinida

##### Family Clathrinidae

*Leucetta chagosensis* Dendy, 1913 Ref. de Voogd & 宋克義, 2008

### Class Demospongiae 尋常海綿綱

#### Order Agelasida

##### Family Agelasidae

*Agelas aff. ceylonica* Dendy, 1905 Ref. de Voogd & 宋克義, 2008

*Agelas aff. nemoechinata* Hoshino, 1985 Ref. 同前

*Agelas nakamurai* Hoshino, 1985 Ref. 同前

*Agelas nemoechinata* Hoshino, 1985 Ref. 同前

*Agelas robusta* Pulitzer-Finali, 1982 Ref. 同前

##### Family Callyspongiidae

*Callyspongia (Cladochalina) aff. confoederata* (Ridley, 1884) Ref. de Voogd & 宋克義, 2008

*Callyspongia (Cladochalina) sp.* Ref. 同前

*Callyspongia (Toxochalina) aff. fenestrata* (Desqueyroux-Faúndez, 1984) Ref. 同前

##### Family Chalinidae

*Chalinula sp.* Ref. de Voogd & 宋克義, 2008

##### Family Niphatidae

*Dasychalina aff. fragilis* Ridley & Dendy, 1886 Ref. de Voogd & 宋克義, 2008

*Gelliodes fibulata* Ridley, 1884 Ref. 同前

##### Family Petrosiidae

*Neopetrosia exigua* (Kirkpatrick, 1900) Ref. de Voogd & 宋克義, 2008

*Neopetrosia sp.* Ref. 同前

*Petrosia (Petrosia) aff. solida* Hoshino, 1981 Ref. 同前

*Petrosia (Petrosia) sp.* Ref. 同前

*Petrosia (Strongylophora) corticata* (Wilson, 1925) Ref. 同前

*Petrosia (Strongylophora) strongylata* (Thiele, 1903) Ref. 同前

*Xestospongia sp.* Ref. 同前

*Xestospongia testudinaria* (Lamarck, 1813) Ref. 同前

*Xestospongia vansoesti* Nishiyama & Bakus, 2000 Ref. 同前

##### Family Phloeodictyidae

*Aka sp.* Ref. de Voogd & 宋克義, 2008

#### Order Astrophorida

##### Family Ancorinidae

*Jaspis sp.* Ref. de Voogd & 宋克義, 2008

*Jaspis splendens* (De Laubenfels, 1954) Ref. 同前

*Rhabdastrella globostellata* (Carter, 1883) Ref. 同前

#### Order Chondrosida

##### Family Chondrillidae

*Chondrosia chucalla* De Laubenfels, 1954 Ref. de Voogd & 宋克義, 2008

#### Order Dendroceratida

##### Family Darwinellidae

*Chelonaplysilla sp.* Ref. de Voogd & 宋克義, 2008

#### Order Dictyoceratida

##### Family Dysideidae

*Citronia aff. vasiformis* (Bergquist, 1995) Ref. de Voogd & 宋克義, 2008

*Dysidea granulosa* Bergquist, 1965 Ref. 同前

*Dysidea sp.* Ref. 同前

*Eurospongia sp.* Ref. 同前

##### Family Irciniidae

*Ircinia sp.* Ref. de Voogd & 宋克義, 2008

##### Family Spongiidae

*Coscinoderma sp.* Ref. de Voogd & 宋克義, 2008

*Hippospongia* sp. Ref. 同前

### **Family Thorectidae**

*Dactylospongia elegans* (Thiele, 1899) Ref. de Voogd & 宋克義, 2008

*Dactylospongia metachromia* (De Laubenfels, 1954) Ref. 同前

*Hyrrios* aff. *erectus* (Keller, 1889) Ref. 同前

*Hyrrios* sp. Ref. 同前

## **Order Hadromerida**

### **Family Alecetonidae**

*Neamphius huxleyi* (Sollas, 1888) Ref. de Voogd & 宋克義, 2008

### **Family Clionaidae**

*Sphēciospongia* sp. Ref. de Voogd & 宋克義, 2008

### **Family Suberitidae**

*Aaptos suberitioides* (Brønsted, 1934) Ref. de Voogd & 宋克義, 2008

## **Order Halichondrida**

### **Family Axinellidae**

*Phakellia* sp. Ref. de Voogd & 宋克義, 2008

### **Family Dictyonellidae**

*Acanthella* aff. *cavernosa* Dendy, 1922 Ref. de Voogd & 宋克義, 2008

*Amorphinopsis* sp. Ref. 同前

*Dictyonella* sp. Ref. 同前

*Lipastrotethya* aff. *hilgendorfi* (Thiele, 1889) Ref. 同前

*Stylissa carteri* (Dendy, 1889) Ref. 同前

### **Family Halichondriidae**

*Axinyssa* sp. Ref. de Voogd & 宋克義, 2008

### **Family Heteroxyidae**

*Didiscus* aff. *aceratus* (Ridley & Dendy, 1886) Ref. de Voogd & 宋克義, 2008

*Higginsia* sp. Ref. 同前

*Myrmekioderma* aff. *granulatum* (Esper, 1794) Ref. 同前

## **Order Homosclerophorida**

### **Family Plakinidae**

*Plakortis lita* de Laubenfels, 1954 Ref. de Voogd & 宋克義, 2008

## **Order Lithistida**

### **Family Theonellidae**

*Theonella* sp. Ref. de Voogd & 宋克義, 2008

*Theonella swinhoei* Gray, 1868 Ref. 同前

## **Order Poecilosclerida**

### **Family Crellidae**

*Crella* (*Grayella*) aff. *papillata* (Levi, 1958) Ref. de Voogd & 宋克義, 2008

### **Family Desmacellidae**

*Biemna* sp. Ref. de Voogd & 宋克義, 2008

### **Family Isodictyidae**

*Coelocarteria* aff. *agglomerans* Azzini, Calcinai & Pansini 2007 Ref. de Voogd & 宋克義, 2008

### **Family Microcionidae**

*Clathria* (*Thalysias*) *reinwardti* Vosmaer, 1880 Ref. de Voogd & 宋克義, 2008

*Clathria* (*Thalysias*) *vulpina* (Lamarck, 1813) Ref. 同前

### **Family Podospongiidae**

*Diacarnus megaspinorhabdosa* Kelly-Borges & Vacelet, 1995 Ref. de Voogd & 宋克義, 2008

### **Family Tedaniidae**

*Tedania* (*Tedania*) sp. Ref. de Voogd & 宋克義, 2008

## **Order Spirophorida**

### **Family Tetillidae**

*Cinachyrella australiensis* (Carter, 1886) 澳洲球形海綿 Ref. de Voogd & 宋克義, 2008

## **Order Verongida**

### **Family Aplysinellidae**

*Suberea* aff. *clavata* (Pulitzer-Finali, 1982) Ref. de Voogd & 宋克義, 2008

*Suberea* sp. Ref. 同前

### **Family Pseudoceratinidae**

*Pseudoceratina* sp. Ref. de Voogd & 宋克義, 2008

# Phylum Cnidaria 刺胞動物門

## Class Anthozoa 珊瑚蟲綱

### Order Alcyonacea 軟珊瑚目

#### Family Alcyoniidae 軟珊瑚科

- Alcyonium gracillimum* Kukenthal, 1906 疣冠形軟珊瑚  
*Cladiella australis* Macfadyen, 1936 Ref. Benayahu et al., 2004  
*Cladiella daphnae* van Ofwegen & Benayahu, 1992 Ref. 同前  
*Cladiella pachyclados* Klunzinger, 1877 Ref. 同前  
*Cladiella* sp. 瘤軟珊瑚  
*Cladiella tuberculosa* Quoy & Gaimard, 1833 Ref. Benayahu et al., 2004  
*Eleutherobia grayi* Thomson & Dean, 1931 Ref. 同前  
*Klyxum molle* Thomson & Dean, 1931 柔軟冠形軟珊瑚 Ref. Dai, 1991  
*Klyxum rotundum* Thomson & Dean, 1931 厚實冠形軟珊瑚 Ref. Dai, 1991  
*Klyxum simplex* Thomson & Dean, 1931 簡易冠形軟珊瑚 Ref. Benayahu et al., 2004  
*Lobophytum altum* Tixier-Durivault, 1956 輻葉形軟珊瑚 Ref. Li et al., 2000  
*Lobophytum batarum* Moser, 1919 Ref. Platax. Monograph 1, 2005  
*Lobophytum crassum* von Marenzeller, 1886 Ref. Benayahu et al., 2004  
*Lobophytum mirabile* Tixier-Durivault, 1956 聚葉形軟珊瑚 Ref. Dai, 1991  
*Lobophytum pauciflorum* Ehrenberg, 1834 簡葉形軟珊瑚 Ref. Dai, 1991  
*Lobophytum planum* Tixier-Durivault, 1970 Ref. Platax. Monograph 1, 2005  
*Lobophytum sarcophytoides* Moser, 1919 肉葉形軟珊瑚 Ref. Dai, 1991  
*Lobophytum solidum* Tixier-Durivault, 1970 實葉形軟珊瑚 Ref. Dai, 1991  
*Lobophytum strictum* Tixier-Durivault, 1957 小葉形軟珊瑚 Ref. 郭兆陽。2007  
*Lobophytum venustum* Tixier-Durivault, 1957 Ref. Benayahu et al., 2004  
*Paraminabea aldersladei* Williams, 1992 Ref. 同前  
*Rhytisma fulvum* Forskal, 1775 Ref. 同前  
*Sarcophyton buitendijki* Verseveldt, 1982 Ref. 同前  
*Sarcophyton cinereum* Tixier-Durivault, 1946 Ref. Platax. Monograph 1, 2005  
*Sarcophyton cornispiculatum* Verseveldt, 1971 角棘肉質軟珊瑚  
*Sarcophyton crassocaule* Moser, 1919 肥厚肉質軟珊瑚 Ref. Dai, 1991  
*Sarcophyton ehrenbergi* von Marenzeller, 1886 杯形肉質軟珊瑚 Ref. Dai, 1991  
*Sarcophyton elegans* Moser, 1919 Ref. Platax. Monograph 1, 2005  
*Sarcophyton glaucum* Quoy & Gaimard, 1833 藍綠肉質軟珊瑚 Ref. Dai, 1991  
*Sarcophyton infundibuliforme* Tixier-Durivault, 1958 Ref. Benayahu et al., 2004  
*Sarcophyton nanwanensis* Benayahu & Perkol-Finkel, 2004 Ref. 同前  
*Sarcophyton stellatum* Kukenthal, 1910 星形肉質軟珊瑚 Ref. Dai, 1991  
*Sarcophyton tenuispiculatum* Thomson & Dean, 1931 Ref. Benayahu et al., 2004  
*Sarcophyton trocheliophorum* von Marenzeller, 1886 花環肉質軟珊瑚 Ref. Dai, 1991  
*Sinularia brassica* May, 1898 Ref. Benayahu et al., 2004  
*Sinularia compacta* Tixier-Durivault, 1970 聯合指形軟珊瑚 Ref. 同前  
*Sinularia compressa* Tixier-Durivault, 1945 Ref. 同前  
*Sinularia crassa* Tixier-Durivault, 1945 Ref. Platax. Monograph 1, 2005  
*Sinularia cruciata* Tixier-Durivault, 1970 Ref. 同前  
*Sinularia densa* Whitelegge, 1897 密集指形軟珊瑚 Ref. Dai, 1991  
*Sinularia discrepans* Tixier-Durivault, 1970 Ref. Benayahu et al., 2004  
*Sinularia dissecta* Tixier-Durivault, 1945 Ref. 同前  
*Sinularia erecta* Tixier-Durivault, 1945 Ref. 同前  
*Sinularia exilis* Tixier-Durivault, 1970 分離指形軟珊瑚 Ref. Dai, 1991  
*Sinularia facile* Tixier-Durivault, 1970 簡易指形軟珊瑚 Ref. Dai, 1991  
*Sinularia flexibilis* Quoy & Gaimard, 1833 柔指形軟珊瑚 Ref. Dai, 1991  
*Sinularia gibberosa* Tixier-Durivault, 1970 脈指形軟珊瑚 Ref. Dai, 1991  
*Sinularia grandilobata* Verseveldt, 1980 巨指形軟珊瑚 Ref. Dai, 1991  
*Sinularia granosa* Tixier-Durivault, 1970 顆粒指形軟珊瑚 Ref. Dai, 1991  
*Sinularia grayi* Tixier-Durivault, 1945 Ref. Benayahu et al., 2004  
*Sinularia halversoni* Verseveldt, 1974 哈氏指形軟珊瑚 Ref. Dai, 1991  
*Sinularia higai* Benayahu, 2002 Ref. Benayahu et al., 2004  
*Sinularia humesi* Verseveldt, 1968 Ref. 同前  
*Sinularia inelegans* Tixier-Durivault, 1970 Ref. Platax. Monograph 1, 2005  
*Sinularia inexplicata* Tixier-Durivault, 1970 混淆指形軟珊瑚 Ref. Dai, 1991  
*Sinularia intacta* Tixier-Durivault, 1970 Ref. Benayahu et al., 2004  
*Sinularia leptoclados* Ehrenberg, 1834 Ref. 同前  
*Sinularia lochmodes* Kolonko, 1926 叢指形軟珊瑚 Ref. Dai, 1991  
*Sinularia manaarensis* Verseveldt, 1980 Ref. Benayahu et al., 2004  
*Sinularia maxima* Verseveldt, 1971 Ref. 同前  
*Sinularia minima* Verseveldt, 1971 Ref. Platax. Monograph 1, 2005  
*Sinularia mollis* Kolonko, 1926 肉質形軟珊瑚 Ref. Dai, 1991  
*Sinularia muralis* May, 1899 緣葉指形軟珊瑚 Ref. Dai, 1991  
*Sinularia nanolobata* Verseveldt, 1977 Ref. Benayahu et al., 2004  
*Sinularia notanda* Tixier-Durivault, 1966 Ref. 同前

*Sinularia numerosa* Tixier-Durivault, 1970 聚指形軟珊瑚 Ref. Dai, 1991  
*Sinularia ovispiculata* Tixier-Durivault, 1970 Ref. Benayahu et al., 2004  
*Sinularia parva* Tixier-Durivault, 1970 Ref. Platax. Monograph 1, 2005  
*Sinularia pavida* Tixier-Durivault, 1970 冠指形軟珊瑚 Ref. 郭兆陽。2007  
*Sinularia pedunculata* Tixier-Durivault, 1945 Ref. Platax. Monograph 1, 2005  
*Sinularia polydactyla* Ehrenberg, 1834 多指形軟珊瑚 Ref. Dai, 1991  
*Sinularia querciformis* Pratt, 1903 Ref. Benayahu et al., 2004  
*Sinularia rigida* Dana, 1846 Ref. 同前  
*Sinularia scabra* Tixier-Durivault, 1970 鱗指形軟珊瑚 Ref. Dai, 1991  
*Sinularia triangula* Tixier-Durivault, 1970 Ref. Benayahu et al., 2004  
*Sinularia variabilis* Tixier-Durivault, 1945 Ref. 同前

#### **Family Briareidae 皮軟珊瑚科**

*Briareum excavatum* Nutting, 1911 Ref. Benayahu et al., 2004  
*Briareum violacea* Quoy & Gaimard, 1883 Ref. 同前

#### **Family Nephtheidae 穗珊瑚科**

*Capnella fungiformis* Kukenthal, 1903 Ref. Benayahu et al., 2004  
*Dendronephthya gigantea* Verrill, 1864 巨大棘穗軟珊瑚 Ref. Duh et al., 2004  
*Dendronephthya klunzingeri* Studer, 1888 孔氏棘穗軟珊瑚  
*Lemnalina flava* May, 1898 Ref. Benayahu et al., 2004  
*Nephtea chabrolii* Audoin, 1828 白穗軟珊瑚 Ref. Dai, 1991  
*Nephtea erecta* Kukenthal, 1903 直立穗軟珊瑚 Ref. Dai, 1991  
*Paralemnalia thyrsoides* Ehrenberg, 1834 Ref. Benayahu et al., 2004  
*Scleronephthya gracillimum* Kukenthal, 1906 Ref. 同前

#### **Family Nidaliidae 巢軟珊瑚科**

*Siphonogorgia* sp. 管柳珊瑚

#### **Family Xenidiidae 傘軟珊瑚科**

*Anthelia Anthelia* Lamarck, 1816 Ref. Benayahu et al., 2004  
*Asterospicularia laurae* Utinomi, 1951 星形軟珊瑚 Ref. Utinomi, 1951  
*Cespitularia caerulea* May, 1898 Ref. Benayahu et al., 2004  
*Cespitularia stolonifera* Gohar, 1938 Ref. 同前  
*Cespitularia taeniata* May, 1899 Ref. Utinomi, 1950  
*Heteroxenia elisabethae* Kolliker, 1874 異傘軟珊瑚 Ref. Dai, 1991  
*Heteroxenia medioensis* Roxas, 1933 Ref. Benayahu et al., 2004  
*Heteroxenia pinnata* Roxas, 1933 Ref. 同前  
*Sansibia flava* May, 1899 Ref. 同前  
*Sansibia formosana* Utinomi, 1950 台灣輪軟珊瑚 Ref. Utinomi, 1950  
*Xenia hicksoni* Ashworth, 1899 Ref. Platax. Monograph 1, 2005  
*Xenia kukenthalii* Roxas, 1933 Ref. Benayahu et al., 2004  
*Xenia lilliae* Roxas, 1933 Ref. 同前  
*Xenia puerto-galerae* Roxas, 1933 傘軟珊瑚 Ref. 同前  
*Xinia hicksoni* Ashworth, 1899 Ref. 同前

### **Order Coenothecalia 藍珊瑚目**

#### **Family Helioporidae 藍珊瑚科**

*Heliopora coerulea* Pallas, 1766 藍珊瑚 Ref. Dai, 1991

### **Order Gorgonacea 柳珊瑚目**

#### **Family Acanthigorgiidae 棘柳珊瑚科**

*Acalycigorgia* sp. 1 筒萼珊瑚 1  
*Acalycigorgia* sp. 2 筒萼珊瑚 2  
*Acanthogorgia vegae* Aurivillius, 1931 星棘柳珊瑚 Ref. Chen & Chang, 1991  
*Muricella grandis* Nutting, 1910 深紫紅珊瑚 Ref. 同前  
*Muricella* sp.

#### **Family Anthothelidae 花頭珊瑚科**

*Solenocaulon chinense* Kukenthal, 1916 中國管莖珊瑚 Ref. Chen & Chang, 1991

#### **Family Ellisellidae 鞭珊瑚科**

*Ctenocella maculata* Studer, 1878 絲鞭珊瑚 Ref. Chen & Chang, 1991  
*Ctenocella umbraculum* Ellis & Solander, 1786 網傘疣珊瑚 Ref. 同前  
*Ellisella robusta* Simpson, 1880 強韌鞭珊瑚 Ref. 鄭明修、戴昌鳳、陳正平及孟培傑。2006  
*Ellisella* sp. 鞭珊瑚之一種  
*Junceella fragillis* Ridley, 1884 白蘆莖珊瑚 Ref. Chen & Chang, 1991  
*Junceella gemmacea* Milne Edwards & Haime, 1857 芽蘆莖珊瑚 Ref. 同前  
*Junceella juncea* Pallas, 1776 紅蘆莖珊瑚 Ref. 同前

#### **Family Gorgoniidae 柳珊瑚科**

*Hicksonella princeps* Nutting, 1910 根葉希氏珊瑚 Ref. Chen & Chang, 1991  
*Rumphella antipathes* Linnaeus, 1758 灌叢柳珊瑚 Ref. 同前

#### **Family Melithaeidae 扇珊瑚科**

*Melithaea ochracea* Linnaeus, 1785 紅扇珊瑚 Ref. Chen & Chang, 1991

*Mopsella aurantia* Esper, 1798 橙火炬珊瑚 Ref. 同前

### Family Plexauridae 網柳珊瑚科

*Berbyce indica* Thomson, 1905 橙鈍角珊瑚 Ref. Chen & Chang, 1991

*Echinogorgia flora* Nutting, 1910 花刺柳珊瑚 Ref. 同前

*Echinogorgia* sp. 刺柳珊瑚

### Family Subergorgiidae 軟柳珊瑚科

*Subergorgia mollis* Nutting, 1910 網扇軟柳珊瑚 Ref. Chen & Chang, 1991

*Subergorgia rubra* Thomson, 1905 紅扇軟柳珊瑚 Ref. 同前

*Subergorgia suberosa* Pallas, 1766 軟木軟柳珊瑚 Ref. 同前

## Order Scleractinia 石珊瑚目

### Family Acroporidae 軸孔珊瑚科

*Acropora aculeus* Dana, 1846 尖銳軸孔珊瑚 Ref. Wallace & Dai, 1997

*Acropora acuminata* Verrill, 1864 繁枝軸孔珊瑚 Ref. 同前

*Acropora aspera* Dana, 1846 矛枝軸孔珊瑚 Ref. Platax. Monograph 1, 2005

*Acropora austera* Dana, 1846 簡單軸孔珊瑚 Ref. Wallace & Dai, 1997

*Acropora azurea* Veron & Wallace, 1984 天藍軸孔珊瑚 Ref. 同前

*Acropora brueggemanni* Brook, 1893 鈍枝軸孔珊瑚 Ref. 同前

*Acropora carduus* Dana, 1846 Ref. Platax. Monograph 1, 2005

*Acropora clathrata* Brook, 1891 方格軸孔珊瑚 Ref. Wallace & Dai, 1997

*Acropora cytherea* Dana, 1846 輻板軸孔珊瑚 Ref. 同前

*Acropora danai* Milne Edwards & Haime, 1860 達氏軸孔珊瑚 Ref. 同前

*Acropora digitifera* Dana, 1846 指形軸孔珊瑚 Ref. 同前

*Acropora divaricata* Dana, 1846 兩叉軸孔珊瑚 Ref. 同前

*Acropora donei* Veron & Wallace, 1984 童氏軸孔珊瑚 Ref. 同前

*Acropora elseyi* Brook, 1892 旁枝軸孔珊瑚 Ref. 同前

*Acropora florida* Dana, 1846 佛州軸孔珊瑚 Ref. 同前

*Acropora formosa* Dana, 1846 美麗軸孔珊瑚 Ref. Platax. Monograph 1, 2005

*Acropora gemmifera* Brook, 1892 芽枝軸孔珊瑚 Ref. Wallace & Dai, 1997

*Acropora glauca* Brook, 1893 板葉軸孔珊瑚 Ref. 同前

*Acropora grandis* Brook, 1892 巨枝軸孔珊瑚 Ref. Platax. Monograph 1, 2005

*Acropora humilis* Dana, 1846 趾形軸孔珊瑚 Ref. Wallace & Dai, 1997

*Acropora hyacinthus* Dana, 1846 桌形軸孔珊瑚 Ref. 同前

*Acropora intermedia* Brook, 1891 中間軸孔珊瑚 Ref. 同前

*Acropora latistella* Brook, 1892 盤枝軸孔珊瑚 Ref. 同前

*Acropora listeri* Brook, 1893 列枝軸孔珊瑚 Ref. 同前

*Acropora lutkeni* Crossland, 1952 粗短軸孔珊瑚 Ref. 同前

*Acropora microclados* Ehrenberg, 1834 灌叢軸孔珊瑚 Ref. 同前

*Acropora microphthalma* Verrill, 1869 小葉軸孔珊瑚 Ref. 同前

*Acropora millepora* Ehrenberg, 1834 多孔軸孔珊瑚 Ref. 同前

*Acropora monticulosa* Bruggemann, 1879 巨錐軸孔珊瑚 Ref. Platax. Monograph 1, 2005

*Acropora muricata* Dana, 1846 美麗軸孔珊瑚 Ref. Wallace & Dai, 1997

*Acropora nana* Studer, 1878 細枝軸孔珊瑚 Ref. 同前

*Acropora nasuta* Dana, 1846 鼻形軸孔珊瑚 Ref. 同前

*Acropora nobilis* Dana, 1846 高貴軸孔珊瑚 Ref. Platax. Monograph 1, 2005

*Acropora palifera* Lamarck, 1816 籬枝軸孔珊瑚 Ref. Wallace & Dai, 1997

*Acropora pulchra* Brook, 1891 叉枝軸孔珊瑚 Ref. 同前

*Acropora robusta* Dana, 1846 強壯軸孔珊瑚 Ref. 同前

*Acropora samoensis* Brook, 1891 三毛亞軸孔珊瑚 Ref. 同前

*Acropora sarmentosa* Brook, 1892 短小軸孔珊瑚 Ref. 同前

*Acropora secale* Studer, 1878 穗枝軸孔珊瑚 Ref. 同前

*Acropora solitaryensis* Veron & Wallace, 1984 單獨軸孔珊瑚 Ref. 同前

*Acropora subulata* Dana, 1846 淺盤軸孔珊瑚 Ref. 同前

*Acropora tenuis* Dana, 1846 柔枝軸孔珊瑚 Ref. 同前

*Acropora valenciennesi* Milne Edwards & Haime, 1960 華倫軸孔珊瑚 Ref. 同前

*Acropora valida* Dana, 1846 變異軸孔珊瑚 Ref. 同前

*Acropora verweyi* Veron & Wallace, 1984 小叢軸孔珊瑚 Ref. 同前

*Acropora yongei* Veron & Wallace, 1984 楊氏軸孔珊瑚 Ref. 同前

*Anacropora matthai* Pillai, 1973 馬氏假軸孔珊瑚 Ref. Dai, 1991

*Astreopora cucullata* Lamberts, 1980 卷葉星孔珊瑚 Ref. Dai, 1991

*Astreopora gracilis* Bernard, 1896 疣星孔珊瑚 Ref. Dai, 1991

*Astreopora listeri* Bernard, 1896 潛伏星孔珊瑚 Ref. Dai, 1991

*Astreopora moretonensis* Veron & Wallace, 1984 默爾敦星孔珊瑚

*Astreopora myriophthalma* Lamarck, 1816 蜂巢軸孔珊瑚 Ref. Dai, 1991

*Astreopora randalli* Lamberts, 1980 藍德爾星孔珊瑚 Ref. Dai, 1991

*Montipora aequituberculata* Bernard, 1897 瘦葉表孔珊瑚 Ref. Dai, 1991

*Montipora angulata* Lamarck, 1816 角枝表孔珊瑚 Ref. Dai, 1991

*Montipora cactus* Bernard, 1897 仙人掌表孔珊瑚 Ref. Hsieh et al., 2001

*Montipora danae* Milne Edwards & Haime, 1851 顆粒表孔珊瑚 Ref. Dai, 1991

*Montipora digitata* Dana, 1846 指表孔珊瑚 Ref. Dai, 1991

*Montipora efflorescens* Bernard, 1897 斑疹表孔珊瑚 Ref. Dai, 1991

*Montipora foliosa* Pallas, 1766 葉形表孔珊瑚 Ref. Dai, 1991  
*Montipora foveolata* Dana, 1846 窪孔表孔珊瑚 Ref. Dai, 1991  
*Montipora grisea* Bernard, 1897 青灰表孔珊瑚 Ref. Dai, 1991  
*Montipora hispida* Dana, 1846 鬃棘表孔珊瑚 Ref. Dai, 1991  
*Montipora incrassata* Dana, 1846 厚板表孔珊瑚 Ref. Dai, 1991  
*Montipora informis* Bernard, 1897 變形表孔珊瑚 Ref. Dai, 1991  
*Montipora millepora* Crossland, 1952 千孔表孔珊瑚 Ref. Veron, 2000  
*Montipora monasteriata* Forskal, 1775 突星表孔珊瑚 Ref. Dai, 1991  
*Montipora nodosa* Dana, 1846 柱節表孔珊瑚 Ref. Dai, 1991  
*Montipora peltiformis* Bernard, 1897 翼形表孔珊瑚 Ref. Dai, 1991  
*Montipora spongodes* Bernard, 1897 海綿表孔珊瑚 Ref. Veron, 2000  
*Montipora spumosa* Lamarck, 1816 泡沫表孔珊瑚 Ref. Dai, 1991  
*Montipora stellata* Bernard, 1897 星枝表孔珊瑚 Ref. Dai, 1991  
*Montipora taiwanensis* Veron, 2002 台灣表孔珊瑚 Ref. Veron, 2000  
*Montipora tuberculosa* Lamarck, 1816 結節表孔珊瑚 Ref. Dai, 1991  
*Montipora turgescens* Bernard, 1897 膨脹表孔珊瑚 Ref. Dai, 1991  
*Montipora undata* Bernard, 1897 波形表孔珊瑚 Ref. Dai, 1991  
*Montipora venosa* Ehrenberg, 1834 脈結表孔珊瑚 Ref. Dai, 1991  
*Montipora verrucosa* Lamarck, 1816 疣表孔珊瑚 Ref. Dai, 1991

#### Family Agariciidae 蓮珊瑚科

*Coelosera mayeri* Vaughan, 1918 正腔紋珊瑚 Ref. Dai, 1991  
*Gardineroseris planulata* Dana, 1846 加德紋珊瑚 Ref. Dai, 1991  
*Leptoseris explanata* Yabe & Sugiyama, 1941 環柔紋珊瑚 Ref. Dai, 1991  
*Leptoseris hawaiiensis* Vaughan, 1907 夏威夷柔紋珊瑚 Ref. Dai, 1991  
*Leptoseris incrustans* Quelch, 1886 殼狀柔紋珊瑚 Ref. Dai, 1991  
*Leptoseris mycetoseroides* Wells, 1954 環柔紋珊瑚 Ref. Dai & Lin, 1992  
*Leptoseris scabra* Vaughan, 1907 鱗形柔紋珊瑚 Ref. 同前  
*Leptoseris yabei* Pillai & Scheer, 1976 葉形柔紋珊瑚 Ref. Dai, 1991  
*Pachyseris gemmae* Nemenzo, 1955 短波紋珊瑚 Ref. Dai & Lin, 1992  
*Pachyseris rugosa* Lamarck, 1801 異波紋珊瑚 Ref. Dai, 1991  
*Pachyseris speciosa* Dana, 1846 環波紋珊瑚 Ref. Dai, 1991  
*Pavona cactus* Forskal, 1775 繡球雀屏珊瑚 Ref. Dai, 1991  
*Pavona clavus* Dana, 1846 柱形雀屏珊瑚 Ref. Dai, 1991  
*Pavona decussata* Dana, 1846 板葉雀屏珊瑚 Ref. Dai, 1991  
*Pavona duerdeni* Vaughan, 1907 厚板雀屏珊瑚 Ref. Dai & Lin, 1992  
*Pavona explanulata* Lamarck, 1816 Ref. Platan. Monograph 1, 2005  
*Pavona maldivensis* Gardiner, 1905 馬島雀屏珊瑚 Ref. Dai, 1991  
*Pavona varians* Verrill, 1864 變形雀屏珊瑚 Ref. Dai, 1991  
*Pavona venosa* Ehrenberg, 1834 脈結雀屏珊瑚 Ref. Dai, 1991

#### Family Astrocoeniidae 星珊瑚科

*Stylocoeniella armata* Ehrenberg, 1834 柱形合星珊瑚 Ref. Dai, 1989  
*Stylocoeniella guentheri* Bassett-Smith, 1890 變形合星珊瑚 Ref. Dai, 1989

#### Family Caryophylliidae 葵珊瑚科

*Euphyllia ancora* Veron & Pichon, 1979 腎形真葉珊瑚 Ref. Dai, 1991  
*Euphyllia cristata* Chevalier, 1971 聯合真葉珊瑚 Ref. Dai, 1991  
*Euphyllia glabrescens* Chamisso & Eysenhardt, 1821 束真葉珊瑚 Ref. Dai, 1991  
*Euphyllia paraancora* Veron, 1990 擬腎形真葉珊瑚 Ref. Hsieh et al., 2001  
*Euphyllia paraglabrescens* Veron, 1990 擬束形真葉珊瑚  
*Physogyra lichtensteini* Milne Edwards & Haime, 1851 泡紋珊瑚 Ref. Dai, 1991  
*Pterogyra sinuosa* Dana, 1846 卷曲氣泡珊瑚 Ref. Dai, 1991

#### Family Dendrophylliidae 樹珊瑚科

*Tubastraea aurea* (Quoy & Gaimard, 1833) 圓管星珊瑚 Ref. Dai, 1991  
*Tubastraea coccinea* Lesson, 1829 短管星珊瑚  
*Tubastraea faulkneri* Wells, 1982 福克納管星珊瑚  
*Tubastraea micranthus* Ehrenberg, 1834 黑管星珊瑚 Ref. 鄭明修、戴昌鳳、陳正平及孟培傑。2006  
*Turbinaria frondens* Dana, 1846 葉形盤珊瑚 Ref. Dai, 1991  
*Turbinaria irregularis* Bernard, 1896 變形盤珊瑚 Ref. Veron, 2000  
*Turbinaria mesenterina* Lamarck, 1816 膜形盤珊瑚 Ref. Dai, 1991  
*Turbinaria peltata* Esper, 1794 盾形盤珊瑚 Ref. Dai, 1991  
*Turbinaria reniformis* Bernard, 1896 腎形盤珊瑚 Ref. Dai, 1991  
*Turbinaria stellulata* Lamarck, 1816 星形盤珊瑚 Ref. Veron, 2000

#### Family Faviidae 菊珊瑚科

*Barabattoia amicum* Milne Edwards & Haime, 1950 和平芭蘿珊瑚 Ref. Dai, 1991  
*Caulastrea furcata* Dana, 1846 叉枝幹星珊瑚 Ref. Dai, 1991  
*Caulastrea tumida* Matthai, 1928 短枝幹星珊瑚 Ref. Veron, 2000  
*Cyphastrea chalcidicum* Forskal, 1775 礁突細菊珊瑚 Ref. Dai, 1991  
*Cyphastrea japonica* Yabe & Sugiyama, 1932 日本細菊珊瑚 Ref. Veron, 2000  
*Cyphastrea microphthalma* Lamarck, 1816 小葉細菊珊瑚 Ref. Dai, 1991  
*Cyphastrea serailia* Forskal, 1775 砂細菊珊瑚 Ref. Dai, 1991

*Diploastrea heliopora* Lamarck, 1816 同雙星珊瑚 Ref. Dai, 1991  
*Echinopora gemmacea* Lamarck, 1816 小芽棘孔珊瑚 Ref. Li et al., 2000  
*Echinopora lamellosa* Esper, 1795 片形棘孔珊瑚 Ref. Dai, 1991  
*Echinopora mamiformis* Nemenzo, 1959 Ref. Platax. Monograph 1, 2005  
*Echinopora pacificus* Veron, 1990 太平洋棘孔珊瑚 Ref. Veron, 2000  
*Favia favus* Forskal, 1775 正菊珊瑚 Ref. Dai, 1991  
*Favia laxa* Klunzinger, 1879 疏菊珊瑚 Ref. Dai, 1991  
*Favia maritima* Nemenzo, 1971 海洋菊珊瑚 Ref. Dai, 1991  
*Favia pallida* Dana, 1846 圈紋菊珊瑚 Ref. Dai, 1991  
*Favia rotumana* Gardiner, 1899 羅氏菊珊瑚 Ref. Dai, 1991  
*Favia rotundata* Veron, Pichon & Best, 1977 圓形角菊珊瑚 Ref. Veron, 2000  
*Favia speciosa* Dana, 1846 環菊珊瑚 Ref. Dai, 1991  
*Favia stelligera* Dana, 1846 小菊珊瑚 Ref. Dai, 1991  
*Favites abdita* Ellis & Solander, 1786 隱藏角菊珊瑚 Ref. Dai, 1991  
*Favites chinensis* Verrill, 1866 中國角菊珊瑚 Ref. Dai, 1991  
*Favites complanata* Ehrenberg, 1834 板葉角菊珊瑚 Ref. Dai, 1991  
*Favites flexuosa* Dana, 1846 柔角菊珊瑚 Ref. Dai, 1991  
*Favites halicora* Ehrenberg, 1834 實心角菊珊瑚 Ref. Dai, 1991  
*Favites pentagona* Esper, 1794 五邊角菊珊瑚 Ref. Dai, 1991  
*Favites russelli* Wells, 1954 Ref. Dai, 1991  
*Goniastrea aspera* Verrill, 1865 粗糙角星珊瑚 Ref. Dai, 1991  
*Goniastrea australiensis* Milne Edwards & Haime, 1957 澳洲角星珊瑚 Ref. Dai, 1991  
*Goniastrea edwardsi* Chevalier, 1971 艾氏角星珊瑚 Ref. Dai, 1991  
*Goniastrea pectinata* Ehrenberg, 1834 翼形角星珊瑚 Ref. Dai, 1991  
*Goniastrea retiformis* Lamarck, 1816 網狀角星珊瑚 Ref. Dai, 1991  
*Leptastrea pruinosa* Crossland, 1952 白斑柔星珊瑚 Ref. Dai, 1991  
*Leptastrea purpurea* Dana, 1846 紫柔星珊瑚 Ref. Dai, 1991  
*Leptastrea transversa* Klunzinger, 1879 橫柔星珊瑚 Ref. Dai, 1991  
*Leptoria phrygia* Ellis & Solander, 1786 密集迷紋珊瑚 Ref. Dai, 1991  
*Montastraea curta* Dana, 1846 簡短圓菊珊瑚 Ref. Dai, 1991  
*Montastraea magnistellata* Chevalier, 1971 大圓菊珊瑚 Ref. Li et al., 2000  
*Montastraea valenciennesi* Milne Edwards & Haime, 1948 華倫圓菊珊瑚 Ref. Dai, 1991  
*Oulastrea crispata* Lamarck, 1816 黑星珊瑚 Ref. Chen, 1999  
*Oulophyllia crispa* Lamarck, 1816 卷曲耳紋珊瑚 Ref. Dai, 1991  
*Platygyra astreiformis* Ellis & Solander, 1786 星形腦紋珊瑚 Ref. Chen, 1999  
*Platygyra daedalea* Ellis & Solander, 1786 大腦紋珊瑚 Ref. Dai, 1991  
*Platygyra lamellina* Ehrenberg, 1834 片腦紋珊瑚 Ref. Dai, 1991  
*Platygyra pini* Chevalier, 1975 小腦紋珊瑚 Ref. Dai, 1991  
*Platygyra sinensis* Milne Edwards & Haime, 1949 中國腦紋珊瑚 Ref. Dai, 1991  
*Plesiastrea versipora* Lamarck, 1816 圓滿天星珊瑚 Ref. Dai, 1991

### Family Fungiidae 蕈珊瑚科

*Ctenactis crassa* Dana, 1846 厚實梳蕈珊瑚 Ref. Hoeksema & Dai, 1991  
*Ctenactis echinata* Pallas, 1766 棘狀梳蕈珊瑚 Ref. Dai, 1991  
*Fungia concinna* Verrill, 1864 和諧蕈珊瑚 Ref. Dai, 1991  
*Fungia costulata* Ortmann, 1889 直肋圓蕈珊瑚 Ref. Dai, 1991  
*Fungia cyclolites* Lamarck, 1816 環形圓蕈珊瑚 Ref. Dai, 1991  
*Fungia fragilis* Alcock, 1893 幣圓蕈珊瑚 Ref. Dai, 1991  
*Fungia fungites* Linnaeus, 1758 真蕈珊瑚 Ref. Dai, 1991  
*Fungia granulosa* Klunzinger, 1879 顆粒蕈珊瑚 Ref. Dai, 1991  
*Fungia gravis* Nemenzo, 1955 沉重蕈珊瑚 Ref. Dai, 1991  
*Fungia horrida* Dana, 1846 刺蝟蕈珊瑚 Ref. Dai, 1991  
*Fungia moluccensis* van der Horst, 1919 摩鹿加蕈珊瑚 Ref. Dai, 1991  
*Fungia paumotensis* Stutchbury, 1833 笏形蕈珊瑚 Ref. Dai, 1991  
*Fungia repanda* Dana, 1846 盤形蕈珊瑚 Ref. Dai, 1991  
*Fungia scruposa* Klunzinger, 1879 礁形蕈珊瑚 Ref. Dai, 1991  
*Fungia scutaria* Lamarck, 1801 元寶蕈珊瑚 Ref. Dai, 1991  
*Fungia sinensis* Milne Edwards & Haime, 1951 中國圓蕈珊瑚 Ref. Dai, 1991  
*Fungia taiwanensis* Hoeksema & Dai, 1991 台灣蕈珊瑚 [特有] Ref. Dai, 1991  
*Fungia tenuis* Dana, 1846 索氏圓蕈珊瑚 Ref. Hoeksema & Dai, 1991  
*Fungia vaughani* Boschma, 1923 佛氏圓蕈珊瑚 Ref. Dai, 1991  
*Halomitra pileus* Linnaeus, 1758 鐘形珊瑚 Ref. Platax. Monograph 1, 2005  
*Heliofungia actiniformis* Quoy & Gaimard, 1833 輻形太陽蕈珊瑚 Ref. Hoeksema & Dai, 1991  
*Herpolitha limax* Esper, 1797 蛞蝓石珊瑚 Ref. Dai, 1991  
*Lithophyllon edwardsi* Hoeksema, 1989 靈芝珊瑚 Ref. Platax. Monograph 1, 2005  
*Lithophyllon mokai* Hoeksema, 1989 摩卡氏靈芝珊瑚 Ref. Dai, 1991  
*Lithophyllon undulatum* Rehberg, 1892 波形靈芝珊瑚 Ref. Dai, 1991  
*Podabacia crustacea* Pallas, 1766 殼形足柄珊瑚 Ref. Dai, 1991  
*Polyphyllia talpina* Lamarck, 1801 多葉珊瑚 Ref. Dai, 1991  
*Sandalolitha dentata* Quelch, 1884 鋸齒麗珊瑚 Ref. Dai, 1991  
*Sandalolitha robusta* Quelch, 1886 強壯麗珊瑚 Ref. Dai, 1991

### Family Merulinidae 繩紋珊瑚科

*Hydnophora exesa* Pallas, 1766 大礁珊瑚 Ref. Dai, 1991  
*Hydnophora microconos* Lamarck, 1816 小礁珊瑚 Ref. Dai, 1991  
*Hydnophora rigida* Dana, 1846 細枝礁珊瑚 Ref. Dai, 1991  
*Merulina ampliata* Ellis & Solander, 1786 片繩紋珊瑚 Ref. Dai, 1991  
*Merulina scabricula* Dana, 1846 鱗狀繩紋珊瑚 Ref. Veron, 2000  
*Scaphyllia cylindrica* Milne Edwards & Haime, 1948 紋柱珊瑚 Ref. Dai, 1991

### Family Mussidae 苔珊瑚科

*Acanthastrea echinata* Dana, 1846 大棘星珊瑚 Ref. Dai, 1991  
*Acanthastrea hemprichii* Ehrenberg, 1834 聯合棘星珊瑚 Ref. Veron, 2000  
*Acanthastrea hillae* Wells, 1955 丘形棘星珊瑚 Ref. Dai, 1991  
*Australomussa rowleyensis* Veron, 1985 澳紋珊瑚 Ref. Veron, 2000  
*Blastomussa merleti* Wells, 1961 小棘菊珊瑚 Ref. Veron, 2000  
*Blastomussa wellsii* Wijsman-Best, 1973 大棘菊珊瑚 Ref. Veron, 2000  
*Cynarina lacrymalis* Milne Edwards & Haime, 1948 圓冠珊瑚 Ref. Veron, 2000  
*Lobophyllia corymbosa* Forskal, 1775 束瓣葉珊瑚 Ref. Dai, 1991  
*Lobophyllia hataii* Yabe, Sugiyama & Eguchi, 1936 盃瓣葉珊瑚 Ref. Dai, 1991  
*Lobophyllia hemprichii* Ehrenberg, 1834 聯合瓣葉珊瑚 Ref. Dai, 1991  
*Lobophyllia pachysepta* Chevalier, 1975 厚片瓣葉珊瑚 Ref. Veron, 2000  
*Lobophyllia robusta* Yabe, Sugiyama & Eguchi, 1936 粗大瓣葉珊瑚 Ref. Veron, 2000  
*Scolymia vitiensis* Bruggemann, 1877 葡萄蕓珊瑚 Ref. Dai, 1991  
*Symphyllia agaricia* Milne Edwards & Haime, 1949 蓮合葉珊瑚 Ref. Dai, 1991  
*Symphyllia radians* Milne Edwards & Haime, 1949 輻紋合葉珊瑚 Ref. Dai, 1991  
*Symphyllia recta* Dana, 1846 直紋合葉珊瑚 Ref. Dai, 1991  
*Symphyllia valenciennesii* Milne Edwards & Haime, 1949 華倫合葉珊瑚 Ref. Dai, 1991

### Family Oculinidae 目珊瑚科

*Galaxea astreata* Lamarck, 1816 星形棘杯珊瑚 Ref. Dai, 1991  
*Galaxea fascicularis* Linnaeus, 1767 叢生棘杯珊瑚 Ref. Dai, 1991

### Family Pectiniidae 梳狀珊瑚科

*Echinophyllia aspera* Ellis & Solander, 1786 粗糙棘葉珊瑚 Ref. Dai, 1990  
*Echinophyllia echinata* Saville-Kent, 1871 多刺棘葉珊瑚 Ref. Veron, 2000  
*Echinophyllia echinoporoides* Veron & Pichon, 1979 小環棘葉珊瑚 Ref. Veron, 2000  
*Echinophyllia orpheensis* Veron & Pichon, 1979 簇狀棘葉珊瑚 Ref. Hsieh et al., 2001  
*Mycedium elephantotus* Pallas, 1766 斜花珊瑚 Ref. Dai, 1991  
*Oxypora glabra* Nemenzo, 1959 平滑銳孔珊瑚 Ref. Dai, 1991  
*Oxypora lacera* Verrill, 1864 網銳孔珊瑚 Ref. Dai, 1991  
*Pectinia lactuca* Pallas, 1766 蒿苣梳珊瑚 Ref. Dai, 1991  
*Pectinia paeonia* Dana, 1846 牡丹梳珊瑚 Ref. Dai, 1991

### Family Pocilloporidae 鹿角珊瑚科

*Pocillopora damicornis* Linnaeus, 1758 細枝鹿角珊瑚 Ref. Dai, 1989  
*Pocillopora eydouxi* Milne Edwards & Haime, 1960 巨枝鹿角珊瑚 Ref. Dai, 1989  
*Pocillopora meandrina* Dana, 1846 紋形鹿角珊瑚 Ref. Dai, 1989  
*Pocillopora verrucosa* Ellis & Solander, 1786 疣鹿角珊瑚 Ref. Dai, 1989  
*Pocillopora woodjonesi* Vaughan, 1918 伍氏鹿角珊瑚 Ref. Dai, 1989  
*Seriatopora caliendrum* Ehrenberg, 1834 鈍枝列孔珊瑚 Ref. Dai, 1989  
*Seriatopora hystrix* Dana, 1846 尖枝列孔珊瑚 Ref. Dai, 1989  
*Seriatopora stellata* Quelch, 1886 鈍枝列孔珊瑚 Ref. Veron, 2000  
*Stylophora mordax* Dana, 1846 圓柱珊瑚 Ref. Dai, 1989  
*Stylophora pistillata* Esper, 1797 萼柱珊瑚 Ref. Dai, 1989

### Family Poritidae 孔珊瑚科

*Alveopora fenestrata* Lamarck, 1816 窗形汽孔珊瑚 Ref. Dai, 1991  
*Alveopora spongiosa* Dana, 1846 海綿汽孔珊瑚 Ref. Dai, 1991  
*Alveopora tizardi* Bassett-Smith, 1890 平滑汽孔珊瑚 Ref. Veron, 2000  
*Alveopora verrilliana* Dana, 1872 佛氏汽孔珊瑚 Ref. Dai, 1991  
*Goniopora columna* Dana, 1846 柱形管孔珊瑚 Ref. Dai, 1991  
*Goniopora djiboutiensis* Vaughan, 1907 大管孔珊瑚 Ref. Dai, 1991  
*Goniopora lobata* Milne Edwards & Haime, 1960 團塊管孔珊瑚 Ref. Dai, 1991  
*Goniopora minor* Crossland, 1952 小管孔珊瑚 Ref. Dai, 1991  
*Goniopora somaliensis* Vaughan, 1907 梭馬管孔珊瑚 Ref. Veron, 2000  
*Goniopora stuchburyi* Wells, 1955 平滑管孔珊瑚 Ref. Dai, 1991  
*Porites annae* Crossland, 1952 疣微孔珊瑚 Ref. Dai, 1991  
*Porites australiensis* Vaughan, 1918 澳洲微孔珊瑚 Ref. Dai, 1991  
*Porites cylindrica* Dana, 1846 柱微孔珊瑚 Ref. Dai, 1991  
*Porites horizontalata* Hoffmeister, 1925 水平微孔珊瑚 Ref. Veron, 2000  
*Porites lichen* Dana, 1846 地衣微孔珊瑚 Ref. Dai, 1991  
*Porites lobata* Dana, 1846 團塊微孔珊瑚 Ref. Dai, 1991  
*Porites lutea* Milne Edwards & Haime, 1960 鐘形微孔珊瑚 Ref. Dai, 1991  
*Porites murrayensis* Vaughan, 1918 莫氏微孔珊瑚 Ref. Dai, 1991  
*Porites negrosensis* Veron, 1990 短枝微孔珊瑚 Ref. Veron, 2000  
*Porites nigrescens* Dana, 1846 歧枝微孔珊瑚 Ref. Dai, 1991

*Porites okinawensis* Veron, 1990 沖繩微孔珊瑚  
*Porites rus* Forskal, 1775 聯合微孔珊瑚 Ref. Dai, 1991  
*Porites solida* Forskal, 1775 堅實微孔珊瑚 Ref. Dai, 1991  
*Porites stephensoni* Crossland, 1952 史提芬微孔珊瑚 Ref. Dai, 1991

### Family Siderastreidae 絲珊瑚科

*Coscinaraea columna* Dana, 1846 柱形篩孔珊瑚 Ref. Dai, 1991  
*Psammocora contigua* Esper, 1797 連續沙珊瑚 Ref. Dai, 1991  
*Psammocora digitata* Milne Edwards & Haime, 1951 指形沙珊瑚 Ref. Dai, 1991  
*Psammocora profundacella* Gardiner, 1898 深紋沙珊瑚 Ref. Dai, 1991  
*Psammocora superficialis* Gardiner, 1898 表面沙珊瑚 Ref. 洪聖雯。2006  
*Pseudosiderastrea tayamai* Yabe & Sugiyama, 1935 擬絲珊瑚 Ref. Veron, 2000  
*Siderastrea savigniana* Milne Edwards & Haime, 1950 Ref. Veron, 2000

## Order Stolonifera 匐根珊瑚目

### Family Clavulariidae 羽珊瑚科

*Clavularia inflata* Schenk, 1886 羽珊瑚 Ref. Benayahu et al., 2004  
*Clavularia racemosa* Utinomi, 1950 Ref. Utinomi, 1950

### Family Tubiporidae 筍珊瑚科

*Tubipora musica* Linnaeus, 1758 筍珊瑚 Ref. Dai, 1991

## Class Hydrozoa 水螅蟲綱

## Order Milleporida 千孔珊瑚目

### Family Milleporidae 千孔珊瑚科

*Millepora dichotoma* Forskal, 1775 兩叉千孔珊瑚 Ref. Randall & Cheng, 1984  
*Millepora exaesa* Forskal, 1775 Ref. Platax. Monograph 1, 2005  
*Millepora foveolata* Crossland, 1952 窩形千孔珊瑚 Ref. Randall & Cheng, 1984  
*Millepora intricata* Milne Edwards & Haime, 1960 糾結千孔珊瑚 Ref. 同前  
*Millepora murrayi* Milne Edwards & Haime, 1960 柔枝千孔珊瑚 Ref. 同前  
*Millepora platyphylla* Hemprich & Ehrenberg, 1834 板葉千孔珊瑚 Ref. 同前  
*Millepora tenera* Boschma, 1949 板枝千孔珊瑚 Ref. 同前  
*Millepora tuberosa* Forskal, 1775 球突千孔珊瑚 Ref. 同前

## Order Siphonophora 管水母目

### Family Abylidae 多面水母科

*Abyla carina* Haeckel, 1888 擬突多面水母 Ref. Totton, 1965  
*Abyla haeckeli* Lens & van Riemsdijk, 1908 橫棱多面水母 Ref. Totton, 1965  
*Abyla ingeborgae* Sears, 1953 狹腹多面水母 Ref. Totton, 1965  
*Abyla schmidtii* Sears, 1953 頂大多面水母 Ref. Totton, 1965  
*Abyla totoni* Sears, 1953 多面水母 Ref. Totton, 1965  
*Abyla trigona* Quoy & Gaimard, 1827 三角多面水母 Ref. Totton, 1965  
*Abylopsis eschscholtzi* Huxley, 1959 小方擬多面水母 Ref. Totton, 1965  
*Abylopsis tetragona* Otto, 1823 方擬多面水母 Ref. Totton, 1965  
*Bassia bassensis* Quoy & Gaimard, 1827 巴斯水母 Ref. Totton, 1965  
*Ceratocymba dentata* (Bigelow, 1918) 齒角舟水母 Ref. Totton, 1965  
*Ceratocymba leuckartii* Huxley, 1859 四角舟水母 Ref. Totton, 1965  
*Ceratocymba sagittata* Quoy & Gaimard, 1827 矢形角舟水母 Ref. Totton, 1965  
*Enneagonum hyalinum* Quoy & Gaimard, 1827 九角水母 Ref. Totton, 1965  
*Enneagonum searsae* Alvarino 長棱九角水母 Ref. Totton, 1965

### Family Agalmidae 盛裝水母科

*Agalma elegans* Sars, 1846 華麗盛裝水母 Ref. Totton, 1965  
*Agalma okeni* Eschscholtz, 1825 盛裝水母 Ref. Totton, 1965  
*Cordagalma cordiformis* Totton, 1932 心鐘水母 Ref. Totton, 1965  
*Eremma richardi* Bedot, 1904 Ref. Totton, 1965  
*Halistemma rubrum* Vogt, 1852 海冠水母 Ref. Totton, 1965  
*Halistemma striata* Totton, 1965 Ref. Totton, 1965  
*Lychnagalma tricularia* (Claus, 1879) Ref. Totton, 1965  
*Lychnagalma utricularia* Claus, 1879 Ref. Totton, 1965  
*Marrus antarcticus* Totton, 1954 Ref. Totton, 1965  
*Marrus orthocanna* Kramp Ref. Totton, 1965  
*Marrus orthocannoides* Totton, 1954 Ref. Totton, 1965  
*Nanomia bijuga* Chiaje, 1841 雙小水母 Ref. Totton, 1965  
*Nanomia cara* Agassiz, 1865 小型水母 Ref. Totton, 1965

### Family Amphicaryoninae

*Amphicaryon acaule* Chun, 1888 尖囊雙鐘水母 Ref. Totton, 1965  
*Amphicaryon ernesti* Totton, 1954 支管雙鐘水母 Ref. Totton, 1965  
*Amphicaryon peltifera* Haeckel, 1888 盾狀雙鐘水母 Ref. Totton, 1965

### Family Apolemiidae 離翼水母科

*Apolemia uvaria* Lesueur, 1811 Ref. Totton, 1965  
*Totonia contorta* Margulis, 1976 彎皺袋囊水母 Ref. 張金標。2005

### Family Clausophyidae 雙體水母科

*Clausophyes ovata* Kefferstein & Ehlers, 1860 卵形雙體水母 Ref. Totton, 1965

### Family Diphyidae 雙生水母科

- Chelophyes appendiculata* Eschscholtz, 1829 爪室水母 Ref. Totton, 1965  
*Chelophyes contorta* Lens & van Riemsdijk, 1908 扭歪爪室水母 Ref. Totton, 1965  
*Dimophyes arctica* Chun, 1897 北極單板水母 Ref. Totton, 1965  
*Diphyes bojani* Eschscholtz, 1829 擬雙生水母 Ref. Totton, 1965  
*Diphyes chamissonis* Huxley, 1859 雙生水母 Ref. Totton, 1965  
*Diphyes dispar* Chamisso & Eysenhardt, 1821 異雙生水母 Ref. Totton, 1965  
*Eudoxoides macra* Totton, 1954 大真光水母 Ref. Totton, 1965  
*Eudoxoides mitra* Huxley, 1859 尖角水母 Ref. Totton, 1965  
*Eudoxoides spiralis* Bigelow, 1911 螺旋尖角水母 Ref. Totton, 1965  
*Galeolaria australis* Totton, 1954 Ref. Totton, 1965  
*Lensia achilles* Totton, 1941 Ref. Totton, 1965  
*Lensia ajax* Totton, 1941 Ref. Totton, 1965  
*Lensia campanella* Moser, 1925 擬鈴淺室水母 Ref. Totton, 1965  
*Lensia conoidea* Kefferstein & Ehlers, 1860 錐體淺室水母 Ref. Totton, 1965  
*Lensia cossack* Totton, 1941 微脊淺室水母 Ref. Totton, 1965  
*Lensia exeter* Leloup, 1941 Ref. Totton, 1965  
*Lensia fowleri* Bigelow, 1911 低體淺室水母 Ref. Totton, 1965  
*Lensia grimaldi* Leloup, 1933 十稜淺室水母 Ref. Totton, 1965  
*Lensia hardy* Totton, 1941 Ref. Totton, 1965  
*Lensia hostile* Totton, 1941 Ref. Totton, 1965  
*Lensia hotspur* Totton, 1941 小體淺室水母 Ref. Totton, 1965  
*Lensia leloupi* Totton, 1941 細條淺室水母 Ref. Totton, 1965  
*Lensia lelouveteau* Totton, 1954 多稜淺室水母 Ref. Totton, 1965  
*Lensia meteori* Leloup, 1934 垂板淺室水母 Ref. Totton, 1965  
*Lensia multicristata* Moser, 1925 七稜淺室水母 Ref. Totton, 1965  
*Lensia subtilis* Chun, 1886 細淺室水母 Ref. Totton, 1965  
*Lensia subtiloides* Lens & van Riemsdijk, 1908 擬細淺室水母 Ref. Totton, 1965  
*Lensia tottoni* Daniel & Daniel, 1963 短體淺室水母 Ref. Totton, 1965  
*Muggiaea atlantica* Cunningham, 1892 五角水母 Ref. Totton, 1965  
*Muggiaea bargmannae* Totton, 1954 Ref. Totton, 1965  
*Muggiaea kochi* Will, 1844 Ref. Totton, 1965  
*Sulculeolaria angusta* Totton, 1954 狹無稜水母 Ref. Totton, 1965  
*Sulculeolaria biloba* Sars, 1846 雙葉無稜水母 Ref. Totton, 1965  
*Sulculeolaria chuni* Lens & van Riemsdijk, 1908 長囊無稜水母 Ref. Totton, 1965  
*Sulculeolaria monoica* Chun, 1888 單齒無稜水母 Ref. Totton, 1965  
*Sulculeolaria quadrivalvis* Blainville, 1834 四齒無稜水母 Ref. Totton, 1965  
*Sulculeolaria turgida* Gegenbaur, 1853 膨大無稜水母 Ref. Totton, 1965

### Family Forskaliidae 歪鐘水母科

- Forskalia edwardsi* Kölliker, 1853 歪鐘水母 Ref. Totton, 1965  
*Forskalia leuckarti* Bedot, 1893 Ref. Totton, 1965

### Family Hippopodiidae 馬蹄水母科

- Hippopodius hippopus* Forskal, 1776 馬蹄水母 Ref. Totton, 1965  
*Hippopodius spinosa* Kefferstein & Ehlers Ref. Totton, 1965  
*Vogtia glabra* Bigelow, 1918 小口擬蹄水母 Ref. Totton, 1965  
*Vogtia pentacantha* Kölliker, 1853 五疣擬蹄水母 Ref. Totton, 1965  
*Vogtia spinosa* Kefferstein & Ehlers, 1861 疣擬蹄水母 Ref. Totton, 1965

### Family Physophoridae 氣囊水母科

- Physophora hydrostatica* Forskal, 1775 氣囊水母 Ref. Totton, 1965

### Family Prayidae 帕腊水母科

- Praya reticulata* (Bigelow, 1911) 網管帕腊水母 Ref. Totton, 1965  
*Rosacea cymbiformis* Chiaje, 1822 船形玫瑰水母 Ref. Totton, 1965  
*Rosacea plicata* Bigelow, 1911 褶玫瑰水母 Ref. Totton, 1965

### Family Pyrostephidae

- Pyrostephos vanhoeffeni* Moser, 1925 Ref. Totton, 1965

## Order Stylasterida 柱星珊瑚目

### Family Stylasteridae 柱星珊瑚科

- Allopora scabiosa* Broch, 1935 異孔珊瑚 Ref. Randall & Cheng, 1984  
*Distichopora violacea* Pallas, 1766 紫側孔珊瑚 Ref. 同前  
*Stylaster elegans* Verrill, 1878 美麗柱星珊瑚 Ref. 同前  
*Stylaster gracilis* Milne Edwards & Haime, 1950 疣柱星珊瑚 Ref. 同前

## Phylum Platyhelminthes 扁形動物門

### Class Cestoda 條蟲綱

## Order Cyclophyllidea 圓葉目

### Family Amabilliidae

*Tatria acanthorhynchus* Ref. Jensen et al., 1983

### Family Anoplocephalidae

*Oochoristica chinensis* Ref. Jensen et al., 1983

*Oochoristica hainanensis* Hsü, 1935 Ref. 同前

*Paronia pycnonoti* Yamaguti, 1935 Ref. 同前

### Family Davaineidae

*Cotugnia meggitti* Yamaguti, 1935 Ref. Jensen et al., 1983

*Cotugnia taiwanensis* Yamaguti, 1935 Ref. Yamaguti, 1935

*Fuhrmannetta bandicotensis* Ref. Olsen & Kuntz, 1979

*Paeoniella pycnonoti* Ref. Yamaguti & Mitunaga, 1943

*Paroniella culiauna* Ref. Jensen et al., 1983

*Raillietina cebelensis* Ref. 同前

*Raillietina echinobothrida* (Mégnin, 1881) Ref. 同前

*Raillietina korkei* Joyeux & Houdemer, 1928 Ref. 同前

*Raillietina paucitesticulata* (Fuhrm, 1908) Ref. 同前

*Raillietina retractilis* Stiles, 1925 Ref. Olsen & Kuntz, 1977

*Raillietina taiwanensis* Yamaguti, 1935 Ref. Jensen et al., 1983

*Raillietina tetragona* (Molin, 1858) Ref. 同前

### Family Dilepididae

*Amoebotaenia vanelli* Fuhrm., 1907 Ref. Jensen et al., 1983

*Angularella taiwanensis* Yamaguti, 1940 Ref. Yamaguti, 1940

*Dictymetra nymphaea* Ref. Jensen et al., 1983

*Dilepis undula* (Schrank, 1788) Ref. 同前

*Neoliga diplacantha* Singh, 1952 Ref. 同前

*Paradilepis scolecina* (Rud., 1819) Ref. 同前

*Parvitaenia macropeos* Ref. 同前

*Ptilotolepis reductorhyncha* Ref. 同前

*Trichocephaloides megalcephala* (Krabbe, 1869) Ref. 同前

*Vitta rustica* Ref. 同前

### Family Dioecocestidae

*Gyrocoelia perversa* Fuhrm., 1899 Ref. Jensen et al., 1983

### Family Dipylidiidae

*Dipylidium buencaminoi* Tubanguí, 1925 Ref. US National Parasite Collection Accession No. 073451.00

*Dipylidium caninum* (Linn., 1758) Ref. US National Parasite Collection Accession No. 073452.00

*Dipylidium halli* Tubanguí, 1925 Ref. US National Parasite Collection Accession No. 073454.00

### Family Hymenolepididae

*Confluaria multistriata* Ref. Jensen et al., 1983

*Dicranotaenia coronula* (Duj., 1845) Ref. Yamaguti & Mitunaga, 1943

*Drepanidolepis anatina* Ref. 同前

*Echinocotyle anatina* (Krabbe, 1869) Ref. Jensen et al., 1983

*Hymenolepis diminuta* (Rud., 1819) Ref. 同前

*Microsomacanthus styloides* (Fuhrm, 1906) Ref. 同前

*Microsomacanthus taiwanensis* Ref. Yamaguti, 1935

*Rodentolepis straminea* (Goeze, 1782) Ref. Olsen & Kuntz, 1977

*Sobolevicanthus krabbeella* Hughes, 1940 Ref. Jensen et al., 1983

*Sobolevicanthus rugosus* (Clerc, 1906) Ref. Yamaguti & Mitunaga, 1943

*Staphylocystis sindensis* Ref. Jensen et al., 1983

*Staphylocystis suncusensis* Ref. Olsen & Kuntz, 1978

*Vampirolepis coelopsis* Ref. Sawada et al., 1996

*Vampirolepis fraterna* (Stiles, 1906) Ref. Olsen & Kuntz, 1977

*Vampirolepis hipposideri* Ref. Sawada et al., 1996

*Vampirolepis kengtingensis* Ref. 同前

*Vampirolepis macrostrobiloides* Ref. Sawada, 1984

*Vampirolepis nana* (Siebold, 1852) Ref. Jensen et al., 1983

*Vampirolepis scotophili* Ref. Sawada & Harada, 1988

*Vampirolepis taiwanensis* Ref. Sawada, 1984

*Vampirolepis urawaensis* Ref. Sawada et al., 1996

*Vampirolepis brachysoma* Ref. Sawada & Harada, 1988

*Vampirolepis isensis* Ref. 同前

*Wardium farciminosa* Ref. Harold W. Manter Laboratory

### Family Paruterinidae

*Anoncotaenia globata* (Linstow, 1879) Ref. Jensen et al., 1983

*Cladotaenia globifera* (Batsch, 1786) Ref. 同前

### Family Progynotaeniidae

*Paraprogynotaenia charadrii* Ref. Jensen et al., 1983

### Family Taeniidae

*Taneia taeniaeformis* Ref. Jensen et al., 1983

## Order Proteocephalidea

### Family Proteocephalidae

*Ophiotaenia andersoni* Ref. Jensen et al., 1983

*Ophiotaenia japonensis* Ref. 同前

## Order Pseudophyllidea 擬葉目

### Family Diphylobothriidae

*Diphylobothrium erinacei* Ref. Jensen et al., 1983

*Spirometra erinacei* (Rud., 1819) Ref. US National Parasite Collection Accession No. 073458.00

### Family Parabothriocephalidae

*Parabothriocephalus psenopsis* Wang YH et al., 2004 Ref. Wang, Liu & Yang, 2004

## Class Trematoda 吸蟲綱

### [Not assigned to a order]

### Family Ocladiatrematidae

*Ocladiatrema taiwanense* Ref. Fischthal & Kuntz, 1981

## Order Azygiida

### Family Halipegidae

*Halipegus mehransis* Srivastava, 1933 Ref. Fischthal & Kuntz, 1975

### Family Waretrematidae

*Pseudohapladena lizae* Liu SF, Yang TB. 2002 Ref. Liu & Yang, 2002

*Pseudohapladena megoorchis* Liu SF, Yang TB. 2002 Ref. 同前

## Order Brachylaimata

### Family Brachylaimidae

*Brachylaima tokudae* Ref. Fischthal & Kuntz, 1981

*Glaphyrostomum taiwanense* Ref. Fischthal & Kuntz, 1976

## Order Echinostomida

### Family Cyclocoelidae

*Cyclocoelum kossacki* Witenberg, 1923 Ref. Fischthal & Kuntz, 1976

*Cyclocoelum obscurum* (Leidy, 1887) Ref. 同前

*Morishitium taiwanense* Ref. Fischthal & Kuntz, 1981

### Family Diplodiscidae

*Homalogaster paloniae* Poirier, 1883 Ref. Fischthal & Kuntz, 1975

### Family Echinostomatidae

*Acanthoparyphium spinulosum* Johnston, 1917 Ref. Fischthal & Kuntz, 1976

*Echinochasmus beleocephalus* (von Linstow, 1893) Ref. Fischthal & Kuntz, 1981

*Echinochasmus japonicus* Tanabe, 1926 Ref. 同前

*Echinochasmus novalichesensis* Tubangui, 1932 Ref. 同前

*Echinoparyphium anatis* Ref. Fischthal & Kuntz, 1976

*Echinoparyphium recurvatum* (Linstow, 1873) Ref. Fischthal & Kuntz, 1981

*Echinoparyphium taipeiense* Ref. Fischthal & Kuntz, 1976

*Echinostoma aegyptiacum* Khalil & Abaza, 1924 Ref. Fischthal & Kuntz, 1975

*Echinostoma chloropodis* (Zeder, 1800) Ref. Fischthal & Kuntz, 1976

*Echinostoma cinetorchis* Ando & Ozaki, 1923 Ref. Fischthal & Kuntz, 1981

*Echinostoma gotoi* Ando & Ozaki, 1923 Ref. 同前

*Echinostoma macrorchis* Ando & Ozaki, 1923 Ref. 同前

*Echinostoma revolutum* (Froelich, 1902) Ref. Fischthal & Kuntz, 1975

*Echinostoma robustum* Yamaguti, 1935 Ref. Fischthal & Kuntz, 1981

*Echinostoma taiwanense* Ref. 同前

*Euparyphium hirundonis* Ref. Fischthal & Kuntz, 1976

*Euparyphium taiwanense* Ref. 同前

*Hypoderaeum charadrii* Ref. 同前

*Hypoderaeum conoideum* (Bloch, 1782) Ref. 同前

*Nephrostomum bicolanum* Tubangui, 1933 Ref. 同前

### Family Fasciolidae

*Fasciolopsis buski* (Lankester, 1857) Ref. Kuntz, 1961

### Family Gastrothylacidae

*Fischoederius elongatus* (Poirier, 1883) Ref. US National Parasite Collection Accession

### Family Notocotylidae

*Notocotylus attenuatus* Ref. Fischthal & Kuntz, 1981

*Ogmocotyle ailuri* Price, 1954 Ref. Fischthal & Kuntz, 1975

*Ogmocotyle capricorni* Ref. 同前

*Ogmocotyle ratti* Ref. 同前

### Family Pronocephalidae

*Cricocephalus albus* (Kuhl & van Hasselt, 1822) Ref. Fischthal & Kuntz, 1975

*Cricocephalus megastomus* Looss, 1902 Ref. 同前

*Cricocephalus resectus* Looss, 1902 Ref. 同前

*Desmogonius desmogonius* Stephens, 1912 Ref. 同前

*Diaschistorchis takahashii* Fukui & Ogata, 1936 Ref. Fischthal & Kuntz, 1981

*Glyphicephalus lobatus* Looss, 1901 Ref. Fischthal & Kuntz, 1975

## Order Opisthorchiida 後睪目

### Family Acanthocolpidae

*Ophiotremoides orientalis* Ref. Coil & Kuntz, 1960

### Family Acanthostomidae

*Ateuchocephala marinus* Ref. Coil & Kuntz, 1960

### Family Accacoeliidae 凸腹科

*Odhnerium* sp. Odhner, 1911 Ref. Shih et al., 2004

*Tetrochetus* sp. Looss, 1912 四管吸蟲屬吸蟲

### Family Hemiuridae 半尾科

*Dinurus longissimus* Looss, 1907 似長雙尾吸蟲 Ref. Shih et al., 2004

*Erilepturus formosae* Ref. Reid, Coil & Kuntz, 1965

*Hydrophitrema gigantea* Ref. Coil, 1965

*Lecithochirium fusiformis* Luhe, 1901 紡錘指腺吸蟲 Ref. Shih et al., 2004

*Lecithochirium magnaporcum* Manter, 1940 大孔指腺吸蟲 Ref. 同前

*Lecithochirium microstomum* Chandler, 1935 Ref. Reid, Coil & Kuntz, 1965

*Lecithochirium priacanthi* Yamaguti, 1953 大眼鯛指腺吸蟲 Ref. Shih et al., 2004

*Lecithochirium tetraorchis* Shih & Qiu, 2004 四翠指腺吸蟲 Ref. 同前

*Lecithochirium trichiuri* Gu & Shen, 1981 帶魚指腺吸蟲 Ref. 同前

*Lecithocladium bulbolabrum* Ref. Reid, Coil & Kuntz, 1966

*Parahemiurus collichthydis* Li, 1986 梅童魚副半尾吸蟲 Ref. Shih et al., 2004

### Family Heterophyidae

*Centrocestus caninus* (Leiper, 1912) Ref. Fischthal & Kuntz, 1981

*Cryptocotyle concava* (Crepl., 1825) Ref. Fischthal & Kuntz, 1975

*Haplorchis pumilio* Ref. Fischthal & Kuntz, 1981

*Haplorchis taichui* (Nishigori, 1924) Ref. Fischthal & Kuntz, 1975

### Family Lobatovitelliovariidae 葉腺科

*Lobatovitelliovarium fusiforme* Yamaguti, 1965 紡錘葉腺吸蟲 Ref. Shih et al., 2004

### Family Opisthorchiidae

*Amphimerus anatis* (Yamaguti, 1933) Ref. Fischthal & Kuntz, 1981

*Clonorchis sinensis* (Cobb., 1875) Ref. Fischthal & Kuntz, 1975

*Euamphimerus palawanensis* Ref. Fischthal & Kuntz, 1981

*Metamtorchis taiwanensis* Ref. 同前

*Metorchis orientalis* Tanabe, 1919 Ref. 同前

*Opisthorchis geminus* (Looss, 1896) Ref. 同前

### Family Syncoeliidae 連腸科

*Aphanurus mugilus* Tang, 1981 鱸隱尾吸蟲

*Saturnius mugilis* Yamaguti, 1970 鱸薩特吸蟲

*Syncoelium cypseluri* Yamaguti, 1970 連腸吸蟲 Ref. Shih et al., 2004

## Order Plagiorchiida 斜睪目

### Family Anchitrematidae

*Anchitrema sanguineum* (Sonsino, 1894) Ref. Fischthal & Kuntz, 1981

### Family Angiodictyidae

*Microscaphidium aberrans* Looss, 1902 Ref. Fischthal & Kuntz, 1975

### Family Cephalogonimidae

*Cephalogonimus japonicus* Ogata, 1934 Ref. Fischthal & Kuntz, 1981

### Family Cortrematidae

*Cortrema corti* Tang, 1951 Ref. Fischthal & Kuntz, 1981

### Family Dicrocoeliidae

*Brachylecithum alaudae* Ref. Fischthal & Kuntz, 1981

*Brachylecithum capilliforme* Oshmarin, 1952 Ref. Fischthal & Kuntz, 1976

*Brachylecithum eophoniae* (Yamaguti, 1941) Ref. Fischthal & Kuntz, 1981

*Brachylecithum mosquensis* Ref. Fischthal & Kuntz, 1976

*Brachylecithum praetenue* Oshmarin, 1952 Ref. 同前

*Brachylecithum taiwanense* Ref. Fischthal & Kuntz, 1975

*Concinnum taiwanensis* Ref. Fischthal & Kuntz, 1981

*Conspicuum aenigma* Ref. 同前  
*Eurytrema coelomaticum* (Giard & Billet, 1892) Ref. Fischthal & Kuntz, 1975  
*Eurytrema pancreaticum* (Jason, 1889) Ref. 同前  
*Lyperosomum taipeiense* Ref. 同前

#### Family Eumegacetidae

*Eumegacetes indicus* Ref. Fischthal & Kuntz, 1981

#### Family Gyliachenidae 中盤科

*Gyliachen oligoglandulosus* Gu & Shen, 1979 寡腺中盤吸蟲 Ref. Shih et al., 2004

#### Family Lecithodendriidae

*Acanthatrium taiwanense* Ref. Fischthal & Kuntz, 1975  
*Cryptotropa kuretanii* (Ozaki, 1926) Ref. Fischthal & Kuntz, 1981  
*Ganeo glottiodes* Klein, 1905 Ref. 同前  
*Lecithodendrium macrostomum* (Ozaki, 1929) Ref. 同前  
*Lecithodendrium moedlingeri* (Pande, 1935) Ref. 同前  
*Odeningotrema ratti* Ref. Fischthal & Kuntz, 1975

#### Family Lepocreadiidae

*Diploproctodaeum spinosus* Liu SF., 2002 Ref. Liu, 2002  
*Preptetos paraprastipomae* Liu SF., 2002 Ref. Liu, 2002

#### Family Macroderoididae

*Glyphelmins rugocaudata* (Yoshida, 1916) Ref. Fischthal & Kuntz, 1981  
*Neomicroderma elongata* Ref. Fischthal & Kuntz, 1975

#### Family Mesocoeliidae

*Mesocoelium brevicaecum* Ochi, 1930 Ref. Fischthal & Kuntz, 1975  
*Mesocoelium sociale* (Lühe, 1901) Ref. 同前

#### Family Microphallidae

*Basantisia prolecithus* Ref. Fischthal & Kuntz, 1981  
*Maritrema gratiosum* (Nicoll, 1907) Ref. Fischthal & Kuntz, 1976

#### Family Omphalometridae

*Leurosoma taiwanense* Ref. Fischthal & Kuntz, 1981

#### Family Opecoelidae 孔腸科

*Opeceolus ditrematis* Yamaguti, 1942 海鯽孔腸吸蟲 Ref. Shih et al., 2004  
*Opeceolus lateolabracis* Yamaguti, 1958 鱸孔腸吸蟲 Ref. 同前  
*Podocotyle lizae* Qiu & Liang, 1995 梭肢盤吸蟲

#### Family Plagiorchiidae

*Dolichosaccus schmidtii* Ref. Fischthal & Kuntz, 1975  
*Encyclometra colubrimurorum* (Rud., 1891) Ref. Fischthal & Kuntz, 1981

#### Family Pleurogenidae

*Nenimandijea taiwanense* Ref. Fischthal & Kuntz, 1981

### Order Strigeata

#### Family Leucochloridiidae

*Leucochloridium musculare* Wu, 1938 Ref. Fischthal & Kuntz, 1981  
*Leucochloridium sime* Yamaguti, 1935 Ref. 同前  
*Leucochloridium taiwanensis* Ref. 同前

### Order Strigeatida

#### Family Clinostomatidae

*Clinostomum complanatum* (Rud., 1810) Ref. Fischthal & Kuntz, 1981

#### Family Cyathocotylidae

*Gogatea serpentium* (Gogate, 1932) Ref. Fischthal & Kuntz, 1981  
*Mesostephanoides taiwanensis* Ref. Fischthal & Kuntz, 1975

#### Family Diplostomatidae

*Neodiplostomum toruligenitale* Ref. Fischthal & Kuntz, 1976

#### Family Strigeidae

*Apatemon minor* Yamaguti, 1933 Ref. Fischthal & Kuntz, 1981  
*Apharyngostrigea ramai* (Verma, 1936) Ref. Fischthal & Kuntz, 1976  
*Apharyngostrigea serpentia* Ref. Fischthal & Kuntz, 1981  
*Apharyngostrigea simplex* (Johnston, 1904) Ref. 同前  
*Ophiosoma patagiatum* (Creplin, 1846) Ref. Fischthal & Kuntz, 1976

### Order Strigeatoidea 梟形目

#### Family Bivesiculidae 二囊科

*Bivescula lutiani* Gu & Shen, 1979 笛鯛二囊吸蟲 Ref. Shih et al., 2004

#### Family Bucephalidae 牛首科

*Bucephalopsis ablenus* Gu & Shen, 1976 扁鶴鱗擬牛首吸蟲 Ref. Shih et al., 2004  
*Prosorhynchus facilis* Ozaki, 1924 面狀前實吸蟲 Ref. 同前

#### **Family Fellodistomidae 壯穴科**

*Bacciger mugilis* Shen, 1987 鱗漿果吸蟲

### **Order Tricladida**

#### **Family Paramphistomidae**

*Diplodiscus japonicus* Yamaguti, 1936 Ref. Fischthal & Kuntz, 1981  
*Diplodiscus sinicus* Tubangui, 1933 Ref. 同前

### **Class Turbellaria 渦蟲綱**

#### **Order Seriata**

#### **Family Bipaliidae 廣頭地渦蟲科**

*Bipalium kewense* Moseley, 1878 Ref. 吳錫圭等。2005

## **Phylum Nematoda 圓形動物門**

### **Class Chromadorea 色矛綱**

#### **Order Monhysterida 單宮目**

#### **Family Linhomoeidae 線型線蟲科**

*Terschellingia longicaudata* De Man, 1907 長尾微口線蟲

### **Class Secernentea 胞管腎綱**

#### **Order Ascaridida 蛔蟲目**

#### **Family Anisakidae 安尼線蟲科**

*Anisakis simplex* Rudolphi, 1809 安尼線蟲 Ref. Shih, 2004  
*Hysterothylacium aduncum* Rudolphi, 1802 有鉤宮脂線蟲 Ref. Shih, 2004  
*Porrocaecum decipiens* Krabbe, 1878 前盲囊線蟲 Ref. Shih, 2004  
*Raphidascaris trichiuri* Yin & Zhang, 1983 帶魚針蛔線蟲 Ref. Shih, 2004  
*Terranova amoyensis* Fang W. & Luo D., 2006 Ref. Fang & Luo, 2006

## **Phylum Acanthocephala 鉤頭動物門**

### **Class Palaeacanthocephala**

#### **Order Gigantorhynchida**

#### **Family Gigantorhynchidae**

*Mediorhynchus orientalis* Belopolskaya, 1953 Ref. Fischthal & Kuntz, 1977  
*Mediorhynchus papillosus* Van Cleave, 1916 Ref. 同前

#### **Order Polymorphida**

#### **Family Centrorhynchidae**

*Centrorhynchus aluconis* (Müller, 1780) Ref. Fischthal & Kuntz, 1969  
*Centrorhynchus amphibium* Das, 1950 Ref. 同前  
*Centrorhynchus buteonis* (Schrank, 1788) Ref. Harold W. Manter Laboratory  
*Centrorhynchus elongatus* Yamaguti, 1935 Ref. Fischthal & Kuntz, 1969  
*Centrorhynchus falconis* Johnston & Best, 1943 Ref. 同前  
*Centrorhynchus magnus* Fukui, 1929 Ref. 同前  
*Centrorhynchus spilornae* Schmidt and Kuntz, 1969 Ref. 同前  
*Sphaerirostris lancea* (Westrumb, 1821) Ref. Harold W. Manter Laboratory  
*Sphaerirostris pinguis* (Van Cleave, 1918) Ref. Fischthal & Kuntz, 1969  
*Sphaerirostris turdi* (Yamaguti, 1939) Ref. 同前

#### **Family Plagiorhynchidae**

*Owilfordia olseni* Schmidt and Kuntz, 1967 Ref. Fischthal & Kuntz, 1967  
*Plagiorhynchus bullocki* Schmidt and Kuntz, 1966 Ref. Fischthal & Kuntz, 1966  
*Plagiorhynchus charadrii* (Yamaguti, 1939) Ref. 同前  
*Plagiorhynchus golvani* Schmidt and Kuntz, 1966 Ref. 同前  
*Plagiorhynchus malayensis* (Tubangui, 1935) Ref. 同前  
*Plagiorhynchus taiwanensis* Ref. 同前  
*Porrorchis elongatus* Fukui, 1929 Ref. Fischthal & Kuntz, 1967  
*Porrorchis hylae* (Johnston, 1914) Ref. 同前  
*Porrorchis leiby* Schmidt and Kuntz, 1967 Ref. 同前

#### **Family Polymorphidae**

*Arhythmorhynchus hispidum* Van Cleave, 1925 Ref. Fischthal & Kuntz, 1967  
*Polymorphus formosus* Schmidt and Kuntz, 1967 Ref. 同前

## Phylum Rotifera 輪蟲動物門

### Class Digononta 雙卵巢綱

#### Order Bdelloidea 蛭態亞目

##### Family Philodinidae 旋輪科

*Rotaria neptunia* (Ehrenberg, 1830) 長足輪蟲

*Rotaria rotatoria* (Pallas, 1766) 轉輪蟲

### Class Monogononta 單卵巢綱

#### Order Collothecacea 膠鞘目

##### Family Collothecidae 膠鞘輪科

*Collotheca pelagica* (Rousselet, 1893) 敞水膠鞘輪蟲

#### Order Flosculariacea 簇輪目

##### Family Conochilidae 聚花輪科

*Conochiloides dossuarius* 叉角擬聚花輪蟲

*Conochilus unicornis* Rousselet, 1892 獨角聚花輪蟲

##### Family Testudinellidae 鏡輪科

*Filinia longiseta* (Ehrenberg, 1834) 長三肢輪蟲

*Pedalion mirum* 奇異巨腕輪蟲

*Pompholys sulcata* 洵痕泡輪蟲

*Pompholys complanata* Gosse, 1851 扁平泡輪蟲

*Testudinella patina* (Hermann, 1783) 盤鏡輪蟲

#### Order Ploima 游泳目

##### Family Asplanchnidae 晶囊輪科

*Anuraeopsis fissa* Gosse, 1851 裂痕龜紋輪蟲

*Asplanchna priodonta* Gosse, 1850 前節晶囊輪蟲

*Asplanchna sieboldi* 西氏晶囊輪蟲

##### Family Brachionidae 臂尾輪科

*Anuraea aculeata* 曲腿龜甲輪蟲

*Anuraea cochleris* 螺形龜甲輪蟲

*Brachionus angularis* Gosse, 1851 角突臂尾輪蟲

*Brachionus angularis* Plate, 1886 角突臂尾輪蟲

*Brachionus angularis* 角突臂尾輪蟲

*Brachionus budapestiensis* 蒲達臂尾輪蟲

*Brachionus calyciflorus* 萼花臂尾輪蟲

*Brachionus calyciflorus* 萼花臂尾輪蟲

*Brachionus calyciflorus* 萼花臂尾輪蟲

*Brachionus caudatus* 臂尾輪蟲

*Brachionus diversicornis* (Daday, 1883) 裂足輪蟲

*Brachionus falcatus* Zacharias, 1898 鐮狀臂尾輪蟲

*Brachionus forficula* Wierzejski, 1891 剪形臂尾輪蟲

*Brachionus pala* Ehrenberg, 1838 臂尾輪蟲

*Brachionus plicatilis* Müller, 1786 臂尾輪蟲

*Brachionus quadridentatus* Hermann, 1783 臂尾輪蟲

*Brachionus quadridentatus* Ehrenberg, 1832 臂尾輪蟲

*Brachionus rubens* Ehrenberg, 1838 紅臂尾輪蟲

*Brachionus urceolaris* 臂尾輪蟲

*Colurella adriatica* Ehrenberg, 1831 愛德里亞狹甲輪蟲

*Colurella obtusa* (Gosse, 1886) 鈍角狹甲輪蟲

*Colurella uncinata* (Müller, 1773) 鉤狀狹甲輪蟲

*Euchlanis dilatata* Ehrenberg, 1832 大肚鬚足輪蟲

*Keratella cochlearis* (Gosse, 1851) 螺形龜甲輪蟲

*Keratella valga* (Ehrenberg, 1834) 曲腿龜甲輪蟲

*Lepadella acuminata* (Ehrenberg, 1834) 尖尾鞍甲輪蟲

*Lepadella ovalis* (Müller, 1786) 卵形鞍甲輪蟲

*Lepadella patella* 盤狀鞍甲輪蟲

*Lepadella patella* (Müller, 1773) 盤狀鞍甲輪蟲

*Lophocharis salpina* (Ehrenberg, 1834) 管板細脊輪蟲

*Macrochaetus serica* 絹多棘輪蟲

*Notholca* sp. 葉輪蟲

*Platylas quadricornis* (Ehrenberg, 1832) 四角平甲輪蟲

*Schizocerca diversicornis* 裂足輪蟲

*Squatinella lamellaris* (Müller, 1786) 薄片鱗冠輪蟲

##### Family Gastropodidae 腹尾輪科

*Ascomorpha ecaudis* Perty, 1850 沒尾無柄輪蟲

### Family Lecanidae 腔輪科

- Lecane flexilis* 柔韌腔輪蟲  
*Lecane hornemanni* (Ehrenberg, 1834) 突紋腔輪蟲  
*Lecane inermis* (Bryce, 1892) 無甲腔輪蟲  
*Lecane ludwigii* (Eckstein, 1883) 羅氏腔輪蟲  
*Lecane luna* (Müller, 1776) 月形腔輪蟲  
*Lecane ohioensis* (Herrick, 1885) 奧埃奧腔輪蟲  
*Lecane papuana* (Murray, 1913) 凹頂腔輪蟲  
*Monostyla bulla* 囊形單趾輪蟲  
*Monostyla closterocerca* 尖趾單趾輪蟲  
*Monostyla lunaris* 月形單趾輪蟲  
*Monostyla pygmaea* Daday, 1897 單趾輪蟲  
*Monostyla sinuata* 單趾輪蟲  
*Monostyla stenroosi* 史氏單趾輪蟲  
*Mytilina ventralis* (Ehrenberg, 1830) 腹棘管輪蟲

### Family Notommatidae 椎輪科

- Cephalodella gibba* (Ehrenberg, 1832) 凸背巨頭輪蟲  
*Notommata* sp. 椎輪蟲  
*Proales* sp. 前翼輪蟲  
*Scardium longicaudum* (Müller, 1786) 長刺鱗冠輪蟲

### Family Synchaetidae 疣毛輪科

- Ploesoma hudsoni* (Imhof, 1891) 郝氏皺甲輪蟲  
*Polyarthra platyptera* auct. 多肢輪蟲  
*Polyarthra trigla* auct., 針簇多肢輪蟲  
*Synchaeta stylata* Wierzejski, 1893 尖尾疣毛輪蟲

### Family Trichocercidae 鼠輪科

- Diurella dixon-nutalli* 田奈同尾輪蟲  
*Diurella stylata* Eyferth, 1878 對棘同尾輪蟲  
*Trichocerca capucina* (Wierzejski & Zacharias, 1893) 刺蓋異尾輪蟲  
*Trichocerca cylindrica* (Imhof, 1891) 圓筒異尾輪蟲

## Phylum Arthropoda 節肢動物門

### Class Arachnida 蛛形綱

#### Order Acariformes 真蟎目

##### Family Tetranychidae 葉蟎科

- Allonychus bambusae* Lo, 1969 Ref. Lo, 1969  
*Amphitetranychus viennensis* (Zacher), 1920 橫紋葉蟎 Ref. Ho, 1989  
*Anatetranychus daleae* Tuttle & Baker, 1968 Ref. Tseng, 1990  
*Aponychus aequilibris* Tseng, 1990 Ref. Tseng, 1990  
*Aponychus corpuzae* Rimando, 1966 Ref. Tseng, 1990  
*Aponychus mallotus* Ho, 2003 Ref. Ho, 2003  
*Bakerina ziolanensis* (Lo & HO), 1989 Ref. Lo & Ho, 1989  
*Bryobia eharai* Pritchard & Keifer, 1958 Ref. Tseng, 1990  
*Bryobia praetiosa* Koch, 1836 Ref. Lo, 1969  
*Bryobia pritchardi* Rimando, 1962 Ref. Tseng, 1990  
*Bryobia rubiocolus* (Scheuten), 1857 Ref. Tseng, 1990  
*Eotetranychus asiaticus* Ehara, 1966 Ref. Lo, 1969  
*Eotetranychus boemiae* Lo, 1969 Ref. Lo, 1969  
*Eotetranychus camelliae* Tseng, 1975 Ref. Tseng, 1975  
*Eotetranychus cendanai* Rimando, 1962 Ref. Tseng, 1990  
*Eotetranychus hirtus* Tseng, 1990 Ref. Tseng, 1990  
*Eotetranychus lewisi* (McGregor), 1943 路易氏始葉蟎 Ref. Ho & Shih, 2004  
*Eotetranychus maai* Tseng, 1975 Ref. Tseng, 1975  
*Eotetranychus obliquus* Tseng, 1990 Ref. Tseng, 1990  
*Eotetranychus sexmaculatus* (Riley), 1890 Ref. Tseng, 1990  
*Eotetranychus smithi* Pritchard & Baker, 1955 Ref. Tseng, 1990  
*Eotetranychus suginamensis* (Yokoyama), 1922 桑始葉蟎 Ref. Tseng, 1990  
*Eotetranychus telarius* (Linnaeus), 1758 Ref. Lo, 1969  
*Eutetranychus orientalis* (Klein), 1936 東方褐葉蟎 Ref. Lo, 1969  
*Mixonychus zaestiva* Tseng, 1990 Ref. Tseng, 1990  
*Mixonychus ziolanensis* (Lo & HO), 1989 Ref. Lo & Ho, 1989  
*Neoschizonobiella formosana* Tseng, 1990 Ref. Tseng, 1990  
*Oligonychus biharensis* (Hirst), 1925 Ref. Lo, 1968  
*Oligonychus litchii* Lo & Ho, 1989 荔枝赤葉蟎 Ref. Lo & Ho, 1989  
*Oligonychus meifengensis* Lo & Ho, 1989 Ref. Lo & Ho, 1989  
*Oligonychus (Oligonychus) bicolor* (Banks), 1894 Ref. Lo & Ho, 1989  
*Oligonychus (Oligonychus) changi* Tseng, 1980 Ref. Tseng, 1980

*Oligonychus (Oligonychus) coffeae* (Neitner), 1861 茶紅葉蟎 Ref. Lo, 1969  
*Oligonychus (Oligonychus) mangiferus* (Rahman & Sapra), 1940 Ref. Lo & Ho, 1989  
*Oligonychus (Oligonychus) perditus* Pritchard & Baker, 1955 Ref. Lo & Ho, 1989  
*Oligonychus (Oligonychus) subtropicus* Tseng, 1980 Ref. Tseng, 1980  
*Oligonychus (Pritchardinychus) uruma* Ehara, 1956 竹葉蟎 Ref. Lo & Ho, 1989  
*Oligonychus (Reckiella) gratus* Tseng, 1990 Ref. Tseng, 1990  
*Oligonychus (Reckiella) orthius* Rimando, 1962 Ref. Lo, 1969  
*Oligonychus (Reckiella) shinkajii* Ehara, 1964 Ref. Lo, 1969  
*Oligonychus (Reckiella) taiwanicus* Tseng, 1990 Ref. Tseng, 1990  
*Oligonychus (Wainsteiniella) subnudus* (McGregor), 1950 Ref. Lo & Ho, 1989  
*Oligonychus (Wainsteiniella) yuae* Tseng, 1975 Ref. Tseng, 1975  
*Panonychus (Panonychus) caglei* Mellort, 1968 Ref. Tseng, 1990  
*Panonychus (Panonychus) citri* (McGregor), 1916 柑桔葉蟎 Ref. Lo, 1969  
*Panonychus (Panonychus) elongatus* Manson, 1963 Ref. Tseng, 1990  
*Panonychus (Panonychus) globosus* Tseng, 1974 Ref. Tseng, 1974  
*Panonychus (Panonychus) lishanensis* Tseng, 1990 Ref. Tseng, 1990  
*Panonychus (Panonychus) ulmi* (Koch), 1835 歐洲紅葉蟎 Ref. Tseng, 1990  
*Petrobia (Tetranychina) harti* (Ewing), 1909 Ref. Lo, 1969  
*Schizotetranychus baltazarae* Rimando, 1962 柑桔綠葉蟎 Ref. Tseng, 1990  
*Schizotetranychus celarius* (Banks), 1917 Ref. Tseng, 1990  
*Schizotetranychus floresi* Rimando, 1962 Ref. Tseng, 1990  
*Schizotetranychus lanyuensis* Tseng, 1975 Ref. Tseng, 1975  
*Schizotetranychus lechrius* Rimando, 1962 Ref. Lo, 1969  
*Schizotetranychus leguminosus* Ehara, 1973 Ref. Tseng, 1990  
*Schizotetranychus luculentus* (Tseng), 1990 Ref. Tseng, 1990  
*Schizotetranychus youngi* Tseng, 1975 Ref. Tseng, 1975  
*Tetranychus arecana* Tseng, 1990 Ref. Tseng, 1990  
*Tetranychus cinnabarinus* (Boisduval), 1758 赤葉蟎 Ref. Tseng, 1990  
*Tetranychus cucurbitae* Rahman & Punjab, 1940 Ref. Lo, 1969  
*Tetranychus evansi* Baker & Pritchard, 1960 伊凡氏葉蟎 Ref. Ho, 2005  
*Tetranychus fijiensis* Hirst, 1924 Ref. Tseng, 1990  
*Tetranychus gutturosus* Tseng, 1990 Ref. Tseng, 1990  
*Tetranychus hydrangeae* Pritchard & Baker, 1955 Ref. Lo, 1969  
*Tetranychus impatiensa* Tseng, 1990 Ref. Tseng, 1990  
*Tetranychus incestificus* Tseng, 1990 Ref. Tseng, 1990  
*Tetranychus kanzawai* Kishida, 1927 神澤氏葉蟎 Ref. Lo, 1969  
*Tetranychus lambi* Pritchard & Baker, 1955 Ref. Lo, 1969  
*Tetranychus ludeni* Zacher, 1913 Ref. Tseng, 1990  
*Tetranychus neocalendonicus* Andre, 1939 Ref. Tseng, 1990  
*Tetranychus obsequiosus* Tseng, 1990 Ref. Tseng, 1990  
*Tetranychus phaseolus* Ehara, 1960 Ref. Tseng, 1990  
*Tetranychus piercei* McGregor, 1950 皮氏葉蟎 Ref. Tseng, 1990  
*Tetranychus richini* Tseng, 1975 Ref. Tseng, 1975  
*Tetranychus shihlinensis* Lo, 1969 Ref. Lo, 1969  
*Tetranychus taiwanicus* Ehara, 1969 臺灣葉蟎 Ref. Ehara, 1969  
*Tetranychus truncatus* Ehara, 1956 偽二點葉蟎 Ref. Lo, 1969  
*Tetranychus tumidellus* Pritchard & Baker, 1955 Ref. Tseng, 1990  
*Tetranychus urticae* Koch, 1836 二點葉蟎 Ref. Tseng, 1990  
*Tetranychus viennensis* Zacher, 1920 山楂葉蟎 Ref. Tseng, 1990

## Order Actinedida 輻蟎目

### Family Cheyletidae 肉食蟎科

*Cheletomimus binus* Tseng, 1973 Ref. Tseng, 1973  
*Cheletomimus wellsinus* (De Leon), 1967 Ref. Tseng, 1972  
*Cheyletus digitarsus* Sugimoto, 1942 Ref. Maa & Kuo, 1966

### Family Demodecidae 蠕形蟎科

*Demodex bolliculorum* (Simon), 1842 毛囊蠕形蟎 Ref. 何琦琛。1995  
*Demodex bovis* Stiles, 1892 牛蠕形蟎 Ref. Maa & Kuo, 1966  
*Demodex brevis* Akbulatova, 1963 皮脂蠕形蟎 Ref. 何琦琛。1995  
*Demodex canis* Leydig, 1859 犬蠕形蟎 Ref. Maa & Kuo, 1966  
*Demodex caprae* Railliet, 1895 山羊蠕形蟎 Ref. 同前  
*Demodex cati* Megnin, 1877 貓蠕形蟎 Ref. 同前  
*Demodex equi* Railliet, 1895 馬蠕形蟎 Ref. 同前  
*Demodex folliculorum* (Simon), 1842 毛囊蠕形蟎 Ref. 同前  
*Demodex ovis* Railliet, 1895 綿羊蠕形蟎 Ref. 同前  
*Demodex phylloides* Csokor, 1879 蠕形蟎 Ref. 同前

### Family Diptilomiopidae 羽爪節蟬科

*Acarhis castanopsis* Huang, 2005 櫛尖喙節蟬 Ref. Huang, 2005  
*Apodiptacus styracus* Huang, 2005 野茉莉臘皮節蟬 Ref. Huang, 2005  
*Asetacus oldhamus* Huang, 2001 金毛杜鵑無毛節蟬 Ref. Huang, 2001d  
*Bucculacus phoebus* Huang, 2001 台灣雅楠面甲節蟬 Ref. Huang, 2001b

*Catarhinus mori* Huang, 2001 小葉桑下鼻節蟬 Ref. Huang, 2001b  
*Catarhinus palmifolies* Huang, 2001 颯風草下鼻節蟬 Ref. Huang, 2001d  
*Cheiracus lanceolatus* Huang, 2001 福州杉掌節蟬 Ref. Huang, 2001d  
*Diptacus ipomoeae* Huang, Hong, Huang 1989 甘薯雙羽爪節蟬科 Ref. Huang, Horng & Huang, 1989  
*Diptacus kusanous* Huang, 2001 大葉楠雙羽節蟬 Ref. Huang, 2001b  
*Diptacus tristylaus* Huang, 2001 水冬瓜雙羽節蟬 Ref. Huang, 2001b  
*Diptilomiopus aralioidus* Huang, 2006 昆蘭雙羽節蟬 Ref. Huang, 2006  
*Diptilomiopus championi* Huang, 1992 菊花木鼻節蟬 Ref. Huang, 1992  
*Diptilomiopus commuiiae* Huang, 2001 香葉樹羽爪節蟬 Ref. Huang, 2001b  
*Diptilomiopus cumingis* Huang, 2001 對葉榕羽爪節蟬 Ref. Huang, 2001a  
*Diptilomiopus cuminis* Chakrabarti et al., 1992 凹葉柃木羽爪節蟬 Ref. Huang, 1992  
*Diptilomiopus elliptus* Huang, 2001 蘭嶼樹杞羽爪節蟬 Ref. Huang, 2001c  
*Diptilomiopus emarginatus* Huang, 2001 凹葉柃木羽爪節蟬 Ref. Huang, 2001d  
*Diptilomiopus formosanus* Huang, 2005 蓬萊羽爪節蟬 Ref. Huang, 2005  
*Diptilomiopus hexogonus* Huang, 2001 六角羽爪節蟬 Ref. Huang, 2001d  
*Diptilomiopus leptophyllus* Huang, 2001 薄葉柃木羽爪節蟬 Ref. Huang, 2001d  
*Diptilomiopus mori* Huang, 2001 森氏櫟羽爪節蟬 Ref. Huang, 2001d  
*Diptilomiopus octogonus* Huang, 2001 八角羽爪節蟬 Ref. Huang, 2001d  
*Diptilomiopus perfectus* Huang, 2001 完整羽爪節蟬 Ref. Huang, 2001d  
*Diptilomiopus septimus* Huang, 2001 七室羽爪節蟬 Ref. Huang, 2001d  
*Diptilomiopus stephanus* Huang, 2005 千金藤雙羽節蟬 Ref. Huang, 2005  
*Mediugum sanasaii* Huang, 2001 綠島中脊節蟬 Ref. Huang, 2001c  
*Norma lanyuensis* Huang, 2001 蘭嶼六節足節蟬 Ref. Huang, 2001a  
*Rhinophytoptus plagiogyrus* Huang, 2001 瘤足蕨鼻植羽節蟬 Ref. Huang, 2001d  
*Rhinophytoptus walapiensis* Huang, 2001 瓦拉米鼻植羽節蟬 Ref. Huang, 2001b  
*Rhyncaphytoptus cryptomerus* Huang, 2001 柳杉大嘴節蟬 Ref. Huang, 2001d

### Family Eriophyidae 節蟬科

*Abacarus aralioidus* Huang, 2006 昆蘭樹畸節蟬 Ref. Huang, 2006  
*Abacarus bambusae* Channabasavanna, 1996 竹畸節蟬 Ref. Huang, 2001c  
*Abacarus ellipticae* Huang, 2001 魚藤畸節蟬 Ref. Huang, 2001a  
*Abacarus emarginatus* Huang, 2001 凹葉柃木畸節蟬 Ref. Huang, 2001d  
*Abacarus eminens* Huang, 2001 江某畸節蟬 Ref. Huang, 2001d  
*Abacarus floridulus* Huang, 2001 五節芒畸節蟬 Ref. Huang, 2001b  
*Abacarus inversus* Huang, 2001 反轉畸節蟬 Ref. Huang, 2001d  
*Abacarus machilus* Huang, 2001 槲櫟畸節蟬 Ref. Huang, 2001d  
*Abacarus semicirculus* Huang, 2001 半圓畸節蟬 Ref. Huang, 2001d  
*Abacarus similisagitta* Huang, 2001 似箭頭畸節蟬 Ref. Huang, 2001d  
*Abacarus tomentosus* Huang, 2004 土蜜畸節蟬 Ref. Huang & Wang, 2004  
*Abacarus zuihoensis* Huang, 2004 香楠畸節蟬 Ref. 同前  
*Aberoptus championus* Huang, 2005 菊花木畸羽節蟬 Ref. Huang, 2005  
*Absentia lanyuensis* Huang, 2001 蘭嶼缺毛節蟬 Ref. Huang, 2001a  
*Acalitus leptaus* Huang, 2004 三叉虎下毛節蟬 Ref. Huang & Wang, 2004a  
*Acalitus matsumurai* Huang, 2004 大葉木犀下毛節蟬 Ref. 同前  
*Acaphylla theavagrans* Kadono, 1992 茶尖葉節蟬 Ref. Kadono, 1992  
*Acaphyllisa bracteatae* Huang, 2003 糙葉菝契似尖葉節蟬 Ref. Huang & Wang, 2003  
*Acaphyllisa cryptomeria* Huang, 2001 柳杉似尖葉節蟬 Ref. Huang, 2001d  
*Acaphyllisa eupatoria* Huang, 2001 澤蘭似尖葉節蟬 Ref. Huang, 2001d  
*Acaphyllisa osmophloea* Huang, 2001 土肉桂似尖葉節蟬 Ref. Huang, 2001b  
*Acaphyllisa shinkoensa* Huang, 2003 毛萼懸鉤子似尖葉節蟬 Ref. Huang & Wang, 2003  
*Aceria eriobotrya* (Keifer), 1938 枇杷瘤節蟬 Ref. Huang, 1974  
*Aceria gallae* T. Huang, 1996 造瘿瘤節蟬 Ref. Huang, 1996  
*Aceria jasminoidis* Huang, 2001 山黃槿瘤節蟬 Ref. Huang, 2001a  
*Aceria kuko* (Kishida), 1927 枸杞瘤節蟬 Ref. Manson, 1972  
*Aceria lanyuensis* Huang, 2001 蘭嶼瘤節蟬 Ref. Huang, 2001a  
*Aceria litchii* (Keifer), 1943 荔枝瘤節蟬 Ref. Huang, 1974  
*Aceria litseae* (Keifer), 1972 小梗黃肉楠瘤節蟬 Ref. Huang & Wang, 2004a  
*Aceria mikaniae* (Nalepa), 1918 蔓澤蘭瘤節蟬 Ref. Huang, 2007  
*Aceria monoica* Huang, 2001 土蜜樹瘤節蟬 Ref. Huang, 2001d  
*Aceria pipturi* Keifer, 1966 落尾麻瘤節蟬 Ref. Huang, 2007  
*Aceria pobuzii* T. Huang, 1996 破布子瘤節蟬 Ref. Huang, 1996  
*Aceria roxburghiana* Huang, 2007 羅氏鹽膚木瘤節蟬 Ref. Huang, 2007  
*Aceria rubrae* Huang, 2004 九節木瘤節蟬 Ref. Huang & Wang, 2004a  
*Aceria sacchari* Wang, 1964 甘蔗瘤節蟬 Ref. Wang, 1963  
*Aceria serratifoliae* Huang, 2007 臭娘子瘤節蟬 Ref. Huang, 2007  
*Aceria shepherdiae* Keifer, 1966 胡頹子瘤節蟬 Ref. Huang, 2007  
*Aceria spicati* (Stebbins), 1909 槭瘤節蟬 Ref. Huang, 1995  
*Aceria superba* Huang, 2004 木荷瘤節蟬 Ref. Huang & Wang, 2004a  
*Aceria sylvestrae* Huang, 2007 瘤節蟬 Ref. Huang, 2007  
*Aceria taiwanensis* Huang, 2007 瘤節蟬 Ref. Huang, 2007  
*Aceria virosae* Huang, 2007 瘤節蟬 Ref. Huang, 2007  
*Aceria yushania* Huang, 2001 玉山瘤節蟬 Ref. Huang, 2001d

*Acerimina shuishensis* Huang, 1991 水社樟小瘤節蟬 Ref. Huang, 1991  
*Aculochetus bambusis* Huang, 2001 竹槽刺子節蟬 Ref. Huang, 2001b  
*Aculodes hibisci* Huang, 1992 黃檜刺子節蟬 Ref. Huang, 1992  
*Aculodes levis* Huang, 2001 平滑刺子節蟬 Ref. Huang, 2001d  
*Aculops fraxinus* Huang, 2001 白臘樹刺皮節蟬 Ref. Huang, 2001d  
*Aculops monoices* Huang, 2001 土蜜樹刺皮節蟬 Ref. Huang, 2001d  
*Aculops oldhamii* Huang, 2001 金毛杜鵑刺皮節蟬 Ref. Huang, 2001d  
*Aculops pelekassi* (Keifer), 1959 桔刺皮節蟬 Ref. Wang & Huang, 1999  
*Aculops taiwanensis* Huang & Wang, 1999 臺灣刺皮節蟬 Ref. Huang & Wang, 1999  
*Aculops wikstrolmiai* Huang, 2001 南嶺堯花刺皮節蟬 Ref. Huang, 2001c  
*Aculus ablopurpurascus* Huang, 2001 樟葉槭刺節蟬 Ref. Huang, 2001b  
*Aculus daibuensis* Huang, 2001 大武刺節蟬 Ref. Huang, 2001d  
*Aculus fockeui* (Nalepa & Trouessart), 1891 福氏刺節蟬 Ref. Huang, Huang & Horng, 1989  
*Aculus macrocarpae* Huang, 2004 血藤刺節蟬 Ref. Huang & Wang, 2004  
*Anothopoda zuihoenae* Huang, 2003 香楠無偽足節蟬 Ref. Huang & Wang, 2003b  
*Anthocoptes alnus* Huang, 2001 赤陽花刺節蟬 Ref. Huang, 2001d  
*Anthocoptes insulanaes* Huang, 2004 刺杜蜜花刺節蟬 Ref. Huang & Wang, 2004  
*Calacarus carinatus* (Green), 1890 龍首麗節蟬 Ref. Huang, 1974  
*Calepitrimerus alnus* Huang, 2001 赤陽上三脊節蟬 Ref. Huang, 2001d  
*Calepitrimerus brevilinea* Huang, 2001 短線上三脊節蟬 Ref. Huang, 2001d  
*Calepitrimerus litseaus* Huang, 2004 黃肉楠上三脊節蟬 Ref. Huang & Wang, 2004  
*Calepitrimerus octophyllaus* Huang, 2004 江某上三脊節蟬 Ref. 同前  
*Calepitrimerus reticulatus* Huang, 2001 網室上三脊節蟬 Ref. Huang, 2001d  
*Calepitrimerus similisvas* Huang, 2001 瓶形上三脊節蟬 Ref. Huang, 2001d  
*Calepitrimerus undatus* Huang, 2004 千金藤上三脊節蟬 Ref. Huang & Wang, 2004  
*Cecidophyes thailandica* Keifer, 1975 泰國生癭節蟬 Ref. Huang & Wang, 1996  
*Cecidophyopsis championus* Huang, 2001 菊花木擬生節蟬 Ref. Huang, 2001d  
*Cisaberoptus celtis* Huang, 2001 朴樹木畸羽節蟬 Ref. Huang, 2001c  
*Cisaberoptus kenya* Keifer, 1966 肯亞木畸羽節蟬 Ref. Huang, 1974  
*Colopodacus bengalensis* Moh., 1981 孟加拉同足節蟬 Ref. Huang, Huang & Wang, 1996  
*Colopodacus insulanaus* Huang, 2003 山肉桂同足節蟬 Ref. Huang & Wang, 2003b  
*Colopodacus lanceolatus* Huang, 2001 批針葉同足節蟬 Ref. Huang, 2001a  
*Colopodacus milleltitiae* Huang et al., 1996 小葉木路藤同足節蟬 Ref. Huang, Huang & Wang, 1996  
*Colopodacus obovataus* Huang, 2003 圓葉野木瓜同足節蟬 Ref. Huang & Wang, 2003b  
*Colopodacus palaquius* Huang, 2001 大葉山欖同足節蟬 Ref. Huang, 2001a  
*Colopodacus pisoniae* Huang, 2001 皮孫木同足節蟬 Ref. Huang, 2001a  
*Colopodacus toddalius* Huang, 2001 飛龍掌血同足節蟬 Ref. Huang, 2001a  
*Cosella castanopiae* Huang, 2003 川上氏櫛合位節蟬 Ref. Huang & Wang, 2003  
*Cosella chiampioni* Huang, 2001 菊花木合位節蟬 Ref. Huang, 2001d  
*Cosella ditransversus* Huang, 2001 雙橫線合位節蟬 Ref. Huang, 2001d  
*Cosella fleschneri* (Keifer), 1959 佛氏合位節蟬 Ref. Wang & Huang, 1999  
*Cosella formosana* Huang, 2003 蓬萊合位節蟬 Ref. Huang & Wang, 2003  
*Cosella hancei* Huang, 2003 三斗石櫛合位節蟬 Ref. 同前  
*Cosella longana* Huang, 1996 龍眼合位節蟬 Ref. Huang, Huang & Wang, 1996  
*Cosella netherlandiae* Huang, 2001 瓦氏鳳尾蕨合位節蟬 Ref. Huang, 2001b  
*Cosella rubi* Huang, 1996 高粱泡合位節蟬 Ref. Huang, Huang & Wang, 1996  
*Cosella szygia* Huang, 2001 赤楠合位節蟬 Ref. Huang, 2001a  
*Cosella tripinnatae* Huang, 2001 大花赤楠合位節蟬 Ref. Huang, 2001a  
*Cosella viburniae* Huang, 2003 呂宋莢迷合位節蟬 Ref. Huang & Wang, 2003  
*Cosella zeylanica* Huang, 2001 大葉鱧頭果合位節蟬 Ref. Huang, 2001a  
*Cosetarectus aokoensis* Huang, 2001 屏東直脊節蟬 Ref. Huang, 2001b  
*Cupacarus hebes* Huang, 2001 欝大杉盆節蟬 Ref. Huang, 2001d  
*Dichopelmus flechtmanni* Huang, 2001 冷水麻裂柄節蟬 Ref. Huang, 2001b  
*Dicolopodacus pterpterus* (Huang), 1991 蕨雙同足節蟬 Ref. Huang, 1991  
*Dicruvasates chitoeniae* Huang, 2001 秋海棠叉斜背節蟬 Ref. Huang, 2001b  
*Diphytoptus nephriodeus* Huang, 1991 腎蕨雙植羽節蟬 Ref. Huang, 1991  
*Disella aceriae* Huang, 2001 樟葉槭分位節蟬 Ref. Huang, 2001b  
*Disella octcella* Huang, 2001 八室分位節蟬 Ref. Huang, 2001d  
*Disella umbelliferae* Huang, 2001 皮孫木分位節蟬 Ref. Huang, 2001a  
*Epitrimerus acersis* Huang, 2001 樟葉槭上節蟬 Ref. Huang, 2001b  
*Epitrimerus englerus* Huang, 2001 山棕上節蟬 Ref. Huang, 2001b  
*Epitrimerus irisanus* Huang, 2004 濼葉榕上節蟬 Ref. Huang & Wang, 2004d  
*Epitrimerus libocedri* (Keifer), 1939 臺灣杉上節蟬 Ref. Huang, 2001d  
*Epitrimerus lobatiae* Huang, 2001 葛藤上節蟬 Ref. Huang, 2001a  
*Epitrimerus parvispina* Huang, 2001 微刺上節蟬 Ref. Huang, 2001d  
*Epitrimerus turgidus* Huang, 2001 膨脹上節蟬 Ref. Huang, 2001d  
*Epitrimerus virginana* Keifer, 1959 少女上節蟬 Ref. Huang, 2001d  
*Eriophyes insidiosus* Keifer & Wilson, 1955 巴黎節蟬 Ref. Huang & Huang, 1997  
*Floracarus abruptus* Huang, 2001 斷脊佛州節蟬 Ref. Huang, 2001d  
*Floracarus biserratae* Huang, 2001 長葉腎蕨佛州節蟬 Ref. Huang, 2001a  
*Floracarus hypophae* Huang, 2003 黃肉樹佛州節蟬 Ref. Huang & Wang, 2003  
*Floracarus neolitseae* (Huang), 1992 新木薑子佛州節蟬 Ref. Huang, 1992

*Floracarus parviflorae* Huang, 2001 玉葉金花佛州節蟬 Ref. Huang, 2001b  
*Floracarus syzygiae* Huang, 2003 赤楠佛州節蟬 Ref. Huang & Wang, 2003  
*Floracarus trirectus* Huang, 2001 三線佛州節蟬 Ref. Huang, 2001d  
*Gammaphytoptus litseus* Huang, 2001 木薑子加植節蟬 Ref. Huang, 2001d  
*Gammaphytoptus zuihoensis* Huang, 2004 香楠加植節蟬 Ref. Huang & Wang, 2004a  
*Glossilus yubimus* (Huang), 1996 圓柏匙突節蟬 Ref. Huang & Boczek, 1996  
*Hemiscolocenus iaculum* Huang, 2001 魚叉半針空節蟬 Ref. Huang, 2001d  
*Hornophyes andamanensis* Moh., 1994 亞丹曼尼斯生角節蟬 Ref. Huang, 2001a  
*Indosetacus osmophloeus* Huang, 2004 肉桂印毛節蟬 Ref. Huang & Wang, 2004a  
*Indosetacus roxburghianus* Huang, 2004 臺灣黃杞印毛節蟬 Ref. 同前  
*Jutarus benjaminiae* Huang, 2001 白榕蔣氏節蟬 Ref. Huang, 2001d  
*Jutarus pasanus* Huang, 2004 石櫟蔣氏節蟬 Ref. Huang & Wang, 2004  
*Jutarus plagiogyrus* Huang, 2001 瘤足蕨蔣氏節蟬 Ref. Huang, 2001d  
*Latitudo sanasaii* Huang, 2001 綠島寬中脊節蟬 Ref. Huang, 2001c  
*Leipothrix bombicyis* Huang, et al. 1989 柔離子節蟬 Ref. Huang, Huang & Huang, 1989  
*Mesalox glauciae* Huang, 2001 青剛櫟中彎節蟬 Ref. Huang, 2001b  
*Monotrymacus ternatus* Huang, 2001 三葉山香圓單毛節蟬 Ref. Huang, 2001b  
*Neocecidophyes reticulatus* Huang, 2001 網室新生節蟬 Ref. Huang, 2001d  
*Neoleipothrix alnuse* Huang, 2001 赤陽新離子節蟬 Ref. Huang, 2001d  
*Neoleipothrix bambusae* Huang, 2001 竹新離子節蟬 Ref. Huang, 2001b  
*Neoleipothrix leptae* Huang, 2004 三叉虎新離子節蟬 Ref. Huang & Wang, 2004  
*Neoleipothrix minutae* Huang, 2001 小葉桑新離子節蟬 Ref. Huang, 2001a  
*Neoleipothrix multiflorus* Huang, 2001 何首烏新離子節蟬 Ref. Huang, 2001d  
*Neoleipothrix repenus* Huang, 2001 鋪地黍新離子節蟬 Ref. Huang, 2001d  
*Neoleipothrix superbae* Huang, 2004 木荷新離子節蟬 Ref. Huang & Wang, 2004  
*Neoleipothrix virgatus* Huang, 2004 烏皮九芎新離子節蟬 Ref. 同前  
*Neometaculus catappiae* Huang, 2001 欖仁樹新腎后節蟬 Ref. Huang, 2001a  
*Neometaculus eppiptus* Huang, 2001 樹圪新腎后節蟬 Ref. Huang, 2001c  
*Neopentamerus octcellus* Huang, 2001 八室新五脊節蟬 Ref. Huang, 2001d  
*Neoshevtchenkella pinnatae* Huang, 2001 番龍眼新謝節蟬 Ref. Huang, 2001a  
*Notacaphylla chinensiae* Mohanasundaram & Singh, 1988 中華背葉刺節蟬 Ref. Huang, Huang & Hornig, 1989  
*Paracalacarus podocarpus* Keifer, 1962 羅漢松副麗節蟬 Ref. Huang & Wang, 1996  
*Pentacovexus taiwanensis* Huang, 2001 臺灣五凸節蟬 Ref. Huang, 2001d  
*Phyllocoptes calirubi* Kieffer, 1938 加州懸鉤子葉刺節蟬 Ref. Huang, 1995  
*Phyllocoptes dimidius* Huang, 2001 半中線葉刺節蟬 Ref. Huang, 2001d  
*Phyllocoptes linsamus* Boczek, 1996 冷杉葉刺節蟬 Ref. Huang & Boczek, 1996  
*Phyllocoptes mediotransversus* Huang, 2001 中橫線葉刺節蟬 Ref. Huang, 2001d  
*Phyllocoptes multilinea* Huang, 2001 多線葉刺節蟬 Ref. Huang, 2001d  
*Phyllocoptes teneri* Huang, 2001 山桂花葉刺節蟬 Ref. Huang, 2001d  
*Phyllocopruta oleivora* (Ashmead), 1879 柑桔皺葉刺節蟬 Ref. Huang, 1974  
*Phyllocopruta paniculata* Huang, 2001 七里香皺葉刺節蟬 Ref. Huang, 2001d  
*Phyllocopruta peregi* Huang, 2004 完整皺葉刺節蟬 Ref. Huang & Wang, 2004  
*Phyllocopruta semialatae* Huang, 1992 鹽膚木皺葉刺節蟬 Ref. Huang, 1992  
*Phyllocopturta dimidius* Huang, 2004 半中線皺葉刺節蟬 Ref. Huang & Wang, 2004  
*Proartacris taiwanensis* Huang, 2001 臺灣前直峰節蟬屬 Ref. Huang, 2001d  
*Proiectus taiwanensis* Huang, 2001 臺灣尖突節蟬 Ref. Huang, 2001d  
*Prominens taiwanensis* Huang, 2004 臺灣五角硬皮板節蟬 Ref. Huang & Wang, 2004  
*Quadratum glaberi* Huang, 2004 光滑四方節蟬 Ref. 同前  
*Rectalox glaberi* Huang, 2001 光滑直彎節蟬 Ref. Huang, 2001d  
*Schizacea chinenseae* Huang, 2003 中華裂端節蟬 Ref. Huang & Wang, 2003  
*Setosecundus formosanus* Huang, 2004 蓬萊第二毛瘤節蟬 Ref. Huang & Wang, 2004  
*Shevtchenkella leptae* Huang, 2004 三叉虎謝節蟬 Ref. 同前  
*Shevtchenkella osmantha* Huang, 2004 木犀謝節蟬 Ref. 同前  
*Shevtchenkella phyllostachya* Huang, 2001 桂竹謝節蟬 Ref. Huang, 2001d  
*Soleula taiwanensis* Huang, 2001 臺灣馬蹄節蟬 Ref. Huang, 2001d  
*Spinacus longinquus* Huang, Wang, 1996 長刺節蟬 Ref. Huang, Huang & Wang, 1996  
*Spinacus pagonis* Keifer, 1979 芒果刺節蟬 Ref. 同前  
*Stenacis biserratae* Huang, 2001 腎蕨狹樹節蟬 Ref. Huang, 2001a  
*Stenacis tanariis* Huang, 2001 血桐狹樹節蟬 Ref. Huang, 2001a  
*Subaequalitas sanasaii* Huang, 2001 綠島齊寬節蟬 Ref. Huang, 2001c  
*Surapoda asiatica* Huang, 2001 飛龍掌血蘇氏節蟬 Ref. Huang, 2001a  
*Taijutarus triangulus* Huang, 2004 三角台灣蔣氏節蟬 Ref. Huang & Wang, 2004b  
*Tegolophus celtus* Huang, 2001 朴樹頂冠節蟬 Ref. Huang, 2001d  
*Tegolophus dirotuadus* Huang, 2001 雙圈頂冠節蟬 Ref. Huang, 2001d  
*Tegolophus eminentopus* Huang, 2004 巨突頂冠節蟬 Ref. Huang & Wang, 2004  
*Tegolophus euryaes* Huang, 2001 凹葉柃木頂冠節蟬 Ref. Huang, 2001d  
*Tegolophus magnutuberclis* Huang, 2004 大葉木犀頂冠節蟬 Ref. Huang & Wang, 2004  
*Tegolophus melicopi* Huang, 2004 山刈葉頂冠節蟬 Ref. 同前  
*Tegolophus polygonus* Huang, 2004 火炭母草頂冠節蟬 Ref. 同前  
*Tegolophus rubrae* Huang, 2004 九節木頂冠節蟬 Ref. 同前  
*Tegonotus aegopodii* (Liro), 1941 柃木頂背節蟬 Ref. Huang, 2001d  
*Tegonotus eupators* Huang, 2001 漫澤蘭頂背節蟬 Ref. Huang, 2001d

*Tegonotus exiguus* Huang, 2004 微小頂背節蟬 Ref. Huang & Wang, 2004  
*Tegonotus mangiferae* (Keifer), 1946 芒果頂背節蟬 Ref. Huang, Horng & Huang, 1989  
*Tegonotus paramangiferae* (Huang, An & Huang) 1989 似芒果頂背節蟬 Ref. 同前  
*Tetra intermedia* Huang, 2001 馬桑四節蟬 Ref. Huang, 2001d  
*Tetra similisforca* Huang, 2001 叉四節蟬 Ref. Huang, 2001d  
*Tetra superbae* Huang, 2004 木荷四節蟬 Ref. Huang & Wang, 2004  
*Tetra toona* Huang, 2001 香椿四節蟬 Ref. Huang, 2001d  
*Tetra yushania* Huang, 2001 玉山四節蟬 Ref. Huang, 2001d  
*Tetrameracarus taiwanensis* Huang, 2001 臺灣四背脊節蟬 Ref. Huang, 2001d  
*Thacra piperasia* Keifer, 1978 風藤泰節蟬 Ref. Huang, 2001c  
*Thamnacus separabilis* Huang, 2001 分離枝節蟬 Ref. Huang, 2001d  
*Thamnacus vacuus* Huang, 2001 空白枝節蟬 Ref. Huang, 2001d  
*Tumoris sanasaii* Huang, 2001 綠島寬節蟬 Ref. Huang, 2001c  
*Vasates digression* Huang, 2004 角斜背瘤節蟬 Ref. Huang & Wang, 2004  
*Vasatus irisanai* Huang, 1992 糙葉榕斜背瘤節蟬 Ref. Huang, 1992  
*Vasates scandensi* Huang, 1992 雞屎藤斜背瘤節蟬 Ref. Huang, 1992  
*Vittacus fissistigmae* Wei & Kuang, 1997 瓜馥木紋節蟬 Ref. Huang & Wang, 2004e

#### Family Erythraeidae 赤蟬科

*Callidosoma matsumuratettix* Tseng, Yang & Pan 1976 Ref. Tseng, Yang & Pan, 1976  
*Charletonia taiwanenses* Tsai & Chow, 1988 Ref. Tsai & Chow, 1988  
*Erythraeus plumosus* Tseng, Yang & Pan 1976 Ref. Tseng, Yang & Pan, 1976

#### Family Phytoptidae 植羽爪節蟬科

*Nalepella tisamae* Huang, 1996 鐵杉納氏節蟬 Ref. Huang & Boczek, 1996  
*Neopropilus jatrophi* Huang, 1992 癩瘋樹前毛節蟬 Ref. Huang, 1992  
*Pentaporca taiwanensis* Huang, 1996 臺灣五脊節蟬 Ref. Huang & Boczek, 1996  
*Setoptus inaegualis* Huang, 1996 不等針羽節蟬 Ref. 同前  
*Setoptus inusitatus* Boczek, 1996 不規則針羽節蟬 Ref. 同前  
*Setoptus undatus* Boczek, 1996 波浪針羽節蟬 Ref. 同前  
*Sierraphytoptus taiwanensis* Huang, 2006 台灣鋸節蟬 Ref. Huang, 2006  
*Trisetacus chamaecypari* Smith, 1978 紅檜三毛節蟬 Ref. Huang, 2001d  
*Trisetacus distinctus* Smith, 1978 分離三毛節蟬 Ref. Huang & Boczek, 1996  
*Trisetacus taiwanensis* Huang, 2001 臺灣三毛節蟬 Ref. Huang, 2001b

#### Family Podapolipidae 蚋蟬科

*Locustipolipus patangae* Lo, 1990 Ref. Lo, 1990  
*Podapolipus acridae* Lo, 1992 Ref. Lo, 1992  
*Podapolipus transversus* Lo, 1992 Ref. Lo, 1992

#### Family Syringophilidae 羽管蟬科

*Syringophilus bipectinatus* Heller, 1880 Ref. Maa & Kuo, 1966

#### Family Tarsonemidae 細蟬科

*Cheylotarsonemus minutus* Tseng & Lo, 1980 Ref. Tseng & Lo, 1980  
*Ficotarsonemus protabilis* Ho, 1994 Ref. Ho, 1994  
*Ficotarsonemus wongi* Ho, 1994 Ref. Ho, 1994  
*Fungitarsonemus borinquensis* Cromroy, 1958 Ref. Tseng & Lo, 1980  
*Polyphagotarsonemus latus* (Banks), 1904 多食細蟬 Ref. 同前  
*Steneotarsonemus bancrofti* (Michael), 1890 甘蔗細蟬 Ref. 羅幹成。2006  
*Steneotarsonemus chiaoi* Tseng & Lo, 1980 Ref. Tseng & Lo, 1980  
*Steneotarsonemus furcatus* Delem, 1956 Ref. 同前  
*Steneotarsonemus pulchellus* Tseng & Lo, 1980 Ref. 同前  
*Steneotarsonemus rivalis* (Tseng & Lo), 1980 Ref. 同前  
*Steneotarsonemus spinki* Smiley, 1967 稻細蟬 Ref. 同前  
*Stenotarsonemus mirabilis* Tseng & Lo, 1980 Ref. 同前  
*Tarsonemus floricolus* Canestrini & fanzago, 1876 Ref. 同前  
*Tarsonemus gramineus* Cromroy, 1958 Ref. 同前  
*Tarsonemus smithi* Ewing, 1909 Ref. 同前  
*Xenotarsonemus wani* (Tseng & Lo), 1980 Ref. 同前

#### Family Tenuipalpidae 細須蟬科

*Brevipalpus californicus* (Banks), 1940 Ref. Lo, 1969  
*Brevipalpus clewisi* McGregor, 1949 Ref. Lo, 1968  
*Brevipalpus lewisi* McGregor, 1949 Ref. Lo, 1969  
*Brevipalpus melichrus* Pritchard & Baker, 1952 Ref. Lo, 1969  
*Brevipalpus obovatus* Donnadieu, 1875 卵形短須蟬 Ref. Lo, 1969  
*Brevipalpus phoenicis* (Geijskes), 1939 紫紅短須蟬 Ref. Lo, 1968  
*Brevipalpus potentillae* Balogh & tuttle, 1964 Ref. Lo, 1969  
*Dolichotetranychus floridanus* (Banks), 1900 佛州偽葉蟬 Ref. Lo, 1968  
*Raviella indica* Hirst, 1924 印度椰子偽葉蟬 Ref. 羅幹成。2006  
*Tenuipalpus anoplus* Baker & Pritchard, 1953 Ref. Lo, 1968  
*Tenuipalpus antipodus* Collyer, 1964 Ref. Lo, 1969  
*Tenuipalpus pacificus* Baker, 1945 太平洋偽葉蟬 Ref. 羅幹成。2006

## Family Tuckerellidae 杜克蟎科

*Tuckerella pavoniformis* (Ewing), 1922 孔雀杜克葉蟎 Ref. Lo, 1969

## Order Araneae 蜘蛛目

### Family Agelenidae 草蛛科

*Agelena limbata* Thorell 草蛛 Ref. 朱耀沂。2003

*Agelena opulenta* (L. Koch) 小草蛛 Ref. 朱耀沂。2003

*Tegenaria domestica* (Clerck) 棚蛛 Ref. 朱耀沂。2003

### Family Araneidae 金蛛科

*Acusilas coccineus* Simon 吊葉蛛 Ref. 朱耀沂。2003

*Anepsion roeweri* Chrysanthus 蛇紋蛛 Ref. 朱耀沂。2003

*Arachnura logio* Yaginuma 雙峰曳尾蛛 Ref. 朱耀沂。2003

*Arachnura melanura* Simon 黑尾曳尾蛛 Ref. 朱耀沂。2003

*Araneus corporosus* (Keyserling) 褐斑鬼蛛 Ref. 朱耀沂。2003

*Araneus dehaani* (Doleschall) 三角鬼蛛 Ref. 朱耀沂。2003

*Araneus doentzella* Strand 針毛鬼蛛 Ref. 朱耀沂。2003

*Araneus ejusmode* Boes.et Str. 黃斑鬼蛛 Ref. 朱耀沂。2003

*Araneus inustus* (L.Koch) 卵形鬼蛛 Ref. 朱耀沂。2003

*Araneus laglaizei* (Simon) 拉克氏鬼蛛 Ref. 朱耀沂。2003

*Araneus mitificus* (Simon) 黑綠鬼蛛 Ref. 朱耀沂。2003

*Araneus pentagrammicus* (Karsch) 五紋鬼蛛 Ref. 朱耀沂。2003

*Araneus pseudocentrodus* Boes.et Str. 尖鬼蛛 Ref. 朱耀沂。2003

*Araneus punctigera* (Doleschall) 茶色鬼蛛 Ref. 朱耀沂。2003

*Araneus roseomaculatus* Ono 紅斑鬼蛛 Ref. 朱耀沂。2003

*Araneus rufofemoratus* Simon 赤腳鬼蛛 Ref. 朱耀沂。2003

*Araneus ventricosus* (L. Koch) 大腹鬼蛛 Ref. 朱耀沂。2003

*Argiope aemula* (Walckenaer) 長圓金蛛 Ref. 朱耀沂。2003

*Argiope aetheroides* Yin et al. 中形金蛛 Ref. 朱耀沂。2003

*Argiope amoena* L. Koch 悅目金蛛 Ref. 朱耀沂。2003

*Argiope minuta* (Karsch) 小形金蛛 Ref. 朱耀沂。2003

*Argiope ocula* Fox 眼點金蛛 Ref. 朱耀沂。2003

*Caerostris paradoxa* (Doleschall) 高頭蛛 Ref. 朱耀沂。2003

*Cyclosa argentata* Tanikawa 銀塵蛛 Ref. 朱耀沂。2003

*Cyclosa argenteoalba* Boes.et Str. 假銀塵蛛 Ref. 朱耀沂。2003

*Cyclosa confusa* Boes.et Str. 熱帶塵蛛 Ref. 朱耀沂。2003

*Cyclosa conica* (Pallas) 突尾塵蛛 Ref. 朱耀沂。2003

*Cyclosa formosana* Tanikawa & Ono 蓬萊塵蛛 Ref. 朱耀沂。2003

*Cyclosa ginnaga* Yaginuma 長銀塵蛛 Ref. 朱耀沂。2003

*Cyclosa japonica* Boes.et Str. 日本塵蛛 Ref. 朱耀沂。2003

*Cyclosa koi* Tanikawa & Ono 科氏塵蛛 Ref. 朱耀沂。2003

*Cyclosa laticauda* Boes.et Str. 寬尾塵蛛 Ref. 朱耀沂。2003

*Cyclosa monticola* Boes.et Str. 山塵蛛 Ref. 朱耀沂。2003

*Cyclosa mulmeinensis* (Thorell) 二角塵蛛 Ref. 朱耀沂。2003

*Cyclosa octotuberculata* Karsch 八疣塵蛛 Ref. 朱耀沂。2003

*Cyclosa omonaga* Tanikawa 長臉塵蛛 Ref. 朱耀沂。2003

*Cyclosa quinqueguttata* (Thorell) 五點塵蛛 Ref. 朱耀沂。2003

*Cyclosa sedeculata* Karsch 四突塵蛛 Ref. 朱耀沂。2003

*Cyclosa shinoharai* Tanikawa & Ono 條原氏塵蛛 Ref. 朱耀沂。2003

*Cyclosa spinosa* Saito 棘尾塵蛛 Ref. 朱耀沂。2003

*Cyclosa tricauda* Saito 三尾塵蛛 Ref. 朱耀沂。2003

*Cyclosa vallata* (Keyserling) 圓腹塵蛛 Ref. 朱耀沂。2003

*Cyrtarachne bufo* (Boes.et Str.) 烏糞蛛 Ref. 朱耀沂。2003

*Cyrtarachne inaequalis* Thorell 大烏糞蛛 Ref. 朱耀沂。2003

*Cyrtophora exanthematica* (Doleschall) 方格雲斑蛛 Ref. 朱耀沂。2003

*Cyrtophora moluccensis* (Doleschall) 泉字雲斑蛛 Ref. 朱耀沂。2003

*Cyrtophora unicolor* (Doleschall) 單色雲斑蛛 Ref. 朱耀沂。2003

*Gasteracantha cancriformis* (Linnaeus) 乳頭棘蛛 Ref. 朱耀沂。2003

*Gasteracantha fornicata* (Fabricius) 尖棘蛛 Ref. 朱耀沂。2003

*Gasteracantha kuhlii* C. Koch 古氏棘蛛 Ref. 朱耀沂。2003

*Gasteracantha sauteri* (Dahl) 梭德氏棘蛛 Ref. 朱耀沂。2003

*Hyposinga pygmaea* (Sundevall) 四星紅蛛 Ref. 朱耀沂。2003

*Hyposinga sanguinea* (C. Koch) 血色紅蛛 Ref. 朱耀沂。2003

*Lariniaria argiopiformis* Boes.et Str. 偽黃金蛛 Ref. 朱耀沂。2003

*Neoscona adianta* (Walckenaer) 線紋姬鬼蛛 Ref. 朱耀沂。2003

*Neoscona doentzi* (Boes.et Str.) 黃姬鬼蛛 Ref. 朱耀沂。2003

*Neoscona fuscocoloratus* (Boes.et Str.) 寬腹姬鬼蛛 Ref. 朱耀沂。2003

*Neoscona maculatipes* (L. Koch) 斑腳姬鬼蛛 Ref. 朱耀沂。2003

*Neoscona melleoteei* (Simon) 黑側綠姬鬼蛛 Ref. 朱耀沂。2003

*Neoscona nautica* (L. Koch) 簷下姬鬼蛛 Ref. 朱耀沂。2003

*Neoscona scylla* (Karsch) 野姬鬼蛛 Ref. 朱耀沂。2003

*Neoscona scylloides* (Boes.et Str.) 黃邊緣姬鬼蛛 Ref. 朱耀沂。2003

*Neoscona subpullata* (Boes.et Str.) 白緣姬鬼蛛 Ref. 朱耀沂。2003  
*Neoscona theisi* (Walckenaer) 星條姬鬼蛛 Ref. 朱耀沂。2003  
*Pasilobus bufoninus* (Simon) 菱角蛛 Ref. 朱耀沂。2003  
*Polys idae* (Ausserer) 枯葉尖鼻蛛 Ref. 朱耀沂。2003  
*Polys illepidus* C. Koch 無鱗尖鼻蛛 Ref. 朱耀沂。2003  
*Polys nigrinus* Saito 黑尖鼻蛛 Ref. 朱耀沂。2003  
*Thelacantha brevispina* (Doleschall) 短棘蛛 Ref. 朱耀沂。2003  
*Yaginumia sia* (Strand) 黑頭鬼蛛 Ref. 朱耀沂。2003  
*Zilla astridae* (Strand) 阿須寬肩鬼蛛 Ref. 朱耀沂。2003

#### Family Atypidae 地蛛科

*Atypus formosensis* Kishida 台灣地蛛 Ref. 朱耀沂。2003  
*Atypus karschi* Doenitz 卡氏地蛛 Ref. 朱耀沂。2003  
*Calommata signata* Karsch, 1879 地蜘蛛科新紀錄種

#### Family Clubionidae 袋蛛科

*Clubiona asrevida* Ono 雪山袋蛛 Ref. 朱耀沂。2003  
*Clubiona bonicula* Ono 高山袋蛛 Ref. 朱耀沂。2003  
*Clubiona deletrix* O.P. Cambridge 斑袋蛛 Ref. 朱耀沂。2003  
*Clubiona insulana* Ono 島嶼袋蛛 Ref. 朱耀沂。2003  
*Clubiona japonica* L. Koch 日本袋蛛 Ref. 朱耀沂。2003  
*Clubiona japonicola* Boes.et Str. 捲葉袋蛛 Ref. 朱耀沂。2003  
*Clubiona jucunda* (Karsch) 羽斑袋蛛 Ref. 朱耀沂。2003  
*Clubiona kayashimai* Ono 萱嶋氏袋蛛 Ref. 朱耀沂。2003  
*Clubiona kuanshanensis* Ono 關山袋蛛 Ref. 朱耀沂。2003  
*Clubiona kurosawai* Ono 黑澤氏袋蛛 Ref. 朱耀沂。2003  
*Clubiona taiwanica* Ono 台灣袋蛛 Ref. 朱耀沂。2003  
*Clubiona tanikawai* Ono 瀧川氏袋蛛 Ref. 朱耀沂。2003  
*Clubiona yaginumai* Hayashi 八木沼袋蛛 Ref. 朱耀沂。2003  
*Clubiona yangmingensis* Hayashi & Yoshida 陽明山袋蛛 Ref. 朱耀沂。2003  
*Matidia spatulata* Chen & Huang, 2006 鏟形馬蒂蛛 Ref. Chen & Huang, 2006

#### Family Corinnidae 管蛛科

*Oedignatha scrobiculata* Thorell, 1881 Ref. Tso et al., 2005  
*Orthobula spiniformis* Tso et al., 2005 Ref. 同前  
*Trachelas taiwanicus* Hayashi & Yoshida 台灣管蛛 Ref. 朱耀沂。2003

#### Family Ctenidae 絞蛛科

*Anahita fauna* 絞蛛 Ref. 朱耀沂。2003  
*Latouchia formosensis* Tso et al., 2003 Ref. 朱耀沂。2003  
*Ummidia taiwanensis* Tso et al., 2003 Ref. Tso, Haupt & Zhu, 2003

#### Family Ctenizidae 螳蟷科

*Bothriocyrtum tractabile* Saito 大螳蟷 Ref. 朱耀沂。2003

#### Family Dictynidae 葉蛛科

*Dictyna felis* Boes.et Str. 葉蛛 Ref. 朱耀沂。2003  
*Lathys humilis* Blackwall 潤枯葉蛛 Ref. 朱耀沂。2003  
*Lathys puta* (O.P. Cambridge) 黃枯葉蛛 Ref. 朱耀沂。2003

#### Family Dipluridae 上戶蛛科

*Euagrus formosanus* Saito 台灣上戶蛛 Ref. 朱耀沂。2003

#### Family Dysderidae 野豬蛛科

*Dysdera crocota* L.Koch 野豬蛛 Ref. 朱耀沂。2003

#### Family Filistatidae 縮網蛛科

*Filistata marginata* Komatsu 縮網蛛 Ref. 朱耀沂。2003

#### Family Gnaphosidae 驚蛛科

*Zelotes asiaticus* (Boes.et Str.) 亞洲狂蛛 Ref. 朱耀沂。2003

#### Family Hahniidae 橫疣蛛科

*Hehnia corticicola* Boes.et Str. 橫疣蛛 Ref. 朱耀沂。2003

#### Family Hersiliidae 長疣蛛科

*Hersilia asiatica* Song & Zheng, 1982 亞洲長疣蛛 Ref. 朱耀沂。2003  
*Hersilia montana* Chen, 2006 Ref. Chen, 2007  
*Hersilia savignyi* Lucas 薩氏長疣蛛 Ref. 朱耀沂。2003  
*Hersilia striata* Wang & Yin, 1985 Ref. Chen, 2007  
*Hersilia taiwanensis* Chen, 2006 Ref. Chen, 2007

#### Family Heteropodidae 高腳蛛科

*Heteropoda forcipata* (Karsch) 鉗高腳蛛 Ref. 朱耀沂。2003  
*Heteropoda venatoria* (Linnaeus) 白額高腳蛛 Ref. 朱耀沂。2003  
*Thelcticopis severa* (L. Koch) 草袋蛛 Ref. 朱耀沂。2003

#### Family Hexathelidae 六疣蛛科

*Macrothele holsti* Pocock 赫爾斯特上戶蛛 Ref. 朱耀沂。2003

*Macrothele simplicata* (Saito) 黑毛上戶蛛 Ref. 朱耀沂。2003

#### Family Leptonetidae 弱蛛科

*Leptoneta changlini* Zhu & Tso, 2002 Ref. Zhu & Tso, 2002

*Leptoneta huisunica* Zhu & Tso, 2002 Ref. 同前

*Leptoneta nigrabdomina* Zhu & Tso, 2002 Ref. 同前

*Leptoneta taiwanensis* Zhu & Tso, 2002 Ref. 同前

#### Family Linyphiidae 皿網蛛科

*Aprifrontalia mascula* (Karsch) 小皿蛛 Ref. 朱耀沂。2003

*Callitrichia formosana* Oi 台灣裂頭小皿蛛 Ref. 朱耀沂。2003

*Erigone koshiensis* Oi 鋸胸微蛛 Ref. 朱耀沂。2003

*Erigone prominens* Boes.et Str. 小鋸胸微蛛 Ref. 朱耀沂。2003

*Erigonidium graminicolum* (Sundevall) 捲葉姬微蛛 Ref. 朱耀沂。2003

*Neriere albolicmbata* (Karsch) 白緣皿蛛 Ref. 朱耀沂。2003

*Oedothorax insecticeps* Boes.et Str. 食蟲瘤胸蛛 Ref. 朱耀沂。2003

#### Family Liocranidae 輝蛛科

*Itatsina praticola* (Boes.et Str.) 草地鼬蛛 Ref. 朱耀沂。2003

*Phrurolithus claripes* (Doenitz & Strand) 輝蛛 Ref. 朱耀沂。2003

*Phrurolithus lynx* Kamura, 1994 Ref. Kamura, 2001

*Phrurolithus taiwanicus* Hayashi & Yoshida 台灣輝蛛 Ref. 朱耀沂。2003

*Sphingius pingtung* Jaeger & Ono, 2001 Ref. Jaeger & Ono, 2001

#### Family Lycosidae 狼蛛科

*Arctosa labiata* Tso & Chen, 2004 Ref. Tso & Chen, 2004

*Arctosa truncata* Tso & Chen, 2004 Ref. 同前

*Hippasa agelenoides* (Simon) 草地馬蛛 Ref. 朱耀沂。2003

*Hippasa holmerae* Thorell 長疣馬蛛 Ref. 朱耀沂。2003

*Lycosa boninensis* Tanaka, 1989 Ref. Tso & Chen, 2004

*Lycosa coelestis* L. Koch 黑腹狼蛛 Ref. 朱耀沂。2003

*Lycosa formosana* Saito 台灣狼蛛 Ref. 朱耀沂。2003

*Lycosa phipsoni* Pocock 黑底狼蛛 Ref. 朱耀沂。2003

*Pardosa astrigera* L. Koch 黑豹蛛 Ref. 朱耀沂。2003

*Pardosa jambaruensis* Tanaka, 1990 詹巴魯豹蛛 Ref. Wei & Chen, 2003

*Pardosa laura* Karsch 溝渠豹蛛 Ref. 朱耀沂。2003

*Pardosa procurva* Yu & Song, 1988 前凹豹蛛 Ref. Wei & Chen, 2003

*Pardosa pseudoannulata* (Boes.et Str.) 擬環紋豹蛛 Ref. 朱耀沂。2003

*Pardosa takahashii* (Saito) 沙地豹蛛 Ref. 朱耀沂。2003

*Pirata clercki* (Boes.et Str.) 克氏水狼蛛 Ref. 朱耀沂。2003

*Pirata denticulatus* Liu, 1987 Ref. Tso & Chen, 2004

*Pirata digitatus* Tso & Chen, 2004 Ref. 同前

*Trochosa ruricoloides* Schenkel, 1963 Ref. 同前

*Venonia spirocysta* Cai, 1991 Ref. 同前

*Wadicosa fidelis* (Cambridge, 1872) Ref. 同前

#### Family Miturgidae 長腳袋蛛科

*Cheiracanthium eutiitha* Bosenberg & Strand, 1906 長腿紅螫蛛 Ref. Chen et al., 2006

*Cheiracanthium fulcatum* Chen et al., 2006 台灣紅螫蛛 Ref. 同前

*Cheiracanthium insulanum* (Thorell, 1878) 島嶼紅螫蛛 Ref. Chen & Huang, 2004

*Cheiracanthium lascivum* Karsch 活潑紅螫蛛 Ref. 朱耀沂。2003

*Cheiracanthium taiwanicum* Chen et al., 2006 台灣紅螫蛛 Ref. Chen et al., 2006

#### Family Oecobiidae 埃蛛科

*Oecobius annulipes* (Lucas) 環腳埃蛛 Ref. 朱耀沂。2003

*Oecobius formosensis* (Kishida) 台灣埃蛛 Ref. 朱耀沂。2003

#### Family Oonopidae 卵蛛科

*Gamasomorpha cataphracta* Karsch 蟻蛛 Ref. 朱耀沂。2003

*Ischnothyreus narutomii* (Nakatsudi) 鎧蛛 Ref. 朱耀沂。2003

*Opopaea sauteri* Brignoli 梭德氏婢蛛 Ref. 朱耀沂。2003

#### Family Oxyopidae 貓蛛科

*Oxyopes macilentus* L. Koch 條紋貓蛛 Ref. 朱耀沂。2003

*Oxyopes sertatus* L. Koch 斜紋貓蛛 Ref. 朱耀沂。2003

*Peucetis formosensis* Kishida 台灣貓蛛 Ref. 朱耀沂。2003

#### Family Philodromidae 蝦蛛科

*Philodromus spinitarsis* Simon 樹皮蝦蛛 Ref. 朱耀沂。2003

#### Family Pholcidae 幽靈蛛科

*Artema atlanta* Walckenaer 熱帶幽靈蛛 Ref. 朱耀沂。2003

*Pholcus crypticolens* Boes.et Str. 隱居幽靈蛛 Ref. 朱耀沂。2003

*Pholcus inermis* Kishida 無毛幽靈蛛 Ref. 朱耀沂。2003

*Pholcus phalangioides* (Fuesslin) 室內幽靈蛛 Ref. 朱耀沂。2003

*Smeringopus pallidus* (Blackwall) 擬幽靈蛛 Ref. 朱耀沂。2003

*Spermophora senoculata* (Duges) 廣六眼幽靈蛛 Ref. 朱耀沂。2003

### Family Pisauridae 跑蛛科

- Dolomedes horishanus* Kishida 黑背跑蛛 Ref. 朱耀沂。2003  
*Dolomedes mizhoanus* Kishida 褐腹跑蛛 Ref. 朱耀沂。2003  
*Dolomedes raptor* Boes.et Str. 溪跑蛛 Ref. 朱耀沂。2003  
*Dolomedes saganus* Boes.et Str. 赤條跑蛛 Ref. 朱耀沂。2003  
*Hygropona higenaga* (Kishida) 長觸肢跑蛛 Ref. 朱耀沂。2003  
*Perenethis venusta* Koch, 1978 華麗四角蛛 Ref. Chen & Chen, 2002  
*Thalassius phipsoni* O.P. Cambridge 白條跑蛛 Ref. 朱耀沂。2003

### Family Psechridae 襖網蛛科

- Psechrus sinensis* Berland 中國襖網蛛 Ref. 朱耀沂。2003

### Family Salticidae 蠅虎科

- Carrhotus xanthogramma* (Latreille) 橙黃蠅虎 Ref. 朱耀沂。2003  
*Chinattus taiwanensis* Bao & Peng, 2002 台灣華蛛 Ref. Bao & Peng, 2002  
*Cytaea levii* Peng & Li, 2002 列偉胞蛛 Ref. Peng & Li, 2002  
*Dexippus taiwanensis* Peng & Li, 2002 台灣右蛛 Ref. 同前  
*Euophrys albobalpalis* Bao & Peng, 2002 白鬚侏斑蛛 Ref. Bao & Peng, 2002  
*Euophrys bulbosus* Bao & Peng, 2002 球狀侏斑蛛 Ref. 同前  
*Evarcha crassipes* (Karsch) 粗腳條斑蠅虎 Ref. 朱耀沂。2003  
*Harmochirus branchiatus* Thorell, 1877 Ref. Peng, Tso & Li, 2002  
*Hasarius adansoni* (Audouin) 安德遜蠅虎 Ref. 朱耀沂。2003  
*Marpissa elongata* (Karsch) 箭形蠅虎 Ref. 朱耀沂。2003  
*Marpissa pulla* (Karsch) 橫紋蠅虎 Ref. 朱耀沂。2003  
*Menemerus confusus* Boes.et Str. 白鬚蠅虎 Ref. 朱耀沂。2003  
*Myrmarachne formosana* (Saito) 台灣蟻蛛 Ref. 朱耀沂。2003  
*Myrmarachne formosicola* Strand 擬台灣蟻蛛 Ref. 朱耀沂。2003  
*Myrmarachne innermichelis* Boes.et Str. 黑色蟻蛛 Ref. 朱耀沂。2003  
*Myrmarachne japonica* (Karsch) 日本蟻蛛 Ref. 朱耀沂。2003  
*Myrmarachne magnus* Saito 大蟻蛛 Ref. 朱耀沂。2003  
*Myrmarachne sansiborica* Strand 無刺蟻蛛 Ref. 朱耀沂。2003  
*Neon zonatus* Bao & Peng, 2002 帶小跳蛛 Ref. Bao & Peng, 2002  
*Pancorius magnus* Zabka, 1985 大盤蛛 Ref. Peng & Li, 2002  
*Pancorius taiwanensis* Bao & Peng, 2002 台灣盤蛛 Ref. Bao & Peng, 2002  
*Phintella abnormis* (Boes.et Str.) 異常黑條蠅虎 Ref. 朱耀沂。2003  
*Phintella debilis* (Thorell, 1892) 柔弱條斑蠅虎 Ref. Peng & Li, 2002  
*Phintella lineata* (Karsch) 直線黑條蠅虎 Ref. 朱耀沂。2003  
*Phintella versicolor* (C. Koch) 眼鏡黑條蠅虎 Ref. 朱耀沂。2003  
*Plexippus paykulli* (Audouin) 褐條斑蠅虎 Ref. 朱耀沂。2003  
*Ptocasius strupiter* Simon, 1901 Ref. Peng, Tso & Li, 2002  
*Rhene atrata* (Karsch) 寬胸蠅虎 Ref. 朱耀沂。2003  
*Siler cupreus* Simon, 1899 Ref. Peng, Tso & Li, 2002  
*Sitticus penicillatus* (Simon) 白星褐蠅虎 Ref. 朱耀沂。2003  
*Sitticus taiwanensis* Peng & Li, 2002 台灣褐蠅虎 Ref. Peng & Li, 2002  
*Sitticus wuae* Peng et al., 2002 Ref. Peng, Tso & Li, 2002  
*Spartaeus ellipticus* Bao & Peng, 2002 橢圓雀躍蛛 Ref. Bao & Peng, 2002  
*Synagelides palpalis* Zabka, 1985 Ref. Peng, Tso & Li, 2002  
*Synagelides palpaloides* Peng et al., 2002 Ref. 同前  
*Tauala elongata* Peng & Li, 2002 長牛蛛 Ref. Peng & Li, 2002  
*Wanlessia denticulata* Peng et al., 2002 Ref. Peng, Tso & Li, 2002  
*Yaginumaella lobata* Peng et al., 2002 Ref. 同前  
*Zebraplatys bulbosus* Peng et al., 2002 Ref. 同前

### Family Scytodidae 山城蛛科

- Scytodes nigrolineata* (Simon) 黑條山城蛛 Ref. 朱耀沂。2003  
*Scytodes thoracica* (Latreille) 花斑山城蛛 Ref. 朱耀沂。2003

### Family Segestriidae 閻魔蛛科

- Ariadna lateralis* (Karsch) 宮蛛 Ref. 朱耀沂。2003

### Family Selenopidae 擬扁蛛科

- Selenops bursarius* Karsch 囊擬扁蛛 Ref. 朱耀沂。2003  
*Selenops formosanus* Kayashima 台灣擬扁蛛 Ref. 朱耀沂。2003

### Family Sicariidae 絲蛛科

- Loxosceles rufescens* (Dufour) 絲蛛 Ref. 朱耀沂。2003

### Family Sparassidae 巨蟹蜘蛛科

- Olios scalptor* Jaeger & Ono, 2001 Ref. Jaeger & Ono, 2001  
*Pseudopoda recta* Jaeger & Ono, 2001 Ref. 同前  
*Pseudopoda serrata* Jaeger & Ono, 2001 Ref. 同前  
*Sinopoda expectata* Jaeger & Ono, 2001 Ref. 同前

### Family Tetragnathidae 長腳蛛科

- Herennia ornatissima* (Dolleschall) 裂腹蛛 Ref. 朱耀沂。2003

*Leucauge blanda* (L.Koch) 肩斑銀腹蛛 Ref. 朱耀沂。2003  
*Leucauge decorata* (Blackwall) 尖尾銀腹蛛 Ref. 朱耀沂。2003  
*Leucauge magnifica* Yaginuma 大銀腹蛛 Ref. 朱耀沂。2003  
*Leucauge venusta* (Walckenaer) 脈斑銀腹蛛 Ref. 朱耀沂。2003  
*Metleucauge chikunii* Tanikawa 褐腹長蹠蛛 Ref. 朱耀沂。2003  
*Metleucauge kompirensis* (Boes.et Str.) 金比羅長蹠蛛 Ref. 朱耀沂。2003  
*Metleucauge yunohamensis* (Boes.et Str.) 眼鏡長蹠蛛 Ref. 朱耀沂。2003  
*Nephila clavata* (Fabricius) 橫帶人面蜘蛛 Ref. 朱耀沂。2003  
*Nephila maculata* (Fabricius) 人面蜘蛛 Ref. 朱耀沂。2003  
*Tetragnatha ceylonica* Canbridge 錫蘭長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha chauliodus* (Thorell) 細長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha esakii* Okuma 江崎長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha gracilis* Stoliczka 銀長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha hiroshii* Okuma 長沼氏長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha javana* (Thorell) 爪哇長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha lauta* Yaginuma 方網長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha mandibulata* Walckenaer 大長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha maxillosa* Thorell 日本長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha nepiformis* Doleschall 台灣長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha nitens* (Audouin) 華麗長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha praedonia* L.Koch 前齒長腳蛛 Ref. 朱耀沂。2003  
*Tetragnatha squamata* Karsch 綠鱗長腳蛛 Ref. 朱耀沂。2003  
*Tylorida striata* (Thorell) 條紋高腹蛛 Ref. 朱耀沂。2003  
*Tylorida ventralis* Thorell 橫帶高腹蛛 Ref. 朱耀沂。2003

### Family Theraphosidae 捕鳥蛛科

*Yamia watase* Kishida 雅美蛛 Ref. 朱耀沂。2003

### Family Theridiidae 姬蛛科

*Achaearanea angulithorax* (Boes.et Str.) 吊鐘姬蛛 Ref. 朱耀沂。2003  
*Achaearanea ferrumequina* (Boes.et Str.) 粗腿姬蛛 Ref. 朱耀沂。2003  
*Achaearanea japonica* (Boes.et Str.) 日本姬蛛 Ref. 朱耀沂。2003  
*Achaearanea kompirensis* (Boes.et Str.) 三點姬蛛 Ref. 朱耀沂。2003  
*Achaearanea lunata* (Clerck) 月形姬蛛 Ref. 朱耀沂。2003  
*Achaearanea tepidariorum* (C. Koch) 大姬蛛 Ref. 朱耀沂。2003  
*Anelosimus taiwanicus* Yoshida 台灣粗腳姬蛛 Ref. 朱耀沂。2003  
*Argyrodes bonadea* (Karsch) 銀腹寄居姬蛛 Ref. 朱耀沂。2003  
*Argyrodes cylindrogaster* (Simon) 蚓腹寄居姬蛛 Ref. 朱耀沂。2003  
*Argyrodes fissifrons* O.P.Cambridge 裂額寄居姬蛛 Ref. 朱耀沂。2003  
*Argyrodes miniaceus* (Doleschall) 赤腹寄居姬蛛 Ref. 朱耀沂。2003  
*Argyrodes xiphias* Thorell 劍額寄居姬蛛 Ref. 朱耀沂。2003  
*Chryso argyrodiformis* (Yaginuma) 小高金姬蛛 Ref. 朱耀沂。2003  
*Chryso caudigera* Yoshida 長尾金姬蛛 Ref. 朱耀沂。2003  
*Chryso lativentris* Yoshida 闊腹金姬蛛 Ref. 朱耀沂。2003  
*Chryso nigra* (O.P.Cambridge) 黑色金姬蛛 Ref. 朱耀沂。2003  
*Chryso punctifera* (Yaginuma) 斑點金姬蛛 Ref. 朱耀沂。2003  
*Chryso spiniventris* (O.P.Cambridge) 棘腹金姬蛛 Ref. 朱耀沂。2003  
*Chryso trimaculata* Zhu, Zhang & Xu 三斑金姬蛛 Ref. 朱耀沂。2003  
*Chryso venusta* (Yaginuma) 華麗金姬蛛 Ref. 朱耀沂。2003  
*Chryso vesiculosa* (Simon) 四疣金姬蛛 Ref. 朱耀沂。2003  
*Coleosoma blandum* O.P.Cambridge 鞘腹姬蛛 Ref. 朱耀沂。2003  
*Coleosoma octomaculatum* (Boes.et Str.) 八星鞘腹姬蛛 Ref. 朱耀沂。2003  
*Dipoena flavomarginate* Boes.et Str. 黃緣微姬蛛 Ref. 朱耀沂。2003  
*Dipoena japonica* (yoshida) 日本微姬蛛 Ref. 朱耀沂。2003  
*Dipoena mustelina* (Simon) 鼬形微姬蛛 Ref. 朱耀沂。2003  
*Dipoena mutilata* Boes.et Str. 小紅微姬蛛 Ref. 朱耀沂。2003  
*Episinus affinis* Boes.et Str. 菱蛛 Ref. 朱耀沂。2003  
*Episinus makiharai* Okuma 慎原氏菱蛛 Ref. 朱耀沂。2003  
*Episinus punctisparsus* Yoshida 散斑菱蛛 Ref. 朱耀沂。2003  
*Episinus yoshidai* Okuma 吉田氏菱蛛 Ref. 朱耀沂。2003  
*Latrodectus mactans* (Fabricius) 赤背寡婦蛛 Ref. 朱耀沂。2003  
*Molione triacantha* Thorell 三棘姬蛛 Ref. 朱耀沂。2003  
*Moneta mirabilis* (Boes.et Str.) 擬短跗菱蛛 Ref. 朱耀沂。2003  
*Moneta spiniger* O.P.Cambridge 短跗菱蛛 Ref. 朱耀沂。2003  
*Moneta yoshimurai* (yoshida) 古村氏短跗菱蛛 Ref. 朱耀沂。2003  
*Pholcomma nigromaculatum* Yoshida 黑星盜姬蛛 Ref. 朱耀沂。2003  
*Phoroncidia alishanense* Chen 阿里山錐頭姬蛛 Ref. 朱耀沂。2003  
*Steatoda cavernicola* (Boes.et Str.) 月斑鳴姬蛛 Ref. 朱耀沂。2003  
*Steatoda erigoniformis* (O.P.Cambridge) 七星鳴姬蛛 Ref. 朱耀沂。2003  
*Theridion elegantissium* Roewer 粉點姬蛛 Ref. 朱耀沂。2003  
*Theridion rufipes* Lucas 紅腳姬蛛 Ref. 朱耀沂。2003  
*Theridion subpallens* Boes.et Str. 灰姬蛛 Ref. 朱耀沂。2003

### Family Thomisidae 蟹蛛科

- Misumenoides formosipes* (Walckenaer) 擬姬花蛛 Ref. 朱耀沂。2003  
*Misumenops japonicus* (Boes.et Str.) 日本花蛛 Ref. 朱耀沂。2003  
*Misumenops tricuspidatus* (Fabricius) 三突花蛛 Ref. 朱耀沂。2003  
*Oxytate striatipes* L. Koch 嫩葉蛛 Ref. 朱耀沂。2003  
*Runcinia albostrata* Boes.et Str. 白條鉅蟹蛛 Ref. 朱耀沂。2003  
*Takachioha trunciformis* (Boes.et Str.) 小樹皮蟹蛛 Ref. 朱耀沂。2003  
*Thomisus labefactus* Karsch 三角蟹蛛 Ref. 朱耀沂。2003  
*Thomisus okinawensis* Strand 琉球三角蟹蛛 Ref. 朱耀沂。2003  
*Tmarus taiwanus* Ono 台灣虎斑蟹蛛 Ref. 朱耀沂。2003  
*Xysticus chui* Ono 朱氏蟹蛛 Ref. 朱耀沂。2003

### Family Titanoecidae 崖地蛛科

- Nurscia albofasciata* (Strand) 日本崖地蛛 Ref. 朱耀沂。2003  
*Pandava laminata* (Thorell) 熱帶崖地蛛 Ref. 朱耀沂。2003

### Family Uloboridae 渦蛛科

- Hyptiotes affinis* Boes.et Str. 扇網蛛 Ref. 朱耀沂。2003  
*Miagrammopes oblongus* Yoshida 長夜蛛 Ref. 朱耀沂。2003  
*Miagrammopes orientalis* Boes.et Str. 東亞夜蛛 Ref. 朱耀沂。2003  
*Octonoba spinosa* Yoshida 棘渦蛛 Ref. 朱耀沂。2003  
*Octonoba taiwanica* Yoshida 台灣渦蛛 Ref. 朱耀沂。2003  
*Octonoba varians* (Boes.et Str.) 變異渦蛛 Ref. 朱耀沂。2003  
*Philoponella nigromaculata* Yoshida 黑斑渦蛛 Ref. 朱耀沂。2003  
*Philoponella prominens* (Boes.et Str.) 隆背渦蛛 Ref. 朱耀沂。2003  
*Zosis geniculatus* (Olivier, 1879) 膝形渦蛛 Ref. 朱耀沂。2003

### Family Zodariidae 法師蛛科

- Doosia japonica* (Boes.et Str.) 道士蛛 Ref. 朱耀沂。2003

## Order Astigmata 無氣門目

### Family Acaridae 粉蟎科

- Acarus domesticus* deGeer, 1778 Ref. Maa & Kuo, 1966  
*Acarus farinae* deGeer, 1778 Ref. 同前  
*Acarus gracilis* Hughes, 1957 Ref. Tseng, 1972  
*Acarus siro* Linnaeus, 1758 Ref. Tseng, 1972  
*Acotyledon krameri* (Berlese), 1881 Ref. Tseng, 1972  
*Acotyledon rhizoglyphoides* (Zachvatkin), 1937 Ref. Tseng, 1972  
*Aleuroglyphus formosanus* Tseng, 1972 Ref. Tseng, 1972  
*Aleuroglyphus ovatus* (Troupeau), 1879 Ref. Tseng, 1972  
*Cologlyphus berleis* (Michael), 1903 Ref. Tseng, 1972  
*Cologlyphus mycophagus* Megnin, 1982 Ref. Tseng, 1989  
*Lardoglyphus konoii* Sasa & Asanuma, 1951 Ref. Tseng, 1972  
*Rhizoglyphus cadanii* Manson, 1972 Ref. Tseng, 1989  
*Rhizoglyphus caladii* Manson, 1972  
*Rhizoglyphus callae* Oudemans, 1924 水竿根蟎  
*Rhizoglyphus longispinosus* Ho & Chen, 2001 Ref. Ho & Chen, 2001  
*Rhizoglyphus robini* Claparede, 1869 羅賓根蟎  
*Rhizoglyphus setosus* Manson, 1972 長毛根蟎 Ref. Ho & Chen, 1987  
*Rhizoglyphus tsutiensis* Ho & Chen, 2000 Ref. Ho & Chen, 2000  
*Schwiebea araujoae* Fain, 1963 Ref. Ho, 1993  
*Schwiebea cuucta* Ho, 1993 全毛根蟎 Ref. Ho, 1993  
*Schwiebea mertzi* Woodring  
*Schwiebea taiwanensis* Ho, 1993 台灣根蟎 Ref. Ho, 1993  
*Suidasia medianensis* Oudemans, 1924 棉蘭皺皮蟎 Ref. Tseng, 1972  
*Suidasia nesbitti* Hughes, 1948 納氏皺皮蟎 Ref. Tseng, 1972  
*Suidasia pontifica* Oudemans, 1905  
*Tyrophagus entomophagus* (Labocephala & Robin), 1862 Ref. Tseng, 1972  
*Tyrophagus bambusae* Tseng, 1973 Ref. Tseng, 1972  
*Tyrophagus casei* Oudemans, 1910 Ref. Tseng, 1972  
*Tyrophagus kentinus* Tseng, 1973 Ref. Tseng, 1972  
*Tyrophagus longior* (Gervais), 1844 Ref. Tseng, 1972  
*Tyrophagus palmarum* Oudemans, 1924 Ref. Tseng, 1972  
*Tyrophagus putrescentiae* (Schrank), 1781

### Family Aeroglyphidae 嗜濕蟎科

- Glycocometus malaysiensis* (Fain & Nadchatram), 1980

### Family Analgidae 羽蟎科

- Megninia cubitalis* (Megnin), 1877 Ref. Maa & Kuo, 1966  
*Megniniella gallinulae* (Buchholz), 1869 Ref. 同前

### Family Chortoglyphidae 嗜草蟎科

- Chortoglyphus arcuatus* (Troupeau), 1878 背嗜草蟎 Ref. Maa & Kuo, 1966

### **Family Echimyopodidae 墊蟎科**

*Blomia tropicalis* Bronswijk et al., 1963 Ref. van Bronswijk de, Cock & Oshima, 1974

### **Family Falculiferidae 鴿羽蟎科**

*Falculifer rostratus* (Buchholz), 1869 喙鴿羽蟎 Ref. Maa & Kuo, 1966

### **Family Glycyphagidae 食甜蟎科**

*Lepidoglyphus destructor* (Schrank), 1781

### **Family Kemidokoptidae 疙蟎科**

*Knemidokoptes mutans* (Robin), 1860 禽疙蟎 Ref. Maa & Kuo, 1966

*Neocnemidocoptes laevis* (Railliet), 1887 雞疙蟎 Ref. 同前

### **Family Psoroptidae 慳蟎科**

*Chorioptes bovis* (Hering), 1838 牛痒蟎 Ref. Maa & Kuo, 1966

*Psoroptes equi* (Raspail), 1834 馬慳蟎 Ref. 同前

### **Family Pterolichidae 翅蟎科**

*Pterolichus obtusus* Robin, 1877 鈍翅蟎 Ref. Maa & Kuo, 1966

### **Family Pyroglyphidae 塵蟎科**

*Dermatophagoides farinae* (Hughes), 1961

*Dermatophagoides pteronyssinus* (Trouessart), 1897

*Euroglyphus maynei* Cooreman, 1950

*Hirstia domicola* (Oshima&Bronswijk), 1974

### **Family Sarcoptidae 疥蟎科**

*Notoedres cati* (Hering), 1838 貓節疥蟎 Ref. Maa & Kuo, 1966

*Sarcoptes scabiei* (Degeer), 1778 人疥蟎 Ref. 同前

## **Order Mesostigmata 革蟎目**

### **Family Ascidae 囊蟎科**

*Asca aphidioides* Linnaeus, 1758 Ref. Tseng, 1981

*Asca equalis* Deleon, 1967 Ref. Tseng, 1981

*Asca flabellifera* Tseng, 1981 Ref. Tseng, 1981

*Asca garmani* Hulburt, 1963 Ref. Tseng, 1981

*Asca garmanioides* Deleon, 1967 Ref. Tseng, 1981

*Asca inflata* Tseng, 1981 Ref. Tseng, 1981

*Asca lacertosa* Tseng, 1981 Ref. Tseng, 1981

*Asca malathina* Tseng, 1981 Ref. Tseng, 1981

*Asca microplumosa* Tseng, 1981 Ref. Tseng, 1981

*Asca ramasa* Tseng, 1981 Ref. Tseng, 1981

*Asca spicata* Hurlbutt, 1963 Ref. Tseng, 1981

*Asca tricoricula* Tseng, 1981 Ref. Tseng, 1981

### **Family Dermanyssidae 皮刺蟎科**

*Dermanyssus gallinae* (de Geer), 1778 Ref. Maa & Kuo, 1966

*Dermanyssus hirundinis* (Hermann), 1804 Ref. 同前

### **Family Macrchelidae 巨螯蟎科**

*Macrocheles muscaedomesticae* (Scopoli), 1772

### **Family Phytoseiidae 捕植蟎科**

*Amblyseius alpinia* Tseng, 1983 Ref. Tseng, 1983

*Amblyseius asetis* (Chant), 1959 少毛捕植蟎 Ref. Tseng, 1983

*Amblyseius bellatulus* Tseng, 1983 Ref. Tseng, 1983

*Amblyseius californicus* (McGregor) 加州捕植蟎 Ref. Ho, 1989

*Amblyseius cucumeris* (Oudemans), 1930 胡瓜捕植蟎 Ref. Ho, 1989

*Amblyseius eharai* Amitai & Swirski, 1981 江原純綏蟎 Ref. Ho, Shih & Chen

*Amblyseius fallacis* (Garman), 1799 法拉斯捕植蟎 Ref. Ho, 1989

*Amblyseius herbicolus* (Chant), 1959 長尾捕植蟎 Ref. Tseng, 1983

*Amblyseius largoensis* (Muma), 1955 Ref. Lo, 1969

*Amblyseius monomacrosetus* Tseng, 1976 Ref. Tseng, 1976

*Amblyseius pascalis* Tseng, 1983 Ref. Tseng, 1983

*Amblyseius tamatavensis* Blommers, 1974 Ref. Tseng, 1976

*Amblyseius trisetosus* Tseng, 1983 Ref. Tseng, 1983

*Chanteius contiguus* (Chant), 1959 Ref. Tseng, 1975

*Chiliseius lienii* Tseng, 1976 Ref. Tseng, 1976

*Euseius ovalis* (Evans), 1953 卵形捕植蟎 Ref. Lo, 1969

*Indoseiulus liturivorus* (Ehara), 1982 Ref. Tseng, 1983

*Neoseiulella compata* (Corpuz-Rarua), 1966 Ref. Tseng, 1975

*Neoseiulella eleglidus* (Tseng), 1983 Ref. Tseng, 1983

*Neoseiulus baraki* (Athias-Henriot), 1966 Ref. Tseng, 1983

*Neoseiulus barkeri* Hughes, 1948 Ref. Tseng, 1983

*Neoseiulus longispinosus* (Evans), 1952 Ref. Lo, 1969

*Neoseiulus makuwa* (Ehara), 1972 Ref. Tseng, 1983

*Neoseiulus spineus* (Tseng), 1976 Ref. Tseng, 1976  
*Neoseiulus taiwanicus* (Ehara), 1970 Ref. Tseng, 1976  
*Neoseiulus womersleyi* (Schicha), 1975 溫氏補植蟎 Ref. Tseng, 1983  
*Okiseius formosanus* Tseng, 1972 Ref. Tseng, 1972  
*Okiseius subtropicus* (Ehara), 1967 Ref. Tseng, 1976  
*Paraamblyseius formosanus* (Ehara), 1970 Ref. Tseng, 1976  
*Paraphytoseius chihpenensis* Ho & Lo, 1989 Ref. Ho & Lo, 1989  
*Paraphytoseius cracentis* (Corpus & rimando), 1966 Ref. Ho & Lo, 1989  
*Paraphytoseius hualienensis* Ho & Lo, 1989 Ref. Ho & Lo, 1989  
*Paraphytoseius hyalinus* (Tseng), 1973 Ref. Tseng, 1973  
*Paraphytoseius orientalis* (Narayanan, Kaur & Ghai) 1960 Ref. Ho & Lo, 1989  
*Paraphytoseius subtropicus* (Tseng), 1972 Ref. Tseng, 1972  
*Phytoseculus salebrosus* (Chant), 1960 Ref. Lo, 1969  
*Phytoseiulus persimilis* Athias-Henriot, 1957 智利捕植蟎 Ref. Ho, 1989  
*Phytoseiulus sonunensis* Ryu & Ehara, 1993 Ref. Ho, Shih & Chen  
*Phytoseius coheni* Swirski & Shechter, 1961 Ref. Tseng, 1975  
*Phytoseius crinitus* Swirski & Shechter, 1961 Ref. Ho, Shih & Chen  
*Phytoseius hogkongensis* Swirski & Shechter, 1961 Ref. Tseng, 1976  
*Phytoseius minutus* Narayanan et al., 1960 Ref. Tseng, 1976  
*Phytoseius rugatus* Tseng, 1976 Ref. Tseng, 1976  
*Proprioseiopsis ovatus* (Garman), 1958 Ref. Tseng, 1983  
*Proprioseiopsis pubes* (Tseng), 1976 Ref. Tseng, 1976  
*Typhlodromips anuwati* Ehara & Bhandhufalck, 1977 Ref. Tseng, 1983  
*Typhlodromips newsami* (Evans), 1953 Ref. Tseng, 1983  
*Typhlodromips obesus* Tseng, 1983 Ref. Tseng, 1983  
*Typhlodromips okinawanus* (Ehara), 1967 Ref. Lo, 1969  
*Typhlodromips transvaalensis* (Nesbitt), 1951 Ref. Tseng, 1983  
*Typhlodromips vestificus* (Tseng), 1976 Ref. Tseng, 1976  
*Typhrodromus changi* Teng, 1975 Ref. Tseng, 1975  
*Typhrodromus gracilentus* Teng, 1975 Ref. Tseng, 1975  
*Typhrodromus lanyuensis* Tseng, 1975 Ref. Tseng, 1975  
*Typhrodromus neocrassus* Tseng, 1983 Ref. Tseng, 1983  
*Typhrodromus occidentalis* Nesbitt 西方捕植蟎 Ref. Ho, 1989  
*Typhrodromus pseudoserrulatus* Tseng, 1983 Ref. Tseng, 1983  
*Typhrodromus ryukyuensis* Ehara, 1967 Ref. Tseng, 1975  
*Typhrodromus tridentiger* Tseng, 1975 Ref. Tseng, 1975

#### Family Spinturnicidae 蟎蟎科

*Spinturnix psi* (Kolenati), 1856 賽蟎蟎 Ref. Maa & Kuo, 1966  
*Spinturnix verutus* Delfinado & Baker, 1963 Ref. 同前

#### Family Varroidae 瓦蟎科

*Varroa destructor* Anderson & Trueman, 2000 蜜蜂蟹蟎 Ref. 羅幹成。2006

### Order Oribatida 甲蟎目

#### Family Achipteriidae 角翼甲蟎科

*Campachipteria uenoi* Aoki, 1995 Ref. Aoki, 1995  
*Parachipteria distincta* Aoki, 1991 Ref. Aoki, 1991

#### Family Ameridae 無領甲蟎科

*Defectamerus crassisetiger* Aoki, 1991 Ref. Aoki, 1991

#### Family Ameronothroidea 美背甲蟎科

*Haplozetes loongchiensis* Tseng, 1984 Ref. Tseng, 1984

#### Family Astegistidae 卵腹甲蟎科

*Cultroribula lata* Aoki, 1997 圓卵腹蟎 Ref. Chu & Aoki, 1997

#### Family Austrachipteriidae 澳角翼甲蟎科

*Hypozetes crassisetiger* Aoki, 1995 Ref. Aoki, 1995  
*Hypozetes rostralis* Tseng, 1984 Ref. Tseng, 1984  
*Lamellobates palustris* Hammer, 1984 Ref. Tseng, 1984  
*Paralamellobates bengalensis* (Bhaduri & Rayvhaudhuri, 1984) Ref. Tseng, 1984

#### Family Basilobelbidae 王腳甲蟎科

*Basilobelba parmata* Okayama, 1980 腹毛王腳甲蟎 Ref. Chu & Aoki, 1997

#### Family Camisiidae 鬼甲蟎科

*Globonothrus limbulatus* Tseng, 1982 Ref. Tseng, 1982  
*Heminothrus longisetosus* Willmann, 1925 長毛鬼甲蟎 Ref. Chu & Aoki, 1997  
*Platynothrus pelitfer* (C. L. Koch), 1989 Ref. Aoki, 1995

#### Family Carabodoidea 雕甲蟎科

*Carabodes peniculatus* Aoki, 1997 矮雕蟎 Ref. Chu & Aoki, 1997  
*Carabodes rimosus* Aoki, 1959 Ref. Aoki, 1995  
*Yoshiobodes nakatamarii* (Aoki), 1997 Ref. Chu & Aoki, 1997

**Family Cepheoidea 鮮甲蟎**

*Cepheus takasago* Aoki, 1991 Ref. Aoki, 1991

**Family Ceratozetidae 尖稜甲蟎科**

*Allozetes africanus* Balogh, 1984 Ref. Tseng, 1984

*Allozetes latus* Tseng, 1984 Ref. Tseng, 1984

*Baloghobates nudus* Hammer, 1984 Ref. Tseng, 1984

*Ceratozetes japonicus* Aoki, 1997 日本扭翼蟎 Ref. Chu & Aoki, 1997

*Falsolobozetes laneus* Tseng, 1984 Ref. Tseng, 1984

*Pseudogaminozetes obliquus* Tseng, 1984 Ref. Tseng, 1982

**Family Damaeidae 球背甲蟎科**

*Belba flagellata* Tseng, 1982 Ref. Chu & Aoki, 1997

*Belba verrucosa* Aoki, 1984 Ref. Aoki, 1995

**Family Dampfiellidae 小濕費甲蟎科**

*Eremella induta* Berlese, 1982 Ref. Aoki, 1995

**Family Epilohamanniidae 溝腹甲蟎科**

*Epilohamannia ovata* Aoki, 1997 大溝腹蟎 Ref. Chu & Aoki, 1997

*Epilohamannia taiwanica* Tseng, 1982 Ref. Tseng, 1982

**Family Eremobelbidae 類背甲蟎科**

*Eremobelba japonica* Aoki, 1997 日本類背蟎 Ref. Chu & Aoki, 1997

**Family Eremulidae 沙甲蟎科**

*Eremulus rimosus* Tseng, 1982 Ref. Tseng, 1982

**Family Euphthiracaridae 真卷甲蟎科**

*Euphthiracarus takahashii* Aoki, 1997 高橋氏真狃蟎 Ref. Chu & Aoki, 1997

**Family Galumnellidae 大小翼甲蟎科**

*Galumnella angustiformis* Aoki, 1984 Ref. Tseng, 1984

**Family Galumnidae 大翼甲蟎科**

*Galumna granalata* Aoki, 1997 粒巨袖蟎 Ref. Chu & Aoki, 1997

*Galumna pallida* Tseng, 1984 Ref. Tseng, 1984

*Galumna pyramidalis* Tseng, 1984 Ref. Tseng, 1984

*Pergalumna intermedia* Aoki, 1997 粗毛巨袖蟎 Ref. Chu & Aoki, 1997

*Pergalumna magnipora* Aoki, 1997 鞭毛巨袖蟎 Ref. 同前

*Pergalumna operata* Tseng, 1984 Ref. Tseng, 1984

**Family Gustaviidae 鉅鉞甲蟎科**

*Gustavia longicornis* Berlese, 1904 Ref. Aoki, 1995

**Family Haplozetidae 角袖甲蟎科**

*Glaberribates urbanus* Tseng, 1984 Ref. Tseng, 1984

*Lauritzenia carneus* Tseng, 1984 Ref. Tseng, 1984

*Lauritzenia minuta* Tseng, 1984 Ref. Tseng, 1984

*Peloribates longisetosa* Tseng, 1984 Ref. Tseng, 1984

*Peloribates pakistanensis* Hammer, 1984 Ref. Tseng, 1984

*Rostrozetes fovelatus* Sellnick, 1984 Ref. Tseng, 1984

*Rostrozetes ovulum* (Berlese), 1908 突角袖蟎 Ref. Chu & Aoki, 1997

**Family Hermanniellidae 矮隆背甲蟎科**

*Hermanniella punctulata* Berlese, 1980 星斑矮隆背蟎 Ref. Chu & Aoki, 1997

**Family Hermanniidae 隆背甲蟎科**

*Hermannia kanoi* Aoki, 1997 加納隆背蟎 Ref. Chu & Aoki, 1997

**Family Heterobelbidae 異腳甲蟎科**

*Heterobelba stellifera* Aoki, 1990 臺灣異腳甲蟎 Ref. Aoki, 1990

*Heterobelba stellifera* Okayama, 1980 Ref. Chu & Aoki, 1997

**Family Humerobatidae**

*Humerobates taiwanensis* Tseng, 1984 Ref. Tseng, 1984

**Family Hypochthoniidae 縫甲蟎科**

*Eohypochthonius crassisetiger* Aoki, 1980 梭毛縫甲蟎 Ref. Chu & Aoki, 1997

*Eohypochthonius gracilis* (Jacot), 1982 Ref. Tseng, 1982

**Family Idiozetidae 隆腹甲蟎科**

*Idozes erectus* Aoki, 1976 鉞形隆腹甲蟎 Ref. Chu & Aoki, 1997

**Family Lohmanniidae 羅甲蟎科**

*Haplacarus pairathi* Aoki, 1997 排羅氏筒型蟎 Ref. Chu & Aoki, 1997

*Mixacarus exilis* Aoki, 1997 粗筒型蟎 Ref. 同前

*Mixacarus sublestus* Tseng, 1982 Ref. Tseng, 1982

*Papillacarus hirsutus* (Aoki), 1961 密毛筒型蟎 Ref. Chu & Aoki, 1997

*Vigilomicrozetes puchellus* Tseng, 1982 Ref. Tseng, 1982

### Family Malaconothridae 盲甲蠹科

*Trimalaconothrus albulus* Hammer, 1982 Ref. Aoki, 1995  
*Trimalaconothrus granulatus* Tseng, 1982 Ref. Tseng, 1982

### Family Mochlozetidae 姬翼甲蠹科

*Unguizetes clavatus* Aoki, 1997 爪姬翼甲蠹 Ref. Chu & Aoki, 1997  
*Uracrobates magniporosus* Balogh & Mahunka, 1967 巨窩姬翼甲蠹 Ref. 同前

### Family Nanhermanniidea 弧溝甲蠹科

*Cyrthermannia bicornicula* Tseng, 1982 Ref. Tseng, 1982  
*Cyrthermannia formosana* Tseng, 1982 Ref. Tseng, 1982  
*Masthermannia hirsuta* (Hartman), 1997 多毛弧溝甲蠹 Ref. Chu & Aoki, 1997  
*Nippohermannia parallela* (Aoki), 1960 細弧溝甲蠹 Ref. 同前

### Family Nippobodidae 尖喙甲蠹科

*Nippobodes insolitus* Aoki, 1997 弧尖喙甲蠹 Ref. Chu & Aoki, 1997

### Family Nothrolohmanniidae 羅懶甲蠹科

*Nothrus biciliatus* C. L. Koch, 1997 雙毛網尾甲蠹 Ref. Chu & Aoki, 1997

### Family Oppiidae 粒甲蠹科

*Arcoppia viperea* (Aoki), 1997 瘤角粒甲蠹 Ref. Chu & Aoki, 1997  
*Branchioppia vitrea* Tseng, 1982 Ref. Tseng, 1982  
*Chuoppia plamaria* Tseng, 1982 Ref. Tseng, 1982  
*Chuoppia triamosa* Tseng, 1982 Ref. Tseng, 1982  
*Cycloppia restata* (Aoki), 1963 寬頭粒甲蠹 Ref. Chu & Aoki, 1997  
*Damaeoppia formosana* Ohkubo, 1995 Ref. Ohkubo, 1995  
*Hammerella pectinata* (Aoki), 1983 Ref. Aoki, 1995  
*Lasibelba remota* Aoki, 1959 巨粒甲蠹 Ref. Chu & Aoki, 1997  
*Multioppia brevipectinata* Suzuki, 1975 Ref. Aoki, 1995  
*Multioppia formosana* Tseng, 1982 Ref. Tseng, 1982  
*Oppiella nova* (Oudemans), 1982 新粒甲蠹 Ref. Chu & Aoki, 1997  
*Quinquoppia nobilis* Tseng, 1982 Ref. Tseng, 1982  
*Taiwanoppia papillaris* Tseng, 1982 Ref. Tseng, 1982  
*Taiwanoppia subtropica* Tseng, 1982 Ref. Tseng, 1982

### Family Oribatulidae 微翼甲蠹科

*Domatorina crystallina* Tseng, 1984 Ref. Tseng, 1984  
*Domatorina limpida* Tseng, 1984 Ref. Tseng, 1984  
*Domatorina taiwanica* Tseng, 1984 Ref. Tseng, 1984  
*Neolucoppia luculenta* Tseng, 1984 Ref. Tseng, 1984  
*Oribatula nativa* Tseng, 1984 Ref. Tseng, 1984  
*Pabulozetes plumosus* Tseng, 1982 Ref. Tseng, 1982  
*Paralobozetes longirostalis* Tseng, 1984 Ref. Tseng, 1984  
*Zygoribatula egelida* Tseng, 1984 Ref. Tseng, 1984  
*Zygoribatula gratiosa* Tseng, 1984 Ref. Tseng, 1984  
*Zygoribatula longiporsa* Hammer, 1984 Ref. Tseng, 1984  
*Zygoribatula talis* Tseng, 1984 Ref. Tseng, 1984  
*Zygoribatula vegeta* Tseng, 1984 Ref. Tseng, 1984

### Family Otocephidae 細瓢甲蠹科

*Dolicheremaeus baloghi* Aoki, 1982 Ref. Chu & Aoki, 1997  
*Dolicheremaeus carinatus* Aoki, 1995 Ref. Special Bulletin of the Japanese Society of Coleopterology 4, 28 March 1995: 123-130.  
*Dolicheremaeus elongatus* Aoki, 1982 檜細瓢甲蠹 Ref. Chu & Aoki, 1997  
*Dolicheremaeus tamurai* Aoki, 1990 Ref. Aoki, 1990  
*Dolicheremaeus infrequens* Aoki, 1991 Ref. Aoki, 1995  
*Fissicepheus coronarius* Aoki, 1982 Ref. Aoki, 1995  
*Megalotocephus japonicus* Aoki, 1997 日本大角細瓢甲蠹 Ref. Chu & Aoki, 1997  
*Megalotocephus latus* Aoki, 1997 寬牛角細瓢甲蠹 Ref. 同前  
*Paradolicheremaeus tabulatus* Tseng, 1982

### Family Parakalummidae 板翼甲蠹科

*Neokalumma laiae* Tseng, 1984 Ref. Tseng, 1984  
*Neoribates roubali* (Berlese), 1909 歐巴板翼甲蠹 Ref. Chu & Aoki, 1997

### Family Peloppiidae 前翼甲蠹科

*Austroceratoppia japonica* Aoki, 1984 Ref. Aoki, 1991  
*Ceratoppia bipilis* (Hermann), 1804 Ref. Aoki, 1991  
*Ceratoppia oblectatoria* Tseng, 1982 Ref. Tseng, 1982  
*Ceratoppia violabilis* Tseng, 1982 Ref. Tseng, 1982

### Family Phthiracaridae 卷甲蠹科

*Phthacarus clemens* Aoki, 1963 Ref. Aoki, 1995  
*Plonaphacarus kugohi* Aoki, 1959 Ref. Aoki, 1995

### Family Prothoplophoridae

*Apoplophora pantotrema* (Berlese), 1913 Ref. Chu & Aoki, 1997

### Family Scheloribatidae 捲翼甲蟎科

- Hammerabates elongatus* Tseng, 1982 Ref. Tseng, 1982  
*Muliercula caticulata* Tseng, 1984 Ref. Tseng, 1984  
*Muliercula chiayiensis* Tseng, 1984 Ref. Tseng, 1984  
*Perscheloribates clavatus* Aoki, 1997 曲捲翼蟎 Ref. Chu & Aoki, 1997  
*Schelorigibates alisanicus* Tseng, 1984 Ref. Tseng, 1984  
*Schelorigibates laevigatus* (C. L. Koch), 1844 扁捲翼蟎 Ref. Chu & Aoki, 1997  
*Schelorigibates papillaris* Tseng, 1984 Ref. Tseng, 1984  
*Schelorigibates praeincisus* (Berlese), 1984 Ref. Tseng, 1984  
*Tuberemaeus formosansus* Tseng, 1984 Ref. Tseng, 1984

### Family Suctobelbidae 陷胸甲蟎科

- Allosuctobelba grandis* (Paoli), 1908 巨陷胸蟎 Ref. Chu & Aoki, 1997  
*Suctobelbella laiae* Tseng, 1982 Ref. Tseng, 1982

### Family Tectocephidae 蓋頭甲蟎科

- Tectocephus cuspidentatus* Knulle, 1954 刺蓋頭甲蟎 Ref. Chu & Aoki, 1997

### Family Tegeocranellidae

- Tegeocranellus opcus* Tseng, 1982 Ref. Tseng, 1982

### Family Thyrisomidae 斑體節甲蟎科

- Banksinoma pretiosa* Tseng, 1982 Ref. Tseng, 1982

### Family Trhypochthoniidae 禮服甲蟎科

- Albonothrus miulitisulcatus* Tseng, 1982 Ref. Tseng, 1982  
*Epilohmannia ovata* Aoki, 1997 Ref. Chu & Aoki, 1997  
*Epilohmannia taiwanica* Tseng, 1982 Ref. Tseng, 1982  
*Linothrus perinfamis* Tseng, 1982 Ref. Tseng, 1982

### Family Xylobatidae 木單翼甲蟎科

- Vilhenabates hyalinus* Tseng, 1984 Ref. Tseng, 1984

### Family Zetomotrichidae 毛跳甲蟎科

- Zetomotrichus linearis* Tseng, 1982 Ref. Tseng, 1982

### Family Zetorchestidae 跳甲蟎科

- Zetorchestes aokii* Kriisper, 1997 青木跳腳蟎 Ref. Chu & Aoki, 1997  
*Zetorchestes saltator* Oudemans, 1982 Ref. Tseng, 1982

## Order Parasitiformes 寄蟎目

### Family Argasidae 軟蜱科

- Argas persicus* (Oken), 1818 Ref. Maa & Kuo, 1966  
*Argas vespertillonis* Latreille, 1796 Ref. 同前  
*Carios capensis* (Neumann), 1901

### Family Ixodidae 硬蜱科

- Amblyomma cordiferum* Neumann, 1899 Ref. Robbins, 2005  
*Amblyomma geoemydae* (Cantor), 1847 嗜龜血蜱 Ref. Maa & Kuo, 1966  
*Amblyomma helvolum* Koch, 1844 Ref. Robbins, 2005  
*Amblyomma testudinarium* Koch, 1844 龜形花蜱 Ref. Maa & Kuo, 1966  
*Amblyomma yajimai* Kishida, 1935 Ref. 同前  
*Aponomma varanense* (Supino), 1897  
*Boophilus microplus* (Canesttini), 1897 微小牛蜱 Ref. Maa & Kuo, 1966  
*Dermacentor atrosignatus* Neumann, 1906 Ref. 同前  
*Dermacentor auratus* Supino, 1897 金澤革蜱 Ref. Tseng, 1978  
*Dermacentor reticulatus* (Fabricius), 1794 Ref. Maa & Kuo, 1966  
*Dermacentor taiwanensis* Sugimoto, 1935 臺灣革蜱 Ref. Tseng, 1978  
*Haemaphysalis asiatica* (Supino), 1897 亞洲血蜱 Ref. Tseng, 1978  
*Haemaphysalis bandicota* Hoogstraal & Kohls, 1965 板齒鼠血蜱 Ref. Tseng, 1978  
*Haemaphysalis birmaniae* Supino, 1897 緬甸血蜱 Ref. Tseng, 1978  
*Haemaphysalis campanulata* Warburton, 1908  
*Haemaphysalis canestrinii* (Supino), 1897 坎氏血蜱 Ref. Tseng, 1978  
*Haemaphysalis cornigera* Neumann, 1897 具角血蜱 Ref. Tseng, 1978  
*Haemaphysalis doentzi* Warburton & Nuttall, 1909 鈍刺血蜱 Ref. Tseng, 1978  
*Haemaphysalis flava* Neumann, 1897 褐黃血蜱 Ref. Maa & Kuo, 1966  
*Haemaphysalis formosensis* Neumann, 1913 蓬萊血蜱 Ref. Neumann, 1913  
*Haemaphysalis hystricis* Supino, 1897 豪豬血蜱 Ref. Maa & Kuo, 1966  
*Haemaphysalis inermis* Birula, 1895 Ref. 同前  
*Haemaphysalis kitaokai* Hoogstraal, 1969 北崗血蜱 Ref. Tseng, 1978  
*Haemaphysalis lagrangei* Larrousse, 1925  
*Haemaphysalis longicornis* Neumann, 1901 長角血蜱 Ref. Tseng, 1978  
*Haemaphysalis mageshimaensis* Saito & Hoogstraal, 1973 日島血蜱 Ref. Tseng, 1978  
*Haemaphysalis ornithophila* Hoogstraal & Kohls, 1959 嗜鳥血蜱 Ref. Tseng, 1978  
*Haemaphysalis phasiana* Saito, Hoogstraal & Wassef 1974 Ref. Robbins, 2005  
*Haemaphysalis warburtoni* Nuttall, 1912 Ref. Maa & Kuo, 1966

*Haemaphysalis yeni* Tomanoff, 1944 越原血蜱  
*Ixodes acutitarsus* (Karsch), 1880 銳附硬蜱 Ref. Maa & Kuo, 1966  
*Ixodes granulatus* Supino, 1897 粒形硬蜱 Ref. Tseng, 1978  
*Ixodes hexagonus* Leach, 1815 六角硬蜱 Ref. Maa & Kuo, 1966  
*Ixodes kashimircus* Pomerantsev, 1948  
*Ixodes kuntzi* Hoogstraal & Kohls, 1965 鼯鼠硬蜱 Ref. Maa & Kuo, 1966  
*Ixodes nipponensis* Kitaoka & Saito, 1967 Ref. Robbins, 2005  
*Ixodes ovatus* Neumann, 1899 卵形硬蜱 Ref. Tseng, 1978  
*Ixodes persulcatus* Schulze, 1930 Ref. Robbins, 2005  
*Ixodes ricinus* (Linnaeus), 1758 篋子硬蜱 Ref. Maa & Kuo, 1966  
*Ixodes simplex* Neumann, 1906 簡蝠硬蜱 Ref. Tseng, 1978  
*Ixodes vespertilionis* Koch, 1844 長蝠硬蜱 Ref. Tseng, 1978  
*Rhipicephalus haemophysaloides* (Supino), 1897 鑷形扇頭蜱 Ref. Maa & Kuo, 1966  
*Rhipicephalus microplus* Canestrini, 1888  
*Rhipicephalus sanguineus* (Latreille), 1806 血紅扇頭蜱 Ref. Maa & Kuo, 1966

#### Family Laelapidae 屬蟎科

*Laelaps agailis* Koch, 1836 Ref. Maa & Kuo, 1966  
*Laelaps clethrionomydis* Lange, 1955 Ref. 同前  
*Laelaps echidninus* Berlese, 1887 Ref. 同前  
*Laelaps myonyssognathus* Grochovskaya & Nguyen, 1968 Ref. 王錫杰。2005  
*Laelaps nuttalli* Hirst, 1915 Ref. Maa & Kuo, 1966  
*Laelaps prognathus* Jameson, 1965 Ref. 同前  
*Laelaps sedlaceki* Strandmann & Mitchell, 1963 Ref. 同前  
*Laelaps traubi* Domrow, 1962 Ref. 同前  
*Laelaps turkestanicus* Lange, 1955 Ref. 同前  
*Tropilaelaps clareae* Delfinato & Baker, 1961 小蜂蟎

#### Family Macronyssidae 巨刺蟎科

*Ornithonyssus bacoti* (Hirst), 1913 Ref. Maa & Kuo, 1966

#### Family Trombiculidae 恙蟎科

*Ascoschoengastia indica* (Hirst), 1915 印度囊棒恙蟎 Ref. Wang et al., 2004  
*Eutrombicula wichmanni* (Oudemans), 1905 威氏真恙蟎 Ref. Maa & Kuo, 1966  
*Leptotrombidium deliense* (Walch), 1922 地理恙蟎 Ref. 同前  
*Leptotrombidium imphalum* Vercammen Grandjean & Langston, 1975  
*Leptotrombidium scutellare* (Nagayo et al., 1921) 小板恙蟎 Ref. Wang et al., 2004  
*Leptotrombidium yui* (Chen & Hsu), 1932 于氏恙蟎 Ref. 同前  
*Neoschoengastia gallinarum* (Hatori), 1920 雞新棒恙蟎 Ref. Maa & Kuo, 1966  
*Odontacarus majesticus* (Chen & Hsu), 1945 巨螯齒恙蟎 Ref. Wang et al., 2004  
*Walchia chinensis* (Chen & Hsu), 1955 中華無前恙蟎 Ref. 同前

### Class Chilopoda 唇足綱

#### Order Geophilomorpha 地蜈蚣目

##### Family Ballophilidae 投射蜈蚣科

*Ityphilus boteltobogensis* Wang, 1955 Ref. Bonato et al., 2007

##### Family Geophilidae 地蜈蚣科

*Pachymerium ferrugineum* (Koch, 1835) Ref. Wang, 1956

##### Family Linotaeniidae

*Strigamia japonica* (Verhoeff, 1935) [特有] Ref. Attems, C. 1903  
*Strigamia japonicus* (Verhoeff, 1935) Ref. Takakuwa, 1940  
*Strigamia transsilvanica* Verhoeff, 1928 Ref. Attems, C. 1903  
*Strigamia transsilvanicus* Verhoeff, 1928 Ref. Takakuwa, 1940

##### Family Mecistocephalidae 長頭地蜈蚣科

*Arrup doii* (Takakuwa, 1940) Ref. Uliana et al., 2007  
*Arrup edentulus* (Attems, 1904) Ref. 同前  
*Arrup holstii* (Pocock, 1895) Ref. 同前  
*Arrup ishitanus* Uliana, Bonata & Minelli, 2007  
*Arrup sauteri* (Silvestri, 1919) [特有] Ref. Uliana et al., 2007  
*Mecistocephalus changi* Uliana, Bonata & Minelli, 2007 張氏地蜈蚣 [特有] Ref. 同前  
*Mecistocephalus diversisternus* Silvestri, 1919 Ref. 同前  
*Mecistocephalus insularis* (Lucas, 1863) Ref. 同前  
*Mecistocephalus japonicus* Meinert, 1886 Ref. 同前  
*Mecistocephalus karasawai* Uliana, Bonata & Minelli, 2007  
*Mecistocephalus longichilatus* (Takakuwa, 1936) Ref. Uliana et al., 2007  
*Mecistocephalus marmoratus* Verhoeff, 1934 Ref. 同前  
*Mecistocephalus mikado* Attems, 1928 Ref. 同前  
*Mecistocephalus monticolens* Chamberlin, 1920 Ref. Wang, 1956  
*Mecistocephalus multidentatus* Takakuwa, 1936 Ref. Takakuwa, 1940  
*Mecistocephalus nannicornis* Chamberlin, 1920 [特有] Ref. Wang, 1963  
*Mecistocephalus ongi* Takakuwa, 1934 Ref. Takakuwa, 1940

*Mecistocephalus punctifrons* Newport, 1843 Ref. Uliana et al., 2007  
*Mecistocephalus rubriceps* Wood, 1862 Ref. 同前  
*Mecistocephalus smithii* Pocock, 1895 Ref. 同前  
*Mecistocephalus yanagiharai* (Takakuwa, 1936) [特有] Ref. 同前  
*Proterotaiwanella sculptulata* (Takakuwa, 1936) Ref. 同前  
*Tygarrup takarazimensis* Miyosi, 1957

#### Family Oryidae 小頭地蜈蚣科

*Orphnaeus brevilabiatus* (Newport, 1845) Ref. Wang, 1963

#### Family Schendylidae 有顎齒地蜈蚣科

*Escaryus japonicus* Attems, 1927 Ref. Wang, 1957

### Order Lithobiomorpha 石蜈蚣目

#### Family Henicopidae 長腳石蜈蚣科

*Cermatobius longicornis* Takakuwa, (1939) Ref. Ma et al., 2007  
*Cermatobius longitarsis* (Verhoeff, 1934) Ref. 同前  
*Lamyctes gracilipes* Takakuwa, 1940 Ref. Wang, 1959

#### Family Lithobiidae 石蜈蚣科

*Bothropolys imaharensis* Verhoeff, 1937 Ref. Wang, 1963  
*Bothropolys richthofeni* Verhoeff, 1938 Ref. Chao & Chang, 2006  
*Bothropolys rugosus* (Meinert, 1872) Ref. Eason, 1974  
*Lithobius bidens* Takakuwa, 1939  
*Lithobius dividua* Takakuwa, 1939 [特有] Ref. Wang, 1963  
*Lithobius chekianus* (Chamberlin & Wang, 1952) Ref. Matic, Z. 1973  
*Lithobius holstii* (Pocock, 1895) Ref. Eason, 1973  
*Lithobius kiayiensis* Wang, 1959 [特有] Ref. Wang, 1959  
*Lithobius lineatus* Takakuwa, 1939 [特有] Ref. Takakuwa, 1941  
*Lithobius obtusus* (Takakuwa, 1941) Ref. Wang, 1963  
*Lithobius ongi* Takakuwa, 1939 [特有] Ref. Wang, 1963  
*Lithobius pachypedatus* Takakuwa, 1938 Ref. Takakuwa, 1941  
*Lithobius ramulosus* (Takakuwa, 1941) Ref. Wang, 1956  
*Lithobius sachalinus* (Verhoeff, 1937) Ref. Wang, 1959  
*Lithobius sulcipes* (Attems, 1927) [特有] Ref. Wang, 1959  
*Lithobius trichopus* Takakuwa, 1939 Ref. Wang, 1959

### Order Scolopendromorpha 蜈蚣目

#### Family Cryptopidae 盲蜈蚣科

*Cryptops japonicus* Takakuwa, 1934 日本盲蜈蚣 Ref. Chao & Chang, 2003  
*Cryptops nigropictus* Takakuwa, 1936 黑花盲蜈蚣 Ref. 同前

#### Family Scolopendridae 蜈蚣科

*Otostigmus aculeatus* Haase, 1887 多刺耳孔蜈蚣 Ref. Chao & Chang, 2003  
*Otostigmus angusticeps* Pocock, 1898 Ref. Wang, 1955  
*Otostigmus astenus* (Kohlrausch, 1881) 方板耳孔蜈蚣 Ref. Chao & Chang, 2003  
*Otostigmus scaber* Porat, 1876 糙耳孔蜈蚣 Ref. 同前  
*Rhysida immarginata* (Porat, 1876) 無稜衛蜈蚣 Ref. 同前  
*Rhysida longipes* Newport, 1845 長足衛蜈蚣 Ref. 同前  
*Scolopendra morsitans* Linnaeus, 1758 赤蜈蚣 Ref. 同前  
*Scolopendra multidentis* Newport, 1844 多棘蜈蚣 Ref. 同前  
*Scolopendra subspinipes* Brandt, 1840 哈氏蜈蚣 Ref. 同前  
*Scolopendra subspinipes* Koch, 1878 日本蜈蚣 Ref. 同前  
*Scolopendra subspinipes* Koch, 1878 Ref. 同前  
*Scolopendra subspinipes* Leach, 1815 模棘蜈蚣 Ref. 同前

#### Family Scolopocryptopidae 棘盲蜈蚣科

*Scolopocryptops capillipedatus* (Takakuwa, 1938) 毛腳棘盲蜈蚣 Ref. Chao & Chang, 2003  
*Scolopocryptops curtus* (Takakuwa, 1939) 短棘盲蜈蚣 Ref. 同前  
*Scolopocryptops melanostomus* (Newport, 1845) 黑孔棘盲蜈蚣 Ref. 同前  
*Scolopocryptops rubiginosus* (Koch, 1878) 銹紅棘盲蜈蚣 Ref. 同前  
*Scolopocryptops sexspinous* (Say, 1821) 六棘盲蜈蚣 Ref. Wang, 1959

### Order Scutigleromorpha 蚰蜒目

#### Family Scutigleridae 蚰蜒科

*Scutigera coleoptrata* Linnaeus, 1758 Ref. Wang, 1959  
*Thereuonema tuberculata* Wood, 1862 Ref. Wang, 1963  
*Thereuopoda chunifera* Wood, 1862 Ref. Wang, 1959  
*Thereuopoda longicornis* (Fabricius, 1793) Ref. Wang, 1957

### Class Copepoda 橈足綱

### Order Calanoida 哲水蚤目

#### Family Acartiidae 紡錘水蚤科

*Acartia (Acanthacartia) bifilosa* (Giesbrecht, 1881) 雙毛紡錘水蚤 Ref. 石長泰。2002 (未發表)

*Acartia* (*Acanthacartia*) *fossae* Gurney, 1927 溝紡錘水蚤 Ref. Chihara & Murano, 1996  
*Acartia* (*Acartiura*) *longiremis* (Lilljeborg, 1853) 長紡錘水蚤 Ref. 石長泰。2002 (未發表)  
*Acartia* (*Acartiura*) *omori* Bradford, 1976 大島氏紡錘水蚤 Ref. 石長泰。2002 (未發表)  
*Acartia* (*Odontacartia*) *erythraea* Giesbrecht, 1889 紅紡錘水蚤 Ref. 石長泰。2002 (未發表)  
*Acartia* (*Odontacartia*) *pacifica* Giesbrecht, 1888 太平紡錘水蚤 Ref. 石長泰。2002 (未發表)  
*Acartia* (*Odontacartia*) *spinicauda* Giesbrecht, 1889 刺尾紡錘水蚤 Ref. 石長泰。2002 (未發表)  
*Acartia* (*Plantacartia*) *danae* Giesbrecht, 1889 丹氏紡錘水蚤 Ref. 石長泰。2002 (未發表)  
*Acartia* (*Plantacartia*) *negligens* Dana, 1849 小紡錘水蚤 Ref. 石長泰。2002 (未發表)  
*Acartiella sinensis* Shen & Lee, 1963 中華異水蚤 Ref. 石長泰。2002 (未發表)

#### Family Aetideidae 鷹嘴水蚤科

*Aetideopsis armata* (Boeck, 1872) 武裝助鷹嘴水蚤 Ref. 石長泰。2002 (未發表)  
*Aetideus acutus* Farran, 1929 尖鷹嘴水蚤 Ref. 石長泰。2002 (未發表)  
*Aetideus armatus* (Boeck, 1872) 武裝鷹嘴水蚤 Ref. 石長泰。2002 (未發表)  
*Aetideus divergens* Bradford, 1971 分開鷹嘴水蚤 Ref. 石長泰。2002 (未發表)  
*Aetideus giesbrechti* Cleve, 1904 紀氏鷹嘴水蚤 Ref. 石長泰。2002 (未發表)  
*Bradyidius similis* (Sars, 1902) 似小白氏水蚤 Ref. 石長泰。2002 (未發表)  
*Chiridiella macrodactyla* Sars, 1907 粗指小柚水蚤 Ref. 石長泰。2002 (未發表)  
*Chiridiella pacifica* Brodsky, 1950 太平小柚水蚤 Ref. 石長泰。2007 (未發表)  
*Chiridius gracilis* Farran, 1908 瘦柚水蚤 Ref. 石長泰。2002 (未發表)  
*Chiridius poppei* Giesbrecht, 1888 波氏柚水蚤 Ref. 石長泰。2002 (未發表)  
*Chirundina streetsi* Giesbrecht, 1892 斯氏手水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella amoena* Giesbrecht, 1888 粗壯真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella bella* Giesbrecht, 1888 秀真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella bitumida* With, 1915 雙突真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella curticauda* Giesbrecht, 1888 短尾真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella formosa* Vervoort, 1949 優雅胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella galeata* Giesbrecht, 1888 盔頭真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella indica* Vervoort, 1949 印度真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella maxima* Wolfenden, 1905 巨真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella messinensis* Vervoort, 1949 墨塞真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella pulchra* (Lubbock, 1856) 錦真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella speciosa* Grice & Hulsemann, 1968 美麗真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella unispina* Park, 1968 單刺真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Euchirella venusta* Giesbrecht, 1888 麗真胖水蚤 Ref. 石長泰。2002 (未發表)  
*Gaetanus brevicornis* Esterly, 1906 短角檜水蚤 Ref. 石長泰。2002 (未發表)  
*Gaetanus milnes* Giesbrecht, 1888 長角檜水蚤 Ref. 石長泰。2002 (未發表)  
*Gaetanus minor* Farran, 1905 小檜水蚤 Ref. 石長泰。2002 (未發表)  
*Gaetanus pileatus* Farran, 1903 帽形檜水蚤 Ref. 石長泰。2002 (未發表)  
*Gaetanus pungens* (Giesbrecht, 1895) 刺盾檜水蚤 Ref. 石長泰。2002 (未發表)  
*Pseudochirella dubia* (Sars, 1905) 茸偽胖水蚤 Ref. 石長泰。2002 (未發表)  
*Pseudochirella scopularis* (Sars, 1905) 岩偽胖水蚤 Ref. 石長泰。2002 (未發表)  
*Undeuchaeta incisa* Esterly, 1911 割裂波刺水蚤 Ref. 石長泰。2002 (未發表)  
*Undeuchaeta intermedia* A. Scott, 1909 中型波刺水蚤 Ref. 石長泰。2002 (未發表)  
*Undeuchaeta major* Giesbrecht, 1888 大波刺水蚤 Ref. 石長泰。2002 (未發表)  
*Undeuchaeta plumosa* (Lubbock, 1856) 羽波刺水蚤 Ref. 石長泰。2002 (未發表)  
*Valdiviella insignis* Farran, 1908 Ref. 石長泰。2002 (未發表)

#### Family Arietellidae 尖頭水蚤科

*Arietellus aculeatus* (T. Scott, 1893) 針刺尖頭水蚤 Ref. 石長泰。2002 (未發表)  
*Arietellus plumifer* Sars, 1905 羽尖頭水蚤 Ref. 石長泰。2002 (未發表)  
*Arietellus setosus* Giesbrecht, 1892 多毛尖頭水蚤 Ref. 石長泰。2002 (未發表)  
*Arietellus simplex* Sars, 1905 簡尖頭水蚤 Ref. 石長泰。2002 (未發表)  
*Metacalanus acutioperculum* Ohtsuka, 1984 後針蓋後哲水蚤 Ref. 石長泰。2002 (未發表)  
*Metacalanus aurivillii* Cleve, 1901 歐式後哲水蚤 Ref. 石長泰。2002 (未發表)

#### Family Augaptilidae 亮羽水蚤科

*Augaptilus anceps* Farran, 1909 雙邊亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Augaptilus glacialis* Sars, 1900 凍亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Augaptilus longicaudatus* (Claus, 1863) 長尾亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Augaptilus spinifrons* Sars, 1907 刺額亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Centraugaptilus porcellus* Johnson, 1936 Ref. Hsiao et al., 2004  
*Centraugaptilus rattrayi* (T. Scott, 1894) 鼠刺亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Euaugaptilus affinis* Sars, 1920 近緣真亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Euaugaptilus angustus* (Sars, 1905) 細窄真亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Euaugaptilus elongatus* (Sars, 1905) 瘦長真亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Euaugaptilus facilis* (Farran, 1908) 面真亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Euaugaptilus filigerus* (Claus, 1863) 線真亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Euaugaptilus hecticus* (Giesbrecht, 1892) 長毛真亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Euaugaptilus laticeps* (Sars, 1905) 寬頭真亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Euaugaptilus magnus* (Wolfenden, 1904) 巨大真亮羽水蚤 Ref. Hsiao et al., 2004  
*Euaugaptilus marginatus* Tanaka, 1964 邊緣真亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Euaugaptilus mixtus* Brodsky, 1950 雜真亮羽水蚤 Ref. 石長泰。2002 (未發表)

*Euaugaptilus nodifrons* (Sars, 1905) 瘤角真亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Euaugaptilus palumboi* (Giesbrecht, 1892) 帕氏真亮羽水蚤 Ref. 石長泰。2002 (未發表)  
*Euaugaptilus rigidus* (Sars, 1907) 冷真亮羽水蚤 Ref. 石長泰。2007 (未發表)  
*Haloptilus acutifrons* (Giesbrecht, 1892) 銳額海羽水蚤 Ref. 石長泰。2002 (未發表)  
*Haloptilus austini* Grice, 1959 奧氏海羽水蚤 Ref. 石長泰。2002 (未發表)  
*Haloptilus fertilis* (Giesbrecht, 1892) 瘤海羽水蚤 Ref. 石長泰。2002 (未發表)  
*Haloptilus longicornis* (Claus, 1863) 長角海羽水蚤 Ref. 石長泰。2002 (未發表)  
*Haloptilus mucronatus* (Claus, 1863) 尖額海羽水蚤 Ref. 石長泰。2002 (未發表)  
*Haloptilus ornatus* (Giesbrecht, 1892) 圓額海羽水蚤 Ref. 石長泰。2002 (未發表)  
*Haloptilus oxycephalus* (Giesbrecht, 1889) 尖頭海羽水蚤 Ref. 石長泰。2002 (未發表)  
*Haloptilus paralongicirrus* Park, 1970 擬長鬚海羽水蚤 Ref. 石長泰。2002 (未發表)  
*Haloptilus setuliger* Tanaka, 1964 Ref. 石長泰。2002 (未發表)  
*Haloptilus spiniceps* (Giesbrecht, 1892) 刺額海羽水蚤 Ref. 石長泰。2002 (未發表)  
*Haloptilus tenuis* Farran, 1909 瘦海羽水蚤 Ref. 石長泰。2007 (未發表)  
*Pachyptilus eurygnatha* Sars, 1925 真顎厚海羽水蚤 Ref. Hsiao et al., 2004  
*Pachyptilus pacificus* Johnson, 1936 太平厚海羽水蚤 Ref. 石長泰。2002 (未發表)  
*Pachyptilus tenuis* Farran, 1909 瘦厚海羽水蚤 Ref. 石長泰。2002 (未發表)  
*Pseudaugaptilus orientalis* Tanaka, 1964 東方偽亮羽水蚤 Ref. 石長泰。2002 (未發表)

#### Family Bathypontiidae 深角水蚤科

*Temorites brevis* Sars, 1900 短小寬角水蚤 Ref. 石長泰。2007 (未發表)  
*Temorites elongata* (Sars, 1905) 瘦長小寬角水蚤 Ref. 石長泰。2007 (未發表)  
*Temorites longicornis* (Tanaka, 1965) 長角小寬角水蚤 Ref. 石長泰。2007 (未發表)  
*Temorites minor* (Wolfenden, 1911) 微小寬角水蚤 Ref. 石長泰。2007 (未發表)  
*Temorites similis* (Tanaka, 1965) 擬小寬角水蚤 Ref. 石長泰。2007 (未發表)  
*Temorites spinifera* (A. Scott, 1909) 刺小寬角水蚤 Ref. 石長泰。2007 (未發表)

#### Family Calanidae 哲水蚤科

*Calanoides philippiensis* Kitou & Tanaka, 1969 菲似哲水蚤 Ref. 石長泰。2007 (未發表)  
*Calanus jashnovi* Hulsemann, 1944 耶氏哲水蚤 Ref. 石長泰。2002 (未發表)  
*Calanus sinicus* Brodsky, 1965 中華哲水蚤 Ref. 石長泰。2002 (未發表)  
*Canthocalanus pauper* (Giesbrecht, 1888) 微刺哲水蚤 Ref. 石長泰。2002 (未發表)  
*Cosmocalanus darwinii* (Lubbock, 1860) 達氏宇哲水蚤 Ref. 石長泰。2002 (未發表)  
*Mesocalanus tenuicornis* (Dana, 1849) 細角中哲水蚤 Ref. 石長泰。2002 (未發表)  
*Nannocalanus minor* (Claus, 1863) 小哲水蚤 Ref. 石長泰。2002 (未發表)  
*Neocalanus gracilis* (Dana, 1852) 瘦新哲水蚤 Ref. 石長泰。2002 (未發表)  
*Neocalanus robustior* (Giesbrecht, 1888) 粗新哲水蚤 Ref. 石長泰。2002 (未發表)  
*Undinula vulgaris* (Dana, 1849) 普通波水蚤 Ref. 石長泰。2002 (未發表)

#### Family Candaciidae 平頭水蚤科

*Candacia armata* (Boeck, 1872) 瘦平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia bipinnata* (Giesbrecht, 1889) 雙翼平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia bradyi* A. Scott, 1902 伯氏平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia catula* (Giesbrecht, 1889) 幼平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia columbiae* Campbell, 1929 哥侖平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia curta* (Dana, 1849) 短平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia discaudata* A. Scott, 1909 異尾平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia elongata* (Boeck, 1873) 瘦長平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia ethiopica* (Dana, 1849) 黑斑平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia guggenheimi* Grice & Jones, 1960 耳突平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia longimana* (Claus, 1863) 長突平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia pachydactyla* (Dana, 1849) 厚指平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia tenuimana* (Giesbrecht, 1889) 瘦平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Candacia varicans* (Giesbrecht, 1892) 腹突平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Paracandacia bispinosa* (Claus, 1863) 雙頭擬平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Paracandacia simplex* (Giesbrecht, 1888) 簡擬平頭水蚤 Ref. 石長泰。2002 (未發表)  
*Paracandacia truncata* (Dana, 1849) 截擬平頭水蚤 Ref. 石長泰。2002 (未發表)

#### Family Centropagidae 胸刺水蚤科

*Centropages abdominalis* Sato, 1913 腹針胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages bradyi* Wheeler, 1900 Ref. Tseng, 1975  
*Centropages brevifurcus* (Giesbrecht, 1889) 短尾胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages calaninus* (Dana, 1849) 哲胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages dorsispinatus* Thompson & Scott, 1903 背針胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages elongatus* Giesbrecht, 1896 瘦長胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages furcatus* (Dana, 1849) 叉胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages gracilis* (Dana, 1849) 細胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages longicornis* Mori, 1932 長角胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages mcmurricchi* Willey, 1920 墨氏胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages orsini* Giesbrecht, 1889 奧氏胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages sinensis* Chen & Zhang, 1965 中華胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages tenuiremis* Thompson & Scott, 1903 瘦尾胸刺水蚤 Ref. 石長泰。2002 (未發表)  
*Centropages violacens* Claus, 1863 Ref. Tseng, 1975  
*Centropages yamadai* Mori, 1937 Ref. Tseng, 1975

*Sinocalanus laevidactylus* Shen & Tai, 1964 左指華哲水蚤 Ref. 石長泰。2002 (未發表)  
*Sinocalanus sinensis* (Poppe, 1895) 中華華哲水蚤 Ref. 石長泰。2002 (未發表)  
*Sinocalanus tenellus* (Kikuchi, 1928) 細巧華哲水蚤 Ref. 石長泰。2002 (未發表)

#### Family Clausocalanidae 偽哲水蚤科

*Clausocalanus arcuicornis* (Dana, 1849) 弓角基齒哲水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus brevipes* Frost & Fleminger, 1968 短足基齒水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus farrani* Sewell, 1929 法氏基齒哲水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus furcatus* (Brady, 1883) 長尾基齒哲水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus ingens* Frost & Fleminger, 1968 大基齒水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus jobei* Frost & Fleminger, 1968 喬氏基齒水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus laticeps* Farran, 1929 寬頭基齒哲水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus lividus* Frost & Fleminger, 1968 活基齒水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus mastigophorus* (Claus, 1863) 擬鞭基齒哲水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus minor* Sewell, 1929 小基齒哲水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus parapergens* Frost & Fleminger, 1968 尖基齒哲水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus paululus* Farran, 1926 厚基齒哲水蚤 Ref. 石長泰。2002 (未發表)  
*Clausocalanus pergens* Farran, 1926 短尾基齒哲水蚤 Ref. 石長泰。2002 (未發表)  
*Ctenocalanus vanus* Giesbrecht, 1888 空櫛哲水蚤 Ref. 石長泰。2002 (未發表)  
*Farrania (Drepanopsis) frigida* (Wolfenden, 1911) 冷鏟水蚤 Ref. 石長泰。2002 (未發表)  
*Farrania (Drepanopsis) orbis* Tanaka, 1956 缺足鏟水蚤 Ref. 石長泰。2002 (未發表)  
*Microcalanus pusillus* Sars, 1903 小微哲水蚤 Ref. 石長泰。2002 (未發表)

#### Family Diaptomidae 鏢水蚤科

*Allodiaptomus uenoi* Kikuchi, 1936 台灣複鏢水蚤 Ref. Kikuchi, 1936  
*Eodiaptomus japonicus* (Burckhardt, 1913) 日本原鏢水蚤 Ref. Jang, 1975  
*Eudiaptomus formosus* (Kikuchi, 1928) 台灣真鏢水蚤 Ref. Mizuno, 1964  
*Heliodiaptomus kikuchii* Kiefer, 1932 烏啄明鏢水蚤 Ref. Hong & Hsu, 1977  
*Neurodiaptomus formosus* (Kikuchi, 1928) 台灣胖蕩鏢水蚤 Ref. Mizuno & Takahashi, 1991  
*Neurodiaptomus tumidus* Kiefer, 1937 肥胖蕩鏢水蚤 Ref. Kiefer, 1937  
*Tropodiaptomus oryzanus* Kiefer, 1937 米粒近鏢水蚤 Ref. Kiefer, 1937

#### Family Eucalanidae 真哲水蚤科

*Eucalanus elongatus* (Dana, 1848) 細長真哲水蚤 Ref. 石長泰。2002 (未發表)  
*Eucalanus hyalinus* (Claus, 1866) 明真哲水蚤 Ref. 石長泰。2002 (未發表)  
*Pareucalanus attenuatus* (Dana, 1849) 細擬真哲水蚤 Ref. 石長泰。2002 (未發表)  
*Pareucalanus langae* Fleminger, 1973 朗氏擬真哲水蚤 Ref. 石長泰。2002 (未發表)  
*Pareucalanus sewelli* (Fleminger, 1973) 斯氏擬真哲水蚤 Ref. 石長泰。2002 (未發表)  
*Rhincalanus nasutus* Giesbrecht, 1888 鼻錨哲水蚤 Ref. 石長泰。2002 (未發表)  
*Rhincalanus rostrifrons* (Dana, 1849) 額錨哲水蚤 Ref. 石長泰。2002 (未發表)  
*Subeucalanus crassus* (Giesbrecht, 1888) 強次真哲水蚤 Ref. 石長泰。2002 (未發表)  
*Subeucalanus longiceps* (Matthews, 1925) 長頭次真哲水蚤 Ref. 石長泰。2002 (未發表)  
*Subeucalanus mucronatus* (Giesbrecht, 1888) 尖額次真哲水蚤 Ref. 石長泰。2002 (未發表)  
*Subeucalanus pileatus* (Giesbrecht, 1888) 帽形次真哲水蚤 Ref. 石長泰。2002 (未發表)  
*Subeucalanus subcrassus* (Giesbrecht, 1888) 亞強次真哲水蚤 Ref. 石長泰。2002 (未發表)  
*Subeucalanus subtennis* (Giesbrecht, 1888) 狹額次真哲水蚤 Ref. 石長泰。2002 (未發表)

#### Family Euchaetidae 真刺水蚤科

*Euchaeta acuta* Giesbrecht, 1892 尖真刺尾蚤 Ref. 石長泰。2002 (未發表)  
*Euchaeta concinna* (Dana, 1849) 精緻真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Euchaeta indica* Wolfenden, 1905 印度真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Euchaeta longicornis* Giesbrecht, 1888 長角真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Euchaeta media* Giesbrecht, 1888 中型真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Euchaeta plana* Mori, 1937 平滑真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Euchaeta rimana* Bradford, 1973 梨曼真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Euchaeta spinosa* Giesbrecht, 1892 小刺真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Euchaeta tenuis* Esterly, 1906 瘦真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta aequatorialis* Tanaka, 1958 赤道擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta barbata* (Brady, 1883) 鬚擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta bisinuata* Sars, 1907 Ref. Hsiao et al., 2004  
*Paraeuchaeta californica* (Esterly, 1906) 加州擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta calva* Tanaka, 1958 禿擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta comosa* Tanaka, 1958 毛擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta confusa* Tanaka, 1958 困擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta eminens* Tanaka & Omori, 1968 突擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta flava* (Giesbrecht, 1888) 黃擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta gracilicauda* Scott, 1909 細尾擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta hansenii* (With, 1915) 恆氏擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta investigatoris* Sewell, 1929 調查擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta malayensis* Sewell, 1929 馬來擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta rubra* Brodsky, 1950 紅擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta russelli* (Farran, 1936) 蘆氏擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta sarsi* (Farran, 1908) 薩氏擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta simplex* Tanaka, 1958 簡擬真刺水蚤 Ref. 石長泰。2002 (未發表)

*Paraeuchaeta tuberculata* (A. Scott, 1909) 瘤擬真刺水蚤 Ref. 石長泰。2002 (未發表)  
*Paraeuchaeta vorax* (Grice & Huslemann, 1968) 貪食擬真刺水蚤 Ref. Hsiao et al., 2004

#### Family Fosshageniidae 符氏水蚤科

*Temoropia mayumbaensis* T. Scott, 1894 腹突擬寬水蚤 Ref. 石長泰。2002 (未發表)

#### Family Heterorhabdidae 異肢水蚤科

*Disseta palumboi* Giesbrecht, 1892 帕氏雙刺水蚤 Ref. 石長泰。2002 (未發表)  
*Hemirhabdus grimaldi* (Richard, 1893) 葛氏半肢水蚤 Ref. 石長泰。2007 (未發表)  
*Heterorhabdus abyssalis* (Giesbrecht, 1889) 深異肢水蚤 Ref. 石長泰。2002 (未發表)  
*Heterorhabdus clausii* (Giesbrecht, 1889) 克氏異肢水蚤 Ref. 石長泰。2002 (未發表)  
*Heterorhabdus pacificus* Brodsky, 1950 太平異肢水蚤 Ref. 石長泰。2002 (未發表)  
*Heterorhabdus papilliger* (Claus, 1863) 乳狀異肢水蚤 Ref. 石長泰。2002 (未發表)  
*Heterorhabdus spinifrons* (Claus, 1863) 刺額異肢水蚤 Ref. 石長泰。2002 (未發表)  
*Heterorhabdus spinosus* Bradford, 1971 刺異肢水蚤 Ref. 石長泰。2002 (未發表)  
*Heterorhabdus subspinifrons* Tanaka, 1964 Ref. Hsiao et al., 2004  
*Heterostylites longicornis* (Giesbrecht, 1892) 長角異柱水蚤 Ref. 石長泰。2002 (未發表)  
*Heterostylites longioperculis* Park, 2000 長蓋異柱水蚤 Ref. 石長泰。2007 (未發表)  
*Mesorhabdus angustus* Sars, 1907 細中肢水蚤 Ref. 石長泰。2007 (未發表)  
*Mesorhabdus brevicaudatus* (Wolfenden, 1905) 短尾中肢水蚤 Ref. 石長泰。2007 (未發表)  
*Mesorhabdus gracilis* Sars, 1907 瘦中肢水蚤 Ref. 石長泰。2002 (未發表)  
*Mesorhabdus poriphorus* Park, 2000 Ref. 石長泰。2007 (未發表)  
*Paraheterorhabdus compactus* (G. O. Sars, 1900) 密擬異肢水蚤 Ref. Catalog of Life 2007  
*Paraheterorhabdus robustus* (Farran, 1908) 壯擬異肢水蚤 Ref. 石長泰。2007 (未發表)  
*Paraheterorhabdus vipera* (Giesbrecht, 1892) 蛇擬異肢水蚤 Ref. 石長泰。2007 (未發表)

#### Family Lucicutiidae 光水蚤科

*Lucicutia aurita* Cleve, 1904 耳光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia bicornuta* Wolfenden, 1905 雙角光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia clausii* (Giesbrecht, 1889) 克氏光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia curta* Farran, 1904 短光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia flavicornis* (Claus, 1863) 黃角光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia gaussae* Grice, 1963 粗光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia gemina* Farran, 1926 雙光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia intermedia* Sars, 1905 中間光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia longiserrata* Giesbrecht, 1892 長齒光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia macrocera* Sars, 1920 高斯光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia magna* Wolfenden, 1903 大光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia maxima* Steuer, 1904 巨光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia oblonga* Brodsky, 1950 橢形光水蚤 Ref. 石長泰。2007 (未發表)  
*Lucicutia ovalis* Wolfenden, 1892 卵形光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia polaris* Brodsky, 1950 極光水蚤 Ref. 石長泰。2002 (未發表)  
*Lucicutia wolfendeni* Sewell, 1932 吳氏光水蚤 Ref. 石長泰。2002 (未發表)

#### Family Mecynoceridae 長角哲水蚤科

*Mecynocera clausi* Thompson, 1888 克氏長角哲水蚤 Ref. 石長泰。2002 (未發表)

#### Family Megacalanidae

*Bathycalanus richardi* Sars, 1905 列氏深哲水蚤 Ref. Hsiao et al., 2004  
*Megacalanus princeps* Wolfenden, 1904 主巨哲水蚤 Ref. 同前

#### Family Metridinidae 長腹水蚤科

*Metridia asymmetrica* Brodsky, 1950 不對稱長腹水蚤 Ref. 石長泰。2002 (未發表)  
*Metridia brevicauda* Giesbrecht, 1889 短尾長腹水蚤 Ref. 石長泰。2002 (未發表)  
*Metridia curticauda* Giesbrecht, 1889 殘尾長腹水蚤 Ref. 石長泰。2002 (未發表)  
*Metridia macrura* Sars, 1905 大長腹水蚤 Ref. 石長泰。2002 (未發表)  
*Metridia pacifica* Brodsky, 1950 太平長腹水蚤 Ref. 石長泰。2002 (未發表)  
*Metridia princeps* Giesbrecht, 1889 前長腹水蚤 Ref. 石長泰。2002 (未發表)  
*Metridia venusta* Giesbrecht, 1889 美麗長腹水蚤 Ref. 石長泰。2002 (未發表)  
*Pleuromamma abdominalis* (Lubbock, 1856) 腹突乳點水蚤 Ref. 石長泰。2002 (未發表)  
*Pleuromamma borealis* (Dahl, 1893) 北方乳點水蚤 Ref. 石長泰。2002 (未發表)  
*Pleuromamma gracilis* (Claus, 1863) 瘦乳點水蚤 Ref. 石長泰。2002 (未發表)  
*Pleuromamma robusta* (Dahl, 1893) 粗乳點水蚤 Ref. 石長泰。2002 (未發表)  
*Pleuromamma xiphias* (Giesbrecht, 1889) 劍乳點水蚤 Ref. 石長泰。2002 (未發表)

#### Family Nullosetigeridae 無毛水蚤科

*Nullosetigera aequalis* (G. O. Sars, 1920) 等無毛水蚤 Ref. 石長泰。2007 (未發表)  
*Nullosetigera bidentata* (G. O. Sars, 1920) 雙齒無毛水蚤 Ref. 石長泰。2007 (未發表)  
*Nullosetigera helgae* (G. O. Sars, 1920) 長指無毛水蚤 Ref. 石長泰。2007 (未發表)  
*Nullosetigera impar* (G. O. Sars, 1920) 異無毛水蚤 Ref. 石長泰。2007 (未發表)  
*Nullosetigera mutata* (Tanaka, 1964) 變無毛水蚤 Ref. 石長泰。2007 (未發表)

#### Family Paracalanidae 擬哲水蚤科

*Acrocalanus andersoni* Brwman, 1958 安氏隆哲水蚤 Ref. Lin, 1988  
*Acrocalanus gibber* Giesbrecht, 1888 駝背隆哲水蚤 Ref. 石長泰。2002 (未發表)  
*Acrocalanus gracilis* Giesbrecht, 1888 微駝隆哲水蚤 Ref. 石長泰。2002 (未發表)

*Acrocalanus indicus* Tanaka, 1960 印度隆哲水蚤 Ref. 石長泰。2002 (未發表)  
*Acrocalanus longicornis* Giesbrecht, 1888 長角隆哲水蚤 Ref. 石長泰。2002 (未發表)  
*Acrocalanus monachus* Giesbrecht, 1888 單隆哲水蚤 Ref. 石長泰。2002 (未發表)  
*Bestiolina amoyensis* (Li & Huang, 1984) 廈門矮隆哲水蚤 Ref. 石長泰。2002 (未發表)  
*Bestiolina sinica* (Shen & Lee, 1966) 中華矮隆哲水蚤 Ref. 石長泰。2002 (未發表)  
*Delius nudus* (Sewell, 1929) 裸桂水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanidae contractus* Farran, 1926 短縮麗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanidae gracilis* Tanaka, 1956 瘦麗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanidae monospinus* Chen & Zhang, 1974 單刺麗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanidae pavo* (Dana, 1852) 孔雀麗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanidae pavoninus* Farran, 1936 錦麗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanidae plumulosus* (Claus, 1863) 羽麗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanidae styliremis* Giesbrecht, 1888 針麗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanidae tenuis* Farran, 1926 狹麗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanus aculeatus* Giesbrecht, 1888 針刺擬哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanus gracilis* Chen & Zhang, 1965 瘦擬哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanus indicus* Wolfenden, 1905 印度擬哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanus nanus* (Sars, 1907) 矮擬哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanus parvus* (Claus, 1863) 小擬哲水蚤 Ref. 石長泰。2002 (未發表)  
*Paracalanus serrulus* Shen & Lee, 1963 鋸緣擬哲水蚤 Ref. 石長泰。2002 (未發表)  
*Parvocalanus crassirostris* (Dahl, 1893) 強額小哲水蚤 Ref. 石長泰。2002 (未發表)

#### Family Phaennidae 褐水蚤科

*Neoscolecithrix koehleri* Canu, 1896 雙齒卵毛水蚤 Ref. 石長泰。2002 (未發表)  
*Phaenna spinifera* Claus, 1863 刺褐水蚤 Ref. 石長泰。2002 (未發表)  
*Xanthocalanus agilis* Giesbrecht, 1892 活潑黃水蚤 Ref. 石長泰。2002 (未發表)  
*Xanthocalanus dilatus* Grice, 1962 雙突黃水蚤 Ref. 石長泰。2002 (未發表)  
*Xanthocalanus multispinus* Chen & Zhang, 1965 多刺黃水蚤 Ref. 石長泰。2002 (未發表)  
*Xanthocalanus pulcher* Esterly, 1911 美麗黃水蚤 Ref. 石長泰。2002 (未發表)

#### Family Pontellidae 角水蚤科

*Calanopia elliptica* (Dana, 1849) 橢形長足水蚤 Ref. 石長泰。2002 (未發表)  
*Calanopia minor* A. Scott, 1902 小長足水蚤 Ref. 石長泰。2002 (未發表)  
*Calanopia thompsoni* A. Scott, 1909 湯氏長足水蚤 Ref. 石長泰。2002 (未發表)  
*Labidocera acuta* (Dana, 1849) 尖額唇角水蚤 Ref. 石長泰。2002 (未發表)  
*Labidocera acutifrons* (Dana, 1849) 銳唇角水蚤 Ref. 石長泰。2002 (未發表)  
*Labidocera bataviae* A. Scott, 1909 巴塔唇角水蚤 Ref. 石長泰。2002 (未發表)  
*Labidocera bipinnata* Tanaka, 1936 雙刺唇角水蚤 Ref. 石長泰。2002 (未發表)  
*Labidocera detruncata* (Dana, 1849) 後截唇角水蚤 Ref. 石長泰。2002 (未發表)  
*Labidocera euchaeta* Giesbrecht, 1889 真刺唇角水蚤 Ref. 石長泰。2002 (未發表)  
*Labidocera kroyeri* (Brady, 1883) 克氏唇角水蚤 Ref. 石長泰。2002 (未發表)  
*Labidocera laevidentata* (Brady, 1883) 小齒唇角水蚤 Ref. 石長泰。2002 (未發表)  
*Labidocera minuta* Giesbrecht, 1889 小唇角水蚤 Ref. 石長泰。2002 (未發表)  
*Labidocera pavo* Giesbrecht, 1889 孔雀唇角水蚤 Ref. 石長泰。2002 (未發表)  
*Labidocera rotunda* Mori, 1929 圓唇角水蚤 Ref. Zheng, 1965  
*Labidocera similobata* Shen & Lee, 1963 左突唇角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontella chierchiae* Giesbrecht, 1889 叉刺角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontella danae* Giesbrecht, 1889 丹氏角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontella denticauda* A. Scott, 1909 齒尾角水蚤 Ref. 石長泰。2007 (未發表)  
*Pontella fera* Dana, 1849 關節角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontella kieferi* Pesta, 1933 克福角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontella latifurca* Chen & Zhang, 1965 寬尾角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontella princeps* Dana, 1849 前角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontella securifer* Brady, 1883 腹斧角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontella sinica* Chen & Zhang, 1965 中華角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontella spinicauda* Mori, 1937 刺尾角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontella tridactyla* Shen & Lee, 1963 三指角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontellina morii* Fleminger & Huylsemann, 1974 莫氏角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontellina plumata* (Dana, 1849) 羽小角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontellopsis armata* (Giesbrecht, 1889) 武裝簡角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontellopsis inflatodigitata* Chen & Shen, 1974 擴指簡角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontellopsis krameri* (Giesbrecht, 1896) 克氏簡角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontellopsis macronyx* A. Scott, 1909 長指簡角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontellopsis perspicax* (Dana, 1849) Ref. Tseng, 1970  
*Pontellopsis regalis* (Dana, 1849) 皇簡角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontellopsis strenua* (Dana, 1849) 勇簡角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontellopsis tenuicauda* (Giesbrecht, 1889) 瘦尾簡角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontellopsis villosa* Brady, 1883 粗毛簡角水蚤 Ref. 石長泰。2002 (未發表)  
*Pontellopsis yamadae* Mori, 1937 鈍簡角水蚤 Ref. 石長泰。2002 (未發表)

#### Family Pseudodiaptomidae 偽鏢水蚤科

*Pseudodiaptomus annandalei* Sewell, 1919 安氏偽鏢水蚤 Ref. 石長泰。2002 (未發表)  
*Pseudodiaptomus forbesi* (Poppe & Richard, 1890) 球狀偽鏢水蚤 Ref. 石長泰。2002 (未發表)

*Pseudodiptomus incisus* Shen & Lee, 1963 缺刻偽鏢水蚤 Ref. 石長泰。2002 (未發表)  
*Pseudodiptomus inopinus* (Burkhardt, 1913) 指狀偽鏢水蚤 Ref. 石長泰。2002 (未發表)  
*Pseudodiptomus marinus* Sato, 1913 海洋偽鏢水蚤 Ref. 石長泰。2002 (未發表)  
*Pseudodiptomus penicillus* Li & Huang, 1984 刷狀偽鏢水蚤 Ref. 石長泰。2002 (未發表)  
*Pseudodiptomus poplesia* (Shen, 1955) 火腿偽鏢水蚤 Ref. 石長泰。2002 (未發表)  
*Pseudodiptomus trihamatus* Wright, 1937 三鉤偽鏢水蚤 Ref. 石長泰。2002 (未發表)

#### Family Scolecithricidae 厚殼水蚤科

*Amallothrix altera* Farran, 1929 替換柔毛水蚤 Ref. 石長泰。2002 (未發表)  
*Amallothrix arcuata* (Sars, 1920) Ref. 石長泰。2002 (未發表)  
*Amallothrix auropecten* (Giesbrecht, 1892) 晨梳柔毛水蚤 Ref. 石長泰。2002 (未發表)  
*Amallothrix gracilis* (Sars, 1905) 細柔毛水蚤 Ref. 石長泰。2002 (未發表)  
*Amallothrix timida* (Tanaka, 1962) 畏柔毛水蚤 Ref. 石長泰。2002 (未發表)  
*Amallothrix valens* (Farran, 1926) 強柔毛水蚤 Ref. 石長泰。2002 (未發表)  
*Lophothrix frontalis* Giesbrecht, 1895 高額脊水蚤 Ref. 石長泰。2002 (未發表)  
*Lophothrix latipes* (T. Scott, 1894) 低額脊水蚤 Ref. 石長泰。2002 (未發表)  
*Macandrewella joanae* A. Scott, 1909 雙刺殼水蚤 Ref. 石長泰。2002 (未發表)  
*Macandrewella tuberculata* Chen, 1987 小突殼水蚤 Ref. 石長泰。2002 (未發表)  
*Pseudoamallothrix emarginata* (Farran, 1905) 切口擬柔毛水蚤 Ref. Catalog of Life 2007  
*Racovitzanus levis* Tanaka, 1961 平滑異尾水蚤 Ref. 石長泰。2002 (未發表)  
*Scaphocalanus brevicornis* (Sars, 1900) 短角舟哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scaphocalanus echinatus* (Farran, 1905) 鋸齒舟哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scaphocalanus longifurca* (Giesbrecht, 1893) 長叉舟哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scaphocalanus magnus* (T. Scott, 1894) 大舟哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scaphocalanus major* (T. Scott, 1894) 巨舟哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scaphocalanus pacificus* Mori, 1933 太平洋舟哲水蚤 Ref. Tan, 1969  
*Scolecithricella abyssalis* (Giesbrecht, 1888) 深小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella dentata* (Giesbrecht, 1892) 葉足小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella fowleri* (Farran, 1926) 法氏小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella gracilis* Sars, 1905 瘦小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella longispinosa* Chen & Zhang, 1965 長刺小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella minor* (Brady, 1893) 小型小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella ovata* (Farran, 1905) 卵形小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella profunda* (Giesbrecht, 1892) 深小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella schizosoma* Park, 1980 裂體小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella tenuiserrata* (Giesbrecht, 1892) 細齒小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella timida* Tanaka, 1962 弱小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella tropica* Grice, 1962 熱帶小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithricella vittata* (Giesbrecht, 1892) 活潑小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithrix bradyi* Giesbrecht, 1888 伯氏小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithrix ctenopus* (Giesbrecht, 1888) 櫛小厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithrix danae* (Lubbock, 1856) 丹氏厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scolecithrix nicobarica* Sewell, 1929 緣齒厚殼水蚤 Ref. 石長泰。2002 (未發表)  
*Scottocalanus farrani* A. Scott, 1909 法氏暗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scottocalanus helenae* (Lubbock, 1856) 海侖暗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scottocalanus infrequens* Tanaka, 1969 希罕暗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scottocalanus persecans* (Giesbrecht, 1895) 叉暗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scottocalanus rotundatus* Tanaka, 1961 圓暗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scottocalanus securifrons* (T. Scott, 1893) 斧暗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scottocalanus sedatus* Farran, 1936 靜暗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scottocalanus terranova* Farran, 1929 新界暗哲水蚤 Ref. 石長泰。2007 (未發表)  
*Scottocalanus thomasi* A. Scott, 1909 湯氏暗哲水蚤 Ref. 石長泰。2002 (未發表)  
*Scottocalanus thorii* With, 1915 吐氏暗哲水蚤 Ref. 石長泰。2002 (未發表)

#### Family Spinocalanidae 刺哲水蚤科

*Mimocalanus cultrifer* Farran, 1908 刀仿哲水蚤 Ref. 石長泰。2002 (未發表)  
*Monacilla gracilis* (Wolfenden, 1911) 瘦異足水蚤 Ref. 石長泰。2002 (未發表)  
*Monacilla typica* Sars, 1905 典型異足水蚤 Ref. 石長泰。2002 (未發表)  
*Spinocalanus angusticeps* Sars, 1920 窄頭刺哲水蚤 Ref. 石長泰。2002 (未發表)  
*Spinocalanus horridus* Wolfenden, 1911 粗刺哲水蚤 Ref. 石長泰。2002 (未發表)  
*Spinocalanus magnus* Wolfenden, 1904 大刺哲水蚤 Ref. 石長泰。2002 (未發表)  
*Spinocalanus oligospinosus* Park, 1970 寡毛刺哲水蚤 Ref. 石長泰。2002 (未發表)  
*Spinocalanus spinosus* Farran, 1908 多毛刺哲水蚤 Ref. 石長泰。2002 (未發表)  
*Spinocalanus usitatus* Park, 1970 慣刺哲水蚤 Ref. 石長泰。2002 (未發表)

#### Family Stephidae 冠水蚤科

*Stephos pentacanthos* Chen & Zhang, 1965 五刺冠水蚤 Ref. 石長泰。2002 (未發表)

#### Family Temoridae 寬水蚤科

*Eurytemora herdmani* Thompson & Scott, 1897 賀氏真寬水蚤 Ref. Tan, 1967  
*Eurytemora pacifica* Sato, 1913 太平真寬水蚤 Ref. 石長泰。2002 (未發表)  
*Temora discaudata* Giesbrecht, 1889 異尾寬水蚤 Ref. 石長泰。2002 (未發表)  
*Temora stylifera* (Dana, 1849) 柱型寬水蚤 Ref. 石長泰。2002 (未發表)  
*Temora turbinata* (Dana, 1849) 錐形寬水蚤 Ref. 石長泰。2002 (未發表)

## Family Tortanidae 歪水蚤科

- Totanus denticulata* Shen & Li, 1963 鋸齒歪水蚤 Ref. 石長泰。2002 (未發表)  
*Totanus (Atortus) murrayi* A. Scott, 1909 小突歪水蚤 Ref. 石長泰。2002 (未發表)  
*Totanus (Atortus) scaphus* Bowman, 1973 杓狀歪水蚤 Ref. 石長泰。2002 (未發表)  
*Totanus (Atortus) sinicus* Chen, 1983 中華歪水蚤 Ref. 石長泰。2002 (未發表)  
*Totanus (Atortus) taiwanicus* Chen & Hwang, 1999 台灣歪水蚤 Ref. 石長泰。2002 (未發表)  
*Totanus (Eutortanus) derjugini* Smirnov, 1935 捷氏歪水蚤 Ref. 石長泰。2002 (未發表)  
*Totanus (Eutortanus) dextrilobatus* Chen & Zhang, 1965 右突歪水蚤 Ref. 石長泰。2002 (未發表)  
*Totanus (Eutortanus) spinicaudatus* Shen & Bai, 1956 刺尾歪水蚤 Ref. 石長泰。2002 (未發表)  
*Totanus (Eutortanus) vermiculus* Shen, 1955 蟲肢歪水蚤 Ref. 石長泰。2002 (未發表)  
*Totanus (Totanus) barbatus* (Brady, 1893) 鬚歪水蚤 Ref. 石長泰。2002 (未發表)  
*Totanus (Totanus) forcipatus* (Giesbrecht, 1893) 鉗形歪水蚤 Ref. 石長泰。2002 (未發表)  
*Totanus (Totanus) gracilis* (Brady, 1883) 瘦歪水蚤 Ref. 石長泰。2002 (未發表)

## Order Cyclopoida 劍水蚤目

### Family Clausidiidae 克氏水蚤科

- Hemicyclops dilatatus* Shen & Bai, 1956 寬身半水蚤 Ref. 石長泰。2002 (未發表)

### Family Corycaeidae 大眼水蚤科

- Corycaeus trukicus* Mori, 1931 Ref. Tan, 1967  
*Corycaeus (Agetus) flaccus* Giesbrecht, 1891 柔大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Agetus) limbatus* Brady, 1883 菱形大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Agetus) typicus* (Kroeyer, 1849) 典型大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Corycaeus) clausi* F. Dahl, 1894 克氏大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Corycaeus) crassiusculus* Dana, 1849 微胖大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Corycaeus) speciosus* Dana, 1849 美麗大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Corycaeus) vitreus* Dana, 1849 綠大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Ditrichocorycaeus) affinis* McMurrich, 1916 近緣大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Ditrichocorycaeus) andrewsi* Farran, 1911 亮大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Ditrichocorycaeus) asiaticus* F. Dahl, 1894 東亞大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Ditrichocorycaeus) dahli* Tanaka, 1957 平大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Ditrichocorycaeus) erythraeus* Cleve, 1903 紅大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Ditrichocorycaeus) japonica* Mori, 1937 日本大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Ditrichocorycaeus) lubbocki* Giesbrecht, 1891 小突大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Ditrichocorycaeus) subtilis* M. Dahl, 1912 細大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Monocorycaeus) robustus* Giesbrecht, 1891 粗大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Onychocorycaeus) agilis* Dana, 1849 活潑大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Onychocorycaeus) catus* F. Dahl, 1894 靈巧大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Onychocorycaeus) giesbrechti* F. Dahl, 1894 短大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Onychocorycaeus) latus* Dana, 1849 側大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Onychocorycaeus) pacificus* F. Dahl, 1894 太平大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Onychocorycaeus) pumilus* M. Dahl, 1912 小型大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Urocorycaeus) furcifer* Claus, 1863 叉大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Urocorycaeus) lautus* Dana, 1849 伶俐大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Corycaeus (Urocorycaeus) longistylis* Dana, 1849 長刺大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Farranula carinata* (Dana, 1847) 隆脊法氏大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Farranula concinna* (Dana, 1847) 精緻法氏大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Farranula gibbula* (Giesbrecht, 1891) 駝背法氏大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Farranula longicaudis* (Dana, 1849) 長尾法氏大眼水蚤 Ref. 石長泰。2002 (未發表)  
*Farranula rostrata* (Claus, 1863) 擬額法氏大眼水蚤 Ref. 石長泰。2002 (未發表)

### Family Cyclopidae 劍水蚤科

- Acanthocyclops formosanus* Harada, 1931 台灣刺劍水蚤 Ref. Harada, 1931  
*Acanthocyclops morimotoi* (ItoTak, 1952) 莫氏刺劍水蚤 Ref. Jang, 1975  
*Cyclops crassicaudis* Harada, 1931 Ref. Harada, 1931  
*Diacyclops crassicaudis* (SarsGO, 1863) Ref. Mizuno & Takahashi, 1991  
*Diacyclops crassicaudis* (Harada, 1931) Ref. Ueno, 1938  
*Ectocyclops polyspinosus* Harada, 1931 Ref. Harada, 1931  
*Eucyclops euacanthus* (SarsGO, 1918) Ref. Harada, 1931  
*Eucyclops serrulatus* (Fischer, 1851) Ref. Harada, 1931  
*Macrocylops albidus* (Jurine, 1820) 白色大劍水蚤 Ref. Harada, 1931  
*Macrocylops albidus* Kiefer, 1934 Ref. Harada, 1931  
*Megacyclops formosanus* (Harada, 1931) Ref. Ueno, 1938  
*Mesocyclops ianthinus* Harada, 1931 Ref. Harada, 1931  
*Mesocyclops leuckarti* Kiefer, 1929 Ref. Harada, 1931  
*Mesocyclops leuckarti* (Claus, 1857) 廣布中劍水蚤 Ref. Tan, 1967  
*Mesocyclops thermocyclopoides* Harada, 1931 Ref. Harada, 1931  
*Microcyclops kentanensis* (Harada, 1931) 肯贊小劍水蚤 Ref. Harada, 1931  
*Microcyclops linjanticus* (Kiefer, 1928) Ref. Ueno, 1938  
*Microcyclops tricolor* Lindberg, 1937 三色小劍水蚤 Ref. Ueno, 1938  
*Microcyclops uenoi* Kiefer, 1937 扁平小劍水蚤 Ref. Kiefer, 1937  
*Microcyclops varicans* (SarsGO, 1863) 誇立小劍水蚤 Ref. Ueno, 1938

*Paracyclops chiltoni* (G. M. Thomson, 1883) 邱氏擬劍水蚤 Ref. Catalog of Life 2007  
*Paracyclops fimbriatus* (Fischer, 1853) 毛飾擬劍水蚤 Ref. Harada, 1931  
*Paracyclops sitiseiensis* Harada, 1931 爬行擬劍水蚤 Ref. Harada, 1931  
*Thermocyclops brevifurcatus* (Harada, 1931) 短尾溫劍水蚤  
*Thermocyclops hyalinus* Rehberg, 1880 透明溫劍水蚤 Ref. Ueno, 1938  
*Thermocyclops ianthinus* (Harada, 1931) Ref. Ueno, 1938  
*Thermocyclops taihokuensis* Harada, 1931 Ref. Ueno, 1938  
*Tropocyclops candidi* (Harada, 1931) 清亮近劍水蚤 Ref. Harada, 1931  
*Tropocyclops prasinus* (Fischer, 1860) 綠色近劍水蚤 Ref. Ueno, 1938

#### Family Cyclopinidae 鏢劍水蚤科

*Cyclopina heterospina* Shen & Bai, 1956 雜刺鏢劍水蚤 Ref. 石長泰。2002 (未發表)  
*Paracylopina nana* Smirnov, 1935 矮小擬鏢劍水蚤 Ref. Tseng, 1975

#### Family Oithonidae 長腹劍水蚤科

*Limnoithona tetraspina* Zhang & Li, 1978 四刺湖長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona atlantica* Farran, 1908 大西長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona attenuata* Farran, 1913 細長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona brevicornis* Giesbrecht, 1891 短角長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona decipiens* Farran, 1913 隱長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona fallax* Farran, 1913 偽長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona frigida* Giesbrecht, 1902 冷長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona longispina* Nishida, 1977 長刺長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona nana* Giesbrecht, 1892 小腸腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona plumifera* Baird, 1843 羽長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona pseudofrigida* Rosendorn, 1917 擬冷長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona rigida* Giesbrecht, 1896 堅長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona robusta* Giesbrecht, 1891 粗長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona setigera* Dana, 1852 刺長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona similis* Claus, 1866 擬長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona simplex* Farran, 1913 簡長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona tenuis* Rosendorn, 1917 瘦長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Oithona vivida* Farran, 1913 敏長腹劍水蚤 Ref. 石長泰。2002 (未發表)  
*Pontoeciella abyssicola* (T. Scott, 1893) 深角劍水蚤 Ref. 石長泰。2002 (未發表)

#### Family Oncaeidae 隆水蚤科

*Conaea gracilis* (Dana, 1853) Ref. 石長泰。2002 (未發表)  
*Lubbockia aculeata* Giesbrecht, 1891 針刺梭水蚤 Ref. 石長泰。2002 (未發表)  
*Lubbockia extenuata* Boxshall, 1977 延梭水蚤 Ref. 石長泰。2002 (未發表)  
*Lubbockia marukawai* Mori, 1937 馬氏梭水蚤 Ref. 石長泰。2002 (未發表)  
*Lubbockia minuta* Wolfenden, 1905 小梭水蚤 Ref. 石長泰。2002 (未發表)  
*Lubbockia squillimana* Claus, 1863 掌刺梭水蚤 Ref. 石長泰。2002 (未發表)  
*Oncaea clevei* Fruhltl, 1863 背突隆水蚤 Ref. 石長泰。2002 (未發表)  
*Oncaea conifera* Giesbrecht, 1891 角突隆水蚤 Ref. 石長泰。2002 (未發表)  
*Oncaea dentipes* Giesbrecht, 1891 齒隆水蚤 Ref. 石長泰。2002 (未發表)  
*Oncaea media* Giesbrecht, 1891 中隆水蚤 Ref. 石長泰。2002 (未發表)  
*Oncaea mediterranea* Claus, 1861 等刺隆水蚤 Ref. 石長泰。2002 (未發表)  
*Oncaea minuta* Giesbrecht, 1892 小隆水蚤 Ref. 石長泰。2002 (未發表)  
*Oncaea ornata* Giesbrecht, 1891 鋪隆水蚤 Ref. 石長泰。2002 (未發表)  
*Oncaea similis* Sars, 1918 擬隆水蚤 Ref. 石長泰。2002 (未發表)  
*Oncaea venusta* Philippi, 1843 麗隆水蚤 Ref. 石長泰。2002 (未發表)  
*Pachos (Pachysoma) dentatum* Mori, 1932 齒厚水蚤 Ref. 石長泰。2002 (未發表)  
*Pachos (Pachysoma) punvysyrum* Claus, 1893 斑點厚水蚤 Ref. 石長泰。2002 (未發表)

#### Family Sapphirinidae 葉水蚤科

*Copilia lata* Giesbrecht, 1891 大槩水蚤 Ref. 石長泰。2002 (未發表)  
*Copilia longistylis* Mori, 1932 長槩水蚤 Ref. 石長泰。2002 (未發表)  
*Copilia mediterranea* Claus, 1863 地中海槩水蚤 Ref. 石長泰。2002 (未發表)  
*Copilia mirabilis* Dana, 1849 奇槩水蚤 Ref. 石長泰。2002 (未發表)  
*Copilia quadrata* Dana, 1849 方槩水蚤 Ref. 石長泰。2002 (未發表)  
*Copilia recta* Giesbrecht, 1891 直槩水蚤 Ref. 石長泰。2002 (未發表)  
*Copilia vitrea* (Haeckel, 1864) 晶槩水蚤 Ref. 石長泰。2002 (未發表)  
*Corina granulosa* Giesbrecht, 1891 顆粒心水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina angusta* Dana, 1849 狹葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina auronitens* Claus, 1863 曙光葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina bicuspidata* Giesbrecht, 1891 雙尖葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina darwini* Haeckel, 1864 達氏葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina gastrica* Giesbrecht, 1891 胃葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina gemma* Dana, 1849 芽葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina intestinata* Giesbrecht, 1891 腸葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina iris* Dana, 1849 虹葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina lactens* Giesbrecht, 1892 狹尾葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina maculosa* Giesbrecht, 1892 斑點葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina metallina* Dana, 1849 金葉水蚤 Ref. 石長泰。2002 (未發表)

*Sapphirina nigromaculata* Claus, 1863 墨點葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina opalina* Dana, 1849 瑪瑙葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina ovatolanceolata* Dana, 1849 圓矛葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina scarlata* Giesbrecht, 1891 紅葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina sinuicauda* Brady, 1883 彎尾葉水蚤 Ref. 石長泰。2002 (未發表)  
*Sapphirina stellata* Giesbrecht, 1891 星葉水蚤 Ref. 石長泰。2002 (未發表)

### Family Xarifiidae

*Xarifia Xarifia* Humes & Ho, 1968 Ref. 鄭有容、戴昌鳳。2005  
*Xarifia Xarifia* Humes, 1985 Ref. 鄭有容、戴昌鳳。2005

## Order Harpacticoida 猛水蚤目

### Family Aegisthidae 保猛水蚤科

*Aegisthus aculeatus* Giesbrecht, 1893 針刺保猛水蚤 Ref. 石長泰。2002 (未發表)  
*Aegisthus mucronatus* Giesbrecht, 1891 尖額保猛水蚤 Ref. 石長泰。2002 (未發表)  
*Aegisthus spinulosus* Farran, 1905 小刺保猛水蚤 Ref. 石長泰。2002 (未發表)

### Family Ambunguipedidae

*Ambunguipes rufocincta* (Brady, 1880) Ref. Catalog of Life 2007

### Family Ameiridae 阿瑪猛水蚤科

*Parameira pendula* Shen & Bai, 1956 鐘撮擬阿瑪猛水蚤 Ref. 石長泰。2002 (未發表)  
*Pseudomeira brevifurca* Shen & Bai, 1956 短尾偽阿瑪猛水蚤 Ref. 石長泰。2002 (未發表)

### Family Clytemnestridae 盔頭猛水蚤科

*Clytemnestra rostrata* (Brady, 1883) 有額盔頭猛水蚤 Ref. 石長泰。2002 (未發表)  
*Clytemnestra scutellata* Dana, 1847 小盤盔頭猛水蚤 Ref. 石長泰。2002 (未發表)

### Family Ectinosomatidae 長猛水蚤科

*Microsetella norvegica* (Boeck, 1864) 挪威小毛猛水蚤 Ref. 石長泰。2002 (未發表)  
*Microsetella rosea* (Dana, 1849) 紅小毛猛水蚤 Ref. 石長泰。2002 (未發表)

### Family Euterpinidae

*Euterpina acutifrons* (Dana, 1847) 尖額真猛水蚤 Ref. 石長泰。2002 (未發表)

### Family Harpacticidae 猛水蚤科

*Harpacticus uniremis* Kroyer, 1842 大尾猛水蚤 Ref. 石長泰。2002 (未發表)

### Family Miraciidae

*Macrosetella gracilis* (Dana, 1847) 瘦大毛猛水蚤 Ref. 石長泰。2002 (未發表)  
*Miracia efferata* Dana, 1846 奇異猛水蚤 Ref. 石長泰。2002 (未發表)

### Family Peltidiidae 龜甲猛水蚤科

*Alteutha interrupta* (Goodsir, 1845) 折腰厚甲猛水蚤 Ref. 石長泰。2002 (未發表)

### Family Pseudotachidiidae 偽大吉猛水蚤科

*Danielssenia typica* Boeck, 1872 標準戴氏猛水蚤 Ref. 石長泰。2002 (未發表)

## Order Misophrioida 異水蚤目

### Family Misophriidae 異水蚤科

*Misophria sinensis* Boxshall, 1990 中華異水蚤 Ref. 石長泰。2002 (未發表)

## Order Monstrilloida 怪水蚤目

### Family Monstrilloidae 怪水蚤科

*Apocyclops japonensis* ItoTak, 1957 日本異劍水蚤 Ref. Huang, 1984  
*Apocyclops royi* (Lindberg, 1940) 短角異劍水蚤 Ref. Chang, 1991  
*Cletocamptus deitersi* (Richard, 1897) 沿岸角猛水蚤 Ref. Chang, 1991  
*Echinocamptus hiemalis* Shen & Tai, 1964 長節刺猛水蚤 Ref. Chang, 1991  
*Halicyclops sinensis* Kiefer, 1928 中華鹹水劍水蚤 Ref. Huang, 1994  
*Idya furcata* (Baird, 1837) Ref. Huang, 1984  
*Laophonte brevisrostris* (Claus, 1863) 短顎老豐猛水蚤 Ref. Huang, 1984  
*Longipedia scotti* SarsGO, 1903 斯氏長足猛水蚤 Ref. Huang, 1994  
*Longipedia weberi* ScottA, 1909 偉氏長足猛水蚤 Ref. Huang, 1994  
*Microthalestris forficula* (Claus, 1863) 叉小殊足猛水蚤 Ref. Huang, 1994  
*Mongolodiptomus birulai* (RyLev, 1922) 錐肢蒙鏢水蚤 Ref. Huang, 1994  
*Mongolodiptomus formosanus* Kiefer, 1937 台蒙鏢水蚤 Ref. Kiefer, 1937  
*Monstrilla grandis* Giesbrecht, 1891 巨大怪水蚤 Ref. 石長泰。2002 (未發表)  
*Nitokra lacustris* (Shmankevich, 1875) 湖泊美麗猛水蚤 Ref. Chang et al., 1991  
*Nitokra pietschmanni* Chappuis, 1934 完美美麗猛水蚤 Ref. Chang, 1991  
*Onychocamptus mohammed* (Blanchard & Richard, 1891) 模氏有爪猛水蚤 Ref. Chang, 1991

## Order Mormonilloida 摩門虱目

### Family Mormonillidae 摩門虱科

*Mormonilla minor* Giesbrecht, 1891 小摩門虱 Ref. 石長泰。2002 (未發表)  
*Mormonilla phasma* Giesbrecht, 1891 幽靈摩門虱 Ref. 石長泰。2002 (未發表)

## Order Poecilostomatoida 杯口水蚤目

## Family Anthessiidae

*Anthessius mytilicolus* Reddiah, 1966 Ref. 林清龍、何汝諧。1999

## Family Bomolochidae 盜魚蚤科

- Bomolochus megaceros* Heller, 1865 Ref. 林清龍、何汝諧。2005  
*Bomolochus minus* Lin & Ho, 2005 Ref. 林清龍、何汝諧。2005  
*Bomolochus selaroides* Pillai, 1965 Ref. 林清龍、何汝諧。2005  
*Boylea longispica* Cressey, 1977 Ref. 何汝諧、林清龍。2007  
*Cresseyus nudulus* Ho & Lin, 2006 Ref. 何汝諧、林清龍。2006  
*Holocolax longisetus* Cressey, 1982 Ref. 何汝諧、江偉全、林清龍。2007  
*Naricolax atypicus* Ho, Do & Kasahara, 1983 Ref. 何汝諧、林清龍。2005  
*Naricolax insolitus* Ho & Lin, 2003 Ref. 何汝諧、林清龍。2003  
*Naricolax longispina* Ho & Lin, 2005 Ref. 何汝諧、林清龍。2005  
*Naricolax stocki* Roubal, 1981 Ref. 何汝諧、林清龍。2005  
*Nothobomolochus cypseluri* Yamaguti, 1953 Ref. 林清龍、何汝諧。2004  
*Nothobomolochus gibber* Shiino, 1957 Ref. 林清龍、何汝諧。2005  
*Nothobomolochus kanagurta* Pillai, 1965 Ref. 林清龍、何汝諧。2004  
*Nothobomolochus lateolabracis* Yamaguti & Yamasu, 1959 Ref. 林清龍、何汝諧。2005  
*Nothobomolochus lizae* Ho & Lin, 2005 Ref. 何汝諧、林清龍。2005  
*Nothobomolochus longisaccus* Ho & Lin, 2005 Ref. 何汝諧、林清龍。2005  
*Nothobomolochus triceros* Bassett-Smith, 1898 Ref. 林清龍、何汝諧。2004  
*Nothobomolochus trichiuri* Pillai & Natarajan, 1977 Ref. 林清龍、何汝諧。2005  
*Unicolax ciliatus* Cressey & Cressey, 1980 Ref. Lin & Ho, 2006  
*Unicolax collateralis* Cressey & Cressey, 1980 Ref. 林清龍、何汝諧。2006  
*Unicolax longispinus* C. L. Lin & J. S. Ho, 2006 Ref. 林清龍、何汝諧。2006  
*Unicolax mycterobius* (Vervoort, 1965) Ref. Lin & Ho, 2006  
*Unicolax quadrispinulus* C. L. Lin & J. S. Ho, 2006 Ref. 林清龍、何汝諧。2006

## Family Ergasilidae 魚蚤科

- Diergasilus kasaharai* Do, 1981 Ref. 林清龍、何汝諧。1998  
*Ergasilus japonicus* Harada, 1930 Ref. Harada, 1933  
*Ergasilus lobus* Lin & Ho, 1998 Ref. 林清龍、何汝諧。1998

## Family Mycolidae

- Mycicola formosanus* Lin & Ho, 1999 Ref. 林清龍、何汝諧。1999  
*Ostrincola similis* Lin & Ho, 1999 Ref. 林清龍、何汝諧。1999

## Family Taeniacanthidae 繚刺魚蚤科

- Irodes parupenei* Ho J. S. & Lin C. L., 2007 Ref. 何汝諧、林清龍。2007  
*Irodes upenei* Yamaguti, 1954 Ref. 林清龍、何汝諧。2006  
*Makrostromos acuminatus* J. S. Ho & C. L. Lin, 2006 Ref. 何汝諧、林清龍。2006  
*Makrostromos hamus* J. S. Ho & C. L. Lin, 2006 Ref. 何汝諧、林清龍。2006  
*Metataeniacanthus synodi* Pillai, 1963 Ref. 林清龍、何汝諧。2007  
*Taeniacanthus acanthocephalae* Yamaguti, 1939 Ref. 林清龍、何汝諧。2006  
*Taeniacanthus aluteri* Avdeev, 1977 Ref. 何汝諧、林清龍。2007  
*Taeniacanthus anguillarum* Devi & Shyamasundari, 1980 Ref. 林清龍、何汝諧。2006  
*Taeniacanthus balistae* Claus, 1864 Ref. 林清龍、何汝諧。2006  
*Taeniacanthus lagocephali* Pearse, 1952 Ref. 林清龍、何汝諧。2006  
*Taeniacanthus miles* Pillai, 1963 Ref. 何汝諧、江偉全、林清龍。2007  
*Taeniacanthus neoperis* Yamaguti, 1939 Ref. 林清龍、何汝諧。2006  
*Taeniacanthus pterosi* Shen, 1957 Ref. 何汝諧、林清龍。2007  
*Taeniacanthus spiniferus* Ho J. S. & Lin C. L., 2007 Ref. 何汝諧、林清龍。2007  
*Taeniastrostos tragus* Dojiri & Cressey, 1987 Ref. 何汝諧、林清龍。2007

## Class Diplopoda 倍足綱

### Order Chordeumatida

#### Family Diplomaragnidae

- Diplomaragna australis* Shear, 1999 [特有] Ref. Coll. and Res. (2004) 17: 11-32  
*Diplomaragna formosana* Verhoeff, 1936 Ref. 同前  
*Diplomaragna gracilipes* Verhoeff, 1914 Ref. 同前

#### Family Speophilosomatidae

- Speophilosoma montanum* Takakuwa, 1949 Ref. Coll. and Res. (2004) 17: 11-32

### Order Glomerida

#### Family Glomeridae

- Hyleoglomeris* sp. Ref. Coll. and Res. (2004) 17: 11-32

### Order Julida 姬馬陸目

#### Family Julidae

- Anaulaciulus simplex* Verhoeff, 1936 Ref. Coll. and Res. (2004) 17: 11-32  
*Anaulaciulus tonginus* Karsch, 1881 Ref. 同前  
*Anaulaciulus trapezoidus* Wang, 1955 Ref. 同前

*Anaulaciulus trilobus* Wang, 1963 Ref. 同前

### **Family Nemasomatidae**

*Orinisobates* sp. Ref. Coll. and Res. (2004) 17: 11-32

## **Order Platydesmida 平馬陸目**

### **[Not assigned to a family]**

*Andrognathidae* sp. 1 [特有] Ref. Coll. and Res. (2004) 17: 11-32

*Andrognathidae* sp. 2 [特有] Ref. 同前

## **Order Polydesmida 條馬陸目**

### **Family Cryptodesmidae**

*Niponia nodulosa* Verhoeff, 1931 Ref. Coll. and Res. (2004) 17: 11-32

*Niponia simplex* Wang, 1957 [特有] Ref. 同前

### **Family Haplodesmidae**

*Prosopodesmus jacobsoni* Silvestri, 1910 Ref. Coll. and Res. (2004) 17: 11-32

### **Family Paradoxosomatidae**

*Aponedyopus maculatus* Takakuwa, 1942 Ref. Coll. and Res. (2004) 17: 11-32

*Aponedyopus montanus* Verhoeff, 1939 Ref. 同前

*Asiomorpha coarctata* De Saussure, 1860 Ref. 同前

*Cawjeekelia kanoi* Takakuwa, 1943 Ref. 同前

*Cawjeekelia nordenskiöldi* Attems, 1909 Ref. 同前

*Chamberlinius hualienensis* Wang, 1956 [特有] Ref. 同前

*Chamberlinius piceofasciatus* Gressitt, 1941 Ref. 同前

*Chamberlinius shengmui* Wang, 1957 Ref. 同前

*Chondromorpha xanthotricha* Attems, 1898 Ref. 同前

*Habrodesmus inexpectatus* Attems, 1944 Ref. 同前

*Helicorthomorpha holstii* Pocock, 1895 Ref. 同前

*Helicorthomorpha orthogona* Silvestri, 1898 Ref. 同前

*Kronopolites swinhoei* Pocock, 1895 Ref. 同前

*Nedyopus patrioticus* Attems, 1898 Ref. 同前

*Orthomorpha bisulcata* Pocock, 1895 Ref. 同前

*Orthomorpha flavomarginata* Gressitt, 1941 Ref. 同前

*Orthomorphella pekuensis* Karsch, 1881 Ref. 同前

*Oxidus gracilis* C. L. Koch, 1847 Ref. 同前

*Varyomorpha hsientienensis* Wang, 1957 Ref. 同前

*Varyomorpha pectinata* Wang, 1957 Ref. 同前

### **Family Polydesmidae**

*Epanerchodus orientalis* Attems, 1901 Ref. Coll. and Res. (2004) 17: 11-32

*Nipponesmus shirinensis* Chamberlin & Wang, 1953 Ref. 同前

### **Family Pyrgodesmidae**

*Thelodesmus armatus* Miyosi, 1951 Ref. Coll. and Res. (2004) 17: 11-32

### **Family Xystodesmidae**

*Pachydesmus attemsi* Wang, 1960 Ref. Coll. and Res. (2004) 17: 11-32

*Rhysodesmus cohaesivus* Wang, 1957 Ref. 同前

*Rhysodesmus contiguus* Wang, 1957 Ref. 同前

*Riukiaria holstii* Pocock, 1895 Ref. 同前

*Riukiaria ochracea* Gressitt, 1941 Ref. 同前

*Riukiaria taiwana* Takakuwa, 1942 Ref. 同前

*Riukiaria uraensis* Wang, 1956 Ref. 同前

## **Order Polyxenida**

### **Family Lophoproctidae**

*Eudigraphis taiwaniensis* Ishii, 1990 Ref. Coll. and Res. (2004) 17: 11-32

### **Family Polyxenidae**

*Lophoturus okinawai* Nguyen Duy-Jacquemin & Conde, 1982 Ref. Coll. and Res. (2004) 17: 11-32

## **Order Polyzoniida**

### **Family Siphonotidae**

*Rhinotus purpureus* Pocock, 1894 Ref. Coll. and Res. (2004) 17: 11-32

## **Order Spirobolida**

### **Family Pachybolidae**

*Spirostrophus lanyusis* Wang, 1955 Ref. Coll. and Res. (2004) 17: 11-32

### **Family Rhinocricidae**

*Paraspirobolus lucifugus* Gervais, 1836 Ref. Coll. and Res. (2004) 17: 11-32

*Salpidobolus oceanicus* Verhoeff, 1944 Ref. 同前

### **Family Spirobolidae**

*Spiroboles bungii* Brandt, 1833 燕山蝨 Ref. Coll. and Res. (2004) 17: 11-32  
*Spiroboles formosae* Keeton, 1960 Ref. 同前  
*Spiroboles walkeri* Pocock, 1895 浙山蝨 Ref. 同前

### Family Trioniulidae

*Leptogoniulus sorornus* Butler, 1876 Ref. Coll. and Res. (2004) 17: 11-32  
*Trioniulus corallinus* Gervais, 1842 磚紅厚甲馬陸 Ref. 同前  
*Trioniulus tertius* Takakuwa, 1940 Ref. 同前

## Order Spirostreptida

### Family Cambalopsidae

*Glyphiulus granulatus* Gervais, 1847 Ref. Coll. and Res. (2004) 17: 11-32

## Class Insecta 昆蟲綱

### Order Blattaria 蜚蠊目

#### Family Blaberidae 匍蠊科

*Diploptera nigrescens* Shiraki, 1931 暗色甲蠊 Ref. 連日清。1992  
*Nauphoeta cinerea* (Olivier, 1789) 灰色庭蠊 Ref. 連日清。1992  
*Opisthopteria orientalis* Burmeister, 1838 東方水蠊 Ref. 連日清。1992  
*Panesthia angustipennis* (Shiraki, 1906) 黑褐硬蠊 Ref. 連日清。1992  
*Panesthia angustipennis* Asahina, 1988 八重山硬蠊 Ref. 連日清。1992  
*Paranauphoeta formosana* Matsumura, 1913 台灣紋蠊 Ref. 連日清。1992  
*Phyllodromia flavomarginata* Shiraki, 1931 黃緣扁蠊 Ref. 連日清。1992  
*Phyllodromia lineata* Shiraki, 1931 線紋土蠊 Ref. 連日清。1992  
*Phyllodromia nigripunctata* Shiraki, 1906 黑胸土蠊 Ref. 連日清。1992  
*Phyllodromia niitakana* Shiraki, 1931 玉山姬蠊 Ref. 連日清。1992  
*Phyllodromia ogatai* Shiraki, 1931 緒方扁蠊 Ref. 連日清。1992  
*Pycnoscelus surinamensis* (Linnaeus, 1758) 蘇里南潛蠊 Ref. 連日清。1992  
*Rhabdoblatta formosana* (Shiraki, 1906) 台灣麻蠊 Ref. 連日清。1992  
*Rhabdoblatta guttigera* (Shiraki, 1906) 帶滴麻蠊 Ref. 連日清。1992  
*Rhabdoblatta humeralis* (Shiraki, 1931) 地生麻蠊 Ref. 連日清。1992  
*Rhabdoblatta karnyi* (Shiraki, 1931) 卡氏麻蠊 Ref. 連日清。1992  
*Rhabdoblatta punkiko* Asahina, 1967 奮起湖麻蠊 Ref. 連日清。1992  
*Rhabdoblatta rusica* Stal, 1858 鄉村麻蠊 Ref. 連日清。1992  
*Rhabdoblatta takahashii* Asahina, 1967 高橋麻蠊 Ref. 連日清。1992  
*Salganea gragei* Roth, 1979 拉氏木蠊 Ref. 連日清。1992  
*Salganea gressitti* Roth, 1979 谷氏木蠊 Ref. 連日清。1992  
*Salganea taiwanensis* Roth, 1979 台灣木蠊 Ref. 連日清。1992  
*Trichoblatta nigra* (Shiraki, 1906) 黑褐圓蠊 Ref. 連日清。1992  
*Trichoblatta pygmaea* (Karny, 1915) 矮小圓蠊 Ref. 連日清。1992

#### Family Blattellidae 姬蠊科

*Anaplecta simplex* Shiraki, 1913 單色小蠊 Ref. 連日清。1992  
*Anaplectella ruficollis* (Karny, 1915) 紅頸細蠊 Ref. 連日清。1992  
*Asiablatta kyotensis* Asahina, 1976 京都蜚蠊 Ref. 連日清。1992  
*Balta notulata* (Stal, 1860) 網翅扁蠊 Ref. 連日清。1992  
*Blattella biligata* Walker, 1868 雙帶姬蠊 Ref. 連日清。1992  
*Blattella bisignata* Brunner, 1893 雙紋姬蠊 Ref. 連日清。1992  
*Blattella germanica* (Linnaeus, 1767) 德國姬蠊 Ref. 連日清。1992  
*Blattella karnyi* (Princis, 1969) 卡氏姬蠊 Ref. 連日清。1992  
*Blattella lituricollis* Walker, 1868 叉紋姬蠊 Ref. 連日清。1992  
*Blattella nipponica* Asahina, 1963 日本姬蠊 Ref. 連日清。1992  
*Blattella sauteri* Karny, 1915 邵氏姬蠊 Ref. 連日清。1992  
*Chorisoneura formosana* (Matsumura, 1913) 台灣革蠊 Ref. 連日清。1992  
*Chorisoneura nigra* (Shiraki, 1908) 黑色革蠊 Ref. 連日清。1992  
*Episymphloe asahinai* Roth, 1985 朝比奈林蠊 Ref. 連日清。1992  
*Episymphloe formosana* (Shiraki, 1931) 吉野林蠊 Ref. 連日清。1992  
*Episymphloe formosana* (Shiraki, 1908) 台灣林蠊 Ref. 連日清。1992  
*Episymphloe hassenzana* Roth, 1987 八仙山林蠊 Ref. 連日清。1992  
*Episymphloe sinensis* (Walker, 1868) 中華林蠊 Ref. 連日清。1992  
*Episymphloe sundaica* Hebard, 1929 印尼林蠊 Ref. 連日清。1992  
*Episymphloe taiheizana* Asahina, 1979 太平山林蠊 Ref. 連日清。1992  
*Lobopterella dimidiatipes* (Bolivar, 1890) 雙斑紅蠊 Ref. 連日清。1992  
*Margattea nimbata* (Princis, 1969) 素木土蠊 Ref. 連日清。1992  
*Margattea perspicillaris* (Karny, 1915) 台灣土蠊 Ref. 連日清。1992  
*Palta pallidiola* (Shiraki, 1906) 淡色扁蠊 Ref. 連日清。1992  
*Scalida shenklingi* (Karny, 1915) 沈氏草蠊 Ref. 連日清。1992  
*Supella longipalpa* (Fabricius, 1798) 長鬚帶蠊 Ref. 連日清。1992  
*Symphloe acuminata* (Shiraki, 1931) 細尖森蠊 Ref. 連日清。1992  
*Symphloe furcata* (Shiraki, 1931) 叉紋森蠊 Ref. 連日清。1992  
*Symphloe gigas* Asahina, 1979 巨大森蠊 Ref. 連日清。1992  
*Symphloe japonica* (Shelford, 1970) 日本森蠊 Ref. 連日清。1992

*Symploce striata* (Shiraki, 1906) 條紋森蠅 Ref. 連日清。1992  
*Symploce striata* Asahina, 1979 烏來森蠅 Ref. 連日清。1992

### Family Blattidae 蜚蠊科

*Cutilia soror* (Brunner von Wattenwyl, 1865) 相似庫蠅 Ref. 連日清。1992  
*Dorylaea flavicincta* Haan, 1842 黃邊紋家蠅 Ref. 連日清。1992  
*Hebardina sonana* (Shiraki, 1931) 楚南黑蠅 Ref. 連日清。1992  
*Hebardina taiwanica* Princis, 1963 台灣黑蠅 Ref. 連日清。1992  
*Homalosipha gaudens* Shelford, 1910 紅足褐家蠅 Ref. 連日清。1992  
*Neostylopyga rhombifolia* Stoll, 1813 家屋斑蠅 Ref. 連日清。1992  
*Peripaaneta banksi* Hanitsch, 1931 班氏家蠅 Ref. 連日清。1992  
*Peripaaneta formosana* Karny, 1915 台灣家蠅 Ref. 連日清。1992  
*Periplaneta americana* (Linnaeus, 1785) 美洲家蠅 Ref. 連日清。1992  
*Periplaneta arisanica* Shiraki, 1931 阿里山家蠅 Ref. 連日清。1992  
*Periplaneta australasiae* (Fabricius, 1775) 澳洲家蠅 Ref. 連日清。1992  
*Periplaneta brunnea* Burmeister, 1838 棕色家蠅 Ref. 連日清。1992  
*Periplaneta fuliginosa* Serville, 1838 黑褐家蠅 Ref. 連日清。1992  
*Periplaneta karnyi* Shiraki, 1931 卡氏家蠅 Ref. 連日清。1992  
*Periplaneta* sp. Asahina, 1980 未定名家蠅 Ref. 連日清。1992  
*Periplaneta uenoi* Asahina, 1980 上野家蠅 Ref. 連日清。1992  
*Platyzosteria nitida* Brunner von Wattenwyl, 1865 燦爛布蠅 Ref. 連日清。1992

### Family Polyphagidae 昔蠅科

*Eucorydia aenea* (Walker, 1868) 帶紋柑蠅 Ref. 連日清。1992  
*Holocompsa debilis* Walker, 1868 矮小地蠅 Ref. 連日清。1992

## Order Coleoptera 鞘翅目

### Family Aderidae 偽細頸蟲科

*Hylophilus formosanus* Pic, 1913 [特有] Ref. Miwa, 1931  
*Hylophilus laticeps* Pic, 1913 [特有] Ref. Miwa, 1931  
*Hylophilus sauteri* Pic, 1913 [特有] Ref. Miwa, 1931

### Family Anobiidae 標本甲科

*Byrrhodes tomokunii* Sakai, 1996 紅鬚蠹甲 [特有] Ref. Sakai, 1996  
*Clada babai* Sakai, 1987 馬場櫛角鬚蠹甲 [特有] Ref. Sakai, 1987  
*Clada fomosana* Sakai, 1987 蓬萊櫛角鬚蠹甲 [特有] Ref. Sakai, 1987  
*Clada vittula* Sakai, 1987 帶紋櫛角鬚蠹甲 [特有] Ref. Sakai, 1987  
*Clada (Taiwanoclada) shibatai* Sakai 柴田櫛角鬚蠹甲 [特有] Ref. Sakai, 1987  
*Ernobius mollis* Linnaeus, 1748 Ref. Zahradnik, 2007c  
*Falsogastrallus sauteri* Pic, 1914 紹德擬腹標本甲 [特有] Ref. Pic, 1914  
*Gastrallus testaceicornis* Pic, 1922 [特有] Ref. Zahradnik, 2007a  
*Gastrallus tuberculatus* Pic, 1914 瘤突巨腹標本甲 [特有] Ref. Pic, 1914  
*Gibbium psylloides* (Czenpinski, 1778) Ref. Borowski, 2007  
*Indanobium formosanum* (Kono & Kim, 1937) 蓬萊鬚蠹甲 [特有] Ref. Sakai, 2005  
*Kedirinus albidiceps* (Pic, 1914) Ref. Borowski, 2007  
*Lasioderma formosanum* Pic, 1943 [特有] Ref. Zahradnik, 2007d  
*Lasioderma serricorne* (Fabricius, 1792) 鋸角毛食骸甲 Ref. Pic, 1914  
*Mizodorcatoma sibirica* (Reitter, 1879) Ref. Zahradnik, 2007b  
*Myrmecoptinus kuronis* (Ohta, 1930) [特有] Ref. Borowski, 2007  
*Myrmecoptinus sauteri* (Pic, 1914) Ref. 同前  
*Protheca plicatipennis* (Pic, 1912) [特有] Ref. Zahradnik, 2007b  
*Ptilineurus marmoratus* (Reitter, 1877) 石紋鬚蠹甲 Ref. Kono & Kim, 1937  
*Ptinus fur* (Linnaeus, 1758) Ref. Borowski, 2007  
*Stegobium paniceum* (Linnaeus, 1758) Ref. Zahradnik, 2007a  
*Trichodesma kurosawai* Sakai, 1986 黑澤毛鬚蠹甲 [特有] Ref. Sakai, 1986

### Family Anthicidae 蟻形蟲科

*Anthelephila cribriceps* (Marseul, 1876) Ref. Miwa, 1931  
*Anthicus confucii* Pic, 1913 [特有] Ref. Miwa, 1931  
*Anthicus confucii* Marseul, 1876 Ref. Miwa, 1931  
*Anthicus crinitus* La Ferte, 1848 Ref. Miwa, 1931  
*Anthicus diversepunctatus* Pic, 1913 [特有] Ref. Miwa, 1931  
*Anthicus floralis* Thomson, 1864 Ref. Miwa, 1931  
*Anthicus formosanus* Pic, 1911 [特有] Ref. Miwa, 1931  
*Anthicus luteonotatus* Pic, 1913 Ref. Miwa, 1931  
*Anthicus monstrosicornis* Marseul, 1876 Ref. Miwa, 1931  
*Anthicus pectilis* Pic, 1910 [特有] Ref. Miwa, 1931  
*Anthicus sauteri* Pic, 1913 [特有] Ref. Miwa, 1931  
*Anthicus takaosus* Pic, 1913 [特有] Ref. Miwa, 1931  
*Anthicus testaceicolor* Pic, 1913 [特有] Ref. Miwa, 1931  
*Derarimus nigripennis* Uhmman, 1994 [特有] Ref. Uhmman, 1994  
*Formiconus klapperichi* Uhmman, 1988 [特有] Ref. Uhmman, 1988  
*Formiconus longispinus* Pic, 1912 [特有] Ref. Miwa, 1931  
*Formiconus sauteri* Pic, 1912 [特有] Ref. Miwa, 1931

*Ischalia arisana* Kono, 1935 [特有] Ref. Sato & Ohbayashi, 2001  
*Ischalia latemarginata* Ohbayashi & Toyama, 1994 [特有] Ref. 同前  
*Ischalia uenoi* Sato, 1990 [特有] Ref. 同前  
*Macratia griseosellata* Pic, 1913 [特有] Ref. Miwa, 1931  
*Macratia serialis* Marseul, 1876 Ref. Miwa, 1931  
*Mecynotarsus flavipes* Pic, 1913 [特有] Ref. Miwa, 1931  
*Mecynotarsus quadrimaculatus* Pic, 1913 [特有] Ref. Miwa, 1931  
*Pseudoleptaleus trigibber* (Pic, 1913) [特有] Ref. Miwa, 1931  
*Tomoderus bimaculatus* Uhmman, 1988 [特有] Ref. Uhmman, 1988  
*Tomoderus lineatopunctatus* Uhmman, 1994 [特有] Ref. Uhmman, 1994

### Family Anthribidae 長角象鼻蟲科

*Acorynus anchis* Jordan, 1912 Ref. Yoshihara & Senoh, 1998  
*Acorynus caenonus* Jordan, 1911 Ref. 同前  
*Acorynus luzonicus* Shibata, 1982 [特有] Ref. 同前  
*Acorynus punctipennis* Jordan, 1895 Ref. 同前  
*Apatenia arcifera* Frieser, 1985 [特有] Ref. 同前  
*Apatenia infans* Jordan, 1912 [特有] Ref. 同前  
*Aphaulimia grammica* (Jordan, 1912) Ref. 同前  
*Apolecta paraplesia* Jordan, 1912 [特有] Ref. 同前  
*Apolecta tonkiniana* Jordan, 1904 Ref. 同前  
*Araecerus coffeae* (Fabricius, 1801) Ref. Senoh & Yoshihara, 2000  
*Araecerus levipennis* Jordan, 1924 Ref. Yoshihara & Senoh, 1998  
*Araecerus siliquae* Frieser, 1981 [特有] Ref. 同前  
*Asemorhinus nebulosus* Sharp, 1891 Ref. 同前  
*Atinellia affinis* Shibata, 1979 [特有] Ref. 同前  
*Atinellia signata* Shibata, 1979 [特有] Ref. 同前  
*Atinellia tessellata* Shibata, 1979 [特有] Ref. 同前  
*Atinellia variegata* Shibata, 1979 [特有] Ref. 同前  
*Autotropis fulvescens* Shibata, 1984 [特有] Ref. 同前  
*Autotropis montanus* Frieser, 1981 [特有] Ref. 同前  
*Basitropis nitidicutis* Jekel, 1855 Ref. 同前  
*Basitropis persimilis* Jordan, 1916 Ref. 同前  
*Caenophloeobius inconspicuus* (Wolfrum, 1948) Ref. 同前  
*Cedus amabilis* Shibata, 1979 [特有] Ref. 同前  
*Cedus diversus* Jordan, 1911 Ref. 同前  
*Cedus prominens* Shibata, 1979 [特有] Ref. 同前  
*Choragus brevior* Frieser, 1981 [特有] Ref. 同前  
*Choragus distendens* Frieser, 1981 [特有] Ref. 同前  
*Dendrotrogus angustipennis* Jordan, 1895 Ref. 同前  
*Dendrotrogus colligens* (Walker, 1859) Ref. 同前  
*Dendrotrogus japonicus* Morimoto, 1979 Ref. 同前  
*Derisemias taiwanus* Frieser, 1981 [特有] Ref. 同前  
*Deropygus grammicus* Senoh, 1985 [特有] Ref. 同前  
*Deropygus histrio* Sharp, 1891 Ref. 同前  
*Deropygus niger* Senoh, 1985 [特有] Ref. 同前  
*Eucorynus crassicornis* (Fabricius, 1801) Ref. 同前  
*Euparius modicus* Morimoto, 1978 Ref. 同前  
*Euparius oculatus* (Jordan, 1912) Ref. 同前  
*Exechesops discoidalis* (Wolfrum, 1922) [特有] Ref. 同前  
*Exechesops frontalis* (Wolfrum, 1922) [特有] Ref. 同前  
*Exillis japonicola* Nakane, 1963 Ref. 同前  
*Exillis longicornis* Pascoe, 1860 Ref. 同前  
*Gibber incisus* (Sharp, 1891) Ref. 同前  
*Gibber minor* Wolfrum, 1949 Ref. 同前  
*Habrissus formosanus* Jordan, 1912 Ref. 同前  
*Illis anna* Shibata, 1969 Ref. 同前  
*Illis elisa* Shibata, 1980 [特有] Ref. 同前  
*Litocerus bicuspis* Jordan, 1912 [特有] Ref. 同前  
*Litocerus communis* Jordan, 1912 Ref. 同前  
*Litocerus dysallus* Jordan, 1912 [特有] Ref. 同前  
*Litocerus histrio* Gyllenhal, 1833 Ref. 同前  
*Litocerus securus* (Boheman, 1839) Ref. 同前  
*Litocerus sticticus* Jordan, 1904 Ref. 同前  
*Litocerus tokarensis* Shibata, 1982 [特有] Ref. 同前  
*Litocerus tuberculatus* Shibata, 1982 [特有] Ref. 同前  
*Mecotropis taiwanus* Shibata, 1982 [特有] Ref. 同前  
*Mecotropis unoi* Shibata, 1969 Ref. 同前  
*Melanopsacus kinke* Morimoto, 1978 Ref. 同前  
*Nerthomma apotum* Jordan, 1912 Ref. 同前  
*Nessiara mosonica* Jordan, 1904 Ref. 同前  
*Nessiadocus propinquus* Shibata, 1980 Ref. 同前

*Nessiiodocus repandus* (Jordan, 1912) Ref. 同前  
*Nessiiodocus trifasciatus* Shibata, 1980 [特有] Ref. 同前  
*Nessiiodocus triodes* (Jordan, 1912) Ref. 同前  
*Notioxenus deropygoides* Senoh, 1984 [特有] Ref. 同前  
*Oxyderes fastigatus* (Jordan, 1924) Ref. 同前  
*Ozotomerus amamianus* Morimoto, 1978 Ref. 同前  
*Ozotomerus japonicus* Sharp, 1891 Ref. Senoh & Yoshihara, 2000  
*Ozotomerus nigromaculatus* Morimoto, 1978 Ref. 同前  
*Penestica brevis* (Jordan, 1912) [特有] Ref. Yoshihara & Senoh, 1998  
*Peribathys uenoi* Senoh, 1982 [特有] Ref. 同前  
*Phaulimia angulata* Shibata, 1980 [特有] Ref. 同前  
*Phaulimia incerta* Shibata, 1963 Ref. 同前  
*Phaulimia vicina* Shibata, 1980 [特有] Ref. 同前  
*Phloeobius albescens* Jordan, 1895 Ref. 同前  
*Phloeobius alternatus* (Wiedemann, 1816) Ref. 同前  
*Phloeobius gigas* (Fabricius, 1775) Ref. 同前  
*Physopterus taiwanus* Shibata, 1978 [特有] Ref. 同前  
*Platystomos wallacei* (Jordan, 1904) Ref. 同前  
*Plintheria diversa* Shibata, 1979 [特有] Ref. 同前  
*Rawasia ritsemae* Roelofs, 1880 Ref. 同前  
*Rhaphitropis carinatus* Shibata, 1978 [特有] Ref. 同前  
*Rhaphitropis communis* Shibata, 1978 [特有] Ref. 同前  
*Rhaphitropis cylindricus* Shibata, 1978 [特有] Ref. 同前  
*Rhaphitropis guttifer* Shibata, 1978 [特有] Ref. 同前  
*Rhaphitropis pigmaeus* Shibata, 1978 [特有] Ref. 同前  
*Sintor dorsalis* Shibata, 1969 Ref. 同前  
*Sintor fasciatus* Jordan, 1903 [特有] Ref. 同前  
*Sintor pustulatus* Shibata, 1978 [特有] Ref. 同前  
*Sphinctotropis paviei* (Lesne, 1891) Ref. 同前  
*Stenorhis bifoveolatus* Shibata, 1984 [特有] Ref. 同前  
*Stenorhis cylindratus* Frieser, 1981 [特有] Ref. 同前  
*Stiboderes impressus* (Jordan, 1912) Ref. 同前  
*Streneoderma insigne* Wolfrum, 1934 Ref. 同前  
*Tropideres japonicus* Morimoto, 1980 [特有] Ref. 同前  
*Tropideres nanus* Shibata, 1982 [特有] Ref. 同前  
*Tropideres roelofsi* Jordan, 1912 [特有] Ref. 同前  
*Tropideres signellus* Jordan, 1912 [特有] Ref. 同前  
*Xanthoderopygus didymus* (Jordan, 1924) Ref. 同前  
*Xanthoderopygus jocosus* (Sharp, 1891) Ref. 同前  
*Xylinada japonica* (Sharp, 1891) Ref. 同前  
*Xylinada maculipes* (Fahraeus, 1839) Ref. 同前  
*Xylinada phycus* (Jordan, 1912) [特有] Ref. 同前  
*Xylinada striatifrons* (Jordan, 1895) Ref. 同前

#### Family Apionidae 針嘴象鼻蟲科

*Conapion araneiforme* Wagner, 1909 [特有] Ref. Miwa, 1931  
*Conapion formosanum* Wagner, 1914 [特有] Ref. Miwa, 1931  
*Conapion morosum* Wagner, 1909 [特有] Ref. Miwa, 1931  
*Conapion pallidirostre* Wagner, 1914 [特有] Ref. Miwa, 1931  
*Conapion schenklingi* Wagner, 1914 [特有] Ref. Miwa, 1931  
*Piezotrachelus sauteri* Wagner, 1909 [特有] Ref. Miwa, 1931  
*Temnalysis axeli* Alonso-Zarazaga, 1989 [特有] Ref. Alonso-Zarazaga, 1989

#### Family Artematopodidae 偽長花蚤科

*Eurypogon granulatus* Sakai, 1982 [特有] Ref. Sakai, 1982

#### Family Attelabidae 捲葉象鼻蟲科

*Chokkirius truncatus* (Sharp, 1889) Ref. Swada, 1987  
*Cynotrachelus flavotuberosus* (Jekel, 1860) Ref. Miwa, 1931  
*Cynotrachelus formosanus* (Voss, 1924) [特有] Ref. Miwa, 1931  
*Eugnamptus distinctus* Voss, 1930 [特有] Ref. Miwa, 1931  
*Eugnamptus sauteri* Voss, 1921 [特有] Ref. Miwa, 1931  
*Eugnamptus taihorinensis* Voss, 1921 [特有] Ref. Miwa, 1931  
*Euops chinensis* Voss, 1922 Ref. Miwa, 1931  
*Euops chinensis* Kono, 1927 [特有] Ref. Miwa, 1931  
*Euops clarus* Swada & Morimoto, 1985 [特有] Ref. Swada & Morimoto, 1985  
*Euops indigenus* Voss, 1924 [特有] Ref. Miwa, 1931  
*Euops striata* Voss, 1924 [特有] Ref. Miwa, 1931  
*Henicolabus hypomelas* (Fairmaire, 1878) [特有] Ref. Miwa, 1931  
*Henicolabus octospilotus* Jekel, 1860 Ref. Miwa, 1931  
*Isolabus elongaticeps* Voss, 1924 Ref. Miwa, 1931  
*Lamprolabus bispinosus* (Gyllenhal, 1833) Ref. Miwa, 1931  
*Paramecolabus pallidipennis* Voss, 1925 Ref. Miwa, 1931

*Paratrachelophorus katoi* Kono, 1930 [特有] Ref. Miwa, 1931  
*Paratrachelophorus nodicornis* Voss, 1930 [特有] Ref. Miwa, 1931  
*Paratrachelophorus vossi* Kono, 1930 [特有] Ref. Miwa, 1931

#### Family Biphyllidae 毛蕈蟲科

*Biphyllus flexuosus* (Reitter, 1889) Ref. Grouvelle, 1913  
*Biphyllus formosianus* (Grouvelle, 1913) [特有] Ref. 同前  
*Biphyllus medius* (Grouvelle, 1913) [特有] Ref. 同前  
*Biphyllus sauteri* (Grouvelle, 1913) [特有] Ref. 同前  
*Biphyllus schenklingi* (Grouvelle, 1913) [特有] Ref. 同前

#### Family Bolboceratidae 厚角金龜科

*Bolbelasmus kurosawai* Masumoto, 1984 黑澤厚角金龜 [特有] Ref. Kral et al., 2006  
*Bolbelasmus nativus* Krikken, 1977 黑臀厚角金龜 Ref. 同前  
*Bolbochromus ryukyensis* Masumoto, 1984 琉球黃斑厚角金龜 Ref. Fujioka, 2001  
*Bolboerodema kiyoyamai* (Nomura, 1973) 黑球厚角金龜 Ref. Kral et al., 2006

#### Family Bostrichidae 長蠹蟲科

*Bostrychopsis parallela* (Lesne, 1895) 大竹蠹 Ref. Liu et al., 2006  
*Dinoderus japonicus* Lesne, 1895 日本竹長蠹 Ref. 同前  
*Dinoderus minutus* (Fabricius, 1775) 對竹長蠹 Ref. Miwa, 1931  
*Dinoderus ocellaris* Stephens, 1830 Ref. Liu et al., 2006  
*Heterobostrychus aequalis* (Waterhouse, 1884) 雙鉤異翅長蠹 Ref. Miwa, 1931  
*Heterobostrychus haematipennis* (Lesne, 1895) Ref. Miwa, 1931  
*Licenophanes carinipennis* Lewis, 1896 斑長蠹蟲 Ref. Miwa, 1931  
*Lyctoxylon dentatum* (Pascoe, 1866) 齒粉蠹 Ref. Liu et al., 2006  
*Lyctus brunneus* Stephens, 1830 褐粉蠹 Ref. Miwa, 1931  
*Lyctus sinensis* Lesne, 1911 中華粉蠹 Ref. Liu et al., 2006  
*Minthea reticulata* Lesne, 1931 Ref. 同前  
*Minthea rugicollis* (Walker, 1858) 鱗毛粉蠹 Ref. 同前  
*Parabostrychus acuticollis* Lesne, 1913 Ref. 同前  
*Sinoxylon anale* Lesne, 1897 雙棘長蠹 Ref. 同前  
*Sinoxylon crassum* Lesne, 1897 Ref. 同前  
*Sinoxylon japonicum* Lesne, 1895 日本雙棘長蠹 Ref. 同前  
*Sinoxylon mangiferae* Chujo 芒果雙棘長蠹 [特有] Ref. 同前  
*Sinoxylon pygmaeum* Lesne Ref. 同前  
*Xylocis tortilicornis* Lense Ref. 同前  
*Xylodectes ornatus* (Lesne, 1897) 褐斑木長蠹 Ref. 同前  
*Xyloperthella crinitarsis* (Imhoff, 1843) Ref. 同前  
*Xylopsocus bicuspidis* Lesne, 1901 Ref. Miwa, 1931  
*Xylopsocus capucinus* (Fabricius, 1787) Ref. Miwa, 1931  
*Xylopsocus castanoptera* (Fairmaire, 1850) Ref. Liu et al., 2006  
*Xylothrips flavipes* (Illiger, 1801) Ref. 同前  
*Xylothrips religiosus* (Boisduval, 1835) 紅艷長蠹 Ref. 同前

#### Family Bothrideridae 長蕈蟲科

*Ascetoderes bifossulatus* Grouvelle, 1914 [特有] Ref. Slipinski et al., 1989  
*Ascetoderes sauteri* (Grouvelle, 1914) [特有] Ref. 同前  
*Asosylus sauteri* Grouvelle, 1914 [特有] Ref. Grouvelle, 1913  
*Asosylus taiwanensis* Heinze, 1943 [特有] Ref. Slipinski, 2007  
*Dastarcus longulus* Sharp, 1885 Ref. Sasaji, 1986  
*Leptoglyphus vittatus* Sharp, 1885 Ref. Sasaji, 1997  
*Machlotes costatus* (Sharp, 1885) Ref. Sasaji, 1997  
*Sosylus striolatus* (Grouvelle, 1914) [特有] Ref. Slipinski, 2007

#### Family Brentidae 三錐象鼻蟲科

*Allaeometrus breviceps* Senna, 1902 Ref. Miwa, 1931  
*Ananesiotes insularis* Kleine, 1922 [特有] Ref. Miwa, 1931  
*Baryrhynchus miles* Boheman, 1845 Ref. Miwa, 1931  
*Baryrhynchus poweri* Roelofs, 1879 Ref. Miwa, 1931  
*Blysmia guttata* (Kleine, 1928) Ref. Sforzi & Bartolozzi, 2004  
*Blysmia peregrina* (Kleine, 1922) Ref. 同前  
*Callipareius kojimai* Morimoto, 1982 Ref. 同前  
*Calodromus horishanus* Kano, 1930 [特有] Ref. Miwa, 1931  
*Calodromus ito* Heller, 1910 [特有] Ref. Miwa, 1931  
*Carcinopisthius oberthuri* (Senna, 1892) Ref. Miwa, 1931  
*Ceocephalus antennatus* (Ritsema, 1882) Ref. Sforzi & Bartolozzi, 2004  
*Cerobates bicolor* (Heller, 1916) Ref. 同前  
*Cerobates birmanicus* Senna, 1894 Ref. 同前  
*Cerobates canaliculatus* Motschulsky, 1858 Ref. 同前  
*Cerobates formosanus* Schonfeldt, 1911 [特有] Ref. Miwa, 1931  
*Cerobates sumatranus* Senna, 1893 Ref. Sforzi & Bartolozzi, 2004  
*Cerobates turgidulus* Damoiseau, 1987 [特有] Ref. Damoiseau, 1987  
*Chelorhinus propheti* Kleine, 1922 [特有] Ref. Miwa, 1931

*Cylas formicarius* (Fabricius, 1793) 甘藷蟻象 Ref. Miwa, 1931  
*Cyphagogus confidens* Kleine, 1925 Ref. Sforzi & Bartolozzi, 2004  
*Cyphagogus nodiglianii* Senna, 1893 Ref. 同前  
*Cyphagogus signipes* Lewis, 1884 Ref. Miwa, 1931  
*Higonius bilobicolis* Senna, 1898 Ref. Miwa, 1931  
*Higonius cilo* Lewis, 1883 Ref. Miwa, 1931  
*Homocerus reticulatus* Fabricius, 1801 Ref. Miwa, 1931  
*Hoplosthius trichimerus* Senna, 1892 Ref. Miwa, 1931  
*Hypomiolispa mikagei* Morimoto, 1976 Ref. Sforzi & Bartolozzi, 2004  
*Leptamorpocephalus laborator* Kleine, 1918 Ref. Miwa, 1931  
*Mesoderes latecotatus* (Kleine, 1916) Ref. Morimoto & Kojima, 2005  
*Miolispa crassifemoralis* Kleine, 1917 Ref. Miwa, 1931  
*Miolispa cruciata* Senna, 1898 Ref. Miwa, 1931  
*Miolispa discors* Senna, 1895 Ref. Miwa, 1931  
*Orychodes indus* Kirsch, 1875 Ref. Sforzi & Bartolozzi, 2004  
*Prophthalmus pugnator* Power, 1878 Ref. 同前  
*Prophthalmus tridentatus* Fabricius, 1801 Ref. Miwa, 1931  
*Prophthalmus wichmanni* Kleine, 1916 Ref. Miwa, 1931  
*Pseudomiolispa sauteri* Kleine, 1928 [特有] Ref. Sforzi & Bartolozzi, 2004  
*Pseudorychodes insignis* (Lewis, 1883) Ref. Miwa, 1931  
*Schizotrachelus fasciatus* (Kleine, 1922) Ref. Sforzi & Bartolozzi, 2004  
*Trachelizus bisulcatus* Fabricius, 1801 Ref. Miwa, 1931

### Family Buprestidae 吉丁蟲科

*Acmaeodera (Cobosiella) acastus* Kerremans, 1913 大林瘦吉丁蟲 [特有] Ref. Jendek, 2006  
*Acmaeodera (Cobosiella) luzonica* Holynski, 1993 黃星方肩吉丁蟲 [特有] Ref. Volkovitch, 2006  
*Agrilus amulius* Obenberger, 1935 [特有] Ref. Jendek, 2006  
*Agrilus arisanus* Miwa & Chujo, 1940 [特有] Ref. Jendek, 2006  
*Agrilus auroapicalis* Kurosawa, 1957 黃尾瘦吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Agrilus auropictus* Kerremans, 1912 黃紋瘦吉丁蟲 Ref. 同前  
*Agrilus bacchus* Kerremans, 1913 [特有] Ref. Jendek, 2006  
*Agrilus cardaces* Obenberger, 1936 [特有] Ref. Jendek, 2006  
*Agrilus ctesias* Kerremans, 1913 [特有] Ref. Jendek, 2006  
*Agrilus decoloratus* Lewis, 1893 六星瘦吉丁蟲 Ref. Jendek, 2006  
*Agrilus discalis* Saunders, 1873 菱斑瘦吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Agrilus formosanus* Kerremans, 1912 [特有] Ref. Jendek, 2006  
*Agrilus hasegawai* Kurosawa, 1954 [特有] Ref. Jendek, 2006  
*Agrilus hornianus* Kerremans, 1912 [特有] Ref. Jendek, 2006  
*Agrilus insulicola* Kerremans, 1912 島嶼瘦吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Agrilus intrusus* Kerremans, 1914 [特有] Ref. Jendek, 2006  
*Agrilus kotoensis* Miwa & Chujo, 1940 [特有] Ref. Jendek, 2006  
*Agrilus kratochvili* Obenberger, 1936 [特有] Ref. Jendek, 2006  
*Agrilus lugubris* Kerremans, 1914 [特有] Ref. Jendek, 2006  
*Agrilus makiharai* Toyama, 1987 [特有] Ref. Jendek, 2006  
*Agrilus mentor* Kerremans, 1912 [特有] Ref. Jendek, 2006  
*Agrilus miwai* Obenberger, 1936 [特有] Ref. Jendek, 2006  
*Agrilus niisatoi* Toyama, 1987 新里氏瘦吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Agrilus nishiyamai* Toyama, 1985 [特有] Ref. Jendek, 2006  
*Agrilus obnotatus* Kerremans, 1912 [特有] Ref. Jendek, 2006  
*Agrilus obscurecinctus* Obenberger, 1935 雙星綠瘦吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Agrilus occipitalis* Eschscholtz, 1822 Ref. Jendek, 2006  
*Agrilus oishii* Toyama, 1987 [特有] Ref. Toyama, 1987  
*Agrilus okinawensis* Toyama, 1985 琉球瘦吉丁蟲 Ref. Jendek, 2006  
*Agrilus omisulus* Obenberger, 1935 [特有] Ref. Jendek, 2006  
*Agrilus orestes* Kerremans, 1913 [特有] Ref. Jendek, 2006  
*Agrilus ornatus* Deyrolle, 1864 Ref. Jendek, 2006  
*Agrilus planipennis* Fairmaire, 1888 Ref. Jendek, 1994  
*Agrilus plasoni* Obenberger, 1924 [特有] Ref. Jendek, 2006  
*Agrilus priamus* Kerremans, 1912 綠瘦吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Agrilus radiolus* Kerremans, 1912 港口瘦吉丁蟲 [特有] Ref. 同前  
*Agrilus rokuyai* Kurosawa, 1976 [特有] Ref. Jendek, 2006  
*Agrilus satoi* Kurosawa, 1954 佐藤氏瘦吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Agrilus sauteri* Kerremans, 1912 [特有] Ref. Jendek, 2006  
*Agrilus semiaurovittatus* Kurosawa, 1954 [特有] Ref. Jendek, 2006  
*Agrilus senilis* Kerremans, 1914 [特有] Ref. Jendek, 2006  
*Agrilus senohi* Toyama, 1988 妹尾氏瘦吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Agrilus spiridion* Kerremans, 1913 [特有] Ref. Jendek, 2006  
*Agrilus subcuneiformis* Kurosawa, 1954 [特有] Ref. Jendek, 2006  
*Agrilus subrobustus* Saunders, 1873 合歡瘦吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Agrilus taiwanensis* Kurosawa, 1954 [特有] Ref. Jendek, 2006  
*Agrilus tyndarus* Kerremans, 1913 [特有] Ref. Jendek, 2006  
*Agrilus tyrtaeus* Kerremans, 1913 [特有] Ref. Jendek, 2006

*Agrilus undulatipennis* Kurosawa, 1976 雲紋瘦吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Agrilus viduus* Kerremans, 1913 虹彩瘦吉丁蟲 Ref. 同前  
*Agrilus xantippus* Kerremans, 1913 [特有] Ref. Jendek, 2006  
*Agrilus yamawakii* Kurosawa, 1957 小黑瘦吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Agrilus yami* Kano, 1938 [特有] Ref. Jendek, 2006  
*Anthaxia aeneocuprea* Kerremans, 1913 凹翅姬扁吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Anthaxia akiyamai* Bily, 1989 秋山氏姬扁吉丁蟲 [特有] Ref. 同前  
*Anthaxia angulaticollis* Kurosawa, 1956 異肩姬扁吉丁蟲 [特有] Ref. 同前  
*Anthaxia clio* Bily, 1989 紅緣姬扁吉丁蟲 Ref. 同前  
*Anthaxia erato* Bily, 1989 綠艷姬扁吉丁蟲 [特有] Ref. 同前  
*Anthaxia formosensis* Bily, 1980 蓬萊姬扁吉丁蟲 [特有] Ref. 同前  
*Anthaxia insulaecola* Obenberger, 1944 島嶼姬扁吉丁蟲 [特有] Ref. 同前  
*Anthaxia kurosawai* Bily, 1989 黑澤姬扁吉丁蟲 [特有] Ref. 同前  
*Anthaxia proteus* Saunders, 1873 Ref. Kuban, 2006d  
*Anthaxia smaragdula* Gebhardt, 1928 綠翅姬扁吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Anthaxia taiwanensis* Bily, 1989 台灣姬扁吉丁蟲 [特有] Ref. 同前  
*Anthaxia toyamai* Bily, 1989 富山氏姬扁吉丁蟲 [特有] Ref. 同前  
*Aphanisticus anniae* Obenberger, 1932 [特有] Ref. Kuban, 2006e  
*Aphanisticus fossidiscus* Obenberger, 1944 Ref. Kuban, 2006e  
*Belionota fallaciosa* Deyrolle, 1864 鋸翅胸斑吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Belionota prasina* (Thunberg, 1789) 胸斑吉丁蟲 Ref. 同前  
*Buprestis esakii* Kurosawa, 1954 江崎黑銅吉丁蟲 Ref. 同前  
*Buprestis (Akiyamaia) mirabilis* Kurosawa, 1969 妖艷吉丁蟲 [特有] Ref. Kuban, 2006d  
*Cantonius terryi* Thery, 1929 廣東吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Chalcophora japonica* Kurosawa, 1974 松吉丁蟲 Ref. Kuban, 2006a  
*Chalcophora yunnana* Kurosawa, 1974 雲南松吉丁蟲 [特有] Ref. Kuban, 2006a  
*Chrysobothris infranitens* Kerremans, 1912 高砂六星吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Chrysobothris kotoensis* Miwa & Chujo, 1940 蘭嶼六星吉丁蟲 [特有] Ref. 同前  
*Chrysobothris sauteri* Kerremans, 1912 琉璃六星吉丁蟲 [特有] Ref. 同前  
*Chrysobothris shiwakii* Miwa & Chujo, 1935 素木六星吉丁蟲 [特有] Ref. 同前  
*Chrysochroa fulgidissima* (Schongerr, 1817) 彩虹吉丁蟲 Ref. 同前  
*Chrysochroa berliozi* Descarpentries, 1948 藍彩吉丁蟲 [特有] Ref. 同前  
*Chrysodema dalmanni* (Mannerheim, 1837) 粉彩吉丁蟲 Ref. Kuban, 2006a  
*Chrysodema lewisii* Saunders, 1873 路易士吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Chrysodema yasumatsui* Kurosawa, 1954 蘭嶼粉彩吉丁蟲 [特有] Ref. 同前  
*Chrysobothris costata* Kerremans, 1895 Ref. Kuban, 2006d  
*Chrysobothris tonkinensis* Bourgoin, 1922 Ref. Kuban, 2006d  
*Coomaniella abellei* Obenberger, 1940 綠粗翅姬吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Coomaniella taiwanensis* (Baudon, 1966) 台灣粗翅姬吉丁蟲 [特有] Ref. 同前  
*Coroebus aesopus* Kerremans, 1912 弓背細長吉丁蟲 [特有] Ref. 同前  
*Coroebus bunun* Miwa & Chujo, 1940 布農細長吉丁蟲 [特有] Ref. 同前  
*Coroebus chrysogaster* Kurosawa, 1953 黃紋綠細長吉丁蟲 [特有] Ref. 同前  
*Coroebus cloueti* Thery, 1895 Ref. Kuban, 2006e  
*Coroebus coelestiofulgens* Akiyama & Ohmomo, 1993 藍艷細長吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Coroebus cupreosplendens* Akiyama, 1989 [特有] Ref. Akiyama, 1989  
*Coroebus diminutus* Gebhardt, 1929 Ref. Kuban, 2006e  
*Coroebus elegantissimus* Akiyama, 1989 服部氏細長吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Coroebus elongaticollis* Akiyama & Ohmomo, 1993 刺翅細長吉丁蟲 [特有] Ref. 同前  
*Coroebus formosanus* Miwa & Chujo, 1935 蓬萊細長吉丁蟲 Ref. 同前  
*Coroebus hastanus* Thery, 1938 綠翅細長吉丁蟲 Ref. Kuban, 2006e  
*Coroebus insulicola* Kerremans, 1912 島嶼細長吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Coroebus kiyoshii* Akiyama, 1989 永谷氏細長吉丁蟲 [特有] Ref. 同前  
*Coroebus komiyai* Akiyama, 1988 小宮氏細長吉丁蟲 [特有] Ref. 同前  
*Coroebus kurosawai* Akiyama, 1988 黑澤細長吉丁蟲 [特有] Ref. 同前  
*Coroebus lienhwachiensis* Akiyama, 1988 蓮華池細長吉丁蟲 [特有] Ref. 同前  
*Coroebus linnei* Oenberger, 1922 林奈氏細長吉丁蟲 Ref. 同前  
*Coroebus purkynei* Obenberger, 1934 [特有] Ref. Kuban, 2006e  
*Coroebus sakagutii* Akiyama, 1988 [特有] Ref. Akiyama, 1989  
*Coroebus sauteri* Kerremans, 1912 曹德氏細長吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Coroebus sonani* Miwa & Chujo, 1935 楚南氏細長吉丁蟲 [特有] Ref. 同前  
*Coroebus taiwanus* Akiyama, 1988 台灣細長吉丁蟲 [特有] Ref. 同前  
*Coroebus tazoei* Akiyama, 1988 田添氏細長吉丁蟲 [特有] Ref. 同前  
*Coroebus torigaii* Akiyama & Ohmomo, 1993 大琉璃細長吉丁蟲 Ref. 同前  
*Coroebus viridimicans* Akiyama & Ohmomo, 1993 台灣綠細長吉丁蟲 [特有] Ref. 同前  
*Dicerca aenea* Obenberger, 1929 Ref. Kuban, 2006b  
*Dicerca kurosawai* Hattori & Akiyama, 1999 台灣雙尾吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Dicerca unokichii* Hattori, 1991 宇之吉氏雙尾吉丁蟲 [特有] Ref. 同前  
*Endelus collaris* Thery, 1927 金色艾古利吉丁蟲 [特有] Ref. Kuban, 2006e  
*Endelus formosae* Obenberger, 1940 [特有] Ref. Kuban, 2006e  
*Endelus japonicus* Obenberger, 1944 日本艾古利吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Endelus opacipennis* Kurosawa, 1985 艷面艾古利吉丁蟲 Ref. 同前  
*Endelus sauteri* Kerremans, 1912 曹德氏艾古利吉丁蟲 [特有] Ref. 同前

*Endelus sinensis* Thery, 1932 Ref. Kuban, 2006e  
*Habroloma alphaxia* (Obenberger, 1929) [特有] Ref. Kuban, 2006e  
*Habroloma eximium* (Obenberger, 1929) 黃綠矮扁吉丁蟲 Ref. Kuban, 2006e  
*Habroloma griseonigrum* (Saunders, 1873) 灰色矮扁吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Habroloma miwai* (Obenberger, 1929) [特有] Ref. Kuban, 2006e  
*Habroloma nixillum* (Obenberger, 1929) 青銅矮扁吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Habroloma praxilla* (Obenberger, 1929) [特有] Ref. Kuban, 2006e  
*Iridotaenia kotoensis* Miwa & Chujo, 1940 蘭嶼縱條吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Lamprocheila splendida* Akiyama, 1993 姬琉璃吉丁蟲 [特有] Ref. 同前  
*Lamprodila (Palmar) cupreosplendens* (Obenberger, 1924) 紅艷黑星吉丁蟲 [特有] Ref. Kuban, 2006c  
*Lamprodila (Palmar) davidis* (Fairmaire, 1887) 東京灣黑星吉丁蟲 Ref. Kuban, 2006c  
*Lamprodila (Palmar) davidis* (Kurosawa, 1956) 達邦黑星吉丁蟲 [特有] Ref. Kuban, 2006c  
*Lamprodila (Palmar) igneilimbata* (Kurosawa, 1946) 紅綠黑星吉丁蟲 [特有] Ref. Kuban, 2006c  
*Meliboeus bilyi* (Ohmomo & Akiyama, 1989) 比利細矮吉丁蟲 Ref. Kuban, 2006e  
*Meliboeus cupricollis* Saunders, 1866 Ref. Kuban, 2006e  
*Meliboeus formosanus* Obenberger, 1944 蓬萊細矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Meliboeus hideoi* (Ohmomo & Akiyama, 1989) 英生氏細矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Meliboeus komiyai* (Ohmomo & Akiyama, 1989) 小宮氏細矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Meliboeus kurosawanus* (Ohmomo & Akiyama, 1989) 黑澤細矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Meliboeus lagerstraeimiae* (Ohmomo & Akiyama, 1989) 寬胸細矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Meliboeus niisatoi* (Ohmomo & Akiyama, 1989) 新里氏細矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Meliboeus pentacallosus* (Ohmomo & Akiyama, 1989) 瘤點細矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Meliboeus shimomurai* (Ohmomo & Akiyama, 1989) 下村氏細矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Meliboeus sukuzii* (Ohmomo & Akiyama, 1989) 鈴木氏細矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Meliboeus takashii* (Ohmomo & Akiyama, 1989) 高橋氏細矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Meliboeus toyamai* (Ohmomo & Akiyama, 1989) 富山氏細矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Neotoxoscelus kurosawai* (Hattori, 1990) 擬栗吉丁蟲 [特有] Ref. Kuban, 2006e  
*Ovalisia pseudovirgata* Ohmomo, 2005 [特有] Ref. Ohmomo, 2005  
*Ovalisia shorozui* Ohmomo, 2005 [特有] Ref. Ohmomo, 2005  
*Paracylindromorphus formosanus* (Miwa & Chujo, 1973) 蓬萊細小吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Parasambus sauteri* (Kerremans, 1912) 曹德氏大灰吉丁蟲 Ref. 同前  
*Paratrachys hederæ* Kurosawa, 1985 微扁吉丁蟲 [特有] Ref. Volkovitsh, 2006  
*Philanthaxia convexifrons* Kurosawa, 1954 [特有] Ref. Kuban, 2006d  
*Philanthaxia sauteri* Kerremans, 1912 曹德氏圓吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Ptosima chinensis* Marseul, 1867 黃紋吉丁蟲 Ref. 同前  
*Sambus formosanus* Miwa & Chujo, 1935 [特有] Ref. Kuban, 2006e  
*Sambus quadricolor* Saunders, 1873 四色灰吉丁蟲 Ref. Kuban, 2006e  
*Sambus quinquefasciatus* Miwa & Chujo, 1935 雲紋灰吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Schoutedeniastes igorota* Heller, 1891 黃星細吉丁蟲 Ref. Volkovitsh, 2006  
*Toxoscelus yokoyamai* Kurosawa, 1977 台灣栗吉丁蟲 [特有] Ref. Akiyama & Ohmomo, 2000  
*Trachys auricollis* Saunders, 1873 樟矮吉丁蟲 Ref. 同前  
*Trachys cupricolor* Saunders, 1873 銅色矮吉丁蟲 Ref. 同前  
*Trachys dilaticeps* Gebhardt, 1928 大斑矮吉丁蟲 Ref. 同前  
*Trachys elvira* Obenberger, 1929 [特有] Ref. Kuban, 2006e  
*Trachys flaviceps* Kerremans, 1892 Ref. Kuban, 2006e  
*Trachys formosana* Kerremans, 1912 Ref. Kuban, 2006e  
*Trachys hormiana* Obenberger, 1918 [特有] Ref. Kuban, 2006e  
*Trachys inconspicua* Saunders, 1873 梅矮吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Trachys koshunensis* Obenberger, 1940 Ref. Kuban, 2006e  
*Trachys kurosawai* Bellamy, 2003 黑澤矮吉丁蟲 [特有] Ref. Kuban, 2006e  
*Trachys ohbayashii* Kurosawa, 1954 [特有] Ref. Kuban, 2006e  
*Trachys saundersi* Lewis, 1893 桑德氏矮吉丁蟲 Ref. Akiyama & Ohmomo, 2000  
*Trachys taiwanensis* Obenberger, 1929 [特有] Ref. Kuban, 2006e  
*Trachys tsushima* Obenberger, 1922 Ref. Kuban, 2006e  
*Trachys variolaris* Saunders, 1873 Ref. Kuban, 2006e

### Family Byrrhidae 丸甲科

*Cytilus kanoi* Takizawa & Nakane, 1977 [特有] Ref. Putz, 2003  
*Simplocaria atayal* Putz, 2003 [特有] Ref. Putz, 2003  
*Simplocaria bunun* Putz, 2003 [特有] Ref. Putz, 2003  
*Simplocaria ivani* Putz, 2003 [特有] Ref. Putz, 2003  
*Simplocaria nenkaoshan* Putz, 2003 [特有] Ref. Putz, 2003  
*Simplocaria paiwan* Putz, 2003 [特有] Ref. Putz, 2003  
*Simplocaria rukai* Putz, 2003 [特有] Ref. Putz, 2003  
*Simplocaria saysiat* Putz, 2003 [特有] Ref. Putz, 2003  
*Simplocaria smetanai* Putz, 2003 [特有] Ref. Putz, 2003  
*Simplocaria taiwanica* Putz, 2003 [特有] Ref. Putz, 2003  
*Simplocaria taroko* Putz, 2003 [特有] Ref. Putz, 2003  
*Simplocaria tsou* Putz, 2003 [特有] Ref. Putz, 2003

### Family Byturidae 擬吸木蟲科

*Byturus affinis* Reitter, 1874 Ref. Löbl, 2007

## Family Callirhipidae 櫛角蟲科

- Callirhipis formosana* Pic, 1912 [特有] Ref. Nakane, 1996  
*Callirhipis kojima* Nakane, 1996 [特有] Ref. Nakane, 1996  
*Ennometes horni* Emden, 1924 [特有] Ref. Emden, 1924  
*Horatocera similis* Miwa, 1928 [特有] Ref. Nakane, 1996

## Family Cantharidae 菊虎科

- Asipodabrus sakaii* (Wittmer, 1982) [特有] Ref. Wittmer, 1982  
*Asipodabrus taiwanus* (Wittmer, 1982) [特有] Ref. Wittmer, 1982  
*Athemus (Athemellus) intermixtus* (Wittmer, 1954) [特有] Ref. Wittmer, 1995  
*Caccodes niponicus* Pic, 1937 Ref. Kazantsev & Brancucci, 2007  
*Cantharis (Taiwanocantharis) pallidithorax* Wittmer, 1984 灰胸台菊虎 [特有] Ref. Wittmer, 1984  
*Cantharis (Taiwanocantharis) tripunctata* Wittmer, 1984 三點台菊虎 [特有] Ref. Wittmer, 1984  
*Ichthyurus bilineatus* Pic, 1915 [特有] Ref. Pic, 1915  
*Ichthyurus heidiai* Brancucci, 1983 [特有] Ref. Brancucci, 1983  
*Ichthyurus klapperichi* Brancucci, 1983 [特有] Ref. 同前  
*Ichthyurus nigripennis* Pic, 1913 [特有] Ref. Pic, 1913  
*Laemoglyptus atripes* Pic, 1921 [特有] Ref. Kazantsev & Brancucci, 2007  
*Laemoglyptus chujoi* Wittmer, 1972 中條氏櫛角菊虎 [特有] Ref. Wittmer, 1972  
*Laemoglyptus grandis* Pic, 1921 [特有] Ref. Pic, 1921  
*Laemoglyptus pingtungensis* Wittmer, 1984 屏東櫛角菊虎 [特有] Ref. Wittmer, 1984  
*Laemoglyptus rubrithorax* (Pic, 1912) 紅胸櫛角菊虎 [特有] Ref. Wittmer, 1984  
*Laemoglyptus sauteri* (Pic, 1911) [特有] Ref. Kazantsev & Brancucci, 2007  
*Laemoglyptus subspinosus* Pic, 1911 [特有] Ref. Miwa, 1931  
*Laemoglyptus taihorinensis* Wittmer, 1984 大林櫛角菊虎 [特有] Ref. Wittmer, 1984  
*Lycocerus arisanensis* (Wittmer, 1954) [特有] Ref. Kazantsev & Brancucci, 2007  
*Lycocerus atripennis* (Pic, 1922) [特有] Ref. Wittmer, 1995  
*Lycocerus atropacus* (Pic, 1937) [特有] Ref. Kazantsev & Brancucci, 2007  
*Lycocerus bipartitus* (Wittmer, 1983) [特有] Ref. Wittmer, 1995  
*Lycocerus brunneus* (Wittmer, 1955) [特有] Ref. Wittmer, 1995  
*Lycocerus chosokeiensis* Pic, 1937 [特有] Ref. Wittmer, 1983  
*Lycocerus chujoi* (Wittmer, 1972) [特有] Ref. Wittmer, 1983  
*Lycocerus costulatus* Wittmer, 1972 [特有] Ref. Wittmer, 1972  
*Lycocerus elongatipes* (Wittmer, 1972) [特有] Ref. Kazantsev & Brancucci, 2007  
*Lycocerus fainanus* (Pic, 1910) [特有] Ref. 同前  
*Lycocerus flavimarginalis* Okushima, 2007 [特有] Ref. Okushima, 2007  
*Lycocerus gracilitarsis* (Pic, 1921) [特有] Ref. Kazantsev & Brancucci, 2007  
*Lycocerus gressitti* (Wittmer, 1954) [特有] Ref. 同前  
*Lycocerus hansii* (Svihla, 2004) [特有] Ref. 同前  
*Lycocerus lalaensis* (Wittmer, 1983) [特有] Ref. 同前  
*Lycocerus maculiceps* (Wittmer, 1983) [特有] Ref. 同前  
*Lycocerus maculithorax* (Wittmer, 1972) [特有] Ref. Wittmer, 1983  
*Lycocerus masatakai* Okushima, 2007 [特有] Ref. Okushima, 2007  
*Lycocerus metallescens* (Gorham, 1889) Ref. Wittmer, 1954  
*Lycocerus multilimbatus* (Pic, 1911) [特有] Ref. Wittmer, 1995  
*Lycocerus nanshanensis* (Wittmer, 1983) [特有] Ref. Kazantsev & Brancucci, 2007  
*Lycocerus nigricollis* Wittmer, 1984 [特有] Ref. Wittmer, 1984  
*Lycocerus pictus* (Wittmer, 1983) [特有] Ref. Wittmer, 1995  
*Lycocerus pilipes* (Pic, 1911) [特有] Ref. Wittmer, 1983  
*Lycocerus pluricostatus* (Fairmaire, 1887) Ref. Wittmer, 1984  
*Lycocerus pubescens* (Wittmer, 1983) [特有] Ref. Wittmer, 1983  
*Lycocerus rhagonychiformis* (Wittmer, 1983) [特有] Ref. Wittmer, 1995  
*Lycocerus sanguineus* (Wittmer, 1983) [特有] Ref. Wittmer, 1995  
*Lycocerus satoi* Okushima, 2007 [特有] Ref. Okushima, 2007  
*Lycocerus sauteri* (Pic, 1926) [特有] Ref. Wittmer, 1995  
*Lycocerus semicyaneus* (Wittmer, 1983) [特有] Ref. Wittmer, 1983  
*Lycocerus shimomurai* (Wittmer, 1983) [特有] Ref. Kazantsev & Brancucci, 2007  
*Lycocerus subquadraticollis* Pic, 1914 Ref. Wittmer, 1984  
*Lycocerus taoyuanus* (Wittmer, 1983) [特有] Ref. Kazantsev & Brancucci, 2007  
*Lycocerus tsuifengensis* (Wittmer, 1983) [特有] Ref. Wittmer, 1983  
*Lycocerus wulaianus* (Wittmer, 1983) [特有] Ref. Kazantsev & Brancucci, 2007  
*Macrohabronychus (Monohabronychus) furcatus* (Wittmer, 1986) [特有] Ref. 同前  
*Macrohabronychus (Monohabronychus) intermixtus* (Wittmer, 1954) [特有] Ref. 同前  
*Macrohabronychus (Monohabronychus) kurosawai* (Wittmer, 1982) [特有] Ref. 同前  
*Macrohabronychus (Monohabronychus) lalashanensis* (Okushima & Sato, 1999) [特有] Ref. 同前  
*Macrohabronychus (Monohabronychus) longicornis* (Okushima & Sato, 1999) [特有] Ref. 同前  
*Macrohabronychus (Monohabronychus) nantouanus* (Wittmer, 1982) [特有] Ref. 同前  
*Macrohabronychus (Monohabronychus) sauteri* (Pic, 1934) [特有] Ref. 同前  
*Macrosilis brevior* Pic, 1917 [特有] Ref. Pic, 1917  
*Malthinus crenulatomimus* Wittmer, 1984 [特有] Ref. Wittmer, 1984  
*Malthinus crenulatus* Wittmer, 1979 [特有] Ref. Wittmer, 1979  
*Malthinus fenchihuensis* Wittmer, 1979 [特有] Ref. Wittmer, 1979

*Malthinus notsui* Wittmer, 1984 [特有] Ref. Wittmer, 1984  
*Malthinus ohbai* Wittmer, 1984 [特有] Ref. Wittmer, 1984  
*Malthinus palingensis* Wittmer, 1993 [特有] Ref. Kazantsev & Brancucci, 2007  
*Malthinus reductelineatus* Pic, 1922 [特有] Ref. Pic, 1922  
*Malthinus shimomurai* Wittmer, 1984 [特有] Ref. Kazantsev & Brancucci, 2007  
*Malthinus sinensis* Pic, 1910 Ref. Wittmer, 1984  
*Malthinus ssulingensis* Wittmer, 1993 [特有] Ref. Kazantsev & Brancucci, 2007  
*Malthinus taiwanoniger* Wittmer, 1979 [特有] Ref. Wittmer, 1979  
*Malthinus taiwanus* Wittmer, 1984 [特有] Ref. Wittmer, 1984  
*Malthinus vixlimbatus* Wittmer, 1984 [特有] Ref. Wittmer, 1984  
*Malthinus yangmingensis* Wittmer, 1984 [特有] Ref. Wittmer, 1984  
*Malthodes brancuccii* Wittmer, 1984 布氏小菊虎 [特有] Ref. Wittmer, 1984  
*Malthodes fenchihuensis* Wittmer, 1984 奮起湖小菊虎 [特有] Ref. Wittmer, 1984  
*Malthodes makiharai* Wittmer, 1984 [特有] Ref. Wittmer, 1984  
*Malthodes nantouensis* Wittmer, 1984 桃園小菊虎 [特有] Ref. Wittmer, 1984  
*Malthodes nantouensis* Wittmer, 1984 南投小菊虎 [特有] Ref. Wittmer, 1984  
*Malthodes niitakaensis* Wittmer, 1955 新高小菊虎 [特有] Ref. Wittmer, 1955  
*Malthodes niponicus* Pic, 1937 蓬萊小菊虎 [特有] Ref. Pic, 1937  
*Malthodes taipehanus* Wittmer, 1956 [特有] Ref. Wittmer, 1956  
*Malthodes taiwanus* Wittmer, 1984 台灣小菊虎 [特有] Ref. Wittmer, 1984  
*Maltypus ryukyuanus* Wittmer, 1970 琉球菊虎 Ref. Wittmer, 1984  
*Microichthyurus apicipennis* (Pic, 1913) [特有] Ref. Brancucci, 1983  
*Microichthyurus haemii* Brancucci, 1983 [特有] Ref. 同前  
*Microichthyurus ilanensis* Brancucci, 1985 [特有] Ref. Brancucci, 1985  
*Microichthyurus satoi* Brancucci, 1983 [特有] Ref. Brancucci, 1983  
*Microichthyurus shimomurai* Brancucci, 1983 [特有] Ref. 同前  
*Micropodabrus bicoloriceps* Wittmer, 1995 [特有] Ref. Wittmer, 1995  
*Micropodabrus biimpressus* (Wittmer, 1982) [特有] Ref. Wittmer, 1982  
*Micropodabrus chujoi* (Wittmer, 1972) [特有] Ref. Wittmer, 1972  
*Micropodabrus curvicornis* Wittmer, 1997 [特有] Ref. Wittmer, 1997  
*Micropodabrus denominatus* Wittmer, 1997 [特有] Ref. Wittmer, 1997  
*Micropodabrus fenchihuensis* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Micropodabrus formosanus* (Pic, 1910) [特有] Ref. Wittmer, 1982  
*Micropodabrus gressitti* (Wittmer, 1954) [特有] Ref. Wittmer, 1982  
*Micropodabrus hualiensis* Wittmer, 1995 [特有] Ref. Wittmer, 1995  
*Micropodabrus kurosawai* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Micropodabrus lishanensis* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Micropodabrus minor* Wittmer, 1997 [特有] Ref. Wittmer, 1997  
*Micropodabrus mucronatus* (Wittmer, 1979) [特有] Ref. Takahashi et al., 2001  
*Micropodabrus multicostatus* (Wittmer, 1982) [特有] Ref. 同前  
*Micropodabrus nantouensis* Wittmer, 1995 [特有] Ref. Wittmer, 1995  
*Micropodabrus nodicornis* (Wittmer, 1982) [特有] Ref. Takahashi et al., 2001  
*Micropodabrus pieli* (Pic, 1937) Ref. Kazantsev & Brancucci, 2007  
*Micropodabrus piluchiensis* Wittmer, 1995 [特有] Ref. Wittmer, 1995  
*Micropodabrus pingtungensis* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Micropodabrus satoi* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Micropodabrus simplicicornis* Wittmer, 1993 [特有] Ref. Kazantsev & Brancucci, 2007  
*Micropodabrus ssulingensis* Wittmer, 1995 [特有] Ref. Wittmer, 1995  
*Micropodabrus subnigrus* (Wittmer, 1972) [特有] Ref. Wittmer, 1982  
*Micropodabrus taipeianus* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Micropodabrus taoyuanus* Wittmer, 1995 [特有] Ref. Wittmer, 1995  
*Micropodabrus taoyuanus* Wittmer, 1995 [特有] Ref. Wittmer, 1995  
*Micropodabrus uenoi* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Mimopodabrus obscurior* (Wittmer, 1954) [特有] Ref. Kazantsev & Brancucci, 2007  
*Prothemus chinensis* Wittmer, 1987 Ref. 同前  
*Prothemus hisamatsui* Wittmer, 1984 [特有] Ref. Wittmer, 1984  
*Prothemus kanoi* Wittmer, 1984 鹿野氏圓胸菊虎 Ref. Wittmer, 1984  
*Prothemus limbolarius* (Fairmaire, 1899) Ref. Wittmer, 1984  
*Prothemus minor* Wittmer, 1984 [特有] Ref. Wittmer, 1984  
*Prothemus monochrous* (Fairmaire, 1899) Ref. Wittmer, 1984  
*Prothemus notsui* Wittmer, 1984 [特有] Ref. Wittmer, 1984  
*Prothemus piluensis* Wittmer, 1987 [特有] Ref. Kazantsev & Brancucci, 2007  
*Prothemus varicolor* Wittmer, 1954 [特有] Ref. Wittmer, 1954  
*Prothemus watanabei* Okushima & M. Sato 渡邊氏圓胸菊虎 [特有] Ref. Okushima & Sato, 2002  
*Rhagonycha nigroimpressa* (Pic, 1922) Ref. Kazantsev & Brancucci, 2007  
*Rhagonycha taiwanonigra* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Stenothemus mamorui* Okushima & M. Sato, 1999 [特有] Ref. Okushima & Sato, 1999  
*Stenothemus owadai* Okushima & M. Sato, 1997 [特有] Ref. Okushima & Sato, 1997  
*Stenothemus taiwanus* Okushima & M. Sato, 1997 [特有] Ref. 同前  
*Stenothemus wittmeri* Okushima & M. Sato, 1999 [特有] Ref. Okushima & Sato, 1999  
*Themus (Haplothemus) explanaticollis* (Pic, 1917) [特有] Ref. Wittmer, 1983  
*Themus (Haplothemus) pallidipes* Wittmer, 1954 [特有] Ref. Wittmer, 1983

*Themus (Haplothemus) satoi* Wittmer, 1983 佐藤麗菊虎 [特有] Ref. Wittmer, 1983  
*Themus (Telephorops) bicoloricornis* Wittmer, 1983 [特有] Ref. Wittmer, 1983  
*Themus (Telephorops) impressipennis* Fairmaire, 1886 Ref. Wittmer, 1983  
*Themus (Telephorops) sauteri* (Pic, 1912) 曹氏麗菊虎 [特有] Ref. Wittmer, 1983  
*Themus (Themus) cribripennis* Wittmer, 1983 [特有] Ref. Wittmer, 1983  
*Themus (Themus) formosanus* Wittmer, 1954 蓬萊麗菊虎 [特有] Ref. Wittmer, 1983  
*Themus (Themus) hiickeri* Pic, 1930 希氏麗菊虎 [特有] Ref. Pic, 1930  
*Themus (Themus) leechianus* (Gorham, 1889) Ref. Kazantsev & Brancucci, 2007  
*Themus (Themus) nobuoi* Okushima & M. Sato, 2000 大林氏麗菊虎 [特有] Ref. Okushima & Sato, 2000  
*Themus (Themus) purpuratus* Wittmer, 1983 紫翅麗菊虎 [特有] Ref. Wittmer, 1983  
*Themus (Themus) subopacipennis* (Pic, 1910) [特有] Ref. Wittmer, 1983  
*Themus (Themus) taiwanus* Wittmer, 1983 台灣麗菊虎 [特有] Ref. Wittmer, 1983  
*Tryptherus chujoi* Brancucci, 1983 中條氏短翅菊虎 [特有] Ref. Brancucci, 1983  
*Tryptherus fenchihuensis* Brancucci, 1983 奮起湖短翅菊虎 [特有] Ref. 同前  
*Tryptherus kanoi* Brancucci, 1983 鹿野氏短翅菊虎 [特有] Ref. 同前  
*Tryptherus m-signatus* Pic, 1919 M 紋短翅菊虎 [特有] Ref. Pic, 1919  
*Tryptherus nakanei* Brancucci, 1983 中根氏短翅菊虎 [特有] Ref. Brancucci, 1983  
*Tryptherus nantouensis* Brancucci, 1983 南投短翅菊虎 [特有] Ref. 同前  
*Tryptherus ohbayashii* Brancucci, 1985 大林短翅菊虎 [特有] Ref. Brancucci, 1985  
*Tryptherus parilis* Brancucci, 1983 [特有] Ref. Brancucci, 1983  
*Tryptherus perplexus* Brancucci, 1983 [特有] Ref. 同前  
*Tryptherus plagiocephalus* Brancucci, 1983 [特有] Ref. 同前  
*Tryptherus pseudoparilis* Brancucci, 1983 [特有] Ref. 同前  
*Tryptherus sauteri* (Gestro, 1911) 曹氏短翅菊虎 [特有] Ref. 同前  
*Tryptherus similis* Brancucci, 1983 [特有] Ref. 同前  
*Tryptherus simulator* Brancucci, 1983 [特有] Ref. 同前  
*Tryptherus taihorinensis* Brancucci, 1983 大林短翅菊虎 [特有] Ref. 同前  
*Tryptherus taiwanensis* Brancucci, 1983 台灣短翅菊虎 [特有] Ref. 同前  
*Walteriella taiwana* (Kazantsev, 1999) [特有] Ref. Kazantsev & Brancucci, 2007

#### Family Carabidae 步行蟲科

*Abacetus submetallicus* Nietner, 1858 Ref. Habu, 1975  
*Abroscelis psammodroma* (Horn, 1912) [特有] Ref. Puchkov & Matalin, 2003  
*Achaetocephala atrata* Habu, 1975 [特有] Ref. Bousquet, 2003  
*Acupalpus inornatus* Bates, 1873 Ref. Jaeger & Kataev, 2003  
*Aephnidius adelioides* (MacLeay, 1825) Ref. Bousquet, 2003  
*Agonotrechus horni* Jedlicka, 1932 [特有] Ref. Moravec, Uéno & Belousov, 2003  
*Agonum apex* (Jedlicka, 1940) [特有] Ref. Bousquet, 2003  
*Agonum arisanum* (Jedlicka, 1940) [特有] Ref. 同前  
*Agonum daimio* (Bates, 1873) Ref. 同前  
*Agonum japonicum* (Jedlicka, 1940) Ref. 同前  
*Agonum limbatum* (Jedlicka, 1934) [特有] Ref. 同前  
*Amara congrua* Morawitz, 1862 Ref. Hieke, 2003  
*Amara lucidissima* Baliani, 1932 Ref. Hieke, 2003  
*Amara silvestrii* Baliani, 1937 Ref. Hieke, 2003  
*Amara taiwanica* Hieke, 1999 [特有] Ref. Hieke, 2003  
*Amphimenes asahinae* Nakane, 1957 [特有] Ref. Kabak, 2003  
*Amphimenes piceolus* Bates, 1873 Ref. Kabak, 2003  
*Anchista binotata* (Dejean, 1825) Ref. Kabak, 2003  
*Anchista formosana* (Jedlicka, 1946) [特有] Ref. Kabak, 2003  
*Anchomenus leucopus* Bates, 1873 Ref. Bousquet, 2003  
*Anisodactylus formosanus* Ito, 1992 [特有] Ref. Ito, 2003  
*Anomotarus stigmulus* (Chaudoir, 1852) Ref. Kabak, 2003  
*Anthracus anamensis* (Bates, 1889) Ref. Jaeger & Kataev, 2003  
*Apatrobus nanhutanus* (Habu, 1973) [特有] Ref. Zamotajlov, 2003  
*Apatrobus smetanai* Zamotajlev & Sciaky, 1996 [特有] Ref. 同前  
*Apatrobus yushanensis* (Habu, 1973) [特有] Ref. 同前  
*Asaphidion domonense* Minowa, 1932 [特有] Ref. Marggi et al., 2003  
*Bembidion aenipes* Bates, 1883 Ref. 同前  
*Bembidion aliense* Habu, 1973 [特有] Ref. 同前  
*Bembidion chujoi* Jedlicka, 1951 [特有] Ref. 同前  
*Bembidion fusiforme* Netolitzky, 1914 [特有] Ref. 同前  
*Bembidion lulinense* Habu, 1973 [特有] Ref. 同前  
*Bembidion miwai* Jedlicka, 1946 [特有] Ref. 同前  
*Bembidion niloticum* (Putzeys, 1875) Ref. 同前  
*Bembidion rufotibiellum* Fairmaire, 1888 Ref. 同前  
*Bembidion shumichii* Habu, 1973 [特有] Ref. 同前  
*Bembidion taiwanum* Netolitzky, 2003 [特有] Ref. 同前  
*Bembidion taiyuanense* Kirschenhofer, 1984 [特有] Ref. 同前  
*Bembidion takasagonis* Habu, 1973 [特有] Ref. 同前  
*Bembidion tenellum* Netolitzky, 1943 Ref. 同前  
*Bembidion varium* (Olivier, 1795) Ref. 同前

*Brachichila hypocrita* Chaudoir, 1869 Ref. Kabak, 2003  
*Brachinus aeneicostis* Bates, 1883 Ref. Hrdlicka, 2003  
*Brachinus formosanus* Jedlicka, 1939 [特有] Ref. 同前  
*Bradycellus crassicerus* Ito, 1985 [特有] Ref. Jaeger & Kataev, 2003  
*Bradycellus crassicerus* Ito, 1985 [特有] Ref. 同前  
*Bradycellus laeticolor* Bates, 1873 Ref. 同前  
*Bradycellus mons* Habu, 1975 [特有] Ref. 同前  
*Bradycellus yushanensis* Ito, 1985 [特有] Ref. 同前  
*Brososoma uenoi* Habu, 1973 [特有] Ref. Baehr, 2003  
*Caelostomus kaszabi* Jedlicka, 1954 [特有] Ref. Jedlicka, 1954  
*Calleida klapperichi* Jedlicka, 1963 Ref. Kabak, 2003  
*Calleida lepida* Redtenbacher, 1867 Ref. Kabak, 2003  
*Calleida onoha* Bates, 1873 Ref. Kabak, 2003  
*Calleida splendidula* (Fabricius, 1801) Ref. Kabak, 2003  
*Callistoides caeruleiceps* (Bates, 1892) Ref. Kirschenhofer, 2003  
*Callistoides guttula* Chaudoir, 1856 Ref. Habu, 1987  
*Callistomimus dicksoni* Waterhouse, 1884 [特有] Ref. Kirschenhofer, 2003  
*Callytron inspeculare* (Horn, 1904) Ref. Puchkov & Matalin, 2003  
*Callytron yuasai* Hori & Cassola, 1989 Ref. 同前  
*Calomera plumigera* (Horn, 1905) [特有] Ref. 同前  
*Calosoma maximoviczi* Morawitz, 1863 Ref. Bousquet et al., 2003  
*Carabus masuzoi* (Imura & Sato, 1989) [特有] Ref. 同前  
*Carabus nankotaizanus* Kano, 1932 臺灣擬食蝸步行蟲 [特有] Ref. 同前  
*Carabus sauteri* Imura, 1994 [特有] Ref. 同前  
*Carabus sauteri* Roeschke, 1912 [特有] Ref. 同前  
*Catascopus horni* Jedlicka, 1932 [特有] Ref. Kabak, 2003  
*Catascopus ignicinctus* Bates, 1883 Ref. Kabak, 2003  
*Catascopus mirabilis* Bates, 1892 Ref. Kabak, 2003  
*Chlaenius alesi* Jedlicka, 1935 [特有] Ref. Kirschenhofer, 2003  
*Chlaenius bioculatus* Chaudoir, 1856 Ref. Wang & Saikano, 1993  
*Chlaenius callichloris* Bates, 1873 Ref. Kirschenhofer, 2003  
*Chlaenius chuji* Jedlicka, 1946 [特有] Ref. 同前  
*Chlaenius circumdatus* Chaudoir, 1856 Ref. 同前  
*Chlaenius formosanus* Jedlicka, 1935 [特有] Ref. 同前  
*Chlaenius formosensis* Lorenz, 1998 Ref. 同前  
*Chlaenius hamifer* Chaudoir, 1856 Ref. 同前  
*Chlaenius inops* Chaudoir, 1856 Ref. 同前  
*Chlaenius nepalensis* Hope, 1831 Ref. 同前  
*Chlaenius rufifemoratus* Chaudoir, 1856 Ref. 同前  
*Chydaeus chujoi* Habu, 1975 [特有] Ref. Ito, 2003  
*Chydaeus formosanus* Tanaka, 1958 [特有] Ref. Ito, 2003  
*Chydaeus miwai* Jedlicka, 1946 [特有] Ref. Ito, 2003  
*Chydaeus uenoi* Habu, 1975 [特有] Ref. Ito, 2003  
*Cillenus formosanus* Dupuis, 1912 [特有] Ref. Marggi et al., 2003  
*Cillenus sauteri* (Jedlicka, 1954) [特有] Ref. 同前  
*Cintaroa aptera* Kasahara, 1989 [特有] Ref. Baehr, 2003  
*Clivina castanea* Westwood, 1837 Ref. Balkenohl, 2003  
*Clivina depressa* Kult, 1951 [特有] Ref. 同前  
*Clivina vulgivaga* Boheman, 1858 Ref. 同前  
*Clivina wallacei* Kult, 1951 Ref. 同前  
*Clivina westwoodi* Putzeys, 1866 Ref. 同前  
*Coleolissus formosanus* Ito, 1993 [特有] Ref. Kataev et al., 2003  
*Coleolissus shibatai* Ito, 1987 [特有] Ref. 同前  
*Coleolissus teradai* (Habu, 1978) [特有] Ref. 同前  
*Colpoides formosanus* Jedlicka, 1940 [特有] Ref. Bousquet, 2003  
*Colposhodrus mirandus* (Jedlicka, 1940) [特有] Ref. 同前  
*Coptodera eluta* Andrewes, 1923 Ref. Kabak, 2003  
*Coptodera flexuosa* Schmidt-Gobel, 1846 Ref. Kabak, 2003  
*Coptodera japonica* Bates, 1883 Ref. Kabak, 2003  
*Coptodera marginata* Dupuis, 1912 Ref. Kabak, 2003  
*Coptodera nobilis* Jedlicka, 1963 [特有] Ref. Kabak, 2003  
*Coptodera proksi* Jedlicka, 1963 [特有] Ref. Kabak, 2003  
*Coptodera taiwana* (Nakane, 1956) Ref. Kabak, 2003  
*Cosmodela batesi* (Fleutiaux, 1894) [特有] Ref. Puchkov & Matalin, 2003  
*Cosmodiscus platynotus* Bates, 1873 Ref. Wang & Saikano, 1993  
*Craspedonotus tibialis* Schaum, 1863 Ref. Baehr, 2003  
*Craspedophorus formosanus* Jedlicka, 1939 [特有] Ref. Baehr, 2003  
*Craspedophorus mandarinus* (Schaum, 1854) Ref. Baehr, 2003  
*Cylindera cylindriformis* (Horn, 1912) [特有] Ref. Puchkov & Matalin, 2003  
*Cylindera elisae* (Horn, 1912) [特有] Ref. 同前  
*Cylindera elisae* (Minowa, 1932) [特有] Ref. 同前  
*Cylindera kaleea* (Mandl, 1955) [特有] Ref. 同前

*Cylindera kaleea* (Bates, 1866) Ref. 同前  
*Cylindera pseudocylindriformis* (Horn, 1913) Ref. Werner, Chen & Yang, 2002  
*Cylindera psilica* (Bates, 1866) Ref. Puchkov & Matalin, 2003  
*Cylindera sauteri* (Horn, 1912) [特有] Ref. 同前  
*Cylindera shirakii* (Horn, 1927) [特有] Ref. 同前  
*Desera geniculata* (Klug, 1834) Ref. Baehr, 2003  
*Desera gilsoni* Dupuis, 1912 [特有] Ref. Baehr, 2003  
*Desera kulti* Hansen, 1968 [特有] Ref. Baehr, 2003  
*Diacanthostylus elainus* (Bates, 1883) Ref. Bousquet, 2003  
*Dianella kaszabi* Jedlicka, 1952 [特有] Ref. Kabak, 2003  
*Dicranoncus femoralis* Chaudoir, 1850 Ref. Bousquet, 2003  
*Dicranoncus pocillator* (Bates, 1892) Ref. 同前  
*Dioryche clara* Andrewes, 1922 Ref. Kataev et al., 2003  
*Dioryche indochinensis* (Bates, 1889) Ref. 同前  
*Dioryche melanauges* Andrewes, 1922 Ref. 同前  
*Dioryche sericea* Andrewes, 1922 Ref. 同前  
*Dioryche torta* Schaubberger, 1934 [特有] Ref. 同前  
*Diplocheila zealandica* (Redtenbacher, 1867) Ref. Baehr, 2003  
*Dischissus notulatus* (Fabricius, 1801) Ref. Baehr, 2003  
*Dolichoctis kuzugamii* Shibata, 1987 [特有] Ref. Kabak, 2003  
*Dolichoctis striata* Habu, 1967 Ref. Kabak, 2003  
*Dolichoctis striata* Schmidt-Gobel, 1846 Ref. Kabak, 2003  
*Dromius despectus* (Jedlicka, 1940) [特有] Ref. Kabak, 2003  
*Dromius formosanus* (Jedlicka, 1940) Ref. Kabak, 2003  
*Dromius fukiensis* (Jedlicka, 1956) Ref. Kabak, 2003  
*Dromius miwai* (Jedlicka, 1940) [特有] Ref. Kabak, 2003  
*Dromius univestis* (Jedlicka, 1940) [特有] Ref. Kabak, 2003  
*Drypta formosana* Bates, 1873 [特有] Ref. Baehr, 2003  
*Drypta lineola* Chaudoir, 1850 Ref. Baehr, 2003  
*Dyschirius formosanus* Kult, 1949 [特有] Ref. Balkenohl, 2003  
*Dyschirius girardi* Kult, 1949 [特有] Ref. 同前  
*Dyschirius kaliki* Kult, 1949 [特有] Ref. 同前  
*Dyschirius paleki* Kult, 1949 [特有] Ref. 同前  
*Dyschirius rufimanus* Fieischer, 1898 Ref. 同前  
*Elaphropus latissimus* (Motschulsky, 1851) Ref. Kopecky, 2003  
*Elaphropus nanophyes* (Andrewes, 1925) [特有] Ref. Kopecky, 2003  
*Eobrosca masumotoi* Morita, 1990 [特有] Ref. Baehr, 2003  
*Epaphiopsis alticola* Ueno, 1989 [特有] Ref. Moravec, Ueno & Belousov, 2003  
*Epaphiopsis apiceplana* Ueno, 1989 [特有] Ref. 同前  
*Epaphiopsis constricta* Ueno, 1991 [特有] Ref. 同前  
*Epaphiopsis divarboris* Ueno, 1989 [特有] Ref. 同前  
*Epaphiopsis elegans* Ueno, 1989 [特有] Ref. 同前  
*Epaphiopsis formosana* (Jedlicka, 1946) [特有] Ref. 同前  
*Epaphiopsis hsuehshana* Ueno, 1989 [特有] Ref. 同前  
*Epaphiopsis kasaharai* Ueno, 1989 [特有] Ref. 同前  
*Epaphiopsis multipunctata* Ueno, 1989 [特有] Ref. 同前  
*Epaphiopsis notos* Ueno, 1991 [特有] Ref. 同前  
*Epaphiopsis shibatai* Ueno, 1989 [特有] Ref. 同前  
*Epaphiopsis yushana* Ueno, 1989 [特有] Ref. 同前  
*Eucolliuris fuscipennis* (Chaudoir, 1850) Ref. Baehr, 2003  
*Euplynes cyanipennis* Schmidt-Gobel, 1846 Ref. Bousquet, 2003  
*Euplynes miyakei* Habu, 1974 [特有] Ref. 同前  
*Euschizomerus liebkei* Jedlicka, 1932 Ref. Baehr, 2003  
*Eustra chinensis* Banninger, 1949 Ref. Nagel, 2003  
*Eustra taiwanica* Deuve, 2001 [特有] Ref. Deuve, 2001  
*Formosiella brunnea* Jedlicka, 1951 [特有] Ref. Kabak, 2003  
*Galerita orientalis* Schmidt-Gobel, 1846 Ref. Baehr, 2003  
*Harpalus capito* Morawitz, 1862 Ref. Kataev et al., 2003  
*Harpalus indicus* Bates, 1891 Ref. 同前  
*Harpalus sinicus* Hope, 1845 Ref. 同前  
*Hexagonia cyclops* (Matsumura, 1910) Ref. Hurka, 2003  
*Hexagonia elongata* Dupuis, 1913 [特有] Ref. Hurka, 2003  
*Hexagonia nigrata* Van de Poll, 1889 Ref. Hurka, 2003  
*Hexagonia sauteri* Dupuis, 1912 Ref. Hurka, 2003  
*Holcoderus formosanus* Jedlicka, 1940 Ref. Kabak, 2003  
*Hololeius ceylanicus* Nietner, 1856 Ref. Wang & Saikano, 1993  
*Horniulus andrewesi* Jedlicka, 1932 [特有] Ref. Kabak, 2003  
*Hypphaereon shibatai* (Ito, 1990) [特有] Ref. Kataev et al., 2003  
*Jujiroa alticola* Ueno & Saito, 1991 [特有] Ref. Bousquet, 2003  
*Jujiroa longa* Ueno & Saito, 1991 [特有] Ref. 同前  
*Jujiroa nishikawai* Ueno & Saito, 1991 [特有] Ref. 同前  
*Jujiroa orthogenys* Ueno & Saito, 1991 [特有] Ref. 同前

*Jujiroa parvicollis* Ueno & Saito, 1991 [特有] Ref. 同前  
*Jujiroa rectangulata* Ueno & Saito, 1991 [特有] Ref. 同前  
*Jujiroa shihi* Ueno & Saito, 1991 [特有] Ref. 同前  
*Kaszabellus formosanus* Jedlicka, 1954 [特有] Ref. 同前  
*Lachnoderma asperum* Bates, 1883 Ref. Kabak, 2003  
*Lebia arisana* Jedlicka, 1951 [特有] Ref. Kabak, 2003  
*Lebia callitrema* Bates, 1889 Ref. Kabak, 2003  
*Lebia calycophora* Schmidt-Gobel, 1846 Ref. Kabak, 2003  
*Lebia chiponica* Jedlicka, 1939 [特有] Ref. Kabak, 2003  
*Lebia duplex* Bates, 1883 Ref. Kabak, 2003  
*Lebia fassatii* Jedlicka, 1951 Ref. Kabak, 2003  
*Lebia formosana* Jedlicka, 1946 [特有] Ref. Kabak, 2003  
*Lebia idea* Bates, 1873 Ref. Kabak, 2003  
*Lebia iolanthe* Bates, 1883 Ref. Kabak, 2003  
*Lebia miwai* Jedlicka, 1951 [特有] Ref. Kabak, 2003  
*Lebia monostigma* Andrewes, 1923 Ref. Kabak, 2003  
*Lebia mushai* Jedlicka, 1951 [特有] Ref. Kabak, 2003  
*Lebia roubali* Jedlicka, 1951 Ref. Kabak, 2003  
*Lebia stepaneki* Jedlicka, 1951 [特有] Ref. Kabak, 2003  
*Lebia susterai* Jedlicka, 1951 Ref. Kabak, 2003  
*Lebidia bioculata* Morawitz, 1863 Ref. Kabak, 2003  
*Lebidia formosana* Kano, 1929 [特有] Ref. Kabak, 2003  
*Lebidia octoguttata* Morawitz, 1862 Ref. Kabak, 2003  
*Leistus nitakaensis* Minowa, 1932 [特有] Ref. Farkac & Janata, 2003  
*Leistus nokoensis* Minowa, 1932 [特有] Ref. 同前  
*Leistus smetanai* Farkac, 1995 [特有] Ref. 同前  
*Leistus taiwanensis* Perrault, 1986 [特有] Ref. 同前  
*Lesticus auricollis* Tschitscherine, 1900 Ref. Bousquet, 2003  
*Lesticus magnus* (Motschulsky, 1860) Ref. 同前  
*Lesticus sauteri* Kuntzen, 1911 [特有] Ref. 同前  
*Lioptera erotyloides* Bates, 1883 Ref. Kabak, 2003  
*Lophyra cancellata* (Horn, 1912) [特有] Ref. Puchkov & Matalin, 2003  
*Lophyra striolata* (Illiger, 1800) Ref. 同前  
*Loxocrepis cruralis* (Chaudoir, 1879) Ref. Bousquet, 2003  
*Loxocrepis obscuritarsis* (Chaudoir, 1879) Ref. 同前  
*Loxoncus discophorus* (Chaudoir, 1852) Ref. Jaeger & Kataev, 2003  
*Lymnastis pilosus* Bates, 1892 Ref. Kopecky, 2003  
*Mastax brittoni* Quentin, 1952 [特有] Ref. Hrdlicka, 2003  
*Mastax formosana* Dupuis, 1912 [特有] Ref. 同前  
*Masuzonoblemus humeratus* Ueno, 1991 [特有] Ref. Uéno, 1991  
*Masuzonoblemus tristis* Ueno, 1989 [特有] Ref. Uéno, 1989  
*Metacolpodes buchannani* (Hope, 1831) Ref. Bousquet, 2003  
*Metacolpodes olivius* (Bates, 1873) Ref. 同前  
*Microlestes annamensis* Jedlicka, 1952 [特有] Ref. Kabak, 2003  
*Microschemus flavopilosus* (Laferte-Senectere, 1851) Ref. Baehr, 2003  
*Mimocolluris sauteri* (Liebke, 1933) [特有] Ref. Baehr, 2003  
*Miscelus javanus* Klug, 1834 Ref. Kabak, 2003  
*Mochtherus luctuosus* Putzeys, 1875 Ref. Kabak, 2003  
*Mochtherus tetraspilotus* (MacLeay, 1825) Ref. Kabak, 2003  
*Mochtherus uenoi* (Habu, 1967) [特有] Ref. Kabak, 2003  
*Morimotoides formosus* Habu, 1954 [特有] Ref. Bousquet, 2003  
*Myas asperipennis* Habu, 1978 [特有] Ref. 同前  
*Myas formosanus* (Jedlicka, 1940) [特有] Ref. 同前  
*Myas smetanai* (Sciaky, 1995) [特有] Ref. 同前  
*Myas uenoi* Habu, 1978 [特有] Ref. 同前  
*Nebria formosana* Habu, 1972 [特有] Ref. Farkac & Janata, 2003  
*Nebria nitakana* Kano, 1930 [特有] Ref. 同前  
*Nebria uenoiana* Habu, 1972 [特有] Ref. 同前  
*Neocollyris albocyanescens* (Horn, 1912) [特有] Ref. Puchkov & Matalin, 2003  
*Neocollyris formosana* (Bates, 1866) Ref. 同前  
*Neocollyris obscuropemorata* Mandl, 1971 [特有] Ref. 同前  
*Odacantha metallica* (Fairmaire, 1889) Ref. Baehr, 2003  
*Ophionea indica* (Thunberg, 1784) Ref. Baehr, 2003  
*Ophionea ishiii* Habu, 1961 Ref. Baehr, 2003  
*Orthogonius davidi* Chaudoir, 1878 Ref. Bousquet, 2003  
*Orthogonius taiwanicus* Tian & Deuve, 2006 [特有] Ref. Tian & Deuve, 2006  
*Oxycentrus changi* Habu, 1978 Ref. Kataev et al., 2003  
*Oxycentrus miyakei* Habu, 1978 [特有] Ref. 同前  
*Oxycentrus subdepressus* Ito, 1994 [特有] Ref. 同前  
*Parabrosicus teradai* Habu, 1978 [特有] Ref. Hovorka & Sciaky, 2003  
*Parena albomaculata* Habu, 1979 [特有] Ref. Kataev et al., 2003  
*Parena cavipennis* (Bates, 1873) Ref. 同前

*Parena circumdata* Shibata, 1987 [特有] Ref. 同前  
*Parena esakii* Habu, 1969 [特有] Ref. 同前  
*Parena formosana* Ohkura, 1978 [特有] Ref. 同前  
*Parena latecincta* (Bates, 1873) Ref. 同前  
*Parena monticola* Shibata, 1987 [特有] Ref. 同前  
*Parena nantouensis* Kirschenhofer, 1996 [特有] Ref. 同前  
*Parena nigrolineata* Habu, 1964 Ref. 同前  
*Parena nigrolineata* (Chaudoir, 1852) Ref. 同前  
*Parena rufotestacea* Jedlicka, 1934 Ref. 同前  
*Parena sellata* (Heller, 1921) Ref. 同前  
*Parena tesari* (Jedlicka, 1951) [特有] Ref. 同前  
*Parena testacea* (Chaudoir, 1872) Ref. 同前  
*Parophonus formosanus* (Jedlicka, 1940) [特有] Ref. 同前  
*Paropisthius masuzoi* Kasahara, 1989 [特有] Ref. Bousquet, 2003  
*Paussus elongatus* Kano, 1930 [特有] Ref. Nagel, 2003  
*Paussus formosus* Wasmann, 1912 [特有] Ref. Nagel, 2003  
*Paussus horikawae* Kano, 1930 [特有] Ref. Nagel, 2003  
*Paussus kjellanderi* Luna & Carvalho, 1965 Ref. Nagel, 2003  
*Paussus minor* Shiraki, 1907 [特有] Ref. Nagel, 2003  
*Paussus sauteri* Wasmann, 1912 [特有] Ref. Nagel, 2003  
*Peliocypas andrewesi* (Jedlicka, 1932) [特有] Ref. Kabak, 2003  
*Peliocypas horni* (Jedlicka, 1932) [特有] Ref. Kabak, 2003  
*Pentagonica biangulata* Dupuis, 1912 Ref. Bousquet, 2003  
*Pentagonica daimiella* Bates, 1892 Ref. 同前  
*Pentagonica formosana* Dupuis, 1912 [特有] Ref. 同前  
*Pentagonica semisuturalis* Dupuis, 1912 [特有] Ref. 同前  
*Pentagonica subcordicollis* Bates, 1873 Ref. 同前  
*Pericalus formosanus* Dupuis, 1913 [特有] Ref. Kabak, 2003  
*Perigona acupalpoides* Bates, 1883 Ref. Bousquet, 2003  
*Perigona nigriceps* (Dejean, 1831) Ref. 同前  
*Perigona plagiata* Putzeys, 1875 Ref. 同前  
*Perileptus japonicus* Bates, 1873 Ref. Moravec, Uéno & Belousov, 2003  
*Peripristus ater* (Dupuis, 1912) [特有] Ref. Kabak, 2003  
*Peronomerus fumatus* Schaum, 1854 Ref. Baehr, 2003  
*Pheropsophus emarginatus* Chaudoir, 1876 [特有] Ref. Hrdlicka, 2003  
*Pheropsophus javanus* (Dejean, 1825) Ref. 同前  
*Pheropsophus nebulosus* Chaudoir, 1876 Ref. 同前  
*Pheropsophus nebulosus* Dupuis, 1912 [特有] Ref. 同前  
*Pheropsophus occipitalis* MacLeay, 1825 Ref. 同前  
*Physodera eschscholtzii* Parry, 1849 Ref. Kabak, 2003  
*Planetes formosanus* Jedlicka, 1939 Ref. Baehr, 2003  
*Planetes puncticeps* Andrewes, 1919 Ref. Baehr, 2003  
*Platymetopus flavilabris* (Fabricius, 1798) Ref. Kataev et al., 2003  
*Platymetopus quadrimaculatus* Dejean, 1829 Ref. 同前  
*Platynus acroglyptus* (Bates, 1892) Ref. Bousquet, 2003  
*Platynus balthasari* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus csikii* (Jedlicka, 1954) [特有] Ref. 同前  
*Platynus cupreatus* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus formosanus* (Jedlicka, 1939) [特有] Ref. 同前  
*Platynus heyrovskyyi* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus infuscatus* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus kulti* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus laetus* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus lokayi* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus lutescens* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus macerellus* (Lorenz, 1998) [特有] Ref. 同前  
*Platynus magnus* (Bates, 1873) Ref. 同前  
*Platynus mirificus* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus miwai* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus mixius* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus punctatus* (Jedlicka, 1934) [特有] Ref. 同前  
*Platynus spectans* (Jedlicka, 1952) [特有] Ref. 同前  
*Platynus stepaneki* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus sterbai* (Jedlicka, 1940) [特有] Ref. 同前  
*Platynus viridis* (Jedlicka, 1940) [特有] Ref. 同前  
*Platyrhopalus quinquepunctatus* (Shiraki, 1907) [特有] Ref. Nagel, 2003  
*Plochionus pallens* (Fabricius, 1775) Ref. Kabak, 2003  
*Pogonus formosanus* Jedlicka, 1956 [特有] Ref. Bousquet, 2003  
*Pogonus sauteri* Jedlicka, 1956 [特有] Ref. 同前  
*Polyderis brachys* (Andrewes, 1925) Ref. Kopecky, 2003  
*Pristosia cupreata* (Jedlicka, 1940) [特有] Ref. Hovorka & Sciaky, 2003  
*Pristosia miwai* (Jedlicka, 1940) [特有] Ref. 同前

*Pristosia viridis* (Jedlicka, 1940) [特有] Ref. 同前  
*Protocollyris sauteri* (Horn, 1912) [特有] Ref. Puchkov & Matalin, 2003  
*Protopaussus kaszabi* Luna & Carvalho, 1967 [特有] Ref. Nagel, 2003  
*Pseudognathaphanus punctilabris* (MacLeay, 1825) Ref. Ito, 2003  
*Pseudomenarus flavomaculatus* Shibata, 1964 Ref. Kabak, 2003  
*Pseudozaena orientalis* (Chaudoir, 1868) Ref. Nagel, 2003  
*Psychristus shibatai* (Ito, 1985) Ref. Jaeger & Kataev, 2003  
*Pterostichus distinctissimus* Jedlicka, 1940 [特有] Ref. Bousquet, 2003  
*Rhysopus klynstrai* Andrewes, 1929 Ref. Ito, 2003  
*Rypa uenoi* Habu, 1976 [特有] Ref. Bousquet, 2003  
*Scalidion xanthophanum* (Bates, 1889) Ref. Kabak, 2003  
*Scarites lubricipennis* Minowa, 1932 [特有] Ref. Balkenohl, 2003  
*Scarites mandarinus* Banninger, 1928 Ref. 同前  
*Scarites minowai* Habu, 1947 Ref. 同前  
*Scarites sulcatus* Olivier, 1795 Ref. 同前  
*Scarites terricola* Bates, 1873 Ref. 同前  
*Scarites unicus* Minowa, 1932 [特有] Ref. 同前  
*Scarites urbanus* Minowa, 1932 [特有] Ref. 同前  
*Sofota cuprascens* Bates, 1873 Ref. Kabak, 2003  
*Somotrichus unifasciatus* (Dejean, 1831) Ref. Kabak, 2003  
*Stenolophus bousqueti* Ito, 1997 [特有] Ref. Jaeger & Kataev, 2003  
*Stenolophus difficilis* (Hope, 1845) Ref. 同前  
*Stenolophus quinquepustulatus* (Wiedemann, 1823) Ref. 同前  
*Stenolophus smaragdulus* (Fabricius, 1798) Ref. 同前  
*Stenolophus uenoi* Habu, 1975 [特有] Ref. 同前  
*Stomis stefanii* Deuve, 2006 [特有] Ref. Deuve, 2006  
*Styphlomerus fusciceps* (Schmidt-Gobel, 1846) Ref. Hrdlicka, 2003  
*Syntomus quadripunctatus* (Schmidt-Gobel, 1846) Ref. Kabak, 2003  
*Synuchus angustus* Habu, 1978 [特有] Ref. Hovorka & Sciaky, 2003  
*Synuchus angustus* Habu, 1978 [特有] Ref. 同前  
*Synuchus bellus* Habu, 1978 [特有] Ref. 同前  
*Synuchus formosanus* Lindroth, 1956 [特有] Ref. 同前  
*Synuchus laticollis* Lindroth, 1956 [特有] Ref. 同前  
*Synuchus longissimus* Habu, 1978 [特有] Ref. 同前  
*Synuchus macer* Habu, 1978 [特有] Ref. 同前  
*Synuchus microtes* Habu, 1978 [特有] Ref. 同前  
*Synuchus minimus* Lindroth, 1956 [特有] Ref. 同前  
*Synuchus nitidus* (Motschulsky, 1861) Ref. 同前  
*Synuchus pallidulus* Habu, 1978 [特有] Ref. 同前  
*Synuchus pinguiusculus* Habu, 1978 [特有] Ref. 同前  
*Synuchus pulcher* Habu, 1978 [特有] Ref. 同前  
*Synuchus rectangulus* Lindroth, 1956 [特有] Ref. 同前  
*Synuchus robustus* Habu, 1978 [特有] Ref. 同前  
*Synuchus rufofuscus* (Jedlicka, 1940) [特有] Ref. 同前  
*Synuchus rufulus* Habu, 1978 [特有] Ref. 同前  
*Synuchus sinuaticollis* Habu, 1978 [特有] Ref. 同前  
*Synuchus taiwanus* Habu, 1978 [特有] Ref. 同前  
*Synuchus testaceus* (Jedlicka, 1940) [特有] Ref. 同前  
*Synuchus truncatus* Habu, 1978 [特有] Ref. 同前  
*Tachys fasciatus* (Motschulsky, 1851) Ref. Kopecky, 2003  
*Tachys plagiatus* Andrewes, 1925 Ref. Kopecky, 2003  
*Tachys prolixus* Bates, 1892 Ref. Kopecky, 2003  
*Tachys quadrillum* Schaum, 1869 Ref. Kopecky, 2003  
*Tachys sericans* Bates, 1873 Ref. Kopecky, 2003  
*Tachys uenioanus* Habu, 1974 [特有] Ref. Kopecky, 2003  
*Tachyta umbrosa* (Motschulsky, 1851) Ref. Kopecky, 2003  
*Tachyura andrewesi* (Jedlicka, 1932) Ref. Kopecky, 2003  
*Tachyura badia* (Minowa, 1932) [特有] Ref. Kopecky, 2003  
*Tachyura borealis* (Andrewes, 1925) Ref. Kopecky, 2003  
*Tachyura formosana* (Jedlicka, 1932) [特有] Ref. Kopecky, 2003  
*Tachyura fumicata* (Motschulsky, 1851) Ref. Kopecky, 2003  
*Tachyura fumigatoida* (Minowa, 1932) [特有] Ref. Kopecky, 2003  
*Tachyura fuscula* (Schaum, 1860) Ref. Kopecky, 2003  
*Tachyura lutea* (Andrewes, 1925) Ref. Kopecky, 2003  
*Tachyura marani* (Jedlicka, 1932) [特有] Ref. Kopecky, 2003  
*Tachyura ovata* (Motschulsky, 1851) Ref. Kopecky, 2003  
*Taicona aurata* Bates, 1873 Ref. Kabak, 2003  
*Taiwanotrechus subglobosus* Ueno, 1987 [特有] Ref. Moravec, Uéno & Belousov, 2003  
*Takasaogonum scotus* Habu, 1977 [特有] Ref. Bousquet, 2003  
*Teradaia bella* Habu, 1979 [特有] Ref. Kabak, 2003  
*Therates alboobliquatus* Horn, 1909 [特有] Ref. Puchkov & Matalin, 2003  
*Therates alboobliquatus* Kano, 1931 [特有] Ref. 同前

*Therates fruhstorferi* Horn, 1912 [特有] Ref. 同前  
*Therates obliquefasciatus* Horn, 1912 [特有] Ref. 同前  
*Trechiana alatus* Ueno, 1979 [特有] Ref. Moravec, Uéno & Belousov, 2003  
*Trechiana chui* Ueno, 1990 [特有] Ref. 同前  
*Trechiana cuancao* Ueno, 1991 [特有] Ref. 同前  
*Trechiana hamatus* Ueno, 1990 [特有] Ref. 同前  
*Trechiana longissimus* Ueno, 1991 [特有] Ref. 同前  
*Trichotichnus chuji* Jedlicka, 1949 [特有] Ref. 同前  
*Trichotichnus formosanus* Jedlicka, 1949 [特有] Ref. 同前  
*Trichotichnus lulinensis* Habu, 1979 [特有] Ref. 同前  
*Trichotichnus miwai* Jedlicka, 1949 [特有] Ref. 同前  
*Trichotichnus miyakei* Habu, 1980 [特有] Ref. 同前  
*Trichotichnus nenkaoshanensis* Ito, 1997 [特有] Ref. 同前  
*Trichotichnus nipponicus* Habu, 1961 Ref. 同前  
*Trichotichnus orientalis* (Hope, 1845) Ref. 同前  
*Trichotichnus sugimotoi* Habu, 1975 Ref. 同前  
*Trichotichnus szekessyi* (Jedlicka, 1954) Ref. 同前  
*Trichotichnus taiwanus* Ito, 1997 [特有] Ref. 同前  
*Trichotichnus taiwanus* Habu, 1975 [特有] Ref. 同前  
*Trichotichnus teradai* Habu, 1980 Ref. 同前  
*Trichotichnus uenoi* Habu, 1969 [特有] Ref. 同前  
*Trichotichnus wansuiensis* Habu, 1979 [特有] Ref. 同前  
*Trichotichnus yushanensis* Habu, 1979 [特有] Ref. 同前  
*Trigonotoma bhamoensis* Bates, 1889 Ref. Bousquet, 2003  
*Trigonotoma dohrnii* Chaudoir, 1852 Ref. 同前  
*Trigonotoma formosana* Jedlicka, 1962 [特有] Ref. 同前  
*Trigonotoma lewisii* Bates, 1873 Ref. 同前  
*Trilophus alternans* Balkenohl, 1999 [特有] Ref. Balkenohl, 2003

#### Family Cerambycidae 天牛科

*Abryna obscura* Schwarzer, 1925 鏽麗天牛 [特有] Ref. Schwarzer, 1925  
*Acalolepta degener* (Bates, 1873) 齊藤氏灰小天牛 Ref. Nakamura et al, 1992  
*Acalolepta flocculata* (Gressitt, 1935) 金星絨毛天牛 Ref. 同前  
*Acalolepta formosana* (Breuning, 1935) 蓬萊絨毛天牛 [特有] Ref. Breuning, 1935  
*Acalolepta grossescapa* (Breuning, 1942) 恆春絨毛天牛 [特有] Ref. Breuning, 1942  
*Acalolepta ikedai* Mitono, 1943 池田氏絨毛天牛 [特有] Ref. Mitono, 1943  
*Acalolepta permutans* Gressitt, 1938 長角絨毛天牛 Ref. Nakamura et al, 1992  
*Acalolepta rusticatrix* Breuning & Ohbayashi, 1966 台灣鏽絨毛天牛 [特有] Ref. Breuning & Ohbayashi, 1966  
*Acalolepta rusticatrix* (Fabricius, 1801) 鏽絨毛天牛 Ref. Nakamura et al, 1992  
*Acalolepta sublusca* (Matsushita, 1933) 肩絨毛天牛 Ref. 同前  
*Acalolepta yokoyamai* Hayashi, 1971 橫山氏絨毛天牛 [特有] Ref. Hayashi, 1971  
*Acanthocinus gundaiensis* Kano, 1933 郡大粗腿天牛 [特有] Ref. Kano, 1933  
*Acrocyrtidus elegatulus* (Matsushita, 1933) 四帶彩艷天牛 Ref. Nakamura et al, 1992  
*Acrocyrtidus longipes* (Matsushita, 1941) 銀紋長翅天牛 [特有] Ref. Matsushita, 1941  
*Aegolipton marginalis* (Fabricius, 1755) 埔里薄翅天牛 Ref. Nakamura et al, 1992  
*Aegolipton sauteri* (Lameebe, 1913) 邵氏薄翅天牛 [特有] Ref. Lameebe, 1913  
*Aeosoma sinica* (White, 1853) 中華薄翅天牛 Ref. Nakamura et al, 1992  
*Aeolesthes chrysothrix* Hayashi, 1974 台灣黃斑山天牛 [特有] Ref. Hayashi, 1974  
*Aeolesthes holoserica* (Fabricius, 1787) 皺胸閃光天牛 Ref. Nakamura et al, 1992  
*Aeolesthes induta* (Newman, 1842) 茶天牛 Ref. 同前  
*Aeolesthes oenochrous* (Fairmaire, 1889) 霧社深山天牛 Ref. 同前  
*Aeolesthes sinensis* Gahan, 1890 中華山天牛 Ref. 同前  
*Aethalodes verrucosus* Kriesche, 1924 蓬萊瘤條天牛 [特有] Ref. Kriesche, 1924  
*Agelasta cana* Breuning, 1939 大板棋斑天牛 [特有] Ref. Breuning, 1939  
*Agelasta hirticornis* (Gressitt, 1936) 毛角星斑天牛 [特有] Ref. Gressitt, 1936  
*Agelasta tonkinea* Pic, 1925 吹粉棋斑天牛 Ref. Nakamura et al, 1992  
*Allotraeus asiaticus* (Schwarzer, 1925) 亞洲褐天牛 Ref. 同前  
*Allotraeus baibaranus* Matsushita, 1933 眉原褐天牛 [特有] Ref. Matsushita, 1933  
*Allotraeus gracillimus* (Mitono, 1947) 超細褐天牛 [特有] Ref. Mitono, 1947  
*Allotraeus sauteri* (Matsushita, 1931) 曹太氏褐天牛 [特有] Ref. Matsushita, 1931  
*Amamiclytus hirtipes* (Matsushita, 1940) 毛腳矮虎天牛 Ref. Nakamura et al, 1992  
*Amamiclytus subnitidus* Holzschuh, 1984 老埤毛腳虎天牛 [特有] Ref. Holzschuh, 1984  
*Anaespogonius ochraceofulvus* Hayashi, 1974 寬胸瘤角天牛 [特有] Ref. Hayashi, 1974  
*Anaesthetobrium fuscoclavum* (Matsushita, 1933) 黑胸褐翅天牛 [特有] Ref. Matsushita, 1933  
*Anaglyptus decemmaculatus* (Gressitt, 1935) 埔里白緣虎天牛 [特有] Ref. Gressitt, 1935  
*Anaglyptus higashiyamai* Makihara & Hayashi, 1987 東山虎天牛 [特有] Ref. Makihara & Hayashi, 1987  
*Anaglyptus meridionalis* Matsushita, 1933 曙光虎天牛 [特有] Ref. Matsushita, 1933  
*Anaglyptus nokosanus* (Kano, 1930) 能高白緣虎天牛 [特有] Ref. Kano, 1930  
*Anaglyptus producticollis* Gressitt, 1951 寬額虎天牛 Ref. Nakamura et al, 1992  
*Anastathes parva* Gressitt, 1935 四紋黃天牛 Ref. 同前  
*Anastrangalia dissimilis* (Kano, 1933) 玉山尖細花天牛 [特有] Ref. Kano, 1933  
*Anastrangalia hirayamai* (Matsushita & Tamanuki, 1942) 平山尖細花天牛 [特有] Ref. Matsushita & Tamanuki, 1942

*Anomophysis katoi* (Gressitt, 1938) 加藤巨顎天牛 [特有] Ref. Chou, 2004  
*Anoploderomorpha densespuncata* Hayashi & Villiers, 1994 密點滑胸花天牛 [特有] Ref. Hayashi & Villiers 1994  
*Anoploderomorpha formosana* (Matsushita, 1933) 蓬萊滑胸花天牛 [特有] Ref. Matsushita, 1933  
*Anoploderomorpha izumii* Mitono & Tamanuki, 1939 泉氏滑胸花天牛 [特有] Ref. Mitono & Tamanuki, 1939  
*Anoplophora beryllina* (White, 1858) 保玲氏四條天牛 Ref. Nakamura et al, 1992  
*Anoplophora chinensis* (Foster, 1771) 華星天牛 Ref. 同前  
*Anoplophora davidis* (Fairmaire, 1886) 大衛星天牛 Ref. 同前  
*Anoplophora flavomaculata* (Gressitt, 1934) 黃星天牛 [特有] Ref. Gressitt, 1934  
*Anoplophora horsfieldi* (Kriesche, 1925) 荷菲氏星天牛 Ref. Nakamura et al, 1992  
*Anoplophora lurida* (Pascoe, 1856) 黑星天牛 Ref. 同前  
*Anoplophora macularia* (Thomson, 1865) 馬庫白星天牛 Ref. 同前  
*Anoplophora malasiaca* (Thomson, 1865) 馬拉白星天牛 Ref. 同前  
*Anoplophora nobilis* (Ganglbauer, 1889) 黃背星天牛 Ref. 同前  
*Anoplophora versteegi* (Ritsema, 1881) 灰翅星天牛 Ref. 同前  
*Anoplophora wusheana* Chang, 1960 霧社星天牛 [特有] Ref. Chang, 1960  
*Anoplophora (Anoplophora) beryllina* (White, 1858) 保玲氏四條天牛 Ref. Nakamura et al, 1992  
*Aphrodisium faldermannii* (Kano, 1933) 台灣麝香天牛 [特有] Ref. Kano, 1933  
*Aphrodisium faldermannii* Kano, 1933 黃胸紫天牛 [特有] Ref. Kano, 1933  
*Aphrodisium gibbicolle* (White, 1853) 類頷藍天牛 [特有] Ref. White, 1853  
*Aphrodisium noexenum* (White, 1855) 山藍天牛 Ref. Nakamura et al, 1992  
*Aphrodisium sauteri* (Matsushita, 1933) 台灣紅腳藍天牛 [特有] Ref. Matsushita, 1933  
*Aphrodisium viridescens* Hayashi, 1974 綠翅藍天牛 [特有] Ref. Hayashi, 1974  
*Apomecyna historio* (Fabricius, 1792) 胸紋鏽天牛 Ref. Nakamura et al, 1992  
*Apomecyna naevia* Bates, 1873 黃斑細鏽天牛 Ref. 同前  
*Apomecyna saltator* (Fabricius, 1781) 香瓜鏽天牛 Ref. 同前  
*Apriona rugicollis* Chevrolat, 1852 桑天牛 Ref. 同前  
*Arhopalus exoticus* (Sharp, 1905) 緬甸鏽胸天牛 Ref. 同前  
*Arhopalus unicolor* (Gahan, 1906) 單色鏽胸天牛 Ref. Hsu, 2001  
*Aristobia hispida* (Saunders, 1863) 細角長天牛 Ref. Nakamura et al, 1992  
*Asaperda meridiana* Matsushita, 1931 卓社黑斑天牛 Ref. 同前  
*Asemum arisanum* Kano, 1930 阿里山幽天牛 [特有] Ref. Kano, 1930  
*Asiates halodendri* (Pallas, 1776) 紅緣黑天牛 Ref. Nakamura et al, 1992  
*Astathes episcopalis* Chevrolat, 1852 大紫天牛 Ref. 同前  
*Astathes formosana* Breuning, 1956 蓬萊紫天牛 [特有] Ref. Breuning, 1956  
*Astathes janthinipennis* Gahan, 1900 藍翅紫天牛 Ref. Nakamura et al, 1992  
*Astathesa formosana* Breuning, 1956 蓬萊紫天牛 [特有] Ref. Breuning, 1956  
*Atimia esakii* Hayashi, 1974 江崎微幽天牛 [特有] Ref. Hayashi, 1974  
*Atimura formosana* Matsushita, 1933 蓬萊筒型矮天牛 [特有] Ref. Matsushita, 1933  
*Atimura fujii* Hayashi, 1994 藤原氏矮天牛 [特有] Ref. Hayashi, 1994  
*Atimura fulva* Schwarzer, 1925 黃翅矮天牛 [特有] Ref. Schwarzer, 1925  
*Aulaconotus gracilicornis* Makihara & Saito, 1985 纖角溝翅天牛 [特有] Ref. Makihara & Saito, 1985  
*Aulaconotus semiaulaconotus* (Hayashi, 1974) 類胸瘦天牛 [特有] Ref. Hayashi, 1974  
*Bacchisa atritarsis* (Pic, 1912) 台灣琉璃天牛 Ref. Nakamura et al, 1992  
*Bacchisa fortunei* Kano, 1933 福晉氏琉璃天牛 Ref. 同前  
*Bandar fisheri* (Gressitt, 1938) 費氏巨顎天牛 [特有] Ref. Chou, 2004  
*Batocera davidis* Deyrolle, 1878 大衛大天牛 Ref. Nakamura et al, 1992  
*Batocera lineolata* Chevrolat, 1852 白條天牛 Ref. 同前  
*Batocera punctata* Schwarzer, 1925 台灣大天牛 [特有] Ref. Schwarzer, 1925  
*Batocera rubus* (De Geer, 1775) 白條無花果天牛 Ref. Nakamura et al, 1992  
*Batocera rubus* (Linne, 1758) 無花果天牛 Ref. 同前  
*Batocera ushijimai* Obhayashi, 1981 牛島氏大天牛 [特有] Ref. Obhayashi, 1981  
*bimaculata bimaculata* (Matsushita, 1933) 雙紋細頷天牛 [特有] Ref. Matsushita, 1933  
*Blephephaeus succinator* (Chevrolat, 1852) 曇紋粗天牛 Ref. Nakamura et al, 1992  
*Brachysybra elliptica* Breuning, 1940 長圓矮天牛 Ref. 同前  
*Bumetopia lanshuana* Hayashi, 1974 蘭嶼淡色燦天牛 [特有] Ref. Hayashi, 1974  
*Bumetopia lutoana* Hayashi, 1974 綠島淡色燦天牛 [特有] Ref. Hayashi, 1974  
*Bumetopia oscitans* Pascoe, 1858 亞洲燦天牛 Ref. Nakamura et al, 1992  
*Bumetopia stolata* (Matsushita, 1931) 蘭嶼超扁條天牛 [特有] Ref. Matsushita, 1931  
*Bumetopia yagii* Hayashi, 1994 八木氏燦天牛 [特有] Ref. Hayashi, 1994  
*Bunothorax takasagoensis* (Kano, 1933) 蓬萊紅天牛 [特有] Ref. Kano, 1933  
*Cacia arisana* (Kano, 1933) 阿里山刷角星斑天牛 [特有] Ref. Kano, 1933  
*Cacia formosana* (Schwarzer, 1925) 蓬萊星斑天牛 Ref. Nakamura et al, 1992  
*Cacia shirupiti* Kano, 1939 蘭嶼纓角星斑天牛 [特有] Ref. Kano, 1939  
*Cacia watantakkuni* (Kano, 1933) 鬚角星斑天牛 [特有] Ref. Kano, 1933  
*Callophophora albopicta* (Matsushita, 1933) 麗艷大星斑天牛 [特有] Ref. Matsushita, 1933  
*Cataphrodisium rubripenne* (Hope, 1843) 茜翅紅天牛 Ref. Nakamura et al, 1992  
*Cephalallus oberthuri* Sharp, 1905 奧氏凹胸天牛 Ref. 同前  
*Cereopsius shamankarriyali* Kano, 1939 呂宋粗天牛 Ref. 同前  
*Ceresium elongatum* Matsushita, 1933 瘦軀姬天牛 Ref. 同前  
*Ceresium flavipes* (Fabricius, 1792) 黃腳姬天牛 Ref. 同前  
*Ceresium longicorne* Pic 長角姬天牛 Ref. 同前  
*Ceresium sinicum* White, 1855 中華姬天牛 Ref. 同前

*Ceresium subuniforme* Schwarzer, 1925 甲仙姬天牛 [特有] Ref. Schwarzer, 1925  
*Cervoglenea lata* (Gressitt, 1935) 粗星天牛 [特有] Ref. Gressitt, 1935  
*Chelidonium sinense* (Hope, 1841) 中華大藍天牛 Ref. Nakamura et al, 1992  
*Chloridolum accensum* Hayashi, 1984 長角藍天牛 [特有] Ref. Hayashi, 1984  
*Chloridolum addictum* (Newman, 1842) 蘭嶼大綠天牛 Ref. Nakamura et al, 1992  
*Chloridolum lameeri* (Pic, 1900) 紅緣細藍天牛 Ref. 同前  
*Chloridolum lonyuanum* Hayashi, 1984 蘭嶼綠天牛 [特有] Ref. Hayashi, 1984  
*Chloridolum ohbayashii* Hayashi, 1971 大林氏大綠天牛 [特有] Ref. Hayashi, 1971  
*Chloridolum paralleloelongatum* Hayashi, 1974 望洋細綠天牛 [特有] Ref. Hayashi, 1974  
*Chloridolum perlaetum* (White, 1853) 台灣大藍天牛 [特有] Ref. White, 1853  
*Chloridolum shibatai* Hayashi, 1971 柴田氏大綠天牛 [特有] Ref. Hayashi, 1971  
*Chloridolum taiwanum* Gressitt, 1936 台灣大綠天牛 [特有] Ref. Gressitt, 1936  
*Chlorophorus annularis* (Fabricius, 1787) 竹虎天牛 Ref. Nakamura et al, 1992  
*Chlorophorus anticemaculatus* Schwarzer, 1925 菊紋虎天牛 [特有] Ref. Schwarzer, 1925  
*Chlorophorus chiuae* Nakamura, 1974 邱氏虎天牛 [特有] Ref. Nakamura, 1974  
*Chlorophorus graphus* Holzschuh, 1998 圖紋虎天牛 [特有] Ref. Holzschuh, 1998  
*Chlorophorus kanekoi* Matsushita, 1941 金子氏黃虎天牛 [特有] Ref. Matsushita, 1941  
*Chlorophorus miwai* Gressitt, 1936 三輪氏黃虎天牛 Ref. Nakamura et al, 1992  
*Chlorophorus mushanus* Matsushita, 1931 霧社虎天牛 [特有] Ref. Matsushita, 1931  
*Chlorophorus parvus* Matsushita, 1933 小綠虎天牛 [特有] Ref. Matsushita, 1933  
*Chlorophorus probsti* Holzschuh, 1989 蒲氏虎天牛 [特有] Ref. Holzschuh, 1989  
*Chlorophorus quinquefasciatus* (Castelnau & Gory, 1841) 玉條虎天牛 Ref. Nakamura et al, 1992  
*Chlorophorus semikano* Hayashi, 1974 擬鹿野綠虎天牛 [特有] Ref. Hayashi, 1974  
*Chlorophorus signaticollis* (Castelnau & Gory, 1855) 曲紋虎天牛 Ref. Nakamura et al, 1992  
*Chlorophorus taihorensis* Schwarzer, 1925 大埔林曲紋虎天牛 [特有] Ref. Schwarzer, 1925  
*Chlorophorus taiwanus* Matsushita, 1933 角紋綠虎天牛 Ref. Nakamura et al, 1992  
*Chlorophorus veranus* Holzschuh, 1998 真綠虎天牛 [特有] Ref. Holzschuh, 1998  
*Chlorophorus viridulus* Kano, 1933 姬綠虎天牛 [特有] Ref. Kano, 1936  
*Chlorophorus yayeyamensis* Kano, 1933 八重山虎天牛 Ref. Nakamura et al, 1992  
*Chlorophorus zelus* Holzschuh, 1989 老埤綠虎天牛 [特有] Ref. Holzschuh, 1989  
*Cleomenes auricollis* Kano, 1933 霧社粗腿細天牛 [特有] Ref. Kano, 1933  
*Cleomenes longipennis* Gressitt, 1951 黑條粗腿細天牛 Ref. Nakamura et al, 1992  
*Cleomenes s auricollis* Kano, 1933 霧社粗腿細天牛 [特有] Ref. Kano, 1933  
*Cleonaria taiwana* Hayashi, 1984 瑞穗黃天牛 [特有] Ref. Hayashi, 1984  
*Cleptomtopus orientalis* Mitono, 1934 棗紅長角天牛 [特有] Ref. Mitono, 1934  
*Clytocera taiwanensis* Hayashi, 1974 台灣綠虎天牛 [特有] Ref. Hayashi, 1974  
*Clytosemia bicincta* Gressitt, 1938 雙點長條天牛 [特有] Ref. Gressitt, 1938  
*Clytus fukienensis* Gressitt, 1951 福建黑虎天牛 [特有] Ref. Kano, 1933  
*Clytus orientalis* Kano, 1933 埔里虎天牛 [特有] Ref. Kano, 1933  
*Clytus unicolor* (Kano, 1933) 紅肩黑虎天牛 [特有] Ref. Kano, 1933  
*Clytus viridescens* Matsushita, 1933 綠黃虎天牛 [特有] Ref. Matsushita, 1933  
*Comusis testacea* Gressitt, 1937 沖繩褐天牛 Ref. Nakamura et al, 1992  
*Corennyis sanguinea* Kano, 1933 緋艷細頸天牛 Ref. Kano, 1933  
*Corennyis taiwana* Hayashi, 1963 台灣豔細頸天牛 [特有] Ref. Hayashi, 1963  
*Cylindilla formosana* (Gressitt, 1951) 蓬萊稜頸天牛 [特有] Ref. Gressitt, 1951  
*Cyrtoclytus formosanus* Gressitt, 1934 台灣黃條虎天牛 [特有] Ref. Gressitt, 1934  
*Cyrtoclytus kusamai* Niisato, 1988 深山黃條虎天牛 [特有] Ref. Niisato, 1988  
*Cyrtonops asahinai* Mitono, 1947 朝氏圓頸天牛 [特有] Ref. Mitono, 1947  
*Cyrtonops nigra* Gahan, 1906 黑圓頸天牛 Ref. Nakamura et al, 1992  
*Cyrtonops punctipennis* Mitono, 1936 斑翅圓頸天牛 Ref. 同前  
*Demonax angulifascia* Aurivillius, 1922 蘭嶼刺角虎天牛 Ref. 同前  
*Demonax bidenticornis* Hayashi, 1974 雙刺刺角虎天牛 [特有] Ref. Hayashi, 1974  
*Demonax bimaculicollis* (Schwarzer, 1925) 雙紋刺角虎天牛 [特有] Ref. Schwarzer, 1925  
*Demonax formosomontanus* Ikeda & Niisato, 1984 日月潭刺角虎天牛 [特有] Ref. Ikeda & Niisato, 1984  
*Demonax izumii* Mitono, 1942 泉氏刺角虎天牛 [特有] Ref. Mitono, 1942  
*Demonax kezukai* Holzschuh, 1984 老埤刺角虎天牛 [特有] Ref. Holzschuh, 1984  
*Demonax masaoi* Niisato, 1984 林氏刺角虎天牛 [特有] Ref. Niisato, 1984  
*Demonax nishiyamai* Niisato, 1984 西山氏刺角虎天牛 [特有] Ref. Niisato, 1984  
*Demonax okunii* Mitono, 1942 大國氏刺角虎天牛 [特有] Ref. Mitono, 1942  
*Demonax sauteri* Matsushita, 1933 曹達氏刺角虎天牛 [特有] Ref. Matsushita, 1933  
*Demonax substitutus* Gressitt, 1951 武界刺角虎天牛 [特有] Ref. Gressitt, 1951  
*Demonax sulinensis* Niisato, 1984 四稜刺角虎天牛 [特有] Ref. Niisato, 1984  
*Demonax triarticulodilatatus* Hayashi, 1974 南山刺角虎天牛 [特有] Ref. Hayashi, 1974  
*Demonax unidenticornis* Hayashi, 1974 單刺刺角虎天牛 [特有] Ref. Hayashi, 1974  
*Dere kirai* Mitono, 1943 吉良氏螢天牛 [特有] Ref. Mitono, 1943  
*Desisa kuraruana* (Matsushita, 1935) 霜斑鏽天牛 [特有] Ref. Matsushita, 1935  
*Desisa takasagona* Matsushita, 1933 蓬萊白條鏽天牛 [特有] Ref. Matsushita, 1933  
*Desisa variabilis* (Schwarzer, 1925) 斑紋鏽天牛 [特有] Ref. Schwarzer, 1925  
*Dialeges undulatus* Gahan, 1891 黃紅姬山天牛 Ref. Nakamura et al, 1992  
*Diboma costata* (Matsushita, 1933) 琉球鏽天牛 Ref. 同前  
*Dicelosternus corallinus* Gahan, 1900 紅艷天牛 Ref. 同前  
*Distenia formosana* Mitono, 1936 蓬萊細天牛 [特有] Ref. Mitono, 1936

*Doliops imilis* Miwa & Mitono, 1933 偽硬象天牛 [特有] Ref. Miwa & Mitono, 1933  
*Doliops similis* Miwa & Mitono, 1933 偽硬象天牛 [特有] Ref. 同前  
*Dolophrades punctatus* (Pic, 1934) 偽疋粗角天牛 [特有] Ref. Pic, 1934  
*Dorysthenes elegans* Obhayashi, 1981 獅山姬鋸天牛 [特有] Ref. Obhayashi, 1981  
*Dorysthenes hydropictus* (Pascoe, 1857) 甘蔗姬鋸天牛 Ref. Nakamura et al, 1992  
*Dorysthenes igai* (Matsushita, 1941) 伊賀姬鋸天牛 [特有] Ref. Matsushita, 1941  
*Dorysthenes paradoxus* (Faldermann, 1833) 大牙土天牛 Ref. Nakamura et al, 1992  
*Dorysthenes pici* (Lameere, 1912) 畢氏姬鋸天牛 [特有] Ref. Lameere, 1912  
*Dymasius hirayamai* Matsushita, 1941 黃斑姬山天牛 Ref. Matsushita, 1941  
*Dymasius kisanus* Matsushita, 1934 旗山姬山天牛 [特有] Ref. Matsushita, 1934  
*Dystomorphus esakii* Hayashi, 1974 江崎氏寬頭天牛 [特有] Ref. Hayashi, 1974  
*Egesina albofasciata* Hayashi, 1974 白點矮天牛 [特有] Ref. Hayashi, 1974  
*Egesina formosana* (Schwarzer, 1925) 蓬萊新島天牛 [特有] Ref. Schwarzer, 1925  
*Egesina fuscolaterimaculata* Hayashi, 1971 側紋新島天牛 [特有] Ref. Hayashi, 1971  
*Egesina nomurai* Hayashi, 1994 野村氏天牛 [特有] Ref. Hayashi, 1994  
*Embrikstrandia bimaculata* (White, 1853) 雙紋紙翅天牛 Ref. Nakamura et al, 1992  
*Embrikstrandia unifasciata* (Ritsema, 1897) 單條紙翅天牛 Ref. 同前  
*Embrik-Strandia bimaculata* (White, 1853) 雙紋紙翅天牛 Ref. 同前  
*Embrik-Strandia unifasciata* (Ritsema, 1897) 單條紙翅天牛 Ref. 同前  
*Encyclops viridipennis* Makihara, 1978 綠翅圓花天牛 [特有] Ref. Makihara, 1978  
*Eoporis bifasciana* Schwarzer, 1925 雙彩灰粗腿天牛 [特有] Ref. Schwarzer, 1925  
*Eoporis differens* Pic, 1926 寮國灰粗腿天牛 Ref. Nakamura et al, 1992  
*Eoporis mitonoi* (Seki, 1946) 水戶野氏灰粗腿天牛 [特有] Ref. Seki, 1946  
*Eoporis simillima* Hayashi, 1974 南山灰粗腿天牛 [特有] Ref. Hayashi, 1974  
*Epania atra* Hayashi, 1978 南山姬短翅花天牛 [特有] Ref. Hayashi, 1978  
*Epania brevipennis* Pascoe, 1869 黑胸短翅天牛 Ref. Nakamura et al, 1992  
*Epania immaculata* (Kano, 1933) 黃紋姬短翅花天牛 [特有] Ref. Kano, 1933  
*Epania subchalybeata* Miwa, 1931 甲仙短翅花天牛 [特有] Ref. Miwa, 1931  
*Epepeotes ambigenus* Breuning, 1943 蘭嶼縱紋長角天牛 Ref. Nakamura et al, 1992  
*Ephies apicalis* Kano, 1933 黑尾螢花天牛 [特有] Ref. Kano, 1933  
*Ephies schwarzeri* Hayashi, 1968 舒氏螢花天牛 [特有] Ref. Hayashi, 1968  
*Epiclytus itoi* Niisato, 1981 蓮華池虎天牛 [特有] Ref. Niisato, 1981  
*Epiclytus taiwanus* Chang, 1960 台灣虎天牛 [特有] Ref. Chang, 1960  
*Epiglenea comes* (Schwarzer, 1925) 蓬萊四星天牛 [特有] Ref. Schwarzer, 1925  
*Epipodocera rollei* Pic, 1910 羅爾氏白胸眉天牛 [特有] Ref. Pic, 1910  
*Eryssamena shibatai* Hayashi, 1974 柴田氏細條天牛 [特有] Ref. Hayashi, 1974  
*Eryssamena taiwana* Hayashi, 1974 台灣刺翅天牛 [特有] Ref. Hayashi, 1974  
*Erythrus congruus* Pascoe, 1863 瘤胸紙翅焰天牛 Ref. Nakamura et al, 1992  
*Erythrus formosanus* Bates, 1866 胸紋紙翅焰天牛 [特有] Ref. Bates, 1866  
*Erythrus fortunei* White, 1853 福晉氏紙翅焰天牛 Ref. Nakamura et al, 1992  
*Erythrus taiwanicus* Heyrovsky, 1952 台灣紙翅焰天牛 [特有] Ref. Heyrovsky, 1952  
*Euchlanis makiharai* Hayashi, 1982 楨原氏細翅天牛 [特有] Ref. Hayashi, 1982  
*Euchlanis testacea* (Matsushita, 1933) 棕細翅天牛 [特有] Ref. Matsushita, 1933  
*Eumecocera lineata* (Gressitt, 1951) 四條藍天牛 Ref. Nakamura et al, 1992  
*Eunidia lateralis* Gahan, 1893 直條短節天牛 Ref. 同前  
*Eupromus ruber* (Dalman, 1817) 紅星天牛 Ref. 同前  
*Euryclytosemia nomurai* Hayashi, 1963 野村氏刺翅天牛 Ref. 同前  
*Eurypoda antennata* Saunders, 1853 長角扁足天牛 Ref. 同前  
*Euseboides matsudai* Gressitt, 1938 松田氏三帶天牛 Ref. 同前  
*Eustrangalis viridipennis* Gressitt, 1935 綠翅優花天牛 [特有] Ref. Gressitt, 1935  
*Eutaenia formosana* Matsushita, 1941 高士佛粗天牛 [特有] Ref. Matsushita, 1941  
*Eutaenia trifasciella* (White, 1850) 三條粗天牛 Ref. Nakamura et al, 1992  
*Euterapha bicostata* Hayashi, 1994 雙帶華夏天牛 [特有] Ref. Hayashi, 1994  
*Eutetrappa elegans* Hayashi, 1966 和社綠天牛 [特有] Ref. Hayashi, 1966  
*Exocentrus alboguttatus* Kusama & Tahira, 1978 白星瑣天牛 Ref. Nakamura et al, 1992  
*Exocentrus brevisetosus* Gressitt, 1938 縮毛瑣天牛 [特有] Ref. Gressitt, 1938  
*Exocentrus formosofasciolatus* Kusama & Tahira, 1978 細帶瑣天牛 Ref. Nakamura et al, 1992  
*Exocentrus fulvobrunneus* Kusama & Tahira, 1978 枯草瑣天牛 [特有] Ref. Kusama & Tahira, 1978  
*Exocentrus immaculatus* Gressitt, 1951 欠紋瑣天牛 [特有] Ref. Gressitt, 1951  
*Exocentrus keiichii* Tsuyuki, 1999 三光瑣天牛 [特有] Ref. Tsuyuki, 1999  
*Exocentrus kentingensis* Kusama & Tahira, 1978 墾丁瑣天牛 [特有] Ref. Kusama & Tahira, 1978  
*Exocentrus kusamai* Tsuyuki, 1999 草間氏瑣天牛 [特有] Ref. Tsuyuki, 1999  
*Exocentrus nanshanensis* Kusama & Tahira, 1978 南山瑣天牛 [特有] Ref. Kusama & Tahira, 1978  
*Exocentrus pseudovaripeennis* Kusama & Tahira, 1978 廬山多紋瑣天牛 [特有] Ref. 同前  
*Exocentrus rufithorax* Gressitt, 1935 紅胸瑣天牛 [特有] Ref. Gressitt, 1935  
*Exocentrus savioi* Pic, 1925 短翅瑣天牛 Ref. Nakamura et al, 1992  
*Exocentrus seriatomaculatus* Schwarzer, 1925 後紋圓瑣天牛 [特有] Ref. Schwarzer, 1925  
*Exocentrus taniguchii* Makihara, 1986 谷口氏瑣天牛 [特有] Ref. Makihara, 1986  
*Exocentrus varipeennis* (Schwarzer, 1925) 斑翅瑣天牛 [特有] Ref. Schwarzer, 1925  
*Exocentrus venatoides* Kusama & Tahira, 1978 梅峰瑣天牛 [特有] Ref. Kusama & Tahira, 1978  
*Falsomesosella horishana* Gressitt, 1938 埔里姬星斑天牛 [特有] Ref. Gressitt, 1938  
*Falsomesosella subalba* Gressitt, 1938 白姬星斑天牛 [特有] Ref. 同前

*Falsomesosella unicolor* Breuning, 1965 單色偽星斑天牛 [特有] Ref. Breuning, 1965  
*Formosopyrrhona cinnabarina* (Gressitt, 1951) 艷紅翅細頸天牛 [特有] Ref. Gressitt, 1951  
*Formosopyrrhona hozanensis* (Matsushita, 1933) 鳳山紅翅細頸天牛 [特有] Ref. Matsushita, 1933  
*Formosopyrrhona semilaeticolor* Hayashi, 1974 灰艷紅翅細頸天牛 [特有] Ref. Hayashi, 1974  
*Formosopyrrhona taiwanensis* Hayashi, 1969 台灣紅翅細頸天牛 [特有] Ref. Hayashi, 1969  
*Formosotoxotus auripilosa* (Kano, 1933) 金毛蓬萊花天牛 [特有] Ref. Kano, 1933  
*Gelonaetha hirta* (Fairmaire, 1850) 橡樹姬天牛 Ref. Nakamura et al, 1992  
*Glaphyra concolor* Nisato, 1995 單色長角短翅天牛 [特有] Ref. Nisato, 1995  
*Glaphyra cupreoviridis* (Hayashi, 1966) 青銅長角短翅天牛 [特有] Ref. Hayashi, 1966  
*Glaphyra cyanescens* (Gressitt, 1951) 藍身長角短翅天牛 Ref. Nakamura et al, 1992  
*Glaphyra jiuuyuchtana* (Hayashi, 1984) 日月潭長角短翅天牛 [特有] Ref. Hayashi, 1984  
*Glaphyra kiyoyamai* (Hayashi, 1974) 奮起湖長角短翅天牛 [特有] Ref. Hayashi, 1974  
*Glaphyra kurosawai* Niisato, 1986 黑澤長角短翅天牛 [特有] Ref. Niisato, 1986  
*Glaphyra lishanensis* (Hayashi, 1974) 梨山長角短翅天牛 [特有] Ref. Hayashi, 1974  
*Glaphyra luikueiensis* (Hayashi, 1984) 六龜長角短翅天牛 [特有] Ref. Hayashi, 1984  
*Glaphyra plavilstchikovi* (Gressitt, 1951) 布拉氏長角短翅天牛 Ref. Nakamura et al, 1992  
*Glaphyra rufosternalis* (Hayashi, 1984) 紅腹長角短翅天牛 [特有] Ref. Hayashi, 1984  
*Glaphyra satoi* Niisato, 2003 佐藤長角短翅天牛 [特有] Ref. Niisato, 2003  
*Glaphyra semitaiwanus* (Hayashi, 1984) 擬台灣長角短翅天牛 [特有] Ref. Hayashi, 1984  
*Glaphyra subglabra* (Gressitt, 1938) 疏毛長角短翅天牛 [特有] Ref. Gressitt, 1938  
*Glaphyra subplanus* Gressitt, 1951 平胸長角短翅天牛 [特有] Ref. Nisato, 1995  
*Glaphyra sungkangensis* Hayashi, 1992 松崗長角短翅天牛 [特有] Ref. Hayashi, 1992  
*Glaphyra taiwanus* (Hayashi & Matsuda, 1976) 台灣長角短翅天牛 [特有] Ref. Hayashi & Matsuda, 1976  
*Glaphyra uenoi* Nisato, 1995 上野氏長角短翅天牛 [特有] Ref. Nisato, 1995  
*Glaphyra viridescens* (Hayashi & Matsuda, 1976) 線長角短翅天牛 [特有] Ref. Hayashi & Matsuda, 1976  
*Glaphyra watani* (Kano, 1933) 黃紋長角短翅天牛 [特有] Ref. Kano, 1933  
*Glaphyra yui* (Hayashi, 1984) 余氏長角短翅天牛 [特有] Ref. Hayashi, 1984  
*Glenea acutoides* Schwarzer, 1925 環紋黃條天牛 Ref. Nakamura et al, 1992  
*Glenea albosignata* Pic, 1943 白斑星天牛 [特有] Ref. Pic, 1943  
*Glenea anulicornia* Schwarzer, 1925 新島氏黃條天牛 [特有] Ref. Schwarzer, 1925  
*Glenea centroguttata* Fairmaire, 1897 一色氏黃紋天牛 Ref. Nakamura et al, 1992  
*Glenea chlorospila* Gahan, 1897 琉球藍星天牛 Ref. 同前  
*Glenea chrysomaculata* Schwarzer, 1925 藍艷燦星天牛 [特有] Ref. Schwarzer, 1897  
*Glenea chujoi* Mitono, 1937 桑黃紋天牛 [特有] Ref. Mitono, 1937  
*Glenea fainanensis* Pic, 1916 曇斑條天牛 Ref. Nakamura et al, 1992  
*Glenea formosana* Schwarzer, 1925 蓬萊白條天牛 [特有] Ref. Schwarzer, 1925  
*Glenea iwasakii* Kano, 1933 岩崎氏金條天牛 Ref. Nakamura et al, 1992  
*Glenea lacteomaculata* Schwarzer, 1925 白紋星天牛 Ref. 同前  
*Glenea lineata* Schwarzer, 1925 曹太氏黃紋天牛 [特有] Ref. Schwarzer, 1925  
*Glenea lineata* Schwarzer, 1925 曹太氏黃紋天牛 [特有] Ref. 同前  
*Glenea luteicollis* Gressitt, 1935 黃胸欠紋天牛 [特有] Ref. Gressitt, 1935  
*Glenea mitonoana* Gressitt, 1951 水珠黃紋天牛 [特有] Ref. Gressitt, 1951  
*Glenea miwai* Mitono, 1943 三輪氏錨紋天牛 Ref. Nakamura et al, 1992  
*Glenea miwai* Mitono, 1943 三輪氏錨紋天牛 Ref. 同前  
*Glenea mounieri* Breuning, 1953 莫尼氏天牛 Ref. 同前  
*Glenea nanshanchiana* Hayashi, 1978 南山白條天牛 [特有] Ref. Hayashi, 1978  
*Glenea relicta* Breuning, 1960 台灣褐肩白星天牛 [特有] Ref. Breuning, 1960  
*Glenea relicta* Plevilstchikov, 1927 褐肩白星天牛 Ref. Nakamura et al, 1992  
*Glenea subabbreviata* Breuning, 1956 武界黃條天牛 [特有] Ref. Breuning, 1956  
*Glenea tonkinae* Schwarzer, 1925 海南白星天牛 Ref. Nakamura et al, 1992  
*Glenea versuta* Newman, 1842 蘭嶼白條天牛 Ref. 同前  
*Glenida cyanipennis* Gahan, 1888 藍翅妮天牛 Ref. 同前  
*Gnatholea biseburata* Mitono, 1939 雙爪家天牛 Ref. 同前  
*Grammographus arcuata* (Matsushita, 1939) 蓬萊鋸角虎天牛 [特有] Ref. Matsushita, 1939  
*Grammographus flavicollis* (Matsushita, 1931) 欠紋鋸角虎天牛 [特有] Ref. Matsushita, 1931  
*Grammographus granulicollis* Hayashi, 1974 顆領黃虎天牛 [特有] Ref. Hayashi, 1974  
*Grammographus kanoi* Hayashi, 1963 黃胸綠虎天牛 [特有] Ref. Hayashi, 1963  
*Grammographus submaculatus* Hayashi, 1974 灰斑黃虎天牛 [特有] Ref. Hayashi, 1974  
*Grammographus taiwanensis* Hayashi, 1966 台灣黃虎天牛 [特有] Ref. Hayashi, 1966  
*Grammoptera matsudai* Hayashi, 1974 松田條翅花天牛 [特有] Ref. Hayashi, 1974  
*Graphidessa obliquefasciata* Komiya & Kusama, 1973 斜紋鏽天牛 [特有] Ref. Komiya & Kusama, 1973  
*Graphidessa variegata* Hayashi, 1974 梨山鏽天牛 [特有] Ref. Hayashi, 1974  
*Halme basifusca* Kusama & Oda, 1978 惠孫肖眉天牛 [特有] Ref. Kusama & Oda, 1978  
*Halme eburneocincta* Gressitt, 1934 黑角肖眉天牛 [特有] Ref. Gressitt, 1934  
*Halme masakoae* Niisato, 1984 蓮華肖眉天牛 [特有] Ref. Niisato, 1984  
*Hayashi hayashi* Hayashi 藍翅圓眠花天牛 [特有] Ref. Hayashi, 1974  
*Heteroglenea glechoma* (Pascoe, 1867) 長白條天牛 Ref. Nakamura et al, 1992  
*hirsutus hirsutus* (Mitono & Nishimura, 1936) 毛腳寬短翅天牛 Ref. 同前  
*Hyllisia taihokensis* (Matsushita, 1933) 黃條瘦天牛 [特有] Ref. Matsushita, 1933  
*Hypocacia shimomurai* Holzshuh, 1989 下村氏偽鬚角天牛 [特有] Ref. Holzshuh, 1989  
*ibidiiformis ibidiiformis* Bates, 1877 貝茲氏細領天牛 Ref. Nakamura et al, 1992  
*Idiostrangalia akiyamai* Hayashi, 1978 秋山緣紋花天牛 [特有] Ref. Hayashi, 1978

*Idiostrangalia albopreterminalis* Hayashi & Villiers, 1989 合望細花天牛 [特有] Ref. Hayashi & Villiers 1989  
*Idiostrangalia angustissima* (Gressitt, 1935) 長尾緣紋花天牛 [特有] Ref. Gressitt, 1935  
*Idiostrangalia rarasanensis* Mitono, 1938 拉拉山緣紋花天牛 [特有] Ref. Mitono, 1938  
*Idiostrangalia shirakii* (Tamanuki & Mitono, 1939) 素木細花天牛 [特有] Ref. Tamanuki & Mitono, 1939  
*Idiostrangalia simillima* Hayashi & Villiers, 1989 明潭細花天牛 [特有] Ref. Hayashi & Villiers 1989  
*Idiostrangalia sozanensis* (Mitono, 1938) 草山緣紋花天牛 Ref. Mitono, 1938  
*Idiostrangalia vittatipennis* (Pic, 1914) 斑翅緣紋花天牛 [特有] Ref. Pic, 1914  
*Idonia (Cryptopidonia) fushani* Kuboki, 1993 福山氏隱姬花天牛 [特有] Ref. Kuboki, 1993  
*Iproca flavolineata* Hayashi, 1971 黃條尖翅鏽天牛 [特有] Ref. Hayashi, 1971  
*Japanostrangalia yamasakii* (Mitono, 1936) 山崎日本花天牛 [特有] Ref. Chou & Ohbayashi, 2007  
*Japonopsimus orientalis* (Matsushita, 1933) 東方日球頸天牛 [特有] Ref. Matsushita, 1933  
*Kanekoia lalashana* (Shimomura, 1980) 拉拉山金子花天牛 [特有] Ref. Shimomura, 1980  
*Kunbir nomurai* Hayashi, 1974 野村氏細翅天牛 [特有] Ref. Hayashi, 1974  
*Kuraru chujoi* Makihara, 1982 中條氏粗腿細天牛 Ref. Nakamura et al, 1992  
*Kuraru constrictipennis* Gressitt, 1936 恆春粗腿天牛 [特有] Ref. Gressitt, 1936  
*Lachnopterus socius* Gahan, 1891 黑胸山天牛 [特有] Ref. Gahan, 1891  
*Leiops shibatai* Hayashi, 1974 柴田氏寬腿天牛 [特有] Ref. Hayashi, 1974  
*Lemula brunneipennis* Shimomura, 1979 褐翅圓眠花天牛 [特有] Ref. Shimomura, 1979  
*Lemula crucifera* Shimomura, 1979 巴陵圓眠花天牛 [特有] Ref. 同前  
*Lemula cyanipennis* Hayashi, 1974 藍翅圓眠花天牛 [特有] Ref. Hayashi, 1974  
*Lemula densepunctata* Hayashi, 1974 梨山圓眠花天牛 [特有] Ref. Hayashi, 1974  
*Lemula longipennis* Shimomura, 1979 長翅圓眠花天牛 [特有] Ref. Shimomura 1979  
*Lemula obscuripennis* Shimomura, 1979 埔里圓眠花天牛 [特有] Ref. 同前  
*Lemula setigera* Tamanuki & Mitono, 1939 長毛圓眠花天牛 [特有] Ref. Tamanuki & Mitono, 1939  
*Leptepania minuta* Gressitt, 1935 姬短翅天牛 [特有] Ref. Gressitt, 1935  
*Leptepania sakaii* Hayashi, 1974 酒井氏短翅天牛 [特有] Ref. Hayashi, 1974  
*Leptostrangalia nakamurai* Hayashi, 1960 中村纖細花天牛 [特有] Ref. Hayashi, 1960  
*Leptoxenus bimaculata* (Matsushita, 1933) 雙紋細領天牛 [特有] Ref. Matsushita, 1933  
*Leptoxenus ibidiformis* Bates, 1877 貝茲氏細領天牛 Ref. Nakamura et al, 1992  
*Leptura auratopilosa* (Tamanuki, 1939) 霧社花天牛 [特有] Ref. Tamanuki, 1939  
*Leptura auratopilosa* (Matsushita, 1931) 金毛花天牛 [特有] Ref. Matsushita, 1931  
*Leptura formosomontana* (Kano, 1933) 阿里山花天牛 [特有] Ref. Kano, 1933  
*Leptura formosomontana* (Kano, 1933) 阿里山花天牛 [特有] Ref. Kano, 1933  
*Leptura formoso-montana* (Kano, 1933) 玉山花天牛 [特有] Ref. Kano, 1933  
*Leptura mushana* (Tamanuki, 1939) 霧社花天牛 [特有] Ref. Tamanuki, 1939  
*Leptura taranan* (Kano, 1933) 烏來花天牛 [特有] Ref. Kano, 1933  
*Leptura tattakana* (Kano, 1933) 立鷹花天牛 [特有] Ref. Kano, 1933  
*Linda annulicornis* Matsushita, 1933 環紋黃胸蘋果天牛 Ref. Nakamura et al, 1992  
*Linda femorata* (Chevrolat, 1852) 粗腿蘋果天牛 Ref. 同前  
*Linda fraterna* (Chevrolat, 1852) 長角蘋果天牛 Ref. 同前  
*Linda signaticornis* Schwarzer, 1925 紅胸黑翅蘋果天牛 [特有] Ref. Schwarzer, 1925  
*Linda subannulata* Breuning, 1966 擬環紋蘋果天牛 [特有] Ref. Breuning, 1966  
*Longipalpus shigarorogi* (Kano, 1939) 蘭嶼姬棕天牛 [特有] Ref. Kano, 1939  
*Longipalpus tahuensis* Chang, 1978 大湖姬棕天牛 [特有] Ref. Chang, 1978  
*Macromolorchus hirsutus* (Mitono & Nishimura, 1936) 毛腳寬短翅天牛 Ref. Nakamura et al, 1992  
*Macrotoma (Bandar) fisheri* Gressitt, 1938 費氏巨顎天牛 [特有] Ref. Gressitt, 1938  
*Macrotoma (Zooblast) katoi* Gressitt, 1938 加藤巨顎天牛 [特有] Ref. 同前  
*Mandibularia quadricolor* Gressitt, 1951 多彩巨顎天牛 Ref. Nakamura et al, 1992  
*Margites fulvidus* (Pascoe, 1868) 黃山天牛 Ref. 同前  
*Marmylaris buckleyi* (Pascoe, 1857) 巴克氏鏽天牛 Ref. 同前  
*Massicus trilineatus* (Matsushita, 1933) 胸條山天牛 Ref. 同前  
*Megopis sulcipennis* (White, 1853) 溝翅薄翅天牛 Ref. 同前  
*Megopis (Aegolipton) marginalis* (Fabricius, 1755) 埔里薄翅天牛 Ref. 同前  
*Megopis (Aegolipton) sauteri* Lameebe, 1913 邵氏薄翅天牛 [特有] Ref. Lameebe, 1913  
*Megopis (Aegosoma) sinica* (White, 1853) 中華薄翅天牛 Ref. Nakamura et al, 1992  
*Megopis (Spinimegopis) formosana* Matsushita, 1933 蓬萊薄翅天牛 [特有] Ref. Matsushita, 1933  
*Megopis (Spinimegopis) formosana* Hayashi, 1974 蘭嶼薄翅天牛 [特有] Ref. Hayashi, 1974  
*Megopisbaralioptan mandubalaris* (Fairmair, 1899) 巨顎薄翅天牛 Ref. Chou, 2004  
*Menesia matsudai* Hayashi, 1985 松田氏黃紋天牛 [特有] Ref. Hayashi, 1985  
*Menesia sulphurata* (Gebler, 1825) 胡桃紋黃天牛 Ref. Nakamura et al, 1992  
*Merionoeda formosana* Heller, 1924 蓬萊粗腿短翅天牛 [特有] Ref. Heller, 1924  
*Merionoeda uraiensis* Kano, 1930 烏來粗腿短翅天牛 [特有] Ref. Kano, 1930  
*Mesechthistatus yamahoi* (Mitono, 1943) 山保氏瘤叉尾天牛 [特有] Ref. Mitono, 1943  
*Mesoereis koshunensis* Matsushita, 1933 恆春大星斑天牛 [特有] Ref. Matsushita, 1933  
*Mesoereis obscurus* Matsushita, 1933 黃翅大星斑天牛 [特有] Ref. 同前  
*Mesosa atrostigma* Gressitt, 1942) 黑點星斑天牛 [特有] Ref. Gressitt, 1942  
*Mesosa binigrovittata* Breuning, 1942 雙點星斑天牛 [特有] Ref. Breuning, 1942  
*Mesosa chassoti* Breuning, 1970 夏叟氏星斑天牛 [特有] Ref. Breuning, 1970  
*Mesosa kojimai* (Hayashi, 1974) 小島氏星斑天牛 [特有] Ref. Hayashi, 1974  
*Mesosa kumei* Takakuwa, 1991 綠島星斑天牛 [特有] Ref. Takakuwa, 1991  
*Mesosa kuntzeni* Matsushita, 1933 台灣白條星斑天牛 [特有] Ref. Matsushita, 1933  
*Mesosa latifasciata* (White, 1858) 寬帶星斑天牛 Ref. Nakamura et al, 1992

*Mesosa medioalbofasciata* Breuning, 1969 白帶星斑天牛 [特有] Ref. Breuning, 1969  
*Mesosa perplexa* Pascoe, 1858 褐翅星斑天牛 Ref. Nakamura et al, 1992  
*Metalloleptura rahoareii* (Kano, 1933) 酋王豔花天牛 [特有] Ref. Kano, 1933  
*Metastrangalis albicornis* (Tamanuki, 1942) 白角新細花天牛 [特有] Ref. Chou & Ohbayashi, 2007  
*Metastrangalis denticulata* Tamanuki, 1939 齒胸新細花天牛 [特有] Ref. Tamanuki, 1939  
*Metastrangalis ochraceoventra* (Gressitt, 1935) 橙腹新細花天牛 [特有] Ref. Gressitt, 1935  
*Metastrangalis uenoi* Chou & N. Ohbayashi, 2007 上野新細花天牛 [特有] Ref. Chou & Ohbayashi, 2007  
*Metopoplectus taiwanensis* Gressitt, 1936 姬棗紅長角天牛 [特有] Ref. Gressitt, 1936  
*Miccolamia albosetosa* Gressitt, 1951 白毛微瘤天牛 [特有] Ref. Gressitt, 1951  
*Miccolamia castaneoverrucosa* Hayashi, 1974 褐微瘤天牛 [特有] Ref. Hayashi, 1974  
*Microlenecamptus biocellatus* (Schwarzer, 1925) 蛇紋天牛 Ref. Nakamura et al, 1992  
*Microlenecamptus obsoletus* (Fairmaire, 1888) 蒼藍蛇紋天牛 Ref. 同前  
*Microlera kanoi* Hayashi, 1971 鹿野氏菱天牛 [特有] Ref. Hayashi, 1971  
*Micromulciber gressitti* (Tippmann, 1955) 嘉氏偽叉尾天牛 [特有] Ref. Tippmann, 1955  
*Micromulciber quadrisignatus* Schwarzer, 1925 白星偽叉尾天牛 Ref. Nakamura et al, 1992  
*Microxylorhiza matsudai* Hayashi, 1974 松田氏矮縱條天牛 [特有] Ref. Hayashi, 1974  
*Mimectatina divericata* (Bates, 1884) 叉尾鏽天牛 Ref. Nakamura et al, 1992  
*Mimectatina fukudai* Hayashi, 1969 福田氏鏽天牛 [特有] Ref. Hayashi, 1969  
*Mimectatina iriei* Hayashi 入江氏鏽天牛 Ref. 周文一。2004  
*Mimectatina meridiana* (Matsushita, 1933) 深褐鏽天牛 Ref. Nakamura et al, 1992  
*Mimectatina murakamii* Hayashi, 1978 村上氏鏽天牛 [特有] Ref. Hayashi, 1978  
*Mimistena pulchella* (Gressitt, 1935) 姬藍長毛天牛 [特有] Ref. Gressitt, 1935  
*Mimistena setigera* (Schwarzer, 1925) 鳳山長毛天牛 [特有] Ref. Schwarzer, 1925  
*Mimoplocia notata* (Newman, 1842) 蘭嶼黃紋細鏽天牛 Ref. Nakamura et al, 1992  
*Mimorsidis taiwanensis* Hayashi, 1974 台灣深條天牛 [特有] Ref. Hayashi, 1974  
*Mimostrangalia kappanzanensis* (Kano, 1933) 角板擬細花天牛 [特有] Ref. Kano, 1933  
*Mimostrangalia kurosawai* (Hayashi, 1966) 黑澤擬細花天牛 [特有] Ref. Hayashi, 1966  
*Moechotypa delicatula* (White, 1858) 阿薩姆艷天牛 Ref. Nakamura et al, 1992  
*Moechotypa formosana* (Pic, 1917) 埔里艷天牛 [特有] Ref. Pic, 1917  
*Moechotypa paraformosana* Breuning, 1979 高山紅斑天牛 [特有] Ref. Breuning, 1979  
*Molorchoepania simplex* (Matsushita, 1933) 鳳山絲角短翅天牛 [特有] Ref. Matsushita, 1933  
*Monochamus alternatus* Hope, 1842 松斑天牛 Ref. Nakamura et al, 1992  
*Monochamus bimaculatus* Gahan, 1888 雙紋長角天牛 Ref. 同前  
*Monochamus convexicollis* Gressitt, 1942 狹胸長角天牛 Ref. 同前  
*Monochamus fascioguttatus* Gressitt, 1938 八仙長角天牛 Ref. 同前  
*Monochamus kasabi* Heyrovsky, 1955 卡薩氏長角天牛 [特有] Ref. Heyrovsky, 1955  
*Monochamus taiheizanensis* Mitono, 1943 太平山長角天牛 [特有] Ref. Mitono, 1943  
*Mutatocoptops anacyloides* (Schwarzer, 1925) 灰紋星斑天牛 [特有] Ref. Schwarzer, 1925  
*Myrmexocentrus quadrimaculatus* Hayashi, 1983 四紋蟻型天牛 [特有] Ref. Hayashi, 1983  
*Nadezhdiella cantori* (Hope, 1845) 皺胸山天牛 Ref. Nakamura et al, 1992  
*Nanohammus subfasciatus* (Matsushita, 1941) 拉拉山白星天牛 Ref. 同前  
*Nanostrangalia chujoi* Mitono, 1938 中條細花天牛 [特有] Ref. Mitono, 1938  
*Nanostrangalia semichujoi* Hayashi, 1974 擬中條細花天牛 [特有] Ref. Hayashi, 1974  
*Neacanisia shirakii* (Mitono, 1943) 素木氏寬腿天牛 [特有] Ref. Mitono, 1943  
*Necydalis esakii* Miwa & Mitono, 1937 江崎細短翅天牛 [特有] Ref. Miwa & Mitono, 1937  
*Necydalis formosanus* Kano, 1933 蓬萊細短翅天牛 [特有] Ref. Kano, 1933  
*Necydalis hirayamai* Ohbayashi, 1948 平山細短翅天牛 [特有] Ref. Ohbayashi, 1948  
*Necydalis mizunumai* Kusama, 1974 水沼細短翅天牛 [特有] Ref. Kusama, 1974  
*Necydalis nanshanensis* Kusama, 1974 南山細短翅天牛 [特有] Ref. Kusama, 1974  
*Necydalis pennata* Lewis, 1879 似蜂細短翅天牛 Ref. Nakamura et al, 1992  
*Neocerambyx taiwanensis* Hayashi, 1992 紅腳山天牛 [特有] Ref. Hayashi, 1992  
*Neosyssamena mitonoana* Hayashi, 1974 水戶野氏細條天牛 [特有] Ref. Hayashi, 1974  
*Neorhamnusium taiwanum* Hayashi & Ando, 1976 台灣刺胸花天牛 [特有] Ref. Hayashi & Ando, 1976  
*Neoserixia delicata* Matsushita, 1933 鳳山細角天牛 [特有] Ref. Matsushita, 1933  
*Neoserixia infasciatus* Gressitt, 1935 姬長頸黃天牛 [特有] Ref. Gressitt, 1935  
*Neoserixia pulchra* Schwarzer, 1925 港口黃天牛 [特有] Ref. Schwarzer, 1925  
*Neoserixia schwarzeri* Gressitt, 1935 舒瓦氏黃天牛 [特有] Ref. Gressitt, 1935  
*Neosybra costata* (Matsushita, 1933) 隆條矮天牛 [特有] Ref. Matsushita, 1933  
*Neosybra sinuicosta* Gressitt, 1951 波條矮天牛 [特有] Ref. Gressitt, 1951  
*Nipholophia chujoi* Gressitt, 1951 中條氏擬叉尾天牛 [特有] Ref. 同前  
*Niphona furcata* (Bates, 1873) 灰身叉尾天牛 Ref. Nakamura et al, 1992  
*Niphona parallela* (White, 1858) 印度叉尾天牛 Ref. 同前  
*Niphona yanoi* Matsushita, 1934 矢野氏叉尾天牛 Ref. Matsushita, 1934  
*Niphona yanoi* Matsushita, 1934 矢野氏叉尾天牛 Ref. 同前  
*Noemia incompta* Gressitt, 1935 台灣長角細天牛 [特有] Ref. Gressitt, 1935  
*Nortia carinicollis* Niisato & N. Ohbayashi, 2005 薩摩球領紙翅天牛 Ref. Nakamura et al, 1992  
*Nortia carinicollis* Schwarzer, 1925 黃球領紙翅天牛 Ref. 同前  
*Nupserha clypealis* Breuning, 1960 胸紋蘋果天牛 Ref. 同前  
*Nupserha fricator* (Dalman, 1817) 黑尾細蘋果天牛 Ref. 同前  
*Nupserha kankauensis* (Schwarzer, 1925) 港口姬蘋果天牛 Ref. 同前  
*Oberea binotaticollis* Pic, 1915 短頸蘋果天牛 [特有] Ref. Pic, 1915  
*Oberea breviantennalis* Kurihara & Ohbayashi, 2006 褐翅細赤蘋果天牛 [特有] Ref. Kurihara & Ohbayashi, 2006

*Oberea brevithorax* Gressitt, 1936 短頸蘋果天牛 Ref. Gressitt, 1936  
*Oberea formosana* Pic, 1911 蓬萊蘋果天牛 Ref. Nakamura et al, 1992  
*Oberea formososylvia* Kurihara & N.Ohbayashi, 2007 黑緣蘋果天牛 Ref. Kurihara & Ohbayashi, 2007  
*Oberea fuscipennis* (Chevrolat, 1852) 褐翅細赤蘋果天牛 Ref. Nakamura et al, 1992  
*Oberea griseopennis* Schwarzer, 1925 樟灰蘋果天牛 [特有] Ref. Schwarzer, 1925  
*Oberea komiyai* Kurihara & Ohbayashi, 2006 小宮氏蘋果天牛 [特有] Ref. Kurihara & Ohbayashi, 2006  
*Oberea maculithorax* Matsushita, 1933 斑胸蘋果天牛 [特有] Ref. Matsushita, 1933  
*Oberea nigriceps* (White, 1844) 黑腳蘋果天牛 Ref. Nakamura et al, 1992  
*Oberea nigriventris* Bates, 1873 黑腹細蘋果天牛 Ref. 同前  
*Oberea reductesignata* Pic, 1916 黑尾蘋果天牛 [特有] Ref. Pic, 1916  
*Oberea shimomurai* Kurihara & N.Ohbayashi, 2007 下村蘋果天牛 Ref. Kurihara & Ohbayashi, 2007  
*Oberea taihokensis* Breuning, 1961 台北蘋果天牛 [特有] Ref. Breuning, 1961  
*Oberea taiwana* Matsushita, 1933 台灣黑腹蘋果天牛 [特有] Ref. Matsushita, 1933  
*Oberea tsuyukii* Kurihara & N.Ohbayashi, 2007 小宮氏蘋果天牛 Ref. Kurihara & Ohbayashi, 2006  
*Obereopsis bicoloripes* (Pic, 1916) 黑尾黃翅蘋果天牛 [特有] Ref. Pic, 1916  
*Obereopsis lineaticeps* (Pic, 1911) 背條蘋果天牛 Ref. Nakamura et al, 1992  
*Obereopsis signaticornis* (Matsushita, 1933) 環紋蘋果天牛 [特有] Ref. Matsushita, 1933  
*Obrium formosanum* Schwarzer, 1925 蓬萊棕天牛 [特有] Ref. Schwarzer, 1925  
*Obrium fuscoapicalis* Hayashi, 1974 褐尾棕天牛 [特有] Ref. Hayashi, 1974  
*Obrium schwarzeri* Hayashi, 1974 舒瓦氏棕天牛 [特有] Ref. Hayashi, 1974  
*Obrium semiformosanum* Hayashi, 1974 擬蓬萊棕天牛 [特有] Ref. Hayashi, 1974  
*Ohbayashia fuscoaenea* Hayashi, 1974 帶紋大林花天牛 [特有] Ref. Hayashi, 1974  
*Olenecamptus bilobus* (Fabricius, 1801) 五星白天牛 Ref. Nakamura et al, 1992  
*Olenecamptus cretaceus* Schwarzer, 1925 大狹胸白天牛 Ref. 同前  
*Olenecamptus formosanus* Pic, 1914 蓬萊狹胸白天牛 Ref. 同前  
*Olenecamptus indianus* (Thomson, 1857) 印度白天牛 Ref. 同前  
*Olenecamptus siamensis* Breuning 暹羅白天牛 Ref. 周文一。2004  
*Olenecamptus taiwanus* Dillon & Dillon, 1948 六星白天牛 Ref. Nakamura et al, 1992  
*Ondonia bisignata* Hayashi, 1976 雙紋矮天牛 [特有] Ref. Hayashi, 1976  
*Oplotocera mandibulata* Miwa & Mitono, 1935 深山巨大天牛 [特有] Ref. Miwa & Mitono, 1935  
*Oplotocera mitonoi* Hayashi, 1981 斜條巨大天牛 [特有] Ref. Hayashi, 1981  
*Ostedes inermis* Schwarzer, 1925 黑紋挺胸粗腿天牛 [特有] Ref. Schwarzer, 1925  
*Ostedes subfasciata* Matsushita, 1933 挺胸粗腿天牛 [特有] Ref. Matsushita, 1933  
*Pachypidonia rubrida* Hayashi, 1971 紅尾粗角花天牛 [特有] Ref. Hayashi, 1971  
*Palaeocallidium rufipenne* (Motschulsky, 1860) 姬杉天牛 Ref. Nakamura et al, 1992  
*Palaeocallidium villosulum* (Kano, 1930) 阿里山姬杉天牛 [特有] Ref. Kano, 1930  
*Palausybra chibi* Hayashi, 1974 特徵天牛 [特有] Ref. Hayashi, 1974  
*Palimna formosana* (Kano, 1933) 台灣長角胡斑天牛 [特有] Ref. Kano, 1933  
*Palimna palimnoides* (Schwarzer, 1925) 蜘蛛形長角天牛 Ref. Nakamura et al, 1992  
*Paradra formosana* Miwa & Mitono, 1939 蓬萊偽鋸形天牛 Ref. Miwa & Mitono, 1939  
*Paradra lanyuana* Hayashi, 1981 蘭嶼偽鋸形天牛 [特有] Ref. Hayashi, 1981  
*Paraglenea fortunei* (Saunders, 1853) 芋麻天牛 Ref. Nakamura et al, 1992  
*Paraglenea swinhoei* Bates, 1866 黑紋蒼藍天牛 [特有] Ref. Bates, 1866  
*Paraleprodera diophtalma* (Schwarzer, 1925) 雙爪長角天牛 Ref. Nakamura et al, 1992  
*Paraleprodera itingeri* Breuning, 1935 四星囊紅長角天牛 [特有] Ref. Breuning, 1935  
*Paramenesia kasugensis* (Seki & Kobayashi, 1935) 春日黃紋天牛 Ref. Nakamura et al, 1992  
*Paranaspia coccinea* (Mitono, 1936) 螢緋花天牛 [特有] Ref. Mitono, 1936  
*Paraneosybra fulvofasciata* Hayashi, 1978 南山黃條矮天牛 [特有] Ref. Hayashi, 1978  
*Parapolytretus rugosus* (Matsushita, 1933) 皺紋粗天牛 [特有] Ref. Matsushita, 1933  
*Parasalpinia kojimai* Hayashi, 1962 小島氏黑帶姬天牛 Ref. Nakamura et al, 1992  
*Parastrangalis chekiangia* (Gressitt, 1939) 浙江細花天牛 [特有] Ref. Gressitt, 1939  
*Parastrangalis dalihodi* Holzschuh, 1999 達氏細花天牛 [特有] Ref. Holzschuh, 1999  
*Parastrangalis denticulata* (Tamanuki, 1939) 齒胸細花天牛 [特有] Ref. Chou & Ohbayashi, 2007  
*Parastrangalis lateristriata* (Tamanuki & Mitono, 1939) 側條細小花天牛 [特有] Ref. Tamanuki & Mitono, 1939  
*Parastrangalis phantoma* Holzschuh, 1999 魅影細花天牛 [特有] Ref. Holzschuh, 1999  
*Parastrangalis puliensis* (Hayashi, 1976) 埔里細小花天牛 [特有] Ref. Hayashi, 1976  
*Parastrangalis subapicalis* (Gressitt, 1935) 八仙細小花天牛 [特有] Ref. Gressitt, 1935  
*Parastrangalis yanoi* (Tamanuki, 1939) 浙江細花天牛 [特有] Ref. Gressitt, 1939  
*Pareutetrappa magnifica* (Schwarzer, 1925) 胸紋蒼藍天牛 Ref. Nakamura et al, 1992  
*Paruraecha submarmorata* (Gressitt, 1936) 阿里山長角天牛 [特有] Ref. Gressitt, 1936  
*Pebblephaeus decoloratus* (Schwarzer, 1925) 麗紋粗天牛 [特有] Ref. Schwarzer, 1925  
*Pebblephaeus lutoaensis* Takakuwa, 1991 綠島粗天牛 [特有] Ref. Takakuwa, 1991  
*Pebblephaeus zizac* (Matsushita, 1940) 曲紋粗天牛 [特有] Ref. Matsushita, 1940  
*Pedostrangalia muneaka* (Mitono & Tamanuki, 1939) 紅胸黃足花天牛 [特有] Ref. Mitono & Tamanuki, 1939  
*Peithona prionoides* Gahan, 1906 擬鋸花天牛 Ref. Nakamura et al, 1992  
*Penthides flavus* Matsushita, 1933 黑角黃天牛 Ref. 同前  
*Perissus asperatus* Gressitt, 1951 顆翅矮虎天牛 [特有] Ref. Gressitt, 1951  
*Perissus demonacoides* (Gressitt, 1936) 水社矮虎天牛 [特有] Ref. Gressitt, 1936  
*Perissus fulvopictus* Matsushita, 1933 大林鏽虎天牛 [特有] Ref. Matsushita, 1933  
*Perissus griseus* Gressitt, 1936 蒼藍矮虎天牛 [特有] Ref. Gressitt, 1936  
*Perissus hooraianus* (Matsushita, 1943) 北山矮虎天牛 [特有] Ref. Matsushita, 1943  
*Perissus kankauensis* Schwarzer, 1925 港口矮虎天牛 [特有] Ref. Schwarzer, 1925

*Perissus wenroncheni* Niisato, 1986 文龍氏矮虎天牛 [特有] Ref. Niisato, 1986  
*Philus antennatus* (Gyllenhal, 1817) 長角窄胸天牛 Ref. Nakamura et al, 1992  
*Philus pallescens* Bates, 1866 甲仙窄胸天牛 Ref. 同前  
*Phymatodes mizunumai* Hayashi, 1974 水沼氏姬扁天牛 [特有] Ref. Hayashi, 1974  
*Phymatodes quadriculatus* Gressitt, 1935 四紋小扁天牛 Ref. Nakamura et al, 1992  
*Phytoecia rufiventris* Gautier, 1870 菊花天牛 Ref. 同前  
*Pidonia aenipennis* (Gressitt, 1935) 銅翅隱姬花天牛 [特有] Ref. Gressitt, 1935  
*Pidonia aestivalis* Kuboki, 1994 夏季無紋姬花天牛 [特有] Ref. Kuboki, 1994  
*Pidonia albomaculata* (Matsushita, 1931) 白斑隱姬花天牛 [特有] Ref. Matsushita, 1931  
*Pidonia amabilis* Kuboki, 1980 妮嬌無紋姬花天牛 [特有] Ref. Kuboki, 1980  
*Pidonia angustata* Kuboki, 1994 褐帶姬花天牛 [特有] Ref. Kuboki, 1994  
*Pidonia anmashana* Kuboki, 1993 鞍馬山隱姬花天牛 [特有] Ref. Kuboki, 1993  
*Pidonia atripennis* Hayashi, 1978 黑翅姬花天牛 [特有] Ref. Hayashi, 1978  
*Pidonia binigrosignata* Hayashi, 1974 黑斑無紋姬花天牛 [特有] Ref. Hayashi, 1974  
*Pidonia bivittata* S. Saito, 1980 雙點姬花天牛 [特有] Ref. Saito, 1980  
*Pidonia chiaomui* Kuboki, 1995 喬木氏隱姬花天牛 [特有] Ref. Kuboki, 1995  
*Pidonia chienhsingi* Kuboki, 1995 建興氏無紋姬花天牛 [特有] Ref. Kuboki, 1995  
*Pidonia chui* Chou, 1998 朱氏隱姬花天牛 [特有] Ref. Chou, 1998  
*Pidonia confusa* S. Saito, 1980 碧綠無紋姬花天牛 [特有] Ref. Saito, 1980  
*Pidonia deodara* Kuboki, 1986 神木姬花天牛 [特有] Ref. Kuboki, 1986  
*Pidonia flaccidissima* Kuboki, 1994 柔弱姬花天牛 [特有] Ref. Kuboki, 1994  
*Pidonia formosana* Tamanuki & Mitono, 1939 蓬萊無紋姬花天牛 [特有] Ref. Tamanuki & Mitono, 1939  
*Pidonia formosissima* Kuboki, 1980 極美姬花天牛 [特有] Ref. Kuboki, 1980  
*Pidonia fushani* Kuboki, 1993 福山氏隱姬花天牛 [特有] Ref. Kuboki, 1993  
*Pidonia gloriosa* Kuboki, 1993 雌黑姬花天牛 [特有] Ref. Kuboki, 1993  
*Pidonia hohuanshana* Chou, 1998 合歡山隱姬花天牛 [特有] Ref. Chou, 1998  
*Pidonia longipalpalis* Kuboki, 1985 長鬚姬花天牛 [特有] Ref. Kuboki, 1985  
*Pidonia luna* Chou & Wu, 2005 月紋隱姬花天牛 [特有] Ref. Chou & Wu, 2005  
*Pidonia major* S. Saito, 1979 巨大姬花天牛 [特有] Ref. Saito, 1979  
*Pidonia meridionalis* Kuboki, 1978 窄胸姬花天牛 [特有] Ref. Kuboki, 1978  
*Pidonia occipitalis* (Gressitt, 1935) 背條姬花天牛 [特有] Ref. Gressitt, 1935  
*Pidonia paradisiacola* Kuboki, 1977 小點姬花天牛 [特有] Ref. Kuboki, 1977  
*Pidonia piluhana* S. Saito, 1979 畢祿山隱姬花天牛 [特有] Ref. Saito, 1979  
*Pidonia pudica* Kuboki, 1994 突陵無紋姬花天牛 [特有] Ref. Kuboki, 1994  
*Pidonia sacrosnacta* Kuboki, 1995 神聖無紋姬花天牛 [特有] Ref. Kuboki, 1995  
*Pidonia subaenea* (Gressitt, 1935) 小銅翅隱姬花天牛 [特有] Ref. Gressitt, 1935  
*Pidonia submetallica* Hayashi, 1974 松岡姬花天牛 [特有] Ref. Hayashi, 1974  
*Pidonia taipingshana* Kuboki, 1995 太平山隱姬花天牛 [特有] Ref. Kuboki, 1995  
*Pidonia takahashii* Kuboki, 1983 高橋氏隱姬花天牛 [特有] Ref. Kuboki, 1983  
*Pidonia yushana* Chou & Wu, 2005 玉山隱姬花天牛 [特有] Ref. Chou & Wu, 2005  
*Plocaederus bicolor* Gressitt, 1942 姬皺胸山天牛 Ref. Gressitt, 1942  
*Pothyne albolineata* Matsushita, 1933 白條瘦天牛 [特有] Ref. Matsushita, 1933  
*Pothyne formosana* Takakuwa & Kusama, 1979 南山沉香瘦天牛 [特有] Ref. Takakuwa & Kusama, 1979  
*Pothyne formosana* Schwarzer, 1925 台灣沉香瘦天牛 Ref. Schwarzer, 1925  
*Pothyne lamhsuensis* Hayashi, 1978 蘭嶼瘦天牛 [特有] Ref. Hayashi, 1978  
*Pothyne variegata* Thomson, 1864 灰紋瘦天牛 Ref. Nakamura et al, 1992  
*Pothyne virginalis* Takakuwa & Kusama, 1979 墾丁瘦天牛 [特有] Ref. Takakuwa & Kusama, 1979  
*Praolia atripennis* (Pic, 1923) 黑翅細角天牛 [特有] Ref. Pic, 1923  
*Praolia citrinipes* Bates, 1884 藍艷細角天牛 Ref. Nakamura et al, 1992  
*Prionus nakamurai* Ohbayashi & Makihara, 1985 中村鋸天牛 [特有] Ref. Ohbayashi & Makihara, 1985  
*Prionus scabripunctatus* Hayashi, 1971 粗點鋸天牛 [特有] Ref. Hayashi, 1971  
*Prietyrranus closteroides* (Thomson, 1977) 橘鋸天牛 Ref. Nakamura et al, 1992  
*Prietyrranus closteroides* Ohbayashi & Makihara, 1985 綠島橘鋸天牛 [特有] Ref. Ohbayashi & Makihara, 1985  
*Procleomenes robustior* Niisato, 1981 蓮華粗腿天牛 [特有] Ref. Niisato, 1981  
*Prosoplus bankii* (Fabricius, 1775) 邦克氏鏽天牛 Ref. Nakamura et al, 1992  
*Prothema ochraceosignata* Pic, 1915 黃點紙翅紅天牛 [特有] Ref. Pic, 1915  
*Psacotha hilaris* (Breuning & Ohbayashi, 1966) 蘭嶼黃星天牛 [特有] Ref. Breuning & Ohbayashi, 1966  
*Psacotha hilaris* (Pascoe, 1857) 黃星長角天牛 Ref. Nakamura et al, 1992  
*Psephactus remiger* Kano, 1933 台灣小翅鋸天牛 [特有] Ref. Kano, 1933  
*Pseudalosterna binotata* (Gressitt, 1935) 雙星黑腹花天牛 [特有] Ref. Gressitt, 1935  
*Pseudalosterna breva* (Gressitt, 1935) 藍艷黑腹花天牛 [特有] Ref. 同前  
*Pseudalosterna fuscopurpurea* Ohbayashi & Shimomura, 1986 紫翅黑腹花天牛 [特有] Ref. Ohbayashi & Shimomura, 1986  
*Pseudalosterna pullata* (Matsushita, 1933) 淡紅黑腹花天牛 [特有] Ref. Matsushita, 1933  
*Pseudalosterna submetallica* Hayashi, 1974 埔里黑腹花天牛 [特有] Ref. Hayashi, 1974  
*Pseudanaesthetis mizunumai* Hayashi, 1974 望洋平山天牛 [特有] Ref. Hayashi, 1974  
*Pseudanaesthetis rufipennis* (Matsushita, 1933) 紅翅平山天牛 [特有] Ref. Matsushita, 1933  
*Pseudiphra apicale* (Schwarzer, 1925) 黑尾棕天牛 Ref. Nakamura et al, 1992  
*Pseudocalamobius leptissimus* Gressitt, 1936 阿里山瘦天牛 Ref. 同前  
*Pseudocalamobius niisatoi* Hasegawa, 1987 新里氏細角瘦天牛 [特有] Ref. Hasegawa, 1987  
*Pseudocalamobius pubescens* Hasegawa, 1987 毛細角瘦天牛 [特有] Ref. 同前  
*Pseudocalamobius taiwanensis* Matsushita, 1931 台灣細角瘦天牛 [特有] Ref. Matsushita, 1931  
*Pseudocallidium obscuriaeneum* Hayashi, 1969 綠艷長翅天牛 [特有] Ref. Hayashi, 1969

*Pseudokamikiria gressitti* (Tippman, 1942) 嘉氏偽叉尾天牛 [特有] Ref. Tippman, 1942  
*Pterolophia annulata* (Chevrolat, 1845) 輪紋鏽天牛 Ref. Nakamura et al, 1992  
*Pterolophia bigibbera* (Newman, 1842) 雙瘤鏽天牛 Ref. 同前  
*Pterolophia dorsotuberculare* (Hayashi, 1984) 稜背鏽天牛 [特有] Ref. Hayashi, 1984  
*Pterolophia fasciata* Schwarzer, 1925 昇條鏽天牛 [特有] Ref. Schwarzer, 1925  
*Pterolophia formosana* Schwarzer, 1925 虹紋鏽天牛 Ref. Nakamura et al, 1992  
*Pterolophia gibbosipennis* Pic, 1926 瘤翅鏽天牛 Ref. 同前  
*Pterolophia kaleea* (Bates, 1866) 姬後紋鏽天牛 Ref. 同前  
*Pterolophia kaleea* Gressitt, 1940 華南姬後紋鏽天牛 Ref. 同前  
*Pterolophia kanoi* Hayashi, 1966 鹿野氏鏽天牛 [特有] Ref. Hayashi, 1966  
*Pterolophia kubokii* Hayashi, 1976 窪木氏鏽天牛 Ref. Nakamura et al, 1992  
*Pterolophia latefascia* Schwarzer, 1925 橫帶鏽天牛 Ref. 同前  
*Pterolophia laterialba* (Schwarzer, 1925) 白緣鏽天牛 [特有] Ref. Schwarzer, 1925  
*Pterolophia lineatipennis* Breuning, 1974 條翅鏽天牛 [特有] Ref. Breuning, 1974  
*Pterolophia matsushitai* Breuning, 1938 松下氏鏽天牛 [特有] Ref. Breuning, 1938  
*Pterolophia obscura* Schwarzer, 1925 藤花鏽天牛 [特有] Ref. Schwarzer, 1925  
*Pterolophia obscura* Breuning, 1968 曇紋鏽天牛 [特有] Ref. Breuning, 1968  
*Pterolophia reduplicata* Gressitt, 1951 八仙鏽天牛 [特有] Ref. Gressitt, 1951  
*Pterolophia riantennalis* Breuning, 1970 大埔林鏽天牛 [特有] Ref. Breuning, 1970  
*Pterolophia subunicolor* Breuning, 1964 單色鏽天牛 [特有] Ref. Breuning, 1964  
*Pterolophia suginoi* Makirahara, 1986 杉野氏鏽天牛 [特有] Ref. Makirahara, 1986  
*Pterolophia zebrius* (Pascoe, 1857) 白斑鏽天牛 Ref. Nakamura et al, 1992  
*Pterolophia (Pterolophia) granulata* (Motschulsky) 後紋鏽天牛 Ref. 周文一。2004  
*Pterolophia (Pterolophia) variantennalis* Breuning, 1970 大埔林鏽天牛 [特有] Ref. Breuning, 1970  
*Pterolophia (Pterolophia) zonata* (Bates) 白尾鏽天牛 Ref. 周文一。2004  
*Purpuricenus spectabilis* Motschulsky, 1857 黑緣紅天牛 Ref. Nakamura et al, 1992  
*Purpuricenus temminckii* Guerin-Meneville, 1844 丁美氏紅天牛 Ref. 同前  
*Pygostrangalia kurodai* Hayashi, 1976 黑田華夏天牛 [特有] Ref. Hayashi, 1976  
*Pyrestes curticornis* Pic, 1923 姬黑角焰天牛 [特有] Ref. Pic, 1923  
*Pyrestes longicollis* Pic, 1953 細樟紅天牛 [特有] Ref. Pic, 1953  
*Pyrocalymma pyrochroides* Thomson, 1864 阿里山焰艷花天牛 Ref. Thomson, 1864  
*Raphidopus manillae* (Newman, 1842) 馬尼拉薄翅天牛 Ref. Nakamura et al, 1992  
*Rhagium morrisonense* Kano, 1933 玉山灰花天牛 [特有] Ref. Kano, 1933  
*Rhaphuma baibarae* Matsushita, 1931 眉原綠細虎天牛 [特有] Ref. Matsushita, 1931  
*Rhaphuma circumscripta* (Schwarzer, 1925) 臉紋細虎天牛 [特有] Ref. Schwarzer, 1925  
*Rhaphuma delicata* Kano, 1933 欠紋細虎天牛 [特有] Ref. Kano, 1933  
*Rhaphuma mushana* Matsushita, 1936 霧社細虎天牛 [特有] Ref. Matsushita, 1936  
*Rhaphuma nigrocineta* Matsushita, 1931 黑帶細虎天牛 [特有] Ref. Matsushita, 1931  
*Rhaphuma ogatai* Mitono, 1942 緒方氏細虎天牛 [特有] Ref. Mitono, 1942  
*Rhaphuma ruficollis* Mitono, 1942 紅領細虎天牛 [特有] Ref. Mitono, 1942  
*Rhaphuma testaceiceps* Pic, 1915 蜘蛛細虎天牛 [特有] Ref. Pic, 1915  
*Rhaphuma virens* Matsushita, 1931 鉤紋綠細虎天牛 Ref. Nakamura et al, 1992  
*Rhodopina formosana* (Breuning, 1954) 蓬萊瘤角天牛 [特有] Ref. Breuning, 1954  
*Rhodopina subuniformis* Gressitt, 1951 八仙瘤角天牛 [特有] Ref. Gressitt, 1951  
*Rhondia formosa* Matsushita, 1931 蓬萊角肩花天牛 [特有] Ref. Matsushita, 1931  
*Rhytidodera integra* Kolbe, 1886 榕脊胸天牛 Ref. Nakamura et al, 1992  
*Robustanoplodera tricolor* (Gressitt, 1935) 三色大滑胸花天牛 [特有] Ref. Gressitt, 1935  
*Robustranoplodera taiyal* Shimomura, 1993 泰雅大滑胸天牛 [特有] Ref. Shimomura, 1993  
*Rondibilis femorata* Gressitt, 1938 欠紋刺翅天牛 Ref. Nakamura et al, 1992  
*Rondibilis horienis* Kano, 1933 埔里刺翅天牛 [特有] Ref. Kano, 1933  
*Rondibilis semielongatus* Hayashi, 1974 六龜刺翅天牛 [特有] Ref. Hayashi, 1974  
*Ropica dorsalis* Schwarzer, 1925 雙星鏽天牛 Ref. Nakamura et al, 1992  
*Ropica formosana* Bates, 1866 台灣雙星鏽天牛 [特有] Ref. Bates, 1866  
*Ropica fuscolaterimaculata* Hayashi, 1974 蘭嶼緣紋鏽天牛 [特有] Ref. Hayashi, 1974  
*Ropica honesta* Pasco, 1865 蘭嶼雙星鏽天牛 Ref. Nakamura et al, 1992  
*Ropica variabilis* Schwarzer, 1925 雙紋鏽天牛 [特有] Ref. Schwarzer, 1925  
*Rosalia formosa* Csiki, 1911 甲仙紅星天牛 [特有] Ref. Csiki, 1911  
*Rosalia lameerei* Brongniart, 1890 台灣姬藍星天牛 Ref. Nakamura et al, 1992  
*Rosalia lesnei* Boppe, 1911 總角紅星天牛 Ref. 同前  
*Saperda kojimai* Makihara & Nakamura, 1985 小島氏黃肩天牛 [特有] Ref. Makihara & Nakamura, 1985  
*Saperda tetrastigma* Bates, 1879 胸紋多星天牛 Ref. Nakamura et al, 1992  
*Sarmydrus antennatus* Pascoe, 1867 扁角鋸天牛 Ref. 同前  
*Schwarzerium semivelutinum* (Schwarzer, 1925) 紫青銅天牛 [特有] Ref. Schwarzer, 1925  
*Sciades botelensis* (Gressitt, 1951) 紅頭瑣天牛 [特有] Ref. Gressitt, 1951  
*Sciades changi* (Kusama & Oda, 1975) 張氏瑣天牛 [特有] Ref. Kusama & Oda, 1975  
*Sciades fasciatus* Kusama & Oda, 1978 黑帶刺胸天牛 [特有] Ref. Kusama & Oda, 1978  
*Sciades granulicollis* (Gressitt, 1938) 裸胸瑣天牛 Ref. Nakamura et al, 1992  
*Sciades subfasciata* (Schwarzer, 1925) 灰帶瑣天牛 [特有] Ref. Schwarzer, 1925  
*Semanotus bifasciatus* Gressitt, 1951 矮檜天牛 Ref. Nakamura et al, 1992  
*Semanotus bifasciatus* Gressitt, 1951 矮檜天牛 Ref. 同前  
*Serixia albopleura* Gressitt, 1935 白側細角天牛 [特有] Ref. Gressitt, 1935  
*Serixia botelensis* Kano, 1933 蘭嶼細角天牛 [特有] Ref. Kano, 1933

*Serixia formosana* Breuning, 1960 蓬萊細角天牛 [特有] Ref. Breuning, 1960  
*Serixia hayashii* Hayashi, 1974 林氏細角天牛 [特有] Ref. Hayashi, 1974  
*Serixia juisuiensis* Hayashi, 1974 瑞穗細角天牛 [特有] Ref. Hayashi, 1974  
*Serixia kisana* (Matsushita, 1937) 旗山細角天牛 [特有] Ref. Matsushita, 1937  
*Serixia signaticornis* Schwarzer, 1925 環節細角天牛 [特有] Ref. Schwarzer, 1925  
*Serixia testaceicollis* Kano, 1933 褐胸細角天牛 [特有] Ref. Kano, 1933  
*Similosodus taiwanus* Hayashi, 1966 黃條裸胸天牛 [特有] Ref. Hayashi, 1966  
*Similosodus torui* Holzschuh, 1989 下村氏裸胸天牛 [特有] Ref. Holzschuh, 1989  
*Sinostrangalia ikedai* (Mitono & Tamanuki, 1939) 池田華夏花天牛 [特有] Ref. Mitono & Tamanuki, 1939  
*Sinostrangalia yamasakii* (Mitono, 1936) 山崎日本花天牛 [特有] Ref. Mitono, 1936  
*Sophronica obrioides* (Bates, 1873) 水蠟鏽天牛 Ref. Nakamura et al, 1992  
*Spinimegopsis formosana* (Matsushita, 1933) 蓬萊薄翅天牛 [特有] Ref. Matsushita, 1933  
*Spinimegopsis formosana* (Hayashi, 1974) 蘭嶼薄翅天牛 [特有] Ref. Hayashi, 1974  
*Stenhomalus baibarensis* Matsushita, 1933 眉原突眼天牛 [特有] Ref. Matsushita, 1933  
*Stenhomalus cleroides* Bates, 1873 似郭公突眼天牛 Ref. Nakamura et al, 1992  
*Stenhomalus enestratus* White, 1855 四星突眼天牛 Ref. 同前  
*Stenhomalus fenestratus* White, 1855 四星突眼天牛 Ref. 同前  
*Stenhomalus pallidus* Gressitt, 1935 欠紋突眼天牛 [特有] Ref. Gressitt, 1935  
*Stenhomalus ruficollis* Gressitt, 1935 紅領突眼天牛 [特有] Ref. 同前  
*Stenhomalus taiwanus* Matsushita, 1933 台灣突眼天牛 [特有] Ref. Matsushita, 1933  
*Stenhomalus taiwanus* Matsushita 台灣突眼天牛 [特有] Ref. 同前  
*Stenhomalus taiwanus* Seki, 1935 恆春突眼天牛 [特有] Ref. Seki, 1935  
*Stenodryas clavigera* Hayashi, 1974 欠紋膨腿棕天牛 [特有] Ref. Hayashi, 1974  
*Stenygrinum quadrinotatum* Bates, 1873 四星姬天牛 Ref. Nakamura et al, 1992  
*Sthenias cylindricus* Gressitt, 1939 白紋長角鏽天牛 Ref. 同前  
*Sthenias semicylindricus* Hayashi, 1974 大白紋長角鏽天牛 [特有] Ref. Hayashi, 1974  
*Strangalia fujitai* Shimomura, 1994 藤田細花天牛 [特有] Ref. Shimomura, 1994  
*Strangaliella lateristriata* (Tamanuki & Mitono, 1939) 側條細小花天牛 [特有] Ref. Tamanuki & Mitono, 1939  
*Strangaliella puliensis* Hayashi, 1976 埔里細小花天牛 [特有] Ref. Hayashi, 1976  
*Strangaliella subapicalis* (Gressitt, 1935) 八仙細小花天牛 [特有] Ref. Gressitt, 1935  
*Strangalomorpha marginipennis* Hayashi & Villiers, 1989 南風山細花天牛 [特有] Ref. Hayashi & Villiers 1989  
*Strangalomorpha mitonoi* (Hayashi & Iga, 1951) 水氏副細花天牛 [特有] Ref. Hayashi & Iga, 1951  
*Strangalomorpha tomentosa* (Tamanuki, 1942) 毛細花天牛 [特有] Ref. Tamanuki, 1942  
*Stromatium longicorne* (Newman, 1842) 家天牛 Ref. Nakamura et al, 1992  
*Sybra albomaculata* Breuning, 1939 白斑矮天牛 Ref. 同前  
*Sybra albomaculata* Breuning, 1964 白紋矮天牛 [特有] Ref. Breuning, 1964  
*Sybra bioculata* Schwarzer, 1925 角紋矮天牛 Ref. Nakamura et al, 1992  
*Sybra bioculata* Pic, 1925 眼紋矮天牛 Ref. 同前  
*Sybra botelensis* Breuning & Ohbayashi, 1966 雅美矮天牛 [特有] Ref. Breuning & Ohbayashi, 1966  
*Sybra flavostriata* Hayashi, 1968 黃條麗紋矮天牛 [特有] Ref. Hayashi, 1968  
*Sybra kotoensis* Matsushita, 1934 蘭嶼矮天牛 [特有] Ref. Matsushita, 1934  
*Sybra maculiclunis* Matsushita, 1931 鳳山矮天牛 Ref. Nakamura et al, 1992  
*Sybra mimobaculina* Breuning, 1970 蓬萊矮天牛 [特有] Ref. Breuning, 1970  
*Sybra miscanthivola* Makihara, 1979 盧韋矮天牛 Ref. Nakamura et al, 1992  
*Sybra narai* Hayashi, 1976 南山矮天牛 [特有] Ref. Hayashi, 1976  
*Sybra pascoei* Gressitt, 1951 巴斯氏矮天牛 Ref. Nakamura et al, 1992  
*Sybra posticalis* (Pascoe, 1858) 後紋矮天牛 Ref. 同前  
*Sybra punctatostrata* Bates, 1866 棉天牛 Ref. 同前  
*Sybra rondoniana* Breuning, 1964 隆氏矮天牛 [特有] Ref. Breuning, 1964  
*Sybrodiboma taiwanensis* Hayashi, 1974 台灣矮天牛 [特有] Ref. Hayashi, 1974  
*Taiwanajinga albofasciata* Hayashi, 1978 蓮華白條鏽天牛 [特有] Ref. Hayashi, 1978  
*Taiwanocarilia atra* (Tamanuki, 1942) 紅胸台灣花天牛 [特有] Ref. Tamanuki, 1942  
*Teratoclytus changi* Hayashi, 1983 張氏虎天牛 [特有] Ref. Hayashi, 1983  
*Tetraommatus kwantaoshanensis* Chang, 1978 關刀山細領天牛 [特有] Ref. Chang, 1978  
*Tetraommatus taiwanus* Hayashi, 1978 淡黃細領天牛 [特有] Ref. Hayashi, 1978  
*Thermistis taiwanensis* Nara & Yu, 1992 臺灣黃帶天牛 [特有] Ref. Nara & Yu, 1992  
*Thranus formosanus* Schwaerzer, 1925 蓬萊黑細翅天牛 Ref. Nakamura et al, 1992  
*Thranus infernalis* Matsushita, 1933 條紋細翅天牛 Ref. 同前  
*Thranus multinotatus* Schwaerzer, 1925 黃紋細翅天牛 Ref. 同前  
*Thyestilla gebleri* (Faldermann, 1835) 大麻天牛 Ref. 同前  
*Trachylophus sinensis* Gahan, 1888 金毛山天牛 Ref. 同前  
*Trirachys orientalis* Hope, 1841 刺胸山天牛 Ref. 同前  
*Uenobrium piceorubrum* Hayashi, 1971 松岡棕天牛 [特有] Ref. Niisato, 2006  
*Uenobrium schwarzeri* (Hayashi, 1971) 松岡棕天牛 [特有] Ref. Niisato, 2003  
*Unidia taiwanensis* Hayashi & Nara, 1992 臺灣短節天牛 [特有] Ref. Hayashi et Nara, 1992  
*Uraecha angusta* (Pascoe, 1856) 西藏細角長天牛 Ref. Nakamura et al, 1992  
*Uraechoides taomeiae* Hayashi, Nara & Yu, 1995 桃妹長鬚天牛 [特有] Ref. Hayashi, Nara & Yu, 1995  
*Xenohammus bimaculatus* Schwarzer, 1931 埔里雙紋細角長天牛 Ref. Nakamura et al, 1992  
*Xenohammus nebulosus* Schwarzer, 1931 雲紋細角長天牛 [特有] Ref. Schwarzer, 1931  
*Xenolea asiatica* (Pic, 1925) 亞洲長角天牛 Ref. Nakamura et al, 1992  
*Xenolea collaris* Breuning, 1965 蓬萊長角天牛 Ref. 同前  
*Xoanodera maculata* Schwarzer, 1925 黃星姬山天牛 [特有] Ref. Schwarzer, 1925

*Xylariopsis esakii* Mitono, 1943 江崎氏白領天牛 [特有] Ref. Mitono, 1943  
*Xylariopsis fujiwarai* Hayashi, 1994 藤原氏白領天牛 [特有] Ref. Hayashi, 1994  
*Xylariopsis uenoi* Hayashi, 1994 上野氏白領天牛 [特有] Ref. Hayashi, 1994  
*Xylorhiza adusta* (Wiedemann, 1819) 縱條天牛 Ref. Nakamura et al, 1992  
*Xylotrechus atronotatus* Pic, 1917 Ref. Mitono, 1941  
*Xylotrechus atronotatus* Mitono, 1941 萬大青銅虎天牛 [特有] Ref. Mitono, 1941  
*Xylotrechus chinensis* (Chevrolat, 1852) 中華虎天牛 Ref. Nakamura et al, 1992  
*Xylotrechus cinerascens* Matsushita, 1933 欠紋綠虎天牛 [特有] Ref. Matsushita, 1933  
*Xylotrechus formosanus* Schwarzer, 1925 胸紋黑虎天牛 Ref. Nakamura et al, 1992  
*Xylotrechus grayii* (White, 1855) 胸斑虎天牛 Ref. 同前  
*Xylotrechus incurvatus* Chevrolat, 1863 側紋黃虎天牛 Ref. 同前  
*Xylotrechus kayoensis* Mitono & Kira, 1934 佳陽虎天牛 [特有] Ref. Mitono & Kira, 1934  
*Xylotrechus kosempoensis* Heyrovsky, 1955 甲仙虎天牛 [特有] Ref. Heyrovsky, 1955  
*Xylotrechus magnicollis* (Fairmaire, 1888) 紅領虎天牛 Ref. Nakamura et al, 1992  
*Xylotrechus rufonotatus* Gressitt, 1936 紅紋虎天牛 [特有] Ref. Gressitt, 1936  
*Xylotrechus serraticornis* Mitono, 1941 鋸角虎天牛 Ref. Mitono, 1941  
*Xylotrechus suzukii* Holzschub, 1984 鈴木氏虎天牛 [特有] Ref. Holzschuh, 1984  
*Xylotrechus (Xylotrechus) atronotatus* Mitono, 1941 萬大青銅虎天牛 [特有] Ref. Mitono, 1941  
*Xylotrechus (Xylotrechus) latefasciatus* Pic, 1936 鋸角虎天牛 Ref. Nakamura et al, 1992  
*Xystocera festiva* Thomson, 1861 咖啡雙條天牛 Ref. 同前  
*Xystocera globosa* (Olivier, 1795) 青帶天牛 Ref. 同前  
*Zegriades maculicollis* Matsushita, 1933 一色氏山天牛 [特有] Ref. Matsushita, 1933  
*Zoodes formosanus* Niisato, 1982 狹胸姬山天牛 Ref. Niisato, 1982

#### Family Ceratocanthidae 球金龜科

*Madrasostes suzukii* Ochi, Tsai, & Masumoto, 2005 鈴木球金龜 [特有] Ref. Ochi, Tsai & Masumoto, 2005  
*Madrasostes taiwanense* Ochi, Tsai, & Masumoto, 2005 台灣球金龜 [特有] Ref. 同前

#### Family Cerylonidae 朽葉蟲科

*Afrorylon takasago* (Sasaji, 1983) [特有] Ref. Sasaji, 1983  
*Euxestus erithacus* (Chevrolat, 1864) Ref. Grouvelle, 1913

#### Family Chelonariidae 縮頭花蚤科

*Chelonarium obscuripenne* Pic, 1917 [特有] Ref. Miwa, 1931

#### Family Chrysomelidae 金花蟲科

*Abirellus cylindrius* (Chujo) Ref. Kimoto & Chu, 1996  
*Abirus fortuneii* (Baly, 1861) Ref. 同前  
*Achenklingia miwai* (Chujo) Ref. 同前  
*Acrothinium gaschkevitchii* (Motschulsky, 1860) Ref. 同前  
*Acroxena formosana* (Chujo) Ref. 同前  
*Acroxena shirozui* Kimoto Ref. 同前  
*Adiscus apicalis* (Chujo, 1954) [特有] Ref. 同前  
*Adiscus arisanus* (Chujo, 1954) [特有] Ref. 同前  
*Adiscus bicoloripes* (Pic) Ref. 同前  
*Adiscus issikii* (Chujo, 1954) [特有] Ref. 同前  
*Adiscus kweivangensis* (Gressitt, 1942) Ref. 同前  
*Adiscus longicornis* (Chujo, 1954) [特有] Ref. 同前  
*Adiscus matudai* (Chujo, 1954) [特有] Ref. 同前  
*Adiscus mediofulvus* (Chujo, 1954) [特有] Ref. 同前  
*Adiscus melanopterus* (Chujo, 1954) [特有] Ref. 同前  
*Adiscus nigromaculatus* (Chujo, 1954) [特有] Ref. 同前  
*Adiscus osawai* Kimoto, 1987 [特有] Ref. 同前  
*Adiscus sauteri* (Chujo, 1938) [特有] Ref. 同前  
*Adiscus sungkangensis* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Adiscus taiwanus* (Chujo, 1954) [特有] Ref. Kimoto & Chu, 1996  
*Aethomorpha sauteri* Chujo, 1934 [特有] Ref. 同前  
*Aethomorpha taiwana* (Chujo, 1952) Ref. 同前  
*Agetocera discedens* Weise, 1922 [特有] Ref. 同前  
*Agetocera taiwans* Chujo, M., 1962 [特有] Ref. 同前  
*Agonita (Agoniella) sonani* Chujo [特有] Ref. 同前  
*Agonita (Agonita) parvula* (Chujo) Ref. 同前  
*Agonita (Agonita) tricolor* (Chujo, 1933) [特有] Ref. 同前  
*Agonita (Agonita) unicolor* (Chujo, 1933) [特有] Ref. 同前  
*Agrosteomela indica* (Weise, 1969) Ref. 同前  
*Altica birmanensis* (Jacoby, 1896) Ref. 同前  
*Altica brevicostata* (Weise) Ref. 同前  
*Altica caerulescens* (Baly, 1874) Ref. 同前  
*Altica coerulea* (Olivier, 1791) Ref. 同前  
*Altica cyanea* (Weber, 1801) 藍金花蟲 Ref. 同前  
*Altica deserticola* (Weise, 1889) Ref. 同前  
*Altica himalayensis* (Chen, 1936) Ref. 同前  
*Altica japonica* Ohno, 1960 Ref. 同前  
*Ambrostoma chinkinyui* Kimoto & Osawa, 1995 [特有] Ref. 同前

*Anadimonia latigasciata* (Gressitt & Kimoto, 1963) Ref. 同前  
*Aoria nigripes* Chujo Ref. 同前  
*Aoria quinqueaculta* Bates, 1866 [特有] Ref. 同前  
*Aoria (Aoria) nigripes* (Baly, 1860) Ref. 同前  
*Aoria (Osnaparis) nucea* (Fairmaire, 1889) Ref. 同前  
*Aphthona formosana* Chen, 1934 Ref. 同前  
*Aphthona laetoides* Chujo, 1963 [特有] Ref. 同前  
*Aphthona nigrita* (Ohno, 1961) Ref. 同前  
*Aphthona opaca* Allard, 1889 Ref. 同前  
*Aphthona perminuta* Baly, 1875 Ref. 同前  
*Aphthona splendida* Weise, 1889 Ref. 同前  
*Aphthona strigosa* Baly, 1874 Ref. 同前  
*Aphthona taiwana* Takizawa, 1979 [特有] Ref. 同前  
*Aphthonoides beccarii* Jacoby, 1885 Ref. 同前  
*Aphthonoides lesagei* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Aphthonoides taiwanicus* Doeberl, 2005 [特有] Ref. Doeberl, 2005  
*Aphthonomorpha collaris* (Baly, 1877) Ref. Kimoto & Chu, 1996  
*Apophyllia asahinai* Chujo, 1962 [特有] Ref. 同前  
*Apophyllia beeneni* Bezdek, 2003a Ref. Bezdek, 2003a  
*Apophyllia mivamotoi* Kimoto, 1969 [特有] Ref. Kimoto & Chu, 1996  
*Apophyllia taiwanica* Bezdek, 2003b [特有] Ref. Bezdek, 2003b  
*Apophyllia velai* Bezdek, 2003 [特有] Ref. Bezdek, 2003  
*Apterogaleruca hirtihumeralis* Chujo, 1962 [特有] Ref. Kimoto & Chu, 1996  
*Apterogaleruca uenoi* Kimoto, 1969 [特有] Ref. 同前  
*Argopistes coccinelliformis* Csiki, 1940 Ref. 同前  
*Argopus chiui* Kimoto, 1970 [特有] Ref. 同前  
*Argopus formosanus* Chujo, 1936 [特有] Ref. 同前  
*Argopus miyakei* Kimoto, 1991 [特有] Ref. 同前  
*Argopus nigratarsis* (Gebler, 1823) Ref. 同前  
*Arthrotus adbominalis* (Chujo, 1962) [特有] Ref. 同前  
*Arthrotus fulvus* Chujo, 1938 [特有] Ref. 同前  
*Arthrotus gressitti* Kimoto, 1969 [特有] Ref. 同前  
*Arthrotus hirashimai* Kimoto, 1969 [特有] Ref. 同前  
*Arthrotus saigusai* Kimoto, 1969 [特有] Ref. 同前  
*Arthrotus shibatai* Kimoto, 1984 [特有] Ref. 同前  
*Arthrotus taiwanus* (Takizawa, 1978) Ref. Kimoto, 1996  
*Arthrotus testaceus* Gressitt & Kimoto, 1963 Ref. Kimoto & Chu, 1996  
*Arthrotus tricolor* (Chujo, 1965) [特有] Ref. 同前  
*Asamangulia horni* Uhmann, 1927 [特有] Ref. 同前  
*Asiolestia taiwana* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Aspidomorpha furcata* (Thunberg, 1789) Ref. Kimoto & Chu, 1996  
*Aspidomorpha indica* (Boheman, 1775) Ref. 同前  
*Atrachya bicoloripennis* (Chujo, 1938) [特有] Ref. 同前  
*Atrachya hirashimai* Kimoto, 1968 [特有] Ref. 同前  
*Atrachya mediofasciata* Kimoto, 1976 [特有] Ref. 同前  
*Atrachya nitidissimus* (Chujo, 1935) [特有] Ref. 同前  
*Atrachya saramao* (Chujo, 1962) [特有] Ref. 同前  
*Atrachya unifasciata* (Takizawa, 1978) [特有] Ref. 同前  
*Atysa brevithorax* (Pic, 1928) Ref. 同前  
*Auchenai (Pedrillia) nitida* (Chujo) Ref. 同前  
*Auchenia (Pedrillia) formosensis* (Gressitt) Ref. 同前  
*Auchenia (Pedrillia) gracilis* (Chujo) Ref. 同前  
*Aulacophora almora* Maulik Ref. 同前  
*Aulacophora analis* (Weber, 1801) Ref. 同前  
*Aulacophora bicolor* (Weber, 1801) Ref. 同前  
*Aulacophora cattigarensis* (Weise) Ref. 同前  
*Aulacophora costata* Chujo Ref. 同前  
*Aulacophora femoralis* (Motschulsky) 黃守瓜 Ref. 同前  
*Aulacophora frontalis* Baly, 1888 Ref. 同前  
*Aulacophora indica* (Gmelin, 1790) Ref. 同前  
*Aulacophora kotoensis* Chujo, 1962 [特有] Ref. 同前  
*Aulacophora lewisii* Baly, 1866 Ref. 同前  
*Aulacophora nigripennis* Motschulsky, 1857 黑守瓜 Ref. 同前  
*Aulacophora opacipennis* Chujo, 1962 [特有] Ref. 同前  
*Aulacophora palliata* (Schaller, 1783) Ref. 同前  
*Aulacophora semifusca* Jacoby, 1892 Ref. 同前  
*Aulacophora similis* (Olivier, 1808) Ref. 同前  
*Aulacophora simplex* Chujo Ref. 同前  
*Basilepta aeneomicanus* Chujo Ref. 同前  
*Basilepta bicoloratum* Chujo Ref. 同前  
*Basilepta consimile* Chujo Ref. 同前  
*Basilepta cornuta* Chujo, 1956 [特有] Ref. 同前

*Basilepta cornutum* Chujo, 1956 Ref. 同前  
*Basilepta davidi* (Lefevre, 1877) Ref. 同前  
*Basilepta elegans* Chujo, 1956 [特有] Ref. 同前  
*Basilepta fulvipes* (Motschulsky, 1860) Ref. 同前  
*Basilepta giganteum* Chujo, 1938 Ref. 同前  
*Basilepta giganteum* Chujo Ref. 同前  
*Basilepta hirayamai* Chujo, 1935 Ref. 同前  
*Basilepta iss* Chujo Ref. 同前  
*Basilepta issikii* Chujo, 1956 [特有] Ref. 同前  
*Basilepta martini* (Lefevre, 1885) Ref. 同前  
*Basilepta modesta* (Baly, 1885) Ref. 同前  
*Basilepta modestum* (Jacoby) Ref. 同前  
*Basilepta ruficollis* (Jacoby, 1885) Ref. 同前  
*Basilepta sublateralis* (CLevareau, 1910) [特有] Ref. 同前  
*Basilepta varians* Chujo, 1956 [特有] Ref. 同前  
*Basilepta varicolor* Jacoby, 1855 Ref. 同前  
*Basilepta ymnae* Gressitt & Kimoto, 1961 Ref. 同前  
*Basiprionota angstata* (Spaeth) Ref. 同前  
*Basiprionota angusta* (Spaeth, 1914) [特有] Ref. 同前  
*Batopila acutangla* Heikertinger, 1921 Ref. 同前  
*Botryonopa bicolor* Uhmman, 1927 [特有] Ref. 同前  
*Brontispa longissima* (Gestro, 1885) Ref. 同前  
*Calomicrus collaris* Kimoto, 1984 [特有] Ref. 同前  
*Calomicrus coomani* Gressitt & Kimoto, 1963 Ref. 同前  
*Calomicrus kurosawai* Kimoto, 1969 [特有] Ref. 同前  
*Calomicrus mimica* Medvedev, 1998 [特有] Ref. Medvedev, 1998  
*Calomicrus minutissimus* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Calomicrus miymotoi* Kimoto, 1969 [特有] Ref. Kimoto & Chu, 1996  
*Calomicrus shirozui* Kimoto, 1969 [特有] Ref. 同前  
*Calomicrus spurius* Gressitt & Kimoto, 1963 Ref. 同前  
*Calomicrus takizawai* Medvedev, 1998 [特有] Ref. Medvedev, 1998  
*Cassena sasajii* Kimoto, 1969 [特有] Ref. Kimoto & Chu, 1996  
*Cassida ruralis* (Boheman, 1862) Ref. Kimoto, 1996  
*Cassida (Alledoya) vespertina* (Boheman, 1862) Ref. Kimoto & Chu, 1996  
*Cassida (Cassida) fusciorufa* Motschulsky Ref. 同前  
*Cassida (Cassida) lineola* Creutzer Ref. 同前  
*Cassida (Cassida) piperata* Hope Ref. 同前  
*Cassida (Taiwania) circumdata* Herbst Ref. 同前  
*Cassida (Taiwania) obtusata* Boheman Ref. 同前  
*Cassida (Taiwania) rati* Maulik Ref. 同前  
*Cassida (Taiwania) sauteri* (Spaeth, 1913) Ref. 同前  
*Cassida (Taiwania) versicolor* (Boheman, 1855) Ref. 同前  
*Cerophgsella basalis* (Baly, 1874) Ref. 同前  
*Cerophysa tibialis* Chujo Ref. 同前  
*Cerophysa tibialis* (Jacoby) Ref. 同前  
*Chaetocnema (Chaetocnema) birmanica* Jacoby Ref. 同前  
*Chaetocnema (Chaetocnema) concinnicollis* (Baly, 1874) Ref. 同前  
*Chaetocnema (Chaetocnema) formosensis* Chujo Ref. 同前  
*Chaetocnema (Tlanoma) babai* Kimoto [特有] Ref. 同前  
*Chaetocnema (Tlanoma) basalis* Baly Ref. 同前  
*Chaetocnema (Tlanoma) concinna* (Marsham, 1802) Ref. 同前  
*Chaetocnema (Tlanoma) discreta* Baly Ref. 同前  
*Chaetocnema (Tlanoma) granulicollis* Jacoby Ref. 同前  
*Chaetocnema (Tlanoma) granulosa* Baly Ref. 同前  
*Chaetocnema (Tlanoma) subcostata* Jacoby Ref. 同前  
*Chaetocnema (Tlanoma) tonkinensis* Chen Ref. 同前  
*Chaetocnema (Tlanoma) yiei* Kitomo [特有] Ref. 同前  
*Chalcolema cylindrica* (Chujo, 1938) [特有] Ref. 同前  
*Chilocoristes funestus* Weise, 1909 Ref. Kimoto, 1996  
*Chirochoristes pallidus* (Baly) Ref. Kimoto & Chu, 1996  
*Chlamisus angulisternus* (Chujo, 1940) [特有] Ref. 同前  
*Chlamisus capitatus* (Bowditch, 1913) Ref. 同前  
*Chlamisus chujoi* (Gressitt, 1940) [特有] Ref. 同前  
*Chlamisus diminutus* (Gressitt, 1942) Ref. 同前  
*Chlamisus ferreguneus* Gressitt, 1946 Ref. 同前  
*Chlamisus flavosignatus* (Chujo, 1940) [特有] Ref. 同前  
*Chlamisus formosanus* (Bates, 1866) [特有] Ref. 同前  
*Chlamisus geniculatus* (Jacoby, 1896) Ref. 同前  
*Chlamisus ibomune* (Chujo, 1940) [特有] Ref. 同前  
*Chlamisus japonicus* (Jacoby, 1885) Ref. 同前  
*Chlamisus lewisii* (Baly, 1873) Ref. 同前  
*Chlamisus monticolus* (Chujo, 1940) [特有] Ref. 同前

*Chlamisus munemizo* (Chujo, 1940) Ref. 同前  
*Chlamisus nanshanchiensis* Kimoto, 1969 [特有] Ref. 同前  
*Chlamisus nigripes* (Chujo, 1940) [特有] Ref. 同前  
*Chlamisus prominens* Gressitt, 1946 Ref. 同前  
*Chlamisus robustus* (Chujo, 1940) [特有] Ref. 同前  
*Chlamisus shirozui* Chujo, M., 1956 Ref. 同前  
*Chlamisus sungkangensis* Kimoto, 1969 [特有] Ref. 同前  
*Chlamisus y-costatus* (Chujo, 1940) [特有] Ref. 同前  
*Chlisolina (Hypericia) ohoi* Chujo Ref. 同前  
*Chlisolina (Lithopteroides) laeviguttata* Chujo Ref. 同前  
*Chrysolina aurichalcea* Mannerheim, 1825 Ref. 同前  
*Chrysolina laeviguttata* Chujo, 1958 [特有] Ref. 同前  
*Chrysolina ohoi* Chujo, 1958 [特有] Ref. 同前  
*Chrysolina (Pierryvetia) bowringii* (Baly, 1860) Ref. 同前  
*Chrysomela (Macromela) maculicollis* Chujo [特有] Ref. 同前  
*Chrysopida murina* Baly, 1867 Ref. 同前  
*Clavicornalica pusilla* Scherer, 1974 Ref. 同前  
*Clavicornalica takimotoi* LeSage, 1997 [特有] Ref. LeSage, 1997  
*Cleoporus costatus* Chujo, M., 1956 [特有] Ref. Kimoto & Chu, 1996  
*Cleoporus variabilis* (Baly, 1874) Ref. 同前  
*Cleorian janthina* Lefevre, 1885 Ref. 同前  
*Clerotilia formosana* (Chujo, 1963) [特有] Ref. 同前  
*Clerotilia shirozui* (Kimoto, 1969) [特有] Ref. 同前  
*Clitea metallica* Chen, 1933 Ref. 同前  
*Clitenella fulminans* (Faldermann, 1835) Ref. 同前  
*Clitenella fulminans* Chujo Ref. 同前  
*Clytrasoma palliatum* (Fabricius, 1801) Ref. 同前  
*Cneorane femoralis* Jacoby, 1888 Ref. 同前  
*Cneorane rugulipennis* (Baly, 1886) Ref. 同前  
*Cneorane violaceipennis* Allard, 1889 Ref. 同前  
*Cneoranidea signatipes* Chen, 1942 Ref. 同前  
*Coenobius babai* Chujo, M., 1963 [特有] Ref. 同前  
*Coenobius breveoculatus* Chujo, 1954 [特有] Ref. 同前  
*Coenobius chujoi* Aslam, 1968 [特有] Ref. 同前  
*Coenobius collaris* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Coenobius endoi* Chujo, 1954 [特有] Ref. Kimoto & Chu, 1996  
*Coenobius flavescens* Chujo, 1954 [特有] Ref. 同前  
*Coenobius kaohsiungensis* Kimoto & Chu [特有] Ref. 同前  
*Coenobius nigrocastaneus* Chujo, 1954 Ref. 同前  
*Coenobius obscuripennis* Chujo, 1935 Ref. 同前  
*Coenobius piceipes* Gressitt, 1942 Ref. 同前  
*Coenobius piceus* Baly, 1873 Ref. 同前  
*Coenobius taiwanus* Chujo, 1954 [特有] Ref. 同前  
*Coenobius yosionis* Chujo, 1954 [特有] Ref. 同前  
*Colaspoides okumai* Komiya, 1991 [特有] Ref. 同前  
*Colaspoides persicariae* Chujo, M., 1956 [特有] Ref. 同前  
*Colaspoides sauteri* Chujo, M., 1956 [特有] Ref. 同前  
*Colaspoides taiwana* Chujo, M., 1956 [特有] Ref. 同前  
*Colasposoma auripenne* (Motschulky, 1860) Ref. 同前  
*Colobaspis elegans* (Chujo, 1951) [特有] Ref. 同前  
*Colobaspis formosana* Reineck, 1923 [特有] Ref. 同前  
*Colobaspis fraxini* Komiya, 1986 [特有] Ref. 同前  
*Colobaspis rubi* Chujo, 1932 [特有] Ref. 同前  
*Colobaspis sauteri* Reineck, 1923 [特有] Ref. 同前  
*Colobaspis shirakii* Chujo, 1932 [特有] Ref. 同前  
*Colomicrus chuiioi* Nakane Ref. 同前  
*Colposcelis signata* (Motschulsky, 1858) Ref. 同前  
*Coptocephala bifasciata* Jacoby, 1888 Ref. 同前  
*Corynodes sauteri* Chujo Ref. 同前  
*Corynodes undatus* (Olivier, 1791) Ref. 同前  
*Crioceris orientalis* Jacoby, 1885 Ref. 同前  
*Crioceris quatuordecimpunctata* (Scopoli, 1763) Ref. 同前  
*Cryptocephalus chinensis* Jacoby, 1888 Ref. 同前  
*Cryptocephalus discoidalis* Jacoby, 1890 Ref. 同前  
*Cryptocephalus festivus* Jacoby, 1890 Ref. Kimoto, 1996  
*Cryptocephalus formosanus* Chujo, 1934 Ref. Kimoto & Chu, 1996  
*Cryptocephalus hamifasciatus* Chujo, 1934 [特有] Ref. 同前  
*Cryptocephalus hiro* Chujo, 1954 [特有] Ref. 同前  
*Cryptocephalus hohuanshanus* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Cryptocephalus kanoi* Chujo, 1954 [特有] Ref. Kimoto & Chu, 1996  
*Cryptocephalus kiyoyamai* Kimoto, 1974 [特有] Ref. 同前  
*Cryptocephalus luteosignatus* Pic, 1922 Ref. 同前

*Cryptocephalus makii* Chujo, 1934 [特有] Ref. 同前  
*Cryptocephalus mitchyi* Chujo, 1954 [特有] Ref. 同前  
*Cryptocephalus moutoni* Pic, 1922 Ref. 同前  
*Cryptocephalus moya* Chujo, 1954 [特有] Ref. 同前  
*Cryptocephalus nigronotaticollis* Chujo, 1934 [特有] Ref. 同前  
*Cryptocephalus nitidissimus* Chujo, 1934 [特有] Ref. 同前  
*Cryptocephalus nitobei* Chujo, 1934 [特有] Ref. 同前  
*Cryptocephalus ohnoi* Kimoto, 1983 Ref. Shih, Wu & Ho, 2002  
*Cryptocephalus perelegans* Chujo, 1954 [特有] Ref. Kimoto & Chu, 1996  
*Cryptocephalus perelegans* Baly, 1873 Ref. 同前  
*Cryptocephalus regalis* Gebler, 1830 Ref. Li & Li, 2007  
*Cryptocephalus ruri* Chujo, 1934 [特有] Ref. Kimoto & Chu, 1996  
*Cryptocephalus sauteri* Chujo, 1934 [特有] Ref. 同前  
*Cryptocephalus solus* Chujo, 1934 [特有] Ref. 同前  
*Cryptocephalus sonani* Chujo, 1934 Ref. 同前  
*Cryptocephalus swinhoei* Bates, 1866 Ref. 同前  
*Cryptocephalus taiwanus* Chujo, 1934 [特有] Ref. 同前  
*Cryptocephalus tetradecaspilotus* Baly, 1837 Ref. 同前  
*Cryptocephalus trifasciatus* Fabricius, 1787 Ref. 同前  
*Dactylispa chiayiana* Kimoto, 1978 [特有] Ref. 同前  
*Dactylispa chujoi* Shirozu, 1957 [特有] Ref. 同前  
*Dactylispa excisa* (Kraatz, 1879) Ref. 同前  
*Dactylispa higonae* (Lewis, 1896) Ref. 同前  
*Dactylispa insulicolor* Chujo, 1933 [特有] Ref. 同前  
*Dactylispa kumatai* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Dactylispa latipennis* Chujo, 1933 [特有] Ref. Kimoto & Chu, 1996  
*Dactylispa miyamotoi* Kimoto, 1970 [特有] Ref. 同前  
*Dactylispa sauteri* Uhman, 1927 Ref. 同前  
*Dactylispa xanthopus* (Gestro, 1898) Ref. 同前  
*Demotina alni* Chujo, M., 1956 [特有] Ref. 同前  
*Demotina decoratella* Chujo, M., 1956 [特有] Ref. 同前  
*Demotina elegans* Chujo & Shirozu, 1955 Ref. 同前  
*Demotina incostata* Takizawa, 1978 [特有] Ref. 同前  
*Demotina montana* Chujo, M., 1956 [特有] Ref. 同前  
*Demotina serriventris* Isono, 1990 Ref. 同前  
*Dercestra abdominalis* Chujo, M. Ref. 同前  
*Dercetina azumai* Kimoto & Gressitt, 1969 Ref. 同前  
*Dercetina flavocincta* (Hope, 1831) Ref. 同前  
*Dercetina itoi* Kimoto, 1969 [特有] Ref. 同前  
*Dercetina nakanei* Kimoto, 1969 [特有] Ref. 同前  
*Dercetina shirozui* Kimoto, 1969 [特有] Ref. 同前  
*Dercetis eurycollis* Chujo, M. Ref. 同前  
*Dercetis flaviventris* (Jacoby) Ref. 同前  
*Dercetis taiwana* Chujo Ref. 同前  
*Dercetis taiwana* Chujo Ref. 同前  
*Dercetis tricolor* Chujo, M. Ref. 同前  
*Diachus auratus* (Fabricius, 1801) Ref. Kimoto, 1996  
*Di cladispa armigera* (Olivier, 1808) Ref. Kimoto & Chu, 1996  
*Donacia (Cyphogaster) lenzi* Schonfeldt Ref. 同前  
*Donacia (Cyphogaster) provostii* Fairmaire Ref. 同前  
*Donacia (Donacia) bicoloricornis* Chen Ref. 同前  
*Doryscus chujoi* Takizawa, 1978 Ref. 同前  
*Doryscus varians* (Gressitt & Kimoto, 1978) [特有] Ref. 同前  
*Euphitrea flavicornis* (Chen, 1933) [特有] Ref. 同前  
*Euphitrea nisotroides* (Chen, 1933) Ref. 同前  
*Euphitrea taiwana* Kimoto, 1991 [特有] Ref. 同前  
*Exosoma akkoae* (Chujo, 1954) Ref. 同前  
*Exosoma chujoi* (Nakane, 1958) Ref. 同前  
*Exosoma costatum* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Exosoma pseudoakkoae* Medvedev, 1998 [特有] Ref. Medvedev, 1998  
*Exosoma sasajii* Kimoto, 1969 [特有] Ref. Kimoto & Chu, 1996  
*Exosoma taiwanum* Kimoto, 1969 [特有] Ref. 同前  
*Formosogalerucella brevithorax* Pic, 1928 Ref. 同前  
*Furusawaia yosonis* Chujo, M., 1962 Ref. 同前  
*Galerucella griseascens* (Joannis, 1866) Ref. 同前  
*Galerucella nipinensis* (Laboissiere, 1922) Ref. 同前  
*Gallerucida bifasciata* Motschulsky, 1860 Ref. 同前  
*Gallerucida flaviventris* (Baly, 1861) Ref. 同前  
*Gallerucida lutea* Gressitt & Kimoto, 1969 Ref. 同前  
*Gallerucida sauteri* Chujo, 1938 [特有] Ref. 同前  
*Gallerucida shirozui* Kimoto, 1969 [特有] Ref. 同前  
*Gallerucida singularis* Harold, 1880 Ref. 同前

*Gastrolinoides nigripes* Kimoto, 1969 Ref. 同前  
*Gastrophysa (Gastrophysa) atrocyanea* Motschulsky Ref. 同前  
*Glaucosphaera cyanea* (Duvivier, 1892) Ref. 同前  
*Gonioctena osawai* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Gonioctena (Asiphytodecta) subgeminatus* Chen, 1941 Ref. Kimoto & Chu, 1996  
*Gonioctena (Asiphytodecta) tredecimmaculata* (Jacoby, 1888) Ref. 同前  
*Gonioctena (Brachyphytodecta) issikii* (Chujo, 1958) [特有] Ref. 同前  
*Gonioctena (Gonioctena) kamikawai* (Chujo, 1958) [特有] Ref. 同前  
*Haplomela semiopaca* Chen, 1942 Ref. 同前  
*Haplosaenidea taiwana* (Chujo) Ref. 同前  
*Haplosomoides abdominalis* Kimoto, 1984 [特有] Ref. 同前  
*Haplosomoides annamitus* (Allard, 1888) Ref. 同前  
*Haplosomoides costata* (Baly, 1878) Ref. 同前  
*Hemipyxis balyi* Bates, 1866 Ref. 同前  
*Hemipyxis apicicostata* Kimoto, 1989 [特有] Ref. 同前  
*Hemipyxis changi* Kimoto, 1970 Ref. 同前  
*Hemipyxis flaviabdominalis* Chujo, 1965 Ref. 同前  
*Hemipyxis flavipes* Kimoto, 1978 [特有] Ref. 同前  
*Hemipyxis formosana* Chujo, 1937 [特有] Ref. 同前  
*Hemipyxis fulvoculata* Takizawa, 1979 [特有] Ref. 同前  
*Hemipyxis lineata* Kimoto, 1978 [特有] Ref. 同前  
*Hemipyxis liukueiana* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Hemipyxis nigricornis* (Baly, 1877) Ref. Kimoto & Chu, 1996  
*Hemipyxis persimilis* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Hemipyxis quadrimaculata* (Jacoby, 1892) Ref. Kimoto & Chu, 1996  
*Hemipyxis quadripustulata* (Baly, 1876) Ref. 同前  
*Hemipyxis rarashana* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Hemipyxis taihorinensis* Kimoto, S., 1966 [特有] Ref. Kimoto & Chu, 1996  
*Hemipyxis yasumatsui* Kimoto, 1970 [特有] Ref. 同前  
*Hemipyxyi balyi* (Bates) Ref. 同前  
*Hemipyxyi takedai* Kimoto, 1976 [特有] Ref. 同前  
*Hespera lomasa* Maulik, 1926 Ref. 同前  
*Hespera montana* Chujo, 1936 [特有] Ref. 同前  
*Hesperomorpha antennalis* (Chujo, 1936) [特有] Ref. 同前  
*Hesperomorpha collaris* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Hesperomorpha taiwana* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Hirtigaleruca aptera* Chujo, M., 1962 [特有] Ref. Kimoto & Chu, 1996  
*Hispellinus callicanthus* (Bates, 1866) 黒鐵甲蟲 [特有] Ref. 同前  
*Hoplasoma majorina* Laboissiere, 1929 Ref. 同前  
*Hoplosaenidea chujoi* Kimoto, 1965 [特有] Ref. 同前  
*Hoplosaenidea irregularis* (Takizawa, 1978) [特有] Ref. 同前  
*Hoplosaenidea kanmiyai* Kimoto, 1984 [特有] Ref. 同前  
*Hoplosaenidea nigripennis* Kimoto, S., 1966 [特有] Ref. 同前  
*Hoploxaenidea taiwana* (Chujo, 1935) [特有] Ref. 同前  
*Horaia nigra* Chujo Ref. 同前  
*Hyperaxis fayciata* (Baly, 1874) Ref. 同前  
*Hyperaxis nigrescens* (Chujo, 1956) [特有] Ref. 同前  
*Isshikia asahinai* (Chujo, 1962) [特有] Ref. 同前  
*Issikia dimidiaticornis* (Jacoby, 1889) Ref. 同前  
*Japonitata caerulea* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Japonitata quadricostata* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Khasia itorum* Kimoto Ref. Kimoto & Chu, 1996  
*Lacoptera quadrimaculata* (Thunberg) 四紋龜葉蟲 Ref. 同前  
*Lanka bicolor* (Chujo, 1937) [特有] Ref. 同前  
*Lanka fulva* (Chujo, 1937) Ref. 同前  
*Lanka minor* (Chujo, 1937) [特有] Ref. 同前  
*Lanka nigra* (Chujo, 1937) [特有] Ref. 同前  
*Lanolepta fulva* Kimoto, 1991 [特有] Ref. 同前  
*Laphris emarginata* Baly, 1864 Ref. 同前  
*Lasiochila bicolor* Pic, 1924 [特有] Ref. 同前  
*Lema concinnipennis* Baly, 1865 Ref. 同前  
*Lema coromandeliana* (Fabricius, 1778) Ref. 同前  
*Lema coronata* Baly, 1873 Ref. 同前  
*Lema cyanea* Fabricius, 1789 Ref. 同前  
*Lema esakii* Chujo, 1951 [特有] Ref. 同前  
*Lema honorata* Baly, 1873 Ref. 同前  
*Lema koshunensis* Chujo, 1934 [特有] Ref. 同前  
*Lema pectoralis* Clark, 1966 Ref. 同前  
*Lema postrema* Bates, 1866 [特有] Ref. 同前  
*Lema rufotestacea* Clark, 1866 Ref. 同前  
*Lema rugifrons* Jacoby, 1889 Ref. 同前  
*Leptispa bicolor* Chujo, 1933 [特有] Ref. 同前

*Leptispa miwai* Chujo, 1933 [特有] Ref. 同前  
*Liliocerig formosana* Heinze, 1943 Ref. 同前  
*Lilioceris cheni* Gressitt & Kimoto, 1961 Ref. 同前  
*Lilioceris cyaneicollis* (Pic, 1916) Ref. 同前  
*Lilioceris egena* (Weise, 1992) Ref. 同前  
*Lilioceris gibba* (Baly, 1861) Ref. 同前  
*Lilioceris infraticornis* Gressitt & Kimoto, 1961 Ref. 同前  
*Lilioceris miwai* Chujo, 1951 [特有] Ref. 同前  
*Lilioceris neptis* (Weise, 1922) Ref. 同前  
*Lilioceris nigropectoralis* (Pic, 1928) Ref. 同前  
*Linaeidea aeneipennis* (Baly, 1859) Ref. 同前  
*Linaeidea formosana* (Bates, 1866) [特有] Ref. 同前  
*Lipromela formosana* Ohno, 1960 [特有] Ref. 同前  
*Lipromima minuta* (Jacoby, 1885) Ref. 同前  
*Lipromorpha difficilis* (Chen, 1934) Ref. 同前  
*Lipromorpha montana* Chujo, 1935 [特有] Ref. 同前  
*Lipromorpha shirozui* Kimoto, 1970 [特有] Ref. 同前  
*Liprus nuchalis* Gressitt & Kimoto, 1963 Ref. 同前  
*Lochmaea lesagei* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Lochmaea smetanai* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Lonigtarsus arisanus* Chujo, 1937 [特有] Ref. Kimoto & Chu, 1996  
*Lonigtarsus bicoloriceps* Chjuo, 1937 [特有] Ref. 同前  
*Lonigtarsus bimaculatus* (Baly, 1874) Ref. 同前  
*Lonigtarsus chujoi* Csiki, 1939 [特有] Ref. 同前  
*Lonigtarsus cyanipennis* Bryant, 1924 Ref. 同前  
*Lonigtarsus formosanus* Chujo, 1937 Ref. 同前  
*Lonigtarsus hohuanshanus* Kimoto, 1970 [特有] Ref. 同前  
*Lonigtarsus ihai* Chujo, 1958 Ref. 同前  
*Lonigtarsus ishikawai* Kimoto, 1970 [特有] Ref. 同前  
*Lonigtarsus lewisii* (Baly, 1970) Ref. 同前  
*Lonigtarsus morrisonus* Chujo, 1937 Ref. 同前  
*Lonigtarsus nakanei* Kimoto, 1970 [特有] Ref. 同前  
*Lonigtarsus scutellaris* (Rey, 1837) Ref. 同前  
*Lonigtarsus taiwanicus* Chen, 1934 [特有] Ref. 同前  
*Lonigtarsus waltherhorni* Csiki, 1934 [特有] Ref. 同前  
*Lonigtarsus warchalowskii* Scherer, 1969 Ref. 同前  
*Luperodes bocoloripennis* Chujo Ref. 同前  
*Luperodes nitidissimus* Chujo Ref. 同前  
*Luperodes saurmao* Chujo, M. Ref. 同前  
*Luperomorpha birmanica* Jacoby, 1892 Ref. 同前  
*Luperomorpha collaris* (Baly, 1874) Ref. 同前  
*Luperomorpha kurosawai* Kimoto, 1970 [特有] Ref. 同前  
*Luperomorpha saigugai* Kimoto, 1970 [特有] Ref. 同前  
*Luperomorpha sasajii* Kimoto, 1970 [特有] Ref. 同前  
*Luperomorpha tenebrosa* (Jacoby, 1885) Ref. 同前  
*Luperus semiflavus* OgLöblin, 1936 Ref. 同前  
*Luperus uenoi* Kimoto, 1969 [特有] Ref. 同前  
*Lupesthes fulvus* (Baly) Ref. 同前  
*Lupesthes gracilicornis* (Baly) Ref. 同前  
*Lupesthes sauteri* (Chujo) Ref. 同前  
*Lypesthes fulvus* (Baly, 1878) Ref. 同前  
*Lypesthes gracilicornis* (Baly, 1861) Ref. 同前  
*Lypesthes shirozui* Kimoto, 1969 [特有] Ref. 同前  
*Manobia bimaculata* Kimoto, 1991 [特有] Ref. 同前  
*Manobia formosana* Chujo, 1936 [特有] Ref. 同前  
*Manobia hayashii* 1991 [特有] Ref. 同前  
*Manobia humeralis* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Manobia lewisi* Jacoby, 1885 Ref. Kimoto & Chu, 1996  
*Manobia nigrata* Chujo, 1936 [特有] Ref. 同前  
*Manobia parvula* (Baly, 1874) Ref. 同前  
*Manobia puncticollis* Kimoto, 1971 [特有] Ref. 同前  
*Manobia shirozui* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Manobidia nipponica* Chujo, 1959 Ref. Kimoto & Chu, 1996  
*Manobidia simplicithorax* Chen, 1934 Ref. 同前  
*Mantura fulvipes* Jacoby, 1885 Ref. Kimoto, 1996  
*Mecoprosopus minor* (Pic, 1916) Ref. Kimoto & Chu, 1996  
*Medythia suturalis* (Motschulsky, 1858) Ref. 同前  
*Melixanthus formosensis* Chujo, 1934 [特有] Ref. 同前  
*Melixanthus tubu* (Chujo, 1954) [特有] Ref. 同前  
*Mellipora shirozui* Chujo, M., 1965 [特有] Ref. 同前  
*Menippus canellinus* Fariemaire Ref. 同前  
*Meristoides grandipennis* Fairmarie, 1889 Ref. 同前

*Micrepitrix coomani* Laboissiere Ref. 同前  
*Micrepitrix okinawana* Kimoto & Gressitt Ref. 同前  
*Mimastra modesta* Fairmaire, 1889 Ref. 同前  
*Mimastracella bicolor* Kimoto, 1984 [特有] Ref. 同前  
*Mimastracella flavomargianata* Takizawa, 1978 [特有] Ref. 同前  
*Mimastracella submetallica* Gressitt & Kimoto, 1963 Ref. 同前  
*Monobidia nipponica* Chujo Ref. 同前  
*Monolepta amiana* Chujo, M., 1962 [特有] Ref. 同前  
*Monolepta annamita* Laboissiere, 1889 Ref. 同前  
*Monolepta asahinai* Chujo, M., 1962 [特有] Ref. 同前  
*Monolepta babai* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Monolepta bicavipenne* Chen, 1942 Ref. Kimoto & Chu, 1996  
*Monolepta chinkinyui* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Monolepta excavata* Chujo, 1938 [特有] Ref. Kimoto & Chu, 1996  
*Monolepta formosana* Chujo, 1935 [特有] Ref. 同前  
*Monolepta hieroglyphica* (Motschulsky, 1858) Ref. 同前  
*Monolepta horni* Chujo, 1938 [特有] Ref. 同前  
*Monolepta kuroheri* Kimoto, 1966 [特有] Ref. 同前  
*Monolepta leechi* Jacoby, 1890 [特有] Ref. 同前  
*Monolepta longitarsoides* Chujo, 1938 [特有] Ref. 同前  
*Monolepta maana* Gressitt & Kimoto, 1976 [特有] Ref. 同前  
*Monolepta mandibularis* Chujo, M., 1962 [特有] Ref. 同前  
*Monolepta minor* Chujo, 1938 Ref. 同前  
*Monolepta nakanei* Kimoto, 1969 [特有] Ref. 同前  
*Monolepta nantouensis* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Monolepta pallidula* (Baly, 1874) Ref. Kimoto & Chu, 1996  
*Monolepta parvezi* Ashlam, 1962 [特有] Ref. 同前  
*Monolepta rufofulva* Chujo, 1938 [特有] Ref. 同前  
*Monolepta sasajii* Kimoto, 1969 [特有] Ref. 同前  
*Monolepta sauteri* Chujo, 1935 [特有] Ref. 同前  
*Monolepta sexlineata* Chujo, 1938 Ref. 同前  
*Monolepta sublata* Gressitt & Kimoto, 1976 Ref. 同前  
*Monolepta takizawai* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Monolepta xanthodera* Chen, 1942 Ref. Kimoto & Chu, 1996  
*Monolepta yasumatsui* Kimoto, 1969 [特有] Ref. 同前  
*Morphosphaera bimaculata* Chujo, 1938 [特有] Ref. 同前  
*Morphosphaera chrysoloides* (Bates, 1866) Ref. 同前  
*Neocrane bicoloripes* Chujo, M. Ref. 同前  
*Neocrepidodera fulva* Kimoto, 1991 [特有] Ref. 同前  
*Neohylaspes rufofulva* Chujo, M. Ref. 同前  
*Nisotra gemella* (Erichson, 1843) Ref. 同前  
*Nodina chalcosoma* Baly, 1874 Ref. 同前  
*Nodina issikii* Chujo, 1956 [特有] Ref. 同前  
*Nodina sauteri* Chujo, 1956 [特有] Ref. 同前  
*Nonarthra bimaculatum* Kimoto, 1970 [特有] Ref. 同前  
*Nonarthra variabilis* Baly, 1862 Ref. 同前  
*Notosacantha arisana* (Chujo, 1934) [特有] Ref. 同前  
*Notosacantha castanea* (Spaeth, 1913) Ref. 同前  
*Notosacantha sauteri* (Spaeth, 1914) [特有] Ref. 同前  
*Notosacantha shibatai* Kimoto, 1981 [特有] Ref. 同前  
*Ogloblinia flavicornis* (Baly, 1874) Ref. 同前  
*Oides decempunctata* Billberg, 1808 Ref. 同前  
*Oides maculatus* (Olivier, 1807) Ref. 同前  
*Oncocephala formosana* Chujo, 1933 [特有] Ref. 同前  
*Oomorhoides alienus* Bates, 1866 [特有] Ref. 同前  
*Oomorhoides formosensis* (Chujo, 1934) [特有] Ref. 同前  
*Oomorhoides sakishimanus* Kimoto & Gressitt, 1966 Ref. 同前  
*Oomorhoides violaceonigrus* (Chujo, 1953) [特有] Ref. 同前  
*Ophrida scaphoides* (Baly, 1865) Ref. 同前  
*Ophrida spectabilis* (Baly, 1862) Ref. 同前  
*Orthaltica coomani* (Laboissiere, 1933) Ref. 同前  
*Orthaltica okinawana* (Kimoto & Gressitt, 1996) Ref. 同前  
*Orthocrepis asahinai* Kimoto, 1971 [特有] Ref. 同前  
*Orthocrepis nigripes* Kimoto, 1987 [特有] Ref. 同前  
*Orthocrepis taiwanensis* Kimoto, 1971 [特有] Ref. 同前  
*Ortholema gracilentata* (Chujo, 1951) [特有] Ref. 同前  
*Osnaparis nucea* Fairmaire, 1889 Ref. 同前  
*Oulema atosuturalis* (Pic, 1923) Ref. 同前  
*Oulema oryzae* (Kuwayama, 1931) Ref. 同前  
*Pachneophorus formosanus* Chujo Ref. 同前  
*Pachneophorus sauteri* Chujo Ref. 同前  
*Pachneophorus bretteghami* Baly, 1878 Ref. 同前

*Pachnephorus lewisii* Baly, 1878 Ref. 同前  
*Pagria flavopustulata* (Baly) Ref. 同前  
*Pagria signata* (Motschulsky, 1858) Ref. 同前  
*Palpoxena taiwana* (Chujo, 1935) Ref. 同前  
*Paragetocera involuta* Laboissiere, 1929 Ref. 同前  
*Paralina indica* (Hope, 1831) Ref. 同前  
*Paraluperodes suturalis* (Motschulsky) Ref. 同前  
*Paraplotes taiwana* Chujo, M., 1963 [特有] Ref. 同前  
*Parascela cribrata* (Schaufuss, 1871) Ref. 同前  
*Paraulaca (Carapaula) taiwana* Chujo, 1935 Ref. 同前  
*Paraulaca (Paraulaca) angulicollis* (Motschulsky, 1853) Ref. 同前  
*Paraulaca (Paraulaca) costata* Chujo, 1935 Ref. 同前  
*Paraulaca (Paraulaca) cyanipennis* Chujo, 1935 Ref. 同前  
*Paraulaca (Paraulaca) flavipennis* Chujo, 1935 Ref. 同前  
*Paraulaca (Paraulaca) sauteri* Chujo, 1935 Ref. 同前  
*Paraulaca (Paraulaca) sexmaculata* (Laboissiere) Ref. 同前  
*Paridae (Paridae) testacea* (Gressitt & Kimoto, 1935) Ref. 同前  
*Paridea (Paraulaca) angulicollis* (Motschulsky, 1853) Ref. 同前  
*Paridea (Paraulaca) sexmaculata* (Laboissiere, 1930) [特有] Ref. 同前  
*Paridea (Paridea) costata* (Chujo, 1935) Ref. 同前  
*Paridea (Paridea) cyanipennis* (Chujo, 1935) [特有] Ref. 同前  
*Paridea (Paridea) sinensis* Laboissiere, 1930 Ref. 同前  
*Phaedon (Phaedon) brassicae* Baly, 1874 Ref. 同前  
*Phaedon (Phaedon) fulvescens* Weise Ref. 同前  
*Philopona vibex* (Erichson, 1834) Ref. 同前  
*Phola octodecimyttata* (Fabricius, 177) Ref. 同前  
*Phygasia ornata* Baly, 1876 Ref. 同前  
*Phyllobrotica chujoi* Chujo, 1963 [特有] Ref. 同前  
*Phyllobrotica sauteri* (Chujo, 1935) [特有] Ref. 同前  
*Phyllobrotica shirozui* Kimoto, 1969 [特有] Ref. 同前  
*Phyllopecta (Phyllopecta) similis* Chujo Ref. 同前  
*Phylloreta downesi* Baly, 1877 Ref. 同前  
*Phylloreta striolata* (Fabricius, 1801) Ref. 同前  
*Physosmaragdina nigrifrons* (Hope, 1842) Ref. 同前  
*Phytodecta (Asiphytodecta) trecimmaculatus* Jocoby Ref. 同前  
*Phytodecta (Asiphytodecta) issikii* Chujo Ref. 同前  
*Phytodecta (Asiphytodecta) subgeminatus* Chen Ref. 同前  
*Phytodecta (Phytodecta) kamikawai* Chujo Ref. 同前  
*Pistisia dactyliferae* (Maulik, 1919) Ref. 同前  
*Plagioderia septemvittata* Stal, 1858 Ref. 同前  
*Platycorynus sauteri* (Chujo, 1938) [特有] Ref. 同前  
*Platycorynus undatus* (Olivier, 1791) Ref. 同前  
*Podagricomela nigricollis* Chen, 1934 Ref. 同前  
*Podagricomela taiwana* Medvedev, 2002 [特有] Ref. Medvedev, 2002  
*Podontia lutea* (Olivier, 1790) 大黃金花蟲 Ref. Kimoto & Chu, 1996  
*Poecilomorpha pretiosa* Reineck, 1923 [特有] Ref. 同前  
*Proegmana taiwana* Takizawa, 1978 [特有] Ref. 同前  
*Pseudodera xanthospila* Baly, 1861 Ref. 同前  
*Pseudoliprus kimotonis* Komiya, 2006 [特有] Ref. Komiya, 2006  
*Pseudoliprus lalashanensis* Komiya, 2006 [特有] Ref. Komiya, 2006  
*Pseudoliprus saigusai* Kimoto, 1970 [特有] Ref. Kimoto & Chu, 1996  
*Pseudoliroetis metallipennis* Chujo, M., 1962 [特有] Ref. 同前  
*Pseudoliroetis rifipennis* Chujo, M., 1962 [特有] Ref. 同前  
*Pseudometaxis nigrescens* Chujo, M. Ref. 同前  
*Psylliodes balyi* Jacoby, 1884 Ref. 同前  
*Psylliodes angusticollis* Baly, 1874 Ref. 同前  
*Psylliodes bretteghami* Ref. 同前  
*Psylliodes subrufososa* Takizawa, 1979 [特有] Ref. 同前  
*Psylliodes taiwana* Takizawa, 1979 [特有] Ref. Kimoto, 1996  
*Pyrrhalta aenescens* Fairmaire, 1878 Ref. Kimoto & Chu, 1996  
*Pyrrhalta discalis* Gressitt & Kimoto, 1963 Ref. 同前  
*Pyrrhalta gressitti* Kimoto, 1969 [特有] Ref. 同前  
*Pyrrhalta humeralis* Chen, 1942 Ref. 同前  
*Pyrrhalta igai* Kimoto, 1981 [特有] Ref. 同前  
*Pyrrhalta ishiharai* Kimoto, 1994 [特有] Ref. 同前  
*Pyrrhalta kobayashii* Kimoto, 1974 [特有] Ref. 同前  
*Pyrrhalta maculata* Gressitt & Kimoto, 1963 Ref. 同前  
*Pyrrhalta meifena* Kimoto, 1976 [特有] Ref. 同前  
*Pyrrhalta ohbayashii* Kimoto, 1984 [特有] Ref. 同前  
*Pyrrhalta semifulva* (Jacoby, 1885) Ref. 同前  
*Pyrrhalta shirozui* Kimoto, 1969 [特有] Ref. 同前  
*Pyrrhalta taiwana* Kimoto, 1969 [特有] Ref. 同前

*Pyrrhalta takizawai* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Pyrrhalta viridipennis* Kimoto, 1981 [特有] Ref. Kimoto & Chu, 1996  
*Rhoptrispa dilaticornis* (Duvivier, 1891) [特有] Ref. 同前  
*Rhyparida formosana* Ashlam, 1956 [特有] Ref. 同前  
*Rhyparida kotoensis* Chujo, M., 1956 [特有] Ref. 同前  
*Rhyparida sakisimensis* Yuasa, 1930 Ref. 同前  
*Sangariola fortunei* (Baly, 1888) Ref. 同前  
*Sangariola hirashimai* Kimoto, 1970 [特有] Ref. 同前  
*Sangariola punctatostriata* (Motschulsky, 1860) Ref. 同前  
*Saperoderma tibiale* Chujo Ref. 同前  
*Scelodonta lewisii* Baly, 1874 Ref. 同前  
*Scelodonta sauteri* Chujo, 1938 Ref. 同前  
*Schenklingia miwai* (Chujo, 1937) [特有] Ref. 同前  
*Schenklingia ornatipennis* (Chen, 1933) Ref. 同前  
*Schenklingia saigusai* Kimoto, 1970 [特有] Ref. 同前  
*Schenklingia sasajii* Kimoto, 1970 [特有] Ref. 同前  
*Schenklingia sauteri* (Chen, 1934) Ref. 同前  
*Shaira chujoi* Kimoto, 1982 [特有] Ref. 同前  
*Shairella aeneipennis* Chujo, M., 1962 [特有] Ref. 同前  
*Sinocrepis fulva* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Sinocrepis obscurofasciata* (Jacoby, 1892) Ref. Kimoto & Chu, 1996  
*Smaragdina apiciflava* (Chujo, 1952) [特有] Ref. 同前  
*Smaragdina fulveola* (Jacoby, 1890) Ref. 同前  
*Smaragdina kurosmon* Kimoto, 1984 [特有] Ref. 同前  
*Smaragdina kurosui* Kimoto, 1984 [特有] Ref. 同前  
*Smaragdina maculicollis* (Chujo, 1952) [特有] Ref. 同前  
*Smaragdina miyakei* Kimoto, 1976 [特有] Ref. 同前  
*Smaragdina miyatakei* Kimoto, 1976 [特有] Ref. 同前  
*Smaragdina nigrifrons* (Hope, 1842) Ref. 同前  
*Smaragdina nigripennis* (Chujo, 1976) [特有] Ref. 同前  
*Smaragdina nigripensis* (Chujo, 1951) Ref. 同前  
*Smaragdina notomaculata* Kimoto, 1976 [特有] Ref. 同前  
*Smaragdina octomaculata* (Chujo, 1952) [特有] Ref. 同前  
*Smaragdina variabilis* (Chujo, 1952) [特有] Ref. 同前  
*Spaeroderma apicale* Baly Ref. 同前  
*Spaeroderma postnigrum* Chujo, M. Ref. 同前  
*Sphaeroraia micans* (Fairmair, 1888) Ref. Kimoto, 1996  
*Sphaeroderma alishanensis* Tskizawa, 1979 [特有] Ref. Kimoto & Chu, 1996  
*Sphaeroderma apicale* Baly, 1874 Ref. 同前  
*Sphaeroderma chui* Kimoto, 1970 [特有] Ref. 同前  
*Sphaeroderma flavonotatum* Chujo, 1937 Ref. 同前  
*Sphaeroderma kondoi* Ohno, 1964 [特有] Ref. 同前  
*Sphaeroderma nigroapicalis* Takizawa, 1979 [特有] Ref. 同前  
*Sphaeroderma postnigrum* Chujo, 1963 [特有] Ref. 同前  
*Sphaeroderma rubi* Chujo, 1937 [特有] Ref. 同前  
*Sphaeroderma tibiale* Chujo, 1937 [特有] Ref. 同前  
*Sphaeroderma varicolor* Takizawa, 1979 [特有] Ref. 同前  
*Stenoluperus esakii* Kimoto, 1969 Ref. 同前  
*Stenoluperus flaviventris* Chen, 1942 Ref. 同前  
*Stenoluperus itoi* Kimoto, 1991 [特有] Ref. 同前  
*Stenoluperus matsumurai* Takizawa, 1978 [特有] Ref. 同前  
*Stenoluperus minor* Kimoto, 1991 [特有] Ref. 同前  
*Stenoluperus nipponensis* Laboissiere, 1885 Ref. 同前  
*Stenoluperus pallipes* Gressitt & Kimoto, 1963 Ref. 同前  
*Stenoluperus potanini* (Weise, 1889) Ref. 同前  
*Stenoluperus taiwanus* Kimoto, 1991 [特有] Ref. 同前  
*Stenoluperus tibialis* Chen, 1942 Ref. 同前  
*Taiwanaenidea collaris* Kimoto, 1984 [特有] Ref. 同前  
*Taiwanaenidea strigosa* Kimoto, 1984 [特有] Ref. 同前  
*Taiwanohespera sasajii* Kimoto, 1970 [特有] Ref. 同前  
*Taiwanolepta babai* Kimoto, 1989 [特有] Ref. 同前  
*Taiwanoliprus endonis* Komiya, 2006 [特有] Ref. Komiya, 2006  
*Taiwanoliprus wenroni* Komiya, 2006 [特有] Ref. Komiya, 2006  
*Taiwanorestia nigra* Kimoto, 1991 [特有] Ref. Kimoto & Chu, 1996  
*Taizonia uenoi* Kimoto, 1970 [特有] Ref. 同前  
*Taizonia bella* Chen, 1934 [特有] Ref. 同前  
*Theopea collaris* Kimoto, 1989 [特有] Ref. 同前  
*Theopea sauteri* Chujo, 1935 [特有] Ref. 同前  
*Thlaspida cribrosa* (Boheman, 1855) Ref. 同前  
*Tituboea ohbayashii* Kimoto, 1984 [特有] Ref. 同前  
*Trachyaphthona brevicornis* Takizawa, 1979 [特有] Ref. 同前  
*Trachyaphthona collaris* Kimoto, 1996 [特有] Ref. Kimoto, 1996

*Trachyaphthona punctata* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Trachyaphthona sordida* (Baly, 1874) Ref. Kimoto & Chu, 1996  
*Trachyaphthona formosana* Takizawa, 1979 [特有] Ref. 同前  
*Trichochrysea chihituana* Komiya, 1985 [特有] Ref. 同前  
*Trichochrysea formosana* Komiya, 1985 [特有] Ref. 同前  
*Trichochrysea okinawana* Komiya, 1969 [特有] Ref. 同前  
*Wallaceana dactyliferae* (Maulik) Ref. 同前  
*Xanthonia striatipennis* Kimoto, 1969 [特有] Ref. 同前  
*Xanthonia taiwana* Chujo, M., 1956 [特有] Ref. 同前  
*Xuthea orientalis* Baly, 1865 Ref. 同前  
*Zeugophora decorata* (Chujo, 1937) Ref. 同前  
*Zeugophora dimorpha* Gressitt, 1945 Ref. 同前  
*Zeugophora formosana* Gressitt, 1937 [特有] Ref. 同前  
*Zeugophora gracilis* (Chujo, 1937) [特有] Ref. 同前  
*Zeugophora maculata* (Chujo, 1941) [特有] Ref. 同前  
*Zeugophora nitida* (Chujo, 1932) [特有] Ref. 同前  
*Zeugophora ruficollis* (Chujo, 1932) [特有] Ref. 同前  
*Zipangia obscura* (Jacoby, 1885) Ref. 同前  
*Zipangia recticollis* Takizawa, 1979 [特有] Ref. 同前  
*Zipangia takizawai* Kimoto, 1996 [特有] Ref. Kimoto, 1996  
*Zipanginia sakishimana* Kimoto & Gressitt, 1966 Ref. Kimoto & Chu, 1996

### Family Ciidae 筒蕈蟲科

*Ceracis laminicollis* Miyatake, 1982 [特有] Ref. Miyatake, 1982  
*Cis chujoi* Miyatake, 1982 [特有] Ref. 同前  
*Cis polysticti* Chujo, 1939 [特有] Ref. Chujo, 1939  
*Cis taiwanus* Chujo, 1939 [特有] Ref. Chujo, 1939  
*Euxestocis formosanus* Miyatake, 1982 [特有] Ref. Miyatake, 1982  
*Octotemnus laminifrons* Mostschulsky, 1847 Ref. Chujo, 1939  
*Octotemnus michiochujoi* Kawanabe, 2005 [特有] Ref. Kawanabe, 2005

### Family Clambidae 拳蕈蟲科

*Clambus formosanus* Endrody-Younga, 1959 Ref. Löbl, 2006  
*Clambus gibbus* Endrody-Younga, 1986 Ref. Endrody-Younga, 1986  
*Clambus klapperichi* Endrody-Younga, 1986 [特有] Ref. 同前  
*Clambus pilosellus* Reitter, 1876 [特有] Ref. 同前  
*Clambus tuberculatus* Endrody-Younga, 1986 [特有] Ref. 同前

### Family Cleridae 郭公蟲科

*Allochotes dochroa* Lewis, 1891 Ref. Miwa, 1931  
*Allochotes sauteri* Schenkling, 1912 [特有] Ref. Miyatake, 1965  
*Allochotes violaceipennis* Schenkling, 1912 [特有] Ref. Miwa, 1931  
*Anthicoclerus anthicoides* Westwood, 1849 Ref. Miwa, 1931  
*Callimerus bicoloripes* Pic, 1925 [特有] Ref. Nakane, 1996  
*Callimerus duodecimpustulatus* Schenkling, 1912 [特有] Ref. Miwa, 1931  
*Callimerus sauteri* Corporaal & Pic, 1940 [特有] Ref. Nakane, 1996  
*Callimerus taiwanus* (Miyatake, 1965) [特有] Ref. Miyatake, 1965  
*Cladiscus pallidicornis* Corporaal & Wiel, 1949 [特有] Ref. Löbl et al., 2007  
*Cladiscus sanguinicollis* Spinola, 1844 Ref. Miwa, 1931  
*Cladiscus sauteri* Schenkling, 1912 [特有] Ref. Nakane, 1996  
*Cladiscus terminalis* Schenkling, 1912 [特有] Ref. Miwa, 1931  
*Clerus formosanus* Nakane, 1996 [特有] Ref. Nakane, 1996  
*Clerus guishanensis* Nakane, 1996 [特有] Ref. Nakane, 1996  
*Clerus intermedius* Nakane, 1996 [特有] Ref. Nakane, 1996  
*Cylidru cyaneus* (Fabricius, 1787) Ref. Nakane, 1996  
*Emmepus pilgrim* Kolibac, 1998 [特有] Ref. Kolibac, 1998  
*Gastrocentrum nitidum* Schenkling, 1912 [特有] Ref. Miwa, 1931  
*Gastrocentrum unicolor* Whaite, 1849 Ref. Miwa, 1931  
*Korynetes coeruleus* (De Geer, 1775) Ref. Miwa, 1931  
*Necrobia ruficollis* (Fabricius, 1775) Ref. Miwa, 1931  
*Necrobia violacea* (Linne, 1758) Ref. Miwa, 1931  
*Neohydnus formosanus* Miyatake, 1965 [特有] Ref. Miyatake, 1965  
*Neohydnus shirozui* Miyatake, 1965 [特有] Ref. 同前  
*Omadius alishanus* Nakane, 1996 [特有] Ref. Nakane, 1996  
*Omadius nigromaculatus* Lewis, 1892 Ref. Nakane, 1996  
*Omadius tricinctus* Gorham, 1892 Ref. Nakane, 1996  
*Opilo difficilis* Schenkling, 1912 [特有] Ref. Nakane, 1996  
*Opilo formosanus* Schenkling, 1912 [特有] Ref. Nakane, 1996  
*Opilo mollis* Linne, 1758 Ref. Miwa, 1931  
*Opilo shirozui* Miyatake, 1965 [特有] Ref. Miyatake, 1965  
*Opilo varipennis* Nakane, 1996 [特有] Ref. Nakane, 1996  
*Orthrius carinifrons* Schenkling, 1912 [特有] Ref. Miwa, 1931  
*Orthrius prolongatus* Schenkling, 1912 [特有] Ref. Nakane, 1996

*Stigmatium ceramboides* Motschulsky, 1861 Ref. Miwa, 1931  
*Stigmatium diversipes* Schenkling, 1912 [特有] Ref. Miwa, 1931  
*Stigmatium formosanum* Pic, 1938 Ref. Nakane, 1996  
*Stigmatium pilasellum* Gorham, 1878 Ref. Miwa, 1931  
*Stigmatium sauteri* Pic, 1938 Ref. Nakane, 1996  
*Tarsostenus univittatus* (Rossi, 1792) Ref. Miwa, 1931  
*Teneroides maculicollis* Lewis, 1892 Ref. Nakane, 1996  
*Teneropsis formosanum* (Schenkling, 1912) [特有] Ref. Miwa, 1931  
*Teneropsis lividipenne* (Schenkling, 1912) [特有] Ref. Miwa, 1931  
*Teneropsis mundum* (Schenkling, 1912) [特有] Ref. Miwa, 1931  
*Tenerus formosanus* Schenkling, 1912 [特有] Ref. Miwa, 1931  
*Tenerus hilleri* Harold, 1877 Ref. Nakane, 1996  
*Tilloidea birmanics* (Gorham, 1892) Ref. Miwa, 1931  
*Tilloidea notata* (Klug, 1842) Ref. Miwa, 1931  
*Tillus concolor* Nakane, 1996 [特有] Ref. Nakane, 1996  
*Tillus nakamurai* Nakane, 1996 [特有] Ref. Nakane, 1996  
*Xenorthrius incarinipes* Miyatake, 1965 [特有] Ref. Miyatake, 1965  
*Xenorthrius umbratus* Schenkling, 1912 [特有] Ref. Nakane, 1996

### Family Coccinellidae 瓢蟲科

*Afidenta misera* (Weise, 1900) 大豆瓢蟲 Ref. 虞及王。1999  
*Aiolocaria hexaspilota* (Hope, 1831) 六斑異瓢蟲 Ref. 虞及王。1999  
*Alesia discolor* Fabricius Ref. 虞及王。1999  
*Alloneda osawai* Sasaji, 1986 Ref. Kavor, 2007  
*Amida tricolor* Weise, 1920 台灣三色瓢蟲 [特有] Ref. 虞及王。1999  
*Aspidimerus esakii* Sasaji, 1968 Ref. 虞及王。1999  
*Aspidimerus matsumurai* Sasaji, 1968 Ref. 虞及王。1999  
*Axinoscymnus beneficus* Kamiya, 1963 Ref. Kavor, 2007  
*Axinoscymnus nigripennis* Kamiya, 1965 Ref. Kavor, 2007  
*Bothrocalvia albolineata* (Gyllenhal, 1808) 細紋裸瓢蟲 Ref. 虞及王。1999  
*Brumoides lineatus* Weise, 1885 Ref. Kavor, 2007  
*Brumoides ohtai* Miyatake, 1970 Ref. 虞及王。1999  
*Callicaria superba* (Mulsant, 1853) 日本麗瓢蟲 Ref. 虞及王。1999  
*Calvia championorum* Booth, 1997 三紋裸瓢蟲 Ref. 虞及王。1999  
*Calvia quadrivittata* (Miyatake, 1965) 四條裸瓢蟲 [特有] Ref. Yu & Wang, 2001  
*Calvia (Anisocalvia) quatuordecimguttata* (Linne, 1758) Ref. 虞及王。1999  
*Calvia (Eocaria) muiri* (Timberlake, 1943) 四斑裸瓢蟲 Ref. 虞及王。1999  
*Calvia (Eocaria) shirozui* (Miyatake, 1965) 台灣裸瓢蟲 [特有] Ref. 虞及王。1999  
*Cheilmenes sexmachlata* (Fabricius, 1781) 六斑月瓢蟲 Ref. 虞及王。1999  
*Chilocorus alishanus* Sasaji, 1968 Ref. 虞及王。1999  
*Chilocorus politus* Mulsant, 1850 Ref. 虞及王。1999  
*Chilocorus shirozui* Sasaji, 1968 Ref. 虞及王。1999  
*Coccinella leonina* Fabricius, 1781 Ref. Kavor, 2007  
*Coccinella septempunctata* Linnaeus, 1758 七星瓢蟲 Ref. 虞及王。1999  
*Coelophora biplagiata* (Swartz, 1808) Ref. 虞及王。1999  
*Coelophora bissellata* Mulsant, 1850 Ref. Kavor, 2007  
*Coelophora circumsta* Mulsant, 1850 Ref. 虞及王。1999  
*Coelophora circumvelata* (Mulsant, 1850) 周緣盤瓢蟲 Ref. Kavor, 2007  
*Coelophora flavomarginata* Sasaji, 1969 Ref. 虞及王。1999  
*Coelophora inaequalis* (Fabricius, 1775) Ref. 虞及王。1999  
*Coelophora itoi* Sasaji Ref. 虞及王。1999  
*Coelophora loi* Sasaji, 1982 Ref. Kavor, 2007  
*Coelophora saucia* Mulsant, 1850 Ref. 虞及王。1999  
*Coelophora sexguttata* Weise Ref. 虞及王。1999  
*Coelophora tanoi* Sasaji Ref. 虞及王。1999  
*Cryptogonus angusticarinatus* Sasaji, 1968 Ref. 虞及王。1999  
*Cryptogonus complexus* Kapur, 1948 Ref. Kavor, 2007  
*Cryptogonus horishanus* (Ohta, 1929) Ref. 虞及王。1999  
*Cryptogonus kurosawai* Sasaji, 1968 黑澤隱勢瓢蟲 [特有] Ref. 虞及王。1999  
*Cryptogonus ohtai* Sasaji, 1968 太田隱勢瓢蟲 [特有] Ref. 虞及王。1999  
*Cryptogonus orbiculus* (Weise, 1895) Ref. 虞及王。1999  
*Cryptogonus orbiculus* (Gyllenhal, 1808) 變斑隱勢瓢蟲 Ref. 虞及王。1999  
*Cryptogonus postimedialis* Kapur, 1948 Ref. 虞及王。1999  
*Cryptogonus quadriguttatus* Weise, 1895 Ref. 虞及王。1999  
*Cryptogonus robustus* Yu, 1995 [特有] Ref. Kavor, 2007  
*Cryptolaemus montrouzieri* Mulsant, 1853 孟氏隱唇瓢蟲 Ref. 虞及王。1999  
*Diomus brunsuturalis* Pang & Gordon, 1986 Ref. Kavor, 2007  
*Epilachna admirabilis* Crotch, 1874 瓜茄瓢蟲 Ref. 虞及王。1999  
*Epilachna alternaus* Mulsant Ref. 虞及王。1999  
*Epilachna angusta* Li, C.S. & E.E., Cook, 1961 Ref. 虞及王。1999  
*Epilachna bifibra* Li, C.S. & E.E., Cook, 1961 Ref. 虞及王。1999  
*Epilachna chinensis* (Weise, 1912) Ref. 虞及王。1999

*Epilachna chingjing* Yu & Wang, 1999 清境食植瓢蟲 Ref. Kavor, 2007  
*Epilachna confusa* Li, C.S. & E.E., Cook, 1961 橫斑食植瓢蟲 Ref. 虞及王。1999  
*Epilachna crassimala* Li, C.S. & E.E., Cook, 1961 厚顎食植瓢蟲 [特有] Ref. 虞及王。1999  
*Epilachna decemguttata* (Weise, 1923) Ref. 虞及王。1999  
*Epilachna fenchinica* Pang, 1993 [特有] Ref. Kavor, 2007  
*Epilachna formosana* (Weise, 1923) Ref. 虞及王。1999  
*Epilachna galerucinoides* Korschefsky, 1934 Ref. Kavor, 2007  
*Epilachna grayi* Mulsant, 1850 Ref. Kavor, 2007  
*Epilachna gressitti* Li, C.S. & E.E., Cook, 1961 Ref. 虞及王。1999  
*Epilachna hendecaspilota* Mader, 1927 Ref. Kavor, 2007  
*Epilachna incauta* Mulsant, 1850 Ref. 虞及王。1999  
*Epilachna lata* Li, C.S. & E.E., Cook, 1961 寬凹食植瓢蟲 [特有] Ref. 虞及王。1999  
*Epilachna longissima* (Dieke, 1947) 長管食植瓢蟲 [特有] Ref. 虞及王。1999  
*Epilachna maculicollis* (Sicard, 1912) 圓斑食植瓢蟲 [特有] Ref. 虞及王。1999  
*Epilachna maxima* (Weise, 1898) 大食植瓢蟲 Ref. 虞及王。1999  
*Epilachna media* Li, C.S. & E.E., Cook, 1961 Ref. 虞及王。1999  
*Epilachna microgenitalia* Li, C.S. & E.E., Cook, 1961 小陽食植瓢蟲 [特有] Ref. 虞及王。1999  
*Epilachna mobilitertiae* Li, C.S. & E.E., Cook, 1961 Ref. 虞及王。1999  
*Epilachna mushana* Li, C.S. & E.E., Cook, 1961 Ref. 虞及王。1999  
*Epilachna ocellataemaculata* (Mader, 1930) Ref. Kavor, 2007  
*Epilachna paling* Yu, 2001 巴陵食植瓢蟲 [特有] Ref. Yu, 2001  
*Epilachna quadricollis* (Dieke, 1947) Ref. Kavor, 2007  
*Epilachna sauteri* (Weise, 1923) 曲管食植瓢蟲 Ref. 虞及王。1999  
*Epilachna sociolamina* Li, C.S. & E.E., Cook, 1961 Ref. 虞及王。1999  
*Halyzia sanscrita* Mulsant, 1853 梵文菌瓢蟲 Ref. 虞及王。1999  
*Halyzia shirozui* Sasaji, 1982 台灣菌瓢蟲 [特有] Ref. 虞及王。1999  
*Harmonia axyridis* (Pallas, 1773) 異色瓢蟲 Ref. 虞及王。1999  
*Harmonia dimidiata* (Fabricius, 1781) 紅肩瓢蟲 Ref. 虞及王。1999  
*Harmonia octomaculata* (Fabricius, 1781) 八斑和瓢蟲 Ref. 虞及王。1999  
*Harmonia sedecimnotata* (Fabricius, 1801) 織麗瓢蟲 Ref. 虞及王。1999  
*Harmonia shoichii* Sasaji, 1988 [特有] Ref. Kavor, 2007  
*Harmonia yedoensis* (Takizawa, 1917) 隱斑瓢蟲 Ref. 虞及王。1999  
*Henosepilachna boisduvali* (Mulsant, 1850) 波氏裂臀瓢蟲 Ref. 虞及王。1999  
*Henosepilachna indica* (Mulsant, 1850) Ref. Kavor, 2007  
*Henosepilachna libera* (Dieke, 1947) Ref. Kavor, 2007  
*Henosepilachna processa* (Weise, 1908) 齒葉裂臀瓢蟲 Ref. 虞及王。1999  
*Henosepilachna pusillanima* (Mulsant, 1850) 鋸葉裂臀瓢蟲 Ref. 虞及王。1999  
*Henosepilachna pytharga* (Dieke, 1947) Ref. Kavor, 2007  
*Henosepilachna subfasciata* (Ws., 1923) Ref. 虞及王。1999  
*Henosepilachna vigintioctomaculata* (Motschulsky, 1857) 馬鈴薯瓢蟲 Ref. 虞及王。1999  
*Henosepilachna vigintioctopunctata* (Fabricius, 1775) 茄二十八星瓢蟲 Ref. 虞及王。1999  
*Hikonasukuna monticola* Sasaji, 1967 Ref. 虞及王。1999  
*Horniolus novempunctatus* Miyatake, 1979 Ref. 虞及王。1999  
*Illeis koebelei* Timberlake, 1943 柯氏素菌瓢蟲 Ref. 虞及王。1999  
*Illeis shensiensis* Timberlake, 1943 Ref. Kavor, 2007  
*Jauravia limbata* Motschulsky, 1858 黃環艷瓢蟲 Ref. 虞及王。1999  
*Jauravia quadrinotata* Kapur, 1946 Ref. Kavor, 2007  
*Keiscymnus securiformis* Yu & Pang, 1992 [特有] Ref. Kavor, 2007  
*Keiscymnus taiwanensis* Yang & Wu, 1972 Ref. Kavor, 2007  
*Macrolleis hauseri* (Mader, 1930) 白條菌瓢蟲 Ref. 虞及王。1999  
*Megalocaria dilatata* (Fabricius, 1775) Ref. Kavor, 2007  
*Micraspis discolor* (Fabricius, 1798) 稻江瓢蟲 Ref. 虞及王。1999  
*Micraspis taiwanensis* Yu, 2001 台灣兼食瓢蟲 [特有] Ref. Yu, 2001  
*Nephus (Geminosipho) dilepismoides* Pang & Pu, 1988 Ref. Kavor, 2007  
*Nephus (Nephus) parenthesis* (Weise, 1923) [特有] Ref. Kavor, 2007  
*Nephus (Nephus) phosphorus* (Lewis, 1896) Ref. Kavor, 2007  
*Nephus (Nephus) quadrimaculatus* (Herbst, 1783) Ref. Kavor, 2007  
*Nephus (Nephus) sauteri* Weise, 1923 [特有] Ref. Kavor, 2007  
*Nephus (Sidis) levaillanti* (Mulsant, 1850) Ref. Kavor, 2007  
*Nephus (Sidis) tagiapatus* (Kamiya, 1965) Ref. Kavor, 2007  
*Oenopia chinensis* (Weise, 1912) Ref. Kavor, 2007  
*Oenopia formosana* (Miyatake, 1965) 台灣巧瓢蟲 [特有] Ref. Kavor, 2007  
*Oenopia kirbyi* Mulsant, 1850 Ref. Kavor, 2007  
*Oenopia sauzeti* Mulsant, 1866 黃緣小瓢蟲 Ref. Kavor, 2007  
*Oenopia scalaris* (Timberlake, 1943) 梯斑瓢蟲 Ref. Kavor, 2007  
*Oenopia takasago* (Sasaji, 1982) [特有] Ref. Kavor, 2007  
*Pania insularis* (Sicard) Ref. 虞及王。1999  
*Pania luteopustulata* (Mulsant, 1850) Ref. 虞及王。1999  
*Pharoscytmus taoi* Sasaji, 1967 Ref. 虞及王。1999  
*Phrynocaria congener* (Billberg, 1808) 紅星盤瓢蟲 Ref. 虞及王。1999  
*Phrynocaria shirozui* (Sasaji, 1982) [特有] Ref. Kavor, 2007  
*Phrynocaria vidua* (Mulsant, 1850) Ref. Kavor, 2007

*Phymatosternus lanyuanus* Sasaji, 1991 [特有] Ref. Kavor, 2007  
*Phymatosternus lewisii* Crotch, 1874 艷色廣盾瓢蟲 Ref. 虞及王。1999  
*Platynaspidius babai* Sasaji, 1988 [特有] Ref. Kavor, 2007  
*Platynaspidius maculosus* (Weise, 1910) 四斑廣盾瓢蟲 Ref. Kavor, 2007  
*Platynaspidius quinquepunctatus* Miyatake, 1961 五斑廣盾瓢蟲 [特有] Ref. Kavor, 2007  
*Propylea japonica* (Thunberg, 1781) 龜紋瓢蟲 Ref. 虞及王。1999  
*Propylea luteopustulata* (Mulsant, 1850) Ref. Kavor, 2007  
*Pseudoscymnus amplus* Yang & Wu, 1972 Ref. Kavor, 2007  
*Pseudoscymnus annashanus* Yang, 1971 [特有] Ref. Kavor, 2007  
*Pseudoscymnus changi* Yang, 1971 [特有] Ref. Kavor, 2007  
*Pseudoscymnus fulvihumerus* Yang & Wu, 1972 [特有] Ref. Kavor, 2007  
*Pseudoscymnus fuscus* Yang, 1971 [特有] Ref. Kavor, 2007  
*Pseudoscymnus hareja* Weise, 1879 Ref. Kavor, 2007  
*Pseudoscymnus kurohime* (Miyatake, 1959) Ref. 虞及王。1999  
*Pseudoscymnus lamellatus* Yang & Wu, 1972 [特有] Ref. Kavor, 2007  
*Pseudoscymnus montanus* Yang, 1971 [特有] Ref. Kavor, 2007  
*Pseudoscymnus nagasakiensis* (Kamiya, 1961) Ref. Kavor, 2007  
*Pseudoscymnus ohtai* Yang & Wu, 1972 Ref. Kavor, 2007  
*Pseudoscymnus orbiculatus* Yang, 1971 圓斑方瓢蟲 [特有] Ref. 虞及王。1999  
*Pseudoscymnus quinquepunctatus* (Weise, 1961) 五斑方瓢蟲 Ref. 虞及王。1999  
*Pseudoscymnus sylvaticus* (Lewis, 1896) Ref. Kavor, 2007  
*Pseudoscymnus tainanensis* (Ohta, 1929) [特有] Ref. Kavor, 2007  
*Rhodolia cardinalis* Mulsant, 1850 澳洲瓢蟲 Ref. 虞及王。1999  
*Rhodolia pumila* Weise, 1892 小紅瓢蟲 Ref. 虞及王。1999  
*Rodolia cardinalis* (Mulsant, 1850) Ref. Kavor, 2007  
*Rodolia formosana* Korschefsky, 1935 [特有] Ref. Kavor, 2007  
*Rodolia pumila* Weise, 1892 Ref. Kavor, 2007  
*Rodolia quadrimaculata* Mader, 1939 Ref. Kavor, 2007  
*Scymnomorphus bicolor* (Kamiya, 1965) Ref. Kavor, 2007  
*Scymnus akanis* Ohta Ref. 虞及王。1999  
*Scymnus contemptus* Weise, 1923 Ref. 虞及王。1999  
*Scymnus paganus* Lewis, 1896 Ref. 虞及王。1999  
*Scymnus sodalis* Weise Ref. 虞及王。1999  
*Scymnus vilis* Weise Ref. 虞及王。1999  
*Scymnus (Neopullus) fuscatus* Boheman, 1859 Ref. Kavor, 2007  
*Scymnus (Neopullus) hoffmanni* Weise, 1879 黑襟毛瓢蟲 Ref. 虞及王。1999  
*Scymnus (Parapullus) alishanensis* Pang & Yu, 1993 [特有] Ref. Kavor, 2007  
*Scymnus (Parapullus) secula* Yang, 1978 [特有] Ref. Kavor, 2007  
*Scymnus (Pullus) aknois* (Ohta, 1929) [特有] Ref. Kavor, 2007  
*Scymnus (Pullus) bistortus* Yu, 1995 [特有] Ref. Kavor, 2007  
*Scymnus (Pullus) centralis* Kamiya 中黑小瓢蟲 Ref. 虞及王。1999  
*Scymnus (Pullus) curvus* Yang, 1978 [特有] Ref. Kavor, 2007  
*Scymnus (Pullus) dercatomoides* Weise, 1926 Ref. Kavor, 2007  
*Scymnus (Pullus) fanjingicus* Ren & Pang, 1995 Ref. Kavor, 2007  
*Scymnus (Pullus) formosanus* (Weise, 1923) Ref. Kavor, 2007  
*Scymnus (Pullus) hatomensis* Kamiya, 1965 Ref. Kavor, 2007  
*Scymnus (Pullus) hoocalis* Pang & Gordon, 1986 Ref. Kavor, 2007  
*Scymnus (Pullus) klapperichi* Pang & Gordon, 1986 Ref. Kavor, 2007  
*Scymnus (Pullus) latemaculatus* Motschulsky, 1858 四斑小瓢蟲 Ref. Kavor, 2007  
*Scymnus (Pullus) leo* Yang, 1978 [特有] Ref. Kavor, 2007  
*Scymnus (Pullus) novenus* Yu, 1995 [特有] Ref. Kavor, 2007  
*Scymnus (Pullus) oestocraerus* Pang & Huang, 1985 Ref. Kavor, 2007  
*Scymnus (Pullus) perdere* Yang, 1978 蓋端小瓢蟲 Ref. 虞及王。1999  
*Scymnus (Pullus) petalinus* Yu, 1995 [特有] Ref. Kavor, 2007  
*Scymnus (Pullus) phylloides* Yu, 1995 [特有] Ref. Kavor, 2007  
*Scymnus (Pullus) posticalis* Sicard, 1914 Ref. Kavor, 2007  
*Scymnus (Pullus) ruficeps* (Ohta, 1929) Ref. Kavor, 2007  
*Scymnus (Pullus) shirozui* Kamiya Ref. 虞及王。1999  
*Scymnus (Pullus) takasago* Kamiya Ref. 虞及王。1999  
*Scymnus (Pullus) tenuis* Yang, 1978 Ref. Kavor, 2007  
*Scymnus (Pullus) vinhphuensis* Hoang, 1982 Ref. Kavor, 2007  
*Scymnus (Scymnus) bifurcatus* Yu, 1995 [特有] Ref. Kavor, 2007  
*Scymnus (Scymnus) grammicus* Yu, 1995 [特有] Ref. Kavor, 2007  
*Scymnus (Scymnus) nubilus* Mulsant, 1850 Ref. Kavor, 2007  
*Serangium formosanum* (Miyatake, 1961) [特有] Ref. Kavor, 2007  
*Serangium japonicum* Chapin, 1940 Ref. 虞及王。1999  
*Serangium yasumatsui* (Sasaji, 1967) [特有] Ref. Kavor, 2007  
*Seraniella okinawense* (Miyatake, 1961) Ref. Kavor, 2007  
*Shinghikalia subfasciata* Miyatake Ref. 虞及王。1999  
*Shirozuella alishanensis* Yu & Pang, 1992 [特有] Ref. Kavor, 2007  
*Shirozuella appendiculata* Yu & Pang, 1992 [特有] Ref. Kavor, 2007  
*Shirozuella mirabilis* Sasaji., 1967 Ref. 虞及王。1999

*Singhikalia ornata* Kapur, 1963 Ref. Kavor, 2007  
*Stethorus aptus* Kapur, 1948 黑囊食滿瓢蟲 Ref. Kavor, 2007  
*Stethorus changi* Sasaji, 1968 Ref. 虞及王。1999  
*Stethorus hirashimai* Sasaji, 1967 Ref. 虞及王。1999  
*Stethorus klapperichi* Yu, 1995 [特有] Ref. Kavor, 2007  
*Stethorus muriculatus* Yu, 1995 [特有] Ref. Kavor, 2007  
*Stethorus loi* Sasaji, 1968 Ref. 虞及王。1999  
*Sticholotis formosana* Weise, 1923 Ref. 虞及王。1999  
*Sticholotis hirashimai* Sasaji, 1968 Ref. 虞及王。1999  
*Sticholotis linguiformis* Yu, 1995 Ref. Kavor, 2007  
*Sticholotis maculata* Korschefsky, 1944 [特有] Ref. Kavor, 2007  
*Sticholotis morimotoi* Kamiya, 1965 Ref. 虞及王。1999  
*Sticholotis shirozui* (Sasaji, 1967) [特有] Ref. Kavor, 2007  
*Sticholotis taiwanensis* Miyatake, 1982 [特有] Ref. Kavor, 2007  
*Sticholotis tsunekii* (Sasaji, 1967) [特有] Ref. Kavor, 2007  
*Sticholotis undecimpunctata* Miyatake, 1982 [特有] Ref. Kavor, 2007  
*Sumnius babai* Sasaji, 1994 [特有] Ref. Kavor, 2007  
*Sumnius yunnanus* Mader, 1955 Ref. 虞及王。1999  
*Synona melanaria* (Mulsant, 1850) Ref. Kavor, 2007  
*Synonycha grandis* (Thunberg, 1781) 大突肩瓢蟲 Ref. 虞及王。1999  
*Telsimia chujoi* Miyatake, 1959 Ref. 虞及王。1999  
*Telsimia nagasakiensis* Miyatake, 1978 長崎寡節瓢蟲 Ref. 虞及王。1999  
*Telsimia nigra* (Weise, 1879) Ref. 虞及王。1999  
*Telsimia scymnoides* Miyatake, 1978 Ref. 虞及王。1999  
*Telsimia shirozui* Miyatake, 1965 Ref. 虞及王。1999  
*Verania discolor* (Fabricius, 1978) Ref. 虞及王。1999

#### Family Colydiidae 細堅蟲科

*Bitoma parallela* (Sharp, 1885) Ref. Sasaji, 1986  
*Bolcocius formosanus* Sasaji, 1984 [特有] Ref. Sasaji, 1984  
*Colobicus parilis* Pascoe, 1860 Ref. Sasaji, 1984  
*Metopiestes striolatus* Grouvelle, 1913 [特有] Ref. Grouvelle, 1913  
*Microvonus sauteri* Grouvelle, 1913 [特有] Ref. 同前  
*Neotrichus lanyuensis* Sasaji, 1986 [特有] Ref. Sasaji, 1986  
*Pycnomerus sculpturatus* Sharp, 1885 Ref. Grouvelle, 1913  
*Trachypholis ornatus* Grouvelle, 1911 [特有] Ref. 同前

#### Family Corylophidae 瑣微蟲科

*Anisomeristes castaneus* (Reitter, 1877) Ref. Miwa, 1931  
*Arthrolipes lewisi* Matthews, 1899 Ref. Hisamatsu, 1965  
*Arthrolipes fasciata* (Erichson, 1842) Ref. Thomas, 2005  
*Sericoderus lateralis* (Gyllenhal, 1827) Ref. Miwa, 1931

#### Family Cryptophagidae 吸木蟲科

*Atomaria (Anchicera) lewisi* Reitter, 1877 Ref. Johnson et al., 2007  
*Atomaria (Anchicera) obliqua* Johnson, 1971 Ref. 同前  
*Atomaria (Anchicera) pudica* Johnson, 1971 Ref. 同前  
*Atomaria (Anchicera) torrida* Johnson, 1971 Ref. 同前  
*Cryptophagus decoratus* Reitter, 1874 Ref. 同前  
*Cryptophagus latangulus* Reitter, 1889 Ref. 同前  
*Henoticus sinensis* Bruce, 1943 Ref. 同前  
*Tomarus formosianus* Grouvelle, 1913 [特有] Ref. Grouvelle, 1913

#### Family Cucujidae 扁甲科

*Cucujus haematodes* Lewis, 1888 紅翅扁甲 Ref. Lee & Satō, 2007  
*Cucujus mniszechi* Grouvelle, 1874 藍翅扁甲 Ref. Grouvelle, 1913  
*Cucujus nigripennis* Lee & Sato, 2007 黑翅扁甲 [特有] Ref. Lee & Satō, 2007

#### Family Cupedidae 長扁甲科

*Tenomerga anguliscutis* (Kolbe, 1886) 長扁甲 Ref. Neboiss, 1984  
*Tenomerga trabecula* Neboiss, 1984 斑鞘長扁蟲 Ref. Neboiss, 1984

#### Family Curculionidae 象鼻蟲科

*Abrimoides esakii* (Morimoto, 1958) Ref. Kojima & Lyal, 2002  
*Acicnemis biarcuata* Hubenthal, 1919 [特有] Ref. Miwa, 1931  
*Acicnemis bickhardti* Hubenthal, 1919 [特有] Ref. Miwa, 1931  
*Acicnemis kiotoensis* Nakane, 1963 Ref. Morimoto & Miyakawa, 1995  
*Acicnemis laeta* Hubenthal, 1919 [特有] Ref. Miwa, 1931  
*Acicnemis maculaalba* Roelofs, 1875 Ref. Morimoto & Miyakawa, 1995  
*Acicnemis nobilis* Hubenthal, 1919 [特有] Ref. Miwa, 1931  
*Acicnemis postica* Hubenthal, 1919 Ref. Morimoto & Miyakawa, 1995  
*Acicnemis sauteri* Hubenthal, 1919 Ref. 同前  
*Acicnemis shibatai* Voss, 1971 Ref. 同前  
*Acicnemis suturalis* Roelofs, 1875 Ref. 同前  
*Aclees hirayamai* Kono, 1933 Ref. Kōno, 1933

*Aclees taiwanensis* Kono, 1933 [特有] Ref. Kono, 1933  
*Aderorrhinus venustus* Kono, 1930 [特有] Ref. Miwa, 1931  
*Alcides albomaculatus* Kono, 1930 [特有] Ref. Miwa, 1931  
*Alcides ashinagazo* Kono, 1930 [特有] Ref. Miwa, 1931  
*Alcides erro* Pascoe, 1883 Ref. Miwa, 1931  
*Alcides roelofsi* Lewis, 1875 Ref. Miwa, 1931  
*Alcides sauteri* Heller, 1922 Ref. Miwa, 1931  
*Alcides scenicus* Faust, 1894 Ref. Miwa, 1931  
*Alcides takahashii* Kono, 1930 [特有] Ref. Miwa, 1931  
*Alcides trifidus* Kono, 1930 [特有] Ref. Miwa, 1931  
*Ampagia luzonae* Zimmerman, 1945 Ref. Morimoto & Kojima, 2003  
*Anthinobaris shirozui* (Morimoto, 1965) [特有] Ref. Kono, 1939  
*Anthonomus albomaculatus* Kono, 1939c [特有] Ref. Kojima & Morimoto, 1993  
*Anthonomus babai* Kojima & Morimoto, 1994 [特有] Ref. Kojima & Idris, 2004  
*Anthonomus collaris* (Voss, 1953) Ref. 同前  
*Anthonomus okinawanus* Kojima & Morimoto, 1994 Ref. 同前  
*Apionodes constricticollis* Kojima & Morimoto, 1993 [特有] Ref. Miwa, 1931  
*Apoderus brachialis* Voss, 1924 [特有] Ref. Miwa, 1931  
*Apoderus mushanus* Kono, 1930 [特有] Ref. Miwa, 1931  
*Apoderus nigroapicatus* Jekel, 1860 Ref. Miwa, 1931  
*Apoderus sejugatus* Voss, 1924 [特有] Ref. Miwa, 1931  
*Aspidobyciscus lacunipennis* Voss, 1931 [特有] Ref. Miwa, 1931  
*Auletobius nitens* Kono, 1930 [特有] Ref. Miwa, 1931  
*Auletobius subtuberculatus* Voss, 1921 [特有] Ref. Miwa, 1931  
*Auletobius tuberculatus* Voss, 1921 [特有] Ref. Miwa, 1931  
*Auletobius uniformis* Voss, 1921 [特有] Ref. Miwa, 1931  
*Autonopis tenuicornis* Heller, 1927 [特有] Ref. Miwa, 1931  
*Aviticis lanshuensis* Kojima & Morimoto, 2007 [特有] Ref. Kojima & Morimoto, 2007  
*Balaninus alboscuteallatus* Roelofs, 1874 Ref. Miwa, 1931  
*Balaninus capillatus* Heller, 1927 [特有] Ref. Miwa, 1931  
*Balaninus confucius* Heller, 1927 [特有] Ref. Miwa, 1931  
*Balaninus geniculatus* Heller, 1927 [特有] Ref. Miwa, 1931  
*Balaninus meleagris* Heller, 1927 [特有] Ref. Miwa, 1931  
*Balaninus nigromaculatus* Kono, 1930 [特有] Ref. Miwa, 1931  
*Balaninus reitteri* Heller, 1927 [特有] Ref. Miwa, 1931  
*Balaninus sauteri* Heller, 1927 [特有] Ref. Miwa, 1931  
*Balaninus simius* Heller, 1927 [特有] Ref. Miwa, 1931  
*Baris saccharivora* Matsumura, 1910 [特有] Ref. Morimoto & Miyakawa, 1996  
*Brimoides morimotoi* Kojima & Lyal, 2002 [特有] Ref. Kojima & Lyal, 2002  
*Calandra granaria* (Linne, 1768) Ref. Miwa, 1931  
*Calandra oryzae* (Linne, 1763) Ref. Miwa, 1931  
*Calomycterus variabilis* Kono, 1930 [特有] Ref. Miwa, 1931  
*Calyptopygus kumei* Yoshihara & Morimoto, 1997 Ref. Yoshihara & Morimoto, 1997  
*Carcilia mesosternalis* Heller, 1931 Ref. Morimoto, 1982  
*Carpoonius elegantulus* Morimoto, 1965 [特有] Ref. Morimoto, 1965  
*Centrocorynus scutellaris* Gyllenhal, 1833 Ref. Miwa, 1931  
*Cercidocerus erubescens* Heller, 1931 [特有] Ref. Morimoto, 1965  
*Chelonebarus burmanus* Marshall, 1948 Ref. Morimoto & Miyakawa, 1996  
*Chlorophanus lineolus* Motschulsky, 1853 Ref. Miwa, 1931  
*Coeliodes assimilis* Yoshitake & Kojima, 2001 Ref. Yoshitake & Kojima, 2001  
*Coeliodes castaneus* Korotyaev, 1997 [特有] Ref. Korotyaev, 1997  
*Coeliodes formosanus* Yoshitake & Kojima, 2001 Ref. Yoshitake & Kojima, 2001  
*Coeliodes gokani* Yoshitake, 2000 [特有] Ref. Yoshitake, 2000  
*Coeliodes gressitti* Korotyaev, 1997 [特有] Ref. Korotyaev, 1997  
*Coeliodes insignis* Yoshitake & Kojima, 2001 Ref. Yoshitake & Kojima, 2001  
*Coeliodes longirostris* Yoshitake & Kojima, 2001 Ref. 同前  
*Coeliodes major* Yoshitake & Kojima, 2001 Ref. 同前  
*Coeliodes taiwanensis* Yoshitake & Kojima, 2001 Ref. 同前  
*Coeliodes uedai* Yoshitake & Kojima, 2001 Ref. 同前  
*Colobodes formosanus* Kono, 1932 Ref. Morimoto, 1988  
*Colobodes rotundicollis* Morimoto, 1988 Ref. 同前  
*Corigetis brunneus* Matsumura, 1910 [特有] Ref. Miwa, 1931  
*Cosmopolites sordidus* Germar, 1824 Ref. Miwa, 1931  
*Cryptoderma fortunei* Waterhouse, 1853 Ref. Miwa, 1931  
*Curculio balmeri* Pelsue & Zhang, 2002 Ref. Pelsue & Zhang, 2002  
*Curculio breviscapus* (Heller, 1927) Ref. 同前  
*Curculio hirashimai* Morimoto, 1981 Ref. Morimoto, 1981  
*Cyrtepiptomus costatipennis* Morimoto, 1965 [特有] Ref. Morimoto, 1965  
*Demimaea basalis* Kono, 1939a [特有] Ref. Kono, 1939  
*Demimaea fascicularis* Kono, 1939a Ref. Kono, 1939  
*Demimaea minuta* Voss, 1937 [特有] Ref. Kono, 1939  
*Deporaus rufiventris* Voss, 1921 [特有] Ref. Miwa, 1931

*Deretiosus albicaudatus* Morimoto, 1988 Ref. Morimoto, 1988  
*Deretiosus angulicollis* (Heller, 1921) Ref. 同前  
*Deretiosus sellatus* Heller, 1949 Ref. 同前  
*Dermatoxenus caesicollis* (Gyllenhal, 1833) Ref. Miwa, 1931  
*Desmidophorus crassus* Hubenthal, 1917 Ref. Kôno, 1942  
*Dysceroides bipustulatus* Kono, 1933 [特有] Ref. Kôno, 1933  
*Echinocnemus bipunctatus* Roelofs, 1874 Ref. Miwa, 1931  
*Echinocnemus squameus* Billberg, 1820 Ref. Miwa, 1931  
*Ectatorhinus kawamurai* Kono, 1932 [特有] Ref. Kôno, 1932  
*Endaenidius babai* Kojima & Morimoto, 1995 [特有] Ref. Kojima & Morimoto, 1995  
*Endaeus elongatus* Kojima & Morimoto, 1995 [特有] Ref. 同前  
*Endaeus flavidus* Kojima & Morimoto, 1995d Ref. 同前  
*Endaeus formosanus* Kojima & Morimoto, 1995 [特有] Ref. 同前  
*Endaeus nipponicus* Voss & Chujo, 1960 Ref. Kojima & Morimoto, 1960  
*Endaeus nychiommatooides* Kojima & Morimoto, 1995d Ref. Kojima & Morimoto, 1995  
*Episomoides albinus* Matsumura, 1910 [特有] Ref. Miwa, 1931  
*Episomus albiguttatus* Matsumura, 1910 Ref. Miwa, 1931  
*Episomus lentus* Erichson, 1834 Ref. Miwa, 1931  
*Episomus takahashii* Kono, 1928 [特有] Ref. Miwa, 1931  
*Episomus watanabei* Kono, 1932 [特有] Ref. Kôno, 1932  
*Eugnathus cleroides* Voss, 1915 [特有] Ref. Miwa, 1931  
*Eugnathus distinctus* Roelofs, 1873 Ref. Miwa, 1931  
*Eusomidius rostralis* (Kono, 1930) [特有] Ref. Morimoto, 1965  
*Euthycus excisus* Heller, 1931 [特有] Ref. Kôno, 1933  
*Formosobaris conicotylosa* Morimoto & Yoshihara, 1996 [特有] Ref. Morimoto & Miyakawa, 1996  
*Gasterocercus onizo* Kono, 1932 [特有] Ref. Kôno, 1932  
*Gryporrhynchus obscuroides* Kojima & Morimoto, 1995e [特有] Ref. Kojima & Morimoto, 1995  
*Himatolabus chujoii* Kono, 1939b [特有] Ref. Kôno, 1939  
*Homacalyptus rufus* Voss, 1953 Ref. Morimoto, 1965  
*Hoplapoderus gemmatus* (Thunberg, 1784) Ref. Miwa, 1931  
*Hoplapoderus hystrix* Voss, 1926 Ref. Miwa, 1931  
*Hylobius kanoi* Kono, 1933 [特有] Ref. Morimoto, 1965  
*Hylobius minowai* Kono, 1933 [特有] Ref. 同前  
*Hylobius niitakensis* Kono, 1933 [特有] Ref. Kôno, 1933  
*Hylobius orientalis* Zumpt, 1932 [特有] Ref. Morimoto, 1965  
*Hylobius perforatus* Roelofs, 1873 Ref. Kôno, 1933  
*Hylobius pustulatus* Kono, 1933 [特有] Ref. Kôno, 1933  
*Hypomeces squamosus* (Fabricius, 1792) Ref. Miwa, 1931  
*Hyposipalus gigas* (Fabricius, 1775) Ref. Morimoto, 1965  
*Imachra saigusai* Morimoto & Miyakawa, 1996 [特有] Ref. Morimoto & Miyakawa, 1996  
*Imathia taiwanensis* Kojima & Morimoto, 1998 [特有] Ref. Kojima & Morimoto, 1998  
*Imera formosana* Kojima & Morimoto, 2005 [特有] Ref. Kojima & Morimoto, 2005  
*Imerodes rufus* (Voss, 1953) Ref. Kojima & Morimoto, 1995  
*Ittostria satoi* Kojima & Morimoto, 2007 [特有] Ref. Kojima & Morimoto, 2007  
*Ixalma guttulum* Kono, 1928 [特有] Ref. Miwa, 1931  
*Kashotonus multipunctatus* Kono, 1942b [特有] Ref. Kôno, 1942  
*Kobuzo kikuchii* Kono, 1933 [特有] Ref. Kôno, 1933  
*Kotoshozo kotoensis* Kono, 1942a [特有] Ref. Kôno, 1942  
*Laogenia formosana* Heller, 1927 [特有] Ref. Miwa, 1931  
*Larinus ovalis* Kono, 1929 [特有] Ref. Miwa, 1931  
*Larinus variegatus* Kono, 1929 [特有] Ref. Miwa, 1931  
*Lepidimerodes taiwanensis* Kojima & Morimoto, 1995c [特有] Ref. Kojima & Morimoto, 1995  
*Lissorhoptrus oryzophilus* Kuschel, 1952 水稻水象鼻蟲 Ref. Shih, website  
*Listrobyctiscus patruelis* (Voss, 1921) [特有] Ref. Miwa, 1931  
*Lixus aethiops* (Herbst, 1795) Ref. Miwa, 1931  
*Lixus akonis* Kono, 1929 [特有] Ref. Miwa, 1931  
*Lixus auriculatus* Sahlberg, 1823 Ref. Miwa, 1931  
*Lixus madaranus* Kono, 1929 [特有] Ref. Miwa, 1931  
*Lixus rufitibialis* Kono, 1929 [特有] Ref. Miwa, 1931  
*Lobotrachelus formosanus* Morimoto, 1965 [特有] Ref. Morimoto, 1965  
*Lubaninus plicatulus* Heller, 1825 [特有] Ref. Morimoto, 1981  
*Lystrus tibialis* Kono, 1928 [特有] Ref. Miwa, 1931  
*Macrocorynus hirsutus* Morimoto, 1965 [特有] Ref. Morimoto, 1965  
*Mechistocerus fukiensis* Voss, 1958 Ref. 同前  
*Mecopus bispinosus* (Weber, 1801) Ref. Miwa, 1931  
*Mecysmoderes ater* Hustache, 1916 Ref. Morimoto, 1965  
*Mecysmoderes consularis* (Schönherr, 1870) [特有] Ref. Miwa, 1931  
*Mecysolobus scenicus* (Faus, 1894) Ref. Morimoto, 1965  
*Mesalcidodes trifidus* (Pascoe, 1870) Ref. 同前  
*Metapocyrtus immeritus* Schultze, 1925 Ref. Miwa, 1931  
*Metapocyrtus kashotonus* Kono, 1942b [特有] Ref. Kôno, 1942  
*Myllocerus canoixoides* Kono, 1930 [特有] Ref. Miwa, 1931

*Myllocerus guttulum* Matsumura, 1910 [特有] Ref. Miwa, 1931  
*Myllocerus setosus* Kono, 1930 [特有] Ref. Miwa, 1931  
*Myosides formosanus* Morimoto & Lee, 1993 [特有] Ref. Morimoto & Lee, 1993  
*Myosides marshalli* (Heller, 1931) [特有] Ref. 同前  
*Nanophyes chibizo* Kono, 1930 [特有] Ref. Miwa, 1931  
*Nanophyes formosensis* Kono, 1930 [特有] Ref. Miwa, 1931  
*Nanophyes miwai* Kono, 1930 [特有] Ref. Miwa, 1931  
*Nanophyes plumbeus* Motschulsky, 1866 Ref. Miwa, 1931  
*Neodeporaus femoralis* Kono, 1928 [特有] Ref. Miwa, 1931  
*Ochyromera miwai* Kono, 1939 Ref. Kojima & Morimoto, 1996  
*Ochyromera suturalis* Kojima & Morimoto, 1996 Ref. 同前  
*Ommatolampus parataroides* Heller, 1896 Ref. Miwa, 1931  
*Orchestes matsumuranus* Kono, 1930 [特有] Ref. Miwa, 1931  
*Orsophagus subfasciatus* Kojima & Morimoto, 2005 Ref. Kojima & Morimoto, 2005  
*Pachyrrhynchus chlorites* Chevrolat, 1881 Ref. Kono, 1942  
*Pachyrrhynchus insularis* Kano, 1929 [特有] Ref. Miwa, 1931  
*Pachyrrhynchus moniliferus* Kono, 1930 [特有] Ref. Miwa, 1931  
*Pachyrrhynchus nobilis* Kano, 1929 [特有] Ref. Miwa, 1931  
*Pachyrrhynchus orbifer* Waterhouse, 1841 Ref. Kono, 1942  
*Pachyrrhynchus sarcitis* Kono, 1930 [特有] Ref. Miwa, 1931  
*Pachyrrhynchus tobafolius* Kano, 1929 [特有] Ref. Kono, 1942  
*Paracycnotrachelus longiceps* (Motschulsky, 1860) Ref. Miwa, 1931  
*Parimera subflava* Kojima & Morimoto, 2005 [特有] Ref. Kojima & Morimoto, 2005  
*Paroplapoderus pardaloides* (Voss, 1924) [特有] Ref. Miwa, 1931  
*Paroplapoderus shirakii* Kono, 1930 [特有] Ref. Miwa, 1931  
*Paroplapoderus validus* Kono, 1930 [特有] Ref. Miwa, 1931  
*Paroplapoderus vitticeps* (Jekel, 1860) Ref. Miwa, 1931  
*Paroplapoderus vitticeps* Voss, 1924 Ref. Miwa, 1931  
*Phymatopoderus monticola* Voss, 1926 Ref. Miwa, 1931  
*Phytoscaphus formosanus* Matsumura, 1910 [特有] Ref. Miwa, 1931  
*Piezonotus hirayamai* Kono, 1942a [特有] Ref. Kono, 1942  
*Poteriophorus uhlemanni* (Schultze, 1922) Ref. Kono, 1942  
*Prodiocetes formosanus* Heller, 1931 [特有] Ref. Morimoto, 1965  
*Pyrgops gibbifrons* Kono, 1942a [特有] Ref. Kono, 1942  
*Rhynchites bisulcatus* Voss, 1921 [特有] Ref. Miwa, 1931  
*Rhynchites erythropterus* Voss, 1921 [特有] Ref. Miwa, 1931  
*Rhynchites pilositessellatus* Voss, 1921 [特有] Ref. Miwa, 1931  
*Rhynchites schenklingsi* Voss, 1921 [特有] Ref. Miwa, 1931  
*Rhynchophorus ferugineus* (Olivier, 1790) Ref. Miwa, 1931  
*Rhynchophorus longimanus* (Fabricius, 1775) [特有] Ref. Miwa, 1931  
*Rhynoncus formosanus* Korotyaev, 1997 [特有] Ref. Korotyaev, 1997  
*Sipalomimus singularis* Voss, 1958 Ref. Morimoto, 1965  
*Sipalus formosanus* Kono, 1934 [特有] Ref. Kono, 1934  
*Sphenocorynus cinereus* Illiger, 1800 Ref. Miwa, 1931  
*Sphenocorynus perelegans* Fairmaire, 1898 Ref. Miwa, 1931  
*Sphinxis formosanus* Kojima & Morimoto, 2000 [特有] Ref. Kojima & Morimoto, 2000  
*Sphinxis lychoui* Kojima & Morimoto, 2000 [特有] Ref. 同前  
*Sphinxis maculipennis* Kojima & Morimoto, 2000 [特有] Ref. 同前  
*Sphinxis ovalis* Kojima & Morimoto, 2000 Ref. 同前  
*Sympeizomias cribricollis* Kono, 1930 [特有] Ref. Miwa, 1931  
*Synorchestes grisescens* Voss, 1958 Ref. Morimoto & Miyakawa, 1996  
*Taiwanobaris femorata* Morimoto & Yoshihara, 1996 [特有] Ref. 同前  
*Taiwanobyctiscus formosanus* (Voss, 1921) [特有] Ref. Miwa, 1931  
*Taiwanobyctiscus separandus* Voss, 1921 [特有] Ref. Miwa, 1931  
*Taiwanobyctiscus separandus* (Voss, 1930) [特有] Ref. Miwa, 1931  
*Tanymecus circumdatus* (Wiedemann, 1821) Ref. Miwa, 1931  
*Tenguzo bipustulatus* Kono, 1929 [特有] Ref. Miwa, 1931  
*Thamnobius orientalis* Kojima & Morimoto, 2002 Ref. Kojima & Morimoto, 2002  
*Tomapoderus coeruleipennis* (Schilsky, 1903) Ref. Miwa, 1931  
*Tomapoderus flaviceps* (Desbrochers, 1890) Ref. Miwa, 1931  
*Trigonocolus elegans* (Kono, 1928) Ref. Morimoto, 1965  
*Xanthochelus perlatus* (Fabricius, 1801) Ref. Miwa, 1931  
*Xenysmoderes consularis* (Pascoe, 1869) [特有] Ref. Yoshitake, 2005  
*Xenysmoderes ruficollis* Yoshitake, 2005 [特有] Ref. 同前

#### Family Dascillidae 花甲科

*Dascillus taiwanus* Nakane, 1995 台灣長翅花甲 [特有] Ref. Nakane, 1995  
*Metallidascillus sasaji* Sato & Osawa, 2001 黑胸紅花甲 [特有] Ref. Sato & Osawa, 2001  
*Metallidascillus yangi* Sato, Li & Lee 2004 紅花甲 [特有] Ref. Sato, Li & Lee, 2004

#### Family Dermestidae 鯉節蟲科

*Anthrenus (Anthrenodes) maculifer* Reitter, 1881 Ref. Háva, 2003  
*Dermestes (Dermestes) nidum* Arrow, 1915 Ref. Háva, 2003

*Dermestes (Dermestes) peruvianus* Castelnau & Laporte, 1840 Ref. Háva, 2003  
*Dermestes (Dermestinus) carnivorus* Fabricius, 1775 Ref. Háva, 2003  
*Dermestes (Dermestinus) shaaxiensis* Cao, 1987 Ref. Háva, 2003  
*Evorinea indica* (Arrow, 1915) Ref. Háva, 2003  
*Evorinea iota* (Arrow, 1915) Ref. Háva, 2007  
*Orphinus (Orphinus) fasciatus* (Matsumura & Yokoyaam, 1928) Ref. Háva, 2003  
*Thaumaglossa hilleri* Reitter, 1881 Ref. Háva, 2003  
*Thaumaglossa laeta* Arrow, 1915 Ref. Háva, 2003  
*Trinodes niger* Matsumura & Yokoyama, 1928 [特有] Ref. Háva, 2003

#### Family Discolomatidae 盤甲科

*Aphanocephalus dahli* John, 1971 [特有] Ref. Schawaller, 2007  
*Aphanocephalus fellax* John, 1955 [特有] Ref. 同前  
*Aphanocephalus formosanus* John, 1954 [特有] Ref. Hisamatsu, 1965  
*Aphanocephalus pubescens* Grouvelle, 1912 Ref. Schawaller, 2007  
*Aphanocephalus sauteri* John, 1971 [特有] Ref. John, 1971  
*Aphanocephalus taiwanus* John, 1967 [特有] Ref. Schawaller, 2007

#### Family Dryopidae 泥蟲科

*Pachyparnus dicksoni* Waterhouse, 1878 迪氏長泥蟲 [特有] Ref. Waterhouse, 1878  
*Pachyparnus gressitti* Hinton, 1936 葛氏長泥蟲 [特有] Ref. Hinton, 1936  
*Pachyparnus indicus* Waterhouse, 1876 印度長泥蟲 Ref. Waterhouse, 1876  
*Pachyparnus kanoi* Bollow, 1940 河野氏長泥蟲 [特有] Ref. Bollow, 1940  
*Stenomystax jengi* Kodada, Jach & Ciampor 2003 鄭氏溪泥蟲 [特有] Ref. Kodada, Jach & Ciampor, 2003

#### Family Dytiscidae 龍蝨科

*Agabus ezo* Nakane, 1989 北方豆龍蝨 Ref. Nilsson, Wewalka, Wang & Sato, 1995  
*Agabus fulvipennis* Regimbart, 1899 黃紋豆龍蝨 Ref. 同前  
*Agabus hummeli* Falkenstron, 1936 休氏豆龍蝨 Ref. 同前  
*Agabus japonicus* Sharp, 1873 日本豆龍蝨 Ref. 同前  
*Agabus taiwanensis* Nilsson & Wewalka, 1994 台灣豆龍蝨 [特有] Ref. 同前  
*Allopachria wangi* Wewalka & Nilsson, 1994 汪氏彩斑龍蝨 [特有] Ref. 同前  
*Allopacria taiwanus* (Sato, 1990) 台灣彩斑龍蝨 [特有] Ref. 同前  
*Copelatus andamanicus* Regimbart, 1899 日本扁龍蝨 Ref. 同前  
*Copelatus japonicus* Sharp, 1884 安達曼扁龍蝨 Ref. 同前  
*Copelatus sociennus* J. Bolfour-Browne, 1952 友朋扁龍蝨 Ref. 同前  
*Copelatus tenebrosis* Regimbart, 1880 暗色扁龍蝨 Ref. 同前  
*Cybister brevis* Aube, 1838 短腹大龍蝨 Ref. 同前  
*Cybister japonicus* Sharp, 1873 日本大龍蝨 Ref. 同前  
*Cybister limbatus* (Fabricius, 1775) 毛足大龍蝨 Ref. 同前  
*Cybister rugosus* (MacLeay, 1825) 橙斑大龍蝨 Ref. 同前  
*Cybister sugillatus* Erichson, 1834 紅邊大龍蝨 Ref. 同前  
*Cybister tripunctatus* (Olivier, 1795) 點刻三線大龍蝨 Ref. 同前  
*Cybister ventralis* Sharp, 1882 大龍蝨 Ref. 同前  
*Eretes sticticus* Linn., 1767 灰色龍蝨 Ref. 同前  
*Herophydrus rufus* Clark, 1863 擬球龍蝨 Ref. 同前  
*Hydaticus bowringii* Clark, 1864 鮑氏麗龍蝨 Ref. 同前  
*Hydaticus luczonicus* Aube, 1838 呂宋麗龍蝨 Ref. 同前  
*Hydaticus pacificus* Aube, 1838 太平洋麗龍蝨 Ref. 同前  
*Hydaticus rhantoides* Sharp, 1882 姬麗龍蝨 Ref. 同前  
*Hydaticus satoi* Wewalka, 1975 佐藤氏麗龍蝨 Ref. 同前  
*Hydaticus vittatus* (Fabricius, 1775) 黃紋麗龍蝨 Ref. 同前  
*Hydroglyphus amamiensis* (Sato, 1961) 奄美多節龍蝨 Ref. 同前  
*Hydroglyphus flammulatus* (Sharp, 1882) 紅腹多節龍蝨 Ref. 同前  
*Hydroglyphus inconstans* (Regimbart, 1892) 小多節龍蝨 Ref. 同前  
*Hydrovatus acuminatus* Motschulsky, 1859 尖尾圓龍蝨 Ref. 同前  
*Hydrovatus bonvouloinri* Sharp, 1882 邦氏圓龍蝨 Ref. 同前  
*Hydrovatus seminarinus* Motschulsky, 1859 暗褐圓龍蝨 Ref. 同前  
*Hydrovatus subtilis* Sharp, 1882 小圓龍蝨 Ref. 同前  
*Hygrotus chinensis* (Sharp, 1882) Ref. Fery, 2003  
*Hyphydrus japonicus* Sharp, 1873 日本球龍蝨 Ref. Nilsson, Wewalka, Wang & Sato, 1995  
*Hyphydrus lyratus* Swartz, 1808 條紋球龍蝨 Ref. 同前  
*Hyphydrus orientalis* Clark, 1863 東方球龍蝨 Ref. 同前  
*Hyphydrus pulchellus* Clark, 1863 麗球龍蝨 Ref. 同前  
*Laccinectus basalis* Sharp, 1882 橙色扁龍蝨 Ref. 同前  
*Laccinectus formosanus* (Kamiya, 1938) 台灣橙色扁龍蝨 Ref. 同前  
*Laccophilus chinensis* Boheman, 1858 中華粒龍蝨 Ref. 同前  
*Laccophilus flexuosus* Aube, 1838 曲紋粒龍蝨 Ref. 同前  
*Laccophilus kobensis* Sharp, 1873 神戶粒龍蝨 Ref. 同前  
*Laccophilus sharpi* Regimbart, 1889 夏普氏粒龍蝨 Ref. 同前  
*Laccophilus siamensis* Brancucci, 1983 暹羅粒龍蝨台灣亞種 Ref. Brancucci, 1983  
*Leiodytes frontalis* (Sharp, 1884) 扶桑點刻龍蝨 Ref. Nilsson, Wewalka, Wang & Sato, 1995  
*Leiodytes lanyuensis* Wang et al., 1998 蘭嶼點刻龍蝨 [特有] Ref. Wang, Sato & Yang, 1998

*Leiodytes perforatus* (Sharp, 1882) 點刻龍蝨 Ref. Nilsson, Wewalka, Wang & Sato, 1995  
*Liodesmus megacephalus* Gschwendtner, 1931 大頭豹斑龍蝨 Ref. 同前  
*Microdytes uenoi* Sato, 1972 上野氏微龍蝨 Ref. 同前  
*Nebrioporus hostillis* Sharp, 1884 條紋龍蝨 Ref. 同前  
*Neonectes babai* Sato, 1990 台灣彩斑龍蝨 [特有] Ref. 同前  
*Neptosternus taiwanensis* Hendrich & Balke, 1997 台灣彩裳粒龍蝨 [特有] Ref. Hendrich & Balke, 1997  
*Platambus pictipennis* Sharp, 1873 厚豆龍蝨 Ref. Nilsson, Wewalka, Wang & Sato, 1995  
*Platynectes babai* Sato, 1982 馬場氏扁形豆龍蝨 [特有] Ref. 同前  
*Platynectes gemellatus* Stastny, 2003 Ref. Stastny, 2003  
*Pseuduvarus vitticollis* Boheman, 1848 偽無縫龍蝨 Ref. Nilsson, Wewalka, Wang & Sato, 1995  
*Rhantaticus congestus* Klug, 1833 擬姬龍蝨 Ref. 同前  
*Rhantus formosanus* Kamiya, 1938 台灣姬龍蝨 [特有] Ref. 同前  
*Rhantus suturalis* MacLeay, 1825 姬龍蝨 Ref. 同前

### Family Elateridae 叩頭蟲科

*Abelater babanus* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Abelater bousaianus* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Abelater makiharai* Ohira, 1970 [特有] Ref. Suzuki, 1999  
*Abelater nigrolineatus* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Abelater taiwanus* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Actenicerus formosensis* (Miwa, 1928) [特有] Ref. Suzuki, 1999  
*Actenicerus mushanus* (Miwa, 1928) [特有] Ref. Suzuki, 1999  
*Actenicerus takeshii* Arimoto, 1992 [特有] Ref. Suzuki, 1999  
*Adelocera ami* Kishii, 1996 [特有] Ref. Suzuki, 1999  
*Adelocera difficilis* (Lewis, 1894) Ref. Suzuki, 1999  
*Adelocera gressitti* (Ohira, 1972) [特有] Ref. Suzuki, 1999  
*Adelocera shibatai* Kishii, 1996 [特有] Ref. Suzuki, 1999  
*Adelocera shirozui* (Ohira, 1967) [特有] Ref. Suzuki, 1999  
*Adelocera takasago* Kishii, 1996 [特有] Ref. Suzuki, 1999  
*Adelocera tumens* Candeze, 1873 Ref. Suzuki, 1999  
*Aeoloderma brachmana* (Candeze, 1859) Ref. Suzuki, 1999  
*Agaripenthes babai* (Kishii, 1989) [特有] Ref. Suzuki, 1999  
*Agriotes babanus* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Agriotes fulgens* Ohira, 1966 [特有] Ref. Suzuki, 1999  
*Agriotes gracilis* (Miwa, 1931) [特有] Ref. Suzuki, 1999  
*Agriotes liukuiensis* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Agriotes shirozui* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Agriotes shykshanus* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Agriotes takasago* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Agriotes tonkinensis* (Fleutiaux, 1895) Ref. Suzuki, 1999  
*Agriotes yushihanus* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Agrypnus ami* Kishii, 1995 [特有] Ref. Suzuki, 1999  
*Agrypnus argillaceus* (Ohira, 1966) [特有] Ref. Suzuki, 1999  
*Agrypnus babanus* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Agrypnus baibaranus* Hayek, 1973 Ref. Suzuki, 1999  
*Agrypnus bipapulatus* (Candeze, 1865) Ref. Suzuki, 1999  
*Agrypnus dilatipennis* Kishii, 1995 [特有] Ref. Suzuki, 1999  
*Agrypnus formosanus* (Bates, 1866) [特有] Ref. Suzuki, 1999  
*Agrypnus formosanus* Kishii, 1995 [特有] Ref. Suzuki, 1999  
*Agrypnus kawamurae* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Agrypnus liukueiensis* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Agrypnus modestus* (Candeze, 1857) Ref. Suzuki, 1999  
*Agrypnus montanus* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Agrypnus muscroides* Kishii, 1995 [特有] Ref. Suzuki, 1999  
*Agrypnus nagaoui* (Ohira, 1966) Ref. Suzuki, 1999  
*Agrypnus polishaensis* Ohira, 1977 [特有] Ref. Suzuki, 1999  
*Agrypnus sakaguchii* (Miwa, 1927) Ref. Suzuki, 1999  
*Agrypnus sauteri* (Ohira, 1970) [特有] Ref. Suzuki, 1999  
*Agrypnus setiger* (Bates, 1866) Ref. Suzuki, 1999  
*Agrypnus shirakii* (Matsumura, 1910) [特有] Ref. Suzuki, 1999  
*Agrypnus taciturnus* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Agrypnus taiwanus* (Miwa, 1927) [特有] Ref. Suzuki, 1999  
*Agrypnus takasago* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Agrypnus tostus* (Candeze, 1857) Ref. Suzuki, 1999  
*Agrypnus tuberculipennis* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Agrypnus uraiensis* (Miwa, 1929) Ref. Suzuki, 1999  
*Allocardiophorus shirozui* (Ohira, 1968) [特有] Ref. Suzuki, 1999  
*Amamipenthes formosensis* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Ampedus agnatus* Schimmel, 1993 [特有] Ref. Cate, 2007b  
*Ampedus formosensis* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Ampedus fulvipennis* Ohira, 1967 [特有] Ref. Suzuki, 1999  
*Ampedus habunensis* (Miwa, 1934) [特有] Ref. Suzuki, 1999

*Ampedus kintaroui* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Ampedus leptgracilis* Ohira, 1967 [特有] Ref. Suzuki, 1999  
*Ampedus lini* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Ampedus masamichii* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Ampedus masculatus* Ohira, 1966 [特有] Ref. Suzuki, 1999  
*Ampedus pseudoflavobasalis* Schimmel, 1993 [特有] Ref. Cate, 2007b  
*Ampedus shirozui* Ohira, 1966 [特有] Ref. Suzuki, 1999  
*Ampedus taichangi* Ohira, 1967 [特有] Ref. Suzuki, 1999  
*Ampedus tattakensis* Ohira, 1966 [特有] Ref. Suzuki, 1999  
*Ampedus viridipennis* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Ampedus yagii* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Ampedus yushiroi* Suzuki, 1985 [特有] Ref. Suzuki, 1999  
*Anathesis laconooides* Candeze, 1865 Ref. Suzuki, 1999  
*Anthracalaus chujoi* (Miwa, 1939) [特有] Ref. Suzuki, 1999  
*Arhaphes takasago* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Athous rufithorax* Miwa, 1930 [特有] Ref. Suzuki, 1999  
*Athous shirozui* Ohira, 1966 [特有] Ref. Suzuki, 1999  
*Athous temperatus* (Miwa, 1930) [特有] Ref. Suzuki, 1999  
*Babadrasterius sexpunctatus* (Miwa, 1927) [特有] Ref. Suzuki, 1999  
*Campsosternus auratus* (Drury, 1773) 大青叩頭蟲 Ref. Suzuki, 1999  
*Campsosternus guishuni* Ohira, 1977 台灣大青叩頭蟲 [特有] Ref. Suzuki, 1999  
*Campsosternus mirabilis* Fleutiaux, 1930 大綠叩頭蟲 [特有] Ref. Suzuki, 1999  
*Campsosternus watanabei* Miwa, 1927 虹彩叩頭蟲 [特有] Ref. Suzuki, 1999  
*Campsosternus yasukii* Suzuki, 2002 紅緣大青叩頭蟲 [特有] Ref. Suzuki, 2002  
*Cardiophypnus coomani* (Fleutiaux, 1925) [特有] Ref. Suzuki, 1999  
*Cardiophorus baibaranus* Miwa, 1930 [特有] Ref. Suzuki, 1999  
*Cardiophorus sonanis* Miwa, 1930 [特有] Ref. Suzuki, 1999  
*Cardiotarsus babai* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Cardiotarsus housaianus* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Cardiotarsus humeralis* Miwa, 1930 [特有] Ref. Suzuki, 1999  
*Cardiotarsus pallidipes* Miwa, 1930 [特有] Ref. Suzuki, 1999  
*Cardiotarsus rarus* Miwa, 1927 [特有] Ref. Suzuki, 1999  
*Cardiotarsus taiwanus* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Cardiotarsus yagii* Kishii, 1992 [特有] Ref. Suzuki, 1999  
*Cebriorhipis striatulus* Bourgeois, 1896 Ref. Sanchez-Ruiz & Lobl, 2007  
*Chatanayus fuscus* (Miwa, 1930) [特有] Ref. Suzuki, 1999  
*Chatanayus taiyarui* (Miwa, 1934) [特有] Ref. Suzuki, 1999  
*Corymbitodes fuscipes* (Miwa, 1931) [特有] Ref. Suzuki, 1999  
*Corymbitodes speciosus* (Miwa, 1928) [特有] Ref. Suzuki, 1999  
*Cryptalaus berus* (Candeze, 1874) Ref. Suzuki, 1999  
*Cryptalaus elongatus* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Cryptalaus larvatus* (Candeze, 1874) Ref. Suzuki, 1999  
*Cryptalaus mus* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Cryptalaus podargus* (Candeze, 1874) Ref. Suzuki, 1999  
*Cryptalaus shibatai* Kishii, 1996 [特有] Ref. Suzuki, 1999  
*Csikia dimatoides* Szombathy, 1910 [特有] Ref. Suzuki, 1999  
*Denticollis mounaldau* Miwa, 1931 [特有] Ref. Suzuki, 1999  
*Denticollis puerilis* Miwa, 1931 [特有] Ref. Suzuki, 1999  
*Dima nebriomorpha* Suzuki, 1979 [特有] Ref. Suzuki, 1999  
*Drapetes jansoni* Bonvoulior, 1895 Ref. Smetana, 2007  
*Drasterius collairs* (Kishii, 1996) [特有] Ref. Suzuki, 1999  
*Ectamenogonus bispinicollis* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Ectamenogonus plebejus* (Candeze, 1873) Ref. Suzuki, 1999  
*Ectamenogonus umber* (Bates, 1866) [特有] Ref. Suzuki, 1999  
*Ectinus nokozanus* (Miwa, 1928) [特有] Ref. Suzuki, 1999  
*Ectinus sonanis* (Miwa, 1928) [特有] Ref. Suzuki, 1999  
*Ectinus yushiroi* Suzuki, 1999 [特有] Ref. Suzuki, 1999  
*Fleutiauxellus babanus* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Gamepentes antennatus* (Miwa, 1934) [特有] Ref. Suzuki, 1999  
*Gamepentes montivagus* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Glyphonyx ami* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx apayao* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx arisanus* Miwa, 1931 [特有] Ref. Suzuki, 1999  
*Glyphonyx atayal* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx brunneipennis* Miwa, 1931 [特有] Ref. Suzuki, 1999  
*Glyphonyx castaneus* Miwa, 1931 [特有] Ref. Suzuki, 1999  
*Glyphonyx chipenensis* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Glyphonyx exilis* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx flavicollis* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx formosanus* Ohira, 1972 [特有] Ref. Suzuki, 1999  
*Glyphonyx fuscicollis* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx grossus* Kishii, 1994 [特有] Ref. Suzuki, 1999

*Glyphonyx housaii* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx kankau* Miwa, 1931 [特有] Ref. Suzuki, 1999  
*Glyphonyx kintaroui* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx liukuensis* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Glyphonyx longicornis* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Glyphonyx longipennis* Ohira, 1966 [特有] Ref. Suzuki, 1999  
*Glyphonyx longulus* Miwa, 1930 [特有] Ref. Suzuki, 1999  
*Glyphonyx marginalis* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Glyphonyx muneaka* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx nitidicollis* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx oiwakensis* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx paiwan* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx parallelaris* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx rubiginosus* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx rubricollis* Miwa, 1928 Ref. Suzuki, 1999  
*Glyphonyx rufithorax* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx sauteri* Miwa, 1931 Ref. Suzuki, 1999  
*Glyphonyx shirozuanus* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx taiwan* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx taiwanus* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Glyphonyx takasago* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Glyphonyx vunun* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Hayekpentes babakinsanus* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Hayekpentes parallelaris* (Miwa, 1927) [特有] Ref. Suzuki, 1999  
*Hemicrepidius nigripennis* (Miwa, 1928) [特有] Ref. Suzuki, 1999  
*Hemicrepidius rufangulus* (Miwa, 1928) [特有] Ref. Suzuki, 1999  
*Hemiops flava* Castelnau, 1836 Ref. Suzuki, 1999  
*Heteroderes albicans* Candeze, 1878 Ref. Suzuki, 1999  
*Heteroderes changi* Ohira, 1967 [特有] Ref. Suzuki, 1999  
*Heteroderes intermedius* Candeze, 1893 Ref. Suzuki, 1999  
*Heteroderes oblitus* Candeze, 1859 Ref. Suzuki, 1999  
*Lacon atayal* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Lacon kikuchii* Miwa, 1929 [特有] Ref. Suzuki, 1999  
*Lacon kintaroui* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Lacon kushihige* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Lacon mausoni* Hayek, 1973 Ref. Suzuki, 1999  
*Lacon modestus* (Boisduval, 1835) Ref. Suzuki, 1999  
*Lacon puriensis* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Lacon ramatasenseni* (Miwa, 1934) [特有] Ref. Suzuki, 1999  
*Lanecarus amianus* (Miwa, 1934) [特有] Ref. Suzuki, 1999  
*Lanecarus babai* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Lanecarus lineatus* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Lanelater aequalis* (Candeze, 1857) Ref. Suzuki, 1999  
*Lanelater pescadorensis* (Miwa, 1934) [特有] Ref. Suzuki, 1999  
*Lanelater politus* (Candeze, 1857) [特有] Ref. Cate, 2007a  
*Ludioschema apayao* (Kishii, 1993) [特有] Ref. Suzuki, 1999  
*Ludioschema marginicolle* (Miwa, 1928) [特有] Ref. Suzuki, 1999  
*Ludioschema obscuripes* (Gyllenhal, 1817) Ref. Suzuki, 1999  
*Ludioschema okinawense* (Miwa, 1927) [特有] Ref. Cate, 2007b  
*Ludioschema opacipenne* (Kishii, 1993) [特有] Ref. Suzuki, 1999  
*Ludioschema taikozanum* (Miwa, 1928) [特有] Ref. Suzuki, 1999  
*Ludioschema vittiger* (Miwa, 1927) [特有] Ref. Suzuki, 1999  
*Ludioschema yushiroi* Suzuki, 1999 Ref. Suzuki, 1999  
*Megapenthes oblongicollis* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Megapenthes tattakensis* (Ohira, 1966) [特有] Ref. Suzuki, 1999  
*Melanotus amianus* Kishii, 1992 [特有] Ref. Suzuki, 1999  
*Melanotus atayal* Kishii & Platia, 1991 [特有] Ref. Suzuki, 1999  
*Melanotus babai* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Melanotus brunniopacus* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Melanotus chengi* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Melanotus frequens* (Miwa, 1930) [特有] Ref. Suzuki, 1999  
*Melanotus gracilipennis* Kishii & Platia, 1993 [特有] Ref. Suzuki, 1999  
*Melanotus horishanus* (Miwa, 1927) [特有] Ref. Suzuki, 1999  
*Melanotus hourai* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Melanotus housaii* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Melanotus kawakatsui* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Melanotus kintaroui* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Melanotus kishii* Platia, 2005 [特有] Ref. Platia, 2005  
*Melanotus lameyi* Fleutiaux, 1918 Ref. Cate, 2007c  
*Melanotus liukueiensis* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Melanotus lutooanus* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Melanotus melanotoides* (Miwa, 1930) [特有] Ref. Suzuki, 1999

*Melanotus oblongulus* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Melanotus pilosulus* (Miwa, 1927) [特有] Ref. Suzuki, 1999  
*Melanotus pishanensis* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Melanotus rufiventris* Miwa, 1930 [特有] Ref. Suzuki, 1999  
*Melanotus shinoharai* Kishii & Platia, 1993 [特有] Ref. Suzuki, 1999  
*Melanotus taiwanus* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Melanotus takaoanus* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Melanotus takasago* Kishii, 1989 [特有] Ref. Suzuki, 1999  
*Melanotus tamsuyensis* Bates, 1866 [特有] Ref. Suzuki, 1999  
*Melanotus vunum* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Melanotus yagianus* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Melanoxanthus melanocephalus* (Fabricius, 1781) Ref. Suzuki, 1999  
*Melanoxanthus nigripennis* Fleutiaux, 1928 Ref. Suzuki, 1999  
*Melanoxanthus yushiroi* Suzuki, 1999 [特有] Ref. Suzuki, 1999  
*Meristhus babai* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Meristhus quadripunctatus* Candeze, 1857 [特有] Ref. Suzuki, 1999  
*Metriaulacus formosanus* Miwa, 1927 Ref. Suzuki, 1999  
*Mulsanteus rubuginosus* (Ohira, 1966) Ref. Suzuki, 1999  
*Mulsanteus shirozui* (Ohira, 1966) [特有] Ref. Suzuki, 1999  
*Neodrasterius kiyoyamai* Kishii, 1996 [特有] Ref. Suzuki, 1999  
*Neopenthes horishanus* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Neopsephus takasago* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Oedostethus cryptohypnoidus* (Miwa, 1930) [特有] Ref. Suzuki, 1999  
*Oedostethus nitobei* (Miwa, 1930) [特有] Ref. Suzuki, 1999  
*Orthostethus babai* (Kishii, 1989) [特有] Ref. Suzuki, 1999  
*Parabetarmon carinicephalus* (Miwa, 1931) Ref. Suzuki, 1999  
*Paracardiophorus carduelis* (Candeze, 1865) Ref. Suzuki, 1999  
*Paracardiophorus devastans* (Matsumura, 1910) [特有] Ref. Suzuki, 1999  
*Paradima tattakensis* Miwa, 1928 [特有] Ref. Suzuki, 1999  
*Parallelostethus thoracicus* (Fleutiaux, 1918) Ref. Suzuki, 1999  
*Parapenia taiwana* (Miwa, 1930) [特有] Ref. Suzuki, 1999  
*Parathous sulcicollis* (Miwa, 1928) [特有] Ref. Suzuki, 1999  
*Pectocera babai* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Pectocera formosana* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Pectocera kobayashii* Kishii, 1996 [特有] Ref. Suzuki, 1999  
*Pectocera yaeyamana* Suzuki, 1976 Ref. Suzuki, 1999  
*Penia babai* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Penia takasago* Kishii, 1997 [特有] Ref. Suzuki, 1999  
*Phorocardius yanagiharae* (Miwa, 1927) Ref. Suzuki, 1999  
*Platynychus anpingensis* (Miwa, 1930) [特有] Ref. Suzuki, 1999  
*Platynychus formosanus* (Matsumura, 1910) [特有] Ref. Suzuki, 1999  
*Platynychus imasakai* (Kishii, 1977) [特有] Ref. Suzuki, 1999  
*Platynychus taiwanus* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Plectrostermus rufus* Lacordaire, 1857 Ref. Suzuki, 1999  
*Podeonius aquilus* (Kishii, 1989) [特有] Ref. Suzuki, 1999  
*Podeonius castelnaui* (Candeze, 1878) Ref. Suzuki, 1999  
*Podeonius taiwanus* (Ohira, 1972) [特有] Ref. Suzuki, 1999  
*Poemmites babai* (Kishii, 1991) [特有] Ref. Suzuki, 1999  
*Priopus angulatus* (Candeze, 1860) Ref. Suzuki, 1999  
*Priopus castaneus* (Miwa, 1930) [特有] Ref. Suzuki, 1999  
*Priopus kubotai* (Suzuki, 1978) Ref. Suzuki, 1999  
*Priopus obayashii* (Miwa, 1934) [特有] Ref. Suzuki, 1999  
*Priopus sanguinicollis* (Miwa, 1930) [特有] Ref. Suzuki, 1999  
*Priopus superbus* (Fleutiaux, 1895) Ref. Suzuki, 1999  
*Priopus yagianus* Kishii, 1993 [特有] Ref. Suzuki, 1999  
*Procaerus basilaris* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Procaerus koshunensis* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Procaerus sauteri* Schimmel, 1999 [特有] Ref. Cate, 2007b  
*Procaerus sonami* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Procaerus suturalis* (Matsumura, 1910) [特有] Ref. Suzuki, 1999  
*Procaerus variegatus* (Candeze, 1878) Ref. Suzuki, 1999  
*Procaerus yagii* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Propsephus nanshanus* Arimoto & Riese, 2005 [特有] Ref. Arimoto & Riese, 2005  
*Pseudocsikia formosana* (Ohira, 1972) [特有] Ref. Suzuki, 1999  
*Quasimus ami* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Quasimus atayal* (Kishii, 1994) [特有] Ref. Suzuki, 1999  
*Quasimus formosanus* (Ohira, 1968) [特有] Ref. Suzuki, 1999  
*Quasimus horishanus* Miwa, 1930 [特有] Ref. Suzuki, 1999  
*Quasimus miwai* Ohira, 1966 [特有] Ref. Suzuki, 1999  
*Quasimus reclinatus* Ohira, 1966 [特有] Ref. Suzuki, 1999  
*Quasimus shirakii* Miwa, 1930 [特有] Ref. Suzuki, 1999  
*Quasimus vunum* Kishii, 1994 [特有] Ref. Suzuki, 1999

*Rismethus ryukyuensis* Ohira, 1999 Ref. Suzuki, 2002  
*Rismethus scobinula* (Candeze, 1857) Ref. Suzuki, 1999  
*Rostricephalus vitalisi* Fleutiaux, 1918 Ref. Suzuki, 1999  
*Ryukyucardiophorus babai* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Ryukyucardiophorus lochooensis* (Miwa, 1934) Ref. Suzuki, 1999  
*Scutellathous yamashitai* Arimoto, 1992 [特有] Ref. Suzuki, 1999  
*Sephilus formosanus* Schwarz, 1902 [特有] Ref. Suzuki, 1999  
*Sephilus shibatai* Kishii, 1999 [特有] Ref. Suzuki, 1999  
*Sericus formosanus* (Ohira, 1966) [特有] Ref. Suzuki, 1999  
*Silesis absimilis* Candeze, 1863 Ref. Suzuki, 1999  
*Silesis florentini* Fleutiaux, 1895 Ref. Cate, 2007b  
*Silesis mutabilis* Bates, 1866 [特有] Ref. Suzuki, 1999  
*Silesis sauteri* Miwa, 1930 Ref. Suzuki, 1999  
*Simodactylus yamianus* Ohira, 1970 [特有] Ref. Suzuki, 1999  
*Subathous formosensis* Kishii, 1993 [特有] Ref. Suzuki, 1999  
*Szombatya formosana* (Szombathy, 1910) [特有] Ref. Suzuki, 1999  
*Taiwanathous arisanus* Miwa, 1930 [特有] Ref. Suzuki, 1999  
*Taiwanostethus tanidai* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Taiyaru shinoharai* (Kishii, 1990) [特有] Ref. Suzuki, 1999  
*Tetrigus babai* Kishii, 1990 [特有] Ref. Suzuki, 1999  
*Tetrigus lewisi* Candeze, 1873 Ref. Suzuki, 1999  
*Tetrigus taiwanus* Kishii, 1996 [特有] Ref. Suzuki, 1999  
*Vuilletus babai* Kishii, 1991 [特有] Ref. Suzuki, 1999  
*Vuilletus mushanus* (Miwa, 1928) [特有] Ref. Suzuki, 1999  
*Vuilletus yagii* Kishii, 1992 [特有] Ref. Suzuki, 1999  
*Xanthopenthes bicarinatus* (Lewis, 1894) Ref. Suzuki, 1999  
*Xanthopenthes granulipennis* (Miwa, 1929) Ref. Suzuki, 1999  
*Xanthopenthes robustus* (Miwa, 1929) [特有] Ref. Suzuki, 1999  
*Yukoana formosana* Ohira, 1966 [特有] Ref. Suzuki, 1999  
*Yukoana housaiana* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Yukoana taiwana* Ohira, 1968 [特有] Ref. Suzuki, 1999  
*Yukoana takasago* Kishii, 1994 [特有] Ref. Suzuki, 1999  
*Zorochros housaianus* Kishii, 1994 [特有] Ref. Suzuki, 1999

#### Family Elmidae 長角泥蟲科

*Grouvellinus babai* Nomura, 1996 馬場氏卵身長角泥蟲 [特有] Ref. Nomura, 1963  
*Grouvellinus hygropetricus* Jeng & Yang, 1996 岩壁卵身長角泥蟲 [特有] Ref. Jeng & Yang, 1996  
*Grouvellinus montanus* Jeng & Yang, 1996 山地卵身長角泥蟲 [特有] Ref. 同前  
*Grouvellinus pilosus* Nomura, 1996 毛背卵身長角泥蟲 [特有] Ref. 同前  
*Leptelmis formosana* Nomura, 1962 蓬萊隘胸長角泥蟲 [特有] Ref. Nomura, 1962  
*Stenelmis formosana* Jeng & Yang, 1991 蓬萊曲脛長角泥蟲 [特有] Ref. Jeng & Yang, 1991  
*Stenelmis sauteri* Kono, 1913 梭德氏長角泥蟲 [特有] Ref. Kono, 1936  
*Stenelmis wongi* Jeng & Yang, 1991 粗點曲脛長角泥蟲 [特有] Ref. Jeng & Yang, 1991  
*Zaitzevia babai* Nomura, 1963 馬場氏細身長角泥蟲 [特有] Ref. Nomura, 1963  
*Zaitzevia formosana* Nomura, 1963 蓬萊細身長角泥蟲 [特有] Ref. Nomura, 1963  
*Zaitzevia parallela* Nomura, 1963 平行細身長角泥蟲 [特有] Ref. Nomura, 1963

#### Family Endomychidae 擬瓢甲科

*Amphistethus astarte* (Strohecker, 1951) 肩角細肢偽瓢甲 [特有] Ref. Strohecker, 1951  
*Ancylopus pictus* (Strohecker, 1972) [特有] Ref. Strohecker, 1972  
*Atrichonota flavipennis* Arrow, 1925 [特有]  
*Avenycymon ruficephalus* (Ohta, 1931) 紅頭長肢偽瓢甲 [特有] Ref. Tomaszewska, 2003  
*Beccariola fulgurata* (Chujo, 1938) 豔半球偽瓢甲 [特有] Ref. Strohecker, 1970  
*Bolbomorphus flavofasciatus* Chujo, 1940 黃帶背隆偽瓢甲 [特有] Ref. Chujo, 1940  
*Bystodes taiwanensis* Sasaji, 1970 台灣微擬瓢甲 [特有] Ref. Sasaji, 1970  
*Chondria formosana* Sasaji, 1970 蓬萊角細偽瓢甲 [特有] Ref. Sasaji, 1970  
*Chondria nigropunctata* Nakane, 1951 黑點角細偽瓢甲 [特有] Ref. Nakane, 1951  
*Cyclotoma conica* Tomaszewska, 2000 [特有] Ref. Tomaszewska, 2000  
*Cyclotoma formosana* Chujo, 1938 蓬萊黑星偽瓢甲 [特有] Ref. Chujo, 1938  
*Cyclotoma indiana* (Gorham, 1897) 印度黑星偽瓢甲 [特有]  
*Danae taiwana* Chujo, 1938 [特有] Ref. Chujo, 1938  
*Dexialia ovalis* Sasaji, 1970 卵姬擬瓢甲 [特有] Ref. Sasaji, 1970  
*Endomychus tapanus* Ohta, 1931 達邦深毛偽瓢甲 [特有] Ref. Ohta, 1931  
*Endomychus nigriceps* Chujo, 1938 黑頭偽瓢甲 Ref. Chujo, 1938  
*Endomychus nigricornis* Chujo, 1938 黑角偽瓢甲 [特有] Ref. Chujo, 1938  
*Endomychus sasajii* Tomaszewska, 1998 佐佐治偽瓢甲 [特有] Ref. Tomaszewska, 1998  
*Endomychus sauteri* Chujo, 1938 蘇氏偽瓢甲 [特有] Ref. Chujo, 1938  
*Eucteanus hardwickeri* (Hope, 1831) [特有]  
*Eucymon cyanipennis* Chujo, 1938 蘭嶼長肢偽瓢甲 [特有] Ref. Chujo, 1938  
*Eumorphus quadriguttatus* Gerstaecker, 1858 大偽瓢甲  
*Indalmus formosanus* (Csiki, 1937) 蓬萊極東偽瓢甲 [特有] Ref. Ciski, 1937  
*Indalus quadripunctatus* (Ohta, 1931) [特有] Ref. Strohecker, 1979  
*Meilichius klapperichi* Mader, 1941 Ref. Sasaji, 1970

*Meilichius multimaculatus* Sasaji, 1970 [特有] Ref. Sasaji, 1970  
*Mycetina fulva* Chujo, 1938 黃褐小形偽瓢甲 [特有] Ref. Chujo, 1938  
*Mycetina humerosignata* Nakane, 1968 肩斑小形偽瓢甲 [特有] Ref. Nakane, 1968  
*Mycetina sasajii* Strohecker, 1982 佐佐氏小形偽瓢甲 [特有] Ref. Strohecker, 1982  
*Mycetina similis* (Chujo, 1938) 擬小形偽瓢甲 [特有] Ref. Chujo, 1938  
*Ohtaius mushanus* (Ohta, 1931) 霧社紅塊偽瓢甲 [特有] Ref. Ohta, 1931  
*Pedanus quadrilunatus* Gerstaecker, 1857 [特有]  
*Pseudindalmus longicornis* Tomaszewska, 2001 長角偽瓢甲 [特有] Ref. Tomaszewska, 2001  
*Saula chujoi* Sasaji, 1970 中條氏黃色偽瓢甲 [特有] Ref. Sasaji, 1970  
*Saula nigripes* Gerstaecker, 1858 [特有]  
*Saula taiwana* Chujo, 1938 台灣黃色偽瓢甲 [特有] Ref. Chujo, 1938  
*Sinocymbachus humerosus* (Mader, 1938) Ref. Strohecker & Chujo, 1970  
*Sinocymbachus politus* Strohecker & Chujo, 1970 [特有] Ref. 同前  
*Sinocymbachus quadriundulatus* (Chujo, 1970) [特有] Ref. 同前  
*Stenotarsus aokii* Chujo, 1942 屏東窄附偽瓢甲 [特有] Ref. Chujo, 1942  
*Stenotarsus chujoi* Strohecker, 1957 中條窄附偽瓢甲 [特有] Ref. Strohecker, 1957  
*Stenotarsus ryukyuensis* Chujo & Kiuchi, 1974 中條窄附偽瓢甲 Ref. Osawa, 1994  
*Stenotarsus yoshionis* Chujo, 1938 蘭嶼窄附偽瓢甲 [特有] Ref. Chujo, 1938  
*Trochoideus desjardinsi* Guerin, 1838 棒角偽瓢甲 Ref. Kano, 1928

### Family Erotylidae 大蠹蟲科

*Amblyopus interruptus* Miwa, 1929 [特有] Ref. Chujo & Chujo, 1990  
*Anadastus angustior* Flower, 1913 [特有] Ref. Fowler, 1913  
*Anadastus filiformis* (Fabricius, 1801) Ref. Wegrzynowicz, 2007  
*Anadastus formosanus* Flower, 1913 [特有] Ref. Fowler, 1913  
*Anadastus kankau* Flower, 1913 [特有] Ref. Fowler, 1913  
*Anadastus matsuzawai* Chujo, 1955 Ref. Chujo, 1965  
*Anadastus melanosternus* (Harold, 1879) Ref. Chujo, 1977  
*Anadastus robustior* Flower, 1913 [特有] Ref. Fowler, 1913  
*Anadastus sakaii* Chujo, 1977 [特有] Ref. Chujo, 1977  
*Anadastus sauteranus* (Flower, 1913) Ref. Miwa & Chujo, 1937  
*Atomarops curvibialis* Sasaji, 1991 [特有] Ref. Sasaji, 1991  
*Aulacochilus issikii* Chujo, 1936 [特有] Ref. Chujo & Chujo, 1989  
*Aulacochilus luniferus* Deelder, 1942 Ref. 同前  
*Aulacochilus shinoharai* Miwa & Chujo, 1939 [特有] Ref. 同前  
*Aulacochilus sibiricus* Harold, 1880 Ref. 同前  
*Caenolanguria insularis* Miwa & Chujo, 1937 Ref. Miwa & Chujo, 1937  
*Caenolanguria shibatai* Maeda, 1972 [特有] Ref. Maeda, 1972  
*Cryptophilus cryptophagoides* Grouvelle, 1916 Ref. Wegrzynowicz, 2007  
*Cryptophilus minimus* Grouvelle, 1813 [特有] Ref. Grouvelle, 1913  
*Cryptophilus mirus* Grouvelle, 1813 [特有] Ref. 同前  
*Cryptophilus propinguus* Reitter, 1874 Ref. 同前  
*Cyrtomorphus duodecimmaculata* Araki, 1941 [特有] Ref. Chujo & Chujo, 1990  
*Cyrtomorphus liui* Chujo, 1967 [特有] Ref. 同前  
*Dacne zonaria* Chujo, 1976 [特有] Ref. Chujo & Chujo, 1988  
*Dactylotritoma formosana* Araki, 1942 [特有] Ref. Chujo & Chujo, 1990  
*Doubledaya viator* White, 1850 Ref. Wegrzynowicz, 2007  
*Encaustes cruenta* Chujo, 1964 [特有] Ref. Chujo & Chujo, 1989  
*Epilanguria gracilis* Chujo, 1940 [特有] Ref. Chujo, 1940  
*Episcapha (Ephicaspa) asahinai* (Chujo, 1936) [特有] Ref. Chujo & Chujo, 1988  
*Episcapha (Episcapha) flavosciata* Nakane, 1995 [特有] Ref. Nakane, 1995  
*Episcapha (Episcapha) fortunii* Crotch, 1876 Ref. Chujo & Chujo, 1988  
*Episcapha (Episcapha) septentrionis* Heller, 1918 Ref. 同前  
*Episcapha (Psiloscapa) morawitzi* Araki, 1949 [特有] Ref. 同前  
*Episcapha (Psiloscapa) takasagona* Chujo, 1941 [特有] Ref. 同前  
*Episcaphula kojimai* Nakane, 1995 [特有] Ref. Nakane, 1995  
*Episcaphula matsumurai* (Chujo, 1941) [特有] Ref. Chujo & Chujo, 1988  
*Episcaphula miwai* (Chujo, 1941) [特有] Ref. 同前  
*Hornerotylus abdominalis* (Csiki, 1910) Ref. Chujo & Chujo, 1989  
*Loberus marginicollis* (Grouvelle, 1913) [特有] Ref. Sasaji, 1991  
*Micrencaustes michioi* Osawa & Chujo, 1990 [特有] Ref. Osawa & Chujo, 1990  
*Micrencaustes taiwana* Araki, 1941 [特有] Ref. Chujo & Chujo, 1989  
*Microlanguria jansoni* (Crotch, 1873) Ref. Chujo, 1977  
*Microsternus perforatus* (Lewis, 1883) Ref. Chujo & Chujo, 1988  
*Microsternus taiwanus* Chujo, 1976 [特有] Ref. 同前  
*Microsternus tricolor* Nakane, 1966 [特有] Ref. 同前  
*Neocladoxena hisamatsui* Maeda, 1974 [特有] Ref. Maeda, 1974  
*Neodacne okunii* (Chujo, 1936) [特有] Ref. Chujo & Chujo, 1988  
*Neotriplax arisana* Miwa, 1929 Ref. Chujo & Chujo, 1990  
*Neotriplax miwai* Nakane, 1966 [特有] Ref. 同前  
*Oretylus carinicollis* (Heller, 1920) Ref. Wegrzynowicz, 2007  
*Oretylus punctatissimus* Heller, 1918 Ref. Chujo & Chujo, 1988

*Pachylanguria paivae* (Wallaston, 1859) Ref. Chujo, 1965  
*Paederolanguria elegans* (Chujo, 1967) [特有] Ref. Chujo, 1967  
*Paederolanguria formosana* (Chujo, 1967) [特有] Ref. Chujo, 1967  
*Paederolanguria hisamatsui* Maeda, 1972 [特有] Ref. Maeda, 1972  
*Paederolanguria montana* (Miwa & Chujo, 1936) [特有] Ref. Miwa & Chujo, 1936  
*Paraxonotha kirschii* Reitter, 1875 Ref. Wegrzynowicz, 2007  
*Pseudotritoma maedai* (Kiyoyama, 1979) [特有] Ref. Chujo & Chujo, 1990  
*Rhodotritoma albofasciata* Nakane, 1981 [特有] Ref. Nakane, 1995  
*Rhodotritoma rubicunda* Araki, 1941 [特有] Ref. Chujo & Chujo, 1990  
*Spondotriplax flavofasciata* Chujo, 1941 Ref. 同前  
*Spondotriplax flavomaculata* Chujo, 1941 [特有] Ref. 同前  
*Tetrphala collaris* (Crotch, 1876) Ref. Chujo, 1965  
*Tetrphala elongata* (Fabricius, 1801) Ref. Sasaji, 1986  
*Tetrphala miles* (Flower, 1913) [特有] Ref. Fowler, 1913  
*Tetrphala sauteri* (Flower, 1913) [特有] Ref. Fowler, 1913  
*Tetrphala simplex* (Flower, 1913) [特有] Ref. Chujo, 1977  
*Tetrtritoma chui* Nakane, 1966 [特有] Ref. Chujo & Chujo, 1990  
*Toramus formosianus* (Grouvelle, 1913) [特有] Ref. Sasaji, 1991  
*Triplax atroguttata* (Araki, 1943) [特有] Ref. Chujo & Chujo, 1990  
*Triplax bicolorata* (Chujo, 1941) [特有] Ref. 同前  
*Triplax hornii* (Chujo, 1941) Ref. 同前  
*Triplax hurusyoii* (Chujo, 1941) [特有] Ref. 同前  
*Triplax quadrinotata* (Araki, 1943) [特有] Ref. 同前  
*Triplax takabayashii* Nakane, 1966 [特有] Ref. 同前  
*Triplax trimaculata* (Chujo, 1941) [特有] Ref. 同前  
*Tritoma fasciata* Chujo, 1941 [特有] Ref. 同前  
*Tritoma gressitti* (Chujo, 1968) [特有] Ref. 同前  
*Tritoma kanekoi* Araki, 1943 [特有] Ref. 同前  
*Tritoma metasobrina* Chujo, 1941 [特有] Ref. 同前  
*Tritoma shirakii* Chujo, 1936 [特有] Ref. 同前  
*Tritoma sungkangensis* Nakane, 1966 [特有] Ref. 同前  
*Tritoma taiwana* Chujo, 1936 Ref. 同前  
*Tritoma takasagona* Chujo, 1941 [特有] Ref. 同前  
*Tritoma yamazii* Chujo, 1941 [特有] Ref. 同前  
*Tritoma yiei* Nakane, 1966 [特有] Ref. 同前

#### Family Eucinetidae 偽圓花蚤科

*Tohlezkus orientalis* Vit, 1981 [特有] Ref. Vit, 1981

#### Family Eucnemidae 偽叩頭蟲科

*Calyptocerus favipunctatus* Lucht, 1986 [特有] Ref. Lucht, 1986  
*Dirrhagofarsus lewisi* (Fleutiaux) Ref. Hisamatsu, 1985  
*Dromaeolus marginatus* Hisamatsu, 1965 Ref. 同前  
*Dyscharachthis amplicollis* (Fleutiaux, 1923) Ref. Muona, 2007  
*Farsus ainu* Fleutiaux Ref. Hisamatsu, 1985  
*Fornax nipponicus* Fleutiaux Ref. 同前  
*Galbites australiae* (Lea, 1919) Ref. Muona, 2007  
*Galbites chevrolati* (Fleutiaux, 1923) Ref. Muona, 2007  
*Galbites sauteri* Muona, 1991 [特有] Ref. Muona, 1991  
*Galbites tomentosa* (Montrouzier, 1855) Ref. Muona, 2007  
*Galbites tuberculata* (Redtenbacher, 1868) Ref. Muona, 2007  
*Melasis sinensis* Lucht, 1982 [特有] Ref. Lucht, 1982  
*Melasis tibialis* Lucht, 1982 [特有] Ref. Muona, 2007  
*Nematodes watanabei* Hisamatsu Ref. Hisamatsu, 1985  
*Procladidus coomani* Fleutiaux, 1927 Ref. Muona, 2007  
*Pterotarsus borealis* Hisamatsu Ref. Hisamatsu, 1985  
*Raapia sauteri* Fleutiaux, 1929 [特有] Ref. Miwa, 1931  
*Scython coloratus* Bonvouloir, 1872 Ref. Muona, 2007  
*Serrifornax tumidicollis* (Redtenbacher, 1867) Ref. Miwa, 1931

#### Family Geotrupidae 糞金龜科

*Bolbotypes davidi* Fairmaire, 1891 大衛糞金龜 Ref. Miwa, 1930  
*Phelotrupes formosanus* Miwa, 1930 蓬萊糞金龜 [特有] Ref. Miwa, 1930  
*Phelotrupes insulana* Howden, 1965 島嶼糞金龜 [特有] Ref. Howden, 1965  
*Sinogeotrupes taiwanus* Miyake & Yamaya, 1995 黑糞金龜 [特有] Ref. Miyake & Yamaya, 1995

#### Family Gyrinidae 豉甲科

*Dineutus australis* Fabricius, 1775 南方圓豉甲 Ref. Mazzoldi, 1995  
*Dineutus mellyi* Regimbart, 1882 梅氏圓豉甲 Ref. 同前  
*Dineutus orientalis* Modder, 1776 東方圓豉甲 Ref. 同前  
*Gyrinus convexiusculus* MacLeay, 1871 隆條豉甲 Ref. 同前  
*Orectochilus formosanus* Takizawa, 1931 蓬萊梭豉甲 [特有] Ref. 同前

#### Family Haliplidae 小頭水蟲科

*Haliplus kotoshonis* Kano & Kamiya, 1932 蘭嶼小頭水蟲 [特有] Ref. Vondel, 1995  
*Haliplus regimbarti* Zaitzev, 1907 瑞氏小頭水蟲 Ref. Vondel, 1995  
*Haliplus sharpi* Wehncke, 1880 夏普氏小頭水蟲 [特有] Ref. Vondel, 1995  
*Peltodytes sinensis* Hope, 1845 中華巨基小頭水蟲 Ref. Vondel, 1995

#### Family Helotidae 大吸木甲科

*Helota thoracica* Ritsema, 1896 胸突大吸木甲 Ref. Ritsema, 1911  
*Neohelota babai* Lee & Sato, 2006 馬場氏大吸木甲 [特有] Ref. Lee & Satô, 2006  
*Neohelota chunlini* Lee & Sato, 2006 春霖大吸木甲 [特有] Ref. 同前  
*Neohelota helleri* (Ritsema, 1911) 海氏大吸木甲 [特有] Ref. 同前  
*Neohelota lini* Lee & Sato, 2006 林氏大吸木甲 [特有] Ref. 同前  
*Neohelota montana* (Ohta, 1929) 山地大吸木甲 [特有] Ref. 同前  
*Neohelota similis* Lee & Sato, 2006 擬台灣大吸木甲 [特有] Ref. 同前  
*Neohelota sonani* (Ohta, 1929) 楚南氏大吸木甲 [特有] Ref. 同前  
*Neohelota taiwana* (Ohta, 1929) 臺灣大吸木甲 [特有] Ref. 同前

#### Family Heteroceridae 四節泥蟲科

*Heterocerus grouvellei* Kano 古氏四節泥蟲 [特有]  
*Heterocerus sauteri* Kano 梭德氏四節泥蟲 [特有]  
*Littorimus taiwanensis* Mascagni, 1995 台灣四節泥蟲 [特有] Ref. Mascagni, 1995

#### Family Histeridae 閻魔蟲科

*Abraeomorphus formosanus* (Hisamatsu, 1965) [特有] Ref. Mazur, 1997  
*Acritus shirozui* Hisamatsu, 1965 [特有] Ref. Mazur, 1997  
*Acritus tuberisternus* Cooman, 1932 Ref. Mazur, 2007  
*Anaglymma circularis* (Lewis, 1894) Ref. Mazur, 2004  
*Apobletes schaumei* Marseul, 1861 Ref. Mazur, 2004  
*Asiaster calcator* Cooman, 1948 [特有] Ref. Mazur, 1997  
*Atholus coelestis* (Marseul, 1857) Ref. Mazur, 1997  
*Atholus depistor* (Marseul, 1873) Ref. Mazur, 1997  
*Atholus deuodecimstriatus* (Gyllenhal, 1808) Ref. Mazur, 1997  
*Atholus philippinensis* (Marseul, 1854) Ref. Mazur, 1997  
*Atholus pirithous* (Marseul, 1873) Ref. Mazur, 1997  
*Bacanius mikado* (Lewis, 1892) Ref. Mazur, 2007  
*Bacanius niponixua* Lewis, 1879 Ref. Mazur, 1997  
*Carcinops pumilio* (Erichson, 1834) Ref. Mazur, 1997  
*Carcinops troglodytes* (Paykull, 1811) Ref. Mazur, 2007  
*Chaetabraeus bonzicus* (Marseul, 1873) Ref. Mazur, 1997  
*Chaetabraeus cohaeres* Lewis, 1898 Ref. Mazur, 1997  
*Chaetabraeus paria* (Marseul, 1856) Ref. Mazur, 2007  
*Coomanister scolyti* Mazur, 2007 [特有] Ref. Mazur, 2007  
*Cyrturus aenescens* Erichson, 1834 Ref. Mazur, 2004  
*Dendrophilus xavieri* Marseul, 1873 Ref. Mazur, 1997  
*Diplostix karenensis* (Lewis, 1892) [特有] Ref. Mazur, 2007  
*Eblisia pagana* Lewis, 1902 Ref. Mazur, 2004  
*Eblisia pygmaea* (Bickhardt, 1913) [特有] Ref. Mazur, 1997  
*Eblisia satzuma* Lewis, 1899 Ref. Mazur, 2004  
*Eblisia sauteri* (Bickhardt, 1912) Ref. Mazur, 1997  
*Eblisia sumatrana* Bickhardt, 1912 Ref. Mazur, 2004  
*Eblisia taiwanum* (Hisamatsu, 1965) [特有] Ref. Mazur, 1997  
*Epiechinus marseuli* Lewis, 1900 Ref. Mazur, 2004  
*Epiurus sauteri* Bickhardt, 1913 [特有] Ref. Mazur, 1997  
*Epitoxus asiaticus* Vienna, 1986 [特有] Ref. Mazur, 2007  
*Epitoxus bullatus* (Marseul, 1870) Ref. Mazur, 2004  
*Eucurtiopsis mirabilis* Silvestri, 1926 [特有] Ref. Mazur, 1997  
*Eulomalus lombokanus* Cooman, 1937 Ref. Mazur, 2004  
*Eulomalus pupulus* Cooman, 1937 [特有] Ref. Mazur, 2007  
*Eulomalus tardipes* (Lewis, 1892) Ref. Mazur, 2004  
*Eurylister silvestria* (Schmidt, 1897) Ref. Mazur, 1997  
*Gnathoncus rotundatus* (Kugelann, 1792) Ref. Mazur, 1997  
*Haeterius optatus* Leis, 1884 [特有] Ref. Mazur, 2007  
*Hister javanicus* Paykull, 1811 Ref. Ohara, 1999  
*Hololepta amurensis* Reitter, 1879 Ref. Mazur, 1997  
*Hololepta depressa* Lewis, 1884 Ref. Mazur, 1997  
*Hololepta higoniae* Lewis, 1894 Ref. Mazur, 1997  
*Hypocacculus asticus* (Lewis, 1911) Ref. Mazur, 2007  
*Hypocaccus varians* (Schmidt, 1890) Ref. Mazur, 1997  
*Kanaarister assamensis* (Lewis, 1900) Ref. Mazur, 2007  
*Margarinotus babai* Ohara, 1999 [特有] Ref. Ohara, 1999  
*Margarinotus Birmanus* Lundgren, 1991 Ref. Mazur, 2007  
*Margarinotus curvicollis* (Bickhardt, 1913) [特有] Ref. Mazur, 1997  
*Margarinotus formosanus* Ohara, 1999 [特有] Ref. Ohara, 1999  
*Margarinotus incognitus* (Marseul, 1854) Ref. Ohara, 1999

*Margarinotus multidentis* (Schmidt, 1889) Ref. Mazur, 1997  
*Margarinotus niponicus* (Lewis, 1895) Ref. Mazur, 1997  
*Margarinotus osawai* Ohara, 1999 [特有] Ref. Ohara, 1999  
*Merohister jekekli* (Marseul, 1857) Ref. Mazur, 1997  
*Niposoma lewisi* (Marseul, 1873) Ref. Mazur, 1997  
*Niposoma schenklingi* (Bickhardt, 1913) Ref. Mazur, 1997  
*Niposoma taiwanum* (Hisamatsu, 1965) [特有] Ref. Mazur, 2007  
*Nipponius canalicollis* Lewis, 1901 Ref. Mazur, 2004  
*Nipponius impressicollis* Lewis, 1885 Ref. Mazur, 1997  
*Nipponius yamasakii* Miwa, 1934 [特有] Ref. Mazur, 1997  
*Notodoma fungorum* Lewis, 1884 Ref. Mazur, 1997  
*Onthophilus ostreatus* Lewis, 1879 Ref. Mazur, 1997  
*Onthophilus smetanai* Mazur, 1993 [特有] Ref. Mazur, 1997  
*Pachylister atratus* (Erichson, 1834) Ref. Mazur, 1997  
*Pachylister chinensis* (Quensel, 1806) Ref. Mazur, 1997  
*Pachylister cribropygum* (Marseul, 1864) Ref. Mazur, 1997  
*Pachylister horni* (Bickhardt, 1913) Ref. Mazur, 1997  
*Pachylister orientalis* (Paykull, 1811) Ref. Mazur, 1997  
*Pachylister pini* (Lewis, 1884) Ref. Mazur, 1997  
*Pachylomalus musculus* (Marseul, 1873) Ref. Mazur, 1997  
*Parepierus lewisi* Bickhardt, 1913 [特有] Ref. Mazur, 2004  
*Paromalus vernalis* Lewis, 1892 Ref. Mazur, 1997  
*Plaesius javanus* Erichson, 1834 Ref. Mazur, 2004  
*Platylister cambojensis* (Marseul, 1864) [特有] Ref. Mazur, 1997  
*Platylister unicus* (Bickhardt, 1912) [特有] Ref. Mazur, 1997  
*Platylomalus mendicus* (Lewis, 1892) Ref. Mazur, 1997  
*Platylomalus niponensis* (Lewis, 1899) Ref. Mazur, 1997  
*Platylomalus sauteri* (Bickhardt, 1912) Ref. Mazur, 1997  
*Platylomalus submetallicus* (Lewis, 1892) Ref. Mazur, 2007  
*Platylomalus viaticus* (Lewis, 1892) Ref. Mazur, 1997  
*Platysoma beybienkoi* Kryzhanovskij, 1972 Ref. Mazur, 2007  
*Platysoma celatum* Lewis, 1884 Ref. Mazur, 1997  
*Platysoma chinense* Lewis, 1894 Ref. Mazur, 1997  
*Platysoma lineicolle* Marseul, 1873 Ref. Mazur, 1997  
*Platysoma takehikoi* Ohara, 1986 Ref. Mazur, 1997  
*Saprinus optabilis* Marseul, 1855 Ref. Mazur, 1997  
*Saprinus quadriguttatus* (Fabricius, 1798) Ref. Mazur, 2004  
*Teretrius formosus* (Lewis, 1915) [特有] Ref. Mazur, 1997  
*Tribalus colobius* Marseul, 1864 Ref. Mazur, 2004  
*Tribalus punctillatus* Bickhardt, 1913 Ref. Mazur, 1997  
*Trypeticus canalifrons* Bickhardt, 1913 [特有] Ref. Mazur, 1997  
*Trypeticus sauteri* Bickhardt, 1913 [特有] Ref. Mazur, 1997  
*Trypeticus venator* (Lewis, 1884) Ref. Mazur, 1997  
*Zabromorphus salebrosus* Newton, 1991 Ref. Ohara, 1999

#### Family Hybosoridae 駝金龜科

*Phaeochroops taiwanus* Nomura, 1973 台灣駝金龜 [特有] Ref. Nomura, 1973  
*Phaeochroous emarginatus* Castelnau, 1840 緣邊駝金龜 Ref. Miwa, 1930

#### Family Hydraenidae 細牙蟲科 (苔水龜科)

*Hydraena bilobata* Jach & Diaz, 1998 溪頭細牙蟲 [特有] Ref. Jach & Diaz, 1998  
*Hydraena compressipilis* Jach & Diaz, 1998 伏毛細牙蟲 [特有] Ref. 同前  
*Hydraena curtialpis* Jach & Diaz, 1998 卵身細牙蟲 [特有] Ref. 同前  
*Hydraena inopilata* Jach & Diaz, 1998 長身細牙蟲 [特有] Ref. 同前  
*Hydraena isolinae* Jach & Diaz, 1998 南台細牙蟲 [特有] Ref. 同前  
*Hydraena jengi* Jach & Diaz, 1998 鄭氏細牙蟲 [特有] Ref. 同前  
*Hydraena leei* Jach & Diaz, 1998 李氏細牙蟲 [特有] Ref. 同前  
*Hydraena orchid* Jach & Diaz, 1998 蘭嶼細牙蟲 Ref. 同前  
*Hydraena plurifurcata* Jach & Diaz, 1998 多叉細牙蟲 [特有] Ref. 同前  
*Hydraena porcula* Jach & Diaz, 1998 微刻細牙蟲 [特有] Ref. 同前  
*Hydraena sauteri* d'Orchymont, 1913 梭德氏細牙蟲 [特有] Ref. d'Orchymont, 1913  
*Hydraena undulata* Jach & Diaz, 1998 粗點細牙蟲 [特有] Ref. Jach & Diaz, 1998  
*Hydraena wangi* Jach & Diaz, 1998 汪氏細牙蟲 [特有] Ref. 同前  
*Limnebius kwangdongensis* Pu, 1937 廣東水溼細牙蟲 Ref. Pu, 1937  
*Limnubius taiwanensis* Jach, 1993 台灣水溼細牙蟲 [特有] Ref. Jach, 1993  
*Ochthebius formosanus* Jach, 1998 蓬萊苔水龜 [特有] Ref. Jach, 1998  
*Ochthebius ilanensis* Jach, 1998 清溪苔水龜 [特有] Ref. Jach, 1998  
*Ochthebius inermis* Sharp, 1884 長毛苔水龜 Ref. Sharp, 1884  
*Ochthebius jengi* Jach, 1998 鄭氏苔水龜 [特有] Ref. Jach, 1998  
*Ochthebius satoi* Nakane, 1963 水溼苔水龜 Ref. Nakane, 1963  
*Ochthebius strigoides* Jach, 1998 點刻苔水龜 [特有] Ref. Jach, 1998

#### Family Hydrophilidae 牙蟲科

*Agraphydrus orientalis* (Orchymont, 1932) Ref. Hansen, 1999  
*Agraphydrus ryukyuensis* (Matsui, 1994) Ref. Hansen, 1999  
*Armostus schenklingi* (Orchymont, 1914) Ref. Hansen, 1999  
*Berosus elongatulus* Jordan, 1894 Ref. Hansen, 1999  
*Berosus fairmairei* Zaitzev, 1908 Ref. Jia, 2005  
*Berosus incretus* Orchymont, 1937 Ref. Hansen, 1999  
*Berosus japonicus* Sharp, 1873 Ref. Hansen, 1999  
*Berosus pulchellus* MacLeay, 1825 Ref. Hansen, 1999  
*Berosus punctipennis* Harold, 1878 Ref. Hansen, 1999  
*Cercyon laminatus* Sharp, 1873 Ref. Hansen, 1999  
*Cercyon lineolatus* (Motschulsky, 1863) Ref. Jia, 2005  
*Cercyon nigriceps* (Marsham, 1802) Ref. Hansen, 1999  
*Cercyon olibrus* Sharp, 1874 Ref. Jia, 2005  
*Cercyon subsolanus* Balfour-Browne, 1939 Ref. Hansen, 1999  
*Cercyon ustus* Sharp, 1874 Ref. Hansen, 1999  
*Chasmogenus abnormalis* (Sharp, 1890) Ref. Hansen, 1999  
*Coelostoma fallacosum* Orchymont, 1936 Ref. Jia, 2005  
*Coelostoma stultum* (Walker, 1858) Ref. Hansen, 1999  
*Coelostoma vagum* Orchymont, 1940 Ref. Jia, 2005  
*Crenitis formosana* Hebauer, 1994 [特有] Ref. Hansen, 1999  
*Crenitis satoi* Hebauer, 1994 Ref. Hansen, 1999  
*Cryptopleurum pygmaeum* Orchymont, 1913 Ref. Hansen, 1999  
*Cryptopleurum subtile* Sharp, 1884 Ref. Hansen, 1999  
*Dactylosternum abdominale* (Fabricius, 1792) Ref. Jia, 2005  
*Dactylosternum corbeti* Balfour-Browne, 1942 Ref. Jia, 2005  
*Dactylosternum hydrophiloides* (MacLeay, 1825) Ref. Hansen, 1999  
*Emmidolium excavatum* Orchymont, 1937 Ref. Hansen, 1999  
*Enochrus flavicans* (Regimbart, 1903) Ref. Hansen, 1999  
*Enochrus parumstriatus* Hebauer, 2005 [特有] Ref. Hebauer, 2005  
*Enochrus sauteri* Orchymont, 1913 [特有] Ref. Hansen, 1999  
*Enochrus simulans* (Sharp, 1873) Ref. Hansen, 1999  
*Enochrus subsignatus* (Harold, 1877) Ref. Hansen, 1999  
*Georissus formosanus* Kono, 1936 [特有] Ref. Hansen, 1999  
*Helochares anchoralis* Sharp, 1890 Ref. Hansen, 1999  
*Helochares neglectus* (Hope, 1845) Ref. Jia, 2005  
*Helochares sauteri* Orchymont, 1943 [特有] Ref. Hansen, 1999  
*Hydrocassis taiwana* Sato, 1971 [特有] Ref. Hansen, 1999  
*Hydrochus japonicus* Sharp, 1873 Ref. Hansen, 1999  
*Hydrophilus acuminatus* Motschulsky, 1854 Ref. Hansen, 1999  
*Hydrophilus bilineatus* Redtenbacher, 1844 Ref. Hansen, 1999  
*Laccobius formosus* Gentili, 1979 Ref. Hansen, 1999  
*Laccobius fragilis* Nakane, 1966 Ref. Gentili, 2003  
*Laccobius hammondi* Gentili, 1984 Ref. Hansen, 1999  
*Laccobius philipinus* Gentili, 2005 Ref. Gentili, 2005  
*Laccobius politus* Gentili, 1979 [特有] Ref. Hansen, 1999  
*Megagraphydrus politus* Hansen, 1999 [特有] Ref. Hansen, 1999  
*Oocyclus bhutanicus* Sato, 1979 Ref. Hansen, 1999  
*Oocyclus flaveolus* Hebauer & Wang, 1998 [特有] Ref. Hansen, 1999  
*Oocyclus magnifica* Hebauer & Wang, 1998 [特有] Ref. Hansen, 1999  
*Paroosternum sorex* (Sharp, 1874) Ref. Hansen, 1999  
*Pelthydrus jengi* Schonmann, 1995 [特有] Ref. Hansen, 1999  
*Pelthydrus minutus* Orchymont, 1919 Ref. Hansen, 1999  
*Pelthydrus vitalisi* Orchymont, 1926 Ref. Hansen, 1999  
*Peratogonus reversus* Sharp, 1884 Ref. Hansen, 1999  
*Protosternum abnormale* (Orchymont, 1913) Ref. Hansen, 1999  
*Psalitrus sauteri* Orchymont, 1929 [特有] Ref. Hansen, 1999  
*Regimbartia attenuata* (Fabricius, 1801) Ref. Hansen, 1999  
*Sphaeridium discolor* Orchymont, 1933 Ref. Hansen, 1999  
*Sphaeridium quinquemaculatum* Fabricius, 1798 Ref. Hansen, 1999  
*Sphaeridium reticulatum* Orchymont, 1929 Ref. Hansen, 1999  
*Sternolophus inconspicuus* (Nietner, 1856) Ref. Hansen, 1999  
*Sternolophus rufipes* (Fabricius, 1792) Ref. Hansen, 1999

#### Family Hydroscaphidae 出尾水蟲科

*Hydriscapha takahashii* Miwa, 1935 高橋氏出尾水蟲 [特有] Ref. Miwa, 1935

#### Family Kateretidae 小出尾蟲科

*Brachypterus horii* (Hisamatsu, 1976) [特有] Ref. Jelinek, 2007  
*Brachypterus yukikoa* (Hisamatsu, 1976) [特有] Ref. Jelinek, 2007  
*Heterhelus (Heterhelus) satoi* Hisamatsu & Lee, 2007 Ref. Hisamatsu & Lee, 2007  
*Heterhelus (Taiwanoheterhelus) nigricans* Hisamatsu & Lee, 2007 Ref. 同前

#### Family Laemophloeidae 姬扁甲科

*Cryptolestes ferrugineus* (Stephens, 1831) Ref. Wegrzynowicz, 2007  
*Laemophloeus formosianus* Grouvelle, 1913 [特有] Ref. Grouvelle, 1913  
*Laemophloeus foveolatus* Reitter, 1876 [特有] Ref. 同前  
*Laemophloeus humeralis* Grouvelle, 1882 Ref. 同前  
*Notolaemus lewisi* (Reitter, 1889) Ref. Hisamatsu, 1965  
*Placonotus admotus* (Grouvelle, 1913) [特有] Ref. Grouvelle, 1913  
*Placonotus subtestaceus* (Grouvelle, 1882) Ref. 同前  
*Xylolestes laevior* (Reitter, 1874) Ref. 同前

### Family Lampyridae 螢科

*Curtos costipennis* Gorham, 1880 黃脈翅螢 Ref. Gorham, 1880  
*Curtos elongata* Jeng & Yang, 1998 長翅脈翅螢 [特有] Ref. Jeng et al., 1998  
*Curtos fulvocapitalis* Jeng & Sato, 1998 褐頭脈翅螢 [特有] Ref. 同前  
*Curtos impolitus* Olivier, 1913 姬脈翅螢 [特有] Ref. Olivier, 1913  
*Curtos mundulus* Olivier, 1913 黃肩脈翅螢 [特有] Ref. Olivier, 1913  
*Curtos obscuricolor* Jeng & Lai, 1998 暗褐脈翅螢 Ref. Jeng et al., 1998  
*Curtos ruficollis* Jeng & Chang, 1998 紅胸脈翅螢 [特有] Ref. 同前  
*Curtos sauteri* Olivier, 1913 梭德氏脈翅螢 [特有] Ref. Olivier, 1913  
*Cyphonocerus hwadongensis* Jeng & Yang, 1998 花東雙櫛角螢 [特有] Ref. Jeng et al., 1998  
*Cyphonocerus jenniferae* Jeng & al., 1999 高山雙櫛角螢 [特有] Ref. Jeng et al., 1999  
*Cyphonocerus sanguineus* Pic, 1911 赤翅雙櫛角螢 Ref. Pic, 1911  
*Cyphonocerus taiwanus* Nakane, 1968 台灣雙櫛角螢 [特有] Ref. Nakane, 1968  
*Diapaens cheni* Jeng, 2001 灰翅短角窗螢 [特有] Ref. Jeng et al., 2001  
*Diaphanes citrinus* Olivier, 1911 橙螢 Ref. Olivier, 1911  
*Diaphanes flavilateralis* Jeng & Sato, 2001 黃緣短角窗螢 [特有] Ref. Jeng et al., 2001  
*Diaphanes formosus* Olivier, 1910 蓬萊短角窗螢 Ref. Olivier, 1910  
*Diaphanes lampyroides* Olivier, 1891 鋸角雪螢 Ref. Olivier, 1891  
*Diaphanes niveus* Jeng & Yang, 2001 雪螢 [特有] Ref. Jeng et al., 2001  
*Diaphanes nubilus* Jeng & Lai, 2001 神木螢 [特有] Ref. 同前  
*Drilaster atricollis* Nakane, 1968 高山弩螢 [特有] Ref. Nakane, 1977  
*Drilaster flavicollis* Nakane, 1968 黃胸弩螢 [特有] Ref. Nakane, 1977  
*Drilaster flavipennis* Nakane, 1968 黃鞘弩螢 Ref. Nakane, 1977  
*Drilaster kimotoi* Nakane, 1968 黑弩螢 [特有] Ref. Nakane, 1977  
*Drilaster olivieri* Pic, 1911 奧氏弩螢 [特有] Ref. Pic, 1911  
*Drilaster parvus* Nakane, 1968 姬弩螢 [特有] Ref. Nakane, 1977  
*Drilaster purpureicollis* Pic, 1911 紅弩螢 [特有] Ref. Pic, 1911  
*Drilaster rollei* Pic, 1911 洛氏弩螢 [特有] Ref. Pic, 1911  
*Drilaster takahashi* Nakane, 1968 高橋氏弩螢 [特有] Ref. Nakane, 1977  
*Lamprigera yunnana* Fairmaire, 1897 雲南扁螢 Ref. Fairmaire, 1897  
*Lucidina accensa* Gorham, 1883 卵翅鋸角螢 Ref. Gorham, 1883  
*Lucidina biplagiata* Motschulsky, 1866 北方鋸角螢 Ref. Motschulsky, 1866  
*Lucidina klapperichi* Pic, 1955 細身鋸角螢 Ref. Jeng, Yang & Sato, 2002  
*Lucidina roseonotata* Pic, 1917 赤腹鋸角螢 [特有] Ref. Pic, 1917  
*Lucidina vitalisi* Pic, 1917 南華鋸角螢 Ref. Jeng, Yang & Sato, 2002  
*Luciola anceyi* Olivier, 1883 大端黑螢 Ref. Olivier, 1883  
*Luciola cerata* Olivier, 1911 黑翅螢 [特有] Ref. Olivier, 1911  
*Luciola curtithorax* Pic 擬紋螢 Ref. Jeng, Yang & Lai, 2003  
*Luciola cutithorax* Pic, 1927 擬紋螢 Ref. Pic, 1927  
*Luciola ficta* Olivier, 1909 黃緣螢 Ref. Olivier, 1909  
*Luciola filiformis* Olivier, 1913 紋胸黑翅螢 Ref. Olivier, 1913  
*Luciola gorhami* Ritsema, 1883 端黑螢 Ref. Ritsema, 1883  
*Luciola hydrophila* Jeng, Lai & Yang 2003 黃胸黑翅螢 [特有] Ref. Jeng, Lai & Yang, 2003  
*Luciola kagiana* Matsumura, 1928 紅胸黑翅螢 [特有] Ref. Matsumura, 1928  
*Luciola satoi* Jeng & Yang 小紅胸黑翅螢 Ref. Jeng, Yang & Lai, 2003  
*Luciola substriata* Gorham, 1880 條背螢 Ref. Gorham, 1880  
*Luciola terminalis* Olivier, 1883 邊褐端黑螢 Ref. Jeng, Yang & Lai, 2003  
*Pristolycus kanoi* Nakane, 1968 鹿野氏黑脈螢 Ref. Nakane, 1968  
*Pyrocoelia analis* Fabricius, 1801 大陸窗螢 Ref. Fabricius, 1801  
*Pyrocoelia formosana* Olivier, 1911 紅胸窗螢 Ref. Olivier, 1911  
*Pyrocoelia praetexta* Olivier, 1911 山窗螢 [特有] Ref. Olivier, 1911  
*Pyrocoelia prolongata* Jeng & Lai, 1999 突胸窗螢 [特有] Ref. Jeng et al., 1999  
*Pyrocoelia sanguiniventer* Olivier, 1911 赤腹窗螢 [特有] Ref. Olivier, 1911  
*Vesta chevrolati* Laporte, 1833 黑腹櫛角螢 Ref. Laporte, 1833  
*Vesta impressicollis* Fairmaire, 1891 赤腹櫛角螢 Ref. Fairmaire, 1891  
*Vesta rufiventer* Motschulsky, 1854 卵翅櫛角螢 Ref. Motschulsky, 1854

### Family Lathridiidae 姬薪蟲科

*Corticaria fasciata* Reitter, 1877 Ref. Grouvelle, 1913  
*Corticarina bhutanensis* Johnson, 1979 Ref. Johnson, 2007  
*Corticarina clareae* Johnson, 1979 Ref. Johnson, 2007  
*Corticinara gibbosa* (Herbst, 1793) Ref. Hisamatsu, 1965

### Family Leiodidae 球蠹甲科

*Afroagathidium orientale* Angelini & Marzo, 1984 [特有] Ref. Angelini & de Marzo, 1984  
*Agathidium (Agathidium) alesi* Angelini & Marzo, 1998 [特有] Ref. Angelini & de Marzo, 1998  
*Agathidium (Agathidium) alpestre* Angelini & Marzo, 1995 高山圓球蕈甲 [特有] Ref. Angelini & Marzo, 1995  
*Agathidium (Agathidium) angustatum* Angelini & Marzo, 1995 窄胸圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) anmashanense* Angelini & Marzo, 1995 鞍馬山圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) asphaltinum* Angelini & Marzo, 1995 大圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) chalconotum* Angelini & Marzo, 1995 黑銅圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) chiaicum* Angelini & Marzo, 1995 嘉義圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) comptum* Angelini & Marzo, 1995 點背圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) delicatulum* Angelini & Marzo, 1998 [特有] Ref. Angelini & de Marzo, 1998  
*Agathidium (Agathidium) discretum* Angelini & Marzo, 1995 短角圓球蕈甲 [特有] Ref. Angelini & Marzo, 1995  
*Agathidium (Agathidium) distinguendum* Angelini & Marzo, 1995 黃角圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) egregium* Angelini & Marzo, 1995 刺腿圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) exoletum* Angelini & Marzo, 1995 片腿圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) familiare* Angelini & Marzo, 1995 缺翅圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) fenestratum* Angelini & Marzo, 1995 窗胸圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) formosum* Angelini & Marzo, 1995 蓬萊圓球蕈甲 Ref. Angelini & Marzo, 1985  
*Agathidium (Agathidium) fuliginosum* Angelini & Marzo, 1995 黧黑圓球蕈甲 [特有] Ref. Angelini & Marzo, 1995  
*Agathidium (Agathidium) furcatum* Angelini & Marzo, 1995 叉尾圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) fuscum* Angelini & Marzo, 1995 棕背圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) glabricolle* Angelini & Marzo, 1995 條鞘圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) griseum* Angelini, 2001 [特有] Ref. Angelini, 2001  
*Agathidium (Agathidium) grossum* Angelini, 2001 [特有] Ref. 同前  
*Agathidium (Agathidium) honestum* Angelini & Marzo, 1995 勾腿圓球蕈甲 [特有] Ref. Angelini & Marzo, 1995  
*Agathidium (Agathidium) intricatum* Angelini & Marzo, 1995 似圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) inustum* Angelini & Marzo, 1995 曲腿圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) kaohsiungense* Angelini & Marzo, 1995 高雄圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) lucidum* Angelini & Marzo, 1995 方腿圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) lucifugum* Angelini, 2001, 2002 Ref. Angelini, 2001  
*Agathidium (Agathidium) lunatum* Angelini & Marzo, 1995 波腿圓球蕈甲 [特有] Ref. Angelini & Marzo, 1995  
*Agathidium (Agathidium) meifengense* Angelini & Marzo, 1995 梅峰圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) melanocephalum* Angelini & Marzo, 1995 黑頭圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) memnonium* Angelini & Marzo, 1995 黑褐圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) mequignoni* Roubal, 1911 Ref. Perreau, 2004  
*Agathidium (Agathidium) pictum* Angelini & Marzo, 1998 [特有] Ref. Angelini & de Marzo, 1998  
*Agathidium (Agathidium) splendidulum* Angelini & Marzo, 1995 巨刺圓球蕈甲 [特有] Ref. Angelini & Marzo, 1995  
*Agathidium (Agathidium) subalpinum* Angelini & Marzo, 1995 亞高山圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) subnitidum* Angelini & Marzo, 1998 [特有] Ref. Angelini & de Marzo, 1998  
*Agathidium (Agathidium) subsinuatum* Angelini, 2001 [特有] Ref. Angelini, 2001  
*Agathidium (Agathidium) taichungense* Angelini & Marzo, 1995 台中圓球蕈甲 [特有] Ref. Angelini & Marzo, 1995  
*Agathidium (Agathidium) tardum* Angelini & Marzo, 1995 長節圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) tenebroides* Angelini & Marzo, 1995 擬步圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) tessellatum* Angelini & Marzo, 1995 斑鞘圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Agathidium) umbratum* Angelini & Marzo, 1995 突眼圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Cyphocheble) geniculatum* Angelini & Marzo, 1995 淺條圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Cyphocheble) inquisitor* Angelini & Marzo, 1995 隱楯圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Cyphocheble) yushanicum* Angelini & Marzo, 1995 玉山圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Macrocheble) oblitum* Angelini & Marzo, 1995 短胸圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Microcheble) amictum* Angelini & Marzo, 1995 方胸圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Microcheble) fenchihuense* Angelini, 2001 [特有] Ref. Angelini, 2001  
*Agathidium (Microcheble) klapperichi* Angelini & Marzo, 1995 克氏圓球蕈甲 [特有] Ref. Angelini & Marzo, 1985  
*Agathidium (Microcheble) puncticolle* Cotter, 1984 Ref. Perreau, 2004  
*Agathidium (Microcheble) serratum* Angelini, 2001, 2002 Ref. Angelini, 2001  
*Agathidium (Microcheble) taiwanense* Angelini & Marzo, 1985 台灣圓球蕈甲 [特有] Ref. Angelini & Marzo, 1985  
*Agathidium (Microcheble) venustum* Angelini & Marzo, 1995 棒腿圓球蕈甲 [特有] Ref. Angelini & Marzo, 1995  
*Agathidium (Neocheble) confusum* Brisout & Barneville, 1863 Ref. Perreau, 2004  
*Agathidium (Neocheble) kyotoense* Angelini & Marzo, 1990 Ref. Perreau, 2004  
*Agathidium (Neocheble) nigrocastaneum* Angelini & Marzo, 1995 栗色圓球蕈甲 [特有] Ref. Angelini & Marzo, 1995  
*Agathidium (Neocheble) praeustum* Angelini & Marzo, 1995 赤焰圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Neocheble) rufomarginatum* Angelini & Marzo, 1995 紅緣圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Neocheble) tarokoense* Angelini & Marzo, 1995 太魯閣圓球蕈甲 [特有] Ref. 同前  
*Agathidium (Neocheble) vestitum* Angelini & Marzo, 1995 刻鞘圓球蕈甲 [特有] Ref. 同前  
*Anemadiola itotateoi* Hayashi, 1990 伊藤擬線型球蕈甲 [特有] Ref. Hayashi, 1990  
*Anemadiola smetanai* Perreau, 1996 史氏擬線型球蕈甲 [特有] Ref. Perreau, 1996  
*Anemadus taiwanus* Perreau, 1996 臺灣線型球蕈甲 [特有] Ref. Perreau, 1996  
*Anisotoma smetanai* Angelini & Marzo, 1995 史氏球蕈甲 [特有] Ref. Angelini & Marzo, 1995  
*Besuchetionella semipunctata* Angelini & Peck, 2000 [特有] Ref. Angelini & Peck, 2000  
*Besuchetionella taiwanensis* Angelini & Peck, 2000 [特有] Ref. 同前  
*Catops continentalis* Schweiger, 1956 脊球蕈甲 Ref. Hayashi, 1988  
*Catops klapperichi* Schweiger, 1956 克氏脊球蕈甲 Ref. Hayashi, 1988  
*Catops miensis* Hayashi, 1988 蓬萊脊球蕈甲 [特有] Ref. Hayashi, 1988  
*Catops taiwanensis* Hayashi, 1988 臺灣脊球蕈甲 [特有] Ref. Hayashi, 1988

*Colenisia glabella* Daffner, 1988b [特有] Ref. Daffner, 1988  
*Colenisia guineensiana* (Hlisenkovsky, 1963) Ref. Perreau, 2004  
*Colenisia johanni* Daffner, 1988b [特有] Ref. Daffner, 1988  
*Colenisia ovalis* Daffner, 1988b [特有] Ref. Daffner, 1988  
*Colenisia pygmaea* (Portevin, 1905) Ref. Perreau, 2004  
*Colenisia rotunda* Daffner, 1988b [特有] Ref. Daffner, 1988  
*Colenisia topali* Daffner, 1988 Ref. Svec, 2002  
*Cyrtoplastus smetanai* Angelini & Marzo, 1995 史氏隱頭球蕈甲 [特有] Ref. Angelini & Marzo, 1995  
*Dermatohomoeus miyatakei* (Hisamatsu, 1957) Ref. Perreau, 2004  
*Leiodes klapperichi* Daffner, 1983 [特有] Ref. Perreau, 2004  
*Liadopria taiwanensis* Angelini & Marzo, 1985 台灣滑鞘球蕈甲 [特有] Ref. Angelini & Marzo, 1985  
*Mesocatops imitator* (Schweiger, 1956) 偽大球蕈甲 Ref. Hayashi, 1990  
*Micronemadus pusillimus* (Kraatz, 1877) 姬線型球蕈甲 Ref. Hayashi, 1990  
*Nargus taiwanensis* Perreau, 1996 台灣腎球蕈甲 [特有] Ref. Perreau, 1996  
*Prionochaeta harmandi* Portevin, 1902 Ref. Perreau, 2004  
*Pseudocolenis (Pseudocolenis) picea* (Hisamatsu, 1964)  
*Pseudocolenis (Pseudocolenis) forticornis* Daffner, 1988a [特有] Ref. Daffner, 1988  
*Pseudocolenis (Pseudocolenis) klapperichi* Daffner, 1988a [特有] Ref. Daffner, 1988  
*Ptomaphagus franki* Perreau, 1992 法氏毛脛球蕈甲 [特有] Ref. Perreau, 1992  
*Ptomaphagus pingtungensis* Perreau, 1996 屏東毛脛球蕈甲 [特有] Ref. Perreau, 1996  
*Ptomaphagus sauteri* (Portevin, 1914) 蘇氏毛脛球蕈甲 [特有] Ref. Portevin, 1914  
*Ptomaphagus amamianus* Nakane, 1963 奄美條鞘球蕈甲 Ref. Perreau, 1996  
*Ptomaphagus smetanai* Perreau, 1996 史氏條鞘球蕈甲 [特有] Ref. Perreau, 1996  
*Ptomaphagus yasutoshii* Nishikawa, 1993 [特有] Ref. Perreau, 2004  
*Sphaeroliodes acuminatus* Svec, 2002 [特有] Ref. Svec, 2002  
*Stetholiodes magnifica* Angelini & Cooter, 1998 [特有] Ref. Angelini & Cooter, 1998

#### Family Limnichidae 微泥蟲科

*Acontosceles yorioi* Sato, 1965 寄尾微泥蟲 Ref. Yoshitomi & Sato, 2005  
*Babalimnichus taiwanus* Sato, 1994 台灣礁岩微泥蟲 [特有] Ref. Sato, 1994  
*Byrrhinus formosanus* Pic, 1935 蓬萊短角微泥蟲 [特有] Ref. Pic, 1935  
*Cephalobyrrhus latus* Pic, 1923 岩壁微泥蟲 [特有] Ref. Pic, 1923  
*Hyphalus taekoae* Sato, 1997 海灘微泥蟲 Ref. Yoshitomi, 2006  
*Pelocharles ryukyuensis* Sato, 1966 琉球梭形微泥蟲 Ref. Sato, 1966

#### Family Lucanidae 鍬形蟲科

*Aegus formosae* Bates, 1866 台灣肥角鍬形蟲 Ref. 境野廣行、余清金、朱耀沂。1994  
*Aegus kurosawae* Okajima & Ichikawa, 1986 小頭肥角鍬形蟲 [特有] Ref. 同前  
*Aegus nakaneorum* Ichikawa & Fujita, 1986 姬肥角鍬形蟲 Ref. 同前  
*Aesalus imanishii* Inahara & Ratti, 1981 台灣斑紋鍬形蟲 [特有] Ref. 同前  
*Cyclommatus albersi* Kurosawa, 1974 艷細紅鍬形蟲 Ref. 同前  
*Cyclommatus mniszewi* (Thomson, 1856) 雞冠細紅鍬形蟲 Ref. 同前  
*Cyclommatus multidentatus* Mollenkamp, 1912 細紅鍬形蟲 Ref. 同前  
*Dorcus formosanus* Miwa, 1929 台灣大鍬形蟲 [特有] Ref. 同前  
*Dorcus gracilicornis* Benesh, 1950 細角大鍬形蟲 [特有] Ref. 同前  
*Dorcus miwai* Benesh, 1936 三輪大鍬形蟲 [特有] Ref. 同前  
*Dorcus reichei* Benesh, 1950 條背大鍬形蟲 [特有] Ref. 同前  
*Dorcus schenkingi* Mollenkamp, 1913 長角大鍬形蟲 [特有] Ref. 同前  
*Figulus binodulus* Waterhouse, 1873 矮鍬形蟲 Ref. 同前  
*Figulus curvicornis* Benesh, 1950 滑翅矮鍬形蟲 Ref. 同前  
*Figulus fissicollis* Fairmaire, 1849 蘭嶼矮鍬形蟲 Ref. 同前  
*Figulus punctatus* Waterhouse, 1873 刻翅矮鍬形蟲 Ref. 同前  
*Gnaphaloryx taiwanicus* (Nakane & Makino, 1985) 台灣鏽鍬形蟲 [特有] Ref. 同前  
*Lucanus datunensis* Hashimoto, 1984 大屯深山鍬形蟲 [特有] Ref. 同前  
*Lucanus formosanus* Planet, 1899 台灣深山鍬形蟲 [特有] Ref. 同前  
*Lucanus kanoi* Kurosawa, 1966 鹿野深山鍬形蟲 [特有] Ref. 同前  
*Lucanus kanoi* Kurosawa, 1966 漆黑深山鍬形蟲 [特有] Ref. 同前  
*Lucanus masumotoi* Hirasawa, 1990 黑腳深山鍬形蟲 [特有] Ref. 同前  
*Lucanus miwai* Kurosawa, 1966 黃腳深山鍬形蟲 [特有] Ref. 同前  
*Lucanus swinhoei* Parry, 1874 姬深山鍬形蟲 [特有] Ref. 同前  
*Lucanus taiwanus* Miwa, 1936 蓬萊深山鍬形蟲 [特有] Ref. 同前  
*Macrodercas mochizukii* Miwa, 1937 望月鍬形蟲 [特有] Ref. 同前  
*Macrodercas rectus* (Motschulsky, 1857) 直牙鍬形蟲 Ref. 同前  
*Macrodercas striatipennis* Motschulsky, 1861 條翅鍬形蟲 Ref. 同前  
*Metallactulus parvulus* (Hope & Westwood, 1845) 姬扁鍬形蟲 Ref. 同前  
*Neolucanus championi* Parry, 1864 黑圓翅鍬形蟲 Ref. 同前  
*Neolucanus eugeniae* Bomans, 1991 矮圓翅鍬形蟲 Ref. 同前  
*Neolucanus swinhoei* Bates, 1866 紅圓翅鍬形蟲 Ref. 同前  
*Neolucanus vendli* Dudich, 1927 大圓翅鍬形蟲 Ref. 同前  
*Nigidionus parryi* (Bates, 1866) 葫蘆鍬形蟲 Ref. 同前  
*Nigidius acutangulus* Heller, 1917 姬牛角鍬形蟲 Ref. 同前  
*Nigidius baeri* Boileau, 1905 蘭嶼牛角鍬形蟲 Ref. 同前  
*Nigidius fromosanus* Bates, 1866 台灣牛角鍬形蟲 Ref. 同前

*Nippodorcus rubrofemoratus* (Miwa, 1937) 山田鋏形蟲 Ref. 同前  
*Odontolabis siva* Hope & Westwood, 1845 鬼髯鋏形蟲 Ref. 同前  
*Prismognathus davidis* Bomans & Ratti., 1973 金鬼鋏形蟲 Ref. 同前  
*Prismognathus formosanus* Nagel, 1928 台灣鬼鋏形蟲 [特有] Ref. 同前  
*Prismognathus piluensis* Sakaino, 1992 碧綠鬼鋏形蟲 [特有] Ref. 同前  
*Prosopocoilus austerus* (De Lisle, 1967) 圓翅鋏形蟲 [特有] Ref. 同前  
*Prosopocoilus blanchardi* (Parry, 1873) 雙紅鋏形蟲 Ref. 同前  
*Prosopocoilus formosanus* (Miwa, 1929) 扁齒鋏形蟲 Ref. 同前  
*Prosopocoilus motschulskii* Waterhouse, 1869 莫氏鋏形蟲 Ref. 同前  
*Pseudorhaetus concolor* Benesh, 1960 黑偽鹿角鋏形蟲 Ref. 同前  
*Rhaetulus crenatus* Westwood, 1871 鹿角鋏形蟲 [特有] Ref. 同前  
*Serrogathue kyanrauwensis* (Miwa, 1934) 深山扁鋏形蟲 [特有] Ref. 同前  
*Serrogathue platymelus* (Krieshe, 1920) 台灣扁鋏形蟲 Ref. 同前

### Family Lycidae 紅螢科

*Benibotarus spinicoxis* (Kiesenwetter, 1874) 棘紅螢 Ref. Jeng, Yang & Sato, 2002  
*Bulenides purpureus* Pic 猩紅三格紅螢 Ref. 同前  
*Calochromus formosanus* Nakane 蓬萊麗紅螢 [特有] Ref. 同前  
*Calochromus shirozui* Nakane 紅絨麗紅螢 [特有] Ref. 同前  
*Calochromus subparallelus* Pic 細身麗紅螢 [特有] Ref. 同前  
*Calochromus sungkangensis* Nakane 鋸角麗紅螢 [特有] Ref. 同前  
*Cautires bulenoides* Kasantsev 粗脈奇胸紅螢 [特有] Ref. 同前  
*Cautires certus* Kleine 臺灣奇胸紅螢 [特有] Ref. 同前  
*Cautires chui* Kasantsev & Yang 朱氏奇胸紅螢 [特有] Ref. 同前  
*Cautires diversicollis* (Pic, 1925) 黑胸奇胸紅螢 [特有] Ref. 同前  
*Cautires fainanensis* (Pic, 1925) 長枝奇胸紅螢 [特有] Ref. 同前  
*Cautires hsui* Kasantsev & Yang 許氏奇胸紅螢 [特有] Ref. 同前  
*Cautires ilanensis* Kasantsev & Yang 宜蘭奇胸紅螢 [特有] Ref. 同前  
*Cautires jengi* Kasantsev 橙紅奇胸紅螢 [特有] Ref. 同前  
*Cautires katoi* Nakane 加藤奇胸紅螢 [特有] Ref. 同前  
*Cautires klapperichi* Bocak & Bocakova 暗紅奇胸紅螢 [特有] Ref. 同前  
*Cautires leei* Kazantsev, 2002 李氏奇胸紅螢 [特有] Ref. Kazantsev, 2002  
*Cautires tengiensis* Kazantsev, 2002 藤枝奇胸紅螢 [特有] Ref. 同前  
*Conderis shirozui* Nakane 紋紅螢 [特有] Ref. Jeng, Yang & Sato, 2002  
*Dictyoptera formosana* Nakane 紅楯脈紅螢 [特有] Ref. 同前  
*Dictyoptera gorhami* Kono 褐楯脈紅螢 Ref. 同前  
*Dihammatus atricolor* Pic 黑身姬紅螢 [特有] Ref. 同前  
*Dihammatus parvus* Nakane 姬紅螢 [特有] Ref. 同前  
*Dilophotes ohirai* (Ohbayashi, 1956) Ref. Bocakova & Bocak, 2007  
*Dilophotis atricollis* Pic 黑胸細紅螢 Ref. Jeng, Yang & Sato, 2002  
*Dilophotis libnetoides* Nakane 暗褐細紅螢 [特有] Ref. 同前  
*Eropteris aritai* (Sato & Ohbayashi, 1968) 八重山斜條紅螢 Ref. 同前  
*Eropteris flavipennis* (Nakane, 1969) 黃翅斜條紅螢 [特有] Ref. 同前  
*Eropteris ohkurai* Matsuda 橙肩斜條紅螢 [特有] Ref. 同前  
*Eropteris taiwanus* Matsuda 臺灣斜條紅螢 [特有] Ref. 同前  
*Erotides (Glabroplatycis) kanoi* (Nakane, 1967) 鹿野絲角紅螢 [特有] Ref. Kazantsev, 2004  
*Erotides (Glabroplatycis) nasutus* (Kiesenwetter, 1874) Ref. Bocakova & Bocak, 2007  
*Erotides (Glabroplatycis) taiwana* (Kono, 1932) 臺灣絲角紅螢 [特有] Ref. Kazantsev, 2004  
*Lateralis (Lateralis) oculatus* Nakane & Ohbayashi 赤翅棘紅螢 Ref. Bocakova & Bocak, 2007  
*Lateralis (Tricostaeptera) shirozui* (Nakane, 1968) 紅絨棘紅螢 [特有] Ref. Kazantsev, 2004  
*Libnetis leei* Kasantsev & Yang 李氏眼紅螢 [特有] Ref. Jeng, Yang & Sato, 2002  
*Libnetis opacus* Pic 暗黑眼紅螢 Ref. Bocakova & Bocak, 2007  
*Libnetis sauteri* Kasantsev 梭德眼紅螢 [特有] Ref. Jeng, Yang & Sato, 2002  
*Libnetis taiwanus* Kazantsev, 2002 台灣眼紅螢 [特有] Ref. Kazantsev, 2002  
*Lycoprogentes nigrostriatus* Kleine 條黑焰紅螢 [特有] Ref. Bocakova & Bocak, 2007  
*Lycostomus atrimembris* Pic 軟黑吻紅螢 Ref. Jeng, Yang & Sato, 2002  
*Lycostomus crassus* Kleine 長節吻紅螢 [特有] Ref. 同前  
*Lycostomus formosanus* Pic 蓬萊吻紅螢 Ref. 同前  
*Lycostomus honestus* (Bourgeois, 1885) Ref. Bocakova & Bocak, 2007  
*Lycostomus placidus* Waterhouse 珠海吻紅螢 Ref. Jeng, Yang & Sato, 2002  
*Lycostomus similis* (Hope, 1831) 相似吻紅螢 Ref. 同前  
*Lyponia kleinei* Nakane 黑胸窄胸紅螢 [特有] Ref. 同前  
*Lyponia palpalis* Nakane 邊褐窄胸紅螢 [特有] Ref. 同前  
*Macrolycus alishanus* Nakane 高山碩紅螢 [特有] Ref. 同前  
*Macrolycus crassicornis* Nakane 粗角碩紅螢 [特有] Ref. 同前  
*Macrolycus dominator* Kleine 碩紅螢 Ref. 同前  
*Macrolycus erythropterus* Nakane 赤翅碩紅螢 [特有] Ref. 同前  
*Macrolycus flabellatus* (Motschulsky, 1860) 扇角碩紅螢 Ref. 同前  
*Macrolycus latus* Nakane 深山碩紅螢 [特有] Ref. 同前  
*Macrolycus taiwanus* Nakane 台灣碩紅螢 [特有] Ref. 同前  
*Metanoeus formosanus* Pic 蓬萊微網紅螢 [特有] Ref. 同前  
*Plateros alishanus* Nakane 高山短溝紅螢 [特有] Ref. 同前

*Plateros apicicornis* (Pic, 1925) [特有] Ref. Bocakova & Bocak, 2007  
*Plateros brevelineatus* Pic 灰條短溝紅螢 [特有] Ref. Jeng, Yang & Sato, 2002  
*Plateros brevenotus* Pic 短胸短溝紅螢 [特有] Ref. 同前  
*Plateros chinensis* Waterhouse 中華短溝紅螢 Ref. 同前  
*Plateros coccinipennis* Nakane 赤翅短溝紅螢 [特有] Ref. 同前  
*Plateros kanoi* (Nakane, 1969) 鹿野短溝紅螢 [特有] Ref. 同前  
*Plateros kleineanus* Nakane 克林短溝紅螢 [特有] Ref. 同前  
*Plateros laeiceps* (Pic, 1921) 毛角短溝紅螢 [特有] Ref. 同前  
*Plateros leechi* Nakane 利曲短溝紅螢 [特有] Ref. 同前  
*Plateros maculatithorax* (Pic) 紋胸短溝紅螢 [特有] Ref. 同前  
*Plateros piceicornis* Kazantsev, 2004 淡端短溝紅螢 [特有] Ref. Kazantsev, 2004  
*Plateros picianus* Nakane 猩紅短溝紅螢 [特有] Ref. Jeng, Yang & Sato, 2002  
*Plateros planatus* Waterhouse, 1879 缺刻短溝紅螢 Ref. Kazantsev, 2004  
*Plateros psuedochinensis* Kazantsev, 2004 偽中華短溝紅螢 [特有] Ref. 同前  
*Plateros sauteri* (Pic, 1925) 梭德短溝紅螢 [特有] Ref. Jeng, Yang & Sato, 2002  
*Plateros shibatai* Naikane, 1961 Ref. Bocakova & Bocak, 2007  
*Plateros viduus* Nakane 黃邊短溝紅螢 [特有] Ref. Jeng, Yang & Sato, 2002  
*Ponyalis chifenglee* Kazantsev, 2002 [特有] Ref. Bocakova & Bocak, 2007  
*Ponyalis cincinatus* Kazantsev, 2002 [特有] Ref. 同前  
*Ponyalis daucinus* Kazantsev, 2002 [特有] Ref. 同前  
*Ponyalis dolosa* Kleine 長角窄胸紅螢 [特有] Ref. 同前  
*Ponyalis gestroi* (Pic, 1912) 卡氏窄胸紅螢 Ref. 同前  
*Procautires socius* Kleine 肩條紅螢 [特有] Ref. Jeng, Yang & Sato, 2002  
*Propyropterus kanoi* Nakane 鹿野裂紅螢 [特有] Ref. 同前  
*Propyropterus plateroides* Kazantsev, 2004 偽短溝紅螢 [特有] Ref. Kazantsev, 2004  
*Propyropterus pygidialis* Nakane 彎腹裂紅螢 [特有] Ref. Jeng, Yang & Sato, 2002  
*Xylobanus leechi* Nakane 利曲木紅螢 [特有] Ref. 同前  
*Xylobanus macrolycoides* Kazantsev, 2002 巨木紅螢 [特有] Ref. Kazantsev, 2002  
*Xylobanus nigrimembris* Pic 軟黑木紅螢 [特有] Ref. Jeng, Yang & Sato, 2002

#### Family Lymexylidae 筒蠹蟲科

*Arractoeus monticola* (Kurosawa, 1985) [特有] Ref. Wheeler, 1986  
*Arractoeus nipponicus* (Nakane, 1984) Ref. Wheeler, 1986  
*Elateroides flabellicornis* (Schneider, 1791) Ref. Kurosawa, 1985  
*Lymexylon amamanum* Kurosawa, 1985 Ref. 同前  
*Lymexylon miyakei* Nakane, 1985 Ref. Cuccodoro, 2007  
*Raractocetus emarginatus* (Laporte, 1836) Ref. Kurosawa, 1985

#### Family Melandryidae 長朽木蟲科

*Cuphosis formosanus* Nomura, 1958 [特有] Ref. Nomura, 1958  
*Dicraeomorpha satoi* Toyoshima, Ishikawa & Lee, 2007 [特有] Ref. Toyoshima, Ishikawa & Lee, 2007  
*Osphya formosana* Pic, 1910 [特有] Ref. Miwa, 1931  
*Osphya trilineata* Pic, 1910 [特有] Ref. Miwa, 1931  
*Phloeotrinius minusculus* (Nomura, 1962) Ref. Toyoshima & Ishikawa, 2000

#### Family Meloidae 地膽科

*Cissites cephalotes* (Olivier, 1795) 大紅芫青 Ref. Kono, 1936  
*Epicauta dalihodi* Dvorak, 1996 達氏豆芫青 [特有] Ref. Dvorak, 1996  
*Epicauta hirticornis* (Haag-Rutenberg, 1880) 豆芫青 Ref. Kono, 1936  
*Epicauta taipina* Kono, 1936 太平豆芫青 [特有] Ref. Kono, 1936  
*Epicauta waterhousei* (Haag-Rutenberg, 1880) 白條豆芫青 Ref. Kono, 1936  
*Meloe formosensis* Miwa, 1930 台灣地芫青 [特有] Ref. Kono, 1936  
*Mylabris cichorii* (Linnaeus, 1764) 橫紋芫青 Ref. Kono, 1936  
*Mylabris phalerata* (Pallas, 1781) 大橫紋芫青 Ref. Kono, 1936  
*Zonitis cothurnata* Marseul, 1873 端黑黃芫青 Ref. Kono, 1936  
*Zonitis japonicus* Pic, 1910 黃芫青 Ref. Kurosawa, 1985  
*Zonitis miwai* Kono, 1936 三輪黃芫青 [特有] Ref. Kono, 1936

#### Family Melyridae 耀夜螢科

*Anthocomus bipartitus* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Anthocomus denticornis* Wittmer, 1986 [特有] Ref. Wittmer, 1986  
*Anthocomus inimpressus* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Apalochrus rufofasciatus* Pic, 1919 [特有] Ref. Wittmer, 1982  
*Attalus chinensis* Fleischer, 1919 Ref. Wittmer, 1982  
*Attalus formosanus* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Attalus formosanus* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Attalus formosanus* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Attalus formosanus* Wittmer, 1956 [特有] Ref. Wittmer, 1982  
*Attalus impressus* Wittmer, 1972 [特有] Ref. Wittmer, 1982  
*Attalus incisopygus* Wittmer, 1956 [特有] Ref. Wittmer, 1982  
*Attalus inermis* Wittmer, 1972 [特有] Ref. Wittmer, 1982  
*Attalus latopygus* Wittmer, 1972 [特有] Ref. Wittmer, 1982  
*Attalus pygidialis* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Attalus pygidialis* Wittmer, 1982 [特有] Ref. Wittmer, 1982

*Attalus rufoapicalis* Pic, 1917 [特有] Ref. Wittmer, 1982  
*Attalus shimomurai* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Attalus taiwanohirsutus* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Carphuroides formosanus* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Carphuroides pilosicornis* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Carphurus ruffifrons* Pic, 1921 [特有] Ref. Wittmer, 1982  
*Carphurus topali* Wittmer, 1978 [特有] Ref. Wittmer, 1982  
*Dasytes gemmatus* Liberti, 1984 [特有] Ref. Liberti, 1984  
*Dasytes macrophthalmus* Liberti, 1982 [特有] Ref. Liberti, 1982  
*Dasytes opacicornis* Liberti, 1982 [特有] Ref. Liberti, 1982  
*Dasytes shimomurai* Liberti, 1982 [特有] Ref. Liberti, 1982  
*Dasytes taiwanensis* Liberti, 1982 [特有] Ref. Liberti, 1982  
*Ebaeus alutaceus* Wittmer, 1986 [特有] Ref. Wittmer, 1986  
*Ebaeus lunulatus* Wittmer, 1958 [特有] Ref. Wittmer, 1982  
*Ebaeus miyamotoi* Wittmer, 1955 [特有] Ref. Wittmer, 1982  
*Hedybioattalus shimomurai* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Hypebaeus levecyaneus* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Intybia duplex* (Champion, 1921) [特有] Ref. Wittmer, 1997  
*Intybia latefasciatus* (Pic, 1919) [特有] Ref. Wittmer, 1997  
*Intybia planicornis* (Wittmer, 1982) [特有] Ref. Wittmer, 1997  
*Intybia taiwana* Wittmer, 1997 [特有] Ref. Wittmer, 1997  
*Laius erectodentatus* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Laius fenchihuensis* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Laius pici* Miwa, 1931 [特有] Ref. Wittmer, 1982  
*Laius sexmaculatus* Pic, 1919 [特有] Ref. Wittmer, 1982  
*Malachius lineaticollis* Pic, 1917 [特有] Ref. Wittmer, 1982  
*Microlipus asiaticus* Wittmer, 1982 [特有] Ref. Wittmer, 1982  
*Telocarphurus taiwanus* Wittmer, 1982 [特有] Ref. Wittmer, 1982

#### Family Monommatidae 擬吉丁蟲科

*Monomma glyphysternum* Pic, 1916 [特有] Ref. Miwa, 1931

#### Family Monotomidae 出尾扁甲科

*Mimemodes carenifrons* Grouvelle, 1913 [特有] Ref. Jelinek, 2007  
*Mimemodes monstrosus* Reitter, 1874 Ref. Jelinek, 2007  
*Mimemodes proximus* Grouvelle, 1913 [特有] Ref. Jelinek, 2007  
*Monotoma picipes* Herbst, 1793 Ref. Jelinek, 2007

#### Family Mordellidae 花蚤科

*Calycina major* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Calycina nigroapicalis* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Falsomordellina altestrigata* (Marseul, 1876) Ref. Nomura, 1967  
*Falsomordellina ayahime* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Falsomordellisena formosana* (Pic, 1911) [特有] Ref. Nomura, 1967  
*Falsomordellisena humerosignata* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Falsomordellisena inouei* (Nomura, 1951) [特有] Ref. Nomura, 1967  
*Falsomordellisena konoii* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Falsomordellisena konoii* (Pic, 1936) [特有] Ref. Nomura, 1967  
*Falsomordellisena luteoloides* (Nomura, 1961) Ref. Nomura, 1967  
*Falsomordellisena nigripennis* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Falsomordellistena aurosuturalis* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Falsomordellistena hiranoi* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Falsomordellistena konoii* (Pic, 1936) [特有] Ref. Nomura, 1967  
*Falsomordellistena konoii* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Glipa alboscuteolata* Kono, 1934 [特有] Ref. Nomura, 1967  
*Glipa formosana* Pic, 1911 Ref. Nomura, 1967  
*Glipa malaccana* Pic, 1911 Ref. Nomura, 1967  
*Glipa malaccana* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Glipa obliquivittata* Fan & Yang, 1993 Ref. Takakuwa, 2002  
*Glipa obscuripennis* Pic, 1911 [特有] Ref. Nomura, 1967  
*Glipa pici* Ermisch, 1940 Ref. Nomura, 1967  
*Glipa sauteri* Pic, 1911 Ref. Nomura, 1967  
*Glipa shibatai* Nakane, 1960 Ref. Nomura, 1967  
*Glipa shirozui* Nakane, 1949 Ref. Takakuwa, 1999  
*Glipa uenoi* Takakuwa, 1986 Ref. Takakuwa, 2000  
*Glipostena pelecotomoidea* (Pic, 1911) Ref. Nomura, 1967  
*Glipostenoda higashinoi* Nomura, 1951 Ref. Nomura, 1967  
*Glipostenoda kawasakii* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Glipostenoda lineatisuturalis* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Glipostenoda matsumurai* (Kono, 1932) Ref. Nomura, 1967  
*Glipostenoda rarasana* Nomura, 1951 Ref. Nomura, 1967  
*Glipostenoda rimogana* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Glipostenoda shizuokana* (Kono, 1935) Ref. Nomura, 1967

*Glipostenoda taiwana* (Kono, 1934) [特有] Ref. Nomura, 1967  
*Glipostenoda takashii* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Glipostenoda trichophora* (Nomura, 1951) Ref. Nomura, 1967  
*Higehananomia palpalis* Kono, 1935 Ref. Nomura, 1967  
*Hoshihananomia auromaculata* (Chujo, 1935) [特有] Ref. Nomura, 1967  
*Hoshihananomia composita* (Walker, 1858) Ref. Nomura, 1967  
*Hoshihananomia formosana* Nakane & Normura, 1950 [特有] Ref. Nomura, 1967  
*Hoshihananomia katoi* Nakane & Nomura, 1957 Ref. Nomura, 1967  
*Hoshihananomia kirai* Nakane & Nomura, 1950 Ref. Nomura, 1967  
*Hoshihananomia masatakai* Tsuru & Takakuwa, 2007 [特有] Ref. Tsuru & Takakuwa, 2007  
*Hoshihananomia minuscula* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Hoshihananomia nakanei* Kiyoyama, 1993 [特有] Ref. Kiyoyama, 1993  
*Hoshihananomia oshimae* Nomura, 1967 [特有] Ref. 同前  
*Hoshihananomia pseudauromaculata* Kiyoyama, 1993 [特有] Ref. 同前  
*Mordella inouei* Nomura, 1958 [特有] Ref. Nomura, 1967  
*Mordella mixta* Fabricius, 1801 Ref. Nomura, 1967  
*Mordella niveoscutellata* Nakane & Nomura, 1950 Ref. Nomura, 1967  
*Mordella ochrotricha* Nomura, 1958 [特有] Ref. Nomura, 1967  
*Mordella shirozui* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Mordella tenuicauda* Nomura, 1958 [特有] Ref. Nomura, 1967  
*Mordella truncatoptera* Nomura, 1958 Ref. Nomura, 1967  
*Mordella yami* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Mordellaria hananoi* (Nakane & Nomura, 1950) Ref. Nomura, 1967  
*Mordellaria kanoi* Kono, 1932 [特有] Ref. Nomura, 1967  
*Mordellaria latior* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Mordellina amamiensis* (Nomura, 1951) Ref. Nomura, 1967  
*Mordellina atrofusca* (Nomura, 1951) Ref. Nomura, 1967  
*Mordellina callichroa* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Mordellina curtepicalis* (Pic, 1926) [特有] Ref. Nomura, 1967  
*Mordellina gina* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Mordellina kaguyahime* (Nomura & Kato, 1957) Ref. Nomura, 1967  
*Mordellina marginalis* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Mordellina paiwana* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Mordellina pilosovittata* (Nakane, 1956) Ref. Nomura, 1967  
*Mordellina rufohumeralis* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Mordellina signatella* (Marseul, 1876) Ref. Nomura, 1967  
*Mordellina tsutsuii* (Nakane, 1956) Ref. Nomura, 1967  
*Mordellistema miyamotoi* Nakane, 1956 Ref. Nomura, 1967  
*Mordellistema porphyria* Nomura, 1951 [特有] Ref. Nomura, 1967  
*Mordellistema pumila* (Gyllenhal, 1810) Ref. Nomura, 1967  
*Mordellochroa shibatai* Kiyoyama, 1987 [特有] Ref. Kiyoyama, 1987  
*Mordellochroa taiwana* Kiyoyama, 1987 [特有] Ref. 同前  
*Mordellochroa yanoi* (Nomura, 1951) [特有] Ref. Nomura, 1967  
*Pseudotolida awana* (Kono, 1932) Ref. Nomura, 1967  
*Pseudotolida morimotoi* Nomura, 1967 [特有] Ref. Nomura, 1967  
*Tolidostena atripennis* Nakane, 1956 Ref. Kiyoyama, 1991  
*Tolidostena hayashii* Kiyoyama, 1991 [特有] Ref. 同前  
*Tolidostena montana* Kiyoyama, 1991 [特有] Ref. 同前  
*Tolidostena similator* Kiyoyama, 1991 [特有] Ref. 同前  
*Tolidostena taiwana* (Kiyoyama, 1987) [特有] Ref. 同前  
*Tomoxia formosana* Chujo, 1935 Ref. Nomura, 1967  
*Variimorda ishiharai* Kiyoyama, 1994 [特有] Ref. Kiyoyama, 1994  
*Variimorda miyarabi* Tsuru & Talaliwa., 2005 [特有] Ref. Tsuru & Takakuwa, 2005  
*Variimorda truncatopyga* (Pic, 1938) Ref. Nomura, 1967  
*Yakuhananomia uenoi* Takakuwa, 1995 [特有] Ref. Takakuwa, 1995

#### Family Mycetophagidae 小蕈蟲科

*Litargus lewisi* Reitter, 1889 Ref. Miyatake, 1957  
*Mycetophagus sauteri* Grouvelle, 1913 [特有] Ref. Grouvelle, 1913  
*Typhaea haagi* Reitter, 1872 Ref. 同前

#### Family Nitidulidae 出尾蟲科

*Aethina argus* Grouvelle, 1890 Ref. Jelnek, 2007  
*Aethina concinna* Jelnek & Kirejtshuk, 1986 [特有] Ref. Kirejtshuk, 1986  
*Aethina flavicollis* Reitter, 1884 Ref. Jelnek, 2007  
*Aethina inconspicua* Nakane, 1967 Ref. Kirejtshuk, 2005  
*Aethina jelineki* Kirejtshuk, 1986 Ref. Jelnek, 2007  
*Amphicrossus discolor* Erichson, 1843 Ref. Grouvelle, 1913  
*Amphicrossus hirtus* Kirejtshuk, 2005 [特有] Ref. Kirejtshuk, 2005  
*Amphicrossus japonicus* Reitter, 1873 Ref. 同前  
*Amphicrossus lewisi* Reitter, 1873 Ref. 同前  
*Amphicrossus lobanovi* Kirejtshuk, 2005 [特有] Ref. 同前  
*Amphicrossus opinatus* Kirejtshuk, 2005 [特有] Ref. 同前

*Amystrops nigripennis* (Redtenbacher, 1863) Ref. 同前  
*Brachypeplus (Brachypeplus) latus* Murray, 1864 Ref. 同前  
*Brachypeplus (Selis) apicalis* Murray, 1864 Ref. 同前  
*Carpophilus (Capophilus) chalybaeus* Murray, 1864 Ref. 同前  
*Carpophilus (Capophilus) delkeskampi* Hisamatsu, 1963 Ref. 同前  
*Carpophilus (Capophilus) hemipterus* (Linnaeus, 1758) Ref. Jelnek, 2007  
*Carpophilus (Capophilus) indicus* Hisamatsu, 1963 Ref. Kirejtshuk, 2005  
*Carpophilus (Capophilus) marginellus* Motschulsky, 1858 Ref. 同前  
*Carpophilus (Capophilus) obsoletus* Erichson, 1843 Ref. 同前  
*Carpophilus (Ecnomorphus) acutangulus* Reitter, 1884 Ref. 同前  
*Carpophilus (Megacarpolus) funereus* Murray, 1864 Ref. 同前  
*Carpophilus (Megacarpolus) triton* Murray, 1864 Ref. 同前  
*Carpophilus (Myothorax) contingens* (Walker, 1858) Ref. 同前  
*Carpophilus (Myothorax) mutilatus* Erichson, 1843 Ref. 同前  
*Carpophilus (Myothorax) shioedtei* Murray, 1864 Ref. 同前  
*Carpophilus (Myothorax) truncatus* Murray, 1864 Ref. Jelnek, 2007  
*Cryptarcha maculata* Reitter, 1873 Ref. Hisamatsu, 1958  
*Cybocephalus taiwanensis* Tian & Pan, 1994 [特有] Ref. Tian & Pang, 1994  
*Cyllodes bifascies* (Walker, 1859) Ref. Kirejtshuk, 2005  
*Cyllodes criptum* Kirejtshuk, 2005 [特有] Ref. 同前  
*Cyllodes literatus* (Reitter, 1878) Ref. Jelnek, 2007  
*Cyllodes multimaculatus* Grouvelle, 1913 [特有] Ref. Grouvelle, 1913  
*Cyllodes nakanei* Hisamatsu, 1961 Ref. Kirejtshuk, 2005  
*Cyllodes pseudoliteratus* Kirejtshuk, 2005 [特有] Ref. 同前  
*Cyllodes trigrinus* Grouvelle, 1913 [特有] Ref. Grouvelle, 1913  
*Eपुरaea (Eपुरaea) birmanica* Grouvelle, 1914 [特有] Ref. Kirejtshuk, 2005  
*Eपुरaea (Eपुरaea) superlata* Kirejtshuk, 2005 [特有] Ref. 同前  
*Eपुरaea (Haptoncus) concolor* Murray, 1864 Ref. 同前  
*Eपुरaea (Haptoncus) fallax* (Grouvelle, 1897) Ref. 同前  
*Eपुरaea (Haptoncus) luteolus* Erichson, 1843 Ref. 同前  
*Eपुरaea (Haptoncus) motschulskyi* (Reitter, 1873) Ref. 同前  
*Eपुरaea (Haptoncus) ocularis* Fairmaire, 1849 Ref. 同前  
*Eपुरaea (Haptoncus) paulula* Reitter, 1873 Ref. 同前  
*Eपुरaea (Micruria) commutata* Grouvelle, 1913 Ref. 同前  
*Eपुरaea (Micruria) consanguinea* Grouvelle, 1913 [特有] Ref. Grouvelle, 1913  
*Eपुरaea (Micruria) dentipes* Hisamatsu, 1961 Ref. Kirejtshuk, 2005  
*Eपुरaea (Micruria) grouvellei* Jelinek, 1978 Ref. 同前  
*Eपुरaea (Micruria) mandibularis* Reitter, 1873 Ref. Jelnek, 2007  
*Eपुरaea (Micruria) spiculata* Kirejtshuk, 2005 [特有] Ref. Kirejtshuk, 2005  
*Glischrochilus becvari* Jelinek, 1999 [特有] Ref. Jelinek, 1999  
*Glischrochilus japonius* Motsch., 1857 Ref. Grouvelle, 1913  
*Ipidia chujoi* Hisamatsu, 1982 [特有] Ref. Jelnek, 2007  
*Ipidia sjoebergi* Jelinek, 1978 Ref. Kirejtshuk, 2005  
*Ipidia variolosa* Grouvelle, 1913 [特有] Ref. Grouvelle, 1913  
*Ithyphenes sauteri* Grouvelle, 1913 [特有] Ref. 同前  
*Librodor japonicus* (Motschulsky, 1857) Ref. Hisamatsu, 1956  
*Megauchenia angustata* (Erichson, 1843) Ref. Grouvelle, 1913  
*Megauchenia quadricollis* Kirejtshuk, 1990 Ref. 同前  
*Megauchenia setipennis* MacLeay, 1825 Ref. Jelnek, 2007  
*Meligethes castanescens* Grouvelle, 1903 Ref. Jelnek, 2007  
*Meligethes lloydi* Easton, 1968 Ref. Jelnek, 2007  
*Meligethes pectoralis* Rebmann, 1956 Ref. Kirejtshuk, 2005  
*Meligethes shirakii* Hisamatsu, 1956 Ref. Jelnek, 2007  
*Meligethes shirozui* Hisamatsu, 1965 [特有] Ref. Hisamatsu, 1965  
*Meligethes torquatus* Jelinek, 1997 [特有] Ref. Jelinek, 1997  
*Meligethes zakharenkoi* Kirejtshuk, 2005 [特有] Ref. Kirejtshuk, 2005  
*Meligethinus plagiatas* (Grouvelle, 1894) Ref. 同前  
*Neopallodes hilleri* Reitter, 1877 Ref. Jelnek, 2007  
*Neopallodes vicinus* Grouvelle, 1892 Ref. Kirejtshuk, 2005  
*Pallodes (Coxolodes) cyrtusoides* Reitter, 1884 Ref. Jelnek, 2007  
*Parametopia rotundata* (Reitter, 1888) Ref. Jelnek, 2007  
*Parametopia x-rubrum* Reitter, 1884 Ref. Jelnek, 2007  
*Phenolia (Lasiodites) inaequalis* (Grouvelle, 1914) Ref. Kirejtshuk, 2005  
*Phenolia (Lasiodites) monticola* (Grouvelle, 1910) Ref. 同前  
*Phenolia (Lasiodites) picta* (MacLeay, 1825) Ref. 同前  
*Phenolia (Phenolia) amplificator* Hisamatsu, 1956 Ref. 同前  
*Physoronia olexai* Jelinek, 1999 Ref. Jelnek, 2007  
*Physoronia schneideri* Jelinek, 1999 Ref. Kirejtshuk, 2005  
*Physoronia taiwanensis* Kirejtshuk, 2006 [特有] Ref. Kirejtshuk, 2006  
*Pocadites chujoi* Hisamatsu, 1959 Ref. Kirejtshuk, 2005  
*Pocadites sauteri* Grouvelle, 1913 [特有] Ref. Grouvelle, 1913  
*Prometopia (Prometopia) quadrimaculata* Motschulsky, 1863 Ref. Kirejtshuk, 2005

*Propetes nigripennis* (Redtenbacher, 1867) Ref. Kirejtshuk, 1998  
*Soronia merkli* Kirejtshuk, 2005 [特有] Ref. Kirejtshuk, 2005  
*Stelidota multiguttata* Reitter, 1876 Ref. Grouvelle, 1913  
*Taenioncus cylindricus* (Murray, 1864) Ref. Kirejtshuk, 2005  
*Triacanus sauteri* (Grouvelle, 1914) [特有] Ref. Jelnek, 2007  
*Tricanus nigripennis* Reitter, 1873 Ref. Kirejtshuk, 2005  
*Trimenus parallelopedus* (Motschulsky, 1863) Ref. 同前  
*Urophorus (Anophorus) foveicollis* (Murray, 1864) Ref. 同前  
*Urophorus (Anophorus) humeralis* (Fabricius, 1801) Ref. 同前

#### Family Nosodendridae 姬刺蟲科

*Nosodendron coenosum* (Wollaston, 1873) Ref. Steinhammer, 2007

#### Family Noteridae 方胸龍蝨科

*Cathydrus flavus* Motschulsky, 1855 黃色方胸龍蝨 Ref. Nilsson, 1995  
*Cathydrus nitidulus* Sharp, 1882 光澤方胸龍蝨 Ref. Nilsson, 1995

#### Family Ochodaeidae 紅金龜科

*Ochodaeus asahinai* Kurosawa, 1968 朝比奈紅金龜 Ref. Nomura, 1973  
*Ochodaeus coomani* Paulian, 1945 黃背紅金龜 Ref. Ochi et al., 2006  
*Ochodaeus formosanus* Kurosawa, 1968 蓬萊紅金龜 [特有] Ref. Kurosawa, 1968  
*Ochodaeus interruptus* Kuosawa, 1948 斑點紅金龜 Ref. Ochi et al., 2006  
*Ochodaeus lanyuensis* Ochi et al., 2006 蘭嶼紅金龜 [特有] Ref. 同前  
*Ochodaeus sakaii* Ochi et al., 2006 酒井紅金龜 [特有] Ref. 同前

#### Family Oedemeridae 擬天牛科

*Dryopomera kurosai* Akiyama, 1998 Ref. Svihla, 2001  
*Eobia chinensis* Kono, 1937 [特有] Ref. Gressitt, 1939  
*Eobia curticornis* Pic, 1911 [特有] Ref. 同前  
*Eobia curticornis* Pic, 1927 [特有] Ref. 同前  
*Eobia formosana* Pic, 1923 [特有] Ref. 同前  
*Hyperopselaphus ikedai* Mizota, 1999 Ref. Mizota, 1999  
*Indasclera formosana* (Pic, 1910) [特有] Ref. Svihla, 1997  
*Indasclera rugosipennis* (Pic, 1910) [特有] Ref. Svihla, 1997  
*Indasclera uenoi* Svihla, 1997 [特有] Ref. Svihla, 1997  
*Indasclera wittmeri* Svihla, 1997 [特有] Ref. Svihla, 1997  
*Ischnomera taiwana* Svihla, 1992 [特有] Ref. Svihla, 1992  
*Nacerdes akiyamai* Svihla, 1998 [特有] Ref. Svihla, 1998  
*Nacerdes apicalis* (Kono, 1932) [特有] Ref. Svihla, 1998  
*Nacerdes apicipennis* Svihla, 1998 [特有] Ref. Svihla, 1998  
*Nacerdes baibarana* (Kono, 1932) [特有] Ref. Svihla, 1998  
*Nacerdes kantneri* Svihla, 2001 [特有] Ref. Svihla, 2001  
*Nacerdes taiwana* (Kono, 1932) [特有] Ref. Svihla, 1998  
*Nacerdes transfertalis* Svihla, 1998 [特有] Ref. Svihla, 1998  
*Oedemera sauteri* Pic, 1927 [特有] Ref. Svihla, 1999  
*Oedemera sauteri* Svihla, 1999 [特有] Ref. Svihla, 1999  
*Oedemera testaceithorax* Pic, 1927 Ref. Svihla, 1999  
*Polacus longicornis* Sasaji, 1985 [特有] Ref. Sasaji, 1985  
*Schistopselaphus sonani* Kono, 1937 [特有] Ref. Gressitt, 1939  
*Xanthochroina tarsalis* (Kono, 1937) Ref. Mizota, 2001

#### Family Passalidae 黑艷蟲科

*Aceraius grandis* (Burmeister, 1847) 大黑艷蟲 Ref. Kon, 2006  
*Ceracupes arrowi* Heller, 1911 甲仙三叉黑艷蟲 Ref. Kon, 2006  
*Ceracupes chingkini* Okano, 1988 清金三叉黑艷蟲 Ref. Kon, 2006  
*Ceracupes yui* Okano, 1988 余氏三叉黑艷蟲 [特有] Ref. Kon, 2006  
*Leptaulax dentatus* (Fabricius, 1792) Ref. Kon, 2006  
*Leptaulax formosanus* Doesburg, 1992 小黑艷蟲 [特有] Ref. Kon, 2006

#### Family Passandridae 捕蠹蟲科

*Ancistria emarginata* Grouvelle, 1913 Ref. Burckhardt & Slipinski, 1995  
*Ancistria pilosa* Burckhardt & Slipinski, 1995 [特有] Ref. Löbl, 2007  
*Ancistria retusa* (Fabricius, 1855) Ref. Burckhardt & Slipinski, 1995  
*Aulonostoma tenebrioides* Motschulsky, 1858 Ref. Burckhardt & Slipinski, 1991  
*Passandra heros* (Fabricius, 1801) Ref. Slipinski, 1987  
*Passandra tenuicornis* (Grouvelle, 1913) Ref. 同前

#### Family Phalacridae 姬花螢科

*Augasmus coronatus* (Flach, 1889) Ref. Hisamatsu, 1985  
*Augasmus nigromaculatus* (Hisamatsu, 1985) Ref. 同前  
*Augasmus sinuatus* Motschulsky, 1858 Ref. Svec, 2007  
*Heterolitus thoracicus* (Fleutiaux) Ref. Hisamatsu, 1985  
*Heterostilbus kobensis* Champion Ref. 同前  
*Olibrus consanguineus* Flach Ref. 同前  
*Phalacrus festivus* Motschulsky Ref. 同前

*Phalacrus luteicornis* Champion Ref. 同前  
*Phalacrus punctatus* Champion Ref. 同前  
*Tinodemus polygramma* (Flach, 1889) Ref. 同前

### Family Phengodidae 捕蠃螢科

*Stenocladus bicoloripes* Pic, 1918 雙色垂鬚螢 [特有] Ref. Pic, 1918

### Family Platypodidae 長小蠹蟲科

*Crossotarsus emancipatus* Murayama, 1934 迅行截尾長小蠹 Ref. Beaver & Shih, 2003  
*Crossotarsus extemedentatus* (Fairmaire, 1849) 外齒截尾長小蠹 Ref. 同前  
*Crossotarsus flavomaculatus* Strohmeier, 1912 黃斑截尾長小蠹 Ref. 同前  
*Crossotarsus formosanus* Strohmeier, 1912 臺灣截尾長小蠹 [特有] Ref. 同前  
*Crossotarsus niponicus* Blandford, 1894 臺日截尾長小蠹 Ref. 同前  
*Crossotarsus piceus* Chapuis, 1865 黑截尾長小蠹 Ref. 同前  
*Crossotarsus rengetensis* Nijijima & Murayama, in Murayama, 1925 樟截尾長小蠹 [特有] Ref. 同前  
*Crossotarsus simplex* Murayama, 1925 亞東截尾長小蠹 Ref. 同前  
*Crossotarsus wallacei* Thomson, 1858 華萊士截尾長小蠹 Ref. 同前  
*Diapus aculeatus* Blandford, 1894 棘刺長小蠹 Ref. 同前  
*Diapus quinquispinatus* Chapuis, 1865 針刺長小蠹 Ref. 同前  
*Diapus truncatus* Nijijima & Murayama, 1934 截尾刺長小蠹 Ref. 同前  
*Dinoplatypus kusukusensis* (Murayama, 1956) 高土黃截尾長小蠹 [特有] Ref. 同前  
*Platypus arisamensis* Murayama, 1934 阿里山長小蠹 [特有] Ref. 同前  
*Platypus beaveri* Browne, 1975 泰國長小蠹 Ref. 同前  
*Platypus contaminatus* (Blandford, 1894) 污穢長小蠹 Ref. 同前  
*Platypus curtus* Chapuis, 1865 截尾長小蠹 Ref. 同前  
*Platypus dasycycauda* Browne, 1980 木材長小蠹 [特有] Ref. 同前  
*Platypus indicus* Strohmeier, 1910 印度長小蠹 Ref. 同前  
*Platypus kishuensis* Murayama, 1936 殼斗長小蠹 Ref. 同前  
*Platypus lewisi* Blandford, 1894 東亞李氏長小蠹 Ref. 同前  
*Platypus lunatulus* Browne, 1980 彎弓長小蠹 [特有] Ref. 同前  
*Platypus modestus* Blandford, 1894 方形長小蠹 Ref. 同前  
*Platypus nijimai* Murayama, 1931 番石榴長小蠹 [特有] Ref. 同前  
*Platypus octodentatus* Browne, 1985 八齒長小蠹 [特有] Ref. 同前  
*Platypus querci* Browne, 1980 橡樹長小蠹 Ref. 同前  
*Platypus quercivorus* (Murayama, 1925) 災害長小蠹 Ref. 同前  
*Platypus taiheizanensis* (Murayama, 1932) 太平山長小蠹 [特有] Ref. 同前

### Family Prionoceridae 細花螢科

*Idgia bimaculata* Pic, 1910 二斑伊細花螢 [特有] Ref. Pic, 1910  
*Idgia deusta* Fairmaire, 1878 燼伊細花螢 Ref. Miwa, 1931  
*Idgia flavicollis* Redtenbacher, 1868 黃胸伊細花螢 Ref. Miwa, 1931  
*Idgia foveifrons* Fairmaire, 1899 凹額伊細花螢 [特有] Ref. Fairmaire, 1899  
*Prionocerus bicolor* Redtenbacher, 1868 二色細花螢 Ref. Miwa, 1931

### Family Prostomidae 尖顎扁蟲科

*Prostomis latoris* Reitter, 1889 Ref. Schawaller, 1992

### Family Psephenidae 扁泥蟲科

*Dicranopselaphus nantai* Lee & Yang, 1996 台灣網紋扁泥蟲 Ref. Lee, Yang & Sato, 2000  
*Ectopria hsui* Lee & Yang, 1994 許氏鋸扁泥蟲 Ref. Lee & Yang, 1994  
*Eubrianax manakikikuse* Sato, 1964 小四鰓扁泥蟲 Ref. Lee, Yang & Sato, 2001  
*Eubrianax meridianus* Lee, Sato & Yang, 1999 南方四鰓扁泥蟲 Ref. Lee, Sato & Yang, 1999  
*Eubrianax niger* Lee & Yang, 1990 多變四鰓扁泥蟲 Ref. 同前  
*Eubrianax secretus* (Lee, Sato & Yang, 1999) 黑四鰓扁泥蟲 Ref. Lee, Yang & Sato, 2001  
*Eubrianax serratus* Lee, Yang & Sato, 2001 鋸角四鰓扁泥蟲 Ref. 同前  
*Eubrianax tarokoensis* Lee & Yang, 1990 太魯閣四鰓扁泥蟲 Ref. Lee & Yang, 1990  
*Homoeogenus laurae* Lee & Yang, 1993 台大扁泥蟲 Ref. Lee & Yang, 1993  
*Macroebria luei* Lee, Yang & Sato, 1997 呂氏條背扁泥蟲 Ref. Lee, Yang & Sato, 1997  
*Macroebria taiwana* Lee, Yang & Sato, 1997 台灣條背扁泥蟲 Ref. 同前  
*Mataeopsephus esakii* Nakane, 1964 江崎氏扁泥蟲 Ref. Nakane, 1964  
*Mataeopsephus quadibrachiae* Lee, Jach & Sato 2003 擬四鰓扁泥蟲 [特有] Ref. Lee, Jach & Sato, 2003  
*Mataeopsephus taiwanicus* Lee, Yang & Brown, 1990 台灣六鰓扁泥蟲 Ref. Lee, Yang & Brown, 1990  
*Schinostethus satoi* Lee, Yang & Brown, 1993 烏來扇角扁泥蟲 Ref. Lee, Yang & Brown, 1993

### Family Ptiliidae 櫻毛蕈蟲科

*Acrotrichis (Flachiana) kubotai* Sundt, 1969 Ref. Johnson, 2004  
*Mikado japonicus* Matthews, 1889 Ref. Miwa, 1931

### Family Ptilodactylidae 長花蚤科

*Drupeus hygropetricus* Lee, Lawrence & Sato, 2005 濕岩長花蚤 [特有] Ref. Lee, Lawrence & Sato, 2005  
*Epilichas taiwanensis* Nakane, 1996 [特有] Ref. Nakane, 1996  
*Paralichas bicolorpes* Pic, 1911 [特有] Ref. Stribling, 1986  
*Ptilodactyla formosana* Nakane, 1996 [特有] Ref. Nakane, 1996  
*Ptilodactyla nitidissima* Pic, 1927 [特有] Ref. Stribling, 1986  
*Ptilodactyla sinensis* Pic, 1927 [特有] Ref. 同前

### Family Pyrochroidae 赤翅螢科

- Pseudodentroides umenoi* (Kono, 1936) [特有] Ref. Young, 1999  
*Pseudodentroides uriana* Kono, 1935 [特有] Ref. Kono, 1935  
*Pseudopyrochroa acuminata* Young, 2000 [特有] Ref. Young, 2000  
*Pseudopyrochroa carinifrons* Kono, 1929 [特有] Ref. Kono, 1935  
*Pseudopyrochroa choui* Young, 2000 [特有] Ref. Young, 2000  
*Pseudopyrochroa depressa* (Pic, 1914) [特有] Ref. Young, 2000  
*Pseudopyrochroa fainanensis* (Pic, 1911) [特有] Ref. Young, 2000  
*Pseudopyrochroa obtusicristata* Young, 2000 [特有] Ref. Young, 1999  
*Pseudopyrochroa punctifrons* Young, 2000 [特有] Ref. Young, 2000  
*Pseudopyrochroa tumidifrons* Young, 2000 [特有] Ref. Young, 2000

### Family Rhaophthalmidae 雌光螢科

- Rhagophthalmus jenniferae* Yoshitomi & Sato, 2001 賴氏雌光螢 [特有] Ref. Yoshitomi & Sato, 2001  
*Rhagophthalmus ohbai* Wittmer & Ohba, 1995 大場雌光螢 Ref. Wittmer & Ohba, 1995

### Family Rhipiceridae 蟬寄甲科

- Sandalus sauteri* Emden, 1924 曹德氏蟬寄甲 Ref. Lee et al., 2005  
*Sandalus sauteri* Lee et al., 2005 曹德氏蟬寄甲蘭嶼亞種 [特有] Ref. 同前  
*Sandalus segnis* Lewis, 1887 日本蟬寄甲 Ref. 同前  
*Sandalus taiwanicus* Lee et al., 2005 台灣蟬寄甲 [特有] Ref. 同前

### Family Rhipiphoridae 大花蚤科

- Macrosiagon bipunctata* (Fabricius, 1801) 斑紋大花蚤 Ref. Kono, 1936  
*Macrosiagon cyaniveste* Marseul, 1876 雄黑大花蚤 Ref. Kono, 1936  
*Macrosiagon ferruginea* (Fabricius, 1775) 台灣大花蚤 [特有] Ref. Kono, 1936  
*Macrosiagon nasuta* (Thunburg, 1784) 無紋大花蚤 Ref. Kono, 1936  
*Macrosiagon unnotaticolle* Chujo, 1935 銳胸大花蚤 [特有] Ref. Kono, 1936  
*Micropelecotoides japonica* Pic, 1910 櫛爪大花蚤 Ref. Kono, 1936  
*Nephrites apicalis* Toyama & Hatayama, 1985 短鞘大花蚤 Ref. Toyama & Hatayama, 1985  
*Rhipidius longicollis* Schilder, 1923 長胸大花蚤 [特有] Ref. Kono, 1936  
*Rhipidius pectinicornis* (Thunburg, 1806) 扇角大花蚤 Ref. Kono, 1936  
*Trigonodera tokejii* (Nomura & Nakane, 1959) 鋸角大花蚤 Ref. Hatayama, 1985

### Family Rhysodidae 背條蟲科

- Omoglymmius cavifrons* (Grouvelle, 1913) [特有] Ref. Bell, 2003  
*Rhysodiastes rimoganense* (Miwa, 1934) [特有] Ref. Bell, 2003  
*Yamatosia niponensis* (Lewis, 1888) Ref. Bell, 2003

### Family Salpingidae 微樹皮蟲科

- Elacatis artichorax* (Pic, 1875) [特有] Ref. Miwa, 1931  
*Elacatis formosanus* (Borchmann, 1916) [特有] Ref. Miwa, 1931  
*Elacatis rugicollis* (Borchmann, 1916) [特有] Ref. Miwa, 1931  
*Elacatis similis* (Borchmann, 1916) [特有] Ref. Miwa, 1931  
*Inopeplus sauteri* Gourville, 1913 [特有] Ref. Sasaji, 1988  
*Inopeplus syzoi* Sasaji, 1986 [特有] Ref. Sasaji, 1986  
*Lissodema (Episcapha) uenoi* Sasaji, 1988 [特有] Ref. Sasaji, 1988

### Family Scarabaeidae 金龜子科

- Adoretus formosanus* Ohaus, 1914 台灣褐金龜 [特有] Ref. Ohaus, 1914  
*Adoretus hirsutus* Ohaus, 1914 粗毛褐金龜 Ref. Machatschke, 1972  
*Adoretus mizusawai* Kobayashi, 1982 密毛褐金龜 [特有] Ref. Kobayashi, 1982  
*Adoretus nanshanchianus* Kobayashi, 1982 南山褐金龜 [特有] Ref. 同前  
*Adoretus polyacanthus* Ohaus, 1914 長腳褐金龜 Ref. Ohaus, 1914  
*Adoretus sinicus* Burmeister, 1855 中華褐金龜 Ref. Burmeister, 1855  
*Adoretus tenuimaculatus* Waterhouse, 1875 列斑褐金龜 Ref. Waterhouse, 1875  
*Aleurostictus miwai* (Chujo, 1941) 三輪長腳花金龜 [特有] Ref. Tauzin, 2000  
*Aleurostictus pictus* (Moser, 1908) Ref. Tauzin, 2000  
*Aleurostictus signatus* (Chujo, 1940) 字紋長腳花金龜 [特有] Ref. Tauzin, 2000  
*Alissonotum crassum* Arrow, 1908 粗點蔗龜 Ref. Miwa, 1931  
*Alissonotum impressicolle* Arrow, 1908 埔里蔗龜 Ref. Miwa, 1931  
*Alissonotum pauper* (Burmeister, 1847) 寡點蔗龜 Ref. Miwa, 1931  
*Allomyrina dichotoma* (Kono, 1931) 獨角仙 Ref. Nakane, 1961  
*Amisericia babai* Kobayashi, 1988 絹艷矮絨毛金龜 [特有] Ref. Kobayashi, 1988c  
*Amisericia loi* Kobayashi, 1991 偽艷矮絨毛金龜 [特有] Ref. Kobayashi, 1991a  
*Amisericia rufidula* Nomura, 1974 紅矮絨毛金龜 [特有] Ref. Nomura, 1974  
*Amisericia rufidula* Nomura, 1974 黑矮絨毛金龜 [特有] Ref. Nomura, 1974  
*Amisericia shizumui* Kobayashi, 1980 長毛矮絨毛金龜 [特有] Ref. Kobayashi, 1980c  
*Amphicoma aurata* (Yamata, 1942) 細粗角花金龜 [特有] Ref. Miyake, 1982  
*Amphicoma formosana* Miyake, 1982 台灣粗角花金龜 [特有] Ref. Miyake, 1982  
*Anomala albopilosa* Bates, 1866 小青銅金龜 Ref. Nomura, 1965  
*Anomala aulacoides* Ohaus, 1915 藍帶條金龜 [特有] Ref. Ohaus, 1915  
*Anomala babai* Kobayashi, 1987 馬場青銅金龜 [特有] Ref. Kobayashi, 1987c  
*Anomala badia* Ohaus, 1925 褐胸條金龜 [特有] Ref. Ohaus, 1925

*Anomala castaneiventris* Bates, 1866 紅腹青銅金龜 [特有] Ref. Bates, 1866  
*Anomala corrugata* Bates, 1866 綠翅條金龜 [特有] Ref. Bates, 1866  
*Anomala cyprigogastra* Ohaus, 1938 綠艷青銅金龜 [特有] Ref. Ohaus, 1938  
*Anomala edentula* Ohaus, 1925 缺齒青銅金龜 Ref. Ohaus, 1925  
*Anomala erubescens* Ohaus, 1925 姬黑條金龜 [特有] Ref. Ohaus, 1925  
*Anomala expansa* Nomura, 1977 蘭嶼青銅金龜 [特有] Ref. Nomura, 1977a  
*Anomala expansa* (Bates, 1866) 台灣青銅金龜 Ref. Nomura, 1977a  
*Anomala expansa* Nomura, 1977 綠島青銅金龜 [特有] Ref. Nomura, 1977a  
*Anomala fasciolata* Ohaus, 1925 橫紋褐金龜 [特有] Ref. Ohaus, 1925  
*Anomala heydeni* Frivaldosky, 1892 海田青銅金龜 Ref. Frivaldosky, 1892  
*Anomala hoplocosmeta* Ohaus, 1926 條翅青銅金龜 [特有] Ref. Ohaus, 1926  
*Anomala inconcinna* Bates, 1866 褐條青銅金龜 [特有] Ref. Bates, 1866  
*Anomala ishidae* Nijima & Kinoshita, 1927 石田青銅金龜 [特有] Ref. Nijima & Kinoshita, 1927  
*Anomala itohi* Miyake, 1987 伊藤青銅金龜 [特有] Ref. Miyake, 1987  
*Anomala kintaroi* Miyake, 1996 [特有] Ref. Miyake, 1996  
*Anomala libidinosa* Ohaus, 1916 褐翅條金龜 [特有] Ref. Ohaus, 1916  
*Anomala limbifera* Ohaus, 1915 長毛青銅金龜 [特有] Ref. Ohaus, 1915  
*Anomala loi* Kobayashi, 1987 羅氏條金龜 [特有] Ref. Kobayashi, 1987c  
*Anomala masaakii* Nomura, 1977 黃腳青銅金龜 [特有] Ref. Nomura, 1977a  
*Anomala mizusawai* Kobayashi, 1987 水澤條金龜 [特有] Ref. Kobayashi, 1987c  
*Anomala nigrolineata* Kobayashi, 1987 黑紋條金龜 [特有] Ref. 同前  
*Anomala nomurai* Kobayashi, 1995 野村青銅金龜 [特有] Ref. Kobayashi, 1995a  
*Anomala ochii* Miyake, 1987 隆腹條金龜 [特有] Ref. Miyake, 1987  
*Anomala phaegastra* Ohaus, 1925 輝腹青銅金龜 [特有] Ref. Ohaus, 1925  
*Anomala rubripes* Lin, 1996 綠腳異麗金龜 [特有] Ref. Lin, 1996  
*Anomala sagiens* Ohaus, 1925 箭頭青銅金龜 [特有] Ref. Ohaus, 1925  
*Anomala satoi* Kobayashi, 1995 白尾青銅金龜 [特有] Ref. Kobayashi, 1995a  
*Anomala sakaii* Miyake, 1987 綠胸條金龜 [特有] Ref. Miyake, 1987  
*Anomala sauteri* Ohaus, 1915 曹德青銅金龜 [特有] Ref. Ohaus, 1915  
*Anomala similopyga* Miyake, 1987 圓尾青銅金龜 [特有] Ref. Miyake, 1987  
*Anomala siniopyga* Ohaus, 1916 櫻花青銅金龜 [特有] Ref. Ohaus, 1916  
*Anomala taiwana* Kobayashi, 1987 台灣條金龜 [特有] Ref. Kobayashi, 1987c  
*Anomala varicolor* (Gyllenhal, 1817) 黑條青銅金龜 Ref. Kobayashi, 1984  
*Anomalocera olivacea* (Moser, 1910) 細腳騷金龜 [特有] Ref. Miksič, 1967  
*Anomalocera paotao* Masumoto & Sakai, 1987 寶島細腳騷金龜 [特有] Ref. Masumoto & Sakai, 1987  
*Anthracophora eddai* (Tesar, 1959) 橙斑花金龜 [特有] Ref. Miksič, 1982  
*Aphodius (Acrossus) formosanus* Nomura & Nakane, 1951 蓬萊豔蜉金龜 [特有] Ref. Nomura & Nakane, 1951  
*Aphodius (Aganocrossus) urostigma* Harold 尾斑蜉金龜 Ref. Schmidt, 1913  
*Aphodius (Aparammoecius) nishikawai* Masumoto, 1996 市川蜉金龜 [特有] Ref. Masumoto, 1996  
*Aphodius (Aparammoecius) tarokensis* Stebnicka 太魯閣蜉金龜 [特有] Ref. Stebnicka, 1994  
*Aphodius (Balthasarianus) babori* Balthasar 巴布氏蜉金龜 Ref. Nomura, 1973  
*Aphodius (Balthasarianus) pilifer* Paulian 越南蜉金龜 Ref. Nomura, 1973  
*Aphodius (Calamosternus) sublimbatus* Motschulsky 北方蜉金龜 Ref. Boucomont, 1929  
*Aphodius (Calaphodius) moestus* Fabricius 黃綠蜉金龜 Ref. Schmidt, 1913  
*Aphodius (Carinaulus) pucholti* Balthasar 福建蜉金龜 Ref. Nomura, 1973  
*Aphodius (Loboparius) kotoensis* Miwa 蘭嶼蜉金龜 [特有] Ref. Miwa, 1930  
*Aphodius (Nialus) insularis* Petrovitz 島嶼蜉金龜 Ref. Masumoto, 1977  
*Aphodius (Paulianellus) maderi* Balthasar 曼德蜉金龜 Ref. Nomura, 1973  
*Aphodius (Phalacrothous) pseudoavunculus* Masumoto 偽豆蜉金龜 [特有] Ref. Masumoto, 1977  
*Aphodius (Pharaphodius) priscus* Motschulsky 淡褐蜉金龜 Ref. Dellacasa, 1996  
*Aphodius (Pleurophodius) lewisi* Waterhouse 微條蜉金龜 Ref. Schmidt, 1913  
*Aphodius (Sinodiapterna) zenii* Ochi, 1991 鎖蜉金龜 [特有] Ref. Ochi, 1991  
*Aphodius (Trichaphodius) reichei* Harold 來赫氏蜉金龜 Ref. Schmidt, 1913  
*Apogonia amida* Lewis, 1896 姬甘蔗金龜 Ref. Lewis, 1896  
*Apogonia bicarinata* Moser, 1913 雙條甘蔗金龜 [特有] Ref. Moser, 1913  
*Apogonia formosana* Moser, 1913 台灣甘蔗金龜 [特有] Ref. Moser, 1913  
*Apogonia kamiyai* Sawada, 1940 神谷甘蔗金龜 Ref. Sawada, 1940  
*Apogonia loi* Kobayashi, 2007a Ref. Kobayashi, 2007a  
*Apogonia nipponica* Lewis, 1895 姬紅甘蔗金龜 [特有] Ref. Lewis, 1895  
*Apogonia taiwana* Kobayashi, 2007a Ref. Kobayashi, 2007a  
*Apogonia takasagoensis* Sawada, 1940 長毛甘蔗金龜 [特有] Ref. Sawada, 1940  
*Apogonia tanigawaensis* Sawada, 1940 前躡甘蔗金龜 [特有] Ref. Sawada, 1940  
*Ataenius australasiae* (Bohemann, 1858) 亞洲扁蜉金龜 Ref. Schmidt, 1913  
*Blitopertha jonasi* (Ohaus, 1915) 舒納姬金龜 [特有] Ref. Machatschke, 1957  
*Blitopertha polyanor* (Ohaus, 1916) 台灣微條金龜 [特有] Ref. 同前  
*Blitopertha senooi* Kobayashi, 1987 黑背斑金龜 [特有] Ref. Kobayashi, 1987c  
*Blitopertha taitungensis* Kobayashi, 1987 台東背斑金龜 [特有] Ref. 同前  
*Blitopertha takasagoensis* (Sawada, 1941) 台灣胸紋金龜 [特有] Ref. Kobayashi, 1987f  
*Blitopertha tarowana* (Sawada, 1941) 多魯灣金龜 [特有] Ref. 同前  
*Brahmina carinoclypea* Nomura, 1977 隆條赤褐金龜 [特有] Ref. Nomura, 1977b  
*Brahmina itohi* Kobayashi, 1987 長角赤褐金龜 [特有] Ref. Kobayashi, 1987  
*Brahmina latispina* Kobayashi, 1987 粗毛紅褐金龜 [特有] Ref. Kobayashi, 1987a

*Brahmina monticola* Kobayashi, 1993 深山赤褐金龜 [特有] Ref. Kobayashi, 1993  
*Brahmina nomurai* Itoh, 1989 雙瘤赤褐金龜 [特有] Ref. Itoh, 1989  
*Brahmina pubiventris* Kobayashi, 1993 腹毛赤褐金龜 [特有] Ref. Kobayashi, 1993  
*Brahmina shibatai* Kobayashi, 1987 柴田赤褐金龜 [特有] Ref. Kobayashi, 1987a  
*Brahmina taitungensis* Nomura, 1977 台東紅褐金龜 [特有] Ref. Nomura, 1977b  
*Caccobius (Caccobius) chujoi* Paulian 中條小喙蛻螂 [特有] Ref. Paulian, 1942  
*Caccobius (Caccophilus) scrofa* Balthasar 金毛小喙蛻螂 Ref. Nomura, 1973  
*Caccobius (Caccophilus) tortus* Ochi 曲角小喙蛻螂 [特有] Ref. Ochi  
*Caccobius (Caccophilus) unicornis* (Fabricius, 1798) 單角小喙蛻螂 Ref. Balthasar, 1963  
*Callistethus formosanus* Kobayashi, 1987 黃金黑腳金龜 [特有] Ref. Kobayashi, 1987c  
*Callistethus plagiicollis* Miyake, 1987 黑腳金龜 [特有] Ref. Miyake, 1987  
*Cassolus gotoi* Masumoto, 1986 後藤瓢蛻螂 [特有] Ref. Masumoto, 1986  
*Catharsius javanus* Lansber, 1886 爪哇蛻螂 Ref. Miwa, 1930  
*Catharsius molossus* Linnaeus, 1758 神農蛻螂 Ref. Miwa, 1930  
*Cephaloserica parva* Moser, 1908 Ref. Ahrens, 2002  
*Charitovagus banzai* Sawada, 1941 巨細扁花金龜 [特有] Ref. Sawada, 1941a  
*Charitovagus formosana* Sawada, 1939 灰紋細扁花金龜 [特有] Ref. Sawada, 1939a  
*Cheirotonus formosanus* Ohaus, 1913 長臂金龜 [特有] Ref. Young, 1989  
*Clinteria aeneofusca* Bourgoin, 1915 灰斑擬黑花金龜 [特有] Ref. Bourgoin, 1915  
*Clinterocera davidis* (Fairmaire, 1878) 大衛細花金龜 Ref. Medvedev, 1964  
*Coelodera penicillata* Moser, 1910 北埔陷紋金龜 [特有] Ref. Moser, 1910a  
*Coenochilus striatus* Westwood, 1874 Ref. Chou & Sakai, 2007  
*Copris (Copris) fukiensis* Balthasar 福建蛻螂 Ref. Nomura, 1973  
*Copris (Copris) punctatus* Gillet, 1921 三戟蛻螂 [特有] Ref. Nomura, 2005a  
*Copris (Microcopris) propinquus* Felsche 豆蛻螂 Ref. Boucomont, 1929  
*Copris (Paracopris) cariniceps* Felsche 條腳蛻螂 Ref. Miwa, 1930  
*Cosmiomorpha horni* Bourgoin, 1931 細毛褐騷金龜 [特有] Ref. Bourgoin, 1931  
*Cosmiomorpha sauteri* Bourgoin, 1931 曹德褐騷金龜 [特有] Ref. 同前  
*Cosmiomorpha similis* Fairmaire, 1899 褐騷金龜 Ref. Fairmaire, 1899  
*Cosmiomorpha taiwanomontanus* Masumoto & Sakai, 1988 台灣高山褐騷金龜 [特有] Ref. Masumoto & Sakai, 1988  
*Cyphochilus crataceus* Kobayashi & Yu, 1993 台北白金龜 [特有] Ref. Kobayashi & Yu, 1993b  
*Cyphochilus crataceus* Nijijima & Kinoshita, 1923 白金龜 [特有] Ref. Nijijima & Kinoshita, 1923  
*Cyphochilus insulanus* Moser, 1918 大白金龜 [特有] Ref. Moser, 1918  
*Cyphochilus unidentatus* Nomura, 1977 褐白金龜 [特有] Ref. Nomura, 1977b  
*Dasylepida fissa* Moser, 1913 黃腹黑金龜 [特有] Ref. Moser, 1913  
*Dasyvalgus formosanus* Moser, 1915 鱗毛扁花金龜 Ref. Moser, 1915c  
*Dasyvalgus inouei* Sawada, 1939 井上刺扁花金龜 [特有] Ref. Sawada, 1939c  
*Dasyvalgus makiharai* Miyake, 1985 楨原刺扁花金龜 [特有] Ref. Miyake, 1985  
*Dasyvalgus shimomurai* Kobayashi, 1994 小黑刺扁花金龜 [特有] Ref. Kobayashi, 1994  
*Dasyvalgus similis* Miyake, 1985 偽刺扁花金龜 [特有] Ref. Miyake, 1985  
*Dasyvalgus wadai* Miyake, 1985 和田刺扁花金龜 [特有] Ref. Miyake, 1985  
*Dichelomorpha delauneyi* Fleutiaux, 1887 圓型長腳金龜 Ref. Miwa, 1931  
*Dicranocephalus bourgoini* Pouillaude, 1913 台灣角金龜 [特有] Ref. Pouillaude, 1913  
*Dicranocephalus shimomurai* (Kurosawa, 1968) 下村角金龜 [特有] Ref. Kurosawa, 1986  
*Dicranocephalus uenoi* (Kurosawa, 1968) 加藤角金龜 [特有] Ref. Kurosawa, 1968  
*Dicranocephalus uenoi* (Kurosawa, 1968) 上野角金龜 [特有] Ref. 同前  
*Dicranocephalus yui* (Kurosawa, 1968) 陳氏角金龜 [特有] Ref. 同前  
*Dicranocephalus yui* (Kurosawa, 1968) 余氏角金龜 [特有] Ref. 同前  
*Dipelicus deiphobus* Kobayashi, 1995 羅氏角圓金龜 [特有] Ref. Kobayashi, 1995c  
*Drepanocerus arrowi* Balthasar, 1932 阿魯鬼蛻螂 Ref. Nomura, 1973  
*Ectinohoplia formosana* Moser, 1919 台灣姬長腳金龜 [特有] Ref. Miyake, 1986  
*Ectinohoplia formosana* Miwa, 1931 阿樓姬長腳金龜 [特有] Ref. Miyake, 1986  
*Ectinohoplia nantouensis* Kobayashi, 1995 南投姬長腳金龜 [特有] Ref. Kobayashi, 1995c  
*Ectinohoplia yoi* Sawada, 1939 鮮藍姬長腳金龜 [特有] Ref. Sawada, 1939  
*Eophileurus chinensis* (Faldermann, 1835) 微獨角仙 Ref. Arrow, 1908  
*Eucetonia prasinata* Bourgoin, 1915 艷邊花金龜 [特有] Ref. Bourgoin, 1915  
*Eumaladera fushanica* Ahrens, 2002 Ref. Ahrens, 2002  
*Eumaladera latitibia* (Nomura, 1974) 寬脛條腳絨毛金龜 [特有] Ref. Ahrens, 2002  
*Eumaladera nitididorsis* (Kobayashi, 1991) 艷矮絨毛金龜 [特有] Ref. Ahrens, 2002  
*Eumaladera paralatitibia* Ahrens, 2002 Ref. Ahrens, 2002  
*Eumaladera puliensis* Ahrens, 2002 Ref. Ahrens, 2002  
*Euselates praudieri* Mikšič, 1974 巴蘭陷紋金龜 [特有] Ref. Mikšič, 1974  
*Euselates proxima* (Bourgoin, 1915) 叉斑陷紋金龜 [特有] Ref. Mikšič, 1974  
*Euselates tonkinensis* Moser, 1910 黃斑陷紋金龜 [特有] Ref. Moser, 1910a  
*Exolontha serrulata* (Gyllenhal, 1817) 鋸斑粉吹金龜 Ref. Chang, 1965  
*Gametis forticula* (Nomura, 1959) 蘭嶼小綠花金龜 [特有] Ref. Mikšič, 1982  
*Gametis forticula* (Nomura, 1959) 台灣小綠花金龜 [特有] Ref. Kobayashi, 1995  
*Gametis forticula* (Kobayashi, 1990) 綠島小綠花金龜 [特有] Ref. 同前  
*Gametis incongrua* (Janson, 1878) 白緣姬花金龜 [特有] Ref. Miyake, Nakamura & Kojima, 1991  
*Gastromaladera koyamai* Hirasawa, 1985 小山大艷絨毛金龜 [特有] Ref. Hirasawa, 1985  
*Gastromaladera nitida* Nomura, 1974 尖胸大艷絨毛金龜 [特有] Ref. Nomura, 1974  
*Gastromaladera taitungensis* Kobayashi, 1991 台東大艷絨毛金龜 [特有] Ref. Kobayashi, 1991b

*Gastroserica bicolor* Nijjima & Kinoshita, 1923 黑條針絨毛金龜 [特有] Ref. Nijjima & Kinoshita, 1923  
*Gastroserica marginalis* Brenske, 1897 褐針絨毛金龜 [特有] Ref. 同前  
*Glycosia luctifera* (Fairmaire, 1878) 絨毛大黑花金龜 Ref. Arrow, 1910  
*Glycyphana fulvistemma* Motschulsky, 1860 橫斑黑花金龜 Ref. Miwa, 1931  
*Glycyphana gracilis* Sawada, 1942 細微黑花金龜 [特有] Ref. Sawada, 1942  
*Glycyphana horsfieldi* Mikšič 1967 金斑黑花金龜 Ref. Mikšič, 1967  
*Glycyphana hybrida* Mikšič 1970 偽橫斑黑花金龜 [特有] Ref. Mikšič, 1970  
*Haroldius hwangi* Masumoto et al., 2005 黃氏小瓢蟻螂 [特有] Ref. Masumoto, 2005  
*Haroldius perroti* Paulian, 1939 佩羅小瓢蟻螂 Ref. Paulian, 1994  
*Hexataenius esakii* (Nijjima & Kinoshita, 1923) 江崎細金龜 [特有] Ref. Nomura, 1970  
*Hilyotrogus formosanus* (Nijjima & Kinoshita, 1927) 台灣樺金龜 [特有] Ref. Arrow, 1944  
*Holotrichia excavata* Miyake & Yamada, 1993 焦褐黑金龜 [特有] Ref. Miyake & Yamada, 1993  
*Holotrichia guandaoshana* Kobayashi, 1990 縱皺黑金龜 [特有] Ref. Kobayashi, 1990d  
*Holotrichia herwangshana* Kobayashi, 1990 長毛黑金龜 [特有] Ref. 同前  
*Holotrichia horishana* Nijjima & Kinoshita, 1923 埔里黑金龜 [特有] Ref. Nijjima & Kinoshita, 1923  
*Holotrichia hualiensis* Kobayashi, 1995 花蓮黑金龜 [特有] Ref. Kobayashi, 1995b  
*Holotrichia lata* Brenske, 1892 台灣巨黑金龜 Ref. Brenske, 1892  
*Holotrichia liukueiensis* Kobayashi, 1986 六龜黑金龜 [特有] Ref. Kobayashi, 1986a  
*Holotrichia mizusawai* Kobayashi, 1986 水澤黑金龜 [特有] Ref. 同前  
*Holotrichia omeia* Kobayashi, 1995 腹毛黑金龜 Ref. Kobayashi, 1995b  
*Holotrichia plumbea* Hope, 1845 台灣黑金龜 Ref. Hope, 1845  
*Holotrichia pubifemorata* Kobayashi, 1995 毛腿黑金龜 [特有] Ref. Kobayashi, 1995b  
*Holotrichia sauteri* Moser, 1913 曹德黑金龜 Ref. Moser, 1913  
*Holotrichia sauteri* Kobayashi, 1990 綠島黑金龜 Ref. Kobayashi, 1990e  
*Holotrichia shibatai* Nomura, 1977 柴田黑金龜 [特有] Ref. Nomura, 1977b  
*Holotrichia shizumui* Kobayashi, 1995 紅色黑金龜 [特有] Ref. Kobayashi, 1995b  
*Holotrichia taiwana* Nomura, 1977 台灣大褐黑金龜 [特有] Ref. Nomura, 1977b  
*Holotrichia truncata* Chang, 1965 Ref. Miyake, 1996  
*Holotrichia yui* Kobayashi, 1995 木生黑金龜 [特有] Ref. Kobayashi, 1995b  
*Hoplia choui* Miyake, 1986 周氏長腳金龜 [特有] Ref. Miyake, 1986  
*Hoplia hayashii* Miyake, 1986 [特有] Ref. Miyake, 1986  
*Hoplia inornata* Kobayashi, 1990 紅艷長腳金龜 [特有] Ref. Kobayashi, 1990c  
*Hoplia latesutulata* (Fairmaire, 1899) 長毛長腳金龜 Ref. Kobayashi, 1990f  
*Hoplia lishana* Miyake, 1986 梨山長腳金龜 [特有] Ref. Miyake, 1986  
*Hoplia monticola* Miyake, 1986 山地長腳金龜 [特有] Ref. Miyake, 1986  
*Hoplia nengkaoshana* Kobayashi, 1990 阿里山長腳金龜 [特有] Ref. Kobayashi, 1990c  
*Hoplia nengkaoshana* Miyake, 1986 粗毛長腳金龜 [特有] Ref. Miyake, 1986  
*Hoplia pulchra* Miyake, 1986 赤腳長腳金龜 [特有] Ref. Miyake, 1986  
*Hoplia shibatai* (Miyake, 1986) 綠長腳金龜 [特有] Ref. Kobayashi, 1990c  
*Hoplia shibatai* (Miyake, 1986) 南投綠長腳金龜 [特有] Ref. 同前  
*Hoplia shibatai* (Miyake, 1986) 桃園綠長腳金龜 [特有] Ref. 同前  
*Hoplia shibatai* (Miyake, 1986) 玉山綠長腳金龜 [特有] Ref. 同前  
*Hoplia shimomurai* Kobayashi, 1990 下村長腳金龜 [特有] Ref. 同前  
*Hoplia shirozui* Kobayashi, 1990 白水長腳金龜 [特有] Ref. 同前  
*Hoplia simillima* Miyake, 1986 黑胸長腳金龜 [特有] Ref. Miyake, 1986  
*Hoplia taiwana* Miyake, 1986 台灣長腳金龜 [特有] Ref. Miyake, 1986  
*Hoplia ushijimai* Kobayashi, 1990 缺紋長腳金龜 [特有] Ref. Kobayashi, 1990f  
*Hoplomaladera hualiensis* Kobayashi, 2001 [特有] Ref. Kobayashi, 2001  
*Hoplomaladera kurosawai* Kobayashi, 2001 [特有] Ref. 同前  
*Hoplomaladera monticola* Kobayashi, 1991 紅橫溝絨毛金龜 [特有] Ref. Kobayashi, 1991a  
*Hoplomaladera monticola* Kobayashi, 2001 [特有] Ref. Kobayashi, 2001  
*Hoplomaladera shibatai* Nomura, 1974 柴田橫溝絨毛金龜 [特有] Ref. Nomura, 1974  
*Hybovalgus kamiyai* (Sawada, 1941) 神谷扁花金龜 [特有] Ref. Miyake, 1985  
*Hybovalgus major* Sawada, 1939 寡毛扁花金龜 [特有] Ref. Sawada, 1939c  
*Hybovalgus matsudai* Miyake, 1985 松田扁花金龜 [特有] Ref. Miyake, 1985  
*Hybovalgus obsoletsquamosus* Miyake, 1985 褐扁花金龜 [特有] Ref. Miyake, 1985  
*Hybovalgus takasagoensis* (Sawada, 1941) 褐斑扁花金龜 [特有] Ref. Miyake, 1985  
*Hybovalgus thoracicus* Moser, 1911 鱗毛扁花金龜 Ref. Moser, 1911  
*Ingrisma paralleliceptus* Bourgoin, 1914 綠細騷金龜 [特有] Ref. Bourgoin, 1914  
*Kibakoganea formosana* (Kurosawa & Kobayashi, 1975) 台灣鍬形金龜 [特有] Ref. Nagai, 1984  
*Lasioserica antennalis* Nomura, 1974 長角四葉絨毛金龜 [特有] Ref. Nomura, 1974  
*Lasioserica nitida* Kobayashi, 1985 大四葉絨毛金龜 [特有] Ref. Kobayashi, 1985c  
*Liatongus phanaeoides* Westwood, 1839 單角蟻螂 Ref. Miwa, 1930  
*Macronotops nigropubescens* (Mikšič, 1971) 黑艷陷紋金龜 [特有] Ref. Krikken, 1977  
*Maladera annamensis* (Moser, 1915) 安南絨毛金龜 Ref. Nomura, 1974  
*Maladera botrytibia* Nomura, 1974 脛毛絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera formosae* (Brenske, 1891) 台灣紅絨毛金龜 Ref. Nomura, 1974  
*Maladera fusciflata* (Brenske, 1897) 細腿絨毛金龜 Ref. Nomura, 1974  
*Maladera fusania* (Murayama, 1934) 釜山絨毛金龜 Ref. Nomura, 1974  
*Maladera fusca* (Frey, 1972) 深褐絨毛金龜 Ref. Nomura, 1974  
*Maladera gibbiventris* (Brenske, 1897) 隆腹絨毛金龜 Ref. Nomura, 1974  
*Maladera hongkongica* (Brenske, 1898) 香港絨毛金龜 Ref. Nomura, 1974

*Maladera infuscata* (Moser, 1915) 黑灰絨毛金龜 Ref. Nomura, 1974  
*Maladera invenusta* (Moser, 1918) 寬腿絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera kobayashii* Nomura, 1974 小林絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera kreyenbergi* (Moser, 1918) 巨頭絨毛金龜 Ref. Nomura, 1974  
*Maladera kubotai* Kobayashi & Nomura, 1979 窪田絨毛金龜 [特有] Ref. Kobayashi & Nomura, 1979  
*Maladera kumei* Kobayashi, 1990 久米絨毛金龜 [特有] Ref. Kobayashi, 1990e  
*Maladera laboriosa* (Brenske, 1897) 黑紅絨毛金龜 Ref. Nomura, 1974  
*Maladera levis* (Frey, 1972) 角胸絨毛金龜 Ref. Nomura, 1974  
*Maladera liotibia* Nomura, 1974 小林絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera liukueiensis* Kobayashi, 1985 六龜絨毛金龜 [特有] Ref. Kobayashi, 1985c  
*Maladera maedai* Nomura, 1974 前田絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera masumotoi* Nomura, 1974 益本絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera nakamurai* Miyake, 1991 六龜紅絨毛金龜 [特有] Ref. Miyake, 1991  
*Maladera nanshanchiana* Nomura, 1974 南山絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera nomurai* Hirasawa, 1991 野村絨毛金龜 [特有] Ref. Hirasawa, 1991  
*Maladera nomurai* Hirasawa, 1991 大野村絨毛金龜 [特有] Ref. 同前  
*Maladera opacifrons* (Fairmaire, 1891) 缺艷絨毛金龜 Ref. Nomura, 1974  
*Maladera planiuscula* Nomura, 1974 毛腿絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera satoi* (Nijima & Kinoshita, 1927) [特有] Ref. Ahrens, 2002  
*Maladera sauteri* (Moser, 1918) 曹德絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera secreta* Nomura, 1974 台灣圓絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera senta* (Brenske, 1897) 刺頭絨毛金龜 Ref. Nomura, 1974  
*Maladera spinifemrata* Kobayashi, 1993 刺腿大絨毛金龜 [特有] Ref. Kobayashi, 1993  
*Maladera taihensiangensis* Kobayashi, 2007b Ref. Kobayashi, 2007b  
*Maladera taiwana* Nomura, 1974 台灣姬絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera taoyuanensis* Kobayashi, 1990 桃園絨毛金龜 [特有] Ref. Kobayashi, 1991a  
*Maladera tienchihiha* Kobayashi, 1988 天池絨毛金龜 [特有] Ref. Kobayashi, 1988c  
*Maladera tridentipes* Nomura, 1974 三齒絨毛金龜 [特有] Ref. Nomura, 1974  
*Maladera yasutoshii* Nomura, 1974 柴田絨毛金龜 [特有] Ref. Nomura, 1974  
*Melolontha frater* Nomura, 1952 台灣大粉吹金龜 [特有] Ref. Nomura, 1952  
*Melolontha insulana* (Moser, 1918) 台灣粉吹金龜 [特有] Ref. Nijima & Kinoshita, 1923  
*Melolontha minima* Kobayashi, 1985 矮粉吹金龜 [特有] Ref. Kobayashi, 1985b  
*Melolontha wushana* Nomura, 1977 霧社粉吹金龜 [特有] Ref. Nomura, 1977b  
*Metabolus babai* Kobayashi, 1990 馬場黃金龜 [特有] Ref. Kobayashi, 1990  
*Metabolus brevispinus* Nomura, 1977 短毛黃金龜 [特有] Ref. Nomura, 1977b  
*Metabolus formosanus* (Nijima & Kinoshita, 1927) 台灣黃金龜 [特有] Ref. Nomura, 1970  
*Metabolus manifestes* Kobayashi, 1988 南投長毛黃金龜 [特有] Ref. Kobayashi, 1988b  
*Metabolus manifestes* Kobayashi, 1988 長毛黃金龜 [特有] Ref. 同前  
*Metabolus montanus* Kobayashi, 1987 深山黃金龜 [特有] Ref. Kobayashi, 1987b  
*Metabolus nitididorsis* Kobayashi, 1995 缺毛黃金龜 [特有] Ref. Kobayashi, 1995b  
*Metabolus similis* Kobayashi, 1987 擬短毛黃金龜 [特有] Ref. Kobayashi, 1987b  
*Metabolus tuberculifrons* Nomura, 1977 雙瘤黃金龜 [特有] Ref. Nomura, 1977b  
*Metabolus wulaiensis* Kobayashi, 1988 烏來黃金龜 [特有] Ref. Kobayashi, 1988b  
*Microserica bisignata* Nomura, 1974 胸紋微絨毛金龜 [特有] Ref. Nomura, 1974  
*Microserica fukiensis* (Frey, 1972) Ref. Ahrens, 2002  
*Microserica nitidipyga* Nomura, 1974 艷尾微絨毛金龜 [特有] Ref. Nomura, 1974  
*Mimela confucius* Nomura & Kobayashi, 1976 綠艷金龜 [特有] Ref. Miyake, 1991  
*Mimela confucius* Nomura & Kobayashi, 1976 黑田艷金龜 [特有] Ref. Miyake, 1991  
*Mimela excisipes* Reitter, 1903 鈍綠艷金龜 Ref. Nomura, 1976  
*Mimela ignicauda* Bates, 1866 紅尾艷金龜 [特有] Ref. Bates, 1866  
*Mimela kitanoi* Miyake, 1987 [特有] Ref. Miyake, 1987  
*Mimela passerinii* Sawada, 1943 長毛艷金龜 [特有] Ref. Sawada, 1943  
*Mimela sauteri* Ohaus, 1938 曹德艷金龜 [特有] Ref. Ohaus, 1938  
*Mimela splendens* (Gyllenhal, 1817) 艷金龜 Ref. Arrow, 1917  
*Mimela taiwana* Sawada, 1943 台灣艷金龜 [特有] Ref. Lin, 1993  
*Mimela testaceoviridis* Blanchard, 1850 黃艷金龜 Ref. Blanchard, 1850  
*Miridiba formosana* (Moser, 1909) 台灣褐栗金龜 Ref. Nomura, 1977b  
*Miridiba kuraruana* Nomura, 1977 墾丁褐栗金龜 [特有] Ref. Nomura, 1977b  
*Miridiba sinensis* (Hope, 1845) 華褐栗金龜 Ref. Nomura, 1977b  
*Neoserica macrophthalma* Moser, 1918 巨眼長角絨毛金龜 [特有] Ref. Nomura, 1974  
*Neovalgus formosanus* Miyake, 1985 黃斑扁花金龜 [特有] Ref. Miyake, 1985  
*Neovalgus taiwanus* (Sawada, 1941) 台灣大扁花金龜 [特有] Ref. Miyake, 1985  
*Nipponoserica babai* Kobayashi, 1991 馬場黃絨毛金龜 [特有] Ref. Kobayashi, 1991b  
*Nipponoserica nitididorsis* Nomura, 1974 艷樺絨毛金龜 [特有] Ref. Nomura, 1974  
*Nipponoserica quadrifoliata* Kobayashi & Nomura, 1979 淡樺絨毛金龜 [特有] Ref. Kobayashi & Nomura, 1979  
*Nipponoserica takeuchii* Hirasawa, 1991 竹內樺絨毛金龜 [特有] Ref. Hirasawa, 1991  
*Onthophagus (Colobonthophagus) tragus* (Fabricius, 1792) 羊角喙蜣螂 Ref. Miwa, 1930  
*Onthophagus (Gibbonthophagus) kentingensis* Nomura 墾丁喙蜣螂 [特有] Ref. Nomura, 1973  
*Onthophagus (Gibbonthophagus) taurinus* White 背斑喙蜣螂 Ref. Boucomont, 1914  
*Onthophagus (Indachorius) hsui* Masumoto, Chen & Ochi 2004 [特有] Ref. Masumoto, Chen & Ochi, 2004  
*Onthophagus (Indachorius) koshunensis* Balthasar, 1941 恒春喙蜣螂 Ref. Balthasar, 1941  
*Onthophagus (Matashia) anguliceps* Boucomont 闊楯喙蜣螂 Ref. Miwa, 1930

*Onthophagus (Matashia) yubarinus* Matsumura 長脛喙螽螂 [特有] Ref. Nomura, 1973  
*Onthophagus (Micronthophagus) konoii* Matsumura 河野氏喙螽螂 [特有] Ref. Matsumura, 1938  
*Onthophagus (Micronthophagus) wangi* Masumoto, Chen & Ochi 2004 [特有] Ref. Masumoto, Chen & Ochi, 2004  
*Onthophagus (Onthophagiellus) taiyaruensis* Masumoto 泰雅喙螽螂 [特有] Ref. Masumoto, 1977  
*Onthophagus (Onthophagus) acuticollis* Gillet 胸角喙螽螂 Ref. Gillet, 1927  
*Onthophagus (Onthophagus) anguicorius* Boucomont 蛇紋喙螽螂 Ref. Boucomont, 1914  
*Onthophagus (Onthophagus) dapcauensis* Boucomont 微喙螽螂 Ref. Miwa, 1930  
*Onthophagus (Onthophagus) dubernardi* Bocomont 都伯喙螽螂 Ref. Masumoto, 1976  
*Onthophagus (Onthophagus) formosanus* Gillet 蓬萊喙螽螂 [特有] Ref. Gillet, 1924  
*Onthophagus (Onthophagus) hajimei* Masumoto 帶斑喙螽螂 [特有] Ref. Masumoto, 1984  
*Onthophagus (Onthophagus) hastifer* Lansberg 赤銅喙螽螂 Ref. Miwa & Chujo, 1939  
*Onthophagus (Onthophagus) hayashii* Masumoto 林氏喙螽螂 [特有] Ref. Masumoto, 1991  
*Onthophagus (Onthophagus) kuatunensis* Balthasar 廣東喙螽螂 Ref. Nomura, 1973  
*Onthophagus (Onthophagus) lutosopictus* Fairmaire 紅斑喙螽螂 Ref. Miwa, 1930  
*Onthophagus (Onthophagus) masumotoi* Ochi, 1985 益本喙螽螂 [特有] Ref. Ochi, 1985  
*Onthophagus (Onthophagus) mendicus* Gillet 姬豔喙螽螂 [特有] Ref. Gillet, 1924  
*Onthophagus (Onthophagus) proletarius* Harold 四紋喙螽螂 Ref. Miwa, 1930  
*Onthophagus (Onthophagus) pseudoarmatus* Balthasar 偽彎角喙螽螂 Ref. Balthasar, 1963  
*Onthophagus (Onthophagus) roubali* Balthasar 魯巴氏喙螽螂 Ref. Nomura, 1973  
*Onthophagus (Onthophagus) rugulosus* Harold 曲角喙螽螂 Ref. Nomura, 1973  
*Onthophagus (Onthophagus) sakainoi* Masumoto 紅胸喙螽螂 [特有] Ref. Masumoto, 1991  
*Onthophagus (Onthophagus) sauteri* Gillet 紹德氏喙螽螂 Ref. Gillet, 1924  
*Onthophagus (Onthophagus) setchan* Masumoto 黃斑喙螽螂 [特有] Ref. Masumoto, 1984  
*Onthophagus (Onthophagus) tatsienluensis* Balthasar 黃毛喙螽螂 Ref. Nomura, 1973  
*Onthophagus (Onthophagus) terminatus* Eschscholtz 尾斑喙螽螂 Ref. Nomura, 1973  
*Onthophagus (Onthophagus) trituber* Wiedemann 三瘤喙螽螂 Ref. Boucomont, 1929  
*Onthophagus (Onthophagus) yangi* Masumoto, Tsai, & Ochi, 2006 [特有] Ref. Masumoto, Tsai & Ochi, 2006  
*Onthophagus (Paraphanaeomorphus) argyropygus* Gillet 銀臀喙螽螂 Ref. Gillet, 1927  
*Onthophagus (Parascatonomus) kiuchianus* Masumoto, Yang & Ochi, 2004 [特有] Ref. Masumoto, Yang & Ochi, 2004  
*Onthophagus (Parascatonomus) miyakei* Ochi, 1992 三宅喙螽螂 Ref. Ochi, 1992  
*Onthophagus (Parascatonomus) tricornis* Wiedemann 三角喙螽螂 Ref. Miwa, 1930  
*Onthophagus (Phanaeomorphus) ater* Waterhouse 黑丸喙螽螂 Ref. Matsumura, 1938  
*Onthophagus (Phanaeomorphus) cernyi* Balthasar 偽黑丸喙螽螂 Ref. Nomura, 1973  
*Onthophagus (Serrophorus) sagittarius* Fabricius 箭角喙螽螂 Ref. Miwa, 1930  
*Onthophagus (Strandius) japonicus* Harold 日本喙螽螂 Ref. Nomura, 1973  
*Onthophagus (Strandius) kuraruuanus* Matsumura 臺灣凹胸喙螽螂 [特有] Ref. Matsumura, 1938  
*Onthophagus (Strandius) potanini* Ochi, 1984 箭胸喙螽螂 [特有] Ref. Masumoto, Tsai & Ochi, 2006  
*Onthophagus (Strandius) taiwanus* Nomura 臺灣喙螽螂 [特有] Ref. Nomura, 1973  
*Onychosophrus holosetosa* Nomura, 1977 粗紋姬黑金龜 [特有] Ref. Nomura, 1977b  
*Oryctes rhinoceros* (Linnaeus, 1958) 椰子犀角金龜 Ref. Burmeister, 1847  
*Oxyomus masumotoi* Nomura, 1973 益本條鞘蜉金龜 [特有] Ref. Nomura, 1973  
*Pachyserica brevitarsis* Kobayashi & Yu, 1993 短脛胖絨毛金龜 [特有] Ref. Kobayashi & Yu, 1993b  
*Pachyserica horishana* (Nijima & Kinoshita, 1927) 埔里胖絨毛金龜 [特有] Ref. 同前  
*Pachyserica nantouensis* Kobayashi & Yu, 1993 南投胖絨毛金龜 [特有] Ref. 同前  
*Pachyserica nigroguttata* (Brenske, 1897) 黑紋胖絨毛金龜 Ref. Nomura, 1974  
*Pachyserica pulvinosa* (Frey, 1972) Ref. Ahrens, 2002  
*Pachyserica sinuaticeps* (Moser, 1915) 曲胖絨毛金龜 Ref. Nomura, 1974  
*Pachyserica striatipennis* Moser, 1908 條斑胖絨毛金龜 [特有] Ref. Moser, 1908  
*Panelus crenatus* Nomura, 1973 齒鞘卵螽螂 Ref. Nomura, 1973  
*Panelus maedai* Nomura, 1973 前田卵螽螂 Ref. Nomura, 1973  
*Papuana philippinica* Arrow, 1937 菲律賓圓金龜 Ref. Arrow, 1931  
*Paragymnopleurus ambiguus* Janssens, 1943 台灣側裸螽螂 [特有] Ref. Janssens, 1943  
*Paragymnopleurus melanarius* Harold, 1867 黑側裸螽螂 Ref. Miwa, 1930  
*Paragymnopleurus sinuatus* Olivier, 1789 翹側裸螽螂 Ref. Miwa, 1930  
*Paramaladera aserrata* Kobayashi & Nomura, 1979 蘆山條腳絨毛金龜 [特有] Ref. Kobayashi & Nomura, 1979  
*Paramaladera kiyoyamai* Nomura, 1974 清山條腳絨毛金龜 [特有] Ref. Nomura, 1974  
*Paramaladera major* Nomura, 1974 大條腳絨毛金龜 [特有] Ref. Nomura, 1974  
*Paramaladera makiharai* Nomura, 1974 楨原條腳絨毛金龜 [特有] Ref. Nomura, 1974  
*Paramaladera masumotoi* Hirasawa, 1991 益本條腳絨毛金龜 [特有] Ref. Hirasawa, 1991  
*Paramaladera pishana* Kobayashi, 1991 溝胸條腳絨毛金龜 [特有] Ref. Kobayashi, 1991b  
*Paramaladera rufofusca* Nomura, 1974 赤褐條腳絨毛金龜 [特有] Ref. Nomura, 1985  
*Paramaladera simillima* Kobayashi, 1985 偽條腳絨毛金龜 [特有] Ref. Kobayashi, 1985c  
*Paraphytus dentifrons* Lewis, 1895 粗緣長卵螽螂 Ref. Miwa, 1930  
*Parapilimurgus masumotoi* Nomura, 1977 益本直毛花金龜 [特有] Ref. Nomura, 1977  
*Paraserica taiwana* Nomura, 1974 台灣長絨毛金龜 [特有] Ref. Nomura, 1974  
*Parastasia canariculata* Westwood, 1842 斑翅四齒金龜 Ref. Westwood, 1842  
*Parastasia ferrieri* Ohaus, 1925 台灣四齒金龜 [特有] Ref. Machatschke, 1972  
*Parastasia oberthuri* Ohaus, 1900 奧陪四齒金龜 Ref. Ohaus, 1900  
*Paratrichiurus diversicolor* (Bourgoin, 1915) 血紅虎斑花金龜 [特有] Ref. Sawada, 1939a  
*Paratrichiurus guttatus* Iwase, 1993 黃點虎斑花金龜 [特有] Ref. Iwase, 1993  
*Paratrichiurus nomurai* Tesar, 1941 野村虎斑花金龜 [特有] Ref. Tesar, 1941  
*Paratrichiurus taiwanus* Iwase, 1993 拉拉山虎斑花金龜 [特有] Ref. Iwase, 1993

*Paratrichi* *vittatus* Sawada, 1939 黑虎斑花金龜 [特有] Ref. Sawada, 1939a  
*Phyllopertha chalcoides* Ohaus, 1925 細腳褐金龜 [特有] Ref. Ohaus, 1925  
*Phyllopertha suzukii* Sawada, 1964 鈴木淡褐金龜 [特有] Ref. Sawada, 1964  
*Phyllopertha taiwana* Li & Yang, 1997 [特有] Ref. Li & Yang, 1997  
*Phyllopertha yangi* Kobayashi & Li, 1995 寬腳褐金龜 [特有] Ref. Kobayashi & Li, 1995  
*Platysodes formosana* Kobayashi, 1990 蓬萊黑艷花金龜 [特有] Ref. Kobayashi, 1990  
*Pleurophorus formosanus* Pitino & Mariani, 1986 蓬萊微筒蜉金龜 [特有] Ref. Pitino & Mariani, 1986  
*Pollaplonyx eriophorus* Nomura, 1970 軟毛褐金龜 [特有] Ref. Nomura, 1970  
*Pollaplonyx opacipennis* Nomura, 1970 缺光褐金龜 [特有] Ref. Nomura, 1970  
*Polyphylla dahnschuensis* Li & Yang, 1997 淡水長鬚金龜 [特有] Ref. Li & Yang, 1997  
*Polyphylla formosana* Nijijima & Kinoshita, 1923 台灣長鬚金龜 [特有] Ref. Nijijima & Kinoshita, 1923  
*Polyphylla minor* Nomura, 1977 姬白條金龜 [特有] Ref. Nomura, 1977b  
*Polyphylla taiwana* (Sawada, 1950) 台灣白條金龜 [特有] Ref. Nomura, 1977b  
*Popillia formosana* Arrow, 1913 蓬萊豆金龜 Ref. Arrow, 1913  
*Popillia latimaculata* Nomura, 1970 帶紋豆金龜 [特有] Ref. Nomura, 1970  
*Popillia livida* Lin, 1988 藍豆金龜 [特有] Ref. Lin, 1988  
*Popillia mongolica* Arrow, 1913 蒙古豆金龜 Ref. Lin, 1988  
*Popillia mutans* Newman, 1838 台灣琉璃豆金龜 Ref. Lin, 1988  
*Popillia quadriguttata* Fabricius, 1787 中華弧麗金龜 Ref. Lin, 1988  
*Popillia sauteri* Ohaus, 1916 曹德豆金龜 [特有] Ref. Ohaus, 1916  
*Popillia taiwana* Arrow, 1913 台灣豆金龜 [特有] Ref. Arrow, 1913  
*Protaetia culta* Kurosawa, 1959 蘭嶼銅點花金龜 [特有] Ref. Kurosawa, 1959  
*Protaetia culta* Waterhouse, 1879 銅點花金龜 [特有] Ref. Waterhouse, 1879  
*Protaetia elegans* (Kometani, 1938) 綠艷花金龜 [特有] Ref. Yawata, 1941  
*Protaetia formosana* (Moser, 1910) 紫艷花金龜 Ref. Arrow, 1913a  
*Protaetia fusca* (Herbst, 1790) 灰白點花金龜 Ref. Miwa, 1931  
*Protaetia inquinata* Arrow, 1913 藍艷白點花金龜 [特有] Ref. Arrow, 1913  
*Protaetia kurosawai* Kobayashi, 1994 黑澤白點花金龜 [特有] Ref. Kobayashi, 1994  
*Protaetia nigropurpurea* Yamata, 1941 銅艷白點花金龜 [特有] Ref. Yamata, 1941  
*Protaetia orientalis* Kobayashi, 1994 東方白點花金龜 [特有] Ref. Kobayashi, 1994  
*Protaetia sauteri* (Moser, 1915) 曹德白點花金龜 [特有] Ref. Yawata, 1941  
*Psammobius indicus* Harold, 1877 印度沙蜉金龜 Ref. Schmidt, 1913  
*Psammobius kobayashii* Nomura, 1973 小林沙蜉金龜 [特有] Ref. Nomura, 1973  
*Psammobius subopacus* Nomura, 1973 淡黑沙蜉金龜 [特有] Ref. Nomura, 1973  
*Pseudomaladera nitidifrons* Nomura, 1974 偽絨毛金龜 [特有] Ref. Nomura, 1974  
*Pseudosericania gibiventris* Kobayashi, 1980 偽褐絨毛金龜 [特有] Ref. Kobayashi, 1980c  
*Pseudosericania makiharai* Hirasawa, 1991 艷偽褐毛金龜 [特有] Ref. Hirasawa, 1991  
*Rakovicius kawaii* Pittino, 2006 [特有] Ref. Pittino, 2006  
*Rhomborrhina aokii* Sakai, 1993 黑銅騷金龜 [特有] Ref. Sakai, 1993  
*Rhomborrhina formosana* Moser, 1909 台灣綠騷金龜 [特有] Ref. Moser, 1909  
*Rhomborrhina kurosawai* Masumoto & Sakai, 1987 姬黑騷金龜 [特有] Ref. Masumoto & Sakai, 1987  
*Rhomborrhina splendida* Moser, 1913 金艷騷金龜 Ref. Moser, 1913a  
*Rhomborrhina taiwana* Sawada, 1949 台灣黑騷金龜 [特有] Ref. Sawada, 1949  
*Rhyparus helephoroides* Fairmaire, 1893 微稜背蜉金龜 Ref. Schmidt, 1913  
*Rhyparus klapperichorum* Paulian, 1983 克氏稜蜉金龜 [特有] Ref. Paulian, 1983  
*Rhyparus loebli* Paulian, 1983 羅伯稜蜉金龜 [特有] Ref. Paulian, 1983  
*Rhyparus peninsularis* Arrow, 1905 馬來稜蜉金龜 Ref. Schmidt, 1913  
*Rhyssenus malasiacus* Lansberg, 1886 馬來卵形蜉金龜 Ref. Nomura, 1973  
*Rhyssenus nanshanchicus* Masumoto, 1977 南山溪卵形蜉金龜 [特有] Ref. Masumoto, 1977  
*Saprosites japonicus* Waterhouse, 1875 日本筒蜉金龜 Ref. Schmidt, 1913  
*Saprosites longethorax* Paulian, 1944 長胸筒蜉金龜 Ref. Nomura, 1973  
*Saprosites yanoi* Nomura, 1939 矢野筒蜉金龜 Ref. Nomura, 1939  
*Selaserica alternata* Nomura, 1974 巨豆絨毛金龜 [特有] Ref. Nomura, 1974  
*Selaserica antennalis* Nomura, 1974 長角豆絨毛金龜 [特有] Ref. Nomura, 1974  
*Serica formosana* Moser, 1915 蓬萊長角絨毛金龜 [特有] Ref. Moser, 1915  
*Serica fusifemorata* Nomura, 1974 寬腳長角絨毛金龜 [特有] Ref. Nomura, 1974  
*Serica lalashana* Kobayashi, 1983 拉拉山長角絨毛金龜 [特有] Ref. Kobayashi, 1983c  
*Serica nigromaculosa* Fairmaire, 1891 黑斑長角絨毛金龜 Ref. Nomura, 1974  
*Serica opacithorax* Nomura, 1974 缺紋長角絨毛金龜 [特有] Ref. Nomura, 1974  
*Setylaides foveatus* (Schmidt, 1909) 凹頭粒蜉金龜 Ref. Nomura, 1973  
*Sinodrepanus tsaii* Masumoto, Yang & Ochi, 2004 [特有] Ref. Masumoto, Yang & Ochi, 2004  
*Sophrups formosana* (Moser, 1913) 蓬萊姬黑金龜 [特有] Ref. Nomura, 1977b  
*Sophrups latiscula* Nomura, 1977 粗姬黑金龜 [特有] Ref. Nomura, 1977b  
*Sophrups taiwana* Nomura, 1977 台灣姬黑金龜 [特有] Ref. Nomura, 1977b  
*Stenosophrups convexpyga* Nomura, 1977 細鯢金龜 [特有] Ref. Nomura, 1977b  
*Stenosophrups fuscicollis* Nomura, 1977 黑胸細鯢金龜 [特有] Ref. Nomura, 1977b  
*Stenosophrups longicornis* Nomura, 1977 長角細鯢金龜 [特有] Ref. Nomura, 1977b  
*Stenosophrups shykshana* Kobayashi, 1990 新山細鯢金龜 [特有] Ref. Kobayashi, 1990b  
*Stenosophrups tuberculata* Kobayashi, 1986 偽細鯢金龜 [特有] Ref. Kobayashi, 1986b  
*Synapsis davidi* Fairmaire, 1878 大衛蜉蟬 Ref. Miwa, 1930  
*Synapsis masumotoi* Ochi, 1992 益本蜉蟬 [特有] Ref. Nomura, 1973  
*Taeniodera flavofasciata* (Moser, 1910) 絨毛陷紋金龜 [特有] Ref. Mikšič, 1976

*Taeniodera nigricollis* (Nijjima & Matsumura, 1923) 黑斑陷紋金龜 [特有] Ref. Miksič, 1976  
*Taiwanoserica anmashana* Kobayashi, 1993 鞍馬山絨毛金龜 [特有] Ref. Kobayashi, 1993  
*Taiwanoserica biluhensis* Kobayashi & Yu, 2000 碧綠台灣絨毛金龜 [特有] Ref. Kobayashi & Yu, 2000  
*Taiwanoserica chunlinlii* Ahrens, 2002 Ref. Ahrens, 2002  
*Taiwanoserica elongata* Nomura, 1974 細台灣絨毛金龜 [特有] Ref. Nomura, 1974  
*Taiwanoserica gracilipes* Nomura, 1974 大禹嶺絨毛金龜 [特有] Ref. Nomura, 1974  
*Taiwanoserica kubotai* Kobayashi, 1983 久保田絨毛金龜 [特有] Ref. Kobayashi, 1983c  
*Taiwanoserica lishana* Nomura, 1974 梨山絨毛金龜 [特有] Ref. Nomura, 1974  
*Taiwanoserica monticola* Kobayashi & Yu, 2000 深山台灣絨毛金龜 [特有] Ref. Kobayashi & Yu, 2000  
*Taiwanoserica niitakana* (Sawada, 1939) 玉山絨毛金龜 [特有] Ref. Nomura, 1974  
*Taiwanoserica nitidipes* Nomura, 1974 彩虹台灣絨毛金龜 [特有] Ref. Nomura, 1974  
*Taiwanoserica ovata* Nomura, 1974 圓台灣絨毛金龜 [特有] Ref. Nomura, 1974  
*Taiwanoserica pubisterna* Nomura, 1974 胸毛絨毛金龜 [特有] Ref. Nomura, 1974  
*Taiwanoserica shinanshana* Kobayashi, 1988 桃源絨毛金龜 [特有] Ref. Kobayashi, 1988c  
*Taiwanoserica simillima* Kobayashi, 1983 紅台灣絨毛金龜 [特有] Ref. Kobayashi, 1983c  
*Taiwanoserica sinuosa* Kobayashi & Yu, 2000 曲腿台灣絨毛金龜 [特有] Ref. Kobayashi & Yu, 2000  
*Taiwanoserica suturalis* Nomura, 1974 條紋台灣絨毛金龜 [特有] Ref. Nomura, 1974  
*Taiwanoserica suzukii* Kobayashi, 1983 鈴木絨毛金龜 [特有] Ref. Kobayashi, 1983c  
*Taiwanoserica taiyal* Kobayashi & Yu, 2000 泰雅台灣絨毛金龜 [特有] Ref. Kobayashi & Yu, 2000  
*Taiwanoserica variegata* Nomura, 1974 阿里山絨毛金龜 [特有] Ref. Nomura, 1974  
*Taiwanoserica yui* Kobayashi, 1993 木生絨毛金龜 [特有] Ref. Kobayashi, 1993  
*Taiwanotrichia dorsopilosa* Li & Yang, 1991 細毛金背金龜 [特有] Ref. Li & Yang, 1991  
*Taiwanotrichia longicornis* Kobayashi, 1990 金背金龜 [特有] Ref. Kobayashi, 1990d  
*Taiwanotrichia similis* Li & Yang, 1991 鞍馬山金背金龜 [特有] Ref. Li & Yang, 1991  
*Thaumastopeus shangaicus* (Poll, 1886) 暗藍扁騷金龜 Ref. Kobayashi & Tanikado, 2005  
*Torynorrhina pilifera* (Moser, 1914) 毛翅騷金龜 Ref. Miksič, 1977  
*Trichiorhyssemus hauseri* Balthasar, 1933 蒙氏毛沙蜉金龜 Ref. Nomura, 1973  
*Trichiorhyssemus lasionotus* Clouet, 1901 毛沙蜉金龜 Ref. Nomura, 1973  
*Trichiorhyssemus yumikoeae* Pittino & Kawai, 2007 Ref. Pittino & Kawai, 2007  
*Trichius cupreipes* Bourgoin, 1915 黃肩長腳花金龜 [特有] Ref. Bourgoin, 1915  
*Trichius elegans* Kano, 1931 綠艷長腳花金龜 Ref. Kano, 1931  
*Trichius succinctus* (Sawada, 1949) 姬虎斑花金龜 [特有] Ref. Sawada, 1949  
*Trichomaladera elongata* Nomura, 1974 長腳纖絨毛金龜 [特有] Ref. Nomura, 1974  
*Trichomaladera infortunata* Ahrens, 2002 Ref. Ahrens, 2002  
*Trichomaladera rufofusca* Kobayashi & Nomura, 1979 赤褐纖絨毛金龜 [特有] Ref. Kobayashi & Nomura, 1979  
*Trichomaladera yasutoshi* Kobayashi, 1991 黑頭纖絨毛金龜 [特有] Ref. Kobayashi, 1991a  
*Trichomaladera yui* Kobayashi, 1993 余氏纖絨毛金龜 [特有] Ref. Kobayashi, 1993  
*Trigonophorus dilutus* Bourgoin, 1914 小台灣扇角金龜 [特有] Ref. Bourgoin, 1914  
*Trigonophorus rothschildi* Bourgoin, 1914 台灣扇角金龜 [特有] Ref. Miksič, 1977  
*Trioserica macrophthalma* (Moser, 1918) Ref. Ahrens, 2002  
*Valgus okajimai* Kobayashi, 1994 剛田扁花金龜 [特有] Ref. Kobayashi, 1994  
*Xylotrupes gideon* Endrodi, 1951 姬獨角仙 Ref. Endrodi, 1951

### Family Scirtidae 圓花蚤科

*Cyphon atripennis* Pic, 1918 [特有] Ref. Miwa, 1931  
*Cyphon formosanus* Pic, 1918 Ref. Miwa, 1931  
*Cyphon magicus* Klausnitzer, 1973 [特有] Ref. Klausnitzer, 1973  
*Hydrocyphon aritai* Yoshitomi, 2001 [特有] Ref. Yoshitomi, 2001  
*Hydrocyphon satoi* Yoshitomi, 2001 Ref. 同前  
*Hydrocyphon taiwanus* Yoshitomi, 2001 [特有] Ref. 同前  
*Sacodes humeralis* (Yoshitomi & Sato, 1996) [特有] Ref. Yoshitomi, 2000  
*Sacodes leei* Yoshitomi & Sato, 1994 [特有] Ref. Yoshitomi & Sato, 2004  
*Sacodes taiwanensis* (Yoshitomi & Sato, 1996) [特有] Ref. Yoshitomi, 2000  
*Scirtes japonicus* Kiesenwetter, 1874 Ref. Miwa, 1931  
*Scirtes rufonotatus* Pic, 1915 [特有] Ref. Miwa, 1931

### Family Scolytidae 小蠹蟲科

*Acanthotomicus spinosus* Blandford Ref. Browne, 1981  
*Ambrosiodmus lewisi* (Blandford, 1894) 瘤粒材小蠹 Ref. Huang et al., 2003  
*Blastophagus minor* (Hartig, 1834) Ref. Nobuchi, 1967  
*Blastophagus piniperda* (Linne, 1758) Ref. Nobuchi, 1967  
*Carposinus formosanus* (Schedl, 1952) [特有] Ref. Nobuchi, 1967  
*Cnestus murayamai* Schedl, 1962 Ref. Nobuchi, 1967  
*Coccotrypes pygmaeus* Eichhoff, 1879 Ref. Nobuchi, 1967  
*Cryphalomorphus fulvipennis* Nobuchi, 1975 Ref. Nobuchi, 1975  
*Cryphalus formosanus* Schedl, 1942 [特有] Ref. Nobuchi, 1967  
*Crypturgus pusillus* (Gyllenhal, 1813) Ref. Nobuchi, 1967  
*Crypturgus tuberosus* Nijjima, 1909 Ref. Nobuchi, 1967  
*Cyrtogenius formosanus* Schedl [特有] Ref. Schedl, 1969  
*Dryosoetes autographus* (Ratzeburg, 1837) Ref. Nobuchi, 1967  
*Dryosoetes formosanus* Nobuchi, 1967 [特有] Ref. Nobuchi, 1980  
*Dryosoetes luteus* Blandford, 1894 Ref. Nobuchi, 1967  
*Eidophelus imitans* Eichhoff, 1875 Ref. Nobuchi, 1967

*Euwallacea fornicatus* (Eichhoff, 1868) 小圓胸小蠹 Ref. Huang et al., 2003  
*Euwallacea interjectus* (Blandford, 1894) 坡面材小蠹 Ref. 同前  
*Ficiphagus goliatoides* (Murayama, 1935) Ref. Nobuchi, 1967  
*Hylastes parallelus* Chapuis, 1875 Ref. Nobuchi, 1967  
*Hylastes plumbeus* Blandford, 1894 Ref. Nobuchi, 1967  
*Hylesinus porcatus* Chapuis, 1873 Ref. Browne, 1981  
*Hylesinus tristis* Blandford, 1894 Ref. Nobuchi, 1967  
*Hylurgops glabratus* (Zetterstedt, 1828) Ref. Nobuchi, 1967  
*Hylurgops interstitialis* (Chapuis, 1875) Ref. Nobuchi, 1967  
*Hylurgops spessivtzevi* (Eggers, 1914) Ref. Nobuchi, 1980  
*Hyorrhynchus lewisi* Blandfordk, 1894 Ref. Nobuchi, 1967  
*Hypocryphalus formosanus* Schedl, 1952 [特有] Ref. Nobuchi, 1967  
*Hypothenemus javanus* (Eggers, 1909) Ref. Browne, 1980a  
*Hypothenemus taihokuensis* (Schedl, 1952) [特有] Ref. Nobuchi, 1967  
*Ips cembrae* (Heer, 1836) Ref. Nobuchi, 1967  
*Orthotomicus angulatus* (Eichhoff, 1877) Ref. Nobuchi, 1967  
*Ozopemon tuberculatus* Strohmeier, 1912 [特有] Ref. Nobuchi, 1967  
*Phloeosinus arisanus* Nijjima, 1949 [特有] Ref. Nobuchi, 1967  
*Phloeosinus lewisi* Chapuis, 1875 Ref. Nobuchi, 1967  
*Phloeosinus perlatus* Chapuis, 1875 Ref. Schedl, 1967  
*Phloeosinus pertuberculatus* Eggers, 1939 [特有] Ref. Nobuchi, 1967  
*Poecilips nubilus* (Blandford, 1894) Ref. Nobuchi, 1967  
*Poecilips papuanus* (Eggers) Ref. Browne, 1980a  
*Polygraphus formosanus* Nobuchi, 1967 [特有] Ref. Nobuchi, 1967  
*Polygraphus taiwnensis* Schedl, 1967 [特有] Ref. Schedl, 1967  
*Ptilopodius formosanus* Browne, 1981 [特有] Ref. Browne, 1981  
*Scolytotplatypus blandfordi* Gebhardt, 2006 [特有] Ref. Beaver & Gebhardt, 2006  
*Scolytotplatypus mikado* Blandford, 1893 Ref. Nobuchi, 1980  
*Scolytotplatypus pubescens* Hagedorn, 1914 Ref. Nobuchi, 1980  
*Scolytotplatypus raja* Blandford, 1893 Ref. Nobuchi, 1967  
*Scolytotplatypus shogun* Blandford, 1894 Ref. Nobuchi, 1967  
*Scolytotplatypus tycon* Blandford, 1893 Ref. Nobuchi, 1980  
*Scolytus frontalis* Blandford, 1894 Ref. Nobuchi, 1967  
*Scolytus nakanei* Nobuchi, 1967 [特有] Ref. Nobuchi, 1967  
*Sphaerotrypes pila* Blandford, 1894 茶球小蠹 Ref. Huang et al., 2003  
*Taphrorychus coffeae* (Eggers, 1923) Ref. Nobuchi, 1967  
*Trypodendron pubipenne* Blandford, 1894 Ref. Nobuchi, 1967  
*Xyleborus amorphus* Eggers, 1926 [特有] Ref. Nobuchi, 1967  
*Xyleborus amputatus* Blandford, 1894 Ref. Nobuchi, 1967  
*Xyleborus aquilus* Blandford, 1894 Ref. Nobuchi, 1967  
*Xyleborus atratus* Eichhoff, 1879 Ref. Nobuchi, 1967  
*Xyleborus attenuatus* Blandford, 1894 Ref. Nobuchi, 1967  
*Xyleborus barbatomorphus* Schedl, 1951 [特有] Ref. Nobuchi, 1967  
*Xyleborus chujoi* Schedl, 1951 [特有] Ref. Nobuchi, 1967  
*Xyleborus concitatus* Schedl, 1969 [特有] Ref. Schedl, 1969  
*Xyleborus destruens* Blandford Ref. Browne, 1980c  
*Xyleborus exesus* Blandford, 1894 Ref. Nobuchi, 1980  
*Xyleborus formicatus* Eichhoff, 1868 Ref. Nobuchi, 1967  
*Xyleborus formosanus* Browne, 1981 [特有] Ref. Browne, 1981  
*Xyleborus glabratus* Eichhoff, 1879 Ref. Nobuchi, 1967  
*Xyleborus globus* Blandford, 1896 Ref. Browne, 1981  
*Xyleborus haberkorni* Eggers, 1920 Ref. Nobuchi, 1967  
*Xyleborus hirtuosus* Beeson, 1930 Ref. Nobuchi, 1967  
*Xyleborus kadoyamaensis* Murayama, 1934 Ref. Nobuchi, 1967  
*Xyleborus laevis* Eggers Ref. Browne, 1981  
*Xyleborus metacuneolus* Eggers, 1940 Ref. Nobuchi, 1967  
*Xyleborus metanepoturus* Eggers, 1940 [特有] Ref. Nobuchi, 1967  
*Xyleborus mutilatus* Blandford, 1894 Ref. Nobuchi, 1967  
*Xyleborus nitidipennis* Schedl, 1961 Ref. Nobuchi, 1967  
*Xyleborus ohnoi* Brown, 1980a [特有] Ref. Brown, 1980a  
*Xyleborus peforans* Eichhoff, 1879 Ref. Nobuchi, 1967  
*Xyleborus perforans* (Wollaston, 1857) Ref. Nobuchi, 1967  
*Xyleborus piceus* (Motschulsky) Ref. Browne, 1980c  
*Xyleborus rubricollis* Eichhoff, 1875 Ref. Nobuchi, 1967  
*Xyleborus satoi* Schedl, 1966 [特有] Ref. Nobuchi, 1967  
*Xyleborus saxeseni* (Ratzeburg, 1837) Ref. Nobuchi, 1980  
*Xyleborus Schaufussi* Blandford, 1894 Ref. Nobuchi, 1967  
*Xyleborus semiopacus* Eichhoff, 1879 Ref. Nobuchi, 1980  
*Xyleborus sexspinosus* (Motschulsky, 1863) Ref. Nobuchi, 1967  
*Xyleborus similis* Ferrari, 1867 Ref. Nobuchi, 1967  
*Xyleborus subnepotulus* Eggers, 1930 Ref. Nobuchi, 1967  
*Xyleborus taboensis* Schedl, 1952 [特有] Ref. Nobuchi, 1967

*Xyleborus taichuensis* Schedl, 1952 [特有] Ref. Nobuchi, 1967  
*Xyleborus taitonus* Eggers, 1939 [特有] Ref. Nobuchi, 1967  
*Xyleborus taiwanensis* Browne, 1980b [特有] Ref. Browne, 1980b  
*Xyleborus testaceus* Walker, 1859 Ref. Nobuchi, 1967  
*Xyleborus testudo* Eggers, 1939 Ref. Nobuchi, 1967  
*Xyleborus torquatus* Eichhoff, 1868 Ref. Nobuchi, 1967  
*Xyleborus validus* Eichhoff, 1875 Ref. Nobuchi, 1967  
*Xyleborus xyloteroides* Eggers, 1939 [特有] Ref. Nobuchi, 1967  
*Xylechinus arisanus* Eggers, 1939 [特有] Ref. Nobuchi, 1967  
*Xylechinus formosanus* Schedl, 1935 [特有] Ref. Nobuchi, 1967  
*Xylosandrus brevis* (Eichhoff, 1877) Ref. Nobuchi, 1967  
*Xylosandrus disolor* (Blandford, 1898) Ref. Nobuchi, 1967  
*Xylosandrus germanus* (Blandford, 1894) Ref. Nobuchi, 1967  
*Xylosandrus morigerus* (Blandford, 1894) Ref. Nobuchi, 1967

#### **Family Scaptiidae 擬花蚤科**

*Scaptia cribriceps* Champion Ref. Nomura, 1965

#### **Family Scydmaenidae 蕨苔蟲科**

*Euconnus aculeifer* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus alishanensis* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus alishanicus* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus alishaniformis* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus efferus* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus fenchiensis* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus fenchihi* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus formosanus* (Reitter, 1913) [特有] Ref. Franz, 1985  
*Euconnus klapperichianus* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus microalishanicus* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus paraalishanicus* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus parafricatoris* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus sauteri* Reitter, 1913 [特有] Ref. Reitter, 1913  
*Euconnus sauterianus* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus schenklingsi* Reitter, 1913 [特有] Ref. Reitter, 1913  
*Euconnus taiwanicus* Franz, 1985 [特有] Ref. Franz, 1985  
*Euconnus taiwanus* Franz, 1985 [特有] Ref. Franz, 1985  
*Eutheia klapperichi* Franz, 1985 [特有] Ref. Franz, 1985  
*Eutheia simillima* Franz, 1985 [特有] Ref. Franz, 1985  
*Eutheia taiwanensis* Franz, 1985 [特有] Ref. Franz, 1985  
*Horaeomorphus babai* Jalszynski, 2003 [特有] Ref. Jalszyński, 2003  
*Microscydmus akauensis* Reitter, 1913 [特有] Ref. Reitter, 1913  
*Neseuthia taiwanensis* Jalszynski, 2004b [特有] Ref. Jalszyński, 2004b  
*Scydmaenus csikii* Franz, 1985 [特有] Ref. Franz, 1985  
*Scydmaenus formosanus* Csiki, 1937 [特有] Ref. Franz, 1985  
*Scydmaenus taihorinus* Reitter, 1913 [特有] Ref. Reitter, 1913  
*Scydmaenus taiwanensis* Franz, 1985 [特有] Ref. Franz, 1985  
*Scydmaenus taiwanicus* Franz, 1985 [特有] Ref. Franz, 1985  
*Scydmaenus vestitoides* Reitter, 1913 [特有] Ref. Reitter, 1913  
*Scydmaenus vestitus* (Sharp, 1874) [特有] Ref. Franz, 1985  
*Stenichnus bellulus* Jalszynski, 2004a Ref. Jalszyński, 2004a  
*Stenichnus klapperichi* Franz, 1985 [特有] Ref. Franz, 1985  
*Stenichnus taiwanensis* (Franz, 1985) [特有] Ref. Jalszyński, 2003  
*Stenichnus taiwanicus* Franz, 1985 [特有] Ref. Franz, 1985

#### **Family Silphidae 埋葬蟲科**

*Calosilpha cyaneocephala* (Portevin, 1914) [特有] Ref. Ruzicka & Schneider, 2004  
*Diamesus bimaculatus* Portevin, 1914 [特有] Ref. 同前  
*Eusilpha japonica* (Motschulsky, 1862) Ref. 同前  
*Necrodes nigricornis* Harold, 1875 Ref. Miwa, 1931  
*Nicrophorus concolor* Kraatz, 1877 Ref. Miwa, 1931  
*Nicrophorus japonicus* Harold, 1877 Ref. Miwa, 1931  
*Nicrophorus nepalensis* Hope, 1831 Ref. Miwa, 1931  
*Nicrophorus quadripunctatus* Kraatz, 1877 Ref. Ruzicka & Schneider, 2004  
*Oiceoptoma nakabayashii* (Miwa, 1937) [特有] Ref. 同前  
*Ptomascopus morio* Kraatz, 1877 Ref. Miwa, 1931  
*Thanatophilus sinuatus* (Fabricius, 1775) Ref. Ruzicka & Schneider, 2004

#### **Family Silvanidae 細扁甲科**

*Ahasverus advena* Walth, 1832 Ref. Grouvelle, 1913  
*Macrohylota gracilicornis* (Arrow, 1901) Ref. Halstead et al., 2007  
*Monanus antennatus* Grouvelle, 1913 [特有] Ref. 同前  
*Monanus concinnulus* Walker, 1858 Ref. Grouvelle, 1913  
*Monanus discoidalis* Grouvelle, 1913 Ref. 同前  
*Oryzaephilus mercator* (Fauvel, 1889) Ref. Halstead, 1980

*Oryzaephilus surinamensis* (Linnaeus, 1758) 鋸胸粉扁蟲 Ref. 同前  
*Parahyliota costicollis* (Reitter, 1876) Ref. Thomas, 2003  
*Protosilvanus lateritius* (Reitter, 1879) Ref. Halstead, 1973  
*Psammoecus stultus* Grouvelle, 1911 [特有] Ref. Grouvelle, 1913  
*Psammoecus x-notatus* Grouvelle, 1912 [特有] Ref. Halstead et al., 2007  
*Silvanophus longicollis* (Reitter, 1876) Ref. Grouvelle, 1913  
*Silvanophus scuticollis* (Walker, 1859) Ref. 同前  
*Silvanoprus angusticollis* (Reitter, 1876) Ref. Halstead et al., 2007  
*Silvanoprus birmanicus* (Gourvelle, 1892) Ref. Halstead, 1973  
*Silvanoprus cephalotes* (Reitter, 1876) Ref. Halstead et al., 2007  
*Silvanoprus fagi* (Guerin-Meneville, 1844) Ref. 同前  
*Silvanopsis simoni* Grouvelle, 1892 Ref. 同前  
*Silvanus bidentatus* (Fabricius, 1792) Ref. 同前  
*Silvanus difficilis* Halstead, 1973 Ref. Halstead, 1973  
*Silvanus lewisi* Reitter, 1876 Ref. 同前  
*Silvanus reticollis* Reitter, 1876 Ref. Halstead et al., 2007

### Family Staphylinidae 隱翅蟲科

*Acidota montana* Smetana, 1993 [特有] Ref. Smetana, 1993  
*Acidota nivicola* Smetana, 1993 [特有] Ref. Smetana, 1993  
*Acylophorus furcatus* (Motschulsky, 1858) Ref. Herman, 2001  
*Acylophorus hayashii* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Acylophorus hwang* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Agelosus ohkurai* Hayashi, 1978 Ref. Herman, 2001  
*Aleochara antennalis* Fenyés, 1914 Ref. Herman, 2001  
*Aleochara asiatica* Kraatz, 1859 Ref. Herman, 2001  
*Aleochara cribrata* Fenyés Ref. Herman, 2001  
*Aleochara formosae* Cameron, 1940 Ref. Herman, 2001  
*Aleochara formosanorum* Pace, 1993 [特有] Ref. Pace, 1993  
*Aleochara insularis* Fenyés Ref. Herman, 2001  
*Aleochara nigra* Kraatz, 1859 Ref. Herman, 2001  
*Aleochara postica* Walker, 1855 Ref. Herman, 2001  
*Aleochara puberula* Klug, 1834 Ref. Herman, 2001  
*Algon matsukii* Shibata, 1979 [特有] Ref. Shibata, 1986  
*Algon robillardae* Schillhammer, 2006 [特有] Ref. Schillhammer, 2006  
*Amarochara formosana* Assing, 2002 [特有] Ref. Assing, 2002  
*Amarochara megalops* Assing, 2002 Ref. Assing, 2002  
*Amichrotus formosanus* Shibata, 1976 Ref. Herman, 2001  
*Anaclasiger sinuaticollis* Raffray, 1891 Ref. Nomura, 2002  
*Anchocerus shibatai* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Anomognathus armatus* (Sharp) Ref. Herman, 2001  
*Anotylus fraternus* (Cameron) Ref. Shibata, 1993  
*Anotylus glareosus* (Wollaston 1854) Ref. Shibata, 1993  
*Anotylus sparsus* (Fauvel 1877) Ref. Shibata, 1993  
*Apharina conicicollis* Schaufuss, 1877 Ref. Nomura, 2002  
*Ascaphium tokinense* Achard, 1921 Ref. Miwa & Mitono, 1943  
*Astenus bimaculatus* (Erichson, 1840) Ref. Herman, 2001  
*Astenus biplagiatus* (Motschulsky, 1858) Ref. Herman, 2001  
*Astenus brevipes* (Sharp, 1874) Ref. Herman, 2001  
*Astenus chloroticus* (Sharp, 1874) Ref. Herman, 2001  
*Astenus concolor* (Kraatz) Ref. Herman, 2001  
*Astenus formosanus* Bernhauer Ref. Herman, 2001  
*Astenus horni* Bernhauer Ref. Herman, 2001  
*Astenus indicus* (Kraatz, 1859) Ref. Herman, 2001  
*Astenus latifrons* (Sharp) Ref. Herman, 2001  
*Astenus parvipennis* Bernhauer, 1926 Ref. Herman, 2001  
*Astenus sauteri* Bernhauer, 1907 Ref. Herman, 2001  
*Astenus taiwanus* Ito, 1996 [特有] Ref. Ito, 1996  
*Atanygnathus juang* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Atanygnathus pictus* (Motschulsky, 1858) Ref. Smetana, 1995  
*Atenisodus gracilicornis* Raffray, 1912 [特有] Ref. Nomura, 2002  
*Atheta formosanorum* Puthz, 1995 [特有] Ref. Puthz, 1995  
*Atheta taichungensis* Puthz, 1995 [特有] Ref. Puthz, 1995  
*Atheta taiwanensis* Puthz, 1995 [特有] Ref. Puthz, 1995  
*Atopolinus insulanus* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Atopolinus itoi* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Atopolinus regalis* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Atopolinus shan* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Atopolinus shibatai* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Atopolinus yann* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Autalia formosa* Assing, 1999 [特有] Ref. Assing, 1999  
*Awais shunichii* Nomura, 1995 [特有] Ref. Nomura, 2002

*Baeocera formosana* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Baeocera myrmidon* (Achard, 1921) Ref. Löbl, 1980  
*Baeocera nanula* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Baeocera sauteri* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Baeocera semiglobosa* (Achard, 1921) Ref. Löbl, 1980  
*Batraxis obesa* Raffray, 1894 Ref. Nomura, 2002  
*Batribolbus palpator* (Raffray, 1893) Ref. Nomura, 2002  
*Batriscenodes siamensis* (Raffray, 1904) Ref. Nomura, 2002  
*Batrisiella singhalensis* (Raffray, 1901) Ref. Nomura, 2002  
*Batrisocenus cruralis* Raffray, 1914 [特有] Ref. Nomura, 2002  
*Batrisocenus sauciipes* Raffray, 1904 Ref. Nomura, 2002  
*Batrisocenus sauteri* Raffray, 1912 [特有] Ref. Nomura, 2002  
*Batrisocenus trilobatus* Raffray, 1896 Ref. Nomura, 2002  
*Batrisodes babaianus* Nomura, 2007 [特有] Ref. Nomura, 2007  
*Batrisodes masatakai* Nomura, 2007 [特有] Ref. Nomura, 2007  
*Belonuchus rufoniger* Fauvel, 1895 Ref. Herman, 2001  
*Bledius albomarginatus* Bidessus Ref. Herman, 2001  
*Bledius bicornis* (Germer, 1823) Ref. Herman, 2001  
*Bledius formosanus* Bernhauer, 1940 [特有] Ref. Shibata, 1973  
*Bledius fragilis* Sharp, 1874 Ref. Herman, 2001  
*Bledius gigantulus* Bidessus Ref. Herman, 2001  
*Bledius helferi* Fabricius Ref. Herman, 2001  
*Bledius kosempoensis* Bidessus Ref. Herman, 2001  
*Bledius lucidus* Sharp, 1874 Ref. Herman, 2001  
*Bledius orphanus* Sharp, 1874 Ref. Herman, 2001  
*Bledius perplexus* Cameron Ref. Herman, 2001  
*Bledius sauteri* Bidessus Ref. Herman, 2001  
*Bolithochara abbreviatus* (Fenyés) Ref. Herman, 2001  
*Bolithochara compressicornis* (Fauvel) Ref. Herman, 2001  
*Bolithochara formosae* (Bernhauer) Ref. Herman, 2001  
*Bolithochara hirtus* (Kraatz) Ref. Herman, 2001  
*Bolithochara nigrescens* (Motschulsky) Ref. Herman, 2001  
*Bolithochara sauteri* (Bernhauer) Ref. Herman, 2001  
*Bolitogyrus rufomaculatus* (Shibata, 1979) [特有] Ref. Smetana, 1995  
*Bolitogyrus taiwanensis* (Hayashi, 1991) [特有] Ref. Smetana, 1995  
*Borolinus minutus* Castelnau Ref. Herman, 2001  
*Brachida crassiuscula* (Kraatz) Ref. Herman, 2001  
*Bryaxis alayai* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis alesi* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis alishanus* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis ami* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis auritus* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis bellax* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis coelestis* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis hakka* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis hokkiensis* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis mandarinus* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis paiwan* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis pintungensis* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis planifer* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis raptor* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis taiwanus* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis tarokanus* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis tychobythinoides* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis unicus* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Bryaxis yushanensis* Löbl & Körbatov, 1996 [特有] Ref. Nomura, 2002  
*Cafius nauticus* Fairmaire, 1849 Ref. Herman, 2001  
*Calodera coccinea* Matsumura Ref. Herman, 2001  
*Camioleum yasutoshii* Watanabe, 1991 [特有] Ref. Watanabe, 1991  
*Carpelimus formosae* (Cameron) Ref. Herman, 2001  
*Carpelimus formosanus* (Cameron, 1949) Ref. Shibata, 1973  
*Carpelimus globicollis* (Eppelshein) Ref. Herman, 2001  
*Carpelimus vagus* (Sharp) Ref. Herman, 2001  
*Cenisophus bowringi* Raffray, 1904 Ref. Nomura, 2002  
*Centrophthalmus punctipennis* Schaufuss, 1877 Ref. Nomura, 2002  
*Centrophthalmus sinensis* Raffray, 1904 Ref. Nomura, 2002  
*Cephalomerus excavatus* (Motschulsky) Ref. Herman, 2001  
*Cephalomerus japonicus* Sharp Ref. Herman, 2001  
*Charichirus chinensis* (Boheman, 1858) Ref. Herman, 2001  
*Cilea limbifer* (Motschulsky) Ref. Herman, 2001  
*Cilea silphoides* (Linne., 1767) Ref. Herman, 2001  
*Clavilispinus exiguus* (Erichson, 1840) Ref. Smetana, 2004c

*Coenonica formosae* Cameron, 1940 Ref. Herman, 2001  
*Coprophilus difformis* Smetana, 1998 [特有] Ref. Smetana, 1998  
*Coprophilus formosanus* Shibata, 1993 [特有] Ref. Shibata, 1993  
*Cordalia permutata* Assing, 2002 Ref. Assing, 2002  
*Cratna abdominalis* Löbl, 1975 [特有] Ref. Nomura, 2002  
*Cyparium formosanum* Miwa & Mitono, 1943 [特有] Ref. Miwa & Mitono, 1943  
*Cyparium monticola* Miwa & Mitono, 1943 [特有] Ref. 同前  
*Cyrtothorax rufomaculatus* Shibata, 1979 [特有] Ref. Shibata, 1986  
*Cyrtothorax taiwanensis* Hayashi, 1991 [特有] Ref. Hayashi, 1991  
*Deinopteroloma chiangi* Smetana, 1990 [特有] Ref. Smetana, 1990  
*Deleaster taiwanensis* Hayashi, 1984 [特有] Ref. Shibata, 1986  
*Derops lisae* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Dianous acuminifer* Puthz, 1984 [特有] Ref. Puthz, 1984  
*Dianous angulifer* Puthz, 2000 [特有] Ref. Puthz, 2000  
*Dianous arachnipes* Puthz, 1971 Ref. Herman, 2001  
*Dianous ater* Puthz, 2000 [特有] Ref. Puthz, 2000  
*Dianous atrocyanus* Puthz, 2000 [特有] Ref. Puthz, 2000  
*Dianous bilunatus* Puthz, 1984 Ref. Puthz, 1984  
*Dianous cupreogutta* Puthz, 2000 [特有] Ref. Puthz, 2000  
*Dianous cupreostigma* Puthz, 1984 [特有] Ref. Puthz, 1984  
*Dianous cyaneocupreus* Puthz, 2000 [特有] Ref. Puthz, 2000  
*Dianous electrigutta* Puthz, 2000 [特有] Ref. Puthz, 2000  
*Dianous lieni* Puthz, 2005 [特有] Ref. Puthz, 2005  
*Dianous luteoguttatus* Champion, 1919 Ref. Smetana, 2004e  
*Dianous mendax* Puthz, 2000 [特有] Ref. Puthz, 2000  
*Dianous shibataianus* Puthz, 2005 [特有] Ref. Puthz, 2005  
*Dianous sucinigitta* Puthz, 2000 [特有] Ref. Puthz, 2000  
*Dianous sucinotatus* Puthz, 2000 [特有] Ref. Puthz, 2000  
*Dianous taiwanensis* Puthz, 1971 Ref. Herman, 2001  
*Diaugis plagiata* Raffray, 1912 [特有] Ref. Nomura, 2002  
*Dibelonetes formosae* Bernhauer, 1922 [特有] Ref. Semtana, 2004g  
*Dibelonetes palaeotropicus* Bernhauer, 1916 Ref. Smetana, 2004g  
*Dinothnarus choui* Smetana, 1992 [特有] Ref. Smetana, 2004h  
*Dinothnarus choui* Smetana, 1992 [特有] Ref. Smetana, 1992  
*Diochus antennatus* (Motschulsky) Ref. Herman, 2001  
*Diochus conicollis* (Motschulsky) Ref. Herman, 2001  
*Domene scabripennis* Rougemont, 1995 粗翅寬腳隱翅蟲 [特有] Ref. Rougemont, 1995  
*Drussilla ocularis* (Fenyés) Ref. Herman, 2001  
*Durbos punctulatus* Raffray, 1914 [特有] Ref. Nomura, 2002  
*Echiaster unicolor* Bernhauer, 1922 [特有] Ref. Smetana, 2004g  
*Edaphus taiwanensis* Puthz, 1975 [特有] Ref. Shibata, 1986  
*Eleusis humilis* Erichson Ref. Herman, 2001  
*Eleusis terminata* Fauvel, 1869 Ref. Smetana, 2004c  
*Emmelostiba kuanshanensis* Pace, 1995 [特有] Ref. Pace, 1995  
*Emmelostiba pingtungensis* Pace, 1995 [特有] Ref. Pace, 1995  
*Episcaphium watanabei* Löbl, 2002 Ref. Löbl, 2002  
*Erchomus bivittatus* (Bernhauer, 1915) Ref. Herman, 2001  
*Erchomus flavicornis* (Kraatz) Ref. Herman, 2001  
*Erchomus formosae* (Bernhauer) Ref. Herman, 2001  
*Erchomus formosanus* (Bernhauer, 1922) [特有] Ref. Shibata, 1973  
*Erchomus grandicollis* (Bernhauer) Ref. Herman, 2001  
*Erchomus horni* (Bernhauer) Ref. Herman, 2001  
*Erchomus immaturus* (Bernhauer) Ref. Herman, 2001  
*Erchomus latus* Motschulsky, 1858 Ref. Herman, 2001  
*Erchomus micropennis* Nakane & Sawada, 1960 Ref. Herman, 2001  
*Erchomus minimus* Motschulsky, 1858 Ref. Herman, 2001  
*Erchomus rufopiceus* (Bernhauer, 1917) Ref. Herman, 2001  
*Erchomus rufus* (Kraatz) Ref. Herman, 2001  
*Erchomus secretus* (Bernhauer) Ref. Herman, 2001  
*Erchomus subglaber* (Bernhauer) Ref. Herman, 2001  
*Erichsonius basalis* (Motschulsky) Ref. Herman, 2001  
*Erichsonius horni* (Bernhauer) Ref. Herman, 2001  
*Eucibdelus sauteri* Bernhauer Ref. Herman, 2001  
*Eucibdelus shibatai* Hayashi, 1998 [特有] Ref. Hayashi, 1998  
*Eupiestus rhinoceros* Fauvel Ref. Herman, 2001  
*Eupiestus vittatum* Fauvel Ref. Herman, 2001  
*Euplectomorphus pygmaeus* Motschulsky, 1863 Ref. Nomura, 2002  
*Euryusa submaculata* Maruyama & HLevac, 2001 [特有] Ref. Maruyama & Hlavac, 2002  
*Eusphalerum cariniphallum* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Eusphalerum contortispinum* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Eusphalerum dubitatum* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Eusphalerum formosae* (Cameron) Ref. Herman, 2001

*Eusphalerum hapalaraeoides* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Eusphalerum luteoides* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Eusphalerum obscuriceps* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Eusphalerum parareitteri* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Eusphalerum paucisetulosum* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Eusphalerum pseudoreitteri* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Eusphalerum simpliciphallum* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Eusphalerum smetanai* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Eusphalerum solitare* (Sharp) Ref. Herman, 2001  
*Eusphalerum taiwanense* Zanetti, 1998 [特有] Ref. Zanetti, 1998  
*Gabrius ancoripenis* Cho & Lee, 1997 Ref. Schillhammer, 2001  
*Gabrius calix* Schillhammer, 2001 [特有] Ref. 同前  
*Gabrius contumax* Schillhammer, 2001 [特有] Ref. 同前  
*Gabrius eminens* Schillhammer, 2001 [特有] Ref. 同前  
*Gabrius praesignis* Schillhammer, 2001 [特有] Ref. 同前  
*Gabrius satoi* Shibata, 2007 [特有] Ref. Shibata, 2007  
*Gabrius septempunctatus* (Cameron) Ref. Herman, 2001  
*Gabrius subdolos* Schillhammer, 2001 [特有] Ref. Schillhammer, 2001  
*Gabrius submolestus* Schillhammer, 2001 [特有] Ref. Smetana, 2004h  
*Gabrius taiwanensis* Schillhammer, 2001 [特有] Ref. Schillhammer, 2001  
*Gabrius trapezipennis* Schillhammer, 2001 [特有] Ref. 同前  
*Gabrius trossuloides* (Cameron, 1933) Ref. 同前  
*Gabrius viduus* (Cameron, 1933) Ref. Smetana, 2004h  
*Gabronthus maritimus* (Motschulsky) Ref. Shibata, 1993  
*Gabronthus pygmaeus* (Kraatz, 1859) Ref. Hayashi, 2003  
*Gabronthus sulcifrons* (Sharp, 1889) Ref. Herman, 2001  
*Gabronthus thermarum* (Aube) Ref. Herman, 2001  
*Geodromicus formosanus* (Hayashi, 1992) [特有] Ref. Smetana, 2004a  
*Geodromicus ohkurai* (Hayashi, 1992) [特有] Ref. 同前  
*Geodromicus ohkurai* (Hayashi, 1992) [特有] Ref. 同前  
*Geostibida smetanai* Pace, 1998 [特有] Ref. Pace, 1998  
*Gnypeta inducta* Fenyés Ref. Herman, 2001  
*Gyrophypnus maximus* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Harmophorus ciliatus* (Raffray, 1894) Ref. Nomura, 2002  
*Harmophorus pectinatus* (Reitter, 1883) Ref. Nomura, 2002  
*Harmophorus scopula* (Raffray, 1914) [特有] Ref. Nomura, 2002  
*Hesperopalpus venustus* Shibata, 1973 Ref. Herman, 2001  
*Hesperosoma miwai* Hayashi, 1993a [特有] Ref. Hayashi, 1993  
*Hesperosoma miwai* (Bernhauer, 1943) [特有] Ref. Smetana, 2004h  
*Hesperosoma sakoi* Hayashi, 1993a [特有] Ref. Hayashi, 1993  
*Hesperus babai* Shibata, 1990 [特有] Ref. Smetana, 2004h  
*Hesperus taiwanensis* Shibata Ref. Herman, 2001  
*Hesperus venustus* Shibata Ref. Herman, 2001  
*Heterothops oculatus* Fauvel, 1895 Ref. Smetana, 1995  
*Heterothops tzaw* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Hirashimanymus babai* Nomura, 1990 [特有] Ref. Nomura, 2002  
*Hirashimanymus schistodactyroides* Nomura, 1990 Ref. Nomura, 2002  
*Holandria pusciennis* (Kraatz) Ref. Herman, 2001  
*Holoson densus* Bernhauer Ref. Herman, 2001  
*Holoson formosae* Cameron Ref. Herman, 2001  
*Holoson sparsipennis* Cameron Ref. Herman, 2001  
*Homaeotarsus ceylanensis* (Kraatz, 1859) Ref. Smetana, 2004g  
*Homaeotarsus japonicus* (Sharp, 1874) Ref. 同前  
*Homaeotarsus marginatus* (Motschulsky, 1858) Ref. 同前  
*Homalota fraterna* (Sharp, 1888) Ref. Herman, 2001  
*Homalota granigera* (Sharp) Ref. Herman, 2001  
*Homalota opaca* Fenyés Ref. Herman, 2001  
*Hybridolinus diabolicus* Schillhammer, 1998 [特有] Ref. Schillhammer, 1998  
*Hybridolinus diabolicus* Schillhammer, 1998b [特有] Ref. Schillhammer, 1998b  
*Hypnogyra formosae* (Cameron, 1949) [特有] Ref. Smetana, 2004h  
*Hypnogyra shibatai* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Hypomedon debilicornis* (Wollaston, 1857) Ref. Smetana, 2004g  
*Hysperoschema sauteri* Schillhammer, 2004 [特有] Ref. Schillhammer, 2004  
*Hyugatyachus formosanus* Nomura, 1996 [特有] Ref. Nomura, 2002  
*Indoquedius bing* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Indoquedius chuen* Smetana, 2001 [特有] Ref. Smetana, 2001  
*Indoquedius formosae* (Cameron, 1949) [特有] Ref. Smetana, 2004h  
*Indoquedius shibatai* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Indoscitalinus rudis* (Eppelsheim) Ref. Herman, 2001  
*Indosorius rufipes* (Motschulsky, 1858) Ref. Smetana, 2004c  
*Ischnopoda annuliventris* (Kraatz, 1859) Ref. Herman, 2001  
*Ischnopoda dilutipennis* Motschulsky Ref. Herman, 2001

*Ischnopoda formosae* (Cameron) Ref. Herman, 2001  
*Ischnopoda fungi* (Gravenhorst) Ref. Herman, 2001  
*Ischnopoda longicornis* (Gravenhorst) Ref. Herman, 2001  
*Ischnopoda sauteri* (Bernhauer) Ref. Herman, 2001  
*Ischnopoda sordida* (Marsham) Ref. Herman, 2001  
*Ischnopoda toroensis* (Bernhauer) Ref. Herman, 2001  
*Ischnopoda vexans* (Fenyés) Ref. Herman, 2001  
*Ischnosoma bohaci* Kocian, 2003 Ref. Kocian, 2003  
*Ischnosoma discoideale* Kocian, 2003 [特有] Ref. Kocian, 2003  
*Ischnosoma thubal* Kocian, 2003 Ref. Kocian, 2003  
*Isocheilus staphylinoides* (Kraatz) Ref. Herman, 2001  
*Lacvietina punctatissima* (Hayashi, 1991) [特有] Ref. Herman, 2004  
*Lathrobium shaolaiense* Watanabe, 1998 [特有] Ref. Watanabe, 1998  
*Lathrobium taiwanense* Watanabe, 1998 [特有] Ref. 同前  
*Lathrobium tsuifengense* Watanabe, 2005 [特有] Ref. Watanabe, 2005  
*Lathrobium yasutoshii* Watanabe, 2005 [特有] Ref. 同前  
*Lepidophallus metallicus* (Fauvel, 1895) Ref. Smetana, 2004h  
*Lepidophallus oculatus* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Lepidophallus suffusus* (Sharp, 1874) Ref. Smetana, 2004h  
*Leptacinus gracilis* Fauvel Ref. Herman, 2001  
*Leptacinus (Phacophallus) parumpunctatus* (Gyll., 1827) Ref. Herman, 2001  
*Leptusa acula* Assing, 2002 [特有] Ref. Assing, 2002  
*Leptusa anmashanensis* Pace, 1996 [特有] Ref. Pace, 1996  
*Leptusa centralis* Pace, 1992 [特有] Ref. Pace, 1992  
*Leptusa cribrata* Pace, 1996 [特有] Ref. Pace, 1996  
*Leptusa formidabilis* Pace, 1996 [特有] Ref. Pace, 1996  
*Leptusa nemoricultrix* Pace, 1995 [特有] Ref. Pace, 1995  
*Leptusa peregrina* Pace, 1995 [特有] Ref. Pace, 1995  
*Leptusa pingtungensis* Pace, 1995 [特有] Ref. Pace, 1995  
*Leptusa rorata* Pace, 1995 [特有] Ref. Pace, 1995  
*Leptusa semivolans* Pace, 1996 [特有] Ref. Pace, 1996  
*Leptusa spirarum* Pace, 1996 [特有] Ref. Pace, 1996  
*Leptusa taichungensis* Pace, 1996 [特有] Ref. Pace, 1996  
*Leptusa taiwanensis* Pace, 1992 [特有] Ref. Pace, 1992  
*Leptusa tenchiensis* Pace, 1996 [特有] Ref. Pace, 1996  
*Lesteva chuioi* Watanabe, 2005 [特有] Ref. Watanabe, 2005  
*Leucocraspodum dilutum* Bernhauer Ref. Herman, 2001  
*Leucocraspodum minutum* Bernhauer Ref. Herman, 2001  
*Leucocraspodum pallidum* Cameron Ref. Herman, 2001  
*Leucocraspodum robustum* Cameron Ref. Herman, 2001  
*Leucocraspodum scorpio* (Blackburn) Ref. Herman, 2001  
*Liotesba itoi* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Lispinus formosae* Bernhauer, 1943 Ref. Herman, 2001  
*Lispinus formosanus* Cameron, 1949 Ref. Herman, 2001  
*Lispinus isolatus* Cameron, 1949 Ref. Herman, 2001  
*Lispinus quadrinotatus* Fauvel Ref. Herman, 2001  
*Lithocharis nigriceps* Kraatz, 1859 Ref. Smetana, 2004g  
*Lithocharis uvida* Kraatz Ref. Herman, 2001  
*Lithocharis vilis* Kraatz Ref. Herman, 2001  
*Lordithon daviesi* Semtana, 1995d [特有] Ref. Smetana, 1995  
*Lordithon kawamurai* (Bernhauer) Ref. Herman, 2001  
*Lordithon pallidiceps* (Sharp) Ref. Herman, 2001  
*Medhiama formosana* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Medon confertus* Sharp Ref. Herman, 2001  
*Medon lewisius* Sharp Ref. Herman, 2001  
*Medon submaculatus* Sharp Ref. Herman, 2001  
*Megalinus formosanus* (Cameron) Ref. Herman, 2001  
*Megalinus metallicus* (Fauvel) Ref. Herman, 2001  
*Megalopaederus alutithorax* (Bernhauer, 1943) [特有] Ref. Smetana, 2004g  
*Megalopaederus flavoterminalis* (Cameron, 1949) [特有] Ref. 同前  
*Megalopaederus formosanus* (Adachi, 1939) [特有] Ref. 同前  
*Megalopaederus kosempoensis* (Bernhauer, 1922) [特有] Ref. 同前  
*Megalopaederus kosempoensis* (Adachi, 1939) [特有] Ref. 同前  
*Micrellytriger loebli* Nomura, 1997 [特有] Ref. Nomura, 2002  
*Micropeplus clypeatus* Compbell, 1992 [特有] Ref. Compbell, 1992  
*Micropeplus nitidipennis* Compbell, 1995 [特有] Ref. Compbell, 1995  
*Micropeplus obscurus* Compbell, 1992 [特有] Ref. Compbell, 1992  
*Micropeplus sinuatus* Compbell, 1992 [特有] Ref. 同前  
*Micropeplus spinatus* Compbell, 1992 [特有] Ref. 同前

*Micropeplus taiwanensis* Compbell, 1992 [特有] Ref. 同前  
*Micropeplus yushanensis* Compbell, 1995 [特有] Ref. Compbell, 1995  
*Mimacrotona taiwanensis* Pace, 1998 [特有] Ref. Pace, 1998  
*Mimogonus microps* Sharp Ref. Herman, 2001  
*Miobdelus choui* Smetana, 2001 [特有] Ref. Smetana, 2001  
*Miobdelus insularis* Smetana, 2001 [特有] Ref. Smetana, 2001  
*Miobdelus insularis* Smetana, 2001 [特有] Ref. Smetana, 2001  
*Miobdelus insularis* Smetana, 2001 [特有] Ref. Smetana, 2001  
*Miobdelus taiwanensis* Smetana, 2001 [特有] Ref. Smetana, 2001  
*Miobdelus taiwanensis* Smetana, 2001 [特有] Ref. Smetana, 2001  
*Mitomorphus formosae* Bernhauer Ref. Herman, 2001  
*Mitomorphus indicus* Kraatz  
*Monocrypta abdominalis* (Motschulsky, 1858) Ref. Smetana, 2004g  
*Monocrypta pectoralis* (Sharp, 1874) Ref. 同前  
*Monocrypta rufipennis* (Motschulsky, 1858) Ref. 同前  
*Mycetoporus bolitoboides* Bernhauer Ref. Herman, 2001  
*Mycetoporus discoidalis* Sharp Ref. Herman, 2001  
*Myllaena insularis* Fenyes Ref. Herman, 2001  
*Myrmecocephalus dimidiata* (Motschulsky) Ref. Herman, 2001  
*Myrmecocephalus madurensis* (Bernhauer) Ref. Herman, 2001  
*Myrmecocephalus simplex* (Sharp) Ref. Herman, 2001  
*Nacaeus impressicollis* (Motschulsky, 1858) Ref. Smetana, 2004c  
*Nacaeus longulus* (Sharp, 1874) Ref. 同前  
*Nacaeus robusticollis* Bernhauer, 1929 Ref. 同前  
*Naddia ishiharai* Shibata, 1994 [特有] Ref. Shibata, 1994  
*Naddia monticola* Shibata, 1994 [特有] Ref. Shibata, 1994  
*Naddia taiwanensis* Shibata, 1979 [特有] Ref. Shibata, 1986  
*Nazeris aestivalis* Ito, 1995 [特有] Ref. Ito, 1995  
*Nazeris affinis* Ito, 1996 [特有] Ref. Ito, 1996  
*Nazeris alishanus* Ito, 1985 [特有] Ref. Shibata, 1986  
*Nazeris centralis* Ito, 1996 [特有] Ref. Ito, 1996  
*Nazeris femoralis* Ito, 1985 [特有] Ref. Shibata, 1986  
*Nazeris formosanus* Ito, 1996 [特有] Ref. Ito, 1996  
*Nazeris imitator* Ito, 1996 [特有] Ref. Ito, 1996  
*Nazeris matsudai* Ito, 1985 [特有] Ref. Shibata, 1986  
*Nazeris monticola* Ito, 1996 [特有] Ref. Ito, 1996  
*Nazeris persimilis* Ito, 1995 [特有] Ref. Ito, 1995  
*Nazeris robustus* Ito, 1996 [特有] Ref. Ito, 1996  
*Nazeris silvestris* Ito, 1996 [特有] Ref. Ito, 1996  
*Nazeris simulans* Ito, 1996 [特有] Ref. Ito, 1996  
*Nazeris smetanai* Ito, 1996 [特有] Ref. Ito, 1996  
*Nazeris taiwanus* Ito, 1985 [特有] Ref. Shibata, 1986  
*Nazeris taiwanus* Ito, 1985 [特有] Ref. Shibata, 1985  
*Nazeris trifolius* Ito, 1996 [特有] Ref. Ito, 1996  
*Nazeris uenoi* Ito, 1995 [特有] Ref. Ito, 1995  
*Nazeris vernalis* Ito, 1995 [特有] Ref. Ito, 1995  
*Nazeris yasutoshii* Ito, 1996 [特有] Ref. Ito, 1996  
*Neobisnius formosae* Cameron Ref. Herman, 2001  
*Neobisnius praelongus* (Gemminger & Harold) Ref. Shibata, 1993  
*Neobisnius pumilus* (Sharp) Ref. Herman, 2001  
*Neodecusa formosae* Cameron Ref. Herman, 2001  
*Neolosus densus* (Bernhauer, 1922) [特有] Ref. Smetana, 2004c  
*Neolosus formosae* (Cameron, 1949) [特有] Ref. 同前  
*Neolosus sparsipennis* (Cameron, 1949) [特有] Ref. 同前  
*Neosclerus atsuishii* Shibata, 1992 [特有] Ref. Shibata, 1992  
*Neosilusa taiwanensis* Pace, 1995 [特有] Ref. Pace, 1995  
*Nudobius formosus* Shibata Ref. Herman, 2001  
*Ochtheophilum cuneatum* (Sharp, 1889) Ref. Smetana, 2004g  
*Ochtheophilum formosae* (Cameron) Ref. Herman, 2001  
*Ochtheophilus masatakai* Watanabe, 2007 [特有] Ref. Watanabe, 2007  
*Octavius flavescens* (Kistner) Ref. Shibata, 1986  
*Ocypus miwai* (Bernhauer) Ref. Herman, 2001  
*Odontoxenus taiwanus* Naomi, 1996 [特有] Ref. Naomi, 1996  
*Oedichirus kuroshio* Hayashi, 1989 [特有] Ref. Hayashi, 1989  
*Oligota formosae* Bernhauer Ref. Herman, 2001  
*Olophrinus suzukii* Shibata, 1992 [特有] Ref. Compbell, 1993  
*Omoplandria fuscipennis* Cameron Ref. Herman, 2001  
*Osorius carinifrons* Cameron, 1936 Ref. Shibata, 1973  
*Osorius formosae* Bernhauer, 1922 [特有] Ref. Shibata, 1973  
*Osorius mortuorum* Bernhauer, 1922 [特有] Ref. Smetana, 2004c  
*Osorius punctus* Bernhauer Ref. Herman, 2001  
*Osorius tonkinensis* Bernhauer, 1914 Ref. Smetana, 2004c

*Othiellus orisanus* Shibata Ref. Herman, 2001  
*Othius acutus* Assing, 1999 [特有] Ref. Assing, 1999  
*Othius aequabilis* Assing, 1999 [特有] Ref. Assing, 1999  
*Othius collapsus* Assing, 1999 [特有] Ref. Assing, 1999  
*Othius coniceps* Assing, 1999 [特有] Ref. Assing, 1999  
*Othius contumax* Assing, 1999 [特有] Ref. Assing, 1999  
*Othius hamatus* Assing, 1999 [特有] Ref. Assing, 1999  
*Othius orisanus* Shibata  
*Othius praecisus* Assing, 1999 [特有] Ref. Assing, 1999  
*Othius punctatus* Bernhauer, 1923 Ref. Smetana, 2004h  
*Othius reticulatus* Assing, 1999 [特有] Ref. Assing, 1999  
*Othius shibatai* Ito, 1989 [特有] Ref. Ito, 1989  
*Othius smetanai* Assing, 1999 [特有] Ref. Assing, 1999  
*Othius taiwanus* Ito, 1989 [特有] Ref. Ito, 1989  
*Othius yushanus* Ito, 1989 [特有] Ref. Ito, 1989  
*Oxytelus thoracicus* Motschulsky Ref. Herman, 2001  
*Oxyporus formosanus* Adachi Ref. Herman, 2001  
*Oxyporus itoi* Hayashi, 1985 [特有] Ref. Shibata, 1986  
*Oxyporus loloshanus* Hayashi, 1985 [特有] Ref. Shibata, 1986  
*Oxyporus nigerrimus* Hayashi Ref. Herman, 2001  
*Oxyporus shibatai* Hayashi Ref. Herman, 2001  
*Oxyporus taiwanus* Hayashi Ref. Herman, 2001  
*Oxyporus trisulcatus* Bernhauer Ref. Herman, 2001  
*Oxytelopsis carinifons* Cameron Ref. Herman, 2001  
*Oxytelopsis cimicoides* Fabricius Ref. Herman, 2001  
*Oxytelopsis pseudopsina* Fabricius Ref. Herman, 2001  
*Oxytelopsis taiwanus* Ito, 1987 [特有] Ref. Ito, 1987  
*Oxytelus bengalensis* Erichson, 1840 Ref. Smetana, 2004d  
*Oxytelus ferrugineus* Kraatz Ref. Herman, 2001  
*Oxytelus luceus* Bidessus Ref. Herman, 2001  
*Oxytelus megaceros* Fabricius Ref. Herman, 2001  
*Oxytelus migrator* Fauvel Ref. Shibata, 1993  
*Oxytelus mortuorum* Bidessus Ref. Herman, 2001  
*Oxytelus nigriceps* Kraatz Ref. Herman, 2001  
*Oxytelus puncticeps* Kraatz Ref. Shibata, 1986  
*Oxytelus varipennis* Kraatz Ref. Shibata, 1993  
*Pachycorynus dilaticeps* Cameron Ref. Herman, 2001  
*Pachycorynus dimidiatus* Motschulsky, 1858 Ref. Smetana, 2004h  
*Pachycorynus shanmo* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Paederus coxalis* Fauvel Ref. Herman, 2001  
*Paederus fuscipes* Curtis Ref. Herman, 2001  
*Paederus pilifer* Motschulsky Ref. Herman, 2001  
*Paederus sondaicus* Fauvel Ref. Herman, 2001  
*Paederus tamulus* Erichson Ref. Herman, 2001  
*Palaminus formosae* Cameron Ref. Herman, 2001  
*Palaminus iaponicus* Cameron Ref. Herman, 2001  
*Palaminus lumiventris* Herman, 2003 [特有] Ref. Smetana, 2004g  
*Pammegus shibatai* Schillhammer, 2002 [特有] Ref. Schillhammer, 2002  
*Paragonus sauteri* Bidessus Ref. Herman, 2001  
*Paralispinus exiguus* (Erichson) Ref. Herman, 2001  
*Paraphloeostiba sonani* (Bidessus) Ref. Herman, 2001  
*Peitawopsis inexpectata* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Peitawopsis monticola* Smetana, 1992 [特有] Ref. Smetana, 1992  
*Peitawopsis watanabei* Herman & Smetana, 2002 [特有] Ref. Herman & Smetana, 2002  
*Pelioptera formosae* (Cameron) Ref. Herman, 2001  
*Phacophallus flavipennis* (Kraatz, 1859) Ref. Smetana, 2004h  
*Philonthus aeneipennis* Boheman Ref. Herman, 2001  
*Philonthus crassicornis* Fauvel, 1895 Ref. Hayashi, 1996  
*Philonthus delicatulus* Boheman, 1858 Ref. Hayashi, 2003  
*Philonthus eustilbus* Kraatz, 1859 Ref. Hayashi, 2005  
*Philonthus explorator* Cameron, 1932 Ref. Hayashi, 1997  
*Philonthus fauvelianus* Bernhauer Ref. Hayashi, 2005  
*Philonthus flavipes* Kraatz, 1859 Ref. Hayashi, 2005  
*Philonthus flavocinctus* Motschulsky Ref. Herman, 2001  
*Philonthus foetidus* Cameron, 1932 Ref. Hayashi, 1997  
*Philonthus formosae* Bernhauer Ref. Herman, 2001  
*Philonthus japonicus* Sharp, 1874 Ref. Schillhammer, 2000  
*Philonthus kiyoyamai* Hayashi, 1993b [特有] Ref. Hayashi, 1993  
*Philonthus lewisii* Sharp, 1974 Ref. Shibata, 1994  
*Philonthus longicornis* Stephens Ref. Herman, 2001  
*Philonthus madurensis* Bernhauer Ref. Herman, 2001  
*Philonthus maindroni* Fauvel, 1903 Ref. Hayashi, 1996

*Philonthus merops* Smetana, 1963 Ref. Shibata, 1991  
*Philonthus minutus* Boheman Ref. Herman, 2001  
*Philonthus notabilis* Kraatz Ref. Herman, 2001  
*Philonthus paederoides* (Motschulsky, 1858) Ref. Smetana, 2004h  
*Philonthus parvicornis* (Gravenhorst, 1802) Ref. 同前  
*Philonthus productus* Kraatz, 1859 Ref. Hayashi, 2003  
*Philonthus quisquiliarius* Gyllenhal Ref. Herman, 2001  
*Philonthus rectangulus* Sharp Ref. Herman, 2001  
*Philonthus simpliciventris* Bernhauer, 1933 Ref. Schillhammer, 2000  
*Philonthus smetanai* Schillhammer, 2003 [特有] Ref. Schillhammer, 2003  
*Philonthus spinipes* Sharp, 1874 Ref. Shibata, 1991  
*Philonthus taiwanensis* Shibata, 1993 [特有] Ref. Schillhammer, 1998a  
*Philonthus tardus* Kraatz Ref. Herman, 2001  
*Philonthus variipennis* Kraatz, 1859 Ref. Shibata, 1994  
*Phucobius tricolor* Bernhauer Ref. Shibata, 1986  
*Physomerinus schenklingi* (Raffray, 1912) Ref. Nomura, 2002  
*Phytolinus formosanus* Naomi Ref. Herman, 2001  
*Phytosus schenklingi* Bernhauer Ref. Herman, 2001  
*Pinobius indicus* (Kraatz, 1859) Ref. Smetana, 2004g  
*Pinophilus formosae* Bernhauer Ref. Herman, 2001  
*Pinophilus lewisius* Sharp Ref. Herman, 2001  
*Pinophilus sachtlebeni* Bernhauer, 1935 [特有] Ref. Smetana, 2004g  
*Pinophilus sauteri* Bernhauer Ref. Herman, 2001  
*Plagiophorus amygdalinus* Sugaya, 2005a [特有] Ref. Sugaya, 2005a  
*Plagiophorus subcorticalis* Sugaya, 2005b [特有] Ref. Sugaya, 2005b  
*Plagiusa ceylonica* (Kraatz) Ref. Herman, 2001  
*Platydomene taiwanensis* Watanabe, 1991 [特有] Ref. Watanabe, 1991  
*Platydracus circumcinctus* (Bernhauer) Ref. Herman, 2001  
*Platydracus formosae* (Bernhauer) Ref. Herman, 2001  
*Platydracus plagiicollis* (Fairmaire) Ref. Herman, 2001  
*Platyprosops aequalis* Bernhauer & Schubert Ref. Herman, 2001  
*Platyprosops aequalis* Bernhauer & Schubert, 1914 Ref. Smetana, 2004h  
*Platystethus crassicornis* Motschulsky Ref. Herman, 2001  
*Platystethus operosus* Sharp Ref. Herman, 2001  
*Poroderus siamensis* Schaufuss, 1879 Ref. Nomura, 2002  
*Priochirus formosae* Greenslade, 1971 [特有] Ref. Shibata, 1986  
*Priochirus japonicus* Sharp, 1889 Ref. Shibata, 1976  
*Priochirus kawamurai* Bernhauer, 1943 [特有] Ref. Shibata, 1973  
*Priochirus mushanus* Bernhauer, 1943 [特有] Ref. Smetana, 2004c  
*Priochirus quadrifoveatus* Greenslade, 1971 [特有] Ref. 同前  
*Priochirus silvestrii* Bernhauer, 1927 [特有] Ref. 同前  
*Priochirus tonkinensis* Bernhauer, 1934 Ref. Shibata, 1973  
*Prosthecarthron sauteri* Raffray, 1914 [特有] Ref. Nomura, 2002  
*Pselaphogenius kintaroi* Nomura, 2003 [特有] Ref. Nomura, 2003  
*Pseudobironium plagifer* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Pseudolathra lineata* Herman, 2003 Ref. Smetana, 2004g  
*Pseudolathra unicolor* (Kraatz, 1859) Ref. 同前  
*Pseudoplandria cruticornis* Cameron Ref. Herman, 2001  
*Pseudoplandria formosae* Cameron Ref. Herman, 2001  
*Pseudoplandria formosensis* Pace, 1993 [特有] Ref. Pace, 1993  
*Quedius besoni* Cameron, 1932 Ref. Smetana, 1995  
*Quedius bih* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius chang* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius chi* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius chiangi* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius chiaw* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius dih* Smetana, 1996 [特有] Ref. Smetana, 1996  
*Quedius fangi* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius flavicornis* Sharp, 1889 Ref. Smetana, 1995  
*Quedius goang* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius hei* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius huann* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius inexpectatus* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius insulans* Cameron Ref. Herman, 2001  
*Quedius kuay* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius kurosawai* Shibata, 1986 [特有] Ref. Smetana, 1995  
*Quedius leeng* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius liang* Smetana, 1995 Ref. Smetana, 1995  
*Quedius lin* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius maculiventris* Bernhauer, 1934 Ref. Smetana, 1995  
*Quedius masuzoi* Watanabe, 1989 [特有] Ref. Smetana, 1995  
*Quedius meei* Smetana, 1995 [特有] Ref. Smetana, 1995

*Quedius meng* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius miwai* Bernhauer Ref. Herman, 2001  
*Quedius nishikawai* Watanabe, 1991 [特有] Ref. Smetana, 1995  
*Quedius noboruitoi* Hayashi, 1992 [特有] Ref. Smetana, 1995  
*Quedius perng* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius rou* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius shan* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius shibatai* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius shiow* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius syh* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius taiwanensis* Shibata, 1986 [特有] Ref. Smetana, 1995  
*Quedius tarng* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius wuh* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius yann* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius yean* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quedius yun* Smetana, 1995 [特有] Ref. Smetana, 1995  
*Quetarsius jeau* (Smetana, 1995) [特有] Ref. Smetana, 1996  
*Quetarsius neu* (Smetana, 1995) [特有] Ref. Smetana, 1996  
*Reichenbachia coelestic* Raffray, 1912 [特有] Ref. Nomura, 2002  
*Rugilus ceylanensis* (Kraatz) Ref. Herman, 2001  
*Rugilus rufescens* (Sharp) Ref. Herman, 2001  
*Rugilus simlaensis* (Cameron, 1932) Ref. Hayashi, 1996  
*Rugilus velutinus* (Fauvel) Ref. Herman, 2001  
*Sathytes rufus* Raffray, 1894 Ref. Nomura, 2002  
*Scaphidium castaneicolor* Csiki, 1924  
*Scaphidium castanicolor* Csiki, 1924 [特有] Ref. Miwa, 1931  
*Scaphidium fainanense* Pic, 1915 [特有] Ref. Miwa, 1931  
*Scaphidium flavomaculatum* Miwa & Nitono, 1943 [特有] Ref. Miwa & Mitono, 1943  
*Scaphidium formosanum* Pic, 1915 [特有] Ref. Miwa, 1931  
*Scaphidium grande* Gestro, 1880 Ref. Miwa & Mitono, 1943  
*Scaphidium longipenne* Achard, 1921  
*Scaphidium nigrocinctulum* Oberthur, 1884 Ref. Löbl, 2004  
*Scaphidium sauteri* Miwa & Nitono, 1943 [特有] Ref. Miwa & Mitono, 1943  
*Scaphidium shibatai* Kimura, 1987 [特有] Ref. Kimura, 1987  
*Scaphidium shrakii* Miwa & Nitono, 1943 [特有] Ref. Miwa & Mitono, 1943  
*Scaphidium sinuatum* Csiki, 1924 [特有] Ref. Miwa, 1931  
*Scaphidium takahashii* Miwa & Nitono, 1943 [特有] Ref. Miwa & Mitono, 1943  
*Scaphidium vicinum* Pic, 1915 [特有] Ref. Miwa, 1931  
*Scaphisoma adustum* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphisoma asper* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphisoma bellax* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphisoma brunneonotatum* Pic Ref. Löbl, 1980  
*Scaphisoma cippum* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphisoma conforme* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphisoma funiculatum* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphisoma klapperichi* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphisoma laevigatum* Löbl, 1970 Ref. Löbl, 1980  
*Scaphisoma mendax* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphisoma nakanei* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphisoma punctaticolle* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphisoma taiwanum* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphisoma tetrastictum* Champion Ref. Löbl, 1980  
*Scaphisoma unicolor* Archard Ref. Löbl, 1980  
*Scaphobaeocera cyrta* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphobaeocera difficilis* Löbl, 1979 Ref. Löbl, 2004  
*Scaphobaeocera dispar* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphobaeocera dorsalis* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scaphobaeocera formosana* (Miwa & Mitono, 1943) [特有] Ref. Löbl, 1980  
*Scaphoxium taiwanum* Löbl, 1980 [特有] Ref. Löbl, 1980  
*Scopaeus dilutus* Motschulsky Ref. Frisch, 2003  
*Scopaeus filiformis* Wollaston, 1867 Ref. Frisch, 1999  
*Scopaeus pallidulus* Kraatz Ref. Herman, 2001  
*Scopaeus schuelkei* Frisch, 2003 Ref. Frisch, 2003  
*Scopaeus testaceus* Motschulsky Ref. Herman, 2001  
*Scopaeus velutinus* Motschulsky Ref. Herman, 2001  
*Scopaeus virilis* Sharp, 1874 Ref. Frisch, 2003  
*Sepedophilus aequalis* Naomi & Maruyama, 1998 [特有] Ref. Naomi & Maruyama, 1998  
*Sepedophilus attenuatus* Naomi & Maruyama, 1998 [特有] Ref. 同前  
*Sepedophilus fimbriatus* (Sharp) Ref. Herman, 2001  
*Sepedophilus formosanus* (Cameron) Ref. Herman, 2001  
*Sepedophilus humeralis* (Eppelsheim) Ref. Herman, 2001  
*Sepedophilus pedicularius* (Gravenhorst) Ref. Herman, 2001

*SepedoPhilus plagiatus* (Fauvel) Ref. Herman, 2001  
*Sepedophilus testaceus* (Fabricius) Ref. Herman, 2001  
*Sepedophilus yasutoshii* Naomi & Maruyama, 1998 [特有] Ref. Naomi & Maruyama, 1998  
*Siagonium haroldi* Weise, 1879 Ref. Smetana, 2004b  
*Siagonium miyamotoi* Takai & Nakane, 1985 [特有] Ref. Takai & Nakane, 1985  
*Siagonium vittatum* Fauvel, 1875 Ref. Shibata, 1973  
*Spaniolinus yoshimotoi* Bordoni, 2002 [特有] Ref. Bordoni, 2002  
*Staphylinus maxillosus* Linne Ref. Herman, 2001  
*Stenaesthetus nomurai* Puthz, 1995 [特有] Ref. Puthz, 1995  
*Stenaesthetus sunioides* Sharp, 1874 Ref. Smetana, 2004f  
*Stenaesthetus taiwanensis* Puthz, 1995 [特有] Ref. Puthz, 1995  
*Stenus alienoides* Puthz, 1981 [特有] Ref. Shibata, 1986  
*Stenus alienus* Sharp Ref. Shibata, 1986  
*Stenus arisanus* Cameron Ref. Herman, 2001  
*Stenus bicolon* Fauvel, 1893 Ref. Smetana, 2004e  
*Stenus bidenticollis* Puthz, 1984 [特有] Ref. Puthz, 1984  
*Stenus bilunatus* Puthz, 1984 [特有] Ref. Puthz, 1984  
*Stenus changi* Puthz Ref. Herman, 2001  
*Stenus cicindeloides* (Schaller, 1783) Ref. Smetana, 2004e  
*Stenus compressicollis* Puthz, 1984 [特有] Ref. Puthz, 1984  
*Stenus currax* Sharp Ref. Shibata, 1986  
*Stenus depressus* Puthz, 1973 Ref. Smetana, 2004e  
*Stenus dissimilis* Sharp Ref. Shibata, 1986  
*Stenus exter* Puthz, 2006 [特有] Ref. Puthz, 2006  
*Stenus flavidulus* (Champion) Ref. Herman, 2001  
*Stenus formosanus* Bernhauer Ref. Herman, 2001  
*Stenus gestroi* L. Benick, 1926 Ref. Smetana, 2004e  
*Stenus guttalis* Fauvel, 1895 Ref. 同前  
*Stenus hanami* Hromadka Ref. Shibata, 1986  
*Stenus hirtellus* Sharp Ref. Herman, 2001  
*Stenus immigratus* Puthz, 2006 [特有] Ref. Puthz, 2006  
*Stenus insulans* Puthz Ref. Herman, 2001  
*Stenus melanarius* Sharp Ref. Herman, 2001  
*Stenus miwai* Bernhauer Ref. Herman, 2001  
*Stenus mysterialis* Puthz, 1984 [特有] Ref. Puthz, 1984  
*Stenus nefas* Puthz, 1984 [特有] Ref. Puthz, 1984  
*Stenus piliferus* Motschulsky, 1858 Ref. Smetana, 2004e  
*Stenus pseudolus* Puthz, 2006 [特有] Ref. Puthz, 2006  
*Stenus puberulus* Sharp, 1874 Ref. Smetana, 2004e  
*Stenus puberulus* Puthz, 1981 [特有] Ref. Shibata, 1986  
*Stenus riukiensis* Puthz, 1973 Ref. Smetana, 2004e  
*Stenus rugipennis* Sharp Ref. Herman, 2001  
*Stenus rugosipennis* Cameron Ref. Herman, 2001  
*Stenus sauterianus* Bernhauer Ref. Herman, 2001  
*Stenus spurius* L. Benick, 1942 Ref. Smetana, 2004e  
*Stenus stigmatipennis* L. Benick Ref. Herman, 2001  
*Stenus sucinigutta* Puthz, 1991 [特有] Ref. Puthz, 1991  
*Stenus suspectatus* Puthz, 2003 [特有] Ref. Puthz, 2003  
*Stenus tenuipes* Sharp, 1874 Ref. Smetana, 2004e  
*Stenus tuberculicollis* Cameron Ref. Shibata, 1986  
*Stenus virgula* Fauvel Ref. Herman, 2001  
*Stenus yanoianus* Puthz, 1981 [特有] Ref. Shibata, 1986  
*Stillicoderus exiguitas* Shibata Ref. Herman, 2001  
*Stillicoderus formosanus* Rougemont, 1996 [特有] Ref. Shibata, 2002  
*Stillicoderus kasaharai* Shibata, 2002 [特有] Ref. Shibata, 2002  
*Stillicoderus kuani* Shibata, 1974 [特有] Ref. Smetana, 2004g  
*Stillicopsis setigera* (Sharp, 1874) Ref. Herman, 2001  
*Sunesta setigera* (Sharp, 1874) Ref. Smetana, 2004g  
*Sunius debilicornis* (Wollaston) Ref. Herman, 2001  
*Tachinus alishanensis* Hayashi, 1990 [特有] Ref. Compbell, 1993  
*Tachinus brevicuspis* Schulke, 2003 [特有] Ref. Schulke, 2003  
*Tachinus grandicollis* (Bernhauer, 1917) [特有] Ref. Compbell, 1993  
*Tachinus insularis* Hayashi, 1987 [特有] Ref. 同前  
*Tachinus japonicus* Sharp Ref. Herman, 2001  
*Tachinus masaohayashii* Hayashi, 1990 [特有] Ref. Compbell, 1993  
*Tachinus miltoni* Schulke, 2003 [特有] Ref. Schulke, 2003  
*Tachinus sugayai* Schulke, 2003 [特有] Ref. Schulke, 2003  
*Tachinus taichungensis* Compbell, 1993 [特有] Ref. Compbell, 1993  
*Tachinus taiwanensis* Shibata, 1979 [特有] Ref. 同前  
*Tachinus watanabei* Shibata, 1979 [特有] Ref. 同前  
*Tachinus yasutoshii* Ito, 1993 [特有] Ref. Ito, 1993  
*Tachinus yushanensis* Compbell, 1993 [特有] Ref. Compbell, 1993

*Tachyporus flavopictus* Fauvel Ref. Herman, 2001  
*Tachysida luteipennis* Fenyés Ref. Herman, 2001  
*Tetrapleurus formosae* Bidessus Ref. Herman, 2001  
*Tetrapleurus parallelus* Bidessus Ref. Herman, 2001  
*Tetrapleurus sauteri* Bidessus Ref. Herman, 2001  
*Tetrasticta laeta* Maruyama & Sugaya, 2002 Ref. Maruyama & Sugaya, 2002  
*Thoracochirus formosae* Cameron Ref. Herman, 2001  
*Thoracochirus variolosus* (Fauvel) Ref. Herman, 2001  
*Thoracophorus certatus* Sharp Ref. Shibata, 1993  
*Thoracostrongylus formosanus* Shibata Ref. Herman, 2001  
*Thoracostrongylus miyakei* Bernhauer Ref. Herman, 2001  
*Triartiger klapperichorum* Nomura, 1997 [特有] Ref. Nomura, 2002  
*Triartiger urceus* Kubota, 1943 [特有] Ref. Nomura, 2002  
*Tribasodites semipunctatus* (Raffray, 1912) [特有] Ref. Nomura, 2002  
*Trichophya kursowai* Shibata, 2001 [特有] Ref. Shibata, 2001  
*Trigonodemus audax* Smetana, 1996 [特有] Ref. Smetana, 1996  
*Triomicrus adnexus* Löbl et al., 1998 [特有] Ref. Nomura, 2002  
*Triomicrus factitatus* Löbl et al., 1998 [特有] Ref. Nomura, 2002  
*Triomicrus onerosus* Löbl et al., 1998 [特有] Ref. Nomura, 2002  
*Triomicrus secutor* Löbl et al., 1998 [特有] Ref. Nomura, 2002  
*Trissemus implicitus* (Raffray, 1912) Ref. Nomura, 2002  
*Trissemus mamilla* (Schaufuss, 1877) Ref. Nomura, 2002  
*Tympanophorus sauteri* Bernhauer, 1907 Ref. Bernhauer, 1907  
*Tympanophorus sauteri* Shibata, 1975 Ref. Herman, 2001  
*Velleius pectinatus* Sharp, 1874 Ref. Smetana, 1995  
*Xanthophius angustus* Sharp, 1874 Ref. Smetana, 2004h

### Family Tenebrionidae 擬步行蟲科

*Ainu fukudai* Masumoto, 1981 纖鬚長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Allecula bilamellata* Marseul, 1876 異角朽木甲 Ref. Borchmann, 1912  
*Allecula formosana* Pic, 1910 蓬萊朽木甲 [特有] Ref. Pic, 1910  
*Allecula fuliginosa* Maklin, 1875 灰色朽木甲 Ref. Borchmann, 1912  
*Allecula maxima* Pic, 1910 大朽木甲 Ref. 同前  
*Allecula velutina* Marseul, 1876 毛翅朽木甲 Ref. Miwa, 1931  
*Alleculodes sauteri* Borchmann, 1925 紹德似朽木甲 [特有] Ref. Borchmann, 1925  
*Alphitobius diaperinus* (Panzer, 1797) 外米擬步行蟲 Ref. 朱耀沂。1985  
*Alphitobius laevigatus* (Fabricius, 1781) 姬擬步行蟲 Ref. 朱耀沂。1985  
*Amarygmus bremeri* Masumoto, Akita & Lee, 2005 四獸山圓迴木蟲 [特有] Ref. Masumoto, Akita & Lee, 2005  
*Amarygmus cuprarius* (Weber, 1801) 巨眼圓迴木蟲 Ref. 朱耀沂。1985  
*Amarygmus cyaneipennis* Pic, 1938 小圓迴木蟲 Ref. Bremer, 2004  
*Amarygmus hsiaohsingus* Masumoto, 1984 蓮華池圓迴木蟲 [特有] Ref. 朱耀沂。1985  
*Amarygmus sakaii* Masumoto, 1981 酒井圓迴木蟲 [特有] Ref. 朱耀沂。1985  
*Andocamaria andoi* (Masumoto, 1992) [特有] Ref. Masumoto, 1992  
*Andocamaria formosana* (Pic, 1930) 大迴木蟲 [特有] Ref. Masumoto, 1993  
*Androsus amaroides* Gebien, 1927 蘇門達臘擬迴木蟲 Ref. 朱耀沂。1985  
*Anisostira cognata* (Borchmann, 1912) [特有] Ref. Masumoto, 1988  
*Anisostira rugipennis* (Lewis, 1896) Ref. 同前  
*Aptereucyrtus hemichalceus* Gebien, 1921 蘭嶼缺翅擬迴木蟲 Ref. 朱耀沂。1985  
*Aptereucyrtus shibatai* Ando, 1984 [特有] Ref. Ando, 1984  
*Arthromacra bicolor* Saito, 1995 [特有] Ref. Saito, 1995  
*Arthromacra chifengi* Merkl, 2004 [特有] Ref. Merkl, 2004  
*Arthromacra formosana* Sasaji, 1986 [特有] Ref. Masumoto, 1988  
*Arthromacra imasakai* Saito, 1995 [特有] Ref. Saito, 1995  
*Arthromacra minuta* Masumoto, 1988 [特有] Ref. Masumoto, 1988  
*Arthromacra tana* Saito, 1995 [特有] Ref. Saito, 1995  
*Arthromacra tsuyukii* Masumoto, 1988 [特有] Ref. Masumoto, 1988  
*Asidoblaps smetanai* Medvedev, 2001 [特有] Ref. Medvedev, 2001  
*Augolesthus kurosawai* Masumoto, 1986b [特有] Ref. Masumoto, 1986  
*Basanopsis curvipes* Gebien, 1913 蜘蛛擬殼盜 [特有] Ref. 朱耀沂。1985  
*Basanus formosanus* Masumoto, 1982 四星擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Basanus lui* Masumoto & Merkl, 2003 [特有] Ref. Masumoto & Merkl, 2003  
*Boletoxenus formosanus* Masumoto, 1982 鋤型擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Bolitotrogus formosanus* Masumoto, 1982 台灣裝甲擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Borboresthes cruralis* Marseul, 1876 污毛朽木甲 Ref. Miwa, 1931  
*Borboresthes fuliginosus* Fairmaire, 1897 黧黑污毛朽木甲 Ref. Borchmann, 1912  
*Borboresthes ruficollis* Borchmann, 1940 赭身污毛朽木甲 [特有] Ref. Borchmann, 1940  
*Borboresthes rufina* Borchmann, 1940 黧紅污毛朽木甲 [特有] Ref. 同前  
*Bothynogria calcarata* Borchmann, 1915 Ref. Masumoto, 1988  
*Bradymerus clathratus* Schaufuss, 1887 小胸擬步行蟲 Ref. 朱耀沂。1985  
*Bradymerus masumotoi* Schawaller, 2006 益本小胸擬步行蟲 [特有] Ref. Schawaller, 2006  
*Byrsax shibatai* Masumoto, 1982 潤肩蟾皮擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Caedius formosanus* Kaszab, 1942 蓬萊姬擬步行蟲 Ref. 朱耀沂。1985

*Caedius orientalis* (Fairmaire, 1893) 東方姬擬步行蟲 Ref. 朱耀沂。1985  
*Casnonidea occipitalis* (Borchmann, 1912) Ref. Masumoto, 1988  
*Casnonidea rufipennis* (Borchmann, 1912) [特有] Ref. 同前  
*Casnonidea viridimetallica* (Pic, 1911) [特有] Ref. Merkl, 2004  
*Catapiestus subrufescens* Pic, 1911 朽葉扁擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Cerogria anisocera* (Wiedemann, 1823) Ref. Masumoto, 1988  
*Cerogria chinensis* (Fairmaire, 1886) Ref. 同前  
*Cerogria hajimei* Masumoto, 1988 [特有] Ref. 同前  
*Cerogria klapperi* Borchmann, 1941 Ref. Merkl, 2004  
*Cerogria miwai* Kono, 1930 Ref. Masumoto, 1988  
*Cerogria odontocera* (Fairmaire, 1886) Ref. 同前  
*Ceropria formosana* Gebien, 1913 台灣隆背擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Ceropria induta* (Wiedemann, 1819) 長虹艷擬步行蟲 Ref. 朱耀沂。1985  
*Ceropria schenklingi* Gebien, 1913 綠隆背擬步行蟲 [特有] Ref. Masumoto, 1995  
*Ceropria taiwana* Masumoto, 1995 [特有] Ref. 同前  
*Cistelina crassicornis* Borchmann, 1917 粗角緣腹朽木甲 [特有] Ref. Borchmann, 1917  
*Cistelina melanopyga* (Fairmaire, 1893) 黑緣腹朽木甲 Ref. Kōno, 1930  
*Cistelina tricolor* Borchmann, 1917 三角緣腹朽木甲 [特有] Ref. Borchmann, 1917  
*Cistelomorpha bina* Fairmaire, 1899 二色擬緣腹朽木甲 [特有] Ref. Fairmaire, 1899  
*Cistelomorpha nigripilis* Borchmann, 1940 黑擬緣腹朽木甲 [特有] Ref. Borchmann, 1940  
*Clamoris formosana* (Masumoto, 1982) 錘尾擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Cleomis marginicollis* (Gebien, 1913) 爪哇擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Cneocnemis laminipes* Gebien, 1913 紅胸姬擬步行蟲 Ref. 朱耀沂。1985  
*Coleopalorus foveicollis* (Blair, 1930) 印度姬擬殼盜 Ref. 朱耀沂。1985  
*Corticeus analis* (Gebien, 1913) 菲島艷擬殼盜 Ref. 朱耀沂。1985  
*Corticeus cephalotes* (Gebien, 1913) 微艷擬殼盜 Ref. 朱耀沂。1985  
*Corticeus fijum* (Fabricius, 1893) 細艷擬殼盜 Ref. 朱耀沂。1985  
*Corticeus gentilis* Lewis 水社艷擬殼盜 Ref. 朱耀沂。1985  
*Corticeus zoltani* (Masumoto, 1981) 蘇氏艷擬殼盜 [特有] Ref. 朱耀沂。1985  
*Cryphaeus chengi* Masumoto, Akita & Lee, 2005 [特有] Ref. Masumoto, Akita & Lee, 2005  
*Cryphaeus formosanus* Masumoto, 1982 蓬萊刺擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Cryphaeus inomatai* Masumoto, 1982 豬屎刺擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Cryphaeus satoi* Kaszab, 1964 Ref. Masumoto, Akita & Lee, 2005  
*Cryphaeus taiwanus* Masumoto, 1982 台灣刺擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Cteniopinus elegans* Nomura, 1961 長身鋸角朽木甲 [特有] Ref. Nomura, 1961  
*Cteniopinus taiwanus* Kono, 1930 台灣鋸角朽木甲 [特有] Ref. Kōno, 1930  
*Cteniopinus unicolor* Kono, 1930 單色鋸角朽木甲 [特有] Ref. Kōno, 1930  
*Cyrpsis gebieni* Kaszab, 1946 蓋氏球擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Derispia formosana* Masumoto, 1981 蓬萊球擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Derispia furcifer* Shibata, 1980 蘭嶼匿頸擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Derispia klapperichi* Kaszab, 1942 克氏球擬步行蟲 Ref. 朱耀沂。1985  
*Derispia knodoi* Masumoto, 1981 近藤球擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Derispia nanshanchiensis* Masumoto, 1981 南山溪球擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Derispia sauteri* Kaszab, 1946 曹氏球擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Derispia zoltani* Masumoto, 1981 蘇丹球擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Derosphaeru exularis* (Gebien, 1913) 藍艷擬步行蟲 Ref. 朱耀沂。1985  
*Derosphaerus nitidus* Pic, 1922 妮銹艷擬步行蟲 Ref. 朱耀沂。1985  
*Derosphaerus rotundicollis* (Laporte de Castelnau, 1840) 球頸銹艷擬步行蟲 Ref. 朱耀沂。1985  
*Diaclina plagiata* Masumoto, 2003 Ref. Masumoto, 2003  
*Diaperis lewisii* Gebien, 1913 路氏黃斑擬步行蟲 Ref. 朱耀沂。1985  
*Dicalina quadrimaculata* (Gebien, 1913) 四紋姬擬步行蟲 Ref. 朱耀沂。1985  
*Diphyrrhynchus iriomotensis* M. T. Chujo, 1966 西表卵擬步行蟲 Ref. 朱耀沂。1985  
*Diphyrrhynchus oharensis* Nakane, 1973 蘭嶼卵擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Diphyrrhynchus shibatai* Kaszab, 1946 柴田卵擬步行蟲 Ref. 朱耀沂。1985  
*Doliema ferruginea* Kaszab, 1939 銹身姬擬步行蟲 Ref. 朱耀沂。1985  
*Doliema nitidula* (Macleay, 1872) 刺胸姬擬步行蟲 Ref. 朱耀沂。1985  
*Donaciolagria admirabilis* (Sasaji, 1986) [特有] Ref. Merkl, 2004  
*Donaciolagria kurosawai* (Masumoto, 1988) [特有] Ref. Merkl, 2004  
*Elixota falsicurva* Masumoto, 1982 小圓迴木蟲 [特有] Ref. 朱耀沂。1985  
*Elixota nakanei* Masumoto, 1982 中根小圓迴木蟲 [特有] Ref. 朱耀沂。1985  
*Elixota taiwana* (Masumoto, 1981) 台灣小圓迴木蟲 [特有] Ref. 朱耀沂。1985  
*Elixota trichopa* (Kaszab, 1941) 台南小圓迴木蟲 [特有] Ref. 朱耀沂。1985  
*Euhemicera alternata* (Gebien, 1913) 異條擬迴木蟲 [特有] Ref. Ando, 1996  
*Euhemicera formosana* Ando, 1997 [特有] Ref. Ando, 1997  
*Euhemicera foveoseriata* (Kaszab, 1941) 匏條擬迴木蟲 [特有] Ref. Ando, 1996  
*Euhemicera gebieni* (Kaszab, 1941) 蓋氏擬迴木蟲 [特有] Ref. Ando, 1996  
*Euhemicera pingtita* (Masumoto, 1981) 墾丁匏胸擬迴木蟲 [特有] Ref. Ando, 1996  
*Euhemicera pulchra* (Hope, 1842) Ref. Ando, 1996  
*Euhemicera sakaii* (Masumoto, 1981) 酒井匏胸擬迴木蟲 [特有] Ref. Ando, 1996  
*Euhemicera sakishimensis* (Chujo, 1978) 先島匏胸擬迴木蟲 Ref. Ando, 1996  
*Euhemicera shantita* (Masumoto, 1981) 長匏胸擬迴木蟲 [特有] Ref. Ando, 1996  
*Euhemicera shibatai* Ando, 1997 [特有] Ref. Ando, 1997

*Euhemicera vittatpennis* (Pic, 1923) 微條擬迴木蟲 Ref. Ando, 1996  
*Eumolpamarygmus chingshanum* (Masumoto, 1982) 瘤排蜘蛛迴木蟲 [特有] Ref. Masumoto, 1989a  
*Eumolpamarygmus paotao* Masumoto, 1989 [特有] Ref. Masumoto, 1989  
*Eutochia lateralis* (Boheman, 1858) 紅邊擬步行蟲 Ref. 朱耀沂。1985  
*Eutochia pulla* (Erichson, 1843) 安平姬擬步行蟲 Ref. 朱耀沂。1985  
*Exostira punctator* Borchmann, 1925 [特有] Ref. Masumoto, 1988  
*Exostira schroederi* Borchmann, 1936 Ref. Merkl, 2004  
*Foochounus sulcatus* (Kaszab, 1941) 鋸齒福州擬迴步蟲 Ref. 朱耀沂。1985  
*Gauromaia formosana* Masumoto, 1981 柴艷寬頭擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Gnathocerus cornutus* Fabricius, 1798 潤角穀盜 Ref. 朱耀沂。1985  
*Gnathocerus maxillosus* Fabricius, 1798 細擬穀盜 Ref. 朱耀沂。1985  
*Gnesis formosanus* (Chujo, 1973) 蓬萊巨頭擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Gnesis helopioides* Masumoto, 1981 墾丁巨頭擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Gnesis liukueiensis* Masumoto, 1981 六龜巨頭擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Gonocephalum adpressiforme* Kaszab, 1951 扁潛砂蟲 Ref. 朱耀沂。1985  
*Gonocephalum andrewesi* Kaszab, 1952 安氏扁潛砂蟲 Ref. 朱耀沂。1985  
*Gonocephalum buirmanicum* Kaszab, 1952 緬甸潛砂蟲 Ref. 朱耀沂。1985  
*Gonocephalum coenoquum* Kaszab, 1952 角肩潛砂蟲 Ref. 朱耀沂。1985  
*Gonocephalum coriaceum* Motschulsky, 1857 姬潛砂蟲 Ref. 朱耀沂。1985  
*Gonocephalum dentipes* Kaszab, 1952 刺角潛砂蟲 Ref. 朱耀沂。1985  
*Gonocephalum depressum* (Fabricius, 1801) 黑扁潛砂蟲 Ref. 朱耀沂。1985  
*Gonocephalum formosanum* Gebien, 1913 蓬萊潛砂蟲 [特有] Ref. 朱耀沂。1985  
*Gonocephalum kanoi* Kaszab, 1952 鹿野潛砂蟲 [特有] Ref. 朱耀沂。1985  
*Gonocephalum moluccanum* (Blanchard, 1853) 麻六甲潛砂蟲 Ref. 朱耀沂。1985  
*Gonocephalum outreyi* Chatanay, 1917 歐氏潛砂蟲 Ref. 朱耀沂。1985  
*Gonocephalum pseudopubens* Kaszab, 1952 大潛砂蟲 Ref. 朱耀沂。1985  
*Gonocephalum sauteri* Kaszab, 1952 曹氏潛砂蟲 [特有] Ref. 朱耀沂。1985  
*Gonocephalum subspinogum* (Fairmaire, 1894) 短刺潛砂蟲 Ref. 朱耀沂。1985  
*Gonocephalum tuberculatum* (Hope, 1831) 小瘤潛砂蟲 Ref. 朱耀沂。1985  
*Hemicera kurosawai* Masumoto, 1981 黑澤匏胸擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Hemicera nakamurai* Masumoto, 1982 中村匏胸擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Hemicera tsuyukii* Masumoto, 1981 露木擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Heterotarsus carinula* Marseul, 1876 條紋小頭擬步行蟲 Ref. 朱耀沂。1985  
*Heterotarsus crenuliger* Kaszab, 1941 纖條小頭擬步行蟲 Ref. 朱耀沂。1985  
*Heterotarsus urbani* Kaszab, 1941 台灣小頭擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Hosohamudama abnormalis* (Kono, 1929) Ref. Masumoto, 1988  
*Hosohamudama miyakei* Masumoto, 1988 [特有] Ref. 同前  
*Hosohamudama sasajii* Masumoto, 1988 [特有] Ref. 同前  
*Hymenalia rufipennis* (Marseul, 1876) 赤翅麗鞘朽木甲 Ref. Kono, 1930  
*Ischnodactylus bisbifasciatus* Gebien, 1925 雙條扁艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Ischnodactylus formosanus* Gebien, 1925 台灣扁艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Isomira formosana* Kono, 1930 蓬萊絲鬚朽木甲 [特有] Ref. Kono, 1930  
*Isomira matsumurai* Kono, 1930 松村絲鬚朽木甲 [特有] Ref. Kono, 1930  
*Lagria formosensis* Borchmann, 1912 Ref. Masumoto, 1988  
*Lagria kikuchii* Kono, 1929 [特有] Ref. 同前  
*Lagria kondoi* Masumoto, 1988 [特有] Ref. 同前  
*Lagria oharai* Masumoto, 1988 [特有] Ref. 同前  
*Lagria sakaii* Masumoto, 1988 [特有] Ref. 同前  
*Lagria scutellaris* Pic, 1910 [特有] Ref. 同前  
*Lanhsia bucca* Shibata, 1980 棕蘭嶼擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Latheticus oryzae* Waterhouse, 1880 長頸穀盜 Ref. 朱耀沂。1985  
*Leiochrodes convexus* Lewis, 1946 曹氏圓翅擬步行蟲 Ref. 朱耀沂。1985  
*Leiochrodes formosanus* Kaszab, 1894 圓翅球擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Leiochrodes glabratus* (Walker, 1946) 蓬萊黑球擬步行蟲 Ref. 朱耀沂。1985  
*Leiochrodes sauteri* Kaszab, 1859 廣腿球擬步行蟲 Ref. 朱耀沂。1985  
*Leiochrodes taiwanus* Masumoto, 1981 台灣黑球擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Leiochrodes testaceicollis* Kaszab, 1946 褐翅黑球擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Luprops cribrifluous* (Marseul, 1876) 節紋粗角擬步行蟲 Ref. 朱耀沂。1985  
*Luprops horni* (Gebien, 1913) 荷氏粗角擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Luprops irregularis* (Gebien, 1913) 台灣粗角擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Luprops luzonicus* (Gebien, 1913) 呂宋粗角擬步行蟲 Ref. 朱耀沂。1985  
*Luprops orientalis* (Motschulsky, 1868) 東方粗角擬步行蟲 Ref. 朱耀沂。1985  
*Lyphia formosana* Masumoto, 1982 細網俏擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Menephilus formosanus* Masumoto, 1981 蓬萊漆艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Menephilus taiwanus* Masumoto, 1981 長角黑擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Mesomorphus villiger* (Blanchard, 1853) 隆背潛砂蟲 Ref. 朱耀沂。1985  
*Metaclisa gracilis* Chujo, 1968 黑艷卵迴木蟲 [特有] Ref. 朱耀沂。1985  
*Metaclisa ornata* Shibata, 1978 [特有] Ref. Masumoto, 1984  
*Microcrypticus scriptus* (Lewis, 1978) 細點黑艷迴木蟲 Ref. 朱耀沂。1985  
*Micropedinus algae* Lewis, 1894 繁斑擬步行蟲 Ref. 朱耀沂。1985  
*Micropedinus pallidipennis* Lewis, 1894 微瑣潛砂蟲 Ref. 朱耀沂。1985  
*Necrobioides kabakovi* Kaszab, 1894 細條沙灘擬步行蟲 Ref. 朱耀沂。1985

*Neoplamius endoi* Masumoto, 1980 卡氏擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Neoplamius zoltani* Masumoto, 1981 遠藤缺翅迴木蟲 [特有] Ref. 朱耀沂。1985  
*Nesocaedius taiwanus* Shibata, 1981 蘇缺翅迴木蟲 [特有] Ref. 朱耀沂。1985  
*Nesocaedius vermiculus* Shibata, 1979 台灣侑擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Netaclisa ornata* Shibata, 1979 綠島侑擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Oedemutes formosanus* Masumoto, 1981 蓬萊隆背擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Oedemutes itoi* Ando, 1989 [特有] Ref. Ando, 1989  
*Ooyeton makii* Miwa, 1939 牧氏駝背迴木蟲 [特有] Ref. 朱耀沂。1985  
*Palembus dermestoides* (Chevrolat, 1878) 九龍擬步行蟲 Ref. 朱耀沂。1985  
*Palorus depressus* (Fabricius, 1790) 扁姬擬穀盜 Ref. 朱耀沂。1985  
*Palorus sinuaticollis* Blair, 1930 條胸姬擬穀盜 Ref. 朱耀沂。1985  
*Palorus subdepressus* (Wollston, 1864) 姬擬穀盜 Ref. 朱耀沂。1985  
*Palycrepis violacea* (Kraatz, 1981) 阿里山瓢擬步行蟲 Ref. 朱耀沂。1985  
*Paramisolampidius alishanus* Masumoto, 1981 台灣瓢擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Paramisolampidius csorbai* Merkl & Masumoto, 2007 Ref. Merkl & Masumoto, 2007  
*Paramisolampidius formosanus* Masumoto, 1984 衣笠瓢擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Paramisolampidius kinugasai* Masumoto, 1967 白水瓢擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Paramisolampidius shirozui* (Chujo, 1984) 天祥瓢擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Paramisolampidius tenghsiensis* Masumoto, 1981 吳鳳瓢擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Paramisolampidius wufengus* Masumoto, 1978 廣角扁擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Pentaohyllus quadricornis* Gebien, 1981 霧社廣角擬迴木蟲 Ref. 朱耀沂。1985  
*Pentaphyllus dilatios* Shibata, 1956 菲島扁擬步行蟲 Ref. 朱耀沂。1985  
*Pentaphyllus ohilipoinensis* Kaszab, 1914 四角扁擬步行蟲 Ref. 朱耀沂。1985  
*Phaedis mushanus* Masumoto, 1981 台灣廣肩擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Phaedis taiwanus* Masumoto, 1894 黑頭沙灘擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Phaleria atriceps* (Lewis, 1982) 台灣短角擬步行蟲 Ref. 朱耀沂。1985  
*Plamius quadrinotatus* (Pic, 1913) 四紋圓迴木蟲 Ref. 朱耀沂。1985  
*Platolenes pilipes* (Gebien, 1913) 四紋圓迴木蟲 Ref. 朱耀沂。1985  
*Platycrepis violaceus* Kraatz, 1880 紫艷迴木蟲 Ref. 朱耀沂。1985  
*Platycrepis yangi* Masumoto, 1986a 楊氏艷迴木蟲 [特有] Ref. Masumoto, 1986  
*Platydemia alticornis* Gravely, 1915 頂角艷擬步行蟲 Ref. 朱耀沂。1985  
*Platydemia aurimaculatum* Gravely, 1915 金紋艷擬步行蟲 Ref. 朱耀沂。1985  
*Platydemia coerulescens* Gebien, 1925 翠艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Platydemia endoi* Masumoto, 1984 遠藤艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Platydemia flavopictum* Gebien, 1913 四紋艷擬步行蟲 Ref. 朱耀沂。1985  
*Platydemia fumosum* Gebien, 1925 雲艷擬步行蟲 Ref. 朱耀沂。1985  
*Platydemia haemorrhoidale* Gebien, 1913 紅角艷擬步行蟲 Ref. 朱耀沂。1985  
*Platydemia marseuli* Lewis, 1894 Ref. Gebien, 1925  
*Platydemia pallidicollis* (Lewis, 1894) 繁斑艷擬步行蟲 Ref. 朱耀沂。1985  
*Platydemia parachalceum* Masumoto, 1982 梅峰艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Platydemia sakishimense* Nakane, 1973 先島艷擬步行蟲 Ref. 朱耀沂。1985  
*Platydemia sauteri* Gebien, 1913 曹氏艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Platydemia subfasciata* (Walker, 1858) 肩斑艷擬步行蟲 Ref. 朱耀沂。1985  
*Platydemia tuchensis* Masumoto, 1984 天池艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Platydemia tuchinlonoi* Masumoto, 1982 杜氏艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Platydemia yangmingense* Masumoto, 1982 陽明艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Plesiophthalmus chujoi* Masumoto, 2005b [特有] Ref. Masumoto, 2005b  
*Plesiophthalmus formosanus* Miwa, 1939 鈍光迴木蟲 [特有] Ref. 朱耀沂。1985  
*Plesiophthalmus fujitai* (Masumoto, 1981) 藤田隆背迴木蟲 [特有] Ref. Masumoto, 1990b  
*Plesiophthalmus kanoi* Masumoto, 1981 鹿野迴木蟲 [特有] Ref. 朱耀沂。1985  
*Plesiophthalmus kondoi* (Masumoto, 1981) 近藤隆背迴木蟲 [特有] Ref. Masumoto, 1991  
*Plesiophthalmus mayumiae* (Masumoto, 1981) 高峰隆背迴木蟲 [特有] Ref. 同前  
*Plesiophthalmus michitakia* Masumoto, 1990b [特有] Ref. Masumoto, 1990  
*Plesiophthalmus nanshanchiense* (Masumoto, 1981) 南山溪隆背迴木蟲 [特有] Ref. Masumoto, 1990b  
*Plesiophthalmus nigroaeneum* (Gebien, 1913) 黑隆背迴木蟲 [特有] Ref. Masumoto, 1990a  
*Plesiophthalmus nishikawai* (Masumoto, 1981) 矮隆背迴木蟲 [特有] Ref. Masumoto, 1990b  
*Plesiophthalmus shibatai* Masumoto, 1990a [特有] Ref. Masumoto, 1990  
*Plesiophthalmus shigeoi* (Masumoto, 1981) 墾丁隆背迴木蟲 [特有] Ref. Masumoto, 1990a  
*Plesiophthalmus spectabilis* Nomura 台灣黑艷迴木蟲 [特有] Ref. Masumoto, 1989c  
*Plesiophthalmus uenoi* (Masumoto, 1981) 上野迴木蟲 [特有] Ref. 同前  
*Promethis piluensis* Masumoto, Akita & Lee, 2005 [特有] Ref. Masumoto, Akita & Lee, 2005  
*Prometis formosana* (Masumoto, 1981) 蓬萊長擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Prometis kaoshana* (Masumoto, 1982) 黑澤長擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Prometis kurosawai* (Masumoto, 1982) 昆陽長擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Prometis sulcigera* (Boisduval, 1835) 南洋長擬步行蟲 Ref. 朱耀沂。1985  
*Prometis taiwana* (Masumoto, 1981) 台灣長擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Prometis tonkinensis* (Gebien, 1918) 東經常擬步行蟲 Ref. 朱耀沂。1985  
*Prometis valgipes* (Chujo, 1981) 巨長擬步行蟲 Ref. 朱耀沂。1985  
*Pseudonantes purpurivittatus* (Marseul, 1876) 柴扳回木蟲 Ref. 朱耀沂。1985  
*Scaphidema formosanum* Masumoto, 1982 蓬萊艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Scaphidema satoi* Masumoto Lee, & Akita 2007 [特有] Ref. Masumoto, Lee & Akita, 2007  
*Scaphidema trimaculatum* Chujo, 1968 三紋艷擬步行蟲 [特有] Ref. 朱耀沂。1985

*Scleron ferrugineum* (Fabricius, 1801) 銹斑潛砂蟲 Ref. 朱耀沂。1985  
*Sivacrypticus taiwanicus* Kaszab, 1964 台灣隱頭擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Sora nigripes* (Pic, 1911) [特有] Ref. Masumoto, 1988  
*Spiloscapa kobayashii* Shibata, 1978 小林艷擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Spiloscapa taiwana* Masumoto & Merkl, 2003 [特有] Ref. Masumoto & Merkl, 2003  
*Stenochinus amplus* (Gebien, 1913) 台灣匿頸擬步行蟲 Ref. 朱耀沂。1985  
*Stenochinus carinatus* (Gebien, 1913) 條紋匿頸擬步行蟲 Ref. 朱耀沂。1985  
*Stenochinus cylindricus* (Gebien, 1913) 大匿頸擬步行蟲 Ref. 朱耀沂。1985  
*Stenochinus furcifer* (Shinbata, 1980) [特有] Ref. Shibata, 1980  
*Stenochinus sauteri* (Gebien, 1913) 曹氏匿頸擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Stenochinus unicornis* (Shibata, 1980) 獨角匿頸擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium albopilosum* Gebien, 1913 妮黃長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium alishanum* Masumoto, 1981 阿里山長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium andoi* Masumoto, 1996a [特有] Ref. Masumoto, 1996  
*Strongylium carbonarium* Gebien, 1913 黑長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium chihpenense* Masumoto, 2005c [特有] Ref. Masumoto, 2005c  
*Strongylium chutungense* Masumoto, 2005c [特有] Ref. 同前  
*Strongylium clauda* (Gebien, 1913) 黑艷長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium cultellatum* Nomura, 1963 台灣背條長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium endoi* Masumoto, 1982 遠藤長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium erythrocephalum* (Fabricius, 1801) 紅頸艷翅長迴木蟲 Ref. 朱耀沂。1985  
*Strongylium formosanum* Gebien, 1913 台灣綠艷長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium fujitai* Masumoto, 1981 藤田細條長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium katsumii* Masumoto, 1999 [特有] Ref. Masumoto, 1999  
*Strongylium kentingense* Masumoto, 1981 墾丁迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium kuantouense* Masumoto, 2005c [特有] Ref. Masumoto, 2005c  
*Strongylium laszlorum* Masumoto, 2005c [特有] Ref. 同前  
*Strongylium lishanum* Gebien, 1981 梨山長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium longissimum* Gebien, 1913 超細長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium lutaense* Masumoto, 1992 [特有] Ref. Masumoto, 1992  
*Strongylium masatakai* Masumoto Lee, & Akita 2007 [特有] Ref. Masumoto, Lee & Akita, 2007  
*Strongylium miwai* Masumoto, 1996 巨黑長迴木蟲 [特有] Ref. Masumoto, 2005c  
*Strongylium nakanei* Masumoto, 1981 中根長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium nanfangum* Masumoto, 1982 四重長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium ochii* Masumoto, 1992 [特有] Ref. Masumoto, 1992  
*Strongylium okumurai* Masumoto, 1981 烏來長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium osawai* Masumoto, 2005c [特有] Ref. Masumoto, 2005c  
*Strongylium palingense* Masumoto, 2005c [特有] Ref. 同前  
*Strongylium pseudogibbosipenne* Masumoto, 1981 假瘤長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium scheknlingi* Gebien, 1913 金艷長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium sinuatipenne* Miwa, 1939 皺紋長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium szentivanyi* Kaszab, 1941 紅頸長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium tehuashense* Masumoto, 2005c [特有] Ref. Masumoto, 2005c  
*Strongylium wadai* Masumoto, 2005c [特有] Ref. 同前  
*Strongylium yasuhikoi* Masumoto, 1996a [特有] Ref. Masumoto, 1996  
*Strongylium yokoyamai* Masumoto, 1981 橫山長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Strongylium zoltani* Masumoto, 1981 蘇氏長迴木蟲 [特有] Ref. 朱耀沂。1985  
*Taichius fukudai* (Masumoto, 1981) 福田胸擬迴木蟲 [特有] Ref. Ando, 1996  
*Taiwanocryphaeus rhinoceros* Masumoto, 1996b [特有] Ref. Masumoto, 1996  
*Taiwanolagria merkli* Masumoto, 1988 [特有] Ref. Masumoto, 1988  
*Taiwanomenephilus chui* Masumoto, 1986a [特有] Ref. Masumoto, 1986  
*Taiwanotagalus klapperichi* Masumoto, 1982 克氏扁擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Tarpela formosana* Masumoto, 1981 台灣縮頸擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Tarpela zoltani* Masumoto, 1981 蘇氏縮頸擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Tetragonomenes hirasawai* Masumoto, 1984 平澤四角擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Tetragonomenes palpalis* (Kaszab, 1941) 四角擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Tetragonomenes pseudorufiventris* (Masumoto, 1981) 紅腹四腳擬迴木蟲 [特有] Ref. 朱耀沂。1985  
*Tetraphyllus brunneipes* Kaszab, 1941 褐角彩虹擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Tetraphyllus monticolus* (Nakakita, 1987) [特有] Ref. Ando, 1991  
*Tetraphyllus nakanei* (Masumoto, 1982) 中根紅艷擬步行蟲 [特有] Ref. Ando, 1991  
*Tetraphyllus satoi* Ando, 1999 [特有] Ref. Ando, 1999  
*Tetraphyllus shibatai* (Nakakita, 1987) [特有] Ref. Ando, 1991  
*Tetraphyllus tsaii* Masumoto, 1986a [特有] Ref. Ando, 1991  
*Toxicum formosanum* Kulzer, 1950 三刺擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Toxicum funginum* Lewis, 1894 巨刺擬步行蟲 Ref. 朱耀沂。1985  
*Trachyscelis chinensis* Champion, 1894 Ref. Masumoto & Lee, 2004  
*Tribolium castaneum* (Herbst, 1797) 擬穀盜 Ref. 朱耀沂。1985  
*Tribolium confusum* Duval, 1913 扁擬穀盜 Ref. 朱耀沂。1985  
*Trigonopoda crassipes* Gebien, 1913 稜腳擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Trigonopoda ovalipennis* Shibata, 1979 卵翅擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Uloma excisa* Gebien, 1913 黑胸擬步行蟲 Ref. 朱耀沂。1985  
*Uloma formosana* Kaszab, 1941 台灣胸擬步行蟲 [特有] Ref. 朱耀沂。1985

*Uloma fukiensis* Kaszab, 1954 Ref. Masumoto & Nishikawa, 1986  
*Uloma meifengensis* Masumoto, 1982 梅峰匏胸擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Uloma miyakei* Masumoto & Nishikawa, 1986 [特有] Ref. Masumoto & Nishikawa, 1986  
*Uloma nakanei* Masumoto & Nishikawa, 1986 [特有] Ref. 同前  
*Uloma nanshanchica* Masumoto & Nishikawa, 1986 [特有] Ref. 同前  
*Uloma nomurai* Masumoto, 1982 野村匏胸擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Uloma polita* (Wiedemann, 1821) 瘤擬步行蟲 Ref. 朱耀沂。1985  
*Uloma rubripes* (Hope, 1931) 紅腳匏胸擬步行蟲 Ref. 朱耀沂。1985  
*Uloma sauteri* Kaszab, 1941 曹氏匏胸擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Uloma takagii* Masumoto & Nishikawa, 1986 [特有] Ref. Masumoto & Nishikawa, 1986  
*Uloma tsugeae* Masumoto, 1982 奮起湖匏胸擬步行蟲 [特有] Ref. 朱耀沂。1985  
*Xenocera ruficollis* (Borchmann, 1912) [特有] Ref. Masumoto, 1988

#### Family Tetratomidae 偽蕈甲科

*Hallomenus arimotoi* Toyoshima & Ishikawa, 2000 [特有] Ref. Toyoshima & Ishikawa, 2000  
*Holostrophus orientalis* Lewis, 1895 Ref. Pic, 1911  
*Penthe reitteri* Nikitsky, 1998 Ref. Sato & Lee, 2004  
*Pisenus formosanus* Miyatake, 1974 蓬萊偽蕈蟲 [特有] Ref. Miyatake, 1974  
*Synstrophus rollei* Pic, 1910 [特有] Ref. Pic, 1910

#### Family Thanerocleridae 蝶角郭公蟲科

*Isoclerus disinlei* Kolibac, 1992 [特有] Ref. Kolibac, 1992  
*Neoclerus ornatulus* Lewis, 1892 Ref. Kolibac, 1992  
*Thaneroclerus biquet* (Lefebvre, 1835) Ref. Kolibac, 2007

#### Family Trictenotomidae 擬鍬甲科

*Trictenotoma formosana* Kriesche, 1919 蓬萊擬鍬形蟲 [特有] Ref. Kriesche, 1919

#### Family Trogidae 皮金龜科

*Omorgus chinensis* (Bohemann, 1858) 中華大皮金龜 Ref. Miwa, 1930  
*Omorgus costatus* Wiedemann, 1823 Ref. Masumoto, Ochi & Li, 2005  
*Omorgus pauliani* (Haaf, 1954) 包林氏大皮金龜 Ref. Nomura, 1973  
*Trox formosanus* Nomura, 1973 蓬萊皮金龜 Ref. Nomura, 1973  
*Trox setifer* Ochi & Kawahara, 2002 Ref. Masumoto, Ochi & Li, 2005  
*Trox taiwanus* Masumoto, Ochi & Li, 2005 [特有] Ref. 同前  
*Trox tibialis* Masumoto, Ochi & Li, 2005 [特有] Ref. 同前  
*Trox yangi* Masumoto, Ochi & Li, 2005 [特有] Ref. 同前  
*Trox zoufali* Balthasar, 1931 Ref. 同前

#### Family Trogossitidae 穀盜蟲科

*Ancyrona marginata* Grouvelle, 1913 [特有] Ref. Grouvelle, 1913  
*Leperina regularis* Grouvelle, 1913 [特有] Ref. Nakane, 1996  
*Lophocateres pusillus* Klug, 1832 Ref. Grouvelle, 1913  
*Tenebrioides mauritanicus* Linne, 1758 Ref. 同前

### Order Dermaptera 革翅目

#### Family Carcinophoridae 肥蠼螋科

*Anisolabis maritima* (Bonelli, 1832) 濱海肥蠼螋 Ref. Sakai et al., 1994  
*Carcinophora kawakamii* (Shiraki, 1928) 鞞肥蠼螋 [特有] Ref. 同前  
*Euborellia annulipes* (Lucas, 1847) 環紋肥蠼螋 Ref. 同前  
*Euborellia plebeja* (Dohrn, 1863) 普通肥蠼螋 Ref. 同前  
*Gonolabis cavaleriesi* (Borelli, 1921) 卡肥蠼螋 Ref. Ma & Chen, 1992  
*Gonolabis formosae* (Borelli, 1927) 臺灣肥蠼螋 [特有] Ref. Sakai et al., 1994  
*Gonolabis marginalis* (Dohrn, 1864) 緣瘤蠼螋 Ref. Hirashima, 1989

#### Family Chelisochidae 墊跗蠼螋科

*Proreus simulans* (Stal, 1860) 黃翅綿跗蠼螋 Ref. Hirashima, 1989  
*Schizochelisoches formosanus* (Burr, 1912) 臺灣裂墊跗蠼螋 [特有] Ref. Sakai et al., 1994

#### Family Forficulidae 蠼螋科

*Allodahlia bispina* Bey-Bienko, 1959 雙標異蠼螋 Ref. Sakai et al., 1994  
*Allodahlia scabriuscula* (Serville, 1839) 異蠼螋 Ref. Ma & Chen, 1992  
*Anechura crinitata* (Shiraki, 1905) 多毛蠼螋 [特有] Ref. Sakai et al., 1994  
*Apterygida tuberculosa* Shiraki, 1928 無翅小瘤蠼螋 [特有] Ref. 同前  
*Apterygida tumida* Shiraki, 1928 無翅胖蠼螋 [特有] Ref. 同前  
*Chaetocosmia taiwanica* Nishikawa, 1973 臺灣多毛蠼螋 Ref. 同前  
*Elaunon bipartitus* (Körby, 1891) 雙裂 Ref. 同前  
*Eparchus forcipatus* (de Haan, 1842) 擴鉞慈蠼螋 Ref. 同前  
*Eparchus insignis* (de Haan, 1842) 慈蠼螋 Ref. 同前  
*Eparchus simplex* (de Bormans, 1894) 孤獨慈蠼螋 [特有] Ref. Steinmann, 1989  
*Eutimomena paradoxa* Bey-Bienko, 1970 怪蠼螋 Ref. Sakai et al., 1994  
*Forficula greeni* Burr, 1901 綠蠼螋 Ref. 同前  
*Forficula harberei* Burr, 1905 哈伯蠼螋 Ref. 同前  
*Forficula planicollis* Körby, 1891 斜蠼螋 Ref. 同前  
*Mesolabia niitakaensis* Shiraki, 1905 玉山唇蠼螋 Ref. 同前

*Paratimomenus flavocapitatus* (Shiraki, 1905) 黃頭蠖蝮 Ref. Hirashima, 1989  
*Paratimomenus incognitus* Steinmann, 1993 疑蠖 [特有] Ref. Steinmann, 1993  
*Pterygida ornatipapillata* (Shiraki, 1928) 雅頭翅蠖 [特有] Ref. Sakai et al., 1994  
*Timomenus aeris* (Shiraki, 1905) 姬蠖 Ref. 同前  
*Timomenus inermis* Borelli, 1915 無刺蠖蝮 Ref. Ma & Chen, 1992  
*Timomenus iteratus* Steinmann, 1982 復刺蠖蝮 [特有] Ref. Sakai et al., 1994  
*Timomenus komarovi* (Semenov, 1901) 科氏蠖蝮 Ref. Hirashima, 1989  
*Timomenus morsus* Steinmann, 1982 錨蠖蝮 [特有] Ref. Sakai et al., 1994  
*Timomenus shelfordii* (Burr, 1904) 順鈇蠖蝮 Ref. 同前

#### Family Labiduridae 球蠖蝮科

*Forcipula quadrispinosa* Dohrn, 1863 四刺球蠖蝮 Ref. Dohrn, 1863  
*Labidura japonica* (de Haan, 1842) 日本球蠖蝮 Ref. Steinmann, 1989  
*Nala lividipes* (Dufour, 1820) 青黑球蠖蝮 Ref. Sakai et al., 1994

#### Family Labiidae 小蠖蝮科

*Chaetospania bispinosa* Shiraki, 1928 雙棘小蠖蝮 [特有] Ref. Sakai et al., 1994  
*Chaetospania thoracica* (Dohrn, 1867) 明胸小蠖蝮 Ref. 同前  
*Nesogaster lewisi* (de Bormans, 1903) 楔鈇小蠖蝮 Ref. Sakai, 1989  
*Parabellia curvicauda* (Motschulsky, 1863) 彎尾擬小蠖蝮 Ref. Hirashima, 1989  
*Parabellia formosana* (Shiraki, 1928) 臺灣小蠖蝮 [特有] Ref. Sakai et al., 1994  
*Spongovostox semiflavus* (de Bormans, 1894) 黃綿小蠖蝮 Ref. 同前

#### Family Pygidicranidae 大尾蠖蝮科

*Cranopygia okunii* (Shiraki, 1928) 盜尾蠖 [特有] Ref. Sakai et al., 1994  
*Cranopygia sauteri* (Burr, 1912) 紹德氏盜尾蠖 [特有] Ref. 同前  
*Diplatys flavicollis* Shiraki, 1907 草黃尾蠖 Ref. 同前  
*Diplatys reconditus* Hincks, 1955 隱居尾蠖 Ref. 同前  
*Diplatys shirakii* Nishikawa, 1973 素木尾蠖 [特有] Ref. 同前  
*Echinostoma formosanum* Hincks, 1959 臺灣尾蠖 [特有] Ref. 同前  
*Echinostoma sumatranum* (de Haan, 1842) 南棘尾蠖 Ref. Ma & Chen, 1992  
*Parapsalis infernalis* (Burr, 1913) 刀鈇大尾蠖蝮 Ref. Sakai et al., 1994

### Order Diptera 雙翅目

#### Family Acroceridae 小頭虻科

*Hadrogaster forosanus* (Shiraki, 1932) 美麗小頭虻 Ref. Lin & Chen, 1999  
*Nipponcyrtus taiwanensis* (Ouchi, 1938) 台灣小頭虻 Ref. 同前  
*Ogcodes taiwanensis* Schlinger, 1971 美麗小頭虻 Ref. 同前  
*Oligoneura takasagoensis* (Ouchi, 1942) 美麗小頭虻 Ref. 同前

#### Family Agromyzidae 潛蠅科

*Agromyza comosa* Spencer, 1962 天成潛蠅 Ref. Sasakawa, 1972  
*Agromyza latipennis* Malloch, 1914 寬翅潛蠅 [特有] Ref. Malloch, 1914  
*Agromyza obesa* Malloch, 1914 肥胖潛蠅 [特有] Ref. Malloch, 1914  
*Agromyza panici* de Meijere, 1934 稷潛蠅 Ref. Shiao & Wu, 1999  
*Agromyza penniseti* Spencer, 1959 禾草潛蠅 Ref. Spencer, 1961  
*Agromyza plebeia* Malloch, 1914 銀白瓣潛蠅 [特有] Ref. Malloch, 1914  
*Agromyza vitrinervis* Malloch, 1915 亮麗潛蠅 [特有] Ref. Malloch, 1914  
*Amauromyza aliena* (Malloch, 1914) 異鄉暗潛蠅 Ref. Malloch, 1914  
*Calycomyza artemisiae* (Kaltenbach, 1856) 苦艾萼潛蠅 Ref. Sasakawa, 1972  
*Calycomyza bicolor* Sasakawa, 1996 雙色萼潛蠅 Ref. Sasakawa, 1996  
*Cerodontha (Butomyza) cornigera* (de Meijere, 1934) 苔禾角潛蠅 Ref. Sasakawa, 1972  
*Cerodontha (Cerodontha) denticornis* (Panzer, 1806) 鋸角潛蠅 Ref. Sasakawa, 1977  
*Cerodontha (Dizygomyza) omissa* (Spencer, 1961) 大武角潛蠅 Ref. Spencer, 1961  
*Cerodontha (Icteromyza) duplicata* (Spencer, 1961) 雙重角潛蠅 Ref. Sasakawa, 1972  
*Cerodontha (Icteromyza) geniculata* (Fallen, 1823) 多節角潛蠅 Ref. Sasakawa, 1977  
*Cerodontha (Icteromyza) hirsuta* Sasakawa, 1972 粗魯角潛蠅 [特有] Ref. Sasakawa, 1972  
*Cerodontha (Icteromyza) nigricoxa* (Malloch, 1914) 黑基角潛蠅 [特有] Ref. Malloch, 1914  
*Cerodontha (Icteromyza) piliseta* (Becker, 1903) 冠羽角潛蠅 Ref. Malloch, 1914  
*Cerodontha (Poemyza) hirtipennis* Sasakawa, 1972 毛翅角潛蠅 [特有] Ref. Sasakawa, 1972  
*Chromatomyia horticola* (Goureau, 1851) 菜園彩潛蠅 Ref. Malloch, 1914  
*Chromatomyia nigra* (Meigen, 1830) 黑色彩潛蠅 Ref. Sasakawa, 1972  
*Chromatomyia perangusta* (Sasakawa, 1972) 狹窄彩潛蠅 [特有] Ref. 同前  
*Japanagromyza setigera* (Malloch, 1914) 多毛東潛蠅 [特有] Ref. Malloch, 1914  
*Japanagromyza tristella* (Thomson, 1869) 豆葉東潛蠅 Ref. Malloch, 1914  
*Japanagromyza yanoi* (Sasakawa, 1955) 矢野東潛蠅 Ref. Spencer, 1961  
*Japanagromyza yoshimotoi* Sasakawa, 1963 吉本東潛蠅 Ref. Sasakawa, 1972  
*Liriomyza asterivora* Sasakawa, 1956 摘星斑潛蠅 Ref. Shiao & Wu, 1989  
*Liriomyza brassicae* (Riley, 1884) 菜斑潛蠅 Ref. Sasakawa, 1972  
*Liriomyza brunifrons* (Malloch, 1914) 棕額斑潛蠅 Ref. Malloch, 1914  
*Liriomyza bryoniae* (Kaltenbach, 1858) 番茄斑潛蠅 Ref. Shiao & Wu, 1989  
*Liriomyza chinensis* (Kato, 1949) 中華蔥斑潛蠅 Ref. 同前  
*Liriomyza frontella* (Malloch, 1914) 寬額斑潛蠅 Ref. Malloch, 1914  
*Liriomyza huidobrensis* (Blanchard, 1926) 南美斑潛蠅 Ref. Shiao & Wu, 2000

*Liriomyza katoi* Sasakawa, 1961 加藤斑潛蠅 Ref. Sasakawa, 1972  
*Liriomyza litorea* Shiao & Wu, 1995 海濱斑潛蠅 [特有] Ref. Shiao & Wu, 1995  
*Liriomyza pusilla* (Meigen, 1830) 小斑潛蠅 Ref. Malloch, 1914  
*Liriomyza sativae* Blanchard, 1938 蔬菜斑潛蠅 Ref. Shiao & Wu, 1998  
*Liriomyza subpusilla* (Malloch, 1914) 微小斑潛蠅 [特有] Ref. Malloch, 1914  
*Liriomyza trifolii* (Burgess, 1880) 非洲菊斑潛蠅 Ref. Shiao & Wu, 1989  
*Liriomyza viticola* (Sasakawa, 1972) 黃荊斑潛蠅 [特有] Ref. Sasakawa, 1972  
*Liriomyza yasumatsui* Sasakawa, 1972 安松斑潛蠅 Ref. 同前  
*Melanagromyza albisquama* (Malloch, 1927) 白鱗黑潛蠅 Ref. Sasakawa, 1977  
*Melanagromyza alternata* Spencer, 1961 漂泊黑潛蠅 [特有] Ref. Spencer, 1961  
*Melanagromyza declinata* Sasakawa, 1963 逆毛黑潛蠅 Ref. Sasakawa, 1963  
*Melanagromyza dolichostigma* de Meijere, 1922 長氣門黑潛蠅 Ref. Spencer, 1961  
*Melanagromyza lasiops* (Malloch, 1914) 披毛黑潛蠅 Ref. Malloch, 1914  
*Melanagromyza malayensis* Sasakawa, 1963 馬來黑潛蠅 Ref. Shiao & Wu, 1999  
*Melanagromyza metallica* (Thomson, 1869) 銅綠黑潛蠅 Ref. Sasakawa, 1963  
*Melanagromyza obtusa* (Malloch, 1914) 鈍黑潛蠅 Ref. Malloch, 1914  
*Melanagromyza oculata* Sasakawa, 1963 慧眼黑潛蠅 Ref. Sasakawa, 1972  
*Melanagromyza piliseta* (Malloch, 1914) 毛芒黑潛蠅 Ref. Malloch, 1914  
*Melanagromyza provecta* (de Meijere, 1910) 毛角黑潛蠅 Ref. Spencer, 1961  
*Melanagromyza sauteri* (Malloch, 1914) 邵氏黑潛蠅 [特有] Ref. Malloch, 1914  
*Melanagromyza sojae* (Zehntner, 1900) 大豆黑潛蠅 Ref. Malloch, 1914  
*Melanagromyza specifica* Spencer, 1963 澳洲黑潛蠅 Ref. Sasakawa, 1972  
*Melanagromyza subfusca* (Malloch, 1914) 卑南黑潛蠅 [特有] Ref. Malloch, 1914  
*Metopomyza taipingensis* Shiao & Wu, 1996 太平潛蠅 [特有] Ref. Shiao & Wu, 1996  
*Ophiomyia anguliceps* (Malloch, 1914) 角額蛇潛蠅 Ref. Malloch, 1914  
*Ophiomyia centrosematis* (de Meijere, 1940) 中點蛇潛蠅 Ref. Spencer, 1961  
*Ophiomyia conspicua* (Spencer, 1961) 明顯蛇潛蠅 Ref. Sasakawa, 1972  
*Ophiomyia kwansonis* Sasakawa, 1961 關松蛇潛蠅 Ref. 同前  
*Ophiomyia lantanae* (Froggatt, 1919) 馬纓丹蛇潛蠅 Ref. Sasakawa, 1977  
*Ophiomyia phaseoli* (Tryon, 1892) 菜豆蛇潛蠅 Ref. 同前  
*Ophiomyia ricini* (de Meijere, 1922) 蓖麻蛇潛蠅 Ref. Spencer, 1961  
*Ophiomyia scaevolana* Shiao & Wu, 1996 草海桐蛇潛蠅 [特有] Ref. Shiao & Wu, 1996  
*Ophiomyia scituberosa* Sasakawa, 1972 毛管蛇潛蠅 [特有] Ref. Sasakawa, 1972  
*Ophiomyia spinicauda* Sasakawa, 1972 刺尾蛇潛蠅 [特有] Ref. 同前  
*Phytobia diversata* Spencer, 1961 分歧潛蠅 [特有] Ref. Spencer, 1961  
*Phytobia magna* (Sasakawa, 1963) 巨大潛蠅 [特有] Ref. Sasakawa, 1963  
*Phytobia nigrita* (Malloch, 1914) 趨黑潛蠅 Ref. Malloch, 1914  
*Phytoliriomyza arctica* (Lundbeck, 1900) 北斗植斑潛蠅 Ref. Malloch, 1914  
*Phytomyza eupatorii* Hendel, 1927 澤蘭植潛蠅 Ref. Sasakawa, 1972  
*Phytomyza formosae* Spencer, 1966 台灣植潛蠅 [特有] Ref. Spencer, 1966  
*Phytomyza helianthi* Sasakawa, 1955 向日葵植潛蠅 Ref. Sasakawa, 1972  
*Phytomyza homogynae* Hendel, 1927 夏娃植潛蠅 Ref. 同前  
*Phytomyza plantaginis* Robineau-Desvoidy, 1851 車前草植潛蠅 Ref. 同前  
*Phytomyza quadriseta* Sasakawa, 1972 四毛植潛蠅 [特有] Ref. 同前  
*Phytomyza robustella* Hendel, 1936 椴樹植潛蠅 Ref. Hendel, 1936  
*Phytomyza takasagoensis* Sasakawa, 1972 高砂植潛蠅 [特有] Ref. Sasakawa, 1972  
*Phytomyza tomentella* Sasakawa, 1972 被毛植潛蠅 [特有] Ref. 同前  
*Phytomyza valida* Sasakawa, 1972 豐盛植潛蠅 [特有] Ref. 同前  
*Phytomyza vitalbae* Kaltenbach, 1874 活潑植潛蠅 Ref. 同前  
*Phytomyza yasumatsui* (Sasakawa, 1955) 日本植潛蠅 Ref. 同前  
*Pseudonapomyza asiatica* Spencer, 1961 亞洲擬菁潛蠅 Ref. Spencer, 1961  
*Pseudonapomyza atrata* (Malloch, 1914) 黑擬菁潛蠅 Ref. Malloch, 1914  
*Pseudonapomyza spicata* (Malloch, 1914) 銳角擬菁潛蠅 Ref. Malloch, 1914  
*Tropicomya pilosa* Spencer, 1986 寡觸毛熱潛蠅 Ref. Shiao & Wu, 1996  
*Tropicomya alocasiae* Shiao & Wu, 1996 婆芋熱潛蠅 [特有] Ref. 同前  
*Tropicomya angiopterisicola* Shiao & Wu, 2005 Ref. Shiao & Wu, 2005  
*Tropicomya atomella* (Malloch, 1914) 微小熱潛蠅 Ref. Malloch, 1914  
*Tropicomya passiflorella* Shiao & Wu, 1996 百香果熱潛蠅 [特有] Ref. Shiao & Wu, 1996  
*Tropicomya theae* (Cotes, 1896) 茶熱潛蠅 Ref. Sasakawa, 1977

#### Family Anisopoidae 蚊蚋科

*Olbiogaster zonatus* Edward, 1934 美腹蚊蚋 Ref. Lin & Chen, 1999  
*Sylvicola distinctus* (Brunruti, 1911) 印度蚊蚋 Ref. 同前

#### Family Anthomyiidae 花蠅科

*Anthomyia illocata* Walker, 1856 橫帶花蠅 Ref. Lin & Chen, 1999  
*Anthomyia plumiseta* Stein, 1918 叢毛花蠅 Ref. 同前  
*Botanophila alishana* Suwa, 1996 阿里花蠅 Ref. 同前  
*Botanophila chui* Suwa, 1996 朱氏花蠅 Ref. 同前  
*Botanophila kanmiyai* Suwa, 1996 神宮花蠅 Ref. 同前  
*Botanophila maculipes* Suwa, 1996 斑腳花蠅 Ref. 同前  
*Botanophila nigrigenis* (Suwa, 1974) 黑面花蠅 Ref. 同前  
*Calythea limnophorina* (Stein, 1915) 集集花蠅 Ref. 同前

*Delia platura* (Meigen, 1826) 歐洲花蠅 Ref. 同前  
*Emmesomyia dorsalis* (Stein, 1915) 龍目花蠅 Ref. 同前  
*Emmesomyia ovata* (Stein, 1915) 圓斑花蠅 Ref. 同前  
*Emmesomyia socia* (Fallen, 1825) 瑞典花蠅 Ref. 同前  
*Hydrophoria aberrans* Stein, 1918 花蓮花蠅 Ref. 同前  
*Hylimya femoralis* Stein, 1915 達邦花蠅 Ref. 同前  
*Paregle cinerella* (Fallen, 1825) 灰色花蠅 Ref. 同前  
*Pegomya angustiventris* Stein, 1918 蛇腹花蠅 Ref. 同前  
*Pegomya quadrivittata* Karl, 1935 四帶花蠅 Ref. 同前  
*Pegomya taiwanensis* Suwa, 1984 台灣花蠅 Ref. 同前

### Family Asilidae 食蟲虻科

*Ammophilimima trifida* Hsia, 1949 三齒食蟲虻 Ref. Lin & Chen, 1999  
*Anacinaces ochriventris* (Becker, 1915) 黃腹食蟲虻 Ref. 同前  
*Antipalus kochi* Meijere, 1913 郭氏食蟲虻 Ref. 同前  
*Antipalus pedestris* Becker, 1925 束縛食蟲虻 Ref. 同前  
*Astochia inermis* Hermann, 1917 書毛食蟲虻 Ref. 同前  
*Astochia scalaris* Hermann, 1917 階梯食蟲虻 Ref. 同前  
*Astochia trigemina* Becker, 1925 三對食蟲虻 Ref. 同前  
*Astochia trihura* Hermann, 1917 多毛食蟲虻 Ref. 同前  
*Cerdistus laetus* Becker, 1925 綺麗食蟲虻 Ref. 同前  
*Clinopogon sauteri* Bezzi, 1910 高雄食蟲虻 Ref. 同前  
*Coneccaplypsis lucida* Hermann, 1912 晶瑩食蟲虻 Ref. 同前  
*Damalina nitida* Hermann, 1914 明亮食蟲虻 Ref. 同前  
*Epiklisis pilitarsis* Becker, 1925 安平食蟲虻 Ref. 同前  
*Holopheromerus armatipes* (Macquart, 1855) 堅足食蟲虻 Ref. 同前  
*Holopheromerus hirtiventris* Becker, 1925 毛腹食蟲虻 Ref. 同前  
*Lagynogaster fuliginosa* Hermann, 1917 黑色食蟲虻 Ref. 同前  
*Lagynogaster sauteri* Hermann, 1917 邵氏食蟲虻 Ref. 同前  
*Laphria alternans* Wiedemann, 1828 輪轉食蟲虻 Ref. 同前  
*Laphria auricomata* Hermann, 1914 金髮食蟲虻 Ref. 同前  
*Laphria azurea* Hermann, 1914 藍色食蟲虻 Ref. 同前  
*Laphria basalis* Hermann, 1914 排灣食蟲虻 Ref. 同前  
*Laphria chrysotelus* Walker, 1855 金色食蟲虻 Ref. 同前  
*Laphria formosana* Matsumura, 1916 美麗食蟲虻 Ref. 同前  
*Laphria lobifera* Hermann, 1914 四社食蟲虻 Ref. 同前  
*Laphria pyrrothrix* Hermann, 1914 紅毛食蟲虻 Ref. 同前  
*Laphria remoto* Hermann, 1914 廣東食蟲虻 Ref. 同前  
*Laphria vulcanus* Wiedemann, 1828 火神食蟲虻 Ref. 同前  
*Laphria xanthothrix* Hermann, 1914 黃毛食蟲虻 Ref. 同前  
*Lasiopogon gracilipes* Bezzi, 1916 甲仙食蟲虻 Ref. 同前  
*Lasiopogon sorox* Enderlein, 1914 南投食蟲虻 Ref. 同前  
*Leptogaster appendiculata* Hermann, 1917 港口食蟲虻 Ref. 同前  
*Leptogaster basilaris* Coquillett, 1898 蜓腹食蟲虻 Ref. 同前  
*Leptogaster bilobata* Hermann, 1917 畢羅食蟲虻 Ref. 同前  
*Leptogaster coarctata* Hermann, 1917 聚集食蟲虻 Ref. 同前  
*Leptogaster formosana* Enderlein, 1914 蓬萊食蟲虻 Ref. 同前  
*Leptogaster koshunensis* Oldroyd, 1917 恆春食蟲虻 Ref. 同前  
*Leptogaster logicaudu* Hermann, 1917 長尾食蟲虻 Ref. 同前  
*Leptogaster pilosella* Hermann, 1917 披毛食蟲虻 Ref. 同前  
*Leptogaster similis* Hsia, 1949 雷同食蟲虻 Ref. 同前  
*Leptogaster trimucronotata* Hermann, 1917 三劍食蟲虻 Ref. 同前  
*Leptogaster unihammata* Hermann, 1917 單鉤食蟲虻 Ref. 同前  
*Machimus albibarbis* (Macquart, 1849) 白鬚食蟲虻 Ref. 同前  
*Machimus asiaticus* (Becker, 1925) 亞洲食蟲虻 Ref. 同前  
*Machimus aurentulus* Becker, 1925 奧蓮食蟲虻 Ref. 同前  
*Machimus impeditus* Becker, 1925 崎曲食蟲虻 Ref. 同前  
*Maria aenea* Fabricius, 1805 古銅食蟲虻 Ref. 同前  
*Maria aterrima* Hermann, 1914 黝黑食蟲虻 Ref. 同前  
*Mesoleptogaster gracilipes* Hsia, 1949 細足食蟲虻 Ref. 同前  
*Michotamia aurata* (Fabricius, 1794) 佩金食蟲虻 Ref. 同前  
*Microstylum amoyense* Bigot, 1878 廈門食蟲虻 Ref. 同前  
*Microstylum oberthurii* Wulp, 1878 西藏食蟲虻 Ref. 同前  
*Microstylum spectrum* (Wiedemann, 1828) 普通食蟲虻 Ref. 同前  
*Molobratia chujoi* Imaizumi & Nagatomi, 1989 中條食蟲虻 Ref. 同前  
*Molobratia japonica* (Bigot, 1878) 日本食蟲虻 Ref. 同前  
*Molobratia purpuripennis* (Matsumura, 1916) 紫羽食蟲虻 Ref. 同前  
*Neoitamus aurifer* Hermann, 1917 金沙食蟲虻 Ref. 同前  
*Neoitamus cyanurus* Loew, 1849 蔚藍食蟲虻 Ref. 同前  
*Neoitamus dolichurus* Becker, 1925 屏東食蟲虻 Ref. 同前  
*Neoitamus fertilis* Becker, 1925 豐滿食蟲虻 Ref. 同前  
*Neoitamus pediformis* Becker, 1925 能高食蟲虻 Ref. 同前

*Neoitamus rubripes* Hermann, 1917 朱腳食蟲虻 Ref. 同前  
*Neoitamus strigipes* Becker, 1925 溝足食蟲虻 Ref. 同前  
*Neolaparus volcatus* (Walker, 1849) 香港食蟲虻 Ref. 同前  
*Nusa grisea* (Hermann, 1914) 灰色食蟲虻 Ref. 同前  
*Oligoschema nuda* Becker, 1925 掠奪食蟲虻 Ref. 同前  
*Ommatius aequalis* (Becker, 1925) 大武食蟲虻 Ref. 同前  
*Ommatius biseriatus* (Becker, 1925) 雙漿食蟲虻 Ref. 同前  
*Ommatius compactus* (Becker, 1925) 結實食蟲虻 Ref. 同前  
*Ommatius flavipyga* (Becker, 1925) 黃尾食蟲虻 Ref. 同前  
*Ommatius fulvimanus* (Becker, 1925) 黃翼食蟲虻 Ref. 同前  
*Ommatius griseipennis* (Becker, 1925) 灰翅食蟲虻 Ref. 同前  
*Ommatius major* (Becker, 1925) 巨大食蟲虻 Ref. 同前  
*Ommatius medius* (Becker, 1925) 中型食蟲虻 Ref. 同前  
*Ommatius nigripes* (Becker, 1925) 黑足食蟲虻 Ref. 同前  
*Ommatius pauper* (Becker, 1925) 茅埔食蟲虻 Ref. 同前  
*Ommatius similis* (Becker, 1925) 旗山食蟲虻 Ref. 同前  
*Ommatius torulosus* (Becker, 1925) 毛束食蟲虻 Ref. 同前  
*Ommatius unicolor* (Becker, 1925) 單色食蟲虻 Ref. 同前  
*Orophotus chinensis* Becker, 1925 金腹食蟲虻 Ref. 同前  
*Orophotus fulvidus* Becker, 1925 金黃食蟲虻 Ref. 同前  
*Orophotus ochraceus* Becker, 1925 念珠食蟲虻 Ref. 同前  
*Pogonosoma funebris* Hermann, 1914 祖窟食蟲虻 Ref. 同前  
*Promachus anicius* (Walker, 1849) 安尼食蟲虻 Ref. 同前  
*Promachus canus* (Wiedemann, 1818) 白髮食蟲虻 Ref. 同前  
*Promachus formosanus* Matsumura, 1916 松村食蟲虻 Ref. 同前  
*Promachus fulviventrus* (Becker, 1925) 鳳山食蟲虻 Ref. 同前  
*Promachus horichanus* Matsumura, 1916 埔里食蟲虻 Ref. 同前  
*Promachus indigenus* (Becker, 1925) 大林食蟲虻 Ref. 同前  
*Promachus longius* (Chou & Lee, 1991) Ref. Achterberg, 1994  
*Promachus nigrirabatus* (Becker, 1925) 黑鬚食蟲虻 Ref. Lin & Chen, 1999  
*Promachus opacus* Becker, 1925 幽暗食蟲虻 Ref. 同前  
*Promachus taiwanensis* (Chou & Lee, 1991) Ref. Achterberg, 1994  
*Promachus testaceipes* (Macquart, 1855) 磚色食蟲虻 Ref. Lin & Chen, 1999  
*Psilonyx migricoxa* Hsia, 1949 黑股食蟲虻 Ref. 同前  
*Scylaticus degener* Schiner, 1868 舶來食蟲虻 Ref. 同前  
*Stenommatius formosanus* Matsumura, 1916 寶島食蟲虻 Ref. 同前  
*Stichopogon infuscatus* Bezzi, 1910 棕突食蟲虻 Ref. 同前  
*Stichopogon peregrinus* Osten Sacken, 1882 遊蕩食蟲虻 Ref. 同前  
*Trigonomima pennipes* (Hermann, 1914) 毛足食蟲虻 Ref. 同前  
*Xenomyza formosana* Frey, 1934 台灣食蟲虻 Ref. 同前  
*Xenomyza grossa* (Schiner, 1868) 寬厚食蟲虻 Ref. 同前  
*Xenomyza immerita* (Osten Sacken, 1882) 岷島食蟲虻 Ref. 同前  
*Xenomyza maculata* (Wiedemann, 1828) 斑點食蟲虻 Ref. 同前  
*Xenomyza vitripennis* (Osten Sacken, 1882) 透翅食蟲虻 Ref. 同前

#### Family Asteiidae 星蠅科

*Asteia curvinervis* Duda, 1927 曲筋星蠅 Ref. Lin & Chen, 1999  
*Asteia megalophthalma* Duda, 1927 鹽埕星蠅 Ref. 同前  
*Asteia nigripes* Duda, 1927 黑足星蠅 Ref. 同前  
*Asteia nigrithorax* Duda, 1927 黑棍星蠅 Ref. 同前  
*Asteia sexsetosa* Duda, 1927 六鬚星蠅 Ref. 同前

#### Family Axymyiidae 朽木蚋科

*Protaxymyia taiwanensis* Papp, 2007 Ref. Papp, 2007

#### Family Bibionidae 毛蚋科

*Biblio formosanus* Okada, 1938 台灣毛蚋 Ref. Lin & Chen, 1999  
*Penthetria formosana* Hardy, 1953 蓬萊毛蚋 Ref. 同前  
*Penthetria japonica* Wiedemann, 1830 日本毛蚋 Ref. 同前  
*Penthetria takeuchii* Okada, 1938 竹內毛蚋 Ref. 同前  
*Plecia longiforceps* Duda, 1934 長鉞毛蚋 Ref. 同前

#### Family Blephariceridae 網蚊科

*Apistonyia nigra* Kitakami, 1941 黑色網紋 Ref. Lin & Chen, 1999  
*Blepharicerinae taiwanica* Kitakami, 1937 台灣網紋 Ref. 同前  
*Blepharicerinae uenoi* Kitakami, 1937 上野網紋 Ref. 同前  
*Philorus taiwanensis* Kitakami, 1937 蓬萊網紋 Ref. 同前  
*Philorus unnamed* Tommoir, 1903 Ref. 同前

#### Family Bolitophilidae

*Bolitophila (Bolitophila) antennata* Sevcik & Papp, 2004 Ref. Sevcik & Papp, 2004  
*Bolitophila (Bolitophila) japonica* (Okada, 1934) Ref. 同前  
*Bolitophila (Cliopisa) taihybrida* Sevcik & Papp, 2004 Ref. 同前

#### Family Bombyliidae 蜂虻科

*Anthrax aygulus* Fabricius, 1805 星蜂虻 Ref. Lin & Chen, 1999  
*Anthrax koshunensis* Matsumura, 1916 恆春蜂虻 Ref. 同前  
*Bombylius watanabei* Matsumura, 1916 渡邊蜂虻 Ref. 同前  
*Hemipenthes jezensis* (Matsumura, 1916) 日本蜂虻 Ref. 同前  
*Ligyra formosana* (Paramonov, 1931) 蓬萊蜂虻 Ref. 同前  
*Ligyra latipennis* (Paramonov, 1931) 寬翅蜂虻 Ref. 同前  
*Ligyra orientalis* (Paramonov, 1931) 東洋蜂虻 Ref. 同前  
*Ligyra shirakii* (Paramonov, 1931) 素木蜂虻 Ref. 同前  
*Ligyra tatalus* (Fabricius, 1794) 黑翅蜂虻 Ref. 同前  
*Systropus acuminatus* Wiedemann, 1820 尖腹蜂虻 Ref. 同前  
*Systropus formosanus* (Enderlein, 1926) 台灣蜂虻 Ref. 同前  
*Systropus hoppo* Matsumura, 1916 北埔蜂虻 Ref. 同前  
*Systropus sauteri* (Enderlein, 1926) 邵氏蜂虻 Ref. 同前

### Family Calliphoridae 麗蠅科

*Alikangiella flava* Villeneuve, 1927 黃色海鼻蠅 Ref. Lin & Chen, 1999  
*Bengalia escheri* Bezzi, 1913 環斑孟蠅 Ref. 同前  
*Bengalia fuscipennis* Bezzi, 1913 暗翅孟蠅 Ref. 同前  
*Bengalia taiwanensis* Fan, 1965 台灣孟蠅 Ref. 同前  
*Bengalia torosa* (Wiedemann, 1819) 多肉孟蠅 Ref. 同前  
*Bengalia varicolor* (Fabricius, 1805) 變色孟蠅 Ref. 同前  
*Borbororhinia bivittata* (Walker, 1856) 雙斑泥蠅 Ref. 同前  
*Calliphora lata* Coquillett, 1898 寬大麗蠅 Ref. 同前  
*Calliphora pattoni* Aubertin, 1931 巴氏麗蠅 Ref. 同前  
*Calliphora vomitoria* (Linnaeus, 1758) 反吐麗蠅 Ref. 同前  
*Catapicephala dasyophthalma* Villeneuve, 1927 茅埔扁頭蠅 Ref. 同前  
*Catapicephala ruficornis* Villeneuve, 1927 紅角扁頭蠅 Ref. 同前  
*Chrysomya bezziana* Villeneuve, 1914 蚱症金蠅 Ref. 同前  
*Chrysomya megacephala* (Fabricius, 1794) 大頭金蠅 Ref. 同前  
*Chrysomya pinguis* (Walker, 1858) 肥驅金蠅 Ref. 同前  
*Chrysomya rufifacies* (Macquart, 1843) 紅顏金蠅 Ref. 同前  
*Chrysomya villeneuve* Patton, 1922 威氏金蠅 Ref. 同前  
*Hemipyrellia ligurriens* (Wiedemann, 1830) 瘦葉帶綠蠅 Ref. 同前  
*Idiella euidielloides* Senio-White, 1923 驅真依蠅 Ref. 同前  
*Idiella mandarina* (Wiedemann, 1830) 中華依蠅 Ref. 同前  
*Idiellopsis xanthogaster* (Wiedemann, 1820) 黃腹擬依蠅 Ref. 同前  
*Isomyia electa* Villeneuve, 1927 選同蠅 Ref. 同前  
*Isomyia tibialis* (Villeneuve, 1927) 脛同蠅 Ref. 同前  
*Isomyia viridaurea* (Wiedemann, 1819) 綠同蠅 Ref. 同前  
*Lucilia claviceps* Bezzi, 1927 錘頭綠蠅 Ref. 同前  
*Lucilia papuensis* Macquart, 1842 巴布亞綠蠅 Ref. 同前  
*Lucilia porphyria* (Walker, 1857) 紫色綠蠅 Ref. 同前  
*Lucilia sinensis* Aubertin, 1933 中華綠蠅 Ref. 同前  
*Melinda crinitarsis* (Villeneuve, 1927) 集集蝸蠅 Ref. 同前  
*Melinda itoi* Kano, 1963 蘭嶼蝸蠅 Ref. 同前  
*Melinda pusilla* (Villeneuve, 1927) 白南蝸蠅 Ref. 同前  
*Phaenicia cuprina* (Wiedemann, 1830) 赤銅綠蠅 Ref. 同前  
*Phaenicia sericata* (Meigen, 1826) 絲光銅綠蠅 Ref. 同前  
*Phumosia indica* (Surcouf, 1914) 印度阜蠅 Ref. 同前  
*Pollinia luteola* Villeneuve, 1927 國姓粉蠅 Ref. 同前  
*Rhinia sauteri* Peris, 1915 邵氏鯊蠅 Ref. 同前  
*Rhyncomya setipyga* Villeneuve, 1927 毛尾喙蠅 Ref. 同前  
*Silbomyia cyanea* (Matsumura, 1916) 藍獅液蠅 Ref. 同前  
*Silbomyia sauteri* Enderlein, 1936 邵氏鼻蠅 Ref. 同前  
*Stomorphina discolor* (Fabricius, 1794) 黑色錐口蠅 Ref. 同前  
*Stomorphina veterana* Villeneuve, 1927 馱獸錐口蠅 Ref. 同前  
*Strongyloneura prasina* Bigot, 1886 台灣圓蠅 Ref. 同前  
*Tainanina pilisquama* (Senior-White, 1925) 錫蘭南蠅 Ref. 同前  
*Tricyclepsis pardoxa* Villeneuve, 1925 恆春三蠅 Ref. 同前

### Family Campichoetidae

*Campichoeta spinicauda* Papp, 2005 Ref. Papp, 2005

### Family Canaceidae 包蠅科

*Chaetocanace biseta* (Hendel, 1913) 雙手包蠅 Ref. Lin & Chen, 1999  
*Nocticanace litoralis* Delfinando, 1971 礫岸包蠅 Ref. 同前  
*Nocticanace pacificus* Sasakawa, 1955 太平洋包蠅 Ref. 同前  
*Procanace grisescens* Hendel, 1913 趨灰包蠅 Ref. 同前  
*Procanace hendeli* Delfinando, 1971 韓氏包蠅 Ref. 同前  
*Procanace taiwanensis* Delfinando, 1971 台灣包蠅 Ref. 同前  
*Xanthocanace magna* (Hendel, 1913) 巨型包蠅 Ref. 同前  
*Xanthocanace orientalis* (Hendel, 1913) 東洋包蠅 Ref. 同前

### Family Cecidomyiidae 癭蚋科

*Anaretella spiraeina* (Felt, 1907) 螺旋癭蚋 Ref. Lin & Chen, 1999  
*Bryomyia apsectra* Edward, 1938 無巢癭蚋 Ref. 同前  
*Catocha latipes* Haliday, 1833 歐洲癭蚋 Ref. 同前  
*Claspettomomyia orientalis* Yukawa, 1968 東洋癭蚋 Ref. 同前  
*Coccodiplosis formosana* (Felt, 1926) 台灣癭蚋 Ref. 同前  
*Coelodiplosis magaipennis* Kieffer, 1913 巨翅癭蚋 Ref. 同前  
*Emerosema dispar* Kieffer, 1913 台南癭蚋 Ref. 同前

### Family Celyphidae 鏡蠅科

*Celyphus (Celyphus) difficilis* Malloch, 1927 搔癢鏡蠅 Ref. Lin & Chen, 1999  
*Celyphus (Celyphus) punctifer* Hendel, 1914 罕鏡蠅 Ref. 同前  
*Spaniocelyphus dentatus* Tenerio, 1972 貝齒鏡蠅 Ref. 同前  
*Spaniocelyphus fuscipes* (Macquart, 1851) 褐足鏡蠅 Ref. 同前  
*Spaniocelyphus hirtus* Tenerio, 1972 多毛鏡蠅 Ref. 同前  
*Spaniocelyphus stigmaticus* Hendel, 1914 斑點鏡蠅 Ref. 同前

### Family Ceratopogonini 蠓科

*Alluaudomyia formosana* Okada, 1942 台灣阿蠓 Ref. Lin & Chen, 1999  
*Alluaudomyia maculosipennis* Tokunaga, 1940 斑翅阿蠓 Ref. 同前  
*Alluaudomyia tripartita* Okada, 1942 台北阿蠓 Ref. 同前  
*Alluaudomyia undecimpunctata* Tokunaga, 1940 皺紋阿蠓 Ref. 同前  
*Alluaudomyia xanthocoma* (Kieffer, 1913) 黃毛阿蠓 Ref. 同前  
*Atrichopogon argus* Kieffer, 1916 明艷裸蠓 Ref. 同前  
*Atrichopogon citrinipes* Kieffer, 1921 檸檬裸蠓 Ref. 同前  
*Atrichopogon flaviceps* Kieffer, 1912 黃頭裸蠓 Ref. 同前  
*Atrichopogon flavidus* Kieffer, 1921 金黃裸蠓 Ref. 同前  
*Atrichopogon foemosanus* Kieffer, 1918 蓬萊裸蠓 Ref. 同前  
*Atrichopogon formosae* (Kieffer, 1912) 台灣裸蠓 Ref. 同前  
*Atrichopogon haemorrhoidalis* Kieffer, 1921 血紅裸蠓 Ref. 同前  
*Atrichopogon insularis* Kieffer, 1921 海島裸蠓 Ref. 同前  
*Atrichopogon kagiensis* Kieffer, 1940 嘉義裸蠓 Ref. 同前  
*Atrichopogon mendax* Kieffer, 1921 台北裸蠓 Ref. 同前  
*Atrichopogon minimus* Kieffer, 1916 矮小裸蠓 Ref. 同前  
*Atrichopogon monticola* Kieffer, 1940 高山裸蠓 Ref. 同前  
*Atrichopogon myrmedon* Kieffer, 1921 蟻種裸蠓 Ref. 同前  
*Atrichopogon pruinosis* Kieffer, 1921 霜蕊裸蠓 Ref. 同前  
*Atrichopogon ruber* Kieffer, 1916 紅色裸蠓 Ref. 同前  
*Atrichopogon rufescens* Kieffer, 1921 趨紅裸蠓 Ref. 同前  
*Bezzia chrysolopha* Kieffer, 1912 金毛貝蠓 Ref. 同前  
*Bezzia insularis* Kieffer 島嶼貝蠓 Ref. 同前  
*Bezzia micronyx* Kieffer, 1921 小刺貝蠓 Ref. 同前  
*Bezzia murina* Kieffer, 1921 圓山貝蠓 Ref. 同前  
*Bezzia nigriclava* Kieffer, 1921 黑棍貝蠓 Ref. 同前  
*Bezzia semirufa* (Kieffer, 1921) 趨紅貝蠓 Ref. 同前  
*Bezzia separata* Kieffer, 1916 高雄貝蠓 Ref. 同前  
*Calyptopogon albitarsis* Kieffer, 1910 白跗鞘蠓 Ref. 同前  
*Ceratopogon (Isohelea) flaviventris* Kieffer, 1917 黃腹角蠓 Ref. 同前  
*Culicoides (Avaritia) actoni* Smith, 1928 阿氏庫蠓 Ref. 同前  
*Culicoides (Avaritia) albofascia* Tokunaga, 1937 白紋庫蠓 Ref. 同前  
*Culicoides (Avaritia) brevipalpis* Delfinado, 1961 短鬚庫蠓 Ref. 同前  
*Culicoides (Avaritia) brevitarsis* Kieffer, 1917 澳洲庫蠓 Ref. 同前  
*Culicoides (Avaritia) dentiformis* McDonald & Wu, 1972 同齒庫蠓 Ref. 同前  
*Culicoides (Avaritia) hui* Hubert, 1961 胡氏庫蠓 Ref. 同前  
*Culicoides (Avaritia) jacobsoni* Macfie, 1954 雅氏庫蠓 Ref. 同前  
*Culicoides (Avaritia) maculatus* Shiraki, 1913 黃斑庫蠓 Ref. 同前  
*Culicoides (Avaritia) orientalis* Shiraki, 1932 東方庫蠓 Ref. 同前  
*Culicoides (Avaritia) suzukii* Kitaoka, 1973 鈴木庫蠓 Ref. 同前  
*Culicoides (Avaritia) trimaculatus* McDonald & Wu, 1972 三斑庫蠓 Ref. 同前  
*Culicoides (Avaritia) wadai* Kitaoka, 1979 和田庫蠓 Ref. 同前  
*Culicoides (Beltranmyia) arakawai* (Arakawa, 1910) 荒川庫蠓 Ref. 同前  
*Culicoides (Beltranmyia) duodenarius* Kieffer, 1921 指斑庫蠓 Ref. 同前  
*Culicoides (Culicoides) bubalus* Delfinado, 1961 野牛庫蠓 Ref. 同前  
*Culicoides (Culicoides) cylindricus* Kitaoka, 1980 多孔庫蠓 Ref. 同前  
*Culicoides (Culicoides) dubius* Arnaud, 1956 猶豫庫蠓 Ref. 同前  
*Culicoides (Culicoides) gentiloides* Kitaoka & Tanaka, 1985 土場庫蠓 Ref. 同前  
*Culicoides (Culicoides) indianus* Macfie, 1932 天竺庫蠓 Ref. 同前  
*Culicoides (Culicoides) ingignipennis* Macfie, 1937 明潭庫蠓 Ref. 同前  
*Culicoides (Culicoides) lanyuensis* Kitaoka & Yanaka, 1985 蘭嶼庫蠓 Ref. 同前  
*Culicoides (Culicoides) liui* Wirth & Hubert, 1961 劉氏庫蠓 Ref. 同前  
*Culicoides (Culicoides) luilianchengi* Chen, 1988 呂氏庫蠓 Ref. 同前  
*Culicoides (Culicoides) lungchiensis* Chen & Tsai, 1962 龍溪庫蠓 Ref. 同前  
*Culicoides (Culicoides) malayae* Macfie, 1937 馬來庫蠓 Ref. 同前  
*Culicoides (Culicoides) monticola* McDonald & Lu, 1972 高山庫蠓 Ref. 同前

*Culicoides (Culicoides) nipponensis* Tokunaga, 1955 日本庫蠓 Ref. 同前  
*Culicoides (Culicoides) paregrinus* Kieffer, 1910 遊蕩庫蠓 Ref. 同前  
*Culicoides (Culicoides) sumatrae* Macfie, 1934 印尼庫蠓 Ref. 同前  
*Culicoides (Monotomus) homotomus* Kieffer, 1921 原野庫蠓 Ref. 同前  
*Culicoides (Oecacta) alishanensis* Chen, 1988 阿里庫蠓 Ref. 同前  
*Culicoides (Oecacta) charadraeus* Arnald, 1956 無斑庫蠓 Ref. 同前  
*Culicoides (Oecacta) cheni* Kitaoka & Tanaka, 1985 陳氏庫蠓 Ref. 同前  
*Culicoides (Oecacta) clavipalpis* Mukerji, 1931 棒鬚庫蠓 Ref. 同前  
*Culicoides (Oecacta) hainanensis* Lee, 1975 海南庫蠓 Ref. 同前  
*Culicoides (Oecacta) huffi* Causey, 1938 哈氏庫蠓 Ref. 同前  
*Culicoides (Oecacta) kepongensis* Wirth & Hubert, 1989 克彭庫蠓 Ref. 同前  
*Culicoides (Oecacta) kusaiensis* Tokunaga, 1940 庫塞庫蠓 Ref. 同前  
*Culicoides (Oecacta) lienii* Chen, 1979 連氏庫蠓 Ref. 同前  
*Culicoides (Oecacta) lini* Kitaoka & Tanaka, 1985 林氏庫蠓 Ref. 同前  
*Culicoides (Oecacta) liukueiensis* Kitaoka & Tanaka, 1985 六龜庫蠓 Ref. 同前  
*Culicoides (Oecacta) nagahanai* Tokunaga, 1956 長花庫蠓 Ref. 同前  
*Culicoides (Oecacta) okinawensis* Arnald, 1956 沖繩庫蠓 Ref. 同前  
*Culicoides (Oecacta) oxystoma* Kieffer, 1910 嗜牛庫蠓 Ref. 同前  
*Culicoides (Oecacta) peliliouensis* Tokunaga, 1936 帛琉庫蠓 Ref. 同前  
*Culicoides (Oecacta) shortii* Amith & Swaminath, 1932 修氏庫蠓 Ref. 同前  
*Culicoides (Oecacta) taiwanensis* Kitaoka & Tanaka, 1985 台灣庫蠓 Ref. 同前  
*Culicoides (Trithecoides) annophelis* Edwards, 1922 嗜蚊庫蠓 Ref. 同前  
*Culicoides (Trithecoides) barreti* Wirth & Hubert, 1959 斑腿庫蠓 Ref. 同前  
*Culicoides (Trithecoides) flabittibialis* Kitaoka & Tanaka, 1985 黃脛庫蠓 Ref. 同前  
*Culicoides (Trithecoides) flaviscutatus* Wirth & Hubert, 1959 黃盾庫蠓 Ref. 同前  
*Culicoides (Trithecoides) fordae* Wirth & Hubert, 1989 福托庫蠓 Ref. 同前  
*Culicoides (Trithecoides) humeralis* Okada, 1941 黃肩庫蠓 Ref. 同前  
*Culicoides (Trithecoides) maculitibialis* Lien, Weng & Lin, 1997 斑脛庫蠓 Ref. 同前  
*Culicoides (Trithecoides) matsuzawai* Tokunaga, 1950 明邊庫蠓 Ref. 同前  
*Culicoides (Trithecoides) neopalpifer* Chen, 1983 新鬚庫蠓 Ref. 同前  
*Culicoides (Trithecoides) paraflavescens* Wirth & Hubert, 1959 趨黃庫蠓 Ref. 同前  
*Culicoides (Trithecoides) rugulithecus* Wirth & Hubert, 1989 鄒囊庫蠓 Ref. 同前  
*Culicoides (Trithecoides) subpalpifer* Wirth & Hubert, 1989 亞鬚庫蠓 Ref. 同前  
*Culicoides (Trithecoides) tamada* Howarth, 1985 平淡庫蠓 Ref. 同前  
*Culicoides (Trithecoides) tenuipalpis* Wirth & Hubert, 1959 窄鬚庫蠓 Ref. 同前  
*Dasyhelea curtiradialis* Tokunaga, 1940 閃亮毛蠓 Ref. 同前  
*Dasyhelea formosana* Kieffer, 1921 蓬萊毛蠓 Ref. 同前  
*Dasyhelea fulvicauda* Macfie, 1933 曙尾毛蠓 Ref. 同前  
*Dasyhelea parvifulva* Tokunaga, 1940 趨黃毛蠓 Ref. 同前  
*Dasyhelea parvinigra* Tokunaga, 1940 微黑毛蠓 Ref. 同前  
*Dasyhelea sauteri* Tokunaga, 1940 邵氏毛蠓 Ref. 同前  
*Dasyhelea taiwana* Tokunaga, 1940 台灣毛蠓 Ref. 同前  
*Forcipomyia despecta* Kieffer, 1921 地痞鈇蠓 Ref. 同前  
*Forcipomyia lagonigera* Kieffer, 1921 野兔鈇蠓 Ref. 同前  
*Forcipomyia (Caloforcipomyia) takahashii* Tokunaga, 1940 高橋裸蠓 Ref. 同前  
*Forcipomyia (Dacnoforcipomyia) anobaene* (Chen & Saunders, 1982) 三地鈇蠓 Ref. 同前  
*Forcipomyia (Forcipomyia) arcigera* Kieffer, 1921 台北鈇蠓 Ref. 同前  
*Forcipomyia (Forcipomyia) brachytoma* (Kieffer, 1921) 短鈇蠓 Ref. 同前  
*Forcipomyia (Forcipomyia) chrysothrix* (Kieffer, 1921) 金毛鈇蠓 Ref. 同前  
*Forcipomyia (Forcipomyia) miricornis* Kieffer, 1916 美角鈇卵 Ref. 同前  
*Forcipomyia (Lasiohelea) anabaenae* Chen & Saunders, 1965 安娜鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) boophila* Lien, 1991 好牛鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) collicola* Lien, 1989 五峰鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) danxianensis* (Yu & Wang, 1982) 詹縣鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) emeishana* (Yu & Liu, 1982) 峨眉鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) gramenxola* Lien, 1991 柱草鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) homaliae* Lien, 1991 扁蘚鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) hualuensis* Lien, 1989 華緣鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) lanyuensis* (Yu & Liu, 1982) 低飛鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) megadentis* Lien, 1989 蘭嶼鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) nanjinensis* Lien, 1989 鋸齒鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) paucidentis* (Yu & Liu, 1982) 南京鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) paucidentis* Lien, 1991 貧齒鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) phototropiq* (Yu & Liu, 1982) 趨光鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) propoia* Cahan & LeRoux, 1970 特別鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) pungobovis* (Yu & Liu, 1982) 叮牛鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) saxicola* Lien, 1991 住岩鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) taipei* Lien, 1991 台北鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) taiwana* (Shiraki, 1913) 台灣鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) taoyuanensis* Lien, 1989 桃源鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) virgula* (Yu & Liu, 1982) 小枝鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) wanjungensis* Lien, 1989 萬榮鈇蠓 Ref. 同前

*Forcipomyia (Lasiohelea) wulai* Lien, 1991 烏來鈇蠓 Ref. 同前  
*Forcipomyia (Lasiohelea) zonaphalla* (Yu & Weng, 1985) 帶脛鈇蠓 Ref. 同前  
*Forcipomyia (Lepidohelea) formosae* (Kieffer, 1921) 蓬萊鈇蠓 Ref. 同前  
*Forcipomyia (Microhelea) fuliginosa* (Meigen, 1818) 黑色鈇蠓 Ref. 同前  
*Forcipomyia (Proforcipomyia) formosana* Kieffer, 1916 高雄鈇蠓 Ref. 同前  
*Forcipomyia (Proforcipomyia) fuscimana* (Kieffer, 1921) 灰陷鈇蠓 Ref. 同前  
*Forcipomyia (Proforcipomyia) ingrami* Carter, 1919 食蚊鈇蠓 Ref. 同前  
*Forcipomyia (Proforcipomyia) sauteri* Kieffer, 1912 邵氏鈇蠓 Ref. 同前  
*Forcipomyia (Pterobosca) latipes* Macfie, 1936 寬足鈇蠓 Ref. 同前  
*Forcipomyia (Synthyridomyia) tokunagai* Wirth, 1940 德永鈇蠓 Ref. 同前  
*Forcipomyia (Thyridomyia) japonica* (Tokunaga, 1937) 日本鈇蠓 Ref. 同前  
*Forcipomyia (Thyridomyia) kitasirakawae* Tokunaga, 1940 京都鈇蠓 Ref. 同前  
*Homoehelea atriclava* (Kieffer, 1921) 台灣同蠓 Ref. 同前  
*Johannsenomyia sejuncta* (Kieffer, 1916) 台南約蠓 Ref. 同前  
*Johannsenomyia uncinata* (Kieffer, 1916) 鈎刺約蠓 Ref. 同前  
*Mallochohelea albiclava* (Kieffer, 1921) 白瘤馬蠓 Ref. 同前  
*Nilobezzia claripennia* (Kieffer, 1912) 明翅尼蠓 Ref. 同前  
*Nilobezzia formosana* (Kieffer, 1912) 台灣尼蠓 Ref. 同前  
*Nilobezzia kerteszi* (Kieffer, 1916) 克氏尼蠓 Ref. 同前  
*Nilobezzia myrmedon* (Kieffer, 1921) 蟻塚尼蠓 Ref. 同前  
*Nilobezzia semirufa* (Kieffer, 1921) 半紅尼蠓 Ref. 同前  
*Palpomyia abdominalis* Kieffer, 1921 雙溪鬚蠓 Ref. 同前  
*Palpomyia aterrima* Kieffer, 1921 黑色鬚蠓 Ref. 同前  
*Palpomyia divisa* Kieffer, 1916 分節鬚蠓 Ref. 同前  
*Palpomyia indivisa* Kieffer, 1916 全節鬚蠓 Ref. 同前  
*Palpomyia murina* Kieffer, 1921 嗜鼠鬚蠓 Ref. 同前  
*Palpomyia tainana* Kieffer, 1912 台南鬚蠓 Ref. 同前  
*Sphaeromyias conjuncta* Kieffer, 1916 台南球蠓 Ref. 同前  
*Sphaeromyias connexa* Kieffer, 1916 府城球蠓 Ref. 同前  
*Sphaeromyias inermipes* Kieffer, 1916 細足球蠓 Ref. 同前  
*Sphaeromyias spinifera* (Kieffer, 1916) 多刺球蠓 Ref. 同前  
*Stilobezzia (Stilobezzia) decora* Kieffer, 1916 優雅柱蠓 Ref. 同前  
*Stilobezzia (Stilobezzia) festiva* Kieffer, 1911 雜色柱蠓 Ref. 同前  
*Stilobezzia (Stilobezzia) paucipictipes* Gupta & Wirth, 1968 淡足柱蠓 Ref. 同前  
*Xenoehelea ciliaticrus* (Kieffer, 1921) 纖毛奇蠓 Ref. 同前

#### Family Chamaemyiidae 蚜小蠅科

*Leucopis (Leucopis) apicalis* Malloch, 1914 端翅鎧蠅 Ref. Lin & Chen, 1999  
*Leucopis (Leucopis) formosana* Hennig, 1938 台灣蚜小蠅 Ref. 同前

#### Family Chironomidae 搖蚊科

*Ablabesmyia moniliformis* Fittkau, 1962 念珠搖蚊 Ref. Lin & Chen, 1999  
*Ablabesmyia pulchripes* (Kieffer, 1910) 美肢搖蚊 Ref. 同前  
*Calopsectra formosanus* (Kieffer, 1912) 麗島搖蚊 Ref. 同前  
*Calopsectra uraiensis* (Tokunaga, 1938) 烏來搖蚊 Ref. 同前  
*Camptocladius despectus* Kieffer, 1922 浮塵搖蚊 Ref. 同前  
*Camptocladius formosanus* Kieffer, 1922 頂雙溪搖蚊 Ref. 同前  
*Chironomus anomalus* Kieffer, 1921 異形搖蚊 Ref. 同前  
*Chironomus bihamatus* Kieffer, 1922 雙鈎搖蚊 Ref. 同前  
*Chironomus circumdatus* Meigen, 1916 鹽埕搖蚊 Ref. 同前  
*Chironomus crassiforceps* (Kieffer, 1916) 粗鈇搖蚊 Ref. 同前  
*Chironomus crucifer* Kieffer, 1922 殺手搖蚊 Ref. 同前  
*Chironomus dystenus* (Kieffer, 1916) 衰弱搖蚊 Ref. 同前  
*Chironomus formosae* (Kieffer, 1912) 美麗搖蚊 Ref. 同前  
*Chironomus fulviventris* (Kieffer, 1921) 黃腹搖蚊 Ref. 同前  
*Chironomus longilobus* (Kieffer, 1916) 長葉搖蚊 Ref. 同前  
*Chironomus prasinellus* (Kieffer, 1912) 翠綠搖蚊 Ref. 同前  
*Chironomus sauterianus* (Kieffer, 1921) 邵德搖蚊 Ref. 同前  
*Chironomus striatipennis* Kieffer, 1910 線翅搖蚊 Ref. 同前  
*Chironomus validus* (Kieffer, 1912) 雄偉搖蚊 Ref. 同前  
*Clinotanypus formosae* Kieffer, 1916 高雄搖蚊 Ref. 同前  
*Clinotanypus immaculatus* Kieffer, 1916 斑點搖蚊 Ref. 同前  
*Clinotanypus lampronotus* Kieffer, 1916 藍波搖蚊 Ref. 同前  
*Clunio takahashii* Tokunaga, 1938 淡水搖蚊 Ref. 同前  
*Cricotopus carbonarius* Kieffer, 1922 炭窟搖蚊 Ref. 同前  
*Cricotopus carnosus* Kieffer, 1912 豐美搖蚊 Ref. 同前  
*Cricotopus formosanus* (Kieffer, 1916) 台北搖蚊 Ref. 同前  
*Cricotopus nitens* (Kieffer, 1921) 肥盾搖蚊 Ref. 同前  
*Cricotopus polyannulatus* Tokunaga, 1936 多環搖蚊 Ref. 同前  
*Cricotopus taiwanus* Tokunaga, 1940 寶島搖蚊 Ref. 同前  
*Cryptochironomus nudiforceps* Kieffer, 1922 裸尾搖蚊 Ref. 同前  
*Cryptochironomus viridiclava* (Kieffer, 1922) 綠棍搖蚊 Ref. 同前  
*Dicrotendipus formosanus* Kieffer, 1916 府城搖蚊 Ref. 同前

*Dicrotendipus forntalis* Kieffer, 1916 闊額搖蚊 Ref. 同前  
*Endochironomus pekanus* (Kieffer, 1916) 北港搖蚊 Ref. 同前  
*Glyptotendipus brevilobus* (Kieffer, 1916) 窄葉搖蚊 Ref. 同前  
*Glyptotendipus formosae* Kieffer, 1922 圓山搖蚊 Ref. 同前  
*Limnophyes fuscipygma* (Tokunaga, 1940) 棕尾搖蚊 Ref. 同前  
*Micropsectra taiwanus* (Tokunaga, 1939) 合歡搖蚊 Ref. 同前  
*Parachironomus formosanus* Kieffer, 1922 大稻埕搖蚊 Ref. 同前  
*Parachironomus lacteipennis* (Kieffer, 1921) 白翅搖蚊 Ref. 同前  
*Parachironomus sauteri* Kieffer, 1921 邵氏搖蚊 Ref. 同前  
*Paradentipus bifascipennis* (Tokunaga, 1940) 雙紋搖蚊 Ref. 同前  
*Parakiefferiella tipuliformis* (Tokunaga, 1940) 昏形搖蚊 Ref. 同前  
*Paratendipus concoloripes* Kieffer, 1916 同色搖蚊 Ref. 同前  
*Paratendipus nigrofasciatus* Kieffer, 1916 黑帶搖蚊 Ref. 同前  
*Paratendipus tristictus* Kieffer, 1922 三斑搖蚊 Ref. 同前  
*Pelopia gracillima* Kieffer, 1926 瘦弱搖蚊 Ref. 同前  
*Pentaneura circumdata* Tokunaga, 1940 繞行搖蚊 Ref. 同前  
*Polyedilum atrinerve* Kieffer, 1921 黑筋搖蚊 Ref. 同前  
*Polyedilum bellipes* Kieffer, 1922 花足搖蚊 Ref. 同前  
*Polyedilum ciliatum* Kieffer, 1922 纖毛搖蚊 Ref. 同前  
*Polyedilum consobrinum* Kieffer, 1916 婉君搖蚊 Ref. 同前  
*Polyedilum flaviscapus* Kieffer, 1922 黃驅搖蚊 Ref. 同前  
*Polyedilum iricolor* Kieffer, 1916 彩虹搖蚊 Ref. 同前  
*Polyedilum leucopterum* Kieffer, 1922 白羽搖蚊 Ref. 同前  
*Polyedilum muifasciatum* Kieffer, 1922 單帶搖蚊 Ref. 同前  
*Polyedilum monostictum* Kieffer, 1916 單斑搖蚊 Ref. 同前  
*Polyedilum nudifer* Skuse, 1889 陰霾搖蚊 Ref. 同前  
*Polyedilum octosema* Kieffer, 1922 八斑搖蚊 Ref. 同前  
*Polyedilum sauteri* Kieffer, 1921 漠斯搖蚊 Ref. 同前  
*Polyedilum tetrasema* Kieffer, 1922 四斑搖蚊 Ref. 同前  
*Polyedilum albicollum* Kieffer, 1922 白頸搖蚊 Ref. 同前  
*Pontomyia natata* Edwards, 1926 海洋搖蚊 Ref. 同前  
*Pontomyia ocenea* Tokunaga, 1964 大洋搖蚊 Ref. 同前  
*Procladius insularis* (Kieffer, 1921) 海島搖蚊 Ref. 同前  
*Procladius lacteiclava* (Kieffer, 1922) 白棍搖蚊 Ref. 同前  
*Procladius transiens* (Kieffer, 1921) 過客搖蚊 Ref. 同前  
*Psectrocladius formosae* Kieffer, 1922 北投搖蚊 Ref. 同前  
*Rheocricotopus taiwanensis* Wang et al., 2004 Ref. Wang, Yan & Ma, 2004  
*Rheotanytarsus formosae* Kieffer, 1921 安平搖蚊 Ref. Lin & Chen, 1999  
*Smittia niitakana* (Tokunaga, 1939) 新高搖蚊 Ref. 同前  
*Smittia truncatocaudata* (Tokunaga, 1939) 粗尾搖蚊 Ref. 同前  
*Spaniotoma multiannulata* Tokunaga, 1940 複環搖蚊 Ref. 同前  
*Spaniotoma takahashii* Tokunaga, 1939 高橋搖蚊 Ref. 同前  
*Stenochironomus takahashii* (Tokunaga, 1938) 良一搖蚊 Ref. 同前  
*Tanyarsus formosae* Kieffer, 1922 福摩搖蚊 Ref. 同前  
*Tanypus formosanus* (Kieffer, 1912) 蓬萊搖蚊 Ref. 同前  
*Tanypus fusciclava* Kieffer, 1922 棕棍搖蚊 Ref. 同前  
*Tendipus astenus* Kieffer, 1916 奧田搖蚊 Ref. 同前  
*Tendipus chlorophorus* Kieffer, 1912 嗜綠搖蚊 Ref. 同前  
*Tendipus chlorostolus* Kieffer, 1912 綠袍搖蚊 Ref. 同前  
*Tendipus formosicola* Kieffer, 1912 台棲搖蚊 Ref. 同前  
*Tendipus glauciventris* Kieffer, 1912 綠腹搖蚊 Ref. 同前  
*Tendipus gracilipes* Kieffer, 1916 細足搖蚊 Ref. 同前  
*Tendipus grandilobus* Kieffer, 1916 粗棍搖蚊 Ref. 同前  
*Tendipus pelochloris* Kieffer, 1912 淺黃搖蚊 Ref. 同前  
*Tendipus tainanus* Kieffer, 1912 台南搖蚊 Ref. 同前  
*Trichotanypus iris* Kieffer, 1916 虹毛搖蚊 Ref. 同前  
*Zavrelimyia pleuralis* (Tokunaga, 1940) 恆春搖蚊 Ref. 同前

### Family Chloropidae 稗蠅科

*Anatrichus pygmaeus* Lamb, 1918 錫蘭稗蠅 Ref. Lin & Chen, 1999  
*Anthracophaga albovariegata* Thomson, 1869 趨白稗蠅 Ref. 同前  
*Aprometopsis orientalis* Becker, 1924 東洋稗蠅 Ref. 同前  
*Arcuator setaria* (Becker, 1911) 粗毛稗蠅 Ref. 同前  
*Cadrena citreiformis* (Becker, 1911) 台南稗蠅 Ref. 同前  
*Cadrena minor* (Meijere, 1908) 小型稗蠅 Ref. 同前  
*Cadrena nigricornis* (Thomson, 1869) 黑角稗蠅 Ref. 同前  
*Cadrena pallida* (Loew, 1866) 灰白稗蠅 Ref. 同前  
*Cadrena pallida* (Meijere, 1904) 二線稗蠅 Ref. 同前  
*Calamoncosis sorella* (Becker, 1911) 安平稗蠅 Ref. 同前  
*Ceraiis rara* (Becker, 1911) 罕見稗蠅 Ref. 同前  
*Chlorops alishonenensis* Kanmiya, 1978 阿里稗蠅 Ref. 同前  
*Chlorops canaliculata* Becker, 1911 呂宋稗蠅 Ref. 同前

*Chlorops frontatus* Becker, 1911 闊額稈蠅 Ref. 同前  
*Chlorops grisescens* Becker, 1916 灰頭稈蠅 Ref. 同前  
*Chlorops lenis* Becker, 1924 矮小稈蠅 Ref. 同前  
*Chlorops nigricornoides* Sabrosky, 1930 台北稈蠅 Ref. 同前  
*Chlorops rubricollis* Becker, 1911 甲仙稈蠅 Ref. 同前  
*Chlorops stigmatella* Becker, 1911 雲南稈蠅 Ref. 同前  
*Chloropsina flavovaria* Becker, 1916 趨黃稈蠅 Ref. 同前  
*Conioscinella formosa* (Becker, 1911) 蓬萊稈蠅 Ref. 同前  
*Conioscinella griseicollis* (Becker, 1911) 灰胸稈蠅 Ref. 同前  
*Conioscinella griseostriata* Duda, 1930 灰線稈蠅 Ref. 同前  
*Conioscinella intrita* (Becker, 1911) 集集稈蠅 Ref. 同前  
*Conioscinella maculata* (Becker, 1911) 斑點稈蠅 Ref. 同前  
*Conioscinella nigrohalterata* Duda, 1930 黑棍稈蠅 Ref. 同前  
*Conioscinella opacifrons* Duda, 1930 斑額稈蠅 Ref. 同前  
*Conioscinella pallidinervis* (Becker, 1911) 淡色稈蠅 Ref. 同前  
*Conioscinella poecilogaster* (Becker, 1911) 雅腹稈蠅 Ref. 同前  
*Conioscinella pumilio* (Becker, 1916) 矮人稈蠅 Ref. 同前  
*Conioscinella sauteri* Duda, 1930 邵氏稈蠅 Ref. 同前  
*Conioscinella semimaculata* (Becker, 1911) 半斑稈蠅 Ref. 同前  
*Conioscinella similans* (Becker, 1911) 北投稈蠅 Ref. 同前  
*Conioscinella subnitens* (Becker, 1924) 排灣稈蠅 Ref. 同前  
*Conioscinella tenuiseta* (Becker, 1911) 窄鬚稈蠅 Ref. 同前  
*Cordylosomides tuberifer* (Becker, 1912) 多瘤稈蠅 Ref. 同前  
*Dacylothyrea spinipes* Becker, 1916 棘足稈蠅 Ref. 同前  
*Dicraeus flavipes* Duda, 1930 黃足稈蠅 Ref. 同前  
*Dicraeus glabrina* (Becker, 1924) 無毛稈蠅 Ref. 同前  
*Dicraeus orientalis* Becker, 1911 亞東稈蠅 Ref. 同前  
*Disciphus peregrinus* Becker, 1911 遊蕩稈蠅 Ref. 同前  
*Elachiptera (Elachiptera) brevipennis* (Meigen, 1930) 窄翅稈蠅 Ref. 同前  
*Elachiptera (Elachiptera) insignis* (Thomson, 1869) 奇異稈蠅 Ref. 同前  
*Elachiptera (Melanochaeta) umbrosa* Becker, 1924 陰影稈蠅 Ref. 同前  
*Eurina orientalis* Becker, 1911 東亞稈蠅 Ref. 同前  
*Eutropha flavofrontata* (Becker, 1911) 黃顏稈蠅 Ref. 同前  
*Eutropha frarinoso* (Becker, 1911) 白粉稈蠅 Ref. 同前  
*Eutropha nigroscutellata* (Becker, 1911) 黑楯稈蠅 Ref. 同前  
*Eutropha oldenbergi* Duda, 1934 歐氏稈蠅 Ref. 同前  
*Fiebrigilla luteifrons* (Duda, 1934) 橙額稈蠅 Ref. 同前  
*Formosina adolescens* Becker, 1916 韶華稈蠅 Ref. 同前  
*Formosina gigas* Becker, 1911 巨型稈蠅 Ref. 同前  
*Formosina lucens* (Meijere, 1908) 光耀稈蠅 Ref. 同前  
*Formosina ochracea* Becker, 1911 淺黃稈蠅 Ref. 同前  
*Formosina tumida* Becker, 1916 臃腫稈蠅 Ref. 同前  
*Gampsocera albopilosa* (Becker, 1924) 白毛稈蠅 Ref. 同前  
*Gampsocera binotata* Becker, 1911 品頭稈蠅 Ref. 同前  
*Gampsocera curvinervis* Becker, 1911 曲筋稈蠅 Ref. 同前  
*Gampsocera divisa* Becker, 1911 分離稈蠅 Ref. 同前  
*Gampsocera lanceolata* Becker, 1911 小鎗稈蠅 Ref. 同前  
*Gampsocera latipennis* Becker, 1911 寬翅稈蠅 Ref. 同前  
*Gampsocera maculipennis* Becker, 1911 斑翅稈蠅 Ref. 同前  
*Gampsocera mutata* Becker, 1911 流浪稈蠅 Ref. 同前  
*Gaurax aequalis* Becker, 1911 埔里稈蠅 Ref. 同前  
*Gaurax atrifrons* Becker, 1911 黑額稈蠅 Ref. 同前  
*Gaurax nevrvusos* Becker, 1911 靈活稈蠅 Ref. 同前  
*Gaurax oculus* Becker, 1911 慧眼稈蠅 Ref. 同前  
*Gaurax piceus* Becker, 1911 幽黑稈蠅 Ref. 同前  
*Haplegis diadema* (Meigen, 1830) 王冠稈蠅 Ref. 同前  
*Meijerella cavernae* (Meijere, 1913) 洞穴稈蠅 Ref. 同前  
*Meijerella inaequalis* (Becker, 1911) 異形稈蠅 Ref. 同前  
*Mepachymerus (Steleocerellus) ensifer* (Thomson, 1869) 佩劍稈蠅 Ref. 同前  
*Mepachymerus (Steleocerellus) formosus* (Becker, 1911) 美麗稈蠅 Ref. 同前  
*Mepachymerus (Steleocerellus) obscurellus* (Becker, 1911) 陰密稈蠅 Ref. 同前  
*Mepachymerus (Steleocerellus) pallisior* (Becker, 1924) 嬌嫩稈蠅 Ref. 同前  
*Metopostigma sauteri* Becker, 1911 印度稈蠅 Ref. 同前  
*Myrmecosepsis hystrix* Kertész, 1914 豪豬稈蠅 Ref. 同前  
*Neoloxotaenis gracilis* Meijere, 1908 瘦弱稈蠅 Ref. 同前  
*Oscinella costalis* (Duda, 1930) 雙肋稈蠅 Ref. 同前  
*Oscinella fallax* Duda, 1934 狡猾稈蠅 Ref. 同前  
*Oscinella similifrons* Becker, 1911 澳洲稈蠅 Ref. 同前  
*Oscinella ventralis* Becker, 1916 腰帶稈蠅 Ref. 同前  
*Oscinisoma rectum* (Becker, 1911) 正直稈蠅 Ref. 同前  
*Pachylophus rufescens* (Meijere, 1904) 趨紅稈蠅 Ref. 同前  
*Phyladelphus infuscatus* Becker, 1916 褐棕稈蠅 Ref. 同前

*Pseudeurina maculata* Meijere, 1904 黃斑稈蠅 Ref. 同前  
*Pseudogoniopsita siphonelloides* (Becker, 1911) 高雄稈蠅 Ref. 同前  
*Rhodesiella chue* Kanmiya, 1987 朱氏稈蠅 Ref. 同前  
*Rhodesiella dimidiata* (Becker, 1911) 分隔稈蠅 Ref. 同前  
*Rhodesiella elegantula* (Becker, 1911) 優雅稈蠅 Ref. 同前  
*Rhodesiella finitima* (Becker, 1911) 邊界稈蠅 Ref. 同前  
*Rhodesiella kanoi* Kanmiya, 1987 加納稈蠅 Ref. 同前  
*Rhodesiella monticola* Kanmiya, 1987 高山稈蠅 Ref. 同前  
*Rhodesiella nigrovenosa* (Meijere, 1924) 黑脈稈蠅 Ref. 同前  
*Rhodesiella nitidifrons* (Becker, 1911) 光額稈蠅 Ref. 同前  
*Rhodesiella pernigra* Kanmiya, 1987 極黑稈蠅 Ref. 同前  
*Rhodesiella sauteri* (Duda, 1930) 邵德稈蠅 Ref. 同前  
*Rhodesiella scutellata* (Meijere, 1908) 小盾稈蠅 Ref. 同前  
*Rhodesiella yamagishii* Kanmiya, 1983 長腿稈蠅 Ref. 同前  
*Scoliophthalmus augustifrons* (Duda, 1930) 狹額稈蠅 Ref. 同前  
*Scoliophthalmus formosanus* (Duda, 1930) 台灣稈蠅 Ref. 同前  
*Scoliophthalmus pallisinervis* Becker, 1916 淺色稈蠅 Ref. 同前  
*Sepsidoscinis maculipennis* Hendel, 1914 海南稈蠅 Ref. 同前  
*Siphunculina bella* Kanmiya, 1989 俊秀稈蠅 Ref. 同前  
*Siphunculina minima* (Meijere, 1908) 微小稈蠅 Ref. 同前  
*Siphunculina striolata* (Wiedemann, 1930) 條紋稈蠅 Ref. 同前  
*Stenoscinis aequisepta* (Duda, 1930) 南台稈蠅 Ref. 同前  
*Thaumatomyia longicollis* Becker, 1924 長頸稈蠅 Ref. 同前  
*Thaumatomyia notata* (Meigen, 1830) 標誌稈蠅 Ref. 同前  
*Thressa beckeri* (Meijere, 1913) 培氏稈蠅 Ref. 同前  
*Thressa cyanescens* (Becker, 1916) 蔚藍稈蠅 Ref. 同前  
*Tricimba fascipes* (Becker, 1911) 帶足稈蠅 Ref. 同前  
*Tricimba marina* (Becker, 1911) 海洋稈蠅 Ref. 同前

#### Family Chyromyidae 液蠅科

*Aphaniosoma thoracale* Hendel, 1913 胸甲液蠅 Ref. Lin & Chen, 1999  
*Chyromya hedia* Hendel, 1913 安平液蠅 Ref. 同前

#### Family Clusiidae 澳蠅科

*Allometopon (Calometopon) atromaculata* (Hennig, 1938) 黑斑澳蠅 Ref. Lin & Chen, 1999  
*Clusiodes (Microclusiaria) fromosana* Hennig, 1938 台灣澳蠅 Ref. 同前  
*Czernyola biseta* Hendel, 1913 雙毛澳蠅 Ref. 同前  
*Hendelia (Prohendelia) freyi* Soos, 1963 福瑞澳蠅 Ref. 同前  
*Heteromeriingia nitobei* Sasakawa, 1966 新渡戶澳蠅 Ref. 同前  
*Phylloclesia steleceera* Hendel, 1913 甲仙澳蠅 Ref. 同前

#### Family Conopidae 眼蠅科

*Conops (Conops) nebeculosus* Kroker, 1913 黃角眼蠅 Ref. Lin & Chen, 1999  
*Conops (Conops) negripes* Kroker, 1913 黑足眼蠅 Ref. 同前  
*Conops (Conops) nubeculosus* Bigot, 1887 雲彩眼蠅 Ref. 同前  
*Conops (Conops) rufomaculatus* Kroker, 1915 紅斑眼蠅 Ref. 同前  
*Neobrachyceraea obscuripennis* (Kroker, 1913) 暗翅眼蠅 Ref. 同前  
*Physocephala limbipennis* Meijere, 1910 寬翅眼蠅 Ref. 同前  
*Physocephala sauteri* Kroker, 1913 邵氏眼蠅 Ref. 同前  
*Thecophora caeovalva* (Kroker, 1915) 達邦眼蠅 Ref. 同前  
*Thecophora sauteri* (Kroker, 1915) 國姓眼蠅 Ref. 同前

#### Family Cryptochetidae 大角小蠅科

*Cryptochetum (Cryptochetum) grandicorne* Rondani, 1875 大角小蠅 Ref. Lin & Chen, 1999

#### Family Ctenostylidae

*Nepaliseta ashleyi* Barraclough, 1998 Ref. Korneyev, 2001

#### Family Culicidae 蚊科

*Aedes (Aedimorphus) alboscuteclatus* (Theobald, 1905) 白盾斑蚊 Ref. Lin & Chen, 1999  
*Aedes (Aedimorphus) vexans* (Meigen, 1830) 白肋斑蚊 Ref. 同前  
*Aedes (Cancraedes) penghuensis* Lien, 1968 澎湖斑蚊 Ref. 同前  
*Aedes (Finlaya) albocinctus* (Barraud, 1924) 白背斑蚊 Ref. 同前  
*Aedes (Finlaya) albplateralis* (Theobald, 1908) 側白斑蚊 Ref. 同前  
*Aedes (Finlaya) aureostriatus* Lien, 1968 金線斑蚊 Ref. 同前  
*Aedes (Finlaya) chungii* Lien, 1968 鐘氏斑蚊 Ref. 同前  
*Aedes (Finlaya) crossi* Lien, 1967 高氏斑蚊 Ref. 同前  
*Aedes (Finlaya) elasiae* Lien, 1968 艾呂斑蚊 Ref. 同前  
*Aedes (Finlaya) formosensis* Yamada, 1921 台灣斑蚊 Ref. 同前  
*Aedes (Finlaya) harveyi* (Barraud, 1923) 哈氏斑蚊 Ref. 同前  
*Aedes (Finlaya) hatorii* Yamada, 1921 羽鳥斑蚊 Ref. 同前  
*Aedes (Finlaya) hurlbuti* Lien, 1967 赫氏斑蚊 Ref. 同前  
*Aedes (Finlaya) japonicus* Tsai & Lien, 1950 日本斑蚊 Ref. 同前  
*Aedes (Finlaya) loi* Lien, 1968 羅氏斑蚊 Ref. 同前  
*Aedes (Finlaya) melanopterus* (Giles, 1904) 黑翅斑蚊 Ref. 同前

*Aedes (Finlaya) omorii* Lien, 1968 大森斑蚊 Ref. 同前  
*Aedes (Finlaya) pulchriventer* Lien, 1968 美腹斑蚊 Ref. 同前  
*Aedes (Finlaya) sinensis* Chow, 1950 中華斑蚊 Ref. 同前  
*Aedes (Finlaya) togoi* (Theobald, 1907) 東鄉斑蚊 Ref. 同前  
*Aedes (Finlaya) watteni* Lien, 1968 華登斑蚊 Ref. 同前  
*Aedes (Lorrainea) amesii* (Ludlow, 1903) 阿美斑蚊 Ref. 同前  
*Aedes (Neomelaniconion) lineatopennis* (Ludlow, 1905) 窄翅斑蚊 Ref. 同前  
*Aedes (Ochrelotatus) dorsalis* (Meigen, 1830) 背點斑蚊 Ref. 同前  
*Aedes (Ochrelotatus) vigilax* (Skuse, 1889) 白喙斑蚊 Ref. 同前  
*Aedes (Stegomyia) aegypti* (Linnaeus, 1762) 埃及斑蚊 Ref. 同前  
*Aedes (Stegomyia) albolineatus* (Theobald, 1904) 白點斑蚊 Ref. 同前  
*Aedes (Stegomyia) albopictus* (Skuse, 1894) 白線斑蚊 Ref. 同前  
*Aedes (Stegomyia) alcasisidi* Huang, 1972 阿氏斑蚊 Ref. 同前  
*Aedes (Stegomyia) annandalei* (Theobald, 1910) 安氏斑蚊 Ref. 同前  
*Aedes (Stegomyia) desmotes* (Giles, 1904) 帶紋斑蚊 Ref. 同前  
*Aedes (Stegomyia) gardnerii* (Leicester, 1908) 加氏斑蚊 Ref. 同前  
*Aedes (Stegomyia) malikuli* Huang, 1973 馬氏斑蚊 Ref. 同前  
*Aedes (Stegomyia) patriciae* Mattingly, 1954 巴氏斑蚊 Ref. 同前  
*Aedes (Stegomyia) pseudoalbopictus* (Borel, 1938) 偽白線斑蚊 Ref. 同前  
*Anophelinae (Anophelinae) barbumbrosus* Strickland & Chowdhury, 1927 粗鬚瘧蚊 Ref. 同前  
*Anophelinae (Anophelinae) bengalensis* Puri, 1930 褐色瘧蚊 Ref. 同前  
*Anophelinae (Anophelinae) gigas* Edwards, 1927 巨大瘧蚊 Ref. 同前  
*Anophelinae (Anophelinae) insulaeflorum* (Swellengrebel & Graaf, 1919) 灰色瘧蚊 Ref. 同前  
*Anophelinae (Anophelinae) lindesayi* Koizumi, 1924 深山瘧蚊 Ref. 同前  
*Anophelinae (Anophelinae) sinensis* Wiedemann, 1828 中華瘧蚊 Ref. 同前  
*Anophelinae (Cellia) annularis* Wulp, 1884 黑鮑瘧蚊 Ref. 同前  
*Anophelinae (Cellia) fluviatilis* James, 1902 溪溝瘧蚊 Ref. 同前  
*Anophelinae (Cellia) indefinitus* (Ludlow, 1904) 鹹水瘧蚊 Ref. 同前  
*Anophelinae (Cellia) jeyporiensis* Koizumi, 1924 月潭瘧蚊 Ref. 同前  
*Anophelinae (Cellia) kochi* Doenitz, 1901 寇氏瘧蚊 Ref. 同前  
*Anophelinae (Cellia) ludlowae* (Theobald, 1903) 河床瘧蚊 Ref. 同前  
*Anophelinae (Cellia) maculata* Theobald, 1901 斑腳瘧蚊 Ref. 同前  
*Anophelinae (Cellia) minimus* Theobald, 1901 矮小瘧蚊 Ref. 同前  
*Anophelinae (Cellia) splendidus* Koizumi, 1920 華麗瘧蚊 Ref. 同前  
*Anophelinae (Cellia) takasagoensis* Morishita, 1946 黃尾瘧蚊 Ref. 同前  
*Anophelinae (Cellia) tessellatus* Theobald, 1901 多斑瘧蚊 Ref. 同前  
*Armigeres (Armigeres) baisasi* Stone & Thurman, 1958 白氏叢蚊 Ref. 同前  
*Armigeres (Armigeres) digitatus* (Edwards, 1914) 指狀叢蚊 Ref. 同前  
*Armigeres (Armigeres) flavus* (Leicester, 1908) 黃色叢蚊 Ref. 同前  
*Armigeres (Armigeres) magnus* (Theobald, 1908) 巨型叢蚊 Ref. 同前  
*Armigeres (Armigeres) omissus* (Edwards, 1914) 芋生叢蚊 Ref. 同前  
*Armigeres (Armigeres) subalbatus* (Coquillett, 1989) 白腹叢蚊 Ref. 同前  
*Armigeres (Leicesteria) annularis* (Leicester, 1908) 環附叢蚊 Ref. 同前  
*Coquillettia (Coquillettia) crassipes* (Wulp, 1881) 袋蓮荷蚊 Ref. 同前  
*Coquillettia (Coquillettia) nigrosignata* (Edwards, 1917) 黑斑荷蚊 Ref. 同前  
*Culex (Culex) alis* Theobald, 1903 海岸家蚊 Ref. 同前  
*Culex (Culex) bitaeniorhynchus* Giles, 1901 二斑家蚊 Ref. 同前  
*Culex (Culex) fuscocephala* Theobald, 1907 白頭家蚊 Ref. 同前  
*Culex (Culex) gelidus* Theobald, 1901 白背家蚊 Ref. 同前  
*Culex (Culex) infula* Theobald, 1901 帶斑家蚊 Ref. 同前  
*Culex (Culex) kangi* Lien, 1968 康氏家蚊 Ref. 同前  
*Culex (Culex) mimeticus* Noe, 1899 斑翅家蚊 Ref. 同前  
*Culex (Culex) murrelli* Lien, 1968 莫氏家蚊 Ref. 同前  
*Culex (Culex) neomimulus* Lien, 1968 花翅家蚊 Ref. 同前  
*Culex (Culex) neovishnui* Lien, 1968 白吻家蚊 Ref. 同前  
*Culex (Culex) orientalis* Edwards, 1921 東方家蚊 Ref. 同前  
*Culex (Culex) pipiens* Say, 1824 熱帶家蚊 Ref. 同前  
*Culex (Culex) sinensis* Theobald, 1903 中華家蚊 Ref. 同前  
*Culex (Culex) sitiens* Wiedemann, 1828 鹹水家蚊 Ref. 同前  
*Culex (Culex) tritaeniorhynchus* Dyar, 1920 三斑家蚊 Ref. 同前  
*Culex (Culex) tsengi* Lien, 1968 曾氏家蚊 Ref. 同前  
*Culex (Culex) vagans* Wiedemann, 1828 白脛家蚊 Ref. 同前  
*Culex (Culex) vishnui* Theobald, 1901 環蚊家蚊 Ref. 同前  
*Culex (Culex) whitmorei* (Giles, 1904) 威勢家蚊 Ref. 同前  
*Culex (Culicomyia) hainanensis* Chen, 1977 南海家蚊 Ref. 同前  
*Culex (Culicomyia) kyotoensis* Yamaguchi & LaCasse, 1952 京都家蚊 Ref. 同前  
*Culex (Culicomyia) nigropunctatus* Edwards, 1926 黑點家蚊 Ref. 同前  
*Culex (Culicomyia) pallidothorax* Theobald, 1905 灰胸家蚊 Ref. 同前  
*Culex (Culicomyia) sasai* Kano, Nitahara & Awaya, 1954 佐佐家蚊 Ref. 同前  
*Culex (Eumelanomyia) brevialpis* (Giles, 1902) 短鬚家蚊 Ref. 同前  
*Culex (Eumelanomyia) foliatus* Brug, 1932 葉尾家蚊 Ref. 同前  
*Culex (Eumelanomyia) hayashii* Yamada, 1917 林氏家蚊 Ref. 同前

*Culex (Eumelanomyia) malayi* (Leicester, 1908) 馬來家蚊 Ref. 同前  
*Culex (Eumelanomyia) okinawae* Bohart, 1953 沖繩家蚊 Ref. 同前  
*Culex (Lophoceraomyia) hui* Lien, 1968 胡氏家蚊 Ref. 同前  
*Culex (Lophoceraomyia) infantulus* Edwards, 1922 小型家蚊 Ref. 同前  
*Culex (Lophoceraomyia) minor* Theobald, 1910 雙腳家蚊 Ref. 同前  
*Culex (Lophoceraomyia) rubithoracis* (Leicester, 1908) 紅胸家蚊 Ref. 同前  
*Culex (Lophoceraomyia) spiculosus* Barm & Rattanarithikul, 1967 多刺家蚊 Ref. 同前  
*Culex (Lutzia) fuscanus* Wiedemann, 1820 黃尾家蚊 Ref. 同前  
*Culex (Lutzia) halifaxii* Theobald, 1903 海氏家蚊 Ref. 同前  
*Culiseta (Culiseta) lishanensis* Lien, 1968 黎山絨蚊 Ref. 同前  
*Culiseta (Culiseta) niveitaeniata* (Theobald, 1907) 銀帶絨蚊 Ref. 同前  
*Heizmznnia (Heizmznnia) chengi* Lien, 1968 鄭氏黑蚊 Ref. 同前  
*Heizmznnia (Heizmznnia) lii* Wulp, 1936 李氏黑蚊 Ref. 同前  
*Heizmznnia (Heizmznnia) macdonaldi* Mattingly, 1957 麥氏黑蚊 Ref. 同前  
*Heizmznnia (Heizmznnia) reidi* Mattingly, 1957 黎氏黑蚊 Ref. 同前  
*Heizmznnia (Heizmznnia) taiwanensis* Lien, 1968 台灣黑蚊 Ref. 同前  
*Heizmznnia (Mattinglyia) catesi* (Lien, 1968) 凱氏黑蚊 Ref. 同前  
*Malaya genurostrus* Leicester, 1903 曲喙黑蚊 Ref. 同前  
*Malaya jacobsoni* (Edwards, 1930) 雅氏芋蚊 Ref. 同前  
*Mansonia (Mansonioides) uniformis* (Theobald, 1901) 斑腳沼蚊 Ref. 同前  
*Minmomyia (Etorleptomyia) luzonensis* (Ludlow, 1905) 呂宋妙蚊 Ref. 同前  
*Minmomyia (Ingramia) fusca* (Leicester, 1908) 灰色妙蚊 Ref. 同前  
*Minmomyia (Mimomyia) chamberlaini* (Leicester, 1908) 詹氏妙蚊 Ref. 同前  
*Orthopodomyia anopheloides* (Giles, 1903) 斑翅直蚊 Ref. 同前  
*Orthopodomyia lanyuensis* Lien, 1968 蘭嶼直蚊 Ref. 同前  
*Topomyia (Suamyia) yanbarensis* Miyagi, 1967 細竹土蚊 Ref. 同前  
*Toxorhynchites (Toxorhynchites) aurifluus* (Edwards, 1921) 金腹巨蚊 Ref. 同前  
*Toxorhynchites (Toxorhynchites) manicates* (Edwards, 1921) 紫色巨蚊 Ref. 同前  
*Tripteroides (Rachionotomyia) aranoides* (Theobald, 1901) 蛛形翠蚊 Ref. 同前  
*Tripteroides (Tripteroides) bambusa* (Yamada, 1917) 竹生翠蚊 Ref. 同前  
*Tripteroides (Tripteroides) cheni* Lien, 1968 陳氏翠蚊 Ref. 同前  
*Uranotaenia (Pseudoficalbia) lui* Lien, 1968 呂氏小蚊 Ref. 同前  
*Uranotaenia (Pseudoficalbia) maxima* Leicester, 1908 特大小蚊 Ref. 同前  
*Uranotaenia (Pseudoficalbia) nii* Lien, 1968 尼氏小蚊 Ref. 同前  
*Uranotaenia (Pseudoficalbia) nivipleura* Leicester, 1908 白肋小蚊 Ref. 同前  
*Uranotaenia (Pseudoficalbia) novobscura* Barraud, 1934 新黑小蚊 Ref. 同前  
*Uranotaenia (Pseudoficalbia) spiculosa* Peyton & Rattanarithikul, 1970 多刺小蚊 Ref. 同前  
*Uranotaenia (Pseudoficalbia) yaeyamana* Tanaka, Mizusawa & Saugstad, 1975 巴重山小蚊 Ref. 同前  
*Uranotaenia (Uranotaensis) annandalei* Barraud, 1926 安氏小蚊 Ref. 同前  
*Uranotaenia (Uranotaensis) hebes* Barraud, 1931 淡色小蚊 Ref. 同前  
*Uranotaenia (Uranotaensis) macferlanei* Edwards, 1914 麥氏小蚊 Ref. 同前

#### Family Curtonotidae 擬果蠅科

*Axinota hyalipennis* (Hendel, 1914) 透翅渚蠅 Ref. Lin & Chen, 1999

#### Family Cypselostomatidae 黃腳蠅科

*Cyselosoma gephyrae* Hendel, 1913 黃腳蠅 Ref. Lin & Chen, 1999

*Formicosepsis hamata* (Enderlein, 1920) 鉤狀量腳蠅 Ref. 同前

#### Family Diadocidiidae

*Diadocidia globosa* Papp & Sevcik, 2005 Ref. Papp & Sevcik, 2005

*Diadocidia sevciki* Papp & Sevcik, 2005 Ref. 同前

#### Family Diopsidae 炳眼蠅科

*Pseudodioasis detrajens* (Walker, 1860) 南洋炳眼蠅 Ref. Lin & Chen, 1999

*Teleopsis quadriguttata* (Walker, 1856) 四斑炳眼蠅 Ref. 同前

#### Family Ditomyiidae 准葦蚊科

*Symmerus (Psilosymmerus) pectinatus* Saigusa, 1966 Ref. Papp, 2007

#### Family Dixidae 細蚊科

*Dixa foldvarii* Papp, 2007 Ref. Papp, 2007

*Dixa formosana* Papp, 2007 Ref. Papp, 2007

*Dixa nigripleura* Papp, 2007 Ref. Papp, 2007

*Dixella pilosiflagellata* Papp, 2007 Ref. Papp, 2007

#### Family Dolichopodidae 長足虻科

*Anasyntormon exceptum* (Becker, 1922) 集集長足虻 Ref. Lin & Chen, 1999

*Aphalacrosona taiwanense* Zhang et al., 2005 Ref. Zhang, Yang & Masunaga, 2005

*Asyndetus calcartus* Becker, 1869 長距長足虻 Ref. Lin & Chen, 1999

*Asyndetus latifrons* (Loew, 1857) 東巴長足虻 Ref. 同前

*Asyndetus mutatus* Becker, 1922 變換長足虻 Ref. 同前

*Campsicnemus glaucus* Becker, 1924 碧綠長足虻 Ref. 同前

*Campsicnemus halidaya* Dyte, 1924 哈氏長足虻 Ref. 同前

*Campsicnemus intermittens* Becker, 1924 排灣長足虻 Ref. 同前

*Campsicnemus lucidus* Becker, 1924 輝煌長足虻 Ref. 同前  
*Campsicnemus obscuratus* Becker, 1924 幽暗長足虻 Ref. 同前  
*Chrysosoma abruptum* (Walker, 1860) 分離長足虻 Ref. 同前  
*Chrysosoma apicatum* Becker, 1922 帶帽長足虻 Ref. 同前  
*Chrysosoma cupido* (Walker, 1849) 渴望長足虻 Ref. 同前  
*Chrysosoma elongatum* Becker, 1922 伸展長足虻 Ref. 同前  
*Chrysosoma falcatum* Becker, 1922 鎌刀長足虻 Ref. 同前  
*Chrysosoma figuratum* Becker, 1922 象徵長足虻 Ref. 同前  
*Chrysosoma floccosum* Becker, 1922 多毛長足虻 Ref. 同前  
*Chrysosoma humile* Becker, 1922 微小長足虻 Ref. 同前  
*Chrysosoma ignobile* Becker, 1922 卑微長足虻 Ref. 同前  
*Chrysosoma imitans* Becker, 1922 安平長足虻 Ref. 同前  
*Chrysosoma interrogatum* Becker, 1924 港口長足虻 Ref. 同前  
*Chrysosoma leucopogon* (Wiedemann, 1824) 白鬚長足虻 Ref. 同前  
*Chrysosoma pallidicorne* (Grimshaw, 1901) 淡角長足虻 Ref. 同前  
*Chrysosoma patellifer* (Thomson, 1869) 關島長足虻 Ref. 同前  
*Chrysosoma pauper* Becker, 1922 貧弱長足虻 Ref. 同前  
*Chrysosoma piriforme* Becker, 1922 梨形長足虻 Ref. 同前  
*Chrysosoma platypum* Becker, 1922 平足長足虻 Ref. 同前  
*Chrysosoma prolongatum* Parent, 1928 延長長足虻 Ref. 同前  
*Chrysosoma rubicundum* Becker, 1922 祖密長足虻 Ref. 同前  
*Chrysosoma sauteri* Becker, 1924 邵氏長足虻 Ref. 同前  
*Chrysotus adsiduus* Becker, 1922 勤勉長足虻 Ref. 同前  
*Chrysotus albisignatus* Becker, 1924 白烙長足虻 Ref. 同前  
*Chrysotus degener* Frey, 1917 頹唐長足虻 Ref. 同前  
*Chrysotus discretus* Becker, 1922 明辨長足虻 Ref. 同前  
*Chrysotus excretus* Becker, 1922 呂宋長足虻 Ref. 同前  
*Chrysotus gratiosus* Becker, 1922 尊貴長足虻 Ref. 同前  
*Chrysotus incumbens* Becker, 1924 專一長足虻 Ref. 同前  
*Chrysotus javanensis* Meijere, 1916 爪哇長足虻 Ref. 同前  
*Chrysotus lividiventris* Becker, 1924 籃腹長足虻 Ref. 同前  
*Chrysotus mobilis* Becker, 1924 銳敏長足虻 Ref. 同前  
*Conchopus taivanensis* Takagi, 1967 台灣長足虻 Ref. 同前  
*Condylostylus fenestratus* (Wulp, 1892) 窗點長足虻 Ref. 同前  
*Condylostylus luteicoxa* Parent, 1929 黃股長足虻 Ref. 同前  
*Condylostylus ornateripennis* (Meijere, 1910) 彩羽長足虻 Ref. 同前  
*Condylostylus paraterminalis* Dyte, 1967 達邦長足虻 Ref. 同前  
*Condylostylus striatipennis* Becker, 1922 離線長足虻 Ref. 同前  
*Condylostylus tenebrosus* (Walker, 1857) 幽冥長足虻 Ref. 同前  
*Condylostylus theodori* Frey, 1925 提氏長足虻 Ref. 同前  
*Diaphorus aptatus* Becker, 1922 相稱長足虻 Ref. 同前  
*Diaphorus condignus* Becker, 1922 相宜長足虻 Ref. 同前  
*Diaphorus impiger* Becker, 1922 積極長足虻 Ref. 同前  
*Diaphorus intactus* Becker, 1922 無玷長足虻 Ref. 同前  
*Diaphorus lividus* Parent, 1941 黃腰長足虻 Ref. 同前  
*Diaphorus mandarinus* Wiedemann, 1830 中國長足虻 Ref. 同前  
*Diaphorus minor* Meijere, 1916 小型長足虻 Ref. 同前  
*Diaphorus ochripes* Becker, 1922 黃足長足虻 Ref. 同前  
*Diaphorus protervus* Becker, 1922 狂暴長足虻 Ref. 同前  
*Diaphorus satellus* Becker, 1922 侍衛長足虻 Ref. 同前  
*Diaphorus sequens* Becker, 1922 侍從長足虻 Ref. 同前  
*Diaphorus simulans* Becker, 1922 偽裝長足虻 Ref. 同前  
*Diaphorus wonosobensis* Meijere, 1916 南洋長足虻 Ref. 同前  
*Diostracus kimotoi* Takagi, 1968 木本長足虻 Ref. 同前  
*Diostracus saigusai* Takagi, 1968 賽氏長足虻 Ref. 同前  
*Diostracus undulatus* Takagi, 1968 波紋長足虻 Ref. 同前  
*Dolichopus angustinervis* Becker, 1922 江蘇長足虻 Ref. 同前  
*Dolichopus howjingleci* Olejnicek, 2002 Ref. Olejnicek, 2002  
*Hercostomus aerosus* (Fallen, 1823) 銅色長足虻 Ref. Lin & Chen, 1999  
*Hercostomus albidipes* Becker, 1922 白足長足虻 Ref. 同前  
*Hercostomus blandulus* Becker, 1922 芬芳長足虻 Ref. 同前  
*Hercostomus chiaiensis* Zhang et al., 2004 Ref. Zhang, Yang & Masunaga, 2004  
*Hercostomus congruens* Becker, 1922 協和長足虻 Ref. Lin & Chen, 1999  
*Hercostomus gregalis* Becker, 1922 群眾長足虻 Ref. 同前  
*Hercostomus hualienensis* Zhang et al., 2004 Ref. Zhang, Yang & Masunaga, 2004  
*Hercostomus inclusus* Becker, 1922 禁錮長足虻 Ref. Lin & Chen, 1999  
*Hercostomus incrassatus* Becker, 1922 壯碩長足虻 Ref. 同前  
*Hercostomus luciduventris* Becker, 1922 亮腹長足虻 Ref. 同前  
*Hercostomus lunlatus* Becker, 1922 紫胸長足虻 Ref. 同前  
*Hercostomus notatus* Becker, 1922 標識長足虻 Ref. 同前  
*Hercostomus ovatus* Becker, 1922 喝彩長足虻 Ref. 同前  
*Hercostomus porrectus* Becker, 1922 平直長足虻 Ref. 同前

*Hercostomus promotus* Becker, 1922 印度長足虻 Ref. 同前  
*Hercostomus regularis* Becker, 1922 標準長足虻 Ref. 同前  
*Hercostomus rollei* Parent, 1941 洛氏長足虻 Ref. 同前  
*Hercostomus sequens* Becker, 1922 侍從長足虻 Ref. 同前  
*Hercostomus sodalis* Becker, 1922 伙伴長足虻 Ref. 同前  
*Hercostomus taitungensis* Zhang et al., 2004 Ref. Zhang, Yang & Masunaga, 2004  
*Hercostomus taiwanensis* Zhang et al., 2005 Ref. Zhang, Yang & Masunaga, 2005  
*Hercostomus (Hercostomus) siveci* Zhang et al., 2005 Ref. 同前  
*Hercostomus (Hercostomus) taipeiensis* Zhang et al., 2005 Ref. 同前  
*Hydrophorus grisellus* Becker, 1922 灰色長足虻 Ref. Lin & Chen, 1999  
*Hydrophorus praecox* (Lehmann, 1822) 汎球長足虻 Ref. 同前  
*Hypocharassus ferinosus* Becker, 1922 白粉長足虻 Ref. 同前  
*Liancalus benedictus* Becker, 1922 降福長足虻 Ref. 同前  
*Lichtwardtia ziczac* (Wiedemann, 1824) 曲折長足虻 Ref. 同前  
*Mastigomyia gratiosa* Becker, 1924 奉承長足虻 Ref. 同前  
*Medetera grisescens* Meijere, 1916 緬甸長足虻 Ref. 同前  
*Medetera longa* Negrobov & Thunberg, 1970 長尾長足虻 Ref. 同前  
*Medetera vivida* Becker, 1922 活潑長足虻 Ref. 同前  
*Medetera yangi* Zhu et al., 2005 Ref. Zhu, Yang & Masunaga, 2005  
*Megistostylus longicornis* (Fabricius, 1775) 長角長足虻 Ref. Lin & Chen, 1999  
*Mesorhaga dispar* Becker, 1922 高雄長足虻 Ref. 同前  
*Mesorhaga septima* Becker, 1922 府城長足虻 Ref. 同前  
*Mesorhaga stylata* Becker, 1922 柱狀長足虻 Ref. 同前  
*Nepalomyia horvati* Wang & Yang, 2004 Ref. Wang & Yang, 2004  
*Nepalomyia siveci* Wang & Yang, 2004 Ref. 同前  
*Nepalomyia taiwanensis* Wang & Yang, 2004 Ref. 同前  
*Neurigona composita* Becker, 1922 安穩長足虻 Ref. Lin & Chen, 1999  
*Neurigona denudata* Becker, 1922 卑南長足虻 Ref. 同前  
*Neurigona exemta* Becker, 1922 錫蘭長足虻 Ref. 同前  
*Neurigona gemina* Becker, 1922 孿生長足虻 Ref. 同前  
*Neurigona pectinata* Becker, 1922 櫛比長足虻 Ref. 同前  
*Paraclius adligatus* Becker, 1922 細縛長足虻 Ref. 同前  
*Paraclius interductus* Becker, 1922 標點長足虻 Ref. 同前  
*Paraclius luculentus* Parent, 1941 優雅長足虻 Ref. 同前  
*Paraclius maculentus* Meijere, 1916 污斑長足虻 Ref. 同前  
*Paraclius nudus* Becker, 1922 純靜長足虻 Ref. 同前  
*Paraclius pilosellus* Becker, 1922 黑角長足虻 Ref. 同前  
*Paralleloneurum cilifemoratum* Becker, 1902 毛脛長足虻 Ref. 同前  
*Pelatoneurus bifarius* Becker, 1922 甲仙長足虻 Ref. 同前  
*Pelatoneurus crassinervis* Parent, 1941 粗健長足虻 Ref. 同前  
*Pelatoneurus intactus* Becker, 1922 完美長足虻 Ref. 同前  
*Phalacrosona amoenum* Becker, 1922 溫和長足虻 Ref. 同前  
*Phalacrosona imperfectum* Becker, 1922 粗劣長足虻 Ref. 同前  
*Rhaphium eburnum* (Becker, 1927) 象牙長足虻 Ref. 同前  
*Rhaphium mediocris* (Becker, 1922) 普通長足虻 Ref. 同前  
*Rhaphium popularis* (Becker, 1922) 群聚長足虻 Ref. 同前  
*Rhaphium relatus* (Becker, 1922) 小販長足虻 Ref. 同前  
*Sciapus aequalis* Becker, 1922 南台長足虻 Ref. 同前  
*Sciapus arctus* Becker, 1922 北斗長足虻 Ref. 同前  
*Sciapus aurichalceus* Becker, 1922 金銅長足虻 Ref. 同前  
*Sciapus latitarsus* Becker, 1922 寬跗長足虻 Ref. 同前  
*Sciapus matatus* Becker, 1922 善變長足虻 Ref. 同前  
*Sciapus piger* Becker, 1922 疏懶長足虻 Ref. 同前  
*Sciapus rectus* (Wiedemann, 1930) 平直長足虻 Ref. 同前  
*Sciapus subtilis* Becker, 1924 纖細長足虻 Ref. 同前  
*Sciapus tardus* Becker, 1922 愚魯長足虻 Ref. 同前  
*Sciapus turbidus* Becker, 1922 混濁長足虻 Ref. 同前  
*Sympycnus apicalis* Meijere, 1916 端點長足虻 Ref. 同前  
*Sympycnus argentipes* Meijere, 1916 銀足長足虻 Ref. 同前  
*Sympycnus bisulcus* Becker, 1924 偶蹄長足虻 Ref. 同前  
*Sympycnus collectus* (Walker, 1857) 群聚長足虻 Ref. 同前  
*Sympycnus formosinus* Becker, 1922 大武長足虻 Ref. 同前  
*Sympycnus laetus* Becker, 1922 綺麗長足虻 Ref. 同前  
*Sympycnus luteoviridis* (Parent, 1932) 淺綠長足虻 Ref. 同前  
*Sympycnus maculatus* (Parent, 1932) 斑點長足虻 Ref. 同前  
*Sympycnus nodicornis* Becker, 1922 結角長足虻 Ref. 同前  
*Sympycnus nudus* Becker, 1922 赤裸長足虻 Ref. 同前  
*Sympycnus residuus* Becker, 1922 殘存長足虻 Ref. 同前  
*Sympycnus rutilus* Becker, 1922 鮮紅長足虻 Ref. 同前  
*Sympycnus tener* Becker, 1922 嬌嫩長足虻 Ref. 同前  
*Syntormon detritum* Becker, 1922 衰弱長足虻 Ref. 同前  
*Syntormon flexibile* Becker, 1922 柔順長足虻 Ref. 同前

*Tachytrechus genualis* Loew, 1857 黑腳長足虻 Ref. 同前  
*Tachytrechus picticornis* (Bigot, 1890) 青角長足虻 Ref. 同前  
*Terpsimyia semicinctus* (Becker, 1922) 半帶長足虻 Ref. 同前  
*Thinophilus diminuatius* Becker, 1922 趨小長足虻 Ref. 同前  
*Thinophilus foromosinus* Becker, 1922 台生長足虻 Ref. 同前  
*Thinophilus hilaris* Parent, 1941 和悅長足虻 Ref. 同前  
*Thinophilus indigenus* Becker, 1902 土產長足虻 Ref. 同前  
*Thinophilus insertus* Becker, 1922 串珠長足虻 Ref. 同前  
*Thinophilus integer* Becker, 1922 原始長足虻 Ref. 同前  
*Thinophilus seticolis* Becker, 1922 恆春長足虻 Ref. 同前  
*Thinophilus tessellatus* Becker, 1922 鏤雕長足虻 Ref. 同前  
*Trigonocera lucudiventris* Becker, 1922 晶瑩長足虻 Ref. 同前  
*Trigonocera rivosa* Becker, 1902 小溪長足虻 Ref. 同前

### Family Drosophilidae 果蠅科

*Amiota (Amiota) atomia* Maca & Lin, 1993 原子繞眼果蠅 Ref. Lin & Chen, 1999  
*Amiota (Amiota) dentata* Okada, 1971 齒列繞眼果蠅 Ref. 同前  
*Amiota (Amiota) furcata* Okada, 1971 長齒繞眼果蠅 Ref. 同前  
*Amiota (Amiota) okinawana* Okada, 1971 沖繩繞眼果蠅 Ref. 同前  
*Amiota (Amiota) sacculipes* Maca & Lin, 1993 快足繞眼果蠅 Ref. 同前  
*Amiota (Amiota) subfurcata* Okada, 1971 短齒繞眼果蠅 Ref. 同前  
*Amiota (Apsiphortica) lini* Okada, 1971 林氏繞眼果蠅 Ref. 同前  
*Amiota (Phortica) antheria* Okada, 1977 花繞眼果蠅 Ref. 同前  
*Amiota (Phortica) antillaria* Chen & Toda, 1997 反里繞眼果蠅 Ref. 同前  
*Amiota (Phortica) caudua* Okada, 1977 薊繞眼果蠅 Ref. 同前  
*Amiota (Phortica) eparmata* Okada, 1977 肥繞眼果蠅 Ref. 同前  
*Amiota (Phortica) fangae* Maca & Lin, 1993 方氏繞眼果蠅 Ref. 同前  
*Amiota (Phortica) flexuosa* Zhang & Gan, 1986 彎曲繞眼果蠅 Ref. 同前  
*Amiota (Phortica) foliacea* Tsacas & Okada, 1983 葉狀繞眼果蠅 Ref. 同前  
*Amiota (Phortica) foliiseta* Duda, 1923 葉鬚繞眼果蠅 Ref. 同前  
*Amiota (Phortica) gigas* Okada, 1977 大繞眼果蠅 Ref. 同前  
*Amiota (Phortica) hongae* Maca & Lin, 1993 洪氏繞眼果蠅 Ref. 同前  
*Amiota (Phortica) lambda* Toda & Peng, 1990 廣東繞眼果蠅 Ref. 同前  
*Amiota (Phortica) lineae* Maca & Lin, 1993 拉拉山繞眼果蠅 Ref. 同前  
*Amiota (Phortica) maculiceps* Duda, 1924 斑點繞眼果蠅 Ref. 同前  
*Amiota (Phortica) magna* Okada, 1960 巨型繞眼果蠅 Ref. 同前  
*Amiota (Phortica) orientalis* Hendel, 1914 東亞繞眼果蠅 Ref. 同前  
*Amiota (Phortica) paramagna* Okada, 1971 副大繞眼果蠅 Ref. 同前  
*Amiota (Phortica) perforcipata* Maca & Lin, 1993 谷關繞眼果蠅 Ref. 同前  
*Amiota (Phortica) speculum* Maca & Lin, 1993 偵測繞眼果蠅 Ref. 同前  
*Amiota (Phortica) subradiata* Okada, 1977 輻紋繞眼果蠅 Ref. 同前  
*Amiota (Phortica) variegata* (Fallen, 1923) 條紋繞眼果蠅 Ref. 同前  
*Amiota (Phortica) watanabei* Maca & Lin, 1993 渡邊繞眼果蠅 Ref. 同前  
*Cacoxenus (Gitonides) perspicax* Knab, 1914 斑點異果蠅 Ref. 同前  
*Chymomyza formosana* Okada, 1976 台灣吸汁果蠅 Ref. 同前  
*Chymomyza obscura* (Meijere, 1911) 昏黑吸汁果蠅 Ref. 同前  
*Chymomyza procnemis* (Williston, 1896) 白斑吸汁果蠅 Ref. 同前  
*Dettopsomyia formosa* Lamb, 1914 綺麗斑果蠅 Ref. 同前  
*Dettopsomyia nigrovittata* (Malloch, 1924) 黑絨斑果蠅 Ref. 同前  
*Drosophila paravibrissina* Duda, 1924 副鬚果蠅 Ref. 同前  
*Drosophila (Drosophila) busckii* Coquillett, 1901 巴氏果蠅 Ref. 同前  
*Drosophila (Drosophila) acutissima* Okada, 1956 扁鼻果蠅 Ref. 同前  
*Drosophila (Drosophila) albomicans* Duda, 1924 紅果蠅 Ref. 同前  
*Drosophila (Drosophila) angor* Lin & Ting, 1971 圓尾果蠅 Ref. 同前  
*Drosophila (Drosophila) annulipes* Duda, 1924 竹節果蠅 Ref. 同前  
*Drosophila (Drosophila) asper* Lin & Ting, 1971 漂水果蠅 Ref. 同前  
*Drosophila (Drosophila) bella* Lin & Ting, 1971 美麗果蠅 Ref. 同前  
*Drosophila (Drosophila) compressiceps* Duda, 1923 扁頭果蠅 Ref. 同前  
*Drosophila (Drosophila) curvicapillata* Duda, 1923 彎毛果蠅 Ref. 同前  
*Drosophila (Drosophila) daruma* Okada, 1956 不倒翁果蠅 Ref. 同前  
*Drosophila (Drosophila) formosana* Duda, 1926 台灣大果蠅 Ref. 同前  
*Drosophila (Drosophila) hoozani* Duda, 1923 鳳凰山果蠅 Ref. 同前  
*Drosophila (Drosophila) hydei* Sturtevant, 1921 海德氏果蠅 Ref. 同前  
*Drosophila (Drosophila) hypocausta* Osten Sacken, 1882 雄黑果蠅 Ref. 同前  
*Drosophila (Drosophila) immigrans* Sturtevant, 1921 大果蠅 Ref. 同前  
*Drosophila (Drosophila) lacertosa* Okada, 1956 蜥黑果蠅 Ref. 同前  
*Drosophila (Drosophila) lineolata* Meijere, 1914 小條紋果蠅 Ref. 同前  
*Drosophila (Drosophila) lineosa* (Walker, 1859) 白紋果蠅 Ref. 同前  
*Drosophila (Drosophila) lividinervis* Duda, 1923 藍脈果蠅 Ref. 同前  
*Drosophila (Drosophila) longifrons* Duda, 1923 長額果蠅 Ref. 同前  
*Drosophila (Drosophila) multistriata* Duda, 1923 複縱紋果蠅 Ref. 同前  
*Drosophila (Drosophila) neohypocausta* Lin & Wheeler, 1973 新雄黑果蠅 Ref. 同前

*Drosophila (Drosophila) nigrodigita* (Lin & Ting, 1971) 黑趾果蠅 Ref. 同前  
*Drosophila (Drosophila) obscurata* Meijere, 1911 小灰果蠅 Ref. 同前  
*Drosophila (Drosophila) quadrilineata* Meijere, 1911 四線果蠅 Ref. 同前  
*Drosophila (Drosophila) quinquestriata* Lin & Wheeler, 1973 五條紋果蠅 Ref. 同前  
*Drosophila (Drosophila) repleta* Wollaston, 1858 黑斑點果蠅 Ref. 同前  
*Drosophila (Drosophila) rubrrima* Meijere, 1911 暗褐大果蠅 Ref. 同前  
*Drosophila (Drosophila) signata* Duda, 1923 紋整大果蠅 Ref. 同前  
*Drosophila (Drosophila) silvata* Meijere, 1916 銀黃果蠅 Ref. 同前  
*Drosophila (Drosophila) singulata* Duda, 1924 分瓣果蠅 Ref. 同前  
*Drosophila (Drosophila) sui* Lin & Tseng, 1973 蘇氏果蠅 Ref. 同前  
*Drosophila (Drosophila) taipinsanensis* Lin & Tseng, 1973 太平山果蠅 Ref. 同前  
*Drosophila (Drosophila) tonpua* Lin & Ting, 1971 東埔大果蠅 Ref. 同前  
*Drosophila (Drosophila) xanthogaster* Duda, 1924 黃腹大果蠅 Ref. 同前  
*Drosophila (Lordiphosa) antillaria* Okada, 1984 反里果蠅 Ref. 同前  
*Drosophila (Lordiphosa) aurantifrons* Okada, 1984 金頭果蠅 Ref. 同前  
*Drosophila (Lordiphosa) chaolipinga* Okada, 1984 交力坪果蠅 Ref. 同前  
*Drosophila (Lordiphosa) penicula* Okada, 1984 毛刷果蠅 Ref. 同前  
*Drosophila (Lordiphosa) porrecta* Okada, 1984 長身果蠅 Ref. 同前  
*Drosophila (Lordiphosa) subantillaria* Okada, 1984 四反里果蠅 Ref. 同前  
*Drosophila (Phloridosia) nigrovesca* Lin & Ting, 1971 黑小板果蠅 Ref. 同前  
*Drosophila (Psilodorha) toyohii* Lin & Ting, 1971 豐日氏長果蠅 Ref. 同前  
*Drosophila (Sophophora) ananassae* Doleschall, 1859 嗜鳳梨果蠅 Ref. 同前  
*Drosophila (Sophophora) asahinai* Okada, 1967 朝比奈氏果蠅 Ref. 同前  
*Drosophila (Sophophora) auraria* Peng, 1937 嗜橘果蠅 Ref. 同前  
*Drosophila (Sophophora) austroheptica* Tsauro & Lin, 1991 南方水果果蠅 Ref. 同前  
*Drosophila (Sophophora) bipectinata* Duda, 1923 雙櫛果蠅 Ref. 同前  
*Drosophila (Sophophora) bocki* Baimai, 1979 包克氏果蠅 Ref. 同前  
*Drosophila (Sophophora) elegans* Boch & Wheeler, 1972 牽牛花果蠅 Ref. 同前  
*Drosophila (Sophophora) eugracilis* Boch & Wheeler, 1972 細真果蠅 Ref. 同前  
*Drosophila (Sophophora) ficusphila* Kikkawa & Peng, 1938 嗜榕果蠅 Ref. 同前  
*Drosophila (Sophophora) jumbilina* Parshad & Paika, 1964 印度果蠅 Ref. 同前  
*Drosophila (Sophophora) kikkawai* Burla, 1964 吉川氏果蠅 Ref. 同前  
*Drosophila (Sophophora) lini* Boch & Wheeler, 1972 林氏果蠅 Ref. 同前  
*Drosophila (Sophophora) lucipennis* Lin, 1972 透明翅果蠅 Ref. 同前  
*Drosophila (Sophophora) malekotliana* Parshad & Paika, 1964 馬勒哥果蠅 Ref. 同前  
*Drosophila (Sophophora) melanogaster* Meigen, 1830 黃果蠅 Ref. 同前  
*Drosophila (Sophophora) nepalensis* Okada, 1965 尼泊爾果蠅 Ref. 同前  
*Drosophila (Sophophora) parabiplectinata* Bock, 1971 副雙櫛果蠅 Ref. 同前  
*Drosophila (Sophophora) prostipennis* Lin, 1972 黑端翅果蠅 Ref. 同前  
*Drosophila (Sophophora) pulchrella* Tan, Hsu & Sheng, 1949 艷麗果蠅 Ref. 同前  
*Drosophila (Sophophora) quadraria* Bock & Wheeler, 1972 四櫛果蠅 Ref. 同前  
*Drosophila (Sophophora) sinobscura* Watabe, Teresawa & Lin, 1996 中華灰果蠅 Ref. 同前  
*Drosophila (Sophophora) suzukii* (Matsumusa, 1931) 鈴木氏果蠅 Ref. 同前  
*Drosophila (Sophophora) takahashii* Sturtevant, 1927 高橋氏果蠅 Ref. 同前  
*Drosophila (Sophophora) trapezifrons* Okada, 1966 頭紋果蠅 Ref. 同前  
*Drosophila (Sophophora) trilutea* Bock & Wheeler, 1972 三暗黃果蠅 Ref. 同前  
*Drosophila (Sophophora) tristipennis* Duda, 1924 三戟果蠅 Ref. 同前  
*Drosophila (Sophophora) uniplectinata* Duda, 1924 單櫛果蠅 Ref. 同前  
*Drosophillela alocasiae* Okada, 1975 姑婆芋果蠅 Ref. 同前  
*Drosophillela xenalocasiae* Okada, 1980 擬姑婆芋果蠅 Ref. 同前  
*Hirtodrosophila astoides* Duda, 1923 星紋果蠅 Ref. 同前  
*Hirtodrosophila audientis* Lin & Ting, 1971 綺麗果蠅 Ref. 同前  
*Hirtodrosophila dintata* Duda, 1924 齒紋果蠅 Ref. 同前  
*Hirtodrosophila fascipennis* Okada, 1967 齒紋果蠅 Ref. 同前  
*Hirtodrosophila hirtonigra* Bachli, 1973 單鬚果蠅 Ref. 同前  
*Hirtodrosophila latifrontata* Frota-Pessoa, 1945 寬鼻果蠅 Ref. 同前  
*Hirtodrosophila longecrinita* Duda, 1924 長鼻果蠅 Ref. 同前  
*Hirtodrosophila paradinticeps* Okada, 1971 側齒果蠅 Ref. 同前  
*Hirtodrosophila paralatifrontata* Bachli, 1973 副寬鼻果蠅 Ref. 同前  
*Hirtodrosophila trapezina* Duda, 1923 劍紋果蠅 Ref. 同前  
*Hirtodrosophila trivittata* Strobl, 1893 三絲果蠅 Ref. 同前  
*Hypselothyrea (Deplanothyrea) breviscutellata* Duda, 1928 短柄細翅果蠅 Ref. 同前  
*Hypselothyrea (Deplanothyrea) formosana* Papp, 2003 Ref. Papp, 2003  
*Hypselothyrea (Hypselothyrea) guttata* Duda, 1926 浪斑細翅果蠅 Ref. Lin & Chen, 1999  
*Lencophenga (Lencophenga) abbreviata* (Meijere, 1911) 灰身白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) albiceps* (Meijere, 1914) 白頭白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) argentata* (Meijere, 1914) 銀色白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) atriventris* Lin & Wheeler, 1972 寬腹白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) bellula* (Bergroth, 1894) 美麗白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) bifasciata* Duda, 1923 雙束白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) confluens* Duda, 1923 暗帶白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) digmasoma* Lin & Wheeler, 1972 劍盾白果蠅 Ref. 同前

*Lencophenga (Lencophenga) fenchihuensis* Okada, 1987 奮起湖白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) flavicosta* Duda, 1926 黃線白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) formosa* Okada, 1987 蓬萊白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) fuscipennis* Duda, 1923 暗翅白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) interrupta* Duda, 1924 緣白翅白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) latifrons* Duda, 1923 寬額白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) limbipennis* (Meijere, 1908) 黑翅緣白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) maculata* (Dufour, 1839) 黑斑白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) magnipalpis* Duda, 1923 大顎白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) meijerei* Duda, 1924 麥氏白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) nigrinervis* Duda, 1924 黑脈白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) nigripalpis* Duda, 1924 黑顎白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) nigroscutellata* Duda, 1924 黑楯白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) orientalis* Lin & Wheeler, 1972 東方白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) ornata* Wheeler, 1959 花飾白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) pectinata* Okada, 1968 梳翅白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) quadripunctata* (Meijere, 1908) 四斑白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) setipalpis* Duda, 1923 小顎白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) sordida* Duda, 1923 灰黑白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) spilossoma* Lin & Wheeler, 1972 斑腹白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) spinifera* Okada, 1987 棘腿白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) subacutipennis* Duda, 1924 粉斑白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) subpollinosa* (Meijere, 1914) 尖翅白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) taiwanensis* Lin & Wheeler, 1972 台灣白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) umbratula* Duda, 1924 覆黑白果蠅 Ref. 同前  
*Lencophenga (Lencophenga) varinervis* Duda, 1923 異脈白果蠅 Ref. 同前  
*Lencophenga (Nankangomyia) academica* Maca & Lin, 1993 舊庄白果蠅 Ref. 同前  
*Liodrosophila aerea* Okada, 1956 黃銅曙果蠅 Ref. 同前  
*Liodrosophila ceylonica* Okada, 1974 錫蘭曙果蠅 Ref. 同前  
*Liodrosophila ciliptipes* Okada, 1974 尖毛曙果蠅 Ref. 同前  
*Liodrosophila fuscata* Okada, 1974 暗紅曙果蠅 Ref. 同前  
*Liodrosophila globosa* Okada, 1965 圓身曙果蠅 Ref. 同前  
*Liodrosophila kimidiata* Duda, 1922 分瓣曙果蠅 Ref. 同前  
*Liodrosophila nitida* Duda, 1922 尖複曙果蠅 Ref. 同前  
*Liodrosophila quadrimaculata* Okada, 1974 四點曙果蠅 Ref. 同前  
*Liodrosophila spinata* Okada, 1974 有刺曙果蠅 Ref. 同前  
*Lissocephala bicolor* (Meijere, 1911) 黑腹頭滑果蠅 Ref. 同前  
*Lissocephala metallescens* (Meijere, 1914) 光澤頭滑果蠅 Ref. 同前  
*Microdrosophila (Microdrosophila) acristata* Okada, 1968 無冠小果蠅 Ref. 同前  
*Microdrosophila (Microdrosophila) cristata* Okada, 1960 有冠小果蠅 Ref. 同前  
*Microdrosophila (Microdrosophila) elongata* Okada, 1965 細長小果蠅 Ref. 同前  
*Microdrosophila (Microdrosophila) pectinata* Okada, 1966 櫛節小果蠅 Ref. 同前  
*Microdrosophila (Microdrosophila) pseudopleurolineata* Okada, 1968 擬二線小果蠅 Ref. 同前  
*Microdrosophila (Microdrosophila) urashimae* Okada, 1960 浦島氏小果蠅 Ref. 同前  
*Microdrosophila (Oxystyloptera) congesta* (Zetterstedt, 1847) 棕帶小果蠅 Ref. 同前  
*Microdrosophila (Oxystyloptera) conica* Okada, 1985 飛翔小果蠅 Ref. 同前  
*Microdrosophila (Oxystyloptera) tecifrons* (Meijere, 1914) 額頂小果蠅 Ref. 同前  
*Mulgravea asiatica* (Okada, 1964) 東亞大頭果蠅 Ref. 同前  
*Mycodrosophila albicornis* (Meijere, 1915) 白角菇果蠅 Ref. 同前  
*Mycodrosophila fumusala* Lin & Ting, 1971 昏摺菇果蠅 Ref. 同前  
*Mycodrosophila gratiosa* (Meijere, 1911) 腹紋菇果蠅 Ref. 同前  
*Nesiodrosophila facilis* Lin & Ting, 1971 昏色島果蠅 Ref. 同前  
*Paraleucophenga invicta* (Walker, 1856) 巨鬚白果蠅 Ref. 同前  
*Paramycodrosophila pictula* (Meijere, 1911) 小斑點副菇果蠅 Ref. 同前  
*Phortica kukuensis* Maca, 2003 Ref. Maca, 2003  
*Phorticella albicornis* (Enderlein, 1922) 白線線紋果蠅 Ref. Lin & Chen, 1999  
*Phorticella bakeri* (Sturtevent, 1927) 貝克氏線紋果蠅 Ref. 同前  
*Phorticella bistrata* (Meijere, 1911) 雙紋線紋果蠅 Ref. 同前  
*Phorticella fenestrata* Duda, 1923 簾紋線紋果蠅 Ref. 同前  
*Phorticella flavipennis* Duda, 1929 黃翅線紋果蠅 Ref. 同前  
*Scaptodrosophila alternata* Meijere, 1911 互替潛土果蠅 Ref. 同前  
*Scaptodrosophila brunnea* Meijere, 1911 暗紅潛土果蠅 Ref. 同前  
*Scaptodrosophila clunicrus* Duda, 1923 鱗翅果蠅 Ref. 同前  
*Scaptodrosophila decipiens* Duda, 1924 華麗果蠅 Ref. 同前  
*Scaptodrosophila divergens* Duda, 1924 揚脈果蠅 Ref. 同前  
*Scaptodrosophila dorsata* Duda, 1924 黑背果蠅 Ref. 同前  
*Scaptodrosophila marginata* Duda, 1924 緣邊果蠅 Ref. 同前  
*Scaptodrosophila minima* Okada, 1966 小身果蠅 Ref. 同前  
*Scaptodrosophila multipunctata* (Duda, 1922) 點狀果蠅 Ref. 同前  
*Scaptodrosophila novoguineensis* Duda, 1923 新幾內亞果蠅 Ref. 同前  
*Scaptodrosophila oralis* Duda, 1923 口鬚果蠅 Ref. 同前  
*Scaptodrosophila pilopalpus* Lin & Ting, 1971 毛鬚果蠅 Ref. 同前

*Scaptodrosophila scutellimbago* Duda, 1924 長腰果蠅 Ref. 同前  
*Scaptodrosophila simplex* Meijere, 1914 尾簡果蠅 Ref. 同前  
*Scaptodrosophila subacuticornis* Duda, 1924 急角脈果蠅 Ref. 同前  
*Scaptomyza (Parascaptomyza) elmoi* Takada, 1970 爾姆氏姬果蠅 Ref. 同前  
*Scaptomyza (Parascaptomyza) pallida* (Zetterstedt, 1849) 灰姬果蠅 Ref. 同前  
*Scaptomyza (Parascaptomyza) substrigata* Meijere, 1914 下紋姬果蠅 Ref. 同前  
*Scaptomyza (Parascaptomyza) taiwanica* Lin & Ting, 1971 台灣姬果蠅 Ref. 同前  
*Scaptomyza (Scaptomyza) sinica* Lin & Ting, 1971 中華姬果蠅 Ref. 同前  
*Spuristyleptera multipunctata* Duda, 1923 斑點擬桿斑果蠅 Ref. 同前  
*Stegana (Orthostegana) curvinervis* (Hendel, 1914) 彎脈冠果蠅 Ref. 同前  
*Stegana (Oxyphortica) convergens* Duda, 1923 直翅冠果蠅 Ref. 同前  
*Stegana (Oxyphortica) nigripennis* (Hendel, 1914) 黑翅冠果蠅 Ref. 同前  
*Stegana (Parastegana) femorata* (Duda, 1923) 夾脛冠果蠅 Ref. 同前  
*Stegana (Parastegana) maculipennis* Okada, 1971 翅斑冠果蠅 Ref. 同前  
*Stegana (Stegana) antila* Sidorenko & Okada, 1991 前冠果蠅 Ref. 同前  
*Stegana (Stegana) taiwana* Sidorenko & Okada, 1991 台灣冠果蠅 Ref. 同前  
*Stegana (Steganina) kanmiyai* Okada & Sidorenko, 1992 神宮冠果蠅 Ref. 同前  
*Stegana (Steganina) nigrifrons* Meijere, 1911 黑額冠果蠅 Ref. 同前  
*Stegana (Steganina) nigrithorax* Strobl, 1898 黑胸冠果蠅 Ref. 同前  
*Stegana (Steganina) nigrolimbata* Duda, 1924 黑端冠果蠅 Ref. 同前  
*Stegana (Steganina) shirozui* Okada, 1971 白氏冠果蠅 Ref. 同前  
*Styloptera formosae* Duda, 1924 美麗桿斑果蠅 Ref. 同前  
*Zapriouns lineosa* (Walker, 1860) 紋帶白線果蠅 Ref. 同前  
*Zapriouns multistriata* (Duda, 1923) 條帶白線果蠅 Ref. 同前  
*Zapriouns obscuricornis* (Meijere, 1914) 黑角紋白線果蠅 Ref. 同前

### Family Dryomyzidae 螯蠅科

*Dryomyza formosa* (Wiedemann, 1830) 台灣螯甲蠅 Ref. Lin & Chen, 1999

### Family Empididae 舞虻科

*Bicellaria spuria* (Fallen, 1816) 虛偽舞虻 Ref. Lin & Chen, 1999  
*Ceipoda fascicornis* (Bezzi, 1912) 褐角舞虻 Ref. 同前  
*Ceipoda fusciseta* (Bezzi, 1912) 褐毛舞虻 Ref. 同前  
*Cephalodromia pictioennis* (Bezzi, 1912) 彩羽舞虻 Ref. 同前  
*Chersodromia unnamed* Bezzi, 1912 Ref. 同前  
*Drapetis aenescens* (Wiedemann, 1830) 非洲舞虻 Ref. 同前  
*Drapetis brevicula* Melander, 1928 短尾舞虻 Ref. 同前  
*Drapetis calcarifera* Bezzi, 1907 具刺舞虻 Ref. 同前  
*Drapetis femorata* Melander, 1918 粗腿舞虻 Ref. 同前  
*Drapetis formosae* Bezzi, 1907 蓬萊舞虻 Ref. 同前  
*Drapetis kerteszi* Bezzi, 1912 克氏舞虻 Ref. 同前  
*Drapetis lanuginosa* Bezzi, 1914 大武舞虻 Ref. 同前  
*Drapetis longicalcaris* Saigusa, 1965 長距舞虻 Ref. 同前  
*Drapetis marginalis* Bezzi, 1912 邊界舞虻 Ref. 同前  
*Drapetis melanura* Bezzi, 1912 墨色舞虻 Ref. 同前  
*Drapetis nigripinna* Saigusa, 1965 黑刺舞虻 Ref. 同前  
*Drapetis piceitorax* Bezzi, 1912 彩胸舞虻 Ref. 同前  
*Drapetis pubicornis* Bezzi, 1912 裸角舞虻 Ref. 同前  
*Drapetis scutellaris* Bezzi, 1912 小盾舞虻 Ref. 同前  
*Drapetis xanthocephala* Bezzi, 1912 黃頭舞虻 Ref. 同前  
*Empis cineraria* Bezzi, 1914 灰色舞虻 Ref. 同前  
*Empis hyalogyne* Bezzi, 1912 黑色舞虻 Ref. 同前  
*Empis hystrichopyga* Bezzi, 1912 刺尾舞虻 Ref. 同前  
*Empis inclinata* Bezzi, 1912 彎曲舞虻 Ref. 同前  
*Empis ingrata* Frey, 1953 煩擾舞虻 Ref. 同前  
*Empis patagiata* Bezzi, 1914 金邊舞虻 Ref. 同前  
*Empis plorans* Bezzi, 1912 哀號舞虻 Ref. 同前  
*Empis quadrimanus* Frey, 1953 四手舞虻 Ref. 同前  
*Empis raptoria* Bezzi, 1912 劫掠舞虻 Ref. 同前  
*Empis sauteriana* Bezzi, 1914 巴油舞虻 Ref. 同前  
*Empis scopulifera* Bezzi, 1912 岩石舞虻 Ref. 同前  
*Empis subabbreviata* Frey, 1953 松山舞虻 Ref. 同前  
*Empis tenuinervis* Bezzi, 1912 窄鍵舞虻 Ref. 同前  
*Empis velutina* Bezzi, 1912 鵝絨舞虻 Ref. 同前  
*Hemerodromia xiphias* (Bezzi, 1914) 小劍舞虻 Ref. 同前  
*Hilara melanichira* Bezzi, 1912 黑手舞虻 Ref. 同前  
*Hilara orientalis* Bezzi, 1912 東方舞虻 Ref. 同前  
*Hilara unicauda* Bezzi, 1914 單尾舞虻 Ref. 同前  
*Hybos bisetosus* Bezzi, 1904 雙鬚舞虻 Ref. 同前  
*Hybos bispinipes* Saigusa, 1965 雙刺舞虻 Ref. 同前  
*Hybos geniculatus* Frey, 1879 Ref. 同前  
*Hybos interruptus* Saigusa, 1965 四社舞虻 Ref. 同前  
*Hybos major* (Bezzi, 1912) 粗腿舞虻 Ref. 同前

*Hybos plumicornis* (Bezzi, 1914) 羽角舞虻 Ref. 同前  
*Hybos setosa* Meijere, 1911 多毛舞虻 Ref. 同前  
*Hybos tibialis* (Bezzi, 1912) 嘉義舞虻 Ref. 同前  
*Leptopeza biplagiata* Bezzi, 1912 雙盜舞虻 Ref. 同前  
*Micrempis fuscipes* (Bezzi, 1912) 褐足舞虻 Ref. 同前  
*Parahybos chaetoproctus* Bezzi, 1907 毛尾舞虻 Ref. 同前  
*Parahybos chiragra* Bezzi, 1912 細腿舞虻 Ref. 同前  
*Parahybos horni* (Frey, 1938) 洪氏舞虻 Ref. 同前  
*Parahybos incertus* Bezzi, 1912 集集舞虻 Ref. 同前  
*Parahybos melas* Bezzi, 1912 黑衣舞虻 Ref. 同前  
*Parahybos minutulus* (Frey, 1938) 微小舞虻 Ref. 同前  
*Parahybos sauteri* Bezzi, 1912 邵氏舞虻 Ref. 同前  
*Parahybos simplicipes* Bezzi, 1912 素腳舞虻 Ref. 同前  
*Phyllodromia fusca* (Bezzi, 1914) 暗色舞虻 Ref. 同前  
*Platypalpus albisetus* (Panzer, 1806) 白鬚舞虻 Ref. 同前  
*Platypalpus cnadidseta* (Bezzi, 1912) 閃亮舞虻 Ref. 同前  
*Platypalpus coarctiformis* Frey, 1943 短鬚舞虻 Ref. 同前  
*Platypalpus formosanus* Frey, 1943 台灣舞虻 Ref. 同前  
*Platypalpus lingirostris* (Bezzi, 1912) 長嘴舞虻 Ref. 同前  
*Platypalpus shirozui* (Saigusa, 1965) 白水舞虻 Ref. 同前  
*Platypalpus xanthopus* (Bezzi, 1914) 黃腿舞虻 Ref. 同前  
*Rhamphomyia curicauda* Frey, 1949 屈尾舞虻 Ref. 同前  
*Rhamphomyia curvittibia* Saigusa, 1965 彎足舞虻 Ref. 同前  
*Rhamphomyia rostrifera* Bezzi, 1912 黃足舞虻 Ref. 同前  
*Rhamphomyia sauteri* Bezzi, 1912 台南舞虻 Ref. 同前  
*Syndyas orientalis* Frey, 1938 東洋舞虻 Ref. 同前  
*Syneches bigoti* Bezzi, 1904 茅埔舞虻 Ref. 同前  
*Syneches luctifer* Bezzi, 1912 甲仙舞虻 Ref. 同前  
*Syneches praestans* Bezzi, 1912 星斑舞虻 Ref. 同前  
*Syneches pullus* Bezzi, 1912 棕色舞虻 Ref. 同前  
*Tachydroma bitstigma* (Bezzi, 1912) 雙斑舞虻 Ref. 同前

#### Family Ephydriidae 水蠅科

*Allotrichoma livens* Cresson, 1929 淡黑渚蠅 Ref. Lin & Chen, 1999  
*Athyroglossa frera* Cresson, 1925 海峽渚蠅 Ref. 同前  
*Atissa* sp. Cresson 銅腹渚蠅 Ref. 同前  
*Brachyceutera arginata* (Walker, 1852) 銀色渚蠅 Ref. 同前  
*Ceropsilopa cupreventris* (Wulp, 1897) 十字渚蠅 Ref. 同前  
*Ceropsilopa decussata* Cresson, 1925 齒腿渚蠅 Ref. 同前  
*Clanoneurum orientale* Hendel, 1913 東洋渚蠅 Ref. 同前  
*Clasiopella uncinata* Hendel, 1914 鈎狀渚蠅 Ref. 同前  
*Discocerina (Descocerina) mera* Cresson, 1939 腿股渚蠅 Ref. 同前  
*Discomyza maculipennis* (Wiedemann, 1824) 斑翅渚蠅 Ref. 同前  
*Ditrichophora albitarsis* (Wulp, 1881) 白跗渚蠅 Ref. 同前  
*Ditrichophora pernigra* (Becker, 1924) 火腿渚蠅 Ref. 同前  
*Donaceus nigronotatus* Cresson, 1943 黑背渚蠅 Ref. 同前  
*Dryxo (Cyphops) fasciata* Jennicke, 1867 條紋渚蠅 Ref. 同前  
*Hecamede persimilis* Hendel, 1913 酷似渚蠅 Ref. 同前  
*Hecamedoides canolimbatus* (Meijere, 1916) 馬來渚蠅 Ref. 同前  
*Hecamedoides infantius* (Becker, 1924) 嬰兒渚蠅 Ref. 同前  
*Hyadina sauteri* Cresson, 1934 邵氏渚蠅 Ref. 同前  
*Hydrellia incerta* (Becker, 1924) 猶豫渚蠅 Ref. 同前  
*Hydrellia luteopes* Cresson, 1932 黃足渚蠅 Ref. 同前  
*Nannodastia horni* Hendel, 1930 洪氏渚蠅 Ref. 同前  
*Notiphila (Ahrolima) puncta* Meijere, 1911 針點渚蠅 Ref. 同前  
*Notiphila (Notiphila) dorsopunctata* Wiedemann, 1824 點背渚蠅 Ref. 同前  
*Notiphila (Notiphila) latigenis* Hendel, 1914 安平渚蠅 Ref. 同前  
*Notiphila (Notiphila) phaea* Hendel, 1914 昏暗渚蠅 Ref. 同前  
*Notiphila (Notiphila) similis* Meijere, 1908 相似渚蠅 Ref. 同前  
*Ochthera canescens* Cresson, 1913 趨黑渚蠅 Ref. 同前  
*Ochthera sauteri* Cresson, 1932 忍者渚蠅 Ref. 同前  
*Paralimna hirticornis* Meijere, 1913 毛角渚蠅 Ref. 同前  
*Paralimna javana* Wulp, 1891 爪哇渚蠅 Ref. 同前  
*Paralimna lineata* Meijere, 1908 線條渚蠅 Ref. 同前  
*Paralimna major* Meijere, 1911 大型渚蠅 Ref. 同前  
*Paralimna quadrifascia* (Walker, 1860) 四帶渚蠅 Ref. 同前  
*Paralimna sinensis* (Schiner, 1868) 中華渚蠅 Ref. 同前  
*Parydra formosana* (Cresson, 1937) 蓬萊渚蠅 Ref. 同前  
*Parydra inornata* (Becker, 1924) 樸素渚蠅 Ref. 同前  
*Placopsidella cynocephala* Kertész, 1901 狗頭渚蠅 Ref. 同前  
*Placopsidella grandis* (Cresson, 1925) 魁梧渚蠅 Ref. 同前  
*Psilephydra cyanoprosopa* Hendel, 1914 鳳山渚蠅 Ref. 同前

*Psilopa flavimana* Hendel, 1913 黃手渚蠅 Ref. 同前  
*Psilopa girschneri* Roder, 1889 葛氏渚蠅 Ref. 同前  
*Psilopa pillinosa* (Kertész, 1901) 細粉渚蠅 Ref. 同前  
*Psilopa rufipes* Hendel, 1913 紅足渚蠅 Ref. 同前  
*Psilopa singaporensis* (Kertész, 1901) 星島渚蠅 Ref. 同前  
*Psilopa sorella* Becker, 1924 圓山渚蠅 Ref. 同前  
*Rhychopsilopa magnicornis* Hendel, 1913 巨角渚蠅 Ref. 同前  
*Scatella bullacosta* Cresson, 1934 鑲邊渚蠅 Ref. 同前  
*Scatella stagnalis* (Fallen, 1913) 瑞典渚蠅 Ref. 同前  
*Setacera laeta* (Hendel, 1913) 豐滿渚蠅 Ref. 同前  
*Trimerogaster cincta* Hendel, 1914 東帶渚蠅 Ref. 同前  
*Trimerogaster fumipennis* (Hendel, 1914) 灰翅渚蠅 Ref. 同前  
*Trypetomima formosina* (Becker, 1924) 台灣渚蠅 Ref. 同前

#### Family Fanniidae 廁蠅科

*Euryomma peregrinum* (Meigen, 1826) 遊蕩瘡蠅 Ref. Lin & Chen, 1999  
*Fannia carbonaria* (Meigen, 1826) 黑鼻廁蠅 Ref. 同前  
*Fannia cocula* Nishida, 1975 高山廁蠅 Ref. 同前  
*Fannia cuspicerea* Nishida, 1975 斑尾廁蠅 Ref. 同前  
*Fannia dupla* Nishida, 1975 二疊廁蠅 Ref. 同前  
*Fannia gracilis* Nishida, 1975 細瘦測蠅 Ref. 同前  
*Fannia leucosticta* (Meigen, 1838) 白紋廁蠅 Ref. 同前  
*Fannia manicata* (Meigen, 1826) 毛踝廁蠅 Ref. 同前  
*Fannia minutipalpis* (Stein, 1859) 小鬚廁蠅 Ref. 同前  
*Fannia montana* Nishida, 1975 山棲廁蠅 Ref. 同前  
*Fannia prisca* Stein, 1918 原始廁蠅 Ref. 同前  
*Fannia ringdahlana* Collin, 1939 琳達廁蠅 Ref. 同前  
*Fannia scalaris* (Fabricius, 1794) 灰腹廁蠅 Ref. 同前  
*Fannia taiwanensis* Nishida, 1975 台灣廁蠅 Ref. 同前  
*Fannia tripla* Nishida, 1975 三疊廁蠅 Ref. 同前

#### Family Heleomyzidae 陽蠅科

*Suillia prima* Hendel, 1913 原始陽蠅 Ref. Lin & Chen, 1999  
*Suillia taiwanensis* Okadome, 1985 台灣陽蠅 Ref. 同前  
*Suillia takasagoensis* Okadome, 1967 高山陽蠅 Ref. 同前  
*Suillia uenoi* Okada, 1985 上野陽蠅 Ref. 同前

#### Family Hippoboscidae 蝨蠅科

*Crataerina (Stenepteryx) hirundinis* (Linnaeus, 1758) 螞蝗蝨蠅 Ref. Lin & Chen, 1999  
*Icosta (Ardmoeca) ardeae* (Macquart, 1885) 蒼鷺蝨蠅 Ref. 同前  
*Icosta (Icosta) chalcolumpra* (Speiser, 1904) 斜附蝨蠅 Ref. 同前  
*Icosta (Icosta) fenestrella* Maa, 1969 翼窗蝨蠅 Ref. 同前  
*Icosta (Icosta) trita* (Speiser, 1905) 五色蝨蠅 Ref. 同前  
*Icosta (Ornithopous) lonchurae* Maa, 1969 文鳥蝨蠅 Ref. 同前  
*Icosta (Ornithopous) maquilingsis* (Ferris, 1924) 竹雞蝨蠅 Ref. 同前  
*Lipoptena sigma* Maa, 1965 梅鹿蝨蠅 Ref. 同前  
*Ornithoetona plicata* (Olfers, 1816) 旋角蝨蠅 Ref. 同前  
*Ornithoica (Ornithoica) exilis* (Walker, 1861) 多棘蝨蠅 Ref. 同前  
*Ornithoica (Ornithoica) stipituri* Maa, 1966 三齒蝨蠅 Ref. 同前  
*Ornithomyia chloropus* Maa, 1975 翠峰蝨蠅 Ref. 同前  
*Ornithomyia fuscipennis* Bigot, 1885 闊頰蝨蠅 Ref. 同前  
*Ornithophila metallica* (Schiner, 1864) 紫黑蝨蠅 Ref. 同前  
*Pseudolynchus canariensis* (Macquart, 1840) 家鴿蝨蠅 Ref. 同前  
*Pseudolynchus garzettae* (Rondani, 1879) 夜鷹蝨蠅 Ref. 同前

#### Family Hybotidae

*Stilpon freidbergi* Shamshev et al., 2005 Ref. Shamshev, Grootaert & Yang, 2005

#### Family Keroplatidae

*Sciarokeroplatus pileatus* Papp & Sevcik, 2005 Ref. Papp & Sevcik, 2005  
*Xenokeroplatus (Tipulokeroplatus) gozmanyi* Papp, 2007 Ref. Papp, 2007

#### Family Lauxaniidae 縞蠅科

*Cerataulina subapicalis* Hendel, 1913 祖窟縞蠅 Ref. Lin & Chen, 1999  
*Cestrotus apicalis* (Hendel, 1920) 端翅縞蠅 Ref. 同前  
*Cestrotus flavoscutellatus* Meijere, 1910 黃楯縞蠅 Ref. 同前  
*Chaetolauxania sternopleuralis* Kertész, 1915 甲仙縞蠅 Ref. 同前  
*Dioides pictipennis* Kertész, 1915 彩羽縞蠅 Ref. 同前  
*Diplochasma alboapicata* (Malloch, 1927) 白帽縞蠅 Ref. 同前  
*Diplochasma monochaeta* (Hendel, 1909) 單鬚縞蠅 Ref. 同前  
*Diplochasma sauteri* (Hendel, 1912) 邵氏縞蠅 Ref. 同前  
*Drepanephora piliseta* Hendel, 1913 毛鬚縞蠅 Ref. 同前  
*Drepanephora reticulata* (Doleschall, 1856) 網狀縞蠅 Ref. 同前  
*Homoneura (Drosomyia) picta* (Meijere, 1904) 文彩縞蠅 Ref. 同前  
*Homoneura (Drosomyia) trypetoptera* (Hendel, 1908) 洞翅縞蠅 Ref. 同前

*Homoneura (Homoneura) acrostichalis* (Meijere, 1915) 可可縞蠅 Ref. 同前  
*Homoneura (Homoneura) beckeri* (Kertész, 1900) 貝氏縞蠅 Ref. 同前  
*Homoneura (Homoneura) bistrinata* (Kertész, 1915) 二條縞蠅 Ref. 同前  
*Homoneura (Homoneura) brevicornis* (Kertész, 1913) 短角縞蠅 Ref. 同前  
*Homoneura (Homoneura) breviseta* (Kertész, 1913) 短毛縞蠅 Ref. 同前  
*Homoneura (Homoneura) caloptera* (Kertész, 1915) 恆春縞蠅 Ref. 同前  
*Homoneura (Homoneura) crassicauda* Malloch, 1927 粗尾縞蠅 Ref. 同前  
*Homoneura (Homoneura) discoglaucula* (Walker, 1860) 東印縞蠅 Ref. 同前  
*Homoneura (Homoneura) discoidalis* (Kertész, 1915) 高雄縞蠅 Ref. 同前  
*Homoneura (Homoneura) diversa* (Kertész, 1915) 分歧縞蠅 Ref. 同前  
*Homoneura (Homoneura) fasciventris* Malloch, 1927 調委縞蠅 Ref. 同前  
*Homoneura (Homoneura) flavomarginata* (Kertész, 1915) 黃緣縞蠅 Ref. 同前  
*Homoneura (Homoneura) forcipata* (Kertész, 1913) 鈇尾縞蠅 Ref. 同前  
*Homoneura (Homoneura) formosae* (Kertész, 1913) 美麗縞蠅 Ref. 同前  
*Homoneura (Homoneura) grandis* (Kertész, 1915) 高大縞蠅 Ref. 同前  
*Homoneura (Homoneura) heterosticta* (Kertész, 1913) 雜斑縞蠅 Ref. 同前  
*Homoneura (Homoneura) latifrons* (Kertész, 1913) 裸顏縞蠅 Ref. 同前  
*Homoneura (Homoneura) notostigma* (Kertész, 1913) 無痣縞蠅 Ref. 同前  
*Homoneura (Homoneura) occipitalis* Malloch, 1927 後頭縞蠅 Ref. 同前  
*Homoneura (Homoneura) ornatifrons* (Kertész, 1913) 花臉縞蠅 Ref. 同前  
*Homoneura (Homoneura) pallidula* Malloch, 1927 淡色縞蠅 Ref. 同前  
*Homoneura (Homoneura) quinquenotata* (Meijere, 1915) 五斑縞蠅 Ref. 同前  
*Homoneura (Homoneura) quinquevittata* (Meijere, 1910) 五帶縞蠅 Ref. 同前  
*Homoneura (Homoneura) sauteri* Malloch, 1927 邵德縞蠅 Ref. 同前  
*Homoneura (Homoneura) simplicissima* (Meijere, 1910) 斑駁縞蠅 Ref. 同前  
*Homoneura (Homoneura) subvittata* Malloch, 1927 亞帶縞蠅 Ref. 同前  
*Homoneura (Homoneura) unguiculata* (Kertész, 1913) 指甲縞蠅 Ref. 同前  
*Homoneura (Homoneura) variinervis* (Kertész, 1915) 異筋縞蠅 Ref. 同前  
*Homoneura (Minettioides) fumipennis* Malloch, 1927 灰翅縞蠅 Ref. 同前  
*Homoneura (Neohomoeura) honesta* (Kertész, 1915) 佳美縞蠅 Ref. 同前  
*Homoneura (Neohomoeura) nigronotata* (Kertész, 1915) 黑斑縞蠅 Ref. 同前  
*Homoneura (Neohomoeura) paroea* (Kertész, 1915) 巴洛縞蠅 Ref. 同前  
*Lauxaniella tenuicornis* Malloch, 1927 窄角縞蠅 Ref. 同前  
*Melinomyia flava* Kertész, 1915 黃色蠅屬 Ref. 同前  
*Minettia (Frendelia) fuscofasciata* (Meijere, 1910) 棕帶縞蠅 Ref. 同前  
*Minettia (Frendelia) hoozanensis* Malloch, 1927 鳳凰山縞蠅 Ref. 同前  
*Minettia (Frendelia) multisetosa* (Kertész, 1915) 多毛縞蠅 Ref. 同前  
*Minettia (Frendelia) nigrohalterata* Malloch, 1927 黑棍縞蠅 Ref. 同前  
*Minettia (Frendelia) quadrispinosa* Malloch, 1927 四刺縞蠅 Ref. 同前  
*Minettia (Frendelia) rufiventris* (Macquart, 1848) 紅腹縞蠅 Ref. 同前  
*Minettia (Frendelia) tubifera* Malloch, 1927 貝管縞蠅 Ref. 同前  
*Minettia (Minettiella) atratula* (Meijere, 1924) 黑衣縞蠅 Ref. 同前  
*Monocera cornuta* Hendel, 1913 貝角縞蠅 Ref. 同前  
*Pachycerina favana* (Macquart, 1851) 爪哇縞蠅 Ref. 同前  
*Pachycerina ocellaris* Kertész, 1915 小眼縞蠅 Ref. 同前  
*Pachycerina plumosa* Kertész, 1915 集集縞蠅 Ref. 同前  
*Paralauxania albiceps* (Fallen, 1820) 白足縞蠅 Ref. 同前  
*Parapachycerina cunneifera* (Kertész, 1913) 庫尼縞蠅 Ref. 同前  
*Parapachycerina hirsutisetata* (Meijere, 1910) 多鬚縞蠅 Ref. 同前  
*Sapromyza (Sapromyza) agromyzina* (Kertész, 1913) 南投縞蠅 Ref. 同前  
*Sapromyza (Sapromyza) faciatifrons* (Kertész, 1913) 帶額縞蠅 Ref. 同前  
*Sapromyza (Sapromyza) pleuralis* (Kertész, 1913) 側板縞蠅 Ref. 同前  
*Sapromyza (Sapromyza) pollinifrons* Malloch, 1927 粉面縞蠅 Ref. 同前  
*Sapromyza (Sapromyza) zebra* (Kertész, 1913) 斑紋縞蠅 Ref. 同前  
*Steganopsis convergens* Hendel, 1913 安平縞蠅 Ref. 同前  
*Trigonmetopus deceptor* (Malloch, 1927) 白賊縞蠅 Ref. 同前  
*Trigonmetopus (Tetroxyrhina) brunneicosta* Malloch, 1927 棕稜縞蠅 Ref. 同前  
*Trigonmetopus (Tetroxyrhina) submaculipennis* Malloch, 1927 斑翅縞蠅 Ref. 同前

#### Family Lonchaeidae 黑艷蠅科

*Dasiops orientalis* Hennig, 1856 東洋黑艷蠅 Ref. Lin & Chen, 1999  
*Lamprolonchaea metatarsata* (Kertész, 1901) 南洋黑艷蠅 Ref. 同前  
*Lonchaea cyaneinitens* Kertész, 1901 蔚藍黑艷蠅 Ref. 同前  
*Lonchaea formosa* MacGowan, 2004 Ref. MacGowan, 2004  
*Lonchaea incisurata* (Hennig, 1948) 卓溪黑艷蠅 Ref. Lin & Chen, 1999  
*Lonchaea lambiana* Bezzi, 1918 長角黑艷蠅 Ref. 同前  
*Lonchaea macrocercosa* MacGowan, 2004 Ref. MacGowan, 2004  
*Lonchaea minuta* Meijere, 1910 微小黑艷蠅 Ref. Lin & Chen, 1999  
*Silba atratula* (Walker, 1860) 黑衣黑艷蠅 Ref. 同前  
*Silba excisa* (Kertész, 1901) 刺激黑艷蠅 Ref. 同前  
*Silba flavitarsis* MacGowan, 2004 Ref. MacGowan, 2004  
*Silba perplexa* (Walker, 1861) 紊亂黑艷蠅 Ref. Lin & Chen, 1999

*Silba schachti* MacGowan, 2004 Ref. MacGowan, 2004  
*Silba setifera* (Meijere, 1910) 多毛黑艷蠅 Ref. Lin & Chen, 1999  
*Silba taiwanica* (Hennig, 1948) 台灣黑艷蠅 Ref. 同前  
*Silba trigena* MacGowan, 2004 Ref. MacGowan, 2004

#### Family Lonchopteridae 槍蠅科

*Lonchoptera malaisei* Anderson, 1971 馬來槍蠅 Ref. Lin & Chen, 1999  
*Lonchoptera orientalis* (Kertész, 1914) 東洋槍蠅 Ref. 同前

#### Family Lygistorrhinidae

*Lygistorrhina chaoi* Papp, 2002 Ref. Papp, 2002  
*Matileola yangi* Papp, 2002 Ref. Papp, 2002

#### Family Macroceridae 大角蕈蚊科

*Chiasmoneura quinquemaculata* (Sasakawa, 1966) Ref. Papp, 2007

#### Family Megamerinidae 細蠅科

*Gobrya syrphoides* (Hendel, 1913) 假仙細蠅 Ref. Lin & Chen, 1999  
*Texara dioctrioides* Walker, 1860 糾纏細蠅 Ref. 同前

#### Family Melolonthidae

*Neosericania habonensis* Ahrens, 2002 Ref. Ahrens, 2002

#### Family Micropezidae 微腳蠅科

*Cothornobata cyanea* (Hendel, 1913) 蔚藍微腳蠅 Ref. Lin & Chen, 1999  
*Grammicomyia (Ectemnodera) sauteri* (Enderlein, 1922) 邵氏微腳蠅 Ref. 同前  
*Mimegralla albimana* (Osten Sacken, 1882) 台灣微腳蠅 Ref. 同前  
*Mimegralla sinensis* (Enderlein, 1922) 中華微腳蠅 Ref. 同前  
*Mimegralla sinensis* (Czerny, 1932) 白足微腳蠅 Ref. 同前  
*Rainieria leucochira* Czerny, 1932 白翅微腳蠅 Ref. 同前

#### Family Milichiidae 稗稈蠅科

*Aldrichiomyza elephas* (Hendel, 1913) 象鼻稗稈蠅 Ref. Lin & Chen, 1999  
*Desmometopa microps* Lamb, 1914 小型稗稈蠅 Ref. 同前  
*Desmometopa singaporensis* Kertész, 1899 星島稗稈蠅 Ref. 同前  
*Desmometopa tritricula* Hendel, 1914 暗色稗稈蠅 Ref. 同前  
*Leptomotopa latipes* (Meigen, 1830) 寬足稗稈蠅 Ref. 同前  
*Madiza lacteipennis* Hendel, 1913 白翅稗稈蠅 Ref. 同前  
*Milichia argyrata* Hendel, 1913 銀色稗稈蠅 Ref. 同前  
*Milichia pubescens* Becker, 1907 多毛稗稈蠅 Ref. 同前  
*Milichiella backeri* Aldrich, 1931 貝氏稗稈蠅 Ref. 同前  
*Milichiella lacteipennis* (Loew, 1866) 廣東稗稈蠅 Ref. 同前  
*Milichiella spinthera* Hendel, 1913 卑南稗稈蠅 Ref. 同前  
*Paramyia formosana* Papp, 2001 Ref. Papp, 2001  
*Phyllomyza approximata* Malloch, 1913 美洲稗稈蠅 Ref. Lin & Chen, 1999  
*Phyllomyza dilatata* Malloch, 1914 台南稗稈蠅 Ref. 同前  
*Phyllomyza epitacta* Hendel, 1914 知本稗稈蠅 Ref. 同前  
*Phyllomyza luteipalpis* Malloch, 1914 澄巒稗稈蠅 Ref. 同前  
*Phyllomyza nudipalpis* Malloch, 1914 裸巒稗稈蠅 Ref. 同前

#### Family Muscidae 家蠅科

*Antherigona (Acritochaeta) bidens* Hennig, 1952 二齒芒蠅 Ref. Lin & Chen, 1999  
*Antherigona (Acritochaeta) biseta* Karl, 1939 雙毛芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) crassiseta* (Stein, 1915) 混毛芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) dorsovittata* Malloch, 1928 背斑芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) falcata* (Thomson, 1869) 鐮刀芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) laeta* (Wiedemann, 1830) 豐富芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) machligera* Stein, 1910 多斑芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) nigripes* Stein, 1900 黑足芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) orientalis* Schiner, 1868 東方芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) oryzae* Malloch, 1925 稻生芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) punctata* Karl, 1940 斑點芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) reversura* Villeneuve, 1936 反旋芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) simplex* (Thomson, 1869) 單純芒蠅 Ref. 同前  
*Antherigona (Acritochaeta) tridens* Malloch, 1928 三齒芒蠅 Ref. 同前  
*Cephalispa mira* Stein, 1910 妙樂頭蠅 Ref. 同前  
*Cephalispa scutellata* Malloch, 1935 馬來頭蠅 Ref. 同前  
*Coenosia attenuata* Stein, 1903 埃及穢蠅 Ref. 同前  
*Coenosia cingulata* Stein, 1918 集集穢蠅 Ref. 同前  
*Coenosia exigua* Stein, 1910 短小穢蠅 Ref. 同前  
*Coenosia radiata* Stein, 1918 祖窟穢蠅 Ref. 同前  
*Coenosia trigonalis* Stein, 1918 三節穢蠅 Ref. 同前  
*Dichaetomyia alterna* (Stein, 1915) 異重毫蠅 Ref. 同前  
*Dichaetomyia antennata* (Stein, 1918) 達邦重毫蠅 Ref. 同前  
*Dichaetomyia apicalis* (Stein, 1904) 端重毫蠅 Ref. 同前  
*Dichaetomyia bibax* (Wiedemann, 1830) 屏東重毫蠅 Ref. 同前

*Dichaetomyia femorata* (Stein, 1915) 鳳山重毫蠅 Ref. 同前  
*Dichaetomyia flavipalpis* (Stein, 1915) 黃鬚重毫蠅 Ref. 同前  
*Dichaetomyia luteiventris* (Rondani, 1873) 黃腹重毫蠅 Ref. 同前  
*Dichaetomyia pallicornis* (Stein, 1915) 恆春重毫蠅 Ref. 同前  
*Dichaetomyia pallitarsis* (Stein, 1909) 爪哇重毫蠅 Ref. 同前  
*Dichaetomyia pectinipes* (Stein, 1909) 櫛足重毫蠅 Ref. 同前  
*Dichaetomyia quadrata* (Wiedemann, 1924) 方形重毫蠅 Ref. 同前  
*Eginiella brunnescens* Malloch, 1925 褐色液蠅 Ref. 同前  
*Graphomya maculata* (Scopoli, 1763) 斑點紋蠅 Ref. 同前  
*Graphomya rufitibia* Stein, 1918 緋脛紋蠅 Ref. 同前  
*Gymodia ascendens* (Stein, 1915) 斑點裸蠅 Ref. 同前  
*Gymodia distincta* (Stein, 1909) 分斑裸蠅 Ref. 同前  
*Gymodia flexa* (Wiedemann, 1830) 曲斑裸蠅 Ref. 同前  
*Gymodia subtilis* (Stein, 1909) 細斑裸蠅 Ref. 同前  
*Gymodia tonituri* (Wiedemann, 1824) 花斑裸蠅 Ref. 同前  
*Haematobia irritans* (Linnaeus, 1758) 東方臂蠅 Ref. 同前  
*Haematobosca sanguinolenta* (Austen, 1909) 膝血螯蠅 Ref. 同前  
*Hebecnema fumosa* (Meigen, 1826) 煙毛膝蠅 Ref. 同前  
*Helina appendiculata* (Stein, 1910) 普通陽蠅 Ref. 同前  
*Helina duplicata* (Meigen, 1826) 成雙陽蠅 Ref. 同前  
*Helina lateralis* (Stein, 1904) 赭紅陽蠅 Ref. 同前  
*Helina nemorum* (Stein, 1915) 林地陽蠅 Ref. 同前  
*Helina nervosa* (Stein, 1909) 騷狀陽蠅 Ref. 同前  
*Helina punctata* (Robineau-Desvoidy, 1830) 斑點陽蠅 Ref. 同前  
*Heliographa insignis* (Stein, 1900) 獨特閃蠅 Ref. 同前  
*Heliographa tonsa* (Stein, 1909) 爪哇閃蠅 Ref. 同前  
*Hydrotaea affinis* Karl, 1935 親齒污蠅 Ref. 同前  
*Hydrotaea jacobsoni* (Stein, 1919) 雅氏齒股蠅 Ref. 同前  
*Hydrotaea oculata* (Meigen, 1826) 隱齒股蠅 Ref. 同前  
*Hydrotaea spinefemora* Shinonaga & Kano, 1971 刺腿齒股蠅 Ref. 同前  
*Hydrotaea taiwanensis* Shinonaga & Kano, 1987 台灣齒股蠅 Ref. 同前  
*Lasiopelta longicornis* (Stein, 1915) 長角毛盾蠅 Ref. 同前  
*Limmophora albitarsis* Stein, 1915 白蚶池蠅 Ref. 同前  
*Limmophora beckeri* (Stein, 1908) 貝克池蠅 Ref. 同前  
*Limmophora breviventris* Stein, 1915 短腹池蠅 Ref. 同前  
*Limmophora conica* Stein, 1915 錐紋池蠅 Ref. 同前  
*Limmophora fallax* Stein, 1920 隱斑池蠅 Ref. 同前  
*Limmophora flavifrons* Stein, 1915 黃額池蠅 Ref. 同前  
*Limmophora melanocephala* Shinonaga & Kano, 1977 黑頭池蠅 Ref. 同前  
*Limmophora procellaris* (Walker, 1858) 騷狀池蠅 Ref. 同前  
*Limmophora prominens* Stein, 1904 突凸池蠅 Ref. 同前  
*Limmophora spoliata* Stein, 1915 掠食池蠅 Ref. 同前  
*Limmophora suturalis* Stein, 1915 安平池蠅 Ref. 同前  
*Limmophora veniseta* Stein, 1915 爪哇池蠅 Ref. 同前  
*Lispe aquanarina* Shinonaga & Kano, 1983 海濱溜蠅 Ref. 同前  
*Lispe assimilis* Wiedemann, 1824 酷似溜蠅 Ref. 同前  
*Lispe binotata* Becker, 1914 港口溜蠅 Ref. 同前  
*Lispe bivittata* Stein, 1909 雙斑溜蠅 Ref. 同前  
*Lispe chui* Shinonaga & Kano, 1989 朱氏溜蠅 Ref. 同前  
*Lispe flavicornis* Stein, 1909 黃角溜蠅 Ref. 同前  
*Lispe geniseta* Stein, 1909 光彩溜蠅 Ref. 同前  
*Lispe kowarzi* Becker, 1903 黃鏟溜蠅 Ref. 同前  
*Lispe leucospila* (Wiedemann, 1830) 白點溜蠅 Ref. 同前  
*Lispe orientalis* Wiedemann, 1824 東方溜蠅 Ref. 同前  
*Lispe patellitarsis* Becker, 1914 蹠跗溜蠅 Ref. 同前  
*Lispe pumila* (Wiedemann, 1824) 短小溜蠅 Ref. 同前  
*Lispe pygmaea* Fallen, 1825 瘦鬚溜蠅 Ref. 同前  
*Lispe sericipalpis* Stein, 1904 纖鬚溜蠅 Ref. 同前  
*Lispe terastigma* Schiner, 1868 四點溜蠅 Ref. 同前  
*Lispe vittipennis* Thomson, 1869 香港溜蠅 Ref. 同前  
*Lispocephala atrimaculata* (Stein, 1915) 達邦溜芒蠅 Ref. 同前  
*Lispocephala boops* (Thomson, 1869) 香港溜芒蠅 Ref. 同前  
*Lispocephala flavibasis* Stein, 1915 黃基溜芒蠅 Ref. 同前  
*Megophya multisetosa* Shinonaga, 1970 多毛巨黑蠅 Ref. 同前  
*Morella hortensia* (Wiedemann, 1824) 圓形莫蠅 Ref. 同前  
*Morella nigrisquama* Malloch, 1928 黑鬚莫蠅 Ref. 同前  
*Morella sinensis* Ouchi, 1942 中華莫蠅 Ref. 同前  
*Morella sordidisquama* Stein, 1758 污鬚莫蠅 Ref. 同前  
*Musca (Byomya) conducens* Walker, 1859 逐畜家蠅 Ref. 同前  
*Musca (Byomya) confiscata* Speiser, 1924 帶紋家蠅 Ref. 同前  
*Musca (Byomya) sorbens* Wiedemann, 1830 二條家蠅 Ref. 同前  
*Musca (Byomya) ventrosa* Wiedemann, 1830 翅腹家蠅 Ref. 同前

*Musca (Musca) domestica* Linnaeus, 1758 普通家蠅 Ref. 同前  
*Musca (Philaematomyia) crassirostris* Stein, 1903 肥喙家蠅 Ref. 同前  
*Musca (Plaxemya) dasyops* Emden, 1965 嘉義家蠅 Ref. 同前  
*Musca (Ptilolpis) inferior* Stein, 1909 鈎吻家蠅 Ref. 同前  
*Musca (Viviparomusca) convexifrons* Thomson, 1869 舔血家蠅 Ref. 同前  
*Musca (Viviparomusca) fromosana* Malloch, 1925 台灣家蠅 Ref. 同前  
*Musca (Viviparomusca) illingworthi* Patton, 1923 伊氏家蠅 Ref. 同前  
*Muscina pascuorum* (Meigen, 1826) 場腐蠅 Ref. 同前  
*Muscina stabulans* (Fallen, 1817) 畜廄腐蠅 Ref. 同前  
*Myospila argentata* (Walker, 1856) 銀色妙蠅 Ref. 同前  
*Myospila bina* (Wiedemann, 1830) 廣東妙蠅 Ref. 同前  
*Myospila femorata* (Malloch, 1935) 沙巴妙蠅 Ref. 同前  
*Myospila flavibasis* (Malloch, 1925) 黃色妙蠅 Ref. 同前  
*Myospila laevis* (Stein, 1900) 平滑妙蠅 Ref. 同前  
*Myospila lauta* (Stein, 1918) 華麗妙蠅 Ref. 同前  
*Myospila lenticeps* (Thomason, 1869) 扁頭妙蠅 Ref. 同前  
*Myospila pudica* (Stein, 1915) 寡毛妙蠅 Ref. 同前  
*Myospila tenax* (Stein, 1918) 香港妙蠅 Ref. 同前  
*Ophyra chalcogaster* (Wiedemann, 1824) 銅腹黑蠅 Ref. 同前  
*Ophyra leucostoma* (Wiedemann, 1817) 銀眉黑蠅 Ref. 同前  
*Ophyra simplex* Stein, 1915 單純黑蠅 Ref. 同前  
*Ophyra spinigera* Stein, 1919 帶刺黑蠅 Ref. 同前  
*Orchisia costata* (Meigen, 1826) 黑色蘭蠅 Ref. 同前  
*Orthellia claripennis* Malloch, 1923 明翅翠蠅 Ref. 同前  
*Orthellia coeruleifrons* (Macquart, 1851) 綠額翠蠅 Ref. 同前  
*Orthellia gavisa* (Walker, 1859) 紫色翠蠅 Ref. 同前  
*Orthellia indica* (Robineau-Desvoidy, 1830) 印度翠蠅 Ref. 同前  
*Orthellia lauta* (Wiedemann, 1830) 黑斑翠蠅 Ref. 同前  
*Orthellia timorensis* (Robineau-Desvoidy, 1830) 寬鬚翠蠅 Ref. 同前  
*Passeromyia heterochaeta* (Villeneuve, 1915) 異毛雀蠅 Ref. 同前  
*Pectiniseta pectinata* (Stein, 1909) 梳齒櫛蠅 Ref. 同前  
*Phania fuscata* (Fallen, 1852) 灰色棘蠅 Ref. 同前  
*Phania mystica* (Meigen, 1826) 秘迪棘蠅 Ref. 同前  
*Phania palpata* (Stein, 1897) 德國棘蠅 Ref. 同前  
*Pygophora confusa* Stein, 1915 台南臂蠅 Ref. 同前  
*Pygophora immaculipennis* Frey, 1917 錫蘭臂蠅 Ref. 同前  
*Pygophora lepidofera* (Stein, 1915) 帶鱗臂蠅 Ref. 同前  
*Pygophora longicornis* (Stein, 1918) 長角臂蠅 Ref. 同前  
*Pygophora maculipennis* Stein, 1909 斑翅臂蠅 Ref. 同前  
*Pygophora nigribasis* Stein, 1909 黑基臂蠅 Ref. 同前  
*Pygophora pallens* (Stein, 1915) 淡色臂蠅 Ref. 同前  
*Pygophora respondens* (Walker, 1859) 印尼臂蠅 Ref. 同前  
*Pygophora trimaculata* Karl, 1935 三斑臂蠅 Ref. 同前  
*Rypellia semilutea* (Malloch, 1923) 淺黃污蠅 Ref. 同前  
*Stomoxys calcitrans* (Linnaeus, 1758) 畜廄刺蠅 Ref. 同前  
*Stomoxys indicus* Picard, 1908 印度刺蠅 Ref. 同前  
*Stomoxys sitiens* Rondani, 1873 南方刺蠅 Ref. 同前  
*Stomoxys uruma* Shinonaga & Kano, 1966 八重山刺蠅 Ref. 同前  
*Synthesionia nudiseta* (Wulp, 1883) 紅尾室蠅 Ref. 同前

#### Family Mycetobiidae 蕈棲蚊科

*Mesochria simplicipes* Papp, 2007 Ref. Papp, 2007  
*Mycetobia formosana* Papp, 2007 Ref. Papp, 2007

#### Family Mycetophilidae 蕈蚋科

*Allactonerura cinta* Meijere, 1907 束腰蕈蚋 Ref. Lin & Chen, 1999  
*Bradysia dissinilis* Lengersdorf, 1927 異態黑翅蕈蚋 Ref. 同前  
*Bradysia sauteri* Manzel & Mohrig, 1991 梭德黑翅蕈蚋 Ref. 同前  
*Deimyia villosa* Kallweit, 2001 Ref. Kallweit, 2001  
*Eumanota parahumeralis* Papp, 2004 Ref. Papp, 2004  
*Eurysciara rostrata* Lengersdorf, 1927 彎喙黑翅蕈蚋 Ref. Lin & Chen, 1999  
*Hybosciara formosana* Shiraki, 1913 台灣黑翅蕈蚋 Ref. 同前  
*Lycoriella pammela* (Edward, 1928) 全暗黑翅蕈蚋 Ref. 同前  
*Manota bilobata* Papp, 2004 Ref. Papp, 2004  
*Manota meilingae* Papp, 2004 Ref. Papp, 2004  
*Orffelia annan* (Okada, 1938) 安氏台灣蕈蚋 Ref. Lin & Chen, 1999  
*Orffelia flavioralis* (Speiser, 1911) 黃嘴蕈蚋 Ref. 同前  
*Paramanota schachtii* Papp, 2004 Ref. Papp, 2004  
*Phytosciara flavipes* (Meigen, 1804) 黃足黑翅蕈蚋 Ref. Lin & Chen, 1999  
*Plastosciara corneuta* Lengersdorf, 1927 象牙黑翅蕈蚋 Ref. 同前  
*Promanota formosana* Papp, 2004 Ref. Papp, 2004  
*Prosciara anfracta* Vilkamaa & Hipa, 1996 彎曲黑翅蕈蚋 Ref. Lin & Chen, 1999  
*Prosciara furtiva* Vilkamaa & Hipa, 1996 隱密黑翅蕈蚋 Ref. 同前

*Prosciara meracula* Vilkamaa & Hipa, 1996 微銳黑翅蕈蚋 Ref. 同前

### Family Myridae 擬蜂虻科

*Leptomysdas gruenbergi* Hermann, 1914 知本擬蜂虻 Ref. Lin & Chen, 1999

### Family Nemestrinidae 擬長吻虻科

*Atriadops javana* (Wiedemann, 1824) 爪哇擬長吻虻 Ref. Lin & Chen, 1999

*Hirmoneurinae orientalis* Lichtwardt, 1909 東洋擬長吻虻 Ref. 同前

*Nycterimya fenestoclatrata* Lichtwardt, 1912 綺麗擬長吻虻 Ref. 同前

*Nycterimya fenestoinornata* Lichtwardt, 1912 平淡擬長吻虻 Ref. 同前

*Nycterimya kerteszi* Lichtwardt, 1912 克氏擬長吻虻 Ref. 同前

### Family Neridae 長腳蠅科

*Chaetonerius inermis* (Shiraki, 1868) 孤獨長腳蠅 Ref. Lin & Chen, 1999

*Gymnonerius fuscus* (Wiedemann, 1824) 棕色長腳蠅 Ref. 同前

*Styopocladus appendiculatus* (Hendel, 1913) 附屬長腳蠅 Ref. 同前

*Telostylus decemnotatus* Bigot, 1859 十斑長腳蠅 Ref. 同前

### Family Nycteribiidae 蛛蠅科

*Nycteribia allotopa* Spenser, 1901 長鈇蛛蠅 Ref. Lin & Chen, 1999

*Nycteribia formosana* (Karaman, 1939) 福懋蛛蠅 Ref. 同前

*Nycteribia parvula* Spenser, 1901 短鈇蛛蠅 Ref. 同前

*Penicillidia dufourii* Karaman, 1939 杜孛蛛蠅 Ref. 同前

*Penicillidia jenynsii* (Westwood, 1834) 姜宜蛛蠅 Ref. 同前

### Family Oestridae 狂蠅科

*Oestrus ovis* (Linnaeus, 1758) 嗜羊狂蠅 Ref. Lin & Chen, 1999

### Family Opomyzidae 禾蠅科

*Acrometopia conspicua* Papp, 2005 Ref. Papp, 2005

*Chamaemyia taiwanensis* Papp, 2005 Ref. Papp, 2005

### Family Pachyneuridae 粗脈蚋科

*Pachyneura fasciata* Zetterstedt, 1938 紋粗脈蚋 Ref. Lin & Chen, 1999

### Family Phoridae 蚤蠅科

*Cheatepleurophora asiatica* Borgmeier, 1962 亞洲蚤蠅 Ref. Lin & Chen, 1999

*Cheatepleurophora (Tritoconicera) formosensis* Brues, 1911 蓬萊蚤蠅 Ref. 同前

*Clitelloxenia formosana* (Shiraki, 1925) 土蟻蚤蠅 Ref. 同前

*Diplonerva (Diplonerva) fasciventris* (Brues, 1911) 帶腹蚤蠅 Ref. 同前

*Diplonerva (Diplonerva) peregrina* (Wiedemann, 1830) 遊蕩蚤蠅 Ref. 同前

*Diplonerva (Tristoechia) bifasciata* (Walker, 1860) 雙帶蚤蠅 Ref. 同前

*Dohrniphora cornuta* (Bigot, 1857) 長角蚤蠅 Ref. 同前

*Flavipennis lacunifera* Goto, 1984 多孔蚤蠅 Ref. 同前

*Hypocera flavipennis* (Enderlein, 1924) 黃翅蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) aemula* (Brues, 1911) 英雌蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) agnata* Schmitz, 1926 羔羊蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) aliseta* Brogmeier, 1967 八仙蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) atriclava* (Brues, 1911) 黑棍蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) breviscula* (Brues, 1924) 安平蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) fortinervis* Schmitz, 1926 台北蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) fortipes* Brogmeier, 1967 粗腿蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) grandipennis* Brogmeier, 1967 大翅蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) lanceolata* (Brues, 1924) 小槍蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) ochracea* (Brues, 1911) 淺黃蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) semota* Beyer, 1959 隔離蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) simplicior* (Brues, 1924) 孤獨蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) spiracularis* Schmitz, 1938 馬來蚤蠅 Ref. 同前

*Megaselia (Aphiochaeta) testaceicornis* Brogmeier, 1967 鱗角蚤蠅 Ref. 同前

*Megaselia (Megaselia) atrita* (Brues, 1915) 黑衣蚤蠅 Ref. 同前

*Megaselia (Megaselia) brunnicans* (Brues, 1924) 棕色蚤蠅 Ref. 同前

*Megaselia (Megaselia) chipensis* (Brues, 1911) 知本蚤蠅 Ref. 同前

*Megaselia (Megaselia) congrua* Schmitz, 1926 和諧蚤蠅 Ref. 同前

*Megaselia (Megaselia) curtifrons* (Brues, 1915) 短額蚤蠅 Ref. 同前

*Megaselia (Megaselia) curtineura* (Brues, 1909) 短腿蚤蠅 Ref. 同前

*Megaselia (Megaselia) curva* (Brues, 1911) 彎曲蚤蠅 Ref. 同前

*Megaselia (Megaselia) flava* (Fallen, 1823) 趨黃蚤蠅 Ref. 同前

*Megaselia (Megaselia) formosana* (Brues, 1924) 台灣蚤蠅 Ref. 同前

*Megaselia (Megaselia) lateralis* Schmitz, 1926 側胸蚤蠅 Ref. 同前

*Megaselia (Megaselia) laticosta* Schmitz, 1938 寬稜蚤蠅 Ref. 同前

*Megaselia (Megaselia) luteoides* Schmitz, 1926 淡黃蚤蠅 Ref. 同前

*Megaselia (Megaselia) mejerei* (Brues, 1915) 麥氏蚤蠅 Ref. 同前

*Megaselia (Megaselia) meracula* (Brues, 1911) 純粹蚤蠅 Ref. 同前

*Megaselia (Megaselia) nana* (Brues, 1911) 侏儒蚤蠅 Ref. 同前

*Megaselia (Megaselia) pedicellata* (Brues, 1924) 短腳蚤蠅 Ref. 同前

*Megaselia (Megaselia) picta* (Lehman, 1822) 彩色蚤蠅 Ref. 同前

*Megaselia (Megaselia) recta* (Brues, 1911) 直向蚤蠅 Ref. 同前  
*Megaselia (Megaselia) sauteri* (Brues, 1911) 邵氏蚤蠅 Ref. 同前  
*Megaselia (Megaselia) scabra* Schmitz, 1926 齷齪蚤蠅 Ref. 同前  
*Megaselia (Megaselia) sulfurella* Schmitz, 1926 硫磺蚤蠅 Ref. 同前  
*Megaselia (Megaselia) termitomycana* Disney, 1966 肉菇蚤蠅 Ref. 同前  
*Megaselia (Megaselia) trivialis* (Brues, 1911) 平凡蚤蠅 Ref. 同前  
*Megaselia (Megaselia) trochanterica* Schmitz, 1926 圓山蚤蠅 Ref. 同前  
*Megaselia (Uncertain) fasciventris* (Becker, 1914) 排灣蚤蠅 Ref. 同前  
*Megaselia (Uncertain) parasitica* (Shiraki, 1917) 寄生蚤蠅 Ref. 同前  
*Phalacrotophora (Omapanta) quadrimaculata* Schmitz, 1926 四斑蚤蠅 Ref. 同前  
*Phalacrotophora (Plalacrotophora) flaviclava* (Brues, 1911) 黃棍蚤蠅 Ref. 同前  
*Phalacrotophora (Plalacrotophora) punicifrons* Brues, 1924 刺額蚤蠅 Ref. 同前  
*Pseudotermiteoxenia nitobei* Shiraki, 1925 新戶蚤蠅 Ref. 同前  
*Stichillus brunneicornis* Beyer, 1958 棕角蚤蠅 Ref. 同前  
*Stichillus sinuosus* Schmitz, 1926 變腹蚤蠅 Ref. 同前  
*Stichillus suspectus* (Brues, 1911) 可疑蚤蠅 Ref. 同前  
*Woodiphora (Woodiphora) orientalis* Schmitz, 1926 東洋蚤蠅 Ref. 同前

### Family Pinunculidae 頭蠅科

*Chalarus spurius* (Fallen, 1916) 私生頭蠅 Ref. Lin & Chen, 1999  
*Dorylas gracilis* Kertész, 1912 細長頭蠅 Ref. 同前  
*Dorylomorpha lini* Hardy, 1972 林氏頭蠅 Ref. 同前  
*Pipunculus (Cephalops) coatalis* Becker, 1924 肋紋頭蠅 Ref. 同前  
*Pipunculus (Cephalops) excellens* (Kertész, 1912) 卓傑頭蠅 Ref. 同前  
*Pipunculus (Cephalops) fraternus* (Kertész, 1912) 宗族頭蠅 Ref. 同前  
*Pipunculus (Cephalops) pulvillatus* (Kertész, 1915) 褥墊頭蠅 Ref. 同前  
*Pipunculus (Claraeola) adventitia* (Kertész, 1912) 恆春頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) bicolor* Becker, 1924 雙色頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) eucalypti* (Perkins, 1905) 美翅頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) gigas* (Kertész, 1912) 巨大頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) holosericeus* Becker, 1897 全絲頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) javanensis* Meijere, 1907 爪哇頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) lentigie* (Kertész, 1915) 巨斑頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) macropygus* Meijere, 1914 大尾頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) megacephalus* (Kertész, 1912) 大頭頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) mutillatus* Loew, 1857 殘障頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) nudus* (Kertész, 1912) 裸毛頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) orientalis* Koizumi, 1959 東洋頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) palatyarsis* Meijere, 1914 灰腹頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) platytarsis* (Kertész, 1912) 平角頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) roralis* (Kertész, 1912) 台南頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) sauteri* Kertész, 1907 邵氏頭蠅 Ref. 同前  
*Pipunculus (Eudorylas) separatus* (Kertész, 1915) 港口頭蠅 Ref. 同前  
*Tomosvaryella aeneiventris* (Kertész, 1903) 銅腹頭蠅 Ref. 同前  
*Tomosvaryella coquilleti* (Kertész, 1907) 柯氏頭蠅 Ref. 同前  
*Tomosvaryella epichalca* (Perkins, 1905) 美麗頭蠅 Ref. 同前  
*Tomosvaryella oryzaetora* Koizumi, 1959 葉蟬頭蠅 Ref. 同前  
*Tomosvaryella permitida* (Becker, 1924) 圓山頭蠅 Ref. 同前  
*Tomosvaryella subvirescens* (Loew, 1872) 美洲頭蠅 Ref. 同前  
*Tomosvaryella sylvatica* (Meigen, 1824) 歐洲頭蠅 Ref. 同前

### Family Piophilidae 酪蠅科

*Piophila (Piophila) casei* (Linnaeus, 1758) 鎧氏酪蠅 Ref. Lin & Chen, 1999  
*Piophila (Protopiophila) contecta* Walker, 1860 潛伏酪蠅 Ref. 同前

### Family Platypezidae 扁腳蠅科

*Agathomyia hardyi* Kessel & Clopton, 1969 哈氏扁腳蠅 Ref. Lin & Chen, 1999  
*Agathomyia nigriventris* Oldenberg, 1917 黑肢扁腳蠅 Ref. 同前  
*Agathomyia thoracica* Oldenberg, 1913 甲仙扁腳蠅 Ref. 同前  
*Platypeza sauteri* Oldenberg, 1803 邵氏扁腳蠅 Ref. 同前  
*Plesioclythia argyrogyrna* (Meijere, 1907) 銀色扁腳蠅 Ref. 同前  
*Plesioclythia schlingeri* Kessel & Clopton, 1969 許氏扁腳蠅 Ref. 同前  
*Symmetricella kerteszi* (Oldenberg, 1913) 克氏扁腳蠅 Ref. 同前

### Family Platystomatidae 廣口蠅科

*Elassogaster aerea* Hendel, 1914 銅色廣口蠅 Ref. Lin & Chen, 1999  
*Elassogaster hilgendorfi* Enderlein, 1924 線條廣口蠅 Ref. 同前  
*Elassogaster linearis* (Walker, 1849) 希氏廣口蠅 Ref. 同前  
*Elassogaster quadrimaculata* Hendel, 1914 四斑廣口蠅 Ref. 同前  
*Eurprotopia curtoides* Hennig, 1940 港口廣口蠅 Ref. 同前  
*Eurprotopia longifacies* Hendel, 1914 長臉廣口蠅 Ref. 同前  
*Euthyplatystoma sauteri* Hendel, 1914 邵氏廣口蠅 Ref. 同前  
*Loxoneura formosae* Kertész, 1909 蓬萊廣口蠅 Ref. 同前  
*Naupoda contracta* Hendel, 1914 茅埔廣口蠅 Ref. 同前

*Pilagiostenoptera (Meringomeria) olivacea* Hendel, 1913 橄欖廣口蠅 Ref. 同前  
*Pilagiostenoptera (Plagiostenoptera) aenea* (Wiedemann, 1819) 古銅廣口蠅 Ref. 同前  
*Pilagiostenoptera (Plagiostenoptera) formosana* Hendel, 1913 台灣廣口蠅 Ref. 同前  
*Pilagiostenoptera (Plagiostenoptera) soror* Enderlein, 1924 修女廣口蠅 Ref. 同前  
*Prosthiochaeta cyaneiventris* Enderlein, 1924 藍腹廣口蠅 Ref. 同前  
*Prosthiochaeta formosa* Hara, 1987 寶島廣口蠅 Ref. 同前  
*Pterogeina eurysterna* Hendel, 1914 美翅廣口蠅 Ref. 同前  
*Pterogeina flavopicta* Hennig, 1940 黃彩廣口蠅 Ref. 同前  
*Pterogeina hologaster* Hendel, 1914 全腹廣口蠅 Ref. 同前  
*Pterogeina luctrosa* Hendel, 1914 憂傷廣口蠅 Ref. 同前  
*Pterogeina minuspicta* Hennig, 1940 微彩廣口蠅 Ref. 同前  
*Pterogeina ornata* Hennig, 1940 文彩廣口蠅 Ref. 同前  
*Pterogeina rectivena* Enderlein, 1924 台南廣口蠅 Ref. 同前  
*Rhytidortalis cribrata* Hendel, 1914 高雄廣口蠅 Ref. 同前  
*Rivellia fusca* (Thomson, 1869) 棕色廣口蠅 Ref. 同前  
*Rivellia sauteri* Hendel, 1914 邵德廣口蠅 Ref. 同前  
*Trigonosoma tropida* (Hendel, 1914) 大林廣口蠅 Ref. 同前  
*Xenaspis flavipes* Enderlein, 1924 黃足廣口蠅 Ref. 同前  
*Xenaspis formosae* Hendel, 1914 甲仙廣口蠅 Ref. 同前

#### Family Pseudopomyzidae 偽蠅科

*Macalpinella brevifacies* Papp, 2005 Ref. Papp, 2005

#### Family Psilidae 折翅蠅科

*Chyliza elegans* Hendel, 1913 優雅折翅蠅 Ref. Lin & Chen, 1999  
*Chyliza fumipennis* Hendel, 1913 灰翅折翅蠅 Ref. 同前  
*Chyliza limpidipennis* Hendel, 1913 透翅折翅蠅 Ref. 同前  
*Chyliza selectoedes* Hennig, 1940 精選折翅蠅 Ref. 同前  
*Loxocera (Loxocera) formosana* Hennig, 1940 台灣折翅蠅 Ref. 同前  
*Loxocera (Loxocera) maculipennis* Hendel, 1913 斑翅折翅蠅 Ref. 同前

#### Family Psychodidae 蛾蚋科

*Brunettia albonotata* (Brunetti, 1908) 白痣蛾蚋 Ref. Lin & Chen, 1999  
*Brunettia (Brunettia) autumnata* Huang & Chen, 2001 秋天黑蛾蚋 Ref. Huang & Chen, 2001  
*Brunettia (Brunettia) lungjingensis* Huang & Chen, 2001 龍井黑蛾蚋 Ref. 同前  
*Brunettia (Brunettia) rotundior* Huang & Chen, 2001 圓眼黑蛾蚋 Ref. 同前  
*Brunettia (Brunettia) setiala* Huang & Chen, 2001 垂毛黑蛾蚋 Ref. 同前  
*Brunettia (Brunettia) subdisiunctio* Huang & Chen, 2001 離眼黑蛾蚋 Ref. 同前  
*Pericoma fo-no.1* Tokunaga, 1957 Ref. Lin & Chen, 1999  
*Pericoma spinicornis* Brunetti, 1903 刺角蛾蚋 Ref. 同前  
*Phlebotomus (Phlebotomus) kiangsuensis* Yao & Wu, 1938 江蘇白蛉 Ref. 同前  
*Psychoda acanthostyla* Tokunaga, 1957 荆棘蛾蚋 Ref. 同前  
*Psychoda alabangensis* Rosario, 1936 菲島蛾蚋 Ref. 同前  
*Psychoda alternata* Say, 1824 星斑蛾蚋 Ref. 同前  
*Psychoda duplilamnata* Tokunaga, 1957 雙魔蛾蚋 Ref. 同前  
*Psychoda erminea* Eaton, 1894 歐洲蛾蚋 Ref. 同前  
*Psychoda fo-no.1* Tokunaga, 1957 Ref. 同前  
*Psychoda formosana* Tokunaga, 1958 台灣蛾蚋 Ref. 同前  
*Psychoda formosensis* Tokunaga, 1957 南台蛾蚋 Ref. 同前  
*Psychoda jp-no.4* Tokunaga, 1958 Ref. 同前  
*Psychoda makati* Rosario, 1936 馬卡蛾蚋 Ref. 同前  
*Psychoda musae* Rosario, 1936 仙女蛾蚋 Ref. 同前  
*Psychoda pellucida* Quate, 1962 透明蛾蚋 Ref. 同前  
*Psychoda platilobata* Tokunaga, 1957 平葉蛾蚋 Ref. 同前  
*Psychoda pseudobrevicornis* Tokunaga, 1957 窄角蛾蚋 Ref. 同前  
*Psychoda pseudominuta* Wagner, 1978 Ref. Huang & Chen, 2001  
*Psychoda savaiiensis* Edward, 1928 Ref. 同前  
*Psychoda subquadrilobata* Tokunaga, 1957 潮州蛾蚋 Ref. Lin & Chen, 1999  
*Psychoda trilobata* Tokunaga, 1957 Ref. Huang & Chen, 2001  
*Sergentomyia (Sergentomyia) barraudi* Sinton, 1929 鮑氏白蛉 Ref. Lin & Chen, 1999  
*Sergentomyia (Sergentomyia) iyengari* Cate nd Lien, 1970 台灣硬氏白蛉 Ref. 同前  
*Sergentomyia (Sergentomyia) souamipleuris* Newstead, 1912 鱗胸白蛉 Ref. 同前  
*Telmatoscopus rivularis* Quate, 1962 Ref. Huang & Chen, 2001  
*Telmatoscopus (Clogmia) albipunctata* (Williston, 1893) 白斑蛾蚋 Ref. Lin & Chen, 1999  
*Trichopsychoda coreanica* Wagner, 1978 Ref. Huang & Chen, 2001

#### Family Ptychoptera 細腰大蚊科

*Ptychoptera formosensis* Alexander, 1924 台灣細腰大蚊 Ref. Lin & Chen, 1999

#### Family Pygotidae 出頭蠅科

*Adapsilia facialis* Hendel, 1934 美貌出頭蠅 Ref. Lin & Chen, 1999  
*Apyrgota formosana* Hennig, 1938 台灣出頭蠅 Ref. 同前  
*Campylocera hirsuta* Aldrich, 1928 粗魯出頭蠅 Ref. 同前

#### Family Rachyteridae 櫛角樹虻科

*Rachicerus brevicornis* Kertesz, 1914 窄角櫛角樹虻 Ref. Lin & Chen, 1999  
*Rachicerus fenestrata* Kertesz, 1914 窗點櫛角樹虻 Ref. 同前  
*Rachicerus kotoshensis* Nagatomi, 1970 蘭嶼櫛角樹虻 Ref. 同前  
*Rachicerus patagiatus* Enderlein, 1913 今綠櫛角樹虻 Ref. 同前  
*Rachicerus pictipennis* Kertesz, 1914 青翅櫛角樹虻 Ref. 同前  
*Rachicerus proximus* Kertesz, 1914 大林櫛角樹虻 Ref. 同前

#### Family Rhagionidae 鵝虻科

*Atherix cincta* Brunetti, 1901 束帶鵝虻 Ref. Lin & Chen, 1999  
*Chrysopilus ditissimis* Bezzi, 1912 台南鵝虻 Ref. 同前  
*Chrysopilus fenestratus* Bezzi, 1912 窗點鵝虻 Ref. 同前  
*Chrysopilus ferruginosus* Frey, 1954 半月大鵝虻 Ref. 同前  
*Chrysopilus griseipennis* Bezzi, 1912 灰翅鵝虻 Ref. 同前  
*Chrysopilus luctuosus* Brunetti, 1909 悲傷鵝虻 Ref. 同前  
*Chrysopilus marmoratus* Brunetti, 1909 花雕鵝虻 Ref. 同前  
*Chrysopilus nigripalpis* Bezzi, 1912 黑鬚鵝虻 Ref. 同前  
*Chrysopilus poecilopterus* Bezzi, 1912 雅式鵝虻 Ref. 同前  
*Chrysopilus sauteri* Bezzi, 1907 邵氏鵝虻 Ref. 同前  
*Dialysis cispacifica* Bezzi, 1912 府城鵝虻 Ref. 同前  
*Ptiolina attenuata* Nagatomi, 1986 漂浮鵝虻 Ref. 同前  
*Rhagio formosus* Bezzi, 1912 台灣鵝虻 Ref. 同前  
*Rhagio shirakii* Szilady, 1934 素木鵝虻 Ref. 同前

#### Family Rhinophoridae 短角寄蠅科

*Acompomintho lobata* Villeneuve, 1927 台灣短角寄蠅 Ref. Lin & Chen, 1999

#### Family Sarcophagida 肉蠅科

*Amobina distorta* (Allen, 1926) 泥蜂摩蠅 Ref. Lin & Chen, 1999  
*Blaesoxipha formosana* Baranov, 1931 台灣折葉蠅 Ref. 同前  
*Cylindrothecum angustifrons* (Townsend, 1932) 小額筒鞘蠅 Ref. 同前  
*Goniophyto formosensis* Townsend, 1927 台灣戈蠅 Ref. 同前  
*Harpagophalla phoenicopteris* (Boettcher, 1913) 鳳喙肉蠅 Ref. 同前  
*Harpagophalla reciproca* (Walker, 1856) 南山肉蠅 Ref. 同前  
*Macronychia griseola* (Fallen, 1820) 灰色巨爪蠅 Ref. 同前  
*Metopia argyrocephala* Meigen, 1824 銀額突額蠅 Ref. 同前  
*Metopia instruens* Walker, 1860 印尼突額蠅 Ref. 同前  
*Metopia sauteri* (Townsend, 1932) 台灣突額蠅 Ref. 同前  
*Phylloteles pictipennis* Loew, 1844 斑翅葉突額蠅 Ref. 同前  
*Pterella fasciata* (Meigen, 1824) 帶紋小翅蠅 Ref. 同前  
*Sarcophaga albiceps* Meigen, 1826 墾丁肉蠅 Ref. 同前  
*Sarcophaga anchoriformes* (Fan, 1964) 錨形肉蠅 Ref. 同前  
*Sarcophaga antilope* Boettcher, 1913 羚羊肉蠅 Ref. 同前  
*Sarcophaga basiseta* Baranov, 1931 鬃毛肉蠅 Ref. 同前  
*Sarcophaga beesoni* (Senior-White, 1924) 松毛肉蠅 Ref. 同前  
*Sarcophaga breicornis* Ho, 1934 粗角肉蠅 Ref. 同前  
*Sarcophaga calicifera* Boettcher, 1912 杯狀肉蠅 Ref. 同前  
*Sarcophaga caudagalli* Boettcher, 1912 鳩尾肉蠅 Ref. 同前  
*Sarcophaga cineria* (Fabricius, 1794) 灰色肉蠅 Ref. 同前  
*Sarcophaga concreata* (Seguy, 1934) 剛刺肉蠅 Ref. 同前  
*Sarcophaga crinita* Parker, 1917 長毛肉蠅 Ref. 同前  
*Sarcophaga dux* Thomson, 1869 知本肉蠅 Ref. 同前  
*Sarcophaga fenchihuensis* Sugiyama, 1987 奮起肉蠅 Ref. 同前  
*Sarcophaga formosensis* (Jerner & Lopes, 1961) 蓬萊肉蠅 Ref. 同前  
*Sarcophaga gracilior* (Chen, 1975) 瘦鉤肉蠅 Ref. 同前  
*Sarcophaga graveleyi* Senio-White, 1924 葛氏肉蠅 Ref. 同前  
*Sarcophaga hainanensis* Ho, 1936 海南肉蠅 Ref. 同前  
*Sarcophaga hervebazini* Seguy, 1934 烏來肉蠅 Ref. 同前  
*Sarcophaga idmais* Seguy, 1934 靈巧肉蠅 Ref. 同前  
*Sarcophaga inextricata* Walker, 1860 蘆山肉蠅 Ref. 同前  
*Sarcophaga iwuensis* (Ho, 1934) 義烏肉蠅 Ref. 同前  
*Sarcophaga josephi* Boettcher, 1912 台南肉蠅 Ref. 同前  
*Sarcophaga krameri* Boettcher, 1912 克氏肉蠅 Ref. 同前  
*Sarcophaga lini* Sugiyama, 1987 林氏肉蠅 Ref. 同前  
*Sarcophaga melanura* Meigen, 1826 黑尾肉蠅 Ref. 同前  
*Sarcophaga membranocorporis* Sugiyama, 1987 竹崎肉蠅 Ref. 同前  
*Sarcophaga misera* Walker, 1849 黃醬肉蠅 Ref. 同前  
*Sarcophaga nigribasicosta* (Chen, 1975) 黑鱗肉蠅 Ref. 同前  
*Sarcophaga orchidea* Boettcher, 1913 蘭花肉蠅 Ref. 同前  
*Sarcophaga ostindicae* Senio-White, 1924 印東肉蠅 Ref. 同前  
*Sarcophaga pattoni* Senio-White, 1924 盤突肉蠅 Ref. 同前  
*Sarcophaga peregrina* (Robineau-Desvoidy, 1830) 遊蕩肉蠅 Ref. 同前  
*Sarcophaga prosbaliina* Baranov, 1931 披陽肉蠅 Ref. 同前  
*Sarcophaga ruficornis* (Fabricius, 1794) 紅角肉蠅 Ref. 同前

*Sarcophaga schuetzei* Kramer, 1909 舞蛾肉蠅 Ref. 同前  
*Sarcophaga scopariiformes* (Senior-White, 1927) 叉形肉蠅 Ref. 同前  
*Sarcophaga sericea* Walker, 1852 絲絨肉蠅 Ref. 同前  
*Sarcophaga serrata* Ho, 1938 鋸形肉蠅 Ref. 同前  
*Sarcophaga taiwanensis* (Kano & Lopes, 1969) 台灣肉蠅 Ref. 同前  
*Sarcophaga tristylata* Boettcher, 1913 三突肉蠅 Ref. 同前  
*Sarcophaga tsengi* Sugiyama, 1987 曾氏肉蠅 Ref. 同前  
*Sarcophaga tuberosa* Pandelle, 1896 瘤突肉蠅 Ref. 同前  
*Sarcotakaops arnaudiella* Lehrer, 1985 阿諾肉蠅 Ref. 同前  
*Synorbitomyia linearis* (Villeneuve, 1929) 線形環蠅 Ref. 同前

#### Family Scathophagidae 擬花蠅科

*Megaphthalma longicornis* (Hendel, 1913) 長角擬花蠅 Ref. Lin & Chen, 1999  
*Scathophaga mellipes* Coquillett, 1898 中國擬花蠅 Ref. 同前

#### Family Scatopsidae 偽毛蚋科

*Rhegmoclema formosana* (Duda, 1928) 台灣偽毛蚋 Ref. Lin & Chen, 1999  
*Scatopsini fuscipes* Meigen, 1830 棕足偽毛蚋 Ref. 同前

#### Family Scenopinidae 窗虻科

*Scenopinus papuanus* (Krober, 1912) 關嶺窗虻 Ref. Lin & Chen, 1999

#### Family Sciaridae 黑翅蕈蚋科

*Baeosciara involuta* Rudzinski, 2005 Ref. Rudzinski, 2005  
*Baeosciara scotica* (Edwards, 1925) Ref. 同前  
*Leptosciarella dolichocarpa* Rudzinski, 2005 Ref. 同前  
*Leptosciarella furiosa* Rudzinski, 2005 Ref. 同前  
*Leptosciarella imberba* Rudzinski, 2005 Ref. 同前  
*Leptosciarella ironica* Rudzinski, 2005 Ref. 同前  
*Leptosciarella nativa* Rudzinski, 2005 Ref. 同前  
*Leptosciarella neopalpa* Rudzinski, 2005 Ref. 同前  
*Leptosciarella perturbata* Rudzinski, 2005 Ref. 同前  
*Scatopsiara aberrantia* Mohrig & Mamaev, 1983 Ref. Rudzinski, 2004  
*Scatopsiara amplituda* Rudzinski, 2004 Ref. 同前  
*Scatopsiara atomaria* Zetterstedt, 1851 Ref. 同前  
*Scatopsiara dispositata* Rudzinski, 2004 Ref. 同前  
*Scatopsiara glorificata* Rudzinski, 2004 Ref. 同前  
*Scatopsiara necopinata* Rudzinski, 2004 Ref. 同前  
*Scatopsiara philosopha* Rudzinski, 2004 Ref. 同前  
*Scatopsiara postgeophila* Mohrig & Menzel, 1992 Ref. 同前  
*Scatopsiara suprema* Rudzinski, 2004 Ref. 同前  
*Schwenckfeldina custodiata* Rudzinski, 2005 Ref. Rudzinski, 2005  
*Schwenckfeldina pravitata* Rudzinski, 2005 Ref. 同前  
*Sciara bruckii* Winneertz, 1867 布氏黑翅蕈蚋 Ref. Lin & Chen, 1999  
*Sciara copiosa* Lengersdorf, 1927 豐島黑翅蕈蚋 Ref. 同前  
*Sciara fera* Winneertz, 1867 野獸黑翅蕈蚋 Ref. 同前  
*Sciara humeralis* Zetterstedt, 1851 批肩黑翅蕈蚋 Ref. 同前  
*Sciara insignis* Winneertz, 1867 標緻黑翅蕈蚋 Ref. 同前  
*Sciara lugubris* Winneertz, 1867 不詳黑翅蕈蚋 Ref. 同前  
*Sciara pectoralis* Staeger, 1840 胸甲黑翅蕈蚋 Ref. 同前  
*Sciara pullula* Winneertz, 1867 多產黑翅蕈蚋 Ref. 同前  
*Sciara ruficauda* Meigen, 1818 Ref. Rudzinski, 2005  
*Sciara thomae* (Linnaeus, 1776) 多瑪黑翅蕈蚋 Ref. Lin & Chen, 1999  
*Sciara triseriata* Winneertz, 1867 歐洲黑翅蕈蚋 Ref. 同前  
*Sciara vallestris* Lengersdorf, 1926 挪威黑翅蕈蚋 Ref. 同前  
*Trichosia conglobata* Rudzinski, 2005 Ref. Rudzinski, 2005  
*Trichosia controversa* Rudzinski, 2005 Ref. 同前  
*Trichosia gravitata* Rudzinski, 2005 Ref. 同前  
*Trichosia morosa* Rudzinski, 2005 Ref. 同前  
*Trichosillana imperiosa* Rudzinski, 2005 Ref. 同前  
*Xylosciara sensillata* Rudzinski, 2005 Ref. 同前  
*Zygoneura transferata* Rudzinski, 2005 Ref. 同前

#### Family Sciomyzinae 沼蠅科

*Pherbellia causta* (Hendel, 1913) 燒炙沼蠅 Ref. Lin & Chen, 1999  
*Pteromicra leucodactyla* (Hendel, 1913) 白趾沼蠅 Ref. 同前  
*Sepedon ferruginosa* Wiedemann, 1824 鏽色沼蠅 Ref. 同前  
*Sepedon lobifera* Hendel, 1911 小葉沼蠅 Ref. 同前  
*Sepedon neanias* Hendel, 1913 台南沼蠅 Ref. 同前  
*Sepedon plumbella* Wiedemann, 1830 鑲鉛沼蠅 Ref. 同前  
*Sepedon senex* Wiedemann, 1830 耄耄沼蠅 Ref. 同前  
*Sepedon sphegea* (Fabricius, 1775) 高雄沼蠅 Ref. 同前

#### Family Sepsidae 豐細蠅科

*Australosepsis fontalis* (Walker, 1860) 關嶺豐細蠅 Ref. Lin & Chen, 1999

*Australosepsis niveipennis* (Becker, 1903) 白翅艷細蠅 Ref. 同前  
*Decachaetophora aeneipes* (Meijere, 1913) 銅足艷細蠅 Ref. 同前  
*Dicranosepsis bicolor* (Wiedemann, 1830) 雙色艷細蠅 Ref. 同前  
*Dicranosepsis sauteri* Ozerov, 2003 Ref. Ozerov, 2003  
*Meroplius fasciculatus* (Brunetti, 1910) 花束艷細蠅 Ref. Lin & Chen, 1999  
*Meroplius minutus* (Wiedemann, 1830) 微小艷細蠅 Ref. 同前  
*Meroplius sauteri* (Meijere, 1913) 邵氏艷細蠅 Ref. 同前  
*Nemapoda pectinulata* Loew, 1873 多+0367 艷細蠅 Ref. 同前  
*Perochaeta orientalis* (Meijere, 1913) 東洋艷細蠅 Ref. 同前  
*Sepsis albopunctata* Lamb, 1914 白斑艷細蠅 Ref. 同前  
*Sepsis barbata* Becker, 1907 長毛艷細蠅 Ref. 同前  
*Sepsis coprophila* Meijere, 1906 星島艷細蠅 Ref. 同前  
*Sepsis indica* Wiedemann, 1824 印度艷細蠅 Ref. 同前  
*Sepsis lateralis* Wiedemann, 1830 雙肋艷細蠅 Ref. 同前  
*Sepsis latiforceps* Duda, 1926 寬缺艷細蠅 Ref. 同前  
*Sepsis monostigma* Thomson, 1869 單痣艷細蠅 Ref. 同前  
*Sepsis nitens* Wiedemann, 1824 光澤艷細蠅 Ref. 同前  
*Sepsis punctum* (Fabricius, 1794) 斑點艷細蠅 Ref. 同前  
*Sepsis thoracica* (Robineau-Desvoidy, 1830) 普通艷細蠅 Ref. 同前  
*Sepsis zuskai* Iwasa, 1982 台灣艷細蠅 Ref. 同前  
*Toxopodinae viduata* (Thomson, 1869) 香港艷細蠅 Ref. 同前  
*Xenosepsis sydneyensis* Malloch, 1925 雪梨艷細蠅 Ref. 同前

### Family Simuliidae 蚋科

*Simulium (Comphostibia) metatarsale* Brunetti, 1911 白脛蚋 Ref. Lin & Chen, 1999  
*Simulium (Comphostibia) tuenense* Takaoka, 1979 慈恩蚋 Ref. 同前  
*Simulium (Eusimulium) aureohirtum* Brunetti, 1911 筋毛蚋 Ref. 同前  
*Simulium (Eusimulium) chitoense* Takaoka, 1979 溪頭蚋 Ref. 同前  
*Simulium (Eusimulium) chowi* Takaoka, 1979 周氏蚋 Ref. 同前  
*Simulium (Eusimulium) falcoe* (Shiraki, 1935) 紅集蚋 Ref. 同前  
*Simulium (Eusimulium) geniculare* (Shiraki, 1935) 黑膝蚋 Ref. 同前  
*Simulium (Eusimulium) taipei* (Shiraki, 1935) 台北蚋 Ref. 同前  
*Simulium (Eusimulium) taulingense* Takaoka, 1979 大禹嶺蚋 Ref. 同前  
*Simulium (Eusimulium) yushangense* Takaoka, 1979 玉山蚋 Ref. 同前  
*Simulium (Simulium) ambiguum* Shiraki, 1935 黃腹蚋 Ref. 同前  
*Simulium (Simulium) arisanum* Shiraki, 1935 阿里山蚋 Ref. 同前  
*Simulium (Simulium) grisescens* Brunetti, 1911 灰色蚋 Ref. 同前  
*Simulium (Simulium) karenkoense* (Shiraki, 1935) 花蓮港蚋 Ref. 同前  
*Simulium (Simulium) katoi* Shiraki, 1935 加藤蚋 Ref. 同前  
*Simulium (Simulium) puliense* Takaoka, 1979 埔里蚋 Ref. 同前  
*Simulium (Simulium) quinquestriatum* (Shiraki, 1935) 五紋蚋 Ref. 同前  
*Simulium (Simulium) rufibasis* Brunetti, 1911 銅背蚋 Ref. 同前  
*Simulium (Simulium) sakishimaense* Takaoka, 1977 先島蚋 Ref. 同前  
*Simulium (Simulium) shirakii* Kono & Takahashi, 1940 素木蚋 Ref. 同前  
*Simulium (Simulium) suzzukii* Ubzov, 1963 鈴木蚋 Ref. 同前  
*Simulium (Simulium) taiwanicum* Takaoka, 1979 台灣蚋 Ref. 同前  
*Simulium (Simulium) ufengense* Takaoka, 1979 五峰蚋 Ref. 同前  
*Simulium (Wallacellum) yonakuniense* Takaoka, 1972 蘭嶼蚋 Ref. 同前

### Family Solvidae 擬樹虻科

*Solve aurifrons* James, 1939 金額擬樹虻 Ref. Lin & Chen, 1999  
*Solve concavifrons* James, 1939 凹額擬樹虻 Ref. 同前  
*Solve nigricoxis* Enderlein, 1921 印度擬樹虻 Ref. 同前  
*Solve sauteri* James, 1939 邵氏擬樹虻 Ref. 同前

### Family Sphaeroceridae 大附蠅科

*Chaetopodella nigrinotum* Hayashi & Papp, 2007 Ref. Hayashi & Papp, 2007  
*Coproica hirtula* (Rondani, 1880) 多毛大附蠅 Ref. Lin & Chen, 1999  
*Coproica vagans* (Haliday, 1873) 漂白大附蠅 Ref. 同前  
*Leptocera (Leptocera) curvinervis* (Stenhammar, 1854) 曲筋大附蠅 Ref. 同前  
*Leptocera (Leptocera) nigrolimbata* (Duda, 1925) 黑緣大附蠅 Ref. 同前  
*Leptocera (Leptocera) parafluva* (Duda, 1925) 微黃大附蠅 Ref. 同前  
*Leptocera (Leptocera) paranigrolimbata* (Duda, 1925) 台北大附蠅 Ref. 同前  
*Leptocera (Opacifrons) coxata* (Stenhammar, 1854) 臀股大附蠅 Ref. 同前  
*Leptocera (Opacifrons) dupliciseta* Duda, 1925 雙毛大附蠅 Ref. 同前  
*Leptocera (Rachispoda) filiforceps* (Duda, 1925) 越南大附蠅 Ref. 同前  
*Leptocera (Rachispoda) pseudocisetosa* (Duda, 1925) 澳洲大附蠅 Ref. 同前  
*Leptocera (Rachispoda) sauteri* (Duda, 1925) 邵氏大附蠅 Ref. 同前  
*Leptocera (Rachispoda) subtinctipennis* (Brunetti, 1913) 印度大附蠅 Ref. 同前  
*Limosina brevicostata* Duda, 1918 窄腰大附蠅 Ref. 同前  
*Limosina heteroneura* Haliday, 1836 異尾大附蠅 Ref. 同前  
*Limosina rufa* Duda, 1925 紅色大附蠅 Ref. 同前  
*Lotobia asiatica* Hayashi & Papp, 2004 Ref. Hayashi & Papp, 2004

*Poecilisomella amputata* Duda, 1925 安部大附蠅 Ref. Lin & Chen, 1999  
*Poecilisomella cryptica* Papp, 1991 隱藏大附蠅 Ref. 同前  
*Poecilisomella furcata* Duda, 1925 分叉大附蠅 Ref. 同前  
*Poecilisomella longinervis* Duda, 1925 長筋大附蠅 Ref. 同前  
*Poecilisomella multipunctata* Duda, 1925 多斑大附蠅 Ref. 同前  
*Poecilisomella nigrotibia* Duda, 1925 黑脛大附蠅 Ref. 同前  
*Poecilisomella punctipennis* (Wiedemann, 1824) 刺翅大附蠅 Ref. 同前  
*Poecilisomella varians* Duda, 1925 易變大附蠅 Ref. 同前  
*Poecilosomella curvipes* Papp, 2002 Ref. Papp, 2002  
*Poecilosomella formosana* Papp, 2002 Ref. Papp, 2002  
*Poecilosomella longicalcar* Papp, 2002 Ref. Papp, 2002  
*Poecilosomella nigra* Papp, 2002 Ref. Papp, 2002  
*Poecilosomella ronkayi* Papp, 2002 Ref. Papp, 2002  
*Trachyopella formosa* Duda, 1925 台灣大附蠅 Ref. Lin & Chen, 1999

### Family Stratiomyidae 水虻科

*Abiomyia annulipes* Kertész, 1914 環足水虻 Ref. Lin & Chen, 1999  
*Abrosiomya minuta* Kertész, 1914 小型水虻 Ref. 同前  
*Actina amoena* (Enderlein, 1921) 溫和水虻 Ref. 同前  
*Actina flavicornis* (James, 1939) 黃角水虻 Ref. 同前  
*Adoxomyia formosana* Kertész, 1923 蓬萊水虻 Ref. 同前  
*Aidomyia femoralis* Kertész, 1916 港口水虻 Ref. 同前  
*Allognosta fuscipennis* Enderlein, 1921 棕翅水虻 Ref. 同前  
*Allognosta maxima* Enderlein, 1921 巨型水虻 Ref. 同前  
*Allognosta partita* Enderlein, 1921 集集水虻 Ref. 同前  
*Aulana insularis* James, 1939 島嶼水虻 Ref. 同前  
*Cechorismeus flavicornis* Kertész, 1916 黃角水虻 Ref. 同前  
*Cephalochrysa stenogaster* James, 1939 窄腹水虻 Ref. 同前  
*Cibotogaster fumipennis* Kertész, 1914 灰翅水虻 Ref. 同前  
*Craspedometopon frontale* Kertész, 1909 闊額水虻 Ref. 同前  
*Culcua simulans* Walker, 1857 酷似水虻 Ref. 同前  
*Cyphomyia orientalis* Kertész, 1914 東方水虻 Ref. 同前  
*Evaza formosana* Kertész, 1914 台南水虻 Ref. 同前  
*Evaza nigripennis* Kertész, 1909 黑翅水虻 Ref. 同前  
*Evaza tibialis* (Walker, 1861) 脛足水虻 Ref. 同前  
*Gnorismomyia flavicornis* Kertész, 1914 高雄水虻 Ref. 同前  
*Lenomyia honesta* Kertész, 1916 優雅水虻 Ref. 同前  
*Monacanthomyia atronitens* (Kertész, 1914) 府城水虻 Ref. 同前  
*Nigritomyia fulvicollis* Kertész, 1914 黃峰水虻 Ref. 同前  
*Odontomyia lutatius* Walker, 1849 污泥水虻 Ref. 同前  
*Oxycera apicalis* (Kertész, 1914) 稻田水虻 Ref. 同前  
*Oxycera excellens* (Kertész, 1914) 傑出水虻 Ref. 同前  
*Oxycera fenestrata* (Kertész, 1914) 窗點水虻 Ref. 同前  
*Paracechorismeus intermedius* Kertész, 1916 中間水虻 Ref. 同前  
*Pegadomyia pruinosa* Kertész, 1916 寒霜水虻 Ref. 同前  
*Pseudowallacea tsudai* Ouchi, 1938 津田水虻 Ref. 同前  
*Ptecticus aurifer* (Walker, 1854) 黃金水虻 Ref. 同前  
*Ptecticus australis* Schiner, 1868 南方水虻 Ref. 同前  
*Ptecticus cingulatus* Loew, 1855 束帶水虻 Ref. 同前  
*Ptecticus sauteri* (Enderlein, 1914) 邵氏水虻 Ref. 同前  
*Sargus metallinus* (Fabricius, 1805) 金色水虻 Ref. 同前  
*Spartimas formosanus* Enderlein, 1921 台灣水虻 Ref. 同前  
*Spartimas ornatipes* Enderlein, 1921 彩足水虻 Ref. 同前  
*Wallacea albiseta* Meijere, 1907 白毛水虻 Ref. 同前  
*Wallacea tibialis* Kertész, 1909 甲仙水虻 Ref. 同前

### Family Streblidae 蝙蝠蠅科

*Brachytarsina (Brachytarsina) amboinensis* Rondani, 1878 安邦蝙蝠蠅 Ref. Lin & Chen, 1999

### Family Strongylophthalmyiidae 大眼蠅科

*Strongylophthalmyia coarctata* Hendel, 1913 收縮大眼蠅 Ref. Lin & Chen, 1999  
*Strongylophthalmyia crinita* Hennig, 1940 長髮大眼蠅 Ref. 同前  
*Strongylophthalmyia immaculata* Hennig, 1940 無斑大眼蠅 Ref. 同前  
*Strongylophthalmyia maculipennis* Hendel, 1913 斑翅大眼蠅 Ref. 同前  
*Strongylophthalmyia punctata* Hennig, 1940 斑點大眼蠅 Ref. 同前  
*Strongylophthalmyia trifasciata* Hennig, 1940 三帶大眼蠅 Ref. 同前

### Family Syrphidae 食蚜蠅科

*Allograpta javana* (Wiedemann, 1824) 爪哇蚜蠅 Ref. Lin & Chen, 1999  
*Asarkina (Asarkina) consequens* (Walker, 1857) 尾隨蚜蠅 Ref. 同前  
*Asarkina (Asarkina) ericetorum* Bezzi, 1808 福懋蚜蠅 Ref. 同前  
*Asarkina (Asarkina) ericetorum* (Fabricius, 1781) 樹叢蚜蠅 Ref. 同前  
*Asarkina (Asarkina) fumipennis* Sack, 1913 灰翅蚜蠅 Ref. 同前  
*Asarkina (Asarkina) porcina* (Coquillett, 1898) 豚型蚜蠅 Ref. 同前

*Azpeytia flavoscutellata* Kertesz, 1913 黃盾蚜蠅 Ref. 同前  
*Azpeytia maculata* Shiraki, 1930 斑點蚜蠅 Ref. 同前  
*Baccha sauteri* Kertesz, 1913 邵氏蚜蠅 Ref. 同前  
*Baccha (Allobaccha) amphithoe* Walker, 1849 旋轉蚜蠅 Ref. 同前  
*Baccha (Allobaccha) apicalis* Loew, 1858 頭頂蚜蠅 Ref. 同前  
*Baccha (Allobaccha) fallax* Austen, 1893 虛偽蚜蠅 Ref. 同前  
*Baccha (Allobaccha) meijerei* Kertesz, 1913 梅氏蚜蠅 Ref. 同前  
*Baccha (Allobaccha) nubilipennis* Austen, 1893 暗翅蚜蠅 Ref. 同前  
*Baccha (Allobaccha) sapphirina* Wiedemann, 1830 碧芝蚜蠅 Ref. 同前  
*Baccha (Baccha) maculata* Walker, 1852 纖維蚜蠅 Ref. 同前  
*Betasyrphus serarius* (Wiedemann, 1830) 狹帶蚜蠅 Ref. 同前  
*Callicera aenea* (Fabricius, 1781) 古銅蚜蠅 Ref. 同前  
*Ceriana formosensis* (Shiraki, 1930) 仁愛蚜蠅 Ref. 同前  
*Cheilosia aterrima* Sack, 1927 黝黑蚜蠅 Ref. 同前  
*Cheilosia formosana* Shiraki, 1930 利吉蚜蠅 Ref. 同前  
*Cheilosia leptorrhyncha* Shiraki, 1930 窄吻蚜蠅 Ref. 同前  
*Cheilosia makiana* Shiraki, 1930 高能蚜蠅 Ref. 同前  
*Cheilosia niitakana* Shiraki, 1930 新高蚜蠅 Ref. 同前  
*Cheilosia ochreipila* Shiraki, 1930 秀姑蚜蠅 Ref. 同前  
*Cheilosia rakurakuensis* Shiraki, 1930 卓溪蚜蠅 Ref. 同前  
*Cheilosia splendida* Shiraki, 1930 華麗蚜蠅 Ref. 同前  
*Cheilosia yoshinoi* Shiraki, 1930 吉野蚜蠅 Ref. 同前  
*Chrysotoxum formosanum* Shiraki, 1930 金弦蚜蠅 Ref. 同前  
*Chrysotoxum testaceum* Sack, 1913 碎磚蚜蠅 Ref. 同前  
*Criorhina formosana* Shiraki, 1930 蠻大蚜蠅 Ref. 同前  
*Criorhina rubripes* (Matsumura, 1916) 朱腳蚜蠅 Ref. 同前  
*Criorhina setosa* Shiraki, 1930 多毛蚜蠅 Ref. 同前  
*Criorhina shirakii* Goot, 1964 素木蚜蠅 Ref. 同前  
*Criorhina trifasciata* Shiraki, 1930 三帶蚜蠅 Ref. 同前  
*Dasysyrphus bilineatus* (Matsumura, 1917) 雙線蚜蠅 Ref. 同前  
*Didea fasciata* Macquart, 1834 條斑蚜蠅 Ref. 同前  
*Dideoides coquilletti* (Goot, 1964) 苛氏蚜蠅 Ref. 同前  
*Dideoides latus* (Coquillett, 1898) 寬闊蚜蠅 Ref. 同前  
*Dideoopsis aegrota* (Fabricius, 1805) 病夫蚜蠅 Ref. 同前  
*Endoiasimyia formosana* Shiraki, 1930 阿里山蚜蠅 Ref. 同前  
*Epistrophe (Epistrophella) horishana* (Matsumura, 1917) 埔里蚜蠅 Ref. 同前  
*Episyrphus alteranas* (Macquart, 1842) 輪班蚜蠅 Ref. 同前  
*Episyrphus arcifer* (Sack, 1927) 弓形蚜蠅 Ref. 同前  
*Episyrphus balteatus* (Geer, 1776) 佩帶蚜蠅 Ref. 同前  
*Episyrphus divertens* (Walker, 1857) 逗留蚜蠅 Ref. 同前  
*Episyrphus graptus* (Hull, 1944) 彩飾蚜蠅 Ref. 同前  
*Episyrphus nectarinus* (Wiedemann, 1830) 聖潔蚜蠅 Ref. 同前  
*Eriozona nigroscutellata* (Shiraki, 1930) 黑盾蚜蠅 Ref. 同前  
*Eristalinus aeneus* (Scopoli, 1763) 銅色蚜蠅 Ref. 同前  
*Eristalinus arvorum* (Fabricius, 1787) 平原蚜蠅 Ref. 同前  
*Eristalinus laetus* (Wiedemann, 1830) 綺麗蚜蠅 Ref. 同前  
*Eristalinus lugens* (Wiedemann, 1830) 涕泣蚜蠅 Ref. 同前  
*Eristalinus quadristriatus* (Macquart, 1846) 四紋蚜蠅 Ref. 同前  
*Eristalinus quinquestriatus* (Fabricius, 1794) 五紋蚜蠅 Ref. 同前  
*Eristalinus tarsalis* (Macquart, 1855) 跗足蚜蠅 Ref. 同前  
*Eristalinus (Eristalodes) paria* (Bigot, 1880) 巴力蚜蠅 Ref. 同前  
*Eristalis cingulata* Sack, 1927 寒溪蚜蠅 Ref. 同前  
*Eristalis formosana* Shiraki, 1930 宜蘭蚜蠅 Ref. 同前  
*Eristalis sacki* Goot, 1964 沙氏蚜蠅 Ref. 同前  
*Eristalis (Eoseristalis) cerealis* Fabricius, 1805 稻生蚜蠅 Ref. 同前  
*Eristalis (Eristalis) tenax* (Linnaeus, 1785) 頑固蚜蠅 Ref. 同前  
*Eumerus aurifrons* Wiedemann, 1824 金額蚜蠅 Ref. 同前  
*Eumerus figurans* Walker, 1860 幻影蚜蠅 Ref. 同前  
*Eumerus flavicincta* Meijere, 1908 黃帶蚜蠅 Ref. 同前  
*Eumerus nicobarensis* Shiner, 1868 烏來蚜蠅 Ref. 同前  
*Eumerus okinawaensis* Shiraki, 1930 沖繩蚜蠅 Ref. 同前  
*Eumerus rufitibialis* Sack, 1922 橙腳蚜蠅 Ref. 同前  
*Ferdinandea formosana* Shiraki, 1930 南投蚜蠅 Ref. 同前  
*Graptomyza arisana* Shiraki, 1930 吳鳳蚜蠅 Ref. 同前  
*Graptomyza cynocephala* Kertesz, 1914 貝齒蚜蠅 Ref. 同前  
*Graptomyza dolichocera* Kertesz, 1914 甲仙蚜蠅 Ref. 同前  
*Graptomyza fascipennis* Sack, 1922 紋翅蚜蠅 Ref. 同前  
*Graptomyza formosana* Shiraki, 1930 大林蚜蠅 Ref. 同前  
*Graptomyza gibbosa* (Walker, 1860) 拱背蚜蠅 Ref. 同前  
*Graptomyza nitobei* Shiraki, 1930 新渡戶蚜蠅 Ref. 同前  
*Graptomyza obtusa* Kertesz, 1914 愚鈍蚜蠅 Ref. 同前  
*Ischiodon scutellaris* (Fabricius, 1805) 短刺蚜蠅 Ref. 同前

*Kertesziomyia violascens* (Kertész, 1913) 紫色蚜蠅 Ref. 同前  
*Korenychia apicalis* Shiraki, 1930 翅頂蚜蠅 Ref. 同前  
*Korenychia formosana* Shiraki, 1930 玉井蚜蠅 Ref. 同前  
*Lycastris cornuta* Enderlein, 1911 長吻蚜蠅 Ref. 同前  
*Mallota abdominalis* (Sack, 1927) 水社蚜蠅 Ref. 同前  
*Mallota curvigaster* (Macquart, 1842) 彎腹蚜蠅 Ref. 同前  
*Mallota formosana* Shiraki, 1930 恆春蚜蠅 Ref. 同前  
*Mallota haemorrhoidalis* Sack, 1927 雙溪蚜蠅 Ref. 同前  
*Mallota horishana* Shiraki, 1930 埔里蚜蠅 Ref. 同前  
*Mallota hysopia* Vockeroth, 1930 芳香蚜蠅 Ref. 同前  
*Mallota matolla* Knutson, 1972 馬頭蚜蠅 Ref. 同前  
*Mallota orientalis* Wiedemann, 1824 東方蚜蠅 Ref. 同前  
*Melanostomatini abdominale* Shiraki, 1930 掠捕蚜蠅 Ref. 同前  
*Melanostomatini orientalis* (Wiedemann, 1824) 東洋蚜蠅 Ref. 同前  
*Melanostomatini scalare* (Fabricius, 1794) 階梯蚜蠅 Ref. 同前  
*Melanostomatini univittatum* (Wiedemann, 1824) 單紋蚜蠅 Ref. 同前  
*Meliscava abdominalis* (Sack, 1927) 肚腹蚜蠅 Ref. 同前  
*Meliscava cinctella* (Zetterstedt, 1834) 束腰蚜蠅 Ref. 同前  
*Meliscava cinctella* (Shiraki, 1930) 台灣蚜蠅 Ref. 同前  
*Meliscava cinctella* (Shiraki, 1930) 美麗蚜蠅 Ref. 同前  
*Meliscava monticola* (Meijere, 1914) 高山蚜蠅 Ref. 同前  
*Meliscava strigifrons* (Meijere, 1914) 貓鷹蚜蠅 Ref. 同前  
*Mesembrius bengalensis* (Wiedemann, 1819) 孟加蚜蠅 Ref. 同前  
*Mesembrius formosanus* Shiraki, 1930 竹東蚜蠅 Ref. 同前  
*Mesembrius niveiceps* (Meijere, 1908) 白足蚜蠅 Ref. 同前  
*Mesembrius wulpi* Goot, 1964 烏氏蚜蠅 Ref. 同前  
*Metasyrphus (Metasyrphus) confrater* (Wiedemann, 1930) 聯誼蚜蠅 Ref. 同前  
*Metasyrphus (Metasyrphus) corollae* (Fabricius, 1794) 大灰蚜蠅 Ref. 同前  
*Microdon (Microdon) auricinctus* Brunetti, 1908 金帶蚜蠅 Ref. 同前  
*Microdon (Microdon) bicolor* Sack, 1922 安平蚜蠅 Ref. 同前  
*Microdon (Microdon) caeruleus* Shiraki, 1930 碧綠樸素蚜蠅 Ref. 同前  
*Microdon (Microdon) formosanus* Shiraki, 1930 台生蚜蠅 Ref. 同前  
*Microdon (Microdon) fruficaudus* Brunetti, 1907 閃亮蚜蠅 Ref. 同前  
*Milesia fissipennis* Speiser, 1911 裂翅蚜蠅 Ref. 同前  
*Milesia vesparia* Shiraki, 1930 胡蜂蚜蠅 Ref. 同前  
*Monoceromyia annulata* (Kertész, 1913) 環紋蚜蠅 Ref. 同前  
*Monoceromyia similis* (Kertész, 1913) 酷肖蚜蠅 Ref. 同前  
*Orthonerva formosana* Shiraki, 1930 東勢蚜蠅 Ref. 同前  
*Paragus (Pandasyophthalmus) hokusankoensis* Shiraki, 1954 北山蚜蠅 Ref. 同前  
*Paragus (Pandasyophthalmus) tibialis* (Fallen, 1817) 脛節蚜蠅 Ref. 同前  
*Paragus (Pargus) crenulatus* Thomson, 1869 澳亞蚜蠅 Ref. 同前  
*Paramicrodon nigripennis* (Sack, 1922) 黑翅蚜蠅 Ref. 同前  
*Parmixogasteroides varigata* (Sack, 1922) 善變蚜蠅 Ref. 同前  
*Parocypptamus purpureus* (Hull, 1937) 紫衣蚜蠅 Ref. 同前  
*Parocypptamus sonanii* Shiraki, 1930 仁博蚜蠅 Ref. 同前  
*Phytomia (Phytomia) errans* (Fabricius, 1787) 遊蕩蚜蠅 Ref. 同前  
*Phytomia (Phytomia) zonata* (Fabricius, 1787) 黃道蚜蠅 Ref. 同前  
*Pipiza signata* Meigen, 1922 圖章蚜蠅 Ref. 同前  
*Platycherius formosanus* Shiraki, 1930 港口蚜蠅 Ref. 同前  
*Pseuderistalis bicolor* (Shiraki, 1930) 雙色蚜蠅 Ref. 同前  
*Pseudovolucella mimica* Shiraki, 1930 明星蚜蠅 Ref. 同前  
*Rhingia binotata* Brunetti, 1908 二斑蚜蠅 Ref. 同前  
*Rhingia cincta* Meijere, 1904 桂冠蚜蠅 Ref. 同前  
*Rhingia formosana* Shiraki, 1930 太平蚜蠅 Ref. 同前  
*Sericomyia completa* Curran, 1929 完美蚜蠅 Ref. 同前  
*Sphaerophoria formosana* (Matsumura, 1916) 蓬萊蚜蠅 Ref. 同前  
*Sphaerophoria vockerothi* Joseph, 1970 沃氏蚜蠅 Ref. 同前  
*Sphegina apicalis* Shiraki, 1930 端翅蚜蠅 Ref. 同前  
*Sphegina nigerrima* Shiraki, 1930 趨黑蚜蠅 Ref. 同前  
*Sphegina orientalis* Kertész, 1914 東亞蚜蠅 Ref. 同前  
*Sphegina varidissima* Shiraki, 1930 雜色蚜蠅 Ref. 同前  
*Syritta indica* (Wiedemann, 1824) 印度蚜蠅 Ref. 同前  
*Syrphus ambigua* Shiraki, 1930 猶豫蚜蠅 Ref. 同前  
*Syrphus issilii* Shiraki, 1930 一色蚜蠅 Ref. 同前  
*Syrphus minimus* Shiraki, 1930 微小蚜蠅 Ref. 同前  
*Syrphus sonami* Shiraki, 1930 楚南蚜蠅 Ref. 同前  
*Syrphus sonami* Shiraki, 1930 阿里蚜蠅 Ref. 同前  
*Syrphus torvus* Osten Sacken, 1875 恐怖蚜蠅 Ref. 同前  
*Syrphus vitripennis* Meigen, 1922 明翅蚜蠅 Ref. 同前  
*Takaomyia formosana* Shiraki, 1930 高雄蚜蠅 Ref. 同前  
*Takaomyia johannis* Herne-Bazin, 1915 約翰蚜蠅 Ref. 同前  
*Temnostoma taiwanum* Shiraki, 1930 朝日蚜蠅 Ref. 同前

*Triglyphus formosanus* Shiraki, 1930 霧社蚜蠅 Ref. 同前  
*Volucella dimidiata* Sack, 1922 分離蚜蠅 Ref. 同前  
*Volucella nigricans* Coquillett, 1898 黑色蚜蠅 Ref. 同前  
*Volucella taiwana* Shiraki, 1930 花蓮蚜蠅 Ref. 同前  
*Volucella terauchi* Matsumura, 1916 寺內蚜蠅 Ref. 同前  
*Volucella trifasciata* Wiedemann, 1830 三帶蚜蠅 Ref. 同前  
*Volucella vespimima* Shiraki, 1930 擬蜂蚜蠅 Ref. 同前  
*Xanthandrus comtus* (Harris, 1780) 雅致蚜蠅 Ref. 同前  
*Xanthogramma arisanica* Shiraki, 1930 嘉義蚜蠅 Ref. 同前  
*Xanthogramma fasciata* Shiraki, 1930 帶紋蚜蠅 Ref. 同前  
*Xanthogramma fumipennis* Matsumura, 1916 燻翅蚜蠅 Ref. 同前  
*Xylota aeneimaculata* Meijere, 1908 銅斑蚜蠅 Ref. 同前  
*Xylota annulata* (Sack, 1927) 彩足蚜蠅 Ref. 同前  
*Xylota armipes* (Sack, 1922) 肩足蚜蠅 Ref. 同前  
*Xylota bimaculata* (Shiraki, 1930) 二斑蚜蠅 Ref. 同前  
*Xylota brachypalpoides* (Shiraki, 1930) 短鬚蚜蠅 Ref. 同前  
*Xylota coquilleti* Herne-Bazin, 1915 苛氏蚜蠅 Ref. 同前  
*Xylota flavipes* (Sack, 1927) 黃腳蚜蠅 Ref. 同前  
*Xylota formosana* Matsumura, 1916 寶島蚜蠅 Ref. 同前  
*Xylota makiana* (Shiraki, 1930) 茅埔蚜蠅 Ref. 同前  
*Xylota steyskali* Thomson, 1975 史迪蚜蠅 Ref. 同前

### Family Tabanidae 虻科

*Atylotus horvathi* (Szilady, 1926) 何氏黃虻 Ref. 連日清。1992  
*Atylotus negativus* (Ricardo, 1911) 高雄姬虻 Ref. Lin & Chen, 1999  
*Chrysops dispar* (Fabricius, 1798) 異斑虻 Ref. 連日清。1992  
*Chrysops flavescens* (Szilady, 1922) 金黃斑虻 Ref. 連日清。1992  
*Chrysops grandis* (Szilady, 1922) 魁梧斑虻 Ref. Lin & Chen, 1999  
*Chrysops mlokosiewiczii* Bigot, 1880 摩氏斑虻 Ref. 同前  
*Chrysops nigripes* Zetterstedt, 1840 黑族斑虻 Ref. 連日清。1992  
*Chrysops sinensis* Walker, 1856 中華斑虻 Ref. 連日清。1992  
*Haematopota antennata* (Shiraki, 1932) 觸角麻虻 Ref. 連日清。1992  
*Haematopota formosana* Shiraki, 1918 台灣麻虻 Ref. 連日清。1992  
*Hiroshia iyoensis* (Shiraki, 1918) 伊豫弘虻 Ref. 連日清。1992  
*Hiroshia kotoshoensis* (Shiraki, 1918) 蘭嶼弘虻 Ref. 連日清。1992  
*Hybomitra taranadina* (Linnaeus, 1761) 鹿瘤虻 Ref. 連日清。1992  
*Hybomitra tropica* Panzer, 1794 好動瘤虻 Ref. 連日清。1992  
*Maematopotini formosana* Shiraki, 1919 台灣血虻 Ref. Lin & Chen, 1999  
*Silvius formosensis* Ricardo, 1913 台灣林虻 Ref. 連日清。1992  
*Silvius shirakii* Mackerras, 1960 素木氏林虻 Ref. 連日清。1992  
*Silvius formosensis* Ricardo, 1913 台灣姬虻 Ref. Lin & Chen, 1999  
*Silvius shirakii* Philip & Mackerras, 1960 素木姬虻 Ref. 同前  
*Taban aurotestaceus* Walker, 1854 金殼虻 Ref. 連日清。1992  
*Tabanus abbreviatus* (Bigot, 1882) 爪哇虻 Ref. 連日清。1992  
*Tabanus administrans* Schiner, 1868 淡水虻 Ref. Lin & Chen, 1999  
*Tabanus amaenus* Walker, 1848 土灰虻 Ref. 連日清。1992  
*Tabanus arisanus* Shiraki, 1918 阿里山虻 Ref. Lin & Chen, 1999  
*Tabanus aurotestaceus* Walker, 1854 金麟虻 Ref. 同前  
*Tabanus biannularis* Philip, 1960 雙環虻 Ref. 同前  
*Tabanus birmanicus* (Bigot, 1892) 緬甸虻 Ref. 連日清。1992  
*Tabanus candidus* Ricardo, 1913 雪白虻 Ref. 連日清。1992  
*Tabanus chrysurus* Loew, 1858 黃巨虻 Ref. 連日清。1992  
*Tabanus conicus* (Bigot, 1892) 錐形虻 Ref. Lin & Chen, 1999  
*Tabanus exoticus* Ricardo, 1913 舶來虻 Ref. 同前  
*Tabanus formosensis* Ricardo, 1911 蓬萊虻 Ref. 同前  
*Tabanus formosensis* Ricardo, 1911 寶島虻 Ref. 連日清。1992  
*Tabanus fulvicinctus* Ricardo, 1914 黃腰虻 Ref. Lin & Chen, 1999  
*Tabanus fulvimeidioides* Shiraki, 1918 黃條虻 Ref. 連日清。1992  
*Tabanus fuscicornis* Ricardo, 1911 黑角虻 Ref. 連日清。1992  
*Tabanus gertrudae* Philip, 1960 黃紋虻 Ref. 連日清。1992  
*Tabanus indianus* Ricardo, 1911 印度虻 Ref. 連日清。1992  
*Tabanus karenkoensis* Shiraki, 1932 花蓮虻 Ref. 連日清。1992  
*Tabanus kiangsuensis* Kroeber, 1934 江蘇虻 Ref. 連日清。1992  
*Tabanus kotoshoensis* Shiraki, 1919 蘭嶼虻 Ref. Lin & Chen, 1999  
*Tabanus mandarinus* Shiner, 1868 白紋虻 Ref. 同前  
*Tabanus miyakei* Shiraki, 1919 三宅虻 Ref. 連日清。1992  
*Tabanus orientis* Walker, 1848 東方虻 Ref. 連日清。1992  
*Tabanus pallidepectoratus* (Bigot, 1892) 西貢虻 Ref. 連日清。1992  
*Tabanus perakiensis* Ricardo, 1911 馬來虻 Ref. Lin & Chen, 1999  
*Tabanus quinquecinctus* Ricardo, 1914 五帶虻 Ref. 同前  
*Tabanus rufiventris* Fabricius, 1805 紅腹虻 Ref. 連日清。1992  
*Tabanus sauteri* Ricardo, 1913 邵達虻 Ref. 連日清。1992

*Tabanus sexcinctus* Ricardo, 1911 六帶虻 Ref. 連日清。1992  
*Tabanus sexcinctus* Ricardo, 1911 六帶虻 Ref. Lin & Chen, 1999  
*Tabanus signatipennis* Portschinsky, 1887 星翅虻 Ref. 連日清。1992  
*Tabanus signifer* Walker, 1856 中角虻 Ref. 連日清。1992  
*Tabanus striatus* Fabricius, 1787 斷紋虻 Ref. 連日清。1992  
*Tabanus taiwanus* Hayakawa, 1983 台灣虻 Ref. 連日清。1992  
*Tabanus takasagoensis* Shiraki, 1918 高砂虻 Ref. 連日清。1992  
*Tabanus yao* Macquart, 1855 姚虻 Ref. 連日清。1992

### Family Tachinidae 寄生蠅科

*Actinochaetopteryx actifera* Townsend, 1927 岩壁寄蠅 Ref. Lin & Chen, 1999  
*Alophorophasia caudata* (Villeneuve, 1932) 有尾寄蠅 Ref. 同前  
*Alophorophasia tibialis* (Villeneuve, 1932) 棒蠶寄蠅 Ref. 同前  
*Alsomyia anomala* Villeneuve, 1929 崎曲寄蠅 Ref. 同前  
*Aneogmena compressa* (Baranov, 1931) 條出寄蠅 Ref. 同前  
*Aneogmena metallica* (Wiedemann, 1824) 金色寄蠅 Ref. 同前  
*Argyrophylax nigrotibialis* Baranov, 1935 黑脛寄蠅 Ref. 同前  
*Austriphorocera grandis* (Macquart, 1851) 魁梧寄蠅 Ref. 同前  
*Austriphorocera hirsuta* (Mesnil, 1947) 多毛寄蠅 Ref. 同前  
*Austrophasiopsis formosensis* Townsend, 1933 福懋寄蠅 Ref. 同前  
*Bactromyia delicatula* Mesnil, 1953 嬌弱寄蠅 Ref. 同前  
*Bessa remota* (Aldrich, 1925) 隱蔽寄蠅 Ref. 同前  
*Blepharipa zebina* (Walker, 1849) 泰國寄蠅 Ref. 同前  
*Calyptromyia barbata* Villeneuve, 1915 短鬚寄蠅 Ref. 同前  
*Carcelia (Carcelia) caudata* Baranov, 1931 尾帶寄蠅 Ref. 同前  
*Carcelia (Carcelia) frontalis* Baranov, 1931 前額寄蠅 Ref. 同前  
*Carcelia (Carcelia) pseudocaudata* (Baranov, 1934) 假尾寄蠅 Ref. 同前  
*Carcelia (Carcelia) rasoides* Baranov, 1931 天竺寄蠅 Ref. 同前  
*Carcelia (Carcelia) rutilloides* Baranov, 1931 緬甸寄蠅 Ref. 同前  
*Carcelia (Carcelia) setosella* Baranov, 1931 粗毛寄蠅 Ref. 同前  
*Carcelia (Carcelia) sexta* Baranov, 1931 第六寄蠅 Ref. 同前  
*Carcelia (Carceliella) aberrans* Baranov, 1931 迷途寄蠅 Ref. 同前  
*Carcelia (Carceliella) hirsuta* Baranov, 1931 披毛寄蠅 Ref. 同前  
*Carcelia (Carceliella) octava* Baranov, 1931 第八寄蠅 Ref. 同前  
*Carcelia (Carceliella) pilosella* Baranov, 1931 毛裝寄蠅 Ref. 同前  
*Carcelia (Carceliella) septima* Baranov, 1931 第七寄蠅 Ref. 同前  
*Carcelia (Catacarcelia) polyvalens* (Villeneuve, 1929) 粗狀寄蠅 Ref. 同前  
*Carcelia (Catacarcelia) rondaniella* (Baranov, 1934) 龍蛋寄蠅 Ref. 同前  
*Carcelia (Euryclea) ceylonica* (Brauer & Bergenstamm, 1891) 錫蘭寄蠅 Ref. 同前  
*Carcelia (Euryclea) latistylata* (Baranov, 1934) 寬柱寄蠅 Ref. 同前  
*Carcelia (Senometopia) distincta* Baranov, 1931 卓傑寄蠅 Ref. 同前  
*Carcelia (Senometopia) grossa* (Baranov, 1934) 無花果寄蠅 Ref. 同前  
*Carcelia (Senometopia) prima* (Baranov, 1931) 原始寄蠅 Ref. 同前  
*Carcelia (Senometopia) quarta* (Baranov, 1931) 第四寄蠅 Ref. 同前  
*Carcelia (Senometopia) quinta* (Baranov, 1931) 第五寄蠅 Ref. 同前  
*Carcelia (Senometopia) secunda* (Baranov, 1931) 第二寄蠅 Ref. 同前  
*Carcelia (Senometopia) subferrifera* (Walker, 1856) 染紅寄蠅 Ref. 同前  
*Carcelia (Senometopia) tertia* Baranov, 1931 第三寄蠅 Ref. 同前  
*Catapariprosopa curvicauda* Townsend, 1927 曲尾寄蠅 Ref. 同前  
*Catapariprosopa rubiginans* (Villeneuve, 1932) 鏽色寄蠅 Ref. 同前  
*Chaetoxorista eutachinoides* (Baranov, 1932) 真性寄蠅 Ref. 同前  
*Comptosia phoenix* Villeneuve, 1915 鳳凰寄蠅 Ref. 同前  
*Comptosia rufula* Villeneuve, 1915 趨紅寄蠅 Ref. 同前  
*Cuphocera varia* (Fabricius, 1794) 雜色寄蠅 Ref. 同前  
*Cylindromyia evibrissata* (Townsend, 1927) 屏東寄蠅 Ref. 同前  
*Cylindromyia fuscipennis* (Wiedemann, 1819) 棕翅寄蠅 Ref. 同前  
*Cylindromyia luciflua* (Villeneuve, 1944) 假先寄蠅 Ref. 同前  
*Cylindromyia orientalis* (Townsend, 1927) 東洋寄蠅 Ref. 同前  
*Cylindromyia umbripennis* (Wulp, 1881) 蔭翅寄蠅 Ref. 同前  
*Dexia formosana* (Townsend, 1927) 台灣寄蠅 Ref. 同前  
*Dexia fulvifera* Roder, 1893 金黃寄蠅 Ref. 同前  
*Dexiomiops brevipes* Shima, 1987 短腳寄蠅 Ref. 同前  
*Dexiomiops crassipes* Shima, 1987 粗腳寄蠅 Ref. 同前  
*Dexiomiops flavipes* Shima, 1987 黃腳寄蠅 Ref. 同前  
*Dexiomiops rufipes* Baranov, 1935 紅足寄蠅 Ref. 同前  
*Dolichopodomorpho dolichopiformis* Townsend, 1927 長形寄蠅 Ref. 同前  
*Drino argenteiceps* (Macquart, 1851) 銀足寄蠅 Ref. 同前  
*Drino facialis* (Townsend, 1928) 白顏寄蠅 Ref. 同前  
*Ectophasia antennata* Villeneuve, 1933 觸角寄蠅 Ref. 同前  
*Ectophasia sinensis* Villeneuve, 1933 中華寄蠅 Ref. 同前  
*Eophyllophila filipes* Townsend, 1927 細足寄蠅 Ref. 同前  
*Euhthera mannii* Mik, 1889 曼氏寄蠅 Ref. 同前

*Exorista cephalopalpis* Chao, 1964 廣西寄蠅 Ref. 同前  
*Exorista fuscipennis* (Baranov, 1932) 灰翅寄蠅 Ref. 同前  
*Exorista hyalipennis* (Baranov, 1932) 透翅寄蠅 Ref. 同前  
*Exorista japonica* (Townsend, 1909) 日本寄蠅 Ref. 同前  
*Exorista quadriseta* (Baranov, 1932) 四毛寄蠅 Ref. 同前  
*Exorista rusticella* (Baranov, 1936) 鄉村寄蠅 Ref. 同前  
*Exorista vicinalis* Baranov, 1931 芳鄰寄蠅 Ref. 同前  
*Gerocyptera petiolata* (Townsend, 1927) 具柄寄蠅 Ref. 同前  
*Gymnosoma brevicornis* Villeneuve, 1929 短角寄蠅 Ref. 同前  
*Gymnosoma indicum* Walker, 1852 印度寄蠅 Ref. 同前  
*Gymnosoma philippinensis* (Townsend, 1928) 菲島寄蠅 Ref. 同前  
*Hermya formosana* Villeneuve, 1939 蓬萊寄蠅 Ref. 同前  
*Homotrixa brevifacies* Villeneuve, 1914 短頭寄蠅 Ref. 同前  
*Isosturmia intermedia* Townsend, 1927 三毛寄蠅 Ref. 同前  
*Isosturmia inversa* Townsend, 1927 奇異寄蠅 Ref. 同前  
*Isosturmia picta* (Baranov, 1932) 彩衣寄蠅 Ref. 同前  
*Janthinomyia felderi* Brauer & Bergenstamm, 1893 費氏寄蠅 Ref. 同前  
*Leptothelarie meridiondlis* Mesnil & Shema, 1979 長眉寄蠅 Ref. 同前  
*Linnaemya lateralis* (Townsend, 1927) 磚紅寄蠅 Ref. 同前  
*Linnaemya vulpinoides* (Baranov, 1932) 狐狸寄蠅 Ref. 同前  
*Lophosia angusticauda* (Townsend, 1927) 短尾寄蠅 Ref. 同前  
*Lophosia excisa* Tothill, 1918 搗蛋寄蠅 Ref. 同前  
*Lophosia hamulata* (Villeneuve, 1927) 鈎狀寄蠅 Ref. 同前  
*Lophosia ocypterina* (Villeneuve, 1927) 快飛寄蠅 Ref. 同前  
*Lophosia perpendicularis* (Villeneuve, 1927) 普通寄蠅 Ref. 同前  
*Lophosiosoma bicornis* Mensil, 1973 雙角寄蠅 Ref. 同前  
*Meigenia majuscula* (Rondani, 1859) 中型寄蠅 Ref. 同前  
*Metopomintho sauteri* Townsend, 1927 邵氏寄蠅 Ref. 同前  
*Mikia apicalis* (Matsumura, 1916) 祖窟寄蠅 Ref. 同前  
*Nemoraeta metallica* Shima, 1979 翠綠寄蠅 Ref. 同前  
*Nemorilla maculosa* (Meigen, 1824) 多斑寄蠅 Ref. 同前  
*Pales javana* (Macquart, 1851) 印尼寄蠅 Ref. 同前  
*Pales townsendi* (Baranov, 1935) 唐生寄蠅 Ref. 同前  
*Palexorista bisetosa* (Baranov, 1932) 二毛寄蠅 Ref. 同前  
*Palexorista curvipalpis* (Wulp, 1893) 曲鬚寄蠅 Ref. 同前  
*Palexorista immersa* (Walker, 1859) 寬狹寄蠅 Ref. 同前  
*Palexorista inconspicuides* (Baranov, 1932) 熱帶寄蠅 Ref. 同前  
*Palexorista solennis* (Walker, 1858) 神聖寄蠅 Ref. 同前  
*Paradrino laevicula* (Mesnil, 1951) 光滑寄蠅 Ref. 同前  
*Parapales sturmioides* (Mesnil, 1950) 鱧魚寄蠅 Ref. 同前  
*Pentatomophaga latifascia* (Villeneuve, 1932) 寬帶寄蠅 Ref. 同前  
*Peribaea orbata* (Wiedemann, 1830) 高山寄蠅 Ref. 同前  
*Perigymnosoma globulum* Villeneuve, 1929 球形寄蠅 Ref. 同前  
*Phorcidella basalis* (Baranov, 1932) 港口寄蠅 Ref. 同前  
*Phoriniophylax femorata* Macquart, 1851 台南寄蠅 Ref. 同前  
*Phorocerosoma postulans* (Walker, 1861) 恆春寄蠅 Ref. 同前  
*Phytomyptera minuta* (Townsend, 1927) 小型寄蠅 Ref. 同前  
*Prodegeeria chaetopygialis* (Townsend, 1926) 鬚尾寄蠅 Ref. 同前  
*Prodegeeria javana* Brauer & Bergenstamm, 1894 爪哇寄蠅 Ref. 同前  
*Prodegeeria tircincta* (Villeneuve, 1929) 三帶寄蠅 Ref. 同前  
*Prosheliomyia formosensis* (Townsend, 1927) 台生寄蠅 Ref. 同前  
*Prosopodopsis appendiculata* (Meijere, 1935) 澳門寄蠅 Ref. 同前  
*Prosopodopsis quadrisetosa* (Baranov, 1935) 四毛寄蠅 Ref. 同前  
*Pseudogonia rufifrons* (Wiedemann, 1830) 紅顏寄蠅 Ref. 同前  
*Pseudoperichaeta roseanella* (Baranov, 1936) 玫瑰寄蠅 Ref. 同前  
*Rhinomyodes emporomyioides* Townsend, 1933 彥伯寄蠅 Ref. 同前  
*Servillia formosensis* (Townsend, 1918) 似熊寄蠅 Ref. 同前  
*Sisyropa heterusiae* (Coquillett, 1899) 竹山寄蠅 Ref. 同前  
*Sisyropa picta* (Baranov, 1935) 花彩寄蠅 Ref. 同前  
*Sisyropa prominens* (Walker, 1885) 突出寄蠅 Ref. 同前  
*Sisyropa stylata* (Townsend, 1933) 尖錐寄蠅 Ref. 同前  
*Sturmia bella* (Meigen, 1824) 好戰寄蠅 Ref. 同前  
*Sturmia oculata* Baranov, 1932 府城寄蠅 Ref. 同前  
*Thecocarcelia oculata* (Baranov, 1935) 明顯寄蠅 Ref. 同前  
*Thecocarcelia thrix* (Townsend, 1933) 單毛寄蠅 Ref. 同前  
*Timavia winthemioides* (Mesnil, 1949) 紋眉寄蠅 Ref. 同前  
*Trigonospila transvittata* (Pandelle, 1896) 頭飾寄蠅 Ref. 同前  
*Trischidocera sauteri* Villeneuve, 1915 趨黑寄蠅 Ref. 同前  
*Uromedina atrata* (Townsend, 1927) 烏黑寄蠅 Ref. 同前  
*Vibrissina angustifrons* Shima, 1983 窄額寄蠅 Ref. 同前  
*Vibrissina inthanon* Shima, 1983 櫻杉寄蠅 Ref. 同前  
*Voria vuralis* (Fallen, 1810) 鄉下寄蠅 Ref. 同前

*Weingaertneriella longiseta* (Wulp, 1881) 長毛寄蠅 Ref. 同前  
*Winthemia diversoides* Baranov, 1932 分歧寄蠅 Ref. 同前  
*Winthemia mallochi* Baranov, 1932 馬氏寄蠅 Ref. 同前  
*Winthemia trichopareia* (Schiner, 1868) 翠口寄蠅 Ref. 同前  
*Xanthoestrus fastuosus* Villeneuve, 1914 鷹揚寄蠅 Ref. 同前  
*Xanthoestrus formosus* Townsend, 1931 美麗寄蠅 Ref. 同前  
*Zambesa claripalpis* Villeneuve, 1926 亮鬚寄蠅 Ref. 同前  
*Zenillina pulchra* Mesnil, 1949 華美寄蠅 Ref. 同前  
*Zygobothria ciliata* (Wulp, 1881) 纖毛寄蠅 Ref. 同前

### Family Tephritidae 果實蠅科

*Acanthonevra dunlopi* Van der Wulp, 1880 當洛刺實蠅 Ref. 張弘毅。2001  
*Acanthonevra formosana* Enderlein, 1911 台灣刺實蠅 Ref. Lin & Chen, 1999  
*Acanthonevra speciosa* (Hendel, 1915) 四點刺實蠅 Ref. 同前  
*Acanthonevra unicolor* (Shiraki, 1933) 單色刺實蠅 Ref. 同前  
*Acidiella ambigua* Shiraki, 1933 端斑小實蠅 Ref. 同前  
*Acidiella arisana* (Shiraki, 1933) 阿里山小實蠅 Ref. 同前  
*Acidiella formosana* (Shiraki, 1933) Y 紋小實蠅 Ref. 同前  
*Acidiella lineata* (Shiraki, 1933) 線小實蠅 Ref. 同前  
*Acidiella longipennis* Hendel, 1914 長羽小實蠅 Ref. 同前  
*Acidiella rectangularis* (Munro, 1935) 擬長羽小實蠅 Ref. 同前  
*Acidostigma yoshinoi* (Shiraki, 1933) 吉野實蠅 Ref. 同前  
*Acidoxantha punctiventris* Hendel, 1914 六點黃毛實蠅 Ref. 同前  
*Acrotaenititis plumosa* Hendel, 1913 黃斑尖角實蠅 Ref. 同前  
*Acrotaenistola flavoscutellata* Shiraki, 1933 黃楯尖帶實蠅 Ref. 同前  
*Acrotaenistola hoenei* Herin, 1936 合內尖帶實蠅 Ref. 張弘毅。2001  
*Acrotaenistola quinaria* (Coquillett, 1910) 四條尖帶實蠅 Ref. 張弘毅。2001  
*Acrotaenistola sexvittata* Hendel, 1915 六條尖帶實蠅 Ref. Lin & Chen, 1999  
*Actinoptera formosana* Shiraki, 1933 寶島星紋斑實蠅 Ref. 同前  
*Actinoptera shirakiana* Munro, 1935 素木星紋斑實蠅 Ref. 同前  
*Adrama apicalis* Shiraki, 1933 茶少毛實蠅 Ref. 同前  
*Aischrocrania quadrimaculata* (Shiraki, 1933) 四斑角突實蠅 Ref. 同前  
*Anomoia alboscutellata* (Shiraki, 1933) 黃楯紋實蠅 Ref. 同前  
*Anomoia approximata* (Hendel, 1933) 近端紋實蠅 Ref. 同前  
*Anomoia connexa* (Shiraki, 1933) 連紋實蠅 Ref. 同前  
*Anomoia immsi* (Shiraki, 1933) 殷氏紋實蠅 Ref. 同前  
*Anomoia okinawaensis* (Shiraki, 1933) 琉球紋實蠅 Ref. 同前  
*Anomoia vana* (Hering, 1942) 瓦納紋實蠅 Ref. 同前  
*Anomoia vulgaris* (Shiraki, 1933) 普通紋實蠅 Ref. 同前  
*Asimoneura shirakii* (Munro, 1935) 素木長吻實蠅 Ref. 同前  
*Bactrocera (Bactrocera) costalis* (Shiraki, 1933) 廣帶寡毛實蠅 Ref. 同前  
*Bactrocera (Bactrocera) depressa* (Shiraki, 1933) 寬額寡毛實蠅 Ref. 同前  
*Bactrocera (Bactrocera) dorsalis* (Hendel, 1912) 東方果實蠅 Ref. 同前  
*Bactrocera (Bactrocera) ferruginea* (Fabricius, 1794) 銹色實蠅 Ref. 同前  
*Bactrocera (Bactrocera) hsui* Tseng et al., 1992 許氏寡毛實蠅 Ref. 同前  
*Bactrocera (Bactrocera) latifrons* (Hendel, 1915) 三瓣寡毛實蠅 Ref. 同前  
*Bactrocera (Bactrocera) paratappana* Tseng et al., 1992 擬大斑寡毛實蠅 Ref. 同前  
*Bactrocera (Bactrocera) parvula* (Hendel, 1912) 小黑寡毛實蠅 Ref. 同前  
*Bactrocera (Bactrocera) semifemoralis* Tseng et al., 1992 半黑腿寡毛實蠅 Ref. 同前  
*Bactrocera (Bactrocera) tappanus* (Shiraki, 1933) 大斑寡毛實蠅 Ref. 同前  
*Bactrocera (Bactrocera) tenuivittata* Tseng et al., 1992 細痣寡毛實蠅 Ref. 同前  
*Bactrocera (Bactrocera) yilanensis* Tseng et al., 1992 宜蘭寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) ambiguus* (Shiraki, 1933) 臉斑寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) arisanica* (Shiraki, 1933) 阿里山寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) cilifera* (Hendel, 1912) 細帶寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) cucurbitae* (Coquillett, 1899) 瓜實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) diaphora* (Hendel, 1915) 黑條寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) elegantis* Tseng et al., 1992 麗寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) flava* Tseng et al., 1992 黃寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) lipsanus* (Hendel, 1915) 凹額寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) lumulata* Tseng et al., 1992 半月寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) mundus* (Bezzi, 1919) 潔寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) nigrifacies* (Shiraki, 1933) 黑臉寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) okunii* (Shiraki, 1933) 無斑寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) parvufoliacea* Tseng et al., 1992 黑寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) paulei* Tseng et al., 1992 寶來寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) pseudoscutellata* (Hendel, 1913) 擬黑楯板寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) scutellata* (Hendel, 1912) 黑楯板寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) synnephes* (Hendel, 1913) 巨斑寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) tau* (Walker, 1949) 南瓜寡毛實蠅 Ref. 同前  
*Bactrocera (Zeugodacus) yuiliensis* Tseng et al., 1992 玉里寡毛實蠅 Ref. 同前  
*Breviculala hemileoides* (Munro, 1935) 四點寬翅實蠅 Ref. 同前

*Callistomyia pavonina* Bezzi, 1913 斑顏端圓斑實蠅 Ref. 同前  
*Calosphenisca quinquemaculata* Shiraki, 1933 五斑低角實蠅 Ref. 同前  
*Calosphenisca volucris* Hendel, 1914 褐腿低角實蠅 Ref. 同前  
*Campiglossa absinthii* (Fabricius, 1805) 亞伯森長唇實蠅 Ref. 同前  
*Campiglossa hirayamae* (Matsumura, 1916) 平山長唇實蠅 Ref. 同前  
*Campiglossa punctata* (Shiraki, 1933) 三斑長唇實蠅 Ref. 同前  
*Carpophthoarcidia matsumotoi* Shiraki, 1968 松本緣紋實蠅 Ref. 張弘毅。2001  
*Carpophthorella magnifica* Hendel, 1915 黑寬緣紋實蠅 Ref. Lin & Chen, 1999  
*Cervarita sonani* (Shiraki, 1933) 楚南鹿角實蠅 Ref. 同前  
*Chaetostomella nigripunctata* Shiraki, 1933 黑斑長頰毛實蠅 Ref. 同前  
*Chenacidiella purpureiseta* (Chen, 1948) 紫毛陳氏實蠅 Ref. 同前  
*Coleotrypes latilimbata* (Enderlein, 1911) 闊緣鞘實蠅 Ref. 張弘毅。2001  
*Cornutrypeta taiwanensis* Han, 1996 台灣巨額毛實蠅 Ref. Lin & Chen, 1999  
*Cryptostola limbata* (Hendel, 1915) 四帶曲實蠅 Ref. 同前  
*Dacus (Callantra) apicalis* (Shiraki, 1933) 端長角實蠅 Ref. 同前  
*Dacus (Callantra) esakii* (Shiraki, 1939) 江崎長角實蠅 Ref. 同前  
*Dacus (Callantra) formosanus* Tseng & Chu, 1983 台灣長角實蠅 Ref. 同前  
*Dioxya sororcula* (Wiedemann, 1830) 長鞘寬頭實蠅 Ref. 同前  
*Elaphromyia multisetosa* Shiraki, 1933 多毛窄翅實蠅 Ref. 同前  
*Elaphromyia pterocallaeformis* (Bezzi, 1913) 瘤斑窄翅實蠅 Ref. 同前  
*Ensina sonchi* (Linnaeus, 1830) 松綺曲吻實蠅 Ref. 同前  
*Euphranta (Euphranta) sexsignata* Hendel, 1915 數字優阜實蠅 Ref. 同前  
*Euphranta (Rhacochlaena) apicalis* Hendel, 1915 端斑優阜實蠅 Ref. 同前  
*Euphranta (Rhacochlaena) chrysopila* Hendel, 1913 寬帶優阜實蠅 Ref. 同前  
*Euphranta (Rhacochlaena) jucunda* Hendel, 1915 久康優阜實蠅 Ref. 同前  
*Euphranta (Rhacochlaena) lemniscata* (Enderlein, 1911) 紐帶優阜實蠅 Ref. 同前  
*Euphranta (Rhacochlaena) nankangensis* Chang et al. 南港優阜實蠅 Ref. 張弘毅。2001  
*Euphranta (Rhacochlaena) oshimensis* (Shiraki, 1933) 大島優阜實蠅 Ref. 張弘毅。2001  
*Feshyia mushaensis* (Shiraki, 1933) 霧社飛架實蠅 Ref. Lin & Chen, 1999  
*Fusciludia ensifera* (Ito, 1984) 劍角白楯實蠅 Ref. 張弘毅。2001  
*Gastrozona fasciventris* (Macquart, 1843) 腹帶實蠅 Ref. Lin & Chen, 1999  
*Hemilea hylina* Wang, 1996 透明半黑翅實蠅 Ref. 張弘毅。2001  
*Hemilea praestans* (Bezzi, 1913) 普瑞半黑翅實蠅 Ref. Lin & Chen, 1999  
*Hexaptilona palpata* (Hering, 1915) 銼吻六斑實蠅 Ref. 同前  
*Homoeotricha arisanica* (Shiraki, 1933) 阿里山葉吻實蠅 Ref. 同前  
*Ichneumonopsis taiwanensis* Chang et al. 台灣擬姬蜂實蠅 Ref. 張弘毅。2001  
*Ictericones maculatus* (Shiraki, 1933) 八斑以啞實蠅 Ref. Lin & Chen, 1999  
*Machaomyia persimilis* (Hendel, 1915) 普西翅尾突實蠅 Ref. 同前  
*Meracanthomyia arisana* Shiraki, 1933 阿里山黑長角實蠅 Ref. 同前  
*Morinowotome minowai* (Shiraki, 1933) 箕輪森實蠅 Ref. 同前  
*Neomyoleja chowii* Tseng, Chu & Chen, 1992 周氏新麥實蠅 Ref. 同前  
*Nitobeia formosana* Shiraki, 1933 台灣逗紋實蠅 Ref. 同前  
*Oedaspis formosana* Shiraki, 1933 寶島突鞘實蠅 Ref. 同前  
*Oedaspis schachtii* Körnejev, 2002 Ref. Körnejev, 2002  
*Orenticaelum varipes* (Chen, 1948) 異東方刺實蠅 Ref. Lin & Chen, 1999  
*Ortalotrypeta ziae* Norrbom, 1914 蔡氏歐塔實蠅 Ref. 同前  
*Oxyaciura formosae* (Hendel, 1925) 寶島斜額實蠅 Ref. 同前  
*Paragastrozona japonica* (Miyake, 1919) 日本擬腹帶實蠅 Ref. 同前  
*Paratephritis formosensis* Shiraki, 1933 寶島亞斑實蠅 Ref. 同前  
*Paratrithrum nitobei* Shiraki, 1933 小黑山紋實蠅 Ref. 同前  
*Philophylla aethiops* (Hering, 1939) 耶西麗翅實蠅 Ref. 張弘毅。2001  
*Philophylla angulata* (Hendel, 1913) 黑腿麗翅實蠅 Ref. Lin & Chen, 1999  
*Philophylla connexa* (Hendel, 1915) 合紋麗翅實蠅 Ref. 同前  
*Philophylla farinosa* (Hendel, 1915) 霜降麗翅實蠅 Ref. 同前  
*Philophylla fossata* (Fabricius, 1805) 溝紋麗翅實蠅 Ref. 同前  
*Philophylla nummi* (Hering, 1935) 那米麗翅實蠅 Ref. 同前  
*Philophylla rufescens* (Hendel, 1915) 褐麗翅實蠅 Ref. 同前  
*Philophylla superflucta* (Enderlein, 1911) 深溝麗翅實蠅 Ref. 同前  
*Phorelliosoma hexachaeta* Hendel, 1914 六毛弗瑞實蠅 Ref. 同前  
*Platensina amplipennis* (Walker, 1860) 大宇廣翅實蠅 Ref. 同前  
*Platensina apicalis* Hendel, 1915 端斑廣翅實蠅 Ref. 同前  
*Platensina tetrica* Hering, 1939 三斑廣翅實蠅 Ref. 同前  
*Pliomelaena assimilis* (Shiraki, 1968) 細點擬廣翅實蠅 Ref. 同前  
*Pliomelaena sauteri* (Enderlein, 1911) 梭德擬廣翅實蠅 Ref. 同前  
*Pliomelaena shirozui* Ito, 1984 白水擬廣翅實蠅 Ref. 張弘毅。2001  
*Pliomelaena sonani* (Shiraki, 1933) 楚南擬廣翅實蠅 Ref. Lin & Chen, 1999  
*Poecilothea augustifrons* Hendel, 1914 安固波異實蠅 Ref. 同前  
*Proanoplomus cylindricus* Chen, 1948 圓管介紋實蠅 Ref. 同前  
*Proanoplomus formosanus* (Shiraki, 1933) 寶島介紋實蠅 Ref. 同前  
*Prospheniscus miyakei* Shiraki, 1933 原球實蠅 Ref. 同前  
*Pseudopelmatops nigricostalis* Shiraki, 1933 黑腿擬柄眼實蠅 Ref. 同前  
*Ptilona confinis* (Walker, 1856) 線黑翅實蠅 Ref. 同前

*Ptilona persimilis* Hendel, 1915 普西黑翅實蠅 Ref. 同前  
*Rhabdochaeta asteria* Hendel, 1915 星棒毛實蠅 Ref. 同前  
*Rhabdochaeta formosana* Shiraki, 1933 寶島棒毛實蠅 Ref. 同前  
*Rhabdochaeta naevia* Ito, 1984 痣棒毛實蠅 Ref. 同前  
*Rhynchmopterum centralis* (Hendel, 1915) 二黑粗毛實蠅 Ref. 同前  
*Scedella formosella* (Hendel, 1915) 寶島西迭拉實蠅 Ref. 同前  
*Soita cylindrica* (Hendel, 1914) 長透翅實蠅 Ref. 同前  
*Spathulina acroleuca* (Schiner, 1868) 端白匙斑實蠅 Ref. 同前  
*Sphaeniscus atilius* (Walker, 1849) 四孔羽紋實蠅 Ref. 同前  
*Sphaeniscus quadrincisus* (Wiedemann, 1824) 三孔羽紋實蠅 Ref. 同前  
*Sphenella sinensis* Schiner, 1868 中華雙帶斑實蠅 Ref. 同前  
*Spilocosmia kotoshoensis* Shiraki, 1933 蘭嶼褐斑實蠅 Ref. 同前  
*Spilocosmia octavia* Munro, 1935 八點褐斑實蠅 Ref. 同前  
*Spilocosmia punctata* Shiraki, 1933 十點褐斑實蠅 Ref. 同前  
*Taeniostola connecta* Hendel, 1915 五帶實蠅 Ref. 同前  
*Tephritis impunctata* Shiraki, 1933 黑痣斑翅實蠅 Ref. 同前  
*Tritaenopteron excellens* (Hendel, 1915) 淡色三線實蠅 Ref. 同前  
*Trupanea ambigua* Shiraki, 1933 迷端星斑實蠅 Ref. 同前  
*Trupanea amoena* (Frauenfeld, 1856) 斜端星斑實蠅 Ref. 同前  
*Trupanea covergens* Hering, 1936 合端星斑實蠅 Ref. 同前  
*Trupanea distincta* Shiraki, 1933 異端星斑實蠅 Ref. 同前  
*Trupanea formosae* Shiraki, 1927 寶島端星斑實蠅 Ref. 同前  
*Trypeta artemisiae* (Fabricius, 1794) 艾提米實蠅 Ref. 張弘毅。2001  
*Trypeta luteonota* Shiraki, 1933 黃背實蠅 Ref. Lin & Chen, 1999  
*Urophora (Urophora) formosana* (Shiraki, 1933) 寶島 U 紋實蠅 Ref. 同前  
*Vidalia bidens* Hendel, 1915 比登突額實蠅 Ref. 同前

### Family Tethinidae 濕蠅科

*Dasyrhicnoessa fulva* Hendel, 1913 金紅濕蠅 Ref. Lin & Chen, 1999  
*Pseudorhinoessa spinipes* Malloch, 1914 棘足濕蠅 Ref. 同前  
*Tethina ochracea* (Hendel, 1913) 淡黃濕蠅 Ref. 同前  
*Tethina orientalis* (Hendel, 1934) 東洋濕蠅 Ref. 同前  
*Tethina sexseriata* (Hendel, 1913) 安平濕蠅 Ref. 同前

### Family Therevidae 劍虻科

*Phycus kerteszi* Krober, 1912 克氏劍虻 Ref. Lin & Chen, 1999  
*Psilocephala argentea* Krober, 1912 銀色劍虻 Ref. 同前  
*Psilocephala frontata* Krober, 1912 寬額劍虻 Ref. 同前  
*Psilocephala obscura* Krober, 1912 幽暗劍虻 Ref. 同前  
*Psilocephala sauteri* Krober, 1912 邵氏劍虻 Ref. 同前

### Family Tipulidae 大蚊科

*Antocha (Antocha) bifida* Alexander, 1924 分歧朝大蚊 Ref. Lin & Chen, 1999  
*Antocha (Antocha) javaensis* Alexander, 1915 爪哇朝大蚊 Ref. 同前  
*Antocha (Antocha) styx* Alexander, 1930 地獄朝大蚊 Ref. 同前  
*Atarba (Atarbodes) fuscicornis* Edwards, 1916 棕角亞大蚊 Ref. 同前  
*Atarba (Atarbodes) issikiana* Alexander, 1930 一色亞大蚊 Ref. 同前  
*Atarba (Atarbodes) leptoxantha* Alexander, 1928 纖黃亞大蚊 Ref. 同前  
*Atarba (Atarbodes) pallidicornis* Edwards, 1916 淡角亞大蚊 Ref. 同前  
*Ausrolimnophila (Austrolimnophila) autumnalis* (Alexander, 1929) 秋季澳大蚊 Ref. 同前  
*Ausrolimnophila (Austrolimnophila) illustris* (Alexander, 1923) 光輝澳大蚊 Ref. 同前  
*Ausrolimnophila (Austrolimnophila) marcida* (Alexander, 1924) 腐植澳大蚊 Ref. 同前  
*Ausrolimnophila (Austrolimnophila) nokonis* (Alexander, 1928) 能高澳大蚊 Ref. 同前  
*Baeoura aliena* (Alexander, 1924) 烏來燥大蚊 Ref. 同前  
*Baeoura consocia* (Alexander, 1934) 結社燥大蚊 Ref. 同前  
*Baeoura laevilobata* (Alexander, 1934) 平滑燥大蚊 Ref. 同前  
*Baeoura trichopoda* (Alexander, 1930) 毛足燥大蚊 Ref. 同前  
*Baeoura trichopoda* (Alexander, 1934) 八仙燥大蚊 Ref. 同前  
*Cheilotrichia (Empeda) angustistigma* (Alexander, 1930) 窄斑鬚大蚊 Ref. 同前  
*Cheilotrichia (Empeda) liliputina* (Alexander, 1930) 侏儒鬚大蚊 Ref. 同前  
*Cheilotrichia (Empeda) minuscula* (Alexander, 1920) 微小鬚大蚊 Ref. 同前  
*Cheilotrichia (Empeda) nigroapicalis* (Alexander, 1920) 黑端鬚大蚊 Ref. 同前  
*Cladura taiwania* Alexander, 1947 台灣枝大蚊 Ref. 同前  
*Conosia irrorata* (Wiedemann, 1828) 露毛康大蚊 Ref. 同前  
*Ctenophora (Dictenidia) formosana* (Alexander, 1934) 台灣櫛大蚊 Ref. 同前  
*Ctenophora (Dictenidia) inaequipunctinata* (Alexander, 1934) 關嶺結大蚊 Ref. 同前  
*Ctenophora (Dictenidia) sauteri* (Enderlein, 1921) 邵氏櫛大蚊 Ref. 同前  
*Ctenophora (Pselliophora) ctenophorina* (Riedel, 1913) 乾溝櫛大蚊 Ref. 同前  
*Ctenophora (Pselliophora) enderleini* Alexander & Alexander, 1921 安氏櫛大蚊 Ref. 同前  
*Ctenophora (Pselliophora) hoppo* (Matsumura, 1916) 北埔櫛大蚊 Ref. 同前  
*Ctenophora (Pselliophora) laneies* (Edwards, 1921) 絨毛櫛大蚊 Ref. 同前  
*Ctenophora (Pselliophora) scalator* (Alexander, 1920) 台東櫛大蚊 Ref. 同前  
*Ctenophora (Pselliophora) taprobanes* Walker, 1848 錫蘭櫛大蚊 Ref. 同前

*Cylindrotoma taiwania* (Alexander, 1929) 台灣錐大蚊 Ref. 同前  
*Dasydallomyia signata* Brunetti, 1911 標誌毛大蚊 Ref. 同前  
*Dicranoptycha formosensis* Alexander, 1928 台灣叉大蚊 Ref. 同前  
*Dicranoptycha geniculata* Alexander, 1928 膝狀叉大蚊 Ref. 同前  
*Dicranoptycha issikina* Alexander, 1930 一色叉大蚊 Ref. 同前  
*Dicranoptycha nigrotibialis* Alexander, 1934 黑脛叉大蚊 Ref. 同前  
*Dicranota (Amalopina) delectata* Alexander, 1930 招募笛大蚊 Ref. 同前  
*Dicranota (Amalopina) fumicostata* Alexander, 1935 灰肋笛大蚊 Ref. 同前  
*Dicranota (Amalopina) gibbera* (Alexander, 1921) 駝背笛大蚊 Ref. 同前  
*Dicranota (Rhaphidolabis) atripes* (Alexander, 1928) 能高笛大蚊 Ref. 同前  
*Dicranota (Rhaphidolabis) brunettii* Edwards, 1916 愛力量大蚊 Ref. 同前  
*Dicranota (Rhaphidolabis) plana* Alexander, 1934 八仙亮大蚊 Ref. 同前  
*Dolichopeza (Dolichopeza) issikiella* Alexander, 1934 白菊亮大蚊 Ref. 同前  
*Dolichopeza (Mitopeza) basisylata* (Alexander, 1929) 混沌亮大蚊 Ref. 同前  
*Dolichopeza (Mitopeza) circe* (Alexander, 1928) 黑蕊亮大蚊 渺小亮大蚊 Ref. 同前  
*Dolichopeza (Mitopeza) taiwanicola* Alexander, 1934 渺小亮大蚊 Ref. 同前  
*Dolichopeza (Nesopeza) gracillis* Meijere, 1911 長青亮大蚊 Ref. 同前  
*Dolichopeza (Nesopeza) lugubrivestis* Alexander, 1935 蘭嶼亮大蚊 Ref. 同前  
*Dolichopeza (Nesopeza) profundemarginata* Alexander, 1934 君王亮大蚊 Ref. 同前  
*Dolichopeza (Nesopeza) rantaizana* (Alexander, 1929) 橫協亮大蚊 Ref. 同前  
*Dolichopeza (Nesopeza) subalbittibia* Alexander, 1955 鑿珍亮大蚊 Ref. 同前  
*Dolichopeza (Nesopeza) taiwania* (Alexander, 1923) 灰色亮大蚊 Ref. 同前  
*Dolichopeza (Nesopeza) trichopyga* (Alexander, 1928) 晶瑩亮大蚊 Ref. 同前  
*Dolichopeza (Nesopeza) tuberculifera* Alexander, 1955 長斑亮大蚊 Ref. 同前  
*Dolichopeza (Oropeza) sauteri* (Riedel, 1916) 幽暗亮大蚊 Ref. 同前  
*Dolichopeza (Oropeza) shirakiella* (Alexander, 1926) 黑脊亮大蚊 Ref. 同前  
*Elephantomyia (Elephantomyia) luculenta* Alexander, 1928 江崎亮大蚊 Ref. 同前  
*Elephantomyia (Elephantomyia) serotina* Alexander, 1930 狡詐亮大蚊 Ref. 同前  
*Elephantomyia (Elephantomyodes) major* Alexander, 1923 粗俗亮大蚊 Ref. 同前  
*Elephantomyia (Elephantomyodes) major* Alexander, 1923 黑衣亮大蚊 Ref. 同前  
*Elliptera zipanguensis* Alexander, 1934 布氏笛大蚊 Ref. 同前  
*Epiohragma (Epihragma) divisum* Alexander, 1923 遊蕩笛大蚊 Ref. 同前  
*Epiohragma (Epihragma) kempii* Brunetti, 1913 一色長大蚊 Ref. 同前  
*Epiohragma (Epihragma) nymphicum* Alexander, 1928 柱形長大蚊 Ref. 同前  
*Erioptera alboguttata* Edwards, 1916 高山長大蚊 Ref. 同前  
*Erioptera rogersi* Alexander, 1923 白脛長大蚊 Ref. 同前  
*Erioptera (Meterioptera) ensifera* Alexander, 1930 女巫長大蚊 Ref. 同前  
*Erioptera (Meterioptera) insignis* Edwards, 1916 台生長大蚊 Ref. 同前  
*Erioptera (Psiloconopa) luliana* Alexander, 1934 萬麗長大蚊 Ref. 同前  
*Erioptera (Psiloconopa) tenuisentis* Alexander, 1930 不祥長大蚊 Ref. 同前  
*Erioptera (Tasiocerodes) subsessillis* Alexander, 1924 烏來長大蚊 Ref. 同前  
*Gnophomyia brevicellula* Alexander, 1923 葉狀祖大蚊 Ref. 同前  
*Gnophomyia dejecta* Alexander, 1929 廣葉祖大蚊 Ref. 同前  
*Gnophomyia orientalis* Meijere, 1911 南亞祖大蚊 Ref. 同前  
*Gnophomyia similis* Edwards, 1916 石山祖大蚊 Ref. 同前  
*Gnophomyia (Gonomyia) foliacea* Alexander, 1935 蓬萊長大蚊 Ref. 同前  
*Gnophomyia (Gonomyia) latifolia* Alexander, 1935 能高長大蚊 Ref. 同前  
*Gnophomyia (Gonomyia) nansei* Alexander, 1930 木瘤長大蚊 Ref. 同前  
*Gnophomyia (Gonomyia) sekiana* Alexander, 1930 台北長大蚊 Ref. 同前  
*Gnophomyia (Gymnastes) hyalipennis* (Alexander, 1920) 素木長大蚊 Ref. 同前  
*Gnophomyia (Gymnastes) ornatipennis* (Meijere, 1911) 優雅象大蚊 Ref. 同前  
*Gnophomyia (Gymnastes) shirakii* (Alexander, 1920) 遲緩象大蚊 Ref. 同前  
*Gnophomyia (Idiocera) curticellula* Alexander, 1930 蘭嶼象大蚊 Ref. 同前  
*Gnophomyia (Idiocera) metatarsata* Edwards, 1911 松崗象大蚊 Ref. 同前  
*Gnophomyia (Idiocera) pruinosa* Alexander, 1920 台灣獼大蚊 Ref. 同前  
*Gnophomyia (Lipophleps) gressitti* Alexander, 1934 新竹艾大蚊 Ref. 同前  
*Gnophomyia (Lipophleps) nebulosa* (Meijere, 1911) 肯式艾大蚊 Ref. 同前  
*Gnophomyia (Lipophleps) neonebulosa* Alexander, 1930 水神艾大蚊 Ref. 同前  
*Gnophomyia (Lipophleps) praedita* Alexander, 1935 劍客棉大蚊 Ref. 同前  
*Gnophomyia (Lipophleps) sauteri* Alexander, 1930 珍奇棉大蚊 Ref. 同前  
*Gnophomyia (Lipophleps) sinuosa* Alexander, 1930 八仙棉大蚊 Ref. 同前  
*Gnophomyia (Protogonomyia) clitelata* Alexander, 1934 細刺棉大蚊 Ref. 同前  
*Gnophomyia (Protogonomyia) ocnfluenta* (Alexander, 1924) 關嶺棉大蚊 Ref. 同前  
*Gnophomyia (Protogonomyia) scutellumalbum* Alexander, 1923 白點棉大蚊 Ref. 同前  
*Gnophomyia (Ptilostenoides) ptilostenoides* Alexander, 1928 羅傑棉大蚊 Ref. 同前  
*Helius (Eurhamphida) inelegans* (Alexander, 1928) 明翅裸大蚊 Ref. 同前  
*Helius (Eurhamphida) perelegans* Alexander, 1930 華麗裸大蚊 Ref. 同前  
*Helius (Helius) attenuatus* Alexander, 1929 素木裸大蚊 Ref. 同前  
*Helius (Helius) barbatus* Edwards, 1921 宜蘭祖大蚊 Ref. 同前  
*Helius (Helius) chikuriensis* Alexander, 1930 爪哇祖大蚊 Ref. 同前  
*Helius (Helius) liliputanus* Alexander, 1929 寒霜祖大蚊 Ref. 同前  
*Helius (Helius) minusculus* Alexander, 1930 六龜祖大蚊 Ref. 同前

*Helius (Helius) nigriceps* (Edwards, 1916) 黑色祖大蚊 Ref. 同前  
*Helius (Helius) rufithorax* Alexander, 1928 八仙祖大蚊 Ref. 同前  
*Helius (Helius) subfasciatus* Alexander, 1924 關嶺祖大蚊 Ref. 同前  
*Helius (Helius) tenuistylus* Alexander, 1929 邵氏祖大蚊 Ref. 同前  
*Helius (Helius) unicolor* (Brunetti, 1912) 海灣祖大蚊 Ref. 同前  
*Hexaoma (Eriocera) lygropis* (Alexander, 1920) 鞍狀祖大蚊 Ref. 同前  
*Hexaoma (Eriocera) morosa* (Osten Sacken, 1881) 融合祖大蚊 Ref. 同前  
*Hexaoma (Eriocera) nigrina* (Riedel, 1913) 向背祖大蚊 Ref. 同前  
*Hexaoma (Eriocera) rubriceps* (Edwards, 1916) 窄翅祖大蚊 Ref. 同前  
*Hexaoma (Eriocera) shirakii* (Edwards, 1921) 窄室黑大蚊 Ref. 同前  
*Hexaoma (Eriocera) unicolor* (Meijere, 1915) 萎靡黑大蚊 Ref. 同前  
*Hexaoma (Eriocera) verticalis* (Wiedemann, 1828) 東方黑大蚊 Ref. 同前  
*Holorusia clavipes* (Edwards, 1921) 雷同黑大蚊 Ref. 同前  
*Holorusia rex* (Alexander, 1917) 霧社沼大蚊 Ref. 同前  
*Holorusia simillis* (Edwards, 1921) 八仙沼大蚊 Ref. 同前  
*Leptoarsus (Longurio) fulvus* (Edwards, 1916) 纖弱沼大蚊 Ref. 同前  
*Leptoarsus (Longurio) rubriceps* (Edwards, 1916) 帶鬚沼大蚊 Ref. 同前  
*Leptoarsus (Longurio) variceps* (Alexander, 1935) 竹林沼大蚊 Ref. 同前  
*Limnophlia (Adelphomyia) excelsa* Alexander, 1928 百合沼大蚊 Ref. 同前  
*Limnophlia (Adelphomyia) ferocia* Alexander, 1934 東勢沼大蚊 Ref. 同前  
*Limnophlia (Adelphomyia) platystyla* Alexander, 1930 紅胸沼大蚊 Ref. 同前  
*Limnophlia (Adelphomyia) platystyla* Alexander, 1928 黑頭沼大蚊 Ref. 同前  
*Limnophlia (Adelphomyia) rantaiczana* Alexander, 1929 趨帶沼大蚊 Ref. 同前  
*Limnophlia (Brachylimnophlila) inaequalis* Alexander, 1925 窄委沼大蚊 Ref. 同前  
*Limnophlia (Brachylimnophlila) nesonemorialis* Alexander, 1931 單色沼大蚊 Ref. 同前  
*Limnophlia (Dicranophragma) dorsolineata* Alexander, 1930 懦弱黑大蚊 Ref. 同前  
*Limnophlia (Dicranophragma) formosa* Alexander, 1920 騷擾黑大蚊 Ref. 同前  
*Limnophlia (Dicranophragma) taiwanensis* Alexander, 1923 乾溝黑大蚊 Ref. 同前  
*Limnophlia (Eloeophila) fascipennis* (Brunetti, 1912) 朱砂黑大蚊 Ref. 同前  
*Limnophlia (Prionolabis) harukonis* Alexander, 1934 素木黑大蚊 Ref. 同前  
*Limnophlia (Prionolabis) nigronitida* Edwards, 1921 單色黑大蚊 Ref. 同前  
*Limnophlia (Prionolabis) oritropha* Alexander, 1928 旋風黑大蚊 Ref. 同前  
*Limnophlia (Prionolabis) serridentata* Alexander, 1930 棍棒全大蚊 Ref. 同前  
*Limonia flavoterminalis* (Alexander, 1922) 略大亮大蚊 Ref. 同前  
*Limonia tuta* Alexander, 1935 單鬚亮大蚊 Ref. 同前  
*Limonia (Atypophthalmus) umbrata* (Brunetti, 1911) 魯長全大蚊 Ref. 同前  
*Limonia (Dicranomyia) cingulifera* (Alexander, 1928) 雷同全大蚊 Ref. 同前  
*Limonia (Dicranomyia) convergens* (Meijere, 1911) 棕色細大蚊 Ref. 同前  
*Limonia (Dicranomyia) depauperata* (Alexander, 1919) 紅尾細大蚊 Ref. 同前  
*Limonia (Dicranomyia) ebriola* Alexander, 1928 大缺細大蚊 Ref. 同前  
*Limonia (Dicranomyia) frivola* (Alexander, 1928) 高貴池大蚊 Ref. 同前  
*Limonia (Dicranomyia) fullowayi* (Alexander, 1915) 強悍池大蚊 Ref. 同前  
*Limonia (Dicranomyia) inscita* Alexander, 1934 平尾池大蚊 Ref. 同前  
*Limonia (Dicranomyia) koxinga* Alexander, 1930 平行池大蚊 Ref. 同前  
*Limonia (Dicranomyia) montium* Alexander, 1929 巒大池大蚊 Ref. 同前  
*Limonia (Dicranomyia) pleurilineata* (Riedel, 1916) 霧社池大蚊 Ref. 同前  
*Limonia (Dicranomyia) puncticosta* (Brunetti, 1912) 新店池大蚊 Ref. 同前  
*Limonia (Dicranomyia) punctulata* (Meijere, 1911) 條背池大蚊 Ref. 同前  
*Limonia (Dicranomyia) shirakii* (Alexander, 1923) 蓬萊池大蚊 Ref. 同前  
*Limonia (Dicranomyia) soradida* (Brunetti, 1912) 台灣池大蚊 Ref. 同前  
*Limonia (Dicranomyia) subpunctulata* Alexander, 1930 印度池大蚊 Ref. 同前  
*Limonia (Dicranomyia) tattakae* Alexander, 1923 春子池大蚊 Ref. 同前  
*Limonia (Dicranomyia) tenuicula* Alexander, 1929 黑光池大蚊 Ref. 同前  
*Limonia (Discobola) annulata* (Linnaeus, 1758) 寶玉池大蚊 Ref. 同前  
*Limonia (Discobola) margarita* (Alexander, 1924) 鋸齒池大蚊 Ref. 同前  
*Limonia (Discobola) taiwanella* Alexander, 1930 黑艷亮大蚊 Ref. 同前  
*Limonia (Euglochina) curtivena* (Alexander, 1922) 配帶亮大蚊 Ref. 同前  
*Limonia (Euglochina) saltens* (Doleschall, 1857) 爪哇亮大蚊 Ref. 同前  
*Limonia (Eurhipida) productina* (Alexander, 1923) 小型亮大蚊 Ref. 同前  
*Limonia (Geranomyia) a* Alexander, 1929 斑點亮大蚊 Ref. 同前  
*Limonia (Geranomyia) alpestris* Alexander, 1930 酪酞亮大蚊 Ref. 同前  
*Limonia (Geranomyia) apicifasciata* Alexander, 1930 微小亮大蚊 Ref. 同前  
*Limonia (Geranomyia) argentifera* (Meijere, 1911) 福氏亮大蚊 Ref. 同前  
*Limonia (Geranomyia) atrostriata* (Edwards, 1921) 烏來亮大蚊 Ref. 同前  
*Limonia (Geranomyia) montana* (Meijere, 1911) 國姓亮大蚊 Ref. 同前  
*Limonia (Geranomyia) nitida* (Meijere, 1911) 高山亮大蚊 Ref. 同前  
*Limonia (Geranomyia) septemnotata* (Edwards, 1916) 側紋亮大蚊 Ref. 同前  
*Limonia (Geranomyia) unifilosa* Alexander, 1934 斑肋亮大蚊 Ref. 同前  
*Limonia (Goniodineura) clitelligera* Alexander, 1929 素木亮大蚊 Ref. 同前  
*Limonia (Goniodineura) hassenana* Alexander, 1930 污穢亮大蚊 Ref. 同前  
*Limonia (Goniodineura) imbellis* Alexander, 1924 微斑亮大蚊 Ref. 同前  
*Limonia (Goniodineura) immetata* Alexander, 1935 松崗亮大蚊 Ref. 同前

*Limonia (Goniodineura) nigriceps* (Wulp, 1895) 新店亮大蚊 Ref. 同前  
*Limonia (Goniodineura) perparvuloides* Alexander, 1935 環飾亮大蚊 Ref. 同前  
*Limonia (Goniodineura) viridula* (Alexander, 1922) 珍珠亮大蚊 Ref. 同前  
*Limonia (Idioglochina) kotoshoensis* (Alexander, 1923) 台灣亮大蚊 Ref. 同前  
*Limonia (Laosa) regalis* (Edwards, 1926) 短脈亮大蚊 Ref. 同前  
*Limonia (Laosa) transversalis* (Meijere, 1916) 婆婆亮大蚊 Ref. 同前  
*Limonia (Libnotes) comissabunda* Alexander, 1934 蓬萊亮大蚊 Ref. 同前  
*Limonia (Libnotes) griseola* Alexander, 1934 環山亮大蚊 Ref. 同前  
*Limonia (Libnotes) limpida* (Edwards, 1916) 廣東亮大蚊 Ref. 同前  
*Limonia (Libnotes) longistigma* (Alexander, 1921) 銀光亮大蚊 Ref. 同前  
*Limonia (Libnotes) subopaca* (Alexander, 1923) 黑雕亮大蚊 Ref. 同前  
*Limonia (Limonia) atridorsum* (Alexander, 1920) 山地亮大蚊 Ref. 同前  
*Limonia (Limonia) esakii* (Alexander, 1922) 光彩亮大蚊 Ref. 同前  
*Limonia (Limonia) fraudulentata* Alexander, 1928 七斑亮大蚊 Ref. 同前  
*Limonia (Limonia) inelegans* Alexander, 1924 單線亮大蚊 Ref. 同前  
*Limonia (Limonia) melas* Alexander, 1934 丹青亮大蚊 Ref. 同前  
*Limonia (Limonia) nitobei* (Edwards, 1916) 新渡亮大蚊 Ref. 同前  
*Limonia (Limonia) rantaiensis* Alexander, 1929 鬮大亮大蚊 Ref. 同前  
*Limonia (Limonia) subhostillis* Alexander, 1935 仇敵亮大蚊 Ref. 同前  
*Limonia (Melanolimonia) aurita* Alexander, 1929 長目亮大蚊 Ref. 同前  
*Limonia (Melanolimonia) nesomorio* (Alexander, 1928) 瘋癩亮大蚊 Ref. 同前  
*Limonia (Melanolimonia) nifrithorax* (Brunetti, 1912) 黑胸亮大蚊 Ref. 同前  
*Limonia (Melanolimonia) paramorio* (Alexander, 1926) 滑稽亮大蚊 Ref. 同前  
*Limonia (Melanolimonia) xanthopteroides* (Riedel, 1916) 黃翅亮大蚊 Ref. 同前  
*Limonia (Nealexandriaria) argyrata* Alexander, 1929 銀盾亮大蚊 Ref. 同前  
*Limonia (Nealexandriaria) atayal* Alexander, 1929 獅潭亮大蚊 Ref. 同前  
*Limonia (Neolimonia) remissa* Alexander, 1928 平和亮大蚊 Ref. 同前  
*Limonia (Pseudoglochina) dimelania* Alexander, 1935 雙黑亮大蚊 Ref. 同前  
*Limonia (Pseudoglochina) monocycla* Alexander, 1935 單圈亮大蚊 Ref. 同前  
*Limonia (Rhipidia) triarmata* Alexander, 1930 松嶺膠大蚊 Ref. 同前  
*Limonia (Sivalimnobia) alticola* (Edwards, 1916) 台灣劍大蚊 Ref. 同前  
*Limonia (Thrypticomylia) apicalis* Alexander, 1930 三食亮大蚊 Ref. 同前  
*Limonia (Thrypticomylia) unisetosa* Alexander, 1929 高山亮大蚊 Ref. 同前  
*Liogma pectinicornis* Alexander, 1928 黃尾亮大蚊 Ref. 同前  
*Lipsothrix pluto* Loew, 1929 安謐亮大蚊 Ref. 同前  
*Lipsothrix taiwanica* Alexander, 1923 櫛角滑大蚊 Ref. 同前  
*Molophilus (Molophilus) alcocostalis* Alexander, 1928 豐富裸大蚊 Ref. 同前  
*Molophilus (Molophilus) aricola* Alexander, 1930 大武裸大蚊 Ref. 同前  
*Molophilus (Molophilus) arisanus* Alexander, 1923 白肋魔大蚊 Ref. 同前  
*Molophilus (Molophilus) costalis* Edwards, 1916 阿里魔大蚊 Ref. 同前  
*Molophilus (Molophilus) editus* Alexander, 1928 高山魔大蚊 Ref. 同前  
*Molophilus (Molophilus) ephippiger* Alexander, 1934 雙肋魔大蚊 Ref. 同前  
*Molophilus (Molophilus) hoplostylus* Alexander, 1950 巍峨魔大蚊 Ref. 同前  
*Molophilus (Molophilus) issikii* Alexander, 1928 騎士魔大蚊 Ref. 同前  
*Molophilus (Molophilus) nifritus* Alexander, 1930 木柵魔大蚊 Ref. 同前  
*Molophilus (Molophilus) nigripes* Alexander, 1921 一色魔大蚊 Ref. 同前  
*Molophilus (Molophilus) nigratarsis* Alexander, 1930 黑色魔大蚊 Ref. 同前  
*Molophilus (Molophilus) nokonis* Alexander, 1928 黑角魔大蚊 Ref. 同前  
*Molophilus (Molophilus) pallidibasis* Alexander, 1928 黑蚱魔大蚊 Ref. 同前  
*Molophilus (Molophilus) spinosissimus* Alexander, 1955 能高魔大蚊 Ref. 同前  
*Molophilus (Neolimnobia) alticola* Alexander, 1929 大武魔大蚊 Ref. 同前  
*Nephotoma (Nephotoma) atrolatera* Alexander, 1935 八仙魔大蚊 Ref. 同前  
*Nephotoma (Nephotoma) bombayensis* (Marquart, 1855) 志良沼大蚊 Ref. 同前  
*Nephotoma (Nephotoma) caudifera* Alexander, 1935 委瘦泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) cirtrina* (Edwards, 1916) 孟買泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) definita* Alexander, 1935 高地泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) delta* (Walker, 1856) 香樹泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) formasensis* (Edwards, 1916) 清晰泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) integra* Alexander, 1935 印度泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) javensis* (Doleschall, 1856) 福摩泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) makiella* (Matsumura, 1916) 完美泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) omeiana* Alexander, 1935 爪哇泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) palloris* (Coquillett, 1898) 福建泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) parva* (Edwards, 1916) 峨眉泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) takeuchii* Alexander, 1924 白顏泥大蚊 Ref. 同前  
*Nephotoma (Nephotoma) virgata* (Coquillett, 1898) 微小泥大蚊 Ref. 同前  
*Nipponomyia symphyletes* (Alexander, 1923) 烏來泥大蚊 Ref. 同前  
*Orimarga (Orimarga) formosicola* Alexander, 1924 花斑泥大蚊 Ref. 同前  
*Orimarga (Orimarga) fuscivenosa* Alexander, 1929 霧社日大蚊 Ref. 同前  
*Orimarga (Orimarga) griseipennis* Alexander, 1934 台灣熱大蚊 Ref. 同前  
*Orimarga (Orimarga) gymnoneura* Alexander, 1934 褐毒熱大蚊 Ref. 同前  
*Orimarga (Orimarga) taiwanensis* Alexander, 1924 灰翅熱大蚊 Ref. 同前

*Ormosia (Ormosia) anthracopoda* Alexander, 1930 裸尾熟大蚊 Ref. 同前  
*Ormosia (Ormosia) arisanensis* Alexander, 1924 烏來熟大蚊 Ref. 同前  
*Ormosia (Ormosia) diptergara* Alexander, 1928 黑族索大蚊 Ref. 同前  
*Ormosia (Ormosia) diversipennis* Alexander, 1934 阿里索大蚊 Ref. 同前  
*Ormosia (Ormosia) formosana* Edwards, 1921 雙背索大蚊 Ref. 同前  
*Ormosia (Ormosia) shoreana* Alexander, 1929 石山索大蚊 Ref. 同前  
*Paradelphomyia (Oxyrhiza) ariana* (Alexander, 1930) 台灣索大蚊 Ref. 同前  
*Paradelphomyia (Oxyrhiza) issikina* (Alexander, 1930) 松嶺索大蚊 Ref. 同前  
*Pedicia (Tricyphona) arisana* (Alexander, 1924) 阿里副大蚊 Ref. 同前  
*Pedicia (Tricyphona) formosana* (Alexander, 1920) 一色副大蚊 Ref. 同前  
*Pedicia (Tricyphona) orophila* Alexander, 1928 阿里山屏大蚊 Ref. 同前  
*Phalacrocerca formosae* Alexander, 1923 台灣平大蚊 Ref. 同前  
*Pilaris fomosicola* Alexander, 1929 能高平大蚊 Ref. 同前  
*Prothelium issikii* Alexander, 1928 台灣禿大蚊 Ref. 同前  
*Pseudolimmophila chikurina* Alexander, 1930 台灣毬大蚊 Ref. 同前  
*Pseudolimmophila descripta* Alexander, 1928 一色原大蚊 Ref. 同前  
*Pseudolimmophila inconcurnis* (Alexander, 1913) 竹林塘大蚊 Ref. 同前  
*Pseudolimmophila marcia* Alexander, 1924 巒山塘大蚊 Ref. 同前  
*Stibadocerella formosensis* Alexander, 1929 東京塘大蚊 Ref. 同前  
*Styringomyia ceylonica* Edwards, 1911 霧社塘大蚊 Ref. 同前  
*Styringomyia flava* Brunetti, 1911 台灣巢大蚊 Ref. 同前  
*Styringomyia flavitarsis* Alexander, 1920 錫蘭香大蚊 Ref. 同前  
*Styringomyia formosana* Edwards, 1914 黃色香大蚊 Ref. 同前  
*Styringomyia nipponensis* Alexander, 1929 黃足香大蚊 Ref. 同前  
*Styringomyia separata* Alexander, 1935 蓮萊香大蚊 Ref. 同前  
*Styringomyia sinensis* Alexander, 1930 日本香大蚊 Ref. 同前  
*Styringomyia taiwanensis* Alexander, 1930 分離香大蚊 Ref. 同前  
*Taiocera (Dasymophilus) kibunensis* (Alexander, 1936) 中華香大蚊 Ref. 同前  
*Taiocera (Dasymophilus) nokoensis* (Alexander, 1928) 台灣香大蚊 Ref. 同前  
*Taiwanina pandoxa* Alexander, 1928 東京尾大蚊 Ref. 同前  
*Taiwanomyia fragilicornis* (Riedel, 1916) 能高尾大蚊 Ref. 同前  
*Taiwanomyia ritozanensis* (Alexander, 1929) 展翅台大蚊 Ref. 同前  
*Teucholabis aberrans* Alexander, 1923 脆角土大蚊 Ref. 同前  
*Teucholabis fenestrata* Osten Sacken, 1887 巒山土大蚊 Ref. 同前  
*Teucholabis inornata* Riedel, 1918 遊蕩甲大蚊 Ref. 同前  
*Teucholabis nigerrima* Edwards, 1916 錫蘭甲大蚊 Ref. 同前  
*Teucholabis unicolor* Riedel, 1918 樸素甲大蚊 Ref. 同前  
*Thaumastoptera (Taiwanita) issikiana* Alexander, 1929 埔里甲大蚊 Ref. 同前  
*Tipula arisanensis* Edwards, 1921 高橋大蚊 Ref. 同前  
*Tipula coxitalis* Alexander, 1935 香港大蚊 Ref. 同前  
*Tipula edwardsella* Alexander, 1923 阿里山大蚊 Ref. 同前  
*Tipula formosicola* Alexander, 1920 鈴瘤大蚊 Ref. 同前  
*Tipula gressitti* Alexander, 1935 艾氏大蚊 Ref. 同前  
*Tipula microcellula* Alexander, 1923 恆春大蚊 Ref. 同前  
*Tipula pluriguttata* Alexander, 1920 葛氏大蚊 Ref. 同前  
*Tipula sternotuberculata* Alexander, 1935 小室大蚊 Ref. 同前  
*Tipula terebrata* Edwards, 1921 多斑大蚊 Ref. 同前  
*Tipula (Acutipula) alboplagiata* Alexander, 1935 單色甲大蚊 Ref. 同前  
*Tipula (Acutipula) obtusiloba* Alexander, 1934 一色廟大蚊 Ref. 同前  
*Tipula (Acutipula) quadrifulva* Edwards, 1921 妙手大蚊 Ref. 同前  
*Tipula (Acutipula) quadrimotata* Brunetti, 1912 台平大蚊 Ref. 同前  
*Tipula (Britura) imperfecta* Brunetti, 1913 霧社大蚊 Ref. 同前  
*Tipula (Formotipula) holoserica* (Matsumura, 1916) 烏魯大蚊 Ref. 同前  
*Tipula (Formotipula) nigrorubra* Riedel, 1916 印度大蚊 Ref. 同前  
*Tipula (Formotipula) ruformedia* Edwards, 1916 螺祖大蚊 Ref. 同前  
*Tipula (Indotipula) demoarcata* Brunetti, 1911 黑宏大蚊 Ref. 同前  
*Tipula (Indotipula) yamata* Alexander, 1914 紅中大蚊 Ref. 同前  
*Tipula (Nippotipula) coquilletti* Enderlein, 1912 錫蘭大蚊 Ref. 同前  
*Tipula (Pterelachisus) niitakensis* Alexander, 1938 山田大蚊 Ref. 同前  
*Tipula (Pterelachisus) obnata* Alexander, 1934 克氏大蚊 Ref. 同前  
*Tipula (Pterelachisus) tridentata* Alexander, 1920 玉山大蚊 Ref. 同前  
*Tipula (Scummelia) rantaicola* Alexander, 1929 八仙大蚊 Ref. 同前  
*Tipula (Scummelia) sparsissima* Alexander, 1928 三齒大蚊 Ref. 同前  
*Tipula (Sivatipula) lackschewitziana* Alexander, 1928 罕見大蚊 Ref. 同前  
*Tipula (Tipulodina) taiwanica* (Alexander, 1923) 瘤胸大蚊 Ref. 同前  
*Tipula (Trichotipula) haplotricha* Alexander, 1934 縮短大蚊 Ref. 同前  
*Tipula (Vestiplex) bicornirera* Alexander, 1938 樂許大蚊 Ref. 同前  
*Tipula (Vestiplex) bicorunta* Alexander, 1920 單毛大蚊 Ref. 同前  
*Tipula (Vestiplex) biserra* Edwards, 1921 雙角大蚊 Ref. 同前  
*Tipula (Vestiplex) foliacea* Alexander, 1924 奮起湖大蚊 Ref. 同前  
*Tipula (Vestiplex) nestor* Alexander, 1934 雙鋸大蚊 Ref. 同前  
*Tipula (Vestiplex) nokonis* Alexander, 1928 葉狀大蚊 Ref. 同前

*Tipula (Vestiplex) paravapiculata* Alexander, 1934 帝王大蚊 Ref. 同前  
*Tipula (Vestiplex) subapterogyne* Alexander, 1920 能高大蚊 Ref. 同前  
*Tipula (Vestiplex) takahashiana* Alexander, 1938 微刺大蚊 Ref. 同前  
*Tipula (Yamatotipula) nova* Walker, 1848 南投大蚊 Ref. 同前  
*Toxorhina (Ceratocheilus) formosensis* (Alexander, 1928) 穿孔大蚊 Ref. 同前  
*Toxorhina (Ceratocheilus) taiwanicola* (Alexander, 1923) 台灣大蚊 Ref. 同前  
*Toxorhina (Ceratocheilus) tinctipennis* (Alexander, 1930) 蓬萊大蚊 Ref. 同前  
*Trentepholia (Monoma) atayal* Alexander, 1929 台灣大蚊 Ref. 同前  
*Trentepholia (Monoma) esakii* Alexander, 1923 彩羽大蚊 Ref. 同前  
*Trentepholia (Monoma) montina* Alexander, 1930 員山全大蚊 Ref. 同前  
*Trentepholia (Monoma) pennipes* (Osten Sacken, 1887) 江崎全大蚊 Ref. 同前  
*Trentepholia (Monoma) platyleuca* Alexander, 1936 高山全大蚊 Ref. 同前  
*Trentepholia (Monoma) tarsalba* Alexander, 1929 羽腳全大蚊 Ref. 同前  
*Trentepholia (Trentepohlia) albogeniculata* (Brunetti, 1912) 平白全大蚊 Ref. 同前  
*Trentepholia (Trentepohlia) fuscobasalis* Alexander, 1934 宜蘭全大蚊 Ref. 同前  
*Trentepholia (Trentepohlia) proba* Alexander, 1934 白膝全大蚊 Ref. 同前  
*Trentepholia (Trentepohlia) pulchripennis* Alexander, 1923 淡水全大蚊 Ref. 同前  
*Ula (Ula) flavidibasis* Alexander, 1930 烏來全大蚊 Ref. 同前  
*Ula (Ula) fuscistigma* Alexander, 1929 華麗全大蚊 Ref. 同前  
*Ula (Ula) superelegans* Alexander, 1929 金黃膠大蚊 Ref. 同前  
*Xipholimnobia formosensis* Alexander, 1923 褐斑膠大蚊 Ref. 同前

#### Family Trichoceridae 冬大蚊科

*Paracladura cuneata* Alexander, 1911 錐形冬大蚊 Ref. Lin & Chen, 1999  
*Paracladura flavoides* Alexander, 1923 趨黃冬大蚊 Ref. 同前  
*Trichocera arisanensis* Alexander, 1935 阿里冬大蚊 Ref. 同前  
*Trichocera pictipennis* Alexander, 1930 華麗冬大蚊 Ref. 同前

#### Family Xenasteiidae

*Xenasteia chinensis* Papp, 2005 Ref. Papp, 2005

### Order Embiidina 紡足目

#### Family Oligotomidae 等尾絲蟻科

*Oligotoma greeniana* Enderlein, 1912 暗頭等尾絲蟻 Ref. Enderlein, 1912  
*Oligotoma humberiana* (Saussure, 1896) 黃頭等尾絲蟻 Ref. 同前  
*Oligotoma japonica* (Okajima, 1926) 日本等尾絲蟻 Ref. Ross, unpublished data  
*Oligotoma saundersii* (Westwood, 1837) 平凡等尾絲蟻 Ref. Enderlein, 1912

### Order Ephemeroptera 蜉蝣目

#### Family Ameletidae 姬雙尾蜉科

*Ameletus atratus* Kang & Yang, 1994 [特有] Ref. Kang & Yang, 1994d  
*Ameletus formosus* Kang & Yang, 1994 [特有] Ref. 同前  
*Ameletus montivagus* Kang & Yang, 1994 [特有] Ref. 同前

#### Family Baetidae 四節蜉科

*Acetrella lata* (Müller-Liebenau, 1985) [特有] Ref. Soldán & Yang, 2003  
*Acetrella ultima* (Müller-Liebenau, 1985) [特有] Ref. 同前  
*Alainites clivus* (Chang & Yang, 1994) [特有] Ref. Kang, Chang & Yang, 1994  
*Alainites yehi* (Kang & Yang, 1994) [特有] Ref. 同前  
*Baetiella bispinosa* (Gose, 1980) Ref. Soldán & Yang, 2003  
*Baetis taiwanensis* Müller-Liebenau, 1985 Ref. Kang, Chang & Yang, 1994  
*Cloeon marginale* (Hagen, 1858) Ref. Soldán & Yang, 2003  
*Cloeon virens* Klapálek, 1905 Ref. 同前  
*Labiobaetis atrebatinus* (Kluge, 1983) Ref. Fujitani, Hirowatari & Tanida, 2005  
*Labiobaetis molawinensis* (Müller-Liebenau, 1985) Ref. Kang, Chang & Yang, 1994  
*Labiobaetis morum* (Chang & Yang, 1994) [特有] Ref. 同前  
*Labiobaetis mustum* (Kang & Yang, 1996) [特有] Ref. Kang & Yang, 1996b  
*Nigrobaetis candidus* (Kang & Yang, 1996) [特有] Ref. 同前  
*Nigrobaetis facetus* (Chang & Yang, 1994) [特有] Ref. Kang, Chang & Yang, 1994  
*Nigrobaetis gracilentus* (Chang & Yang, 1994) [特有] Ref. 同前  
*Nigrobaetis mundus* (Chang & Yang, 1994) [特有] Ref. 同前  
*Nigrobaetis tatuensis* (Müller-Liebenau, 1985) [特有] Ref. 同前  
*Nigrobaetis terminus* (Chang & Yang, 1994) [特有] Ref. 同前  
*Procloeon tatalis* Waltz & McCafferty, 1985 [特有] Ref. Soldán & Yang, 2003  
*Tenuibaetis arduus* Kang & Yang, 1994 [特有] Ref. Kang, Chang & Yang, 1994  
*Tenuibaetis inornatus* Kang & Yang, 1994 [特有] Ref. 同前  
*Tenuibaetis pseudofrequentus* (Müller-Liebenau, 1985) Ref. 同前

#### Family Caenidae 細蜉科

*Caenis argillosa* Kang & Yang, 1994 [特有] Ref. Kang & Yang, 1994c  
*Caenis bella* Kang & Yang, 1994 [特有] Ref. 同前  
*Caenis cornigera* Kang & Yang, 1994 [特有] Ref. 同前  
*Caenis corpulenta* Kang & Yang, 1994 [特有] Ref. 同前  
*Caenis granifera* Kang & Yang, 1994 [特有] Ref. 同前

*Caenis montana* Kang & Yang, 1994 [特有] Ref. 同前  
*Caenis nitida* Kang & Yang, 1994 [特有] Ref. 同前  
*Caenis yangi* Kang & Yang, 1996 [特有] Ref. Kang & Yang, 1996a

### Family Ephemerellidae 小蜉科

*Cincticostella colossa* Kang & Yang, 1995 [特有] Ref. Kang & Yang, 1995  
*Cincticostella fusca* Kang & Yang, 1995 [特有] Ref. 同前  
*Ephacerebella glebosa* (Kang & Yang, 1995) [特有] Ref. 同前  
*Ephacerebella montana* (Kang & Yang, 1995) [特有] Ref. 同前  
*Kangella brocha* (Kang & Yang, 1995) [特有] Ref. 同前  
*Torleya lutosa* Kang & Yang, 1995 [特有] Ref. 同前  
*Torleya nepalica* Allen & Edmunds, 1963 Ref. 同前  
*Uracanthella rufa* (Imanishi, 1937) Ref. Soldán & Yang, 2003

### Family Ephemeridae 蜉蟴科

*Ephemerella formosana* Ulmer, 1919 Ref. Kang & Yang, 1994e  
*Ephemerella sauteri* Ulmer, 1912 Ref. 同前

### Family Heptageniidae 扁蜉科

*Afronurus chipenensis* Kang & Yang, 1994 [特有] Ref. Kang & Yang, 1994a  
*Afronurus floreus* Kang & Yang, 1994 [特有] Ref. 同前  
*Afronurus hyalinus* (Ulmer, 1912) Ref. 同前  
*Afronurus nanhuensis* Kang & Yang, 1994 [特有] Ref. 同前  
*Ecdyonurus littorosus* (Kang & Yang, 1994) [特有] Ref. 同前  
*Ecdyonurus mitificus* (Kang & Yang, 1994) [特有] Ref. 同前  
*Ecdyonurus obscurus* (Kang & Yang, 1994) [特有] Ref. 同前  
*Electrogena fracta* Kang & Yang, 1994 [特有] Ref. 同前  
*Epeorus erratus* Braach, 1981 [特有] Ref. 同前  
*Rhithrogena ampla* Kang & Yang, 1994 [特有] Ref. 同前  
*Rhithrogena parva* (Ulmer, 1912) Ref. 同前

### Family Isonychiidae 等蜉科

*Isonychia formosus* Ulmer, 1912 Ref. Soldán & Yang, 2003

### Family Leptophlebiidae 褐蜉科

*Choroterpes taiwanensis* Kang & Yang, 1994 [特有] Ref. Kang & Yang, 1994b  
*Choroterpes trifurcatus* Ueno, 1928 Ref. 同前  
*Choroterpides nigella* Kang & Yang, 1994 [特有] Ref. 同前  
*Habrophlebia gilliesi* Peter, 1963 Ref. Soldán & Yang, 2003  
*Habrophlebia tenella* Kang & Yang, 1994 [特有] Ref. Kang & Yang, 1994b  
*Paraleptophlebia erratica* Kang & Yang, 1994 [特有] Ref. 同前  
*Paraleptophlebia spina* Kang & Yang, 1994 [特有] Ref. 同前  
*Thraululus fatuus* Kang & Yang, 1994 [特有] Ref. 同前  
*Thraululus macilentus* Kang & Yang, 1994 [特有] Ref. 同前  
*Thraululus umbrosus* Kang & Yang, 1994 [特有] Ref. 同前

### Family Potamanthidae 花總蜉蟴科

*Potamanthus idiocerus* Bae & McCafferty, 1991 [特有] Ref. Kang & Yang, 1994e

## Order Hemiptera 半翅目

### Family Acanthosomatidae 角蝽科(同蝽科)

*Acanthosoma asahinai* Ishihara, 1943 [特有] Ref. Aukema & Rieger, 2006  
*Anaxandra gigantea* (Matsumura, 1913) Ref. 同前  
*Elasmostethus membranaceus* Shiraki, 1913 [特有] Ref. 同前  
*Elasmostethus nubilus* (Dallas, 1851) Ref. 同前  
*Lindbergicoris forfex* (Dallas, 1851) Ref. 同前  
*Sastragala esakii* Hasegawa, 1959 Ref. 同前  
*Sastragala scutellata* (Scott, 1874) Ref. 同前

### Family Acleridae 仁介殼蟲科

*Aclerda takahashii* Kuwana, 1930 甘蔗仁介殼蟲 Ref. 陶。1989  
*Aclerda tokionis* (Cockerell, 1896) 毛竹仁介殼蟲 Ref. 陶。1989  
*Aclerda yunnanensis* Ferris, 1950 Ref. ScaleNet, 2006

### Family Aleyrodidae 粉蝨科

*Acanthaleyrode callicarpae* Takahashi, 1931 杜虹針粉蝨 Ref. Takahashi, 1931  
*Africaleyrododes citri* Takahashi, 1932 柑桔非洲粉蝨 Ref. Takahashi, 1932  
*Agrostaleyrododes arcanus* Ko, 2001 神祕禾粉蝨 [特有] Ref. Ko et al., 2001  
*Aleurocanthus cinnamomi* Takahashi, 1931 樟刺粉蝨 Ref. Takahashi, 1931  
*Aleurocanthus eugeniae* Takahashi, 1933 蒲桃刺粉蝨 [特有] Ref. Takahashi, 1933  
*Aleurocanthus mangiferae* Quaintance & Baker, 1917 檬果刺粉蝨 Ref. Quaintance & Baker, 1917  
*Aleurocanthus rugosus* Singh, 1931 皺刺粉蝨 Ref. Singh, 1931  
*Aleurocanthus spiniferus* Quaintance, 1903 柑桔刺粉蝨 Ref. Quaintance, 1903  
*Aleurocanthus spinosus* Kuwana, 1911 黃梔刺粉蝨 Ref. Kuwana, 1911  
*Aleurocanthus woglumi* Ashby, 1915 柑黑刺粉蝨 Ref. Ashby, 1915  
*Aleuroclava elatostemae* Takahashi, 1932 樓梯草棒粉蝨 [特有] Ref. Takahashi, 1932

*Aleuroclava ficicola* Takahashi, 1932 榕棒粉蝨 [特有] Ref. 同前  
*Aleuroclava gordoniae* Takahashi, 1932 大頭茶棒粉蝨 Ref. 同前  
*Aleuroclava guyavae* Takahashi, 1932 番石榴黑棒粉蝨 Ref. 同前  
*Aleuroclava jasmini* Takahashi, 1932 茉莉棒粉蝨 Ref. 同前  
*Aleuroclava kuwanai* Takahashi, 1934 桑名棒粉蝨 [特有] Ref. 同前  
*Aleuroclava lagerstroemiae* Takahashi, 1934 紫薇棒粉蝨 [特有] Ref. Takahashi, 1934  
*Aleuroclava latus* Takahashi, 1934 側棒粉蝨 Ref. 同前  
*Aleuroclava lithocarpus* Takahashi, 1934 石櫟棒粉蝨 [特有] Ref. 同前  
*Aleuroclava longispinus* Takahashi, 1934 長刺棒粉蝨 [特有] Ref. 同前  
*Aleuroclava malloti* Takahashi, 1932 野桐棒粉蝨 [特有] Ref. Takahashi, 1932  
*Aleuroclava meifenensis* Ko 梅峰棒粉蝨 [特有] Ref. Ko et al. (unpublished)  
*Aleuroclava melastomae* Takahashi, 1934 野牡丹棒粉蝨 [特有] Ref. Takahashi, 1934  
*Aleuroclava multipori* Takahashi, 1935 多孔棒粉蝨 Ref. Takahashi, 1935  
*Aleuroclava murrayae* Singh, 1931 月桔棒粉蝨 Ref. Singh, 1931  
*Aleuroclava neolitsea* Takahashi, 1934 新木薑子棒粉蝨 Ref. Takahashi, 1934  
*Aleuroclava piperis* Takahashi, 1935 風藤棒粉蝨 Ref. Takahashi, 1935  
*Aleuroclava psidii* Singh, 1931 番石榴白棒粉蝨 Ref. Singh, 1931  
*Aleuroclava pyracanthae* Takahashi, 1933 火刺木棒粉蝨 Ref. Takahashi, 1933  
*Aleuroclava rhododendri* Takahashi, 1935 杜鵑棒粉蝨 [特有] Ref. Takahashi, 1935  
*Aleuroclava thysanospemi* Takahashi, 1934 瓢箪藤棒粉蝨 [特有] Ref. Takahashi, 1934  
*Aleuroclava trachelospermi* Takahashi, 1938 絡石棒粉蝨 Ref. Takahashi, 1938  
*Aleuroclava uraianus* Takahashi, 1932 烏來棒粉蝨 [特有] Ref. Takahashi, 1932  
*Aleurocyperus humus* Ko & Dubey, 2007 [特有] Ref. Ko & Dubey, 2007  
*Aleurodicus dispersus* Russell, 1965 螺旋粉蝨 Ref. Russell, 1965  
*Aleurodicus machili* Takahashi, 1931 樟盤粉蝨 Ref. Takahashi, 1931  
*Aleurodicus barchensis* Maskell, 1895 甘蔗穴粉蝨 Ref. Maskell, 1895  
*Aleurolobus hederiae* Takahashi, 1935 常春藤穴粉蝨 [特有] Ref. Takahashi, 1935  
*Aleurolobus marlatti* Quaintance, 1903 麻拉特粉蝨 Ref. Quaintance, 1903  
*Aleurolobus oplismeni* Takahashi, 1931 求米草穴粉蝨 [特有] Ref. Takahashi, 1931  
*Aleurolobus philippinensis* Quaintance & Baker, 1917 菲律賓穴粉蝨 Ref. Quaintance & Baker, 1917  
*Aleurolobus rhododendri* Takahashi, 1934 杜鵑穴粉蝨 Ref. Takahashi, 1934  
*Aleurolobus rubus* Ko 懸鉤子穴粉蝨 [特有] Ref. Ko et al. (unpublished)  
*Aleurolobus scolopiae* Takahashi, 1933 魯花樹穴粉蝨 [特有] Ref. Takahashi, 1933  
*Aleurolobus setigerus* Quaintance & Baker, 1917 毛穴粉蝨 Ref. Quaintance & Baker, 1917  
*Aleurolobus shiiae* Takahashi, 1957 烤穴粉蝨 Ref. Takahashi, 1957  
*Aleurolobus taonabae* Kuwana, 1911 厚皮香穴粉蝨 Ref. Kuwana, 1911  
*Aleuromarginatus bauhiniae* David, 1976 菊花木緣粉蝨 Ref. David, 1976  
*Aleuromarginatus shihmenensis* Ko, 1995 石門緣粉蝨 [特有] Ref. Ko et al., 1995  
*Aleuroplatus fici* Takahashi, 1932 榕扁粉蝨 [特有] Ref. Takahashi, 1932  
*Aleuroplatus pectiniferus* Quaintance & Baker, 1917 膠扁粉蝨 Ref. Quaintance & Baker, 1917  
*Aleurothrixus antidesmae* Takahashi, 1933 五月茶鬚粉蝨 Ref. Takahashi, 1933  
*Aleurothrixus smilaceti* Takahashi, 1934 菝 鬚粉蝨 [特有] Ref. Takahashi, 1934  
*Aleurotrachelus alpinus* Takahashi, 1940 高山摺粉蝨 [特有] Ref. Takahashi, 1940  
*Aleurotrachelus caerulescens* Singh, 1931 月桃摺粉蝨 Ref. Singh, 1931  
*Aleurotrachelus elastostemae* Takahashi, 1932 冷清草摺粉蝨 [特有] Ref. Takahashi, 1932  
*Aleurotrachelus fissistigmae* Takahashi, 1931 瓜馥木摺粉蝨 [特有] Ref. Takahashi, 1931  
*Aleurotrachelus maesae* Takahashi, 1935 山桂花摺粉蝨 Ref. Takahashi, 1935  
*Aleurotrachelus micheliae* Takahashi, 1932 黃玉蘭摺粉蝨 Ref. Takahashi, 1932  
*Aleurotrachelus pyracanthus* Takahashi, 1935 火刺木摺粉蝨 [特有] Ref. Takahashi, 1935  
*Aleurotrachelus rubi* Takahashi, 1933 懸鉤子摺粉蝨 Ref. Takahashi, 1933  
*Aleurotrachelus taiwanus* Takahashi, 1932 臺灣摺粉蝨 [特有] Ref. Takahashi, 1932  
*Aleurotrachelus tuberculatus* Singh, 1933 瘤摺粉蝨 Ref. Singh, 1933  
*Aleurotrachelus turpiniae* Takahashi, 1932 山香圓摺粉蝨 [特有] Ref. Takahashi, 1932  
*Aleurotulus arundinacea* Singh, 1931 茨竹細粉蝨 Ref. Singh, 1931  
*Aleyrodes prolella* Linnaeus, 1758 歐洲甘藍粉蝨 Ref. Linnaeus, 1758  
*Aleyrodes taiheisanus* Takahashi, 1939 太平山粉蝨 [特有] Ref. Takahashi, 1939  
*Apobemisia celti* Takahashi, 1932 朴樹粉蝨 [特有] Ref. Takahashi, 1932  
*Apobemisia kuwanai* Takahashi, 1934 桑名樹粉蝨 Ref. Takahashi, 1934  
*Asialeyrodes lushanensis* Ko, 1993 廬山粉蝨 [特有] Ref. Ko et al., 1993  
*Asialeyrodes maesae* Takahashi, 1934 山桂花粉蝨 Ref. Takahashi, 1934  
*Asterobemisia yanagicola* Takahashi, 1933 水柳星伯粉蝨 Ref. Takahashi, 1933  
*Bemisia formosana* Takahashi, 1933 蓬萊伯粉蝨 [特有] Ref. 同前  
*Bemisia giffardi* Kotinsky, 1907 姬伯粉蝨 Ref. Kotinsky, 1907  
*Bemisia pongamiae* Takahashi, 1931 水黃皮伯粉蝨 Ref. Takahashi, 1931  
*Bemisia porteri* Corbett, 1935 多孔伯粉蝨 Ref. Corbett, 1935  
*Bemisia tabaci* Gennadius, 1889 煙草粉蝨種群 Ref. Gennadius, 1889  
*Cockerelliella bladhae* Takahashi, 1931 樹杞粉蝨 Ref. Takahashi, 1931  
*Dialeurodes citri* Ashmead, 1885 柑桔裸粉蝨 Ref. Ashmead, 1885  
*Dialeurodes cornus* Ko 水木裸粉蝨 [特有] Ref. Ko et al. (unpublished)  
*Dialeurodes daphniphylli* Takahashi, 1932 虎皮楠裸粉蝨 Ref. Takahashi, 1932  
*Dialeurodes dubia* Corbett, 1935 惑裸粉蝨 Ref. Corbett, 1935  
*Dialeurodes ficicola* Takahashi, 1935 細葉榕裸粉蝨 [特有] Ref. Takahashi, 1935

*Dialeurodes kirkaldyi* Kotinsky, 1907 中條裸粉蝨 Ref. Kotinsky, 1907  
*Dialeuropora brideliae* Takahashi, 1932 土密孔粉蝨 [特有] Ref. Takahashi, 1932  
*Dialeuropora decempuncta* Quaintance & Baker, 1917 斑點孔粉蝨 Ref. Quaintance & Baker, 1917  
*Dialeuropora hassenzanensis* Takahashi, 1934 佳保臺孔粉蝨 [特有] Ref. Takahashi, 1934  
*Dialeuropora murrayae* Takahashi, 1931 月桔孔粉蝨 [特有] Ref. Takahashi, 1931  
*Dialeuropora viburni* Takahashi, 1933 莢鰭巨孔粉蝨 [特有] Ref. Takahashi, 1933  
*Gigaleurodes cinnamomi* Takahashi, 1932 樟粉蝨 [特有] Ref. Takahashi, 1932  
*Gigaleurodes lithocarpi* Takahashi, 1932 三斗柯粉蝨 [特有] Ref. 同前  
*Gigaleurodes minahassai* Martin, 1988 巨粉蝨 Ref. Martin, 1988  
*Indoaleurodes laos* Takahashi, 1942 印度粉蝨 Ref. Takahashi, 1942  
*Lipaleyrodes breyniae* Singh, 1931 山漆莖唇粉蝨 Ref. Singh, 1931  
*Massilieuroides euryae* Takahashi, 1940 桧木粉蝨 Ref. Takahashi, 1940  
*Massilieuroides fici* Takahashi, 1932 榕粉蝨 Ref. Takahashi, 1932  
*Massilieuroides formosensis* Takahashi, 1933 蓬萊粉蝨 Ref. Takahashi, 1933  
*Massilieuroides monticola* Takahashi, 1934 深山粉蝨 [特有] Ref. Takahashi, 1934  
*Massilieuroides multipori* Takahashi, 1932 多孔粉蝨 [特有] Ref. Takahashi, 1932  
*Massilieuroides rarasana* Takahashi, 1934 拉拉山粉蝨 Ref. Takahashi, 1934  
*Metabemisia filicis* Mound, 1967 蕨後伯粉蝨 Ref. Mound, 1967  
*Minutaleyrodes minutus* Singh, 1931 細微粉蝨 Ref. Singh, 1931  
*Mixaleyrodes polystichi* Takahashi, 1936 耳蕨雜粉蝨 [特有] Ref. Takahashi, 1936  
*Neomaskellia bergii* Signoret, 1868 甘蔗粉蝨 Ref. Signoret, 1868  
*Neopealius rubi* Takahashi, 1954 懸鉤子新皮粉蝨 Ref. Takahashi, 1954  
*Parabemisia aceris* Takahashi, 1931 槭類伯粉蝨 Ref. Takahashi, 1931  
*Parabemisia lushanensis* Ko & Luo, 1999 廬山類伯粉蝨 [特有] Ref. Ko & Luo, 1999  
*Parabemisia myricae* Kuwana, 1927 楊梅粉蝨 Ref. Kuwana, 1927  
*Paraleyrodes bondari* Peracchi, 1971 龐達粉蝨 Ref. Peracchi, 1971  
*Pealius azaleae* Baker & Moles, 1920 杜鵑皮粉蝨 Ref. Baker & Moles, 1920  
*Pealius damanacanthi* Takahashi, 1935 伏牛花皮粉蝨 [特有] Ref. Takahashi, 1935  
*Pealius elatostemae* Takahashi, 1932 樓梯草皮粉蝨 [特有] Ref. Takahashi, 1932  
*Pealius kankoensis* Takahashi, 1933 乾溝皮粉蝨 [特有] Ref. Takahashi, 1933  
*Pealius liquidambari* Takahashi, 1932 楓香皮粉蝨 [特有] Ref. Takahashi, 1932  
*Pealius longispinus* Takahashi, 1932 長刺皮粉蝨 [特有] Ref. 同前  
*Pealius machili* Takahashi, 1932 豬腳楠皮粉蝨 [特有] Ref. 同前  
*Pealius mori* Takahashi, 1932 白桑皮粉蝨 Ref. 同前  
*Pealius polygoni* Takahashi, 1934 海葡萄皮粉蝨 Ref. Takahashi, 1934  
*Pealius psychotriae* Takahashi, 1935 鈴壁龍皮粉蝨 [特有] Ref. Takahashi, 1932  
*Pealius rhododendri* Takahashi, 1935 杜鵑粉蝨 Ref. Takahashi, 1935  
*Pealius rubi* Takahashi, 1936 懸鉤子皮粉蝨 Ref. Takahashi, 1936  
*Pealius spina* Singh, 1931 菩提皮粉蝨 Ref. Singh, 1931  
*Pentaleyrodes cinnamomi* Takahashi, 1932 香桂突毛粉蝨 [特有] Ref. Takahashi, 1932  
*Rabdostigma alocasia* Ko 姑婆芋粉蝨 [特有] Ref. Ko et al. (unpublished)  
*Rabdostigma erythrophloiae* Ko 瓊楠粉蝨 [特有] Ref. 同前  
*Rabdostigma shintenensis* Takahashi, 1933 新店粉蝨 [特有] Ref. Takahashi, 1933  
*Rhachisphora alishanensis* Ko, 1992 阿里山脊粉蝨 [特有] Ref. Ko et al., 1992  
*Rhachisphora ardisiae* Takahashi, 1935 紫金牛脊粉蝨 [特有] Ref. Takahashi, 1935  
*Rhachisphora koshunensis* Takahashi, 1933 恆春脊粉蝨 [特有] Ref. Takahashi, 1933  
*Rhachisphora machili* Takahashi, 1932 楠脊粉蝨 [特有] Ref. Takahashi, 1932  
*Rhachisphora maesae* Takahashi, 1932 山桂花脊粉蝨 [特有] Ref. 同前  
*Rhachisphora oblongata* Ko, 1998 狹長脊粉蝨 [特有] Ref. Ko et al., 1998  
*Rhachisphora reticulata* Takahashi, 1933 網脊粉蝨 [特有] Ref. Takahashi, 1933  
*Rhachisphora sanhsiaensis* Ko, 1992 三峽脊粉蝨 [特有] Ref. Ko et al., 1992  
*Rhachisphora taiwanus* Ko, 1992 臺灣脊粉蝨 [特有] Ref. 同前  
*Rusostigma tristylis* Takahashi, 1935 楊桐紋粉蝨 Ref. Takahashi, 1935  
*Setaleyrodes mirabilis* Takahashi, 1931 泥沼毛粉蝨 Ref. Takahashi, 1931  
*Setaleyrodes quercicola* Takahashi, 1934 栓皮櫟毛粉蝨 [特有] Ref. Takahashi, 1934  
*Singhiella chitinsa* Takahashi, 1937 堅硬粉蝨 Ref. Takahashi, 1937  
*Singhiella elaeagni* Takahashi, 1935 胡頹子粉蝨 Ref. Takahashi, 1935  
*Singhiella kuraruensis* Takahashi, 1933 龜子角粉蝨 [特有] Ref. Takahashi, 1933  
*Singhiella melanolepis* Chen & Ko, 2006 [特有] Ref. Chen & Ko, 2006  
*Singhiella piperis* Takahashi, 1934 風藤粉蝨 [特有] Ref. Takahashi, 1934  
*Singhiella subrotunda* Takahashi, 1935 近圓粉蝨 [特有] Ref. Takahashi, 1935  
*Singhiella tetrastigmae* Takahashi, 1934 崖爬藤粉蝨 [特有] Ref. Takahashi, 1934  
*Singhiella vanieriae* Takahashi, 1935 拓樹粉蝨 [特有] Ref. Takahashi, 1935  
*Singhius hibisci* Kotinsky, 1907 扶桑粉蝨 Ref. Kotinsky, 1907  
*Taiwanaleyrodes carpini* Takahashi, 1939 千金榆粉蝨 [特有] Ref. Takahashi, 1939  
*Taiwanaleyrodes indica* Singh, 1931 印度粉蝨 Ref. Singh, 1931  
*Taiwanaleyrodes meliosmae* Takahashi, 1932 山豬肉粉蝨 Ref. Takahashi, 1932  
*Taiwanaleyrodes montanus* Takahashi, 1939 山粉蝨 [特有] Ref. Takahashi, 1939  
*Tetraleurodes graminis* Takahashi, 1934 禾草粉蝨 [特有] Ref. Takahashi, 1934  
*Tetraleurodes optismeni* Takahashi, 1934 求米草粉蝨 [特有] Ref. 同前  
*Trialeurodes vaporariorum* Westwood, 1856 溫室粉蝨 Ref. Westwood, 1856

*Tuberaleyrodes bobuae* Takahashi, 1934 灰木瘤粉蝨 [特有] Ref. Takahashi, 1934  
*Tuberaleyrodes machili* Takahashi, 1932 楠瘤粉蝨 Ref. Takahashi, 1932  
*Vasdauidius concursus* Ko, 1998 聚集粉蝨 [特有] Ref. Ko et al., 1998  
*Vasdauidius miscanthus* Ko, 1998 白背芒粉蝨 [特有] Ref. 同前  
*Vasdauidius setiferus* Quaintance & Baker, 1917 剛毛粉蝨 Ref. Quaintance & Baker, 1917  
*Viennotaleyrodes megapapillae* Singh, 1932 巨疣粉蝨 Ref. Singh, 1932

#### Family Alydidae 蛛緣蝽科

*Daclera levana* Distant, 1918 頭扁蛛蝽 Ref. Aukema & Rieger, 2006  
*Leptocoris acuta* (Thunberg, 1783) Ref. 同前  
*Riptortus clavatus* (Thunberg, 1783) Ref. 同前  
*Riptortus linearis* (Fabricius, 1775) 條蜂緣蝽 Ref. 同前  
*Riptortus pedestris* (Fabricius, 1775) 點蜂緣蝽 Ref. 同前

#### Family Anoecidae 短痣蚜科

*Aiceona actinodaphni* Takahashi, 1921 樟楠蚜 Ref. Tao, 2000  
*Aiceona osugii* Takahashi, 1924 大杉氏蚜 [特有] Ref. Tao, 1986  
*Aneocia corni* (Fabricius, 1775) 根葉粉蚜 Ref. Tao, 1986

#### Family Anthocoridae 花蝽科

*Almeida pilosa* (Poppius, 1909) 長毛點刻花蝽 Ref. Aukema & Rieger, 1996  
*Amphiareus constrictus* (Stål, 1860) 束翅叉胸花蝽 Ref. Bu & Zheng, 2001  
*Amphiareus obscuriceps* (Poppius, 1909) 黑頭叉胸花蝽 Ref. Aukema & Rieger, 1996  
*Bilia castanea* (Carvalho, 1951) 栗色圓花蝽 Ref. 同前  
*Blaptostethoides esakii* (Hiura, 1960) 江崎擬刷花蝽 Ref. Bu & Zheng, 2001  
*Cardiastethus exiguus* Poppius, 1913 小鑷花蝽 Ref. Aukema & Rieger, 1996  
*Cardiastethus laeviusculus* Poppius, 1915 光鑷花蝽 [特有] Ref. Poppius, 1915  
*Cardiastethus longiceps* Poppius, 1915 長頭鑷花蝽 [特有] Ref. Poppius, 1915  
*Montandoniola moraguesi* (Puton, 1896) 黑紋透翅花蝽 Ref. Bu & Zheng, 2001  
*Orius atratus* Yasunaga, 1997 Ref. Yasunaga, 1997  
*Orius strigicollis* (Poppius, 1915) 南方小花蝽 [特有] Ref. Poppius, 1915  
*Orius tantillus* (Motchulsky, 1863) Ref. Yasunaga, 1997  
*Physopleurella armata* (Poppius, 1909) 黃褐刺花蝽 Ref. Aukema & Rieger, 1996  
*Scoloposcelis parallela* (Motschulsky, 1863) 雙齒股花蝽 Ref. 同前  
*Turnebiella pallipes* Poppius, 1915 [特有] Ref. Poppius, 1915

#### Family Aphididae 常蚜科

*Acyrtosiphon evodia* (Takahashi, 1929) 山刈蚜蟲 Ref. Tao, 1986  
*Acyrtosiphon pisum* (Harris, 1776) 碗豆蚜 Ref. Tao, 1986  
*Akkaia taiwana* Takahashi, 1933 台灣鐘尾蚜 Ref. 陶, 1990  
*Amphiceroides lanigera* (Takahashi, 1927) 野木瓜蚜 [特有] Ref. Tao, 1986  
*Aphis citricola* Van der Goot, 1912 橘捲菜蚜 Ref. Tao, 1986  
*Aphis craccivora* Koch, 1854 豆蚜 Ref. Tao, 1986  
*Aphis droserae* Takahashi, 1921 茅膏菜蚜 Ref. Tao, 1986  
*Aphis farinosa* Gmelin, 1790 柳蚜 Ref. Tao, 1986  
*Aphis fuckii* Shinji, 1922 山菊蚜 Ref. Tao, 1986  
*Aphis glycines* Matsumura, 1917 大豆蚜 Ref. Tao, 1986  
*Aphis gossypii* Glover, 1877 綿蚜 Ref. Tao, 1986  
*Aphis humuli* (Tseng & Tao, 1938) 葎草蚜 Ref. Tao, 1986  
*Aphis ichigocola* Shinji, 1924 草莓蚜 Ref. Tao, 1986  
*Aphis kurosawai* Takahashi, 1921 艾草蚜 Ref. Tao, 1986  
*Aphis nerii* Boyer de Fonscolombe, 1841 夾竹桃蚜 Ref. Tao, 1986  
*Aphis pomi* de Geer, 1773 蘋果蚜 Ref. Tao, 1986  
*Aphis rumicis* Linnaeus, 1758 酸模蚜 Ref. Tao, 1986  
*Aphis smilacifoliae* Takahashi, 1921 菝葜蚜 Ref. Tao, 1986  
*Aphis stranvaesiae* Takahashi, 1937 玉山梨蚜 Ref. Tao, 1986  
*Aphis (Protaphis) formosana* (Takahashi, 1927) 錐尾蚜 Ref. Tao, 1986  
*Aulacorthum cirsicola* (Takahashi, 1923) 長管蚜 Ref. Tao, 1986  
*Aulacorthum formisana* (Takahashi, 1923) 葛藤蚜 Ref. Tao, 1986  
*Aulacorthum kuwanai* (Takahashi, 1933) 桑名蚜 Ref. Tao, 1986  
*Aulacorthum nipponicum* (Essig & Kuwana, 1918) 雞屎藤蚜 Ref. Tao, 1986  
*Aulacorthum solani* (Kaltenbach, 1843) 馬鈴薯蚜 Ref. Tao, 1986  
*Aulacorthum takahashii* (Mason, 1925) 黑端管蚜 Ref. Tao, 1986  
*Aulacorthum (Neomyzus) circumflexum* (Buckton, 1876) 褐腹斑蚜 Ref. Tao, 1986  
*Aulacorthum (Neomyzus) taiwanum* (Takahashi, 1923) 桔梗蚜 [特有] Ref. Tao, 1986  
*Aulacorthum (Perillaphis) perillae* (Takahashi, 1924) 紫蘇蚜 Ref. Tao, 1986  
*Brachycaudus helichrysi* (Kaltenbach, 1843) 光管舌尾蚜 Ref. Tao, 1986  
*Brachysiphoniella montana* (van der Goot, 1917) 禾粉蚜 Ref. Tao, 1986  
*Brevicoryne brassicae* (Linnaeus, 1758) 菜蚜 Ref. Tao, 1986  
*Capitophorus elaeagni* (del Guercio, 1894) 胡鬚子釘毛蚜 Ref. Tao, 1986  
*Capitophorus formosartemisiae* (Takahashi, 1921) 艾草釘毛蚜 Ref. Tao, 1986  
*Capitophorus hippophaes* (Walker, 1852) 胡蓼釘毛蚜 Ref. Tao, 1986  
*Capitophorus montanus* Takahashi, 1921 薊釘毛蚜 Ref. Tao, 1986  
*Capitophorus takahashi* Strand, 1925 小菊釘毛蟲 [特有] Ref. Tao, 1986

*Cavariella aegopodii* (Scopoli, 1763) 腫管雙尾蚜 Ref. Tao, 1986  
*Cavariella araliae* Takahashi, 1921 忽木雙尾蚜 Ref. Tao, 1986  
*Cavariella japonica* (Essig & Kuwana, 1918) 短毛雙尾蚜 [特有] Ref. Tao, 1986  
*Cavariella saliciola* Matsumura, 1917 柳雙尾蚜 Ref. Tao, 1986  
*Coloradoa rufomaculata* (Wilson, 1910) 蒿蚜 Ref. Tao, 1986  
*Cryptomyzus taoi* Hille Ris Lambers, 1963 陶氏釘毛蚜 Ref. Tao, 1986  
*Cryptosiphum gallarum* (Kaltenbach, 1856) 艾草短管蚜 Ref. Tao, 1986  
*Dysaphis (Pomaphis) plantaginea* (Peasserini, 1860) 車前草蚜 Ref. Tao, 1986  
*Ericolophium itoe* (Takahashi, 1925) 伊藤杜鵑蚜 Ref. Tao, 1986  
*Hayhurstia atriplicis* (Linnaeus, 1761) 藜蚜 Ref. Tao, 1986  
*Hyalopterus pruni* (Geoffroy, 1762) 桃粉蚜 Ref. Tao, 1986  
*Hyperomyzus carduellinus* (Theobald, 1915) 等管尾蚜 Ref. Tao, 1986  
*Hysteronera setariae* Thomas, 1877 無肘詠蚜 Ref. Tao, 1986  
*Impatientinum impatiens* (Shinji, 1922) 百強蚜 Ref. Tao, 1986  
*Indomegoura arthroxona* (van der Goot, 1916) 黃花粉蚜 Ref. Tao, 1986  
*Indomegoura indica* (van der Goot, 1916) 黃花粉蚜；印度修尾蚜 Ref. Tao, 1986  
*Kaochiaoja arthroxonis* (Takahashi, 1921) 黑背蚜 Ref. 陶。1990  
*Lipaphis erysimi* (Kaltenbach, 1843) 偽菜蚜 Ref. Tao, 1986  
*Macromyzus polypodicola* (Takahashi, 1921) 單毛瓦韋蚜 Ref. Tao, 1986  
*Macromyzus woodwardiae* (Takahashi, 1921) 叉毛瓦韋蚜 Ref. Tao, 1986  
*Macrosiphoniella formosartemisia* Takahashi, 1921 中華艾草蚜 Ref. Tao, 1986  
*Macrosiphoniella sanborni* (Gillette, 1908) 光褐菊蚜 Ref. Tao, 1986  
*Macrosiphoniella yomogifoliae* (Shinji, 1924) 東亞艾草蚜 Ref. Tao, 1986  
*Macrosiphoniella (Asterobium) yomenae* (Shinji, 1922) 大艾草蚜 Ref. Tao, 1986  
*Macrosiphum clematifoliae* Shinji, 1924 毛蕒蚜 Ref. 陶。1990  
*Matsumuraja formosana* Takahashi, 1925 中華指角蚜 Ref. Tao, 1986  
*Matsumuraja rubicola* Takahashi, 1927 臺灣指角蚜 [特有] Ref. Tao, 1986  
*Matsumuraja rubifoliae* (Takahashi, 1922) 指角蚜 Ref. Tao, 1986  
*Megoura lespedezae* (Essig & Kuwana, 1918) 黃荊蚜 Ref. Tao, 1986  
*Melanaphis arundinariae* (Takahashi, 1927) 玉山竹蚜 Ref. Tao, 1986  
*Melanaphis bambusae* (Fullaway, 1910) 竹粉蚜 Ref. Tao, 1986  
*Melanaphis formosana* (Takahashi, 1921) 禾紫蚜 Ref. Tao, 1986  
*Melanaphis sacchari* (Zehntner, 1891) 高粱蚜 Ref. Tao, 1986  
*Metopolophium euryae* (Takahashi, 1937) 柃木蚜 Ref. Tao, 1986  
*Micraphis artemisiae* (Takahashi, 1923) 茵陳蒿蚜 Ref. Tao, 1986  
*Microlophium rubiformosanum* (Takahashi, 1927) 蕨莓蚜 Ref. Tao, 1986  
*Micromyzus katoi* (Takahashi, 1921) 瓦韋蚜 [特有] Ref. 陶。1990  
*Myzackaia niitakaensis* (Takahashi, 1917) 玉山蓼蚜 [特有] Ref. Tao, 1986  
*Myzus boehmeriae* Takahashi, 1923 芋麻瘤蚜 Ref. Tao, 1986  
*Myzus dycei* Carver, 1961 蕁麻蚜 Ref. Tao, 1986  
*Myzus formosanus* Takahashi, 1923 蓼蚜 Ref. 陶。1990  
*Myzus hemerocallis* Takahashi, 1921 金針瘤蚜 Ref. Tao, 1986  
*Myzus mumecola* (Matsumura, 1917) 梅瘤蚜 Ref. Tao, 1986  
*Myzus mushaensis* Takahashi, 1931 霧社櫻蚜 Ref. Tao, 1986  
*Myzus persicae* (Sulzer, 1776) 桃蚜 Ref. Tao, 1986  
*Myzus siegesbeckicola* Strand, 1929 豬屎草蚜 Ref. Tao, 1986  
*Myzus stellariae* Strand, 1929 雞腸草蚜 Ref. Tao, 1986  
*Myzus varians* Davidson, 1912 桃捲葉蚜 Ref. Tao, 1986  
*Neocyrtosiphon podocarpi* (Takahashi, 1935) 太平山杜鵑蚜 Ref. Tao, 1986  
*Neocyrtosiphon taiheisanum* (Takahashi, 1935) 太平山杜鵑蚜 [特有] Ref. 陶。1990  
*Neocyrtosiphon (Pseudoacyrthosiphon) holsti* (Takahashi, 1935) 霍氏杜鵑蚜 Ref. Tao, 1986  
*Neotoxoptera formosana* (Takahashi, 1921) 蔥韭蚜 Ref. Tao, 1986  
*Neotoxoptera sungkangensis* Hsu, 1980 松崗岔蚜 [特有] Ref. Tao, 1986  
*Neotoxoptera violae* (Perhande, 1900) 董菜蚜 Ref. Tao, 1986  
*Ovatus crataegarius* (Walker, 1850) 薄荷蚜 Ref. Tao, 1986  
*Ovatus malisuctus* (Matsumura, 1918) 蘋果瘤蚜 Ref. Tao, 1986  
*Pentalonis nigronevosa* (Coquerel, 1859) 香蕉交脈蚜 Ref. Tao, 1986  
*Phorodon humuli* (Schränk, 1801) 指頭蚜 Ref. Tao, 1986  
*Phorodon humulifoliae* Tseng & Tao, 1938 葎草指頭蚜 Ref. Tao, 1986  
*Pleotrichophorus chrysanthemi* (Theobald, 1920) 菊釘毛蚜 Ref. Tao, 1986  
*Rhodobium porosum* (Sanderson, 1901) 玫瑰蚜 Ref. Tao, 1986  
*Rhopalosiphonium deutzifoliae* Shinji, 1924 腫管蚜 [特有] Ref. 陶。1990  
*Rhopalosiphum maidis* (Fitch, 1856) 玉米蚜 Ref. Tao, 1986  
*Rhopalosiphum nymphaeae* (Linnaeus, 1761) 睡蓮蚜 Ref. Tao, 1986  
*Rhopalosiphum padi* (Linnaeus, 1758) 稻麥蚜 Ref. Tao, 1986  
*Rhopalosiphum rufiabdominalis* (Sasaki, 1899) 長毛角蚜 Ref. Tao, 1986  
*Schizaphis graminum* (Rondani, 1847) 麥二叉蚜 Ref. Tao, 1986  
*Schizaphis piricola* (Matsumura, 1917) 梨二叉蚜 Ref. Tao, 1986  
*Schizaphis rotundiventris* (Signoret, 1860) 莎草細毛足蚜 Ref. Tao, 1986  
*Schizaphis (Paraschizaphis) scirpi* (Passerini, 1874) 莎草粗毛足蚜 Ref. Tao, 1986  
*Semiaphis heraclei* (Takahashi, 1921) 芹菜粉蚜 Ref. Tao, 1986  
*Shinjia orientalis* (Mordvilko, 1929) 小附足蕨蚜 Ref. Tao, 1986

*Sinomegoura citricola* (van der Goot, 1917) 月桔蚜 Ref. Tao, 1986  
*Sinomegoura elaeocarpi* Tao, 1963 錫蘭橄欖蚜 [特有] Ref. Tao, 1986  
*Sinomegoura photiniae* (Takahashi, 1936) 石楠蚜 Ref. Tao, 1986  
*Sinomegoura rhododendri* (Takahashi, 1937) 杜鵑蚜 [特有] Ref. Tao, 1986  
*Sitobion ibarae* (Matsumura, 1917) 月季蚜 Ref. Tao, 1986  
*Sitobion miscanthi* (Takahashi, 1924) 蘆芒蚜 Ref. Tao, 1986  
*Sitobion rosaeiformis* (Das, 1918) 中印玫瑰蚜 Ref. Tao, 1986  
*Sitobion smilacicola* (Takahashi, 1924) 黃背芒蚜 Ref. Tao, 1986  
*Sitobion smilacifoliae* (Takahashi, 1921) 黑背芒蚜 Ref. Tao, 1986  
*Titanosiphon neoartemisiae* (Takahashi, 1921) 艾長管蚜 Ref. Tao, 1986  
*Toxoptera aurantii* (Fonscolombe, 1841) 小桔蚜 Ref. Tao, 1986  
*Toxoptera citricida* (Kirkaldy, 1970) 大桔蚜 Ref. Tao, 1986  
*Toxoptera hsui* Hsu, 1980 灰木蚜 Ref. Tao, 1986  
*Toxoptera odinae* (van der Goot, 1917) 烏柏蚜 Ref. Tao, 1986  
*Toxoptera schlingeri* Tao, 1961 許氏蚜 Ref. Tao, 1986  
*Trichosiphonaphis polygoniformosanis* (Takahashi, 1921) 毛平口管蚜 Ref. 陶。1990  
*Tuberocephalus momonis* (Matsumura, 1917) 桃錐尾蚜 Ref. 陶。1990  
*Tuberocephalus sakurae* (Matsumura, 1917) 櫻錐尾蚜 Ref. Tao, 1986  
*Tuberocephalus salignus* (Matsumura, 1917) 艾錐尾蚜 Ref. Tao, 1986  
*Uroleucon debilis* (Takahashi, 1923) 黑尾蚜 [特有] Ref. Tao, 1986  
*Uroleucon formosanum* (Takahashi, 1921) 白尾紅蚜 Ref. Tao, 1986  
*Uroleucon monticola* (Takahashi, 1935) 白尾褐蚜 Ref. Tao, 1986  
*Uroleucon (Uromelan) gobonis* (Matsumura, 1916) 牛蒡蚜 Ref. Tao, 1986  
*Uroleucon (Uromelan) lactucicola* (Strand, 1928) 中華黑尾蚜 Ref. Tao, 1986  
*Uroleucon (Uromelan) solidaginis* (Fabricius, 1779) 黃脛黑尾蚜 Ref. Tao, 1986  
*Utamphorophora montanus* (Takahashi, 1925) 虎耳草蚜 Ref. Tao, 1986  
*Vesiculaphis caricis* (Fullaway, 1910) 細口管蚜 Ref. Tao, 1986  
*Wahlgreniells viburni* (Takahashi, 1925) 細基管蚜 [特有] Ref. Tao, 1986

#### Family Aphrodidae 緣脊葉蟬科

*Agrica arisana* Matsumura, 1914 [特有] Ref. Metcalf, 1963  
*Stroggylocephalus agrestis* Fallén, 1806 Ref. Metcalf, 1963

#### Family Aphrophoridae 尖胸沫蟬科

*Aphrophora arisana* Matsumura, 1940 雙黑點尖胸沫蟬 [特有] Ref. Shih & Yang, 2002  
*Aphrophora arisanella* (Matsumura, 1940) 平額尖胸沫蟬 [特有] Ref. 同前  
*Aphrophora flavicosta* Kato, 1933 翅黃緣尖胸沫蟬 [特有] Ref. 同前  
*Aphrophora habonisa* (Matsumura, 1940) 短額長翅尖胸沫蟬 [特有] Ref. 同前  
*Aphrophora horishana* Matsumura, 1940 額基黑帶尖胸沫蟬 [特有] Ref. 同前  
*Aphrophora horizontalis* Kato, 1933 雙黑帶尖胸沫蟬 Ref. 同前  
*Aphrophora intermedia* Uhler, 1896 白帶尖胸沫蟬 Ref. 同前  
*Aphrophora karenkoensis* Kato, 1933 三角黃斑尖胸沫蟬 [特有] Ref. 同前  
*Aphrophora kikuchii* (Matsumura, 1940) 雙白斑尖胸沫蟬 Ref. 同前  
*Aphrophora memorabilis* Walker, 1858 白帶黑紋尖胸沫蟬 Ref. 同前  
*Aphrophora mushana* (Matsumura, 1940) 緣斑透翅尖胸沫蟬 [特有] Ref. 同前  
*Aphrophora nagasawae* Matsumura, 1907 擬白帶尖胸沫蟬 [特有] Ref. 同前  
*Aphrophora nomurella* (Matsumura, 1942) 平額狹翅尖胸沫蟬 [特有] Ref. 同前  
*Aphrophora taiwana* Kato, 1933 臺灣擬白帶尖胸沫蟬 [特有] Ref. 同前  
*Aphrophora tsuruana* Matsumura, 1907 褐翅黑點尖胸沫蟬 Ref. 同前  
*Aphropsis maxima* Jacobi, 1921 大脊沫蟬 [特有] Ref. 同前  
*Ariptyelus arisanus* (Matsumura, 1942) 凸額褐帶脊沫蟬 [特有] Ref. 同前  
*Ariptyelus auropilosus* (Matsumura, 1907) 金毛凸額脊沫蟬 Ref. 同前  
*Clovia bipunctata* Körby, 1891 二點鐘頭沫蟬 Ref. 同前  
*Clovia conifera* (Walker, 1851) 錐形禾草鐘頭沫蟬 Ref. 同前  
*Clovia lineatocollis* (de Motschulsky, 1859) 黑縱線鐘頭沫蟬 Ref. 同前  
*Clovia longicephala* Kato, 1933 長鐘頭沫蟬 [特有] Ref. 同前  
*Clovia multilineata* Stål, 1865 密線鐘頭沫蟬 Ref. 同前  
*Clovia peracuta* Jacobi, 1921 臺灣斜線鐘頭沫蟬 [特有] Ref. 同前  
*Clovia puncta* (Walker, 1851) 一點鐘頭沫蟬 Ref. 同前  
*Clovia quadrangularis* Metcalf & Horton, 1934 方斑鐘頭沫蟬 Ref. 同前  
*Jembra inouyei* (Matsumura, 1942) [特有] Ref. 同前  
*Jembrana albinotata* Kato, 1933 白紋歧脊沫蟬 [特有] Ref. 同前  
*Jembrana arisanensis* Chou & Liang, 1987 長莖歧脊沫蟬 [特有] Ref. 同前  
*Jembrana centralis* Matsumura, 1940 顯中脊歧脊沫蟬 [特有] Ref. 同前  
*Jembrana daitoensis* Matsumura, 1940 褐斑歧脊沫蟬 [特有] Ref. 同前  
*Jembrana flavomaculata* Kato, 1933 黃斑歧脊沫蟬 [特有] Ref. 同前  
*Jembrana formosana* Kato, 1933 擬褐斑歧脊沫蟬 [特有] Ref. 同前  
*Jembrana kankonis* Matsumura, 1942 莖端平歧脊沫蟬 [特有] Ref. 同前  
*Jembrana kanoniella* Matsumura, 1940 頭中黑歧脊沫蟬 [特有] Ref. 同前  
*Jembrana punctipennis* Kato, 1933 翅端黃歧脊沫蟬 [特有] Ref. 同前  
*Jembrophora sawadai* Matsumura, 1942 [特有] Ref. 同前  
*Kotophora botelensis* (Matsumura, 1938) 擬短頭脊沫蟬 [特有] Ref. 同前  
*Lepyronia okadae* (Matsumura, 1903) 斜帶圓沫蟬 Ref. 同前

*Megafukia gigas* (Kato, 1933) 台灣大尖胸沫蟬 [特有] Ref. 同前  
*Mesoptelyelus arisanus* Matsumura, 1940 阿里山一帶中脊沫蟬 [特有] Ref. 同前  
*Mesoptelyelus auropilosus* Kato, 1933 寬帶中脊沫蟬 [特有] Ref. 同前  
*Mesoptelyelus fascialis* Kato, 1933 一帶中脊沫蟬 Ref. 同前  
*Mesoptelyelus karenkonis* Matsumura, 1940 三帶中脊沫蟬 [特有] Ref. 同前  
*Nagaclovia formosana* Matsumura, 1940 長鐘頭沫蟬 Ref. 同前  
*Nokophora nokoensis* Matsumura, 1940 長喙尖胸沫蟬 [特有] Ref. 同前  
*Peuceptyelus coriaceus* (Fallen, 1826) 鞘卵沫蟬 Ref. 同前  
*Peuceptyelus excavatus* (Matsumura, 1940) 翅緣褐條卵沫蟬 [特有] Ref. 同前  
*Peuceptyelus kanmonis* (Matsumura, 1940) 翅雙褐弧卵沫蟬 [特有] Ref. 同前  
*Peuceptyelus nigriceps* (Matsumura, 1940) 四斑首卵沫蟬 [特有] Ref. 同前  
*Peuceptyelus nitobei* (Matsumura, 1940) 白斑首卵沫蟬 [特有] Ref. 同前  
*Peuceptyelus rokurinzana* (Matsumura, 1941) 黃皺卵沫蟬 [特有] Ref. 同前  
*Peuceptyelus sigillifer* (Walker, 1851) 污卵沫蟬 Ref. 同前  
*Peuceptyelus takosanus* Matsumura, 1934 滑翅卵沫蟬 Ref. 同前  
*Philaenus arisanus* Matsumura, 1940 阿里山長沫蟬 [特有] Ref. 同前  
*Philaenus castaneus* Kato, 1933 樹長沫蟬 [特有] Ref. 同前  
*Philaenus flavovittatus* Kato, 1933 黃條長沫蟬 [特有] Ref. 同前  
*Philaenus minutus* Kato, 1933 小長沫蟬 [特有] Ref. 同前  
*Philaenus mushmanus* Matsumura, 1940 五條額斑長沫蟬 [特有] Ref. 同前  
*Philaenus nigripectus* (Matsumura, 1903) 黑胸長沫蟬 Ref. 同前  
*Philaenus pallidus* (Melichar, 1903) 淡色長沫蟬 Ref. 同前  
*Philagra arisana* Kato, 1933 阿里山白紋象沫蟬 [特有] Ref. 同前  
*Philagra fusiformis* (Walker, 1858) 錘型象沫蟬 Ref. 同前  
*Philagra fusiformis* Lallemand, 1912 短額錘型象沫蟬 Ref. 同前  
*Philagra insularis* Jacobi, 1921 狹體錘型象沫蟬 [特有] Ref. 同前  
*Philagra kanoi* Matsumura, 1940 擬阿里山白紋象沫蟬 [特有] Ref. 同前  
*Philagra kuskusua* Matsumura, 1942 松村氏長額錘型象沫蟬 [特有] Ref. 同前  
*Philagra longirostris* Schumacher, 1915 長額錘型象沫蟬 [特有] Ref. 同前  
*Philagra montana* Kato, 1933 太平山象沫蟬 [特有] Ref. 同前  
*Philagra subrecta* Jacobi, 1921 黃翅象沫蟬 Ref. 同前  
*Poophilus costalis* (Walker, 1851) 嗜菊短頭脊沫蟬 Ref. 同前  
*Poophilus griseus* (Schaum, 1853) 灰短頭脊沫蟬 Ref. 同前  
*Ptyelus tamahonis* Matsumura, 1940 擬阿里山長沫蟬 Ref. 同前  
*Ptyelus vittatus* Kato, 1933 縱條紋脊沫蟬 Ref. 同前

#### Family Aradidae 扁蝽科

*Aneurus greeni* Distant, 1905 Ref. Aukema & Rieger, 2001  
*Aradus smetanai* Heiss, 2003 [特有] Ref. Heiss, 2003  
*Brachyrhynchus hsiao* (Blöte, 1965) Ref. Aukema & Rieger, 2001  
*Brachyrhynchus membranaceus* (Fabricius, 1798) Ref. 同前  
*Brachyrhynchus taiwanicus* (Kormilev, 1957) Ref. 同前  
*Brachyrhynchus triangulus* Bergroth, 1889 Ref. 同前  
*Carventus taiwanensis* Kormilev, 1969 台灣霜扁蝽 [特有] Ref. 同前  
*Daulocoris feanus* (Bergroth, 1889) 東洋毛扁蝽 Ref. 同前  
*Daulocoris formosanus* Kormilev, 1971 台灣毛扁蝽 Ref. 同前  
*Daulocoris tomentosus* (Kormilev, 1955) [特有] Ref. 同前  
*Neuroctenus ater* (JakovLev, 1878) Ref. 同前  
*Neuroctenus castaneus* (JakovLev, 1878) Ref. 同前  
*Neuroctenus humilis* (Walker, 1873) Ref. 同前  
*Neuroctenus sauteri* Kormilev, 1978 [特有] Ref. 同前  
*Neuroctenus singularis* Kormilev, 1971 單脊扁蝽 [特有] Ref. 同前  
*Neuroctenus taiwanicus* Kormilev, 1955 台灣脊扁蝽 Ref. 同前  
*Odontonotus sauteri* Kormilev, 1955 齒扁蝽 Ref. 同前  
*Paraneurus bimaculatus* (Kormilev & Heiss, 1977) [特有] Ref. 同前  
*Paraneurus oviventris* (Kormilev & Heiss, 1976) [特有] Ref. 同前  
*Paraneurus sinuatipennis* (Bergroth, 1914) Ref. 同前  
*Paraneurus taiwanensis* (Kormilev, 1972) [特有] Ref. 同前  
*Pseudartabanus formosanus* Esaki & Matsuda, 1952 台擬樂扁蝽 [特有] Ref. 同前  
*Usingerida verrucigera* (Bergroth, 1892) 疣尤扁蝽 Ref. 同前

#### Family Asterolecaniidae 鏈介殼蟲科

*Asterodiaspis suishae* (Russell, 1941) 青剛櫟鍊介殼蟲 Ref. 陶。1989  
*Asterolecanium corallinum* Takahashi, 1908 山欖鍊介殼蟲 Ref. 陶。1989  
*Asterolecanium japonica* Cockerell, 1900 校力鍊介殼蟲 Ref. 陶。1989  
*Asterolecanium machili* Russell, 1941 楠鍊介殼蟲 Ref. 陶。1989  
*Asterolecanium minutum* Takahashi, 1930 小竹鍊介殼蟲 Ref. 陶。1989  
*Asterolecanium pseudolanceoleatum* Takahashi, 1933 細竹鍊介殼蟲 Ref. 陶。1989  
*Asterolecanium psychotriae* Russell, 1941 九節木鍊介殼蟲 Ref. 陶。1989  
*Bambusaspis bambusae* (Boisduval, 1869) 鞘竹鍊介殼蟲 Ref. 陶。1989  
*Bambusaspis bambusicola* (Kuwana, 1916) 莖竹鍊介殼蟲 Ref. 陶。1989  
*Bambusaspis coronata* (Green, 1909) 飄竹鍊介殼蟲 Ref. 陶。1989  
*Bambusaspis longa* (Green, 1896) 長竹鍊介殼蟲 Ref. 陶。1989

*Bambusaspis miliaris* (Boisduval, 1869) 扁竹鍊介殼蟲 Ref. 陶。1989  
*Neoasterodiaspis horishae* (Russell, 1941) 櫟鍊介殼蟲 [特有] Ref. 陶。1989  
*Neoasterodiaspis pasaniae* (Kuwana & Cockerell, 1909) 石櫟鍊介殼蟲 Ref. 陶。1989  
*Pauroaspis scirrosus* (Russell, 1941) 腋竹鍊介殼蟲 Ref. 陶。1989  
*Russellaspis pustulans* (Cockerell, 1892) 黃鍊介殼蟲 Ref. 陶。1989

#### Family Belostomatidae 負蝽科

*Diplonychus annulatus* (Fabricius, 1781) 負蝽 Ref. Aukema & Rieger, 1995  
*Diplonychus esakii* Miyamoto & Lee, 1966 Ref. 同前  
*Diplonychus rusticus* (Fabricius, 1781) 褐負蝽 Ref. 同前  
*Lethocerus deyrolli* (Vuillefroy, 1864) 桂花負蝽 Ref. 同前  
*Lethocerus indicus* (Lepeletier & Serville, 1825) 印田鱉蝽 Ref. 同前

#### Family Berytidae 錘角蝽科

*Gampsocoris gibberosus* (Horvath, 1922) 台灣駝躑蝽 [特有] Ref. Aukema & Rieger, 2001

#### Family Callaphididae 斑蚜科

*Chucallis bambusicola* (Takahashi, 1921) 竹瘤斑蚜 Ref. Tao, 1986  
*Cranaphis arundinariae* (Takahashi, 1940) 青籬竹斑蚜 [特有] Ref. Tao, 1986  
*Cranaphis formosana* (Takahashi, 1924) 高山竹斑蚜 [特有] Ref. Tao, 1986  
*Euceraphis punctipennis* (Zetterstedt, 1828) Ref. Tao, 2000  
*Machilaphis machili* (Takahashi, 1929) 楠木綿蚜 Ref. Tao, 1986  
*Neophyllaphis podocarpi* Takahashi, 1921 羅漢松蚜 Ref. Tao, 1986  
*Nippocallis kuricola* Matsumura, 1917 栗斑蚜 Ref. 陶。1990  
*Phyllaphoides bambusicola* Takahashi, 1921 毛竹綿粉蚜 Ref. Tao, 1986  
*Pterocallis (Reticallis) alnijaponicae* (Matsumura, 1919) 赤楊斑蚜 Ref. Tao, 1986  
*Pterocallis (Reticallis) pseudoalni* (Takahashi, 1921) 樺木斑蚜 [特有] Ref. Tao, 1986  
*Saruallis kahawaluokalani* (Kirkaldy, 1907) 紫薇斑蚜 Ref. Tao, 1986  
*Shivaphis celti* Das, 1918 朴樹綿蚜 Ref. 陶。1990  
*Subsaltusaphis taoi* Hsu, 1980 莎草薊蚜 [特有] Ref. Tao, 1986  
*Taiwanaphis decapspermi* Takahashi, 1934 掃帚樹斑蚜 Ref. Tao, 1986  
*Takecallis arundicolens* (Clarke, 1903) Ref. Tao, 2000  
*Takecallis arundinariae* (Essig, 1917) 桂竹白斑蚜 Ref. Tao, 1986  
*Takecallis taiwanus* (Takahashi, 1926) 桂竹綠斑蚜 Ref. Tao, 1986  
*Takecallis takahashii* Hsu, 1980 玉山矢竹斑蚜 [特有] Ref. Tao, 1986  
*Tinocallis insularis* (Takahashi, 1927) 無患子斑蚜 Ref. Tao, 1986  
*Tinocallis viridis* (Takahashi, 1929) 欖榆斑蚜 Ref. Tao, 1986  
*Tinocallis zelkawae* (Takahashi, 1919) 欖樹斑蚜 Ref. Tao, 1986  
*Trichaitophorus aceris* Takahashi, 1937 毛頭圓尾蚜 [特有] Ref. Tao, 1986  
*Tuberculatus capitatus* (Essig & Kuwana, 1918) 釘頭斑蚜 Ref. Tao, 1986  
*Tuberculatus pilosua* (Takahashi, 1929) 釘毛斑蚜 [特有] Ref. Tao, 1986  
*Tuberculatus queriformosa* (Takahashi, 1921) 臺灣釘頭斑蚜 [特有] Ref. Tao, 1986  
*Tuberculatus stigmatus* (Matsumura, 1917) 臺灣釘頭斑蚜 [特有] Ref. Tao, 2000  
*Yamatocallis sauteri* (Takahashi, 1927) 長大管斑蚜 [特有] Ref. Tao, 1986

#### Family Calophyidae 麗木蝨科

*Calophya evodiae* Yang, 1984 [特有] Ref. Yang, 1984  
*Calophya meliorata* Yang, 1984 [特有] Ref. Yang, 1984  
*Calophya nigridorsalis* Kuwayama, 1908 Ref. Fang & Yang, 1986  
*Calophya triangula* Yang, 1984 [特有] Ref. Yang, 1984  
*Cecidopsylla cata* Fang & Yang, 1986 [特有] Ref. Fang & Yang, 1986  
*Cecidopsylla spinosa* Yang, 1984 [特有] Ref. Yang, 1984  
*Microceropsylla nigra* (Crawford, 1919) Ref. Yang, 1984  
*Synaphalara confluens* (Yu, 1956) [特有] Ref. Fang & Yang, 1986

#### Family Carsidaridae

*Mesohomotoma camphorae* Kuwayama, 1908 Ref. Yang, 1984  
*Psausia maculata* Yang, 1984 [特有] Ref. Yang, 1984  
*Psausia radiata* (Kuwayama, 1908) Ref. Yang, 1984  
*Psausia wulinensis* Yang, 1984 [特有] Ref. Yang, 1984  
*Tenaphalara acutipennis* Kuwayama, 1908 Ref. Fang & Yang, 1986  
*Tenaphalara hernandiae* Fang & Yang, 1986 [特有] Ref. 同前

#### Family Ceratocombidae 櫛蝽科

*Ceratocombus taiwanus* Poppius, 1915 櫛蝽 Ref. Poppius, 1915

#### Family Cercopidae 沫蟬科

*Baibarana uchidai* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Caloscarta basirubra* Kato, 1929 Ref. Metcalf, 1962  
*Caloscarta delta* Kato, 1929 Ref. Metcalf, 1962  
*Cosmoscarta bispecularis* Matsumura, 1907 Ref. Metcalf, 1962  
*Cosmoscarta bispecularis* White, 1844 Ref. Metcalf, 1962  
*Cosmoscarta dorsimacula* Walker, 1834 Ref. Metcalf, 1962  
*Cosmoscarta fuscoapicalis* Kato, 1928 Ref. Metcalf, 1962  
*Cosmoscarta rubroscutellata* Kato, 1928 Ref. Metcalf, 1962

*Cosmoscarta rubroscutellata* Matsumura, 1907 Ref. Metcalf, 1962  
*Eoscartopsis assimilis* Uhler, 1896 Ref. Metcalf, 1962  
*Eoscartopsis zonalis* Matsumura, 1907 Ref. Metcalf, 1962  
*Kanoscarta kanoniella* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Kanozata arisana* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Kotozata botelensis* Kato, 1931 Ref. Metcalf, 1962  
*Kuscarta koshunella* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Okiscarta kotoensis* Kato, 1928 Ref. Metcalf, 1962  
*Okiscarta uchidae* Schumacher, 1915 [特有] Ref. Metcalf, 1962  
*Okiscarta uchidae* Matsumura, 1906 Ref. Metcalf, 1962  
*Okiscarta uchidae* Schumacher, 1915 [特有] Ref. Metcalf, 1962  
*Okiscarta uchidae* Kato, 1928 Ref. Metcalf, 1962  
*Okiscarta uchidae* Kato, 1928 Ref. Metcalf, 1962  
*Okiscarta uchidae* Schumacher, 1915 [特有] Ref. Metcalf, 1962  
*Stenaulophrys bimaculata* Matsumura, 1907 Ref. Metcalf, 1962  
*Tadascarta formosana* Kato, 1929 Ref. Metcalf, 1962  
*Tadascarta brupennis* Matsumura, 1940 [特有] Ref. Metcalf, 1962

### Family Cerococcidae 壺介殼蟲科

*Cerococcus ficoides* Green, 1899 Ref. Takahashi, 1928  
*Cerococcus ornatus* Green, 1909 Ref. Lambdin & Kosztarab, 1977

### Family Chaitophoridae 毛蚜科

*Periphyllus formosanus* Takahashi, 1921 斑腹圓尾蚜 Ref. Tao, 1986  
*Periphyllus koelreuteriae* (Takahashi, 1919) 藥樹圓尾蚜 Ref. Tao, 1986

### Family Cicadellidae 葉蟬科

*Acia exsultans* (McAtee, 1934) [特有] Ref. 蔣中柱。1989  
*Agnesiella buysi* Dworakowska, 1982 [特有] Ref. 蔣中柱。1989  
*Agnesiella giranna* (Matsumura, 1932) Ref. 蔣中柱。1989  
*Agnesiella lyraeformis* (Matsumura, 1932) [特有] Ref. 蔣中柱。1989  
*Agnesiella matsumurai* Dworakowska, 1982 [特有] Ref. 蔣中柱。1989  
*Agnesiella nitobella* (Matsumura, 1932) [特有] Ref. 蔣中柱。1989  
*Aguriahana aedeus* [特有] Ref. 蔣中柱。1989  
*Aguriahana flava* Chiang, Hsu & Knight 1989 [特有] Ref. 蔣中柱。1989  
*Aguriahana forficata* [特有] Ref. 蔣中柱。1989  
*Aguriahana triangularis* (Matsumura, 1932) Ref. 蔣中柱。1989  
*Aguriahana wutyshana* [特有] Ref. 蔣中柱。1989  
*Aguriahana youngi* [特有] Ref. 蔣中柱。1989  
*Alebra arisana* (Matsumura, 1932) Ref. 蔣中柱。1989  
*Alebra kuyania* (Matsumura, 1932) Ref. 蔣中柱。1989  
*Alebroides hachijonis* Matsumura, 1931 Ref. 蔣中柱。1989  
*Alebroides marginatus* Matsumura, 1931 Ref. 蔣中柱。1989  
*Alebroides shirakiellus* (Matsumura, 1931) Ref. 蔣中柱。1989  
*Alebroides shokanus* Matsumura, 1931 Ref. 蔣中柱。1989  
*Alebroides strictus* [特有] Ref. 蔣中柱。1989  
*Alebroides toroensis* Matsumura, 1931 [特有] Ref. 蔣中柱。1989  
*Alnetoidia alneti* (Dahlbom, 1850) Ref. Chiang & Knight, 1990  
*Alnetoidia sophia* Chiang & Knight, 1990 [特有] Ref. 同前  
*Amrasca biguttula* (Ishida, 1913) Ref. 蔣中柱。1989  
*Amrasca chingmeiensis* [特有] Ref. 蔣中柱。1989  
*Amrasca effacera* [特有] Ref. 蔣中柱。1989  
*Amurta nigrofaciata* [特有] Ref. 蔣中柱。1989  
*Anufrievia ciconia* Dworakowska, 1976 [特有] Ref. Chiang & Knight, 1990  
*Apheliona* (s.str.) *meiyuana* [特有] Ref. 蔣中柱。1989  
*Apheliona* (*Sujitettix*) *ferruginea* (Matsumura, 1931) [特有] Ref. 蔣中柱。1989  
*Arboridia* (*Arboridia*) *apicalis* (Nawa, 1931) Ref. Chiang & Knight, 1990  
*Bothrogonia ferruginea* Fabricius, 1787 Ref. Metcalf, 1962  
*Bothrogonia ferruginea* Walker, 1851 Ref. Metcalf, 1962  
*Coloana arcuata* Dworakowska, 1981 Ref. Chiang & Knight, 1990  
*Dayus formosus* Dworakowska & Vitaktamath, 1978 [特有] Ref. 蔣中柱。1989  
*Dayus takagii takagii* Dworakowska, 1971 Ref. 蔣中柱。1989  
*Dialecticopteryx* (*Akotettix*) *akonis* Matsumura, 1931 [特有] Ref. 蔣中柱。1989  
*Diomma* (*Diomma*) *katoi* Dworakowska, 1981 [特有] Ref. Chiang & Knight, 1990  
*Diomma* (*Diomma*) *knightsi* Dworakowska, 1981 [特有] Ref. 同前  
*Diomma* (*Diomma*) *pulchra* (Matsumura, 1916) Ref. 同前  
*Diomma* (*Diomma*) *taiwana* (Shiraki, 1912) Ref. 同前  
*Empoasca* (*Chlorita*) *formosicola* (Matsumura, 1931) Ref. 蔣中柱。1989  
*Empoasca* (*Chlorita*) *solani* (Curtis, 1846) Ref. 蔣中柱。1989  
*Empoasca* (*Distantasca*) *terminalis* (Distant, 1918) Ref. 蔣中柱。1989

*Empoasca (Eremochlorita) tessellata* Lethierry, 1884 Ref. 蔣中柱。1989  
*Empoasca (Homa) elongata* (Kato, 1929) Ref. 蔣中柱。1989  
*Empoasca (Homa) rubrodorsata* (Kato, 1933) Ref. 蔣中柱。1989  
*Empoasca (s.str.) arisana* Matsumura, 1931 Ref. 蔣中柱。1989  
*Empoasca (s.str.) koshunensis* Schumacher, 1915 Ref. 蔣中柱。1989  
*Empoasca (s.str.) mochidai* Dworakowska, 1972 Ref. 蔣中柱。1989  
*Empoasca (s.str.) onukii* Matsuda, 1952 Ref. 蔣中柱。1989  
*Empoasca (s.str.) reducta* Dworakowska, 1972 Ref. 蔣中柱。1989  
*Empoasca (s.str.) schumacheri* Metcalf, 1964 Ref. 蔣中柱。1989  
*Empoasca (s.str.) shokella* Matsumura, 1931 Ref. 蔣中柱。1989  
*Empoascanara (Empoascanara) alami* (Ahmed, 1970) Ref. Chiang & Knight, 1990  
*Empoascanara (Empoascanara) circumscripta* (Matsumura, 1910) Ref. 同前  
*Empoascanara (Empoascanara) fumigata* (Melichar, 1903) Ref. 同前  
*Empoascanara (Empoascanara) kotoshonis* Matsumura, 1940 [特有] Ref. 同前  
*Empoascanara (Empoascanara) limbata* (Matsumura, 1907) Ref. 同前  
*Empoascanara (Empoascanara) sonani* (Matsumura, 1931) Ref. 同前  
*Empoascanara (Kanguza) bucephala* Dworakowska, 1976 [特有] Ref. 同前  
*Epiacanthus guttiger* Uhler, 1896 Ref. Metcalf, 1962  
*Erythroneura (s.str.) shirozui* Ishihara, 1965 [特有] Ref. Chiang & Knight, 1990  
*Eupteryx (Stacla) stacla* Dworakowska, 1979 [特有] Ref. 蔣中柱。1989  
*Eurhadina (Singhardina) acapitata* Dworakowska, 1982 [特有] Ref. 蔣中柱。1989  
*Eurhadina (Singhardina) rubrivittata* [特有] Ref. 蔣中柱。1989  
*Eurhadina (Singhardina) unilobata* [特有] Ref. 蔣中柱。1989  
*Farynala palina* [特有] Ref. 蔣中柱。1989  
*Gredzinskiya bipunctata* Chiang & Knight, 1990 [特有] Ref. Chiang & Knight, 1990  
*Hiraretix arisanellus* Matsumura, 1932 Ref. 蔣中柱。1989  
*Hiraretix matsumurai* Dworakowska, 1982 Ref. 蔣中柱。1989  
*Ishidaella albomarginata* Signoret, 1853 Ref. Metcalf, 1962  
*Jacobiasca formosana* Paoli, 1932 [特有] Ref. 蔣中柱。1989  
*Kapsa diasonica* Chiang & Knight, 1990 [特有] Ref. Chiang & Knight, 1990  
*Kapsa elscinta* Chiang & Knight, 1990 [特有] Ref. 同前  
*Kapsa suaensis* Chiang & Knight, 1990 [特有] Ref. 同前  
*Karachiota macrowa* Dworakowska, 1971 [特有] Ref. Chiang, Hsu & Knight, 1990  
*Katachiota scottia* Chiang et al., 1990 [特有] Ref. 同前  
*Kolla albida* Walker, 1851 Ref. Metcalf, 1962  
*Kuantaochia insolita* Chiang et al., 1988 [特有] Ref. 蔣中柱。1989  
*Kuantaochia pulchra* Chiang et al., 1989 [特有] Ref. 蔣中柱。1989  
*Kusala colibria* Chiang & Knight, 1990 [特有] Ref. Chiang & Knight, 1990  
*Lectotypella albisoma* (Matsumura, 1932) Ref. 同前  
*Limassolla emmerichi* Dworakowska, 1972 [特有] Ref. 蔣中柱。1989  
*Limassolla lanyua* Limassolla lanyua [特有] Ref. 蔣中柱。1989  
*Limassolla multimacula* Chiang et al., 1988 [特有] Ref. 蔣中柱。1989  
*Limonella nigra* [特有] Ref. 蔣中柱。1989  
*Marcelcyba wulina* [特有] Ref. 蔣中柱。1989  
*Matsumurina kagina* (Matsumura, 1932) Ref. Chiang & Knight, 1990  
*Mileewa disclada* Yang & Li, 2004 双枝窗翅葉蟬 [特有] Ref. Yang & Li, 2004  
*Mileewa harpa* Yang & Li, 2004 鈎莖窗翅葉蟬 [特有] Ref. 同前  
*Mileewa longiseta* Yang & Li, 2004 長毛窗翅葉蟬 [特有] Ref. 同前  
*Mileewa margheritae* Distant, 1908 Ref. Metcalf, 1962  
*Mileewa nigrimaculata* Yang & Li, 2004 黑斑窗翅葉蟬 [特有] Ref. Yang & Li, 2004  
*Mitjaevia nanaensis* Chiang & Knight, 1990 [特有] Ref. Chiang & Knight, 1990  
*Mitjaevia tappana* Chiang & Knight, 1990 [特有] Ref. 同前  
*Motschulskyia (s.str.) motschulski* Dworakowska, 1971 Ref. Chiang, Hsu & Knight, 1990  
*Motschulskyia (Togaritettix) serrata* (Matsumura, 1931) Ref. 同前  
*Motschulskyia (Woolongica) pajifa* Chiang et al., 1990 [特有] Ref. 同前  
*Motschulskyia (Woolongica) wui* Chiang et al., 1990 [特有] Ref. 同前  
*Naratettix zonatus* (Matsumura, 1915) [特有] Ref. 同前  
*Paraafakra fulva* Chiang et al., 1990 [特有] Ref. 同前  
*Paracyba akashiensis* (Takahashi, 1928) [特有] Ref. 蔣中柱。1989  
*Pemia meifengensis* [特有] Ref. 蔣中柱。1989  
*Processina taiwanana* Yang et al., 2005 [特有] Ref. Yang, Deitz & Li, 2005  
*Quadria pakistanica* Ahmed, 1969 Ref. Chiang & Knight, 1990  
*Raabeina hsui* Chiang & Knight, 1990 [特有] Ref. 同前  
*Sacapome formosana* Schumacher, 1915 Ref. 蔣中柱。1989  
*Salka abbotta* Chiang & Knight, 1990 [特有] Ref. Chiang & Knight, 1990  
*Salka addonica* Chiang & Knight, 1990 [特有] Ref. 同前  
*Salka armata* Dworakowska, 1976 [特有] Ref. 同前  
*Salka asna* Dworakowska, 1976 [特有] Ref. 同前  
*Salka diacora* Chiang & Knight, 1990 [特有] Ref. 同前  
*Salka extrela* Chiang & Knight, 1990 [特有] Ref. 同前  
*Salka fujiwara* Chiang & Knight, 1990 [特有] Ref. 同前  
*Salka lobata* Dworakowska, 1976 [特有] Ref. 同前

*Salka nigricans* (Mausumura, 1932) Ref. 同前  
*Salka triangula* Chiang & Knight, 1990 [特有] Ref. 同前  
*Seriana ochrata* Dworakowska, 1971 Ref. 同前  
*Singapora nigropunctata* Mahmood, 1967 Ref. 同前  
*Singapora shinshana* (Matsumura, 1932) Ref. 同前  
*Singapora victoreena* Chiang & Knight, 1990 [特有] Ref. 同前  
*Sorhoanus binotatus* Li & Dai, 2003 雙斑木葉蟬 [特有] Ref. Li & Dai, 2003  
*Tautoneura arachisi* (Matsumura, 1932) Ref. Chiang & Knight, 1990  
*Tautoneura takaonella* (Matsumura, 1932) Ref. 同前  
*Tettigella formosana* Matsumura, 1912 [特有] Ref. Metcalf, 1962  
*Tettigella hoozanensis* Schumacher, 1915 [特有] Ref. Metcalf, 1962  
*Tettigella pallidiola* Matsumura, 1912 [特有] Ref. Metcalf, 1962  
*Tettigella rubropunctata* Kato, 1933 Ref. Metcalf, 1962  
*Tettigella suisharyoensis* Schumacher, 1915 [特有] Ref. Metcalf, 1962  
*Tettigonia hopponis* Matsumura, 1912 Ref. Metcalf, 1962  
*Tettigonia horishana* Matsumura, 1912 Ref. Metcalf, 1962  
*Tettigonia rinkihonis* Matsumura, 1912 [特有] Ref. Metcalf, 1962  
*Tettigonia semiglaucula* Lethierry, 1876 Ref. Metcalf, 1962  
*Tettigonia spectra* Distant, 1853 Ref. Metcalf, 1962  
*Tettigonia spectra* Stål, 1870 Ref. Metcalf, 1962  
*Tettigonia subvirescens* Stål, 1870 Ref. Metcalf, 1962  
*Thaia (Nlunga) maxima* Dworakowska, 1976 [特有] Ref. Chiang & Knight, 1990  
*Thaia (Nlunga) sinuata* Chiang & Knight, 1990 [特有] Ref. 同前  
*Thaia (Thaia) formosana* (Matsumura, 1932) Ref. 同前  
*Thaia (Thaia) orgzivora* Ghauri, 1962 Ref. 同前  
*Thaia (Thaia) subrufa* (Motschulsky, 1863) Ref. 同前  
*Typhlocyba quadri* [特有] Ref. 蔣中柱。1989  
*Wagneriala nigra* Dworakowska, 1978 [特有] Ref. Chiang, Hsu & Knight, 1990  
*Watara sudra* (Distant, 1908) Ref. Chiang & Knight, 1990  
*Zorka maculata* [特有] Ref. 蔣中柱。1989  
*Zygina (Zygina) bipunctula* (Melichar, 1903) Ref. Chiang & Knight, 1990  
*Zygina (Zygina) bisignatella* Matsumura, 1931 Ref. 同前  
*Zygina (Zygina) botelensis* Matsumura, 1940 Ref. 同前  
*Zygina (Zygina) fumosa* (Motschulsky, 1863) Ref. 同前  
*Zygina (Zygina) takasagonis* Matsumura, 1931 Ref. 同前  
*Zyginella taiwana* Chiang et al., 1998 [特有] Ref. 蔣中柱。1989  
*Zyginella tsauri* [特有] Ref. 蔣中柱。1989

### Family Cicadidae 蟬科

*Chremistica ochracea* (Walker, 1850) 薄翅蟬 Ref. Lee & Hayashi, 2003  
*Cryptotympana atrata* (Fabricius, 1775) 紅脈熊蟬 Ref. 同前  
*Cryptotympana holsti* Distant, 1904 台灣熊蟬 Ref. 同前  
*Cryptotympana kotoshoensis* Kato, 1925 蘭嶼熊蟬 [特有] Ref. 同前  
*Cryptotympana takasagona* Kato, 1925 高砂熊蟬 Ref. 同前  
*Euterpnosia alpina* Chen, 2005 高山姬春蟬 Ref. Chen, 2005  
*Euterpnosia ampla* Chen, 2006 翠峰姬春蟬 [特有] Ref. Chen, 2006  
*Euterpnosia arisana* Kato, 1925 阿里山姬春蟬 [特有] Ref. Lee & Hayashi, 2003  
*Euterpnosia elongata* Lee, 2003 長腹姬春蟬 [特有] Ref. 同前  
*Euterpnosia gina* Kato, 1930 細姬春蟬 [特有] Ref. 同前  
*Euterpnosia hohoguro* Kato, 1933 頰黑姬春蟬 [特有] Ref. 同前  
*Euterpnosia hoppo* Matsumura, 1917 北埔姬春蟬 [特有] Ref. 同前  
*Euterpnosia koshunensis* Kato, 1927 恆春姬春蟬 [特有] Ref. 同前  
*Euterpnosia kotoshoensis* Kato, 1925 蘭嶼姬春蟬 [特有] Ref. 同前  
*Euterpnosia laii* Lee, 2003 賴氏姬春蟬 [特有] Ref. 同前  
*Euterpnosia madawdawensis* Chen, 2005 新港山姬春蟬 Ref. Chen, 2005  
*Euterpnosia olivacea* Kato, 1927 高士佛姬春蟬 [特有] Ref. Lee & Hayashi, 2003  
*Euterpnosia suishana* Kato, 1930 水社姬春蟬 [特有] Ref. 同前  
*Euterpnosia varicolor* Kato, 1926 太平姬春蟬 [特有] Ref. 同前  
*Euterpnosia viridifrons* Matsumura, 1917 青面姬春蟬 [特有] Ref. 同前  
*Formocicada taiwana* Lee & Hayashi, 2004 台灣虎翅蟬 [特有] Ref. Lee & Hayashi, 2004  
*Formotosena seebohmi* (Distant, 1904) 台灣爺蟬 Ref. Lee & Hayashi, 2003  
*Huechys sanguinea* (De Geer, 1773) 黑翅蟬 Ref. Lee & Hayashi, 2004  
*Leptosaltria tuberosa* (Signoret, 1847) Ref. 同前  
*Leptosemia sakaii* (Matsumura, 1913) 細蟬 Ref. Lee & Hayashi, 2003  
*Macrosemia kareisana* (Matsumura, 1907) 可禮大蟬 [特有] Ref. 同前  
*Macrosemia matsumurai* (Kato, 1928) 蓬萊大蟬 Ref. 同前  
*Meimuna gakokizana* Matsumura, 1917 鵝公髻山寒蟬 [特有] Ref. 同前  
*Meimuna goshizana* Matsumura, 1917 五指山寒蟬 [特有] Ref. 同前  
*Meimuna iwasakii* Matsumura, 1913 岩崎寒蟬 [特有] Ref. 同前  
*Meimuna multivocalis* (Matsumura, 1917) 諸聲寒蟬 [特有] Ref. 同前  
*Meimuna opalifera* (Walker, 1850) 寒蟬 Ref. 同前  
*Mogannia basalis* Matsumura, 1913 褐紋草蟬 Ref. Lee & Hayashi, 2004

*Mogannia cyanea* Walker, 1858 琉璃草蟬 Ref. 同前  
*Mogannia formosana* Matsumura, 1907 黑翅草蟬 [特有] Ref. 同前  
*Mogannia hebes* (Walker, 1858) 草蟬 Ref. 同前  
*Mogannia minuta* Matsumura, 1907 姬草蟬 Ref. 同前  
*Nipponosemia terminalis* (Matsumura, 1913) 端黑蟬 Ref. 同前  
*Nipponosemia virescens* Kato, 1926 恆春羽衣蟬 [特有] Ref. 同前  
*Platylomia bivocalis* (Matsumura, 1907) 高砂長瓣蟬 [特有] Ref. Lee & Hayashi, 2003  
*Platypleura hilpa* Walker, 1850 黃螞蟬 Ref. 同前  
*Platypleura kaempferi* (Fabricius, 1794) 螞蟬 Ref. 同前  
*Platypleura takasagona* Matsumura, 1917 小螞蟬 [特有] Ref. 同前  
*Pomponia linearis* (Walker, 1850) 台灣騷蟬 Ref. 同前  
*Purana apicalis* (Matsumura, 1907) 台灣姬蟬 [特有] Ref. 同前  
*Scieroptera formosana* Schmidt, 1918 紅腳黑翅蟬 Ref. Lee & Hayashi, 2004  
*Semia watanabei* (Matsumura, 1907) 渡邊幽蟬 [特有] Ref. Lee & Hayashi, 2003  
*Suishia formosana* (Kato, 1927) 長毛螞蟬 Ref. 同前  
*Taiwanosemia hoppoensis* (Matsumura, 1907) 北埔蟬 [特有] Ref. 同前  
*Tanna auripennis* Kato, 1930 黃羽暮蟬 [特有] Ref. Lee & Hayashi, 2004  
*Tanna infuscata* Lee & Hayashi, 2004 阿里山紋翅暮蟬 [特有] Ref. 同前  
*Tanna karenkonis* Kato, 1939 花蓮暮蟬 [特有] Ref. 同前  
*Tanna ornatipennis* Esaki, 1933 紋翅暮蟬 [特有] Ref. 同前  
*Tanna sayurie* Kato, 1926 鼈甲暮蟬 [特有] Ref. 同前  
*Tanna sozanensis* Kato, 1926 陽明山暮蟬 [特有] Ref. 同前  
*Tanna taipinensis* (Matsumura, 1907) 大坪暮蟬 [特有] Ref. 同前  
*Tanna viridis* Kato, 1925 小暮蟬 [特有] Ref. 同前  
*Tibicen chujoi* Esaki, 1935 台灣蝦夷蟬 [特有] Ref. Lee & Hayashi, 2003  
*Tibicen flavomarginatus* Hayashi, 1977 黃緣蝦夷蟬 [特有] Ref. 同前

### Family Cimicidae 臭蟲科

*Cimex hemipterus* (Fabricius, 1803) Ref. Esaki, 1926  
*Cimex lectularius* Linnaeus, 1758 Ref. Esaki, 1926

### Family Cixiidae 菱飛蝨科

*Andes formosanus* (Matsumura, 1914) [特有] Ref. Tsaur et al., 1991a  
*Andes notatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Andes ocellatus* (Matsumura, 1914) [特有] Ref. 同前  
*Ankistrus basalis* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Ankistrus choui* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Ankistrus guttatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Ankistrus montanus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Ankistrus pini* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Ankistrus taoi* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Ankistrus varius* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Benna formosana* (Nast, 1950) [特有] Ref. Tsaur, 1988  
*Betacixius brunneus* Matsumura, 1914 Ref. Tsaur et al., 1991a  
*Betacixius clypealis* Matsumura, 1914 [特有] Ref. 同前  
*Betacixius delicatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Betacixius flavovittatus* Hori, 1982 [特有] Ref. 同前  
*Betacixius fuscus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Betacixius herbaceus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Betacixius maculosus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Betacixius michioi* Hori, 1982 [特有] Ref. 同前  
*Betacixius ocellatus* Matsumura, 1914 Ref. 同前  
*Betacixius rinkihonis* Matsumura, 1914 [特有] Ref. 同前  
*Betacixius shirozui* Hori, 1982 [特有] Ref. 同前  
*Betacixius sparsus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Borysthenes lacteus* Tsaur & lee, 1987 [特有] Ref. Tsaur & Lee, 1987  
*Borysthenes maculatus* (Matsumura, 1914) Ref. 同前  
*Brixia venusta* Tsaur & Hsu, 1991 [特有] Ref. Tsaur et al., 1991a  
*Cixius aculeatus* Tsaur & Hsu, 1991 [特有] Ref. Tsaur et al., 1991b  
*Cixius acutus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius aduncus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius alpinus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius anmashanus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius aquilonius* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius arisanus* Matsumura, 1914 [特有] Ref. 同前  
*Cixius bicolor* Matsumura, 1914 Ref. 同前  
*Cixius bidentis* Matsumura, 1914 Ref. 同前  
*Cixius brochus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius broncus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius capillatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius cathetus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius chituanus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius chouorum* Tsaur & Hsu, 1991 [特有] Ref. 同前

*Cixius chydaeus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius circinatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius circulus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius communis* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius curvus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius cyclus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius deflexus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius denotatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius dentatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius denticulus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius diductus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius dilatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius elegantulus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius elongatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius fangi* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius flavescens* Matsumura, 1914 [特有] Ref. 同前  
*Cixius furvus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius fustis* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius gladius* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius habunus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius hopponis* Matsumura, 1914 [特有] Ref. 同前  
*Cixius hsui* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius hueisunus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius inaeffectus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius incisus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius inflatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius kommonis* Matsumura, 1914 [特有] Ref. 同前  
*Cixius kukuanus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius kuyanyanus* Matsumura, 1914 [特有] Ref. 同前  
*Cixius laboriosus* Matsumura, 1914 [特有] Ref. 同前  
*Cixius latus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius leei* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius linorum* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius luridus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius maculosus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius meifengensis* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius montosus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius mukwanus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius nitobei* Matsumura, 1914 [特有] Ref. 同前  
*Cixius obvius* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius operosus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius parallelus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius perexiguus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius perpendicularis* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius petilus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius pilosellus* Matsumura, 1914 [特有] Ref. 同前  
*Cixius polydentis* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius poucus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius privus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius procerus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius quinarius* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius rarus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius reversus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius scrupelus* Fennah, 1956 [特有] Ref. 同前  
*Cixius segregatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius separatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius serratus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius spinosus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius spirus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius stallei* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius suturalis* Matsumura, 1914 [特有] Ref. 同前  
*Cixius taipingshanus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius taiwanus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius tappanus* Matsumura, 1914 [特有] Ref. 同前  
*Cixius transversus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius tsuifenghuensis* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius tungpuus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius tzuenus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius vatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius velox* Matsumura, 1914 [特有] Ref. 同前  
*Cixius vittatus* Tsaur & Hsu, 1991 [特有] Ref. 同前  
*Cixius wui* Tsaur & Hsu, 1991 [特有] Ref. 同前

*Cixius wusheus* Tsaar & Hsu, 1991 [特有] Ref. 同前  
*Cixius yangi* Tsaar & Hsu, 1991 [特有] Ref. 同前  
*Discophorellus major* Tsaar & Hsu, 1991 [特有] Ref. Tsaar et al., 1991a  
*Eucarpia specialis* Tsaar & Hsu, 2003  
*Eucarpia stellata* Tsaar & Hsu, 2003  
*Eucarpia truncata* Tsaar & Hsu, 2003  
*Euryphlepsia yamia* Tsaar, 1989b [特有] Ref. Tsaar, 1989b  
*Gonophallus trinus* Tsaar & Hsu, 1991 [特有] Ref. Tsaar et al., 1991a  
*Kirbyana lini* Tsaar & Hsu, 2003  
*Kirbyana pagana* (Melichar, 1903)  
*Kuvera communis* Tsaar & Hsu, 1991 [特有] Ref. Tsaar et al., 1991a  
*Kuvera hama* Tsaar & Hsu, 1991 [特有] Ref. 同前  
*Kuvera longipennis* Matsumura, 1914 [特有] Ref. 同前  
*Kuvera similis* Tsaar & Hsu, 1991 [特有] Ref. 同前  
*Kuvera taiwana* Tsaar & Hsu, 1991 [特有] Ref. 同前  
*Kuvera tappanella* Matsumura, 1914 [特有] Ref. 同前  
*Kuvera toroensis* Matsumura, 1914 [特有] Ref. 同前  
*Kuvera transversa* Tsaar & Hsu, 1991 [特有] Ref. 同前  
*Macrocixius giganteus* Matsumura, 1914 Ref. 同前  
*Macrocixius grossus* Tsaar & Hsu, 1991 [特有] Ref. 同前  
*Mundopa kotoshonis* Matsumura, 1914 [特有] Ref. 同前  
*Myndus kotoshonis* Matsumura, 1940 [特有] Ref. 同前  
*Neocarpia maai* Tsaar & Hsu, 2003  
*Oliarus bifidus* Tsaar et al., 1988 [特有] Ref. Tsaar et al., 1988  
*Oliarus chiangi* Tsaar et al., 1988 [特有] Ref. 同前  
*Oliarus elevatus* Tsaar et al., 1988 [特有] Ref. 同前  
*Oliarus formosanus* Matsumura, 1914 [特有] Ref. 同前  
*Oliarus hopponis* Matsumura, 1914 [特有] Ref. 同前  
*Oliarus horishanus* Matsumura, 1914 Ref. 同前  
*Oliarus hsui* Tsaar, 1990 [特有] Ref. Tsaar, 1990  
*Oliarus mori* Matsumura, 1914 [特有] Ref. Tsaar et al., 1988  
*Oliarus oryzae* Matsumura, 1911 Ref. 同前  
*Oliarus scalenus* Tsaar et al., 1988 [特有] Ref. 同前  
*Oliarus shiao* Tsaar, 1990 [特有] Ref. Tsaar, 1990  
*Oliarus speciosus* Matsumura, 1914 [特有] Ref. Tsaar et al., 1988  
*Oliarus tappanus* Matsumura, 1914 [特有] Ref. 同前  
*Oliarus velox* Matsumura, 1914 [特有] Ref. 同前  
*Oliarus yangi* Tsaar, 1989 [特有] Ref. Tsaar, 1989a  
*Pentastiridius pachycephs* (Matsumura, 1914) Ref. Tsaar et al., 1988  
*Semicixius denticulus* Tsaar & Hsu, 1991 [特有] Ref. Tsaar et al., 1991a

### Family Coccidae 介殼蟲科

*Cardiococcus formosanus* (Takahashi, 1930) 梨板蠟介殼蟲 [特有] Ref. 陶及張。1983。1999  
*Ceroplastes ceriferus* (Fabricius, 1798) Ref. ScaleNet, 2006  
*Ceroplastes floridensis* Comstock, 1881 白蠟介殼蟲 Ref. 陶及張。1983。1999  
*Ceroplastes pseudoceriferus* (Green, 1935) 角蠟介殼蟲 Ref. 陶及張。1983。1999  
*Ceroplastes rubens* Maskell, 1892 紅蠟介殼蟲 Ref. 陶及張。1983。1999  
*Coccus asiaticus* Lindinger, 1932 [特有] Ref. ScaleNet, 2006  
*Coccus discrepans* (Green, 1904) 柑桔介殼蟲 Ref. 陶及張。1983。1999  
*Coccus formicarii* (Green, 1896) 蟻台硬介殼蟲 Ref. ScaleNet, 2002  
*Coccus hesperidum* Linnaeus, 1758 扁堅介殼蟲 Ref. ScaleNet, 2006  
*Coccus longulus* (Douglas, 1881) 長堅介殼蟲 Ref. 陶及張。1983。1999  
*Coccus takanoi* Takahashi, 1932 [特有] Ref. ScaleNet, 2006  
*Coccus viridis* Green, 1889 黃綠介殼蟲 Ref. 陶及張。1983。1999  
*Drepanococcus cajani* (Maskell, 1891) Ref. ScaleNet, 2006  
*Drepanococcus chiton* (Green, 1909) 刺玻介殼蟲 Ref. 陶及張。1983。1999  
*Eucalymnatus tessellatus* (Signoret, 1873) 紅褐網介殼蟲 Ref. 陶及張。1983。1999  
*Kilifia acuminata* (Signoret, 1873) 異足凱介殼蟲 Ref. 陶及張。1983。1999  
*Maacoccus bicruciatu*s (Green, 1904) 月桔馬介殼蟲 Ref. 陶及張。1983。1999  
*Maacoccus scolopiae* (Takahashi, 1933) 魯花馬介殼蟲 [特有] Ref. 陶及張。1983。1999  
*Megapulvinaria maxima* (Green, 1904) 棒緣大綿介殼蟲 Ref. 陶及張。1983。1999  
*Membranaria sacchari* (Takahashi, 1928) 禾根雙刺綿介殼蟲 Ref. 陶及張。1983。1999  
*Metaceronema japonica* (Maskell, 1897) Ref. 陶及張。1983。1999  
*Milviscutulus mangiferae* (Green, 1889) 檬果原綿介殼蟲 Ref. 陶及張。1983。1999  
*Neoplatylecanium cinnamomi* Takahashi, 1929 新扁硬介殼蟲 [特有] Ref. 陶及張。1983。1999  
*Neosaissetia tropicalis* Tao & Wong, 1982 台新硬介殼蟲 [特有] Ref. 陶及張。1983。1999  
*Paracardiococcus actinodaphnis* Takahashi, 1935 楠隱角介殼蟲 [特有] Ref. 陶及張。1983。1999  
*Paralecanium expansum* (Green, 1896) 長蓋圓扇介殼蟲 Ref. 陶及張。1983。1999  
*Paralecanium quadratum* (Green, 1904) 方蓋圓扇介殼蟲 Ref. 陶及張。1983。1999  
*Paralecanium vacuum* Morrison, 1921 Ref. ScaleNet, 2006  
*Parasaissetia nigra* (Nietner, 1861) 黑副硬介殼蟲 Ref. 陶及張。1983。1999  
*Platysaissetia armata* (Takahashi, 1930) 刺緣台硬介殼蟲 [特有] Ref. ScaleNet, 2006

*Podoparalecanium machili* (Takahashi, 1933) 樟南足扇介殼蟲 [特有] Ref. 陶及張。1983。1999  
*Prococcus acutissimus* (Green, 1896) 浪板介殼蟲 Ref. 陶及張。1983。1999  
*Protopulvinaria pyriformis* (Cockerell, 1894) 厚緣原綿介殼蟲 Ref. 陶及張。1983。1999  
*Pulvinaria durantiae* Takahashi, 1931 金露綿介殼蟲 [特有] Ref. 陶及張。1983。1999  
*Pulvinaria iceryi* (Signoret, 1868) 甘蔗長綿介殼蟲 Ref. 陶及張。1983。1999  
*Pulvinaria neocellulosa* Takahashi, 1940 月桔原綿介殼蟲 [特有] Ref. 陶及張。1983。1999  
*Pulvinaria polygonata* Cockerell, 1905 柑桔大綿介殼蟲 Ref. 陶及張。1983。1999  
*Pulvinaria psidii* Maskell, 1892 黃綠綿介殼蟲 Ref. 陶及張。1983。1999  
*Pulvinaria taiwana* Takahashi, 1929 椽果綿介殼蟲 [特有] Ref. 陶及張。1983。1999  
*Saissetia bobuae* Takahashi, 1935 山礬硬介殼蟲 [特有] Ref. 陶及張。1983。1999  
*Saissetia coffeae* (Walker, 1852) 咖啡硬介殼蟲 Ref. 陶及張。1983。1999  
*Saissetia oleae* (Oliver, 1791) 工脊硬介殼蟲 Ref. 陶及張。1983。1999  
*Vinsonia stellifera* (Westwood, 1871) 海星蠟介殼蟲 Ref. 陶及張。1983。1999

#### Family Colobathristidae 束蝱科

*Phaenacantha famelica* Horváth, 1914 [特有] Ref. Aukema & Rieger, 2001  
*Phaenacantha marcida* Horváth, 1914 錐突束蝱 Ref. 同前  
*Phaenacantha trilineata* Horváth, 1908 環足突束蝱 Ref. 同前

#### Family Coreidae 緣蝱科

*Acanthocoris scaber* (Linnaeus, 1763) 瘤緣蝱  
*Acanthocoris sordidus* (Thunberg, 1783) Ref. Aukema & Rieger, 2006  
*Anoplocnemis phasianus* (Fabricius, 1781) 紅背安緣蝱  
*Cletus apicifer* Walker, 1871 [特有] Ref. Aukema & Rieger, 2006  
*Cletus bipunctatus* (Herrich-Schäffer, 1840) 非棘緣蝱 Ref. 同前  
*Cletus punctiger* (Dallas, 1852) 稻棘緣蝱 Ref. 同前  
*Cletus trigonus* (Thunberg, 1783) 肩棘緣蝱；長肩棘緣蝱 Ref. 同前  
*Dalader formosanus* Esaki, 1931 [特有] Ref. 同前  
*Dasynus biguttatus* (Matsumura, 1913) Ref. 同前  
*Derepteryx grayii* A. White, 1839 Ref. 同前  
*Derepteryx obscurata* Stål, 1863 Ref. 同前  
*Gralliclava horrens* (Dohrn, 1860) Ref. 同前  
*Homoeocerus marginiventris* Dohrn, 1860 小點同緣蝱 Ref. 同前  
*Homoeocerus pallidulus* Blöte, 1936 嘉義同緣蝱 [特有] Ref. 同前  
*Homoeocerus shokaensis* Matsumura, 1913 彰化同緣蝱 [特有] Ref. 同前  
*Homoeocerus striicornis* Scott, 1874 Ref. 同前  
*Homoeocerus unipunctatus* (Thunberg, 1783) Ref. 同前  
*Hygia lativentris* (Motschulsky, 1866) Ref. 同前  
*Hygia opaca* (Uhler, 1860) 暗黑喙蝱 Ref. 同前  
*Hygia pedestris* Blöe, 1936 [特有] Ref. 同前  
*Leptoglossus gonagra* (Fabricius, 1775) Ref. 同前  
*Notobitus meleagris* (Fabricius, 1787) 黑竹緣蝱；竹緣蝱象 Ref. 同前  
*Paradasynus formosanus* (Matsumura, 1913) Ref. 同前  
*Paradasynus spinosus* Hsiao, 1963 刺副黛緣蝱 Ref. 同前  
*Plinachtus basalis* (Westwood, 1842) Ref. 同前

#### Family Corixidae 划蝱科

*Agraptocorixa hyalinipennis* (Fabricius, 1803) Ref. Aukema & Rieger, 1995  
*Sigara bellula* (Horváth, 1879) 煉划蝱 Ref. 同前  
*Sigara distorta* (Distant, 1911) Ref. 同前  
*Sigara formosana* (Matsumura, 1915) Ref. Matsumura, 1915  
*Sigara nigroventralis* (Matsumura, 1905) Ref. Aukema & Rieger, 1995  
*Sigara septemlineata* (Paiva, 1918) Ref. 同前  
*Sigara takahashii* Hungerford, 1940 泰氏划蝱 Ref. Hungerford, 1940  
*Xenocorixa vittipennis* (Horváth, 1879) 希划蝱 Ref. Aukema & Rieger, 1995

#### Family Cydnidae 土蝱科

*Adrisa magna* (Uhler, 1860) 大鱉土蝱 Ref. Lis, 1994  
*Adrisa rawlini* Lis, 1994 [特有] Ref. Lis, 1994  
*Aethus pseudindicus* Lis, 1993 Ref. Lis, 1994  
*Alonips taiwanicus* Lis, 1994 Ref. Lis, 1994  
*Chilocoris pusillus* Horvath, 1919 Ref. Lis, 1994  
*Fromundus pygmaeus* (Dallas, 1851) Ref. Lis, 1994  
*Macroscytus japonensis* Scott, 1874 Ref. Lis, 1994  
*Microporus laticeps* (Signoret, 1882) Ref. Lis, 1994  
*Schiodtella formosana* (Esaki, 1939) Ref. Lis, 1991

#### Family Delphacidae 稻蝱科

*Ugyops tripunctatus* Kato, 1931  
*Ugyops vittatus* (Matsumura, 1906)  
*Vizcaya latifrons* Liang, 2002 [特有] Ref. Liang, 2002

#### Family Deltocephalidae 角頂葉蟬科

*Aconura biglumis* Matsumura, 1914 Ref. Metcalf, 1962  
*Aconura bipunctella* Matsumura, 1914 Ref. Metcalf, 1962

*Aconura bteviceps* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Aconura grandis* Matsumura, 1914 Ref. Metcalf, 1962  
*Aconura producta* Matsumura, 1902 Ref. Metcalf, 1962  
*Aconura rubuofasciata* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Aconura siminura* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Athysanus jamianus* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Athysanus kanoi* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Balclutha akonis* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Balclutha botelensis* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Balclutha laevis* Melichar, 1903 Ref. Metcalf, 1962  
*Balclutha orientalis* Matsumura, 1914 Ref. Metcalf, 1962  
*Balclutha pallidula* Matsumura, 1908 Ref. Metcalf, 1962  
*Balclutha punctata* Fabricius, 1775 Ref. Metcalf, 1962  
*Balclutha rubrovittata* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Balclutha smaragdula* Matsumura, 1914 Ref. Metcalf, 1962  
*Balclutha viridis* Matsumura, 1902 Ref. Metcalf, 1962  
*Cicadula bipunctella* Matsumura, 1908 Ref. Metcalf, 1962  
*Cicadula fascifrons* Stål, 1834 Ref. Metcalf, 1962  
*Deltocephalus formosanus* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Deltocephalus kanoniellus* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Deltocephalus maritimus* Matsumura, 1902 Ref. Metcalf, 1962  
*Doratulina orientalis* Matsumura, 1914 Ref. Metcalf, 1962  
*Eutettix botelensis* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Eutettix orientalis* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Exitianus indicus* Distant, 1908 Ref. Metcalf, 1962  
*Exitianus simillimus* Matsumura, 1914 Ref. Metcalf, 1962  
*Goniagnathus formosanus* Matsumura, 1913 Ref. Metcalf, 1962  
*Henschia vittata* Matsumura, 1914 Ref. Metcalf, 1962  
*Hishimonus disciguttus* Walker, 1857 Ref. Metcalf, 1962  
*Hishimonus sellatus* Uhler, 1896 Ref. Metcalf, 1962  
*Inemadara oryzae* Matsumura, 1899 Ref. Metcalf, 1962  
*Irinula erythrocephala* Ferrari, 1882 Ref. Metcalf, 1962  
*Matsumuratettix hiroglyphicus* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Melichariella formosana* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Mesotettix koshunensis* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Mesotettix shokaensis* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Mimotettix kawamurae* Matsumura, 1914 Ref. Metcalf, 1962  
*Nephotettix apicalis* de Motschulsky, 1803 Ref. Metcalf, 1962  
*Neurotettix horishanus* Matsumura, 1914 Ref. Metcalf, 1962  
*Orienteus ishidae* Matsumura, 1902 Ref. Metcalf, 1962  
*Paralaevicephalus nigrifemoratus* Matsumura, 1902 Ref. Metcalf, 1962  
*Parallogus divaricatus* Melichar, 1903 Ref. Metcalf, 1962  
*Paramesodes albinervosa* Matsumura, 1902 Ref. Metcalf, 1962  
*Paramesus lineaticollis* Distant, 1908 Ref. Metcalf, 1962  
*Phlepsius guttatus* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Phlogotettix cyclops* Mulsant & Rey, 1855 Ref. Metcalf, 1962  
*Phlogotettix nigriveinus* Li & Dai, 2003 黑脈木葉蟬 [特有] Ref. Li & Dai, 2003  
*Platymetopius hopponis* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Psammotettix striatus* Linné 1758 Ref. Metcalf, 1962  
*Purpuranus rubrostriatus* Horváth, 1907 Ref. Metcalf, 1962  
*Pygotettix botelensis* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Pygotettix formosanus* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Scaphoideus alboguttatus* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Scaphoideus albovittatus* Matsumura, 1913 [特有] Ref. Metcalf, 1962  
*Scaphoideus diminutus* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Scaphoideus festivus* Matsumura, 1902 Ref. Metcalf, 1962  
*Scaphoideus intermedius* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Scaphoideus kotoshonis* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Scaphoideus morosus* Melichar, 1903 Ref. Metcalf, 1962  
*Scaphoideus nitobei* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Scaphoideus rubroguttatus* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Scaphoideus speciosus* Schumacher, 1915 [特有] Ref. Metcalf, 1962  
*Scaphoideus umbrinus* Schumacher, 1915 [特有] Ref. Metcalf, 1962  
*Scaphotettix viridis* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Thamnotettix botelensis* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Thamnotettix formosanus* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Thamnotettix hokutonis* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Thamnotettix hopponis* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Thamnotettix koshunensis* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Thamnotettix kotoshonis* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Thamnotettix okinawanus* Matsumura, 1914 Ref. Metcalf, 1962  
*Thamnotettix wanrianus* Matsumura, 1914 [特有] Ref. Metcalf, 1962

*Thomsoniella centralis* Matsumura, 1912 Ref. Metcalf, 1962  
*Thomsoniella porrecta* Walker, 1870 Ref. Metcalf, 1962  
*Togacephalus botelensis* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Togacephalus distinctus* de Motschulsky, 1859 Ref. Metcalf, 1962  
*Togacephalus formosiellus* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Togacephalus jamiensis* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Xestocephalus bicolor* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Xestocephalus botelensis* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Xestocephalus chibianus* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Xestocephalus gguttulatus* de Motschulsky, 1902 Ref. Metcalf, 1962  
*Xestocephalus koshunensis* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Xestocephalus kuyanianus* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Xestocephalus montanus* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Xestocephalus spinestyleus* Li & Dai, 2003 刺突小眼葉蟬 [特有] Ref. Li & Dai, 2003  
*Xestocephalus toroensis* Matsumura, 1914 [特有] Ref. Metcalf, 1962  
*Yamatotettix flavovittatus* Matsumura, 1914 Ref. Metcalf, 1962  
*Yamatotettix nigrilineus* Li & Dai, 2003 黑線闊顏葉蟬 [特有] Ref. Li & Dai, 2003

### Family Derbidae 長翅飛蝨科

*Losbanosia taivaniae* Szwedo & Adamczewska, 2004 [特有] Ref. Szwedo & Adamczewska, 2004

### Family Diaspididae 盾介殼蟲科

*Abgrallaspis cyanophylli* (Signoret, 1869) 擬橢圓盾介殼蟲 Ref. 陶。1989  
*Acanthomytilus chui* Takagi, 1970 芒棘蠟介殼蟲 Ref. 陶。1989  
*Acanthomytilus imperatae* (Kuwana, 1931) 白茅棘盾介殼蟲 Ref. 陶。1989  
*Acanthomytilus sacchari* (Hall, 1923) 甘蔗棘盾介殼蟲 Ref. 陶。1989  
*Achionaspis kanoi* Takagi, 1970 愛雪盾介殼蟲 [特有] Ref. 陶。1989  
*Afiorinia hirashimai* Takagi, 1970 愛圍盾介殼蟲 [特有] Ref. 陶。1989  
*Andaspis crawii* (Cockerell, 1896) 錐栗安蠟盾介殼蟲 Ref. 陶。1989  
*Andaspis hawaiiensis* (Maskell, 1894) 夏島安蠟盾介殼蟲 Ref. 陶。1989  
*Andaspis mori* Probbhaber Rao & Ferris, 1952 桑安蠟盾介殼蟲 Ref. 陶。1989  
*Andaspis viticis* Takagi, 1970 黃荊安蠟盾介殼蟲 Ref. 陶。1989  
*Aonidia formosana* Takahashi, 1935 奧圓盾介殼蟲 [特有] Ref. 陶。1989  
*Aonidia rarasana* Takahashi, 1934 [特有] Ref. ScaleNet, 2006  
*Aonidiella aurantii* (Maskell, 1878) 橘紅腎圓盾介殼蟲 Ref. 陶。1989  
*Aonidiella citrina* (Coquillett, 1891) 橘黃腎圓盾介殼蟲 Ref. 陶。1989  
*Aonidiella comperae* Mckenzie, 1937 香蕉腎圓盾介殼蟲 Ref. 陶。1989  
*Aonidiella inornata* McKenzie, 1938 木瓜腎圓盾介殼蟲 Ref. 陶。1989  
*Aonidiella messengeri* Mckenzie, 1953 紫金牛腎圓盾介殼蟲 Ref. 陶。1989  
*Aonidiella sotetsu* Takahashi, 1933 Ref. ScaleNet, 2006  
*Aonidiella taxus* Leonardi, 1906 紫杉腎圓盾介殼蟲 Ref. 陶。1989  
*Aonidiella tsugae* Takagi, 1969 鐵杉腎圓盾介殼蟲 [特有] Ref. 陶。1989  
*Aonidomytilus albus* (Cockerell, 1894) 白蠟盾介殼蟲 Ref. 陶。1989  
*Aspidiella phragmitis* (Takahashi, 1931) [特有] Ref. 陶。1989  
*Aspidiotus beilschmiediae* Takagi, 1969 Ref. ScaleNet, 2006  
*Aspidiotus cryptomeriae* Kuwana, 1902 柳杉薄圓盾介殼蟲 Ref. 陶。1989  
*Aspidiotus destructor* Signoret, 1869 淡薄圓盾介殼蟲 Ref. 陶。1989  
*Aspidiotus excisus* Green, 1896 Ref. ScaleNet, 2006  
*Aspidiotus hoyae* Takagi, 1969 [特有] Ref. 同前  
*Aspidiotus pothos* Takagi, 1969 石柑薄圓盾介殼蟲 Ref. 陶。1989  
*Aspidiotus watanabei* Takagi, 1969 [特有] Ref. ScaleNet, 2006  
*Aulacaspis aceris* Takahashi, 1935 槭輪盾介殼蟲 [特有] Ref. 陶。1989  
*Aulacaspis actinidiae* Takagi, 1970 獼猴桃輪盾介殼蟲 [特有] Ref. 陶。1989  
*Aulacaspis actinodaphnes* Takagi, 1970 黃肉桂輪盾介殼蟲 [特有] Ref. 陶。1989  
*Aulacaspis alishana* Takagi, 1970 阿里山輪盾介殼蟲 Ref. 陶。1989  
*Aulacaspis crawii* (Cockerell, 1899) 牛奶子輪盾介殼蟲 Ref. 陶。1989  
*Aulacaspis difficilis* (Cockerell, 1896) 胡頹子輪盾介殼蟲 Ref. 陶。1989  
*Aulacaspis divergens* Takahashi, 1935 芒輪盾介殼蟲 Ref. 陶。1989  
*Aulacaspis fagraeae* (Green, 1896) Ref. ScaleNet, 2006  
*Aulacaspis formosana* (Takahashi, 1934) [特有] Ref. 陶。1989  
*Aulacaspis greeni* Takahashi, 1934 肉桂輪盾介殼蟲 [特有] Ref. 陶。1989  
*Aulacaspis hedyotidis* (Green, 1899) Ref. ScaleNet, 2006  
*Aulacaspis machili* (Takahashi, 1931) Ref. 陶。1989  
*Aulacaspis madiunensis* (Zehntner, 1886) 甘蔗輪盾介殼蟲 Ref. 陶。1989  
*Aulacaspis maesae* Takagi, 1970 桂花輪盾介殼蟲 [特有] Ref. 陶。1989  
*Aulacaspis murrayae* Takahashi, 1931 月桔輪盾介殼蟲 [特有] Ref. 陶。1989  
*Aulacaspis phoebicola* Takahashi, 1936 楠木輪盾介殼蟲 [特有] Ref. 陶。1989  
*Aulacaspis robusta* Takahashi, 1931 樹杞輪盾介殼蟲 [特有] Ref. 陶。1989  
*Aulacaspis rosae* (Bouche, 1834) 玫瑰輪盾介殼蟲 Ref. 陶。1989  
*Aulacaspis saigusai* Takagi, 1901 懸鉤子輪盾介殼蟲 Ref. 陶。1989  
*Aulacaspis schizosoma* (Takagi, 1970) Ref. 陶。1989  
*Aulacaspis spinosa* (Maskell, 1897) 菝葜輪盾介殼蟲 Ref. 陶。1989  
*Aulacaspis tegalensis* (Zehntner, 1898) 印尼輪盾介殼蟲 Ref. 陶。1989

*Aulacaspis tubercularis* (Newstead, 1906) 椽果輪盾介殼蟲 Ref. 陶。1989  
*Aulacaspis uenoi* (Takagi, 1970) [特有] Ref. 陶。1989  
*Aulacaspis vitis* (Green, 1896) Ref. ScaleNet, 2006  
*Aulacaspis wakayamaensis* Kuwana, 1926 Ref. 同前  
*Aulacaspis yabunikkei* Kuwana, 1926 樟輪盾介殼蟲 Ref. 陶。1989  
*Aulacaspis yasumatsui* Takagi, 1977 蘇鐵白輪盾介殼蟲 Ref. 吳等。2001  
*Chionaspis cinnamomicola* (Takahashi, 1935) 樟雪盾介殼蟲 Ref. 陶。1989  
*Chionaspis machilicola* (Takahashi, 1935) 槲楠雪盾介殼蟲 [特有] Ref. 陶。1989  
*Chionaspis osmanthi* (Ferris, 1953) Ref. ScaleNet, 2006  
*Chionaspis rotunda* (Takahashi, 1935) 青桐雪盾介殼蟲 [特有] Ref. 陶。1989  
*Chionaspis saitamaensis* Kuwana, 1898 Ref. ScaleNet, 2006  
*Chionaspis sozanica* Takahashi, 1933 槭雪盾介殼蟲 Ref. 陶。1989  
*Chionaspis trochodendri* (Takahashi, 1936) 昆欖樹雪盾介殼蟲 [特有] Ref. 陶。1989  
*Chionaspis wistariae* Cooley, 1897 Ref. ScaleNet, 2006  
*Chortinaspis biloba* (Maskell, 1898) 雙葉禾圓盾介殼蟲 Ref. 陶。1989  
*Chrysomphalus aonidum* (Linnaeus, 1758) 褐圓盾介殼蟲 Ref. 陶。1989  
*Chrysomphalus bifasciculatus* Ferris, 1938 擬褐圓盾介殼蟲 Ref. 陶。1989  
*Chrysomphalus dictyospermi* (Morgan, 1889) 橙褐圓盾介殼蟲 Ref. 陶。1989  
*Clavaspidotus tayabanus* (Cockerell, 1905) Ref. ScaleNet, 2006  
*Crassaspidotus takahashii* Takagi, 1969 [特有] Ref. 陶。1989  
*Crenulaspidotus cyrtus* Miller & Davidson, 1981 [特有] Ref. ScaleNet, 2006  
*Diaonidia cinnamomi* (Takahashi, 1930) 樟澳盾介殼蟲 [特有] Ref. 陶。1989  
*Diaspidiotus makii* (Kuwana, 1932) Ref. ScaleNet, 2006  
*Diaspidiotus perniciosus* (Comstock, 1881) Ref. 陶。1989  
*Diaspis boisduvalii* Signoret, 1869 椰子盾介殼蟲 Ref. 陶。1989  
*Diaspis bromeliae* Körner, 1778 鳳梨盾介殼蟲 Ref. 陶。1989  
*Diaspis echinocacti* (Bouche, 1833) 仙人掌盾介殼蟲 Ref. 陶。1989  
*Dinaspis taiwana* Takahashi, 1936 [特有] Ref. ScaleNet, 2006  
*Duplachionaspis divergens* (Green, 1899) 竹禾盾介殼蟲 Ref. 陶。1989  
*Duplachionaspis graminella* (Borchsenius, 1949) Ref. ScaleNet, 2006  
*Duplachionaspis natalensis* (Maskell, 1896) Ref. 同前  
*Epifiorinia tsugae* Takagi, 1970 外圍盾介殼蟲 [特有] Ref. 陶。1989  
*Fiorinia arengae* Takahashi, 1934 桫欏圍盾介殼蟲 Ref. 陶。1989  
*Fiorinia fioriniae* (Targioni-Tozzetti, 1867) 圍盾介殼蟲 Ref. 陶。1989  
*Fiorinia formosensis* Takahashi, 1933 榕圍盾介殼蟲 [特有] Ref. 陶。1989  
*Fiorinia hisakakii* Takahashi, 1936 柃木圍盾介殼蟲 [特有] Ref. 陶。1989  
*Fiorinia horii* Kuwana, 1927 臺灣圍盾介殼蟲 Ref. 陶。1989  
*Fiorinia japonica* Kuwana, 1903 杉柏圍盾介殼蟲 Ref. 陶。1989  
*Fiorinia linderiae* Takagi, 1970 香葉樹圍盾介殼蟲 Ref. 陶。1989  
*Fiorinia minor* Maskell, 1897 小圍盾介殼蟲 Ref. 陶。1989  
*Fiorinia pinicola* Maskell, 1897 松圍盾介殼蟲 Ref. 陶。1989  
*Fiorinia proboscidea* Green, 1900 象鼻圍盾介殼蟲 Ref. 陶。1989  
*Fiorinia randiae* Takahashi, 1934 雞爪勒圍盾介殼蟲 Ref. 陶。1989  
*Fiorinia rhododendri* Takahashi, 1935 杜鵑圍盾介殼蟲 [特有] Ref. 陶。1989  
*Fiorinia sapsosmae* Green, 1896 Ref. ScaleNet, 2006  
*Fiorinia smilaceti* Takahashi, 1931 菝葜圍盾介殼蟲 [特有] Ref. 陶。1989  
*Fiorinia taiwana* Takahashi, 1934 青剛圍盾介殼蟲 Ref. 陶。1989  
*Fiorinia theae* Green, 1900 茶圍盾介殼蟲 Ref. 陶。1989  
*Fiorinia turpiniae* Takahashi, 1934 山香圍盾介殼蟲 Ref. 陶。1989  
*Formosaspis formosana* (Takahashi, 1931) 臺美竹盾介殼蟲 Ref. 陶。1989  
*Formosaspis takahashii* Lindinger, 1932 黑美竹盾介殼蟲 Ref. 陶。1989  
*Froggatiella penicillata* (Green, 1905) 鬚齒盾介殼蟲 Ref. 陶。1989  
*Froggatiella inusitata* (Green, 1896) Ref. ScaleNet, 2006  
*Greenaspis bambusifoliae* (Takahashi, 1930) 紅竹葛盾介殼蟲 Ref. 陶。1989  
*Greenaspis elongata* (Green, 1899) 黃竹葛盾介殼蟲 Ref. 陶。1989  
*Greniella lahoarei* (Takahashi, 1931) 番櫻桃葛圓盾介殼蟲 [特有] Ref. 陶。1989  
*Hemiberlesia chipponsanensis* (Takahashi, 1935) 杜鵑檳圍盾介殼蟲 Ref. 陶。1989  
*Hemiberlesia lataniae* (Signoret, 1869) 椰子檳圍盾介殼蟲 Ref. 陶。1989  
*Hemiberlesia pitysophila* Takagi, 1969 松檳圍盾介殼蟲 Ref. 陶。1989  
*Hemiberlesia rapax* (Comstock, 1881) 棕檳圍盾介殼蟲 Ref. 陶。1989  
*Howardia biclavis* (Comstock, 1833) 雙錘盾介殼蟲 Ref. 陶。1989  
*Ichthyaspis ficicola* (Takahashi, 1931) 魚尾盾介殼蟲 Ref. 陶。1989  
*Insulaspis garambiensis* (Takahashi, 1933) 鵝卵鼻長蠟盾介殼蟲 [特有] Ref. 陶。1989  
*Insulaspis gloverii* (Packard, 1869) 橘長蠟盾介殼蟲 Ref. 陶。1989  
*Ischnafiorinia bambusae* (Maskell, 1897) 竹禿盾介殼蟲 Ref. 陶。1989  
*Ischnaspis longirostris* (Signoret, 1882) 臀紋盾介殼蟲 Ref. 周及翁。2000  
*Kuwanaspis annandalei* (Green, 1919) Ref. ScaleNet, 2006  
*Kuwanaspis arundinariae* Takahashi, 1938 高山竹盾介殼蟲 Ref. 陶。1989  
*Kuwanaspis bambusicola* (Cockerell, 1899) Ref. ScaleNet, 2006  
*Kuwanaspis bambusifoliae* (Takahashi, 1934) 葉竹盾介殼蟲 Ref. 陶。1989  
*Kuwanaspis elongata* (Takahashi, 1930) 長竹盾介殼蟲 Ref. 陶。1989  
*Kuwanaspis neolinearis* (Takahashi, 1930) Ref. 陶。1989

*Kuwanaspis phragmitis* Takahashi, 1931 蘆竹盾介殼蟲 [特有] Ref. 陶。1989  
*Kuwanaspis pseudoleucaspis* (Kuwana, 1923) Ref. 陶。1989  
*Kuwanaspis suishana* (Takahashi, 1930) 水社竹盾介殼蟲 Ref. 陶。1989  
*Kuwanaspis vermiformis* (Takahashi, 1931) 蟲形竹盾介殼蟲 Ref. 陶。1989  
*Ledaspis atalantiae* (Takahashi, 1933) Ref. 陶。1989  
*Lepidosaphes beckii* (Newman, 1869) Ref. 陶。1989  
*Lepidosaphes chinensis* Chamberlin, 1925 Ref. 陶。1989  
*Lepidosaphes conchiformis* (Green, 1790) Ref. ScaleNet, 2006  
*Lepidosaphes cycadicola* (Kuwana, 1931) 蘇鐵蠟盾介殼蟲 Ref. 陶。1989  
*Lepidosaphes garambiensis* Takahashi, 1933 [特有] Ref. ScaleNet, 2006  
*Lepidosaphes glaucae* Takahashi, 1932 Ref. 陶。1989  
*Lepidosaphes gloverii* (Packard, 1869) Ref. ScaleNet, 2006  
*Lepidosaphes japonica* (Kuwana, 1902) Ref. 陶。1989  
*Lepidosaphes kamakurensis* Kuwana, 1925 Ref. ScaleNet, 2006  
*Lepidosaphes laterochitina* Green, 1925 Ref. 同前  
*Lepidosaphes leei* Takagi, 1970 [特有] Ref. 陶。1989  
*Lepidosaphes lithocarpi* Takahashi, 1934 [特有] Ref. 陶。1989  
*Lepidosaphes nivalis* Takagi, 1970 [特有] Ref. 陶。1989  
*Lepidosaphes pallida* (Maskell, 1895) Ref. 陶。1989  
*Lepidosaphes pini* (Maskell, 1897) Ref. 陶。1989  
*Lepidosaphes pinnaeformis* (Bouché, 1851) Ref. 陶。1989  
*Lepidosaphes pitysophila* (Takagi, 1970) Ref. 陶。1989  
*Lepidosaphes takaoensis* (Takahashi, 1935) 高雄蠟盾介殼蟲 Ref. 陶。1989  
*Lepidosaphes tokionis* (Kuwana, 1902) Ref. 陶。1989  
*Lepidosaphes tubulorum* Ferris, 1921 Ref. ScaleNet, 2006  
*Lepidosaphes ulmi* (Linnaeus, 1758) Ref. 同前  
*Lepidosaphes yamahoi* (Takahashi, 1935) 屏東蠟盾介殼蟲 [特有] Ref. 陶。1989  
*Lepidosaphes yoshimotoi* Takagi, 1970 Ref. 陶。1989  
*Leucaspis incisa* Takagi, 1969 刻葉片盾介殼蟲 [特有] Ref. 陶。1989  
*Leucaspis machili* Takagi, 1969 楠木白片盾介殼蟲 [特有] Ref. 陶。1989  
*Leucaspis vitis* (Takahashi, 1935) 葡萄白片盾介殼蟲 [特有] Ref. 陶。1989  
*Lindingaspis ferrisi* McKenzie, 1950 橘林圓盾介殼蟲 Ref. 陶。1989  
*Lindingaspis rossi* (Maskell, 1890) 夾竹桃林圓盾介殼蟲 Ref. 陶。1989  
*Lopholeucaspis japonica* (Cockerell, 1897) 日本長片盾介殼蟲 Ref. 陶。1989  
*Megacanthaspis litseae* Takagi, 1970 木姜子巨刺盾介殼蟲 [特有] Ref. 陶。1989  
*Melanaspis smilacis* (Comstock, 1883) 菝葜黑圓盾介殼蟲 Ref. 陶。1989  
*Mixaspis bambusicola* (Takahashi, 1930) 竹密盾介殼蟲 Ref. 陶。1989  
*Mohelnaspis graminicola* (Takahashi, 1934) 五節芒棘盾介殼蟲 [特有] Ref. 陶。1989  
*Mohelnaspis vermiformis* (Takahashi, 1930) Ref. ScaleNet, 2006  
*Morganella longispina* (Morgan, 1889) 長毛盾介殼蟲 Ref. 陶。1989  
*Neoparlatoria formosana* Takahashi, 1931 臺灣新片盾介殼蟲 Ref. 陶。1989  
*Neoparlatoria lithocarpicola* Takahashi, 1931 檫樹新片盾介殼蟲 Ref. 陶。1989  
*Neoparlatoria maai* Takagi, 1969 馬氏新片盾介殼蟲 [特有] Ref. 陶。1989  
*Neoparlatoria miyamotoi* Takagi, 1969 栲新片盾介殼蟲 [特有] Ref. 陶。1989  
*Neopinnaspis harperi* McKenzie, 1949 新井蠟盾介殼蟲 Ref. 陶。1989  
*Neoquernaspis lithocarpi* (Takahashi, 1931) 新檫盾介殼蟲 [特有] Ref. 陶。1989  
*Nikkoaspis formosana* (Takahashi, 1930) 臺竹尼盾介殼蟲 Ref. 陶。1989  
*Nikkoaspis hichiseisana* (Takahashi, 1931) 竹尼盾介殼蟲 Ref. 陶。1989  
*Octaspidiotus machili* (Takahashi, 1931) [特有] Ref. ScaleNet, 2006  
*Octaspidiotus stauntoniae* (Takahashi, 1933) Ref. 同前  
*Odonaspis arcusnotata* Ben-Dov, 1988 Ref. 同前  
*Odonaspis greeni* Cockerell, 1896 Ref. 同前  
*Odonaspis secreta* (Cockerell, 1890) 齒盾介殼蟲 Ref. 陶。1989  
*Parainsulaspis laterochitina* (Green, 1925) 側骨副蠟盾介殼蟲 Ref. 陶。1989  
*Parlatoreopsis chinensis* (Marlatt, 1908) Ref. ScaleNet, 2006  
*Parlatoria arengae* Takagi, 1969 檳榔片盾介殼蟲 Ref. 陶。1989  
*Parlatoria camelliae* Comstock, 1833 山茶片盾介殼蟲 Ref. 陶。1989  
*Parlatoria cinerea* Doaba & Hadden, 1909 灰片盾介殼蟲 Ref. 陶。1989  
*Parlatoria crotonis* Douglas, 1887 變葉木片盾介殼蟲 Ref. 陶。1989  
*Parlatoria desolator* McKenzie, 1897 Ref. ScaleNet, 2006  
*Parlatoria fluggeae* Hall, 1929 一葉秋片盾介殼蟲 Ref. 陶。1989  
*Parlatoria lithocarpi* Takahashi, 1935 檫片盾介殼蟲 [特有] Ref. 陶。1989  
*Parlatoria machili* Takahashi, 1931 楠片盾介殼蟲 Ref. 陶。1989  
*Parlatoria machilicola* Takahashi, 1933 楨楠片盾介殼蟲 [特有] Ref. 陶。1989  
*Parlatoria mytilaspiformis* Green, 1899 蠟形片盾介殼蟲 Ref. 陶。1989  
*Parlatoria oleae* (Colvée, 1880) Ref. ScaleNet, 2006  
*Parlatoria pergandei* Comstock, 1881 糠片盾介殼蟲 Ref. 陶。1989  
*Parlatoria proteus* (Curtis, 1843) 黃片盾介殼蟲 Ref. 陶。1989  
*Parlatoria pseudaspidiotus* Lindinger, 1905 Ref. ScaleNet, 2006  
*Parlatoria theae* Cockerell, 1896 Ref. 同前  
*Parlatoria virescens* Maskell, 1897 綠片盾介殼蟲 Ref. 陶。1989  
*Parlatoria ziziphi* (Lucas, 1853) 黑片盾介殼蟲 Ref. 陶。1989

*Pinnaspis aspidistrae* (Signoret, 1896) 蜘蛛抱蛋并盾介殼蟲 Ref. 陶。1989  
*Pinnaspis buxi* (Bouche, 1851) 柚葉并盾介殼蟲 Ref. 陶。1989  
*Pinnaspis frontalis* Takagi, 1970 額瘤并盾介殼蟲 [特有] Ref. 陶。1989  
*Pinnaspis hibisci* Takagi, 1970 木槿并盾介殼蟲 Ref. 陶。1989  
*Pinnaspis liui* Takagi, 1970 鈴木并盾介殼蟲 [特有] Ref. 陶。1989  
*Pinnaspis muntingi* Takagi, 1970 香蕉並盾介殼蟲 Ref. 陶。1989  
*Pinnaspis shirozui* Takagi, 1970 白榕並盾介殼蟲 [特有] Ref. 陶。1989  
*Pinnaspis strachani* (Cooley, 1899) 山欖並盾介殼蟲 Ref. 陶。1989  
*Pinnaspis theae* (Maskell, 1891) 茶並盾介殼蟲 Ref. 陶。1989  
*Pinnaspis uniloba* (Kuwana, 1909) 合葉並盾介殼蟲 Ref. 陶。1989  
*Poliaspoides formosana* (Takahashi, 1930) 竹蟠盾介殼蟲 Ref. 陶。1989  
*Pseudaonidia duplax* (Cockerell, 1896) 網背盾介殼蟲 Ref. 陶。1989  
*Pseudaonidia trilobitiformis* (Green, 1896) 三葉網背盾介殼蟲 Ref. 陶。1989  
*Pseudaulacaspis brideliae* (Takahashi, 1933) 櫟擬白輪盾介殼蟲 [特有] Ref. 陶。1989  
*Pseudaulacaspis cockerelli* (Cooley, 1897) 椰子擬白輪盾介殼蟲 Ref. 陶。1989  
*Pseudaulacaspis eugeniae* (Maskell, 1892) Ref. ScaleNet, 2006  
*Pseudaulacaspis kiushiuensis* (Kuwana, 1909) Ref. 陶。1999  
*Pseudaulacaspis manni* (Green, 1907) 茶擬白輪盾介殼蟲 Ref. 陶。1989  
*Pseudaulacaspis megacauda* Takagi, 1970 大尾擬白輪盾介殼蟲 Ref. 陶。1989  
*Pseudaulacaspis pentagona* Targioni-Tozzetti, 1855 桑擬白輪盾介殼蟲 Ref. 陶。1989  
*Pseudaulacaspis prunicola* (Maskell, 1895) Ref. ScaleNet, 2006  
*Pseudaulacaspis sasakawai* Takagi, 1970 野木瓜擬白輪盾介殼蟲 Ref. 陶。1989  
*Pseudaulacaspis taiwana* (Takahashi, 1933) 台灣盾介殼蟲 [特有] Ref. 陶。1989  
*Pseudaulacaspis takahashii* (Ferris, 1935) 柿擬白輪盾介殼蟲 Ref. 陶。1989  
*Pygalataspis miscanthi* Ferris, 1921 芒萁盾介殼蟲 Ref. 陶。1989  
*Rutherfordia major* (Cockerell, 1894) Ref. 陶。1989  
*Selenaspis articulatus* (Morgan, 1889) 刺圓盾介殼蟲 Ref. 陶。1989  
*Selenomphalus euryae* (Takahashi, 1931) 刺圓盾介殼蟲 Ref. 陶。1989  
*Semelaspidus mangiferae* (Takahashi, 1939) 檬果環紋盾介殼蟲 Ref. 陶。1989  
*Silvestraspis uberifera* (Lindinger, 1911) 菱角盾介殼蟲 Ref. 陶。1989  
*Sinoquernaspis gracilis* Takagi & Tang, 1982 樺櫟盾介殼蟲 Ref. 周及翁。2000  
*Smilacicola apicalis* Takagi, 1969 菝契盾介殼蟲 Ref. 陶。1989  
*Taiwanaspidotus shakunagi* (Takahashi, 1935) [特有] Ref. ScaleNet, 2006  
*Taiwanaspidotus yei* Takagi, 1969 栲薄圓盾介殼蟲 [特有] Ref. 陶。1989  
*Thysanaspis perkinsi* Takagi, 1969 櫻片盾介殼蟲 [特有] Ref. 陶。1989  
*Thysanoflorinia leei* Williams, 1971 Ref. ScaleNet, 2006  
*Thysanoflorinia nephelii* Maskell, 1898 櫻圍盾介殼蟲 Ref. 陶。1989  
*Unaspis acuminata* (Green, 1896) Ref. ScaleNet, 2006  
*Unaspis aei* Takagi, 1970 衛矛矢盾介殼蟲 [特有] Ref. 陶。1989  
*Unaspis citri* (Comstock, 1881) Ref. ScaleNet, 2006  
*Unaspis kanoi* (Takahashi, 1935) [特有] Ref. 同前  
*Unaspis turpiniae* Takahashi, 1934 山香圓矢盾介殼蟲 Ref. 陶。1989  
*Unaspis yanonensis* (Kuwana, 1907) Ref. ScaleNet, 2006  
*Ungulaspis ficicola* (Takahashi, 1932) 爪蟻盾介殼蟲 Ref. 陶。1989

### Family Dictyopharidae 象蟻蟬科

*Orthopagus splendens* (Germar, 1830)

### Family Dinidoridae 兜蝽科

*Coridius chinensis* (Dallas, 1851) 九香蟲 Ref. Hsiao et al., 1977  
*Cyclopelta obscura* (Lepeletier & Serville, 1828) 大皺蝽 Ref. Lis, 1990  
*Cyclopelta parva* Distant, 1900 小皺蝽 Ref. Lis, 1990  
*Eumenotes pacao* Esaki, 1922 Ref. Esaki, 1922, 1926  
*Megymenum brevicorne* (Fabricius, 1787) Ref. Rolston et al., 1996  
*Megymenum gracilicorne* Dallas, 1851 細角瓜蝽  
*Megymenum severini* Bergroth, 1892 Ref. Lis, 1990

### Family Dipsocoridae 鞭蝽科

*Cryptostemma digitum* Wu, 1967 鞭蝽 [特有] Ref. Wu, 1967  
*Cryptostemma wygodzinskyi* Wu, 1967 [特有] Ref. Wu, 1967

### Family Enicocephalidae 奇蝽科

*Henschiella saigusai* Miyamoto, 1965 粗喙奇蝽 [特有] Ref. Miyamoto, 1965  
*Hoplitocoris lewisi* (Distant, 1903) 瘤背奇蝽 Ref. 同前  
*Oncyclocotis shirozui* Miyamoto, 1965 溝背奇蝽 Ref. 同前  
*Stenopirates chipon* (Esaki, 1935) 小光背奇蝽 [特有] Ref. Esaki, 1935  
*Stenopirates collaris* Walker, 1873 褐足光背奇蝽 Ref. Aukema & Rieger, 1995  
*Stenopirates yami* (Esaki, 1935) 赤光背奇蝽 Ref. Esaki, 1935

### Family Eriococcidae 絨介殼蟲科

*Asiacornococcus exiguus* (Maskell, 1897) Ref. ScaleNet, 2006  
*Eriococcus transversus* Green, 1922 竹絨介殼蟲 Ref. 陶。1989

### Family Evacanthidae 橫脊葉蟬科

*Evacanthus breviceps* Matsumura, 1912 [特有] Ref. Metcalf, 1962

*Evacanthus flavocapitata* Kato, 1933 Ref. Metcalf, 1962  
*Evacanthus formosanus* Matsumura, 1912 [特有] Ref. Metcalf, 1962  
*Onukia arisana* Matsumura, 1912 Ref. Metcalf, 1962  
*Onukia flavifrons* Matsumura, 1912 Ref. Metcalf, 1962  
*Onukia flavimacula* Kato, 1933 Ref. Metcalf, 1962

#### Family Flatidae 青翅飛蝨科

*Geisha distinctissima* (Walker, 1858) 青蛾蠟蟬

#### Family Fulgoridae 蠟蟬科

*Aphana pulchella* Guerin, 1834 黃裳薄翅蟲(梵臘蟬) Ref. Walker, 1851  
*Lycorma olivacea* Kato, 1929 青黑蠟蟬 Ref. Kato, 1931  
*Pyrops candelaria* Linnaeus, 1758 龍眼雞 Ref. Liang, 1998

#### Family Gelastocoridae 蟾蝽科

*Nerthra macrothorax* (Montrouzier, 1855) Ref. Aukema & Rieger, 1995

#### Family Gerridae 蛄蝽科

*Amemboa esakii* Polhemus & Andersen, 1984 [特有] Ref. Polhemus & Andersen, 1984  
*Amemboa fumi* Esaki, 1925 [特有] Ref. Esaki, 1925  
*Aquarius elongatus* (Uhler, 1897) 大蛄蝽 Ref. Aukema & Rieger, 1995  
*Aquarius paludum* (Fabricius, 1794) Ref. 同前  
*Asclepios apicalis* (Esaki, 1924) Ref. Esaki, 1924  
*Gerris cui* Esaki, 1925 蛄蝽 [特有] Ref. Esaki, 1925  
*Gerris gracilicomis* (Horvath, 1879) Ref. Aukema & Rieger, 1995  
*Gerris issikii* Miyamoto, 1961 [特有] Ref. Miyamoto, 1961  
*Gerris latibdominis* Miyamoto, 1958 Ref. Aukema & Rieger, 1995  
*Gerris nepalensis* Distant, 1910 Ref. 同前  
*Halobates matsumurai* Esaki, 1924 Ref. Esaki, 1924  
*Limnogonus fossarum* (Fabricius, 1775) Ref. Aukema & Rieger, 1995  
*Limnogonus hungerfordi* Andersen, 1975 Ref. 同前  
*Limnometra femorata* Mayr, 1865 Ref. 同前  
*Metrocoris esakii* Chen & Nieser, 1993 闊蛄蝽 [特有] Ref. Chen & Nieser, 1993  
*Neogerris parvulus* (Stål, 1860) Ref. Aukema & Rieger, 1995  
*Rhagadotarsus kraepelini* Breddin, 1905 Ref. 同前  
*Rhyacobates takahashii* Esaki, 1923 Ref. Esaki, 1923

#### Family Greenideidae 毛管蚜科

*Anomalosiphum pithecolobii* Takahashi, 1934 Ref. Tao, 2000  
*Eutrichosiphum dubium* (van der Goot, 1917) 微粒腹毛管蚜 Ref. Tao, 1986  
*Eutrichosiphum parvulum* Eastop & Hille Ris Lambers, 1976 白藤花毛管蚜 Ref. Tao, 1986  
*Eutrichosiphum pasaniae* (Okajima, 1908) 紅眼黃體毛管蚜 Ref. Tao, 1986  
*Eutrichosiphum (Ditrichosiphum) elongatum* Takahashi, 1940 黃體毛管蚜 Ref. Tao, 1986  
*Eutrichosiphum (Paratrichosiphum) tattakanum* (Takahashi, 1925) 立鷹毛管蚜 Ref. Tao, 1986  
*Greenidea brideliae* Takahashi, 1928 饅頭果毛管蚜 [特有] Ref. Tao, 1986  
*Greenidea decaspermi* Takahashi, 1933 掃帚樹毛管蚜 Ref. Tao, 1986  
*Greenidea ficicola* Takahashi, 1921 榕毛管蚜 Ref. Tao, 1986  
*Greenidea mangiferae* Takahashi, 1925 椶果毛管蚜 Ref. Tao, 1986  
*Greenidea nigra* Takahashi, 1937 Ref. Tao, 2000  
*Greenidea quercifoliae* Takahashi, 1921 細管毛管蚜 Ref. Tao, 1986  
*Greenidea shimae* Takahashi, 1929 木荷毛管蚜 Ref. Tao, 1986  
*Greenidea (Paragreenidea) viticola* Takahashi, 1929 葡萄毛管蚜 [特有] Ref. Tao, 1986  
*Greenidea (Trichosiphum) formosana* (Maki, 1917) 番石榴毛管蚜 Ref. Tao, 1986  
*Greenidea (Trichosiphum) kuwanai* Pergande, 1906 粗短毛管蚜 Ref. Tao, 1986  
*Greenidea (Trichosiphum) mushana* Takahashi, 1925 長管毛管蚜 Ref. Tao, 1986  
*Greenidea (Trichosiphum) myrica* Takahashi, 1925 楊梅毛管蚜 Ref. Tao, 1986  
*Greenidea (Trichosiphum) nigra* (Maki, 1917) 粗基毛管蚜 [特有] Ref. Tao, 1986  
*Mollitrichosiphum tenuicorpus* (Okajima, 1908) 長毛毛管蚜 Ref. Tao, 1986  
*Mollitrichosiphum (Metatrichosiphum) lithocarpi* (Takahashi, 1931) 石櫟毛管蚜 Ref. Tao, 1986  
*Mollitrichosiphum (Metatrichosiphum) nigrofasciatum* (Maki, 1917) 斑腹毛管蚜 Ref. Tao, 1986  
*Mollitrichosiphum (Metatrichosiphum) nitakaensis* (Takahashi, 1937) 玉山毛管蚜 [特有] Ref. Tao, 1986  
*Mollitrichosiphum (Metatrichosiphum) taiwanum* (Takahashi, 1921) 清風藤毛管蚜 Ref. Tao, 1986  
*Schoutedenia viridis* (van der Goot, 1917) Ref. Tao, 2000

#### Family Hebridae 膜蝽科

*Hebrus bergrothi* Horvath, 1929 Ref. Horvath, 1929  
*Hebrus hasegawai* Miyamoto, 1964 膜蝽 Ref. Aukema & Rieger, 1995  
*Hebrus megacephalus* Miyamoto, 1965 [特有] Ref. Miyamoto, 1965  
*Hebrus nipponicus* Horvath, 1929 Ref. Aukema & Rieger, 1995  
*Timasius distantii* Miyamoto, 1965 Ref. Miyamoto, 1965  
*Timasius lundbladi* Miyamoto, 1965 麗膜蝽 [特有] Ref. 同前  
*Timasius minamikawai* Miyamoto, 1965 [特有] Ref. 同前  
*Timasius miyamotoi* Andersen, 1981 Ref. Chang & Yang, 2003  
*Timasius wangi* Zettel, 1998 [特有] Ref. Zettel, 1998

### Family Hecalidae 長頭葉蟬科

- Hecalus formosanus* Matsumura, 1912 [特有] Ref. Metcalf, 1962  
*Hecalus lefroyi* Distant, 1908 Ref. Metcalf, 1962  
*Parabolocratius concentricus* Matsumura, 1940 [特有] Ref. Metcalf, 1962  
*Parabolocratius nitobei* Matsumura, 1912 [特有] Ref. Metcalf, 1962  
*Parabolocratius okinawensis* Matsumura, 1906 Ref. Metcalf, 1962  
*Parabolocratius taiwanus* Matsumura, 1912 [特有] Ref. Metcalf, 1962

### Family Helotrephidae 蚤蝽科

- Helotrephes formosanus* Esaki & Miyamoto, 1943 蚤蝽 Ref. Esaki & Miyamoto, 1943

### Family Homotomidae

- Dynopsylla pinnativena* (Enderlein, 1914) [特有] Ref. Yang, 1984  
*Macrohomotoma gladiata* Kuwayama, 1908 Ref. Yang, 1984  
*Macrohomotoma robusta* Yang, 1984 [特有] Ref. Yang, 1984

### Family Hormaphidae 扁蚜科

- Aleurodaphis blumeae* Van der Goot, 1917 紅蝨蚜 Ref. Tao, 1986  
*Aleurodaphis mikaniae* Takahashi, 1925 蔓菊蝨蚜 Ref. Tao, 1986  
*Allothoracaphis piyamanensis* (Takahashi, 1935) 平陽蝨蚜 Ref. Tao, 1986  
*Astegopteryx bambusae* (Buckton, 1893) Ref. Tao, 2000  
*Astegopteryx bambusifoliae* (Takahashi, 1921) 竹葉扁蚜 Ref. Tao, 1986  
*Astegopteryx basalis* (van der Goot, 1917) Ref. Tao, 2000  
*Astegopteryx insularis* (van der Goot, 1912) 麻竹扁蚜 Ref. Tao, 1986  
*Astegopteryx jamuritsu* Takahashi, 1931 木瓜型瘦蚜 Ref. Tao, 1986  
*Astegopteryx liukueinensis* Liao, 1975 六龜扁蚜 [特有] Ref. Tao, 1986  
*Astegopteryx minuta* (van der Goot, 1917) Ref. Tao, 2000  
*Astegopteryx nekoashi* Sasaki, 1910 貓爪扁蚜 Ref. 陶。1990  
*Astegopteryx nipae* (van der Goot, 1917) 南薑扁蚜 Ref. Tao, 1986  
*Astegopteryx rhapsidis* (van der Goot, 1917) 棕櫚扁蚜 Ref. Tao, 1986  
*Astegopteryx sasakii* Takahashi, 1936 佐佐木瘦蚜 Ref. Tao, 1986  
*Astegopteryx shitosanensis* Takahashi, 1939 獅頭山瘦蚜 Ref. Tao, 1986  
*Astegopteryx styracicola* Takahashi, 1921 安息香瘦蚜 Ref. Tao, 1986  
*Astegopteryx styracophila* Karsch, 1890 Ref. Tao, 2000  
*Astegopteryx swinhoei* Takahashi, 1936 蘇氏瘦蚜 Ref. Tao, 1986  
*Astegopteryx vandermeermohri* Lambers, 1931 臺灣瘦蚜 [特有] Ref. 陶。1990  
*Cerataphis bambusifoliae* Takahashi, 1925 竹莖蚜蟲 Ref. Tao, 1986  
*Cerataphis formosana* Takahashi, 1924 蓬萊蝨蚜 Ref. Tao, 1986  
*Cerataphis lataniae* (Boisduval, 1867) 椰子蝨蚜 Ref. Tao, 1986  
*Cerataphis palmae* (Ghesquiere, 1934) Ref. Tao, 2000  
*Ceratoglyphina bambusae* Van der Goot, 1916 竹毛蝨蚜 Ref. Tao, 1986  
*Ceratovacuna japonica* (Takahashi, 1924) 短角綿蚜 [特有] Ref. Tao, 2000  
*Ceratovacuna langigera* Zehntner, 1897 甘蔗綿蚜 Ref. Tao, 2000  
*Ceratovacuna oplismeni* (Shinji, 1922) 蓋草綿蚜 Ref. 陶。1990  
*Ceratovacuna silvestrii* (Takahashi, 1927) 薛氏綿蚜 Ref. Tao, 2000  
*Chaitoregma aderuensis* (Takahashi, 1935) 包籐箭竹蚜 Ref. Tao, 1986  
*Chaitoregma tattakana* (Takahashi, 1925) 立鷹扁蚜 Ref. Tao, 1986  
*Dernaphis takahashi* (Strand, 1929) 緣眼蝨蚜 Ref. Tao, 1986  
*Glyphinaphis bambusae* Van der Goot, 1917 竹毛扁蚜 Ref. Tao, 1986  
*Lithoaphis lithocarpi* (Takahashi, 1929) 石櫟蝨蚜 [特有] Ref. Tao, 1986  
*Metanipponaphis cuspidatae* (Essig & Kuwana, 1918) 大穎瘤蝨蚜 Ref. Tao, 1986  
*Metanipponaphis lithocarpicola* (Takahashi, 1933) 小穎瘤蝨蚜 [特有] Ref. Tao, 1986  
*Neothoracaphis depressa* (Takahashi, 1933) 光背蝨蚜 [特有] Ref. Tao, 1986  
*Neothoracaphis quercicola* (Takahashi, 1921) 網背蝨蚜 Ref. Tao, 1986  
*Neothoracaphis saramaoensis* (Takahashi, 1935) 沙拉瑪蝨蚜 Ref. Tao, 1986  
*Neothoracaphis tarokoensis* (Takahashi, 1937) 太魯閣蝨蚜 [特有] Ref. Tao, 1986  
*Nipponaphis machili* (Takahashi, 1933) 楠木蝨蚜 Ref. Tao, 1986  
*Parathoracaphis setigera* (Takahashi, 1932) 粗毛蝨蚜 Ref. Tao, 1986  
*Pseudoregma albostriate* Liao, 1975 白條扁蚜 Ref. Tao, 1986  
*Pseudoregma alexanderi* (Takahashi, 1924) 亞力山扁蚜 Ref. Tao, 1986  
*Pseudoregma bambusicola* (Takahashi, 1921) 竹莖扁蚜 Ref. Tao, 1986  
*Pseudoregma kosuensis* (Takahashi, 1924) 恒春扁蚜 Ref. Tao, 1986  
*Pseudoregma panicicola* (Takahashi, 1921) 洲際扁蚜 Ref. Tao, 1986  
*Quernaphis tuberculatus* (Takahashi, 1933) 單脈蝨蚜 Ref. Tao, 1986  
*Reticulaphis distylii* (Takahashi, 1935) Ref. Tao, 2000  
*Reticulaphis distyliifici* (Takahashi, 1923) Ref. Tao, 2000  
*Reticulaphis fici* (Takahashi, 1923) 網體蝨蚜 Ref. Tao, 1986  
*Reticulaphis foveolatae* (Takahashi, 1935) 細毛網體蝨蚜 Ref. Tao, 1986  
*Reticulaphis mirabilis* (Takahashi, 1939) 粗毛網體蝨蚜 Ref. Tao, 1986  
*Sinonipponaphis formosanus* (Takahashi, 1927) 楠木蝨蚜 Ref. Tao, 1986  
*Tuberaphis lorantheri* (Takahashi, 1939) Ref. Tao, 2000  
*Xenothoracaphis kashifoliae* (Uye, 1924) 隱足蝨蚜 Ref. Tao, 1986

### Family Hydrometridae 尺蠖科

- Hydrometra albolineata* (Scott, 1874) 尺蠖 Ref. Aukema & Rieger, 1995  
*Hydrometra annamana* Hungerford & Evans, 1934 Ref. Hungerford & Evans, 1934  
*Hydrometra okinawana* Drake, 1951 Ref. Aukema & Rieger, 1995  
*Hydrometra procera* Horvath, 1905 Ref. 同前

### Family Hylicidae 寬頭葉蟬科

- Balala formosana* Kato, 1928 Ref. Metcalf, 1962  
*Balala fulviventris* Walker, 1851 Ref. Metcalf, 1962  
*Hatigoria sauteri* Jacobi, 1914 Ref. Metcalf, 1962  
*Nacolus assamensis* Distant, 1918 Ref. Metcalf, 1962  
*Nacolus gavialis* Jacobi, 1914 Ref. Metcalf, 1962

### Family Issidae 圓飛蝨科

- Aphelonema fasciata* Chan & Yang, 1994 Ref. Chan & Yang, 1994  
*Conocaliscelis hokutonis* Matsumura, 1916 Ref. 同前  
*Conocaliscelis koshunensis* Matsumura, 1916 Ref. 同前  
*Darumara nitobei* (Matsumura, 1916) Ref. 同前  
*Ecapelopteron mirum* Chan & Yang, 1994 Ref. 同前  
*Ecapelopteron yehyuensis* Cheng & Yang, 1991 Ref. Cheng & Yang, 1991  
*Epyhemisphaerius tappanus* (Matsumura, 1916) Ref. Chan & Yang, 1994  
*Euhemisphaerius ingidus* Chan & Yang, 1994 Ref. 同前  
*Euhemisphaerius obesus* Chan & Yang, 1994 Ref. 同前  
*Euhemisphaerius primulus* Chan & Yang, 1994 Ref. 同前  
*Eusarima arva* Yang, 1994 Ref. 同前  
*Eusarima ascetica* Yang, 1994 Ref. 同前  
*Eusarima astuta* Yang, 1994 Ref. 同前  
*Eusarima casca* Yang, 1994 Ref. 同前  
*Eusarima cernula* Yang, 1994 Ref. 同前  
*Eusarima condensa* Yang, 1994 Ref. 同前  
*Eusarima contorta* Yang, 1994 Ref. 同前  
*Eusarima copiosa* Yang, 1994 Ref. 同前  
*Eusarima delira* Yang, 1994 Ref. 同前  
*Eusarima docta* Yang, 1994 Ref. 同前  
*Eusarima eximia* Yang, 1994 Ref. 同前  
*Eusarima factiosa* Yang, 1994 Ref. 同前  
*Eusarima fanda* Yang, 1993 Ref. Yang & Yeh, 1994  
*Eusarima foetida* Yang, 1994 Ref. Chan & Yang, 1994  
*Eusarima hamata* Yang, 1994 Ref. 同前  
*Eusarima horaea* Yang, 1994 Ref. 同前  
*Eusarima incensa* Yang, 1994 Ref. 同前  
*Eusarima indeserta* Yang, 1994 Ref. 同前  
*Eusarima junia* Yang, 1994 Ref. 同前  
*Eusarima logica* Yang, 1994 Ref. 同前  
*Eusarima matsumurai* (Matsumura, 1916) Ref. 同前  
*Eusarima motiva* Yang, 1994 Ref. 同前  
*Eusarima mucida* Yang, 1994 Ref. 同前  
*Eusarima mythica* Yang, 1994 Ref. 同前  
*Eusarima penaria* Yang, 1994 Ref. 同前  
*Eusarima perlaeta* Yang, 1994 Ref. 同前  
*Eusarima radicata* Yang, 1994 Ref. 同前  
*Eusarima rubricans* (Matsumura, 1916) Ref. 同前  
*Eusudasina nantouensis* Yang, 1994 Ref. 同前  
*Gelastyrella litaoensis* Yang, 1994 Ref. 同前  
*Gergithoides carinatifrons* Schumacher, 1915 Ref. 同前  
*Gergithus affinis* Schumacher, 1915 Ref. 同前  
*Gergithus bistratus* (Schumacher, 1915) Ref. 同前  
*Gergithus carbonarius* Melichar, 1906 Ref. 同前  
*Gergithus chihpensis* Chan & Yang, 1994 Ref. 同前  
*Gergithus flaviguttatus* Hori, 1969 Ref. 同前  
*Gergithus formosanus* Metcalf, 1955 Ref. 同前  
*Gergithus horisanus* Matsumura, 1916 Ref. 同前  
*Gergithus hosticus* Chan & Yang, 1994 Ref. 同前  
*Gergithus lineatus* Kato, 1933 Ref. 同前  
*Gergithus longulus* Schumacher, 1915 Ref. 同前  
*Gergithus nigrolimbatus* Schumacher, 1915 Ref. 同前  
*Gergithus nummarius* Chan & Yang, 1994 Ref. 同前  
*Gergithus pendulus* Chan & Yang, 1994 Ref. 同前  
*Gergithus robustus* Schumacher, 1915 Ref. 同前  
*Gergithus rosticus* Chan & Yang, 1994 Ref. 同前  
*Gergithus rotundus* Chan & Yang, 1994 Ref. 同前  
*Gergithus stramineus* Hori, 1969 Ref. 同前

*Gergithus taiwanensis* Hori, 1969 Ref. 同前  
*Gergithus tessellatus* Matsumura, 1916 Ref. 同前  
*Gergithus unicolor* Melichar, 1906 Ref. 同前  
*Gergithus variabilis* (Butler, 1875) Ref. 同前  
*Gergithus yayeyamensis* Hori, 1969 Ref. 同前  
*Hemisphaerius delectabilis* Schumacher, 1914 Ref. 同前  
*Hemisphaerius formosus* Melichar, 1913 Ref. 同前  
*Hemisphaerius hoozanensis* Schumacher, 1915 Ref. 同前  
*Hemisphaerius kotoshonis* Matsumura, 1938 Ref. 同前  
*Hemisphaerius sauteri* Schmidt, 1910 Ref. 同前  
*Nenasa obliqua* Chan & Yang, 1994 Ref. 同前  
*Neokodaiana chihpensis* Yang, 1994 Ref. 同前  
*Neosarima curiosa* Yang, 1994 Ref. 同前  
*Neosarima nigra* Yang, 1994 Ref. 同前  
*Okissus kuroiwae* Matsumura, 1916 Ref. 同前  
*Parahiracia sinensis* Ôuchi, 1940 Ref. 同前  
*Parasarima pallizona* (Matsumura, 1938) Ref. 同前  
*Paravindilis taiwana* Yang, 1994 Ref. 同前  
*Pterilia formosana* Kato, 1933 Ref. 同前  
*Pterilia taiwanensis* Kato, 1933 Ref. 同前  
*Sarima formosana* Schumacher, 1915 Ref. 同前  
*Sarima koshunense* Matsumura, 1916 Ref. 同前  
*Sarima kuyaniana* Matsumura, 1916 Ref. 同前  
*Sarima rinkihonis* Matsumura, 1916 Ref. 同前  
*Sarima tappana* Matsumura, 1916 Ref. 同前  
*Sarima versicolor* Kato, 1933 Ref. 同前  
*Sarimodes taimokko* Matsumura, 1916 Ref. 同前  
*Sinesarima caduca* Yang, 1994 Ref. 同前  
*Sinesarima dubiosa* Yang, 1994 Ref. 同前  
*Sinesarima pannosa* Yang, 1994 Ref. 同前  
*Tonga botelensis* Kato, 1933 Ref. 同前  
*Tonga westwoodi* (Signoret, 1862) Ref. 同前

#### Family Kermesidae 絳介殼蟲科

*Kermes formosanus* Takahashi, 1929 台絳介殼蟲 [特有] Ref. 陶。1989  
*Kermes tropicalis* Takahashi, 1936 [特有] Ref. Takahashi, 1936

#### Family Kerriidae 膠介殼蟲科

*Kerria greeni* (Chamberlin, 1923) 黃膠介殼蟲 Ref. 陶。1989  
*Kerria lacca* (Kerr, 1782) 紫膠介殼蟲 Ref. 陶。1989  
*Paratachardina theae* (Green & Mann, 1907) 茶餅介殼蟲 Ref. 陶。1989

#### Family Lachnidae 大蚜科

*Cinara formosana* (Takahashi, 1924) 臺灣松蚜 Ref. Tao, 1986  
*Cinara idahoensis* Knowlton, 1935 側柏綠蚜 Ref. Tao, 1986  
*Cinara juniperi* (De Geer, 1733) 圓柏蚜 Ref. Tao, 1986  
*Cinara orientalis* (Takahashi, 1925) 東方松蚜 Ref. Tao, 1986  
*Cinara piceae* (Panzer, 1801) Ref. Tao, 2000  
*Cinara pinea* (Mordvilko, 1895) 歐亞松蚜 Ref. Tao, 1986  
*Cinara pinidensiflorae* (Essig & Kuwana, 1918) 東亞松蚜 Ref. Tao, 1986  
*Cinara taiwana* (Takahashi, 1925) 鐵杉蚜 [特有] Ref. Tao, 1986  
*Cinara tujafilina* (del Guercio, 1919) 柏大蚜 Ref. Tao, 1986  
*Eulachnus agilis* (Kaltenbach, 1843) 舊世界松針蚜 Ref. Tao, 1986  
*Eulachnus rileyi* (Williams, 1911) Ref. Tao, 2000  
*Eulachnus taiwanus* Takahashi, 1923 短毛松針蚜 Ref. Tao, 1986  
*Eulachnus thunbergi* (Wilson, 1919) 長毛松針蚜 Ref. Tao, 1986  
*Lachnus fici* Takahashi, 1933 褐翅基大蚜 Ref. Tao, 1986  
*Lachnus nigripes* Takahashi, 1932 臺灣斑翅大蚜 Ref. Tao, 1986  
*Lachnus tattakaensis* Takahashi, 1937 立鷹大蚜 [特有] Ref. Tao, 1986  
*Longicaudinus corydalisicola* Tao, 1962 長尾蚜 Ref. Tao, 1986  
*Longistigma liquidambarus* (Takahashi, 1925) 楓長翅瘿大蚜 Ref. Tao, 1986  
*Nippolachnus fici* (Takahashi, 1933) 褐翅基大蚜 [特有] Ref. 陶。1990  
*Nippolachnus piri* Matsumura, 1917 無眼瘤大蚜 Ref. Tao, 1986  
*Pyrolachnus pyri* (Buckton, 1899) Ref. Tao, 2000  
*Schizolachnus orientalis* (Takahashi, 1924) 東方單脈大蚜 Ref. 陶。1990  
*Schizzaphis (Paraschizzaphis) scirpi* (Passerini, 1874) 莎草粗毛足蚜 Ref. Tao, 1986  
*Sinolachnus niitakayamaensis* (Takahashi, 1925) 植梧大蚜 Ref. Tao, 2000  
*Sinolachnus taiwanus* Tao, 1989 [特有] Ref. Tao, 2000  
*Stomaphis liquidambarus* Takahashi, 1925 褐斑長吻蚜；楓香長吻蚜 [特有] Ref. Tao, 1986  
*Stomaphis yanonis* Takahashi, 1928 楓長吻蚜 Ref. Tao, 1986  
*Tuberolachnus salignus* (Gmelin, 1790) 柳瘤大蚜 Ref. Tao, 1986

#### Family Largidae 大紅蝽科

*Physopelta albofasciata* (De Geer, 1773) 原斑紅蝽 Ref. Aukema & Rieger, 2001

*Physopelta cincticollis* Stål, 1863 小背斑紅蟬 Ref. 同前  
*Physopelta gutta* (Burmeister, 1834) 突背斑紅蟬 Ref. 同前  
*Physopelta parviceps* Blöte, 1931 Ref. 同前  
*Physopelta quadriguttata* Bergroth, 1894 Ref. 同前  
*Physopelta slanbuschii* (Fabricius, 1787) 顯斑紅蟬 Ref. 同前

#### Family Lecanodiaspididae 球鏈介殼蟲科

*Lecanodiaspis Lecanodiaspis* Takahashi, 1929 校力球鏈介殼蟲 Ref. 陶。1989  
*Paoraleococcus foochowensis* (Takahashi, 1936) Ref. ScaleNet, 2006  
*Paoraleococcus verrucosus* Borchsenius, 1959 Ref. 同前

#### Family Ledridae 耳葉蟬科

*Epiclinata planata* (Fabricius, 1794) Ref. Shih et al., 2001  
*Funkikononia taiwana* Cai & Huang, 1998 Ref. 同前  
*Funkikononia tuberculata* (Kato, 1929) Ref. 同前  
*Kuohledra zhaoi* Cai & He, 1997 Ref. 同前  
*Ledra auditura* Walker, 1858 Ref. 同前  
*Ledra bilobata* Schumacher, 1915 Ref. 同前  
*Ledra kosempoensis* Schumacher, 1915 Ref. 同前  
*Ledropsis takasagona* Kato, 1931 Ref. 同前  
*Midoria capitata* Kato, 1931 Ref. 同前  
*Parapetalocephala montana* Kato, 1931 Ref. 同前  
*Petalocephala castanea* Kato, 1931 Ref. 同前  
*Petalocephala cultellifera* (Walker, 1857) Ref. 同前  
*Petalocephala formosana* (Matsumura, 1912) Ref. 同前  
*Petalocephala horishana* (Matsumura, 1912) Ref. 同前  
*Petalocephala koshunensis* Schumacher, 1915 Ref. 同前  
*Petalocephala quadrimaculata* (Matsumura, 1912) Ref. 同前  
*Petalocephala rubromarginata* Kato, 1931 Ref. 同前  
*Petalocephala taihorensis* Schumacher, 1915 Ref. 同前  
*Petalocephala taikosana* Kato, 1931 Ref. 同前  
*Petalocephala vittata* Matsumura, 1912 Ref. 同前  
*Petalocephaloides laticapitata* Kato, 1931 Ref. 同前  
*Tituria angulata* (Matsumura, 1912) Ref. 同前  
*Tituria fuscipennis* Kato, 1929 Ref. 同前  
*Tituria obtusa* Kato, 1931 Ref. 同前

#### Family Lyctocoridae 細角花蝽科

*Lyctocoris hasegawai* Hiura, 1966 暗色細角花蝽 Ref. Hiura, 1966

#### Family Lygaeidae 長蝽科

*Aethalotus nigriventris* Horváth, 1914 黑頭柄眼長蝽 Ref. Aukema & Rieger, 2001  
*Arocatus sericans* (Stål, 1860) 絲腫鰓長蝽 Ref. 同前  
*Botocudo formosanus* (Hidaka, 1959) 六斑微長蝽 Ref. 同前  
*Bryanellucoris orientalis* Hidaka, 1962 東方完縫長蝽 Ref. 同前  
*Caenocoris dimidiatus* Breddin, 1907 Ref. 同前  
*Cavelerius saccharivorus* (Okajima, 1922) 甘蔗長蝽 Ref. 同前  
*Cymus tabaci* Matsumura, 1910 [特有] Ref. 同前  
*Dieuches uniformis* Distant, 1903 Ref. 同前  
*Dimorphopterus gibbus* (Fabricius, 1794) 異膜狹長蝽 Ref. 同前  
*Diniella intaminatus* (Distant, 1903) 垂頭赤喉長蝽 Ref. 同前  
*Elasmolomus lineosus* (Distant, 1901) Ref. 同前  
*Elasmolomus squalidus* (Gmelin, 1790) Ref. 同前  
*Eremocoris shirozui* Hidaka, 1965 [特有] Ref. 同前  
*Eucosmetus formosus* Bergroth, 1894 台灣隆胸長蝽 Ref. 同前  
*Geocoris flaviceps* Breddin, 1901 斑翅大眼長蝽 Ref. 同前  
*Geocoris ochropterus* (Fieber, 1844) 南亞大眼長蝽 Ref. 同前  
*Geocoris pallidipennis* Montandon, 1913 [特有] Ref. 同前  
*Geocoris varius* (Uhler, 1860) 寬大眼長蝽 Ref. 同前  
*Graptostethus servus* (Fabricius, 1787) Ref. 同前  
*Horridipamera nietneri* (Dohrn, 1860) 紫黑刺脛長蝽 Ref. 同前  
*Iphicrates gressitti* Slater, 1966 台灣業頰長蝽 Ref. 同前  
*Kanigara tuberculata* Scudder, 1969 Ref. 同前  
*Lamproplax membraneus* Distant, 1883 Ref. 同前  
*Lygaeus formosanus* Shiraki, 1913 [特有] Ref. 同前  
*Macropes australis* (Distant, 1901) 細巨股長蝽  
*Macropes dentipes* Motschulsky, 1859 台灣巨股長蝽 Ref. Aukema & Rieger, 2001  
*Macropes harringtonae* Salter Ashlock & Wilcox, 1969 小巨股長蝽 Ref. 同前  
*Macropes major* Matsumura, 1913 大巨股長蝽 Ref. 同前  
*Metochus abbreviatus* Scott, 1874 短翅迅族長蝽 Ref. 同前  
*Metochus uniguttata* (Thunberg, 1822) Ref. 同前  
*Neolethaeus assamensis* (Distant, 1901) 大黑毛肩長蝽 Ref. 同前  
*Neolethaeus dallasi* (Scott, 1874) 東亞毛肩長蝽 Ref. 同前  
*Neolethaeus esakii* (Hidaka, 1962) 小黑毛肩長蝽 Ref. 同前

*Neolethaeus formosanus* (Hidaka, 1962) 台灣毛肩長蝽 Ref. 同前  
*Neomizaldus lewisi* (Distant, 1901) Ref. 同前  
*Nerthus taivanicus* (Bergroth, 1914) 台裂腹長蝽 Ref. 同前  
*Nysius ericae* (Schilling, 1829) Ref. 同前  
*Oncopeltus nigriceps nigriceps* (Dallas, 1852) 黑帶突角長蝽  
*Oncopeltus quadriguttatus* (Fabricius, 1775) 臺灣突角長蝽 Ref. Aukema & Rieger, 2001  
*Oxycarenus bicolor* Fieber, 1851 二色尖長蝽 Ref. 同前  
*Oxycarenus gossypii* Horvath, 1926 Ref. 同前  
*Oxycarenus laetus* Körby, 1891 Ref. 同前  
*Oxycarenus lugubris* (Motschulsky, 1859) 黑斑尖長蝽 Ref. 同前  
*Pachygrontha austrina* Kirkaldy, 1908 南梭長蝽 Ref. 同前  
*Pachygrontha bipunctata* Stål, 1865 二點梭長蝽 Ref. 同前  
*Pachygrontha nigrovittata* Stål 1871 黑盾梭長蝽 Ref. 同前  
*Pachyphylegys modigliani* (Lethierry, 1888) 駝長蝽 Ref. 同前  
*Pamerana scottii* (Distant, 1901) 毛胸直鯉長蝽  
*Parathyginus signifer* (Walker, 1872) Ref. Aukema & Rieger, 2001  
*Paromius gracilis* (Rambur, 1839) 短喙細長蝽 Ref. 同前  
*Plinthisus patruelis* Horváth, 1914 Ref. 同前  
*Potamiaea aurifera* Distant, 1901  
*Primierus tuberculatus* Zheng, 1981 Ref. Aukema & Rieger, 2001  
*Pseudopachybrachius guttus* (Dallas, 1852) 圓眼長蝽  
*Remaudiereana annulipes* (Bärensprung, 1859) Ref. Aukema & Rieger, 2001  
*Remaudiereana octonotata* (Bergroth, 1914) [特有] Ref. 同前  
*Spilostethus hospes* (Fabricius, 1794) 箭痕腺長蝽 Ref. 同前  
*Thunbergia marginata* (Thunberg, 1822) Ref. 同前  
*Thunbergia sanguinaria* Stål, 1871 Ref. 同前  
*Tropidothorax elegans* (Distant, 1883) 紅脊長蝽 Ref. 同前

#### Family Malcidae 突眼長蝽科

*Chauliops fallax* Scott, 1874 豆突眼長蝽 Ref. Aukema & Rieger, 2001  
*Malcus idoneus* Horváth, 1914 狹葉束長蝽 Ref. 同前  
*Malcus insularis* Štys, 1967 台灣束長蝽 [特有] Ref. 同前

#### Family Margarodidae 碩介殼蟲科

*Drosicha contrahens* Walker, 1858 草履介殼蟲 Ref. 陶。1989  
*Drosicha dalbergiae* (Green, 1902) 黃檀草履介殼蟲 Ref. 陶。1989  
*Drosicha maskelli* (Cockerell, 1897) 麥氏草履介殼蟲 Ref. 陶。1989  
*Icerya aegyptiaca* (Douglas, 1890) 埃及吹綿介殼蟲 Ref. 陶。1989  
*Icerya purchasi* Maskell, 1878 吹綿介殼蟲 Ref. 陶。1989  
*Icerya seychellarum* (Westwood, 1855) 黃吹綿介殼蟲 Ref. 陶。1989  
*Kuwania quercus* (Kuwana, 1902) 櫟脛毛介殼蟲 Ref. 陶。1989  
*Lecaniodrosicha lithocarpi* Takahashi, 1930 校力蠟履介殼蟲 Ref. 陶。1989

#### Family Meenoplidae 縞飛蝨科

*Anigrus freqiems* Matsumura, 1914 [特有] Ref. Tsaur et al., 1986  
*Anigrus fromosanus* (Matsumura, 1914) [特有] Ref. 同前  
*Eponisia guttula* Matsumura, 1914 [特有] Ref. 同前  
*Eponisia macula* Tsaur et al., 1986 [特有] Ref. 同前  
*Eponisia splendida* Tsaur, 1989 [特有] Ref. Tsaur, 1989  
*Eponisiella matsumurai* Tsaur et al., 1986 [特有] Ref. Tsaur et al., 1986  
*Metanigrus yami* Tsaur et al., 1986 [特有] Ref. 同前  
*Nisia australiensis* Woodward, 1957 Ref. 同前  
*Nisia carolinensis* Fennah, 1971 Ref. 同前  
*Nisia serrata* Tsaur, 1989 [特有] Ref. Tsaur, 1989  
*Tyweponisia woodwardi* (Tsaur & Yang & Wilson, 1986) [特有] Ref. Tsaur et al., 1986

#### Family Mesoveliidae 水蝽科

*Mesovelia japonica* Miyamoto, 1964 水蝽 Ref. Aukema & Rieger, 1995  
*Mesovelia vittigera* Horvath, 1895 水蝽 Ref. 同前

#### Family Micronectidae 小划蝽科

*Micronecta anatolica* Lindberg, 1922 Ref. Aukema & Rieger, 1995  
*Micronecta grisea* (Fieber, 1844) 小划蝽 Ref. 同前  
*Micronecta hungerfordi* Chen, 1960 Ref. Chen, 1960  
*Micronecta lenticularis* Chen, 1960 [特有] Ref. Chen, 1960  
*Micronecta matsumurai* Miyamoto, 1965 [特有] Ref. Miyamoto, 1965  
*Micronecta obtusa* Yang, 1966 Ref. Yang, 1966  
*Micronecta orientalis* Wroblewski, 1960 Ref. Aukema & Rieger, 1995  
*Micronecta quadristrigata* Breddin, 1905 Ref. 同前  
*Micronecta sahlbergii* (JakovLev, 1881) Ref. 同前  
*Micronecta tuberculata* Yang, 1966 Ref. Yang, 1966  
*Micronecta unguiculata* Yang, 1967 Ref. Yang, 1967

#### Family Miridae 盲蝽科

*Acomocera glandiocola* Lin, 1998 Ref. Lin, 1998

*Acomocera longiconea* Lin, 1998 [特有] Ref. Lin, 1998  
*Alcerocoris formosanus* Lin, 2004 臺灣鹿角樹蝽 [特有] Ref. Lin, 2006  
*Alcerocoris fraxinusae* Lin, 2004 木犀鹿角樹蝽 [特有] Ref. Lin, 2006  
*Angerianus maurus* Distant, 1904 Ref. Stonedahl, 1991  
*Apolygus biannulatus* (Poppius, 1915) Ref. Poppius, 1915  
*Apolygus eous* (Poppius, 1915) [特有] Ref. Poppius, 1915  
*Apolygus fuhoshoensis* (Poppius, 1915) 寶島后麗盲蝽 [特有] Ref. Poppius, 1915  
*Apolygus kosempoensis* (Poppius, 1915) 台灣后麗盲蝽 [特有] Ref. Poppius, 1915  
*Arbolygus pronotalis* (Zheng & Liu, 1992) 斑胸樹麗盲蝽 Ref. Zheng & al., 2004  
*Argenis incisuratus* (Walker, 1873) Ref. Aukema & Rieger, 1999  
*Astroscometopus formosana* (Lin, 2004) 臺灣樹蝽 [特有] Ref. Lin, 2004  
*Bertsia lankana* (Körby, 1891) Ref. Aukema & Rieger, 1999  
*Bothriomiris capillosus* Yasunaga, 2000 [特有] Ref. Yasunaga, 2000  
*Bothriomiris lugubris* (Poppius, 1915) Ref. Poppius, 1915  
*Bryocoris (Bryocoris) formosensis* Lin, 2003 臺灣蕨盲蝽 [特有] Ref. Lin, 2003  
*Bryocoris (Bryocoris) gracilis* Linnavuori, 1961 纖細蕨盲蝽 Ref. Lin, 2003  
*Bryocoris (Bryocoris) insuetus* Hu & Zheng, 2000 奇突蕨盲蝽 Ref. Lin, 2003  
*Bryocoris (Cobalorrhynchus) flaviceps* Zheng & Liu, 1992 黃頭蕨盲蝽 Ref. Lin, 2003  
*Bryocoris (Cobalorrhynchus) latus* Lin, 2003 寬翅蕨盲蝽 [特有] Ref. Lin, 2003  
*Bryocoris (Cobalorrhynchus) paravittatus* Lin, 2003 類帶蕨盲蝽 [特有] Ref. Lin, 2003  
*Campylomma chinense* Schuh, 1984 Ref. Tomokuni, 1993  
*Campylomma lividicorne* Reuter, 1912 Ref. Aukema & Rieger, 1999  
*Campylomma lividum* Reuter, 1885 Ref. 同前  
*Castanopsides gotohi* Yasunaga, 1998 [特有] Ref. Yasunaga, 1998  
*Castanopsides hasegawai* Yasunaga, 1992 Ref. Yasunaga, 1992  
*Castanopsides montanus* Yasunaga, 1998 [特有] Ref. Yasunaga, 1998  
*Castanopsides taiwanus* Yasunaga, 1998 [特有] Ref. 同前  
*Castanopsides takaii* Yasunaga, 1998 Ref. 同前  
*Charagochilus angusticollis* Linnavuori, 1961 狹額聞唇盲蝽 Ref. Zheng & al., 2004  
*Charagochilus longicornis* Reuter, 1885 長角紋唇盲蝽 Ref. Aukema & Rieger, 1999  
*Charagochilus taivanus* (Poppius, 1915) 台灣紋唇盲蝽 Ref. Poppius, 1915  
*Cheilocapsidea pura* (Yasunaga, 1995) [特有] Ref. Yasunaga, 1995  
*Cheilocapsidea rufescens* (Yasunaga, 1995) [特有] Ref. 同前  
*Cheilocapsu miyamotoi* Yasunaga, 1995  
*Cheilocapsus miyamotoi* Yasunaga, 1998 Ref. Aukema & Rieger, 1999  
*Cheilocapsus taiwanicus* Yasunaga, 1994 [特有] Ref. Yasunaga, 1994  
*Creontiades bipunctatus* Poppius, 1915 Ref. Poppius, 1915  
*Creontiades coloripes* Hsiao, 1963 Ref. Aukema & Rieger, 1999  
*Creontiades minutus* Poppius, 1915 Ref. Poppius, 1915  
*Creontiades pacificus* (Stål, 1860) Ref. Aukema & Rieger, 1999  
*Cylapomorpha michikoei* Yasunaga, 2000 Ref. Yasunaga & Miyamoto, 2006  
*Cyrtorhinus lividipennis* Reuter, 1885 黑肩綠盔盲蝽 Ref. Aukema & Rieger, 1999  
*Decomia cephalotes* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Decomioides schneirlai* Schuh, 1984 Ref. Schuh, 1984  
*Deraeocoris apicatus* Kerzhner & Schuh, 1995 [特有] Ref. Aukema & Rieger, 1999  
*Deraeocoris parviceps* (Poppius, 1915) [特有] Ref. Poppius, 1915  
*Deraeocoris plebejus* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Deraeocoris sauteri* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Deraeocoris scutellarisanus* Carvalho, 1957 Ref. Aukema & Rieger, 1999  
*Deraeocoris sordidus* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Dicyphus orientalis* Reuter, 1879 Ref. Lin & Yang, 2005  
*Dimia formosana* Lin, 2006 臺灣迪盲蝽 [特有] Ref. Lin, 2006  
*Dolichomiris linealis* Reuter, 1882 Ref. Zheng & al., 2004  
*Dortus chinai* Miyamoto, 1965 Ref. Lin & Yang, 2005  
*Dortus primarius* Distant, 1910 Ref. 同前  
*Druthmarus coxalis* (Reuter, 1891) Ref. Aukema & Rieger, 1999  
*Eolygus vittatus* Poppius, 1915 紋條曙麗盲蝽 [特有] Ref. Poppius, 1915  
*Ernestinus brevis* Lin, 2001 微芋盲蝽 [特有] Ref. Lin, 2001  
*Ernestinus nigriscutum* Lin, 2001 黑胸芋盲蝽 [特有] Ref. Lin, 2001  
*Ernestinus pallidiscutum* (Poppius, 1915) Ref. Poppius, 1915  
*Eupachypeltis flavicornis* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Eupachypeltis immanis* Lin, 2000 [特有] Ref. Lin, 2000  
*Eurystylomorpha crassicornis* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Eurystylus sauteri* Poppius, 1915 台灣厚盲蝽 Ref. Poppius, 1915  
*Felisacus gressitti* Miyamoto, 1965 Ref. Lin, 2000  
*Felisacus insularis* Miyamoto, 1965 Ref. Lin, 2000  
*Felisacus longiceps* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Felisacus okinawanus* Miyamoto, 1965 Ref. Lin, 2000  
*Fingulus collaris* Miyamoto, 1965 Ref. Lin & Yang, 2005  
*Fingulus inflatus* Stonedahl & Cassis, 1991 Ref. Stonedahl & Cassis, 1991  
*Fingulus longicornis* Miyamoto, 1965 Ref. 同前  
*Fulvius anthocoroides* (Reuter, 1875) Ref. Aukema & Rieger, 1999

*Fulvius dimidiatus* Poppius, 1909 Ref. 同前  
*Fulvius sauteri* Poppius, 1915 Ref. Poppius, 1915  
*Fulvius tagalicus* Poppius, 1914 Ref. Aukema & Rieger, 1999  
*Hallodapus albofasciatus* (Motschulsky, 1863) Ref. 同前  
*Hallodapus brunneus* (Poppius, 1915) Ref. Poppius, 1915  
*Hallodapus fenestratus* Linnavuori, 1961 Ref. Aukema & Rieger, 1999  
*Hallodapus persimilis* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Halticus insularis* Usinger, 1946 Ref. Lee & Kwon, 1991  
*Halticus minutus* Reuter, 1885 微小跳盲蝽 Ref. Aukema & Rieger, 1999  
*Harpedona fulvigenis* (Poppius, 1915) [特有] Ref. 同前  
*Harpedona marginata* Distant, 1904 山藥黑盲蝽 Ref. Lin, 2001  
*Hekista novitius* (Distant, 1904) Ref. Lin & Yang, 2005  
*Helopeltis cinchonae* Mann, 1907 角盲蝽 Ref. Aukema & Rieger, 1999  
*Helopeltis fasciaticollis* Poppius, 1915 Ref. Poppius, 1915  
*Heteropantilius flavescens* Yasunaga, 1995 [特有] Ref. Yasunaga, 1995  
*Hyalopeplus lineifer* (Walker, 1873) Ref. Aukema & Rieger, 1999  
*Isabel ravana* (Körby, 1894) Ref. 同前  
*Isometopidea formosana* Lin, 2004 [特有] Ref. Lin, 2004  
*Isometopidea lieweni* Poppius, 1913 錫蘭樹蝽 Ref. Lin & Yang, 2004  
*Isometopidea yangi* Lin, 2005 [特有] Ref. Lin, 2006  
*Isometopus bipunctatus* Lin, 2004 雙點樹蝽 [特有] Ref. Lin, 2006  
*Isometopus hasegawai* Miyamoto, 1965 長谷川樹蝽 Ref. Lin & Yang, 2004  
*Isometopus lini* Lin, 2004 林氏樹蝽 [特有] Ref. Lin, 2006  
*Isometopus nigrosignatus* Ren, 1987 黑痣樹蝽 Ref. Lin & Yang, 2004  
*Isometopus renae* Lin, 2004 任氏樹蝽 [特有] Ref. Lin, 2006  
*Isometopus yehi* Lin, 2004 葉氏樹蝽 [特有] Ref. Lin, 2006  
*Iacorides shirozui* Miyamoto, 1965 [特有] Ref. Miyamoto, 1965  
*Lasiomiris albopilosus* (Lethierry, 1888) Ref. Aukema & Rieger, 1999  
*Lasiomiris picturatus* Zheng, 1986 斑紋毛盲蝽 Ref. Zheng, 1986  
*Lasiomiris purpurascens* Zheng, 1986 Ref. Lin & Yang, 2005  
*Latizanchius viridivittatus* Liu & Zheng, 2001 Ref. Liu & Zheng, 2001  
*Liocapsus gotohi* Yasunaga & Schwartz, 2007 [特有] Ref. Yasunaga & Schwartz, 2007  
*Liocapsus ochromelas* Yasunaga & Schwartz, 2007 [特有] Ref. 同前  
*Lygocorides rubricans* Yasunaga, 1996 Ref. Yasunaga, 1996  
*Lygocoris taivanus* (Poppius, 1915) [特有] Ref. Poppius, 1915  
*Lygus clypealis* Poppius, 1915 Ref. Poppius, 1915  
*Lygus sacchari* Matsumura, 1910 [特有] Ref. Matsumura, 1910  
*Macrolonius schenkingi* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Mansoniella cervivirga* Lin, 2000 [特有] Ref. Lin, 2000  
*Mansoniella formosana* Lin, 2002 蓬萊曼盲蝽 [特有] Ref. Lin, 2002  
*Mansoniella kungi* Lin, 2001 龔氏曼盲蝽 [特有] Ref. Lin, 2001  
*Mansoniella shihfanae* Lin, 2000 [特有] Ref. Lin, 2000  
*Mansoniella yafanae* Lin, 2000 [特有] Ref. Lin, 2000  
*Mecistoscelis scirtetoides* Reuter, 1891 竹盲蝽 Ref. Aukema & Rieger, 1999  
*Mecomma capitatum* Liu & Zheng, 1993 Ref. Lin & Yang, 2005  
*Mecomma opacum* Liu & Zheng, 1993 Ref. 同前  
*Megacoelum formosanum* (Poppius, 1915) Ref. Poppius, 1915  
*Megacoelum minutum* Poppius, 1915 Ref. Poppius, 1915  
*Moissonia punctata* (Fieber, 1861) Ref. Aukema & Rieger, 1999  
*Monalocoris filicis* (Linnaeus, 1758) Ref. Miyamoto, 1965  
*Monalocoris pallipes* Carvalho, 1981 Ref. Lin & Yang, 2005  
*Myiomma choui* Lin & Yang, 2004 周氏樹蝽 [特有] Ref. Lin & Yang, 2004  
*Myiomma samuelsoni* Miyamoto, 1965 山姆森樹蝽 Ref. 同前  
*Myiomma zhengi* Lin & Yang, 2004 鄭氏樹蝽 [特有] Ref. 同前  
*Neolygus bipuncticollis* (Poppius, 1915) [特有] Ref. Poppius, 1915  
*Neolygus bui* Lu & Zheng, 2004 Ref. Zheng & al., 2004  
*Neolygus disciger* (Poppius, 1915) 異斑新麗盲蝽 [特有] Ref. Poppius, 1915  
*Neolygus keltoni* (Lu & Zheng, 1998) Ref. Aukema & Rieger, 1999  
*Neolygus matsumurae* (Poppius, 1915) [特有] Ref. Poppius, 1915  
*Neolygus nigriscutellaris* Lu & Zheng, 2004 Ref. Zheng & al., 2004  
*Neolygus v-nigrum* (Poppius, 1915) [特有] Ref. Poppius, 1915  
*Nesidiocoris plebejus* Poppius, 1915 菸盲蝽 [特有] Ref. Poppius, 1915  
*Nesidiocoris poppiusi* (Carvalho, 1958) 菸盲蝽 [特有] Ref. Poppius, 1915  
*Nesidiocoris tenuis* (Reuter, 1895) Ref. Aukema & Rieger, 1999  
*Opuna annulata* (Knight, 1935) Ref. 同前  
*Orientocapsus bicoloratus* Yasunaga & Schwartz, 2007 菸盲蝽 [特有] Ref. Yasunaga & Schwartz, 2007  
*Orthotylus orientalis* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Pachypeltis corallina* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Papuacoris vittatus* (Reuter, 1908) Ref. Poppius, 1915  
*Paramiridius tigrinus* Miyamoto & Yasunaga, 1992 [特有] Ref. Miyamoto & Yasunaga, 1992  
*Peritropis punctata* Carvalho & Lorenzato, 1978 Ref. Lin & Yang, 2005  
*Peritropis pusilla* Poppius, 1915 [特有] Ref. Poppius, 1915

*Philostephanus monticola* Yasunaga & Schwartz, 2007 菸盲蝽 [特有] Ref. Yasunaga & Schwartz, 2007  
*Philostephanus ovalis* Yasunaga & Schwartz, 2007 菸盲蝽 [特有] Ref. 同前  
*Philostephanus taiwanensis* Yasunaga & Schwartz, 2007 菸盲蝽 [特有] Ref. 同前  
*Pilophorus formosanus* Poppius, 1915 Ref. Poppius, 1915  
*Pilophorus typicus* (Distant, 1909) Ref. Aukema & Rieger, 1999  
*Poppiocapsidea clypealis* (Poppius, 1915) [特有] Ref. Poppius, 1915  
*Proboscidocoris malayus* Reuter, 1908 烏來喙盲蝽 Ref. Aukema & Rieger, 1999  
*Proboscidocoris varicornis* (JakovLev, 1904) Ref. Lee & Kwon, 1991  
*Prodromus clypeatus* Distant, 1904 Ref. Aukema & Rieger, 1999  
*Prolygus bakeri* (Poppius, 1915) Ref. Poppius, 1915  
*Prolygus kirkaldyi* (Poppius, 1915) Ref. Poppius, 1915  
*Prolygus niger* Poppius, 1915 黑始麗盲蝽 Ref. Poppius, 1915  
*Prolygus nigriclavus* (Poppius, 1915) [特有] Ref. Poppius, 1915  
*Prolygus tainanensis* (Poppius, 1915) [特有] Ref. Poppius, 1915  
*Psallops formosanus* Lin, 2004 臺灣薩盲蝽 [特有] Ref. Lin, 2006  
*Psallops leae* Lin, 2004 李氏薩盲蝽 [特有] Ref. Lin, 2006  
*Psallops luteus* Lin, 2006 橙斑薩盲蝽 [特有] Ref. Lin, 2006  
*Pseudoloxops lateralis* (Poppius, 1915) [特有] Ref. Poppius, 1915  
*Rhinoclypidius velocipedoides* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Rubrocuneocoris falcis* Lin, 2006 鎌紅楔盲蝽 [特有] Ref. Lin, 2006  
*Rubrocuneocoris maculosus* Lin, 2006 斑紅楔盲蝽 [特有] Ref. Lin, 2006  
*Rubrocuneocoris nodus* Lin, 2006 棒紅楔盲蝽 [特有] Ref. Lin, 2006  
*Rubrocuneocoris trifidus* Lin, 2006 三叉紅楔盲蝽 [特有] Ref. Lin, 2006  
*Sabactiopus sauteri* (Poppius, 1915) Ref. Poppius, 1915  
*Sejanus crassicornis* (Poppius, 1915) [特有] Ref. Poppius, 1915  
*Singhalesia obscuricornis* (Poppius, 1915) Ref. Poppius, 1915  
*Sophianus formosanus* Lin & Yang, 2004 臺灣奇樹蝽 [特有] Ref. Lin & Yang, 2004  
*Stenodema brevinotum* Lin, 1998 [特有] Ref. Lin, 1998  
*Stenodema elegans* (Reuter, 1904) Ref. Lin, 1998  
*Stenodema longicolle* Poppius, 1915 Ref. Poppius, 1915  
*Stenotus insularis* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Stenotus longiceps* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Stenotus pygmaeus* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Stenotus viridis* Shiraki, 1913 Ref. Shiraki, 1913  
*Sthenaridea piceonigra* (Motschulsky, 1863) Ref. Aukema & Rieger, 1999  
*Sthenaridea rufescens* Poppius, 1915 Ref. Poppius, 1915  
*Taylorilygus apicalis* (Fieber, 1861) Ref. Aukema & Rieger, 1999  
*Taylorilygus ornatocollis* (Reuter, 1908) Ref. 同前  
*Termatophylum orientale* Poppius, 1915 Ref. Poppius, 1915  
*Tingiotopsis formosanum* Poppius, 1915 Ref. Poppius, 1915  
*Tingiotopsis oryzae* (Matsumura, 1910) [特有] Ref. Matsumura, 1910  
*Tingiotum perlatum* Linnavuori, 1961 Ref. Zheng & Lu, 2002  
*Totta ruficornis* Lin & Yang, 2004 紅角樹蝽 [特有] Ref. Lin & Yang, 2004  
*Trigonotylus tenuis* Reuter, 1893 小赤鬚盲蝽 Ref. Aukema & Rieger, 1999  
*Tytthus chinensis* (Stål, 1860) Ref. 同前  
*Zanchius apicalis* Poppius, 1915 [特有] Ref. Poppius, 1915  
*Zanchius formosanus* Lin, 2005 臺灣平盲蝽 [特有] Ref. Lin, 2006  
*Zanchius marmoratus* Zou, 1987 綠斑平盲蝽 Ref. Lin, 2006  
*Zanchius tarasovi* Kerzhner, 1987 紅點平盲蝽 Ref. Lin, 2006  
*Zonodoropsis pallens* Poppius, 1915 [特有] Ref. Poppius, 1915

### Family Nabidae 姬蝽科

*Alloeorhynchus vinulus* Stål, 1864 黑頭異姬蝽 Ref. Aukema & Rieger, 1996  
*Arbela polita* Stål, 1871 滑棒姬蝽 Ref. 同前  
*Arbela simplicipes* (Poppius, 1915) 簡足棒姬蝽 Ref. Poppius, 1915  
*Nabis kinbergii* Reuter, 1872 黑頭異姬蝽 Ref. Aukema & Rieger, 1996  
*Nabis sauteri* (Poppius, 1915) 薩氏姬蝽 Ref. Poppius, 1915  
*Phorticus affinis* Poppius, 1915 傾晦姬蝽 Ref. Poppius, 1915  
*Phorticus formosanus* Poppius, 1915 寶島晦姬蝽 [特有] Ref. Poppius, 1915  
*Prostemma fasciatum* (Stål, 1873) 平帶花姬蝽 Ref. Aukema & Rieger, 1996  
*Rhamphocoris elegantulus* (Schumacher, 1914) 台灣光姬蝽 [特有] Ref. Schumacher, 1914  
*Rhamphocoris hasegawai* (Ishihara, 1943) 黑頭光姬蝽 Ref. Ishihara, 1943  
*Stenonabis tibialis* (Distant, 1904) 脛狹姬蝽 [特有] Ref. Aukema & Rieger, 1996

### Family Nepidae 蝸蝽科

*Cercotmetus brevipes* Montandon, 1909 Ref. Aukema & Rieger, 1995  
*Laccotrephes griseus* (Guerin-Meneville, 1835) 卵圓蝸蝽 Ref. 同前  
*Laccotrephes grossus* (Fabricius, 1787) Ref. 同前  
*Laccotrephes japonensis* Scott, 1874 Ref. 同前  
*Laccotrephes maculatus* (Fabricius, 1775) Ref. 同前  
*Laccotrephes pfeiferiae* (Ferrari, 1888) Ref. Nieser et al., 2005  
*Ranatra chinensis* Mayr, 1865 螳蝸蝽 Ref. Aukema & Rieger, 1995  
*Ranatra falloui* Montandon, 1907 Ref. 同前

*Ranatra incisa* Chen Nieser & Ho, 2004 長足螳蟴 Ref. Chen, Nieser & Ho, 2004

### Family Nirvanidae 隱脈葉蟬科

*Mukaria maculata* Matsumura, 1912 Ref. Metcalf, 1962

*Nirvana orientalis* Matsumura, 1912 Ref. Metcalf, 1962

*Nirvana pallida* Melichar, 1903 Ref. Metcalf, 1962

*Nirvana placida* Stål, 1859 Ref. Metcalf, 1962

*Nirvana suturalis* Melichar, 1903 Ref. Metcalf, 1962

*Stenometopius formosanus* Matsumura, 1914 [特有] Ref. Metcalf, 1962

### Family Notonectidae 仰蝽科

*Anisops barbatus* Brooks, 1951 Ref. Aukema & Rieger, 1995

*Anisops kuroiwaie* Matsumura, 1915 直角小仰蝽 Ref. Matsumura, 1915

*Anisops nasutus* Fieber, 1851 Ref. Aukema & Rieger, 1995

*Anisops occipitalis* Breddin, 1905 Ref. 同前

*Anisops ogasawarensis* Matsumura, 1915

*Anisops stali* Kirkaldy, 1904 Ref. Aukema & Rieger, 1995

*Enithares sinica* (Stål, 1854) 華粗仰蝽 Ref. 同前

*Notonecta saramao* Esaki, 1932 [特有] Ref. Esaki, 1932

### Family Ochteridae 蝽蟴科

*Ochterus marginatus* (Latreille, 1804) 蝽蟴 Ref. Aukema & Rieger, 1995

### Family Ortheziidae 旌介殼蟲科

*Newsteadia chihpena* Shiau & Kozár, 2004 知本紐旌介殼蟲 [特有] Ref. Kozár, 2004

*Newsteadia pinicola* Shiau & Kozár, 2004 松紐旌介殼蟲 [特有] Ref. Kozár, 2004

*Newsteadia shiaui* Kozár & Wu, 2004 [特有] Ref. Kozár, 2004

*Nipponorthezia taiwaniana* Kozár & Wu, 2004 [特有] Ref. Kozár, 2004

*Orthezia yashushii* Kuwana, 1923 茵陳旌介殼蟲 Ref. 陶。1989

*Ortheziola fusiana* Shiau & Kozár, 2004 福山苔旌介殼蟲 [特有] Ref. Kozár, 2004

*Ortheziolamameti taipensiana* Shiau & Kozár, 2004 Ref. Kozár, 2004

### Family Pemphigidae 綿癭蚜科

*Baizongia pistaciae* (Linnaeus, 1761) 黃蓮木癭蚜 Ref. Tao, 1986

*Colopha graminis* (Takahashi, 1930) 禾根綿蚜 Ref. Tao, 1986

*Colophina clematis* (Shinji, 1922) 毛萁癭蚜；鐵線蓮扣綿蚜 Ref. Tao, 1986

*Colophina monstifera* Aoki, 1982 鐵線蓮癭蚜；怪扣綿蚜 [特有] Ref. Tao, 1986

*Eriosoma lishanense* Akimoto, 1983 梨山癭蚜 Ref. Tao, 1986

*Eriosoma yangi* Takahashi, 1939 楊氏癭蚜 Ref. Tao, 1986

*Eriosoma (Schizoneura) ulmi* (Linnaeus, 1758) 榆葉癭蚜 Ref. Tao, 2000

*Forda marginata* Koch, 1857 大禾根蚜；緣五節根蚜 Ref. Tao, 1986

*Formosaphis micheliae* Van der Goot, 1917 玉蘭幹綿蚜；麗綿蚜 Ref. Tao, 1986

*Geoica lucifuga* (Zehner, 1898) 點詠根綿蚜；蔗根蚜 Ref. Tao, 1986

*Kaltenbachiella glabra* Akimoto, 1985 光滑卡綿蚜 [特有] Ref. 張廣學等。1999

*Nurudea rosea* (Matsumura, 1917) 條孔倍花蚜 Ref. Tao, 1986

*Nurudea shiraii* (Matsumura, 1917) 方孔倍花蚜 Ref. Tao, 1986

*Pemphigus betae* Doane, 1900 菊綿蚜 Ref. Tao, 2000

*Prociphilus formosanus* Takahashi, 1935 白蜡樹捲葉癭蚜 Ref. Tao, 1986

*Prociphilus piniradius* Tao, 1979 松根癭蚜 Ref. Tao, 1986

*Schlechtendalia chinensis* (Bell, 1851) 五倍子蚜；角倍蚜 Ref. Tao, 1986

*Tetraneura akinire* Sasaki, 1909 秋四脈綿蚜 Ref. 張廣學等。1999

*Tetraneura radicolica* Strand, 1929 細短毛禾根蚜；根四脈綿蚜 Ref. Tao, 1986

*Tetraneura yezoensis* Matsumura, 1917 瑕夷脈綿蚜 Ref. 張廣學等。1999

*Tetraneura (Tetraneurella) akinire* Zhang & Zhang, 1991 Ref. Tao, 2000

*Tetraneura (Tetraneurella) nigriabdominalis* (Sasaki, 1899) 粗長毛禾根蚜；黑腹四脈綿蚜 Ref. Tao, 1986

### Family Pentatomidae 蝽科

*Aenaria lewisi* (Scott, 1874) Ref. Aukema & Rieger, 2006

*Aeschrocoris ceylonicus* Distant, 1899 Ref. 同前

*Agonoscelis nubilis* (Fabricius, 1775) 雲蝽 Ref. 同前

*Alcimocoris japonensis* (Scott, 1880) Ref. 同前

*Amyotea malabarica* (Fabricius, 1775) Ref. 同前

*Andrallus spinidens* (Fabricius, 1787) Ref. 同前

*Aspidestrophus morio* Stål, 1854 Ref. 同前

*Axiagastus rosmarus* Dallas, 1852 Ref. Hsiao et al., 1977

*Cappaea taprobanensis* (Dallas, 1851) Ref. 同前

*Carbula crassiventris* (Dallas, 1849) Ref. 同前

*Caystrus depressus* (Ellenreider, 1862)

*Cazira verrucosa* (Westwood, 1835) 疣蝽

*Chalcopis glandulosa* (Wolff, 1811) Ref. Aukema & Rieger, 2006

*Dalpada cinctipes* Walker, 1867 中華岱蝽 Ref. 同前

*Dalpada smaragdina* (Walker, 1868) 綠岱蝽 Ref. Hsiao et al., 1977

*Diplorhinus furcatus* (Westwood, 1837) Ref. Aukema & Rieger, 2006

*Dolycoris formosanus* Distant, 1887 斑鬚蝽 [特有] Ref. Hsiao et al., 1977

*Eocanthecona concinna* (Walker) Ref. 同前

*Eocanthecona formosa* (Horváth, 1911) [特有] Ref. Aukema & Rieger, 2006  
*Eocanthecona furcellata* (Wolff, 1811) Ref. 同前  
*Eocanthecona parva* (Distant, 1902) Ref. 同前  
*Erthesina fullo* (Thunberg, 1783) 黃斑黑蝽 Ref. Matsumura, 1913  
*Eurydema dominulus* (Scopoli, 1763) Ref. Aukema & Rieger, 2006  
*Eurydema pulchra* (Westwood, 1837) Ref. 同前  
*Eysarcoris guttigerus* (Thunberg, 1783) Ref. 同前  
*Eysarcoris latus* Walker, 1868 [特有] Ref. 同前  
*Eysarcoris rosaceus* Distant, 1901 Ref. 同前  
*Eysarcoris ventralis* (Westwood, 1837) Ref. 同前  
*Glaucias beryllus* (Fabricius, 1787) 黑點青蝽 Ref. 同前  
*Glaucias subpunctatus* (Walker, 1867)  
*Graphosoma rubrolineatum* (Westwood, 1837)  
*Halyabbus unicolor* Distant, 1900 Ref. Aukema & Rieger, 2006  
*Halyomorpha halys* (Stål, 1855)  
*Megarrhamphus hastatus* (Fabricius, 1803) Ref. Aukema & Rieger, 2006  
*Megarrhamphus truncatus* (Westwood, 1837) Ref. 同前  
*Menida disjuncta* (Uhler, 1860) Ref. 同前  
*Menida formosa* (Westwood, 1837) 茶翅蝽 Ref. 同前  
*Menida megaspila* (Walker, 1867) Ref. 同前  
*Menida musiva* (JakovLev, 1867) Ref. 同前  
*Menida versicolor* (Gmelin, 1790) Ref. 同前  
*Menida violacea* Motschulsky, 1861 Ref. 同前  
*Neojurtina typica* Distant, 1921 Ref. 同前  
*Nezara atntennata* Scott, 1874 Ref. 同前  
*Nezara viridula* (Linnaeus, 1758) 稻綠蝽；南方綠椿象 Ref. 同前  
*Niphe elongata* (Dallas, 1851) Ref. 同前  
*Piezodorus hybneri* (Gmelin, 1790) 壁蝽 Ref. 同前  
*Platynopus melanoleucus* (Westwood, 1837) Ref. 同前  
*Praetextatus typicus* Distant, 1901 Ref. 同前  
*Priassus exemptus* (Walker, 1868) Ref. 同前  
*Rhynchocoris humeralis* (Thunberg, 1783) 矜蝽 Ref. 同前  
*Sciocoris lugubris* Walker, 1868 [特有] Ref. 同前  
*Scotinophara lurida* (Burmeister, 1834) Ref. 同前  
*Scotinophara malayensis* (Distant, 1903) Ref. 同前  
*Scotinophara scottii* Horváth, 1879 Ref. 同前  
*Tetroda histeroides* (Fabricius, 1798) Ref. 同前  
*Tolumnia latipes* (Dallas, 1851) Ref. 同前  
*Zicrona caerulea* (Linnaeus, 1758) 藍蝽；藍益蝽 Ref. 同前

#### Family Pentimiidae 烏葉蟬科

*Penthimia flavinotum* Matsumura, 1912 黃帶扁葉蟬 Ref. Metcalf, 1962  
*Penthimia formosana* Matsumura, 1912 [特有] Ref. Metcalf, 1962  
*Penthimia guttula* Matsumura, 1912 Ref. Metcalf, 1962  
*Penthimia nitida* Lethierry, 1876 Ref. Metcalf, 1962  
*Penthimia theae* Matsumura, 1912 茶扁葉蟬 Ref. Metcalf, 1962

#### Family Phacopteronidae

*Chineura alba* Yang & Tsay, 1980 [特有] Ref. Yang, 1984  
*Neophacopteron euphoriae* Yang, 1984 [特有] Ref. Yang, 1984

#### Family Plataspidae 龜蝽科

*Brachyplatys carolinae* Atkinson, 1889 Ref. Aukema & Rieger, 2006  
*Brachyplatys liturifrons* Walker, 1867  
*Brachyplatys subaeneus* (Westwood, 1837) 亞銅平龜蝽 Ref. Hisao et al., 1977  
*Coptosoma distigma* Montandon, 1896 Ref. Aukema & Rieger, 2006  
*Coptosoma variegata* (Herrich-Schäffer, 1838) Ref. 同前  
*Megacopta cribraria* (Fabricius, 1798) Ref. Hisao, 1977  
*Megacopta horvathi* (Montandon, 1894) 和豆龜蝽 Ref. Aukema & Rieger, 2006  
*Ponsilasia formosana* Heinze, 1934 [特有] Ref. 同前  
*Tiarocoris consertus* Distant, 1901 Ref. 同前

#### Family Pleidae 固頭蝽科

*Paraplea formosana* (Esaki, 1915) 鄰固椿 [特有] Ref. Esaki, 1915  
*Paraplea frontalis* (Fieber, 1844) Ref. Aukema & Rieger, 1995  
*Paraplea indistinguenda* (Matsumura, 1905) Ref. 同前  
*Paraplea japonica* (Horvath, 1904) Ref. 同前

#### Family Pseudococcidae 粉介殼蟲科

*Antonina crawi* Cockerel, 1900 竹禾粉介殼蟲 Ref. 陶。1989  
*Antonina graminis* (Maskell, 1897) Ref. ScaleNet, 2006  
*Antonina maai* Williams & Miller, 2002 Ref. Williams & Miller, 2002  
*Antonina nakaharai* Williams & Miller, 2002 Ref. 同前  
*Antonina pretiosa* Ferris, 1953 Ref. ScaleNet, 2006

*Brevennia rehi* (Lindinger, 1943) 水稻粉紅粉介殼蟲 Ref. 劉及陶。1988  
*Chaetococcus bambusae* (Maskell, 1893) 籐竹粉介殼蟲 Ref. 陶。1989  
*Crisicoccus chiponensis* (Takahashi, 1939) 知本粉介殼蟲 [特有] Ref. 陶。1989  
*Crisicoccus pini* (Kuwana, 1902) Ref. ScaleNet, 2006  
*Dysmicoccus boninsis* (Kuwana, 1910) 甘蔗嫡粉介殼蟲；灰白粉蚧 Ref. 劉及陶。1988  
*Dysmicoccus brevipes* (Cockerell, 1893) 鳳梨嫡粉介殼蟲 Ref. 陶。1989  
*Dysmicoccus shintenensis* (Takahashi, 1934) [特有] Ref. Takahashi, 1934  
*Eumyrmococcus smithii* Silvestri, 1926 甘蔗胸粉介殼蟲 Ref. 陶。1989  
*Exallomochlus camur* Williams, 2004 Ref. Williams, 2004  
*Ferrisia virgata* (Cockerell, 1893) 絲粉介殼蟲 Ref. 陶。1989  
*Formicococcus cinnamomi* Takahashi, 1928 樟蟻粉介殼蟲 [特有] Ref. 陶。1989  
*Formicococcus macarangae* (Takahashi, 1940) 野桐蟻粉介殼蟲 [特有] Ref. 陶。1989  
*Formicococcus schimae* Takahashi, 1929 木荷蟻粉介殼蟲 [特有] Ref. 陶。1989  
*Heliococcus bambusae* (Takahashi, 1930) 突眼星粉介殼蟲 Ref. 陶。1989  
*Kiritshenkella sacchari* (Green, 1900) 甘蔗毛粉介殼蟲 Ref. 陶。1989  
*Maconellicoccus hirsutus* (Green, 1908) Ref. ScaleNet, 2006  
*Miscanthicoccus miscanthi* (Takahashi, 1928) 芒粉介殼蟲 Ref. 陶。1989  
*Mizococcus sacchari* (Takahashi, 1928) 蔗根粉介殼蟲 [特有] Ref. 陶。1989  
*Neoripersia miscanthicola* (Takahashi, 1937) 芒新粉介殼蟲 [特有] Ref. 陶。1989  
*Nipaecoccus filamentosus* (Cockerell, 1893) 橘球粉介殼蟲 Ref. 陶。1989  
*Nipaecoccus viridis* (Newstead, 1894) Ref. ScaleNet, 2006  
*Phenacoccus asteri* Takahashi, 1932 菊綿粉介殼蟲 [特有] Ref. 陶。1989  
*Phenacoccus fici* Takahashi, 1940 榕綿粉介殼蟲 [特有] Ref. 陶。1989  
*Phenacoccus parvus* Morrison, 1924 櫻丹綿粉介殼蟲 Ref. 周及翁。2000  
*Phenacoccus solani* Ferris, 1918 石蒜綿粉介殼蟲 Ref. Chen, Chen & Wong, 2002  
*Pilococcus miscanthi* Takahashi, 1928 芒毛粉介殼蟲 [特有] Ref. 陶。1989  
*Planococcus angkorensis* (Takahashi, 1942) Ref. ScaleNet, 2006  
*Planococcus citri* (Risso, 1813) 桔臀紋粉介殼蟲 Ref. 陶。1989  
*Planococcus krauhniae* (Kuwana, 1906) 臀紋粉介殼蟲 Ref. 陶。1989  
*Planococcus lilacinus* (Cockerell, 1905) 咖啡臀紋粉介殼蟲 Ref. 陶。1989  
*Planococcus minor* (Maskell, 1897) 太平洋臀紋粉介殼蟲 Ref. ScaleNet, 2006  
*Pseudococcus bambusicola* Takahashi, 1930 台灣竹粉介殼蟲 [特有] Ref. 陶。1989  
*Pseudococcus comstocki* (Kuwana, 1902) 康氏粉介殼蟲 Ref. 陶。1989  
*Pseudococcus cryptus* Hempel, 1918 Ref. ScaleNet, 2006  
*Pseudococcus jackbeardsleyi* Gimpel & Miller, 1996 Ref. 同前  
*Pseudococcus longispinus* (Targioni Tozzetti, 1867) Ref. 同前  
*Pseudococcus saccharicola* Takahashi, 1928 甘蔗粉介殼蟲 Ref. 陶。1989  
*Rastrococcus mangiferae* (Green, 1896) 檸檬平粉介殼蟲 Ref. 陶。1989  
*Rastrococcus spinosus* (Robison, 1918) 刺平粉介殼蟲 Ref. 陶。1989  
*Ripersiella hibisci* (Kawai & Takagi, 1971) Ref. ScaleNet, 2006  
*Saccharicoccus sacchari* (Cockerell, 1895) 糖梳粉介殼蟲 Ref. 陶。1989  
*Trinymus bambusae* (Green, 1922) Ref. ScaleNet, 2006  
*Trionymus formosanus* Takahashi, 1930 筍長粉介殼蟲 Ref. 陶。1989  
*Trionymus latus* Takahashi, 1929 芒長粉介殼蟲 [特有] Ref. 陶。1989

### Family Psyllidae 木蝨科

*Anomoterga hsenpinensis* Fang & Yang, 1986 [特有] Ref. Fang & Yang, 1986  
*Aphalara augusta* Fang, 1990 [特有] Ref. Fang, 1990  
*Aphalara itadori* (Shinji, 1983) Ref. Yang, 1984  
*Arytaina albizziae* Yang, 1984 [特有] Ref. Yang, 1984  
*Arytaina yangi* Fang, 1990 [特有] Ref. Fang, 1990  
*Bosellius euryae* Yang, 1984 [特有] Ref. Yang, 1984  
*Cacopsylla chinensis* (Yang & Li, 1981) Ref. Yang, Huang & Li, 2004  
*Cacopsylla qianli* (Yang & Li, 1984) Ref. Fang & Yang, 1986  
*Cacopsylla taitoensis* (Fang & Yang, 1986) Ref. Yang, 1984  
*Cternarytaina euryae* (Yang, 1984) [特有] Ref. Yang, 1984  
*Diaphorina citri* Kuwayama, 1908 Ref. Yang, 1984  
*Epipsylla albolineata* Kuwayama, 1908 [特有] Ref. Yang, 1984  
*Epipsylla rubrofasciata* Kuwayama, 1908 [特有] Ref. Yang, 1984  
*Epipsylla venusta* Yang, 1984 [特有] Ref. Yang, 1984  
*Epipsylla viridis* Yang, 1984 [特有] Ref. Yang, 1984  
*Epipsylla wushaensis* Yang, 1984 [特有] Ref. Yang, 1984  
*Euphalerus tzuensis* Yang, 1984 [特有] Ref. Yang, 1984  
*Euphyllura tominagai* Miyatake, 1981 Ref. Yang, 1984  
*Heteropsylla cubana* Crawford, 1914 Ref. Fang & Yang, 1986  
*Insnesia maculosa* Fang & Yang, 1986 [特有] Ref. Yang, 1984  
*Paraphyllura micheliae* Yang, 1984 [特有] Ref. Yang, 1984  
*Paurocephala bifasciata* Kuwayama, 1931 Ref. Yang, 1984  
*Paurocephala kleinhofiae* Uichanco, 1921 Ref. Yang, 1984  
*Paurocephala sauteri* (Enderlein, 1914) [特有] Ref. Yang, Yang, & Chao, 1986  
*Paurocephala trematos* Yang Yang & Chao, 1986 [特有] Ref. 同前  
*Psylla alniformosanaesuga* (Yang, 1984) Ref. Yang, 1984

*Psylla baphicacanthi* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla candidata* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla clauda* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla coccinea* Kuwayama, 1908 Ref. Yang, 1984  
*Psylla deflua* Yang, 1984 [特有] Ref. Fang & Yang, 1986  
*Psylla eriobotryicola* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla eriobotryae* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla evodiae* Miyatake, 1965 Ref. Yang, 1984  
*Psylla fagarae* Fang & Yang, 1986 Ref. Yang, 1984  
*Psylla fatsiae* Jensen, 1957 Ref. Fang & Yang, 1986  
*Psylla formosana* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla fulguralis* Kuwayama, 1908 Ref. Yang, 1984  
*Psylla grata* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla hungtouiensis* Fang & Yang, 1986 [特有] Ref. Yang, 1984  
*Psylla indicata* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla infesta* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla juiliensis* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla kiushuensis* Kuwayama, 1908 Ref. Kuwayama, 1931  
*Psylla kuwayamai* Crawford, 1911 Ref. Yang, 1984  
*Psylla lanceolata* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla mala* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla multijuga* Yang, 1984 [特有] Ref. Fang & Yang, 1986  
*Psylla obunca* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla oluanpiensis* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla opulenta* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla prima* Fang & Yang, 1986 [特有] Ref. Yang, 1984  
*Psylla pulla* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla rigida* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla schefflerae* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla spadica* Kuwayama, 1908 [特有] Ref. Kuwayama, 1931  
*Psylla stranvaesiae* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla tayulinensis* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla tetrapanaxae* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla tobirae* Miyatake, 1964 [特有] Ref. Yang, 1984  
*Psylla toddaliae* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla toroenensis* Kuwayama, 1908 Ref. Kuwayama, 1931  
*Psylla vaccinii* Miyatake, 1964 [特有] Ref. Yang, 1984  
*Psylla wulinensis* Yang, 1984 [特有] Ref. Yang, 1984  
*Psylla yakouensis* Yang, 1984 [特有] Ref. Yang, 1984  
*Synpsylla wendlandia* Yang, 1984 [特有] Ref. Yang, 1984  
*Syntomoza scolopiae* Yang, 1984 [特有] Ref. Yang, 1984  
*Togepssylla matsumurana* Kuwayama Jr., 1949 Ref. Yang, 1984  
*Togepssylla takahashii* Kuwayama Jr., 1931 [特有] Ref. Yang, 1984  
*Yangus chiasiensis* Fang, 1990 [特有] Ref. Fang, 1990

### Family Pyrrhocoridae 紅蝽科

*Antilochus coquebertii* (Fabricius, 1803) 頸紅蝽 Ref. Aukema & Rieger, 2001  
*Dindymus brevis* Blöte, 1931 短光紅蝽 [特有] Ref. 同前  
*Dindymus rubiginosus* (Fabricius, 1787) 泛光紅蝽  
*Dysdercus cingulatus* (Fabricius, 1775) 離斑棉紅蝽 Ref. Aukema & Rieger, 2001  
*Dysdercus decussatus* Boisduval, 1835 叉帶棉紅蝽 Ref. 同前  
*Dysdercus philippinus* Herrich-Schaefer, 1850 Ref. 同前  
*Dysdercus poscilus* (Herrich-Schaefer, 1843)  
*Euscopus chinensis* Blöte, 1932 華銳紅蝽  
*Euscopus rufipes* Stål, 1870 原銳紅蝽  
*Melamphaus faber* (Fabricius, 1787) Ref. Aukema & Rieger, 2001  
*Pyrrhocoris carduelis* (Stål, 1863) Ref. 同前  
*Pyrrhocoris sibiricus* Kuschakewitsch, 1866 Ref. 同前  
*Scantius formosanus* Bergroth, 1914 Ref. 同前

### Family Reduviidae 獵蝽科

*Acanthaspis immodesta* Bergroth, 1914 紅足荊獵蝽 Ref. Bergroth 1914  
*Ademula aemula* Redei, 2005 [特有] Ref. Rédei, 2005  
*Amblythyreus esakii* Maa & Lin, 1956 山菱瘤蝽 Ref. Maa & Lin, 1956  
*Amblythyreus gestroi* Handlirsch, 1897 鈍菱瘤蝽 Ref. Aukema & Rieger, 1996  
*Amblythyreus izzardi* Kormilev, 1962 察隅菱瘤蝽 Ref. 同前  
*Amblythyreus taiwanus* Sonan, 1935 台灣菱瘤蝽 [特有] Ref. Sonan, 1935  
*Biasticus flavinotum* (Matsumura, 1913) [特有] Ref. Matsumura, 1913  
*Canthesancus apicalis* (Matsumura, 1913) [特有] Ref. 同前  
*Canthesancus lurco* Stål, 1863 Ref. Aukema & Rieger, 1996  
*Cnizocoris dimorphus* Maa & Lin, 1956 Ref. 同前  
*Cnizocoris shirakii* Sonan, 1935 台灣螳瘤蝽 [特有] Ref. Sonan, 1935  
*Cydnocoris russatus* Stål, 1867 豔紅獵蝽 Ref. Aukema & Rieger, 1996

*Diurocoris nakabayashii* (Sonan, 1937) 原尾瘤蟪 Ref. Sonan 1937  
*Ectomocoris atrox* (Stål, 1855) Ref. Aukema & Rieger, 1996  
*Ectomocoris biguttulus* Stål, 1870  
*Ectomocoris yayeyamae* (Matsumura, 1913) Ref. Aukema & Rieger, 1996  
*Ectrychotes andreae* (Thunberg, 1784) 黑光獵蟪 Ref. 同前  
*Ectrychotes comottoi* Lethierry, 1883 緣斑光獵蟪 Ref. 同前  
*Ectrychotes crudelis* (Fabricius, 1803) Ref. 同前  
*Emesopsis nubilus* Uhler, 1894 Ref. 同前  
*Euagorus plagiatus* (Burmeister, 1834) Ref. 同前  
*Gardena brevicollis* Stål, 1871 Ref. 同前  
*Gardena melinarthrum* Dohrn, 1860 黃環蚊獵蟪 Ref. 同前  
*Gardena muscipapa* (Bergroth, 1906) Ref. Rédei, 2005  
*Gomesius hesione* (Kirkaldy, 1901) 羽突蚊獵蟪 Ref. Aukema & Rieger, 1996  
*Leptomerus affinis* (Serville, 1831) 黑股隸獵蟪 Ref. 同前  
*Neocentrocnemis formosana* (Matsumura, 1913) 台灣新獵蟪 Ref. Matsumura, 1913  
*Oncocephalus assimilis* Reuter, 1882 Ref. Aukema & Rieger, 1996  
*Oncocephalus notatus* (Klug, 1830) 顯普獵蟪 Ref. 同前  
*Oncocephalus philippinus* Lethierry, 1877 南普獵蟪  
*Onychomesa sauteri* Wygodzinsky, 1966 齒爪脩獵蟪 [特有] Ref. Wygodzinsky, 1966  
*Peirates arcuatus* (Stål, 1871) 日月盜獵蟪 Ref. Aukema & Rieger, 1996  
*Peirates cinctiventris* Horvath, 1879 Ref. 同前  
*Peirates lepturoides* (Wolff, 1804) 細盜獵蟪 Ref. 同前  
*Peirates turpis* Walker, 1873 Ref. 同前  
*Polididus armatissimus* (Stål, 1859) 棘獵蟪 Ref. 同前  
*Polytoxus esakii* Ishikawa & Yano, 1999 [特有] Ref. Ishikawa & Yano, 1999  
*Ptilocoris kanoi* Esaki, 1931 羽獵蟪 [特有] Ref. Esaki, 1931  
*Pygolampis bidentata* (Goeze, 1778) 雙刺胸獵蟪 Ref. Aukema & Rieger, 1996  
*Reduvius humeralis* (Scott, 1874) Ref. 同前  
*Rhynocoris fuscipes* (Fabricius, 1787) Ref. 同前  
*Scadra okinawensis* (Matsumura, 1906) Ref. 同前  
*Schidium confine* Wygodzinsky, 1966 [特有] Ref. Wygodzinsky, 1966  
*Scloмина erinacea* Stål, 1861 齒緣刺獵蟪 Ref. Aukema & Rieger, 1996  
*Serendiba staliana* (Horvath, 1879) Ref. Rédei & Ishikawa, 2007  
*Sirthena dimidiata* Horvath, 1911 半黃足獵蟪 Ref. Horvath, 1911  
*Sirthena flavipes* (Stål, 1855) 黃足獵蟪 Ref. Aukema & Rieger, 1996  
*Sphedanolestes albipilosus* Ishikawa Cai & Tomokuni, 2007 Ref. Ishikawa, Cai & Tomokuni, 2007  
*Sphedanolestes impressicollis* (Stål, 1861) 環斑猛獵蟪 Ref. Aukema & Rieger, 1996  
*Tapeinus fuscipennis* (Stål, 1874) 紅平腹獵蟪 Ref. 同前  
*Tiarodes pictus* Cai & Tomokuni, 2001 [特有] Ref. Cai & Tomokuni, 2001  
*Triatoma rubrofasciata* (De Geer, 1773) 廣椎獵蟪 Ref. Aukema & Rieger, 1996  
*Velitra incontaminata* Bergroth, 1914 黑翅委獵蟪 [特有] Ref. Bergroth, 1914  
*Vesbius purpureus* (Thunberg, 1784) 紅小獵蟪 Ref. Aukema & Rieger, 1996

### Family Rhopalidae 姬緣蟪科

*Leptocoris abdominalis* (Fabricius, 1803) Ref. Aukema & Rieger, 2006  
*Leptocoris augur* (Fabricius, 1781) Ref. 同前  
*Leptocoris rufomarginatus* (Fabricius, 1794) Ref. 同前  
*Stictopleureus minutus* Blöte, 1934 Ref. 同前

### Family Ricaniidae 廣翅蠟蟪科

*Ricania simulans* (Walker, 1851) 條紋廣翅蠟蟪

### Family Saldidae 跳蟪科

*Micracanthia ornatula* (Reuter, 1881) 小跳蟪 Ref. Aukema & Rieger, 1995  
*Pentacora malayensis* (Dover, 1929) Ref. 同前  
*Saldoidea armata* Horvath, 1911 突胸跳蟪 Ref. Horvath, 1911  
*Saldula pallipes* (Fabricius, 1794) Ref. Aukema & Rieger, 1995  
*Saldula saltatoria* (Linnaeus, 1758) Ref. 同前  
*Saldula taiwanensis* Cobben, 1985 [特有] Ref. Cobben, 1985

### Family Scutelleridae 盾背蟪科

*Brachyaulax oblonga* (Westwood, 1837) 狹盾蟪 Ref. Hsiao et al., 1977  
*Calliphara nobilis* (Linnaeus, 1763) Ref. Aukema & Rieger, 2006  
*Cantao ocellatus* (Thunberg, 1784) 角盾蟪 Ref. 同前  
*Chrysocoris fascialis* (White, 1842) Ref. 同前  
*Chrysocoris stockerus* (Linnaeus, 1758) Ref. 同前  
*Chrysocoris stollii* (Wolff, 1801) Ref. Hsiao et al., 1977  
*Coleotichus borealis* Distant, 1899 [特有] Ref. Aukema & Rieger, 2006  
*Eucorysses grandis* (Thunberg, 1783) Ref. Hsiao et al., 1977  
*Hotea curculionoides* (Herrich-Schaefer, 1836) 鼻盾蟪 Ref. 同前  
*Hyperoncus lateritius* (Westwood, 1837)  
*Lamprocoris formosanus* (Matsumura, 1913) [特有] Ref. Aukema & Rieger, 2006  
*Lamprocoris giranensis* (Matsumura, 1913) [特有] Ref. 同前  
*Lamprocoris lateralis* (Guérin-Méneville, 1838) 紅緣亮盾蟪 Ref. Hsiao et al., 1977

*Lampromicra miyakona* (Matsumura, 1905)  
*Poecilocoris druræi* (Linnaeus, 1771) 桑盾蝽 Ref. Hsiao et al., 1977  
*Poecilocoris lewisi* (Distant, 1883) Ref. Aukema & Rieger, 2006  
*Poecilocoris watanabei* Matsumura, 1913 [特有] Ref. 同前  
*Scutellera amethystina* (Germar, 1839) Ref. Hsiao et al., 1977  
*Solenostethium chinense* Stål, 1854 華溝盾蝽 Ref. 同前

#### Family Tessaratomidae 荔蝽科

*Eurostus validus* Dallas, 1851 碩蝽 Ref. Rolston et al., 1993  
*Eusthenes cupreus* (Westwood, 1837) 異色巨蝽 Ref. 同前  
*Eusthenes ruberfactus* Distant, 1901 Ref. 同前  
*Eusthenes theseus* Stål, 1870 Ref. 同前  
*Tessarotoma papillosa* (Drury, 1773) 荔蝽

#### Family Thelaxidae 群蚜科

*Anomalosiphum pithecolobii* Takahashi, 1934 細口毛管蚜 Ref. Tao, 1986  
*Cervaphis quercus* Takahashi, 1918 櫟刺蚜 Ref. Tao, 2000  
*Kurisakia onigurumi* (Shinji, 1923) 殼胡乳峰管蚜 Ref. Tao, 1986

#### Family Tingidae 網蝽科

*Abdastartus sacchari* Drake, 1930 蔗網蝽 Ref. Aukema & Rieger, 1996  
*Acalypta formosana* Tomokuni, 1992 [特有] Ref. Tomokuni, 1992  
*Acalypta tomokunii* Pericart, 2000 [特有] Ref. Pericart, 2000  
*Agramma formosanum* (Matsumura, 1910) Ref. Matsumura, 1910  
*Agramma nexile* (Drake, 1948) Ref. Drake, 1948  
*Baeochila elongata* (Distant, 1903) 高冠網蝽 Ref. Aukema & Rieger, 1996  
*Baeochila scitula* Drake, 1948 台高冠網蝽 [特有] Ref. Drake, 1948  
*Belenus dentatus* (Fieber, 1844) 黃叉刺網蝽 Ref. Aukema & Rieger, 1996  
*Cantacander lethierryi* Scott, 1874 Ref. 同前  
*Copium japonicum* Esaki, 1931 粗角網蝽 Ref. Takeya, 1962  
*Cysteochila chiniana* Drake, 1942 高負板網蝽 Ref. Aukema & Rieger, 1996  
*Dictyla evidens* (Drake, 1927) 明無孔網蝽 Ref. 同前  
*Dictyla rasilis* (Drake & Maa, 1955) 華無孔網蝽 Ref. Drake & Maa, 1955  
*Dictyla sauteri* (Drake, 1923) 破無孔網蝽 Ref. Drake, 1923  
*Dictyla seorsa* (Drake & Poor, 1937) 怪無孔網蝽 Ref. Drake & Poor, 1937  
*Dictyla uichancoi* (Drake & Poor, 1937) 台無孔網蝽 Ref. Aukema & Rieger, 1996  
*Eteoneus dilatatus* (Distant, 1903) 角菱背網蝽 Ref. 同前  
*Galeatus affinis* (Herrich-Schaeffer, 1835) 葉背脊網蝽 Ref. 同前  
*Galeatus spinifrons* (Fallen, 1807) 葉背脊網蝽 Ref. 同前  
*Lasiacantha altimitrata* (Takeya, 1933) Ref. Takeya, 1933  
*Lepturga chinai* Takeya, 1962 [特有] Ref. Takeya, 1962  
*Metasalis populi* (Takeya, 1932) Ref. Aukema & Rieger, 1996  
*Paracopium sauteri* Drake, 1951 Ref. Drake, 1951  
*Penotus verdicus* Drake & Maa, 1953 台球背網蝽 [特有] Ref. Drake & Maa, 1953  
*Perissonemia hasegawai* Takeya, 1962 [特有] Ref. Takeya, 1962  
*Phatnoma takasago* Takeya, 1933 Ref. Takeya, 1933  
*Physatocheila fieberi* (Scott, 1874) Ref. Drake & Maa, 1954  
*Stephanitis ambigua* Horvath, 1912 鉤樟冠網蝽 Ref. Aukema & Rieger, 1996  
*Stephanitis aperta* Horvath, 1912 斑脊冠網蝽 Ref. 同前  
*Stephanitis esakii* Takeya, 1931 明脊冠網蝽 Ref. Takeya, 1931  
*Stephanitis exigua* Horvath, 1912 維脊冠網蝽 Ref. Aukema & Rieger, 1996  
*Stephanitis formosa* Horvath, 1912 亮囊冠網蝽 Ref. Horvath, 1912  
*Stephanitis gallarum* Horvath, 1916 黑腿冠網蝽 Ref. Aukema & Rieger, 1996  
*Stephanitis hydrangeae* Drake & Maa, 1955 繡球冠網蝽 Ref. Drake & Maa, 1955  
*Stephanitis laudata* Drake & Poor, 1953 華南冠網蝽 Ref. Aukema & Rieger, 1996  
*Stephanitis nashi* Esaki & Takeya, 1931 梨冠網蝽 Ref. 同前  
*Stephanitis pyrioides* (Scott, 1874) 杜鵑冠網蝽 Ref. 同前  
*Stephanitis sondaica* Horvath, 1912 褐囊冠網蝽 Ref. 同前  
*Stephanitis subfasciata* Horvath, 1912 防己冠網蝽 Ref. Horvath, 1912  
*Stephanitis typica* (Distant, 1903) 香蕉冠網蝽 Ref. Aukema & Rieger, 1996  
*Stephanitis veridica* Drake, 1948 長板冠網蝽 [特有] Ref. Drake, 1948  
*Tanytingis takahashii* Drake, 1939 [特有] Ref. Drake, 1939  
*Tingis ampliata* (Herrich-Schaeffer, 1838) Ref. Aukema & Rieger, 1996  
*Tingis crispata* (Herrich-Schaeffer, 1838) Ref. Lee & Kwon, 1991  
*Tingis veteris* Drake, 1942 碩裸菊網蝽 Ref. Aukema & Rieger, 1996  
*Uhlerites debilis* (Uhler, 1896) 褐角肩網蝽 Ref. 同前  
*Ulonemia assamensis* (Distant, 1903) Ref. 同前  
*Xenotingis horni* Drake, 1923 怪網蝽 [特有] Ref. Drake, 1923

#### Family Triozidae 叉木蝨科

*Bactericera chunghsingica* (Yang, 1984) [特有] Ref. Yang, 1984  
*Bactericera miyatakeiana* (Yang, 1984) [特有] Ref. Yang, 1984  
*Bactericera octocalcarata* (Fang & Yang, 1986) [特有] Ref. Fang & Yang, 1986  
*Cecidotrioza sozanica* Boselli, 1930 [特有] Ref. Yang, 1984

*Cerotrioza mukwanensis* Fang & Yang, 1986 [特有] Ref. Fang & Yang, 1986  
*Epitrioza yasumatsui* Miyatake, 1978 Ref. Yang, 1984  
*Eustenopsylla euryae* Yang, 1984 [特有] Ref. Yang, 1984  
*Homotrioza beilschmiediae* Yang, 1984 [特有] Ref. Yang, 1984  
*Homotrioza epica* Yang, 1984 [特有] Ref. Yang, 1984  
*Homotrioza kuwayamai* Yang, 1984 [特有] Ref. Yang, 1984  
*Homotrioza maculata* Yang, 1984 [特有] Ref. Yang, 1984  
*Leptotrioza tutcheriae* Yang, 1984 [特有] Ref. Yang, 1984  
*Leptynoptera sulfurea* Crawford, 1919 Ref. Yang, 1984  
*Parastenopsylla proboscitaria* (Yu, 1956) Ref. Fang & Yang, 1986  
*Parastenopsylla vaccinia* Yang, 1984 [特有] Ref. Yang, 1984  
*Petalolyma formosana* Yang, 1984 [特有] Ref. Yang, 1984  
*Petalolyma nigra* Yang, 1984 [特有] Ref. Yang, 1984  
*Pseudotrioza mallotica* Yang, 1984 [特有] Ref. Yang, 1984  
*Rhinopsylla shuii* Yang, 1984 [特有] Ref. Yang, 1984  
*Rhinopsylla takahashii* Boselli, 1930 [特有] Ref. Yang, 1984  
*Stenopsylla nigricornis* Kuwayama, 1910 Ref. Yang, 1984  
*Stenopsylla occipitalis* Yu, 1956 Ref. Hodkinson, 1983  
*Sympauropsylla triozyptera* (Crawford, 1913) Ref. Yang, 1984  
*Trichohermes bicolor* Kuwayama, 1910 Ref. Yang, 1984  
*Trichohermes hyalina* Kuwayama, 1910 [特有] Ref. Kuwayama, 1931  
*Trichohermes tzuensis* Yang, 1984 [特有] Ref. Yang, 1984  
*Trioza alniphylli* Fang & Yang, 1986 [特有] Ref. Fang, 1990  
*Trioza brevifrons* Kuwayama, 1910 Ref. Kuwayama, 1931  
*Trioza camphorae* Sasaki, 1905 Ref. Yang, 1984  
*Trioza caseariae* Yang, 1984 [特有] Ref. Yang, 1984  
*Trioza celtisae* Yang, 1984 [特有] Ref. Yang, 1984  
*Trioza chenopodii* Fang, 1990 [特有] Ref. Fang, 1990  
*Trioza elaeocarpi* Yang, 1984 [特有] Ref. Fang & Yang, 1986  
*Trioza euryae* Yang, 1984 [特有] Ref. Yang, 1984  
*Trioza exoterica* Yang, 1984 [特有] Ref. Fang & Yang, 1986  
*Trioza formosana* Kuwayama, 1910 Ref. Kuwayama, 1931  
*Trioza galii* Forster, 1848 Ref. 同前  
*Trioza ignota* Fang & Yang, 1986 [特有] Ref. Yang, 1984  
*Trioza inoptata* Fang & Yang, 1986 [特有] Ref. Yang, 1984  
*Trioza kuwayamai* Enderlein, 1914 Ref. Yang, 1984  
*Trioza larga* Fang & Yang, 1986 [特有] Ref. Fang & Yang, 1986  
*Trioza lineata* Yang, 1984 [特有] Ref. Yang, 1984  
*Trioza neolitseaicola* Yang, 1984 [特有] Ref. Yang, 1984  
*Trioza nigra* Kuwayama, 1910 Ref. Fang & Yang, 1986  
*Trioza obunca* Fang & Yang, 1986 [特有] Ref. Yang, 1984  
*Trioza outeiensis* Yang, 1984 [特有] Ref. Fang, 1990  
*Trioza quadrimaculata* Yang, 1984 [特有] Ref. Yang, 1984  
*Trioza sola* Fang & Yang, 1986 [特有] Ref. Fang & Yang, 1986  
*Trioza valida* Yang, 1984 [特有] Ref. Yang, 1984  
*Trioza (Megatrioza) beilschmiediae* Yang, 1984 [特有] Ref. Yang, 1984  
*Trioza (Megatrioza) lanhsuensis* Yang, 1984 [特有] Ref. Fang & Yang, 1986  
*Trioza (Megatrioza) magnicauda* (Crawford, 1919) Ref. Yang, 1984  
*Trioza (Megatrioza) neolitsae* Miyatake, 1965 Ref. Yang, 1984  
*Trioza (Megatrioza) pitformis* Mathur, 1975 Ref. Yang, 1984

#### Family Ulopidae 突頰葉蟬科

*Moonia guttulinervis* Kato, 1933 Ref. Metcalf, 1962  
*Moonia lata* Kato, 1933 Ref. Metcalf, 1962

#### Family Urostylididae 異尾蟻蟻科

*Urochela strandi* Esaki, 1936  
*Urolabida lobopleuralis* (Maa, 1947) [特有] Ref. Ren & Lin, 2003  
*Urolabida recurvata* (Maa, 1946) [特有] Ref. 同前  
*Urolabida sinensis* (Walker, 1867) Ref. 同前  
*Urolabida supressa* (Maa, 1947) [特有] Ref. 同前  
*Urolabida taiwanensis* Ren & Lin, 2003 臺灣盲異蟻蟻 [特有] Ref. 同前  
*Urolabida triramanalis* Ren & Lin, 2003 枝抱盲異蟻蟻 [特有] Ref. 同前  
*Urostylis blattiformis* Bergroth, 1916 蠟形嬌異蟻蟻 Ref. 同前  
*Urostylis paratrifidus* Ren & Lin, 2003 腹盆嬌異蟻蟻 [特有] Ref. 同前  
*Urostylis chinai* Maa, 1947 Ref. 同前

#### Family Veliidae 寬肩蟻蟻科

*Halovelia septentrionalis* Esaki, 1926 樵寬肩蟻蟻 Ref. Esaki, 1926  
*Microvelia diluta* Distant, 1909 小寬肩蟻蟻 Ref. Aukema & Rieger, 1995  
*Microvelia douglasi* Scott, 1874 Ref. 同前  
*Microvelia horvathi* Lundblad, 1993 Ref. 同前  
*Rhagovelia kawakamii* (Matsumura, 1913) Ref. Matsumura, 1913

*Strongylovelia formosa* Esaki, 1924 壯寬肩蟳 Ref. Esaki, 1924  
*Xiphovelia glauca* Esaki & Miyamoto, 1959 劍寬肩蟳 [特有] Ref. Esaki & Miyamoto, 1959

### Family Velocipedidae 捷蟳科

*Scotomedes formosanus* Van Doesburg & Ishikawa, 2008 [特有] Ref. van Doesburg & Ishikawa, 2008

## Order Hymenoptera 膜翅目

### Family Agaonidae 榕小蜂科

*Acophila microcarpa* Chen, 1999 Ref. Chen, Chuang & Wu, 1999  
*Acophila mikii* Chen, 1999 Ref. Ishii, 1934  
*Blastophaga esquiroliana* Chen & Chou, 1997 Ref. Chen & Chou, 1997  
*Blastophaga filippina* Wiebes, 1993 Ref. 同前  
*Blastophaga nipponica* Grandi, 1922 Ref. 同前  
*Blastophaga pedunculosa* Chen & Chou, 1997 Ref. 同前  
*Blastophaga taiwanensis* Chen & Chou, 1997 Ref. 同前  
*Blastophaga tannoensis* Chen & Chou, 1997 Ref. 同前  
*Blastophaga yeni* Chen & Chou, 1997 Ref. 同前  
*Ceratosolen appendiculatus* Mayr, 1885 Ref. 同前  
*Ceratosolen bisulcatus* Mayr, 1885 Ref. 同前  
*Ceratosolen wui* Chen & Chou, 1997 Ref. 同前  
*Dolichoris nervosae* Hill, 1967 Ref. Wiebes, 1979  
*Eufroggattisca okinavensis* Ishii, 1934 Ref. Chen, Chuang & Wu, 1999  
*Eupristina koningsbergeri* Grandi, 1916 Ref. Chen & Chou, 1997  
*Eupristina verticillata* Waterston, 1921 正榕小蜂 Ref. Waterston, 1921  
*Kradibia commuta* Wiebes, 1993 Ref. Chen & Chou, 1997  
*Kradibia panchoi* Wiebes, 1993 Ref. 同前  
*Kradibia sumatrana* Grandi, 1926 Ref. Grandi, 1926  
*Liporrhopalum gibbosae* Hill, 1967 Ref. Hill, 1967  
*Liporrhopalum philippinensis* Hill, 1969 Ref. Hill, 1969  
*Meselatus bicolor* Chen, 1999 Ref. Chen, Chuang & Wu, 1999  
*Micranisa degastris* Chen, 1999 Ref. 同前  
*Odontofroggattia corneri* Wiebes, 1980 Ref. Wiebes, 1980  
*Odontofroggattia gajimaru* Ishii, 1934 Ref. Ishii, 1934  
*Odontofroggattia galili* Wiebes, 1980 Ref. Wiebes, 1980  
*Odontofroggattia ishii* Wiebes, 1980 Ref. Wiebes, 1980  
*Philotrypesis distillatoria* Grandi, 1926 Ref. Grandi, 1926  
*Philotrypesis emeryi* Grandi, 1926 Ref. Chou & Wong, 1997  
*Philotrypesis jacobsoni* Grandi, 1926 Ref. Grandi, 1926  
*Philotrypesis okinavensis* Ishii, 1934 Ref. Chen, Chuang & Wu, 1999  
*Philotrypesis spinipes* Mayr, 1885 Ref. Chou & Wong, 1997  
*Philotrypesis taiwanensis* Chen, 1999 Ref. Chen, Chuang & Wu, 1999  
*Platyscapa hsui* Chen & Chou, 1997 Ref. Chen & Chou, 1997  
*Platyscapa ishiiiana* Grandi, 1923 Ref. 同前  
*Platyscapa quadriceps* Mayr, 1885 Ref. 同前  
*Sycoryctes moneres* Chen, 1999 Ref. Chen, Chuang & Wu, 1999  
*Sycoscapter gajimaru* Ishii, 1934 Ref. 同前  
*Walkerella kurandensis* Boucek, 1988 Ref. 同前  
*Wiebesia callida* Grandi, 1927 Ref. Chen & Chou, 1997  
*Wiebesia contubernalis* (Grandi, 1927) Ref. 同前  
*Wiebesia pumilae* Hill, 1967 Ref. Wiebes, 1993

### Family Ampulicidae 長背泥蜂科

*Ampulex albobarbata* Tsuneki, 1982 Ref. Tsuneki, 1982  
*Ampulex alisana* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Ampulex bidenticollis* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Ampulex difficilis* Strand, 1913 Ref. Strand, 1913  
*Ampulex dissector* (Thunberg, 1822) 疏長背泥蜂 Ref. Thunberg, 1822  
*Ampulex esakii* Yasumatsu, 1936 Ref. Yasumatsu, 1936  
*Ampulex kurarensis* Yasumatsu, 1936 鈍齒長背泥蜂 Ref. 同前  
*Ampulex murotai* Tsuneki, 1973 Ref. Tsuneki, 1973  
*Ampulex sciophanes* (Nagy, 1971) Ref. Nagy, 1971  
*Ampulex seitzii* Kohl, 1893 塞長背泥蜂 Ref. Kohl, 1893  
*Ampulex sonani* Yasumatsu, 1936 Ref. Yasumatsu, 1936  
*Ampulex takeuchii* Yasumatsu, 1936 猛長背泥蜂 Ref. 同前  
*Dolichurus abbreviatus* Strand, 1913 Ref. Strand, 1913  
*Dolichurus alorus* Nagy, 1971 Ref. Nagy, 1971  
*Dolichurus amamiensis* Tsuneki & Iida, 1964 Ref. Tsuneki & Iida, 1964  
*Dolichurus apiciornatus* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Dolichurus dromedarius* Nagy, 1971 Ref. Nagy, 1971  
*Dolichurus formosanus* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Dolichurus leioceps* Strand, 1913 Ref. Strand, 1913  
*Dolichurus maculicollis* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Dolichurus ombrodes* Nagy, 1971 Ref. Nagy, 1971

*Dolichurus pempuchiensis* Tsuneki, 1972 台灣黑長背泥蜂 Ref. Tsuneki, 1972  
*Dolichurus shirozui* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Triroga caerulea* Westwood, 1841 藍三節長背泥蜂 Ref. Westwood, 1841

### Family Andrenidae 地花蜂科

*Andrena cheni* Dubitzky, 2006 陳氏姬花蜂 [特有] Ref. Dubitzky, 2006  
*Andrena formosana* Cockerell, 1911 福爾摩沙姬花蜂 Ref. Cockerell, 1911  
*Andrena nantouensis* Dubitzky, 2006 南投姬花蜂 [特有] Ref. Dubitzky, 2006  
*Andrena taiwanella* Dubitzky, 2002 台灣姬花蜂 [特有] Ref. Dubitzky, 2002  
*Andrena yangi* Dubitzky, 2006 楊氏姬花蜂 [特有] Ref. Dubitzky, 2006

### Family Aphelinidae 蚜小蜂科

*Aphelinus albipodus* Hayat & Fatima, 1992 Ref. Hayat & Fatima, 1992  
*Aphelinus ancer* Hayat, 1990 Ref. Chou et al., 1996  
*Aphelinus gossypii* Timberlake, 1924 Ref. 同前  
*Aphelinus maidis* Timberlake, 1924 Ref. Sonan, 1944  
*Aphytis chrysophali* Mercet, 1912 金黃蚜小蜂 Ref. Hayat, 1986  
*Aphytis diaspidis* (Howard, 1881) 蚧黃蚜小蜂 Ref. Huang, 1994  
*Aphytis fischeri* DeBach, 1959 紅圓蚧黃蚜小蜂 Ref. Rosen & DeBach, 1979  
*Aphytis hispanicus* (Mercet, 1912) 糠片蚧黃蚜小蜂 Ref. Hayat, 1986  
*Aphytis holoxanthus* DeBach, 1960 褐圓蚧純黃蚜小蜂 Ref. Rosen & DeBach, 1979  
*Aphytis immaculatus* Compere, 1950 無斑黃金蚜小蜂 Ref. 同前  
*Aphytis lepidosaphes* Compere, 1955 紫牡蠣蚧黃蚜小蜂 Ref. 同前  
*Aphytis lingnanensis* Compere, 1955 嶺南黃蚜小蜂 Ref. Hayat, 1986  
*Aphytis mazalae* DeBach & Rosen, 1976 台灣黃金蚜小蜂 Ref. Hayat, 1986  
*Aphytis proclia* (Walker, 1839) 桑盾蚧黃蚜小蜂 Ref. Chang & Tao, 1963  
*Centrodora idioceri* Ferriere, 1931 Ref. Chou & Chou, 1990  
*Centrodora locustarum* (Giraud, 1863) Ref. Chiu & Chou, 1974  
*Coccobius fulvus* (Compere & Annecke, 1961) 褐黃異角蚜小蜂 Ref. Hayat, 1986  
*Coccophagoides abnormicornis* Giraud, 1915 Ref. Herting, 1972  
*Coccophagoides kuwanae* (Silvestri, 1927) 桑名類食蚧蚜小蜂 Ref. Huang, 1994  
*Coccophagus ceroplastae* (Howard, 1895) 斑翅食蚧蚜小蜂 Ref. Herting, 1972  
*Coccophagus hawaiiensis* Timberlake, 1926 夏威夷食蚧蚜小蜂 Ref. Sonan, 1944  
*Coccophagus lycimnia* (Walker, 1839) 賴食蚧蚜小蜂 Ref. Herting, 1972  
*Coccophagus tibialis* Compere, 1931 綠蚧食蚧蚜小蜂 Ref. Herting, 1972  
*Encarsia abundantia* Chou & Su, 1996 Ref. Chou et al., 1996  
*Encarsia albiscutellum* (Girault, 1913) Ref. Huang & Polaszek, 1998  
*Encarsia ancistrocera* Huang & Polaszek, 1998 Ref. 同前  
*Encarsia aseta* Huang & Polaszek, 1992 Ref. Chou et al., 1999  
*Encarsia azimi* Hayat, 1986 Ref. Huang & Polaszek, 1998  
*Encarsia bennetti* Hayat, M. 1984 Ref. Chou et al., 1999  
*Encarsia bothrocera* Huang & Polaszek, 1998 Ref. Huang & Polaszek, 1998  
*Encarsia cerataphivora* Evans, 1995 Ref. Chou et al., 1996  
*Encarsia cibcensis* Lopez-Avila, 1987 Ref. Schmidt, Naumann & de Barro, 2001  
*Encarsia citrina* (Craw, 1891) 長纓恩蚜小蜂 Ref. Chang & Tao, 1963  
*Encarsia collecta* Chou & Su, 1996 Ref. Chou et al., 1996  
*Encarsia diaspidicola* (Silvestri, 1909) Ref. Huang & Polaszek, 1998  
*Encarsia duorunga* Hayat, 1989 Ref. Chou et al., 1999  
*Encarsia echinocera* Huang & Polaszek, 1998 Ref. Huang & Polaszek, 1998  
*Encarsia elegans* Masi, 1911 臉雙帶恩蚜小蜂 Ref. 同前  
*Encarsia flavoscutellum* Zehntner, 1900 甘蔗綿蚜恩蚜小蜂 Ref. Sonan, 1944  
*Encarsia herndoni* (Girault, 1935) Ref. Huang & Polaszek, 1998  
*Encarsia inaron* (Walker, 1839) Ref. 同前  
*Encarsia ishii* (Silvestri, 1926) Ref. 同前  
*Encarsia japonica* Viggiani, 1981 日本恩蚜小蜂 Ref. Chou & Lin, 1993  
*Encarsia lahorensis* (Howard, 1911) 橘黃粉虱恩蚜小蜂 Ref. Chou et al., 1996  
*Encarsia longicauda* Hayat, 1989 Ref. Huang & Polaszek, 1998  
*Encarsia longifasciata* Subba Rao, 1984 Ref. Chou et al., 1996  
*Encarsia longivalvula* Viggiani, 1985 Ref. Huang & Polaszek, 1998  
*Encarsia lounsburyi* (Berlese & Paoli, 1916) 單毛長纓恩蚜小蜂 Ref. Chang & Tao, 1963  
*Encarsia lutea* (Masi, 1909) 橘黃恩蚜小蜂 Ref. Chou et al., 1996  
*Encarsia magnivena* Huang & Polaszek, 1998 Ref. Huang & Polaszek, 1998  
*Encarsia mohyuddini* Shafee & Rizvi, 1983 Ref. Chou et al., 1999  
*Encarsia niigatae* (Nakayama, 1921) 白盾蚧恩蚜小蜂 Ref. Huang & Polaszek, 1998  
*Encarsia nipponica* Silvestri, 1927 Ref. 同前  
*Encarsia obtusiclava* Hayat, 1989 Ref. 同前  
*Encarsia perflava* Hayat, 1989 Ref. Chou et al., 1996  
*Encarsia perplexa* Huang & Polaszek, 1998 Ref. Peck, 1963  
*Encarsia protransvena* Viggiani, 1985 Ref. Chou et al., 1999  
*Encarsia singularis* (Silvestri, 1930) 單獨恩蚜小蜂 Ref. Thompson, 1953  
*Encarsia smithi* (Silvestri, 1926) 黃盾恩蚜小蜂 Ref. Hayat, 1989  
*Encarsia sophia* (Girault & Dodd, 1915) Ref. Chou & Lin, 1993  
*Encarsia strenua* (Silvestri, 1928) Ref. Chou et al., 1999

*Encarsia synaptocera* Huang & Polaszek, 1998 Ref. 同前  
*Encarsia tristis* (Zehntner, 1896) Ref. Chou et al., 1996  
*Encarsia trivittata* Hayat, 1989 Ref. Chou et al., 1999  
*Encarsiella taiwanensis* Chen & Chou, 1994 Ref. Chou & Chou, 1994  
*Eretmocerus orientalis* Silvestri, 1928 東方槲角蚜小蜂 Ref. Huang, 1994  
*Marietta carnesi* (Howard, 1910) 瘦柄花翅蚜小蜂 Ref. Huang, 1994  
*Marietta leopardina* (Hayat & Lin, 1988) 豹斑花翅蚜小蜂 Ref. Chien, Chu & Ku, 1991  
*Pteroptrix albocincta* (Flanders, 1966) 淺三角片四節蚜小蜂 Ref. Huang, 1994  
*Pteroptrix chinensis* (Howard, 1907) 中華四節蚜小蜂 Ref. Cheng & Tao, 1963  
*Pteroptrix smithi* (Compere, 1953) 斯氏四節蚜小蜂 Ref. Hayat, 1989

### Family Apidae 蜜蜂科

*Amegilla calceifera* (Cockerell, 1911) 鞋斑無墊蜂 Ref. Strand, 1913  
*Amegilla caldwelli* (Cockerell, 1911) 考氏無墊蜂 Ref. Wu, 2000  
*Amegilla cingulifera* (Cockerell, 1905) 額無墊蜂 Ref. Wu, 2000  
*Amegilla dulcifera* Yasumatsu & Hirashima Ref. Yasumatsu & Hirashima  
*Amegilla korotonensis* (Cockerell, 1911) Ref. Cockerell, 1911  
*Amegilla rapida* (Smith, 1879) Ref. Smith, 1879  
*Amegilla subcoerulea* (Lepelletier, 1841) Ref. Lepelletier, 1841  
*Amegilla urens* (Cockerell, 1911) 螯無墊蜂 Ref. Lieftinck, 1956  
*Anthophora florea* Smith 花條蜂 Ref. Wu, 1965  
*Anthophora walkeri* Dover Ref. Dover, 1924  
*Anthophora zonata* (Linnaeus) Ref. Strand, 1913  
*Anthophora florea* Smith 花條蜂 Ref. Wu, 1965  
*Apis cerana* Fabricius, 1793 中華蜜蜂 Ref. Maa, 1953  
*Apis mellifera* Linnaeus, 1758 意大利蜂 Ref. Sonan, 1927  
*Bombus angustus* Chiu, 1948 短頰熊蜂 [特有] Ref. Starr, 1992  
*Bombus bicoloratus* Smith, 1879 雙色熊蜂 Ref. Cockerell, 1911  
*Bombus eximius* Smith, 1852 精選熊蜂 Ref. Starr, 1992  
*Bombus flavescens* Smith, 1852 黃色熊蜂 Ref. Starr, 1992  
*Bombus formosellus* (Frison, 1934) 信義熊蜂 [特有] Ref. Starr, 1992  
*Bombus hyponorum* (Linnaeus, 1758) Ref. Starr, 1992  
*Bombus mearnsi* Ashmead, 1893 Ref. Ashmead, 1893  
*Bombus monozonus* (Friese, 1931) [特有] Ref. Starr, 1992  
*Bombus sonani* (Frison, 1934) 楚南熊蜂 [特有] Ref. Yasumatsu & Hirashima, 1965  
*Bombus trifasciatus* Smith, 1852 威氏熊蜂 Ref. Cameron et al., 2007  
*Bombus (Pyrobombus) hypnorum* (Linnaeus, 1758) Ref. Starr, 1992  
*Braunsapis hewitti* (Cameron, 1908) 何威布朗蜂 Ref. Reyes, 1991  
*Braunsapis mixta* (Smith, 1852) 緣小蘆蜂 Ref. Smith, 1852  
*Braunsapis sauteriella* (Cockerell, 1852) Ref. Shiokawa & Michener, 1977  
*Ceratina binghami* Cockerell, 1910 Ref. Yasumatsu, 1938  
*Ceratina dentipes* Friese, 1914 齒脛蘆蜂觀高亞種 Ref. Friese, 1914  
*Ceratina easkii* Yasumatsu, 1969 Ref. Yasumatsu, 1969  
*Ceratina esakii* Yasumatsu & Hirashima, 1969 江崎蘆蜂 Ref. Yasumatsu & Hirashima, 1969  
*Ceratina fumipennigera* Strand, 1914 Ref. Vecht, 1952  
*Ceratina hieroglyphica* Smith, 1854 擬黃蘆蜂 Ref. Strand, 1913  
*Ceratina iwatai* Yasumatsu, 1936 岩田蘆蜂  
*Ceratina japonica* Shiokawa, 2002 日本花蘆蜂高地亞種 Ref. Shiokawa, 2002  
*Ceratina kankauensis* Strand Ref. Strand, 1913  
*Ceratina kosemponis* Strand, 1913 甲仙革蘆蜂 [特有] Ref. Strand, 1913  
*Ceratina nigrolateralis* Sakagami, 1961 [特有] Ref. Sakagami & Yoshikawa, 1961  
*Ceratina pulchripes* Shiokawa, 2002 黃足花蘆蜂 Ref. Shiokawa, 2002  
*Ceratina purpurascens* Cockerell, 1911 Ref. Cockerell, 1911  
*Ceratina satoi* Yasumatsu, 1936 佐藤蘆蜂 Ref. Yasumatsu, 1936  
*Ceratina sauteri* Strand, 1913 紹德蘆蜂 Ref. Yasumatsu, 1938  
*Ceratina sexmaculata* Smith Ref. Sonan, 1929  
*Ceratina smaragdula* (Fabricius, 1787) 綠蘆蜂 Ref. Vecht, 1952  
*Ceratina takasagona* Shiokawa & Hirashima, 1982 台灣花蘆蜂 [特有] Ref. Shiokawa & Hirashima, 1982  
*Ceratina unicolor* Friese, 1911 單色蘆蜂 Ref. Cockerell, 1911  
*Ceratina viridissima* Dalla Torre Ref. Sung, 2007  
*Ceratina (Ceratinidia) japonica* Shiokawa, 2002 日本花蘆蜂高地亞種 Ref. Shiokawa, 2002  
*Ceratina (Ceratinidia) okinawana* (Shiokawa) Sung, 2007 沖繩花蘆蜂台灣亞種 Ref. Sung, 2007  
*Ctenoplectra cornuta* Gribodo, 1891 角櫛距蜂 Ref. Wu, 2000  
*Ctenoplectra davidi* Vachal, 1903 無角櫛距蜂 Ref. Wu, 2000  
*Ctenoplectra kelloggi* Cockerell, 1930 藍櫛距蜂 Ref. Wu, 2000  
*Elaphropoda percarinata* (Cockerell, 1930) 粗腿長足條蜂 Ref. Wu, 2000  
*Elaphropoda taiwanica* Wu, 2000 台灣長足條蜂 [特有] Ref. Wu, 2000  
*Habropoda buconis* (Friese, 1911) 頰回條蜂 Ref. Wu, 1991  
*Habropoda christinae* Dubitzky, 2007 克莉斯汀回條蜂 Ref. Dubitzky, 2007  
*Habropoda radoszkowski* Dalla Torre, 1896 黃斑回條蜂 Ref. Wu, 1991  
*Habropoda sinensis* Dubitzky, 2007 中華回條蜂台灣亞種 Ref. Dubitzky, 2007  
*Habropoda tainanicola* (Strand, 1913) 台灣回條蜂 Ref. Cockerell, 1931

*Nomada anpingensis* Strand, 1913 台灣木斑蜂 Ref. Strand, 1913  
*Nomada atrocincta* Friese, 1920 Ref. Friese, 1920  
*Nomada leucotricha* Strand, 1941  
*Nomada longicornis* Friese, 1920 長角木斑蜂 Ref. Friese, 1920  
*Nomada monozona* Friese, 1920 Ref. Friese, 1920  
*Nomada rhinula* Strand Ref. Strand  
*Nomada secessa* Cockerell, 1911  
*Nomada subpetiolata* Smith Ref. Strand  
*Nomada suishary* Strand  
*Nomada xanthidica* Cockerell  
*Tetralonia basistrigatula* Strand, 1913 Ref. Strand, 1913  
*Tetralonia chinensis* Smith 中國四條蜂 Ref. Smith  
*Tetralonia taihokuensis* Strand, 1913 Ref. Strand, 1913  
*Tetralonia taihorensis* 台灣長鬚蜂 Ref. Strand, 1913  
*Tetralonia taihorensis* Strand, 1913 Ref. Strand, 1913  
*Tetralonioidella formosana* (Cockerell, 1911) Ref. Michener, 2000  
*Tetralonioidella heinzi* Dubitzky, 2007 海因之小四條蜂 Ref. Dubitzky, 2007  
*Tetralonioidella himalayana* (Cockerell, 1911) 喜馬拉雅小四條蜂台灣亞種 [特有] Ref. 同前  
*Tetralonioidella himalayana* (Cockerell, 1911) Ref. Lieftinck, 1983  
*Tetralonioidella hoozana* Strand, 1914 台灣小四條蜂 Ref. 同前  
*Thyreus amata* (Cockerell, 1911) Ref. Strand, 1913  
*Thyreus centrimacula* (Pérez, 1905) Ref. Lieftinck, 1962  
*Thyreus decorus* (Smith, 1852) 波琉璃紋花蜂 Ref. 同前  
*Thyreus emarginata* (Lepelletier) Ref. Wu, 1965  
*Thyreus formosana* (Meyer, 1921) 台灣琉璃紋花蜂 [特有] Ref. Lieftinck, 1962  
*Thyreus himalayensis* (Radoszkowski, 1893) 喜馬拉雅琉璃紋花蜂 Ref. 同前  
*Thyreus japonicus* Cockerell Ref. Yasumatsu & Hirashima, 1965  
*Thyreus kanshireana* (Cockerell, 1911) Ref. Strand, 1913  
*Thyreus subramosa* (Cockerell) Ref. Cockerell, 1927  
*Thyreus takaonis* (Cockerell, 1911) 高雄琉璃紋花蜂 Ref. Cockerell, 1911  
*Trigona ventralis* Strand, 1913 台灣無針蜂 [特有] Ref. Sakagami & Yamane, 1984  
*Trigona ventralis* Strand, 1913 Ref. Schwarz, 1939  
*Xylocopa bomboides* Smith, 1879 台灣絨木蜂 Ref. Strand, 1913  
*Xylocopa collaris* (Yasumatsu, 1937) Ref. Yu, 1954  
*Xylocopa collaris* (Friese, 1910) 白領帶木蜂紹德亞種 Ref. Yu, 1954  
*Xylocopa ruficeps* Friese, 1910 紅胸木蜂 [特有] Ref. Strand, 1913  
*Xylocopa sauteri* (Friese, 1910) Ref. Strand, 1913  
*Xylocopa tranquebarorum* (Swederus, 1787) 銅翼皆木蜂 Ref. Yu, 1954  
*Xylocopa tranquebarorum* (Swederus, 1787) Ref. Maeta et al., 1996

### Family Argidae 三節葉蜂科

*Arge flavicollis* (Cameron, 1876) 榆三節葉蜂 Ref. Chou & Naito, 1991  
*Arge nokoensis* Takeuchi, 1928 能高三節葉蜂 Ref. Takeuchi, 1928  
*Arge pagana* (Panzer, 1798) 玫瑰三節葉蜂 Ref. Panzer, 1798  
*Arge sauteri* (Enslin, 1911) 邵氏三節葉蜂 Ref. Enslin, 1911  
*Arge similis* (Vollenhoven, 1860) 杜鵑三節葉蜂 Ref. Vollenhoven, 1860  
*Arge tsunekii* Togashi, 1973 常木三節葉蜂 Ref. Chou & Naito, 1991  
*Arge vulnerata* Mocsary, 1909 截三節葉蜂 Ref. Mocsary, 1909  
*Arge xanthogaster* Cameron, 1876 黃腹三節葉蜂 Ref. Chou & Naito, 1991  
*Athermantus imperialis* (Smith, 1860) 黃翅三節葉蜂 Ref. 同前  
*Cibdela janthina* (Klug, 1834) 紫三節葉蜂 Ref. 同前  
*Pampsilota sinensis* (Körby, 1882) 中華三節葉蜂 Ref. Kirby, 1882  
*Yasuntatsua albitibia* Togashi, 1990 白脛三節葉蜂 Ref. Togashi, 1990

### Family Aulacidae 高背瘦蜂科

*Pristaulacus comptipennis* Enderlein, 1912 Ref. Hedicke, 1939  
*Pristaulacus kiefferi* Enderlein, 1912 Ref. Hedicke, 1939  
*Pristaulacus rufipes* Enderlein, 1912 Ref. Hedicke, 1939

### Family Bethylidae 蟻形蜂科

*Acrepyris mieae* (Terayama, 1995) Ref. Terayama, 1995c  
*Acrepyris tainanensis* (Terayama, 1995) Ref. 同前  
*Acrepyris takasago* (Terayama, 1995) Ref. 同前  
*Apenesia chitouensis* Terayama, 1996 Ref. Terayama, 1996b  
*Apenesia formosimonticola* Terayama, 1996 Ref. 同前  
*Apenesia liukueiensis* Terayama, 1996 Ref. 同前  
*Apenesia meifuiuae* Terayama, 1996 Ref. 同前  
*Apenesia pingtungensis* Terayama, 1996 Ref. 同前  
*Apenesia takasago* Terayama, 1996 Ref. 同前  
*Calyozina ramicornis* Enderlein, 1912 Ref. Gordh & Móczár, 1990  
*Dissomphalus chipenensis* Terayama, 1995 Ref. Terayama, 1995d  
*Epyris apicalis* Smith, 1874 Ref. Xu, He & Ma, 2003  
*Epyris sauteri* (Enderlein, 1920) Ref. Gordh & Móczár, 1990

*Goniozus japonicus* Maa, 1904 日本棱角腫腿蜂 Ref. Terayama, 1995  
*Holepyris atamiensis* (Ashmead, 1904) Ref. Xu, He & Ma, 2003  
*Holepyris sylvanidis* (Brethes, 1913) Ref. Gordh & Móczár, 1990  
*Odontepyrus formosicola* Shinohara, 1997 Ref. Terayama, 1997  
*Odontepyrus koreanus* Terayama, 1997 Ref. 同前  
*Odontepyrus liukueiensis* Terayama, 1997 Ref. 同前  
*Odontepyrus taiwanus* Terayama, 1997 Ref. 同前  
*Parascleroderma atayal* Terayama, 1998 Ref. Terayama, 1998  
*Parascleroderma okajimai* Terayama, 1998 Ref. 同前  
*Parascleroderma renaiensis* Terayama, 1998 Ref. 同前  
*Pristocera formosana* Miwa & Sonan, 1935 Ref. Gordh & Móczár, 1990  
*Sclerodermus nipponicus* Yuasa, 1930 日本硬皮腫腿蜂 Ref. 同前  
*Sulcomesitius haemorrhoidalis* (Magretti, 1897) Ref. Xu, He & Terayama, 2003

#### Family Blasticotomidae 四節葉蜂科

*Blasticotoma smithi* Shinohara, 1983 史密四節葉蜂 Ref. Shinohara, 1983  
*Runaria taiwana* Shinohara, 1983 臺灣四節葉蜂 Ref. 同前

#### Family Braconidae 小蘗蜂科

*Acanthormius japonicus* Ashmead, 1906 Ref. Ashmead, 1906  
*Acanthormius nitidinotum* Belokobylskij, 1988 Ref. Belokobylskij, 1988  
*Acanthormius rugosivertex* Belokobylskij, 1988 Ref. 同前  
*Acanthormius unidens* Belokobylskij, 1988 Ref. 同前  
*Acanthormius wusheensis* Belokobylskij, 1988 Ref. 同前  
*Agathis taiwanensis* Chou & Sharkey, 1989 Ref. Chou & Sharkey, 1989  
*Aleiodes cariniventris* (Enderlein, 1912) Ref. Enderlein, 1912  
*Aleiodes convexus* van Achterberg, 1991 Ref. van Achterberg, 1991  
*Aleiodes esenbeckii* (Hartig, 1838) Ref. Hartig, 1838  
*Aleiodes lateralis* (Baker, 1917) Ref. Baker, 1917  
*Aleiodes narangae* Rohwer, 1934 Ref. He & Chen, 1988  
*Alloea ampla* Wharton & Chou, 1985 寬鞭反顎繭蜂 Ref. Wharton & Chou, 1985  
*Alloea lineata* Wharton & Chou, 1985 長痣反顎繭蜂 Ref. 同前  
*Alloea sparsa* Wharton & Chou, 1985 疏毛反顎繭蜂 Ref. 同前  
*Alloea striata* Wharton & Chou, 1985 條柄反顎繭蜂 Ref. 同前  
*Alysia lucia* Haliday, 1838 Ref. Wharton, 1986  
*Alysia macrops* Wharton, 1986 大眼反顎繭蜂 Ref. Wharton, 1986  
*Alysia manducator* (Panzer, 1799) 大徑反顎繭蜂 Ref. Wharton, 1986  
*Alysia masneri* Wharton, 1986 馬氏反顎繭蜂 Ref. Wharton, 1986  
*Amyosoma chinensis* (Szépligeti, 1902) Ref. Achterberg & Polaszek, 1996  
*Amyosoma leuzerae* Rohwer, 1918 Ref. Rohwer, 1918  
*Aneurobracon philippinensis* (Muesebeck, 1932) Ref. Chou, 1981  
*Apanteles aristaeus* Nixon, 1965 Ref. Nixon, 1965  
*Apanteles bakeri* Wilkinson, 1932 Ref. Wilkinson, 1932  
*Apanteles bisulcata* Cameron, 1909 Ref. Chou, 1979  
*Apanteles carpatus* (Say, 1836) Ref. Say, 1836  
*Apanteles cypris* Nixon, 1965 Ref. Nixon, 1965  
*Apanteles folia* Nixon, 1965 Ref. Nixon, 1965  
*Apanteles galleriae* Wilkinson, 1932 Ref. Wilkinson, 1932  
*Apanteles heichinensis* Sonan, 1942 Ref. Sonan, 1942  
*Apanteles mamitus* Nixon, 1965 Ref. Nixon, 1965  
*Apanteles taragamae* Viereck, 1912 Ref. Viereck, 1912  
*Aphidius absinthii* Marshall, 1896 Ref. Chou, 1981  
*Aphidius amamioshimensis* Takada, 1968 Ref. Chou, 1981  
*Aphidius colemani* Viereck, 1912 Ref. Chou, 1981  
*Aphidius ervi* Haliday, 1834 Ref. Sonan, 1944  
*Aphidius gifuensis* Ashmead, 1906 Ref. Chou, 1981  
*Aphidius salicis* Haliday, 1834 Ref. Chou, 1981  
*Aphrastobracon philippinensis* Baker, 1917 Ref. Chou, 1981  
*Archaphidius greenideae* Stary & Schlinger, 1967 Ref. Stary & Schlinger, 1967  
*Aridelus antennatus* Chou, 1987 角蟻繭蜂 Ref. Chou, 1987  
*Aridelus destitutus* Chao, 1977 Ref. Chou, 1987  
*Aridelus flavicans* Chao, 1974 黃椿繭蜂 Ref. Chao, 1974  
*Aridelus longius* Chao, 1977 長蟻繭蜂 Ref. Chou, 1987  
*Aridelus reticulatus* Chao, 1977 網蟻繭蜂 Ref. Chou, 1987  
*Aridelus rutilipes* Papp, 1965 橙足椿繭蜂 Ref. Papp, 1965  
*Aridelus taiwanus* Chao, 1977 台灣蟻繭蜂 Ref. Chou, 1987  
*Aridelus tsuifengensis* Chao, 1977 翠峰蟻繭蜂 Ref. Chou, 1987  
*Aridelus tungpuensis* Chao, 1977 Ref. Chou, 1987  
*Ascogaster acutus* Tang & Marsh, 1994 Ref. Tang & Marsh, 1994  
*Ascogaster arisanica* Sonan, 1932 Ref. Sonan, 1932  
*Ascogaster consobrina* Curtis, 1837 Ref. Tang & Marsh, 1994  
*Ascogaster dimorpha* Tang & Marsh, 1994 Ref. 同前  
*Ascogaster formosensis* Sonan, 1932 Ref. Sonan, 1932

*Ascogaster fullawayi* (Baker, 1926) Ref. Tang & Marsh, 1994  
*Ascogaster lini* Tang & Marsh, 1994 Ref. 同前  
*Ascogaster perkinsi* Huddleston, 1984 Ref. 同前  
*Ascogaster quadridentata* Wesmael, 1885 Ref. 同前  
*Ascogaster reticulata* Watanabe, 1967 Ref. 同前  
*Ascogaster rugulosa* Tang & Marsh, 1994 Ref. 同前  
*Ascogaster setula* Tang & Marsh, 1994 Ref. 同前  
*Ascogaster townesi* Tang & Marsh, 1994 Ref. 同前  
*Asobara aurea* Papp, 1967 麗胸反顎菌蜂 Ref. Papp, 1967  
*Asobara formosae* (Ashmead, 1906) 台灣反顎菌蜂 Ref. Ashmead, 1906  
*Aspicolpus punctus* Chou & Hsu, 1998 Ref. Chou & Hsu, 1998  
*Aspicolpus rugosus* Chou & Hsu, 1998 Ref. 同前  
*Aspidobracon noyesi* van Achterberg, 1984 Ref. You, 1994  
*Aulacocentrum philippinensis* (Ashmead, 1904) Ref. Ashmead, 1904  
*Austrozele nipponensis* van Achterberg, 1993 Ref. van Achterberg, 1994  
*Baeacis improcerus* Chou & Hsu, 1998 Ref. Chou & Hsu, 1998  
*Baeacis validus* Chou & Hsu, 1998 Ref. 同前  
*Bassus albifasciatus* (Watanabe, 1934) Ref. Watanabe, 1934  
*Bassus annulus* Chou & Sharkey, 1989 Ref. Chou & Sharkey, 1989  
*Bassus asper* Chou & Sharkey, 1989 Ref. 同前  
*Bassus ater* Chou & Sharkey, 1989 Ref. 同前  
*Bassus cancellatus* (Enderlein, 1918) Ref. 同前  
*Bassus cingulipes* (Wesmael, 1837) Ref. 同前  
*Bassus depressus* Chou & Sharkey, 1989 Ref. 同前  
*Bassus ebulus* (Nixon, 1950) Ref. 同前  
*Bassus festivus* Muesebeck, 1953 Ref. Muesebeck, 1953  
*Bassus formosanus* Watanabe, 1934 Ref. Watanabe, 1934  
*Bassus helvenacus* Chou & Sharkey, 1989 Ref. Chou & Sharkey, 1989  
*Bassus laevis* Chou & Sharkey, 1989 Ref. 同前  
*Bassus lanyuensis* Chou & Sharkey, 1989 Ref. 同前  
*Bassus lienhuachihensis* Chou & Sharkey, 1989 Ref. 同前  
*Bassus lini* Chou & Sharkey, 1989 Ref. 同前  
*Bassus parallellus* Chou & Sharkey, 1989 Ref. 同前  
*Bassus rudimentarius* (Enderlein, 1918) Ref. Enderlein, 1920  
*Bassus similis* (Bhat & Gupta, 1977) Ref. Bhat & Gupta, 1977  
*Bassus sungkangensis* Chou & Sharkey, 1989 Ref. Chou & Sharkey, 1989  
*Bassus tayulingensis* Chou & Sharkey, 1989 Ref. 同前  
*Bassus transversus* Chou & Sharkey, 1989 Ref. 同前  
*Bassus triangulus* Chou & Sharkey, 1989 Ref. 同前  
*Bassus tsuifengensis* Chou & Sharkey, 1989 Ref. 同前  
*Bassus wufengensis* Chou & Sharkey, 1989 Ref. 同前  
*Bioxys japonica* Stary & Schlinger, 1967 Ref. Stary & Schlinger, 1967  
*Blacus apachus* Van Achterberg, 1976 Ref. Achterberg, 1988  
*Blacus artomandibularis* Van Achterberg, 1976 Ref. 同前  
*Blacus comatus* Van Achterberg, 1988 Ref. van Achterberg, 1988  
*Blacus mellistigmus* Van Achterberg, 1988 Ref. 同前  
*Blacus nigrocephalus* Van Achterberg, 1988 Ref. 同前  
*Blacus parastrictus* Van Achterberg, 1988 Ref. 同前  
*Blacus setosifrons* Van Achterberg, 1988 Ref. 同前  
*Blacus signifer* Van Achterberg, 1988 Ref. 同前  
*Blacus whartoni* Van Achterberg, 1988 Ref. 同前  
*Bracon adoxophyesi* Minamikawa, 1954 Ref. Chou, 1980  
*Bracon hebetor* Say, 1836 Ref. Chou, 1981  
*Bracon hispae* (Viereck, 1913) Ref. Chou, 1981  
*Bracon koshunensis* Watanabe, 1934 Ref. Chou, 1981  
*Bracon kuro* Watanabe, 1934 Ref. Chou, 1981  
*Braunsia bipunctata* Enderlein, 1904 Ref. Enderlein, 1904  
*Braunsia longicoxa* Bhat & Gupta, 1977 Ref. Bhat & Gupta, 1977  
*Brulleia taiwanensis* Chou & Hsu, 1998 Ref. Chou & Hsu, 1998  
*Buluka orientalis* Chou, 1985 Ref. Chou, 1985  
*Buluka taiwanensis* Austin, 1989 Ref. Austin, 1989  
*Camptothlipsis taichungensis* Chou & Sharkey, 1989 Ref. Chou & Sharkey, 1989  
*Campyloneurus cingulicauda* Enderlein, 1920 瓣尾彎脈菌蜂 Ref. Chou, 1981  
*Canalicephalus fugou* Chou & Hsu, 1996 Ref. Chou & Hsu, 1996  
*Canalicephalus longus* Chou & Hsu, 1996 Ref. 同前  
*Canalicephalus taiwanensis* Chou & Hsu, 1998 Ref. 同前  
*Cardiochiles albopilosus* Szépligeti, 1902 白毛折脈菌蜂 Ref. Szépligeti, 1902  
*Cardiochiles laevifossa* Enderlein, 1906 滑溝折脈菌蜂 Ref. Enderlein, 1906  
*Cardiochiles szepligetii* Enderlein, 1906 Ref. 同前  
*Cenocoelius eous* Wilkinson, 1932 遠離高腹菌蜂 Ref. Wilkinson, 1932  
*Cenocoelius koshunensis* Watanabe, 1934 Ref. Watanabe, 1934  
*Centistes (Chaetocentistes) choui* Belokobylskij, 2000 Ref. Belokobylskij, 2000

*Centistidea mogrus* Papp, 1987 Ref. Papp, 1987  
*Centistidea taiwanicus* Papp & Chou, 1996 Ref. Papp & Chou, 1996  
*Charmon taiwanensis* Chou & Hsu, 1995 Ref. Chou & Hsu, 1995  
*Chelonogastra formosana* Watanabe, 1937 Ref. Watanabe, 1937  
*Chelonus arisanus* Sonan, 1932 Ref. Sonan, 1932  
*Chelonus formosanus* Sonan, 1932 Ref. Sonan, 1932  
*Chelonus gohohi* Sonan, 1932 Ref. Sonan, 1932  
*Chelonus signatus* Sonan, 1932 Ref. Sonan, 1932  
*Chelonus tabonus* Sonan, 1932 Ref. Sonan, 1932  
*Chremylus concinnus* Enderlein, 1912 Ref. Enderlein, 1912  
*Chrysopophthorus petiolus* Chou, 1986 柄室優繭蜂 Ref. Chou, 1986  
*Clinocentrus caucasicus* Tobias, 1976 Ref. Tobias, 1976  
*Clinocentrus umbratilis* Haliday, 1833 Ref. Haliday, 1833  
*Coccygidium amplarga* (Gupta & Bhat, 1972) Ref. Gupta & Bhat, 1972  
*Coccygidium concolor* (Szépligeti, 1908) Ref. Szépligeti, 1908  
*Coccygidium nigra* (Bhat & Gupta, 1989) Ref. Bhat & Gupta, 1977  
*Coeloreuteus formosanus* Watanabe, 1934 Ref. Watanabe, 1934  
*Colastes involutus* Belokobylskij, 1992 Ref. Belokobylskij, 1992  
*Colastes macropterus* Belokobylskij, 1992 Ref. 同前  
*Colastes whartoni* Belokobylskij, 1992 Ref. 同前  
*Colastes (Colastes) pilosiventris* Belokobylskij, 1988 Ref. Belokobylskij, 1988  
*Colastes (Colastes) pubicornis* (Thomson, 1891) Ref. 同前  
*Colastes (Shawiana) alboapicalis* Belokobylskij, 1988 Ref. 同前  
*Colastes (Shawiana) longitergum* Belokobylskij, 1992 Ref. 同前  
*Colastinus leucaspis* Belokobylskij, 1992 Ref. Belokobylskij, 1992  
*Colastomion formosana* (Watanabe, 1932) 台灣胖須繭蜂 Ref. Shenefelt, 1975  
*Conspnaria flava* (Enderlein, 1920) Ref. Enderlein, 1920  
*Cotesia erionotae* (Wilkinson, 1938) Ref. Chou et al., 1989  
*Cotesia flavipes* (Cameron, 1891) Ref. Cameron, 1891  
*Cotesia glomerata* (Linnaeus, 1758) Ref. Chou & Tang, 1986  
*Cotesia kariyai* (Watanabe, 1937) Ref. Watanabe, 1937  
*Cotesia plutellae* (Kurdjumov, 1912) Ref. Kurdjumov, 1912  
*Cotesia ruficrus* (Haliday, 1834) Ref. Haliday, 1834  
*Cotesia taprobanae* Cameron, 1897 Ref. Cameron, 1897  
*Cotesia theae* (Sonan, 1942) Ref. Sonan, 1942  
*Cremonops desertor* (Linnaeus, 1758) Ref. Smith, 1874  
*Diachasmimorpha longicaudata* (Ashmead, 1905) Ref. Ashmead, 1905  
*Diaeretiella rapae* (M'Intosh, 1855) 菜少脈蚜繭蜂 Ref. Chou, 1981  
*Diaeretus leucopterus* (Haliday, 1834) Ref. Haliday, 1834  
*Dinocampus coccinellae* (Schrank, 1802) 瓢蟲繭蜂 Ref. Schrank, 1802  
*Diospilus curtus* Chou & Hsu, 1998 Ref. Chou & Hsu, 1998  
*Diospilus nantouensis* Chou & Hsu, 1998 Ref. 同前  
*Diospilus niger* Chou & Hsu, 1998 Ref. 同前  
*Diospilus taiwanensis* Chou & Hsu, 1998 Ref. 同前  
*Disophrys erythrocephala* Cameron, 1900 Ref. Cameron, 1900  
*Distilirella taiwanensis* Chou & Hsu, 1995 Ref. Chou & Hsu, 1996  
*Dolichogenidea asotae* Watanabe, 1932 Ref. Watanabe, 1932  
*Dolichogenidea baoris* Wilkinson, 1930 Ref. Wilkinson, 1930  
*Dolichogenidea hemitheae* Wilkinson, 1928 Ref. Wilkinson, 1928  
*Dolichogenidea heterusiae* (Wilkinson, 1928) Ref. 同前  
*Dolichogenidea hyposidrae* (Wilkinson, 1928) Ref. 同前  
*Dolichogenidea inquisitor* (Wilkinson, 1928) Ref. Chien et al., 1984  
*Dolichogenidea lacteicolor* (Viereck, 1911) Ref. Viereck, 1911  
*Dolichogenidea parasae* (Rohwer, 1922) Ref. Rohwer, 1922  
*Dolichogenidea sonani* Watanabe, 1932 Ref. Watanabe, 1932  
*Dolichogenidea stantoni* (Ashmead, 1904) Ref. Ashmead, 1904  
*Dolichogenidea taiwanensis* (Sonan, 1942) Ref. Sonan, 1942  
*Doryctes denticoxa* Belokobylskij, 1996 Ref. Belokobylskij, 1996  
*Doryctes henryi* Belokobylskij, 1996 Ref. 同前  
*Earinus bicolor* Chou & Sharkey, 1989 Ref. Chou & Sharkey, 1989  
*Earinus burmensis* Gupta & Bhat, 1974 Ref. 同前  
*Ephylus caudatus* Ruschka, 1916 Ref. Belokobylskij, 1996  
*Ectemnoplax peruliventris* Enderlein, 1920 Ref. Enderlein, 1920  
*Elasmosoma taiwanense* Chou, 1985 Ref. Chou, 1985  
*Eorhyssalus aciculatus* Belokobylskij, 1996 Ref. Belokobylskij, 1989  
*Eorhyssalus occipitalis* Belokobylskij, 1996 Ref. 同前  
*Ephedrus lacertosus* (Haliday, 1833) Ref. Chou, 1981  
*Ephedrus nacheri* Quilis, 1934 Ref. Chou, 1981b  
*Ephedrus niger* Gautier, Bonnamour & Gaumont, 1929 Ref. Chou, 1981  
*Ephedrus orientalis* Stary & Schlinger, 1967 Ref. Chou, 1981  
*Ephedrus persicae* Froggatt, 1904 Ref. Chou, 1981  
*Ephedrus plagiator* (Nees, 1811) Ref. Nees, 1811

*Ephedrus robustus* Liu, 1968 Ref. Liu, 1968  
*Euagathis semiflava* Szépligeti, 1908 端褐真徑繭蜂 Ref. Szépligeti, 1908  
*Euurobracon yokahamae* Dalla Torre, 1898 Ref. Chou, 1981  
*Facitorus brevicornis* van Achterberg, 1995 Ref. van Achterberg, 1995  
*Fissicaudus confucius* Mackauer, 1962 Ref. Chou, 1981  
*Fopius arisanus* (Sonan, 1932) Ref. Sonan, 1932  
*Fopius taiwanicus* (Fischer, 1975) Ref. Fischer, 1975  
*Fopius vandenboschi* (Fullaway, 1952) Ref. Fullaway, 1920  
*Fornicia arata* (Enderlein, 1912) Ref. Chou, 1981  
*Fornicia ceylonica* Wilkinson, 1928 Ref. Wilkinson, 1928  
*Fornicia obscuripennis* Fahringer, 1934 Ref. Papp, 1980  
*Fornicia penang* (Cushman, 1929) Ref. Papp, 1980  
*Fornicia rixata* Papp, 1980 Ref. Papp, 1980  
*Fornicia tergiversata* Papp, 1980 Ref. Papp, 1980  
*Glyptapanteles lamborini* Wilkinson, 1928 Ref. Wilkinson, 1928  
*Glyptapanteles liparidis* (Bouche, 1834) Ref. Bouché, 1834  
*Glyptapanteles minor* (Ashmead, 1906) Ref. Ashmead, 1906  
*Glyptapanteles theivora* Shenefelt, 1972 Ref. Shenefelt, 1972  
*Glyptapanteles thompsoni* (Lyle, 1927)  
*Gyroneuron mirum* Kokoujev, 1901 Ref. Kokoujev, 1901  
*Gyroneuron testaceator* Watanabe, 1934 褐黃圓脈繭蜂 Ref. Watanabe, 1934  
*Halycaea erythrocephala* Cameron, 1903 Ref. Cameron, 1900  
*Halycaea rubata* Belokobylskij, 2002 Ref. Belokobylskij, 2002  
*Hartemita latipes* Cameron, 1910 Ref. Cameron, 1910  
*Hartemita townesi* Dangerfield & Austin, 1990 Ref. Dangerfield & Austin, 1990  
*Helcon albus* Chou & Hsu, 1998 Ref. Chou & Hsu, 1998  
*Helcon claviventris* Wesmael, 1885 Ref. Wesmael, 1835  
*Helconidea uchida* Watanabe, 1931 Ref. Watanabe, 1913  
*Heratemis filosa* Walker, 1860 雙刺反顎繭蜂 Ref. Walker, 1860  
*Heratemis laticeps* (Papp, 1969) 乳突反顎繭蜂 Ref. Papp, 1969  
*Heterospilus austriacus* (Szépligeti, 1906)  
*Heterospilus hemitestaceus* Belokobylskij, 1996 Ref. Belokobylskij, 1996  
*Heterospilus separatus* Fischer, 1960  
*Histeromerus orietalis* Chou & Hsu, 1991 Ref. Chou & Hsu, 1991  
*Homolobus (Apatia) elagabalus* (Nixon, 1938) Ref. Nixon, 1938  
*Homolobus (Apatia) truncator* (Say, 1828) Ref. Say, 1828  
*Homolobus (Chartolobus) infumator* (Lyle, 1914) Ref. Lyle, 1914  
*Homolobus (Chartolobus) undulatus* Achterberg, 1979 波脊滑繭蜂 Ref. Achterberg, 1979  
*Homolobus (Homolobus) rufiventralis* Maeto, 1982 Ref. Maeto, 1982  
*Homolobus (Homolobus) sinensis* Chen, 1991 Ref. Chen, 1991  
*Homolobus (Homolobus) watanabei* van Achterberg, 1992 Ref. van Achterberg, 1992  
*Homolobus (Oulophus) annulatus* van Achterberg, 1979 Ref. van Achterberg, 1979  
*Homolobus (Oulophus) flagitator* (Curtis, 1837) Ref. Curtis, 1837  
*Homolobus (Oulophus) longus* Chou & Hsu, 1995 Ref. Chou & Hsu, 1995  
*Homolobus (Oulophus) sungkangensis* Chou & Hsu, 1995 Ref. 同前  
*Homolobus (Phylacter) bifurcatus* van Achterberg, 1979 Ref. van Achterberg, 1979  
*Hormiellus solocipes* Enderlein, 1912 Ref. Enderlein, 1912  
*Hormius longiventris* Belokobylskij, 1988 Ref. Belokobylskij, 1988  
*Hormius moniliatus* (Nees, 1812) 念珠索翅繭蜂 Ref. Nees, 1812  
*Hormius pallidus* Belokobylskij, 1990 Ref. Belokobylskij, 1990  
*Hormius solocipes* (Enderlein, 1912) Ref. Belokobylskij, 1995  
*Hypodoryctes bilobus* (Shestakov, 1940) Ref. Belokobylskij, 1996  
*Hypodoryctes sibiricus* Kokujev, 1900 Ref. 同前  
*Hypodoryctes torridus* Papp, 1987  
*Iphiaulax garampiana* (Matsumura, 1912) Ref. Matsumura, 1912  
*Iphiaulax sauteri* Enderlein, 1920 Ref. Chou, 1981  
*Ipobracon horishana* (Matsumura, 1912) Ref. Matsumura, 1912  
*Ipobracon taiwanus* (Watanabe, 1934) Ref. Watanabe, 1934  
*Ipodoryctes korotyaevi* Belokobylskij, 1996 Ref. Belokobylskij, 1996  
*Ipodoryctes peregrinus* Belokobylskij, 1994 Ref. Belokobylskij, 1994  
*Laccagathis formosana* Watanabe, 1934 Ref. Watanabe, 1934  
*Leptospathius triangulifera* Enderlein, 1914 Ref. Enderlein, 1914  
*Lipolexis gracilis* Foerster, 1862 Ref. Chou, 1981  
*Lipolexis scutellaris* Mackauer, 1962 Ref. Chou, 1981  
*Loxocephalus boops* (Wesmael, 1835) Ref. Wesmael, 1835  
*Lysiphlebia japonica* (Ashmead, 1906) Ref. Ashmead, 1906  
*Macrocentrus gigas* Watanabe, 1937 Ref. Watanabe, 1937  
*Macrocentrus jacobsoni* Szépligeti, 1908 Ref. Szépligeti, 1908  
*Macrostromion sumatranum* (Enderlein, 1920) Ref. Enderlein, 1920  
*Megarhogas perinae* (Watanabe, 1932) Ref. Watanabe, 1932  
*Meteorius narangae* Sonan, 1943 Ref. Sonan, 1943  
*Microchelonus mushana* (Sonan, 1932) Ref. Sonan, 1932

*Microchelonus nigricoxata* (Sonan, 1932) Ref. Sonan, 1932  
*Microchelonus pectinophorae* (Cushman, 1931) 紅鈴蟲甲腹繭蜂 Ref. Cushman, 1931  
*Microchelonus rokkina* (Sonan, 1932) Ref. Sonan, 1932  
*Microchelonus rufosignata* (Sonan, 1932) Ref. Sonan, 1932  
*Microgaster kuchingensis* Wilkinson, 1927 Ref. Chou, 1981  
*Microplitis pallidipes* Szépligeti, 1902 Ref. Chiu & Chou, 1976  
*Microplitis tuberculifer* (Wesmael, 1837) Ref. 同前  
*Mirax feretus* Papp & Chou, 1996 Ref. Papp & Chou, 1996  
*Monoctonus woodwardiae* Stary & Schlinger, 1967 Ref. Chou, 1981  
*Ontsira gratia* Belokobylskij, 1996 Ref. Belokobylskij, 1996  
*Ontsira imperator* (Haliday, 1836) Ref. 同前  
*Ontsira nixonii* (Watanabe, 1952) Ref. 同前  
*Ontsira palliatus* (Cameron, 1881) Ref. 同前  
*Opius fulvifacies* Fischer, 1966 Ref. Fischer, 1966  
*Opius maculipennis* Enderlein, 1912 Ref. Enderlein, 1912  
*Opius sauteri* Fischer, 1963 Ref. Fischer, 1963  
*Opius sulcifer* Fischer, 1975 Ref. Fischer, 1975  
*Orgilonia chuchiensis* Chou, 1995 Ref. Chou, 1995  
*Orgilus amplissimus* Chou, 1995 Ref. Chou, 1995  
*Orgilus caballus* Chou, 1995 Ref. Chou, 1995  
*Orgilus caritus* Chou, 1995 Ref. Chou, 1995  
*Orgilus cretus* Chou, 1995 Ref. Chou, 1995  
*Orgilus cunctus* Chou, 1995 Ref. Chou, 1995  
*Orgilus galbinus* Chou, 1995 Ref. Chou, 1995  
*Orgilus improcerus* Chou, 1995 Ref. Chou, 1995  
*Orgilus ischnus* Marshall, 1898 Ref. Chou, 1995  
*Orgilus lini* Chou, 1995 Ref. Chou, 1995  
*Orgilus meifengensis* Chou, 1995 Ref. Chou, 1995  
*Orgilus pappianus* Taeger, 1987 Ref. Taeger, 1987  
*Orgilus planus* Chou, 1995 Ref. Chou, 1995  
*Orgilus rarus* Chou, 1995 Ref. Chou, 1995  
*Orgilus taiwanensis* Chou, 1995 Ref. Chou, 1995  
*Orientopius formosanus* Fischer, 1966 Ref. Fischer, 1966  
*Pambolus (Phaenodus) caudalis* Belokobylskij, 1988 Ref. Belokobylskij, 1988  
*Pambolus (Phaenodus) ruficeps* Belokobylskij, 1988 Ref. 同前  
*Parabrulleia linorum* Chou & Hsu, 1998 Ref. Chou & Hsu, 1998  
*Parahormius nitidus* Belokobylskij, 1988 Ref. Belokobylskij, 1988  
*Parallorhogas pallidiceps* (Perkins, 1910) Ref. Belokobylskij, 1996  
*Pauesia salignae* (Watanabe, 1939) Ref. Chou, 1981  
*Pauesia unilachni* (Gahan, 1926) 長足大蚜繭蜂 Ref. Gahan, 1926  
*Pauesia (Paraphidius) laticeps* (Gahan, 1926) Ref. Chou, 1981  
*Phaenocarpa cameroni* Papp, 1967 小眼反顎繭蜂 Ref. Papp, 1967  
*Phanerotoma flava* Ashmead, 1906 Ref. Ashmead, 1906  
*Phanerotoma planifrons* (Nees, 1816) Ref. Nees, 1816  
*Platyspathius bisignatus* (Walker, 1860) Ref. Walker, 1860  
*Platyspathius dinoderi* (Gahan, 1925)  
*Platyspathius ornatulus* (Enderlein, 1912) Ref. Enderlein, 1912  
*Polystenus rugosus* Foerster, 1862  
*Praon dorsale* (Haliday, 1833) Ref. Chou, 1981  
*Praon orientale* Stary & Schlinger, 1967 Ref. Chou, 1981  
*Protomicroplitis tomentosae* (Wilkinson, 1930) Ref. Wilkinson, 1930  
*Pseudoshirakia yokohamensis* (Cameron, 1910) Ref. Chou, 1981  
*Psytalia fletcheri* Silvestri, 1916 Ref. Silvestri, 1916  
*Psytalia makii* (Sonan, 1932) Ref. Sonan, 1932  
*Rhaconotus concinnus* (Enderlein, 1912) Ref. Enderlein, 1912  
*Rhaconotus formosanus* Watanabe, 1934 Ref. Watanabe, 1934  
*Rhaconotus sauteri* (Watanabe, 1934) Ref. 同前  
*Rhaconotus sulcativentris* (Enderlein, 1912) Ref. Chou, 1981  
*Rhaconotus vagrans* (Bridwell, 1920) Ref. Belokobylskij, 1996  
*Rhysipolis meditator* (Haliday, 1836) Ref. Belokobylskij, 1988  
*Rhysipolis taiwanicus* Belokobylskij, 1988 Ref. 同前  
*Rhysipolis townesi* Belokobylskij, 1988 Ref. 同前  
*Simplicibracon maculigaster* Quicke, 1988 Ref. Quicke, 1988  
*Snellenius manilae* (Ashmead, 1904) 馬尼拉小繭蜂 Ref. Ashmead, 1904  
*Snellenius radicalis* (Wilkinson, 1929) 平鞭脊背繭蜂 Ref. Wilkinson, 1929  
*Spathiomorpha enderleini* Belokobylskij, 1996 Ref. Belokobylskij, 1996  
*Spathiostenus formosanus* (Watanabe, 1934) Ref. Watanabe, 1934  
*Spathius annuliventris* (Enderlein, 1912) Ref. Chou, 1981  
*Spathius apicalis* (Westwood, 1882) Ref. Chou, 1981  
*Spathius brevicaudis* Ratzeburg, 1844  
*Spathius convexitropicalis* Belokobylskij, 1996  
*Spathius eunyce* Nixon, 1943

*Spathius medon* Nixon, 1943  
*Spathius miletus* Nixon, 1943 Ref. Chou, 1981  
*Spathius mimeticus* (Enderlein, 1912) Ref. Belokobylskij, 1996  
*Spathius paracritolaus* Belokobylskij, 1996 Ref. Belokobylskij, 1996  
*Spathius taiwanicus* Belokobylskij, 1996 Ref. Belokobylsky, 1996  
*Spathius wusheensis* Belokobylskij, 1996 Ref. 同前  
*Spathius yunnanensis* Chao, 1977 Ref. Belokobylskij, 1996  
*Spinaria armator* (Fabricius, 1804) Ref. Fabricius, 1804  
*Spinaria spinator* (Guérin-Méneville, 1830) Ref. Guérin-Méneville, 1830  
*Stantonia issikii* Watanabe, 1932 Ref. Watanabe, 1932  
*Stantonia ruficornis* Enderlein, 1921 Ref. Enderlein, 1921  
*Stantonia sauteri* Watanabe, 1932 Ref. Watanabe, 1932  
*Stenobracon oculatus* Szépligeti, 1901 Ref. Chou, 1981  
*Streblocera macroscapa* Ruthe, 1856 Ref. Ruthe, 1856  
*Streblocera (Asiastreblocera) dayuensis* Chao, 1990 Ref. Wang, 1983  
*Streblocera (Cosmophoridia) adusta* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) amplissima* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) curta* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) destituta* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) kenchingi* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) lienhuachihensis* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) nantouensis* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) nigra* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) octava* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) okadai* Watanabe, 1942 Ref. Watanabe, 1942  
*Streblocera (Cosmophoridia) opima* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) primotina* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) sungkangensis* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) taiwanensis* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Cosmophoridia) tsuifengensis* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) chiuae* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) emarginata* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) helvenaca* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) immensa* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) lalashanensis* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) latibrocha* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) lini* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) meifengensis* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) panda* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) tayulingensis* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) triquetra* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) tungpuensis* Chao, 1990 Ref. Chou, 1990  
*Streblocera (Streblocera) villosa* Papp, 1985 Ref. Papp, 1985  
*Streblocera (Villocera) quinaria* Chao, 1990 Ref. Chou, 1990  
*Syntomernus pusillus* Enderlein, 1920 Ref. Enderlein, 1920  
*Syntretomorpha szaboi* Papp, 1985 Ref. Papp, 1962  
*Syntretus bulbus* Chen & van Achterberg, 1997 Ref. Chen & van Achterberg, 1997  
*Syntretus choui* Papp, 2004 Ref. Papp, 2004  
*Syntretus extensus* Papp, 2004 Ref. Papp, 2004  
*Syntretus glaber* Chen & van Achterberg, 1997 Ref. Chen & van Achterberg, 1997  
*Syntretus lyctaea* Cole, 1959 Ref. Cole, 1959  
*Syntretus parvicornis* (Ruthe, 1862) Ref. Ruthe, 1862  
*Syntretus secutensus* Papp, 2004 Ref. Papp, 2004  
*Syntretus subglaber* Papp, 2004 Ref. Papp, 2004  
*Syntretus temporalis* Papp, 2004 Ref. Papp, 2004  
*Syntretus testaceus* (Capron, 1887) Ref. Capron, 1887  
*Syntretus transitus* Papp, 2004 Ref. Papp, 2004  
*Syntretus varus* Papp, 2004 Ref. Papp, 2004  
*Taiwanhormius affinis* Belokobylskij, 1988 Ref. Belokobylskij, 1988  
*Taiwanhormius granulosus* Belokobylskij, 1988 Ref. 同前  
*Tebnotoma aciculatus* (Belokobylskij, 1989) Ref. Belokobylskij, 1989  
*Tebnotoma occipitalis* (Belokobylskij, 1989) Ref. 同前  
*Testudobracon pleuralis* (Ashmead, 1906) Ref. Yao, 1994  
*Toxares shigai* Takada, 1965 Ref. Chou, 1981  
*Triaspis (Schizoprymnus) beitun* Chou & Hsu, 1996 Ref. Chou & Hsu, 1996  
*Triaspis (Schizoprymnus) bicolor* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) borpian* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) calvus* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) chiu* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) chouwen* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) chunji* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) curvatus* Chou & Hsu, 1996 Ref. 同前

*Triaspis (Schizoprymnus) distinctus* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) fessus* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) hui* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) imitatus* Papp, 1993 Ref. Papp, 1993  
*Triaspis (Schizoprymnus) ketiao* Chou & Hsu, 1996 Ref. Chou & Hsu, 1996  
*Triaspis (Schizoprymnus) kueichia* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) lienhuachihensis* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) loi* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) ovatus* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) plenus* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) robustus* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) shan* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Schizoprymnus) tungpuensis* Chou & Hsu, 1996 Ref. 同前  
*Triaspis (Triaspis) shangchia* Chou & Hsu, 1996 Ref. 同前  
*Trioxys (Binodoxys) carinatus* Stary & Schlinger, 1967 Ref. Chou, 1981  
*Trioxys (Binodoxys) communis* Gahan, 1926 廣三叉蚜繭蜂 Ref. Chou, 1981  
*Trioxys (Binodoxys) indicus* Subba Rao & Sharma, 1958 印三叉蚜繭蜂 Ref. Chou, 1981  
*Trioxys (Binodoxys) struma* Gahan, 1926 Ref. Chou, 1981  
*Trioxys (Binodoxys) toxopterae* Takada, 1966 Ref. Chou, 1981  
*Trioxys (Trioxys) auctus* (Haliday, 1833) Ref. Chou, 1981  
*Trioxys (Trioxys) liui* Chou & Chou, 1993 Ref. Chou & Chou, 1993  
*Trioxys (Trioxys) shivaphis* Takada, 1966 Ref. Chou, 1981  
*Trispinaria maculata* van Achterberg, 1991 Ref. van Achterberg, 1991  
*Tropobracon luteus* Cameron, 1905 Ref. Chou, 1981  
*Ussurohelcon koshunensis* (Watanabe, 1934) Ref. Watanabe, 1934  
*Wesmaelia decurta* Papp & Chou, 1995 Ref. Papp & Chou, 1995  
*Wesmaelia lepos* Belokobylskij, 1992 Ref. Belokobylskij, 1992  
*Wesmaelia pendula* Foerster, 1862 Ref. Foerster, 1862  
*Wilkinsonellus iphitus* (Nixon, 1965) Ref. Chou, 1999  
*Wroughtonia petila* Chou & Hsu, 1998 Ref. Chou & Hsu, 1998  
*Wroughtonia pterolophiae* Chou & Hsu, 1998 Ref. 同前  
*Wroughtonia spinator* Lepeletier & Audinet-Serville, 1827 Ref. Lepeletier & Audinet-Serville, 1827  
*Wushenia nana* Zettel, 1990 Ref. Zettel, 1990  
*Xiphozele compressiventris* Cameron, 1906 Ref. Cameron, 1906  
*Zele admirabilis* Maeto, 1986 Ref. Maeto, 1986  
*Zele deceptor* (Wesmael, 1835) Ref. Wesmael, 1835  
*Zombrus bicolor* (Enderlein, 1912) Ref. Chou, 1981

#### Family Cephidae 莖蜂科

*Sinicephus giganteus* (Enderlein, 1913) 巨耿莖蜂 Ref. Chou & Naito, 1991

#### Family Ceraphromnidae 分盾細蜂科

*Ceraphron manilae* (Ashmead, 1904) Ref. Sonan, 1944  
*Cyoceraphron fuscopleuralis* Dessart, 1994 Ref. Dessart, 1994  
*Cyoceraphron striatopleuralis* Dessart, 1994 Ref. Dessart, 1994

#### Family Chalcididae 小蜂科

*Antrocephalus atratus* Masi, 1989 Ref. Narendran, 1989  
*Antrocephalus bicolor* (Masi, 1932) Ref. Masi, 1932  
*Antrocephalus brevigaster* Masi, 1932 Ref. Masi, 1932  
*Antrocephalus hakonensis* (Ashmead, 1904) Ref. Masi, 1933  
*Antrocephalus japonicus* (Masi, 1936) Ref. Masi, 1936  
*Antrocephalus lugubris* (Masi, 1932) Ref. Masi, 1932  
*Antrocephalus nasutus* (Holmgren, 1868) Ref. Masi, 1932  
*Antrocephalus phaeospilus* Waterston, 1922 Ref. Masi, 1932  
*Antrocephalus sinicorum* Masi Ref. Masi, 1932  
*Brachymeria alternipes* (Walker, 1871) Ref. Chou et al., 1994  
*Brachymeria euplocae* (Westwood, 1837) 博大腿小蜂 Ref. Tseng, 1988  
*Brachymeria excarinata* Gahan, 1925 無脊大腿小蜂 Ref. Chien, Chu & Chiu, 1984  
*Brachymeria lasus* (Walker, 1841) 廣大腿小蜂 Ref. 同前  
*Brachymeria longiscaposa* Joseph, Narendran & Joy, 1972 Ref. Joseph, Narendran & Joy, 1972  
*Brachymeria lugubris* (Walker, 1871) Ref. Lin, 1987  
*Brachymeria minuta* (Linnaeus, 1767) 麻蠅大腿小蜂 Ref. Lin, 1987  
*Brachymeria podagrica* (Fabricius, 1787) 紅腿大腿小蜂 Ref. Lin, 1987  
*Brachymeria taiwana* (Matsumura, 1911) Ref. Matsumura, 1911  
*Brachymeria tibialis* (Walker, 1834) Ref. Lin, 1987  
*Chalcis edentata* Narendran, 1989 Ref. Narendran, 1989  
*Dirhinus anthracia* Walker, 1846 Ref. Masi, 1933  
*Dirhinus secundarius* Masi, 1933 Ref. Masi, 1933  
*Epitranus albipennis* Walker, 1874 Ref. Masi, 1933  
*Epitranus clavatus* (Fabricius, 1804) Ref. Masi, 1933  
*Epitranus erythrogaster* Cameron, 1888 Ref. Masi, 1933  
*Hockeria pulchella* Masi, 1932 Ref. Masi, 1932

*Kriechbaumerella pulvinata* (Masi, 1932) Ref. Masi, 1932  
*Kriechbaumerella pulvinatus* (Masi, 1932) Ref. Masi, 1932  
*Neochalcis breviceps* (Masi, 1929) Ref. Chou et al., 1994  
*Nipponohockeria ishii* Habu, 1960 Ref. Chiu et al., 1981  
*Oxycoryphe edentata* Narendran, 1989 Ref. Narendran, 1989  
*Oxycoryphe maculipennis* (Masi, 1932) Ref. Masi, 1932  
*Proconura asiatica* Narendran, 1989 Ref. Narendran, 1989  
*Psilochalcis carinigena* (Cameron, 1907) Ref. Masi, 1933

#### Family Chrysididae 青蜂科

*Chrysis alishana* Tsuneki, 1982 Ref. Tsuneki, 1982  
*Chrysis angolensis* Radoszkowski, 1881 Ref. Kimsey & Bohart, 1990  
*Chrysis basilacuna* Sugihara, 1932 Ref. 同前  
*Chrysis bishamon* Tsuneki, 1982 Ref. Tsuneki, 1982  
*Chrysis buddhae* Mocsary, 1913 Ref. Uchida, 1933  
*Chrysis ceciliae* Buysson, 1904 Ref. Kimsey & Bohart, 1990  
*Chrysis fouqueti* (Buysson, 1909) Ref. 同前  
*Chrysis hoozana* Mocsary, 1913 Ref. Uchida, 1933  
*Chrysis ionophris* Mocsary, 1893 Ref. Kimsey & Bohart, 1990  
*Chrysis nigropilosa* Tsuneki, 1970 Ref. Tsuneki, 1970a  
*Chrysis parallela* Brulle, 1846 Ref. Kimsey & Bohart, 1990  
*Chrysis principalis* Smith, 1874 Ref. Uchida, 1927  
*Chrysis taihorina* Mocsary, 1913 Ref. Uchida, 1927  
*Chrysis takasago* Tsuneki, 1963 Ref. Tsuneki, 1963  
*Chrysis takeuchii* Tsuneki, 1956 Ref. Tsuneki, 1982  
*Chrysis talitha* Mocsary, 1913 Ref. Uchida, 1927  
*Chrysis thakur* Mocsary, 1913 Ref. Kimsey & Bohart, 1990.  
*Chrysis tiawana* Tsuneki, 1913 Ref. Tsuneki, 1970a  
*Chrysis vicaria* Mocsary, 1913 Ref. Uchida, 1927  
*Cleptes asianus* Kimsey, 1987 Ref. Kimsey & Bohart, 1990  
*Cleptes sjostedti* Hammer, 1950 Ref. Moczar, 1997  
*Cleptes taiwanus* Tsuneki, 1982 Ref. Tsuneki, 1982.  
*Cleptes townesi* Kimsey, 1987 Ref. Kimsey & Bohart, 1990  
*Hedychrum formosanum* Mocsary, 1911 Ref. Uchida, 1933  
*Hedychrum gerstaeckeri* Chevrier, 1869 Ref. Kimsey & Bohart, 1990  
*Hedychrum japonicum* Cameron, 1887 Ref. Cameron, 1887  
*Hedychrum taiwanense* Tsuneki, 1970 Ref. Tsuneki, 1970a  
*Hedychrum takasago* Tsuneki, 1970 Ref. 同前  
*Holophris taiwanus* (Tsuneki, 1970) Ref. Kimsey & Bohart, 1990  
*Loboscelidia maai* (Lin, 1964) Ref. 同前  
*Magdaliium orchidense* Kimsey, 1995 Ref. Kimsey, 1995  
*Omalus aeneus* (Fabricius, 1787) Ref. Kimsey & Bohart, 1990  
*Praestochrysis lachesis* (Mocsary, 1913) Ref. 同前  
*Praestochrysis lusca* (Fabricius, 1804) Ref. Tsuneki, 1970a  
*Praestochrysis shanghaiensis* (Smith, 1874) Ref. Tsuneki, 1970  
*Primeuchroeus crassiceps* (Tsuneki, 1970) Ref. Kimsey & Bohart, 1990  
*Primeuchroeus kansitakuanus* (Tsuneki, 1970) Ref. 同前  
*Stilbum cyanurum* (Forster, 1771) Ref. Uchida, 1933  
*Trichrysis luzonica* (Mocsary, 1889) Ref. Kimsey & Bohart, 1990  
*Trichrysis triacantha* (Mocsary, 1889) Ref. 同前

#### Family Cimbicidae 錘角葉蜂科

*Abia formosa* Takeuchi, 1927 美麗錘角葉蜂 Ref. Takeuchi, 1931  
*Abia imperialis* Körby, 1882 統帥錘角葉蜂 Ref. Chou & Naito, 1991  
*Leptocimbex formosana* (Enslin, 1911) 統帥錘角葉蜂 Ref. Takeuchi, 1931

#### Family Colletidae 擬蜜蜂科

*Colletes taiwanensis* Dubitzky & Kuhlmann, 2004 台灣分舌蜂 Ref. Dubitzky & Kuhlmann, 2004  
*Eriades sauteri* Cockerell Ref. Strand, 1913  
*Hylaeus bridwelli* Ikudome, 1989 布氏面花蜂 [特有] Ref. Ikudome, 1989  
*Hylaeus mediolucens* Cockerell, 1911 Ref. Cockerell, 1911  
*Hylaeus odontophora* Strand, 1914 Ref. Strand, 1914  
*Hylaeus taihorinica* Strand, 1914 Ref. Strand, 1914  
*Hylaeus transversicostata* Strand, 1913 Ref. Strand, 1913  
*Prosopalictus formosanus* (Strand, 1913) Ref. Strand, 1913  
*Prosopis mediolucens* Cockerell, 1911 Ref. Cockerell, 1911  
*Scrapter simpliciceps* Strand, 1913 Ref. Strand, 1913  
*Scrapter tuberculiceps* Strand, 1913 Ref. Strand, 1913

#### Family Crabronidae 銀口蜂科

*Alysson pertheesi* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Alysson taiwanus* Sonan, 1940 Ref. Tsuneki, 1968  
*Alysson takasago* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Argogorytes fuliginosus* Tsuneki, 1968 Ref. Tsuneki, 1968

*Bembecinus hungaricus* (Sonan, 1928) Ref. Sonan, 1928  
*Bembecinus nigriclypeus* (Sonan, 1928) Ref. Sonan, 1928  
*Bembecinus paiwanus* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Bembecinus penpuchiensis* Tsuneki., 1968 Ref. Tsuneki, 1968  
*Bembecinus posterus* (Sonan, 1928) Ref. Sonan, 1928  
*Bembecinus quadratus* Tsuneki, 1976 Ref. Tsuneki, 1977  
*Bembix formosana* Bischoff, 1913 Ref. Bischoff, 1913  
*Bembix niponica* Smith, 1873 Ref. Smith, 1873  
*Bembix taiwana* Bischoff, 1913 Ref. Bischoff, 1913  
*Carinostigmus formosanus* (Tsuneki, 1954) Ref. Tsuneki, 1954  
*Carinostigmus iwatai* (Tsuneki, 1954) Ref. Tsuneki, 1954  
*Carinostigmus nozakai* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Carinostigmus saigusai* (Tsuneki, 1966) Ref. Tsuneki, 1966  
*Carinostigmus tanoi* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Cerceris albofasciata* Strand, 1913 Ref. Tsuneki, 1970b  
*Cerceris changi* Tsuneki, 1972 Ref. Tsuneki, 1972a  
*Cerceris coelicola* Giner Mari, 1942 Ref. Tsuneki, 1970b  
*Cerceris formosana* Strand, 1913 Ref. Yasumatsu, 1936a  
*Cerceris hexadonta* Strand, 1913 六齒節腹泥蜂 Ref. Tsuneki, 1970b  
*Cerceris kwangtsehiana* Giner Mari, 1942 斜突節腹泥蜂 Ref. 同前  
*Cerceris luzonensis* Rohwer, 1911 Ref. 同前  
*Cerceris nebulosa* Cameron, 1890 烟翅節腹泥蜂 Ref. Bohart & Menke, 1976  
*Cerceris pictiventris* Strand, 1913 花腹節腹泥蜂台灣亞種 Ref. Tsuneki, 1970b  
*Cerceris sinensis* Smith, 1856 中華節腹泥蜂 Ref. Yasumatsu, 1943b  
*Cerceris strandi* Giner Mari, 1943 Ref. Tsuneki, 1970b  
*Cerceris superflua* Strand, 1913 Ref. Yasumatsu, 1943b  
*Cerceris trichobunda* Strand, 1913 Ref. Tsuneki, 1970b  
*Cerceris umbinifera* Tsuneki, 1977 Ref. Tsuneki, 1977b  
*Cerceris unifasciata* Smith, 1856 Ref. Bohart & Menke, 1976  
*Cerceris varia* Tsuneki, 1970; Bohart & Menke, 1976 Ref. Tsuneki, 1972a  
*Cerceris variaesimilis* Maidl, 1926 褐角節腹泥蜂 Ref. Tsuneki, 1970b  
*Crossocerus aeta* Pate, 1944 Ref. Tsuneki, 1968  
*Crossocerus alticola* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Crossocerus bnun* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Crossocerus breviclypeatus* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Crossocerus congener* (Dahlbom, 1845) Ref. Dahlbom, 1845  
*Crossocerus denticrus* Herrich-Schaeffer, 1841 Ref. Tsuneki, 1972  
*Crossocerus domicola* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Crossocerus flavissimus* Leclercq, 1973 Ref. Leclercq, 1973  
*Crossocerus flavopictus* Smith, 1856 Ref. Smith, 1856  
*Crossocerus fukuiensis* Tsuneki, 1970 Ref. Tsuneki, 1970  
*Crossocerus hakusanus* Tsuneki, 1982 Ref. Tsuneki, 1982  
*Crossocerus hirashimai* Tsuneki, 1966 Ref. Tsuneki, 1966  
*Crossocerus kamateensis* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Crossocerus melanochilos* Pate, 1944 Ref. Pate, 1944  
*Crossocerus nitidicorpus* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Crossocerus pleuracutus* Leclercq, 1973 Ref. Leclercq, 1973  
*Crossocerus quinquedentatus* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Crossocerus rubromaculatus* Tsuneki, 1982 Ref. Tsuneki, 1982  
*Crossocerus rufiventris* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Crossocerus sauteri* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Crossocerus surusumi* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Crossocerus taiwanus* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Crossocerus takasago* Tsuneki, 1966 Ref. Tsuneki, 1966  
*Crossocerus tanoi* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Crossocerus tsuifengensis* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Crossocerus yasumatsui* (Tsuneki, 1947) Ref. Tsuneki, 1947  
*Dasyproctus agilis* (Smith, 1858) Ref. Smith, 1858  
*Dasyproctus buddha* (Cameron, 1889) Ref. Cameron, 1889  
*Dasyproctus jungi* (Ma, 1936) Ref. Ma, 1936  
*Ectemnius cavifrons* Tsuneki, 1972 Ref. Tsuneki, 1972  
*Ectemnius chrysites* (Kohl, 1892) 橫皺切方頭泥蜂 Ref. Kohl, 1892  
*Ectemnius flavohirtus* Tsuneki, 1954 Ref. Tsuneki, 1954  
*Ectemnius furuichii* Tsuneki, 1960 Ref. Tsuneki, 1960  
*Ectemnius laevidorsis* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Ectemnius melanotarsis* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Ectemnius nitobei* (Matsumura, 1912) Ref. Matsumura, 1912  
*Ectemnius orius* Leclercq, 1958 Ref. Leclercq, 1958  
*Ectemnius pempuchi* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Ectemnius ruficornis* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Ectemnius schlettereri* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Ectemnius schlettereri* (Matsumura & Uchida, 1926 or 1927) Ref. Tsuneki, 1959

*Ectemnius tsuifenicus* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Ectemnius (Menyllus) alishanus* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Entomognathus siraiya* Pate, 1944 粗脛顎方頭泥蜂 Ref. Pate, 1944  
*Eogorytes gaoganus* (Sonan, 1940) Ref. Menke, 1996  
*Eogorytes taiwanus* (Tsuneki, 1971) Ref. Bohart & Menke, 1976  
*Larra amplipennis* (Smith, 1873) 紅腹小唇泥蜂 Ref. Smith, 1873  
*Larra carbonaria* (Smith, 1858) 黑小唇泥蜂 Ref. Smith, 1858  
*Larra fenchihuensis* Tsuneki, 1967:22 刻臀小唇泥蜂 Ref. Tsuneki, 1971  
*Larra polita* Rohwer, 1919 紅腿小唇泥蜂 Ref. Rohwer, 1919  
*Larra polita* (Smith, 1858) Ref. Kohl, 1885  
*Leclercqia formosana* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Lestica alaceris* (Bingham, 1896) Ref. Bingham, 1896  
*Lestica alata* (Panzer, 1797) Ref. Panzer, 1797  
*Lestica collaris* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Lestica constricta* Krombein, 1949 Ref. Krombein, 1949  
*Lestica formosana* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Lestica fulvipes* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Lestica hentona* Tsuneki, 1990 Ref. Tsuneki, 1990  
*Liris albopilosa* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Liris anthracina* Kohl, 1892 Ref. Kohl, 1892  
*Liris aurulentus* (Fabricius, 1787) 紅足脊小唇泥蜂 Ref. Fabricius, 1787  
*Liris beatus* (Cameron, 1889) Ref. Cameron, 1889  
*Liris deplanata* Tsuneki, 1967 金毛脊小唇泥蜂炳氏亞種 Ref. Tsuneki, 1967  
*Liris difficilis* Tsuneki, 1983 Ref. Tsuneki, 1983  
*Liris festinans* (Smith, 1859) Ref. Smith, 1859  
*Liris fuscata* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Liris fuscinervus* (Cameron, 1905) 光臀脊小唇泥蜂 Ref. Cameron, 1905  
*Liris haemorrhoidalis* (Fabricius, 1804) Ref. Fabricius, 1804  
*Liris hanedai* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Liris jaculator* (Smith, 1856) Ref. Smith, 1856  
*Liris laboriosa* (Smith, 1856) Ref. Smith, 1856  
*Liris larriformis* (Williams, 1928) Ref. Williams, 1928  
*Liris larroides* (Tsuneki, 1967) 齒爪脊小唇泥蜂台灣亞種 Ref. Tsuneki, 1967  
*Liris menkei* Tsuneki, 1976 Ref. Tsuneki, 1976  
*Liris rohweri* (Williams, 1928) Ref. Williams, 1928  
*Liris subtessellata* (Smith, 1856) 紅股脊小唇泥蜂 Ref. Tsuneki, 1966  
*Liris subtessellatus* (Smith, 1856) 矛脊唇泥蜂 Ref. Smith, 1856  
*Liris surusumi* (Tsuneki, 1966) 腹鬃脊小唇泥蜂 Ref. Tsuneki, 1966  
*Lyroda japonica* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Lyroda venusta* Tsuneki, 1967 台灣琴完眼泥蜂 Ref. Tsuneki, 1967  
*Mimumesa vanlithi* (Tsuneki, 1972) Ref. Bohart & Menke, 1976  
*Nitela domestica* (Williams, 1928) 脊唇麗完眼泥蜂 Ref. Williams, 1928  
*Nitela yasumatsui* Tsuneki, 1982 Ref. Tsuneki, 1982  
*Nysson basalis* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Odontocrabro abnormis* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Oxybelus agilis* Tsuneki, 1982 Ref. Tsuneki, 1982  
*Oxybelus lamellatus* Strand, 1922 Ref. Strand, 1922  
*Oxybelus lewisi* Cameron, 1890 Ref. Cameron, 1890  
*Oxybelus nipponicus* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Passaloecus insignis* (Vander Linden, 1829) Ref. Bohart & Menke, 1976  
*Pemphredon shirozui* Tsuneki, 1966 Ref. 同前  
*Philanthus notatulus* Tsuneki, 1973 Ref. 同前  
*Pison ignavum* Turner, 1908 Ref. Turner, 1908  
*Pison koreense* (Radoszkowski, 1887) Ref. Radoszkowski, 1887  
*Pison punctifrons* Shuckard, 1837 刻點豆短翅泥蜂 Ref. Shuckard, 1837  
*Piyuma prosopoides* (Turner, 1908) Ref. Turner, 1908  
*Podagritus albipes* (Smith, 1878) Ref. Smith, 1878  
*Polemistus alishanus* (Tsuneki, 1971) Ref. Bohart & Menke, 1976  
*Polemistus formosus* (Tsuneki, 1967) Ref. 同前  
*Polemistus sumatrensis* (Maidl, 1925) Ref. 同前  
*Psen alishanus* Tsuneki, 1967 Ref. Tsuneki, 1967f  
*Psen bnun* Tsuneki, 1971 Ref. Tsuneki, 1971f  
*Psen foveicornis* Tsuneki, 1982 Ref. Tsuneki, 1982  
*Psen hakusanus* van Lith, 1965 Ref. Tsuneki, 1966b  
*Psen koreanus* Tsuneki, 1965 Ref. Tsuneki, 1965  
*Psen lieftincki* Tsuneki, 1971 Ref. Tsuneki, 1971f  
*Psen nitidus* Tsuneki, 1967 Ref. Tsuneki, 1967f  
*Psen sauteri* van Lith, 1968 Ref. Lith, 1968  
*Psen shirozui* Tsuneki, 1966 Ref. Tsuneki, 1966b  
*Psen shukuzanus* Tsuneki, 1972 Ref. Tsuneki, 1972a  
*Psen tanoi* Tsuneki, 1967 Ref. Tsuneki, 1967f  
*Psen terayamai* Tsuneki, 1982 Ref. Tsuneki, 1982

*Pseneo exaratus* Tsuneki, 1966 Ref. Tsuneki, 1966b  
*Psenulus bicinctus* Turner, 1912 Ref. Bohart & Menke, 1976  
*Psenulus carinifrons* van Lith, 1962 Ref. van Lith, 1962  
*Psenulus formosicola* Strand, 1916 皺頰春短柄泥蜂 Ref. Strand, 1916a  
*Psenulus hoozanius* van Lith, 1972 Ref. Lith, 1972  
*Psenulus ornatus* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Psenulus ornatus* Strand, 1916 Ref. Strand, 1916  
*Psenulus parvidentatus* van Lith, 1972 Ref. Lith, 1972  
*Psenulus quadridentatus* Tsuneki, 1966 Ref. Tsuneki, 1966  
*Psenulus quadridentatus* van Lith, 1962 Ref. van Lith, 1962  
*Psenulus taihorinus* Strand, 1916 Ref. Strand, 1916  
*Psenulus xanthonotus* van Lith, 1969 Ref. Lith, 1969  
*Psenulus yingfeng* Tsuneki, 1982 Ref. Tsuneki, 1982  
*Rhopalum angustipetiolatum* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Rhopalum ataiyal* Tsuneki, 1982 Ref. Tsuneki, 1982  
*Rhopalum bohartum* Tsuneki, 1966 Ref. Tsuneki, 1966  
*Rhopalum changi* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Rhopalum erraticum* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Rhopalum formosanum* Tsuneki, 1966 Ref. Tsuneki, 1966  
*Rhopalum hombceanum* Tsuneki, 1973 Ref. Tsuneki, 1973  
*Rhopalum murotai* Tsuneki, 1973 Ref. Bohart & Menke, 1976  
*Rhopalum mushaense* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Rhopalum sauteri* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Rhopalum shirozui* Tsuneki, 1965 Ref. Tsuneki, 1965  
*Rhopalum spinicollum* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Rhopalum succineicollare* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Rhopalum taipingshanum* Tsuneki, 1968 Ref. Tsuneki, 1968  
*Rhopalum tayalum* Tsuneki, 1966 Ref. Tsuneki, 1966  
*Rhopalum watanabei* Tsuneki, 1972 Ref. Tsuneki, 1972  
*Rhopalum wusheense* Tsuneki, 1973 Ref. Tsuneki, 1973  
*Spilomena formosana* (Tsuneki, 1971) Ref. Tsuneki, 1971  
*Stigmus convergens* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Stigmus kansitakuanus* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Stigmus murotai* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Stigmus shirozui* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Tachysphex changi* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Tachysphex formosanus* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Tachysphex morosus* (Smith, 1858) Ref. Smith, 1858  
*Tachysphex nigricolor* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Tachysphex nigricolor* (Dalla Torre, 1897) Ref. Dalla Torre, 1897  
*Tachysphex puncticeps* Cameron, 1903 Ref. Cameron, 1903  
*Tachytes astutus* Nurse, 1909 Ref. Nurse, 1909  
*Tachytes fruticis* Tsuneki, 1964 Ref. Tsuneki, 1964  
*Tachytes modestus* Smith, 1856 條胸捷小唇泥蜂 Ref. Smith, 1856  
*Tachytes saundersii* Bingham, 1897 Ref. Bingham, 1897  
*Tachytes sinensis* Smith, 1856 Ref. Smith, 1856  
*Tachytes sinensis* Rohwer, 1911 Ref. Rohwer, 1911  
*Tachytes toyensis* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Tachytes vicinus* Cameron, 1889 Ref. Cameron, 1889  
*Tachytes xenoferus* Rohwer, 1911 Ref. Rohwer, 1911  
*Trypoxylon chingi* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Trypoxylon elongatum* Smith, 1856 Ref. Smith, 1856  
*Trypoxylon errans* Saussure, 1867 黃附短翅泥蜂 Ref. Saussure, 1867  
*Trypoxylon fenchihuense* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Trypoxylon fletcheri* Turner, 1918 Ref. Turner, 1918  
*Trypoxylon formosicola* Strand, 1922 Ref. Strand, 1922  
*Trypoxylon fronticorne* Tsuneki, 1966 Ref. Tsuneki, 1981  
*Trypoxylon fronticorne* Gussakovskij, 1936 突額短翅泥蜂 Ref. Gussakovskij, 1936  
*Trypoxylon fronticorne* Tsuneki, 1981 Ref. Tsuneki, 1981  
*Trypoxylon hyperorientale* Strand, 1922 Ref. Strand, 1922  
*Trypoxylon kansitakum* Tsuneki, 1971 Ref. Tsuneki, 1971  
*Trypoxylon koshunicon* Strand, 1922 Ref. Strand, 1922  
*Trypoxylon lobatifrons* Tsuneki, 1979 Ref. Tsuneki, 1979  
*Trypoxylon nipponicum* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Trypoxylon nipponicum* Tsuneki, 1956 Ref. Tsuneki, 1956  
*Trypoxylon petiolatum* Smith, 1958 Ref. Smith, 1958  
*Trypoxylon petioloides* Strand, 1922 Ref. Strand, 1922  
*Trypoxylon planifrons* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Trypoxylon quadriceps* Tsuneki, 1966 Ref. Tsuneki, 1966  
*Trypoxylon regium* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Trypoxylon sauteri* Tsuneki, 1981 Ref. Tsuneki, 1981  
*Trypoxylon schmiedeknechti* Kohl, 1906 Ref. Kohl, 1906

*Trypoxylon schmiedeknechtii* Tsuneki, 1977 Ref. Tsuneki, 1977  
*Trypoxylon tainanense* Strand, 1923 Ref. Strand, 1923  
*Trypoxylon taiwanum* Tsuneki, 1967 Ref. Tsuneki, 1967  
*Trypoxylon takasago* Tsuneki, 1966 黑腹短翅泥蜂 Ref. Tsuneki, 1966  
*Trypoxylon tengmen* Tsuneki, 1981 Ref. Tsuneki, 1981  
*Trypoxylon yoshimotoi* Tsuneki Ref. Tsuneki, 1981  
*Vechtia rugosa* (Smith, 1857) Ref. Smith, 1857

#### **Family Diapriidae 錘角細蜂科**

*Apristes rugifrons* Macek, 1997 Ref. Macek, 1997

#### **Family Diprionidae 松葉蜂科**

*Nesodiprion japonica* (Marlatt, 1898) 松綠葉蜂 Ref. Chou & Naito, 1991

#### **Family Dryinidae 螯蜂科**

*Anteon abjectum* Olmi, 1996 Ref. Olmi, 1996  
*Anteon achterbergi* Olmi, 1989 Ref. Olmi, 1989  
*Anteon acre* Olmi, 1989 Ref. Olmi, 1989  
*Anteon amritodiphagum* Olmi, 1989 Ref. Olmi, 1989  
*Anteon austini* Olmi, 1989 Ref. Olmi, 1989  
*Anteon autumnale* Olmi, 1989 Ref. Olmi, 1989  
*Anteon bauense* Olmi, 1984 Ref. Olmi, 1984  
*Anteon borneanum* Olmi, 1984 Ref. Olmi, 1984  
*Anteon cheni* Olmi, 1996 Ref. Olmi, 1996  
*Anteon choui* Olmi, 1996 Ref. Olmi, 1996  
*Anteon confusum* Olmi, 1989 Ref. Olmi, 1989  
*Anteon dignum* Olmi, 1989 Ref. Olmi, 1989  
*Anteon expolium* Olmi, 1984 Ref. Olmi, 1984  
*Anteon fidum* Olmi, 1989 Ref. Olmi, 1989  
*Anteon flaccum* Olmi, 1987 Ref. Olmi, 1989  
*Anteon gauldi* Olmi, 1986-87:36 Ref. Olmi, 1986-87  
*Anteon heppneri* Olmi, 1992 Ref. Olmi, 1992  
*Anteon huangi* Olmi, 1996 Ref. Olmi, 1996  
*Anteon insertum* Olmi, 1989 Ref. Olmi, 1989  
*Anteon javanum* Olmi, 1984 Ref. Olmi, 1984  
*Anteon lamiatum* Olmi, 1987 Ref. Olmi, 1987  
*Anteon lankanum* Olmi, 1984 Ref. Olmi, 1984  
*Anteon lini* Olmi, 1996 Ref. Olmi, 1996  
*Anteon martiale* Olmi, 1992 Ref. Olmi, 1992  
*Anteon meifenganum* Olmi, 1989 Ref. Olmi, 1989  
*Anteon metuendum* Olmi, 1987 Ref. Olmi, 1987  
*Anteon mite* Olmi, 1996 Ref. Olmi, 1996  
*Anteon mixtum* Olmi, 1996 Ref. Olmi, 1996  
*Anteon naduense* Olmi, 1987 Ref. Olmi, 1987  
*Anteon parapriscum* Olmi, 1989 Ref. Olmi, 1989  
*Anteon peterseni* Olmi, 1984 Ref. Olmi, 1989  
*Anteon priscum* Olmi, 1989 Ref. Olmi, 1989  
*Anteon quatei* Olmi, 1989 Ref. Olmi, 1989  
*Anteon sinicum* Olmi, 1996 Ref. Olmi, 1996  
*Anteon sulawesianum* Olmi, 1989 Ref. Olmi, 1989  
*Anteon taiwanense* Olmi, 1989 Ref. Olmi, 1989  
*Anteon thai* Olmi, 1984 Ref. Olmi, 1984  
*Anteon viraktamathi* Olmi, 1986-1987 Ref. Olmi, 1986-1987  
*Anteon wushense* Olmi, 1989 Ref. Olmi, 1989  
*Anteon yasumatsui* Olmi, 1984 Ref. Olmi, 1989  
*Aphelopus austini* Olmi, 1989 Ref. Olmi, 1989  
*Aphelopus autumnale* Olmi, 1989 Ref. Olmi, 1989  
*Aphelopus bauense* Olmi, 1989 Ref. Olmi, 1989  
*Aphelopus borneanum* Olmi, 1984 Ref. Olmi, 1984  
*Aphelopus borneanus* Olmi, 1984 Ref. Olmi, 1984  
*Aphelopus maculiceps* Bergman, 1957 Ref. Olmi, 1984  
*Aphelopus malayanus* Olmi, 1984: 66 Ref. Olmi, 1984  
*Aphelopus montanus* Olmi, 1989 Ref. Olmi, 1989  
*Aphelopus ochreus* Olmi, 1984 Ref. Olmi, 1984  
*Aphelopus orientalis* Olmi, 1984 Ref. Olmi, 1984  
*Aphelopus penanganus* Olmi, 1984 Ref. Olmi, 1984  
*Aphelopus sabahus* Olmi, 1989 Ref. Olmi, 1989  
*Aphelopus taiwanense* Olmi, 1989 Ref. Olmi, 1989  
*Aphelopus taiwanensis* Olmi, 1989 Ref. Olmi, 1989  
*Aphelopus townesi* Olmi, 1989 Ref. Olmi, 1989  
*Conganteon taiwanense* Olmi, 1989 Ref. Olmi, 1989  
*Deinodryinus lini* Olmi, 1995 Ref. Olmi, 1995  
*Deinodryinus sinicus* Olmi, 1995 Ref. Olmi, 1995

*Deinodryinus whartoni* Olmi, 1989 Ref. Olmi, 1989  
*Dryinus browni* Ashmead, 1905 Ref. Ashmead, 1905  
*Dryinus choui* Olmi, 1993 Ref. Olmi, 1993  
*Dryinus indicus* (Kieffer, 1914) Ref. Kieffer, 1914  
*Dryinus latus* Olmi, 1984 Ref. Olmi, 1984  
*Dryinus lini* Olmi, 1993 Ref. Olmi, 1993  
*Dryinus parvulus* Olmi, 1987 Ref. Olmi, 1987  
*Dryinus pyrillae* (Kieffer, 1911) Ref. Olmi, 1989  
*Dryinus stantoni* Ashmead, 1904 Ref. Ashmead, 1904  
*Dryinus trifasciatus* Kieffer, 1906 Ref. Kieffer, 1906  
*Echthrodelphax fairchildii* Perkins, 1903 Ref. Guglielmino & Olmi, 1997  
*Echthrodelphax rufus* Olmi, 1984 Ref. Olmi, 1984  
*Fiorianteon choui* Olmi, 1995 Ref. Olmi, 1995  
*Fiorianteon rugosum* Olmi, 1989 Ref. Olmi, 1989  
*Gonatopus asiaticus* (Olmi, 1984) Ref. Olmi, 1984  
*Gonatopus flavifemur* (Esaki, & Hashimoto, 1932) Ref. Esaki & Hashimoto, 1932  
*Gonatopus hospes* (Perkins, 1912) Ref. Perkins, 1912  
*Gonatopus lini* Olmi, 1995 Ref. Olmi, 1995  
*Gonatopus lucens* (Olmi, 1984) Ref. Olmi, 1984  
*Gonatopus nudus* (Perkins, 1912) Ref. Guglielmino & Olmi, 1997  
*Gonatopus schenklingsi* Strand, 1913 Ref. Strand, 1913  
*Gonatopus yasumatsui* Olmi, 1984 Ref. Olmi, 1984  
*Haplogonatopus apicalis* Perkins, 1905 Ref. Olmi, 1984  
*Haplogonatopus oratorius* (Westwood, 1833) Ref. Xu & He, 1995  
*Lonchodryinus sinensis* Olmi, 1984 Ref. Olmi, 1992  
*Neodryinus taiwanensis* Olmi, 1995 Ref. Olmi, 1995  
*Paraphelopus townesi* Olmi, 1989 Ref. Olmi, 1989  
*Pseudodryinus sinensis* Olmi, 1993 Ref. Olmi, 1993

#### Family Elasmidae 扁股小蜂科

*Elasmus homonae* Ferriere, 1929 Ref. Ferriere, 1929  
*Elasmus philippinensis* Ashmead, 1904 Ref. Ashmead, 1904  
*Elasmus zehntneri* Ferriere, 1929 甘蔗白螟扁股小蜂 Ref. Ferriere, 1929

#### Family Embolemidae 梨頭蜂科

*Ampulicomorpha hachijoensis* (Hirashima & Yamagishi, 1975) Ref. Olmi, 1995  
*Ampulicomorpha taiwanensis* Olmi, 1997 Ref. Olmi, 1984  
*Embolemus pecki* Olmi, 1997 Ref. Olmi, 1997  
*Embolemus ruddii* Westwood, 1833 Ref. Olmi, 1995

#### Family Encyrtidae 跳小蜂科

*Adelencyrtus bifasciatus* (Ishii, 1923) Ref. Shiao, 1978  
*Ageniaspis citricola* Logvinovskaya, 1983 串繭跳小蜂 Ref. Alvarez & Hoy, 2002  
*Alamella maai* Noyes & Hayat, 1994 Ref. Noyes & Hayat, 1994  
*Anagyrus almoriensis* Alam & Agarwal, 1975 Ref. 同前  
*Anagyrus dactylopii* (Howard, 1898) 粉蚧長索跳小蜂 Ref. Chen & Chen, 2003  
*Anagyrus saccharicola* Timberlake, 1932 Ref. 同前  
*Anagyrus sawadai* Ishii, 1928 Ref. Su & Su, 1997  
*Anagyrus thailandicus* (Myartseva, 1979) Ref. Chen & Chen, 2003  
*Anicetus annulatus* Timberlake, 1919 軟蚧扁角跳小蜂 Ref. Herting, 1972  
*Aphycus rubescens* (Compere & Annecke, 1961) Ref. Noyes & Hayat, 1994  
*Arrhenophagus chionaspidis* Aurivillius, 1888 Ref. Xu & He, 2003  
*Comperiella bifasciata* Howard, 1906 雙帶巨角跳小蜂 Ref. Garonna & Viggiani, 1989  
*Cryptanusia taiwanus* Chen & Chen, 2003 Ref. Chen & Chen, 2003  
*Diphorencyrtus aligarhensis* (Shafee, Alam & Agarwal, 1975) Ref. Chien, Chu & Ku, 1991  
*Homalotylus mundus* Gahan, 1920 Ref. Trjapitzin, 1989  
*Isodromus niger* Ashmead, 1900 黑色草蚧跳小蜂 Ref. Tan, Chen & Liu, 2000  
*Leptomastix dactylopii* Howard, 1885 Ref. Su & Su, 1997  
*Metaphycus angustifrons* Compere, 1957 Ref. Triapitsyn & Berezovskiy, 2004  
*Microterys speciosus* Ishii, 1923 臘蚧花翅跳小蜂 Ref. Xu, 2002  
*Neocladia violascens* Masi, 1926 Ref. Masi, 1926  
*Neodusmetia sangwani* (Subba Rao, 1957) Ref. Noyes, 2000  
*Ooencyrtus kuvanae* (Howard, 1910) 大蛾卵跳小蜂 Ref. Chao et al., 2001  
*Parechthrodryinus clavicornis* (Cameron, 1913) Ref. Noyes & Hayat, 1994  
*Prochiloneurus io* (Girault, 1920) Ref. Trjapitzin, 1989  
*Psyllaephagus stenopsyllae* (Tachikawa, 1963) Ref. Xu, Chou & Hong, 2000  
*Psyllaephagus taiwanus* Xu, Chou & Hong, 2000 Ref. 同前  
*Syrphophagus mercetii* (Masi, 1926) Ref. Masi, 1926  
*Syrphophagus taiwanus* Hayat & Lin, 1988 Ref. Xu, Chou & Hong, 2000  
*Tachardiaephagus tachardiae* (Howard, 1896) 黃胸膠蚧跳小蜂 Ref. Herting, 1972

#### Family Eucharitidae 蟻小蜂科

*Neolosbanus laeviceps* (Gahan, 1940) Ref. Heraty, 2002  
*Neolosbanus palgravei* (Girault, 1922) Ref. Heraty, 2002

*Neolosbanus purpureoventris* (Cameron, 1909) Ref. Heraty, 2002  
*Neolosbanus taiwanensis* Heraty, 1994 Ref. Heraty, 1994  
*Neolosbanus wusheanus* Heraty, 1994 Ref. Heraty, 1994  
*Orasema initiator* Kerrich, 1963 Ref. Heraty, 2002  
*Orasema ishii* Heraty, 1994 Ref. Heraty, 1994  
*Psilocharis hypena* Heraty, 1994 Ref. Heraty, 1994  
*Saccharissa vicina* (Masi, 1927) Ref. Masi, 1927  
*Schizaspidia scutellaris* Masi, 1927 Ref. Narendran, 1986  
*Schizaspidia taiwanensis* Ishii, 1938 Ref. Ishii, 1938  
*Stilbula peethavarna* Narendran, 1996 Ref. Heraty, 2002  
*Stilbula polyrhachicida* (Wheeler & Wheeler, 1924) Ref. Heraty, 2002

#### Family Eucolidae 隆盾瘦蜂科

*Aganaspis contracta* Lin, 1987 Ref. Lin, 1987  
*Aganaspis daci* (Weld, 1951) Ref. Lin, 1988  
*Aganaspis major* Lin, 1987 Ref. Lin, 1987  
*Aganaspis ocellata* Lin, 1987 Ref. Lin, 1987  
*Araeaspis corniculata* Lin, 1988 Ref. Lin, 1988  
*Araeaspis vulgata* Lin, 1988 Ref. Lin, 1988  
*Discaspis robusta* Lin, 1988 Ref. Lin, 1988  
*Ealata antennata* Lin, 1988 Ref. Lin, 1988  
*Ealata arcuata* Lin, 1988 Ref. Lin, 1988  
*Epochresta convexa* Lin, 1988 Ref. Lin, 1988  
*Gastraspis longicauda* Lin, 1988 Ref. Lin, 1988  
*Gastraspis typica* Lin, 1988 Ref. Lin, 1988  
*Linaspis angulata* Lin, 1988 Ref. Lin, 1988  
*Linoeucoila armata* Lin, 1988 Ref. Lin, 1988  
*Linoeucoila brevicapillata* Lin, 1988 Ref. Lin, 1988  
*Linoeucoila brevicornis* Lin, 1988 Ref. Lin, 1988  
*Linoeucoila caperata* Lin, 1988 Ref. Lin, 1988  
*Linoeucoila concava* Lin, 1988 Ref. Lin, 1988  
*Linoeucoila longicornis* Lin, 1988 Ref. Lin, 1988  
*Linoeucoila polita* Lin, 1988 Ref. Lin, 1988  
*Linoeucoila rectangula* Lin, 1988 Ref. Lin, 1988  
*Linoeucoila striata* Lin, 1988 Ref. Lin, 1988  
*Linoeucoila sungkangensis* Lin, 1988 Ref. Lin, 1988  
*Linoeucoila tsaoshanensis* Lin, 1988 Ref. Lin, 1988  
*Paradiglyphosema circulum* Lin, 1988 Ref. Lin, 1988  
*Paradiglyphosema meifengense* Lin, 1988 Ref. Lin, 1988  
*Paradiglyphosema parallelum* Lin, 1988 Ref. Lin, 1988  
*Sinochresta insularis* Lin, 1988 Ref. Lin, 1988  
*Sinochresta prostata* Lin, 1988 Ref. Lin, 1988  
*Trybliographa formosana* (Hedicke, 1913) Ref. Lin, 1988  
*Trybliographa sauteri* (Hedicke, 1913) Ref. Lin, 1988

#### Family Eulophidae 釉小蜂科

*Aprostocetus formosoanus* (Timberlake, 1921) Ref. Timberlake, 1921  
*Aprostocetus fukutai* Sonan, 1935 天牛卵長尾嚙小蜂 Ref. Sonan, 1935  
*Aprostocetus hagenowii* (Ratzeburg, 1852) Ref. Herting, 1971  
*Aprostocetus prolixus* LaSalle & Huang, 1994 Ref. LaSalle & Huang, 1994  
*Aprostocetus purpureus* (Cameron, 1913) 膠蚧紅眼嚙小蜂  
*Aroplectrus dimerus* Lin, 1963 Ref. Lin, 1963  
*Aroplectrus haplomerus* Lin, 1963 Ref. Lin, 1963  
*Ceraninus menes* (Walker, 1839) Ref. Chang, 1990  
*Chrysocharis pallipes* (Nees, 1834) Ref. Ikeda, 1996  
*Chrysocharis pentheus* (Walker, 1839) Ref. Wang, 1992  
*Chrysocharis pubens* Delucchi, 1954 Ref. Ikeda, 1996  
*Chrysocharis viridis* (Nees, 1834) Ref. Ikeda, 1996  
*Chrysonotomyia okazakii* (Kamijo, 1978) Ref. Wang, 1992  
*Cirrospilus ambiguus* Hansson & LaSalle, 1996 Ref. Chien & Ku, 1998  
*Cirrospilus diallus* Walker, 1838 Ref. Zhu & Huang 2002  
*Cirrospilus ingenuus* Gahan, 1932 Ref. Ujiye & Adachi, 1995  
*Cirrospilus phyllocnistis* (Ishii, 1953) 白腹嚙小蜂 Ref. Wu & Lin, 1998  
*Citrostichus phyllocnistoides* (Narayanan, 1960) Ref. Ujiye & Adachi, 1995  
*Closterocerus formosus* Westwood, 1833 Ref. Chien & Ku, 1998  
*Deutereulophus interruptus* Zhu & Huang, 2002 Ref. Zhu & Huang 2002  
*Deutereulophus marginatus* Zhu & Huang, 2002 Ref. 同前  
*Euplectromorpha brevicar* (Lin, 1963) Ref. Lin, 1963  
*Euplectromorpha clavatus* (Lin, 1963) Ref. Zhu & Huang 2001  
*Euplectromorpha contingens* (Lin, 1963) Ref. Lin, 1963  
*Euplectromorpha inaequalis* (Lin, 1963) Ref. Lin, 1963  
*Euplectromorpha interrupta* (Lin, 1963) Ref. Lin, 1963  
*Euplectromorpha simplicicornis* (Lin, 1963) Ref. Lin, 1963

*Euplectrus brevicarinatus* Zhu & Huang, 2003 Ref. Zhu & Huang, 2003  
*Euplectrus brevisetulosus* Zhu & Huang, 2003 Ref. 同前  
*Euplectrus ceylonensis* Howard, 1896 Ref. Zhu & Huang 2002  
*Euplectrus flavipes* (Fonscolombe, 1832) Ref. Zhu & Huang, 2003  
*Euplectrus indicus* Ferriere, 1941 Ref. 同前  
*Euplectrus koebelei* Crawford, 1911 Ref. 同前  
*Euplectrus longigaster* Zhu & Huang, 2003 Ref. 同前  
*Euplectrus longipetiolatus* Zhu & Huang, 2003 Ref. 同前  
*Euplectrus maculiventris* Westwood, 1832 Ref. 同前  
*Euplectrus noctuidiphagus* Yasumatsu, 1953 Ref. 同前  
*Euplectrus paribus* Zhu & Huang, 2003 Ref. 同前  
*Euplectrus petiolatus* Ferriere, 1941 Ref. 同前  
*Euplectrus taiwanus* Sonan, 1942 Ref. Sonan, 1942  
*Euplectrus transversus* Zhu & Huang, 2003 Ref. Zhu & Huang, 2003  
*Hemiptarsenus ornatus* (Nees, 1834) Ref. Zhu, LaSalle & Huang, 2000  
*Hemiptarsenus unguicellus* (Zetterstedt, 1838) Ref. Zhu & Huang 2002  
*Hemiptarsenus varicornis* (Girault, 1913) Ref. Wang, 1992  
*Melittobia sosui* Dahms, 1984 Ref. Maeta et al., 1996  
*Mestocharella formosana* Kamijo, 1994 Ref. Kamijo, 1994  
*Mischotetrastichus yamagishii* Kamijo & Ikeda, 1997 Ref. Kamijo & Ikeda, 1997  
*Oomyzus sokolowskii* (Kurdjumov, 1912) Ref. Talekar, 1996  
*Pediobius fraternus* (Motschulaky, 1895) Ref. Khan, 1986  
*Pediobius pyrgo* (Walker, 1839) Ref. Zhu, 1988  
*Pediobius regulus* Kamijo, 1986 Ref. Kamijo, 1986  
*Platyplectrus laeviscuta* (Thomson, 1878) Ref. Zhu & Huang, 2004  
*Platyplectrus odontogaster* (Lin, 1963) Ref. Lin, 1963  
*Platyplectrus papillata* Lin, 1963 Ref. Lin, 1963  
*Platyplectrus peculiaris* Zhu & Huang, 2004 Ref. Zhu & Huang, 2004  
*Platyplectrus politus* (Lin, 1963) Ref. Lin, 1963  
*Platyplectrus viridiceps* (Ferriere, 1940) Ref. Zhu & Huang, 2004  
*Quadrastichus citrella* Reina & La Salle, 2004 Ref. Reina & La Salle, 2004  
*Quadrastichus liriomyzae* Hansson & LaSalle, 1996 Ref. Hansson & LaSalle, 1996  
*Sigmophora aceris* Ikeda, 1999 Ref. Ikeda, 1999  
*Stenomesus japonicus* (Ashmead, 1904) Ref. Zhu & Huang 2002  
*Sympiesis dolichogaster* Ashmead, 1888 Ref. 同前  
*Sympiesis striatipes* (Ashmead, 1904) Ref. Wu & Lin, 1998  
*Tamarixia radiata* (Waterston, 1922) Ref. Chien, Chu & Ku, 1991  
*Tetrastichus brontispae* (Ferriere, 1933) Ref. Chiu et al., 1988  
*Tetrastichus howardi* (Olliff, 1893) Ref. Zhu & Huang 2002  
*Tetrastichus inferens* Yoshimoto, 1970 Ref. Yoshimoto, 1970  
*Trichospilus diatraeae* Cherian & Margabandhu, 1942 Ref. Chen, 1972  
*Zaomomentedon brevipetiolatus* Kamijo, 1990 Ref. Wu & Lin, 1998

#### Family Eupelmidae 旋小蜂科

*Anastatus colemani* Crawford, 1912 Ref. Tseng, 1988  
*Anastatus formosanus* Crawford, 1913 Ref. Crawford, 1913  
*Anastatus gastropachae* Ashmead, 1904 Ref. Ashmead, 1904  
*Balcha elegans* (Masi, 1927) Ref. Masi, 1927  
*Balcha eximia* (Masi, 1927) Ref. Gibson, 1989  
*Calosota stenogastra* Masi, 1927 Ref. Masi, 1927  
*Eupelmus anpingensis* Masi, 1927 Ref. Masi, 1927  
*Eupelmus formosae* Ashmead, 1904 Ref. Ashmead, 1904  
*Eupelmus fuscus* Masi, 1927 Ref. Masi, 1927  
*Eupelmus tachardiae* (Howard, 1896) 膠蚧旋小蜂 Ref. Chiu et al., 1981  
*Mesocomys albitarsis* (Ashmead, 1904) Ref. Herting, 1976  
*Neanastatus cinctiventris* Girault, 1913 稻癭蚊長距旋小蜂 Ref. Masi, 1926

#### Family Eurytomidae 廣肩小蜂科

*Bruchophagus sensoriae* Chen, 1999 Ref. Chen, Chuang & Wu, 1999  
*Bruchophagus yasumatsui* Narendran, 1984 Ref. Narendran, 1994  
*Eurytoma albotibialis* Ashmead, 1905 Ref. Chiu et al., 1981  
*Gibsonoma budhai* Narendran, 1994 Ref. Narendran, 1994  
*Prodecatoma cheriani* Narendran, 1994 Ref. 同前  
*Prodecatoma sembilansis* Narendran, 1994 Ref. 同前  
*Sycophila curta* Chen, 1999 Ref. Chen, Chuang & Wu, 1999  
*Sycophila henryi* Narendran, 1994 Ref. Narendran, 1994  
*Sycophila maculafacies* Chen, 1999 Ref. Chen, Chuang & Wu, 1999  
*Sycophila petiolata* Chen, 1999 Ref. 同前  
*Sycophila townesi* Narendran, 1994 Ref. Narendran, 1994  
*Tetramesa townesi* Narendran, 1994 Ref. 同前  
*Tetramesa vadana* Narendran, 1994 Ref. 同前  
*Townesoma taiwanicus* Narendran, 1994 Ref. 同前  
*Zerovella taiwanica* Narendran & Sheela, 1994 Ref. Narendran & Sheela, 1994

### Family Evaniidae 瘦蜂科

- Brachygaster conjungens* Enderlein, 1909 Ref. Enderlein, 1909  
*Evania appendigaster* (Linnaeus, 1758) 蟻卵旗腹蜂 Ref. Hedicke, 1939  
*Evania oblonga* Enderlein, 1909 Ref. Enderlein, 1909  
*Evania postfurcalis* Strand, 1912 Ref. Strand, 1912  
*Parevania laeviceps* (Enderlein, 1913) Ref. Hedicke, 1939  
*Prosevania bradleyi* (Enderlein, 1909) Ref. Hedicke, 1939  
*Prosevania formosana* (Enderlein, 1909) Ref. Hedicke, 1939  
*Prosevania pilosa* (Hedicke, 1939) Ref. Hedicke, 1939  
*Prosevania rufoniger* (Enderlein, 1913) Ref. Hedicke, 1939  
*Prosevania sauteri* (Enderlein, 1909) Ref. Hedicke, 1939

### Family Figitidae 環腹瘦蜂科

- Alloxysta mara* Paretas-Martinez & Pujade-Villar, 2005 Ref. Paretas-Martínez & Pujade-Villar, 2005  
*Callaspidia formosana* Hedicke, 1913 Ref. Hedicke, 1913  
*Melanips coriaceus* (Hedicke, 1913) Ref. Hedicke, 1913  
*Prosaspicera Pujadella* Ros-Farre, 2007 Ref. Ros-Farre, 2007  
*Prosaspicera validispina* Kieffer, 1910 Ref. Ros-Farre & Villar, 2006

### Family Formicidae 蟻科

- Acanthomyrmex crassispina* Wheeler, 1930 厚背刺家蟻 [特有] Ref. Wheeler, 1930  
*Acropyga baodaensis* Terayama, 1985 寶島臀山蟻 [特有] Ref. Terayama, 1985  
*Acropyga sauteri* Forel, 1912 邵氏臀山蟻 Ref. Forel, 1912  
*Acropyga yaeyamensis* Terayama & Hashimoto, 1996 八重山臀山蟻 Ref. Hashimoto, 1996  
*Aenictus ceylonicus* Mayr, 1866 錫蘭迷蟻 Ref. Forel, 1912  
*Aenictus latiscapus* Santschi, 1937 佐藤迷蟻 [特有] Ref. Santschi, 1937  
*Aenictus latiscapus* Forel, 1913 廣肩迷蟻 [特有] Ref. Forel, 1913  
*Aenictus lifuiiae* Terayama, 1984 李氏迷蟻 Ref. Terayama, 1984  
*Aenictus longi* Forel, 1913 台灣迷蟻 [特有] Ref. Forel, 1913  
*Aenictus punctiventris* Emery, 1901 點腹迷蟻 [特有] Ref. Forel, 1912  
*Amblyopone bruni* Forel, 1912 布農鈍針蟻 [特有] Ref. Forel, 1912  
*Amblyopone sakaii* Terayama, 1989 酒井鈍針蟻 [特有] Ref. Terayama, 1989  
*Amblyopone silvestrii* Wheeler, 1928 西氏鈍針蟻 Ref. 同前  
*Anochetus subcoecus* Forel, 1912 甲仙顎針蟻 [特有] Ref. Forel, 1912  
*Anochetus taiwaniensis* Terayama, 1989 台灣顎針蟻 [特有] Ref. Terayama, 1989  
*Anoplolepis gracilipes* (Smith, 1857)  
*Anoplolepis longipes* Jerdon, 1851 長腳捷山蟻 Ref. Forel, 1912  
*Aphaenogaster lepida* Wheeler, 1930 光滑長腳家蟻 Ref. Wheeler, 1930  
*Aphaenogaster takahashii* Wheeler, 1930 高橋長腳家蟻 [特有] Ref. Wheeler, 1930  
*Aphaenogaster tipuna* Forel, 1913 大林長腳家蟻 Ref. Forel, 1913  
*Bothriomyrmex wroughtoni* Forel, 1913 蓬萊點琉璃蟻 [特有] Ref. Forel, 1913  
*Campontus albosparsus* Bingham, 1903 白疏巨山蟻 Ref. Forel, 1913  
*Campontus carin* Forel, 1913 矛巨山蟻 [特有] Ref. Forel, 1913  
*Campontus formosensis* Wheeler, 1909 台北巨山蟻 [特有] Ref. Wheeler, 1909  
*Campontus friedae* Forel, 1912 大黑巨山蟻 Ref. Forel, 1912  
*Campontus friedae* Forel, 1912 阿美巨山蟻 [特有] Ref. Forel, 1912  
*Campontus habereri* Forel, 1911 臭巨山蟻 [特有] Ref. Forel, 1912  
*Campontus irritans* Fr. Smith, 1857 高雄巨山蟻 [特有] Ref. Wheeler, 1929  
*Campontus lighti* Wheeler, 1927 賴氏巨山蟻 Ref. Wheeler, 1927  
*Campontus monju* Terayama, 1999 厚毛巨山蟻 Ref. Terayama, 1999  
*Campontus punctatissimus* Forel, 1907 絲巨山蟻 Ref. Forel, 1913  
*Campontus rothneyi* Forel, 1913 台灣巨山蟻 [特有] Ref. Forel, 1913  
*Campontus siemsseni* Forel, 1901 希氏巨山蟻 [特有] Ref. Forel, 1910  
*Campontus tokioensis* Ito, 1912 東京巨山蟻 Ref. Forel, 1912  
*Campontus treubi* Forel, 1910 丁氏巨山蟻 Ref. Forel, 1910  
*Campontus variegatus* Dalla Torre, 1893 甜蜜巨山蟻 Ref. Forel, 1912  
*Cardiocondyla noda* Mayr, 1866 瘤結瘤突家蟻 Ref. Wheeler, 1930  
*Cardiocondyla wroughtonii* Forel, 1890 駱氏瘤突家蟻 Ref. Wheeler, 1930  
*Centromyrmex feae* Emery, 1889 菲氏盲針蟻 Ref. Forel, 1912  
*Cerapachys biroii* Forel, 1907 畢氏粗角蟻 Ref. 周及寺山。1990  
*Cerapachys longitarsus* Mayr, 1879 長附粗角蟻 Ref. Forel, 1913  
*Cerapachys reticulatus* Emery, 1923 網粗角蟻 [特有] Ref. Wheeler, 1930  
*Cerapachys sauteri* Forel, 1913 邵氏粗角蟻 [特有] Ref. Forel, 1913  
*Creumatogaster amia* Forel, 1913 阿美舉尾家蟻 [特有] Ref. Forel, 1912  
*Creumatogaster biroii* Mayr, 1897 畢氏舉尾家蟻 Ref. Forel, 1912  
*Creumatogaster dohrni* Forel, 1911 建築舉尾家蟻 Ref. Forel, 1912  
*Creumatogaster laborisa* Smith, 1874 勤勉舉尾家蟻 Ref. Wheeler, 1929  
*Creumatogaster pia* Forel, 1913 台灣舉尾家蟻 [特有] Ref. Forel, 1913  
*Creumatogaster popohana* Forel, 1912 甲仙舉尾家蟻 [特有] Ref. Forel, 1912  
*Creumatogaster rogenhoferi* Mayr, 1879 懸巢舉尾家蟻 Ref. Forel, 1912  
*Creumatogaster schimmeri* Foerl, 1912 席氏舉尾家蟻 [特有] Ref. Forel, 1912  
*Creumatogaster subnuda* Wheeler, 1909 暗褐舉尾家蟻 [特有] Ref. Wheeler, 1930

*Crematogaster treubi* Forel, 1913 丁氏舉尾家蟻 [特有] Ref. Forel, 1913  
*Cryptopone butteli* Forel, 1913 布氏隱針蟻 Ref. 周及寺山。1990  
*Cryptopone tavianae* Forel, 1913 台灣隱針蟻 [特有] Ref. Forel, 1913  
*Diacamma rugosum* Metsummura & Uchida, 1926 皺紋雙稜針蟻 Ref. Forel, 1912  
*Discothyrea sauteri* Forel, 1912 邵氏盤針蟻 Ref. Forel, 1912  
*Dolichoderus bituberculatus* Fr. Smith, 1860 雙疣琉璃蟻 Ref. Forel, 1913  
*Eurhopalothrix procera* Emery, 1897 粗斜毛家蟻 [特有] Ref. 周及寺山。1990  
*Formica japonica* Motschulsky, 1866 日本山蟻 Ref. Wheeler, 1930  
*Formica obsidiana* Emery, 1923 台灣山蟻 [特有] Ref. Emery, 1923  
*Formica pices* Emery, 1925 蓬萊山蟻 [特有] Ref. Emery, 1925  
*Formica yessensis* Wheeler, 1913 葉盛山蟻 Ref. 楚南。1939  
*Gnamptogenys taiwaensis* Wheeler, 1929 台灣顎針蟻 [特有] Ref. Wheeler, 1929  
*Hypoponera beppin* Terayama, 1999 美姬針蟻 Ref. Terayama, 1999  
*Hypoponera biroi* Emery, 1900 畢氏姬針蟻 Ref. Forel, 1912  
*Hypoponera bondroiti* Forel, 1911 鮑氏姬針蟻 Ref. Santschi, 1937  
*Hypoponera gleadowi* Foerl, 1895 格氏姬針蟻 Ref. Forel, 1912  
*Hypoponera nippona* Santschi, 1937 日本姬針蟻 Ref. Santschi, 1937  
*Hypoponera opaciceps* Mayr, 1887 暗首姬針蟻 Ref. Wheeler, 1929  
*Hypoponera sauteri* Onoyama, 1989 邵氏姬針蟻 Ref. Forel, 1912  
*Hypoponera truncata* Fr. Smith, 1861 截狀姬針蟻 Ref. Forel, 1912  
*Hypoponera zwaluwenburgi* Wheeler, 1933 刺瓦姬針蟻 Ref. Forel, 1930  
*Iridomyrmex anceps* Roger, 1863 雙稜虹琉璃蟻 Ref. Forel, 1913  
*Iridomyrmex bicknelli* Forel, 1912 蓬萊虹琉璃蟻 [特有] Ref. Forel, 1912  
*Lasius crispus* Kuznetsov-Ugamski, 1928 皺毛山蟻 Ref. 周及寺山。1990  
*Lasius hayashi* Yamauchi & Hayashida, 1970 林間毛山蟻 Ref. Lin (未發表)  
*Lasius niger* Linnaeus, 1758 黑褐毛山蟻 Ref. Wheeler, 1929  
*Lasius talpa* Wilson, 1955 田鼠毛山蟻 Ref. 周及寺山。1990  
*Lepisiota rothneyi* Forel, 1913 台灣鱗山蟻 [特有] Ref. Forel, 1913  
*Lepisiota wroughtoni* Forel, 1894 駱氏鱗山蟻 [特有] Ref. Forel, 1913  
*Leptanilla taiwanensis* Ogata, Terayama & Masuko, 1995 台灣細蟻 [特有] Ref. Ogata, Terayama & Masuko, 1995  
*Leptogenys chinensis* Mayr, 1870 中華細顎針蟻 Ref. 周及寺山。1990  
*Leptogenys confucii* Forel, 1912 仲尼細顎針蟻 Ref. Forel, 1912  
*Leptogenys diminuta* Fr. Smith, 1857 小細顎針蟻 Ref. Wheeler, 1929  
*Leptogenys kitteli* Mayr, 1870 吉悌細顎針蟻 Ref. Forel, 1912  
*Leptothorax confucii* Froel, 1912 仲尼窄胸家蟻 [特有] Ref. Forel, 1912  
*Leptothorax taiwanensis* Wheeler, 1929 台灣窄胸家蟻 [特有] Ref. Wheeler, 1929  
*Lophomyrmex taiwanae* Forel, 1912 台灣背脊家蟻 [特有] Ref. Forel, 1912  
*Meranoplus bicolor* Wheeler, 1930 雙色突胸家蟻 [特有] Ref. Wheeler, 1930  
*Metapone sauteri* Forel, 1912 邵氏短腰家蟻 [特有] Ref. Forel, 1912  
*Monomorium chinense* Santschi, 1925 中華家單蟻 Ref. Santschi, 1937  
*Monomorium destructor* Jardon, 1851 破壞單家蟻 Ref. 林。1998  
*Monomorium floricola* Jerdon, 1851 花居單家蟻 Ref. Forel, 1912  
*Monomorium fossulatum* Emery, 1894 開壘單家蟻 Ref. 林。1998  
*Monomorium hiten* Terayama, 1996 飛天單家蟻 Ref. Forel, 1912  
*Monomorium intrudens* Fr. Smith, 1874 入侵單家蟻 Ref. Forel, 1912  
*Monomorium latinode* Mayr, 1872 廣節單家蟻 Ref. Forel, 1912  
*Monomorium pharaonis* Linnaeus, 1758 小黃單家蟻 Ref. 林。1998  
*Myrmecina sauteri* Forel, 1912 邵氏黑鬚家蟻 [特有] Ref. Forel, 1912  
*Myrmecina strigis* Lin & Wu, 1998 條紋黑鬚家蟻 [特有] Ref. Lin & Wu, 1998  
*Myrmecina taiwana* Terayama, 1985 台灣黑鬚家蟻 [特有] Ref. Terayama, 1985  
*Myrmica formosae* Wheeler, 1929 蓬萊家蟻 [特有] Ref. Wheeler, 1929  
*Myrmica mirabile* Elmes & Radchenko, 1998 巨家蟻 [特有] Ref. Elmes & Radchenko, 1998  
*Myrmica serica* Wheeler, 1928 絲家蟻 Ref. 周及寺山。1990  
*Myrmica srisan* Wheeler, 1930 阿里山家蟻 [特有] Ref. Wheeler, 1930  
*Ochetellus glaber* Mayr, 1862 光滑管琉璃蟻 Ref. Forel, 1913  
*Odontomachus monticola* Emery, 1892 高山鋸針蟻 Ref. Forel, 1913  
*Odontoponera transversa* Fr. Smith, 1857 橫紋齒針蟻 Ref. 周及寺山。1990  
*Oligomyrmex amia* Forel, 1913 阿美寡家蟻 [特有] Ref. Forel, 1913  
*Oligomyrmex oni* Terayama, 1996 大鬼寡家蟻 Ref. Terayama, 1996  
*Oligomyrmex sauteri* Forel, 1912 邵氏寡家蟻 Ref. Forel, 1912  
*Oligomyrmex yamatonis* Terayama, 1996 大和寡家蟻 Ref. Terayama, 1996  
*Pachycondyla chinensis* Emery, 1895 華夏粗針蟻 Ref. Wheeler, 1930  
*Pachycondyla darwini* Forel, 1893 達文粗針蟻 Ref. Forel, 1912  
*Pachycondyla javanus* Mayr, 1867 爪哇粗針蟻 Ref. Forel, 1912  
*Pachycondyla luteipes* Mayr, 1862 黃足粗針蟻 Ref. Forel, 1912  
*Pachycondyla sauteri* Forel, 1912 邵氏粗針蟻 Ref. Forel, 1912  
*Pachycondyla sharpi* Forel, 1901 夏氏粗針蟻 Ref. 寺山。1990  
*Pachycondyla stigma* Fabricius, 1804 烙印粗針蟻 Ref. Santschi, 1937  
*Paratopula ceylonica* Emery, 1901 錫蘭細腰家蟻 Ref. Forel, 1912  
*Paratrechina amia* Forel, 1913 阿美黃山蟻 [特有] Ref. Forel, 1913  
*Paratrechina flavipes* Fr. Smith, 1874 黃腳黃山蟻 Ref. Santschi, 1937  
*Paratrechina formosae* Forel, 1912 蓬萊黃山蟻 [特有] Ref. Forel, 1912

*Paratrechina kraepelini* Forel, 1905 柯氏黃山蟻 [特有] Ref. Forel, 1912  
*Paratrechina longicornis* Latreille, 1802 長角黃山蟻 Ref. Forel, 1913  
*Paratrechina otome* Terayama, 1999 纖細黃山蟻 Ref. Terayama, 1999  
*Paratrechina sauteri* Forel, 1913 邵氏黃山蟻 [特有] Ref. Forel, 1913  
*Pesudolasius binghami* Forel, 1912 台灣偽毛山蟻 [特有] Ref. Forel, 1912  
*Pesudolasius sauteri* Forel, 1913 邵氏偽毛山蟻 Ref. Forel, 1913  
*Pheidole ernesti* Forel, 1912 歐尼大頭家蟻 [特有] Ref. Forel, 1912  
*Pheidole fervens* Fr. Smith, 1858 熱烈大頭家蟻 Ref. Forel, 1912  
*Pheidole formosensis* Forel, 1913 大林大頭家蟻 [特有] Ref. Forel, 1913  
*Pheidole funkikoensis* Wheeler, 1929 奮起湖大頭家蟻 [特有] Ref. Wheeler, 1929  
*Pheidole megacephala* Fabricius, 1793 熱帶大頭家蟻 Ref. Forel, 1913  
*Pheidole nodus* Fr. Smith, 1874 寬結大頭家蟻 Ref. Forel, 1913  
*Pheidole pieli* Santschi, 1925 皮氏大頭家蟻 Ref. Santschi, 1937  
*Pheidole rinae* Forel, 1912 褐大頭家蟻 [特有] Ref. Forel, 1912  
*Pheidole sauteri* Wheeler, 1909 邵氏大頭家蟻 [特有] Ref. Wheeler, 1909  
*Pheidole taivensis* Forel, 1912 台灣大頭家蟻 [特有] Ref. Forel, 1912  
*Pheidologeton affinis* Jerdon, 1851 相鄰擬大頭家蟻 Ref. Forel, 1912  
*Pheidologeton diversus* Jerdon, 1851 多樣擬大頭家蟻 Ref. Forel, 1912  
*Pheidologeton yanoi* Forel, 1912 矢野擬大頭家蟻 [特有] Ref. Forel, 1912  
*Plagiolepis alluaudi* Emery, 1909 阿祿斜山蟻 Ref. Wheeler, 1929  
*Plagiolepis exigua* Forel, 1894 短小斜山蟻 [特有] Ref. Forel, 1912  
*Polyrhachis dives* Fr. Smith, 1857 黑棘山蟻 Ref. Forel, 1912  
*Polyrhachis illaudata* Walker, 1859 麥氏棘山蟻 Ref. Forel, 1912  
*Polyrhachis lamellidens* Fr. Smith, 1874 刺棘山蟻 Ref. Wheeler, 1929  
*Polyrhachis latona* Wheeler, 1909 拉多那棘山蟻 Ref. Forel, 1912  
*Polyrhachis mesota* Emery, 1887 哀愁棘山蟻 Ref. Forel, 1912  
*Polyrhachis murina* Emery, 1878 牆棘山蟻 [特有] Ref. Wheeler, 1929  
*Polyrhachis pyrgops* Viehmeyer, 1912 城堡棘山蟻 [特有] Ref. 楚南。1939  
*Polyrhachis rastellata* Latreille, 1802 長痕棘山蟻 Ref. Wheeler, 1929  
*Polyrhachis tyrannicus* Fr. Smith, 1858 暴棘山蟻 [特有] Ref. 周及寺山。1990  
*Polyrhachis wolffi* Forel, 1912 渥氏棘山蟻 [特有] Ref. Forel, 1912  
*Ponera alisana* Terayama, 1986 阿里山針蟻 [特有] Ref. Terayama, 1996  
*Ponera chiponensis* Terayama, 1986 知本針蟻 [特有] Ref. 周及寺山。1990  
*Ponera takaminei* Terayama, 1996 粗造針蟻 Ref. Terayama, 1996  
*Ponera tamon* Terayama, 1996 南方針蟻 Ref. 同前  
*Prionopelta kraepelini* Forel, 1905 柯氏鋸鈍針蟻 Ref. 周及寺山。1990  
*Pristomyrmex brevispinosus* Emery, 1887 短刺雙針家蟻 Ref. Lin & Wu, 1998  
*Pristomyrmex formosae* Forel, 1912 蓬萊雙針家蟻 [特有] Ref. 同前  
*Pristomyrmex pungens* Mayr, 1884 堅硬雙針家蟻 Ref. 同前  
*Probolomyrmex longinodus* Terayama & Ogata, 1988 長脊突額針蟻 Ref. Terayama & Ogata, 1989  
*Proceratium itoi* Forel, 1917 伊藤盾角針蟻 Ref. 周及寺山。1990  
*Proceratium japonicum* Santschi, 1937 日本盾角針蟻 Ref. 周及寺山。1990  
*Pyramica benten* Terayama, Lin & Wu, 1995 辨天角瘤家蟻 Ref. Terayama et al., 1996  
*Pyramica elegantula* Terayama & Kubota, 1989 高雅角瘤家蟻 [特有] Ref. 同前  
*Pyramica formosimonticola* Terayama, Lin & Wu, 1995 台灣高山角瘤家蟻 [特有] Ref. 同前  
*Pyramica formosus* Terayama, Lin & Wu, 1995 台灣角瘤家蟻 [特有] Ref. Terayama & Kubota, 1989  
*Pyramica hexamerus* Brown, 1958 六純角瘤家蟻 Ref. 同前  
*Pyramica hirashimai* Ogata, 1990 平嶋角瘤家蟻 Ref. 同前  
*Pyramica japonica* Ito, 1914 日本角瘤家蟻 Ref. Terayama et al., 1996  
*Pyramica kichijo* Terayama, Lin & Wu, 1995 吉祥角瘤家蟻 Ref. 同前  
*Pyramica leptothrix* Wheeler, 1929 長毛角瘤家蟻 Ref. Wheeler, 1929  
*Pyramica mazu* Terayama, Lin & Wu, 1995 媽祖角瘤家蟻 Ref. Terayama et al., 1996  
*Pyramica membranifera* Emery, 1869 節膜角瘤家蟻 Ref. Terayama & Kubota, 1989  
*Pyramica mutica* Brown, 1949 短角瘤家蟻 Ref. 同前  
*Pyramica sauteri* Forel, 1912 邵氏角瘤家蟻 Ref. 同前  
*Pyramica takasago* Terayama, Lin & Wu, 1995 高砂角瘤家蟻 [特有] Ref. 同前  
*Recuridid recurvispinosa* Forel, 1890 彎針彎家蟻 Ref. 林。1998  
*Rhopalomastix omotoensis* Terayama, 1996 茂登粗附家蟻 Ref. Terayama, 1996  
*Rhoptrymex wroughtonii* Forel, 1902 駱氏鼓家蟻 Ref. Wheeler, 1929  
*Solenopsis geminata* Fabricius, 1840 熱帶火家蟻 Ref. 周及寺山。1990  
*Solenopsis indagatrix* Wheeler, 1928 獵食火家蟻 [特有] Ref. Wheeler, 1928  
*Solenopsis invicta* Buren, 1972 入侵紅火蟻 Ref. Chen, Shen & Lee, 2006  
*Solenopsis tipuna* Forel, 1912 知本火家蟻 [特有] Ref. Forel, 1912  
*Strumigenys chuchihensis* Lin & Wu, 2001 屈尺瘤顎家蟻 [特有] Ref. 林。1998  
*Strumigenys emmae* Emery, 1890 愛美瘤顎家蟻 Ref. Terayama & Kubota, 1989  
*Strumigenys formosensis* Forel, 1912 蓬萊瘤顎家蟻 [特有] Ref. Forel, 1912  
*Strumigenys hispida* Lin & Wu, 1996 細毛瘤顎家蟻 [特有] Ref. Lin & Wu, 1996  
*Strumigenys konteiansis* Lin & Wu, 2001 墾丁瘤顎家蟻 [特有] Ref. 林。1998  
*Strumigenys lacunosa* Lin & Wu, 1996 凹孔瘤顎家蟻 Ref. Lin & Wu, 1996  
*Strumigenys lichenensis* Lin & Wu, 1996 利嘉瘤顎家蟻 [特有] Ref. 同前  
*Strumigenys liukueiensis* Terayama & Kubota, 1989 六龜瘤顎家蟻 [特有] Ref. Terayama & Kubota, 1989  
*Strumigenys minutula* Terayama & Kubota, 1989 姬瘤顎家蟻 Ref. 同前

*Strumigenys nanzanensis* Lin & Wu, 1996 南仁瘤顎家蟻 [特有] Ref. Lin & Wu, 1996  
*Strumigenys orchudensis* Lin & Wu, 2001 蘭嶼瘤顎家蟻 [特有] Ref. 林。1998  
*Strumigenys solifontis* Brown, 1949 日本瘤顎家蟻 Ref. Terayama & Kubota, 1989  
*Strumigenys trada* Lin & Wu, 1996 變異瘤顎家蟻 [特有] Ref. Lin & Wu, 1996  
*Tapinoma indicum* Forel, 1895 印度慌琉璃蟻 Ref. Forel, 1912  
*Tapinoma melanocephalum* Fabricius, 1793 黑頭慌琉璃蟻 Ref. Forel, 1912  
*Techomyrmex albipes* Fr. Smith, 1861 白足扁琉璃蟻 Ref. Forel, 1912  
*Techomyrmex albipes* Forel, 1895 褐足扁琉璃蟻 Ref. Santschi, 1937  
*Techomyrmex horni* Forel, 1912 荷氏扁琉璃蟻 Ref. Forel, 1912  
*Techomyrmex modiglianii* Forel, 1912 狹長扁琉璃蟻 Ref. Forel, 1912  
*Tetramorium amium* Forel, 1912 阿美皺家蟻 [特有] Ref. Forel, 1912  
*Tetramorium bicarinatum* Nylander, 1846 雙脊皺家蟻 Ref. 周及寺山。1990  
*Tetramorium kraepelini* Forel, 1905 拱背皺家蟻 Ref. 林。1998  
*Tetramorium lanuginosum* Mayr, 1870 絨毛皺家蟻 Ref. Wheeler, 1929  
*Tetramorium nipponense* Wheeler, 1928 日本皺家蟻 Ref. 周及寺山。1990  
*Tetramorium pacificum* Mayr, 1870 太平洋皺家蟻 Ref. Forel, 1913  
*Tetramorium parvispina* Emery, 1893 小刺皺家蟻 Ref. Forel, 1913  
*Tetramorium simillimum* Fr. Smith, 1851 相似皺家蟻 Ref. Forel, 1913  
*Tetraponera allaborans* Walker, 1859 長腹擬家蟻 Ref. Forel, 1912  
*Tetraponera attenuata* Fr. Smith, 1877 細長擬家蟻 Ref. Forel, 1912  
*Tetraponera modesta* Fr. Smith, 1891 謙遜擬家蟻 Ref. Ward (私人通訊, 未發表)  
*Vollenhovia acanthinus* Karavaiev, 1935 棘稜網家蟻 Ref. 林。1998  
*Vollenhovia emeryi* Wheeler, 1906 愛默網家蟻 Ref. Forel, 1913  
*Vollenhovia satoi* Santschi, 1937 佐藤網家蟻 [特有] Ref. Santschi, 1937

### Family Gasteruptionidae 棍棒瘦蜂科

*Gasteruption corniculigerum* Enderlein, 1913 Ref. Hedicke, 1939  
*Gasteruption formosanum* Enderlein, 1913 Ref. Hedicke, 1939  
*Gasteruption parvicollarium* Enderlein, 1913 Ref. Hedicke, 1939  
*Gasteruption rufescenticorne* Enderlein, 1913 Ref. Hedicke, 1939  
*Gasteruption terebelligerum* Enderlein, 1913 Ref. Hedicke, 1939

### Family Halictidae 隧蜂科

*Ceylalictus formosicola* Strand, 1913 Ref. Pesenko & Pauly, 2005  
*Ceylalictus horni* (Strand, 1913) Ref. Pesenko, 2007  
*Evylaeus affinis* (Smith, 1853) Ref. Pesenko, 2007  
*Evylaeus fulvicornis* (Strand, 1914) Ref. Pesenko, 2007  
*Evylaeus kankaucharis* (Strand, 1914) Ref. Pesenko, 2007  
*Evylaeus villosulus* (Körby, 1802) Ref. Pesenko, 2007  
*Halictus aearia* (Smith, 1873) 赤銅隧蜂 Ref. Niu et al., 2004  
*Halictus anterufus* Strand, 1914 Ref. Strand, 1914  
*Halictus atroglaucus* Strand, 1914 Ref. Strand, 1914  
*Halictus blepharophorus* Strand, 1914 Ref. Strand, 1914  
*Halictus carinatifrons* Strand, 1914 Ref. Strand, 1914  
*Halictus epicinctus* Strand, 1914 Ref. Strand, 1914  
*Halictus formosae* Strand, 1914 Ref. Strand, 1914  
*Halictus formosicola* Bluthgen, 1936 Ref. Bluthgen, 1936  
*Halictus fuscidactylus* Strand, 1914 Ref. Strand, 1914  
*Halictus heymonsi* Strand, 1914 Ref. Strand, 1914  
*Halictus horishensis* Cockerell, 1911 埔里隧蜂 Ref. Cockerell, 1911  
*Halictus kankaucharis* Strand, 1914 Ref. Strand, 1914  
*Halictus laevidermis* Cockerell, 1911 Ref. Cockerell, 1911  
*Halictus leiosoma* Strand, 1914 Ref. Strand, 1914  
*Halictus leucopogon* Strand, 1914 Ref. Strand, 1914  
*Halictus luteitarsellus* Strand, 1914 Ref. Strand, 1909  
*Halictus melanomitratus* Strand, 1914 Ref. Strand, 1914  
*Halictus micado* Strand, 1914 Ref. Strand, 1914  
*Halictus mitratolus* Strand, 1914 Ref. Strand, 1914  
*Halictus multistictus* Cockerell, 1911 Ref. Cockerell, 1911  
*Halictus nomiformis* Strand, 1914 Ref. Strand, 1914  
*Halictus notopsilus* Strand, 1914 Ref. Bluthgen, 1926  
*Halictus occidens* Smith Ref. Smith  
*Halictus pallilomus* Strand, 1914 Ref. Strand, 1914  
*Halictus perangulatus* Cockerell, 1911 Ref. Cockerell, 1911  
*Halictus pityocola* Strand, 1914 Ref. Strand, 1914  
*Halictus recognitus* Cockerell, 1911 Ref. Cockerell, 1911  
*Halictus scaphonotus* Strand, 1914 Ref. Strand, 1914  
*Halictus sidereus* Cockerell, 1911 Ref. Cockerell, 1911  
*Halictus signicostatuloides* Strand, 1914 Ref. Strand, 1914  
*Halictus statialis* Cockerell, 1911 Ref. Cockerell, 1911  
*Halictus suisharyonensis* Strand, 1914 Ref. Strand, 1914  
*Halictus suisharyonis* Strand, 1914 Ref. Strand, 1914  
*Halictus taihorinis* Strand, 1914 Ref. Strand, 1914

*Halictus trichosulus* Strand, 1914 Ref. Strand, 1914  
*Halictus trichopsis* Strand, 1914 Ref. Strand, 1914  
*Halictus vagans* Smith, 1857 Ref. Ebmer, 2004  
*Lasioglossum albescens* (Smith, 1853) Ref. Smith  
*Lasioglossum formosae* (Strand, 1909) 福爾摩沙隧蜂 Ref. Pesenko, 2007  
*Lasioglossum fulvicorne* (Körby, 1802) Ref. Strand, 1914  
*Lasioglossum lasioglossum* (Strand, 1913) Ref. Strand, 1914  
*Lasioglossum micante* Michener, 1993 Ref. Strand, 1914  
*Lasioglossum nipponense* (Hirashima, 1953) 日本隧蜂 Ref. Murao & Tadauchi, 2007  
*Lasioglossum occidens* (Smith, 1873) Ref. Yasumatsu & Hirashima, 1965  
*Lasioglossum pallilomus* (Strand, 1914) Ref. Michener, 1993  
*Lasioglossum percraissiceps* (Cockerell, 1931) Ref. Yasumatsu & Hirashima, 1965  
*Lasioglossum sakishima* Ebmer & Maeta, 1999 先島隧蜂 Ref. Terayama, 2006  
*Lasioglossum sexstrigatum* (Schenck, 1868) Ref. 同前  
*Lasioglossum subopacum* (Smith, 1853) 尖肩隧蜂 Ref. Wu, 1965  
*Lasioglossum sutshanicum* Pesenko, 1986 Ref. Pesenko, 2007  
*Lipotriches esakii* (Hirashima, 1961) 江崎棍棒隧蜂 Ref. Astafurova & Pesenko, 2005  
*Nomia crassipes* (Fabricius, 1798) Ref. Hirashima, 1956  
*Nomia hokotoensis* Sonan, 1929 Ref. Sona, 1929  
*Nomia horni* Strand, 1913 Ref. Strand, 1913  
*Nomia kankauana* Strand, 1913 觀高彩帶蜂 Ref. Strand, 1913  
*Nomia kankauibia* Strand, 1913 Ref. Strand, 1913  
*Nomia maturans* Cockerell, 1912 Ref. Cockerell, 1912  
*Nomia mediorufa* Cockerell, 1912 Ref. 同前  
*Nomia megasoma* Cockerell, 1912 Ref. 同前  
*Nomia mirabilis* Friese, 1911 Ref. Friese, 1911  
*Nomia parcana* Strand, 1913 Ref. Strand, 1913  
*Nomia pavonura* Cockerell, 1912 南方彩帶蜂 Ref. Cockerell, 1912  
*Nomia pilamica* Strand, 1913 Ref. Strand, 1913  
*Nomia punctulata* Dalla Torre, 1896 齒彩帶蜂 Ref. Cockerell, 1912  
*Nomia rapida* Cockerell, 1912 Ref. 同前  
*Nomia rufopostiata* Sonan, 1929 亞細亞彩帶蜂 Ref. Sona, 1929  
*Nomia takauensis* Friese, 1910 Ref. Friese, 1910  
*Nomia thoracica* Smith, 1875 黃胸彩帶蜂 Ref. Cockerell, 1912  
*Nomia (Acunomia) chalybeata* Smith, 1875 藍彩帶蜂 Ref. Wu, 1965  
*Nomia (Dinomia) taiwana* Hirashima, 1956 Ref. Hirashima, 1956  
*Nomia (Nomia) megasomoides* Strand, 1913 Ref. 同前  
*Nomia (Paranomina) planiventris* Friese, 1911 Ref. 同前  
*Nomioides formosicola* Strand, 1913 Ref. Bluthgen, 1925  
*Pachyhalictus formosicola* (Blüthgen, 1926) Ref. Bluthgen, 1926  
*Sphecodes formosanus* Cockerell, 1911 Ref. Cockerell, 1911  
*Steganomus taiwana* Hirashima, 1956 Ref. Hirashima, 1956

#### Family Ibalidae 枝附癭蜂科

*Heteribalia subtilis* (Maa, 1949) 紅盾枝附光翅癭蜂 Ref. Liu & Nordlander, 1994  
*Ibalia mirabilis* Yasumatsu, 1941 奇異枝附癭蜂 Ref. 同前

#### Family Ichneumonidae 姬蜂科

*Acerataspis cruralis* Chiu, 1962 Ref. Chiu, 1962  
*Acerataspis formosana* Cushman, 1937 Ref. Cushman, 1937  
*Achlorocephalus pilosa* (Szépligeti, 1914) Ref. Chiu et al., 1984  
*Aclastus etorofuensis* (Uchida, 1936) 擇捉光背姬蜂 Ref. Uchida, 1936  
*Acrodactyla atricoxa* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Acrodactyla inoperta* Kusigemati, 1985 Ref. 同前  
*Acrodactyla orientalis* (Cushman, 1933) 東方錘附姬蜂 Ref. Chiu et al., 1984  
*Acrodactyla sydromosa* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Acrodactyla taiwanensis* (Cushman, 1933) Ref. Cushman, 1933  
*Acropimpla emmitosa* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Acropimpla leucostoma* (Cameron, 1907) 白口頂姬蜂 Ref. Cameron, 1907  
*Acropimpla nigrescens* (Cushman, 1933) Ref. Cushman, 1933  
*Acropimpla tricolor* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Acropimpla uchidai* (Cushman, 1933) 內田頂姬蜂 Ref. Cushman, 1933  
*Acroricnus ambulator* (Smith, 1874) 游走巢姬蜂指名亞種 Ref. Chiu et al., 1984  
*Acroricnus ambulator* Uchida, 1931 游走巢姬蜂紅腹亞種 Ref. Uchida, 1931  
*Aeneonaenaria birmanica* (Heinrich, 1974) Ref. Gupta, 1988  
*Afrephialtes laetiventris* (Cameron, 1899) Ref. Cameron, 1899  
*Afrephialtes latisulcatus* (Cameron, 1908) Ref. Cameron, 1908  
*Afrephialtes taiwanus* Gupta & Tikar, 1976 Ref. Gupta & Tikar, 1976  
*Agasthenes swezeyi* (Cushman, 1924) 蛛卵權姬蜂 Ref. Chiu et al., 1984  
*Aglaojoppa caeruleodorsata* (Uchida, 1932) Ref. Uchida, 1932  
*Aglaojoppa flavomaculata* Cameron, 1901 Ref. Cameron, 1901  
*Aglaojoppa violaceipennis* Cameron, 1903 Ref. Gupta, 1987  
*Agrypon facetum* Enderlein, 1921 Ref. Enderlein, 1921

*Agrypon gratiosum* Enderlein, 1921 Ref. 同前  
*Agrypon kikuchii* (Uchida, 1928) Ref. Uchida, 1928  
*Agrypon sulcosum* Uchida, 1937 Ref. Uchida, 1937  
*Agrypon suzukii* (Matsumura, 1912) Ref. Matsumura, 1912  
*Agrypon tainensis* (Uchida, 1928) Ref. Uchida, 1928  
*Agrypon tamahonum* Uchida, 1928 Ref. Uchida, 1928  
*Agrypon trochanterale* Cushman, 1937 Ref. Cushman, 1937  
*Agrypon turgidulus* (Kusigemati, 1983) Ref. Gupta, 1987  
*Algathia kurarensis* (Uchida, 1927) Ref. Gupta, 1987  
*Allonotus politus* (Uchida, 1932) Ref. Uchida, 1932  
*Allophatnus fulvitergus* (Tosquinet, 1903) 褐黃菲姬蜂 Ref. Chiu et al., 1984  
*Amauromorpha accepta* (Viereck, 1913) 三化螟溝姬蜂 Ref. Sonan, 1944  
*Amblyjoppa annularis* (Matsumura, 1912) 環附鈍雜姬蜂台灣亞種 Ref. Matsumura, 1912  
*Amblyjoppa forticornis* (Matsumura, 1912) Ref. 同前  
*Amblyjoppa yayeyamensis* (Uchida, 1932) Ref. Uchida, 1932  
*Amblyjoppa yayeyamensis* (Matsumura, 1912) Ref. Matsumura, 1912  
*Amblyteles sonani* Uchida, 1932 Ref. Uchida, 1932  
*Anisobas kankoensis* (Uchida, 1932) Ref. Gupta, 1987  
*Anomalon formosanum* (Uchida, 1928) Ref. Uchida, 1928  
*Anomalon frontale* Cushman, 1937 Ref. Cushman, 1937  
*Anomalon nigribase* Cushman, 1937 黑基腫附姬蜂 Ref. Cushman, 1937  
*Anomalon novemmaculatum* Kusigemati, 1991 Ref. Kusigemati, 1991  
*Anomalon ohharai* Kusigemati, 1983 Ref. Kusigemati, 1983  
*Aoplus rantaizanus* (Uchida, 1927) Ref. Uchida, 1927  
*Apechthis capulifera* (Kriechbaumer, 1887) 黑基長尾姬蜂 Ref. Kriechbaumer, 1887  
*Aphanistes kankonis* Uchida, 1928 Ref. Uchida, 1928  
*Aphanistes taiwanensis* Kusigemati, 1983 Ref. Gupta, 1987  
*Apocryptus issikii* Uchida, 1932 Ref. Uchida, 1932  
*Apocryptus suisharionis* (Uchida, 1932) Ref. Uchida, 1932  
*Apophua formosana* Cushman, 1933 Ref. Cushman, 1933  
*Apophua karenkona* Sonan, 1936 Ref. Sonan, 1936  
*Apophua kikuchii* (Uchida, 1932) Ref. Uchida, 1932  
*Apophysius rufus* Cushman, 1927 紅多棘姬蜂 Ref. Chiu et al., 1984  
*Apophysius unicolor* Uchida, 1931 一色多棘姬蜂 Ref. 同前  
*Aritranis tamahonis* (Uchida, 1931) Ref. Uchida, 1931  
*Arotes albicinctus* (Matsumura, 1912) Ref. Chiu et al., 1984  
*Arthula flavofasciata* (Uchida, 1931) Ref. Uchida, 1931  
*Arthula formosana* (Uchida, 1931) 台灣雙洼姬蜂 Ref. Uchida, 1931  
*Astiphromma confusum* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Astiphromma ohharai* Kusigemati, 1985 Ref. 同前  
*Astomaspis persimilis* (Cushman, 1937) 橫條棘腹姬蜂 Ref. Cushman, 1937  
*Astrenis densa* Chiu, 1987 Ref. Chiu & Wong, 1987  
*Astrenis granum* Chiu, 1987 Ref. 同前  
*Atanyjoppa comissator* (Smith, 1858) 好長腹姬蜂 Ref. Smith, 1858  
*Atanyjoppa rufomaculata* Heinrich, 1968 Ref. Heinrich, 1968  
*Ateleute densistriata* (Uchida, 1955) Ref. Uchida, 1955  
*Baltazaria albosignata* (Szépligeti, 1916) Ref. Szépligeti, 1916  
*Baltazaria nigribasalis* (Uchida, 1931) Ref. Uchida, 1931  
*Barichneumon funkikonis* (Uchida, 1927) Ref. Uchida, 1927  
*Barichneumon hozanensis* Uchida, 1932 Ref. Uchida, 1932  
*Barichneumon ludibundus* (Tosquinet, 1903) Ref. Tosquinet, 1903  
*Barichneumon suisharioensis* Uchida, 1932 Ref. Uchida, 1932  
*Barichneumon tainanensis* Uchida, 1932 Ref. Uchida, 1932  
*Barichneumon tamahonis* (Uchida, 1925) Ref. Uchida, 1925  
*Bathythrix kuwanae* (Viereck, 1912) 負泥蟲溝姬蜂 Ref. He et al., 1996  
*Bathythrix pilosa* (Uchida, 1932) Ref. Uchida, 1932  
*Bentyra taiwanella* (Uchida, 1932) Ref. Uchida, 1932  
*Brachycyrtus nawaii* (Ashmead, 1906) 強脊草蛉姬蜂 Ref. Ashmead, 1906  
*Brachyscleroma townesi* Chiu, 1987 Ref. Chiu & Wong, 1987  
*Brachyscleroma umbilici* Chiu, 1987 Ref. 同前  
*Buodias longidentatus* (Uchida, 1931) Ref. Uchida, 1931  
*Buysmania oxymora* (Uchida, 1932) 隆緣姬蜂健壯亞種 Ref. Uchida, 1932  
*Bystra baibarensis* (Uchida, 1929) Ref. Uchida, 1929  
*Bystra kusukusensis* (Uchida, 1929) Ref. Uchida, 1929  
*Callajoppa formosana* (Uchida, 1925) Ref. Uchida, 1925  
*Campoletis chlorideae* Uchida, 1957 棉鈴蟲齒唇姬蜂 Ref. Uchida, 1957  
*Campoplex anatolus* Gupta & Maheshwary, 1977 Ref. Gupta & Maheshwary, 1977  
*Campoplex chiuuae* Gupta & Maheshwary, 1977 Ref. 同前  
*Campoplex homonae* (Sonan, 1930) 茶卷蛾高縫姬蜂 Ref. Sonan, 1930  
*Campoplex maximalus* Gupta & Maheshwary, 1977 Ref. Gupta & Maheshwary, 1977  
*Campoplex oriens* Gupta & Maheshwary, 1977 Ref. 同前  
*Campoplex pusillus* Gupta & Maheshwary, 1977 Ref. 同前

*Campoplex pygmaeus* Gupta & Maheshwary, 1977 Ref. 同前  
*Campoplex sauteri* (Uchida, 1932) Ref. Uchida, 1932  
*Campoplex septentrionalis* Gupta & Maheshwary, 1977 Ref. Gupta & Maheshwary, 1977  
*Campototypus arianus* (Matsumura, 1912) Ref. Chiu et al., 1984  
*Carria alishanensis* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Casinarina ashimae* Gupta & Maheshwary, 1977 Ref. Gupta & Maheshwary, 1977  
*Casinarina buddha* Gupta & Maheshwary, 1977 Ref. 同前  
*Casinarina formosana* Momoi, 1970 Ref. Momoi, 1970  
*Casinarina leo* Gupta & Maheshwary, 1977 Ref. Gupta & Maheshwary, 1977  
*Casinarina minima* (Morley, 1913) Ref. Morley, 1913  
*Casinarina pedunculata* (Szépligeti, 1908) 具柄凹眼姬蜂指名亞種 Ref. Szépligeti, 1908  
*Casinarina simillima* Gupta & Maheshwary, 1977 稻縱卷葉螟凹眼姬蜂 Ref. Maheshwary & Gupta, 1977  
*Ceratocryptus bituberculatus* Cameron, 1903 雙瘤角溝姬蜂 Ref. Cameron, 1903  
*Charitojoppa cyanea* (Uchida, 1927) Ref. Uchida, 1927  
*Charitojoppa tricolor* (Uchida, 1925) Ref. Uchida, 1925  
*Charops bicolor* (Szépligeti, 1906) 螟蛉懸繭姬蜂 Ref. Szépligeti, 1906  
*Charops brachypterum* (Cameron, 1897) 短翅懸繭姬蜂 Ref. Cameron, 1897  
*Charops striata* (Uchida, 1932) 刻條懸繭姬蜂 Ref. Uchida, 1932  
*Charops taiwana* Uchida, 1932 台灣懸繭姬蜂 Ref. Uchida, 1932  
*Chlorocryptus coreanus* (Szépligeti, 1916) 朝鮮綠姬蜂 Ref. Szépligeti, 1916  
*Chorinaeus aizanensis* Kusigemati, 1967 Ref. Kusigemati, 1967  
*Chriodes carinatus* Kusigemati, 1983 Ref. Kusigemati, 1983  
*Chriodes hemierythros* Kusigemati, 1983 Ref. 同前  
*Chriodes incarinatus* Kusigemati, 1983 Ref. 同前  
*Chriodes koshunensis* (Uchida, 1932) Ref. Uchida, 1932  
*Chironota townesi* Uchida, 1957 湯氏損背姬蜂 Ref. Uchida, 1957  
*Cisaris niger* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Clistopyga latifrontalis* (Uchida, 1941) Ref. Uchida, 1941  
*Cobunus filicornis* (Uchida, 1932) 線角圓丘姬蜂 Ref. Uchida, 1932  
*Coccygomimus aethiops* (Curtis, 1828) 滿點黑瘤姬蜂 Ref. Curtis, 1828  
*Coccygomimus alishanensis* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Coccygomimus carinifrons* (Cameron, 1899) 脊額黑瘤姬蜂 Ref. Cameron, 1899  
*Coccygomimus flavipalpis* (Cameron, 1899) 黃須黑瘤姬蜂 Ref. Cameron, 1899  
*Coccygomimus laothoe* (Cameron, 1899) 天蛾黑瘤姬蜂 Ref. Cameron, 1897  
*Coccygomimus leucogonia* (Cushman, 1933) Ref. Cushman, 1933  
*Coccygomimus nipponicus* (Uchida, 1928) 日本黑瘤姬蜂 Ref. Uchida, 1928  
*Coccygomimus taihokensis* (Uchida, 1930) Ref. Uchida, 1930  
*Coesula fulvipes* (Uchida, 1931) Ref. Uchida, 1931  
*Coleocentrus alpinus* Chiu, 1971 Ref. Chiu, 1971  
*Colpotrochia brevicincta* Chiu, 1962 Ref. Chiu, 1962  
*Colpotrochia nana* Chiu, 1962 Ref. Chiu, 1962  
*Colpotrochia pilosa* (Cameron, 1909) 毛圓胸姬蜂指名亞種 Ref. Cameron, 1909  
*Colpotrochia plana* Chiu, 1962 Ref. Chiu, 1962  
*Crathiorada fasciata* Heinrich, 1965 台帶克拉姬蜂 Ref. Heinrich, 1965  
*Cratolabus formosanus* (Uchida, 1932) 台灣強柄姬蜂 Ref. Uchida, 1932  
*Cratolabus taihorinus* (Uchida, 1932) Ref. Uchida, 1932  
*Cryptopimpla taiwanensis* (Momoi, 1968) 台灣隱姬蜂 Ref. Momoi, 1968  
*Ctenichneumon tappanus* Uchida, 1926 Ref. Uchida, 1926  
*Cymodusa josephi* Gupta & Gupta, 1974 Ref. Gupta & Gupta, 1974  
*Delopia erythra* (Uchida, 1932) Ref. Uchida, 1932  
*Delopia lenticulata* (Gupta & Gupta, 1978) Ref. Gupta & Gupta, 1978  
*Delopia longiabdominalis* (Uchida, 1932) Ref. Uchida, 1932  
*Delopia longigenata* (Gupta & Gupta, 1978) Ref. Gupta & Gupta, 1977  
*Delopia melanocera* (Uchida, 1932) Ref. Uchida, 1932  
*Delopia nigrifemur* (Sonan, 1919) Ref. Sonan, 1929  
*Delopia orientalis* (Gupta & Gupta, 1978) Ref. Gupta & Gupta, 1978  
*Delopia sauteri* (Uchida, 1932) Ref. Uchida, 1932  
*Diadegma akoensis* (Shiraki, 1917) 台灣彎尾姬蜂 Ref. Chiu et al., 1984  
*Diadegma semiclausum* (Hellen, 1949) Ref. Shiraki, 1917  
*Diadegma trichoptilus* (Cameron, 1909) Ref. Cameron, 1909  
*Diadromus collaris* (Gravenhorst, 1829) 頸雙緣姬蜂 Ref. Wu, 1968  
*Diatraea lissonota* (Viereck, 1912) 光背刺姬蜂 Ref. Viereck, 1912  
*Diatora prodeniae* Ashmead, 1904 斜紋夜蛾刺姬蜂 Ref. Ashmead, 1904  
*Dicamptus ishikii* Uchida, 1928 寬室嵌翅姬蜂 Ref. Uchida, 1928  
*Dicamptus nigropictus* (Matsumura, 1912) 黑斑嵌翅姬蜂 Ref. Matsumura, 1912  
*Dicamptus reticulatus* (Cameron, 1899) Ref. Cameron, 1899  
*Dichelobosmina papilionis* (Ashmead, 1905) Ref. Ashmead, 1905  
*Dichyonotus purpurascens* (Smith, 1874) 紫窄痣姬蜂 Ref. Smith, 1874  
*Dimaetha tibialis* (Matsumura, 1912) Ref. Chiu et al., 1984  
*Diplazon laetatorius* (Fabricius, 1781) 花脛蚜蠅姬蜂 Ref. Fabricius, 1781  
*Diplazon orientalis* (Cameron, 1905) 東方蚜蠅姬蜂 Ref. Cameron, 1905  
*Dolichomitus melanomerus* (Cameron, 1899) Ref. Cameron, 1899

*Dreisbachia punctata* (Uchida & Momoi, 1959) Ref. Uchida & Momoi, 1959  
*Drepanoctonus auritus* Chiu, 1962 耳突折背姬蜂 Ref. Chiu, 1962  
*Earobia paradoxus* Perkins, 1958 Ref. Perkins, 1958  
*Eccoptosage miniata* (Uchida, 1925) 朱色邊姬蜂 Ref. Uchida, 1925  
*Eccoptosage shizoaspis* (Uchida, 1929) Ref. Uchida, 1929  
*Echthromorpha agrestoria* (Fabricius, 1804) 斑翅戀姬蜂顯斑亞種 Ref. Chiu et al., 1984  
*Enicospilus abdominalis* (Szépligeti, 1906) 斑腹細顎姬蜂 Ref. Szépligeti, 1906  
*Enicospilus aciculatus* (Taschenberg, 1875) 針齒細顎姬蜂 Ref. Taschenberg, 1875  
*Enicospilus ashbyi* Ashmead, 1904 阿氏細顎姬蜂 Ref. Ashmead, 1904  
*Enicospilus bifasciatus* (Uchida, 1928) Ref. Uchida, 1928  
*Enicospilus capensis* (Thunberg, 1822) 開普細顎姬蜂 Ref. Tang, 1990  
*Enicospilus chalasmatos* Chiu, 1954 雜亂細顎姬蜂 Ref. Chiu, 1954  
*Enicospilus centralis* Cushman, 1937 同心細顎姬蜂 Ref. Cushman, 1937  
*Enicospilus dasychirae* Cameron, 1905 茸毒蛾細顎姬蜂 Ref. Cameron, 1905  
*Enicospilus dolosus* Tosquinet, 1896 靈巧細顎姬蜂 Ref. Tosquinet, 1896  
*Enicospilus erythrocerus* (Cameron, 1905) 紅尾細顎姬蜂 Ref. Cameron, 1905  
*Enicospilus exaggeratus* Chiu, 1954 巨膜細顎姬蜂 Ref. Chiu, 1954  
*Enicospilus flatus* Chiu, 1954 弱骨細顎姬蜂 Ref. Chiu, 1954  
*Enicospilus flavocephalus* (Körby, 1900) 黃頭細顎姬蜂 Ref. Uchida, 1928  
*Enicospilus formosensis* (Uchida, 1928) 臺灣細顎姬蜂 Ref. Kirby, 1900  
*Enicospilus fusiformis* Chiu, 1954 梭骨細顎姬蜂 Ref. Chiu, 1954  
*Enicospilus grammospilus* (Enderlein, 1921) 條骨細顎姬蜂 Ref. Enderlein, 1921  
*Enicospilus grandis* (Cameron, 1905) 腫頰細顎姬蜂 Ref. Cameron, 1905  
*Enicospilus henrytownesi* Chao & Tang, 1991 Ref. Chao & Tang, 1991  
*Enicospilus iracundus* Chiu, 1954 扁唇細顎姬蜂 Ref. Chiu, 1954  
*Enicospilus javanus* (Szépligeti, 1910) 爪哇細顎姬蜂 Ref. Szépligeti, 1910  
*Enicospilus kanshirensis* (Uchida, 1928) 關子嶺細顎姬蜂 Ref. Uchida, 1928  
*Enicospilus laqueatus* (Enderlein, 1921) 大骨細顎姬蜂 Ref. Enderlein, 1921  
*Enicospilus lineolatus* Roman, 1913 細線細顎姬蜂 Ref. Morley, 1912  
*Enicospilus maai* Chiu, 1954 馬氏細顎姬蜂 Ref. Chiu, 1954  
*Enicospilus melanocarpus* (Cameron, 1902) 黑斑細顎姬蜂 Ref. Cameron, 1902  
*Enicospilus nigribasalis* (Uchida, 1928) 黑基細顎姬蜂 Ref. Uchida, 1928  
*Enicospilus nigripectus* (Enderlein, 1921) 黑胸細顎姬蜂 Ref. Enderlein, 1921  
*Enicospilus nigristigma* Cushman, 1937 黑痣細顎姬蜂 Ref. Cushman, 1937  
*Enicospilus nigronotatus* Cameron, 1903 黑背細顎姬蜂 Ref. Cameron, 1903  
*Enicospilus nigropectus* Cameron, 1905 黑紋細顎姬蜂 Ref. Cameron, 1905  
*Enicospilus pallidistigma* Cushman, 1937 白痣細顎姬蜂 Ref. Cushman, 1937  
*Enicospilus pingüvena* (Enderlein, 1921) 壯脈細顎姬蜂 Ref. Enderlein, 1921  
*Enicospilus plicatus* (Brulle, 1846) 褶皺細顎姬蜂 Ref. Brulle, 1846  
*Enicospilus pseudantennatus* Gauld, 1977 假角細顎姬蜂 Ref. Gauld, 1977  
*Enicospilus pseudoconsersae* (Sonan, 1927) 茶毛蟲細顎姬蜂 Ref. Sonan, 1927  
*Enicospilus riukiensis* (Matsumura & Uchida, 1926) 琉球細顎姬蜂 Ref. Matsumura & Uchida, 1926  
*Enicospilus sakaguchii* (Matsumura & Uchida, 1926) 大螟細顎姬蜂 Ref. 同前  
*Enicospilus sauteri* (Enderlein, 1921) 蘇氏細顎姬蜂 Ref. Enderlein, 1921  
*Enicospilus shikokuensis* (Uchida, 1928) 四國細顎姬蜂 Ref. Uchida, 1928  
*Enicospilus shinkanus* (Uchida, 1928) 石河子細顎姬蜂 Ref. Uchida, 1928  
*Enicospilus signativentris* (Tosquinet, 1903) 后脊細顎姬蜂 Ref. Tosquinet, 1903  
*Enicospilus stenophelps* Cushman, 1937 細脈細顎姬蜂 Ref. Cushman, 1937  
*Enicospilus transversus* Chiu, 1954 橫脊細顎姬蜂 Ref. Chiu, 1954  
*Enicospilus tripartitus* Chiu, 1954 三階細顎姬蜂 Ref. Chiu, 1954  
*Enicospilus vestigator* (Smith, 1858) 印痕細顎姬蜂 Ref. Chiu et al., 1984  
*Enicospilus xanthocephalus* Cameron, 1905 黃斑細顎姬蜂 Ref. Cameron, 1905  
*Enicospilus yonezawanus* (Uchida, 1928) 米澤細顎姬蜂 Ref. Uchida, 1928  
*Enizemum formosense* Uchida, 1932 Ref. Uchida, 1932  
*Ephialtes taiwanus* (Uchida, 1928) 台灣長尾姬蜂 Ref. Uchida, 1928  
*Eriborus arisanus* (Sonan, 1936) Ref. Sonan, 1936  
*Eriborus eariasii* (Sonan, 1939) Ref. Sonan, 1939  
*Eriborus nigriabdominalis* (Uchida, 1932) Ref. Uchida, 1932  
*Eriborus perfidus* (Gravenhorst, 1829) Ref. Gravenhorst, 1829  
*Eriborus sinicus* (Holmgren, 1868) 中華鈍唇姬蜂 Ref. Holmgren, 1868  
*Eriborus vulgaris* (Morley, 1912) 縱卷葉螟鈍唇姬蜂 Ref. Morley, 1912  
*Eridolius orientalis* Gupta, 1991 Ref. Gupta, 1991  
*Etha tuberculata* (Uchida, 1932) 瘤臉姬蜂 Ref. Uchida, 1932  
*Euceros taiwanus* Kasparyan, 1992 Ref. Kasparyan, 1993  
*Eugalta cameroni* Cushman, 1933 Ref. Cushman, 1933  
*Eugalta strigosa* (Szépligeti, 1914) Ref. Szépligeti, 1914  
*Eupalamus giganteus* Uchida, 1956 Ref. Uchida, 1956  
*Eurycryptus sakaguchii* (Uchida, 1932) Ref. Uchida, 1932  
*Eurycryptus unicolor* (Uchida, 1932) 單色闊溝姬蜂 Ref. Uchida, 1932  
*Eurylabus victoriae* Heinrich, 1974 Ref. Gupta, 1988  
*Eutanyacra stramineomaculata* (Uchida, 1932) Ref. Uchida, 1932  
*Excavarus taiwanus* Gupta & Gupta, 1994 Ref. Gupta & Gupta, 1994

*Exenterus orientalis* Gupta, 1993 Ref. Gupta, 1993  
*Exenterus phaeopyga* Gupta, 1993 Ref. Gupta, 1993  
*Exeristes roborator* (Fabricius, 1793) 具瘤愛姬蜂 Ref. Fabricius, 1793  
*Exetastes taiwanensis* Kusigemati, 1986 Ref. Kusigemati, 1986  
*Exochus flavonotatus* Kusigemati, 1983 Ref. Kusigemati, 1983  
*Exochus leptomma* Chiu, 1962 Ref. Chiu, 1962  
*Exochus longicaudis* Chius, 1962 Ref. Chius, 1962  
*Exochus ornatus* Momoi & Kusigemati, 1970 Ref. Momoi & Kusigemati, 1970  
*Exochus oshimensis* Uchida, 1930 Ref. Uchida, 1930  
*Exochus perfectus* Kusigemati, 1983 Ref. Kusigemati, 1983  
*Exochus posticus* Kusigemati, 1983 Ref. 同前  
*Exochus radialis* Uchida, 1932 Ref. Uchida, 1932  
*Exochus saigusai* Kusigemati, 1983 Ref. Kusigemati, 1983  
*Exochus scutellaris* Chiu, 1962 黃盾凸臉姬蜂 Ref. Chiu, 1962  
*Exochus stenus* Chiu, 1962 Ref. Chiu, 1962  
*Exochus suishanus* Uchida, 1932 Ref. Uchida, 1932  
*Facydes purpleomaculatus* Cameron, 1901 Ref. Cameron, 1901  
*Fitatsia ampingensis* (Uchida, 1932) Ref. Chiu et al., 1984  
*Flavopimpla nigromaculata* (Cameron, 1899) 黑斑黃瘤姬蜂 Ref. Cameron, 1899  
*Formocryptus bidentatus* (Cameron, 1903) 雙齒成溝姬蜂 Ref. Uchida, 1931  
*Formostenus angularis* (Uchida, 1931) Ref. Chiu et al., 1984  
*Friona okinawana* Uchida, 1930 沖繩弗姬蜂 Ref. Uchida, 1930  
*Gambroides chilonis* (Townes, Townes & Gupta, 1961) Ref. Townes, Townes & Gupta, 1961  
*Giraudia magnispiracularis* (Uchida, 1932) Ref. Uchida, 1932  
*Glypta aquila* Chiu, 1965 Ref. Chiu, 1965  
*Glypta orientalis* Cushman, 1933 Ref. Cushman, 1933  
*Glypta taiheizana* (Sonan, 1936) Ref. Sonan, 1936  
*Goryphus basilaris* Holmgren, 1868 橫帶駝姬蜂 Ref. Holmgren, 1868  
*Goryphus detritus* Holmgren, 1868 Ref. Uchida, 1932  
*Goryphus formosanus* (Szépligeti, 1916) Ref. Szépligeti, 1916  
*Goryphus horeiensis* Uchida, 1932 Ref. Uchida, 1932  
*Goryphus hyalinoides* (Uchida, 1931) Ref. Uchida, 1931  
*Goryphus issikii* (Uchida, 1931) Ref. Uchida, 1931  
*Goryphus sauteri* (Uchida, 1931) Ref. Uchida, 1931  
*Goryphus taihorinensis* Uchida, 1932 Ref. Uchida, 1932  
*Goryphus tuberculatus* Uchida, 1932 Ref. Uchida, 1932  
*Goryphus ultimus* (Szépligeti, 1916) Ref. Szépligeti, 1916  
*Gotra formosana* (Szépligeti, 1916) Ref. 同前  
*Gotra marginata* (Brulle, 1846) 緣斑脊額姬蜂 Ref. Brulle, 1846  
*Gotra octocincta* (Ashmead, 1906) 花胸姬蜂 Ref. Ashmead, 1906  
*Habrojoppa kurarensis* (Uchida, 1929) Ref. Heinrich, 1975  
*Habronyx baibarensis* (Uchida, 1928) Ref. Uchida, 1928  
*Habronyx discoidellus* (Sonan, 1930) Ref. Sonan, 1930  
*Habronyx sonani* (Uchida, 1958) Ref. Uchida, 1958  
*Hadrostethus ruficrus* Chandra & Gupta, 1977 Ref. Chandra & Gupta, 1977  
*Hedycryptus orientalis* (Cameron, 1897) Ref. Cameron, 1897  
*Hedycryptus rufopetiolatus* (Cameron, 1904) 紅柄甜溝姬蜂 Ref. Cameron, 1904  
*Hedyjoppa hashimotoi* Kusigemati, 1987 Ref. Kusigemati, 1987  
*Hemigaster taiwana* (Sonan, 1932) 台甲腹姬蜂 Ref. Sonan, 1932  
*Heresiarches heinrichi* Uchida, 1932 台斜疤姬蜂 Ref. Uchida, 1932  
*Heteropelma amictum* (Fabricius, 1775) 松毛蟲異足姬蜂 Ref. Fabricius, 1775  
*Heteropelma flaviscutellum* Uchida, 1928 Ref. Uchida, 1928  
*Heteropelma fulvitarse* Cameron, 1899 黃跗異足姬蜂 Ref. Cameron, 1899  
*Holcojoppa formosana* (Matsumura, 1912) Ref. Matsumura, 1912  
*Hyposoter formosanus* (Uchida, 1932) Ref. Uchida, 1932  
*Hyposoter posticae* (Sonan, 1929) Ref. Sonan, 1929  
*Hyposoter taihorinensis* (Uchida, 1932) Ref. Uchida, 1932  
*Hypsicera affinis* Chiu, 1962 Ref. Chiu, 1962  
*Hypsicera carnosa* Chiu, 1962 Ref. Chiu, 1962  
*Hypsicera erythropus* (Cameron, 1902) 紅足等距姬蜂 Ref. Cameron, 1901  
*Hypsicera femoralis* (Geoffroy, 1785) Ref. Geoffroy, 1785  
*Hypsicera formosana* (Uchida, 1930) Ref. Uchida, 1930  
*Hypsicera globosa* Chiu, 1962 Ref. Chiu, 1962  
*Hypsicera lita* Chiu, 1962 光爪等距姬蜂 Ref. Chiu, 1962  
*Hypsicera obliqua* Kusigemati, 1983 Ref. Kusigemati, 1983  
*Hypsicera oharai* Kusigemati, 1983 Ref. 同前  
*Hypsicera seta* Chiu, 1962 Ref. Chiu, 1962  
*Hypsicera taiwana* Kusigemati, 1983 Ref. Kusigemati, 1983  
*Hypsicera townesus* Chiu, 1962 Ref. Chiu, 1962  
*Ichneumon decemguttatus* (Uchida, 1932) Ref. Uchida, 1932  
*Ichneumon flavoguttatus* (Uchida, 1925) Ref. Uchida, 1925  
*Ichneumon fulvibasalis* (Uchida, 1932) Ref. Uchida, 1932

*Ichneumon futasujii* (Uchida, 1932) Ref. Uchida, 1932  
*Ichneumon hopponis* Matsumura, 1912 Ref. Matsumura, 1912  
*Ichneumon hormaleoscelus* (Uchida, 1932) Ref. Uchida, 1932  
*Ichneumon kosempensis* (Uchida, 1932) Ref. Uchida, 1932  
*Ichneumon ocellus* Tosquinet, 1903 眼斑介姬蜂 Ref. Tosquinet, 1903  
*Ichneumon taihorinus* (Uchida, 1932) Ref. Uchida, 1932  
*Imeria cephalotes* (Ashmead, 1905) Ref. Ashmead, 1905  
*Imeria formosana* Uchida, 1930 台灣益姬蜂 Ref. Uchida, 1930  
*Ischnojoppa luteator* (Fabricius, 1798) 黑尾姬蜂 Ref. Fabricius, 1798  
*Iseropus himalayensis* (Cameron, 1899) 喜馬拉雅聚瘤姬蜂 Ref. Cameron, 1899  
*Iseropus kuwanae* (Viereck, 1912) 桑蟻聚瘤姬蜂 Ref. Viereck, 1912  
*Ishigakia exetasea* Uchida, 1928 Ref. Uchida, 1928  
*Isotima rufithorax* (Szépligeti, 1910) 紅胸雙脊姬蜂 Ref. Szépligeti, 1910  
*Isotima taiwanella* (Uchida, 1932) Ref. Uchida, 1932  
*Itopectis homonae* Sonan, 1930 Ref. Sonan, 1930  
*Itopectis naranyae* (Ashmead, 1906) 螟蛉埃姬蜂 Ref. Ashmead, 1906  
*Javra polymaculata* Kusigematio, 1986 Ref. Kusigematio, 1986  
*Jezarotes apicalis* Sonan, 1936 Ref. Sonan, 1936  
*Kerrichia nipponica* Mason, 1962 Ref. Gupta, 1991  
*Klutiana pentagona* (Momoi, 1970) Ref. Momoi, 1970  
*Klutiana rubens* (Kusigemati, 1983) Ref. Kusigemati, 1983  
*Klutiana takemotoi* (Kusigemati, 1983) Ref. 同前  
*Kristotomus areolatus* Gupta, 1990 Ref. Gupta, 1990  
*Kristotomus buccatus* Kasparyan, 1976 Ref. Kasparyan, 1976  
*Kristotomus chiuae* Gupta, 1990 Ref. Gupta, 1990  
*Kristotomus claviventris* Kasparyan, 1976 Ref. Kasparyan, 1976  
*Kristotomus flavoguttatus* Gupta, 1990 Ref. Gupta, 1990  
*Kristotomus foveolatus* Kasparyan, 1976 Ref. Kasparyan, 1976  
*Kristotomus incompletus* Gupta, 1990 Ref. Gupta, 1990  
*Kristotomus lini* Gupta, 1990 Ref. Gupta, 1990  
*Kristotomus masoni* Gupta, 1990 Ref. Gupta, 1990  
*Kristotomus occipitis* Gupta, 1990 Ref. Gupta, 1990  
*Kristotomus petiolatus* Gupta, 1990 Ref. Gupta, 1990  
*Kristotomus pronotalis* (Kerrich, 1952) Ref. Kerrich, 1952  
*Kristotomus punctatus* Gupta, 1990 Ref. Gupta, 1990  
*Kristotomus punctifrons* Gupta, 1990 Ref. Gupta, 1990  
*Kristotomus ridibundus* (Gravenhorst, 1829) Ref. Gravenhorst, 1829  
*Kristotomus tangi* Gupta, 1990 Ref. Gupta, 1990  
*Kristotomus tenuis* (Kerrich, 1952) Ref. Kerrich, 1952  
*Kristotomus townesi* Gupta, 1990 Ref. Gupta, 1990  
*Lachmetha spinatarsis* (Cameron, 1903) Ref. Cameron, 1903  
*Lagoleptus rugipectus* Townes, 1969 Ref. Gupta, 1993  
*Lareiga abdominalis* (Uchida, 1925) 青腹姬蜂 Ref. Uchida, 1925  
*Lathrolestes nigrifacies* (Uchida, 1932) Ref. Uchida, 1932  
*Latibulus nigrinotum* (Uchida, 1936) 黑背隆側姬蜂 Ref. Uchida, 1936  
*Leptobatopsis bicolor* Cushman, 1933 Ref. Cushman, 1933  
*Leptobatopsis indica* (Cameron, 1897) 稻切葉螟細柄姬蜂 Ref. Cameron, 1897  
*Leptobatopsis lepida* (Cameron, 1908) Ref. Cameron, 1908  
*Leptobatopsis nigra* Cushman, 1933 Ref. Cushman, 1933  
*Leptobatopsis planiscutellata* (Enderlein, 1912) Ref. Enderlein, 1912  
*Leptophion maculipennis* (Cameron, 1905) 斑翅細瘦姬蜂 Ref. Cameron, 1905  
*Leptophion radiatus* (Uchida, 1956) Ref. Uchida, 1956  
*Leptopimpla longiventris* (Cameron, 1908) 長腹瘦瘤姬蜂 Ref. Cameron, 1908  
*Linyx gotoi* Kusigemati, 1986 Ref. Kusigemati, 1986  
*Lissosculpta javanica* (Cameron, 1905) 黃斑麗姬蜂 Ref. Cameron, 1905  
*Listrodromus crassipes* (Cameron, 1907) Ref. Cameron, 1907  
*Listrognathus sauteri* Uchida, 1932 索角額姬蜂 Ref. Uchida, 1932  
*Lusius apollo* (Morley, 1913) 阿波羅盧姬蜂 Ref. Morley, 1913  
*Lygurus marjoriae* Chiu, 1987 Ref. Chiu & Wong, 1987  
*Mansa longicauda* Uchida, 1940 長尾曼姬蜂 Ref. Uchida, 1940  
*Mansa minor* (Szépligeti, 1916) Ref. Szépligeti, 1916  
*Megarhyssa arisana* (Sonan, 1933) Ref. Sonan, 1933  
*Megarhyssa bonbonsana* (Sonan, 1933) Ref. Sonan, 1933  
*Megarhyssa praecellens* (Morley, 1913) 斑翅馬尾姬蜂驕亞種 Ref. Morley, 1913  
*Megarhyssa taiwana* Kamath & Gupta, 1972 Ref. Kamath & Gupta, 1972  
*Melanichneumon albipictus* Uchida, 1937 Ref. Gupta, 1988  
*Melcha albomaculata* Cameron, 1905 Ref. Cameron, 1905  
*Menaforia formosana* (Szépligeti, 1916) Ref. Szépligeti, 1916  
*Menaforia pilosa* (Szépligeti, 1916) Ref. 同前  
*Mesochorus atricoxalis* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Mesochorus castaneus* Uchida, 1933 Ref. Uchida, 1933  
*Mesochorus dentus* Kusigemati, 1985 Ref. Kusigemati, 1985

*Mesochorus hashimotoi* Kusigemati, 1985 Ref. 同前  
*Mesochorus instriatus* Kusigemati, 1985 Ref. 同前  
*Mesochorus interstitialis* Kusigemati, 1985 Ref. 同前  
*Mesochorus jihyetanus* Kusigemati, 1985 Ref. 同前  
*Mesochorus microbathros* Kusigemati, 1985 Ref. 同前  
*Mesochorus monomaculatus* Kusigemati, 1985 Ref. 同前  
*Mesochorus rubranotatus* Kusigemati, 1985 Ref. 同前  
*Mesochorus stigmatus* Kusigemati, 1985 Ref. 同前  
*Mesochorus taiwanensis* Kusigemati, 1985 Ref. 同前  
*Mesochorus takizawai* Kusigemati, 1985 Ref. 同前  
*Mesochorus tattakensis* Uchida, 1933 Ref. Uchida, 1933  
*Mesochorus turgidus* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Mesoleptus laticinctus* (Walker, 1874) 窄環廁蠅姬蜂 Ref. Walker, 1874  
*Mesophadnus formosanus* (Uchida, 1928) Ref. Uchida, 1928  
*Mesostenus ruficoxis* (Szépligeti, 1916) Ref. Szépligeti, 1916  
*Metachorischizus rufus* (Cushman, 1933) Ref. Cushman, 1933  
*Metopius (Ceratopius) baibarensis* Uchida, 1930 眉原盾臉姬蜂 Ref. Uchida, 1930  
*Metopius (Ceratopius) dissectorius* Chiu, 1962 切盾臉姬蜂台灣亞種 Ref. Chiu, 1962  
*Metopius (Ceratopius) metallicus* Michener, 1941 金光盾臉姬蜂 Ref. Michener, 1941  
*Metopius (Metopius) rufus* (Ashmead, 1905) 斜紋夜蛾盾臉姬蜂 Ref. Ashmead, 1905  
*Metopius (Tylopius) fuscolatus* Chiu, 1962 Ref. Chiu, 1962  
*Metopius (Tylopius) oharai* Kusigemati, 1983 Ref. Kusigemati, 1983  
*Metopius (Tylopius) soror* Chiu, 1962 Ref. Chiu, 1962  
*Monontos ramellaris* (Uchida, 1932) Ref. Uchida, 1932  
*Monontos sauteri* (Uchida, 1956) Ref. Uchida, 1956  
*Naenaria ampingensis* (Uchida, 1932) Ref. Uchida, 1932  
*Naenaria rufifemorata* Uchida, 1942 Ref. Uchida, 1942  
*Naenarides superior* Heinrich, 1969 Ref. Heinrich, 1969  
*Necolio concavus* (Uchida, 1931) 凹尼可姬蜂 Ref. Uchida, 1931  
*Nematopodius (Diapetus) taiwanensis* (Cushman, 1932) 台灣圓缺長足姬蜂 Ref. Chiu et al., 1984  
*Nematopodius (Microchorus) mirabilis* (Szépligeti, 1916) Ref. Cushman, 1922  
*Neodontocryptus brilliantus* (Uchida, 1932) Ref. Uchida, 1932  
*Neofacydes flavibasalis* (Uchida, 1932) 黃基天蛾姬蜂 Ref. Uchida, 1932  
*Neofacydes nigroguttatus* (Cameron, 1903) Ref. Cameron, 1903  
*Neofacydes sinensis* Heinrich, 1960 Ref. Heinrich, 1960  
*Neoparacryptus formosanus* (Uchida, 1932) 台灣曲鉤姬蜂 Ref. Uchida, 1932  
*Neotypus nobilitator* Uchida, 1930 顯新模姬蜂東方亞種 Ref. Uchida, 1930  
*Neotypus taiwanus* Uchida, 1929 Ref. Uchida, 1929  
*Nesostenodontus formosanus* Cushman, 1937 台無疤姬蜂 Ref. Cushman, 1937  
*Netelia orientalis* (Cameron, 1905) 東方擬瘦姬蜂 Ref. Chiu et al., 1984  
*Netelia (Apatagium) inaequalis* (Uchida, 1934) Ref. Uchida, 1934  
*Netelia (Bessobates) kuihabona* (Uchida, 1928) Ref. Uchida, 1928  
*Netelia (Bessobates) maculifemorata* (Uchida, 1928) Ref. Uchida, 1928  
*Netelia (Bessobates) odaiensis* (Uchida, 1934) Ref. Uchida, 1934  
*Netelia (Netelia) ferruginea* (Cameron, 1899) Ref. Chiu et al., 1984  
*Netelia (Netelia) formosana* (Matsumura, 1912) Ref. Matsumura, 1912  
*Netelia (Netelia) fuscicornis* (Holmgren, 1858) Ref. Holmgren, 1858  
*Netelia (Netelia) laevis* (Cameron, 1905) Ref. Cameron, 1905  
*Netelia (Netelia) nigriventris* (Brulle, 1846) Ref. Brulle, 1846  
*Netelia (Netelia) ocellaris* (Thomson, 1888) 甘藍夜蛾擬瘦姬蜂 Ref. Thomson, 1888  
*Netelia (Netelia) opacula* (Thomson, 1888) Ref. Thomson, 1888  
*Netelia (Prosthodocis) baibarensis* (Uchida, 1928) Ref. Uchida, 1928  
*Netelia (Prosthodocis) japonica* (Uchida, 1928) Ref. Uchida, 1928  
*Neurogenia cubitalis* (Uchida, 1932) Ref. Uchida, 1932  
*Nomospehia brevicauda* (Cushman, 1933) Ref. Cushman, 1933  
*Nomospehia zebroides* (Gupta, 1962) Ref. Gupta, 1962  
*Olesicampe geniculata* (Uchida, 1932) 膝除蠅姬蜂 Ref. Uchida, 1932  
*Ophion bicarinatus* Cameron, 1905 雙脊瘦姬蜂 Ref. Cameron, 1905  
*Ophion facetious* Gauld & Mitchell, 1981 Ref. Gauld & Mitchell, 1981  
*Ophion fuscomaculatus* Cameron, 1899 Ref. Cameron, 1899  
*Ophion luteus* (Linnaeus, 1758) Ref. Linnaeus, 1758  
*Ophion obscuratus* Fabricius, 1798 Ref. Fabricius, 1798  
*Orientohemiteles ovatus* Uchida, 1932 卵形東方姬蜂 Ref. Uchida, 1932  
*Oronotus alboannulatus* (Uchida, 1932) 白環蛾姬蜂 Ref. Uchida, 1932  
*Oronotus jengtzeyangi* Diller & Schönitzer, 2002 Ref. Diller & Schönitzer, 2002  
*Orthocentrus fulvipes* Gravenhorst, 1829 褐足拱臉姬蜂 Ref. Gravenhorst, 1829  
*Otoblastus townesi* Kasparyan, 1993 Ref. Kasparyan, 1993  
*Parania puerilis* Cushman, 1937 Ref. Cushman, 1937  
*Paraperithous miwai* (Sonan, 1936) Ref. Sonan, 1936  
*Paraphylax nigrifacies* Momoi, 1966 Ref. Momoi, 1966  
*Paraphylax yasumatsui* (Momoi, 1966) Ref. Momoi, 1966  
*Parema nigrobalteata* (Cushman, 1933) Ref. Cushman, 1933

*Perilissus cingulator* (Morley, 1913) Ref. Morley, 1913  
*Phobetes sauteri* (Uchida, 1932) Ref. Uchida, 1932  
*Phobetes taihorinensis* (Uchida, 1932) Ref. Uchida, 1932  
*Phobocampe posticae* (Sonan, 1929) Ref. Sonan, 1929  
*Phrudus angustus* Chiu, 1987 Ref. Chiu & Wong, 1987  
*Phrudus linorum* Chiu, 1987 Ref. 同前  
*Phrudus longius* Chiu, 1987 Ref. 同前  
*Phrudus monilicornis* Bridgman, 1886 Ref. 同前  
*Phrudus montanus* Chiu, 1987 Ref. 同前  
*Phytodietus (Neuchorus) arisanus* (Sonan, 1936) Ref. Kaur & Jonathan, 1979  
*Phytodietus (Neuchorus) longicauda* (Uchida, 1931) Ref. Townes, Momoi & Townes, 1965  
*Phytodietus (Phytodietus) formosanus* (Sonan, 1936) Ref. Kaur & Jonathan, 1979  
*Phytodietus (Phytodietus) spinipes* (Cameron, 1905) 刺足短梳姬蜂 Ref. 同前  
*Picardiella rufa* (Uchida, 1932) Ref. Uchida, 1932  
*Pimpla arisana* (Sonan, 1936) Ref. Townes, Townes & Gupta, 1961  
*Pimpla tenchozana* (Sonan, 1936) Ref. 同前  
*Platylabus brilliantus* Kusigemati, 1986 Ref. Gupta, 1988  
*Platylabus taiwanus* Kusigemati, 1986 Ref. Gupta, 1988  
*Platylabus takeuchii* Uchida, 1988 Ref. Gupta, 1988  
*Platymystax ranrunensis* (Uchida, 1932) Ref. Uchida, 1932  
*Podoschistus mushanus* (Sonan, 1936) Ref. Townes, Townes & Gupta, 1961  
*Poemenia taiwana* Sonan, 1936 Ref. Sonan, 1936  
*Polyblastus marjoriae* Kasparyan, 1982 Ref. Kasparyan, 1982  
*Polyblastus townesi* Kasparyan, 19 Ref. Kasparyan, 1993  
*Polysphincta asiatica* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Pristomerus chinensis* Ashmead, 1906 中華齒腿姬蜂 Ref. Ashmead, 1906  
*Pristomerus punctatus* Uchida, 1932 Ref. Uchida, 1932  
*Pristomerus scutellaris* Uchida, 1932 光盾齒腿姬蜂 Ref. Uchida, 1932  
*Pristomerus testaceus* Morley, 1913 Ref. Morley, 1913  
*Probolus fukuchiyamanus* Uchida, 1927 Ref. Gupta, 1988  
*Protichneumon karenkoensis* Uchida, 1930 Ref. Uchida, 1930  
*Protichneumon watanabei* Uchida, 1929 Ref. Uchida, 1929  
*Psilomastax pyramidalis* Tischbein, 1868 錐盾凹頂姬蜂 Ref. Tischbein, 1868  
*Pterocormus arisanus* (Uchida, 1929) Ref. Uchida, 1929  
*Retalia nigrescens* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Retalia rubida* Kusigemati, 1985 Ref. 同前  
*Rhembobius hokutensis* (Uchida, 1932) Ref. Uchida, 1932  
*Sachtlebenia sexmaculata* Townes, 1963 Ref. Uchida, 1932  
*Satrius bellus* (Cushman, 1922) 美撒姬蜂 Ref. Cushman, 1922  
*Scambus (Ateleophadnus) taiwanus* Tikar, 1968 Ref. Tikar, 1968  
*Scambus (Endromopoda) perparvulus* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Scambus (Scambus) brunneus* (Brischke, 1880) Ref. Brischke, 1880  
*Scambus (Scambus) giranus* (Sonan, 1939) Ref. Sonan, 1939  
*Scenocharops flavipetiola* (Sonan, 1929) Ref. Sonan, 1929  
*Schreineria geniculata* (Uchida, 1932) Ref. Uchida, 1932  
*Schreineria taiwana* Gupta & Gupta, 1983 Ref. Gupta & Gupta, 1983  
*Sclerophion longicornis* Uchida, 1928 Ref. Uchida, 1928  
*Scolobates testaceus* Morley, 1913 黃褐齒脛姬蜂 Ref. Morley, 1913  
*Sericopimpla sagrae* (Cushman, 1933) 囊瘤姬蜂索氏亞種 Ref. Sonan, 1921  
*Setanta formosana* (Uchida, 1926) 台截唇姬蜂 Ref. Uchida, 1926  
*Sinophorus psycheae* Sonan, 1939 Ref. Sonan, 1939  
*Sinophorus wushensis* Sanborne, 1990 Ref. Sanborne, 1990  
*Skeatia fuscinervis* (Cameron, 1902) Ref. Cameron, 1902  
*Spilopteron alishanum* Chiu, 1971 Ref. Chiu, 1971  
*Spilopteron luteum* (Uchida, 1930) Ref. Uchida, 1930  
*Stenaoplus ornatitarsis* (Cameron, 1904) Ref. Gupta, 1988  
*Stenaoplus semicircularis* (Uchida, 1932) Ref. Uchida, 1932  
*Stenarella insidiator* (Smith, 1860) 中華窄姬蜂 Ref. Smith, 1860  
*Stenichneumon appropinquans* (Cameron, 1927) 點尖腹姬蜂 Ref. Cameron, 1897  
*Stenichneumon flavolineatus* Uchida, 1926 Ref. Uchida, 1926  
*Stenichneumon maculitarsis* (Cameron, 1903) Ref. Gupta, 1988  
*Stenodontus regieri* Diller, Yao Kluge & Schönitzer, 1996 Ref. Diller, Kluge & Schönitzer, 1996  
*Stictopisthus takemotoi* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Stirexephanes parvidentatus* (Uchida, 1932) Ref. Uchida, 1932  
*Stirexephanes signatus* (Uchida, 1926) Ref. Uchida, 1926  
*Stirexephanes tricolor* (Uchida, 1932) 三色晦姬蜂 Ref. Uchida, 1932  
*Sychnostigma flavipes* (Sonan, 1933) Ref. Sonan, 1933  
*Sychnostigma flavobalteatum* (Cameron, 1899) Ref. Cameron, 1899  
*Sychnostigma hyblaenum* (Sonan, 1933) Ref. Sonan, 1933  
*Sychnostigma sauteri* Kamath & Gupta, 1972 Ref. Kamath & Gupta, 1972  
*Syrphoctonus sauteri* (Uchida, 1957) 索氏殺蚜蠅姬蜂 Ref. Uchida, 1957  
*Teleutaeta arisana* Sonan, 1936 Ref. Sonan, 1936

*Teleutaea flavomaculata* (Uchida, 1928) Ref. Uchida, 1928  
*Teleutaea gracilis* Cushman, 1933 細特姬蜂 Ref. Cushman, 1933  
*Temelucha biguttula* (Matsumura, 1910) 螟黃抱緣姬蜂 Ref. Matsumura, 1910  
*Temelucha minima* (Uchida, 1932) Ref. Uchida, 1932  
*Temelucha philippinensis* Ashmead, 1904 菲島抱緣姬蜂 Ref. Ashmead, 1904  
*Therion circumflexum* (Linnaeus, 1758) 黏蟲棘領姬蜂 Ref. Linnaeus, 1758  
*Therion rufomaculatum* (Uchida, 1928) 紅斑棘領姬蜂 Ref. Uchida, 1928  
*Theronia brachyura* Gupta, 1962 Ref. Gupta, 1962  
*Theronia clathrata* Krieger, 1899 Ref. Krieger, 1899  
*Theronia zebra* (Gupta, 1962) 黑紋囊爪姬蜂黃亞種 Ref. Uchida, 1928  
*Thymaris taiwanensis* Uchida, 1932 Ref. Uchida, 1932  
*Torbda sauteri* Uchida, 1932 Ref. Uchida, 1932  
*Torbda striata* Uchida, 1956 Ref. Uchida, 1956  
*Trathala flavo-orbitalis* (Cameron, 1907) 黃眶離緣姬蜂 Ref. Cameron, 1907  
*Trathala matsumuraeana* (Uchida, 1932) 松村離緣姬蜂 Ref. Uchida, 1932  
*Triancyra diversa* (Cushman, 1933) Ref. Cushman, 1933  
*Triancyra kanoi* (Uchida, 1937) Ref. Uchida, 1937  
*Triancyra maculicornis* (Cameron, 1899) Ref. Cameron, 1899  
*Triancyra minuta* (Cushman, 1933) Ref. Sonan, 1933  
*Triancyra prolata* Kamath & Gupta, 1971 Ref. Kamath & Gupta, 1972  
*Trichomma cnaphalocrocis* Uchida, 1928 縱卷葉螟小毛眼姬蜂 Ref. Uchida, 1928  
*Trichomma nigricans* Cameron, 1905 黑小毛眼姬蜂 Ref. Cameron, 1905  
*Triclistus aitkini* (Cameron, 1897) 黃足弓脊姬蜂 Ref. Cameron, 1897  
*Triclistus dimidiatus* Morley, 1913 Ref. Morley, 1913  
*Triclistus globulipes* (Desvignes, 1856) Ref. Desvignes, 1856  
*Triclistus lewi* Chiu, 1962 Ref. Chiu, 1962  
*Triclistus pallipes* Holmgren, 1873 Ref. Holmgren, 1873  
*Triclistus parallelus* Uchida, 1932 Ref. Uchida, 1932  
*Triclistus planus* Momoi & Kusigemati, 1970 Ref. Momoi & Kusigemati, 1970  
*Triclistus sonani* Chiu, 1962 Ref. Chiu, 1962  
*Tromatobia taiwana* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Uchidella suishariensis* (Uchida, 1932) Ref. Uchida, 1932  
*Ulesta formosana* (Uchida, 1932) Ref. Uchida, 1932  
*Ulesta perspicua* (Wesmael, 1857) Ref. Gupta, 1988  
*Validentia horishana* (Uchida, 1925) Ref. Chiu et al., 1984  
*Venturia hexados* Maheshwary, 1977 Ref. Gupta & Maheshwary, 1977  
*Venturia minuta* Maheshwary, 1977 Ref. 同前  
*Venturia oditesi* (Sonan, 1939) Ref. 同前  
*Venturia quadrata* Maheshwary, 1977 Ref. 同前  
*Venturia taiwana* (Sonan, 1937) Ref. Sonan, 1937  
*Vulgichneumon diminutus* (Matsumura, 1912) 稻縱卷葉螟白星姬蜂 Ref. Matsumura, 1912  
*Vulgichneumon taiwanensis* (Uchida, 1927) 台灣白星姬蜂 Ref. Uchida, 1927  
*Xanthocampoplex taiwanensis* Gupta, 1973 Ref. Gupta, 1973  
*Xanthopimpla alternans* Krieger, 1914 Ref. Krieger, 1914  
*Xanthopimpla annulata* Cushman, 1925 Ref. Cushman, 1925  
*Xanthopimpla appendicularis* Townes & Chiu, 1970 Ref. Townes & Chiu, 1970  
*Xanthopimpla brachycentra* Krieger, 1914 短刺黑點瘤姬蜂指名亞種 Ref. Krieger, 1914  
*Xanthopimpla brachyparea* Krieger, 1914 Ref. Krieger, 1914  
*Xanthopimpla brevicauda* Cushman, 1925 Ref. Cushman, 1925  
*Xanthopimpla clavata* Krieger, 1914 棒黑點瘤姬蜂 Ref. Krieger, 1914  
*Xanthopimpla conica* Cushman, 1925 Ref. Cushman, 1925  
*Xanthopimpla decurtata* Krieger, 1914 Ref. Krieger, 1914  
*Xanthopimpla elegans* Krieger, 1914 Ref. Krieger, 1914  
*Xanthopimpla flavolineata* Cameron, 1907 無斑黑點瘤姬蜂 Ref. Cameron, 1907  
*Xanthopimpla glaberrima* Roman; 1913 Ref. Roman, 1913  
*Xanthopimpla honorata* (Cameron, 1899) 優黑點瘤姬蜂 Ref. Cameron, 1899  
*Xanthopimpla konowi* Krieger, 1899 樗蚕黑點瘤姬蜂 Ref. Krieger, 1899  
*Xanthopimpla lepcha* (Cameron, 1899) Ref. Cameron, 1899  
*Xanthopimpla minuta* Cameron, 1905 微黑點瘤姬蜂指名亞種 Ref. Cameron, 1905  
*Xanthopimpla modesta* (Smith, 1860) Ref. Smith, 1860  
*Xanthopimpla naenia* Morley, 1913 蓑蛾黑點瘤姬蜂 Ref. Morley, 1913  
*Xanthopimpla nana* Krieger, 1914 柎小黑點瘤姬蜂 Ref. Krieger, 1914  
*Xanthopimpla ochracea* Uchida, 1937 Ref. Uchida, 1937  
*Xanthopimpla pedator* (Fabricius, 1775) 松毛蟲黑點瘤姬蜂 Ref. Linnaeus, 1767  
*Xanthopimpla pleuralis* Cushman, 1925 側黑點瘤姬蜂指名亞種 Ref. Cushman, 1925  
*Xanthopimpla polyspila* Cameron, 1907 Ref. Cameron, 1907  
*Xanthopimpla pulvinaris* Townes & Chiu, 1970 Ref. Townes & Chiu, 1970  
*Xanthopimpla punctata* (Fabricius, 1781) 廣黑點瘤姬蜂 Ref. Fabricius, 1781  
*Xanthopimpla regina* Morley, 1913 Ref. Morley, 1913  
*Xanthopimpla stemmator* (Thunberg, 1822) 螟黑點瘤姬蜂 Ref. Thunberg, 1822  
*Xanthopimpla trias* Townes & Chiu, 1970 Ref. Townes & Chiu, 1970  
*Xanthopimpla trunca* Townes & Chiu, 1970 Ref. 同前

*Xorides (Cyanoxorides) centromaculatus* (Cushman, 1933) Ref. Cushman, 1933  
*Xorides (Cyanoxorides) formosanus* (Sonan, 1936) Ref. Sonan, 1936  
*Xorides (Cyanoxorides) propodeum* (Cushman, 1933) Ref. Cushman, 1933  
*Xorides (Cyanoxorides) rufipleuralis* (Cushman, 1933) Ref. Cushman, 1933  
*Xorides (Moerophora) immaculatus* (Cushman, 1933) Ref. Cushman, 1933  
*Xoridesopus kosemponis* (Uchida, 1932) Ref. Uchida, 1932  
*Xoridesopus taihokensis* (Uchida, 1932) Ref. Uchida, 1932  
*Xoridesopus taihorinus* (Uchida, 1932) Ref. Uchida, 1932  
*Yamatarotes convexus* Chiu, 1971 Ref. Chiu, 1971  
*Yezoceryx angustus* Chiu, 1971 Ref. Chiu, 1971  
*Yezoceryx choui* Chiu, 1971 Ref. Chiu, 1971  
*Yezoceryx continuus* Chiu, 1971 Ref. Chiu, 1971  
*Yezoceryx flavidus* Chiu, 1971 Ref. Chiu, 1971  
*Yezoceryx intermedia* (Sonan, 1936) Ref. Sonan, 1936  
*Yezoceryx isshikii* (Uchida, 1929) Ref. Uchida, 1929  
*Yezoceryx montanus* Chiu, 1971 Ref. Chiu, 1971  
*Yezoceryx nigricans* (Cameron, 1899) Ref. Cameron, 1899  
*Yezoceryx nigricephala* (Sonan, 1936) Ref. Sonan, 1936  
*Yezoceryx punctatus* Chiu, 1971 Ref. Chiu, 1971  
*Yezoceryx purpurata* (Sonan, 1936) Ref. Sonan, 1936  
*Yezoceryx sonani* Townes, 1961 Ref. Townes, Townes & Gupta, 1961  
*Yezoceryx townesi* Chiu, 1971 Ref. Chiu, 1971  
*Yezoceryx varicolor* (Cushman, 1933) Ref. Cushman, 1933  
*Zabrachypus albifacialis* Kusigemati, 1985 Ref. Kusigemati, 1985  
*Zabrachypus unicaratus* (Uchida & Momoi, 1985) Ref. Uchida & Momoi, 1958  
*Zaglyptus formosus* Cushman, 1933 台盛離姬蜂 Ref. Cushman, 1933  
*Zanthojoppa ranrunensis* (Uchida, 1929) Ref. Uchida, 1929  
*Zygolypta lota* (Chiu, 1965) Ref. Chiu, 1965

#### Family Leucospidae 褶翅小蜂科

*Leucospis bakeri* Crawford, 1915 Ref. Masi, 1932  
*Leucospis japonica* Walker, 1871 日本褶翅小蜂 Ref. Hirashima, 1989

#### Family Liopteridae 光翅瘦蜂科

*Paramblynotus formosanus* (Hedicke, 1922) 臺灣異節光翅瘦蜂 Ref. Yang & Gu, 1994  
*Paramblynotus punctulatus* Cameron, 1908 斑異節光翅瘦蜂 Ref. 同前

#### Family Megachilidae 切葉蜂科

*Bathanthidium bifoveolatum* (Alfken, 1937) Ref. Wu, 2006  
*Coelioxys brevis* Eversmann, 1852 箭尖腹蜂 Ref. Terayama, 2006  
*Coelioxys decipiens* Spinola, 1838  
*Coelioxys ducalis* Smith, 1853 短板尖腹蜂 Ref. Cockerell, 1927  
*Coelioxys fenestrata* Smith, 1873 長板尖腹蜂 Ref. 同前  
*Coelioxys formosicola* Strand, 1913 Ref. Strand, 1913  
*Coelioxys fulviceps* Friese, 1911 黃頭尖腹蜂 Ref. Friese, 1911  
*Coelioxys kosemponis* Strand, 1913 甲仙尖腹蜂 Ref. Strand, 1913  
*Coelioxys rhinosus* Cockerell, 1911 鼻尖腹蜂 Ref. Cockerell, 1911  
*Coelioxys sauteri* Cockerell, 1911 紹德尖腹蜂 Ref. Cockerell, 1927  
*Coelioxys suisharyonis* Strand, 1913 水社寮尖腹蜂 Ref. Strand, 1913  
*Coelioxys taihorinica* Strand, 1913 Ref. Strand, 1913  
*Coelioxys taiwanensis* Cockerell, 1927 台灣尖腹蜂 Ref. Cockerell, 1927  
*Euaspid basaloides* (Ritsema, 1874) 基赤腹蜂 Ref. Yasumatsu, 1937  
*Euaspid polynesia* Vachal, 1903 波赤腹蜂 Ref. 同前  
*Heriades sauteri* Cockerell, 1911 紹德孔蜂 Ref. Cockerell, 1911  
*Lithurgus abluta* Cockerell, 1911 Ref. 同前  
*Lithurgus angustistrigata* Alfken, 1924 Ref. Hedicke, 1925  
*Lithurgus anthophila* Ref. Strand, 1913  
*Lithurgus anthracina* Smith Ref. Yasumatsu, 1938  
*Lithurgus bicolor* (Cockerell, 1911) Ref. Cockerell, 1927  
*Lithurgus collaris* Smith, 1873 白帶切葉蜂 Ref. Cockerell, 1911  
*Lithurgus conjuncta* Smith, 1911 Ref. Strand, 1913  
*Lithurgus crassepunctata* Yasumatsu & Hirashima, 1965 Ref. Yasumatsu, 1965  
*Lithurgus dinura* Cockerell, 1911 雙葉切葉蜂 Ref. Cockerell, 1911  
*Lithurgus disjunctiformis* Cockerell, 1911 擬小突切葉蜂 Ref. Cockerell, 1911b  
*Lithurgus esakii* Yasumatsu Ref. Iwata, 1938  
*Lithurgus faceta* Bingham, 1911 條切葉蜂 Ref. Cockerell, 1911  
*Lithurgus fervida* Smith, Ref. Hedicke, 1925  
*Lithurgus igniscopata* Cockerell, 1911 Ref. Cockerell, 1911  
*Lithurgus monticola* Smith, 1873 丘切葉蜂 Ref. Strand, 1913  
*Lithurgus pseudomonticola* 擬丘切葉蜂 Ref. Hedicke, 1925  
*Lithurgus remota* Smith Ref. Cockerell, 1931  
*Lithurgus rixator* Cockerell, 1911 Ref. Yasumatsu, 1939  
*Lithurgus rufovittata* Cockerell, 1911

*Lithurgus sauteri* 1965 Ref. Hedicke, 1925  
*Lithurgus schauinslandi* Alfken,  
*Lithurgus sculpturalis* Smith, 1895 粗切葉蜂 Ref. Wu, 1965  
*Lithurgus spissula* Cockerell, 1911 細切葉蜂 Ref. Cockerell, 1911  
*Lithurgus taiwanicola* Yasumatsu & Hirashima, 1965 Ref. Yasumatsu, 1965  
*Lithurgus tranquilla* Cockerell, 1911 Ref. Cockerell, 1911  
*Megachile abluta* Cockerell, 1911 淨切葉蜂 Ref. Wu, 2006  
*Megachile angustistrigata* Alfken, 1924 窄條切葉蜂 Ref. Yasumatsu & Hirashima, 1965  
*Megachile anthophila* Strand, 1913 花切葉蜂 [特有] Ref. 同前  
*Megachile bicolor* (Cockerell, 1911) 雙色切葉蜂嘉義亞種 Ref. Wu, 2006  
*Megachile conjuncta* Smith, 1853 連切葉蜂 Ref. Wu, 2006  
*Megachile crassepunctata* Yasumatsu & Hirashima, 1965 重刻切葉蜂 [特有] Ref. Yasumatsu & Hirashima, 1965  
*Megachile dinura* Cockerell, 1911 雙葉切葉蜂 Ref. Wu, 2006  
*Megachile disjunctiformis* Cockerell, 1911 擬小突切葉蜂 Ref. Wu, 2006  
*Megachile faceta* Bingham, 1897 條切葉蜂 Ref. Wu, 2006  
*Megachile fervida* Smith, 1853 火切葉蜂 Ref. Wu, 2006  
*Megachile monticola* Smith, 1853 丘切葉蜂 Ref. Wu, 2006  
*Megachile pseudomonticola* Hedicke, 1925 擬丘切葉蜂 Ref. Wu, 2006  
*Megachile rixator* Cockerell, 1911 窄切葉蜂 Ref. Wu, 2006  
*Megachile rufovittata* Cockerell, 1911 紅圈切葉蜂 Ref. Cockerell, 1911  
*Megachile sauteri* Hedicke, 1940 紹德切葉蜂 Ref. Wu, 2006  
*Megachile sculpturalis* Smith, 1853 粗切葉蜂 Ref. Wu, 2006  
*Megachile spissula* Cockerell, 1911 細切葉蜂 Ref. Wu, 2006  
*Megachile taiwanicola* Yasumatsu & Hirashima, 1965 台灣切葉蜂 [特有] Ref. Yasumatsu & Hirashima, 1965  
*Megachile tranquilla* Cockerell, 1911 薔薇切葉蜂 Ref. Wu, 2006  
*Trachusa formosana* (Friese, 1917) 台灣直黃斑蜂

#### **Family Megasilidae 大痣細蜂科**

*Conostigmus ampullaceus* Dessart, 1997 Ref. Dessart, 1997  
*Conostigmus villosus* Dessart, 1997 Ref. Dessart, 1997

#### **Family Melittidae 毛腳花蜂科**

*Melitta harrietae* (Bingham, 1897) Ref. Bingham, 1897

#### **Family Mellinidae 捕蠅蜂科**

*Mellinus obscurus* Handlirsch, 1888 Ref. Tsuneki, 1982

#### **Family Mutillidae 蟻蜂科**

*Andreimyrmex davidi* (Andre, 1898) Ref. Lelej, 1995  
*Bischoffitilla brachynota* (Chen, 1957) Ref. Chen, 1957  
*Bischoffitilla carinulifera* (Andre, 1908) Ref. Chen, 1957  
*Bischoffitilla duplisquamata* (Chen, 1957) Ref. Chen, 1957  
*Bischoffitilla erdae* (Zavattari, 1913) Ref. Chen, 1957  
*Bischoffitilla formosana* (Zavattari, 1913) Ref. Chen, 1957  
*Bischoffitilla koxinga* (Chen, 1957) Ref. Chen, 1957  
*Bischoffitilla mickeli* (Chen, 1957) Ref. Chen, 1957  
*Bischoffitilla puliensis* (Tsuneki, 1972) Ref. Tsuneki, 1972  
*Bischoffitilla sauteri* (Zavattari, 1913) Ref. Chen, 1957  
*Bischoffitilla trituberculata* (Mickel, 1933) Ref. Chen, 1957  
*Bischoffitilla tumidula* (Mickel, 1933) Ref. Chen, 1957  
*Ephucilla drola* (Zavattari, 1913) Ref. Lelej, 2004  
*Ephucilla drupa* (Zavattari, 1913) Ref. Lelej, 2004  
*Ephucilla guentheri* (Zavattari, 1913) Ref. Lelej, 2004  
*Ephucilla naja* (Zavattari, 1913) Ref. Lelej, 2004  
*Ephucilla thalia* (Mickel, 1933) Ref. Chen, 1957  
*Ephucilla undata* (Chen, 1957) Ref. Chen, 1957  
*Ephucilla yuliana* (Tsuneki, 1972) Ref. Tsuneki, 1972  
*Gystemutilla hoozana* (Zavattari, 1913) Ref. Chen, 1957  
*Mickelomyrme hageni* (Zavattari, 1913) Ref. Zavattari, 1913  
*Mickelomyrme ilanica* (Tsuneki, 1972) Ref. Tsuneki, 1972  
*Mickelomyrme norma* (Zavattari, 1913) Ref. Chen, 1957  
*Nemka chihpenchia* Tsuneki, 1993 Ref. Tsuneki, 1993  
*Nemka curvisquamata* Chen, 1957 Ref. Lelej, 1994  
*Nemka taiwanensis* (Mickel, 1933) Ref. Chen, 1957  
*Nemka wotani* (Zavattari, 1913) Ref. Lelej, 1994  
*Neotrogaspidia pustulata* (Smith, 1873) Ref. Chen, 1957  
*Orientidia circumcincta* (Andre, 1896) Ref. Chen, 1957  
*Orientilla desponsa* (Smith, 1855) Ref. Chen, 1957  
*Orientilla variegata* (Smith, 1855) Ref. Chen, 1957  
*Petersenidia pfafneri* (Zavattari, 1913) Ref. Chen, 1957  
*Petersenidia rapa* (Zavattari, 1913) Ref. Chen, 1957  
*Petersenidia spiracularis* (Chen, 1957) Ref. Chen, 1957  
*Radoszkowskius oculata* (Zavattari, 1913) Ref. Chen, 1957  
*Radoszkowskius retinula* Chen, 1957 Ref. Chen, 1957

*Sinotilla serpa* (Zavattari, 1913) Ref. Chen, 1957  
*Smicromyrme chuchiana* Tsuneki, 1993 Ref. Tsuneki, 1993  
*Smicromyrme hombuceiana* Tsuneki, 1982 Ref. Tsuneki, 1982  
*Smicromyrme kuanfuana* Tsuneki, 1972 Ref. Tsuneki, 1972  
*Smicromyrme thia* Mickel, 1933 Ref. Chen, 1957  
*Smicromyrme triguttata* Mickel, 1933 Ref. Chen, 1957  
*Taiwanomyrme friekae* (Zavattari, 1913) Ref. Chen, 1957  
*Taiwanomyrme taiwana* (Tsuneki, 1993) Ref. Tsuneki, 1993  
*Trogaspidia albibrunnea* Chen, 1957 Ref. Chen, 1957  
*Trogaspidia auroguttata* (Mickel, 1933) Ref. Chen, 1957  
*Trogaspidia chiaiensis* Tsuneki, 1993 Ref. Tsuneki, 1993  
*Trogaspidia formosana* (Matsumura, 1911) Ref. Chen, 1957  
*Trogaspidia fuscipennis* (Mickel, 1933) Ref. Chen, 1957  
*Trogaspidia lanceolata* Chen, 1957 Ref. Chen, 1957  
*Trogaspidia pacifica* Tsuneki, 1972 Ref. Tsuneki, 1972  
*Trogaspidia rhea* (Mickel, 1933) Ref. Chen, 1957  
*Trogaspidia suspiciosa* (Zavattari, 1913) Ref. Chen, 1957  
*Trogaspidia takasago* Tsuneki, 1972 Ref. Tsuneki, 1972  
*Trogaspidia vallicola* Tsuneki, 1993 Ref. Tsuneki, 1993  
*Trogaspidia yuliensis* Tsuneki, 1972 Ref. Tsuneki, 1972  
*Zavatilla gutrunae* (Zavattari, 1913) Ref. Lelej, 2004  
*Zavatilla logei* (Zavattari, 1913) Ref. Lelej, 2004

#### Family Mymaridae 纓小蜂科

*Acmopolynema orchidea* Triapitsyn & Berezovskiy, 2007 Ref. Triapitsyn & Berezovskiy, 2007  
*Anagrus flaveolus* Waterhouse, 1913 Ref. Chu & Hirashima, 1981  
*Anagrus frequens* Perkins, 1905 Ref. Triapitsyn & Berezovskiy, 2004  
*Anagrus incarnatus* Haliday, 1833 Ref. Chen & Yu, 1989  
*Anagrus nilaparvatae* Pang & Wang, 1985 Ref. Triapitsyn & Berezovskiy, 2004  
*Anagrus optabilis* (Perkins, 1905) Ref. Subba Rao & Hayat, 1986  
*Anagrus setosus* Chiappini & Lin, 1998 Ref. Triapitsyn & Berezovskiy, 2004  
*Anaphes nipponicus* Kuwayama, 1932 負泥蟲纓小蜂 Ref. Thompson, 1958  
*Camptoptera sakaii* Taguchi, 1977 Ref. Taguchi, 1977  
*Camptoptera taiwana* Taguchi, 1977 Ref. Taguchi, 1977  
*Chaetomyrmar tayalum* Taguchi, 1975 Ref. Taguchi, 1975  
*Himopolynema hishimonus* Taguchi, 1977 Ref. Hirashima, 1989  
*Himopolynema parviscutum* Taguchi, 1977 Ref. Taguchi, 1977  
*Himopolynema taiwanum* Taguchi, 1977 Ref. Taguchi, 1977  
*Litus camptopteris* Novicky, 1953 Ref. Triapitsyn & Berezovskiy, 2004  
*Mymar taprobanicum* Ward, 1875 Ref. Taguchi, 1974  
*Stephanodes reduvioli* (Perkins, 1905) Ref. Taguchi, 1978

#### Family Ormyridae 刻腹小蜂科

*Ormyrus lini* Chen, 1999 Ref. Chen, Chuang & Wu, 1999

#### Family Orussidae 寄生樹蜂科

*Orussus brunnes* Shinohara & Smith, 1983 褐寄生樹蜂 Ref. Chou & Naito, 1991  
*Orussus brunneus* Shinohara & Smith, 1983 褐寄生樹蜂 Ref. 同前

#### Family Pamphiliidae 扁葉蜂科

*Acantholyda flavomarginata* Maa, 1944 黃緣阿扁葉蜂 Ref. Shinohara, 1991  
*Acantholyda taiwana* Shinohara, 1991 Ref. 同前  
*Cephalcia chui* Shinohara, 1991 Ref. 同前

#### Family Perilampidae 巨胸小蜂科

*Euperilampus scutellatus* (Girault, 1915) Ref. Masi, 1927  
*Krombeinius taiwanensis* Darling, 1988 Ref. Darling, 1988  
*Perilampus obsoletus* Masi, 1927 Ref. Masi, 1927  
*Philomides frater* Masi, 1927 Ref. Masi, 1927

#### Family Platygastridae 廣腹細蜂科

*Amitus hesperidum* Sivestri, 1927 粉蠹黑小蜂 Ref. Tao, 1973

#### Family Pompilidae 蛛蜂科

*Ageniell chrysosoma* Roh Ref. Tsuneki, 1989  
*Anoplius bakeri* Banks, 1934 Ref. Tsuneki, 1989  
*Anoplius checheng* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Anoplius formosanaus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Anoplius formosanus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Anoplius fuliginosus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Anoplius hengchunensis* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Anoplius latifrons* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Anoplius longicornis* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Anoplius luzonicus* Tsuneki, 1988 Ref. Tsuneki, 1989  
*Anoplius melas* (Haupt, 1935) Ref. Tsuneki, 1989

*Anoplius meridianus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Anoplius meridianus* Hirashima, 1989 Ref. Hirashima, 1989  
*Anoplius reflexus* (Smith, 1873) Ref. 同前  
*Anoplius surusumi* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Anoplius tsukengensis* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Anoplius valdezi* Banks, 1934 Ref. Tsuneki, 1989  
*Aporinelliellus taiwanus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Aporinellus philippinensis* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Aporus japonicus* Yasumatsu & Torikata, 1933 Ref. Tsuneki, 1989  
*Atopompilus daedalus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Auplopus aegina* (Smith, 1857) Ref. Tsuneki, 1989  
*Auplopus alishanus* Ishikawa, 1967 Ref. Ishikawa, 1967  
*Auplopus chiponensis* (Yasumatsu, 1939) Ref. Tsuneki, 1989  
*Auplopus chusanensis* (Haupt, 1938) Ref. Tsuneki, 1989  
*Auplopus constructor* (Smith, 1873) Ref. Tsuneki, 1989  
*Auplopus danae* Bingham Ref. Tsuneki, 1989  
*Auplopus deceptrix* (Smith, 1873) Ref. Tsuneki, 1989  
*Auplopus formosanus* (Yasumatsu, 1939) Ref. Tsuneki, 1989  
*Auplopus hombukeanus* Tsuneki Ref. Tsuneki, 1989  
*Auplopus hoorai* Tsuneki Ref. Tsuneki, 1989  
*Auplopus kuanghuanus*  
*Auplopus kuarensis* Ref. Tsuneki, 1989  
*Auplopus morota* (Banks, 1934) Ref. Tsuneki, 1989  
*Auplopus murotai* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Auplopus nambui* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Auplopus ochraceus* (Haupt, 1938) Ref. Tsuneki, 1989  
*Auplopus okawa* (Rohwer, 1919) Ref. Tsuneki, 1990  
*Auplopus pedunculata* Smith Ref. Tsuneki, 1989  
*Auplopus pempuchiensis* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Auplopus williamsi* (Rohwer, 1919) Ref. Tsuneki, 1989  
*Batozonellus annulatus* (Fabricius, 1793) 黃帶珠蜂 Ref. Tsuneki, 1989  
*Batozonellus maculifrons* (Smith, 1873) Ref. Tsuneki, 1989  
*Caliadurgus ussuriensis* (Gussakovskij, 1933) Ref. Moczar, 1990  
*Calicurgus bituberculatus* Ishikawa, 1965 Ref. Ishikawa, 1965  
*Calicurgus kurosawai* Ishikawa, 1989 Ref. 同前  
*Ceropales declivis* Haupt, 1934 Ref. Moczar, 1989  
*Ceropales ligea* Bingham, 1903 Ref. Moczar, 1989  
*Ceropales pygmaeus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Ceropales taiwanianus* Tsuneki, 1965 Ref. Tsuneki, 1989  
*Clistoderes impunctatus* Ishikawa, 1965 Ref. Ishikawa, 1965  
*Clistoderes nakanei* Ishikawa, 1989 Ref. 同前  
*Clistoderes onoi* (Ishikawa, 1955) Ref. Tsuneki, 1989  
*Clistoderes shirozui* Ishikawa, 1989 Ref. Ishikawa, 1965  
*Clistoderes taiwanus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Cyphononyx dorsalis* (Lepeletier, 1845) Ref. Tsuneki, 1989  
*Cyphononyx iridipennis* (Smith, 1858) Ref. Smith, 1858  
*Cyphononyx terauchii* (Matsumura, 1911) Ref. Hirashima, 1989  
*Dipogon fenchihuensis* Tsuneki, 1965 Ref. Tsuneki, 1989  
*Dipogon immaculatus* Ishikawa, 1989 Ref. Ishikawa, 1965  
*Dipogon pempuchianus* Tsuneki, 1965 Ref. Tsuneki, 1989  
*Dipogon taiwanus* Ishikawa, 1965 Ref. Ishikawa, 1965  
*Eopompilus minor* Ishikawa, 1989 Ref. 同前  
*Eopompilus ompilus* Gussakovskij Ref. 同前  
*Episyron arrogans* (Smith, 1873) Ref. Yasumatsu, 1937  
*Episyron capitosus* (Smith, 1879) Ref. 同前  
*Episyron decoratus* (Smith, 1879) Ref. 同前  
*Episyron latimarginatus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Episyron rufotibialis* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Episyron vagabundus* (Matsumura, 1912) Ref. Tsuneki, 1989  
*Evagetes taiwanus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Ferreola ilanensis* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Ferreola taiwana* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Ferreoloides bakeri* (Banks, 1934) Ref. Tsuneki, 1989  
*Ferreoloides pempuchiensis* Tsuneki Ref. Tsuneki, 1989  
*Hemipepsis changi* Tsuneki Ref. Tsuneki, 1989  
*Hemipepsis curvinervis* Cameron Ref. Tsuneki, 1989  
*Hemipepsis fervida* (Smith, 1861) Ref. Tsuneki, 1989  
*Hemipepsis sinensis* (Smith, 1855) Ref. Tsuneki, 1989  
*Hemipepsis taiwanensis* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Homonotus formosanus* Yasumatsu, 1990 Ref. Tsuneki, 1989  
*Homonotus taiwanus* Tsuneki, 1949 Ref. Tsuneki, 1990  
*Leptodialepis bipartitus* Lepeletier, 1845 Ref. Vecht, 1949

*Leptodialepis formosanus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Leptodialepis nicevillei* (Bingham, 1896) Ref. Tsuneki, 1989  
*Leptodialepis sugiharai* (Uchida, 1932) Ref. Tsuneki, 1989  
*Lissocnemis niger* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Macromeris honesta* Smith, 1860 Ref. Hirashima, 1989  
*Macromeris violacea* Lepeletier, 1831 Ref. Tsuneki, 1989  
*Malloscelis taiwanianus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Minagenia alticola* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Minagenia granulosa* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Minagenia pempuchiensis* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Minagenia taiwana* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Minotocypus formosanus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Morochares nigripennis* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Odontoderes politus* Haupt, 1929 Ref. Tsuneki, 1989  
*Paracyphononyx alienus* (Smith, 1879) Ref. Tsuneki, 1989  
*Paracyphononyx pedestris* (Smith, 1855) Ref. Tsuneki, 1989  
*Paragenia argentifrons* Smith, 1858 Ref. Smith  
*Pepsis grossa* (Fabricius, 1798) Ref. Fabricius, 1798  
*Phanagenia frauenfeldiana* (Saussure, 1867) Ref. Tsuneki, 1989  
*Phanagenia rufiventris* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Phanagenia taiwana* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Phanagenia takasago* Tsuneki, 1994 Ref. Tsuneki, 1989  
*Platydialepis taiwanianus* Tsuneki, 1989 Ref. Shimizu, 1994  
*Poecilopompilus annulatus* (Fabricius, 1793) Ref. Fabricius, 1793  
*Poecilopompilus braccatus* Bingham Ref. Bingham  
*Poecilopompilus maculifrons* (Smith, 1873) Ref. Smith, 1873  
*Poecilopompilus quadripunctatus* Fabricius Ref. Fabricius  
*Pompilus bunun* Tsuneki, 1989  
*Pompilus perplexus* Smith, 1885 Ref. Tsuneki, 1989  
*Pompilus philippinensis* (Banks, 1934) Ref. Tsuneki, 1989  
*Pompilus taiwanus* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Pompilus tsou* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Psammochares formosensis* (Rohwer, 1911) Ref. Tsuneki, 1990  
*Tachypompilus analis* (Fabricius, 1781) Ref. Tsuneki, 1989  
*Taiwagenia taiwana* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Taiwania formosana* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Taiwania rufotibialis* Tsuneki, 1989 Ref. Tsuneki, 1989  
*Telostholus esakii* (Yasumatsu, 1934) Ref. Tsuneki, 1989  
*Telostholus kanoi* Yasumatsu, 1989 Ref. Tsuneki, 1989  
*Telostholus orientalis* (Cameron, 1891) Ref. Haupt, 1929  
*Temlepis taiwanus* Tsuneki, 1989 Ref. Tsuneki, 1971a

#### Family Proctotrupidae 細蜂科

*Disogmus areolator* (Haliday, 1839) Ref. Haliday, 1839  
*Exallonyx chiuuae* Townes, 1981 Ref. Townes, 1981  
*Maaserphus basalis* Lin, 1988 Ref. Lin, 1988  
*Maaserphus brevicaudus* Lin, 1988 Ref. Lin, 1988  
*Maaserphus fuscipes* Lin, 1988 Ref. Lin, 1988  
*Maaserphus longicaudus* Lin, 1988 Ref. Lin, 1988  
*Maaserphus striatus* Lin, 1988 Ref. Lin, 1988  
*Nothoserphus admirabilis* Lin, 1987 圓突細蜂 Ref. Lin, 1987  
*Nothoserphus aequalis* Townes, 1981 光溝細蜂 Ref. Lin, 1987  
*Nothoserphus debilis* Townes, 1981 淺溝細蜂 Ref. Townes, 1981  
*Nothoserphus epilachnae* (Pschorn-Walcher, 1958) 瓢蟲細蜂 Ref. Lin, 1987  
*Nothoserphus fuscipes* Lin, 1987 褐足細蜂 Ref. Lin, 1987  
*Nothoserphus mirabilis* Brues, 1940 雙突細蜂 Ref. Lin, 1987  
*Nothoserphus partitus* Lin, 1987 分溝細蜂 Ref. Lin, 1987  
*Nothoserphus townesi* Lin, 1987 湯斯細蜂 Ref. Lin, 1987  
*Phoxoserphus chikoi* Lin, 1988 Ref. Lin, 1988  
*Phoxoserphus vesus* Lin, 1988 Ref. Lin, 1988

#### Family Pteromalidae 金小蜂科

*Anisopteromalus calandrae* (Howard, 1881) Ref. Peck, 1963  
*Cephaleta brunniventris* Motschulsky, 1859 Ref. Xiao & Huang, 2001  
*Cleonymus angustatus* (Masi, 1927) Ref. Kamijo, 1996  
*Eurydinotomorpha sinica* Masi, 1927 Ref. Masi, 1927  
*Halticoptera circulus* (Walker, 1833) 圓形贅須金小蜂 Ref. Lee, Wen & Lu, 1990  
*Halticoptera patellana* (Dalman, 1818) Ref. Chou & Chu, 1970  
*Lariophagus distinguendus* (Forster, 1841) 米象娜金小蜂 Ref. Sonan, 1944  
*Miscogasteriella flavipes* (Masi, 1927) Ref. Heydon, 1997  
*Miscogasteriella nigricans* (Masi, 1927) Ref. Heydon, 1997  
*Mokrzejckia orientalis* Subba Rao, 1973 Ref. Chou et al., 1994  
*Nasonia vitripennis* (Walker, 1836) Ref. Lin, 2003

*Norbanus ruschkae* (Masi, 1927) Ref. Masi, 1927  
*Oxysychnus sauteri* (Masi, 1922) Ref. Boucek, Subba Rao & Farooqi, 1979  
*Pachyneuron aphidis* (Bouche, 1834) Ref. Peck, 1963  
*Pachyneuron muscarum* (Linnaeus, 1758) Ref. Andriescu & Mitroiu, 2004  
*Paracleonymus angustatus* Masi, 1927 Ref. Masi, 1927  
*Pteromalus puparum* (Linnaeus, 1758) 蝶蛹金小蜂 Ref. Chiu, 1971  
*Pycnetron curculionidis* Gahan, 1925 松扁腹長尾金小蜂 Ref. Boucek, 1988  
*Solenura ania* (Walker, 1846) 麗錐腹金小蜂 Ref. Gibson, 2003  
*Spalangia cameroni* Perkins, 1910 Ref. Sonan, 1944  
*Spalangia nigra* Latreille, 1805 Ref. Latreille, 1805  
*Trichomalopsis apanteloctena* (Crawford, 1911) Ref. Chiu & Chou, 1974  
*Trichomalopsis shirakii* Crawford, 1913 負泥蟲燦金小蜂 Ref. Crawford, 1913

#### Family Roproniidae 窄腹細蜂科

*Ropronia brevicornis* Townes, 1948 Ref. Lin, 1987  
*Ropronia insularis* Lin, 1987 Ref. Lin, 1987  
*Ropronia szechuanensis* Chao, 1962 四川窄腹細蜂 Ref. Lin, 1987

#### Family Scelionidae 緣腹細蜂科

*Gryon nigricorne* (Dodd, 1913) Ref. Hirashima, 1989  
*Paratelenomus angor* Johnson, 1996 Ref. Johnson, 1996  
*Paratelenomus saccharalis* (Dodd, 1914) Ref. Johnson, 1996  
*Psix lacunatus* Johnson & Masner, 1985 Ref. Johnson & Masner, 1985  
*Scelio facialis* Kieffer, 1916 Ref. Kieffer, 1916  
*Scelio oxyae* Timberlake, 1932 Ref. Chiu & Chou, 1974  
*Sparasion cellulare* Strand, 1913 Ref. Strand, 1913  
*Telenomus abnormis* Crawford, 1911 桑毒蛾黑卵蜂 Ref. Crawford, 1911  
*Telenomus ampullaceus* Johnson & Bin, 1982 瓶狀黑卵蜂 Ref. Chou & Wu, 1988  
*Telenomus bambusae* Chou, Wong & Chou, 1989 白螟黑卵蜂 Ref. Chou, Wong & Chou, 1989  
*Telenomus beneficiens* (Zehntner, 1896) 螟黑卵蜂 Ref. Zehntner, 1896  
*Telenomus bipunctata* Tseng & Chen, 2005 茶蠶黑卵蜂 Ref. Tseng & Chen, 2005  
*Telenomus chrysopae* Ashmead, 1893 草蛉黑卵蜂 Ref. Ashmead, 1893  
*Telenomus cyrus* Nixon, 1937 Ref. Nixon, 1937  
*Telenomus dignoides* Nixon, 1937 Ref. Nixon, 1937  
*Telenomus dignus* (Gahan, 1925) 等腹黑卵蜂 Ref. Gahan, 1925  
*Telenomus parnarae* Wu & Chen, 1979 Ref. Wu & Chen, 1979  
*Telenomus remus* Nixon, 1937 漿黑卵蜂 Ref. Nixon, 1937  
*Telenomus rowani* (Gahan, 1925) 長腹黑卵蜂 Ref. Gahan, 1925  
*Telenomus talaus* Nixon, 1937 Ref. Nixon, 1937  
*Trissolcus basalis* (Wollaston, 1858) 綠椿象卵寄生蜂 Ref. Wollaston, 1858  
*Trissolcus latisulcus* (Crawford, 1913) Ref. Crawford, 1913

#### Family Scoliidae 土蜂科

*Campsomeris aureicollis* Lepeletier, 1935 Ref. Yasumatsu, 1937  
*Campsomeris kanoi* Yasumatsu, 1937 Ref. 同前  
*Campsomeris limbata* Saussure, 1864 Ref. Uchida, 1933  
*Campsomeris lindenii* Lepeletier, 1845 Ref. Uchida, 1936  
*Campsomeris marginella* (Klug, 1810) 小黑長腹土蜂 Ref. Sonan, 1929  
*Campsomeris prismatica* Uchida, 1933 Ref. Uchida, 1933  
*Campsomeris prismatica* Betrem, 1928 Ref. Uchida, 1936  
*Campsomeris quadrifasciata* (Betrem, 1928) Ref. Tsuneki, 1972  
*Campsomeris stoetzneri* Betrem, 1928 綠條斑長腹土蜂 Ref. Tsuneki, 1972  
*Campsomeris (Campsomeriella) annulata* (Fabricius, 1793) 白毛長腹土蜂 Ref. Tsuneki, 1972  
*Campsomeris (Campsomeriella) ilanensis* Tsuneki, 1972 Ref. Tsuneki, 1972  
*Campsomeris (Megacampsomeris) binghami* Betrem, 1928 Ref. Tsuneki, 1972  
*Campsomeris (Megacampsomeris) formosensis* Betrem, 1928 台灣長腹土蜂 Ref. Betrem, 1928  
*Campsomeris (Megacampsomeris) prismatica* (Smith, 1855) Ref. Osten, 1999  
*Campsomeris (Megacampsomeris) taiwana* Tsuneki, 1972 Ref. Tsuneki, 1972  
*Campsomeris (Megacampsomeris) uchidai* Betrem, 1941 Ref. Tsuneki, 1972  
*Campsomeris (Micromeris) marginella* Betrem, 1928 Ref. Betrem, 1928  
*Campsomeris (Phalerimeris) phalerata* (Saussure, 1858) 炫長腹土蜂 Ref. Tsuneki, 1972  
*Liacos erythrosoma* (Micha, 1927) Ref. Tsuneki, 1972  
*Scolia bnun* Tsuneki, 1972 Ref. Yamane, 1995  
*Scolia supercilialis* Saussure, 1864 Ref. Osten, 1999  
*Scolia (Carinoscolia) hoozanensis* (Betrem, 1928) Ref. Betrem, 1928  
*Scolia (Carinoscolia) melanosoma* (Saussure, 1859) Ref. Osten, 1999  
*Scolia (Carinoscolia) vittifrons* (Saussure & Sichel, 1864) Ref. Uchida, 1934  
*Scolia (Discolia) clypeata* Betrem, 1933 Ref. Tsuneki, 1972  
*Scolia (Discolia) desidiosa* Bingham, 1897 Ref. Tsuneki, 1972  
*Scolia (Discolia) formosicola* Betrem, 1928 Ref. Tsuneki, 1972  
*Scolia (Discolia) inouyei* Okamoto, 1924 Ref. Okamoto, 1924  
*Scolia (Discolia) minowai* Uchida, 1934 Ref. Uchida, 1934  
*Scolia (Discolia) nobilis* Saussure, 1858 Ref. Tsuneki, 1972

*Scolia (Discolia) oculata* (Matsumura, 1911) Ref. Tsuneki, 1972  
*Scolia (Discolia) quadripustulata* (Fabricius, 1782) Ref. Osten, 1999  
*Scolia (Discolia) quadripustulata* Betrem, 1928 Ref. Tsuneki, 1972  
*Scolia (Discolia) sinensis* Saussure, 1864 中華土蜂 Ref. Tsuneki, 1972  
*Scolia (Discolia) superciliaris* Betrem, 1928 Ref. Tsuneki, 1972  
*Scolia (Discolia) taiwana* Tsuneki, 1972 Ref. Tsuneki, 1972  
*Scolia (Discolia) tigrimaculosa* Yamane, 1995 Ref. Yamane, 1995  
*Scolia (Discolia) watanabei* (Matsumura, 1912) Ref. Tsuneki, 1972  
*Scolia (Discolia) wusheensis* Tsuneki, 1972 Ref. Tsuneki, 1972  
*Scolia (Scolia) watanabei* Matsumura Ref. Uchida, 1934

#### Family Signiphoridae 橫盾小蜂科

*Chartocerus walkeri* Hayat, 1970 Ref. Hayat, 1970

#### Family Siricidae 樹蜂科

*Erioteremex formosanus* (Matsumura, 1912) 蓬萊平足樹蜂 Ref. Chou & Naito, 1991  
*Tremex chujoji* Sonan, 1938 中條扁足樹蜂 Ref. 同前  
*Tremex kojimai* Togashi, 1979 小島扁足樹蜂 Ref. 同前  
*Tremex longicollis* Konow, 1896 扁足樹蜂 Ref. Konow, 1896  
*Tremex niger* Sonan, 1938 黑尾扁足樹蜂 Ref. Chou & Naito, 1991  
*Urocerus brachyrus* Maa, 1949 短角樹蜂 Ref. 同前  
*Urocerus koshumus* (Sonan, 1938) 恆春角樹蜂 Ref. 同前  
*Urocerus multifasciatus* Takeuchi, 1938 檜角樹蜂 Ref. 同前  
*Urocerus nitakanus* (Sonan, 1938) 玉山角樹蜂 Ref. 同前  
*Urocerus tsutsujiyamanus* (Sonan, 1938) 翠山角樹蜂 Ref. 同前  
*Urocerus tumidus* Maa, 1949 瘤角樹蜂 Ref. 同前  
*Xeris spectrum* Maa, 1949 麥氏黑樹蜂 Ref. 同前  
*Xeris spectrum* Linnaeus, 1758 長尾黑樹蜂 Ref. 同前

#### Family Sphecidae 細腰蜂科

*Ammophila atripes* Strand, 1913 Ref. Tsuneki, 1971  
*Ammophila clavus* Tsuneki, 1969 Ref. Tsuneki, 1969  
*Ammophila clavus* (Fabricius, 1775) Ref. Sonan, 1942  
*Ammophila formosensis* Tsuneki, 1971 Ref. Bohart & Menke, 1976  
*Ammophila sabulosa* Smith, 1856 沙泥蜂南方亞種 Ref. 同前  
*Ammophila sickmanni* Tsuneki, 1967 Ref. Tsuneki, 1971  
*Ammophila subassimilis* Strand, 1913 Ref. Tsuneki, 1967  
*Chalybion bengalense* (Dahlbom, 1845) Ref. Bohart & Menke, 1976  
*Chalybion japonicum* (Kohl, 1888) Ref. 同前  
*Hoplammophila aemulans* (Kohl, 1901) 角戎泥蜂 Ref. Menke, 1966a  
*Isodontia auripygata* (Strand, 1913) Ref. Bohart & Menke, 1976  
*Isodontia formosicola* (Strand, 1913) Ref. 同前  
*Isodontia maidli* (Yasumatsu, 1938) 褐毛扁股泥蜂 Ref. Yasumatsu, 1938  
*Isodontia nigella* (Smith, 1856) 黑扁股泥蜂 Ref. Patton, 1881a  
*Isodontia pempuchi* (Tsuneki, 1971) Ref. Bohart & Menke, 1976  
*Isodontia sonani* (Yasumatsu, 1938) 齒唇扁股泥蜂 Ref. 同前  
*Prionyx viduatus* (Christ, 1791) 毛斑鋸泥蜂 Ref. 同前  
*Sceliphron bengalense* Dahlbom, 1845 Ref. Yasumatsu & Hirashima, 1965  
*Sceliphron deforme* Tsuneki, 1971 Ref. Tsuneki, 1971b  
*Sceliphron madraspatanum* van der Vecht, 1968 黃柄壁泥蜂台灣亞種 Ref. 同前  
*Sphex argentatus* Fabricius, 1787 Ref. Yasumatsu & Hirashima, 1965  
*Sphex diabolicus* Strand, 1913 黃毛泥蜂焰亞種 Ref. Bohart & Menke, 1976  
*Sphex haemorrhoidalis* Fabricius, 1781 黑毛泥蜂 Ref. Yasumatsu, 1938  
*Sphex madasummae* van der Vecht, 1973 Ref. Bohart & Menke, 1976  
*Sphex sericeus* Lepeletier, 1845 Ref. Tsuneki, 1967  
*Sphex subtruncatus* Gribodo, 1894 Ref. Bohart & Menke, 1976  
*Sphex umbrosus* Christ, 1791 Ref. Yasumatsu, 1938

#### Family Stephanidae 冠蜂科

*Diastephanus flavidentatus* Enderlein, 1913 黃齒過冠蜂 Ref. Enderlein, 1913  
*Diastephanus ruficollis* Enderlein, 1913 紅頸過冠蜂 Ref. 同前  
*Foenatopus annulitarsus* Enderlein, 1913 環跗齒足冠蜂 Ref. 同前  
*Foenatopus aratifrons* Enderlein, 1913 犁額齒足冠蜂 Ref. 同前  
*Foenatopus formosanus* Enderlein, 1913 台灣齒足冠蜂 Ref. 同前  
*Megischus cinctus* (Matsumura, 1912) Ref. Hirashima, 1989  
*Parastephanellus brevistigma* Enderlein, 1913 Ref. Enderlein, 1913

#### Family Tanaostigmatidae 長痣小蜂科

*Tanaostigmodes lini* Chou & Huang, 1994 Ref. Chou & Huang, 1994

#### Family Tenthredinidae 葉蜂科

*Abeleses coeruleus* Rohwer, 1916 暗藍長足葉蜂 Ref. Chou & Naito, 1991  
*Abeleses formosanus* Enslin, 1911 蓬萊長足葉蜂 Ref. 同前  
*Abeleses formosanus* Rohwer, 1916 Ref. Rohwer, 1916  
*Absentia abatae* Togashi, 1990 缺脊葉蜂 Ref. Togashi, 1990

*Abusarbia formosibia* Malaise, 1944 霧社蕨葉蜂 Ref. Chou & Naito, 1991  
*Aglaostigma karenkonis* (Takeuchi, 1929) 花蓮葉蜂 Ref. 同前  
*Allantus leucocoxus* (Rohwer, 1916) 白基黑葉蜂 Ref. 同前  
*Allantus luctifer* (Rohwer, 1916)  
*Allantus luctifer* (Smith, 1874) 黑翅黑葉蜂 Ref. Chou & Naito, 1991  
*Allantus melanocoxa* (Rohwer, 1916)  
*Allantus nigrocaeruleus* (Smith, 1874) 蓼黑葉蜂 Ref. Chou & Naito, 1991  
*Allantus taiwanus* (Takeuchi, 1928) 臺灣黑葉蜂 Ref. 同前  
*Ametastegia formosana* (Rohwer, 1916) 大林巨頂葉蜂 Ref. 同前  
*Ametastegia sauteri* (Rohwer, 1916) 邵氏巨頂葉蜂 Ref. 同前  
*Aneugmenus babai* Togashi, 1990 馬場缺柄葉蜂 Ref. Togashi, 1990  
*Aneugmenus gressitti* Takeuchi, 1941 嘉氏缺柄葉蜂 Ref. Chou & Naito, 1991  
*Aneugmenus japonicus* Rohwer, 1910 黃腹缺柄葉蜂 Ref. 同前  
*Asiemythys esakii* (Takeuchi, 1933) 江崎粗角葉蜂 Ref. Takeuchi, 1933  
*Athalia birmanica* Benson, 1962 黑菜葉蜂 Ref. Benson, 1962  
*Athalia japonica* (Klug, 1915) 蕪菁葉蜂 Ref. Shinohara, 1987  
*Athalia proxima* (Klug, 1915) 蔬菜葉蜂 Ref. Klug, 1915  
*Athalia rosae* JakovLev, 1888 紅角菜葉蜂 Ref. Shinohara, 1987  
*Athlophorus birmanicus* Malaise, 1947 緬甸勞葉蜂 Ref. Chou & Naito, 1991  
*Athlophorus perplexus* Enslin, 1911 邵氏勞葉蜂 Ref. 同前  
*Athlophorus perplexus* Rohwer, 1911 蓬萊勞葉蜂 Ref. 同前  
*Athlophorus perplexus* Malaise, 1947 紅角勞葉蜂 Ref. 同前  
*Athlophorus perplexus* Malaise, 1947 灰勞葉蜂 Ref. 同前  
*Athlophorus terminatus* Rohwer, 1916 尾勞葉蜂 Ref. 同前  
*Beleses formosana* (Enslin, 1911) 蓬萊刺葉蜂 Ref. 同前  
*Beleses fulvus* Cameron, 1877 黃褐刺葉蜂 Ref. 同前  
*Belesidea multipicta* Rohwer, 1916 多飾同脈葉蜂 Ref. 同前  
*Birmella taiwanensis* Smith, 1981 臺灣果葉蜂 Ref. 同前  
*Busarbia formosana* (Rohwer, 1916) 水社寮蕨葉蜂 Ref. 同前  
*Busarbia isshikii* (Takeuchi, 1928) 一色蕨葉蜂 Ref. Takeuchi, 1928  
*Busarbidea formosana* Rohwer, 1916 竹崎蕨葉蜂 Ref. Chou & Naito, 1991  
*Cladius nigricans* Cameron, 1902 黑長角葉蜂 Ref. 同前  
*Conaspida yiei* Togashi, 1976 易氏葉蜂 Ref. 同前  
*Corymbas nipponica* Takeuchi, 1936 草莓葉蜂 Ref. 同前  
*Darjilingia varia* Togashi, 1990 異色吉嶺葉蜂 Ref. 同前  
*Edenticornia formosana* Malaise, 1944 太平山蕨葉蜂 Ref. 同前  
*Eriocampa mitsukurii* Rohwer, 1910 箕作粗角葉蜂 Ref. 同前  
*Esehabachia satoi* Togashi, 1984 佐藤蘭葉蜂 Ref. 同前  
*Euforsius tsunekii* Togashi, 1973 常木蕨葉蜂 Ref. 同前  
*Eusunoxa formosana* Enslin, 1911 蓬萊粗角葉蜂 Ref. 同前  
*Eutomostethus formosanus* Enslin, 1911 蓬萊等脈葉蜂 Ref. 同前  
*Eutomostethus hyalinus* Takeuchi, 1936 無紋等脈葉蜂 Ref. 同前  
*Eutomostethus insularis* (Rohwer, 1916) 島嶼等脈葉蜂 Ref. 同前  
*Formosempria varipes* Takeuchi, 1929 斑足葉蜂 Ref. Takeuchi, 1929  
*Hemathlophorus formosanus* (Enslin, 1911) 安平粗角葉蜂 Ref. Chou & Naito, 1991  
*Hemitaxonus alboorolis* (Malaise, 1947) 白尖葉蜂 Ref. 同前  
*Hemitaxonus formosanus* Takeuchi, 1928 巒大尖葉蜂 Ref. 同前  
*Hemitaxonus nigroorolis* (Malaise, 1947) 黑尖葉蜂 Ref. 同前  
*Hoplocampa formosana* Malaise, 1961 大武長角葉蜂 Ref. 同前  
*Lagidina formosana* (Takeuchi, 1927) 蓬萊短足葉蜂 Ref. 同前  
*Lagidina platycerus* Malaise, 1945 臺灣短足葉蜂 Ref. 同前  
*Loderus formosanus* Rohwer, 1916 紅胸蕨葉蜂 Ref. 同前  
*Macrophya formosana* Rohwer, 1916 蓬萊巨葉蜂 Ref. 同前  
*Macrophya tattakana* Takeuchi, 1927 高山巨葉蜂 Ref. 同前  
*Megatomostethus crassicornis* (Rohwer, 1910) 粗角大葉蜂 Ref. 同前  
*Megatomostethus maculatus* Togashi, 1986 斑翅大葉蜂 Ref. 同前  
*Megatomostethus maurus* (Rohwer, 1916) 暗色大葉蜂 Ref. Togashi, 1990  
*Metallopeus alishanicus* Shinohara, 1986 阿里山金葉蜂 Ref. Shinohara, 1986  
*Metallopeus kurosawai* Shinohara, 1986 黑澤金葉蜂 Ref. 同前  
*Monophadnus taiwanus* Togashi, 1990 臺灣蘭葉蜂 Ref. Togashi, 1990  
*Moricella rufonota* Rohwer, 1916 樟葉蜂 Ref. Chou & Naito, 1991  
*Neostromboceros albofemoratus* Rohwer, 1916 白腿裂爪葉蜂 Ref. 同前  
*Neostromboceros excellens* Malaise, 1944 綺麗裂爪葉蜂 Ref. 同前  
*Neostromboceros formosanus* (Enslin, 1911) 蓬萊裂爪葉蜂 Ref. 同前  
*Neostromboceros fuscitarsis* Takeuchi, 1929 暗附裂爪葉蜂 Ref. 同前  
*Neostromboceros leucopoda* Rohwer, 1916 白足裂爪葉蜂 Ref. Rohwer, 1916  
*Neostromboceros rohweri* Malaise, 1944 羅氏裂爪葉蜂 Ref. Chou & Naito, 1991  
*Neostromboceros sauteri* (Rohwer, 1916) 邵氏裂爪葉蜂 Ref. Rohwer, 1916  
*Neothrinax flavipes* (Takeuchi, 1928) 黃足柄葉蜂 Ref. Chou & Naito, 1991  
*Neothrinax formosana* Rohwer, 1916 蓬萊蕨葉蜂 Ref. 同前  
*Neothrinax horni* Forsius, 1932 荷氏柄葉蜂 Ref. 同前  
*Neothrinax leucopoda* Rohwer, 1916 白足柄葉蜂 Ref. 同前

*Neothrinax melanopoda* Takeuchi, 1941 黑足柄葉蜂 Ref. 同前  
*Neothrinax taiwana* Malaise, 1944 霧社柄葉蜂 Ref. 同前  
*Neothrinax xanthopoda* Togashi, 1990 黑唇柄葉蜂 Ref. 同前  
*Neotomostethus religiosa* (Marlatt, 1898) 顯頰葉蜂 Ref. Togashi, 1990  
*Neotomostethus secundus* Rohwer, 1916 赤顯頰葉蜂 Ref. Chou & Naito, 1991  
*Nesoselandria flavipes* (Takeuchi, 1928) 黃足柄葉蜂 Ref. 同前  
*Nesoselandria formosana* Rohwer, 1916 寶島柄葉蜂 Ref. 同前  
*Nesoselandria horni* Forsius, 1932 荷氏柄葉蜂 Ref. 同前  
*Nesoselandria leucopoda* Rohwer, 1916 白足柄葉蜂 Ref. 同前  
*Nesoselandria melanopoda* Takeuchi, 1941 黑足柄葉蜂 Ref. Takeuchi, 1941  
*Nesoselandria taiwana* Malaise, 1944 霧社柄葉蜂 Ref. Chou & Naito, 1991  
*Nesoselandria xanthopoda* Togashi, 1990 黑唇柄葉蜂 Ref. Togashi, 1990  
*Nesotaxonus flavescens* (Marlatt, 1898) 黃粗角葉蜂 Ref. Chou & Naito, 1991  
*Ocla formosana* Togashi, 1972 蓬萊歐葉蜂 Ref. 同前  
*Pachyprotasis erratica* Smith, 1874 黃紋厚葉蜂 Ref. 同前  
*Pachyprotasis formosana* Rohwer, 1916 蓬萊厚葉蜂 Ref. 同前  
*Pachyprotasis insularis* Malaise, 1945 島嶼厚葉蜂 Ref. 同前  
*Paralinomorpha muchei* Koch, 1988 穆氏粗角葉蜂 Ref. 同前  
*Parasiobla formosana* Rohwer, 1916 大林粗角葉蜂 Ref. 同前  
*Phymatoceridea formosana* Rohwer, 1916 凹唇葉蜂 Ref. 同前  
*Phymatoceropsis fulvocincta* Rohwer, 1916 淡黃葉蜂 Ref. Rohwer, 1916  
*Pristiphora formosana* Rohwer, 1916 蓬萊紅紋葉蜂 Ref. Chou & Naito, 1991  
*Pristiphora sauteri* Rohwer, 1916 邵氏紅紋葉蜂 Ref. 同前  
*Pseudohemitaxonus taiwanus* Naito, 1990 臺灣擬尖葉蜂 Ref. 同前  
*Pseudostromboceros atratus* (Enslin, 1911) 黑蕨葉蜂 Ref. 同前  
*Rhopoglyphus babai* Togashi, 1990 馬場長葉蜂 Ref. Togashi, 1990  
*Senoclidea decorus* Konow, 1898 優美蘭葉蜂 Ref. Chou & Naito, 1991  
*Senoclidea formosana* Takeuchi, 1928 能高蘭葉蜂 Ref. 同前  
*Siobla formosana* Takeuchi, 1927 蓬萊紅葉蜂 Ref. 同前  
*Siobla fulva* Takeuchi, 1927 黃紅葉蜂 Ref. 同前  
*Siobla fumipennis* Malaise, 1945 灰翅紅葉蜂 Ref. 同前  
*Siobla insularis* Malaise, 1945 島嶼紅葉蜂 Ref. 同前  
*Siobla taiwanica* Malaise, 1945 吳鳳紅葉蜂 Ref. 同前  
*Strongylogaster abdominalis* (Takeuchi, 1928) 紅腹溝葉蜂 Ref. 同前  
*Strongylogaster formosana* (Rohwer, 1916) 嘉義溝葉蜂 Ref. 同前  
*Strongylogaster fulva* Naito & Huang, 1982 淡黃溝葉蜂 Ref. 同前  
*Strongylogaster lineata* (Christ, 1791) 窄溝葉蜂 Ref. 同前  
*Strongylogaster nantouensis* Naito, 1990 南投溝葉蜂 Ref. 同前  
*Taxonus arisanus* (Takeuchi, 1927) 阿里山墨葉蜂 Ref. 同前  
*Taxonus formosacolus* (Rohwe, 1916) 蓬萊墨葉蜂 Ref. 同前  
*Taxonus octopunctatus* (Takeuchi, 1928) 八點墨葉蜂 Ref. 同前  
*Taxonus punun* Takeuchi, 1933 布農墨葉蜂 Ref. 同前  
*Tenthredo concinna* Mocsary, 1909 雅緻葉蜂 Ref. 同前  
*Tenthredo esakii* (Takeuchi, 1933) 江崎葉蜂 Ref. 同前  
*Tenthredo formosana* (Enslin, 1911) 蓬萊葉蜂 Ref. 同前  
*Tenthredo gressitti* Malaise, 1945 嘉氏葉蜂 Ref. Malaise, 1945  
*Tenthredo horishana* Takeuchi, 1927 埔里葉蜂 Ref. Chou & Naito, 1991  
*Tenthredo insulicola* (Takeuchi, 1927) 島嶼葉蜂 Ref. 同前  
*Tenthredo issikii* (Takeuchi, 1933) 一色葉蜂 Ref. 同前  
*Tenthredo katoi* Takeuchi, 1929 加藤葉蜂 Ref. 同前  
*Tenthredo khasiana* Cameron, 1899 卡西亞葉蜂 Ref. 同前  
*Tenthredo margareta* (Rohwer, 1916) 珍珠葉蜂 Ref. 同前  
*Tenthredo poeciloptera* (Enslin, 1911) 彩翅葉蜂 Ref. 同前  
*Tenthredo sauteri* (Rohwer, 1916) 邵氏葉蜂 Ref. 同前  
*Tenthredo taiheizana* Takeuchi, 1933 太平山葉蜂 Ref. 同前  
*Tenthredo uenoi* Shinohara, 1995 Ref. Shinohara, 1995  
*Tenthredo xueshanensis* Togashi, 1980 雪山葉蜂 Ref. Chou & Naito, 1991  
*Tenthredopsis insularis* Takeuchi, 1927 島嶼擬葉蜂 Ref. 同前  
*Tenthredopsis (Thomsonia) insularis* Malaise, 1945 褐角擬葉蜂 Ref. Malaise, 1945  
*Tomostethus formosanus* Enslin, 1911 長脈葉蜂 Ref. Chou & Naito, 1991  
*Tomostethus katonis* Takeuchi, 1929 加藤長脈葉蜂 Ref. 同前  
*Tomostethus lividus* Takeuchi, 1928 藍長脈葉蜂 Ref. 同前  
*Tomostethus sauteri* Enslin, 1911 邵氏長脈葉蜂 Ref. 同前

### Family Tiphiidae 小土蜂科

*Hylomesa taiwana* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Mesa alishana* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Mesa chiaiensis* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Mesa formosensis* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Methocha alutacea* Lin, 1966 Ref. Lin, 1966  
*Methocha areolata* Lin, 1966 Ref. Lin, 1966  
*Methocha cavipyga* Lin, 1966 Ref. Lin, 1966

*Methocha emarginata* Lin, 1966 Ref. Lin, 1966  
*Methocha formosana* Williams, 1919 Ref. Lin, 1966  
*Methocha foveiventris* Lin, 1966 Ref. Lin, 1966  
*Methocha maai* Lin, 1966 Ref. Lin, 1966  
*Methocha plana* Lin, 1966 Ref. Lin, 1966  
*Methocha priorrecta* Lin, 1966 Ref. Lin, 1966  
*Methocha taiwanica* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Methocha taoi* Lin, 1966 Ref. Lin, 1966  
*Methocha tricha* Strand, 1913 Ref. Strand, 1913  
*Tiphia alishana* Ishikawa, 1967 Ref. Ishikawa, 1967  
*Tiphia ami* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia brevilineata* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia bunun* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia changi* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia chihpenchia* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia chungshani* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia fenchihuensis* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia flavipes* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia formosensis* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia fortidentata* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia fukuui* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia hohrai* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia hokkien* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia horiana* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia ilanensis* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia komaii* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia kotoshensis* Tsuneki, 1986 Ref. Yasumatsu, 1938  
*Tiphia lihyuehtana* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia ordinaria* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia pempuchiensis* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia piqua* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia puliensis* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia rufomandibulata* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia taiwana* Ishikawa, 1967 Ref. Ishikawa, 1967  
*Tiphia takasago* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia triangulata* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia tsukengensis* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia vallicola* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia wushensis* Tsuneki, 1986 Ref. Tsuneki, 1986  
*Tiphia yanoi* Tsuneki, 1986 楊氏鈎土蜂 Ref. Tsuneki, 1986  
*Tiphia yushana* Tsuneki, 1986 Ref. Tsuneki, 1986

#### Family Torymidae 長尾小蜂科

*Bootania maxima* (Strand, 1911) Ref. Grissell & Desjardins, 2002  
*Ecdamua indica* Walker, 1871 Ref. Masi, 1926  
*Megastigmus crytomeriae* Yano, 1918 柳杉大痣小蜂 Ref. Xu & He, 1995  
*Mesodiomorus compressus* Strand, 1911 Ref. Strand, 1911  
*Palmon greeni* (Crawford, 1912) Ref. Masi, 1926  
*Palmon megarhopalus* (Masi, 1926) Ref. Grissell, 1995  
*Palmon orchesticus* (Masi, 1926) Ref. 同前  
*Podagrion dispar* Masi, 1926 Ref. Masi, 1926  
*Podagrion epibulum* Masi, 1926 Ref. Masi, 1926  
*Podagrion epichiron* Masi, 1926 Ref. Masi, 1926  
*Podagrion helictoscela* (Masi, 1926) Ref. Masi, 1926  
*Podagrion opisthacanthum* Masi, 1926 Ref. Masi, 1926  
*Podagrion philippinense* Crawford, 1910 Ref. Habu, 1962  
*Podagrion prionomerum* Masi, 1926 Ref. Masi, 1926  
*Podagrion shirakii* Crawford, 1913 Ref. Crawford, 1913  
*Podagrion tainanicum* Masi, 1926 Ref. Masi, 1926  
*Podagrion viduum* Masi, 1926 Ref. Masi, 1926  
*Torymoides affinis* (Masi, 1926) Ref. Masi, 1926  
*Torymus aiolomorphi* (Kamijo, 1964) 竹夕長尾小蜂 Ref. Grissell, 1995  
*Torymus orientalis* (Masi, 1926) Ref. Masi, 1926

#### Family Trichogrammatidae 赤眼蜂科

*Eutrichogramma elongatum* Lin, 1981 長棒優赤眼蜂 Ref. Lin, 1981  
*Oligosita shibuyae* Ishii, 1938 長突寡索赤眼蜂 Ref. Chu & Hirashima, 1981  
*Paracentrobia andoi* (Ishii, 1938) 褐腰赤眼蜂 Ref. Lin, 1974  
*Prochaetostricha monticola* Lin, 1981 山棲前毛赤眼蜂 Ref. Lin, 1981  
*Pseudoligosita nephotticum* (Mani, 1939) 葉蟬寡索赤眼蜂 Ref. Chu & Hirashima, 1981  
*Trichogramma chilonis* Ishii, 1941 螟黃赤眼蜂 Ref. Hayat & Subba Rao, 1986  
*Trichogramma dentrolimi* Matsumura, 1926 松毛蟲赤眼蜂 Ref. Chiu & Chou, 1976  
*Trichogramma japonicum* Ashmead, 1904 稻螟赤眼蜂 Ref. Hayat & Subba Rao, 1986

*Trichogramma neuropterae* Chan & Chou, 1996 草蛉赤眼蜂 Ref. Chan et al., 1996  
*Trichogramma ostriniae* Pang & Chen, 1974 玉米螟赤眼蜂 Ref. Yu, Chen & Chou, 1992  
*Trichogramma psocopterae* Chan & Chou, 1996 嚙蟲赤眼蜂 Ref. Chan et al., 1996  
*Trichogrammatoidea bactrae* Nagaraja, 1979 捲蛾分索赤眼蜂 Ref. Hayat & Subba Rao, 1986  
*Trichogrammatoidea nana* (Zehntner, 1896) 爪哇分索赤眼蜂 Ref. 同前

### Family Trigonalidae 鉤腹蜂科

*Bakeronymus typicus* Rohwer, 1922 Ref. Carnean & Kimsey, 1998  
*Bareogonals huisuni* Yamane & Yamane, 1975 Ref. Yamane & Yamane, 1975  
*Orthogonalys formosana* Teranishi, 1931 華鉤腹蜂 Ref. Tsuneki, 1991  
*Taeniogonals fasciata* (Strand, 1913) Ref. Strand, 1913  
*Taeniogonals flavicincta* (Bischoff, 1913) Ref. Bischoff, 1913  
*Taeniogonals formosana* (Bischoff, 1913) Ref. Tsuneki, 1991  
*Taeniogonals maga* (Teranishi, 1929) Ref. Teranishi, 1929  
*Taeniogonals pictipennis* Strand, 1914 Ref. Strand, 1914  
*Taeniogonals sauteri* Bischoff, 1913 Ref. Bischoff, 1913  
*Taeniogonals taihorina* (Bischoff, 1914) Ref. Tsuneki, 1991  
*Taeniogonals thwaitesii* (Westwood, 1874) Ref. Tsuneki, 1991

### Family Vespidae 胡蜂科

*Allorhynchium argentatum* (Fabricius, 1804) 黑異喙蜾蠃 Ref. Yamane & Wang, 1996  
*Allorhynchium chinense* (Saussure, 1862)  
*Allorhynchium metallicum* (Saussure, 1852)  
*Ancistrocerus esakii* Yasumatsu, 1935 Ref. Yasumatsu, 1935  
*Ancistrocerus intermediatus* Sonan, 1939 Ref. Sonan, 1939  
*Ancistrocerus kuraruensis* Sonan, 1939 Ref. Sonan, 1939  
*Ancistrocerus montuosus* Gusenleitner, 1993 Ref. Yamane & Guesenteitner, 1993  
*Ancistrocerus nitobei* Sonan, 1939 Ref. Sonan, 1939  
*Ancistrocerus taiheizanus* Yasumatsum, 1937 Ref. Yasumatsu, 1937  
*Ancistrocerus terayamai* Yamane, 1993 Ref. Yamane & Guesenteitner, 1993  
*Antepipona biguttata* Giordani Soika, 1982 黃斑蜾蠃 Ref. Giordani, 1983  
*Antepipona ferruginea* Kim & Yamane, 2003  
*Antepipona ovalis* (Saussure, 1934) Ref. Yamane & Wang, 1996  
*Anterhynchium flavomarginatum* (Schulthess, 1934) 黃緣蜾蠃 Ref. 同前  
*Anterhynchium flavopunctatum* (Smith, 1852) 大黃緣蜾蠃 Ref. 同前  
*Apodynerus formosensis* (Schulthess, 1934) 末微蜾蠃 Ref. 同前  
*Apodynerus yayeyamensis* (Matsumura, 1926) 黃腹末微蜾蠃 Ref. 同前  
*Coeleumenes burmanicus* (Sonan, 1939) Ref. 同前  
*Delta esuriens* Giordani Soika, 1986 姬黃錐華麗蜾蠃 Ref. 同前  
*Delta pyriforme* (Fabricius, 1775) 黃錐華麗蜾蠃 Ref. 同前  
*Discoelius esakii* Yasumatsu, 1934 Ref. Yasumatsu, 1934  
*Discoelius longinodus* Yamane, 1996 Ref. Yamane, 1996  
*Discoelius wangi* Yamane, 1996 Ref. Yamane, 1996  
*Dolichovespula adulterina* (du Buysson, 1905) Ref. du Buysson, 1905  
*Ectoploglossa taiwana* (Sonan, 1938) Ref. Vecht, 1981  
*Epsilon fujianensis* Lee, 1981 Ref. Lee, 1981  
*Eumenes labiatus* Giordani, Soika 1941 中華唇蜾蠃 Ref. Yamane & Wang, 1996  
*Eumenes punctatus* Giordani, Soika 1941 孔蜾蠃 Ref. 同前  
*Eumenes quadratus* Sonan, 1939 Ref. 同前  
*Eumenes toswae* Giordani Soika, 1941 黃腰蜾蠃 Ref. 同前  
*Euodynerus dantici* Gusenleitner, 1979 單佳盾蜾蠃 Ref. Yamane, 1990  
*Euodynerus nipanicus* Yamane, 1987 日本佳盾蜾蠃 Ref. Yamane & Wang, 1996  
*Euodynerus quadrifasciatus* (Fabricius, 1793) 四帶佳盾蜾蠃 Ref. Yamane, 1990  
*Euodynerus trilobus* (Fabricius, 1787) 三葉佳盾蜾蠃 Ref. Yamane & Wang, 1996  
*Kennethis unifasciata* (Schulthess, 1934) Ref. Schulthess, 1934  
*Okinawepipona kogimai* Yamane, 1987 Ref. Yamane, 1987  
*Orancistrocerus drewseni* (Sonan, 1939) Ref. Tano, 1996  
*Orancistrocerus drewseni* (Schulthess, 1934) Ref. Yamane & Wang, 1996  
*Oreumenes decoratus* (Smith, 1852) Ref. Yamane, 1990  
*Paraleptomenes miniatus* (Saussure, 1885) Ref. Saussure, 1885  
*Parancistrocerus samariensis* (Schulthess, 1934) 黃紋姬蜾蠃 Ref. Yamane & Wang, 1996  
*Parancistrocerus taihorinensis* (Schulthess, 1934) Ref. Schulthess, 1934  
*Parancistrocerus taihorinshoensis* Schulthess, 1934 Ref. 同前  
*Parancistrocerus taikonus* (Sonan, 1939)  
*Parancistrocerus yachowensis* Giordani Soika, 1995  
*Parancistrocerus yamanei* Gusenleitner, 2000 Ref. LBB 32/2: 940  
*Parapolybia indica* (Saussure, 1854) 印度異腹胡蜂 Ref. Saussure, 1854  
*Parapolybia nodosa* van der Vecht, 1966 叉胸異腹胡蜂 Ref. van der Vecht, 1966  
*Parapolybia varia* (Fabricius, 1787) 變側異腹胡蜂 Ref. Fabricius, 1787  
*Pararrhynchium ornatum* (Schulthess, 1934) Ref. Schulthess, 1934  
*Pararrhynchium smithii* (Saussure, 1855) 斯旁喙蜾蠃 Ref. Lee, 1985  
*Pararrhynchium taiwanum* Kim & Yamane, 2007 Ref. Kim & Yamane, 2007  
*Phimenes curvatus* (Saussure, 1856) 蘭嶼虎蜾蠃 Ref. Yamane & Wang, 1996

*Phimenes flavopictus* (Zimmermann, 1931) 虎蜾蠃 Ref. 同前  
*Polistes snelleni* Sonan, 1943 雙斑馬蜂 Ref. Tano, 1996  
*Polistes (Gyrostoma) gigas* (Körby & Spence, 1826) 棕馬蜂 Ref. Carpenter, 1996  
*Polistes (Gyrostoma) jadvigae* Dalla, Torre, 1904 家馬蜂 Ref. 同前  
*Polistes (Gyrostoma) rothneyi* Van der Vecht., 1968 陸馬蜂 Ref. van der Vecht, 1968  
*Polistes (Gyrostoma) tenebricosus* Lepeletier, 1836 烏胸馬蜂 Ref. Carpenter, 1996  
*Polistes (Polistella) ebsohinus* Sonan, 1943 姬馬蜂 Ref. Sonan, 1943  
*Polistes (Polistella) huisunensis* Kuo, 1987 Ref. Carpenter, 1996  
*Polistes (Polistella) japonicus* Sonan, 1927 台灣馬蜂 Ref. Saussure, 1858  
*Polistes (Polistella) mandarinus* Saussure, 1853 Ref. Sonan, 1937  
*Polistes (Polistella) shirakii* Sonan, 1943 黃斑馬蜂 Ref. Carpenter, 1996  
*Polistes (Polistella) stigma* (Fabricius, 1793) 點馬蜂 Ref. 同前  
*Polistes (Polistella) strigosus* Bequaert, 1940 胸稜馬蜂 Ref. 同前  
*Polistes (Polistes) chinensis* (Fabricius, 1793) 中華馬蜂 Ref. Fabricius, 1793  
*Pseudozumia indosinensis* Giordani Soika, 1960 黑金剛蜾蠃 Ref. Giordani, 1960  
*Pseudozumia taiwana* Sonan, 1937 Ref. Sonan, 1937  
*Pseumenes depressus* (Saussure, 1855) 四刺飾蜾蠃 Ref. Yamane, 1990  
*Pseumenes imperatrix* (Smith, 1857) 酋飾蜾蠃 Ref. Lee, 1985  
*Rhynchium atrum* Saussure, 1852 蘭嶼喙蜾蠃 Ref. Yamane & Wang, 1996  
*Rhynchium quinquecinctum* (Fabricius, 1793) 黃喙蜾蠃 Ref. 同前  
*Ropalidia fasciata* (Fabricius, 1804) 帶鈴腹胡蜂 Ref. Lee, 1985  
*Ropalidia taiwana* Miwa & Sonan, 1935 台灣鈴腹胡蜂 Ref. Miwa & Sonan, 1935  
*Stenodynerus chinensis* (Saussure, 1863) 中華直盾蜾蠃 Ref. Lee, 1985  
*Stenodynerus chinensis* Yamane & Gusenleitner, 1982 近直盾蜾蠃 Ref. Yamane, 1990  
*Stenodynerus incurvitus* Gusenleitner, 2003 Ref. Gusenleitner, 2003  
*Stenodynerus pappi* Kim & Yamane, 2004 Ref. Kim & Yamane, 2004  
*Stenodynerus pappi* Kim & Yamane, 2004 Ref. 同前  
*Stenodynerus taiwanus* Kim & Yamane, 2004 Ref. 同前  
*Subancistrocerus kankauensis* (Schulthess, 1934) Ref. Schulthess, 1934  
*Subancistrocerus sichelii* (Schulthess, 1934) Ref. Saussure, 1885  
*Symmorphus hoozanensis* Schulthess, 1934 台灣同蜾蠃 Ref. Yamane & Wang, 1996  
*Symmorphus mizuhonis* Tsuneki, 1977  
*Symmorphus ornatus* Gusenleitner, 2000  
*Vespa affinis* (Linnaeus, 1764) 黃腰虎頭蜂 Ref. Lee, 1985  
*Vespa analis* Fabricius, 1775 擬大虎頭蜂 Ref. Carpenter & Kojima, 1997  
*Vespa basalis* Smith, 1852 黑腹虎頭蜂 Ref. 同前  
*Vespa crabro* Linnaeus, 1758 費邊胡蜂 Ref. 同前  
*Vespa ducalis* Smith, 1852 雙金環虎頭蜂 Ref. 同前  
*Vespa mandarinia* Smith, 1852 中國大虎頭蜂 Ref. Smith, 1852  
*Vespa simillima* Smith, 1868 Ref. Smith, 1868  
*Vespa soror* Buysson, 1905 Ref. Buysson, 1905  
*Vespa velutina* Lepeletier, 1836 黃腳虎頭蜂 Ref. Lepeletier, 1836  
*Vespa vivax* Smith, 1870 威氏虎頭蜂 Ref. Smith, 1870  
*Vespula arisana* (Sonan, 1929) 阿里山黃胡蜂 Ref. Sonan, 1929  
*Vespula flaviceps* (Smith, 1870) 細黃胡蜂 Ref. Starr, 1992  
*Vespula germanica* (Fabricius, 1793) 德國黃胡蜂 Ref. Fabricius, 1793  
*Vespula rufa* (Linnaeus, 1758) 北方黃胡蜂 Ref. Linnaeus, 1758

#### Family Xiphydriidae 長頸樹蜂科

*Dryxiphia albiantennata* Okutani, 1966 白角長頸樹蜂 Ref. Chou & Naito, 1991  
*Dryxiphia punctissima* Maa, 1949 密點長頸樹蜂 Ref. 同前  
*Euxiphydria pseudoruficeps* Okutani, 1966 紅頭長頸樹蜂 Ref. 同前  
*Palpixiphia formosana* (Enslin, 1911) 蓬萊長頸樹蜂 Ref. 同前  
*Paraxiphia insularis* (Rohwer, 1916) 鳳山長頸樹蜂 Ref. 同前  
*Platyxiphidria antennata* (Maa, 1949) 離角長頸樹蜂 Ref. 同前

#### Family Xyelidae 鞘蜂科

*Xyela meridionalis* Shinohara, 1983 南方鞘蜂 Ref. Shinohara, 1983

### Order Isoptera 等翅目

#### Family Hodotermitidae 草白蟻科

*Hodotermopsis sjostedi* Holmgren, 1911 山林原白蟻 Ref. 大島。1954

#### Family Kalotermitidae 木白蟻科

*Cryptotermes domesticus* (Haviland, 1898) 截頭堆砂白蟻 Ref. 易。1954  
*Glyptotermes fuscus* OSHIMA, 1912 黑樹白蟻 Ref. 易。1954  
*Glyptotermes satsumensis* (Matsumura, 1907) 赤樹白蟻 Ref. 易。1954  
*Kalotermes inamurae* OSHIMA, 1912 台灣木白蟻 [特有] Ref. 大島。1954  
*Neotermes koshunensis* (Shiraki, 1909) 恆春新白蟻 [特有] Ref. 杜。1954

#### Family Rhinotermitidae 鼻白蟻科

*Coptotermes formosanus* Shiraki, 1909 家白蟻 Ref. Shiraki, 1909  
*Coptotermes gestroi* (Wasmann, 1896) 格斯特家白蟻 Ref. Tsai & Chen, 2003  
*Prorhinotermes japonicus* (Holmgren, 1912) 台灣原鼻白蟻 [特有] Ref. Holmgren, 1912

*Reticulitermes chinensis* Hsia & Fang, 1965 黑胸散白蟻 Ref. Morimoto, 1968  
*Reticulitermes flaviceps* Oshima, 1908 黃肢散白蟻 Ref. 大島。1908

### Family Termitidae 白蟻科

*Nasutitermes kinoshitae* (Hozawa, 1915) 木下象白蟻 [特有] Ref. 易。1954  
*Nasutitermes parvonasutus* (Shiraki, 1911) 小象白蟻 Ref. 杜。1954  
*Nasutitermes takasagoensis* (Shiraki, 1911) 高山象白蟻 Ref. 杜。1954  
*Odontotermes formosanus* (Shiraki, 1909) 黑翅土白蟻 Ref. Shiraki, 1909  
*Pericapretermes nitobei* (Shiraki, 1909) 新渡戶近歪白蟻 Ref. 杜。1954  
*Sinocapritermes mushae* Oshima & Maki, 1919 台華歪白蟻 Ref. Oshima & Maki, 1919

## Order Lepidoptera 鱗翅目

### Family Acrolepiidae 偽菜蛾科

*Acrolepiopsis brevipennella* Moriuti, 1972 [特有] Ref. Moriuti, 1973  
*Digitivalva longipennella* Moriuti, 1972 [特有] Ref. Moriuti, 1973

### Family Adelidae 長角蛾科

*Namatopogon taiwanella* KozLev, 2001 Ref. Kozlove, 2001  
*Nemophora aritai* KozLev & Hirowatari, 1997 Ref. Kozlov & Hirowatari, 1997  
*Nemophora askoldella* (Milliere, 1879) Ref. Heppner, 1992  
*Nemophora decisella* Walker, 1863 Ref. Heppner, 1992  
*Nemophora issikii* KozLev & Hirowatari, 1997 Ref. Kozlov & Hirowatari, 1997  
*Nemophora lapikella* KozLev, 1997b Ref. Kozlov, 1997  
*Nemophora limenites* (Meyrick, 1914) Ref. Heppner, 1992  
*Nemophora magnifica* KozLev, 1997a Ref. Kozlov, 1997  
*Nemophora polychorda* (Meyrick, 1914) Ref. Heppner, 1992  
*Nemophora uncella* KozLev, 1996 Ref. Heppner, 1992

### Family Agonoxenidae 異角蛾科

*Zaratha prosarista* Meyrick, 1909 Ref. Kuroko & Heppner, 1992

### Family Alucitidae 多翼蛾科

*Alucita spilodesma* (Meyrick, 1908) Ref. Heppner, 1992

### Family Amphisbatidae 詭蛾科

*Anchinia porphyritica* Meyrick Ref. Meyrick, 1914  
*Cryptolechia argometra* Meyrick, 1935 [特有] Ref. Saito, 1992  
*Cryptolechia coriata* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Cryptolechia epistemon* Strand, 1920 [特有] Ref. Strand, 1920  
*Cryptolechia fenerata* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Cryptolechia malacobrysa* Meyrick, 1921 Ref. Saito, 1992  
*Cryptolechia metacentra* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Cryptolechia mitis* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Cryptolechia pelophaea* Meyrick, 1931 [特有] Ref. Meyrick, 1931  
*Eutorna insidiosa* Meyrick Ref. Meyrick, 1920  
*Machimia guerneela* Joannis, 1914 [特有] Ref. Meyrick, 1914

### Family Arctiidae 燈蛾科

*Aglaomorpha histrio* (Miyake, 1907) Ref. Inoue & Kishida, 1992  
*Agrina astrea* (Drury, 1773) Ref. 同前  
*Agylla asakurana* (Matsumura, 1931) Ref. 同前  
*Agylla collitoides* (Butler, 1885) Ref. 同前  
*Agylla divisa* (Moore, 1878) 雙分台蛾 Ref. 同前  
*Agylla pulchristriata* Kishida Ref. 同前  
*Agylla virago* Rothschild Ref. 同前  
*Agylla virlis* Rothschild Ref. 同前  
*Amata edwardsii* (Butler, 1876) Ref. 同前  
*Amata flava* (Wileman, 1910) Ref. 同前  
*Amata formosensis* (Wileman, 1928) Ref. 同前  
*Amata fortunei* (Sonan) Ref. 同前  
*Amata hirayamae* Matsumura Ref. 同前  
*Amata issikii* (Sonan, 1941) Ref. 同前  
*Amata lucerna* (Wileman, 1910) Ref. 同前  
*Amata nigrifrons* Wileman Ref. 同前  
*Amata perixanthia* (Hampson, 1898) Ref. 同前  
*Amata rantaisana* (Sonan, 1941) Ref. 同前  
*Amata shirakii* (Sonan, 1941) Ref. 同前  
*Amata t-nigra* (Matsumura, 1931) Ref. 同前  
*Amata wilemani* Rothschild Ref. 同前  
*Amerila astrea* (Drury, 1773) Ref. 同前  
*Amsacta lactinea* (Cramer, 1777) Ref. 同前  
*Amsactoides solitarius* (Wileman, 1910) Ref. 同前  
*Areas formosana* Okano Ref. 同前  
*Areas galactina* (Hoeven, 1840) Ref. 同前  
*Argina argus* (Kollar, 1847) Ref. 同前

*Argyraetia fuscobasalis* (Matsumura, 1930) Ref. 同前  
*Argyraetia reikoeae* (Kishida, 1984) Ref. 同前  
*Asura acteota* Swinhoe 梯紋艷苔蛾 Ref. 同前  
*Asura albidorsalis* Wileman Ref. 同前  
*Asura alikangiae* Strand Ref. 同前  
*Asura arcuata* (Moore, 1882) Ref. 同前  
*Asura connexa* (Wileman, 1910) Ref. 同前  
*Asura striata* Wileman Ref. 同前  
*Asura strigipennis* (Herrich-Schaffer, 1914) Ref. 同前  
*Asura tricolor* (Wileman, 1910) Ref. 同前  
*Asura uniformeola* Hampson Ref. 同前  
*Asuridia rubripennis* Inoue Ref. 同前  
*Asurpopsis ranruna* Matsumura Ref. 同前  
*Caeneressa alikangiensis* (Strand, 1915) Ref. 同前  
*Caeneressa diaphana* (Kollar, 1844) Ref. 同前  
*Calpenia takamukui* Matsumura Ref. 同前  
*Chamaita hirta* Wileman Ref. 同前  
*Chamaita ranruna* (Matsumura, 1927) Ref. 同前  
*Chrysaeglia magnifica* (Walker, 1862) Ref. 同前  
*Chrysaeglia taiwana* (Hampson, 1914) Ref. 同前  
*Chrysorabdia taiwana* Wileman Ref. 同前  
*Chrysorabdia vilemani* Hampson Ref. 同前  
*Conilepia nigricosta* (Leech, 1889) Ref. 同前  
*Conilepia paiwan* Kishida Ref. 同前  
*Cretonotos gangis* (Linnaeus, 1763) 黑條灰燈蛾 Ref. 同前  
*Cretonotos transiens* (Walker, 1855) 八點灰燈蛾 Ref. 同前  
*Cretonotos vacillans* Walker Ref. 同前  
*Cyana effracta* (Walker, 1854) Ref. 同前  
*Cyana formosana* (Hampson, 1909) 台雪苔蛾 Ref. 同前  
*Cyana hamata* (Walker, 1854) 二斑叉紋苔蛾 Ref. 同前  
*Cyana posilla* (Wileman, 1910) Ref. 同前  
*Cyana propinqua* (Wileman, 1910) Ref. 同前  
*Cyana quadripartita* (Wileman, 1910) Ref. 同前  
*Cyana sanguinea* (Bremer & Grey, 1852) Ref. 同前  
*Cyana straminea* (Hampson, 1914) Ref. 同前  
*Cyana subalba* (Wileman, 1910) Ref. 同前  
*Diduga flavicostata* (Snellen, 1878) Ref. 同前  
*Eilema acutapex* Strand Ref. 同前  
*Eilema antica* (Walker, 1854) Ref. 同前  
*Eilema arizana* Wileman Ref. 同前  
*Eilema bicoloriceps* Strand Ref. 同前  
*Eilema costipuncta* (Leech, 1890) Ref. 同前  
*Eilema formosicola* (Matsumura, 1927) Ref. 同前  
*Eilema griseola* (Hubner, 1803) Ref. 同前  
*Eilema karenkona* (Matsumura, 1927) Ref. 同前  
*Eilema magnata* (Matsumura, 1927) Ref. 同前  
*Eilema obliquistria* (Hampson, 1894) Ref. 同前  
*Eilema pulvereae* Wileman 淡墨苔蛾 Ref. 同前  
*Eilema ranrunensis* (Matsumura, 1927) Ref. 同前  
*Eilema ratonella* (Matsumura, 1927) Ref. 同前  
*Eilema ratonis* (Matsumura, 1927) Ref. 同前  
*Eilema rubescens* (Hampson, 1909) Ref. 同前  
*Eilema saitonis* (Matsumura, 1927) Ref. 同前  
*Eilema sakia* (Matsumura, 1927) Ref. 同前  
*Eilema serva* (Walker, 1854) Ref. 同前  
*Eilema subcosteol* (Druce, 1899) Ref. 同前  
*Eilema taiwana* Wileman Ref. 同前  
*Eilema taiwanella* (Matsumura, 1927) Ref. 同前  
*Eilema tecta* Wileman Ref. 同前  
*Eilema tomponis* (Matsumura, 1927) Ref. 同前  
*Eilema tricolor* Wileman Ref. 同前  
*Eilema usuguronis* (Matsumura, 1927) Ref. 同前  
*Eilema vensosa* (Moore, 1878) Ref. 同前  
*Eospilarctia lewisii* (Rothschild, 1933) Ref. 同前  
*Eospilarctia nehallenia* (Matsumura) Ref. 同前  
*Eospilarctia neurographa* (Hampson, 1909) Ref. 同前  
*Eressa confinis* (Wileman) Ref. 同前  
*Euchromia elegantissima* Butler Ref. 同前  
*Eugoa bipunctata* (Walker, 1862) Ref. 同前  
*Eugoa brunnea* Hampson Ref. 同前  
*Eugoa formosibia* Strand Ref. 同前  
*Eugoa grisea* Butler Ref. 同前

*Eugoa obscura* Hampson Ref. 同前  
*Eugoa sinuata* Wileman Ref. 同前  
*Gargudinia simulana* (Walker, 1863) Ref. 同前  
*Ghoria bani* Kishida, 2006 Ref. Kishida, 2006  
*Ghoria subpurpurea* (Matsumura, 1927) Ref. Inoue & Kishida, 1992  
*Gymnasura semilutea* (Wileman, 1911) Ref. 同前  
*Heliosia alba* Hampson Ref. 同前  
*Hemipsilia coavestis* (Hampson, 1894) 半明苔蛾 Ref. 同前  
*Hyposiccia punctigera* (Leech, 1899) Ref. 同前  
*Lemrya stigmata* (Moore, 1865) Ref. 同前  
*Lemyra alikangensis* (Strand, 1915) 三條橙燈蛾 Ref. 同前  
*Lemyra fallaciosa* (Matsumura, 1930) Ref. 同前  
*Lemyra imparillis* (Butler, 1877) Ref. 同前  
*Lemyra infernalis* (Butler, 1877) Ref. 同前  
*Lemyra moltrechti* (Miyake, 1909) Ref. 同前  
*Lemyra nigricosta* Thomas Ref. 同前  
*Lemyra rhodophilodes* (Hampson, 1909) Ref. 同前  
*Macaduma cretacea* Hampson Ref. 同前  
*Macrobrochis gigas* (Walker, 1854) 巨網燈蛾 Ref. 同前  
*Meteugoa japonica* Strand Ref. 同前  
*Meteugoa ochrivena* (Hampson, 1898) Ref. 同前  
*Miltochrista convexa* Wileman Ref. 同前  
*Miltochrista delineata* (Walker, 1854) Ref. 同前  
*Miltochrista dentata* Wileman Ref. 同前  
*Miltochrista fuscozonata* Inoue Ref. 同前  
*Miltochrista karenkonis* Matsumura Ref. 同前  
*Miltochrista koshunica* Strand Ref. 同前  
*Miltochrista sauteri* Strand 東方美苔蛾 Ref. 同前  
*Miltochrista takamukui* Matsumura Ref. 同前  
*Miltochrista ziczac* (Walker, 1856) Ref. 同前  
*Mithuna arizana* Wileman Ref. 同前  
*Nannoarctia integra* (Walker, 1855) Ref. 同前  
*Neasura gyochiana* Matsumura Ref. 同前  
*Neasura melanopyga* (Hampson, 1918) Ref. 同前  
*Neasura nigroanalis* Matsumura Ref. 同前  
*Neasuroides asakurai* Matsumura Ref. 同前  
*Neasuroides simplicior* Matsumura Ref. 同前  
*Neoblavia scoteola* Hampson Ref. 同前  
*Nikaea longipennis* (Walker, 1855) Ref. 同前  
*Nikaea matsumurai* Kishida Ref. 同前  
*Nikaeoides arisanus* (Matsumura, 1911) Ref. 同前  
*Nishada formosibia* Matsumura Ref. 同前  
*Notata parva* Hampson Ref. 同前  
*Nudaria suffusa* Hampson Ref. 同前  
*Nudina artixidia* (Bulter, 1881) Ref. 同前  
*Nyctemera adversata* (Schaller, 1788) 粉蝶燈蛾 Ref. 同前  
*Nyctemera albofasciata* (Wileman, 1911) Ref. 同前  
*Nyctemera arcata* Walker Ref. 同前  
*Nyctemera baulus* (Boisduval, 1832) Ref. 同前  
*Nyctemera cenis* (Cramer, 1777) Ref. 同前  
*Nyctemera coleta* (Stoll, 1781) Ref. 同前  
*Nyctemera formosana* (Swinhoe, 1908) Ref. 同前  
*Nyctemera kotoshonis* Matsumura Ref. 同前  
*Nyctemera lacticina* (Cramer, 1777) Ref. 同前  
*Oeonistis entella* (Cramer, 1779) Ref. 同前  
*Palaeopsis diaphanella* Hampson Ref. 同前  
*Palaeopsis squamifera* Hampson Ref. 同前  
*Paraona fomosa* Okano Ref. 同前  
*Paraona staudingeri* Alpheraky Ref. 同前  
*Parasiccia dentata* (Wileman, 1911) Ref. 同前  
*Parasiccia fuscipennis* Wileman Ref. 同前  
*Parasiccia maculata* (Poujade, 1886) Ref. 同前  
*Parasiccia nebulosa* Wileman Ref. 同前  
*Parasiccia punctilinea* Wileman Ref. 同前  
*Paraspilarctia magna* (Wileman, 1910) Ref. 同前  
*Pelosia muscerda* (Hufnagel, 1767) Ref. 同前  
*Pelosia tetrasticta* Hampson Ref. 同前  
*Philenora latifasciata* Inoue & Kobayashi Ref. 同前  
*Pitasila brylancik* (Bryk, 1937) Ref. 同前  
*Pitasila fractifascia* (Wileman, 1911) Ref. 同前  
*Schistophleps bipuncta* Hampson Ref. 同前  
*Siccia fumeola* Hampson Ref. 同前

*Siccia sordida* (Bulter, 1877) Ref. 同前  
*Siccia taiwana* Wileman Ref. 同前  
*Spilarctia alba* (Matsumura, 1927) Ref. 同前  
*Spilarctia clava* (Wileman, 1910) Ref. 同前  
*Spilarctia contaminata* (Wileman, 1910) 褐汗燈蛾 Ref. 同前  
*Spilarctia fumida* (Wileman, 1910) Ref. 同前  
*Spilarctia nigrovittata* (Matsumura, 1911) Ref. 同前  
*Spilarctia postrubida* (Wileman, 1910) Ref. 同前  
*Spilarctia rubida* (Leech, 1890) Ref. Dubatolov & Kishida, 2005  
*Spilarctia subtestacea* (Rothschild, 1910) 黃腹污燈蛾 Ref. Inoue & Kishida, 1992  
*Spilarctia taiwanensis* (Matsumura, 1927) Ref. 同前  
*Spilarctia tienmushana* Kishida Ref. 同前  
*Spilarctia wilemani* (Rothschild, 1914) Ref. 同前  
*Spilosoma daitoensis* (Matsumura, 1930) Ref. 同前  
*Spliarctia subcarnea* Walker Ref. 同前  
*Stigmatophora flava* (Bremer, 1852) Ref. 同前  
*Stigmatophora palmata* (Moore, 1878) Ref. 同前  
*Stigmatophora tridens* (Wileman, 1910) Ref. 同前  
*Taicallimorpha albipuncta* (Wileman, 1910) Ref. 同前  
*Thysanoptyx incurvata* (Wileman & West, 1928) Ref. 同前  
*Tigrioides dimidiatus* Matsumura Ref. 同前  
*Tigrioides immaculatus* (Butler, 1880) Ref. 同前  
*Utetheisa lotrix* (Cramer, 1777) Ref. 同前  
*Utetheisa pulchelloides* Hampson Ref. 同前  
*Utetheisa vaga* Jordan Ref. 同前

#### Family Arrhenophanidae 蕈巢蛾科

*Palaeophanes lativalva* Davis, 2003 寬瓣古蕈巢蛾 [特有] Ref. Davis, 2003  
*Palaeophanes taiwanensis* Davis, 2003 台灣古蕈巢蛾 [特有] Ref. Davis, 2003

#### Family Badelliidae 巴氏蛾科

*Badellia ipomoella* Kuroko, 1982 Ref. Kuroko, 1982

#### Family Batrachedridae 蛙蛾科

*Batrachedra arenosella* (Walker, 1864) Ref. Heppner & Kuroko, 1992  
*Batrachedra pastor* Meyrick, 1932 [特有] Ref. 同前

#### Family Blastobasidae 痣蛾科

*Blastobasis indirecta* Meyrick, 1931 [特有] Ref. Meyrick, 1931  
*Blastobasis nephelophaea* Meyrick, 1931 [特有] Ref. Meyrick, 1931  
*Blastobasis spermologa* Meyrick, 1916 Ref. Meyrick, 1916  
*Coniogenes contempta* Meyrick, 1936 [特有] Ref. Meyrick, 1936  
*Neoblastobasis decolor* (Meyrick, 1907) Ref. Meyrick, 1907

#### Family Bombycidae 蠶蛾科

*Andraca olivacea* Matsumura, 1927 Ref. Matsumura, 1927  
*Andraca theae* (Matsumura, 1909) 臺灣茶蠶 [特有] Ref. Matsumura, 1909  
*Bombyx horsfieldi* (Moore, 1860) 荷氏家蠶 Ref. Moore, 1860  
*Bombyx mandarina* (Matsumura, 1927) 華家蠶 [特有] Ref. Matsumura, 1927  
*Bombyx mori* (Linnaeus, 1758) 野家蠶 Ref. Linnaeus, 1758  
*Bombyx rotundapex* Miyata & Kishida, 1990 圓端家蠶 [特有] Ref. Miyata & Kishida, 1990  
*Ernolatia moorei* (Hutton, 1865) 黑點白蠶蛾 Ref. Hutton, 1865  
*Mustilia fusca* Kishida, 1993 [特有] Ref. Kishida, 1993  
*Mustilia gerontica* West, 1932 [特有] Ref. West, 1932  
*Oberthueria formosibia* Matsumura, 1927 [特有] Ref. Matsumura, 1927  
*Prismosticta fenestrata* Butler, 1880 Ref. Butler, 1880  
*Trilocha varians* (Walker, 1855) Ref. Walker, 1855  
*Triuncina brunnea* (Wileman, 1911) 褐斑白蠶蛾 [特有] Ref. Wileman, 1911

#### Family Brachodidae 短軀蛾科

*Miscera sauteri* Kallies, 2004 [特有]  
*Nigilgia limata* Diakonoff & Arita, 1979 Ref. Diakonoff & Arita, 1979  
*Paranigilgia busii* (Arita, 1980)

#### Family Brahmaeidae 羅紋蛾科

*Brahmaea wallichii* Inoue, 1984 枯球羅紋蛾 Ref. Inoue, 1984

#### Family Bucculatricidae 稜巢蛾科

*Bucculatrix eremospora* Meyrick, 1935 [特有] Ref. Meyrick, 1936  
*Bucculatrix hypochypha* Meyrick, 1936 [特有] Ref. Meyrick, 1936

#### Family Callidulidae 錨紋蛾科

*Callidula attenuata* (Moore, 1879) 帶錨紋蛾 Ref. Inoue, 1992  
*Pterodecta felderi* (Bremer, 1864) 錨紋蛾 Ref. Inoue, 1992  
*Tetragonus catamitus* Geyer, 1832 隱錨紋蛾 Ref. Inoue, 1992

#### Family Carposinidae 果蛀蛾科

*Heterogymna ochrogramma* Meyrick, 1913 Ref. Heppner, 1992  
*Meridarchis concinna* Meyrick, 1913 Ref. Heppner, 1992  
*Meridarchis jumboa* Kawabe, 1980 Ref. Heppner, 1992  
*Metacosmesis aelinopa* Diakonoff, 1982 Ref. Heppner, 1992

#### Family Choreutidae 偽捲蛾科

*Anthophila halimora* (Meyrick, 1912) 花舞蛾 Ref. Meyrick, 1912  
*Benthia moriutii* Arita, 1987 森內眼舞蛾 Ref. Arita, 1987  
*Benthia yaeyamae* Arita, 1971 八重山眼舞蛾 Ref. Arita, 1971  
*Brenthia formosensis* Issiki, 1930 蓬萊眼舞蛾 [特有] Ref. Issiki, 1930  
*Choreutis achyrodes* (Meyrick, 1912) 褐桑舞蛾 Ref. Meyrick, 1912  
*Choreutis amethystodes* (Meyrick, 1914) 土紋桑舞蛾 [特有] Ref. Meyrick, 1914  
*Choreutis basalis* (Felder & Rogenhofer, 1875) 基紋桑舞蛾 Ref. Felder & Rogenhofer, 1875  
*Choreutis diplogramma* (Meyrick, 1912) 雙紋桑舞蛾 Ref. Meyrick, 1912  
*Choreutis fulminea* Meyrick, 1912 暗色桑舞蛾 [特有] Ref. Meyrick, 1912  
*Choreutis hyligenes* (Butler, 1879) 雲紋桑舞蛾 Ref. Butler, 1879  
*Choreutis ophiosema* (Lower, 1896) 霧紋桑舞蛾 Ref. Lower, 1896  
*Choreutis orthogona* (Meyrick, 1886) 直紋桑舞蛾 Ref. Meyrick, 1886  
*Choreutis semicincta* (Meyrick, 1921) 半帶桑舞蛾 Ref. Meyrick, 1921  
*Choreutis sexfasciella* (Sauber, 1902) 六帶桑舞蛾 Ref. Sauber, 1902  
*Choreutis xanthogramma* (Meyrick, 1912) 黃翅桑舞蛾 Ref. Meyrick, 1912  
*Choreutis yakushimensis* Marumo, 1923 屋久桑舞蛾 Ref. Marumo, 1923  
*Litobrenthia grammodes* Diakonoff, 1979 草紋石舞蛾 [特有] Ref. Diakonoff, 1979  
*Litobrenthia stephanephora* Diakonoff, 1979 石舞蛾 [特有] Ref. 同前  
*Saptha angustistriata* Issiki, 1930 紫帶閃舞蛾 [特有] Ref. Issiki, 1930  
*Saptha beryllitis* (Meyrick, 1910) 綠紋閃舞蛾 Ref. Meyrick, 1910  
*Saptha divitiosa* Walker, 1864 叉紋閃舞蛾 Ref. Walker, 1864  
*Saptha pretiosa* (Walker, 1866) 白角閃舞蛾 Ref. Walker, 1866

#### Family Coleophoridae 鞘蛾科

*Coleophora citratga* Meyrick, 1934 Ref. Meyrick, 1934

#### Family Cosmopterigidae 紋翅蛾科

*Ashibus jezoensis* Matsumura, 1931 Ref. Matsumura, 1931  
*Cosmopterix attenuatella* (Walker, 1864) Ref. Walker, 1864  
*Cosmopterix brachyclina* Meyrick, 1933 [特有] Ref. Meyrick, 1933  
*Cosmopterix issikiella* Kuroko, 1957 Ref. Kuroko, 1957  
*Cosmopterix lienigiella* Zeller, 1846 Ref. Zeller, 1846  
*Labdia bitabulata* Meyrick, 1935 [特有] Ref. Meyrick, 1935  
*Labdia citrama* (Meyrick, 1915) Ref. Meyrick, 1915  
*Labdia promacha* (Meyrick, 1897) Ref. Meyrick, 1897  
*Labdia semicoccinae* (Stainton, 1859) Ref. Stainton, 1859  
*Metagrypa tetrarrhycha* Meyrick, 1933 [特有] Ref. Meyrick, 1933  
*Palionebris bacteriota* Meyrick, 1935 [特有] Ref. Meyrick, 1935  
*Passalotis irianthes* Meyrick, 1932 [特有] Ref. Meyrick, 1932  
*Periscoptila leucosarca* Meyrick, 1936 [特有] Ref. Meyrick, 1936  
*Placoptila semioceros* (Meyrick, 1935) [特有] Ref. Meyrick, 1935  
*Pyroderces nephelopyrrha* (Meyrick, 1917) Ref. Meyrick, 1917  
*Pyroderces simplex* Walsingham, 1891 Ref. Walsingham, 1891  
*Rhadinastis serpula* Meyrick, 1932 [特有] Ref. Meyrick, 1932  
*Stagmatophora leptarga* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Stagmatophora urantha* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Syntomaula simulatella* (Walker, 1864) Ref. Walker, 1864

#### Family Cossidae 蠹蛾科

*Holcocerus vicarinus* (Walker, 1865) Ref. Ueda, 1992  
*Phragmataecia castaneae* (Huebner, 1790) Ref. Ueda, 1992  
*Phragmataecia cinnamomea* Wileman, 1911 [特有] Ref. Ueda, 1992  
*Phragmataecia fusca* Wileman, 1911 [特有] Ref. Ueda, 1992  
*Ratarda excellens* (Strand, 1917) 缺韁蠹蛾 Ref. Strand, 1917  
*Shisa excellens* Strand, 1917 Ref. Kishida, 1992  
*Squamura discipuncta* (Wileman, 1915) [特有] Ref. Ueda, 1992  
*Xyleutes strix* (Linnaeus, 1758) 梟斑蠹蛾 Ref. Ueda, 1992  
*Xyleutes unimaculosa* (Matsumura, 1931) [特有] Ref. Ueda, 1992  
*Zeuzera coffeae* Nietner, 1861 咖啡蠹蛾 Ref. Ueda, 1992  
*Zeuzera indica* Herrich-Schaeffer, 1854 Ref. Ueda, 1992  
*Zeuzera multistrigata* Moore, 1881 大斑點豹蠹蛾 Ref. Ueda, 1992

#### Family Crambidae 草螟科

*Achyra massalis* Walker, 1859 Ref. Walker, 1859  
*Achyra takowensis* Maes, 1987 [特有] Ref. Maes, 1987  
*Acropentias aurea* Butler, 1878 Ref. Butler, 1878  
*Aediodina quaternalis* Lederer, 1863 Ref. Lederer, 1863  
*Aethaloessa calidalis* Guenee, 1854 Ref. Guenee, 1854

*Agassziella hapilista* (Swinhoe, 1892) Ref. You, 2002  
*Agathodes ostentalis* Geyer, 1837 Ref. Geyer, 1837  
*Agrotera basinotata* Hampson, 1891 Ref. Hampson, 1891  
*Agrotera discinotata* Swinhoe, 1894 Ref. Swinhoe, 1894  
*Agrotera ornata* Wileman & South, 1917 [特有] Ref. Wileman & South, 1917  
*Agrotera scissalis* Walker, 1866 Ref. Walker, 1866  
*Analthes contortalis* Hampson, 1900 Ref. Hampson, 1900  
*Analthes insignis* Butler, 1881 Ref. Butler, 1881  
*Analthes semitritalis* Lederer, 1863 Ref. Lederer, 1863  
*Analthes taihokualis* Strand, 1918 [特有] Ref. Strand, 1918  
*Anania pata* (Strand, 1918) [特有] Ref. Wang & Speidel, 2000  
*Ancylolomia japonica* Zeller, 1877 Ref. Zeller, 1877  
*Angustalius malacelloides* Bleszynski, 1955 Ref. Bleszynski, 1955  
*Antalthes euryterminalis* Hampson, 1918 Ref. Hampson, 1918  
*Antigastra cataunalis* Duponchel, 1833 Ref. Duponchel, 1833  
*Ategumia adipalis* Lederer, 1863 Ref. Lederer, 1863  
*Autocharis amethystina* Swinhoe, 1894 Ref. Swinhoe, 1894  
*Bocchoris inspersalis* Zeller, 1852 Ref. Zeller, 1852  
*Botyodes asialis* Guenee, 1854 Ref. Guenee, 1854  
*Botyodes diniasalis* Walker, 1859 Ref. Walker, 1859  
*Botyodes principalis* Leech, 1889 Ref. Leech, 1889  
*Bradina atopalis* Yamanaka, 1984 [特有] Ref. Yamanaka, 1984  
*Bradina aulacodialis* Strand, 1919 [特有] Ref. Strand, 1919  
*Bradina diagonalis* Guenee, 1854 Ref. Guenee, 1854  
*Bradina erilitoides* Strand, 1919 [特有] Ref. Strand, 1919  
*Bradina geminalis* Caradja, 1927 Ref. Caradja, 1927  
*Bradina melanoperas* Hampson, 1896 Ref. Hampson, 1896  
*Calamotropha anticella* Walker, 1866 Ref. Walker, 1866  
*Calamotropha baibarella* Shibuya, 1928 [特有] Ref. Shibuya, 1928  
*Calamotropha caesella* Walker, 1863 Ref. Walker, 1863  
*Calamotropha formosella* Bleszynski, 1961 [特有] Ref. Bleszynski, 1961  
*Calamotropha franki* Caradja, 1931 Ref. Caradja, 1931  
*Calamotropha paludella* Hubner, [1824] Ref. Hubner, 1824  
*Calamotropha subterminella* Wileman & South, 1917 [特有] Ref. Wileman & South, 1917  
*Callibotys carapina* Strand, 1918 [特有] Ref. Strand, 1918  
*Camptomastix hisbonalis* Walker, 1859 Ref. Walker, 1859  
*Cangetta rectilinea* Moore, 1886 Ref. Moore, 1886  
*Cataclysta angulata* Moore, 1885 Ref. Moore, 1885  
*Ceratarcha umbrosa* Swinhoe, 1894 Ref. Swinhoe, 1894  
*Chabula acamasalis* Walker, 1859 Ref. Walker, 1859  
*Chabula onychinalis* Guenee, 1854 Ref. Guenee, 1854  
*Chabula telphusalis* Walker, 1859 Ref. Walker, 1859  
*Chabula trivitalis* Swinhoe, 1895 Ref. Swinhoe, 1895  
*Charltoniada apicenotata* Hampson, 1919 [特有] Ref. Hampson, 1919  
*Charltoniada difficilis* Strand, 1919 [特有] Ref. Strand, 1919  
*Chilo auricilius* Dudgeon, 1905 Ref. Dudgeon, 1905  
*Chilo infuscatellus* Snellen, 1890 Ref. Snellen, 1890  
*Chilo pulveratus* Wileman & South, 1927 Ref. Wileman & South, 1927  
*Chilo sacchariphagus* Bojer, 1856 Ref. Bojer, 1856  
*Chilo suppressalis* Walker, 1863 Ref. Walker, 1863  
*Chrysoteuchia sonobei* Marumo, 1936 [特有] Ref. Marumo, 1936  
*Circobotys aurealis* Leech, 1889 Ref. Leech, 1889  
*Circobotys elegans* Munroe & Mutuura, 1969 [特有] Ref. Munroe & Mutuura, 1969  
*Circobotys elongata* Munroe & Mutuura, 1969 [特有] Ref. 同前  
*Circobotys pallida* Moore, 1888 Ref. Moore, 1888  
*Cirrhochrista brizoalis* Walker, 1859 圓斑黃緣野螟 Ref. Walker, 1859  
*Clupeosoma cinereum* Warren, 1892 Ref. Warren, 1892  
*Clupeosoma suffusum* Walker, [1866] Ref. Walker, 1866  
*Cnaphalocrocis medinalis* Guenee, 1854 瘤野螟 Ref. Guenee, 1854  
*Cnaphalocrocis pauperalis* (Strand, 1918) [特有] Ref. Wang & Speidel, 2000  
*Coclebotys coclesalis* Walker, 1859 竹織葉野螟 Ref. Walker, 1859  
*Condega obscurata* Moore, 1886 Ref. Moore, 1886  
*Condega syleptalis* (Strand, 1918) [特有] Ref. Wang & Speidel, 2000  
*Conogethes parvipunctalis* Inoue & Yamanaka, 2006 Ref. Inoue & Yamanaka, 2006  
*Conogethes pinicolalis* Inoue & Yamanaka, 2006 Ref. 同前  
*Conogethes punctiferalis* Guenee, 1854 Ref. Guenee, 1854  
*Cotachena pubescens* Warren, 1892 Ref. Warren, 1892  
*Cotachena taiwanalis* Yamanaka, 2001 [特有] Ref. Yamanaka, 2001  
*Crambostenia angustifimbrialis* Swinhoe, 1890 Ref. Swinhoe, 1890  
*Crambus kumatakellus* Shibuya, 1928 [特有] Ref. Shibuya, 1928  
*Crambus narcissus* Bleszynski, 1961 Ref. Bleszynski, 1961  
*Crambus nitakaensis* Marumo, 1936 [特有] Ref. Marumo, 1936

*Crambus tomanaellus* Marumo, 1936 [特有] Ref. Marumo, 1936  
*Crocidolomia binotalis* Zeller, 1852 Ref. Zeller, 1852  
*Crocidolomia suffusalis* Hampson, 1891 Ref. Hampson, 1891  
*Culladia admigratella* Walker, 1863 Ref. Walker, 1863  
*Culladia hastiferalis* Walker, [1866] Ref. Walker, 1866  
*Cymoriza interruptalis* Wileman & South, 1917 [特有] Ref. Wileman & South, 1917  
*Cymoriza irrectalis* Guenee, 1854 Ref. Guenee, 1854  
*Cymoriza taiwanalis* Shibuya, 1928 [特有] Ref. Shibuya, 1928  
*Daisemia calcaralis* Strand, 1918 [特有] Ref. Strand, 1918  
*Daisemia lepidoneuralis* Strand, 1918 [特有] Ref. Strand, 1918  
*Daisemia reticularis* Linneaus, 1761 Ref. Linneaus, 1761  
*Daulia afralis* Walker, 1859 Ref. Walker, 1859  
*Diaphania indica* Saunders, 1851 Ref. Saunders, 1851  
*Diasemia acalis* Walker, 1859 Ref. Walker, 1859  
*Diasemia taiwanalis* Shibuya, 1928 Ref. Shibuya, 1928  
*Diasemiopsis ramburialis* Duponchel, [1834] Ref. Duponchel, 1834  
*Diathrausta brevifascialis* Wileman, 1911 Ref. Wileman, 1911  
*Diathrausta profundalis* Lederer, 1863 Ref. Lederer, 1863  
*Diplopseustis perieresalis* Walker, 1859 Ref. Walker, 1859  
*Discothyris ferruginata* Moore, 1888 Ref. Moore, 1888  
*Drosophantis corusca* Meyrick, 1935 [特有] Ref. Meyrick, 1935  
*Dysallacta negatalis* Walker, 1859 Ref. Walker, 1859  
*Elophila difflualis* (Snellen, 1880) Ref. You, 2002  
*Elophila nigrabalis* Caradja, 1925 Ref. Caradja, 1925  
*Elophila turbata* Butler, 1881 Ref. Butler, 1881  
*Endocrossis caldusalis* (Walker, 1859) Ref. Wang & Speidel, 2000  
*Eoophyla conjunctalis* Wileman & South, 1917 [特有] Ref. Wileman & South, 1917  
*Eoophyla gibbosalis* Guenee, 1854 螟蛾科 Ref. Guenee, 1854  
*Eoophyla gibosalis* (Guenée, 1854) Ref. Yoshiyasu, 1992  
*Eristena bifurcalis* Pryer, 1877 Ref. Pryer, 1877  
*Eschata miranda* Belszynski, 1965 [特有] Ref. Belszynski, 1965  
*Euchromius lushanus* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Euclasta dafamatalis* Walker, 1859 Ref. Walker, 1859  
*Eudonia gigantea* Sasaki, 1998 [特有] Ref. Sasaki, 1998  
*Eudonia inouei* Sasaki, 1998 [特有] Ref. Sasaki, 1998  
*Eudonia owadai* Sasaki, 1998 [特有] Ref. Sasaki, 1998  
*Eudonia promiscua* Wileman & South, 1919 [特有] Ref. Wileman & South, 1919  
*Eudonia taiwanalpina* Sasaki, 1998 [特有] Ref. Sasaki, 1998  
*Eudonia umbrosa* Sasaki, 1998 [特有] Ref. Sasaki, 1998  
*Eugauria albidentata* Hampson, 1897 Ref. Hampson, 1897  
*Eurrhyarodes accessalis* Walker, 1859 Ref. Walker, 1859  
*Eurrhyarodes tricoloralis* Zeller, 1852 Ref. Zeller, 1852  
*Eusabena miltochristalis* Hampson, 1896 Ref. Hampson, 1896  
*Eusabena setinalis* Hampson, 1918 [特有] Ref. Hampson, 1918  
*Eutectona machoeralis* Walker, 1859 Ref. Walker, 1859  
*Eutectona rubicundalis* Warren, 1896 Ref. Warren, 1896  
*Gargela xanthocasis* Meyrick, 1897 Ref. Meyrick, 1897  
*Glaucocharis tripunctata* Moore, 1888 Ref. Moore, 1888  
*Glyphodes actorionalis* Walker, 1859 Ref. Walker, 1859  
*Glyphodes bivitralis* Guenee, 1854 Ref. Guenee, 1854  
*Glyphodes canthusalis* Walker, 1859 Ref. Walker, 1859  
*Glyphodes chalybifascia* Hampson, 1896 Ref. Hampson, 1896  
*Glyphodes chilka* Moore, 1888 Ref. Moore, 1888  
*Glyphodes crithealis* Walker, 1859 Ref. Walker, 1859  
*Glyphodes duplialis* Inoue, Munroe & Mutuura, 1981 Ref. Inoue, Munroe & Mutuura, 1981  
*Glyphodes eurytusalis* Walker, 1859 Ref. Walker, 1859  
*Glyphodes formosanus* Shibuya, 1928 [特有] Ref. Shibuya, 1928  
*Glyphodes itysalis* Walker, 1859 Ref. Walker, 1859  
*Glyphodes perspectalis* Walker, 1859 Ref. Walker, 1859  
*Glyphodes pyloalis* Walker, 1859 Ref. Walker, 1859  
*Glyphodes stolalis* Guenee, 1854 Ref. Guenee, 1854  
*Goniorhynchus butyrosus* Butler, 1879 Ref. Butler, 1879  
*Gynenomis sericealis* Wileman & South, 1917 [特有] Ref. Wileman & South, 1917  
*Haritalodes delicatalis* Strand, 1918 [特有] Ref. Strand, 1918  
*Haritalodes derogatus* Fabricius, 1775 棉捲葉蛾 Ref. Fabricius, 1775  
*Haritalodes lunalis* Guenee, 1854 Ref. Guenee, 1854  
*Haritalodes mundalis* South, 1901 Ref. South, 1901  
*Haritalodes taiwanalis* Shibuya, 1928 [特有] Ref. Shibuya, 1928  
*Hellula undalis* Fabricius, 1794 Ref. Fabricius, 1794  
*Hendecasis duplifasciaslis* Hampson, 1891 Ref. Hampson, 1891  
*Hendecasis hampsona* South, 1901 Ref. South, 1901  
*Hendecasis pulchella* Hampson, 1916 [特有] Ref. Hampson, 1916

*Herpetogramma basale* Walker, [1866] Ref. Walker, 1866  
*Herpetogramma cynarale* Walker, 1859 Ref. Walker, 1859  
*Herpetogramma dilatipes* Walker, [1866] Ref. Walker, 1866  
*Herpetogramma elongale* Warren, 1892 Ref. Warren, 1892  
*Herpetogramma fuscescens* Warren, 1892 Ref. Warren, 1892  
*Herpetogramma hipponale* Walker, 1859 Ref. Walker, 1859  
*Herpetogramma hoozana* Strand, 1918 [特有] Ref. Strand, 1918  
*Herpetogramma licarsisale* Walker, 1859 Ref. Walker, 1859  
*Herpetogramma luctuosale* Bremer, 1864 Ref. Bremer, 1864  
*Herpetogramma lulalis* Strand, 1918 [特有] Ref. Strand, 1918  
*Herpetogramma magnum* Butler, 1879 Ref. Butler, 1879  
*Herpetogramma mimeticale* Hering, 1901 Ref. Hering, 1901  
*Herpetogramma ochrimaculale* South, 1901 Ref. South, 1901  
*Herpetogramma rude* Warren, 1892 Ref. Warren, 1892  
*Herpetogramma subalbescens* Swinhoe, 1894 Ref. Swinhoe, 1894  
*Hyalobathra brevialis* Walker, 1859 Ref. Walker, 1859  
*Hyalobathra coenostolalis* Snellen, 1890 Ref. Snellen, 1890  
*Hyalobathra illectalis* Walker, 1859 Ref. Walker, 1859  
*Hyalobathra undulinea* Hampson, 1891 Ref. Hampson, 1891  
*Hydriris chalybitis* Meyrick, 1885 Ref. Meyrick, 1885  
*Hydriris ornatalis* Duponchel, 1832 Ref. Duponchel, 1832  
*Hymenia perspectalis* Hubner, 1796 Ref. Hubner, 1796  
*Hyperanalyta apicalis* Hampson, 1896 [特有] Ref. Hampson, 1896  
*Isocentris filalis* Guenee, 1854 Ref. Guenee, 1854  
*Lamprophaia albifimbrialis* Walker, [1866] Ref. Walker, 1866  
*Leechia sinuosalis* South, 1901 Ref. South, 1901  
*Lepidoneura longipalpis* Swinhoe, 1894 Ref. Swinhoe, 1894  
*Lepyrodes geometralis* Guenee, 1854 Ref. Guenee, 1854  
*Leucinodella leucostola* Hampson, 1896 Ref. Hampson, 1896  
*Leucinodes orbonalis* Guenee, 1854 Ref. Guenee, 1854  
*Loxostege formosibia* Strand, 1918 [特有] Ref. Strand, 1918  
*Mabra charonialis* Walker, 1859 Ref. Walker, 1859  
*Mabra eryxalis* Walker, 1859 Ref. Walker, 1859  
*Mabra nigriscripta* Swinhoe, 1859 Ref. Swinhoe, 1859  
*Marasmia euryterminalis* Hampson, 1917 [特有] Ref. Hampson, 1917  
*Marasmia latimarginalis* Hampson, 1891 Ref. Hampson, 1891  
*Marasmia limbalis* Wileman, 1911 Ref. Wileman, 1911  
*Marasmia pilosa* Warren, 1896 Ref. Warren, 1896  
*Marasmia poeyalis* Boisduval, 1833 Ref. Boisduval, 1833  
*Marasmia suspicalis* Walker, 1859 Ref. Walker, 1859  
*Maruca amboinalis* Felder & Rogenhofer, 1874 Ref. Felder & Rogenhofer, 1874  
*Maruca vitrata* Fabricius, 1787 Ref. Fabricius, 1787  
*Massepha absolutalis* Walker, 1859 Ref. Walker, 1859  
*Mecyna tapa* (Strand, 1918) [特有] Ref. Wang & Speidel, 2000  
*Mesolia bipunctella* Wileman & South, 1918 [特有] Ref. Wileman & South, 1918  
*Metasia coniotalis* Hampson, 1903 Ref. Hampson, 1903  
*Metasia masculina* (Strand, 1918) [特有] Ref. Wang & Speidel, 2000  
*Metoeca foedalis* Guenee, 1854 Ref. Guenee, 1854  
*Metoeca nymphulalis* (Strand, 1918) [特有] Ref. Wang & Speidel, 2000  
*Micraglossa manoi* Sasaki, 1998 [特有] Ref. Sasaki, 1998  
*Microchilo kawabei* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Microchilo nigellus* Sasaki, 1993 [特有] Ref. Sasaki, 1993  
*Musotima colonialis* Bremer, 1864 Ref. Bremer, 1864  
*Nacoleia biformis* Butler, 1889 Ref. Butler, 1889  
*Nacoleia charesalis* Walker, 1859 Ref. Walker, 1859  
*Nacoleia chrysorycta* Meyrick, 1884 Ref. Meyrick, 1884  
*Nacoleia commixta* Butler, 1879 Ref. Butler, 1879  
*Nacoleia amplificata* Warren, 1896 Ref. Warren, 1896  
*Nevrina procopia* Stoll, 1781 Ref. Stoll, 1781  
*Nomis baibarensis* Shibuya, 1928 [特有] Ref. Shibuya, 1928  
*Nomophila noctuella* Denis & Schiffermuller, 1775 Ref. Denis & Schiffermuller, 1775  
*Noorda ignealis* Hampson, 1899 Ref. Hampson, 1899  
*Notarcha euryclealis* Walker, 1859 Ref. Walker, 1859  
*Notarcha quaternalis* Zeller, 1852 Ref. Zeller, 1852  
*Notesia tranquillalis* Lederer, 1863 Ref. Lederer, 1863  
*Nymphicula blandialis* (Walker, 1859) Ref. You, 2002  
*Nymphicula hampsoni* (South, 1901) Ref. You, 2002  
*Nymphicula junctalis* Hampson, 1891 Ref. Hampson, 1891  
*Nymphicula mesorphna* Meyrick, 1894 Ref. Meyrick, 1894  
*Nymphicula pantalis* (Felder & Rogenhofer, 1874) Ref. You, 2002  
*Omidoes noctescens* Moore, 1888 Ref. Moore, 1888  
*Omiodes analis* Snellen, 1880 Ref. Snellen, 1880

*Omiodes bianoralis* Walker, 1859 Ref. Walker, 1859  
*Omiodes diemenalis* Guenee, 1854 Ref. Guenee, 1854  
*Omiodes indicatus* Fabricius, 1775 Ref. Fabricius, 1775  
*Omiodes karenkonalis* Shibuya, 1928 Ref. Shibuya, 1928  
*Omiodes perstygialis* Hampson, 1912 Ref. Hampson, 1912  
*Omiodes pyraustalis* (Strand, 1918) [特有] Ref. Wang & Speidel, 2000  
*Omiodes sauteriale* (Strand, 1918) [特有] Ref. 同前  
*Omiodes similis* Moore, 1885 Ref. Moore, 1885  
*Omiodes tristrialis* Bremer, 1864 Ref. Bremer, 1864  
*Omphisa anastomsalis* Guenee, 1854 Ref. Guenee, 1854  
*Orphanostigma abruptalis* Walker, 1859 Ref. Walker, 1859  
*Orthospila defnita* Butler, 1889 Ref. Wang & Speidel, 2000  
*Orthospila tigrina* Moore, [1885] Ref. Moore, 1885  
*Ostrinia scapularis* Walker, 1859 Ref. Walker, 1859  
*Ostrinia zealis* Guenee, 1854 Ref. Guenee, 1854  
*Ostrinina furnacalis* Guenee, 1854 Ref. Guenee, 1854  
*Pachybotys spissalis* Guenee, 1854 Ref. Guenee, 1854  
*Pachynoa sabelialis* Guenee, 1854 Ref. Guenee, 1854  
*Pachynoa thoosalis* Walker, 1859 Ref. Walker, 1859  
*Pagada arbiter* Butler, 1879 Ref. Butler, 1879  
*Pagyda auroralis* Moore, 1888 Ref. Moore, 1888  
*Pagyda botydalis* Snellen, 1882 Ref. Snellen, 1882  
*Pagyda lustralis* Snellen, 1890 Ref. Snellen, 1890  
*Pagyda nebulosa* Wileman & South, 1917 [特有] Ref. Wileman & South, 1917  
*Pagyda quadrilineata* Butler, 1881 Ref. Butler, 1881  
*Paliga anpingialis* (Strand, 1918) [特有] Ref. Wang & Speidel, 2000  
*Paliga auratalis* Warren, 1895 Ref. Warren, 1895  
*Paliga celatalis* Walker, 1859 Ref. Walker, 1859  
*Paliga deductalis* Walker, 1859 Ref. Walker, 1859  
*Paliga endotrichiialis* Hampson, 1918 [特有] Ref. Hampson, 1918  
*Paliga schenklingi* Strand, 1918 [特有] Ref. Strand, 1918  
*Palpita annulata* Fabricius, 1794 Ref. Fabricius, 1794  
*Palpita annulifer* Inoue, 1996 Ref. Inoue, 1996  
*Palpita asiaticalis* Inoue, 1994 Ref. Inoue, 1994  
*Palpita candidata* Inoue, 1996 [特有] Ref. Inoue, 1996  
*Palpita homalia* Inoue, 1996 Ref. Inoue, 1996  
*Palpita hypohomalia* Inoue, 1996 [特有] Ref. Inoue, 1996  
*Palpita nigropunctalis* Inoue, 1994 Ref. Inoue, 1994  
*Palpita ochrocosta* Inoue, 1996 Ref. Inoue, 1996  
*Palpita pajnii* Kirti & Rose, 1992 Ref. Kirti & Rose, 1992  
*Palpita sejunctalis* Inoue, 1997 Ref. Inoue, 1997  
*Palpita warrenalis* Swinhoe, 1894 白臘擬絹野螟蛾 Ref. Swinhoe, 1894  
*Paracymoriza cataclystalis* (Strand, 1919) Ref. You, 2002  
*Paracymoriza distictalis* (Leech, 1899) Ref. You, 2002  
*Paracymoriza laminalis* Hampson, 1901 Ref. Hampson, 1901  
*Paracymoriza prodigalis* (Leech, 1899) Ref. Yoshiyasu, 1992  
*Paracymoriza taiwanalis* Wileman & South, 1917 [特有] Ref. Wileman & South, 1917  
*Paracymoriza vagalis* Walker, [1866] Ref. Walker, 1866  
*Paracymoriza vgalis* (Walker, 1859) Ref. Yoshiyasu, 1992  
*Paranacoleia lophophoralis* Hampson, 1896 Ref. Hampson, 1896  
*Paraponyx crisonalis* Walker, 1859 Ref. Walker, 1859  
*Paraponyx diminutalis* Snellen, 1880 Ref. Snellen, 1880  
*Paraponyx fluctuosalis* Zeller, 1852 Ref. Zeller, 1852  
*Paraponyx stagnalis* Zeller, 1852 Ref. Zeller, 1852  
*Paraponyx villidalis* Walker, 1859 Ref. Walker, 1859  
*Paraponyx vittalis* (Bremer, 1864) Ref. You, 2002  
*Paratalanta taiwanensis* Yamanaka, 1972 [特有] Ref. Yamanaka, 1972  
*Parbattia arisana* Munroe & Mutuura, 1971 [特有] Ref. Munroe & Mutuura, 1971  
*Parotis athysanota* Hampson, 1912 Ref. Hampson, 1912  
*Parotis margarita* Hampson, 1893 Ref. Hampson, 1893  
*Parotis suralis* Lederer, 1863 Ref. Lederer, 1863  
*Parthenodes prodigalis* Leech, 1889 Ref. Leech, 1889  
*Patissa fulvosparsa* Butler, 1881 Ref. Butler, 1881  
*Patissa nigropunctata* Wileman & South, 1918 [特有] Ref. Wileman & South, 1918  
*Patissa virginea* Zeller, 1852 Ref. Zeller, 1852  
*Pelena bimaculalis* Shibuya, 1928 [特有] Ref. Shibuya, 1928  
*Pelena obscuralis* Swinhoe, 1895 Ref. Swinhoe, 1895  
*Pelena sericea* Butler, 1879 Ref. Butler, 1879  
*Perinephela lancealis* Munroe & Mutuura, 1968 [特有] Ref. Munroe & Mutuura, 1968  
*Phalangiodes perspectatus* Fabricius, 1775 Ref. Fabricius, 1775  
*Physematia defloralis* Strand, 1919 [特有] Ref. Strand, 1919  
*Pileocera aegimiusalis* Walker, 1859 Ref. Walker, 1859

*Pileocera elongalis* Warren, 1896 Ref. Warren, 1896  
*Placosaris taiwanalis* Shibuya, 1928 [特有] Ref. Shibuya, 1928  
*Pleuroptya austa* Strand, 1918 [特有] Ref. Strand, 1918  
*Pleuroptya balteata* Fabricius, 1798 Ref. Fabricius, 1798  
*Pleuroptya chlorophanta* Butler, 1878 Ref. Butler, 1878  
*Pleuroptya costalis* Moore, 1888 Ref. Moore, 1888  
*Pleuroptya deficiens* Moore, 1887 Ref. Moore, 1887  
*Pleuroptya haryoalis* Strand, 1918 [特有] Ref. Strand, 1918  
*Pleuroptya inferior* Hampson, 1898 Ref. Hampson, 1898  
*Pleuroptya iopasalis* Walker, 1859 Ref. Walker, 1859  
*Pleuroptya pernitescens* Swinhoe, 1894 Ref. Swinhoe, 1894  
*Pleuroptya punctimarginalis* Hampson, 1896 Ref. Hampson, 1896  
*Pleuroptya quadrimaculalis* Kollar, 1844 Ref. Kollar, 1844  
*Pleuroptya rubellalis* Snellen, 1890 Ref. Snellen, 1890  
*Pleuroptya ruralis* Scopoli, 1763 Ref. Scopoli, 1763  
*Pleuroptya sabinusalis* Walker, 1859 Ref. Walker, 1859  
*Pleuroptya scinisalis* Walker, 1859 Ref. Walker, 1859  
*Pleuroptya sellalis* Guenee, 1854 Ref. Guenee, 1854  
*Pleuroptya ultimalis* Walker, 1859 Ref. Walker, 1859  
*Polythlipta divaricata* Moore, [1886] Ref. Moore, 1886  
*Polythlipta maceratalis* Lederer, 1863 Ref. Wang & Speidel, 2000  
*Pramadea crotonalis* Walker, 1859 Ref. Walker, 1859  
*Preneopogon catenalis* Wileman, 1911 Ref. Wileman, 1911  
*Prionapteron tenebrellum* Hampson, 1895 Ref. Hampson, 1895  
*Pronomis austa* (Strand, 1918) [特有] Ref. Wang & Speidel, 2000  
*Pronomis flavicolor* Munroe & Mutuura, 1968 [特有] Ref. Munroe & Mutuura, 1968  
*Prophantis adusta* Inoue, 1986 Ref. Inoue, 1986  
*Prorodes mimicus* Swinhoe, 1894 Ref. Swinhoe, 1894  
*Protonoceras capitale* Fabricius, 1794 Ref. Fabricius, 1794  
*Pseudargyria interruptella* Walker, 1866 Ref. Walker, 1866  
*Pseudocatharylla duplicella* Hampson, 1895 Ref. Hampson, 1895  
*Pseudocatharylla infixella* Walker, 1863 Ref. Walker, 1863  
*Pseudocatharylla simplex* Zeller, 1877 Ref. Zeller, 1877  
*Pycnarmon aeriferalis* Moore, 1877 Ref. Moore, 1877  
*Pycnarmon cribrata* Fabricius, 1794 Ref. Fabricius, 1794  
*Pycnarmon lactiferalis* Walker, 1859 Ref. Walker, 1859  
*Pycnarmon marginalis* Snellen, 1890 Ref. Snellen, 1890  
*Pycnarmon meritalis* Walker, 1859 Ref. Walker, 1859  
*Pycnarmon pantherata* Butler, 1878 Ref. Butler, 1878  
*Pygospila tyres* Cramer, [1780] Ref. Cramer, 1780  
*Pyrausta flavofimbriata* Moore, 1888 Ref. Moore, 1888  
*Pyrausta incoloralis* Guenee, 1854 Ref. Guenee, 1854  
*Pyrausta mystica* Heppner, 2005 [特有] Ref. Heppner, 2005  
*Pyrausta obliquata* Moore, 1888 Ref. Moore, 1888  
*Pyrausta panopealis* Walker, 1859 Ref. Walker, 1859  
*Rehimena phrynealis* Walker, 1859 Ref. Walker, 1859  
*Rehimena surusalis* Walker, 1859 Ref. Walker, 1859  
*Rhectothyris gratiosalis* Walker, 1859 Ref. Walker, 1859  
*Roxita bipunctella* Wileman & South, 1917 [特有] Ref. Wileman & South, 1917  
*Sameodes aptalis* Walker, [1866] Ref. Walker, 1866  
*Sameodes cancellalis* Zeller, 1852 Ref. Zeller, 1852  
*Scirpophaga excerptalis* Walker, 1863 Ref. Walker, 1863  
*Scirpophaga incertula* Walker, 1863 Ref. Walker, 1863  
*Scirpophaga nivella* Fabricius, 1794 Ref. Fabricius, 1794  
*Scirpophaga praelata* Scopoli, 1763 Ref. Scopoli, 1763  
*Scirpophaga virginia* Schultze, 1908 Ref. Schultze, 1908  
*Scirpophaga xanthogastrella* Walker, 1863 Ref. Walker, 1863  
*Scirpophaga xanthopygata* Schawerda, 1922 Ref. Schawerda, 1922  
*Scoparia subgracilis* Sasaki, 1998 [特有] Ref. Sasaki, 1998  
*Scoparia taiwanensis* Sasaki, 1998 [特有] Ref. Sasaki, 1998  
*Scirpophaga fusciflua* Hampson, 1893 Ref. Hampson, 1893  
*Sinibotys evenoralis* Walker, 1859 Ref. Walker, 1859  
*Sinibotys habisalis* Walker, 1859 Ref. Walker, 1859  
*Sinibotys nectariphila* Strand, 1918 [特有] Ref. Strand, 1918  
*Sisyrophora pfeifferae* Lederer, 1863 Ref. Lederer, 1863  
*Spoladea recurvalis* Fabricius, 1775 螟蛾 Ref. Fabricius, 1775  
*Stenia minoralis* Snellen, 1880 Ref. Snellen, 1880  
*Strepsinoma hapilistalis* Strand, 1919 Ref. Strand, 1919  
*Surattha albistigma* Wileman & South, 1918 [特有] Ref. Wileman & South, 1918  
*Syngamia falsidicalis* Walker, 1859 Ref. Walker, 1859  
*Syngamia latimarginalis* Walker, 1859 Ref. Walker, 1859  
*Syngamia vibiusalis* Walker, 1859 Ref. Walker, 1859

*Talanga nympa* Butler, 1880 [特有] Ref. Butler, 1880  
*Tatobotys depalpalis* Strand, 1919 Ref. Strand, 1919  
*Tatobotys janapalis* Walker, 1859 Ref. Walker, 1859  
*Tenerobotys subfumalis* Munroe & Mutuura, 1971 [特有] Ref. Munroe & Mutuura, 1971  
*Terastia meticulosalis* Guenee, 1854 Ref. Guenee, 1854  
*Tetridia caletoralis* Walker, 1859 Ref. Walker, 1859  
*Thliptoceras artatale* Caradja, 1925 Ref. Caradja, 1925  
*Thliptoceras cascale* Swinhoe, 1890 Ref. Swinhoe, 1890  
*Thliptoceras formosanum* Munroe & Mutuura, 1968 [特有] Ref. Munroe & Mutuura, 1968  
*Thliptoceras gladiale* Leech, 1889 Ref. Leech, 1889  
*Thysanoidma octalis* Hampson, 1891 Ref. Hampson, 1891  
*Toxobotys nea* (Strand, 1918) [特有] Ref. Wang & Speidel, 2000  
*Trichophysetis rufoterminalis* Christoph, 1881 Ref. Christoph, 1881  
*Tylostega photias* Meyrick, 1894 Ref. Meyrick, 1894  
*Tylostega tylostegalis* Hampson, 1900 Ref. Hampson, 1900  
*Tyspanodes hypsalis* Warren, 1891 Ref. Warren, 1891  
*Tyspanodes striatus* Butler, 1879 Ref. Butler, 1879  
*Udea conubialis* Yamanaka, 1972 [特有] Ref. Yamanaka, 1972  
*Udea lolotalis* Caradja, 1927 Ref. Caradja, 1927  
*Udea polioistolalis* Hampson, 1918 [特有] Ref. Hampson, 1918  
*Udea stigmatalis* Heppner, 2005 [特有] Ref. Heppner, 2005  
*Udea testacea* Butler, 1879 Ref. Butler, 1879  
*Udonomeiga vicinalis* South, 1901 Ref. South, 1901  
*Uresiphita dissipatalis* Lederer, 1863 Ref. Lederer, 1863  
*Uresiphita gracilis* Bulter, 1879 Ref. Bulter, 1879  
*Uresiphita quinquigera* Moore, 1888 Ref. Moore, 1888  
*Uresiphita tricolor* Butler, 1879 Ref. Butler, 1879  
*Uthinia albisingnalis* Hampson, 1896 Ref. Hampson, 1896

#### Family Drepanidae 鉤蛾科

*Agnidra scabiosa* (Bryk, 1949) Ref. Inoue, 1992  
*Albara reversaria* Warren, 1897 Ref. Inoue, 1992  
*Amphitorna purpureofascia* (Wileman, 1911) [特有] Ref. Inoue, 1992  
*Auaztellodes arianus* (Wileman, 1911) [特有] Ref. Inoue, 1992  
*Auzata minuta* Inoue, 1988 [特有] Ref. Inoue, 1992  
*Auzata simplicata* Warren, 1897 Ref. Inoue, 1992  
*Callicilix abraxata* (Oberthür, 1893) Ref. Inoue, 1992  
*Callidrepana patrana* (Moore, [1866]) Ref. Inoue, 1992  
*Canucha miranda* Matsumura, 1931 [特有] Ref. Inoue, 1992  
*Cyclidia substigmata* (Hübner, 1831) Ref. Hubner, 1831  
*Demopsestis formosana* Yoshimoto, 1983 [特有] Ref. Yoshimoto, 1992  
*Deroca hidda* Inoue, 1988 [特有] Ref. Inoue, 1992  
*Dipriodonta minima* Inoue, 1988 [特有] Ref. Inoue, 1992  
*Ditrigona conflexaria* (Strand, [1917]) Ref. Inoue, 1992  
*Ditrigona triangularia* (Moore, 1868) Ref. Inoue, 1992  
*Drapetodes mitaria* Guenée, 1857 細紋黃鉤蛾 Ref. 王效岳。1995  
*Drepana pallida* Okano, 1959 [特有] Ref. Inoue, 1992  
*Epipsestis bilineata* Yoshimoto, 1984 [特有] Ref. Laszlo & Ronkay, 1999  
*Epipsestis cortigera* Yoshimoto, 1995 [特有] Ref. Yoshimoto, 1995  
*Epipsestis dubia* Laszlo & Ronkay, 1999 [特有] Ref. Laszlo & Ronkay, 1999  
*Epipsestis manmaioyangi* Laszlo & Ronkay, 1999 [特有] Ref. 同前  
*Epipsestis meilingchani* Laszlo & Ronkay, 1999 [特有] Ref. 同前  
*Epipsestis nikkoensis* (Matsumura, 1921) Ref. 同前  
*Habrosyne albipuncta* (Wileman, 1910) Ref. Yoshimoto, 1992  
*Habrosyne fraterna* Werny, 1966 Ref. 同前  
*Habrosyne indica* Werny, 1966 [特有] Ref. 同前  
*Habrosyne petrographa* Werny, 1966 Ref. 同前  
*Horipsestis aenea* (Wileman, 1911) [特有] Ref. 同前  
*Horipsestis mushana* (Matsumura, 1931) [特有] Ref. 同前  
*Horithyatira takamukui* (Matsumura, 1921) [特有] Ref. 同前  
*Hypsomadius insignis* Butler, 1877 Ref. Inoue, 1992  
*Leucobrepis fenestraria* (Moore, 1868) Ref. Inoue, 1992  
*Leucobrepis taiwanensis* Buchsbaum & Miller, 2003 [特有] Ref. Buchsbaum & Miller, 2003  
*Macrauzata fenestraria* Inoue, 1988 [特有] Ref. Inoue, 1992  
*Macrauzata minor* (Okano, 1959) 台灣窗翅鉤蛾 [特有] Ref. Inoue, 1992  
*Macrocilix maia* (Leech, 1888) Ref. Inoue, 1992  
*Macrocilix mysticata* Inoue, 1988 啞鈴帶鉤蛾 [特有] Ref. Inoue, 1992  
*Macrocilix taiwana* Wileman, 1911 [特有] Ref. Inoue, 1992  
*Macrothyatira conspicua* (Leech, 1900) Ref. Yoshimoto, 1992  
*Macrothyatira flavida* (Butler, 1885) Ref. 同前  
*Macrothyatira flavimargo* (Wileman, 1910) [特有] Ref. 同前  
*Microblepsis manleyi* Inoue, 1988 [特有] Ref. Inoue, 1992

*Microblepsis rugosa* (Watson, 1968) Ref. Inoue, 1992  
*Microblepsis violacea* (Bulter, 1889) 灰褐鉤蛾 Ref. Inoue, 1992  
*Neotogaria saitoni* Matsumura, 1931 [特有] Ref. Yoshimoto, 1992  
*Nordstromia semililacina* Inoue, 1992 [特有] Ref. Inoue, 1992  
*Nothoploca endoi* Yoshimoto, 1983 [特有] Ref. Yoshimoto, 1992  
*Oreta brunnea* Wileman, 1911 [特有] Ref. Inoue, 1992  
*Oreta extensa* Walker, 1855 Ref. Inoue, 1992  
*Oreta fuscopurpurea* Inoue, 1956 [特有] Ref. Inoue, 1992  
*Oreta griseotincta* Hampson, [1893] Ref. Inoue, 1992  
*Oreta loochooana* Swinhoe, 1902 Ref. Inoue, 1992  
*Parpsestis argenteopicta* (Wileman, 1911) [特有] Ref. Yoshimoto, 1992  
*Parpsestis tomponis* (Matsumura, 1933) [特有] Ref. 同前  
*Phalacra kagiensis* Wileman, 1916 [特有] Ref. Inoue, 1992  
*Phalacra strigata* Inoue, 1988 [特有] Ref. Inoue, 1992  
*Psidopala kishidai* Yoshimoto, 1987 [特有] Ref. Yoshimoto, 1992  
*Psidopala pennata* (Wileman, 1914) [特有] Ref. 同前  
*Psidopala shirakii* (Matsumura, 1931) [特有] Ref. 同前  
*Strepsigonia diluta* (Matsumura, 1927) Ref. Inoue, 1992  
*Takapsestis wilemaniella* Matsumura, 1933 [特有] Ref. Yoshimoto, 1992  
*Tethea ampliata* Okano, 1959 [特有] Ref. 同前  
*Tethea consimilis* (Matsumura, 1931) [特有] Ref. 同前  
*Tethea oberthueri* (Matsumura, 1931) [特有] Ref. 同前  
*Tethea octogesima* (Matsumura, 1931) [特有] Ref. 同前  
*Thyatira batis* Matsumura, 1933 [特有] Ref. 同前  
*Tridrepana arikana* (Matsumura, 1921) Ref. Inoue, 1992  
*Tridrepana flava* (Moore, 1879) Ref. Inoue, 1992  
*Tridrepana unispina* Watson, 1957 Ref. Inoue, 1992  
*Wernya fufifasciata* Yoshimoto, 1987 [特有] Ref. Yoshimoto, 1992  
*Zusidava serratilinea* (Wileman, 1917) [特有] Ref. Inoue, 1992

#### Family Elachistidae 草潛蛾科

*Aeolanthes brochias* Meyrick, 1938 寬翅棟蛾 Ref. Meyrick, 1938  
*Aeolanthes erythranthis* Meyrick, 1935 紅端棟蛾 Ref. Meyrick, 1935  
*Agonopterix costaemaculella* (Christoph, 1882) 肩斑圓翅蛾 Ref. Christoph, 1882  
*Deuteronia chionoxantha* (Meyrick, 1931) 黃襟癭蛾 Ref. Meyrick, 1931  
*Deuteronia pudorina* (Wocke, 1857) Ref. Wocke, 1857  
*Elachista amamii* Parenti, 1983 奄美草潛蛾 Ref. Parenti, 1983  
*Elachista miscanthi* Parenti, 1983 芒草潛蛾 Ref. Parenti, 1983  
*Ethmia assamensis* (Butler, 1879) 阿薩密篩蛾 Ref. Butler, 1879  
*Ethmia crocosoma* Meyrick, 1914 黃腹篩蛾 Ref. Meyrick, 1914  
*Ethmia dentata* Diakonoff & Sattler, 1966 齒紋篩蛾 Ref. Diakonoff & Sattler, 1966  
*Ethmia epitrocha* (Meyrick, 1914) 微點篩蛾 Ref. Meyrick, 1914  
*Ethmia lapidella* (Walsingham, 1880) 厚殼樹篩蛾 Ref. Walsingham, 1880  
*Ethmia lineatonotella* (Moore, 1867) 線紋篩蛾 Ref. Moore, 1867  
*Ethmia maculata* Sattler, 1967 圓斑篩蛾 Ref. Sattler, 1967  
*Ethmia maculifera* (Matsumura, 1931) 橫斑篩蛾 Ref. Matsumura, 1931  
*Ethmia nigroapicella* (Saalmueller, 1880) 端黑篩蛾 Ref. Saalmueller, 1880  
*Ethmia octanoma* Meyrick, 1914 八斑篩蛾 [特有] Ref. Meyrick, 1914  
*Ethmia okinawana* (Matsumura, 1931) 沖繩篩蛾 Ref. Matsumura, 1931  
*Ethmia penesella* Kun & Szaboky, 2000 扇平篩蛾 [特有] Ref. Kun & Szaboky, 2000  
*Ethmia praeclara* Meyrick, 1910 黃翅篩蛾 Ref. Meyrick, 1910  
*Ethmia pseudozygospila* Kun & Szaboky, 2000 擬寡斑篩蛾 Ref. Kun & Szaboky, 2000  
*Ethmia susa* Kun & Szaboky, 2000 國姓篩蛾 [特有] Ref. 同前  
*Ethmia zygospila* Meyrick, 1934 寡斑篩蛾 [特有] Ref. Meyrick, 1934  
*Synchalara rhombota* (Meyrick, 1907) 菱翅窄蛾 Ref. Meyrick, 1907

#### Family Epermeniidae 貂蛾科

*Epermenia fuscomaculata* Kuroko & Gaedike, 2006 黑斑貂蛾 Ref. Kuroko & Gaedike, 2006  
*Sinicaepermania taiwanella* Heppner, 1990 臺灣貂蛾 [特有] Ref. Heppner, 1990

#### Family Epicopeiidae 鳳蛾科

*Epicopeia hainesii* Okano, 1973 松村氏淺翅鳳蛾 [特有] Ref. Okano, 1973  
*Epicopeia mencia* Moore, 1874 榆鳳蛾 Ref. Moore, 1874  
*Epicopeia menica* Moore, 1874 Ref. Inoue, 1992

#### Family Epipyropidae 蟬寄蛾科

*Epipomponia nawai* (Dyar, 1904) 三輪氏蟬寄蛾 Ref. Dyar, 1904

#### Family Eriocottidae 毛蛾科

*Compsoctena pinguis* (Meyrick, 1914) [特有] Ref. Meyrick, 1914  
*Eriocottis flavicephalana* Issiki, 1930 [特有] Ref. Issiki, 1930

#### Family Eupterotidae 帶蛾科

*Apha arisana* Matsumura, 1927 阿里山帶蛾 [特有] Ref. Kishida, 1992  
*Apha horishana* Matsumura, 1927 埔里帶蛾 [特有] Ref. Kishida, 1992

*Apona fuliginosa* Kishida, 1993 灰帶蛾 [特有] Ref. Kishida, 1993  
*Ganisa postica* Matsumura, 1931 蓬萊帶蛾 [特有] Ref. Kishida, 1992  
*Palirisa cervina* Matsumura, 1931 黑胸帶蛾 [特有] Ref. Kishida, 1992

### Family Galacticidae 豆蛾科

*Homadaula anisocentra* Meyrick, 1922 Ref. Meyrick, 1922

### Family Gelechiidae 旋蛾科

*Anacampsis anisogramma* Meyrick, 1927 Ref. Meyrick, 1927  
*Anarsia aspera* Park, 1995 Ref. Park, 1995  
*Anarsia choana* Park, 1995 Ref. Park, 1995  
*Anarsia elongata* Park, 1995 Ref. Park, 1995  
*Anarsia euphrodes* Meyrick, 1922 Ref. Meyrick, 1922  
*Anarsia isogona* Meyrick, 1913 Ref. Meyrick, 1913  
*Anarsia patulella* Walker, 1864 Ref. Walker, 1864  
*Anarsia protensa* Park, 1995 Ref. Park, 1995  
*Anarsia tricornis* Meyrick, 1913 Ref. Meyrick, 1913  
*Aristotelia citrocossa* Meyrick, 1908 Ref. Meyrick, 1908  
*Athrips polymaculella* Park, 1991 Ref. Park, 1991  
*Brachmia insuavis* Meyrick, 1914 Ref. Meyrick, 1914  
*Capidentalisa salicicola* Park, 1995 Ref. Park, 1995  
*Carpatolechia flavipunctatella* Park, 1992 Ref. Park, 1992  
*Clepsimacha eriocrossa* Meyrick, 1934 Ref. Meyrick, 1934  
*Coconympha cyanorma* Meyrick, 1934 Ref. Meyrick, 1934  
*Dendrophilia neotaphronoma* Ponomarenko, 1993 Ref. Ponomarenko, 1993  
*Dendrophilia acris* Park, 1995 Ref. Park, 1995  
*Dendrophilia obscurella* Park, 1993 Ref. Park, 1993  
*Dendrophilia petrinopsis* Meyrick, 1935 Ref. Meyrick, 1935  
*Dendrophilia saxigera* Meyrick, 1931 Ref. Meyrick, 1931  
*Dichomeris aculata* Park, 2001 Ref. Park, 2001  
*Dichomeris acuminata* Staudinger, 1876 Ref. Staudinger, 1876  
*Dichomeris albula* Park & Hodges, 1995 Ref. Park & Hodges, 1995  
*Dichomeris angulata* Park & Hodges, 1995 Ref. 同前  
*Dichomeris autometra* Meyrick, 1934 Ref. Meyrick, 1934  
*Dichomeris bucinaria* Park, 1996 Ref. Park, 1996  
*Dichomeris crambalaeus* Meyrick, 1913 Ref. Meyrick, 1913  
*Dichomeris cymatodes* Meyrick, 1916 Ref. Meyrick, 1916  
*Dichomeris davisii* Park & Hodges, 1995 Ref. Park & Hodges, 1995  
*Dichomeris elegans* Park, 2001 Ref. Park, 2001  
*Dichomeris ferruginosa* Meyrick, 1913 Ref. Meyrick, 1913  
*Dichomeris fusca* Park & Hodges, 1995 Ref. Park & Hodges, 1995  
*Dichomeris fuscalis* Park & Hodges, 1995 Ref. 同前  
*Dichomeris heriguronis* Matsumura Ref. Ponomarenko, 2004  
*Dichomeris ioplaca* Meyrick, 1934 Ref. Meyrick, 1934  
*Dichomeris linealis* Park & Hodges, 1995 Ref. Park & Hodges, 1995  
*Dichomeris lividula* Park & Hodges, 1995 Ref. 同前  
*Dichomeris loxospila* Meyrick, 1932 Ref. Meyrick, 1932  
*Dichomeris lushanae* Park & Hodges, 1995 Ref. Park & Hodges, 1995  
*Dichomeris malacodes* Meyrick, 1910 Ref. Meyrick, 1910  
*Dichomeris microsphenia* Meyrick, 1921 Ref. Meyrick, 1921  
*Dichomeris oceanis* Meyrick, 1920 Ref. Meyrick, 1920  
*Dichomeris ochreata* Park & Hodges, 1995 Ref. Park & Hodges, 1995  
*Dichomeris ochthophora* Meyrick, 1936 Ref. Meyrick, 1936  
*Dichomeris orientis* Park & Hodges, 1995 Ref. Park & Hodges, 1995  
*Dichomeris oxycarpa* Meyrick, 1935 Ref. Meyrick, 1935  
*Dichomeris pyroschista* Meyrick, 1934 Ref. Meyrick, 1934  
*Dichomeris rasilella* Herrich-Schaeffer, 1855 Ref. Herrich-Schaeffer, 1855  
*Dichomeris summata* Meyrick, 1913 Ref. Meyrick, 1913  
*Dichomeris symmetrica* Park & Hodges, 1995 Ref. Park & Hodges, 1995  
*Dichomeris taiwana* Park & Hodges, 1995 Ref. 同前  
*Dichomeris trilobella* Park & Hodges, 1995 Ref. 同前  
*Evippe albidorsella* Snellen, 1884 Ref. Snellen, 1884  
*Faristenia obliqua* Park, 2000 Ref. Park et al., 2000  
*Helcystogramma arotreaeum* Meyrick, 1894 Ref. Meyrick, 1894  
*Helcystogramma hassenzanensis* Park & Hodges, 1995 Ref. Park & Hodges, 1995  
*Helcystogramma hibisci* Stainton, 1859 Ref. Stainton, 1859  
*Helcystogramma triannulella* Herrich-Schaeffer, 1854 Ref. Herrich-Schaeffer, 1854  
*Helcystogramma triunctum* Meyrick, 1934 Ref. Meyrick, 1934  
*Homocheles epichthonia* Meyrick, 1935 Ref. Meyrick, 1935  
*Homocheles heppneri* Park, 1995 Ref. Park, 1995  
*Homocheles scriniata* Meyrick, 1913 Ref. Meyrick, 1913  
*Hypatima arignoata* Meyrick, 1916 Ref. Meyrick, 1916  
*Hypatima disetosella* Park, 1995 Ref. Park, 1995

*Hypatima excellentella* Ponomarenko, 1991 Ref. Ponomarenko, 1991  
*Hypatima iophana* Meyrick, 1913 Ref. Meyrick, 1913  
*Hypatima issikiana* Park, 1995 Ref. Park, 1995  
*Hypatima leptopalta* Meyrick, 1934 Ref. Meyrick, 1934  
*Hypatima leptoptopal* Meyrick, 1934 Ref. Meyrick, 1934  
*Hypatima ovata* Park, 1999 Ref. Park, 1999  
*Hypatima rhomboidella* Linnaeus, 1758 Ref. Linnaeus, 1758  
*Hypatima spathota* Meyrick, 1913 Ref. Meyrick, 1913  
*Idiophantis chiridota* Meyrick, 1914 Ref. Meyrick, 1914  
*Mesophleps sublutiana* Park, 1990 Ref. Park, 1990  
*Paralida triannulata* Clarke, 1958 Ref. Clarke, 1958  
*Parastenolechia asymmetrica* Kanazawa, 1985 Ref. Kanazawa, 1985  
*Parastenolechia claustrifera* Meyrick, 1935 Ref. Meyrick, 1935  
*Pectinophora gossypiella* Saunders, 1844 Ref. Saunders, 1844  
*Phrixocrita aegidopis* Meyrick, 1935 Ref. Meyrick, 1935  
*Polyhymno pancratiastis* Meyrick, 1921 Ref. Meyrick, 1921  
*Polyhymno synodonta* Meyrick, 1936 Ref. Meyrick, 1936  
*Scrobipalpa heliopa* Lower, 1900 Ref. Lower, 1900  
*Sitotroga cerealella* Olivier, 1789 Ref. Olivier, 1789  
*Stegasta jejuensis* Park & Omelko, 1994 Ref. Park & Omelko, 1994  
*Thiotricha acrophantis* Meyrick, 1936 Ref. Meyrick, 1936  
*Thiotricha dissobola* Meyrick, 1934 Ref. Meyrick, 1934  
*Thiotricha microrrhoda* Meyrick, 1935 Ref. Meyrick, 1935  
*Thyrsostoma glaucitis* Meyrick, 1907 Ref. Meyrick, 1907  
*Thyrsostoma pylartis* Meyrick, 1908 Ref. Meyrick, 1908  
*Tituacia deviella* Walker, 1864 Ref. Walker, 1864

### Family Geometridae 尺蠖科

*Abaciscus alishanensis* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Abaciscus changi* Sato, 1997 [特有] Ref. Sato, 1997  
*Abaciscus costimacula* (Wileman, 1912) Ref. Wileman, 1912  
*Abaciscus diorthogonius* (Wehrli, 1925) Ref. Wehrli, 1925  
*Abaciscus tristis* Butler, 1889 Ref. Butler, 1889  
*Abraxas adilluminata* Inoue, 1984 巨翅金星尺蠖 [特有] Ref. Inoue, 1984  
*Abraxas antinebulosa* Inoue, 1984 [特有] Ref. Inoue, 1984  
*Abraxas consputa* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909  
*Abraxas cupreilluminata* Inoue, 1984 [特有] Ref. Inoue, 1984  
*Abraxas fletcheri* Inoue, 1984 [特有] Ref. Inoue, 1984  
*Abraxas formosilluminata* Inoue, 1984 [特有] Ref. Inoue, 1984  
*Abraxas kanshireiensis* (Wileman, 1915) [特有] Ref. Wileman, 1915  
*Abraxas parvimiranda* Inoue, 1984 [特有] Ref. Inoue, 1984  
*Abraxas persimplex* Inoue, 1984 [特有] Ref. Inoue, 1984  
*Abraxas placata* Inoue, 1984 [特有] Ref. Inoue, 1984  
*Abraxas stictotaenia* Wehrli, 1932 [特有] Ref. Wehrli, 1932  
*Abraxas submartiaris* Wehrli, 1932 [特有] Ref. Wehrli, 1932  
*Abraxas suspecta* Warren, 1894 Ref. Warren, 1894  
*Abraxas taiwanensis* Inoue, 1984 [特有] Ref. Inoue, 1984  
*Abraxas tenellula* Inoue, 1984 [特有] Ref. Inoue, 1984  
*Abraxas tenuisuffusa* Inoue, 1984 [特有] Ref. Inoue, 1984  
*Abraxas wilemani* Inoue, 1984 [特有] Ref. Inoue, 1984  
*Acasis viretata* Prout, 1958 Ref. Prout, 1958  
*Acolutha pictaria* Warren, 1905 [特有] Ref. Warren, 1905  
*Acolutha pulchella* Warren, 1905 Ref. Warren, 1905  
*Acrodontis aenigma* (Prout, 1914) [特有] Ref. Prout, 1914  
*Acrodontis mystica* Kobayashi, 1998 [特有] Ref. Kobayashi, 1998  
*Aethalura duplicata* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Aethalura lushanalis* Sato, 1987 [特有] Ref. Sato, 1987  
*Agaraeus apicatus* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Agaraeus argillaceus* (Butler, 1889) Ref. Butler, 1889  
*Agaraeus discolor* (Warren, 1893) Ref. Warren, 1893  
*Agaraeus formosanus* (Bastelberger, 1911) Ref. Bastelberger, 1911  
*Agaraeus luteus* (Wileman, 1910) [特有] Ref. Wileman, 1910  
*Agathia diversiformis* Warren, 1894 Ref. Warren, 1894  
*Agathia hemithearia* Guenee, 1857 Ref. Guenee, 1857  
*Agathia laetata* (Fabricius, 1794) Ref. Fabricius, 1794  
*Agathia lycaenaria* (Kollar, 1844) Ref. Kollar, 1844  
*Agathia magnificentia* Inoue, 1978 Ref. Inoue, 1978  
*Agathia visenda* Prout, 1917 Ref. Prout, 1917  
*Alcis admissaria* Wileman Ref. Wileman, 1911  
*Alcis anmashanensis* Sato, 1999 [特有] Ref. Sato, 1999  
*Alcis arizana* Wileman, 1911 [特有] Ref. Wileman, 1911  
*Alcis hyberniata* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909

*Alcis maculata* Moore, 1867 Ref. Moore, 1867  
*Alcis nubeculosa* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Alcis pallens* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Alcis plebeia* Wileman, 1912 [特有] Ref. Wileman, 1912  
*Alcis postlurida* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Alcis rubicunda* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909  
*Alcis scortea* (Bastelberger, 1909) [特有] Ref. 同前  
*Alcis subpunctata* Wileman, 1911 [特有] Ref. Wileman, 1911  
*Alcis taiwanovariegata* (Wileman & South, 1917) 暗斑霜尺蛾 [特有] Ref. Sato, 2008  
*Alcis tayulina* Sato, 1990 [特有] Ref. Sato, 1990  
*Alicis admissaria* Wileman, 1911 [特有] Ref. Wileman, 1911  
*Alicis semiusta* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Alicis taiwanensis* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Amblychia angeronaria* Guenee, 1857 Ref. Guenee, 1857  
*Amoebotricha hiemalis* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Amraica asahinai* (Inoue, 1964) Ref. Inoue, 1964  
*Amraica recursaria* (Walker, 1860) Ref. Walker, 1860  
*Amraica superans* (Sato, 1981) [特有] Ref. Sato, 1981  
*Anectropis fumigata* Sato, 1991 [特有] Ref. Sato, 1991  
*Anectropis semifascia* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Anisephyra ocularia* (Fabricius, 1775) Ref. Fabricius, 1775  
*Anisodes effeminatus* Prout, 1914 [特有] Ref. Prout, 1914  
*Anisodes griseatus* (Warren, 1869) Ref. Warren, 1869  
*Anisodes illepidarius* Guenee, 1857 Ref. Guenee, 1857  
*Anisodes insitivus* (Prout, 1920) Ref. Prout, 1920  
*Anisodes intermixtarius* Swinhoe, 1892 Ref. Swinhoe, 1892  
*Anisodes minoratus* Prout, 1938 [特有] Ref. Prout, 1938  
*Anisodes obrinarius* (Guenee, 1857) Ref. Guenee, 1857  
*Anisodes taiwanus* Wileman, 1911 [特有] Ref. Wileman, 1911  
*Anthyria grataria* (Walker, 1861) Ref. Walker, 1861  
*Anticlea canaliculata* Warren, 1896 Ref. Warren, 1896  
*Antilycauges pinguis* (Swinhoe, 1902) [特有] Ref. Swinhoe, 1902  
*Antiperchnia cordiforma* (Inoue, 1978) [特有] Ref. Inoue, 1978  
*Antitrygodes divisaria* Prout, 1914 [特有] Ref. Prout, 1914  
*Apihecia viridata* Prout, 1931 [特有] Ref. Prout, 1931  
*Aplochloa costipicta* (Wileman, 1915) [特有] Ref. Wileman, 1915  
*Aplochloa grata* (Butler, 1880) Ref. Butler, 1880  
*Aplochloa viridis* Warren, 1893 Ref. Warren, 1893  
*Aplochloa vivilaca* Walker, 1861 Ref. Walker, 1861  
*Apochima praeacutaria* (Inoue, 1976) Ref. Inoue, 1976  
*Aracima serrata* Wileman, 1911 [特有] Ref. Wileman, 1911  
*Archaeocasis micradelpha* (Prout, 1958) Ref. Prout, 1958  
*Ardonis filicata* (Swinhoe, 1892) Ref. Swinhoe, 1892  
*Arichanna albomacularia* Leech, 1891 Ref. Leech, 1891  
*Arichanna himalayensis* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Arichanna interplagata* (Guenee, 1857) Ref. Guenee, 1857  
*Arichanna jaguararia* Yazaki, 1999 [特有] Ref. Yazaki, 1999  
*Arichanna maculosa* Wileman, 1912 [特有] Ref. Wileman, 1912  
*Arichanna marginata* Warren, 1893 Ref. Warren, 1893  
*Arichanna ochrivena* Wileman, 1915 [特有] Ref. Wileman, 1915  
*Arichanna olivescens* Wileman & South, 1917 [特有] Ref. Wileman & South, 1917  
*Arichanna picaria* Wileman, 1910 [特有] Ref. Wileman, 1910  
*Arichanna postflava* Wileman, 1914 [特有] Ref. Wileman, 1914  
*Arichanna pryeraria* Leech, 1891 Ref. Leech, 1891  
*Ascotis selenaria* (Walker, 1860) Ref. Walker, 1860  
*Asthena melanosticta* Wehrli, 1924 Ref. Wehrli, 1924  
*Asthena undulata* (Wileman, 1915) Ref. Wileman, 1915  
*Atopophysa candidula* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Atopophysa lividata* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Atopophysa opulens* Prout, 1914 [特有] Ref. Prout, 1914  
*Auaxa cesadaria* Walker, 1860 Ref. Walker, 1860  
*Auaxa mimosina* Inoue, 1992 [特有] Ref. Inoue, 1992  
*Axinoptera anticostalis* Galsworthy, 1999 Ref. Galsworthy, 1999  
*Axinoptera taiwana* Inoue [特有] Ref. Inoue, 2002  
*Berta rugosivalva* Galsworthy, 1997 Ref. Galsworthy, 1997  
*Berta zygophyxia* Prout, 1912 Ref. Prout, 1912  
*Biston marginatus* Shiraki, 1913 Ref. Shiraki, 1913  
*Biston melacron* Wehrli, 1941 Ref. Wehrli, 1941  
*Biston perclarus* (Warren, 1899) 黑線黃尺蛾 [特有] Ref. Warren, 1899  
*Biston regalis* (Warren, 1899) Ref. Warren, 1899  
*Biston robustus* Inoue, 1964 [特有] Ref. Inoue, 1964  
*Blepharoctenucha virescens* Inoue, 1986 [特有] Ref. Inoue, 1986

*Borbacha pardaria* (Guenee, 1857) Ref. Guenee, 1857  
*Bosara corrobusta* Inoue [特有] Ref. Inoue, 2002  
*Bosara errabunda* (Prout, 1958) Ref. Prout, 1958  
*Bosara obliterated* Inoue [特有] Ref. Inoue, 2002  
*Bosara porphyrea* Inoue [特有] Ref. Inoue, 2002  
*Bosara subrobusta* (Inoue, 1988) Ref. Inoue, 1988  
*Brabira artemidora* Moore, 1888 [特有] Ref. Moore, 1888  
*Brabira costimacula* Wileman, 1915 [特有] Ref. Wileman, 1915  
*Cabera niveopicta* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Calicha griseoviridata* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Callerinmys combusta* (Warren, 1893) Ref. Warren, 1893  
*Callerinmys rubridisca* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Calletaera basipuncta* Wileman, 1916 [特有] Ref. Wileman, 1916  
*Calletaera postvittata* (Walker, 1861) Ref. Walker, 1861  
*Calluga costalis* Moore, 1887 Ref. Moore, 1887  
*Callygris compositata* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Carige scutilimbata* Prout, 1936 Ref. Prout, 1936  
*Cassyma deletaria* (Moore, 1888) Ref. Moore, 1888  
*Catoria olivescens* Moore, 1888 Ref. Moore, 1888  
*Catoria sublavararia* (Guenee, 1857) Ref. Guenee, 1857  
*Celena festivararia* Fabricius, 1794 Ref. Fabricius, 1794  
*Chaetolopha incurvata* (Moore, 1888) Ref. Moore, 1888  
*Chalybocydon marginata* Warren, 1893 Ref. Warren, 1893  
*Chartographa convexa* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Chartographa fabiolaria* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Chlorissa distinctaria* (Walker, 1866) Ref. Walker, 1866  
*Chloroclystis atypha* Prout, 1958 Ref. Prout, 1958  
*Chloroclystis blanda* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Chloroclystis rubtoviridis* (Warren, 1896) Ref. Warren, 1896  
*Chloroclystis subrobusta* (Inoue, 1988) [特有] Ref. Inoue, 1988  
*Chloroclystis trichophora* Hampson, 1895 Ref. Hampson, 1895  
*Chlorodontopera discospilata* (Moore, 1867) Ref. Moore, 1867  
*Chlorodontopera taiwana* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Chloromachia divapala* (Walker, 1861) Ref. Walker, 1861  
*Chorodna ochreimacula* Prout, 1914 [特有] Ref. Prout, 1914  
*Chrioloba cinerea* (Butler, 1880) Ref. Butler, 1880  
*Chrioloba costimacula* (Wileman & South, 1917) [特有] Ref. Wileman & South, 1917  
*Chrioloba etaina* (Swinhoe, 1900) Ref. Swinhoe, 1900  
*Chrioloba inobtrusa* (Wileman & South, 1917) [特有] Ref. Wileman & South, 1917  
*Chrysocraspeda sanguinea* Warren, 1896 Ref. Warren, 1896  
*Cleora contiguata* (Moore, 1868) Ref. Moore, 1868  
*Cleora fraterna* (Moore, 1888) 黑腰鋸尺蛾 Ref. Moore, 1888  
*Cleora insolita* (Butler, 1878) Ref. Butler, 1878  
*Cleora leucophaea* Sato, 2002 [特有] Ref. Sato, 2002  
*Cleora nigronotaria* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Cleora repulsaria* (Walker, 1860) Ref. Walker, 1860  
*Collix ghosha* Walker, 1862 Ref. Walker, 1862  
*Collix griseipalpis* Wileman, 1916 Ref. Wileman, 1916  
*Collix praetenta* Prout, 1929 Ref. Prout, 1929  
*Collix stellata* Warren, 1894 Ref. Warren, 1894  
*Comibaena cassidaria* (Guenee, 1857) Ref. Guenee, 1857  
*Comibaena delicatior* (Warren, 1897) Ref. Warren, 1897  
*Comibaena inductaria* (Guenee, 1857) Ref. Guenee, 1857  
*Comibaena pictipennis* Bulter, 1880 Ref. Bulter, 1880  
*Comibaena procumbaria* (Pryer, 1877) Ref. Pryer, 1877  
*Comibaena subdelicata* Inoue, 1985 Ref. Inoue, 1985  
*Comibaena takasago* Okana, 1960 [特有] Ref. Okana, 1960  
*Comostola enodata* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Comostola laesaria* (Walker, 1861) Ref. Walker, 1861  
*Comostola meritaria* (Walker, 1861) Ref. Walker, 1861  
*Comostola ocellulata* Prout, 1920 [特有] Ref. Prout, 1920  
*Comostola pyrrhogona* (Walker, 1866) Ref. Walker, 1866  
*Comostola satoi* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Comostola subtiliaria* Prout, 1917 [特有] Ref. Prout, 1917  
*Corymica arnearia* Walker, 1860 Ref. Walker, 1860  
*Corymica deducta* (Walker, 1866) Ref. Walker, 1866  
*Corymica pryeri* Butler, 1878 Ref. Butler, 1878  
*Corymica spatiosa* Prout, 1925 Ref. Prout, 1925  
*Corymica specularia* (Moore, 1868) Ref. Moore, 1868  
*Crypsicometa homoema* Prout, 1926 Ref. Prout, 1926  
*Crypsicometa ochracea* Inoue, 1971 Ref. Inoue, 1971  
*Cryptochorina polychroia* (Wehrli, 1941) Ref. Wehrli, 1941

*Culpinia diffusa* (Walker, 1861) Ref. Walker, 1861  
*Cusiala boarmioides* (Moore, 1888) Ref. Moore, 1888  
*Cystidia stratonice* (Stoll, 1782) Ref. Stoll, 1782  
*Danala lilacina* (Wileman, 1915) [特有] Ref. Wileman, 1915  
*Darisa lampasaria* (Hampson, 1895) Ref. Hampson, 1895  
*Deileptenia rimosaria* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Derambila saponaria* (Butler, 1880) Ref. Butler, 1880  
*Derambila satellata* Moore, 1888 Ref. Moore, 1888  
*Descoreba simplex* Okana, 1960 [特有] Ref. Okana, 1960  
*Devenilia corearia* (Prout, 1914) [特有] Ref. Prout, 1914  
*Dilophodes elegans* (Butler, 1878) Ref. Butler, 1878  
*Dindica kishidai* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Dindica polyphaenaris* (Guenee, 1857) Ref. Guenee, 1857  
*Dindica purpurata* Bastelberger, 1911 [特有] Ref. Bastelberger, 1911  
*Dindica taiwana* Wileman, 1914 [特有] Ref. Wileman, 1914  
*Dindica wilemani* Prout, 1937 [特有] Ref. Prout, 1937  
*Diplodesma ussuriaria* (Leech, 1897) Ref. Leech, 1897  
*Diplurodes vestitus* Inoue, 1976 Ref. Inoue, 1976  
*Discalma normata* (Walker, 1861) Ref. Walker, 1861  
*Dischidesia cinerea* (Butler, 1880) Ref. Butler, 1880  
*Discoglypha hampsoni* (Swinhoe, 1892) Ref. Swinhoe, 1892  
*Discoglypha locupletata* Prout, 1917 Ref. Prout, 1917  
*Docirava flavilinata* Wileman, 1915 [特有] Ref. Wileman, 1915  
*Dooabia alia* Yazaki, 1997 [特有] Ref. Yazaki, 1997  
*Dooabia lunifera* (Moore, 1888) Ref. Moore, 1888  
*Doroptera virescens* Marumo, 1920 Ref. Marumo, 1920  
*Duliophyle agitata* Sato, 2002 [特有] Ref. Sato, 2002  
*Dysstroma calamistratum* (Bastelberger, 1911) Ref. Bastelberger, 1911  
*Dysstroma cinereatum* (Moore, 1868) Ref. Moore, 1868  
*Dysstroma dentiferum* (Warren, 1896) Ref. Warren, 1896  
*Dysstroma fumatum* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Dysstroma sikkimense* Heydemann, 1931 Ref. Heydemann, 1931  
*Echthrocollix minuta* (Butler, 1881) Ref. Butler, 1881  
*Ecliptopera benigna* (Prout, 1914) [特有] Ref. Prout, 1914  
*Ecliptopera delecta* (Butler, 1880) Ref. Butler, 1880  
*Ecliptopera fervidaria* (Leech, 1897) Ref. Leech, 1897  
*Ecliptopera muscicolor* Prout, 1931 [特有] Ref. Prout, 1931  
*Ecliptopera recordans* Prout, 1940 [特有] Ref. Prout, 1940  
*Ecliptopera rectilinea* Prout, 1940 [特有] Ref. Prout, 1940  
*Ecliptopera triangulifera* (Moore, 1888) Ref. Moore, 1888  
*Ecliptopera umbrosaria* Prout, 1940 [特有] Ref. Prout, 1940  
*Ectropis arizanensis* Wileman, 1915 [特有] Ref. Wileman, 1915  
*Ectropis bhurmitra* (Walker, 1860) Ref. Walker, 1860  
*Ectropis excellens* (Butler, 1884) Ref. Butler, 1884  
*Eilicrinia flava* (Moore, 1888) Ref. Moore, 1888  
*Electrophaes moltrecti* Prout, 1940 [特有] Ref. Prout, 1940  
*Electrophaes taiwana* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Electrophaes zaphenges* Prout, 1940 Ref. Prout, 1940  
*Elphos moltrechtii* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909  
*Elphos sauteri* Prout, 1914 [特有] Ref. Prout, 1914  
*Endropiodes indictinarius* (Bremer, 1864) Ref. Bremer, 1864  
*Epilobophora nishizawai* Yazaki, 1986 [特有] Ref. Yazaki, 1986  
*Epilobophora venipincta* (Wileman, 1914) [特有] Ref. Wileman, 1914  
*Epirrita faenaria* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Epobeidia lucifera* Wehrli, 1933 [特有] Ref. Wehrli, 1933  
*Epobeidia tigrata* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Erebomorpha fulguraria* Walker, 1860 Ref. Walker, 1860  
*Eriopithex recensitaria* Walker, 1862 Ref. Walker, 1862  
*Esakiopteryx venusta* Yazaki, 1986 [特有] Ref. Yazaki, 1986  
*Eschatarchia lineata* Inoue, 1970 [特有] Ref. Inoue, 1970  
*Euchristophia cumulata* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Eucosmabraxas octoscripta* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Eucyclodes gavissima* (Walker, 1861) Ref. Walker, 1861  
*Eulithis subalba* (Prout, 1941) [特有] Ref. Prout, 1941  
*Eumelea ludovicata* Guenee, 1857 Ref. Guenee, 1857  
*Eupitheca yoshimotoi* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia acutipapillata* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia albigutta* Prout, 1958 Ref. Mironov & Galsworthy, 2007  
*Eupithecia alishana* Inoue, 1970 [特有] Ref. Inoue, 1970  
*Eupithecia assulata* Bastelberger, 1911 [特有] Ref. Bastelberger, 1911  
*Eupithecia astricta* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia blandula* Mironov & Galsworthy, 2007 [特有] Ref. Mironov & Galsworthy, 2007

*Eupithecia centaureata* [Denis & Schiffermuller], 1775 Ref. 同前  
*Eupithecia chui* Inoue, 1970 [特有] Ref. Inoue, 1970  
*Eupithecia clavifera* Inoue, 1955 Ref. Mironov & Galsworthy, 2007  
*Eupithecia convata* Mironov & Galsworthy, 2007 [特有] Ref. 同前  
*Eupithecia convexa* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia costalis* (Hampson, 1893) Ref. Hampson, 1893  
*Eupithecia costimaculata* Leech, 1897 Ref. Leech, 1897  
*Eupithecia daemonata* Dietze, 1903 Ref. Dietze, 1903  
*Eupithecia dealbata* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia exrubicunda* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia flavimacula* Mironov & Galsworthy, 2007 [特有] Ref. Mironov & Galsworthy, 2007  
*Eupithecia flavoapicaria* Inoue, 1979 Ref. 同前  
*Eupithecia flexicornuta* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia funerea* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia hashimotoi* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia interpunctaria* Inoue, 1979 [特有] Ref. Inoue, 1979  
*Eupithecia jezonica* Matsumura, 1927 Ref. Mironov & Galsworthy, 2007  
*Eupithecia karapinensis* Wileman & South, 1917 [特有] Ref. Wileman & South, 1917  
*Eupithecia kudoii* Inoue, 1983 [特有] Ref. Inoue, 1983  
*Eupithecia kuroshio* Inoue, 1980 Ref. Inoue, 1980  
*Eupithecia lini* Mironov & Galsworthy, 2007 [特有] Ref. Mironov & Galsworthy, 2007  
*Eupithecia longipennata* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia lupa* Mironov & Galsworthy, 2007 [特有] Ref. Mironov & Galsworthy, 2007  
*Eupithecia masculina* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia megaproterva* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia melanolopha* Swinhoe, 1895 Ref. Swinhoe, 1895  
*Eupithecia nishizawai* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia nuceistrigata* Bastelberger, 1911 [特有] Ref. Bastelberger, 1911  
*Eupithecia pellicata* Mironov & Galsworthy, 2007 [特有] Ref. Mironov & Galsworthy, 2007  
*Eupithecia phantastica* (Mironov & Galsworthy, 2006) Ref. Mironov et al., 2006  
*Eupithecia proterva* Mironov & Galsworthy, 2006 Ref. Mironov & Galsworthy, 2007  
*Eupithecia quadripunctata* Inoue, 1980 [特有] Ref. Mironov, Galsworthy & Ratzel, 2008  
*Eupithecia rhadine* Mironov & Galsworthy, 2007 [特有] Ref. Mironov & Galsworthy, 2007  
*Eupithecia rigida* Swinhoe, 1892 Ref. Swinhoe, 1892  
*Eupithecia stataria* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Eupithecia tabidaria* Inoue, 1955 Ref. Inoue, 1955  
*Eupithecia taiwana* Wileman & South, 1917 [特有] Ref. Wileman & South, 1917  
*Eupithecia yazakii* Inoue, 1988 [特有] Ref. Inoue, 1988  
*Euryobeidia languidata* (Walker, 1862) Ref. Walker, 1862  
*Euryobeidia largeteaui* (Oberthur, 1884) Ref. Oberthur, 1884  
*Eustroma changi* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Eustroma contortum* (Warren, 1900) Ref. Warren, 1900  
*Eustroma melancholicum* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Evecliptopera decurrens* (Prout, 1940) [特有] Ref. Prout, 1940  
*Fascellina chromataria* Walker, 1860 Ref. Walker, 1860  
*Fascellina plagiata* (Walker, 1866) Ref. Walker, 1866  
*Fascellina subsignata* Warren, 1893 Ref. Warren, 1893  
*Gandaritis sinicaria* Wileman, 1920 [特有] Ref. Wileman, 1920  
*Garaeus specularis* Moore, 1868 Ref. Moore, 1868  
*Gasterocome latifasciata* (Warren, 1893) Ref. Warren, 1893  
*Gasterocome pannosaria* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Gelasma acutigoniata* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Gelasma ambigua* (Bulter, 1878) Ref. Bulter, 1878  
*Gelasma extrambigua* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Gelasma glaucaria* (Walker, 1866) Ref. Walker, 1866  
*Gelasma grandificaria* (Graeser, 1890) Ref. Graeser, 1890  
*Gelasma illitirata* (Walker, 1862) Ref. Walker, 1862  
*Gelasma lactipuncta* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Gelasma microdonta* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Gelasma protrusa* (Bulter, 1878) Ref. Bulter, 1878  
*Gelasma quadripunctata* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Gelasma rufolimbata* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Gelasma semiprotrusa* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Gelasma sinuolata* Inoue, 1989 [特有] Ref. Inoue, 1989  
*Gelasma versicauda* Prout, 1920 [特有] Ref. Prout, 1920  
*Geometra hypoleuca* (Bulter, 1878) Ref. Bulter, 1878  
*Glaucoclystis griseorufa* (Hampson, 1898) Ref. Hampson, 1898  
*Glaucoclystis satoi* Inoue Ref. Inoue, 2002  
*Gnamptoloma aventiaria* (Guenee, 1857) Ref. Guenee, 1857  
*Gnamptopteryx perficita* (Hampson, 1902) Ref. Hampson, 1902  
*Gnophos ainuaria* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909  
*Gnophos caenosa* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911

*Gnophos delitescens* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Gonanticlea aversa* Swinhoe, 1892 [特有] Ref. Swinhoe, 1892  
*Gonanticlea ochreivittata* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Gonanticlea subfalcata* Wileman, 1914 [特有] Ref. Wileman, 1914  
*Gonodontis pallida* Butler, 1880 Ref. Butler, 1880  
*Gymnoscelis albicaudata* Warren, 1897 Ref. Warren, 1897  
*Gymnoscelis expedita* Prout, 1958 Ref. Prout, 1958  
*Gymnoscelis tristrigosa* (Butler, 1880) [特有] Ref. Butler, 1880  
*Harutalcis fumigata* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Hastina sulfalcaria* Moore, 1888 Ref. Moore, 1888  
*Hemistola kezukai* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Hemistola monotona* Inoue, 1983 [特有] Ref. Inoue, 1983  
*Hemistola orbiculosa* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Hemistola simplex* Warren, 1899 [特有] Ref. Warren, 1899  
*Hemistola tenuilinea* (Alpheraky, 1897) Ref. Alpheraky, 1897  
*Hemithea aquamarina* Hampson, 1895 翠銹腰青尺蛾 Ref. Hampson, 1895  
*Hemithea insularia* (Guenee, 1857) Ref. Guenee, 1857  
*Hemithea pallidimunda* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Hemithea tritonaria* (Walker, 1863) Ref. Walker, 1863  
*Herochroma baibarana* (Matsumura, 1931) Ref. Matsumura, 1931  
*Herochroma cristata* (Warren, 1894) Ref. Warren, 1894  
*Herochroma ochreipicta* (Swinhoe, 1905) Ref. Swinhoe, 1905  
*Herochroma supraviridaria* Inoue, 1999 Ref. Inoue, 1999  
*Heteralex aspersa* (Matsumura, 1911) [特有] Ref. Matsumura, 1911  
*Heterocallia deformis* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Heterocallia normata* (Wehrli, 1932) [特有] Ref. Wehrli, 1932  
*Heterocallia truncaria* Leech, 1897 Ref. Leech, 1897  
*Heterolocha arizana* Wileman, 1910 [特有] Ref. Wileman, 1910  
*Heterolocha biplagiata* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909  
*Heterolocha coccinea* Inoue, 1976 Ref. Inoue, 1976  
*Heterolocha lilacina* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Heterolocha marginata* Wileman, 1910 [特有] Ref. Wileman, 1910  
*Heterolocha patalata* Felder & Rogenhofer, 1875 Ref. Felder & Rogenhofer, 1875  
*Heterolocha sabulosa* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Heterolocha taiwana* Wileman, 1910 [特有] Ref. Wileman, 1910  
*Heterophleps confusa* Prout, 1936 [特有] Ref. Prout, 1936  
*Heterophleps taiwana* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Heterophleps varegata* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Heterophleps violescens* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Heterostegane hyriaria* Warren, 1894 Ref. Warren, 1894  
*Heterostegane subtessellata* (Walker, 1863) Ref. Walker, 1863  
*Heterostegania lunulosa* (Moore, 1888) Ref. Moore, 1888  
*Heterothera sororcula* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Hirasa punctivenaria* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Horisme macularia* (Leech, 1897) Ref. Leech, 1897  
*Hydatocapnia gemina* Yazaki, 1990 [特有] Ref. Yazaki, 1990  
*Hydrelia arizana* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Hydrelia bicolorata* (Moore, 1868) Ref. Moore, 1868  
*Hydrelia enisaria* Prout, 1926 Ref. Prout, 1926  
*Hydrelia flammulata* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Hydrelia rubrivena* Wileman, 1911 [特有] Ref. Wileman, 1911  
*Hydrelia ulula* Bastelberger, 1911 [特有] Ref. Bastelberger, 1911  
*Hyperythra lutea* (Stoll, 1787) Ref. Stoll, 1787  
*Hypochrosis baenzigeri* Inoue, 1982 Ref. Inoue, 1982  
*Hypochrosis insularis* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Hypochrosis rufescens* (Bulter, 1880) Ref. Bulter, 1880  
*Hypocometa clauda* Warren, 1896 Ref. Warren, 1896  
*Hypomecis brevifasciata* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Hypomecis corticea* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Hypomecis decrepitata* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Hypomecis formosana* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Hypomecis melanosticta* (Hampson, 1895) Ref. Hampson, 1895  
*Hypomecis monotona* (Inoue, 1978) [特有] Ref. Inoue, 1978  
*Hypomecis nudicosta* Inoue, 1983 [特有] Ref. Inoue, 1983  
*Hypomecis obliquisigna* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Hypomecis percnoides* (Wehrli, 1943) Ref. Wehrli, 1943  
*Hypomecis psittacata* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Hypomecis punctinalis* (Prout, 1914) [特有] Ref. Prout, 1914  
*Hypomecis roboraria* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Hyposidra aquilaria* (Walker, 1862) Ref. Walker, 1862  
*Hyposidra infixaria* (Walker, 1860) Ref. Walker, 1860  
*Hyposidra leucomela* (Walker, 1866) Ref. Walker, 1866

*Hyposidra talaca* (Walker, 1860) Ref. Walker, 1860  
*Hysterura protagma* Prout, 1940 [特有] Ref. Prout, 1940  
*Idaea costiguttata* (Warren, 1896) Ref. Warren, 1896  
*Idaea deleta* (Wileman & South, 1917) [特有] Ref. Wileman & South, 1917  
*Idaea denudaria* (Prout, 1913) Ref. Prout, 1913  
*Idaea egenaria* (Walker, 1861) Ref. Walker, 1861  
*Idaea indigata* (Wileman, 1915) [特有] Ref. Wileman, 1915  
*Idaea informis* (Warren, 1897) Ref. Warren, 1897  
*Idaea marcidaria* (Walker, 1861) Ref. Walker, 1861  
*Idaea methaemaria* (Hampson, 1903) Ref. Hampson, 1903  
*Idaea muricolor* (Warren, 1904) Ref. Warren, 1904  
*Idaea paraula* (Prout, 1914) [特有] Ref. Prout, 1914  
*Idaea purpurea* (Hampson, 1891) Ref. Hampson, 1891  
*Idaea sakuraii* (Inoue, 1963) Ref. Inoue, 1963  
*Idaea sinicata* (Walker, 1861) Ref. Walker, 1861  
*Idaea taiwana* (Wileman & South, 1917) [特有] Ref. Wileman & South, 1917  
*Idaea trisetata* (Prout, 1922) Ref. Prout, 1922  
*Idea sugillata* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Idioterphria nakatomii* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Iotaphora admirabilis* (Oberthur, 1884) Ref. Oberthur, 1884  
*Jankowskia taiwanensis* Sato, 1980 [特有] Ref. Sato, 1980  
*Jodis argentilineata* (Wileman, 1916) [特有] Ref. Wileman, 1916  
*Jodis nanda* (Walker, 1861) Ref. Walker, 1861  
*Jodis rantaizanensis* (Wileman, 1916) [特有] Ref. Wileman, 1916  
*Jodis unumbrata* Warren, 1896 Ref. Warren, 1896  
*Krananda lucidaria* Leech, 1897 Ref. Leech, 1897  
*Krananda oliveomarginata* Swinhoe, 1894 Ref. Swinhoe, 1894  
*Krananda semihyalina* Moore, 1867 玻璃尺蛾 Ref. Moore, 1867  
*Laciniodes umbrosus* Inoue, 1983 [特有] Ref. Inoue, 1983  
*Lampropteryx argentilineata* (Leech, 1897) [特有] Ref. Leech, 1897  
*Lampropteryx chalybearia* (Moore, 1868) Ref. Moore, 1868  
*Lampropteryx nishizawai* Sato, 1990 [特有] Ref. Sato, 1990  
*Lampropteryx synthetica* Prout, 1922 [特有] Ref. Prout, 1922  
*Lassaba parvalbidaria* Inoue, 1978 汚雪雙斑尺蛾 [特有] Ref. Inoue, 1978  
*Lepomelia subusta* Warren, 1893 Ref. Warren, 1893  
*Leptomiza calcearia* (Walker, 1860) Ref. Walker, 1860  
*Lobogonia aculeata* Wileman, 1911 [特有] Ref. Wileman, 1911  
*Lobogonia formosana* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Lobogonia sphagnata* Bastelberger, 1911 [特有] Ref. Bastelberger, 1911  
*Lobogonodes permarmoratus* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Lobogonodes taiwanus* (Wileman & South, 1917) [特有] Ref. Wileman & South, 1917  
*Lomographa anoxys* (Wehrli, 1936) 無紋素尺蛾 Ref. Wehrli, 1936  
*Lomographa guttatala* Yazaki, 1994 Ref. Yazaki, 1994  
*Lomographa inamata* (Walker, 1861) 黃帶素尺蛾 Ref. Walker, 1861  
*Lomographa laurentschwarzi* Herbulot, 1992 [特有] Ref. Herbulot, 1992  
*Lomographa lungmensis* (Wehrli, 1939) Ref. Wehrli, 1939  
*Lomographa margarita* (Moore, 1868) Ref. Moore, 1868  
*Lomographa perapicata* (Wehrli, 1924) Ref. Wehrli, 1924  
*Lomographa percnosticta* Yazaki, 1994 [特有] Ref. Yazaki, 1994  
*Lomographa platyleucata* (Wileman, 1914) [特有] Ref. Wileman, 1914  
*Lomographa rara* Yazaki, 1994 [特有] Ref. Yazaki, 1994  
*Lophobates inchoata* (Prout, 1914) [特有] Ref. Prout, 1914  
*Lophobates ochrolaria* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Lophomachia lalashana* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Lophomachia semialba* (Walker, 1861) Ref. Walker, 1861  
*Lophophelma iterans* (Inoue, 1970) [特有] Ref. Inoue, 1970  
*Lophophelma taiwana* Wileman, 1912 [特有] Ref. Pitkin, Han & James, 2007  
*Loxaspilates arrizanaria* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909  
*Loxaspilates densihastigera* Inoue, 1983 [特有] Ref. Inoue, 1983  
*Loxaspilates imitata* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Loxaspilates montuosa* Inoue, 1983 [特有] Ref. Inoue, 1983  
*Loxaspilates nakajimai* Inoue, 1983 [特有] Ref. Inoue, 1983  
*Loxotephria olivacea* Warren, 1905 Ref. Warren, 1905  
*Luxiaria amasa* Moore, 1888 [特有] Ref. Moore, 1888  
*Luxiaria costinota* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Luxiaria mitorrhaphes* Prout, 1925 Ref. Prout, 1925  
*Luxiaria obliquata* Moore, 1888 Ref. Moore, 1888  
*Macaria abydata* Guenee, 1857 Ref. Guenee, 1857  
*Martania albofasciata* Moore Ref. Wileman, 1911  
*Martania denigrata* Inoue [特有] Ref. Inoue, 2004  
*Martania niveiplaga* (Bastelberger, 1909) Ref. Bastelberger, 1909  
*Martania obscurata* (Bastelberger, 1909) [特有] Ref. 同前

*Martania sugii* (Inoue, 1998) [特有] Ref. Inoue, 1998  
*Martania taiwana* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Maxates thetydaria* (Guenee, 1857) Ref. Guenee, 1857  
*Medasina brevipennis* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Medasina corticaria* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Medasina creataria* (Guenee, 1857) Ref. Guenee, 1857  
*Medasina taylingensis* Sato, 1986 [特有] Ref. Sato, 1986  
*Melanthia catenaria* Prout, 1939 [特有] Ref. Prout, 1939  
*Melanthia procellata* (Wehrli, 1941) Ref. Wehrli, 1941  
*Menophra anaplagiata* Sato, 1984 茶褐羽尺蛾 [特有] Ref. Sato, 1984  
*Menophra humeraria* (Moore, 1868) Ref. Moore, 1868  
*Menophra mitsundoi* Sato, 1984 [特有] Ref. Sato, 1984  
*Menophra nakajimai* Sato, 1984 [特有] Ref. Sato, 1984  
*Menophra taiwana* (Wileman, 1910) [特有] Ref. Wileman, 1910  
*Mesoleuca costipannaria* (Moore, 1868) Ref. Moore, 1868  
*Metabraxas rubrotincta* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Meteima mediorufa* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Microcalcarifera obscura* (Swinhoe, 1891) Ref. Swinhoe, 1891  
*Microcalicha fumosaria* Sato, 1981 [特有] Ref. Sato, 1981  
*Microlygris complicata* (Prout, 1940) [特有] Ref. Prout, 1940  
*Micronidia intermedia* Yazaki, 1992 [特有] Ref. Yazaki, 1992  
*Milionia basalis* Druce, 1888 Ref. Druce, 1888  
*Mimochroa olivescens* (Wileman, 1914) [特有] Ref. Wileman, 1914  
*Mixochlora vittata* (Moore, 1867) Ref. Moore, 1867  
*Mnesiloba eupitheciata* (Walker, 1863) Ref. Walker, 1863  
*Monocerotesa abraxides* (Prout, 1914) [特有] Ref. Prout, 1914  
*Monocerotesa coalescens* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Monocerotesa conjuncta* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Monocerotesa flavescens* Inoue, 1998 [特有] Ref. Inoue, 1998  
*Monocerotesa unifasciata* Inoue, 1998 [特有] Ref. Inoue, 1998  
*Monocerotesa virgata* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Myrioblephara cilicornaria* (Pungeler, 1903) Ref. Pungeler, 1903  
*Myrioblephara fenchihuana* Sato, 1987 [特有] Ref. Sato, 1987  
*Myrioblephara flexilinea* Warren, 1903 Ref. Warren, 1903  
*Myrteta angelica* Butler, 1881 Ref. Butler, 1881  
*Myrteta sericea* (Butler, 1879) Ref. Butler, 1879  
*Nadagara subnubila* Inoue, 1967 [特有] Ref. Inoue, 1967  
*Nadagara umbrifera* Wileman, 1910 [特有] Ref. Wileman, 1910  
*Nadagara vagaia* Walker, 1862 Ref. Walker, 1862  
*Naxa textillis* Walker, 1856 Ref. Walker, 1856  
*Naxidia punctata* (Butler, 1880) Ref. Butler, 1880  
*Neohipparchus vallatus* (Butler, 1878) Ref. Butler, 1878  
*Ninodes splendens* (Butler, 1878) Ref. Butler, 1878  
*Ninodes watanabei* Inoue, 1976 Ref. Inoue, 1976  
*Nipponogelasma chlorissodes* (Prout, 1912) [特有] Ref. Prout, 1912  
*Nothomiza costalis* (Moore, 1868) Ref. Moore, 1868  
*Nothomiza flavicosta* Prout, 1914 [特有] Ref. Prout, 1914  
*Obeidia gigantearia* Prout, 1914 [特有] Ref. Prout, 1914  
*Obeidia horishana* Matsumura, 1931 [特有] Ref. Matsumura, 1931  
*Obeidia lucifera* Wehrli, 1933 撒旦豹紋尺蛾 [特有] Ref. Wehrli, 1933  
*Obeidia tigrata* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Obeidia vagipardata* Walker, 1862 Ref. Walker, 1862  
*Obeidia vagipardata* Inoue [特有] Ref. Inoue, 2003  
*Ochrognesia albitermina* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Ochrognesia gavissima* (Prout, 1933) Ref. Prout, 1933  
*Ocoelophora lentiginosaria* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Odontopera albiguttulata* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909  
*Odontopera bilinearia* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Odontopera insulata* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909  
*Oenospila flavifusata* (Walker, 1861) Ref. Walker, 1861  
*Operophtera brumata* (Linnaeus, 1758) Ref. Linnaeus, 1758  
*Ophthalmitis albosignaria* Sato, 1999 [特有] Ref. Sato, 1999  
*Ophthalmitis cordularia* (Swinhoe, 1893) Ref. Swinhoe, 1893  
*Ophthalmitis herbidaria* (Guenee, 1857) Ref. Guenee, 1857  
*Ophthalmitis lushanaria* Sato, 1992 [特有] Ref. Sato, 1992  
*Opisthograptis moelleri* Warren, 1893 Ref. Warren, 1893  
*Opisthograptis punctilineata* Wileman, 1910 刺斑黃尺蛾 [特有] Ref. Wileman, 1910  
*Organopoda carnearia* (Walker, 1861) Ref. Walker, 1861  
*Orothalassodes pervulgatus* Inoue, 2005 Ref. Inoue, 2005  
*Orthobrachia simplicata* Yazaki, 2002 [特有] Ref. Yazaki, 2002  
*Orthocabera tinagmaria* (Guenee, 1857) Ref. Guenee, 1857  
*Orthonama obstipata* (Fabricius, 1794) Ref. Fabricius, 1794

*Ourapteryx caecata* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Ourapteryx changi* Inoue, 1985 張氏尾尺蛾 [特有] Ref. Inoue, 1985  
*Ourapteryx clara* Matsumura, 1910 [特有] Ref. Matsumura, 1910  
*Ourapteryx flavovirens* Inoue, 1985 [特有] Ref. Inoue, 1985  
*Ourapteryx inspersa* Wileman, 1912 [特有] Ref. Wileman, 1912  
*Ourapteryx monticola* Inoue, 1985 [特有] Ref. Inoue, 1985  
*Ourapteryx nigrociliaris* Inoue, 1985 [特有] Ref. Inoue, 1985  
*Ourapteryx pallidula* Inoue, 1985 [特有] Ref. Inoue, 1985  
*Ourapteryx ramosa* (Wileman, 1910) [特有] Ref. Wileman, 1910  
*Ourapteryx sciticaudaria* Walker, 1862 [特有] Ref. Walker, 1862  
*Ourapteryx similaria* (Matsumura, 1910) [特有] Ref. Matsumura, 1910  
*Ourapteryx taiwana* Wileman, 1910 [特有] Ref. Wileman, 1910  
*Ourapteryx variolaria* Inoue, 1985 [特有] Ref. Inoue, 1985  
*Ourapteryx venusta* Inoue, 1985 [特有] Ref. Inoue, 1985  
*Ourapteryx yerburii* Matsumura, 1910 [特有] Ref. Matsumura, 1910  
*Oxymacaria tameraria* Swinhoe, 1891 Ref. Swinhoe, 1891  
*Ozola defectata* Inoue, 1971 Ref. Inoue, 1971  
*Pachyodes subtritus* (Prout, 1914) [特有] Ref. Prout, 1914  
*Palpoctenidia phoenicosma* Prout, 1939 Ref. Prout, 1939  
*Pamphlebia rubrolimbraria* (Guenee, 1857) Ref. Guenee, 1857  
*Parabapta obliqua* Yazaki, 1989 [特有] Ref. Yazaki, 1989  
*Parabapta unifasciata* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Paradaris comparataria* Wileman, 1911 [特有] Ref. Wileman, 1911  
*Paradarisa chloauges* Prout, 1927 Ref. Prout, 1927  
*Paralcis menoides* (Wehrli, 1943) Ref. Wehrli, 1943  
*Paralcis pulveraria* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Paramaxates hainana* Chu, 1981 Ref. Chu, 1981  
*Paramaxates posterecta* Holloway, 1976 Ref. Holloway, 1976  
*Paramaxates taiwana* Yazaki, 1988 [特有] Ref. Yazaki, 1988  
*Paraperchnia giraffata* (Guenee, 1857) Ref. Guenee, 1857  
*Parasynegia suffusa* Warren, 1893 Ref. Warren, 1893  
*Parasynegia vitticostata* (Walker, 1863) Ref. Walker, 1863  
*Pareclipsis serrulata* (Wehrli, 1937) Ref. Wehrli, 1937  
*Pareclipsis umbrata* (Warren, 1894) Ref. Warren, 1894  
*Parectropis nigrosparsa* (Wileman&South, 1917) [特有] Ref. Wileman & South, 1917  
*Parectropis subflava* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Parobedia gigantearia* Prout [特有] Ref. Prout, 1914  
*Pelagodes antiquadrarius* (Inoue, 1976) Ref. Inoue, 1976  
*Pelagodes proquadrarius* (Inoue, 1976) [特有] Ref. Inoue, 1976  
*Pennithera fuligenosa* Yazaki, 2002 [特有] Ref. Yazaki, 2002  
*Pennithera lugubris* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Pennithera manifesta* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Pennithera subalpina* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Pennithera subcomis* (Inoue, 1978) [特有] Ref. Inoue, 1978  
*Peratophyga venetia* Swinhoe, 1902 Ref. Swinhoe, 1902  
*Pernia longitermen* Prout, 1914 長縁星尺蛾 [特有] Ref. Prout, 1914  
*Pernia luridaria* Prout, 1914 [特有] Ref. Prout, 1914  
*Pernia suffusa* Wileman, 1914 [特有] Ref. Wileman, 1914  
*Perixera absconditaria* (Walker, 1862) Ref. Walker, 1862  
*Perixera contrariata* (Walker, 1861) Ref. Walker, 1861  
*Perixera decretaria* (Walker, 1861) Ref. Walker, 1861  
*Perixera pallida* (Moore, 1887) Ref. Moore, 1887  
*Perixera sarawackaria* (Guenee, 1857) Ref. Guenee, 1857  
*Perizoma costatum* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Perizoma fasciarum* (Leech, 1897) Ref. Leech, 1897  
*Perizoma fulvimacula* (Leech, 1897) [特有] Ref. Leech, 1897  
*Perizoma ochreotinctum* Wileman, 1911 [特有] Ref. Wileman, 1911  
*Perizoma omnifasciaria* (Inoue, 1998) Ref. Inoue, 1998  
*Perizoma rantaizanense* Wileman, 1911 [特有] Ref. Wileman, 1911  
*Perizoma simulatum* Wileman, 1911 [特有] Ref. Wileman, 1911  
*Perizoma sugii* Inoue, 1998 [特有] Ref. Inoue, 1998  
*Petrophora chlorosata* (Scopoli, 1763) Ref. Scopoli, 1763  
*Phigalia owadai* Nakajima, 1994 [特有] Ref. Nakajima, 1994  
*Phoenissa brephos* Inoue, 1970 [特有] Ref. Inoue, 1970  
*Photoscotia atrostrigata* (Bremer, 1864) Ref. Bremer, 1864  
*Photoscotia insularis* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909  
*Photoscotia miniosata* (Walker, 1862) Ref. Walker, 1862  
*Phthonandria atrilineata* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Phthonoloba incissa* Prout, 1958 Ref. Prout, 1958  
*Phthonoloba viridifasciata* (Inoue, 1963) Ref. Inoue, 1963  
*Physetobasis dentifascia* Inoue, 1954 Ref. Inoue, 1954  
*Piercia viridiplana* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911

*Piercia yui* Inoue, 1970 [特有] Ref. Inoue, 1970  
*Pingasa alba* Swinhoe, 1891 Ref. Swinhoe, 1891  
*Pingasa ruginaria* Inoue, 1964 Ref. Inoue, 1964  
*Pingasa secreta* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Plagodis reticulata* Warren, 1893 Ref. Warren, 1893  
*Plesiomorpha flaviceps* (Butler, 1881) Ref. Butler, 1881  
*Plesiomorpha punctilinearia* (Leech, 1891) Ref. Leech, 1891  
*Pogonopygia nigralbata* Warren, 1894 Ref. Warren, 1894  
*Pomasia denticlathrata* Warren, 1893 Ref. Warren, 1893  
*Postobeidia gravipardata* Inoue [特有] Ref. Inoue, 2003  
*Postobeidia horishana* Matsumura [特有] Ref. Matsumura, 1931  
*Problepsis albidior* Warren, 1899 Ref. Warren, 1899  
*Problepsis conjunctiva* Prout, 1917 Ref. Prout, 1917  
*Problepsis crassinotata* Prout, 1917 Ref. Prout, 1917  
*Problepsis discophora* Fixsen, 1887 Ref. Fixsen, 1887  
*Problepsis shirozui* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Problepsis superans* (Bulter, 1885) Ref. Bulter, 1885  
*Prochasma dentilinea* (Warren, 1893) Ref. Warren, 1893  
*Proteostrenia eumimeta* Wehrli, 1936 Ref. Wehrli, 1936  
*Protoboarmia amabilis* Inoue, 1983 [特有] Ref. Inoue, 1983  
*Protonebula altera* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Protonebula egregia* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Pseudabraxas taiwana* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Pseudasthena lunulosa* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Pseudeuchromia maculifera* Schultze, 1907 Ref. Schultze, 1907  
*Pseudocollix hyperthra* (Prout, 1958) [特有] Ref. Prout, 1958  
*Pseudomiza argentilinea* (Moore, 1868) Ref. Moore, 1868  
*Pseudomiza aurata* Wileman, 1915 [特有] Ref. Wileman, 1915  
*Pseudomiza flava* (Moore, 1888) Ref. Moore, 1888  
*Pseudomiza flavitincta* (Wileman, 1915) [特有] Ref. Wileman, 1915  
*Pseudomiza obliquaria* (Leech, 1897) Ref. Leech, 1897  
*Psilalcis albibasis* (Hampson, 1895) Ref. Hampson, 1895  
*Psilalcis bisinuata* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Psilalcis fui* Sato, 2002 [特有] Ref. Sato, 2002  
*Psilalcis nigrifasciata* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Psilalcis rantaizana* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Psilalcis rotundata* Inoue, 1998 [特有] Ref. Inoue, 1998  
*Psyra conferta* Inoue, 1983 [特有] Ref. Inoue, 1983  
*Psyra cuneata* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909  
*Psyra florida* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Psyra spurcataria* (Walker, 1863) Ref. Walker, 1863  
*Ptochphyle togata* (Fabricius, 1798) Ref. Fabricius, 1798  
*Pylargosceles steganioides* (Wileman, 1915) [特有] Ref. Wileman, 1915  
*Racotis boarmiaria* (Guenee, 1857) Ref. Guenee, 1857  
*Ramobia anmashana* Sato, 2002 [特有] Ref. Sato, 2002  
*Rheumaptera albofasciata* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Rheumaptera marmoraria* (Leech, 1897) Ref. Leech, 1897  
*Rheumaptera nengkaoensis* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Rhinoprora palpata* (Walker, 1862) Ref. Walker, 1862  
*Rhodostrophia bisinuata* Prout, 1938 [特有] Ref. Prout, 1938  
*Rikiosatoa fucataria* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Rikiosatoa mavi* (Prout, 1915) Ref. Prout, 1915  
*Rikiosatoa transversa* Inoue, 1998 [特有] Ref. Inoue, 1998  
*Ruttellerona pseudocessaria* Holloway, 1993 Ref. Holloway, 1993  
*Ruttellerona cessaria* (Walker, 1860) Ref. Walker, 1860  
*Sabaria pulchra* (Wileman, 1914) [特有] Ref. Wileman, 1914  
*Sarcinodes carnearius* Guenee, 1857 Ref. Guenee, 1857  
*Sarcinodes mongaku* Marumo, 1920 Ref. Marumo, 1920  
*Sarcinodes yayeyamanus* Inoue, 1976 Ref. Inoue, 1976  
*Sarcinodes yeni* Sommerer, 1996 顏氏沙尺蛾 [特有] Ref. Sommerer, 1996  
*Satoblephara owadai* (Inoue, 1978) [特有] Ref. Inoue, 1978  
*Sauris angustifasciata* (Inoue, 1976) Ref. Inoue, 1976  
*Sauris interrupta* (Moore, 1888) Ref. Moore, 1888  
*Sauris marginepunctata* (Warren, 1899) Ref. Warren, 1899  
*Sauris olivacea* Warren, 1893 Ref. Warren, 1893  
*Scardamia metallaria* Guenee, 1857 Ref. Guenee, 1857  
*Schistophyle falcifera* Warren, 1896 Ref. Warren, 1896  
*Scionomia praeditaria* (Leech, 1897) Ref. Leech, 1897  
*Scionomia sinuosa* (Wileman, 1910) [特有] Ref. Wileman, 1910  
*Scopula absconditaria* (Walker, 1861) Ref. Walker, 1861  
*Scopula actuararia* (Walker, 1861) Ref. Walker, 1861  
*Scopula adeptaria* (Walker, 1861) Ref. Walker, 1861

*Scopula albilarvata* (Warren, 1899) Ref. Warren, 1899  
*Scopula anatreces* Prout, 1920 [特有] Ref. Prout, 1920  
*Scopula attentata* (Walker, 1861) Ref. Walker, 1861  
*Scopula caesaria* (Walker, 1861) Ref. Walker, 1861  
*Scopula defectiscripta* Prout, 1922 [特有] Ref. Prout, 1922  
*Scopula emissaria* (Walker, 1861) Ref. Walker, 1861  
*Scopula emma* (West, 1930) [特有] Ref. West, 1930  
*Scopula formosana* Prout, 1934 [特有] Ref. Prout, 1934  
*Scopula ignobilis* (Warren, 1901) Ref. Warren, 1901  
*Scopula impersonata* (Walker, 1861) Ref. Walker, 1861  
*Scopula isomerica* Prout, 1922 [特有] Ref. Prout, 1922  
*Scopula kagiata* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Scopula limbata* (Wileman, 1915) [特有] Ref. Wileman, 1915  
*Scopula mecysma* (Swinhoe, 1894) Ref. Swinhoe, 1894  
*Scopula nesciaria* (Walker, 1861) Ref. Walker, 1861  
*Scopula nigropunctata* (Walker, 1862) Ref. Walker, 1862  
*Scopula personata* (Prout, 1913) Ref. Prout, 1913  
*Scopula propinquaria* (Leech, 1897) Ref. Leech, 1897  
*Scopula proximaria* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Scopula pulchellata* (Fabricius, 1794) Ref. Fabricius, 1794  
*Scopula punctatissima* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Scopula rantanzanensis* (Wileman, 1915) [特有] Ref. Wileman, 1915  
*Scopula sauteri* Prout, 1922 [特有] Ref. Prout, 1922  
*Scopula yamanei* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Seleniopsis evaescens* (Bulter, 1881) Ref. Bulter, 1881  
*Semiothisa acutaria* (Walker, 1869) Ref. Walker, 1869  
*Semiothisa defixaria* (Walker, 1861) Ref. Walker, 1861  
*Semiothisa eleonora* (Cramer, 1780) Ref. Cramer, 1780  
*Semiothisa elvirata* (Guenee, 1857) Ref. Guenee, 1857  
*Semiothisa emersaria* (Walker, 1861) Ref. Walker, 1861  
*Semiothisa hebesata* (Walker, 1861) Ref. Walker, 1861  
*Semiothisa inchoata* (Walker, 1861) Ref. Walker, 1861  
*Semiothisa intermediaria* (Leech, 1897) Ref. Leech, 1897  
*Semiothisa kanshireiensis* Wileman, 1914 [特有] Ref. Wileman, 1914  
*Semiothisa monticolaria* (Wehrli, 1940) Ref. Wehrli, 1940  
*Semiothisa ozararia* (Walker, 1860) Ref. Walker, 1860  
*Semiothisa perfusaria* (Walker, 1866) Ref. Walker, 1866  
*Semiothisa pluviata* (Fabricius, 1798) Ref. Fabricius, 1798  
*Sibatania arizana* (Wileman, 1911) [特有] Ref. Wileman, 1911  
*Somatina plynusaria* (Walker, 1862) Ref. Walker, 1862  
*Somatina rosacea* Prout, 1914 榧姬尺蛾 [特有] Ref. Prout, 1914  
*Spaniocentra hollowayi* Inoue, 1985 Ref. Inoue, 1985  
*Spiralisigna subpumulata* (Inoue, 1982) Ref. Inoue, 1982  
*Synegia esther* Butler, 1881 Ref. Butler, 1881  
*Synegia estherodes* Sato, 1990 [特有] Ref. Sato, 1990  
*Synegia eumeleata* Walker, 1861 Ref. Walker, 1861  
*Synegia limitata* (Warren, 1897) Ref. Warren, 1897  
*Synegia masuii* Sato, 1990 Ref. Sato, 1990  
*Synegia pallens* Sato, 1990 Ref. Sato, 1990  
*Synegiodes histronarius* (Bastelberger, 1909) [特有] Ref. Bastelberger, 1909  
*Tanaoctenia haliaria* (Walker, 1861) 綠翅茶斑尺蛾 Ref. Walker, 1861  
*Tanaorhinus formosanus* Okana, 1959 台灣鎌翅綠尺蛾 [特有] Ref. Okana, 1959  
*Tanaorhinus kina* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Tanaorhinus viridiluteatus* (Walker, 1861) 偽鉤鎌翅綠尺蛾 Ref. Walker, 1861  
*Tasta argozana* Prout, 1926 銀斑小尺蛾 Ref. Prout, 1926  
*Telenomeuta punctimarginaria* (Leech, 1891) Ref. Leech, 1891  
*Thalassodes antiquadrarius* Inoue, 1976 Ref. Inoue, 1976  
*Thalassodes intaminata* Inoue, 1971 Ref. Inoue, 1971  
*Thalassodes opalina* Bulter, 1880 Ref. Bulter, 1880  
*Thalassodes proquadrarius* Inoue, 1976 Ref. Inoue, 1976  
*Thalassodes subquadrarius* Inoue, 1976 Ref. Inoue, 1976  
*Thinopteryx crocoptera* Swinhoe, 1916 Ref. Swinhoe, 1916  
*Thinopteryx nebulosa* Bulter, 1883 Ref. Bulter, 1883  
*Timandra comptaria* Walker, 1862 Ref. Walker, 1862  
*Timandra convectaria* Walker, 1861 Ref. Walker, 1861  
*Timandra dichela* (Prout, 1935) Ref. Prout, 1935  
*Timandra extremaria* Walker, 1861 Ref. Walker, 1861  
*Timandra synthaca* (Prout, 1938) [特有] Ref. Prout, 1938  
*Timandromorpha discolor* (Warren, 1896) Ref. Warren, 1896  
*Timandromorpha enervata* Inoue, 1944 Ref. Inoue, 1944  
*Trichoplites albimaculosa* Inoue, 1978 [特有] Ref. Inoue, 1978  
*Trichoplites ingressa* Prout, 1939 [特有] Ref. Prout, 1939

*Trichopterigia adorabilis* Yazaki, 1987 [特有] Ref. Yazaki, 1987  
*Trichopterigia kishidai* Yazaki, 1987 [特有] Ref. Yazaki, 1987  
*Trichopterigia nivocellata* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Trichopterigia rubripuncta* Wileman, 1916 [特有] Ref. Wileman, 1916  
*Trichopterigia rufinotata* (Butler, 1889) Ref. Butler, 1889  
*Trichopterigia sanguinipunctata* (Warren, 1893) Ref. Warren, 1893  
*Trichopterigia yoshimotoi* Yazaki, 1987 [特有] Ref. Yazaki, 1987  
*Trichopteryx fastuosa* Inoue, 1958 Ref. Inoue, 1958  
*Trichopteryx fui* Yazaki, 2002 [特有] Ref. Yazaki, 2002  
*Trichopteryx fusconotata* Hashimoto, 1983 [特有] Ref. Hashimoto, 1983  
*Trichopteryx terranea* (Bulter, 1878) Ref. Bulter, 1878  
*Trigonoptila latimarginaria* (Leech, 1891) Ref. Leech, 1891  
*Triphosa atrifascia* Inoue [特有] Ref. Inoue, 2004  
*Triphosa lugens* Bastelberger Ref. Bastelberger, 1909  
*Triphosa praesumptiosa* Prout, 1941 [特有] Ref. Prout, 1941  
*Triphosa rantaizanensis* Wileman, 1916 [特有] Ref. Wileman, 1916  
*Triphosa rotundata* Inoue [特有] Ref. Inoue, 2004  
*Triphosa rubrifusa* Bastelberger, 1909 [特有] Ref. Bastelberger, 1909  
*Triphosa rubrodotata* (Walker, 1862) Ref. Walker, 1862  
*Tristeirometa decussata* (Moore, 1868) Ref. Moore, 1868  
*Trotocraspeda divaricata* (Moore, 1888) Ref. Moore, 1888  
*Trstrophis rectifascia* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Tyloptera bella* (Inoue, 1966) [特有] Ref. Inoue, 1966  
*Uliocnemis falcipennis* Yazaki, 1991 [特有] Ref. Yazaki, 1991  
*Uliura infausta* (Prout, 1958) Ref. Prout, 1958  
*Venusia lineata* Wileman, 1916 [特有] Ref. Wileman, 1916  
*Vidaleppia incerta* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Vindusara moorei* (Thierry-Mieg, 1899) Ref. Thierry-Mieg, 1899  
*Xandrames dholaria* Moore, 1868 玉臂 [特有] Ref. Moore, 1868  
*Xandrames latiferaria* Warren, 1894 Ref. Warren, 1894  
*Xanthorhoe curcumata* (Moore, 1888) Ref. Moore, 1888  
*Xanthorhoe cybele* Prout, 1931 [特有] Ref. Prout, 1931  
*Xanthorhoe mediofascia* (Wileman, 1915) [特有] Ref. Wileman, 1915  
*Xanthorhoe saturata* (Guenee, 1857) Ref. Guenee, 1857  
*Xanthorhoe taiwana* (Wileman, 1914) [特有] Ref. Wileman, 1914  
*Xenoptia trivialis* (Yazaki, 1987) 胡麻斑星尺蛾 [特有] Ref. Yazaki, 1987  
*Xenortholitha corioidea* (Bastelberger, 1911) [特有] Ref. Bastelberger, 1911  
*Xenortholitha latifusata* (Walker, 1862) Ref. Walker, 1862  
*Xyloscia dentifera* Inoue, 1986 [特有] Ref. Inoue, 1986  
*Zanclopera calidata* Warren, 1905 Ref. Warren, 1905  
*Zethenia contiguaria* Leech, 1897 Ref. Leech, 1897  
*Zethenia crenulata* Wileman, 1915 Ref. Wileman, 1915  
*Ziridava kanshireiensis* Prout, 1958 Ref. Prout, 1958  
*Zygophyxia relictata* (Walker, 1866) Ref. Walker, 1866  
*Zyθος avellanea* (Prout, 1923) Ref. Prout, 1923

### Family Glyphipterigidae 雕翅蛾科

*Carmentina molybdotoma* (Diakonoff & Arita, 1979) Ref. Arita & Heppner, 1992  
*Carmentina perculata* (Diakonoff, 1979) [特有] Ref. 同前  
*Carmentina taiwanensis* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris affinis* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris ametris* Diakonoff, 1979 [特有] Ref. 同前  
*Glyphipteris concoluta* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris formosensis* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris gemmula* Diakonoff & Arita, 1976 Ref. 同前  
*Glyphipteris grandis* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris issikii* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris lineovalvae* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris lunaris* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris maculata* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris marinae* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris miniata* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris nizonata* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris protoscleriae* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris pseudogamma* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris pseudomelania* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris pseudotaiwana* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris rekoae* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris taiwana* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris tenuis* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris tona* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipteris trigonodes* Arita, 1979 Ref. 同前

*Glyphipterix ditiorana* (Walker, 1863) Ref. 同前  
*Glyphipterix formosametron* Arita & Heppner, 1992 [特有] Ref. 同前  
*Glyphipterix virgata* Arita & Heppner, 1992 [特有] Ref. 同前  
*Lepidotarphius perornatella* (Walker, 1864) Ref. 同前

#### Family Gracillariidae 細蛾科

*Acrocercops clisopa* Meyrick, 1935 [特有] Ref. Kumata & Kuroko, 1992  
*Acrocercops irradians* Meyrick, 1931 Ref. 同前  
*Acrocercops isonoma* Meyrick, 1916 Ref. 同前  
*Acrocercops melanoplecta* Meyrick, 1908 Ref. 同前  
*Acrocercops transecta* Meyrick, 1931 Ref. 同前  
*Acrocercops unistriata* Yuan, 1986 Ref. 同前  
*Caloptilia chrysolampra* (Meyrick, 1936) [特有] Ref. 同前  
*Caloptilia theivota* (Walsingham, 1891) [特有] Ref. 同前  
*Caloptilia zachrysa* (Meyrick, 1907) Ref. 同前  
*Calybites isograptia* (Meyrick, 1928) Ref. 同前  
*Conopomorpha litchiella* Bradley, 1986 荔枝細蛾 Ref. 同前  
*Conopomorpha sinensis* Bradley, 1986 中華細蛾 Ref. 同前  
*Cuphodes scioplintha* (Meyrick, 1934) [特有] Ref. 同前  
*Deoptilia heptadeta* (Meyrick, 1936) [特有] Ref. 同前  
*Diphtheroptila scriptulata* (Meyrick, 1916) Ref. 同前  
*Epicephala chalybacma* Meyrick, 1908 Ref. 同前  
*Epicephala venenata* Meyrick, 1935 [特有] Ref. 同前  
*Eteoryctis deversa* (Meyrick, 1922) Ref. 同前  
*Gibbovalva quadrifasciata* (Stainton, 1863) Ref. 同前  
*Melanocercops phractopa* (Meyrick, 1918) Ref. 同前  
*Phodoryctis caerulea* (Meyrick, 1912) Ref. 同前  
*Phodoryctis stephaniae* Kumata & Kuroko, 1988 Ref. 同前  
*Phyllocnistis citrella* Stainton, 1856 柑橘潛蛾 Ref. 同前  
*Phyllocnistis saligna* (Zeller, 1839) Ref. 同前  
*Phyllocnistis selenopa* Meyrick, 1915 Ref. 同前  
*Phyllonorycter orientalis* (Kumata, 1963) Ref. 同前  
*Phyllonorycter pulchra* (Kumata, 1963) Ref. 同前  
*Phyllonorycter triarcha* (Meyrick, 1908) Ref. 同前  
*Phyllonorycter triplacomis* (Meyrick, 1936) [特有] Ref. 同前  
*Porphyrosela dorinda* (Meyrick, 1912) Ref. 同前  
*Spulerina dissotoma* (Meyrick, 1931) Ref. 同前  
*Systoloneura geometropis* (Meyrick, 1936) [特有] Ref. 同前  
*Telamoptilia cathedraea* (Meyrick, 1908) Ref. 同前  
*Telamoptilia hemistacta* (Meyrick, 1918) Ref. 同前  
*Telamoptilia prosacta* (Meyrick, 1918) Ref. 同前

#### Family Heliodinidae 日逐蛾科

*Epicroesa metallifera* Meyrick, 1907 駝翅日逐蛾 Ref. Hsu & Powell (in press)

#### Family Hepialidae 蝠蛾科

*Endoclita davidi* (Poujade, 1886) 大衛氏蝠蛾 [特有] Ref. Poujade, 1886  
*Endoclita excrescens* (Butler, 1877) 淡綠蝠蛾 Ref. Butler, 1877  
*Endoclita inoueii* Ueda, 1987 井上氏蝠蛾 [特有] Ref. Ueda, 1987  
*Endoclita sinensis* (Moore, 1877) 中華蝠蛾 Ref. Moore, 1877  
*Hepialiscus monticola* Ueda, 1988 高山蝠蛾 [特有] Ref. Ueda, 1988  
*Hepialiscus robinsoni* Ueda, 1988 羅氏蝠蛾 [特有] Ref. Ueda, 1988  
*Hepialiscus taiwanus* Ueda, 1988 臺灣蝠蛾 [特有] Ref. Ueda, 1988  
*Palpifer hopponis* Matsumura, 1931 埔里長鬚蝠蛾 [特有] Ref. Matsumura, 1931  
*Palpifer sexnotatus* (Moore, 1879) 六斑長鬚蝠蛾 Ref. Moore, 1879  
*Parathitarodes changi* Ueda, 1999 張氏蝠蛾 [特有] Ref. Ueda, 1999  
*Thitarodes arizana* (Matsumura, 1931) 阿里山蝠蛾 [特有] Ref. Matsumura, 1931

#### Family Hesperidae 弄蝶科

*Abraximorpha davidii* Fruhstorfer, 1914 白弄蝶 Ref. Chiba et al., 1992  
*Aeromachus bandaishanus* Murayama & Shimonoya, 1968 萬大弧弄蝶 [特有] Ref. 同前  
*Aeromachus inachus* Matsumura, 1931 弧弄蝶 Ref. 同前  
*Aeromachus matudai* (Murayama, 1943) 霧社弧弄蝶 [特有] Ref. 同前  
*Ampittia dioscorides* (Mabille, 1891) 小黃星弄蝶 Ref. 同前  
*Ampittia virgata* Matsumura, 1910 黃星弄蝶 Ref. 同前  
*Badamia exclamationis* (Fabricius, 1775) 長翅弄蝶 Ref. 同前  
*Borbo cinnara* (Wallace, 1866) 禾弄蝶 Ref. 同前  
*Burara jaina* (Fruhstorfer, 1911) 橙翅傘弄蝶 Ref. 同前  
*Caltoris bromus* (Fruhstorfer, 1911) 無紋黯弄蝶 Ref. 同前  
*Caltoris cahira* (Moore, 1883) 黯弄蝶 Ref. 同前  
*Celaenorrhinus chihhsiaoii* Hsu, 1990 魑魅星弄蝶 [特有] Ref. 同前  
*Celaenorrhinus horishanus* Shirozu, 1960 埔里星弄蝶 [特有] Ref. 同前  
*Celaenorrhinus kurosawai* Shirozu, 1960 黑澤星弄蝶 [特有] Ref. 同前  
*Celaenorrhinus maculosus* Matsumura, 1919 大流星弄蝶 Ref. 同前

*Celaenorrhinus major* Hsu, 1990 流星弄蝶 Ref. 同前  
*Celaenorrhinus pulomaya* Fruhstorfer, 1909 尖翅星弄蝶 Ref. 同前  
*Celaenorrhinus ratna* Fruhstorfer, 1908 小星弄蝶 Ref. 同前  
*Choaspes benjaminii* (Fruhstorfer, 1911) 綠弄蝶 Ref. 同前  
*Choaspes xanthopogon* Hsu, 1988 褐翅綠弄蝶 Ref. 同前  
*Coladenia pinsbukana* (Shimonoya & Murayama), 1976 台灣窗弄蝶 [特有] Ref. 同前  
*Daimio tethys* Matsumura, 1907 玉帶弄蝶 Ref. 同前  
*Erionota torus* Evans, 1941 蕉弄蝶 Ref. 同前  
*Erynnis montanus* Murayama & Yoshisaka, 1959 深山珠弄蝶 Ref. 同前  
*Halpe gamma* Evans, 1937 昏列弄蝶 Ref. 同前  
*Hasora anura* Hsu et al., 2005 Ref. Hsu et al., 2005  
*Hasora badra* (Moore, 1858) 鐵色絨弄蝶 Ref. Chiba et al., 1992  
*Hasora chromus* (Cramer, 1782) 尖翅絨弄蝶 Ref. 同前  
*Hasora taminatus* Fruhstorfer, 1911 圓翅絨弄蝶 Ref. 同前  
*Isoteinon lamprospilus* Fruhstorfer, 1911 白斑弄蝶 Ref. 同前  
*Lobocla bifasciata* Sonan, 1936 雙帶弄蝶 Ref. 同前  
*Notocrypta curvifascia* (C. Felder & R. Felder, 1862) 袖弄蝶 Ref. 同前  
*Notocrypta feisthamelii* Sonan, 1930 連紋袖弄蝶台灣亞種 Ref. 同前  
*Notocrypta feisthamelii* Fruhstorfer, 1911 菲律賓連紋袖弄蝶 Ref. 同前  
*Ochlodes bouddha* Murayama & Shimonoya, 1963 菩提赭弄蝶 Ref. 同前  
*Ochlodes nitakanus* (Sonan, 1936) 台灣赭弄蝶 [特有] Ref. Hsu et al., 2006  
*Onryza maga* (Matsumura, 1929) 黃點弄蝶 Ref. Chiba et al., 1992  
*Parnara bada* (Moore, 1878) 小稻弄蝶 Ref. 同前  
*Parnara guttata* (Bremer & Grey, 1852) 稻弄蝶 Ref. 同前  
*Pelopidas agna* (Moore, 1866) 尖翅褐弄蝶 Ref. 同前  
*Pelopidas conjuncta* (Herrich-Schaffer, 1869) 巨褐弄蝶 Ref. 同前  
*Pelopidas mathias* Evans, 1937 隱紋穀弄蝶 Ref. 同前  
*Pelopidas sinensis* (Mabille, 1877) 中華褐弄蝶 Ref. 同前  
*Polytremsis eltola* (Matsumura, 1919) 碎紋孔弄蝶 Ref. 同前  
*Polytremsis kiraizana* (Sonan, 1938) 奇萊孔弄蝶 [特有] Ref. Hsu, 1999  
*Polytremsis lubricans* (Matsumura, 1919) 黃紋孔弄蝶 Ref. Hsu et al., 2006  
*Polytremsis theca* Shirozu, 1952 短紋孔弄蝶 Ref. Chiba et al., 1992  
*Polytremsis zina* Murayama, 1981 長紋孔弄蝶 Ref. Murayama, 1981  
*Potanthus confucius* (Matsumura, 1910) 黃斑弄蝶 Ref. Chiba et al., 1992  
*Potanthus diffusus* Hsu, Tsukiyama & Chiba, 2005 蓬萊黃斑弄蝶 [特有] Ref. Hsu et al., 2005  
*Potanthus motzui* Hsu, Li, & Li, 1990 墨子黃斑弄蝶 [特有] Ref. Chiba et al., 1992  
*Potanthus pava* (Fruhstorfer, 1911) 淡黃斑弄蝶 Ref. 同前  
*Potanthus wilemanni* (Evans, 1934) 韋氏黃斑弄蝶 [特有] Ref. 同前  
*Pseudoborbo bevani* (Moore, 1878) 假木弄蝶 Ref. 同前  
*Pseudocoladenia dan* (Sonan & Mitono, 1936) 黃襟弄蝶 Ref. 同前  
*Satarupa formosibia* Strand, 1927 台灣颯弄蝶 [特有] Ref. 同前  
*Satarupa majasra* Fruhstorfer, 1910 小紋颯弄蝶 [特有] Ref. 同前  
*Seseria formosana* (Fruhstorfer, 1909) 台灣瑟弄蝶 [特有] Ref. 同前  
*Suastrus gremius* (Fabricius, 1798) 葵弄蝶 Ref. 同前  
*Tagiades cohaerens* Mabille, 1914 滾邊裙弄蝶 Ref. 同前  
*Tagiades trebellius* Plotz, 1884 熱帶白裙弄蝶 Ref. 同前  
*Telicota bambusae* Evans, 1934 竹橙斑弄蝶 Ref. 同前  
*Telicota colon* Tsukiyama, Chiba & Fujioka, 1997 熱帶橙斑弄蝶 Ref. Tsukiyama et al., 1997  
*Telicota ohara* Fruhstorfer, 1911 寬邊橙斑弄蝶 Ref. Chiba et al., 1992  
*Thoressa horishana* (Matsumura, 1910) 台灣脈弄蝶 [特有] Ref. Shirozu, 1960  
*Udaspes folus* (Cramer, 1775) 薑弄蝶 Ref. Chiba et al., 1992

### Family Hyblaeidae 駝蛾科

*Hyblaea constellata* Guenee, 1852 白星駝蛾 Ref. Guenee, 1852  
*Hyblaea firmamentum* Guenee, 1852 燄駝蛾 Ref. Guenee, 1852  
*Hyblaea puera* (Cramer, 1777) 柚木駝蛾 Ref. Cramer, 1777

### Family Immidae 奇蛾科

*Alampla arcifraga* (Meyrick, 1914) [特有] Ref. Meyrick, 1914  
*Alampla oalaeodes* (Meyrick, 1914) Ref. Meyrick, 1914  
*Birhana taiwana* Heppner, 1990 [特有] Ref. Heppner, 1990  
*Imma asaphoneura* Meyrick, 1934 [特有] Ref. Meyrick, 1934  
*Imma flavibasa* Moore, 1887 Ref. Moore, 1887  
*Imma lathidora* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Imma mylias* Meyrick, 1906 Ref. Meyrick, 1906  
*Imma tricocota* Meyrick, 1935 [特有] Ref. Meyrick, 1935  
*Moca auxobathra* (Meyrick, 1906) Ref. Meyrick, 1906  
*Moca fungosa* (Meyrick, 1914) [特有] Ref. Meyrick, 1914

### Family Lasiocampidae 枯葉蛾科

*Arguda horishana* (Matsumura, 1927) 埔里雙線枯葉蛾 [特有] Ref. Kishida, 1992  
*Bharetta owadai* Kishida, 1986 [特有] Ref. Kishida, 1992  
*Cosmotriche discitincta* Wileman, 1914 銀肩枯葉蛾 [特有] Ref. Kishida, 1992

*Dendrolimus ariaznus* (Wileman, 1910) [特有] Ref. Kishida, 1992  
*Dendrolimus kikuchii* Matsumura, 1927 [特有] Ref. Kishida, 1992  
*Dendrolimus punctatus* (Walker, 1855) Ref. Kishida, 1992  
*Dendrolimus taiwanus* (Matsumura, 1932) [特有] Ref. Kishida, 1992  
*Euthrix laeta* (Walker, 1855) Ref. Kishida, 1992  
*Euthrix nigropuncta* (Wileman, 1910) [特有] Ref. Kishida, 1992  
*Euthrix ochreipuncta* (Wileman, 1910) [特有] Ref. Kishida, 1992  
*Euthrix tamahonis* (Matsumura, 1927) [特有] Ref. Kishida, 1992  
*Gastropacha horishana* Matsumura, 1927 [特有] Ref. Kishida, 1992  
*Gastropacha insularis* Zolotuhin, 2005 [特有] Ref. Zolotuhin, 2005  
*Gastropacha pardalis* Tams, 1935 [特有] Ref. Kishida, 1992  
*Gastropacha xenapates* Tams, 1935 [特有] Ref. Kishida, 1992  
*Kunugia brunnea* (Wileman, 1915) [特有] Ref. Kishida, 1992  
*Kunugia undans* (Strand, 1915) [特有] Ref. Kishida, 1992  
*Lebeda nobilis* Walker, 1855 [特有] Ref. Kishida, 1992  
*Malacosoma neustria* Matsumura, 1932 臺灣松毛蟲 [特有] Ref. Kishida, 1992  
*Metanastria hyrtaca* (Cramer, 1779) Ref. Kishida, 1992  
*Odonestis formosae* Wileman, 1910 [特有] Ref. Kishida, 1992  
*Odonestis pruni* (Linnaeus, 1758) [特有] Ref. Kishida, 1992  
*Pachypasoides albisparsus* (Wileman, 1910) [特有] Ref. Kishida, 1992  
*Paradoxopla sinuata* (Wileman, 1915) [特有] Ref. Kishida, 1992  
*Paralebeda plagifera* (Walker, 1855) 枯葉蛾 [特有] Ref. Kishida, 1992  
*Pyrosis ni* (Wang & Fan, 1932) 彌新枯葉蛾 [特有] Ref. Kishida, 1992  
*Radhica flavovittata* (Matsumura, 1932) [特有] Ref. Kishida, 1992  
*Somadasys catocoides* (Strand, 1915) [特有] Ref. Kishida, 1992  
*Syrastrena sumatrana* Kishida, 1985 [特有] Ref. Kishida, 1992  
*Syrastrenopsis kawabei* Kishida, 1991 [特有] Ref. Kishida, 1992  
*Takanea excisa* (Wileman, 1910) [特有] Ref. Kishida, 1992  
*Trabala vishnou* (Matsumura, 1909) [特有] Ref. Kishida, 1992

#### Family Lecithoceridae 折角蛾科

*Athymoris aurantiella* Park, 2000b [特有] Ref. Park, 2000b  
*Athymoris liukueiensis* Park, 2000b [特有] Ref. Park, 2000b  
*Athymoris martialis* Meyrick, 1935 [特有] Ref. Meyrick, 1935  
*Athymoris phreatosa* Wu, 1994 Ref. Wu, 1997  
*Athymoris subtrigona* Park, 2000b [特有] Ref. Park, 2000b  
*Carodista cultrata* Park, 2000 [特有] Ref. Park, 2000a  
*Carodista fushanensis* Park, 2000 [特有] Ref. Park, 2000a  
*Carodista montana* Park, 2000 [特有] Ref. Park, 2000a  
*Carodista notolychna* Meyrick, 1936 [特有] Ref. Meyrick, 1936  
*Deltoplastis commatopa* Meyrick, 1932 [特有] Ref. Meyrick, 1932  
*Deltoplastis lobigera* Gozmany, 1978 Ref. Gozmany, 1978  
*Deltoplastis ovatella* Park, 2001 [特有] Ref. Park, 2001  
*Dinochares notolepis* Park, 2000 [特有] Ref. Park, 2000a  
*Epimactis talantias* Meyrick, 1908 Ref. Meyrick, 1908  
*Frisilia chinensis* Gozmany, 1978 Ref. Gozmany, 1978  
*Frisilia homalisticus* Meyrick, 1935 [特有] Ref. Meyrick, 1935  
*Halolaguna oncopterux* Wu, 1994 Ref. Wu, 1994  
*Halolaguna palinensis* Park, 2000b [特有] Ref. Park, 2002b  
*Halolaguna sublaxata* Gozmany, 1978 Ref. Gozmany, 1978  
*Homaloxestis baibaraensis* Park, 1999 [特有] Ref. Park, 1999  
*Homaloxestis cholopis* Meyrick, 1906 Ref. Meyrick, 1906  
*Homaloxestis hilaris* Gozmany, 1978 Ref. Park, 1999  
*Homaloxestis myeloxesta* Meyrick, 1932 [特有] Ref. Meyrick, 1932  
*Issikiopteryx japonica* Moriuti, 1973 Ref. Moriuti, 1973  
*Issikiopteryx taipingensis* Park, 2003 Ref. Park, 2003  
*Lecithocera altusana* Park, 1999 [特有] Ref. Park, 1999  
*Lecithocera anguistiella* Park, 1999 [特有] Ref. Park, 1999  
*Lecithocera atricastana* Park, 1999 [特有] Ref. Park, 1999  
*Lecithocera aulias* Meyrick, 1910 [特有] Ref. Meyrick, 1910  
*Lecithocera bimaculata* Park, 1999 [特有] Ref. Park, 1999  
*Lecithocera chartaca* Wu & Liu, 1993 [特有] Ref. Wu & Liu, 1993  
*Lecithocera erecta* Park, 1935 [特有] Ref. Park, 1999  
*Lecithocera fascicula* Park, 1999 [特有] Ref. Park, 1999  
*Lecithocera fascinatrix* Meyrick, 1935 [特有] Ref. Meyrick, 1935  
*Lecithocera fuscata* Park, 1999 [特有] Ref. Park, 1999  
*Lecithocera glabrata* Wu & Liu, 1992 Ref. Wu & Liu, 1992  
*Lecithocera indigens* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Lecithocera latiola* Park, 1999 [特有] Ref. Park, 1999  
*Lecithocera megalopis* Meyrick, 1916 [特有] Ref. Meyrick, 1916  
*Lecithocera metacausta* Meyrick, 1910 [特有] Ref. Meyrick, 1910  
*Lecithocera palingensis* Park, 1999 [特有] Ref. Park, 1999

*Lecithocera paralevirota* Park, 1999 [特有] Ref. Park, 1999  
*Lecithocera pelomorpha* Meyrick, 1931 Ref. Meyrick, 1931  
*Lecithocera pulchella* Park, 1999 [特有] Ref. Park, 1999  
*Lecithocera rotundata* Gozmany, 1978 [特有] Ref. Gozmany, 1978  
*Lecithocera serena* Gozmany, 1978 [特有] Ref. Gozmany, 1978  
*Lecithocera shanpinensis* Park, 1999 [特有] Ref. Park, 1999  
*Lecithocera thaiheisana* Park, 1999 [特有] Ref. Park, 1999  
*Lecithocera theconoma* Meyrick, 1926 [特有] Ref. Park, 1999  
*Lecithocera tienchiensis* Park, 1999 [特有] Ref. Park, 1999  
*Lecitholaxa thiodora* Meyrick, 1914 Ref. Meyrick, 1914  
*Lysipatha diaxantha* Meyrick, 1932 [特有] Ref. Meyrick, 1932  
*Lysipatha zonospaera* Meyrick, 1932 [特有] Ref. Meyrick, 1932  
*Nosphistica bisinuata* Park, 2002 [特有] Ref. Park, 2002  
*Nosphistica fenestrata* Gozmany, 1978 Ref. Gozmany, 1978  
*Nosphistica fuscolepis* Park, 2002 [特有] Ref. Park, 2002  
*Nosphistica paramecola* Wu, 1996 Ref. Wu, 1996  
*Nosphistica tarokoensis* Park, 2002 [特有] Ref. Park, 2002  
*Philharmonia adusta* Park, 2000b [特有] Ref. Park, 2002b  
*Spatulignatha idiogena* Wu, 1994 Ref. Wu, 1994  
*Spatulignatha olaxana* Wu, 1994 Ref. Wu, 1994  
*Synesarga bleszynskii* Gozmany, 1978 Ref. Gozmany, 1978  
*Synesarga caradjai* Gozmany, 1978 [特有] Ref. Gozmany, 1978  
*Thubana albisgnis* (Meyrick, 1914) [特有] Ref. Meyrick, 1914  
*Thubana deltapispis* Meyrick, 1935 [特有] Ref. Meyrick, 1935  
*Thubana spinula* Park, 2001 [特有] Ref. Park, 2001  
*Tisis mesozosta* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Torodora albicruris* Park & Heppner, 2000 [特有] Ref. Park & Heppner, 2000  
*Torodora capillaris* Park & Heppner, 2000 [特有] Ref. 同前  
*Torodora chinanensis* Park, 2003 Ref. Park, 2003  
*Torodora galera* Wu & Liu, 1994 Ref. Wu & Liu, 1994  
*Torodora manoconta* Wu & Liu, 1994 Ref. 同前  
*Torodora octovara* Meyrick, 1932 Ref. Meyrick, 1932  
*Torodora parthenopis* Meyrick, 1932 [特有] Ref. Meyrick, 1932  
*Torodora pseudogalera* Park, 2004 Ref. Park, 2004  
*Torodora rectilinea* Park, 2003 Ref. Park, 2003  
*Torodora sciadosa* Wu & Liu, 1994 Ref. Wu & Liu, 1994

### Family Limacodidae 刺蛾科

*Altha lacteola* Strand, 1915 [特有] Ref. Inoue, 1992  
*Althonarosa horisyaensis* Kawada, 1930 [特有] Ref. Inoue, 1992  
*Belippa horrida* Walker, 1865 Ref. Inoue, 1992  
*Cania heppneri* Inoue, 1992 [特有] Ref. Inoue, 1992  
*Ceratonema wilemani* West, 1932 [特有] Ref. Inoue, 1992  
*Chalcoscelides castaneipars* (Moore, 1866) Ref. Inoue, 1992  
*Chibiraga banghaasi* (Hering & Hopp, 1927) Ref. Inoue, 1992  
*Dactylorhynchides rufibasale* (Hampson, 1896) Ref. Inoue, 1992  
*Darna furva* (Wileman, 1911) [特有] Ref. Inoue, 1992  
*Darna pallivitta* (Moore, 1877) Ref. Inoue, 1992  
*Darna trima* (Moore, 1860) Ref. Inoue, 1992  
*Demonarosa rufotessellata* (Wileman, 1915) [特有] Ref. Inoue, 1992  
*Flavinarosa obscura* (Wileman, 1911) [特有] Ref. Inoue, 1992  
*Iraga rugosa* (Wileman, 1911) [特有] Ref. Inoue, 1992  
*Mahanta kawadai* Yoshimoto, 1995 [特有] Ref. Yoshimoto, 1995  
*Microleon lingipalpis* Bulter, 1885 Ref. Inoue, 1992  
*Miresa fulgida* Wileman, 1910 [特有] Ref. Inoue, 1992  
*Monema rubriceps* (Matsumura, 1931) [特有] Ref. Inoue, 1992  
*Nagodopsis shirakiana* Matsumura, 1931 [特有] Ref. Inoue, 1992  
*Narosa corusca* Wileman, 1911 [特有] Ref. Inoue, 1992  
*Narosa fulgens* (Leech, 1889) Ref. Inoue, 1992  
*Narosa nigrisigna* Wileman, 1911 [特有] Ref. Inoue, 1992  
*Narosa nitobei* Shiraki, 1913 [特有] Ref. Inoue, 1992  
*Narosoideus vulpinus* (Wileman, 1911) [特有] Ref. Inoue, 1992  
*Natada arizana* (Wileman, 1916) [特有] Ref. Inoue, 1992  
*Neiraga baibarana* Matsumura, 1931 [特有] Ref. Inoue, 1992  
*Parasa bicolor* (Matsumura, 1911) [特有] Ref. Inoue, 1992  
*Parasa darma* Moore, 1860 Ref. Inoue, 1992  
*Parasa hilarata* (Staudinger, 1887) Ref. Inoue, 1992  
*Parasa pastoralis* Bulter, 1880 Ref. Inoue, 1992  
*Parasa shirakii* Kawada, 1930 [特有] Ref. Inoue, 1992  
*Parasa tessellata* Moore, 1877 Ref. Inoue, 1992  
*Phlossa conjuncta* (Walker, 1855) Ref. Inoue, 1992  
*Phlossa melli* (Hering, 1931) Ref. Inoue, 1992

*Phlossa taiwana* (Wileman, 1916) [特有] Ref. Inoue, 1992  
*Phrixolepia inouei* Yoshimoto, 1993 [特有] Ref. Inoue, 1992  
*Rhamnopsis arizanelia* Matsumura, 1931 [特有] Ref. Inoue, 1992  
*Rhamnosa uniformis* (Swinhoe, 1895) Ref. Inoue, 1992  
*Scopelodes contractus* Walker, 1855 Ref. Inoue, 1992  
*Setora baibarana* (Matsumura, 1931) 眉原褐刺蛾 [特有] Ref. Inoue, 1992  
*Setora sinensis* Moore, 1877 Ref. Inoue, 1992  
*Sinensis formosana* Wileman, 1911 [特有] Ref. Inoue, 1992  
*Spatulifimbria castaneiceps* Hering, 1931 Ref. Inoue, 1992  
*Susica sinensis* Wileman Ref. Inoue, 1992  
*Thosea bicolor* Shiraki, 1913 [特有] Ref. Inoue, 1992  
*Thosea cana* (Walker, 1865) [特有] Ref. Inoue, 1992  
*Thosea castanea* Wileman, 1911 [特有] Ref. Inoue, 1992  
*Thosea conspersa* (Bulter, 1880) Ref. Inoue, 1992  
*Thosea postornata* Hampson, 1900 Ref. Inoue, 1992  
*Thosea rufa* Wileman, 1915 [特有] Ref. Inoue, 1992  
*Thosea sinensis* (Walker, 1855) 扁刺蛾 Ref. Inoue, 1992

### Family Lycaenidae 灰蝶科

*Abisara burnii* (Fruhstorfer, 1908) 白點褐蛺蝶 Ref. Shirozu & Ueda, 1992  
*Acytolepis puspa* (Fruhstorfer, 1909) 靛青琉灰蝶 Ref. 同前  
*Amblopala avidiena* (Sonan, 1929) 尖灰蝶 Ref. 同前  
*Ancema ctesia* (Fruhstorfer, 1909) 鈿灰蝶 Ref. 同前  
*Attagis attilia* Takeuchi, 1923 折線灰蝶 Ref. 同前  
*Araragi enthea* M. Inoue, 1942 墨點灰蝶 Ref. 同前  
*Arhopala abseus* (Hewitson, 1862) 三尾紫灰蝶 Ref. 同前  
*Arhopala bazalus* (Butler, 1881) 燕尾紫灰蝶 Ref. 同前  
*Arhopala birmana* (Matsumura, 1910) 小紫灰蝶 Ref. 同前  
*Arhopala ganesa* Kato, 1930 蔚青紫灰蝶 Ref. 同前  
*Arhopala japonica* (Murray, 1875) 日本紫灰蝶 Ref. 同前  
*Arhopala paramuta* Matsumura, 1910 暗色紫灰蝶 Ref. 同前  
*Arhopala rama* (Kollar, 1848) 短尾紫灰蝶 Ref. 同前  
*Artipe eryx* (Matsumura, 1929) 綠灰蝶 Ref. 同前  
*Callenya melaena* (Esaki, 1932) 寬邊琉灰蝶 Ref. 同前  
*Catapacilma major* (Wileman, 1908) 三尾灰蝶 Ref. 同前  
*Catochrysops panormus* (Distant, 1886) 青珈波灰蝶 Ref. 同前  
*Catochrysops strabo* Tite, 1959 紫珈波灰蝶 Ref. 同前  
*Catopyrops ancyra* (Druce, 1873) 曲波灰蝶 Ref. Lu & Hsu, 2002  
*Celastrina argiolus* (Fruhstorfer, 1922) 琉灰蝶 Ref. Shirozu & Ueda, 1992  
*Celastrina lavendularis* (Fruhstorfer, 1909) 細邊琉灰蝶 Ref. 同前  
*Celastrina oreas* (Matsumura, 1910) 大紫琉灰蝶 Ref. 同前  
*Celastrina sugitanii* Hsu, 1987 杉谷琉灰蝶 Ref. 同前  
*Celatoxia marginata* Niceville, 1884 白紋琉灰蝶 Ref. 同前  
*Chilades laius* Matsumura, 1919 綺灰蝶 Ref. 同前  
*Chilades pandava* Hsu, 1989 蘇鐵綺灰蝶 Ref. 同前  
*Chrysozephyrus ataxus* Okano & Okura, 1969 白芒翠灰蝶 Ref. Okano & Okura, 1969  
*Chrysozephyrus disparatus* (Howarth, 1957) 小翠灰蝶 Ref. Shirozu & Ueda, 1992  
*Chrysozephyrus esakii* (Sonan, 1940) 碧翠灰蝶 Ref. Shirozu, 1960  
*Chrysozephyrus kabura* (Kano, 1928) 黃閃翠灰蝶 Ref. Shirozu & Ueda, 1992  
*Chrysozephyrus mushaellus* (Matsumura, 1938) 霧社翠灰蝶 Ref. 同前  
*Chrysozephyrus nishikaze* (Araki & Sibatani, 1886) 西風翠灰蝶 [特有] Ref. Koiwaya, 1999  
*Chrysozephyrus rarasanus* (Matsumura, 1939) 拉拉山翠灰蝶 Ref. Shirozu & Ueda, 1992  
*Chrysozephyrus splendidulus* Murayama & Shimonoya, 1965 單線翠灰蝶 [特有] Ref. 同前  
*Chrysozephyrus yuchingkinus* Murayama & Shimonoya, 1965 清金翠灰蝶 [特有] Ref. 同前  
*Cordelia comes* Matsumura, 1929 珂灰蝶 Ref. 同前  
*Curetis acuta* Fruhstorfer, 1908 銀灰蝶 Ref. 同前  
*Curetis brunnea* Wileman, 1909 台灣銀灰蝶 [特有] Ref. 同前  
*Danis schaeffera* (Eschscholtz, 1821) 黑列波灰蝶 Ref. 同前  
*Deudorix epijarbas* Fruhstorfer, 1911 夏灰蝶 Ref. 同前  
*Deudorix rapaloides* (Naritomi, 1941) 淡黑玳灰蝶 Ref. 同前  
*Deudorix repercussa* Matsumura, 1938 茶翅玳灰蝶 Ref. 同前  
*Dodona eugenes* Matsumura, 1919 銀紋尾蛺蝶北台灣亞種 Ref. 同前  
*Dodona eugenes* Shirozu, 1952 銀紋尾蛺蝶中台灣亞種 Ref. 同前  
*Euaspa forsteri* (Esaki & Shirozu, 1943) 伏氏鉞灰蝶 Ref. 同前  
*Euaspa milionia* Nomura, 1931 鉞灰蝶 Ref. 同前  
*Euaspa tayal* (Esaki & Shirozu, 1943) 泰雅鉞灰蝶 Ref. 同前  
*Euchrysops cnejus* (Fabricius, 1798) 奇波灰蝶 Ref. 同前  
*Everes argiades* Menetries, 1857 燕藍灰蝶 Ref. 同前  
*Everes lacturnus* Godfrey, 1916 南方燕藍灰蝶 Ref. 同前  
*Famegana alsulus* (Sonan, 1938) 單點藍灰蝶 Ref. 同前  
*Fixsenia watarii* (Matsumura, 1927) 渡氏烏灰蝶 [特有] Ref. Hsu, 1999  
*Freyeria putli* (Matsumura, 1919) 東方晶灰蝶 Ref. Shirozu & Ueda, 1992

*Heliophorus ila* (Fruhstorfer, 1908) 紫日灰蝶 Ref. 同前  
*Horaga albimacula* Murayama & Shibatani, 1943 小鑽灰蝶 Ref. 同前  
*Horaga onyx* Matsumura, 1919 鑽灰蝶 Ref. 同前  
*Horaga rarasana* Sonan, 1936 拉拉山鑽灰蝶 [特有] Ref. 同前  
*Hypolycaena kina* (Wileman, 1908) 蘭灰蝶 Ref. 同前  
*Hypolycaena othona* Hewitson, 1865 熱帶蘭灰蝶 Ref. 同前  
*Hypolycaena vanavasa* (Fruhstorfer, 1909) 小蘭灰蝶 Ref. 同前  
*Iratsume orsedice* (Sonan, 1940) 珠灰蝶 Ref. 同前  
*Jamides alecto* Fruhstorfer, 1910 淡青雅波灰蝶 Ref. 同前  
*Jamides bochus* Fruhstorfer, 1909 雅波灰蝶 Ref. 同前  
*Jamides celeno* (Cramer, 1775) 白雅波灰蝶 Ref. 同前  
*Jamides cleodus* (C. Felder & R. Felder, 1865) 閃雅波灰蝶 Ref. 同前  
*Japonica patungkoanui* Murayama, 1956 台灣焰灰蝶 [特有] Ref. Koiwaya, 1999  
*Lampides boeticus* (Linnaeus, 1767) 豆波灰蝶 Ref. Shirozu & Ueda, 1992  
*Leucantigius atayallicus* (Shirozu & Murayama, 1943) 瓏灰蝶 Ref. 同前  
*Mahathala ameria* Bethune-Baker, 1903 凹翅紫灰蝶 Ref. 同前  
*Megisba malaya* Moore, 1884 黑星灰蝶 Ref. 同前  
*Nacaduba berenice* Hsu, 1990 熱帶娜波灰蝶 Ref. 同前  
*Nacaduba beroe* Fruhstorfer, 1916 南方娜波灰蝶 Ref. 同前  
*Nacaduba kurava* Fruhstorfer, 1916 大娜波灰蝶 Ref. 同前  
*Nacaduba pactolus* Bethune-Baker, 1914 暗色娜波灰蝶 Ref. 同前  
*Neopithecops zalmora* (Butler, 1869) 黑點灰蝶 Ref. 同前  
*Neozephyrus japonicus* (Murray, 1875) 日本椋翠灰蝶 Ref. 同前  
*Neozephyrus taiwanus* (Wileman, 1908) 台灣椋翠灰蝶 [特有] Ref. 同前  
*Niphanda fusca* Matsumura, 1929 黑灰蝶 Ref. 同前  
*Orthomiella rantaizana* (Wileman, 1910) 巒大鋸灰蝶 Ref. D'Abbrera, 1986  
*Phengaris atroguttata* (Matsumura, 1926) 青雀斑灰蝶 Ref. Shirozu & Ueda, 1992  
*Phengaris daiiozana* Wileman, 1908 白雀斑灰蝶 [特有] Ref. 同前  
*Pithecops corvus* Cowan, 1965 琉球黑星小灰蝶 Ref. 同前  
*Pithecops fulgens* Bethune-Baker, 1913 烏來黑星小灰蝶 Ref. 同前  
*Prosotas dubiosa* Hsu & Yen, 2006 密紋波灰蝶 [特有] Ref. Hsu & Yen, 2006  
*Prosotas nora* (Fruhstorfer, 1916) 波灰蝶 Ref. Shirozu & Ueda, 1992  
*Rapala caerulea* Nire, 1920 堇彩燕灰蝶 Ref. 同前  
*Rapala nissa* Matsumura, 1926 霓彩燕灰蝶 Ref. 同前  
*Rapala takasagonis* Matsumura, 1929 高砂燕灰蝶 [特有] Ref. 同前  
*Rapala varuna* Fruhstorfer, 1911 燕灰蝶 Ref. 同前  
*Ravenna nivea* (Nire, 1920) 朗灰蝶 Ref. 同前  
*Satyrium austrina* (Murayama, 1943) 南方洒灰蝶 Ref. Hsu, 1999  
*Satyrium esakii* (Shirozu, 1942) 江崎洒灰蝶 [特有] Ref. Hsu, 1999  
*Satyrium eximia* (Matsumura, 1929) 秀洒灰蝶 Ref. Hsu, 1999  
*Satyrium formosana* (Matsumura, 1910) 台灣洒灰蝶 Ref. Hsu, 1999  
*Satyrium inouei* (Shirozu, 1959) 井上洒灰蝶 Ref. Hsu, 1999  
*Satyrium tanakai* (Shirozu, 1943) 田中洒灰蝶 [特有] Ref. Hsu, 1999  
*Shijimia moorei* (Leech, 1889) 森灰蝶 Ref. Shirozu & Ueda, 1992  
*Sibatanozephyrus kuafui* Hsu & Lin, 1994 夸父瓘灰蝶 [特有] Ref. Hsu & Lin, 1994  
*Sinthusia chandrana* (Matsumura, 1919) 閃灰蝶 Ref. Shirozu & Ueda, 1992  
*Spalgis epius* (Moore, 1878) 熙灰蝶 Ref. 同前  
*Spindasis kuyanianus* (Matsumura, 1919) 蓬萊虎灰蝶 [特有] Ref. 同前  
*Spindasis lohita* (Moore, 1877) 虎灰蝶 Ref. 同前  
*Spindasis syama* (Horsfield, 1829) 三斑虎灰蝶 Ref. 同前  
*Syntarucus plinius* (Fabricius, 1793) 細灰蝶 Ref. 同前  
*Tajuria caerulea* Nire, 1920 褐翅青灰蝶 [特有] Ref. 同前  
*Tajuria diaeus* Matsumura, 1929 白腹青灰蝶 Ref. 同前  
*Tajuria illurgioides* Morita, 1996 假連紋青灰蝶 Ref. Morita, 1996  
*Tajuria illurgis* (Araki, 1949) 連紋青灰蝶 Ref. Shirozu & Ueda, 1992  
*Taraka hamada* Fruhstorfer, 1922 蚜灰蝶 Ref. 同前  
*Teratozephyrus arisanus* (Wileman, 1909) 阿里山鐵灰蝶 Ref. 同前  
*Teratozephyrus elatus* Hsu & Lu, 2005 高山鐵灰蝶 [特有] Ref. Hsu & Lu, 2005  
*Teratozephyrus yugaii* (Kano, 1928) 台灣鐵灰蝶 [特有] Ref. Koiwaya, 1999  
*Tongeia filicaudis* (Tanikawa, 1940) 密點玄灰蝶 Ref. Shirozu & Ueda, 1992  
*Tongeia hainani* (Bethune-Baker, 1914) 台灣玄灰蝶 [特有] Ref. 同前  
*Udara albocaerulea* (Moore, 1879) 白斑嫵琉灰蝶 Ref. 同前  
*Udara dilecta* (Moore, 1879) 嫵琉灰蝶 Ref. 同前  
*Ussuriana michaelis* (Araki & Hirayama, 1941) 赭灰蝶 Ref. Koiwaya, 1999  
*Wagimo insularis* Shirozu, 1957 線灰蝶 [特有] Ref. Koiwaya, 1999  
*Zizeeria karsandra* (Moore, 1865) 萹藍灰蝶 Ref. Shirozu & Ueda, 1992  
*Zizeeria maha* (Matsumura, 1929) 藍灰蝶 Ref. 同前  
*Zizina nisa* (Wallace, 1866) Ref. 同前  
*Zizina otis* (Matsumura, 1929) 折列藍灰蝶 Ref. 同前  
*Zizula hylax* (Fabricius, 1775) 迷你藍灰蝶 Ref. 同前

### Family Lymantriidae 毒蛾科

*Arctornis cygna* (Moore, 1879) Ref. Kishida, 1992  
*Arctornis flavicostata* (Matsumura, 1927) Ref. Kishida, 1992  
*Arctornis formosensis* (Strand, 1922) Ref. Kishida, 1992  
*Arctornis kanazawai* Inoue Ref. Kishida, 1992  
*Arctornis l-nigrum* Okano Ref. Kishida, 1992  
*Arna bipunctapex* (Hampson), 1891 Ref. Kishida, 1992  
*Aroa substrigosa* Walker Ref. Kishida, 1992  
*Calliteara angulata* (Hampson, 1891) Ref. Kishida, 1992  
*Calliteara arizana* (Wileman, 1911) Ref. Kishida, 1992  
*Calliteara baibarana* (Matsumura, 1927) Ref. Kishida, 1992  
*Calliteara contexta* Kishida, 1998 Ref. Kishida, 1998  
*Calliteara grotei* (Matsumura, 1927) Ref. Kishida, 1992  
*Calliteara kikuchii* (Matsumura, 1927) Ref. Kishida, 1992  
*Calliteara lunulata* (Matsumura, 1927) 結麗毒蛾 Ref. Kishida, 1992  
*Calliteara multilineata* (Swinhoe, 1917) Ref. Kishida, 1992  
*Calliteara postfusca* (Swinhoe, 1895) Ref. Kishida, 1992  
*Calliteara saitonis* (Matsumura, 1927) Ref. Kishida, 1992  
*Calliteara taiwana* (Wileman, 1910) Ref. Kishida, 1992  
*Cifuna locuples* Walker Ref. Kishida, 1992  
*Dasychira suisharyonis* Strand Ref. Kishida, 1992  
*Dura alba* Moore 扇毒蛾 Ref. Kishida, 1992  
*Euproctis alikangiae* Strand Ref. Kishida, 1992  
*Euproctis angulata* Matsumura Ref. Kishida, 1992  
*Euproctis aurata* Wileman Ref. Kishida, 1992  
*Euproctis baibarana* Matsumura Ref. Kishida, 1992  
*Euproctis bimaculata* Matsumura Ref. Kishida, 1992  
*Euproctis brachycera* Collentte Ref. Kishida, 1992  
*Euproctis centrofascia* Matsumura Ref. Kishida, 1992  
*Euproctis chibiana* Matsumura Ref. Kishida, 1992  
*Euproctis croceola* Strand Ref. Kishida, 1992  
*Euproctis dissimilis* Wileman Ref. Kishida, 1992  
*Euproctis endoplagia* Hampson Ref. Kishida, 1992  
*Euproctis hopponis* (Matsumura, 1933) Ref. Kishida, 1992  
*Euproctis inornata* Wileman Ref. Kishida, 1992  
*Euproctis insulata* Wileman Ref. Kishida, 1992  
*Euproctis kanshireia* Wileman Ref. Kishida, 1992  
*Euproctis karapina* Strand Ref. Kishida, 1992  
*Euproctis latifascia* Strand Ref. Kishida, 1992  
*Euproctis lubecula* Wileman Ref. Kishida, 1992  
*Euproctis macroleura* (Strand, 1914) Ref. Kishida, 1992  
*Euproctis magna* Swinhoe Ref. Kishida, 1992  
*Euproctis nigricauda* Matsumura Ref. Kishida, 1992  
*Euproctis nigropuncta* Wileman Ref. Kishida, 1992  
*Euproctis postalbata* Matsumura Ref. Kishida, 1992  
*Euproctis postfusca* Wileman & south Ref. Kishida, 1992  
*Euproctis pterofera* Strand Ref. Kishida, 1992  
*Euproctis pulvereae* (Leech, 1888) Ref. Kishida, 1992  
*Euproctis purpureofasciata* Wileman Ref. Kishida, 1992  
*Euproctis sericea* Wileman 雪黃毒蛾 Ref. Kishida, 1992  
*Euproctis shironis* Matsumura Ref. Kishida, 1992  
*Euproctis simplex* Wileman Ref. Kishida, 1992  
*Euproctis sparsa* Wileman Ref. Kishida, 1992  
*Euproctis staudingeri* (Leech, 1889) Ref. Kishida, 1992  
*Euproctis striata* Wileman Ref. Kishida, 1992  
*Euproctis taiwana* (Shiraki, 1913) Ref. Kishida, 1992  
*Euproctis tamahonis* Matsumura Ref. Kishida, 1992  
*Euproctis tomponis* (Matsumura, 1929) Ref. Kishida, 1992  
*Euproctis uchidai* Matsumura Ref. Kishida, 1992  
*Euproctis unifascia* Wileman Ref. Kishida, 1992  
*Euproctis unipunctapex* Shiraki Ref. Kishida, 1992  
*Euproctis urocoma* (Strand, 1914) Ref. Kishida, 1992  
*Euproctis usukia* Matsumura Ref. Kishida, 1992  
*Euproctis varians* (Walker, 1855) Ref. Kishida, 1992  
*Euproctis virguncula* Walker Ref. Kishida, 1992  
*Eurpocctis mimosa* (Matsumura, 1933) Ref. Kishida, 1992  
*Eurpocctis scintillans* (Walker, 1856) Ref. Kishida, 1992  
*Eurpocctis shirakii* Matsumura Ref. Kishida, 1992  
*Ilema kosemponica* (Strand), 1914 Ref. Kishida, 1992  
*Ilema nachiensis* (Marumo, 1917) Ref. Kishida, 1992  
*Ilema nigrofascia* (Wileman), 1911 Ref. Kishida, 1992  
*Ilema olivacea* (Wileman), 1910 Ref. Kishida, 1992  
*Laelia exclamationis* (Kollar, 1844) Ref. Kishida, 1992

*Laelia formosana* Strand Ref. Kishida, 1992  
*Laelia striata* Wileman Ref. Kishida, 1992  
*Leucoma clara* (Walker, 1865) Ref. Kishida, 1992  
*Leucoma niveata* (Walker, 1865) Ref. Kishida, 1992  
*Locharna strigipennis* Moore Ref. Kishida, 1992  
*Lymantria concolor* Walker, 1855 Ref. Kishida, 1992  
*Lymantria grisea* Strand, 1914 [特有] Ref. Kishida, 1992  
*Lymantria iris* Strand, 1911 Ref. Kishida, 1992  
*Lymantria mathura* Butler, 1877 [特有] Ref. Kishida, 1992  
*Lymantria mathura* Moore Ref. Kishida, 1992  
*Lymantria sinica* Moore, 1879 Ref. Kishida, 1992  
*Lymantria sugii* (Kishida, 1986) [特有] Ref. Kishida, 1992  
*Lymantria umbrifera* Wileman, 1910 [特有] Ref. Kishida, 1992  
*Lymantria xylina* Swinhoe Ref. Kishida, 1992  
*Lymantria xylina* Swinhoe, 1903 Ref. Kishida, 1992  
*Medama diplaga* (Hampson, 1910) Ref. Kishida, 1992  
*Numenes patrana* Moore Ref. Kishida, 1992  
*Numenes takamukui* Matsumura Ref. Kishida, 1992  
*Olene dudgeoni* (Swinhoe), 1907 Ref. Kishida, 1992  
*Olene inclusa* (Walker), 1856 Ref. Kishida, 1992  
*Olene mendosa* (Hubner), 1823 Ref. Kishida, 1992  
*Orgyia nantonis* Matsumura Ref. Kishida, 1992  
*Orgyia postica* (Walker, 1855) Ref. Kishida, 1992  
*Pantana ochripalpis* (Strand, 1914) Ref. Kishida, 1992  
*Pantana pluto* (Leech, 1890) Ref. Kishida, 1992  
*Pantana seriatopunctata* Matsumura Ref. Kishida, 1992  
*Pantana visum* Walker Ref. Kishida, 1992  
*Perina nuda* (Fabricius, 1787) Ref. Kishida, 1992  
*Pida decolorata* Matsumura Ref. Kishida, 1992  
*Pida postalba* Wileman Ref. Kishida, 1992  
*Psalis ennata* (Fabricius, 1793) Ref. Kishida, 1992  
*Somena scintillans* (Walker), 1856 Ref. Kishida, 1992  
*Topomesoides jonasii* (Butler, 1877) Ref. Kishida, 1992

#### Family Lyonetiidae 萊氏蛾科

*Lyonetia anthemopa* Meyrick, 1936 [特有] Ref. Meyrick, 1936  
*Lyonetia clerkella* (Linnaeus, 1758) Ref. Linnaeus, 1758

#### Family Macropiratidae 單羽蛾科

*Agdistopsis sinhala* (Fletcher, 1909) 東方單羽蛾 Ref. Gielis, 2003

#### Family Micropterigidae 小翅蛾科

*Palaeomicroides anmashanensis* Hashimoto 鞍馬山古小翅蛾 [特有] Ref. Hashimoto, 2000  
*Palaeomicroides aritai* Hashimoto 有田氏古小翅蛾 [特有] Ref. Hashimoto, 1996  
*Palaeomicroides caeruleimaculella* Issiki 粉斑古小翅蛾 [特有] Ref. Issiki, 1931  
*Palaeomicroides costipunctella* Issiki 緣斑古小翅蛾 [特有] Ref. Issiki, 1931  
*Palaeomicroides discopurplella* Issiki 紫斑古小翅蛾 [特有] Ref. Issiki, 1931  
*Palaeomicroides fasciatella* Issiki 帶紋古小翅蛾 [特有] Ref. Issiki, 1931  
*Palaeomicroides marginella* Issiki 寬緣古小翅蛾 [特有] Ref. Issiki, 1931  
*Palaeomicroides obscurella* Issiki 淡紋古小翅蛾 [特有] Ref. Issiki, 1931  
*Paramartyria bimaculella* Issiki 雙斑小翅蛾 [特有] Ref. Issiki, 1931  
*Paramartyria maculatella* Issiki 圓斑小翅蛾 [特有] Ref. Issiki, 1931  
*Paramartyria ovaella* Issiki 卵斑小翅蛾 [特有] Ref. Issiki, 1931

#### Family Momphidae 矇蛾科

*Mompha lychnopis* Meyrick, 1933 [特有] Ref. Meyrick, 1933

#### Family Neopseustidae 卵翅蛾科

*Neopseustis meyricki* Hering, 1925 臺灣卵翅蛾 [特有] Ref. Hering, 1925

#### Family Noctuidae 夜蛾科

*Abrostola abrostolina* (Butler, 1879) Ref. Sugi, 1992  
*Abrostola anophioides* Moore, 1882 Ref. Sugi, 1992  
*Abrostola suisharyonis* Strand, 1920 Ref. Sugi, 1992  
*Acantholipes larentioides* Strand, 1920 Ref. Sugi, 1992  
*Acantholipes trajectus* (Walker, 1865) Ref. Sugi, 1992  
*Achaea janata* (Linnaeus, 1758) Ref. Sugi, 1992  
*Achaea serva* (Fabricius, 1775) Ref. Sugi, 1992  
*Acontia bicolora* Leech, 1889 Ref. Sugi, 1992  
*Acontia crocata* Guenee, 1852 Ref. Sugi, 1992  
*Acontia marmoralis* (Fabricius, 1794) Ref. Sugi, 1992  
*Acontia olivacea* (Hampson, 1891) Ref. Sugi, 1992  
*Acronicta albistigma* Hampson, 1909 Ref. Sugi, 1992  
*Acronicta denticulata* B.S.Chang, 1991 Ref. Sugi, 1992  
*Acronicta digna* (Butler, 1881) Ref. Sugi, 1992

*Acronicta gigasa* B.S.Chang, 1991 Ref. Sugi, 1992  
*Acronicta hercules* (Felder & Rogenhofer, 1874) Ref. Sugi, 1992  
*Acronicta intermedia* (Warren, 1909) Ref. Sugi, 1992  
*Acronicta pruinosa* (Guenee, 1852) Ref. Sugi, 1992  
*Actinotia intermediata* (Bremer, 1861) Ref. Sugi, 1992  
*Acynatha terminalis* (Wileman, 1915) Ref. Sugi, 1992  
*Adisura atkinsoni* Moore, 1881 Ref. Sugi, 2001  
*Adrapsa ablualis* Walker, 1859 Ref. Walker, 1859  
*Adrapsa mediana* Wileman, 1915 Ref. Wileman, 1915  
*Adrapsa notigera* (Butler, 1879) Ref. Owada, 1992  
*Adrapsa ochracea* Leech, 1900 Ref. Leech, 1900  
*Adrapsa quadrilinealis* (Wileman, 1914) Ref. Wileman, 1914  
*Adrapsa rivulata* Leech, 1990 Ref. Owada, 1992  
*Adrapsa simplex* (Butler, 1879) Ref. Butler, 1879  
*Adrapsa subnotigera* Owada, 1982 Ref. Owada, 1982  
*Adris okurai* Okano, 1964 Ref. Sugi, 1992  
*Adris tyrannus* (Guenee, 1852) Ref. Sugi, 1992  
*Aedia acronyctoides* (Guenee, 1852) Ref. Sugi, 1992  
*Aedia flavescens* (Butler, 1889) Ref. Sugi, 1992  
*Aedia leucomelas* (Linnaeus, 1758) Ref. Sugi, 1992  
*Aedia obscura* Wileman, 1914 Ref. Sugi, 1992  
*Agrapha adiaphora* Dufay, 1974 Ref. Sugi, 1992  
*Agrapha aeneofusa* (Hampson, 1894) Ref. Sugi, 1992  
*Agrapha agnata* (Staudinger, 1892) Ref. Sugi, 1992  
*Agrapha albostrigata* (Bremer & Grey, 1852) Ref. Sugi, 1992  
*Agrapha furcifera* (Walker, 1857) Ref. Sugi, 1992  
*Agrapha kosemponensis* (Strand, 1920) Ref. Sugi, 1992  
*Agrapha placida* (Moore, 1884) Ref. Sugi, 1992  
*Agrochola albirena* (Chang, 1991) [特有] Ref. Chang, 1991  
*Agrotis ispilon* (Hufnagel, 1766) Ref. Sugi, 2001  
*Agrotis segetum* (Denis & Schiffermuller, 1775) Ref. Sugi, 2001  
*Agrotis taiwana* B.S.Chang, 1991 Ref. Sugi, 2001  
*Aletia brunneicoccinea* Calora, 1966 Ref. Sugi, 2001  
*Aletia consanguis* (Guenee, 1852) Ref. Sugi, 2001  
*Aletia fasciata* (Moore, 1881) Ref. Sugi, 2001  
*Aletia ignita* (Hampson, 1905) Ref. Sugi, 2001  
*Aletia limbopuncta* (Strand, 1920) Ref. Sugi, 2001  
*Aletia longipinna* B.S.Chang, 1991 Ref. Sugi, 2001  
*Aletia mediana* (Moore, 1881) Ref. Sugi, 2001  
*Aletia subplacida* Sugi, 1977 Ref. Sugi, 2001  
*Alloasteropetes olivacea* Kishida & Machijima, 1994 [特有] Ref. Kishida & Machijima, 1994  
*Allophyes miaoli* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Amphipyra acheron* Draudt, 1950 Ref. Sugi, 1992  
*Amphipyra averna* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Amphipyra fuscata* B.S.Chang, 1991 Ref. Sugi, 1992  
*Amphipyra monolitha* Guenee, 1852 Ref. Sugi, 1992  
*Amphipyra schrenckii* Menetries, 1859 Ref. Sugi, 1992  
*Amphipyra shryshana* B.S.Chang, 1991 Ref. Sugi, 1992  
*Amyna frontalis* Strand, 1920 Ref. Sugi, 1992  
*Amyna natalis* (Walker, 1859) Ref. Sugi, 1992  
*Amyna octo* (Guenee, 1852) Ref. Sugi, 1992  
*Amyna punctum* (Fabricius, 1794) Ref. Sugi, 1992  
*Amyna stellata* Bulter, 1878 Ref. Sugi, 1992  
*Anachrostis indistincta* Wileman & South, 1917 Ref. Sugi, 1992  
*Anachrostis marginata* Wileman & South, 1917 Ref. Sugi, 1992  
*Anadevidia peponis* (Fabricius, 1775) Ref. Sugi, 1992  
*Ananepa doda* (Swinhoe, 1902) Ref. Sugi, 1992  
*Anaplectoides fuscivirens* Sugi, 1995 [特有] Ref. Sugi, 1995  
*Anaplectoides inouei* Plante, 1987 [特有] Ref. Plante, 1987  
*Anaplectoides semivirens* Ronkay & Ronkay, 1999 [特有] Ref. Ronkay & Ronkay, 1999  
*Anigraea rubida* Walker, 1862 Ref. Sugi, 1992  
*Anisoneura aluco* (Fabricius, 1775) Ref. Sugi, 1992  
*Anisoneura salebrosa* Guenee, 1852 Ref. Sugi, 1992  
*Anodontodes rotunda* Hampson, 1895 Ref. Sugi, 1992  
*Anomis flava* (Fabricius, 1775) Ref. Sugi, 1992  
*Anomis fulvida* Guenee, 1852 Ref. Sugi, 1992  
*Anomis involuta* Walker, 1858 Ref. Sugi, 1992  
*Anomis lyona* (Swinhoe, 1919) Ref. Sugi, 1992  
*Anomis macronephra* Holloway, 1982 Ref. Sugi, 1992  
*Anomis mesogona* (Walker, 1858) Ref. Sugi, 1992  
*Anomis nigratarsis* (Walker, 1858) Ref. Sugi, 1992  
*Anomis privata* (Walker, 1865) Ref. Sugi, 1992

*Anoratha sinuosa* Wileman, 1916 Ref. Sugi, 1992  
*Anorthoa changi* Ronkay & Ronkay, 2001 [特有] Ref. Ronkay & Ronkay, 2001  
*Antha grata* (Butler, 1881) Ref. Sugi, 1992  
*Anticarsia irrorata* (Fabricius, 1781) Ref. Sugi, 1992  
*Antivaleria viridentata* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Anuga lunulata* Moore, 1867 Ref. Sugi, 1992  
*Anuga plicatrix* Sugi, 1992 Ref. Sugi, 1992  
*Apamea aquila* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Apamea fasciata* (Leech, 1900) Ref. Sugi, 1992  
*Apamea magnirena* (Boursin, 1943) Ref. Sugi, 1992  
*Apamea rufus* (B.S.Chang, 1911) Ref. Sugi, 1992  
*Apamea sodalis* (Butler, 1878) Ref. Sugi, 1992  
*Apamea taiwana* (Wileman, 1914) Ref. Sugi, 1992  
*Apospasta rantaizanensis* (Wileman, 1915) Ref. Sugi, 2001  
*Apsarasa radians* (Westwood, 1848) Ref. Sugi, 1992  
*Arasada kanshireiensis* Wileman, 1916 Ref. Sugi, 1992  
*Arcte coerulea* (Guenee, 1852) Ref. Sugi, 1992  
*Argyrogramma signata* (Fabricius, 1792) Ref. Sugi, 1992  
*Artena dotata* (Fabricius, 1794) Ref. Sugi, 1992  
*Asidemia albovittata* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Asota caricae* (Fabricius, 1775) Ref. Inoue, 1992  
*Asota egens* Jordan, 1897 Ref. Inoue, 1992  
*Asota ficus* (Fabricius, 1775) Ref. Inoue, 1992  
*Asota heliconia* (Butler, 1877) 圓端擬燈蛾 Ref. Inoue, 1992  
*Asota plana* (Butler, 1881) 長斑擬燈蛾 Ref. Inoue, 1992  
*Asota tortuosa* (Moore, 1872) Ref. Inoue, 1992  
*Atacira affinis* (Hampson, 1918) Ref. Hampson, 1918  
*Atacira lyncestides* (Strand, 1920) Ref. Sugi, 1992  
*Athetis confusa* Wileman, 1915 Ref. Sugi, 1992  
*Athetis lineosa* (Moore, 1881) Ref. Sugi, 1992  
*Athetis placida* (Moore, 1884) Ref. Sugi, 1992  
*Athetis speideli* Kononenko, 2005 Ref. Kononenko, 2005  
*Athetis stellata* (Moore, 1882) Ref. Sugi, 1992  
*Athetis stellulata* B.S.Chang, 1911 Ref. Sugi, 1992  
*Athetis taiwanensis* Kononenko, 2005 Ref. Kononenko, 2005  
*Athetis theobroma* (Hreblay & Ronkay, 1997) [特有] Ref. Hreblay & Ronkay, 1997  
*Atrachea ochrotica* (Hampson, 1910) Ref. Hampson, 1910  
*Atrachea viridinigra* (Hreblay & Ronkay, 1997) [特有] Ref. Hreblay & Ronkay, 1997  
*Attonda adspersa* (Felder & Rogenhofer, 1874) Ref. Sugi, 1992  
*Auchmis inextricata* (Moore, 1881) Ref. Sugi, 1992  
*Autoba tristalis* (Leech, 1889) Ref. Sugi, 1992  
*Avatha bipartita* (Wileman, 1915) Ref. Sugi, 1992  
*Avatha chinensis* (Warren, 1913) Ref. Sugi, 1992  
*Avatha discolor* (Fabricius, 1794) Ref. Sugi, 1992  
*Avitta fasciosa* Moore, 1882 Ref. Sugi, 1992  
*Avitta puncta* Wileman, 1911 Ref. Sugi, 1992  
*Avitta taiwana* Wileman, 1915 Ref. Sugi, 1992  
*Axylia putris* (Linnaeus, 1761) Ref. Sugi, 1992  
*Bagada poliomera* (Hampson, 1908) Ref. Sugi, 2001  
*Batracharta divisa* Wileman, 1914 Ref. Sugi, 1992  
*Bertula abjudicalis* Walker, 1859 Ref. Owada, 1992  
*Bertula albipunctata* Wileman, 1915 Ref. Owada, 1992  
*Bertula bidentata* (Wileman, 1915) Ref. Owada, 1992  
*Bertula bisectalis* (Wileman, 1915) Ref. Owada, 1992  
*Bertula centralis* (Wileman, 1915) Ref. Wileman, 1915  
*Bertula hadenalis* (Wileman, 1915) Ref. Wileman, 1915  
*Bertula incisa* (Wileman, 1915) Ref. Owada, 1992  
*Bertula kosemponica* (Strand, 1917) Ref. Strand, 1917  
*Bertula parallela* (Leech, 1900) Ref. Owada, 1992  
*Bertula quadripuncta* (Wileman, 1915) Ref. Owada, 1992  
*Bertula terminalis* (Wileman, 1915) Ref. Owada, 1992  
*Bertula venata* (Leech, 1900) Ref. Owada, 1992  
*Blasticorhinus bifasciata* (Wileman, 1914) Ref. Sugi, 1992  
*Blasticorhinus enervis* (Swinhoe, 1890) Ref. Sugi, 1992  
*Blasticorhinus kanshireiensis* (Wileman, 1914) Ref. Sugi, 1992  
*Blasticorhinus rivulosa* (Walker, 1865) Ref. Sugi, 1992  
*Blepharita alpestris* B.S.Chang, 1991 Ref. Sugi, 2001  
*Blepharita flavistigma* (Moore, 1867) Ref. Sugi, 2001  
*Bocana manifestalis* Walker, 1859 Ref. Walker, 1859  
*Bocula caradrinoides* Guenee, 1852 Ref. Sugi, 1992  
*Borsippa diffusa* (Swinhoe, 1890) Ref. Sugi, 1992  
*Borsippa marginata* Moore, 1882 Ref. Sugi, 1992

*Borsippa xanthostola* (Hampson, 1926) Ref. Sugi, 1992  
*Brevipecten consanguis* Leech, 1900 Ref. Sugi, 1992  
*Britha biguttata* Walker, 1866 Ref. Sugi, 1992  
*Britha bilineata* (Wileman, 1915) Ref. Sugi, 1992  
*Bryomoia melachlora* (Staudinger, 1892) Ref. Sugi, 1992  
*Bryophila granitalis* (Butler, 1881) Ref. Butler, 1881  
*Bryophilina mollicula* (Graeser, 1889) Ref. Sugi, 1992  
*Calesia dasypterus* (Kollar, 1844) Ref. Sugi, 1992  
*Callopietria aethiops* Bulter, 1878 Ref. Sugi, 2001  
*Callopietria deflexusa* B.S.Chang, 1991 Ref. Sugi, 2001  
*Callopietria delicata* B.S.Chang, 1991 Ref. Sugi, 2001  
*Callopietria duplicans* Walker, 1858 Ref. Sugi, 2001  
*Callopietria gutturalis* Hampson, 1896 Ref. Sugi, 2001  
*Callopietria japonibia* Inoue & Sugi, 1958 Ref. Sugi, 2001  
*Callopietria juvenina* (Stoll, 1782) Ref. Sugi, 2001  
*Callopietria maillardi* (Guenee, 1852) Ref. Sugi, 2001  
*Callopietria nigrescens* (Wileman, 1915) Ref. Sugi, 2001  
*Callopietria nobilior* Eda, 2000 Ref. Eda, 2000  
*Callopietria phaeogona* (Hampson, 1908) Ref. Sugi, 2001  
*Callopietria placodoides* (Guenee, 1852) Ref. Sugi, 2001  
*Callopietria pulchrilinea* (Walker, 1862) Ref. Sugi, 2001  
*Callopietria repleta* Walker, 1858 Ref. Sugi, 2001  
*Callyna contracta* Warren, 1913 Ref. Sugi, 1992  
*Callyna jugaria* Walker, 1858 Ref. Sugi, 1992  
*Callyna monoleuca* Walker, 1858 Ref. Sugi, 1992  
*Callyna semivitta* Moore, 1882 Ref. Sugi, 1992  
*Calophasia taiwana* (Wileman, 1915) Ref. Sugi, 2001  
*Calyptra fletcheri* (Berio, 1955) Ref. Sugi, 1992  
*Calyptra minuticornis* (Guenee, 1852) Ref. Sugi, 1992  
*Calyptra orthograpta* (Butler, 1886) Ref. Sugi, 1992  
*Capnodes nigerrimasigna* Strand, 1920 Ref. Sugi, 1992  
*Carmara subcervina* Walker, 1863 Ref. Sugi, 1992  
*Catada pyralistis* Strand, 1919 Ref. Sugi, 1992  
*Catocala armandi* Sugi, 1982 Ref. Sugi, 1992  
*Catocala columbina* Sugi, 1965 Ref. Sugi, 1992  
*Catocala formosana* Okano, 1958 Ref. Sugi, 1992  
*Catocala intacta* Sugi, 1965 Ref. Sugi, 1992  
*Catocala kuangtungensis* Mell, 1931 Ref. Sugi, 1992  
*Catocala naganoi* Sugi, 1982 Ref. Sugi, 1992  
*Catocala nivea* Owada, 1986 Ref. Sugi, 1992  
*Catocala nupta* (Linnaeus, 1767) Ref. Sugi, 1992  
*Catocala patalooides* Mell, 1931 Ref. Sugi, 1992  
*Catocala praegnax* Kishida, 1981 Ref. Sugi, 1992  
*Catocala tokui* Sugi, 1976 Ref. Sugi, 1992  
*Catocala wushensis* Okano, 1964 Ref. Sugi, 1992  
*Cerastis griseiorbis* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Chalciope mygdon* (Cramer, 1777) Ref. Sugi, 1992  
*Chandata aglaja* (Kishida & Yoshimoto, 1978) Ref. Sugi, 1992  
*Chandata taiwana* Yoshimoto, 1982 Ref. Sugi, 1992  
*Chasmina candida* (Walker, 1865) Ref. Sugi, 2001  
*Chasmina nigripunctata* (Bthune-Baker, 1908) Ref. Sugi, 2001  
*Chasminodes cilia* (Staudinger, 1888) Ref. Sugi, 2001  
*Checupa curvivena* Prout, 1924 Ref. Sugi, 1992  
*Chelonomorpha japana* (Miyake, 1907) Ref. Inoue, 1992  
*Chlumetia transversa* (Walker, 1865) Ref. Sugi, 1992  
*Chortodes cornutifera* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Chrysodeixis acuta* (Walker, 1858) Ref. Sugi, 1992  
*Chrysodeixis eriosoma* (Doubleday, 1843) Ref. Sugi, 1992  
*Chrysodeixis heberachis* (Strand, 1920) Ref. Sugi, 1992  
*Chrysodeixis minutus* Dufay, 1970 Ref. Sugi, 1992  
*Chrysodeixis taiwani* Dufay, 1974 Ref. Sugi, 1992  
*Chusaris angulata* Wileman, 1915 Ref. Sugi, 1992  
*Chusaris compripalpis* Strand, 1920 Ref. Sugi, 1992  
*Chusaris dubiosa* Strand, 1919 Ref. Sugi, 1992  
*Chusaris microlepidopterana* (Strand, 1920) Ref. Sugi, 1992  
*Chusaris nigromaculata* (Wileman, 1915) Ref. Sugi, 1992  
*Chusaris sordida* (Wileman & South, 1917) Ref. Sugi, 1992  
*Chytonix albiplaga* Hampson, 1914 Ref. Sugi, 2001  
*Chytonix costimacula* Wileman, 1915 Ref. Sugi, 2001  
*Chytonix umbrifera* (Butler, 1889) Ref. Sugi, 2001  
*Chytonix variegata* Wileman, 1914 Ref. Sugi, 2001  
*Cidariplura bilineata* (Wileman & South, 1919) Ref. Owada, 1992

*Cidariplura gladiata* Butler, 1879 Ref. Owada, 1992  
*Cidariplura nigrisigna* (Wileman, 1915) Ref. Owada, 1992  
*Clavipalpula aurariae* (Oberthur, 1880) Ref. Sugi, 2001  
*Condite purpurea* (Hampson, 1902) Ref. Sugi, 1992  
*Condica albigutta* (Wileman, 1912) Ref. Sugi, 2001  
*Condica dolorosa* (Walker, 1866) Ref. Sugi, 2001  
*Condica illecta* (Walker, 1865) Ref. Sugi, 2001  
*Condica serva* (Walker, 1858) Ref. Sugi, 2001  
*Conicochyta olivacea* (Wileman, 1914) Ref. Sugi, 1992  
*Conistra takasago* Kishida & Yoshimoto, 1979 Ref. Sugi, 2001  
*Conservula indica* (Moore, 1867) Ref. Sugi, 1992  
*Corgatha tornlis* Wileman, 1915 Ref. Sugi, 1992  
*Cosmia achatina* Bulter, 1879 Ref. Sugi, 2001  
*Cosmia cara* Bulter, 1881 Ref. Sugi, 2001  
*Cosmia hanrongtzuooi* Ronkay & Ronkay, 1999 [特有] Ref. Ronkay & Ronkay, 1999  
*Cosmia limacodina* Sugi, 1997 [特有] Ref. Sugi, 1997  
*Cosmia moderata* (Staudinger, 1888) Ref. Sugi, 2001  
*Cosmia peocila* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Cosmia restituta* Walker, 1857 Ref. Sugi, 2001  
*Cosmia unicolor* (Staudinger, 1892) Ref. Sugi, 2001  
*Craniophora fasciata* (Moore, 1884) Ref. Sugi, 1992  
*Craniophora harmandi* (Poujade, 1898) Ref. Sugi, 1992  
*Craniophora oda* (Lattin, 1949) Ref. Sugi, 1992  
*Cretonia vegeta* (Swinhoe, 1885) Ref. Sugi, 1992  
*Cruriopsis funebris* Jordan, 1912 Ref. Inoue, 1992  
*Cryphia basichlora* Kononenko, 1998 [特有] Ref. Kononenko, 1998  
*Cryphia granitalis* (Butler, 1881) Ref. Sugi, 1992  
*Cryphia herczigi* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Cryphia hohuana* Hreblay & Ronkay, 2000 [特有] Ref. 同前  
*Cucullia fraterna* Bulter, 1878 Ref. Sugi, 2001  
*Cucullia juntaichaoi* Ronkay & Ronkay, 1999 [特有] Ref. Ronkay & Ronkay, 1999  
*Cyclodes omma* (Hoeven, 1840) Ref. Sugi, 1992  
*Cymatophoropsis formosana* (Matsumura, 1927) Ref. Sugi, 1992  
*Dactyloplusia impulsu* (Walker, 1865) Ref. Sugi, 1992  
*Daddala lucilla* (Butler, 1881) Ref. Sugi, 1992  
*Daseochaeta autumnalis* B.S.Chang, 1991 Ref. Sugi, 2001  
*Data clava* (Leech, 1900) Ref. Sugi, 2001  
*Data thalophiloides* Walker, 1862 Ref. Sugi, 2001  
*Diarsia arenosoides* Poole, 1989 Ref. Sugi, 2001  
*Diarsia canescens* (Butler, 1878) Ref. Sugi, 2001  
*Diarsia carnipennis* B.S.Chang, 1991 Ref. Sugi, 2001  
*Diarsia cia* (Strand, 1919) Ref. Sugi, 2001  
*Diarsia formosana* Boursin, 1948 Ref. Sugi, 2001  
*Diarsia formosensis* (Hampson, 1914) Ref. Sugi, 2001  
*Diarsia macrodactyla* Boursin, 1954 Ref. Sugi, 2001  
*Diarsia nigrafasciata* B.S.Chang, 1991 Ref. Sugi, 2001  
*Diarsia nigrosigna* (Moore, 1881) Ref. Sugi, 2001  
*Diarsia sinuosa* (Wileman, 1912) Ref. Sugi, 2001  
*Diarsia subincta* B.S.Chang, 1991 Ref. Sugi, 2001  
*Diarsia taidactyla* Varga & Ronkay, 2007 Ref. Varga & Ronkay, 2007  
*Diarsia unica* Plante, 1994 [特有] Ref. Plante, 1994  
*Diarsia yoshimotoi* Plante, 1994 [特有] Ref. Plante, 1994  
*Dictyestra dissecta* (Walker, 1865) Ref. Sugi, 2001  
*Dierna duplicata* Sugi, 1992 Ref. Sugi, 1992  
*Dinumma deponens* Walker, 1858 Ref. Sugi, 1992  
*Dinumma placens* Walker, 1858 Ref. Sugi, 1992  
*Diomea discoinsigna* (Strand, 1920) Ref. Sugi, 1992  
*Diomea insulana* Yoshimoto, 2001 Ref. Yoshimoto, 2001  
*Diomea jankowskii* (Oberthur, 1880) Ref. Sugi, 1992  
*Diomea stellata* Wileman, 1916 Ref. Sugi, 1992  
*Diomea suvarnadivpae* (Kobes, 1983) Ref. Kobes, 1983  
*Diphtherocome pulchra* (Wileman, 1912) Ref. Sugi, 1992  
*Dipterygina cupreotincta* Sugi, 1954 Ref. Sugi, 1992  
*Dipterygina indica* (Moore, 1867) Ref. Sugi, 1992  
*Donda siitanae* (Remm, 1983) Ref. Sugi, 1992  
*Dryobotodes caerulecens* Ronkay & Ronkay, 2001 [特有] Ref. Ronkay & Ronkay, 2001  
*Dryobotodes formosanus* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Dunira diplogramma* (Hampson, 1912) Ref. Sugi, 1992  
*Dypterygina subfusca* (Wileman, 1912) Ref. Sugi, 1992  
*Dysgonia absentimacula* (Guenee, 1852) Ref. Sugi, 1992  
*Dysgonia acuta* (Moore, 1883) Ref. Sugi, 1992  
*Dysgonia amygdalis* Moore, 1887 Ref. Sugi, 1992

*Dysgonia analis* (Guenee, 1852) Ref. Sugi, 1992  
*Dysgonia arctotaenia* (Guenee, 1852) Ref. Sugi, 1992  
*Dysgonia arcuata* (Moore, 1887) Ref. Sugi, 1992  
*Dysgonia dulcis* (Butler, 1878) Ref. Sugi, 1992  
*Dysgonia fulvotaenia* (Guenee, 1852) Ref. Sugi, 1992  
*Dysgonia illibata* (Fabricius, 1775) Ref. Sugi, 1992  
*Dysgonia joviana* (Stoll, 1782) Ref. Sugi, 1992  
*Dysgonia maturata* (Walker, 1858) Ref. Sugi, 1992  
*Dysgonia onelia* (Guenee, 1852) Ref. Sugi, 1992  
*Dysgonia palumba* (Guenee, 1852) Ref. Sugi, 1992  
*Dysgonia praetermissa* (Warren, 1913) Ref. Sugi, 1992  
*Dysgonia rigidistria* (Guenee, 1852) Ref. Sugi, 1992  
*Dysgonia simillima* (Guenee, 1852) Ref. Sugi, 1992  
*Dysgonia stuposa* (Fabricius, 1794) Ref. Sugi, 1992  
*Eclipsea subapicalis* (Swinhoe, 1905) Ref. Sugi, 1992  
*Ectogoniella pangraptalis* Strand, 1920 Ref. Sugi, 1992  
*Edessena gentiusalis* Walker, 1859 Ref. Owada, 1992  
*Egira acronyctoides* (Wileman, 1914) Ref. Sugi, 2001  
*Egiropolia kingmana* Ronkay & Ronkay, 2001 [特有] Ref. Ronkay & Ronkay, 2001  
*Egnasia nagadeboides* Strand, 1920 Ref. Sugi, 1992  
*Elusa ustula* Hampson, 1909 Ref. Sugi, 2001  
*Enispa bilineata* Wileman, 1916 Ref. Sugi, 1992  
*Enispa terminipuncta* (Wileman, 1916) Ref. Sugi, 1992  
*Entomogramma faultrix* Guenee, 1852 Ref. Sugi, 1992  
*Episparis taiwana* Wileman & West, 1929 Ref. Sugi, 1992  
*Episteme adulatrix* (Sonan, 1941) Ref. Inoue, 1992  
*Episteme beatrix* Matsumura, 1910 Ref. Inoue, 1992  
*Episteme lectrix* (Mell, 1938) Ref. Sugi, 1992  
*Ercheia cyllaria* (Cramer, 1779) Ref. Sugi, 1992  
*Ercheia nyveostrigata* Warren, 1913 Ref. Sugi, 1992  
*Ercheia umbrosa* Bulter, 1881 Ref. Sugi, 1992  
*Erebus albicincta* (Wileman, 1923) Ref. Sugi, 1992  
*Erebus caprimulgus* (Fabricius, 1781) Ref. Sugi, 1992  
*Erebus ephesperis* (Hubner, 1823) Ref. Sugi, 1992  
*Erebus gemmans* (Guenee, 1852) Ref. Sugi, 1992  
*Erebus macrops* (Linnaeus, 1768) Ref. Sugi, 1992  
*Erebus pilosa* (Leech, 1900) Ref. Sugi, 1992  
*Ericeia eriophora* (Guenee, 1852) Ref. Sugi, 1992  
*Ericeia inangulata* (Guenee, 1852) Ref. Sugi, 1992  
*Ericeia pertendens* (Walker, 1858) Ref. Sugi, 1992  
*Ericeia subcinerea* (Snellen, 1880) Ref. Sugi, 1992  
*Erygia apicalis* Guenee, 1852 Ref. Sugi, 1992  
*Erythroplusia pyropia* (Butler, 1879) Ref. Sugi, 1992  
*Estagrotis tibori* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Eublemma anachoresis* (Wallengren, 1863) Ref. Sugi, 1992  
*Eublemma baccalis* (Swinhoe, 1896) Ref. Sugi, 1992  
*Eublemma cochylioides* (Guenee, 1852) Ref. Sugi, 1992  
*Eublemma conspersa* (Butler, 1880) Ref. Sugi, 1992  
*Eublemma dimidialis* (Fabricius, 1794) Ref. Sugi, 1992  
*Eublemma quadrapex* (Hampson, 1891) Ref. Sugi, 1992  
*Eublemma ragusana* (Freyer, 1845) Ref. Sugi, 1992  
*Eublemma rivula* (Moore, 1882) Ref. Sugi, 1992  
*Eublemma terminimaculata* Wileman, 1915 Ref. Sugi, 1992  
*Eudocima salaminia* (Cramer, 1777) Ref. Sugi, 1992  
*Eugraptoblemma pictalis* (Hampson, 1898) Ref. Sugi, 1992  
*Euplexia albirena* Wileman, 1914 Ref. Sugi, 1992  
*Euplexia amblypennis* Strand, 1920 Ref. Sugi, 1992  
*Euplexia lucipara* (Linnaeus, 1758) Ref. Sugi, 1992  
*Euplexidia angusta* Yoshimoto, 1987 Ref. Sugi, 1992  
*Euplexidia exotica* Yoshimoto, 1987 Ref. Sugi, 1992  
*Euplexidia pallidivirens* Yoshimoto, 1987 Ref. Sugi, 1992  
*Eupsilia baoshingchangii* Fu, Tzoo & Owada, 2008 張氏冬夜蛾(暫稱) Ref. Owada, Fu, Tzoo & Kobayashi, 2008  
*Eupsilia confusa* Owada & Kobayashi, 1993 Ref. Owada & Kobayashi, 1993  
*Eupsilia contracta* (Butler, 1878) Ref. Sugi, 2001  
*Eupsilia shyu* B.S.Chang, 1991 Ref. Sugi, 2001  
*Eupsilia strigifera* Bulter, 1879 Ref. Sugi, 2001  
*Eupsilia tripunctata* Butler, 1878 三星冬夜蛾 Ref. Owada, Fu, Tzoo & Kobayashi, 2008  
*Eupsilia virescens* Yoshimoto, 1985 Ref. Sugi, 2001  
*Euromioia subpulchra* (Alpheraky, 1897) Ref. Sugi, 1992  
*Eutelia adulatricoides* (Mell, 1943) Ref. Sugi, 1992  
*Eutelia geyeri* (Felder & Rogenhofer, 1874) Ref. Sugi, 1992  
*Eutelia hamulatrix* Draudt, 1950 Ref. Sugi, 1992

*Eutrogia morosa* (Moore, 1882) Ref. Sugi, 1992  
*Euwilemania angulata* (Wileman, 1911) Ref. Sugi, 1992  
*Exsula dentatrix* Miyake, 1907 Ref. Inoue, 1992  
*Extremoplusia megaloba* (Hampson, 1912) Ref. Sugi, 1992  
*Fabiania pulla* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Feliniopsis asahinai* (Sugi, 1982) Ref. Sugi, 1992  
*Feliniopsis indistans* (Guenee, 1852) Ref. Sugi, 1992  
*Feliniopsis tripunctata* (B.S.Chang, 1991) Ref. Sugi, 1992  
*Fodina contigua* Wileman, 1914 Ref. Sugi, 1992  
*Gaurenopsis conspicua* (Wileman, 1911) Ref. Sugi, 2001  
*Gerbathodes paupera* (Staudinger, 1892) Ref. Sugi, 1992  
*Gesonina obeditalis* Walker, 1859 Ref. Sugi, 1992  
*Goniocraspedon mistura* (Swinhoe, 1891) Ref. Swinhoe, 1891  
*Goniocraspidum pryeri* (Leech, 1889) Ref. Sugi, 1992  
*Gonoglasa contigua* (Wileman, 1915) Ref. Sugi, 1992  
*Gortyna flavina* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Gortyna fortis* (Butler, 1878) Ref. Sugi, 1992  
*Gortyna plumbitincta* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Grammodes geometrica* (Fabricius, 1775) Ref. Sugi, 1992  
*Hadena rivularis* (Fabricius, 1775) Ref. Sugi, 2001  
*Hadennia mysalis* (Walker, 1859) Ref. Owada, 1992  
*Hadennia nakatanii* Owada, 1979 Ref. Owada, 1992  
*Hadjina chinensis* (Wallengren, 1865) Ref. Sugi, 2001  
*Hamodes pendleburyi* Prout, 1932 Ref. Sugi, 1992  
*Hamodes propitia* (Boisduval, 1832) Ref. Sugi, 1992  
*Heliothis armigera* (Hubner, 1808) Ref. Sugi, 2001  
*Heliothis assulta* Guenee, 1852 Ref. Sugi, 2001  
*Hemictenophora euplexiodes* Ronkay & Ronkay, 1999 [特有] Ref. Ronkay & Ronkay, 1998  
*Hemiglaea eupompa* Ronkay & Ronkay, 1999 [特有] Ref. Ronkay & Ronkay, 1999  
*Hemiglaea radiata* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Hepatica indentalis* (Wileman, 1915) Ref. Sugi, 1992  
*Hepatica irrorata* (Wileman & South, 1917) Ref. Sugi, 1992  
*Herminia grisealis* (Denis & Schiffermuller, 1775) Ref. Owada, 1992  
*Herminia kurokoi* Owada, 1987 Ref. Owada, 1992  
*Herminia terminalis* (Wileman, 1915) Ref. Owada, 1992  
*Herminia vermiculata* (Leech, 1900) Ref. Owada, 1992  
*Hermonassa formontana* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Hermonassa hemicyclia* Plante, 1994 [特有] Ref. Plante, 1994  
*Hermonassa inconstans* Wileman, 1912 Ref. Sugi, 2001  
*Hermonassa legraini* Plante, 1994 [特有] Ref. Plante, 1994  
*Hermonassa planeti* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Himalistra soluta* Hreblay & Ronkay, 1997 [特有] Ref. 同前  
*Hipoepa biasalis* (Walker, 1859) Ref. Walker, 1859  
*Hipoepa fractalis* (Guenee, 1854) Ref. Owada, 1992  
*Holocryptis nymphula* (Rebel, 1909) Ref. Sugi, 1992  
*Hoplodrina implacata* (Wileman & South, 1929) [特有] Ref. Wileman & South, 1929  
*Hulodes caranea* (Cramer, 1780) Ref. Sugi, 1992  
*Hyalobole kononenkoi* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Hydrillodes gravatalis* (Walker, 1859) Ref. Owada, 1992  
*Hydrillodes hemusalis* (Walker, 1859) Ref. Owada, 1992  
*Hydrillodes lentalis* Guenee, 1854 Ref. Owada, 1992  
*Hydrillodes pseudomorosa* Strand, 1920 Ref. Owada, 1992  
*Hydrillodes wilemani* Ref. Owada, 1992  
*Hypena albopunctalis* (Leech, 1889) Ref. Sugi, 1992  
*Hypena amica* (Bulter, 1878) Ref. Sugi, 1992  
*Hypena angustalis* (Warren, 1913) Ref. Sugi, 1992  
*Hypena assimilis* Hampson, 1891 Ref. Sugi, 1992  
*Hypena conscitalis* Walker, 1866 Ref. Sugi, 1992  
*Hypena crucea* (Strand, 1920) Ref. Sugi, 1992  
*Hypena depalpis* Strand, 1920 Ref. Sugi, 1992  
*Hypena desquamata* (Strand, 1920) Ref. Sugi, 1992  
*Hypena dichromialis* Strand, 1920 Ref. Sugi, 1992  
*Hypena furva* Wileman, 1911 Ref. Sugi, 1992  
*Hypena iconicalis* Walker, 1859 Ref. Sugi, 1992  
*Hypena indicatalis* Walker, 1859 Ref. Sugi, 1992  
*Hypena indistincta* Wileman, 1915 Ref. Sugi, 1992  
*Hypena kanshireienseis* Wileman, 1916 Ref. Sugi, 1992  
*Hypena lignealis* Walker, 1866 Ref. Sugi, 1992  
*Hypena napa* Strand, 1920 Ref. Sugi, 1992  
*Hypena napana* Strand, 1920 Ref. Sugi, 1992  
*Hypena occata* Hampson, 1882 Ref. Sugi, 1992  
*Hypena parva* (Wileman, 1916) Ref. Sugi, 1992

*Hypena perspicua* (Leech, 1900) Ref. Sugi, 1992  
*Hypena pmpeterseni* Strand, 1920 Ref. Sugi, 1992  
*Hypena poa* Strand, 1920 Ref. Sugi, 1992  
*Hypena sagitta* (Fabricius, 1775) Ref. Sugi, 1992  
*Hypena satsumalis* Leech, 1889 Ref. Sugi, 1992  
*Hypena sinuosa* Wileman, 1911 Ref. Sugi, 1992  
*Hypena strigatus* (Fabricius, 1798) Ref. Sugi, 1992  
*Hypena subcyanea* Butler, 1881 Ref. Sugi, 1992  
*Hypena taiwana* (Wileman, 1915) Ref. Sugi, 1992  
*Hypena tenebralis* (Strand, 1920) Ref. Sugi, 1992  
*Hypena trigonalis* (Guenee, 1854) Ref. Sugi, 1992  
*Hypena zillana* Strand, 1920 Ref. Sugi, 1992  
*Hypenagonia angulata* Wileman, 1915 Ref. Sugi, 1992  
*Hypenagonia bipuncta* Wileman, 1915 Ref. Sugi, 1992  
*Hypenagonia medifascia* Wileman & South, 1917 Ref. Sugi, 1992  
*Hypenagonia minor* Wileman, 1915 Ref. Sugi, 1992  
*Hypenagonia obliquifascia* Wileman & South, 1917 Ref. Sugi, 1992  
*Hypenagonia subsffusata* Wileman & West, 1930 Ref. Sugi, 1992  
*Hypenagonia vexatariola* (Strand, 1920) Ref. Sugi, 1992  
*Hypercodia rubritincta* Wileman & South, 1916 Ref. Sugi, 1992  
*Hyperlophoides compactilis* (Swinhoe, 1890) Ref. Sugi, 1992  
*Hyperstrotia flavipuncta* (Leech, 1889) Ref. Sugi, 1992  
*Hyperstrotia ochreipuncta* (Wileman, 1914) Ref. Sugi, 1992  
*Hypersynoides formosensis* (Hampson, 1926) Ref. Sugi, 1992  
*Hypersynoides moltrechti* Berio, 1958 Ref. Sugi, 1992  
*Hypersynoides punctosa* (Walker, 1865) Ref. Sugi, 1992  
*Hypersynoides quadrinotata* (Leech, 1900) Ref. Sugi, 1992  
*Hypersynoides submarginata* (Walker, 1865) Ref. Sugi, 1992  
*Hypersynoides umbrosa* (Butler, 1881) Ref. Sugi, 1992  
*Hypocala deflorata* (Fabricius, 1794) Ref. Sugi, 1992  
*Hypocala rostrata* (Fabricius, 1794) Ref. Sugi, 1992  
*Hypocala subsatura* Guenee, 1852 Ref. Sugi, 1992  
*Hypocala violacea* Bulter, 1879 Ref. Sugi, 1992  
*Hypopyra ossigera* Guenee, 1852 Ref. Sugi, 1992  
*Hypopyra pudens* Walker, 1858 Ref. Sugi, 1992  
*Hypopyra vespertilio* (Fabricius, 1787) Ref. Sugi, 1992  
*Hyposada assimilis* Warren, 1914 Ref. Sugi, 1992  
*Hyposada fasciosa* (Moore, 1888) Ref. Sugi, 1992  
*Hyposemansi albipunctata* (Wileman, 1914) Ref. Sugi, 1992  
*Hyposemansi singha* Guenee, 1852 Ref. Sugi, 1992  
*Hyospila bolinoides* Guenee, 1852 Ref. Sugi, 1992  
*Hyospila creberrima* (Walker, 1858) Ref. Sugi, 1992  
*Idia fulvipicta* (Butler, 1889) Ref. Owada, 1992  
*Idia satyrata* (Strand, 1920) Ref. Strand, 1920  
*Iontha acerces* Prout, 1928 Ref. Prout, 1928  
*Ipimorpha guanyuana* B.S.Chang, 1991 Ref. Sugi, 2001  
*Ischyja ferrifracta* (Walker, 1864) Ref. Sugi, 1992  
*Imaharella basalis* (Moore, 1882) Ref. Sugi, 1992  
*Karana gemmifera* (Walker, 1858) Ref. Sugi, 1992  
*Karana hoenei* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Koyaga virescens* (Sugi, 1958) Ref. Sugi, 1998  
*Koyaga viriditincta* (Wileman, 1915) Ref. Sugi, 1992  
*Lacera procellosa* Bulter, 1879 Ref. Sugi, 1992  
*Latrostrum bisacutum* Hampson, 1895 Ref. Sugi, 1992  
*Leiostola tortricodia* (Strand, 1920) Ref. Sugi, 1992  
*Leucania percussa* Bulter, 1880 Ref. Sugi, 2001  
*Leucania roseilinea* Walker, 1862 Ref. Sugi, 2001  
*Leucania substriata* Yoshimatsu, 1987 Ref. Sugi, 2001  
*Leucapamea chienmingfui* Ronkay & Ronkay, 1999 [特有] Ref. Ronkay & Ronkay, 1999  
*Leucapamea formosensis* (Hampson, 1910) Ref. Sugi, 1992  
*Leucapamea tueyluana* B.S.Chang, 1991 Ref. Sugi, 1992  
*Leucosmia thoracica* (Moore, 1884) Ref. Sugi, 1992  
*Lithophane trimorpha* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Lithophane venusta* Yoshimoto, 1988 Ref. Sugi, 2001  
*Lithopolia confusa* (Wileman, 1914) Ref. Sugi, 2001  
*Lithopolia contaminata* B.S.Chang, 1991 Ref. Sugi, 2001  
*Lophomilia polybapta* (Butler, 1879) Ref. Sugi, 1992  
*Lophonycta neoconfusa* B.S.Chang, 1991 Ref. Sugi, 1992  
*Lophoptera illucida* (Walker, 1865) Ref. Sugi, 1992  
*Lophoptera longipennis* (Moore, 1882) Ref. Sugi, 1992  
*Lophoptera nama* (Swinhoe, 1900) Ref. Sugi, 1992  
*Lophoptera squammigera* Guenee, 1852 Ref. Sugi, 1992

*Lophoruza albicostalis* (Leech, 1889) Ref. Sugi, 1992  
*Lophoruza lunifera* (Moore, 1885) Ref. Sugi, 1992  
*Loxioda similis* (Moore, 1882) Ref. Sugi, 1992  
*Luceria fletcheri* Inoue, 1958 Ref. Sugi, 1992  
*Luceria oculalis* (Moore, 1877) Ref. Sugi, 1992  
*Lygephila kishidai* Kinoshita, 1989 Ref. Sugi, 1992  
*Lygephila yoshimotoi* Kinoshita, 1989 Ref. Sugi, 1992  
*Lygniodes hypoleuca* Guenee, 1852 Ref. Sugi, 1992  
*Macdunnoughia tetragona* (Walker, 1857) Ref. Sugi, 1992  
*Maikona jezoensis* Kishida, 1987 Ref. Inoue, 1992  
*Maliattha arefacta* (Butler, 1879) Ref. Sugi, 1992  
*Maliattha picata* Bulter, 1889 Ref. Sugi, 1992  
*Maliattha picatina* (Prout, 1932) Ref. Sugi, 1992  
*Maliattha separata* Walker, 1863 Ref. Sugi, 1992  
*Maliattha signifera* (Walker, 1857) Ref. Sugi, 1992  
*Maliattha vialis* (Moore, 1882) Ref. Sugi, 1992  
*Maliattha volodia* Ronkay & Sohn, 2004 Ref. Ronkay & Sohn, 2004  
*Mamestra brassicae* (Linnaeus, 1758) Ref. Sugi, 2001  
*Mamestra tayulingensis* Yoshimoto, 1989 Ref. Sugi, 2001  
*Mataeomera biangulata* (Wileman, 1915) Ref. Wileman, 1915  
*Maxera arizanensis* (Wileman, 1914) Ref. Sugi, 1992  
*Mecodina albodentata* (Swinhoe, 1895) Ref. Sugi, 1992  
*Mecodina cineracea* (Butler, 1879) Ref. Sugi, 1992  
*Mecodina inconspicua* (Wileman & South, 1916) Ref. Sugi, 1992  
*Mecodina karapinensis* Strand, 1920 Ref. Sugi, 1992  
*Mecodina subcostalis* (Walker, 1865) Ref. Sugi, 1992  
*Megaloctena mandarina* (Leech, 1900) Ref. Leech, 1900  
*Meganephra crassa* Kobayashi & Owada, 1996 [特有] Ref. Kobayashi & Owada, 1996  
*Meganephra debilis* Kobayashi & Owada, 1996 [特有] Ref. 同前  
*Meganephra funesta* (Leech, 1889) Ref. Sugi, 2001  
*Meganephra laxa* Kobayashi & Owada, 1996 [特有] Ref. Kobayashi & Owada, 1996  
*Meganephra weixleri* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Mesocrapex punkikonis* Matsumura, 1929 Ref. Sugi, 1992  
*Mesorhynchaglaea tarokoensis* Sugi, 1990 Ref. Sugi, 2001  
*Metaemene atrigutta* (Leech, 1889) Ref. Sugi, 1992  
*Metaemene hampsoni* Wileman, 1914 Ref. Sugi, 1992  
*Metaphoenia incongrualis* (Walker, 1859) Ref. Sugi, 1992  
*Metaphoenia plagifera* (Walker, 1864) Ref. Sugi, 1992  
*Metopta rectifasciata* (Menetries, 1863) Ref. Sugi, 1992  
*Micreremites siculipalpis* (Strand, 1920) Ref. Sugi, 1992  
*Microxyla confusa* (Wileman, 1911) Ref. Sugi, 1992  
*Mimeusemia vilemani* Hampson, 1911 Ref. Inoue, 1992  
*Mixomelia rivulosa* (Wileman, 1915) Ref. Owada, 1992  
*Mniotype aulombardi* Plante, 1994 [特有] Ref. Plante, 1994  
*Mocis annetta* (Butler, 1878) Ref. Sugi, 1992  
*Mocis dolosa* (Butler, 1881) Ref. Sugi, 1992  
*Mocis frugalis* (Fabricius, 1775) Ref. Sugi, 1992  
*Mocis undata* (Fabricius, 1775) Ref. Sugi, 1992  
*Moma abbreviata* (Sugi, 1968) Ref. Sugi, 1992  
*Moma murrhina* Graeser, 1889 Ref. Sugi, 1992  
*Mosopia punctilinea* (Wileman, 1915) Ref. Owada, 1992  
*Mythimna (Acantholeucania) loreyi* (Duponchel, 1827) Ref. Duponchel, 1827  
*Mythimna (Anapoma) martoni* Yoshimatsu & Legrain, 2001 Ref. Yoshimatsu & Legrain, 2001  
*Mythimna (Hyphilare) argentata* Hreblay & Yoshimatsu, 1998 [特有] Ref. Hreblay & Yoshimatsu, 1998  
*Mythimna (Hyphilare) bistrigata* (Moore, 1881) Ref. Moore, 1881  
*Mythimna (Hyphilare) changi* (Sugi, 1992) [特有] Ref. Sugi, 1992  
*Mythimna (Hyphilare) decisissima* (Walker, 1865) Ref. Walker, 1865  
*Mythimna (Hyphilare) epieixelus* (Rothschild, 1920) Ref. Rothschild, 1920  
*Mythimna (Hyphilare) exsanguis* (Guenee, 1852) Ref. Guenee, 1852  
*Mythimna (Hyphilare) formosicola* Yoshimatsu, 1994 [特有] Ref. Yoshimatsu, 1994  
*Mythimna (Hyphilare) hamifera* (Walker, 1862) Ref. Walker, 1862  
*Mythimna (Hyphilare) hannemanni* (Yoshimatsu, 1991) [特有] Ref. Yoshimatsu, 1991  
*Mythimna (Hyphilare) hirashimai* Yoshimatsu, 1994 [特有] Ref. Yoshimatsu, 1994  
*Mythimna (Hyphilare) intertexta* (Chang, 1991) [特有] Ref. Chang, 1991  
*Mythimna (Hyphilare) pulchra* (Snellen, [1886]) Ref. Snellen, 1886  
*Mythimna (Hyphilare) purpurpatagis* (Chang, 1991) [特有] Ref. Chang, 1991  
*Mythimna (Hyphilare) simplex* (Leech, 1889) Ref. Leech, 1889  
*Mythimna (Morphopoliana) plamei* Hreblay & Yoshimatsu, 1996 [特有] Ref. Hreblay & Yoshimatsu, 1996  
*Mythimna (Morphopoliana) snelleni* Hreblay, 1996 Ref. Hreblay, 1996  
*Mythimna (Morphopoliana) stolidi* (Leech, 1889) Ref. Leech, 1889  
*Mythimna (Mythimna) albomarginata* Yoshimatsu, 1994 [特有] Ref. Yoshimatsu, 1994  
*Mythimna (Mythimna) bani* (Sugi, 1977) [特有] Ref. Sugi, 1977

*Mythimna (Mythimna) byssina* (Swinhoe, 1886) Ref. Swinhoe, 1886  
*Mythimna (Mythimna) celebensis* (Tams, 1935) Ref. Tams, 1935  
*Mythimna (Mythimna) compta* (Moore, 1881) Ref. Moore, 1881  
*Mythimna (Mythimna) curvilinea* (Hampson, 1891) Ref. Hampson, 1891  
*Mythimna (Mythimna) divergens* Butler, 1878 Ref. Butler, 1878  
*Mythimna (Mythimna) formosana* (Butler, 1880) [特有] Ref. Butler, 1880  
*Mythimna (Mythimna) guanyuana* (Chang, 1991) [特有] Ref. Chang, 1991  
*Mythimna (Mythimna) insularis* (Butler, 1880) Ref. Butler, 1880  
*Mythimna (Mythimna) irregularis* (Walker, 1857) Ref. Walker, 1857  
*Mythimna (Mythimna) lishana* (Chang, 1991) [特有] Ref. Chang, 1991  
*Mythimna (Mythimna) lucida* Yoshimatsu & Hreblay, 1996 [特有] Ref. Yoshimatsu & Hreblay, 1996  
*Mythimna (Mythimna) percussa* (Butler, 1880) Ref. Butler, 1880  
*Mythimna (Mythimna) polysticha* (Turner, 1902) Ref. Turner, 1902  
*Mythimna (Mythimna) radiata* (Bremer, 1861) Ref. Bremer, 1861  
*Mythimna (Mythimna) rushanensis* Yoshimatsu, 1994 [特有] Ref. Yoshimatsu, 1994  
*Mythimna (Mythimna) simillima* (Walker, 1862) Ref. Walker, 1862  
*Mythimna (Mythimna) sinuosa* (Moore, 1882) Ref. Moore, 1882  
*Mythimna (Mythimna) subplacida* (Sugi, 1977) [特有] Ref. Sugi, 1977  
*Mythimna (Mythimna) taiwana* (Wileman, 1912) [特有] Ref. Wileman, 1912  
*Mythimna (Mythimna) tangala* (Felder & Rogenhofer, 1874) Ref. Felder & Rogenhofer, 1874  
*Mythimna (Mythimna) venalba* (Moore, 1867) Ref. Moore, 1867  
*Mythimna (Mythimna) yu* (Guenee, 1852) Ref. Guenee, 1852  
*Mythimna (Pseudaletia) pallidicosta* (Hampson, 1894) Ref. Hampson, 1894  
*Mythimna (Pseudaletia) separata* (Walker, 1865) Ref. Walker, 1865  
*Mythimna (Sablia) arizanensis* (Wileman, 1915) [特有] Ref. Wileman, 1915  
*Mythimna (Sablia) nigrilinea* (Leech, 1889) Ref. Leech, 1889  
*Naarda blepharota* (Strand, 1920) Ref. Sugi, 1992  
*Naarda ochronota* Wileman, 1915 Ref. Sugi, 1992  
*Nacna malachitis* (Oberthur, 1880) 綠孔雀夜蛾 Ref. Sugi, 1992  
*Nagadeba indecoralis* Walker, [1866]1865 Ref. Walker, 1866  
*Nagadeba obenbergeri* Strand, 1919 Ref. Sugi, 1992  
*Naranga aenescens* Moore, 1881 Ref. Sugi, 1992  
*Neachrostia leechi* Wileman, 1915 Ref. Sugi, 1992  
*Neachrostia limbata* Wileman, 1915 Ref. Sugi, 1992  
*Neochiera dominia* (Cramer, 1780) Ref. Inoue, 1992  
*Neustrotia noloides* (Butler, 1879) Ref. Sugi, 1992  
*Neustrotia rectilineata* Ueda, 1987 Ref. Sugi, 1992  
*Niaccaba sumptualis* Walker, 1866 Ref. Walker, 1866  
*Niphonyx segregata* (Butler, 1878) Ref. Sugi, 2001  
*Nodaria externalis* Guenee, 1854 Ref. Guenee, 1854  
*Nodaria zemella* (Strand, 1920) Ref. Strand, 1920  
*Nycticia endoi* (Owada, 1983) Ref. Sugi, 2001  
*Nycticia strigidisca* (Moore, 1881) Ref. Sugi, 2001  
*Nycticia variabilis* (Owada, 1983) Ref. Sugi, 2001  
*Nyctycia adnervis* Kobayashi & Owada, 1998 [特有] Ref. Kobayashi et al., 1998  
*Nyctycia mesomelana* Kobayashi & Hreblay, 1998 [特有] Ref. 同前  
*Nyctycia signa* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Nyctycia simonyii* Hreblay, 1998 [特有] Ref. Kobayashi et al., 1998  
*Nyctycia stenoptera* Kobayashi, 1998 [特有] Ref. 同前  
*Nyctycia strigidisca* Kobayashi, 1998 [特有] Ref. 同前  
*Nyctycimorpha plagiogramma* (Hampson, 1906) Ref. Hampson, 1906  
*Ochropleura praecox* (Linnaeus, 1758) Ref. Sugi, 2001  
*Ochropleura triangularis* Moore, 1867 Ref. Sugi, 2001  
*Odontestra laszlogabi* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Oglastra costimacula* Wileman, 1915 Ref. Sugi, 1992  
*Oglastra mediopallens* Wileman & South, 1917 Ref. Sugi, 1992  
*Oglastra sordida* (Wileman, 1915) Ref. Sugi, 1992  
*Olivenebula monticola* Kishida & Yoshimoto, 1977 Ref. Sugi, 1992  
*Olivenebula oberthueri* (Staudinger, 1892) Ref. Sugi, 1992  
*Olulis puncticinctalis* Walker, 1863 Ref. Sugi, 1992  
*Ommatophora luminosa* (Cramer, 1780) Ref. Sugi, 1992  
*Ophisma gravata* Guenee, 1852 Ref. Sugi, 1992  
*Ophiusa coronata* (Fabricius, 1775) Ref. Sugi, 1992  
*Ophiusa disjungens* (Walker, 1858) Ref. Sugi, 1992  
*Ophiusa microtirhaca* Sugi, 1990 Ref. Sugi, 1992  
*Ophiusa olista* (Swinhoe, 1893) Ref. Sugi, 1992  
*Ophiusa tirhaca* (Cramer, 1777) Ref. Sugi, 1992  
*Ophiusa trapezium* (Guenee, 1852) Ref. Sugi, 1992  
*Ophiusa triphaenoides* (Walker, 1858) Ref. Sugi, 1992  
*Ophthalmis lincea* Jordan, 1912 Ref. Inoue, 1992  
*Oraesia emarginata* (Fabricius, 1794) Ref. Sugi, 1992  
*Oroplexia fortunata* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997

*Oroplexia variegata* Hreblay & Ronkay, 1997 [特有] Ref. 同前  
*Orthopolia gonggashana* Ronkay & Ronkay, 2001 Ref. Ronkay & Ronkay, 2001  
*Orthopolia scotoptera* Ronkay & Ronkay, 2001 Ref. 同前  
*Orthosia alishana* Sugi, 1986 Ref. Sugi, 2001  
*Orthosia atriluna* Ronkay & Ronkay, 1999 [特有] Ref. Ronkay & Ronkay, 1999  
*Orthosia carnipennis* (Butler, 1878) Ref. Sugi, 2001  
*Orthosia castanea* Sugi, 1986 Ref. Sugi, 2001  
*Orthosia conspecta* (Wileman, 1914) [特有] Ref. Wileman, 1914  
*Orthosia kurosawai* Sugi, 1986 Ref. Sugi, 2001  
*Orthosia limbata* (Butler, 1879) Ref. Sugi, 2001  
*Orthosia lushana* Sugi, 1986 Ref. Sugi, 2001  
*Orthosia munda* (Denis & Schiffermuller, 1775) Ref. Sugi, 2001  
*Orthosia nigromaculata* (Hone, 1917) Ref. Sugi, 2001  
*Orthosia perfusca* Sugi, 1986 Ref. Sugi, 2001  
*Orthosia poecila* (Draudt, 1950) Ref. Draudt, 1950  
*Orthozona curvilineata* Wileman, 1915 Ref. Owada, 1992  
*Orthozona karapina* Strand, 1920 Ref. Owada, 1992  
*Oruza albigutta* Wileman, 1914 Ref. Sugi, 1992  
*Oruza brunnea* (Leech, 1900) Ref. Sugi, 1992  
*Oruza divisa* (Walker, 1862) Ref. Sugi, 1992  
*Oruza lacteicosta* (Hampson, 1897) Ref. Sugi, 1992  
*Oruza stragulata* (Pagenstecher, 1900) Ref. Sugi, 1992  
*Othreis fullonia* (Clerck, 1764) 落葉夜蛾 Ref. Sugi, 1992  
*Othreis homaena* Hubner, 1823 Ref. Sugi, 1992  
*Oxyodes scrobiculata* (Fabricius, 1775) Ref. Sugi, 1992  
*Ozana chinensis* (Leech, 1900) Ref. Sugi, 1992  
*Ozarba bipars* Hampson, 1865 Ref. Sugi, 1992  
*Ozarba brunnea* (Leech, 1900) Ref. Sugi, 1992  
*Ozarba ochritincta* Wileman, 1916 Ref. Sugi, 1992  
*Ozarba punctigera* Walker, 1865 Ref. Sugi, 1992  
*Ozarba uberosa* (Swinhoe, 1885) Ref. Sugi, 1992  
*Paectes cristatrix* (Guenee, 1852) Ref. Sugi, 1992  
*Pangrapta adusta* (Leech, 1900) Ref. Sugi, 1992  
*Pangrapta albistigma* (Hampson, 1898) Ref. Sugi, 1992  
*Pangrapta costinotata* (Butler, 1881) Ref. Sugi, 1992  
*Pangrapta lunulata* Sterz, 1915 Ref. Sterz, 1915  
*Pangrapta plumbilineata* Wileman & West, 1929 Ref. Sugi, 1992  
*Pangrapta trilineata* (Leech, 1900) Ref. Sugi, 1992  
*Panilla constipunctata* Leech, 1900 Ref. Leech, 1900  
*Panilla dispila* (Walker, 1865) Ref. Walker, 1865  
*Panilla mila* Strand, 1920 [特有] Ref. Strand, 1920  
*Panilla minor* Yoshimoto, 2001 [特有] Ref. Yoshimoto, 2001  
*Panolis exquisita* Draudt, 1950 Ref. Sugi, 2001  
*Panolis pinicortex* Draudt, 1950 Ref. Sugi, 2001  
*Panolis pinicortex* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Panolis variegatoides* Poole, 1989 [特有] Ref. Poole, 1989  
*Pantylidia metaspila* (Walker, 1858) Ref. Sugi, 1992  
*Paracolax angulata* (Wileman, 1915) Ref. Owada, 1992  
*Paracolax apicimacula* (Wileman, 1915) Ref. Owada, 1992  
*Paracolax bilineata* (Wileman, 1915) Ref. Owada, 1992  
*Paracolax fentoni* (Butler, 1879) Ref. Owada, 1992  
*Paracolax pryeri* (Butler, 1879) Ref. Owada, 1992  
*Paracolax sugii* Owada, 1992 Ref. Owada, 1992  
*Paracolax unicolor* Wileman & south, 1917 Ref. Owada, 1992  
*Paragona dubia* Wileman, 1916 Ref. Sugi, 1992  
*Paurophylla bidentata* (Wileman, 1915) Ref. Sugi, 1992  
*Penicillaria jocosatrix* Guenee, 1852 Ref. Sugi, 1992  
*Penicillaria maculata* Bulter, 1889 Ref. Sugi, 1992  
*Penicillaria simplex* (Walker, 1865) Ref. Sugi, 1992  
*Perciana marmorea* Walker, 1865 Ref. Sugi, 1992  
*Perciana taiwana* Wileman, 1911 Ref. Sugi, 1992  
*Pericyma basalis* Wileman & South, 1916 Ref. Sugi, 1992  
*Pericyma cruegeri* (Butler, 1886) Ref. Sugi, 1992  
*Pericyma glaucinans* (Guenee, 1852) Ref. Sugi, 1992  
*Peridroma saucia* (Hubner, 1808) Ref. Sugi, 2001  
*Perigrapha nigrocincta* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Perinaenia accipiter* (Felder & Rogenhofer, 1874) Ref. Sugi, 1992  
*Phalga clarirena* (Sugi, 1982) Ref. Sugi, 1992  
*Phlogophora albovittata* (Moore, 1867) Ref. Sugi, 1992  
*Phlogophora clava* (Wileman, 1912) Ref. Sugi, 1992  
*Phlogophora conservuloides* (Hampson, 1898) Ref. Sugi, 1992  
*Phyllodes eyndhovii* Vollenhoven, 1858 Ref. Sugi, 1992

*Pilipectus taiwanus* Wileman, 1915 Ref. Sugi, 1992  
*Plataplecta pulverosa* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Platyja umminia* (Cramer, 1780) Ref. Sugi, 1992  
*Plecoptera reflexa* Guenee, 1852 Ref. Sugi, 1992  
*Plecoptera uniformis* (Moore, 1882) Ref. Sugi, 1992  
*Plexiphleps stellifera* (Moore, 1882) Ref. Sugi, 1992  
*Plusiodonta coelonota* (Kollar, 1844) Ref. Sugi, 1992  
*Plusiopalpa adrasta* (Felder & Rogenhofer, 1874) Ref. Sugi, 1992  
*Polia adustaeoides* Draeseke, 1928 Ref. Sugi, 2001  
*Polia goliath* (Oberthur, 1880) Ref. Sugi, 2001  
*Polia mortua* (Staudinger, 1888) Ref. Sugi, 2001  
*Polia mortua* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Polydesma boarmoides* Guenee, 1852 Ref. Sugi, 1992  
*Polymixis viridinigra* Hreblay & Ronkay, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Potmyctycia cristifera* Hreblay & Ronkay, 1997 [特有] Ref. 同前  
*Potmyctycia nemesi* Ronkay & Ronkay, 2001 [特有] Ref. Ronkay & Ronkay, 2001  
*Potmyctycia taiwana* (Chang, 1991) [特有] Ref. Chang, 1991  
*Progonia brunnealis* (Wileman & South, 1916) Ref. Owada, 1992  
*Progonia olieusalis* (Walker, 1859) Ref. Owada, 1992  
*Prolophota trigonifera* Hampson, 1896 Ref. Sugi, 1992  
*Protodeltote distinguenda* (Staudinger, 1888) Ref. Sugi, 1992  
*Protodeltote pygarga* (Hufnagel, 1766) Ref. Sugi, 1992  
*Pseuderioopus albiscripta* (Hampson, 1898) Ref. Sugi, 2001  
*Pseudeustrotia bipartita* (Wileman, 1914) Ref. Sugi, 1992  
*Pseudodeltote coenia* (Swinhoe, 1901) Ref. Sugi, 1992  
*Pseudodeltote formosana* (Hampson, 1910) Ref. Sugi, 1992  
*Pseudodeltote postvittata* (Wileman, 1914) Ref. Sugi, 1992  
*Pseudodeltote subcoenia* (Wileman & South, 1916) Ref. Sugi, 1992  
*Pseudogyrtonea marmorea* (Wileman, 1916) Ref. Sugi, 1992  
*Pseudogyrtonea ochreopuncta* Wileman & South, 1916 Ref. Sugi, 1992  
*Pseudopanolis flavimacula* (Wileman, 1912) Ref. Sugi, 2001  
*Pseudopanolis lala* Owada, 1994 [特有] Ref. Owada, 1994  
*Pseudosphetta moorei* (Cotes & Swinhoe, 1887) Ref. Sugi, 1992  
*Psimada quadripennis* Walker, 1858 Ref. Sugi, 1992  
*Pygopteryx fulva* B.S.Chang, 1991 Ref. Sugi, 1992  
*Pyrrhia bifasciata* (Staudinger, 1888) Ref. Sugi, 2001  
*Pyrrhivalva sordida* (Butler, 1881) Ref. Sugi, 2001  
*Raparna sordida* (Wileman & South, 1916) Ref. Sugi, 1992  
*Rema costimacula* (Guenee, 1852) Ref. Sugi, 1992  
*Rhesala imparata* Walker, 1858 Ref. Sugi, 1992  
*Rhynchaglaea hemixantha* Sugi, 1980 Ref. Sugi, 2001  
*Rhynchaglaea scitula* (Butler, 1878) Ref. Sugi, 2001  
*Rhynchaglaea taiwana* Sugi, 1980 Ref. Sugi, 2001  
*Rhynchaglaea terngyi* B.S.Chang, 1991 Ref. Sugi, 2001  
*Rivula arizanensis* Wileman & South, 1916 Ref. Sugi, 1992  
*Rivula basalis* Hampson, 1891 Ref. Sugi, 1992  
*Rivula cognata* Hampson, 1912 Ref. Sugi, 1992  
*Rivula leucanioides* (Walker, 1863) Ref. Sugi, 1992  
*Rivula niveipuncta* Swinhoe, 1905 Ref. Sugi, 1992  
*Sarbanissa cirrha* (Jordan, 1912) Ref. Inoue, 1992  
*Sarbanissa interposita* (Hampson, 1910) Ref. Inoue, 1992  
*Sarbanissa subflava* (Moore, 1877) Ref. Inoue, 1992  
*Sarcopolia illoba* (Butler, 1878) Ref. Sugi, 2001  
*Sarcopteron punctimargo* Hampson, 1893 Ref. Sugi, 1992  
*Sasunaga interrupta* Warren, 1912 Ref. Sugi, 1992  
*Sasunaga longiplaga* Warren, 1912 Ref. Sugi, 1992  
*Sasunaga tenebrosa* (Moore, 1867) Ref. Sugi, 1992  
*Scedopla umbrosa* (Wileman, 1916) Ref. Sugi, 1992  
*Schrankia seinoi* Inoue, 1979 Ref. Sugi, 1992  
*Sclerogenia jessica* (Butler, 1878) Ref. Sugi, 1992  
*Scoliopteryx libatrix* (Linnaeus, 1758) Ref. Sugi, 1992  
*Scriptoplusia nigriluna* (Walker, 1858) Ref. Sugi, 1992  
*Semiothisops macariata* (Hampson, 1902) Ref. Sugi, 1992  
*Serrodes campana* Guenee, 1852 Ref. Sugi, 1992  
*Sesamia inferens* (Walker, 1858) Ref. Sugi, 1992  
*Sesamia nigropunctata* (Wileman, 1912) Ref. Sugi, 1992  
*Sesamia punctilinea* (Wileman, 1912) Ref. Sugi, 1992  
*Sesamia punctivena* (Wileman, 1914) Ref. Sugi, 1992  
*Sesamia submarginalis* (Hampson, 1891) Ref. Sugi, 1992  
*Sesamia turpis* Bulter, 1879 Ref. Sugi, 1992  
*Sigmuncus albigrisea* (Warren, 1914) Ref. Sugi, 1992  
*Simplicia bimarginata* (Walker, 1863) Ref. Owada, 1992

*Simplicia caeneusalis* (Walker, 1859) Ref. Owada, 1992  
*Simplicia formosana* (Strand, 1919) Ref. Strand, 1919  
*Simplicia mistacalis* (Guenee, 1854) Ref. Owada, 1992  
*Simplicia niphona* (Butler, 1878) Ref. Owada, 1992  
*Simplicia similis* (Moore, 1882) Ref. Owada, 1992  
*Simplicia simplicissima* Wileman & West, 1930 Ref. Owada, 1992  
*Simplicia unipuncta* (Wileman, 1915) Ref. Owada, 1992  
*Simplicia xanthoma* Prout, 1928 Ref. Owada, 1992  
*Simplicia zanclognathalis* (Strand, 1920) Ref. Owada, 1992  
*Sinarella interrupta* (Wileman, 1915) Ref. Owada, 1992  
*Sinarella itoi* Owada, 1987 Ref. Owada, 1992  
*Sinarella nigrisigna* (Leech, 1900) Ref. Owada, 1992  
*Sineugraphe rhytidoprocta* Boursin, 1954 Ref. Sugi, 2001  
*Sophta diplochorda* (Hampson, 1907) Ref. Sugi, 1992  
*Sophta olivata* (Hampson, 1902) Ref. Sugi, 1992  
*Sophta ruficeps* (Walker, 1864) Ref. Sugi, 1992  
*Speiredonia mutabilis* Fabricius, 1792 Ref. Sugi, 1992  
*Speiredonia zamis* (Stoll, 1780) Ref. Sugi, 1992  
*Sphragifera biplagiata* (Walker, 1865) Ref. Sugi, 2001  
*Sphragifera sigillata* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Spirama helicina* (Hubner, 1831) Ref. Sugi, 1992  
*Spirama retorta* (Clerck, 1759) Ref. Sugi, 1992  
*Spodoptera cilium* Guenee, 1852 Ref. Sugi, 1992  
*Spodoptera connexa* (Wileman, 1914) Ref. Sugi, 1992  
*Spodoptera exigua* (Hubner, 1808) Ref. Sugi, 1992  
*Spodoptera litura* (Fabricius, 1775) 斜紋夜盜蛾 Ref. Sugi, 1992  
*Spodoptera mauritia* (Boisduval, 1833) Ref. Sohn & Ronkay, 2001  
*Spodoptera mauritia* (Boisduval, 1833) Ref. Sugi, 1992  
*Spodoptera pecten* Guenee, 1852 Ref. Sugi, 1992  
*Spodoptera picta* (Guerin-Meneville, 1838) Ref. Sugi, 1992  
*Stenhyphen costalis* Wileman & south, 1916 Ref. Owada, 1992  
*Stenoloba assimilis* Kononenko & Ronkay, 2000 [特有] Ref. Kononenko & Ronkay, 2000  
*Stenoloba clarescens* Kononenko & Ronkay, 2000 [特有] Ref. 同前  
*Stenoloba domina* Kononenko & Ronkay, 2000 [特有] Ref. 同前  
*Stenoloba lichenosa* Kononenko & Ronkay, 2001 [特有] Ref. Kononenko & Ronkay, 2001  
*Stenoloba manleyi* Kononenko & Ronkay, 2000 [特有] Ref. Kononenko & Ronkay, 2000  
*Stenoloba manleyi* (Leech, 1889) Ref. Sugi, 1992  
*Stenoloba nigrabasalidis* B.S.Chang, 1991 Ref. Sugi, 1992  
*Stenoloba nora* Kononenko & Ronkay, 2001 [特有] Ref. Kononenko & Ronkay, 2001  
*Stenoloba olivacea* (Wileman, 1914) [特有] Ref. Wileman, 1914  
*Stenoloba pulla* Ronkay, 2001 [特有] Ref. Ronkay, 2001  
*Stenoloba rufosagitta* Kononenko & Ronkay, 2001 [特有] Ref. Kononenko & Ronkay, 2001  
*Stenoloba yenminia* Ronkay, 2001 [特有] Ref. Ronkay, 2001  
*Subleuconycta palshkovi* (Filipjev, 1937) Ref. Sugi, 1992  
*Subleuconycta sugii* Boursin, 1962 Ref. Sugi, 1992  
*Sugia rufa* Ueda, 1987 Ref. Sugi, 1992  
*Sugitania uenoi* Owada, 1995 [特有] Ref. Owada, 1995  
*Sympis rufibasis* Guenee, 1852 Ref. Sugi, 1992  
*Sypna diversa* Wileman & South, 1917 Ref. Sugi, 1992  
*Sypnoides hampsoni* (Wileman & South, 1917) Ref. Sugi, 1992  
*Sypnoides pannosa* (Moore, 1882) Ref. Sugi, 1992  
*Sypnoides simplex* (Leech, 1900) Ref. Sugi, 1992  
*Taeneremina scripta* Ronkay & Ronkay, 2001 [特有] Ref. Ronkay & Ronkay, 2001  
*Taipsoaphida curiosa* Ronkay & Ronkay, 1999 [特有] Ref. Ronkay & Ronkay, 1999  
*Taivaleria rubrifasciata* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Tamba lala* Swinhoe, 1900 Ref. Swinhoe, 1900  
*Tamba nagadeboides* (Strand, 1920) Ref. Sugi, 1992  
*Tamba nigrilineata* (Wileman, 1915) Ref. Sugi, 1992  
*Tamba parallela* (Wileman, 1915) Ref. Sugi, 1992  
*Tamba taiwana* Yoshimoto, 2002 [特有] Ref. Yoshimoto, 2002  
*Tamba venusta* (Hampson, 1898) Ref. Hampson, 1898  
*Taralla delatrix* (Guenee, 1852) Ref. Sugi, 1992  
*Telorta atrifusa* Hreblay & Kobayashi, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Telorta obscura* Yoshimoto, 1987 Ref. Sugi, 2001  
*Telorta shenhornyi* Ronkay & Kobayashi, 1997 [特有] Ref. Hreblay & Ronkay, 1997  
*Telorta yazakii* Yoshimoto, 1987 Ref. Sugi, 2001  
*Teratoglaea pacifica* Sugi, 1958 Ref. Sugi, 1958  
*Thalatta fasciosa* Moore, 1882 Ref. Sugi, 1992  
*Thyas honesta* Hubner, 1824 Ref. Sugi, 1992  
*Thyas junio* (Dalman, 1823) Ref. Sugi, 1992  
*Tipasa renalis* (Moore, [1885]1887) Ref. Moore, 1885  
*Tiracola aureata* Holloway, 1989 Ref. Sugi, 2001

*Tolpia myops* Hampson, 1907 Ref. Sugi, 1992  
*Trachea auriplena* (Walker, 1857) Ref. Sugi, 1992  
*Trachea conjuncta* Wileman, 1914 Ref. Sugi, 1992  
*Trachea punkikonis* Matsumura, 1929 Ref. Sugi, 1992  
*Trichoplusia daubei* (Boisduval, 1840) Ref. Sugi, 1992  
*Trichoplusia hedysma* (Joannis, 1929) Ref. Sugi, 1992  
*Trichoplusia intermixta* (Warren, 1913) Ref. Sugi, 1992  
*Trichoplusia ni* (Hubner, 1803) Ref. Sugi, 1992  
*Trichoplusia orichalcea* (Fabricius, 1775) Ref. Sugi, 1992  
*Trichoplusia reticulata* (Moore, 1882) Ref. Sugi, 1992  
*Trigonodes hyppasia* (Cramer, 1779) Ref. Sugi, 1992  
*Triphaenopsis jezoensis* Sugi, 1962 Ref. Sugi, 1992  
*Tyracona obliqua* Moore, 1882 Ref. Sugi, 1992  
*Ulotrichopus macula* (Hampson, 1891) Ref. Sugi, 1992  
*Virgo major* Kishida & Yoshimoto, 1991 Ref. Sugi, 1992  
*Wittstrotia taroko* Speidel & Behounek, 2005 [特有] Ref. Speidel & Behounek, 2005  
*Xanthia melonina* Chang, 1991 [特有] Ref. Chang, 1991  
*Xanthia tatachana* Chang, 1991 [特有] Ref. Chang, 1991  
*Xanthodes albago* (Fabricius, 1794) Ref. Sugi, 1992  
*Xanthodes intersepta* Guenee, 1852 Ref. Sugi, 1992  
*Xanthodes transversa* Guenee, 1852 Ref. Sugi, 1992  
*Xanthoptera apoda* Strand, 1920 Ref. Sugi, 1992  
*Xenotrachea albidisca* (Moore, 1867) Ref. Sugi, 1992  
*Xenotrachea irrorata* Yoshimoto, 1992 [特有] Ref. Yoshimoto, 1992  
*Xestia efflorescens* (Butler, 1879) Ref. Sugi, 2001  
*Xestia flavilinea* (Wileman, 1912) Ref. Sugi, 2001  
*Xestia fuscostigma* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Xestia semiherbida* (Walker, 1857) Ref. Sugi, 2001  
*Xestia tamsi* (Wileman & West, 1929) Ref. Sugi, 2001  
*Xestia vidua* (Staudinger, 1892) Ref. Sugi, 2001  
*Xestia yamanei* B.S.Chang, 1991 Ref. Sugi, 2001  
*Xylena changi* Horie, 1993 Ref. Horie, 1993  
*Xylena consimilis* Sugi, 1992 Ref. Sugi, 2001  
*Xylena griseithorax* Sugi, 1992 Ref. Sugi, 2001  
*Xylena lignipennis* Sugi, 1992 Ref. Sugi, 2001  
*Xylena plumbeopaca* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Xylena tatajiana* B.S.Chang, 1991 Ref. Sugi, 2001  
*Xylopolia bella* Hreblay & Ronkay, 2000 [特有] Ref. Hreblay & Ronkay, 2000  
*Xylopolia fulvireniiforma* B.S.Chang, 1991 Ref. Sugi, 2001  
*Xylostola indistincta* (Moore, 1882) Ref. Sugi, 1992  
*Yula muscosa* (Hampson, 1891) Ref. Sugi, 1992  
*Zanclognatha angulina* (Leech, 1900) Ref. Owada, 1992  
*Zanclognatha helva* (Butler, 1879) Ref. Owada, 1992  
*Zanclognatha inspidalis* (Wileman, 1915) Ref. Owada, 1992  
*Zanclognatha nakatomii* Owada, 1977 Ref. Owada, 1992  
*Zanclognatha nigrisigna* (Wileman, 1915) Ref. Owada, 1992  
*Zanclognatha reticulatis* (Leech, 1900) Ref. Owada, 1992  
*Zanclognatha subtriplex* Strand, 1919 Ref. Owada, 1992  
*Zanclognatha tarsipennalis* (Treitschke, 1835) Ref. Owada, 1992  
*Zethes fuboshona* Strand, 1920 Ref. Sugi, 1992  
*Zonoplusia ochreatea* (Walker, 1865) Ref. Sugi, 1992  
*Zurobata decorata* (Swinhoe, 1903) Ref. Sugi, 1992  
*Zurobata vacillans* (Walker, 1864) Ref. Sugi, 1992

### Family Nolidae 瘤蛾科

*Aiteta musculina* Walker Ref. Sugi, 1992  
*Beara tortriciformis* (Strand, 1917) Ref. Sugi, 1992  
*Blenina chlorophila* Hampson Ref. Sugi, 1992  
*Blenina puloa* Swinhoe Ref. Sugi, 1992  
*Blenina quinaria* Moore 楓楊癭皮夜蛾 Ref. Sugi, 1992  
*Blenina senex* (Butler, 1878) Ref. Sugi, 1992  
*Camptoloma carum* Kishida Ref. Sugi, 1992  
*Carea internifusca* Hampson Ref. Sugi, 1992  
*Carea trimacula* (Strand, 1920) Ref. Sugi, 1992  
*Carea varipes* Walker Ref. Sugi, 1992  
*Characoma ruficirra* (Hampson, 1905) Ref. Sugi, 1992  
*Clethrophora distincta* (Leech, 1889) Ref. Sugi, 1992  
*Dilophothripoides noliformis* Strand Ref. Sugi, 1992  
*Earias cupreoviridis* (Walker, 1862) Ref. Sugi, 1992  
*Earias flavida* Felder Ref. Sugi, 1992  
*Earias insulana* (Boisduval, 1833) Ref. Sugi, 1992  
*Earias punctaria* Wileman Ref. Sugi, 1992

*Earias roseifera* Bulter Ref. Sugi, 1992  
*Earias vittella* (Fabricius, 1794) Ref. Sugi, 1992  
*Eligma narcissus* (Cramer, 1775) Ref. Sugi, 1992  
*Evonima aperta* Walker Ref. Inoue, 1992  
*Evonima elegans* Inoue Ref. Inoue, 1992  
*Gabala argentata* Bulter Ref. Sugi, 1992  
*Gabala roseoretis* Kobes Ref. Sugi, 1992  
*Gelastocera exusta* Bulter Ref. Sugi, 1992  
*Hylophilodes esakii* Fukushima Ref. Sugi, 1992  
*Hylophilodes rara* Fukushima Ref. Sugi, 1992  
*Hylophilodes tsukusensis* Nagano 太平粉翠夜蛾 Ref. Sugi, 1992  
*Iragaoles nobilis* (Staudinger, 1892) Ref. Sugi, 1992  
*Iscadia inexacta* (Walker, 1858) Ref. Sugi, 1992  
*Iscadia uniformis* Warren Ref. Sugi, 1992  
*Kerala lentiginosa* Wileman Ref. Sugi, 1992  
*Labanda semipars* (Walker, 1858) Ref. Sugi, 1992  
*Macrobarasa albibasis* Wileman Ref. Sugi, 1992  
*Macrochthonia fervens* Bulter Ref. Sugi, 1992  
*Meganola albula* (Denis & Schiffermuller, 1775) Ref. Inoue, 1992  
*Meganola argentalis* (Wileman & South, 1916) Ref. Inoue, 1992  
*Meganola ascripta* (Hampson, 1894) Ref. Inoue, 1992  
*Meganola diversalis* Inoue Ref. Inoue, 1992  
*Meganola major* Inoue Ref. Inoue, 1992  
*Meganola melanomedia* Inoue Ref. Inoue, 1992  
*Meganola nitida* (Hampson, 1894) Ref. Inoue, 1992  
*Meganola phaeochroa* (Hampson, 1900) Ref. Inoue, 1992  
*Meganola pseudohypena* Inoue Ref. Inoue, 1992  
*Meganola pulverata* (Wileman & West, 1929) Ref. Inoue, 1992  
*Meganola simplex* (Wileman & West, 1929) Ref. Inoue, 1992  
*Meganola suisharyonensis* (Strand, 1917) Ref. Inoue, 1992  
*Meganola tessellata* (Hampson, 1896) Ref. Inoue, 1992  
*Meganola triangulalis* (Leech, 1889) Ref. Inoue, 1992  
*Nanaguna sordida* Wileman Ref. Sugi, 1992  
*Narangodes argyrostrigatus* Sugi Ref. Sugi, 1992  
*Narangodes confluens* Sugi Ref. Sugi, 1992  
*Narangodes flavibasis* Sugi Ref. Sugi, 1992  
*Negeta signata* (Walker, 1864) Ref. Sugi, 1992  
*Negritothripa hompsoni* (Wileman, 1911) Ref. Sugi, 1992  
*Nola ceylonica* Hampson Ref. Yazaki, 1995  
*Nola fasciata* (Walker, 1866) Ref. Inoue, 1992  
*Nola formosalesa* (Wileman & West, 1928) Ref. Inoue, 1992  
*Nola fuscimarginalis* Wileman Ref. Inoue, 1992  
*Nola innocua* Bulter Ref. Inoue, 1992  
*Nola kanshireiensis* (Wileman & South, 1916) Ref. Inoue, 1992  
*Nola marginata* Hampson Ref. Inoue, 1992  
*Nola nephodes* (Hampson, 1914) Ref. Inoue, 1992  
*Nola pallescens* Wileman & West Ref. Inoue, 1992  
*Nola promelaena* Hampson Ref. Inoue, 1992  
*Nola pumila* Snellen Ref. Inoue, 1992  
*Nola punctilineata* Hampson Ref. Inoue, 1992  
*Nola quadriguttula* Inoue Ref. Inoue, 2000  
*Nola taeniata* Snellen Ref. Inoue, 1992  
*Nola tripuncta* Wileman Ref. Inoue, 1992  
*Nolathripa lactaria* (Graeser, 1892) Ref. Sugi, 1992  
*Paracrama angulata* Sugi Ref. Sugi, 1992  
*Pisara thyrophora* Hampson Ref. Inoue, 1996  
*Pseudoips sylphina* Sugi Ref. Sugi, 1992  
*Pterogonaga chinensis* Berio Ref. Sugi, 1992  
*Rhynchopalpus yoshimotoi* Inoue Ref. Inoue, 2000  
*Risoba prominens* Moore Ref. Sugi, 1992  
*Risoba tenuipoda* (Strand, 1920) Ref. Sugi, 1992  
*Risoba vialis* Moore Ref. Sugi, 1992  
*Selepa celtis* Moore Ref. Sugi, 1992  
*Selepa discigera* (Walker, 1862) Ref. Sugi, 1992  
*Siglophora ferreilutea* Hampson Ref. Sugi, 1992  
*Siglophora sanguinolenta* (Moore, 1888) Ref. Sugi, 1992  
*Sinna extrema* (Walker, 1854) Ref. Sugi, 1992  
*Titulcia confictella* Walker Ref. Sugi, 1992  
*Tyana falcata* (Walker, 1866) 緑角翅夜蛾 Ref. Sugi, 1992  
*Tympanistes fusimargo* Prout Ref. Sugi, 1992  
*Westermannia elliptica* Bryk Ref. Sugi, 1992  
*Xenonola limbata* (Wileman, 1915) Ref. Inoue, 1992

## Family Notodontidae 舟蛾科

- Acmeshachia gigantea* (Elwes, 1890) Ref. Sugi, 1992  
*Allodontoides tenebrosus* (Wileman, 1910) Ref. Sugi, 1992  
*Benbowia takamukuana* (Matsumura, 1934) Ref. Sugi, 1992  
*Besaia (Achepeyda) obliqua* (Wileman, 1910) Ref. Sugi, 1992  
*Besaia (Besaia) inconspicua* (Wileman, 1914) Ref. Sugi, 1992  
*Besaia (Besaia) nebulosa* (Wileman, 1914) Ref. Sugi, 1992  
*Besaia (Besaia) sordida* (Wileman, 1914) Ref. Sugi, 1992  
*Besaia (Ogulina) crenelata* (Swinhoe, 1896) Ref. Schintlmeister, 2003  
*Betashachia angustipennis* Matsumura, 1925 Ref. Sugi, 1992  
*Cerura (Apocerura) erminea* (Matsumura, 1929) Ref. Sugi, 1992  
*Chadisra bipars* Walker, 1862 Ref. Sugi, 1992  
*Chadisra bipartita* (Matsumura, 1925) Ref. Sugi, 1992  
*Cleapa latifascia* Walker, 1855 Ref. Sugi, 1992  
*Clostera anachoreta* (Denis & Schiffermuller, 1775) Ref. Sugi, 1992  
*Clostera restituta* (Walker, 1865) Ref. Sugi, 1992  
*Cnethodonta griseescens* Matsumura, 1929 Ref. Sugi, 1992  
*Curruza frugalis* (Leech, 1898) Ref. Sugi, 1992  
*Curuzza ronkayorum* (Schintlmeister, 2005) 黃枯舟蛾 Ref. Kobayashi et al., 2008  
*Dudusa nobillis* Walker, 1865 Ref. Sugi, 1992  
*Dudusa sphingiformis* Moore, 1872 Ref. Sugi, 1992  
*Dudusa synopla* Swinhoe, 1907 Ref. Sugi, 1992  
*Ellida arcuata* Alpheraky, 1897 Ref. Sugi, 1992  
*Euhampsonia cristata* (Butler, 1877) Ref. Sugi, 1992  
*Euhampsonia formosana* (Matsumura, 1925) Ref. Sugi, 1992  
*Eushachia aurata* Matsumura, 1925 Ref. Sugi, 1992  
*Fentonia baibarana* Matsumura, 1929 Ref. Sugi, 1992  
*Fentonia macroparabolica* Nakamura, 1973 Ref. Sugi, 1992  
*Fentonia ocypete* (Bremer, 1861) Ref. Sugi, 1992  
*Fentonia parabolica* (Matsumura, 1925) Ref. Sugi, 1992  
*Formofentonia orbifer* Matsumura, 1925 Ref. Sugi, 1992  
*Gazalina purificata* Sugi, 1992 Ref. Sugi, 1992  
*Ginshachia elongata* Matsumura, 1929 Ref. Sugi, 1992  
*Harpyia longipennis* (Walker, 1855) Ref. Sugi, 1992  
*Harpyia microsticta* (Matsumura, 1927) Ref. Sugi, 1992  
*Hexafrenum leucodera* (Nakamura, 1978) 吉本氏異齒舟蛾 Ref. Nakamura, 1978  
*Higena trichosticha* (Hampson, 1897) Ref. Sugi, 1992  
*Himeropteryx miraculosa* Staudinger, 1887 Ref. Sugi, 1992  
*Hiradonta angustipennis* Nakatomi & Kishida, 1984 Ref. Sugi, 1992  
*Hupodonta corticalis* Butler, 1877 Ref. Sugi, 1992  
*Hupodonta lignea* Matsumura, 1920 Ref. Sugi, 1992  
*Hyperaeschrella nigribasis* (Hampson, 1893) Ref. Sugi, 1992  
*Liparopsis formosana* Wileman, 1914 Ref. Sugi, 1992  
*Lophocosma nigrilinea* Matsumura, 1929 Ref. Sugi, 1992  
*Lophocosma sarantuja* Schintlmeister, 2005 Ref. Schintlmeister, 2005  
*Lophontesia fusca* Okano, 1960 Ref. Sugi, 1992  
*Mangea gemina* Kishida & Kobayashi, 2004 雙星繁花舟蛾 [特有] Ref. Kobayashi & Kishida, 2004  
*Megaceramis lamprosticta* Hampson, 1893 Ref. Schintlmeister, 2003  
*Megaschachia fulgurifera* (Walker, 1858) Ref. Sugi, 1992  
*Mesophalera bruno* Schintlmeister, 1997 Ref. Schintlmeister, 2003  
*Mesophalera sigmata* (Butler, 1877) Ref. Sugi, 1992  
*Mesophalera speratus* Schintlmeister, 2005 Ref. Schintlmeister, 2005  
*Metriaeschra apatela* Nakamura, 1973 Ref. Sugi, 1992  
*Micromelalopha baibarana* Matsumura, 1929 Ref. Sugi, 1992  
*Microphalera grisea* Kishida, 1984 Ref. Sugi, 1992  
*Mimopydna kishidai* Schintlmeister, 1989 岸田氏擬皮舟蛾 Ref. Schintlmeister, 1989  
*Neocerura liturata* (Walker, 1855) Ref. Sugi, 1992  
*Neodrymonia taiwana* Kobayashi, 2005 [特有] Ref. Kobayashi, 2005  
*Neodrymonia (Epistauropus) anmashanensis* Kishida, 2004 Ref. Schintlmeister, 2003  
*Neodrymonia (Neodrymonia) marginalis* (Matsumura, 1925) Ref. Sugi, 1992  
*Neodrymonia (Neodrymonia) seriatopunctata* (Matsumura, 1925) Ref. Sugi, 1992  
*Neodrymonia (Polystictina) maculata* (Moore, 1879) Ref. Sugi, 1992  
*Neopheosia fasciata* (Moore, 1888) Ref. Sugi, 1992  
*Nephodonta dubiosa* (Kiriakoff, 1963) Ref. Sugi, 1992  
*Nephodonta taiwanensis* Schintlmeister, 2005 Ref. Schintlmeister, 2005  
*Netria multispinae* Schintlmeister, 2006  
*Netria viridescens* Schintlmeister, 2006 Ref. Sugi, 1992  
*Norracoides basinotatus* (Wileman, 1915) Ref. Sugi, 1992  
*Notodonta griseotincta* Wileman, 1910 Ref. Sugi, 1992  
*Pantherinus bipunctatus* (Okano, 1960) Ref. Sugi, 1992  
*Paracerura priapus* (Schintlmeister, 1997) Ref. Schintlmeister, 2002

*Paracerura subrosea* (Matsumura, 1927) Ref. Sugi, 1992  
*Paracerura tattakana* (Matsumura, 1927) Ref. Sugi, 1992  
*Peridea graeseri* Kishida, 1986 Ref. Sugi, 1992  
*Peridea oberthueri* (Staudinger, 1892) Ref. Sugi, 1992  
*Peridea sikkima* Nakamura, 1973 Ref. Sugi, 1992  
*Periergos antennae* Schintlmeister, 2005 Ref. Schintlmeister, 2005  
*Periergos magna* (Matsumura, 1920) Ref. Sugi, 1992  
*Periergos pseudotestacea* (Strand, 1915) Ref. Sugi, 1992  
*Phalera angustipennis* Matsumura, 1919 Ref. Sugi, 1992  
*Phalera assimilis* (Bremer & Grey, 1852) Ref. Sugi, 1992  
*Phalera baoshinchangi* Kobayashi & Kishida, 2007 Ref. Kobayashi & Kishida, 2007  
*Phalera combusta* (Walker, 1855) Ref. Sugi, 1992  
*Phalera flavescens* (Bremer & Grey, 1852) Ref. Sugi, 1992  
*Phalera obscura* Wileman, 1910 Ref. Sugi, 1992  
*Phalera takasagoensis* Matsumura, 1919 Ref. Sugi, 1992  
*Phalerodonta inclusa* Okano, 1960 Ref. Sugi, 1992  
*Pheosia rimosa* Nakamura, 1973 Ref. Sugi, 1992  
*Pheosiopsis linus* Schintlmeister, 2005 Ref. Schintlmeister, 2005  
*Pheosiopsis (Oligoeschra) lusciniola* (Nakamura, 1973) Ref. Sugi, 1992  
*Pheosiopsis (Pheosiopsis) alishanensis* Kishida, 1990 Ref. Sugi, 1992  
*Pheosiopsis (Pheosiopsis) cinerea* (Okano, 1959) Ref. Sugi, 1992  
*Phycidopsis albovittata* Hampson, 1893 Ref. Schintlmeister, 2003  
*Pseudofentonia (Disparia) diluta* (Wileman, 1910) Ref. Sugi, 1992  
*Pseudofentonia (Eufentonia) nakamurai* (Sugi, 1990) Ref. Sugi, 1992  
*Pseudofentonia (Mimus) medioalbida* (Nakamura, 1973) Ref. Sugi, 1992  
*Pseudofentonia (Mimus) nigrofasciata* (Wileman, 1910) Ref. Sugi, 1992  
*Pseudofentonia (Pseudofentonia) argentifera* (Moore, 1866) Ref. Sugi, 1992  
*Pseudofentonia (Viridifentonia) plagiviridis* (Moore, 1879) Ref. Schintlmeister, 2003  
*Pseudosomera noctuiformis* Bender & Steiniger, 1984 Ref. Sugi, 1992  
*Ptilodon hoegei* (Graeser, 1892) Ref. Sugi, 1992  
*Ptilodon saturata* (Walker, 1865) Ref. Schintlmeister, 2003  
*Ptilophora rufula* Kobayashi, 1993 Ref. Kobayashi, 1993  
*Rachia lineata* Matsumura, 1925 Ref. Sugi, 1992  
*Rachiades albimaculata* (Okano, 1958) Ref. Sugi, 1992  
*Ramesa albistriga* (Moore, 1879) Ref. Sugi, 1992  
*Ramesa tosta* Walker, 1855 Ref. Sugi, 1992  
*Rosama ornata* (Oberthur, 1884) Ref. Sugi, 1992  
*Saliocleta virgata* (Wileman, 1914) Ref. Sugi, 1992  
*Semidonta basalis* (Moore, 1865) Ref. Sugi, 1992  
*Shaka atrovittatus* Matsumura, 1929 Ref. Sugi, 1992  
*Shaka mushana* Matsumura, 1920 Ref. Sugi, 1992  
*Somera viridifusca* Walker, 1855 褐斑綠舟蛾 Ref. Sugi, 1992  
*Spatalia dives* Oberthur, 1884 Ref. Sugi, 1992  
*Spatalina ferruginosa* (Moore, 1879) Ref. Sugi, 1992  
*Stauropus alternus* Walker, 1855 Ref. Sugi, 1992  
*Stauropus basalis* Matsumura, 1934 Ref. Sugi, 1992  
*Stauropus sikkimensis* Okano, 1960 Ref. Sugi, 1992  
*Stauropus teikichianus* Matsumura, 1929 Ref. Sugi, 1992  
*Syntypistis comatus* (Leech, 1889) 白斑脩舟蛾 Ref. Sugi, 1992  
*Syntypistis cyanea* (Leech, 1889) Ref. Sugi, 1992  
*Syntypistis lineata* (Okano, 1960) Ref. Sugi, 1992  
*Syntypistis nigribasalis* (Wileman, 1910) Ref. Sugi, 1992  
*Syntypistis perdix* (Wileman, 1910) Ref. Sugi, 1992  
*Syntypistis pryeri* (Leech, 1889) Ref. Sugi, 1992  
*Syntypistis subgeneris* (Strand, 1916) Ref. Sugi, 1992  
*Syntypistis umbrosa* (Matsumura, 1927) Ref. Sugi, 1992  
*Syntypistis viridipicta* (Wileman, 1910) Ref. Sugi, 1992  
*Tarsolepis japonica* Wileman & South, 1917 Ref. Sugi, 1992  
*Tarsolepis taiwana* Wileman, 1910 Ref. Sugi, 1992  
*Tensha striatella* Matsumura, 1925 Ref. Sugi, 1992  
*Togaritensha curvilinea* (Wileman, 1911) Ref. Sugi, 1992  
*Torigea formosana* Nakamura, 1973 Ref. Sugi, 1992  
*Uropyia meticolodina* (Oberthur, 1884) Ref. Sugi, 1992  
*Vaneeckeia pallidifascia* (Hampson, 1893) Ref. Sugi, 1992  
*Zaranga pannosa* Moore, 1884 Ref. Schintlmeister, 2003

#### Family Nymphalidae 蛺蝶科

*Abrota ganga* Fruhstorfer, 1908 瑠蛺蝶 Ref. Shirozu & Ueda, 1992  
*Acraea issoria* (Fruhstorfer, 1912) 芋麻珍蝶 Ref. 同前  
*Apatura metis* Fruhstorfer, 1912 細帶閃蛺蝶 Ref. 同前  
*Argynnis paphia* Matsumura, 1927 綠豹蛺蝶 Ref. 同前  
*Argynnis tropicalis* Rober, 1919 熱帶豹蛺蝶 Ref. 同前

*Argyreus hyperbius* (Linnaeus, 1763) 斐豹蛺蝶 Ref. 同前  
*Ariadne ariadne* Fruhstorfer, 1899 波蛺蝶 Ref. 同前  
*Athyma asura* (Fruhstorfer, 1908) 白圈帶蛺蝶 Ref. 同前  
*Athyma cama* (Butler, 1877) 雙色帶蛺蝶 Ref. 同前  
*Athyma fortuna* (Sonan, 1938) 幻紫帶蛺蝶 Ref. 同前  
*Athyma jina* (Fruhstorfer, 1912) 寬帶蛺蝶 Ref. 同前  
*Athyma opalina* (Matsumura, 1935) 流帶蛺蝶 Ref. 同前  
*Athyma perius* (Linnaeus, 1758) 玄珠帶蛺蝶 Ref. 同前  
*Athyma selenophora* (Fruhstorfer, 1908) 異紋帶蛺蝶 Ref. 同前  
*Boloria pales* Hsu & Yen, 1997 珀豹蛺蝶 Ref. Hsu & Yen, 1997  
*Calinaga buddha* Fruhstorfer, 1908 絹蛺蝶 Ref. Shirozu & Ueda, 1992  
*Chitoria chrysolora* (Fruhstorfer, 1908) 金鎧蛺蝶 Ref. Shirozu, 1960  
*Chitoria ulupi* Naritomi, 1959 蓬萊小紫蛺蝶 Ref. Shirozu, 1960  
*Cupha erymanthis* (Drury, 1773) 柞蛺蝶 Ref. Shirozu & Ueda, 1992  
*Cyrestis thyodamas* Fruhstorfer, 1898 地圖蝶 Ref. 同前  
*Danaus chrysippus* (Linnaeus, 1758) 金斑蝶 Ref. 同前  
*Danaus genutia* (Cramer, 1779) 虎斑蝶 Ref. 同前  
*Danaus melanippus* (Bougainville, 1837) 白虎斑蝶 Ref. 同前  
*Danaus plexippus* (Linnaeus, 1758) 帝王斑蝶 Ref. 同前  
*Dichorragia nesimachus* Fruhstorfer, 1909 流星蛺蝶 Ref. 同前  
*Discophora sondaica* Stichel, 1905 方環蝶 Ref. Hsu, 1999  
*Doleschallia bisaltide* Fruhstorfer, 1899 蠹葉蝶 Ref. Shirozu & Ueda, 1992  
*Elymnias hypermnestra* Moore, 1878 藍紋鋸眼蝶 Ref. 同前  
*Euploea camaralzeman* Butler, 1866 白列紫斑蝶 Ref. 同前  
*Euploea core* Lucas, 1853 幻紫斑蝶 Ref. 同前  
*Euploea eunice* Murayama & Shimonoya, 1963 圓翅紫斑蝶菲律賓亞種 Ref. 同前  
*Euploea eunice* Eschscholtz, 1821 圓翅紫斑蝶關島亞種 Ref. 同前  
*Euploea eunice* (Butler, 1877) 圓翅紫斑蝶 Ref. 同前  
*Euploea klugii* Moore, 1997 緣點紫斑蝶 Ref. Lee & Wang, 1997  
*Euploea mulciber* Fruhstorfer, 1904 異紋紫斑蝶 Ref. Shirozu & Ueda, 1992  
*Euploea phaenareta* Fruhstorfer, 1908 大紫斑蝶 Ref. 同前  
*Euploea swainson* (Godart, 1824) 菲律賓斑蝶 Ref. 同前  
*Euploea sylvester* Wallace & Moore, 1866 雙標紫斑蝶 Ref. 同前  
*Euploea tulliolus* Fruhstorfer, 1908 小紫斑蝶 Ref. 同前  
*Euploea tulliolus* Erichson, 1834 小紫斑蝶菲律賓亞種 Ref. 同前  
*Euthalia formosana* Fruhstorfer, 1908 台灣綠蛺蝶 [特有] Ref. 同前  
*Euthalia hebe* Fruhstorfer, 1908 連珠翠蛺蝶 Ref. 同前  
*Euthalia insulae* Hall, 1930 窄帶翠蛺蝶 Ref. Koiwaya, 1996  
*Euthalia irrubescens* (Matsumura, 1909) 紅玉翠蛺蝶 Ref. Shirozu & Ueda, 1992  
*Euthalia malapana* Shirozu & Chung, 1958 馬拉巴翠蛺蝶 [特有] Ref. 同前  
*Faunis eumeus* (Drury, 1773) 串珠環蝶 Ref. Huang, 1997  
*Helcyra plesseni* (Fruhstorfer, 1912) 普氏白蛺蝶 [特有] Ref. Shirozu & Ueda, 1992  
*Helcyra superba* Matsumura, 1919 傲白蛺蝶 Ref. 同前  
*Hestina assimilis* (Moore, 1895) 紅斑脈蛺蝶 Ref. 同前  
*Hestina japonica* (Fruhstorfer, 1912) 小脈蛺蝶 Ref. 同前  
*Hypolimnas anomala* (Wallace, 1869) 端紫幻蛺蝶 Ref. Tsukada, 1985  
*Hypolimnas bolina* (Butler, 1877) 幻蛺蝶 Ref. Shirozu & Ueda, 1992  
*Hypolimnas bolina* (Drury, 1773) 幻蛺蝶大陸亞種 Ref. 同前  
*Hypolimnas misippus* (Linnaeus, 1764) 雌擬幻蛺蝶 Ref. 同前  
*Idea leucoae* (Butler, 1867) 大白斑蝶 Ref. 同前  
*Idea leucoae* (Sonan, 1928) 大白斑蝶綠島亞種 Ref. 同前  
*Ideopsis similis* (Linnaeus, 1758) 旖斑蝶 Ref. 同前  
*Junonia almana* (Linnaeus, 1758) 眼蛺蝶 Ref. 同前  
*Junonia atlites* (Linnaeus, 1758) 蘆蛺蝶 Ref. Hsu, 1999  
*Junonia hedonia* (Cramer, 1776) 南洋眼蛺蝶 Ref. Shirozu & Ueda, 1992  
*Junonia iphita* (Cramer, 1779) 黯眼蛺蝶 Ref. 同前  
*Junonia lemonias* Tsukada & Kaneko, 1985 鱗紋眼蛺蝶 Ref. 同前  
*Junonia orithya* (Linnaeus, 1758) 青眼蛺蝶 Ref. 同前  
*Kallima inachis* Fruhstorfer, 1912 木葉蝶 Ref. 同前  
*Kaniska canace* (Fruhstorfer, 1908) 琉璃蛺蝶 Ref. 同前  
*Lethe bojonia* Fruhstorfer, 1913 大深山黛眼蝶 Ref. 同前  
*Lethe butleri* (Fruhstorfer, 1908) 巴氏黛眼蝶 Ref. 同前  
*Lethe chandica* Fruhstorfer, 1908 曲紋黛眼蝶 Ref. 同前  
*Lethe christophi* Fruhstorfer, 1908 柯氏黛眼蝶 Ref. 同前  
*Lethe confusa* Aurivillius, 1898 白帶黛眼蝶 Ref. 同前  
*Lethe diana* Naritomi, 1943 月神黛眼蝶 Ref. 同前  
*Lethe europa* Fruhstorfer, 1908 長紋黛眼蝶 Ref. 同前  
*Lethe gemina* Fruhstorfer, 1914 彎斑黛眼蝶 Ref. 同前  
*Lethe insana* Fruhstorfer, 1908 深山黛眼蝶 Ref. 同前  
*Lethe mataja* Fruhstorfer, 1908 台灣黛眼蝶 [特有] Ref. 同前  
*Lethe rohria* Fruhstorfer, 1908 波紋黛眼蝶 Ref. 同前  
*Lethe verma* Fruhstorfer, 1848 玉帶黛眼蝶 Ref. 同前

*Libythea celtis* Fruhstorfer, 1909 喙蝶 Ref. 同前  
*Libythea geoffroy* Staudinger, 1889 紫喙蝶 Ref. 同前  
*Limenitis sulphitica* Fruhstorfer, 1908 殘眉線蛺蝶 Ref. Hsu, 1999  
*Melanitis leda* (Linnaeus, 1758) 暮眼蝶 Ref. Shirozu & Ueda, 1992  
*Melanitis phedima* Fruhstorfer, 1908 森林暮眼蝶 Ref. 同前  
*Minois nagasawae* (Matsumura, 1906) 永澤蛇眼蝶 [特有] Ref. 同前  
*Mycalesis francisca* Fruhstorfer, 1908 眉眼蝶 Ref. 同前  
*Mycalesis gotama* Fruhstorfer, 1908 稻眉眼蝶 Ref. 同前  
*Mycalesis mineus* (Linnaeus, 1758) 小眉眼蝶 Ref. 同前  
*Mycalesis perseus* (Fabricius, 1798) 曲斑眉眼蝶 Ref. 同前  
*Mycalesis sangaica* Fruhstorfer, 1908 淺色眉眼蝶 Ref. 同前  
*Mycalesis suavolens* Fruhstorfer, 1908 窄眉眼蝶 Ref. 同前  
*Mycalesis zonata* Matsumura, 1909 切翅眉眼蝶 Ref. 同前  
*Neope arandii* (Fruhstorfer, 1908) 白斑蔭眼蝶 Ref. 同前  
*Neope bremeri* Matsumura, 1919 布氏蔭眼蝶 Ref. 同前  
*Neope muirheadi* Matsumura, 1919 褐翅蔭眼蝶 Ref. 同前  
*Neope pulaha* Fruhstorfer, 1909 黃斑蔭眼蝶 Ref. 同前  
*Neptis hesione* Nire, 1920 蓮花環蛺蝶 Ref. 同前  
*Neptis hylas* Fruhstorfer, 1907 豆環蛺蝶 Ref. 同前  
*Neptis ilos* Nomura, 1935 奇環蛺蝶 Ref. Chou, 1992  
*Neptis nata* Fruhstorfer, 1913 細帶環蛺蝶 Ref. Shirozu & Ueda, 1992  
*Neptis noyala* Shirozu, 1952 流紋環蛺蝶 Ref. 同前  
*Neptis philyra* Murayama, 1942 槭環蛺蝶 Ref. 同前  
*Neptis philyroides* Murayama, 1942 鑲紋環蛺蝶 Ref. 同前  
*Neptis pryri* Fruhstorfer, 1908 黑星環蛺蝶 Ref. 同前  
*Neptis reducta* Fruhstorfer, 1908 無邊環蛺蝶 [特有] Ref. 同前  
*Neptis rivularis* Matsumura, 1929 二線蝶 Ref. 同前  
*Neptis sankara* Matsumura, 1929 眉紋環蛺蝶 Ref. 同前  
*Neptis sappho* Fruhstorfer, 1908 小環蛺蝶 Ref. 同前  
*Neptis soma* Murayama & Shimonoya, 1968 斷線環蛺蝶 Ref. 同前  
*Neptis sylvana* Nomura, 1935 深山環蛺蝶 Ref. 同前  
*Neptis taiwana* Fruhstorfer, 1908 蓬萊環蛺蝶 [特有] Ref. 同前  
*Neptis thisbe* Menetries, 1859 提環蛺蝶 Ref. 同前  
*Nymphalis xanthomelas* (Matsumura, 1925) 朱蛺蝶 Ref. 同前  
*Paduca fasciata* (C. Felder & R. Felder, 1860) 琥珀蛺蝶 Ref. 同前  
*Palaeonympha opalina* Fruhstorfer, 1911 古眼蝶 Ref. 同前  
*Pantoporia hordonia* Moore, 1878 金環蛺蝶 Ref. 同前  
*Parantica aglea* (Fruhstorfer, 1909) 絹斑蝶 Ref. 同前  
*Parantica luzonensis* (C. & R. Felder, 1863) 呂宋絹斑蝶 Ref. 同前  
*Parantica sita* (Moore, 1883) 大絹斑蝶 Ref. 同前  
*Parantica swinhoei* (Moore, 1883) 斯氏絹斑蝶 Ref. Koiwaya & Nishimura, 1997  
*Parasarpa dudu* (Fruhstorfer, 1908) 紫俳蛺蝶 Ref. Shirozu & Ueda, 1992  
*Parthenos sylla* Fruhstorfer, 1898 麗蛺蝶 Ref. 同前  
*Penthema formosanum* (Rothschild, 1898) 台灣斑眼蝶 Ref. 同前  
*Phalanta phalantha* (Drury, 1773) 玳蛺蝶 Ref. 同前  
*Polygonia c-album* Nakahara, 1920 突尾鉤蛺蝶 Ref. 同前  
*Polygonia c-aureum* Esaki & Nakahara, 1923 黃蛺蝶 Ref. 同前  
*Polyura eudamippus* (Rothschild, 1899) 雙尾蛺蝶 Ref. 同前  
*Polyura narcaea* (Fruhstorfer, 1908) 小雙尾蛺蝶 Ref. 同前  
*Sasakia charonda* Shirozu, 1963 大紫蛺蝶 Ref. 同前  
*Sephisa chandra* Fruhstorfer, 1908 燦蛺蝶 Ref. 同前  
*Sephisa daimio* Matsumura, 1910 台灣燦蛺蝶 [特有] Ref. 同前  
*Stichopthalma howqua* Fruhstorfer, 1908 箭環蝶 Ref. 同前  
*Symbrenthia hypselis* Fruhstorfer, 1908 花豹盛蛺蝶 Ref. 同前  
*Symbrenthia lilaea* Fruhstorfer, 1908 金帶蝶 Ref. 同前  
*Timelaea albescens* Fruhstorfer, 1908 白裳貓蛺蝶 Ref. 同前  
*Tirumala hamata* (Semper, 1879) 東方淡紋青斑蝶 Ref. 同前  
*Tirumala limniace* (Cramer, 1775) 淡紋青斑蝶 Ref. 同前  
*Tirumala limniace* (Fruhstorfer, 1910) 淡紋青斑蝶菲律賓亞種 Ref. Yen et al., 1995  
*Tirumala septentrionis* (Butler, 1874) 小紋青斑蝶 Ref. Shirozu & Ueda, 1992  
*Vanessa cardui* (Linnaeus, 1758) 小紅蛺蝶 Ref. 同前  
*Vanessa indica* (Herbst, 1794) 橙蛺蝶 Ref. 同前  
*Vindula dejone* (Erichson, 1834) 迪氏文蛺蝶 Ref. 同前  
*Yoma sabina* Tsukada, 1985 黃帶隱蛺蝶 Ref. 同前  
*Ypthima akragas* Fruhstorfer, 1911 白帶波眼蝶 [特有] Ref. 同前  
*Ypthima angustipennis* Takahashi, 2000 狹翅波眼蝶 [特有] Ref. Takahashi, 2000  
*Ypthima baldus* Fruhstorfer, 1911 小波眼蝶 Ref. Shirozu & Ueda, 1992  
*Ypthima conjuncta* Sonan, 1938 白漪波眼蝶 Ref. 同前  
*Ypthima esakii* Shirozu, 1960 江崎波眼蝶 [特有] Ref. 同前  
*Ypthima formosana* Fruhstorfer, 1908 寶島波眼蝶 [特有] Ref. 同前  
*Ypthima multistriata* Butler, 1883 密紋波眼蝶 Ref. Dubatolov & Lvovsky, 1997  
*Ypthima norma* Matsumura, 1909 罕波眼蝶 Ref. Shirozu & Ueda, 1992

*Ypthima okurai* Okano, 1962 大藏波眼蝶 [特有] Ref. 同前  
*Ypthima praenubila* Matsumura, 1929 巨波眼蝶北台灣亞種 Ref. 同前  
*Ypthima praenubila* Murayama, 1980 巨波眼蝶中台灣亞種 Ref. 同前  
*Ypthima tappana* Matsumura, 1909 達邦波眼蝶 Ref. 同前  
*Ypthima wangi* Lee, 1998 王氏波眼蝶 [特有] Ref. Wang & Lee, 1998  
*Zophoessa dura* (Fruhstorfer, 1909) 大幽眼蝶 Ref. Shirozu & Ueda, 1992  
*Zophoessa niitakana* (Matsumura, 1906) 玉山幽眼蝶 [特有] Ref. 同前  
*Zophoessa siderea* (Esaki & Nomura, 1937) 圓翅幽眼蝶 Ref. 同前

#### Family Oecophoridae 織蛾科

*Ashinaga longimana* Matsumura, 1929 [特有] Ref. Matsumura, 1929  
*Borkhausenia tyropis* Meyrick, 1935 [特有] Ref. Meyrick, 1932  
*Casmara patrona* Meyrick, 1925 [特有] Ref. Meyrick, 1925  
*Endrosis sarcitrella* (Linnaeus, 1758) Ref. Linnaeus, 1758  
*Eulechria colonialis* Meyrick, 1936 [特有] Ref. Meyrick, 1936  
*Formokamaga flavopicta* Matsumura, 1931 [特有] Ref. Matsumura, 1931  
*Hofmannophila pseudospretella* (Stainton, 1849) Ref. Stainton, 1849  
*Lamprystica purpurata* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Martyringa xeraula* (Meyrick, 1910) Ref. Meyrick, 1910  
*Oedematopoda ignipicta* (Butler, 1881) Ref. Butler, 1881  
*Pachyrhabda citrinacma* Meyrick, 1936 [特有] Ref. Meyrick, 1936  
*Pedioxestis isomorpha* Meyrick, 1932 Ref. Meyrick, 1932  
*Peracma pontiseca* Meyrick, 1936 [特有] Ref. Meyrick, 1936  
*Periacma asaphochra* Meyrick, 1931 Ref. Meyrick, 1931  
*Periacma conioxantha* Meyrick, 1931 [特有] Ref. Meyrick, 1931  
*Periacma delegata* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Periacma lagophthalma* Meyrick, 1932 [特有] Ref. Meyrick, 1932  
*Philobota syntropa* Meyrick, 1931 [特有] Ref. Meyrick, 1931  
*Promalactis sakaiella* (Matsumura, 1931) Ref. Matsumura, 1931  
*Promalactis semantris* (Meyrick, 1906) Ref. Meyrick, 1906  
*Satrapia pyrotechnica* Meyrick, 1935 [特有] Ref. Meyrick, 1935  
*Stathmopoda auriferalla* (Walker, 1864) Ref. Walker, 1864  
*Stathmopoda brachymochla* Meyrick, 1937 [特有] Ref. Meyrick, 1937  
*Stathmopoda masinissa* Meyrick, 1906 Ref. Meyrick, 1906  
*Stathmopoda melitripta* Meyrick, 1933 [特有] Ref. Meyrick, 1933  
*Stathmopoda optacis* Meyrick, 1931 Ref. Meyrick, 1931  
*Stathmopoda porphyrantha* Meyrick, 1913 Ref. Meyrick, 1913  
*Stathmopoda vertibrata* Meyrick, 1914 [特有] Ref. Meyrick, 1914  
*Xestocasis iostrota* (Meyrick, 1910) Ref. Meyrick, 1910

#### Family Opostegidae 遮顏蛾科

*Pseudopostega epactaea* (Meyrick, 1907) 叉顎遮顏蛾 Ref. Meyrick, 1907  
*Pseudopostega similantis* Puples & Robinson, 1999 長鉤遮顏蛾 Ref. Puples & Robinson, 1999

#### Family Palaeosetidae 古蝠蛾科

*Ogygioses caliginosa* Issiki & Stringer, 1932 巒大古蝠蛾 [特有] Ref. Hsu et al., 1999  
*Ogygioses eurata* Issiki & Stringer, 1932 烏來古蝠蛾 [特有] Ref. Issiki & Stringer, 1932  
*Ogygioses issikii* Davis et al., 1995 一色氏古蝠蛾 [特有] Ref. Davis et al., 1995

#### Family Pantheidae 隆蛾科

*Anacromicta horishana* Matsumura, 1931 Ref. Sugi, 1992  
*Anacromicta nitida* (Butler, 1878) Ref. Sugi, 1992  
*Panthea grisea* Wileman, 1910 Ref. Sugi, 1992  
*Trchoisea diffusa* Sugi, 1986 Ref. Sugi, 1992  
*Trchoisea champa* (Moore, 1879) Ref. Sugi, 1992  
*Trisuloides caerulea* Bulter, 1889 Ref. Sugi, 1992  
*Trisuloides sericea* Bulter, 1881 Ref. Sugi, 1992  
*Trisuloides subflava* Wileman, 1911 Ref. Sugi, 1992  
*Trisuloides taiwana* Sugi, 1976 Ref. Sugi, 1992

#### Family Papilionidae 鳳蝶科

*Agehana maraho* (Shiraki & Sonan, 1934) 台灣寬尾鳳蝶 [特有] Ref. Shirozu, 1992  
*Atrophaneura horishana* (Matsumura, 1910) 曙鳳蝶 [特有] Ref. Shirozu, 1992  
*Atrophaneura semperi* (C. Felder & R. Felder, 1861) 菲律賓曙鳳蝶 Ref. Shirozu, 1992  
*Byasa alcinous* (Fruhstorfer, 1901) 霧鳳蝶 Ref. Shirozu, 1992  
*Byasa impediens* (Fruhstorfer, 1908) 長尾霧鳳蝶 Ref. Shirozu, 1992  
*Byasa polyuctes* (Fruhstorfer, 1908) 多姿霧鳳蝶 Ref. Shirozu, 1992  
*Chilasa agestor* (Fruhstorfer, 1909) 褐斑鳳蝶 Ref. Shirozu, 1992  
*Chilasa clytia* (Linnaeus, 1758) 大斑鳳蝶 Ref. Shirozu, 1992  
*Chilasa epycides* (Ney, 1911) 黃星斑鳳蝶 Ref. Shirozu, 1992  
*Graphium agamemnon* (Linnaeus, 1758) 翠斑青鳳蝶 Ref. Shirozu, 1992  
*Graphium cloanthus* (Fruhstorfer, 1908) 寬帶青鳳蝶 Ref. Shirozu, 1992  
*Graphium doson* (Fruhstorfer, 1908) 木蘭青鳳蝶 Ref. Shirozu, 1992  
*Graphium sarpedon* (Fruhstorfer, 1906) 青鳳蝶 Ref. Shirozu, 1992

*Luehdorfia japonica* Rothschild, 1918 日本虎鳳蝶 Ref. Shirozu, 1992  
*Pachliopta aristolochiae* (Fruhstorfer, 1901) 七星蝶 Ref. Shirozu, 1992  
*Papilio bianor* Sonan, 1927 翠鳳蝶蘭嶼亞種 Ref. Fujioka, 1997  
*Papilio bianor* Fruhstorfer, 1909 翠鳳蝶 Ref. Fujioka, 1997  
*Papilio castor* Rothschild, 1896 無尾白紋鳳蝶 Ref. Shirozu, 1992  
*Papilio demoleus* Linnaeus, 1758 花鳳蝶 Ref. Fujioka, 1997  
*Papilio dialis* Murayama, 1970 台灣烏鴉鳳蝶 Ref. Shirozu, 1992  
*Papilio helenus* Fruhstorfer, 1908 楞鳳蝶 Ref. Shirozu, 1992  
*Papilio hermosanus* Rebel, 1906 台灣琉璃翠鳳蝶 [特有] Ref. Shirozu, 1992  
*Papilio hopponis* Matsumura, 1907 雙環翠鳳蝶 [特有] Ref. Inomata et al., 2000  
*Papilio machaon* Hemming, 1933 黃鳳蝶 Ref. Shirozu, 1992  
*Papilio memnon* Fruhstorfer, 1903 甄蝶 Ref. Shirozu, 1992  
*Papilio nephelus* Fruhstorfer, 1908 大白紋鳳蝶 Ref. Shirozu, 1992  
*Papilio paris* Shirozu, 1960 琉璃翠鳳蝶 Ref. Shirozu, 1992  
*Papilio polytes* Linnaeus, 1758 縞鳳蝶 Ref. Fujioka, 1997  
*Papilio polytes* Fruhstorfer, 1908 玉帶鳳蝶 Ref. Shirozu, 1992  
*Papilio polytes* Eschscholtz, 1821 玉帶鳳蝶菲律賓亞種 Ref. Shirozu, 1992  
*Papilio protenor* Cramer, 1775 黑鳳蝶 Ref. Fujioka, 1997  
*Papilio rumanzovia* Eschscholtz, 1821 紅斑美鳳蝶 Ref. Shirozu, 1992  
*Papilio taiwanus* Rothschild, 1898 台灣鳳蝶 [特有] Ref. Shirozu, 1992  
*Papilio xuthus* Linnaeus, 1767 鳳蝶 Ref. Shirozu, 1992  
*Pazala eurous* (Matsumura, 1908) 劍鳳蝶 Ref. Shirozu, 1992  
*Pazala timur* (Murayama, 1961) 黑尾劍鳳蝶 Ref. Hsu, 1999  
*Troides aeacus* (Nakahara & Esaki, 1930) 金裳鳳蝶 Ref. Shirozu, 1992  
*Troides aeacus* Rothschild, 1899 金裳鳳蝶 Ref. Haugum & Low, 1985  
*Troides magellanus* Matsumura, 1932 珠光裳鳳蝶 Ref. 同前  
*Troides magellanus* C. Felder & R. Felder, 1862 珠光裳鳳蝶 Ref. Shirozu, 1992  
*Troides plateni* (Staudinger, 1889) 巴拉望裳鳳蝶 Ref. Shirozu, 1992

#### Family Peleopodidae 鳩蛾科

*Acria xanthosaris* Meyrick, 1909 Ref. Meyrick, 1909

#### Family Phaudidae 榕蛾科

*Phauda arikana* Matsumura, 1927 里港榕蛾 [特有] Ref. Matsumura, 1927  
*Phauda flammans* (Walker, 1854) 燄色榕蛾 Ref. Walker, 1854  
*Phauda horishana* Matsumura, 1927 埔里榕蛾 [特有] Ref. Matsumura, 1927  
*Phauda mimica* Strand, 1915 恆春榕蛾 [特有] Ref. Strand, 1915  
*Phauda rubra* Jordan, 1907 紅翅榕蛾 [特有] Ref. Jordan, 1907  
*Phauda similis* Hering, 1925 偽榕蛾 [特有] Ref. Hering, 1925  
*Phauda triadum* (Walker, 1854) 黑端榕蛾 Ref. Walker, 1854

#### Family Pieridae 粉蝶科

*Aporia agathon* (Oberthur, 1909) 流星絹粉蝶 Ref. Shirozu & Ueda, 1992  
*Aporia gigantea* Hsu & Chou, 1999 截脈絹粉蝶 [特有] Ref. Hsu & Chou, 1999  
*Aporia potanini* Shirozu, 1959 白絹粉蝶 Ref. Shirozu & Ueda, 1992  
*Appias albina* Moore, 1905 尖粉蝶 Ref. 同前  
*Appias indra* Fruhstorfer, 1908 雲紋尖粉蝶 Ref. 同前  
*Appias lyncida* (Wallace, 1866) 異色尖粉蝶 Ref. 同前  
*Appias nero* (C. Felder & R. Felder, 1862) 紅尖粉蝶 Ref. 同前  
*Appias olferna* Fruhstorfer, 1910 鑲邊尖粉蝶 Ref. 同前  
*Appias paulina* (Fruhstorfer, 1898) 黃尖粉蝶 Ref. 同前  
*Catopsilia pomona* (Fabricius, 1775) 遷粉蝶 Ref. 同前  
*Catopsilia pyranthe* (Linnaeus, 1758) 細波遷粉蝶 Ref. 同前  
*Catopsilia scylla* (Fabricius, 1787) 黃裙遷粉蝶 Ref. 同前  
*Cepora aspasia* (Eschscholtz, 1821) 黃裙脈粉蝶 Ref. 同前  
*Cepora nandina* (Fruhstorfer, 1903) 淡褐脈粉蝶 Ref. 同前  
*Cepora nerissa* (Fruhstorfer, 1910) 黑脈粉蝶 Ref. 同前  
*Colias erate* Shirozu, 1955 斑緣點粉蝶 Ref. 同前  
*Delias hyparete* C. Felder & R. Felder, 1862 白豔蝶 Ref. 同前  
*Delias lativitta* Matsumura, 1909 條斑豔粉蝶 Ref. 同前  
*Delias pasithoe* Fruhstorfer, 1908 豔粉蝶 Ref. 同前  
*Delias wilemani* Jordan, 1925 黃裙豔粉蝶 [特有] Ref. 同前  
*Eurema alitha* Shirozu, 1953 島嶼黃蝶 Ref. 同前  
*Eurema andersoni* (Fruhstorfer, 1910) 安迪黃粉蝶 Ref. 同前  
*Eurema blanda* (Fruhstorfer, 1910) 亮色黃蝶 Ref. 同前  
*Eurema brigitta* (Moore, 1878) 星黃蝶 Ref. 同前  
*Eurema hecabe* (Linnaeus, 1758) 銀歡粉蝶 Ref. 同前  
*Eurema laeta* (Matsumura, 1909) 角翅黃蝶 Ref. 同前  
*Gonepteryx amintha* (Fruhstorfer, 1908) 圓翅鉤粉蝶 Ref. 同前  
*Gonepteryx taiwana* Paravicini, 1913 台灣鉤粉蝶 Ref. 同前  
*Hebomoia glaucippe* Fruhstorfer, 1908 橙端粉蝶 Ref. 同前  
*Ixias pyrene* Butler, 1879 異粉蝶 Ref. 同前  
*Leptosia nina* (Wallace, 1866) 纖粉蝶 Ref. 同前

*Pieris canidia* (Sparrman, 1768) 緣點白粉蝶 Ref. 同前  
*Pieris rapae* Boisduval, 1836 白粉蝶 Ref. 同前  
*Prioneris thestylis* Fruhstorfer, 1908 斑粉蝶 Ref. 同前  
*Saletara panda* (Felder & Felder, 1862) 黃尖粉蝶 Ref. 同前  
*Talbotia naganum* (Ikeda, 1937) 飛龍白粉蝶 Ref. 同前

#### Family Plutellidae 菜蛾科

*Anthonympha speciosa* Moriuti, 1974 [特有] Ref. Heppner, 1992  
*Caunaca sera* (Meyrick, 1886) Ref. Heppner, 1992  
*Plutella xylostella* (Linnaeus, 1758) 小菜蛾 Ref. Heppner, 1992  
*Tonza citrorrhoea* Meyrick, 1905 Ref. Heppner, 1992

#### Family Psychidae 蓑蛾科

*Acanthopysche (Eumetisa) taiwana* (Sonan, 1935) Ref. Sonan, 1935  
*Eumeta pryeri* (Leech, 1888) Ref. Leech, 1888  
*Eurukuttarus tatahashii* (Sonan, 1935) [特有] Ref. Sonan, 1935  
*Kotochalia shirakii* Sonan, 1935 [特有] Ref. Sonan, 1935  
*Mahasena kotoensis* Sonan, 1935 [特有] Ref. Sonan, 1935  
*Mahasena oolona* Sonan, 1935 [特有] Ref. Sonan, 1935  
*Metisa saccharivosa* (Sonan, 1935) [特有] Ref. Sonan, 1935  
*Psyche taiwana* (Wileman & South, 1917) [特有] Ref. Wileman & South, 1917  
*Pteroma postica* (Sonan, 1935) [特有] Ref. Sonan, 1935  
*Striglocyrbasia meguae* Sugimoto & Saigusa, 2001 Ref. Sugimoto & Saigusa, 2001  
*Tayalopsyche spinidomifera* Sugimoto & Saigusa, 2002 [特有] Ref. Sugimoto & Saigusa, 2002

#### Family Pterophoridae 羽蛾科

*Adaina microdactyla* (Huebner, 1813) Ref. Yano & Heppner, 1992  
*Crombrugghia wahlbergi* (Zeller, 1864) Ref. 同前  
*Deuterocopus lophopteryx* Fletcher, 1910 Ref. 同前  
*Deuterocopus socotranus* Rebel, 1907 Ref. 同前  
*Deuterocopus triannulatus* Meyrick, 1913 Ref. 同前  
*Diacrotricha fasciola* Zeller, 1851 Ref. 同前  
*Exelastis pumilio* (Zeller, 1873) Ref. 同前  
*Hexadactylia trilobata* Fletcher, 1910 Ref. 同前  
*Megalophipida defectalis* (Walker, 1864) Ref. 同前  
*Nippoptilia vitis* (Sasaki, 1913) Ref. 同前  
*Ochyrotica taiwanica* Gielis, 1990 [特有] Ref. 同前  
*Ochyrotica yanoi* Arenberger, 1988 Ref. 同前  
*Oidaematophorus kuwayamai* (Matsumura, 1931) Ref. 同前  
*Oidaematophorus lienigianus* (Zeller, 1852) Ref. 同前  
*Platyptilia chosokeiella* Strand, 1922 [特有] Ref. 同前  
*Platyptilia citropleura* Meyrick, 1908 Ref. 同前  
*Platyptilia farfarella* (Zeller, 1867) Ref. 同前  
*Platyptilia shirozui* Yano, 1965 [特有] Ref. 同前  
*Platyptilia sythoffi* Snellen, 1903 Ref. 同前  
*Pselnophorus japonicus* Marumo, 1923 Ref. 同前  
*Pseudoxyroptila tectonica* (Meyrick, 1914) Ref. 同前  
*Pterophorus candidalis* (Walker, 1864) Ref. 同前  
*Pterophorus chosokeialis* (Strand, 1922) [特有] Ref. 同前  
*Pterophorus lacteipennis* (Walker, 1864) Ref. 同前  
*Pterophorus melanopoda* (Fletcher, 1907) Ref. 同前  
*Pterophorus niveodactyla* (Pagenstecher, 1900) Ref. 同前  
*Sphenarches anisodactyla* (Walker, 1864) Ref. 同前  
*Stenoptilia platanodes* Meyrick, 1914 [特有] Ref. 同前  
*Stenoptiloides taprobanes* (Felder & Rogenhofer, 1875) Ref. 同前  
*Trichoptilus eochrodes* Meyrick, 1935 Ref. 同前

#### Family Pyralidae 螟蛾科

*Achroia innotata* (Walker, 1864) Ref. Yamanaka & Yoshiyasu, 1992  
*Acrobasis bellulella* (Ragonot, 1893) Ref. 同前  
*Acrobasis epicrociella* (Strand, 1919) [特有] Ref. 同前  
*Addyme inductalis* (Walker, 1863) Ref. 同前  
*Aglossa dimidiata* (Haworth, 1810) Ref. 同前  
*Anagasta kuehniella* (Zeller, 1879) Ref. 同前  
*Ancylodes lapsalis* (Walker, 1859) Ref. 同前  
*Ancylosis maculifera* Ragonot, 1870 Ref. 同前  
*Anerastia stramineipennis* Strand, 1919 [特有] Ref. 同前  
*Apomyelois ceratoniae* (Zeller, 1839) Ref. 同前  
*Arippara indicator* Walker, [1863] Ref. 同前  
*Assara albicostalis* Walker, 1863 Ref. 同前  
*Assara formosana* Yoshiyasu, 1991 Ref. 同前  
*Assara funerella* (Ragonot, 1901) Ref. 同前  
*Aurana actiosella* Walker, 1863 Ref. 同前  
*Aurana vinacella* (Inoue, 1963) Ref. 同前

*Bostra nanalis* (Wileman, 1911) Ref. 同前  
*Cadra cautella* (Walker, 1863) Ref. 同前  
*Cadra figulilella* (Gregson, 1871) Ref. 同前  
*Calguia defiguralis* Walker, 1863 Ref. 同前  
*Calinipaxa validalis* Walker, [1866] Ref. 同前  
*Canthelea anpingialis* (Strand, 1919) [特有] Ref. 同前  
*Canthelea oegnusalis* (Walker, 1859) Ref. 同前  
*Canthelea taiwanalis* (Shibuya, 1928) [特有] Ref. 同前  
*Ceroprepes nigrolineatella* Shibuya, 1927 Ref. 同前  
*Ceroprepes ophathalmicela* (Christoph, 1881) Ref. 同前  
*Citripestis sagittiferella* (Moore, 1891) Ref. 同前  
*Coenodomus dudgeoni* Hampson, 1896 Ref. 同前  
*Commotria enervella* Hampson, 1918 [特有] Ref. 同前  
*Comorta nigricostalis* (Walker, 1863) Ref. 同前  
*Conobathra aphidivora* (Meyrick, 1934) Ref. 同前  
*Conobathra birgitella* Roesler, 1975 Ref. 同前  
*Corcyra brunnea* West, 1931 [特有] Ref. 同前  
*Corcyra cephalonica* (Stainton, 1866) Ref. 同前  
*Craneophora ficki* Christoph, 1881 Ref. 同前  
*Critonia phaeoneura* Hampson, 1918 Ref. 同前  
*Cryptoblabes miserabilis* (Strand, 1919) [特有] Ref. 同前  
*Cryptoblabes proleucella* Hampson, 1896 Ref. 同前  
*Curena costipunctata* Shibuya, 1928 [特有] Ref. 同前  
*Dioryctria abietella* [Denis & Schiffermuller], 1775 Ref. 同前  
*Dioryctria pryeri* Ragonot, 1893 Ref. 同前  
*Dioryctria yiai* Mutuura & Munroe, 1972 [特有] Ref. 同前  
*Doloessa viridis* Zeller, 1848 Ref. 同前  
*Emmalocera anerastica* (Snellen, 1880) Ref. 同前  
*Emmalocera leucocincta* (Walker, 1863) Ref. 同前  
*Emmalocera miserabilis* (Strand, 1919) [特有] Ref. 同前  
*Emmalocera umbricostella* Ragonot, 1888 Ref. 同前  
*Endotricha consocia* (Bulter, 1879) Ref. 同前  
*Endotricha costaemaculalis* Christoph, 1881 Ref. 同前  
*Endotricha metacuralis* Hampson, 1916 Ref. 同前  
*Endotricha olivacealis* (Bremer, 1864) Ref. 同前  
*Endotricha portialis* Walker, 1859 Ref. 同前  
*Endotricha ruminalis* (Walker, 1859) Ref. 同前  
*Endotricha theonalis* (Walker, 1859) Ref. 同前  
*Endotricha wilemani* West, 1931 Ref. 同前  
*Ephestia elutella* (Hubner, [1796]) Ref. 同前  
*Epicrocis festivella* Zeller, 1848 Ref. 同前  
*Epicrocis hilarella* (Ragonot, 1888) Ref. 同前  
*Epicrocis syntaractis* (Turner, 1904) Ref. 同前  
*Epilepia dentata* (Matsumura & Shibuya, 1927) Ref. 同前  
*Etiella behrii* (Zeller, 1848) Ref. 同前  
*Etiella hobsoni* (Butler, 1880) Ref. 同前  
*Etiella zinchenella* (Treitschke, 1832) Ref. 同前  
*Eurhodope basella* Shibuya, 1928 [特有] Ref. 同前  
*Eurhodope karenkolla* Shibuya, 1928 [特有] Ref. 同前  
*Eurhodope ohkunii* Shibuya, 1928 [特有] Ref. 同前  
*Euzopherodes albicans* Hampson, 1899 Ref. 同前  
*Galleria mellonella* (Linnaeus, 1758) Ref. 同前  
*Goya albivenella* Ragonot, 1888 Ref. 同前  
*Goya claricostella* Ragonot, 1888 Ref. 同前  
*Goya rosella* (Hampson, 1896) Ref. 同前  
*Herculia castanealis* Shibuya, 1928 [特有] Ref. 同前  
*Herculia ignefimbrialis* Hampson, 1906 Ref. 同前  
*Herculia jezoensis* Shibuya, 1928 Ref. 同前  
*Herculia pelasgalis* (Walker, 1859) Ref. 同前  
*Herculia taiwanalis* Shibuya, 1928 [特有] Ref. 同前  
*Hypsipyla formosana* Shiraki, 1912 [特有] Ref. 同前  
*Hypsopygia mauritialis* (Boisduval, 1833) Ref. 同前  
*Hypsopygia postflava* (Hampson, 1893) Ref. 同前  
*Hypsopygia proboscidalis* (Strand, 1919) [特有] Ref. 同前  
*Hypsotropa formosalis* Strand, 1919 [特有] Ref. 同前  
*Hypsotropa grassa* Strand, 1919 [特有] Ref. 同前  
*Hypsotropa laterculella* (Zeller, 1867) Ref. 同前  
*Hypsotropa tripartalis* Hampson, 1918 [特有] Ref. 同前  
*Jocara melanobasis* (Hampson, 1906) Ref. 同前  
*Jocara melanolopha* (Hampson, 1912) Ref. 同前  
*Lamida obscura* (Moore, 1888) Ref. 同前  
*Lamoria adaptella* (Walker, 1863) Ref. 同前

*Lamoria inostentalis* (Walker, 1863) Ref. 同前  
*Lepidogma tripartita* (Wileman & South, 1917) [特有] Ref. 同前  
*Lixa productalis* Heppner, 2005 [特有] Ref. Heppner, 2005  
*Locastra muscosalis* (Walker, [1866]) Ref. Yamanaka & Yoshiyasu, 1992  
*Loryma recusata* (Walker, [1863]) Ref. 同前  
*Mampava bipunctella* Ragonot, 1888 Ref. 同前  
*Medaniaria kosemponella* (Strand, 1919) [特有] Ref. 同前  
*Melanalis flavalis* (Hampson, 1917) [特有] Ref. 同前  
*Mimicia pseudolibatrix* Heppner, 2005 [特有] Ref. Heppner, 2005  
*Mussidia pectinicornella* (Hampson, 1896) Ref. Yamanaka & Yoshiyasu, 1992  
*Neohyalospila leuconeurella* (Ragonot, 1888) Ref. 同前  
*Nephopterix griseofusa* (Wileman & South, 1919) [特有] Ref. 同前  
*Oligochroa leucophaeella* (Zeller, 1867) Ref. 同前  
*Oncocera semirubella* (Scopoli, 1763) Ref. 同前  
*Orthaga centralis* Wileman & South, 1917 [特有] Ref. 同前  
*Orthaga confusa* Wileman & South, 1917 [特有] Ref. 同前  
*Orthaga edetalis* Strand, 1919 [特有] Ref. 同前  
*Orthaga euadrusalis* Walker, [1859] Ref. 同前  
*Orthaga oliyacea* (Warren, 1891) Ref. 同前  
*Orthopygia anpingialis* (Strand, 1919) [特有] Ref. 同前  
*Orthopygia imbecilis* (Moore, 1885) Ref. 同前  
*Orthopygia nannodes* (Bulter, 1879) Ref. 同前  
*Orthopygia rudis* (Moore, 1888) Ref. 同前  
*Orthopygia sokutsensis* (Strand, 1919) [特有] Ref. 同前  
*Orthopygia suffusalis* (Walker, [1866]) Ref. 同前  
*Orthopygia tenuis* (Bulter, 1880) [特有] Ref. 同前  
*Orybina flaviplaga* Walker, 1863 Ref. 同前  
*Orybina plangonalis* (Walker, 1859) Ref. 同前  
*Paracme racilialis* (Walker, 1859) Ref. 同前  
*Pempelia ellenella* (Roesler, 1975) Ref. 同前  
*Pempelia maculata* (Staudinger, 1876) Ref. 同前  
*Pempeliella furella* (Strand, 1919) [特有] Ref. 同前  
*Phinaphe apotomella* (Meyrick, 1879) Ref. 同前  
*Phycita formosella* (Wileman & South, 1918) [特有] Ref. 同前  
*Phycita southi* West, 1931 [特有] Ref. 同前  
*Phycita taiwanella* Wileman & South, 1919 [特有] Ref. 同前  
*Phycitia anpingicola* (Strand, 1919) [特有] Ref. 同前  
*Picrogama semifoedalis* (Walker, 1866) Ref. 同前  
*Plodia interpunctella* (Hubner, [1813]) Ref. 同前  
*Polycampsis longinasus* Warren, 1896 Ref. 同前  
*Poujadia sepicostella* Ragonot, 1888 Ref. 同前  
*Propachys nigrivena* Walker, 1863 Ref. 同前  
*Pyromaxia swinhoeella* (Ragonot, 1893) Ref. 同前  
*Pyralis centralis* (Shibuya, 1928) [特有] Ref. 同前  
*Pyralis costinotalis* Hampson, 1917 [特有] Ref. 同前  
*Pyralis farinalis* Linnaeus, 1758 Ref. 同前  
*Pyralis manihotalis* Guenee, 1854 Ref. 同前  
*Pyralis pictalis* (Curtis, 1834) Ref. 同前  
*Pyralis prepialis* (Hampson, 1903) Ref. 同前  
*Pyralis regalis* [Denis & Schiffermuller], 1775 Ref. 同前  
*Pyralis taihorinalis* Shibuya, 1928 [特有] Ref. 同前  
*Rhinaphe flavescensella* (Hampson, 1901) Ref. 同前  
*Scenedra orthotis* (Meyrick, 1894) Ref. 同前  
*Senachroia elongella* Hampson, 1898 Ref. 同前  
*Spatulipalpia albistrialis* Hampson, 1912 Ref. 同前  
*Stemmatophora albifimbrialis* (Hampson, 1906) Ref. 同前  
*Stemmatophora flavicaput* Shibuya, 1928 [特有] Ref. 同前  
*Stemmatophora fuscibaslis* (Snellen, 1880) Ref. 同前  
*Stemmatophora mushana* Shibuya, 1928 [特有] Ref. 同前  
*Sybrida discinota* (Moore, 1866) Ref. 同前  
*Sybrida inordinata* Walker, 1865 Ref. 同前  
*Taiwanastrapometis kikuchii* Shibuya, 1928 [特有] Ref. 同前  
*Tamraca torridalis* (Lederer, 1863) Ref. 同前  
*Tamraca torridalis* Heppner, 2005 [特有] Ref. Heppner, 2005  
*Tegulifera bicoloralis* (Leech, 1889) Ref. Yamanaka & Yoshiyasu, 1992  
*Tegulifera erythrolepis* (Hampson, 1916) [特有] Ref. 同前  
*Teliphasa albifusa* (Hampson, 1896) Ref. 同前  
*Teliphasa amica* (Bulter, 1879) Ref. 同前  
*Teliphasa baibarana* (Shibuya, 1928) [特有] Ref. 同前  
*Teliphasa nubilosa* Moore, 1888 Ref. 同前  
*Teliphasa obliquilineata* (Shibuya, 1928) [特有] Ref. 同前  
*Teliphasa sakishimensis* Inoue & Yamanaka, 1976 Ref. 同前

*Termioptycha albifurcalis* (Hampson, 1916) Ref. 同前  
*Termioptycha margarita* (Butler, 1879) Ref. 同前  
*Tirathaba aperta* (Strand, [1920]) [特有] Ref. 同前  
*Tirathaba mundella* Walker, 1864 Ref. 同前  
*Toccolosida rubriceps* Walker, 1863 Ref. 同前  
*Trebania flavifrontalis* (Leech, 1889) Ref. 同前  
*Volobilis biplaga* Shibuya, 1928 [特有] Ref. 同前  
*Volobilis chloropterella* (Hampson, 1896) Ref. 同前  
*Volobilis ochridorsalis* (Wileman & South, 1919) [特有] Ref. 同前

#### Family Roeslerstammidae 羅氏蛾科

*Agriothera elaeocarpophaga* Moriuti, 1978 Ref. Moriuti, 1978  
*Agriothera issikii* Moriuti, 1978 [特有] Ref. Moriuti, 1978  
*Telethera blepharacma* Meyrick, 1913 Ref. Meyrick, 1913  
*Telethera formosa* Moriuti, 1978 [特有] Ref. Moriuti, 1978

#### Family Saturniidae 天蠶蛾科

*Actias heterogyna* Kishida 臺灣長尾水青蛾 Ref. Owada & Wang, 1992  
*Actias neidhoederi* Ong & Yu 姬長尾水青蛾 [特有] Ref. Ong & Yu, 1968  
*Actias selene* C.Felder & R. Felder 長尾水青蛾 Ref. Felder & Felder, 1862  
*Antheraea formosana* Sonan 紅目天蠶蛾 [特有] Ref. Owada & Wang, 1992  
*Antheraea pernyi* (Guérin-Méneville, 1855) 姬透目天蠶蛾 Ref. Guérin-Méneville, 1855  
*Antheraea yamamai* Inoue 大透目天蠶蛾 Ref. Owada & Wang, 1992  
*Attacus atlas* Villiard 皇蛾 Ref. 同前  
*Caligula japonica* (Shiraki, 1913) 雙黑目天蠶蛾 Ref. 同前  
*Caligula jonasi* Sonan 綠目天蠶蛾 Ref. 同前  
*Caligula thibeta* Okano 大綠目天蠶蛾 Ref. Okano, 1960  
*Eriogyna pyretorum* Watson 四黑目天蠶蛾 Ref. Owada & Wang, 1992  
*Loepa formosensis* Mell 黃豹天蠶蛾 [特有] Ref. Mell, 1939  
*Loepa mirandula* Yen, Naessig, Naumann & Brechlin 大黃豹天蠶蛾 [特有] Ref. Owada & Wang, 1992  
*Rhodinia verecunda* Inoue, 1984 銀目天蠶蛾 [特有] Ref. Inoue, 1984  
*Samia wangi* Naumann & Peigler 眉紋天蠶蛾 Ref. Owada & Wang, 1992  
*Samia watsoni* Matsumura 大眉紋天蠶蛾 Ref. 同前

#### Family Schreckensteiniidae 莖蛾科

*Corsocasis coronias* Meyrick, 1912 Ref. Meyrick, 1912

#### Family Scythrididae 絹蛾科

*Scythris sinensis* (Felder & Rogenhofer, 1875) Ref. Heppner, 1992

#### Family Sesiidae 透翅蛾科

*Chamanthedon shuisharyonis* (Strand, 1917) [特有] Ref. Strand, 1917  
*Chimaerosphexia aegerides* Strand, 1916 [特有] Ref. Strand, 1917  
*Cyanophlebia mandarina* Arita & Gorbunov, 2001 [特有] Ref. Arita & Gorbunov, 2001  
*Cyanosesia flavicincta* Arita & Gorbunov, 2002 Ref. Arita & Gorbunov, 2002  
*Cyanosesia formosana* Arita & Gorbunov, 2002 [特有] Ref. 同前  
*Entrichella issikii* (Yano, 1960) [特有] Ref. Yano, 1960  
*Entrichella trifasciatus* (Yano, 1960) [特有] Ref. Yano, 1960  
*Gasterostena funebris* (Kallies & Arita, 2006) [特有] Ref. Kallies & Arita, 2006  
*Isothamnis prisciformis* Arita & Gorbunov, 2001 [特有] Ref. Arita & Gorbunov, 2001  
*Macroscylesia formosana* Arita & Gorbunov, 2002 [特有] Ref. Arita & Gorbunov, 2002  
*Melittia cristata* Arita & Gorbunov, 2002 [特有] Ref. 同前  
*Melittia formosana* Matsumura, 1911 Ref. Matsumura, 1911  
*Melittia sangaica* Moore, 1877 Ref. Arita & Gorbunov, 2002  
*Melittia taiwanensis* Arita & Gorbunov, 2002 [特有] Ref. 同前  
*Milisiopsis taiwanensis* Arita & Gorbunov, 2001 [特有] Ref. Arita & Gorbunov, 2001  
*Nokona acaudata* Arita & Gorbunov, 2001 [特有] Ref. 同前  
*Nokona chrysoides* (Zukowsky, 1932) [特有] Ref. 同前  
*Nokona formosana* Arita & Gorbunov, 2001 [特有] Ref. 同前  
*Nokona inexpenctata* Arita & Gorbunov, 2001 [特有] Ref. 同前  
*Nokona pilamicola* (Strand, 1916) [特有] Ref. 同前  
*Nokona powondrae* (Dalla Torre, 1925) [特有] Ref. 同前  
*Oligophlebiella polishana* Strand, 1916 [特有] Ref. Strand, 1916  
*Paradoxecia similis* Arita & Gorbunov, 2001 [特有] Ref. Arita & Gorbunov, 2001  
*Paradoxecia taiwana* Arita & Gorbunov, 2001 [特有] Ref. 同前  
*Paranthrenopsis polishana* (Strand, 1916) [特有] Ref. Strand, 1916  
*Paranthrenella formosicola* (Strand, 1916) [特有] Ref. Arita & Gorbunov, 1998  
*Pennisetia kumaoides* Arita & Gorbunov, 2001 [特有] Ref. Arita & Gorbunov, 2001  
*Pennisetia unicingulata* Arita & Gorbunov, 2001 [特有] Ref. 同前  
*Scasiba okinawana* (Matsumura, 1931) Ref. Matsumura, 1931a, 1931b  
*Scasiba taikanensis* Matsumura, 1931 [特有] Ref. Matsumura, 1931  
*Synanthedon auritincta* (Wileman & South, 1918) [特有] Ref. Arita, 1992  
*Synanthedon mushana* (Matsumura, 1931) [特有] Ref. Arita, 1992  
*Taikona matsumurai* Arita & Gorbunov, 2001 [特有] Ref. Arita & Gorbunov, 2001

*Teinoarsina longitarsa* Arita & Gorbunov, 2002 [特有] Ref. Arita & Gorbunov, 2002  
*Teinotarsina flavicincta* Arita & Gorbunov [特有] Ref. 同前  
*Tinthia cuprealis* (Moore, 1877) Ref. Moore, 1877  
*Toleria ilana* Arita & Gorbunov, 2001 [特有] Ref. Arita & Gorbunov, 2001  
*Trichocerota formosana* Arita & Gorbunov, 2002 [特有] Ref. Arita & Gorbunov, 2002

### Family Sphingidae 天蛾科

*Acherontia lachesis* (Fabricius, 1798) 人面天蛾 Ref. Fabricius, 1798  
*Acherontia styx* Butler, 1876 後黃人面天蛾 Ref. Butler, 1876  
*Acosmerycoides leucocrapis* (Hampson, 1910) 鋸線天蛾 Ref. Hampson, 1910  
*Acosmeryx anceus* Rothschild & Jordan, 1903 姬缺角天蛾 Ref. Rothschild & Jordan, 1903  
*Acosmeryx castanea* Rothschild & Jordan, 1903 缺角天蛾 Ref. 同前  
*Acosmeryx formosana* (Matsumura, 1927) 臺灣缺角天蛾 Ref. Matsumura, 1927  
*Acosmeryx naga* (Moore, 1858) 葡萄缺角天蛾 Ref. Moore, 1857  
*Agrius convolvuli* (Linnaeus, 1758) 白薯天蛾 Ref. Linnaeus, 1758  
*Amblypterus mansonii* (Matsumura, 1930) 芒果天蛾 [特有] Ref. Matsumura, 1930  
*Ambulyx japonica* (Okano, 1959) 日本鷹翅天蛾 [特有] Ref. Okano, 1959  
*Ambulyx kuangtungensis* (Mell, 1922) 廣東鷹翅天蛾 Ref. Mell, 1922  
*Ambulyx ochracea* Butler, 1885 鷹翅天蛾 Ref. Butler, 1885  
*Ambulyx semiplacida* Inoue, 1989 圓斑鷹翅天蛾 Ref. Inoue, 1989  
*Ambulyx sericeipennis* (Okano, 1959) 臺灣鷹翅天蛾 [特有] Ref. Okano, 1959  
*Ampelophaga rubiginosa* Kitching & Cadiou, 2000 臺灣葡萄天蛾 [特有] Ref. Kitching & Cadiou, 2000  
*Angonyx testacea* (Walker, 1856) 褐綠天蛾 Ref. Walker, 1856  
*Callambulyx poecillus* Clark, 1935 榆綠天蛾 Ref. Clark, 1935  
*Cechenena lineosa* (Walker, 1856) 棕綠背線天蛾 Ref. Walker, 1856  
*Cechenena minor* (Butler, 1875) 背線天蛾 Ref. Butler, 1875  
*Cechenena subangustata* Rothschild, 1920 泛綠背線天蛾 Ref. Rothschild, 1920  
*Cephonodes hylas* (Linnaeus, 1771) 大透翅天蛾 Ref. Linnaeus, 1771  
*Clanis bilineata* Gehlen, 1941 豆天蛾 [特有] Ref. Gehlen, 1941  
*Cypa pallens* Jordan, 1931 單齒天蛾 Ref. Jordan, 1931  
*Cypoides chinensis* (Rothschild & Jordan, 1903) 楓天蛾 Ref. Rothschild & Jordan, 1903  
*Dahira rubiginosa* Moore, 1888 赭色天蛾 Ref. Moore, 1888  
*Dahira taiwana* (Brechlin, 1998) 臺灣斜帶天蛾 [特有] Ref. Brechlin, 1998  
*Daphnis hypothous* (Cramer, 1780) 白腰天蛾 Ref. Cramer, 1780  
*Daphnis nerii* (Linnaeus, 1758) 夾竹桃天蛾 Ref. Linnaeus, 1758  
*Degmaptera mirabilis* (Rothschild, 1894) 石櫟天蛾 Ref. Fu & Tzo, 2004  
*Deilephila elpenor* (Linnaeus, 1758) 紅天蛾 Ref. Linnaeus, 1758  
*Dolbina inexacta* (Walker, 1856) 白星天蛾 Ref. Walker, 1856  
*Hemaris affinis* (Bremer, 1861) 褐綠透翅天蛾 Ref. Bremer, 1861  
*Hippotion celerio* (Linnaeus, 1758) 銀條斜線天蛾 Ref. Linnaeus, 1758  
*Hippotion rosetta* Swinhoe, 1892 後紅斜線天蛾 Ref. Swinhoe, 1892  
*Hippotion velox* (Fabricius, 1793) 斜線天蛾 Ref. Fabricius, 1793  
*Hyles livornica* (Esper, 1780) 八字白眉天蛾 Ref. Esper, 1779  
*Langia zenzeroides* Clark, 1936 臺灣鋸翅天蛾 Ref. Clark, 1936  
*Lepchina obliquifascia* (Matsumura, 1927) 斜帶天蛾 Ref. Hampson, 1910  
*Leucophlebia lineata* Westwood, 1847 黃條天蛾 Ref. Westwood, 1847  
*Macroglossum belis* (Linnaeus, 1758) 淡黃帶長喙天蛾 Ref. Linnaeus, 1758  
*Macroglossum bombylans* (Boisduval, 1875) 青背長喙天蛾 Ref. Boisduval, 1875  
*Macroglossum corythus* (Butler, 1875) 長喙天蛾 Ref. Butler, 1875  
*Macroglossum faro* (Cramer, 1779) 法羅長喙天蛾 Ref. Cramer, 1779  
*Macroglossum fritzei* Rothschild & Jordan, 1903 佛瑞茲長喙天蛾 Ref. Rothschild & Jordan, 1903  
*Macroglossum heliophila* (Boisduval, 1875) 九節木長喙天蛾 Ref. Boisduval, 1875  
*Macroglossum insipida* Butler, 1875 微齒長喙天蛾 Ref. Butler, 1875  
*Macroglossum mediovitta* Rothschild & Jordan, 1903 玉帶長喙天蛾 Ref. Rothschild & Jordan, 1903  
*Macroglossum mitchelli* (Butler, 1875) 背帶長喙天蛾 Ref. Butler, 1875  
*Macroglossum neotroglydytus* Kitching & Cadiou, 2000 小長喙天蛾 Ref. Kitching & Cadiou, 2000  
*Macroglossum passalus* (Drury, 1773) 虎皮楠長喙天蛾 Ref. Drury, 1773  
*Macroglossum poecilum* Rothschild & Jordan, 1903 帶長喙天蛾 Ref. Rothschild & Jordan, 1903  
*Macroglossum pyrrhosticta* (Butler, 1875) 黃斑長喙天蛾 Ref. Butler, 1875  
*Macroglossum saga* (Butler, 1878) 北京長喙天蛾 Ref. Butler, 1878  
*Macroglossum sittiene* (Walker, 1856) 膝帶長喙天蛾 Ref. Walker, 1856  
*Macroglossum stellatarum* (Linnaeus, 1758) 後黃長喙天蛾 Ref. Linnaeus, 1758  
*Macroglossum sylvia* (Boisduval, 1875) 木紋長喙天蛾 Ref. Boisduval, 1875  
*Macroglossum unguis* Yen, Kitching & Tzen 2003 陳氏長喙天蛾 [特有]  
*Marumba cristata* Clark, 1937 直翅六點天蛾 Ref. Clark, 1937  
*Marumba dryas* (Walker, 1856) 六點天蛾 Ref. Walker, 1856  
*Marumba gaschkewitschii* Clark, 1937 桃紅六點天蛾 Ref. Clark, 1937  
*Marumba saishiuana* Matsumura, 1927 臺灣六點天蛾 Ref. Okamoto, 1924  
*Marumba sperchius* Clark, 1937 栗六點天蛾 Ref. Clark, 1937  
*Meganoton analis* Clark, 1937 大背天蛾 Ref. Clark, 1937  
*Neogurelca himachala* (Butler, 1876) 三角凹緣天蛾 Ref. Butler, 1875  
*Neogurelca hyas* (Walker, 1856) 凹緣天蛾 Ref. Walker, 1856

*Parum colligata* (Walker, 1856) 構月天蛾 Ref. Walker, 1856  
*Pentateucha inouei* Owada & Brechlin, 1997 井上氏絨毛天蛾 [特有] Ref. Owada & Brechlin, 1997  
*Pergesa actea* (Cramer, 1779) 斜線天蛾 Ref. Cramer, 1779  
*Phyllosphingia dissimilis* Clark, 1937 盾斑天蛾 Ref. Clark, 1937  
*Polyptychus chinensis* Rothschild & Jordan 三線天蛾 Ref. Rothschild & Jordan, 1903  
*Psilogramma increta* (Walker, 1865) 霜降天蛾 Ref. Walker, 1865  
*Psilogramma menephron* (Cramer, 1780) 霜天蛾 Ref. Cramer, 1870  
*Rhagastis binoculara* Matsumura, 1909 雙斑白肩天蛾 [特有] Ref. Matsumura, 1909  
*Rhagastis castor* Clark, 1925 臺灣白肩天蛾 [特有] Ref. Clark, 1925  
*Rhagastis mongoliana* (Butler, 1875) 蒙古白肩天蛾 Ref. Butler, 1875  
*Rhagastis velata* (Walker, 1866) 隱紋白肩天蛾 Ref. Walker, 1866  
*Smerinthulus perversa* Inoue, 1990 黃斑索天蛾 Ref. Inoue, 1989  
*Sphinx formosana* Riotte, 1970 臺灣天蛾 [特有] Ref. Riotte, 1970  
*Theretra alecto* (Linnaeus, 1758) 後紅斜紋天蛾 Ref. Linnaeus, 1758  
*Theretra boisduvalii* (Bugnion, 1839) 間斷斜紋天蛾 Ref. Bugnion, 1839  
*Theretra clotho* (Drury, 1773) 斜紋天蛾 Ref. Drury, 1773  
*Theretra japonica* (Boisduval, 1869) 日本斜紋天蛾 Ref. Boisduval, 1869  
*Theretra latreillii* (Walker, 1856) 直翅斜紋天蛾 Ref. Walker, 1856  
*Theretra nessus* (Drury, 1773) 綠背斜紋天蛾 Ref. Drury, 1773  
*Theretra oldenlandiae* (Fabricius, 1775) 雙線條紋天蛾 Ref. Fabricius, 1775  
*Theretra rhesus* (Boisduval, 1875) 背帶斜紋天蛾 Ref. Boisduval, 1875  
*Theretra sihetensis* (Walker, 1856) 條紋天蛾 Ref. Walker, 1856  
*Theretra suffusa* (Walker, 1856) 背帶後紅斜紋天蛾 Ref. Walker, 1856

### Family Thyrididae 網蛾科

*Addaea polyphoralis* (Walker, 1866) Ref. Inoue, 1992  
*Banisia fenestrifera* Walker, 1863 Ref. Inoue, 1992  
*Glanycus insolitus* Walker, 1855 Ref. Inoue, 1992  
*Glanycus tricolor* Moore, 1879 Ref. Inoue, 1992  
*Herimba atkinsoni* Yen & Kishida, 1997 白線斑網蛾 [特有] Ref. Wang, 1995  
*Hypolamprus embicalis* Moore, 1888 寬紋窗蛾 [特有] Ref. Inoue, 1992  
*Hypolamprus kamadenalis* (Strand, 1920) 褐窗蛾 [特有] Ref. Inoue, 1992  
*Hypolamprus marginepunctalis* (Leech, 1889) Ref. Inoue, 1992  
*Hypolamprus reticulatus* Wileman, 1916 [特有] Ref. Inoue, 1992  
*Pyralioides sinuosus* (Warren, 1896) Ref. Inoue, 1992  
*Rhodoneura erecta* Leech, 1889 Ref. Inoue, 1992  
*Rhodoneura hamifera* (Moore, 1888) Ref. Choi, 2006  
*Rhodoneura lactiguttata* Hampson, 1920 Ref. Inoue, 1992  
*Rhodoneura vittula* Guenee, 1877 中紋窗蛾 Ref. Inoue, 1992  
*Rhodoneura ypsilon* (Warren, 1899) 細紋窗蛾 Ref. Inoue, 1992  
*Sonagara strigipennis* Moore, 1882 岔紋窗蛾 Ref. Inoue, 1992  
*Strigulina burgesi* Gaede, 1922 Ref. Inoue, 1992  
*Strigulina mediofascia* Swinhoe, 1906 Ref. Inoue, 1992  
*Strigulina scitaria* (Walker, 1862) 斜線窗蛾 Ref. Inoue, 1992  
*Strigulina venia* Whalley, 1976 Ref. Inoue, 1992  
*Thyris guttuliferus* Zotuhin, 1999 白點小窗蛾 [特有] Ref. Zotuhin, 1999

### Family Tineidae 蓑蛾科

*Cerastosticha leptodeta* Meyrick, 1935 Ref. Davis, 1992  
*Cimitra seclusella* Walker, 1864 Ref. Davis, 1992  
*Coryptilum rutilellum* (Walker, 1869) Ref. Davis, 1992  
*Dacrypohanes canastra* Meyrick, 1907 Ref. Davis, 1992  
*Erechthias atririvis* (Meyrick, 1931) Ref. Davis, 1992  
*Erechthias minuscula* (Walsingham, 1897) Ref. Davis, 1992  
*Euplocamus tanylopha* Meyrick, 1932 [特有] Ref. Davis, 1992  
*Gerontha dracuncula* Meyrick, 1928 Ref. Davis, 1992  
*Haplotinea subochraceella* (Walsingham, 1886) Ref. Davis, 1992  
*Harmaclona tepheantha* (Meyrick, 1939) Ref. Davis, 1992  
*Machaeropterus petalacma* Meyrick, 1932 [特有] Ref. Davis, 1992  
*Monopis monochella* (Huebner, 1796) Ref. Davis, 1992  
*Morphaga bucephala* (Snellen, 1884) Ref. Davis, 1992  
*Morphaga formosana* Robinson, 1986 Ref. Davis, 1992  
*Morphogoides moriutii* Robinson, 1986 Ref. Davis, 1992  
*Mothogenes citocrana* Meyrick, 1932 [特有] Ref. Davis, 1992  
*Opogona bicolorella* (Matsumura, 1931) [特有] Ref. Davis, 1992  
*Opogona flavofasciata* (Stainton, 1859) Ref. Davis, 1992  
*Opogona leucodeta* Meyrick, 1914 [特有] Ref. Davis, 1992  
*Opogona loxophanta* Meyrick, 1936 [特有] Ref. Davis, 1992  
*Opogona nipponica* Stringer, 1930 Ref. Davis, 1992  
*Opogona phaeadelpha* Meyrick, 1934 [特有] Ref. Davis, 1992  
*Opogona protographa* Meyrick, 1911 Ref. Davis, 1992  
*Opogona stathmota* Meyrick, 1911 Ref. Davis, 1992  
*Pachypsaltis isolens* Meyrick, 1914 [特有] Ref. Davis, 1992

*Psychoides phaedrospora* (Meyrick, 1935) Ref. Davis, 1992  
*Sapheneutis cineracea* Meyrick, 1914 [特有] Ref. Davis, 1992  
*Setomorpha rutella* Zeller, 1852 Ref. Davis, 1992  
*Spatularia mimosae* (Stainton, 1859) Ref. Davis, 1992  
*Tinea argyrocentra* Meyrick, 1934 [特有] Ref. Davis, 1992  
*Tinea croniopa* Meyrick, 1934 [特有] Ref. Davis, 1992  
*Tinea defluescens* Meyrick, 1934 [特有] Ref. Davis, 1992  
*Tinea fictrix* Meyrick, 1914 [特有] Ref. Davis, 1992  
*Tinea limenitis* Meyrick, 1935 [特有] Ref. Davis, 1992  
*Tinea metathyris* Meyrick, 1935 [特有] Ref. Davis, 1992  
*Tinea nigrofasciata* Shiraki, 1913 [特有] Ref. Davis, 1992  
*Tinea pellionella* Linnaeus, 1758 Ref. Davis, 1992  
*Tineola bisselliella* (Hummel, 1823) Ref. Davis, 1992  
*Tineovortex melanochrusus* (Meyrick, 1911) Ref. Davis, 1992  
*Tinissa indica* Robinson, 1976 Ref. Davis, 1992  
*Wegneria cerodelta* (Meyrick, 1911) Ref. Davis, 1992

#### Family Tineodidae 四翼蛾科

*Cenoloba argochalca* Meyrick, 1939 海欖四翼蛾 [特有] Ref. Meyrick, 1939

#### Family Tortricidae 捲蛾科

*Acanthoclitia balanoptycha* (Meyrick, 1910) Ref. Meyrick, 1910  
*Acanthoclitia iridorphna* (Meyrick, 1936) Ref. Meyrick, 1936  
*Acleris alnivora* Oku, 1956 Ref. Oku, 1956  
*Acleris atayalicana* Kawabe, 1989 Ref. Kawabe, 1989  
*Acleris auricaput* Razowski, 1971 Ref. Razowski, 1971  
*Acleris bununa* Kawabe, 1989 Ref. Kawabe, 1989  
*Acleris cristana* Denis & Schiffermuller, 1775 Ref. Denis & Schiffermuller, 1775  
*Acleris enitescens* (Meyrick, 1912) Ref. Meyrick, 1912  
*Acleris extensana* (Walker, 1863) Ref. Walker, 1863  
*Acleris formosae* Razowski, 1964 Ref. Razowski, 1964  
*Acleris gatesclarki* Kawabe, 1992 Ref. Kawabe, 1992  
*Acleris hohuanshana* Kawabe, 1989 Ref. Kawabe, 1989  
*Acleris japonica* (Walsingham, 1900) Ref. Walsingham, 1900  
*Acleris lacordairana* (Duponchel, 1836) Ref. Duponchel, 1836  
*Acleris loxoscia* (Meyrick, 1907) Ref. Meyrick, 1907  
*Acleris lucipara* Razowski, 1964 Ref. Razowski, 1964  
*Acleris luoyingensis* Kawabe, 1992 Ref. Kawabe, 1992  
*Acleris nakajimai* Kawabe, 1992 Ref. Kawabe, 1992  
*Acleris placata* (Meyrick, 1912) Ref. Meyrick, 1912  
*Acleris pulchella* Kawabe, 1964 Ref. Kawabe, 1964  
*Acleris pulcherrima* Razowski, 1971 Ref. Razowski, 1971  
*Acleris rantaizana* Razowski, 1966 Ref. Razowski, 1966  
*Acleris submaccana* (Filipjev, 1962) Ref. Filipjev, 1962  
*Acleris taiwana* Kawabe, 1992 Ref. Kawabe, 1992  
*Acleris tremewani* Razowski, 1964 Ref. Razowski, 1964  
*Acleris tsuifengana* Kawabe, 1992 Ref. Kawabe, 1992  
*Acleris ulmicola* (Meyrick, 1930) Ref. Meyrick, 1930  
*Acleris venatana* Kawabe, 1992 Ref. Kawabe, 1992  
*Acleris yasutoshii* Kawabe, 1985 Ref. Kawabe, 1985  
*Acroclita anachastopa* Meyrick, 1934 Ref. Meyrick, 1934  
*Acroclita catharotorna* Meyrick, 1935 Ref. Meyrick, 1935  
*Acroclita corinthia* Meyrick, 1912 Ref. Meyrick, 1912  
*Adoxophyes fasciculana* (Walker, 1866) Ref. Walker, 1866  
*Adoxophyes orana* (Fischer von Roslerstamm, 1834) Ref. Fischer, 1834  
*Adoxophyes privatana* (Walker, 1863) Ref. Walker, 1863  
*Aethes cnicana* (Westwood, 1854) Ref. Westwood, 1854  
*Apeleptera semmodryas* (Meyrick, 1936) Ref. Meyrick, 1936  
*Apotomis platycremna* (Meyrick, 1935) Ref. Meyrick, 1935  
*Archilobesia formosana* Diakonoff, 1973 Ref. Diakonoff, 1973  
*Archips davisii* Kawabe, 1989 Ref. Kawabe, 1989  
*Archips formosanus* (Kawabe, 1968) Ref. Kawabe, 1968  
*Archips paredreus* (Meyrick, 1931) Ref. Meyrick, 1931  
*Archips paterata* (Meyrick, 1914) Ref. Meyrick, 1914  
*Archips sayonae* Kawabe, 1985 Ref. Kawabe, 1985  
*Archips seminubilus* (Meyrick, 1929) Ref. Meyrick, 1929  
*Archips shibatai* Kawabe, 1985 Ref. Kawabe, 1985  
*Archips taichunganus* Razowski, 2000 Ref. Razowski, 2000  
*Archips taiwanensis* Kawabe, 1985 Ref. Kawabe, 1985  
*Argyrotoxa metallastra* Meyrick, 1933 Ref. Meyrick, 1933  
*Asymmetrarcha xenopa* Diakonoff, 1973 Ref. Diakonoff, 1973  
*Aterpia microplaca* (Meyrick, 1912) Ref. Meyrick, 1912  
*Bactra cerata* (Meyrick, 1909) Ref. Meyrick, 1909

*Bactra copidotis* Meyrick, 1909 Ref. Meyrick, 1909  
*Bactra furfurana* Haworth, 1811 Ref. Haworth, 1811  
*Bactra hostilis* Diakonoff, 1956 Ref. Diakonoff, 1956  
*Bactra leucogama* Meyrick, 1909 Ref. Meyrick, 1909  
*Bactra minima* Meyrick, 1909 Ref. Meyrick, 1909  
*Bactra venosana* (Zeller, 1847) Ref. Zeller, 1847  
*Bubonoxena spirographa* Diakonoff, 1968 Ref. Diakonoff, 1968  
*Capua changi* Kawabe, 1989 Ref. Kawabe, 1989  
*Celypha orthocosma* (Meyrick, 1931) Ref. Meyrick, 1931  
*Cephalophyes cyanura* (Meyrick, 1909) Ref. Meyrick, 1909  
*Cerace myriopa* Meyrick, 1922 Ref. Meyrick, 1922  
*Cerace stipatana* Walker, 1863 Ref. Walker, 1863  
*Cerace xanthocosma* Diakonoff, 1950 Ref. Diakonoff, 1950  
*Chiraps alloica* (Diakonoff, 1948) Ref. Diakonoff, 1948  
*Choristoneura issikii* Yasuda, 1962 Ref. Yasuda, 1962  
*Choristoneura murinana* (Hubner, 1796-99) Ref. Kawabe et al., 1992  
*Clepsis hohaunshanensis* Kawabe, 1985 Ref. Kawabe, 1985  
*Clepsis owadai* Kawabe, 1992 Ref. Kawabe, 1992  
*Clepsis provocata* (Meyrick, 1912) Ref. Meyrick, 1912  
*Clepsis razowskii* Kawabe, 1992 Ref. Kawabe, 1992  
*Cnestebeda davidsoni* Razowski, 2000 Ref. Razowski, 2000  
*Cochylidia altivaga* Diakonoff, 1976 Ref. Diakonoff, 1976  
*Costosa rhodantha* (Meyrick, 1907) Ref. Meyrick, 1907  
*Crociosema lantana* Busck, 1910 Ref. Busck, 1910  
*Crociosema plebejana* Zeller, 1847 Ref. Zeller, 1847  
*Cryptaspasma helota* (Meyrick, 1905) Ref. Meyrick, 1905  
*Cryptophlebia amblyopa* Clarke, 1976 Ref. Clarke, 1976  
*Cryptophlebia ombrodelta* (Lower, 1898) Ref. Lower, 1898  
*Cryptophlebia relpetana* (Walker, 1863) Ref. Walker, 1863  
*Cydia haemostacta* (Meyrick, 1931) Ref. Meyrick, 1931  
*Cydia leucostoma* (Meyrick, 1912) Ref. Meyrick, 1912  
*Cydia malesana* (Meyrick, 1920) Ref. Meyrick, 1920  
*Cydia notanthes* (Meyrick, 1936) Ref. Meyrick, 1936  
*Dactylioglypha tonica* (Meyrick, 1909) Ref. Meyrick, 1909  
*Diactenis youngi* Razowski, 2000 Ref. Razowski, 2000  
*Dicephalarcha dependens* (Meyrick, 1922) Ref. Meyrick, 1922  
*Dicephalarcha sicca* Diakonoff, 1973 Ref. Diakonoff, 1973  
*Dichrorampha sugii* Kawabe, 1989 Ref. Kawabe, 1989  
*Dichrorampha tayulingensis* Kawabe, 1986 Ref. Kawabe, 1986  
*Diplocalyptis operosa* (Meyrick, 1908) Ref. Meyrick, 1908  
*Diplocalyptis shanpinganus* Razowski, 2000 Ref. Razowski, 2000  
*Dudua aprobola* (Meyrick, 1886) Ref. Meyrick, 1886  
*Dudua hemigrapta* (Meyrick, 1931) Ref. Meyrick, 1931  
*Dudua hesperialis* Walker, 1864 Ref. Walker, 1864  
*Dudua ptarmicopa* (Meyrick, 1936) Ref. Meyrick, 1936  
*Eboda celligera* Meyrick, 1918 Ref. Meyrick, 1918  
*Ebodina elephantodes* (Meyrick, 1938) Ref. Meyrick, 1938  
*Enarmonodes aeologlypta* (Meyrick, 1936) Ref. Meyrick, 1936  
*Endothenia banausopsis* (Meyrick, 1938) Ref. Meyrick, 1938  
*Endothenia remigera* Falkovitsh, 1970 Ref. Falkovitsh, 1970  
*Epiblema alishana* Kawabe, 1986 Ref. Kawabe, 1986  
*Epiblema foenella* (Linnaeus, 1758) Ref. Linnaeus, 1758  
*Epinotia bicolor* (Walsingham, 1900) Ref. Walsingham, 1900  
*Epinotia melanosticta* (Wileman & Stringer, 1929) Ref. Wileman & Stringer, 1929  
*Epinotia rasdorniana* (Christoph, 1881) Ref. Christoph, 1881  
*Epinotia rubricana* Kuznetsov, 1968 Ref. Kuznetsov, 1968  
*Epinotia salicicolana* Kuznetsov, 1968 Ref. 同前  
*Epinotia shikokuensis* Kawabe, 1984 Ref. Kawabe, 1984  
*Epinotia toshimai* (Kawabe, 1978) Ref. Kawabe, 1978  
*Eucoenogenes japonica* Kawabe, 1978 Ref. Kawabe, 1978  
*Eucosma melanoneura* Meyrick, 1912 Ref. Meyrick, 1912  
*Eucosma pentagonaspis* Meyrick, 1931 Ref. Meyrick, 1931  
*Eucosma threnodes* (Meyrick, 1905) Ref. Meyrick, 1905  
*Eudemis gyrotis* (Meyrick, 1909) Ref. Meyrick, 1909  
*Eudemopsis brevis* Liu & Bai, 1982 Ref. Liu & Bai, 1982  
*Eupoecilia ambiguella* (Hubner, 1796) Ref. Kawabe et al., 1992  
*Eupoecilia kobeana* Razowski, 1986 Ref. Razowski, 1986  
*Eupoecilia wegneri* (Diakonoff, 1941) Ref. Diakonoff, 1941  
*Eurydoxa indigena* Yasuda, 1978 Ref. Kawabe et al., 1992  
*Eurydoxa tetrakore* (Wileman & Stringer, 1929) Ref. Wileman & Stringer, 1929  
*Gatesclarkeana idia* Diakonoff, 1973 Ref. Diakonoff, 1973  
*Gatesclarkeana senior* Diakonoff, 1966 Ref. Diakonoff, 1966

*Geogepa malacotorna* (Meyrick, 1931) Ref. Meyrick, 1931  
*Geogepa nigropunctata* Kawabe, 1985 Ref. Kawabe, 1985  
*Geogepa pedaliota* (Meyrick, 1936) Ref. Meyrick, 1936  
*Geogepa promiscua* Razowski, 1977 Ref. Razowski, 1977  
*Gephyroneura hemidoxa* (Meyrick, 1907) Ref. Meyrick, 1907  
*Gibberifera glaciata* (Meyrick, 1907) Ref. Meyrick, 1907  
*Gnorismoneura exulis* Issiki & Stringer, 1932 Ref. Hsu et al., 1999  
*Grapholita delineana* (Walker, 1863) Ref. Walker, 1863  
*Grapholita molesta* (Busck, 1916) Ref. Busck, 1916  
*Gypsonoma attrita* Falkovitsh, 1965 Ref. Falkovitsh, 1965  
*Hedya iophaea* (Meyrick, 1912) Ref. Meyrick, 1912  
*Hedya vicinana* (Ragonot, 1894) Ref. Ragonot, 1894  
*Heleanna melanomochla* (Meyrick, 1936) Ref. Meyrick, 1936  
*Hendecaneura axiotima* (Meyrick, 1937) Ref. Meyrick, 1937  
*Hermenias pilishina* Razowski, 2000 Ref. Razowski, 2000  
*Homona coffearia* (Nietner, 1811) Ref. Nietner, 1811  
*Homona magnanima* Diakonoff, 1948 Ref. Diakonoff, 1948  
*Hoshinoa issikii* Yasuda, 1962 Ref. Kawabe et al., 1992  
*Hoshinoa longicellana* (Walsingham, 1900) Ref. Walsingham, 1900  
*Hystrichoscelus spathanum* Walsingham, 1900 Ref. 同前  
*Isodemis proxima* Razowski, 2000 Ref. Razowski, 2000  
*Isodemis serpentinana* (Walker, 1863) Ref. Walker, 1863  
*Isotenes inae* Diakonoff, 1948 Ref. Diakonoff, 1948  
*Kennelia albifacies* (Walsingham, 1900) Ref. Walsingham, 1900  
*Kennelia protocyta* (Meyrick, 1936) Ref. Meyrick, 1936  
*Lasiognatha mormopa* (Meyrick, 1906) Ref. Meyrick, 1906  
*Lobesia aeolopa* Meyrick, 1907 Ref. Meyrick, 1907  
*Lobesia ambigua* Diakonoff, 1954 Ref. Diakonoff, 1954  
*Lobesia atsushii* Bae, 1993 Ref. Bae, 1993  
*Lobesia cunninghamiacola* (Liu & Bai, 1977) Ref. Liu & Bai, 1977  
*Lobesia genialis* (Meyrick, 1912) Ref. Meyrick, 1912  
*Lobesia lithogonia* Diakonoff, 1954 Ref. Diakonoff, 1954  
*Lobesia monotana* Diakonoff, 1954 Ref. 同前  
*Lobesia postica* Bae, 1993 Ref. Bae, 1993  
*Lobesia virulenta* Bae & Komai, 1991 Ref. Bae & Komai, 1991  
*Loboschiza koenigana* (Fabricius, 1775) Ref. Fabricius, 1775  
*Lopharcha angustior* Diakonoff, 1941 Ref. Diakonoff, 1941  
*Lumaria minuta* (Walsingham, 1900) Ref. Walsingham, 1900  
*Matsumuraeses falcana* (Walsingham, 1900) Ref. 同前  
*Matsumuraeses felix* Diakonoff, 1972 Ref. Diakonoff, 1972  
*Matsumuraeses phaseoli* (Matsumura, 1900) Ref. Matsumura, 1900  
*Meridemis bathymorpha* Diakonoff, 1976 Ref. Diakonoff, 1976  
*Meridemis invalidana* (Walker, 1863) Ref. Walker, 1863  
*Neocalyptis affinisana* (Walker, 1863) Ref. Walker, 1863  
*Neocalyptis taiwana* Razowski, 2000 Ref. Razowski, 2000  
*Neocalyptis tricensa* (Meyrick, 1912) Ref. Meyrick, 1912  
*Neohermenias melanocopa* (Meyrick, 1912) Ref. Meyrick, 1912  
*Neopotamia cryptocosma* Kawabe, 1992 Ref. Kawabe, 1992  
*Neopotamia formosa* Kawabe, 1989 Ref. Kawabe, 1989  
*Neopotamia punctata* Kawabe, 1989 Ref. Kawabe, 1989  
*Neopotamia rubra* Kawabe, 1992 Ref. Kawabe, 1992  
*Notocelia kurosawai* Kawabe, 1986 Ref. Kawabe, 1986  
*Olethreutes orthocosma* (Meyrick, 1931) Ref. Meyrick, 1931  
*Olethreutes perdicoptera* (Wileman & Stringer, 1929) Ref. Wileman & Stringer, 1929  
*Olethreutes sideroxyla* (Meyrick, 1931) Ref. Meyrick, 1931  
*Olethreutes trichosoma* (Meyrick, 1914) Ref. Meyrick, 1914  
*Pandemis inouei* Kawabe, 1968 Ref. Kawabe, 1968  
*Parepisimia catharota* (Meyrick, 1928) Ref. Meyrick, 1928  
*Pelatea assidua* (Meyrick, 1914) Ref. Meyrick, 1914  
*Peridaedala litigosa* (Meyrick, 1912) Ref. Meyrick, 1912  
*Phaecedophora acutana* Walsingham, 1900 Ref. Walsingham, 1900  
*Phaecedophora fimbriata* Walsingham, 1900 Ref. 同前  
*Phaecasiophora amoena* Kawabe, 1986 Ref. Kawabe, 1986  
*Phaecasiophora attica* (Meyrick, 1907) Ref. Meyrick, 1907  
*Phaecasiophora caryosema* (Meyrick, 1931) Ref. Meyrick, 1931  
*Phaecasiophora cornigera* Diakonoff, 1959 Ref. Diakonoff, 1959  
*Phaecasiophora fernaldana* Walsingham, 1900 Ref. Walsingham, 1900  
*Phaulacantha acyclica* Diakonoff, 1973 Ref. Diakonoff, 1973  
*Phricanthes flexilineana* (Walker, 1863) Ref. Walker, 1863  
*Phtheochroa zophocosma* (Meyrick, 1928) Ref. Meyrick, 1928  
*Phyacionia dativa* Heinrich, 1928 Ref. Heinrich, 1928  
*Piercea minimana* (Caradja, 1916) Ref. Caradja, 1916

*Proschistis marmaropa* (Meyrick, 1907) Ref. Meyrick, 1907  
*Pseudacroclita hapalaspis* (Meyrick, 1931) Ref. Meyrick, 1931  
*Retinia cristata* (Walsingham, 1900) Ref. Walsingham, 1900  
*Rhodacra pyrrocrossa* (Meyrick, 1912) Ref. Meyrick, 1912  
*Rhopobota bicolor* Kawabe, 1989 Ref. Kawabe, 1989  
*Rhopobota unipunctana* (Haworth, 1811) Ref. Haworth, 1811  
*Schoenotenini discreta* Diakonoff, 1941 Ref. Diakonoff, 1941  
*Scoliographa hoplista* (Meyrick, 1927) Ref. Meyrick, 1927  
*Scotiophyes faeculosa* (Meyrick, 1928) Ref. Meyrick, 1928  
*Semniotes abrupta* Diakonoff, 1973 Ref. Diakonoff, 1973  
*Semnostola mystica* Diakonoff, 1959 Ref. Diakonoff, 1959  
*Sorolopha aeolochlora* (Meyrick, 1916) Ref. Meyrick, 1916  
*Sorolopha bryana* (Felder & Rogenhofer, 1874) Ref. Felder & Rogenhofer, 1874  
*Sorolopha elaeodes* (Lower, 1908) Ref. Lower, 1908  
*Sorolopha herbifera* (Meyrick, 1909) Ref. Meyrick, 1909  
*Sorolopha liochlora* (Meyrick, 1914) Ref. Meyrick, 1914  
*Sorolopha muscida* (Wileman & Stringer, 1929) Ref. Wileman & Stringer, 1929  
*Sorolopha plinthograptia* (Meyrick, 1931) Ref. Meyrick, 1931  
*Sorolopha plumboviridis* Diakonoff, 1973 Ref. Diakonoff, 1973  
*Sorolopha rubescens* Diakonoff, 1973 Ref. 同前  
*Sorolopha semiculta* (Meyrick, 1909) Ref. Meyrick, 1909  
*Sorolopha sphaerocopa* (Meyrick, 1929) Ref. Meyrick, 1929  
*Spatalistis aglaoxantha* Meyrick, 1924 Ref. Meyrick, 1924  
*Spatalistis christophana* (Walsingham, 1900) Ref. Walsingham, 1900  
*Spilonota algosa* Meyrick, 1912 Ref. Meyrick, 1912  
*Spilonota meleanocopa* Meyrick, 1912 Ref. Meyrick, 1912  
*Statherotis discana* (Felder & Rogenhofer, 1874) Ref. Felder & Rogenhofer, 1874  
*Statherotis leucaspis* (Meyrick, 1902) Ref. Meyrick, 1902  
*Statherotis olenarcha* (Meyrick, 1931) Ref. Meyrick, 1931  
*Statherotmantis pictana* (Kuznetsov, 1969) Ref. Kuznetsov, 1969  
*Statherotoxys hedraea* (Meyrick, 1905) Ref. Meyrick, 1905  
*Strepsicrates rhothia* (Meyrick, 1910) Ref. Meyrick, 1910  
*Taiwancylis cladosium* Razowski, 2000 Ref. Razowski, 2000  
*Temnolopha matura* Diakonoff, 1973 Ref. Diakonoff, 1973  
*Terthreutis bulligera* Meyrick, 1928 Ref. Meyrick, 1928  
*Terthreutis dousticta* Wileman & Stringer, 1929 Ref. Wileman & Stringer, 1929  
*Tetramoera schistaceana* (Snellen, 1890) Ref. Snellen, 1890  
*Thaumatographa mesostigmatis* Diakonoff, 1977 Ref. Diakonoff, 1977  
*Theorica lamyra* (Meyrick, 1911) Ref. Meyrick, 1911  
*Tosirips perpulchrana* (Kennel, 1901) Ref. Kennel, 1901  
*Trymalitis margarias* Meyrick, 1905 Ref. Meyrick, 1905  
*Ukamenia sapporensis* (Matsumura, 1931) Ref. Matsumura, 1931  
*Zeiraphera fulvomixtana* Kawabe, 1974 Ref. Kawabe, 1974  
*Zeiraphera hohuanshana* Kawabe, 1986 Ref. Kawabe, 1986  
*Zeiraphera taiwana* Kawabe, 1986 Ref. Kawabe, 1986

### Family Uraniidae 燕蛾科

*Acropteris leptaliata* (Guenee, 1857) Ref. Inoue, 1992  
*Chundana emarginata* (Hampson, 1891) Ref. Inoue, 1992  
*Dysaethria cretacea* (Butler, 1881) Ref. Inoue, 1992  
*Dysaethria erasaria* (Christoph, 1881) Ref. Inoue, 1992  
*Dysaethria formosibia* (Strand, 1916) Ref. Inoue, 1992  
*Dysaethria fulvhamata* (Hampson, 1912) Ref. Inoue, 1992  
*Dysaethria quadricaudata* (Walker, 1861) Ref. Inoue, 1992  
*Dysaethria suisharyonis* (Strand, 1916) [特有] Ref. Inoue, 1992  
*Dyseathria conflictaria* (Walker, 1861) Ref. Inoue, 1992  
*Dyseathria flavistriga* (Warren, 1901) Ref. Inoue, 1992  
*Dyseathria obscuraria* (Moore, 1887) [特有] Ref. Inoue, 1992  
*Epiplema arcuata* Warren, 1896 Ref. Inoue, 1992  
*Epiplema pygmeata* (Warren, 1897) Ref. Inoue, 1992  
*Epiplema strigulicosta* Strand, 1916 [特有] Ref. Inoue, 1992  
*Europlema conchiferata* (Moore, 1887) Ref. Inoue, 1992  
*Europlema desistaria* (Walker, 1861) Ref. Inoue, 1992  
*Europlema nivosaria* (Walker, 1866) Ref. Inoue, 1992  
*Europlema quadripunctata* (Wileman, 1916) Ref. Inoue, 1992  
*Micronia aculeata* Guenee, 1857 Ref. Inoue, 1992  
*Monobolodes pernigrata* (Warren, 1896) Ref. Inoue, 1992  
*Monobolodes prunaria* (Moore, 1887) Ref. Inoue, 1992  
*Monobolodes simulans* (Butler, 1889) Ref. Inoue, 1992  
*Oroplema oyamana* (Walker, 1866) Ref. Inoue, 1992  
*Oroplema plagifera* (Butler, 1881) Ref. Inoue, 1992  
*Phazaca alikangensis* (Strand, 1916) Ref. Inoue, 1992

*Phazaca kosemponicola* (Strand, 1916) Ref. Inoue, 1992  
*Phazaca theclatus* (Guenee, 1857) Ref. Inoue, 1992  
*Pseudomicronia advocataria* (Walker, 1861) Ref. Inoue, 1992  
*Pterotosoma castanea* (Warren, 1896) Ref. Inoue, 1992  
*Warreniulema fumicosta* (Warren, 1896) Ref. Inoue, 1992

### Family Xyloryctidae 木蛾科

*Cynicorates tachytoma* Meyrick, 1935 [特有] Ref. Meyrick, 1935  
*Metathrinca tsugensis* (Kearfott, 1910) Ref. Kearfott, 1910  
*Rhizosthenes falciformis* Meyrick, 1935 Ref. Meyrick, 1935

### Family Yponomeutidae 巢蛾科

*Argyresthia ornatipennella* Moriuti, 1974 [特有] Ref. Heppner, 1992  
*Argyresthia taiwanensis* Moriuti, 1968 [特有] Ref. Heppner, 1992  
*Kessleria insulella* Moriuti, 1977 [特有] Ref. Heppner, 1992  
*Lycophantis chalcocoleuca* Meyrick, 1914 Ref. Heppner, 1992  
*Lycophantis elongata* Moriuti, 1963 [特有] Ref. Heppner, 1992  
*Saridoscelis sphenias* Meyrick, 1894 Ref. Heppner, 1992  
*Sympetalistis petrographa* Meyrick, 1935 [特有] Ref. Heppner, 1992  
*Teinoptila guttella* Moriuti, 1977 [特有] Ref. Heppner, 1992  
*Thecobathra basilobata* Fan, Jin & Li, 2008 毛瓣小白巢蛾 [特有] Ref. Fan, Jin & Li, 2008  
*Thecobathra kappa* (Moriuti, 1963) [特有] Ref. Heppner, 1992  
*Thecobathra lambda* (Moriuti, 1963) [特有] Ref. Heppner, 1992  
*Thecobathra partinuda* Fan, Jin & Li, 2008 裸瓣小白巢蛾 [特有] Ref. Fan, Jin & Li, 2008  
*Xyrosaris luchneuta* Meyrick, 1918 Ref. Heppner, 1992  
*Yponomeuta meguronis* (Matsumura, 1931) Ref. Heppner, 1992

### Family Zygaenidae 斑蛾科

*Achelura sanguifasciata* Horie, 1994 紅帶鉗尾斑蛾 [特有] Ref. Horie, 1994  
*Agalope formosana* Matsumura, 1927 蓬萊薄翅斑蛾 [特有] Ref. Matsumura, 1927  
*Agalope pica* (Wileman, 1910) 花蓮薄翅斑蛾 [特有] Ref. Wileman, 1910  
*Agalope trimacula* Matsumura, 1927 三斑薄翅斑蛾 [特有] Ref. Matsumura, 1927  
*Agalope wangi* Owada, 1992 王氏薄翅斑蛾 [特有] Ref. Owada, 1992  
*Amesia sanguiflua* Hampson, 1919 釉彩螢斑蛾 [特有] Ref. Hampson, 1919  
*Arbudas leno* (Swinhoe, 1900) 黃角紅頸斑蛾 Ref. Swinhoe, 1900  
*Arbudas submacula* (Wileman, 1910) 黃紋紅頸斑蛾 [特有] Ref. Wileman, 1910  
*Artona flavipuncta* Hampson, 1900 黃點禾斑蛾 Ref. Hampson, 1900  
*Artona hainana* Butler, 1876 海南禾斑蛾 Ref. Butler, 1876  
*Artona martini* Efetov, 1997 馬汀氏竹斑蛾 [特有] Ref. Chang & Huang, 1986  
*Balataea taiwana* Wileman, 1911 臺灣細竹斑蛾 [特有] Ref. Wileman, 1911  
*Campylotes altissimus* Elwes, 1890 細紋旭錦斑蛾 Ref. Elwes, 1890  
*Campylotes maculosa* Wileman, 1910 臺灣旭錦斑蛾 [特有] Ref. Wileman, 1910  
*Chalcosia diana* Butler, 1877 光輝螢斑蛾 [特有] Ref. Butler, 1877  
*Chalcosia formosana* Inoue, 1991 蓬萊螢斑蛾 [特有] Ref. Inoue, 1991  
*Chalcosia thaivana* Wang, 1999 蘭嶼螢斑蛾 [特有] Ref. Wang, 1999  
*Chalcosia thaivana* Jordan, 1907 臺灣螢斑蛾 [特有] Ref. Jordan, 1907  
*Chrysartona stipata* (Walker, 1854) 綠頸小斑蛾 Ref. Walker, 1854  
*Clelea formosana* Strand, 1915 蓬萊藍紋斑蛾 [特有] Ref. Strand, 1915  
*Erasmia pulchella* Butler, 1889 山龍眼螢斑蛾 [特有] Ref. Butler, 1889  
*Erasmiphlebohecta picturata* (Wileman, 1910) 狹翅山龍眼螢斑蛾 [特有] Ref. Wileman, 1910  
*Eterusia aedeia* Jordan, 1907 蓬萊茶斑蛾 [特有] Ref. Jordan, 1907  
*Eterusia taiwana* (Wileman, 1911) 臺灣茶斑蛾 [特有] Ref. Wileman, 1911  
*Formozygaena shibatai* Inoue, 1987 柴谷氏蓬萊斑蛾 [特有] Ref. Inoue, 1987a  
*Gynautocera rubriscutellata* Hering, 1922 紅腹長翅螢斑蛾 [特有] Ref. Hering, 1922  
*Histia flabellicornis* Hering, 1922 重陽木螢斑蛾 [特有] Ref. Hering, 1922  
*Hysteroscene extravagans* Hering, 1925 環紋碩斑蛾 [特有] Ref. Hering, 1925  
*Hysteroscene hyalina* (Leech, 1889) 透翅碩斑蛾 Ref. Leech, 1889  
*Illiberis arisana* (Matsumura, 1927) 阿里山透翅斑蛾 [特有] Ref. Matsumura, 1927  
*Illiberis formosensis* Strand, 1915 蓬萊透翅斑蛾 [特有] Ref. Strand, 1915  
*Illiberis horni* (Strand, 1915) 荷氏透翅斑蛾 [特有] Ref. Strand, 1915  
*Illiberis laeva* Puengeler, 1914 綠透翅斑蛾 Ref. Puengeler, 1914  
*Illiberis phacusana* Strand, 1915 銅腹透翅斑蛾 [特有] Ref. Strand, 1915  
*Illiberis silvestris* (Strand, 1915) 斯氏透翅斑蛾 [特有] Ref. Strand, 1915  
*Illiberis taiwana* Efetov, 1997 臺灣透翅斑蛾 [特有] Ref. Efetov, 1997b  
*Illiberis yeni* Efetov, 1997 顏氏透翅斑蛾 [特有] Ref. Efetov, 1997b  
*Inouela formosensis* Efetov, 1999 蓬萊井上氏斑蛾 [特有] Ref. Efetov, 1999  
*Milleria adalifa* Strand, 1917 茅埔庄螢斑蛾 [特有] Ref. Strand, 1917  
*Morionia sciara* Jordan, 1910 白紋黑斑蛾 [特有] Ref. Jordan, 1910  
*Neochalcosia remota* (Walker, 1854) 東亞新螢斑蛾 Ref. Walker, 1854  
*Pidorus atratus* Butler, 1877 茶帶螢斑蛾 Ref. Butler, 1877  
*Pidorus gemina* (Walker, 1854) 銀柴帶螢斑蛾 Ref. Walker, 1854  
*Pollanista inconspicua* Strand, 1915 霧斑蛾 [特有] Ref. Strand, 1915  
*Pryeria sinica* Moore, 1877 中國毛斑蛾 Ref. Moore, 1877

*Pseudoinope fusca* (Leech, 1889) 暮斑蛾 [特有] Ref. Leech, 1889  
*Rhodopsona marginata* (Wileman, 1910) 細緣杜鵑斑蛾 [特有] Ref. Wileman, 1910  
*Rhodopsona rutila* Jordan, 1910 寬緣杜鵑斑蛾 [特有] Ref. Jordan, 1910  
*Soritia azurea* Yen, 2003 天藍狹翅螢斑蛾 [特有] Ref. Yen, 2003  
*Soritia choui* Yen & Yang, 1998 周氏狹翅螢斑蛾 [特有] Ref. Yen & Yang, 1998  
*Soritia strandi* Kishida, 1995 史氏狹翅螢斑蛾 [特有] Ref. Strand, 1917

## Order Mantodea 螳螂目

### Family Hymenopodidae 花螳科

*Acromantis australis* Saussure, 1871 南方姬螳 Ref. Shiraki, 1932  
*Acromantis formosana* (Shiraki, 1911) 台灣姬螳 Ref. Shiraki, 1911  
*Acromantis japonica* Westwood, 189 日本姬螳 Ref. Giglio-Tos, 1927  
*Odontomantis planiceps* (Haan, 1884) 綠大齒螳 Ref. Shiraki, 1932

### Family Mantidae 螳科

*Amantis nawai* (Shiraki, 1908) 名和異跳螳 Ref. Shiraki, 1932  
*Epitenodera capitata* (de Saussure, 1869) 擬大刀螳 Ref. Kato, 1932  
*Hierodula (Hierodula) bipapilla* Serville, 1839 雙突斧螳 Ref. Mukherjee et al., 1995  
*Hierodula (Hierodula) formosana* Giglio-Tos, 1912 台灣斧螳 Ref. Shiraki, 1932  
*Hierodula (Hierodula) patellifera* (Serville, 1893) 寬腹斧螳 Ref. Shiraki, 1932  
*Hierodula (Hierodula) saussurei* Körby, 1904 蘇氏斧螳 Ref. Shiraki, 1932  
*Mantis religiosa* Linnaeus, 1758 薄翅螳 Ref. Shiraki, 1932  
*Parhierodula (Parhierodula) venosa* (Olivier, 1796) Ref. Shiraki, 1932  
*Phyllothelys wernerii* Karny, 1915 魏氏奇葉螳 Ref. Shiraki, 1932  
*Statilia maculata* (Thunberg, 1784) 棕污斑螳 Ref. Shiraki, 1932  
*Statilia nemoralis* (Saussure, 1870) 綠污斑螳 Ref. Shiraki, 1932  
*Tenodera angustipennis* (Saussure, 1842) 狹翅大刀螳 Ref. Shiraki, 1933  
*Tenodera aridifolia* (Stoll, 1813) 枯葉大刀螳 Ref. Shiraki, 1932  
*Tenodera sinensis* (Saussure, 1871) 中華大刀螳 Ref. Shiraki, 1932  
*Tenodera superstitiosa* (Fabricius, 1781) Ref. Shiraki, 1932  
*Theopompa ophthalmica* (Olivier, 1792) 樹皮螳 Ref. Shiraki, 1932

## Order Mecoptera 長翅目

### Family Bittacidae 蚊蠍蛉科

*Bittacus chujoi* Issiki & Cheng, 1947 中條蚊蠍蛉 [特有] Ref. Hsu et al., 1999  
*Bittacus formosanus* Issiki, 1927 蓬萊蚊蠍蛉 [特有] Ref. 同前  
*Bittacus maculatus* Issiki, 1927 斑紋蚊蠍蛉 [特有] Ref. 同前  
*Bittacus sonani* Issiki, 1929 楚南蚊蠍蛉 [特有] Ref. 同前  
*Bittacus striatus* Issiki, 1927 條紋蚊蠍蛉 [特有] Ref. 同前

### Family Panorpidae 蠍蛉科

*Neoanorpa youngi* Byers, 1994 [特有] Ref. Byers, 1994  
*Neopanorpa babai* Miyamoto, 1994 [特有] Ref. Miyamoto, 1994  
*Neopanorpa dispar* Issiki & Cheng, 1947 翅端新蠍蛉 [特有] Ref. Hsu et al., 1999  
*Neopanorpa formosana* (Navas, 1911) 台灣新蠍蛉 [特有] Ref. Navas, 1911  
*Neopanorpa formosensis* Navas, 1930 蓬萊新蠍蛉 [特有] Ref. Navas, 1930  
*Neopanorpa gradana* Cheng, 1952 小新蠍蛉 [特有] Ref. Cheng, 1952  
*Neopanorpa k-maculata* Cheng, 1952 K 紋新蠍蛉 [特有] Ref. Cheng, 1952  
*Neopanorpa magna* Issiki, 1927 大新蠍蛉 [特有] Ref. Hsu et al., 1999  
*Neopanorpa makii* Issiki, 1927 牧氏新蠍蛉 [特有] Ref. 同前  
*Neopanorpa ophthalmica* (Navas, 1911) 細紋新蠍蛉 [特有] Ref. Navas, 1911  
*Neopanorpa sauteri* (Esben-Petersen, 1912) 紹德新蠍蛉 [特有] Ref. Esben-Petersen, 1912  
*Neopanorpa similis* Byers [特有] Ref. Byers, 2002  
*Panorpa akasakai* Issiki, 1929 赤坂蠍蛉 [特有] Ref. Hsu et al., 1999  
*Panorpa angustistriata* Issiki, 1929 窄紋蠍蛉 [特有] Ref. 同前  
*Panorpa apiconebulosa* Issiki, 1929 端黑蠍蛉 [特有] Ref. 同前  
*Panorpa bistriata* Issiki, 1929 雙紋蠍蛉 [特有] Ref. 同前  
*Panorpa brevititilana* Issiki, 1929 短突蠍蛉 [特有] Ref. 同前  
*Panorpa bunun* Issiki, 1929 布農蠍蛉 [特有] Ref. 同前  
*Panorpa concolor* Esben-Petersen, 1915 單色蠍蛉 [特有] Ref. Esben-Petersen, 1915  
*Panorpa deceptor* Esben-Petersen, 1913 斑蠍蛉 [特有] Ref. Esben-Petersen, 1913  
*Panorpa esakii* Issiki, 1929 江崎蠍蛉 [特有] Ref. Hsu et al., 1999  
*Panorpa falsa* Issiki & Cheng, 1947 偽蠍蛉 [特有] Ref. 同前  
*Panorpa hamata* Issiki & Cheng, 1947 鉤蠍蛉 [特有] Ref. 同前  
*Panorpa horiensis* Issiki, 1929 埔里蠍蛉 [特有] Ref. 同前  
*Panorpa issikii* Penny & Byers, 1979 一色蠍蛉 [特有] Ref. Penny & Byers, 1979  
*Panorpa japonica* Thunberg, 1784 日本蠍蛉 Ref. Navas, 1930  
*Panorpa lachlani* Navas, 1930 拉式蠍蛉 [特有] Ref. Navas, 1930  
*Panorpa litienshana* Cheng, 1952 林田山蠍蛉 [特有] Ref. Cheng, 1952  
*Panorpa longiramina* Issiki & Cheng, 1947 長側蠍蛉 [特有] Ref. Hsu et al., 1999  
*Panorpa longititilana* Issiki, 1929 長突蠍蛉 [特有] Ref. 同前  
*Panorpa nokoensis* Issiki, 1929 能高蠍蛉 [特有] Ref. 同前  
*Panorpa nudiramus* Byers [特有] Ref. Byers, 2002

- Panorpa ochraceocauda* Issiki, 1927 淡黃蠟蛉 [特有] Ref. Hsu et al., 1999  
*Panorpa ophthalmica* (Navas, 1911) 細紋蠟蛉 [特有] Ref. Navas, 1911  
*Panorpa pallidmaniculata* Issiki, 1929 淡紋蠟蛉 [特有] Ref. Hsu et al., 1999  
*Panorpa pectinata* Issiki, 1929 梳狀蠟蛉 [特有] Ref. 同前  
*Panorpa peterseana* Issiki, 1927 彼得蠟蛉 [特有] Ref. 同前  
*Panorpa rantaisanensis* Issiki, 1929 郡大山蠟蛉 [特有] Ref. 同前  
*Panorpa shibatai* Issiki, 1929 柴田蠟蛉 [特有] Ref. 同前  
*Panorpa sonai* Issiki, 1929 楚南蠟蛉 [特有] Ref. 同前  
*Panorpa taiheisanensis* Issiki, 1929 太平山蠟蛉 [特有] Ref. 同前  
*Panorpa taiwanensis* Issiki, 1929 台灣蠟蛉 [特有] Ref. 同前  
*Panorpa tecta* Byers [特有] Ref. Byers, 2002  
*Panorpa yiei* Issiki & Cheng, 1947 易氏蠟蛉 [特有] Ref. Hsu et al., 1999

## Order Neuroptera 脈翅目

### Family Ascalaphidae 長角蛉科

- Acheron trux* (Walker, 1853) 刺蝶角蛉 Ref. Stange & Wang, 1997, 1998  
*Ascalaphus dicax* Walker, 1853 褐胸蝶角蛉 Ref. 同前  
*Glyptobasis brunnea* Esben-Petersen, 1913 褐頂蝶角蛉 Ref. 同前  
*Protidricerus* sp. Ref. 同前  
*Suphalasca formosanus* Okamoto, 1910 短腹蝶角蛉 Ref. 同前  
*Suphalasca umbrosa* Esben-Petersen, 1913 等痣蝶角蛉 Ref. 同前  
*Suphalomitus formosanus* Esben-Petersen, 1913 台灣蝶角蛉 Ref. 同前

### Family Berothidae 毛蛉科

- Berotha puncticollis* Navas, 1911 刀翅毛蛉 Ref. Stange & Wang, 1997, 1998

### Family Chrysopidae 草蛉科

- Ankylopteryx (Ankylopteryx) gracilis* Nakahara, 1955 Ref. Stange & Wang, 1997, 1998  
*Ankylopteryx (Ankylopteryx) octopunctata* (Fabricius, 1793) Ref. 同前  
*Ankylopteryx (Sencera) exquisita* (Nakahara, 1955) 無室草蛉 Ref. 同前  
*Chrysocerca formosana* (Okamoto, 1914) 台灣草蛉 Ref. 同前  
*Chrysopa adonis* Banks, 1937 Ref. 同前  
*Chrysopa eudora* Banks, 1937 Ref. 同前  
*Chrysopa marcida* Banks, 1937 Ref. 同前  
*Chrysopa pallens* (Rambur, 1838) 間黑草蛉 Ref. 同前  
*Chrysoperla anpingensis* (Esben-Petersen, 1913) Ref. 同前  
*Chrysoperla furcifera* (Okamoto, 1914) 頭條草蛉 Ref. 同前  
*Italochrysa japonica* (McLachlan, 1875) 日本草蛉 Ref. 同前  
*Italochrysa uchidaei* (Kuwayama, 1927) 紅痣草蛉 Ref. 同前  
*Mallada basalis* (Walker, 1853) 黃胸草蛉 Ref. 同前  
*Mallada boninensis* (Okamoto, 1914) Ref. 同前  
*Mallada cognatella* (Okamoto, 1914) Ref. 同前  
*Mallada formosana* (Matsumura, 1911) Ref. 同前  
*Nacaura matsumurae* (Okamoto, 1912) 大草蛉 Ref. 同前  
*Retipenna grahami* (Banks, 1940) Ref. 同前  
*Semachrysa decorata* (Esben-Petersen, 1913) 長角草蛉 Ref. 同前  
*Signochrysa ornatissima* (Nakahara, 1955) Ref. 同前  
*Tumeochrysa issikii* (Kuwayama, 1961) 組脈草蛉 Ref. 同前

### Family Coniopterygidae 粉蛉科

- Coniocompsa furcata* Banks, 1937 Ref. Stange & Wang, 1997, 1998  
*Coniopteryx abdominalis* Okamoto, 1906 Ref. 同前  
*Coniopteryx insularis* Meinander, 1972 Ref. 同前  
*Coniopteryx pallescens* Meinander, 1972 Ref. 同前  
*Heteroconis nigripalpis* Meinander, 1972 Ref. 同前  
*Heteroconis* sp. Ref. 同前  
*Semidalis aleyrodiformis* (Stephens, 1836) Ref. 同前  
*Semidalis macleodi* Meinander, 1972 Ref. 同前  
*Semidalis unicornis* Meinander, 1972 Ref. 同前  
*Spiloconis sexguttata* Enderlein, 1907 Ref. 同前

### Family Corydalidae 魚蛉科

- Chauliodes formosanus* Okamoto, 1910 Ref. Okamoto, 1910  
*Chauliodes kawarayamanus* Okamoto, 1910 [特有] Ref. Okamoto, 1910  
*Chauliodes nebulosus* Okamoto, 1910 [特有] Ref. Okamoto, 1910  
*Neochauliodes sinensis* Weele, 1910 櫛角魚蛉 Ref. Strange & Wang, 1998  
*Parachauliodes japonicus* McLachlan, 1867 日本魚蛉 Ref. 何及徐。1977  
*Protohermes costalis* (Walker, 1853) 黃紋魚蛉 Ref. Stange & Wang, 1998  
*Protohermes grandis* (Thunberg, 1781) Ref. 何及徐。1977

### Family Dilaridae 櫛角蛉科

- Dilar distinctus* Nakahara, 1955 Ref. Stange & Wang, 1997, 1998  
*Dilar formosanus* Okamoto & Kuwayama, 1932 Ref. 同前  
*Dilar kanoi* (Nakahara, 1955) Ref. 同前

*Dilar pallidus* Nakahara, 1955 Ref. 同前

*Dilar taiwanensis* Banks, 1937 Ref. 同前

### Family Hemerobiidae 姬蛉科

*Drepanacra plaga* Banks, 1939 鎌翅褐蛉 Ref. Stange & Wang, 1997, 1998

*Drepanepteryx phalaenoides* (Linnaeus, 1758) 雙鉤大褐蛉

*Hemerobius harmandinus* Navas, 1909 Ref. Stange & Wang, 1997, 1998

*Hemerobius hyalinus* Nakahara, 1966 Ref. 同前

*Hemerobius japonicus* Nakahara, 1915 Ref. 同前

*Hemerobius subacutus* Nakahara, 1966 Ref. 同前

*Megalomus formosanus* Banks, 1937 台灣褐蛉 Ref. 同前

*Micromus angulatus* (Stephens, 1836) Ref. 同前

*Micromus confusus* (Nakahara, 1964) 黃褐蛉 Ref. 同前

*Micromus igorotus* Banks, 1920 Ref. 同前

*Micromus kanoi* (Nakahara, 1955) Ref. 同前

*Micromus maculatipes* (Nakahara, 1915) 環脛褐蛉 Ref. 同前

*Micromus multipunctatus* Matsumura, 1907 三脈褐蛉 Ref. 同前

*Micromus timidus* Hagen, 1853 狹翅褐蛉 Ref. 同前

*Neuronema navasi* Kimmins, 1943 後緣斑褐蛉 Ref. 同前

*Notiobiella ochracea* Nakahara, 1966 Ref. 同前

*Notiobiella stellata* Nakahara, 1966 Ref. 同前

*Notiobiella subolivacea* Nakahara, 1915 Ref. 同前

*Psectra decorata* (Nakahara, 1966) Ref. 同前

*Psectra iniqua* (Hagen, 1859) Ref. 同前

*Zachobiella striata* Nakahara, 1966 Ref. 同前

### Family Inocelliidae 盲蛇蛉科

*Inocellia taiwana* Aspöck & Aspöck, 1985 台灣盲蛇蛉 [特有] Ref. Aspöck & Aspöck, 1985

### Family Mantispidae 螳蛉科

*Austroclimaciella habutsuella* (Okamoto, 1911) 褐緣螳蛉 Ref. Stange & Wang, 1997, 1998

*Austroclimaciella quadrituberculata* Westwood, 1852 Ref. 同前

*Euclimacia badia* Okamoto, 1911 銅頭螳蛉 Ref. 同前

*Euclimacia fusca* Stütz, 1913 黃頭螳蛉 Ref. 同前

*Eumantispia taiwanensis* Kuwayama, 1925 台灣螳蛉 Ref. 同前

*Necyla formosana* Okamoto, 1911 Ref. 同前

*Necyla orientalis* Esben-Petersen, 1913 Ref. 同前

### Family Myrmeleontidae 蟻蛉科

*Baliga asakurae* Okamoto, 1913 白斑蟻蛉 Ref. Stange, Miller & Wang, 2002

*Baliga brunneipennis* (Esben-Petersen, 1913) 淡白斑蟻蛉 Ref. Stange & Wang, 1997, 1998

*Baliga eurystictus* (Gerstaecker, 1884) 尖翅白斑蟻蛉 Ref. 同前

*Baliga micans* (McLachlan, 1875) Ref. 同前

*Baliga ochraceopennis* (Nakahara, 1913) Ref. 同前

*Baliga sagax* (Walker, 1853) Ref. 同前

*Centroclisis negligens* (Navas, 1911) 毛腿蟻蛉 Ref. 同前

*Cueta sauteri* Esben-Petersen, 1913 土阱蟻蛉 Ref. 同前

*Dendroleon esbenpeterseni* Miller et al., 1999 少紋蟻蛉 [特有] Ref. Miller et al., 1999

*Dendroleon* sp. Ref. Stange & Wang, 1997

*Distoleon dirus* (Walker, 1853) Ref. Stange & Wang, 1997, 1998

*Distoleon formosanus* (Navas, 1926) 稀斑蟻蛉 Ref. 同前

*Distoleon littoralis* Miller et al., 1999 粗腿蟻蛉 [特有] Ref. Miller et al., 1999

*Gatzara petrophila* Miller et al., 1999 麗紋蟻蛉屬 [特有] Ref. 同前

*Layahima elegans* (Banks, 1937) 線紋蟻蛉 Ref. Stange & Wang, 1997, 1998

*Myrmeleon alticola* Miller et al., 1999 褐附蟻蛉 [特有] Ref. Miller et al., 1999

*Myrmeleon formicalynx* (Linnaeus, 1758) 胸毛沙阱蟻蛉 Ref. Stange & Wang, 1997, 1998

*Myrmeleon heppneri* Miller et al., 1999 海氏蟻蛉 [特有] Ref. Miller et al., 1999

*Myrmeleon littoralis* Miller et al., 1999 胸紋蟻蛉 [特有] Ref. 同前

*Myrmeleon persimilis* Miller et al., 1999 臀肢蟻蛉 [特有] Ref. 同前

*Myrmeleon punctinervis* Banks, 1937 沙阱蟻蛉 Ref. Stange & Wang, 1997, 1998

*Myrmeleon taiwanensis* Miller & Stange, 1999 台灣蟻蛉 [特有] Ref. Miller et al., 1999

*Myrmeleon wangi* Miller & Stange, 1999 王氏蟻蛉 [特有] Ref. 同前

*Nepsalus* sp. Ref. Stange & Wang, 1997

*Paraglenurus littoralis* Miller et al., 1999 彎爪蟻蛉 [特有] Ref. Miller et al., 1999

*Paraglenurus lotzi* Miller & Stange, 1999 姬彎爪蟻蛉 [特有] Ref. 同前

*Paraglenurus riparius* Miller & Stange, 1999 巨彎爪蟻蛉 [特有] Ref. 同前

*Paraglenurus* sp.

*Pseudoformicaleo nubecula* (Gerstaecker, 1885) 齒爪蟻蛉 Ref. Stange & Wang, 1997, 1998

*Synclisis kawaii* (Nakahara, 1913) 三齒蟻蛉 Ref. 同前

*Thaumatoleon splendidus* Esben-Petersen, 1921 台灣大彎爪蟻蛉 Ref. 同前

### Family Neurorthidae 脈蛉科

*Nipponeurothus fasciatus* Nakahara, 1958 Ref. Stange & Wang, 1997, 1998

*Nipponeurothus multilineatus* Nakahara, 1966 Ref. 同前

### Family Osmylidae 翼蛉科

- Heterosmylus primus* Nakahara, 1955 Ref. Stange & Wang, 1997, 1998  
*Lysmus ogatai* (Nakahara, 1955) 短翅翼蛉 Ref. 同前  
*Osmylus taiwanensis* New, 1991 台灣翼蛉 Ref. 同前  
*Spilosmylus asahinai* Nakahara, 1966 黃痣翼蛉 Ref. 同前  
*Spilosmylus krugeri* (Esben-Petersen, 1914) Ref. 同前  
*Spilosmylus tuberculatus* (Walker, 1853) 小點翼蛉 Ref. 同前  
*Thaumatosmylus ornatus* Nakahara, 1955 大斑翼蛉 Ref. 同前

### Family Raphididae 蛇蛉科

- Mongoloraphidia caelebs* Aspöck & Aspöck, 1985 [特有] Ref. Aspöck & Aspöck, 1985  
*Mongoloraphidia (Formosoraphidia) formosana* (Okamoto, 1917) 台灣蛇蛉 [特有] Ref. Aspöck & Aspöck, 1982  
*Mongoloraphidia (Kirgisoraphidia) taiwanica* Aspöck & Aspöck, 1982 [特有] Ref. Aspöck & Aspöck, 1985

### Family Sialidae 泥蛉科

- Sialis formosana* Esben-Petersen, 1913 台灣泥蛉 [特有] Ref. Esben-Petersen, 1913  
*Sialis kumejimai* Okamoto, 1910 Ref. Okamoto, 1910

## Order Odonata 蜻蛉目

### Family Aeshnidae 晏蜓科

- Aeshna petalura* Asahina, 1938 泰雅晏蜓 Ref. Lieftinck et al., 1984  
*Anaciaeschna jaspidea* (Burmeister, 1839) 碧翠晏蜓 Ref. 同前  
*Anaciaeschna martini* Selys, 1897 烏基晏蜓 Ref. 同前  
*Anax guttatus* (Burmeister, 1839) 烏點晏蜓 Ref. 同前  
*Anax nigrofasciatus* Oguma, 1915 烏帶晏蜓 Ref. 同前  
*Anax panybeus* Hagen, 1867 麻斑晏蜓 Ref. 同前  
*Anax parthenope* Brauer, 1865 綠胸晏蜓 Ref. 同前  
*Cephalaeschna risi* Asahina, 1981 微刺晏蜓 Ref. 同前  
*Gynacantha bayadera* Selys, 1891 淳缺晏蜓 Ref. 同前  
*Gynacantha hyalina* Selys, 1882 長缺晏蜓 Ref. 同前  
*Gynacantha japonica* Bartenef, 1909 倭缺晏蜓 Ref. 同前  
*Gynacantha ryukyuensis* Asahina, 1965 琉球晏蜓 Ref. Yeh, 1996  
*Gynacantha saltatrix* Martin, 1909 舞缺晏蜓 Ref. Lieftinck et al., 1984  
*Oligoaeschna lieni* Yeh & Chen, 2000 南澳晏蜓 [特有] Ref. 同前  
*Oligoaeschna pyanan* Asahina, 1951 源亞晏蜓 [特有] Ref. 同前  
*Oligoaeschna tsaopiensis* Yeh & Chen, 2000 草埔晏蜓 [特有] Ref. 同前  
*Periaeschna magdalena* Martin, 1909 柱缺晏蜓 Ref. 同前  
*Planaeschna ishigakiana* Yeh, 1996 石垣晏蜓 [特有] Ref. 同前  
*Planaeschna risi* Asahina, 1964 李斯晏蜓 [特有] Ref. 同前  
*Planaeschna taiwana* Asahina, 1951 陽明晏蜓 [特有] Ref. 同前  
*Polycanthagyna erythromelas* (McLachlan, 1896) 朱黛晏蜓 Ref. 同前  
*Polycanthagyna melanictera* (Selys, 1883) 描金晏蜓 Ref. 同前  
*Polycanthagyna ornithocephala* (McLachlan, 1883) 喙缺晏蜓 Ref. 同前

### Family Calopterygidae 珈蟴科

- Matrona cyanoptera* Hamalainen & Yeh, 2000 白痣珈蟴 [特有] Ref. Hamalainen & Yeh, 2000  
*Mnais tenuis* Oguma, 1913 細胸珈蟴 Ref. Lieftinck et al., 1984  
*Neurobasis chinensis* (Linnaeus, 1758) 綠翅珈蟴  
*Psolodesmus mandarinus* McLachlan, 1870 中華珈蟴原名亞種 Ref. Lieftinck et al., 1984  
*Psolodesmus mandarinus* Williamson, 1904 中華珈蟴南台亞種 [特有] Ref. 同前

### Family Chlorocyphidae 鼓蟴科

- Aristocypha baibarana* (Matsumura, 1931) 簾格鼓蟴 [特有] Ref. 汪。2000  
*Heliocypha perforata* (Percheron, 1885) 棋紋鼓蟴 Ref. 汪。2000  
*Libellago lineata* (Burmeister, 1893) 脊紋鼓蟴 Ref. Lieftinck et al., 1984

### Family Coenagrionidae 細蟴科

- Aciagrion migratum* (Selys, 1876) 針尾細蟴 Ref. Lieftinck et al., 1984  
*Agriocnemis femina* Lieftinck, 1962 白粉細蟴 Ref. 同前  
*Agriocnemis pygmaea* (Rambur, 1842) 橙尾細蟴 Ref. 同前  
*Cercion sieboldii* (Selys, 1876) 錢博細蟴 Ref. 同前  
*Ceriagrion auranticum* Asahina, 1967 紅腹細蟴 Ref. 同前  
*Ceriagrion fallax* Ris, 1914 昧影細蟴 Ref. 同前  
*Ceriagrion melanurum* Selys, 1876 黃腹細蟴 Ref. 同前  
*Ceriagrion nipponicum* Asahina, 1967 朱紅細蟴 Ref. 同前  
*Ischnura asiatica* (Rambur, 1865) 亞東細蟴 Ref. 同前  
*Ischnura aurora* (Brauer, 1865) 朝雲細蟴 Ref. 同前  
*Ischnura senegalensis* (Rambur, 1842) 青紋細蟴 Ref. 同前  
*Mortonagrion hirosei* (Asahina, 1972) 四斑細蟴  
*Mortonagrion selenion* (Ris, 1916) 月斑細蟴 Ref. Lieftinck et al., 1984  
*Onychargia atrocyana* Selys, 1865 藍彩細蟴 Ref. 同前  
*Paracercion calamorum* (Fraser, 1919) 葦笛細蟴 Ref. 同前  
*Paracercion melanotum* (Selys, 1876) 蔚藍細蟴 Ref. 同前  
*Pseudagrion microcephalum* (Rambur, 1842) 瘦面細蟴 Ref. 同前

*Pseudagrion pilidorsum* (Brauer, 1868) 弓背細蟴 Ref. 同前

### Family Cordulegastridae 勾蜓科

*Anotogaster flaviceola* Lohemann, 1993 粗斑勾蜓 Ref. Lieftinck et al., 1984

*Anotogaster sieboldii* (Selys, 1854) 無霸勾蜓 Ref. 同前

*Chlorogomphus brevistigma* Oguma, 1926 短痣勾蜓 [特有] Ref. 同前

*Chlorogomphus risi* Chen, 1950 褐異勾蜓 Ref. 同前

*Chlorogomphus splendidus* Selys, 1878 闊翼勾蜓 Ref. 同前

*Chlorogomphus suzukii* Oguma, 1926 斑翼勾蜓 Ref. 同前

### Family Corduliidae 弓蜓科

*Epopnthalmia elegans* (Brauer, 1865) 慧眼弓蜓 Ref. Lieftinck et al., 1984

*Hemircordulia mindana* Asahina, 1980 岷峨弓蜓 Ref. 同前

*Macromia chui* Asahina, 1968 耀沂弓蜓 [特有] Ref. 同前

*Macromia clio* Ris, 1916 海神弓蜓 Ref. 同前

*Macromia urania* Ris, 1916 天王弓蜓 Ref. 同前

*Macromidia ishidai* Asahina, 1964 黃尾弓蜓 Ref. Yeh et al., 2006

*Somatochlora taiwana* Inoue & Yokota, 2001 台灣弓蜓 [特有] Ref. Inoue & Yokota, 2001

### Family Euphaeidae 幽蟴科

*Bayadera brevicauda* Fraser, 1928 短尾幽蟴 [特有] Ref. Lieftinck et al., 1984

*Euphaea formosa* Hagen, 1869 短腹幽蟴 [特有] Ref. 同前

### Family Gomphidae 春蜓科

*Anisogomphus koxingai* Chao, 1954 國姓春蜓 Ref. Lieftinck et al., 1984

*Anisogomphus maacki* (Selys, 1872) 長唇春蜓 Ref. 同前

*Asiagomphus hainanensis* (Chao, 1953) 海南春蜓 Ref. 同前

*Asiagomphus pacificus* (Chao, 1953) 雙角春蜓 Ref. 同前

*Asiagomphus perlaetus* (Chao, 1953) 圓痣春蜓 Ref. 同前

*Asiagomphus septimus* (Needham, 1930) 鈎紋春蜓 Ref. 同前

*Burmagomphus vermicularis* (Matin, 1904) 蟲莖春蜓 Ref. 同前

*Fukienogomphus prometheus* (Lieftinck, 1939) 火神春蜓 Ref. 同前

*Gomphidia confluens* Selys, 1878 聯紋春蜓 Ref. 同前

*Gomphidia kruegeri* Chao, 1955 異紋春蜓 Ref. 同前

*Heliogomphus retroflexus* (Ris, 1912) 曲尾春蜓 Ref. 同前

*Ictinogomphus rapax* (Rambur, 1842) 粗鉤春蜓 Ref. 同前

*Lamelligomphus formosanus* (Matsumura, 1926) 鉤尾春蜓 Ref. 同前

*Leptogomphus sauteri* Matsumura, 1926 紹德春蜓原名亞種 [特有] Ref. 同前

*Leptogomphus sauteri* Ris, 1912 紹德春蜓恆春亞種 [特有] Ref. 同前

*Merogomphus pavici* Martin, 1904 窄胸春蜓 Ref. 同前

*Sieboldius deflexus* (Chao, 1955) 闊腹椿蜓 Ref. 同前

*Sinictinogomphus clavatus* (Fabricius, 1775) 細鉤春蜓 Ref. 同前

*Sinogomphus formosanus* Asahina, 1951 鉸剪春蜓 [特有] Ref. 同前

*Stylogomphus changi* Asahina, 1966 球角春蜓 [特有] Ref. 同前

*Stylogomphus shirozui* Asahina, 1966 錘角春蜓 [特有] Ref. 同前

*Stylurus takashii* (Asahina, 1966) 南山春蜓 [特有] Ref. 同前

### Family Lestidae 絲蟴科

*Indolestes cyaneus* (Selys, 1862) 青紋絲蟴 Ref. Lieftinck et al., 1984

*Lestes concinnus* Hagen, 1862 鑲紋絲蟴 Ref. 同前

*Lestes praemorsus* Körby, 1893 隱紋絲蟴 Ref. 同前

*Orolestes selysi* McLachlan, 1895 長痣絲蟴 Ref. 同前

### Family Libellulidae 蜻蟴科

*Acisoma panorpoides* Rambur, 1842 粗腰蜻蟴 Ref. Lieftinck et al., 1984

*Agrionoptera insignis* Selys, 1879 八仙蜻蟴 Ref. 同前

*Brachydiplax chalybea* Ris, 1911 橙斑蜻蟴 Ref. 同前

*Brachythemis contaminata* (Fabricius, 1793) 褐斑蜻蟴 Ref. 同前

*Cratilla lineata* Lieftinck, 1953 線紋蜻蟴 Ref. 同前

*Crocothemis servilia* (Drury, 1770) 猩紅蜻蟴 Ref. 同前

*Deiella phaon* (Selys, 1883) 短痣蜻蟴 Ref. 同前

*Diplacodes trivialis* (Rambur, 1842) 侏儒蜻蟴 Ref. 同前

*Hydrobasileus croceus* (Brauer, 1867) 硃紅蜻蟴 Ref. 同前

*Lathrecista asiatica* (Fabricius, 1798) 海神蜻蟴 Ref. 同前

*Lyriothemis elegantissima* Selys, 1883 廣腹蜻蟴 Ref. 同前

*Lyriothemis flava* Oguma, 1915 樹穴蜻蟴 Ref. 同前

*Macrodiplax cora* (Kaup in Brauer, 1867) 高翔蜻蟴 Ref. 同前

*Nannophya pygmaea* Rambur, 1842 小紅蜻蟴 Ref. 同前

*Nannophyopsis clara* (Needham, 1930) 漆黑蜻蟴 Ref. 同前

*Neurothemis fulvia* (Drury, 1773) 淺褐蜻蟴 Ref. 同前

*Neurothemis ramburii* (Kaup in Brauer, 1866) 善變蜻蟴 Ref. 同前

*Neurothemis tullia* (Drury, 1773) 雙截蜻蟴 Ref. 同前

*Onychothemis testacea* Martin, 1904 琥珀蜻蟴 Ref. 同前

*Orthetrum albistylum* (Uhler, 1858) 白刃蜻蟴 Ref. 同前

*Orthetrum glaucum* (Brauer, 1865) 金黃蜻蟴 Ref. 同前

*Orthetrum japonicum* McLachlan, 1894 扶桑蜻蜓 Ref. 同前  
*Orthetrum luzonicum* (Brauer, 1868) 呂宋蜻蜓 Ref. 同前  
*Orthetrum melania* (Selys, 1883) 灰黑蜻蜓 Ref. 同前  
*Orthetrum pruinosum* (Rambur, 1842) 霜白蜻蜓中印亞種 Ref. 同前  
*Orthetrum pruinosum* (Selys, 1878) 霜白蜻蜓西里亞種 Ref. 同前  
*Orthetrum sabina* (Drury, 1770) 杜松蜻蜓 Ref. 同前  
*Orthetrum testaceum* (Burmeister, 1839) 赭黃蜻蜓 Ref. 同前  
*Orthetrum triangulare* (Selys, 1878) 鼎脈蜻蜓 Ref. 同前  
*Pantala flavescens* (Fabricius, 1798) 薄翅蜻蜓 Ref. 同前  
*Potamarcha congener* (Rambur, 1842) 溪神蜻蜓 Ref. 同前  
*Pseudothemis zonata* (Burmeister, 1839) 黃紉蜻蜓 Ref. 同前  
*Rhyothemis fuliginosa* (Selys, 1883) 黑翅蜻蜓  
*Rhyothemis regia* (Brauer, 1867) 藍黑蜻蜓 Ref. Yeh, 1996  
*Rhyothemis severini* Ris, 1913 賽琳蜻蜓 Ref. Lieftinck et al., 1984  
*Rhyothemis triangularis* K rby, 1889 三角蜻蜓 Ref. 同前  
*Rhyothemis variegata* (Drury, 1773) 彩裳蜻蜓 Ref. 同前  
*Sympetrum baccha* (Selys, 1884) 赤衣蜻蜓 Ref. 同前  
*Sympetrum cordulegaster* (Selys, 1883) 長尾蜻蜓  
*Sympetrum darwinianum* (Selys, 1883) 仲夏蜻蜓 Ref. Lieftinck et al., 1984  
*Sympetrum depressiusculum* (Selys, 1841) 秋紅蜻蜓  
*Sympetrum eroticum* (MacLachlan, 1894) 焰紅蜻蜓 Ref. Lieftinck et al., 1984  
*Sympetrum fonscolombii* (Selys, 1840) 紅脈蜻蜓 Ref. 曾美華。2005  
*Sympetrum kunkeli* (Selys, 1884) 孔凱蜻蜓 Ref. Lieftinck et al., 1984  
*Sympetrum speciosum* Asahina, 1951 黃基蜻蜓 [特有] Ref. 同前  
*Tholymis tillarga* (Fabricius, 1798) 夜遊蜻蜓 Ref. 同前  
*Tramea transmarina* Selys, 1878 海霸蜻蜓微斑亞種 Ref. Matsuki & Lien, 1989  
*Tramea transmarina* Lieftinck, 1942 海霸蜻蜓粗斑亞種 Ref. Lieftinck et al., 1984  
*Tramea virginia* (Rambur, 1842) 大華蜻蜓 Ref. 同前  
*Trithemis aurora* (Burmeister, 1839) 紫紅蜻蜓 Ref. 同前  
*Trithemis festiva* (Rambur, 1842) 樂仙蜻蜓 Ref. 同前  
*Trithemis pallidinervis* (K rby, 1889) 灰脈蜻蜓 Ref. 同前  
*Urothemis signata* Asahina, 1972 褐基蜻蜓 [特有] Ref. 同前  
*Zygonyx takasago* Asahina, 1966 高砂蜻蜓 Ref. 同前  
*Zyxomma obtusum* Albarda, 1881 灰影蜻蜓 Ref. Yeh et al., 2006  
*Zyxomma petiolatum* Rambur, 1842 纖腰蜻蜓 Ref. Lieftinck et al., 1984

#### Family Megapodagrionidae 躡蟳科

*Rhipidolestes aculeata* Ris, 1912 芽痣躡蟳 Ref. Lieftinck et al., 1984

#### Family Platycnemididae 琵蟳科

*Calicnemia eximia* (Selys, 1863) 美姿琵蟳 Ref. Lieftinck et al., 1984  
*Coeliccia cyanomelas* Ris, 1912 青黑琵蟳 Ref. 同前  
*Coeliccia flavicauda* Ris, 1912 黃尾琵蟳 [特有] Ref. 同前  
*Copera ciliata* (Selys, 1863) 環紋琵蟳 Ref. 同前  
*Copera marginipes* Rambur, 1842 脛蹠琵蟳 Ref. 同前

#### Family Protoneuridae 樸蟳科

*Prodasineura croconota* (Ris, 1916) 朱背樸蟳 Ref. Lieftinck et al., 1984

#### Family Synlestidae 洵蟳科

*Megalestes maai* Chen, 1947 黃腹洵蟳 Ref. Lieftinck et al., 1984  
*Sinolestes edita* Needham, 1930 黃肩洵蟳 Ref. Yeh et al., 2006

### Order Orthoptera 直翅目

#### Family Acrididae 蝗科

*Stenocatantops nigrovittatus* Yin & Yin, 2005 Ref. Yin & Yin, 2005  
*Stenocatantops unicolor* Yin & Yin, 2005 Ref. 同前

#### Family Eneopteridae 叢蟳科

*Beybienkoana formosana* (Shiraki, 1930) Ref. 楊淨刪。1998  
*Beybienkoana karnyi* (Shiraki, 1930) Ref. 楊淨刪。1998  
*Euscyrtes hemelytrus* (Haan, 1842) Ref. 楊淨刪。1998  
*Euscyrtes japonicus* (Shiraki, 1930) Ref. 楊淨刪。1998  
*Euscyrtes ogatai* Shiraki, 1930 Ref. 楊淨刪。1998  
*Patiscus cephalotes* (Saussure, 1877) Ref. 楊淨刪。1998  
*Patiscus malayanus* (Chopard, 1969) Ref. 楊淨刪。1998

#### Family Gryllidae 蟋蟀科

*Brachytrupes portentosus* (Lichtenstein, 1796) 台灣大蟋蟀 Ref. Yang & Yang, 1995b  
*Duolandrevus coriaceus* (Shiraki, 1930) Ref. 楊正澤。1993  
*Duolandrevus coulonianus* (Saussure, 1877) Ref. 楊正澤。1993  
*Gryllodes sigillatus* (Walker, 1869) 家蟋蟀 Ref. 楊正澤。1993  
*Gryllus bimaculatus* de Geer, 1773 黃斑黑蟋蟀 Ref. 楊正澤。1993  
*Loxoblemmus appendicularis* Shiraki, 1930 阿扁頭蟋蟀 Ref. Yang, 1998  
*Loxoblemmus arietulus* Saussure, 1877 Ref. 張玉鈴。1997

*Loxoblemmus detectus* (Serville, 1838) Ref. 張玉鈴。1997  
*Loxoblemmus doenitzi* Stein, 1881 Ref. Yang, 1998  
*Loxoblemmus equestris* Saussure, 1877 Ref. 楊正澤。1993  
*Loxoblemmus formosanus* Shiraki, 1930 Ref. Yang, 1998  
*Loxoblemmus haani* Saussure, 1877 Ref. 楊正澤。1993  
*Loxoblemmus jacobsoni* Chopard, 1927 Ref. 楊正澤。1993  
*Loxoblemmus sylvestris* Matsumura, Y. 1988 Ref. 楊正澤。1993  
*Loxoblemmus taicoun* Saussure, 1877 Ref. 張玉鈴。1997  
*Melanogryllus bilineatus* Yang & Yang, 1994 Ref. Yang & Yang, 1994  
*Mitius blennus* (Saussure, 1877) Ref. Yang & Yang, 1995a  
*Mitius minutulus* Yang & Yang, 1995 Ref. 同前  
*Mitius splendens* (Shiraki, 1930) Ref. 同前  
*Taiwanemobius formosanus* (Yang & Chang, 1996) 台灣砂灘蟋蟀 Ref. Yang & Yang, 1996  
*Teleogryllus mitratus* (Burmeister), 1838 白緣眉紋蟋蟀 Ref. 楊正澤。1993  
*Teleogryllus occipitalis* (Serville), 1838 烏頭眉紋蟋蟀 Ref. 楊正澤。1993  
*Velarifictorus arisanicus* (Shiraki), 1930 Ref. 楊正澤。1993  
*Velarifictorus koshunensis* (Shiraki), 1911 Ref. 楊正澤。1993  
*Velarifictorus ornatus* (Shiraki), 1930 Ref. 楊正澤。1993  
*Velarifictorus sukhadae* (Bhowmik), 1967 Ref. 楊正澤。1993

### Family Gryllotalpidae 螻蛄科

*Gryllotalpa africana* Beauvois, 1805 非洲螻蛄 Ref. Yang, 1995  
*Gryllotalpa dentista* Yang, J. 1995 台中螻蛄 Ref. Yang, 1995  
*Gryllotalpa formosana* Shiraki, 1930 台灣螻蛄 Ref. Yang, 1995

### Family Metrodoridae 短翼菱蝗科

*Rhopalotettix taipeiensis* Zhang et al., 2003 Ref. Zhang, Yin & Yin, 2003

### Family Mogoplistidae 鉗蟋科

*Arachnocephalus brevissimus* Shiraki, 1911 Ref. Yang & Yen, 2001  
*Cycloptiloides orientalis* Chopard, 1925 Ref. 同前  
*Ectatoderus annulipedus* (Shiraki, 1911) Ref. 同前  
*Ectatoderus leuctisonus* Yang, J. & Yen 2001 Ref. 同前  
*Micronebius perrarus* Yang, J. & Yen 2001 Ref. 同前  
*Ornebius bimaculatus* (Shiraki, 1930) Ref. 同前  
*Ornebius fastus* Yang, J. & Yen 2001 Ref. 同前  
*Ornebius formosanus* (Shiraki, 1911) Ref. 同前  
*Ornebius fuscicerci* (Shiraki, 1930) Ref. 同前  
*Ornebius infuscatus* (Shiraki, 1930) Ref. 同前  
*Ornebius kanetataki* (Matsumura, 1904) Ref. 同前  
*Ornebius longipennis* (Shiraki, 1930) Ref. 同前

### Family Nemobiidae 地蟋蟀科

*Dianemobius chibae* (Shiraki), 1911 Ref. Liu et al, 1998  
*Dianemobius fascipes* (Walker, F.) 1869 Ref. 同前  
*Dianemobius furumagiensis* (Ohmachi & Furukawa), 1929 Ref. 同前  
*Dianemobius jucundus* Liu, S. & J. Yang 1998 Ref. 同前  
*Dianemobius kimurae* (Shiraki), 1911 Ref. 同前  
*Dianemobius mikado* (Shiraki), 1911 Ref. 同前  
*Dianemobius protransversus* (Liu, S. & J. Yang) 1998 Ref. 同前  
*Dianemobius wulaius* (Liu, S. & J. Yang) 1998 Ref. 同前

### Family Tetrigidae 菱蝗科

*Alulatettix angustivertex* Tsai & Yang, 2005 Ref. Tsai & Yang, 2005

### Family Tettigoniidae 螞蚱科

*Phyllophorina kotoshoensis* Shiraki, 1930 蘭嶼大葉螞蚱 [特有]

### Family Trigonidiidae 草蟋科

*Anaxipha pallidula* (Matsumura, S.) 1911 Ref. 邱碧雲。1993  
*Homoeoxipha lycoides* (Walker, F.) 1869 Ref. 邱碧雲。1993  
*Metioche haani* (Saussure), 1878 Ref. 邱碧雲。1993  
*Metioche kotoshoensis* Shiraki, 1930 Ref. 邱碧雲。1993  
*Metioche vittaticollis* (Stal), 1860 Ref. 邱碧雲。1993  
*Paratrigonidium bifasciatum* (Shiraki), 1911 Ref. 邱碧雲。1993  
*Paratrigonidium striatum* (Shiraki), 1911 Ref. 邱碧雲。1993  
*Paratrigonidium transversum* (Shiraki), 1930 Ref. 邱碧雲。1993  
*Pteronemobius caudatus* (Shiraki), 1911 長翅異針蟋 Ref. Liu et al, 1998  
*Pteronemobius ohmachi* (Shiraki), 1930 Ref. 同前  
*Trigonidium cicindeloides* Rambur, 1839 黑脛草蟋蟀 Ref. 邱碧雲。1993  
*Trigonidium humbertianus* Ref. 邱碧雲。1993

## Order Phasmida 竹節蟲目

### Family Diapheromeridae 笛竹節蟲科

*Micadina rotundata* Shiraki, 1935 Ref. Shiraki, 1935

*Micadina sonani* Shiraki, 1935 楚南氏小異竹節蟲 Ref. Shiraki, 1935  
*Phraortes bicolor* (Brunner von Wattenwy, 1907) 雙色皮竹節蟲 Ref. Shiraki, 1935  
*Phraortes formosanus* Shiraki, 1935 Ref. Shiraki, 1935  
*Phraortes illepidus* (Brunner, 1907) Ref. Brunner von Wattenwyl, 1907  
*Sinophasma truncata* Shiraki, 1935 Ref. Shiraki, 1935  
*Sipyloidea okunii* Shiraki, 1935 Ref. Shiraki, 1935  
*Sipyloidea sipylus* (Westwood, 1859) 棉桿虫修 Ref. Westwood, 1859

#### Family Heteronemiidae 異竹節蟲科

*Trachythorax sexpunctata* (Shiraki, 1911) 六點瘤胸竹節蟲 [特有] Ref. Otte & Brock, 2005

#### Family Heteropterygidae 異翅竹節蟲科

*Orestes mouhoti* (Bates, 1865) 莫氏瘤竹節蟲 Ref. Seow-Choen, 1997  
*Tisamenus draconina* (Westwood, 1847) 龍脊角胸竹節蟲 Ref. Zompro, 2004

#### Family Phasmatidae 竹節蟲科

*Entoria banshoryoensis* Shiraki, 1935 旗山長肛竹節蟲 [特有] Ref. Shiraki, 1935  
*Entoria domonensis* Shiraki, 1935 Ref. Shiraki, 1935  
*Entoria formosana* Shiraki, 1935 台灣長肛竹節蟲 Ref. Shiraki, 1935  
*Entoria ishigakiensis* Shiraki, 1935 Ref. Shiraki, 1935  
*Entoria kiirunensis* Shiraki, 1935 基隆長肛竹節蟲 [特有] Ref. Shiraki, 1935  
*Entoria koshunensis* Shiraki, 1935 恆春長肛竹節蟲 [特有] Ref. Shiraki, 1935  
*Entoria longiopectula* Shiraki, 1935 長蓋長肛竹節蟲 [特有] Ref. Shiraki, 1935  
*Entoria nuda* Brunner von Wattenwyl, 1907 平肢長肛竹節蟲 Ref. Shiraki, 1935  
*Entoria shinchikuensis* Shiraki, 1935 Ref. Shiraki, 1935  
*Entoria taihokuensis* Shiraki, 1935 [特有] Ref. Shiraki, 1935  
*Entoria taitoensis* Shiraki, 1935 台東長肛竹節蟲 Ref. Shiraki, 1935  
*Entoria takaoensis* Shiraki, 1935 打狗長肛竹節蟲 Ref. Shiraki, 1935  
*Megacrania tsudai* Shiraki, 1932 津田氏大頭竹節蟲 [特有] Ref. Shiraki, 1932  
*Phasmotaenia lanyuhensis* Huang & Brock, 2001 蘭嶼筒胸竹節蟲 [特有] Ref. Huang & Brock, 2001  
*Ramulus formosanus* (Shiraki, 1935) Ref. Otte & Brock, 2005  
*Ramulus granulatus* (Shiraki, 1935) Ref. 同前

### Order Phthiraptera 毛蟲目

#### Family Enderleinellidae 松鼠蟲科

*Enderleinellus kumadai* Kaneko, 1954 熊田恩蘭蟲 Ref. Kaneko, 1954  
*Phthirunculus sumatranus* Kühn & Ludwig, 1965 蘇門小蟲 Ref. Kim, 1971

#### Family Haematopinidae 獸蟲科

*Haematopinus asini* (Linnaeus, 1758) 馬蟲 Ref. 李。1958  
*Haematopinus eurysternus* (Nitzsch, 1818) 大短鼻牛蟲 Ref. 李。1958  
*Haematopinus quadripertusus* (Fahrenheit, 1916) 四孔血蟲 Ref. Durden & Musser, 1994  
*Haematopinus suis* (Linnaeus, 1758) 豬蟲 Ref. 李。1958  
*Haematopinus tuberculatus* (Burmeister, 1839) 瘤突血蟲 Ref. Durden & Musser, 1994

#### Family Hoplopleuridae 甲齧蟲科

*Ancistroplax taiwanensis* Kaneko & Uchikawa, 1988 臺灣鉤板蟲 [特有] Ref. Kaneko & Uchikawa, 1988  
*Hoplopleura affinis* (Burmeister, 1839) 相關甲齧蟲 Ref. Durden & Musser, 1994  
*Hoplopleura akanezumi* Sasa, 1950 紅姬甲齧蟲 Ref. 同前  
*Hoplopleura cricetuli* Ferris, 1951 倉鼠甲齧蟲 Ref. 同前  
*Hoplopleura oenomydis* Ferris, 1921 溝鼠蟲 Ref. 王錫杰。2005  
*Hoplopleura pacifica* Ewing, 1924 太平洋甲齧蟲 Ref. Johnson, 1972

#### Family Linognathidae 毛蟲科

*Solenopotes capillatus* Enderlein, 1904 小短鼻牛蟲 Ref. Durden & Musser, 1994  
*Solenopotes muntiacus* Thompson, 1938 管蟲 Ref. 同前

#### Family Pedicinidae 猿蟲科

*Pedicinus eurygaster* (Burmeister, 1838) 闊腹猴蟲 Ref. Durden & Musser, 1994  
*Pedicinus obtusus* (Rudow, 1869) 鈍猴蟲 Ref. 同前

#### Family Pediculidae 蝨科

*Pediculus humanus* Linnaeus, 1758 人蝨 Ref. Durden & Musser, 1994

#### Family Polyplacidae 細毛蝨科

*Neohaematopinus callosciuri* Johnson, 1959 麗松鼠新血蝨 Ref. Kim, 1971  
*Neohaematopinus elbeli* Johnson, 1959 艾氏新血蝨 Ref. Durden & Musser, 1994  
*Neohaematopinus petauristae* Ferris, 1923 鼯鼠新血蝨 Ref. Kim, 1971  
*Polyplax asiatica* Ferris, 1923 亞洲多板蝨 Ref. Kim, 1971  
*Polyplax reclinata* (Nitzsch, 1864) 彎多板蝨 Ref. Kim, 1971  
*Polyplax spinulosa* (Burmeister, 1839) 棘多板蝨 Ref. Durden & Musser, 1994

#### Family Pthiridae 陰蝨科

*Pthirus pubis* (Linnaeus, 1758) 陰蝨 Ref. Durden & Musser, 1994

### Order Plecoptera 襜翅目

#### Family Leuctridae 卷石蠅科

*Rhopalopsole dentata* Klapálek, 1912 銳刺諾石蠅 [特有] Ref. Klapálek, 1912  
*Rhopalopsole subnigra* Okamoto, 1922 褐諾石蠅 Ref. Okamoto, 1922  
*Rhopalopsole dentata* Klapálek, 1912 銳刺諾石蠅 [特有] Ref. Klapálek, 1912  
*Rhopalopsole subnigra* Okamoto, 1922 褐諾石蠅 [特有] Ref. Okamoto, 1922

#### Family Nemouridae 短尾石蠅科

*Amphinemura flavicollis* Klapálek, 1912 黃頸鯉石蠅 [特有] Ref. Klapálek, 1912  
*Amphinemura flavinotus* Shimizu, 1997 白胸頸鯉石蠅 [特有] Ref. Shimizu, 1997  
*Illiesonemoura bispinosa* (Kawai, 1968) 雙刺依利列斯石蠅 [特有] Ref. Kawai, 1968  
*Illiesonemoura bispinosa* (Kawai, 1968) 雙刺依利列斯石蠅 [特有] Ref. Baumann, 1975  
*Nemoura brevilobata* (Klapálek, 1912) 小葉短尾石蠅 [特有] Ref. Klapálek, 1912  
*Nemoura elephas* Zwick, 1982 象形短尾石蠅 [特有] Ref. Zwick, 1982  
*Nemoura plutonis* Banks, 1937 蛇眼石蠅 [特有] Ref. Banks, 1937  
*Nemoura brevilobata* (Klapálek, 1912) 小葉短尾石蠅 [特有] Ref. Shimizu, 1997  
*Nemoura formosana* Shimizu, 1997 蓬萊短尾石蠅 [特有] Ref. Shimizu, 1997  
*Spheronemoura elephas* (Zwick, 1982) 象形球尾石蠅 [特有] Ref. Sivec & Yang, 2001  
*Spheronemoura formosana* Shimizu & Sivec, 2007 蓬萊球尾石蠅 [特有] Ref. 同前  
*Spheronemoura plutois* (Banks, 1937) 蛇眼球尾石蠅 [特有] Ref. 同前

#### Family Peltoperlidae 扁石蠅科

*Cryptoeperla formosana* (Okamoto, 1912) 蓬萊端刺石蠅 [特有] Ref. Stark & Sivec, 2007  
*Cryptoeperla klapaleki* (Klapálek, 1913) 克氏端刺石蠅 [特有] Ref. 同前  
*Cryptoeperla uchidai* Stark & Sivec, 2007 內田氏端刺石蠅 [特有] Ref. 同前  
*Cryptoeperla formosana* (Okamoto, 1912) 蓬萊端刺石蠅 [特有] Ref. Okamoto, 1912  
*Peltoperla formosana* Klapálek, 1913 蓬萊扁石蠅 [特有] Ref. Klapálek, 1913

#### Family Perlidae 石蠅科

*Agetina aequalis* (Banks, 1937) 長刺石蠅 [特有] Ref. Banks, 1937  
*Gibosia lucida* (Klapálek, 1913) 淡色石蠅 [特有] Ref. Klapálek, 1913  
*Kamimuria formosana* (Klapálek, 1921) 蓬萊節石蠅 [特有] Ref. Klapálek, 1921  
*Kamimuria lepida* Klapálek, 1913 可愛節石蠅 [特有] Ref. Klapálek, 1913  
*Kiotina collaris* (Banks, 1937) 黃綠石蠅 [特有] Ref. Banks, 1937  
*Mesoperla crucigera* Klapálek, 1913 叉形中石蠅 [特有] Ref. Klapálek, 1913  
*Neoperla cavalieriei* (Navas, 1922) 賈氏新石蠅 Ref. Navas, 1922  
*Neoperla costalis* (Klapálek, 1913) 綠脈新石蠅 [特有] Ref. Klapálek, 1913  
*Neoperla formosana* Okamoto, 1912 蓬萊新石蠅 [特有] Ref. Okamoto, 1912  
*Neoperla klapaleki* Banks, 1937 克氏新石蠅 [特有] Ref. Banks, 1937  
*Neoperla klapaleki* Banks, 1937 克氏新石蠅 [特有] Ref. Sivec & Zwick, 1987  
*Neoperla sauteri* Klapálek, 1912 邵氏新石蠅 [特有] Ref. 同前  
*Neoperla signatalis* Klapálek, 1937 暗斑新石蠅 [特有] Ref. Banks, 1937  
*Neoperla taihorinensis* (Klapálek, 1913) 大甫林新石蠅 [特有] Ref. Sivec & Zwick, 1987  
*Neoperla taiwanica* Sivec & Zwick, 1987 臺灣新石蠅 [特有] Ref. 同前  
*Neoperla uniformis* Banks, 1937 單色新石蠅 [特有] Ref. Banks, 1937  
*Nepoerla sauteri* Klapálek, 1912 邵氏新石蠅 [特有] Ref. Klapálek, 1912  
*Nepoerla signatalis* Banks, 1937 暗斑新石蠅 [特有] Ref. Banks, 1937  
*Nepoerla taihorinensis* (Klapálek, 1913) 大甫林新石蠅 [特有] Ref. Klapálek, 1913  
*Nepoerla taiwanica* Sivec & Zwick, 1987 臺灣新石蠅 [特有] Ref. Sivec & Zwick, 1987  
*Nepoerla uniformis* Banks, 1937 單色新石蠅 [特有] Ref. Banks, 1937  
*Paragnetina planidora* (Klapálek, 1913) 平背純石蠅 [特有] Ref. Zwick, 1988  
*Paragnetina planidora* (Klapálek, 1913) 平背純石蠅 [特有] Ref. Klapálek, 1913  
*Tyloperla formosana* (Okamoto, 1912) 蓬萊瘤石蠅 [特有] Ref. Okamoto, 1912  
*Tyloperla sauteri* (Navas, 1929) 邵氏瘤石蠅 [特有] Ref. Navas, 1929

#### Family Styloperlidae 刺石蠅科

*Ceronychia brunnea* Klapálek, 1913 褐刺石蠅 [特有] Ref. Klapálek, 1913  
*Ceronychia livida* Klapálek, 1913 藍刺石蠅 [特有] Ref. 同前  
*Ceronychia brunnea* Klapálek, 1913 褐刺石蠅 [特有] Ref. Uchida & Isobe, 1989  
*Ceronychia livida* Klapálek, 1913 藍刺石蠅 [特有] Ref. 同前

### Order Protura 原尾目

#### Family Acerentomidae 蜚科

*Baculentulus hohuanshanensis* Chao, Lee & Chen, 1998 合歡山巴蜚 [特有] Ref. Chao et al., 1998  
*Baculentulus morikawai* (Imadate et Yosii, 1956) 森川巴蜚 Ref. Imadate, 1964  
*Baculentulus taipeiensis* Chao, Lee & Chen, 1998 台北巴蜚 [特有] Ref. Chao et al., 1998  
*Baculentulus tosanus* (Imadate et Yosii, 1959) 土佐巴蜚 Ref. Imadate, 1964  
*Berberentulus huisunensis* Chao & Chen, 1999 蕙蓀槩蜚 [特有] Ref. 趙。1999  
*Berberentulus neipuensis* Chao & Chen, 1999 內埔槩蜚 [特有] Ref. 趙。1999  
*Filientomon taiwanense* Chao, 1999 台灣線毛蜚 [特有] Ref. 趙。1999  
*Gracilentulus lanyuensis* Chao, 1999 蘭嶼格蜚 [特有] Ref. 趙。1999  
*Kenyentulus amshanus* Chao, Lee & Chen, 1998 鞍馬山肯蜚 [特有] Ref. Chao et al., 1998  
*Kenyentulus chui* Chao, 1999 朱氏肯蜚 [特有] Ref. 趙。1999  
*Kenyentulus ciliciocalyci* Yin, 1987 毛萼肯蜚 Ref. 趙。1999  
*Kenyentulus japonicus* (Imadate, 1961) 日本肯蜚 Ref. Imadate, 1961  
*Kenyentulus renaiensis* Chao, 1999 仁愛肯蜚 [特有] Ref. 趙。1999

*Kenyentulus serdinensis* Chao, Lee & Chen, 1998 社頂肯蚺 [特有] Ref. Chao et al., 1998  
*Kenyentulus taitungensis* Chao, 1999 台東肯蚺 [特有] Ref. 趙。1999  
*Neobaculentulus taiwanensis* Chao, 1999 台灣新巴蚺 [特有] Ref. 趙。1999  
*Silvestridia hutan* Imadate, 1965 東方薛蚺 Ref. Imadate, 1965  
*Silvestridia tatungshanensis* Chao, 1999 大凍山薛蚺 [特有] Ref. 趙。1999  
*Tuxenentulus wuluensis* Chao & Chen, 1999 霧鹿屠蚺 [特有] Ref. 趙。1999

#### Family Eosentomidae 古蚺科

*Eosentomon ammashanense* Chao, 1999 鞍馬山古蚺 [特有] Ref. 趙。1999  
*Eosentomon bilapilli* Chao & Chen, 1996 雙珠古蚺 [特有] Ref. Chao & Chen, 1996  
*Eosentomon brevisensillum* Chao & Chen, 1996 短毛古蚺 [特有] Ref. 同前  
*Eosentomon convexoculi* Chao & Chen, 1996 凸眼古蚺 [特有] Ref. 同前  
*Eosentomon coruscoculi* Chao & Chen, 1996 亮眼古蚺 [特有] Ref. 同前  
*Eosentomon dounanense* Imadate, 1994 與那國島古蚺 Ref. Imadate, 1994  
*Eosentomon fushanense* Chao, 1999 福山古蚺 [特有] Ref. 趙。1999  
*Eosentomon fuyanense* Chao, 1999 富源古蚺 [特有] Ref. 趙。1999  
*Eosentomon iban* Imadate, 1965 異邦古蚺 Ref. Imadate, 1965  
*Eosentomon ilanense* Chao, 1999 宜蘭古蚺 [特有] Ref. 趙。1999  
*Eosentomon kentingense* Chao, 1999 墾丁古蚺 [特有] Ref. 趙。1999  
*Eosentomon kumei* Imadate & Yosii, 1959 久米古蚺 Ref. Imadate & Yosii, 1959  
*Eosentomon kungi* Chao, 1999 貢氏古蚺 [特有] Ref. 趙。1999  
*Eosentomon lapilloculi* Chao & Chen, 1996 珠眼古蚺 [特有] Ref. Chao & Chen, 1996  
*Eosentomon lienii* Chao, 1999 連氏古蚺 [特有] Ref. 趙。1999  
*Eosentomon maai* Chao & Chen, 1996 馬氏古蚺 [特有] Ref. Chao & Chen, 1996  
*Eosentomon sakura* Imadate & Yosii, 1959 櫻花古蚺 Ref. 同前  
*Eosentomon shalihsienense* Chao, 1999 沙里仙古蚺 [特有] Ref. 趙。1999  
*Eosentomon taoi* Chao, 1999 陶氏古蚺 [特有] Ref. 趙。1999  
*Eosentomon udagawai* Imadate, 1961 宇田川氏古蚺 Ref. Imadate, 1961  
*Eosentomon yangi* Chao, 1999 楊氏古蚺 [特有] Ref. 趙。1999  
*Isoentomon taiwanense* Chao, 1999 台灣同蚺 [特有] Ref. 趙。1999

#### Family Protentomidae 始蚺科

*Condeellum ishianum* Imadate, 1965 石井康蚺 Ref. Imadate, 1965

### Order Psocoptera 啮蟲目

#### Family Amphientomidae 蛾啮蟲科

*Paramphientomum nigriceps* Banks, 1937 黑頭擬蛾啮蟲 [特有] Ref. Banks, 1937  
*Paramphientomum yumyum* Enderlein, 1907 擬蛾啮蟲 Ref. Smithers, 1967

#### Family Amphipsocidae 雙啮蟲科

*Amphipsocus formosanus* Okamoto, 1910 臺灣亞啮蟲 Ref. Okamoto, 1910  
*Kolbia fusconervosa* Enderlein, 1906 褐脈科啮蟲 Ref. Banks, 1937  
*Taeniosigma ingens* Enderlein, 1903 痣帶啮蟲 Ref. Banks, 1937

#### Family Archipsocidae 古啮蟲科

*Archipsocus recens* Enderlein, 1903 新近古啮蟲 Ref. Enderlein, 1903

#### Family Caeciliusidae 毛啮蟲科

*Caecilius confusus* Banks, 1937 暗毛啮蟲 [特有] Ref. Banks, 1937  
*Caecilius similis* Banks, 1937 相似毛啮蟲 Ref. Banks, 1938  
*Coryphosmila dolobrata* (Hagen, 1858) 臺灣盔啮蟲 Ref. Hirashima, 1989  
*Dypsocus tapanensis* Okamoto, 1910 達邦岱啮蟲 [特有] Ref. Okamoto, 1910  
*Isophanes decipiens* Banks, 1937 惑等啮蟲 [特有] Ref. Banks, 1937  
*Kodamaius brevicornis* Okamoto, 1907 短角柯啮蟲 Ref. Okamoto, 1907  
*Paracaecilius japonus* (Enderlein, 1906) 日本副毛啮蟲 Ref. Hirashima, 1989  
*Pericaecilius singularis* (Banks, 1937) 奇異圍毛啮蟲 Ref. Banks, 1937  
*Valenzuela aridus* (Hagen, 1858) 乾梵啮蟲 [特有] Ref. Banks, 1937  
*Valenzuela flavidorsalis* (Okamoto, 1901) 黃背梵啮蟲 Ref. Okamoto, 1910  
*Valenzuela fraternus* (Banks, 1937) 臺灣梵啮蟲 Ref. Banks, 1937  
*Valenzuela gonostigma* (Enderlein, 1906) 肛斑梵啮蟲 Ref. Banks, 1937  
*Valenzuela mueggenbergi* (Enderlein, 1903) 瑪氏梵啮蟲 Ref. Hua, 1987  
*Valenzuela okamotoi* (Banks, 1937) 岡本梵啮蟲 Ref. Banks, 1937  
*Valenzuela oyamai* (Enderlein, 1906) 黃紋梵啮蟲 Ref. Takahashi, 1938  
*Valenzuela podacromelas* (Enderlein, 1908) 足梵啮蟲 [特有] Ref. Enderlein, 1908  
*Valenzuela stigmatus* (Okamoto, 1910) 痣梵啮蟲 Ref. Banks, 1937

#### Family Dasydemellidae 離啮蟲科

*Matsumuraiella enderleini* Banks, 1937 恩氏松村啮蟲 [特有] Ref. Banks, 1937

#### Family Ectopsocidae 外啮蟲科

*Ectopsocopsis cryptomeriae* (Enderlein, 1907) 隱類外啮蟲 Ref. Thornton, 1962  
*Ectopsocus maindroni* Badonnel, 1935 曼氏外啮蟲 Ref. 同前  
*Ectopsocus meridionalis* Ribaga, 1904 南方外啮蟲 Ref. 同前  
*Ectopsocus ornatus* Thornton, 1962 香港外啮蟲 Ref. Thornton, 1968

#### Family Epipsocidae 一啮蟲科

*Epipsocus hageni* Banks, 1917 哈氏表嚙蟲 [特有] Ref. Banks, 1937

### Family Hemipsocidae 半嚙蟲科

*Hemipsocus chloroticus* (Hagen, 1858) 臺灣半嚙蟲 Ref. Banks, 1937

*Hemipsocus roseus* (Hagen, 1859) 紅半嚙蟲 Ref. Thornton et al., 1972

### Family Lachesillidae 姬嚙蟲科

*Lachesilla pedicularia* (Linnaeus, 1758) 廣穀嚙蟲 Ref. Hirashima, 1989

### Family Lepidopsocidae 鱗嚙蟲科

*Lepium enderleini* Banks, 1937 恩氏叨嚙蟲 [特有] Ref. Banks, 1937

*Lepolepis ceylonica* Enderlein, 1908 錫蘭勒嚙蟲 Ref. Enderlein, 1908

### Family Liposcelidae 書蝨科

*Liposcelis bostrychophila* Badonnel, 1931 穀粉茶蛀蟲 Ref. Hua, 1987

*Liposcelis fasciata* (Enderlein, 1908) 帶粉嚙蟲 [特有] Ref. Enderlein, 1908

### Family Mesopsocidae 斑嚙蟲科

*Mesopsocus hongkongensis* Thornton, 1959 香港斑嚙蟲 Ref. Thornton, 1959

### Family Myopsocidae 星嚙蟲科

*Lophopterygella camelina* Enderlein, 1907 駝洛嚙蟲 Ref. Banks, 1937

### Family Pachytroctidae 粗嚙蟲科

*Psacadium bilimbatum* Enderlein, 1908 雙邊粗嚙蟲 [特有] Ref. Enderlein, 1908

*Tapinella formosana* Enderlein, 1908 臺灣卑嚙蟲 Ref. Enderlein, 1909

### Family Peripsocidae 圍嚙蟲科

*Peripsocus quercicola* Enderlein, 1906 棟圍嚙蟲 Ref. Banks, 1937

*Peripsocus stenopterus* Thornton & Wong, 1968 狹翅圍嚙蟲 [特有] Ref. Thornton & Wong, 1968

### Family Philotarsidae 黑斑嚙蟲科

*Aaroniella serialis* (Banks, 1937) 毛列阿嚙蟲 [特有] Ref. Banks, 1937

### Family Pseudocaeciliidae 叉嚙蟲科

*Mepleres limbatus* (Enderlein, 1908) 邊枚嚙蟲 [特有] Ref. Banks, 1937

*Mepleres transversus* (Banks, 1937) 寬枚嚙蟲 Ref. Banks, 1937

*Mesocaecilius quadrimaculatus* Okamoto, 1910 四斑擬毛嚙蟲 [特有] Ref. Okamoto, 1910

*Ophiopelma ornatipenne* (Enderlein, 1908) 斑翅蛇叉嚙蟲 [特有] Ref. Banks, 1937

*Pseudocaecilius formosanus* (Banks, 1937) 台灣叉嚙蟲 [特有] Ref. Banks, 1937

### Family Psocidae 嚙蟲科

*Amphigerontia jezoensis* Okamoto, 1907 日本耆嚙蟲 Ref. Banks, 1937

*Atrichadenotecnum numdum* (Thornton, 1961) 裸似特嚙蟲 Ref. Yoshizawa, 1998

*Atrichadenotecnum tayal* Yoshizawa, 1998 泰雅似特嚙蟲 [特有] Ref. 同前

*Clematostigma hyalinum* Okamoto, 1907 透明肢痣嚙蟲 Ref. Okamoto, 1907

*Clematostigma subcostale* (Okamoto, 1907) 亞肋肢痣嚙蟲 Ref. Okamoto, 1907

*Metylophorus nebulosus* (Stephens, 1836) 霧味嚙蟲 Ref. Takahashi, 1938

*Psocidus formosanus* (Okamoto, 1907) 蓬萊擬嚙蟲 [特有] Ref. Banks, 1937

*Psocidus sauteri* (Enderlein, 1908) 梭氏擬嚙蟲 [特有] Ref. Banks, 1937

*Psocidus tacaoensis* (Enderlein, 1908) 高雄擬嚙蟲 [特有] Ref. Smithers, 1967

*Psococerastis capitata* (Enderlein, 1906) 頭角嚙蟲 Ref. Banks, 1937

*Psococerastis ficivorella* (Okamoto, 1907) 雀榕角嚙蟲 Ref. Okamoto, 1907

*Psococerastis tokyoensis* (Enderlein, 1906) 東京角嚙蟲 Ref. Banks, 1937

*Sigmatoneura kolbei* (Enderlein, 1906) 科氏曲嚙蟲 Ref. Smithers, 1967

*Sigmatoneura subcostalis* (Enderlein, 1903) 亞肋曲嚙蟲 Ref. Banks, 1937

*Trichadenotecnum obsitum* (Enderlein, 1908) 環圍特嚙蟲 [特有] Ref. Banks, 1937

*Trichadenotecnum sexpunctatum* (Linnaeus, 1761) 六點特嚙蟲 Ref. Banks, 1937

### Family Psoquilidae 圓翅嚙蟲科

*Psoquilla marginepunctata* Hagen, 1865 黑茶蛀蟲 Ref. Banks, 1937

### Family Psyllipsocidae 裸嚙蟲科

*Psocathropos lachlani* Ribaga, 1899 拉氏擬竊嚙蟲 Ref. Enderlein, 1908

*Psyllipsocus metamicropterus* (Enderlein, 1908) 後微翅裸嚙蟲 [特有] Ref. 同前

*Psyllipsocus minutissimus* (Enderlein, 1908) 微小裸嚙蟲 Ref. Takahashi, 1938

*Psyllipsocus sauteri* (Enderlein, 1906) 梭氏裸嚙蟲 Ref. Enderlein, 1908

### Family Stenopsocidae 狹嚙蟲科

*Cubipilis aphidiformis* (Enderlein, 1906) 蚜肘狹嚙蟲 Ref. Banks, 1937

*Stenopsocus externus* Banks, 1937 外狹嚙蟲 Ref. Banks, 1937

*Stenopsocus formosanus* Banks, 1937 臺灣狹嚙蟲 [特有] Ref. Banks, 1937

*Stenopsocus makii* Takahashi, 1938 真木狹嚙蟲 [特有] Ref. Takahashi, 1938

*Stenopsocus tibialis* Banks, 1937 脛狹嚙蟲 [特有] Ref. Banks, 1937

### Family Troctopsocidae 粉嚙蟲科

*Coleotroctellus huisunensis* Chan & Yang, 2007 惠蓀鞘粉嚙蟲 Ref. Chan & Yang, 2007

### Family Trogiidae 節嚙蟲科

*Lepinotus inquilinus* Heyden, 1850 家嚙蟲 Ref. Enderlein, 1908

*Trogium pulsatorium* (Linnaeus, 1758) 粉茶蛀蟲 Ref. 同前

## Order Siphonaptera 蚤目

### Family Ceratophyllidae 角葉蚤科

- Dasypsyllus gallinulae* (Dale, 1878) 小雞毛蚤 Ref. 周等。1988  
*Macrostylophora liae* Wang, 1957 李氏大錐蚤 Ref. 周等。1988  
*Monopsyllus anisus* (Rothschild, 1907) 安尼單蚤 Ref. Chow & Huang, 1950  
*Nosopsyllus fasciatus* (Bosc., 1801) 歐洲病蚤 Ref. 杉本。1933  
*Nosopsyllus nicanus* Jordan, 1937 優勝病蚤 Ref. Lien & Fan, 1971  
*Paraceras sauteri* (Rothschild, 1914) 騷脫氏副蚤 [特有] Ref. Rothschild, 1914

### Family Hystrichopsyllidae 多毛蚤科

- Ctenophthalmus formosanus* Svihla, 1942 蓬萊櫛眼蚤 [特有] Ref. Jameson & Hsieh, 1969  
*Ctenophthalmus lui* Hsieh & Jameson, 1971 呂氏櫛眼蚤 [特有] Ref. Hsieh & Jameson, 1971  
*Ctenophthalmus reductus* Jameson & Hsieh, 1969 退化櫛眼蚤 [特有] Ref. Jameson & Hsieh, 1969  
*Ctenophthalmus taiwanus* Smit, 1964 台灣櫛眼蚤台灣亞種 [特有] Ref. 同前  
*Hystrichopsylla weida* Jameson & Hsieh, 1967 偉大多毛蚤偉大亞種 [特有] Ref. Jameson & Hsieh, 1967  
*Neopsylla constricta* Jameson & Hsieh, 1971 縮尾新蚤 [特有] Ref. Jameson & Hsieh, 1971  
*Neopsylla mustelae* Jameson & Hsieh, 1971 黃鼬新蚤 [特有] Ref. 同前  
*Neopsylla nebula* Jameson & Hsieh, 1971 雲霧新蚤 [特有] Ref. 同前  
*Neopsylla specialis* Jordan, 1932 特異新蚤 Ref. 同前  
*Palaeopsylla kappa* Jameson & Hsieh, 1969 合歡古蚤 [特有] Ref. Jameson & Hsieh, 1969  
*Palaeopsylla recava* Traub & Evans, 1967 彎曲古蚤 [特有] Ref. 同前  
*Palaeopsylla remota* Jordan, 1929 偏遠古蚤 Ref. 同前  
*Stenischia mirabilis* Jordan, 1932 欣奇狹臀蚤 Ref. 周等。1988

### Family Ischnopsyllidae 蝠蚤科

- Ischnopsyllus anmashanensis* Chung & Hsu, 1999 鞍馬蝠蚤 [特有] Ref. Chung & Hsu, 1999  
*Ischnopsyllus comans* Jordan & Rothschild, 1921 多毛蝠蚤 Ref. Chow & Huang, 1950  
*Ischnopsyllus indicus* Jordan, 1931 印度蝠蚤 Ref. 杉本。1933

### Family Leptopsyllidae 細蚤科

- Acropsylla (Acropsylla) girshami* Traub, 1950 梨山嶺蚤 Ref. Jameson & Hsieh, 1966  
*Frontopsylla nakagawai* Jameson & Hsieh, 1966 中川氏額蚤台灣亞種 [特有] Ref. 同前  
*Leptopsylla segnis* (Schönherr, 1811) 盲蚤 Ref. 同前  
*Peromyscopsylla himalaica* (Rothschild, 1915) 喜馬拉雅森鼠蚤 Ref. 同前

### Family Pulicidae 蚤科

- Ctenocephalides canis* (Curtis, 1826) 狗蚤 Ref. 杉本。1933  
*Ctenocephalides felis* (Bouche, 1885) 貓蚤 Ref. 杉本。1933  
*Pulex irritans* Linnaeus, 1758 人蚤 Ref. Chow & Huang, 1950  
*Xenopsylla cheopis* (Rothschild, 1903) 印度鼠蚤 Ref. 同前

### Family Pygiopsyllidae 臀蚤科

- Aviostivalus klossi* Lien et al., 1996 古氏遠棒蚤阿里山亞種 [特有] Ref. Lien et al., 1996  
*Stivalius aporus* Lin & Chung, 1994 無孔微棒蚤延平亞種 Ref. 林及鍾。1994

### Family Vermipsyllidae 蠕形蚤科

- Chaetopsylla hohuana* Lien & Weng, 1996 合歡鬃蚤 [特有] Ref. Lien & Weng, 1996

## Order Strepsiptera 撚翅目

### Family Stylopidae 蜂蠹科

- Hylecthrus taiwan* Kinzelbach, 1971 Ref. Kifune, 1994  
*Xenos (Xenos) circularis* Kifune & Maeta, 1985 Ref. Kifune & Maeta, 1985  
*Xenos (Xenos) fromosanus* Kifune & Maeta, 1985 [特有] Ref. 同前  
*Xenos (Xenos) moutoni* Buysson, 1903 Ref. 同前  
*Xenos (Xenos) yamaneorum* Kifune & Maeta, 1985 Ref. 同前

## Order Thysanoptera 綷翅目

### Family Aeolothripidae 紋薊馬科

- Franklinothrips suzukii* Okajima, 1979 鈴木兇薊馬 Ref. Okajima, 1979  
*Franklinothrips vespiformis* (Crawford, 1909) 細腰兇薊馬 Ref. Wang, 1994

### Family Merothripidae 食孢薊馬科

- Merothrips indicus* Bhatti & Ananthkrishnan, 1975 印度食孢薊馬 Ref. Chen, 1976  
*Merothrips laevis* Hood, 1983 無紋食孢薊馬 Ref. Chen, 1976

### Family Phlaeothripidae 管薊馬科

- Aleurodothrips fasciapennis* (Franklin, 1936) Ref. Takahashi, 1936  
*Allothrips nubilicauda* Chen, 1992 [特有] Ref. Chen, 1982  
*Allothrips taiwanus* Okajima, 1987 [特有] Ref. Lu, 1993  
*Androthrips crus* Chen, 1979 [特有] Ref. Chen, 1979  
*Androthrips ramachandrai* Karny, 1936 Ref. Takahashi, 1936  
*Azaleothrips magnus* Chen, 1980 [特有] Ref. Chen, 1980  
*Bactrothrips honoris* (Bagnall, 1921) [特有] Ref. Chen, 1982  
*Cryptothrips magnus* Moulton, 1936 Ref. Takahashi, 1936

*Cryptothrips sauteri* Karny, 1936 Ref. 同前  
*Dichaetothrips indicus* Bagnall, 1921 Ref. Chen, 1982  
*Dolichothrips flavipes* (Moulton, 1936) Ref. Takahashi, 1936  
*Dolichothrips macarangai* (Moulton, 1936) Ref. 同前  
*Dolichothrips pumilis* Priesner, 1936 Ref. 同前  
*Ecacanthothrips coxalis* Bagnall, 1936 Ref. 同前  
*Ecacanthothrips matsumurai* Ishida, 1936 Ref. 同前  
*Ecacanthothrips sanguineus* Bagnall, 1936 Ref. 同前  
*Elaphrothrips falcatus* Karny, 1912 Ref. Takahashi, 1935  
*Elaphrothrips spiniceps* Bagnall, 1932 Ref. Chen, 1982  
*Ethirothrips chui* (Chen, 1982) [特有] Ref. Chen, 1982  
*Ethirothrips claripennis* (Moulton, 1934) Ref. Chen, 1982  
*Ethirothrips virgulae* (Chen, 1980) [特有] Ref. Chen, 1980  
*Gastrothrips fuscatus* Okajima, 1979 Ref. Okajima, 1979  
*Gigantothrips crawfordi* Hood, 1936 Ref. Takahashi, 1936  
*Gigantothrips venapennis* Moulton, 1936 Ref. 同前  
*Gynaikothrips rotundus* Moulton, 1928 Ref. Moulton, 1928  
*Gynaikothrips citricornis* Moulton, 1928 Ref. Moulton, 1928  
*Gynaikothrips ficorum* (Marchel, 1936) Ref. Takahashi, 1936  
*Gynaikothrips kuwayamai* Moulton, 1928 Ref. Moulton, 1928  
*Gynaikothrips uzeli* Zimmerman, 1936 Ref. Takahashi, 1936  
*Habrothrips curiosus* Ananthakrishnan, 1980 Ref. Chen, 1980  
*Haplothrips aculeatus* (Fabricius, 1935) Ref. Takahashi, 1935  
*Haplothrips allii* Priesner, 1936 Ref. Takahashi, 1936  
*Haplothrips arundinariae* Takahashi, 1928 Ref. Moulton, 1928  
*Haplothrips certus* Priesner, 1936 Ref. Takahashi, 1936  
*Haplothrips chinensis* Priesner, 1936 Ref. 同前  
*Haplothrips dentiger* Priesner, 1965 Ref. Tsai, 1965  
*Haplothrips fuscipennis* Moulton, 1936 Ref. Takahashi, 1936  
*Haplothrips ganglbaueri* Schmutz, 1965 Ref. Tsai, 1965  
*Haplothrips gowdeyi* Franklin, 1936 Ref. Takahashi, 1936  
*Haplothrips inquilinus* Priesner, 1936 Ref. 同前  
*Haplothrips leucanthemi* Schrank, 1936 Ref. 同前  
*Haplothrips montivagus* Priesner, 1936 Ref. 同前  
*Haplothrips vernoniae* Priesner, 1936 Ref. 同前  
*Hobrothrips curiosus* Ananthakrishnan, 1980 Ref. Chen, 1980  
*Hoplandrothrips obesametae* Chen, 1980 [特有] Ref. Chen, 1980  
*Hoplothrips japonicus* (Karny, 1936) Ref. Takahashi, 1936  
*Hoplothrips fungosus* Moulton, 1936 Ref. 同前  
*Hoplothrips (Odontoplothrips) dentifer* Priesner, 1936 Ref. 同前  
*Karnyothrips melaleucus* (Bagnall, 1980) Ref. Chen, 1980  
*Kleothrips kanoi* Takahashi, 1936 Ref. Takahashi, 1936  
*Leeuwenia pugnatrice* Priesner, 1936 Ref. 同前  
*Leeuwenia taiwanensis* Takahashi, 1936 Ref. 同前  
*Liohtips malloti* Moulton, 1928 Ref. Moulton, 1928  
*Liothrips brevitubus* Karny, 1936 Ref. Takahashi, 1936  
*Liothrips flavicornis* Moulton, 1936 Ref. 同前  
*Liothrips floridensis* (Watson, 1936) Ref. 同前  
*Liothrips heptapleurinus* Priesner, 1936 Ref. 同前  
*Liothrips malloti* Moulton, 1928 Ref. Moulton, 1928  
*Liothrips piperinus* Priesner, 1936 Ref. Takahashi, 1936  
*Liothrips terminallae* Moulton, 1936 Ref. 同前  
*Liothrips vaneeckeii* Priesner, 1928 Ref. Moulton, 1928  
*Litotetothrips pasaniae* Kurosawa, 1928 Ref. Moulton, 1928  
*Litotetothrips rotundus* (Moulton, 1935) Ref. Takahashi, 1935  
*Machatothrips artocarpi* Moulton, 1928 [特有] Ref. Moulton, 1928  
*Machatothrips celosiae* Moulton, 1928 [特有] Ref. Moulton, 1928  
*Mecynothrips pugilator* (Karny, 1913) Ref. Karny, 1913  
*Mecynothrips taiwanus* Okajima, 1979 [特有] Ref. Okajima, 1979  
*Mesothrips alluaudi* Vuillet, 1936 Ref. Takahashi, 1936  
*Mesothrips claripennis* Moulton, 1936 Ref. 同前  
*Mesothrips jordani* Zimmerman, 1936 Ref. 同前  
*Neosmerinthothrips formosensis* Priesner, 1936 Ref. 同前  
*Nesothrips brevicollis* (Bagnall, 1914) Ref. Priesner, 1935  
*Nesothrips lativentris* (Karny, 1913) Ref. Karny, 1913  
*Ophthalmothrips formosanus* (Karny, 1913) [特有] Ref. Karny, 1913  
*Ophthalmothrips longiceps* (Haga, 1975) Ref. Haga, 1975  
*Plectrothrips corticinus* Priesner, 1936 Ref. Takahashi, 1936  
*Podothrips kentingensis* Okajima, 1986 [特有] Ref. Okajima, 1986  
*Podothrips lucasseni* (Kruger, 1978) Ref. Okajima, 1978  
*Podothrips luteus* Okajima, 1978 [特有] Ref. Okajima, 1978  
*Rhynchothrips machili* Moulton, 1936 Ref. Takahashi, 1936

*Serinthothrips takahashii* (Moulton, 1936) Ref. 同前  
*Smerinthothrips citricornis* (Moulton, 1936) Ref. 同前  
*Smerinthothrips kuwanai* (Moulton, 1936) Ref. 同前  
*Smerinthothrips kuwayamai* (Moulton, 1936) Ref. 同前  
*Smerinthothrips liliaceae* (Moulton, 1936) Ref. 同前  
*Smerinthothrips siamensis* (Karny, 1936) Ref. 同前  
*Smerinthothrips vitivorus* Priesner, 1936 Ref. 同前  
*Smerinthothrips yoasai* (Moulton, 1936) Ref. 同前  
*Smerithothrips takahashii* (Karny, 1928) Ref. Moulton, 1928  
*Sophiothrips nigrus* Ananthakrishnan, 1987 Ref. Okajima, 1987  
*Sophiothrips typicus* (Ananthakrishnan, 1987) Ref. Okajima, 1987  
*Streptothrips orientalis* Ananthakrishnan, 1980 Ref. Chen, 1980  
*Xylaplothrips palmerae* Chen, 1980 [特有] Ref. Chen, 1980

### Family Thripidae 薊馬科

*Anaphothrips sudanensis* Trybom, 1911 栗帶薊馬 Ref. Priesner, 1936  
*Anascirtothrips discordiae* Chen & Lu, 1994 脊擬跳薊馬 [特有] Ref. Chen & Lu, 1994  
*Anisopilothrips venustulus* (Priesner, 1923) 腹瘤薊馬 Ref. Takahashi, 1936  
*Astrothrips aucubae* Kurosawa, 1932 網梳額突薊馬 Ref. Wang, 1994  
*Astrothrips chisinliaensis* Chen, 1980 七星寮額突薊馬 [特有] Ref. Chen, 1980  
*Ayyaria chaetophora* Karny, 1926 棉紋薊馬 Ref. Priesner, 1936  
*Bathrips jasmineae* Ananthakrishnan, 1968 茉莉貝薊馬 Ref. Wang, 1997  
*Bathrips melanicornis* (Shumsher Singh, 1945) 黑角貝薊馬 Ref. Chen, 1979  
*Bolacothrips graminis* (Priesner, 1930) 褐尾包薊馬 Ref. Chen, 1978  
*Bolacothrips striatopennatus* (Schumtz, 1913) 東方包薊馬 Ref. Priesner, 1935  
*Chaetanaphothrips leeuweni* (Karny, 1914) 中斑圍孔薊馬 Ref. Wang, 1997  
*Chaetanaphothrips machili* Hood, 1954 楠圍孔薊馬 Ref. Hood, 1954  
*Chaetanaphothrips orchidii* (Moulton, 1907) 香蕉鑷薊馬 Ref. Takahashi, 1936  
*Chaetanaphothrips querci* Kudo, 1985 外單毛圍孔薊馬 Ref. Wang, 1997  
*Chaetanaphothrips theiperdus* (Karny, 1921) 茶淡薊馬 Ref. Priesner, 1950  
*Chirothrips africanus* Priesner, 1932 非洲梯胸薊馬 Ref. Kudo, 1974  
*Chirothrips manicatus* (Haliday, 1836) 芒薊馬 Ref. Takahashi, 1936  
*Chirothrips mexicanus* D. L. Crawford, 1909 扁紋薊馬 Ref. Chen, 1978  
*Copidothrips formosus* Hood, 1954 臺灣劍毛薊馬 Ref. Hood, 1954  
*Craspedothrips minor* (Bagnall, 1921) 微毛角薊馬 Ref. Chen, 1975  
*Ctenothrips kwanzanensis* Takahashi, 1937 關山梳薊馬 Ref. Chen, 1979  
*Ctenothrips transeolineae* Chen, 1979 橫紋梳薊馬 [特有] Ref. Takahashi, 1937  
*Danothrips sakimurai* Chen, 1979 崎村淡薊馬 [特有] Ref. Chen, 1979  
*Danothrips trifasciatus* Sakimura, 1975 三帶淡薊馬 Ref. Chen, 1979  
*Danothrips vicinus* Chen, 1979 頭紋淡薊馬 [特有] Ref. Chen, 1979  
*Dendrothripoides innoxius* (Karny, 1914) 旋花微刺薊馬 Ref. Kudo, 1977  
*Dendrothrips guttatus* Wang, 1993 斑棍薊馬 [特有] Ref. Wang, 1994  
*Dendrothrips multimaculatus* Nonaka & Okajima, 1991 斑翅棍薊馬 Ref. Wang, 1994  
*Dendrothrips minowai* Priesner, 1935 茶棍薊馬 Ref. Priesner, 1935  
*Dichromothrips corbetti* (Priesner, 1936) 蘭花薊馬 Ref. Wang, 1990  
*Dichromothrips smithi* (Zimmermann, 1900) 司密蘭花薊馬 Ref. Priesner, 1935  
*Dorcadothrips xanthus* (Williams, 1917) 黃鈴薊馬 Ref. Wang, 1997  
*Elixothrips brevisetis* (Bagnall, 1919) 短刺薊馬 Ref. Chen, 1981  
*Ernothrips lobatus* (Bhatti, 1967) Ref. Masumoto & Okajima, 2002  
*Frankliniella intonsa* (Trybom, 1895) 台灣花薊馬 Ref. Takahashi, 1936  
*Frankliniella salicis* Moulton, 1948 柳花薊馬 [特有] Ref. Moulton, 1948  
*Frankliniella schultzei* (Trybom, 1910) 梳缺花薊馬 Ref. Wang, 2000  
*Frankliniella williamsi* Hood, 1915 玉米薊馬 Ref. Takahashi, 1936  
*Fulmekiola serrata* (Kobus, 1892) 蔗腹齒薊馬 Ref. 同前  
*Helionothrips aino* (Ishida, 1931) 黑體網紋薊馬 Ref. Hood, 1954  
*Helionothrips annosus* Wang, 1993 高橋網紋薊馬 [特有] Ref. Wang, 1993  
*Helionothrips cephalicus* Hood, 1954 長頭網紋薊馬 Ref. Hood, 1954  
*Helionothrips communis* Wang, 1993 普通網紋薊馬 [特有] Ref. Wang, 1993  
*Helionothrips errans* (Williams, 1916) 黃頂網紋薊馬 Ref. Priesner, 1935  
*Helionothrips linderiae* Kudo, 1992 釣樟網紋薊馬 Ref. Wang, 1994  
*Helionothrips mube* Kudo, 1992 石月網紋薊馬 Ref. Wang, 1994  
*Helionothrips unitatus* Chen, 1981 褐頭網紋薊馬 [特有] Ref. Chen, 1981  
*Heliiothrips haemorrhoidalis* (Bouch'e, 1833) 變葉木薊馬 Ref. Priesner, 1935  
*Hydatothrips ekasi* Kudo, 1991 田菁板背薊馬 Ref. Wang, 1994  
*Hydatothrips liquidambara* Chen, 1977 楓樹板背薊馬 Ref. Chen, 1977  
*Lefroythrips lefroyi* (Bagnall, 1913) 茶薊馬 Ref. Takahashi, 1936  
*Megalurothrips distalis* (Karny, 1913) 端豆薊馬 Ref. 同前  
*Megalurothrips formosae* (Moulton, 1928) 台灣豆薊馬 Ref. 同前  
*Megalurothrips typicus* Bagnall, 1915 椶果花薊馬 Ref. 同前  
*Megalurothrips usitatus* (Bagnall, 1913) 豆花薊馬 Ref. Kudo, 1974  
*Microcephalothrips abdominalis* (D. L. Crawford, 1910) 菊花薊馬 Ref. Takahashi, 1936  
*Monilothrips kempii* Moulton, 1929 翹毛直頸薊馬 Ref. Chen, 1981

*Mycterothrips araliae* Takahashi, 1936 雙毛薊馬 Ref. Takahashi, 1936  
*Mycterothrips auratus* Wang, 1999 金雙毛薊馬 Ref. Wang, 1999  
*Mycterothrips caudibrunneus* Wang, 1999 褐腹雙毛薊馬 [特有] Ref. Wang, 1999  
*Mycterothrips glycines* (Okamoto, 1911) 豆雙毛薊馬 Ref. Chen, 1980  
*Mycterothrips ravidus* Wang, 1999 灰斑雙毛薊馬 [特有] Ref. Wang, 1999  
*Neohydatothrips medius* Wang, 1994 中板背薊馬 [特有] Ref. Wang, 1994  
*Parabaliiothrips coluckus* (Kudo, 1977) 赤楊均毛薊馬 Ref. Wang, 2001  
*Parabaliiothrips grandiceps* Priesner, 1935 深色均毛薊馬 [特有] Ref. Takahashi, 1936  
*Parabaliiothrips takahashii* Priesner, 1935 高橋均毛薊馬 Ref. 同前  
*Phibalothrips basis* Chen, 1981 腹基缺纓狹薊馬 [特有] Ref. Chen, 1981  
*Phibalothrips peringuey* (Faure, 1925) 二色缺纓狹薊馬 Ref. Kudo, 1974  
*Plesiothrips perplexus* (Beach, 1896) 淡腹額伸薊馬 Ref. Chen, 1979  
*Plesiothrips sakagami* Kudo, 1974 板上額伸薊馬 Ref. Kudo, 1974  
*Projectothrips imitans* Priesner, 1935 番石榴薊馬 Ref. Takahashi, 1936  
*Pseudanaphothrips querci* (Moulton, 1928) 櫟齊毛薊馬 Ref. 同前  
*Pseudodendrothrips fumosus* Chen, 1980 觀音山薊馬 [特有] Ref. Chen, 1980  
*Pseudodendrothrips lateralis* Wang, 1993 側偽棍薊馬 [特有] Ref. Wang, 1993  
*Pseudodendrothrips mori* (Niwa, 1908) 桑薊馬 Ref. Chen, 1980  
*Rhamphothrips quintus* Wang, 1993 昆鉤薊馬 [特有] Ref. Wang, 1993  
*Rhipiphorotherips africanus* Wilson, 1975 非洲皺紋薊馬 Ref. Chen, 1981  
*Rhipiphorotherips cruentatus* Hood, 1919 腹鉤薊馬 Ref. Chen, 1981  
*Rhipiphorotherips pulchellus* Morgan, 1913 茄苳薊馬 Ref. Takahashi, 1936  
*Salpingothrips aimotofus* Kudo, 1972 雙色繖薊馬 Ref. Chen, 1977  
*Scirtothrips acus* Wang, 1994 肖楠跳薊馬 [特有] Ref. Wang, 1994  
*Scirtothrips asinus* Wang, 1994 檜木跳薊馬 [特有] Ref. Wang, 1994  
*Scirtothrips dorsalis* Hood, 1919 小黃薊馬 Ref. Takahashi, 1936  
*Scolothrips asura* Ramakrishna & Margabandhu, 1931 紅斑食蟻薊馬 Ref. Wang, 2001  
*Scolothrips indicus* Priesner, 1926 印度食蟻薊馬 Ref. Wang, 2001  
*Scolothrips takahashii* Priesner, 1950 高橋食蟻薊馬 [特有] Ref. Priesner, 1950  
*Selenothrips rubrocinctus* (Giard, 1901) 赤帶薊馬 Ref. Takahashi, 1936  
*Sorghothrips meishanensis* Chen, 1977 梅山薊馬 [特有] Ref. Chen, 1977  
*Stenchaetothrips apheles* Wang, 2000 無齒直毛薊馬 [特有] Ref. Wang, 2000  
*Stenchaetothrips basibrunneus* Wang, 2000 褐翅直毛薊馬 [特有] Ref. Wang, 2000  
*Stenchaetothrips biformis* (Bagnall, 1913) 稻薊馬 Ref. Takahashi, 1936  
*Stenchaetothrips brochus* Wang, 2000 側齒直毛薊馬 [特有] Ref. Wang, 2000  
*Stenchaetothrips caulis* Bhatti, 1982 柄直毛薊馬 Ref. Wang, 2001  
*Stenchaetothrips karnyanus* (Priesner, 1934) 卡尼氏直毛薊馬 [特有] Ref. Takashi, 1936  
*Stenchaetothrips minutus* (van Deventer, 1906) 無針薊馬 Ref. Chen, 1978  
*Stenchaetothrips undatus* Wang, 2000 波齒直毛薊馬 [特有] Ref. Wang, 2000  
*Taeniothrips eucharis* (Whetzel, 1923) 尤加律薊馬 Ref. Takahashi, 1936  
*Taeniothrips oreophilus* Priesner, 1935 薔薇薊馬 Ref. 同前  
*Thrips alliorum* (Priesner, 1935) 青蔥薊馬 Ref. 同前  
*Thrips coloratus* Schmutz, 1913 花色薊馬 Ref. Chen, 1979  
*Thrips extensicornis* Priesner, 1934 腹毛缺薊馬 Ref. Takahashi, 1936  
*Thrips flavus* Schrank, 1776 淡色薊馬 Ref. 同前  
*Thrips florum* Schmutz, 1913 褐花薊馬 Ref. Wang, 2001  
*Thrips formosanus* Priesner, 1934 蓬萊薊馬 Ref. Takahashi, 1936  
*Thrips hawaiiensis* (Morgan, 1913) 花薊馬 Ref. 同前  
*Thrips inferus* Chen, 1979 類花色薊馬 Ref. Chen, 1979  
*Thrips kotoshoi* (Moulton, 1928) 蘭嶼薊馬 Ref. Takahashi, 1936  
*Thrips malloti* Priesner, 1934 網紋薊馬 Ref. 同前  
*Thrips orientalis* Priesner, 1915 東方花薊馬 Ref. 同前  
*Thrips palmi* Karny, 1925 南黃薊馬 Ref. Wang, 1987  
*Thrips simplex* (Morison, 1930) 唐菖蒲薊馬 Ref. Wang & Young, 1990  
*Thrips tabaci* Lindeman, 1889 蔥薊馬 Ref. Takahashi, 1936  
*Thrips taiwanus* Takahashi, 1936 台灣薊馬 Ref. 同前  
*Thrips vitticornis* (Karny, 1922) 刀豆薊馬 Ref. 同前  
*Thrips wedeliae* Priesner, 1934 疏端薊馬 Ref. Moulton, 1928

## Order Trichoptera 毛翅目

### Family Arctopsychidae 弓石蛾科

*Arctopsyche taiwanensis* 台灣弓石蛾 Ref. 徐歷鵬。1997

### Family Beraeidae 貝石蛾科

*Nippoberaea gracilis* Nozaki & Kagaya, 1995 優雅日貝石蛾 Ref. Nozaki & Kagaya, 1995

### Family Calamoceratidae 枝石蛾科

*Ascalaphomerus humeralis* Walker, 1852 褐色長枝石蛾 Ref. Walker, 1852

*Ganonema formosae* Iwata, 1928 寶島寬枝石蛾 [特有] Ref. Iwata, 1928

### Family Ecnomidae 長鬚石蛾科

*Ecnomus laminata* 刀形長鬚石蛾 Ref. 徐歷鵬。1997

*Ecnomus tenellus* Ramb, 1842 巧妙長鬚石蛾 Ref. Ramb, 1842

*Ecnomus wulaina* Hsu & Chen, 1996 烏來長鬚石蛾 [特有] Ref. Hsu & Chen, 1996

### Family Glossosomatidae 舌石蛾科

- Agapetus chiangi* 蔣氏小舌石蛾 Ref. 徐歷鵬。1997  
*Agapetus formosanus* 寶島小舌石蛾 Ref. 徐歷鵬。1997  
*Agapetus japonicus* Tsuda, 1940 日本小舌石蛾 Ref. Tsuda, 1940  
*Agapetus longipennis* 長莖小舌石蛾 Ref. 徐歷鵬。1997  
*Agapetus tenuis* 纖細小舌石蛾 Ref. 徐歷鵬。1997  
*Glossosoma taiwanensis* 台灣舌石蛾 Ref. 徐歷鵬。1997  
*Glossosoma tunpuensis* 東埔舌石蛾 Ref. 徐歷鵬。1997

### Family Goeridae 瘤石蛾科

- Goera minuta* Ulmer, 1927 巧體瘤石蛾 [特有] Ref. Ulmer, 1927  
*Goera prominens* Ulmer, 1911 顯現瘤石蛾 [特有] Ref. Ulmer, 1911  
*Goera taiwanensis* Armitage & Arefina, 2003 Ref. Armitage & Arefina, 2003  
*Goera tenuis* Ulmer, 1927 細緻瘤石蛾 [特有] Ref. Ulmer, 1927

### Family Hydrobiosidae 囊翅石蛾科

- Apsilochorema excisum* Ulmer, 1927 凹翅白條石蛾 [特有] Ref. Ulmer, 1927

### Family Hydropsychidae 紋石蛾科

- Cheumatopsyche chihonana* Kobayashi, 1987 氣合小紋石蛾 [特有] Ref. Kobayashi, 1987  
*Cheumatopsyche clavalis* Martynov, 1930 棍棒小紋石蛾 [特有] Ref. Martynov, 1930  
*Cheumatopsyche sagitta* Kobayashi, 1987 拱形小紋石蛾 [特有] Ref. Kobayashi, 1987  
*Cheumatopsyche taipeiiana* Kobayashi, 1987 台北小紋石蛾 [特有] Ref. 同前  
*Cheumatopsyche tokunagai* Tsuda, 1940 德永合脈石蛾 Ref. Tsuda, 1940  
*Cheumatopsyche wuchidai* Kobayashi, 1987 內田小紋石蛾 [特有] Ref. Kobayashi, 1987  
*Diplectrona albofasciata* Ulmer, 1913 白條腺紋石蛾 [特有] Ref. Ulmer, 1913  
*Diplectrona cuculata* 彎曲腺紋石蛾 Ref. 徐歷鵬。1997  
*Diplectrona formosana* 寶島腺紋石蛾 Ref. 徐歷鵬。1997  
*Diplectrona ilanensis* 宜蘭腺紋石蛾 Ref. 徐歷鵬。1997  
*Hydatomanicus brevilineatus* Iwata, 1927 短紋瘤突石蛾 Ref. Iwata, 1927  
*Hydatomanicus verrucosus* Ulmer, 1911 纖細瘤突石蛾 [特有] Ref. Ulmer, 1911  
*Hydromanicus wulaina* Kobayashi, 1987 烏來離脈石蛾 [特有] Ref. Kobayashi, 1987  
*Hydropsyche breviculata* Kobayashi, 1987 短莖紋石蛾 [特有] Ref. 同前  
*Hydropsyche formosana* Ulmer, 1911 寶島紋石蛾 [特有] Ref. Ulmer, 1911  
*Hydropsyche kagiana* Kobayashi, 1987 嘉義紋石蛾 [特有] Ref. Kobayashi, 1987  
*Hydropsyche orbiculata* Ulmer, 1911 圓球紋石蛾 [特有] Ref. Ulmer, 1911  
*Hydropsyche spinata* Kobayashi, 1987 棘刺紋石蛾 [特有] Ref. Kobayashi, 1987  
*Macronema formosanus* Ref. 徐歷鵬。1997  
*Macrostemum formosicolum* Matsumura, 1931 條紋長角石蛾 Ref. Matsumura, 1931  
*Macrostemum quinquepunctatum* Matsumura, 1931 四紋長角石蛾 Ref. 同前

### Family Hydroptilidae 姬石蛾科

- Catoxyethira formosae* (Iwata, 1928) 寶島短節石蛾 [特有] Ref. Iwata, 1928  
*Hydroptila cheni* 陳氏姬石蛾 Ref. 徐歷鵬。1997  
*Hydroptila curvipennis* 彎莖姬石蛾 Ref. 徐歷鵬。1997  
*Hydroptila heangi* 黃氏姬石蛾 Ref. 徐歷鵬。1997  
*Hydroptila lageniformis* 葫蘆姬石蛾 Ref. 徐歷鵬。1997  
*Hydroptila spicipennis* 針莖姬石蛾 Ref. 徐歷鵬。1997  
*Hydroptila spiralis* 旋管姬石蛾 Ref. 徐歷鵬。1997  
*Hydroptila taichungensis* 台中姬石蛾 Ref. 徐歷鵬。1997  
*Madioxytheria formosana* 寶島溼生石蛾 Ref. 徐歷鵬。1997  
*Madioxytheria simplex* 簡單溼生石蛾 Ref. 徐歷鵬。1997  
*Oxytheria reductus* 小形尖毛石蛾 Ref. 徐歷鵬。1997  
*plethus spinus* 黑棘豐滿石蛾 Ref. 徐歷鵬。1997  
*Stactobiella lanyuensis* 蘭嶼擬滴石蛾 Ref. 徐歷鵬。1997  
*Ugandatrichia taiwanensis* Hsu & Chen, 2002 臺灣烏姬石蛾 [特有] Ref. Hsu & Chen, 2003

### Family Lepidostomatidae 鱗石蛾科

- Dinarthrum taiwanense* Ito, 1992 臺灣多毛石蛾 [特有] Ref. Ito, 1992  
*Goerodes doligung* Malicky, 1979 圓突長節石蛾 Ref. Malicky, 1979  
*Goerodes ebenacanthus* Ito, 1992 普遍長節石蛾 Ref. Ito, 1992  
*Goerodes quadrispinus* Hsu & Chen, 1996 四棘長節石蛾 [特有] Ref. Hsu & Chen, 1996  
*Goerodes taichungensis* Hsu & Chen, 1996 台中長節石蛾 [特有] Ref. His & Chen, 1996  
*Goerodes tannounensis* Hsu & Chen, 1996 天母長節石蛾 [特有] Ref. Hsu & Chen, 1996  
*Goerodes weirjinensis* Hsu & Chen, 1996 唯金長節石蛾 [特有] Ref. 同前  
*Indocrunoecia koreana* Kumanski & Weaver, 1992 高麗小鬚石蛾 Ref. Kumanski & Weaver, 1992  
*Lepidostoma taurocorne* Yang & Weaver, 2002 Ref. Yang & Weaver, 2002

### Family Leptoceridae 長角石蛾科

- Ceraclea merga* Chen & Morce, 1992 雙叉角突石蛾 [特有] Ref. Chen & Morce, 1992  
*Leptocerus sexprostatus* Chen & Morce, 1992 原器長角石蛾 [特有] Ref. 同前  
*Mystacides dentatus* Martynov, 1924 棘齒上突石蛾 Ref. Martynov, 1924  
*Mystacides elongatus* Yamamoto & Ross, 1966 長肢上突石蛾 Ref. Yamamoto & Ross, 1966

*Oecetis caelum* Chen & Morce, 1992 厚肢家居石蛾 [特有] Ref. Chen & Morce, 1992  
*Oecetis evigra* Chen & Morce, 1992 硬片家居石蛾 [特有] Ref. 同前  
*Oecetis lacustris* Pictet, 1834 湖中家居石蛾 Ref. Pictet, 1834  
*Oecetis prolixus* Chen & Morce, 1992 展肢家居石蛾 [特有] Ref. Chen & Morce, 1992  
*Oecetis spatula* Chen & Morce, 1992 寬片家居石蛾 [特有] Ref. 同前  
*Oecetis spinosus* Chen & Morce, 1992 棘莖家居石蛾 [特有] Ref. 同前  
*Setodes angulatus* Chen & Morce 寬角彎突石蛾 [特有] Ref. 同前  
*Setodes perpendicularis* Chen & Morce 直角彎突石蛾 [特有] Ref. 同前  
*Triaenodes rufescens* Martynov 銹色叉長角石蛾 Ref. Martynov, 1935  
*Triplectides magnus* Walker 巨大畸肢石蛾 Ref. Walker, 1852  
*Triplectides rhinoceratitis* Chen & Morce, 1992 犀角畸肢石蛾 [特有] Ref. Chen & Morce, 1992

### Family Limnephilidae 沼石蛾科

*Apatania taiwanensis* Kobayashi, 1987 台灣鉤肢石蛾 [特有] Ref. Kobayashi, 1987  
*Limnephilus alienus* Martynov, 1914 奇異沼石蛾 Ref. Martynov, 1914

### Family Philopotamidae 指石蛾科

*Chimarra concolor* Ulmer, 1905 同色缺叉石蛾 Ref. Ulmer, 1905  
*Chimarra formosana* Ulmer, 1905 寶島缺叉石蛾 [特有] Ref. Ulmer, 1915  
*Chimarra lichiuensis* Hsu & Chen, 1996 壠坵缺叉石蛾 [特有] Ref. Hsu & Chen, 1996  
*Chimarra triangulata* Hsu & Chen, 1996 三角缺叉石蛾 [特有] Ref. 同前  
*Chimarra wushikangensis* Hsu & Chen, 1996 烏石坑缺叉石蛾 [特有] Ref. 同前  
*Dolophilodes borussa* Ross 金黃角室石蛾 Ref. Ross, 1956  
*Dolophilodes cheni* Hsu & Chen, 1996 陳氏角室石蛾 [特有] Ref. Hsu & Chen, 1996  
*Dolophilodes clavata* 棒狀角室石蛾 Ref. 徐歷鵬。1997  
*Dolophilodes japonica* (Banks, 1906) 日本角室石蛾 Ref. Banks, 1906  
*Dolophilodes minchiensis* Hsu & Chen, 1996 明池角室石蛾 [特有] Ref. Hsu & Chen, 1996  
*Dolophilodes obrussa* 金黃角室石蛾 Ref. 徐歷鵬。1997  
*Dolophilodes securis* Hsu & Chen, 1996 斧形角室石蛾 [特有] Ref. Hsu & Chen, 1996  
*Wormaldia amyda* Ross, 1956 龜形同鬚石蛾 [特有] Ref. Ross, 1956  
*Wormaldia spinosa* Ross, 1956 棘刺同鬚石蛾 [特有] Ref. Ross, 1956  
*Wormaldia ulmeri* Ross, 1956 伍氏同鬚石蛾 [特有] Ref. Ross, 1956

### Family Phryganeidae 石蛾科

*Eubasilissa regina* McLachlan, 1871 豔色褐紋石蛾 Ref. McLachlan, 1871

### Family Polycentropodidae 多距石蛾科

*Nyctiophylax taiwanensis* Hsu & Chen, 1996 台灣暗色石蛾 [特有] Ref. Hsu & Chen, 1996  
*Polycentropus formosanus* 寶島粗足石蛾 Ref. 徐歷鵬。1997  
*Polycentropus inaequalis* 異長粗足石蛾 Ref. 徐歷鵬。1997  
*Polycentropus nigrospinus* Hsu & Chen 黑棘多距石蛾 [特有] Ref. Hsu & Chen, 1996  
*Polycentropus pilosa* 濃毛多距石蛾 Ref. 徐歷鵬。1997  
*Polycentropus unicus* Hsu & Chen 獨特多距石蛾 [特有] Ref. Hsu & Chen, 1996  
*Polyplectropus inaequalis* Hsu & Chen 異長粗足石蛾 [特有] Ref. 同前  
*Polyplectropus inusitatus* Hsu & Chen 奇特粗足石蛾 Ref. 同前  
*Polyplectropus tachiensis* Hsu & Chen 大甲粗足石蛾 [特有] Ref. 同前

### Family Psychomyiidae 管石蛾科

*Eoneureclipsis taiwanensis* 台灣長肢石蛾 Ref. 徐歷鵬。1997  
*Lype formosana* 寶島淺色石蛾 Ref. 徐歷鵬。1997  
*Paduniella arista* 星芒切翅石蛾 Ref. 徐歷鵬。1997  
*Paduniella membranica* 膜狀切翅石蛾 Ref. 徐歷鵬。1997  
*Paduniella taiwana* 台灣切翅石蛾 Ref. 徐歷鵬。1997  
*Psychomyia anaequalis* 異肢管石蛾 Ref. 徐歷鵬。1997  
*Psychomyia babai* Kobayashi, 1987 馬場管石蛾 [特有] Ref. Kobayashi, 1987  
*Psychomyia morisitai* Tsuda, 1942 森下管石蛾 Ref. Tsuda, 1942  
*Psychomyia taiwanensis* 台灣管石蛾 Ref. 徐歷鵬。1997  
*Tinodes cordatus* 心形齒叉石蛾 Ref. 徐歷鵬。1997  
*Tinodes higashiyamanus* Tsuda, 1942 東山齒叉石蛾 Ref. Tsuda, 1942  
*Tinodes incisus* 銳裂齒叉石蛾 Ref. 徐歷鵬。1997  
*Tinodes retorta* Ulmer, 1927 倒彎齒叉石蛾 [特有] Ref. Ulmer, 1927  
*Tinodes taiwanensis* 台灣齒叉石蛾 Ref. 徐歷鵬。1997  
*Tinodes triangulata* 三角齒叉石蛾 Ref. 徐歷鵬。1997

### Family Rhyacophilidae 流石蛾科

*Himalopsyche baibarana* Matsumura, 1931 馬場喜馬石蛾 [特有] Ref. Matsumura, 1931  
*Himalopsyche lua* Malicky, 1993 露亞喜馬石蛾 [特有] Ref. Malicky, 1993  
*Rhyacophila clemens* Tsuda, 1940 橢圓流石蛾 Ref. Tsuda, 1940  
*Rhyacophila coclearis* Hsu & Chen, 1996 匙形流石蛾 [特有] Ref. Hsu & Chen, 1996  
*Rhyacophila formosana* Ulmer, 1927 寶島流石蛾 [特有] Ref. Ulmer, 1927  
*Rhyacophila furcata* Hwang 裂肢流石蛾 Ref. Hwang, 1957  
*Rhyacophila kaohsiungensis* Hsu & Chen, 1996 高雄流石蛾 [特有] Ref. Hsu & Chen, 2003  
*Rhyacophila kimminsi* Ross, 1956 金氏流石蛾 [特有] Ref. Ross, 1956  
*Rhyacophila madalensis* Hsu & Chen, 1996 馬達拉流石蛾 [特有] Ref. Hsu & Chen, 1996  
*Rhyacophila magnahamata* Hsu & Chen, 1996 Ref. Hsu & Chen, 1996b

*Rhyacophila remingtoni* Ross 雷氏流石蛾 Ref. Ross, 1956  
*Rhyacophila schismatica* Sun & Yang, 1995 叉肢流石蛾 Ref. Sun & Yang, 1995  
*Rhyacophila shikotsuensis* Iwata, 1927

#### Family Sericostomatidae 毛石蛾科

*Gumaga orientalis* (Martynov, 1935) Ref. Martynov, 1935

#### Family Stenopsychidae 角石蛾科

*Stenopsyche banksi* Mosely, 1942 貝氏角石蛾 Ref. Msely, 1942  
*Stenopsyche drakon* Weaver, 1987 神龍角石蛾 [特有] Ref. Weaver, 1987  
*Stenopsyche formosana* Kobayashi, 1987 寶島角石蛾 [特有] Ref. Kobayashi, 1987  
*Stenopsyche grisepennis* McLachlan, 1866 淡色角石蛾 [特有] Ref. McLachlan, 1866  
*Stenopsyche malickyi* 台灣角石蛾 Ref. 徐歷鵬, 1997  
*Stenopsyche marmorata* Navas, 1920 斑紋角石蛾 Ref. Navas, 1920  
*Stenopsyche pallidipennis* Martynov, 1926 淡翅角石蛾 Ref. Martynov, 1926  
*Stenopsyche pjaserzkyi* Martynov, 1914 札氏角石蛾 Ref. Martynov, 1914  
*Stenopsyche saturi* Ulmer, 1907 梭氏角石蛾 Ref. Ulmer, 1907  
*Stenopsyche taiwanensis* Weaver, 1987 臺灣角石蛾 [特有] Ref. Weaver, 1987

#### Family Uenoidae 黑管石蛾科

*Uenoa taiwanensis* Hsu & Chen 臺灣黑管石蛾 [特有] Ref. Hsu & Chen, 1997

#### Family Xiphocentronidae 劍石蛾科

*Melanotrichia hibuneana* Tsuda 寬板黑毛石蛾 Ref. Tsuda, 1942  
*Melanotrichia taiwanensis* Hsu & Chen 臺灣黑毛石蛾 [特有] Ref. Hsu & Chen, 1996

### Order Zoraptera 缺翅目

#### Family Zorotypidae 缺翅蟲科

*Zorotypus newi* (Chao & Chen, 2000) 紐氏台灣缺翅蟲 [特有] Ref. Engel & Grimaldi, 2002

## Class Malacostraca 軟甲綱

### Order Amphipoda 端足目

#### Family Anapronoidae 後葉戎科

*Anapronoe reinhardti* Stephensen, 1925 阮氏後葉戎 Ref. 石長泰、陳清潮

#### Family Hyperiidae 戎科

*Hyperietta luzoni* (Stebbing, 1888) 呂氏小戎 Ref. 石長泰、陳清潮  
*Hyperietta stebbingi* Bowman, 1973 斯特丙小戎 Ref. 石長泰、陳清潮  
*Hyperietta stephensi* Bowman, 1973 斯氏小戎 Ref. 石長泰、陳清潮  
*Hyperietta vosseleri* (Stebbing, 1904) 沃氏小戎 Ref. 石長泰、陳清潮  
*Hyperioides longipes* Chevreux, 1900 長足擬蠻戎 Ref. 石長泰、陳清潮  
*Hyperioides sibaginis* (Stebbing, 1888) 羽刺擬蠻戎 Ref. 石長泰、陳清潮  
*Hyperionyx macrodactyla* Stephensen, 1924 大指爪戎 Ref. 石長泰、陳清潮  
*Hyperoche martinezi* (Müller, 1864) 馬氏鉗戎 Ref. 石長泰、陳清潮  
*Hyperoche mediterranea* Senna, 1908 地中海鉗戎 Ref. 石長泰、陳清潮  
*Hyperoche medusarum* (Kroyer, 1838) 水母鉗戎 Ref. 石長泰、陳清潮  
*Laxohyperia vespuliformis* Vinogradov & Volkov in Vinogradov, Volkov & Semenova, 1982 蜂型寬戎 Ref. 石長泰、陳清潮  
*Lestrigonus bengalensis* Giles, 1887 孟加拉蠻戎 Ref. 石長泰、陳清潮  
*Lestrigonus crucipes* (Bovallius, 1889) 齒足蠻戎 Ref. 石長泰、陳清潮  
*Lestrigonus latissimus* (Bovallius, 1889) 闊蠻戎 Ref. 石長泰、陳清潮  
*Lestrigonus macrophthalmus* (Vosseler, 1901) 大眼蠻戎 Ref. 石長泰、陳清潮  
*Lestrigonus schizogeneios* (Stebbing, 1888) 裂頰蠻戎 Ref. 石長泰、陳清潮  
*Lestrigonus shoemakeri* Bowman, 1973 休氏蠻戎 Ref. 石長泰、陳清潮  
*Phronimopsis spinifera* Claus, 1879 針筒巧戎 Ref. 石長泰、陳清潮  
*Themistella fusca* (Dana, 1853) 棕星腳戎 Ref. 石長泰、陳清潮  
*Themisto gracilipes* (Norman, 1869) 細腿長腳戎 Ref. 石長泰、陳清潮

#### Family Lanceolidae 矛戎科

*Lanceola intermedia* Vinogradov, 1957 面矛戎 Ref. 石長泰、陳清潮  
*Lanceola pacifica* Stebbing, 1888 太平洋矛戎 Ref. 石長泰、陳清潮  
*Lanceola pirloti* Shoemaker, 1945 皮氏矛戎 Ref. 石長泰、陳清潮  
*Lanceola sayana* Bovallius, 1885 塞氏矛戎 Ref. 石長泰、陳清潮  
*Lanceola serrata* Bovallius, 1885 齒矛戎 Ref. 石長泰、陳清潮

#### Family Lycaeidae 麗戎科

*Brachyscelus cruscum* Bate, 1861 殼短腿戎 Ref. 石長泰、陳清潮  
*Brachyscelus globiceps* (Claus, 1879) 圓短腿戎 Ref. 石長泰、陳清潮  
*Brachyscelus rapax* (Claus, 1871) 貪短腿戎 Ref. 石長泰、陳清潮  
*Lycaea bajensis* Shoemaker, 1925 麗戎 Ref. 石長泰、陳清潮  
*Lycaea bovallioides* Stephensen, 1925 異牛麗戎 Ref. 石長泰、陳清潮  
*Lycaea pulex* Marion, 1874 蚤麗戎 Ref. 石長泰、陳清潮  
*Lycaea vincentii* Stebbing, 1888 方角麗戎 Ref. 石長泰、陳清潮  
*Pseudolycaea pachypoda* Claus, 1879 後足麗戎 Ref. 石長泰、陳清潮  
*Thamneus rostratus* Bovallius, 1887 Ref. 石長泰、陳清潮  
*Tryphana malmi* Boeck, 1871 顯孔戎 Ref. 石長泰、陳清潮

### Family Lycaeopsidae 秀戎科

- Lycaeopsis themistoides* Claus, 1879 長秀戎 Ref. 石長泰、陳清潮  
*Lycaeopsis zamboanmgae* (Stebbing, 1888) 三寶顏秀戎 Ref. 石長泰、陳清潮

### Family Oxycephalidae 尖頭戎科

- Calamorrhynchus pellucidus* Streets, 1878 明晰附額戎 Ref. 石長泰、陳清潮  
*Craniocephalus scleroticus* (Streets, 1878) 離盔頭戎 Ref. 石長泰、陳清潮  
*Glossoccephalus milneedwardsi* Bovallius, 1887 舌頭戎 Ref. 石長泰、陳清潮  
*Leptocotis tenuirostris* (Claus, 1871) 細額小頭戎 Ref. 石長泰、陳清潮  
*Oxycephalus clausi* Bovallius, 1887 尖頭戎 Ref. 石長泰、陳清潮  
*Oxycephalus latirostris* Claus, 1879 寬吻尖頭戎 Ref. 石長泰、陳清潮  
*Oxycephalus longipes* Spandl, 1927 長足尖頭戎 Ref. 石長泰、陳清潮  
*Oxycephalus piscator* H. Milne Edwards, 1830 漁民尖頭戎 Ref. 石長泰、陳清潮  
*Rhabdosoma armatum* H. Milne Edwards, 1840 武裝棒頭戎 Ref. 石長泰、陳清潮  
*Rhabdosoma brevicaudatum* Stebbing, 1888 短尾棒頭戎 Ref. 石長泰、陳清潮  
*Rhabdosoma minor* Fage, 1954 小棒頭戎 Ref. 石長泰、陳清潮  
*Rhabdosoma whitei* Bate, 1862 尖棒頭戎 Ref. 石長泰、陳清潮  
*Simorhynchotus antennarius* (Claus, 1871) 觸角偏鼻戎 Ref. 石長泰、陳清潮  
*Streetsia challengerii* Stebbing, 1888 異條戎 Ref. 石長泰、陳清潮  
*Streetsia mindanaonis* (Stebbing, 1888) 棉花老條戎 Ref. 石長泰、陳清潮  
*Streetsia porcella* (Claus, 1879) 海條戎 Ref. 石長泰、陳清潮  
*Streetsia steenstrupi* (Bovallius, 1887) 長眼條戎 Ref. 石長泰、陳清潮  
*Tullbergella cuspidata* Bovallius, 1887 尖頭巾戎 Ref. 石長泰、陳清潮

### Family Paraphronimidae 擬巧戎科

- Paraphronima crassipes* Claus, 1879 厚足擬巧戎 Ref. 石長泰、陳清潮  
*Paraphronima gracilis* Claus, 1879 瘦擬巧戎 Ref. 石長泰、陳清潮

### Family Parascalidae 臂戎科

- Schizoscelus ornatus* Claus, 1879 修飾裂臂戎 Ref. 石長泰、陳清潮  
*Thyropus edwardsi* (Claus, 1879) 突擬臂戎 Ref. 石長泰、陳清潮  
*Thyropus sphaeroma* (Claus, 1879) 球盾戎 Ref. 石長泰、陳清潮  
*Thyropus typhoides* (Claus, 1879) 擬臂戎 Ref. 石長泰、陳清潮

### Family Phronimidae 巧戎科

- Phronima atlantica* Guerin, 1836 鈍巧戎 Ref. 石長泰、陳清潮  
*Phronima bucephala* Giles, 1887 牛頭巧戎 Ref. 石長泰、陳清潮  
*Phronima colletti* Bovallius, 1887 突巧戎 Ref. 石長泰、陳清潮  
*Phronima curvipes* Vosseler, 1900 曲足巧戎 Ref. 石長泰、陳清潮  
*Phronima pacifica* Streets, 1877 太平洋巧戎 Ref. 石長泰、陳清潮  
*Phronima sedentaria* (Forsskal, 1775) 隱巧戎 Ref. 石長泰、陳清潮  
*Phronima solitaria* Guerin Meneville, 1836 單巧戎 Ref. 石長泰、陳清潮  
*Phronimella elongata* (Claus, 1862) 長小巧戎 Ref. 石長泰、陳清潮

### Family Phrosinidae 靈戎科

- Anchylomera blossevillii* H. Milne Edwards, 1830 近節戎 Ref. 石長泰、陳清潮  
*Phrosina semilunata* Risso, 1822 半彎靈戎 Ref. 石長泰、陳清潮  
*Primno abyssalis* (Bowman, 1968) 深原戎 Ref. 石長泰、陳清潮  
*Primno brevidens* Bowman, 1978 短密原戎 Ref. 石長泰、陳清潮  
*Primno latreillei* Stebbing, 1888 拉氏原戎 Ref. 石長泰、陳清潮

### Family Platyscelidae 扁足戎科

- Amphithyrus bispinosus* Claus, 1879 雙刺端戎 Ref. 石長泰、陳清潮  
*Amphithyrus glaber* Spandl, 1924 平滑端戎 Ref. 石長泰、陳清潮  
*Amphithyrus muratus* Volkov in Vinogradov, Volkov & Semenova, 1982 具刺端戎 Ref. 石長泰、陳清潮  
*Amphithyrus sculpturatus* Claus, 1879 盾端戎 Ref. 石長泰、陳清潮  
*Amphithyrus similis* Claus, 1879 擬端戎 Ref. 石長泰、陳清潮  
*Hemityphis tenuimanus* Claus, 1879 細手半毛戎 Ref. 石長泰、陳清潮  
*Paratyphis maculatus* Claus, 1879 斑擬毛戎 Ref. 石長泰、陳清潮  
*Paratyphis parvus* Claus, 1887 小擬毛戎 Ref. 石長泰、陳清潮  
*Paratyphis spinosus* Spandl, 1924 多棘擬毛戎 Ref. 石長泰、陳清潮  
*Platyscelus armatus* (Claus, 1879) 武裝扁足戎 Ref. 石長泰、陳清潮  
*Platyscelus ovoides* (Risso, 1816) 卵扁足戎 Ref. 石長泰、陳清潮  
*Platyscelus serratulus* Stebbing, 1888 鋸扁足戎 Ref. 石長泰、陳清潮  
*Tetrathyrus arafurae* Stebbing, 1888 四值戎 Ref. 石長泰、陳清潮  
*Tetrathyrus forcipatus* Claus, 1879 鉗四盾戎 Ref. 石長泰、陳清潮

### Family Pronoidae 葉戎科

- Eupronoe armata* Claus, 1879 武裝真葉戎 Ref. 石長泰、陳清潮  
*Eupronoe intermedia* Stebbing, 1888 間真葉戎 Ref. 石長泰、陳清潮  
*Eupronoe laticarpa* Stephensen, 1925 矩腕真葉戎 Ref. 石長泰、陳清潮  
*Eupronoe maculata* Claus, 1879 斑真葉戎 Ref. 石長泰、陳清潮  
*Eupronoe minuta* Claus, 1879 小真葉戎 Ref. 石長泰、陳清潮  
*Paralycaea gracilis* Claus, 1879 瘦擬麗戎 Ref. 石長泰、陳清潮  
*Parapronoe campbelli* Stebbing, 1888 軟擬葉戎 Ref. 石長泰、陳清潮

*Parapronoe crustulum* Claus, 1879 擬葉戎 Ref. 石長泰、陳清潮  
*Parapronoe elongata* Semenova, 1981 細長擬葉戎 Ref. 石長泰、陳清潮  
*Parapronoe parva* Claus, 1879 小擬葉戎 Ref. 石長泰、陳清潮  
*Pronoe capito* Guerin, 1830 頭葉戎 Ref. 石長泰、陳清潮

### Family Scinidae 錐戎科

*Acanthoscina acanthodes* Stebbing, 1895 荊刺錐戎 Ref. 石長泰、陳清潮  
*Scina borealis* (Sars, 1882) 北方錐戎 Ref. 石長泰、陳清潮  
*Scina crassicornis* (Fabricius, 1775) 粗角錐戎 Ref. 石長泰、陳清潮  
*Scina curvidactyla* Chevreux, 1914 彎指錐戎 Ref. 石長泰、陳清潮  
*Scina incerta* Chevreux, 1900 疑錐戎 Ref. 石長泰、陳清潮  
*Scina marginata* Bovallius, 1885 邊緣錐戎 Ref. 石長泰、陳清潮  
*Scina nana* Wagler, 1926 拉拿錐戎 Ref. 石長泰、陳清潮  
*Scina similis* Stebbing, 1895 擬錐戎 Ref. 石長泰、陳清潮  
*Scina spinosa* Vosseler, 1901 棘錐戎 Ref. 石長泰、陳清潮  
*Scina tullbergi* Bovallius, 1885 圖氏錐戎 Ref. 石長泰、陳清潮

### Family Vibiliidae 片戎科

*Vibilia armata* Bovallius, 1887 武裝片戎 Ref. 石長泰、陳清潮  
*Vibilia australis* Stebbing, 1888 澳洲片戎 Ref. 石長泰、陳清潮  
*Vibilia chuni* Behning & Woltereck, 1912 寬片戎 Ref. 石長泰、陳清潮  
*Vibilia cultripes* Vosseler, 1901 刀足片戎 Ref. 石長泰、陳清潮  
*Vibilia gibbosa* Bovallius, 1887 彎片戎 Ref. 石長泰、陳清潮  
*Vibilia longicarpus* Behning, 1913 長腕片戎 Ref. 石長泰、陳清潮  
*Vibilia propinqua* Stebbing, 1888 鄰片戎 Ref. 石長泰、陳清潮  
*Vibilia pyripes* Bovallius, 1887 梨片戎 Ref. 石長泰、陳清潮  
*Vibilia stebbingi* Behning & Woltereck, 1912 尖片戎 Ref. 石長泰、陳清潮  
*Vibilia viatrix* Bovallius, 1887 游片戎 Ref. 石長泰、陳清潮

## Order Decapoda 十足目

### Family Aethridae 奇淨蟹科

*Aethra scruposa* Linnaeus, 1764 鋸齒奇淨蟹 Ref. Tan, Huang & Ng, 1999a  
*Sakaila japonica* Sakai, 1963 日本酒井蟹 Ref. McLay, Chan & Jeng (in press)

### Family Albuneidae 管鬚蟹科

*Albunea groeningi* 哥氏管鬚蟹  
*Albunea holthuisi* Boyko, 1999 Ref. Boyko, 1999  
*Albunea occultus* 隱藏管鬚蟹  
*Albunea* sp.nov. 1 Boyko Ref. Boyko (in press)\*  
*Albunea* sp.nov. 2 Boyko Ref. 同前  
*Albunea* sp.nov. 3 Boyko Ref. 同前  
*Albunea steinitzi* 史氏管鬚蟹  
*Albunea symmysta* (Linnaeus, 1758) 東方管鬚蟹  
*Paralbunea dayriti* (Serene & Umali, 1965) 長鞭側管鬚蟹

### Family Alpheidae

*Alpheus canaliculatus* Banner & Banner, 1968  
*Alpheus* aff. *kagoshimanus* Hayashi & Nagata, 2000 Ref. Hayashi and Nagata, 2000  
*Alpheus bidens* Olivier, 1811 Ref. Jeng and Chang, 1985\*  
*Alpheus bisncisus* De Haan, 1850 Ref. 同前  
*Alpheus brevicristatus* De Haan, 1850 Ref. 同前  
*Alpheus collumianus* Stimpson, 1861 Ref. 同前  
*Alpheus compressus* Banner & Banner, 1981 Ref. Chace, 1988  
*Alpheus diadema* Dana, 1852 Ref. Jeng and Chang, 1985\*  
*Alpheus distinguendus* de Man, 1909 Ref. 同前  
*Alpheus djiboutensis* de Man, 1909 Ref. Jeng, 1998\* (Chinese)  
*Alpheus edwardsii* Audouin, 1827 Ref. Jeng and Chang, 1985\*  
*Alpheus euphrosyne* de Man, 1897 Ref. 同前  
*Alpheus gracilis* Heller, 1861 Ref. 同前  
*Alpheus inopinatus* Holthuis & Gottlieb, 1958 Ref. Jeng, 1998\* (Chinese)  
*Alpheus leviusculus* Dana, 1852 Ref. Jeng and Chang, 1985\*  
*Alpheus lobidens* De Haan, 1850 Ref. 同前  
*Alpheus lottini* Guerin, 1829 Ref. 同前  
*Alpheus macroskeles* Alcock & Anderson, 1894 Ref. Chace, 1988  
*Alpheus mitis* Dana, 1852 Ref. Jeng and Chang, 1985\*  
*Alpheus obesomanus* Dana, 1985 Ref. 同前  
*Alpheus pacificus* Dana, 1852 太平洋槍蝦 Ref. 同前  
*Alpheus paracrinatus* Miers, 1881 Ref. 同前  
*Alpheus rapax* Fabricius, 1798 Ref. Jeng, 1998\* (Chinese)  
*Alpheus savuensis* de Man, 1908 Ref. Jeng and Chang, 1985\*  
*Alpheus spatulatus* Banner & Banner, 1968 Ref. Chace, 1988  
*Alpheus splendidus* Coutiere, 1897 Ref. Jeng and Chang, 1985\*  
*Alpheus strenuus* Dana, 1852 敏捷槍蝦 Ref. Jeng, 1998\* (Chinese)  
*Alpheus sulcatus* Kingsley, 1878 Ref. Jeng and Chang, 1985\*

*Automate dolichognatha* de Man, 1888 Ref. Chace, 1988  
*Betaeus granulimanus* Yokoya, 1927 Ref. Jeng and Chang, 1985\*  
*Metalpheus paragracilis* Coutiere, 1897 Ref. 同前  
*Stenalpheops crangonus* Anker, Jeng & Chan, 2001 [特有] Ref. Anker, Jeng & Chan, 2001\*  
*Synalpheus charon* Heller, 1861 Ref. Jeng, 1998\* (Chinese)  
*Synalpheus stimpsoni* de Man, 1888 Ref. Jeng and Chang, 1985\*

#### Family Aristaeidae 長鬚蝦科

*Aristaeomorpha foliacea* (Risso, 1827) 葉狀擬鬚蝦  
*Aristaeopsis edwardsiana* Johnson, 1867 Ref. Perez Farfante & Kensley, 1997  
*Aristemomorpha foliacea* Risso, 1891 Ref. Yu & Chan, 1986\*  
*Aristeus mabahissae* Ramadan, 1938 Ref. Komai, 1993  
*Aristeus pallidicauda* Komia, 1993 Ref. Komai, 1993  
*Aristeus virilis* Bate, 1881 Ref. Yu & Chan, 1986\*  
*Plesiopenaeus armatus* Bate, 1881 Ref. Perez Farfante & Kensley, 1997

#### Family Atelecyliidae 近圓蟹科

*Podocatactes hamifer* Rathbun 鉤足擊蟹  
*Trachycarcinus balssi* Rathbun  
*Trachycarcinus elegans* Guinot & Sakai, 1970 秀麗粗背蟹 Ref. Ng & Chan, 1997

#### Family Atyidae 匙指蝦科

*Atyopsis spinipes* Newport, 1847 Ref. Hung, Chan & Yu, 1993\*  
*Caridina brevicarpalis* de Man, 1892 Ref. 同前  
*Caridina faciata* Hung, Chan & Yu, 1993 [特有] Ref. 同前  
*Caridina formosae* Hung, Chan & Yu, 1993 [特有] Ref. Cai & Ng, 1999  
*Caridina japonica* de Man, 1892 Ref. Hung, Chan & Yu, 1993\*  
*Caridina longirostris* H. Milne Edwards, 1837 Ref. 同前  
*Caridina pseudodenticulata* Hung, Chan & Yu, 1993 [特有] Ref. 同前  
*Caridina serrata* Shy & Yu, 1998 鋸齒米蝦  
*Caridina serratirostris* de Man, 1892 Ref. Hung, Chan & Yu, 1993\*  
*Caridina typus* H. Milne Edwards, 1837 Ref. 同前  
*Caridina villadolida* Blanco, 1939 Ref. 同前  
*Caridina weberi* de Man, 1892 Ref. 同前  
*Neocaridina denticulata* de Haan, 1844 Ref. 同前

#### Family Axiidae 阿姑蝦科

*Acanthaxius formosa* Kensley & Chan, 1998 [特有] Ref. Kensley and Chan, 1999\*  
*Acanthaxius grandis* Kensley & Chan, 1998 [特有] Ref. Kensley and Chan, 1998\*  
*Axiopsis consobrina* De Man, 1905 表親擬阿姑蝦  
*Axiopsis werribbe* 韋氏擬阿姑蝦  
*Calaxius acutirostris* Sakai and de Saint Laurent, 1989 尖額麗阿姑蝦 [特有]  
*Calaxius euophthalmus* (de Man, 1905) 真眼麗阿姑蝦  
*Calaxius manningi* Kensley, Lin & Yu, 2000 [特有] Ref. Kensley, Lin & Yu, 2000\*  
*Calocarides chani* Kensley, Lin & Yu, 2000 [特有] Ref. 同前  
*Eutrichocheles crosnieri*  
*Oxyrynchaxius japonica* Parisi, 1917 Ref. Lin, Kensley & Chan, 2000\*  
*Oxyrynchaxius japonicus* Parisi, 1917 長眼阿姑蝦

#### Family Bathypalaemonellidae

*Bathypalaemonella hayashii* Komai, 1995 Ref. Cleva, 2002  
*Bathypalaemonetes brevirostris* Bruce, 1986 Ref. Cleva, 2002  
*Bathypalaemonetes pilosipes* Bruce, 1986 Ref. Cleva, 2002  
*Bathypalaemonetes* sp.nov. CLeva [特有] Ref. Cleva (in press)\*

#### Family Calappidae 饅頭蟹科

*Calappa bicornis* Miers, 1884 雙角饅頭蟹 Ref. Ng et al., 2001  
*Calappa calappa* Linnaeus, 1758 饅頭蟹 Ref. Jeng, 1997  
*Calappa capellonis* Laurie, 1906 Ref. Galil, 1997  
*Calappa gallus* Herbst, 1803 公雞饅頭蟹 Ref. Lin, 1949  
*Calappa hepatica* Linnaeus, 1758 肝葉饅頭蟹 Ref. Terasaki, 1902  
*Calappa japonica* Ortmann, 1892 日本饅頭蟹 Ref. Horikawa, 1940  
*Calappa lophos* Herbst, 1782 卷折饅頭蟹 Ref. Balss, 1922b  
*Calappa philargius* Linnaeus, 1758 逍遙饅頭蟹 Ref. Terasaki, 1902  
*Calappa pustulosa* Alcock, 1896 小型饅頭蟹 Ref. Galil, 1997  
*Calappa quadrimaculata* Takeda & Shikatani, 1990 四斑饅頭蟹 Ref. Takeda & Shikatani, 1990  
*Cycloes granulosa* De Haan, 1837 顆粒圓蟹 Ref. Lin, 1949  
*Mursia armata* De Haan, 1837 武裝筐形蟹 Ref. Ng et al., 2001  
*Mursia danigoi* Galil, 1993 鄧氏筐形蟹 Ref. Tan, Wu & Huang, 2000  
*Mursia microspina* Davie & Short, 1989 微刺筐形蟹 Ref. 同前  
*Paracyclois milneedwardsii* Miers, 1886 艾氏擬圓殼蟹 Ref. 同前

#### Family Callianassidae 美人蝦科

*Callianassa intermedia* 中間美人蝦  
*Calliax bulimba* (Poore & Griffia, 1979) 飢餓姣斧蝦

*Glyptus courierei* (Nobili, 1904) 辜氏離尾蝦  
*Lepidophthalmus kempfi* (Sakai, 1999) 金氏鱗眼蝦  
*Lepidophthalmus* sp. nov. Ngoc-Ho, Lin & Chan [特有] Ref. Ngoc-Ho, Lin & Chan (in prep.)\*

#### Family Callianideidae 玉蝦科

*Callianidea tupa* 正玉蝦

#### Family Calocarididae 秀蝦科

*Ambiaxius foveolatus* Kensley, Lin & Yu, 2000 [特有] Ref. Kensley, Lin & Yu, 2000\*  
*Ambiaxius franklinae* Sakai, 1994 法氏近阿姑蝦  
*Calastacus crosnieri* Kensley & Chan, 1998 [特有] Ref. Kensley and Chan, 2000\*  
*Calastacus laevis* de Saint Laurent, 1972 平滑秀指蝦  
*Calaxiopsis manuingi* 曼氏木阿姑蝦  
*Calaxiopsis serrata* Sakai and de Saint Laurent, 1989 鋸齒木阿姑蝦

#### Family Cambaridae 螯蛄科

*Procambarus clarkii* (Girard, 1852) 克氏原螯蛄

#### Family Camptandriidae 猴面蟹科

*Baruna sinensis* Tan & Huang, 1995 Ref. Sakai, 1939  
*Paracleistostoma depressum* De Man, 1895 扁平擬閉口蟹 Ref. Fukui, Wada & Wang, 1989

#### Family Cancridae 黃道蟹科

*Cancer japonicus* Ortmann, 1893 日本黃道蟹 Ref. Tan, Wu & Huang, 2000  
*Cancer nadaensis* Sakai, 1969 日灘黃道蟹 Ref. Ng & Huang, 1997  
*Platypistoma anaglyptum* De Man

#### Family Carpiliidae 瓢蟹科

*Carpilius convexus* Forskal, 1775 隆背瓢蟹 Ref. Balss, 1922c  
*Carpilius maculatus* Linnaeus, 1758 紅斑瓢蟹 Ref. Sakai, 1939  
*Liagore rubromaculata* De Haan, 1885 紅斑斗蟹 Ref. Lin, 1949

#### Family Chiostylidae 劣柱蝦科

*Eumunida funambulus* Gordon, 1930 Ref. Wu, Chan & Yu, 1997\*  
*Uroptychus naso* Van Dam, 1933 Ref. 同前

#### Family Coenobitidae 陸寄居蟹科

*Birgus latro* Linnaeus, 1767 椰子蟹  
*Coenobita brevimanus* Dana, 1852 短掌陸寄居蟹 Ref. Foo, 1989  
*Coenobita rugosus* H. Milne Edwards, 1837 灰白陸寄居蟹 Ref. Maki & Tsuchiya, 1923  
*Coenobita violascens* Heller, 1862 Ref. McLaughlin et. al., 2007\*

#### Family Corystidae 螯蟹科

*Jonas choprai* Serene, 1971 蕭氏瓊娜蟹 Ref. Serene, 1971  
*Jonas distincta* De Haan, 1885 顯著瓊娜蟹 Ref. Horikawa, 1940  
*Jonas formosae* Balss, 1922 台灣瓊娜蟹 Ref. Balss, 1922a,c

#### Family Crangonidae 褐蝦科

*Aegaeon lacazei* Gourret, 1887 Ref. Chan, 1996\*  
*Aegaeon rathbuni* de Man, 1918 Ref. Chan, 1996\*  
*Neocrangon sagamiensis* Balss, 1913 Ref. Hayashi, 1986  
*Paracrangon aff. australis* Hanamura, Wadley & Taylor, 1999 Ref. Hanamura, Wadley & Taylor, 1999  
*Paracrangon okutanii* Ohe & Takeda, 1986 Ref. Ohe & Takeda, 1986  
*Paraponotocaris aspera* Chace, 1984 Ref. Chan, 1996\*  
*Paraponotocaris levigata* Chace, 1984 Ref. Chan, 1996\*  
*Parapontophilus gracilis* Bate, 1888 Ref. Hlothus, 1993  
*Philocheras incisus* Kemp, 1916 Ref. Hayashi, 1986  
*Pontocaris pennata* Bate, 1888 Ref. Chan, 1996\*  
*Pontocaris sibogae* de Man, 1918 Ref. Chan, 1996\*  
*Prionocrangon brevirostris* 短額鋸褐蝦 [特有]  
*Prionocrangon dofleini* Balss, 1913 Ref. Chace, 1984  
*Prionocrangon formosa* Kim & Chan, 2005 台灣鋸褐蝦 Ref. Kim & Chan, 2005  
*Prionocrangon ommatosteres* Wood-Mason & Alcock, 1891 Ref. Chace, 1984  
*Prionocrangon parvispina* 少刺鋸褐蝦  
*Prionocrangon paucispina* Kim & Chan, 2005 少刺鋸褐蝦 Ref. Kim & Chan, 2005

#### Family Cryptochiridae 隱螯蟹科

*Hapalocarcinus marsupialis* Stimpson 袋腹珊瑚蟹  
*Pseudocryptochirus viridis* Tavares 綠珊瑚蟹

#### Family Ctenochelidae 櫛指蝦科

*Ctenocheles balssi* Kishinouye, 1926 Ref. Matsuzawa and Hayashi, 1997  
*Ctenocheles* sp. nov. Lin & Chan [特有] Ref. Lin & Chan (in prep.)

#### Family Cyclodorippidae 圓關公蟹科

*Ketamia handokoi* Ng & Ho  
*Tymolus brucei* Rathbun  
*Tymolus hirtipes* Tan & Huang, 2000 毛足鬼蟹 Ref. Tan & Huang, 2000

*Tymolus japonicus* Yokoya 日本鬼蟹

*Tymolus uncifer* Lewinson 鉤突鬼蟹

*Xeinostoma sakaii* Ng & Ho

### Family Cymonomidae

*Cymonomus andamanicus* Miers

### Family Dairidae 疣扇蟹科

*Daira perlata* Herbst, 1790 廣闊疣扇蟹 Ref. Sakai, 1939

*Dairoides kusei* Odhner 久世仿疣扇蟹

### Family Diogenidae 活額寄居蟹科

*Aniculus maximus* Edmondson, 1952 大紋寄居蟹 Ref. McLaughlin et. al., 2007\*

*Aniculus miyakei* Forest, 1984 三宅紋寄居蟹 Ref. 同前

*Aniculus retipes* Lewinson 1982 Ref. 同前

*Aniculus ursus* Olivier, 1811 Ref. 同前

*Calcinus elegans* H. Milne Edwards, 1836 秀麗硬殼寄居蟹 Ref. 同前

*Calcinus gaimardii* H. Milne Edwards, 1848 蓋氏硬殼寄居蟹 Ref. 同前

*Calcinus guamensis* Wooster, 1984 關島硬殼寄居蟹 Ref. 同前

*Calcinus laevimanus* Randall, 1840 光掌硬殼寄居蟹 Ref. 同前

*Calcinus latens* Randall, 1840 隱伏硬殼寄居蟹 Ref. 同前

*Calcinus lineapropodus* Morgan & Forest, 1991 線足硬殼寄居蟹 Ref. 同前

*Calcinus minutus* Buitendijk, 1937 微小硬殼寄居蟹 Ref. 同前

*Calcinus morgani* Rahayu & Forest, 1999 Ref. 同前

*Calcinus pulcher* Forest, 1958 優美硬殼寄居蟹 Ref. 同前

*Calcinus seurati* Forest, 1951 塞氏硬殼寄居蟹 Ref. 同前

*Calcinus vachoni* Forest, 1958 瓦氏硬殼寄居蟹 Ref. 同前

*Ciliopagurus babai* Forest, 1995 Ref. 同前

*Ciliopagurus krempfi* Forest, 1995 Ref. 同前

*Ciliopagurus strigatus* Herbst, 1804 溝紋銼指寄居蟹 Ref. 同前

*Clibanarius arethusa* de Man, 1888 疏毛細螯寄居蟹 Ref. 同前

*Clibanarius corallinus* H. Milne Edwards, 1848 珊瑚細螯寄居蟹 Ref. 同前

*Clibanarius englaurus* Ball & Haig, 1972 Ref. 同前

*Clibanarius eurysternus* Hilgendorf, 1879 寬胸細螯寄居蟹 Ref. 同前

*Clibanarius humilis* Dana, 1851 矮小細螯寄居蟹 Ref. 同前

*Clibanarius infraspinus* Hilgendorf, 1869 下棘細螯寄居蟹 Ref. 同前

*Clibanarius longitarsus* de Haan, 1849 長指細螯寄居蟹 Ref. 同前

*Clibanarius merguensis* de Man, 1888 Ref. 同前

*Clibanarius ransoni* Forest, 1993 Ref. 同前

*Clibanarius snelli* Buitendijk, 1937 Ref. 同前

*Clibanarius striolatus* Dana, 1852 條紋細螯寄居蟹 Ref. 同前

*Clibanarius virescens* Krauss, 1843 綠色細螯寄居蟹 Ref. 同前

*Dardanus arrosor* Herbst, 1796 鱗片真寄居蟹 Ref. 同前

*Dardanus aspersus* Berthold, 1846 粗盾真寄居蟹 Ref. 同前

*Dardanus crassimanus* H. Milne Edwards, 1836 厚腕真寄居蟹 Ref. 同前

*Dardanus deformis* H. Milne Edwards, 1836 畸形真寄居蟹 Ref. 同前

*Dardanus gemmatus* H. Milne Edwards, 1848 珠粒真寄居蟹 Ref. 同前

*Dardanus guttatus* Olivier, 1811 線斑真寄居蟹 Ref. 同前

*Dardanus hessii* Miers, 1884 刺足真寄居蟹 Ref. 同前

*Dardanus impressus* de Haan, 1849 印紋真寄居蟹 Ref. 同前

*Dardanus lagopodes* Forskal, 1775 毛足真寄居蟹 Ref. 同前

*Dardanus megistos* Herbst, 1804 斑點真寄居蟹 Ref. 同前

*Dardanus pedunculatus* Herbst, 1804 柄真寄居蟹 Ref. 同前

*Dardanus setifer* H. Milne Edwards, 1836 Ref. 同前

*Diogenes aff. nitidimanus* de Haan, 1849 Ref. 同前

*Diogenes avarus* Heller, 1865 Ref. 同前

*Diogenes edwardsii* de Haan, 1849 艾氏活額寄居蟹 Ref. 同前

*Diogenes jubatus* Nobili, 1903 Ref. 同前

*Diogenes penicillatus* Stimpson, 1858 毛掌活額寄居蟹 Ref. 同前

*Diogenes rectimanus* Miers, 1884 Ref. 同前

*Diogenes spinifrons* de Haan, 1849 棘刺活額寄居蟹 Ref. 同前

*Diogenes tumidus* Rahayu & Forest, 1995 Ref. 同前

*Paguristes acanthomerus* Ortmann, 1892 突腕長眼寄居蟹 Ref. 同前

*Paguristes albimaculatus* Komai, 2001 Ref. 同前

*Paguristes antennarius* Rahayu, 2006 Ref. 同前

*Paguristes arostratus* Rahayu, 2006 Ref. 同前

*Paguristes calvus* Alcock, 1905 Ref. 同前

*Paguristes doederleini* Komai, 2001 Ref. 同前

*Paguristes palythophilus* Ortmann, 1892 海葵長眼寄居蟹 Ref. 同前

*Paguristes puniceus* Henderson, 1896 Ref. 同前

*Paguristes seminudus* Stimpson, 1858 光裸長眼寄居蟹 Ref. 同前

*Paguristes versus* Komai, 2001 Ref. 同前

*Strigopagurus boreonotes* Forest, 1995 Ref. Forest, 1995

*Strigopagurus boreonotus* Forest, 1995 孔背鴉寄居蟹 Ref. McLaughlin et. al., 2007\*

### Family Dorippidae 關公蟹科

- Dorippe quadridens* Fabricius, 1793 四齒關公蟹 Ref. Maki & Tsuchiya, 1923  
*Dorippe sinica* Chen, 1980 中華關公蟹 Ref. Holthuis & Manning, 1990  
*Ethusina sexdentata* Stimpson, 1858 六齒四額蟹 Ref. Ng & Huang, 1997  
*Ethusina alcocki* Ng & Ho 阿氏仿四額蟹  
*Ethusina chenae* Ng Liu & Schubart 陳氏四額蟹  
*Ethusina dilobotus* Stimpson 雙葉四額蟹  
*Ethusina insolita* Ortmann 罕見四額蟹  
*Ethusina macrospina* Ng & Ho 巨棘四額蟹  
*Ethusina saltator* Balss 舞者四額蟹  
*Ethusina taiwanensis* Rathbun 台灣四額蟹  
*Heikea arachnoides* Manning & Holthuis, 1986 蛛形平家蟹 Ref. Ng & Huang, 1997  
*Heikea japonicum* Von Siebold, 1824 日本平家蟹 Ref. Maki & Tsuchiya, 1923  
*Paradorippe granulata* De Haan, 1841 顆粒擬關公蟹 Ref. Sakai, 1937, 1940

### Family Dromiidae 綿蟹科

- Conchoecetes artificiosus* Fabricius, 1798 幹煉平殼蟹 Ref. Chang, 1963  
*Conchoecetes intermedius* Lewinsohn, 1984 中型平殼蟹 Ref. Ng, Chan & Wang, 2000  
*Conchoecetes artificiosus* Hiro 幹煉平殼蟹  
*Conchoecetes intermedius* Fabricius 中型平殼蟹  
*Cryptodromia fukuii* Sakai, 1936 福井氏隱綿蟹 Ref. Jeng, 1997  
*Cryptodromia tumida* Stimpson, 1858 肥胖隱綿蟹 Ref. Ng, Chan & Wang, 2000  
*Dromia dormia* (Linnaeus, 1763) 真綿蟹 Ref. Ng, 1998  
*Dromia wilsoni* Fulton & Grant, 1902 威氏綿蟹 Ref. Ng, Chan & Wang, 2000  
*Lauridromia dehaani* Rathbun, 1923 漢氏勞綿蟹 Ref. Chang, 1963  
*Lauridromia intermedia* Laurie, 1906 中型勞綿蟹 Ref. Lin, 1949  
*Petalomera granulata* Stimpson, 1858 顆粒板蟹 Ref. Ng, Chan & Wang, 2000  
*Sphaerodromia ducousoi* McLay, 1991 圓綿蟹 Ref. McLay, Chan & Jeng (in press)  
*Sphaerodromia kendalli* Alcock & Anderson, 1894 肯氏圓綿蟹 Ref. Jeng, 1997  
*Takedromia cristatipes* Sakai, 1969 脊足武綿蟹 Ref. Ng, Chan & Wang, 2000

### Family Dynomenidae 貝綿蟹科

- Dynomene hispida* Guerin-Meneville, 1832 硬毛貝綿蟹 Ref. Horikawa, 1940  
*Metadynomene tanensis* Yokoya, 1933 Ref. Miyake, 1938

### Family Enoplometopidae 礁螯蝦科

- Enoplometopus crosnieri* Chan & Yu, 1998 Ref. Chan & Yu, 1998\*  
*Enoplometopus daumi*  
*Enoplometopus debelius* Holthuis, 1983  
*Enoplometopus occidentalis* Randall, 1840 Ref. Chan & Yu, 1993\*  
*Enoplometopus voigtmani* Turkay, 1989 Ref. Jeng, 1998\* (Chinese)

### Family Eriphiidae 酋婦蟹科

- Dacryopilumnus rathbunae* Balss, 1932 芮氏淚毛刺蟹 Ref. Suzuki, 1985  
*Epixanthus corrosus* A. Milne Edwards, 1873 粗粒石扇蟹 Ref. Yu et al., 1996  
*Epixanthus dentatus* White, 1847 齒石扇蟹 Ref. Balss, 1922c  
*Epixanthus frontalis* H. Milne Edwards, 1834 平額石扇蟹 Ref. Balss, 1922c  
*Eriphia scabricula* Dana, 1852 粗糙酋婦蟹 Ref. Sakai, 1939  
*Eriphia sebana* Shaw & Nodder, 1803 光手酋婦蟹 Ref. Maki & Tsuchiya, 1923  
*Eriphia smithii* Macleay, 1838 司氏酋婦蟹 Ref. Balss, 1922c  
*Eupilumnus actumnoides* A. Milne Edwards, 1873 尖毛真毛刺蟹 Ref. Suzuki, 1985  
*Eupilumnus globosus* Dana, 1852 球形真毛刺蟹 Ref. Balss, 1922c  
*Hypothalassia armata* De Haan, 1885 武裝深海蟹 Ref. Jeng, Chan, Fung & Chen, 1997  
*Lydia annulipes* H. Milne Edwards, 1834 環紋金沙蟹 Ref. Balss, 1922c  
*Menippe rumphii* Fabricius, 1798 繆氏哲蟹 Ref. Ho & Hung, 1997  
*Myomenippe hardwickii* Gray, 1831 哈氏肉哲蟹 Ref. Lai, Huang & Fang, 1997  
*Ozius guttatus* H. Milne Edwards, 1834 紅點團扇蟹 Ref. Ng, 1998  
*Ozius rugulosus* Stimpson, 1858 皺紋團扇蟹 Ref. Parisi, 1916  
*Ozius tuberculatus* H. Milne Edwards, 1834 疣粒團扇蟹 Ref. Suzuki, 1985  
*Sphaerozium nitidus* Stimpson, 1858 光輝圓扇蟹 Ref. Jeng, Chan, Fung & Chen, 1997

### Family Eugonatonotidae

- Eugonatonotus chacei* Chan & Yu, 1991 Ref. Chan & Yu, 1991\*

### Family Galatheididae 鎧甲蝦科

- Allogalatea elegans* Adams & White, 1848 Ref. Wu, Chan & Yu, 1997\*  
*Cervimunida princeps* Benedict, 1902 Ref. 同前  
*Cervimunida princeps* 首頸刺鎧蝦  
*Galathea aegyptiaca* Paulson, 1875 Ref. Wu, Chan & Yu, 1997\*  
*Galathea coralliophilus* Baba & Oh, 1990 Ref. 同前  
*Galathea inflata* Potts, 1915 Ref. 同前  
*Galathea multilineata* Balss, 1913 Ref. 同前  
*Galathea platycheles* Miyake, 1953 Ref. 同前

*Galathea pubescens* Stimpson, 1858 Ref. 同前  
*Galathea pubescens* 柔毛鎧甲蝦  
*Galathea spinosorostris* Dana, 1852 Ref. Wu, Chan & Yu, 1997\*  
*Galathea squamea* Stimpson, 1858 Ref. 同前  
*Galathea subsquamata* 似鱗鎧甲蝦  
*Munida albiapicula* Baba & Yu, 1987 [特有] Ref. Wu, Chan & Yu, 1997\*  
*Munida armata* Baba, 1988 Ref. 同前  
*Munida babai* Tirmizi & Javed, 1976 Ref. 同前  
*Munida caesua* 斷脊刺鎧蝦  
*Munida caesura* Macpherson & Baba, 1993 Ref. Wu, Chan & Yu, 1997\*  
*Munida compressa* Baba, 1988 Ref. 同前  
*Munida incerta* Henderson, 1888 Ref. 同前  
*Munida japonica* Stimpson, 1858 Ref. 同前  
*Munida kuboi* Yanagita, 1943 Ref. 同前  
*Munida oritea* Macpherson & Baba, 1993 Ref. 同前  
*Munida pherusa* Macpherson & Baba, 1993 Ref. 同前  
*Munida pilorhyncha* Miyake & Baba, 1966 Ref. 同前  
*Munida pilosimanus* Baba, 1969 Ref. 同前  
*Munida prominula* Baba, 1988 Ref. 同前  
*Munida soelae* Baba, 1986 Ref. 同前  
*Munida squamosa* Henderson, 1885 Ref. 同前  
*Munida tenuipes* Miyake & Baba, 1967 Ref. 同前  
*Munida thoe* Macpherson, 1994 Ref. 同前  
*Munidopsis andamanica* MacGilchrist, 1905 Ref. 同前  
*Munidopsis cylindrophthalma* Alcock, 1894 Ref. 同前  
*Munidopsis cylindrophthalma* (Alcock, 1894) 柱臂仿刺鎧蝦  
*Munidopsis formosa* Wu & Chan, 2000 [特有] Ref. Wu & Chan, 2000\*  
*Munidopsis latimana* Miyake & Baba, 1966 Ref. Wu, Chan & Yu, 1997\*  
*Munidopsis profunda* Baba, 2005 深淵仿刺鎧蝦 Ref. Osawa et al., 2008  
*Munidopsis tafrii* Osawa, Lin & Chan, 2008 水試仿刺鎧蝦 Ref. 同前  
*Paramunida proxima* Henderson, 1885 Ref. Wu, Chan & Yu, 1997\*  
*Paramunida scabra* Henderson, 1885 Ref. 同前  
*Shinikaia crosnieri* Baba & Williams, 1998 Ref. Chan, Lee & Lee, 2000\*

#### Family Gecarcinidae 地蟹科

*Cardisoma carnifex* Herbst, 1794 兇狠圓軸蟹 Ref. Oshima, 1921a  
*Discoplax hirtipes* Dana, 1851 毛足圓盤蟹 Ref. Sakai, 1939  
*Discoplax rotundum* Quoy & Gaimard, 1824 圓形圓盤蟹 Ref. Ho, Shy & Yu, 1992  
*Epigrapsus notatus* Heller, 1865 顯赫表方蟹 Ref. Ng, Liu & Wang, 1999  
*Epigrapsus politus* Heller, 1862 光滑表方蟹、小隱蟹  
*Gecarcoidea lalandii* H. Milne Edwards, 1837 紫地蟹 Ref. Sakai, 1939

#### Family Geryonidae 怪蟹科

*Chaceon granulatus* Sakai, 1978 Ref. Ng, Chan & Ng, 1998  
*Chaceon manningi* Ng Lee & Yu, 1994 Ref. Ng, Lee & Yu, 1994

#### Family Glyphocrangonidae

*Glyphocrangon* sp.nov. 1 Komai Ref. Komai, in press\*  
*Glyphocrangon* sp.nov. 2 Komai Ref. 同前  
*Glyphocrangon* sp.nov. 3 Komai Ref. 同前  
*Glyphocrangon* sp.nov. 4 Komai Ref. Komai & Chan, in prep\*  
*Glyphocrangon* sp.nov. 5 Komai Ref. 同前  
*Glyphocrangon stenolepis* Chace, 1984 Ref. Komai & Chan, 1998\*

#### Family Gnathophyllidae

*Gnathophyllum americanum* Guerin, 1857 Ref. Jeng, 1998\* (Chinese)

#### Family Goneplacidae 長腳蟹科

*Camatopsis rubida* Alcock & Anderson, 1899 Ref. Fang, 1991  
*Carcinoplax inaequalis* Ihle  
*Carcinoplax longimana* De Haan, 1885 長手隆背蟹 Ref. Lin, 1949  
*Carcinoplax nana* H. Milne Edwards  
*Carcinoplax purpurea* Rathbun, 1914 紫隆背蟹 Ref. Ng et al., 2001  
*Carcinoplax specularis* Schubart Liu & Cuesta  
*Carcinoplax suruguensis* Rathbun, 1932 駿河隆背蟹 Ref. Huang, 1994  
*Carcinoplax tomentosa* Sakai, 1969 絨毛隆背蟹 Ref. Ng et al., 2001  
*Eucrate alcocki* Serene in Serene & Lohavanijaya, 1973 阿氏強蟹 Ref. Sakai, 1974  
*Eucrate solaris* Yang & Sun, 1979 太陽強蟹 Ref. Ng et al., 2001  
*Goneplax renoculis* De Haan  
*Mathildella serrata* Sakai, 1974 鋸齒杯蟹 Ref. Ng & Chan, 2000  
*Ommatocarcinus pulcher* Barnard, 1950 美麗長眼柄蟹 Ref. Ng & Huang, 1997  
*Platypilumnus soelae* Garth, 1987 Ref. Ng & Chan, 1998  
*Pseudozius caystrus* Adams & White, 1849 礁石假團扇蟹 Ref. Hwang & Yu, 1980  
*Psopheticus hughi* Ng & Ho

*Psopheticus insignis* Alcock, 1900 Ref. Sakai, 1976  
*Scalopidia spinosipes* Stimpson, 1858 Ref. Fang, 1991  
*Singhaplax nipponensis* Ortmann

### Family Grapsidae 方蟹科

*Acmaeopleura parvula* Stimpson, 1858 Ref. Fukui, Wada & Wang, 1989  
*Chasmagnathus convexus* De Haan, 1885 隆背張口蟹 Ref. Terao, 1916  
*Chiromantes dehaani* H. Milne Edwards, 1853 漢氏無齒螳臂蟹 Ref. Terao, 1916  
*Chiromantes haematochir* De Haan, 1833 紅螳臂蟹 Ref. Balss, 1922c  
*Clistocoeloma sinense* Shen, 1933 中華泥毛蟹 Ref. Sakai, 1939  
*Cyclograpsus integer* H. Milne Edwards, 1837 整潔圓方蟹 Ref. Fukui, Wada & Wang, 1989  
*Cyclograpsus intermedius* Ortmann, 1894 中型圓方蟹 Ref. Dai, Yang, Song & Chen, 1986  
*Episesarma lafondi* Jacquinet & Lucas, 1853 Ref. Ng, 1998  
*Eriocheir japonicus* De Haan, 1885 日本絨螯蟹 Ref. Terao, 1915a  
*Gaetice depressus* De Haan, 1833 平背蟻 Ref. Maki & Tsuchiya, 1923  
*Geograpsus crinipes* Dana, 1851 毛足陸方蟹 Ref. Wang & Liu, 1996a  
*Geograpsus grayi* H. Milne Edwards, 1853 葛氏陸方蟹 Ref. Sakai, 1939  
*Geograpsus stormi* De Man, 1895 斯氏陸方蟹 Ref. Ho, 1997  
*Geosesarma hednon* Guinot 紅指陸相手蟹  
*Grapsus albolineatus* Lamarck, 1818 白紋方蟹 Ref. Oshima, 1921a  
*Grapsus longitarsis* Dana, 1851 長趾方蟹 Ref. Sakai, 1939  
*Grapsus tenuicrustatus* Herbst, 1783 細紋方蟹 Ref. Maki & Tsuchiya, 1923  
*Helice formosensis* Rathbun, 1931 台灣厚蟹 Ref. Rathbun, 1931  
*Helice* sp. 厚蟹 Ref. Sakai, 1939  
*Helice subquadrata* Dana, 1851 亞方厚蟹 Ref. Sakai, 1939  
*Hemigrapsus penicillatus* De Haan, 1885 絨毛近方蟹 Ref. Sakai, 1939  
*Hemigrapsus sanguineus* De Haan, 1885 肉球近方蟹 Ref. Balss, 1922c  
*Labuandatum scandens* Rathbun 爬樹腫鬚蟹  
*Labuanium rotundatum* Hess, 1865 圓形腫鬚蟹 Ref. Sakai, 1939  
*Labuanium trapezoideum* Ng & Ho 梯形腫鬚蟹  
*Metaplax elegans* de Man, 1888 秀麗長方蟹 Ref. Fukui, Wada & Wang, 1989  
*Metaplax takahashii* Sakai, 1939 高橋長方蟹 Ref. Sakai, 1939  
*Metasesarma aubryi* A. Milne Edwards, 1869 奧氏後相手蟹 Ref. Maki & Tsuchiya, 1923  
*Metasesarma rousseauxi* H. Milne Edwards, 1853 盧氏後相手蟹 Ref. Balss, 1922c  
*Metopograpsus messor* Forskal, 1775 平分大額蟹 Ref. Balss, 1922c  
*Metopograpsus thukuhar* Owen, 1839 方形大額蟹 Ref. Fukui, Wada & Wang, 1989  
*Nanosesarma gordonii* Shen, 1935 戈氏小相手蟹 Ref. 同前  
*Nanosesarma minutum* De Man, 1887 小型小相手蟹 Ref. Hsueh, 1996  
*Neosarmatium fourmanoiri* Sere\ne, 1973 Ref. Ng, Liu & Wang, 1997  
*Neosarmatium indicum* A. Milne Edwards, 1868 印度新脹蟹 Ref. 同前  
*Neosarmatium meinerti* De Man, 1887 邁氏新脹蟹 Ref. Horikawa, 1940  
*Neosarmatium punctatum* A. Milne Edwards, 1873 細點新脹蟹 Ref. Ng, Liu & Wang, 1997  
*Neosarmatium rotundifrons* A. Milne Edwards, 1869 圓額新脹蟹 Ref. 同前  
*Pachygrapsus crassipes* Randall, 1839 粗腿厚紋蟹 Ref. Sato, 1936c,d  
*Pachygrapsus fakaravensis* Rathbun, 1907 厚紋蟹 Ref. Hwang & Yu, 1980  
*Pachygrapsus minutus* A. Milne Edwards, 1873 小厚紋蟹 Ref. Sakai, 1939  
*Pachygrapsus planifrons* De Man, 1888 平額厚紋蟹  
*Pachygrapsus plicatus* H. Milne Edwards, 1873 褶痕厚紋蟹 Ref. Wang & Liu, 1996a  
*Parapyxidognathus deianira* de Man, 1888 長方擬方額蟹 Ref. Fukui, Wada & Wang, 1989  
*Parasesarma acis* Davie, 1993 擬相手蟹 Ref. Suzuki, 1985  
*Parasesarma pictum* De Haan, 1885 斑點擬相手蟹 Ref. Balss, 1922c  
*Parasesarma plicatum* Latreille, 1806 褶痕擬相手蟹 Ref. Maki & Tsuchiya, 1923  
*Parasesarma tripectinis* Shen, 1940 三櫛擬相手蟹 Ref. Hsueh, 1995, 1996  
*Perisesarma bidens* De Haan, 1885 雙齒近相手蟹 Ref. Oshima, 1921a  
*Planes cyaneus* Dana, 1851 藍色漂浮蟹 Ref. Sakai, 1939  
*Platyeriocheir formosa* Chan Hung & Yu, 1995 台灣扁絨螯蟹 [特有] Ref. Sakai, 1938b  
*Pseudograpsus albus* Stimpson, 1858 白假方蟹 Ref. Suzuki, 1985  
*Pseudograpsus setosus* Fabricius, 1778 Ref. Ng, Jeng & Ng (in press)  
*Ptychognathus altimanus* (Rathbun, 1914) 高掌折顎蟹 Ref. Naruse et al., 2005  
*Ptychognathus barbatus* A. Milne Edwards, 1873 絨毛折顎蟹 Ref. Maki & Tsuchiya, 1923  
*Ptychognathus hachijoensis* Sakai, 1955 八丈折顎蟹 Ref. Fukui, Wada & Wang, 1989  
*Ptychognathus ishii* Sakai, 1939 伊師折顎蟹 Ref. Sakai, 1939  
*Ptychognathus takahashii* Sakai, 1939 高橋折顎蟹 Ref. Sakai, 1939  
*Scandarma lintou* Balss 林投蟹  
*Sesarmops impressus* H. Milne Edwards, 1837 印痕仿相手蟹 Ref. Sakai, 1939  
*Sesarmops intermedium* De Han, 1885 中型仿相手蟹 Ref. Terao, 1916  
*Stelgistra stormi* De Man, 1895 Ref. Ng & Liu, 1999  
*Thalassograpsus harpax* Hilgendorf, 1892 掠食海方蟹 Ref. Sakai, 1939  
*Utica borneensis* De Man, 1895 婆羅扁平蟹 Ref. Maki & Tsuchiya, 1923  
*Utica gracilipes* White, 1847 細足扁平蟹 Ref. Naruse et al., 2005  
*Varuna litterata* Fabricius, 1798 字紋弓蟹 Ref. Balss, 1922c  
*Varuna yui* Hwang & Takeda, 1986 游氏弓蟹 Ref. Hwang & Takeda, 1986

*Xenograpsus testudinatus* Ng Huang & Ho, 2000 烏龜怪方蟹 Ref. Ng, Huang & Ho, 2000

### Family Hippidae 蟬蟹科

- Hippa adactyla* Fabricius, 1787 Ref. Boyko, 1999  
*Hippa admirabilis* (Tallwitz, 1892) 讚歎蟬蟹  
*Hippa ovalis* A. Milne-Edwards, 1862 Ref. Boyko, 1999  
*Hippa truncatifrons* Miers, 1878 Ref. Haig et al., 1970  
*Matifochirus gracilis* Stimpson, 1858 Ref. Boyko, 1999

### Family Hippolytidae

- Hetacarpus futirostris* Bate, 1888 Ref. Wu, 1994\* (thesis)  
*Hippolyte ventricosa* H. Milne Edwards, 1837 Ref. 同前  
*Lebbeus spongiaris* Komai, 2001 Ref. Komai, 2001  
*Lysmata amboinensis* de Man, 1888 Ref. Jeng, 1998\* (Chinese)  
*Lysmata kukenthali* de Man, 1902 Ref. Chace, 1997  
*Lysmata vittata* Stimpson, 1860 Ref. Chace, 1997  
*Saron marmoratus* Olivier, 1811 Ref. Wu, 1994\* (thesis)  
*Saron neglectus* de Man, 1902 隱密掃帚蝦 Ref. 同前  
*Thor amboinensis* de Man, 1888 Ref. 同前

### Family Homolidae 人面蟹科

- Homola mieensis* Sakai, 1979 密氏人面蟹 Ref. Ng et al., 2001  
*Homola orientalis* Henderson, 1888 東方人面蟹 Ref. Tan, Huang & Ng, 2000  
*Homolochunia gadaletae* Guinot & Richer de Forges, 1995 Ref. Huang & Hsueh, 1998  
*Homologenus malayensis* Rathbun  
*Homolomania occlusa* Guinot & Richer de Forges, 1981 Ref. Tan, Huang & Ng, 2000  
*Homolomania sibogae* Ihle, 1912 Ref. 同前  
*Lamoha murotoensis* Sakai, 1979 Ref. Guinot & de Forges, 1995  
*Latreillopsis bispinosa* Henderson, 1888 雙刺仿蛛形蟹 Ref. Ng & Huang, 1997  
*Moloha majora* Kubo, 1936 Ref. Tan, Huang & Ng, 2000  
*Paromola japonica* Parisi, 1915 日本擬人面蟹 Ref. Jeng, Chan, Fung & Chen, 1997  
*Paromola macrochira* Sakai, 1961 巨螯擬人面蟹 Ref. Ng & Huang, 1997

### Family Homolodromiidae 人面錦蟹科

*Dicranodromia doederleini* Yokoya

### Family Hymenoceridae

*Hymenocera picta* Dana, 1852 Ref. Jeng, 1998\* (Chinese)

### Family Hymenosomatidae 膜殼蟹科

- Elamena truncata* Stimpson, 1858 Ref. Ng & Chuang, 1996  
*Halicarcinus coralicola* Rathbun, 1909 Ref. Sakai, 1938a  
*Halicarcinus hondai* Takeda & Miyake, 1971 Ref. Suzuki, 1985  
*Halicarcinus setirostris* Stimpson, 1858 Ref. Ng & Jeng, 1999a  
*Trigonoplax unguiformis* De Haan, 1839 Ref. Jeng, 1997

### Family Laomediidae 泥蝦科

*Laomedia astacina* De Haan, 1841 Ref. Ngoc-Ho, 1997\*

### Family Latreilliidae 蛛形蟹科

- Eplumula phalangium* De Haan, 1839 長蹄 Ref. Tan, Huang & Ng, 2000  
*Latreillia valida* De Haan, 1839 強壯蛛形蟹 Ref. 同前

### Family Leucosiidae 玉蟹科

- Arcania elongata* Yokoya, 1933 長形栗殼蟹 Ref. Ng & Huang, 1997  
*Arcania heptacantha* De Haan, 1861 七刺栗殼蟹 Ref. Lin, 1949  
*Arcania quinquespinosa* Alcock & Anderson, 1894 五刺栗殼蟹 Ref. Lin, 1949  
*Arcania septemspinosa* Fabricius, 1787 脊七刺栗殼蟹 Ref. Ng et al., 2001  
*Arcania undecimspinosa* De Haan, 1841 十一刺栗殼蟹 Ref. Sakai, 1937  
*Heteronucia laminata* Doflein, 1904 Ref. Ng & Huang, 1997  
*Iphiculus spongiosus* Adams & White, 1848 海綿精干蟹 Ref. Lin, 1949  
*Ixa cylindrus* Fabricius 筒狀飛輪蟹 Ref. Lin, 1949  
*Ixa edwardsii* Lucas, 1858 艾氏飛輪蟹 Ref. Ng et al., 2001  
*Ixa inermis* Leach, 1817 飛輪蟹 Ref. Lin, 1949  
*Ixoides cornutus* MacGilchrist, 1905 雙角轉輪蟹 Ref. Lin, 1949  
*Leucosia anatum* Herbst, 1783 鴨額玉蟹 Ref. Chang, 1963  
*Leucosia craniolaris* Linnaeus, 1758 頭蓋玉蟹 Ref. Lin, 1949  
*Leucosia formosensis* Sakai, 1937 台灣玉蟹 Ref. Sakai, 1937  
*Leucosia haematosticta* Adams & White, 1849 紅斑玉蟹 Ref. Huang, 1994  
*Leucosia rhomboidalis* De Haan, 1850 斜方玉蟹 Ref. Ng et al., 2001  
*Leucosia unidentata* De Haan, 1841 單齒玉蟹 Ref. Chang, 1963  
*Leucosia vittata* Stimpson, 1858 帶紋玉蟹 Ref. Lin, 1949  
*Myra affinis* Bell, 1855 近親長臂蟹 Ref. Chang, 1963  
*Myra biconica* Ihle, 1918 長臂蟹 Ref. Ng et al., 2001  
*Myra fugax* Fabricius, 1798 遁行長臂蟹 Ref. Lin, 1949  
*Nursia plicata* Herbst, 1803 褶痕五角蟹 Ref. Ng et al., 2001

*Parilia major* Sakai, 1961 大等螯蟹 Ref. Tan, Wu & Huang, 2000  
*Pariphiculus mariannae* Herklots, 1852 海洋擬精干蟹 Ref. Ng et al., 2001  
*Philyra heterograna* Ortmann, 1892 雜粒拳蟹 Ref. 同前  
*Philyra pisum* De Haan, 1841 豆形拳蟹 Ref. Maki & Tsuchiya, 1923  
*Philyra platycheir* De Haan, 1841 長螯拳蟹 Ref. Lin, 1949  
*Philyra platychira* Chen 長螯拳蟹  
*Philyra tuberculosa* Stimpson, 1858 疙瘡拳蟹 Ref. Sakai, 1937, 1940  
*Randallia eburnea* Alcock, 1896 象牙長螯蟹 Ref. Chang, 1963  
*Randallia pustuloides* Sakai, 1961 泡型長螯蟹 Ref. Tan, Wu & Huang, 2000  
*Randallia pustulosa* Wood Mason & Alcock, 1891 擬泡型長螯蟹 Ref. 同前

### Family Lithodidae

*Lithodes aff. longispina* Sakai, 1971 Ref. Ikeda, 1998  
*Lithodes turritus* Ortmann, 1892 Ref. Wu, Chan & Yu, 1998\*  
*Neolithodes nipponensis* Sakai, 1971 Ref. Ikeda, 1998  
*Paraslomis dofleini* Balss, 1911 Ref. Ikeda, 1998

### Family Luciferidae 瑩蝦科

*Lucifer faxoni* Borradaile 費氏瑩蝦  
*Lucifer hanseni* Nobili 漢森瑩蝦  
*Lucifer intemedius* Hansen 中型瑩蝦  
*Lucifer penicillifer* Hansen 刷狀瑩蝦  
*Lucifer typus* H. Milne-Edwards 正型瑩蝦

### Family Majidae 蜘蛛蟹科

*Acanthonyx formosa* Wu Yu & Ng, 1999 台灣刺角蟹 Ref. Horikawa, 1940  
*Achaeus pugnax* De Man 好鬥英雄蟹  
*Camposcia retusa* Latreille, 1892 鈍額曲毛蟹 Ref. Chang, 1963  
*Choniognathus reini* Ortmann 雷氏合顎蟹  
*Cyclax suborbicularis* Stimpson, 1858 似球圓蛛蟹 Ref. Yu et al., 1996  
*Cyclocoeloma tuberculata* Miers, 1880 瘤狀圓腔蟹 Ref. Jeng, 1997  
*Cyrtomaia curvicerus* Bouvier, 1915 彎角刺蛛蟹 Ref. Ng et al., 2001  
*Cyrtomaia horrida* Rathbun 粗糙刺蛛蟹  
*Cyrtomaia murrayi* Miers, 1886 莫氏刺蛛蟹 Ref. Ng & Huang, 1997  
*Doclea canalifera* Stimpson, 1857 溝痕絨球蟹 Ref. Lin, 1949  
*Doclea japonica* Ortmann, 1893 日本絨球蟹 Ref. Lin, 1949  
*Dumeia taiwanicus* Loh & Wu, 1998 Ref. Loh & Wu, 1998  
*Goniopugettia sagamiensis* Gordon, 1931 Ref. Huang & Hsueh, 1998  
*Huenia heraldica* De Haan, 1837 紋章藻片蟹 Ref. Dai, Yang, Song & Chen, 1986  
*Hyastenus diacanthus* De Haan, 1839 雙角互敬蟹 Ref. Lin, 1949  
*Macrocheira kaempferi* Temminck, 1836 甘氏巨螯蟹 Ref. Huang, Yu & Takeda, 1990  
*Maja japonica* Rathbun, 1932 日本蜘蛛蟹 Ref. Lin, 1949  
*Maja kominatoensis* Kubo, 1936 Ref. Chou, Lai & Fang, 1999  
*Maja spinigera* De Haan, 1839 棘刺蜘蛛蟹 Ref. Sakai, 1938a  
*Menaethius monoceros* Latreille, 1825 單刺單角蟹 Ref. Sakai, 1938a  
*Oxypleurodon stimpsoni* Ortmann 斯氏尖胸齒蟹  
*Phalangipus filiformis* Rathbun, 1916 絲狀長蹄蟹 Ref. Maki & Tsuchiya, 1923  
*Phalangipus hystrix* Miers, 1886 銳刺長蹄蟹 Ref. Sato, 1936c,d  
*Phalangipus longipes* Linnaeus, 1758 長足長蹄蟹 Ref. Lin, 1949  
*Platymaia bartschi* Rathbun, 1916 大扁蛛蟹 Ref. Ng et al., 2001  
*Platymaia remifera* Rathbun, 1916 多槳扁蛛蟹 Ref. Ng & Huang, 1997  
*Pleistacantha oryx* Ortmann, 1893 羚角密刺蟹 Ref. Chou, Lai & Fang, 1999  
*Pleistacantha sanctijohannis* Miers, 1879 聖氏密刺蟹 Ref. Ng et al., 2001  
*Prismatopus longispinus* De Haan, 1839 Ref. Suzuki, 1985  
*Pugettia nipponensis* Shen 日本磯蟹  
*Rochinia kotakae* Ng & Ho 小鷹錐刺蟹  
*Rochinia pulchra* De Man 美麗錐刺蟹  
*Schizophroidea hilensis* Rathbun, 1906 希氏擬裂額蟹 Ref. Chang, 1963  
*Schizophrys aspera* H. Milne Edwards, 1834 粗甲裂額蟹 Ref. Miyake, 1938  
*Tiarinia cornigera* Latreille, 1825 Ref. Tzeng & Chen, 1992  
*Tiarinia depressa* Stimpson, 1857 扁平併額蟹 Ref. Miyake, 1938  
*Tiarinia spinigera* Stimpson, 1857 帶刺併額蟹 Ref. Chang, 1963  
*Tylocarcinus styx* Herbst, 1803 Ref. Miyake, 1938  
*Xenocarcinus tuberculatus* White, 1847 瘤狀扁異蟹 Ref. Jeng, 1994b

### Family Matutidae 黎明蟹科

*Ashtoret maculata* Miers, 1877 繁點紋腕蟹 Ref. Balss, 1922b  
*Izanami curtispina* Sakai, 1961 短刺伊氏蟹 Ref. Ng & Huang, 1997  
*Matuta planipes* Fabricius, 1798 紅線黎明蟹 Ref. Lin, 1949  
*Matuta victor* Fabricius, 1781 頑強黎明蟹 Ref. Oshima, 1921a

### Family Micheleidae 亮指蝦科

*Meticonaxius soelae* 索氏錐阿姑蝦

### Family Mictyridae 和尚蟹科

*Mictyris brevidactylus* Stimpson, 1858 短指和尚蟹 Ref. Parisi, 1918

### Family Nematocarinidae

*Nematocarcinus undulatipes* Bate, 1888 Ref. Lin & Chan, 2000\*

### Family Nephropidae 海螯蝦科

*Metanephrops andamanicus* (Wood-Mason, 1891) 安達曼後海螯蝦

*Metanephrops armatus* Chan & Yu, 1991 [特有] Ref. Chan & Yu, 1993\*

*Metanephrops challengerii* (Balss, 1914)

*Metanephrops formosanus* Chan & Yu, 1987 [特有] Ref. Chan & Yu, 1993\*

*Metanephrops japonicus* (Tapparone-Canefri, 1873)

*Metanephrops rubellus* (Moreira, 1903)

*Metanephrops sagamiensis* Parisi, 1917 Ref. Chan & Yu, 1993\*

*Metanephrops sibogae* (de Man, 1916)

*Metanephrops sinensis* (Bruce, 1966)

*Metanephrops thomsoni* Bate, 1888 Ref. Chan & Yu, 1993\*

*Metanephrops velutinus* Chan and Yu, 1991

*Nephrops norvegicus* (Linnaeus, 1758)

*Nephropsis serrata* 鋸齒擬海螯蝦

*Nephropsis stewarti* 史氏擬海螯蝦

*Nephropsis stewarti* Wood-Mason, 1872 Ref. Chan & Yu, 1993\*

*Thaumastocheles dochmiodon* Chan & de Saint Laurent, 1999 Ref. Chan & de Saint Laurent, 1999\*

*Thaumastocheles japonicus* Calman, 1874 Ref. 同前

*Thymopides grobovi* (Burukousky & Averia, 1976)

### Family Ocypodidae 沙蟹科

*Ilyoplax delsmanni* De Man, 1926 德氏泥蟹 Ref. Takahasi, 1935

*Ilyoplax formosensis* Rathbun, 1921 台灣泥蟹 [特有] Ref. Maki & Tsuchiya, 1923

*Ilyoplax integra* Tesch, 1918 整潔泥蟹 Ref. Sakai, 1939

*Ilyoplax tansuiensis* Sakai, 1939 淡水泥蟹 Ref. Sakai, 1939

*Macrophthalmus abbreviatus* Manning & Holthuis, 1981 短身大眼蟹 Ref. Maki & Tsuchiya, 1923

*Macrophthalmus banzai* Wada & Sakai, 1989 萬歲大眼蟹 Ref. 同前

*Macrophthalmus boscii* Audouin & Savigny, 1825 薄氏大眼蟹 Ref. Sakai, 1939

*Macrophthalmus boteltobagoae* Sakai, 1939 蘭嶼大眼蟹 Ref. Sakai, 1939

*Macrophthalmus ceratophorus* Sakai, 1969 角眼大眼蟹 Ref. Ho, 1995

*Macrophthalmus convexus* Stimpson, 1858 隆背大眼蟹 Ref. Maki & Tsuchiya, 1923

*Macrophthalmus latreillei* Desmarest, 1822 拉氏大眼蟹 Ref. Ng et al., 2001

*Macrophthalmus quadratus* A. Milne Edwards, 1873 方形大眼蟹 Ref. Jeng, 1997

*Macrophthalmus serenei* Takeda & Komai, 1991 攝氏大眼蟹 Ref. Jeng, 1997

*Macrophthalmus tomentosus* Souleyet, 1841 絨毛大眼蟹 Ref. Balss, 1922c

*Ocypode ceratophthalmus* Pallas, 1772 角眼沙蟹 Ref. Parisi, 1918

*Ocypode cordimana* Desmarest, 1825 平掌沙蟹 Ref. Dai, Yang, Song & Chen, 1986

*Ocypode sinensis* Dai Song & Yang, 1985 中華沙蟹 Ref. Maki & Tsuchiya, 1923

*Ocypode stimpsoni* Ortmann, 1897 斯氏沙蟹 Ref. Sakai, 1939

*Scopimera bitympa* Shen, 1930 雙扇股窗蟹 Ref. Takahasi, 1935

*Scopimera globosa* De Haan, 1885 圓球股窗蟹 Ref. Takahasi, 1934a

*Scopimera longidactyla* Shen, 1932 長趾股窗蟹 Ref. Sakai, 1940

*Tmethypocoelis ceratophora* Koelbel, 1897 角眼拜佛蟹 Ref. Takahasi, 1935

*Uca arcuata* De Haan, 1885 弧邊招潮蟹 Ref. Parisi, 1918

*Uca borealis* Crane, 1975 北方招潮蟹 Ref. Balss, 1922c

*Uca coarctata* H. Milne Edwards, 1852 窄招潮蟹 Ref. Fukui, Wada & Wang, 1989

*Uca crassipes* Adams & White, 1848 粗腿招潮蟹 Ref. Sakai, 1939

*Uca dussumieri* H. Milne Edwards, 1852 屠氏招潮蟹 Ref. Huang, Yu & Takeda, 1989

*Uca formosensis* Rathbun, 1921 台灣招潮蟹 [特有] Ref. Rathbun, 1921

*Uca lactea* De Haan, 1885 清白招潮蟹 Ref. Parisi, 1918

*Uca perplexa* H. Milne Edwards, 1837 糾結招潮蟹 Ref. Fukui, Wada & Wang, 1989

*Uca tetragonon* Herbst, 1790 四角招潮蟹 Ref. Ho, Wang, Lin & Yu, 1993

*Uca triangularis* A. Milne Edwards, 1873 三角招潮蟹 Ref. Dai, Yang, Song & Chen, 1986

### Family Ogyrididae

*Ogyrides orientalis* Stimpson, 1860 Ref. Holthuis, 1993

### Family Oplophoridae 刺蝦科

*Acanthephyra armata* A. Milne-Edwards, 1881 Ref. Chace, 1986

*Acanthephyra cucullata* Faxon, 1893 Ref. Chace, 1986

*Acanthephyra examia* Smith, 1884 Ref. Lin, 2000 (thesis)\*

*Acanthephyra quadrispinosa* Kemp, 1939 Ref. 同前

*Acanthephyra cultirostris* Wood-Mason, 1891 Ref. Chace, 1986

*Acanthephyra quadrispinosa* 四刺棘蝦

*Ephyra figueirai* Lin & Chan, 2001 Ref. Lin & Chan, 2001\*

*Janicella spinicauda* A. Milne-Edwards, 1883 Ref. Chace, 1986

*Notostomus elegans* A. Milne-Edwards, 1881 Ref. Chace, 1986

*Oplophorus gracilirostris* A. Milne-Edwards, 1881 Ref. Chan & Yu, 1986\*

*Oplophorus typus* H. Milne Edwards, 1837 Ref. 同前

*Systellaspis debilis* A. Milne-Edwards, 1881 Ref. Chace, 1986  
*Systellaspis pellucidai* Filhol, 1885 Ref. Chan & Yu, 1986\*

### Family Paguridae 寄居蟹科

*Alloeopagurodes spiniacicula* Komai, 1998 Ref. McLaughlin et. al., 2007\*  
*Catapaguroides microps* A. Milne Edwards & Bouvier, 1892 Ref. 同前  
*Cestopagurus puniceus* Komai & Takeda, 2005 Ref. 同前  
*Chanopagurus atopos* Lemaitre, 2003 Ref. 同前  
*Diacanthurus ophthalmicus* (Ortmann, 1892) Ref. 同前  
*Michelopagurus limatulus* (Henderson, 1888) Ref. 同前  
*Nematopagurus australis* (Henderson, 1888) Ref. 同前  
*Nematopagurus kosiensis* McLaughlin, 1998 Ref. 同前  
*Nematopagurus lepidochirus* Doflein, 1902 Ref. 同前  
*Nematopagurus meiringae* McLaughlin, 1998 Ref. 同前  
*Nematopagurus ostlingochirus* McLaughlin, 1997 Ref. 同前  
*Nematopagurus spinulosensoris* McLaughlin & Brock, 1974 Ref. 同前  
*Nematopagurus spongioparticeps* McLaughlin, 2004 Ref. 同前  
*Nematopagurus tricarinatus* Stimpson, 1858 Ref. 同前  
*Pagurixus ruber* Komai & Osawa, 2006 Ref. 同前  
*Pagurodofleinia doederleini* (Doflein, 1902) Ref. 同前  
*Pagurus angustus* (Stimpson, 1858) Ref. 同前  
*Pagurus conformis* de Haan, 1849 Ref. 同前  
*Pagurus confusus* Komai & Yu, 1998 Ref. 同前  
*Pagurus imafukui* McLaughlin & Konishi, 1994 Ref. 同前  
*Pagurus japonicus* (Stimpson, 1858) 日本寄居蟹 Ref. 同前  
*Pagurus kulkarnii* Sankolli, 1962 Ref. 同前  
*Pagurus luticola* Komai & Chan, 2006 Ref. 同前  
*Pagurus minutus* Hess, 1865 Ref. 同前  
*Pagurus nigrivittatus* Komai, 2003 Ref. 同前  
*Pagurus nipponensis* (Yokoya, 1933) Ref. 同前  
*Pagurus pitagsaleei* McLaughlin, 2002 Ref. 同前  
*Pagurus similis* Ortmann, 1892 相似寄居蟹 Ref. 同前  
*Propagurus miyakei* (Baba, 1986) Ref. 同前  
*Pylopaguropsis pustulosa* McLaughlin & Haig, 1989 Ref. 同前  
*Pylopaguropsis zebra* (Henderson, 1893) Ref. 同前  
*Spiropagurus profundorum* Alcock, 1905 Ref. 同前  
*Spiropagurus spiriger* (de Haan, 1849) 旋刺寄居蟹 Ref. 同前  
*Tomopaguroides valdividae* (Balss, 1911) Ref. 同前

### Family Palaemonidae 長臂蝦科

*Conchodytes kempii* Bruce, 1989 Ref. Chace, 1993  
*Conchodytes meleagrinea* Peters, 1852 Ref. Chace, 1993  
*Conchodytes monodactylus* Holthuis, 1952 Ref. Holthuis, 1952\*  
*Coralliocaris graminea* Dana, 1852 Ref. Jeng, 1998\* (Chinese)  
*Coralliocaris taiwanensis* Fujino & Miyake, 1972 Ref. Mitsuhashi & Takeda, 1998  
*Dasycares zanzbarica* Bruce, 1973 Ref. Jeng, 1998\* (Chinese)  
*Exopalaemon modestus* Heller, 1862 Ref. Shy & Yu, 1998\* (Chinese)  
*Exopalaemon orientis* Holthuis, 1950 Ref. Chan & Yu, 1985\*  
*Harpiliopsis beaupresii* Audouin, 1826 Ref. Chace, 1993  
*Macrobrachium aff. Cowles*, 1914 Ref. Shy & Yu, 1998\* (Chinese)  
*Macrobrachium aff. horstii* de Man, 1902 Ref. 同前  
*Macrobrachium asperulum* Von Martens, 1868 Ref. 同前  
*Macrobrachium australe* Guerin-Meneville, 1838 Ref. 同前  
*Macrobrachium equidens* (Dana, 1852) 等齒沼蝦  
*Macrobrachium esculentum* Thallwitz, 1891 Ref. Shy & Yu, 1998\* (Chinese)  
*Macrobrachium formosense* Bate, 1868 Ref. 同前  
*Macrobrachium gracilirostre* Miers, 1875 Ref. 同前  
*Macrobrachium hirtimanus* Olivier, 1811 Ref. 同前  
*Macrobrachium horstii* (De Man, 1892) 郝氏沼蝦  
*Macrobrachium japonicum* de Haan, 1849 Ref. Shy & Yu, 1998\* (Chinese)  
*Macrobrachium jaroense* (Cowles, 1914) 毛指沼蝦  
*Macrobrachium lar* Fabricius, 1798 Ref. Shy & Yu, 1998\* (Chinese)  
*Macrobrachium latidactylus* Thallwitz, 1891 Ref. 同前  
*Macrobrachium latimanus* Von Martens, 1868 Ref. 同前  
*Macrobrachium mammillodactylus* Thallwitz, 1892 Ref. 同前  
*Macrobrachium nipponense* de Haan, 1849 Ref. 同前  
*Macrobrachium rosenbergii* (De Man, 1879) 羅氏沼蝦  
*Macrobrachium equidens* Dana, 1852 Ref. Shy & Yu, 1998\* (Chinese)  
*Nematopalaemon tenuipes* Henderson, 1893 Ref. Chace, 1993\*  
*Palaemon concinnus* Dana, 1852 潔白長臂蝦  
*Palaemon macrodactylus* Rathbun, 1902 Ref. Chan & Yu, 1985\*  
*Palaemon ortmanni* Rathbun, 1902 Ref. 同前  
*Palaemon pacificus* Stimpson, 1860 Ref. 同前

*Palaemon serrifer* Stimpson, 1860 Ref. 同前  
*Periclimenes amymone* de Man, 1902 Ref. Chace, 1993  
*Periclimenes inornatus* Kemp, 1922 Ref. Chace, 1993  
*Periclimenes ornatus* Bruce, 1969 Ref. Jeng, 1998\* (Chinese)  
*Periclimenes aff. alcocki* Kemp, 1922 Ref. Bruce, 1985  
*Periclimenes amboinensis* de Man, 1888 Ref. Jeng, 1998\* (Chinese)  
*Periclimenes brevicarpalis* Sehenkel, 1902 Ref. 同前  
*Periclimenes holthuisi* Bruce, 1969 Ref. Bruce, 1990  
*Periclimenes soror* Nobili, 1904 Ref. Jeng, 1998\* (Chinese)  
*Periclimenes tenuipes* Borradaile, 1898 Ref. 同前  
*Periclimenes venustus* Bruce, 1990 Ref. Bruce, 1990  
*Pilopontonia furtiva* Bruce, 1973 Ref. Bruce, 1973  
*Pontonides unciger* Calman, 1939 Ref. Jeng, 1998\* (Chinese)  
*Stegopontonia commensalis* Nobili, 1906 Ref. 同前  
*Urocaridella antonbruunii* Bruce, 1967 Ref. 同前  
*Urocaridella cyrtorhynchus* Fujino & Miyake, 1969 Ref. Chace, 1993

### Family Palicidae 扁蟹科

*Crossotonotus spinipes* Sakai 刺足刺緣蟹  
*Pseudopalicus oahuensis* Alcock

### Family Palinuridae 龍蝦科

*Jasus novaehollandiae* Holthuis, 1963 新荷蘭靜龍蝦  
*Justitia chani* Poupin, 1944 Ref. Poupin, 1994\*  
*Justitia japonica* Kubo, 1955 Ref. Poupin, 1994\*  
*Justitia longimanus* H. Milne Edwards, 1837 Ref. Chan & Yu, 1993\*  
*Linuparus sordidus* Bruce, 1965 Ref. 同前  
*Linuparus trigonus* Von Siebold, 1824 Ref. 同前  
*Palinustus holthuisi* Chan & Yu, 1995 Ref. Chan & Yu, 1995\*  
*Palinustus waguensis* Kubo, 1963 Ref. 同前  
*Panulirus argus* (Latreille, 1804) 眼斑龍蝦  
*Panulirus cygnus* George, 1962 天鵝龍蝦  
*Panulirus femoristriga* Von Martens, 1872 Ref. Chan & Ng, 2001\*  
*Panulirus homarus* Linnarus, 1758 Ref. Chan & Yu, 1993\*  
*Panulirus interruptus* (Randall, 1840) 斷溝龍蝦  
*Panulirus japonicus* Von Siebold, 1824 Ref. Chan & Yu, 1993\*  
*Panulirus longipes* Borradaile, 1899 Ref. Chan & Ng, 2001\*  
*Panulirus longipes* (A. Milne-Edwards, 1868) 長足龍蝦  
*Panulirus longipes* A. Milne-Edwards, 1868 Ref. Chan & Yu, 1993\*  
*Panulirus ornatus* Fabricius, 1798 Ref. 同前  
*Panulirus peniciliatus* (Olivier, 1791) 密毛龍蝦  
*Panulirus penicillatus* Olivier, 1791 Ref. Chan & Yu, 1993\*  
*Panulirus polyphagus* Herbst, 1793 Ref. 同前  
*Panulirus stimpsoni* Holthuis, 1963 Ref. 同前  
*Panulirus versicolor* Latreille, 1804 Ref. 同前  
*Parribacus antarcticus* Lund, 1815 南極岩礁扇蝦 Ref. 同前  
*Parribacus japonicus* Holthuis, 1960 Ref. 同前  
*Puerulus angulatus* Bate, 1888 Ref. 同前  
*Puerulus* sp.nov. Chan Ref. Chan (in prep.)\*  
*Scyllarides haanii* De Haan, 1841 Ref. Chan & Yu, 1993\*  
*Scyllarides squamosus* H. Milne Edwards, 1837 Ref. 同前  
*Scyllarus aff. aurora* Holthuis, 1982 Ref. Holthuis (in press)  
*Scyllarus batei* Holthuis, 1946 Ref. Chan & Yu, 1993\*  
*Scyllarus bertholdii* Paulson, 1875 Ref. 同前  
*Scyllarus brevicornis* Holthuis, 1946 Ref. 同前  
*Scyllarus cultrifer* Ortmann, 1897 Ref. 同前  
*Scyllarus formosanus* Chan & Yu, 1992 [特有] Ref. 同前  
*Scyllarus kitanoviriosus* Harada, 1962 Ref. 同前  
*Scyllarus martensii* Pfeffer, 1793 Ref. 同前  
*Scyllarus rugosus* H. Milne Edwards, 1837 Ref. 同前  
*Scyllarus sordidus* Stimpson, 1860 Ref. Holthuis (in press)  
*Scyllarus* sp.nov. Holthuis Ref. Holthuis (in press)\*  
*Scyllarus timidus* Holthuis, 1960 Ref. 同前  
*Scyllarus vitiensis* Dana, 1852 Ref. Holthuis (in press)  
*Thenus orientalis* Lund, 1793 Ref. Chan & Yu, 1993\*

### Family Pandalidae 長額蝦科

*Bitias brevis* Rathbun, 1906 Ref. Crosnier & Fransen, 1994  
*Calipandalus elachys* 纖小麗額蝦  
*Cholorotcus crassicornis* Costa, 1871 Ref. Chace, 1985  
*Heterocarpus amacula*  
*Heterocarpus dorsalis* Bate, 1888 Ref. Crosnier, 1988  
*Heterocarpus ensifer* A. Milne-Edwards, 1881

*Heterocarpus gibbosus* Bate, 1888 Ref. Chan & Yu, 1987\*  
*Heterocarpus hayashi* Crosnier, 1988 Ref. Crosnier, 1988  
*Heterocarpus laevigatus* Bate, 1888 Ref. 同前  
*Heterocarpus parvispina* de Man, 1917 Ref. 同前  
*Heterocarpus sibogae* de Man, 1917 Ref. 同前  
*Heterocarpus tricarinatus* Alcock & Anderson, 1894 Ref. Lee, 1990\*  
*Heterocarpus woodmasoni* Alcock, 1901 Ref. Chan & Yu, 1987\*  
*Pandalopsis miyakei* Hayashi, 1986 Ref. Komai & Chan (in press)\*  
*Pandalus chani* Komai, 1999 [特有] Ref. Komai, 1999\*  
*Pandalus formosanus* Komai, 1999 [特有] Ref. Komai, 1999\*  
*Plesioniak* sp.nov. 1 Chuang & Chan Ref. Chuang & Chan (in prep.)\*  
*Plesioniak* sp.nov. 3 Chan Ref. Chan (in press)\*  
*Plesionika* aff. *binoculus* Bate, 1888 Ref. Chace, 1985  
*Plesionika* aff. *philippinensis* Chace, 1985 Ref. Chace, 1985  
*Plesionika albocristata* 白冠紅蝦  
*Plesionika alcocki* Anderson, 1896 Ref. Chuang, 2001 (thesis)\*  
*Plesionika bifurca* Alcock & Anderson, 1894 Ref. Chace, 1985  
*Plesionika bimaculata* 雙點紅蝦  
*Plesionika carsini* Crosnier, 1986 Ref. Chan & Crosnier, 1997\*  
*Plesionika crosnieri* Chan & Yu, 1991 Ref. Chan & Yu, 1991\*  
*Plesionika edwardsii* Brandt, 1851 Ref. 同前  
*Plesionika ensis* A. Milne-Edwards, 1881 Ref. Chuang, 2001 (thesis)\*  
*Plesionika erythrocyclus* Chan & Crosnier, 1997 Ref. Chan & Crosnier, 1997\*  
*Plesionika fimbriata* Chace, 1985 Ref. Chuang, 2001 (thesis)\*  
*Plesionika grandis* Doflein, 1902 Ref. Chan & Crosnier, 1991\*  
*Plesionika hsuehyui* 學羽紅蝦  
*Plesionika indica* de Man, 1917 Ref. Chuang, 2001 (thesis)\*  
*Plesionika izumiae* Omori, 1971 Ref. 同前  
*Plesionika kensleyi* Chace, 1985 Ref. 同前  
*Plesionika lophotes* Chace, 1985 Ref. Chan (in press)\*  
*Plesionika narval* Fabricius, 1787 Ref. Chan & Crosnier, 1991\*  
*Plesionika nesisi* Burukovsky, 1986 Ref. Chan & Crosnier, 1997  
*Plesionika ocellus* Bate, 1888 Ref. Chuang, 2001 (thesis)\*  
*Plesionika orientalis* Chace, 1985 Ref. 同前  
*Plesionika ortmanni* Doflein, 1902 Ref. 同前  
*Plesionika picta* Chan & Crosnier, 1997 Ref. 同前  
*Plesionika protati*  
*Plesionika quasigrandis*  
*Plesionika reflexa* Chace, 1985 Ref. Chuang, 2001 (thesis)\*  
*Plesionika rufomaculata* 紅點紅蝦  
*Plesionika scopifera* 標靶紅蝦  
*Plesionika semilaevis* Bate, 1888 Ref. Chuang, 2001 (thesis)\*  
*Plesionika simulatrix*  
*Plesionika sindoi* Rathbun, 1906 Ref. Chuang, 2001 (thesis)\*  
*Plesionika* sp. nov. 2 Chan Ref. Chan (in press)\*  
*Plesionika* sp.nov. 4 Chuang & Chan [特有] Ref. Chuang & Chan (in press)\*  
*Plesionika spinensis*  
*Plesionika spinidorsalis* Rathbun, 1906 Ref. Chace, 1985  
*Plesionika suffusa* 朦朧紅蝦  
*Plesionika taiwanica* Chan & Yu, 1999 [特有] Ref. Chan & Yu, 1999\*  
*Plesionika unidens* Bate, 1888 Ref. Chuang, 2001 (thesis)\*  
*Plesionika williamsi* Forest, 1964 Ref. 同前  
*Plesionika yui* Chan & Crosnier, 1991 [特有] Ref. Chan & Crosnier, 1991\*  
*Procleus levicarina* Bate, 1888 Ref. Holthuis, 1993

### Family Parapaguridae 擬寄居蟹科

*Oncopagurus indicus* (Alcock, 1905) 印度鉤擬寄居蟹 Ref. McLaughlin et. al., 2007\*  
*Oncopagurus monstrosus* (Alcock, 1894) Ref. 同前  
*Oncopagurus* n. sp. Ref. 同前  
*Oncopagurus orientalis* (de Saint Laurent, 1972) 東方鉤寄居蟹 Ref. 同前  
*Paragiopagurus acutus* (de Saint Laurent, 1972) 銳刺鞭刺寄居蟹 Ref. 同前  
*Paragiopagurus bicarinatus* (de Saint Laurent, 1972) 雙脊鞭刺寄居蟹 Ref. 同前  
*Paragiopagurus boletifer* (de Saint Laurent, 1972) 磨突鞭刺寄居蟹 Ref. 同前  
*Paragiopagurus diogenes* Whitelegge, 1900 Ref. 同前  
*Paragiopagurus hirsutus* (de Saint Laurent, 1972) 叢毛鞭刺寄居蟹 Ref. 同前  
*Parapagurus andreu* 艾氏擬寄居蟹  
*Parapagurus furici* Lemaitre, 1999 Ref. McLaughlin et. al., 2007\*  
*Parapagurus latimanus* Henderson, 1888 寬掌擬寄居蟹 Ref. 同前  
*Parapagurus richeri* Lemaitre, 1999 偉氏擬寄居蟹 Ref. 同前  
*Strobopagurus gracilipes* (A. Milne-Edwards, 1891) 纖瘦轉肢寄居蟹 Ref. 同前  
*Strobopagurus sibogae* (de Saint Laurent, 1972) 西帆轉肢寄居蟹 Ref. 同前  
*Sympagurus acinops* Lemaitre, 1989 Ref. 同前

*Sympagurus affinis* (Henderson, 1888) 親近同寄居蟹 Ref. 同前  
*Sympagurus brevipes* (de Saint Laurent, 1972) Ref. 同前  
*Sympagurus burkenroadi* Thompson, 1943 布氏同寄居蟹 Ref. 同前  
*Sympagurus chani* Lemaitre, 2004 陳氏同寄居蟹 Ref. 同前  
*Sympagurus planimanus* de Saint Laurent, 1972 Ref. 同前  
*Sympagurus trispinosus* (Balss, 1911) 三刺同寄居蟹 Ref. 同前  
*Tsunogaipagurus chuni* (Balss, 1911) Ref. 同前

#### **Family Parathelphusidae 束腹蟹科**

*Somanniathelphusa taiwanensis* Bott, 1968 台灣束腹蟹 Ref. Terao, 1915b

#### **Family Parthenopidae 菱蟹科**

*Aulacolambrus brevibrachiatus* Shen Dai & Chen, 1982 Ref. Tan, Huang & Ng, 1999a  
*Aulacolambrus hoplonotus* Adams & White, 1850 Ref. 同前  
*Cryptopodia fornicata* Fabricius, 1781 圓拱隱足蟹 Ref. Lin, 1949  
*Daldorfia horrida* Linnaeus, 1758 粗糙蝕菱蟹 Ref. Maki & Tsuchiya, 1923  
*Garthambrus allisoni* Montrouzier 愛氏葛菱蟹  
*Garthambrus pteromerus* Haswell 羽足葛菱蟹  
*Garthambrus stellata* Rathbun, 1906 Ref. Tan, Huang & Ng, 1999a  
*Heterocrypta transitans* Stimpson, 1858 Ref. 同前  
*Lambrachaeus ramifer* Alcock, 1895 Ref. McLay, Chan & Jeng (in press)  
*Parthenope longimanus* Linnaeus, 1764 長手菱蟹 Ref. Balss, 1922b  
*Platylambrus echinatus* Herbst, 1790 棘刺菱蟹 Ref. Maki & Tsuchiya, 1923  
*Platylambrus validus* De Haan, 1839 強壯菱蟹 Ref. Chang, 1963  
*Rhinolambrus contrarius* Herbst, 1804 逆型束頸緊握蟹 Ref. Tan, Huang & Ng, 1999a  
*Rhinolambrus lamellifrons* Adams & White, 1848 板額束頸緊握蟹 Ref. Dai, Yang, Song & Chen, 1986  
*Rhinolambrus nummiferus* Rathbun, 1906 Ref. Jeng et al., 1998  
*Rhinolambrus pelagicus* (Rüppell, 1830) 遠海束頸緊握蟹 Ref. Balss, 1922b

#### **Family Pasiphaeidae 玻璃蝦科**

*Eupasiphae latirostris* Wood-Mason, 1891 Ref. Lin, 2000 (thesis)\*  
*Leptochela gracilis* Stimpson, 1860 Ref. 同前  
*Leptochela irrobusta* Chace, 1976 Ref. 同前  
*Leptochela japonica* Hayashi & Miyake, 1969 Ref. 同前  
*Leptochela sydniensis* Dakin & Colefax, 1940 Ref. 同前  
*Parapasiphae sulcatifrons* Smith, 1884 Ref. 同前  
*Pasiphaea aff. ecarina* Crosnier, 1969 Ref. 同前  
*Pasiphaea japonica* Omori, 1976 Ref. 同前  
*Pasiphaea kaiwiensis* Rathbun, 1906 Ref. 同前  
*Pasiphaea levicarinata* Hanamura, 1994 Ref. 同前  
*Pasiphaea orientalis* Schmitt, 1931 Ref. Schmitt, 1931\*  
*Psathyrocaris fragilis* Wood-Mason & Alcock, 1893 Ref. Lin & Chan, 2001\*  
*Psathyrocaris hawaiiensis* Rathbun, 1906 Ref. 同前  
*Psathyrocaris infirma* Alcock & Anderson, 1894 Ref. Crosnier & Forest, 1973

#### **Family Penaeidae 對蝦科**

*Atypopenaeus stenodactylus* Stimpson, 1860 Ref. Yu & Chan, 1986\*  
*Funchalia taaningi* Burkenroad, 1940 Ref. Lee, Chan, Yu and Liao, 2000\*  
*Megokris pescadoreensis* Schmitt, 1931 Ref. Perez Farfante & Kensley, 1997  
*Metapenaeopsis acclivis* Rathbun, 1902 Ref. Yu & Chan, 1986\*  
*Metapenaeopsis barbata* de Haan, 1844 Ref. 同前  
*Metapenaeopsis ceylonica* Starobogatov, 1972 Ref. Crosnier, 1991\*  
*Metapenaeopsis commensalis* Borradaile, 1898 Ref. 同前  
*Metapenaeopsis dalei* Rathbun, 1902 Ref. Yu & Chan, 1986\*  
*Metapenaeopsis dura* Kubo, 1949 Ref. 同前  
*Metapenaeopsis lamellata* de Haan, 1844 Ref. 同前  
*Metapenaeopsis liui* Crosnier, 1987 Ref. Crosnier, 1987  
*Metapenaeopsis mogiensis* Crosnier, 1991 Ref. Crosnier, 1991\*  
*Metapenaeopsis palmensis* Haswell, 1879 Ref. Yu & Chan, 1986\*  
*Metapenaeopsis provocatoria* 長角鬥士赤蝦  
*Metapenaeopsis provocatoria* Crosnier, 1987 Ref. Crosnier, 1987\*  
*Metapenaeopsis sinica* Liu & Zhong, 1988 Ref. Crosnier, 1994\*  
*Metapenaeus affinis* H. Milne Edwards, 1837 Ref. Yu & Chan, 1986\*  
*Metapenaeus elegans* De Man, 1907 Ref. Miguel, 1982  
*Metapenaeus ensis* de Haan, 1844 Ref. Yu & Chan, 1986\*  
*Metapenaeus intermedius* Kishinouye, 1900 Ref. 同前  
*Metapenaeus joyneri* Miers, 1880 Ref. 同前  
*Metapenaeus moyebi* Kishinouye, 1896 Ref. 同前  
*Metapenaeus tenuipes* Kubo, 1949 Ref. 同前  
*Parapenaeopsis cornuta* Kishinouye, 1900 Ref. 同前  
*Parapenaeopsis hardwickii* Miers, 1878 Ref. 同前  
*Parapenaeopsis tenella* Bate, 1888 Ref. 同前  
*Parapenaeopsis venusta* de Man, 1902 Ref. Chan, 1998  
*Parapenaeus australiensis* Dall, 1955 Ref. Crosnier, 1986

*Parapenaeus fissuroides* Crosnier, 1986 假長縫擬對蝦  
*Parapenaeus fissuroides* Crosnier, 1986 Ref. Crosnier, 1986  
*Parapenaeus fissurus* Bate, 1881 Ref. 同前  
*Parapenaeus lanceolatus* Kubo, 1949 Ref. 同前  
*Parapenaeus longipes* Alcock, 1905 Ref. Yu & Chan, 1986\*  
*Parapenaeus murrayi* Ramadan, 1938 Ref. Crosnier, 1986  
*Parapenaeus sextuberculatus* Kubo, 1949 Ref. 同前  
*Penaeopsis eduardoi* Perez Farfante, 1977 Ref. Yu & Chan, 1986\*  
*Penaeopsis rectacuta* Bate, 1881 Ref. 同前  
*Penaeus aztecus* Ives, 1891  
*Penaeus canaliculatus* Olivier, 1811 Ref. Yu & Chan, 1986\*  
*Penaeus chinensis* (Osbeck, 1765) 中國對蝦  
*Penaeus duorarum* Burkenroad, 1939  
*Penaeus esculentus* Haswell, 1879  
*Penaeus indicus* H. Milne Edwards, 1837 Ref. Chan & Yu, 1990 (in Chinese)\*  
*Penaeus japonicus* Bate, 1888 Ref. Yu & Chan, 1986\*  
*Penaeus kerathurus* (Forsk., 1775)  
*Penaeus latisulcatus* Kishinouye, 1896 寬溝對蝦 Ref. Yu & Chan, 1986\*  
*Penaeus latisulcatus*  
*Penaeus longistylus* Kubo, 1943 長肢對蝦  
*Penaeus marginatus* Randall, 1840 Ref. Yu & Chan, 1986\*  
*Penaeus merguensis* De Man, 1888 墨吉對蝦  
*Penaeus monodon* Fabricius, 1798 Ref. Yu & Chan, 1986\*  
*Penaeus penicillatus* Alcock, 1905 Ref. 同前  
*Penaeus plebejus* Hess, 1865  
*Penaeus semisulcatus* de Haan, 1844 Ref. Yu & Chan, 1986\*  
*Penaeus setiferus* (Linnaeus, 1767)  
*Penaeus vannamei* Boone, 1931 南美白蝦  
*Peuaeus indicus* 印度對蝦  
*Trachypenaeus anchoralis* Bate, 1881 Ref. Yu & Chan, 1986\*  
*Trachysalambria albicomus* Hayashi & Toriyama, 1980 Ref. Hayashi and Toriyama, 1980  
*Trachysalambria aspera* Alcock, 1906 Ref. Hayashi (in press)\*  
*Trachysalambria curvirostris* Stimpson, 1860 Ref. Yu & Chan, 1986\*  
*Trachysalambria curvirostris* (Stimpson, 1860) 彎角似鷹爪蝦  
*Trachysalambria longipes* Paulson, 1875 Ref. Hayashi and Toriyama, 1980

#### Family Pilumnidae 毛刺蟹科

*Actumnus* sp. 台灣楊梅蟹 Ref. Chou, Lai & Fang, 1999  
*Actumnus squamosus* De Haan, 1885 鱗形楊梅蟹 Ref. Jeng, Chan, Fung & Chen, 1997  
*Benthopanope indica* De Man, 1887 Ref. 同前  
*Echinoecus pentagonus* A. Milne Edwards, 1879 五角海膽蟹 Ref. Chia, Castro & Ng, 1999  
*Galene bispinosa* Herbst, 1783 雙刺靜蟹 Ref. Sakai, 1939  
*Glabropilumnus laevis* Dana, 1852 平滑光毛蟹 Ref. Suzuki, 1985  
*Gorgonariana sodalis* Alcock, 1898 伴侶柳珊瑚蟹 Ref. Huang, 1994  
*Halimede fragifer* De Haan, 1885 脆弱暴蟹 Ref. Lin, 1949  
*Harrovia albolineata* Adams & White, 1849 白紋短角蟹 Ref. Lin, 1949  
*Heteropilumnus ciliatus* (Stimpson, 1858) 披髮異毛蟹  
*Lophopilumnus dilatipes* Adams & White, 1848 寬足脊毛刺蟹 Ref. Ho, Yu & Ng, 2000  
*Permanotus purpureus* Gordon, 1934 Ref. Chia & Ng, 1998  
*Pilumnopeus makiana* Rathbun, 1931 牧氏毛粒蟹 Ref. Rathbun, 1931  
*Pilumnus acanthosoma* Ng, 2000 多刺毛刺蟹 Ref. Ng, 2000c  
*Pilumnus chani* Guinot  
*Pilumnus longicornis* Hilgendorf, 1878 長角毛刺蟹 Ref. Ho, Yu & Ng, 2000  
*Pilumnus minutus* De Haan, 1885 小巧毛刺蟹 Ref. Suzuki, 1985  
*Pilumnus murphyi* Ng, 1988 莫氏毛刺蟹 Ref. Jeng, Chan, Fung & Chen, 1997  
*Pilumnus orbitospinis* Tavares  
*Pilumnus purpureus* A. Milne Edwards, 1873 紫毛刺蟹 Ref. Jeng, Chan, Fung & Chen, 1997  
*Pilumnus scabrisculus* Adams & White, 1848 粗糙毛刺蟹 Ref. Chang, 1963  
*Pilumnus spinulus* Tavares  
*Pilumnus vespertilio* Fabricius, 1793 蝙蝠毛刺蟹 Ref. Chang, 1963  
*Pseudolithochira integra* Miers, 1884 Ref. Jeng, 1997  
*Tanaocheles bidentata* Nobili, 1906 Ref. Suzuki, 1985  
*Tiamedon spinosum* Miers, 1879 Ref. Hwang & Yu, 1980  
*Typhlocarcinops yui* Ortmann  
*Typhlocarcinus villosus* Stimpson, 1858 毛盲蟹 Ref. Lin, 1949

#### Family Pinnotheridae 豆蟹科

*Asthenognathus* sp. Ref. Lin, 1949  
*Neoxenopthalmus obscurus* Henderson, 1893 幽僻新短眼蟹 Ref. Fang, 1991  
*Pinnotheres boniniensis* Stimpson, 1858 波棒豆蟹 Ref. Ho & Hung, 1997  
*Pinnotheres parvulus* Stimpson, 1858 玲瓏豆蟹 Ref. Maki, 1931  
*Pinnotheres taichungae* Sakai, 2000 台中豆蟹 Ref. Hsueh & Huang, 1996b  
*Pinnotheres tsingtaoensis* Shen, 1932 青島豆蟹 Ref. Soong, 1997

### Family Plagusiinae

- Percnon abbreviatum* Dana, 1851 短身盾牌蟹 Ref. Jeng, 1997  
*Percnon planissimum* Herbst, 1804 裸掌盾牌蟹 Ref. Balss, 1922c  
*Plagusia dentipes* De Haan, 1885 齒突斜紋蟹 Ref. Maki & Tsuchiya, 1923  
*Plagusia immaculata* Lamarck, 1818 無斑斜紋蟹 Ref. Ng et al., 2001  
*Plagusia speciosa* Dana, 1898 美麗斜紋蟹 Ref. Ng, Liu & Ho, 2000  
*Plagusia squamosa* Herbst, 1790 鱗形斜紋蟹 Ref. Oshima, 1921a

### Family Polychelidae 多螯蝦科

- Pentacheles laevis* Bate, 1878 Ref. Ah Yong & Chan (in prep.)\*  
*Polycheles aculeatus* 尖甲多螯蝦  
*Polycheles amemiyai* Yokoya, 1933 Ref. Ah Yong & Chan (in prep.)\*  
*Polycheles auriculatus* Bate, 1878 Ref. 同前  
*Polycheles coccifer* Galil, 2000 Ref. Galil, 2000\*  
*Polycheles galil* 加氏多螯蝦  
*Polycheles helleri* Bate, 1878 Ref. Ah Yong & Chan (in prep.)\*  
*Polycheles sculptus* Smith, 1880 Ref. 同前  
*Polycheles* sp. nov. Ah Yong & Brown Ref. 同前  
*Polycheles typhlops* Heller, 1862 Ref. Chan & Yu, 1993\*

### Family Porcellanidae 瓷蟹科

- Aliaporcellana kikuchii* Nakasone & Miyake, 1969 Ref. Hsieh, Chan & Yu, 1998\*  
*Aliaporcellana suluensis* Dana, 1852 Ref. 同前  
*Aliaporcellana suluensis* (Dana, 1852) 蘇祿異瓷蟹  
*Enosteoides ornatus* Stimpson, 1858 Ref. Hsieh, Chan & Yu, 1998\*  
*Lissopoprcellana quadrilobata* (Miers, 1884) 四葉光滑瓷蟹  
*Lissopoprcellana spinuligera* (Dana, 1853) 多刺光滑瓷蟹  
*Lissopoprcellana streptochiroides* (Johnson, 1970) 扭螯光滑瓷蟹  
*Lissopoprcellana quadrilobata* Miers, 1884 Ref. Hsieh, Chan & Yu, 1998\*  
*Lissopoprcellana spinuligera* Dana, 1853 Ref. 同前  
*Lissopoprcellana streptochiroides* Johnson, 1970 Ref. 同前  
*Neopetrolisthes maculatus* H. Milne Edwards, 1837 Ref. 同前  
*Neopetrolisthes ohshimai* 紅斑新岩瓷蟹  
*Novorostrum indicum* de Man, 1893 Ref. Osawa, 1998\*  
*Pachycheles garciaensis* (Ward, 1942) 羽毛厚螯瓷蟹  
*Pachycheles graciaensis* Ward, 1942 Ref. Hsieh, Chan & Yu, 1998\*  
*Pachycheles pectiniscarpus* Stimpson, 1858 Ref. 同前  
*Pachycheles pisoides* Heller, 1865 Ref. 同前  
*Pachycheles sculptus* H. Milne Edwards, 1837 Ref. 同前  
*Petrolisthes asiaticus* (Leach, 1820) 亞洲岩瓷蟹 Ref. 同前  
*Petrolisthes borradailei* Kropp & Haig, 1984 Ref. 同前  
*Petrolisthes carinipes* Heller, 1861 Ref. 同前  
*Petrolisthes coccineus* Owen, 1839 大紅岩瓷蟹 Ref. 同前  
*Petrolisthes extremus* Kropp & Haig, 1994 Ref. 同前  
*Petrolisthes hastatus* Stimpson, 1858 茅形岩瓷蟹 Ref. 同前  
*Petrolisthes haswelli* Miers, 1884 哈斯威岩瓷蟹 Ref. 同前  
*Petrolisthes indicus* 印度岩瓷蟹  
*Petrolisthes japonicus* de Haan, 1849 日本岩瓷蟹 Ref. Hsieh, Chan & Yu, 1998\*  
*Petrolisthes lamarekii* Leach, 1820 Ref. 同前  
*Petrolisthes militaris* Heller, 1862 Ref. 同前  
*Petrolisthes miyakei* Kropp & Haig, 1984 Ref. 同前  
*Petrolisthes moluccensis* de Man, 1888 Ref. 同前  
*Petrolisthes pubescens* Stimpson, 1858 Ref. 同前  
*Petrolisthes scabriculus* Dana, 1852 粗肛岩瓷蟹 Ref. 同前  
*Petrolisthes tomentosus* Dana, 1852 Ref. 同前  
*Petrolisthes unilobatus* Henderson, 1888 單葉岩瓷蟹 Ref. 同前  
*Pisidia dispar* Stimpson, 1858 異形豆瓷蟹 Ref. 同前  
*Pisidia serratifrons* Stimpson, 1858 Ref. 同前  
*Polyonyx biunguiculatus* Dana, 1852 Ref. 同前  
*Polyonyx sinensis* Stimpson, 1858 Ref. Werding, 2001  
*Porcellanella triloba* White, 1852 Ref. Hsieh, Chan & Yu, 1998\*  
*Raphidopus ciliatus* Stimpson, 1858 Ref. 同前

### Family Portunidae 梭子蟹科

- Caphyra rotundifrons* A. Milne Edwards, 1869 圓額尖指蟹 Ref. Jeng, 1994a  
*Catoptrus nitidus* A. Milne Edwards, 1870 光輝鏡蟹 Ref. Chou, Lai & Fang, 1999  
*Charybdis acuta* A. Milne Edwards, 1869 銳齒蟬 Ref. Ho, 1996  
*Charybdis acutifrons* De Man, 1879 尖額蟬 Ref. Ho, 1996  
*Charybdis affinis* Dana, 1852 近親蟬 Ref. Dai, Yang, Song & Chen, 1986  
*Charybdis amboinensis* Leene, 1938 安汶蟬 Ref. Ho, 1996  
*Charybdis anisodon* De Haan, 1850 異齒蟬 Ref. Oshima, 1921b  
*Charybdis annulata* Fabricius, 1798 環紋蟬 Ref. Balss, 1922c  
*Charybdis bimaculata* Miers, 1886 雙斑蟬 Ref. Yu, 1979

*Charybdis feriatus* Linnaeus, 1758 鑄斑蟊 Ref. Sato, 1936c,d  
*Charybdis granulata* De Haan, 1885 顆粒蟊 Ref. Ho, 1996  
*Charybdis hellerii* A. Milne Edwards, 1867 赫氏蟊 Ref. Ho, 1996  
*Charybdis hongkongensis* Shen, 1934 香港蟊 Ref. Huang & Yu, 1997  
*Charybdis japonica* A. Milne Edwards, 1861 日本蟊 Ref. Maki & Tsuchiya, 1923  
*Charybdis lucifera* Fabricius, 1798 晶瑩蟊 Ref. Balss, 1922c  
*Charybdis miles* De Haan, 1885 武士蟊 Ref. Chang, 1963  
*Charybdis natator* Herbst, 1794 善泳蟊 Ref. Balss, 1922c  
*Charybdis obtusifrons* Leene, 1936 鈍額蟊 Ref. Huang & Yu, 1997  
*Charybdis orientalis* Dana, 1852 東方蟊 Ref. Ho, 1996  
*Charybdis sagamiensis* Parisi, 1916 相模蟊 Ref. Ho, 1996  
*Charybdis spiniferum* Miers, 1884 Ref. Miers, 1886  
*Charybdis truncata* Fabricius, 1798 直額蟊 Ref. Lin, 1949  
*Charybdis variegata* Fabricius, 1798 變態蟊 Ref. Chang, 1963  
*Libystes nitidus* A. Milne Edwards, 1867 光輝突顎蟹 Ref. Balss, 1922c  
*Lissocarcinus arkati* Kemp, 1923 阿夏光背蟹 Ref. Ng et al., 2001  
*Lissocarcinus laevis* Miers, 1886 光滑光背蟹 Ref. Lin, 1949  
*Lissocarcinus orbiculare* Dana, 1852 紫斑光背蟹 Ref. Ng & Jeng, 1999b  
*Lupocyclus philippinensis* Semper, 1880 菲島狼牙蟹 Ref. Lin, 1949  
*Lupocyclus rotundatus* Adams & White, 1848 圓形狼牙蟹 Ref. Lin, 1949  
*Ovalipes punctatus* De Haan, 1833 細點圓趾蟹 Ref. Yu, 1979  
*Parathranites orientalis* Miers, 1886 東方板梭蟹 Ref. Huang & Yu, 1997  
*Podophthalmus nacreus* Alcock, 1899 珠母長眼蟹 Ref. Lin, 1949  
*Podophthalmus vigil* Fabricius, 1798 看守長眼蟹 Ref. Terasaki, 1904  
*Portunus argentatus* White, 1847 銀光梭子蟹 Ref. Lin, 1949  
*Portunus gracilimanus* Stimpson, 1858 纖手梭子蟹 Ref. Chang, 1963  
*Portunus granulatus* H. Milne Edwards, 1834 顆粒梭子蟹 Ref. Sakai, 1939  
*Portunus haanii* Stimpson, 1858 漢氏梭子蟹 Ref. Sato, 1936c,d  
*Portunus hastatoides* Fabricius, 1798 矛形梭子蟹 Ref. Maki & Tsuchiya, 1923  
*Portunus iranjae* Crosnier, 1962 淺礁梭子蟹 Ref. Yu et al., 1996  
*Portunus orbitosinus* Rathbun, 1911 圓弧梭子蟹 Ref. Lin, 1949  
*Portunus pelagicus* Linnaeus, 1766 遠海梭子蟹 Ref. Terasaki, 1903  
*Portunus pubescens* Dana, 1852 柔毛梭子蟹 Ref. Huang & Yu, 1997  
*Portunus pulchricristatus* Gordon, 1931 麗紋梭子蟹 Ref. 同前  
*Portunus sanguinolentus* Herbst, 1783 紅星梭子蟹 Ref. Terasaki, 1903  
*Portunus trituberculatus* Miers, 1876 三齒梭子蟹 Ref. Maki & Tsuchiya, 1923  
*Scylla olivacea* Herbst, 1796 欖綠青蟊 Ref. Jeng, Lin, Wang & Jan, 1998  
*Scylla paramamosain* Estampador, 1949 粉蟊 Ref. Oshima, 1921a,b  
*Scylla serrata* Forskal, 1775 鋸緣青蟊 Ref. Keenan, Davie & Mann, 1998  
*Scylla tranquebarica* Fabricius, 1798 Ref. 同前  
*Thalamita admete* Herbst, 1803 野生短槳蟹 Ref. Maki & Tsuchiya, 1923  
*Thalamita chaptali* Audouin & Savigny, 1825 鉤肢短槳蟹 Ref. Yu, 1979  
*Thalamita crenata* Latreille, 1829 鈍齒短槳蟹 Ref. Oshima, 1921a  
*Thalamita danae* Stimpson, 1858 達氏短槳蟹 Ref. Chang, 1963  
*Thalamita demani* Nobili, 1905 曼氏短槳蟹 Ref. Yu et al., 1996  
*Thalamita edwardsi* Borradaile, 1900 艾氏短槳蟹 Ref. Takeuchi, 1929  
*Thalamita gloriensis* Crosnier, 1962 盛名短槳蟹 Ref. Yu et al., 1996  
*Thalamita holthuisi* Stephenson, 1975 霍氏短槳蟹 Ref. 同前  
*Thalamita integra* Dana, 1852 整潔短槳蟹 Ref. Huang & Yu, 1997  
*Thalamita kagosimensis* Sakai, 1939 鹿兒島短槳蟹 Ref. Lin, 1949  
*Thalamita pelsarti* Montgomery, 1931 Ref. Ho, 1996  
*Thalamita picta* Stimpson, 1858 斑點短槳蟹 Ref. Balss, 1922c  
*Thalamita poissonii* Audouin & Savigny, 1817 包氏短槳蟹 Ref. Balss, 1922c  
*Thalamita prymna* Herbst, 1803 底棲短槳蟹 Ref. Sato, 1936d  
*Thalamita sima* H. Milne Edwards, 1834 雙額短槳蟹 Ref. Maki & Tsuchiya, 1923  
*Thalamita spinimana* Dana, 1852 刺手短槳蟹 Ref. Yu et al., 1996  
*Thalamita stephensoni* Crosnier, 1962 史氏短槳蟹 Ref. 同前  
*Thalamita wakensis* Edmondson, 1925 連額短槳蟹 Ref. 同前

### Family Potamidae 溪蟹科

*Candidiopotamon rathbunae* De Man, 1914 芮氏清溪蟹 Ref. de Man, 1914  
*Geothelphusa albogilva* Shy Ng & Yu, 1994 黃灰澤蟹 [特有] Ref. Suzuki, 1985  
*Geothelphusa ancyllophallus* Shy Ng & Yu, 1994 厚圓澤蟹 Ref. Shy, Ng & Yu, 1994  
*Geothelphusa bicolor* Shy Ng & Yu, 1994 雙色澤蟹 Ref. 同前  
*Geothelphusa caesia* Shy Ng & Yu, 1994 藍灰澤蟹 Ref. 同前  
*Geothelphusa candidiensis* Bott, 1967 日月潭澤蟹 Ref. Bott, 1967  
*Geothelphusa chiui* Minei, 1974 邱氏澤蟹 Ref. Minei, 1974  
*Geothelphusa cinerea* Shy Ng & Yu, 1994 灰甲澤蟹 Ref. Shy, Ng & Yu, 1994  
*Geothelphusa dolichopodes* Shy Ng & Yu, 1994 扁足澤蟹 Ref. 同前  
*Geothelphusa eucrinodonta* Shy Ng & Yu, 1994 顯齒澤蟹 Ref. 同前  
*Geothelphusa eurysona* Shy Ng & Yu, 1994 寬甲澤蟹 Ref. 同前  
*Geothelphusa ferruginea* Shy Ng & Yu, 1994 銹色澤蟹 Ref. 同前

*Geothelphusa gracilipes* Shy Ng & Yu, 1994 細足澤蟹 Ref. 同前  
*Geothelphusa hirsuta* Tan & Liu, 1998 多毛澤蟹 Ref. Tan & Liu, 1998  
*Geothelphusa ilan* Shy Ng & Yu, 1994 宜蘭澤蟹 Ref. Shy, Ng & Yu, 1994  
*Geothelphusa lanyu* Shy Ng & Yu, 1994 蘭嶼澤蟹 Ref. 同前  
*Geothelphusa lutao* Shy Ng & Yu, 1994 綠島澤蟹 Ref. 同前  
*Geothelphusa miyazakii* Miyake & Chiu, 1965 宮崎氏澤蟹 Ref. Miyake & Chiu, 1965  
*Geothelphusa monticola* Shy Ng & Yu, 1994 高山澤蟹 Ref. Shy, Ng & Yu, 1994  
*Geothelphusa nanao* Shy Ng & Yu, 1994 南澳澤蟹 Ref. 同前  
*Geothelphusa nanhsi* Shy Ng & Yu, 1994 楠西澤蟹 Ref. 同前  
*Geothelphusa neipu* Chen Cheng & Shy, 1998 內埔澤蟹 Ref. Chen, Cheng & Shy, 1998  
*Geothelphusa olea* Shy Ng & Yu, 1994 黃綠澤蟹 Ref. Shy, Ng & Yu, 1994  
*Geothelphusa pingtung* Tan & Liu, 1998 屏東澤蟹 Ref. Tan & Liu, 1998  
*Geothelphusa takuan* Shy Ng & Yu, 1994 達觀澤蟹 Ref. Shy, Ng & Yu, 1994  
*Geothelphusa tali* Shy Ng & Yu, 1994 大里澤蟹 Ref. 同前  
*Geothelphusa taroko* Shy Ng & Yu, 1994 太魯閣澤蟹 Ref. 同前  
*Geothelphusa tawu* Shy Ng & Yu, 1994 大武澤蟹 Ref. 同前  
*Geothelphusa tsayae* Shy Ng & Yu, 1994 蔡氏澤蟹 Ref. 同前  
*Geothelphusa wangi* Shy Ng & Yu, 1994 王氏澤蟹 Ref. 同前  
*Geothelphusa wutai* Shy Ng & Yu, 1994 霧臺澤蟹 Ref. 同前  
*Geothelphusa yangmingshan* Shy Ng & Yu, 1994 陽明山澤蟹 Ref. 同前  
*Nanhaipotamon dongyinense* Shih, Chen & Wang, 2005 東引南海溪蟹 Ref. Shih, Chen & Wang, 2005  
*Nanhaipotamon formosanum* Parisi, 1916 台灣南海溪蟹 Ref. de Man, 1914

### Family Processidae

*Hayashidonus japonicus* de Haan, 1844 Ref. Miyake, 1998

### Family Psalidopodidae

*Psalidopus huxleyi* Wood-Mason & Alcock, 1892 Ref. Chace, 1978

### Family Pylochelidae 門螯寄居蟹科

*Cheiroplatea mitoi* Miyake, 1978 Ref. McLaughlin et al., 2007\*  
*Pomatocheles jeffreysii* Miers, 1879 傑氏蓋螯寄居蟹 Ref. 同前  
*Pylocheles (Bathycheles) incisus* Forest, 1987 缺刻蓋螯寄居蟹 Ref. 同前  
*Pylocheles (Pylocheles) mortensenii* Boas, 1926 莫氏門螯寄居蟹 Ref. 同前  
*Pylocheles (Xylocheles) macrops* Forest, 1987 大蓋螯寄居蟹 Ref. Foo, 1989  
*Trizocheles sakaii* Forest, 1987 Ref. McLaughlin et al., 2007\*

### Family Raninidae 蛙蟹科

*Cosmonotus grayi* Adams & White, 1848 葛氏六角蟹 Ref. Sakai, 1937  
*Lyreidus stenops* Wood Mason, 1887 窄琵琶蟹 Ref. Chang, 1963  
*Lyreidus tridentatus* De Haan, 1841 三齒琵琶蟹 Ref. Ng, Chan & Wang, 2000  
*Notopus dorsipes* Fabricius, 1798 Ref. 同前  
*Ranilia orientalis* Sakai, 1963 東方小蛙蟹 Ref. 同前  
*Ranina ranina* Linnaeus, 1758 蛙形蟹 Ref. Oshima, 1921b  
*Raninoides serratifrons* Henderson, 1893 Ref. Ng et al., 2001

### Family Rhynchocinetidae

*Rhynchocinetes conspiciocellus* Okuno, 1993 Ref. Hoa, 1995 (thesis)\*  
*Rhynchocinetes durbanensis* Gordon, 1936 Ref. 同前  
*Rhynchocinetes erythrostickus* Okuno, 1997 Ref. Okuno, 1997  
*Rhynchocinetes hendersoni* Kemp, 1925 Ref. Okuno, 1997  
*Rhynchocinetes hiatti* Holthuis & Hayashi, 1967 Ref. Okuno, 1997\*  
*Rhynchocinetes reticulatus* Okuno, 1997 Ref. Okuno, 1997  
*Rhynchocinetes striatus* Nomura & Hayashi, 1992 Ref. Jeng, 1998\* (Chinese)  
*Rhynchocinetes uritai* Kubo, 1942 Ref. Hoa, 1995 (thesis)\*

### Family Scyllaridae 蟬蝦科

*Ibacus ciliatus* Von Siebold, 1824 Ref. Chan & Yu, 1993\*  
*Ibacus cilliatu* (Von Siebold, 1824) 毛緣扇蝦  
*Ibacus novemdentatus* Gibbes, 1850 Ref. Chan & Yu, 1993\*

### Family Sergestidae 櫻蝦科

*Acetes intermedius* Omori, 1975 Ref. Omori, 1975\*  
*Acetes japonicus* Kishinouye, 1905 Ref. Omori, 1975\*  
*Acetes vulgaris* Hansen, 1919 Ref. Omori, 1975\*  
*Sergestes lucens* 晶瑩櫻蝦  
*Sergia lucens* Hansen, 1922 Ref. Lee, Wu, Liao & Yu, 1996\*  
*Sergia prehensilis* Bate, 1881 Ref. 同前  
*Sergia talismani* Barnard, 1947 Ref. 同前

### Family Sicyoniidae 單肢蝦科

*Sicyonia curvirostris* Balss, 1913 Ref. Yu & Chan, 1986\*  
*Sicyonia fallax* Kubo, 1949 Ref. Crosnier (in press)\*  
*Sicyonia furcata* Miers, 1878 Ref. 同前  
*Sicyonia inflexa* De Man, 1907 Ref. 同前  
*Sicyonia lancifer* Olivier, 1811 Ref. 同前

*Sicyonia ocellata* Stimpson, 1860 Ref. 同前  
*Sicyonia* sp. nov. 1 Crosnier Ref. 同前  
*Sicyonia* sp. nov. 2 Crosnier [特有] Ref. 同前  
*Sicyonia* sp. nov. 3 Crosnier Ref. 同前  
*Sicyonia* sp. nov. 4 Crosnier Ref. 同前

#### Family Solenoceridae 管鞭蝦科

*Cryptopenaeus clevai* Crosnier, 1985 Ref. Crosnier, 1985  
*Hadropenaeus lucasii* Bate, 1888 Ref. Hayashi, 1992  
*Haliporoides sibogae* De Man, 1907 Ref. Yu & Chan, 1986\*  
*Haliporus taprobanensis* Alcock & Anderson, 1899 Ref. Crosnier, 1988  
*Hymenopenaeus aequalis* Bate, 1888 Ref. Yu & Chan, 1986\*  
*Hymenopenaeus halli* Bruce, 1966 Ref. Lee, Kang, Shih, Yu & Laio, 2001\*  
*Hymenopenaeus neptunus* Bate, 1881 Ref. 同前  
*Hymenopenaeus obliquirostris* Bate, 1881 Ref. 同前  
*Hymenopenaeus propinquus* De Man, 1907 Ref. 同前  
*Mesopenaeus brucei* Crosnier, 1986 Ref. Crosnier, 1986  
*Mesopenaeus mariae* Perez Farfante & Ivanov, 1982 Ref. Yu & Chan, 1986\*  
*Solenocera alticarinata* Kubo, 1949 Ref. Crosnier, 1978  
*Solenocera annectens* Wood-Mason, 1891 Ref. Crosnier, 1985  
*Solenocera barunajaya* Crosnier, 1994 Ref. Crosnier, 1994  
*Solenocera comata* Stebbing, 1915 Ref. Crosnier, 1978  
*Solenocera crassicornis* H. Milne Edwards, 1837 Ref. Yu & Chan, 1986\*  
*Solenocera koelbeli* de Man, 1911 Ref. 同前  
*Solenocera melantho* De Man, 1907 Ref. 同前  
*Solenocera pectinata* Bate, 1888 Ref. Crosnier, 1978  
*Solenocera pectinulata* Kubo, 1949 Ref. 同前  
*Solenocera rathbunae* Ramadan, 1938 Ref. 同前  
*Solenocera spinajugo* Hall, 1961 Ref. Crosnier, 1985  
*Solenocera waltairensis* George & Muthu, 1970 Ref. Crosnier, 1978

#### Family Spongicolidae

*Engystenopus* aff. *palmipes* Alcock & Anderson, 1894 Ref. de Saint Laurent and Cleva, 1981  
*Spongicola venustus* de Haan, 1844 Ref. 同前  
*Spongicoloides japonica* Kubo, 1942 Ref. 同前  
*Stenopus hispidus* Olivier, 1811 Ref. Jeng, 1998\* (Chinese)

#### Family Strahlaxiidae

*Neaxiopsis euryrhynchus* De Man, 1905 Ref. Sakai & de Saint Laurent, 1989  
*Neaxius acanthus* A. Milne-Edwards, 1879 Ref. Kensley, Lin & Yu, 2000\*

#### Family Stylodactylidae

*Bathystyrodactylus inflatus* Hanamura & Takeda, 1996 [特有] Ref. Hanamura & Takeda, 1996\*  
*Parastyrodactylus bimaxillaris* Bate, 1888 Ref. Chan & Yu, 1985\*  
*Styrodactylus libratus* Chace, 1983 Ref. Chace, 1983  
*Styrodactylus licinus* Chace, 1983 Ref. Chace, 1983  
*Styrodactylus major* Hayashi & Miyake, 1968 Ref. Hayashi and Miyake, 1968  
*Styrodactylus multidentatus* Kubo, 1942 Ref. Chan & Yu, 1985\*  
*Styrodactylus tokarensis* Zarenkov, 1968 Ref. Chace, 1983

#### Family Thalassinidae 海姑蝦科

*Thalassina anomala* (Herbst, 1804) 特異海姑蝦

#### Family Trapeziidae 梯形蟹科

*Domecia glabra* Alcock, 1899 光潔圓頂蟹 Ref. Yu et al., 1996  
*Domecia hispida* Eydoux & Souleyet, 1842 刺圓頂蟹 Ref. 同前  
*Quadrella maculosa* Alcock, 1898 斑點四齒蟹 Ref. Shih & Mok, 1996  
*Tetralia glaberrima* Miyake, 1938 光潔擬梯形蟹 Ref. Miyake, 1938  
*Trapezia areolata* Dana, 1852 網紋梯形蟹 Ref. Horikawa, 1940  
*Trapezia cheni* Galil, 1983 陳氏梯形蟹 Ref. Galil, 1983  
*Trapezia cymodoce* Herbst, 1799 毛掌梯形蟹 Ref. Horikawa, 1940  
*Trapezia digitalis* Latreille, 1825 指梯形蟹 Ref. 同前  
*Trapezia formosa* Smith, 1869 美麗梯形蟹 Ref. Chang, Chen & Chen, 1987  
*Trapezia garthi* Galil, 1983 葛氏梯形蟹 Ref. Galil, 1983  
*Trapezia guttata* (Rüppell, 1830) 紅點梯形蟹 Ref. Jeng, 1994b  
*Trapezia lutea* Castro, 1997 黃梯形蟹 Ref. Jeng, 1994b  
*Trapezia rufopunctata* Herbst, 1799 紅斑梯形蟹 Ref. Jeng, 1994b  
*Trapezia septata* Dana, 1852 細紋梯形蟹 Ref. Galil & Lewinsohn, 1985  
*Trapezia serenei* Odinetz, 1984 攝氏梯形蟹 Ref. Lin, 1949  
*Trapezia speciosa* Dana, 1852 燦爛梯形蟹 Ref. Yu et al., 1996  
*Trapezia tigrina* Eydoux & Souleyet, 1842 虎斑梯形蟹 Ref. Chang, Chen & Chen, 1987

#### Family Upogebiidae 螻蛄蝦科

*Austinoergia edulis* (Ngoc-Ho & Chan, 1992) 美食奧螻蛄蝦  
*Austinoergia narutensis* (Sakai, 1982) 鳴門奧螻蛄蝦

*Austinogebia wuhsienweni* (Yu, 1931) 伍氏奧螯姑蝦  
*Upogebia edentata* Lin, Ngoc-Ho & Chan, 2001 [特有] Ref. Lin, Ngoc-Ho & Chan, 2001\*  
*Upogebia edulis* Ngoc-Ho & Chan, 1992 Ref. Ngoc-Ho & Chan, 1992\*  
*Upogebia narutensis* Sakai, 1986 Ref. Ngoc-Ho, 1994\*  
*Upogebia takonesis* Sakai & Turkay, 1995 [特有] Ref. Sakai & Turkay, 1995\*  
*Upogebia wuhsienweni* Yu, 1931 Ref. Ngoc-Ho, 1994\*

### Family Xanthidae 扇蟹科

*Actaea bocki* Odhner, 1925 薄氏銀杏蟹 Ref. Bals, 1922c  
*Actaea savignyi* H. Milne Edwards, 1834 菜花銀杏蟹 Ref. Lin, 1949  
*Actaeodes hirsutissimus* (Rüppell, 1830) 毛糙仿銀杏蟹 Ref. Yu et al., 1996  
*Actaeodes tomentosus* H. Milne Edwards, 1834 絨毛仿銀杏蟹 Ref. Sakai, 1939  
*Actites erythra* Lanchester, 1901 Ref. Sakai, 1939  
*Atergatis dilatatus* De Haan, 1885 寬身愛潔蟹 Ref. Hwang & Yu, 1980  
*Atergatis floridus* Linnaeus, 1767 花紋愛潔蟹 Ref. Maki & Tsuchiya, 1923  
*Atergatis integerrimus* Lamarck, 1801 正直愛潔蟹 Ref. Bals, 1922c  
*Atergatis latissimus* H. Milne Edwards, 1834 廣闊愛潔蟹 Ref. Wang & Liu, 1996a  
*Atergatis reticulatus* De Haan, 1885 細紋愛潔蟹 Ref. Lin, 1949  
*Atergatis subdentatus* De Haan, 1885 亞齒愛潔蟹 Ref. Ho, Yu & Ng, 2000  
*Atergatopsis amoyensis* De Man, 1879 廈門近愛潔蟹 Ref. Dai, Yang, Song & Chen, 1986  
*Atergatopsis germaini* A. Milne Edwards, 1865 蕾近愛潔蟹 Ref. Tsai et al., 1996  
*Atergatopsis lucasi* Rathbun 盧氏近愛潔蟹  
*Atergatopsis signatus* Adams & White, 1848 標記近愛潔蟹 Ref. Ng, 1998  
*Banareia armata* A. Milne Edwards, 1869 武裝鎧蟹 Ref. Miyake, 1938  
*Banareia odhneri* Sakai, 1974 奧氏鎧蟹 Ref. Ho, Yu & Ng, 2000  
*Banareia subglobosa* Stimpson, 1858 球形鎧蟹 Ref. 同前  
*Calvactaea tumida* Ward, 1933 肥胖禿頭蟹 Ref. Lin, 1949  
*Chlorodiella crispipleopa* Dai Yang Song & Chen, 1986 卷肢綠蟹 Ref. Dai, Yang, Song & Chen, 1986  
*Chlorodiella cytherea* Dana, 1852 金星綠蟹 Ref. Sakai, 1976  
*Chlorodiella laevissima* Dana, 1852 光滑綠蟹 Ref. Miyake, 1938  
*Chlorodiella nigra* Forsskal, 1775 黑點綠蟹 Ref. Horikawa, 1940  
*Cymo andreossyi* Audouin, 1826 白指波紋蟹 Ref. Jeng, 1994b  
*Cymo melanodactylus* De Haan, 1833 黑指波紋蟹 Ref. Lin, 1949  
*Cymo quadrilobatus* Miers, 1884 四葉波紋蟹 Ref. Yu et al., 1996  
*Demania cultripes* Alcock, 1898 鋒足鱗斑蟹 Ref. Ho, 1994  
*Demania intermedia* Guinot, 1969 中型鱗斑蟹 Ref. Ho, 1994  
*Demania japonica* Guinot, 1977 日本鱗斑蟹 Ref. Chen & Ng, 1999  
*Demania mortenseni* Odhner, 1925 Ref. Ho, Yu & Ng, 2000  
*Demania reynaudi* H. Milne Edwards, 1834 雷氏鱗斑蟹 Ref. Lin, 1949  
*Demania rotundata* Serene in Guinot, 1969 圓形鱗斑蟹 Ref. Serene in Guinot, 1969  
*Demania scaberrima* Walker, 1887 Ref. Wang & Chen, 1981  
*Demania toxica* Garth, 1971 毒鱗斑蟹 Ref. Ho, 1994  
*Etisus anaglyptus* H. Milne Edwards, 1834 似雕滑面蟹 Ref. Miyake, 1938  
*Etisus bargibanti* Crosnier, 1987 巴氏滑面蟹 Ref. Ho, Yu & Ng, 2000  
*Etisus dentatus* Herbst, 1785 齒滑面蟹 Ref. Yu et al., 1996  
*Etisus electra* Herbst, 1801 琥珀滑面蟹 Ref. Sakai, 1939  
*Etisus laevimanus* Randall, 1840 光掌滑面蟹 Ref. Sato, 1936d  
*Etisus odhneri* Takeda, 1971 奧氏滑面蟹 Ref. Jeng, 1997  
*Etisus rhynchophorus* A. Milne Edwards, 1873 圓珠滑面蟹 Ref. Ho, Yu & Ng, 2000  
*Etisus splendidus* Rathbun, 1906 燦爛滑面蟹 Ref. Ng & Huang, 1997  
*Euryxanthops orientalis* Sakai, 1939 東方寬扇形蟹 Ref. Ho, Yu & Ng, 2000  
*Euxanthus exsculptus* Herbst, 1790 雕刻真扇蟹 Ref. Yu et al., 1996  
*Forestia depressa* White, 1847 扁平霍氏蟹 Ref. Jeng, Chan, Fung & Chen, 1997  
*Forestia scabra* Odhner, 1925 粗糙霍氏蟹 Ref. Ng & Huang, 1997  
*Gaillardiiellus orientalis* Odhner, 1925 東方蓋氏蟹 Ref. Sato, 1936d  
*Gaillardiiellus superciliaris* (Odhner, 1925) 高臉蓋氏蟹  
*Hypocolpus abbotti* Rathbun, 1894 Ref. Ho, Yu & Ng, 2000  
*Juxtaxanthias lividus* Lamarck, 1818 灰青鄰扇蟹 Ref. Yu et al., 1996  
*Juxtaxanthias tetraodon* Heller, 1861 四齒鄰扇蟹 Ref. Lin, 1949  
*Kraussia rugulosa* Krauss, 1843 皺紋克勞蟹 Ref. Sakai, 1939  
*Lachnopus bidentatus* A. Milne Edwards, 1867 雙齒毛足蟹 Ref. Yu et al., 1996  
*Lachnopus rogersi* Stimpson, 1858 羅氏毛足蟹 Ref. Wang & Liu, 1996a  
*Lachnopus subacutus* Stimpson, 1858 次銳毛足蟹 Ref. Jeng, Chan, Fung & Chen, 1997  
*Lachnopus tahitensis* De Man, 1889 大溪地毛足蟹 Ref. Ho, Yu & Ng, 2000  
*Leptodius exaratus* H. Milne Edwards, 1834 溝痕皺蟹 Ref. Bals, 1922c  
*Leptodius gracilis* Dana, 1852 細巧皺蟹 Ref. Chang & Chen, 1992  
*Leptodius nudipes* Dana, 1852 裸足皺蟹 Ref. Yu et al., 1996  
*Leptodius sanguineus* H. Milne Edwards, 1834 肉球皺蟹 Ref. Parisi, 1916  
*Liomera bella* Dana, 1852 美麗花瓣蟹 Ref. Suzuki, 1985  
*Liomera caelata* Ng & Ho 雕刻花瓣蟹  
*Liomera cinctimana* White, 1847 帶掌花瓣蟹 Ref. Lin, 1949  
*Liomera laevis* A. Milne Edwards, 1873 光滑花瓣蟹 Ref. Yu et al., 1996

*Liomera margaritata* A. Milne Edwards, 1873 珍珠花瓣蟹 Ref. Lin, 1949  
*Liomera monticulosa* A. Milne Edwards, 1873 高山花瓣蟹 Ref. Yu et al., 1996  
*Liomera rubra* A. Milne Edwards, 1865 紅色花瓣蟹 Ref. Horikawa, 1940  
*Liomera rugata* H. Milne Edwards, 1834 皺紋花瓣蟹 Ref. Ho, Yu & Ng, 2000  
*Liomera venosa* H. Milne Edwards, 1834 脈花瓣蟹 Ref. Sato, 1936d  
*Lophozozymus incisus* H. Milne Edwards, 1834 切脊熟若蟹 Ref. Yu et al., 1996  
*Lophozozymus pictor* Fabricius, 1798 繡花脊熟若蟹 Ref. Ng & Chia, 1997  
*Lybia caestifera* Alcock, 1898 純潔細螯蟹 Ref. Yu et al., 1996  
*Lybia tessellata* Latreille, 1812 花紋細螯蟹 Ref. Jeng, 1994b  
*Macromedaeus crassimanus* A. Milne Edwards, 1867 粗掌大權蟹 Ref. Ho, Yu & Ng, 2000  
*Macromedaeus demani* Odhner, 1925 曼氏大權蟹 Ref. 同前  
*Macromedaeus distinguendus* De Haan, 1885 特異大權蟹 Ref. Sato, 1936d  
*Medaeops granulosis* Miers  
*Nanocassiope alcocki* Ng & Liu  
*Neoliomera insularis* White, 1847 海島新花瓣蟹 Ref. Lin, 1949  
*Neoxanthias impressus* Lamarck, 1818 印痕新扇蟹 Ref. Yu et al., 1996  
*Neoxanthias michelae* Sereñe & Vadon, 1981 米氏新扇蟹 Ref. Ho, Yu & Ng, 2000  
*Neoxanthops lineatus* A. Milne Edwards, 1867 條紋新扇蟹 Ref. Jeng, Chan, Fung & Chen, 1997  
*Neoxanthops quadrilobatus* Sakai, 1939 四葉新扇蟹 Ref. Yang, 1979  
*Novactaea pulchella* A. Milne Edwards, 1865 美麗新銀杏蟹 Ref. Miyake, 1938  
*Palapedia integra* De Haan, 1885 整潔鏟足蟹 Ref. Jeng, 1997  
*Paractaea rufopunctata* H. Milne Edwards, 1834 紅斑擬銀杏蟹 Ref. Miyake, 1938  
*Paramedaeus noelensis* Ward, 1934 薄緣近權蟹 Ref. Suzuki, 1985  
*Paratergatis longimanus* Sakai, 1965 長掌擬愛潔蟹 Ref. Jeng & Ng, 1998  
*Paraxanthias notatus* Dana, 1852 顯赫擬扇蟹 Ref. Lin, 1949  
*Phymodius granulosis* de Man, 1888 小疣瘤蟹 Ref. Suzuki, 1985  
*Phymodius nitidus* Dana, 1852 光輝瘤蟹 Ref. Wang & Liu, 1996a  
*Pilodius areolatus* H. Milne Edwards, 1834 網紋殼蟹 Ref. Jeng, 1997  
*Pilodius granulatus* Stimpson, 1858 顆粒毛殼蟹 Ref. Jeng, Chan, Fung & Chen, 1997  
*Pilodius paumotensis* Rathbun, 1907 Ref. Suzuki, 1985  
*Pilodius pilumnoides* White, 1848 毛足毛殼蟹 Ref. Suzuki, 1985  
*Pilodius pugil* Dana, 1852 刺毛殼蟹 Ref. Lin, 1949  
*Platypodia granulosa* (Rüppell, 1830) 顆粒扁足蟹 Ref. Lin, 1949  
*Platypodia semigranosa* Heller, 1861 半粒扁足蟹 Ref. Yu et al., 1996  
*Platypodia tomentosa* Takeda 絨毛扁足蟹  
*Psaumis cavipes* Dana, 1852 凹足普氏蟹 Ref. Sakai, 1939  
*Pseudoliomera helleri* A. Milne Edwards, 1865 赫氏假銀杏蟹 Ref. Ho, Yu & Ng, 2000  
*Pseudoliomera lata* Borradaile, 1902 寬身假銀杏蟹 Ref. Yu et al., 1996  
*Pseudoliomera remota* Rathbun, 1907 遙遠假銀杏蟹 Ref. Lin, 1949  
*Pseudoliomera speciosa* Dana, 1852 美麗假銀杏蟹 Ref. Jeng, 1994b  
*Pulchratis reticulatus* Ng & Huang, 1997 網紋麗蟹 Ref. Ng & Huang, 1997  
*Xanthias elegans* Stimpson, 1858 華美近扇蟹 Ref. Miyake, 1938  
*Xanthias lamarcki* H. Milne Edwards, 1834 拉馬克近扇蟹 Ref. Horikawa, 1940  
*Zalasia dromiaeformis* De Haan, 1841 Ref. Chang, 1963  
*Zalasia sakaii* Balss, 1938 酒井渣氏蟹 Ref. Ng & Huang, 1997  
*Zosimus aeneus* Linnaeus, 1758 銅鑄熟若蟹 Ref. Sakai, 1939  
*Zozymodes cavipes* Dana, 1852 凹足擬熟若蟹 Ref. Ho, Yu & Ng, 2000

## Order Euphausiacea 磷蝦目

### Family Euphausiidae 磷蝦科

*Euphausia brevis* Hansen, 1905  
*Euphausia diomedea* Ortmann, 1894  
*Euphausia gibba* G. O. Sar, 1883  
*Euphausia hemigibba* Hansen, 1910  
*Euphausia mutica* Hansen, 1905  
*Euphausia pacifica* Hansen, 1911  
*Euphausia pseudogibba* Hansen, 1910  
*Euphausia recurva* Hansen, 1905  
*Euphausia sanzoi* Torelli, 1934  
*Euphausia sibogae* Hansen, 1908  
*Euphausia tenera* Hansen, 1905  
*Nematoscelis atlantica* Hansen, 1910  
*Nematoscelis gracilis* Hansen, 1910  
*Nematoscelis lobata* Hansen, 1916  
*Nematoscelis microps* G. O. Sar, 1883  
*Nematoscelis tenella* G. O. Sar, 1883  
*Pseudeuphausia latifrons* G. O. Sar, 1883  
*Stylocheiron abbreviatum* G. O. Sar, 1883  
*Stylocheiron affine* Hansen, 1910  
*Stylocheiron carinatum* G. O. Sar, 1883  
*Stylocheiron elongatum* G. O. Sar, 1883  
*Stylocheiron indicum* Silas & Mathew, 1967

*Stylocheiron insulare* Hansen, 1910  
*Stylocheiron longicorne* G. O. Sar, 1883  
*Stylocheiron maximum* Hansen, 1908  
*Stylocheiron microphthalma* Hansen, 1910  
*Stylocheiron suhmi* G. O. Sar, 1883  
*Thysanopoda astylata* Brinton, 1975  
*Thysanopoda orientalis* Hansen, 1910  
*Thysanopoda tricuspida* Milne-Edwards, 1837

## Order Isopoda 等足目

### Family Aegidae

*Aega falcata* Kensley & Chan, 2001 [特有] Ref. Kensley and Chan, 2001\*  
*Renocila kohnoi* Williams & Williams, 1987 Ref. Williams & Williams, 1987\*

### Family Anuropidae

*Anuropus pacificus* Lincoln & Jones, 1973 Ref. Kensley and Chan, 2001\*

### Family Bopyridae

*Aporobopyrus retrorsa* Christopher B. Boyko, 2004 Ref. Christopher, 2004  
*Athelges takanoshimensis* Christopher B. Boyko, 2004 Ref. 同前  
*Bopyroides hippolytes* Christopher B. Boyko, 2004 Ref. 同前  
*Discorsobopyrus stebbingi* Christopher B. Boyko, 2004 Ref. 同前  
*Ione taiwanensis* Markham, 1995 [特有] Ref. Markham, 1995\*  
*Metabopyrus ovalis* Shiino, 1939 Ref. Lin, 1995\* (thesis)  
*Minicopenaeon crosnieri* Christopher B. Boyko, 2004 Ref. Christopher, 2004  
*Ovoionella obovata* Christopher B. Boyko, 2004 Ref. 同前  
*Parabopyrella choprai* Nierstrasz & Brender a Brandis, 1929 Ref. Nierstrasz & Brender a Brandis, 1929\*  
*Parapenaeon tertium* Christopher B. Boyko, 2004 Ref. Christopher, 2004  
*Pseudione tattersalli* Christopher B. Boyko, 2004 Ref. 同前  
*Pseudostegias setoensis* Shiino, 1933 Ref. Shiino, 1922\*

### Family Cirolanidae

*Bathynomus decemspinus* Shih, 1972 [特有] Ref. Shih, 1972\*  
*Bathynomus doederleini* Ortmann, 1894 Ref. Soong & Mok, 1994\*  
*Dolicholana enigma* Keable, 1999 Ref. Keable, 1999\*  
*Excirrolana chiltonii* Richardson, 1905 Ref. Bruce, 1986\*

### Family Cymothoidae

*Ceratothoa guttata* Richardson, 1910 Ref. Bruce & Bowman, 1989\*  
*Cterissa sakaii* Williams & Williams, 1986 Ref. Bruce, 1986\*  
*Ichthyoxenus formosanus* Harada, 1930 [特有] Ref. Harada, 1930\*  
*Ichthyoxenus fushanensis* Tsia & Dai, 1999 [特有] Ref. Tsia & Dai, 1999\*  
*Mothocya melanosticta* Schioedte & Meinert, 1884 Ref. Bruce, 1986\*  
*Nerocila depressa* H. Milne Edwards, 1840 Ref. Bruce, 1986\*  
*Nerocila exocoeti* Pillai, 1954 Ref. Bruce & Harrison-Nelson, 1988\*  
*Nerocila sigani* Bowman & Tareen, 1983 Ref. 同前

### Family Ligiidae

*Ligia exotica* Roux, 1828 Ref. Lin & Chan, 1992\* (Chinese)  
*Ligia taiwanensis* Jeng-Di Lee, 1994 Ref. Lee, 1994

### Family Tylidae

*Tylos minor* Dollfus, 1893 Ref. ITIS

## Order Mysidacea 糠蝦目

### Family Lophogastridae

*Gnathophausia elegans* G. O. Sars, 1883 Ref. Casanova, 1996  
*Gnathophausia fagei* Casanova, 1996 Ref. 同前  
*Gnathophausia gracilis* Willemoes-Suhm, 1875 Ref. 同前  
*Gnathophausia ingens* Dohrn, 1870 Ref. Takeda, 1983  
*Gnathophausia longispina* G. O. Sars, 1883 Ref. Casanova, 1996

## Order Stomatopoda 口足目

### Family Bathysquilloidea

*Bathysquilla crassispinosa* (Fukuda, 1909) Ref. Ahyong et al., 2008

### Family Gonodactylidae

*Gonodactylus erdmanni* Ahyong, 2001 Ref. Ahyong et al., 2008  
*Gonodactylus viridis* (Serène, 1954) Ref. 同前  
*Gonodactylus childi* Manning, 1971 Ref. 同前  
*Gonodactylus chiragra* (Fabricius, 1781) Ref. 同前  
*Gonodactylus platysoma* Wood-Mason, 1895 Ref. 同前  
*Gonodactylus smithii* Pocock, 1893 Ref. 同前

### Family Lysiosquillidae

*Lysiosquilla sulcirostris* Kemp, 1913 Ref. Ahyong et al., 2008

*Lysiosquilla tredecimdentata* Holthuis, 1941 Ref. 同前

### Family Nannosquillidae

*Acanthosquilla dreijardi* Manning, 1970 Ref. Ahyong et al., 2008

*Acanthosquilla manningi* Makarov, 1978 Ref. 同前

*Acanthosquilla multifasciata* (Wood-Mason, 1895) Ref. 同前

*Bigelowina phalangium* (Fabricius, 1798) Ref. 同前

### Family Odontodactylidae

*Odontodactylus cultrifer* (White, 1851) Ref. Ahyong et al., 2008

*Odontodactylus japonicus* (de Haan, 1844) Ref. 同前

*Odontodactylus scyllarus scyllarus* (Linnaeus, 1758) Ref. 同前

### Family Parasquillidae

*Faughnia formosae formosae* Manning & Chan, 1997 Ref. Ahyong et al., 2008

*Faughnia haani haani* (Holthuis, 1959) Ref. 同前

*Faughnia serenei serenei* Moosa, 1982 Ref. 同前

### Family Protosquillidae

*Haptosquilla glyptocercus* (Wood-Mason, 1875) Ref. Ahyong et al., 2008

### Family Pseudosquillidae

*Pseudosquilla ciliata* (Fabricius, 1787) Ref. Ahyong et al., 2008

### Family Squillidae

*Alima hieroglyphica* (Kemp, 1911) Ref. Ahyong et al., 2008

*Alima orientalis* Manning, 1978 Ref. 同前

*Anchisquilla fasciata* (de Haan, 1844) Ref. 同前

*Busquilla quadraticauda* (Fukuda, 1911) Ref. 同前

*Carinosquilla multicaudata* (White, 1849) Ref. 同前

*Clorida albolitura* Ahyong & Naiyanetr, 2000 Ref. 同前

*Clorida bombayensis* (Chhapgar & Sane, 1967) Ref. 同前

*Clorida denticauda* (Chhapgar & Sane, 1967) Ref. 同前

*Clorida japonica* Manning, 1978 Ref. 同前

*Clorida rotundicauda* (Miers, 1880) Ref. 同前

*Cloridina verrucosa* (Hansen, 1926) Ref. 同前

*Cloridopsis scorpio* (Latreille, 1828) Ref. 同前

*Erugosquilla grahami* Ahyong & Manning, 1998 Ref. 同前

*Erugosquilla serenei* Ahyong & Manning, 1998 Ref. 同前

*Erugosquilla woodmasoni* (Kemp, 1911) Ref. 同前

*Harpiosquilla annandalei* (Kemp, 1911) Ref. 同前

*Harpiosquilla harpax* (de Haan, 1844) Ref. 同前

*Harpiosquilla indica* Manning, 1969 Ref. 同前

*Harpiosquilla japonica* Manning, 1969 Ref. 同前

*Harpiosquilla melanoura* Manning, 1968 Ref. 同前

*Harpiosquilla sinensis* Liu & Wang, 1998 Ref. 同前

*Kempina stridulans* (Wood-Mason in Alcock, 1894) Ref. 同前

*Oratosquilla fabricii* (Holthuis, 1941) Ref. 同前

*Oratosquilla oratoria* (de Haan, 1844) Ref. 同前

*Oratosquillina asiatica* (Manning, 1978) Ref. 同前

*Oratosquillina gravieri* (Manning, 1978) Ref. 同前

*Oratosquillina inornata* (Tate, 1883) Ref. 同前

*Oratosquillina interrupta* (Kemp, 1911) Ref. 同前

*Oratosquillina manningi* Ahyong, Chan & Liao, 2000 Ref. 同前

*Oratosquillina nordica* Ahyong & Chan, 2008 Ref. 同前

*Oratosquillina perpensa* (Kemp, 1911) Ref. 同前

*Quollastria gonypetes* (Kemp, 1911) Ref. 同前

*Quollastria imperialis* (Manning, 1965) Ref. 同前

*Quollastria ornata* (Manning, 1971) Ref. 同前

*Quollastria subtilis* (Manning, 1978) Ref. 同前

*Squilloides leptosquilla* (Brooks, 1886) Ref. 同前

## Class Maxillopoda 顎足綱

### Order Kentrogonida

#### Family Sacculinidae 蟹奴科

*Polyascus plana* Boschma, 1933 扁平多囊蟹奴

### Order Pedunculata 有柄目

#### Family Calanticidae 盔茗荷科

*Euscalpellum rostratum* Darwin, 1851 吻真鎧茗荷 Ref. Chan & Lee, 2007

#### Family Iblidae 鳥嘴科

*Ibla cumingi* Darwin, 1851 毛鳥嘴

#### Family Lepadidae 茗荷科

*Lepas anatifera* Linnaeus, 1758 茗荷 Ref. Ren & Liu, 1985  
*Lepas anserifera* Linnaeus 鵝茗荷 Ref. 同前  
*Lepas pectinata* Spengler, 1793 櫛茗荷  
*Lepas testudinata* Aurivillius, 1892 龜茗荷

#### Family Lithotryidae 石茗荷科

*Lithotrya* sp. 石茗荷

#### Family Poecilasmatidae 花茗荷科

*Megalasma annadalei* Pilsbry, 1907 麗大茗荷  
*Megalasma annandalei* Pilsbry, 1907 Ref. Ren & Liu, 1985  
*Megalasma striatum* Hoek, 1883 紋大茗荷 Ref. 同前  
*Octolasmis angulata* Aurivillius, 1894 角板茗荷 Ref. 同前  
*Octolasmis cor* Aurivillius, 1894 心板茗荷 Ref. 同前  
*Octolasmis neptuni* Macdonald, 1869 蟹板茗荷  
*Octolasmis warwickii* Gray, 1825 斧板茗荷 Ref. Ren & Liu, 1985  
*Poecilasma kaempferi* Darwin, 1851 蟹花茗荷 Ref. 同前

#### Family Pollicipidae 指茗荷科

*Capitulum mitella* (Linnaeus, 1758) 龜足茗荷

#### Family Scalpellidae 鎧茗荷科

*Amigdoscalpellum vitreum* Hoek, 1883 玻璃友鎧茗荷 Ref. Chan & Lee, 2007  
*Litoscalpellum intermedium* Hoek, 1883 中直鎧茗荷  
*Scalpellum stearnsi* Pilsbry, 1890 Ref. Ren & Liu, 1985  
*Scalpellum stearnsii* Pilsbry, 1890 司氏鎧藤壺  
*Teloscalpellum album* Ren & Liu, 1985 白遠鎧藤壺  
*Trianguloscalpellum rubrum* Hoek Ref. Hiro, 1937  
*Trianguloscalpellum uniarticulatum* Nilsson-Cantell, 1921 單節三角鎧茗荷

### Order Sessilia 無柄目

#### Family Archaeobalanidae 古藤壺科

*Striatobalanus stennuis* Hoek, 1883 Ref. Ren & Liu, 1978  
*Striatobalanus tenuis* Hoek, 1883 薄殼藤壺 Ref. Chan & Lee, 2007

#### Family Balanidae 藤壺科

*Amphibalanus kodakovi* Utinomi, 1967 泥管藤壺  
*Amphibalanus variegatus* Darwin Ref. Ren & Liu, 1978  
*Amphibalanus (Balanus) amphitrite* Darwin, 1854 紋藤壺  
*Amphibalanus (Balanus) reticulatus* Utinomi, 1967 網紋藤壺  
*Balanus trigonus* Darwin, 1854 三角藤壺 Ref. Ren & Liu, 1978  
*Fistulobalanus albicostatus* Pilsbry, 1916 白脊管藤壺 Ref. 同前  
*Fistulobalanus kodakovi* Utinomi, 1967 Ref. 同前  
*Megabalanus ajax* Darwin, 1854 亞傑巨藤壺  
*Megabalanus occator* Darwin Ref. Ren & Liu, 1985  
*Megabalanus volcano* Pilsbry, 1916 刺巨藤壺 Ref. Ren & Liu, 1978

#### Family Chathamalidae 小藤壺科

*Chinochthamalus scutelliformis* Darwin, 1854 盾形扁盤藤壺  
*Chthamalus challengenri* Hoek, 1883 東方小藤壺  
*Chthamalus malayensis* Pilsbry, 1916 馬來小藤壺 Ref. Ren & Liu, 1984  
*Chthamalus moro* Pilsbry, 1916 直背小藤壺 Ref. 同前  
*Euraphia caudata* Pilsbry, 1916 尾肢地藤壺  
*Euraphia withersi* Pilsbry, 1916 白條地藤壺  
*Hexechamaesipho pilsbryi* Hiro, 1936 皮氏六板小藤壺  
*Nesochthamalus intertextus* Darwin, 1854 齒底小藤壺  
*Pseudoctomeris sulcata* Nilsson-Cantell, 1932 擬肋藤壺

#### Family Chelonibiidae 龜藤壺科

*Cheloniba patulla* Ranzani, 1818  
*Cheloniba testudinaria* Linnaeus, 1758  
*Chelonibia patula* Ranzani, 1818 薄殼龜藤壺 Ref. Chan & Lee, 2007  
*Chelonibia testudinaria* Linnaeus, 1758 龜藤壺 Ref. 同前

#### Family Pyrgomatidea 塔藤壺科

*Cantellius pallidus* Broch, 1931 蒼離板藤壺  
*Nobia grandis* Sowerby, 1839 雄偉貴藤壺  
*Wanella milleporae* Darwin, 1854 孔寬楯藤壺 Ref. Savignium milleporae in 中國動物誌

#### Family Tetracelitidae 笠藤壺科

*Tetracelita formosana* Hiro, 1939 Ref. Ren & Liu, 1979  
*Tetracelita japonica* Pilsbry, 1916 Ref. 同前  
*Tetracelita japonica formosana* Hiro, 1939 美麗笠藤壺  
*Tetracelita japonica japonica* Pilsbry, 1916 日本笠藤壺  
*Tetracelita kuroshioensis* Chan, Tsang & Chu 2007 黑潮笠藤壺  
*Tetracelita paci* Chan, B.K.K., C. M. Tseng & K. H. Chu. 太平洋笠藤壺 Ref. Chan, B.K.K., L.M. Tsang & K.H. Chu, 2007

*Tetraclita squamosa* Bruguiere, 1789 鱗笠藤壺 Ref. Ren & Liu, 1979  
*Tetraclitella chinensis* Nilsson-Cantell, 1921 中華小笠藤壺  
*Tetraclitella darwini* Pilsbry, 1916 突角小笠藤壺  
*Tetraclitella divisa* Nilsson-Cantell, 1921 間隔小笠藤壺  
*Tetraclitella multicostata* Nilsson-Cantell, 1930 多肋小笠藤壺

### Family Verrucidae 花籠科

*Rostraverruca koehleri* Gruvel, 1907 貝雕花籠 Ref. Ren & Liu, 1984  
*Verruca albatrossiana* Pilsbry, 1912 Ref. 同前

## Order Siphonostomatoida 管口水蚤目

### Family Asterocheridae 星管水蚤科

*Asterocheres aesthetes* Ho, 1984 靈星管水蚤 Ref. 石長泰。2002 (未發表)  
*Dermatomyzon nigripes* Brady & Robertson, 1873 黑皮管水蚤 Ref. 石長泰。2002 (未發表)  
*Sinopontius aesthetascus* Boxshall, 1990 靈華管水蚤 Ref. 石長泰。2002 (未發表)  
*Sinopontius punctatus* Boxshall, 1990 斑華管水蚤 Ref. 石長泰。2002 (未發表)

### Family Caligidae 魚虱科

*Anuretes branchialis* Rangnekar, 1953 Ref. 林清龍、何汝諧。2002  
*Anuretes grandis* Ho & Lin, 2000 Ref. 何汝諧、林清龍。2000  
*Anuretes quadrilaterus* Shiino, 1954 Ref. 林清龍、何汝諧。2003  
*Caligodes laciniatus* Krøyer, 1863 Ref. 林清龍、何汝諧。2002  
*Caligus absens* Lin, Ho & Chen, 2000 Ref. 何汝諧、林清龍、陳秀男。2000  
*Caligus acanthopagri* Lin, Ho & Chen, 1994 Ref. 林清龍、何汝諧、陳秀男。1994  
*Caligus aesopus* Wilson, 1921 Ref. 林清龍、何汝諧。2007  
*Caligus amblygenitalis* Pillai, 1961 Ref. 何汝諧、林清龍。2003  
*Caligus arii* Bassett-Smith, 1898 Ref. 何汝諧、林清龍、張文炳。2007  
*Caligus asymmetricus* Kabata, 1965 Ref. 林清龍、何汝諧。2001  
*Caligus bennetti* Causey, 1953 Ref. 林清龍、何汝諧。2002  
*Caligus bonito* Wilson, 1905 Ref. 林清龍、何汝諧。2001  
*Caligus callyodoni* Prabha & Pillai, 1986 Ref. 林清龍、何汝諧。2007  
*Caligus calotomi* Shiino, 1954 Ref. 林清龍、何汝諧。2007  
*Caligus chiasmus* Lin & Ho, 2003 Ref. 林清龍、何汝諧。2003  
*Caligus clavatus* Kirtisinghe, 1964 Ref. 林清龍、何汝諧。2002  
*Caligus confusus* Pillai, 1961 Ref. 何汝諧、林清龍。2001  
*Caligus cordyla* Pillai, 1963 Ref. 何汝諧、林清龍。2001  
*Caligus coryphaenae* Steenstrup & Lütken, 1861 Ref. 何汝諧。1963  
*Caligus dactylus* Ho, Lin, & Chang, 2007 Ref. 何汝諧、林清龍、張文炳。2007  
*Caligus dasyaticus* Rangnekar, 1957 Ref. 同前  
*Caligus digitatus* Lin & Ho, 2003 Ref. 何汝諧、林清龍。2003  
*Caligus epidemicus* Hewitt, 1971 Ref. 林清龍、何汝諧、陳秀男。1996  
*Caligus epinepheli* Yamaguti, 1936 Ref. 何汝諧、林清龍。2003  
*Caligus equulae* Ho & Lin, 2003 Ref. 何汝諧、林清龍。2003  
*Caligus fistulariae* Yamaguti, 1936 Ref. 何汝諧、林清龍。2007  
*Caligus fortis* Kabata, 1965 Ref. 何汝諧、林清龍、張文炳。2007  
*Caligus inanis* Ho & Lin, 2007 Ref. 何汝諧、林清龍。2007  
*Caligus kanagurta* Pillai, 1961 Ref. 何汝諧、林清龍、陳秀男。2000  
*Caligus kapuhili* Lewis, 1967 Ref. 林清龍、何汝諧。2007  
*Caligus kirtiodes* Ho & Lin, 2001 Ref. 何汝諧、林清龍。2001  
*Caligus laticaudus* Shiino, 1960 Ref. 何汝諧、林清龍、陳秀男。2000  
*Caligus longipedis* Bassett-Smith, 1898 Ref. 何汝諧、林清龍。2001  
*Caligus lutjani* Ho, Lin, & Chang, 2007 Ref. 何汝諧、林清龍、張文炳。2007  
*Caligus multispinosus* Shen, 1957 Ref. 林清龍、何汝諧、陳秀男。1994  
*Caligus nangai* Rangnekar, Rangnekar & Murti, 1953 Ref. 何汝諧、林清龍、陳秀男。2000  
*Caligus nengai* Rangnekar, Rangnekar & Murti 1953 Ref. 同前  
*Caligus novocaledonicus* Kabata, 1968 Ref. 林清龍、何汝諧。2007  
*Caligus orientalis* Gusev, 1951 Ref. 林清龍、何汝諧。1998  
*Caligus oviceps* Shiino, 1952 Ref. 林清龍、何汝諧、陳秀男。1996  
*Caligus pagrosomi* Ho & Lin, 2003 Ref. 何汝諧、林清龍。2003  
*Caligus pagrosomi pagrosomi* Yamaguti, 1939 Ref. 何汝諧、林清龍。2003  
*Caligus pagrosomi schlegeli* Ho & Lin, 2003 Ref. 何汝諧、林清龍。2003  
*Caligus pampi* Ho & Lin, 2001 Ref. 何汝諧、林清龍。2002  
*Caligus patulus* Wilson, 1937 Ref. 何汝諧、林清龍。2002  
*Caligus planktonis* Pillai, 1979 Ref. 何汝諧、林清龍。2004  
*Caligus polycanthi* Gnanamuthu, 1950 Ref. 林清龍、何汝諧。1997  
*Caligus productus* Dana, 1852 Ref. 林清龍、何汝諧。2001  
*Caligus punctatus* Shiino, 1955 Ref. 林清龍。1996  
*Caligus quadratus* Shiino, 1954 Ref. 林清龍、何汝諧。2001  
*Caligus robustus* Bassett-Smith, 1898 Ref. 何汝諧、林清龍。2007  
*Caligus rotundigenitalis* Yü, 1933 Ref. 何汝諧、林清龍、陳秀男。2000  
*Caligus tylosuri* Rangnekar, 1956 Ref. 林清龍、何汝諧。2007  
*Euryphorus brachypterus* Gerstaecker, 1853 Ref. 何汝諧等。2008  
*Euryphorus nordmanni* Milne-Edward, 1840 Ref. 林清龍、何汝諧。2002

*Hermilius pyrivertris* Heller, 1865 Ref. 林清龍、何汝諧。2000  
*Lepeophtheirus atypicus* Lin, Ho & Chen, 1996 Ref. 林清龍、何汝諧、陳秀男。1996  
*Lepeophtheirus exilipes* Lin & Ho, 2003 Ref. 何汝諧、林清龍。2003  
*Metacaligus latus* Ho & Lin, 2002 Ref. 何汝諧、林清龍。2002  
*Metacaligus uruguayensis* Thomsen, 1949 Ref. 林清龍、何汝諧。2000  
*Parapetalus hirsutus* Bassett-Smith, 1898 Ref. 林清龍、何汝諧。2000  
*Parapetalus occidentalis* Wilson, 1908 Ref. 何汝諧、林清龍。2001  
*Pseudocaligus laminatus* Rangnaker, 1955 Ref. 林清龍、何汝諧。2003  
*Synestius caliginus* Steenstrup & Lütken, 1861 Ref. 林清龍、何汝諧。2000

#### **Family Dinopontiidae 漩管水蚤科**

*Stenopontius parvus* Boxshall, 1990 小窄管水蚤 Ref. 石長泰。2002 (未發表)

#### **Family Lernaepodidae 顎虱科**

*Parabrachiella lata* Song & Chen, 1976 Ref. 何汝諧、鄭有容、林清龍。2007

#### **Family Rataniidae 黃棒管水蚤科**

*Ratania flava* Giesbrecht, 1892 黃棒管水蚤 Ref. 石長泰。2002 (未發表)

## **Phylum Annelida 環節動物門**

### **Class Clitellata 環帶綱**

#### **Order Haplotaxida 單向蚓目**

##### **Family Glossoscolecidae 滑蚓科**

*Pontoscolex corethrurus* (Müller, 1856) 黃頸蝮蚓, 黃頸透鈣蚓 Ref. Tsai et al., 2000

##### **Family Lumbricidae 正蚓科**

*Aporrectodea caliginosa* (Savigny, 1826) Ref. Blakemore et al., 2006

*Aporrectodea trapezoides* (Dugès, 1828) 梯形阿波蚓 Ref. 同前

*Bimastos parvus* (Eisen, 1874) 小雙胸蚓 Ref. 同前

*Eiseniella tetraedra* (Savigny, 1826) 紅鈎蚓 Ref. Shen et al., 2005

##### **Family Megascolecidae 巨蚓科**

*Amyntas aspergillum* (Perrier, 1872) 參狀遠環蚓 Ref. Blakemore et al., 2006

*Amyntas bilineatus* Tsai & Shen, 2007 雙鍊遠環蚓 [特有] Ref. Tsai et al., 2007

*Amyntas binoculatus* Tsai, Shen & Tsai, 1999 雙目遠環蚓 [特有] Ref. Tsai et al., 1999

*Amyntas candidus* (Goto & Hatai, 1898) 光澤遠環蚓 [特有] Ref. Goto & Hatai, 1898

*Amyntas carnosus* (Goto & Hatai, 1899) Ref. Shen et al., 2005

*Amyntas catenus* Tsai, Shen & Tsai, 2001 鍊狀遠環蚓 [特有] Ref. Tsai et al., 2001

*Amyntas chilanaensis* Tsai & Tsai, 2007 棲蘭遠環蚓 [特有] Ref. Tsai et al., 2007

*Amyntas corticis* (Kinberg, 1867) 皮質遠環蚓 Ref. Blakemore et al., 2006

*Amyntas cruxus* Tsai & Shen, 2007 十字遠環蚓 [特有] Ref. Tsai et al., 2007

*Amyntas exiguus* (Gates, 1929) 台灣嬌小遠環蚓 [特有] Ref. Tsai et al., 2001

*Amyntas fenestrus* Shen, Tsai & Tsai, 2003 雙窗遠環蚓 [特有] Ref. Shen et al., 2003

*Amyntas gracilis* (Kinberg, 1867) 優雅遠環蚓 Ref. Blakemore et al., 2006

*Amyntas hohuanmontis* Tsai, Shen & Tsai, 2002 合歡山遠環蚓 [特有] Ref. Tsai et al., 2002

*Amyntas hupiensis* (Michaelsen, 1895) 湖北遠環蚓 Ref. Blakemore et al., 2006

*Amyntas incongruus* (Chen, 1933) 異駢遠環蚓 Ref. 同前

*Amyntas lini* Chang, Lin, Chen, Chung & Chen, 2007 林氏遠環蚓 [特有] Ref. Chang et al., 2007

*Amyntas meishanensis* Chang, Lin, Chen, Chung & Chen, 2007 梅山遠環蚓 [特有] Ref. 同前

*Amyntas minimus* (Horst, 1893) 微小遠環蚓 Ref. Blakemore et al., 2006

*Amyntas morrisi* (Beddard, 1892) 毛氏遠環蚓 Ref. 同前

*Amyntas nanrenensis* James, Shih & Chang, 2005 南仁遠環蚓 [特有] Ref. James et al., 2005

*Amyntas nanshanensis* Shen, Tsai & Tsai, 2003 南山遠環蚓 [特有] Ref. Shen et al., 2003

*Amyntas papilio* (Gates, 1930) 蝴蝶遠環蚓 Ref. Chen & Chuang, 2003

*Amyntas papulosus* (Rosa, 1896) 丘疹遠環蚓 Ref. Blakemore et al., 2006

*Amyntas penpuensis* Shen, Tsai & Tsai, 2003 本部遠環蚓 [特有] Ref. Shen et al., 2003

*Amyntas polyglandularis* (Tsai, 1964) 多腺遠環蚓 [特有] Ref. Tsai, 1964

*Amyntas proasaccus* Tsai, Shen & Tsai, 2001 異口遠環蚓 [特有] Ref. Tsai et al., 2001

*Amyntas robustus* (Perrier, 1872) 壯偉遠環蚓 Ref. Blakemore et al., 2006

*Amyntas rockefelleri* (Chen, 1933) 洛克斐勒遠環蚓 Ref. Shen et al., 2003

*Amyntas sexpectatus* Tsai, Shen & Tsai, 1999 六胸遠環蚓 [特有] Ref. Tsai et al., 1999

*Amyntas shinanmontis* Tsai & Shen, 2007 溪南山遠環蚓 [特有] Ref. Tsai et al., 2007

*Amyntas swanus* (Tsai, 1964) 潔白遠環蚓 [特有] Ref. Tsai, 1964

*Amyntas taipeiensis* (Tsai, 1964) 台北遠環蚓 Ref. Tsai, 1964

*Amyntas tantulus* Shen, Tsai & Tsai, 2003 小遠環蚓 [特有] Ref. Shen et al., 2003

*Amyntas tayalis* Tsai, Shen & Tsai, 1999 泰雅遠環蚓 [特有] Ref. Tsai et al., 1999

*Amyntas tessellatus* Shen, Tsai & Tsai, 2002 棋盤遠環蚓 [特有] Ref. Shen et al., 2002

*Amyntas tessellatus* Shen, Tsai & Tsai, 2002 棋盤遠環蚓 [特有] Ref. 同前

*Amyntas tungpuensis* Tsai, Shen & Tsai, 1999 東埔遠環蚓 [特有] Ref. Tsai et al., 1999

*Amyntas uvaglandularis* Shen, Tsai & Tsai, 2003 葡萄遠環蚓 [特有] Ref. Shen et al., 2003

*Amyntas wangi* Shen, Tsai & Tsai, 2003 王氏遠環蚓 [特有] Ref. 同前

*Amyntas wulinensis* Tsai, Shen & Tsai, 2001 武嶺遠環蚓 [特有] Ref. Tsai et al., 2001

*Metaphire bununa* Tsai, Tsai, & Liaw, 2000 布農腔環蚓 [特有] Ref. Tsai et al., 2000  
*Metaphire californica* (Kinberg, 1867) 加州腔環蚓 Ref. Blakemore et al., 2006  
*Metaphire feijanii* Chang & Chen, 2004 飛棧腔環蚓 [特有] Ref. Chang & Chen, 2004  
*Metaphire formosae* (Michaelsen, 1922) 福爾摩沙腔環蚓 [特有] Ref. Michaelsen, 1922  
*Metaphire glareosa* Tsai, Tsai & Liaw, 2000 礫石腔環蚓 Ref. Tsai et al., 2000  
*Metaphire houlletii* (Perrier, 1872) 霍氏腔環蚓 Ref. Shen et al., 2005  
*Metaphire nanaoensis* Chang & Chen, 2005 南澳腔環蚓 [特有] Ref. Chang & Chen, 2005  
*Metaphire paiwana* (James, Shih & Chang, 2005) 恆春腔環蚓 Ref. James et al., 2005  
*Metaphire paiwana* Tsai, Tsai & Liaw, 2000 金針腔環蚓 [特有] Ref. Tsai et al., 2000  
*Metaphire paiwana* Tsai, Tsai & Liaw, 2000 排灣腔環蚓 [特有] Ref. 同前  
*Metaphire posthuma* (Vaillant, 1869) 土後腔環蚓 Ref. Blakemore et al., 2006  
*Metaphire puyuma* Tsai, Shen & Tsai, 1999 卑南腔環蚓 [特有] Ref. Tsai et al., 1999  
*Metaphire schmaridae* (Horst, 1883) 舒氏腔環蚓 Ref. Blakemore et al., 2006  
*Metaphire tahanmonta* Chang & Chen, 2005 大漢山腔環蚓 [特有] Ref. Chang & Chen, 2005  
*Metaphire taiwanensis* Tsai, Shen & Tsai, 2004 台灣腔環蚓 [特有] Ref. Tsai et al., 2004  
*Metaphire trutina* Tsai, Chen, Tsai & Shen, 2003 天秤腔環蚓, 元寶腔環蚓 [特有] Ref. Tsai et al., 2003  
*Metaphire yeni* Tsai, Shen & Tsai, 2000 顏氏腔環蚓 [特有] Ref. Tsai et al., 2000  
*Metaphire yuhsii* (Tsai, 1964) 友變腔環蚓 [特有] Ref. Tsai, 1964  
*Perionyx excavatus* Perrier, 1872 掘穴環爪蚓 Ref. Blakemore et al., 2006  
*Pithemera bicincta* (Perrier, 1875) 雙帶近環蚓 Ref. 同前  
*Pithemera lanyuensis* Shen & Tsai, 2002 蘭嶼近環蚓 [特有] Ref. Shen & Tsai, 2002  
*Polypheretima elongata* (Perrier, 1872) 長形多環蚓 Ref. Blakemore et al., 2006  
*Pontodrilus litoralis* (Grube, 1855) 潮間沖蚓 Ref. Shen et al., 2005

#### Family Moniligastridae 鏈胃科

*Drawida japonica* (Michaelsen, 1892) 日本杜拉蚓 Ref. Blakemore et al., 2006

#### Family Ocnerodrilidae 寒(虫憲)蚓科

*Eukerria saltensis* (Beddard, 1895) Ref. Shen et al., 2008

#### Family Octochaetidae 八毛蚓科

*Dichogaster affinis* (Michaelsen, 1890) 乳突重胃蚓 Ref. Shen et al., 2008  
*Dichogaster bolau* (Michaelsen, 1891) 包氏重胃蚓 Ref. Blakemore et al., 2006  
*Dichogaster saliens* (Beddard, 1892) Ref. Shen & Tsai, 2007

### Order Tubificida 顛蚓目

#### Family Naididae 仙女蟲科

*Allonais gwaliorensis* Stephenson, 1920 瓜遼異仙女蟲 Ref. Lin & Yo, 2008  
*Aulodrilus pigueti* Kowalewski, 1914 皮氏管水蚓 Ref. 同前  
*Aulodrilus pluriseta* Pigué, 1906 多毛管水蚓 Ref. 同前  
*Aulophorus furcatus* Müller, 1773 叉行管盤蟲 Ref. 同前  
*Branchiodrilus hortensis* Stephenson, 1910 印西頭鰓蟲 Ref. 同前  
*Branchiura sowerbyi* Beddard, 1892 蘇氏尾鰓蚓 Ref. Erséus & Hsieh, 1997  
*Chaetogaster diaphanus* Gruithuisen, 1828 透清毛腹蟲 Ref. Lin & Yo, 2008  
*Chaetogaster diastrophus* Gruithuisen, 1828 盤纏毛腹蟲 Ref. 同前  
*Dero digitata* Müller, 1773 指鰓尾盤蟲 Ref. 同前  
*Dero dorsalis* Ferronière, 1899 背尾盤蟲 Ref. 同前  
*Doliodrilus tener* Erséus, 1984 Ref. Erséus & Hsieh, 1997  
*Limnodrilus hoffmeisteri* Claparède, 1862 霍甫水絲蚓, 霍氏顛蚓 Ref. 同前  
*Limnodrilus udekemianus* Claparède, 1862 奧特開水絲蚓 Ref. Lin & Yo, 2008  
*Monopylephorus limosus* Hatai, 1898 淡水單孔蚓 Ref. Erséus & Hsieh, 1997  
*Monopylephorus parvus* DitLevsen, 1904 Ref. 同前  
*Monopylephorus rubroniveus* Levinsen, 1884 Ref. 同前  
*Nais communis* Pigué, 1906 普通仙女蟲 Ref. Lin & Yo, 2008  
*Nais variabilis* Pigué, 1906 參差仙女蟲 Ref. 同前  
*Paranais litoralis* Müller, 1784 Ref. Cheng, 1995  
*Pristina aquiseta* Bourne, 1891 等齒吻盲蟲 Ref. Lin & Yo, 2008  
*Pristina longiseta* Ehrenberg, 1828 長毛吻盲蟲 Ref. 同前  
*Pristina synclites* Stephenson, 1925 平叉吻盲蟲 Ref. 同前  
*Pristinella jenkiniae* Stephenson, 1931 珍琴小吻盲蟲 Ref. 同前  
*Stephensoniana trivandranana* Aiyer, 1926 特城史氏蟲 Ref. 同前  
*Stylaria fossularis* Leidy, 1852 尖頭桿吻蟲 Ref. 同前

### Class Polychaeta 多毛綱

#### Order Eunicida 磯沙蠶目

##### Family Onuphidae 歐努菲蟲科

*Diopatra sugokai* Izuka, 1907 杉岡氏巢沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000447  
*Onuphis holobranchiata* Marenzeller, 1879 單鰓歐努菲蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000426  
*Onuphis punggolensis* Tan & Chou, 1998 盤溝歐努菲蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000419

#### Order Nereidida 沙蠶目

##### Family Nephtyidae 齒吻沙蠶科

*Nephtys californiensis* Hartman, 1938 加州齒吻沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000550

## Family Nereididae 沙蠶科

- Ceratonereis erythraeensis* Fauvel, 1918 紅角沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000593  
*Dendronereis pinnaticirris* Grube, 1878 羽鬚鯉沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000627  
*Namalycastis abiuma* (Grube, 1872) 單葉沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000521  
*Neanthes glandicincta* (Southern, 1921) 腺帶刺沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000557  
*Perinereis aibuhitiensis* Grube, 1878 雙齒圍沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000617  
*Perinereis caeruleis* Hoagland, 1920  
*Perinereis floridana* Ehlers, 1868 佛洲圍沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000634  
*Perinereis helleri* (Grube, 1868) 圍沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000611  
*Perinereis maindroni* Fauvel, 1943  
*Perinereis majungaensis* Fauvel, 1921  
*Perinereis matthaii* Aziz, 1938  
*Perinereis mictodonta* (Marenzeller, 1879) 混齒圍沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000646  
*Perinereis nigropunctata* (Horst, 1889) 黑點圍沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000583  
*Perinereis nuntia* (Savigny, 1818) 多齒圍沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000657  
*Perinereis rhombodonta* Wu, Sun & Yang, 1981 菱齒圍沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000659  
*Perinereis shikueii* Glasby & Hsieh, 2005 錫圭圍沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000663  
*Perinereis shancaurica* (Ehlers, 1869) 扁齒圍沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000584  
*Perinereis viridis* Glasby & Hsieh, 2006 Ref. Glasby & Hsieh, 2006  
*Perinereis wilsoni* Glasby & Hsieh, 2005 威爾森圍沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000670

## Family Syllidae 裂蟲科

- Trypanosyllis taeniaformis* Haswell, 1886 帶形鑽穿裂蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000551  
*Trypanosyllis zebra* (Grube, 1860) 斑紋鑽穿裂蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000502  
*Typosyllis alternata* Moore, 1908 輪替模裂蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000466  
*Typosyllis silkeae* Frank Licher, 2000 絲毛模裂蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000412  
*Typosyllis taiwanensis* Frank Licher, 2000 台灣模裂蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000410

## Order Phyllodocida 葉鬚蟲目

### Family Goniadidae 角沙蠶科

- Goniada maculata* Oersted, 1843 色斑角吻沙蠶 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000549

### Family Polynoidae 多鱗蟲科

- Lepidonotus squamatus* (Linnaeus, 1767) 方背鱗蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000534

## Order Sabellida 纓鰓蟲目

### Family Sabellidae 纓鰓蟲科

- Laonome albicingillum* Hsieh, 1995 白腺纓鰓蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000022  
*Megalomma cinctum* Fitzhugh, 2003 Ref. Fitzhugh, 2003

### Family Serpulidae 龍介蟲科

- Hydroides crucigera* (Morch, 1863) 交雜盤管蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000439  
*Hydroides dirampha* Morch, 1863 雙鉤盤管蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000441  
*Hydroides elegans* Haswell, 1883 華美盤管蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000445  
*Salmacina dysteri* Huxley, 1855 迪氏腺管蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000434

## Order Scolecida 尖錐蟲目

### Family Orbiniidae 錐頭蟲科

- Scoloplos marsupialis* Southern, 1921 膜囊尖錐蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000456

## Order Spionida 海稚蟲目

### Family Chaetopteridae 燐蟲科

- Chaetopterus variopedatus* (Renier, 1804) 多樣疣足燐蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000628  
*Mesochaetopterus minutus* (Claparede, 1868) 微小中燐蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000505

### Family Spionidae 海稚蟲科

- Dipolydora armata* (Langerhans, 1880) 甲冑海稚蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000431  
*Polydora cornuta* Bosc, 1802 角才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000043  
*Polydora fusca* Radashevsky & Hsieh, 2000 褐點才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000059  
*Polydora triglanda* Radashevsky & Hsieh, 2000 三腺才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000065  
*Polydora villosa* Radashevsky & Hsieh, 2000 青灣才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000077  
*Prionospio depauperata* Imajima, 1990 微稚齒蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000537  
*Prionospio japonica* Imajima, 1990 日本稚齒蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000528  
*Pseudopolydora achaeta* Radashevsky & Hsieh, 2000 無毛偽才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000113  
*Pseudopolydora corniculata* Radashevsky & Hsieh, 2000 角偽才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000144  
*Pseudopolydora diopatra* Hsieh, 1992 巢偽才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000087  
*Pseudopolydora gigeriosa* Radashevsky & Hsieh, 2000 沙囊偽才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000147  
*Pseudopolydora kempfi* Imajima & Hartman, 1964 膜質偽才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000088  
*Pseudopolydora paucibranchiata* (Okuda, 1937) 短鰓偽才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000112  
*Pseudopolydora reticulata* Radashevsky & Hsieh, 2000 網紋偽才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000168  
*Pseudopolydora vexillosa* Radashevsky & Hsieh, 2000 旗面偽才女蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000179

## Order Terebellida 螿龍介目

## Family Amphinomidae 仙蟲科

*Chloeia flava* (Pallas, 1766) 黃斑海毛蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000506  
*Eurythoe complanata* (Pallas, 1766) 扁猶帝蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000437

## Family Terebellidae 蟄龍介科

*Amphitrite lobocephala* Hsieh, 1994 襟首葉蟄蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000007  
*Terebella ehrenbergi* Grube, 1870 埃氏蟄龍介蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000545  
*Thelepus binakayanensis* 比那卡洋乳蟄蟲 Ref. 中央研究院生物多樣性研究博物館標本 ASIZW0000543

# Phylum Sipuncula 星蟲動物門

## Class Phascolosomatidea 革囊星蟲綱

### Order Aspidosiphoniformes 盾管星蟲目

#### Family Aspidosiphonidae 盾管星蟲科

*Aspidosiphon coyi* de Quatrefages, 1865  
*Aspidosiphon elegans* Chamisse & Eysenhardt, 1821 雅麗盾管星蟲  
*Aspidosiphon laevis* de Quatrefages, 1865 平滑被盾管星蟲  
*Aspidosiphon muelleri* Diesing, 1851 米氏盾管星蟲  
*Aspidosiphon steenstrupii* Diesing, 1859 斯氏盾管星蟲  
*Aspidosiphon tenuis* Sluiter, 1886 纖細被盾管星蟲  
*Cloeosiphon aspergillus* de Quatrefages, 1865 散形領管星蟲  
*Lithacrosiphon cristatus* Sluiter, 1902

### Order Phascolosomatiformes 革囊星蟲目

#### Family Phascolosomatidae 革囊星蟲科

*Antillesoma antillarum* Grube & Oersted, 1858 安島反體星蟲  
*Phascolosoma albolineatum* (Baird), 1868 白紋革囊星蟲  
*Phascolosoma arcuatum* (Gray), 1828 弓形革囊星蟲  
*Phascolosoma glabrum glabrum* (Sluiter), 1902  
*Phascolosoma nigrescens* Leuckart, 1828 暗色革囊星蟲  
*Phascolosoma pacificum* Keferstein, 1866 太平洋革囊星蟲  
*Phascolosoma scolops* (Seleenka & Bulow, 1883) 厥目革囊星蟲

## Class Sipunculidea 星蟲綱

### Order Golfingiiformes 戈芬星蟲目

#### Family Golfingiidae 芬星蟲科

*Golfingia margaritacea margaritacea* (Sars), 1851 珠光戈芬星蟲  
*Thysanocardia nigra* (Ikeda), 1904 黑色纓心星蟲

#### Family Themistidae 枝觸星蟲科

*Themiste lageniformis* (Baird), 1868  
*Themiste minor minor* (Ikeda), 1904 微小枝觸星蟲

### Order Sipunculiformes 星蟲目

#### Family Sipunculidae 星蟲科

*Siphonosoma australe takatsukii* Sato, 1935  
*Siphonosoma funafuti* (Shipley), 1898  
*Siphonosoma vastum* (Seleenka & Bulow, 1883)  
*Sipunculus norvegicus* Danielssen, 1869 挪威方格星蟲  
*Sipunculus nudus* Linnaeus, 1766 光裸方格星蟲  
*Sipunculus robustus* Keferstein, 1865 強壯方格星蟲

# Phylum Mollusca 軟體動物門

## Class Bivalvia 雙殼綱

### Order Arcoida 魁蛤目

#### Family Arcidae 魁蛤科

*Acar congenita* (E.A. Smith, 1885) Ref. Masuda & Huang, 1990  
*Acar dubia* Baird, 1873 Ref. 同前  
*Acar plicatum* (Dillwyn, 1817) 紋疊魁蛤 Ref. 林朝榮。1974  
*Acar reticulata* (Gmelin, 1791) Ref. Masuda & Huang, 1990  
*Anadara amaliae* (Kobelt, 1891) Ref. Kuroda, 1941  
*Anadara antiquata* (Linnaeus, 1758) 古毛蚶 Ref. 巫文隆、李彥錚。2005  
*Anadara rhombea* (Born) Ref. Masuda & Huang, 1990  
*Anadara scapha* (Linnaeus, 1758) 舟毛蚶 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Anadara sedanensis* (Martin) Ref. Masuda & Huang, 1990  
*Anadara sokeishiensis* (Nomura) Ref. 同前  
*Anadara taiwanica* Noda, 1966 Ref. 同前

*Anadara takaoensis* (Nomura) Ref. 同前  
*Arca andoi* Nomura, 1933 Ref. 同前  
*Arca auriculata* Lamarck Ref. 同前  
*Arca avellana* Lamarck, 1819 船魁蛤 Ref. 林朝榮。1974  
*Arca boucardi* Jousseaume, 1894 布氏魁蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Arca cistula* Reeve Ref. Masuda & Huang, 1990  
*Arca cornea* Reeve Ref. 同前  
*Arca gokiensis* Tan, 1940 Ref. 同前  
*Arca granosa* Linne Ref. 同前  
*Arca inflata* Reeve Ref. 同前  
*Arca navicularis* Bruguiere, 1789 鷹翼魁蛤 Ref. 巫文隆。1980  
*Arca nodifera* von Martens Ref. Masuda & Huang, 1990  
*Arca philippiana* Dunker Ref. 同前  
*Arca rhombea* Born Ref. 同前  
*Arca sedanensis* Martin Ref. 同前  
*Arca sokeishiensis* Nomura, 1933 Ref. 同前  
*Arca takaoensis* Nomura, 1933 Ref. 同前  
*Arca ventricosa* Lamarck, 1819 鞋魁蛤 Ref. 林朝榮。1974  
*Arcopsis interplicata* (Grabau & King, 1928) 細肋毛蚶 Ref. 李彥錚。2001  
*Arcopsis sculptilis* (Reeve, 1844) Ref. 巫文隆。1980  
*Arcopsis symmetrica* (Reeve, 1844) 土豆魁蛤 Ref. Kuroda, 1941  
*Barbatia amygdalumtortum* (Roeding, 1798) 紅杏鬚魁蛤 Ref. 藍子樵。1998  
*Barbatia bicolorata* Dillwyn, 1817 紅鬚魁蛤 Ref. 林朝榮。1974  
*Barbatia cometa* (Reeve, 1844) 窄鬚魁蛤 Ref. 藍子樵。1998  
*Barbatia decussata* (Sowerby, 1832) 布紋魁蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Barbatia foliata* (Forsk. 1775) 鬚魁蛤 Ref. 林朝榮。1974  
*Barbatia lacerata* (Bruguiere, 1789) Ref. 巫文隆。1980  
*Barbatia stearnsii* (Pilsbry, 1895) 獸脂魁蛤 Ref. Kuroda, 1941  
*Barbatia virescens* (Reeve, 1844) 青鬚魁蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Batharca japonica* Habe, 1977 Ref. 巫文隆。1980  
*Didimarcia tenebricum* (Reeve, 1844) 大土豆魁蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Diluvarcia ferruginea* (Reeve, 1844) 銹色毛蚶 Ref. 同前  
*Hawaiarca uwaensis* (Yokoyama, 1928) 鷹羽魁蛤 Ref. 巫文隆、李彥錚。2005  
*Hawaiarca yamamotoi* Sakurai & Habe, 1961 山本魁蛤 Ref. 張崑雄、鄭明修。1989  
*Imparilarca craticulata* (Nyst, 1848) Ref. Kuroda, 1941  
*Kikaierca kikaizimana* (Nomura & Zinbo, 1934) 喜界島魁蛤 Ref. 藍子樵。1998  
*Mabellarca consociata* (Smith, 1885) Ref. 巫文隆。1980  
*Potiarca pilula* (Reeve, 1843) 球毛蚶 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Scapharca broughtonii* (Schrenck, 1867) Ref. 巫文隆。1980  
*Scapharca cornea* (Reeve, 1844) 角毛蚶 Ref. 巫文隆。1980  
*Scapharca globosa* (Tanaka, 1959) 圓毛蚶 Ref. 巫文隆、李彥錚。2005  
*Scapharca gubernaculum* Reeve, 1844 舵毛蚶 Ref. 巫文隆。1980  
*Scapharca inaequalis* (Bruguiere, 1789) 不等殼毛蚶 Ref. 巫文隆。1980  
*Scapharca satowi* Dunker, 1882 大毛蚶 Ref. 巫文隆。1980  
*Scapharca satowi* (Pilsbry, 1901) 日本大毛蚶 Ref. 巫文隆、李彥錚。2005  
*Scapharca subcrenata* (Lischke, 1869) 毛蚶 Ref. 巫文隆。1980  
*Striarca thielei* Schenck, 1931 Ref. 巫文隆。1980  
*Tegillarca granosa* (Linnaeus, 1758) 血蚶 Ref. 巫文隆。1980  
*Tegillarca nodifera* (v. Martens, 1860) 結毛蚶 Ref. 巫文隆。1980  
*Tosarca vellicata* (Reeve, 1844) Ref. Kuroda, 1941  
*Trisidos semitorta* (Lamarck, 1819) 半扭魁蛤 Ref. Kuroda, 1941  
*Trisidos tortuosa* (Linnaeus, 1758) 扭魁蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Vitrarca albidum* Sakurai & Habe, 1966 Ref. 巫文隆。1980

#### Family Cucullaeidae 圓魁蛤科

*Bentharca anaclima* Melvill, 1906 深海魁蛤 Ref. 李彥錚。2001  
*Bentharca xenophorica* (Kuroda, 1930) 寄生魁蛤 Ref. 李彥錚。2001  
*Cucullaea labiata* (Lifftfoot, 1789) 圓魁蛤 Ref. Kuroda, 1941

#### Family Glycymerididae 蚶蜊科

*Glycymeris albolineata* (Lischke, 1872) 白線蚶蜊 Ref. 巫文隆。1980  
*Glycymeris aspera* (A. Adams & Reeve, 1850) 花蚶蜊 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Glycymeris imperialis* Kuroda, 1934 帝王蚶蜊 Ref. 李彥錚。2002  
*Glycymeris reevei* (Mayver, 1868) 褐蚶蜊 Ref. 賴浩然。1999  
*Glycymeris rotunda* (Dunker, 1882) 圓蚶蜊 Ref. 賴景陽。1998  
*Glycymeris spurca* (Reeve, 1843) Ref. 巫文隆。1980  
*Melaxinaea clarki* (Nicol, 1951) Ref. 巫文隆。1980  
*Melaxinaea prashadi* (Nicol, 1951) Ref. Kuroda, 1941  
*Tucetona amboinensis* (Gmelin, 1791) Ref. 巫文隆。1980  
*Tucetona auriflua* (Reeve, 1843) 鑲金蚶蜊 Ref. 巫文隆。1980  
*Tucetona nodosa* (Reeve, 1843) Ref. 巫文隆。1980

#### Family Limopsidae 笠蚶科

- Crenulilimopsis oblonga* (A. Adams, 1860) 卵形笠蚶 Ref. 李彥錚。2001  
*Limopsis belcheri* A. Adams & Reeve, 1850 大笠蚶 Ref. 李彥錚。2003  
*Limopsis idonea* (Iredale, 1929) 歪斜笠蚶 Ref. 李彥錚。2003  
*Oblimopa japonica* (A. Adams, 1863) 日本笠蚶 Ref. Kuroda, 1941  
*Oblimopa multistriata* (Forskaal, 1775) 抓痕笠蚶 Ref. 巫文隆、簡士傑。2006

## Order Myoida 海螂目

### Family Corbulidae 抱蛤科

- Anisocorbula modesta* (Reeve, 1843) Ref. Kuroda, 1941  
*Anisocorbula scaphoides* (Hinds, 1843) 舟形抱蛤 Ref. 李彥錚。2002  
*Corbula crassa* Reeve, 1843 褐心抱蛤 Ref. 李彥錚。2002  
*Corbula fortisulcata* Smith, 1819 台灣抱蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Potamocorbula amurensis* (Schrenck, 1867) Ref. 巫文隆。1980  
*Potamocorbula fasciata* (Reeve, 1842) 光芒抱蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Solidicorbula erythrodon* (Lamarck, 1818) 紅唇抱蛤 Ref. 同前  
*Varicorbula rotalis* (Hinds, 1843) Ref. 巫文隆。1980

### Family Gastrochaenidae 開腹蛤科

- Eufistulana agglutinans* (Deshayes, 1854) Ref. 巫文隆。1980  
*Eufistulana grandis* (Deshayes, 1855) Ref. Kuroda, 1941  
*Gastrochaena cuneiformis* Spengler, 1783 開腹蛤 Ref. 譚天錫、白振宇、夏國經。1986  
*Gastrochaena cymbium* Spengler, 1783 蠶蛹開腹蛤 Ref. 鍾柏生。1993  
*Spengleria mytiloides* (Lamarck, 1818) Ref. 巫文隆。1980

### Family Hiatellidae 潛泥蛤科

- Hiatella orientalis* (Yokoyama, 1920) Ref. Kuroda, 1941

### Family Myidae 海螂蛤科

- Distugonia decurvata* (A. Adams, 1851) Ref. 巫文隆。1980  
*Mya arenaria* Makiyama, 1935 大海螂蛤 Ref. 巫文隆、李彥錚。2005

### Family Pholadidae 鷓蛤科

- Barnea dilatata* (Souleyet, 1843) Ref. Kuroda, 1941  
*Barnea manilensis* (Philippi, 1847) 馬尼拉鷓蛤 Ref. Kuroda, 1941  
*Barnea shihchoensis* Wang, 1983 Ref. Masuda & Huang, 1990  
*Jouannetia cumingi* Sowerby, 1849 鈴蛤 Ref. Kuroda, 1941  
*Jouannetia globulosa* (Quoy & Gaimard, 1835) 鋸齒鷓蛤 Ref. 編輯部。1995  
*Martesia pygmaea* Thang & Li, 1960 Ref. 巫文隆。1980  
*Martesia striata* (Linnaeus, 1758) 細紋鷓蛤 Ref. Kuroda, 1941  
*Monothyra orientalis* Gmelin, 1761 東方海鷓蛤 Ref. 巫文隆、楊誠國、張寶仁。2006  
*Nipponopholas satoi* Okamoto & Habe, 1987 佐藤鷓蛤 Ref. 李彥錚。2002  
*Parapholas quadrizonata* (Spengler, 1792) 擬潛穴蛤 Ref. Kuroda, 1941  
*Penitella kamakurensis* (Yokoyama, 1922) Ref. 巫文隆。1980  
*Zirfaea subconstricta* (Yokoyama, 1924) Ref. Kuroda, 1941

### Family Teredinidae 蛀船蛤科

- Austroreredo parksi* Bartsh, 1921 Ref. 巫文隆。1980  
*Bactronophorus philippinensis* (Bartsch, 1923) Ref. 巫文隆。1980  
*Bankia bipalmulata* (Lamarck, 1801) Ref. 巫文隆。1980  
*Bankia carinata* (Gray, 1827) Ref. 巫文隆。1980  
*Bankia fimbriatula* Moll & Roch, 1931 Ref. 巫文隆。1980  
*Bankia setacea* (Tryon, 1863) 剛毛蛀船蛤 Ref. 李彥錚。2002  
*Coeloteredo mindanensis* (Bartsch, 1923) Ref. 巫文隆。1980  
*Kuphus polythalamia* (Linnaeus, 1767) Ref. Kuroda, 1941  
*Lyrodus pedicellatus* (Quatrefagus, 1849) Ref. 巫文隆。1980  
*Nototeredo edax* (Hedley, 1895) Ref. 巫文隆。1980  
*Teredo fulleri* Clapp 紅樹林蛀船蛤 Ref. 巫文隆、吳錫圭。1996  
*Teredo navalis* Linnaeus, 1758 船蛆蛤 Ref. 巫文隆。1980  
*Teredora princesae* (Sivicks, 1928) Ref. 巫文隆。1980  
*Teredothyra smithi* (Bartsch, 1927) Ref. 巫文隆。1980  
*Uperotus clavus* (Gmelin, 1791) Ref. 巫文隆。1980

### Family Xylophaginidae 蛀木蛤科

- Metaxylophaga supplicata* Iw. Taki & Habe, 1950 Ref. 巫文隆。1980  
*Neoxylophaga lobata* Knudsen, 1961 Ref. 巫文隆。1980  
*Xylophaga indica* Smith, 1904 Ref. 巫文隆。1980  
*Xylophaga rikuzenica* Iw. Taki & Habe, 1945 粉紅蛀船蛤 Ref. 巫文隆、李彥錚。2005

## Order Mytiloida 貽貝目

### Family Mytilidae 殼菜蛤科

- Adipicola crypta* Dall, Bartsch & Rehder, 1938 Ref. Masuda & Huang, 1990  
*Adipicola longissima* (Thiele & Jaeckel, 1931) Ref. 同前  
*Botula silicula* (Lamarck, 1818) 肉桂香腸蜆 Ref. Kuroda, 1941  
*Brachidontes setigera* (Dunker, 1856) 尖銳殼菜蛤 Ref. Kuroda, 1941  
*Brachidontes striatulus* (Hanley, 1853) 台灣杜鵑蛤 Ref. 張寬敏。1982

*Gregariella coralliophaga* (Gmelin, 1791) 珊瑚蝨 Ref. 藍子樵。1998  
*Gregariella splendida* (Dunker, 1857) Ref. 巫文隆。1980  
*Hormomya mutabilis* (Gould, 1861) 似雲雀殼菜蛤 Ref. 施乃普。1975  
*Limnoperna fortunei* (Dunker, 1857) 河殼菜蛤 Ref. 張寬敏。1985  
*Lithophaga canalifera* (Hanley, 1941) Ref. 巫文隆。1980  
*Lithophaga curta* Lischke, 1874 短石蝨 Ref. 賴浩然。1999  
*Lithophaga divaricalix* Iredale, 1939 Ref. 巫文隆。1980  
*Lithophaga lima* (Lamy, 1919) Ref. 巫文隆。1980  
*Lithophaga nasuta* (Philippi, 1846) Ref. 巫文隆。1980  
*Lithophaga strimineae* (Reeve, 1857) Ref. 巫文隆。1980  
*Lithophaga teres* (Philippi, 1846) 黑石蝨 Ref. Kuroda, 1941  
*Lithophaga zitteliana* Dunker, 1882 金石蝨 Ref. 巫文隆。1980  
*Modiolus agripetus* Iredale, 1939 紫雲雀殼菜蛤 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Modiolus arata* (Dunker, 1857) Ref. 張璽等。1960  
*Modiolus auriculatus* (Krauss, 1848) 雲雀殼菜蛤 Ref. 林朝榮。1974  
*Modiolus comptus* Sowerby, 1915 絨雲雀蛤 Ref. 施乃普。1975  
*Modiolus elongatus* (Swainson, 1821) Ref. 巫文隆。1980  
*Modiolus flavidus* (Dunker, 1857) Ref. 巫文隆。1980  
*Modiolus metcalfei* (Hanley, 1843) 土嘴瓜殼菜蛤 Ref. 巫文隆。1980  
*Modiolus nipponicus* Oyama, 1950 日本殼菜蛤 Ref. 王繼忠、譚天錫。1979  
*Modiolus philippinarum* (Hanley, 1843) 菲律賓殼菜蛤 Ref. 巫文隆。1980  
*Modiolus trailli* (Reeve, 1843) Ref. Kuroda, 1941  
*Modiolus vagina* (Lamarck, 1819) Ref. 巫文隆。1980  
*Musculista senhousia* (Benson, 1842) Ref. 巫文隆、楊誠國、張寶仁。2006  
*Musculus cumingianus* (Reeve, 1857) 雙瓣殼菜蛤 Ref. 巫文隆、李彥錚。2005  
*Musculus cupreus* (Gould, 1861) 邊網殼菜蛤 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Musculus japonica* (Dunker, 1857) Ref. 巫文隆。1980  
*Musculus perfragilis* (Dunker, 1857) Ref. 巫文隆。1980  
*Musculus senhousia* (Benson, 1842) 東亞殼菜蛤 Ref. 張寬敏。1985  
*Mytilus coruscus* Gould, 1861 絲綢殼菜蛤 Ref. 巫文隆、李彥錚。2005  
*Mytilus edulis* Linnaeus, 1758 紫殼菜蛤、食用殼菜蛤 Ref. 巫文隆、劉秀平。1992  
*Mytilus trossulus* Gould, 1850 油黑殼菜蛤 Ref. 巫文隆、李彥錚。2005  
*Perna viridis* (Linnaeus, 1758) 綠殼菜蛤 Ref. 巫文隆。1980  
*Septifer bifurcatus* (Conrad, 1837) Ref. 丹桂之助。1932  
*Septifer bilocularis* (Linnaeus, 1758) 孔雀殼菜蛤 Ref. 林朝榮。1974  
*Septifer excisus* (Wiegmann, 1837) 白孔雀殼菜蛤 Ref. 林朝榮。1974  
*Septifer keenae* Nomura, 1936 姬蛤 Ref. 施乃普。1975  
*Septifer virgatus* (Wiegmann, 1837) 紫孔雀殼菜蛤 Ref. 王繼忠、譚天錫。1979  
*Stavelia subdistorta* (Recluz, 1852) Ref. 巫文隆。1980  
*Terna crypta* Dall, Bartsch & Rehder, 1938 似石蝨 Ref. 李彥錚。2002  
*Trichomya hirsuta* (Lamarck, 1819) 毛殼菜蛤 Ref. 巫文隆。1980  
*Vignadula atrata* (Lischke, 1871) Ref. 巫文隆。1980

### Family Pinnidae 江珧蛤科

*Atrina kinoshitai* Habe, 1953 囊江珧蛤 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Atrina pectinata* (Linnaeus, 1758) 牛角江珧蛤 Ref. 巫文隆。1980  
*Atrina teramachii* Habe, 1953 Ref. 許中泰。1975  
*Atrina vexillum* (Born, 1778) 黑旗江珧蛤 Ref. 巫文隆。1980  
*Pinna atropurpurea* Sowerby, 1825 Ref. Kuroda, 1941  
*Pinna bicolor* Gmelin, 1791 雙色江珧蛤 Ref. 林朝榮。1974  
*Pinna muricata* Linnaeus, 1758 尖角江珧蛤 Ref. 林朝榮。1974  
*Streptopinna saccata* (Linnaeus, 1758) 袋狀江珧蛤 Ref. 譚天錫、王繼忠、陳俊宏。1980

### Order Nuculoida 彎錦蛤目

#### Family Malletiidae 豌豆蛤科

*Malletia inaequilateralis* (Habe, 1951) 荷包豌豆蛤 Ref. 李彥錚。1998  
*Pseudomalletia humilior* (Prashad, 1932) 簞肩豌豆蛤 Ref. 藍子樵。2001  
*Pseudomalletia taliensis* (Lan & Lee, 2001) 大里豌豆蛤 Ref. 藍子樵、李彥錚。2001

#### Family Neilonellidae 黃錦蛤科

*Neilo carinifera* (Habe, 1951) 黃錦蛤 Ref. 李彥錚。1998  
*Neilonella dubia* Prashad, 1932 問題黃錦蛤 Ref. 巫文隆。1980  
*Neilonella kirai* Habe, 1953 吉良黃錦蛤 Ref. 藍子樵。2001  
*Neilonella soyoae* Habe, 1958 蒼鷹黃錦蛤 Ref. 巫文隆、李彥錚。2005

#### Family Nuculanidae 彎錦蛤科

*Nuculana acinacea* Habe, 1958 短刀彎錦蛤 Ref. 藍子樵。2001  
*Nuculana confusa* (Hanley, 1860) 問題彎錦蛤 Ref. 李彥錚。1998  
*Nuculana gordonis* (Otuka, 1936) 高雄彎錦蛤 Ref. Kuroda, 1941  
*Nuculana husamaru* Nomura, 1940 竹簾彎錦蛤 Ref. 藍子樵。2001  
*Nuculana kawamurai* Habe, 1961 河村彎錦蛤 Ref. 藍子樵。2001  
*Nuculana scalata* Prashad, 1932 Ref. 巫文隆。1980  
*Nuculana sematensis* (Suzuki & Ishizuka, 1943) 瀨又彎錦蛤 Ref. 李彥錚。1998

*Nuculana taiwanica* Okutani & Lan, 1998 台灣彎錦蛤 Ref. 鍾柏生。2000  
*Nuculana tashiensis* (Lan & Lee, 2001) 大溪彎錦蛤 Ref. 藍子樵、李彥錚。2001  
*Nuculana yokoyamai* Kuroda, 1920 橫山彎錦蛤 Ref. 李彥錚。1998  
*Portlandia exotica* Okutani & Lan, 1999 台灣鰲甲彎錦蛤 Ref. 鍾柏生。2000  
*Portlandia toyamaensis* (Kuroda, 1929) 富山彎錦蛤 Ref. 藍子樵。2001

### Family Nuculidae 銀錦蛤科

*Acila divaricata* Okutani, 1968 深海銀錦蛤(粗紋銀錦蛤) Ref. 藍子樵。2001  
*Acila divaricata* (Hinds, 1843) 銀錦蛤 Ref. 李彥錚。1998  
*Acila submirabilis* Schenck, 1936 果核銀錦蛤 Ref. 李彥錚。1998  
*Acila wadai* Tan, 1971 Ref. Masuda & Huang, 1990  
*Nucula convexa* Sowerby, 1833 米色銀錦蛤 Ref. 李彥錚。1998  
*Nucula cyrenoides* (Kuroda, 1929) 黑真珠銀錦蛤 Ref. 藍子樵。2001  
*Nucula donaciformis* Smith, 1895 斧形銀錦蛤 Ref. 藍子樵。2001  
*Nucula dorsocrenata* Habe, 1977 鋸緣銀錦蛤 Ref. 李彥錚。1998  
*Nucula paulula* A. Adams, 1856 小豆銀錦蛤 Ref. 藍子樵。2001  
*Nucula pratasensis* (Lan & Lee, 2001) 東沙銀錦蛤 Ref. 藍子樵、李彥錚。2001  
*Nucula tenuis* (Forbes, 1844) 米色銀錦蛤 Ref. 李彥錚。1998  
*Nucula tenuis* (Montagu, 1808) 薄殼銀錦蛤 Ref. 巫文隆、李彥錚。2005  
*Nucula tokyoensis* Yokoyama, 1920 東京銀錦蛤 Ref. 藍子樵。2001  
*Nucula torresi* Habe, 1953 細網銀錦蛤 Ref. Kaneko, 1943  
*Nucula trigonica* (Lan & Lee, 2001) 三角銀錦蛤 Ref. 藍子樵、李彥錚。2001  
*Nuculoma mirifica* (Dall, 1907) 神奇銀錦蛤 Ref. 巫文隆、李彥錚。2005  
*Nuculoma terna* (Smith, 1855) 日本銀錦蛤 Ref. 李彥錚。1998  
*Nuculoma teramachii* (Smith, 1855) 寺町銀錦蛤(小豆銀錦蛤) Ref. 巫文隆、李彥錚。2005

### Family Tindariidae 袖珍碎蛤科

*Tindaria soyoae* Habe, 1958 蒼鷹碎蛤 Ref. 藍子樵。2001

### Family Yoldiidae 綾衣蛤科

*Yoldia aurata* Lan & Lee, 2001 黃金豆莢蛤 Ref. 藍子樵、李彥錚。2001  
*Yoldia glauca* Kuroda & Habe, 1961 青豆莢蛤 Ref. 李彥錚。1998  
*Yoldia lepidula* A. Adams, 1856 綾衣蛤 Ref. Kuroda, 1941  
*Yoldia notabilis* Yokoyama, 1922 褐色豆莢蛤 Ref. 李彥錚。1998  
*Yoldia similis* Kuroda & Habe, 1961 似豆莢蛤 Ref. 李彥錚。1998

## Order Pholadomyoidea 筍螂目

### Family Clavagellidae 濾管蛤科

*Stirpuliniola ramosa* (Dunker, 1882) 噴管蛤 Ref. 賴景陽。1990  
*Warnea penis* (Linnaeus, 1758) 濾管蛤 Ref. 賴景陽。1990

### Family Cuspidariidae 杓蛤科

*Cardiomya alcocki* (Smith, 1884) 強肋杓蛤 Ref. 巫文隆。1980  
*Cardiomya fortisculpta* Kuroda, 1948 強肋杓蛤 Ref. 藍子樵。2000  
*Cardiomya gouldiana* (Hinds, 1843) 密肋杓蛤 Ref. 藍子樵。2000  
*Cardiomya sagamiana* Okutani & Sakurai, 1964 相模灣杓蛤 Ref. 藍子樵。2000  
*Cardiomya semicostata* Prashad, 1932 萌芽杓蛤 Ref. 藍子樵。2000  
*Cardiomya taiwanica* Okutani & Lan, 1999 台灣杓蛤 Ref. 鍾柏生。2000  
*Cardiomya tosaensis* (Kuroda, 1948) 土佐杓蛤 Ref. 巫文隆、李彥錚。2005  
*Cuspidaria chinensis* (Griffith & Pidgeon, 1834) 中華杓蛤 Ref. 藍子樵。2000  
*Cuspidaria chungfui* Lan, MS 春福杓蛤 Ref. 藍子樵。2000  
*Cuspidaria convexa* Prashad, 1932 圓球杓蛤 Ref. 藍子樵。2000  
*Cuspidaria dubia* Pelseneer, 1911 Ref. 巫文隆。1980  
*Cuspidaria elegans* (Hinds, 1843) Ref. 巫文隆。1980  
*Cuspidaria elephantina* Lan, MS 大象杓蛤 Ref. 藍子樵。2000  
*Cuspidaria hindsiana* (A. Adams, 1864) 蒜瓣杓蛤 Ref. 藍子樵。2000  
*Cuspidaria japonica* Kuroda, 1948 日本杓蛤 Ref. 藍子樵。2000  
*Cuspidaria kawamurai* Kuroda, 1948 大杓蛤 Ref. 藍子樵。2000  
*Cuspidaria kyushuensis* Okutani, 1962 九州杓蛤 Ref. 藍子樵。2000  
*Cuspidaria macrohynchus* Smith, 1895 Ref. 巫文隆。1980  
*Cuspidaria mitis* Prashad, 1932 Ref. 巫文隆。1980  
*Cuspidaria multicarinata* Prashad, 1932 寶島杓蛤 Ref. 藍子樵。2000  
*Cuspidaria nasuta* (A. Adams, 1864) 大鼻杓蛤 Ref. 藍子樵。2000  
*Cuspidaria nitida* (A. Adams & Reeve, 1850) Ref. Kuroda, 1941  
*Cuspidaria nobilis* (A. Adams, 1864) 高貴杓蛤 Ref. 藍子樵。2000  
*Cuspidaria okezoko* Okutani, 1985 桶底杓蛤 Ref. 藍子樵。2000  
*Cuspidaria prolatisima* Poutiers & Bernard, 1981 神燈杓蛤 Ref. 藍子樵。2000  
*Cuspidaria steindachneri* Sturandy, 1901 正杓蛤 Ref. 藍子樵。2000  
*Halonympha leiomyoides* (Poutiers & Bernard, 1981) 光亮杓蛤 Ref. 藍子樵。2000  
*Myonera caduca* (Smith, 1894) 蓮華杓蛤 Ref. 藍子樵。2000  
*Myonera dautzenbergi* Prashad, 1932 白玉杓蛤 Ref. 藍子樵。2000  
*Plectodon ligulus* (Yokoyama, 1922) 雀舌杓蛤 Ref. 藍子樵。2000  
*Pseudoneaera semipellucida* (Kuroda, 1948) 三角杓蛤 Ref. 藍子樵。2000

### Family Laternulidae 薄殼蛤科

- Laternula anatina* (Linnaeus, 1758) 截尾薄殼蛤 (公代) Ref. 巫文隆。1980  
*Laternula attenuata* Reeve, 1860 尖嘴薄殼蛤 Ref. 李彥錚。2002  
*Laternula boschasina* (Reeve, 1863) Ref. 巫文隆。1980  
*Laternula marilina* (Reeve, 1863) 船形薄殼蛤 Ref. 巫文隆。1980  
*Laternula siphonata* (Reeve, 1863) Ref. 巫文隆。1980  
*Laternula truncata* (Lamarck, 1818) 鴨嘴薄殼蛤 Ref. 巫文隆。1980

### Family Lyonsiidae 波浪蛤科

- Allogramma oahuensis* Dall, Bartsch & Rehder, 1938 龍宮波浪蛤 Ref. 藍子樵。2000  
*Lyonsia taiwanica* Lan & Okutani, 2002 台灣波浪蛤 Ref. 藍子樵、奧谷喬司。2002

### Family Myochamidae 三角瓣蛤科

- Myodora quadrata* Smith, 1899 Ref. 巫文隆。1980

### Family Pandoridae 屠刀蛤科

- Pandorella carinata* (Prashad, 1932) Ref. 巫文隆。1980

### Family Periplomatidae 湯匙蛤科

- Periploma japonicum* (Bernard, 1889) 日本湯匙蛤 Ref. 巫文隆、李彥錚。2005

### Family Poromyidae 砂蛤科

- Cetoconcha eximia* (Pelseneer, 1911) 渾滾砂蛤 Ref. Lan, 2000  
*Cetoconcha eximia* Habe, 1952 長渾滾砂蛤 Ref. 李彥錚。2005  
*Poromya butoni* (Prashad, 1932) 印尼砂蛤 Ref. 藍子樵。2000  
*Poromya carinata* Lan, MS 龍骨砂蛤 Ref. 藍子樵。2000  
*Poromya castanea* Habe, 1952 羊脂砂蛤 Ref. 藍子樵。2000  
*Poromya eximia* (Pelseneer, 1911) 渾滾砂蛤 Ref. 藍子樵。2000  
*Poromya flexuosa* Yokoyama, 1922 砂紙砂蛤 Ref. 藍子樵。2000  
*Poromya undosa* Hedley & Petterd, 1906 龍骨砂蛤 Ref. Lan, 2000

### Family Verticordiidae 圈心蛤科

- Acreuciroa rostrata* (Thiele & Jackel, 1931) 鳥嘴圈心蛤 Ref. 藍子樵。2000  
*Euciroa crassa* Thiele & Jackel, 1931 歪殼圈心蛤 Ref. 巫文隆。1980  
*Euciroa eburnea* Wood-Mason & Alcock, 1891 明月圈心蛤 Ref. 藍子樵。2000  
*Halicardia philippinensis* Poutiers, 1981 馬蹄圈心蛤 Ref. 藍子樵。2000  
*Policordia pilula* (Prashad, 1932) Ref. 巫文隆。1980  
*Spinospella costemini* (Poutiers, 1981) 龍王圈心蛤 Ref. 藍子樵。2000  
*Spinospella deshaysiana* (Fischer, 1862) 股刺圈心蛤 Ref. 藍子樵。2000

## Order Pterioida 鶯蛤目

### Family Anomiidae 銀蛤科

- Anomia chinensis* Philippi, 1849 銀蛤 Ref. Kuroda, 1941  
*Anomia lischkei* Dautzenberg & Fischer Ref. Masuda & Huang, 1990

### Family Dimyidae 石牡蠣科

- Dimya filipina* Bartsch, 1913 Ref. 巫文隆。1980

### Family Glyphaeidae 碑磔牡蠣科

- Hytissa hyotis* (Linnaeus, 1758) 碑磔牡蠣 Ref. Kuroda, 1941  
*Pretostrea affinis* (Sowerby, 1871) Ref. 巫文隆。1980  
*Pretostrea chemnitzii* (Hanley, 1846) Ref. Kuroda, 1941  
*Pretostrea imbricata* (Lamarck, 1819) 屋瓦碑磔牡蠣 Ref. Kuroda, 1941

### Family Isognomonidae 障泥蛤科

- Crenatula modiolaris* Lamarck, 1819 Ref. Kuroda, 1941  
*Isognomon ehippium* (Linnaeus, 1758) 馬鞍障泥蛤 Ref. 譚天錫、白振宇、夏國經。1986  
*Isognomon isognomum* (Linnaeus, 1758) 太平洋障泥蛤 Ref. Kuroda, 1941  
*Isognomon legumen* (Gmelin, 1791) 白障泥蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Isognomon nucleus* (Lamarck, 1819) 小障泥蛤 Ref. 林朝榮。1974  
*Isognomon perna* (Linnaeus, 1758) 花紋障泥蛤 Ref. 林朝榮。1974

### Family Limidae 狐蛤科

- Acesta marissinica* Yamashita & Habe, 1969 大黃狐蛤 Ref. 巫文隆。1980  
*Acesta rathbuni* (Bartsch, 1913) 黃滑狐蛤 Ref. 巫文隆、李彥錚。2005  
*Ctenoides ales* (Finley, 1927) Ref. 巫文隆。1980  
*Ctenoides annulata* (Lamarck, 1819) Ref. 張崑雄、鄭明修。1989  
*Ctenoides concentrica* (Sowerby, 1888) Ref. 巫文隆。1980  
*Ctenoides lischkei* (Lamy, 1930) Ref. Kuroda, 1941  
*Lima tomlini* Prashad, 1932 Ref. 巫文隆。1980  
*Lima vulgaris* (Link, 1807) 大白狐蛤 Ref. 譚天錫、白振宇、夏國經。1986  
*Limaria basilanica* (A. Adams & Reeve, 1850) 東方狐蛤 Ref. 林朝榮。1974  
*Limaria fragilis* (Gmelin, 1791) 薄片狐蛤 Ref. Kuroda, 1941  
*Limaria hirasei* (Pilsbry, 1901) 平瀨狐蛤 Ref. Kuroda, 1941  
*Limaria perfragilis* Habe & Kosuge, 1966 Ref. 巫文隆。1980  
*Limatula bullata* (Born, 1778) Ref. 巫文隆。1980

*Limatula sibogai* Prashad, 1932 Ref. 巫文隆。1980

### Family Malleidae 丁蠔科

*Malleus albus* Lamarck, 1819 丁蠔 Ref. Kuroda, 1941

*Malleus malleus* (Linnaeus, 1758) 黑丁蠔 Ref. Kuroda, 1941

*Malleus regula* (Forsk., 1775) 短耳丁蠔 Ref. Kuroda, 1941

*Malvufundus irregularis* Jousseume, 1894 不規則丁蠔 Ref. 張崑雄等。1993

### Family Ostreidae 牡蠣科

*Alectryonella plicatula* (Gmelin, 1791) Ref. 巫文隆。1980

*Crassostrea ariakensis* (Fujita in Wakiya, 1929) Ref. 巫文隆。1980

*Crassostrea echinata* Quoy & Gaimard, 1835 棘牡蠣 Ref. 巫文隆。1980

*Crassostrea gigas* (Thunberg, 1793) 長牡蠣 Ref. 洪楚璋等。1982

*Crassostrea lineata* (Roeding, 1798) Ref. 巫文隆。1980

*Dendostrea crenulifera* (Sowerby, 1871) 波浪牡蠣 Ref. 李彥錚。2003

*Dendostrea folium* (Linnaeus, 1758) Ref. Kuroda, 1941

*Dendostrea frons* (Linnaeus, 1758) Ref. 巫文隆、楊誠國、張寶仁。2006

*Dendostrea inaequalis* (Sowerby, 1878) Ref. 巫文隆。1980

*Dendostrea paulucciae* (Crosse, 1870) Ref. Kuroda, 1941

*Dendostrea turbinata* (Lamarck, 1878) Ref. Kuroda, 1941

*Lopha cristagalli* (Linnaeus, 1758) 鋸齒牡蠣 Ref. Kuroda, 1941

*Ostrea circumpecta* Pilsbry, 1904 Ref. 巫文隆。1980

*Ostrea densamellosa* Lischke, 1869 拖鞋牡蠣 Ref. 藍子樵。1998

*Ostrea dubia* Sowerby, 1871 Ref. Kuroda, 1941

*Ostrea nigromarginata* Sowerby, 1860 黑緣牡蠣 Ref. 巫文隆、張寶仁、李彥錚。2000

*Saccostrea kegaki* Torigoe & Inaba, 1981 刺牡蠣 Ref. Kuroda, 1941

*Saccostrea mordax* (Gould, 1850) 黑齒牡蠣 Ref. 林朝榮。1974

*Saxostrea mytiloides* (Lamarck, 1819) Ref. 巫文隆。1980

### Family Pectinidae 海扇蛤科

*Amusium japonicum* Habe, 1964 台灣日月蛤 Ref. 巫文隆。1980

*Amusium japonicum* (Gmelin, 1791) 日月蛤 Ref. 巫文隆。1980

*Amusium pleuronectes* (Linnaeus, 1758) 亞洲日月蛤 Ref. 巫文隆。1980

*Amusium pleuronectes* Masuda, Sato & Shuto Ref. Masuda & Huang, 1990

*Amusium yabei* Nomura 矢部火焰明海扇 Ref. 同前

*Amussiopecten kankoensis* (Tan) Ref. 同前

*Anguipecten lamberti* (Souverbie, 1874) Ref. 巫文隆。1980

*Annachlamys taiwanensis* Masuda & Huang, 1990 Ref. Masuda & Huang, 1990

*Argopecten asperulata* (A. Adams & Reeve, 1850) 紅瓦海扇蛤 Ref. 李彥錚。2003

*Argopecten pelseeneri* (Dautzenberg & Bavay, 1912) 雲紋海扇蛤 Ref. Kuroda, 1941

*Chlamys albolineata* (Sowerby, 1842) 白紋海扇蛤 Ref. Kuroda, 1941

*Chlamys aurantiaca* (A. Adams & Reeve, 1850) 繡花海扇蛤 Ref. 巫文隆。1980

*Chlamys bernardii* (Reeve, 1851) 伯納蒂海扇蛤 Ref. 李彥錚。2002

*Chlamys crestularis* (A. Adams & Reeve, 1850) Ref. 巫文隆。1980

*Chlamys farreri* (Jones & Preston, 1904) 法爾海扇蛤 Ref. 編輯組。1989

*Chlamys inaequalis* (Sowerby II, 1842) 不等海扇蛤 Ref. Kuroda, 1941

*Chlamys irregularis* (Sowerby, 1842) 多彩海扇蛤 Ref. 張崑雄等。1991

*Chlamys islandica* (Carpenter, 1864) 鳥羽錦扇蛤 Ref. 施乃普。1975

*Chlamys larvata* (Reeve, 1853) 疏鱗海扇蛤 Ref. Kuroda, 1941

*Chlamys lentiginosa* (Reeve, 1853) 黑麗海扇蛤 Ref. 巫文隆。1980

*Chlamys macassarensis* (Chenu, 1845) 瑪卡莎海扇蛤 Ref. 編輯組。1989

*Chlamys madreporarum* (Sowerby, 1887) Ref. 巫文隆。1980

*Chlamys mirificus* (Reeve, 1853) 豔美海扇蛤 Ref. 方力行、李健全。1994

*Chlamys nobilis* (Reeve, 1852) 高貴海扇蛤 Ref. 巫文隆、張寶仁、李彥錚。2000

*Chlamys oweni* (de Gregorio, 1884) Ref. Kuroda, 1941

*Chlamys pallium* (Linnaeus, 1758) 油畫海扇蛤 Ref. 編輯組。1989

*Chlamys princessae* Kuroda & Habe, 1971 公主海扇蛤 Ref. 編輯組。1989

*Chlamys quadrilirata* (Lischke, 1870) 肋中肋海扇蛤 Ref. 編輯組。1989

*Chlamys radula* (Linnaeus, 1758) 粗肋海扇蛤 Ref. 巫文隆。1980

*Chlamys reevei* (A. Adams & Reeve, 1850) 雪裡紅海扇蛤 Ref. 藍子樵。1976

*Chlamys ruschenbergerii* (Tryon, 1869) 印度洋海扇蛤 Ref. Kuroda, 1941

*Chlamys schmeltzii* (Kobelt, 1869) 迷你海扇蛤 Ref. 迷你貝殼中文種名小組。1988

*Chlamys senatoria* (Gmelin, 1791) 參議員海扇蛤 Ref. 張崑雄、鄭明修。1989

*Chlamys squamata* (Gmelin, 1791) 台灣海扇蛤 Ref. 施乃普。1975

*Chlamys teramachii* (J. H. Webb, 1956) Ref. 巫文隆。1980

*Chlamys vesiculosa* (Dunker, 1877) 方肋海扇蛤 Ref. 巫文隆、李彥錚。2005

*Cyclopecten randolphi* (Dall, 1897) 蘭道夫海扇蛤 Ref. 巫文隆、李彥錚。2005

*Cyclopecten vitreus* (Gmelin, 1791) 白玉海扇蛤 Ref. 巫文隆、李彥錚。2005

*Decatopecten plica* (Linnaeus, 1758) 芬香海扇蛤 Ref. 編輯組。1989

*Decatopecten superbus* (Sowerby, 1842) 錦花海扇蛤 Ref. 巫文隆。1980

*Decatopecten amiculum* (Philippi, 1835) 琉球海扇蛤 Ref. 巫文隆。1980

*Decatopecten striatus* (Schumacher, 1817) Ref. 巫文隆。1980

*Excellichlamys spectabilis* (Reeve, 1853) 奇美海扇蛤 Ref. 林朝榮。1974

*Pecten albicans* Schroter, 1802 白碟海扇蛤 Ref. 編輯組。1989  
*Pecten asper* Sowerby II, 1842 阿蓓海扇蛤 Ref. 編輯組。1989  
*Pecten excavatus* Anton, 1839 Ref. Kuroda, 1941  
*Pecten gardineri* (Smith, 1903) 三稜海扇蛤 Ref. 編輯組。1989  
*Pecten passerina* (Hinds, 1845) 火焰海扇蛤 Ref. 巫文隆、李彥錚。2005  
*Pecten pyxidatus* (Born, 1778) 箱形海扇蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Pecten sinensis* Sowerby II, 1842 中華海扇蛤 Ref. 編輯組。1989  
*Pedum spondyloideum* (Gmelin, 1791) 海菊海扇蛤 Ref. 張崑雄。1985  
*Polynemamussium intuscostatum* Yokoyama, 1920 Ref. 巫文隆。1980  
*Semipallium diana* (Crandall, 1979) 芙蓉海扇蛤 Ref. 賴景陽。1998  
*Semipallium fulvicostatum* (A. Adams & Reeve, 1850) Ref. Kuroda, 1941  
*Semipallium tigris* (Lamarck, 1819) 虎斑海扇蛤 Ref. 巫文隆。1980  
*Semipallium vexillum* (Reeve, 1853) 雲嬌海扇蛤 Ref. 賴景陽。1990  
*Volachlamys hirasei* (Bavay, 1904) 平瀨海扇蛤 Ref. 李彥錚。2003  
*Volachlamys hirasei* (Bavay, 1904) 平滑平瀨海扇蛤 Ref. 李彥錚。2003

#### Family Placunidae 雲母蛤科

*Placuna placenta* (Linnaeus, 1758) 雲母蛤 Ref. 巫文隆、張寶仁、李彥錚。2000

#### Family Plicatulidae 貓爪蛤科

*Plicatula australis* Lamarck, 1819 澳洲貓爪蛤 Ref. 李彥錚。2002  
*Plicatula horrida* Dunker, 1882 擬石牡蠣 Ref. Kuroda, 1941  
*Plicatula plicata* (Linnaeus, 1767) 太平洋貓爪蛤 Ref. 李彥錚。2003  
*Spiniplicatula muricata* (Sowerby, 1873) 刺貓爪蛤 Ref. 李彥錚。2002

#### Family Propeamussiidae 光芒海扇蛤科

*Propeamussium caducum* (Smith, 1855) 光芒海扇蛤 Ref. 編輯組。1989  
*Propeamussium jeffreysii* (Smith, 1885) 小光芒海扇蛤 Ref. 巫文隆。1980  
*Propeamussium sibogai* (Dautzenberg & Bavay, 1904) 大光芒海扇蛤 Ref. 巫文隆。1980

#### Family Pteriidae 鶯蛤科

*Electroma ovata* (Quoy & Gaimard, 1834) 鴉翅電光蛤 Ref. 巫文隆。1980  
*Pinctada albina* (Lamarck, 1819) Ref. 巫文隆。1980  
*Pinctada chemnitzii* (Philippi, 1849) 台灣鶯蛤 Ref. 林朝榮。1974  
*Pinctada fucata* (Dunker, 1872) 福克多珍珠蛤 Ref. 王繼忠、譚天錫。1979  
*Pinctada fucata* (Gould, 1850) 凹珠母蛤 Ref. 陳文德。2006  
*Pinctada maculata* (Gould, 1850) 白斑珍珠蛤 Ref. 楊國昌。1988  
*Pinctada margaritifera* (Linnaeus, 1758) 黑蝶真珠蛤 Ref. 藍昭典、羅進宗。1974  
*Pinctada maxima* (Jameson, 1901) 白蝶珍珠蛤 Ref. 藍昭典、羅進宗。1974  
*Pinctada nigra* (Gould, 1851) Ref. 巫文隆。1980  
*Pteria avicular* (Holten, 1802) 黑鶯蛤 Ref. Kuroda, 1941  
*Pteria brevia* (Dunker, 1872) 朱紅鶯蛤 Ref. 譚天錫、白振宇、夏國經。1986  
*Pteria conturnix* (Dunker, 1880) 木紋鶯蛤 Ref. 鍾柏生。2002  
*Pteria dendronephthya* (Habe, 1960) 迷你鶯蛤 Ref. 鍾柏生。2002  
*Pteria lata* (Gray, 1845) 寬鶯蛤 Ref. 鍾柏生。2002  
*Pteria loveni* (Dunker, 1872) 大肚鶯蛤 Ref. 鍾柏生。2002  
*Pteria peasei* (Dunker, 1872) 皮亞氏鶯蛤 Ref. 鍾柏生。2002  
*Pteria penguin* (Roeding, 1798) 企鵝鶯蛤 Ref. 藍昭典、羅進宗。1974  
*Pteria tortirostris* (Dunker, 1848) 刀形鶯蛤 Ref. 巫文隆。1980  
*Pteria zebra* (Reeve, 1857) 斑馬鶯蛤 Ref. 鍾柏生。2002

#### Family Spondylidae 海菊蛤科

*Spondylus albibarbat* Reeve, 1856 Ref. 巫文隆。1980  
*Spondylus anacanthus* (Mawe, 1823) 赤裸海菊蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Spondylus barbatus* Reeve, 1856 山羊海菊蛤 Ref. 譚天錫、白振宇、夏國經。1986  
*Spondylus barbatus* Lischke, 1868 Ref. 巫文隆。1980  
*Spondylus butleri* Reeve, 1856 Ref. Kuroda, 1941  
*Spondylus candidus* Lamarck, 1819 銼面海菊蛤 Ref. 譚天錫、白振宇、夏國經。1986  
*Spondylus castus* Reeve, 1856 Ref. Kuroda, 1941  
*Spondylus erectospinus* Habe, 1973 怒髮海菊蛤 Ref. 藍子樵。1985  
*Spondylus flabellum* Reeve, 1856 Ref. 巫文隆。1980  
*Spondylus imperialis* Chenu, 1843 帝王海菊蛤 Ref. 巫文隆。1980  
*Spondylus nicobaricus* Sowerby, 1847 Ref. 巫文隆。1980  
*Spondylus nicobaricus* Schreibers, 1793 Ref. Kuroda, 1941  
*Spondylus regius* (Linnaeus, 1758) 猩猩海菊蛤 Ref. 巫文隆。1980  
*Spondylus serraticosta* Prasad, 1932 Ref. 巫文隆。1980  
*Spondylus sinensis* Schreibers, 1793 中華海菊蛤 Ref. 林朝榮。1974  
*Spondylus spinosus* Schreibers, 1793 Ref. Kuroda, 1941  
*Spondylus squamosus* Schreibers, 1793 魚鱗海菊蛤 Ref. Kuroda, 1941  
*Spondylus varius* Sowerby, 1829 藍巨海菊蛤 Ref. 張崑雄。1985  
*Spondylus versicolor* Schreibers, 1793 金黃海菊蛤 Ref. Kuroda, 1941

#### Family Vulsellidae 單韌穴蛤科

*Vulsella spongiorum* (Lamarck, 1819) 海綿鳳凰蛤 Ref. 巫文隆、李彥錚。2005  
*Vulsella vulsella* (Linnaeus, 1758) 鳳凰蛤 Ref. Kuroda, 1941

## Order Solemyoidea 芒蛤目

### Family Solemyidae 芒蛤科

- Acharax japonicus* (Dunker, 1882) 日本芒蛤 Ref. 李彥錚。1998  
*Petrasma pervernicosa* Kuroda, 1948 油皮芒蛤 Ref. 陳文德。2006  
*Solemya pusilla* (Gould, 1861) 芒蛤 Ref. 李彥錚。1998

## Order Unionoidea 蚌目

### Family Unionidae 蚌科

- Anodonta woodiana* (Lea, 1834) 圓蚌、田蚌 Ref. 藍昭典、羅進宗。1974  
*Cristaria discoidea* (Lea, 1834) 青蚌、稜蚌 Ref. 藍昭典、羅進宗。1974  
*Unio douglasiae* (Pilsbry, 1905) 石蚌 Ref. 藍昭典、羅進宗。1974

## Order Veneroidea 簾蛤目

### Family Anatinellidae 水鴨蛤科

- Anatinella nicobarica* (Gmelin, 1791) Ref. 巫文隆。1980

### Family Astartidae 愛神蛤科

- Astarte sulcata* (da Costa, 1778) 歐洲愛神蛤 Ref. Masuda & Huang, 1990

### Family Cardiidae 鳥尾蛤科

- Acrosterigama burchardi* (Dunker, 1877) Ref. Masuda & Huang, 1990  
*Acrosterigma cygnorum* (Deshayes, 1855) Ref. 同前  
*Afrocardium ebaranum* (Yokoyama, 1927) 愛巴鳥尾蛤 Ref. 賴景陽。1990  
*Clinocardium californiense* (Deshayes, 1839) 白令海鳥尾蛤 Ref. 巫文隆、李彥錚。2005  
*Corculum cardissa* (Linnaeus, 1758) 雞心蛤 Ref. 巫文隆。1980  
*Corculum impressum* (Lightfoot, 1786) Ref. 巫文隆。1980  
*Corculum monstrosus* (Gmelin, 1791) Ref. 巫文隆。1980  
*Ctenocardia victor* (Angas, 1872) 緋斑鳥尾蛤 Ref. 賴景陽。1990  
*Discors aurantiacum* (A. Adams & Reeve, 1850) 金黃鳥尾蛤 Ref. 賴景陽。1990  
*Discors lyratum* (Sowerby, 1841) 斜紋鳥尾蛤 Ref. 大西正人。1990  
*Discors multipunctatum* (Sowerby, 1841) 花斑鳥尾蛤 Ref. 賴景陽。1990  
*Fragum alfuricum* Nomura, 1933 Ref. Masuda & Huang, 1990  
*Fragum carinatum* (Lynge, 1909) 菊莓鳥尾蛤 Ref. 賴景陽。1990  
*Fragum fragum* (Linnaeus, 1758) 白莓鳥尾蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Fragum lochooanum* Kira, 1959 Ref. Thach, 2007  
*Fragum mundum* (Reeve, 1865) Ref. Kuroda, 1941  
*Fragum unedo* (Linnaeus, 1758) 草莓鳥尾蛤 Ref. 賴景陽。1990  
*Frigidocardium kiranum* Sakurai & Habe, 1966 Ref. 巫文隆。1980  
*Fulvia aperta* (Bruguere, 1789) 氣泡鳥尾蛤 Ref. 賴景陽。1990  
*Fulvia australis* (Sowerby, 1841) 南方鳥尾蛤 Ref. 賴景陽。1990  
*Fulvia mutica* (Reeve, 1844) 日本鳥尾蛤 Ref. 賴景陽。1990  
*Fulvia papyracea* (Bruguere, 1798) Ref. 巫文隆。1980  
*Fulvia undatopicta* (Pilsbry, 1904) 斑紋鳥尾蛤 Ref. 大西正人。1990  
*Kaenaea samarangae* (Makiyama, 1934) 布紋鳥尾蛤 Ref. 賴景陽。1990  
*Laevicardium attenuatum* (Sowerby, 1841) 金華鳥尾蛤 Ref. 賴景陽。1990  
*Laevicardium biradiatum* (Bruguere, 1789) 光華鳥尾蛤 Ref. 賴景陽。1990  
*Laevicardium lobulatum* (Deshayes, 1854) Ref. 巫文隆。1980  
*Laevicardium pulcherrimum* Sakurai & Habe, 1966 Ref. 巫文隆。1980  
*Laevicardium rubropictum* Habe & Kosuge, 1966 紅花鳥尾蛤 Ref. 巫文隆。1980  
*Lunulicardia hemicardia* (Linnaeus, 1758) 半心雞心蛤 Ref. 賴景陽。1990  
*Lunulicardia retusa* (Linnaeus, 1758) 三角雞心蛤 Ref. 賴景陽。1990  
*Maoricardium fraseri* (Garrard, 1963) Ref. 巫文隆。1980  
*Maoricardium mansitii* (Otuka, 1937) 曼氏鳥尾蛤 Ref. 賴景陽。1990  
*Maoricardium setosum* (Redfield, 1846) 粗毛鳥尾蛤 Ref. 賴景陽。1990  
*Microcardium sakurai* Habe, 1961 櫻井鳥尾蛤 Ref. 閔德基。2004  
*Microfragum festivum* (Deshayes, 1855) Ref. 巫文隆。1980  
*Nemocardium bechei* (Reeve, 1847) 金絲鳥尾蛤 Ref. 賴景陽。1990  
*Nemocardium exasperatum* (Sowerby, 1841) 白霜鳥尾蛤 Ref. Kuroda, 1941  
*Nemocardium tori* Nomura, 1933 Ref. Masuda & Huang, 1990  
*Trachycardium hanpeizanense* Nomura, 1933 Ref. 同前  
*Trifaricardium nomurai* Kuroda & Habe, 1951 Ref. 同前  
*Trigoniocardia formicata* (Sowerby, 1841) 美花鳥尾蛤 Ref. 賴景陽。1990  
*Vasticardium alternatum* (Sowerby, 1841) 芳香鳥尾蛤 Ref. 賴景陽。1990  
*Vasticardium angulatum* (Lamarck, 1822) 方鳥尾蛤 Ref. 賴景陽。1990  
*Vasticardium arenicola* (Reeve, 1845) 沙鳥尾蛤 Ref. 賴景陽。1990  
*Vasticardium compunctum* (Kira, 1959) Ref. 巫文隆。1980  
*Vasticardium elongatum* (Bruguere, 1789) 長鳥尾蛤 Ref. 賴景陽。1990  
*Vasticardium enode* (Sowerby, 1841) 滑肋鳥尾蛤 Ref. 賴景陽。1990  
*Vasticardium flavum* (Linnaeus, 1758) 黃邊鳥尾蛤 Ref. 賴景陽。1990  
*Vasticardium foveolatum* (Sowerby, 1841) 珍鳥蛤 Ref. 林朝榮。1974  
*Vasticardium nigropunctatum* Habe & Kosuge, 1966 黑斑鳥尾蛤 Ref. 賴景陽。1990  
*Vasticardium subrugosum* (Sowerby, 1841) 南洋鳥尾蛤 Ref. 賴景陽。1990

*Vasticardium transcendens* (Melvill & Standen, 1899) 紫點烏尾蛤 Ref. 巫文隆。1980  
*Vasticardium unicolor* (Sowerby, 1840) 單色烏尾蛤 Ref. 賴景陽。1990  
*Vasticardium variegatum* (Sowerby, 1841) Ref. 巫文隆。1980  
*Vepricardium asiaticum* (Bruguere, 1792) 亞洲烏尾蛤 Ref. 賴景陽。1990  
*Vepricardium multispinosum* (Sowerby, 1841) 多刺烏尾蛤 Ref. 賴景陽。1990  
*Vepricardium sinense* (Sowerby, 1841) 中華烏尾蛤 Ref. 賴景陽。1990

### Family Cardiliidae 象蛤科

*Cardilia semisulcata* (Lamarck, 1819) Ref. Kuroda, 1941

### Family Carditidae 算盤蛤科

*Cardita crassicosta* (Lamarck, 1819) 粗肋算盤蛤 Ref. 巫文隆。1980  
*Cardita leana* Dunker, 1860 灰算盤蛤 Ref. 譚天錫、白振宇、夏國經。1986  
*Cardita variegata* Bruguere, 1792 算盤蛤 Ref. 林朝榮。1974  
*Carditella hanzawai* (Normura, 1933) Ref. 巫文隆。1980  
*Glans hirasei* Dall, 1918 平瀨算盤蛤 Ref. 巫文隆。1980  
*Glans sagamiensis* Kuroda & Habe in Habe, 1961 相模灣算盤蛤 Ref. 巫文隆、李彥錚。2005  
*Megacardita ferruginosa* (A. Adams & Reeve, 1850) Ref. 巫文隆。1980

### Family Chamidae 偏口蛤科

*Amphichama argentata* (Kuroda & Habe, 1958) Ref. 巫文隆。1980  
*Chama ambigua* Lischke, 1870 大偏口蛤 Ref. 譚天錫、白振宇、夏國經。1986  
*Chama brassica* Reeve, 1847 寶石偏口蛤 Ref. 林朝榮。1974  
*Chama divaricata* Reeve, 1846 Ref. Kuroda, 1941  
*Chama dunkeri* Lischke, 1870 丹氏偏口蛤 Ref. 賴浩然。1996  
*Chama iostoma* Conrad, 1839 紫緣偏口蛤 Ref. 林朝榮。1974  
*Chama japonica* Lamarck, 1819 日本偏口蛤 Ref. 林朝榮。1974  
*Chama lazarus* Linnaeus, 1758 菊花偏口蛤 Ref. Kuroda, 1941  
*Chama lobata* Broderip, 1835 Ref. Kuroda, 1941  
*Chama pacifica* Broderip, 1834 太平洋偏口蛤 Ref. Bunjamin, 1992  
*Chama semipurpurata* Lischke, 1870 Ref. 巫文隆。1980  
*Pseudochama retroversa* (Lischke, 1870) 反轉偏口蛤 Ref. Kuroda, 1941

### Family Corbiculidae 蜆科

*Batissa taiwanensis* Nomura, 1933 Ref. Masuda & Huang, 1990  
*Corbicula fluminea* (Muller, 1774) 台灣蜆 Ref. 林朝榮。1974  
*Corbicula insularis* Prime, 1867 島蜆 Ref. 張寬敏。1991  
*Corbicula leana* Prime, 1864 環紋蜆 Ref. 巫文隆、李彥錚。2005  
*Corbicula producta* Martine Ref. 農復會漁業組。1973  
*Cyrenobatissa subsulcata* (Clessin, 1878) 大蜆 Ref. 陳再傳。1974  
*Cyrenodonax formosana* Dall, 1903 花蜆 Ref. 陳再傳。1974  
*Geloina erosa* (Lightfoot, 1786) 紅樹蜆 Ref. 張寬敏。1991  
*Geloina expansa* (Mousson, 1849) 歪紅樹蜆 Ref. Holikoshi, 1935

### Family Crassatellidae 厚殼蛤科

*Bathytormus foveolatus* (Sowerby, 1870) 厚蛤 Ref. Kuroda, 1941  
*Eucrassatella adamsi* (Kobelt, 1866) 扁厚蛤 Ref. 巫文隆、李彥錚。2005  
*Eucrassatella nana* (A. Adams & Reeve, 1850) 娜娜厚蛤 Ref. 陳文德。2006

### Family Cultellidae 刀螳科

*Ensiculus cultellus* (Linnaeus, 1758) 紫衣豆螳 Ref. 賴景陽。2005  
*Phaxas attenuatus* (Dunker, 1862) 白光豆螳 Ref. 賴景陽。2005  
*Phaxas hanleyi* (Dunker, 1862) 韓氏豆螳 Ref. 賴景陽。2005  
*Phaxas scalprum* (Gould, 1850) 刀片豆螳 Ref. 賴景陽。2005  
*Siliqua fasciata* (Spengler, 1794) Ref. Kuroda, 1941  
*Siliqua japonica* (Dunker, 1862) Ref. Kuroda, 1941  
*Siliqua pulchella* (Dunker, 1852) 小豆螳 Ref. 賴景陽。2005  
*Siliqua radiata* (Linnaeus, 1758) 光芒豆螳 Ref. 賴景陽。1998

### Family Donacidae 斧蛤科

*Chion dysoni* (Deshayes, 1855) Ref. Kuroda, 1941  
*Chion semigranosus* (Dunker, 1877) 半紋斧蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Chion ticaonicus* (Hanley, 1845) Ref. Kuroda, 1941  
*Latona cuneatus* (Linnaeus, 1758) 楔形斧蛤 Ref. 陳文德。2006  
*Latona faba* (Gmelin, 1791) 豆斧蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Tentidonax kiusiuensis* (Pilsbry, 1901) 九州斧蛤 Ref. 李彥錚。2002

### Family Dreissenidae 似殼菜蛤科

*Mytilopsis sallei* (Recluz, 1849) 似殼菜蛤 Ref. 張寬敏。1985

### Family Fimbriidae 花籃蛤科

*Fimbria fimbriata* (Linnaeus, 1758) 花籃蛤 Ref. 巫文隆。1980  
*Fimbria soverbii* (Reeve, 1841) 索華花籃蛤 Ref. 巫文隆。1980

### Family Glauconomidae 曇蛤科

*Glauconome cerea* Reeve, 1850 Ref. Kuroda, 1941  
*Glauconome chinensis* Gray, 1828 中華曇蛤 Ref. 巫文隆。1980

*Glaucanome corrugata* Reeve, 1850 Ref. Kuroda, 1941

### Family Glossidae 同心蛤科

*Meiocardia globosa* Matsukuma & Habe, 1995 綿羊角同心蛤 Ref. 巫文隆、李彥錚。1999

*Meiocardia lamarckii* (Reeve, 1845) 拉馬克同心蛤 Ref. 通俗講座。1995

*Meiocardia moltkiana* Dunker, 1822 紅斑同心蛤 Ref. 藍子樵。1990

*Meiocardia tetragona* (A. Adams & Reeve, 1850) 龍骨同心蛤 Ref. 通俗講座。1995

*Meiocardia vulgaris* (Reeve, 1845) Ref. 巫文隆。1980

### Family Kelliidae

*Borniola yamakawai* Yokoyama, 1922 Ref. 巫文隆。1980

### Family Lucinidae 滿月蛤科

*Anodontia edentula* (Linnaeus, 1758) 無齒滿月蛤 Ref. Kuroda, 1941

*Anodontia philippina* (Reeve, 1848) 菲律賓滿月蛤 Ref. 巫文隆。1980

*Anodontia stearnsiana* Oyama, 1954 Ref. 巫文隆。1980

*Anodontia taikoensis* Tan, 1971 Ref. Masuda & Huang, 1990

*Bellucina civica* (Yokoyama, 1927) Ref. 巫文隆。1980

*Codakia paytenorum* (Iredale, 1937) 紅唇滿月蛤 Ref. 張崑雄。1985

*Codakia punctata* (Linnaeus, 1758) 胭脂滿月蛤 Ref. 巫文隆。1980

*Codakia tigrina* (Linnaeus, 1758) 滿月蛤 Ref. 吳全橙。1982

*Eamesiella corrugata* (Deshayes, 1843) 皺滿月蛤 Ref. Kuroda, 1941

*Epicodakia bella* (Conrad, 1837) 美姬滿月蛤 Ref. 譚天錫、白振宇、夏國經。1986

*Epicodakia delicatula* (Pilsbry, 1904) 海旭貝 Ref. 施乃普。1975

*Epicodakia divergens* (Philippi, 1850) 小滿月蛤 Ref. 張崑雄、鄭明修。1989

*Gonimyrtea soyoae* (Habe, 1958) 薄片滿月蛤 Ref. 巫文隆、李彥錚。2005

*Lucinoma yoshidai* Habe, 1958 吉田滿月蛤 Ref. 李彥錚。2001

*Myrtea soyoae* Habe, 1951 蒼鷹滿月蛤 Ref. 李彥錚。2002

*Pillucina pisidium* (Dunker, 1860) Ref. Kuroda, 1941

*Wallucina striata* (Tokunaga, 1906) Ref. Kuroda, 1941

### Family Mactridae 馬珂蛤科

*Coelomactra antiquata* (Spengler, 1802) 西施馬珂蛤 Ref. Kuroda, 1941

*Lutraria arcuata* Reeve, 1854 曲水獺馬珂蛤 Ref. 巫文隆。1980

*Lutraria maxima* Jonas, 1844 大馬珂蛤 Ref. Kuroda, 1941

*Lutraria sieboldii* Reeve, 1854 Ref. 巫文隆。1980

*Mactra achatina* Holten, 1802 紅斑馬珂蛤 Ref. 巫文隆。1980

*Mactra chinensis* Philippi, 1846 中華馬珂蛤 Ref. 巫文隆、張寶仁、李彥錚。2000

*Mactra cuneata* Gmelin, 1791 楔形馬珂蛤 Ref. 巫文隆。1980

*Mactra luzonica* Reeve, 1854 呂宋馬珂蛤 Ref. 李彥錚。2002

*Mactra maculata* Gmelin, 1771 花斑馬珂蛤 Ref. 張崑雄、鄭明修。1989

*Mactra mera* Reeve, 1854 Ref. 巫文隆。1980

*Mactra nipponica* Kuroda & Habe, 1971 日本馬珂蛤 Ref. 陳文德、李英傑、蔡崑成。1999

*Mactra radiata* Dunker, 1871 Ref. Kuroda, 1941

*Mactra veneriformis* Reeve, 1854 方形馬珂蛤 Ref. 巫文隆、張寶仁、李彥錚。2000

*Mactrinula dolabrata* (Reeve, 1854) 烏皮馬珂蛤 Ref. 李彥錚。2002

*Mactrotoma depressa* (Spengler, 1802) Ref. Kuroda, 1941

*Meropesta capillacea* (Reeve, 1852) Ref. Kuroda, 1941

*Meropesta nicobarica* (Gmelin, 1791) 尼可巴馬珂蛤 Ref. Kuroda, 1941

*Meropesta pellucida* (Gmelin, 1791) Ref. 巫文隆。1980

*Micromactra angulifera* (Reeve, 1854) Ref. 巫文隆。1980

*Oxyperas aspersa* (Sowerby, 1825) Ref. 巫文隆。1980

*Oxyperas bernardi* (Pilsbry, 1904) 斑點馬珂蛤 Ref. Kuroda, 1941

*Oxyperas lentiginosa* (Gould, 1852) Ref. 巫文隆。1980

*Raetellops pulchella* (Adams & Reeve, 1850) 環紋馬珂蛤 Ref. 李彥錚。2002

*Tresus keenae* (Kuroda & Habe, 1952) Ref. 巫文隆。1980

### Family Melliterycidae 鈕釦蛤科

*Melliteryx puncticulata* (Yokoyama, 1924) 白鈕釦蛤 Ref. 李彥錚。2002

### Family Mesodesmatidae 尖峰蛤科

*Atactodea striata* (Gmelin, 1791) 尖峰蛤 Ref. 巫文隆、張寶仁、李彥錚。2000

*Coecella chinensis* Deshayes, 1855 中華尖峰蛤 Ref. Kuroda, 1941

*Coecella formosae* de Rouij-Schuiling, 1972 白枯葉蛤 Ref. 陳寄草。1991

*Coecella turgida* Deshayes, 1855 Ref. Kuroda, 1941

*Davila plana* (Hanley, 1843) Ref. 巫文隆。1980

*Spondervilia bisculpta* (Gould, 1861) Ref. 巫文隆。1980

### Family Montacutidae 寄生蛤科

*Barrimysia cumingii* (A. Adams, 1856) Ref. 巫文隆。1980

*Curvemysella paula* (A. Adams, 1856) 弓形寄生蛤 Ref. 巫文隆、李彥錚。2005

### Family Pharellidae 螳科

*Pharella javanica* (Lamarck, 1818) Ref. 巫文隆。1980

*Pharella olivacea* (Metcalf, 1852) Ref. Kuroda, 1941

### Family Pisidiidae 豌豆蜆科

*Pisidium cinereum* Pori, 1791 高山豌豆蜆 Ref. 張寬敏、林朝榮。1978  
*Pisidium randolphiys* Ref. 採集記錄

### Family Psammobiidae 紫雲蛤科

*Asaphis deflorata* (Linnaeus, 1758) 紅樹林紫雲蛤 Ref. 丹桂之助。1932  
*Asaphis violascens* (Forskall, 1775) 紫晃蛤 Ref. 林朝榮。1974  
*Gari anomala* (Deshayes, 1855) Ref. 巫文隆。1980  
*Gari corrugata* (Deshayes, 1855) Ref. 巫文隆。1980  
*Gari maculosa* (Lamarck, 1818) 斑紋紫雲蛤 Ref. 巫文隆。1980  
*Gari pallida* (Deshayes, 1855) 射線斜紋紫雲蛤 Ref. 巫文隆、李彥錚。2005  
*Gari sibogai* Prashad, 1932 Ref. 巫文隆。1980  
*Gari truncata* (Linnaeus, 1767) 截形紫雲蛤 Ref. Kuroda, 1941  
*Grammatomya pulcherrima* (Deshayes, 1855) Ref. 巫文隆。1980  
*Grammatomya squamosa* (Lamarck, 1818) Ref. 巫文隆。1980  
*Heteroglypta contraria* (Deshayes, 1863) Ref. Kuroda, 1941  
*Nuttallia obscura* (Reeve, 1857) Ref. Kuroda, 1941  
*Psammobia raditia* (Philippi, 1844) Ref. 巫文隆。1980  
*Psammotaea elongata* (Lamarck, 1818) 長型紫雲蛤 Ref. Kuroda, 1941  
*Psammotaea virescens* (Deshayes, 1855) 枯葉紫雲蛤 Ref. 巫文隆。1980  
*Psammotellina ambigua* (Reeve, 1857) Ref. Kuroda, 1941  
*Sanguinolaria atrata* (Reeve, 1857) 黑環西施舌 Ref. 巫文隆。1980  
*Sanguinolaria chinensis* (Morch, 1853) 中華西施舌 Ref. 巫文隆。1980  
*Sanguinolaria diphos* (Linnaeus, 1771) 西施舌 Ref. 巫文隆、楊夢南。1995  
*Sanguinolaria rostrata* (Lightfoot, 1786) Ref. Kuroda, 1941  
*Soletellina beddinghausi* (Lischke, 1870) 日本西施舌 Ref. 閔德基。2004

### Family Semelidae 唱片蛤科

*Abra maxima* Sowerby, 1894 薄殼唱片蛤 Ref. 巫文隆。1980  
*Abra profundorum* Okutani, 1975 Ref. 巫文隆。1980  
*Abrina inanis* (Prashad, 1932) Ref. 巫文隆。1980  
*Abrina lunella* (Gould, 1861) 月光唱片蛤 Ref. 巫文隆、李彥錚。2005  
*Abrina sibogai* (Prashad, 1932) Ref. 巫文隆。1980  
*Abrina soyoae* Habe, 1958 蒼鷹唱片蛤 Ref. 李彥錚。2002  
*Iacra japonica* A. Adams, 1864 日本斜紋蛤 Ref. Kuroda, 1941  
*Leptomya cochlearis* (Hinds, 1844) Ref. 巫文隆。1980  
*Leptomya nitida* (Adams & Reeve, 1850) Ref. 巫文隆。1980  
*Montrouzieria clathrata* Souverbie, 1863 Ref. 巫文隆。1980  
*Semele carnicolor* (Hanley, 1845) 唱片蛤 Ref. Kuroda, 1941  
*Semele casta* (A. Adams, 1853) Ref. 巫文隆。1980  
*Semele crenulata* (Sowerby, 1843) Ref. 巫文隆。1980  
*Semele jukesii* (Reeve, 1853) 丘克氏唱片蛤 Ref. 巫文隆、李彥錚。2005  
*Semele obscura* Deshayes, 1863 Ref. 巫文隆。1980  
*Semele zebuensis* (Hanley, 1844) Ref. 巫文隆。1980  
*Theora fragilis* A. Adams, 1855 Ref. 巫文隆。1980

### Family Solecurtidae 毛蠔科

*Azorinus abbreviatus* (Gould, 1861) Ref. 巫文隆。1980  
*Azorinus scheepmakeri* (Dunker, 1852) Ref. Kuroda, 1941  
*Sinonovacula constricta* (Lamarck, 1818) 毛蠔蛤 Ref. Kuroda, 1941  
*Solecurtus consimilis* Kuroda & Habe, 1961 日本毛蠔 Ref. 巫文隆。1980  
*Solecurtus divaricatus* (Lischke, 1869) 歧紋毛蠔 Ref. Kuroda, 1941  
*Solecurtus philippinensis* (Dunker, 1861) Ref. 巫文隆。1980  
*Solecurtus rhombus* (Spengler, 1794) 方形毛蠔 Ref. 巫文隆。1980

### Family Solenidae 竹蠔科

*Solen arcuatus* (Tchang & Hwang, 1964) 彎竹蠔 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Solen exiguus* Dunker, 1862 Ref. 巫文隆。1980  
*Solen fonesi* Dunker, 1862 弗奈斯氏竹蠔 Ref. 巫文隆、李彥錚。2005  
*Solen gordonis* Yokoyama, 1920 紅斑竹蠔 Ref. 巫文隆。1980  
*Solen gracilis* Philippi, 1847 Ref. Kuroda, 1941  
*Solen grandis* Dunker, 1862 大竹蠔 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Solen kurodai* Habe, 1964 黑田竹蠔 Ref. 同前  
*Solen lamarckii* Sowerby, 1874 Ref. 巫文隆。1980  
*Solen luzonicus* Dunker, 1861 呂宋竹蠔 Ref. 賴景陽。2005  
*Solen roseomaculatus* Pilsbry, 1901 桃紅竹蠔 Ref. 巫文隆。1980  
*Solen sicarius* Gould, 1861 刺客竹蠔 Ref. Kuroda, 1941  
*Solen sloanii* Hanley, 1843 紫斑竹蠔 Ref. 巫文隆。1980  
*Solen strictus* Gould, 1861 竹蠔 Ref. 巫文隆、張寶仁、李彥錚。2000

### Family Sphaeridae 泥蜆科

*Sphaerium okinawaense* Mori, 1937 泥蜆 Ref. 張寬敏。1991

### Family Sportellidae 果核蛤科

*Anisodonta angulata* (H. Adams, 1870) Ref. 巫文隆。1980

### Family Tellinidae 櫻蛤科

- Aeretica tomlini* (Smith, 1915) Ref. Kuroda, 1941  
*Angulus lanceolata* (Gmelin, 1791) Ref. Kuroda, 1941  
*Angulus vestalioides* (Yokoyama, 1920) 被角櫻蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Arcopella isseli* (H. Adams, 1870) Ref. 巫文隆。1980  
*Bathytellina abyssicola* Kuroda & Habe, 1958 雲珠櫻蛤 Ref. 巫文隆、李彥錚。2005  
*Bathytellina citrocarnea* Kuroda & Habe, 1958 粉紅深海櫻蛤 Ref. 巫文隆、李彥錚。2005  
*Cadella delta* (Yokoyama, 1922) Ref. 巫文隆。1980  
*Cadella hoshiyamai* Kuroda, 1960 粉紅小櫻蛤 Ref. 巫文隆、李彥錚。2005  
*Cadella semen* (Hanley, 1845) 賽門櫻蛤 Ref. Kuroda, 1941  
*Cyclotellina discus* (Hanley, 1844) 盤櫻蛤 Ref. 林朝榮。1974  
*Elliptotellina euglypta* (Gould, 1861) Ref. 巫文隆。1980  
*Hemimetus plicatus* (Valenciennes, 1846) Ref. 巫文隆。1980  
*Jactellina obliquistriata* (Sowerby, 1868) Ref. Kuroda, 1941  
*Laciolina chloroleuca* (Lamarck, 1818) 黃玉櫻蛤 Ref. Kuroda, 1941  
*Leporimetus spectabilis* (Hanley, 1844) Ref. Kuroda, 1941  
*Loxoglypta clathrata* (Deshayes, 1835) Ref. Kuroda, 1941  
*Loxoglypta transculpta* Sowerby, 1915 Ref. 巫文隆。1980  
*Macalina bruguieri* (Hanley, 1844) Ref. Kuroda, 1941  
*Macoma praetexta* (Martens, 1865) 花瓣櫻蛤 Ref. 陳文德。2006  
*Merisca capsoides* (Lamarck, 1818) 箱形櫻蛤 Ref. Kuroda, 1941  
*Merisca margaritina* (Lamarck, 1818) 頂橙櫻蛤 Ref. 巫文隆。1980  
*Merisca perplexa* Hanley, 1844 Ref. 巫文隆。1980  
*Merisca subtruncata* (Hanley, 1844) Ref. Kuroda, 1941  
*Merisca tokunagai* (Ikebe, 1936) 德永櫻蛤 Ref. 巫文隆、李彥錚。2005  
*Moerella culter* (Hanley, 1844) Ref. 肥後俊一、後藤芳央。1993  
*Moerella iridescens* (Benson, 1842) 彩虹櫻蛤 Ref. Kuroda, 1941  
*Moerella jodoensis* (Lischke, 1872) 桃花櫻蛤 Ref. 陳文德、李英傑、蔡崑成。1999  
*Moerella juvenilis* (Hanley, 1844) Ref. Kuroda, 1941  
*Moerella nishimurai* Kuroda & Habe, 1958 西村櫻蛤 Ref. 巫文隆、李彥錚。2005  
*Moerella rutila* (Dunker, 1860) 花瓣櫻蛤 Ref. 李彥錚。2002  
*Nitidotellina iridella* (v. Martens, 1865) Ref. Kuroda, 1941  
*Nitidotellina nitidula* (Dunker, 1860) 明亮櫻蛤 Ref. Kuroda, 1941  
*Nitidotellina valtonis* (Hanley, 1844) 北海道櫻蛤 Ref. 巫文隆、李彥錚。2005  
*Omala hyalina* (Gmelin, 1791) Ref. Kuroda, 1941  
*Pharaonella perna* (Spengler, 1798) 火腿櫻蛤 Ref. Kuroda, 1941  
*Pharaonella tongana* (Quoy & Gaimard, 1835) Ref. 巫文隆。1980  
*Phylloda foliacea* (Linnaeus, 1758) 枯葉櫻蛤 Ref. Kaneko, 1944  
*Pinguitellina robusta* (Hanley, 1844) Ref. 巫文隆。1980  
*Pseudometis praeurupta* (Sallisbury, 1934) 蒼白櫻蛤 Ref. 李彥錚。2002  
*Punipagia radiatolineata* (Yokoyama, 1924) Ref. 巫文隆。1980  
*Quadrans gargadia* (Lamarck, 1758) 邊刺櫻蛤 Ref. 巫文隆。1980  
*Quadrans spinosa* (Hanley, 1844) Ref. 巫文隆。1980  
*Quidnypagus palatam* (Iredale, 1929) 波紋櫻蛤 Ref. Kuroda, 1941  
*Rexithaerus secta* (Conrad, 1837) 白沙櫻蛤 Ref. 巫文隆。1980  
*Rexithaerus sector* Oyama, 1950 Ref. Kuroda, 1941  
*Scutarcopagia linguafelis* (Linnaeus, 1758) 貓舌櫻蛤 Ref. 巫文隆。1980  
*Scutarcopagia scobinata* (Linnaeus, 1758) 銼紋櫻蛤 Ref. 林朝榮。1974  
*Semelangulus miyatensis* (Yokoyama, 1920) 宮田櫻蛤 Ref. 李彥錚。2002  
*Tellina tenuilamellata* Smith, 1885 微紋櫻蛤 Ref. 巫文隆、李彥錚。2005  
*Tellinella asperrima* (Hanley, 1844) Ref. 巫文隆。1980  
*Tellinella crucigera* (Lamarck, 1818) Ref. 巫文隆。1980  
*Tellinella cumingii* (Hanley, 1844) 黑斑櫻蛤 Ref. 巫文隆。1980  
*Tellinella incerta* (Sowerby, 1825) Ref. 巫文隆。1980  
*Tellinella pulcherrima* (Sowerby, 1825) 鯊皮櫻蛤 Ref. Kuroda, 1941  
*Tellinella radians* (Deshayes, 1855) Ref. 巫文隆。1980  
*Tellinella spengleri* (Gmelin, 1791) 鋸齒櫻蛤 Ref. Kuroda, 1941  
*Tellinella staurella* (Lamarck, 1818) 月光櫻蛤 Ref. 張崑雄、鄭明修。1989  
*Tellinella verrucosa* (Hanley, 1844) Ref. 巫文隆。1980  
*Tellinella virgata* Linnaeus, 1758 日光櫻蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Tellinides ovalis* Sowerby, 1825 卵形櫻蛤 Ref. Kuroda, 1941  
*Tellinides timorensis* Lamarck, 1818 Ref. Kuroda, 1941  
*Tellinimacra edentula* (Spengler, 1798) Ref. Kuroda, 1941

### Family Thyasiridae 無齒蛤科

- Maorithyas miyadai* (Habe, 1951) Ref. 巫文隆。1980  
*Thyasira borshengi* Okutani & Lan, 1999 柏生無齒蛤 Ref. 鍾柏生。2000  
*Thyasira cumingii* Fischer, 1861 卡明氏無齒蛤 Ref. 巫文隆。1980

### Family Trapeziidae 船蛤科

- Coralliophaga coralliophaga* (Gmelin, 1791) Ref. Kuroda, 1941

*Glossocardia obesa* (Reeve, 1843) Ref. 巫文隆。1980  
*Trapezium bicarinatum* (Schumacher, 1817) 稜船蛤 Ref. 林朝榮。1974  
*Trapezium liratum* (Reeve, 1843) 紫斑船蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Trapezium oblongum* (Linnaeus, 1758) 方形船蛤 Ref. 張崑雄、鄭明修。1989  
*Trapezium sowerbyi* (Hidalgo, 1903) Ref. 巫文隆。1980  
*Trapezium sublaevigatum* (Lamarck, 1819) 無光船蛤 Ref. 巫文隆。1980

#### Family Tridacnidae 碑磔蛤科

*Hippopus hippopus* (Linnaeus, 1758) 菱碑磔蛤 Ref. 吳全橙。1983  
*Tridacna crocea* Lamarck, 1819 圓碑磔蛤 Ref. 吳全橙。1983  
*Tridacna derasa* (Roeding, 1798) 扇碑磔蛤 Ref. 巫文隆。1980  
*Tridacna gigas* (Linnaeus, 1758) 巨碑磔蛤 Ref. 林朝榮。1974  
*Tridacna maxima* (Roeding, 1798) 長碑磔蛤 Ref. 林朝榮。1974  
*Tridacna squamosa* Lamarck, 1819 鱗碑磔蛤 Ref. 吳全橙。1982

#### Family Ungulinidae 蹄蛤科

*Cycladicama abbreviata* (Gould, 1861) Ref. Kuroda, 1941  
*Cycladicama cumingii* (Hanley, 1844) Ref. Kuroda, 1941  
*Cycladicama oblonga* (Hanley, 1856) 方形蹄蛤 Ref. Kuroda, 1941  
*Felaniella sowerbyi* Kuroda & Habe, 1952 Ref. Kuroda, 1941

#### Family Veneridae 簾蛤科

*Anomalocardia impressa* (Anton) Ref. Masuda & Huang, 1990  
*Anomalocardia producta* Kuroda & Habe, 1951 台灣歪簾蛤 Ref. Kuroda, 1941  
*Anomalocardia squamosa* (Linnaeus, 1758) 歪簾蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Antigona foveolata* (Sowerby) Ref. Masuda & Huang, 1990  
*Antigona lamellaris* Schumacher, 1817 花籃簾蛤 Ref. Kuroda, 1941  
*Bonartemis histrio* (Gmelin, 1791) 明星鏡文蛤 Ref. 巫文隆。1980  
*Callista chinensis* (Holten, 1803) 中華長文蛤 Ref. 陳文豪。1991  
*Callista erycina* (Linnaeus, 1758) 女神長文蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Callista phasianella* (Deshayes, 1853) Ref. 巫文隆。1980  
*Callista pilsbryi* Habe, 1960 皮氏長文蛤 Ref. 李彥錚。2002  
*Callista plana* Tan, 1971 Ref. Masuda & Huang, 1990  
*Callocardia guttata* A. Adams, 1864 Ref. 巫文隆。1980  
*Circe intermedia* Reeve, 1863 Ref. 巫文隆。1980  
*Circe scripta* (Sowerby, 1851) Ref. Kuroda, 1941  
*Circe scripta* (Linnaeus, 1758) 唱片簾蛤 Ref. Kuroda, 1941  
*Circe sulcata* Garay, 1838 Ref. Kuroda, 1941  
*Claudiconcha japonica* (Dunker, 1882) 日本石咸蛤 Ref. Kuroda, 1941  
*Claudiconcha monstrosa* (Gmelin, 1791) Ref. 巫文隆。1980  
*Clementia nonscripta* (Sowerby) 無彩花簾蛤 Ref. Masuda & Huang, 1990  
*Clementia papyracea* Gray, 1846 和平蛤 Ref. Kuroda, 1941  
*Clementia vatheleti* Mabilille, 1901 Ref. 巫文隆。1980  
*Costellipitar chordatum* (Romer, 1867) Ref. 巫文隆。1980  
*Cyclina sinensis* (Gmelin, 1791) 環文蛤 Ref. 巫文隆。1980  
*Cyclosunetta comtenta* (Smith, 1891) 台灣碟文蛤 Ref. Kuroda, 1941  
*Cyclosunetta concinna* Dunker, 1865 花紋碟文蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Cyclosunetta menstrualis* (Menke, 1843) 紫碟文蛤 Ref. 同前  
*Doriscina nana* (Melvill, 1898) Ref. 巫文隆。1980  
*Dosinella angulosa* (Philippi, 1847) 薄殼鏡文蛤 Ref. Kuroda, 1941  
*Dosinella orbiculata* (Dunker, 1877) 圓鏡文蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Dosinella subalata* (Smith, 1916) Ref. 巫文隆。1980  
*Dosiniscina glauca* (Reeve, 1850) Ref. Kuroda, 1941  
*Dosinorbis bilunulata* (Gray, 1838) 滿月鏡文蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Dosinorbis canaliculata* (Sowerby, 1887) 布紋鏡文蛤 Ref. Kuroda, 1941  
*Dosinorbis cumingii* (Reeve, 1850) 突角鏡文蛤 Ref. 何通濶。1963  
*Dosinorbis gruneri* (Philippi, 1848) Ref. Kuroda, 1941  
*Dosinorbis japonica* (Reeve, 1850) 日本鏡文蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Dosinorbis lamellatum* (Reeve, 1850) Ref. 巫文隆。1980  
*Dosinorbis troscheli* Lischke, 1873 牙白鏡文蛤 Ref. 巫文隆。1980  
*Gafrarium dispar* (Dillwyn, 1817) 枝條縱簾蛤 Ref. 林朝榮。1974  
*Gafrarium divaricatum* (Gmelin, 1791) 歧紋簾蛤 Ref. 巫文隆。1980  
*Gafrarium equivacum* (Holten, 1803) 山形縱簾蛤 Ref. 巫文隆。1980  
*Gafrarium pectinatum* (Linnaeus, 1758) 斜肋縱簾蛤 Ref. 林朝榮。1974  
*Gafrarium tumidum* Roeding, 1798 厚殼縱簾蛤 Ref. 巫文隆。1980  
*Glycydonta marica* (Linnaeus, 1758) 鹿斑簾蛤 Ref. 巫文隆。1980  
*Gomphina aequilatera* (Sowerby, 1825) 花蛤 Ref. 巫文隆、楊夢南。1995  
*Gomphina undulosa* (Lamarck, 1818) 皺文蛤 Ref. 林朝榮。1974  
*Hyphantosoma limatulum* (Sowerby, 1851) Ref. 巫文隆。1980  
*Irus macrophyllus* (Deshayes, 1854) 寬葉百合簾蛤 Ref. Kuroda, 1941  
*Irus mitis* (Deshayes, 1854) 百合簾蛤 Ref. Kuroda, 1941  
*Katelysia hiantina* (Lamarck, 1818) 台灣環簾蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Katelysia japonica* (Gmelin, 1791) 日本環簾蛤 Ref. Kuroda, 1941

*Katelysia marmorata* (Lamarck, 1818) Ref. Kaneko, 1943  
*Katelysia virginea* (Linnaeus, 1758) 玉女環簾蛤 Ref. Kuroda, 1941  
*Lioconcha castrensis* (Linnaeus, 1758) 秀峰文蛤 Ref. 賴浩然。1999  
*Lioconcha dautzenbergi* Prashad, 1932 Ref. 巫文隆。1980  
*Lioconcha fastigiata* (Sowerby, 1851) 秀美文蛤 Ref. Kuroda, 1941  
*Lioconcha lorenziana* (Dillwyn, 1817) 霧花文蛤 Ref. 巫文隆。1980  
*Lioconcha ornata* (Dillwyn, 1817) 裝飾文蛤 Ref. Kuroda, 1941  
*Lioconcha philippinarum* (Hanley, 1844) Ref. 巫文隆。1980  
*Lioconcha trimaculata* (Lamarck, 1818) Ref. 巫文隆。1980  
*Lostellipitar indecoroides* (Yokoyama, 1928) Ref. Kuroda, 1941  
*Meretrix lamarckii* Deshayes, 1853 韓國文蛤 Ref. 巫文隆。1980  
*Meretrix lusoria* (Roeding, 1798) 文蛤 Ref. 洪楚璋等。1982  
*Meretrix lyrata* (Sowerby, 1851) 皺肋文蛤 Ref. 巫文隆。1980  
*Meretrix meretrix* (Linnaeus, 1758) 台灣文蛤 Ref. 巫文隆、劉秀平。1989  
*Meretrix petechialis* Lamarck, 1818 中華文蛤 Ref. 巫文隆。1980  
*Paphia amabilis* (Philippi, 1847) 橫簾蛤 Ref. 巫文隆。1980  
*Paphia euglypta* (Philippi, 1847) 粗肋橫簾蛤 Ref. 巫文隆。1980  
*Paphia exarata* (Philippi, 1846) 文文橫簾蛤 Ref. 陳文德、李英傑、蔡崑成。1999  
*Paphia gallus* (Gmelin, 1791) 公雞橫簾蛤 Ref. 巫文隆、李彥錚。2005  
*Paphia lirata* (Philippi, 1847) 台灣橫簾蛤 Ref. 巫文隆。1980  
*Paphia schnellian* (Dunker, 1866) 大橫簾蛤 Ref. 賴景陽、歐陽盛芝。1996  
*Paphia textile* (Gmelin, 1791) 織紋橫簾蛤 Ref. 藍子樵。1999  
*Paphia undulata* (Born, 1778) 波紋橫簾蛤 Ref. 巫文隆。1980  
*Pardosinia amphidesmoides* (Reeve, 1850) Ref. Kuroda, 1941  
*Pelecypora excisa* (Gmelin, 1791) 渾圓文蛤 Ref. 巫文隆、李彥錚。2005  
*Periglypta chemnitzii* (Hanley, 1844) 千妮簾蛤 Ref. Kuroda, 1941  
*Periglypta clathrata* (Deshayes, 1854) 竹籃簾蛤 Ref. 賴景陽。1998  
*Periglypta puerpera* (Linnaeus, 1771) 圓球簾蛤 Ref. Kuroda, 1941  
*Periglypta reticulata* (Linnaeus, 1758) 山水簾蛤(網目簾蛤) Ref. 林朝榮。1974  
*Petricola divergens* (Gmelin, 1791) Ref. Kuroda, 1941  
*Pitar affine* (Gmelin, 1791) Ref. 巫文隆。1980  
*Pitar citrinus* (Lamarck, 1818) 夕陽黃文蛤 Ref. 賴景陽。1998  
*Pitar japonicum* Kuroda & Kawamoto, 1956 日本黃文蛤 Ref. 賴景陽。1998  
*Pitar lineolatum* (Sowerby, 1854) Ref. 巫文隆。1980  
*Pitar obliquatum* (Hanley, 1844) Ref. 巫文隆。1980  
*Pitar pellucidum* (Lamarck, 1818) 射帶黃文蛤 Ref. 巫文隆。1980  
*Pitar striatum* (Gray, 1838) 褐邊黃文蛤 Ref. 巫文隆。1980  
*Pitar subpellucidum* (Sowerby, 1851) 淡帶黃文蛤 Ref. 巫文隆。1980  
*Pitar yerburyi* (Smith, 1891) 淡色黃文蛤 Ref. 巫文隆、李彥錚。2005  
*Pitarina pellucidum* (Lamarck, 1810) Ref. Kuroda, 1941  
*Pitarina reeveanum* (Hidalgo, 1903) Ref. Kuroda, 1941  
*Pitarina sulfureum* Pilsbry, 1904 黃文蛤 Ref. Kuroda, 1941  
*Placamen calophylla* (Philippi, 1836) 木彫蛋糕簾蛤 Ref. 莊啓謙。1964  
*Placamen chlorotica* (Philippi, 1849) 奶油蛋糕簾蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Placamen isabellina* (Philippi, 1849) 伊莎貝蛋糕簾蛤 Ref. 同前  
*Placamen sidneyense* (Menke, 1858) 希德尼蛋糕簾蛤 Ref. 巫文隆、李彥錚。2005  
*Placamen tiara* (Philippi, 1836) 小蛋糕簾蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Ruditapes philippinarum* (Adams & Reeve, 1850) 菲律賓簾蛤 Ref. 譚天錫、白振宇、夏國經。1986  
*Ruditapes variegata* (Sowerby, 1852) 小眼花簾蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Rupellaria fabagella* (Lamarck, 1818) Ref. Kuroda, 1941  
*Samarangia quadrangularis* (Adams & Reeve, 1850) 金剛砂簾蛤 Ref. 巫文隆。1980  
*Sunettina langfordi* (Habe, 1953) Ref. 巫文隆。1980  
*Sunettina solandri* (Gray, 1825) 素蘭碟文蛤 Ref. Kuroda, 1941  
*Tapes blecheri* Sowerby, 1853 硬殼淺蜆 Ref. 巫文隆。1980  
*Tapes dorsatus* (Lamarck, 1818) 寬幅淺蜆 Ref. 賴景陽。1998  
*Tapes literatus* (Linnaeus, 1758) 淺蜆 Ref. 巫文隆。1980  
*Tapes platyptycha* Pilsbry, 1901 花斑淺蜆 Ref. 巫文隆。1980  
*Tapes sericeus* Matsukuma, 1986 Ref. 巫文隆。1980  
*Tapes turgida* (Lamarck, 1818) 鈍綴錦蛤 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Venus foveolata* (Sowerby, 1853) 環板簾蛤 Ref. 巫文隆、李彥錚。2005  
*Venus toreuma* Gould, 1850 維那斯簾蛤 Ref. 林朝榮。1974  
*Veremolpa micra* (Pilsbry, 1904) 小簾蛤 Ref. 採集記錄  
*Veremolpa mindanensis* (Smith, 1885) Ref. 巫文隆。1980  
*Veremolpa scabra* (Hanley, 1845) 海星小簾蛤 Ref. Kuroda, 1941  
*Veremolpa siamensis* (Lyngby, 1909) Ref. Kuroda, 1941

## Class Cephalopoda 頭足綱

### Order Nautiloidea 鸚鵡螺目

#### Family Nautilidae 鸚鵡螺科

*Nautilus pompilius* Linnaeus, 1758 鸚鵡螺 Ref. 林朝榮。1974

### Order Octopoda 章魚目

### Family Alloposidae 異夫蛸科

*Haliphron atlanticus* Steenstrup, 1861 異夫蛸 Ref. Lu, unpublished

### Family Argonautidae 船蛸科

*Argonauta argo* Linnaeus, 1758 扁船蛸 Ref. Kuroda, 1941

*Argonauta hians* (Lightfoot, 1786) 闊船蛸 Ref. Kuroda, 1941

### Family Octopodidae 章魚科

*Bathypolypus validus* (Sasaki, 1920) 強壯深海章魚 Ref. Lu, unpublished

*Cistopus indicus* (Rapp, 1835) 小孔蛸 Ref. Lu, 1998

*Haplochlaua maculosa* (Hoyle, 1885) 豹斑章魚 Ref. 張崑雄等。1992

*Haplochlaua cf. fasciata* (Hoyle, 1886) 藍紋章魚 Ref. Lu, 1998

*Haplochlaua cf. maculosa* Hoyle, 1883 豹斑章魚 Ref. Lu, 1998

*Octopus aegina* Gray, 1849 白線章魚 Ref. Lu, 1998

*Octopus cyanea* Gray, 1849 藍章魚 Ref. Lu, 1998

*Octopus exannulatus* Norman., 1993 無環章魚 Ref. Lu, 1998

*Octopus fangsiao* d'Orbigny, 1835 飯蛸 Ref. Lu, 1998

*Octopus luteus* (Sasaki, 1929) 紅章魚 Ref. Lu, 1998

*Octopus marginatus* Taki, 1964 條紋蛸 Ref. Lu, 1998

*Octopus minor* (Sasaki, 1920) 長腕小章魚 Ref. Lu, 1998

*Octopus ocellatus* Gray, 1849 短蛸 Ref. 張崑雄、鄭明修。1989

*Octopus ornatus* Gould, 1852 華麗章魚 Ref. Lu, unpublished

*Octopus oshimai* (Sasaki, 1929) 大島章魚 Ref. Lu, 1998

*Octopus rex* Nateewathana & Norman, 1999 皇帝章魚 Ref. Lu, unpublished

*Octopus variabilis* (Sasaki) 長蛸 Ref. 張崑雄、鄭明修。1989

*Octopus vulgare* Cuvier, 1797 真蛸 Ref. 何通濶。1963

*Octopus vulgaris* Lamarck, 1799 真蛸 Ref. Lu, 1998

*Scaerugus patagiatus* Berry, 1913 左腕章魚 Ref. Lu, unpublished

### Family Tremoctopodidae 水孔蛸科

*Tremoctopus violaceus* delle Chiaje, 1830 印太水孔蛸 Ref. Lu, 1998

## Order Sepioidea 烏賊目

### Family Idiosepiidae 微鱗烏賊科

*Idiosepius pygmaeus* Steenstrup, 1881 侏儒微鱗烏賊 Ref. Lu, unpublished

### Family Sepiadariidae 擬耳烏賊科

*Sepiadarium kochii* Steenstrup, 1881 擬耳烏賊 Ref. 童逸修。1978

### Family Sepiidae 烏賊科

*Metasepia tullbergi* (Appellof, 1886) 花烏賊 Ref. Lu, 1998

*Sepia aculeata* Van Hasselt, 1834 尖烏賊 Ref. Lu, 1998

*Sepia andreana* (Steenstrup, 1875) 長腕針烏賊 Ref. 童逸修。1978

*Sepia esculenta* Holyle, 1885 真烏賊 Ref. 巫文隆、楊夢南。1995

*Sepia filibrachia* Reid & Lu, 2005 細腕烏賊 Ref. Reid & Lu, 2005

*Sepia latimanus* Quoy & Gaimard, 1832 寬腕烏賊 Ref. Lu, 1998

*Sepia lycidas* Gray, 1849 擬目烏賊 Ref. 何通濶。1963

*Sepia madokai* Adam, 1939 Ref. Lu, 1998

*Sepia omani* Adam & Rees, 1966 紅殼烏賊 Ref. 童逸修。1978

*Sepia pharaonis* Ehrenberg, 1831 虎斑烏賊 Ref. 何通濶。1963

*Sepia prionota* Voss, 1962 瘤腕烏賊 Ref. 童逸修。1978

*Sepia recurvirostra* Steenstrup, 1875 亞洲烏賊 Ref. 童逸修。1978

*Sepia rouxill* Orbigny 羅氏烏賊 Ref. 鄧志忠。1991

*Sepia smithi* Holyle, 1885 史密斯烏賊 Ref. 童逸修。1978

*Sepia tullbergi* (Appellof, 1886) 花烏賊 Ref. 鄭明修等。1994

*Sepia (Doratosepion) foliopeza* Okutani & Tagawa, 1987 葉足烏賊 Ref. Lu, 1998

*Sepia (Doratosepion) furcata* Ho & Lu, 2005 叉尾烏賊 Ref. Ho & Lu, 2005

*Sepia (Doratosepion) hirunda* Ho & Lu, 2005 燕尾烏賊 Ref. Ho & Lu, 2005

*Sepia (Doratosepion) kobeensis* Hoyle, 1885 神戶烏賊 Ref. Lu, 1998

*Sepia (Doratosepion) longipes* Sasaki, 1913 長足烏賊 Ref. Lu, unpublished

*Sepia (Doratosepion) pardex* Sasaki, 1913 豹斑烏賊 Ref. Lu, 1998

*Sepia (Doratosepion) tenuipes* Sasaki, 1929 狹足烏賊 Ref. Lu, unpublished

*Sepia (Doratosepion) vietnamica* Khromov, 1987 越南烏賊 Ref. Lu, 1998

*Sepia (Rhombosepion) vossi* Khromov, 1996 福斯氏烏賊 Ref. Lu, unpublished

*Sepiella japonica* Sasaki, 1929 無針烏賊 Ref. 鄧志忠。1991

### Family Sepiolidae 耳烏賊科

*Austrorossia bipapillata* (Sasaki, 1920) 雙乳突僧頭耳烏賊 Ref. Lu, 1998

*Euprymna berryi* Sasaki, 1929 目斗仔 Ref. Lu, 1998

*Euprymna morsei* (Verrill, 1881) 耳烏賊 Ref. 何通濶。1963

*Heteroteuthis hawaiiensis* (Berry, 1909) 夏威夷耳烏賊 Ref. Lu, unpublished

*Iniotheuthis japonica* Verrill, 1881 燈籠耳烏賊 Ref. 童逸修。1978

*Rossia bipapillata* Sasaki, 1920 光頭耳烏賊 Ref. 童逸修。1978

*Sepiolina nipponensis* (Berry, 1911) 銀帶耳烏賊 Ref. 童逸修。1978

## Order Teuthida 管魷目

### Family Thysanoteuthidae 飛魷科

*Thysanoteuthis rhombus* Troschei, 1857 飛魷 Ref. 童逸修。1978

## Order Teuthoidea 槍形目

### Family Ancistrocheiridae 鈎魷科

*Ancistrocheirus lesueuri* (d'Orbigny, 1842) Ref. Lu, unpublished

### Family Bathyteuthidae 深海魷科

*Bathyteuthis abyssicola* Hoyle, 1885 深海魷魚 Ref. Lu, unpublished

### Family Bolitaenidae 單盤蛸科

*Bolitaena pygmaea* Verrill, 1884 Ref. Lu, unpublished

*Japetella diaphana* Hoyle, 1885 乍波蛸

### Family Chiroteuthidae 手魷魚科

*Chiroteuthis picteti* Joubin, 1894 元帥手魷魚

### Family Cranchiidae 小頭魷魚科

*Bathothauma lyromma* Chun, 1906 Ref. Lu, unpublished

*Cranchia scabra* Leach, 1817 小頭魷魚 Ref. 同前

*Leachia pacifica* (Issel, 1908) 太平洋塔魷魚 Ref. 同前

*Liocranchia reinhardti* (Steenstrup, 1856) 雷因氏紡錘魷魚 Ref. Lu, 1998

*Liocranchia valdiviae* Chun, 1906 Ref. Lu, unpublished

*Megalocranchia abyssicola* (Goodrich, 1896) Ref. 同前

*Sandalops melancholicus* Chun, 1906 拖鞋眼魷魚 Ref. 同前

*Taonius pavo* (Lesueur, 1821) 孔雀魷魚 Ref. 同前

### Family Ctenopterygidae 櫛鰭魷魚科

*Ctenopteryx sicula* (Verany, 1851) 櫛鰭魷魚 Ref. Lu, unpublished

### Family Cycloteuthidae 圓鰭魷科

*Discoteuthis discus* Young & Roper, 1969 盤鰭魷魚 Ref. Lu, unpublished

### Family Enoploteuthidae 武裝魷科

*Abralia andamanica* Goodrich, 1896 安達曼鈎腕魷 Ref. Lu, unpublished

*Abralia armata* (Quoy & Gaimard, 1832) 多鈎腕魷 Ref. 童逸修。1978

*Abralia astrosta* Berry, 1909 星斑鈎腕魷 Ref. Lu, 1998

*Abralia multihamata* Sasaki, 1929 多鈎鈎腕魷 Ref. Lu, 1998

*Abralia similis* Okutani & Tsuchiya, 1987 Ref. Lu, unpublished

*Abraliopsis lineata* (Goodrich, 1896) 線紋鈎腕魷 Ref. Lu, 1998

*Enoploteuthis chuni* Ishikawa, 1914 昆氏武裝魷魚 Ref. Lu, unpublished

*Watasenia scintillans* (Berry, 1911) 螢魷魚 Ref. Wu et al, 1989

### Family Gonatidae 手鈎魷科

*Gonatopsis octopedatus* Sasaki, 1920 八腕手鈎魷魚 Ref. Lu, unpublished

### Family Grimalditeuthidae 葛氏雙鰭魷科

*Grimalditeuthis bonplandi* (Verany, 1837) 雙鰭魷魚 Ref. Lu, unpublished

### Family Histiototeuthidae 帆魷魚科

*Histiototeuthis hoylei* (Goodrich, 1896) 霍氏帆魷魚 Ref. Lu, unpublished

*Histiototeuthis meleagroteuthis* (Chun, 1910) Ref. 同前

*Histiototeuthis miranda* (Berry, 1918) 奇妙帆魷魚 Ref. 同前

*Histiototeuthis pacifica* (G. Voss, 1962) 太平洋帆魷魚 Ref. 同前

### Family Loliginidae 槍魷魚科

*Loligo beka* Sasaki, 1929 貝卡鎖管 Ref. 童逸修。1978

*Loligo chinensis* (Gray, 1849) 台灣鎖管 Ref. 童逸修。1977

*Loligo duvauceli* d'Orbigny, 1835 大島鎖管 Ref. 童逸修。1978

*Loligo edulis* Hoyle, 1885 真鎖管 Ref. 童逸修。1977

*Loligo edulis* Wakiya & Ishikawa, 1921 武道真鎖管 Ref. Clyde & Sweeney, 1984

*Loligo japonica* (Hoyle, 1885) 日本鎖管 Ref. 童逸修。1978

*Loligo sibogae* (Adam, 1954) 尖鎖管 Ref. 童逸修。1977

*Loligo singhalensis* Ortmann, 1891 斯里蘭卡鎖管 Ref. Clyde & Sweeney, 1984

*Loligo sumatrensis* Orbigny, 1834 神戶鎖管 Ref. 童逸修。1978

*Loligo uyii* Wakiya & Ishikawa, 1921 田鄉鎖管 Ref. 童逸修。1977

*Loliolus (Nipponololigo) beka* (Sasaki, 1929) 火槍魷魚 Ref. Lu, 1998

*Loliolus (Nipponololigo) sumatrensis* (d'Orbigny, 1835)

*Loliolus (Nipponololigo) uyii* (Wakiya & Ishikawa, 1921) 尤氏槍魷魚 Ref. Lu, 1998

*Sepioteuthis lessoniana* Lesson, 1830 軟翅仔 Ref. 童逸修。1977

*Uroteuthis (Photololigo) chinensis* (Gray, 1849) 中國槍魷魚 Ref. Lu, 1998

*Uroteuthis (Photololigo) duvaucelii* (d'Orbigny, 1835) 杜氏槍魷魚 Ref. Lu, 1998

*Uroteuthis (Photololigo) edulis* (Hoyle, 1885) 劍尖槍魷魚 Ref. Lu, 1998

*Uroteuthis (Photololigo) sibogae* (Adam, 1954) 西伯加槍魷魚 Ref. Lu, 1998

### Family Lycoteuthidae

*Lampadioteuthis megaleia* Berry, 1916 Ref. Lu, unpublished

### Family Mastigoteuthidae 鞭魷科

*Idioteuthis cordiformis* (Chun, 1908) 心鰭鞭魷魚 Ref. Lu, unpublished

### Family Octopoteuthidae 蛸肆魷魚科

*Octopoteuthis sicula* Ruppell, 1844 蛸魷魚 Ref. Lu, unpublished

### Family Ommastrephidae 柔魚科

*Euclidean luminosa* (Sasaki, 1915) 發光魷魚 Ref. Lu, 1998

*Nototodarus hawaiiensis* (Berry, 1912) 夏威夷魷魚 Ref. Lu, unpublished

*Ommastrephes bartrami* (Lesueur, 1821) 赤魷 Ref. 董正之。1988

*Ornithoteuthis volatilis* (Sasaki, 1915) 飛魷 Ref. Lu, 1998

*Sthenoteuthis oualaniensis* (Lesson, 1830) 南魷 Ref. 董逸修。1977

*Todarodes pacificus* Steenstrup, 1880 北魷 Ref. 董逸修。1977

*Todaropsis eblanae* (Ball, 1840) 短柔魚 Ref. Lu, unpublished

### Family Onychoteuthidae 爪魷魚科

*Moroteuthis loennbergi* Ishikawa & Wakiya, 1914 龍氏桑椹魷魚 Ref. Lu, unpublished

*Onychia carribaea* Lesueur, 1821 加勒比擬爪魷 Ref. 董逸修。1978

*Onychoteuthis banksii* (Leach, 1817) 爪魷 Ref. 董逸修。1978

### Family Opisthoteuthidae 面蛸科

*Luteuthis shuishi* O'Shea & Lu, 2002 水試盧氏面蛸 Ref. Lu, unpublished

*Opisthoteuthis japonica* Taki, 1962 日本面蛸 Ref. 同前

### Family Pholidoteuthidae 角鱗魷科

*Pholidoteuthis massyae* (Pfeffer, 1912) 麥氏角鱗魷魚 Ref. Lu, unpublished

### Family Pyroteuthidae 火魷魚科

*Pterygoteuthis gemmata* Chun, 1908 Ref. Lu, unpublished

*Pterygoteuthis giardii* Fischer, 1896 基氏翼魷魚 Ref. Lu, 1998

*Pyroteuthis margaritifera* (Ruppell, 1844) Ref. Lu, unpublished

## Class Gastropoda 腹足綱

### Order Anaspidea 無盾目

#### Family Notoarchidae

*Stylocheilus longicaudus* Quoy & Gaimard, 1825 長尾柱唇海兔

*Stylocheilus striatus* Quoy & Gaimard, 1832 柱唇海兔

### Order Aplysiacea 海鹿目

#### Family Aplysiidae 海鹿科

*Aplysia dactylomela* Rang, 1828 Ref. 張崑雄。1985

*Aplysia juliana* Quoy & Gaimard, 1832 染斑海鹿 Ref. 張崑雄等。1992

*Aplysia kurodai* (Baba, 1937) 大海鹿 Ref. Kuroda, 1941

*Aplysia oculifera* Adams & Reeve, 1850 眼斑海鹿 Ref. 張崑雄。1985

*Aplysia parvula* Guilding in Motch, 1863 黑邊海兔

*Dolabella auricularia* (Lightfoot, 1786) 龍骨海鹿 Ref. Kuroda, 1941

*Dolabrifera dolabrifera* (Rang, 1928) 斧殼海鹿 Ref. 張崑雄等。1992

#### Family Notarchidae

*Bursatella leachi* Blainville, 1817 黃斑燕尾海麒麟 Ref. 國立台灣海洋大學。1992

### Order Archaeogastropoda 原始腹足目

#### Family Angariidae 棘冠螺科

*Angaria atrata* (Reeve, 1843) 黑強齒螺 Ref. 張崑雄等。1989

*Angaria delphinus* Linnaeus, 1758 棘冠螺 Ref. 譚天錫、白振宇、夏國經。1986

*Angaria sphaerula* (Kiener, 1839) 小球棘冠螺 Ref. 藍子樵。1977

#### Family Fissurellidae 裂螺科

*Cranopsis pelex* A. Adams, 1860 高透孔螺 Ref. 巫文隆、李彥錚。2005

*Dentimargo makiyamae* (Habe, 1951) 菱形穀米螺 Ref. The Pei-yo. 31: 48-53

*Dentimargo teramachii* (Habe, 1951) 寺町穀米螺 Ref. 李彥錚。2003

*Diodora mus* (Reeve, 1850) 黑斑透孔螺 Ref. 林朝榮。1974

*Diodora octagona* (Reeve, 1850) 蛛網透孔螺 Ref. 迷你貝殼中文種名小組。1988

*Diodora quadriradiata* (Reeve, 1850) 布紋透孔螺 Ref. 施乃普。1975

*Diodora semilunata* Habe, 1953 半月透孔螺 Ref. 施乃普。1975

*Diodora sieboldi* (Reeve, 1850) 西寶透孔螺 Ref. 張寬敏等。1984

*Diodora singaporensis* (Reeve, 1850) 新加坡透孔螺 Ref. 李彥錚。2002

*Diodora suprapunicea* Otuka, 1937 草花透孔螺 Ref. 施乃普。1975

*Diodora ticaonica* (Reeve, 1850) 鑰孔透孔螺 Ref. 巫文隆、李彥錚。2005

*Emarginella biangulata* (Sowerby, 1901) 雙角裂螺 Ref. 李彥錚。2002

*Emarginella eximia* (A. Adams, 1852) 粗網裂螺 Ref. 施乃普。1975

*Emarginella incisula* (A. Adams, 1852) 細網裂螺 Ref. 施乃普。1975

*Emarginula concinna* A. Adams, 1852 粗彫裂螺 Ref. 李彥錚。2002

*Emarginula crassicostata* (Sowerby, 1863) 鱗碱 Ref. 施乃普。1975

*Emarginula fnigromaculata* Thiele, 1930 斑紋裂螺 Ref. 巫文隆、李彥錚。2005  
*Emarginula foveolata* Habe, 1953 藤田裂螺 Ref. 巫文隆、李彥錚。2005  
*Emarginula fragilis* (Yokoyama, 1920) 薄殼裂螺 Ref. 施乃普。1975  
*Emarginula hataii* (Habe, 1953) 屈頂鱗碱 Ref. 施乃普。1975  
*Emarginula imaizumi* Dall, 1926 薩摩鱗碱 Ref. 施乃普。1975  
*Emarginula maculata* Sowerby, 1866 花斑裂螺 Ref. 李彥錚。2002  
*Emarginula punctata* A. Adams, 1852 Ref. 巫文隆、簡士傑。2007  
*Emarginula variegata* (A. Adams, 1852) 彩色裂螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Glyphis galeata* (Helbling, 1779) 偏孔透孔螺 Ref. 李彥錚。2002  
*Macroschisma dilatatum* (A. Adams, 1851) 寬敞透孔螺 Ref. 施乃普。1975  
*Macroschisma sinense* (A. Adams, 1851) 中華透孔螺 Ref. 施乃普。1975  
*Montfortista eurythma* (Dautzenberg, 1908) 放射螺 Ref. 李彥錚。2002  
*Montfortista oldhamiana* (Nevill, 1869) 老漢凸螺 Ref. 施乃普。1975  
*Punctrella dorcas* Kira & Habe, 1949 深海透孔螺 Ref. 李彥錚。2001  
*Punctrella nobilis* A. Adams, 1860 圓窗透孔螺 Ref. 張寬敏等。1984  
*Rimula exquisita* A. Adams, 1853 長窗透孔螺 Ref. 施乃普。1975  
*Scutus sinensis* (Blainville, 1825) 鴨嘴螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Scutus unguis* (Linnaeus, 1758) 皺紋鴨嘴螺 Ref. 巫文隆、李彥錚。2005

### Family Haliotidae 鮑螺科

*Haliotis asinina* Linnaeus, 1758 驢耳鮑螺 Ref. 巫文隆、孫琪。1989  
*Haliotis discus* (Reeve, 1846) 盤鮑螺 Ref. 陳景林。2006  
*Haliotis diversicolor* (Reeve, 1846) 九孔螺 Ref. 曾萬年。1975  
*Haliotis dohrniana* Dunker, 1863 Ref. 鍾柏生。2001  
*Haliotis jacnensis* (Reeve, 1846) 侏儒鮑螺 Ref. 藍子樵等。1982  
*Haliotis ovina* (Gmelin, 1791) 圓鮑螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Haliotis planata* Sowerby, 1887 扁鮑螺 Ref. 巫文隆、孫琪。1989  
*Haliotis varia* (Linnaeus, 1758) 瘤鮑螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Haliotis venusta* Adams & Reeve, 1850 優美鮑螺 Ref. 呂端華。1991

### Family Helicinidae 虫昌蝸牛科

*Aphanoconia badia* (Schmacker & Boettger, 1891) 小虫昌蝸 [特有]  
*Aphanoconia badium* (Schmacker & Boettger, 1891) 小虫昌蝸牛 Ref. 趙大衛、莊淑君。1996  
*Aphanoconia hungerfordiana* (Schmacker & Boettger, 1891) 台灣虫昌蝸牛 Ref. 林朝榮。1974  
*Aphanoconia hungerfordianum* (Moellendorff, 1882) 海南虫昌蝸牛 Ref. 李彥錚、陳文德。2003  
*Geophorus sulfureus* Kuroda & Kano, 1941 土虫昌蝸牛 Ref. 林朝榮。1974

### Family Hydrocenidae 芝麻虫昌蝸牛科

*Georissa hukudai* Kuroda, 1960 福田芝麻虫昌蝸牛 Ref. 李彥錚、陳文德。2003  
*Georissa japonica* Pilsbry, 1900 芝麻虫昌蝸牛 Ref. 李彥錚、陳文德。2003

### Family Lepetidae 無總笠螺科

*Limalepeta lima* Dall, 1918 白無總笠螺 Ref. 鍾柏生。1996

### Family Liotiidae

*Bathylotina armata* (A. Adams, 1861) 花冠螺 Ref. 李彥錚。2001  
*Dentarene sarcina* Iredale, 1929 鍊珠花冠螺 Ref. 蔡英亞、陳同戰。2000  
*Liotina peronii* (Kiener, 1839) 小金剛蝶螺 Ref. 蔡英亞、陳同戰。2000  
*Liotina solidula* (Gould, 1859) 皺小半邊螺 Ref. 施乃普。1975

### Family Lottiidae 蓮花青螺科

*Collisella heroldi* (Dunker, 1861) 花邊青螺 Ref. 施乃普。1975  
*Lottia dorsuosa* (Gould, 1859) 鴨青螺 Ref. 藍子樵等。1982  
*Lottia javanica* Aswan & Ozawa, 2005 爪哇蓮花青螺 Ref. 巫文隆、李彥錚。2005  
*Lottia kogamogai* Sasaki & Okutani, 1994 小鴨蓮花青螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Lottia langfordi* (Habe, 1944) 蘭福蓮花青螺 Ref. Kuroda, 1941  
*Lottia luchuana* (Pilsbry, 1901) 雜斑蓮花青螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Lottia tenuisculpta* Sasaki & Okutani, 1994 細彫蓮花青螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Niveotectura pallida* (Gould, 1859) 雪青螺 Ref. 施乃普。1975  
*Notoacmea boninensis* (Asakura & Nishihama, 1987) 小笠原青螺 Ref. 巫文隆、李彥錚。2005  
*Notoacmea concinna* (Lischke, 1870) 高青螺 Ref. 王繼忠、譚天錫。1979  
*Notoacmea schrenckii* Habe, 1944 櫻花青螺 Ref. 藍子樵。1998  
*Notoacmea schrenckii* (Lischke, 1868) 花青螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Patelloida lentiginosa* (Reeve, 1855) 雀斑青螺 Ref. Kuroda, 1941  
*Patelloida pygmaea* (Habe, 1944) 蕾青螺 Ref. 藍子樵等。1982  
*Patelloida pygmaea* (Dunker, 1860) 花帽青螺 Ref. 施乃普。1975  
*Patelloida pygmaea* (Dunker, 1861) 高腰花帽青螺 Ref. 李彥錚。2002  
*Patelloida saccharina* (Linnaeus, 1758) 鵝足青螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Patelloida signatoides* Kuroda & Hane, 1971 淡紋射線青螺 Ref. 巫文隆、李彥錚。2005  
*Patelloida striata* (Quoy & Gaimard, 1834) 射線青螺 Ref. 鍾柏生。2001

### Family Neritidae 蜑螺科

*Clithon chlorostoma* (Broderip, 1832) 金口石蜑螺 Ref. 陳志勇、巫文隆。2001  
*Clithon corona* (Linnaeus, 1758) 小皇冠蜑螺 Ref. 張寬敏。1991  
*Clithon faba* (Sowerby, 1836) 豆石蜑螺 Ref. 陳志勇、巫文隆。2001

*Clithon oualaniensis* (Lesson, 1831) 小石蠶螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Clithon retropictus* (v. Martens, 1879) 石蠶螺 Ref. 張寬敏。1991  
*Clithon souverbiana* (Montrouzier, 1866) 種子蠶螺 Ref. 施乃普。1975  
*Clithon souverbiana* (Recluz, 1842) 沙氏石蠶螺 Ref. 張寬敏。1991  
*Nerita albicilla* Linnaeus, 1758 漁舟蠶螺 Ref. 林朝榮。1974  
*Nerita balteata* Reeve, 1855 黑線蠶螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Nerita bensoni* Recluz, 1850 賓森氏蠶螺 Ref. Kuroda, 1941  
*Nerita chamaeleon* Linnaeus, 1758 大圓蠶螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Nerita costata* Gmelin, 1791 黑肋蠶螺 Ref. 林朝榮。1974  
*Nerita exuvia* Linnaeus, 1758 浮彫蠶螺 Ref. 藍子樵等。1982  
*Nerita helicinoides* Pilsbry, 1901 多紋扭腰蠶螺 Ref. 陳志勇、巫文隆。2001  
*Nerita helicinoides* Reeve, 1855 扭腰蠶螺 Ref. 林朝榮。1974  
*Nerita incerta* (Busch, 1844) 黑玉蠶螺 Ref. 藍子樵等。1982  
*Nerita insculpta* Recluz, 1842 虛線蠶螺 Ref. 林朝榮。1974  
*Nerita japonica* (Dunker, 1860) 花斑蠶螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Nerita ocellata* Leguillou, 1841 滑圓蠶螺 Ref. 林朝榮。1974  
*Nerita planospira* Anton, 1839 平頂蠶螺 Ref. 藍子樵等。1982  
*Nerita plicata* Linnaeus, 1758 白肋蠶螺 Ref. 林朝榮。1974  
*Nerita polita* Linnaeus, 1758 玉女蠶螺 Ref. 林朝榮。1974  
*Nerita reticulata* Karsten, 1789 紅唇蠶螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Nerita rumphii* Recluz, 1841 蘭富蠶螺 Ref. 鍾柏生。2001  
*Nerita squamulata* Le Guillou, 1841 花圓蠶螺 Ref. 藍子樵、陳志勇。2002  
*Nerita striata* Burrow, 1815 高腰蠶螺 Ref. 林朝榮。1974  
*Nerita undata* Linnaeus, 1758 粗紋蠶螺 Ref. 林朝榮。1974  
*Neritina auriculata* Lamarck, 1816 雙耳蠶螺 Ref. 陳志勇、巫文隆。2001  
*Neritina crepidularia* (Lamarck, 1818) 圓舟蠶螺 Ref. 陳志勇、巫文隆。2001  
*Neritina parallela* Roding 平行線蠶螺 Ref. Komatsu, 1986  
*Neritina parallela* (Roeding, 1798) 平行線蠶螺 Ref. 陳志勇、巫文隆。2001  
*Neritina plumbea* Sowerby, 1849 球蠶螺 Ref. 張寬敏。1991  
*Neritina pulligera* (Linnaeus, 1767) 黃口蠶螺 Ref. 張寬敏。1991  
*Neritina turrita* (Gmelin, 1791) 雨絲蠶螺 Ref. 陳志勇、巫文隆。2001  
*Neritina variegata* (Lesson, 1830) 細斑蠶螺 Ref. 貝類中文訂名小組。1986  
*Neritina violacea* (Gmelin, 1791) 寬口蠶螺 Ref. 貝類中文訂名小組。1986  
*Neritina waigiensis* (Lesson, 1831) 五彩蠶螺 Ref. 陳志勇、巫文隆。2001  
*Neritina yoldi* Recluz, 1841 齒紋蠶螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Septaria janelli* (Recluz, 1841) 電光壁蠶螺 Ref. 林曜松、曾晴賢。1985  
*Septaria lineata* (Lamarck, 1816) 長形壁蠶螺 Ref. 吳全橙。1982  
*Septaria porcellana* (Recluz, 1843) 栗色壁蠶螺 Ref. 陳志勇、巫文隆。2001  
*Septaria porcellana* (Linnaeus, 1758) 壁蠶螺 Ref. 張寬敏。1991  
*Smaragdia paulucciana* Gassies, 1870 閃電蠶螺 Ref. 陳志勇、巫文隆。2001  
*Smaragdia rangiana* (Recluz, 1841) 翡翠蠶螺 Ref. 迷你貝殼中文種名小組。1988

#### Family Neritopsidae 真珠蠶螺科

*Neritopsis radula* (Linnaeus, 1758) 真珠蠶螺 Ref. 林朝榮。1974

#### Family Patellidae 笠螺科

*Cellana eneagona* (Reeve, 1854) 多邊形笠螺 Ref. 鍾柏生。2002  
*Cellana grata* (Gould, 1859) 斗笠螺 Ref. 巫文隆、張崑雄。1977  
*Cellana grata* Pilsbry, 1895 Ref. Kuroda, 1941  
*Cellana grata* Pilsbry, 1911 Ref. Kuroda, 1941  
*Cellana mazatlantica* (Sowerby, 1839) 小笠原笠螺 Ref. 標本採集記錄  
*Cellana nigrolineata* (Reeve, 1854) 松葉笠螺 Ref. 王繼忠、譚天錫。1979  
*Cellana profunda* (Pilsbry, 1891) Ref. 林朝榮。1974  
*Cellana radiata* (Pilsbry, 1891) 東方蓋笠螺 Ref. 巫文隆。1978  
*Cellana radiata* Born, 1778 車輪笠螺 Ref. 林朝榮。1974  
*Cellana rediana* Reeve, 1854 虎斑笠螺 Ref. 鍾柏生。2001  
*Cellana stearnsii* (Pilsbry, 1891) 編蓋笠螺 Ref. 巫文隆。1978  
*Cellana testudinaria* (Linnaeus, 1758) 龜甲笠螺 Ref. 林朝榮。1974  
*Cellana toreuma* (Reeve, 1855) Ref. 林朝榮。1974  
*Cellana toreuma* (Reeve, 1854) 花笠螺 Ref. 巫文隆。1978  
*Patella flexuosa* Quoy & Gaimard, 1834 星笠螺 Ref. 林朝榮。1974  
*Patella optima* (Pilsbry, 1907) 大星笠螺 Ref. 鍾柏生。2002  
*Scutellastra flexuosa* Quoy & Gaimard 星笠螺 Ref. Kuroda, 1941  
*Scutellastra optima* Pilsbry 大星笠螺

#### Family Pectinodontidae 梳齒笠螺科

*Pectinodonta orientalis* (Schepman, 1908) 尖頂梳齒笠螺 Ref. 鍾柏生。1996

#### Family Phasianellidae 雉螺科

*Hilon megastoma* (Pilsbry) 小雉螺 Ref. 鍾柏生。2001  
*Phasianella modesta* (Gould, 1861) 姬雉螺 Ref. 李彥錚。2002  
*Phasianella solida* (Born, 1780) 雉螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Phasianella variegata* Lamarck, 1822 雜斑雉螺 Ref. 李彥錚。2002

### Family Phenacolepadidae 扁帽螺科

*Phenacolepas crenulata* (Broderip, 1834) 格子扁帽螺 Ref. 李彥錚。2002  
*Phenacolepas galathea* (Lamarck, 1819) 鱗片扁帽螺 Ref. 李彥錚。2002

### Family Pleurotomariidae 翁戎螺科

*Entemnotrochus hirasei* (Pilsbry, 1903) 紅翁戎螺 Ref. 林朝榮。1975  
*Entemnotrochus rumphii* (Schepman, 1879) 龍宮翁戎螺 Ref. 藍子樵。1974  
*Entemnotrochus salmiana* (Rolle, 1899) 高腰翁戎螺 Ref. 林朝榮。1975  
*Entemnotrochus teramachii* Kuroda, 1955 寺町翁戎螺 Ref. 藍子樵。1974  
*Perotrochus beyrichi* Hilgendorf 倍利翁戎螺 Ref. 余賢德。1997  
*Perotrochus hirasei* Pilsbry 紅翁戎螺 Ref. 賴景陽。1979  
*Perotrochus salmiana* Rolle 高腰翁戎螺 Ref. Lan, 1976  
*Perotrochus teramachii* Kuroda 寺町翁戎螺 Ref. Lan, 1974

### Family Seguenziidae 陀螺科

*Seguenzia hosyu* (Kuroda, MS) Habe, 1953 新紀錄種陀螺 Ref. The Pei-yo. 31: 48-53

### Family Skeneidae 玉輪螺科

*Dillwynella vitrea* Hasegawa, 1997 白帶玉輪螺 Ref. 巫文隆、李彥錚。2005  
*Leucorynchia tricarinata* Melvill & Standen, 1895 白玉輪螺 Ref. 迷你貝殼中文種名小組。1988  
*Teinostoma lucidum* (A. Adams & Angus, 1863) 白冰玉輪螺 Ref. 同前

### Family Stomatellidae 廣口螺科

*Roya eximia* (Nevill, 1869) Ref. Kuroda, 1941  
*Stomatella planulata* (Lamarck, 1816) 廣口螺 Ref. 施乃普。1975  
*Stomatella varia* (A. Adams, 1850) 小廣口螺 Ref. 施乃普。1975  
*Stromatia phymotis* Helbling, 1779 扭廣口螺 Ref. 蔡英亞、陳同戰。2000  
*Synaptocochlea concinna* (Gould, 1845) 紅紋廣口螺 Ref. 迷你貝殼中文種名小組。1988

### Family Tricoliidae

*Eotricolia megastoma* (Pilsbry, 1895) 紅海贏 Ref. 施乃普。1975

### Family Trochidae 鐘螺科

*Antisolarium egenum* (Gould, 1849) 紅寶鐘螺 Ref. 巫文隆、李彥錚。2005  
*Calliostoma aculeatus* Sowerby, 1912 細沙鐘螺 Ref. 李彥錚。2001  
*Calliostoma cecilleri* (Philippi, 1849) Ref. Kuroda, 1941  
*Calliostoma consors* (Lischke, 1872) 粗腰鐘螺 Ref. 李彥錚。2001  
*Calliostoma formosense* Smith, 1907 台灣鐘螺 Ref. Kuroda, 1941  
*Calliostoma galea* (Sakurai, 1994) 盔形鐘螺 Ref. 李彥錚。2001  
*Calliostoma haliarchus* (Melvill, 1889) 陀螺鐘螺 Ref. 賴景陽。1986  
*Calliostoma katoi* (Sakurai, 1944) 加藤鐘螺 Ref. 李彥錚。2001  
*Calliostoma koma* (Shikama & Habe, 1965) 扁陀螺鐘螺 Ref. 李彥錚。2001  
*Calliostoma problematicus* (Kuroda & Habe, 1971) 問題鐘螺 Ref. 李彥錚。2001  
*Calliostoma rubroscapula* Lee & Wu, 1998 虛線鐘螺 Ref. 李彥錚、巫文隆。1998  
*Calliostoma shinagawaense* (Tokunaga, 1902) 高塔鐘螺 Ref. 李彥錚。2001  
*Calliostoma soyoae* Ikebe, 1942 桃紅鐘螺 Ref. 李彥錚。2001  
*Calliostoma tosaensis* (Kuroda & Habe, in Habe, 1961) 土佐鐘螺 Ref. 李彥錚。2002  
*Calliostoma unicum* (Dunker, 1860) 腰帶鐘螺 Ref. 鍾柏生、賴景陽。1999  
*Calliotropis annonaformis* Lee & Wu, 2001 釋迦白鐘螺 Ref. 李彥錚。2006  
*Calliotropis conchologyi* Poppe, Tagaro & Dekker, 2005 雙練鐘螺 Ref. The Pei-yo. 31: 48-53  
*Calliotropis sakashitai* (Sakurai, 1994) &#22338 Ref. 李彥錚。2002  
*Calliotropis scalaris* Lee & Wu, 2001 階梯白鐘螺 Ref. 李彥錚。2006  
*Camitia rotellina* (Gould, 1849) 漩渦鐘螺 Ref. 李彥錚。2002  
*Cantharidus callichrous* (Philippi, 1901) 紅玫瑰鐘螺 Ref. 李彥錚。2002  
*Cantharidus callichrous* (Philippi, 1850) 玫瑰鐘螺 Ref. 王繼忠、譚天錫。1979  
*Chlorostoma argyrostoma* (Gmelin, 1791) 黑鐘螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Chlorostoma turbinata* (A. Adams, 1853) 頭巾黑鐘螺 Ref. 藍子樵。1998  
*Chlorostoma xanthostigma* (A. Adams, 1853) 素面黑鐘螺 Ref. 巫文隆、張崑雄。1977  
*Chrysostoma paradoxum* (Born, 1780) 金口鐘螺 Ref. 蔡英亞、陳同戰。2000  
*Clanculus bronni* (Dunker, 1860) 布朗鐘螺 Ref. 迷你貝殼中文種名小組。1988  
*Clanculus bronni* Pilsbry, 1904 Ref. 張崑雄、鄭明修。1989  
*Clanculus clanguloides* (Wood, 1828) 彩珠鐘螺 Ref. 林朝榮。1974  
*Clanculus denticulatus* (Gray, 1827) 鐵珠鐘螺 Ref. 蔡英亞、陳同戰。2000  
*Clanculus gemmulifer* Pilsbry, 1901 紅蛭螺 Ref. 施乃普。1975  
*Clanculus margaritarius* (Philippi, 1846) 小草莓鐘螺 Ref. 林朝榮。1974  
*Clanculus puniceus* (Philippi, 1846) 草莓鐘螺 Ref. 標本採集記錄  
*Clanculus septenarius* (Melvill & Standen, 1899) 黃珠鐘螺 Ref. 李彥錚。2003  
*Conotalopia musiva* (Gould, 1859) 灰斑鐘螺 Ref. 李彥錚。2002  
*Diloma piperina* (Philippi, 1849) 胡椒鐘螺 Ref. 林朝榮。1974  
*Diloma suavis* (Philippi, 1849) 綠彩鐘螺 Ref. 施乃普。1975  
*Enida japonica* A. Adams, 1860 車輪鐘螺 Ref. 李彥錚。2003  
*Ethminolia nektionica* (Okutani, 1961) 階梯鐘螺 Ref. The Pei-yo. 31: 48-53  
*Ethminolia stearnsii* (Pilsbry, 1895) Ref. 閔德基。2004  
*Euchelus aspera* Gmelin, 1793 Ref. Kuroda, 1941

*Euchelus atratus* (Gmelin, 1791) 灰黑鐘螺 Ref. 陳景林。2006  
*Euchelus bourcierii* (Crosse, 1863) 伯希鐘螺 Ref. 巫文隆、李彥錚。2005  
*Euchelus eucheliformis* (Nomura & Hatai, 1940) 褐斑彫鐘螺 Ref. 李彥錚。2002  
*Euchelus foveolatum* (A. Adams, 1853) 束腰白彫鐘螺 Ref. 施乃普。1975  
*Euchelus instrictus* (Gould, 1849) 珠彫鐘螺 Ref. 林朝榮。1974  
*Euchelus lischkei* Pilsbry, 1904 褐色彫鐘螺 Ref. 李彥錚。2002  
*Euchelus pauperculus* (Lischke, 1872) 粗繩似草莓螺 Ref. 林明輝。1991  
*Euchelus rubra* (A. Adams, 1853) 紅椒鐘螺 Ref. 閔德基。2004  
*Euchelus verrucus* Gould, 1860 雀斑鐘螺 Ref. 迷你貝殼中文種名小組。1988  
*Fautor camptus* (A. Adams, 1853) 紫頂黃金鐘螺 Ref. 李彥錚。2002  
*Gaza sericata* Kuroda in Kira, 1959 絲絹鐘螺  
*Gibbula stoliczkana* (G. & H.Nevill, 1869) 電光鐘螺 Ref. The Pei-yo. 31: 48-53  
*Gibbula taiwanensis* Chen, 2006 寶島鐘螺 Ref. Chen, 2006  
*Ginebis argenteonitens* (Lischke, 1872) 玉珠銀鐘螺 Ref. 藍子樵。1998  
*Ginebis argenteonitens* Taki & Otuka, 1943 平瀨玉珠銀鐘螺 Ref. 藍子樵。1998  
*Ginebis convexiuscula* (Shikama, 1962) 素面銀鐘螺 Ref. 張昆煌、巫文隆。1997  
*Ginebis convexiusculus* (Yokoyama, 1920) 素面玉珠銀鐘螺 Ref. 藍子樵。1998  
*Ginebis crumpii* (Pilsbry, 1893) 麗珠鐘螺 Ref. 賴景陽。1986  
*Hybochelus cancellatus* (Krauss, 1848) 網紋鐘螺 Ref. 巫文隆、李彥錚。2005  
*Hybochelus cancellatus* (Pilsbry, 1904) 花琴鐘螺 Ref. 王繼忠、譚天錫。1979  
*Hybochelus leucogranulatus* (Pilsbry, 1890) 珍珠鐘螺 Ref. 傅譯鋒、孫志良。2006  
*Iwakawatrochus vittatus* (Pilsbry, 1903) Ref. Kuroda, 1941  
*Kombologion alboregium* (Azuma, 1961) 白顆粒鐘螺 Ref. 巫文隆、李彥錚。2005  
*Lischkeia alwiniae* (Lischke, 1871) 白鐘螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Microgaza corona* Lee & Wu, 2001 珠光鐘螺 Ref. 李彥錚。2001  
*Microgaza fulgens* Dall, 1907 光輝鐘螺 Ref. 李彥錚。2005  
*Microgaza katoi* (Kuroda & Habe, 1961) 紅暈鐘螺  
*Minolia punctata* A. Adams, 1860 花繩鐘螺 Ref. 李彥錚。2003  
*Monilea callifera* (Lamarck, 1822) 美臍鐘螺 Ref. 蔡英亞、陳同戰。2000  
*Monodonta labio* (Linnaeus, 1758) 草蓆鐘螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Monodonta labio* Tapprone-Canefri, 1874 圓草蓆鐘螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Monodonta neritoides* (Philippi, 1850) 黑草蓆鐘螺 Ref. 林朝榮。1974  
*Monodonta perplexa* Pilsbry, 1889 扭鐘螺 Ref. 鍾柏生。2001  
*Omphalius nigerrima* (Gmelin, 1791) 臍孔黑鐘螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Omphalius rusticus* (Gmelin, 1791) 粗瘤黑鐘螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Omphalotukaia hajimeanum* (Yoshida, 1948) 晨鐘螺 Ref. 藍子樵。1999  
*Omphalotukaia nobilis* (Hirase, 1922) 扁鐘螺 Ref. 藍子樵。1978  
*Prothalotia pulcherrima* (Wood, 1828) 美珠鐘螺 Ref. 標本採集記錄  
*Pseudotalopia sakuraii* Habe, 1961 櫻井鐘螺 Ref. 張昆煌、巫文隆。1997  
*Tectus conus* (Gmelin, 1791) 紅斑鐘螺 Ref. 王繼忠、譚天錫。1979  
*Tectus fenestratus* (Gmelin, 1791) 高帽鐘螺 Ref. 余賢德等。1998  
*Tectus niloticus* (Linnaeus, 1767) 牛蹄鐘螺 Ref. 李榮冠等。1989  
*Tectus niloticus* (Philippi, 1844) 馬蹄鐘螺 Ref. 林朝榮。1974  
*Tectus pyramis* (Born, 1778) 銀塔鐘螺 Ref. 林朝榮。1974  
*Tectus triserialis* (Lamarck, 1820) 尖山鐘螺 Ref. 吳全橙。1983  
*Tosatrochus attenuatus* (Jonas, 1845) 鬼牙鐘螺 Ref. 蔡英亞、陳同戰。2000  
*Trochus calcaratus* Sowerby, 1791 山形鐘螺 Ref. 蔡英亞、陳同戰。2000  
*Trochus chloromphalus* A. Adams, 1853 綠臍鐘螺 Ref. 林朝榮。1974  
*Trochus hanleyanus* Reeve, 1842 細紋鐘螺 Ref. 鍾柏生、賴景陽。1999  
*Trochus maculatus* Linnaeus, 1758 花斑鐘螺 Ref. 林朝榮。1974  
*Trochus sacellum* Philippi, 1854 齒輪鐘螺 Ref. 林朝榮。1974  
*Trochus sandwichiensis* Souleyet, 1852 Ref. 許中泰。1975  
*Trochus stellatus* Gmelin, 1790 血斑鐘螺 Ref. 林朝榮。1974  
*Umbonium moniliferum* (Lamarck, 1822) 鍊珠虫昌螺 Ref. Kuroda, 1941  
*Umbonium suturale* (Lamarck, 1822) 台灣虫昌螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Umbonium thomasi* (Crosse, 1863) 湯瑪氏虫昌螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Umbonium vestiarium* (Linnaeus, 1758) 彩虹虫昌螺 Ref. 賴景陽。1990

### Family Turbinidae 蝾螺科

*Astraliium haematragum* (Menke, 1829) 白星螺 Ref. 巫文隆、張崑雄。1977  
*Astraliium heimburgi* (Dunker, 1882) Ref. 丹桂之助。1932  
*Bolma girgylla* (Reeve, 1843) 雷神星螺 Ref. 鍾柏生。1991  
*Bolma guttata* (Kuroda & Habe, 1958) 沙紙星螺 Ref. 賴景陽。1998  
*Bolma henica* (Watson, 1879) 棘星螺 Ref. 賴景陽。1998  
*Bolma henica* (Kuroda & Habe in Kira, 1961) 榮光星螺 Ref. 李彥錚。2003  
*Bolma modesta* (Reeve, 1843) 塔星螺 Ref. 施乃普。1975  
*Collonista glareosa* Gould, 1861 礫石蝾螺 Ref. Kuroda, 1941  
*Guildfordia triumphans* (Philippi, 1841) 星螺 Ref. 賴景陽。1979  
*Guildfordia yoka* Jouseaume, 1888 長棘星螺 Ref. 賴景陽。1979  
*Homalopoma eoa* Azuma, 1972 曙光蝾螺 Ref. 李彥錚。2003  
*Homalopoma laevigatum* (Sowerby, 1914) 光滑蝾螺 Ref. 王繼忠、譚天錫。1979  
*Homalopoma tosaensis* (Habe, 1953) 土佐山椒蝾螺 Ref. 巫文隆、李彥錚。2005

*Leptothyra rubricineta* (Mighels, 1845) 燈籠山椒螺 Ref. 迷你貝殼中文種名小組。1988  
*Lunella cinerea* (Born, 1778) 美珠螺 Ref. 賴景陽。1979  
*Lunella coronata* (Gmelin, 1818) 珠螺 Ref. 巫文隆、張崑雄。1977  
*Lunella granulata* (Gmelin, 1791) 瘤珠螺 Ref. 賴景陽。1979  
*Neocollonia pilula* (Dunker, 1860) 薔薇山椒螺 Ref. 施乃普。1975  
*Pomaculax japonicus* (Dunker, 1844) 日本星螺 Ref. 吳全橙。1983  
*Senobolma venusta* Okutani, 1964 睡帽星螺 Ref. 李彥錚。2002  
*Turbo argyrostomus* Linnaeus, 1758 銀口螺 Ref. 林朝榮。1974  
*Turbo brunneus* Roeding, 1798 虎斑螺 Ref. 賴景陽。1979  
*Turbo chinensis* Ozawa & Tomida, 1995 中華螺 Ref. 李彥錚。2001  
*Turbo chryostomus* Linnaeus, 1758 金口螺 Ref. 林朝榮。1974  
*Turbo cornutus* Solander, 1786 角螺 Ref. 賴景陽。1979  
*Turbo jungi* Lai, 2006 鍾氏珠螺 Ref. 賴景陽。2006  
*Turbo marmoratus* Linnaeus, 1758 夜光螺 Ref. 林朝榮。1974  
*Turbo petholatus* Linnaeus, 1758 貓眼螺 Ref. 賴景陽。1979  
*Turbo reevei* Philippi, 1847 芮氏螺 Ref. 賴景陽。1979  
*Turbo setosus* Gmelin, 1791 圓螺 Ref. 林朝榮。1974  
*Turbo sparverium* Gmelin, 1791 台灣螺 Ref. 賴景陽。1979  
*Turbo stenogyrus* Fischer, 1873 高腰螺 Ref. 林朝榮。1974

## Order Archaeopulmonata 原始有肺目

### Family Carychiidae 罌粟蝸牛科

*Carychium hachijoensis* Pilsbry, 1902 八丈島罌粟蝸牛 Ref. 李彥錚。2006  
*Carychium noduliferum* Reinhardt, 1877 條紋罌粟蝸牛 Ref. 李彥錚、陳文德。2003  
*Carychium pessimum* Pilsbry, 1902 罌粟蝸牛 Ref. 張寬敏。1984

### Family Ellobiidae 耳螺科

*Allochroa affinis* (Gray, 1825) 強齒耳螺 Ref. 張寬敏。1984  
*Allochroa layardi* (H. & A. Adams, 1855) 環帶耳螺 (黑耳螺) Ref. Kuroda, 1941  
*Allochroa layarid* (H. & A. Adams, 1860) 條紋黑耳螺  
*Allochroa pfeifferi* (Dunker, 1860) 環帶耳螺 Ref. Kuroda, 1941  
*Auriculastra opportunatum* (Gould, 1859) 茶色耳螺 Ref. 李彥錚。2003  
*Auriculastra subula* (Quoy & Gaimard, 1832) 長耳螺 Ref. 西宮市貝類館。2002  
*Auriculodes opportunatum* (Gould, 1859) 茶色耳螺  
*Cassidula nucleus* (Gmelin, 1791) 鮑耳螺 Ref. 張寬敏。1984  
*Cassidula paludosa* Pilsbry & Hirase, 1905 小鮑耳螺 Ref. 李彥錚。2002  
*Cassidula paludosa* Pilsbry & Hirase, 1905 小鮑耳螺 Ref. Kuroda, 1941  
*Cassidula sowerbyana* (Pfeiffer, 1853) Ref. Kaneko, 1943  
*Ellobium aurisjudae* (Linnaeus, 1758) 猶大耳螺 Ref. 張寬敏。1984  
*Ellobium chinense* (Pfeiffer, 1955) 中華大耳螺 Ref. 張寬敏。1984  
*Laemodonta bella* (H. & A. Adams, 1855) 細緻小耳螺  
*Laemodonta minuta* (Mollendorff, 1885) 細線趾螺 Ref. 李彥錚。2002  
*Laemodonta monilifera* (H. & A. Adams, 1854) 線條趾螺 Ref. 施乃普。1975  
*Laemodonta moniliferum* (H. & A. Adams, 1854) 線條小耳螺  
*Laemodonta typica* (H. & A. Adams, 1854) 有臍小耳螺 Ref. 施乃普。1975  
*Melampus castaneus* Miihlfeld, 1818 咖啡濱耳螺 Ref. 林朝榮。1974  
*Melampus cristatus* Pfeiffer, 1855 鈍耳螺 Ref. 李彥錚。2002  
*Melampus fasciatus* (Deshayes, 1830) 條紋濱耳螺  
*Melampus flavus* (Deshayes, 1830) 條紋濱耳螺 Ref. Kuroda, 1941  
*Melampus flavus* (Gmelin, 1791) 黃耳螺 Ref. 林朝榮。1974  
*Melampus granifer* (Mousson, 1849) 顆粒濱耳螺 Ref. 張寬敏。1984  
*Melampus taeniolatus* (Hombron & Jacquinot, 1854) 瘦濱耳螺 Ref. 李彥錚。2002  
*Pedipes jouani* Moellendorff, 1893 趾螺 Ref. 西宮市貝類館。2002  
*Pedipes jouani* Moellendorff, 1893 趾螺 Ref. Kuroda, 1941  
*Pythia castaneus* (Reeve)  
*Pythia nana* Bavay, 1908 瘦豹耳螺 Ref. 李彥錚。2003  
*Pythia pachydon* Pilsbry & Hirase, 1908 大豹耳螺 Ref. 林朝榮。1974  
*Pythia pantherina* (A. Adams, 1851) 花豹耳螺 Ref. 林朝榮。1974  
*Pythia pollex* (Reeve)  
*Pythia reeveana* (Pfeiffer, 1853) 芮氏耳螺  
*Pythia scarabaeus* (Linnaeus, 1758) 豹耳螺 Ref. 張昆煌。1996

## Order Basommatophora 基眼目

### Family Amphibolidae 兩棲螺科

*Salinator takii* Kuroda, 1928 瀧巖兩棲螺 Ref. 王繼忠、譚天錫。1979

### Family Ancyliidae 淡水笠螺科(盤蝸科)

*Laevapex japonica* T. Habe & Burch, 1965 盤蝸 Ref. 巫文隆、簡士傑。2007  
*Laevapex nipponica* (Kuroda, 1947) 芝麻淡水笠螺 Ref. 張寬敏。1991

### Family Lymnaeidae 椎實螺科

*Austropeplea ollula* (Gould, 1859) 小椎實螺 Ref. 林朝榮。1974  
*Fossaria truncatula* Sturany, 1905 截形椎實螺

*Radix auricularia* H. Adams, 1866 台灣椎實螺  
*Radix swinhoei* (H. Adams, 1866) 台灣椎實螺 Ref. 林朝榮。1974

### Family Physidae 囊螺科

*Physa acuta* Draparnaud, 1805 囊螺 Ref. 王漢泉、張寬敏。1985

### Family Planorbidae 扁蝸科

*Gyraulus illibatus* (Westerlund, 1883) Ref. Kuroda, 1941  
*Gyraulus spirillus* Gould, 1859 圓口扁蝸 Ref. 羅進宗。1974  
*Hippeutis carntori* (Benson, 1850) 廣東平扁蝸 Ref. 趙大衛、王達成、翁文練。1987  
*Hippeutis umblicalis* (Benson, 1855) 平扁蝸 Ref. 羅進宗。1974  
*Polypylis hemisphaerula* (Benson, 1842) 台灣類扁蝸 Ref. 林朝榮。1974  
*Polypylis usta* H. Adams, 1866 Ref. Kuroda, 1941

### Family Siphonariidae 松螺科

*Siphonaria atra* Quoy & Gaimard, 1832 黑松螺 Ref. 林朝榮。1974  
*Siphonaria atrata* Quoy & Gaimard, 1833 黑松螺  
*Siphonaria japonica* (Donovan, 1834) 網紋松螺 Ref. 施乃普。1975  
*Siphonaria laciniosa* (Linnaeus, 1758) 花松螺 Ref. 施乃普。1975  
*Siphonaria rucwana* Pilsbry, 1904 小松貝 Ref. 施乃普。1975  
*Siphonaria siphon* Sowerby 長松螺 Ref. 林朝榮。1974  
*Siphonaria siquijorensis* Reeve, 1843 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Siphonaria sirius* (Pilsbry, 1894) 菊松螺 Ref. 同前  
*Siphonaria subatra* Pilsbry, 1904 花邊松螺 Ref. 巫文隆、李彥錚。2005  
*Williamia radiata* (Pease, 1860) 黃花松螺 Ref. 巫文隆、李彥錚。2005

### Family Trimusculidae 擬松螺科

*Gadinia kurodai* Habe, 1958 黑田擬松螺 Ref. 林朝榮。1974

## Order Cephalaspidea 頭楯目

### Family Acteocinidae 米螺科

*Acteocina coarctata* (A. Adams, 1850) 大米螺 Ref. Kuroda, 1941  
*Acteocina decorata* (Pilsbry, 1904) Ref. 施乃普。1975  
*Acteocina oyamai* Kuroda & Habe, 1954 滑唇米螺 Ref. 施乃普。1975

### Family Acteonidae 捻螺科

*Acteon sieboldi* (Reeve, 1842) 西寶捻螺 Ref. 李彥錚。2001  
*Acteon sieboldii* (Reeve, 1842) Ref. Masuda & Huang, 1990  
*Punctacteon fabreanus* (Crosse, 1874) 紅斑捻螺 Ref. 巫文隆、李彥錚。2005  
*Punctacteon kawamura* (Habe, 1952) 窗格捻螺 Ref. The Pei-yo. 31: 48-53  
*Punctacteon teramachii* (Habe, 1950) 寺町捻螺 Ref. 李彥錚。2003  
*Pupa coccinea* (Reeve, 1842) Ref. Kuroda, 1941  
*Pupa solidula* (Linnaeus, 1758) 斑點硬捻螺 Ref. Kuroda, 1941  
*Pupa strigosa* (Gould, 1859) Ref. Kuroda, 1941  
*Pupa strigosa* (Habe, 1958) 關源硬捻螺 Ref. 李彥錚。2001

### Family Aglajidae 似海牛科

*Chelidonura hirundinina* (Quoy & Gaimard, 1832) Ref. 方力行、李健全。1994  
*Philineorbis teramachii* Habe, 1950 寺町薄泡螺 Ref. 藍子樵。2000

### Family Atyidae 葡萄螺科

*Aliculastrum cylindricum* (Helbling, 1779) 長葡萄螺 Ref. Kuroda, 1941  
*Atya debilis* Pease, 1860 梨形葡萄螺 Ref. 李彥錚。2002  
*Atya naucum* (Linnaeus, 1758) 白葡萄螺 Ref. 李彥錚。2002  
*Bullacta exarata* (Philippi, 1848) 泥螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Diniatys dentifer* (A. Adams, 1850) 小葡萄螺 Ref. 施乃普。1975  
*Limulatyus ooformis* Habe, 1852 串珠葡萄螺 Ref. Kuroda, 1941  
*Nipponatys volvulinus* (A. Adams, 1862) 橢圓葡萄螺 Ref. 李彥錚。2003

### Family Bullidae 槲螺科

*Bulla ampulla* Linnaeus, 1758 台灣槲螺 Ref. Kuroda, 1941  
*Bulla cruentata* A. Adams, 1850 印度洋槲螺 Ref. 藍子樵。1998  
*Bulla punctulata* A. Adams, 1850 東方捻螺 Ref. Kuroda, 1941  
*Bulla vernicosa* Gould, 1859 槲螺 Ref. 林朝榮。1974

### Family Bullinidae 豔捻螺科

*Bullina lineata* (Gray, 1825) 豔捻螺 Ref. 施乃普。1975  
*Bullina nobilis* Habe, 1950 燈籠豔捻螺 Ref. 巫文隆、李彥錚。2005  
*Bullina virgo* Habe, 1950 玉女豔捻螺 Ref. 巫文隆、李彥錚。2005

### Family Haminoeidae 長葡萄螺科

*Haloa binotata* (Pilsbry, 1895) 肉色葡萄螺 Ref. 施乃普。1975  
*Haloa flavescens* (A. Adams, 1850) 綠葡萄螺 Ref. 施乃普。1975  
*Haloa japonica* (Pilsbry, 1895) 葡萄螺 Ref. 施乃普。1975  
*Haloa nigropunctata* (Pease, 1868) 綠長葡萄螺 Ref. 巫文隆、李彥錚。2005  
*Haloa vitrea* (A. Adams, 1850) Ref. Kuroda, 1941  
*Haloa yamaguchii* Habe, 1952 山口長葡萄螺 Ref. 李彥錚。2001

*Lamprohaminoea cymbalum* (Quoy & Gaimard, 1835) 琢葡萄螺 Ref. 施乃普。1975  
*Liloa curta* (A. Adams, 1850) 白絲長葡萄螺 Ref. 李彥銓。2003  
*Liloa incisula* Yokoyama, 1828 Ref. Kuroda, 1941

### Family Hydatinidae 泡螺科

*Hydatina albocincta* (van der Hoeven, 1811) 三帶泡螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Hydatina amplustre* (Linnaeus, 1758) 玫瑰泡螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Hydatina physis* (Linnaeus, 1758) 密紋泡螺 Ref. 同前  
*Hydatina zonata* (Lightfoot, 1786) 經度泡螺 Ref. Kuroda, 1941  
*Micromelo guamensis* (Quoy & Gaimard, 1824) 關島麗泡螺 Ref. 施乃普。1975

### Family Philinidae 薄泡螺科

*Philine argentata* Gould, 1859 棉花薄泡螺 Ref. 李彥銓。1998  
*Philine kurodai* Habe, 1949 黑田薄泡螺 Ref. 巫文隆、李彥銓。2005  
*Philine otukai* Habe, 1946 大塚薄泡螺 Ref. 李彥銓。1998  
*Philine vitrea* Gould, 1859 面紗薄泡螺 Ref. 李彥銓。1998

### Family Retusidae 凹塔螺科

*Cylichnella kawamura* Habe, 1958 河村冰柱螺 Ref. 李彥銓。2003  
*Pyrunculus pyriformis* Habe, 1950 曲線冰柱螺 Ref. 巫文隆、李彥銓。2005  
*Rectusa waughiana* Hedley, 1899 東腰冰柱螺 Ref. 李彥銓。2005  
*Retusa boenensis* (A. Adams, 1854) 婆羅囊螺 Ref. 巫文隆、張寶仁、李彥銓。2000  
*Retusa insignis* (Pilsbry, 1904) 冰柱螺 Ref. 迷你貝殼中文種名小組。1988

### Family Ringiculidae 厚唇螺科

*Ringiculina doliaris* Gould, 1860 白豆厚唇螺 Ref. 李彥銓。2003  
*Ringiculina kurodai* (Takayama, 1935) 黑田厚唇螺 Ref. 李彥銓。2005

### Family Scaphandridae 粗米螺科

*Didontoglossa cf. decoratoides* Habe, 1955 秀氣粗米螺 Ref. 李彥銓。2002  
*Didontoglossa koyasensis* (Yokoyama, 1927) 褐皮粗米螺 Ref. 李彥銓。2002  
*Eoscaplander fragilis* Habe, 1952 粗米螺 Ref. 賴景陽。1998  
*Eoscaplander involuta* (A. Adams, 1850) 長筒粗米螺 Ref. 李彥銓。2003  
*Eoscaplander musashiensis* (Tokunga, 1906) 筒狀粗米螺 Ref. 李彥銓。2003

### Family Smaragdinellidae 翡翠螺科

*Smaragdinella calyculata* (Broderip & Sowerby, 1829) 綠珠螺 Ref. 李彥銓。2003  
*Smaragdinella sieboldi* A. Adams, 1864 西寶綠珠螺 Ref. 施乃普。1975

## Order Doridina 裸總目

### Family Discodorididae 圓盤海牛科

*Discodoris fragilis* Alder & Hancock, 1864 割裂圓盤海蛞蝓 Ref. 貝類學報 13。71—90

### Family Flabellinidae 扇羽海蛞蝓科

*Flabellina rubrolineata* d'Oapós & Donoghue, 1929 紅紋扇羽海蛞蝓 Ref. 貝類學報 13。71—90

### Family Glaucidae 灰海蛞蝓科

*Pteraeolidia ianthina* Angas, 1864 紫色變翼海蛞蝓 Ref. 貝類學報 13。71—90

### Family Kentroborididae 斑刺海牛科

*Jorunna funebris* Kelaart, 1858 煙囪壺型海蛞蝓 Ref. 貝類學報 13。71—90  
*Kentroboris rubescens* Bergh, 1876 紅斑刺海蛞蝓 Ref. 貝類學報 13。71—90

### Family Phidianidae 費佳海蛞蝓科

*Phidiana indica* Bergh, 1896 印度翼囊海蛞蝓 Ref. 貝類學報 13。71—90

## Order Entomotaeniata 腸紐目

### Family Pyramidellidae 塔螺科

*Actaeopyramis eximia* (Lischke, 1872) 褐色塔螺 Ref. 李彥銓。2001  
*Cingulina cingulata* (Dunker, 1860) Ref. Kuroda, 1941  
*Derjuginella rufofasciata* (Smith, 1875) 金線塔螺 Ref. 施乃普。1975  
*Hinemoa indica* (Melvill, 1896) 白玉塔螺 Ref. 迷你貝殼中文種名小組。1988  
*Leucotina gigantea* (Dunker, 1877) 大白塔螺  
*Odostomella opace* (Hedley, 1906) 桃紅塔螺 Ref. 和貝類做朋友。2005  
*Otopleura auriscati* (Holten, 1802) 貓耳塔螺 Ref. Kuroda, 1941  
*Otopleura mitralis* (A. Adams, 1855) Ref. Kuroda, 1941  
*Pyramidella dolabrata* (Moeller, 1776) 多彩環塔螺 Ref. 巫文隆、李彥銓。2005  
*Pyramidella dolabrata* (Linnaeus, 1758) 彩環塔螺 Ref. 巫文隆、楊誠國、張寶仁。2006  
*Pyramidella sulcata* (A. Adams, 1854) Ref. 王繼忠、譚天錫。1979  
*Pyramidella sulcata* (A. Adams, 1854) 條紋塔螺 Ref. Kuroda, 1941  
*Syrnola brunnea* (A. Adams, 1854) 褐塔螺 Ref. 李彥銓。2001  
*Turbonilla monocycla* (A. Adams, 1860) 淺溝錐海蝸 Ref. 施乃普。1975  
*Turbonilla scrobiculata* (Yokoyama, 1922) 隴錐海蝸 Ref. 施乃普。1975

## Order Heterogastropoda 異腹足目

### Family Architectonicidae 車輪螺科

*Adelphotectonica reevei* (Hanley, 1862) Ref. Masuda & Huang, 1990

*Architectonica gualtierii* Bieler, 1993 Ref. 標本採集記錄  
*Architectonica maxima* (Philippi, 1849) 巨車輪螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Architectonica perspectiva* (Linnaeus, 1758) 黑線車輪螺 Ref. Kuroda, 1941  
*Architectonica trochlearis* (Hinds, 1844) 車輪螺 Ref. 張光宏。1989  
*Discotectonica acutissima* (Sowerby III, 1914) 扁車輪螺 Ref. 藍子樵。1977  
*Discotectonica nipponicus* Kuroda & Habe, 1971 鑲珠車輪螺 Ref. 迷你貝殼中文種名小組。1988  
*Granosolarium gemmiferum* Bieler, 1993 深海小輪螺 Ref. 李彥錚。2003  
*Granosolarium mirabilis* (Schepman, 1909) 鋸緣小輪螺 Ref. 李彥錚。2001  
*Heliacus areola* (Gmelin, 1791) 高腰車輪螺 Ref. 施乃普。1975  
*Heliacus enoshimensis* (Melvill, 1891) 火焰小輪螺 Ref. 施乃普。1975  
*Heliacus fenestratus* (Hinds, 1844) Ref. Kuroda, 1941  
*Heliacus implexus* (Mighels, 1845) 栗色繩目車輪螺 Ref. 施乃普。1975  
*Heliacus infundibuliformis* (Gmelin, 1791) 扁小輪螺 Ref. 李彥錚。2002  
*Heliacus stramineus* (Gmelin, 1791) 草黃車輪螺 Ref. 張崑雄、鄭明修。1989  
*Heliacus variegatus* (Gmelin, 1791) 繩紋車輪螺 Ref. 張璽等。1964  
*Psilaxis oxytropis* (A. Adams, 1855) 金絲車輪螺 Ref. 巫文隆、李彥錚。2005  
*Psilaxis radiatus* (Roeding, 1798) 輻射車輪螺 Ref. 陳景林。2006  
*Solatisonax acutecarinata* (Thiele, 1925) 銳脊車輪螺 Ref. 李彥錚。2001

### Family Epitoniidae 海蝸螺科

*Acrilla acuminata* (Sowerby, 1844) 頂尖海蝸螺 Ref. 賴景陽。1987  
*Alora annulata* (Kuroda & Ito, 1961) 環紋海蝸螺 Ref. 李彥錚。2003  
*Amae ogaitoi* Masahito & Habe, 1975 Ref. Masuda & Huang, 1990  
*Amae tosaensis* (Habe & Noguchi, 1990) Ref. 同前  
*Amaea cerea* (Masahito, Kuroda & Habe, 1971) 穀色海蝸螺  
*Amaea flammea* Lee, 2001 火焰海蝸螺 Ref. 李彥錚。2001  
*Amaea foulisi* Kilburn, 1985 弗里斯海蝸螺 Ref. 李彥錚。2003  
*Amaea gazeoides* Kuroda & Habe, 1961 細肋海蝸螺 Ref. 閔德基。2004  
*Amaea immaculata* (Sowerby, 1844) 輕殼海蝸螺 Ref. Kuroda, 1941  
*Amaea iwaotakii* Azuma, 1961 瀧巖海蝸螺 Ref. 標本採集記錄  
*Amaea magnifica* (Sowerby, 1844) 長海蝸螺 Ref. Kuroda, 1941  
*Amaea martini* (Wood 1828) 馬丁海蝸螺 Ref. 標本採集記錄  
*Amaea nebulodermata* (Azuma, 1972) 薄肋海蝸螺 Ref. 標本採集記錄  
*Amaea oyasionensis* (Ozaki, 1958) 絹布細肋海蝸螺  
*Amaea percancelata* Nakayama, 2000 粗紋海蝸螺 Ref. 李彥錚。2003  
*Amaea reticulata* (Lee & Wu, 1998) 窗格海蝸螺 Ref. Lee, 1998  
*Amaea rubiginosa* Lee, 2001 銹底海蝸螺 Ref. 李彥錚。2001  
*Amaea secunda* Kuroda & Ito, 1961 細紋海蝸螺 Ref. 齊鍾彥等。1989  
*Amaea sericogazea* (Masahito, Kuroda & Habe, 1971) 絹布細肋海蝸螺 Ref. 鍾柏生。1993  
*Amaea thielei* (de Boury, 1913) 長細紋海蝸螺 Ref. 齊鍾彥等。1989  
*Amaea watanabei* (Nakayama, 2000) 渡邊海蝸螺  
*Angiscala ogaitoi* (Masahito & Habe, 1975) 大垣氏海蝸螺  
*Cinctiscala eximium* (Adams & Reeve, 1850) 寶塔海蝸螺  
*Cirsotrema edgari* (de Boury, 1913) 牙彫海蝸螺 Ref. Lan, 1976  
*Cirsotrema plexis* Dall, 1925 網肋海蝸螺  
*Cirsotrema rugosa* Kuroda & Ito, 1961 銹頭海蝸螺  
*Cirsotrema varicosum* (Lamarck, 1822) 紗布海蝸螺 Ref. Kuroda, 1941  
*Claviscala kuroharai* Kuroda, MS 黑原海蝸螺  
*Claviscala solar* Nakayama, 1995 太陽海蝸螺  
*Cycloscala crenulata* (Pease, 1867) 蕾絲海蝸螺 Ref. 李彥錚。2003  
*Cycloscala hyalina* (Sowerby, 1844) Ref. 標本採集記錄  
*Cylindriscala sibogae* (Schepman, 1909) 西寶海蝸螺  
*Depressiscala umbilicata* (Pease, 1869) 臍海蝸螺  
*Eccliseogyra capitata* (Thiele, 1925) 錘形海蝸螺  
*Eglisia lanceolata* Reeve, 1865 長矛錐蝸螺 Ref. Kuroda, 1941  
*Eglisia tricarinata* Adams & Reeve, 1850 鑽頭錐蝸螺 Ref. Kuroda, 1941  
*Elegantiscala edgari* (de Boury, 1913) 牙彫海蝸螺 Ref. 藍子樵。1976  
*Epitonium abyssicola* Lee, 2001 深海海蝸螺 Ref. 李彥錚。2001  
*Epitonium agitabilis* (Jousseume, 1912) 迷你海蝸螺 Ref. 巫文隆、楊誠國、張寶仁。2006  
*Epitonium alatum* (Sowerby, 1844) 翼海蝸螺  
*Epitonium bellicosum* Hedley, 1907 小塔海蝸螺  
*Epitonium billeeanum* (DuShane & Bratcher, 1965) 草黃海蝸螺 Ref. 李彥錚。2003  
*Epitonium calideum* (Melvill & Standem, 1903) 百襃海蝸螺  
*Epitonium cf. coretum* (Iredale, 1936) 肩鈎海蝸螺  
*Epitonium chinglinae* Lee & Wu, 1998 精靈海蝸螺 Ref. Lee, 1998  
*Epitonium christyi* (Iredale, 1936) 螺旋錐形海蝸螺 Ref. 李彥錚。2003  
*Epitonium clementinum* Grateloup, 1940 克氏海蝸螺 Ref. 巫文隆、楊誠國、張寶仁。2006  
*Epitonium crassum* (Sowerby, 1847) 薄殼海蝸螺  
*Epitonium duocamurum* Lee, 2001 端捲海蝸螺 Ref. 李彥錚。2001  
*Epitonium fasciatum* (Sowerby, 1844) 階梯海蝸螺 Ref. 標本採集記錄  
*Epitonium gradilis* (Jousseume, 1912) 斜肩海蝸螺  
*Epitonium gravieri* (Jousseume, 1912) 葛芮維爾海蝸螺

*Epitonium harpago* Kilburn, 1985 魚鈎海螵螺  
*Epitonium kraussi* (Nyst, 1871) 柯羅氏海螵螺  
*Epitonium laxatoides* Nakayama, 1995 旋梯海螵螺  
*Epitonium liliputana* (A. Adams, 1891) 球錐形海螵螺 Ref. 施乃普。1975  
*Epitonium melior* (Melvill & Standen, 1903) 梅立海螵螺  
*Epitonium octagonum* (Sowerby, 1905) 多角海螵螺  
*Epitonium pallasii* (Kiener, 1838) 錐形海螵螺 Ref. 巫文隆、楊誠國、張寶仁。2006  
*Epitonium pallasii* (Kiener, 1834) 錐形海螵螺  
*Epitonium pallasii* (Adams & Reeve, 1850) 高腰錐形海螵螺  
*Epitonium parspeciosum* (Iredale, 1929) 張翼錐形海螵螺  
*Epitonium paumotense* Pease, 1867 帕墨特海螵螺  
*Epitonium perangustum* (de Boury, 1913) 蟲卵海螵螺  
*Epitonium profundum* Nakayama, 2000 土佐錐形海螵螺  
*Epitonium repandum* Kilburn, 1985 Ref. 巫文隆、楊誠國、張寶仁。2006  
*Epitonium scalare* (Linnaeus, 1758) 縮螵螺 Ref. 林朝榮。1974  
*Epitonium schodei* (Thiele, 1925) 史考特海螵螺  
*Epitonium syoichiroi* Masahito & Habe, 1976 獎一郎海螵螺  
*Epitonium taiwanica* Lee & Wu, 1998 臺灣海螵螺 Ref. Lee, 1998  
*Epitonium tokyoense* Kuroda, 1930 東京海螵螺  
*Epitonium townsendi* (Maelvill & Stranden, 1903) 唐氏海螵螺  
*Epitonium vigintifoliatum* (Masahito, Kuroda & Habe, 1971) 二十葉海螵螺  
*Epitonium zatrephe* (Melvill, 1910) 白矛海螵螺  
*Firmiscala multicostratum* (Sowerby, 1844) 多肋海螵螺  
*Firmiscala pasiphaes* (Melvill, 1912) 刻紋海螵螺  
*Fragiliscala tosaensis* Azuma, 1962 土佐鱗海螵螺 Ref. 閔德基。2004  
*Fragilopalia bitaeniata* Masahito & Habe, 1976 雙帶海螵螺  
*Fragilopalia lotus* (Masahito & Habe, 1975) 蓮花海螵螺  
*Fragilopalia nebulodermata* Azuma, 1972 薄肋海螵螺  
*Glabriscala glabratum* (Hinds, 1843) 淡斑海螵螺  
*Glabriscala hayashii* (Habe, 1961) 林氏海螵螺 Ref. 閔德基。2004  
*Glabriscala stigmatica* (Pilsbry, 1911) 褐斑海螵螺  
*Globiscala bullatum* (Sowerby, 1844) 泡泡海螵螺 Ref. 藍子樵。1999  
*Graciliscala rimbogai* Masahito & Habe, 1976 星形海螵螺  
*Gyroscala lamellosa* (Lamarck, 1822) 小海螵螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Gyroscala perplexa* (Pease, 1867) Ref. 許中泰。1975  
*Hirtoscala philippinarum* (Sowerby, 1844) 雲斑海螵螺  
*Hirtoscala pyramidale* (Sowerby, 1844) Ref. 吳全橙。1983  
*Laeviscala angusta* (Dunker, 1860) 金露海螵螺 Ref. 施乃普。1975  
*Laeviscala fucata* (Pease, 1861) 褐斑金露海螵螺  
*Laeviscala sandwichense* (Nyst, 1871) 似金露海螵螺  
*Lampropropalia nitida* Kuroda & Ito, 1961 燈柱海螵螺  
*Libriscala parvonatrix* Kilburn, 1985 水蛇海螵螺  
*Limiscala billeanum* (DuShane & Bratcher, 1965) 草黃海螵螺  
*Limiscala cf. crypticocorona* Kilburn, 1985 霧冠海螵螺  
*Limiscala irregulare* (Sowerby, 1912) 多變海螵螺  
*Limiscala lyra* (Sowerby, 1844) 雙線海螵螺  
*Limiscala taiwanica* Lee & Wu, 1998 台灣海螵螺 Ref. 李彥錚、巫文隆。1998  
*Nipponoscala aureomacalata* Masahito & Habe, 1973 金斑海螵螺 Ref. 閔德基。2004  
*Nipponoscala aureomacalata* Masahito & Habe, 1973 金斑海螵螺  
*Nodiscala monoviridiosa* Kuroda & Habe, 1961 一節海螵螺 Ref. 施乃普。1975  
*Opalia bicarinata* (Sowerby, 1844) 雙龍骨海螵螺  
*Papuliscala japonica* (Okutani, 1964) 日本粗肋海螵螺 Ref. 巫文隆、李彥錚。2005  
*Papyriscala bifasciata* Kira & Habe, 1962 Ref. 許中泰。1975  
*Papyriscala castanea* Habe, 1961 高腰草蓆海螵螺  
*Papyriscala latifasciata* (Sowerby, 1878) 寬帶海螵螺 Ref. 施乃普。1975  
*Papyriscala tenuilirata* (Sowerby, 1874) 草蓆海螵螺  
*Papyriscala yokoyamai* (Suzuki & Ickikawa, 1936) 橫山海螵螺  
*Parviscala chinglinae* Lee & Wu, 1998 精靈海螵螺 Ref. 李彥錚、巫文隆。1998  
*Parviscala paumotense* Pease, 1867 帕墨特海螵螺  
*Pupiscala pupiformis* Masahito, Kuroda & Habe, 1971 蛹海螵螺  
*Spiniscala aculeata* (Sowerby, 1844) 刺海螵螺 Ref. 巫文隆、楊誠國、張寶仁。2006  
*Spiniscala cf. fucata* (Pease, 1861) 布紋刺海螵螺  
*Spiniscala japonica* (Dunker, 1861) 日本海螵螺 Ref. 張崑雄等。1991  
*Spiniscala obliquum* (Sowerby, 1847) 歪斜海螵螺  
*Variscala reticulata* Lee & Wu, 1998 窗格海螵螺 Ref. 李彥錚、巫文隆。1998  
*Vicinisca alatum* (Sowerby, G.B. II, 1844) 翼海螵螺 Ref. 標本採集記錄  
*Vicinisca neglecta* (Adams & Reeve, 1850) 高腰錐形海螵螺 Ref. 標本採集記錄

#### Family Janthinidae 紫螺科

*Janthina janthina* (Linnaeus, 1758) 紫螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Jodina umbilicata* (d'Orbigny, 1847) 侏儒紫螺 Ref. 李彥錚。2002  
*Recluzia lutea* (Bennett, 1840) 淡黃紫螺 Ref. Kuroda, 1941

*Violetta globosa* (Swainson, 1823) 琉璃紫螺 Ref. 陳景林。2006

### Family Mathildidae 彫蝸科

*Opimilda cancellata* (Kuroda, 1958) 網紋彫蝸 Ref. 巫文隆、李彥錚。2005

### Family Mathilidae 巧蝸螺科

*Eucharilda sinensis* (Fischer, 1867) 巧蝸螺 Ref. 施乃普。1975

### Family Triphoridae 左錐螺科

*Aclophora xystica* (Jousseume, 1884) 小珠左錐螺 Ref. 李彥錚。2002

*Cautor hungerfordi* (Sowerby, 1914) Ref. 楊翰勳、鄭煜彬。2006

*Cautor levukense* (Watson, 1881) 一線錐折螺 Ref. 施乃普。1975

*Cautor maculosa* Kosuge, 1962 茶色飛白錐折螺 Ref. 施乃普。1975

*Epiforis projecta* (Laseron, 1958) 美珠左錐螺 Ref. 施乃普。1975

*Euthymella alternata* Laseron, 1958 交替扁粒螺 Ref. 巫文隆、李彥錚。2005

*Euthymella elegans* (Hinds, 1843) 花斑扁粒螺 Ref. 巫文隆、李彥錚。2005

*Euthymella kosugei* Marshall, 1983 小菅扁粒螺 Ref. 巫文隆、李彥錚。2005

*Euthymella pyramidalis* (Adams & Reeve, 1850) 金字塔扁粒螺 Ref. 巫文隆、李彥錚。2005

*Inella acicula* Kosuge, 1962 紫錐折螺 Ref. 施乃普。1975

*Inella chrysalis* Kosuge, 1963 錦綉格粒螺 Ref. 張鎮國、巫文隆。2004

*Inella clathratus* (Gould, 1861) 紫羅蘭格粒螺 Ref. 張鎮國、巫文隆。2004

*Inella clavata* (Pease, 1861) 白雪格粒螺 Ref. 巫文隆、李彥錚。2005

*Inella conferta* (Laseron, 1958) 褐縫格粒螺 Ref. 張鎮國、巫文隆。2004

*Inella disjuncta* (Verco, 1909) 深溝格螺 Ref. 巫文隆、李彥錚。2005

*Inella distorta* (Laseron, 1958) 扭格粒螺 Ref. 張鎮國、巫文隆。2004

*Inella gigas* (Hinds, 1843) 重疊錐折螺 Ref. 施乃普。1975

*Inella granicostata* Kosuge, 1962 方粒格粒螺 Ref. 張鎮國、巫文隆。2004

*Inella iniqua* (Jousseume, 1884) 褐帶格粒螺 Ref. 張鎮國、巫文隆。2004

*Inella innotabilis* (Hedley, 1902) 栗色粗格粒螺 Ref. 張鎮國、巫文隆。2004

*Inella japonica* Kuroda & Kosuge, 1963 Ref. 張鎮國、巫文隆。2004

*Inella maxillaris* (Hinds, 1843) 密粒格粒螺 Ref. 巫文隆、李彥錚。2005

*Inella mistura* (Laseron, 1958) 九曲格粒螺 Ref. 張鎮國、巫文隆。2004

*Inella monovitta* (Laseron, 1958) 花帶格粒螺 Ref. 張鎮國、巫文隆。2004

*Inella spina* (Verco, 1909) 粗格粒螺 Ref. 張鎮國、巫文隆。2004

*Inella subfenestra* (Kosuge, 1962) 紫格錐折螺 Ref. 施乃普。1975

*Inella tricolor* (Laseron, 1958) 三色格粒螺 Ref. 張鎮國、巫文隆。2004

*Inella truncis* Kosuge, 1962 蛹形格粒螺 Ref. 巫文隆、李彥錚。2005

*Inella verrucosa* (Adams & Reeve, 1850) 橘色柱格粒螺 Ref. 張鎮國、巫文隆。2004

*Iniforis calculifera* (Gould, 1861) 白玉三口螺 Ref. 巫文隆、李彥錚。2005

*Iniforis concors* (Hinds, 1843) 白左錐螺 Ref. 林朝榮。1974

*Iniforis formosula* (Hervier, 1897) 環珠左錐螺 Ref. 楊翰勳、鄭煜彬。2006

*Iniforis jousseumei* (Hervier, 1897) 佐氏三口螺 Ref. 巫文隆、李彥錚。2005

*Iniforis lifuana* (Hervier, 1897) 琥珀錐折螺 Ref. 施乃普。1975

*Iniforis poecila* (Hervier, 1897) 疊雲兔嘴左錐螺 Ref. 林朝榮。1974

*Iniforis progress* (Laseron, 1958) 金黃三口螺 Ref. 巫文隆、李彥錚。2005

*Iniforis speciosa* (Adams & Reeve, 1850) 紅帶錐折螺 Ref. 施乃普。1975

*Iniforis violaceus* (Quoy & Gaimard, 1834) 紫堇三口螺 Ref. 巫文隆、李彥錚。2005

*Iniforis zonata* Laseron, 1958 琥珀三口螺 Ref. 巫文隆、李彥錚。2005

*Litharium bilineata* (Kosuge, 1962) 二線錐折螺 Ref. 施乃普。1975

*Mastonia aegle* (Jousseume, 1884) 秀珠左錐螺 Ref. 施乃普。1975

*Mastonia caloundra* (Laseron, 1958) 小白雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia funebris* Jousseume, 1884 變色雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia gracilis* (Pease, 1871) 雅緻雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia granosa* (Pease, 1870) 褐底雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia ikukoae* Kosuge, 1963 兩色雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia indianica* (Laseron, 1958) 印地安雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia lamberti* (Hervier, 1897) 藍伯特左錐螺 Ref. 林朝榮。1974

*Mastonia mediotincta* Hervier, 1897 蛹形雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia melwardi* (Laseron, 1958) 白色雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia monilifera* (Hinds, 1843) 三色錐折螺 Ref. 施乃普。1975

*Mastonia panites* (Jousseume, 1884) 鮫膚錐折螺 Ref. 施乃普。1975

*Mastonia papillata* (Hervier, 1897) 白疣左錐螺 Ref. 林朝榮。1974

*Mastonia peanites* (Jousseume, 1884) 花尾雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia quadrimaculata* (Hervier, 1897) 鴛鴦左錐螺 Ref. 迷你貝殼中文種名小組。1988

*Mastonia reevei* (Deshayes, 1863) 芮氏雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia restis* Laseron, 1958 長柱雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia rubra* (Hinds, 1843) 豔珠左錐螺 Ref. 施乃普。1975

*Mastonia squalida* Kosuge, 1962 鵝鶩雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia triticea* (Pease, 1861) 卵形紫雙珠螺 Ref. 巫文隆、李彥錚。2005

*Mastonia ustulata* (Hervier, 1897) 白尾左錐螺 Ref. 施乃普。1975

*Mesophora candefactum* (Kosuge, 1963) 白色玄珠螺 Ref. 巫文隆、李彥錚。2005

*Mesophora cingulifera* (Pease, 1861) 三色玄珠螺 Ref. 巫文隆、李彥錚。2005

*Mesophora conspersa* (Smith, 1876) 花斑玄珠螺 Ref. 巫文隆、李彥錚。2005

*Mesophora elvirae* (De Jung & Coomans, 1988) 突緣玄珠螺 Ref. 巫文隆、李彥錚。2005  
*Mesophora exorrecta* (Laseron, 1958) 修長玄珠螺 Ref. 巫文隆、李彥錚。2005  
*Mesophora limosa* (Jousseau, 1884) 棕色玄珠螺 Ref. 巫文隆、李彥錚。2005  
*Mesophora millepunctata* (Kosuge, 1963) 橙帶玄珠螺 Ref. 巫文隆、李彥錚。2005  
*Mesophora rufotincta* (Kosuge, 1963) 六福玄珠螺 Ref. 巫文隆、李彥錚。2005  
*Mesophora sarcira* (Lasseron, 1958) 扭玄珠螺 Ref. 巫文隆、李彥錚。2005  
*Mesophora shihi* Chang & Wu, 2005 施氏花磚螺 Ref. 巫文隆、李彥錚。2005  
*Mesophora tessellatus* (Kosuge, 1963) 秀麗花磚螺 Ref. 巫文隆、李彥錚。2005  
*Mesophora tryoni* Chang & Wu, 2005 屈氏玄珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister alveata* (Laseron 1958) 福腰參珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister atratus* (Kosuge, 1963) 巧克力參珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister hopenensis* Laseron, 1958 黃參珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister latilira* (Verco. 1909) 糞泥參珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister macmichaelli* (Kosuge, 1963) 變色龍參珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister monacha* (Hervier, 1897) 蛹形參珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister nitidus* Kosuge, 1963 九層塔參珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister puniceus* (Kosuge, 1963) 栗色參珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister pusillus* Kosuge, 1962 紫參珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister subaura* Laseron, 1958 褐色參珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister testaceus* Kosuge, 1963 球瓶參珠螺 Ref. 巫文隆、李彥錚。2005  
*Notosinister tinnotabilis* (Hedley, 1902) 澳洲參珠螺 Ref. 巫文隆、李彥錚。2005  
*Triforis elegans* (Hinds, 1843) 飛白錐折螺 Ref. 施乃普。1975  
*Triphora alveolatus* (Adams & Reeve, 1850) 參珠螺 Ref. 巫文隆、李彥錚。2005  
*Triphora episcopalis* (Hervier, 1897) 纖腰參珠螺 Ref. Kuroda, 1941  
*Triphora fucata* (Pease, 1861) 參助左錐螺 Ref. 巫文隆、李彥錚。2005  
*Triphora granulata* (Adams & Reeve, 1850) 紅玉米左錐螺 Ref. 施乃普。1975  
*Triphora hervieri* (Kosuge, 1962) 二色錐折螺 (赫氏參珠螺) Ref. 施乃普。1975  
*Triphora otsuensis* (Yokoyama, 1920) 小巖錐折螺 Ref. 施乃普。1975  
*Triphora tessellata* (Kosuge, 1963) 花磚錐折螺 Ref. 施乃普。1975  
*Viriola abbotti* (Baker & Spicer, 1935) 亞伯氏光肋螺 Ref. 巫文隆、李彥錚。2005  
*Viriola bilix* (Hinds, 1843) 朦朧錐折螺 Ref. 施乃普。1975  
*Viriola cancellata* (Hinds, 1843) 絞卷錐折螺 Ref. 施乃普。1975  
*Viriola cannata* (Montrouzier, 1862) 半管口紫溝 Ref. 巫文隆、李彥錚。2005  
*Viriola corrugata* (Hinds, 1843) 黃色光肋螺 Ref. 巫文隆、李彥錚。2005  
*Viriola fallax* (Hinds, 1843) 凱氏光肋螺 Ref. 巫文隆、李彥錚。2005  
*Viriola flammulata* (Pease, 1860) Ref. Kuroda, 1941  
*Viriola incisa* (Pease, 1860) Ref. Kuroda, 1941  
*Viriola interfilatus* (Gould, 1861) 褐色光肋螺 Ref. 巫文隆、李彥錚。2005  
*Viriola intergranosa* Hervier, 1897 間粒螺 Ref. 巫文隆、李彥錚。2005  
*Viriola kosugei* Chang & Wu, 2005 小蒼間粒螺 Ref. 巫文隆、李彥錚。2005  
*Viriola pagoda* (Hinds, 1843) 寶塔光肋螺 Ref. 巫文隆、李彥錚。2005  
*Viriola tricincta* (Dunker, 1882) Ref. 巫文隆、李彥錚。2005  
*Viriola triliratus* (Deshayes, 1863) 花斑光肋螺 Ref. 巫文隆、李彥錚。2005

## Order Heteropoda 異足目

### Family Atlantidae 海蝶螺科

*Atlanta peroni* Lesueur, 1817 培龍氏海蝶螺 Ref. Kuroda, 1941

### Family Bursidae 蛙螺科

*Bufonaria crumena* (Lamarck, 1816) 朱唇蛙螺 Ref. 賴景陽。1987  
*Bufonaria echinata* (Link, 1807) 長棘蛙螺 Ref. 賴景陽。1987  
*Bufonaria elegans* (Sowerby, 1835) 優美蛙螺 Ref. Kaneko, 1943  
*Bufonaria gnorima* (Melvill, 1918) 玉珠蛙螺 Ref. 巫文隆、李彥錚。2005  
*Bufonaria margaritula* (Dshayes, 1832) 麗珠蛙螺 Ref. 賴景陽。1987  
*Bufonaria nobilis* (Reeve, 1844) 高貴蛙螺 Ref. 賴景陽。1987  
*Bufonaria perelegans* (Beck in Sowerby, 1836) 棘蛙螺 Ref. 賴景陽。1987  
*Bufonaria rana* (Linnaeus, 1758) 赤蛙螺 Ref. 賴景陽。1987  
*Bufonaria subgranosa* (Sowerby II, 1836) 細粒蛙螺 Ref. 李彥錚。2001  
*Bursa bufonia* (Gmelin, 1791) 蟾蜍蛙螺 Ref. 林朝榮。1974  
*Bursa cruentata* (Sowerby, 1835) 血跡蛙螺 Ref. 賴景陽。1987  
*Bursa granularis* (Roeding, 1798) 果粒蛙螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Bursa lamarckii* (Deshayes, 1853) 黑口蛙螺 Ref. 賴景陽。1987  
*Bursa ranelloides* (Reeve, 1844) 小山蛙螺 Ref. Lai, 1987  
*Bursa rhodostoma* (Sowerby, 1855) 褐口蛙螺 Ref. 賴景陽。1987  
*Bursa rosa* (Perry, 1811) 紫口蛙螺 Ref. 楊國昌。1988  
*Bursa tuberosissima* (Reeve, 1844) 突瘤蛙螺 Ref. 林朝榮。1974  
*Tutufa bubo* (Linnaeus, 1758) 大白蛙螺 Ref. 賴景陽。1987  
*Tutufa bufo* (Roeding, 1798) 紅口蛙螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Tutufa oyamai* Habe, 1973 大山蛙螺 Ref. 賴景陽。1987  
*Tutufa ranelloides* (Reeve, 1844) 小山蛙螺 Ref. 賴景陽。1987  
*Tutufa rubeta* (Linnaeus, 1758) 金口蛙螺 Ref. 賴景陽。1987  
*Tutufa tenuigranosa* (Smith, 1914) Ref. 許中泰。1975

### Family Cassidae 唐冠螺科

- Casmaria erinaceus* (Linnaeus, 1758) 小鬚螺 Ref. 賴景陽。1990  
*Casmaria ponderosa* (Gmelin, 1791) 斑點小鬚螺 Ref. 林朝榮。1974  
*Cassia cornuta* (Linnaeus, 1758) 唐冠螺 Ref. 蔡英亞、陳同戰。2000  
*Cypraecassis rufa* (Linnaeus, 1758) 萬寶螺 Ref. 賴景陽。1990  
*Echinophoria carnososa* Kuroda & Habe, 1961 玉珠鬚螺 Ref. 李彥錚。2001  
*Echinophoria kurodai* Abbott 黑田鬚螺 Ref. Lan, 1980  
*Echinophoria wyvillei* Waston 鮎色鬚螺 Ref. Lan, 1974  
*Galeodea leucodoma* Dall 玉珠鼓螺 Ref. 張寬敏等。1983  
*Galeocorys echinophorella* (Sakurai, 1984) 鈴間鬚螺 Ref. 李彥錚。2001  
*Galeocorys echinophorella* Hirase, 1936 粗皮鬚螺 Ref. 賴景陽。1990  
*Galeocorys leucodoma* (Dall, 1907) 玉珠鼓螺 Ref. 張寬敏等。1983  
*Phalium areola* (Linnaeus, 1758) 棋盤鬚螺 Ref. 賴景陽。1990  
*Phalium bandatum* (Perry, 1811) 金帶鬚螺 Ref. 賴景陽。1990  
*Phalium bisulcatum* (Reeve, 1848) 球斑帶鬚螺 Ref. 許中泰。1975  
*Phalium bisulcatum* (Schubert & Wagner, 1829) 斑帶鬚螺 Ref. 賴景陽。1990  
*Phalium bisulcatum* (Reeve, 1848) 日本鬚螺 Ref. Kuroda, 1941  
*Phalium coronadoi* (Waston, 1886) 鮎色鬚螺 Ref. 藍子樵。1974  
*Phalium decussatum* (Linnaeus, 1758) 布紋鬚螺 Ref. 賴景陽。1990  
*Phalium flammiferum* (Roeding, 1798) 條紋鬚螺 Ref. 賴景陽。1990  
*Phalium glabratum* (Habe, 1961) 梨形鬚螺 Ref. 賴景陽。1990  
*Phalium glaucum* (Linnaeus, 1758) 灰鬚螺 Ref. 余文明。1997  
*Phalium inornatum* (Pilsbry, 1895) 可愛鬚螺 Ref. 賴景陽。1990  
*Phalium kurodai* Abbott, 1968 黑田鬚螺 Ref. 賴景陽。1990  
*Phalium muangmani* Raybaudi & Prati, 1995 蒙氏鬚螺 Ref. 李彥錚。2001  
*Semicassis bisulcata* Schubert & Wagner 斑帶鬚螺 Ref. Kuroda, 1941  
*Semicassis bisulcata* (Iredale, 1927) 乳白鬚螺 Ref. 李彥錚。2003  
*Semicassis bulla* Habe 梨形鬚螺 Ref. Lai, 1990  
*Semicassis inornatum* Pilsbry 可愛鬚螺 Ref. Lai, 1990  
*Semicassis obscura* Kuroda in Habe, 1961 問題鬚螺 Ref. 李彥錚。2001

### Family Cerithiopsidae 右錐螺科

- Notoseila laqueata* (Gould, 1861) 千層塔蟹寓螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Synthopsis spongicola* (Habe, 1960) 海綿芥子蟹守螺 Ref. 施乃普。1975

### Family Eulimidae 瓷螺科

- Apicalia habei* Waren, 1981 波部瓷螺 Ref. 李彥錚。2003  
*Apicalia hians* Waren, 1980 塔瓷螺 Ref. 巫文隆、李彥錚。2005  
*Balcis acicula* (Gould, 1849) Ref. Kuroda, 1941  
*Balcis cumingi* (A. Adams, 1854) 居明白瓷螺 Ref. Kuroda, 1941  
*Balcis grandis* (A. Adams, 1854) 白瓷螺 Ref. 施乃普。1975  
*Balcis luchuana* (Pilsbry, 1901) 琉球瓷螺 Ref. 鄭明修等。1994  
*Balcis martini* (A. Adams, 1854) 馬丁瓷螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Balcis persimilis* Kuroda & Habe, 1971 苗條瓷螺  
*Balcis solidula* (A. Adams & Reeve, 1849) Ref. Kuroda, 1941  
*Eulima bifasciata* (A. Adams, 1863) 雙帶瓷螺 Ref. 迷你貝殼中文種名小組。1988  
*Eulima maria* (A. Adams, 1861) 瑪麗亞瓷螺 Ref. 同前  
*Eulima peasei* Tryon, 1886 金紋瓷螺 Ref. 訂名組。1988  
*Eulimitra distorta* (Pease, 1860) 歪金紋瓷螺 Ref. 李彥錚。2002  
*Eulimitra metcalfei* (A. Adams, 1854) Ref. Kuroda, 1941  
*Eulimitra peasei* Tryon, 1886 金紋瓷螺 Ref. 迷你貝殼中文種名小組。1988  
*Hemiliostraca metcalfei* (Habe, 1968) 褐紋瓷螺 Ref. 和貝類做朋友。2005  
*Melanella kuronamako* (Habe, 1952) 瘦長瓷螺 Ref. 李彥錚。2003  
*Mucronalia exilis* A. Adams, 1862 螺線瓷螺 Ref. 李彥錚。2005  
*Niso brunnea* (Sowerby, 1834) Ref. Kuroda, 1941  
*Niso hizenensis* Kuroda & Habe, 1950 臍孔褐帶瓷螺 Ref. 鍾柏生。1993  
*Niso regia* Kuroda & Habe, 1950 臍孔寬帶瓷螺 Ref. 李彥錚。2001  
*Niso stenophala* Kuroda & Habe, 1950 紅頂瓷螺 Ref. 李彥錚。2001

### Family Ficidae 枇杷螺科

- Ficus ficus* (d'Orbigny, 1852) 小枇杷螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Ficus filosa* (Sowerby, 1892) 麻布枇杷螺 Ref. 張寬敏等。1983  
*Ficus gracilis* (Sowerby, 1825) 大枇杷螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Ficus variegata* Roeding, 1798 花球枇杷螺 Ref. 同前

### Family Naticidae 玉螺科

- Eunaticina papilla* (Gmelin, 1791) 乳頭玉螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Mammila kurodai* Iw. Taki, 1944 黑田玉螺 Ref. 張崑雄等。1992  
*Natica alapapilionis* (Roeding, 1798) 蝴蝶玉螺 Ref. 鍾柏生、賴景陽。1997  
*Natica andoi* (Nomura, 1935) 古色玉螺 Ref. 鍾柏生等。1997  
*Natica bathyraphe* (Pilsbry, 1925) 小白玉螺 Ref. 鍾柏生。2003  
*Natica bibalteata* (Sowerby, 1914) 寬帶玉螺 Ref. 鍾柏生、賴景陽。1997  
*Natica euzona* (Recluz, 1844) 花玉螺 Ref. 吳全橙。1983

*Natica excellens* (Azuma, 1961) 優雅玉螺 Ref. 李彥錚。1999  
*Natica fasciata* (Roeding, 1798) 黑嘴玉螺 Ref. 鍾柏生、賴景陽。1997  
*Natica gualteriana* Recluz, 1844 小灰玉螺 Ref. 楊國昌。1988  
*Natica hilaris* Sowerby, 1914 鹿斑玉螺 Ref. 鍾柏生、賴景陽。1997  
*Natica janthostomoides* Kuroda & Habe, 1949 古色玉螺 Ref. 鍾柏生、賴景陽。1997  
*Natica kushime* (Shikama, 1971) 縱肋玉螺 Ref. 李彥錚。2001  
*Natica lacteobasis* Kuroda, 1961 白底玉螺 Ref. 鍾柏生。2003  
*Natica lineata* (Roeding, 1798) 細紋玉螺 Ref. 蔡英亞、陳同戰。2000  
*Natica lurida* (Philippi, 1870) 退色玉螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Natica nipponensis* Kuroda, 1961 旋花玉螺 Ref. 鍾柏生、賴景陽。1997  
*Natica onca* Roeding, 1798 中華玉螺 Ref. 鍾柏生、賴景陽。1997  
*Natica pseustes* Watson, 1881 紫斑玉螺 Ref. 鍾柏生、賴景陽。1997  
*Natica sagittata* (Menke, 1843) 失痕玉螺 Ref. Kuroda, 1941  
*Natica shoichiroi* Kuroda, 1961 小斑玉螺 Ref. 李彥錚。2002  
*Natica stellata* (Hedley, 1913) 星斑玉螺 Ref. 鍾柏生、賴景陽。1997  
*Natica tabularis* Kuroda, 1961 粉紅玉螺 Ref. 鍾柏生、賴景陽。1997  
*Natica tigrina* (Roeding, 1798) 豹斑玉螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Natica undulata* (Roeding, 1798) 斑馬玉螺 Ref. 吳全橙。1983  
*Natica vitellus* Linnaeus, 1758 腰帶玉螺 Ref. 蔡英亞、陳同戰。2000  
*Polinices albumen* (Linnaeus, 1758) 扁球玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices aurantius* (Roeding, 1798) 黃金玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices bathyrpaph* (Pilsbry, 1911) 小籠包玉螺 Ref. 李彥錚。2002  
*Polinices bicolor* (Philippi, 1848) 雙色玉螺 Ref. 陳文德。2006  
*Polinices didyma* (Roeding, 1798) 大玉螺 Ref. Kuroda, 1941  
*Polinices didyma* (Philippi, 1848) 高玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices didyma* (Roeding, 1798) 大玉螺 Ref. 蔡英亞、陳同戰。2000  
*Polinices effusus* (Swainson, 1820) Ref. Kuroda, 1941  
*Polinices flemingianus* (Recluz, 1844) 臍孔白玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices fortunei* Reeve, 1865 棕色玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices mammata* (Roeding, 1798) 褐帶玉螺 Ref. Lan, 1985  
*Polinices mammatus* (Roeding, 1798) 褐帶玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices mamilla* (Linnaeus, 1758) 白玉螺 Ref. 蔡英亞、陳同戰。2000  
*Polinices melanostoma* (Gmelin, 1791) 黑唇玉螺 Ref. Kuroda, 1941  
*Polinices melanostomoides* (Quoy & Gaimard, 1832) 廣口白玉螺 Ref. 蔡英亞、陳同戰。2000  
*Polinices melanostomus* (Gmelin, 1791) 黑唇玉螺 Ref. 蔡英亞、陳同戰。2000  
*Polinices nux* Okutani, 1964 堅果玉螺 Ref. 李彥錚。2001  
*Polinices pallida* Broderip & Sowerby, 1829 蒼白玉螺 Ref. 巫文隆、李彥錚。2005  
*Polinices peselephanti* Link, 1807 包氏玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices plicispira* Kuroda, 1961 皺塔玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices reiniana* Dunker, 1877 胖玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices sagamiensis* (Pilsbry, 1904) 相模灣玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices sebae* (Recluz, 1844) 白鼠玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices simiae* (Deshates, 1838) 花帶玉螺 Ref. 鍾柏生、賴景陽。1997  
*Polinices vesicalis* (Philippi, 1848) 薄殼玉螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Polinices vestitus* (Kuroda, 1961) 日本玉螺 Ref. 巫文隆、李彥錚。2005  
*Sinum incisum* Reeve, 1864 扁耳玉螺 Ref. 鍾柏生、賴景陽。1997  
*Sinum japonicum* (Lischke, 1868) 日本扁玉螺 Ref. Kuroda, 1941  
*Sinum javanicum* (Griffith & Pidgeon, 1834) 南洋扁玉螺 Ref. 鍾柏生、賴景陽。1997  
*Sinum neritoidium* (Linnaeus, 1758) 似蝨玉螺 Ref. 巫文隆、李彥錚。2005  
*Sinum planulatum* (Recluz, 1845) Ref. Kuroda, 1941  
*Sinum undulatum* (Lischke, 1872) 波形玉螺 Ref. 鍾柏生、賴景陽。1997

### Family Ranellidae 法螺科

*Charonia lampas* (Linnaeus, 1758) 白法螺 Ref. 吳全橙。1983  
*Charonia lampas* (Reeve, 1844) 白法螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Charonia tritonis* (Linnaeus, 1758) 大法螺 Ref. 林朝榮。1974  
*Cymatium aquatile* (Reeve, 1844) 矮毛法螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Cymatium caudatum* (Gmelin, 1791) 深溝象法螺 Ref. 賴景陽。1989  
*Cymatium comptum* (A. Adams, 1855) 多彩法螺 Ref. 賴景陽。1989  
*Cymatium cynocephalum* (Lamarck, 1816) 狗頭象法螺 Ref. 賴景陽。1999  
*Cymatium dunkeri* (Lischke, 1868) 丹氏象法螺 Ref. 賴景陽。1989  
*Cymatium encausticum* (Reeve, 1844) 鳥頭象法螺 Ref. 賴景陽。1989  
*Cymatium exaratum* (Sowerby, 1915) 紀伊法螺 Ref. 賴景陽。1989  
*Cymatium exaratum* (Reeve, 1844) 紀伊法螺 Ref. Lai, 1989  
*Cymatium exile* (Reeve, 1844) 秀美象法螺 Ref. 林朝榮。1974  
*Cymatium flaveolum* (Roeding, 1798) 金帶美法螺 Ref. 賴景陽。1989  
*Cymatium gemmatum* (Reeve, 1844) 寶石法螺 Ref. 蔡英亞、陳同戰。2000  
*Cymatium grandimaculatum* (Reeve, 1844) 黑斑象鼻法螺 Ref. 賴景陽。1989  
*Cymatium gutturnium* (Roeding, 1798) 玉女象法螺 Ref. 賴景陽。1989  
*Cymatium hepaticum* (Roeding, 1798) 金色美法螺 Ref. 賴景陽。1989  
*Cymatium labiosum* (Wood, 1828) 厚唇法螺 Ref. 賴景陽。1989  
*Cymatium lotorium* (Linnaeus, 1758) 象鼻法螺 Ref. 譚天錫、白振宇、夏國經。1986

*Cymatium mundum* (Gould, 1849) 小白法螺 Ref. 賴景陽。1989  
*Cymatium muricinum* (Roeding, 1798) 紅口法螺 Ref. 賴景陽。1989  
*Cymatium nicobaricum* (Roeding, 1798) 金口法螺 Ref. 林朝榮。1974  
*Cymatium parthenopeum* Kuroda & Habe, 1961 黑齒法螺 Ref. 賴景陽。1989  
*Cymatium parthenopeum* (von Salis, 1793) 黑齒法螺 Ref. Lai, 1989  
*Cymatium pfeifferianum* (Reeve, 1844) 菲氏瘦法螺 Ref. 賴景陽。1989  
*Cymatium pileare* (Linnaeus, 1758) 毛法螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Cymatium pyrum* (Linnaeus, 1758) 大象法螺 Ref. 同前  
*Cymatium rubeculum* (Linnaeus, 1758) 豔紅美法螺 Ref. 林朝榮。1974  
*Cymatium sarcostomum* (Reeve, 1844) 肉唇象法螺 Ref. 賴景陽。1989  
*Cymatium sinense* (Reeve, 1844) 中華象法螺 Ref. 賴景陽。1989  
*Cymatium springsteeni* Beu, 1987 玉口象法螺 Ref. 賴景陽。1999  
*Cymatium tenuiliratum* (Lischke, 1873) 瘦毛法螺 Ref. 賴景陽。1989  
*Cymatium testudinarium* (A. Adams & Reeve, 1850) 褐唇象法螺 Ref. 賴景陽。1989  
*Cymatium thersites* (Reeve, 1844) 印度洋法螺 Ref. 標本採集記錄  
*Cymatium vespereum* (Lamarck, 1822) 蜜蜂法螺 Ref. 賴景陽。1989  
*Distorsio anus* (Linnaeus, 1758) 扭法螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Distorsio muehlnhausseri* Parth, 1990 美好色扭法螺 Ref. Lai & Ou-Yang, 1999  
*Distorsio perdistorta* Fulton, 1938 白扭法螺 Ref. 賴景陽。1989  
*Distorsio reticularis* (Linnaeus, 1758) 毛扭法螺 Ref. 賴景陽。1989  
*Distorsio reticulata* (Roeding, 1798) Ref. 許中泰。1975  
*Fusitriton galea* Kuroda & Habe, 1961 網目法螺 Ref. 賴景陽。1989  
*Fusitriton midwayensis* Habe & Okutani, 1968 中途島法螺 Ref. 賴景陽。1999  
*Gelagna succincta* (Linnaeus, 1771) Ref. 許中泰。1975  
*Gyrineum bituberculare* (Reeve, 1844) 白瘤翼法螺 Ref. 賴景陽。1999  
*Gyrineum cuspidatum* (Reeve, 1844) 白瘤翼法螺 Ref. 賴景陽。1999  
*Gyrineum gyrinum* (Linnaeus, 1758) 斑馬翼法螺 Ref. 賴景陽。1989  
*Gyrineum lacunatum* (Mighels, 1845) 紫端翼法螺 Ref. 賴景陽。1989  
*Gyrineum natator* (Roeding, 1798) 美珠翼法螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Gyrineum perca* (Perry, 1811) 翼法螺 Ref. 賴景陽。1989  
*Gyrineum pulchrum* (Gray, 1836) 小翼法螺 Ref. 賴景陽。1989  
*Gyrineum roseum* (Reeve, 1844) 玫瑰翼法螺 Ref. 賴景陽。1989  
*Linatella caudata* (Gmelin, 1791) 鶉法螺 Ref. Lai, 1987  
*Linatella succincta* (Linnaeus, 1771) 燈籠法螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Sassia semitorta* Kuroda & Habe, 1952 半扭法螺 Ref. 賴景陽。1989  
*Sassia semitorta* (Habe, 1961) 櫻井半扭法螺 Ref. 李彥錚。2001

### Family Stiliferidae 寄居螺科

*Kiramodulus lacteus* Kuroda, 1949 低塔寄居螺 Ref. 李彥錚。2003  
*Stilapex lactarius* Iredale, 1925 乳白寄居螺 Ref. 李彥錚。2002  
*Stilifer akahitode* Habe & Masuda, 1990 水滴瓷螺 Ref. The Pei-yo. 31: 48-53

### Family Tonnidae 鶉螺科

*Eudolium lineatum* (Schepman, 1909) 銼紋鶉螺 Ref. 賴景陽。1978  
*Eudolium pyriforme* (Sowerby, 1914) 梨形鶉螺 Ref. 賴景陽。1978  
*Malea pomum* (Linnaeus, 1758) 粗齒鶉螺 Ref. 林朝榮。1974  
*Tonna allium* (Dillwyn, 1817) 寬溝鶉螺 Ref. 賴景陽。1978  
*Tonna canaliculata* (Linnaeus, 1758) 平凹鶉螺 Ref. 賴景陽。1978  
*Tonna chinensis* (Deshayes, 1817) 中華鶉螺 Ref. 賴景陽。1978  
*Tonna dolium* (Linnaeus, 1758) 南方花點鶉螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Tonna fasciata* (Bruguère, 1789) 宮代鶉螺 Ref. 許中泰。1975  
*Tonna luteostoma* (Kuster, 1857) 黃口鶉螺 Ref. 張寬敏等。1983  
*Tonna marginata* (Philippi, 1845) 花鶉螺 Ref. 賴景陽。1978  
*Tonna melanostoma* (Jay, 1839) 黑口鶉螺 Ref. 吳全橙。1983  
*Tonna olearium* (Linnaeus, 1758) 栗色鶉螺 Ref. 賴景陽。1978  
*Tonna perdix* (Linnaeus, 1758) 鶉螺 Ref. 賴景陽。1978  
*Tonna sulcosa* (Born, 1778) 褐帶鶉螺 Ref. 張寬敏等。1983  
*Tonna tessellata* (Lamarck, 1816) 厚殼鶉螺 Ref. 陳文德。2003

## Order Lepetellida

### Family Cocculinidae 小帽螺科

*Coccoligya punctoradiata* (Kuroda & Habe, 1949) 放射小帽螺 Ref. 巫文隆、李彥錚。2005  
*Cocculina japonica* Dall, 1907 小帽螺 Ref. 巫文隆、李彥錚。2005

## Order Mesogastropoda 中腹足目

### Family Adeorbidae 扁螺科

*Adeorbis plana* A. Adams, 1850 扁螺 Ref. 張鎮國、巫文隆。2004  
*Pygmaeorota cingulifera* (A. Adams, 1850) 環肋扁螺 Ref. 張鎮國、巫文隆。2004

### Family Alycaidae 帶管蝸牛科

*Chamalycaeus hungerfordianus* (Nevill, 1881) 范福扁帶管蝸牛 Ref. 張寬敏。1984  
*Chamalycaeus varius* (Pilsbry & Hirase, 1905) 台灣扁帶管蝸牛 Ref. 張寬敏。1976  
*Dioryx swinhoi* (H. Adams, 1866) 斯文豪帶管蝸牛 Ref. 張寬敏。1976

### Family Ampullariidae 蘋果螺科

- Pila leopordovillensis* (d'Orbigny, 1835) 元寶螺 Ref. 張寬敏。1991  
*Pomacea canaliculata* (Lamarck, 1819) 福壽螺 Ref. 趙大衛、王達成、翁文練。1987  
*Pomacea scalaris* Orbigny, 1835 梯狀福壽螺 Ref. 趙大衛、吳忠霖、陳俊成。1999

### Family Assimineidae 山椒蝸牛科

- Acmella taiwanica* Kuroda & Kano, 1941 台灣細黍蝸牛 Ref. 張寬敏。1991  
*Allepithema microstriatum* Kuroda & Kano, 1941 細蝸牛 Ref. 林朝榮。1974  
*Angustassiminea kurodai* Habe, 1942 黑田山椒蝸牛 Ref. 西宮市貝類館。2002  
*Assiminea affinis* Mousson, 1883 親和山椒螺 Ref. 張鎮國、巫文隆。2004  
*Assiminea brevicula* (Pfeiffer, 1854) 短山椒蝸牛 Ref. 西宮市貝類館。2002  
*Assiminea daitoensis* Habe, 1942 波部山椒螺 Ref. 張鎮國、巫文隆。2004  
*Assiminea dohrniana* Nevill, 1880 線條山椒蝸牛 Ref. 西宮市貝類館。2002  
*Assiminea hayashii* Habe, 1942 小林氏山椒蝸 [特有]  
*Assiminea japonica* v. Martens, 1877 Ref. 西宮市貝類館。2002  
*Assiminea kurodai* Habe, 1942 黑田氏山椒蝸 [特有]  
*Assiminea latericea* H. & A. Adams, 1863 圓山椒蝸牛 Ref. 李彥錚。2002  
*Assiminea lutea* A. Adams, 1861 黃山椒蝸牛 Ref. Pace, 1973  
*Assiminea nitida* (Pease, 1865) 光山椒螺 Ref. 張鎮國、巫文隆。2004  
*Assiminea philippinica* (Boettger, 1887) 菲律賓山椒螺 Ref. 張鎮國、巫文隆。2004  
*Assiminea subcornea* (Nevill) Ref. Kuroda, 1941  
*Assiminea taiwanensis* (Habe, 1842) 台灣山椒蝸牛 Ref. 張寬敏。1984  
*Assiminea vagans* (Thiele, 1927) 長山椒螺 Ref. 張鎮國、巫文隆。2004  
*Paludinella devilis* Habe, 1942 Ref. 標本採集記錄  
*Paludinellassiminea stricta* (Gould, 1859) Ref. 張鎮國、巫文隆。2004  
*Taiwanassiminea hayasii* Habe, 1942 林氏山椒蝸牛 Ref. 貝類中文訂名小組。1980

### Family Barleeidae

- Barleeia alderi* (Carpenter, 1857) 西美珠砂螺 Ref. 張鎮國、巫文隆。2004  
*Barleeia calcarea* Kay, 1979 Ref. 張鎮國、巫文隆。2004

### Family Bithyniidae 沼螺科

- Bithynia fuchsiana* Moellendorff, 1894 圓沼螺 Ref. 趙大衛、王達成、翁文練。1987  
*Bithynia manchourica* (Bourguignat, 1860) 沼螺 Ref. 羅新生、范秉真。1975  
*Bithynia misella* Gredler, 1884 台灣圓沼螺 Ref. 張寬敏。1991  
*Parafossarulus annandalei* Ref. Kuroda, 1941  
*Parafossarulus striatus* (Benson, 1842) Ref. Kuroda, 1941

### Family Caecidae 蛞蝓螺科

- Brochina glabella* (A. Adams, 1868) 蛞蝓螺 Ref. 迷你貝殼中文種名小組。1988  
*Caecum amputatum* (Hedley, 1894) 截尾蛞蝓螺 Ref. 巫文隆、李彥錚。2005  
*Caecum arcuatum* (Folin, 1867) Ref. 張昆煌。1993  
*Caecum sepimentum* (Folin, 1867) Ref. 張昆煌。1993  
*Caecum vertebrale* (Hedley, 1899) Ref. 張昆煌。1993

### Family Calyptraeidae 舟螺科

- Bostrycapulus grasvispinosus* (Kuroda & Habe, 1950) 刺面舟螺 Ref. Kuroda, 1941  
*Bostrycapulus gravispinosus* (Kuroda & Habe, 1950) 刺面舟螺 Ref. 鍾柏生。1995  
*Calyptraea extintorium* Lamarck, 1822 笠舟螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Calyptraea morbida* (Reeve, 1859) 花笠舟螺 Ref. Kuroda, 1941  
*Calyptraea sakaguchi* (Kuroda & Habe, 1961) 栗色舟螺 Ref. 施乃普。1975  
*Crepidula onyx* Sowerby, 1814 拖鞋舟螺 Ref. 巫文隆、李彥錚。2005  
*Ergaea walshi* Reeve, 1859 扁舟螺 Ref. 巫文隆、張寶仁、李彥錚。2000

### Family Capulidae 偏蓋螺科

- Capulus badius* Dunker, 1882 號角偏蓋螺 Ref. 訂名組。1988  
*Capulus badius* Dunker, 1882 號角偏蓋螺 Ref. 施乃普。1975  
*Capulus dilatatus* A. Adams, 1860 海扇偏蓋螺 Ref. 李彥錚。2003  
*Capulus japonicus* (A. Adams, 1861) 皺杯貝 Ref. 施乃普。1975  
*Capulus kawamurae* Habe, 1992 河村偏蓋螺 Ref. 李彥錚。2001  
*Hyalorisia tosaensis* (Otuka, 1939) 黃偏蓋螺 Ref. 鍾柏生。1994

### Family Cerithiidae 蟹守螺科

- Bitium glareosum* (Gould, 1860) 褐線蟹守螺 Ref. 李彥錚。2002  
*Cerithium alveolum* Hombron & Jacquinot 芝麻蟹守螺 Ref. Kuroda, 1941  
*Cerithium atomarginatum* Dautzenberg & Bouge 黑緣蟹守螺 Ref. Kuroda, 1941  
*Cerithium citrinum* (Sowerby, 1855) 黃蟹守螺 Ref. 蔡英亞、陳同戰。2000  
*Cerithium columba* (Sowerby, 1834) 塔蟹守螺 Ref. 蔡英亞、陳同戰。2000  
*Cerithium echinatus* (Lamarck, 1818) 棘蟹守螺 Ref. 林朝榮。1974  
*Cerithium egenum* Gould Ref. Kuroda, 1941  
*Cerithium interstriatum* Sowerby 田隴蟹守螺 Ref. Kuroda, 1941  
*Cerithium kobelti* (Dunker, 1877) 蟋蟀蟹守螺 Ref. 賴景陽、鍾柏生。1998  
*Cerithium lifuensis* Melvill & Standen, 1895 太平洋蟹守螺 Ref. 賴景陽、鍾柏生。1998  
*Cerithium lissum* Watson, 1880 土黃蟹守螺 Ref. 賴景陽、鍾柏生。1998  
*Cerithium munitum* (Sowerby, 1855) 玉帶蟹守螺 Ref. Kuroda, 1941

*Cerithium nesioticum* Pilsby & Vanatta 淡斑蟹守螺 Ref. Kuroda, 1941  
*Cerithium nodulosum* (Bruguere, 1789) 寶塔蟹守螺 Ref. 蔡英亞、陳同戰。2000  
*Cerithium rostratum* Sowerby Ref. Kuroda, 1941  
*Cerithium stigmatosum* (Gould, 1861) Ref. Kuroda, 1941  
*Cerithium subscalatum* Pilsbry, 1904 Ref. Thach, 2007  
*Cerithium trilli* Sowerby 珠環蟹守螺 Ref. Kuroda, 1941  
*Cerithium zebrum* Kiener 斑馬蟹守螺 Ref. Kuroda, 1941  
*Cerithium zonatum* Wood 項鍊蟹守螺 Ref. Tan et al., 1980  
*Cerithium citrinum* Sowerby 黃蟹守螺 Ref. Kuroda, 1941  
*Cerithium columna* Sowerby 塔蟹守螺 Ref. Kuroda, 1941  
*Cerithium coralium* Kiener 珊瑚蟹守螺 Ref. Kuroda, 1941  
*Cerithium echinatum* Lamarck 棘蟹守螺 Ref. Kuroda, 1941  
*Cerithium kobelti* Dunker 蟋蟀蟹守螺 Ref. Kuroda, 1941  
*Cerithium lissum* Watson 土黃蟹守螺 Ref. 賴景陽等。1998  
*Cerithium munitum* Sowerby 玉帶蟹守螺 Ref. Kuroda, 1941  
*Cerithium nodulosum* Bruguere 寶塔蟹守螺 Ref. 吳全橙。1983  
*Clypeomorus armatus* (Philippi, 1848) 武裝蟹守螺 Ref. 林朝榮。1974  
*Clypeomorus batillariaeformis* Habe & Kosuge, 1966 海蜷蟹守螺 Ref. 賴景陽、鍾柏生。1998  
*Clypeomorus bifasciatus* (Sowerby, 1855) 白甚蟹守螺 Ref. 林朝榮。1974  
*Clypeomorus brevis* (Quoy & Gaimard, 1834) 白斑蟹守螺 Ref. 賴景陽、鍾柏生。1998  
*Clypeomorus chemnitziana* (Pilsbry, 1901) 柔甚蟹守螺 Ref. 林朝榮。1974  
*Clypeomorus coralina* (Kiener, 1834) 珊瑚蟹守螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Clypeomorus humilis* (Dunker, 1861) 黑項鍊蟹守螺 Ref. 羅進宗。1974  
*Clypeomorus monifera* (Kiener, 1841) 項鍊蟹守螺 Ref. 林朝榮。1974  
*Clypeomorus nymphea* Houbriek, 1985 蛹形蟹守螺 Ref. 賴景陽、鍾柏生。1998  
*Clypeomorus petrosus* (Wood, 1828) 石蟹守螺 Ref. 王繼忠、譚天錫。1979  
*Clypeomorus purpurascens* (Sowerby, 1887) Ref. Kuroda, 1941  
*Clypeomorus purpurastoma* Houbriek, 1985 紫口蟹守螺 Ref. 林朝榮。1974  
*Clypeomorus subbrevicula* (Oostingh, 1925) 中廣蟹守螺 Ref. Kuroda, 1941  
*Clypeomorus trilli* (Sowerby, 1855) 珠環蟹守螺 Ref. 林朝榮。1974  
*Clypeomorus zonatus* (Wood, 1828) Ref. 賴景陽、鍾柏生。1998  
*Conocerithium atromarginatum* (Dautzenberg & Bouge, 1933) 黑緣蟹守螺 Ref. 林朝榮。1974  
*Conocerithium egenum* (Gould, 1849) Ref. Kuroda, 1941  
*Ischnocerithium rostratum* (Sowerby, 1855) Ref. 蔡英亞、陳同戰。2000  
*Plesiotrochus acutangulus* (Yokoyama, 1924) 千草蟹守螺 Ref. 施乃普。1975  
*Plesiotrochus exilis* (Pease, 1867) 小千草蟹守螺 Ref. 施乃普。1975  
*Pseudovertagus aluco* (Linnaeus, 1758) 鴉蟹守螺 Ref. 賴景陽、鍾柏生。1998  
*Pseudovertagus luteus* (Gould, 1861) 鐘形蟹守螺 Ref. 迷你貝殼中文種名小組。1988  
*Ptychocerithium balteatum* Philippi Ref. Kuroda, 1941  
*Ptychocerithium planiusculum* (Kobelt, 1890) Ref. Kuroda, 1941  
*Rhinoclavis articulata* (A. Adams & Reeve, 1850) 花斑蟹守螺 Ref. 蔡英亞、陳同戰。2000  
*Rhinoclavis aspera* (Linnaeus, 1758) 秀美蟹守螺 Ref. 蔡英亞、陳同戰。2000  
*Rhinoclavis fasciata* (Bruguere, 1792) 長筍蟹守螺 Ref. 蔡英亞、陳同戰。2000  
*Rhinoclavis kochi* (Philippi, 1848) 柯氏蟹守螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Rhinoclavis sinensis* (Gmelin, 1791) 中華蟹守螺 Ref. 林朝榮。1974  
*Rhinoclavis sordidula* (Gould, 1849) Ref. Kuroda, 1941  
*Rhinoclavis vertagus* (Linnaeus, 1758) 竹筍蟹守螺 Ref. 蔡英亞、陳同戰。2000  
*Royella sinon* (Bayle, 1880) 白塔蟹守螺 Ref. Kuroda, 1941  
*Semivertagus alveolus* (Hombron & Jacquinot, 1854) 芝麻蟹守螺 Ref. 賴景陽、鍾柏生。1998  
*Semivertagus interstriatus* (Sowerby, 1842) 田隴蟹守螺 Ref. 林朝榮。1974  
*Semivertagus nesioticum* (Pilsby & Vanatta, 1906) 淡斑蟹守螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Semivertagus zebrus* (Kiener, 1841) 斑馬蟹守螺 Ref. 林朝榮。1974

### Family Cheileidae 晃蓋螺科

*Cheilea diaphana* Reeve 透明舟螺 Ref. 鍾柏生。1995  
*Cheilea equestris* (Linnaeus, 1758) 風鈴晃蓋螺 Ref. 施乃普。1975  
*Cheilea hipponiciformis* (Reeve, 1858) 斜紋晃蓋螺 Ref. 李彥錚。2002  
*Cheilea layardi* (Reeve, 1859) Ref. 林朝榮。1974  
*Cheilea scutula* (Reeve, 1859) Ref. Kuroda, 1941  
*Cheilea stultorum* (Reeve, 1858) 皺紋晃蓋螺 Ref. 李彥錚。2002  
*Cheilea tectumsinensis* (Lamarck, 1822) 重疊晃蓋螺 Ref. 李彥錚。2002  
*Cheilea tortilis* (Reeve, 1859) Ref. Kuroda, 1941

### Family Cyclophoridae 山蝸牛科

*Cyathopoma micron* (Pilsbry, 1900) 微山蝸  
*Cyathopoma taiwanica* Pilsbry & Hirase, 1905 台灣螺線微山蝸牛 Ref. 李彥錚、巫文隆。2001  
*Cyathopoma taiwanicum* Pilsbry & Hirase, 1906 臺灣螺線微山蝸 [特有]  
*Cyclophorus formosaensis* Nevill, 1881 臺灣大山蝸 [特有]  
*Cyclophorus formosaensis* Kuroda, 1941 寬口大山蝸 [特有]  
*Cyclophorus formosaensis* Nevill, 1882 臺灣大山蝸牛 Ref. 趙大衛、王姿文。1995  
*Cyclophorus friesianus* Moellendorff, 1883 皺大山蝸牛 Ref. 李彥錚、巫文隆。2001  
*Cyclophorus latus* Kuroda, 1941 寬口大山蝸牛 Ref. 李彥錚、巫文隆。2001  
*Cyclophorus moellendorffi* Schmacker & Boettger, 1891 南台灣大山蝸牛 Ref. 張寬敏。1976

*Cyclophorus turgidus* (Pfeiffer, 1851) 膨脹大山蝸牛 Ref. 貝類中文訂名小組。1980  
*Cyclotus micron* (Pilsbry, 1900) 微山蝸牛 Ref. 李彥錚、巫文隆。2001  
*Cyclotus micron* (Pilsbry & Hirase, 1904) 高塔微山蝸牛 Ref. 李彥錚、陳文德。2003  
*Cyclotus ogaitoi* (Minato) 大垣內微山蝸牛 Ref. 李彥錚、陳文德。2003  
*Cyclotus taivanus* Kuroda & Kano in Lee & Wu, 2001 姬台灣山蝸牛 Ref. 林朝榮。1974  
*Cyclotus taivanus* Lee & Wu, 2001 闊唇台灣山蝸牛 Ref. 李彥錚、巫文隆。2001  
*Cyclotus taivanus* H. Adams, 1870 台灣山蝸牛 Ref. 林朝榮。1974  
*Cyclotus taivanus* Pilsbry & Hirase, 1905 高塔台灣山蝸牛 Ref. 李彥錚、巫文隆。2001  
*Japonia formosana* Pilsbry & Hirase, 1905 台灣東洋蝸牛 Ref. 林朝榮。1974  
*Japonia lanyuensis* Lee & Wu, 2001 蘭嶼東洋蝸牛 Ref. 李彥錚、巫文隆。2001  
*Japonia zebra* Pilsbry & Hirase, 1905 線條東洋蝸牛 Ref. 李彥錚、巫文隆。2001  
*Leptopoma nitidum* Moellendorff, 1883 青山蝸 [特有]  
*Leptopoma nitidum* Sowerby, 1843 青山蝸牛 Ref. 張寬敏。1976  
*Leptopoma tigris* Kuroda & Kano in Lee & Wu, 2001 斑青山蝸牛 Ref. 林朝榮。1974  
*Platyrhaphé hirasei* (Pilsbry, 1901) 平瀨小山蝸牛 Ref. 李彥錚、陳文德。2003  
*Platyrhaphé lanyuensis* Lee & Wu, 2001 蘭嶼小山蝸牛 Ref. 林朝榮。1974  
*Platyrhaphé minutus* (H. Adams, 1866) 絲線小山蝸牛 Ref. 張寬敏。1976  
*Platyrhaphé sunggangensis* Lee & Wu, 2001 松崗白帶小山蝸牛 Ref. 李彥錚、巫文隆。2001  
*Platyrhaphé swinhoei* (H. Adams, 1866) 斯文豪小山蝸牛 Ref. 張寬敏。1976  
*Pterocyclos wilsoni* (Pfeiffer, 1865) 扁山蝸牛 Ref. 張寬敏。1976

### Family Cypraeidae 寶螺科

*Blasicrura interrupta* (Gray, 1824) 豆紋寶螺 Ref. 許中泰。1975  
*Cypraea annulus* Linnaeus, 1758 金環寶螺 Ref. 林朝榮。1974  
*Cypraea arabica* Linnaeus, 1758 阿拉伯寶螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Cypraea arabica* Linnaeus, 1758 Ref. 許中泰。1975  
*Cypraea argus* Linnaeus, 1758 百眼寶螺 Ref. 林朝榮。1974  
*Cypraea artuffeli* Jousseau, 1876 阿土寶螺 Ref. 葉人驥。1987  
*Cypraea asellus* Linnaeus, 1758 浮標寶螺 Ref. 林朝榮。1974  
*Cypraea aurantium* Gmelin, 1791 黃金寶螺 Ref. 葉人驥。1987  
*Cypraea beckii* Gaskoin, 1836 貝氏寶螺 Ref. 藍子樵等。1982  
*Cypraea bistrinotata* Schilder, 1937 花珠寶螺 Ref. 林朝榮。1974  
*Cypraea boivinii* Kiener, 1843 玻芬寶螺 Ref. 藍子樵等。1982  
*Cypraea caputserpentis* Linnaeus, 1758 雪山寶螺 Ref. 林朝榮。1974  
*Cypraea carneola* Linnaeus, 1758 紫口寶螺 Ref. 林朝榮。1974  
*Cypraea caurica* Linnaeus, 1758 清齒寶螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Cypraea carnica* Sowerby, 1870 淡黃寶螺 Ref. 藍子樵等。1982  
*Cypraea childreni* Gray, 1825 金蛹寶螺 Ref. 蔡英亞、陳同戰。2000  
*Cypraea chinensis* Gmelin, 1791 中華寶螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Cypraea cicercula* Linnaeus, 1758 繡珠寶螺 Ref. 林朝榮。1974  
*Cypraea cicercula* (Jousseau, 1874) 黃珠寶螺 Ref. 張崑雄等。1989  
*Cypraea claudestina* Linnaeus, 1758 銀絲寶螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Cypraea contaminata* Sowerby, 1832 黑潮寶螺 Ref. 葉人驥。1987  
*Cypraea controversa* Gray, 1824 雨點寶螺 Ref. 詹恩勝。2004  
*Cypraea cribraria* Linnaeus, 1758 花鹿寶螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Cypraea cribraria* Schilder & Schilder, 1940 Ref. 許中泰。1975  
*Cypraea cylindrica* Born, 1778 寬口寶螺 Ref. 藍子樵等。1982  
*Cypraea depressa* Gray, 1824 扁緣寶螺 Ref. 林朝榮。1974  
*Cypraea eglantina* Duclos, 1833 花枕寶螺 Ref. 藍子樵等。1982  
*Cypraea erosa* Linnaeus, 1758 腰斑寶螺 Ref. 林朝榮。1974  
*Cypraea erronea* Linnaeus, 1758 愛龍寶螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Cypraea felina* Gmelin 花貓寶螺 Ref. Kuroda, 1941  
*Cypraea fimbriata* Gmelin, 1793 紫端寶螺 Ref. 林朝榮。1974  
*Cypraea globulus* Linnaeus, 1758 金珠寶螺 Ref. 林朝榮。1974  
*Cypraea gracilis* Gaskoin, 1849 小眼寶螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Cypraea guttata* Gmelin, 1791 金星寶螺 Ref. 藍子樵。1974  
*Cypraea hammondae* Schilder 1960 哈蒙寶螺 Ref. 詹恩勝。2004  
*Cypraea helvola* Linnaeus, 1758 紅花寶螺 Ref. 林朝榮。1974  
*Cypraea hirasei* Roberts, 1913 平瀨寶螺 Ref. 藍子樵等。1982  
*Cypraea hirundo* Linnaeus, 1758 大熊寶螺 Ref. 林朝榮。1974  
*Cypraea hungerfordi* Sowerby, 1888 玉女寶螺 Ref. 藍子樵等。1982  
*Cypraea isabella* Linnaeus, 1758 雨絲寶螺 Ref. 林朝榮。1974  
*Cypraea joycae* Clover, 1969 柔姬寶螺 Ref. 藍子樵。1974  
*Cypraea katsuae* Kuroda, 1960 勝枝寶螺 Ref. 藍子樵等。1982  
*Cypraea kieneri* Hidalgo, 1906 瘦熊寶螺 Ref. 林朝榮。1974  
*Cypraea kuroharai* (Kuroda & Habe, 1961) 黑原寶螺 Ref. 藍子樵等。1982  
*Cypraea labrolineata* Gaskoin, 1849 梨皮寶螺 Ref. 林朝榮。1974  
*Cypraea langfordi* Kuroda, 1938 蘭福寶螺 Ref. 藍子樵等。1982  
*Cypraea limacina* Lamarck, 1810 雞皮寶螺 Ref. 藍子樵等。1982  
*Cypraea listeri* Gray, 1824 白貓寶螺 Ref. 藍子樵等。1982  
*Cypraea lutea* Gmelin, 1791 雙線寶螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Cypraea lynx* Linnaeus, 1758 山貓寶螺 Ref. 蔡英亞、陳同戰。2000

*Cypraea maculifera* Schilder, 1932 胎記寶螺 Ref. 葉人驥。1990  
*Cypraea mappa* Linnaeus, 1758 地圖寶螺 Ref. 蔡英亞、陳同戰。2000  
*Cypraea margarita* Dinnwryn, 1817 珍珠寶螺 Ref. 施乃普。1975  
*Cypraea mariae* Schilder, 1927 瑪麗亞寶螺 Ref. 藍子樵等。1982  
*Cypraea mauritiana* Linnaeus, 1758 龜甲寶螺 Ref. 林朝榮。1974  
*Cypraea microdon* Gray, 1828 微齒寶螺 Ref. 葉人驥。1987  
*Cypraea midwayensis* Azuma & Kurohara, 1967 中途島寶螺 Ref. 藍子樵。1977  
*Cypraea miliaris* Gmelin, 1791 初雪寶螺 Ref. 蔡英亞、陳同戰。2000  
*Cypraea minoridens* (Melvill, 1901) 細齒寶螺 Ref. 張崑雄、鄭明修。1989  
*Cypraea miyokoae* Habe & Kosuge, 1970 錦花寶螺 Ref. 余文明。1997  
*Cypraea moneta* Linnaeus, 1758 黃寶螺 Ref. 林朝榮。1974  
*Cypraea musumea* Kuroda & Habe, 1961 姑娘寶螺 Ref. 藍子樵。1974  
*Cypraea nucleus* Linnaeus, 1758 疙瘡寶螺 Ref. 林朝榮。1974  
*Cypraea omii* Ikeda 朦朧寶螺  
*Cypraea onyx* Linnaeus, 1758 瑪瑙寶螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Cypraea ovum* Gmelin, 1791 歐文寶螺 Ref. 葉人驥。1990  
*Cypraea pallidula* Gaskoin, 1849 緞帶寶螺 Ref. 林朝榮。1974  
*Cypraea pellucens* Melvill 1888 琥珀寶螺 Ref. 詹恩勝。2004  
*Cypraea poraria* Linnaeus, 1758 紫花寶螺 Ref. 林朝榮。1974  
*Cypraea porteri* Cate, 1966 波塔寶螺 Ref. 藍子樵等。1982  
*Cypraea pulchella* Swainson, 1823 黑齒寶螺 Ref. 蔡英亞、陳同戰。2000  
*Cypraea punctata* Linnaeus, 1758 芝麻寶螺 Ref. 林朝榮。1974  
*Cypraea quadrimaculata* Gray, 1824 四眼寶螺 Ref. 葉人驥。1990  
*Cypraea sakurai* Habe, 1970 櫻井寶螺 Ref. 藍子樵等。1982  
*Cypraea saulae* Gaskoin, 1843 美娘寶螺 Ref. 藍子樵等。1982  
*Cypraea scurra* Gmelin, 1790 網目寶螺 Ref. 藍子樵等。1982  
*Cypraea staphylaea* Linnaeus, 1758 鯊皮寶螺 Ref. 林朝榮。1974  
*Cypraea stolidia* Linnaeus, 1758 塊斑寶螺 Ref. 藍子樵等。1982  
*Cypraea talpa* Linnaeus, 1758 酒桶寶螺 Ref. 林朝榮。1974  
*Cypraea teramachii* Kuroda, 1938 寺町寶螺 Ref. 藍子樵。1974  
*Cypraea teres* Gmelin, 1791 黑痣寶螺 Ref. 林朝榮。1974  
*Cypraea tessellata* Swainson, 1822 棋盤寶螺 Ref. 藍子樵。1975  
*Cypraea testudinaria* Linnaeus, 1758 叢雲寶螺 Ref. 林朝榮。1974  
*Cypraea tigris* Linnaeus, 1758 黑星寶螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Cypraea ursellus* Gmelin, 1791 肥熊寶螺 Ref. 林朝榮。1974  
*Cypraea ventriculus* Lamarck, 1810 金棗寶螺 Ref. 藍子樵等。1982  
*Cypraea vicdani* Lan 宏凱寶螺  
*Cypraea vitellus* Linnaeus, 1758 白星寶螺 Ref. 林朝榮。1974  
*Cypraea walkeri* Sowerby, 1832 瓦氏寶螺 Ref. 藍子樵等。1982  
*Cypraea ziczac* Linnaeus, 1758 箭頭寶螺 Ref. 藍子樵等。1982  
*Monetaria harmandiana* (Rochebrune, 1884) 花瓣寶螺 Ref. 許中泰。1975  
*Monetaria moneta* Schilder & Schilder, 1933 黃色寶螺 Ref. 許中泰。1975

### Family Dialidae 天螺科

*Diala albugo* (Watson, 1886) 麻天螺 Ref. 張鎮國、巫文隆。2004  
*Diala nyussana* (Smith, 1877) 台灣天螺 Ref. 張鎮國、巫文隆。2004  
*Diala planalba* Laseron, 1956 光天螺 Ref. 張鎮國、巫文隆。2004  
*Diala polymorpha* (Smith, 1877) 綠島天螺 Ref. 張鎮國、巫文隆。2004  
*Diala stricta* Habe, 1960 Ref. 張鎮國、巫文隆。2004  
*Diala varia* A. Adams, 1861 Ref. 張鎮國、巫文隆。2004

### Family Diplommatinidae 芝麻蝸牛科

*Diplommatina akirai* Chang & Ookubo, 1998 昭紅芝麻蝸牛 Ref. 張寬敏、大久保皖司。1998  
*Diplommatina camura* Pilsbry & Hirase, 1905 鹿村芝麻蝸牛 Ref. 張寬敏。1984  
*Diplommatina chaoi* Chang & Chang, 2001 趙氏紅芝麻蝸牛 Ref. 李彥錚、陳文德。2003  
*Diplommatina dandanensis* Kuroda, 1941 暖暖芝麻蝸牛 [特有]  
*Diplommatina hayasakai* Kuroda, MS 早&#22338 Ref. 張寬敏、多田昭。2006  
*Diplommatina Huangi* Ueng & Wang, 2005 黃氏芝麻蝸牛 Ref. Ueng & Wang, 2005  
*Diplommatina hungerfordiana* Nevill, 1881 高砂芝麻蝸牛 Ref. 張寬敏。1984  
*Diplommatina inferocuspis* Lee & Wu 下齒芝麻蝸牛 Ref. Bulletin of Malacology, 29: 43-48  
*Diplommatina inferocuspis* Lee & Wu, 2005 下齒芝麻蝸牛 Ref. Lee & Wu, 2005  
*Diplommatina karenkoensis* Kuroda, 1941 花蓮芝麻蝸牛 [特有]  
*Diplommatina maedai* Kuroda, 1941 暖暖芝麻蝸牛 Ref. 張寬敏。1984  
*Diplommatina maedai* Kuroda, 1941 前田芝麻蝸牛 Ref. 趙大衛、黃國銅。1991  
*Diplommatina oculodentata* Chang & Tada, 1997 奧牙芝麻蝸牛 Ref. 張寬敏、多田昭。1997  
*Diplommatina ookuboi* Chang & Tada, 1997 大久保芝麻蝸牛 Ref. 張寬敏、多田昭。1997  
*Diplommatina pilanensis* Chang & Tada, 2003 卑南芝麻蝸牛 Ref. 張寬敏、多田昭。2003  
*Diplommatina pilula* Chang & Tada, 1998 碧綠芝麻蝸牛 Ref. 張寬敏、多田昭。1998  
*Diplommatina prava* Pilsbry & Hirase, 1905 斜芝麻蝸牛 Ref. 張寬敏。1984  
*Diplommatina pseudotayalis* Lee & Chang, 2004 似高山芝麻蝸牛 Ref. Lee & Chang, 2004  
*Diplommatina tadai* Chang, 1997 多田芝麻蝸牛 Ref. 張寬敏。1997  
*Diplommatina taiwanica* Pilsbry & Hirase, 1905 台灣芝麻蝸牛 Ref. 趙大衛、黃國銅。1991  
*Diplommatina taiwanica* Kuroda, 1941 花蓮芝麻蝸牛 Ref. 趙大衛、黃國銅。1991

*Diplommatina taiwanica* Lee & Wu, 2005 高山台灣芝麻蝸牛 Ref. Lee & Wu, 2005  
*Diplommatina tatakaensis* Chang, Tada & Hwang, 1998 松崗芝麻蝸牛 [特有]  
*Diplommatina tattakaensis* Chang, Tada & Hwang, 1998 松崗紅芝麻蝸牛 Ref. 張寬敏、多田昭、黃重期。1998  
*Diplommatina tayalis* Kuroda, 1941 高山芝麻蝸牛 Ref. 張寬敏。1984  
*Diplommatina torokkuensis* Chang & Tada, 2003 合歡芝麻蝸牛 Ref. 張寬敏、多田昭。2003  
*Diplommatina tungwangorum* Lee & Chang, 2004 董王芝麻蝸牛 Ref. Lee & Chang, 2004  
*Gastroptychia gabata* Lee & Chang, 2004 左旋扁芝麻蝸牛 Ref. 同前  
*Palaina formosana* Pilsbry & Hirase, 1905 台灣左旋芝麻蝸牛 Ref. 張寬敏。1984  
*Palaina pusilla* (Martens, 1877) 小左旋芝麻蝸牛 Ref. 李彥錚、陳文德。2003

#### Family Elachisinidae 小菜籽螺科

*Elachisina ziczac* Fukuda & Ekawa, 1997 鋸齒小菜籽螺 Ref. Ueng, Wang & Hou, 2003

#### Family Eratoidea 石榴螺科

*Eratoena callosa* (Adams & Reeve, 1850) 厚石榴螺 Ref. Kuroda, 1941  
*Eratoena pura* (Kuroda & Habe in Kuroda, Habe & Oyama, 1971) 深海石榴螺 Ref. 巫文隆、李彥錚。2005  
*Eratoena sulcifera* (Sowerby, 1832) 擬石榴螺 Ref. 林朝榮。1974  
*Eratoena tomlini* Schilder, 1933 花背石榴螺 Ref. 巫文隆、李彥錚。2005  
*Sukerato callosa* (A. Adams & Reeve, 1850) 厚石榴螺 Ref. 施乃普。1975

#### Family Fossaridae 小堡螺科

*Fossarus multicostatus* Pease, 1861 細紋堡螺 Ref. 李彥錚。2002  
*Fossarus trochleris* A. Adams, 1853 小堡螺 Ref. 施乃普。1975

#### Family Hipponicidae 頂蓋螺科

*Antisabia foliacea* (Quoy & Gaimard, 1835) 環蓋螺 Ref. Kuroda, 1941  
*Hipponix acuta* (Quoy & Gaimard, 1835) 頂蓋螺 Ref. Platax. Monograph 1, 2005  
*Hipponix conica* (Schumacher, 1817) 頂蓋螺 Ref. 同前  
*Hipponix foliacea* (Quoy & Gaimard, 1835) 環蓋螺 Ref. 林朝榮。1974  
*Malluvium otohimeae* Habe, 1946 少女頂蓋螺 Ref. 施乃普。1975  
*Pilosabia trigona* (Gmelin, 1791) 毛蓋螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Sabia acuta* (Quoy & Gaimard, 1835) 粗紋頂蓋螺 Ref. 巫文隆、李彥錚。2005  
*Sabia conica* (Schumacher, 1817) 頂蓋螺 Ref. 林朝榮。1974

#### Family Hydrobiidae 釘螺科

*Clenchiella cf. microscopica* (G. Nevill, 1877) 微小扁釘螺 Ref. Ueng & Wang, 2006

#### Family Iravadiidae 河口螺科

*Iravadia australis* Hedley, 1900 澳洲金環螺 Ref. 張鎮國、巫文隆。2004  
*Iravadia bella* (A. Adams, 1853) 細紋河口螺 Ref. Ueng, Wang & Hou, 2003  
*Iravadia quadrasi* (Boettger, 1902) 方格河口螺 Ref. 同前  
*Iravadia reflecta* (Laseron, 1956) 環紋河口螺 Ref. 同前

#### Family Litiopidae 糟糠螺科

*Alaba hungerfordi* Sowerby, 1894 閃紋糟糠螺 Ref. Ueng & Wang, 2006  
*Alaba picta* (A. Adams, 1861) 蛛網糟糠螺 Ref. 同前

#### Family Littorinidae 玉黍螺科

*Echininus cumingii* (Pilsbry, 1901) 棘皮玉黍螺 Ref. 王繼忠、譚天錫。1979  
*Echininus cumingii* (Philippi, 1847) 棘黍螺 Ref. 施乃普。1975  
*Echininus cumingii* (Philippi, 1847) 棘皮玉黍螺 Ref. Kuroda, 1941  
*Echinolittorina feejeensis* (Reeve, 1857) Ref. Platax. Monograph 1, 2005  
*Echinolittorina reticulata* (Anton, 1838) 網格玉黍螺 Ref. 同前  
*Echinolittorina trochoides* (Gray, 1839) 顆粒玉黍螺 Ref. 同前  
*Granulilittorina exigua* (Dunker, 1860) 細粒玉黍螺 Ref. 王繼忠、譚天錫。1979  
*Granulilittorina millegrana* (Philippi, 1848) 台灣玉黍螺 Ref. 林朝榮。1974  
*Littoraria ardouiniana* (Heude, 1885) 翻唇玉黍螺 Ref. 藍子樵。2003  
*Littoraria articulata* (Philippi, 1846) &#34100 Ref. 藍子樵。2003  
*Littoraria brevicula* (Philippi, 1844) 短玉黍螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Littoraria coccinea* (Gmelin, 1791) 草莓玉黍螺 Ref. 林朝榮。1974  
*Littoraria conica* (Philippi, 1846) Ref. Kuroda, 1941  
*Littoraria intermedia* (Philippi, 1846) 居間玉黍螺 Ref. 吳全橙。1983  
*Littoraria lutea* (Philippi, 1847) 芝麻玉黍螺 Ref. 藍子樵。2003  
*Littoraria melanostoma* (Gray, 1839) 黑口玉黍螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Littoraria pallescens* (Philippi, 1846) 多彩玉黍螺 Ref. 藍子樵。2003  
*Littoraria philippiana* (Reeve, 1857) 菲力玉黍螺 Ref. 藍子樵。2003  
*Littoraria pintado* (Wood, 1828) 細點玉黍螺 Ref. 林朝榮。1974  
*Littoraria scabra* (Linnaeus, 1758) 粗紋玉黍螺 Ref. Kuroda, 1941  
*Littoraria scabra* (Linnaeus, 1758) 粗紋玉黍螺 Ref. 施乃普。1975  
*Littoraria scabra* (Lischke, 1871) 圓玉黍螺 Ref. 張寬敏。1982  
*Littoraria undulata* (Gray, 1839) 波紋玉黍螺 Ref. 林朝榮。1974  
*Nodilittorina leucosticta* (v. Martens, 1897) 粗肋玉黍螺 Ref. Kuroda, 1941  
*Nodilittorina leucosticta* (v. Martens, 1897) 粗肋玉黍螺 Ref. 林朝榮。1974  
*Nodilittorina pyramidalis* (Quay & Gaimard, 1833) 顆粒玉黍螺 Ref. 林朝榮。1974  
*Nodilittorina radiata* (Souleget in Eydoux & Souleyet, 1852) 細粒玉黍螺 Ref. Kuroda, 1941  
*Nodilittorina vidua* (Gould, 1859) 台灣玉黍螺 Ref. Kuroda, 1941

*Peasiella gaidei* (Montrouzier, 1866) 迷你玉黍螺 Ref. Kuroda, 1941  
*Tectarius coronatus* Valenciennes, 1832 金塔玉黍螺 Ref. 林朝榮。1974  
*Tectarius pagodus* (Linnaeus, 1758) 巨塔玉黍螺 Ref. Dharma, 1988

### Family Modulidae 壺螺科

*Modulus tectum* (Gmelin, 1792) 壺螺 Ref. 蔡英亞、陳同戰。2000

### Family Orectospiridae 高聳蟹守螺科

*Orectospira shikokuensis* (Yokoyama, 1928) 環瘤高聳蟹守螺 Ref. 李彥錚。2003

### Family Ovulidae 海兔螺科

*Aperiovula jeanae* Cate, 1973 珍妮海兔螺 Ref. 李彥錚。2001  
*Aperiovula robertsoni* Cate, 1973 黃玉海兔螺 Ref. 張昆煌、巫文隆。1997  
*Calpurnus lacteus* (Lamarck, 1810) 牙白海兔螺 Ref. 巫文隆、李彥錚。2005  
*Calpurnus lacteus* (Pease, 1862) 乳白海兔螺 Ref. 林朝榮。1974  
*Calpurnus verrucosus* (Linnaeus, 1758) 玉兔螺 Ref. 林朝榮。1974  
*Crenovolva striatula* (Sowerby, 1828) 細紋海兔螺 Ref. 林明輝。1991  
*Cymbovula deflexa* (Sowerby, 1848) Ref. Kuroda, 1941  
*Delonovula formosa* (A. Adams & Reeve, 1865) 菖蒲海兔螺 Ref. 施乃普。1975  
*Dentiovula dorsuosa* (Hinds, 1844) 細溝海兔螺 Ref. 施乃普。1975  
*Dentiovula tadashigei* Cate, 1973 忠重海兔螺 Ref. 林明輝。1993  
*Globovula margarita* (Sowerby, 1828) 真珠海兔螺 Ref. 林朝榮。1974  
*Hiatavolvula brunneiterma* (Cate, 1969) 褐端菱角螺 Ref. 賴景陽。1998  
*Margovula schildererorum* Cate, 1973 蒼白海兔螺 Ref. 巫文隆、李彥錚。2005  
*Margovula sinensis* (Sowerby, 1874) Ref. 許中泰。1975  
*Margovula tinctilis* Cate, 1973 淡彩海兔螺 Ref. 馬綉同。1990  
*Ovula costellata* Lamarck, 1810 紫口海兔螺 Ref. 陳景林。2006  
*Ovula isibasi* (Kuroda, 1928) 珍海兔螺 Ref. 許中泰。1975  
*Ovula ovum* (Linnaeus, 1758) 海兔螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Phenacovolva angasi* (Reeve, 1865) 安卡西菱角螺 Ref. 林明輝。1991  
*Phenacovolva brevirostris* (Schmacher, 1817) 短菱角螺 Ref. 施乃普。1975  
*Phenacovolva gigantea* Azuma, 1974 大白菱角螺 Ref. 藍子樵。1980  
*Phenacovolva hirasei* (Pilsbry, 1913) 平瀨菱角螺 Ref. 藍子樵。1980  
*Phenacovolva longirostrata* (Sowerby, 1828) 獨木舟菱角螺 Ref. 許中泰。1975  
*Phenacovolva philippinarum* (Sowerby, 1848) 菲律賓菱角螺 Ref. 施乃普。1975  
*Phenacovolva rehderi* Cate, 1973 雷達菱角螺 Ref. 賴景陽。1998  
*Phenacovolva rosea* (A. Adams, 1854) 玫瑰菱角螺 Ref. 賴景陽。1987  
*Phenacovolva tokioi* Cate, 1973 良雄菱角螺 Ref. 賴景陽。1998  
*Phenacovolva wakayamaensis* Cate & Azuma, 1973 和歌山菱角螺 Ref. 賴景陽。1998  
*Primovula concinna* (Adams & Reeve, 1948) 小白海兔螺 Ref. 林明輝。1993  
*Primovula piriei* Petuch, 1973 龍種海兔螺 Ref. 藍子樵。1999  
*Prinovula pudica* (A. Adams, 1854) 白帶小玉海兔螺 Ref. 林明輝。1993  
*Prinovula pudica* (A. Adams, 1854) 白帶小玉海兔螺 Ref. 林明輝。1993  
*Prosimnia semperi* (Weinkauff, 1881) 桶形前凹螺 Ref. Kuroda, 1941  
*Pseudocypraea adamsonii* (Sowerby, 1832) 阿當嵩海兔螺 Ref. 李彥錚。2002  
*Pseudosimnia marginata* (Sowerby, 1828) 環邊海兔螺 Ref. 張昆煌、巫文隆。1997  
*Pseudosimnia punctata* (Duclos, 1831) 天祿海兔螺 Ref. 施乃普。1975  
*Pseudosimnia sinensis* (Sowerby, 1874) 中華海兔螺 Ref. 陳景林。2006  
*Sandalia rhodia* (A. Adams, 1854) 玫瑰海兔螺 Ref. Lai, 1987  
*Sandalia triticea* (Lamarck, 1810) 玫瑰海兔螺 Ref. 林明輝。1991  
*Testudovula intricata* Cate, 1973 問題海兔螺 Ref. 李彥錚。2003  
*Testudovula nipponensis* (Pilsbry, 1913) 日本海兔螺 Ref. 李彥錚。2003  
*Testudovula orientis* Cate, 1973 日出海兔螺 Ref. 李彥錚。2003  
*Volva volva* (Linnaeus, 1758) 長菱角螺 Ref. 蔡英亞、陳同戰。2000  
*Volva volva* (Linnaeus, 1758) 長菱角螺 Ref. Kuroda, 1941  
*Volva volva* (Oyama, 1961) 菱角螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Xandarovula formosana* (Azuma, 1972) 台灣海兔螺 Ref. Cate, 1973  
*Xandarovula pagoda* Cate, 1973 薄殼黃寶海兔螺 Ref. 巫文隆、李彥錚。2005  
*Xandarovula xanthochila* (Kuroda, 1928) 黃寶海兔螺 Ref. 藍子樵。1980

### Family Pisanianuridae 紡錘毛螺科

*Pisanianura breviaxe* Kuroda & Habe in Habe, 1961 紡錘毛螺 Ref. 李彥錚。2001

### Family Planaxidae 芝麻螺科

*Angiola labiosa* (A. Adams, 1853) 金絲芝麻螺 Ref. 林朝榮。1974  
*Angiola longispira* (Smith, 1878) 高腰芝麻螺 Ref. 林朝榮。1974  
*Fissilabia decollatus* (Quoy & Gaimard, 1834) 華美芝麻螺 Ref. Kuroda, 1941  
*Planaxis sulcatus* (Born, 1778) 芝麻螺 Ref. 施乃普。1975  
*Supplanaxis niger* (Quoy & Gaimard, 1834) 黑芝麻螺 Ref. 陳景林。2006  
*Supplanaxis strigata* (Sowerby, 1865) 擬橫線濱螺 Ref. 施乃普。1975

### Family Pleuroceridae 川蝸科

*Semisulcospira dicksoni* Smith, 1878 Ref. Holikoshi, 1935  
*Semisulcospira libertina* (Gould, 1859) 川蝸 Ref. 羅進宗。1974

### Family Pomatiopsidae 截尾釘螺科

- Oncomelania hupensis* (Pilsbry & Hirase, 1905) 台灣釘螺 Ref. 趙大衛。1978  
*Oncomelania hupensis* (Habe & Miyazaki, 1962) 邱氏釘螺 Ref. 趙大衛。1978

### Family Potamididae 海蜷螺科

- Batillaria bronni* (Sowerby, 1887) 布隆氏海蜷 Ref. 林朝榮。1974  
*Batillaria cumingi* Crosse, 1862 瘦海蜷 Ref. 張寬敏。1982  
*Batillaria multiformis* (Lischke, 1869) 多型海蜷 Ref. 陶錫珍。1982  
*Batillaria sordida* (Gmelin, 1791) 黑瘤海蜷 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Batillaria zonalis* (Bruguere, 1792) 燒酒海蜷 Ref. 巫文隆、張崑雄。1977  
*Cerithidea cingulata* (Kiener, 1873) Ref. Kuroda, 1941  
*Cerithidea cingulata* Gmelin 桂海蜷 Ref. Kuroda, 1941  
*Cerithidea cingulata* (Gmelin, 1791) 桂海蜷 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Cerithidea djadjariensis* (Martin, 1899) 鐵尖海蜷 Ref. 同前  
*Cerithidea morchii* A. Adams 莫氏海蜷 Ref. Kuroda, 1941  
*Cerithidea ornata* A. Adams, 1854 斑海蜷 Ref. 張寬敏。1982  
*Cerithidea rhizophorarum* A. Adams 網目海蜷 Ref. Kuroda, 1941  
*Cerithidea rhizophorarum* A. Adams, 1854 網目海蜷 Ref. 戴永禎。1992  
*Cerithidea rhizophorarum* A. Adams, 1863 莫氏海蜷 Ref. 賴景陽。1997  
*Telescopium telescopium* (Linnaeus, 1758) 望遠鏡海蜷 Ref. 賴景陽。1997  
*Terebralia palustris* (Linnaeus, 1767) 泥海蜷 Ref. 林朝榮。1974  
*Terebralia sulcata* (Bruguere, 1792) 刻紋海蜷 Ref. 賴景陽。1997

### Family Pupinidae 豆蝸牛科

- Pseudopomatias eos* Pilsbry & Hirase, 1905 蠅豆蝸牛 Ref. 趙大衛、黃國銅。1991  
*Pupinella masuhowaruensis* Ueng & Chiou, 2004 梅山豆蝸牛 Ref. Ueng & Chiou, 2004  
*Pupinella swinhoei* H. Adams, 1866 台灣豆蝸牛 Ref. 張寬敏。1976

### Family Rissoidae 甕眼螺科

- Alvania cimax* (Linné, 1758) Ref. 張鎮國、巫文隆。2004  
*Alvania gradatoides* (Finlay, 1927) Ref. 張鎮國、巫文隆。2004  
*Alvania isolata* (Laseron, 1956) Ref. 張鎮國、巫文隆。2004  
*Apataxia cerithiformis* (Dunker, 1861) Ref. 張鎮國、巫文隆。2004  
*Apataxia cerithiformis* (Dunker, 1887) 金線甕眼螺 Ref. 林朝榮。1974  
*Apataxia erecta* Laseron, 1956 Ref. 張鎮國、巫文隆。2004  
*Apataxia rosea* (Deshayes, 1863) Ref. 張鎮國、巫文隆。2004  
*Costalynia costulata* (Dunker, 1860) 波筋丁子螺 Ref. 施乃普。1975  
*Costalynia laevicostulata* (Pilsbry, 1904) Ref. Kuroda, 1941  
*Isseliella incisa* (Laseron, 1956) Ref. 標本採集記錄  
*Merelina cheilostoma* (Tension-Wood, 1877) Ref. 張鎮國、巫文隆。2004  
*Merelina solida* (Laseron, 1956) Ref. 張鎮國、巫文隆。2004  
*Merelina succina* Laseron, 1956 Ref. 張鎮國、巫文隆。2004  
*Microstelma daedala* A. Adams, 1863 Ref. 張鎮國、巫文隆。2004  
*Microstelma formosus* Chang & Wu 2004 Ref. 張鎮國、巫文隆。2004  
*Microstelma japonica* (A. Adams, 1863) 日本甕眼螺 Ref. 李彥錚。2003  
*Microstelma lutaoui* Chang & Wu 2004 Ref. 張鎮國、巫文隆。2004  
*Microstelma thaumasia* (Melvill & Standen, 1898) Ref. 張鎮國、巫文隆。2004  
*Moerchiella artensis* (Montrouzier, 1872) Ref. 張鎮國、巫文隆。2004  
*Moerchiella gigantea* (Deshayes, 1850) 冰彫甕眼螺 Ref. 迷你貝殼中文種名小組。1988  
*Moerchiella orbigny* (A. Adams, 1851) Ref. 張鎮國、巫文隆。2004  
*Moerchiella persista* Laseron, 1956 Ref. 張鎮國、巫文隆。2004  
*Moerchiella simplicata* (Pease, 1862) Ref. 張鎮國、巫文隆。2004  
*Moerchiella spirata* (Sowerby, 1824) 白塔甕眼螺 Ref. Kuroda, 1941  
*Onoba delta* (Powell, 1955) Ref. 張鎮國、巫文隆。2004  
*Onoba mighelsi* (Gould, 1870) Ref. 張鎮國、巫文隆。2004  
*Onoba semicostata* (Montagu, 1803) Ref. 張鎮國、巫文隆。2004  
*Pandalosia catesbyana* (Orbigny, 1842) Ref. 張鎮國、巫文隆。2004  
*Pandalosia darwinensis* Laseron, 1956 Ref. 張鎮國、巫文隆。2004  
*Pandalosia ephamilla* (Watson, 1886) Ref. 張鎮國、巫文隆。2004  
*Pandalosia excelsis* Laseron, 1956 Ref. 張鎮國、巫文隆。2004  
*Pandalosia lutaoui* Chang & Wu 2004 Ref. 張鎮國、巫文隆。2004  
*Pandalosia moerchiella* Chang & Wu 2004 Ref. 張鎮國、巫文隆。2004  
*Phosinella allanae* (Laseron, 1950) Ref. 張鎮國、巫文隆。2004  
*Phosinella antoni* (Schwartz, 1860) Ref. 張鎮國、巫文隆。2004  
*Phosinella bellula* (A. Adams, 1851) Ref. 張鎮國、巫文隆。2004  
*Phosinella bicollaris* (Schwartz, 1860) Ref. 張鎮國、巫文隆。2004  
*Phosinella decepta* (Laseron, 1956) Ref. 張鎮國、巫文隆。2004  
*Phosinella fusca* (Gould, 1861) Ref. 張鎮國、巫文隆。2004  
*Phosinella gemma* (Hedley, 1899) Ref. 張鎮國、巫文隆。2004  
*Phosinella pulchra* (C. B. Adams, 1850) Ref. 張鎮國、巫文隆。2004  
*Phosinella tokyoensis* (Pilsbry, 1904) Ref. 張鎮國、巫文隆。2004  
*Phosinella tornatilis* (Gould, 1860) Ref. 張鎮國、巫文隆。2004  
*Phosinella villica* (Gould, 1861) Ref. 張鎮國、巫文隆。2004

*Pyramidelloides miranda* (A. Adams, 1861) 斜塔髯眼螺 Ref. 迷你貝殼中文種名小組。1988  
*Rissoa demessa* Tate & May, 1901 Ref. 張鎮國、巫文隆。2004  
*Rissoa discrepans* Tate & May, 1901 Ref. 張鎮國、巫文隆。2004  
*Rissoa gradata* (Orbigny in Tryon, 1887) Ref. 張鎮國、巫文隆。2004  
*Rissoa pellucida* (Powell, 1937) Ref. 張鎮國、巫文隆。2004  
*Rissoa ventricosa* (Desmarest, 1814) Ref. 張鎮國、巫文隆。2004  
*Rissoilna materinsulae* Pilsbry, 1904 白齒髯眼螺 Ref. 林朝榮。1974  
*Rissoilna scalariformis* Schwartz, 1886 階梯髯眼螺 Ref. 林朝榮。1974  
*Rissoilna scolopax* (Souverbie, 1881) Ref. Kuroda, 1941  
*Rissoina ambigua* Gould, 1862 Ref. Kuroda, 1941  
*Rissoina antoni* Schwartz, 1860 Ref. Kuroda, 1941  
*Rissoina artensis* Montrouzier in Souverbie & Montrouzier, 1872 Ref. 標本採集記錄  
*Rissoina bonneti* Cossmann, 1910 Ref. 張鎮國、巫文隆。2004  
*Rissoina evanida* (Laseron, 1956) Ref. 張鎮國、巫文隆。2004  
*Rissoina fortis* C. B. Adams, 1852 Ref. 張鎮國、巫文隆。2004  
*Rissoina helenae* E. A. Smith, 1890 Ref. 張鎮國、巫文隆。2004  
*Rissoina inca* Orbigny, 1840 Ref. 張鎮國、巫文隆。2004  
*Rissoina lutoai* Chang & Wu 2004 Ref. 張鎮國、巫文隆。2004  
*Rissoina materinsulae* Pilsbry, 1904 Ref. 張鎮國、巫文隆。2004  
*Rissoina otohimeae* (Kosuge, 1965) 少女髯眼螺 Ref. The Pei-yo. 31: 48-53  
*Rissoina pulchella* Brazier, 1877 Ref. 張鎮國、巫文隆。2004  
*Rissoina pusilla* Brocchi in Schwartz, 1860 Ref. 張鎮國、巫文隆。2004  
*Rissoina quinita* (Laseron, 1956) Ref. 張鎮國、巫文隆。2004  
*Rissoina rissoi* Audouin in Weinkauff, 1885 Ref. 張鎮國、巫文隆。2004  
*Rissoina scalariformis* C. B. Adams, 1852 Ref. 張鎮國、巫文隆。2004  
*Rissoina similis* Fuchs, 1869 Ref. 張鎮國、巫文隆。2004  
*Rissoina stricta* Menke, 1850 Ref. 張鎮國、巫文隆。2004  
*Rissoina taiwanica* Chang & Wu 2004 Ref. 張鎮國、巫文隆。2004  
*Rissoina thatcheria* Chang & Wu 2004 Ref. 張鎮國、巫文隆。2004  
*Rissoina tibicen* Melvill, 1912 Ref. 張鎮國、巫文隆。2004  
*Rissoina turricula* Pease, 1816 鬼牙髯眼螺 Ref. 迷你貝殼中文種名小組。1988  
*Rissolina cardinalis* (Brazier, 1877) Ref. 張鎮國、巫文隆。2004  
*Rissolina costulata* (Dunker, 1861) Ref. 張鎮國、巫文隆。2004  
*Rissolina crassa* (Angas, 1871) Ref. 張鎮國、巫文隆。2004  
*Rissolina decapitata* (Laseron, 1956) Ref. 張鎮國、巫文隆。2004  
*Rissolina distant* (Anton, 1839) Ref. 張鎮國、巫文隆。2004  
*Rissolina elegantissima* (Orbigny, 1853) Ref. 張鎮國、巫文隆。2004  
*Rissolina fimbriata* (Souverbie, 1872) Ref. 張鎮國、巫文隆。2004  
*Rissolina humpa* Chang & Wu 2004 Ref. 張鎮國、巫文隆。2004  
*Rissolina laseroni* Chang & Wu 2004 Ref. 張鎮國、巫文隆。2004  
*Rissolina ovalis* Chang & Wu 2004 Ref. 張鎮國、巫文隆。2004  
*Rissolina plicata* (A. Adams, 1853) Ref. 鍾柏生。2001  
*Rissolina plicatula* (Gould, 1861) Ref. 張鎮國、巫文隆。2004  
*Rissolina praecida* (Laseron, 1956) Ref. 張鎮國、巫文隆。2004  
*Rissolina scalariana* (A. Adams, 1851) Ref. 張鎮國、巫文隆。2004  
*Rissolina turricula* (Pease, 1861) Ref. 張鎮國、巫文隆。2004  
*Schwartziella gracilis* (Pease, 1861) Ref. 張鎮國、巫文隆。2004  
*Schwartziella inconspicua* (Brazier, 1877) Ref. 張鎮國、巫文隆。2004  
*Schwartziella triticea* Pease, 1816 縱肋髯眼螺 Ref. 迷你貝殼中文種名小組。1988  
*Schwartziella triticea* Pease, 1816 縱肋髯眼螺 Ref. 訂名組。1988  
*Stosicia augerea* (Laseron, 1956) Ref. 張鎮國、巫文隆。2004  
*Stosicia mirabilis* (Dunker, 1861) Ref. 張鎮國、巫文隆。2004  
*Stosicia pseudoconcinna* (Nevill, 1875) Ref. 張鎮國、巫文隆。2004  
*Stosicia undulata* (Laseron, 1956) Ref. 張鎮國、巫文隆。2004  
*Zebina affinis* (Garrent, 1873) 伴栗蟲丁子螺 Ref. 張崑雄等。1991  
*Zebina bidentata* (Philippi, 1845) Ref. 張鎮國、巫文隆。2004  
*Zebina browniana* (Orbigny, 1853) Ref. 張鎮國、巫文隆。2004  
*Zebina elata* (Bucquoy, Dautzenberg & Dollfus, 1886) Ref. 張鎮國、巫文隆。2004  
*Zebina imbricata* (Gould, 1861) Ref. 張鎮國、巫文隆。2004  
*Zebina inflata* Laseron, 1956 Ref. 張鎮國、巫文隆。2004  
*Zebina nitens* Laseron, 1956 Ref. 張鎮國、巫文隆。2004  
*Zebina rustica* (Watson, 1886) Ref. 張鎮國、巫文隆。2004  
*Zebina tridentata* (Michaud, 1830) 三齒髯眼螺 Ref. 施乃普。1975  
*Zebina vitrea* (Laseron, 1956) Ref. 張鎮國、巫文隆。2004  
*Zebinella decussata* (Montagu, 1803) Ref. 施乃普。1975  
*Zebinella inermis* (Brazier, 1877) Ref. 張鎮國、巫文隆。2004  
*Zebinella loueli* (Deshayes, 1856) Ref. 張鎮國、巫文隆。2004  
*Zebinella multicosata* (C. B. Adams, 1850) Ref. 張鎮國、巫文隆。2004  
*Zebinella reticulata* (Sowerby, 1824) Ref. 張鎮國、巫文隆。2004  
*Zebinella tenuistriata* (Pease, 1868) Ref. 張鎮國、巫文隆。2004

#### Family Siliquariidae 蚯蚓螺科

*Siliquaria anguina* (Linnaeus, 1758) 刺蚯蚓螺 Ref. Kuroda, 1941  
*Siliquaria cumingi* (Moersch, 1860) 蚯蚓螺 Ref. 施乃普。1975  
*Siliquaria lactea* (Lamarck, 1818) 龍盤蚯蚓螺 Ref. 李彥錚。2002  
*Siliquaria trochlearis* (Moersch, 1860) 小如意蚯蚓螺 Ref. 李彥錚。2001

### Family Stenothyridae 粟螺科

*Gangetia tigertii* Brandt, 1968 老虎陀螺螺 Ref. 張鎮國、巫文隆。2004  
*Stenothyra chiaochiensis* Ueng & Wang, 2003 礁溪粟螺 Ref. Ueng & Wang, 2003  
*Stenothyra chilkaensis* Preston, 1914 車鼓粟螺 Ref. 同前  
*Stenothyra edogawensis* Kuroda, 1962 田邊粟螺 Ref. 同前  
*Stenothyra edogawensis* Kuroda, 1962 宮地氏粟螺 Ref. 同前  
*Stenothyra formosana* Pilsbry & Hirase, 1904 台灣粟螺 Ref. 張寬敏。1991  
*Stenothyra glabra* A. Adams, 1861 光滑粟螺 Ref. Ueng & Wang, 2003  
*Stenothyra kanekoi* Kuroda, 1962 金子氏粟螺 Ref. 同前  
*Stenothyra orissaensis* Preston, 1914 蒼白粟螺 Ref. 同前  
*Stenothyra tainanica* Ueng & Wang, 2003 台南粟螺 Ref. 同前

### Family Strombidae 鳳凰螺科

*Lambis chiragra* (Linnaeus, 1758) 水字螺 Ref. 林朝榮。1974  
*Lambis crocata* (Link, 1807) 金黃蜘蛛螺 Ref. 賴景陽。1974  
*Lambis lambis* (Linnaeus, 1758) 蜘蛛螺 Ref. 林朝榮。1974  
*Lambis millepeda* Linnaeus, 1758 千足鳳凰螺 Ref. 賴景陽。1974  
*Lambis scorpius* (Linnaeus, 1758) 蠍螺 Ref. 賴景陽。1974  
*Lambis truncata* Kiener, 1843 Ref. 許中泰。1975  
*Lambis truncata* (Humphrey, 1843) 駱駝螺 Ref. 賴景陽。1974  
*Strombus aratum* (Roeding, 1798) 金袖鳳凰螺 Ref. 蔡英亞、陳同戰。2000  
*Strombus aurisdianae* Linnaeus, 1758 緋袖鳳凰螺 Ref. 張寬敏等。1983  
*Strombus bulla* (Roeding, 1798) 紅袖鳳凰螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Strombus canarium* Linnaeus, 1758 水晶鳳凰螺 Ref. 賴景陽。1974  
*Strombus dentatus* Linnaeus, 1758 三齒鳳凰螺 Ref. 賴景陽。1974  
*Strombus dilatatus* Swainson, 1821 豐滿鳳凰螺 Ref. 吳全橙。1983  
*Strombus epidromis* Linnaeus, 1758 圓袖鳳凰螺 Ref. 賴景陽。1974  
*Strombus epidromis* Linnaeus, 1758 圓袖鳳凰螺 Ref. 吳全橙。1982  
*Strombus erythrinus* Dillwyn, 1817 美肋鳳凰螺 Ref. 賴景陽。1974  
*Strombus gibberulus* Linnaeus, 1758 駝背鳳凰螺 Ref. 賴景陽。1974  
*Strombus labiatus* (Roeding, 1798) 百肋鳳凰螺 Ref. 賴景陽。1974  
*Strombus labiosus* Wood, 1828 大肚鳳凰螺 Ref. 賴景陽。1974  
*Strombus latissimus* Linnaeus, 1758 闊唇鳳凰螺 Ref. 蔡英亞、陳同戰。2000  
*Strombus lentiginosus* Linnaeus, 1758 粗瘤鳳凰螺 Ref. 賴景陽。1974  
*Strombus luhuanus* Linnaeus, 1758 紅嬌鳳凰螺 Ref. 賴景陽。1974  
*Strombus marginatus* DuRoi, 1844 多環鳳凰螺 Ref. 賴景陽。1974  
*Strombus marginatus* (Sowerby, 1874) Ref. 許中泰。1975  
*Strombus marginatus* Linnaeus, 1758 玉環鳳凰螺 Ref. 賴景陽。1974  
*Strombus microurceus* (Kira, 1959) 小花瓶鳳凰螺 Ref. 賴景陽。1974  
*Strombus minimus* Linnaeus, 1771 簪肩鳳凰螺 Ref. Kuroda, 1941  
*Strombus minimus* Linnaeus, 1771 簪肩鳳凰螺 Ref. 張寬敏等。1983  
*Strombus mutabilis* Swainson, 1821 花瓶鳳凰螺 Ref. 賴景陽。1974  
*Strombus pipus* (Roeding, 1798) 黑唇鳳凰螺 Ref. 賴景陽。1974  
*Strombus plicatus* Reeve, 1851 彎刀鳳凰螺 Ref. 蔡英亞、陳同戰。2000  
*Strombus sinuatus* Humphrey, 1786 紫袖鳳凰螺 Ref. 張寬敏等。1983  
*Strombus thersites* Swainson, 1823 厚唇鳳凰螺 Ref. 張寬敏等。1983  
*Strombus urceus* Linnaeus, 1758 黑嘴鳳凰螺 Ref. 林朝榮。1974  
*Strombus variabilis* Swainson, 1820 黑痣鳳凰螺 Ref. Dharma, 1988  
*Strombus vittatus* Reeve, 1851 日本竹筍鳳凰螺 Ref. 賴景陽。1974  
*Strombus vittatus* Linnaeus, 1758 竹筍鳳凰螺 Ref. 賴景陽。1974  
*Strombus vomer* (Roeding, 1798) 皺唇鳳凰螺 Ref. 賴景陽。1974  
*Terebellum terebellum* Roeding 閃電飛彈螺 Ref. 賴景陽。1998  
*Terebellum terebellum* Roeding 點花飛彈螺 Ref. 吳全橙。1983  
*Terebellum terebellum* Roding, 1798 閃電飛彈螺 Ref. 賴景陽。1998  
*Terebellum terebellum* Kuroda & Kawamoto, 1956 散花飛彈螺 Ref. 馬綉同。1976  
*Tibia fusus* (Linnaeus, 1758) 長鼻鳳凰螺 Ref. 賴景陽。1974  
*Tibia martini* Marrat, 1877 馬丁長鼻螺 Ref. 賴景陽。1974  
*Tibia powisi* Petit, 1842 包氏長鼻螺 Ref. 賴景陽。1974

### Family Thiaridae 錐蝸科

*Faunus ater* (Linnaeus, 1758) 黑蝸 Ref. Kuroda, 1941  
*Melanoides maculata* (Bruguier, 1789) 斑蝸 Ref. 巫文隆、李彥錚。2005  
*Melanoides tuberculata* Smith, 1878 台灣網蝸  
*Melanoides tuberculatus* (Smith, 1878) 台灣網蝸 Ref. 張寬敏。1991  
*Melanoides tuberculatus* Muller, 1774 網蝸 Ref. 林朝榮。1974  
*Stenomelania costellaris* (Lea, 1850) 細紋蝸 Ref. 林朝榮。1974  
*Stenomelania hastula* (Lea, 1850) Ref. Holikoshi, 1935  
*Stenomelania plicaria* (Born, 1778) 錐蝸 Ref. 林朝榮。1974

*Stenomelania tortuosa* (Bruguiere, 1789) 結節蝸 Ref. 張寬敏。1991  
*Stenomelania turriculus* (Lea, 1850) Ref. Kuroda, 1941  
*Tarebia granifera* (Lamarck, 1822) 瘤蝸 Ref. 林朝榮。1974  
*Thiara riqueti* (Grateloup, 1840) 流紋蝸 Ref. 張寬敏。1991  
*Thiara scabra* (Smith, 1878) Ref. Kuroda, 1941  
*Thiara scabra* (Muller, 1774) 塔蝸 Ref. 林朝榮。1974  
*Thiara torulosa* Bruguiere, 1789 結節蝸

#### Family Thycidae 笠瓷螺科

*Thyca ectoconcha* Sarasin, 1887 笠瓷螺 Ref. 邱郁文。1997

#### Family Tornidae 齒輪螺科

*Pygmaerota modesta* (Gould, 1861) 粗肋齒輪螺 Ref. 李彥錚。2002

#### Family Trichotropidae 毛螺科

*Amathina tricarinata* (Linnaeus, 1767) 三龍骨毛螺 Ref. Kuroda, 1941  
*Iphinoe uncarinatus* (Broderip & Sowerby, 1829) 旋梯毛螺 Ref. 李彥錚。2003  
*Trichoropsis cednulli* A. Adams, 1860 高塔毛法螺 Ref. 施乃普。1975

#### Family Triviidae 蛹螺科

*Niveria pilula* (Kiener, 1843) 圓球蛹螺 Ref. 葉人驥。1996  
*Robertotrivia eos* (Roberts, 1913) 白光蛹螺  
*Trivirostra akroterion* Cate, 1979 精雕蛹螺 Ref. 標本採集記錄  
*Trivirostra edgari* (Shaw, 1909) 艾氏蛹螺 Ref. 林朝榮。1974  
*Trivirostra exigua* (Gray, 1831) 桃紅蛹螺 Ref. 施乃普。1975  
*Trivirostra hordacea* (Kiener, 1843) 迷你蛹螺 Ref. 林朝榮。1974  
*Trivirostra oryza* (Lamarck, 1810) 白米蛹螺 Ref. 林朝榮。1974  
*Trivirostra pellucidula* (Gaskoin, 1846) Ref. 鍾柏生。2001

#### Family Truncatellidae 截尾螺科

*Truncatella amaniensis* Kuroda & Habe, 1961 阿美截尾螺 Ref. 張鎮國、巫文隆。2004  
*Truncatella guerinii* A. & J. B. Villa, 1841 斷殼蝸牛 Ref. 林朝榮。1974  
*Truncatella marginata* Kuster, 1855 邊緣截尾螺 Ref. 張鎮國、巫文隆。2004  
*Truncatella pfeifferi* Martens, 1860 圓頂蝸牛 Ref. 迷你貝殼中文種名小組。1988  
*Truncatella takaensis* Kuroda, 1941 高雄斷殼蝸牛 Ref. 張學文等。1995  
*Truncatella valida* Pfeiffer, 1846 瓦立達截尾螺 Ref. 張鎮國、巫文隆。2004

#### Family Turritellidae 錐螺科

*Kurosoia cingulifera* Sowerby, 1825 小錐螺 Ref. Kuroda, 1941  
*Neohastator huziokai* Ida, 1959 紫灰錐螺 Ref. 巫文隆、李彥錚。2005  
*Turritella terebra* Kiener, 1844 Ref. Kuroda, 1941  
*Turritella terebra* (Linnaeus, 1758) 錐螺 Ref. 賴景陽。1975  
*Turritella terebra* Reeve, 1849 Ref. 許中泰。1975

#### Family Vanikoridae 白彫螺科

*Vanikoro acellata* (Lamarck, 1822) 布紋白彫螺 Ref. 賴浩然。1999  
*Vanikoro distans* (Recluz, 1844) 楊桃白彫螺 Ref. 施乃普。1975  
*Vanikoro fenestrata* (A. Adams, 1863) 老鼠白彫螺 Ref. Kuroda, 1941  
*Vanikoro gueriniiana* (Recluz, 1844) 精緻白彫螺 Ref. 林朝榮。1974  
*Vanikoro helicoidea* (LeGuillou, 1842) 螺旋白彫螺 Ref. 李彥錚。2003  
*Vanikoro imbricata* Pease, 1861 細紋白彫螺 Ref. 迷你貝殼中文種名小組。1988  
*Vanikoro ligata* (Recluz, 1843) 螺紋白彫螺 Ref. 林朝榮。1974  
*Vanikoro solida* (Sowerby, 1865) 堅硬白彫螺 Ref. 李彥錚。2003

#### Family Vermetidae 蛇螺科

*Dendropoma maximum* (Sowerby, 1825) 有蓋蛇螺 Ref. 蔡英亞、陳同戰。2000  
*Serpulorbis dentiferus* (Sowerby, 1820) 雜斑蛇螺 Ref. 李彥錚。2002  
*Serpulorbis imbricatus* (Dunker, 1860) 大蛇螺 Ref. 蔡英亞、陳同戰。2000  
*Serpulorbis nodosorugosa* (Lischke, 1873) 紫蛇螺 Ref. 林朝榮。1974  
*Serpulorbis xenophorus* Habe, 1961 綴殼蛇螺 Ref. 藍子樵。1998  
*Spiroglyphus planorbis* (Dunker, 1860) 平輪蛇螺 Ref. 林朝榮。1974  
*Spiroglyphus spiruliformis* de Serres, 1861 蠕形蛇螺 Ref. 林朝榮。1974  
*Vermetus gordialis* (Morch, 1861) Ref. Kuroda, 1941  
*Vermetus renisectus* (Carpenter, 1857) Ref. 張璽等。1964  
*Vermetus tokyoensis* Pilsbry, 1895 東京蛇螺 Ref. 李彥錚。2002

#### Family Vitrinellidae 滑輪螺科

*Pseudoliotia pulchella* (Dunker, 1860) Ref. 張鎮國、巫文隆。2004  
*Pseudoliotina pulchella* (Dunker, 1861) 白菊齒輪螺 Ref. 迷你貝殼中文種名小組。1988

#### Family Viviparidae 田螺科

*Angulyagra polyzonata* Frauenfeld, 1862 多稜角螺  
*Cipangopaludina chinensis* (Griffith & Pidgeon, 1865) 圓田螺 Ref. 林朝榮。1974  
*Cipangopaludina compactus* (Kevill, 1869) Ref. Kuroda, 1941  
*Cipangopaludina formosensis* (Kobelt, 1876) Ref. Kuroda, 1941  
*Cipangopaludina miyagii* Kuroda, 1941 稜田螺 Ref. 張寬敏。1991  
*Sinotaia lapidea* (Heude) 雙帶石田螺 Ref. 巫文隆、簡士傑。2007

*Sinotaia quadrata* (Dautzenberg & Fischer, 1905) 螺紋石田螺 Ref. 巫文隆、李彥錚。2005  
*Sinotaia quadrata* (Reeve) Ref. Holikoshi, 1935  
*Sinotaia quadrata* (Benson, 1842) 石田螺 Ref. 陳秀男。1974

### Family Xenophoridae 綴殼螺科

*Onustus exuta* (Reeve, 1842) 陽傘螺 Ref. 蔡英亞、陳同戰。2000  
*Onustus exutus* (Reeve, 1842) 陽傘螺 Ref. Kuroda, 1941  
*Onustus indicus* (Gmelin, 1791) 印度綴殼螺 Ref. Kuroda, 1941  
*Stellaria chinensis* Philippi, 1841 中華綴殼螺 Ref. 蔡英亞、陳同戰。2000  
*Stellaria gigantea* Schepman, 1909 大綴殼螺 Ref. 巫文隆、李彥錚。2005  
*Stellaria solaris* (Linnaeus, 1767) 扶輪螺 Ref. 蔡英亞、陳同戰。2000  
*Xenophora japonica* Kuroda & Habe, 1971 日本綴殼螺 Ref. 巫文隆、李彥錚。2005  
*Xenophora pallidula* (Reeve, 1843) 綴殼螺 Ref. 巫文隆、李彥錚。2005  
*Xenophora solarioides* (Reeve, 1845) 太陽綴殼螺 Ref. Kuroda, 1941  
*Xenophora tenuis* Fulton, 1938 倉石綴殼螺 Ref. 許中泰。1975

## Order Neogastropoda 新腹足目

### Family Buccinidae 峨螺科

*Appisana crenilabrum* (A. Adams, 1855) Ref. Kuroda, 1941  
*Aulacofusus insulapratasensis* Okutani & Lan, 1994 東沙峨螺 Ref. Okutani & Lan, 1994  
*Babylonia areolata* (Link, 1807) 象牙鳳螺 Ref. 邱郁文。1991  
*Babylonia areolata* Lan, 1997 南海象牙鳳螺 Ref. 藍子樵。1998  
*Babylonia feicheni* Shikama, 1973 妃珍鳳螺 Ref. 藍子樵。1996  
*Babylonia formosae* Altena & Gittenber, 1981 波部鳳螺 Ref. 藍子樵。1996  
*Babylonia formosae* (Sowerby, 1866) 台灣鳳螺 Ref. 邱郁文。1991  
*Babylonia japonica* (Reeve, 1842) 日本鳳螺 Ref. Kuroda, 1941  
*Babylonia kirana* Habe, 1965 吉良鳳螺 Ref. 藍子樵。1996  
*Babylonia lutosa* (Lamarck, 1822) 霧花鳳螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Babylonia perforata* (Sowerby, 1870) 有齒鳳螺 Ref. 藍子樵。1974  
*Babylonia spirata* (Linnaeus, 1758) 深溝鳳螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Buccinum bednalli* (Sowerby, 1895) 白蘭地峨螺 Ref. 李彥錚。2002  
*Buccinum opisoplectum* Dall, 1907 後旋峨螺 Ref. 張崑雄。1985  
*Buccinum zelotes* Dall, 1907 旋塔峨螺 Ref. 張崑雄。1985  
*Caducifer truncata* (Hinds, 1844) 截頭峨螺 Ref. 林朝榮。1974  
*Cantharus cecillei* (Philippi, 1844) 塞西雷峨螺 Ref. 李彥錚。1997  
*Cantharus leucotaniatus* Kosuge, 1985 焦斑峨螺 Ref. 賴景陽。1998  
*Cantharus melanostoma* (Sowerby I, 1825) 焦泥峨螺 Ref. 張光宏。1989  
*Clivipollia fragaria* (Wood, 1828) 似筆峨螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Clivipollia pulchra* (Reeve, 1846) 可愛峨螺 Ref. 林朝榮。1974  
*Colus aurorae* Shikama, 1977 中途島峨螺 Ref. 李彥錚。2003  
*Colus hayashii* Shikama, 1971 林氏峨螺 Ref. 李彥錚。2001  
*Colus tashiensis* Lee & Lan, 2002 大溪峨螺 Ref. 李彥錚、藍子樵。2002  
*Ecmanis ignea* (Gmelin, 1791) 火焰峨螺 Ref. 林朝榮。1974  
*Ecmanis tritonoides* (Reeve, 1846) Ref. Kuroda, 1941  
*Engina egregia* (Reeve, 1844) 花斑粗鳳峨螺 Ref. 李彥錚。2002  
*Enzinopsis alveolata* (Kiener, 1836) 齒槽峨螺 Ref. 林明輝。1991  
*Enzinopsis idosia* (Duclos, 1835) 荔枝斗峨螺 Ref. 林朝榮。1974  
*Enzinopsis incarnata* (Deshayes, 1834) 細點峨螺 Ref. 林朝榮。1974  
*Enzinopsis lanceolata* Kuroda & Habe, 1971 小焦黃峨螺 Ref. 李彥錚。1997  
*Enzinopsis lineata* (Reeve, 1846) 小斑馬峨螺 Ref. 林朝榮。1974  
*Enzinopsis menkeana* (Dunker, 1860) 玉米峨螺 Ref. 巫文隆、李彥錚。2005  
*Enzinopsis mundula* (Melvill & Standen, 1896) 潔峨螺 Ref. 林朝榮。1974  
*Enzinopsis phasianola* (Duclos, 1840) Ref. Kuroda, 1941  
*Enzinopsis zatricium* (Melvill, 1894) 亂斑鬚斗螺 Ref. 施乃普。1975  
*Enzinopsis zepa* (Duclos, 1835) 細小斑馬峨螺 Ref. 林朝榮。1974  
*Enzinopsis zonalis* (Lamarck, 1822) 正斑馬峨螺 Ref. 施乃普。1975  
*Hindsia mergregia* (Reeve, 1844) Ref. Kuroda, 1941  
*Japeuthria cingulata* (Reeve, 1847) 褐線峨螺 Ref. 陳景林。2006  
*Nassaria acmeleuca* Lee, MS 頂白峨螺 Ref. 李彥錚。2000  
*Nassaria acuminata* (Reeve, 1844) 阿Q峨螺 Ref. 蔡英亞、陳同戰。2000  
*Nassaria acutispinata* (Sowerby, 1913) 尖塔峨螺 Ref. 李彥錚。2000  
*Nassaria bitubercularis* (A. Adams, 1851) 雙瘤峨螺 Ref. 蔡英亞、陳同戰。2000  
*Nassaria magnifica* (Lischke, 1871) 堂皇峨螺 Ref. 李彥錚。2000  
*Nassaria problematica* (Iredale, 1936) 問題峨螺 Ref. 李彥錚。2000  
*Nassaria solida* (Kuroda & Habe in Habe, 1961) 寶塔峨螺 Ref. 方力行、李健全。1994  
*Nassaria spinigera* (Hayashi & Habe, 1965) 寬帶峨螺 Ref. 李彥錚。2000  
*Neptunea cumingii* (Crosse, 1862) 卡民氏峨螺 Ref. 李彥錚。1997  
*Neptunea kuroshio* Oyama, 1958 黑潮峨螺 Ref. 李彥錚。2001  
*Phos nodicostatum* A. Adams, 1851 粗糙峨螺 Ref. 李彥錚。2001  
*Phos roseatus* (Hinds, 1844) 玫瑰峨螺 Ref. 巫文隆、李彥錚。2005  
*Phos senticosus* (Linnaeus, 1758) 木賊峨螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Phos varicosus* (Gould, 1849) 斑節峨螺 Ref. 李彥錚。1997

*Polia fumosus* (Dillwyn, 1817) 焦黃峨螺 Ref. 林朝榮。1974  
*Polia mollis* (Gould, 1860) 莫利斯峨螺 Ref. 張崑雄。1985  
*Polia rubiginosus* (Reeve, 1847) Ref. Kuroda, 1941  
*Polia undosus* (Linnaeus, 1758) 粗紋峨螺 Ref. 林朝榮。1974  
*Prodotia iostoma* (Gray in Griffith & Pidgeon, 1834) 粗斑峨螺 Ref. 林朝榮。1974  
*Pusiosoma mendicaria* (Linnaeus, 1758) 斑馬峨螺 Ref. 林朝榮。1974  
*Siphonalia callizona* Habe, 1961 大瘤峨螺 Ref. 巫文隆、李彥錚。2005  
*Siphonalia cassidariaeformis* (Reeve, 1843) 軟帽峨螺 Ref. 鍾柏生。1993  
*Siphonalia filosa* (A. Adams, 1863) 絲線峨螺 Ref. 巫文隆、李彥錚。2005  
*Siphonalia fusoides* (Reeve, 1846) 正紡錘峨螺 Ref. 巫文隆、李彥錚。2005  
*Siphonalia spadicea* (Reeve, 1846) 麗紋峨螺 Ref. 吳全橙。1983  
*Siphonofusus lubrica* (Dall, 1918) 長吻峨螺 Ref. 鍾柏生。1993  
*Volutharpa ampullacea* (Middendoff, 1848) 蘋果峨螺 Ref. 李彥錚。1997

#### Family Cancellariidae 核螺科

*Axelella suduirauti* Verhecken, 1999 蘇氏核螺 Ref. 李彥錚。2002  
*Bonellitia garrardi* (Petit, 1974) *Bonellitia garrardi* Ref. 李彥錚。2002  
*Cancellaria asperella* (Lamarck, 1822) 金剛核螺 Ref. Lai, 1994  
*Cancellaria fulva* Lee & Lan, 2002 粗布核螺 Ref. 李彥錚。2001  
*Cancellaria gigantea* Lee & Lan, 2002 巨核螺 Ref. 何淑真、陳志勇。2004  
*Cancellaria habei* Petit, 1972 波部核螺 Ref. 何淑真、陳志勇。2004  
*Cancellaria oblonga* Sowerby, 1825 橄欖核螺 Ref. 何淑真、陳志勇。2004  
*Cancellaria sinensis* (Reeve, 1856) 中華核螺 Ref. 林明輝。1993  
*Cancellaria spengleriana* (Deshayes, 1830) 衣裳核螺 Ref. Lai, 1994  
*Fusiaphera azumai* Habe, 1961 波部塔形核螺 Ref. 何淑真、陳志勇。2004  
*Fusiaphera macrospira* (A. Adams & Reeve, 1850) 高塔核螺 Ref. 林明輝。1993  
*Fusiaphera macrospiratoides* Habe, 1961 塔形核螺 Ref. 何淑真、陳志勇。2004  
*Fusiaphera tosaensis* Habe, 1961 土佐塔核螺 Ref. 施乃普。1975  
*Mericia asperella* (Lamarck, 1822) 金剛核螺 Ref. 林明輝。1993  
*Momoebora sinensis* (Reeve, 1856) 中華核螺 Ref. 林明輝。1993  
*Neadmete japonica* (Smith, 1879) 日本核螺 Ref. 何淑真、陳志勇。2004  
*Scalptia crenifera* (Sowerby, 1833) 積鱗核螺 Ref. 林明輝。1993  
*Scalptia scalariformis* (Lamarck, 1822) 折紋核螺 Ref. 林明輝。1993  
*Sydaphera speengleriana* (Deshayes, 1830) 衣裳核螺 Ref. 林明輝。1993  
*Trigonostoma antiquata* (Hinds, 1843) 古董核螺 Ref. 林明輝。1993  
*Trigonostoma bicolor* (Hinds, 1843) 雙色核螺 Ref. 何淑真、陳志勇。2004  
*Trigonostoma obliquata* (Lamarck, 1822) 歪斜核螺 Ref. 何淑真、陳志勇。2004  
*Trigonostoma paucicostata* (Sowerby III, 1894) 紗布核螺 Ref. 李彥錚。2002  
*Trigonostoma teramachii* (Habe, 1961) 寺町核螺 Ref. 何淑真、陳志勇。2004  
*Tritonoharpa antiquata* (Reeve, 1844) 長形核螺 Ref. 李彥錚。2002

#### Family Colubrariidae 布紋螺科

*Acamptochetus mitrella* (Adams & Reeve, 1850) 筆形布紋螺 Ref. 陳文德。2003  
*Colubraria antiquata* (Hinds, 1844) Ref. Kuroda, 1941  
*Colubraria cumingi* (Dohrn, 1861) 邱氏草人螺 Ref. 林朝榮。1974  
*Colubraria fautomei* Garrard, 1961 布紋螺 Ref. 陳景林。2006  
*Colubraria muricata* (Lightfoot, 1786) 花斑布紋螺 Ref. Kuroda, 1941  
*Colubraria nitidula* (Sowerby, 1833) 光澤布紋螺 Ref. Kuroda, 1941  
*Colubraria tortuosa* (Reeve, 1844) 扭彎布紋螺 Ref. 蔡英亞、陳同戰。2000  
*Metula inflatus* (Houbrick, 1984) 膨脹布紋螺 Ref. 陳文德。2003

#### Family Columbelloidea 麥螺科

*Aesopus spicula* (Duclos, 1835) 花松虫螺 Ref. 施乃普。1975  
*Anachis liocyma* (Pilsbry, 1904) 桃色牙螺 Ref. Kuroda, 1941  
*Anachis misera* (Sowerby, 1844) 菩薩麥螺 Ref. 施乃普。1975  
*Euplica borealis* (Plisbry, 1904) 駝背麥螺 Ref. 王繼忠、譚天錫。1979  
*Euplica deshayesi* Crosse, 1859 狄氏麥螺 Ref. 陳景林。2006  
*Euplica ionida* (Duclos, 1840 in 1835-40) 粉紅麥螺 Ref. 和貝類做朋友。2005  
*Euplica scripta* Lamarck, 1822 花麥螺 Ref. 藍子樵。1998  
*Euplica turturina* Duclos, 1835 球麥螺 Ref. 林朝榮。1974  
*Euplica varians* (Sowerby, 1833) 縮麥螺 Ref. 林朝榮。1974  
*Euplica versicolor* (Sowerby, 1832) 花麥螺 Ref. Kuroda, 1941  
*Graphicomassa hanleyi* (Duclos, 1835) 夢幻麥螺 Ref. 林朝榮。1974  
*Indomitrella conspersa* (Gaskoin, 1852) 桃唇麥螺 Ref. 陳景林。2006  
*Indomitrella lischkei* (Smith, 1879) 李氏麥螺 Ref. 陳景林。2006  
*Indomitrella martensi* (Lischke, 1871) 似長麥螺 Ref. 藍子樵。1998  
*Metanachis calliope* (Melvill, 1903) Ref. Kuroda, 1941  
*Metanachis jaspidea* (Sowerby, 1887) 寶石麥螺 Ref. 李彥錚。2002  
*Metanachis marquesa* (Gaskoin, 1852) 紅頂松虫螺 Ref. 施乃普。1975  
*Metanachis moleculina* (Duclos, 1835) 細粒麥螺 Ref. 林朝榮。1974  
*Mitrella bella* (Reeve, 1859) 茄形麥螺 Ref. 李彥錚。2002  
*Mitrella biconcincta* (Gould, 1860) 花帶麥螺 Ref. 施乃普。1975  
*Mitrella constricta* Kuroda Ref. 張崑雄、鄭明修。1989

*Mitrella livescens* (Reeve, 1858) 雜斑麥螺 Ref. 李彥錚。2002  
*Mitrella scripta* (Linnaeus, 1758) 火焰麥螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Mitrella tenuis* (Gaskoin, 1852) Ref. 張崑雄、鄭明修。1989  
*Parameteria philippinarum* (Reeve, 1843) 大麥螺 Ref. 中華民國貝類學會。1994  
*Pseudamycla rorida* (Reeve, 1843) Ref. Kuroda, 1941  
*Pyrene flava* (Bruguere, 1789) 黃麥螺 Ref. Kuroda, 1941  
*Pyrene marmorata* (Gray in Beechey, 1839) 雜斑麥螺 Ref. 李彥錚。2003  
*Pyrene ocellata* (Link, 1899) 黑麥螺 Ref. 中華民國貝類學會。1994  
*Pyrene punctata* (Bruguere, 1789) 紅麥螺 Ref. 林朝榮。1974  
*Pyrene splendida* (Sowerby, 1894) 瑪瑙麥螺 Ref. 林明輝。1991  
*Pyrene testudinaria* (Link, 1806) 麥螺 Ref. Kuroda, 1941  
*Pyrene testudinaria* (Link, 1806) 麥螺 Ref. 林朝榮。1974  
*Pyrene testudinaria* (Griffith & Pidgeon, 1834) Ref. 王繼忠、譚天錫。1979  
*Pyreneola simplicata* (Sowerby III, 1894) 蜉蝣松虫螺 Ref. 施乃普。1975  
*Sulcomitrella kanamaruana* (Kuroda, 1953) 金丸麥螺 Ref. 李彥錚。2001  
*Zafra mitriformis* (A. Adams, 1860) 筆頭麥螺 Ref. 施乃普。1975  
*Zafra sinensis* (Sowerby, 1894) 罌粟松虫螺 Ref. 施乃普。1975  
*Zafra troglodytes* (Souverbie, 1866) Ref. Kuroda, 1941  
*Zafra lifuana* (Hervier, 1899) 玉米麥螺 Ref. 施乃普。1975

### Family Conidae 芋螺科

*Asprella cancellata* Hwass in Bruguere, 1792 Ref. 許中泰。1975  
*Conus abbreviatus* Reeve, 1843 麻斑芋螺 Ref. 標本採集記錄  
*Conus achatinus* Gmelin, 1791 花瑪瑙芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus arenatus* Hwass, 1792 紋身芋螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Conus armadillo* Shikama, 1971 犽徐芋螺 Ref. 藍子樵。1978  
*Conus aulicus* Linnaeus, 1758 宮廷芋螺 Ref. 賴浩然。1996  
*Conus auricomus* Hwass, 1792 金髮芋螺 Ref. 貝類中文訂名小組。1986  
*Conus australis* Holten, 1802 長芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus balteatus* Sowerby I, 1833 瘤肩芋螺 Ref. 大西正人。1991  
*Conus betulinus* Linnaeus, 1758 別緻芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus biliosus* (Roeding, 1798) 麻點芋螺 Ref. 陳景林。2006  
*Conus bullatus* Linnaeus, 1758 紅棗芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus canonicus* Hwass, 1792 虎斑芋螺 Ref. Dharmas, 1992  
*Conus capitaneus* Fulton, 1938 瑪瑙芋螺 Ref. 藍子樵。1998  
*Conus capitaneus* Linnaeus, 1758 船長芋螺 Ref. 林朝榮。1974  
*Conus characteristicus* Fischer, 1807 唐草芋螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Conus catus* Hwass, 1792 貓芋螺 Ref. 林朝榮。1974  
*Conus chaldeus* (Roeding, 1798) 小斑芋螺 Ref. 林朝榮。1974  
*Conus chiangi* Azuma, 1972 姜氏芋螺 Ref. 藍子樵。1976  
*Conus cinereus* Hwass, 1792 灰色芋螺 Ref. 藍子樵。1998  
*Conus circumcissus* Born, 1778 陽剛芋螺 Ref. 余賢德等。1998  
*Conus coccineus* Gmelin, 1791 花帶芋螺 Ref. 林朝榮。1974  
*Conus coffeae* Gmelin, 1791 咖啡芋螺 Ref. Kuroda, 1941  
*Conus comatosa* Pilsbry, 1904 夢中芋螺 Ref. 藍子樵。1975  
*Conus coronatus* Gmelin, 1791 花冠芋螺 Ref. 林朝榮。1974  
*Conus cylindraceus* Broderip & Sowerby, 1830 槍彈芋螺 Ref. 藍子樵。1980  
*Conus distans* Hwass, 1792 長距芋螺 Ref. 林朝榮。1974  
*Conus dusaveli* (Adams, 1872) 貴妃芋螺 Ref. 賴景陽。1998  
*Conus ebraeus* Linnaeus, 1758 斑芋螺 Ref. 林朝榮。1974  
*Conus eburneus* Weinkauff, 1874 黑牙芋螺 Ref. 張璽等。1975  
*Conus eburneus* Hwass, 1792 黑星芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus emaciatus* Reeve, 1849 少女芋螺 Ref. 方力行、李健全。1994  
*Conus episcopus* Hwass Ref. 許中泰。1975  
*Conus excelsus* Sowerby, 1908 雪花芋螺 Ref. 藍子樵。1977  
*Conus eximius* Reeve, 1849 特殊芋螺 Ref. 賴景陽。1998  
*Conus figulinus* Linnaeus, 1758 黑線芋螺 Ref. 施乃普。1975  
*Conus flavidus* Lamarck, 1810 紫霞芋螺 Ref. 林朝榮。1974  
*Conus floccatus* Sowerby II, 1841 金棗芋螺 Ref. 藍子樵。1980  
*Conus frigidus* Reeve, 1848 雲霞芋螺 Ref. 大西正人。1991  
*Conus fulgetrum* Sowerby, 1834 草蓆芋螺 Ref. 林朝榮。1974  
*Conus fulmen* Reeve, 1833 玳瑁芋螺 Ref. 吳全橙。1983  
*Conus generalis* Linnaeus, 1767 將軍芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus geographus* Linnaeus, 1758 殺手芋螺 Ref. 許中泰。1975  
*Conus glans* Hwass, 1792 龜頭芋螺 Ref. 林朝榮。1974  
*Conus glaucus* Linnaeus, 1758 海綠芋螺 Ref. 巫文隆、李彥錚。2005  
*Conus gloriamaris* Chemnitz, 1777 海之榮光芋螺 Ref. 李昭慶。2001  
*Conus habui* Lan, 2002 土生芋螺 Ref. Lan, 2002  
*Conus hirasei* (Kira, 1956) 平瀨芋螺 Ref. 藍子樵。1974  
*Conus ichinoseana* (Kuroda, 1956) 龍王芋螺 Ref. 許中泰。1975  
*Conus imperialis* Linnaeus, 1758 帝王芋螺 Ref. 林朝榮。1974  
*Conus inscriptus* Reeve, 1843 長頸鹿芋螺 Ref. Dharmas, 1992

*Conus ione* Fulton, 1938 紫蘿蘭芋螺 Ref. 藍子樵。1976  
*Conus kimioi* (Habe, 1965) 龍柱芋螺 Ref. 藍子樵。1976  
*Conus kinoshitai* (Kuroda, 1956) 木下芋螺 Ref. 藍子樵。1974  
*Conus kinoshitai* Shikama, 1973 黃帝芋螺 Ref. 藍子樵。1978  
*Conus kuroharai* (Habe, 1965) 黑原芋螺 Ref. 藍子樵。1975  
*Conus lani* Crandall, 1979 藍氏芋螺 Ref. Crandall, 1979  
*Conus legatus* Lamarck, 1810 花錦芋螺 Ref. 賴浩然。1996  
*Conus leopardus* (Roeding, 1798) 密碼芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus lischkeanus* Weinkauff, 1875 李氏芋螺 Ref. 賴景陽。1998  
*Conus litoglyphus* Hwass, 1792 玉帶芋螺 Ref. 陳景林。2006  
*Conus litteratus* Linnaeus, 1758 字碼芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus lividus* Hwass, 1792 晚霞芋螺 Ref. 林朝榮。1974  
*Conus longurionis* Kiener, 1845 柳斑芋螺 Ref. 賴景陽。1998  
*Conus luridus* A. Adams, 1853 Ref. 藍子樵。1998  
*Conus luteus* Sowerby I, 1833 黏土芋螺 Ref. Kuroda, 1941  
*Conus lynceus* Sowerby II, 1858 花簾芋螺 Ref. 李鳳蘭、陳銳球。1991  
*Conus magnificus* Reeve, 1843 美華芋螺 Ref. 賴浩然。1996  
*Conus magus* Linnaeus, 1758 僧袍芋螺 Ref. Kuroda, 1941  
*Conus marmoreus* Linnaeus, 1758 大理石芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus marmoreus* (Reeve, 1843) 寡婦芋螺 Ref. 賴景陽。1987  
*Conus memiae* (Habe & Kosuge, 1960) 美美芋螺 Ref. 賴景陽。1998  
*Conus miles* Linnaeus, 1758 柳絲芋螺 Ref. 林朝榮。1974  
*Conus miliaris* Hwass, 1792 百萬芋螺 Ref. 林朝榮。1974  
*Conus milneedwardsi* Melvill & Standen, 1899 印度洋榮光芋螺 Ref. 余文明。1997  
*Conus mitratus* Hwass, 1792 子彈芋螺 Ref. 林朝榮。1974  
*Conus moreleti* Crosse, 1858 莫氏芋螺 Ref. 大西正人。1991  
*Conus muriculatus* Sowerby I, 1833 紫端芋螺 Ref. 陳景林。2006  
*Conus musicus* Hwass, 1792 樂譜芋螺 Ref. Kuroda, 1941  
*Conus musicus* Hwass, 1792 樂譜芋螺 Ref. 林朝榮。1974  
*Conus musicus* Hwass, 1792 Ref. Kuroda, 1941  
*Conus mustelinus* Hwass, 1792 鼬鼠芋螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Conus nigropunctatus* Sowerby, 1857 黑雲芋螺 Ref. 標本採集記錄  
*Conus nisus* Linnaeus, 1758 飛彈芋螺 Ref. 林朝榮。1974  
*Conus obscurus* Sowerby I, 1833 朦朧芋螺 Ref. 林朝榮。1974  
*Conus oishii* (Shikama, 1977) 花瓶芋螺 Ref. 黃志建。2004  
*Conus orbigny* Audouin, 1831 歐氏芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus pagodus* Kiener, 1845 寶塔芋螺 Ref. 齊鍾彥等。1989  
*Conus parvulus* Link, 1807 桔梗芋螺 Ref. 大西正人。1991  
*Conus pennaceus* Hwass, 1792 主教芋螺 Ref. 貝類中文訂名小組。1986  
*Conus pennaceus* Born, 1778 金翎芋螺 Ref. Kuroda, 1941  
*Conus pennaceus* Born, 1778 金翎芋螺 Ref. Kuroda, 1941  
*Conus pergrandis* (Iredale, 1937) 大頭芋螺 Ref. 藍子樵。1978  
*Conus pertusus* Hwass, 1792 豔紅芋螺 Ref. 陳景林。2006  
*Conus planorbis* Born, 1778 焦黃芋螺 Ref. 陳景林。2006  
*Conus praecellens* A. Adams, 1854 深閨芋螺 Ref. 余賢德等。1998  
*Conus pseudorbigny* Rockel & Lan, 1981 假歐氏芋螺 Ref. Dieter & Lan, 1981  
*Conus pulicarius* Hwass, 1792 芝麻芋螺 Ref. 林朝榮。1974  
*Conus quercinus* Lightfoot, 1786 蠟黃芋螺 Ref. Kuroda, 1941  
*Conus radiatus* Gmelin, 1791 光環芋螺 Ref. 賴浩然。1996  
*Conus rattus* Hwass, 1792 鼠芋螺 Ref. 林朝榮。1974  
*Conus retuzianus* Bernardi, 1853 橘紅芋螺 Ref. 巫文隆、李彥錚。2005  
*Conus retifer* Menke, 1829 面紗芋螺 Ref. Kuroda, 1941  
*Conus rolani* Roeckel, 1986 羅蘭芋螺 Ref. 余賢德等。1998  
*Conus sanguinolentus* Quoy & Gaimard, 1834 血跡芋螺 Ref. 陳景林。2006  
*Conus scabriusculus* Dillwyn, 1817 鉛色芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus sieboldii* Reeve, 1848 西寶芋螺 Ref. 鄭明修等。1996  
*Conus smirna* Bartsch & Rehder, 1943 斜肩芋螺 Ref. 藍子樵。1976  
*Conus sponsalis* Sowerby, 1833 白花環芋螺 Ref. 陳景林。2006  
*Conus sponsalis* Hwass, 1792 花環芋螺 Ref. Kuroda, 1941  
*Conus sponsalis* Hwass, 1792 花環芋螺 Ref. 林朝榮。1974  
*Conus sponsalis* (Sowerby, 1833) 白花環芋螺 Ref. 余賢德。1998  
*Conus stercusmuscarum* Linnaeus, 1758 飛蠅芋螺 Ref. 陳景林。2006  
*Conus striatus* Linnaeus, 1758 細線芋螺 Ref. 林朝榮。1974  
*Conus striolatus* Kiener, 1845  
*Conus stupa* (Kuroda, 1956) 大佛塔芋螺 Ref. 藍子樵。1976  
*Conus stupella* (Kuroda, 1956) 小佛塔芋螺 Ref. 賴建維。1992  
*Conus sugimotonis* Kuroda, 1928 杉本芋螺 Ref. 藍子樵。1978  
*Conus sulcatus* Hwass, 1792 木乃伊芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus suratensis* Hwass, 1792 沙漏芋螺 Ref. Dharma, 1992  
*Conus teramachii* (Kuroda, 1956) 寺町芋螺 Ref. 藍子樵。1974  
*Conus terebra* Born, 1778 竹筍芋螺 Ref. 林朝榮。1974  
*Conus tessulatus* Born, 1778 紅磚芋螺 Ref. 林朝榮。1974

*Conus textile* Linnaeus, 1758 織錦芋螺 Ref. 林朝榮。1974  
*Conus thalassiarachus* Sowerby, 1834 刺繡芋螺 Ref. 標本採集記錄  
*Conus tisii* Lan, 1978 大中華芋螺 Ref. 藍子樵。1978  
*Conus tribblei* Walls, 1977 愛貓芋螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Conus tuberculosus* Tomlin, 1937 小結芋螺 Ref. 貝類中文訂名小組。1986  
*Conus tulipa* Linnaeus, 1758 鬱金香芋螺 Ref. 林朝榮。1974  
*Conus urashimanus* Kuroda & Ito, 1961 浦島芋螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Conus varius* Linnaeus, 1758 雲朵芋螺 Ref. 賴浩然。1996  
*Conus vexillum* Gmelin, 1791 旗幟芋螺 Ref. 林朝榮。1974  
*Conus virgo* Linnaeus, 1758 玉女芋螺 Ref. 蔡英亞、陳同戰。2000  
*Conus vitulinus* Hwass, 1792 小牛芋螺 Ref. 林朝榮。1974  
*Conus wakayamaensis* Kuroda, 1956 和歌山芋螺 Ref. 巫文隆、李彥錚。2005  
*Endemoconus gloriakiensis* Kuroda & Ito, 1961 光榮芋螺 Ref. 藍子樵。1975  
*Stephanococonus pauperculus* (Sowerby, 1834) Ref. 張崑雄、陳章波。1987

### Family Coralliophilidae 珊瑚螺科

*Babelomurex armatus* (Sowerby, III, 1912) 武裝花仙螺 Ref. 張寬敏等。1984  
*Babelomurex blowi* (Ladd, 1976) 布羅埃花仙螺 Ref. 鍾柏生。1988  
*Babelomurex cariniferoides* (Shikama, 1966) 龍骨花仙螺 Ref. 張寬敏等。1984  
*Babelomurex deburghiae* (Reeve, 1857) 夢幻花仙螺 Ref. 張寬敏等。1984  
*Babelomurex echinatus* (Azuma, 1960) 刺蝟花仙螺 Ref. 張寬敏等。1984  
*Babelomurex fearnleyi* (Emerson & D'Attilio, 1965) 菲氏花仙螺 Ref. 張寬敏等。1984  
*Babelomurex finchii* (Fulton, 1930) 芬氏花仙螺 Ref. 張寬敏等。1984  
*Babelomurex fruticosus* Kosuge, 1979 灌木花仙螺 Ref. 標本採集記錄  
*Babelomurex gemmatus* (Shikama, 1966) 寶石花仙螺 Ref. 張寬敏等。1984  
*Babelomurex habui* Azuma, 1971 小玉花仙螺 Ref. 藍子樵。1977  
*Babelomurex hirasei* (Shikama, 1978) 平瀨花仙螺 Ref. 張寬敏等。1984  
*Babelomurex japonicus* (Dunker, 1882) 日本花仙螺 Ref. 賴景陽。1998  
*Babelomurex kawanishii* (Kosuge, 1979) 川西花仙螺 Ref. 李彥錚。2003  
*Babelomurex kinoshitai* (Fulton, 1930) 木下花仙螺 Ref. 張寬敏等。1984  
*Babelomurex lischeanus* (Dunker, 1822) 鳳冠花仙螺 Ref. 張寬敏等。1984  
*Babelomurex longispinosus* (Suzuki, 1972) 派沙花仙螺 Ref. 鍾柏生。1988  
*Babelomurex marumai* (Habe & Kosuge, 1970) 白菊花仙螺 Ref. 藍子樵。1976  
*Babelomurex nakayasui* (Shikama, 1970) 中安花仙螺 Ref. 張寬敏等。1984  
*Babelomurex purpuratus* (Chenu, 1859) 紫堡花仙螺 Ref. 張寬敏等。1984  
*Babelomurex spinosus* (Hirase, 1908) 台灣花仙螺 Ref. 張寬敏等。1984  
*Babelomurex tosanus* (Hirase, 1908) 土佐花仙螺 Ref. 張寬敏等。1984  
*Babelomurex tuberosus* (Kosuge, 1980) 管棘花仙螺 Ref. 李彥錚。2003  
*Babelomurex yumimarumai* Kosuge, 1985 雙錐棘花仙螺 Ref. 巫文隆、李彥錚。2005  
*Coralliobia fimbriata* (A. Adams, 1854) 縐裙珊瑚螺 Ref. 鍾柏生。1988  
*Coralliophila bulbiformis* (Conrad, 1837) 粗皮珊瑚螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Coralliophila clathrata* (A. Adams, 1854) 格子珊瑚螺 Ref. 陳景林。2006  
*Coralliophila coronata* H. Adams, 1869 Ref. Kuroda, 1941  
*Coralliophila costularis* (Lamarck, 1816) 紡錘珊瑚螺 Ref. 王繼忠、譚天錫。1979  
*Coralliophila erosa* (Roeding, 1798) 大肚珊瑚螺 Ref. 蔡英亞、陳同戰。2000  
*Coralliophila inflata* (Dunker, 1847) 阿奇笨珊瑚螺 Ref. 張寬敏等。1984  
*Coralliophila jeffreysi* Smith, 1879 傑氏花仙螺 Ref. 張寬敏等。1984  
*Coralliophila neritoidea* (Lamarck, 1816) 紫口珊瑚螺 Ref. 林朝榮。1974  
*Coralliophila persica* Melville, 1897 竹筍花仙螺 Ref. 張寬敏等。1984  
*Coralliophila radula* (A. Adams, 1855) 梨形珊瑚螺 Ref. 張寬敏等。1984  
*Coralliophila scuamalosus* (Reeve, 1846) Ref. Kuroda, 1941  
*Coralliophila solutistoma* Kuroda & Shikama, 1966 寬口珊瑚螺 Ref. 張寬敏等。1984  
*Coralliophila squamoissima* (E. A. Smith, 1876) 花籃珊瑚螺 Ref. 張寬敏等。1984  
*Emozamia licinus* (Hedley & Petterd, 1906) 網格花仙螺 Ref. 李彥錚。2002  
*Hiromurex fililaregis* (Kurohara, 1959) 綺麗花仙螺 Ref. 張寬敏等。1984  
*Hiromurex kawamurai* (Shikama, 1978) 河村花仙螺 Ref. 張寬敏等。1984  
*Hiromurex teramachii* (Kuroda, 1959) 寺町花仙螺 Ref. 張寬敏等。1984  
*Hiromurex winckworthi* (Fulton, 1930) 溫氏花仙螺 Ref. 張寬敏等。1984  
*Latiaxis hayashii* Shikama, 1966 林氏花仙螺 Ref. 張寬敏等。1984  
*Latiaxis kawamurai* Kira, 1959 Ref. 許中泰。1975  
*Latiaxis kiranus* Kuroda, 1959 Ref. 許中泰。1975  
*Latiaxis latipinnatus* Azuma, 1961 展翼花仙螺 Ref. 張寬敏等。1984  
*Latiaxis mawae* (Griffith & Pidgeon, 1834) 瑪娃花仙螺 Ref. 余賢德等。1998  
*Latiaxis pagodus* (A. Adams, 1852) Ref. 許中泰。1975  
*Latiaxis pilsbryi* Hirase, 1908 皮氏花仙螺 Ref. 張寬敏等。1984  
*Magilus antiquus* Montfort, 1810 珊瑚礁螺 Ref. 林朝榮。1974  
*Magilus lamarckii* (Deshayes, 1863) Ref. Kuroda, 1941  
*Magilus striatus* (Riipel, 1835) 橄欖珊瑚礁螺 Ref. 鍾柏生。1988  
*Mipus crebrilamellosus* (Sowerby, 1913) 積鱗花仙螺 Ref. 張寬敏等。1984  
*Mipus eugeniae* (Bernardi, 1853) 蒜頭花仙螺 Ref. 張寬敏等。1984  
*Mipus gyratus* (Hinds, 1844) 旋梯花仙螺 Ref. 張寬敏等。1984  
*Mipus mamimarumai* Kosuge, 1980 寶塔花仙螺 Ref. 張寬敏等。1984

*Quoyula madreporara* (Sowerby, 1824) 玉女珊瑚螺 Ref. 林朝榮。1974  
*Rapa bulbiformis* Sowerby III, 1870 Ref. Kuroda, 1941  
*Rapa incurva* (Dunker, 1853) 小洋蔥螺 Ref. Kuroda, 1941  
*Rapa rapa* (Linnaeus, 1758) 洋蔥螺 Ref. 張寬敏等。1984  
*Rhizochilus antipathum* Steenstrup, 1850 蟲蠶花仙螺 Ref. 李彥錚。2002

### Family Costellariidae 蝸筆螺科

*Arenimitra pacifica* (Reeve, 1844) Ref. Kuroda, 1941  
*Costellaria obeliscus* (Reeve, 1844) 情網蝸筆螺 Ref. 張寬敏等。1984  
*Costellaria polygona* (Gmelin, 1791) 多稜蝸筆螺 Ref. 張寬敏等。1984  
*Costellaria sculptile* (Reeve, 1845) 密彫蝸筆螺 Ref. 巫文隆、李彥錚。2005  
*Costellaria zelotypa* (Reeve, 1844) Ref. Kuroda, 1941  
*Mitropifex amanda* (Reeve, 1844) 阿曼達蝸筆螺 Ref. Kuroda, 1941  
*Mitropifex fuscoapicatus* (E. A. Smith, 1879) 三帶蝸筆螺 Ref. 施乃普。1975  
*Mitropifex isaoi* Kuroda & Sakurai in Kuroda, 1959 瀧庸蝸筆螺 Ref. 李彥錚。2001  
*Pusia amabilis* (Reeve, 1845) Ref. Kuroda, 1941  
*Pusia cancellarioides* (Anton, 1839) 白莖蝸筆螺 Ref. 張寬敏等。1984  
*Pusia cavea* (Reeve, 1844) 洞穴蝸筆螺 Ref. 陳景林。2006  
*Pusia consanguinea* (Reeve, 1845) 桑葚蝸筆螺 Ref. 林朝榮。1974  
*Pusia crocata* (Lamarck, 1811) 番紅花蝸筆螺 Ref. Thach, 2007  
*Pusia discolaria* (Reeve, 1845) 斑帶蝸筆螺 Ref. 藍子樵。1998  
*Pusia hanleyi* (Dohrn, 1861) Ref. Kuroda, 1941  
*Pusia lauta* (Reeve, 1845) 花球蝸筆螺 Ref. 鍾柏生。1993  
*Pusia lubens* (Reeve, 1845) 浮彫蝸筆螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Pusia microzonias* (Lamarck, 1811) 黑少女蝸筆螺 Ref. 陳景林。2006  
*Pusia patriarchalis* (Gmelin, 1791) 教皇帽筆螺 Ref. 林朝榮。1974  
*Pusia speciosa* (Reeve, 1844) 粗繡蝸筆螺 Ref. 陳景林。2006  
*Pusia suavis* (Souverbie, 1875) Ref. Kuroda, 1941  
*Pusia tuberosa* (Reeve, 1844) 結瘤蝸筆螺 Ref. 藍子樵。1998  
*Pusia tusa* (Reeve, 1845) 玉女蝸筆螺 Ref. 林朝榮。1974  
*Pusia unifasciale* (Lamarck, 1811) 幻彩蝸筆螺 Ref. Kuroda, 1941  
*Pusia venustula* (Reeve, 1844) Ref. Kuroda, 1941  
*Thala exilis* (Reeve, 1845) Ref. Kuroda, 1941  
*Thala jaculanda* (Gould, 1860) 蚤蝸筆螺 Ref. 施乃普。1975  
*Thala milium* (Reeve, 1845) 嬌小蝸筆螺 Ref. 迷你貝殼中文種名小組。1988  
*Thala secalina* (Gould, 1860) 迷你蝸筆螺 Ref. 同前  
*Vexillum coccineum* (Reeve, 1844) 紅蝸筆螺 Ref. 張寬敏等。1984  
*Vexillum curviliratum* (Sowerby, 1874) 黑蝸筆螺 Ref. 張寬敏等。1984  
*Vexillum exasperatum* (Gmelin, 1791) 刺繡蝸筆螺 Ref. Dharma, 1988  
*Vexillum formosense* (Sowerby, 1890) Ref. 許中泰。1975  
*Vexillum melongenium* (Lamarck, 1811) 茄色蝸筆螺 Ref. 巫文隆、李彥錚。2005  
*Vexillum osiridis* Issel, 1869 Ref. 藍子樵。1998  
*Vexillum plicarium* (Linnaeus, 1758) 繩紋蝸筆螺 Ref. Kuroda, 1941  
*Vexillum pratense* Lan, 2004 東沙春柏蝸筆螺 Ref. 藍子樵。2004  
*Vexillum radix* (Sowerby, 1874) 根蝸筆螺 Ref. 藍子樵。1998  
*Vexillum rugosum* (Gmelin, 1791) 黑帶蝸筆螺 Ref. 賴景陽。1990  
*Vexillum taeniatum* (Lamarck, 1811) 紅蝸筆螺 Ref. Kuroda, 1941  
*Vromitra acuminata* (Gmelin, 1791) 鐵灰筆螺 Ref. 張寬敏等。1984  
*Zierliana ziervogelii* (Gmelin, 1791) 鐵齒蝸筆螺 Ref. 鍾柏生。1993

### Family Fascioliidae 旋螺科

*Benimakia fastigium* (Reeve, 1847) 斜肩旋螺 Ref. Kuroda, 1941  
*Dolicholairus lancea* (Gmelin, 1791) 長矛旋螺 Ref. 陳景林。2006  
*Fusinus colus* (Linnaeus, 1758) 紡軸長旋螺 Ref. Kuroda, 1941  
*Fusinus crassiplicatus* Kira, 1959 縱肋長旋螺 Ref. 許中泰。1975  
*Fusinus forceps* (Perry, 1811) 圓長旋螺 Ref. Kuroda, 1941  
*Fusinus forceps* Fulton, 1930 長旋螺 Ref. 蔡英亞、陳同戰。2000  
*Fusinus hyphalus* (M. Smith, 1940) 網紋旋螺 Ref. 張昆煌、巫文隆。1997  
*Fusinus longicaudus* (Lamarck, 1816) 枋準長旋螺 Ref. 許中泰。1975  
*Fusinus nicobaricus* (Roeding, 1798) 花斑長旋螺 Ref. 賴景陽。1987  
*Fusinus perplexus* (A. Adams, 1864) 鐵鏽長旋螺 Ref. 巫文隆、李彥錚。2005  
*Fusinus toreumus* (Deshayes, 1835) 白長旋螺 Ref. 巫文隆、李彥錚。2005  
*Fusolairus coreanicus* (Smith, 1879) 高麗旋螺 Ref. 李彥錚。2001  
*Fusolairus kuroseanus* Okutani, 1975 黑瀨旋螺 Ref. 巫文隆、李彥錚。2005  
*Granulifusus hayashii* Habe, 1961 林氏長旋螺 Ref. 賴景陽。1998  
*Granulifusus kiranus* Shuto, 1958 吉良長旋螺 Ref. 賴景陽。1998  
*Granulifusus niponicus* (E. A. Smith, 1879) 日本長旋螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Granulifusus niponicus* (Pilsbry, 1904) Ref. 標本採集記錄  
*Latirulus turritus* (Gmelin, 1791) 黑紋塔旋螺 Ref. 林朝榮。1974  
*Latirus craticulatus* (Linnaeus, 1758) 紅斑塔旋螺 Ref. 林朝榮。1974  
*Latirus formosior* Melville, 1891 瘤肋旋螺 Ref. 賴景陽。1998  
*Latirus kandai* Kuroda, 1950 神田旋螺 Ref. 賴景陽。1998  
*Latirus lanceolatus* (Reeve, 1847) 矛頭長旋螺 Ref. 賴浩然。1996

*Latirus nodatus* (Gmelin, 1791) 粗瘤旋螺 Ref. Kuroda, 1941  
*Latirus noumeensis* (Crosse, 1870) 金線旋螺 Ref. Kuroda, 1941  
*Latirus paetelianus* (Kobelt, 1874) 咖啡旋螺 Ref. 賴景陽。1998  
*Latirus polygonus* Reeve, 1847 摺軸旋螺 Ref. 方力行、李健全。1994  
*Latirus polygonus* (Gmelin, 1791) 多稜旋螺 Ref. 林朝榮。1974  
*Leucozonia smaragdula* (Linnaeus, 1758) 鈞錘旋螺 Ref. 林朝榮。1974  
*Peristernia australiensis* (Reeve, 1847) 澳洲旋螺 Ref. 張崑雄。1985  
*Peristernia incarnata* (Kiener, 1840) 胭脂旋螺 Ref. 藍子樵。1998  
*Peristernia nassatula* (Lamarck, 1822) 紫口旋螺 Ref. 林朝榮。1974  
*Peristernia ustulata* (Reeve, 1847) 黑端旋螺 Ref. Dharma, 1988  
*Pleuroploca filamentosa* (Roeding, 1798) 赤旋螺 Ref. 蔡英亞、陳同戰。2000  
*Pleuroploca glabra* (Dunker, R.W., 1882) 光滑赤旋螺 Ref. 許中泰。1975  
*Pleuroploca trapezium* (Linnaeus, 1758) 角赤旋螺 Ref. 陳景林。2006  
*Pleuroploca trapezium* (Strebel, 1912) 大赤旋螺 Ref. 林朝榮。1974  
*Pseudolatirus discrepans* Kuroda & Habe, 1961 東港旋螺 Ref. 藍子樵。1980  
*Simplicifusus graciliformis* (Sowerby, 1880) 細長旋螺 Ref. 李彥錚。2001

#### Family Harpidae 楊桃螺科

*Harpa amouretta* Roeding, 1798 小楊桃螺 Ref. 蔡英亞、陳同戰。2000  
*Harpa articularis* Lamarck, 1822 斑節楊桃螺 Ref. 藍子樵等。1982  
*Harpa davidis* Roeding, 1798 大衛楊桃螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Harpa gracilis* Broderip & Sowerby, 1829 姬楊桃螺 Ref. 吳全橙。1983  
*Harpa harpa* (Linnaeus, 1758) 艷美楊桃螺 Ref. 藍子樵等。1982  
*Harpa major* Roeding, 1798 大楊桃螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Morum amabilis* Shikama, 1973 可愛皺螺 Ref. 賴景陽。1998  
*Morum cancellatum* (Sowerby, 1824) 方格皺螺 Ref. 齊鍾彥、馬綉同。1980  
*Morum grande* (Adams, 1855) 大皺螺 Ref. 賴景陽。1998  
*Morum macandrewi* (Sowerby, 1889) 麻袋皺螺 Ref. 藍子樵。1985

#### Family Kanamariidae

*Kanamaria adonis* (Dall, 1919) 阿多尼斯王峨螺 Ref. 李彥錚。1997

#### Family Marginellidae 穀米螺科

*Marginella bernardi* Largilliert, 1845 台灣穀米螺 Ref. 藍子樵。1992  
*Marginella cf. philippinarum* Redfield, 1848 菲律賓穀米螺 Ref. 張璽等。1975  
*Marginella falsijaponica* Habe, 1961 米粒穀米螺 Ref. 藍子樵。1992  
*Marginella hirasei* (Bavary, 1917) 平瀨穀米螺 Ref. 施乃普。1975  
*Marginella japonicus* Nomura & Habe, 1940 東洋穀米螺 Ref. 藍子樵。1992  
*Marginella neglecta* Sowerby, 1846 小米粒穀米螺 Ref. 藍子樵。1992  
*Marginella sueziensis* (Issel, 1869) 迷你穀米螺 Ref. 李彥錚。2005  
*Marginellona gigas* (Martens, 1904) 東沙穀米螺 Ref. 藍子樵。1993

#### Family Melongenidae 香螺科

*Hemifusus cochidium* (Linnaeus, 1758) 印度洋黑香螺 Ref. 巫文隆。1998  
*Hemifusus colosseus* (Lamarck, 1816) 長香螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Hemifusus crassicaudus* (Philippi, 1849) 角香螺 Ref. 巫文隆。1998  
*Hemifusus kawamurai* Habe, 1965 河村香螺 Ref. 巫文隆。1998  
*Hemifusus ternatanus* (Gmelin, 1790) 赤香螺 Ref. 張寬敏等。1983  
*Hemifusus tuba* (Gmelin, 1790) 香螺 Ref. 巫文隆、張寶仁、李彥錚。2000

#### Family Mitridae 筆螺科

*Acuticylindra nucea* (Gmelin, 1791) 橄欖球筆螺 Ref. 張寬敏等。1984  
*Cancilla abyssicola* (Schepman, 1911) 深淵筆螺 Ref. 李彥錚。2001  
*Cancilla filaris* (Linnaeus, 1771) 巧廚筆螺 Ref. 賴景陽。1987  
*Cancilla gloriola* Cerohorsky, 1970 輕紗筆螺 Ref. 張寬敏等。1984  
*Cancilla isabella* (Swainson, 1831) 白筆螺 Ref. 蔡英亞、陳同戰。2000  
*Cancilla morchii* (A. Adams, 1853) 大白筆螺 Ref. 張寬敏等。1984  
*Cancilla praestantissima* (Roeding, 1798) 黑彈簧筆螺 Ref. 張寬敏等。1984  
*Cylindromitra sinensis* (Reeve, 1844) 中華筆螺 Ref. 張寬敏等。1984  
*Dibaphus edentula* (Swainson, 1823) 齒斑筆螺 Ref. 張寬敏等。1984  
*Domiporta sigillata* (Azuma, 1965) 細粒筆螺 Ref. 李彥錚。2001  
*Imbricaria olivaeformis* (Swainson, 1821) 榧形筆螺 Ref. 張寬敏等。1984  
*Imbricaria punctata* (Swainson, 1821) 小芋筆螺 Ref. 張寬敏等。1984  
*Isara typha* (Reeve, 1845) 雙帶筆螺 Ref. 李彥錚。2002  
*Mitra cardinalis* (Gmelin, 1791) 圓鯉筆螺 Ref. 張寬敏等。1984  
*Mitra mitra* (Linnaeus, 1758) 錦鯉筆螺 Ref. 蔡英亞、陳同戰。2000  
*Mitra pellisserpentis* Reeve, 1844 黃筆螺 Ref. 林朝榮。1974  
*Mitra ustulata* Reeve, 1844 焦斑筆螺 Ref. 藍子樵。1998  
*Nebularia aurantia* (Gmelin, 1791) 黃金筆螺 Ref. 蔡英亞、陳同戰。2000  
*Nebularia aurora* Sowerby, 1874 夕陽筆螺 Ref. Kuroda, 1941  
*Nebularia avenacea* (Reeve, 1845) 燕麥筆螺 Ref. 藍子樵。1998  
*Nebularia chrysalis* (Reeve, 1844) 蛹形筆螺 Ref. 林朝榮。1974  
*Nebularia chrystostoma* (Broderip, 1839) 金口筆螺 Ref. 吳全橙。1983  
*Nebularia contracta* (Swainson, 1820) 塊斑筆螺 Ref. 張寬敏等。1984

*Nebularia coronata* (Lamarck, 1811) 花環筆螺 Ref. 林朝榮。1974  
*Nebularia ferruginea* (Lamarck, 1811) 粗斑筆螺 Ref. 林朝榮。1974  
*Nebularia fraga* (Quoy & Gaimard, 1833) 草莓筆螺 Ref. Kuroda, 1941  
*Nebularia hayashii* (Kira, 1959) 大楷筆螺 Ref. 張寬敏等。1984  
*Nebularia luctuosa* (A. Adams, 1853) 褐黑筆螺 Ref. 藍子樵。1998  
*Nebularia lugubris* (Swainson, 1821) 白肩筆螺 Ref. 巫文隆、李彥錚。2005  
*Nebularia proscissa* (Reeve, 1844) 褐離筆螺 Ref. 施乃普。1975  
*Nebularia puncticulata* (Lamarck, 1811) 金網筆螺 Ref. 吳全橙。1983  
*Nebularia rosacea* (Reeve, 1844) 羅莎筆螺 Ref. 張寬敏等。1984  
*Nebularia rubiginosa* (Reeve, 1844) 彩焰筆螺 Ref. 李彥錚。2001  
*Nebularia suturata* (Reeve, 1844) 細毫筆螺 Ref. 張寬敏等。1984  
*Nebularia tabanula* (Lamarck, 1811) Ref. 林朝榮。1974  
*Nebularia telescopium* (Reeve, 1844) 望遠鏡筆螺 Ref. Dharmaraj, 1992  
*Nebularia ticaonica* (Reeve, 1844) 橄欖筆螺 Ref. 吳全橙。1983  
*Nebularia turgida* (Reeve, 1845) Ref. 陳景林。2006  
*Nebularia vexillum* (Reeve, 1844) 金蛹筆螺 Ref. 張寬敏等。1984  
*Neocancilla circula* (Kiener, 1839) Ref. Kuroda, 1941  
*Neocancilla clathrus* (Gmelin, 1791) 布紋筆螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Neocancilla granatina* (Lamarck, 1811) 虛線筆螺 Ref. 張寬敏等。1984  
*Neocancilla papilio* (Link, 1807) 蝶斑筆螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Phaeomitra ambigua* (Swainson, 1829) 問題筆螺 Ref. 林朝榮。1974  
*Phaeomitra coffea* (Schubert & Wagner, 1829) 咖啡筆螺 Ref. 林朝榮。1974  
*Phaeomitra eremitarum* (Roeding, 1798) 縱斑筆螺 Ref. 張寬敏等。1984  
*Phaeomitra fasciolaris* (Deshayes, 1834) 白斑筆螺 Ref. 林朝榮。1974  
*Phaeomitra imperialis* (Roeding, 1798) 帝王筆螺 Ref. 蔡英亞、陳同戰。2000  
*Phaeomitra incompta* (Lightfoot, 1786) 竹筍筆螺 Ref. 張寬敏等。1984  
*Pterygia conus* (Gmelin, 1791) 芋形筆螺 Ref. 張寬敏等。1984  
*Pterygia crenulata* (Gmelin, 1791) 彈頭筆螺 Ref. 張寬敏等。1984  
*Pterygia dactylus* (Linnaeus, 1767) 拇指筆螺 Ref. Kuroda, 1941  
*Pterygia fenestrata* (Lamarck, 1811) 窗格筆螺 Ref. 張寬敏等。1984  
*Pterygia scabricula* (Linnaeus, 1758) 砲彈筆螺 Ref. 張寬敏等。1984  
*Scabricola fusca* (Swainson, 1824) 混濁筆螺 Ref. Kuroda, 1941  
*Scabricola ocellata* (Swainson, 1831) 眼紋筆螺 Ref. 李彥錚。1997  
*Scabricola variegata* (Gmelin, 1791) 豔美筆螺 Ref. 吳全橙。1982  
*Scabricola yagurai* (Kira, 1959) 矢倉筆螺 Ref. 巫文隆、李彥錚。2005  
*Scabricola zephyrina* (Sowerby, 1843) Ref. Kuroda, 1941  
*Strigatella acuminata* (Swainson, 1824) 卡其色筆螺 Ref. 張寬敏等。1984  
*Strigatella assimilis* (Pease, 1868) Ref. 藍子樵。1998  
*Strigatella auriculoides* (Reeve, 1845) 耳筆螺 Ref. 林朝榮。1974  
*Strigatella decurtata* (Reeve, 1844) 腰帶筆螺 Ref. 林朝榮。1974  
*Strigatella fastigium* (Reeve, 1845) 斜肩筆螺 Ref. 林朝榮。1974  
*Strigatella impressa* (Anton, 1839) 檸檬筆螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Strigatella litterata* (Lamarck, 1811) 火焰筆螺 Ref. 林朝榮。1974  
*Strigatella pauperula* (Linnaeus, 1758) 大焰筆螺 Ref. 林朝榮。1974  
*Strigatella pica* (Dillwyn, 1817) 細焰筆螺 Ref. 張寬敏等。1984  
*Strigatella retusa* (Lamarck, 1811) 短焰筆螺 Ref. 林朝榮。1974  
*Strigatella scutulata* (Gmelin, 1792) 花焰筆螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Strigatella zebra* (Lamarck, 1811) 小焰筆螺 Ref. 楊國昌。1988  
*Subcancilla flammea* (Quoy & Gaimard, 1832) Ref. Kuroda, 1941  
*Subcancilla interlirata* (Reeve, 1844) 金彈簧筆螺 Ref. 張寬敏等。1984  
*Tiarella papalis* (Linnaeus, 1758) 大紅牙筆螺 Ref. 蔡英亞、陳同戰。2000  
*Tiarella stictica* (Link, 1807) 紅牙筆螺 Ref. 林朝榮。1974  
*Vicimitra hilli* (Cerohorsky, 1975) 中楷筆螺 Ref. 藍子樵。1978  
*Vicimitra inquinata* (Reeve, 1844) 鐵柵筆螺 Ref. 林朝榮。1974  
*Vicimitra triplicata* (v. Martens, 1904) 小楷筆螺 Ref. 張寬敏等。1984  
*Vicimitra variabilis* (Reeve, 1844) 紡錘筆螺 Ref. 張寬敏等。1984  
*Ziba cloveri* (Cerohorsky, 1972) 苦樂巴筆螺 Ref. 藍子樵。1975

### Family Muricidae 骨螺科

*Aspella anceps* (Lamarck, 1818) 雙刀骨螺 Ref. 施乃普。1975  
*Aspella lamellosa* (Dunker, 1870) 深溝雙刀骨螺 Ref. 施乃普。1975  
*Aspella mauritiana* Radwin & D'Attilio, 1976 光滑雙刀骨螺 Ref. 巫文隆、李彥錚。2005  
*Azumamorula mutica* (Lamarck, 1816) 斑結螺 Ref. 林朝榮。1974  
*Bedevea birileffi* (Lischke, 1871) 籠目結螺 Ref. 賴景陽。1977  
*Boreotrophon candelabrum* (Reeve, 1848) 多翼骨螺 Ref. 吳全橙。1982  
*Chicoreus aculeatus* (Lamarck, 1822) 紅千手螺 Ref. 貝類中文訂名小組。1987  
*Chicoreus asianus* Kuroda, 1942 亞洲千手螺 Ref. 賴景陽。1977  
*Chicoreus axicornis* (Lamarck, 1822) 小千手螺 Ref. 賴景陽。1977  
*Chicoreus brunneus* (Link, 1807) 黑千手螺 Ref. 賴景陽。1977  
*Chicoreus cnissodus* (Euthyme, 1889) 白千手螺 Ref. 賴景陽。1977  
*Chicoreus cornucervi* (Roeding, 1798) 鹿角千手螺 Ref. 賴景陽。1977  
*Chicoreus elliscrossi* (Fair, 1974) 愛麗絲千手螺 Ref. 貝類中文訂名小組。1987

*Chicoreus microphyllus* (Lamarck, 1816) 多彩千手螺 Ref. 賴景陽。1977  
*Chicoreus palmarosae* (Lamarck, 1822) 玫瑰千手螺 Ref. 賴景陽。1977  
*Chicoreus ramosus* (Linnaeus, 1758) 大千手螺 Ref. 林朝榮。1974  
*Chicoreus rossiteri* (Crosse, 1872) 紫紅千手螺 Ref. 鍾柏生。1993  
*Chicoreus saulii* (Sowerby, 1841) 秀美千手螺 Ref. 賴景陽。1987  
*Chicoreus superbis* (Sowerby, 1889) 華麗千手螺 Ref. 貝類中文訂名小組。1987  
*Chicoreus superbis* (Lan, 1981) 疑問骨螺 Ref. 藍子樵。1981  
*Chicoreus torrefactus* Sowerby, 1841 千手螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Cronia aspera* (Lamarck, 1799) 散瘤結螺 Ref. 林朝榮。1974  
*Cronia buccinea* (Deshayes, 1844) 杏仁結螺 Ref. Kuroda, 1941  
*Cronia fenestrata* (Blainville, 1832) 窗結螺 Ref. 貝類中文訂名小組。1987  
*Cronia fiscella* (Gmelin, 1791) Ref. 吳全橙。1983  
*Cronia fusca* (Kuster, 1862) 褐結螺 Ref. 貝類中文訂名小組。1987  
*Cronia margariticola* Broderip 稜結螺 Ref. Kuroda, 1941  
*Cronia margariticola* (Broderip, 1833) 稜結螺 Ref. 林朝榮。1974  
*Cronia margariticola* Hedley, 1906 Ref. Kuroda, 1941  
*Cronia pothuauii* (Eydoux & Souleyet, 1852) 格子結螺 Ref. Kuroda, 1941  
*Drupa clathrata* (Lamarck, 1816) 寬口岩螺 Ref. 蔡英亞、陳同戰。2000  
*Drupa grossularia* Roeding, 1798 金口岩螺 Ref. 林朝榮。1974  
*Drupa morum* Roeding, 1798 紫口岩螺 Ref. 林朝榮。1974  
*Drupa ricina* Linnaeus 黃齒岩螺 Ref. Kuroda, 1941  
*Drupa ricina* (Blainville, 1832) 白齒岩螺 Ref. 貝類中文訂名小組。1987  
*Drupa ricina* (Linnaeus, 1758) 黃齒岩螺 Ref. 林朝榮。1974  
*Drupa rubusidaea* Roeding, 1798 玫瑰岩螺 Ref. 林朝榮。1974  
*Drupella concatenata* (Lamarck, 1822) 鏈結螺 Ref. 林朝榮。1974  
*Drupella cornus* (Roeding, 1798) 白結螺 Ref. 林朝榮。1974  
*Drupella eburnea* (Kiister, 1862) 牙白結螺 Ref. 藍子樵。1998  
*Drupella fragum* (Blainville, 1834) 小白結螺 Ref. 林朝榮。1974  
*Drupella minuta* Fujioka, 1984 雀斑結螺 Ref. 方力行、李健全。1994  
*Ergalatax contractus* (Reeve, 1846) 粗肋結螺 Ref. 賴景陽。1977  
*Favartia balteasa* (Sowerby, 1841) 小菊花骨螺 Ref. 鍾柏生。1993  
*Favartia brevicula* (Sowerby, 1841) 短小骨螺 Ref. Dharma, 1988  
*Favartia dorothyae* (Emerson & D'Attilio, 1979) 桃花骨螺 Ref. 賴浩然。1999  
*Habromorula ambrosia* Houart 桃紅口棘結螺 Ref. Kuroda, 1941  
*Habromorula spinosa* (Adams & Adams, 1853) 棘結螺 Ref. Platax. Monograph 1, 2005  
*Haustellum gallinago* (Sowerby, 1903) 母雞骨螺 Ref. 巫文隆、李彥錚。2005  
*Haustellum haustellum* Linnaeus, 1758 鵝頭骨螺 Ref. 貝類中文訂名小組。1987  
*Haustellum hirasei* Hirase, 1915 平瀨骨螺 Ref. 貝類中文訂名小組。1987  
*Haustellum kiensis* Kira, 1959 紀伊骨螺 Ref. 貝類中文訂名小組。1987  
*Haustellum senkakuensis* Shikama, 1973 釣魚台骨螺 Ref. 貝類中文訂名小組。1987  
*Homalocantha anatomica* (Perry, 1811) 銀杏螺 Ref. 賴景陽。1977  
*Homalocantha zamboi* (Burch & Burch, 1960) 然氏銀杏螺 Ref. 賴景陽。1977  
*Lataxienna fimbriata* (Hinds, 1844) 花籃骨螺 Ref. 賴景陽。1977  
*Maculotriton serrialis* (Deshayes, 1834) 秀峰結螺 Ref. 林朝榮。1974  
*Maculotriton serrialis* (Reeve, 1844) 淡色結螺 Ref. Kuroda, 1941  
*Mancinella aculeata* Deshayes, 1844 鐵斑岩螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Mancinella bufo* (Lamarck, 1822) 台灣岩螺 Ref. 貝類中文訂名小組。1987  
*Mancinella echinata* (Blainville, 1832) 棘岩螺 Ref. 貝類中文訂名小組。1987  
*Mancinella echinulata* (Lamarck, 1818) 金唇岩螺 Ref. 貝類中文訂名小組。1987  
*Mancinella hippocastanum* (Linnaeus, 1758) 冠岩螺 Ref. 林朝榮。1974  
*Mancinella intermedia* (Kiener, 1936) 黑斑岩螺 Ref. 林朝榮。1974  
*Mancinella mancinella* (Linnaeus, 1758) 金絲岩螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Mancinella siro* (Kuroda, 1931) 白岩螺 Ref. 貝類中文訂名小組。1987  
*Mancinella tuberosa* (Roeding, 1798) 角岩螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Marchia barclayana* (A. Adams, 1874) 小巴克來骨螺 Ref. 大西正人。1990  
*Marchia bipinnata* (Reeve, 1845) 小犁芭蕉螺 Ref. 賴景陽。1977  
*Marchia elongata* (Lightfoot, 1786) 大犁芭蕉螺 Ref. 賴景陽。1977  
*Marchia loebbeckei* (Kobelt, 1879) 豔紅芭蕉螺 Ref. 藍子樵。1975  
*Marchia martinetana* (Roeding, 1798) 窗格骨螺 Ref. 賴景陽。1977  
*Marchia orchidiflorus* (Shikama, 1973) 蘭花骨螺 Ref. 藍子樵。1975  
*Marchia trigonula* (Lamarck, 1816) 百褶芭蕉螺 Ref. 貝類中文訂名小組。1987  
*Marchia triptera* (Born, 1778) 寬葉芭蕉螺 Ref. 賴景陽。1977  
*Morula anaxares* (Kiener, 1834) 白瘤結螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Morula biconica* (Blainville, 1832) 雙錐棘結螺 Ref. 林朝榮。1974  
*Morula borealis* (Pilsbry, 1904) 紫口棘結螺 Ref. 蔡英亞、陳同戰。2000  
*Morula dumosa* (Conrad, 1867) Ref. Kuroda, 1941  
*Morula funiculata* (Reeve, 1846) 黑疣結螺 Ref. 陳景林。2006  
*Morula funiculus* Wood, 1828 核果結螺 Ref. Dharma, 1988  
*Morula marginalba* (Blainville, 1816) 厚緣枝骨螺 Ref. 蔡英亞、陳同戰。2000  
*Morula marginatra* Blainville 腰白結螺 Ref. Kuroda, 1941  
*Morula musiva* (Kiener, 1834) Ref. 蔡英亞、陳同戰。2000  
*Morula nodicostata* (Pease, 1868) 小瘤結螺 Ref. Kuroda, 1941

*Morula spinosa* (H. & A. Adams, 1853) 棘結螺 Ref. 貝類中文訂名小組。1987  
*Morula striata* (Pease, 1868) 紫口結螺 Ref. 李彥錚。2002  
*Morula uva* (Roeding, 1798) 草莓棘結螺 Ref. 蔡英亞、陳同戰。2000  
*Murex aduncospinosus* Sowerby, 1841 華南骨螺 Ref. 蔡英亞、陳同戰。2000  
*Murex coppingeri* E. A. Smith, 1884 可賓氏骨螺 Ref. 藍子樵。1975  
*Murex pecten* Lightfoot, 1786 維那斯骨螺 Ref. 賴景陽。1977  
*Murex rectirostris* Sowerby, 1841 台灣骨螺 Ref. 賴景陽。1977  
*Murex rectirostris* (A. Adams, 1863) 海峽骨螺 Ref. 貝類中文訂名小組。1987  
*Murex serratospinosus* Dunker, 1883 鋸刺骨螺 Ref. 賴景陽。1998  
*Murex ternispina* Lamarck, 1822 黑刺骨螺 Ref. 貝類中文訂名小組。1987  
*Murex trapa* (Roeding, 1798) 寶島骨螺 Ref. 賴景陽。1977  
*Murex tribulus* Linnaeus, 1758 長刺骨螺 Ref. 賴景陽。1977  
*Murex troscheli* Lischke, 1868 女巫骨螺 Ref. 賴景陽。1977  
*Muricopsis tokubei* (Nakamigawa & Habe, 1964) 德米骨螺 Ref. 賴景陽。1977  
*Naquetia barclayi* (Reeve, 1858) 巴克來骨螺 Ref. 藍子樵。1976  
*Naquetia triquetra* (Born, 1778) 長百褶骨螺 Ref. 吳全橙。1983  
*Nass francolina* (Bruguere, 1789) 平滑橄欖螺 Ref. 林朝榮。1974  
*Nass sarta* Bruguere, 1789 橄欖螺 Ref. 林朝榮。1974  
*Nipponotrophon echinus* (Shikama, 1971) 象牙骨螺 Ref. 藍子樵。1980  
*Nipponotrophon echinus* (Dall, 1918) 海膽骨螺 Ref. 藍子樵。1980  
*Ocenebra fimbriatula* (A. Adams, 1863) 單翼芭蕉螺 Ref. 李彥錚。2001  
*Pascula benedicta* (Melvill & Standen, 1896) 小結螺 Ref. 貝類中文訂名小組。1987  
*Pascula ochrostoma* (Blainville, 1816) 海綿結螺 Ref. 貝類中文訂名小組。1987  
*Phrygiomurex sculptilis* (Reeve, 1844) Ref. Kuroda, 1941  
*Phyllocoma convoluta* (Broderip, 1843) 細彫骨螺 Ref. 施乃普。1975  
*Pteropurpura adunca* Sowerby 四翼芭蕉螺 Ref. Kuroda, 1941  
*Pteropurpura adunca* Sowerby, 1860 張翼芭蕉螺 Ref. 貝類中文訂名小組。1987  
*Pteropurpura adunca* (Sowerby, 1834) 四翼芭蕉螺 Ref. 賴景陽。1977  
*Pteropurpura expansa* Sowerby 張翼芭蕉螺 Ref. Lan, 1985  
*Pteropurpura plorator* (Adams & Reeve, 1849) 三角芭蕉螺 Ref. 賴景陽。1977  
*Pteropurpura stimpsoni* (A. Adams, 1863) 小三翼芭蕉螺 Ref. 貝類中文訂名小組。1987  
*Pteropurpura vespertilio* (Kira, 1959) 蝙蝠芭蕉螺 Ref. 貝類中文訂名小組。1987  
*Pterynotus alatus* (Roeding, 1798) 芭蕉螺 Ref. 賴景陽。1977  
*Pterynotus pellucidus* (Reeve, 1845) 輕紗芭蕉螺 Ref. 藍子樵。1998  
*Purpura panama* (Roeding, 1798) 羅螺 Ref. 王繼忠、譚天錫。1979  
*Purpura persica* (Linnaeus, 1758) 桃羅螺 Ref. 林朝榮。1974  
*Rapana bezoar* (Linnaeus, 1758) 小皺岩螺 Ref. 貝類中文訂名小組。1987  
*Rapana rapiformis* (Born, 1778) 白皺岩螺 Ref. 貝類中文訂名小組。1987  
*Rapana venosa* Valenciennes 紅皺岩螺 Ref. Lai, 1980  
*Rapana venosa* Grabau & King, 1928 角皺岩螺 Ref. 貝類中文訂名小組。1987  
*Rapana venosa* (Valenciennes, 1846) 紅皺岩螺 Ref. 賴景陽、潘常武。1980  
*Scabrotrophon chungfui* Houart & Lan, 2001 春福骨螺 Ref. 巫文隆、李彥錚。2005  
*Scabrotrophon lani* Houart & Sun, 2001 藍氏骨螺 Ref. Houart & Sun, 2004  
*Siphonochelus nipponensis* Keen & Campbell, 1964 日本管骨螺 Ref. 李彥錚。2002  
*Siratus alabaster* (Reeve, 1845) 岩石芭蕉螺 Ref. 藍子樵。1974  
*Siratus pliciferoides* (Kuroda, 1942) 岩棘千手螺 Ref. 賴景陽。1977  
*Tenguella granulata* (Duclos, 1924) 結螺 Ref. 林朝榮。1974  
*Thais armigera* (Link, 1807) 大岩螺 Ref. 林朝榮。1974  
*Thais bronni* (Dunker, 1860) 瘤岩螺 Ref. 王繼忠、譚天錫。1979  
*Thais clavigera* (Kuster, 1860) 蚶岩螺 Ref. 王繼忠、譚天錫。1979  
*Thais javanica* (Philippi, 1848) 爪哇岩螺 Ref. Kuroda, 1941  
*Thais keluo* Tan KS, Liu LL. 2001 Ref. Tan & Liu, 2001  
*Thais luteostoma* (Holten, 1803) 黃口岩螺 Ref. 林朝榮。1974  
*Thais marginata* (Blainville, 1832) 屋瓦結螺 Ref. 李彥錚。2001  
*Thais mutabilis* (Link, 1806) 細腰岩螺 Ref. 貝類中文訂名小組。1987  
*Thais pseudodiadema* (Yokoyama, 1928) 黑口岩螺 Ref. 貝類中文訂名小組。1987  
*Thais rugosa* (Born, 1780) 塔岩螺 Ref. 蔡英亞、陳同戰。2000  
*Thais savignyi* (Deshayes, 1844) Ref. 林朝榮。1974  
*Thais squamosa* (Pease, 1867) 拳岩螺 Ref. 貝類中文訂名小組。1987  
*Typhis ramosus* Habe & Kosuge, 1970 叢枝骨螺 Ref. 藍子樵。1980  
*Typhis tosaensis* Azuma, 1960 刺管骨螺 Ref. 藍子樵。1980  
*Vexilla vexillum* (Gmelin, 1791) 花橄欖螺 Ref. 貝類中文訂名小組。1987

#### Family Nassariidae 織紋螺科

*Aciculina labiata* (A. Adams, 1853) Ref. Kuroda, 1941  
*Alentron glans* (Linnaeus, 1758) 金絲織紋螺 Ref. 鍾柏生等。1999  
*Cyllene concinna* A. Adams, 1842 Ref. 閔德基。2004  
*Cyllene fuscata* Adams & Reeve, 1849 Ref. 賴浩然。1996  
*Cyllene rubrolineata* Sowerby, 1870 卵形織紋螺 Ref. 賴浩然。1996  
*Hebra horrida* (Dunker, 1847) 刺莓織紋螺 Ref. 李彥錚。2002  
*Nassarius arcularius* (Linnaeus, 1758) 花冠織紋螺  
*Nassarius coronatus* (Bruguere, 1789) 白織紋螺 Ref. 譚天錫、白振宇、夏國經。1986

*Nassarius crenoliratus* A. Adams, 1852 黃帶織紋螺 Ref. 賴浩然。1996  
*Nassarius dealbatus* (A. Adams, 1852) 秀麗織紋螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Nassarius nodiferus* (Powys, 1835) Ref. 巫文隆、楊誠國、張寶仁。2006  
*Nassarius papillosus* (Linnaeus, 1758) 疣織紋螺 Ref. 林朝榮。1974  
*Niotha acuticosta* (Montrouzier in Souverbie & Montrouzier, 1864) 不倒翁織紋螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Niotha albescens* (Dunker, 1846) 黑頂織紋螺 Ref. 吳全橙。1983  
*Niotha conoidalis* (Deshayes, 1832) 球織紋螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Niotha distorta* (A. Adams, 1852) 波浪織紋螺 Ref. 賴浩然。1996  
*Niotha fidus* (Reeve, 1853) 果粒織紋螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Niotha kiener* (Deshayes, 1863) Ref. Kuroda, 1941  
*Niotha livescens* (Philippi, 1849) 正織紋螺 Ref. 賴浩然。1996  
*Niotha quadrasi* (Hidalgo, 1904) 多刺織紋螺 Ref. 賴浩然。1996  
*Niotha semisulcata* (Roussean, 1854) 厚織紋螺 Ref. Kuroda, 1941  
*Niotha venusta* (Dunker, 1847) 狐狸織紋螺 Ref. 李彥錚。2002  
*Plicarularia bellula* (A. Adams, 1852) 小蟹螯織紋螺 Ref. 李彥錚。2002  
*Plicarularia glans* (Linnaeus, 1758) 金絲織紋螺 Ref. 鍾柏生、賴景陽。1999  
*Plicarularia globosus* (Quoy & Gaimard, 1833) 白螯織紋螺 Ref. Kuroda, 1941  
*Plicarularia graniferus* (Kiener, 1834) 白瘤織紋螺 Ref. 蔡英亞、陳同戰。2000  
*Plicarularia oneratus* (Deshayes, 1863) 金口織紋螺 Ref. Kuroda, 1941  
*Plicarularia pullus* (Linnaeus, 1758) 蟹螯織紋螺 Ref. 賴浩然。1996  
*Profundinassa babylonica* (Watson, 1882) 佛塔織紋螺 Ref. 施乃普。1975  
*Reticunassa festiva* (Powys, 1833) 粗紋織紋螺 Ref. 賴浩然。1996  
*Reticunassa fratercula* (Dunker, 1860) 黑線織紋螺 Ref. 施乃普。1975  
*Reticunassa fuscolineata* (E. A. Simth, 1875) 斑紋織紋螺 Ref. 巫文隆、李彥錚。2005  
*Reticunassa pauperus* (Gould, 1850) 金黃織紋螺 Ref. 林朝榮。1974  
*Telasco gaudiosa* (Hinds, 1844) 網紋織紋螺 Ref. Kuroda, 1941  
*Telasco reeveana* (Dunker, 1847) 浮標織紋螺 Ref. Kuroda, 1941  
*Telasco shacklefordi* (Melvill & Standen, 1896) 乳白織紋螺 Ref. 吳全橙。1983  
*Telasco sufflatus* (Gould, 1860) 素面織紋螺 Ref. Kuroda, 1941  
*Telasco velatus* (Gould, 1850) 彈頭織紋螺 Ref. Kuroda, 1941  
*Telasco gaudiosa* (Hinds, 1844) 網紋織紋螺 Ref. 林朝榮。1974  
*Telasco reeveana* (Dunker, 1847) 浮標織紋螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Telasco shacklefordi* (Melvill & Standen, 1896) Ref. 吳全橙。1983  
*Telasco sufflatus* (Gould, 1860) 素面織紋螺 Ref. 譚天錫、王繼忠、陳俊宏。1980  
*Telasco velatus* (Gould, 1850) 彈頭織紋螺 Ref. 賴浩然。1996  
*Varicinassa varicifera* (A. Adams, 1852) 細紋織紋螺 Ref. Kuroda, 1941  
*Varicinassa variciferus* A. Adams, 1852 細紋織紋螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Zeuxis abyssicolus* (A. Adams, 1852) 布紋織紋螺 Ref. 李彥錚。2001  
*Zeuxis barsdelli* (Ladd, 1976) 淡紫織紋螺 Ref. 陳文德。2003  
*Zeuxis castus* (Gould, 1850) 花織紋螺 Ref. 賴浩然。1996  
*Zeuxis comptus* (A. Adams, 1852) 陽豔織紋螺 Ref. 陳文德。2003  
*Zeuxis concinnus* (Powys, 1835) 絲絹織紋螺 Ref. 林朝榮。1974  
*Zeuxis crematus* (Hinds, 1844) 焦斑織紋螺 Ref. Kuroda, 1941  
*Zeuxis dorsatus* (Roeding, 1798) 光滑織紋螺 Ref. 蔡英亞、陳同戰。2000  
*Zeuxis exilis* (Powys, 1835) 粗肋織紋螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Zeuxis hepaticus* (Pulteney, 1799) Ref. 蔡英亞、陳同戰。2000  
*Zeuxis hirasei* Kuroda & Habe, 1952 平瀨織紋螺 Ref. 施乃普。1975  
*Zeuxis margaritifera* (Dunker, 1847) 尖頭織紋螺 Ref. Kuroda, 1941  
*Zeuxis margaritifera* (Dunker, 1847) 尖頭織紋螺 Ref. 賴浩然。1996  
*Zeuxis micans* (A. Adams, 1852) 火焰織紋螺 Ref. 李彥錚。2001  
*Zeuxis nakayamai* Habe, 1958 中山織紋螺 Ref. 陳文德。2003  
*Zeuxis nodifer* (Powys, 1835) 粗肋織紋螺 Ref. 賴景陽。1988  
*Zeuxis olivaceus* (Bruguere, 1789) 橄欖織紋螺 Ref. 蔡英亞、陳同戰。2000  
*Zeuxis rutilans* (Reeve, 1853) 咖啡織紋螺  
*Zeuxis scalaris* A. Adams, 1852 細肋織紋螺 Ref. 賴浩然。1996  
*Zeuxis siquijorensis* (A. Adams, 1852) 細雕織紋螺 Ref. 蔡英亞、陳同戰。2000  
*Zeuxis succinctus* (A. Adams, 1852) 尖頂織紋螺 Ref. 李彥錚。2001

#### Family Olividae 榧螺科

*Amalda albicallosa* (Lischke, 1873) Ref. Masuda & Huang, 1990  
*Amalda borshengi* Lan & Lee, 2002 柏生彈頭螺 Ref. 藍子樵、李彥錚。2002  
*Amalda hayashii* Cossmann, 1899 Ref. Masuda & Huang, 1990  
*Amalda higendorfi* (von Martens, 1897) 竹筍彈頭螺  
*Amalda hilgendorfi* (Martens, 1897) Ref. Masuda & Huang, 1990  
*Amalda mammilla* (Hind, 1843) 乳頭彈頭螺 Ref. 賴景陽。1979  
*Amalda rubiginosa* (Lischke, 1874) 龍宮彈頭螺 Ref. Kuroda, 1941  
*Amalda vermedei* ven Pel, 1989 赫拉彈頭螺  
*Ancilla apicalis* Kira, 1959 露頂彈頭螺 Ref. 巫文隆、李彥錚。2005  
*Ancilla hinomotoensis* Yokoyama, 1922 皺紋彈頭螺 Ref. 李彥錚。2005  
*Ancilla monachalis* Ninomiga, 1988 東港彈頭螺 Ref. 藍子樵。1990  
*Ancillista similis* (Sowerby, 1830) 乳頭白彈頭螺 Ref. 李彥錚、巫文隆。1997  
*Baryspira mammilla* (Hind, 1843) 乳頭彈頭螺 Ref. 陳文德、李英傑、蔡崑成。1999

*Baryspira rubiginosa* (Lischke, 1874) 龍宮彈頭螺 Ref. Kuroda, 1941  
*Oliva annulata* (Dautzenberg, 1927) Ref. Kuroda, 1941  
*Oliva annulata* Gmelin, 1791 寶島榧螺 Ref. 蔡英亞、陳同戰。2000  
*Oliva annulata* (Roeding, 1798) 紫水晶寶島榧螺 Ref. 林朝榮。1974  
*Oliva bulbiformis* Duclos, 1835 Ref. Kuroda, 1941  
*Oliva carneola* (Dautzenberg, 1927) 少女榧螺 Ref. Kuroda, 1941  
*Oliva carneola* (Dautzenberg, 1927) 少女榧螺 Ref. Kuroda, 1941  
*Oliva concavospira* Sowerby, 1914 陷塔榧螺 Ref. Kuroda, 1941  
*Oliva duclosi* Reeve, 1850 杜氏榧螺 Ref. 藍子樵。1998  
*Oliva elegans* Lamarck, 1811 Ref. Kuroda, 1941  
*Oliva episcopalis* Lamarck, 1810 紫口榧螺 Ref. 林朝榮。1974  
*Oliva hirasei* Kira, 1959 平瀨榧螺 Ref. 賴景陽。1987  
*Oliva lignaria* Marrat, 1868 蠟燭榧螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Oliva miniacea* Roeding, 1798 橙口榧螺 Ref. 林朝榮。1974  
*Oliva multiplicata* Reeve, 1850 多彩榧螺 Ref. Kuroda, 1941  
*Oliva mustelina* (Bert, 1984) 台灣灰榧螺 Ref. Bert, 1984  
*Oliva mustelina* Lamarck, 1810 台灣榧螺 Ref. Bert, 1984  
*Oliva oliva* Linnaeus, 1758 正榧螺 Ref. Kuroda, 1941  
*Oliva reticulata* Roeding, 1798 金唇榧螺 Ref. Kuroda, 1941  
*Oliva reticulata* (Perry, 1811)  
*Oliva rufula* Duclos, 1835 斑馬榧螺 Ref. 賴景陽。1990  
*Oliva scripta* Lamarck, 1811 Ref. Kuroda, 1941  
*Oliva sidelia* Duclos, 1835 綾紗榧螺 Ref. Dharma, 1988  
*Oliva tessellata* (Lamarck, 1811) 棋盤榧螺 Ref. 賴景陽。1998  
*Oliva textilina* Lamarck, 1810 錦綉榧螺 Ref. 賴浩然。1999  
*Oliva tremulina* Lamarck, 1810 Ref. Kuroda, 1941  
*Oliva tricolor* Lamarck, 1811 三色榧螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Oliva tricolor* (Duclos, 1835)  
*Oliva vidua* (Roeding, 1798) 寡婦榧螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Oliva vidua* (Roeding, 1798) Ref. Kuroda, 1941  
*Oliva vidua* (Duclos, 1835) Ref. Kuroda, 1941  
*Olivella fortunei* (Marrat, 1871) Ref. Kuroda, 1941  
*Olivella fulgurata* (A. Adams & Reeve, 1850) 細小彈頭螺 Ref. 藍子樵。1998  
*Olivella lacanientai* Greifeneder & Blocherr, 1985 紅紋榧螺 Ref. 李彥錚。2001  
*Olivella spretoides* Yokoyama, 1922 雲紋榧螺 Ref. 李彥錚。2001

### Family Terebridae 筍螺科

*Abretiella cerithina* (Lamarck, 1822) Ref. Masuda & Huang, 1990  
*Duplicaria albozonata* (E. A. Smith, 1875) 白帶櫛筍螺 Ref. 鍾柏生、賴景陽。2000  
*Duplicaria badia* (Deshayes, 1859) 顯眼櫛筍螺 Ref. 鍾柏生、賴景陽。2000  
*Duplicaria baileyi* Bratcher & Cernohorsky, 1982 拜萊氏櫛筍螺 Ref. 鍾柏生、賴景陽。2000  
*Duplicaria duplicata* (Linnaeus, 1758) 雙層筍螺 Ref. 鍾柏生、賴景陽。2000  
*Duplicaria dussumieri* (Kiener, 1839) 櫛筍螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Duplicaria evoluta* (Deshayes, 1859) 盤龍筍螺 Ref. 鍾柏生、賴景陽。2000  
*Duplicaria fictilis* (Hinds, 1844) 褐底筍螺 Ref. 李彥錚。2001  
*Duplicaria raphanula* (Lamarck, 1822) 紅磚筍螺 Ref. 鍾柏生、賴景陽。2000  
*Duplicaria spectabilis* (Hinds, 1844) 盤龍筍螺 Ref. Chung & Lai, 2000  
*Hastula albula* (Menke, 1843) 磨筍螺 Ref. 李彥錚。1997  
*Hastula anomala* (Gray, 1834) 多變筍螺 Ref. Kuroda, 1941  
*Hastula caerulescens* (Lamarck, 1822) 白帶灰筍螺 Ref. 鍾柏生、賴景陽。2000  
*Hastula diversa* (Smith, 1901) Ref. 許中泰。1975  
*Hastula hectica* (Linnaeus, 1758) 黑白筍螺 Ref. 鍾柏生、賴景陽。2000  
*Hastula martheroniana* (Deshayes, 1859) 馬色龍筍螺 Ref. 鍾柏生、賴景陽。2000  
*Hastula rufopunctata* (E. A. Smith, 1877) 赤斑筍螺 Ref. 鍾柏生、賴景陽。2000  
*Hastula strigilata* (Linnaeus, 1758) 花筍螺 Ref. 鍾柏生、賴景陽。2000  
*Hastula strigilata* (Deshayes, 1857) 黃花筍螺 Ref. Kuroda, 1941  
*Terebra affinis* Gray, 1834 問題筍螺 Ref. 蔡英亞、陳同戰。2000  
*Terebra alveolata* Hinds, 1844 蒼白筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra amanda* Hinds, 1844 玉帶筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra anilis* Roeding, 1798 徐娘筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra arabella* Thiele, 1925 響尾蛇筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra areolata* (Link, 1807) 褐斑筍螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Terebra argus* (Hinds, 1844) 百眼筍螺 Ref. 方力行、李健全。1994  
*Terebra babylonia* Lamarck, 1822 巴比倫筍螺 Ref. 吳全橙。1982  
*Terebra bathyraphe* E. A. Smith, 1875 深溝筍螺 Ref. Kuroda, 1941  
*Terebra boucheti* Bratcher, 1981 包氏筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra caliginosa* Deshayes, 1859 暗塔筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra cerithina* Lamarck, 1822 蟹守筍螺 Ref. 蔡英亞、陳同戰。2000  
*Terebra cingulifera* Lamarck, 1822 細溝筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra crenulata* (Linnaeus, 1758) 花牙筍螺 Ref. 蔡英亞、陳同戰。2000  
*Terebra dimidiata* (Linnaeus, 1758) 紅筍螺 Ref. 蔡英亞、陳同戰。2000  
*Terebra felina* (Dillwyn, 1817) 花貓筍螺 Ref. 方力行、李健全。1994

*Terebra fenestrata* Hinds, 1844 雙珠筍螺 Ref. 李彥錚。1997  
*Terebra guttata* (Roeding, 1798) 白斑筍螺 Ref. 方力行、李健全。1994  
*Terebra jeffreysi* (E. A. Smith, 1879) Ref. 方力行、李健全。1994  
*Terebra jungi* Lai, 2001 鍾氏筍螺 Ref. 賴景陽。2001  
*Terebra laevigata* Gray, 1834 Ref. Kuroda, 1941  
*Terebra lanceata* (Linnaeus, 1767) 長矛筍螺 Ref. 蔡英亞、陳同戰。2000  
*Terebra lima* Deshayes, 1857 鏗紋筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra livida* Reeve, 1860 灰青筍螺 Ref. Kuroda, 1941  
*Terebra maculata* (Linnaeus, 1758) 大筍螺 Ref. 蔡英亞、陳同戰。2000  
*Terebra milelinae* Aubry, 1999 珠廉筍螺 Ref. 李彥錚。2001  
*Terebra nebulosa* Sowerby, 1825 紅雲筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra nitida* Hinds, 1844 摺扇筍螺 Ref. Kuroda, 1941  
*Terebra pertusa* (Born, 1778) 優美筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra pretiosa* Reeve, 1842 旗桿筍螺 Ref. 藍子樵。1975  
*Terebra pseudopertusa* Bratcher & Cernohorsky, 1985 豔麗筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra pygmaea* (Hinds, 1844) 侏儒筍螺 Ref. 林朝榮。1974  
*Terebra stearnsii* Pilsbry, 1891 大錐筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra subulata* (Linnaeus, 1767) 黑斑筍螺 Ref. 蔡英亞、陳同戰。2000  
*Terebra succincta* (Gmelin, 1791) 燈籠筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra swainsoni* Deshayes, 1859 史文生筍螺 Ref. 李彥錚。2001  
*Terebra taiwanensis* Aubry, 1999 台灣筍螺 Ref. 李彥錚。2001  
*Terebra tricincta* E. A. Smith, 1877 三帶筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra tricolor* Sowerby, 1825 三色筍螺 Ref. Kuroda, 1941  
*Terebra triseriata* Gray, 1834 鑽筍螺 Ref. 鍾柏生、賴景陽。2000  
*Terebra turrita* (E. A. Smith, 1873) 雲斑筍螺 Ref. 鍾柏生、賴景陽。2000

#### Family Turbinellidae (Vasidae) 拳螺科

*Afer cumingii* (Reeve, 1844) 土豚拳螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Benthovoluta barthelowi* (Bartsch, 1942) 白蔘拳螺 Ref. 張寬敏等。1984  
*Borsonia symbiotes* (Wood-Mason & Alcock, 1891) 單齒拳螺 Ref. 巫文隆、李彥錚。2005  
*Columbarium pagoda* (Lesson, 1834) 紡軸螺 Ref. 中文訂名組。1987  
*Columbarium pagoda* Habe, 1961 齒輪紡軸螺 Ref. 巫文隆、李彥錚。2005  
*Columbarium pagoda* (Lesson, 1834) 紡軸螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Columbarium pagoda* Shikama, 1963 棘尾紡軸螺 Ref. 巫文隆、李彥錚。2005  
*Vasum ceramicum* (Linnaeus, 1758) 長拳螺 Ref. 林朝榮。1974  
*Vasum turbinellum* (Linnaeus, 1758) 短拳螺 Ref. 王繼忠、譚天錫。1979

#### Family Turridae 捲管螺科

*Annulaturreis annulata* (Reeve, 1843) 螺紋捲管螺 Ref. 李彥錚。2001  
*Asperdaphne peradmirationis* (E. A. Smith, 1879) 姬條紋捲管螺 Ref. Kuroda, 1941  
*Asperdaphne subzonata* (E. A. Smith, 1897) 咖啡薄殼捲管螺 Ref. 張鎮國。2000  
*Austrotoma urania* (Smith, 1879) 骨罈捲管螺 Ref. 李彥錚。2001  
*Bathytoma atractoides* (Watson, 1881) 梭形捲管螺 Ref. 李彥錚。2001  
*Bathytoma luhdorfi* (Lischke, 1872) 魯道夫捲管螺  
*Brachytoma kawamurai* Habe & Kosuge, 1966 河村捲管螺 Ref. 張鎮國、巫文隆。2000  
*Brachytoma kurodai* Habe & Kosuge, 1966 瑞珠捲管螺 Ref. 張鎮國、巫文隆。2000  
*Brachytoma tuberosa* (E. A. Smith, 1875) 多瘤捲管螺 Ref. 賴建維。1996  
*Brachytoma vexillum* Habe & Kosuge, 1966 白瘤捲管螺 Ref. 張鎮國、巫文隆。2000  
*Buccinaria jonkeri* (Koperberg, 1931) Ref. 鍾柏生。2005  
*Carinapex minutissima* (Garrett, 1873) Ref. 張鎮國、巫文隆。1999  
*Carinapex papillosa* (Garrett, 1873) Ref. 張鎮國、巫文隆。1999  
*Clathrodrillia tasconium* (Melvill, 1903) Ref. 張鎮國。1999  
*Clavus bilineata* (Reeve, 1845) Ref. 張鎮國。1999  
*Clavus candens* (E. A. Smith, 1879) 琥珀捲管螺 Ref. 李彥錚。2002  
*Clavus canicularis* (Roeding, 1798) 唇角捲管螺 Ref. 張鎮國。1999  
*Clavus hexagona* (Sowerby, 1833) Ref. 張鎮國。1999  
*Clavus humilis* (Smith, 1879) Ref. 張鎮國。1999  
*Clavus pica* (Reeve, 1843) Ref. Kuroda, 1941  
*Clavus pusillus* (Garrett, 1872) Ref. Kuroda, 1941  
*Clavus tessellata* (Reeve, 1845) Ref. 張鎮國。1999  
*Clavus unizonalis* (Lamarck, 1822) 雙淇林捲管螺 Ref. 張鎮國。1999  
*Clavus vidualoides* (Garrett, 1873) Ref. 張鎮國。1999  
*Clavus viduus* (Reeve, 1845) Ref. 張鎮國。1999  
*Cochlespira kuroharae* (Kuroda, 1959) 黑原捲管螺 Ref. 鍾柏生。2005  
*Cochlespira kuroharai* (Kuroda, 1959) 黑原捲管螺 Ref. 李彥錚。2005  
*Cochlespira pagoda* (Sysoev & Kantor, 1990) 蘭花捲管螺 Ref. 李彥錚。2002  
*Cochlespira pulchella* (Schepman, 1913) 旋塔捲管螺 Ref. 鍾柏生。2005  
*Comitas kaderlyi* (Lischke, 1872) 欄杆捲管螺 Ref. 鍾柏生。2006  
*Comitas kirai* Powell, 1969 吉良捲管螺 Ref. 李彥錚。2001  
*Compsodrillia mammillata* Kuroda & Oyama, 1971 乳帶玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Compsodrillia nakamurai* Makiyama, 1931 中村捲管螺 Ref. 李彥錚。2002  
*Crassispira rufovaricosa* Kuroda & Oyama in Kuroda, Habe & Oyama, 1971 虎斑捲管螺 Ref. Chang & Wu, 2000  
*Cymatosyrinx impolita* Kuroda & Oyama, 1971 歪斜捲管螺 Ref. 李彥錚。2002

*Cytharopsis barbiton* (Melvill, 1904) 葉脈捲管螺 Ref. Chen, 2006  
*Cytharopsis butonensis* (Schepman, 1913) 凸稜捲管螺 Ref. 李彥錚。2001  
*Cytharopsis cancellata* A. Adams, 1865 紗布捲管螺 Ref. 李彥錚。2001  
*Cytharopsis radulina* Kuroda & Oyama, 1971 紅紋捲管螺 Ref. 李彥錚。2001  
*Daphnella angulata* Kuroda in Habe & Masuda, 1990 稜肩捲管螺 Ref. 李彥錚。2001  
*Daphnella aureola* (Reeve, 1845) Ref. 張鎮國。2000  
*Daphnella flammea* (Hinds, 1843) 火焰捲管螺 Ref. Kuroda, 1941  
*Daphnella itonis* Kuroda, 1958 Ref. 張鎮國。2000  
*Daphnella mitrellaeformis* (Nomura, 1940) 雲彩捲管螺 Ref. 李彥錚。2001  
*Daphnella nobilis* Kira, 1959 福態捲管螺 Ref. 李彥錚。2001  
*Daphnella olyra* Reeve, 1845 歐琴捲管螺 Ref. Chang, 2000  
*Daphnella ornata* Hinds, 1844 Ref. 張鎮國。2000  
*Daphnella pilsbryi* Kuroda, 1947 皮氏捲管螺 Ref. 李彥錚。2005  
*Daphnella sandwichensis* Pease, 1860 美艷捲管螺 Ref. 張鎮國。2000  
*Daphnella semiviridiosa* Kuroda, 1958 半肋捲管螺 Ref. 張鎮國。2000  
*Daphnella varicosa* (Souverbie, 1847) 虛線捲管螺 Ref. 李彥錚。2002  
*Daphnella wui* Chang, 2001 巫氏桂冠螺 Ref. 張鎮國。2001  
*Diaugasma olyra* (Reeve, 1845) Ref. 張鎮國。2000  
*Dotomella teramachii* (Kuroda, 1952) 寺町捲管螺 Ref. 鍾柏生。2005  
*Elaeocyma braunsi* (Yokoyama, 1920) 雙色捲管螺 Ref. 李彥錚。2001  
*Elaeocyma brycei* (Wells, 1995) 布氏捲管螺 Ref. 李彥錚。2001  
*Elaeocyma (Splendrilla) sollicitata* (Sowerby, 1913) 橙光捲管螺 Ref. The Pei-yo. 31: 48-53  
*Etrema glabriplicata* (Sowerby, 1913) Ref. Kuroda, 1941  
*Etrema leukospiralis* Chen & Huang, 2005 白塔捲管螺 Ref. Chen & Huang, 2005  
*Etrema streptonotus* (Pilsbry, 1904) 喙口捲管螺 Ref. 李彥錚。2001  
*Etrema subauriformis* (E. A. Smith, 1879) 箭頭捲管螺 Ref. 李彥錚。2002  
*Etrema texta* (Dunker, 1860) 網紋細腰塔螺 Ref. 施乃普。1975  
*Eucyclotoma albomaculata* Kay, 1979 Ref. 張鎮國。2000  
*Eucyclotoma bicarinata* (Pease, 1863) Ref. 張鎮國。2000  
*Eucyclotoma fusiformis* (Garrett, 1873) Ref. 張鎮國。2000  
*Eucyclotoma hindsi* (Reeve, 1843) Ref. Kuroda, 1941  
*Eucyclotoma inquinata* (Reeve, 1845) Ref. 張鎮國。2000  
*Eucyclotoma lactea* (Reeve, 1843) 三肋捲管螺 Ref. 張鎮國。2000  
*Eucyclotoma minuta* (Tension-Woods, 1876) Ref. 張鎮國。2000  
*Eucyclotoma nobilis* Hedley, 1922 Ref. 張鎮國。2000  
*Eucyclotoma tasmanica* (Tension-Woods, 1876) Ref. 張鎮國。2000  
*Eucyclotoma tricarinata* (Kiener, 1840) 雙龍骨捲管螺 Ref. 張鎮國。2000  
*Eucyclotoma triviridiosa* (v. Martens, 1880) Ref. Kuroda, 1941  
*Favriella amplecta* (Hedley, 1922) Ref. 張鎮國。2000  
*Gemmula congener* (E. A. Smith, 1894) 珠環捲管螺 Ref. 藍子樵。1985  
*Gemmula congener* (Sykes, 1930) 金絲捲管螺 Ref. 賴建維。1996  
*Gemmula congener* Powell, 1964 信天翁捲管螺 Ref. 鍾柏生。2005  
*Gemmula deshayesi* (Doumet, 1839) 低斜捲管螺 Ref. 蔡英亞、陳同戰。2000  
*Gemmula kieneri* (Doumet, 1840) 狄氏捲管螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Gemmula lancea* Lee, 2001 矛形捲管螺 Ref. 李彥錚。2001  
*Gemmula microscelida* (Dall, 1895) 木乃伊捲管螺 Ref. 李彥錚。2001  
*Gemmula monilifera* (Pease, 1860) 白珠捲管螺 Ref. 李彥錚。2001  
*Gemmula pseudogranosa* (Nomura, 1940) 花捲捲管螺 Ref. 李彥錚。2002  
*Gemmula rarimaculata* Kuroda & Oyama in Kuroda, Habe & Oyama, 1971 少斑捲管螺 Ref. 鍾柏生。2005  
*Gemmula speciosa* (Reeve, 1843) 金鍊捲管螺 Ref. 蔡英亞、陳同戰。2000  
*Gemmula stupa* Lee, 2001 佛塔捲管螺 Ref. 李彥錚。2001  
*Gemmula timorensis* (Powell, 1964) 印尼捲管螺 Ref. 賴建維。1996  
*Gemmula unedo* (Kiener, 1839) 楊梅捲管螺 Ref. 鍾柏生。2005  
*Glyphostoma lyuhrungae* Lai, 2005 綠蓉捲管螺 Ref. 賴景揚。2006  
*Gurales kamakurana* (Pilsbry, 1904) 菱形捲管螺 Ref. 李彥錚。2005  
*Hemidaphne cyclophora* (Deshayes, 1863) Ref. 張鎮國。2000  
*Horaiclavus splendidus* (A. Adams, 1867) 光澤捲管螺 Ref. 張鎮國。1999  
*Horaiclavus stenocyma* Kuroda & Oyama, 1971 狹波捲管螺 Ref. 鍾柏生。2005  
*Inquisitor aesopus* (Sculpman, 1913) 長脊玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor alabastes* (Reeve, 1843) 白筍玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor angustus* Kuroda & Oyama, 1971 高塔玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor carmen* (Sowerby, 1916) 卡門玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor flavidula* (Lamarck, 1822) 玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor gracilispira* (E. A. Smith, 1879) 長尾玉米捲管螺 Ref. Chang & Wu, 2000  
*Inquisitor gracillispira* (E. A. Smith, 1879) 長尾玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor insignita* (Melvill, 1922) 歪尾玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor interrupta* (Lamarck, 1822) 皺頸玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor interincta* E. A. Smith, 1877 白脊玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor jeffreysi* (E. A. Smith, 1875) 傑夫瑞氏捲管螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Inquisitor laterculoides* (Barnard, 1958) 南非玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor latisinuata* (Smith, 1877) 中華玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor nudiviricosus* Kuroda & Oyama, 1971 單帶玉米捲管螺 Ref. 張鎮國、巫文隆。2000

*Inquisitor perclathrata* Kuroda, 1981 肥粗玉米捲管螺 Ref. Chang & Wu, 2000  
*Inquisitor recurvirostrata* (Kuroda, 1964) 峻脊玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor rufovariosa* (Kuroda, 1964) 花脊玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor* sp. 白玉米捲管螺 Ref. Chang & Wu, 2000  
*Inquisitor subochracea* (E. A. Smith, 1877) 斜肋玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor taivarica* Chang, 2000 台灣玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor tuberosa* (Smith, 1875) 強頸玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor variabilis* (E. A. Smith, 1877) 南海玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor vulpionis* Kuroda & Oyama, 1971 角玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor zebra* (Lamarck, 1822) 斑馬玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor zonata* (Gray, 1843) 白骨玉米捲管螺 Ref. 張鎮國、巫文隆。2000  
*Inquisitor zonatus* (Gray in Reeve, 1843) 白骨玉米捲管螺 Ref. Chang & Wu, 2000  
*Iredalea exilis* (Pease, 1865) Ref. 張鎮國。1999  
*Iredalea pygmaea* (Dunker, 1860) 侏儒捲管螺 Ref. 張鎮國。1999  
*Kuroshioturris albogemmata* Kuroda & Oyama in Kuroda, Habe & Oyama, 1971 白寶石捲管螺 Ref. 鍾柏生。2005  
*Kuroshioturris nipponica* (Shuto, 1961) 米白日本捲管螺 Ref. 李彥錚。2001  
*Leptadrillia cinereopellis* Kuroda & Oyama, 1971 粗糙捲管螺 Ref. 李彥錚。2002  
*Leucosyrinx lancea* Lee, 2001 矛形捲管螺 Ref. Lee, 2001  
*Lienardia caelata* (Garrett, 1873) Ref. Kuroda, 1941  
*Lienardia compta* (Reeve, 1845) 粗紋捲管螺 Ref. 林朝榮。1974  
*Lienardia lischkeana* (Pilsbry, 1904) 李氏捲管螺 Ref. Kuroda, 1941  
*Lienardia malleti* (Recluz, 1852) 桃紅捲管螺 Ref. 迷你貝殼中文種名小組。1988  
*Lienardia marchei* (Recluz, 1852) 馬裂捲管螺 Ref. 巫文隆、李彥錚。2005  
*Lienardia mighelsi* Iredale & Tomlin, 1917 米格捲管螺 Ref. 施乃普。1975  
*Lienardia planilabrum* (Reeve, 1845) 彩鍊捲管螺 Ref. 施乃普。1975  
*Lienardia roseotincta* (Montrouzier, 1872) 薔薇捲管螺 Ref. 施乃普。1975  
*Lienardia rubicunda* (Gould, 1860) 豔紅捲管螺 Ref. 施乃普。1975  
*Lienardia rubida* (Hinds, 1844) 紅寶石捲管螺 Ref. 施乃普。1975  
*Lophiotoma acuta* (Perry, 1811) 頂尖捲管螺 Ref. Kuroda, 1941  
*Lophiotoma indica* (Roeding, 1798) 印度捲管螺 Ref. 陳文德、李英傑、蔡崑成。1999  
*Lophiotoma leucotropis* (A. Adams & Reeve, 1850) 白線捲管螺 Ref. 李彥錚。1997  
*Lophiotoma marmoratum* (Link, 1807) Ref. 許中泰。1975  
*Lophiotoma notata* (Sowerby, 1889) 褐色麻斑捲管螺 Ref. 鍾柏生。2006  
*Lophiotoma polytropa* (Helbling, 1779) Ref. 許中泰。1975  
*Macteola anomala* Ref. 張鎮國。2000  
*Macteola interrupta* (Reeve, 1846) Ref. Kuroda, 1941  
*Makiyamaia coreanica* (Adams & Reeve, 1850) 朝鮮捲管螺  
*Makiyamaia mammillata* Kuroda, 1961 肩白捲管螺 Ref. 李彥錚。2001  
*Mangelia colmani* (Shuto, 1983) 柯曼捲管螺 Ref. 李彥錚。2001  
*Maoridaphne saturata* (Reeve, 1845) 螺溝捲管螺 Ref. 李彥錚。2001  
*Marshallena philippinarum* (Watson, 1882) 褐布捲管螺 Ref. 李彥錚。2001  
*Micantapex luehdorfi* (Lishke, 1872) Ref. 鍾柏生。2005  
*Microdaphne hedleyi* (Melvill, 1917) 賀氏捲管螺 Ref. Chang, 2000  
*Microdaphne trichodes* (Dall, 1919) 棘角捲管螺 Ref. 張鎮國。2000  
*Mitrolumna atramentosa* (Reeve, 1843) 似芋捲管螺  
*Mitrolumna fischeri* (Hervier, 1899) Ref. Kuroda, 1941  
*Mitromorpha atramentosa* (Reeve, 1843) 似芋捲管螺 Ref. 陳景林。2006  
*Mitromorpha metula* (Hinds, 1843) Ref. Kuroda, 1941  
*Nihonia australis* (Roissy, 1805) 澳洲捲管螺 Ref. 鍾柏生。2005  
*Nihonia mirabilis* (Sowerby, 1914) 修長捲管螺 Ref. 張鎮國。2000  
*Orrmaesia ancilla* (Thiele, 1925) Ref. 張鎮國。1999  
*Paraclathrella gracilentia* (Reeve, 1895) 穀粒捲管螺 Ref. 李彥錚。2001  
*Paradrillia consimilis* (E. A. Smith, 1879) 白顆粒捲管螺 Ref. 李彥錚。2002  
*Paradrillia inconstans* (E. A. Smith, 1875) 沙土捲管螺 Ref. 張鎮國、巫文隆。1999  
*Paradrillia inconstans* (Melvill & Standen, 1901) 淡瘤捲管螺 Ref. 李彥錚。2001  
*Paradrillia patruelis* (E. A. Smith, 1875) 顆粒捲管螺 Ref. 李彥錚。2001  
*Philbertia bernardi* (Barzies, 1876) 棋盤捲管螺 Ref. 張鎮國。2000  
*Philbertia bifasciata* (Pease, 1860) Ref. 張鎮國。2000  
*Philbertia caletria* (Melvill & Standen, 1896) Ref. 張鎮國。2000  
*Philbertia daedalea* (Garrett, 1873) Ref. 張鎮國。2000  
*Philbertia episema* (Melvill & Standen, 1896) Ref. 張鎮國。2000  
*Philbertia euryacme* (Melvill, 1926) Ref. 張鎮國。2000  
*Philbertia euzonata* (Hervier, 1897) Ref. 張鎮國。2000  
*Philbertia excellens* (Sowerby, 1917) 縱寬溝捲管螺 Ref. 張鎮國。2000  
*Philbertia felina* (Hinds, 1843) 花貓捲管螺 Ref. 張鎮國。2000  
*Philbertia granicosta* (Reeve, 1846) 白虛線捲管螺 Ref. 張鎮國。2000  
*Philbertia granicostata* (Reeve, 1846) 肉色捲管螺 Ref. Kuroda, 1941  
*Philbertia granosa* (Dunker, 1871) Ref. 張鎮國。2000  
*Philbertia leuckardi* (Dunker, 1861) 窗格捲管螺 Ref. 張鎮國。2000  
*Philbertia leuckarti* (Dunker, 1861) 窗格捲管螺 Ref. Chang, 2000  
*Philbertia lutea* (Pease, 1860) 淡黃捲管螺 Ref. 蔡英亞、陳同戰。2000

*Philbertia luteopicta* (Hervier, 1895) Ref. 張鎮國。2000  
*Philbertia maculosa* (Brazier, 1876) Ref. 張鎮國。2000  
*Philbertia melanoxytum* (Hervier, 1895) Ref. 張鎮國。2000  
*Philbertia modesta* (Angas, 1888) Ref. 張鎮國。2000  
*Philbertia nebulosa* (Pease, 1860) Ref. 張鎮國。2000  
*Philbertia nexa* (Reeve, 1845) Ref. 張鎮國。2000  
*Philbertia oligona* Hedley, 1922 Ref. 張鎮國。2000  
*Philbertia phaedra* (Hervier, 1895) Ref. 張鎮國。2000  
*Philbertia philippinensis* (Reeve, 1843) Ref. 張鎮國。2000  
*Philbertia psalterium* (Melvill & Standen, 1896) Ref. 張鎮國。2000  
*Philbertia pumila* (Mighels, 1845) Ref. 張鎮國。2000  
*Philbertia pustulata* (Angas, 1877) Ref. 張鎮國。2000  
*Philbertia pustulosa* (de Folin, 1867) Ref. 張鎮國。2000  
*Philbertia pyrgoidea* (Melvill, 1916) Ref. 張鎮國。2000  
*Philbertia ramsayi* (Brazier, 1876) Ref. 張鎮國。2000  
*Philbertia retallaria* Hedley, 1922 Ref. 張鎮國。2000  
*Philbertia retellaria* Hedley, 1922 網格捲管螺 Ref. Chang, 2000  
*Philbertia rufozonata* (Angas, 1877) Ref. 張鎮國。2000  
*Philbertia spelaeodea* (Hervier, 1897) Ref. 張鎮國。2000  
*Philbertia stipata* Hedley, 1922 Ref. 張鎮國。2000  
*Philbertia subspurca* (Hervier, 1896) Ref. 張鎮國。2000  
*Philbertia tessellata* (Hinds, 1843) Ref. 張鎮國。2000  
*Philbertia thespecia* (Melvill & Standen, 1897) Ref. 張鎮國。2000  
*Philbertia thorssoni* Chang, 2001 陶氏捲管螺 Ref. 張鎮國。2001  
*Philbertia tincta* (Reeve, 1846) 夢燕捲管螺 Ref. 張鎮國。2000  
*Philbertia tippetii* Chang, 2001 鐵氏捲管螺 Ref. 張鎮國。2001  
*Philbertia tokyoensis* (Pilsbry, 1895) 東京捲管螺 Ref. Chang, 2000  
*Pinguigemmula thielei* (Finlay, 1930) 錫氏捲管螺 Ref. 李彥錚。2001  
*Pinguigemmula thielei* (Powell, 1964) 菲律賓捲管螺 Ref. 賴建維。1996  
*Plagiostropha quintuplex* Melvill, 1927 Ref. 張鎮國。1999  
*Pontiothauma fusiformis* (Kuroda & Habe in Habe, 1961) 長嘴捲管螺 Ref. 李彥錚。2003  
*Pontiothauma yoshidai* (Kuroda & Habe, 1961) 吉田捲管螺 Ref. 李彥錚。2001  
*Pseudorhaphitoma bipyramidata* (Hedley, 1922) Ref. 吳全橙。1983  
*Rectiplanes isaotakii* Habe, 1958 瀧庸捲管螺  
*Rhodopeoma erosa* (Schrenck, 1867) 蝦夷車軸螺 Ref. 施乃普。1975  
*Thatcheria mirabilis* Angas, 1877 旋梯捲管螺 Ref. 鍾柏生。2005  
*Tomopleura nivea* (Philippi, 1851) 淡彩捲管螺 Ref. 鍾柏生。2006  
*Tomopleura pouloensis* (Jousseume, 1883) Ref. Kuroda, 1941  
*Tomopleura retusispirata* (E. A. Smith, 1877) Ref. 巫文隆、李彥錚。2005  
*Tritonoturris amabilis* (Hinds, 1843) Ref. 張鎮國。2000  
*Tritonoturris cumingi* (Powy, 1835) Ref. 張鎮國。2000  
*Tritonoturris cumingii* (Powys, 1835) 卡明氏捲管螺 Ref. Chang, 2000  
*Tritonoturris macandrewi* (E. A. Smith, 1882) 馬氏捲管螺 Ref. 張鎮國。2000  
*Tritonoturris menecharmes* (Melvill, 1923) Ref. 張鎮國。2000  
*Tritonoturris subrissoides* (Hervier, 1897) Ref. 張鎮國。2000  
*Turricula interrupta* (Lamarck, 1822) 皺頸玉米捲管螺 Ref. Chang & Wu, 2000  
*Turricula javana* (Linnaeus, 1758) 台灣捲管螺 Ref. 鍾柏生。2005  
*Turricula nelliae* (Hedley, 1922) 環珠捲管螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Turridrupa acutigemmata* (E. A. Smith, 1877) Ref. 鍾柏生。2005  
*Turridrupa albofasciata* (E. A. Smith, 1877) Ref. 張鎮國、巫文隆。1999  
*Turridrupa stricta* Powell, 1967 彩環捲管螺 Ref. Chang & Wu, 1999  
*Turridrupa bijubata* (Reeve, 1843) 彈簧捲管螺 Ref. 張鎮國、巫文隆。1999  
*Turridrupa cincta* (Lamarck, 1822) 螺旋捲管螺 Ref. 譚天錫、白振宇、夏國經。1986  
*Turridrupa jubata* (Hinds, 1843) Ref. Kuroda, 1941  
*Turris babylonia* (Linnaeus, 1758) 巴比倫捲管螺 Ref. Dharma, 1992  
*Turris carispa* (Lamarck, 1816) 長捲管螺 Ref. Lan, 1985  
*Turris crispa* (Lamarck, 1816) 長捲管螺 Ref. 巫文隆、李彥錚。2005  
*Turris nadaensis* (Azuma, 1973) 紫端麻斑捲管螺 Ref. 鍾柏生。2006  
*Turris spectabilis* (Reeve, 1843) 斷線捲管螺 Ref. 巫文隆、李彥錚。2005  
*Tyloitiella humilis* (Smith, 1879) 姬捲管螺 Ref. Chang, 1999  
*Tyloitiella obliquatus* (Reeve, 1865) Ref. Kuroda, 1941  
*Tyloitiella pica* (Reeve, 1843) 喜鵲捲管螺 Ref. Kuroda, 1941  
*Tyloitiella pulchella* (Reeve, 1845) Ref. 張鎮國。1999  
*Tyloitiella pusilla* (Garrett., 1873) 螞蟻捲管螺 Ref. Kuroda, 1941  
*Typhosyrinx supracostata* (Schepman, 1913) 腰帶捲管螺 Ref. 李彥錚。2002  
*Venustoma lacunosa* (Gould, 1860) 細網捲管螺 Ref. 李彥錚。2002  
*Vepracula arethusia* (Dall, 1918) 精雕捲管螺 Ref. Chang, 2000  
*Vepracula gracilispira* (E. A. Smith, 1879) 美塔捲管螺 Ref. Chang, 2000  
*Vepracula hedley* (Melvill, 1917) Ref. 張鎮國。2000  
*Vepracula reticulosa* (Smith, 1882) Ref. 張鎮國。2000  
*Vepracula sculpta* (Hinds, 1847) Ref. 張鎮國。2000  
*Vepracula sykesii* (Melvill & Standen, 1903) Ref. 張鎮國。2000

*Veprecula vacillata* Hedley, 1922 Ref. 張鎮國。2000  
*Xenuroturrus cingulifera* (Lamarck, 1822) 項鍊捲管螺 Ref. Kuroda, 1941

### Family Volutidae 渦螺科

*Arctomelon tamikoa* (Kosuge, 1970) 蓮藕渦螺 Ref. 賴景陽。1979  
*Calliotectum dalli* (Bartsch, 1942) 東港渦螺 Ref. Lan, 1977  
*Calliotectum tibiaeforme* (Kuroda, 1931) 寺町渦螺 Ref. 賴景陽。1979  
*Cymbiola nobilis* (Lightfoot, 1786) 舞袖渦螺 Ref. 張寬敏等。1984  
*Cymbiola vesperilio* (Linnaeus, 1758) 蝙蝠渦螺 Ref. Kuroda, 1941  
*Fulgoraria chinoi* Bail, 2000 褐色渦螺 Ref. 李彥錚。2001  
*Fulgoraria exoptanda* Shikama, 1967 木瓜渦螺 Ref. 賴景陽。1979  
*Fulgoraria glabra* Habe & Kosuge, 1970 光華渦螺 Ref. 張寬敏等。1984  
*Fulgoraria hamillei* (Crosse, 1869) 哈蜜渦螺 Ref. 張寬敏等。1984  
*Fulgoraria humerosa* Rehder, 1969 木紋渦螺 Ref. 藍子樵。1976  
*Fulgoraria minima* Bondarev, 1994 小渦螺 Ref. 藍子樵。1999  
*Fulgoraria pratensis* (Lan, 1997) 東沙渦螺 Ref. 藍子樵。1997  
*Fulgoraria rupestris* (Gmelin, 1791) 閃電渦螺 Ref. 張寬敏等。1984  
*Lyria cassidula* (Reeve, 1849) 頭盔渦螺 Ref. 吳全橙。1983  
*Lyria kurodai* (Kawamura, 1964) 玉米渦螺 Ref. 張寬敏等。1984  
*Lyria rex* Hirase, 1908 台灣渦螺 Ref. 藍子樵。1975  
*Melo melo* (Lightfoot, 1786) 椰子渦螺 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Musashia formosana* (Azuma, 1967) 寶島渦螺 Ref. 張寬敏等。1984  
*Saotomea minima* (Bondarev, 1994) 小渦螺 Ref. 藍子樵。1999  
*Saotomea pratensis* Lan, 1997 東沙渦螺 Ref. 藍子樵。1999  
*Teramachia dalli* (Bartsch, 1942) 東港渦螺 Ref. 張寬敏等。1984  
*Teramachia johnsoni* Rehder, 1972 寺町渦螺 Ref. 巫文隆、李彥錚。2005  
*Teramachia tibiaeformis* Kuroda, 1931 長笛渦螺 Ref. 張寬敏等。1984

## Order Nudibranchia 裸鰓目

### Family Cadlinidae 卡海牛科

*Cadrina sagamiensis* Baba, 1937 黃疣海麒麟 Ref. 張崑雄。1985

### Family Chromodorididae 多彩海牛科

*Cadinella cadinella* Risbec 裝飾法官海蛞蝓 Ref. 貝類學報 13。71-90  
*Cadinella ornatisima* (Risbec, 1928) 裝飾法官海麒麟 Ref. 譚天錫、白振宇、夏國經。1987  
*Casella atromarginata* (Cuvier, 1804) 黑邊波緣海麒麟 Ref. 張崑雄、陳章波。1987  
*Casella casella* H. & A. Adams 黑邊波緣海蛞蝓 Ref. 貝類學報 13。71-90  
*Ceratosoma cornigerum* Adams & Reeve, 1848 角質海麒麟 Ref. 張崑雄、陳章波。1987  
*Chromodoris alba* Van Hasselt 白色多彩海蛞蝓 Ref. 貝類學報 13。71-90  
*Chromodoris elizabethina* Bergh, 1877 伊莉莎白多彩海麒麟 Ref. 譚天錫、白振宇、夏國經。1987  
*Chromodoris fidelis* (Kelaart, 1858) 信實多彩海麒麟 Ref. 同前  
*Chromodoris geometrica* Adams & Reeve, 1848 地母多彩海麒麟 Ref. 同前  
*Chromodoris maritima* Baba, 1949 海洋高澤海麒麟 Ref. 同前  
*Chromodoris obsoluta* Ruppell & Leuckart 殘舊多彩海蛞蝓 Ref. 貝類學報 13。71-90  
*Chromodoris odhneri* Risbec, 1953 紫斑多彩海麒麟 Ref. 譚天錫、白振宇、夏國經。1987  
*Chromodoris sibogae* (Bergh, 1905) 乳酪多彩海麒麟 Ref. 同前  
*Chromodoris tinctoria* Ruppell & Leuckart 殘舊多彩海麒麟 Ref. 同前  
*Chromodoris youngbleuthi* Kay & Young, 1969 橘色多彩海麒麟 Ref. 同前  
*Hypselodoris bullocki* (Collingwood, 1881) 公牛多彩海麒麟 Ref. 標本採集記錄  
*Hypselodoris festiva* A. Adams, 1961 節慶高澤海蛞蝓 Ref. 貝類學報 13。71-90  
*Hypselodoris festivi* (A. Adams, 1864) 節慶高澤海麒麟 Ref. 譚天錫、白振宇、夏國經。1987  
*Hypselodoris sagamiensis* Baba, 1949 海洋高澤海蛞蝓 Ref. 貝類學報 13。71-90  
*Hypselodoris tryoni* Garrett, 1873 格紋雙叉海蛞蝓 Ref. 羅淑英。1985

### Family Dendrodorididae 枝鰓海牛科

*Dendrodoris denisoni* (Angas, 1864) 眼點枝鰓海麒麟 Ref. 譚天錫、白振宇、夏國經。1987  
*Dendrodoris tuberculosa* (Quoy & Gaimard, 1832) 結節樹紋海麒麟 Ref. 鄭明修等。1994

### Family Gymnodorididae 裸海牛科

*Gymnodoris alba* (Bergh, 1877) 白色多彩海麒麟 Ref. 譚天錫、白振宇、夏國經。1987

### Family Halgerdidae

*Halgerda graphica* Basedow & Hedley, 1903 瘤背海麒麟 Ref. 鄭明修等。1998

### Family Hexabanchidae 六鰓海牛科

*Hexabanchus sanguineus* (Riippel & Leuckart, 1931) 血紅六鰓海麒麟 Ref. 譚天錫、白振宇、夏國經。1987

### Family Miamiiridae

*Miamira sinuata* (van Hasselt, 1824) 黃線美麗海麒麟 Ref. 鄭明修等。1994

### Family Phyllidiidae 葉海牛科

*Fryeria riippellii* Bergh, 1869 飛機葉海麒麟 Ref. 譚天錫、白振宇、夏國經。1987  
*Fryeria ruppellii* Bergh, 1869 飛機葉海蛞蝓 Ref. 貝類學報 13。71-90  
*Phyllidia elegans* Bergh, 1876 華美葉海蛞蝓 Ref. 貝類學報 13。71-90  
*Phyllidia nobilis* (Bergh, 1869) 華貴葉海麒麟 Ref. 張崑雄。1985  
*Phyllidia ocellata* Cuvier, 1804 媚眼葉海麒麟 Ref. 譚天錫、白振宇、夏國經。1987

*Phyllidia pustulosa* Cuvier, 1804 突丘葉海麒麟 Ref. 張崑雄、陳章波。1987  
*Phyllidia varicosa* Lamark, 1801 葉海麒麟 Ref. 譚天錫、白振宇、夏國經。1987

### Family Polyceridae 多角海牛科

*Kalinga ornata* Alder & Hancock, 1864 佩飾巢海蛞蝓 Ref. 貝類學報 13。71—90  
*Kalinga ornata* Alder & Hancock, 1864 佩飾巢海麒麟 Ref. 譚天錫、白振宇、夏國經。1987  
*Tambja affinis* Eliot, 1904 聯盟鑄邊海蛞蝓 Ref. 貝類學報 13。71—90  
*Tambja morosa* Bergh, 1877 藍紋鑄邊海蛞蝓 Ref. 貝類學報 13。71—90

### Family Vayssieryidae 瓦西海牛科

*Vayssierya elegans* Baba, 1930 優美海麒麟 Ref. 譚天錫、白振宇、夏國經。1987

## Order Sacoglossa 囊舌目

### Family Elysiidae 海天牛科

*Elysia chilkensis* Eliot, 1916 長角海天牛 Ref. 翁義聰、王建平。2001

### Family Hermaeidae 荷葉鰓科

*Ercolania boodlea* (Baba, 1938) 布氏葉鰓螺 Ref. 翁義聰、鄭仲堯、王建平。2001

### Family Juliidae 珠綠螺科

*Julia japonica* Kuroda & Habe, 1951 珠綠螺 Ref. 施乃普。1975

### Family Limapontiidae

*Ercolania boodlea* Baba, 1938 布氏葉鰓螺 Ref. 貝類學報 25。33—38  
*Placida dendritica* (Alder and Hancock, 1843) 樹突柱海蛞蝓 Ref. 張睿昇。2001  
*Stiliger ornatus* Ehrenberg, 1828 美麗柱海蛞蝓 Ref. 張睿昇。2001

### Family Placobranchidae

*Placobranchus ocellatus* van Hasselt, 1824 多葉鰓海麒麟 Ref. 張崑雄等。1993

## Order Scholifera 皺足目

### Family Veronicellidae 皺足蛞蝓科

*Vaginulus alte* (Ferussac, 1821) 皺足蛞蝓 Ref. 林朝榮。1974  
*Vaginulus plebeius* (Fischer, 1868) 花點皺足蛞蝓 Ref. 李彥錚、陳文德。2003

## Order Stylommatophora 柄眼目

### Family Acanthinulidae 菜種蝸牛科

*Parazoogenetes orcula* (Benson, 1850) 圓菜種蝸

### Family Achatinidae 非洲大蝸牛科

*Achatina fulica* Bowdich, 1822 非洲大蝸牛 Ref. 陳秀男。1974

### Family Ariophantidae 絲繫甲蝸牛科

*Macrochlamys hippocastaneum* Godwin-Austen, 1918 高音符絲繫甲蝸牛 Ref. Lee & Wu, 2006

### Family Bradybaenidae 扁蝸牛科

*Acusta assimilis* (H. Adams, 1866) 高雄球蝸牛 Ref. 林朝榮。1974  
*Acusta despecta* (Sowerby, 1839) 琉球球蝸牛 Ref. 張寬敏。1976  
*Acusta fragilis* (Kuroda & Kano, MS) 薄球蝸牛 Ref. 林朝榮。1974  
*Acusta kotosyonis* (Kuroda & Kano, MS) 蘭嶼球蝸牛 Ref. 張寬敏。1984  
*Acusta plicosa* (Martens, 1894) 台灣球蝸牛 Ref. 張寬敏。1976  
*Acusta redfieldi* (Pfeiffer, 1852?) 芮氏球蝸  
*Acusta tourannensis* (Souleyet, 1842) 球蝸牛 Ref. 林朝榮。1974  
*Acusta toyenmongaiensis* Rolle, 1911 台南球蝸 [特有]  
*Aegista brachylasia* (Schmacker & Boettger, 1891) 絨盾蝸 [特有]  
*Aegista caperata* Lee & Wu, 2004 皺大臍蝸牛 Ref. Lee & Wu, 2004  
*Aegista fulvicans* (H. Adams, 1866) 高腰盾蝸 [特有]  
*Aegista granti* (Pilsbry & Hirase, 1905) 低腰盾蝸牛 Ref. 趙大衛、王姿文。1995  
*Aegista granti* (Pfeiffer, 1865) 葛蘭氏盾蝸牛 Ref. 張寬敏。1984  
*Aegista hebes* (Pilsbry & Hirase, 1905) 蓬萊盾蝸牛 Ref. 張寬敏。1976  
*Aegista impexa* (Pilsbry & Hirase, 1905) 薄盾蝸牛 Ref. 張寬敏。1976  
*Aegista inrinensis* (Pilsbry & Hirase, 1905) 員林盾蝸牛 Ref. 張寬敏。1984  
*Aegista lautsi* (Pilsbry & Hirase, 1905) 小老子盾蝸牛 Ref. 張寬敏。1984  
*Aegista lautsi* (Schmacker & Boettger, 1890) 老子盾蝸牛 Ref. 林朝榮。1974  
*Aegista lautsi* (Schmacker & Boettger, 1891) 絨盾蝸牛 Ref. 張寬敏。1984  
*Aegista mackensii* (Adams & Reeve, 1850) 台灣盾蝸牛 Ref. 張寬敏。1976  
*Aegista osbeckii* (Philippi, 1847) 多良間盾蝸牛 Ref. 張寬敏。1984  
*Aegista shermani* (Pfeiffer, 1865) 薛氏盾蝸牛 Ref. 李彥錚、陳文德。2003  
*Aegista subchinensis* (Moellendorff, 1884) 台灣大臍蝸牛 Ref. 張寬敏。1976  
*Aegista taiwanica* Hirase in Kuroda, 1941 台灣鱗盾蝸牛 Ref. 張寬敏。1984  
*Bradybaena similis* (Ferussac, 1822) 扁蝸牛 Ref. 陳秀男。1974  
*Dolicheulota formosensis* (H. Adams, 1866) 台灣長蝸牛 Ref. 賴景陽。1985  
*Dolicheulota swinhoei* (Pfeiffer, 1865) 斯文豪長蝸牛 Ref. 張寬敏。1976  
*Euhadra eoa* Kanamaru, 1940 伊勢灣蝸牛 Ref. 李彥錚、陳文德。2003  
*Helicostyla okadai* Kuroda, 1932 蘭嶼光澤蝸牛 Ref. 張寬敏。1984  
*Nesiohelix kanoi* (Kuroda, 1932) 鹿野氏蝸牛 Ref. 林朝榮。1974

*Nesiohelix swinhoi* (Pfeiffer, 1865) 斯文豪大蝸牛 Ref. 張寬敏。1976  
*Pseudobuliminus certus* (Zilch, 1938) 大釘蝸牛 Ref. 張寬敏。1976  
*Pseudobuliminus incertus* (Pfeiffer, 1866) 圓頂釘蝸 [特有]  
*Pseudobuliminus meiacoshimensis* (Pfeiffer, 1865) 圓頂釘蝸牛 Ref. 張寬敏。1976  
*Takasagohadra multifasciata* Kuroda, 1941 高砂蝸牛 Ref. 張寬敏、大久保皖司。1996

### Family Camaenidae 南亞蝸牛科

*Camaena batanica* (Schmacker & Boettger, 1891) 班卡拉左旋蝸牛 Ref. 張寬敏。1976  
*Camaena batanica* (Kuroda, 1932) 蘭嶼蝸牛 Ref. 林朝榮。1974  
*Camaena friesiana* (Moellendorff, 1884) 菱蝸牛 Ref. 趙大衛等。1994  
*Camaena succinctus* (H. Adams, 1866) 小菱蝸牛 Ref. 張寬敏。1976  
*Camaena succinctus* (Pilsbry, 1901) 圓菱蝸牛 Ref. 林朝榮。1974  
*Camaena succinctus* (Kuroda, 1941) 紅菱蝸牛 Ref. 吳書平、巫文隆。1998  
*Coniglobus albidus* (H. Adams, 1870) 多變高腰蝸牛 Ref. 林朝榮。1974  
*Coniglobus arisanus* (Kuroda, 1941) 阿里山蝸牛 Ref. 張寬敏。1997  
*Coniglobus arisanus* (Kuroda, 1941) 高橋氏蝸牛 Ref. 吳書平、巫文隆。1998  
*Coniglobus arisanus* (Kuroda, 1941) 太魯閣蝸牛 Ref. 吳書平、巫文隆。1998  
*Coniglobus arisanus* (Kuroda, 1941) 丹氏蝸牛 Ref. 吳書平、巫文隆。1998  
*Coniglobus bairdi* (H. Adams, 1866) 淡水蝸牛 Ref. 張寬敏。1976  
*Coniglobus contrarius* (Pilsbry & Hirase, 1908) 左旋蝸牛 Ref. 張寬敏。1976  
*Coniglobus formosensis* (Pfeiffer, 1865) 台灣蝸牛 Ref. 張寬敏。1976  
*Coniglobus kasyotonis* Kuroda & Kano, MS 綠島高腰蝸牛 Ref. 吳書平、巫文隆。1998  
*Coniglobus melleus* (Pfeiffer, 1865) 薄菱蝸牛 Ref. 張寬敏。1976  
*Coniglobus nux* (Kuroda, 1941) 排灣栗蝸牛 Ref. 張寬敏。1976  
*Coniglobus nux* Chang & Tada, 2000 阿美栗蝸牛 Ref. 張寬敏、多田昭。2000  
*Coniglobus nux* (Moellendorff, 1883) 栗蝸牛 Ref. 吳惠國、張寬敏。1975  
*Coniglobus pekanensis* (Kuroda & Kano, 1941) 紅左旋栗蝸牛 Ref. 吳書平、巫文隆。1998  
*Coniglobus pekanensis* (Rolle, 1911) 左旋栗蝸牛 Ref. 林朝榮。1974  
*Coniglobus sphaeroconus* (Pfeiffer, 1865) 橡實蝸牛 Ref. 張寬敏。1976  
*Coniglobus tadai* Kuroda, 1960 多田氏蝸牛 Ref. 吳書平、巫文隆。1998  
*Moellendorffia hiraseana* Pilsbry, 1905 皺口蝸牛 Ref. 趙大衛、陳淑卿、楊忠達。1997  
*Pancala bacca* (Pfeiffer, 1865) 阿猴蝸牛 Ref. 張寬敏。1976  
*Pancala batanica* (Adams & Reeve, 1850) 巴丹蝸  
*Satsuma albida* (H. Adams, 1870) 白高腰蝸 [特有]  
*Satsuma arisana* (Kuroda, 1941) 阿里山蝸 [特有]  
*Satsuma auratibasis* Wu & Hwang & Lin, 2008 金底高腰蝸 [特有]  
*Satsuma bairdi* (H. Adams, 1866) 淡水蝸 [特有]  
*Satsuma careocaecum* Wu & Hwang & Lin, 2008 關子嶺高腰蝸 [特有]  
*Satsuma contraria* (Pilsbry & Hirase, 1909) 左旋蝸 [特有]  
*Satsuma formosensis* (Pfeiffer, 1866) 臺灣蝸 [特有]  
*Satsuma friesiana* (Moellendorff, 1884) 菱蝸 [特有]  
*Satsuma hagiomontis* Wu & Hwang & Lin, 2008 大武高腰蝸 [特有]  
*Satsuma huberi* Wu & Hwang & Lin, 2008 扈伯爾氏高腰蝸 [特有]  
*Satsuma insignis* Pilsbry & Hirase, 1906 奇異高腰蝸 [特有]  
*Satsuma kanoi* Wu & Hwang & Lin, 2008 鹿野氏高腰蝸 [特有]  
*Satsuma katipolensis* Wu & Hwang & Lin, 2008 知本高腰蝸 [特有]  
*Satsuma lini* Wu & Hwang & Lin, 2008 林氏高腰蝸 [特有]  
*Satsuma lita* (Chang & Tada, 2000) 海岸栗蝸 [特有]  
*Satsuma longkiauensis* Wu & Lin & Hwang, 2007 琅嶠蝸牛 [特有]  
*Satsuma luteolella* Wu & Hwang & Lin, 2008 微黃高腰蝸 [特有]  
*Satsuma mellea* (Pfeiffer, 1866) 薄菱蝸 [特有]  
*Satsuma mollicula* Pilsbry & Hirase, 1906 豔美高腰蝸 [特有]  
*Satsuma nux* (Kuroda, 1941) 皺栗蝸 [特有]  
*Satsuma nux* (Moellendorff, 1888) 栗蝸 [特有]  
*Satsuma paiwanis* (Kuroda, 1941) 排灣栗蝸 [特有]  
*Satsuma pekanensis* (Rolle, 1911) 左旋蝸 [特有]  
*Satsuma phoenicis* Wu & Hwang & Lin, 2008 鳳凰高腰蝸 [特有]  
*Satsuma pilsbryi* Wu & Hwang & Lin, 2008 皮氏高腰蝸 [特有]  
*Satsuma polymorpha* Wu & Hwang & Lin, 2008 繽紛高腰蝸 [特有]  
*Satsuma rubrolaeva* Hwang & Chang, 2007 紅左旋蝸  
*Satsuma rubrotincta* (Kuroda, 1941) 紅菱蝸 [特有]  
*Satsuma sphaeroconus* (Pfeiffer, 1866) 橡實蝸 [特有]  
*Satsuma succincta* (Pilsbry, 1901) 圓菱蝸 [特有]  
*Satsuma succincta* (H. Adams, 1866) 小菱蝸 [特有]  
*Satsuma swinhoi* Wu & Hwang & Lin, 2008 斯文豪氏高腰蝸 [特有]  
*Satsuma takahashii* (Kuroda, 1941) 高橋氏蝸 [特有]  
*Satsuma takkiensis* (Kuroda, 1941) 太魯閣蝸 [特有]  
*Satsuma tani* (Kuroda, 1941) 丹氏蝸 [特有]  
*Satsuma vallis* Wu & Hwang & Lin, 2008 太魯閣高腰蝸 [特有]  
*Satsuma viridibasis* Wu & Hwang & Lin, 2008 綠底高腰蝸 [特有]  
*Trichochloritis hungerfordianus* (Moellendorff, 1884) 台灣絨蝸牛 Ref. 張寬敏。1976  
*Yakuchloritis hungerfordianus* (Nevill in Moellendorff, 1884) 臺灣絨蝸

## Family Clausiliidae 煙管蝸牛科

- Euphaedusa aculus* (Benson, 1842) 華中小煙管蝸牛 Ref. 謝伯娟、林曜松、巫文隆。1999  
*Euphaedusa eumegetha* (Schmacker & Boettger, 1891) 高雄小煙管蝸牛 Ref. 李彥錚、陳文德。2003  
*Euphaedusa sheridani* (Pfeiffer, 1865) 謝氏小煙管蝸牛 Ref. 羅進宗、張寬敏。1975  
*Formosana formosensis* (Chang & Ookubo, 1994) 白頂台灣煙管蝸牛 Ref. 張寬敏、大久保皖司。1994  
*Formosana formosensis* (H. Adams, 1866) 台灣煙管蝸牛 Ref. 羅進宗、張寬敏。1975  
*Formosana swinhoi* (Pfeiffer, 1865) 斯文豪煙管蝸牛 Ref. 羅進宗、張寬敏。1975  
*Formosana taiwanica* (Pilsbry, 1907) 台灣光澤煙管蝸牛 Ref. 張寬敏、羅進宗。1976  
*Hemiphaedusa amphileuca* Chang, 1978 兩端白煙管蝸 Ref. 張寬敏。1978  
*Hemiphaedusa antuensis* Chang, Tada & Ookubo, 1995 [特有]  
*Hemiphaedusa antuensis* Chang, Tada & Ookubo, 1995 安通煙管蝸牛 Ref. 張寬敏、多田昭、大久保皖司。1995  
*Hemiphaedusa antuensis* Nordsieck, 2005 [特有]  
*Hemiphaedusa arikangensis* Chang, 1992 甲仙煙管蝸牛 Ref. 張寬敏。1992  
*Hemiphaedusa bagsana* Schmacker & Boettger, 1891 木柵煙管蝸牛 Ref. 謝伯娟、林曜松、巫文隆。1999  
*Hemiphaedusa baibaraensis* Chang, Tada, Hwang & Ookubo, 1998 眉原煙管蝸 [特有]  
*Hemiphaedusa baibarensis* Chang, Tada, Hwang & Ookubo, 1998 惠孫煙管蝸牛 Ref. 張寬敏等。1998  
*Hemiphaedusa buduensis* Chan & Ookubo, 1997 霧台煙管蝸牛 Ref. 張寬敏、多田昭、大久保皖司。1995  
*Hemiphaedusa exilis* (H. Adams, 1866) 淡水煙管蝸牛 Ref. 羅進宗、張寬敏。1975  
*Hemiphaedusa exilis* Chang & Wu, 1979 占山煙管蝸 [特有]  
*Hemiphaedusa gochishanensis* Chang, 1999 五指山煙管蝸牛 Ref. 張寬敏。1999  
*Hemiphaedusa hemmeni* Nordsieck, 2005 [特有]  
*Hemiphaedusa hemmeni* Nordsieck, 2005 [特有]  
*Hemiphaedusa ilandensis* Nordsieck, 2003 [特有]  
*Hemiphaedusa kanaganensis* Chang, 1980 和仁煙管蝸牛 Ref. 張寬敏、吳惠國。1978  
*Hemiphaedusa kosakai* Kuroda, 1941 小阪氏煙管蝸 [特有]  
*Hemiphaedusa kuanmini* Lee & Wu, 2003 寬敏煙管蝸牛 Ref. Lee & Wu, 2003  
*Hemiphaedusa lini* Chang & Tada, 2000 林朝榮煙管蝸牛 Ref. 張寬敏、多田昭。2000  
*Hemiphaedusa litouensis* Chang & Ookubo, 2004 利稻煙管蝸牛 Ref. 張寬敏、大久保皖司。2004  
*Hemiphaedusa longiplicata* Nordsieck, 2005 [特有]  
*Hemiphaedusa minutus* Chang & Tada, 2006 侑皮煙管蝸牛 Ref. 張寬敏、多田昭。2006  
*Hemiphaedusa montuosa* Nordsieck, 2003 山地煙管蝸牛 Ref. Nordsieck, 2003  
*Hemiphaedusa myersi* (Schmacker & Boettger, 1891) 麥氏煙管蝸牛 Ref. 張寬敏。1991  
*Hemiphaedusa nigricans* Nordsieck, 1998 黑煙管蝸 [特有]  
*Hemiphaedusa odontochila* Ehrmann in Zilch, 1954 [特有]  
*Hemiphaedusa odontochila* Chang & Ookubo, 1994 棍子煙管蝸牛 Ref. 張寬敏、大久保皖司。1994  
*Hemiphaedusa odontochila* (Schmacker & Boettger, 1891) 台灣紡錘煙管蝸牛 Ref. 羅進宗、張寬敏。1975  
*Hemiphaedusa ooi* (Chang & Maeda, 1982) 廬山煙管蝸牛 Ref. 張寬敏、前田和俊。1982  
*Hemiphaedusa ooi* Kuroda, 1941 小&#22338 Ref. 張寬敏。1985  
*Hemiphaedusa ooi* Kuroda, 1941 王氏煙管蝸牛 Ref. 羅進宗、張寬敏。1975  
*Hemiphaedusa pseudosheridani* (Zilch, 1954) 似謝氏煙管蝸牛 Ref. 張寬敏。1987  
*Hemiphaedusa similis* (Schmacker & Boettger, 1891) 黑紡錘煙管蝸 [特有]  
*Hemiphaedusa similis* (Schmacker & Boettger, 1891) 棍紡錘煙管蝸 [特有]  
*Hemiphaedusa similis* (H. Adams, 1866) 白口煙管蝸牛 Ref. 羅進宗、張寬敏。1975  
*Hemiphaedusa taibuensis* Chang & Tada, 2005 泰武煙管蝸牛 Ref. 張寬敏、多田昭。2005  
*Hemiphaedusa tantaensis* Chang & Wu, 1977 丹大煙管蝸 Ref. 張寬敏、吳惠國。1977  
*Hemiphaedusa wenderi* Lee & Wu, 2005 文德煙管蝸牛 Ref. Lee & Wu, 2005  
*Heterozaptyx diacoptyx* (Pilsbry, 1905) 紡錘細煙管蝸牛 Ref. 謝伯娟、林曜松、巫文隆。1999  
*Heterozaptyx ilanensis* Nordsieck, 2003 宜蘭煙管蝸牛 Ref. Nordsieck, 2003  
*Heterozaptyx santiaoensis* (Chang, 1982) 三貂嶺細煙管蝸牛 Ref. 謝伯娟、林曜松、巫文隆。1999  
*Heterozaptyx takahashii* (Kuroda, 1932) 高橋氏細煙管蝸牛 Ref. 林朝榮。1974  
*Heterozaptyx uraniscoptyx* (Schmacker & Boettger, 1891) 天女細煙管蝸牛 Ref. 謝伯娟、林曜松、巫文隆。1999  
*Oospira albiapex* (Chang, 1994) 白頂煙管蝸 [特有]  
*Oospira formosensis* (H. Adams, 1866) 臺灣煙管蝸 [特有]  
*Oospira formosensis* (Pilsbry, 1909) 寶斗山煙管蝸 [特有]  
*Oospira formosensis* (Ehrmann in Zilch, 1954) [特有]  
*Oospira lingchuanensis* (Chang, 1989) 冷泉煙管蝸 [特有]  
*Oospira swinhoi* (Pfeiffer, 1866) 斯文豪煙管蝸 [特有]  
*Oospira taiwanica* (Pilsbry, 1909) 光澤臺灣煙管蝸 [特有]  
*Phaedusa eumegetha* (Schmacker & Boettger, 1891) 高雄煙管蝸牛 Ref. 謝伯娟、林曜松、巫文隆。1999  
*Phaedusa hayashii* Kuroda, 1941 林氏煙管蝸牛 Ref. 同前  
*Phaedusa hayashii* Chang, 1986 知本煙管蝸 [特有]  
*Phaedusa hayashii* Chang, 1986 知本煙管蝸牛 Ref. 張寬敏。1986  
*Phaedusa horikawai* Kuroda, 1941 堀川煙管蝸 [特有]  
*Phaedusa horikawai* Kuroda, 1941 石崎煙管蝸 [特有]  
*Proreinia eastlakeana* (Kuroda & Kano, 1941) 雅美寬口煙管蝸牛 Ref. 林朝榮。1974  
*Proreinia eastlakeana* (Kuroda, 1941) 台灣寬口煙管蝸牛 Ref. 謝伯娟、林曜松、巫文隆。1999  
*Reinia changi* Nordsieck, 2003 張氏寬口煙管蝸 [特有]  
*Selenoptyx bivincta* (Pilsbry, 1908) 環線細煙管蝸牛 Ref. 謝伯娟、林曜松、巫文隆。1999  
*Stereophaedusa horikawai* (Kuroda, 1941) 堀川氏煙管蝸牛 Ref. 張寬敏、前田和俊。1984  
*Thaumatoptyx alloptyx* Nordsieck, 2003 異髮細煙管蝸牛 Ref. Nordsieck, 2003  
*Thaumatoptyx aptyx* Nordsieck, 2003 少髮細煙管蝸牛 Ref. 同前

*Thaumatoptyx bivincta* (Pilsbry, 1909) 環線細煙管蝸 [特有]  
*Thaumatoptyx changi* Nordsieck, 2003 張氏細煙管蝸牛 Ref. 張鎮國、巫文隆。2004  
*Thaumatoptyx costellata* Nordsieck, 2005 [特有]  
*Thaumatoptyx crassilamellata* (Kuroda, 1941) 鬼牙細煙管蝸 [特有]  
*Thaumatoptyx diacoptyx* (Pilsbry, 1909) 紡錘細煙管蝸 [特有]  
*Thaumatoptyx euptyx* Nordsieck, 2003 顯襖細煙管蝸牛 Ref. Nordsieck, 2003  
*Thaumatoptyx gonyptyx* Nordsieck, 2003 角襖細煙管蝸牛 Ref. 同前  
*Thaumatoptyx gonyptyx* Nordsieck, 2005 [特有]  
*Thaumatoptyx hassensis* (Kuroda, 1941) 八仙山細煙管蝸 [特有]  
*Thaumatoptyx oligoptyx* Nordsieck, 2003 寡襖細煙管蝸牛 Ref. Nordsieck, 2003  
*Thaumatoptyx orthoptyx* Nordsieck, 2003 直襖細煙管蝸牛 Ref. 同前  
*Thaumatoptyx paraptyx* Nordsieck, 2003 似顯襖細煙管蝸牛 Ref. 同前  
*Thaumatoptyx santiaomensis* (Chang, 1982) 三貂嶺細煙管蝸 [特有]  
*Thaumatoptyx uranicoptyx* (Schmacker & Boettger, 1891) 天女細煙管蝸 [特有]  
*Thaumatoptyx uraniscoptyx* Nordsieck, 2005 雙襖奇管蝸 [特有]  
*Thaumatoptyx ypsilonptyx* Nordsieck, 2003 叉襖細煙管蝸牛 Ref. Nordsieck, 2003  
*Zptyx crassilamellata* (Pilsbry, 1941) 鬼牙細煙管蝸牛 Ref. 羅進宗、張寬敏。1975  
*Zptyx kotoshoensis* Kuroda, 1932 蘭嶼細煙管蝸牛 Ref. 林朝榮。1974  
*Zptyx kotosyoensis* Kuroda, 1932 蘭嶼細煙管蝸 [特有]

#### Family Corillidae 蝸蝸牛科

*Plectopylis ishizakii* Kuroda, 1941 台灣蝸蝸牛 Ref. 張寬敏、大久保統司。1999

#### Family Endodontidae 內齒蝸牛科

*Tadaia nivalis* Minato & Ookubo, 1992 雪白內齒蝸牛 Ref. 李彥錚、陳文德。2003

#### Family Enidae 似煙管蝸牛科

*Boninena leptostraca* (Schmacker & Boettger, 1891) 塔似煙管蝸牛 Ref. 張寬敏。1984  
*Boninena warburgi* (Schmacker & Boettger, 1891) 瓦氏似煙管蝸牛 Ref. 張寬敏。1980  
*Luchuena luchuana* (Kuroda, 1945) 綠島似煙管蝸 [特有]  
*Luchuena luchuana* (Pilsbry, 1901) 琉球似煙管蝸 Ref. 張寬敏。1987  
*Luchuena taivanica* (Moellendorff, 1884) 台灣似煙管蝸 Ref. 趙大衛、王姿文。1995

#### Family Gastrocoptidae 砂蝸牛科

*Gastrocopta lyonsiana* (Ancey, 1892) 里昂砂蝸  
*Gastrocopta ooi* Kuroda, 1941 砂蝸牛 Ref. 張學文等。1995

#### Family Helicarionidae 鱉甲蝸牛科

*Chalepotaxis spadix* (Schmacker & Boettger, 1891) 白底小鱉甲蝸牛 Ref. 張寬敏。1984  
*Chalepotaxis spadix* (Pilsbry, 1901) 黑線小鱉甲蝸牛 Ref. 張寬敏。1980  
*Discoconulus lamprobasis* (Pilsbry & Hirase, 1905) 宜蘭小鱉甲蝸牛 Ref. 張寬敏。1977  
*Discoconulus lissobasis* (Pilsbry & Hirase, 1905) 寶斗山小鱉甲蝸牛 Ref. 張寬敏。1984  
*Discoconulus radiatus* (Pilsbry & Hirase, 1905) 細紋小鱉甲蝸牛 Ref. 張寬敏。1984  
*Discoconulus sinapidius* (Reinhardt, 1877) 姬鱉甲蝸牛 Ref. 張寬敏。1984  
*Ibycus hiraseanus* (Pilsbry in Pilsbry & Hirase, 1905) 小玉蝸牛 Ref. 張寬敏。1984  
*Kaliella costata* (Pilsbry & Hirase, 1905) 粗線黍蝸牛 Ref. 張寬敏。1984  
*Liardetia yaeyamaensis* (Pilsbry, 1905) 小線黍蝸牛 Ref. 張學文等。1995  
*Otesiopsis taiwanica* (Kuroda, 1941) 台灣透鏡蝸牛 Ref. 施乃普。1975  
*Ovachlamys fulgens* (Gude, 1900) 琉球鱉甲蝸牛 Ref. 林朝榮。1974  
*Parakaliella depressa* (Moellendorff, 1883) 平黍蝸牛 Ref. 張寬敏。1984  
*Parakaliella nahaensis* (Gude, 1900) 那霸黍蝸牛 Ref. 張寬敏。1984  
*Parakaliella venusta* (Pilsbry & Hirase, 1905) 絲黍蝸牛 Ref. 張寬敏。1984  
*Parasitala reinhardti* (Pilsbry, 1900) 圓黍蝸牛 Ref. 李彥錚、陳文德。2003  
*Parmarion martensi* Simroth, 1893 馬氏鱉甲蝸牛 Ref. 張寬敏。1991  
*Petalochlamys formosana* (Schmacker & Boettger, 1891) 台灣鱉甲蝸牛 Ref. 張寬敏。1976  
*Petalochlamys nitidus* (Pilsbry & Hirase, 1905) 光澤鱉甲蝸牛 Ref. 張寬敏。1976  
*Petalochlamys par* (Schmacker & Boettger, 1891) 小鱉甲蝸牛 Ref. 張寬敏。1984  
*Petalochlamys vesta* (Pfeiffer, 1865) 青鱉甲蝸牛 Ref. 張寬敏。1976  
*Pseudohelicarion formosana* (Schmacker & Boettger, 1891) 臺灣鱉甲蝸 [特有]  
*Pseudohelicarion nitidus* (Pilsbry & Hirase, 1906) 光澤鱉甲蝸 [特有]  
*Pseudohelicarion par* (Schmacker & Boettger, 1891) 汎鱉甲蝸 [特有]  
*Pseudohelicarion vesta* (Pfeiffer, 1866) 青鱉甲蝸 [特有]  
*Sitalina angulifera* (Pilsbry & Hirase, 1905) 角圓口小蝸牛 Ref. 張寬敏。1984  
*Sitalina circumcincta* (Pilsbry & Hirase, 1905) 台灣高腰圓口小蝸牛 Ref. 張寬敏。1984  
*Sitalina circumscripta* (Pilsbry & Hirase, 1906) 臺灣高腰圓口小蝸 [特有]  
*Sitalina hirasei* (Pilsbry, 1905) 笠圓口小蝸牛 Ref. 張寬敏。1984  
*Sitalina latissima* (Pilsbry, 1902) 平圓口小蝸牛 Ref. 張寬敏。1984  
*Sitalina trochulus* (Schmacker & Boettger, 1891) 蓬萊圓口小蝸牛 Ref. 張寬敏。1984  
*Trochochlamys crenulata* (Gude, 1900) 笠黍蝸牛 Ref. 張寬敏。1984  
*Trochochlamys crenulata* (Pilsbry & Hirase, 1906) 臺灣笠黍蝸 [特有]  
*Trochochlamys izushichitoensis* (Pilsbry & Hirase, 1903) 伊豆高黍蝸牛 Ref. 李彥錚、陳文德。2003  
*Trochochlamys longa* (Pilsbry & Hirase, 1905) 長黍蝸牛 Ref. 張寬敏。1984  
*Trochochlamys nahaensis* (Gude, 1900) 那霸黍蝸

#### Family Limacidae 蛞蝓科

*Deroceras agreste* (Linnaeus, 1758) 野蛞蝓  
*Deroceras laeve* (Müller, 1774) 光滑野蛞蝓 Ref. 蔡奇立、林旭宏。2005  
*Deroceras reticulatum* (Müller, 1774) 網紋野蛞蝓 Ref. 蔡奇立、林旭宏。2005  
*Deroceras varians* (A. Adams, 1868) 野蛞蝓 Ref. 李彥錚、陳文德。2003

#### Family Philomycidae 黏液蛞蝓科

*Meghimatium bilineatum* (Benson, 1842) 雙線蛞蝓 Ref. 趙大衛、黃國銅。1991  
*Meghimatium bilineatus* (Benson, 1842) 雙線蛞蝓  
*Meghimatium formosana* (Cockerell, 1893) 蓬萊蛞蝓 Ref. 趙大衛等。1994  
*Meghimatium fruhstorferi* (Collinge, 1901) 山蛞蝓 Ref. 趙大衛、黃國銅。1991  
*Meghimatium pictum* (Stoliczka, 1873) &#32137 Ref. 蔡奇立、林旭宏、吳錫圭。2005  
*Meghimatium rugosum* (Chen and Gao, 1982) 皺紋蛞蝓 Ref. 同前  
*Meghimatium taiwanensis* Simroth, 1903 台灣蛞蝓 Ref. 張寬敏。1984  
*Meghimatium taiwanica* (Simroth, 1902) 臺灣蛞蝓 [特有]

#### Family Punctidae 粟蝸牛科

*Punctum atomus* Pilsbry & Hirase, 1904 微粟蝸牛 Ref. 李彥錚、陳文德。2003  
*Punctum japonicum* Pilsbry, 1900 日本粟蝸牛 Ref. 李彥錚、陳文德。2003  
*Punctum taiwanicum* Pilsbry & Hirase, 1905 台灣粟蝸牛 Ref. 張寬敏。1984

#### Family Pupillidae 蛹蝸牛科

*Nesopupa yamagutii* Kuroda, 1941 絲蛹蝸牛 Ref. 張學文等。1995  
*Praoogenetes orcula* (Benson, 1850) 圓菜種蝸牛 Ref. 張寬敏。1976  
*Pupoides coenopictus* Kuroda, 1941 似蛹蝸 [特有]  
*Pupoides coenopictus* (Kuroda, 1941) 似蛹蝸牛 Ref. 張寬敏。1984

#### Family Streptaxidae 扭蝸牛科

*Elma oblongata* Yen, 1939 長草包蝸牛 Ref. 李彥錚、陳文德。2003  
*Elma swinhoi* (H. Adams, 1866) 草包蝸 [特有]  
*Indoenna bicolor* (Hutton, 1834) 雙色草包蝸牛 Ref. 張寬敏。1976  
*Oophana heudei* (Schmarcker & Boettger, 1891) 扭蝸牛 Ref. 林朝榮。1974  
*Perrottetia heudei* (Schmacker & Boettger, 1891) 扭蝸 [特有]  
*Sinoenna duplicaria* (Pilsbry, 1926) 重複扭蝸  
*Sinoenna microstoma* (Moellendorff, 1881) 小口蝸草包蝸牛 Ref. 李彥錚、陳文德。2003  
*Sinoenna swinhoi* (H. Adams, 1866) 草包蝸牛 Ref. 張寬敏。1976

#### Family Strobilopsidae 內溝蝸牛科

*Enteroplax kanjiokuboi* Minato & Tada, 1992 東埔內溝蝸 [特有]  
*Enteroplax kashotoensis* Minato & Tada, 1992 東埔內溝蝸牛 Ref. 李彥錚、陳文德。2003  
*Enteroplax taiwanica* Minato & Tada, 1992 台灣內溝蝸牛 Ref. Minato & Okubo, 1992

#### Family Subulinidae 錐蝸牛科

*Allopeas clavulinum* (Potiez & Michaud, 1838) 錐蝸牛 Ref. 林朝榮。1974  
*Allopeas gracilis* (Hutton, 1834) 大錐蝸牛 Ref. 林朝榮。1974  
*Allopeas javanicum* (Reeve, 1849) 爪哇錐蝸牛 Ref. 張文重、張寬敏。1984  
*Allopeas mauritanium* (Pilsbry & Hirase, 1904) 摩里西司錐蝸牛 Ref. 標本記錄  
*Allopeas pyrgula* (Schmacker & Boettger, 1891) 細錐蝸牛 Ref. 趙大衛、黃國銅。1991  
*Allopeas turgidulum* (Hutton, 1882) 粗錐蝸牛 Ref. 林朝榮。1974  
*Subulina octona* (Bruguiere, 1792) 原錐蝸牛 Ref. 張寬敏。1985  
*Tortaxis mirus* (Gredler, 1884) 歪軸蝸牛 Ref. 趙大衛、莊淑君。1996

#### Family Succineidae 錐實蝸牛科

*Succinea erythrophana* Ancey, 1883 台灣錐實蝸牛 Ref. 張學文等。1995  
*Succinea horticola* (Reinhardt, 1877) Ref. Mihsuo, 1936

#### Family Tornatellidae 蚤蝸牛科

*Tornatellides boeningi* (Schmarcker & Boettger, 1891) 蚤蝸牛 Ref. 張寬敏。1984

#### Family Trochomorphidae 笠蝸牛科

*Ariophanta taiwanica* Moellendorff, 1885 左旋鰲甲蝸牛 Ref. 張寬敏。1984  
*Videnoida borealis* (Moellendorff, 1888) 褐色笠蝸牛 Ref. 李彥錚、陳文德。2003  
*Videnoida cultrata* (Pilsbry & Hirase, 1905) 台灣笠蝸牛 Ref. 張寬敏。1976  
*Videnoida haenseli* (Schmacker & Boettger, 1891) 圓笠蝸牛 Ref. 林朝榮。1974  
*Videnoida pellucida* (Pilsbry & Hirase, 1905) 光澤笠蝸牛 Ref. 林朝榮。1974  
*Videnoida shermani* (Pfeiffer, 1865) 平笠蝸牛 Ref. 張寬敏。1976

#### Family Vertiginidae 牙蝸牛科

*Vertigo eogea* Kuroda, 1941 牙蝸牛 Ref. 張寬敏。1984

#### Family Zonitidae 琥珀蝸牛科

*Guppya coneyi* Chang & Wu, 2006 可尼琥珀蝸牛 Ref. 張寬敏、巫文隆。2006  
*Hawaiiia minuscula* (Binney, 1840) 小琥珀蝸牛 Ref. 林朝榮。1974  
*Zonitoides fromosana* (Hirase, MS) 台灣琥珀蝸牛 Ref. 林朝榮。1974

### Order Systellomatophora 縮柄眼目

#### Family Onchidiidae 石礮科

*Onchidium vericulatum* (Cuvier, 1830) 石礮

*Onchidium verruculatum* Cuvier, 1830 石磺 Ref. 林朝榮。1974

## Order Thecosomata 有殼翼足目

### Family Cavoliniidae 駝蝶螺科

- Cavolina gibbosa* (d'Orbigny, 1836) 水珠駝蝶螺 Ref. Kuroda, 1941  
*Cavolina globulosa* (Rang, 1827) 圓駝蝶螺 Ref. 葉人驥。1989  
*Cavolina inflexa* (Rang, 1829) 潛水艇駝蝶螺 Ref. 張昆煌。1996  
*Cavolina longirostris* (Lesueur, 1825) 雪珠駝蝶螺 Ref. 葉人驥。1989  
*Cavolina tridentata* (Niebuhr, 1775) 三齒駝蝶螺 Ref. 葉人驥。1989  
*Cavolina uncinata* (Rang, 1827) 露珠駝蝶螺 Ref. 葉人驥。1989  
*Cavolinia globulosa* Gray, 1850 球龜螺 Ref. Yamaji, 1991  
*Cavolinia inflexa* d'Orbigny, 1836 寬彎龜螺 Ref. Yamaji, 1991  
*Cavolinia longirostris* Souleyet, 1852 長吻龜螺 Ref. Yamaji, 1991  
*Cavolinia tridentata* Forskal, 1775 龜螺 Ref. Yamaji, 1991  
*Cavolinia uncinata* Rang, 1836 鈎龜螺 Ref. Yamaji, 1991  
*Clio balantium* Rang, 1834 袋長角螺 Ref. Yamaji, 1991  
*Clio cuspidata* (Bosc, 1802) 翼菱蝶螺 Ref. 張昆煌。1996  
*Clio pyramidata* Linnaeus, 1767 矛頭長角螺 Ref. Yamaji, 1991  
*Clio pyramidata* Zhang, 1964 小尾長角螺 Ref. Yamaji, 1991  
*Clio pyramidata* Linnaeus, 1767 尖菱蝶螺 Ref. 迷你貝殼中文種名小組。1988  
*Creseis acicula* Rang, 1827 蜻蜓角駝蝶螺 Ref. 葉人驥。1989  
*Creseis virgula* Eschscholtz, 1829 錐筆帽螺 Ref. Yamaji, 1991  
*Creseis virgula* Rang, 1827 企鵝角駝蝶螺 Ref. 張昆煌。1996  
*Creseis virgula* Chen & Be, 1964 棒筆帽螺 Ref. Yamaji, 1991  
*Cuvierina columnella* (Rang, 1827) 筒蝶螺 Ref. 迷你貝殼中文種名小組。1988  
*Diacria quadridentata* de Blainville, 1821 肋厚唇螺 Ref. Yamaji, 1991  
*Diacria quadridentata* (Lesueur, 1825) Ref. Kuroda, 1941  
*Diacria trispinosa* (Blainville, 1821) 三尖駝蝶螺 Ref. 施乃普。1975  
*Hyalocylis striata* (Rang, 1828) 牛角蝶螺 Ref. 李彥錚。2001  
*Styliola subula* Quoy & Gaimard, 1827 錐棒螺 Ref. Yamaji, 1991

### Family Desmopteridae 蝴蝶螺科

*Desmopterus papilio* Chun, 1889 蝴蝶螺 Ref. Yamaji, 1991

### Family Limacinidae 蝸螺科

- Agadina stimpsoni* Adams, A., 1867 強捲螺 Ref. Yamaji, 1991  
*Limacina bulimoides* d'Orbigny, 1836 泡唬螺 Ref. Yamaji, 1991  
*Limacina inflata* (D'Orbigny, 1836) 蝌蚪螺 Ref. 李彥錚。2002  
*Limacina trochiformis* d'Orbigny, 1836 馬蹄唬螺 Ref. Yamaji, 1991

### Family Peraclidae 長軸螺科

*Peraclis reticulata* d'Orbigny, 1836 長軸螺 Ref. Yamaji, 1991

## Order Umbraculomorpha 傘殼目

### Family Umbraculidae 傘螺科

*Umbraculum sinicum* (Gmelin, 1791) 中華傘螺 Ref. 巫文隆、李彥錚。2005

## Order Vetigastropoda 古腹足目

### Family Scissurellidae 裂唇螺科

- Scissurella coronata* (A. Adams, 1862) 花冠裂唇螺 Ref. 李彥錚。2005  
*Sukashitrochus carinata* (A. Adams, 1862) 螺旋裂唇螺 Ref. 李彥錚。2005

## Class Polyplacophora 多板綱

### Order Neoloricata 新石鱉目

#### Family Acanthochitonidae 毛膚石鱉科

- Acanthochitona achates* (Gould, 1859) 毛石鱉 Ref. 巫文隆、張寶仁、李彥錚。2000  
*Acanthochitona zeylandicus* Quoy & Gaimard 棘毛石鱉 Ref. 張寬敏等。1983

#### Family Callistoplacidae 盔石鱉科

- Callistochiton savigni* Pilsbry, 1893 錫圭石鱉 Ref. 張寬敏等。1983  
*Nuttallina alternata* (Sowerby, 1840) 黑石鱉 Ref. 張寬敏等。1983

#### Family Chitonidae 石鱉科

- Acanthochiton rubrolineatus* (Lischke, 1873) Ref. 王繼忠、譚天錫。1979  
*Acanthopleura gemmata* (de Blainville, 1825) 鬼石鱉 Ref. 吳錫圭。1975  
*Acanthopleura loochooana* (Broderip & Sowerby, 1829) 琉球石鱉 Ref. 王繼忠、譚天錫。1979  
*Acanthopleura spinosa* (Bruguere, 1893) 海膽石鱉 Ref. 吳錫圭。1975  
*Acanthopleura woodwardi* Kaas & Belle, 1988 花紋棘石鱉 Ref. 巫文隆、李彥錚。2005  
*Chiton komaianus* Taki, 1929 美石鱉 Ref. 張寬敏等。1983  
*Liolophura japonica* (Lischke, 1873) 大駝石鱉 Ref. 王繼忠、譚天錫。1979  
*Onithochiton hirasei* Pilsbry, 1901 錦石鱉 Ref. 吳錫圭。1975  
*Onithochiton maillardi* (Deshayes, 1863) 美拉蒂石鱉 Ref. 巫文隆、李彥錚。2005  
*Rhyssoplax komaiana* (Is. & Iw. Taki, 1929) 鱗紋石鱉 Ref. 李彥錚。2002  
*Squamopleura curtisiana* (Smith, 1884) Ref. 吳錫圭。1975

*Tonicia floccata* (Sowerby, 1842) 眼鏡石蟹 Ref. 李彥錚。2005

### Family Ischnochitonidae 薄石蟹科

*Ischnochiton comptus* (Gould, 1859) 薄石蟹 Ref. 林朝榮。1974

*Lepidozona coreanica* (Reeve, 1847) 銼石蟹 Ref. 林朝榮。1974

*Stenosemus golikovi* Sirenko, 1994 格利可夫石蟹 Ref. 巫文隆、李彥錚。2005

### Family Leptochitonidae 鱗側石蟹科

*Leptochiton ater* Saito, 1997 黑紋石蟹 Ref. 李彥錚。2002

## Class Scaphopoda 掘足綱

### Order Dentalioida 象牙貝目

#### Family Calliodentaliidae 麗象牙貝科

*Calliodentalium crocinum* (Dall, 1907) 黃光象牙貝 Ref. 李彥錚。2001

#### Family Dentaliidae 象牙貝科

*Dentalium aprinum* Linnaeus, 1776 青象牙貝 Ref. Kuroda, 1941

*Dentalium elephantium* (Linnaeus, 1758) 綠象牙貝 Ref. Dharma, 1992

*Dentalium javanicum* Sowerby, 1860 大稜象牙貝 Ref. 貝類中文訂名小組。1979

*Dentalium octangulatum* Donovan, 1804 稜象牙貝 Ref. 馬綉同。1982

*Dentalium paucicostatum* Boissevain, 1906 Ref. Kuroda, 1941

*Dentalium robustum* Brazier, 1877 Ref. Kuroda, 1941

*Fissidentalium formosum* (A. Adams & Reeve, 1850) 錦紅象牙貝 Ref. Kuroda, 1941

*Fissidentalium hungerfordi* (Pilsbry & Sharp, 1888) 扁管象牙貝 Ref. 藍子樵。1980

*Fissidentalium profundorum* (E. A. Smith, 1894) 深海象牙貝 Ref. 巫文隆、李彥錚。2005

*Fissidentalium vermedei* (Sowerby, 1860) 圓象牙貝 Ref. 巫文隆、張寶仁、李彥錚。2000

*Fissidentalium vicdani* Kosuge, 1981 宏凱象牙貝 Ref. 李彥錚。2001

*Fissidentalium yokoyamai* (Makiyama, 1931) 橫山象牙貝 Ref. 李彥錚。2001

*Gadila opportunus* Kuroda & Habe, 1961 大肚象牙貝 Ref. 巫文隆、楊誠國、張寶仁。2006

*Gadila virginalis* (Boissevain, 1906) 純潔大肚象牙貝 Ref. 同前

*Gadilina insoluta* (Smith) Ref. 同前

*Graptacme acicula* (Gould, 1859) 姬象牙貝 Ref. 許中泰。1975

*Graptacme buccinulum* (Gould, 1859) 條紋姬象牙貝 Ref. 巫文隆、李彥錚。2005

*Striodentalium rhabdotum* (Pilsbry, 1905) 竹竿象牙貝 Ref. 巫文隆、李彥錚。2005

#### Family Episiphonidae 蕊象牙貝科

*Episiphon makiyamai* (Kuroda & Kikuchi, 1933) 蕊象牙貝 Ref. 李彥錚。2001

*Episiphon subtorquatum* (Fischer, 1871) 細環象牙貝 Ref. 李彥錚。2002

#### Family Laevidentaliidae 光滑象牙貝科

*Fustiaria nipponica* (Yokoyama, 1922) 裂象牙貝 Ref. 李彥錚。2002

*Laevidentalium longitrossum* (Reeve, 1842) 細長象牙貝 Ref. 中華民國貝類學會。1994

*Laevidentalium philippinarum* (Sowerby, 1860) 盜象牙貝 Ref. 貝類中文訂名小組。1979

### Order Siphonodentalioida 斜口象牙貝目

#### Family Cadulidae 胖象牙貝科

*Cadulus anguidens* (Melvill & Standen, 1898) 胖象牙貝 Ref. Kuroda, 1941

*Dischides belcheri* (Pilsbry & Sharp, 1897) 叉象牙貝 Ref. 貝類中文訂名小組。1979

#### Family Siphonodentaliidae 斜口象牙貝科

*Entalina quadrangularis* Boissevain, 1906 四角管象牙貝 Ref. 李彥錚。2001

*Entalinopsis intercostata* (Boissevain, 1907) 六角象牙貝 Ref. 李彥錚。2001

*Megaentalina mediocarinata* (Boissevain, 1906) 三角管象牙貝 Ref. 李彥錚。2001

## Phylum Bryozoa 苔蘚動物門

### Class Stenolaemata 窄唇綱

#### Order Cheilostomata 唇口目

##### Family Aeteidae

*Aetea truncata* (Landsborough, 1852) Ref. Coral rubble, Keelung, 2005

##### Family Antroporidae

*Antropora typica* (Canu & Bassler, 1928) Ref. Coral rubble, Keelung, 2005

##### Family Arachnopusiidae

*Poricella spatulata* (Canu & Bassler, 1929) Ref. Green Island, 2000

##### Family Cabereidae

*Amastigia tricervicornis* Gluhak, Lewis & Popijac, 2007 Ref. Green Island, 2000

*Caberea lata* Busk, 1852 Ref. 同前

*Caberea sinensis* Gluhak, Lewis & Popijac, 2007 Ref. 同前

*Canda foliifera* Harmer, 1926 Ref. 同前

*Canda pecten* Harmer, 1926 Ref. 同前

*Scrupocellaria delilii* (Audouin, 1826) Ref. 同前

*Scrupocellaria maderensis* Busk, 1860 Ref. 同前

*Scrupocellaria unicornis* Liu, 1980 Ref. 同前

#### **Family Catenicellidae**

*Catenicella marceli* Gluhak, Lewis & Popijac, 2007 Ref. Green Island, 2000

*Catenicella uberrima* Harmer, 1957 Ref. 同前

#### **Family Celleporidae**

*Celleporina avicularidentata* Gluhak, Lewis & Popijac, 2007 Ref. Green Island, 2000

#### **Family Chorizoporidae**

*Chorizopora brongniartii* (Audouin, 1826) Ref. Coral rubble, Keelung, 2005

#### **Family Crepidacanthidae**

*Crepidacantha grandis* Canu & Bassler, 1929 Ref. Coral rubble, Keelung, 2005

*Crepidacantha poissonii* (Audouin, 1826) Ref. Green Island, 2000

#### **Family Cribrilinidae**

*Puellina egretta* Ryland & Hayward, 1992 Ref. Green Island, 2000

*Puellina flabellifera* (Kirkpatrick, 1888) Ref. 同前

*Puellina vulgaris* Ryland & Hayward, 1992 Ref. 同前

#### **Family Epistomiidae**

*Synnotum aegyptiacum* (Audouin, 1826) Ref. Green Island, 2000

#### **Family Gigantoporidae**

*Cosciniopsis lonchaea* (Busk, 1884) Ref. Coral rubble, Keelung, 2005

#### **Family Hippopodinidae**

*Hippopodina feegeensis* (Busk, 1884) Ref. Coral rubble, Keelung, 2005

#### **Family Hippothoidae**

*Hippothoa calciophilia* Gordon, 1984 Ref. Coral rubble, Keelung, 2005

*Hippothoa flagellum* Manzoni, 1870 Ref. 同前

#### **Family Lacernidae**

*Arthropoma ceciliai* (Audouin, 1826) Ref. Coral rubble, Keelung, 2005

#### **Family Lanceoporidae**

*Calypotheca inclusa* (Thornely, 1906) Ref. Coral rubble, Keelung, 2005

#### **Family Lepraliellidae**

*Drepanophora gutta* Tilbrook, Hayward & Gordon, 2001 Ref. Green Island, 2000

#### **Family Membraniporidae**

*Jellyella tuberculata* (Bosc, 1802) Ref. Benny Chan's specimens from Hualien, 2007

#### **Family Microporellidae**

*Calloporina sigillata* Canu & Bassler, 1929 Ref. Coral rubble, Keelung, 2005

*Microporella cf. pulchra* Suwa & Mawatari, 1998 Ref. 同前

*Microporella orientalis* Harmer, 1957 Ref. 同前

#### **Family Phidoloporidae**

*Lifuella lepralielloidum* (Liu in Liu, Yin & Ma, 2001) Ref. Coral rubble, Keelung, 2005

*Lifuella porelliformis* (Kirkpatrick, 1888) Ref. 同前

*Reteporellina babelensis* (Chapman, 1941) Ref. Green Island, 2000

*Rhynchozoon tubulosum* (Hincks, 1880) Ref. 同前

*Schedocleidochasma porcellaniforme* Soule, Soule & Chaney, 1991 Ref. Coral rubble, Keelung, 2005

#### **Family Romancheinidae**

*Escharoides longirostris* Dumont, 1981 Ref. Coral rubble, Keelung, 2005

#### **Family Savignyellidae**

*Savignyella lafontii* (Audouin, 1826) Ref. Benny Chan's specimens from Hualien, 2007

#### **Family Schizoporellidae**

*Hippomenella cf. lateralis* (MacGilLevray, 1891) Ref. Coral rubble, Keelung, 2005

#### **Family Smitinidae**

*Hemismittoidea taiwanensis* Gluhak, Lewis & Popijac, 2007 Ref. Green Island, 2000

*Parasmittina hastingsae* Soule & Soule, 1973 Ref. 同前

*Parasmittina spiculata* Gluhak, Lewis & Popijac, 2007 Ref. 同前

*Pleurocodonellina signata* (Waters, 1889) Ref. Coral rubble, Keelung, 2005

*Pleurocodonellina soulesi* (Scholz & Cusi, 1991) Ref. 同前

*Smittoidea spinigera* Liu, 1990 Ref. 同前

#### **Family Thalamoporellidae**

*Thalamoporella tubifera* Levinsen, 1909 Ref. Green Island, 2000

#### **Family Trypostegidae**

*Trypostega johnsoulei* Tilbrook, 2006 Ref. Coral rubble, Keelung, 2005

#### **Family Watersiporidae**

*Watersipora edmondsoni* Soule & Soule, 1968 Ref. Coral rubble, Keelung, 2005

## Order Cyclostomata 環口目

### Family Crisiidae

*Crisia elongata* Milne Edwards, 1838 Ref. Green Island, 2000

## Phylum Chaetognatha 毛顎動物門

### Class Sagittoidea 箭蟲綱

#### Order Aphragmophora 無膜目

##### Family Krohnittidae

*Krohnitta pacifica* Aida, 1897

*Krohnitta subtilis* Grassi, 1881

##### Family Pterosagittidae

*Pterosagitta draco* Krohn, 1853 Ref. Yamaji, 1991

##### Family Sagittidae

*Aidanosagitta crassa* Tokioka, 1938 Ref. Yamaji, 1991

*Aidanosagitta delicata* Tokioka, 1939 Ref. Yamaji, 1991

*Aidanosagitta neglecta* Aida, 1897

*Aidanosagitta regularis* Aida, 1897 Ref. Yamaji, 1991

*Aidanosagitta septata* Doncaster, 1903 Ref. Yamaji, 1991

*Ferosagitta ferox* Doncaster, 1902 Ref. Yamaji, 1991

*Ferosagitta robusta* Doncaster, 1902 Ref. Yamaji, 1991

*Flaccisagitta enflata* Grassi, 1881 Ref. Yamaji, 1991

*Flaccisagitta hexaptera* d'Orbigny, 1836 Ref. Yamaji, 1991

*Flaccisagitta planctonis* Steinhaus, 1896 Ref. Yamaji, 1991

*Mesosagitta decipiens* Fowler, 1905 Ref. Yamaji, 1991

*Mesosagitta minima* Grassi, 1881 Ref. Yamaji, 1991

*Pseudosagitta lyra* Krohn, 1853 Ref. Yamaji, 1991

*Sagitta bipunctata* Quoy & Gaimard, 1828

*Serratosagitta pacifica* Tokioka, 1940 Ref. Yamaji, 1991

*Zonosagitta bedoti* Beraneck, 1895 Ref. Yamaji, 1991

*Zonosagitta pulchra* Doncaster, 1902 Ref. Yamaji, 1991

#### Order Phragmophora 膜筋目

##### Family Eukrohniidae

*Eukrohnia bathypelagica* Alvarino, 1962

## Phylum Echinodermata 棘皮動物門

### Class Asteroidea 海星綱

#### Order Forcipulatida 鉗棘目

##### Family Asteriidae 海盤車科

*Asterias versicolor* Sladen, 1889 異色海盤車 Ref. Huang, 1994

*Coscinasterias acutispina* (Stimpson) 尖棘篩海盤車 Ref. Chao & Chang (1989)

*Distolasterias nipon* (Doderlein) 日本長腕海盤車 Ref. Chao (2000)

##### Family Labidiasteridae 叉棘海星科

*Coronaster sakuranus* (Doderlein) 櫻花冠海盤車 Ref. Chao (2000)

*Coronaster volsellatus* (Sladen) 座冠海盤車 Ref. Chao (2000)

#### Order Paxillosida 柱體目

##### Family Astropectinidae 槭海星科

*Astropecten polyacanthus* Müller & Troschel, 1842 多棘槭海星 Ref. Chao (1999a)

*Astropecten vappa* Müller & Troschel, 1843 華普槭海星 Ref. Chao (1999a)

*Astropecten velitaris* von Martens, 1865 怒棘槭海星 Ref. Huang, 1994

*Astropectinidae polyacanthus* Müller & Troschel 多棘槭海星 Ref. Chao (1999a)

*Astropectinidae vappa* Müller & Troschel 華普槭海星 Ref. Chao (1999a)

*Astropectinidae velitaris* Von Martens 怒棘槭海星 Ref. Chang et al., 1964

*Craspidaster fisheri* Hayashi, 1957 費氏櫛肋海星 Ref. Chao (1999a)

*Craspidaster hesperus* (Müller & Troschel) 鑲邊海星 Ref. Hayasaka, 1949

*Ctenopleura sinica* (Doderlein) 中華櫛肋海星 Ref. Chao (1999a)

*Dipsacaster pretiosus* (Doderlein) 美麗雙沙海星 Ref. Chao (1999a)

*Tethyaster aulophorus* (Fisher) 海神海星 Ref. Chao (1999a)

##### Family Luidiidae 砂海星科

*Luidia avicularia* Fisher 松砂海星 Ref. Chao (2000)

*Luidia maculata* Müller & Troschel 斑砂海星 Ref. Chao (2000)

*Luidia quinaria* Von Martens 砂海星 Ref. Chao (2000)

## Order Spinulosida 有棘目

### Family Echinasteridae 棘海星科

- Echinaster callosus* Von Marenzeller 赤麗棘海星 Ref. Chao (1999b)  
*Echinaster luzonicus* (Gray) 呂宋棘海星 Ref. Lee & Chen, 1994

### Family Metrodiridae 錐棘海星科

- Metrodira subulata* Gray, 1840 錐棘瘤海星 Ref. Huang, 1994

## Order Valvatida 有瓣目

### Family Acanthasteridae 長棘海星科

- Acanthaster planci* (Linnaeus) 棘冠海星 Ref. Hayasaka, 1949

### Family Archasteridae 飛白楓海星科

- Archaster typicus* Müller & Troschel 飛白楓海星 Ref. Hayasaka, 1949

### Family Asterinidae 海燕科

- Asterina coronata* von Martens, 1866 花冠海燕 Ref. Chao & Chang (1989)  
*Asterina limboonkengi* Smith, 1927 林氏海燕 Ref. Huang, 1994  
*Asterina orthodon* Fisher, 1922 直齒海燕 Ref. Chao (1999b)  
*Asterinidae coronata* Von Martens 花冠海燕 Ref. Chao & Chang (1989)  
*Asterinidae orthodon* Fisher 直齒海燕 Ref. Chao (1999b)  
*Disasterina odontacantha* Liao 齒棘皮海燕 Ref. Chao (2001)  
*Nepanthia belcheri* (Perrier) 刺腕蠟海燕 Ref. Chao (1999b)  
*Patiriella pseudoexigua* Dartnall 擬淺盤海燕 Ref. Chao & Chang (1989)

### Family Asteropseidae 鋸腕海星科

- Asteropsis carinifera* (Lamarck) 脊鋸腕海星 Ref. Chao (1999b)

### Family Goniasteridae 角海星科

- Anthenoides laevigatus* (Liao & Clark) 光滑花海星 Ref. Chao (2001)  
*Astrothauma euphylacteum* Fisher 豎棘奇海星 Ref. Chao (2001)  
*Calliaster childreni* Gray 玉緣棘角海星 Ref. Chao (1999b)  
*Goniodiscaster granuliferus* (Gray, 1847) 粒角盤海星 Ref. Huang, 1994  
*Mediaster brachiatus* Goto 中腕角海星 Ref. Chao (2001)  
*Stellaster equestris* (Retzius, 1805) 騎士章海星 Ref. Liao & Clark, 1995  
*Stellasteropsis colubrinus* Macan 鼠李角海星 Ref. Chao (1999b)

### Family Ophidiasteridae 蛇星科

- Cistina columbiae* Gray 哥倫比亞盒星 Ref. Chao (1999b)  
*Fromia monilis* Perrier 珠鏈單鰓海星 Ref. Chao & Chang (1989)  
*Leiaster speciosus* Von Martens 美麗滑海星 Ref. Chao et al. (1990)  
*Linckia laevigata* Linnaeus 藍指海星 Ref. Hayasaka, 1949  
*Linckia multifora* (Lamarck) 多節指海星 Ref. Chao (1999b)  
*Nardoa frianti* Koehler 飛納多海星 Ref. Chao & Chang (1989)  
*Nardoa tumulosa* Fisher 瘤納多海星 Ref. Hayasaka, 1949  
*Neoferdina insolita* Levingstone 棕綠蛇星 Ref. Chao (1999b)  
*Ophidiaster armatus* Koehler, 1910 飾物蛇星 Ref. Chao (2001)  
*Ophidiaster hemprichi* Müller & Troschel, 1842 曙光蛇星 Ref. Chao & Chang (1989)  
*Ophidiasteridae armatus* Koehler 飾物蛇星 Ref. Chao (2001)  
*Ophidiasteridae hemprichi* Müller & Troschel 曙光蛇星 Ref. Chao & Chang (1989)

### Family Oreasteridae 瘤海星科

- Anthenea chinensis* (Gray) 中華花瘤海星 Ref. Chao (1999b)  
*Culcita novaeguineae* Müller & Troschel 麵包海星 Ref. Hayasaka, 1949  
*Pentacaster chinensis* (Gray) 中華疣海星 Ref. Chao (2001)  
*Pentacaster westermanni* Von Martens 棘疣海星 Ref. Chao et al. (1990)

## Order Velatida 有緣目

### Family Pterasteridae 翅海星科

- Euretaster insignis* (Sladen) 網海星 Ref. Chao (2001)  
*Retaster insignis* (Sladen, 1882) 網海星 Ref. Chao (2001)

## Class Crinoidea 海百合綱

### Order Comatulida 海羊齒目

#### Family Antedonidae 海羊齒科

- Antedon serrata* H. L. Clark, 1908 鋸羽麗海羊齒 Ref. Huang, 1994  
*Toxometra paupera* Clark 袋形結羽枝 Ref. Chen et al., 1988

#### Family Colobometridae 短羽枝科

- Basilometra boschmai* Clark 蟹形基羽枝 Ref. Chen et al., 1988  
*Cenometra bella* (Hartlaub) 華麗散羽枝 Ref. 同前  
*Colobometra perspinosa* (Carpenter) 餘刺短羽枝 Ref. 同前  
*Oligometra chinensis* A. H. Clark, 1918 中華寡羽枝 Ref. Huang, 1994  
*Oligometra serripinna* (Carpenter) 鋸翅寡羽枝 Ref. Chen et al., 1988

## Family Comasteridae 櫛羽星科

- Capillaster multiradiatus* (Linn'e) 多輻毛細星 Ref. Chen et al., 1988  
*Comanthina schlegeli* (Carpenter) 許氏大羽花 Ref. 同前  
*Comanthus bennetti* (Müller) 本氏海齒花 Ref. 同前  
*Comanthus japonicus* (Müller, 1841) 日本海齒花 Ref. Huang, 1994  
*Comanthus parvicirrus* (Müller) 小卷海齒花 Ref. Chen et al., 1988  
*Comaster distinctus* (Carpenter) 雙棘櫛羽星 Ref. 同前  
*Comaster multifidus* (Müller) 多環櫛羽星 Ref. 同前  
*Comatella maculata* (Carpenter) 斑櫛羽球 Ref. 同前  
*Comatella nigra* (Carpenter) 黑櫛羽球 Ref. 同前  
*Comatella stelligera* Carpenter 星櫛羽球 Ref. 同前  
*Comatula pectinata* (Linn'e) 櫛毛頭星 Ref. 同前  
*Comatula solaris* Lamarck 太陽頭星 Ref. 同前  
*Comissia littoralis* Clark 沿岸叢星 Ref. 同前  
*Comissia peregrina* (Bell) Ref. Liao & Clark, 1995

## Family Himerometridae 美羽枝科

- Amphimetra laevipinna* (Carpenter, 1882) 滑圓羽枝 Ref. Huang, 1994  
*Himerometra magnipinna* Clark 巨翅美羽枝 Ref. Chen et al., 1988

## Family Mariametridae 瑪麗羽枝科

- Dichrometra doederleini* (de Loriol, 1900) 杜氏雙列羽枝 Ref. Liao & Clark, 1995  
*Lamprometra palmata* (Müller) 掌麗羽枝 Ref. Chen et al., 1988  
*Stephanometra spicata* (Carpenter) 角冠羽枝 Ref. 同前

## Class Echinoidea 海膽綱

### Order Arbacioida 皇冠海膽目

#### Family Arbaciidae 皇冠海膽科

- Coelopleurus maculatus* Agassiz & Clark, 1907 斑腔海膽 Ref. 李坤瑄、陳章波。1994

#### Family Stomopneustidae 口鰓海膽科

- Stomopneustes variolaris* Lamarck, 1816 口鰓海膽 Ref. 李坤瑄、陳章波。1994

### Order Cidaroida 頭帕目

#### Family Cidaridea 頭帕科

- Eucidaris metularia* Lamarck, 1816 冠棘真頭帕 Ref. 李坤瑄、陳章波。1994  
*Goniocidaris biserialis* Doderlein, 1885 雙列角頭帕 Ref. 李坤瑄、陳章波。1994  
*Prionocidaris baculosa* Lamarck, 1816 鋸棘頭帕 Ref. 李坤瑄、陳章波。1994  
*Prionocidaris verticillata* Lamarck, 1816 輪刺棘頭帕 Ref. 李坤瑄、陳章波。1994  
*Stylocidaris reini* Doderlein, 1887 刺柄頭帕 Ref. 李坤瑄、陳章波。1994

### Order Clypeasteroida 盾形目

#### Family Arachnoidae 蛛網海膽科

- Arachnoides placenta* Linnaeus, 1758 扁平蛛網海膽 Ref. 李坤瑄、陳章波。1994

#### Family Astriclypeidae 星盾海膽科

- Astriclypeus manni* Verrill, 1867 曼氏孔盾海膽 Ref. 李坤瑄、陳章波。1994  
*Echinodiscus aruitus* Leske, 1778 裂邊毛餅海膽 Ref. 李坤瑄、陳章波。1994

#### Family Clypeasteridae 盾海膽科

- Clypeaster reticulatus* Linnaeus, 1758 網盾海膽 Ref. 李坤瑄、陳章波。1994  
*Clypeaster virescens* Doderlein, 1885 綠盾海膽 Ref. 李坤瑄、陳章波。1994

#### Family Dendrasteridae 樹星海膽科

- Sinaechinocyamus mai* Wang, 1984 馬氏扣海膽 Ref. 李坤瑄、陳章波。1994

#### Family Fibulariidae 豆海膽科

- Echinocyamus crispus* Mazzetti, 1894 卷卵石海膽 Ref. Huang, 1994  
*Fibularia acuta* Yoshiwara, 1898 卵豆海膽 Ref. Huang, 1994  
*Fibularia ovulum* Lamarck, 1816 卵豆海膽 Ref. 李坤瑄、陳章波。1994

#### Family Laganidae 餅乾海膽科

- Laganum decagonalis* de Blainville, 1827 十角餅乾海膽 Ref. 李坤瑄、陳章波。1994  
*Laganum depressum* Lesson, 1841 薄餅乾海膽 Ref. 李坤瑄、陳章波。1994  
*Laganum laganum* Leske 餅乾海膽 Ref. 李坤瑄、陳章波。1994  
*Peronella lesueurii* Valenciennes, 1841 雷氏餅海膽 Ref. 李坤瑄、陳章波。1994  
*Peronella orbicularis* Leske 餅海膽 Ref. 李坤瑄、陳章波。1994

### Order Diadematoida 冠海膽目

#### Family Diadematidae 冠海膽科

- Astropyga radiata* Leske, 1778 星肛海膽 Ref. 李坤瑄、陳章波。1994  
*Chaedodiadema granulatum* Mortensen, 1903 粒毛冠海膽 Ref. 李坤瑄、陳章波。1994  
*Diadema savignyi* Michelin, 1845 沙氏冠海膽 Ref. 李坤瑄、陳章波。1994  
*Diadema setosum* Leske, 1778 刺冠海膽 Ref. 李坤瑄、陳章波。1994  
*Echinothrix calamaris* Pallas, 1774 環刺棘海膽 Ref. 李坤瑄、陳章波。1994

*Echinothrix diadema* Linnaeus, 1758 冠刺棘海膽 Ref. 李坤瑄、陳章波。1994

## Order Echinoida 海膽目

### Family Echinometridae 長海膽科

*Anthocidaris crassispina* Agassiz, 1863 紫海膽 Ref. 李坤瑄、陳章波。1994

*Colobocentrotus mertensi* Brandt, 1835 陣笠海膽 Ref. 李坤瑄、陳章波。1994

*Echinometra mathaei* de Blainville, 1825 梅氏長海膽 Ref. 李坤瑄、陳章波。1994

*Echinostrephus aciculatus* Agassiz, 1863 白尖紫叢海膽 Ref. 李坤瑄、陳章波。1994

*Echinostrephus molaris* de Blainville, 1825 紫叢海膽 Ref. 李坤瑄、陳章波。1994

*Heterocentrotus mammillatus* Linnaeus, 1758 石筆海膽 Ref. 李坤瑄、陳章波。1994

### Family Temnopleuridae 刻肋海膽科

*Salmacis bicolor* L. Agassiz, 1846 疏棘角孔海膽 Ref. 李坤瑄、陳章波。1994

*Temnopleurus hardwickii* (Gray, 1855) 哈氏刻肋海膽 Ref. Huang, 1994

*Temnopleurus reveesi* Gray, 1855 芮氏刻肋海膽 Ref. 李坤瑄、陳章波。1994

*Temnopleurus toreumaticus* (Leske, 1778) 細雕刻肋海膽 Ref. Huang, 1994

*Temnotrema sculptum* A. Agassiz, 1863 刻孔海膽 Ref. 李坤瑄、陳章波。1994

### Family Toxopneustidae 毒棘海膽科

*Pseudoboletia indiana* Michelin, 1862 印度蘑海膽 Ref. 李坤瑄、陳章波。1994

*Pseudoboletia indianus* Michelin, 1862 印度蘑海膽 Ref. Chao & Lee (2001)

*Toxopneustes pileolus* Lamarck, 1816 喇叭毒棘海膽 Ref. 李坤瑄、陳章波。1994

*Tripneustes gratilla* Linnaeus, 1758 白棘三列海膽 Ref. 李坤瑄、陳章波。1994

## Order Echinothurioida 柔海膽目

### Family Echinothuriidae 柔海膽科

*Araeosoma owstoni* Mortensen, 1904 軟海膽 Ref. 李坤瑄、陳章波。1994

## Order Holoctypoida 全雕目

### Family Echinoneidae 斜海膽科

*Echinoneus cyclostomus* Leske, 1778 卵圓斜海膽 Ref. 李坤瑄、陳章波。1994

## Order Spatangoida 猥團目

### Family Aeropsidae 汽海膽科

*Aeropsis fulva* (Agassiz, 1881) 褐黃汽海膽 Ref. Mortensen, 1950

### Family Brissidae 壺海膽科

*Brissus latecarinatus* (Leske, 1778) 脊背壺海膽 Ref. Chao, 2000

*Metalia spatagus* (Linnaeus, 1758) 心形海壺 Ref. Liao & Clark, 1995

*Metalia sternalis* (Lamarck, 1816) 胸板海壺 Ref. Shigei, 1986

*Rhynobrissus pyramidalis* Agassiz, 1872 吻壺海膽 Ref. Chao, 2000

### Family Brissopsidae 沐海壺科

*Brissopsis luzonica* (Gray, 1851) 呂宋沐海壺 Ref. Liao & Clark, 1995

### Family Loveniidae 拉文海膽科

*Breynia elegans* Mortensen, 1948 秀麗布萊海膽 Ref. Schultz Heinke 2005

*Lovenia elongata* (Gray, 1845) 長拉文海膽 Ref. Liao & Clark, 1995

*Pseudolovenia hirsuta* Agassiz & Clark, 1907 擬拉文海膽 Ref. Mortensen, 1951

### Family Maretidae 仙壺海膽科

*Gymnopatagus magnus* Agassiz & Clark, 1907 大裸心海膽 Ref. McKnight, 1967

*Maretia planulata* (Lamarck, 1816) 扁仙壺海膽 Ref. Liao & Clark, 1995

### Family Palaeopneustidae 古心形海膽科

*Linopneustes fragilis* (de Meijere, 1902) 易碎脆心形海膽 Ref. Chao, 2000

*Linopneustes murrayi* (Agassiz, 1879) 牟氏脆心形海膽 Ref. Shigei, 1986

### Family Pericosmidae 緣帶海膽科

*Pericosmus cordatus* Mortensen, 1950 心形緣帶海膽 Ref. Shigei, 1986

### Family Schizasteridae 裂星海膽科

*Ova lacunosus* (Linnaeus, 1758) 凹卵形海膽 Ref. Chao, 2000

*Schizaster compactus* (Koehler, 1914) 結實裂星海膽 Ref. Liao & Clark, 1995

### Family Spatangidae 猥團海膽科

*Pseudomaretia alta* (Agassiz, 1863) 海蟬 Ref. Tokunaga, 1900

*Spatangus lutkeni* Agassiz, 1872 路氏猥團 Ref. 同前

## Class Holothuroidea 海參綱

## Order Apodida 無足目

### Family Chiridotidae 指參科

*Chiridota rigida* Semper 硬指參 Ref. Chao & Chang (1989)

*Polycheira fusca* (Brandt) 紫輪參 Ref. 同前

### Family Synaptidae 錨參科

*Euapta godeffroyi* (Semper) 真錨參 Ref. Chao & Alexander (1991)

- Opheodesoma grisea* (Semper) 灰蛇錨參 Ref. Chao & Chang (1989)  
*Patinapta taiwaniensis* Chao et al. 臺灣步錨參 Ref. Chao et al., 1998  
*Polyplectana kefersteini* (Selenka) 褶錨參 Ref. Chao & Chang (1989)  
*Protankyra bidentata* (Woodward & Barrett, 1858) 棘刺錨參 Ref. Huang, 1994  
*Protankyra pseudodigitata* (Semper, 1868) 偽指刺錨參 Ref. Huang, 1994  
*Protankyra suensoni* Heding, 1928 蘇氏刺錨參 Ref. Huang, 1994  
*Synapta maculata* (Chamisso & Eysenhardt) 斑錨參 Ref. Chao & Chang (1989)

## Order Aspidochirotid 楯手目

### Family Holothuriidae 海參科

- Actinopyga echinites* (Jaeger) 棘輻肛參 Ref. Chao & Chang (1989)  
*Actinopyga mauritiana* (Quoy & Gaimard) 白底輻肛參 Ref. 同前  
*Bohadschia argus* Jaeger 蛇目白尼參 Ref. Chao & Chang (1990)  
*Bohadschia marmorata* Jaeger 褐斑白尼參 Ref. Chao & Alexander (1991)  
*Holothuria arenicola* Semper, 1868 蜆參 Ref. Chao & Chang (1989)  
*Holothuria atra* Jaeger, 1833 黑海參 Ref. 同前  
*Holothuria cinerascens* (Brandt, 1835) 黑刺星海參 Ref. 同前  
*Holothuria difficilis* Semper, 1868 棘手乳參 Ref. 同前  
*Holothuria fuscocinerea* Jaeger, 1833 棕環參 Ref. 同前  
*Holothuria hilla* Lesson, 1830 黃疣海參 Ref. 同前  
*Holothuria impatiens* (Forskaal, 1775) 醜海參 Ref. 同前  
*Holothuria leucospilota* (Brandt, 1835) 蕩皮參 Ref. 同前  
*Holothuria moebii* Ludwig., 1883 米氏怪參 Ref. Chao (1998)  
*Holothuria nobilis* (Selenka, 1867) 黑乳參 Ref. Chao & Chang (1989)  
*Holothuria pardalis* Selenka, 1867 豹斑海參 Ref. 同前  
*Holothuria pervicax* Selenka, 1867 虎紋參 Ref. 同前  
*Holothuria rigida* (Selenka, 1867) 僵硬海參 Ref. Applegate, 1984  
*Holothuria sinica* Liao, 1980 中華海參 Ref. Chao (1998)  
*Pearsonothuria graeffei* (Semper) 格皮氏海參 Ref. Chao & Chang (1990)

### Family Stichopodidae 刺參科

- Stichopus horrens* Selenka 糙刺參 Ref. Chao & Chang (1989)  
*Stichopus noctivagus* Cherbonnier, 1980 夜行刺參 Ref. Chao (2002)  
*Stichopus variegatus* Semper 花刺參 Ref. Chao & Chang (1989)  
*Thelenota ananas* (Jaeger) 梅花參 Ref. 同前

## Order Dendrochirotida 枝(或樹)手目

### Family Cucumariidae 瓜參科

- Mensamaria intercedens* (Lampert, 1885) 二色桌片參 Ref. Huang, 1994  
*Pentacta nipponensis* (H. L. Clark, 1938) 日本五角瓜參 Ref. Huang, 1994  
*Pseudocnus echinatus* (Marenzeller, 1881) 棘刺瓜參 Ref. Huang, 1994

### Family Phylloporidae 沙雞子科

- Phyrella fragilis* (Ohshima) 脆懷玉參 Ref. Chao & Chang (1989)  
*Thyone anomala* Oestergren, 1898 異常賽瓜參 Ref. Huang, 1994

### Family Sclerodactylidae 硬瓜參科

- Afrocumis africana* (Semper) 非洲異瓜參 Ref. Chao & Chang (1989)  
*Euthyonidiella tungshanensis* (Yang, 1937) 東山真賽瓜參 Ref. Huang, 1994

## Class Ophiuroidea 蛇尾綱

### Order Chilophiurida 唇蛇尾目

#### Family Ophiocomidae 櫛蛇尾科

- Ophiarthrum brevipes* Peters 短腕櫛蛇尾 Ref. Wu, 1982  
*Ophiarthrum dentata* Müller & Troschel 齒櫛蛇尾 Ref. Applegate, 1984  
*Ophiarthrum erinaceus* Müller & Troschel 黑櫛蛇尾 Ref. Wu, 1982  
*Ophiarthrum pictum* (Müller & Troschel) 彩櫛蛇尾 Ref. Wu, 1982  
*Ophiocoma brevipes* Peters, 1851 短腕櫛蛇尾 Ref. Wu, 1982  
*Ophiocoma dentata* Müller & Troschel, 1842 齒櫛蛇尾 Ref. Applegate, 1984  
*Ophiocoma erinaceus* Müller & Troschel, 1842 黑櫛蛇尾 Ref. Wu, 1982  
*Ophiocoma pica* Müller & Troschel 畫櫛蛇尾 Ref. Applegate, 1984  
*Ophiocoma schoeleini* Müller & Troschel, 1842 獨鱗櫛蛇尾 Ref. Huang, 1994  
*Ophiocoma scolopenderina* (Lamarck) 蜈蚣櫛蛇尾 Ref. Wu, 1982  
*Ophiocoma similanensis* Bussarwait & Rowe 仿櫛蛇尾 Ref. Chao et al.  
*Ophiomastix annulosa* (Lamarck) 環棘鞭蛇尾 Ref. Wu, 1982  
*Ophiopsila polyacantha* H. L. Clark 多棘棒鱗蛇尾 Ref. Huang, 1994

#### Family Ophi Dermatidae 皮蛇尾科

- Ophiarachnella gorgonia* (Müller & Troschel) 綠蛛蛇尾 Ref. Chao et al.

#### Family Ophionereidae 蝟蛇尾科

- Ophionereis porrecta* (Lamarck) 巨綠蛇尾 Ref. Wu, 1982

#### Family Opiuridae 灸蛇尾科

*Ophiarachna incrassata* (Lyman) 韭廣蛇尾 Ref. Applegate, 1984  
*Ophioplocus imbricatus* (Müller & Troschel) 迭鱗片蛇尾 Ref. Chao et al.  
*Ophioplocus japonicum* H. L. Clark 日本片蛇尾 Ref. Wu, 1982

## Order Gnathophiurida 顎蛇尾目

### Family Amphiuridae 陽燧足科

*Amphichilus impressus* (Ljungman, 1867) 印痕倍棘蛇尾 Ref. Huang, 1994  
*Amphiodia microplax* Burfield, 1924 小鱗三棘蛇尾 Ref. Huang, 1994  
*Amphioplus ancistrotus* (H. L. Clark, 1911) 鈎倍棘蛇尾 Ref. Huang, 1994  
*Amphioplus depressus* (Ljungman, 1867) 洼顎倍棘蛇尾 Ref. Huang, 1994  
*Amphioplus laevis* (Lyman, 1874) 光滑倍棘蛇尾 Ref. Huang, 1994  
*Amphioplus lucidus* Koehler, 1922 光輝倍棘蛇尾 Ref. Huang, 1994  
*Amphipholis misera* (Koehler) 鄙劣蛇尾 Ref. Wu, 1982  
*Amphiura digitula* (H. L. Clark, 1911) 指棘陽燧足 Ref. Huang, 1994  
*Amphiura divaricata* Ljungman, 1867 分歧陽燧足 Ref. Huang, 1994  
*Amphiura pachyactra* Murakami, 1942 粗棘陽燧足 Ref. Huang, 1994  
*Amphiura vadicola* Matsumoto, 1915 灘棲陽燧足 Ref. Huang, 1994  
*Dougaloplus echinatus* (Ljungman, 1867) 道格拉蛇尾 Ref. Huang, 1994  
*Ophiocentrus anomalus* Liao, 1983 異常盤棘蛇尾 Ref. Huang, 1994  
*Ophionephthy difficilis* (Duncan, 1887) 女神蛇尾 Ref. Huang, 1994  
*Ophiostigma rugosum* H. L. Clark 皺蛇尾 Ref. Applegate, 1984  
*Paramphicondrius tetradontus* Guill & Woff, 1984 四棘蛇尾 Ref. Huang, 1994

### Family Ophiotrichidae 刺蛇尾科

*Macrophiothrix longipeda* (Lamarck) 長大刺蛇尾 Ref. Applegate, 1984  
*Macrophiothrix propinqua* (Lyman, 1861) 新近大刺蛇尾 Ref. Koehler, 1922  
*Macrophiothrix variabilis* (Duncan, 1887) 變異大刺蛇尾 Ref. Huang, 1994  
*Ophiomaza cacaotica* Lyman, 1871 棕板蛇尾 Ref. Huang, 1994  
*Ophiothela danae* Verrill 錦疣蛇尾 Ref. Wu, 1982  
*Ophiothrix aspidota* Müller & Troschel 盾棘蛇尾 Ref. Wu, 1982  
*Ophiothrix ciliaris* (Lamarck, 1816) 星刺蛇尾 Ref. Huang, 1994  
*Ophiothrix exigua* Lyman, 1874 小刺蛇尾 Ref. Huang, 1994  
*Ophiothrix hybrida* H. L. Clark 混血棘蛇尾 Ref. Wu, 1982  
*Ophiothrix plana* Lyman, 1874 平板刺蛇尾 Ref. Huang, 1994  
*Ophiothrix propinqua* Lyman. 新近刺蛇尾 Ref. Wu, 1982  
*Ophiothrix savignyi* (Müller & Troschel) 輻棘蛇尾 Ref. Applegate, 1984  
*Ophiothrix striolata* Grube, 1868 條紋板刺蛇尾 Ref. Huang, 1994  
*Ophiothrix trilineata* Lutken, 1869 三帶刺蛇尾 Ref. Huang, 1994  
*Ophiothrix vicina* Koehler, 1930 鄰棘蛇尾 Ref. Applegate, 1984  
*Ophiothrix vincina* (Koehler) 鄰棘蛇尾 Ref. 同前

## Order Ophiurida 真蛇尾目

### Family Ophiactidae 輻蛇尾科

*Ophiactis affinis* Duncan, 1879 近輻蛇尾 Ref. Huang, 1994  
*Ophiactis fuscolineata* H. L. Clark 棕線蛇尾 Ref. Applegate, 1984  
*Ophiactis macrolepidota* Marktanner-Turneretscher, 1887 大鱗輻蛇尾 Ref. Huang, 1994  
*Ophiactis maculosa* V. Martens 斑蛇尾 Ref. Applegate, 1984  
*Ophiactis modesta* Brock, 1888 平輻蛇尾 Ref. Huang, 1994  
*Ophiactis savignyi* (Müller & Troschel) 輻蛇尾 Ref. Wu, 1982

## Order Phrynophiurida 蜆蛇尾目

### Family Euryalidae 蔓蛇尾科

*Trichaster acanthifer* Doderlein, 1927 棘枝蛇尾 Ref. Huang, 1994  
*Trichaster flagellifer* von Martens, 1877 鞭枝蛇尾 Ref. Huang, 1994  
*Trichaster palmiferua* (Lamarck, 1816) 掌枝蛇尾 Ref. Huang, 1994

### Family Gorgonocephalidae 筐蛇尾科

*Astrocladus coniferus* (Doderlein, 1902) 錐疣星蔓蛇尾 Ref. Huang, 1994  
*Astrocladus exiguus* (Lamarck, 1816) 小星蔓蛇尾 Ref. Huang, 1994

## Phylum Chordata 脊索動物門

### Class Thaliacea 海樽綱

#### Order Doliolida

##### Family Doliolidae

*Dolioletta gegenbauri* Uljanin, 1884 Ref. Yamaji, 1991  
*Doliolina mulleri* Krohn, 1852 Ref. Yamaji, 1991  
*Doliolum denticulatum* Quoy & Gaimard, 1834 Ref. Yamaji, 1991

#### Order Pyrosomatida

##### Family Pyrosomatidae

*Pyrosomella verticillata* Neumann, 1909c

## Order Salpida

### Family Salpidae

- Cyclosalpa affinis* Chamisso, 1819 Ref. Yamaji, 1991  
*Cyclosalpa pinnata* Forskal, 1775 Ref. Yamaji, 1991  
*Helicosalpa komaii* van Soest, 1974a Ref. Yamaji, 1991  
*Ihlea punctata* Forkal, 1775 Ref. Yamaji, 1991  
*Pegea confoederata* Forkal, 1775 Ref. Yamaji, 1991  
*Salpa cylindrica* Cuvier, 1804 Ref. Yamaji, 1991  
*Salpa fusiformis* Cuvier, 1804 Ref. Yamaji, 1991  
*Thalia cicar* Van Soest, 1973a Ref. Yamaji, 1991  
*Thalia democratica* Forkal, 1775 Ref. Yamaji, 1991  
*Thalia orientalis* Tokioka, 1937 Ref. Yamaji, 1991  
*Thalia rhomboides* Quoy & Gaimard, 1834 Ref. Yamaji, 1991  
*Traustedia multitentis* Quoy & Gaimard, 1834 Ref. Yamaji, 1991

## Class Amphioxichthyes 文昌魚綱

### Order Amphioxiformes 文昌魚目

#### Family Branchiostomatidae 文昌魚科

- Branchiostoma belcheri* Gray, 1847 白氏鯧口文昌魚 Ref. 林。2001  
*Epigonichthys cultellus* Peters, 1877 短刀側殖文昌魚 Ref. 張。1962  
*Epigonichthys lucayanus* Andrews, 1893 魯卡側殖文昌魚 Ref. 黃及楊。1979  
*Epigonichthys maldivensis* Cooper, 1903 馬爾地夫側殖文昌魚 Ref. Nishikawa et.al., 1997

## Class Myxini 盲鰻綱

### Order Myxiniformes 盲鰻目

#### Family Myxinidae 盲鰻科

- Eptatretus burgeri* (Girard, 1855) 布氏粘盲鰻 Ref. 沈等。1993  
*Eptatretus okinoseanus* (Dean, 1904) 紫粘盲鰻 Ref. 沈等。1993  
*Myxine formosana* Mok & Kuo, 2001 台灣盲鰻 [特有] Ref. Mok & Kuo, 2001  
*Myxine kuoi* Mok, 2002 郭氏盲鰻 [特有] Ref. Mok, 2002  
*Paramyxine cheni* Shen & Tao, 1975 陳氏副盲鰻 [特有] Ref. 沈等。1993  
*Paramyxine fernholmi* Kuo, Huang & Mok, 1994 費氏副盲鰻 [特有] Ref. Kuo et al., 1994  
*Paramyxine nelsoni* Kuo, Huang & Mok, 1994 紐氏副盲鰻 [特有] Ref. 同前  
*Paramyxine sheni* Kuo, Huang & Mok, 1994 沈氏副盲鰻 [特有] Ref. 同前  
*Paramyxine taiwanae* Shen & Tao, 1975 台灣副盲鰻 [特有] Ref. 沈等。1993  
*Paramyxine wisneri* Kuo, Huang & Mok, 1994 懷氏副盲鰻 [特有] Ref. Kuo et al., 1994  
*Paramyxine yangi* Teng, 1958 楊氏副盲鰻 [特有] Ref. 沈等。1993

## Class Chondrichthyes 軟骨魚綱

### Order Carcharhiniformes 白眼鯊目

#### Family Carcharhinidae 白眼鯊科

- Carcharhinus albimarginatus* (Rüppell, 1837) 白邊鰓白眼鯊 Ref. 沈等。1993  
*Carcharhinus altimus* (Springer, 1950) 大鼻白眼鯊 Ref. 沈等。1993  
*Carcharhinus amblyrhynchos* (Bleeker, 1856) 黑印白眼鯊 Ref. 沈等。1993  
*Carcharhinus brachyurus* (Günther, 1870) 短尾白眼鯊 Ref. 沈等。1993  
*Carcharhinus brevipinna* (Müller & Henle, 1839) 薔薇白眼鯊 Ref. 沈等。1993  
*Carcharhinus dussumieri* (Müller & Henle, 1839) 杜氏白眼鯊 Ref. 沈等。1993  
*Carcharhinus falciformis* (Müller & Henle, 1839) 平滑白眼鯊 Ref. 沈等。1993  
*Carcharhinus leucas* (Müller & Henle, 1839) 公牛白眼鯊 Ref. 沈等。1993  
*Carcharhinus limbatus* (Müller & Henle, 1839) 黑邊鰓白眼鯊 Ref. 沈等。1993  
*Carcharhinus longimanus* (Poey, 1861) 污斑白眼鯊 Ref. 沈等。1993  
*Carcharhinus macloiti* (Müller & Henle, 1839) 槍頭白眼鯊 Ref. 沈等。1993  
*Carcharhinus melanopterus* (Quoy & Gaimard, 1824) 污翅白眼鯊 Ref. 沈等。1993  
*Carcharhinus obscurus* (Lesueur, 1818) 灰色白眼鯊 Ref. 沈等。1993  
*Carcharhinus plumbeus* (Nardo, 1827) 高鰓白眼鯊 Ref. 沈等。1993  
*Carcharhinus sorrah* (Müller & Henle, 1839) 沙拉白眼鯊 Ref. 沈等。1993  
*Galeocerdo cuvier* (Péron & Lesueur, 1822) 鮃鯊 Ref. 沈等。1993  
*Glyphis gangeticus* (Müller & Henle, 1839) 恆河白眼鯊 Ref. 沈等。1993  
*Loxodon macrorhinus* Müller & Henle, 1839 廣鼻曲齒鯊 Ref. 沈等。1993  
*Negaprion acutidens* (Rüppell, 1837) 犁鰓檸檬鯊 Ref. 沈等。1993  
*Prionace glauca* (Linnaeus, 1758) 錐峰齒鯊 Ref. 沈等。1993  
*Rhizoprionodon acutus* (Rüppell, 1837) 尖頭曲齒鯊 Ref. 沈等。1993  
*Scoliodon laticaudus* Müller & Henle, 1838 寬尾曲齒鯊 Ref. 沈等。1993  
*Triaenodon obesus* (Rüppell, 1837) 鬻鯊 Ref. 沈等。1993

#### Family Hemigaleidae 沙條鯊科

- Chaenogaleus macrostoma* (Bleeker, 1852) 大口沙條鯊 Ref. 沈等。1993  
*Hemigaleus microstoma* Bleeker, 1852 小口沙條鯊 Ref. 沈等。1993

*Hemipristis elongatus* (Klunzinger, 1871) 尖鰭副沙條鯨 Ref. Fishbase, 2005  
*Paragaleus tengi* (Chen, 1963) 鄧氏沙條鯨 Ref. 沈等。1993

#### Family Proscylliidae 原鯨科

*Eridacnis radcliffei* Smith, 1913 花尾貓鯨 Ref. 沈等。1993  
*Proscyllium habereri* Hilgendorf, 1904 原鯨 Ref. 沈等。1993  
*Proscyllium venustum* (Tanaka, 1912) 雅原鯨 Ref. Fishbase, 2005

#### Family Pseudotriakidae 擬貓鯨科

*Pseudotriakis microdon* Capello, 1867 啞巴鯨 Ref. 沈等。1993

#### Family Scyliorhinidae 貓鯨科

*Apristurus macrorhynchus* (Tanaka, 1909) 廣吻籠鯨 Ref. 沈等。1993  
*Apristurus platyrhynchus* (Tanaka, 1909) 扁吻籠鯨 Ref. 吳。2002  
*Atelomycterus marmoratus* (Bennett, 1830) 斑貓鯨 Ref. 沈等。1993  
*Cephaloscyllium fasciatum* Chan, 1966 網紋絨毛鯨 Ref. Fishbase, 2005  
*Cephaloscyllium umbratile* Jordan & Fowler, 1903 頭鯨 Ref. 沈等。1993  
*Galeus eastmani* (Jordan & Snyder, 1904) 依氏鰩鯨 Ref. 沈等。1993  
*Galeus sauteri* (Jordan & Richardson, 1909) 梭氏鰩鯨 Ref. 沈等。1993  
*Halaelurus buergeri* (Müller & Henle, 1838) 豹鯨 Ref. 沈等。1993  
*Parmaturus melanobranchus* (Chan, 1966) 黑鰓貓鯨 Ref. Fishbase, 2005

#### Family Sphyrnidae 丫髻鯨科

*Sphyrna lewini* (Griffith & Smith, 1834) 紅肉丫髻鯨 Ref. 沈等。1993  
*Sphyrna mokarran* (Rüppell, 1837) 八鰭丫髻鯨 Ref. 沈等。1993  
*Sphyrna zygaena* (Linnaeus, 1758) 丫髻鯨 Ref. 沈等。1993

#### Family Triakidae 平滑鯨科

*Hemitriakis complicofasciata* Takahashi & Nakaya, 2004 雜紋灰鯨 Ref. Takahashi & Nakaya, 2004  
*Hemitriakis japonica* (Müller & Henle, 1839) 日本灰鯨 Ref. 沈等。1993  
*Hypogaleus hyugaensis* (Miyosi, 1939) 黑緣灰鯨 Ref. 沈等。1993  
*Mustelus griseus* Pietschmann, 1908 灰貂鯨 Ref. 沈等。1993  
*Mustelus manazo* Bleeker, 1854 星貂鯨 Ref. 沈等。1993  
*Triakis scyllium* Müller & Henle, 1839 九道三峰齒鯨 Ref. 沈等。1993

### Order Chimaeriformes 銀鯨目

#### Family Chimaeridae 短鼻銀鯨科

*Chimaera phantasma* Jordan & Snyder, 1900 銀鯨 Ref. 沈等。1993  
*Hydrolagus mitsukurii* (Jordan & Snyder, 1904) 箕作氏兔銀鯨 Ref. Fishbase, 2005

#### Family Rhinochimaeridae 長鼻銀鯨科

*Rhinochimaera pacifica* (Mitsukuri, 1895) 太平洋長鼻銀鯨 Ref. Shao & Hwang, 1997

### Order Echinorhiniformes 笠鱗鯨目

#### Family Echinorhinidae 笠鱗鯨科

*Echinorhinus cookei* Pietschmann, 1928 笠鱗鯨 Ref. 沈等。1993

### Order Heterodontiformes 異齒鯨目

#### Family Heterodontidae 異齒鯨科

*Heterodontus japonicus* Macleay & Macleay, 1884 日本異齒鯨 Ref. 沈等。1993  
*Heterodontus zebra* (Gray, 1831) 斑紋異齒鯨 Ref. 沈等。1993

### Order Hexanchiformes 六鰓鯨目

#### Family Chlamydoselachidae 皺鰓鯨科

*Chlamydoselachus anguineus* Garman, 1884 擬鰩鯨 Ref. 沈等。1993

#### Family Hexanchidae 六鰓鯨科

*Heptanchias perlo* (Bonnaterre, 1788) 尖頭七鰓鯨 Ref. 沈等。1993  
*Hexanchus griseus* (Bonnaterre, 1788) 灰六鰓鯨 Ref. 沈等。1993  
*Hexanchus nakamurai* Teng, 1962 大眼六鰓鯨 Ref. 沈等。1993  
*Notorynchus cepedianus* (Péron, 1807) 油夷鯨 Ref. 沈等。1993

### Order Lamniformes 鯖鯨目

#### Family Alopiidae 狐鯨科

*Alopias pelagicus* Nakamura, 1935 淺海狐鯨 Ref. 沈等。1993  
*Alopias superciliosus* (Lowe, 1841) 深海狐鯨 Ref. 沈等。1993  
*Alopias vulpinus* (Bonnaterre, 1788) 狐鯨 Ref. 沈等。1993

#### Family Cetorhinidae 象鯨科

*Cetorhinus maximus* (Gunnerus, 1765) 象鯨 Ref. 沈等。1993

#### Family Lamnidae 鯖鯨科

*Carcharodon carcharias* (Linnaeus, 1758) 食人鯨 Ref. 沈等。1993  
*Isurus oxyrinchus* Rafinesque, 1810 灰鯖鯨 Ref. 沈等。1993  
*Isurus paucus* Guitart Manday, 1966 長臂灰鯖鯨 Ref. 沈等。1993

#### Family Odontaspidae 砂鯨科

*Carcharias taurus* Rafinesque, 1810 戟齒砂鯊 Ref. 沈等。1993

### Family Pseudocarchariidae 擬錐齒鯊科

*Pseudocarcharias kamoharai* (Matsubara, 1936) 蒲原氏擬錐齒鯊 Ref. 沈等。1993

## Order Myliobatiformes 燕魷目

### Family Dasyatidae 土魷科

*Dasyatis akajei* (Müller & Henle, 1841) 赤土魷 Ref. 沈等。1993

*Dasyatis bennetti* (Müller & Henle, 1841) 黃土魷 Ref. 沈等。1993

*Dasyatis kuhlii* (Müller & Henle, 1841) 古氏土魷 Ref. 沈等。1993

*Dasyatis laevigata* Chu, 1960 光土魷 Ref. 沈等。1993

*Dasyatis latus* (Garman, 1880) 鬼土魷 Ref. 沈等。1993

*Dasyatis navarrae* (steindachner, 1892) 黑土魷 Ref. 沈等。1993

*Dasyatis ushieii* (Jordan & Hubbs, 1925) 牛土魷 Ref. 沈等。1993

*Dasyatis zugei* (Müller & Henle, 1841) 尖嘴土魷 Ref. 沈等。1993

*Himantura gerrardi* (Gray, 1851) 齊氏魷 Ref. 沈等。1993

*Himantura microphthalma* (Chen, 1948) 小眼魷 [特有] Ref. 沈等。1993

*Himantura uarnak* (Forsskål, 1775) 豹紋魷 Ref. 沈等。1993

*Taeniura meyeni* Müller & Henle, 1841 邁氏條尾魷 Ref. 沈等。1993

*Urogymnus asperrimus* (Bloch et Schneider, 1801) 糙沙粒魷 Ref. Underwater photograph 2009/1/4 (Ping-tong).

### Family Gymnuridae 鳶魷科

*Aetoplatea zonura* Bleeker, 1852 菱鳶魷 Ref. 沈等。1993

*Gymnura bimaculata* (Norman, 1925) 戴星鳶魷 Ref. 沈等。1993

*Gymnura japonica* (Temminck & Schlegel, 1850) 日本鳶魷 Ref. 沈等。1993

### Family Hexatrygonidae 六鰓魷科

*Hexatrygon bickelli* Heemstra & Smith, 1980 比氏六鰓魷 Ref. 沈等。1993

### Family Myliobatidae 燕魷科

*Aetobatus narinari* (Euphrasen, 1790) 雪花鴨嘴燕魷 Ref. 沈等。1993

*Aetomylaeus maculatus* (Gray, 1834) 星點圓吻燕魷 Ref. 沈等。1993

*Aetomylaeus milvus* (Müller & Henle, 1841) 鷹形圓吻燕魷 Ref. 沈等。1993

*Aetomylaeus nichofii* (Bloch & Schneider, 1801) 青帶圓吻燕魷 Ref. 沈等。1993

*Aetomylaeus vespertilio* (Bleeker, 1852) 網紋圓吻燕魷 Ref. 沈等。1993

*Manta birostris* (Walbaum, 1792) 鬼蝠魷 Ref. 沈等。1993

*Mobula diabolus* (Bonnaterre, 1788) 無刺蝠魷 Ref. 沈等。1993

*Mobula japonica* (Müller & Henle, 1841) 日本蝠魷 Ref. 沈等。1993

*Mobula tarapacana* (Philippi, 1892) 智利蝠魷 Ref. 沈等。1993

*Myliobatis tobijei* Bleeker, 1854 燕魷 Ref. 沈等。1993

*Rhinoptera javanica* Müller & Henle, 1841 叉頭燕魷 Ref. 沈等。1993

### Family Platyrhinidae 黃點鮪科

*Platyrhina limboonkengi* Tang, 1933 林氏黃點鮪 Ref. 沈等。1993

*Platyrhina sinensis* (Bloch & Schneider, 1801) 中國黃點鮪 Ref. 沈等。1993

### Family Plesiobatidae 近魷科

*Plesiobatis daviesi* (Wallace, 1967) 達氏近魷 Ref. Fishbase, 2005

### Family Urolophidae 平魷科

*Urolophus aurantiacus* Müller & Henle, 1841 黃平魷 Ref. 沈等。1993

### Family Urotrygonidae 巨尾魷科

*Urotrygon munda* Gill, 1863 曼達巨尾魷 Ref. 沈等。1993

## Order Orectolobiformes 鬚鯊目

### Family Ginglymostomatidae 鑷鬚鯊科

*Nebrius ferrugineus* (Lesson, 1831) 鑷鬚鯊 Ref. 沈等。1993

### Family Hemiscylliidae 竹鯊科

*Chiloscyllium griseum* Müller & Henle, 1838 灰斑狗鯊 Ref. Fishbase, 2005

*Chiloscyllium indicum* (Gmelin, 1789) 印度狗鯊 Ref. 沈等。1993

*Chiloscyllium plagiosum* (Bennett, 1830) 斑竹狗鯊 Ref. 沈等。1993

*Chiloscyllium punctatum* Müller & Henle, 1838 狗鯊 Ref. 沈等。1993

### Family Orectolobidae 鬚鯊科

*Orectolobus japonicus* Regan, 1906 日本鬚鯊 Ref. 沈等。1993

*Orectolobus maculatus* (Bonnaterre, 1788) 斑鬚鯊 Ref. 沈等。1993

### Family Parascylliidae 喉鬚鯊科

*Cirrhoscyllium formosanum* Teng, 1959 台灣喉鬚鯊 [特有] Ref. 沈等。1993

### Family Rhincodontidae 鯨鯊科

*Rhincodon typus* Smith, 1828 鯨鯊 Ref. 沈等。1993

### Family Stegostomatidae 虎鯊科

*Stegostoma fasciatum* (Hermann, 1783) 大尾虎鯊 Ref. 沈等。1993

## Order Rajiformes 鮃魷目

## Family Rajidae 鮃魮科

- Anacanthobatis borneensis* Chan, 1965 婆羅洲裸鮃 Ref. 沈等。1993  
*Anacanthobatis melanosoma* (Chan, 1965) 黑身司氏裸鮃 Ref. 沈等。1993  
*Bathyraja isotrachys* (Günther, 1877) 勻棘深海鮃魮 Ref. Fishbase, 2005  
*Bathyraja trachouros* (Ishiyama, 1958) 糙體深海鮃魮 Ref. 同前  
*Dipturus kwangtungensis* (Chu, 1960) 廣東老板鮃魮 Ref. 沈等。1993  
*Dipturus lanceorostratus* (Wallace, 1967) 尖嘴老板鮃魮 Ref. ASIZP0058653 (Tong-sha Is.).  
*Dipturus macrocauda* (Ishiyama, 1955) 大尾老板鮃魮 Ref. 沈等。1993  
*Dipturus tengu* (Jordan & Fowler, 1903) 天狗老板鮃魮 Ref. 沈等。1993  
*Notoraja tobitukai* (Hiyama, 1940) 隆背鮃魮 Ref. Fishbase, 2005  
*Okamejei acutispina* (Ishiyama, 1958) 耳棘鮃魮 Ref. 沈等。1993  
*Okamejei boesemani* (Ishihara, 1987) 鮑氏鮃魮 Ref. 沈等。1993  
*Okamejei hollandi* (Jordan & Richardson, 1909) 何氏鮃魮 Ref. 沈等。1993  
*Okamejei kenojei* (Muller & Henle, 1841) 平背鮃魮 Ref. 沈等。1993  
*Okamejei meerdervoortii* (Bleeker, 1860) 麥氏鮃魮 Ref. 沈等。1993

## Family Rhinidae 鱟頭鱧科

- Rhina ancylostoma* Bloch & Schneider, 1801 波口鱟頭鱧 Ref. 沈等。1993

## Family Rhinobatidae 琵琶鱧科

- Glaucostegus granulatus* (Cuvier, 1829) 顆粒琵琶鱧 Ref. 沈等。1993  
*Rhinobatos formosensis* Norman, 1926 台灣琵琶鱧 Ref. 沈等。1993  
*Rhinobatos hynnicephalus* Richardson, 1846 犁頭琵琶鱧 Ref. 沈等。1993  
*Rhinobatos microphthalmus* Teng, 1959 小眼琵琶鱧 [特有] Ref. Teng, 1959  
*Rhinobatos schlegelii* (Müller & Henle, 1841) 薛氏琵琶鱧 Ref. 沈等。1993

## Family Rhynchobatidae 尖頭龍紋鱧科

- Rhynchobatus djiddensis* (Forsskål, 1775) 吉打龍紋鱧 Ref. 沈等。1993

## Order Squaliformes 角鮫目

### Family Centrophoridae 尖鰭鮫科

- Centrophorus acus* Garman, 1906 黑尖鰭鮫 Ref. 沈等。1993  
*Centrophorus lusitanicus* Bocage & Capello, 1864 尖鰭鮫 Ref. 沈等。1993  
*Centrophorus moluccensis* Bleeker, 1860 鰾皮尖鰭鮫 Ref. 沈等。1993  
*Centrophorus niaukang* Teng, 1959 貓公鮫 Ref. 沈等。1993  
*Centrophorus squamosus* (Bonnaterre, 1788) 葉鱗尖鰭鮫 Ref. 李。2003  
*Centrophorus uyato* (Rafinesque, 1810) 箭頭尖鰭鮫 Ref. 沈等。1993  
*Deania calcea* (Lowe, 1839) 篋吻棘鮫 Ref. 沈等。1993

### Family Dalatiidae 黑棘鮫科

- Dalatias licha* (Bonnaterre, 1788) 黑鮫 Ref. 沈等。1993  
*Isistius brasiliensis* (Quoy & Gaimard, 1824) 雪茄鮫 Ref. 沈等。1993  
*Squaliolus aliae* Teng, 1959 阿里擬角鮫 Ref. 沈等。1993

### Family Etmopteridae 燈籠棘鮫科

- Centroscyllium kamoharai* Abe, 1966 蒲原氏刺狗鮫 Ref. 李。2003  
*Etmopterus brachyurus* Smith & Radcliffe, 1912 短尾烏鮫 Ref. Fishbase, 2005  
*Etmopterus burgessi* Schaaf-Da Silva & Ebert, 2006 柏氏燈籠棘鮫 Ref. Schaaf-da & Ebert., 2006  
*Etmopterus lucifer* Jordan & Snyder, 1902 燈籠棘鮫 Ref. 沈等。1993  
*Etmopterus molleri* (Whitley, 1939) 模拉里燈籠棘鮫 Ref. 沈等。1993  
*Etmopterus pusillus* (Lowe, 1839) 布希勒燈籠棘鮫 Ref. 沈等。1993  
*Etmopterus splendidus* Yano, 1988 斯普蘭汀燈籠棘鮫 Ref. 沈等。1993

### Family Somniosidae 夢棘鮫科

- Scymnodon squamulosus* (Günther, 1877) 異鱗鮫 Ref. 李。2003

### Family Squalidae 棘鮫科

- Cirrhigaleus barbifer* Tanaka, 1912 長鬚棘鮫 Ref. 沈等。1993  
*Squalus blainville* (Risso, 1827) 高鰭棘鮫 Ref. 沈等。1993  
*Squalus japonicus* Ishikawa, 1908 日本棘鮫 Ref. 沈等。1993  
*Squalus megalops* (Macleay, 1881) 短吻棘鮫 Ref. 沈等。1993  
*Squalus mitsukurii* Jordan & Snyder, 1903 豐嗣棘鮫 Ref. 沈等。1993

## Order Squatiniformes 扁鮫目

### Family Squatinidae 琵琶鮫科

- Squatina formosa* Shen & Ting, 1972 台灣琵琶鮫 Ref. 沈等。1993  
*Squatina japonica* Bleeker, 1858 日本琵琶鮫 Ref. 沈等。1993  
*Squatina nebulosa* Regan, 1906 雲紋琵琶鮫 Ref. 沈等。1993  
*Squatina tergocellatoides* Chen, 1963 擬背斑琵琶鮫 [特有] Ref. 沈等。1993

## Order Torpediniformes 電鱧目

### Family Narcinidae 雙鰭電鱧科

- Benthobatis yangi* Carvalho, Compagno & Ebert, 2003 楊氏深海電鱧 [特有] Ref. 沈等。1993  
*Crassinarke dormitor* Takagi, 1951 睡電鱧 Ref. 沈等。1993  
*Narcine brevilibata* Bessednov, 1966 短唇雙鰭電鱧 Ref. 沈等。1993

*Narcine lingula* Richardson, 1846 舌形木鱧電鱧 Ref. Fishbase, 2005  
*Narcine prodorsalis* Besednov, 1966 前背木鱧電鱧 Ref. 同前  
*Narke japonica* (Temminck & Schlegel, 1850) 日本電鱧 Ref. 沈等。1993

#### Family Torpedinidae 電鱧科

*Torpedo formosa* Haas & Ebert, 2006 台灣電鱧 [特有] Ref. 沈等。1993  
*Torpedo tokionis* (Tanaka, 1908) 東京電鱧 Ref. 沈等。1993

### Class Actinopterygii 條鱗魚綱

#### Order Albuliformes 狐鱧目

##### Family Albulidae 狐鱧科

*Albula glossodonta* (Forsskål, 1775) 狐鱧 Ref. 沈等。1993  
*Istieus gissu* Hilgendorf, 1877 長背魚 Ref. Fishbase, 2005

##### Family Halosauridae 海蜥魚科

*Aldrovandia affinis* (Günther, 1877) 異鱗海蜥魚 Ref. Fishbase, 2005  
*Aldrovandia phalacra* (Vaillant, 1888) 裸頭海蜥魚 Ref. Yeh et al., 2006  
*Halosauropsis macrochir* (Günther, 1878) 短吻擬海蜥魚 Ref. Fishbase, 2005

#### Order Anguilliformes 鰻形目

##### Family Anguillidae 鰻鱺科

*Anguilla bicolor pacifica* Schmidt, 1928 二色鰻 Ref. 沈等。1993  
*Anguilla japonica* Temminck & Schlegel, 1846 日本鰻 Ref. 沈等。1993  
*Anguilla marmorata* Quoy & Gaimard, 1824 鱸鰻 Ref. 沈等。1993

##### Family Chlopsidae 擬鯨科

*Chilorhinus platyrhynchus* (Norman, 1922) 扁吻擬鯨 Ref. Nakabo, 2002  
*Kaupichthys diodontus* (Schultz, 1943) 雙齒眶鼻鰻 Ref. Fishbase, 2005

##### Family Colocongridae 倭糯鰻科

*Coloconger japonicus* Machida, 1984 日本倭糯鰻 Ref. Fishbase, 2005

##### Family Congridae 糯鰻科

*Ariosoma anago* (Temminck & Schlegel, 1846) 白錐體康吉鰻 Ref. Fishbase, 2005  
*Ariosoma anagoides* (Bleeker, 1853) 擬錐體康吉鰻 Ref. 同前  
*Ariosoma fuscicatum* (Günther, 1871) 條紋錐體康吉鰻 Ref. Shen, 1998  
*Ariosoma major* (Asano, 1958) 大錐體康吉鰻 Ref. Fishbase, 2005  
*Ariosoma meeki* (Jordan & Snyder, 1900) 米克氏康吉鰻 Ref. Chu, 1957  
*Bathycongrus gattulatus* (Günther, 1887) 小斑深海康吉鰻 Ref. ASIZP0063772 (SE coast).  
*Bathycongrus retrotinctus* (Jordan & Snyder, 1901) 黑邊深海康吉鰻 Ref. 沈等。1993  
*Bathymyrus simus* Smith, 1965 深海糯鰻 Ref. 沈等。1993  
*Bathyuroconger vicinus* (Vaillant, 1888) 深海尾鰻 Ref. 吳。2002  
*Conger cinereus* Rüppell, 1830 灰糯鰻 Ref. 沈等。1993  
*Conger japonicus* Bleeker, 1879 日本糯鰻 Ref. 沈等。1993  
*Conger myriaster* (Brevoort, 1856) 繁星糯鰻 Ref. 沈等。1993  
*Gnathophis nystromi ginanago* (Asano, 1958) 穴頷吻鰻 Ref. Chen & Weng, 1967  
*Gorgasia japonica* Abe, Miki & Asai, 1977 日本園鰻 Ref. 沈等。1993  
*Gorgasia taiwanensis* Shao, 1990 台灣園鰻 Ref. 沈等。1993  
*Heteroconger hassi* (Klausewitz & Eibl-Eibesfeldt, 1959) 哈氏異康吉鰻 Ref. Chen et al., 1997  
*Japonoconger siviculus* (Matsubara & Ochiai, 1951) 禿吻日本糯鰻 Ref. ASIZP0063132 (Ta-shi) and more.  
*Macrocephenchelys brevirostris* (Chen & Weng, 1967) 短突糯鰻 Ref. 沈等。1993  
*Parabathymyrus macrophthalmus* Kamohara, 1938 大眼擬海糯鰻 Ref. 沈等。1993  
*Rhynchoconger ectenurus* (Jordan & Richardson, 1909) 突吻鰻 Ref. 沈等。1993  
*Uroconger lepturus* (Richardson, 1845) 狹尾糯鰻 Ref. 沈等。1993

##### Family Moringuidae 蜆鰻科

*Moringua abbreviata* (Bleeker, 1863) 短線蜆鰻 Ref. 沈等。1993  
*Moringua macrocephalus* (Bleeker, 1863) 大頭蜆鰻 Ref. 沈等。1993

##### Family Muraenesocidae 海鰻科

*Congresox talabon* (Cuvier, 1829) 原鶴海鰻 Ref. Chen, 2004  
*Gavialiceps taeniola* Alcock, 1889 絲尾海鰻 Ref. Chen, 2002  
*Gavialiceps taiwanensis* (Chen & Weng, 1967) 台灣絲尾海鰻 Ref. 沈等。1993  
*Muraenesox bagio* (Hamilton, 1822) 百吉海鰻 Ref. 沈等。1993  
*Muraenesox cinereus* (Forsskål, 1775) 海鰻 Ref. 沈等。1993  
*Oxyconger leptognathus* (Bleeker, 1858) 狹頷海鰻 Ref. 沈等。1993

##### Family Muraenidae 鯨科

*Anarchias allardicei* Jordan & Starks, 1906 褐裸鯨 Ref. 沈等。1993  
*Cirrimaxilla formosa* Chen & Shao, 1995 台灣鬍鯨 [特有] Ref. Chen & Shao, 1995  
*Echidna nebulosa* (Ahl, 1789) 星帶蝟鯨 Ref. 沈等。1993  
*Echidna polyzona* (Richardson, 1845) 多環蝟鯨 Ref. 沈等。1993  
*Echidna xanthospilos* (Bleeker, 1859) 黃斑蝟鯨 Ref. 沈等。1993  
*Enchelycore bikiniensis* (Schultz, 1953) 比吉尼勾吻鯨 Ref. 沈等。1993  
*Enchelycore lichenosa* (Jordan & Snyder, 1901) 苔斑勾吻鯨 Ref. 沈等。1993

*Enchelycore pardalis* (Temminck & Schlegel, 1846) 豹紋勾吻鯨 Ref. 沈等。1993  
*Enchelycore schismatorhynchus* (Bleeker, 1853) 裂吻勾吻鯨 Ref. 沈等。1993  
*Gymnomuraena zebra* (Shaw & Nodder, 1797) 斑馬裸胸鯨 Ref. 沈等。1993  
*Gymnothorax berndti* Snyder, 1904 班第氏裸胸鯨 Ref. 沈等。1993  
*Gymnothorax buroensis* (Bleeker, 1857) 伯恩斯裸胸鯨 Ref. 沈等。1993  
*Gymnothorax chilospilus* Bleeker, 1865 雲紋裸胸鯨 Ref. 沈等。1993  
*Gymnothorax chlamydatius* Snyder, 1908 黑環裸胸鯨 Ref. 沈等。1993  
*Gymnothorax eurostus* (Abbott, 1861) 黴身裸胸鯨 Ref. 沈等。1993  
*Gymnothorax favagineus* Bloch & Schneider, 1801 大斑裸胸鯨 Ref. 沈等。1993  
*Gymnothorax fimbriatus* (Bennett, 1832) 花鰭裸胸鯨 Ref. 沈等。1993  
*Gymnothorax flavimarginatus* (Rüppell, 1830) 黃邊鰭裸胸鯨 Ref. 沈等。1993  
*Gymnothorax hepaticus* (Rüppell, 1830) 白邊裸胸鯨 Ref. 沈等。1993  
*Gymnothorax herrei* Beebe & Tee-Van, 1933 海氏裸胸鯨 Ref. 沈等。1993  
*Gymnothorax javanicus* (Bleeker, 1859) 爪哇裸胸鯨 Ref. 沈等。1993  
*Gymnothorax kidako* (Temminck & Schlegel, 1846) 蟻紋裸胸鯨 Ref. 沈等。1993  
*Gymnothorax margaritophorus* Bleeker, 1865 斑頸裸胸鯨 Ref. 沈等。1993  
*Gymnothorax melatremus* Schultz, 1953 黃身裸胸鯨 Ref. 沈等。1993  
*Gymnothorax meleagris* (Shaw & Nodder, 1795) 白口裸胸鯨 Ref. 沈等。1993  
*Gymnothorax minor* (Temminck & Schlegel, 1846) 小裸胸鯨 Ref. Chen, 2004  
*Gymnothorax monostigmus* (Regan, 1909) 眼斑裸胸鯨 Ref. 沈等。1993  
*Gymnothorax neglectus* Tanaka, 1911 花斑裸胸鯨 Ref. 沈等。1993  
*Gymnothorax niphostigmus* Chen, Shao & Chen, 1996 雲花斑裸胸鯨 [特有] Ref. Chen et al., 1996  
*Gymnothorax nudivomer* (Günther, 1867) 裸鋤裸胸鯨 Ref. 沈等。1993  
*Gymnothorax pictus* (Ahl, 1789) 細點裸胸鯨 Ref. 沈等。1993  
*Gymnothorax pindae* Smith, 1962 平達裸胸鯨 Ref. 沈等。1993  
*Gymnothorax polyuranodon* (Bleeker, 1853) 豹紋裸胸鯨 Ref. NTMP 1392 (Tong-kang) and more.  
*Gymnothorax prionodon* Ogilby, 1895 鋸齒裸胸鯨 Ref. 沈等。1993  
*Gymnothorax prolatus* Sasaki & Amaoka, 1991 長身裸胸鯨 [特有] Ref. Sasaki & Amaoka, 1991  
*Gymnothorax pseudothyrsoides* (Bleeker, 1852) 淡網紋裸胸鯨 Ref. 沈等。1993  
*Gymnothorax reevesii* (Richardson, 1845) 雷福氏裸胸鯨 Ref. 沈等。1993  
*Gymnothorax reticularis* Bloch, 1795 疏條紋裸胸鯨 Ref. 沈等。1993  
*Gymnothorax richardsonii* (Bleeker, 1852) 李氏裸胸鯨 Ref. 沈等。1993  
*Gymnothorax rueppelliae* (McClelland, 1844) 寬帶裸胸鯨 Ref. 沈等。1993  
*Gymnothorax shaoi* Chen & Loh, 2007 邵氏裸胸鯨 [特有] Ref. Chen et al., 2007  
*Gymnothorax taiwanensis* Chen, Loh & Shao, 2008 台灣裸胸鯨 Ref. Chen et al., 2008  
*Gymnothorax thyrsoideus* (Richardson, 1845) 密點裸胸鯨 Ref. 沈等。1993  
*Gymnothorax undulatus* (Lacepède, 1803) 疏斑裸胸鯨 Ref. 沈等。1993  
*Gymnothorax ypsilon* Bloch & Schneider, 1801 威氏裸胸鯨 Ref. 陳。2004  
*Gymnothorax ypsilon* Hatooka & Randall, 1992 丫環裸胸鯨 Ref. Nakabo, 2002  
*Gymnothorax zonipectis* Seale, 1906 帶尾裸胸鯨 Ref. 沈等。1993  
*Pseudechidna brummeri* (Bleeker, 1859) 布氏長鯨 Ref. 沈等。1993  
*Rhinomuraena quaesita* Garman, 1888 黑身管鼻鯨 Ref. 沈等。1993  
*Scuticaria tigrina* (Lesson, 1828) 虎斑鞭尾鯨 Ref. 沈等。1993  
*Strophidon sathete* (Hamilton, 1822) 長鯨 Ref. 沈等。1993  
*Uropterygius macrocephalus* (Bleeker, 1865) 巨鰭尾鯨 Ref. 沈等。1993  
*Uropterygius marmoratus* (Lacepède, 1803) 石紋尾鯨 Ref. Fishbase, 2005  
*Uropterygius micropterus* (Bleeker, 1852) 小鰭尾鯨 Ref. 沈等。1993  
*Uropterygius oligospondylus* Chen, Randall & Loh, 2008 短椎尾鯨 Ref. Chen, 2008

#### Family Nemichthyidae 線鰻科

*Avocettina infans* (Günther, 1878) 喙吻鰻 Ref. Chen, 2002  
*Nemichthys scolopaceus* Richardson, 1848 線鰻 Ref. 沈等。1993

#### Family Nettastomatidae 鴨嘴鰻科

*Nettastoma parviceps* Günther, 1877 小頭鴨嘴鰻 Ref. ASIZP0060204 (Ta-shi) and more.  
*Nettastoma solitarium* Castle & Smith, 1981 前鼻鴨嘴鰻 Ref. ASIZP0060192 (Ta-shi) and more.  
*Saurenhelys fierasfer* (Jordan & Snyder, 1901) 線尾鰻 Ref. 沈等。1993  
*Saurenhelys taiwanensis* Karmovskaya, 2004 台灣鰻 Ref. Karmovskaya, 2004

#### Family Ophichthidae 蛇鰻科

*Bascanichthys kirkii* (Günther, 1870) 盲蛇鰻 Ref. 沈等。1993  
*Brachysomophis cirrocheilos* (Bleeker, 1857) 大口短體蛇鰻 Ref. 沈等。1993  
*Brachysomophis crocodilinus* (Bennett, 1833) 鱷形短體蛇鰻 Ref. 沈等。1993  
*Brachysomophis henshawi* Jordan & Snyder, 1904 亨氏短體蛇鰻 Ref. McCosker & Randall, 2001  
*Brachysomophis longipinnis* McCosker & Randall, 2001 長鰭短體蛇鰻 [特有] Ref. 同前  
*Brachysomophis porphyreus* (Temminck & Schlegel, 1846) 紫身短體蛇鰻 Ref. 同前  
*Caecula kuro* Kuroda, 1947 黑浪鰻 Ref. Fishbase, 2005  
*Callechelys marmorata* (Bleeker, 1853) 雲紋麗鰻 Ref. 同前  
*Cirrhimuraena chinensis* Kaup, 1856 中國鬚蛇鰻 Ref. 沈等。1993  
*Cirricaecula macdowellii* McCosker & Randall, 1993 麥氏無鰭蛇鰻 [特有] Ref. McCosker & Randall, 1993  
*Lamnostoma mindora* (Jordan & Richardson, 1908) 明多粗犁鰻 Ref. 林。2007  
*Leiuranus semicinctus* (Lay & Bennett, 1839) 半環平蓋蛇鰻 Ref. 沈等。1993  
*Myrichthys colubrinus* (Boddaert, 1781) 竹節花蛇鰻 Ref. 沈等。1993

*Myrichthys maculosus* (Cuvier, 1816) 巨斑花蛇鰻 Ref. 沈等。1993  
*Myrophis cheni* Chen & Weng, 1967 陳氏油鰻 [特有] Ref. 沈等。1993  
*Ophichthus photistos* McCosker & Chen, 2000 深海黑體蛇鰻 [特有] Ref. McCosker & Chen, 2000  
*Ophichthus apicalis* (Anonymus, 1830) 頂蛇鰻 Ref. 沈等。1993  
*Ophichthus bonaparti* (kaup, 1856) 鮑氏蛇鰻 Ref. Fishbase, 2005  
*Ophichthus cephalozona* (Bleeker, 1864) 頸帶蛇鰻 Ref. 沈等。1993  
*Ophichthus erabo* (Jordan & Snyder, 1901) 紋蛇鰻 Ref. 沈等。1993  
*Ophichthus evermanni* Jordan & Richardson, 1909 艾氏蛇鰻 Ref. 沈等。1993  
*Ophichthus fasciatus* (Chu, Wu & Jin, 1981) 橫帶蛇鰻 Ref. 陳。2004  
*Ophichthus macrochir* (Bleeker, 1853) 大鱗蛇鰻 Ref. 沈等。1993  
*Ophichthus polyophthalmus* Bleeker, 1865 眼斑細齒蛇鰻 Ref. 沈等。1993  
*Ophichthus tsuchidae* Jordan & Snyder, 1901 柴田氏蛇鰻 Ref. 沈等。1993  
*Ophichthus urolophus* (Temminck & Schlegel, 1846) 褶鰭蛇鰻 Ref. 沈等。1993  
*Pisodonophis boro* (Hamilton, 1822) 波路荳齒蛇鰻 Ref. 沈等。1993  
*Pisodonophis cancrivorus* (Richardson, 1848) 食蟹荳齒蛇鰻 Ref. 沈等。1993  
*Pisodonophis zophistiis* Jordan & Snyder, 1901 帆鰭荳齒鰻 Ref. Fishbase, 2005  
*Scolecenchelys gymnotus* Bleeker, 1857 裸蟲鰻 Ref. 沈等。1993

#### Family Serrivomeridae 鋸齒鰻科

*Serrivomer sector* Garman, 1899 長齒鋸齒鰻 Ref. ASIZP0066862 (NE coast) and more.

#### Family Synphobranchidae 通鰻科

*Dysomma anguillare* Barnard, 1923 前肛鰻 Ref. 沈等。1993  
*Dysomma dolichosomatum* Karrer, 1982 異齒前肛鰻 Ref. 沈等。1993  
*Dysomma goslinei* Robins & Robins, 1976 高氏前肛鰻 Ref. 沈等。1993  
*Dysomma longirostrum* Chen & Mok, 2001 長吻前肛鰻 [特有] Ref. Chen & Mok, 2001  
*Dysomma melanurum* Chen & Weng, 1967 黑尾前肛鰻 Ref. 沈等。1993  
*Dysomma opisthoproctus* Chen & Mok, 1995 後臀前肛鰻 [特有] Ref. Chen & Mok, 1995  
*Dysomma polycatodon* Karrer, 1982 多齒前肛鰻 Ref. Chen, 2002  
*Dysommia rugosa* Ginsburg, 1951 多皺短身前肛鰻 Ref. Chen, 2002  
*Ilyophis brunneus* Gilbert, 1891 褐泥蛇鰻 Ref. Chen, 2002  
*Meadia abyssalis* (Kamohara, 1938) 箭齒前肛鰻 Ref. Chen, 2002  
*Meadia roseni* Mok, Lee & Chan, 1991 羅氏箭齒前肛鰻 [特有] Ref. 沈等。1993  
*Simenchelys parasitica* Gill, 1879 寄生鰻 Ref. 沈等。1993  
*Synphobranchus affinis* Günther, 1877 合鰻鰻 Ref. 沈等。1993  
*Synphobranchus brevidorsalis* Günther, 1877 短背鰻鰻 Ref. Fishbase, 2005  
*Synphobranchus kaupii* Johnson, 1862 高氏合鰻鰻 Ref. Chen & Mok, 2001

### Order Argentiniformes 水珍魚目

#### Family Alepocephalidae 黑頭魚科

*Alepocephalus bicolor* Alcock, 1891 黑頭魚 Ref. 沈等。1993  
*Alepocephalus longiceps* Lloyd, 1909 長鱗黑頭魚 Ref. Yeh et al., 2006  
*Alepocephalus triangularis* Okamura & Kawanishi, 1984 尖吻黑頭魚 Ref. 同前  
*Bajacalifornia burraigei* Townsend et Nichols, 1925 伯氏巴傑加州黑頭魚 Ref. 同前  
*Bathytroctes microlepis* Günther, 1878 小鱗淵眼魚 Ref. 同前  
*Conocara krefftii* Sazonov, 1997 克氏錐首魚 Ref. 同前  
*Leptoderma retropinna* Fowler, 1943 連尾細皮黑頭魚 Ref. 同前  
*Narctes lloydi* Fowler, 1934 魯氏黑口魚 Ref. 同前  
*Rouleina guentheri* (Alcock, 1892) 根室魯氏魚 Ref. 同前  
*Rouleina watasei* (Tanaka, 1909) 渡瀨魯氏魚 Ref. 同前  
*Talismania antillarum* (Goode & Bean, 1896) 安的列斯塔氏魚 Ref. 同前  
*Talismania longifilis* (Brauer, 1902) 絲尾塔氏魚 Ref. 同前  
*Xenodermichthys nodulosus* Günther, 1878 平額魚 Ref. 沈等。1993

#### Family Argentinidae 水珍魚科

*Argentina kagoshimae* Jordan & Snyder, 1902 鹿兒島水珍魚 Ref. 沈等。1993  
*Glossanodon semifasciatus* (Kishinouye, 1904) 半帶水珍魚 Ref. 沈等。1993

#### Family Microstomatidae 小口鮭科

*Melanolagus bericoides* (Borodin, 1929) 黑淵鮭 Ref. ASIZP0061762  
*Nansenia ardesiaca* Jordan & Thompson, 1914 南氏魚 Ref. ASIZP0061665 (SW coast) and more.

### Order Ateleopodiformes 軟腕魚目

#### Family Ateleopodidae 軟腕魚科

*Ateleopus japonicus* Bleeker, 1854 日本軟腕魚 Ref. 沈等。1993  
*Ateleopus purpureus* Tanaka, 1915 紫軟腕魚 Ref. 陳。1969  
*Ateleopus tanabensis* Tanaka, 1918 田邊軟腕魚 Ref. ASIZP0063654  
*Ijimaia dofleini* Sauter, 1905 大眼大瓣魚 Ref. ASIZP0062180 (Ping-tong).

### Order Atheriniformes 銀漢魚目

#### Family Atherinidae 銀漢魚科

*Atherinomorus insularum* (Jordan & Evermann, 1903) 島嶼銀漢魚 Ref. ASIZP0056913  
*Atherinomorus lacunosus* (Forster, 1801) 南洋銀漢魚 Ref. 沈等。1993  
*Atherinomorus pinguis* (Lacepède, 1803) 粗體銀漢魚 Ref. Kimura et al., 2007

*Hypoatherina tsurugae* (Jordan & Starks, 1901) 下銀漢魚 Ref. 沈等。1993  
*Hypoatherina valenciennesi* (Bleeker, 1853) 凡氏下銀漢魚 Ref. 沈等。1993  
*Hypoatherina woodwardi* (Jordan & Starks, 1901) 伍氏下銀漢魚 Ref. 沈等。1993

#### Family Atherionidae 小銀漢魚科

*Atherion elymus* Jordan & Starks, 1901 麥銀漢魚 Ref. 沈等。1993

#### Family Notocheiridae 浪花魚科

*Iso flosmaris* Jordan & Starks, 1901 浪花魚 Ref. 沈等。1993  
*Iso rhotophilus* (Ogilby, 1895) 刀浪花魚 Ref. 沈等。1993

### Order Aulopiformes 仙女魚目

#### Family Alepisauridae 帆蜥魚科

*Alepisaurus ferox* Lowe, 1833 長吻帆蜥魚 Ref. 沈等。1993

#### Family Aulopidae 仙女魚科

*Aulopus damasi* Tanaka, 1915 深水仙女魚 Ref. Kao & Lin, 1986  
*Aulopus formosanus* Lee & Chao, 1994 台灣仙女魚 Ref. Lee & Chao, 1994  
*Aulopus japonicus* Günther, 1877 仙女魚 Ref. 沈等。1993

#### Family Chlorophthalmidae 青眼魚科

*Chlorophthalmus acutifrons* Hiyama, 1940 隆背青眼魚 Ref. 沈等。1993  
*Chlorophthalmus borealis* Bonaparte, 1840 北青眼魚 Ref. 沈等。1993  
*Chlorophthalmus nigromarginatus* Kamohara, 1953 黑緣青眼魚 Ref. 沈等。1993

#### Family Evermannellidae 齒口魚科

*Evermannella indica* Brauer, 1906 印度齒口魚 Ref. FRIP00291 (Tong-sha Is.).

#### Family Ipnopidae 燈眼蜥魚科

*Bathypterois atricolor* Alcock, 1896 小眼深海青眼魚 Ref. ASIZP0064090 (SW coast) and more.  
*Bathypterois guentheri* Alcock, 1889 貢氏深海青眼魚 Ref. ASIZP0064106 (SW coast).  
*Bathytrophops marionae* Mead, 1958 盲深海青眼魚 Ref. FRIP00124 (Tong-sha Is.).

#### Family Notosudidae 大鱗蜥魚科

*Scopelosaurus adleri* (Fedorov, 1967) 艾氏弱蜥魚 Ref. 沈等。1993

#### Family Paralepididae 裸蜥魚科

*Lestrolepis japonica* (Tanaka, 1908) 日本光鱗魚 Ref. Nakabo, 2002

#### Family Synodontidae 合齒魚科

*Harpadon microchir* Günther, 1878 小鱗鎌齒魚 Ref. 沈等。1993  
*Harpadon nehereus* (Hamilton, 1822) 印度鎌齒魚 Ref. 沈等。1993  
*Saurida elongata* (Temminck & Schlegel, 1846) 長體蛇鯧 Ref. 沈等。1993  
*Saurida filamentosa* Ogilby, 1910 長條蛇鯧 Ref. 沈等。1993  
*Saurida gracilis* (Quoy & Gaimard, 1824) 細蛇鯧 Ref. 沈等。1993  
*Saurida nebulosa* Valenciennes, 1850 雲紋蛇鯧 Ref. 陳。1969  
*Saurida tumbil* (Bloch, 1795) 多齒蛇鯧 Ref. 陳。1969  
*Saurida umeyoshii* Inoue & Nakabo, 2006 松本氏蛇鯧 Ref. Inoue & Nakabo, 2006  
*Saurida undosquamis* (Richardson, 1848) 花斑蛇鯧 Ref. 沈等。1993  
*Synodus binotatus* Schultz, 1953 雙斑狗母 Ref. 陳。1969  
*Synodus capricornis* Cressey & Randall, 1978 羊角狗母 Ref. Chen et al., 2007  
*Synodus dermatogenys* Fowler, 1912 革狗母 Ref. Nakabo, 2002  
*Synodus doaki* Russell & Cressey, 1979 道氏狗母 Ref. Nakabo, 2002  
*Synodus fuscus* Tanaka, 1917 褐狗母 Ref. Nakabo, 2002  
*Synodus hoshinonis* Tanaka, 1917 肩斑狗母 Ref. 沈等。1993  
*Synodus jaculum* Russell & Cressey, 1979 射狗母 Ref. 沈等。1993  
*Synodus lobei* Waples & Randall, 1989 洛氏狗母 Ref. Chen et al., 2007  
*Synodus macrocephalus* Cressey, 1981 大頭狗母 Ref. 同前  
*Synodus macrops* Tanaka, 1917 大目狗母 Ref. Nakabo, 2002  
*Synodus rubromarmoratus* Russell & Cressey, 1979 紅花斑狗母 Ref. 沈等。1993  
*Synodus taiwanesis* Chen, Ho & Shao, 2005 台灣狗母 [特有] Ref. Chen et al., 2007  
*Synodus tectus* Cressey, 1981 肩蓋狗母 Ref. 同前  
*Synodus ulae* Schultz, 1953 紅斑狗母 Ref. 沈等。1993  
*Synodus variegatus* (Lacepède, 1803) 花狗母 Ref. 沈等。1993  
*Trachinocephalus myops* (Forster, 1801) 大頭花桿狗母 Ref. 沈等。1993

### Order Beloniformes 鶴鱖目

#### Family Adrianichthyidae 異鱗科

*Oryzias latipes* (Temminck & Schlegel, 1846) 青鱗 Ref. 沈等。1993

#### Family Belonidae 鶴鱖科

*Ablennes hians* (Valenciennes, 1846) 扁鶴鱖 Ref. 沈等。1993  
*Platybelone argalus platyura* (Lesueur, 1821) 寬尾鶴鱖 Ref. 沈等。1993  
*Strongylura anastomella* (Valenciennes, 1846) 鶴鱖 Ref. 沈等。1993  
*Strongylura leiura* (Bleeker, 1850) 台灣圓尾鶴鱖 Ref. 沈等。1993  
*Strongylura strongylura* (van Hasselt, 1823) 圓尾鶴鱖 Ref. 沈等。1993  
*Tylosurus acuo melanotus* (Bleeker, 1850) 叉尾鶴鱖 Ref. 沈等。1993

*Tylosurus crocodilus crocodilus* (Péron & Lesueur, 1821) 鱷形叉尾鶴鱗 Ref. 沈等。1993

### Family Exocoetidae 飛魚科

- Cheilopogon abei* Parin, 1996 阿氏飛魚 Ref. 沈等。1993  
*Cheilopogon agoo* (Temminck & Schlegel, 1846) 阿戈飛魚 Ref. 沈等。1993  
*Cheilopogon arcticeps* (Günther, 1866) 弓頭飛魚 Ref. 沈等。1993  
*Cheilopogon atrisignis* (Jenkins, 1903) 紅斑鰭飛魚 Ref. 沈等。1993  
*Cheilopogon cyanopterus* (Valenciennes, 1847) 黑鰭飛魚 Ref. 沈等。1993  
*Cheilopogon katoptron* (Bleeker, 1866) 黃斑鰭飛魚 Ref. 沈等。1993  
*Cheilopogon pinnatibarbus pinnatibarbus* (Bennett, 1831) 羽鬚鰭飛魚 Ref. 沈等。1993  
*Cheilopogon spilonotopterus* (Bleeker, 1866) 紫斑鰭飛魚 Ref. 沈等。1993  
*Cheilopogon spilopterus* (Valenciennes, 1847) 點斑鰭飛魚 Ref. 沈等。1993  
*Cheilopogon suttoni* (Whitley & Colefax, 1938) 蘇氏飛魚 Ref. 沈等。1993  
*Cheilopogon unicolor* (Valenciennes, 1847) 白鰭飛魚 Ref. 沈等。1993  
*Cypselurus angusticeps* Nichols & Breder, 1935 細頭飛魚 Ref. 沈等。1993  
*Cypselurus naresii* (Günther, 1889) 垂鬚飛魚 Ref. 沈等。1993  
*Cypselurus oligolepis* (Bleeker, 1866) 寡鱗飛魚 Ref. 沈等。1993  
*Cypselurus poecilopterus* (Valenciennes, 1847) 斑鰭飛魚 Ref. 沈等。1993  
*Cypselurus starksi* Abe, 1953 斯氏飛魚 Ref. FRIP00320  
*Exocoetus monocirrhus* Richardson, 1846 單鬚飛魚 Ref. 沈等。1993  
*Exocoetus volitans* Linnaeus, 1758 大頭飛魚 Ref. 沈等。1993  
*Hirundichthys oxycephalus* (Bleeker, 1852) 尖頭細身飛魚 Ref. 沈等。1993  
*Hirundichthys rondeletii* (Valenciennes, 1847) 隆氏巨飛魚 Ref. 沈等。1993  
*Hirundichthys speculiger* (Valenciennes, 1847) 細身飛魚 Ref. 沈等。1993  
*Oxyporhamphus convexus* Weber & de Beaufort, 1922 黑鰭飛鱗 Ref. 沈等。1993  
*Oxyporhamphus micropterus micropterus* (Valenciennes, 1847) 白鰭飛鱗 Ref. 沈等。1993  
*Parexocoetus brachypterus* (Richardson, 1846) 白短鰭擬飛魚 Ref. 沈等。1993  
*Parexocoetus mento* (Valenciennes, 1847) 黑短鰭擬飛魚 Ref. 沈等。1993  
*Prognichthys brevipinnis* (Valenciennes, 1847) 短鰭原飛魚 Ref. FAO, 1999

### Family Hemiramphidae 鱗科

- Euleptorhamphus viridis* (van Hasselt, 1823) 長鱗 Ref. 沈等。1993  
*Hemiramphus far* (Forsskål, 1775) 斑鱗 Ref. 沈等。1993  
*Hemiramphus lutkei* Valenciennes, 1847 南洋鱗 Ref. 沈等。1993  
*Hyporhamphus dussumieri* (Valenciennes, 1847) 杜氏下鱗 Ref. 沈等。1993  
*Hyporhamphus gernaerti* (Valenciennes, 1847) 簡氏下鱗 Ref. 沈等。1993  
*Hyporhamphus intermedius* (Cantor, 1842) 間下鱗 Ref. 沈等。1993  
*Hyporhamphus limbatus* (Valenciennes, 1847) 緣下鱗 Ref. 沈等。1993  
*Hyporhamphus taiwanensis* Collette & Su, 1986 台灣下鱗 [特有] Ref. 沈等。1993  
*Hyporhamphus yuri* Collette & Parin, 1978 尤氏下鱗 Ref. 沈等。1993  
*Rhynchorhamphus georgii* (Valenciennes, 1847) 喬氏吻鱗 Ref. 沈等。1993  
*Zenarchopterus buffonis* (Valenciennes, 1847) 異鰭鱗 Ref. 沈等。1993  
*Zenarchopterus dunckeri* Mohr, 1926 董氏異鰭鱗 Ref. Kuo & Shao, 1999

## Order Beryciformes 金眼鯛目

### Family Anomalopidae 燈眼魚科

*Anomalops katoptron* (Bleeker, 1856) 燈眼魚 Ref. 沈等。1993

### Family Berycidae 金眼鯛科

*Centroberyx rubricaudus* Liu & Shen, 1985 紅尾棘金眼鯛 [特有] Ref. 沈等。1993

### Family Diretmidae 黑銀眼鯛科

- Diretmoides pauciradiatus* (Woods, 1973) 短鰭擬銀眼鯛 Ref. FAO, 1999  
*Diretmoides veriginae* Kotlyar, 1987 維里擬銀眼鯛 Ref. ASIZP0057477 (Ping-tong) and more.  
*Diretmus argenteus* Johnson, 1864 黑銀眼鯛 Ref. 沈等。1993

### Family Holocentridae 金鱗魚科

- Myripristis adusta* Bleeker, 1853 焦松毬 Ref. 沈等。1993  
*Myripristis berndti* Jordan & Evermann, 1903 凸頷松毬 Ref. 沈等。1993  
*Myripristis botche* Cuvier, 1829 柏氏松毬 Ref. 沈等。1993  
*Myripristis chryseres* Jordan & Evermann, 1903 黃鰭松毬 Ref. 沈等。1993  
*Myripristis formosa* Randall & Greenfield, 1996 台灣松毬 [特有] Ref. Randall & Greenfield, 1996  
*Myripristis greenfieldi* Randall & Yamakawa, 1996 格氏松毬 Ref. Nakabo, 2002  
*Myripristis hexagona* (Lacepède, 1802) 六角松毬 Ref. Randall & Greenfield, 1996  
*Myripristis kuntee* Valenciennes, 1831 康德松毬 Ref. 沈等。1993  
*Myripristis murdjan* (Forsskål, 1775) 赤松毬 Ref. 沈等。1993  
*Myripristis pralinia* Cuvier, 1829 堅松毬 Ref. 沈等。1993  
*Myripristis violacea* Bleeker, 1851 紫松毬 Ref. 沈等。1993  
*Myripristis vittata* Valenciennes, 1831 赤鰓松毬 Ref. 沈等。1993  
*Neoniphon aurolineatus* (Liénard, 1839) 黃帶金鱗魚 Ref. Nakabo, 2002  
*Neoniphon opercularis* (Valenciennes, 1831) 黑鰭金鱗魚 Ref. 沈等。1993  
*Neoniphon sammara* (Forsskål, 1775) 莎姆金鱗魚 Ref. 沈等。1993  
*Ostichthys japonicus* (Cuvier, 1829) 日本骨鱗魚 Ref. 沈等。1993  
*Ostichthys kaianus* (Günther, 1880) 白線骨鱗魚 Ref. 沈等。1993

*Ostichthys sheni* Chen, Shao & Mok, 1990 沈氏骨鱗魚 [特有] Ref. 沈等。1993  
*Plectrypops lima* (Valenciennes, 1831) 多鱗松毬 Ref. 沈等。1993  
*Sargocentron caudimaculatum* (Rüppell, 1838) 尾斑棘鱗魚 Ref. 沈等。1993  
*Sargocentron cornutum* (Bleeker, 1853) 點鰭棘鱗魚 Ref. 沈等。1993  
*Sargocentron diadema* (Lacepède, 1802) 黑鰭棘鱗魚 Ref. 沈等。1993  
*Sargocentron ensifer* (Jordan & Evermann, 1903) 劍棘鱗魚 Ref. Nakabo, 2002  
*Sargocentron ittodai* (Jordan & Fowler, 1902) 銀帶棘鱗魚 Ref. 沈等。1993  
*Sargocentron melanospilos* (Bleeker, 1858) 黑點棘鱗魚 Ref. 沈等。1993  
*Sargocentron praslin* (Lacepède, 1802) 普拉斯林棘鱗魚 Ref. 沈等。1993  
*Sargocentron punctatissimum* (Cuvier, 1829) 斑紋棘鱗魚 Ref. 沈等。1993  
*Sargocentron rubrum* (Forsskål, 1775) 黑帶棘鱗魚 Ref. 沈等。1993  
*Sargocentron spiniferum* (Forsskål, 1775) 尖吻棘鱗魚 Ref. 沈等。1993  
*Sargocentron spinosissimum* (Temminck & Schlegel, 1843) 刺棘鱗魚 Ref. Nakabo, 2002  
*Sargocentron tiere* (Cuvier, 1829) 赤鰭棘鱗魚 Ref. 沈等。1993

#### Family Monocentridae 松毬魚科

*Monocentris japonica* (Houttuyn, 1782) 松毬魚 Ref. 沈等。1993

#### Family Trachichthyidae 燧鯛科

*Aulotrachichthys prosthemus* Jordan & Fowler, 1902 前肛管燧鯛 Ref. 沈等。1993  
*Gephyroberyx darwinii* (Johnson, 1866) 達氏橋燧鯛 Ref. 沈等。1993  
*Gephyroberyx japonicus* (Döderlein, 1883) 日本橋燧鯛 Ref. 沈等。1993  
*Hoplostethus crassispinus* Kotlyar, 1980 燧鯛 Ref. 沈等。1993

### Order Clupeiformes 鯵形目

#### Family Chirocentridae 寶刀魚科

*Chirocentrus dorab* (Forsskål, 1775) 寶刀魚 Ref. 沈等。1993  
*Chirocentrus nudus* (Swainson, 1839) 長頰寶刀魚 Ref. 沈等。1993

#### Family Clupeidae 鯵科

*Amblygaster leiogaster* (Valenciennes, 1847) 平胸圓腹沙丁 Ref. 臺灣脊椎動物誌  
*Amblygaster sirm* (Walbaum, 1792) 西姆圓腹沙丁 Ref. 沈等。1993  
*Clupanodon thrissa* (Linnaeus, 1758) 盾齒鯵 Ref. 沈等。1993  
*Dussumieria acuta* Valenciennes, 1847 尖尾圓腹鯵 Ref. 沈等。1993  
*Dussumieria elopsoides* Bleeker, 1849 黃帶圓腹鯵 Ref. 臺灣脊椎動物誌  
*Etrumeus teres* (DeKay, 1842) 脂眼鯵 Ref. 沈等。1993  
*Herklotsichthys punctatus* (Rüppell, 1837) 斑點青鯵 Ref. 沈等。1993  
*Herklotsichthys quadrimaculatus* (Rüppell, 1837) 四點青鯵 Ref. 沈等。1993  
*Hilsa kelee* (Cuvier, 1829) 花點鯵 Ref. 臺灣脊椎動物誌  
*Konosirus punctatus* (Temminck & Schlegel, 1846) 窩斑鯵 Ref. 沈等。1993  
*Nematalosa come* (Richardson, 1846) 環球海鯵 Ref. 沈等。1993  
*Nematalosa japonica* Regan, 1917 日本海鯵 Ref. 沈等。1993  
*Nematalosa nasus* (Bloch, 1795) 高鼻海鯵 Ref. 沈等。1993  
*Sardinella albella* (Valenciennes, 1847) 白腹小沙丁 Ref. 沈等。1993  
*Sardinella brachysoma* Bleeker, 1852 高體小沙丁 Ref. 陳。2004  
*Sardinella fimbriata* (Valenciennes, 1847) 黑小沙丁 Ref. 沈等。1993  
*Sardinella gibbosa* (Bleeker, 1849) 隆背小沙丁 Ref. 沈等。1993  
*Sardinella hualiensis* (Chu & Tsai, 1958) 花蓮小沙丁 Ref. 沈等。1993  
*Sardinella jussieu* (Lacepède, 1803) 速氏小沙丁 Ref. 沈等。1993  
*Sardinella lemuru* Bleeker, 1853 黃小沙丁 Ref. 沈等。1993  
*Sardinella melanura* (Cuvier, 1829) 黑尾小沙丁 Ref. 沈等。1993  
*Sardinella sindensis* (Day, 1878) 中國小沙丁 Ref. 沈等。1993  
*Sardinella zunasi* (Bleeker, 1854) 錘氏小沙丁 Ref. 沈等。1993  
*Sardinops sagax* (Jenyns, 1842) 南美擬沙丁魚 Ref. 沈等。1993  
*Spratelloides delicatulus* (Bennett, 1832) 鑷眼銀帶鯵 Ref. 陳。2004  
*Spratelloides gracilis* (Temminck & Schlegel, 1846) 日本銀帶鯵 Ref. 沈等。1993  
*Tenualosa reevesii* (Richardson, 1846) 鯵 Ref. 臺灣脊椎動物誌

#### Family Engraulidae 鯷科

*Coilia grayii* Richardson, 1845 七絲鯷 Ref. Whitehead et al. 1988  
*Coilia mystus* (Linnaeus, 1758) 鳳鯷 Ref. 同前  
*Encrasicholina heteroloba* (Rüppell, 1837) 異葉公鯷 Ref. 沈等。1993  
*Encrasicholina oligobranchus* (Wongratana, 1983) 寡鰓公鯷 Ref. 陳。2004  
*Encrasicholina punctifer* Fowler, 1938 刺公鯷 Ref. 沈等。1993  
*Engraulis japonicus* Temminck & Schlegel, 1846 日本鯷 Ref. 沈等。1993  
*Setipinna tenuifilis* (Valenciennes, 1848) 黃鯷 Ref. 沈等。1993  
*Stolephorus commersonii* Lacepède, 1803 孔氏小公魚 Ref. 沈等。1993  
*Stolephorus indicus* (van Hasselt, 1823) 印度小公魚 Ref. 沈等。1993  
*Stolephorus insularis* Hardenberg, 1933 島嶼小公魚 Ref. 沈等。1993  
*Stolephorus waitei* Jordan & Seale, 1926 魏氏小公魚 Ref. Young et al., 1994  
*Thryssa chefuensis* (Günther, 1874) 芝蕪綾鯷 Ref. 沈等。1993  
*Thryssa dussumieri* (Valenciennes, 1848) 杜氏綾鯷 Ref. 沈等。1993  
*Thryssa hamiltonii* (Gray, 1835) 漢氏綾鯷 Ref. 沈等。1993  
*Thryssa kammalensis* (Bleeker, 1849) 赤鼻綾鯷 Ref. 沈等。1993

*Thryssa setirostris* (Broussonet, 1782) 長頰綾鯢 Ref. 沈等。1993

### Family Pristigasteridae 鋸腹鯢科

*Ilisha elongata* (Bennett, 1830) 長鱮 Ref. 沈等。1993

*Ilisha melastoma* (Schneider, 1801) 黑口鱮 Ref. 沈等。1993

*Opisthopterus tardoore* (Cuvier, 1829) 後鱮魚 Ref. 沈等。1993

*Pellona ditchela* Valenciennes, 1847 庇隆鱮 Ref. 沈等。1993

## Order Cypriniformes 鯉形目

### Family Balitoridae 平鱮鯢科

*Crossostoma lacustre* Steindachner, 1908 台灣纓口鯢 [特有] Ref. 沈等。1993

*Hemimyzon formosanum* (Boulenger, 1894) 台灣間爬岩鯢 [特有] Ref. 沈等。1993

*Hemimyzon taitungensis* Tzeng & Shen, 1981 台東間爬岩鯢 [特有] Ref. 沈等。1993

*Sinogastromyzon nantaiensis* Chen, Han & Fang, 2003 南台中華爬岩鯢 [特有] Ref. Chen et al., 2003

*Sinogastromyzon puliensis* Liang, 1974 埔里中華爬岩鯢 [特有] Ref. 沈等。1993

### Family Cobitidae 鰱科

*Cobitis sinensis* Sauvage & Dabry de Thiersant, 1874 中華花鰱 Ref. 沈等。1993

*Misgurnus anguillicaudatus* (Cantor, 1842) 泥鰱 Ref. 沈等。1993

*Paramisgurnus dabryanus* Guichenot, 1872 大鱗副泥鰱 Ref. 沈等。1993

### Family Cyprinidae 鯉科

*Acrossocheilus paradoxus* (Günther, 1868) 台灣石鱨 [特有] Ref. 沈等。1993

*Aphyocypris kikuchii* (Oshima, 1919) 菊池氏細鯽 [特有] Ref. 沈等。1993

*Aristichthys nobilis* (Richardson, 1845) 鱮 Ref. 沈等。1993

*Barbonymus schwanenfeldii* (Bleeker, 1853) 施氏鰱 Ref. 陳及張。2005

*Candidia barbatus* (Regan, 1908) 台灣馬口魚 [特有] Ref. 沈等。1993

*Candidia pingtungensis* Chen, Wu & Hsu, 2008 屏東馬口魚 [特有] Ref. Chen, 2008

*Carassius auratus auratus* (Linnaeus, 1758) 鯽 Ref. 沈等。1993

*Carassius cuvieri* Temminck & Schlegel, 1846 高身鯽 Ref. 沈等。1993

*Chanodichthys erythropterus* (Basilewsky, 1855) 紅鰭鮠 Ref. 沈等。1993

*Cirrhinus molitorella* (Valenciennes, 1844) 鯉魚 Ref. 沈等。1993

*Ctenopharyngodon idella* (Valenciennes, 1844) 草魚 Ref. 沈等。1993

*Culter alburnus* Basilewsky, 1855 翹嘴鮠 Ref. 沈等。1993

*Cyprinus carpio carpio* Linnaeus, 1758 鯉 Ref. 沈等。1993

*Distoechodon tumirostris* Peters, 1881 圓吻鰻 Ref. 沈等。1993

*Gobiobotia cheni* Banareescu & Nalbant, 1966 陳氏鰱鮠 [特有] Ref. 沈等。1993

*Gobiobotia intermedia* Banareescu & Nalbant, 1968 中間鰱鮠 [特有] Ref. 沈等。1993

*Hemibarbus labeo* (Pallas, 1776) 唇鰱 Ref. 沈等。1993

*Hemiculter leucisculus* (Basilewsky, 1855) 鰲條 Ref. 沈等。1993

*Hypophthalmichthys molitrix* (Valenciennes, 1844) 白鰱 Ref. 沈等。1993

*Hypsibarbus pierrei* (Sauvage, 1880) 高體高鬚魚 Ref. 陳及方。1999

*Leptobarbus hoeveni* (Bleeker, 1851) 何氏細鬚鰱 Ref. 陳及張。2005

*Megalobrama amblycephala* Yih, 1955 團頭魴 Ref. 陳義雄、方力行。1999

*Metzia formosae* (Oshima, 1920) 台灣梅氏鰱 [特有] Ref. 陳及方。1999

*Metzia mesembrina* (Jordan & Evermann, 1902) 大鱗梅氏鰱 [特有] Ref. 陳及方。1999

*Microphysogobio alticorpus* Banareescu & Nalbant, 1968 高身小鰾鰱 [特有] Ref. 陳及方。1999

*Microphysogobio brevirostris* (Günther, 1868) 短吻小鰾鰱 [特有] Ref. 沈等。1993

*Mylopharyngodon piceus* (Richardson, 1846) 青魚 Ref. 沈等。1993

*Pararasbora moltrechti* Regan, 1908 台灣副細鯽 [特有] Ref. 沈等。1993

*Pseudorasbora parva* (Temminck & Schlegel, 1846) 羅漢魚 Ref. 沈等。1993

*Puntius orphoides* (Valenciennes, 1842) 類小鰾 Ref. 林。2007

*Puntius semifasciolatus* (Günther, 1868) 條紋小鰾 Ref. 沈等。1993

*Puntius snyderi* Oshima, 1919 史尼氏小鰾 Ref. 陳及張。2005

*Rhodeus ocellatus ocellatus* (Kner, 1867) 高體鰱鰻 Ref. 沈等。1993

*Sinibrama macrops* (Günther, 1868) 大眼華鰱 Ref. 沈等。1993

*Spinibarbus hollandi* Oshima, 1919 何氏棘鰾 [特有] Ref. 沈等。1993

*Squalidus argentatus* (Sauvage & Dabry de Thiersant, 1874) 銀鮡 Ref. Chen & Chang, 2007

*Squalidus banarescui* Chen & Chang, 2007 班氏銀鮡 [特有] Ref. 同前

*Squalidus iijimae* Oshima, 1919 飯島氏銀鮡 [特有] Ref. 沈等。1993

*Tanakia chii* (Miao, 1934) 齊氏田中鰱鰻 Ref. 陳及張。2005

*Tanakia himantegus* (Günther, 1868) 革條田中鰱鰻 Ref. 沈等。1993

*Varicorhinus alticorpus* (Oshima, 1920) 高身鐘頰魚 [特有] Ref. 沈等。1993

*Varicorhinus barbatulus* (Pellegrin, 1908) 台灣鐘頰魚 Ref. 沈等。1993

*Zacco evolans* Jordan & Evermann, 1902 帆鰭鱻 Ref. Jordan & Evermann., 1902

*Zacco pachycephalus* (Günther, 1868) 粗首鱻 [特有] Ref. 沈等。1993

*Zacco platypus* (Temminck & Schlegel, 1846) 平頰鱻 Ref. 沈等。1993

### Family Gyриноcheilidae 食藻鰱科

*Gyrinocheilus aymonieri* (Tirant, 1883) 湄公食藻鰱 Ref. 曾等。2007

## Order Cyprinodontiformes 鯉齒目

### Family Poeciliidae 花鱗科

*Gambusia affinis* (Baird & Girard, 1853) 大肚魚 Ref. 沈等。1993

*Poecilia latipinna* (Lesueur, 1821) 茉莉花鱗 Ref. Axelrod & Schultz, 1990  
*Poecilia reticulata* Peters, 1859 孔雀花鱗 Ref. 陳及方。1999  
*Poecilia velifera* Regan, 1914 帆鱗花鱗 Ref. 沈等。1993  
*Xiphophorus hellerii* Heckel, 1848 劍尾魚 Ref. 林。2007

## Order Elopiformes 海鱚目

### Family Elopidae 海鱚科

*Elops machnata* (Forsskål, 1775) 海鱚 Ref. 沈等。1993

### Family Megalopidae 大眼海鱚科

*Megalops cyprinoides* (Broussonet, 1782) 大眼海鱚 Ref. 沈等。1993

## Order Gadiformes 鱈形目

### Family Bregmacerotidae 海鯧鯨科

*Bregmaceros japonicus* Tanaka, 1908 日本犀鱈 Ref. 沈等。1993  
*Bregmaceros lanceolatus* Shen, 1960 尖尾犀鱈 Ref. 沈等。1993  
*Bregmaceros mcllellandii* Thompson, 1840 麥氏犀鱈 Ref. 沈等。1993  
*Bregmaceros nectabanus* Whitley, 1941 澳洲犀鱈 Ref. ASIZP0062915 (W coast).  
*Bregmaceros pescadorus* Shen, 1960 澎湖犀鱈 [特有] Ref. 沈等。1993

### Family Macrouridae 鼠尾鱈科

*Bathygadus antrodes* (Jordan & Starks, 1904) 孔頭底尾鱈 Ref. 邱。2002  
*Bathygadus furvescens* Alcock, 1894 暗色底尾鱈 Ref. ASIZP0065509 (SE coast) and more.  
*Bathygadus garretti* Gilbert & Hubbs, 1916 加氏底尾鱈 Ref. 邱。2002  
*Bathygadus nipponicus* (Jordan & Gilbert, 1904) 日本底尾鱈 Ref. 邱。2002  
*Bathygadus spongiceps* Gilbert & Hubbs, 1920 綿頭底尾鱈 Ref. ASIZP0064268  
*Cetonurus globiceps* (Vaillant, 1884) 球首鯨尾鱈 Ref. ASIZP0065620 (SE coast) and more.  
*Coelorinchus anatrostris* Jordan & Gilbert, 1904 鼠腔吻鱈 Ref. 沈等。1993  
*Coelorinchus asteroides* Okamura, 1963 擬星腔吻鱈 Ref. 邱。2002  
*Coelorinchus brevirostris* Okamura, 1984 短吻腔吻鱈 [特有] Ref. 邱。2002  
*Coelorinchus cingulatus* Gilbert & Hubbs, 1920 橫帶腔吻鱈 Ref. 沈等。1993  
*Coelorinchus commutabilis* Smith & Radcliffe, 1912 變異腔吻鱈 Ref. ASIZP0066785 (South China Sea).  
*Coelorinchus cylindricus* Iwamoto & Merrett, 1997 圓身腔吻鱈 Ref. ASIZP0066973 (Nan-fang-ao) and more.  
*Coelorinchus divergens* Okamura & Yatou, 1984 廣佈腔吻鱈 Ref. ASIZP0063799 (SW coast) and more.  
*Coelorinchus formosanus* Okamura, 1963 台灣腔吻鱈 Ref. 沈等。1993  
*Coelorinchus hubbsi* Matsubara, 1936 哈卜氏腔吻鱈 Ref. 沈等。1993  
*Coelorinchus japonicus* (Temminck & Schlegel, 1846) 日本腔吻鱈 Ref. 沈等。1993  
*Coelorinchus kamoharai* Matsubara, 1943 蒲原氏腔吻鱈 Ref. 沈等。1993  
*Coelorinchus kishinouyei* Jordan & Snyder, 1900 岸上氏腔吻鱈 Ref. 沈等。1993  
*Coelorinchus leptorhinus* Chiou, Iwamoto & Shao, 2002 窄吻腔吻鱈 [特有] Ref. 邱。2002  
*Coelorinchus longissimus* Matsubara, 1943 長管腔吻鱈 Ref. 邱。2002  
*Coelorinchus macrochir* (Günther, 1877) 長臂腔吻鱈 Ref. ASIZP0065574 (Ta-shi) and more.  
*Coelorinchus multispinulosus* Katayama, 1942 多棘腔吻鱈 Ref. 沈等。1993  
*Coelorinchus parallelus* (Günther, 1877) 平棘腔吻鱈 Ref. 沈等。1993  
*Coelorinchus productus* Gilbert & Hubbs, 1916 東海腔吻鱈 Ref. 邱。2002  
*Coelorinchus sheni* Chiou, Shao & Iwamoto, 2004 鞍斑腔吻鱈 [特有] Ref. 邱。2002  
*Coelorinchus smithi* Gilbert & Hubbs, 1920 斯氏腔吻鱈 Ref. 邱。2002  
*Coelorinchus spinifer* Gilbert & Hubbs, 1920 大棘腔吻鱈 Ref. ASIZP0066748 (South China Sea).  
*Coryphaenoides asper* Günther, 1877 粗體突吻鱈 Ref. ASIZP0066107 (South China Sea).  
*Coryphaenoides marginatus* Steindachner & Doerlein, 1887 黑緣突吻鱈 Ref. 沈等。1993  
*Coryphaenoides microps* (Smith & Radcliffe, 1912) 大眼突吻鱈 Ref. 沈等。1993  
*Coryphaenoides nasutus* Günther, 1877 錐鼻突吻鱈 Ref. Cohen et al., 1990  
*Coryphaenoides rudis* Günther, 1878 野突吻鱈 Ref. ASIZP0066117 (South China Sea).  
*Gadomus colletti* Jordan & Gilbert, 1904 柯氏鼠鱈 Ref. 邱。2002  
*Gadomus magnifilis* Gilbert & Hubbs, 1920 大絲鼠鱈 Ref. ASIZP0064092 (SW coast).  
*Gadomus multifilis* (Günther, 1887) 多絲鼠鱈 Ref. ASIZP0065627 (SW coast).  
*Hymenocephalus gracilis* Gilbert & Hubbs, 1920 細長膜首鱈 Ref. 邱。2002  
*Hymenocephalus kuronumai* Kamohara, 1938 庫氏膜首鱈 Ref. ASIZP0065232 (Ta-shi).  
*Hymenocephalus lethonemus* Jordan & Gilbert, 1902 刺吻膜首鱈 Ref. 邱。2002  
*Hymenocephalus longiceps* Smith & Radcliffe, 1912 長頭膜首鱈 Ref. Chiou et al., 2004b  
*Hymenocephalus striatissimus striatissimus* Jordan & Gilbert, 1904 紋喉膜首鱈 Ref. 沈等。1993  
*Kumba gymnorhynchus* Iwamoto & Sazonov, 1994 裸吻舟尾鱈 Ref. ASIZP0065527 (SW coast).  
*Kumba japonica* (Matsubara, 1943) 日本舟尾鱈 Ref. 邱。2002  
*Kumba punctulata* Iwamoto & Sazonov, 1994 點斑舟尾鱈 Ref. ASIZP0066816 (South China Sea) and more.  
*Kuronezumia dara* (Gilbert & Hubbs, 1916) 達氏庫隆長尾鱈 Ref. ASIZP0065514 (SW coast) and more.  
*Lucigadus nigromarginatus* (Smith & Radcliffe, 1912) 黑斑梭鱈 Ref. 邱。2002  
*Macrosmia phalacra* Merrett, Sazonov & Shcherbachev, 1983 裸頭軟首鱈 Ref. ASIZP0066424 (South China Sea) and more.  
*Malacocephalus laevis* (Lowe, 1843) 軟頭條鱈 Ref. 沈等。1993  
*Malacocephalus nipponensis* Gilbert & Hubbs, 1916 日本軟首鱈 Ref. ASIZP0066277 (South China Sea) and more.  
*Mataeocephalus cristatus* Sazanov, Shcherbachev & Iwamoto, 2003 冠軟首鱈 Ref. ASIZP0066077 (South China Sea) and more.  
*Mataeocephalus hyostomus* (Smith & Radcliffe, 1912) 下口軟首鱈 Ref. ASIZP0065541 (SW coast) and more.  
*Nezumia coheni* Iwamoto & Merrett, 1997 科氏奈氏鱈 Ref. ASIZP0063791 (SW coast).  
*Nezumia condylura* Jordan & Gilbert, 1902 獅鼻奈氏鱈 Ref. 邱。2002

*Nezumia evides* (Gilbert & Hubbs, 1920) 倭奈氏鱈 Ref. ASIZP0065641 (NE coast) and more.  
*Nezumia loricata* (Garman, 1899) 銼鱗奈氏鱈 Ref. ASIZP0065529 (SW coast).  
*Nezumia proxima* (Smith & Radcliffe, 1912) 原始奈氏鱈 Ref. ASIZP0065632 (NE coast) and more.  
*Nezumia spinosa* (Gilbert & Hubbs, 1916) 長棘奈氏鱈 Ref. ASIZP0065545 (SW coast).  
*Pseudocetonus septifer* Sazonov & Shcherbachev, 1982 擬櫛尾鱈 Ref. 邱。2002  
*Pseudonezumia cetonuropsis* (Gilbert & Hubbs, 1916) 大頭擬奈氏鱈 Ref. ASIZP0066945 (South China Sea).  
*Sphagemacrurus decimalis* (Gilbert & Hubbs, 1920) 菲律賓短吻長尾鱈 Ref. ASIZP0066905 (South China Sea).  
*Sphagemacrurus pumiliceps* (Alcock, 1894) 矮頭短吻長尾鱈 Ref. ASIZP0065551 (NE coast) and more.  
*Sphagemacrurus richardi* (Weber, 1913) 里氏短吻長尾鱈 Ref. ASIZP0065621 (South China Sea) and more.  
*Squalogadus modificatus* Gilbert & Hubbs, 1916 卵首鱈 Ref. ASIZP0064070 (South China Sea).  
*Trachonurus sentipellis* Gilbert & Cramer, 1897 棘皮粗尾鱈 Ref. ASIZP0064232 (SW coast) and more.  
*Trachonurus villosus* (Günther, 1877) 多毛粗尾鱈 Ref. ASIZP0065626 (South China Sea) and more.  
*Ventrifossa divergens* Gilbert & Hubbs, 1920 歧異凹腹鱈 Ref. 邱。2002  
*Ventrifossa fusca* Okamura, 1982 暗色凹腹鱈 Ref. ASIZP0066783 (South China Sea).  
*Ventrifossa garmani* (Jordan & Gilbert, 1904) 加曼氏凹腹鱈 Ref. 沈等。1993  
*Ventrifossa longibarbata* Okamura, 1982 長鬚凹腹鱈 Ref. 邱。2002  
*Ventrifossa macroptera* Okamura, 1982 大鰭凹腹鱈 Ref. 邱。2002  
*Ventrifossa nigrodorsalis* Gilbert & Hubbs, 1920 黑背鰭凹腹鱈 Ref. 沈等。1993  
*Ventrifossa rhipidodorsalis* Okamura, 1984 扇鰭凹腹鱈 Ref. 邱。2002  
*Ventrifossa saikaiensis* Okamura, 1984 西海凹腹鱈 Ref. 邱。2002

### Family Moridae 稚鱈科

*Antimora microlepis* Bean, 1890 細鱗擬深海鱈 Ref. ASIZP0064276 (SW coast).  
*Laemonema nana* Taki, 1953 小絲鰭鱈 Ref. ASIZP0063626  
*Lotella phycis* (Temminck & Schlegel, 1846) 藻磯鬚稚鱈 Ref. Nakabo, 2002  
*Physiculus japonicus* Hilgendorf, 1879 日本鬚稚鱈 Ref. 沈等。1993  
*Physiculus maximowiczii* (Herzenstein, 1896) 蝦夷鬚稚鱈 Ref. 沈等。1993  
*Physiculus nigripinnis* Okamura & Amaoka, 1982 黑翼鬚稚鱈 Ref. 吳。2002  
*Physiculus roseus* Alcock, 1891 紅鬚稚鱈 Ref. 沈等。1993

## Order Gasterosteiformes 棘背魚目

### Family Aulostomidae 管口魚科

*Aulostomus chinensis* (Linnaeus, 1766) 中國管口魚 Ref. 沈等。1993

### Family Centriscidae 蝦魚科

*Aeoliscus strigatus* (Günther, 1861) 條紋蝦魚 Ref. 沈等。1993  
*Centriscus scutatus* Linnaeus, 1758 蝦魚 Ref. 沈等。1993

### Family Fistulariidae 馬鞭魚科

*Fistularia commersonii* Rüppell, 1838 康氏馬鞭魚 Ref. 沈等。1993  
*Fistularia petimba* Lacepède, 1803 馬鞭魚 Ref. 沈等。1993

### Family Macroramphosidae 鸕嘴魚科

*Macroramphosus scolopax* (Linnaeus, 1758) 鸕嘴魚 Ref. 沈等。1993

### Family Pegasidae 海蛾魚科

*Eurypegus draconis* (Linnaeus, 1766) 寬海蛾魚 Ref. 沈等。1993  
*Pegasus laternarius* Cuvier, 1816 短海蛾魚 Ref. 沈等。1993  
*Pegasus volitans* Linnaeus, 1758 飛海蛾魚 Ref. 沈等。1993

### Family Solenostomidae 溝口魚科

*Solenostomus cyanopterus* Bleeker, 1854 鋸吻刺刀魚 Ref. 沈等。1993  
*Solenostomus paradoxus* (Pallas, 1770) 刺刀魚 Ref. 沈等。1993

### Family Syngnathidae 海龍科

*Campichthys nanus* Dawson, 1977 小曲海龍 Ref. Shao et al., 1992  
*Choeroichthys sculptus* (Günther, 1870) 彫紋海龍 Ref. 沈等。1993  
*Corythoichthys flavofasciatus* (Rüppell, 1838) 黃帶海龍 Ref. 沈等。1993  
*Corythoichthys haematopterus* (Bleeker, 1851) 紅鰭海龍 Ref. Fishbase, 2005  
*Corythoichthys schultzi* Herald, 1953 史氏海龍 Ref. 同前  
*Cosmocampus banneri* (Herald & Randall, 1972) 班氏環宇海龍 Ref. 沈等。1993  
*Doryichthys boaja* (Bleeker, 1851) 寶珈海龍 Ref. 沈等。1993  
*Doryrhamphus dactylophorus* (Bleeker, 1853) 黑環海龍 Ref. 沈等。1993  
*Doryrhamphus excisus* Kaup, 1856 黑腹海龍 Ref. 沈等。1993  
*Doryrhamphus janssi* (Herald & Randall, 1972) 強氏海龍 Ref. Fishbase, 2005  
*Doryrhamphus japonicus* Araga & Yoshino, 1975 日本海龍 Ref. 沈等。1993  
*Halicampus grayi* Kaup, 1856 葛氏海龍 Ref. 沈等。1993  
*Halicampus macrorhynchus* Bamber, 1915 巨吻海龍 Ref. 沈等。1993  
*Halicampus mataaefae* (Jordan & Seale, 1906) 馬塔法海龍 Ref. 沈等。1993  
*Halicampus spinirostris* (Dawson & Allen, 1981) 短吻海龍 Ref. 沈等。1993  
*Haliichthys taeniophorus* Gray, 1859 帶狀海龍 Ref. Fishbase, 2005  
*Hippichthys cyanospilus* (Bleeker, 1854) 藍點海龍 Ref. 沈等。1993  
*Hippichthys heptagonus* Bleeker, 1849 七角海龍 Ref. 沈等。1993  
*Hippichthys penicillus* (Cantor, 1849) 筆狀海龍 Ref. Kottelat et al., 1993  
*Hippichthys spicifer* (Rüppell, 1838) 橫帶海龍 Ref. 沈等。1993

*Hippocampus bargibanti* Whitley, 1970 巴氏海馬 Ref. Underwater photograph  
*Hippocampus colemani* Kuitert, 2003 克里蒙氏海龍 Ref. 同前  
*Hippocampus histrix* Kaup, 1853 刺海馬 Ref. 沈等。1993  
*Hippocampus kelloggi* Jordan & Snyder, 1901 克氏海馬 Ref. Lourie et al., 1999  
*Hippocampus kuda* Bleeker, 1852 庫達海馬 Ref. 沈等。1993  
*Hippocampus sindonis* Jordan & Snyder, 1901 花海馬 Ref. 陳。2003  
*Hippocampus spinosissimus* Weber, 1913 棘海馬 Ref. Fishbase, 2005  
*Hippocampus trimaculatus* Leach, 1814 三斑海馬 Ref. 沈等。1993  
*Microphis brachyurus brachyurus* (Bleeker, 1853) 短尾海龍 Ref. 沈等。1993  
*Microphis leiaspis* (Bleeker, 1853) 無棘海龍 Ref. 沈等。1993  
*Microphis manadensis* (Bleeker, 1856) 印尼海龍 Ref. 沈等。1993  
*Phoxocampus belcheri* (Kaup, 1856) 黑海龍 Ref. 沈等。1993  
*Phoxocampus diacanthus* (Schultz, 1943) 橫帶海龍 Ref. 沈等。1993  
*Solegnathus hardwickii* (Gray, 1830) 哈氏柄頰海龍 Ref. 沈等。1993  
*Solegnathus lettiensis* Bleeker, 1860 黑斑刀海龍 Ref. 陳。2004  
*Syngnathoides biaculeatus* (Bloch, 1785) 棘海龍 Ref. 沈等。1993  
*Syngnathus schlegelii* Kaup, 1856 薛氏海龍 Ref. 沈等。1993  
*Trachyrhamphus bicoarctatus* (Bleeker, 1857) 短吻粗吻海龍 Ref. Fishbase, 2005  
*Trachyrhamphus serratus* (Temminck & Schlegel, 1850) 鋸粗吻海龍 Ref. 沈等。1993

## Order Gonorhynchiformes 鼠鱘目

### Family Chanidae 虱目魚科

*Chanos chanos* (Forsskål, 1775) 虱目魚 Ref. 沈等。1993

### Family Gonorynchidae 鼠鱘科

*Gonorynchus abbreviatus* Temminck & Schlegel, 1846 鼠鱘 Ref. 沈等。1993

## Order Lampridiformes 月魚目

### Family Lampridae 月魚科

*Lampris guttatus* (Brünnich, 1788) 月魚 Ref. 沈等。1993

### Family Lophotidae 冠棘魚科

*Eumecichthys fiski* (Günther, 1890) 真冠帶魚 Ref. FRIP00427 (SW coast).

### Family Regalecidae 皇帶魚科

*Regalecus glesne* Ascanius, 1772 皇帶魚 Ref. Nakabo, 2002

### Family Trachipteridae 粗鱗魚科

*Desmodema polystictum* (Ogilby, 1898) 多斑帶粗鱗魚 Ref. 沈等。1993  
*Trachipterus ishikawae* Jordan & Snyder, 1901 石川氏粗鱗魚 Ref. 沈等。1993  
*Trachipterus trachipterus* (Gmelin, 1789) 粗鱗魚 Ref. 陳。2004  
*Zu cristatus* (Bonelli, 1820) 橫帶粗鱗魚 Ref. Shen, 1984b

### Family Veliferidae 草鱗科

*Velifer hypselopterus* Bleeker, 1879 草鱗 Ref. 沈等。1993

## Order Lophiiformes 鮫鱈目

### Family Antennariidae 躑魚科

*Antennarius biocellatus* (Cuvier, 1817) 雙斑躑魚 Ref. 沈等。1993  
*Antennarius coccineus* (Lesson, 1830) 細斑躑魚 Ref. Pietsch & Grobecker, 1987  
*Antennarius commerson* (Latreille, 1804) 康氏躑魚 Ref. 沈等。1993  
*Antennarius dorehensis* Bleeker, 1859 新幾內亞躑魚 Ref. 沈等。1993  
*Antennarius hispidus* Bloch & Schneider, 1801) 毛躑魚 Ref. Pietsch & Grobecker, 1987  
*Antennarius maculatus* (Desjardins, 1840) 大斑躑魚 Ref. 同前  
*Antennarius nummifer* (Cuvier, 1817) 眼斑躑魚 Ref. 沈等。1993  
*Antennarius pictus* (Shaw, 1794) 白斑躑魚 Ref. 沈等。1993  
*Antennarius randalli* Allen, 1970 藍道氏躑魚 Ref. 沈等。1993  
*Antennarius striatus* (Shaw & Nodder, 1794) 條紋躑魚 Ref. 沈等。1993  
*Antennatus tuberosus* (Cuvier, 1817) 網紋手躑魚 Ref. Nakabo, 2002  
*Histiophryne cryptacanthus* (Weber, 1913) 隱棘躑魚 Ref. 沈等。1993  
*Histrio histrio* (Linnaeus, 1758) 斑紋光躑魚 Ref. 沈等。1993

### Family Ceratiidae 角鮫鱈科

*Cerantias holboelli* Krøyer, 1845 霍氏角鮫鱈 Ref. 何。2002  
*Cryptosaras couesii* Gill, 1883 密刺角鮫鱈 Ref. 何。2002

### Family Chaunacidae 單棘躑魚科

*Chaunax abei* Le Danois, 1978 阿部單棘躑魚 Ref. 沈等。1993  
*Chaunax fimbriatus* Hilgendorf, 1879 單棘躑魚 Ref. 吳。2002

### Family Diceratiidae 雙角鮫鱈科

*Bufoerantias shaoi* Pietsch, Ho & Chen, 2004 邵氏蟾蜍角鮫鱈 Ref. Pietsch et al., 2004  
*Dicerantias bispinosus* (Günther, 1887) 細瓣雙角鮫鱈 Ref. 何。2002

### Family Himantolophidae 疏刺角鮫鱈科

*Himantolophus melanolophus* Bertelsen & Krefft, 1988 黑冠疏刺角鮫鱈 Ref. NMNSF00993 (Tong-kang).

### Family Lophiidae 鮫鰈科

- Lophiodes insidiator* (Regan, 1921) 納塔爾擬鮫鰈 Ref. Caruso, 1983  
*Lophiodes micacanthus* (Gilbert, 1905) 少棘擬鮫鰈 Ref. Caruso, 1983  
*Lophiodes mutilus* (Alcock, 1894) 光擬鮫鰈 Ref. Caruso, 1983  
*Lophiodes naresi* (Günther, 1880) 奈氏擬鮫鰈 Ref. Caruso, 1983  
*Lophiomus setigerus* (Vahl, 1797) 鮫鰈 Ref. 沈等。1993  
*Lophius litulon* (Jordan, 1902) 黃鮫鰈 Ref. 沈等。1993

### Family Ogcocephalidae 棘茄魚科

- Coelophrys brevicaudata* Brauer, 1902 短尾腔蝠魚 Ref. ASIZP0062883 (Ta-shi) and more.  
*Dibranchius japonicus* Amaoka & Toyoshima, 1981 日本二鰓棘茄魚 Ref. 沈等。1993  
*Halicmetus reticulatus* Smith & Radcliffe, 1912 網紋棘茄魚 Ref. 沈等。1993  
*Halicmetus ruber* Alcock, 1891 紅牙棘茄魚 Ref. ASIZP0061273 and more.  
*Halieutaea brevicauda* Ogilby, 1911 短尾棘茄魚 Ref. ASIZP0063700 and more.  
*Halieutaea coccinea* Alcock, 1899 猩紅棘茄魚 Ref. ASIZP0065001 and more.  
*Halieutaea fitzsimonsi* (Gilchrist & Thompson, 1916) 費式棘茄魚 Ref. 沈等。1993  
*Halieutaea fumosa* Alcock, 1894 雲紋棘茄魚 Ref. 沈等。1993  
*Halieutaea indica* Annandale & Jenkins, 1910 突額棘茄魚 Ref. Lee, 1988  
*Halieutaea nigra* Alcock, 1891 黑棘茄魚 Ref. ASIZP0065002 and more.  
*Halieutaea stellata* (Vahl, 1797) 棘茄魚 Ref. 沈等。1993  
*Halieutopsis bathyoreos* Bradbury, 1988 深海擬棘茄魚 Ref. ASIZP0065402  
*Halieutopsis ingerorum* Bradbury, 1988 英格擬棘茄魚 Ref. ASIZP0066275 (NE coast) and more.  
*Halieutopsis margaretae* Ho & Shao, 2007 馬格瑞擬棘茄魚 Ref. Ho & Shao, 2007  
*Halieutopsis micropa* (Alcock, 1891) 扁頭擬棘茄魚 Ref. ASIZP0066382 (SE coast).  
*Halieutopsis simula* (Smith & Radcliffe, 1912) 準擬棘茄魚 Ref. ASIZP0057202 (Tong-sha Is.).  
*Malthopsis annulifera* Tanaka, 1908 環紋海蝠魚 Ref. 沈等。1993  
*Malthopsis jordani* Gilbert, 1905 喬氏海蝠魚 Ref. 沈等。1993  
*Malthopsis lutea* Alcock, 1891 密星海蝠魚 Ref. 沈等。1993  
*Malthopsis mitrigeria* Gilbert & Cramer, 1897 鈎棘海蝠魚 Ref. ASIZP0064420 (NE coast) and more.  
*Malthopsis tiarella* Jordan, 1902 斑點海蝠魚 Ref. ASIZP uncat. (Tong-Kang) and more.  
*Solocisquama stellulatus* (Gilbert, 1905) 星點長鰭蝠魚 Ref. 沈等。1993

### Family Oneirodidae 夢角鮫鰈科

- Oneirodes carlsbergi* (Regan & Trewavas, 1932) 卡氏夢角鮫鰈 Ref. ASIZP0066385 (South China Sea).  
*Oneirodes pietschi* Ho & Shao, 2004 皮氏夢角鮫鰈 Ref. Ho & Shao, 2004  
*Spiniphryne gladisfenae* (Beebe, 1932) 劍狀棘鰐鮫鰈 Ref. NMMBP uncat. (Ta-shi).  
*Tyrannophryne pugnax* Regan & Trewavas, 1932 暴龍鰐鮫鰈 Ref. Ho et al., 2007

### Family Thaumaticthyidae 突吻角鮫鰈科

- Thaumaticthys pagidostomus* Smith & Radcliffe, 1912 突吻角鮫鰈 Ref. ASIZP0066381

## Order Mugiliformes 鯔形目

### Family Mugilidae 鯔科

- Chelon haematocheilus* (Temminck & Schlegel, 1845) 鯔 Ref. Liu & Shen, 1993  
*Crenimugil crenilabis* (Forsskål, 1775) 粒唇鯔 Ref. 沈等。1993  
*Liza affinis* (Günther, 1861) 前鱗鯔 Ref. 沈等。1993  
*Liza alata* (Steindachner, 1892) 竹筒鯔 Ref. 沈等。1993  
*Liza macrolepis* (Smith, 1846) 大鱗鯔 Ref. 沈等。1993  
*Liza subviridis* (Valenciennes, 1836) 白鯔 Ref. 沈等。1993  
*Liza vaigiensis* (Quoy & Gaimard, 1825) 截尾鯔 Ref. Chen et al., 1997  
*Moolgarda perusii* (Valenciennes, 1836) 帕氏凡鯔 Ref. FAO, 1999  
*Mugil cephalus* Linnaeus, 1758 鯔 Ref. 沈等。1993  
*Oedalechilus labiatus* (Valenciennes, 1836) 瘤唇鯔 Ref. 沈等。1993  
*Valamugil cunnesius* (Valenciennes, 1836) 長鰭凡鯔 Ref. 沈等。1993  
*Valamugil seheli* (Forsskål, 1775) 薛氏凡鯔 Ref. 沈等。1993

## Order Myctophiformes 燈籠魚目

### Family Myctophidae 燈籠魚科

- Benthosema fibulatum* (Gilbert & Cramer, 1897) 帶底燈魚 Ref. Wang & Chen, 2001  
*Benthosema pterotum* (Alcock, 1890) 七星底燈魚 Ref. 沈等。1993  
*Benthosema suborbitale* (Gilbert, 1913) 耀眼底燈魚 Ref. Wang & Chen, 2001  
*Bolinichthys longipes* (Brauer, 1906) 長鰭虹燈魚 Ref. 同前  
*Bolinichthys supralateralis* (Parr, 1928) 側上虹燈魚 Ref. 同前  
*Ceratospilus warmingii* (Lütken, 1892) 瓦氏角燈魚 Ref. 沈等。1993  
*Diaphus aliciae* Fowler, 1934 長距眶燈魚 Ref. 沈等。1993  
*Diaphus brachycephalus* Taning, 1928 短頭眶燈魚 Ref. ASIZP0064409  
*Diaphus chrysorhynchus* Gilbert & Cramer, 1897 金鼻眶燈魚 Ref. 沈等。1993  
*Diaphus coerulesus* (Klunzinger, 1871) 藍光眶燈魚 Ref. Wang & Chen, 2001  
*Diaphus diademophilus* Nafpaktitis, 1978 冠冕眶燈魚 Ref. Wang & Shao, 2006  
*Diaphus fragilis* Taning, 1928 符氏眶燈魚 Ref. 同前  
*Diaphus fulgens* (Brauer, 1904) 燦爛眶燈魚 Ref. 同前  
*Diaphus garmani* Gilbert, 1906 亮胸眶燈魚 Ref. Wang & Chen, 2001  
*Diaphus knappi* Nafpaktitis, 1978 奈氏眼眶魚 Ref. 同前

*Diaphus lucidus* (Goode & Bean, 1896) 耀眼眶燈魚 Ref. Wang & Shao, 2006  
*Diaphus luetkeni* (Brauer, 1904) 呂氏眶燈魚 Ref. 沈等。1993  
*Diaphus mollis* Täning, 1928 短距眶燈魚 Ref. ASIZP0061671 (SW coast) and more.  
*Diaphus parri* Tanning, 1928 巴氏眶燈魚 Ref. Wang & Shao, 2006  
*Diaphus regani* Tanning, 1928 翹光眶燈魚 Ref. 同前  
*Diaphus sagamiensis* Gilbert, 1913 相模眶燈魚 Ref. Wang & Chen, 2001  
*Diaphus schmidti* Täning, 1932 史氏眶燈魚 Ref. 同前  
*Diaphus signatus* Gilbert, 1908 叉尾眶燈魚 Ref. 沈等。1993  
*Diaphus splendidus* (Brauer, 1904) 亮眶燈魚 Ref. 沈等。1993  
*Diaphus suborbitalis* Weber, 1913 眶下眶燈魚 Ref. Wang & Chen, 2001  
*Diaphus taaningi* Norman, 1930 譚氏眶燈魚 Ref. 沈等。1993  
*Diaphus watasei* Jordan & Starks, 1904 渡瀨眶燈魚 Ref. Wang & Chen, 2001  
*Diogenichthys atlanticus* (Täning, 1928) 西明燈魚 Ref. 同前  
*Diogenichthys panurgus* Bolin, 1946 印明燈魚 Ref. Wang & Shao, 2006  
*Electrona risso* (Cocco, 1829) 高體電燈魚 Ref. Wang & Chen, 2001  
*Hintonia candens* Fraser-Brunner, 1949 犬牙亨燈魚 Ref. ASIZP0064400  
*Hygophum proximum* Becker, 1965 近壯燈魚 Ref. Wang & Chen, 2001  
*Hygophum reinhardtii* (Lütken, 1892) 萊式壯燈魚 Ref. 同前  
*Lampadena anomala* Parr, 1928 糙炬燈魚 Ref. 同前  
*Lampadena luminosa* (Garman, 1899) 發光炬燈魚 Ref. 同前  
*Lampanyctus alatus* Goode & Bean, 1896 細斑珍燈魚 Ref. 沈等。1993  
*Lampanyctus nobilis* Täning, 1928 名珍燈魚 Ref. 沈等。1993  
*Lampanyctus tenuiformis* (Brauer, 1906) 天紐珍燈魚 Ref. Wang & Chen, 2001  
*Lampanyctus turneri* (Fowler, 1934) 圖氏珍燈魚 Ref. 同前  
*Lobianchia gemellarii* (Cocco, 1838) 日本葉燈魚 Ref. 同前  
*Myctophum asperum* Richardson, 1845 暗色燈籠魚 Ref. 同前  
*Myctophum aurolateratum* Garman, 1899 金焰燈籠魚 Ref. 同前  
*Myctophum nitidulum* Garman, 1899 閃光燈籠魚 Ref. 同前  
*Myctophum obtusirostre* Täning, 1928 鈍吻燈籠魚 Ref. 沈等。1993  
*Myctophum spinosum* (Steindachner, 1867) 櫛棘燈籠魚 Ref. Wang & Chen, 2001  
*Nannobranchium nigrum* Günther, 1887 黑體小鰭燈魚 Ref. 同前  
*Notolychnus valdiviae* (Brauer, 1904) 尖吻背燈魚 Ref. 同前  
*Notoscopelus caudispinosus* (Johnson, 1863) 尾棘背燈魚 Ref. 同前  
*Notoscopelus resplendens* (Richardson, 1845) 閃光背燈魚 Ref. 同前  
*Symbolophorus evermanni* (Gilbert, 1905) 埃氏標燈魚 Ref. 同前  
*Taaningichthys paurolychnus* Davy, 1972 少燈太寧燈魚 Ref. Wang & Shao, 2006  
*Triphoturus nigrescens* (Brauer, 1904) 黑尾燈魚 Ref. Wang & Chen, 2001

#### Family Neoscopelidae 新燈籠魚科

*Neoscopelus macrolepidotus* Matsubara, 1943 大鱗新燈籠魚 Ref. 吳。2002  
*Neoscopelus microchir* (Johnson, 1863) 短鰭新燈籠魚 Ref. 沈等。1993  
*Neoscopelus porosus* Arai, 1969 多孔新燈籠魚 Ref. Wang & Shao, 2006

### Order Ophidiiformes 魷魚目

#### Family Aphyonidae 裸魷魚科

*Barathronus maculatus* Shcherbachev, 1976 棕斑盲魷魚 Ref. ASIZP0064071 and more.

#### Family Bythitidae 深海魷魚科

*Brosmophyciops pautzkei* Schultz, 1960 隱頭似鱈深海魷魚 Ref. Nakabo, 2002  
*Brotulina fusca* Fowler, 1946 深海魷魚 Ref. 沈等。1993  
*Brotulina taiwanensis* Schwarzhans, Møller & Nielsen, 2005 台灣深海魷魚 Ref. Schwarzhans et al., 2005  
*Dinematichthys dasyrhynchus* Cohen & Hutchins, 1982 粗吻雙鬚深海魷魚 Ref. 沈等。1993  
*Dinematichthys iluocoeteoides* Bleeker, 1855 雙線魷魚 Ref. ASIZP0058524 (Ping-tong) and more.  
*Dinematichthys minyoma* Sedor & Cohen, 1987 細眼雙鬚深海魷魚 Ref. 沈等。1993  
*Dinematichthys riukuensis* Aoyagi, 1954 琉球雙線魷魚 Ref. ASIZP0057503 (Ping-tong).

#### Family Carapidae 隱魚科

*Encheliophis boraborensis* (Kaup, 1856) 博拉隱魚 Ref. 沈等。1993  
*Encheliophis gracilis* (Bleeker, 1856) 纖細隱魚 Ref. 沈等。1993  
*Encheliophis homei* (Richardson, 1846) 荷姆氏隱魚 Ref. 沈等。1993  
*Encheliophis sagamiensis* (Tanaka, 1908) 密星隱魚 Ref. 沈等。1993  
*Eurypleuron owasianum* (Matsubara, 1953) 底隱魚 Ref. 沈等。1993  
*Onuxodon margaritiferae* (Rendahl, 1921) 珍珠貝隱魚 Ref. 沈等。1993  
*Onuxodon parvibrachium* (Fowler, 1927) 牡蠣隱魚 Ref. 沈等。1993  
*Pyramodon lindas* Markle & Olney, 1990 線紋錐齒潛魚 Ref. ASIZP0062313(Tong-kang).  
*Pyramodon ventralis* Smith & Radcliffe, 1913 纖尾錐齒隱魚 Ref. 沈等。1993

#### Family Ophidiidae 魷魚科

*Acanthonus armatus* Günther, 1878 大棘魷魚 Ref. Yeh et al., 2005  
*Bassozetus compressus* (Günther, 1878) 扁索深魷魚 Ref. 同前  
*Bassozetus glutinosus* (Alcock, 1890) 黏身索深魷魚 Ref. 同前  
*Bassozetus multispinis* Shcherbachev, 1980 多棘索深魷魚 Ref. 同前  
*Bassozetus robustus* Smith & Radcliffe, 1913 壯體索深魷魚 Ref. 同前  
*Bathyonus caudalis* (Garman, 1899) 大尾深水魷魚 Ref. 同前

*Brotula multibarbata* Temminck & Schlegel, 1846 多鬚鮃魚 Ref. 沈等。1993  
*Dicrolene quinquarius* (Günther, 1887) 五指絲指鮃魚 Ref. Yeh et al., 2005  
*Dicrolene tristic* Smith & Radcliffe, 1913 短絲指鮃魚 Ref. Lee et al., 2005  
*Glyptophidium argenteum* Alcock, 1889 銀色曲鮃魚 Ref. ASIZP0067903  
*Glyptophidium lucidum* Smith & Radcliffe, 1913 光曲鮃魚 Ref. Nakabo, 2002  
*Holcomycteronus aequatoris* (Smith & Radcliffe, 1913) 深海鈍吻鮃魚 Ref. Yeh et al., 2005  
*Homostolus acer* Smith & Radcliffe, 1913 長趾鮃魚 Ref. 同前  
*Hoplobrotula armata* (Temminck & Schlegel, 1846) 棘鮃魚 Ref. 沈等。1993  
*Lamprogrammus brunswigi* (Brauer, 1906) 布氏軟鮃魚 Ref. Yang & Nakamura, 1973  
*Luciobrotula bartschi* Smith & Radcliffe, 1913 矛鮃魚 Ref. Yeh et al., 2005  
*Monomitopus kumae* Smith & Radcliffe, 1913 熊吉單趾鮃魚 Ref. Nakabo, 2002  
*Monomitopus pallidus* Jordan & Hubbs, 1925 重齒單趾鮃魚 Ref. Nakabo, 2002  
*Neobythites fasciatus* Smith & Radcliffe, 1913 橫帶新鮃魚 Ref. 陳。1969  
*Neobythites longipes* Smith & Radcliffe, 1913 長新鮃魚 Ref. Yeh et al., 2006  
*Neobythites sivicola* (Jordan & Snyder, 1901) 新鮃魚 Ref. 沈等。1993  
*Neobythites stigmosus* Machida, 1984 斑新鮃魚 Ref. 沈等。1993  
*Neobythites unimaculatus* Smith & Radcliffe, 1913 單斑新鮃魚 Ref. 沈等。1993  
*Ophidion muraenolepis* (Günther, 1880) 黑邊鮃魚 Ref. 沈等。1993  
*Porogadus guentheri* Jordan & Fowler, 1902 貢氏孔鮃魚 Ref. Yeh et al., 2005  
*Porogadus miles* Goode & Bean, 1885 頭棘孔鮃魚 Ref. 同前  
*Sirembo imberbis* Temminck & Schlegel, 1846 仙鮃魚 Ref. 沈等。1993  
*Xyelacyba myersi* Cohen, 1961 梅氏棘鰓鮃魚 Ref. Nakabo, 2002

## Order Osmeriformes 胡瓜魚目

### Family Osmeridae 胡瓜魚科

*Plecoglossus altivelis altivelis* (Temminck & Schlegel, 1846) 香魚 Ref. 沈等。1993  
*Salanx acuticeps* Regan, 1908 銳頭銀魚 Ref. 沈等。1993

## Order Perciformes 鱸形目

### Family Acanthuridae 刺尾鯛科

*Acanthurus bariene* Lesson, 1830 肩斑刺尾鯛 Ref. 沈等。1993  
*Acanthurus blochii* Valenciennes, 1835 布氏刺尾鯛 Ref. Nakabo, 2002  
*Acanthurus dussumieri* Valenciennes, 1835 杜氏刺尾鯛 Ref. 沈等。1993  
*Acanthurus guttatus* Forster, 1801 斑點刺尾鯛 Ref. 沈等。1993  
*Acanthurus japonicus* Schmidt, 1930 日本刺尾鯛 Ref. Nakabo, 2002  
*Acanthurus leucopareius* (Jenkins, 1903) 白斑刺尾鯛 Ref. 沈等。1993  
*Acanthurus lineatus* (Linnaeus, 1758) 線紋刺尾鯛 Ref. 沈等。1993  
*Acanthurus maculiceps* (Ahl, 1923) 頭斑刺尾鯛 Ref. 沈等。1993  
*Acanthurus mata* Cuvier, 1829 後刺尾鯛 Ref. 沈等。1993  
*Acanthurus nigricans* (Linnaeus, 1758) 白面刺尾鯛 Ref. 沈等。1993  
*Acanthurus nigricauda* Duncker & Mohr, 1929 黑尾刺尾鯛 Ref. 沈等。1993  
*Acanthurus nigrofuscus* (Forsskål, 1775) 褐斑刺尾鯛 Ref. 沈等。1993  
*Acanthurus olivaceus* Bloch & Schneider, 1801 一字刺尾鯛 Ref. 沈等。1993  
*Acanthurus pyroferus* Kittlitz, 1834 火紅刺尾鯛 Ref. 沈等。1993  
*Acanthurus thompsoni* (Fowler, 1923) 黃尾刺尾鯛 Ref. Randall et al., 1990  
*Acanthurus triostegus* (Linnaeus, 1758) 綠刺尾鯛 Ref. 沈等。1993  
*Acanthurus xanthopterus* Valenciennes, 1835 黃鰭刺尾鯛 Ref. 沈等。1993  
*Ctenochaetus binotatus* Randall, 1955 雙斑齒刺尾鯛 Ref. 沈等。1993  
*Ctenochaetus striatus* (Quoy & Gaimard, 1825) 連紋齒刺尾鯛 Ref. 沈等。1993  
*Naso annulatus* (Quoy & Gaimard, 1825) 環紋鼻魚 Ref. 沈等。1993  
*Naso brachycentron* (Valenciennes, 1835) 粗棘鼻魚 Ref. 沈等。1993  
*Naso brevirostris* (Valenciennes, 1835) 短喙鼻魚 Ref. 沈等。1993  
*Naso fageni* Morrow, 1954 馬面鼻魚 Ref. Fishbase, 2005  
*Naso hexacanthus* (Bleeker, 1855) 六棘鼻魚 Ref. 沈等。1993  
*Naso lituratus* (Forster, 1801) 黑背鼻魚 Ref. 沈等。1993  
*Naso lopezi* Herre, 1927 老氏鼻魚 Ref. 沈等。1993  
*Naso maculatus* Randall & Struhsaker, 1981 斑鼻魚 Ref. 沈等。1993  
*Naso mcdadei* Johnson, 2002 方吻鼻魚 Ref. Randall, 2001  
*Naso minor* (Smith, 1966) 小鼻魚 Ref. 沈等。1993  
*Naso reticulatus* Randall, 2001 網紋鼻魚 Ref. Randall, 2001  
*Naso thynnoides* (Valenciennes, 1835) 擬鮪鼻魚 Ref. 沈等。1993  
*Naso tonganus* (Valenciennes, 1835) 球吻鼻魚 Ref. 沈等。1993  
*Naso unicornis* (Forsskål, 1775) 單角鼻魚 Ref. 沈等。1993  
*Naso vlamingii* (Valenciennes, 1835) 高鼻魚 Ref. 沈等。1993  
*Paracanthurus hepatus* (Linnaeus, 1766) 擬刺尾鯛 Ref. 沈等。1993  
*Prionurus scalprum* Valenciennes, 1835 鋸尾鯛 Ref. 沈等。1993  
*Zebbrasoma flavescens* (Bennett, 1828) 黃高鰭刺尾鯛 Ref. 沈等。1993  
*Zebbrasoma scopas* (Cuvier, 1829) 小高鰭刺尾鯛 Ref. 沈等。1993  
*Zebbrasoma veliferum* (Bloch, 1795) 高鰭刺尾鯛 Ref. 沈等。1993

### Family Acropomatidae 發光鯛科

*Acropoma hanedai* Matsubara, 1953 羽根田氏發光鯛 Ref. 沈等。1993

*Acropoma japonicum* Günther, 1859 日本發光鯛 Ref. 沈等。1993  
*Doederleinia berycoides* (Hilgendorf, 1879) 赤鮭 Ref. 沈等。1993  
*Malakichthys wakiyae* Jordan & Hubbs, 1925 脊谷軟魚 Ref. 沈等。1993  
*Neoscombrops pacificus* Mochizuki, 1979 太平洋新鮭 Ref. ASIZP0062616 (Ping-tong).  
*Synagrops japonicus* (Döderlein, 1883) 日本尖牙鱸 Ref. 朱等。1986  
*Synagrops philippinensis* (Günther, 1880) 菲律賓尖牙鱸 Ref. Nakabo, 2002

#### Family Ambassidae 雙邊魚科

*Ambassis interrupta* Bleeker, 1852 斷線雙邊魚 Ref. Kuo & Shao, 1999  
*Ambassis macracanthus* Bleeker, 1849 大棘雙邊魚 Ref. 陳。2002  
*Ambassis miops* Günther, 1872 少棘雙邊魚 Ref. Kuo & Shao, 1999  
*Ambassis urotaenia* Bleeker, 1852 細尾雙邊魚 Ref. 沈等。1993  
*Parambassis siamensis* (Fowler, 1937) 暹羅副雙邊魚 Ref. ASIZP0065476 (Tai-chong).  
*Pseudambassis baculis* (Hamilton, 1822) 莖擬雙邊魚 Ref. 林。2007

#### Family Ammodytidae 玉筋魚科

*Bleekeria mitsukurii* Jordan & Evermann, 1902 台灣玉筋魚 Ref. 沈等。1993  
*Bleekeria viridianguilla* (Fowler, 1931) 絲玉筋魚 Ref. Fishbase, 2006  
*Protammodytes brachistos* Ida, Sirimontaporn & Monkolprasit, 1994 短身原玉筋魚 Ref. Ida et al., 1994

#### Family Apogonidae 天竺鯛科

*Apogon albomarginatus* (Smith & Radcliffe, 1912) 白邊天竺鯛 Ref. Chen, 1996  
*Apogon amboinensis* Bleeker, 1853 弓線天竺鯛 Ref. Fishbase, 2006  
*Apogon angustatus* (Smith & Radcliffe, 1911) 寬帶天竺鯛 Ref. 沈等。1993  
*Apogon apogonoides* (Bleeker, 1856) 短齒天竺鯛 Ref. 沈等。1993  
*Apogon aureus* (Lacepède, 1802) 黃天竺鯛 Ref. 沈等。1993  
*Apogon bryx* Fraser, 1998 淵天竺鯛 Ref. Fraser, 2008  
*Apogon carinatus* Cuvier, 1828 單斑天竺鯛 Ref. 沈等。1993  
*Apogon cathetogramma* (Tanaka, 1917) 垂帶天竺鯛 Ref. 沈等。1993  
*Apogon cheni* Hayashi, 1990 陳氏天竺鯛 Ref. 沈等。1993  
*Apogon chrysoaenia* Bleeker, 1851 多線天竺鯛 Ref. 沈等。1993  
*Apogon compressus* (Smith & Radcliffe, 1911) 裂帶天竺鯛 Ref. 沈等。1993  
*Apogon cookii* Macleay, 1881 庫氏天竺鯛 Ref. 沈等。1993  
*Apogon crassiceps* Garman, 1903 堅頭天竺鯛 Ref. 沈等。1993  
*Apogon cyanosoma* Bleeker, 1853 金線天竺鯛 Ref. 沈等。1993  
*Apogon dispar* Fraster & Randall, 1976 箭矢天竺鯛 Ref. Chen, 2004  
*Apogon doederleini* Jordan & Snyder, 1901 稻氏天竺鯛 Ref. 沈等。1993  
*Apogon dorryssa* (Jordan & Seale, 1906) 長棘天竺鯛 Ref. 沈等。1993  
*Apogon ellioti* Day, 1875 黑邊天竺鯛 Ref. 沈等。1993  
*Apogon endekataenia* Bleeker, 1852 小條紋天竺鯛 Ref. 沈等。1993  
*Apogon erythrinus* Snyder, 1904 粉紅天竺鯛 Ref. 沈等。1993  
*Apogon exostigma* (Jordan & Starks, 1906) 單線天竺鯛 Ref. 沈等。1993  
*Apogon fasciatus* (White, 1790) 四線天竺鯛 Ref. 沈等。1993  
*Apogon fleurieu* (Lacepède, 1802) 黃身天竺鯛 Ref. 沈等。1993  
*Apogon fraenatus* Valenciennes, 1832 棘眼天竺鯛 Ref. 沈等。1993  
*Apogon guamensis* Valenciennes, 1832 雲紋天竺鯛 Ref. 沈等。1993  
*Apogon hyalosoma* Bleeker, 1852 扁頭天竺鯛 Ref. 沈等。1993  
*Apogon kallopterus* Bleeker, 1856 棘頭天竺鯛 Ref. 沈等。1993  
*Apogon kienis Jordan & Snyder, 1901 中線天竺鯛 Ref. 沈等。1993*  
*Apogon lateralis* Valenciennes, 1832 側身天竺鯛 Ref. 沈等。1993  
*Apogon lineatus* Jordan & Snyder, 1901 細條紋天竺鯛 Ref. 沈等。1993  
*Apogon melas* Bleeker, 1848 黑身天竺鯛 Ref. 沈等。1993  
*Apogon moluccensis* Valenciennes, 1832 摩鹿加天竺鯛 Ref. 沈等。1993  
*Apogon niger* Döderlein, 1883 黑天竺鯛 Ref. 沈等。1993  
*Apogon nigripinnis* Cuvier, 1828 黑鰭天竺鯛 Ref. 沈等。1993  
*Apogon nigrofasciatus* Lachner, 1953 黑帶天竺鯛 Ref. 沈等。1993  
*Apogon notatus* (Houttuyn, 1782) 雙點天竺鯛 Ref. 沈等。1993  
*Apogon novaeaguinae* Valenciennes, 1832 新幾內亞天竺鯛 Ref. CAS31022 (Kee-lung).  
*Apogon novemfasciatus* Cuvier, 1828 九帶天竺鯛 Ref. 沈等。1993  
*Apogon pleuron* Fraster, 2005 側帶天竺鯛 Ref. 沈等。1993  
*Apogon properupta* (Whitely, 1964) 黃帶天竺鯛 Ref. 沈等。1993  
*Apogon savayensis* Günther, 1872 薩摩亞天竺鯛 Ref. 沈等。1993  
*Apogon semilineatus* Temminck & Schlegel, 1842 半線天竺鯛 Ref. 沈等。1993  
*Apogon semiornatus* Peters, 1876 雙斜帶天竺鯛 Ref. 沈等。1993  
*Apogon striatus* (Smith & Radcliffe, 1912) 條紋天竺鯛 Ref. 沈等。1993  
*Apogon taeniophorus* Regan, 1908 褐帶天竺鯛 Ref. 沈等。1993  
*Apogon thermalis* Cuvier, 1829 條腹天竺鯛 Ref. Kailola, 1991  
*Apogon timorensis* Bleeker, 1854 綠身天竺鯛 Ref. 沈等。1993  
*Apogon trimaculatus* Cuvier, 1828 三斑天竺鯛 Ref. 沈等。1993  
*Apogon truncatus* Bleeker, 1854 黑鰓天竺鯛 Ref. CAS28187 (South China Sea) and more.  
*Apogon unicolor* Döderlein, 1883 一色天竺鯛 Ref. 沈等。1993  
*Apogonichthys ocellatus* (Weber, 1913) 眼斑原天竺鯛 Ref. 沈等。1993  
*Apogonichthys perdx* Bleeker, 1854 鳩斑原天竺鯛 Ref. 沈等。1993

*Archamia biguttata* Lachner, 1951 雙斑長鰭天竺鯛 Ref. 沈等。1993  
*Archamia bleekeri* (Günther, 1859) 布氏長鰭天竺鯛 Ref. 沈等。1993  
*Archamia buruensis* (Bleeker, 1856) 橫帶長鰭天竺鯛 Ref. 沈等。1993  
*Archamia fucata* (Cantor, 1849) 褐斑長鰭天竺鯛 Ref. 沈等。1993  
*Archamia macroptera* (Cuvier, 1828) 真長鰭天竺鯛 Ref. 沈等。1993  
*Cheilodipterus artus* Smith, 1961 縱帶巨齒天竺鯛 Ref. 沈等。1993  
*Cheilodipterus intermedius* Gon, 1993 中間巨齒天竺鯛 Ref. 沈等。1993  
*Cheilodipterus macrodon* (Lacepède, 1802) 巨齒天竺鯛 Ref. 沈等。1993  
*Cheilodipterus quinquelineatus* Cuvier, 1828 五線巨齒天竺鯛 Ref. 沈等。1993  
*Foa brachygramma* (Jenkins, 1903) 短線小天竺鯛 Ref. Chen, 2004  
*Fowleria marmorata* (Alleyne & Macleay, 1877) 顯乳突天竺鯛 Ref. 沈等。1993  
*Fowleria punctulata* (Rüppell, 1838) 等斑乳突天竺鯛 Ref. 沈等。1993  
*Fowleria vaiulae* (Jordan & Seale, 1906) 維拉乳突天竺鯛 Ref. 沈等。1993  
*Fowleria variegata* (Valenciennes, 1832) 多斑乳突天竺鯛 Ref. 沈等。1993  
*Gymnapogon annona* (Whitley, 1936) 無斑裸天竺鯛 Ref. 沈等。1993  
*Gymnapogon japonicus* Regan, 1905 日本裸天竺鯛 Ref. 沈等。1993  
*Gymnapogon philippinus* (Herre, 1939) 菲律賓裸天竺鯛 Ref. 沈等。1993  
*Gymnapogon urospilotes* Lachner, 1953 尾斑裸天竺鯛 Ref. 沈等。1993  
*Neamia octospina* Smith & Radcliffe, 1912 菲律賓八棘天竺鯛 Ref. 沈等。1993  
*Nectamia bandanensis* (Bleeker, 1854) 頰紋天竺鯛 Ref. Randall et al., 1990  
*Nectamia fusca* (Quoy and Gaimard, 1824) 褐色天竺鯛 Ref. Chu, 1957  
*Pseudamia gelatinosa* Smith, 1955 鈍尾擬天竺鯛 Ref. 沈等。1993  
*Pseudamia hayashii* Randall, Lachner & Fraser, 1985 圓鱗擬天竺鯛 Ref. Randall et al., 1985  
*Pseudamiops gracilicauda* (Lachner, 1953) 准天竺鯛 Ref. 沈等。1993  
*Rhabdamia cypselura* Weber, 1909 燕尾箭天竺鯛 Ref. 沈等。1993  
*Rhabdamia gracilis* (Bleeker, 1856) 箭天竺鯛 Ref. 沈等。1993  
*Siphamia fuscolineata* Lachner, 1953 棕線管天竺鯛 Ref. 沈等。1993  
*Siphamia majimai* Matsubara & Iwai, 1958 馬島氏管天竺鯛 Ref. 沈等。1993  
*Siphamia versicolor* (Smith & Radcliffe, 1911) 變色管天竺鯛 Ref. 沈等。1993  
*Sphaeramia nematoptera* (Bleeker, 1856) 絲鰭圓天竺鯛 Ref. 沈等。1993  
*Sphaeramia orbicularis* (Cuvier, 1828) 環紋圓天竺鯛 Ref. 沈等。1993  
*Zoramia gilberti* (Jordan & Seale, 1905) 齊氏天竺鯛 Ref. Chen, 2004

#### Family Ariommatidae 無齒鰨科

*Ariomma indica* (Day, 1871) 印度無齒鰨 Ref. 朱等。1985

#### Family Banjosidae 扁棘鰨科

*Banjos banjos* (Richardson, 1846) 扁棘鰨 Ref. 沈等。1993

#### Family Bathyclupeidae 深海鮨科

*Bathyclupea argentea* Goode & Bean, 1896 銀深海鮨 Ref. Fishbase, 2006

#### Family Blenniidae 鰨科

*Alticus saliens* (Lacepède, 1800) 高冠鰨 Ref. 沈等。1993  
*Andamia reyi* (Sauvage, 1880) 雷氏唇盤鰨 Ref. 沈等。1993  
*Andamia tetradactylus* (Bleeker, 1858) 四指唇盤鰨 Ref. 沈等。1993  
*Aspidontus dussumieri* (Valenciennes, 1836) 稻氏盾齒鰨 Ref. Myers, 1991  
*Aspidontus taeniatus* Quoy & Gaimard, 1834 三帶盾齒鰨 Ref. 沈等。1993  
*Atrosalaria fuscus holomelas* (Günther, 1872) 暗褐高鰭鰨 Ref. Myers, 1991  
*Blenniella bilitonensis* (Bleeker, 1858) 對斑真蛙鰨 Ref. 沈等。1993  
*Blenniella caudolineata* (Günther, 1887) 尾紋真蛙鰨 Ref. 沈等。1993  
*Blenniella chrysohilos* (Bleeker, 1857) 紅點真蛙鰨 Ref. 沈等。1993  
*Blenniella interrupta* (Bleeker, 1857) 斷紋真蛙鰨 Ref. 沈等。1993  
*Blenniella periophthalmus* (Valenciennes, 1836) 圍眼真蛙鰨 Ref. 沈等。1993  
*Cirripectes castaneus* (Valenciennes, 1836) 頰紋頸鬚鰨 Ref. 沈等。1993  
*Cirripectes filamentosus* (Alleyne & Macleay, 1877) 絲鰭頸鬚鰨 Ref. 沈等。1993  
*Cirripectes fuscoguttatus* Strasburg & Schultz, 1953 微斑頸鬚鰨 Ref. 沈等。1993  
*Cirripectes imitator* Williams, 1985 模頸鬚鰨 Ref. 沈等。1993  
*Cirripectes perustus* Smith, 1959 袋頸鬚鰨 Ref. 沈等。1993  
*Cirripectes polyzona* (Bleeker, 1868) 多斑頸鬚鰨 Ref. 沈等。1993  
*Cirripectes quagga* (Fowler & Ball, 1924) 斑頸鬚鰨 Ref. 沈等。1993  
*Cirripectes variolosus* (Valenciennes, 1836) 暗褐頸鬚鰨 Ref. Fishbase, 2006  
*Ecsenius bathi* Springer, 1988 巴氏無鬚鰨 Ref. Chen et al., 1997  
*Ecsenius bicolor* (Day, 1888) 二色無鬚鰨 Ref. 沈等。1993  
*Ecsenius lineatus* Klausewitz, 1962 線紋無鬚鰨 Ref. 沈等。1993  
*Ecsenius melarchus* McKinney & Springer, 1976 黑色無鬚鰨 Ref. Chen et al., 1997  
*Ecsenius namiyei* (Jordan & Evermann, 1902) 紅尾無鬚鰨 Ref. 沈等。1993  
*Ecsenius oculus* Springer, 1971 眼斑無鬚鰨 Ref. 沈等。1993  
*Ecsenius yaeyamaensis* (Aoyagi, 1954) 八重山無鬚鰨 Ref. 沈等。1993  
*Enchelyurus kraussii* (Klunzinger, 1871) 克氏連鰭鰨 Ref. 沈等。1993  
*Entomacrodus caudofasciatus* (Regan, 1909) 尾帶間頸鬚鰨 Ref. 沈等。1993  
*Entomacrodus decussatus* (Bleeker, 1858) 斑紋間頸鬚鰨 Ref. 沈等。1993  
*Entomacrodus epalzeocheilos* (Bleeker, 1859) 纓唇間頸鬚鰨 Ref. 沈等。1993  
*Entomacrodus niuafouensis* (Fowler, 1932) 蟲紋間頸鬚鰨 Ref. 沈等。1993

*Entomacrodus stellifer lighti* (Herre, 1938) 萊特氏間頸鬚鯛 Ref. 沈等。1993  
*Entomacrodus striatus* (Valenciennes, 1836) 橫帶間頸鬚鯛 Ref. 沈等。1993  
*Entomacrodus thalassinus* (Jordan & Seale, 1906) 海間頸鬚鯛 Ref. 沈等。1993  
*Exallias brevis* (Kner, 1868) 短多鬚鯛 Ref. 沈等。1993  
*Istiblennius dussumieri* (Valenciennes, 1836) 杜氏蛙鯛 Ref. 沈等。1993  
*Istiblennius edentulus* (Schneider & Forster, 1801) 條紋蛙鯛 Ref. 沈等。1993  
*Istiblennius lineatus* (Valenciennes, 1836) 紋身蛙鯛 Ref. 沈等。1993  
*Istiblennius muelleri* (Klunzinger, 1879) 穆氏蛙鯛 Ref. 沈等。1993  
*Laiphognathus multimaculatus* Smith, 1955 多斑鯛 Ref. Lin et al., 1994  
*Meiacanthus atrodorsalis* (Günther, 1877) 稀棘鯛 Ref. 沈等。1993  
*Meiacanthus grammistes* (Valenciennes, 1836) 黑帶稀棘鯛 Ref. 沈等。1993  
*Meiacanthus kamoharai* Tomiyama, 1956 淺帶稀棘鯛 Ref. Chang et al., 1983  
*Mimoblennius atrocinctus* (Regan, 1909) 擬鯛 Ref. 沈等。1993  
*Omobranchus elegans* (Steindachner, 1876) 美肩鯉鯛 Ref. Hsieh & Chiu, 2002  
*Omobranchus elongatus* (Peters, 1855) 長肩鯉鯛 Ref. Shen, 1984b  
*Omobranchus fasciolatoceps* (Richardson, 1846) 斑頭肩鯉鯛 Ref. 沈等。1993  
*Omobranchus ferox* (Herre, 1927) 兇猛肩鯉鯛 Ref. Springer, 1986  
*Omobranchus germaini* (Sauvage, 1883) 吉氏肩鯉鯛 Ref. 沈等。1993  
*Omobranchus punctatus* (Valenciennes, 1836) 斑點肩鯉鯛 Ref. 沈等。1993  
*Parablennius yatabei* (Jordan & Snyder, 1900) 副鯛 Ref. 沈等。1993  
*Parenchelyurus hepburni* (Snyder, 1908) 擬鰻尾鯛 Ref. 沈等。1993  
*Petroscirtes breviceps* (Valenciennes, 1836) 短頭跳岩鯛 Ref. 沈等。1993  
*Petroscirtes mitratus* Rüppell, 1830 高鰭跳岩鯛 Ref. 沈等。1993  
*Petroscirtes springeri* Smith-Vaniz, 1976 史氏跳岩鯛 Ref. 沈等。1993  
*Petroscirtes variabilis* Cantor, 1849 變色跳岩鯛 Ref. 沈等。1993  
*Plagiotremus laudandus laudandus* (Whitley, 1961) 勞旦橫口鯛 Ref. 沈等。1993  
*Plagiotremus rhinorhynchus* (Bleeker, 1852) 橫口鯛 Ref. 沈等。1993  
*Plagiotremus tapeinosoma* (Bleeker, 1857) 黑帶橫口鯛 Ref. 沈等。1993  
*Praealticus margaritarius* (Snyder, 1908) 麻卡勒矮冠鯛 Ref. 沈等。1993  
*Praealticus striatus* Bath, 1992 吻紋矮冠鯛 Ref. 沈等。1993  
*Praealticus tanegasimae* (Jordan & Starks, 1906) 種子島矮冠鯛 Ref. 沈等。1993  
*Rhabdoblennius ellipes* (Jordan & Starks, 1906) 笠鯛 Ref. 沈等。1993  
*Salarias fasciatus* (Bloch, 1786) 細紋唇齒鯛 Ref. 沈等。1993  
*Salarias guttatus* Valenciennes, 1836 胸斑唇齒鯛 Ref. Kailola, 1987  
*Scartella emarginata* (Günther, 1861) 緣頂鬚鯛 Ref. 沈等。1993  
*Stanulus seychellensis* Smith, 1959 塞昔爾錫鯛 Ref. 沈等。1993  
*Xiphiasa setifer* Swainson, 1839 帶鯛 Ref. 沈等。1993

#### Family Bramidae 烏魴科

*Brama japonica* Hilgendorf, 1878 日本烏魴 Ref. 沈等。1993  
*Brama myersi* Mead, 1972 梅氏烏魴 Ref. ASIZP0057167 (Tong-sha Is.).  
*Pterycombus petersii* (Hilgendorf, 1878) 多棘烏魴 Ref. 沈等。1993  
*Taractes rubescens* (Jordan & Evermann, 1887) 紅褐烏魴 Ref. 沈等。1993  
*Taractichthys steindachneri* (Döderlein, 1884) 大鱗烏魴 Ref. 沈等。1993

#### Family Caesionidae 烏尾鯨科

*Caesio caerulea* Lacepède, 1801 烏尾鯨 Ref. 沈等。1993  
*Caesio cuning* (Bloch, 1791) 黃尾烏尾鯨 Ref. 沈等。1993  
*Caesio lunaris* Cuvier, 1830 花尾烏尾鯨 Ref. 沈等。1993  
*Caesio teres* Seale, 1906 黃藍背烏尾鯨 Ref. 邵等。1993  
*Dipterygonotus balteatus* (Valenciennes, 1830) 雙鰭梅鯛 Ref. 朱等。1985  
*Pterocaesio chrysozona* (Cuvier, 1830) 金帶烏尾鯨 Ref. 沈等。1993  
*Pterocaesio digramma* (Bleeker, 1865) 雙帶烏尾鯨 Ref. 沈等。1993  
*Pterocaesio marri* Schultz, 1953 馬氏烏尾鯨 Ref. Nakabo, 2002  
*Pterocaesio pisang* (Bleeker, 1853) 斑尾烏尾鯨 Ref. Fishbase, 2002  
*Pterocaesio randalli* Carpenter, 1987 倫氏烏尾鯨 Ref. 同前  
*Pterocaesio tile* (Cuvier, 1830) 蒂爾烏尾鯨 Ref. 沈等。1993

#### Family Callanthiidae 美花鱸科

*Callanthias japonicus* Franz, 1910 紅黃帶花鱸 Ref. 沈等。1993

#### Family Callionymidae 鼠鱸科

*Bathycallionymus formosanus* Fricke, 1981 台灣深水鱸 Ref. 沈等。1993  
*Bathycallionymus kaianus* (Günther, 1880) 基島深水鱸 Ref. 沈等。1993  
*Bathycallionymus sokonumeri* (Kamohara, 1936) 紋鰭深水鱸 Ref. Nakabo, 2002  
*Callionymus altipinnis* Fricke, 1981 高鰭鱸 Ref. 沈等。1993  
*Callionymus belcheri* Richardson, 1844 白氏鱸 Ref. 沈等。1993  
*Callionymus beniteguri* Jordan & Snyder, 1900 本氏鱸 Ref. 沈等。1993  
*Callionymus curvicornis* Valenciennes, 1837 彎棘鱸 Ref. 沈等。1993  
*Callionymus doryssus* (Jordan & Fowler, 1903) 槍棘鱸 Ref. 沈等。1993  
*Callionymus enneactis* Bleeker, 1879 九棘鱸 Ref. 沈等。1993  
*Callionymus filamentosus* Valenciennes, 1837 絲鰭鱸 Ref. 沈等。1993  
*Callionymus hainanensis* Li, 1966 海南鱸 Ref. 沈等。1993  
*Callionymus hindsii* Richardson, 1844 漢氏鱸 Ref. 沈等。1993

*Callionymus japonicus* Houttuyn, 1782 日本鱚 Ref. 沈等。1993  
*Callionymus martinae* Fricke, 1981 火星鱚 Ref. 沈等。1993  
*Callionymus meridionalis* Suwardji, 1965 子午鱚 Ref. 沈等。1993  
*Callionymus octostigmatus* Fricke, 1981 八斑鱚 Ref. 沈等。1993  
*Callionymus planus* Ochiai, 1955 扁鱚 Ref. 沈等。1993  
*Callionymus pleurostictus* Fricke, 1982 胡麻鱚 Ref. Chen, 2004  
*Callionymus scabriceps* Fowler, 1941 粗首鱚 Ref. Fishbase, 2006  
*Callionymus schaapii* Bleeker, 1852 沙氏鱚 Ref. 沈等。1993  
*Callionymus valenciennesi* Temminck & Schlegel, 1845 瓦氏鱚 Ref. 沈等。1993  
*Callionymus variegatus* Temminck & Schlegel, 1845 奇鱚 Ref. 沈等。1993  
*Dactylopus dactylopus* (Valenciennes, 1837) 指鱚鱚 Ref. 沈等。1993  
*Diplogrammus xenicus* (Jordan & Thompson, 1914) 雙線鱚 Ref. 沈等。1993  
*Eleutherochir opercularis* (Valenciennes, 1837) 雙鰭喉褶鱚 Ref. Nakabo, 2002  
*Foetorepus masudai* Nakabo, 1987 益田氏棘紅鱚 Ref. 沈等。1993  
*Repomucenus huguenini* (Bleeker, 1958) 長崎斜棘鱚 Ref. 吳。2002  
*Repomucenus lunatus* (Temminck & Schlegel, 1845) 彎月斜棘鱚 Ref. 沈等。1993  
*Repomucenus olidus* (Günther, 1873) 橄欖斜棘鱚 Ref. 沈等。1993  
*Repomucenus ornatipinnis* (Regan, 1905) 飾鰭斜棘鱚 Ref. 沈等。1993  
*Repomucenus virgis* (Jordan & Fowler, 1903) 處女斜棘鱚 Ref. 沈等。1993  
*Synchiropus altivelis* (Temminck & Schlegel, 1845) 帆鰭連鰭鱚 Ref. 沈等。1993  
*Synchiropus delandii* Fowler, 1943 戴氏連鰭鱚 Ref. 沈等。1993  
*Synchiropus grinnelli* Fowler, 1941 格氏連鰭鱚 Ref. 沈等。1993  
*Synchiropus lateralis* (Richardson, 1844) 側斑連鰭鱚 Ref. 沈等。1993  
*Synchiropus ocellatus* (Pallas, 1770) 眼斑連鰭鱚 Ref. 沈等。1993  
*Synchiropus picturatus* (Peters, 1877) 變色連鰭鱚 Ref. 沈等。1993  
*Synchiropus splendidus* (Herre, 1927) 花斑連鰭鱚 Ref. 沈等。1993

### Family Caproidae 羊鮐科

*Antigonia capros* Lowe, 1843 高菱鯛 Ref. 沈等。1993  
*Antigonia rubescens* (Günther, 1860) 菱鯛 Ref. 沈等。1993

### Family Carangidae 鯆科

*Alectis ciliaris* (Bloch, 1787) 絲鯆 Ref. 沈等。1993  
*Alectis indicus* (Rüppell, 1830) 印度絲鯆 Ref. 沈等。1993  
*Alepes djedaba* (Forsskål, 1775) 吉打鯆 Ref. Lin & Shao, 1999  
*Alepes kleinii* (Bloch, 1793) 麗葉鯆 Ref. 沈等。1993  
*Alepes vari* (Cuvier, 1833) 大尾鯆 Ref. 沈等。1993  
*Atropus atropus* (Bloch & Schneider, 1801) 溝鯆 Ref. 沈等。1993  
*Atule mate* (Cuvier, 1833) 游鰭葉鯆 Ref. Lin & Shao, 1999  
*Carangoides armatus* (Rüppell, 1830) 甲若鯆 Ref. 沈等。1993  
*Carangoides bajad* (Forsskål, 1775) 橘點若鯆 Ref. Smith-Vaniz, 1984  
*Carangoides chrysophrys* (Cuvier, 1833) 長吻若鯆 Ref. 沈等。1993  
*Carangoides coeruleopinnatus* (Rüppell, 1830) 青羽若鯆 Ref. 沈等。1993  
*Carangoides dinema* Bleeker, 1851 雙線若鯆 Ref. 沈等。1993  
*Carangoides equula* (Temminck & Schlegel, 1844) 高體若鯆 Ref. 沈等。1993  
*Carangoides ferdau* (Forsskål, 1775) 平線若鯆 Ref. 沈等。1993  
*Carangoides fulvoguttatus* (Forsskål, 1775) 星點若鯆 Ref. Lin & Shao, 1999  
*Carangoides gymnostethus* (Cuvier, 1833) 裸胸若鯆 Ref. 同前  
*Carangoides hedlandensis* (Whitley, 1934) 海蘭德若鯆 Ref. 沈等。1993  
*Carangoides malabaricus* (Bloch & Schneider, 1801) 馬拉巴若鯆 Ref. 沈等。1993  
*Carangoides oblongus* (Cuvier, 1833) 長圓若鯆 Ref. 沈等。1993  
*Carangoides orthogrammus* (Jordan & Gilbert, 1882) 直線若鯆 Ref. 沈等。1993  
*Carangoides plagiotenia* Bleeker, 1857 橫帶若鯆 Ref. Smith-Vaniz, 1984  
*Carangoides talamparoides* Bleeker, 1852 白舌若鯆 Ref. Lin & Shao, 1999  
*Caranx bucculentus* Alleyne & Macleay, 1877 藍點鯆 Ref. 同前  
*Caranx ignobilis* (Forsskål, 1775) 浪人鯆 Ref. 沈等。1993  
*Caranx lugubris* Poey, 1860 闊步鯆 Ref. 沈等。1993  
*Caranx melampygus* Cuvier, 1833 藍鰭鯆 Ref. 沈等。1993  
*Caranx papuensis* Alleyne & Macleay, 1877 巴布亞鯆 Ref. 沈等。1993  
*Caranx sexfasciatus* Quoy & Gaimard, 1825 六帶鯆 Ref. 沈等。1993  
*Caranx tille* Cuvier, 1833 泰利鯆 Ref. 沈等。1993  
*Decapterus kurroides* Bleeker, 1855 紅尾圓鯆 Ref. 沈等。1993  
*Decapterus macarellus* (Cuvier, 1833) 頷圓鯆 Ref. 沈等。1993  
*Decapterus macrosoma* Bleeker, 1851 長身圓鯆 Ref. 沈等。1993  
*Decapterus maruadsi* (Temminck & Schlegel, 1844) 藍圓鯆 Ref. 沈等。1993  
*Decapterus russelli* (Rüppell, 1830) 羅氏圓鯆 Ref. 沈等。1993  
*Decapterus tabl* Berry, 1968 泰勃圓鯆 Ref. 沈等。1993  
*Elagatis bipinnulata* (Quoy & Gaimard, 1825) 雙帶鯆 Ref. 沈等。1993  
*Gnathanodon speciosus* (Forsskål, 1775) 無齒鯆 Ref. 沈等。1993  
*Megalaspis cordyla* (Linnaeus, 1758) 大甲鯆 Ref. 沈等。1993  
*Naucrates ductor* (Linnaeus, 1758) 舟鯆 Ref. 沈等。1993  
*Parastromateus niger* (Bloch, 1795) 烏鯆 Ref. 沈等。1993  
*Pseudocaranx dentex* (Bloch & Schneider, 1801) 縱帶鯆 Ref. 沈等。1993

*Scomberoides commersonianus* Lacepède, 1801 大口逆溝鱈 Ref. 沈等。1993  
*Scomberoides lysan* (Forsskål, 1775) 逆鉤鱈 Ref. 沈等。1993  
*Scomberoides tol* (Cuvier, 1832) 托爾逆溝鱈 Ref. 沈等。1993  
*Selar crumenophthalmus* (Bloch, 1793) 脂眼凹肩鱈 Ref. 沈等。1993  
*Selaroides leptolepis* (Cuvier, 1833) 金帶細鱈 Ref. 沈等。1993  
*Seriola dumerili* (Risso, 1810) 紅甘鱈 Ref. 沈等。1993  
*Seriola rivoliana* Valenciennes, 1833 黃尾鱈 Ref. Lin & Shao, 1999  
*Seriolina nigrofasciata* (Rüppell, 1829) 小甘鱈 Ref. 沈等。1993  
*Trachinotus anak* Ogilby, 1909 鯧鱈 Ref. Lin & Shao, 1999  
*Trachinotus baillonii* (Lacepède, 1801) 斐氏鯧鱈 Ref. 沈等。1993  
*Trachinotus blochii* (Lacepède, 1801) 布氏鯧鱈 Ref. 沈等。1993  
*Trachurus japonicus* (Temminck & Schlegel, 1844) 真鱈 Ref. 沈等。1993  
*Ulua mentalis* (Cuvier, 1833) 羽鰓鱈 Ref. 沈等。1993  
*Uraspis helvola* (Forster, 1801) 白舌尾甲鱈 Ref. 沈等。1993  
*Uraspis uraspis* (Günther, 1860) 白口尾甲鱈 Ref. 沈等。1993

#### Family Centrarchidae 太陽魚科

*Micropterus salmoides* (Lacepède, 1802) 大口黑鱸 Ref. 林。2007

#### Family Centrolophidae 長鯧科

*Hyperoglyphe japonica* (Döderlein, 1884) 日本櫛鯧 Ref. Chiu & Hsieh, 2001  
*Psenopsis anomala* (Temminck & Schlegel, 1844) 刺鯧 Ref. 沈等。1993

#### Family Cepolidae 赤刀魚科

*Acanthocephala indica* (Day, 1888) 印度棘赤刀魚 Ref. 沈等。1993  
*Acanthocephala krusensternii* (Temminck & Schlegel, 1845) 克氏棘赤刀魚 Ref. 沈等。1993  
*Acanthocephala limbata* (Valenciennes, 1835) 背點棘赤刀魚 Ref. 沈等。1993  
*Cepola schlegelii* Bleeker, 1854 史氏赤刀魚 Ref. 沈等。1993  
*Owstonia tosaensis* Kamohara, 1934 土佐歐氏鰐 Ref. 沈等。1993  
*Owstonia totomiensis* Tanaka, 1908 歐氏鰐 Ref. 沈等。1993  
*Pseudocephala taeniosoma* Kamohara, 1935 擬赤刀魚 Ref. 沈等。1993

#### Family Chaenopsidae 旗鰓科

*Neoclinus nudus* Stephens & Springer, 1971 裸新熱鰓 Ref. Fishbase, 2006

#### Family Chaetodontidae 蝴蝶魚科

*Chaetodon adiergastos* Seale, 1910 烏頂蝴蝶魚 Ref. 沈等。1993  
*Chaetodon argentatus* Smith & Radcliffe, 1911 銀身蝴蝶魚 Ref. 沈等。1993  
*Chaetodon auriga* Forsskål, 1775 揚旛蝴蝶魚 Ref. 沈等。1993  
*Chaetodon auripes* Jordan & Snyder, 1901 耳帶蝴蝶魚 Ref. 沈等。1993  
*Chaetodon baronessa* Cuvier, 1829 曲紋蝴蝶魚 Ref. 沈等。1993  
*Chaetodon bennetti* Cuvier, 1831 本氏蝴蝶魚 Ref. 沈等。1993  
*Chaetodon citrinellus* Cuvier, 1831 胡麻斑蝴蝶魚 Ref. 沈等。1993  
*Chaetodon ephippium* Cuvier, 1831 鞍斑蝴蝶魚 Ref. 沈等。1993  
*Chaetodon guentheri* Ahl, 1923 貢氏蝴蝶魚 Ref. 沈等。1993  
*Chaetodon kleinii* Bloch, 1790 克氏蝴蝶魚 Ref. 沈等。1993  
*Chaetodon lineolatus* Cuvier, 1831 紋身蝴蝶魚 Ref. 沈等。1993  
*Chaetodon lunula* (Lacepède, 1802) 月斑蝴蝶魚 Ref. 沈等。1993  
*Chaetodon lunulatus* Quoy & Gaimard, 1825 弓月蝴蝶魚 Ref. 沈等。1993  
*Chaetodon melannotus* Bloch & Schneider, 1801 黑背蝴蝶魚 Ref. 沈等。1993  
*Chaetodon meyeri* Bloch & Schneider, 1801 麥氏蝴蝶魚 Ref. 沈等。1993  
*Chaetodon modestus* Temminck & Schlegel, 1844 尖嘴蝴蝶魚 Ref. 沈等。1993  
*Chaetodon nippon* Döderlein, 1884 日本蝴蝶魚 Ref. 沈等。1993  
*Chaetodon octofasciatus* Bloch, 1787 八帶蝴蝶魚 Ref. 沈等。1993  
*Chaetodon ornatissimus* Cuvier, 1831 華麗蝴蝶魚 Ref. 沈等。1993  
*Chaetodon plebeius* Cuvier, 1831 藍斑蝴蝶魚 Ref. 沈等。1993  
*Chaetodon punctatofasciatus* Cuvier, 1831 點斑橫帶蝴蝶魚 Ref. 沈等。1993  
*Chaetodon quadrimaculatus* Gray, 1831 四點蝴蝶魚 Ref. 沈等。1993  
*Chaetodon rafflesii* Bennett, 1830 雷氏蝴蝶魚 Ref. 沈等。1993  
*Chaetodon reticulatus* Cuvier, 1831 網紋蝴蝶魚 Ref. 沈等。1993  
*Chaetodon selene* Bleeker, 1853 彎月蝴蝶魚 Ref. 沈等。1993  
*Chaetodon semeion* Bleeker, 1855 點綴蝴蝶魚 Ref. 沈等。1993  
*Chaetodon speculum* Cuvier, 1831 鏡斑蝴蝶魚 Ref. 沈等。1993  
*Chaetodon trifascialis* Quoy & Gaimard, 1825 川紋蝴蝶魚 Ref. 沈等。1993  
*Chaetodon ulietensis* Cuvier, 1831 烏利蝴蝶魚 Ref. 沈等。1993  
*Chaetodon unimaculatus* Bloch, 1787 一點蝴蝶魚 Ref. 沈等。1993  
*Chaetodon vagabundus* Linnaeus, 1758 飄浮蝴蝶魚 Ref. 沈等。1993  
*Chaetodon wiebeli* Kaup, 1863 魏氏蝴蝶魚 Ref. 沈等。1993  
*Chaetodon xanthurus* Bleeker, 1857 紅尾蝴蝶魚 Ref. 沈等。1993  
*Chelmon rostratus* (Linnaeus, 1758) 長吻鈷嘴魚 Ref. 沈等。1993  
*Coradion ativelis* McCulloch, 1916 褐帶少女魚 Ref. 沈等。1993  
*Coradion chrysozonus* (Cuvier, 1831) 金斑少女魚 Ref. 沈等。1993  
*Forcipiger flavissimus* Jordan & McGregor, 1898 黃鑷口魚 Ref. 沈等。1993  
*Forcipiger longirostris* (Broussonet, 1782) 鑷口魚 Ref. 沈等。1993

*Hemitaurichthys polylepis* (Bleeker, 1857) 銀斑蝶魚 Ref. 沈等。1993  
*Heniochus acuminatus* (Linnaeus, 1758) 白吻雙帶立旗鯛 Ref. 沈等。1993  
*Heniochus chrysostomus* Cuvier, 1831 三帶立旗鯛 Ref. 沈等。1993  
*Heniochus monoceros* Cuvier, 1831 烏面立旗鯛 Ref. 沈等。1993  
*Heniochus singularius* Smith & Radcliffe, 1911 單棘立旗鯛 Ref. 沈等。1993  
*Heniochus varius* (Cuvier, 1829) 黑身立旗鯛 Ref. 沈等。1993

#### Family Champsodontidae 鱷齒鱈科

*Champsodon guentheri* Regan, 1908 貢氏鱷齒鱈 Ref. 沈等。1993  
*Champsodon snyderi* Franz, 1910 史氏鱷齒鱈 Ref. 沈等。1993

#### Family Channidae 鱧科

*Channa asiatica* (Linnaeus, 1758) 七星鱧 Ref. 沈等。1993  
*Channa maculata* (Lacepède, 1802) 鱧魚 Ref. 沈等。1993  
*Channa striata* (Bloch, 1793) 線鱧 Ref. 林。2007

#### Family Cheilodactylidae 唇指鱨科

*Cheilodactylus quadricornis* (Gunther, 1860) 背帶鷹鱨 Ref. 沈等。1993  
*Goniistius zebra* (Döderlein, 1883) 斑馬鷹鱨 Ref. 沈等。1993  
*Goniistius zonatus* (Cuvier, 1830) 花尾鷹鱨 Ref. 沈等。1993

#### Family Chiasmodontidae 叉齒鱈科

*Chiasmodon niger* Johnson, 1864 叉齒鱈 Ref. 沈等。1993  
*Dysalotus alcocki* MacGilchrist, 1905 線棘細齒鱈 Ref. Johnson & Keene, 1986

#### Family Cichlidae 慈鯛科

*Geophagus brasiliensis* Quoy & Gaimard, 1824 巴西珠母麗魚 Ref. 林。2007  
*Hemichromis bimaculatus* Gill, 1862 雙斑伴麗魚 Ref. 林。2007  
*Oreochromis aureus* (Steindachner, 1864) 奧利亞口孵魚 Ref. Kuo & Shao, 1999  
*Oreochromis mossambicus* (Peters, 1852) 莫三鼻口孵魚 Ref. 沈等。1993  
*Oreochromis niloticus niloticus* (Linnaeus, 1758) 尼羅口孵魚 Ref. 沈等。1993  
*Tilapia zillii* (Gervais, 1848) 吉利慈鯛 Ref. 沈等。1993

#### Family Cirrhitidae 鱨科

*Amblycirrhitus bimacula* (Jenkins, 1903) 雙斑絲鰭鱨 Ref. 沈等。1993  
*Cirrhitichthys aprinus* (Cuvier, 1829) 斑金鱨 Ref. 沈等。1993  
*Cirrhitichthys aureus* (Temminck & Schlegel, 1843) 金鱨 Ref. 沈等。1993  
*Cirrhitichthys falco* Randall, 1963 鷹金鱨 Ref. 沈等。1993  
*Cirrhitichthys oxycephalus* (Bleeker, 1855) 尖鰭金鱨 Ref. 沈等。1993  
*Cirrhitus pinnulatus* (Forster, 1801) 鱨 Ref. 沈等。1993  
*Cyprinocirrhites polyactis* (Bleeker, 1874) 多棘鯉鱨 Ref. 沈等。1993  
*Oxycirrhites typus* Bleeker, 1857 尖吻鱨 Ref. 沈等。1993  
*Paracirrhites arcatus* (Cuvier, 1829) 副鱨 Ref. 沈等。1993  
*Paracirrhites forsteri* (Schneider, 1801) 福氏副鱨 Ref. 沈等。1993

#### Family Clinidae 磯鱨科

*Springeratus xanthosoma* (Bleeker, 1857) 黃鱨 Ref. 沈等。1993

#### Family Coryphaenidae 鱈科

*Coryphaena hippurus* Linnaeus, 1758 鬼頭刀 Ref. 沈等。1993

#### Family Creediidae 沙鱈科

*Limnichthys fasciatus* Waite, 1904 橫帶沙鱈 Ref. 沈等。1993

#### Family Draconettidae 蜥鱈科

*Centrodraco acanthopoma* (Regan, 1904) 短鰭粗棘蜥鱈 Ref. ASIZP0064611

#### Family Drepaneidae 簾鯛科

*Drepane longimana* (Bloch & Schneider, 1801) 條紋簾鯛 Ref. 沈等。1993  
*Drepane punctata* (Linnaeus, 1758) 斑點簾鯛 Ref. 沈等。1993

#### Family Echeneidae 印魚科

*Echeneis naucrates* Linnaeus, 1758 長印魚 Ref. 沈等。1993  
*Remora australis* (Bennett, 1840) 澳洲印魚 Ref. 沈等。1993  
*Remora brachyptera* (Lowe, 1839) 黑短印魚 Ref. 沈等。1993  
*Remora osteochir* (Cuvier, 1829) 菱印魚 Ref. 沈等。1993  
*Remora remora* (Linnaeus, 1758) 短印魚 Ref. 沈等。1993  
*Remorina albescens* (Temminck & Schlegel, 1845) 白印魚 Ref. 沈等。1993

#### Family Eleotridae 塘鱧科

*Bostrychus sinensis* Lacepède, 1801 中國塘鱧 Ref. 沈等。1993  
*Butis gymnopomus* (Bleeker, 1853) 裸首瘡塘鱧 Ref. 沈等。1993  
*Butis koilomatodon* (Bleeker, 1849) 花錐瘡塘鱧 Ref. 沈等。1993  
*Butis melanostigma* (Bleeker, 1849) 黑斑瘡塘鱧 Ref. 沈等。1993  
*Calumia godeffroyi* (Günther, 1877) 巧塘鱧 Ref. 沈等。1993  
*Eleotris acanthopoma* Bleeker, 1853 塘鱧 Ref. 沈等。1993  
*Eleotris fasciatus* Chen, 1964 條紋塘鱧 Ref. 沈等。1993  
*Eleotris fusca* (Schneider & Forster, 1801) 褐塘鱧 Ref. 沈等。1993

*Eleotris melanosoma* Bleeker, 1852 黑塘鱧 Ref. 沈等。1993  
*Hypseleotris bipartita* Herre, 1927 短塘鱧 Ref. 沈等。1993  
*Hypseleotris cyprinoides* (Valenciennes, 1837) 擬鯉短塘鱧 Ref. 沈等。1993  
*Ophieleotris aporos* (Bleeker, 1854) 無孔塘鱧 Ref. 沈等。1993  
*Ophiocara porocephala* (Valenciennes, 1837) 頭孔塘鱧 Ref. 沈等。1993  
*Oxyeleotris marmorata* (Bleeker, 1852) 斑駁尖塘鱧 Ref. 沈等。1993

#### Family Emmelichthyidae 鮡科

*Emmelichthys struhsakeri* Heemstra & Randall, 1977 史氏鮡 Ref. 沈等。1993  
*Erythrocles schlegelii* (Richardson, 1846) 史氏紅諧魚 Ref. 沈等。1993  
*Erythrocles scintillans* (Jordan & Thompson, 1912) 火花紅諧魚 Ref. 沈等。1993

#### Family Ephippidae 白鰓科

*Ephippus orbis* (Bloch, 1787) 圓白鰓 Ref. 沈等。1993  
*Platax orbicularis* (Forsskål, 1775) 圓眼燕魚 Ref. 沈等。1993  
*Platax pinnatus* (Linnaeus, 1758) 圓翅燕魚 Ref. 沈等。1993  
*Platax teira* (Forsskål, 1775) 尖翅燕魚 Ref. 沈等。1993

#### Family Gempylidae 帶鱈科

*Gempylus serpens* Cuvier, 1829 黑刀魷 Ref. 沈等。1993  
*Lepidocybium flavobrunneum* (Smith, 1843) 鱗網帶鱈 Ref. 沈等。1993  
*Nealotus tripes* Johnson, 1865 三棘若蛇鱈 Ref. ASIZP0065504 (Ta-shi).  
*Neopepinnula orientalis* (Gilchrist & von Bonde, 1924) 東方帶鱈 Ref. 沈等。1993  
*Promethichthys prometheus* (Cuvier, 1832) 紫金魚 Ref. 沈等。1993  
*Rexea prometheoides* (Bleeker, 1856) 梭倫魷 Ref. 沈等。1993  
*Ruwettus pretiosus* Cocco, 1833 薔薇帶鱈 Ref. 沈等。1993  
*Thyrsitoides marleyi* Fowler, 1929 尖身魷 Ref. 沈等。1993

#### Family Gerreidae 鑽嘴魚科

*Gerres decacanthus* (Bleeker, 1865) 十棘鑽嘴魚 Ref. Iwatsuki et al., 2001  
*Gerres erythrourus* (Bloch, 1791) 短鑽嘴魚 Ref. 沈等。1993  
*Gerres filamentosus* Cuvier, 1829 曳絲鑽嘴魚 Ref. 沈等。1993  
*Gerres japonicus* Bleeker, 1854 日本鑽嘴魚 Ref. 沈等。1993  
*Gerres limbatus* Cuvier, 1830 緣邊鑽嘴魚 Ref. 朱等。1985  
*Gerres macracanthus* Bleeker, 1854 大棘鑽嘴魚 Ref. Nakabo, 2002  
*Gerres oblongus* Cuvier, 1830 長身鑽嘴魚 Ref. 沈等。1993  
*Gerres oyena* (Forsskål, 1775) 奧奈鑽嘴魚 Ref. 沈等。1993  
*Gerres shima* Iwatsuki, Kimura & Yoshino, 2007 縱紋鑽嘴魚 Ref. Iwatsuki et al., 2007  
*Pentaprion longimanus* (Cantor, 1849) 長臂鑽嘴魚 Ref. 沈等。1993

#### Family Glaucosomatidae 葉鯛科

*Glaucosoma buergeri* Richardson, 1845 葉鯛 Ref. 沈等。1993

#### Family Gobiesocidae 喉盤魚科

*Aspasma minima* (Döderlein, 1887) 小姥魚 Ref. 沈等。1993  
*Aspasmichthys ciconiae* (Jordan & Fowler, 1902) 鶴喉盤魚 Ref. 沈等, 2004  
*Cnidens laticephalus* (Tanaka, 1909) 黑紋頭錐齒喉盤魚 Ref. 沈等。1993  
*Discotrema crinophila* Briggs, 1976 盤孔喉盤魚 Ref. 沈等。1993  
*Lepadichthys frenatus* Waite, 1904 黃喉盤魚 Ref. 沈等。1993  
*Pherallodus indicus* (Weber, 1913) 印度異齒喉盤魚 Ref. 沈等。1993

#### Family Gobiidae 鰕虎科

*Acanthogobius hasta* (Temminck & Schlegel, 1845) 長身鰕 Ref. 沈等。1993  
*Acentrogobius caninus* (Valenciennes, 1837) 虎齒細棘鰕虎 Ref. 沈等。1993  
*Acentrogobius chlorostigmatoides* (Bleeker, 1849) 綠斑細棘鰕虎 Ref. 沈等。1993  
*Acentrogobius janthinopterus* (Bleeker, 1852) 紫鰭細棘鰕虎 Ref. 沈等。1993  
*Acentrogobius pflaumi* (Bleeker, 1853) 普氏細棘鰕虎 Ref. 沈等。1993  
*Acentrogobius viganensis* (Steindachner, 1893) 頭紋細棘鰕虎魚 Ref. 沈等。1993  
*Acentrogobius viridipunctatus* (Valenciennes, 1837) 青斑細棘鰕虎 Ref. 沈等。1993  
*Amblychaeturichthys hexanema* (Bleeker, 1853) 六線長鰕 Ref. 沈等。1993  
*Amblyeleotris fontanesii* (Bleeker, 1852) 巨鈍鰕 Ref. 沈等。1993  
*Amblyeleotris guttata* (Fowler, 1938) 斑點鈍鰕 Ref. 沈等。1993  
*Amblyeleotris japonica* (Takagi, 1957) 日本鈍鰕 Ref. 沈等。1993  
*Amblyeleotris ogasawarensis* Yanagisawa, 1978 小笠原鈍鰕 Ref. 沈等。1993  
*Amblyeleotris periphthalma* (Bleeker, 1853) 黑斑鈍鰕 Ref. 沈等。1993  
*Amblyeleotris randalli* Hoese & Steene, 1978 倫氏鈍鰕 Ref. 沈等。1993  
*Amblyeleotris steinitzi* (Klausewitz, 1974) 史氏鈍鰕 Ref. 沈等。1993  
*Amblyeleotris wheeleri* (Polunin & Lubbock, 1977) 紅紋鈍鰕 Ref. 沈等。1993  
*Amblyeleotris yanoi* Aonuma & Yoshino, 1996 亞諾鈍鰕 Ref. 沈等。1993  
*Amblygobius hectori* (Smith, 1957) 海氏鈍鰕 Ref. 沈等。1993  
*Amblygobius nocturnus* (Herre, 1945) 短唇鈍鰕 Ref. 沈等。1993  
*Amblygobius phalaena* (Valenciennes, 1837) 尾斑鈍鰕 Ref. 沈等。1993  
*Amblygobius rainfordi* (Whitley, 1940) 雷氏鈍鰕 Ref. 沈等。1993  
*Apocryptodon madurensis* (Bleeker, 1849) 臥齒鰕 Ref. 沈等。1993  
*Apocryptodon punctatus* Tomiyama, 1934 短斑臥齒鰕 Ref. 沈等。1993

*Asterropteryx semipunctata* Rüppell, 1830 星塘鱧 Ref. 沈等。1993  
*Asterropteryx spinosus* (Goren, 1981) 棘星塘鱧 Ref. 沈等。1993  
*Austrolethys wardi* Whitley, 1935 沃氏軟塘鱧 Ref. 沈等。1993  
*Awaous melanocephalus* (bleeker, 1849) 曙首厚唇鯊 Ref. 陳及方。1999  
*Awaous ocellaris* (Broussonet, 1782) 厚唇鯊 Ref. 沈等。1993  
*Barbuligobius boehlkei* Lachner & McKinney, 1974 鬚鰕虎 Ref. 沈等。1993  
*Bathygobius coalitus* (Bennett, 1832) 藍點深鰕虎 Ref. 沈等。1993  
*Bathygobius cocosensis* (Bleeker, 1854) 椰子深鰕虎 Ref. 沈等。1993  
*Bathygobius cotticeps* (Steindachner, 1879) 闊頭深鰕虎 Ref. 沈等。1993  
*Bathygobius cyclopterus* (Valenciennes, 1837) 肩斑深鰕虎 Ref. 沈等。1993  
*Bathygobius fuscus* (Rüppell, 1830) 黑深鰕虎 Ref. 沈等。1993  
*Bathygobius hongkongensis* Lam, 1986 香港深鰕虎 Ref. Nakabo, 2002  
*Bathygobius laddi* (Fowler, 1931) 萊氏深鰕虎 Ref. 沈等。1993  
*Bathygobius padangensis* (Bleeker, 1851) 巴東深鰕虎 Ref. 沈等。1993  
*Bathygobius petrophilus* (Bleeker, 1853) 扁頭深鰕虎 Ref. 沈等。1993  
*Boleophthalmus pectinirostris* (Linnaeus, 1758) 大彈塗魚 Ref. 沈等。1993  
*Bryaninops loki* Larson, 1985 寬鰓珊瑚鰕虎 Ref. 沈等。1993  
*Bryaninops natans* Larson, 1985 紅眼珊瑚鰕虎 Ref. 沈等。1993  
*Bryaninops yongei* (Davis & Cohen, 1969) 類突珊瑚鰕虎 Ref. 沈等。1993  
*Callogobius hasseltii* (Bleeker, 1851) 哈氏硬皮鰕虎 Ref. 沈等。1993  
*Callogobius maculipinnis* (Fowler, 1918) 斑鰓硬皮鰕虎 Ref. 沈等。1993  
*Callogobius nigromarginatus* Chen & Shao, 2000 黑鰓緣硬皮鰕虎 Ref. 沈等。1993  
*Callogobius okinawae* (Snyder, 1908) 沖繩硬皮鰕虎 Ref. 沈等。1993  
*Callogobius sclateri* (Steindachner, 1879) 稜頭硬皮鰕虎 Ref. 沈等。1993  
*Callogobius sheni* Chen, Chen & Fang, 2005 沈氏硬皮鰕虎 [特有] Ref. 沈等。1993  
*Callogobius snelliusi* Koumans, 1953 史氏硬皮鰕虎 Ref. 沈等。1993  
*Callogobius tanegasimae* (Snyder, 1908) 神島硬皮鰕虎 Ref. 沈等。1993  
*Caragobius urolepis* (Bleeker, 1852) 無鱗鰕虎 Ref. 沈等。1993  
*Chaeturichthys Chaeturichthys* Richardson, 1844 矛尾鰕虎魚 Ref. Yamada et al., 1995  
*Chasmichthys dolichognathus* (Hilgendorf, 1879) 長頷鰕虎 Ref. 沈等。1993  
*Coryphopterus humeralis* Randall, 2001 臂斑鰕虎 Ref. 沈等。1993  
*Cristatogobius albius* Chen, 1959 白色項冠鰕虎 Ref. Chen, 1959  
*Cristatogobius nonatoae* (Ablan, 1940) 淺色項冠鰕虎 Ref. 沈等。1993  
*Cryptocentrus albidorsus* (Yanagisawa, 1978) 白背帶猴鯊 Ref. 沈等。1993  
*Cryptocentrus cryptocentrus* (Valenciennes, 1837) 正猴鯊 Ref. 沈等。1993  
*Cryptocentrus nigrocellatus* (Yanagisawa, 1978) 眼斑猴鯊 Ref. 沈等。1993  
*Cryptocentrus strigiliceps* (Jordan & Seale, 1906) 紋斑猴鯊 Ref. 沈等。1993  
*Cryptocentrus yatsui* Tomiyama, 1936 谷津氏猴鯊 Ref. 沈等。1993  
*Ctenogobiops aurocingulus* (Herre, 1935) 黃斑櫛鰕虎 Ref. 沈等。1993  
*Ctenogobiops feroculus* Lubbock & Polunin, 1977 絲棘櫛鰕虎 Ref. 沈等。1993  
*Ctenogobiops formosa* Randall, Shao & Chen, 2003 台灣櫛鰕虎 [特有] Ref. 沈等。1993  
*Ctenogobiops maculosus* (Fourmanoir, 1955) 斑櫛鰕虎 Ref. 沈等。1993  
*Ctenogobiops mitodes* Randall, Shao & Chen, 2007 絲鰓櫛鰕虎 Ref. Randall et al., 2007  
*Ctenogobiops pomastictus* Lubbock & Polunin, 1977 點斑櫛鰕虎 Ref. 沈等。1993  
*Ctenogobiops tangaroai* Lubbock & Polunin, 1977 長棘櫛鰕虎 Ref. 沈等。1993  
*Ctenotrypauchen microcephalus* (Bleeker, 1860) 櫛赤鯊 Ref. 沈等。1993  
*Eviota abax* (Jordan & Snyder, 1901) 磯塘鱧 Ref. 沈等。1993  
*Eviota afelei* Jordan & Seale, 1906 條紋磯塘鱧 Ref. 沈等。1993  
*Eviota albolineata* Jewett & Lachner, 1983 細點磯塘鱧 Ref. Myers, 1991  
*Eviota cometa* Jewett & Lachner, 1983 對斑磯塘鱧 Ref. 沈等。1993  
*Eviota latifasciata* Jewett & Lachner, 1983 側帶磯塘鱧 Ref. 沈等。1993  
*Eviota melasma* Lachner & Karnella, 1980 黑體磯塘鱧 Ref. 沈等。1993  
*Eviota nigriventris* Giltay, 1933 黑腹磯塘鱧 Ref. 沈等。1993  
*Eviota pellucida* Larson, 1976 透體磯塘鱧 Ref. 沈等。1993  
*Eviota prasina* (Klunzinger, 1871) 菲綠磯塘鱧 Ref. 沈等。1993  
*Eviota prasites* Jordan & Seale, 1906 胸斑磯塘鱧 Ref. 沈等。1993  
*Eviota queenslandica* Whitley, 1932 昆士蘭磯塘鱧 Ref. 沈等。1993  
*Eviota saipanensis* Fowler, 1945 塞班磯塘鱧 Ref. 沈等。1993  
*Eviota sebreei* Jordan & Seale, 1906 稀氏磯塘鱧 Ref. 沈等。1993  
*Exyrias belissimus* (Smith, 1959) 黑點鸚歌鯊 Ref. 沈等。1993  
*Exyrias puntang* (Bleeker, 1851) 鸚歌鯊 Ref. 沈等。1993  
*Favonigobius gymnauchen* (Bleeker, 1860) 裸頸鯊 Ref. 沈等。1993  
*Favonigobius reichei* (Bleeker, 1853) 雷氏鯊 Ref. 沈等。1993  
*Flabelligobius smithi* Chen & Fang, 2003 史氏角吻鰕虎 Ref. 沈等。1993  
*Fusigobius duospilus* Hoese & Reader, 1985 裸頸植鰕虎 Ref. 沈等。1993  
*Fusigobius inframaculatus* (Randall, 1994) 下斑植鰕虎 Ref. 沈等。1993  
*Fusigobius longispinus* Goren, 1978 長棘植鰕虎 Ref. 沈等。1993  
*Fusigobius maximus* (Randall, 2001) 大植鰕虎 Ref. Nakabo, 2002  
*Fusigobius neophytus* (Günther, 1877) 植鰕虎 Ref. 沈等。1993  
*Fusigobius signipinnis* Hoese & Obika, 1988 斑鰓植鰕虎 Ref. 沈等。1993  
*Glossogobius aureus* Akihito & Meguro, 1975 金叉叉舌鰕虎 Ref. 沈等。1993  
*Glossogobius bicirrhosus* (Weber, 1894) 雙鬚叉舌鰕虎 Ref. 沈等。1993

*Glossogobius biocellatus* (Valenciennes, 1837) 雙斑叉舌鰕虎 Ref. 沈等。1993  
*Glossogobius brunnoideus* (Nichols, 1951) 擬背斑叉舌鰕虎 Ref. 沈等。1993  
*Glossogobius celebicus* (Valenciennes, 1837) 盤鱗叉舌鰕虎 Ref. 沈等。1993  
*Glossogobius circumspectus* (Macleay, 1883) 橫列叉舌鰕虎 Ref. 沈等。1993  
*Glossogobius giuris* (Hamilton, 1822) 叉舌鰕虎 Ref. 沈等。1993  
*Glossogobius obscuripinnis* (Peters, 1869) 無斑叉舌鰕虎 Ref. 沈等。1993  
*Glossogobius olivaceus* (Temminck & Schlegel, 1845) 點帶叉舌鰕虎 Ref. 沈等。1993  
*Gnatholepis anjerensis* (Bleeker, 1851) 臀斑頰鰕虎 Ref. 沈等。1993  
*Gnatholepis cauerensis* (Bleeker, 1853) 肩斑頰鰕虎 Ref. 沈等。1993  
*Gnatholepis davaoensis* Seale, 1910 達澳頰鰕虎 Ref. Randall & Greenfield, 2001  
*Gobiodon citrinus* (Rüppell, 1838) 橙色短鰕虎 Ref. 沈等。1993  
*Gobiodon fulvus* Herre, 1927 黃褐短鰕虎 Ref. 沈等。1993  
*Gobiodon multilineatus* Wu, 1979 多線短鰕虎 Ref. 沈等。1993  
*Gobiodon oculolineatus* Wu, 1979 眼線短鰕虎 Ref. 沈等。1993  
*Gobiodon okinawae* Sawada, Arai & Abe, 1972 黃體短鰕虎 Ref. 沈等。1993  
*Gobiodon quinquestrigatus* (Valenciennes, 1837) 五帶短鰕虎 Ref. 沈等。1993  
*Gobiodon unicolor* (Castelnau, 1873) 灰短鰕虎 Ref. 沈等。1993  
*Gobiopsis arenaria* (Snyder, 1908) 砂鰕虎 Ref. 沈等。1993  
*Hazeus otakii* Jordan & Snyder, 1901 大瀧氏粗棘鰕虎 Ref. 沈等。1993  
*Hemigobius hoevenii* (Bleeker, 1851) 霍氏間鰕虎 Ref. 沈等。1993  
*Heteroleotris poecila* (Fowler, 1946) 雜色異塘鱧 Ref. 沈等。1993  
*Istigobius campbelli* (Jordan & Snyder, 1901) 康培氏銜鰕虎 Ref. 沈等。1993  
*Istigobius decoratus* (Herre, 1927) 華麗銜鰕虎 Ref. 沈等。1993  
*Istigobius goldmanni* (Bleeker, 1852) 戈氏銜鰕虎 Ref. 沈等。1993  
*Istigobius hoshinonis* (Tanaka, 1917) 和歌銜鰕虎 Ref. 沈等。1993  
*Istigobius ornatus* (Rüppell, 1830) 飾銜鰕虎 Ref. 沈等。1993  
*Istigobius rigilius* (Herre, 1953) 線斑銜鰕虎 Ref. 沈等。1993  
*Leucopsarion petersi* Hilgendorf, 1880 彼氏冰鰕虎 Ref. 沈等。1993  
*Lotilia graciliosa* Klausewitz, 1960 白頭鰕虎 Ref. 沈等。1993  
*Lubricogobius exiguus* Tanaka, 1915 短身裸葉鰕虎 Ref. 沈等。1993  
*Luciogobius guttatus* Gill, 1859 斑點竿鯊 Ref. 沈等。1993  
*Luciogobius saikaiensis* Dôtu, 1957 西海竿鯊 Ref. 沈等。1993  
*Luposicya lupus* Smith, 1959 狼牙雙盤鰕虎 Ref. 沈等。1993  
*Mahidolia mystacina* (Valenciennes, 1837) 帆鰓鰕虎 Ref. 沈等。1993  
*Mugilogobius abei* (Jordan & Snyder, 1901) 阿部氏鰓鰕虎 Ref. 沈等。1993  
*Mugilogobius cavifrons* (Weber, 1909) 小鰓鰕虎 Ref. 沈等。1993  
*Mugilogobius chulae* (Smith, 1932) 諸氏鰓鰕虎 Ref. Masuda et al., 1984  
*Mugilogobius fontinalis* (Jordan & Seale, 1906) 泉鰓鰕虎 Ref. 同前  
*Myersina filifer* (Valenciennes, 1837) 絲鰓猴鯊 Ref. 沈等。1993  
*Myersina macrostoma* Herre, 1934 大口猴鯊 Ref. 沈等。1993  
*Myersina papuanus* (Peters, 1877) 巴布亞猴鯊 Ref. Chu, 1957  
*Myersina yangii* (Chen, 1960) 楊氏猴鯊 Ref. 沈等。1993  
*Odontamblyopus lacepedii* (Temminck & Schlegel, 1845) 雷氏鰻鰕虎 Ref. 沈等。1993  
*Oligolepis acutipennis* (Valenciennes, 1837) 斑點寡鱗鰕虎 Ref. 沈等。1993  
*Oligolepis stomias* (Smith, 1941) 大口寡鱗鰕虎 Ref. Chen et al., 1996  
*Oplopomus oplopomus* (Valenciennes, 1837) 蓋刺鰕虎 Ref. 沈等。1993  
*Oxyurichthys cornutus* McCulloch & Waite, 1918 角質溝鰕虎 Ref. ASIZP0055557 (Ping-tong).  
*Oxyurichthys formosanus* Nichols, 1958 台灣溝鰕虎 Ref. 沈等。1993  
*Oxyurichthys microlepis* (Bleeker, 1849) 小鱗溝鰕虎 Ref. Pezold, 1998  
*Oxyurichthys ophthalmomema* (Bleeker, 1856-57) 眼瓣溝鰕虎 Ref. 沈等。1993  
*Oxyurichthys papuensis* (Valenciennes, 1837) 巴布亞溝鰕虎 Ref. 沈等。1993  
*Oxyurichthys visayanus* Herre, 1927 南方溝鰕虎 Ref. 沈等。1993  
*Parachaeturichthys polynema* (Bleeker, 1853) 多鬚擬鰕虎 Ref. 沈等。1993  
*Paragobiodon lacunicolus* (Kendall & Goldsborough, 1911) 黑鰓副短鰕虎 Ref. 沈等。1993  
*Paragobiodon modestus* (Regan, 1908) 典範副短鰕虎 Ref. 沈等。1993  
*Paragobiodon xanthosoma* (Bleeker, 1852) 黃身副短鰕虎 Ref. 沈等。1993  
*Periophthalmus modestus* Cantor, 1842 彈塗魚 Ref. 沈等。1993  
*Pleurosicya mossambica* Smith, 1959 莫三比克腹飄鰕虎 Ref. 沈等。1993  
*Priolepis boreus* (Snyder, 1909) 廣裸鋸鱗鰕虎 Ref. 沈等。1993  
*Priolepis cincta* (Regan, 1908) 十二條鋸鱗鰕虎 Ref. 沈等。1993  
*Priolepis fallacincta* Winterbottom & Burrige, 1992 擬橫帶鋸鱗鰕虎 Ref. Winterbottom & Burrige, 1992  
*Priolepis inhaca* (Smith, 1949) 裸頰鋸鱗鰕虎 Ref. 沈等。1993  
*Priolepis kappa* Winterbottom & Burrige, 1993 卡氏鋸鱗鰕虎 Ref. Winterbottom & Burrige, 1993  
*Priolepis latifascima* (Winterbottom & Burrige, 1993) 白條鋸鱗鰕虎 Ref. 沈等。1993  
*Priolepis semidoliata* (Valenciennes, 1837) 半紋鋸鱗鰕虎 Ref. 沈等。1993  
*Psammogobius biocellatus* (Valenciennes, 1837) 雙眼斑沙鰕虎 Ref. Chen & Fang, 1999  
*Pseudapocryptes elongatus* (Cuvier, 1816) 長身擬平牙鰕虎 Ref. 沈等。1993  
*Pseudapocryptes lanceolatus* (Bloch & Schneider, 1801) 矛狀擬平牙鰕虎 Ref. 沈等。1993  
*Pseudogobius javanicus* (Bleeker, 1856) 爪哇擬鰕虎 Ref. 沈等。1993  
*Pseudogobius masago* (Tomiya, 1936) 小擬鰕虎 Ref. Chen et al., 1996  
*Redigobius bikolanus* (Herre, 1927) 拜庫雷鰕虎 Ref. 沈等。1993  
*Rhinogobius candianus* (Regan, 1908) 明潭吻鰕虎 [特有] Ref. 沈等。1993

*Rhinogobius delicatus* (Regan, 1908) 細斑吻鰕虎 [特有] Ref. 沈等。1993  
*Rhinogobius gigas* Chen & Shao, 1996 大吻鰕虎 [特有] Ref. 沈等。1993  
*Rhinogobius giurinus* Aonuma & Chen, 1996 極樂吻鰕虎 Ref. 沈等。1993  
*Rhinogobius henchuenensis* (Rutter, 1897) 恆春吻鰕虎 [特有] Ref. 沈等。1993  
*Rhinogobius lanyuensis* Chen & Shao, 1996 蘭嶼吻鰕虎 [特有] Ref. 沈等。1993  
*Rhinogobius maculafasciatus* Chen, Miller & Fang, 1998 斑帶吻鰕虎 [特有] Ref. 沈等。1993  
*Rhinogobius nagoyae formosanus* Oshima, 1919 台灣明古屋吻鰕虎 [特有] Ref. 沈等。1993  
*Rhinogobius nantaiensis* Aonuma & Chen, 1996 南台吻鰕虎 [特有] Ref. 沈等。1993  
*Rhinogobius rubromaculatus* Lee & Chang, 1996 短吻褐斑吻鰕虎 Ref. 沈等。1993  
*Scartelaos gigas* Chu & Wu, 1963 大青彈塗魚 Ref. 沈等。1993  
*Scartelaos histophorus* (Valenciennes, 1837) 青彈塗魚 Ref. 沈等。1993  
*Schismatogobius ampluvinculus* Chen, Shao & Fang, 1995 寬帶裸身鰕虎 Ref. 沈等。1993  
*Schismatogobius roxasi* Herre, 1936 羅氏裸身鰕虎 Ref. 沈等。1993  
*Sicyopterus japonicus* (Tanaka, 1909) 日本禿頭鯊 Ref. 沈等。1993  
*Sicyopterus macrostetholepis* (Bleeker, 1853) 寬頰禿頭鯊 Ref. 沈等。1993  
*Sicyopus zosterophorum* (Bleeker, 1857) 環帶黃瓜鰕虎 Ref. 沈等。1993  
*Stenogobius genivittatus* (Valenciennes, 1837) 種子鯊 Ref. 沈等。1993  
*Stenogobius ophthalmoporus* (Bleeker, 1853) 高身種子鯊 Ref. 沈等。1993  
*Stiphodon atropurpureus* (Herre, 1927) 菲律賓枝牙鰕虎 Ref. 沈等。1993  
*Stiphodon elegans* (Steindachner, 1879) 美麗枝牙鰕虎 Ref. Chen et al., 2005  
*Stiphodon percnopterygionus* Watson & Chen, 1998 黑鰭枝牙鰕虎 Ref. 沈等。1993  
*Synechogobius ommaturus* (Richardson, 1845) 斑尾腹鰕虎 Ref. 陳及方。1999  
*Taenioides anguillararis* (Linnaeus, 1758) 鰻形灰盲條魚 Ref. 沈等。1993  
*Taenioides cirratus* (Blyth, 1860) 灰盲條魚 Ref. 沈等。1993  
*Taenioides limicola* Smith, 1964 等頰灰盲條魚 Ref. 沈等。1993  
*Tridentiger barbatus* (Günther, 1861) 鬚縞鰕虎 Ref. 沈等。1993  
*Tridentiger bifasciatus* Steindachner, 1881 雙帶縞鰕虎 Ref. 沈等。1993  
*Tridentiger nudicervicus* Tomiyama, 1934 裸頸縞鰕虎 Ref. Chen et al., 1996  
*Tridentiger obscurus* (Temminck & Schlegel, 1845) 暗縞鰕虎 Ref. 沈等。1993  
*Tridentiger trigonocephalus* (Gill, 1859) 紋縞鰕虎 Ref. 沈等。1993  
*Trimma annosum* Winterbottom, 2003 灰頰磨塘鱧 Ref. Winterbottom, 2003  
*Trimma caesiura* Jordan & Seale, 1906 點背磨塘鱧 Ref. 沈等。1993  
*Trimma emeryi* Winterbottom, 1985 埃氏磨塘鱧 Ref. 沈等。1993  
*Trimma fangi* Winterbottom and Chen, 2004 方氏磨塘鱧 Ref. Winterbottom & Chen., 2004  
*Trimma grammistes* (Tomiyama, 1936) 縱帶磨塘鱧 Ref. 沈等。1993  
*Trimma macrophthalma* (Tomiyama, 1936) 圓斑磨塘鱧 Ref. 沈等。1993  
*Trimma okinawae* (Aoyagi, 1949) 沖繩磨塘鱧 Ref. 沈等。1993  
*Trimma tevegae* Cohen & Davis, 1969 底斑磨塘鱧 Ref. 沈等。1993  
*Trimmatom macropodus* Winterbottom, 1989 大足微鰕虎 Ref. 沈等。1993  
*Trypauchen vagina* (Bloch & Schneider, 1801) 赤鯊 Ref. 沈等。1993  
*Trysogobius porosus* Larson & Chen, 2007 多孔美麗鰕虎 Ref. Larson, 2007  
*Valenciennea helsdingenii* (Bleeker, 1858) 雙帶范氏塘鱧 Ref. 沈等。1993  
*Valenciennea immaculata* (Ni, 1981) 無斑范氏塘鱧 Ref. 沈等。1993  
*Valenciennea longipinnis* (Lay & Bennett, 1839) 長鰭范氏塘鱧 Ref. 沈等。1993  
*Valenciennea muralis* (Valenciennes, 1837) 石壁范氏塘鱧 Ref. 沈等。1993  
*Valenciennea puellaris* (Tomiyama, 1956) 點帶范氏塘鱧 Ref. 沈等。1993  
*Valenciennea sexguttata* (Valenciennes, 1837) 六點范氏塘鱧 Ref. 沈等。1993  
*Valenciennea strigata* (Broussonet, 1782) 紅帶范氏塘鱧 Ref. 沈等。1993  
*Valenciennea wardii* (Playfair, 1867) 沃德范氏塘鱧 Ref. 沈等。1993  
*Vanderhorstia ambanoro* (Fourmanoir, 1957) 背斑梵鰕虎 Ref. 沈等。1993  
*Vanderhorstia ornatissima* Smith, 1959 黃點梵鰕虎 Ref. 沈等。1993  
*Yongeichthys criniger* (Valenciennes, 1837) 雲斑鰕虎 Ref. Kuo & Shao, 1999  
*Yongeichthys nebulosus* (Forsskål, 1775) 雲紋鰕虎 Ref. 沈等。1993

#### Family Haemulidae 石鱸科

*Diagramma pictum* (Thunberg, 1792) 少棘石鱸 Ref. 沈等。1993  
*Hapalogenys analis* Richardson, 1845 臀斑髭鯛 Ref. 沈等。1993  
*Hapalogenys kishinouyei* Smith & Pope, 1906 岸上氏髭鯛 Ref. 沈等。1993  
*Hapalogenys nigripinnis* (Temminck & Schlegel, 1843) 黑鰭髭鯛 Ref. 沈等。1993  
*Parapristipoma trilineatum* (Risso, 1826) 三線雞魚 Ref. 沈等。1993  
*Plectorhinchus albobittatus* (Rüppell, 1838) 白帶石鱸 Ref. 沈等。1993  
*Plectorhinchus chaetodonoides* Lacepède, 1801 厚唇石鱸 Ref. 沈等。1993  
*Plectorhinchus chrysotaenia* (Bleeker, 1855) 黃紋石鱸 Ref. 沈等。1993  
*Plectorhinchus cinctus* (Temminck & Schlegel, 1843) 花軟唇 Ref. 沈等。1993  
*Plectorhinchus flavomaculatus* (Cuvier, 1830) 黃點石鱸 Ref. 沈等。1993  
*Plectorhinchus gibbosus* (Hombron & Jacquinot, 1853) 駝背石鱸 Ref. 沈等。1993  
*Plectorhinchus lessonii* (Cuvier, 1830) 雷氏石鱸 Ref. 沈等。1993  
*Plectorhinchus lineatus* (Linnaeus, 1758) 條紋石鱸 Ref. 沈等。1993  
*Plectorhinchus pictus* (Tortonese, 1936) 花石鱸 Ref. 沈等。1993  
*Plectorhinchus picus* (Cuvier, 1830) 暗點石鱸 Ref. 沈等。1993  
*Plectorhinchus schotaf* (Forsskål, 1775) 灰石鱸 Ref. 沈等。1993  
*Plectorhinchus vittatus* (Linnaeus, 1758) 東方石鱸 Ref. 沈等。1993

*Pomadasys argenteus* (Forsskål, 1775) 銀雞魚 Ref. 沈等。1993  
*Pomadasys kaakan* (Cuvier, 1830) 星雞魚 Ref. 沈等。1993  
*Pomadasys maculatus* (Bloch, 1793) 斑雞魚 Ref. 沈等。1993  
*Pomadasys quadrilineatus* Shen & Lin, 1984 四帶雞魚 Ref. 沈等。1993

#### Family Istiophoridae 旗魚科

*Istiompax indica* (Cuvier, 1832) 立翅旗魚 Ref. 沈等。1993  
*Istiophorus platypterus* (Shaw & Nodder, 1792) 雨傘旗魚 Ref. 沈等。1993  
*Kajikia audax* (Philippi, 1887) 紅肉旗魚 Ref. 沈等。1993  
*Makaira nigricans* Lacepède, 1802 黑皮旗魚 Ref. 沈等。1993  
*Tetrapturus angustirostris* Tanaka, 1915 小旗魚 Ref. 沈等。1993

#### Family Kuhliidae 湯鯉科

*Kuhlia marginata* (Cuvier, 1829) 湯鯉 Ref. 沈等。1993  
*Kuhlia mugil* (Forster, 1801) 銀湯鯉 Ref. 沈等。1993  
*Kuhlia rupestris* (Lacepède, 1802) 大口湯鯉 Ref. 沈等。1993

#### Family Kyphosidae 舵魚科

*Girella leonina* (Richardson, 1846) 黑瓜子鱸 Ref. 沈等。1993  
*Girella mekina* Jordan & Starks, 1907 黃帶瓜子鱸 Ref. 沈等。1993  
*Girella punctata* Gray, 1835 瓜子鱸 Ref. 沈等。1993  
*Kyphosus bigibbus* Lacepède, 1801 南方舵魚 Ref. 沈等。1993  
*Kyphosus cinerascens* (Forsskål, 1775) 天竺舵魚 Ref. 沈等。1993  
*Kyphosus vaigiensis* (Quoy & Gaimard, 1825) 低鰭舵魚 Ref. 沈等。1993  
*Microcanthus strigatus* (Cuvier, 1831) 柴魚 Ref. 沈等。1993

#### Family Labridae 隆頭魚科

*Anampses caeruleopunctatus* Rüppell, 1829 青斑阿南魚 Ref. 沈等。1993  
*Anampses geographicus* Valenciennes, 1840 蟲紋阿南魚 Ref. 沈等。1993  
*Anampses melanurus* Bleeker, 1857 烏尾阿南魚 Ref. 沈等。1993  
*Anampses meleagrides* Valenciennes, 1840 北斗阿南魚 Ref. 沈等。1993  
*Anampses neoguinaicus* Bleeker, 1878 新幾內亞阿南魚 Ref. 沈等。1993  
*Anampses twistii* Bleeker, 1856 雙斑阿南魚 Ref. 沈等。1993  
*Bodianus anthioides* (Bennett, 1832) 燕尾狐鯛 Ref. 沈等。1993  
*Bodianus axillaris* (Bennett, 1832) 腋斑狐鯛 Ref. 沈等。1993  
*Bodianus bilunulatus* (Lacepède, 1801) 雙帶狐鯛 Ref. 沈等。1993  
*Bodianus bimaculatus* Allen, 1973 雙斑狐鯛 Ref. Myers, 1991  
*Bodianus cylindriatus* (Tanaka, 1930) 圓身狐鯛 Ref. 沈等。1993  
*Bodianus diana* (Lacepède, 1801) 對斑狐鯛 Ref. 沈等。1993  
*Bodianus leuensis* Araga & Yoshino, 1975 伊津狐鯛 Ref. 沈等。1993  
*Bodianus lucoaticus* (Bennett, 1832) 點帶狐鯛 Ref. 沈等。1993  
*Bodianus loxozonus* (Snyder, 1908) 斜帶狐鯛 Ref. 沈等。1993  
*Bodianus masudai* Araga & Yoshino, 1975 益田氏狐鯛 Ref. 沈等。1993  
*Bodianus mesothorax* (Bloch & Schneider, 1801) 中胸狐鯛 Ref. 沈等。1993  
*Bodianus oxycephalus* (Bleeker, 1862) 尖頭狐鯛 Ref. 沈等。1993  
*Bodianus perditio* (Quoy & Gaimard, 1834) 黃斑狐鯛 Ref. 沈等。1993  
*Bodianus tanyokidus* Gomon & Madden, 1981 無紋狐鯛 Ref. Fishbase, 2006  
*Bodianus thoracotaeniatus* Yamamoto, 1982 絲鰭狐鯛 Ref. 沈等。1993  
*Cheilinus chlorourus* (Bloch, 1791) 綠尾唇魚 Ref. 沈等。1993  
*Cheilinus fasciatus* (Bloch, 1791) 橫帶唇魚 Ref. 沈等。1993  
*Cheilinus oxycephalus* Bleeker, 1853 尖頭唇魚 Ref. 沈等。1993  
*Cheilinus trilobatus* Lacepède, 1801 三葉唇魚 Ref. 沈等。1993  
*Cheilinus undulatus* Rüppell, 1835 曲紋唇魚 Ref. 沈等。1993  
*Cheilio inermis* (Forsskål, 1775) 管唇魚 Ref. 沈等。1993  
*Choerodon anchorago* (Bloch, 1791) 楔斑豬齒魚 Ref. 沈等。1993  
*Choerodon azurio* (Jordan & Snyder, 1901) 藍豬齒魚 Ref. 沈等。1993  
*Choerodon fasciatus* (Günther, 1867) 七帶豬齒魚 Ref. 沈等。1993  
*Choerodon gymnogonys* (Günther, 1867) 裸頰豬齒魚 Ref. 沈等。1993  
*Choerodon jordani* (Snyder, 1908) 喬氏豬齒魚 Ref. 沈等。1993  
*Choerodon melanostigma* Fowler & Bean, 1928 黑斑豬齒魚 Ref. Herre, 1953  
*Choerodon robustus* (Günther, 1862) 粗豬齒魚 Ref. 沈等。1993  
*Choerodon schoenleinii* (Valenciennes, 1839) 邵氏豬齒魚 Ref. 沈等。1993  
*Choerodon zamboangae* (Seale & Bean, 1907) 扎邦豬齒魚 Ref. Sainsbury et al., 1985  
*Cirrhilabrus cyanopleura* (Bleeker, 1851) 藍身絲鰭鸚鯛 Ref. 沈等。1993  
*Cirrhilabrus exquisitus* Smith, 1957 豔麗絲鰭鸚鯛 Ref. 沈等。1993  
*Cirrhilabrus lunatus* Randall & Masuda, 1991 新月絲鰭鸚鯛 Ref. 沈等。1993  
*Cirrhilabrus melanomarginatus* Randall & Shen, 1978 黑緣絲鰭鸚鯛 Ref. 沈等。1993  
*Cirrhilabrus rubrimarginatus* Randall, 1992 紅緣絲鰭鸚鯛 Ref. 沈等。1993  
*Cirrhilabrus temminckii* Bleeker, 1853 丁氏絲鰭鸚鯛 Ref. 沈等。1993  
*Coris aygula* Lacepède, 1801 紅喉盔魚 Ref. 沈等。1993  
*Coris batuensis* (Bleeker, 1856-57) 巴都盔魚 Ref. Fishbase, 2006  
*Coris caudimacula* (Quoy & Gaimard, 1834) 尾斑盔魚 Ref. 同前  
*Coris dorsomacula* Fowler, 1908 背斑盔魚 Ref. 沈等。1993  
*Coris gaimard* (Quoy & Gaimard, 1824) 蓋馬氏盔魚 Ref. 沈等。1993

*Coris musume* (Jordan & Snyder, 1904) 黑帶盔魚 Ref. 沈等。1993  
*Cymolutes torquatus* (Valenciennes, 1840) 鈍頭魚 Ref. 沈等。1993  
*Decodon pacificus* (Kamohara, 1952) 太平洋裸齒隆頭魚 Ref. 沈等。1993  
*Epibulus insidiator* (Pallas, 1770) 伸口魚 Ref. 沈等。1993  
*Gomphosus varius* Lacepède, 1801 染色尖嘴魚 Ref. 沈等。1993  
*Halichoeres argus* (Bloch & Schneider, 1801) 大眼海豬魚 Ref. 沈等。1993  
*Halichoeres biocellatus* Schultz, 1960 雙斑海豬魚 Ref. 沈等。1993  
*Halichoeres bleekeri* (Steindachner & Döderlein, 1887) 布氏海豬魚 Ref. Randall, 1999  
*Halichoeres chrysus* Randall, 1981 黃身海豬魚 Ref. 沈等。1993  
*Halichoeres hartzfeldii* (Bleeker, 1852) 哈氏海豬魚 Ref. Shao, 1986  
*Halichoeres hortulanus* (Lacepède, 1801) 雲斑海豬魚 Ref. 沈等。1993  
*Halichoeres margaritaceus* (Valenciennes, 1839) 虹彩海豬魚 Ref. 沈等。1993  
*Halichoeres marginatus* Rüppell, 1835 綠鰭海豬魚 Ref. 沈等。1993  
*Halichoeres melanochir* Fowler & Bean, 1928 黑腕海豬魚 Ref. 沈等。1993  
*Halichoeres melanurus* (Bleeker, 1851) 黑尾海豬魚 Ref. 沈等。1993  
*Halichoeres miniatus* (Valenciennes, 1839) 小海豬魚 Ref. 沈等。1993  
*Halichoeres nebulosus* (Valenciennes, 1839) 雲紋海豬魚 Ref. 沈等。1993  
*Halichoeres nigrescens* (Bloch & Schneider, 1801) 黑帶海豬魚 Ref. 沈等。1993  
*Halichoeres orientalis* Randall, 1999 東方海豬魚 Ref. Randall, 1999  
*Halichoeres ornaticornis* (Garrett, 1863) 飾妝海豬魚 Ref. 沈等。1993  
*Halichoeres peliceri* Randall & Smith, 1982 派氏海豬魚 Ref. 沈等。1993  
*Halichoeres prosopion* (Bleeker, 1853) 黑額海豬魚 Ref. 沈等。1993  
*Halichoeres scapularis* (Bennett, 1832) 頸帶海豬魚 Ref. 沈等。1993  
*Halichoeres tenuispinnis* (Günther, 1862) 細棘海豬魚 Ref. Randall, 1999  
*Halichoeres timorensis* (Bleeker, 1852) 帝汶海豬魚 Ref. 沈等。1993  
*Halichoeres trimaculatus* (Quoy & Gaimard, 1824) 三斑海豬魚 Ref. 沈等。1993  
*Halichoeres zeylonicus* (Bennett, 1833) 塞隆海豬魚 Ref. Randall et al., 1990  
*Hemigymnus fasciatus* (Bloch, 1792) 條紋厚唇魚 Ref. 沈等。1993  
*Hemigymnus melapterus* (Bloch, 1791) 黑鰭厚唇魚 Ref. 沈等。1993  
*Hologymnosus annulatus* (Lacepède, 1801) 環紋全裸鸚鯛 Ref. 沈等。1993  
*Hologymnosus doliatus* (Lacepède, 1801) 清尾全裸鸚鯛 Ref. 沈等。1993  
*Hologymnosus rhodonotus* Randall & Yamakawa, 1988 玫瑰全裸鸚鯛 Ref. Chen, 2004  
*Iniistius aeneitensis* (Günther, 1862) 安納地頸鰭魚 Ref. 沈等。1993  
*Iniistius baldwini* (Jordan & Evermann, 1903) 巴氏頸鰭魚 Ref. 沈等。1993  
*Iniistius melanopus* (Bleeker, 1857) 黑斑頸鰭魚 Ref. 沈等。1993  
*Iniistius pavo* Valenciennes, 1840 巴父頸鰭魚 Ref. 沈等。1993  
*Iniistius trivittatus* (Randall & Cornish, 2000) 三帶頸鰭魚 Ref. Randall & Cornish, 2000  
*Labrichthys unilineatus* (Guichenot, 1847) 單線突唇魚 Ref. 沈等。1993  
*Labroides bicolor* Fowler & Bean, 1928 二色裂唇魚 Ref. 沈等。1993  
*Labroides dimidiatus* (Valenciennes, 1839) 裂唇魚 Ref. 沈等。1993  
*Labroides pectoralis* Randall & Springer, 1975 胸斑裂唇魚 Ref. Chen et al., 1997  
*Labropsis manabei* Schmidt, 1930 曼氏褶唇魚 Ref. 沈等。1993  
*Labropsis xanthonota* Randall, 1981 多紋褶唇魚 Ref. 沈等。1993  
*Leptojulius lambdastigma* Randall & Ferraris, 1981 頸斑尖豬魚 Ref. 沈等。1993  
*Leptojulius urostigma* Randall, 1996 尾斑尖豬魚 Ref. Randall, 1996  
*Macropharyngodon meleagris* (Valenciennes, 1839) 朱斑大咽齒鯛 Ref. 沈等。1993  
*Macropharyngodon moyeri* Shepard & Meyer, 1978 莫氏大咽齒鯛 Ref. 沈等。1993  
*Macropharyngodon negrosensis* Herre, 1932 黑大咽齒鯛 Ref. 沈等。1993  
*Novaculichthys macrolepidotus* (Bloch, 1791) 大鱗新隆魚 Ref. 沈等。1993  
*Novaculichthys taeniourus* (Lacepède, 1801) 帶尾新隆魚 Ref. 沈等。1993  
*Oxycheilinus arenatus* (Valenciennes, 1840) 斑點尖唇魚 Ref. Westneat, M.W., 2001  
*Oxycheilinus bimaculatus* (Valenciennes, 1840) 雙斑尖唇魚 Ref. 沈等。1993  
*Oxycheilinus celebicus* (Bleeker, 1853) 西里伯斯尖唇魚 Ref. Myers, 1991  
*Oxycheilinus digrammus* (Lacepède, 1801) 雙線尖唇魚 Ref. 沈等。1993  
*Oxycheilinus orientalis* (Günther, 1862) 東方尖唇魚 Ref. Westneat, M.W., 2001  
*Oxycheilinus unifasciatus* (Streets, 1877) 單帶尖唇魚 Ref. 沈等。1993  
*Paracheilinus carpenteri* Randall & Lubbock, 1981 卡氏副唇魚 Ref. 沈等。1993  
*Parajulis poecilepterus* (Temminck & Schlegel, 1845) 花鰭副海豬魚 Ref. 沈等。1993  
*Pseudocheilinus evanidus* Jordan & Evermann, 1903 姬擬唇魚 Ref. 沈等。1993  
*Pseudocheilinus hexataenia* (Bleeker, 1857) 六帶擬唇魚 Ref. 沈等。1993  
*Pseudocheilinus octotaenia* Jenkins, 1901 條紋擬唇魚 Ref. 沈等。1993  
*Pseudocoris aurantiofasciatus* Fourmanoir, 1971 橘紋擬盔魚 Ref. Fishbase, 2006  
*Pseudocoris heteroptera* (Bleeker, 1857) 異鰭擬盔魚 Ref. NMMP 4103 (Ping-tong) and more.  
*Pseudocoris ocellata* Chen & Shao, 1995 眼斑擬盔魚 [特有] Ref. Chen & Shao, 1995  
*Pseudocoris yamashiroi* (Schmidt, 1931) 山下式擬盔魚 Ref. 沈等。1993  
*Pseudodax moluccanus* (Valenciennes, 1840) 摩鹿加擬鸚鯛 Ref. 沈等。1993  
*Pseudojuloides cerasinus* (Snyder, 1904) 擬海豬魚 Ref. 沈等。1993  
*Pseudolabrus eoethinus* (Richardson, 1846) 紅頸擬隆頭魚 Ref. 沈等。1993  
*Pseudolabrus sieboldi* Mabuch & Nakabo, 1997 西氏擬隆頭魚 Ref. 沈等。1993  
*Pteragogus aurigarius* (Richardson, 1845) 長鰭鸚鯛 Ref. 沈等。1993  
*Pteragogus cryptus* Randall, 1981 隱秘長鰭鸚鯛 Ref. 沈等。1993  
*Pteragogus enneacanthus* (Bleeker, 1853) 九棘長鰭鸚鯛 Ref. Chen et al., 1999

*Stethojulis bandanensis* (Bleeker, 1851) 黑星紫胸魚 Ref. 沈等。1993  
*Stethojulis strigiventer* (Bennett, 1833) 虹紋紫胸魚 Ref. 沈等。1993  
*Stethojulis terina* Jordan & Snyder, 1902 斷紋紫胸魚 Ref. 沈等。1993  
*Stethojulis trilineata* (Bloch & Schneider, 1801) 三線紫胸魚 Ref. 沈等。1993  
*Suezichthys gracilis* (Steindachner & Döderlein, 1887) 薄蘇彝士魚 Ref. 沈等。1993  
*Thalassoma amblycephalum* (Bleeker, 1856) 鈍頭錦魚 Ref. 沈等。1993  
*Thalassoma cupido* (Temminck & Schlegel, 1845) 綠錦魚 Ref. 沈等。1993  
*Thalassoma hardwicke* (Bennett, 1830) 哈氏錦魚 Ref. 沈等。1993  
*Thalassoma janseni* (Bleeker, 1856) 詹氏錦魚 Ref. 沈等。1993  
*Thalassoma lunare* (Linnaeus, 1758) 新月錦魚 Ref. 沈等。1993  
*Thalassoma lutescens* (Lay & Bennett, 1839) 黃衣錦魚 Ref. 沈等。1993  
*Thalassoma purpureum* (Forsskål, 1775) 紫錦魚 Ref. 沈等。1993  
*Thalassoma quinquevittatum* (Lay & Bennett, 1839) 五帶錦魚 Ref. 沈等。1993  
*Thalassoma trilobatum* (Lacepède, 1801) 三葉錦魚 Ref. 沈等。1993  
*Wetmorella nigropinnata* (Seale, 1901) 黑鰭濕鰓鯛 Ref. 沈等。1993  
*Xyrichtys dea* Temminck & Schlegel, 1845 紅虹彩鯛 Ref. 沈等。1993  
*Xyrichtys geisha* Araga & Yoshino, 1986 黑背虹彩鯛 Ref. Myers, 1999  
*Xyrichtys pentadactylus* (Linnaeus, 1758) 五指虹彩鯛 Ref. 沈等。1993  
*Xyrichtys twistii* (Bleeker, 1856) 雙斑虹彩鯛 Ref. 沈等。1993  
*Xyrichtys verrens* (Jordan & Evermann, 1902) 薔薇虹彩鯛 Ref. 沈等。1993  
*Xyrichtys woodi* (Jenkins, 1901) 伍氏虹彩鯛 Ref. 沈等。1993

#### Family Lactariidae 乳鯖科

*Lactarius lactarius* (Bloch & Schneider, 1801) 乳鯖 Ref. 沈等。1993

#### Family Latidae 尖嘴鱸科

*Lates calcarifer* (Bloch, 1790) 尖吻鱸 Ref. 沈等。1993  
*Psammoperca waigiensis* (Cuvier, 1828) 紅眼鱸 Ref. 沈等。1993

#### Family Leiognathidae 鰻科

*Gazza achlamys* Jordan & Starks, 1917 寬身牙鰻 Ref. 沈等。1993  
*Gazza minuta* (Bloch, 1795) 小牙鰻 Ref. 沈等。1993  
*Leiognathus berbis* (Valenciennes, 1835) 細紋鰻 Ref. 沈等。1993  
*Leiognathus equulus* (Forsskål, 1775) 短棘鰻 Ref. 沈等。1993  
*Leiognathus fasciatus* (Lacepède, 1803) 條紋鰻 Ref. Nakabo, 2002  
*Leiognathus splendens* (Cuvier, 1829) 黑邊鰻 Ref. 沈等。1993  
*Nuchequula mannusella* Chakrabarty & Sparks, 2007 小鞍斑鰻 Ref. 沈等。1993  
*Nuchequula nuchalis* (Temminck & Schlegel, 1845) 頸帶鰻 Ref. 沈等。1993  
*Photopectoralis bindus* (Valenciennes, 1835) 黃斑鰻 Ref. 沈等。1993  
*Photoplagios elongatus* (Günther, 1874) 長身鰻 Ref. 沈等。1993  
*Photoplagios leuciscus* (Günther, 1860) 曳絲鰻 Ref. 沈等。1993  
*Photoplagios lineolatus* (Valenciennes, 1835) 粗紋鰻 Ref. 沈等。1993  
*Photoplagios rivulatus* (Temminck & Schlegel, 1845) 條鰻 Ref. 沈等。1993  
*Secutor indicus* Monkolprasit, 1973 印度仰口鰻 Ref. Shao et al., 1994  
*Secutor insidiator* (Bloch, 1787) 長吻仰口鰻 Ref. 沈等。1993  
*Secutor interruptus* (Valenciennes, 1835) 間斷仰口鰻 Ref. NMNSF00818 (Ping-tong).  
*Secutor ruconius* (Hamilton, 1822) 仰口鰻 Ref. 沈等。1993

#### Family Lethrinidae 龍占魚科

*Gnathodentex aureolineatus* (Lacepède, 1802) 金帶鯛 Ref. 沈等。1993  
*Gymnocranius elongatus* Senta, 1973 長身白鱨 Ref. 沈等。1993  
*Gymnocranius euanus* (Günther, 1879) 真白鱨 Ref. 沈等。1993  
*Gymnocranius grandoculis* (Valenciennes, 1830) 藍線白鱨 Ref. 陳。2004  
*Gymnocranius griseus* (Temminck & Schlegel, 1843) 白鱨 Ref. 沈等。1993  
*Gymnocranius microdon* (Bleeker, 1851) 藍點白鱨 Ref. Carpenter & Allen, 1989  
*Lethrinus atkinsoni* Seale, 1910 太平洋黃尾龍占 Ref. 沈等。1993  
*Lethrinus erythracanthus* Valenciennes, 1830 紅棘龍占 Ref. 陳。1998  
*Lethrinus erythropterus* Valenciennes, 1830 紅鰭龍占 Ref. FAO, 2001  
*Lethrinus genivittatus* Valenciennes, 1830 絲棘龍占 Ref. 沈等。1993  
*Lethrinus haematopterus* Temminck & Schlegel, 1844 正龍占 Ref. 沈等。1993  
*Lethrinus harak* (Forsskål, 1775) 單斑龍占 Ref. 沈等。1993  
*Lethrinus lentjan* (Lacepède, 1802) 烏帽龍占 Ref. 沈等。1993  
*Lethrinus nebulosus* (Forsskål, 1775) 青嘴龍占 Ref. 沈等。1993  
*Lethrinus obsoletus* (Forsskål, 1775) 橘帶龍占 Ref. Nakabo, 2002  
*Lethrinus olivaceus* Valenciennes, 1830 尖吻龍占 Ref. 沈等。1993  
*Lethrinus ornatus* Valenciennes, 1830 黃帶龍占 Ref. 沈等。1993  
*Lethrinus reticulatus* Valenciennes, 1830 網紋龍占 Ref. 沈等。1993  
*Lethrinus rubrioperculatus* Sato, 1978 紅鰓龍占 Ref. 沈等。1993  
*Lethrinus semicinctus* Valenciennes, 1830 半帶龍占 Ref. 沈等。1993  
*Lethrinus variegatus* Valenciennes, 1830 雜色龍占 Ref. 沈等。1993  
*Lethrinus xanthochilus* Klunzinger, 1870 黃唇龍占 Ref. 沈等。1993  
*Monotaxis grandoculis* (Forsskål, 1775) 異黑鯛 Ref. 沈等。1993  
*Wattsia mossambica* (Smith, 1957) 莫桑鼻克鯛 Ref. 沈等。1993

### Family Lobotidae 松鯛科

*Lobotes surinamensis* (Bloch, 1790) 松鯛 Ref. 邵等。1993

### Family Lutjanidae 笛鯛科

- Aphareus furca* (Lacepède, 1801) 欖色細齒笛鯛 Ref. 沈等。1993  
*Aphareus rutilans* Cuvier, 1830 銹色細齒笛鯛 Ref. 沈等。1993  
*Aprion virescens* Valenciennes, 1830 藍笛鯛 Ref. 沈等。1993  
*Etelis carbunculus* Cuvier, 1828 濱鯛 Ref. 沈等。1993  
*Etelis coruscans* Valenciennes, 1862 長尾濱鯛 Ref. 沈等。1993  
*Etelis radiosus* Anderson, 1981 大口濱鯛 Ref. 沈等。1993  
*Lipocheilus carnolabrum* (Chan, 1970) 葉唇笛鯛 Ref. Nakabo, 2002  
*Lutjanus argentimaculatus* (Forsskål, 1775) 銀紋笛鯛 Ref. 沈等。1993  
*Lutjanus bengalensis* (Bloch, 1790) 孟加拉笛鯛 Ref. 沈等。1993  
*Lutjanus bohar* (Forsskål, 1775) 雙斑笛鯛 Ref. 沈等。1993  
*Lutjanus bouton* (Lacepède, 1802) 藍帶笛鯛 Ref. 沈等。1993  
*Lutjanus carponotatus* (Richardson, 1842) 胸斑笛鯛 Ref. 沈等。1993  
*Lutjanus decussatus* (Cuvier, 1828) 交叉笛鯛 Ref. 沈等。1993  
*Lutjanus dodecacanthoides* (Bleeker, 1854) 斜帶笛鯛 Ref. 沈等。1993  
*Lutjanus ehrenbergii* (Peters, 1869) 埃氏笛鯛 Ref. Nakabo, 2002  
*Lutjanus erythropterus* Bloch, 1790 赤鰭笛鯛 Ref. 沈等。1993  
*Lutjanus fulviflamma* (Forsskål, 1775) 火斑笛鯛 Ref. 沈等。1993  
*Lutjanus fulvus* (Forster, 1801) 黃足笛鯛 Ref. 沈等。1993  
*Lutjanus gibbus* (Forsskål, 1775) 隆背笛鯛 Ref. 沈等。1993  
*Lutjanus johnii* (Bloch, 1792) 黑斑笛鯛 Ref. 沈等。1993  
*Lutjanus kasmira* (Forsskål, 1775) 四線笛鯛 Ref. 沈等。1993  
*Lutjanus lunulatus* (Park, 1797) 月尾笛鯛 Ref. FRIP21632 (Tai-tong) and more  
*Lutjanus lutjanus* Bloch, 1790 正笛鯛 Ref. 沈等。1993  
*Lutjanus madras* (Valenciennes, 1831) 前鱗笛鯛 Ref. Fishbase, 2002  
*Lutjanus malabaricus* (Bloch & Schneider, 1801) 摩拉吧笛鯛 Ref. 沈等。1993  
*Lutjanus monostigma* (Cuvier, 1828) 單斑笛鯛 Ref. 沈等。1993  
*Lutjanus ophuysenii* (Bleeker, 1860) 奧氏笛鯛 Ref. Fishbase, 2002  
*Lutjanus quinquelineatus* (Bloch, 1790) 五線笛鯛 Ref. 沈等。1993  
*Lutjanus rivulatus* (Cuvier, 1828) 海雞母笛鯛 Ref. 沈等。1993  
*Lutjanus rufolineatus* (Valenciennes, 1830) 紅紋笛鯛 Ref. Photo taken by J. Randall.  
*Lutjanus russellii* (Bleeker, 1849) 黑星笛鯛 Ref. 沈等。1993  
*Lutjanus sebae* (Cuvier, 1816) 川紋笛鯛 Ref. 沈等。1993  
*Lutjanus stellatus* Akazaki, 1983 白星笛鯛 Ref. 沈等。1993  
*Lutjanus vitta* (Quoy & Gaimard, 1824) 縱帶笛鯛 Ref. 沈等。1993  
*Macolor macularis* Fowler, 1931 斑點笛鯛 Ref. 邵等。1993  
*Macolor niger* (Forsskål, 1775) 黑背笛鯛 Ref. 沈等。1993  
*Paracaesio caerulea* (Katayama, 1934) 藍色擬烏尾鮫 Ref. 沈等。1993  
*Paracaesio kusakarii* Abe, 1960 橫帶擬烏尾鮫 Ref. 沈等。1993  
*Paracaesio sordida* Abe & Shinohara, 1962 梭地擬烏尾鮫 Ref. 邵等。1993  
*Paracaesio stonei* Raj & Seeto, 1983 石氏擬烏尾鮫 Ref. 邵等。1993  
*Paracaesio xanthura* (Bleeker, 1869) 黃擬烏尾鮫 Ref. 沈等。1993  
*Pinjalo lewisi* Randall & Anderson, 1987 李維氏斜鱗笛鯛 Ref. 陳。2004  
*Pinjalo pinjalo* (Bleeker, 1850) 斜鱗笛鯛 Ref. 沈等。1993  
*Pristipomoides argyrogrammicus* (Valenciennes, 1832) 藍紋姬鯛 Ref. 沈等。1993  
*Pristipomoides auricilla* (Jordan, Evermann & Tanaka, 1927) 黃尾姬鯛 Ref. 沈等。1993  
*Pristipomoides filamentosus* (Valenciennes, 1830) 絲鰭姬鯛 Ref. 邵等。1993  
*Pristipomoides flavipinnis* Shinohara, 1963 黃鰭姬鯛 Ref. 沈等。1993  
*Pristipomoides multidentis* (Day, 1871) 黃吻姬鯛 Ref. 沈等。1993  
*Pristipomoides sieboldii* (Bleeker, 1854-57) 姬鯛 Ref. 沈等。1993  
*Pristipomoides typus* Bleeker, 1852 尖齒姬鯛 Ref. Jordan & Evermann., 1902  
*Pristipomoides zonatus* (Valenciennes, 1830) 橫帶姬鯛 Ref. 沈等。1993  
*Symphorus nematophorus* (Bleeker, 1860) 曳絲笛鯛 Ref. 沈等。1993

### Family Malacanthidae 軟棘魚科

- Branchiostegus albus* Dooley, 1978 白馬頭魚 Ref. 沈等。1993  
*Branchiostegus auratus* (Kishinouye, 1907) 斑鱗馬頭魚 Ref. 沈等。1993  
*Branchiostegus japonicus* (Houttuyn, 1782) 日本馬頭魚 Ref. 沈等。1993  
*Hoplolatilus fronticinctus* (Günther, 1887) 叉尾似弱棘魚 Ref. FIRP 21896 (Tai-tong).  
*Hoplolatilus starcki* Randall & Dooley, 1974 斯氏似弱棘魚 Ref. FAO, 1999  
*Malacanthus brevisrostris* Guichenot, 1848 短吻軟棘魚 Ref. 沈等。1993  
*Malacanthus latovittatus* (Lacepède, 1801) 黑帶軟棘魚 Ref. 沈等。1993

### Family Menidae 眼眶魚科

*Mene maculata* (Bloch & Schneider, 1801) 眼眶魚 Ref. 沈等。1993

### Family Microdesmidae 蜆鰓虎科

*Gunnellichthys curiosus* Dawson, 1968 眼帶蜆鰓虎 Ref. 沈等。1993

### Family Monodactylidae 銀鱗鯧科

*Monodactylus argenteus* (Linnaeus, 1758) 銀鱗鯧 Ref. 沈等。1993

### Family Moronidae 夢鱸科

*Lateolabrax japonicus* (Cuvier, 1828) 日本真鱸 Ref. 沈等。1993

### Family Mullidae 鬚鯛科

- Mulloidichthys flavolineatus* (Lacepède, 1801) 黃線擬鬚鯛 Ref. 沈等。1993  
*Mulloidichthys pfluegeri* (Steindachner, 1900) 紅背擬鬚鯛 Ref. 沈等。1993  
*Mulloidichthys vanicolensis* (Valenciennes, 1831) 金帶擬鬚鯛 Ref. 沈等。1993  
*Parupeneus barberinoides* (Bleeker, 1852) 鬚海緋鯉 Ref. 沈等。1993  
*Parupeneus barberinus* (Lacepède, 1801) 單帶海緋鯉 Ref. 沈等。1993  
*Parupeneus biaculeatus* (Richardson, 1846) 雙棘海緋鯉 Ref. Randall, 2004  
*Parupeneus chrysopleuron* (Temminck & Schlegel, 1843) 紅帶海緋鯉 Ref. 沈等。1993  
*Parupeneus ciliatus* (Lacepède, 1802) 短鬚海緋鯉 Ref. 沈等。1993  
*Parupeneus crassilabris* (Valenciennes, 1831) 雙帶海緋鯉 Ref. Randall, 2004  
*Parupeneus cyclostomus* (Lacepède, 1801) 圓口海緋鯉 Ref. 沈等。1993  
*Parupeneus heptacanthus* (Lacepede, 1802) 紅點海緋鯉 Ref. FAO, 2001  
*Parupeneus indicus* (Shaw, 1803) 印度海緋鯉 Ref. 沈等。1993  
*Parupeneus multifasciatus* (Quoy & Gaimard, 1824) 多帶海緋鯉 Ref. 沈等。1993  
*Parupeneus pleurostigma* (Bennett, 1831) 黑斑海緋鯉 Ref. 沈等。1993  
*Parupeneus spilurus* (Bleeker, 1854) 大型海緋鯉 Ref. 沈等。1993  
*Parupeneus trifasciatus* (Lacepède, 1801) 三帶海緋鯉 Ref. 沈等。1993  
*Upeneus japonicus* (Houttuyn, 1782) 日本緋鯉 Ref. 沈等。1993  
*Upeneus luzonius* Jordan & Seales, 1906 呂宋緋鯉 Ref. Fishbase, 2006  
*Upeneus moluccensis* (Bleeker, 1855) 馬六甲緋鯉 Ref. 沈等。1993  
*Upeneus quadrilineatus* Cheng & Wang, 1963 四線緋鯉 Ref. 沈等。1993  
*Upeneus sulphureus* Cuvier, 1829 黃帶緋鯉 Ref. FAO, 2001  
*Upeneus tragula* Richardson, 1846 黑斑緋鯉 Ref. 沈等。1993  
*Upeneus vittatus* (Forsskål, 1775) 多帶緋鯉 Ref. 沈等。1993

### Family Nemipteridae 金線魚科

- Nemipterus aurorus* Russell, 1993 赤黃金線魚 Ref. 沈等。1993  
*Nemipterus bathybius* Snyder, 1911 底金線魚 Ref. 沈等。1993  
*Nemipterus furcosus* (Valenciennes, 1830) 紅金線魚 Ref. 沈等。1993  
*Nemipterus hexodon* (Quoy & Gaimard, 1824) 虹色金線魚 Ref. 沈等。1993  
*Nemipterus japonicus* (Bloch, 1791) 日本金線魚 Ref. 沈等。1993  
*Nemipterus peronii* (Valenciennes, 1830) 裴氏金線魚 Ref. 沈等。1993  
*Nemipterus thosaporni* Russell, 1991 黃綠金線魚 Ref. 沈等。1993  
*Nemipterus virgatus* (Houttuyn, 1782) 金線魚 Ref. 沈等。1993  
*Nemipterus zysron* (Bleeker, 1856) 姬金線魚 Ref. 沈等。1993  
*Parascalopsis eriomma* (Jordan & Richardson, 1909) 紅赤尾冬 Ref. 沈等。1993  
*Parascalopsis inermis* (Temminck & Schlegel, 1843) 橫帶赤尾冬 Ref. 沈等。1993  
*Parascalopsis tosenensis* (Kamohara, 1938) 雙帶赤尾冬 Ref. 沈等。1993  
*Pentapodus aureofasciatus* Russell, 2001 黃帶錐齒鯛 Ref. Russell, 2001  
*Pentapodus caninus* (Cuvier, 1830) 犬牙錐齒鯛 Ref. 沈等。1993  
*Pentapodus emeryii* (Richardson, 1843) 艾氏錐齒鯛 Ref. Russell, 1990  
*Pentapodus nagasakiensis* (Tanaka, 1915) 長崎錐齒鯛 Ref. 沈等。1993  
*Scolopsis affinis* Peters, 1877 烏面赤尾冬 Ref. 沈等。1993  
*Scolopsis bilineata* (Bloch, 1793) 雙帶赤尾冬 Ref. 沈等。1993  
*Scolopsis ciliata* (Lacepède, 1802) 黃點赤尾冬 Ref. Shen, 1997  
*Scolopsis lineata* Quoy & Gaimard, 1824 黃帶赤尾冬 Ref. 沈等。1993  
*Scolopsis margaritifera* (Cuvier, 1830) 珠斑赤尾冬 Ref. 沈等。1993  
*Scolopsis monogramma* (Cuvier, 1830) 黑帶赤尾冬 Ref. 沈等。1993  
*Scolopsis taenioptera* (Cuvier, 1830) 條紋赤尾冬 Ref. Shen, 1997  
*Scolopsis trilineata* Kner, 1868 三帶赤尾冬 Ref. Shen, 1997  
*Scolopsis vosmeri* (Bloch, 1792) 白頸赤尾冬 Ref. 沈等。1993  
*Scolopsis xenochrous* Günther, 1872 欖斑赤尾冬 Ref. 沈等。1993

### Family Nomeidae 圓鯧科

- Cubiceps squamiceps* (Llyod, 1909) 鱗首方頭鯧 Ref. 沈等。1993  
*Cubiceps whiteleggii* (Waite, 1894) 威氏方頭鯧 Ref. 陳。2004  
*Nomeus gronovii* (Gmelin, 1789) 圓鯧 Ref. 沈等。1993  
*Psenes cyanophrys* Valenciennes, 1833 琉璃玉鯧 Ref. 沈等。1993  
*Psenes pellucidus* Lütken, 1880 花瓣鯧 Ref. 沈等。1993

### Family Odontobutidae 沙塘鱧科

*Odontobutis obscura* (Temminck & Schlegel, 1845) 暗色沙塘鱧(暗色魴魴魚) Ref. 沈等。1993

### Family Opistognathidae 後頰魚科

- Opistognathus castelnaui* Bleeker, 1859-60 卡氏後頰魚 Ref. 沈等。1993  
*Opistognathus ensiferus* Smith-Vaniz 長頰後頰魚 [特有] Ref. ASIZP uncat., Smith-Vaniz (in press).  
*Opistognathus evermanni* (Jordan & Snyder, 1902) 艾氏後頰魚 Ref. 沈等。1993  
*Opistognathus hongkongiensis* Chan, 1968 黑帶後頰魚 Ref. 沈等。1993  
*Opistognathus solorensis* Bleeker, 1853 索洛後頰魚 Ref. RUSI27653 (off Wan-li-tong).  
*Stalix sheni* Smith-Vaniz, 1989 沈氏艾棘魚 [特有] Ref. 沈等。1993

### Family Oplegnathidae 石鯛科

- Oplegnathus fasciatus* Krøyer, 1845 條石鯛 Ref. 沈等。1993  
*Oplegnathus punctatus* (Temminck & Schlegel, 1844) 斑石鯛 Ref. 沈等。1993

### Family Osphronemidae

- Macropodus opercularis* Ahl, 1937 蓋斑鬥魚 Ref. 沈等。1993  
*Trichogaster trichopterus* (Pallas, 1770) 三星攀鱸 Ref. 沈等。1993

### Family Ostracoberycidae 巨棘鱸科

- Ostracoberyx dorygenys* Fowler, 1934 矛狀巨棘鱸 Ref. ASIZP0054590 (Ping-tong) and more.

### Family Pempheridae 擬金眼鯛科

- Parapriacanthus ransonneti* Steindachner, 1870 充金眼鯛 Ref. 沈等。1993  
*Pempheris japonica* Döderlein, 1883 日本擬金眼鯛 Ref. 沈等。1993  
*Pempheris nyctereutes* Jordan & Evermann, 1902 白緣擬金眼鯛 Ref. 沈等。1993  
*Pempheris oualensis* Cuvier, 1831 烏伊蘭擬金眼鯛 Ref. 沈等。1993  
*Pempheris schwenkii* Bleeker, 1855 南方擬金眼鯛 Ref. Fishbase, 2006  
*Pempheris vanicolensis* Cuvier, 1831 黑緣擬金眼鯛 Ref. 沈等。1993

### Family Pentacerotidae 五棘鯛科

- Eviostias acutirostris* (Temminck & Schlegel, 1844) 天狗旗鯛 Ref. Fishbase, 2006  
*Histioporus typus* Temminck & Schlegel, 1844 帆鰭魚 Ref. 沈等。1993  
*Pentaceros japonicus* Döderlein, 1883 日本五棘鯛 Ref. 吳。2002

### Family Percichthyidae 真鱸科

- Bathysphraenops simplex* Parr, 1933 深海擬野鱸 Ref. 沈等。1993  
*Howella zina* Fedoryako, 1976 脛齒尖棘鯛 Ref. 吳。2002

### Family Percophidae 鴨嘴鱧科

- Acanthaphritis barbata* (Okamura & Kishida, 1963) 鬚棘吻魚 Ref. 沈等。1993  
*Acanthaphritis unoorum* Suzuki et Nakabo, 1996 昂氏棘吻魚 Ref. Nelson, 2000  
*Bembrops caudimacula* Steindachner, 1876 尾斑掛帆鱧 Ref. 沈等。1993  
*Bembrops curvatura* Okada & Suzuki, 1952 曲線掛帆鱧 Ref. Fishbase, 2006  
*Bembrops platyrhynchus* (Alcock, 1894) 扁吻掛帆鱧 Ref. 同前  
*Chrionema chlorotaenia* McKay, 1971 綠低線魚 Ref. 沈等。1993  
*Chrionema chryseres* Gilbert, 1905 黃低線魚 Ref. 沈等。1993  
*Osopsaron formosensis* Kao & Shen, 1985 台灣姬鱧 Ref. 沈等。1993  
*Pteropsaron evolans* Jordan & Snyder, 1902 帆鰭鱧鰻 Ref. 沈等。1993

### Family Pinguipedidae 虎鱧科

- Kochichthys flavofasciata* (Kamohara, 1936) 高知鱧 Ref. 沈等。1993  
*Parapercis aurantiaca* Döderlein, 1884 黃擬鱧 Ref. 沈等。1993  
*Parapercis clathrata* Ogilby, 1910 四斑擬鱧 Ref. 沈等。1993  
*Parapercis cylindrica* (Bloch, 1792) 圓擬鱧 Ref. 沈等。1993  
*Parapercis decemfasciata* (Franz, 1910) 十橫斑擬鱧 Ref. 沈等。1993  
*Parapercis kamoharai* Schultz, 1966 蒲原氏擬鱧 Ref. 沈等。1993  
*Parapercis macrophthalma* (Pietschmann, 1911) 大眼擬鱧 Ref. Johnson, 2006  
*Parapercis maculata* (Bloch & Schneider, 1801) 中斑擬鱧 Ref. 沈等。1993  
*Parapercis millepunctata* (Günther, 1860) 雪點擬鱧 Ref. 沈等。1993  
*Parapercis multifasciata* Döderlein, 1884 多橫斑擬鱧 Ref. 沈等。1993  
*Parapercis multiplicata* Randall, 1984 多帶擬鱧 Ref. 沈等。1993  
*Parapercis muronis* (Tanaka, 1918) 牟婁擬鱧 Ref. 沈等。1993  
*Parapercis ommatura* Jordan & Snyder, 1902 真擬鱧 Ref. 沈等。1993  
*Parapercis pacifica* Imamura & Yoshino, 2007 太平洋擬鱧 Ref. 沈等。1993  
*Parapercis pulchella* (Temminck & Schlegel, 1843) 美擬鱧 Ref. 沈等。1993  
*Parapercis schauinslandii* (Steindachner, 1900) 玫瑰擬鱧 Ref. 沈等。1993  
*Parapercis sexfasciata* (Temminck & Schlegel, 1843) 六橫斑擬鱧 Ref. 沈等。1993  
*Parapercis shaoi* Randall, 2008 邵氏擬鱧 Ref. Randall, 2008  
*Parapercis snyderi* Jordan & Starks, 1905 史氏擬鱧 Ref. 沈等。1993  
*Parapercis somaliensis* Schultz, 1968 索馬利擬鱧 Ref. 沈等。1993  
*Parapercis striolata* (Weber, 1913) 斑棘擬鱧 Ref. 沈等。1993  
*Parapercis tetracantha* (Lacepède, 1802) 四棘擬鱧 Ref. 沈等。1993  
*Parapercis xanthozona* (Bleeker, 1849) 紅帶擬鱧 Ref. 沈等。1993

### Family Plesiopidae 七夕魚科

- Acanthoplesiops hiatti* Schultz, 1953 海氏棘銀寶魚 Ref. 邵等。1992  
*Acanthoplesiops psilogaster* Hardy, 1985 滑腹棘銀寶魚 Ref. 沈等。1993  
*Assessor randalli* Allen & Kuiter, 1976 蘭氏七夕魚 Ref. 沈等。1993  
*Beliops batanensis* Smith-Vaniz & Johnson, 1990 針鰭銀寶魚 Ref. 沈等。1993  
*Belonepterygion fasciolatum* (Ogilby, 1889) 橫帶針鰭鱈 Ref. 沈等。1993  
*Callopleysiops altivelis* (Steindachner, 1903) 瑰麗七夕魚 Ref. 沈等。1993  
*Plesiops coeruleolineatus* Rüppell, 1835 黑七夕魚 Ref. 沈等。1993  
*Plesiops corallicola* Bleeker, 1853 珊瑚七夕魚 Ref. 沈等。1993  
*Plesiops nakaharai* Tanaka, 1917 七夕魚 Ref. 沈等。1993  
*Plesiops oxycephalus* Bleeker, 1855 尖頭七夕魚 Ref. FAO, 1999

*Plesiops verecundus* Mooi, 1995 羞七夕魚 Ref. Mooi, 1995

### Family Polynemidae 馬鮫科

*Eleutheronema rhadinum* (Jordan & Evermann, 1902) 四指馬鮫 Ref. 沈等。1993

*Polydactylus microstomus* (Bleeker, 1851) 小口馬鮫 Ref. 沈等。1993

*Polydactylus plebeius* (Broussonet, 1782) 五絲馬鮫 Ref. 沈等。1993

*Polydactylus sextarius* (Bloch & Schneider, 1801) 六指馬鮫 Ref. 沈等。1993

### Family Pomacanthidae 蓋刺魚科

*Apolemichthys trimaculatus* (Cuvier, 1831) 三點阿波魚 Ref. 沈等。1993

*Centropyge bicolor* (Bloch, 1787) 二色刺尻魚 Ref. 沈等。1993

*Centropyge bispinosa* (Günther, 1860) 雙棘刺尻魚 Ref. 沈等。1993

*Centropyge ferrugata* Randall & Burgess, 1972 鐵紅刺尻魚 Ref. 沈等。1993

*Centropyge fisheri* (Snyder, 1904) 費氏刺尻魚 Ref. 沈等。1993

*Centropyge heraldi* Woods & Schultz, 1953 海氏刺尻魚 Ref. 沈等。1993

*Centropyge interruptus* (Tanaka, 1918) 斷線刺尻魚 Ref. 沈等。1993

*Centropyge multifasciata* (Smith & Radcliffe, 1911) 多帶刺尻魚 Ref. Fishbase, 2002

*Centropyge nox* (Bleeker, 1853) 黑刺尻魚 Ref. 沈等。1993

*Centropyge tibicen* (Cuvier, 1831) 白斑刺尻魚 Ref. 沈等。1993

*Centropyge venusta* (Yasuda & Tominaga, 1969) 仙女刺尻魚 Ref. 沈等。1993

*Centropyge vrolikii* (Bleeker, 1853) 福氏刺尻魚 Ref. 沈等。1993

*Chaetodontoplus cephalareticulatus* Shen & Lim, 1975 網紋頭荷包魚 Ref. 沈等。1993

*Chaetodontoplus chrysocephalus* (Bleeker, 1854) 黃頭荷包魚 Ref. 沈等。1993

*Chaetodontoplus duboulayi* (Günther, 1867) 杜寶荷包魚 Ref. 沈等。1993

*Chaetodontoplus melanosoma* (Bleeker, 1853) 黑身荷包魚 Ref. 沈等。1993

*Chaetodontoplus mesoleucus* (Bloch, 1787) 中白荷包魚 Ref. Allen et al., 1998

*Chaetodontoplus personifer* (McCulloch, 1914) 單面荷包魚 Ref. 沈等。1993

*Chaetodontoplus septentrionalis* (Temminck & Schlegel, 1844) 藍帶荷包魚 Ref. 沈等。1993

*Genicanthus lamarck* (Lacepède, 1802) 頰刺魚 Ref. 沈等。1993

*Genicanthus melanospilos* (Bleeker, 1857) 黑紋頰刺魚 Ref. 沈等。1993

*Genicanthus semifasciatus* (Kamohara, 1934) 半紋背頰刺魚 Ref. 沈等。1993

*Genicanthus watanabei* (Yasuda & Tominaga, 1970) 渡邊頰刺魚 Ref. 沈等。1993

*Pomacanthus annularis* (Bloch, 1787) 環紋蓋刺魚 Ref. 沈等。1993

*Pomacanthus imperator* (Bloch, 1787) 條紋蓋刺魚 Ref. 沈等。1993

*Pomacanthus semicirculatus* (Cuvier, 1831) 疊波蓋刺魚 Ref. 沈等。1993

*Pomacanthus sexstriatus* (Cuvier, 1831) 六帶蓋刺魚 Ref. 沈等。1993

*Pomacanthus xanthometopon* (Bleeker, 1853) 黃顛蓋刺魚 Ref. Fishbase, 2006

*Pygoplites diacanthus* (Boddaert, 1772) 甲尻魚 Ref. 沈等。1993

### Family Pomacentridae 雀鯛科

*Abudefduf bengalensis* (Bloch, 1787) 孟加拉豆娘魚 Ref. 沈等。1993

*Abudefduf lorenzi* Hensley & Allen, 1977 勞倫氏豆娘魚 Ref. 沈等。1993

*Abudefduf notatus* (Day, 1870) 黃尾豆娘魚 Ref. 沈等。1993

*Abudefduf septemfasciatus* (Cuvier, 1830) 七帶豆娘魚 Ref. 沈等。1993

*Abudefduf sexfasciatus* (Lacepède, 1801) 六線豆娘魚 Ref. 沈等。1993

*Abudefduf sordidus* (Forsskål, 1775) 梭地豆娘魚 Ref. 沈等。1993

*Abudefduf vaigiensis* (Quoy & Gaimard, 1825) 條紋豆娘魚 Ref. 沈等。1993

*Amblyglyphidodon aureus* (Cuvier, 1830) 黃背寬刻齒雀鯛 Ref. 沈等。1993

*Amblyglyphidodon curacao* (Bloch, 1787) 橘鈍寬刻齒雀鯛 Ref. 沈等。1993

*Amblyglyphidodon leucogaster* (Bleeker, 1847) 白腹寬刻齒雀鯛 Ref. 沈等。1993

*Amblyglyphidodon ternatensis* (Bleeker, 1853) 綠身寬刻齒雀鯛 Ref. 沈等。1993

*Amblypomacentrus breviceps* (Schlegel & Müller, 1839) 短頭鈍雀鯛 Ref. Chen, 2004

*Amphiprion clarkii* (Bennett, 1830) 克氏海葵魚 Ref. 沈等。1993

*Amphiprion frenatus* Brevoort, 1856 白條海葵魚 Ref. 沈等。1993

*Amphiprion ocellaris* Cuvier, 1830 眼斑海葵魚 Ref. 沈等。1993

*Amphiprion perideraion* Bleeker, 1855 粉紅海葵魚 Ref. 沈等。1993

*Amphiprion polymnus* (Linnaeus, 1758) 鞍斑海葵魚 Ref. 沈等。1993

*Amphiprion sandaracinos* Allen, 1972 白背海葵魚 Ref. Fishbase, 2005

*Cheiloprion labiatus* (Day, 1877) 厚唇雀鯛 Ref. 沈等。1993

*Chromis acares* Randall & Swerdloff, 1973 侏儒光鰓雀鯛 Ref. 沈等。1993

*Chromis albomaculata* Kamohara, 1960 白斑光鰓雀鯛 Ref. Lin et al., 1994

*Chromis alleni* Randall, Ida & Moyer, 1981 亞倫氏光鰓雀鯛 Ref. 沈等。1993

*Chromis analis* (Cuvier, 1830) 黃光鰓雀鯛 Ref. 沈等。1993

*Chromis atripectoralis* Welander & Schultz, 1951 黑腋光鰓雀鯛 Ref. 沈等。1993

*Chromis atripes* Fowler & Bean, 1928 黑鰭光鰓雀鯛 Ref. 沈等。1993

*Chromis chrysurus* (Bliss, 1883) 短身光鰓雀鯛 Ref. 沈等。1993

*Chromis cinerascens* (Cuvier, 1830) 灰光鰓雀鯛 Ref. 沈等。1993

*Chromis delta* Randall, 1988 三角光鰓雀鯛 Ref. Fishbase, 2005

*Chromis elerae* Fowler & Bean, 1928 台灣光鰓雀鯛 Ref. Randall et al., 1981

*Chromis flavomaculata* Kamohara, 1960 黃斑光鰓雀鯛 Ref. 沈等。1993

*Chromis fumea* (Tanaka, 1917) 燕尾光鰓雀鯛 Ref. 沈等。1993

*Chromis lepidolepis* Bleeker, 1877 細鱗光鰓雀鯛 Ref. 沈等。1993

*Chromis margaritifer* Fowler, 1946 兩色光鰓雀鯛 Ref. 沈等。1993

*Chromis mirationis* Tanaka, 1917 橫帶光鰓雀鯛 Ref. Nakabo, 2002  
*Chromis notata* (Temminck & Schlegel, 1843) 斑鰭光鰓雀鯛 Ref. 沈等。1993  
*Chromis okamurai* Yamakawa & Randall, 1989 岡村氏光鰓雀鯛 Ref. Shao & Lin, 1991  
*Chromis onumai* Senou & Kudo, 2007 大沼氏光鰓雀鯛 Ref. Senou & Kudo, 2007  
*Chromis ovatififormis* Fowler, 1946 卵形光鰓雀鯛 Ref. 沈等。1993  
*Chromis retrofasciata* Weber, 1913 黑帶光鰓雀鯛 Ref. 沈等。1993  
*Chromis ternatensis* (Bleeker, 1856) 三葉光鰓雀鯛 Ref. 沈等。1993  
*Chromis vanderbilti* (Fowler, 1941) 凡氏光鰓雀鯛 Ref. 沈等。1993  
*Chromis viridis* (Cuvier, 1830) 藍綠光鰓雀鯛 Ref. 沈等。1993  
*Chromis weberi* Fowler & Bean, 1928 魏氏光鰓雀鯛 Ref. 沈等。1993  
*Chromis xanthochira* (Bleeker, 1851) 黃腹光鰓雀鯛 Ref. 沈等。1993  
*Chromis xanthura* (Bleeker, 1854) 黃尾光鰓雀鯛 Ref. 沈等。1993  
*Chrysiptera biocellata* (Quoy & Gaimard, 1825) 二點刻齒雀鯛 Ref. 沈等。1993  
*Chrysiptera brownriggii* (Bennett, 1828) 雙白帶刻齒雀鯛 Ref. 沈等。1993  
*Chrysiptera cyanea* (Quoy & Gaimard, 1825) 藍刻齒雀鯛 Ref. 沈等。1993  
*Chrysiptera glauca* (Cuvier, 1830) 灰刻齒雀鯛 Ref. 沈等。1993  
*Chrysiptera rex* (Snyder, 1909) 雷克斯刻齒雀鯛 Ref. 沈等。1993  
*Chrysiptera starcki* (Allen, 1973) 史氏刻齒雀鯛 Ref. 沈等。1993  
*Chrysiptera unimaculata* (Cuvier, 1830) 無斑刻齒雀鯛 Ref. 沈等。1993  
*Dascyllus aruanus* (Linnaeus, 1758) 三帶圓雀鯛 Ref. 沈等。1993  
*Dascyllus melanurus* Bleeker, 1854 黑尾圓雀鯛 Ref. 沈等。1993  
*Dascyllus reticulatus* (Richardson, 1846) 網紋圓雀鯛 Ref. 沈等。1993  
*Dascyllus trimaculatus* (Rüppell, 1829) 三班圓雀鯛 Ref. 沈等。1993  
*Dischistodus melanotus* (Bleeker, 1858) 黑斑盤雀鯛 Ref. Fishbase, 2005  
*Dischistodus prosopotaenia* (Bleeker, 1852) 黑背盤雀鯛 Ref. 沈等。1993  
*Hemiglyphidodon plagiometopon* (Bleeker, 1852) 密鰓雀鯛 Ref. Fishbase, 2005  
*Neoglyphidodon melas* (Cuvier, 1830) 黑副雀鯛 Ref. 沈等。1993  
*Neoglyphidodon nigroris* (Cuvier, 1830) 黑褐副雀鯛 Ref. 沈等。1993  
*Neopomacentrus azyrson* (Bleeker, 1877) 黃尾新雀鯛 Ref. 沈等。1993  
*Neopomacentrus taeniurus* (Bleeker, 1856) 條尾新雀鯛 Ref. 沈等。1993  
*Plectroglyphidodon dickii* (Liénard, 1839) 迪克氏固齒雀鯛 Ref. 沈等。1993  
*Plectroglyphidodon imparipennis* (Vaillant & Sauvage, 1875) 明眸固齒雀鯛 Ref. 沈等。1993  
*Plectroglyphidodon johnstonianus* Fowler & Ball, 1924 約翰島固齒雀鯛 Ref. 沈等。1993  
*Plectroglyphidodon lacrymatus* (Quoy & Gaimard, 1825) 珠點固齒雀鯛 Ref. 沈等。1993  
*Plectroglyphidodon leucozonus* (Bleeker, 1859) 白帶固齒雀鯛 Ref. 沈等。1993  
*Plectroglyphidodon phoenixensis* (Schultz, 1943) 鳳凰固齒雀鯛 Ref. 沈等。1993  
*Pomacentrus albimaculus* Allen, 1975 白斑雀鯛 Ref. Fishbase, 2005  
*Pomacentrus amboinensis* Bleeker, 1868 安邦雀鯛 Ref. 沈等。1993  
*Pomacentrus bankanensis* Bleeker, 1853 斑卡雀鯛 Ref. 沈等。1993  
*Pomacentrus brachialis* Cuvier, 1830 腋斑雀鯛 Ref. Fishbase, 2005  
*Pomacentrus chrysurus* Cuvier, 1830 白尾雀鯛 Ref. 沈等。1993  
*Pomacentrus coelestis* Jordan & Starks, 1901 霓虹雀鯛 Ref. 沈等。1993  
*Pomacentrus grammarhynchus* Fowler, 1918 藍點雀鯛 Ref. 沈等。1993  
*Pomacentrus lepidogenys* Fowler & Bean, 1928 頰鱗雀鯛 Ref. 沈等。1993  
*Pomacentrus moluccensis* Bleeker, 1853 摩鹿加雀鯛 Ref. 沈等。1993  
*Pomacentrus nagasakiensis* Tanaka, 1917 長崎雀鯛 Ref. 沈等。1993  
*Pomacentrus nigromarginatus* Allen, 1973 黑鰭緣雀鯛 Ref. 沈等。1993  
*Pomacentrus pavo* (Bloch, 1787) 青玉雀鯛 Ref. 沈等。1993  
*Pomacentrus philippinus* Evermann & Seale, 1907 菲律賓雀鯛 Ref. 沈等。1993  
*Pomacentrus stigma* Fowler & Bean, 1928 泰布拉雀鯛 Ref. 沈等。1993  
*Pomacentrus taeniometopon* Bleeker, 1852 弓紋雀鯛 Ref. Fishbase, 2005  
*Pomacentrus tripunctatus* Cuvier, 1830 三班雀鯛 Ref. 沈等。1993  
*Pomacentrus vaiuli* Jordan & Seale, 1906 王子雀鯛 Ref. 沈等。1993  
*Pomachromis richardsoni* (Snyder, 1909) 李氏波光雀鯛 Ref. 沈等。1993  
*Pristotis obtusirostris* (Günther, 1862) 海灣鋸齒雀鯛 Ref. Randall et al., 1997  
*Stegastes albifasciatus* (Schlegel & Müller, 1839) 白帶高身雀鯛 Ref. 沈等。1993  
*Stegastes altus* (Okada & Ikeda, 1937) 羽高身雀鯛 Ref. 沈等。1993  
*Stegastes apicalis* (De Vis, 1885) 尖高身雀鯛 Ref. 沈等。1993  
*Stegastes aureus* (Fowler, 1927) 黃高身雀鯛 Ref. 沈等。1993  
*Stegastes fasciolatus* (Ogilby, 1889) 藍紋高身雀鯛 Ref. 沈等。1993  
*Stegastes insularis* Allen & Emery, 1985 島嶼高身雀鯛 Ref. 沈等。1993  
*Stegastes lividus* (Bloch & Schneider, 1801) 鈍頭高身雀鯛 Ref. Shao et al., 1992  
*Stegastes nigricans* (Lacepède, 1802) 黑高身雀鯛 Ref. 沈等。1993  
*Stegastes obreptus* (Whitley, 1948) 斑棘高身雀鯛 Ref. Fishbase, 2005  
*Teixeirichthys jordani* (Rutter, 1897) 喬丹氏細鱗雀 Ref. 沈等。1993

#### Family Pomatomidae 扁鰹科

*Pomatomus saltatrix* (Linnaeus, 1766) 扁鰹 Ref. 沈等。1993

#### Family Priacanthidae 大眼鯛科

*Cookeolus japonicus* (Cuvier, 1829) 日本大眼鯛 Ref. 沈等。1993  
*Heteropriacanthus cruentatus* (Lacepède, 1801) 血斑異大眼鯛 Ref. 沈等。1993  
*Priacanthus hamrur* (Forsskål, 1775) 寶石大眼鯛 Ref. 沈等。1993

*Priacanthus macracanthus* Cuvier, 1829 大眼鯛 Ref. 沈等。1993  
*Priacanthus sagittarius* Starnes, 1988 高背大眼鯛 Ref. 沈等。1993  
*Priacanthus tayenus* Richardson, 1846 曳絲大眼鯛 Ref. 沈等。1993  
*Pristigenys meyeri* (Günther, 1872) 麥氏大鱗大眼鯛 Ref. 沈等。1993  
*Pristigenys nipponia* (Cuvier, 1829) 大鱗大眼鯛 Ref. 沈等。1993

#### Family Pseudochromidae 准雀鯛科

*Amsichthys knighti* (Allen, 1987) 奈氏擬鮨 Ref. 沈等。1993  
*Congrogadus subducens* (Richardson, 1843) 鰻鯛 Ref. Winterbottom, 1985  
*Labracinus cyclophthalmus* (Müller & Troschel, 1849) 環眼准雀鯛 Ref. 沈等。1993  
*Labracinus lineatus* (Castelnau, 1875) 線紋准雀鯛 Ref. 沈等。1993  
*Pictichromis porphyreus* Lubbock & Goldman, 1974 紫准雀鯛 Ref. 沈等。1993  
*Pseudochromis cyanotaenia* Bleeker, 1857 藍帶准雀鯛 Ref. 沈等。1993  
*Pseudochromis diadema* (Lubbock & Randall, 1978) 紫背准雀鯛 Ref. FAO, 1999  
*Pseudochromis fuscus* Müller & Troschel, 1849 褐准雀鯛 Ref. 沈等。1993  
*Pseudochromis luteus* Aoyagi, 1943 紅准雀鯛 Ref. 邵等。1992  
*Pseudochromis marshallensis* Schultz, 1953 馬歇爾准雀鯛 Ref. Fishbase, 2006  
*Pseudochromis striatus* Gill, Shao & Chen, 1995 條紋准雀鯛 Ref. Nakabo, 2002  
*Pseudochromis tapeinosoma* Bleeker, 1853 狹身准雀鯛 Ref. 沈等。1993

#### Family Ptereleotridae 凹尾塘鱧科

*Nemateleotris decora* Randall & Allen, 1973 華麗線塘鱧 Ref. 沈等。1993  
*Nemateleotris magnifica* Fowler, 1938 絲鰭線塘鱧 Ref. 沈等。1993  
*Parioglossus dotui* Tomiyama, 1958 尾斑舌塘鱧 Ref. 沈等。1993  
*Parioglossus formosus* (Smith, 1931) 台灣舌塘鱧 Ref. 沈等。1993  
*Parioglossus taeniatus* Regan, 1912 帶狀舌塘鱧 Ref. 沈等。1993  
*Ptereleotris evides* (Jordan & Hubbs, 1925) 瑰麗凹尾塘鱧 Ref. 沈等。1993  
*Ptereleotris hanae* (Jordan & Snyder, 1901) 絲尾凹尾塘鱧 Ref. 沈等。1993  
*Ptereleotris heteroptera* (Bleeker, 1855) 青凹尾塘鱧 Ref. 沈等。1993  
*Ptereleotris microlepis* (Bleeker, 1856) 細鱗凹尾塘鱧 Ref. 沈等。1993  
*Ptereleotris monoptera* Randall & Hoese, 1985 單鰭凹尾塘鱧 Ref. 沈等。1993  
*Ptereleotris zebra* (Fowler, 1938) 斑馬凹尾塘鱧 Ref. 沈等。1993

#### Family Rachycentridae 海鱸科

*Rachycentron canadum* (Linnaeus, 1766) 海鱸 Ref. 沈等。1993

#### Family Rhyacichthyidae 溪鱧科

*Rhyacichthys aspro* (Kuhl & van Hasselth, 1837) 溪鱧 Ref. 沈等。1993

#### Family Scaridae 鸚哥魚科

*Bolbometopon muricatum* (Valenciennes, 1840) 隆頭鸚哥魚 Ref. 沈等。1993  
*Calotomus carolinus* (Valenciennes, 1840) 卡羅鸚哥魚 Ref. 沈等。1993  
*Calotomus japonicus* (Valenciennes, 1840) 日本鸚哥魚 Ref. 沈等。1993  
*Calotomus spinidens* (Quoy & Gaimard, 1824) 台灣鸚哥魚 Ref. 沈等。1993  
*Cetoscarus bicolor* (Rüppell, 1829) 青鸚哥魚 Ref. 沈等。1993  
*Chlorurus bowersi* (Snyder, 1909) 鮑氏鸚哥魚 Ref. 沈等。1993  
*Chlorurus frontalis* Valenciennes, 1839 凹尾鸚哥魚 Ref. 沈等。1993  
*Chlorurus japonensis* (Bloch, 1789) 日本鸚哥魚 Ref. 沈等。1993  
*Chlorurus microrhinos* (Bleeker, 1854) 小鼻鸚哥魚 Ref. 沈等。1993  
*Chlorurus oedema* (Snyder, 1909) 疣鸚哥魚 Ref. 沈等。1993  
*Chlorurus sordidus* (Forsskål, 1775) 白斑鸚哥魚 Ref. 沈等。1993  
*Hipposcarus longiceps* (Valenciennes, 1840) 長吻鸚哥魚 Ref. 沈等。1993  
*Leptoscarus vaigiensis* (Quoy & Gaimard, 1824) 纖鸚哥魚 Ref. 沈等。1993  
*Scarus atropectoralis* Schultz, 1958 紅鸚哥魚 Ref. 沈等。1993  
*Scarus chameleon* Choat & Randall, 1986 藍臀鸚哥魚 Ref. 沈等。1993  
*Scarus dimidiatus* Bleeker, 1859 新月鸚哥魚 Ref. 沈等。1993  
*Scarus festivus* Valenciennes, 1840 橫紋鸚哥魚 Ref. 沈等。1993  
*Scarus forsteni* (Bleeker, 1861) 福氏鸚哥魚 Ref. 沈等。1993  
*Scarus frenatus* Lacepède, 1802 黃鸚哥魚 Ref. 沈等。1993  
*Scarus fuscocaudalis* Randall & Mayer, 2000 灰尾鸚哥魚 Ref. Fishbase, 2006  
*Scarus ghobban* Forsskål, 1775 藍點鸚哥魚 Ref. 沈等。1993  
*Scarus globiceps* Valenciennes, 1840 蟲紋鸚哥魚 Ref. 沈等。1993  
*Scarus hypselopterus* Bleeker, 1853 爪哇鸚哥魚 Ref. 沈等。1993  
*Scarus niger* Forsskål, 1775 頸斑鸚哥魚 Ref. 沈等。1993  
*Scarus oviceps* Valenciennes, 1840 姬鸚哥魚 Ref. 沈等。1993  
*Scarus ovifrons* Temminck & Schlegel, 1846 卵頭鸚哥魚 Ref. 沈等。1993  
*Scarus prasiognathos* Valenciennes, 1840 綠頰鸚哥魚 Ref. 沈等。1993  
*Scarus psittacus* Forsskål, 1775 棕吻鸚哥魚 Ref. 沈等。1993  
*Scarus quoyi* Valenciennes, 1840 瓜氏鸚哥魚 Ref. Fishbase, 2006  
*Scarus rivulatus* Valenciennes, 1840 雜紋鸚哥魚 Ref. 沈等。1993  
*Scarus rubroviolaceus* Bleeker, 1847 紅紫鸚哥魚 Ref. 沈等。1993  
*Scarus schlegeli* (Bleeker, 1861) 史氏鸚哥魚 Ref. 沈等。1993  
*Scarus spinus* (Kner, 1868) 刺鸚哥魚 Ref. 沈等。1993  
*Scarus xanthopleura* Bleeker, 1853 黃肋鸚哥魚 Ref. 沈等。1993

### Family Scatophagidae 金錢魚科

*Scatophagus argus* (Linnaeus, 1766) 金錢魚 Ref. 沈等。1993

### Family Schindleriidae 辛氏魚科

*Schindleria pietschmanni* (Schindler, 1931) 等鰭辛氏魚 Ref. Leu et al., 1999

*Schindleria praematura* (Schindler, 1930) 早熟辛氏魚 Ref. 沈等。1993

### Family Sciaenidae 石首魚科

*Argyrosomus japonicus* (Temminck & Schlegel, 1843) 日本銀身鰺 Ref. 沈等。1993

*Atrubucca nibe* (Jordan & Thompson, 1911) 黑鰺 Ref. 沈等。1993

*Chrysochir aureus* (Richardson, 1846) 黃金鰺 Ref. 沈等。1993

*Collichthys lucidus* (Richardson, 1844) 棘頭梅童魚 Ref. 沈等。1993

*Johnius amblycephalus* (Bleeker, 1855) 鈍頭叫姑魚 Ref. 沈等。1993

*Johnius belangerii* (Cuvier, 1830) 皮氏叫姑魚 Ref. 沈等。1993

*Johnius distinctus* (Tanaka, 1916) 鱗鰭叫姑魚 Ref. 沈等。1993

*Johnius dussumieri* (Cuvier, 1830) 道氏叫姑魚 Ref. 沈等。1993

*Johnius grypotus* (Richardson, 1846) 叫姑魚 Ref. Fishbase, 2006

*Johnius macrorhynchus* (Mohan, 1976) 大鼻孔叫姑魚 Ref. 沈等。1993

*Larimichthys crocea* (Richardson, 1846) 大黃魚 Ref. 沈等。1993

*Larimichthys polyactis* (Bleeker, 1877) 小黃魚 Ref. 沈等。1993

*Miichthys miiuy* (Basilewsky, 1855) 鮠魚 Ref. 沈等。1993

*Nibea albiflora* (Richardson, 1846) 黃姑魚 Ref. 沈等。1993

*Nibea semifasciata* Chu, Lo & Wu, 1963 半斑黃姑魚 Ref. 沈等。1993

*Otolithes ruber* (Bloch & Schneider, 1801) 紅牙鰺 Ref. 沈等。1993

*Pennahia anea* (Bloch, 1793) 截尾白姑魚 Ref. 沈等。1993

*Pennahia argentata* (Houttuyn, 1782) 白姑魚 Ref. 沈等。1993

*Pennahia macrocephalus* (Tang, 1937) 大頭白姑魚 Ref. 沈等。1993

*Pennahia pawak* (Lin, 1940) 斑鰭白姑魚 Ref. 沈等。1993

*Protonibea diacanthus* (Lacepède, 1802) 雙棘原始黃姑魚 Ref. 沈等。1993

*Sciaenops ocellatus* (Linnaeus, 1766) 眼斑石首魚 Ref. ASIZP uncat. (SW coast).

### Family Scombridae 鯖科

*Acanthocybium solandri* (Cuvier, 1832) 棘鰹 Ref. 沈等。1993

*Auxis rochei rochei* (Risso, 1810) 圓花鰹 Ref. 沈等。1993

*Auxis thazard thazard* (Lacepède, 1800) 扁花鰹 Ref. 沈等。1993

*Euthynnus affinis* (Cantor, 1849) 巴鰹 Ref. 沈等。1993

*Grammatorcynus bilineatus* (Rüppell, 1836) 大眼雙線鯖 Ref. Collette & Nauen, 1983

*Gymnosarda unicolor* (Rüppell, 1836) 裸鰹 Ref. 沈等。1993

*Katsuwonus pelamis* (Linnaeus, 1758) 正鰹 Ref. 沈等。1993

*Rastrelliger faughni* Matsui, 1967 富氏金帶花鯖 Ref. 沈等。1993

*Rastrelliger kanagurta* (Cuvier, 1816) 金帶花鯖 Ref. 沈等。1993

*Sarda orientalis* (Temminck & Schlegel, 1844) 齒鰹 Ref. 沈等。1993

*Scomber australasicus* Cuvier, 1832 花腹鯖 Ref. 沈等。1993

*Scomber japonicus* Houttuyn, 1782 白腹鯖 Ref. 沈等。1993

*Scomberomorus commerson* (Lacepède, 1800) 鰹 Ref. 沈等。1993

*Scomberomorus guttatus* (Bloch & Schneider, 1801) 台灣馬加鰹 Ref. 沈等。1993

*Scomberomorus koreanus* (Kishinouye, 1915) 高麗馬加鰹 Ref. 沈等。1993

*Scomberomorus niphonius* (Cuvier, 1832) 日本馬加鰹 Ref. 沈等。1993

*Scomberomorus sinensis* (Lacepède, 1800) 中華鰹 Ref. 沈等。1993

*Thunnus alalunga* (Bonnaterre, 1788) 長鰭鮪 Ref. 沈等。1993

*Thunnus albacares* (Bonnaterre, 1788) 黃鰭鮪 Ref. 沈等。1993

*Thunnus obesus* (Lowe, 1839) 短鰭鮪 Ref. 沈等。1993

*Thunnus orientalis* (Temminck and Schlegel, 1844) 東方藍鰭鮪 Ref. 沈等。1993

*Thunnus tonggol* (Bleeker, 1851) 小黃鰭鮪 Ref. 沈等。1993

### Family Scombropidae 鮫科

*Scombrops boops* (Houttuyn, 1782) 牛尾鮫 Ref. 沈等。1993

### Family Serranidae 鮭科

*Aethaloperca rogae* (Forsskål, 1775) 煙鱸 Ref. 沈等。1993

*Anyperodon leucogrammicus* (Valenciennes, 1828) 白線光頰鮭 Ref. 沈等。1993

*Aulacocephalus temminckii* Bleeker, 1854 琉璃紫鱸 Ref. 沈等。1993

*Belonoperca chabanaudi* Fowler & Bean, 1930 鱖 Ref. 沈等。1993

*Caprodon schlegelii* (Günther, 1859) 異臂花鮭 Ref. 沈等。1993

*Cephalopholis argus* Bloch & Schneider, 1801 斑點九刺鮭 Ref. 沈等。1993

*Cephalopholis aurantia* (Valenciennes, 1828) 紅點九刺鮭 Ref. 沈等。1993

*Cephalopholis boenak* (Bloch, 1790) 橫紋九刺鮭 Ref. 沈等。1993

*Cephalopholis formosa* (Shaw & Nodder, 1812) 台灣九刺鮭 Ref. 沈等。1993

*Cephalopholis igarashiensis* Katayama, 1957 五十九刺鮭 Ref. 沈等。1993

*Cephalopholis leopardus* (Lacepède, 1801) 豹紋九刺鮭 Ref. Randall et al., 1990

*Cephalopholis miniata* (Forsskål, 1775) 青星九刺鮭 Ref. 沈等。1993

*Cephalopholis sexmaculata* (Rüppell, 1830) 六斑九刺鮭 Ref. 沈等。1993

*Cephalopholis sonnerati* (Valenciennes, 1828) 宋氏九刺鮭 Ref. 沈等。1993

*Cephalopholis spiloparaea* (Valenciennes, 1828) 黑緣九刺鮭 Ref. 沈等。1993

*Cephalopholis urodeta* (Forster, 1801) 尾紋九刺鮨 Ref. 沈等。1993  
*Chelidoperca hirundinacea* (Valenciennes, 1831) 小花鱸 Ref. 沈等。1993  
*Chelidoperca pleurospilus* (Günther, 1880) 黑點小花鱸 Ref. 沈等。1993  
*Cromileptes altivelis* (Valenciennes, 1828) 駝背鱸 Ref. 沈等。1993  
*Diploprion bifasciatum* Cuvier, 1828 雙帶鱸 Ref. 沈等。1993  
*Epinephelus akaara* (Temminck & Schlegel, 1842) 赤點石斑魚 Ref. 沈等。1993  
*Epinephelus amblycephalus* (Bleeker, 1857) 鑲點石斑魚 Ref. 沈等。1993  
*Epinephelus areolatus* (Forsskål, 1775) 寶石斑魚 Ref. 沈等。1993  
*Epinephelus awoara* (Temminck & Schlegel, 1842) 青石斑魚 Ref. 沈等。1993  
*Epinephelus bleekeri* (Vaillant, 1878) 布氏石斑魚 Ref. 沈等。1993  
*Epinephelus bontoides* (Bleeker, 1855) 點列石斑魚 Ref. 沈等。1993  
*Epinephelus bruneus* Bloch, 1793 褐石斑魚 Ref. 沈等。1993  
*Epinephelus chlorostigma* (Valenciennes, 1828) 密點石斑魚 Ref. 沈等。1993  
*Epinephelus coeruleopunctatus* (Bloch, 1790) 藍點石斑魚 Ref. 沈等。1993  
*Epinephelus coioides* (Hamilton, 1822) 點帶石斑魚 Ref. 沈等。1993  
*Epinephelus corallicola* (Valenciennes, 1828) 黑駁石斑魚 Ref. 沈等。1993  
*Epinephelus cyanopodus* (Richardson, 1846) 細點石斑魚 Ref. 沈等。1993  
*Epinephelus epistictus* (Temminck & Schlegel, 1842) 小紋石斑魚 Ref. 沈等。1993  
*Epinephelus fasciatomaculosus* (Peters, 1865) 擬青石斑魚 Ref. 沈等。1993  
*Epinephelus fasciatus* (Forsskål, 1775) 赤石斑魚 Ref. 沈等。1993  
*Epinephelus flavocaeruleus* (Forsskål, 1775) 黃鱸石斑魚 Ref. 陳。2004  
*Epinephelus fuscoguttatus* (Forsskål, 1775) 棕點石斑魚 Ref. Randall et al., 1990  
*Epinephelus hexagonatus* (Forster, 1801) 六角石斑魚 Ref. 沈等。1993  
*Epinephelus lanceolatus* (Bloch, 1790) 鞍帶石斑魚 Ref. Shao & Kuo, 1999  
*Epinephelus latifasciatus* (Temminck & Schlegel, 1842) 寬帶石斑魚 Ref. 沈等。1993  
*Epinephelus macrospilos* (Bleeker, 1855) 大斑石斑魚 Ref. Randall & Heemstra, 1991.  
*Epinephelus maculatus* (Bloch, 1790) 花點石斑魚 Ref. 沈等。1993  
*Epinephelus malabaricus* (Bloch & Schneider, 1801) 瑪拉巴石斑魚 Ref. 沈等。1993  
*Epinephelus melanostigma* Schultz, 1953 黑點石斑魚 Ref. 沈等。1993  
*Epinephelus merra* Bloch, 1793 網紋石斑魚 Ref. 沈等。1993  
*Epinephelus morrhua* (Valenciennes, 1833) 吊橋石斑魚 Ref. 沈等。1993  
*Epinephelus octofasciatus* Griffin, 1926 間帶石斑魚 Ref. 沈等。1993  
*Epinephelus ongus* (Bloch, 1790) 絞波石斑魚 Ref. Randall et al., 1990  
*Epinephelus poecilnotus* (Temminck & Schlegel, 1842) 琉璃石斑魚 Ref. 沈等。1993  
*Epinephelus polyphkadion* (Bleeker, 1849) 清水石斑魚 Ref. Randall et al., 1990  
*Epinephelus quoyanus* (Valenciennes, 1830) 玳瑁石斑魚 Ref. 沈等。1993  
*Epinephelus radiatus* (Day, 1868) 雲紋石斑魚 Ref. 沈等。1993  
*Epinephelus retouti* Bleeker, 1868 雷拖氏石斑魚 Ref. 沈等。1993  
*Epinephelus rivulatus* (Valenciennes, 1830) 霜點石斑魚 Ref. 沈等。1993  
*Epinephelus septemfasciatus* (Thunberg, 1793) 七帶石斑魚 Ref. Nakabo, 2002  
*Epinephelus spilotoceps* Schultz, 1953 吻斑石斑魚 Ref. FAO, 1999  
*Epinephelus stictus* Randall & Allen, 1987 南海石斑魚 Ref. FAO, 1999  
*Epinephelus tauvina* (Forsskål, 1775) 鱸滑石斑魚 Ref. 沈等。1993  
*Epinephelus trimaculatus* (Valenciennes, 1828) 三斑石斑魚 Ref. 沈等。1993  
*Epinephelus tukula* Morgans, 1959 藍身大斑石斑魚 Ref. 沈等。1993  
*Epinephelus undulosus* (Quoy & Gaimard, 1824) 波紋石斑魚 Ref. 沈等。1993  
*Gigantias immaculatus* Katayama, 1954 巨棘花鱸 Ref. 沈等。1993  
*Gracila albomarginata* (Fowler & Bean, 1930) 織齒鱸 Ref. 沈等。1993  
*Grammistes sexlineatus* (Thunberg, 1792) 六線黑鱸 Ref. 沈等。1993  
*Liopropoma aragai* Randall & Taylor, 1988 荒賀氏長鱸 Ref. 沈等。1993  
*Liopropoma dorsoluteum* Kon, Yoshino & Sakurai, 1999 雙色長鱸 Ref. 陳。2004  
*Liopropoma erythraeum* Randall & Taylor, 1988 黑緣長鱸 Ref. Randall & Taylor, 1988  
*Liopropoma japonicum* (Döderlein, 1883) 日本長鱸 Ref. 沈等。1993  
*Liopropoma latifasciatum* (Tanaka, 1922) 縱帶長鱸 Ref. 沈等。1993  
*Liopropoma pallidum* (Fowler, 1938) 蒼白長鱸 Ref. ASIZP0063372 (Ping-tong).  
*Liopropoma susumi* (Jordan & Seale, 1906) 條紋長鱸 Ref. 沈等。1993  
*Niphon spinosus* Cuvier, 1828 東方鱸 Ref. 沈等。1993  
*Odontanthias borbonius* (Valenciennes, 1828) 花斑金花鱸 Ref. 沈等。1993  
*Odontanthias chrysostictus* (Günther, 1872) 金帶金花鱸 Ref. 沈等。1993  
*Odontanthias rhodopeplus* (Günther, 1871) 紅衣金花鱸 Ref. 沈等。1993  
*Odontanthias unimaculatus* (Tanaka, 1917) 單斑金花鱸 Ref. 沈等。1993  
*Plectranthias helena* Randall, 1980 海倫棘花鱸 Ref. 沈等。1993  
*Plectranthias japonicus* (Steindachner, 1883) 日本棘花鱸 Ref. 沈等。1993  
*Plectranthias kamii* Randall, 1980 黃吻棘花鱸 Ref. Chen & Shao, 2002  
*Plectranthias kelloggi* (Jordan & Evermann, 1903) 凱氏棘花鱸 Ref. 沈等。1993  
*Plectranthias longimanus* (Weber, 1913) 長臂棘花鱸 Ref. 沈等。1993  
*Plectranthias nanus* Randall, 1980 短棘花鱸 Ref. 沈等。1993  
*Plectranthias randalli* Fourmanoir & Rivaton, 1980 蘭道氏棘花鱸 Ref. Lin et al., 1994  
*Plectranthias sheni* Chen & Shao, 2002 沈氏棘花鱸 [特有] Ref. Chen & Shao, 2002  
*Plectranthias wheeleri* Randall, 1980 威氏棘花鱸 Ref. 沈等。1993  
*Plectranthias whiteheadi* Randall, 1980 懷特氏棘花鱸 Ref. 沈等。1993  
*Plectranthias yamakawai* Yoshino, 1972 山川氏棘花鱸 Ref. 沈等。1993

*Plectropomus areolatus* (Rüppell, 1830) 藍點刺鯧 Ref. Heemstra & Randall, 1993  
*Plectropomus laevis* (Lacepède, 1801) 橫斑刺鯧 Ref. 沈等。1993  
*Plectropomus leopardus* (Lacepède, 1802) 花斑刺鯧 Ref. 沈等。1993  
*Pogonoperca punctata* (Valenciennes, 1830) 斑點鬚鯧 Ref. 沈等。1993  
*Pseudanthias bicolor* (Randall, 1979) 雙色擬花鱸 Ref. Randall et al., 1990  
*Pseudanthias cooperi* (Regan, 1902) 庫伯氏擬花鱸 Ref. 同前  
*Pseudanthias elongatus* (Franz, 1910) 長擬花鱸 Ref. 沈等。1993  
*Pseudanthias engelhardi* (Allen & Starck, 1982) 恩氏擬花鱸 Ref. Deep diving (on video).  
*Pseudanthias fasciatus* (Kamohara, 1954) 條紋擬花鱸 Ref. 沈等。1993  
*Pseudanthias hypselosoma* Bleeker, 1878 高體擬花鱸 Ref. 沈等。1993  
*Pseudanthias luzonensis* (Katayama & Masuda, 1983) 呂宋擬花鱸 Ref. 沈等。1993  
*Pseudanthias pascualis* (Jordan & Tanaka, 1927) 厚唇擬花鱸 Ref. 沈等。1993  
*Pseudanthias pleurotaenia* (Bleeker, 1857) 側帶擬花鱸 Ref. 沈等。1993  
*Pseudanthias rubrizonatus* (Randall, 1983) 紅帶擬花鱸 Ref. 沈等。1993  
*Pseudanthias squamipinnis* (Peters, 1855) 金擬花鱸 Ref. 沈等。1993  
*Pseudanthias thompsoni* (Fowler, 1923) 湯氏擬花鱸 Ref. NMMBP 3288 (Ping-tong).  
*Pseudanthias tuka* (Herre & Montalban, 1927) 靜擬花鱸 Ref. Randall et al., 1990  
*Pseudogramma polyacanthum* (Bleeker, 1856) 多棘擬線鱸 Ref. Nakabo, 2002  
*Sacura margaritacea* (Hilgendorf, 1879) 珠斑花鱸 Ref. 沈等。1993  
*Saloptia powelli* Smith, 1964 褒氏貧鱸 Ref. 沈等。1993  
*Selenanthias analis* Tanaka, 1918 臀斑月花鱸 Ref. 沈等。1993  
*Serranocirrhites latus* Watanabe, 1949 寬身花鱸 Ref. 沈等。1993  
*Tosana niwae* Smith & Pope, 1906 姬花鱸 Ref. 沈等。1993  
*Triso dermatopterus* (Temminck & Schlegel, 1842) 鳶鱸 Ref. 沈等。1993  
*Variola albimarginata* Baissac, 1953 白緣星鱸 Ref. 沈等。1993  
*Variola louti* (Forsskål, 1775) 星鱸 Ref. 沈等。1993

### Family Siganidae 籃子魚科

*Siganus argenteus* (Quoy & Gaimard, 1825) 銀籃子魚 Ref. 沈等。1993  
*Siganus canaliculatus* (Park, 1797) 長鰭籃子魚 Ref. 沈等。1993  
*Siganus fuscescens* (Houttuyn, 1782) 褐籃子魚 Ref. 沈等。1993  
*Siganus guttatus* (Bloch, 1787) 點籃子魚 Ref. 沈等。1993  
*Siganus javus* (Linnaeus, 1766) 爪哇籃子魚 Ref. 沈等。1993  
*Siganus puellus* (Schlegel, 1852) 眼帶籃子魚 Ref. 沈等。1993  
*Siganus punctatissimus* Fowler & Bean, 1929 暗體籃子魚 Ref. 沈等。1993  
*Siganus punctatus* (Schneider, 1801) 斑籃子魚 Ref. 沈等。1993  
*Siganus spinus* (Linnaeus, 1758) 黑籃子魚 Ref. 沈等。1993  
*Siganus unimaculatus* (Evermann & Seale, 1907) 單斑籃子魚 Ref. 沈等。1993  
*Siganus vermiculatus* (Valenciennes, 1835) 蠕紋籃子魚 Ref. Nakabo, 2002  
*Siganus virgatus* (Valenciennes, 1835) 藍帶籃子魚 Ref. 沈等。1993

### Family Sillaginidae 沙鯪科

*Sillago aeolus* Jordan & Evermann, 1902 星沙鯪 Ref. 沈等。1993  
*Sillago asiatica* McKay, 1982 亞洲沙鯪 Ref. 沈等。1993  
*Sillago chondropus* Bleeker, 1849 大指沙鯪 Ref. 沈等。1993  
*Sillago ingenuua* McKay, 1985 灣沙鯪 Ref. 沈等。1993  
*Sillago japonica* Temminck & Schlegel, 1843 青沙鯪 Ref. 沈等。1993  
*Sillago microps* McKay, 1985 小眼沙鯪 [特有] Ref. 沈等。1993  
*Sillago parvisquamis* Gill, 1861 小鱗沙鯪 Ref. 沈等。1993  
*Sillago sihama* (Forsskål, 1775) 沙鯪 Ref. 沈等。1993

### Family Sparidae 鯛科

*Acanthopagrus australis* (Günther, 1859) 澳洲黑鯛 Ref. 沈等。1993  
*Acanthopagrus berda* (Forsskål, 1775) 灰鰭鯛 Ref. 沈等。1993  
*Acanthopagrus latus* (Houttuyn, 1782) 黃鰭鯛 Ref. 沈等。1993  
*Acanthopagrus schlegelii* (Bleeker, 1854) 黑鯛 Ref. 沈等。1993  
*Acanthopagrus taiwanensis* Iwatsuki & Carpenter, 2006 台灣黑鯛 Ref. 陳。2004  
*Argyrops bleekeri* Oshima, 1927 小長棘鯛 Ref. 沈等。1993  
*Argyrops spinifer* (Forsskål, 1775) 長棘鯛 Ref. 沈等。1993  
*Chrysophrys auratus* (Forster, 1801) 金鯛 Ref. Paulin, 1990  
*Dentex abei* Iwatsuki, Akazaki & Taniguchi, 2007 阿部赤鯨 Ref. Iwatsuki et al., 2007  
*Dentex tumifrons* (Temminck & Schlegel, 1843) 赤鯨 Ref. 沈等。1993  
*Evynnis cardinalis* (Lacepède, 1802) 飯鯛 Ref. 沈等。1993  
*Pagrus major* (Temminck & Schlegel, 1843) 嘉鱸魚 Ref. 沈等。1993  
*Rhabdosargus sarba* (Forsskål, 1775) 黃錫鯛 Ref. 沈等。1993

### Family Sphyraenidae 金梭魚科

*Sphyraena acutipinnis* Day, 1876 尖鰭金梭魚 Ref. 沈等。1993  
*Sphyraena barracuda* (Walbaum, 1792) 巴拉金梭魚 Ref. 沈等。1993  
*Sphyraena flavicauda* Rüppell, 1838 黃尾金梭魚 Ref. 沈等。1993  
*Sphyraena forsteri* Cuvier, 1829 大眼金梭魚 Ref. 沈等。1993  
*Sphyraena japonica* Cuvier, 1829 日本金梭魚 Ref. 沈等。1993  
*Sphyraena jello* Cuvier, 1829 竹針魚 Ref. 沈等。1993  
*Sphyraena putnamae* Jordan & Seale, 1905 布氏金梭魚 Ref. 沈等。1993

*Sphyraena qenie* Klunzinger, 1870 暗鰭金梭魚 Ref. 沈等。1993

### Family Stromateidae 鯧科

*Pampus argenteus* (Euphrasen, 1788) 銀鯧 Ref. 沈等。1993

*Pampus chinensis* (Euphrasen, 1788) 中國鯧 Ref. 沈等。1993

*Pampus cinereus* (Bloch, 1795) 灰鯧 Ref. 沈等。1993

*Pampus echinogaster* (Basilewsky, 1855) 燕尾鯧 Ref. Chen, 2004

### Family Symphysanodontidae 癒齒鯛科

*Symphysanodon katayamai* Anderson, 1970 片山氏癒齒鯛 Ref. 沈等。1993

*Symphysanodon typus* Bleeker, 1878 癒齒鯛 Ref. NMMBP 3375 (Ping-tong).

### Family Terapontidae 鰺科

*Mesopristes argenteus* (Cuvier, 1829) 銀島鰺 Ref. 陳及方。1999

*Mesopristes cancellatus* (Cuvier, 1829) 格紋島鰺 Ref. 沈等。1993

*Pelates quadrilineatus* (Bloch, 1790) 四線列牙鰺 Ref. 沈等。1993

*Pelates sexlineatus* (Quoy & Gaimard, 1824) 六線列牙鰺 Ref. Fishbase, 2006

*Terapon jarbua* (Forsskål, 1775) 花身鰺 Ref. 沈等。1993

*Terapon theraps* (Cuvier, 1829) 條紋鰺 Ref. 沈等。1993

### Family Trichiuridae 帶魚科

*Benthodesmus tenuis* (Günther, 1877) 叉尾深海帶魚 Ref. Fishbase, 2005

*Evoxymetopon poeyi* Günther, 1887 卜氏深海帶魚 Ref. 沈等。1993

*Evoxymetopon taeniatus* Gill, 1863 深海帶魚 Ref. 沈等。1993

*Tentoriceps cristatus* (Klunzinger, 1884) 隆頭帶魚 Ref. 沈等。1993

*Trichiurus brevis* Wang & You, 1992 短帶魚 Ref. Hsu et al., 2007

*Trichiurus japonicus* Temminck & Schlegel, 1844 日本帶魚 Ref. Lee et al., 1977

*Trichiurus lepturus* Linnaeus, 1758 白帶魚 Ref. 沈等。1993

*Trichiurus nanhaiensis* Wang & Xu, 1992 南海帶魚 Ref. Kwok & Ni, 2000

### Family Trichonotidae 絲鰭鱧科

*Trichonotus setiger* Bloch & Schneider, 1801 絲鰭鱧 Ref. 沈等。1993

### Family Tripterygiidae 三鰭鰺科

*Ceratobregma helenae* Holleman, 1987 額角三鰭鰺 Ref. Fricke, 1994

*Enneapterygius bahasa* Fricke, 1997 馬來雙線鰺 Ref. Fricke, 1997

*Enneapterygius cheni* Wang, Shao & Shen, 1996 陳氏雙線鰺 [特有] Ref. Wang et al., 1996

*Enneapterygius etheostoma* (Jordan & Snyder, 1902) 篩口雙線鰺 Ref. 沈等。1993

*Enneapterygius fasciatus* (Weber, 1909) 條紋雙線鰺 Ref. Fricke, 1997

*Enneapterygius flavoccipitis* Shen, 1994 黃頸雙線鰺 Ref. Shen, 1994

*Enneapterygius fuscoventer* Fricke, 1997 黑腹雙線鰺 Ref. Fricke, 1997

*Enneapterygius minutus* (Günther, 1877) 小雙線鰺 Ref. 沈等。1993

*Enneapterygius nanus* (Schultz, 1960) 矮雙線鰺 Ref. 沈等。1993

*Enneapterygius nigricauda* Fricke, 1997 黑尾雙線鰺 Ref. Fricke, 1997

*Enneapterygius pallidoserialis* Fricke, 1997 淡白斑雙線鰺 Ref. Fricke, 1997

*Enneapterygius philippinus* (Peters, 1868) 菲律賓雙線鰺 Ref. Fricke, 1997

*Enneapterygius rhabdotus* Fricke, 1994 棒狀雙線鰺 Ref. Fricke, 1997

*Enneapterygius rubicauda* Shen, 1994 紅尾雙線鰺 Ref. Shen, 1994

*Enneapterygius shaoi* Chiang & Chen, 2008 邵氏雙線鰺 [特有] Ref. Chiang, 2008

*Enneapterygius sheni* Chiang & Chen, 2008 沈氏雙線鰺 [特有] Ref. Chiang, 2008

*Enneapterygius tutuilae* Jordan & Seale, 1906 隆背雙線鰺 Ref. Fricke, 1997

*Enneapterygius unimaculatus* Fricke, 1994 單斑雙線鰺 Ref. Fricke, 1997

*Enneapterygius vexillarius* Fowler, 1946 黑鞍斑雙線鰺 Ref. 沈等。1993

*Helcogramma chica* Rosenblatt, 1960 小冠彎線鰺 Ref. Hansen, 1986

*Helcogramma fuscipectoris* (Fowler, 1946) 四紋彎線鰺 Ref. Fricke, 1997

*Helcogramma fuscopinna* Holleman, 1982 黑鰭彎線鰺 Ref. Holleman, 1982

*Helcogramma habena* Williams & McCormick, 1990 線頭彎線鰺 Ref. 沈等。1993

*Helcogramma inclinata* (Fowler, 1946) 三角彎線鰺 Ref. Fricke, 1997

*Helcogramma obtusirostre* (Klunzinger, 1871) 鈍吻彎線鰺 Ref. 沈等。1993

*Helcogramma striata* Hansen, 1986 縱帶彎線鰺 Ref. 沈等。1993

*Norfolkia brachylepis* (Schultz, 1960) 短鱗諾福克三鰭鰺 Ref. Chen, 2004

*Springerichthys bapturnus* (Jordan & Snyder, 1903) 黑尾史氏三鰭鰺 Ref. Fricke, 1994

### Family Uranoscopidae 瞻星魚科

*Ichthyoscopus lebeck* (Bloch & Schneider, 1801) 披肩瞻星魚 Ref. 沈等。1993

*Uranoscopus bicinctus* Temminck & Schlegel, 1843 雙斑瞻星魚 Ref. 沈等。1993

*Uranoscopus chinensis* Guichenot, 1882 中華瞻星魚 Ref. 沈等。1993

*Uranoscopus japonicus* Houttuyn, 1782 日本瞻星魚 Ref. 沈等。1993

*Uranoscopus oligolepis* Bleeker, 1878 寡鱗瞻星魚 Ref. 沈等。1993

*Uranoscopus tosae* (Jordan & Hubbs, 1925) 土佐瞻星魚 Ref. 沈等。1993

*Xenocephalus elongatus* (Temminck & Schlegel, 1843) 青瞻星魚 Ref. 沈等。1993

### Family Xenisthmidae 扁頭鰕虎科

*Xenisthmus polyzonatus* (Klunzinger, 1871) 多帶奇鰕虎 Ref. 沈等。1993

### Family Xiphiidae 劍旗魚科

*Xiphias gladius* Linnaeus, 1758 劍旗魚 Ref. 沈等。1993

### Family Zanclidae 角蝶魚科

*Zanclus cornutus* (Linnaeus, 1758) 角鎌魚 Ref. 沈等。1993

### Family Zoarcidae 綿鰩科

*Bothrocara brunneum* (Bean, 1890) 褐長孔綿鰩 Ref. Fishbase, 2006

## Order Pleuronectiformes 鰈形目

### Family Bothidae 鮚科

- Arnoglossus japonicus* Hubbs, 1915 日本羊舌鮚 Ref. 沈等。1993  
*Arnoglossus macrolophus* Alcock, 1889 長冠羊舌鮚 Ref. 沈等。1993  
*Arnoglossus polyspilus* (Günther, 1880) 南洋羊舌鮚 Ref. 沈等。1993  
*Arnoglossus tapeinosoma* (Bleeker, 1865) 長鱗羊舌鮚 Ref. 沈等。1993  
*Arnoglossus tenuis* Günther, 1880 細羊舌鮚 Ref. 沈等。1993  
*Asterorhombus fijiensis* (Norman, 1931) 斐濟星羊舌鮚 Ref. Lin et al., 1995  
*Asterorhombus intermedius* (Bleeker, 1865) 間星羊舌鮚 Ref. 同前  
*Bothus mancus* (Broussonet, 1782) 蒙鮚 Ref. 沈等。1993  
*Bothus myriaster* (Temminck & Schlegel, 1846) 繁星鮚 Ref. 沈等。1993  
*Bothus pantherinus* (Rüppell, 1830) 豹紋鮚 Ref. 沈等。1993  
*Chascanopsetta lugubris* Alcock, 1894 大口長頰鮚 Ref. 沈等。1993  
*Crossorhombus azureus* (Alcock, 1889) 青縷鮚 Ref. 李及王。1995  
*Crossorhombus howensis* Hensley & Randall, 1993 霍文縷鮚 Ref. FAO, 2001  
*Crossorhombus kanekonis* (Tanaka, 1918) 雙帶縷鮚 Ref. 沈等。1993  
*Crossorhombus kobensis* (Jordan & Starks, 1906) 高本縷鮚 Ref. 沈等。1993  
*Engyprosopon grandisquama* (Temminck & Schlegel, 1846) 大鱗短額鮚 Ref. 沈等。1993  
*Engyprosopon macroptera* Amaoka, 1963 長鱗短額鮚 Ref. 李及王。1995  
*Engyprosopon maldivensis* (Regan, 1908) 馬爾地夫短額鮚 Ref. 沈等。1993  
*Engyprosopon multisquama* Amaoka, 1963 多鱗短額鮚 Ref. 沈等。1993  
*Grammatobothus kremphi* Chabanaud, 1929 克氏雙線鮚 Ref. 沈等。1993  
*Japonolaeops dentatus* Amaoka, 1969 日本左鮚 Ref. 沈等。1993  
*Kamoharaiia megastoma* (Kamohara, 1936) 鱷口鮚 Ref. 沈等。1993  
*Laeops kitaharae* (Smith & Pope, 1906) 北原氏左鮚 Ref. 沈等。1993  
*Laeops parviceps* Günther, 1880 小左鮚 Ref. 沈等。1993  
*Laeops tungkongensis* Chen & Weng, 1965 東港左鮚 Ref. 沈等。1993  
*Neolaeops microphthalmus* (von Bonde, 1922) 小眼新左鮚 Ref. 沈等。1993  
*Parabothus kiensis* (Tanaka, 1918) 少鱗擬鮚 Ref. 沈等。1993  
*Parabothus taiwanensis* Amaoka & Shen, 1993 台灣擬鮚 Ref. 沈等。1993  
*Psettina gigantea* Amaoka, 1963 長鎌鮚 Ref. 沈等。1993  
*Psettina ijimae* (Jordan & Starks, 1904) 鎌鮚 Ref. 沈等。1993  
*Psettina tosana* Amaoka, 1963 土佐鎌鮚 Ref. 沈等。1993

### Family Citharidae 棘鮚科

- Citharoides macrolepidotus* Hubbs, 1915 擬棘鮚 Ref. FRIP03094 (South China Sea)  
*Lepidoblepharon ophthalmolepis* Weber, 1913 鱗眼鮚 Ref. 沈等。1993

### Family Cynoglossidae 舌鰨科

- Cynoglossus abbreviatus* (Gray, 1834) 短舌鰨 Ref. 沈等。1993  
*Cynoglossus arel* (Bloch & Schneider, 1801) 大鱗舌鰨 Ref. 沈等。1993  
*Cynoglossus bilineatus* (Lacepède, 1802) 雙線舌鰨 Ref. 沈等。1993  
*Cynoglossus gracilis* Günther, 1873 窄體舌鰨 Ref. 沈等。1993  
*Cynoglossus interruptus* Günther, 1880 斷線舌鰨 Ref. 沈等。1993  
*Cynoglossus itinus* (Snyder, 1909) 單孔舌鰨 Ref. 沈等。1993  
*Cynoglossus joyneri* Günther, 1878 焦氏舌鰨 Ref. 沈等。1993  
*Cynoglossus kopsii* (Bleeker, 1851) 格氏舌鰨 Ref. 沈等。1993  
*Cynoglossus lida* (Bleeker, 1851) 利達舌鰨 Ref. 沈等。1993  
*Cynoglossus nigropinnatus* Ochiai, 1963 黑鱗舌鰨 Ref. FAO, 2001  
*Cynoglossus puncticeps* (Richardson, 1846) 斑頭舌鰨 Ref. 沈等。1993  
*Cynoglossus robustus* Günther, 1873 粗體舌鰨 Ref. 沈等。1993  
*Cynoglossus suyeni* Fowler, 1934 書顏舌鰨 Ref. 沈等。1993  
*Paraplagusia bilineata* (Bloch, 1787) 鬚鰨 Ref. 沈等。1993  
*Paraplagusia blochii* (Bleeker, 1851) 布氏鬚鰨 Ref. 沈等。1993  
*Paraplagusia guttata* (Macleay, 1878) 固塔鬚鰨 Ref. 沈等。1993  
*Paraplagusia japonica* (Temminck & Schlegel, 1846) 日本鬚鰨 Ref. 沈等。1993  
*Symphurus bathyspilus* Krabbenhoft & Munroe, 2003 深淵無線鰨 Ref. ASIZP0067656 and more.  
*Symphurus hondoensis* Hubbs, 1915 本渡無線鰨 Ref. ASIZP0066822 and more.  
*Symphurus orientalis* (Bleeker, 1879) 東方無線鰨 Ref. 沈等。1993  
*Symphurus strictus* (Hubbs, 1915) 多線無線鰨 Ref. 沈等。1993

### Family Paralichthyidae 牙鮚科

- Pseudorhombus arsius* (Hamilton, 1822) 大齒斑鮚 Ref. 沈等。1993  
*Pseudorhombus cinnamoneus* (Temminck & Schlegel, 1846) 檸檬斑鮚 Ref. 沈等。1993  
*Pseudorhombus ctenosquamis* (Oshima, 1927) 櫛鱗斑鮚 [特有] Ref. 李及王。1995  
*Pseudorhombus dupliciocellatus* Regan, 1905 重點斑鮚 Ref. 沈等。1993

*Pseudorhombus elevatus* Ogilby, 1912 高體斑鯃 Ref. 沈等。1993  
*Pseudorhombus levisquamis* (Oshima, 1927) 滑鱗斑鯃 Ref. 沈等。1993  
*Pseudorhombus neglectus* Bleeker, 1865 南海斑鯃 Ref. 沈等。1993  
*Pseudorhombus oligodon* (Bleeker, 1854) 少牙斑鯃 Ref. 沈等。1993  
*Pseudorhombus pentophthalmus* Günther, 1862 五眼斑鯃 Ref. 沈等。1993  
*Pseudorhombus quinqueocellatus* Weber & de Beaufort, 1929 五目斑鯃 Ref. 沈等。1993  
*Tarphops oligolepis* (Bleeker, 1858-59) 大鱗鯃 Ref. 沈等。1993  
*Tephrinectes sinensis* (Lacepède, 1802) 花鯃 Ref. 沈等。1993

#### Family Pleuronectidae 鰈科

*Eopsetta grigorjewi* (Herzenstein, 1890) 格氏蟲鰈 Ref. 沈等。1993  
*Pleuronichthys cornutus* (Temminck & Schlegel, 1846) 木葉鰈 Ref. 沈等。1993

#### Family Poecilopsettidae 瓦鰈科

*Poecilopsetta natalensis* Norman, 1931 奈脫瓦鰈 Ref. 沈等。1993  
*Poecilopsetta plinthus* (Jordan & Starks, 1904) 瓦鰈 Ref. 沈等。1993  
*Poecilopsetta praelonga* Alcock, 1894 長吻瓦鰈 Ref. 沈等。1993

#### Family Psettodidae 鱸科

*Psettodes erumei* (Bloch & Schneider, 1801) 大口鱸 Ref. 沈等。1993

#### Family Samaridae 冠鰈科

*Plagiopsetta glossa* Franz, 1910 斜頰鰈 Ref. 沈等。1993  
*Samaris cristatus* Gray, 1831 冠鰈 Ref. 沈等。1993  
*Samariscus latus* Matsubara & Takamuki, 1951 滿月沙鰈 Ref. 沈等。1993  
*Samariscus longimanus* Normon, 1927 長臂沙鰈 Ref. Fishbase, 2005  
*Samariscus triocellatus* Woods, 1966 三斑沙鰈 Ref. Randall et al., 1990

#### Family Soleidae 鰻科

*Aesopia cornuta* Kaup, 1858 角鰻沙 Ref. 沈等。1993  
*Aseraggodes cheni* Randall & Senou, 2007 陳氏櫛鱗鰻沙 Ref. Randall & Senou, 2007  
*Aseraggodes kaianus* (Günther, 1880) 開因櫛鱗鰻沙 Ref. 沈等。1993  
*Aseraggodes kobensis* (Steindachner, 1896) 可勃櫛鱗鰻沙 Ref. 沈等。1993  
*Aseraggodes orientalis* Randall & Senou, 2007 東方櫛鱗鰻沙 Ref. Randall & Senou, 2007  
*Brachirus annularis* Fowler, 1934 雲斑筍鰻 Ref. 沈等。1993  
*Brachirus orientalis* (Bloch & Schneider, 1801) 筍鰻 Ref. 沈等。1993  
*Heteromycteris matsubarai* Ochiai, 1963 松原氏鈎嘴鰻 Ref. 李及王。1995  
*Liachirus melanospilus* (Bleeker, 1854) 黑斑圓鱗鰻沙 Ref. 沈等。1993  
*Parachirus xenicus* Matsubara & Ochiai, 1963 擬鰻 Ref. 沈等。1993  
*Pardachirus pavoninus* (Lacepède, 1802) 豹鰻 Ref. 沈等。1993  
*Pseudaesopia japonica* (Bleeker, 1860) 日本條鰻 Ref. 沈等。1993  
*Solea ovata* Richardson, 1846 卵鰻 Ref. 沈等。1993  
*Soleichthys heterorhinos* (Bleeker, 1856) 異吻鰻沙 Ref. 沈等。1993  
*Synaptura marginata* Boulenger, 1900 黑緣筍鰻 Ref. FAO, 2001  
*Zebrias crossolepis* Cheng & Chang, 1965 縷鱗條鰻 Ref. 沈等。1993  
*Zebrias quagga* Kaup, 1858 格條鰻 Ref. 沈等。1993  
*Zebrias zebra* (Bloch, 1787) 條鰻 Ref. 沈等。1993

### Order Polymixiiformes 銀眼鯛目

#### Family Polymixiidae 銀眼鯛科

*Polymixia berndti* Gilbert, 1905 貝氏銀眼鯛 Ref. 沈等。1993  
*Polymixia japonica* Günther, 1877 銀眼鯛 Ref. 沈等。1993  
*Polymixia longispina* Deng, Xiong & Zhan, 1983 長棘銀眼鯛 Ref. ASIZP0063688 (Ping-tong).

### Order Salmoniformes 鮭形目

#### Family Salmonidae 鮭科

*Oncorhynchus masou formosanus* (Jordan & Oshima, 1919) 台灣櫻花鈎吻鮭 [特有] Ref. 沈等。1993  
*Oncorhynchus mykiss* (Walbaum, 1792) 麥奇鈎吻鱒 Ref. 沈等。1993

### Order Scorpaeniformes 鮨形目

#### Family Agonidae 八角魚科

*Percis matsuii* Matsubara, 1936 松原隆背八角魚 Ref. ASIZP0057206 (NE coast) and more

#### Family Aploactinidae 絨皮鮨科

*Aploactis aspera* (Richardson, 1845) 絨皮鮨 Ref. 沈等。1993  
*Erisphex pottii* (Steindachner, 1896) 絨鮨 Ref. 沈等。1993  
*Erisphex simplex* Chen, 1981 平滑絨鮨 [特有] Ref. 沈等。1993  
*Paraploactis kagoshimensis* (Ishikawa, 1904) 鹿兒島副絨皮鮨 Ref. 沈等。1993

#### Family Bembridae 赤鮨科

*Bembras japonica* (Cuvier, 1829) 赤鮨 Ref. 沈等。1993  
*Parabembras curtus* (Temminck & Schlegel, 1843) 短鮨 Ref. 沈等。1993

#### Family Caracanthidae 頰棘鮨科

*Caracanthus maculatus* (Gray, 1831) 斑點頰棘鮨 Ref. 沈等。1993  
*Caracanthus unipinna* (Gray, 1831) 單鰭頰棘鮨 Ref. 沈等。1993

### Family Cottidae 杜父魚科

*Stlengis misakia* (Jordan et Starks, 1904) 單側粗鱗鮠 Ref. ASIZP0067353 (E coast) and more

### Family Dactylopteridae 飛角魚科

*Dactyloptena gilberti* Snyder, 1909 吉氏豹魴鮠 Ref. 沈等。1993  
*Dactyloptena orientalis* (Cuvier, 1829) 東方豹魴鮠 Ref. 沈等。1993  
*Dactyloptena peterseni* (Nyström, 1887) 皮氏豹魴鮠 Ref. 沈等。1993

### Family Ereuniidae 冰魚科

*Ereunias grallator* Jordan & Snyder, 1901 冰魚 Ref. ASIZP0063795 (SW coast) and more.  
*Marukawichthys ambulator* Sakamoto, 1931 游走丸川冰魚 Ref. ASIZP0064602 (NE coast) and more

### Family Hoplichthyidae 針鮠科

*Hoplichthys fasciatus* Matsubara, 1937 橫帶針鮠 Ref. 沈等。1993  
*Hoplichthys gilberti* Jordan & Richardson, 1908 吉氏針鮠 Ref. 沈等。1993  
*Hoplichthys langsdorfii* (Cuvier, 1829) 郎氏針鮠 Ref. 沈等。1993  
*Hoplichthys regani* Jordan & Richardson, 1908 雷根氏針鮠 Ref. 沈等。1993

### Family Peristediidae 黃魴鮠科

*Gargariscus prionocephalus* (Duméril, 1869) 波面黃魴鮠 Ref. 沈等。1993  
*Peristedion liorhynchus* Günther, 1872 光吻黃魴鮠 Ref. 沈等。1993  
*Peristedion nierstraszi* Weber, 1913 黑帶黃魴鮠 Ref. 沈等。1993  
*Peristedion orientale* Temminck & Schlegel, 1843 東方黃魴鮠 Ref. 沈等。1993  
*Satyrichthys amicus* (Jordan & Starks, 1904) 鬚平面黃魴鮠 Ref. 沈等。1993  
*Satyrichthys isokawae* Yatou et Okamura, 1985 三鬚平面黃魴鮠 Ref. Fishbase, 2006  
*Satyrichthys piercei* Fowler, 1938 皮氏紅魴鮠 Ref. Fowler, 1938  
*Satyrichthys rieffeli* (Kaup, 1859) 平面黃魴鮠 Ref. 沈等。1993  
*Satyrichthys welchi* (Herre, 1925) 魏氏平面黃魴鮠 Ref. 沈等。1993

### Family Platycephalidae 牛尾魚科

*Cociella crocodila* (Tilesius, 1812) 正鱧鮠 Ref. 沈等。1993  
*Cymbacephalus beauforti* (Knapp, 1973) 博氏孔牛尾魚 Ref. Myers, 1991  
*Gammoplites scaber* (Linnaeus, 1758) 橫帶棘線牛尾魚 Ref. 沈等。1993  
*Inegocia guttata* (Cuvier, 1829) 眼眶牛尾魚 Ref. 沈等。1993  
*Inegocia japonica* (Tilesius, 1812) 日本眼眶牛尾魚 Ref. 沈等。1993  
*Kumococius rodericensis* (Cuvier, 1829) 凹鱗牛尾魚 Ref. 沈等。1993  
*Onigocia macrolepis* (Bleeker, 1854) 大鱗牛尾魚 Ref. 沈等。1993  
*Onigocia spinosa* (Temminck & Schlegel, 1844) 棘鱗牛尾魚 Ref. 沈等。1993  
*Platycephalus indicus* (Linnaeus, 1758) 印度牛尾魚 Ref. 沈等。1993  
*Ratabulus megacephalus* (Tanaka, 1917) 犬齒牛尾魚 Ref. 沈等。1993  
*Rogadius asper* (Cuvier, 1829) 松葉倒棘牛尾魚 Ref. 沈等。1993  
*Rogadius patriciae* Knapp, 1987 帕氏倒棘牛尾魚 Ref. 沈等。1993  
*Sorsogona tuberculata* (Cuvier, 1829) 突粒眼眶牛尾魚 Ref. 沈等。1993  
*Suggrundus macracanthus* (Bleeker, 1869) 大棘大眼牛尾魚 Ref. 沈等。1993  
*Suggrundus meerdervoortii* (Bleeker, 1860) 大眼牛尾魚 Ref. 沈等。1993  
*Sunagocia arenicola* (Schultz, 1966) 沙地縫牛尾魚 Ref. 沈等。1993  
*Sunagocia otaitensis* (Cuvier, 1829) 乳瓣縫牛尾魚 Ref. 沈等。1993  
*Thysanophrys celebica* (Bleeker, 1854) 西里伯多棘牛尾魚 Ref. 沈等。1993  
*Thysanophrys chiltonae* Schultz, 1966 窄眼眶多棘牛尾魚 Ref. 沈等。1993  
*Thysanophrys longirostris* (Shao & Chen, 1987) 長吻多棘牛尾魚 Ref. 沈等。1993

### Family Psychrolutidae 隱棘杜父魚科

*Psychrolutes inermis* (Vaillant, 1888) 光滑隱棘杜父魚 Ref. ASIZP0060836 (Ta-shi) and more.  
*Psychrolutes phrictus* Stein et Bond, 1978 變色隱棘杜父魚 Ref. ASIZP0061274 (Ta-shi).

### Family Scorpaenidae 魴鮠科

*Ablabys macracanthus* (Bleeker, 1852) 長棘長絨魴 Ref. 沈等。1993  
*Ablabys taenianotus* (Cuvier, 1829) 背帶長絨魴 Ref. 沈等。1993  
*Apistus carinatus* (Bloch & Schneider, 1801) 稜鬚囊魴 Ref. 沈等。1993  
*Brachypterois serrulata* (Richardson, 1846) 鋸稜短棘囊魴 Ref. 沈等。1993  
*Choridactylus multibarbus* Richardson, 1848 多鬚多指魴 Ref. Fishbase, 2008  
*Dendrochirus bellus* (Jordan & Hubbs, 1925) 赤斑多臂囊魴 Ref. 沈等。1993  
*Dendrochirus biocellatus* (Fowler, 1938) 雙眼斑多臂囊魴 Ref. 沈等。1993  
*Dendrochirus zebra* (Cuvier, 1829) 斑馬紋多臂囊魴 Ref. 沈等。1993  
*Ebosia bleekeri* (Döderlein, 1884) 布氏子囊魴 Ref. 沈等。1993  
*Ectreposebastes imus* Garman, 1899 深海魴 Ref. 沈等。1993  
*Erosa erosa* (Langsdorf, 1829) 達摩毒魴 Ref. 沈等。1993  
*Helicolenus hilgendorffii* (Döderlein, 1884) 無鰭魴 Ref. 沈等。1993  
*Hoplosebastes armatus* Schmidt, 1929 棘魴 Ref. 沈等。1993  
*Idiastion pacificum* Ishida & Amaoka, 1992 太平洋小隱棘魴 Ref. Ishida & Amaoka, 1992  
*Inimicus didactylus* (Pallas, 1769) 雙指鬼魴 Ref. 沈等。1993  
*Inimicus japonicus* (Cuvier, 1829) 日本鬼魴 Ref. 沈等。1993  
*Inimicus sinensis* (Valenciennes, 1833) 中華鬼魴 Ref. 沈等。1993  
*Iracundus signifer* Jordan & Evermann, 1903 斑點紅魴 Ref. 沈等。1993  
*Minous coccineus* Alcock, 1890 橙色虎魴 Ref. 沈等。1993

*Minous monodactylus* (Bloch & Schneider, 1801) 單指虎魷 Ref. 沈等。1993  
*Minous pictus* Günther, 1880 斑翅虎魷 Ref. 沈等。1993  
*Minous pusillus* Temminck & Schlegel, 1843 細鰭虎魷 Ref. 沈等。1993  
*Minous quincarinatus* (Fowler, 1943) 五脊虎魷 Ref. 沈等。1993  
*Minous trachycephalus* (Bleeker, 1854) 粗首虎魷 Ref. 沈等。1993  
*Neomerinthe amplisquamiceps* (Fowler, 1938) 寬鱗頭新棘魷 Ref. Gloerfelt-Tarp & Kailola, 1984  
*Neomerinthe megalepis* (Fowler, 1938) 大鱗新棘魷 Ref. 沈等。1993  
*Neomerinthe procurva* Chen, 1981 曲背新棘魷 Ref. 沈等。1993  
*Neomerinthe rotunda* Chen, 1981 鈍吻新棘魷 Ref. 沈等。1993  
*Neosebastes entaxis* Jordan & Starks, 1904 新石狗公 Ref. 沈等。1993  
*Ocosia fasciata* Matsubara, 1943 條紋裸絨魷 Ref. 沈等。1993  
*Ocosia spinosa* Chen, 1981 棘裸絨魷 [特有] Ref. 沈等。1993  
*Ocosia vespa* Jordan & Starks, 1904 裸線魷 Ref. Fishbase, 2008  
*Paracentropogon longispinis* (Cuvier, 1829) 長棘擬鱗魷 Ref. 同前  
*Parapterois heterura* (Bleeker, 1856) 異尾擬簞魷 Ref. 沈等。1993  
*Parascorpaena maculipinnis* Smith, 1957 背斑圓鱗魷 Ref. Fishbase, 2005  
*Parascorpaena mcadamsi* (Fowler, 1938) 斑鰭圓鱗魷 Ref. 沈等。1993  
*Parascorpaena mossambica* (Peters, 1855) 莫三鼻克圓鱗魷 Ref. 沈等。1993  
*Parascorpaena picta* (Cuvier, 1829) 圓鱗魷 Ref. 沈等。1993  
*Phenacoscorpius megalops* Fowler, 1938 大眼魷 Ref. 沈等。1993  
*Plectrogenium nanum* Gilbert, 1905 平額魷 Ref. 沈等。1993  
*Pontinus macrocephalus* (Sauvage, 1882) 巨首觸角魷 Ref. 陳。2003  
*Pontinus tentacularis* (Fowler, 1938) 觸手魷 Ref. 沈等。1993  
*Pteroidichthys amboinensis* Bleeker, 1856 安朋狹簞魷 Ref. 沈等。1993  
*Pterois antennata* (Bloch, 1787) 觸角簞魷 Ref. 沈等。1993  
*Pterois lunulata* Temminck & Schlegel, 1843 龍鬚簞魷 Ref. 沈等。1993  
*Pterois radiata* Cuvier, 1829 軸紋簞魷 Ref. 沈等。1993  
*Pterois russelii* Bennett, 1831 羅素氏簞魷 Ref. 沈等。1993  
*Pterois volitans* (Linnaeus, 1758) 魔鬼簞魷 Ref. 沈等。1993  
*Rhinopias aphanes* Eschmeyer, 1973 縷瓣吻魷 Ref. 陳。2003  
*Rhinopias frondosa* (Günther, 1892) 前鰭吻魷 Ref. 沈等。1993  
*Scorpaena hatizyoensis* Matsubara, 1843 冠棘魷 Ref. 吳。2002  
*Scorpaena izensis* Jordan & Starks, 1904 伊豆魷 Ref. 沈等。1993  
*Scorpaena miostoma* Günther, 1877 小口魷 Ref. 沈等。1993  
*Scorpaena neglecta* Temminck & Schlegel, 1843 斑鰭魷 Ref. 沈等。1993  
*Scorpaena onaria* Jordan & Snyder, 1900 斑點魷 Ref. 沈等。1993  
*Scorpaena pepo* Motomura, Poss & Shao, 2005 南瓜魷 [特有] Ref. Motomura, Poss & Shao, 2005  
*Scorpaenodes guamensis* (Quoy & Gaimard, 1824) 關島小魷 Ref. 沈等。1993  
*Scorpaenodes hirsutus* (Smith, 1957) 鬚小魷 Ref. 沈等。1993  
*Scorpaenodes kelloggi* (Jenkins, 1903) 克氏小魷 Ref. 沈等。1993  
*Scorpaenodes littoralis* (Tanaka, 1917) 淺海小魷 Ref. 沈等。1993  
*Scorpaenodes minor* (Smith, 1958) 正小魷 Ref. 沈等。1993  
*Scorpaenodes parvipinnis* (Garrett, 1864) 短翅小魷 Ref. 沈等。1993  
*Scorpaenodes scaber* (Ramsay & Ogilby, 1886) 長棘小魷 Ref. Fishbase, 2005  
*Scorpaenodes varipinnis* Smith, 1957 花翅小魷 Ref. 沈等。1993  
*Scorpaenopsis cirrosa* (Thunberg, 1793) 鬼石狗公 Ref. 沈等。1993  
*Scorpaenopsis cotticeps* Fowler, 1938 杜父石狗公 Ref. ASIZP0061966  
*Scorpaenopsis diabolus* (Cuvier, 1829) 駝背石狗公 Ref. 沈等。1993  
*Scorpaenopsis neglecta* Heckel, 1837 斑鰭石狗公 Ref. 陳。1969  
*Scorpaenopsis oxycephalus* (Bleeker, 1849) 尖頭石狗公 Ref. 陳。2004  
*Scorpaenopsis possi* Randall & Eschmeyer, 2002 博氏石狗公 Ref. Randall & Eschmeyer, 2002  
*Scorpaenopsis ramaraoi* Randall & Eschmeyer, 2002 雷氏石狗公 Ref. 同前  
*Scorpaenopsis venosa* (Cuvier, 1829) 枕嶺石狗公 Ref. Fishbase, 2005  
*Sebastapistes cyanostigma* (Bleeker, 1856) 兩色鱗頭魷 Ref. 沈等。1993  
*Sebastapistes strongia* (Cuvier, 1829) 眉鬚鱗頭魷 Ref. Chen, 1981  
*Sebastapistes tinkhami* (Fowler, 1946) 廷氏鱗頭魷 Ref. Fishbase, 2005  
*Sebastiscus albofasciatus* (Lacepède, 1802) 白條紋石狗公 Ref. 沈等。1993  
*Sebastiscus marmoratus* (Cuvier, 1829) 石狗公 Ref. 沈等。1993  
*Sebastiscus tertius* (Barsukov & Chen, 1978) 三色石狗公 Ref. 沈等。1993  
*Setarches longimanus* (Alcock & McGrichrist, 1894) 囊頭魷 Ref. 沈等。1993  
*Snyderina yamanokami* Jordan & Starks, 1901 史氏魷 Ref. 沈等。1993  
*Synanceia verrucosa* Bloch & Schneider, 1801 腫瘤毒魷 Ref. 沈等。1993  
*Taenianotus triacanthus* Lacepède, 1802 三棘高身魷 Ref. 沈等。1993  
*Thysanichthys crossotus* Jordan & Starks, 1904 皮鬚魷 Ref. 沈等。1993

### Family Triglidae 角魚科

*Chelidonichthys ischyryus* Jordan & Thompson, 1914 大頭黑角魚 Ref. Fishbase, 2006  
*Chelidonichthys kumu* (Cuvier, 1829) 黑角魚 Ref. 沈等。1993  
*Chelidonichthys spinosus* (McClelland, 1844) 棘黑角魚 Ref. 陳。2003  
*Lepidotrigla abyssalis* Jordan & Starks, 1904 深海角魚 Ref. 沈等。1993  
*Lepidotrigla alata* (Houttuyn, 1782) 紅雙角魚 Ref. 沈等。1993  
*Lepidotrigla guentheri* Hilgendorf, 1879 貢氏角魚 Ref. 沈等。1993

*Lepidotrigla hime* (Bleeker, 1857) 姬角魚 Ref. 吳。2002  
*Lepidotrigla japonica* Matsubara et Hiyama, 1932 日本角魚 Ref. 沈等。1993  
*Lepidotrigla kanagashira* Kamohara, 1936 尖鰭角魚 Ref. 吳。2002  
*Lepidotrigla kishinouyei* Snyder, 1911 岸上氏角魚 Ref. 沈等。1993  
*Lepidotrigla oolina* Fowler, 1938 大眼紅娘魚 Ref. Fowler, 1938  
*Lepidotrigla punctipectoralis* Fowler, 1938 臂斑角魚 Ref. 沈等。1993  
*Pterygotrigla hemisticta* (Temminck & Schlegel, 1842) 尖棘角魚 Ref. 沈等。1993  
*Pterygotrigla macrorhynchus* Kamohara, 1936 長吻棘角魚 Ref. 沈等。1993  
*Pterygotrigla multiocellata* (Matsubara, 1937) 多斑棘角魚 Ref. 沈等。1993  
*Pterygotrigla ryukyuensis* Matsubara & Hiyama, 1932 琉球棘角魚 Ref. 沈等。1993

## Order Siluriformes 鯰形目

### Family Amblycipitidae 鮰科

*Liobagrus formosanus* Regan, 1908 台灣鮰 [特有] Ref. 沈等。1993  
*Liobagrus nantoensis* Oshima, 1919 南投鮰 [特有] Ref. Oshima, 1919

### Family Ariidae 海鯰科

*Arius arius* (Hamilton, 1822) 鎌海鯰 Ref. Jordan & Evermann., 1902  
*Arius maculatus* (Thunberg, 1792) 斑海鯰 Ref. 沈等。1993  
*Netuma thalassinus* (Rüppell, 1837) 大頭多齒海鯰 Ref. 沈等。1993  
*Plicofollis nella* (Valenciennes, 1840) 內爾海鯰 Ref. 沈等。1993  
*Plicofollis polystaphylodon* Bleeker, 1846 莫桑比克海鯰 Ref. ASIZP0058255

### Family Bagridae 鮠科

*Pseudobagrus adiposalis* Oshima, 1919 脂鮠 Ref. 沈等。1993  
*Pseudobagrus brevianalis brevianalis* Regan, 1908 短臂鮠 [特有] Ref. 陳及方。1999  
*Pseudobagrus brevianalis taiwanensis* Oshima, 1919 台灣鮠 [特有] Ref. 陳及方。1999

### Family Clariidae 塘虱魚科

*Clarias batrachus* (Linnaeus, 1758) 鱧鰱鯰 Ref. USNM00192937 and more.  
*Clarias fuscus* (Lacepède, 1803) 鬍子鯰 Ref. 沈等。1993

### Family Loricariidae 骨甲鯰科

*Acanthicus hystrix* Spix et Agassiz, 1829 棘甲鯰 Ref. 曾等。2007  
*Hypostomus plecostomus* (Linnaeus, 1758) 下口鯰 Ref. Kuo et al., 1999  
*Pterygoplichthys disjunctivus* (Weber, 1991) 野翼甲鯰 Ref. Page & Robins, 2006  
*Pterygoplichthys multiradiatus* (Hancock, 1828) 多輻翼甲鯰 Ref. 同前  
*Pterygoplichthys pardalis* (Castelnau, 1855) 豹紋翼甲鯰 Ref. 林。2007

### Family Plotosidae 鰻鯰科

*Plotosus lineatus* (Thunberg, 1787) 鰻鯰 Ref. 沈等。1993

### Family Siluridae 鯰科

*Silurus asotus* Linnaeus, 1758 鯰魚 Ref. 沈等。1993

## Order Stephanoberyciformes 奇鯛目

### Family Melamphaidae 大鱗鯛科

*Scopelogadus mizolepis mizolepis* (Günther, 1878) 大鱗鱗孔鯛 Ref. FRIP001003 (South China Sea).

### Family Rondeletiidae 紅口仿鯨科

*Rondeletia loricata* Abe & Hotta, 1963 紅口仿鯨 Ref. 沈等。1993

## Order Stomiiformes 巨口魚目

### Family Diplphidae 雙光魚科

*Diplophos orientalis* Matsubara, 1940 東方雙光魚 Ref. ASIZP0064158 (Ping-tong).  
*Diplophos pacificus* Günther, 1889 太平洋雙光魚 Ref. Chen & Yu, 1984  
*Diplophos taenia* Günther, 1873 細雙光魚 Ref. 沈等。1993  
*Triplophos hemingi* (McArdle, 1901) 叁光魚 Ref. 沈等。1993

### Family Gonostomatidae 鑽光魚科

*Cyclothone alba* Brauer, 1906 白圓罩魚 Ref. ASIZP0062687 and more.  
*Cyclothone atraria* Gilbert, 1905 黑圓罩魚 Ref. Liao et al., 2006b  
*Cyclothone pallida* Brauer, 1902 蒼圓罩魚 Ref. 同前  
*Gonostoma atlanticum* Norman, 1930 西鑽光魚 Ref. 同前  
*Gonostoma elongatum* Günther, 1878 長鑽光魚 Ref. 沈等。1993  
*Sigmops gracilis* Günther, 1878 纖鑽光魚 Ref. 沈等。1993

### Family Phosichthyidae 光器魚科

*Ichthyococcus elongatus* Imai, 1941 長體頰光魚 Ref. Liao et al., 2006b  
*Pollichthys mauii* (Poll, 1953) 莫氏軸光魚 Ref. ASIZP 57153 (Tong-kang) and more.  
*Polymetme elongata* (Matsubara, 1938) 長刀光魚 Ref. ASIZP0059936 (NE coast) and more.  
*Vinciguerrria attenuata* (Cocco, 1838) 狹串光魚 Ref. ASIZP0064052  
*Vinciguerrria nimbaria* (Jordan & Williams, 1895) 串光魚 Ref. Liao et al., 2006b  
*Woodsia nonsuchae* (Beebe, 1932) 農蘇離光魚 Ref. ASIZP0064033 and more.

### Family Sternoptychidae 褶胸魚科

*Argyropelecus aculeatus* Valenciennes, 1850 棘銀斧魚 Ref. 沈等。1993

*Argyrolepecus affinis* Garman, 1899 長銀斧魚 Ref. 張。2004  
*Argyrolepecus gigas* Norman, 1930 巨銀斧魚 Ref. 張。2004  
*Argyrolepecus hemigymsus* Cocco, 1829 半裸銀斧魚 Ref. 張。2004  
*Argyrolepecus sladeni* Regan, 1908 高銀斧魚 Ref. ASIZP uncat. (Ta-shi).  
*Mauroliticus muelleri* Gmelin, 1789 穆氏暗光魚 Ref. Hsieh & Chiu, 2002  
*Polyipnus danae* Harold, 1990 達納氏燭光魚 Ref. 張。2004  
*Polyipnus spinifer* Borodulina, 1979 頭棘燭光魚 Ref. 張。2004  
*Polyipnus spinosus* (Günther, 1887) 大棘燭光魚 Ref. Liao et al., 2006b  
*Polyipnus stereope* Jordan & Starks, 1904 閃電燭光魚 Ref. 沈等。1993  
*Polyipnus tridentifer* McCulloch, 1914 三齒燭光魚 Ref. Liao et al., 2006b  
*Polyipnus triphanos* Schultz, 1938 三燭光魚 Ref. 沈等。1993  
*Polyipnus unispinus* Schultz, 1938 單棘燭光魚 Ref. Liao et al., 2006b  
*Sternoptyx diaphana* Hermann, 1781 褶胸魚 Ref. 張。2004  
*Sternoptyx obscura* Garman, 1899 低褶胸魚 Ref. 張。2004  
*Sternoptyx pseudobscura* Baird, 1971 似低褶胸魚 Ref. 張。2004  
*Valenciennellus tripunctulatus* (Esmark, 1871) 叢光魚 Ref. 張。2004

### Family Stomiidae 巨口魚科

*Astronesthes chrysophekadion* (Bleeker, 1849) 金星衫魚 Ref. 沈等。1993  
*Astronesthes formosana* Liao, Chen, Shao & Dai, 2005 台灣星衫魚 [特有] Ref. Liao et al., 2006a  
*Astronesthes indicus* Brauer, 1902 印度星衫魚 Ref. 同前  
*Astronesthes indopacifica* Parin & Borodulina, 1997 印度太平洋星衫魚 Ref. 同前  
*Astronesthes lucifer* Gilbert, 1905 螢光星衫魚 Ref. 沈等。1993  
*Astronesthes splendidus* Brauer, 1902 絲球星衫魚 Ref. Liao et al., 2006a  
*Astronesthes trifibulatus* Gibbs, Amaoka & Haruta, 1984 三絲星衫魚 Ref. Gibbs et al., 1984  
*Bathophilus kingi* Barnett & Gibbs, 1968 四絲深巨口魚 Ref. ASIZP0064177 (Nan-fang-ao).  
*Bathophilus nigerrimus* Giglioli, 1882 絲鬚深巨口魚 Ref. Liao et al., 2006b  
*Borostomias elucens* (Brauer, 1906) 掠食巨口魚 Ref. Liao et al., 2006a  
*Chauliodus macouni* Bean, 1890 馬康氏蝨魚 Ref. ASIZP0059940 (Ta-shi).  
*Chauliodus sloani* Bloch & Schneider, 1801 蝨魚 Ref. 沈等。1993  
*Echiostoma barbatum* Lowe, 1843 單鬚刺巨口魚 Ref. ASIZP0064183 (Tong-kang).  
*Eupogonesthes xenicus* Parin & Bordulina, 1993 真芒巨口魚 Ref. Liao et al., 2006a  
*Eustomias bifilis* Gibbs, 1960 歧鬚真巨口魚 Ref. Liao et al., 2006b  
*Eustomias longibarba* Parr, 1927 長鬚真巨口魚 Ref. 同前  
*Heterophotus ophistoma* Regan & Trewavas, 1929 蛇口異星衫魚 Ref. Liao et al., 2006a  
*Idiostomias fasciola* Peters, 1877 奇棘魚 Ref. 沈等。1993  
*Leptostomias multifilis* Imai, 1941 多紋纖巨口魚 Ref. ASIZP0064176 (Tong-kang).  
*Leptostomias robustus* Imai, 1941 強壯纖巨口魚 Ref. Shen, 1984a  
*Malacosteus niger* Ayres, 1848 黑柔骨魚 Ref. ASIZP0063820 (Ta-shi).  
*Melanostomias melanops* Brauer, 1902 大眼黑巨口魚 Ref. Shen, 1984a  
*Melanostomias valdiviae* Brauer, 1902 瓦氏黑巨口魚 Ref. ASIZP0062967 (South China Sea) and more.  
*Pachystomias microdon* (Günther, 1878) 厚巨口魚 Ref. Liao et al., 2006b  
*Photonectes albipennis* (Döderlein, 1882) 白鰭袋巨口魚 Ref. 沈等。1993  
*Photostomias guernei* Collett, 1889 格氏光巨口魚 Ref. Liao et al., 2006b  
*Rhadinesthes decimus* (Zugmayer, 1911) 細杉魚 Ref. Liao et al., 2006a  
*Stomias affinis* Günther, 1887 貢氏巨口魚 Ref. 沈等。1993  
*Stomias nebulosus* Alcock, 1889 星雲巨口魚 Ref. Chen & Yu, 1984  
*Thysanactis dentex* Regan & Trewavas, 1930 縷光魚 Ref. Liao et al., 2006b

### Order Synbranchiformes 合鰓魚目

#### Family Mastacembelidae 棘鰓科

*Sinobdella sinensis* (Bleeker, 1870) 中華棘鰓 Ref. 沈等。1993

#### Family Synbranchidae 合鰓魚科

*Monopterus albus* (Zuiew, 1793) 黃鱔 Ref. 沈等。1993

### Order Tetraodontiformes 魷形目

#### Family Balistidae 鱗魷科

*Abalistes stellaris* (Bloch & Schneider, 1801) 寬尾鱗魷 Ref. 沈等。1993  
*Balistapus undulatus* (Park, 1797) 鈎鱗魷 Ref. 沈等。1993  
*Balistoides conspicillum* (Bloch & Schneider, 1801) 花斑擬鱗魷 Ref. 沈等。1993  
*Balistoides viridescens* (Bloch & Schneider, 1801) 褐擬鱗魷 Ref. 沈等。1993  
*Canthidermus maculata* (Bloch, 1786) 疣鱗魷 Ref. 沈等。1993  
*Melichthys vidua* (Richardson, 1845) 角鱗魷 Ref. 沈等。1993  
*Odonus niger* (Rüppell, 1836) 紅牙鱗魷 Ref. 沈等。1993  
*Pseudobalistes flavimarginatus* (Rüppell, 1829) 黃緣擬板機魷 Ref. 沈等。1993  
*Pseudobalistes fuscus* (Bloch & Schneider, 1801) 黑擬板機魷 Ref. 沈等。1993  
*Rhinecanthus aculeatus* (Linnaeus, 1758) 尖吻棘魷 Ref. 沈等。1993  
*Rhinecanthus vectangulus* (Bloch & Schneider, 1801) 斜帶吻棘魷 Ref. 沈等。1993  
*Rhinecanthus verrucosus* (Linnaeus, 1758) 毒吻棘魷 Ref. 沈等。1993  
*Sufflamen bursa* (Bloch & Schneider, 1801) 鼓氣鱗魷 Ref. 沈等。1993  
*Sufflamen chrysopterum* (Bloch & Schneider, 1801) 金鰭鼓氣鱗魷 Ref. 沈等。1993  
*Sufflamen fraenatum* (Latreille, 1804) 黃紋鼓氣鱗魷 Ref. 沈等。1993

*Xanthichthys auromarginatus* (Bennett, 1832) 黃鱗魮 Ref. 沈等。1993  
*Xanthichthys caeruleolineatus* Randall, Matsuura & Zama, 1978 黑帶黃鱗魮 Ref. Randall et al., 1978  
*Xanthichthys lineopunctatus* (Hollard, 1854) 線斑黃鱗魮 Ref. 沈等。1993

### Family Diodontidae 二齒魮科

*Chilomycterus affinis* Günther, 1870 瘤短刺魮 Ref. 沈等。1993  
*Chilomycterus reticulatus* (Linnaeus, 1758) 網紋短刺魮 Ref. 沈等。1993  
*Diodon eydouxi* Brisout de Barneville, 1846 愛氏二齒魮 Ref. 沈等。1993  
*Diodon holocanthus* Linnaeus, 1758 六斑二齒魮 Ref. 沈等。1993  
*Diodon hystrix* Linnaeus, 1758 密斑二齒魮 Ref. 沈等。1993  
*Diodon liturosus* Shaw, 1804 紋二齒魮 Ref. 沈等。1993

### Family Molidae 翻車魮科

*Masturus lanceolatus* (Liénard, 1840) 矛尾翻車魮 Ref. Nakabo, 2002  
*Mola mola* (Linnaeus, 1758) 翻車魮 Ref. 沈等。1993

### Family Monacanthidae 單棘魮科

*Aluterus monoceros* (Linnaeus, 1758) 單角革單棘魮 Ref. 沈等。1993  
*Aluterus scriptus* (Osbeck, 1765) 長尾革單棘魮 Ref. 沈等。1993  
*Amanes scopas* (Cuvier, 1829) 美單棘魮 Ref. 沈等。1993  
*Cantherhines dumerilii* (Hollard, 1854) 杜氏刺鼻單棘魮 Ref. 沈等。1993  
*Cantherhines fronticinctus* (Günther, 1867) 斑刺鼻單棘魮 Ref. 沈等。1993  
*Cantherhines pardalis* (Rüppell, 1837) 細斑刺鼻單棘魮 Ref. 沈等。1993  
*Chaetodermis penicilligerus* (Cuvier, 1816) 棘皮單棘魮 Ref. 沈等。1993  
*Monacanthus chinensis* (Osbeck, 1765) 單棘魮 Ref. 沈等。1993  
*Oxymonacanthus longirostris* (Bloch & Schneider, 1801) 尖吻單棘魮 Ref. 沈等。1993  
*Paraluteres prionurus* (Bleeker, 1851) 副革單棘魮 Ref. 沈等。1993  
*Paramonacanthus japonicus* (Tilesius, 1809) 日本副單棘魮 Ref. Fishbase, 2005  
*Paramonacanthus pusillus* (Ruppel, 1829) 布希勒副單棘魮 Ref. 同前  
*Paramonacanthus sulcatus* (Hollard, 1854) 絨鱗副單棘魮 Ref. 沈等。1993  
*Pervagor aspricaudus* (Hollard, 1854) 粗尾前角魮 Ref. 沈等。1993  
*Pervagor janthinosa* (Bleeker, 1854) 前角魮 Ref. 沈等。1993  
*Pervagor melanocephalus* (Bleeker, 1853) 黑頭前角魮 Ref. Nakabo, 2002  
*Stephanolepis cirrifer* (Temminck & Schlegel, 1850) 冠鱗單棘魮 Ref. 沈等。1993  
*Thamnaconus hypargyreus* Cope, 1871 圓腹短角單棘魮 Ref. 沈等。1993  
*Thamnaconus modestoides* (Barnard, 1927) 擬短角單棘魮 Ref. 沈等。1993  
*Thamnaconus modestus* (Günther, 1877) 短角單棘魮 Ref. 沈等。1993  
*Thamnaconus septentrionalis* (Günther, 1874) 七帶短角單棘魮 Ref. 沈等。1993  
*Thamnaconus tessellatus* (Günther, 1880) 密斑短角單棘魮 Ref. Fishbase, 2005

### Family Ostraciidae 箱魮科

*Kentrocapros aculeatus* (Houttuyn, 1782) 棘箱魮 Ref. 沈等。1993  
*Lactoria cornuta* (Linnaeus, 1758) 角箱魮 Ref. 沈等。1993  
*Lactoria diaphana* (Bloch & Schneider, 1801) 棘背角箱魮 Ref. 沈等。1993  
*Lactoria fornasini* (Bianconi, 1846) 福氏角箱魮 Ref. 沈等。1993  
*Ostracion cubicus* Linnaeus, 1758 粒突箱魮 Ref. 沈等。1993  
*Ostracion immaculatus* Temminck & Schlegel, 1850 無斑箱魮 Ref. Nakabo, 2002  
*Ostracion meleagris* Shaw, 1796 米點箱魮 Ref. 沈等。1993  
*Ostracion rhinorhynchus* Bleeker, 1852 吻鼻箱魮 Ref. 沈等。1993  
*Tetrosomus gibbosus* (Linnaeus, 1758) 駝背三稜箱魮 Ref. 沈等。1993  
*Tetrosomus reipublicae* (Bloch, 1785) 賴普三稜箱魮 Ref. 沈等。1993

### Family Tetraodontidae 四齒魮科

*Arothron hispidus* (Linnaeus, 1758) 紋腹叉鼻魮 Ref. 沈等。1993  
*Arothron immaculatus* (Bloch & Schneider, 1801) 鯉斑叉鼻魮 Ref. 沈等。1993  
*Arothron manilensis* (Marion de Procé, 1822) 菲律賓叉鼻魮 Ref. 沈等。1993  
*Arothron mappa* (Lesson, 1831) 條紋叉鼻魮 Ref. 沈等。1993  
*Arothron meleagris* (Lacepède, 1798) 白點叉鼻魮 Ref. Nakabo, 2002  
*Arothron nigropunctatus* (Bloch & Schneider, 1801) 黑斑叉鼻魮 Ref. 沈等。1993  
*Arothron stellatus* (Bloch & Schneider, 1801) 星斑叉鼻魮 Ref. 沈等。1993  
*Canthigaster amboinensis* (Bleeker, 1865) 安邦尖鼻魮 Ref. 沈等。1993  
*Canthigaster bennetti* (Bleeker, 1854) 笨氏尖鼻魮 Ref. 沈等。1993  
*Canthigaster compressa* (Marion de Procé, 1822) 扁背尖鼻魮 Ref. 沈等。1993  
*Canthigaster coronata* (Vaillant & Sauvage, 1875) 角尖鼻魮 Ref. 沈等。1993  
*Canthigaster epilampra* (Jenkins, 1903) 亮麗尖鼻魮 Ref. Nakabo, 2002  
*Canthigaster janthinoptera* (Bleeker, 1855) 白斑尖鼻魮 Ref. 沈等。1993  
*Canthigaster rivulata* (Temminck & Schlegel, 1850) 水紋尖鼻魮 Ref. 沈等。1993  
*Canthigaster solandri* (Richardson, 1844) 索氏尖鼻魮 Ref. 沈等。1993  
*Canthigaster valentini* (Bleeker, 1853) 瓦氏尖鼻魮 Ref. 沈等。1993  
*Chelonodon patoca* (Hamilton, 1822) 凹鼻魮 Ref. 沈等。1993  
*Lagocephalus gloveri* Abe & Tabeta, 1983 克氏兔頭魮 Ref. 沈等。1993  
*Lagocephalus inermis* (Temminck & Schlegel, 1850) 光兔頭魮 Ref. 沈等。1993  
*Lagocephalus lunaris* (Bloch & Schneider, 1801) 月尾兔頭魮 Ref. 沈等。1993  
*Lagocephalus sceleratus* (Gmelin, 1789) 凶兔頭魮 Ref. 沈等。1993

*Lagocephalus wheeleri* Abe, Tabeta & Kitahama, 1984 懷氏兔頭魮 Ref. 沈等。1993  
*Sphoeroides pachygaster* (Müller & Troschel, 1848) 圓魮 Ref. 沈等。1993  
*Takifugu chinensis* (Abe, 1949) 中華多紀魮 Ref. 楊。1970  
*Takifugu niphobles* (Jordan & Snyder, 1901) 黑點多紀魮 Ref. 沈等。1993  
*Takifugu oblongus* (Bloch, 1786) 橫紋多紀魮 Ref. 沈等。1993  
*Takifugu ocellatus* (Linnaeus, 1758) 弓斑多紀魮 Ref. 沈。1984  
*Takifugu poecilonotus* (Temminck & Schlegel, 1850) 網紋多紀魮 Ref. 沈等。1993  
*Takifugu porphyreus* (Temminck & Schlegel, 1850) 紫色多紀魮 Ref. 楊。1970  
*Takifugu rubripes* (Temminck & Schlegel, 1850) 紅鰭多紀魮 Ref. 楊。1970  
*Takifugu vermicularis* (Temminck & Schlegel, 1850) 蟲紋多紀魮 Ref. 沈。1984  
*Takifugu xanthopterus* (Temminck & Schlegel, 1850) 黃鰭多紀魮 Ref. 沈等。1993  
*Torquigener brevipinnis* (Regan, 1903) 黃帶窄額魮 Ref. Nakabo, 2002  
*Torquigener hypselogeneion* (Bleeker, 1852) 頭紋窄額魮 Ref. 沈等。1993  
*Tylerius spinosissimus* (Regan, 1908) 長刺泰氏魮 Ref. Fishbase, 2005

#### Family Triacanthidae 三棘魮科

*Pseudotriacanthus strigilifer* (Cantor, 1849) 粗鱗假三棘魮 Ref. 沈等。1993  
*Triacanthus biaculeatus* (Bloch, 1786) 三棘魮 Ref. 沈等。1993  
*Tripodichthys blochii* (Bleeker, 1852) 三足三刺魮 Ref. 沈等。1993

#### Family Triacanthodidae 擬三棘魮科

*Bathypylax bombifrons* Myers, 1934 長棘擬三棘魮 Ref. Fishbase, 2005  
*Halimochirurgus alcocki* Weber, 1913 管吻魮 Ref. 沈等。1993  
*Halimochirurgus centriscooides* Alcock, 1899 長管吻魮 Ref. Fishbase, 2005  
*Macrorhamphosodes uradoi* (Kamohara, 1933) 尤氏擬管吻魮 Ref. 同前  
*Paratriacanthodes retrospinis* Fowler, 1934 倒棘副三棘魮 Ref. 同前  
*Triacanthodes anomalus* (Temminck & Schlegel, 1850) 擬三棘魮 Ref. 沈等。1993  
*Tydemania navigatoris* Weber, 1913 倒刺魮 Ref. 沈等。1993

#### Family Triodontidae 三齒魮科

*Triodon macropterus* Lesson, 1831 三齒魮 Ref. 沈等。1993

### Order Zeiformes 的鯛目

#### Family Grammicolepididae 菱的鯛科

*Grammicolepis brachiusculus* Poey, 1873 斑菱的鯛 Ref. Nakabo, 2002  
*Xenolepidichthys dalgleishi* Gilchrist, 1922 異菱的鯛 Ref. 沈等。1993

#### Family Parazenidae 准的鯛科

*Cyttopsis rosea* (Lowe, 1843) 玫瑰的鯛 Ref. 沈等。1993  
*Parazen pacificus* Kamohara, 1935 太平洋准的鯛 Ref. 沈等。1993

#### Family Zeidae 的鯛科

*Zenopsis nebulosa* (Temminck & Schlegel, 1847) 雨印鯛 Ref. 沈等。1993  
*Zenopsis stabilispinosa* Nakabo, Bray & Yamada, 2006 立鰭印鯛 Ref. Nakabo et al., 2006  
*Zeus faber* Linnaeus, 1758 日本的鯛 Ref. 沈等。1993

#### Family Zeniontidae 甲眼的鯛科

*Cyttomimus affinis* Weber, 1913 青甲眼的鯛 Ref. Nakabo, 2002  
*Zenion hololepis* (Goode & Bean, 1896) 甲眼的鯛 Ref. Fishbase, 2005

### Class Amphibia 兩生綱

#### Order Anura 無尾目

##### Family Bufonidae 蟾蜍科

*Bufo bankorensis* Barbour, 1908 盤古蟾蜍 [特有]  
*Bufo melanostictus* Schneider, 1799 黑眶蟾蜍

##### Family Hylidae 樹蟾科

*Hyla chinensis* Guenther, 1858 中國樹蟾

##### Family Microhylidae 狹口蛙科

*Kaloula pulchra* (Gray, 1831) 亞洲錦蛙  
*Microhyla butleri* Boulenger, 1901 巴氏小雨蛙  
*Microhyla heymonsi* Vogt, 1911 黑蒙西氏小雨蛙  
*Microhyla ornata* Dumeril & Bibron, 1841 小雨蛙  
*Micryletta steingeri* (Boulenger, 1909) 史丹吉氏小雨蛙 Ref. Boulenger, 1909

##### Family Ranidae 赤蛙科

*Fejervarya limnocharis* (Gravenhorst, 1829) 澤蛙 Ref. Iskandar, 1998  
*Hoplobatrachus chinensis* (Osbeck, 1765) 虎皮蛙 Ref. Ohler, Swan & Daltry, 2002  
*Limnonectes kuhlii* (Tschudi, 1838) 古氏赤蛙 Ref. Fei, Ye & Huang, 1991  
*Pseudoamolops multidenticulatus* (Chou & Lin, 1997) 多齒赤蛙 Ref. Fei, Ye & Jiang, 2000  
*Pseudoamolops sauteri* (Boulenger, 1909) 梭德氏赤蛙 Ref. 同前  
*Rana adenopleura* Boulenger, 1909 腹斑蛙  
*Rana cancrivora* Gravenhorst, 1829 海蛙  
*Rana catesbeiana* Shaw, 1802 牛蛙  
*Rana fukienensis* Pope, 1929 金線蛙 Ref. Kashiwagi, 1994

*Rana guentheri* Boulenger, 1882 貢德氏赤蛙  
*Rana latouchii* Boulenger, 1899 拉都希氏蛙  
*Rana longicrus* Stejneger, 1898 長腳赤蛙  
*Rana psalties* Kuramoto, 1985 豎琴蛙  
*Rana swinhoana* Boulenger, 1903 斯文豪氏蛙  
*Rana taipehensis* Van Denburgh, 1909 臺北赤蛙

#### Family Rhacophoridae 樹蛙科

*Buergeria japonica* Hollowell, 1861 日本樹蛙  
*Buergeria robusta* (Boulenger, 1909) 褐樹蛙 [特有] Ref. Boulenger, 1909  
*Kurixalus eiffingeri* (Boettger, 1895) 艾氏樹蛙 Ref. Ye, Fei & Dubois, 1999  
*Kurixalus idiootocus* (Kuramoto & Wang, 1987) 面天樹蛙 [特有] Ref. Kuramoto & Wang, 1987  
*Polypedates megacephalus* Hollowell, 1861 白領樹蛙  
*Rhacophorus arvalis* Lue, Lai, & Chen, 1995 諸羅樹蛙 [特有]  
*Rhacophorus aurantiventris* Lue, Lai, & Chen, 1994 橙腹樹蛙 [特有]  
*Rhacophorus moltrechti* Boulenger, 1908 莫氏樹蛙 [特有]  
*Rhacophorus prasinatus* Mou, Risch, & Lue, 1983 翡翠樹蛙 [特有] Ref. RhacophorMou, Risch & Lue, 1983  
*Rhacophorus taipeianus* Liang & Wang, 1978 臺北樹蛙 [特有]

#### Order Caudata 有尾目

##### Family Hynobiidae 山椒魚科

*Hynobius arisanensis* Maki, 1922 阿里山山椒魚 [特有]  
*Hynobius formosanus* Maki, 1922 臺灣山椒魚 [特有]  
*Hynobius sonani* (Maki, 1922) 楚南氏山椒魚 [特有]

#### Class Reptilia 爬蟲綱

##### Order Chelonia 龜鱉目

###### Family Bataguridae 河龜科

*Chinemys reevesii* Gray, 1831 金龜  
*Cistoclemmys flavomarginata* Gray, 1863 食蛇龜  
*Mauremys mutica* Cantor, 1842 柴棺龜  
*Ocadia sinensis* Gray, 1834 斑龜

###### Family Cheloniidae 蠟龜科

*Caretta caretta* Linnaeus, 1758 赤蠟龜  
*Chelonia mydas* Gray, 1831 綠蠟龜  
*Eretmochelys imbricata* Conant, 1991 玳瑁  
*Lepidochelys olivacea* Eschscholtz, 1829 欖蠟龜

###### Family Dermochelidae 革龜科

*Dermochelys coriacea* Vandelli, 1761 革龜

###### Family Emydidae 澤龜科

*Trachemys scripta* Schoepff, 1792 紅耳泥龜

###### Family Trionychidae 鱉科

*Pelodiscus sinensis* Wiegmann, 1835 鱉

##### Order Squamata 有鱗目

###### Family Agamidae 飛蜥科

*Japalura brevipes* Gressitt, 1936 短肢攀蜥 [特有]  
*Japalura luei* Ota, Chen & Shang, 1998 呂氏攀蜥 [特有]  
*Japalura makii* Ota, 1989 牧氏攀蜥 [特有]  
*Japalura polygonata* Hollowell, 1861 黃口攀蜥  
*Japalura swinhonis* (Günther, 1864) 斯文豪氏攀蜥 [特有]

###### Family Anguidae 蛇蜥科

*Ophisaurus formosensis* Kishida, 1930 臺灣蛇蜥 [特有]  
*Ophisaurus harti* Boulenger, 1899 蛇蜥

###### Family Colubridae 黃額蛇科

*Achalinus formosanus* Boulenger, 1908 臺灣標蛇  
*Achalinus niger* Maki, 1931 標蛇 [特有]  
*Amphiesma miyajimae* Maki, 1931 金絲蛇 [特有]  
*Amphiesma sauteri* Boulenger, 1909 梭德氏游蛇  
*Amphiesma stolatum* Linnaeus, 1758 花浪蛇  
*Boiga kraepelini* Stejneger, 1902 大頭蛇  
*Calamaria pavementata* Duméril & Bibron, 1854 鐵線蛇  
*Cyclophiops major* Günther, 1858 青蛇  
*Dinodon rufozonatum* Cantor, 1842 紅斑蛇  
*Elaphe carinata* Günther, 1864 臭青公  
*Elaphe frenata* Pope, 1935 灰腹綠錦蛇  
*Elaphe mandarinus* Stejneger, 1925 高砂蛇  
*Elaphe porphyracea* Cantor, 1839 紅竹蛇  
*Elaphe taeniura* Smith, 1943 錦蛇

*Enhydris chinensis* Gray, 1842 唐水蛇  
*Enhydris plumbea* Boie, 1827 水蛇  
*Lycodon ruhstrati* Fischer, 1886 白梅花蛇  
*Macropisthodon rudis* Boulenger, 1906 擬龜殼花  
*Oligodon formosanus* Günther, 1872 赤背松柏根  
*Oligodon ornatus* Van Denburgh, 1909 赤腹松柏根  
*Pareas formosensis* Van Denburgh, 1909 臺灣鈍頭蛇 [特有]  
*Plagiopholis styani* Boulenger, 1899 福建頸斑蛇  
*Psammodynastes pulverulentus* Boie, 1827 茶斑蛇  
*Pseudoxendon stejnegeri* 史丹吉氏斜鱗蛇  
*Ptyas korros* Schlegel, 1837 細紋南蛇  
*Ptyas mucosus* Cope, 1861 南蛇  
*Rhabdophis swinhonis* Günther, 1868 斯文豪氏游蛇 [特有]  
*Rhabdophis tigrinus* Boie, 1826 臺灣赤煉蛇  
*Sibynophis chinensis* Günther, 1889 黑頭蛇  
*Sinonatrix annularis* Hallowell, 1856 赤腹游蛇  
*Sinonatrix percarinata* Boulenger, 1899 白腹游蛇  
*Xenochrophis piscator* Schneider, 1799 草花蛇  
*Zaocys dhumnades* Cope, 1860 過山刀

### Family Elapidae 蝮蛇科

*Bungarus multicinctus* Blyth, 1861 雨傘節  
*Hemibugarus maccllellandi* 環紋赤蛇  
*Hemibugarus sauteri* 帶紋赤蛇 [特有]  
*Naja atra* Wüster, 1991 眼鏡蛇

### Family Gekkonidae 壁虎科

*Gehyra mutilata* Wiegmann, 1834 裂足虎  
*Gekko hokouensis* Pope, 1928 鉛山壁虎  
*Gekko kikuchii* Oshima, 1912 菊池氏壁虎 [特有]  
*Hemidactylus bowringii* Stejneger, 1907 無疣蝮虎  
*Hemidactylus frenatus* Schlegel, 1836 蝮虎  
*Hemidactylus garnotii* Dumeril & Bibron, 1836 鋸尾蝮虎  
*Hemidactylus stejnegeri* Ota & Hikida, 1989 史丹吉氏蝮虎  
*Hemiphyllodactylus typus* Bleeker, 1860 半葉趾蝮虎  
*Lepidodactylus lugubris* Duméril & Bibron, 1836 鱗趾虎  
*Lepidodactylus yami* Ota, 1987 雅美鱗趾虎 [特有]

### Family Hydrophiidae 海蛇科

*Emydocephalus ijimae* Stejneger, 1898 飯島氏海蛇  
*Hydrophis cyanocinctus* Daudin, 1803 青環海蛇  
*Hydrophis melanocephalus* Gray, 1849 黑頭海蛇  
*Laticauda colubrina* Schneider, 1799 黃唇青斑海蛇  
*Laticauda laticaudata* Linnaeus, 1758 黑唇青斑海蛇  
*Laticauda semifasciata* Stejneger, 1907 闊帶青斑海蛇  
*Pelamis platurus* Smith, 1943 黑背海蛇

### Family Lacertidae 正蜥科

*Platyplacopus kuehnei* (Van Denburgh, 1909) 台灣地蜥  
*Takydromus formosanus* Boulenger, 1894 臺灣草蜥 [特有]  
*Takydromus hsuehshansis* 雪山草蜥 [特有]  
*Takydromus kuehnei* Van Denburgh, 1909 古氏草蜥  
*Takydromus sauteri* Van Denburgh, 1909 梭德氏草蜥 [特有]  
*Takydromus septentrionalis* Günther, 1864 北草蜥  
*Takydromus stejnegeri* Van Denburgh, 1912 蓬萊草蜥 [特有]

### Family Scincidae 石龍子科

*Ateuchosaurus chinensis* Gray, 1845 中國光蜥  
*Emoia atrocostata* Lesson, 1830 岩岸島蜥  
*Eumeces chinensis* Van Denburgh, 1912 台灣中國石龍子 [特有]  
*Eumeces elegans* Boulenger, 1887 麗紋石龍子  
*Mabuya longicaudata* Stejneger, 1907 長尾南蜥  
*Mabuya multicarinata* Taylor, 1918 多稜南蜥  
*Mabuya multifasciata* Fitzinger, 1826 多線南蜥  
*Plestiodon chinensis* Gray, 1838 白斑石龍子 [特有]  
*Scincella formosensis* Van Denburgh, 1912 臺灣滑蜥 [特有]  
*Sphenomorphus indicus* 印度蜓蜥  
*Sphenomorphus incognitus* Thompson, 1912 股鱗蜓蜥  
*Sphenomorphus taiwanensis* Chen & Lue, 1987 臺灣蜓蜥 [特有]

### Family Typhlopidae 盲蛇科

*Ramphotyphlops braminus* Daudin, 1803 盲蛇  
*Typhlops kosshunensis* Oshima, 1916 恆春盲蛇 [特有]

### Family Viperidae 蝮蛇科

*Deinagkistrodon acutus* Günther, 1888 百步蛇  
*Ovophis monticola* Günther, 1864 阿里山龜殼花  
*Trimeresurus gracilis* Oshima, 1920 菊池氏龜殼花 [特有]  
*Trimeresurus mucrosquamatus* Günther, 1864 龜殼花  
*Trimeresurus stejnegeri* Schmidt, 1925 赤尾青竹絲  
*Vipera russellii* Strauch, 1869 鎖蛇

## Class Aves 鳥綱

### Order Anseriformes 雁形目

#### Family Anatidae 雁鴨科

*Aix galericulata* (Linnaeus, 1758) 鴛鴦 Ref. Dickinson, 2003  
*Anas acuta* Linnaeus, 1758 尖尾鴨 Ref. 同前  
*Anas americana* Gmelin, 1789 葡萄胸鴨 Ref. 同前  
*Anas clypeata* Linnaeus, 1758 琵嘴鴨 Ref. 同前  
*Anas crecca* Linnaeus, 1758 小水鴨 Ref. 同前  
*Anas falcata* Georgi, 1775 羅紋鴨 Ref. 同前  
*Anas formosa* Georgi, 1775 花臉鴨 Ref. 同前  
*Anas luzonica* Fraser, 1839 棕頸鴨 Ref. 同前  
*Anas penelope* Linnaeus, 1758 赤頸鴨 Ref. 同前  
*Anas platyrhynchos* Linnaeus, 1758 綠頭鴨 Ref. 同前  
*Anas poecilorhyncha* J. R. Forster, 1781 斑嘴鴨 Ref. 同前  
*Anas querquedula* Linnaeus, 1758 白眉鴨 Ref. 同前  
*Anas strepera* Linnaeus, 1758 赤膀鴨 Ref. 同前  
*Anser albifrons* (Scopoli, 1769) 白額雁 Ref. 同前  
*Anser anser* (Linnaeus, 1758) 灰雁 Ref. 同前  
*Anser cygnoides* (Linnaeus, 1758) 鴻雁 Ref. 同前  
*Anser erythropus* (Linnaeus, 1758) 小白額雁 Ref. 同前  
*Anser fabalis* (Latham, 1787) 豆雁 Ref. 同前  
*Aythya baeri* (Radde, 1863) 青頭潛鴨 Ref. 同前  
*Aythya ferina* (Linnaeus, 1758) 紅頭潛鴨 Ref. 同前  
*Aythya fuligula* (Linnaeus, 1758) 鳳頭潛鴨 Ref. 同前  
*Aythya marila* (Linnaeus, 1761) 斑背潛鴨 Ref. 同前  
*Aythya nyroca* (Guldenstadt, 1770) 白眼潛鴨 Ref. 同前  
*Aythya valisineria* (A. Wilson, 1814) 帆背潛鴨 Ref. 同前  
*Bucephala clangula* (Linnaeus, 1758) 鵞鴨 Ref. 同前  
*Cygnus columbianus* (Ord, 1815) 小天鵝 Ref. 同前  
*Cygnus cygnus* (Linnaeus, 1758) 大天鵝 Ref. 同前  
*Cygnus olor* (Gmelin, 1789) 疣鼻天鵝 Ref. 同前  
*Dendrocygna javanica* (Horsfield, 1821) 栗樹鴨 Ref. 同前  
*Mergellus albellus* (Linnaeus, 1758) 小秋沙 Ref. 同前  
*Mergus merganser* Linnaeus, 1758 川秋沙 Ref. 同前  
*Mergus serrator* Linnaeus, 1758 紅胸秋沙 Ref. 同前  
*Mergus squamatus* Gould, 1864 唐秋沙 Ref. 同前  
*Netta rufina* (Pallas, 1773) 赤嘴潛鴨 Ref. 同前  
*Nettapus coromandelianus* (Gmelin, 1789) 棉鴨 Ref. 同前  
*Tadorna ferruginea* (Pallas, 1764) 黃麻鴨 Ref. 同前  
*Tadorna tadorna* (Linnaeus, 1758) 翹鼻麻鴨 Ref. 同前

### Order Apodiformes 雨燕目

#### Family Apodidae 雨燕科

*Apus nipalensis* (Hodgson, 1837) 家雨燕 Ref. Dickinson, 2003  
*Apus pacificus* (Latham, 1802) 叉尾雨燕 Ref. 同前  
*Hirundapus caudacutus* (Latham, 1802) 白喉針尾雨燕 Ref. 同前  
*Hirundapus cochinchinensis* (Oustalet, 1878) 灰喉針尾雨燕 Ref. 同前

### Order Ciconiiformes 鸛形目

#### Family Accipitridae 鷹科

*Accipiter gentilis* (Linnaeus, 1758) 蒼鷹 Ref. Dickinson, 2003  
*Accipiter gularis* (Temminck & Schlegel, 1844) 日本松雀鷹 Ref. 同前  
*Accipiter nisus* (Linnaeus, 1758) 北雀鷹 Ref. 同前  
*Accipiter soloensis* (Horsfield, 1821) 赤腹鷹 Ref. 同前  
*Accipiter trivirgatus* (Temminck, 1824) 鳳頭蒼鷹 Ref. 同前  
*Accipiter virgatus* (Temminck, 1822) 松雀鷹 Ref. 同前  
*Aegypius monachus* (Linnaeus, 1766) 禿鷲 Ref. 同前  
*Aquila clanga* Pallas, 1811 花鵟 Ref. 同前  
*Aquila heliaca* Savigny, 1809 白肩鵟 Ref. 同前  
*Aviceda leuphotes* (Dumont, 1820) 黑冠鵟隼 Ref. 同前  
*Butastur indicus* (J. F. Gmelin, 1788) 灰面鵟鷹 Ref. 同前  
*Buteo buteo* (Linnaeus, 1758) 鵟 Ref. 同前  
*Buteo hemilasius* Temminck & Schlegel, 1844 大鵟 Ref. 同前  
*Buteo lagopus* (Pontoppidan, 1763) 毛足鵟 Ref. 同前

*Circus cyaneus* (Linnaeus, 1766) 灰鷓 Ref. 同前  
*Circus melanoleucos* (Pennant, 1769) 鵲鷓 Ref. 同前  
*Circus spilonotus* Kaup, 1847 東方澤鷓 Ref. 同前  
*Elanus caeruleus* (Desfontaines, 1789) 黑翅鷂 Ref. 同前  
*Haliaeetus albicilla* (Linnaeus, 1758) 白尾海鷂 Ref. 同前  
*Haliaeetus leucogaster* (J. F. Gmelin, 1788) 白腹海鷂 Ref. 同前  
*Haliastur indus* (Boddaert, 1783) 栗鷂 Ref. 同前  
*Ictinaetus malayensis* (Temminck, 1822) 林鷂 Ref. 同前  
*Milvus migrans* (Boddaert, 1783) 黑鷂 Ref. 同前  
*Pandion haliaetus* (Linnaeus, 1758) 魚鷹 Ref. 同前  
*Pernis ptilorhynchus* (Temminck, 1821) 東方蜂鷹 Ref. 同前  
*Spilornis cheela* (Latham, 1790) 蛇鷂 Ref. 同前  
*Spizaetus nipalensis* (Hodgson, 1836) 熊鷹 Ref. 同前

#### Family Alcidae 海雀科

*Synthliboramphus antiquus* (J. F. Gmelin, 1789) 扁嘴海雀 Ref. Dickinson, 2003  
*Synthliboramphus wumizusume* (Temminck, 1835) 冠海雀 Ref. 同前  
*Uria aalge* (Pontoppidan, 1763) 崖海鴉 Ref. 同前

#### Family Ardeidae 鷺科

*Ardea alba* Linnaeus, 1758 大白鷺 Ref. Dickinson, 2003  
*Ardea cinerea* Linnaeus, 1758 蒼鷺 Ref. 同前  
*Ardea purpurea* Linnaeus, 1766 草鷺 Ref. 同前  
*Ardeola bacchus* (Bonaparte, 1855) 池鷺 Ref. 同前  
*Botaurus stellaris* (Linnaeus, 1758) 大麻鷺 Ref. 同前  
*Bubulcus ibis* (Linnaeus, 1758) 牛背鷺 Ref. 同前  
*Butorides striata* (Linnaeus, 1758) 綠裳鷺 Ref. 同前  
*Dupetor flavicollis* (Latham, 1790) 黃頸黑鷺 Ref. 同前  
*Egretta eulophotes* (Swinhoe, 1860) 唐白鷺 Ref. 同前  
*Egretta garzetta* (Linnaeus, 1766) 小白鷺 Ref. 同前  
*Egretta intermedia* (Wagler, 1829) 中白鷺 Ref. 同前  
*Egretta novaehollandiae* (Latham, 1790) 白臉鷺 Ref. 同前  
*Egretta picata* (Gould, 1845) 白頸黑鷺 Ref. 同前  
*Egretta sacra* (J. F. Gmelin, 1789) 岩鷺 Ref. 同前  
*Gorsachius goisagi* (Temminck, 1835) 麻鷺 Ref. 同前  
*Gorsachius melanolophus* (Raffles, 1822) 黑冠麻鷺 Ref. 同前  
*Ixobrychus cinnamomeus* (Gmelin, 1789) 栗葦鷺 Ref. 同前  
*Ixobrychus eurhythmus* (Swinhoe, 1873) 紫葦葦鷺 Ref. 同前  
*Ixobrychus sinensis* (J. F. Gmelin, 1789) 黃斑葦鷺 Ref. 同前  
*Nycticorax caledonicus* (J. F. Gmelin, 1789) 棕夜鷺 Ref. 同前  
*Nycticorax nycticorax* (Linnaeus, 1758) 夜鷺 Ref. 同前

#### Family Charadriidae 鴿科

*Charadrius alexandrinus* Linnaeus, 1758 東方環頸鴿 Ref. Dickinson, 2003  
*Charadrius dubius* Scopoli, 1786 小環頸鴿 Ref. 同前  
*Charadrius hiaticula* Linnaeus, 1758 北環頸鴿 Ref. 同前  
*Charadrius leschenaultii* Lesson, 1826 鐵嘴鴿 Ref. 同前  
*Charadrius mongolus* Pallas, 1776 蒙古鴿 Ref. 同前  
*Charadrius placidus* Gray & Gray, 1863 長嘴鴿 Ref. 同前  
*Charadrius veredus* Gould, 1848 東方紅胸鴿 Ref. 同前  
*Pluvialis dominica* (Müller, 1776) 美洲金斑鴿 Ref. 同前  
*Pluvialis fulva* (J. F. Gmelin, 1789) 金斑鴿 Ref. 同前  
*Pluvialis squatarola* (Linnaeus, 1758) 灰斑鴿 Ref. 同前  
*Vanellus cinereus* (Blyth, 1842) 灰頭麥雞 Ref. 同前  
*Vanellus vanellus* (Linnaeus, 1758) 鳳頭麥雞 Ref. 同前

#### Family Ciconiidae 鸛科

*Ciconia boyciana* Swinhoe, 1873 東方白鸛 Ref. Dickinson, 2003  
*Ciconia nigra* (Linnaeus, 1758) 黑鸛 Ref. 同前

#### Family Diomedeidae 信天翁科

*Phoebastria albatrus* (Pallas, 1769) 短尾信天翁 Ref. Dickinson, 2003  
*Phoebastria immutabilis* (Rothschild, 1893) 黑背信天翁 Ref. 同前  
*Phoebastria nigripes* (Audubon, 1839) 黑腳信天翁 Ref. 同前

#### Family Falconidae 隼科

*Falco amurensis* Radde, 1863 紅腳隼 Ref. Dickinson, 2003  
*Falco columbarius* Linnaeus, 1758 灰背隼 Ref. 同前  
*Falco naumanni* Fleischner, 1818 黃爪隼 Ref. 同前  
*Falco peregrinus* TunStall, 1771 遊隼 Ref. 同前  
*Falco subbuteo* Linnaeus, 1758 燕隼 Ref. 同前  
*Falco tinnunculus* Linnaeus, 1758 紅隼 Ref. 同前

#### Family Fregatidae 軍艦鳥科

*Fregata ariel* (Gray, 1845) 白斑軍艦鳥 Ref. Dickinson, 2003

*Fregata minor* (J. F. Gmelin, 1789) 黑腹軍艦鳥 Ref. 同前

### Family Glareolidae 燕鴒科

*Glareola maldivarum* Forster, 1795 燕鴒 Ref. Dickinson, 2003

### Family Haematopodidae 鸕鷀科

*Haematopus ostralegus* Linnaeus, 1758 鸕鷀 Ref. Dickinson, 2003

### Family Hydrobatidae 海燕科

*Oceanodroma leucorhoa* (Vieillot, 1818) 白腰叉尾海燕 Ref. Dickinson, 2003

*Oceanodroma matsudairae* Kuroda, 1922 煙黑叉尾海燕 Ref. 同前

*Oceanodroma monorhis* (Swinhoe, 1867) 黑叉尾海燕 Ref. 同前

*Oceanodroma tristrami* Salvin, 1896 褐翅叉尾海燕 Ref. 同前

### Family Jacanidae 水雉科

*Hydrophasianus chirurgus* (Scopoli, 1786) 水雉 Ref. Dickinson, 2003

### Family Laridae 鷗科

*Anous stolidus* (Linnaeus, 1758) 白頂玄燕鷗 Ref. Dickinson, 2003

*Chlidonias hybrida* (Pallas, 1811) 黑腹浮鷗 Ref. 同前

*Chlidonias leucopterus* (Temminck, 1815) 白翅黑浮鷗 Ref. 同前

*Chlidonias niger* (Linnaeus, 1758) 黑浮鷗 Ref. 同前

*Larus argentatus* Pontoppidan, 1763 銀鷗 Ref. 同前

*Larus cachinnans* Pallas, 1811 黃腳銀鷗 Ref. 同前

*Larus canus* Linnaeus, 1758 海鷗 Ref. 同前

*Larus crassirostris* Vieillot, 1818 黑尾鷗 Ref. 同前

*Larus fuscus* Linnaeus, 1758 小黑背鷗 Ref. 同前

*Larus hyperboreus* Gunnerus, 1767 北極鷗 Ref. 同前

*Larus ichthyaetus* Pallas, 1773 漁鷗 Ref. 同前

*Larus minutus* Pallas, 1776 小鷗 Ref. 同前

*Larus pipixcan* Wagler, 1831 弗氏鷗 Ref. 同前

*Larus ridibundus* Linnaeus, 1766 紅嘴鷗 Ref. 同前

*Larus saundersi* (Swinhoe, 1871) 黑嘴鷗 Ref. 同前

*Larus schistisagus* Stejneger, 1884 灰背鷗 Ref. 同前

*Rissa tridactyla* (Linnaeus, 1758) 三趾鷗 Ref. 同前

*Sterna albifrons* Pallas, 1764 小燕鷗 Ref. 同前

*Sterna aleutica* Baird, 1869 白腰燕鷗 Ref. 同前

*Sterna anaethetus* Scopoli, 1786 白眉燕鷗 Ref. 同前

*Sterna bergii* Lichtenstein, 1823 鳳頭燕鷗 Ref. 同前

*Sterna bernsteini* Schlegel, 1863 黑嘴端鳳頭燕鷗 Ref. 同前

*Sterna caspia* Pallas, 1770 裏海燕鷗 Ref. 同前

*Sterna dougallii* Montagu, 1813 粉紅燕鷗 Ref. 同前

*Sterna fuscata* Linnaeus, 1766 烏領燕鷗 Ref. 同前

*Sterna hirundo* Linnaeus, 1758 燕鷗 Ref. 同前

*Sterna nilotica* J. F. Gmelin, 1789 鷗嘴燕鷗 Ref. 同前

*Sterna sandvicensis* Latham, 1787 白嘴端燕鷗 Ref. 同前

*Sterna sumatrana* Raffles, 1822 黑枕燕鷗 Ref. 同前

### Family Pelecanidae 鵜鷂科

*Pelecanus crispus* Bruch, 1832 卷羽鵜鷂 Ref. Dickinson, 2003

*Pelecanus onocrotalus* Linnaeus, 1758 白鵜鷂 Ref. 同前

*Pelecanus philippensis* J. F. Gmelin, 1789 斑嘴鵜鷂 Ref. 同前

### Family Phaethontidae 熱帶鳥科

*Phaethon lepturus* Daudin, 1802 白尾熱帶鳥 Ref. Dickinson, 2003

*Phaethon rubricauda* Boddaert, 1783 紅尾熱帶鳥 Ref. 同前

### Family Phalacrocoracidae 鸕鷀科

*Phalacrocorax capillatus* (Temminck & Schlegel, 1850) 丹氏鸕鷀 Ref. Dickinson, 2003

*Phalacrocorax carbo* (Linnaeus, 1758) 鸕鷀 Ref. 同前

*Phalacrocorax pelagicus* Pallas, 1811 海鸕鷀 Ref. 同前

### Family Podicipedidae 鸕鷀科

*Podiceps auritus* (Linnaeus, 1758) 角鸕鷀 Ref. Dickinson, 2003

*Podiceps cristatus* (Linnaeus, 1758) 冠鸕鷀 Ref. 同前

*Podiceps nigricollis* Brehm, 1831 黑頸鸕鷀 Ref. 同前

*Tachybaptus ruficollis* (Pallas, 1764) 小鸕鷀 Ref. 同前

### Family Procellariidae 鷓科

*Bulweria bulwerii* (Jardine & Selby, 1828) 褐燕鷓 Ref. Dickinson, 2003

*Calonectris leucomelas* (Temminck, 1836) 白額鷓 Ref. 同前

*Pseudobulweria rostrata* (Peale, 1848) 擬褐燕鷓 Ref. 同前

*Pterodroma hypoleuca* (Salvin, 1888) 白額圓尾鷓 Ref. 同前

*Puffinus carneipes* Gould, 1844 淡足鷓 Ref. 同前

*Puffinus griseus* (Gmelin, 1789) 灰鷓 Ref. 同前

*Puffinus pacificus* (J. F. Gmelin, 1789) 楔尾鷓 Ref. 同前

*Puffinus tenuirostris* (Temminck, 1836) 短尾鷓 Ref. 同前

### Family Recurvirostridae 長腳鷸科

*Himantopus himantopus* (Linnaeus, 1758) 長腳鷸 Ref. Dickinson, 2003  
*Recurvirostra avosetta* Linnaeus, 1758 反嘴長腳鷸 Ref. 同前

### Family Rostratulidae 彩鷸科

*Rostratula benghalensis* (Linnaeus, 1758) 彩鷸 Ref. Dickinson, 2003

### Family Scolopacidae 鷸科

*Actitis hypoleucos* (Linnaeus, 1758) 磯鷸 Ref. Dickinson, 2003  
*Arenaria interpres* (Linnaeus, 1758) 翻石鷸 Ref. 同前  
*Calidris acuminata* (Horsfield, 1821) 尖尾濱鷸 Ref. 同前  
*Calidris alba* (Pallas, 1764) 三趾濱鷸 Ref. 同前  
*Calidris alpina* (Linnaeus, 1758) 黑腹濱鷸 Ref. 同前  
*Calidris canutus* (Linnaeus, 1758) 紅腹濱鷸 Ref. 同前  
*Calidris ferruginea* (Pontoppidan, 1763) 彎嘴濱鷸 Ref. 同前  
*Calidris himantopus* (Bonaparte, 1826) 高蹺濱鷸 Ref. 同前  
*Calidris mauri* (Cabanis, 1857) 西濱鷸 Ref. 同前  
*Calidris melanotos* (Vieillot, 1819) 美洲尖尾濱鷸 Ref. 同前  
*Calidris minuta* (Leisler, 1812) 小濱鷸 Ref. 同前  
*Calidris ruficollis* (Pallas, 1776) 紅頸濱鷸 Ref. 同前  
*Calidris subminuta* (Middendorff, 1853) 長趾濱鷸 Ref. 同前  
*Calidris temminckii* (Leisler, 1812) 丹氏濱鷸 Ref. 同前  
*Calidris tenuirostris* (Horsfield, 1821) 大濱鷸 Ref. 同前  
*Eurynorhynchus pygmeus* (Linnaeus, 1758) 琵嘴鷸 Ref. 同前  
*Gallinago gallinago* (Linnaeus, 1758) 田鷸 Ref. 同前  
*Gallinago hardwickii* (Gray, 1831) 大田鷸 Ref. 同前  
*Gallinago megala* Swinhoe, 1861 中田鷸 Ref. 同前  
*Gallinago stenura* (Bonaparte, 1831) 針尾田鷸 Ref. 同前  
*Heteroscelus brevipes* (Vieillot, 1816) 黃足鷸 Ref. 同前  
*Heteroscelus incanus* (J. F. Gmelin, 1789) 美洲黃足鷸 Ref. 同前  
*Limicola falcinellus* (Pontoppidan, 1763) 闊嘴鷸 Ref. 同前  
*Limnodromus scolopaceus* (Say, 1823) 長嘴半蹼鷸 Ref. 同前  
*Limnodromus semipalmatus* (Blyth, 1848) 半蹼鷸 Ref. 同前  
*Limosa lapponica* (Linnaeus, 1758) 斑尾鷸 Ref. 同前  
*Limosa limosa* (Linnaeus, 1758) 黑尾鷸 Ref. 同前  
*Lymnocyptes minimus* (Brunnich, 1764) 姬鷸 Ref. 同前  
*Numenius arquata* (Linnaeus, 1758) 白腰杓鷸 Ref. 同前  
*Numenius madagascariensis* (Linnaeus, 1766) 紅腰杓鷸 Ref. 同前  
*Numenius minutus* Gould, 1841 小杓鷸 Ref. 同前  
*Numenius phaeopus* (Linnaeus, 1758) 中杓鷸 Ref. 同前  
*Phalaropus fulicarius* (Linnaeus, 1758) 灰瓣足鷸 Ref. 同前  
*Phalaropus lobatus* (Linnaeus, 1758) 紅領瓣足鷸 Ref. 同前  
*Philomachus pugnax* (Linnaeus, 1758) 流蘇鷸 Ref. 同前  
*Scolopax rusticola* Linnaeus, 1758 山鷸 Ref. 同前  
*Tringa erythropus* (Pallas, 1764) 鶴鷸 Ref. 同前  
*Tringa flavipes* (J. F. Gmelin, 1789) 小黃腳鷸 Ref. 同前  
*Tringa glareola* Linnaeus, 1758 鷹斑鷸 Ref. 同前  
*Tringa guttifer* (Nordmann, 1835) 諾氏鷸 Ref. 同前  
*Tringa nebularia* (Gunnerus, 1767) 青足鷸 Ref. 同前  
*Tringa ochropus* Linnaeus, 1758 白腰草鷸 Ref. 同前  
*Tringa stagnatilis* (Bechstein, 1803) 澤鷸 Ref. 同前  
*Tringa totanus* (Linnaeus, 1758) 赤足鷸 Ref. 同前  
*Tryngites subruficollis* (Vieillot, 1819) 黃胸鷸 Ref. 同前  
*Xenus cinereus* (Guldenstadt, 1775) 翹嘴鷸 Ref. 同前

### Family Stercorariidae 賊鷗科

*Stercorarius longicaudus* Vieillot, 1819 長尾賊鷗 Ref. Dickinson, 2003  
*Stercorarius maccormicki* H. Saunders, 1893 灰賊鷗 Ref. 同前  
*Stercorarius parasiticus* (Linnaeus, 1758) 短尾賊鷗 Ref. 同前  
*Stercorarius pomarinus* (Temminck, 1815) 中賊鷗 Ref. 同前

### Family Sulidae 鯉鳥科

*Sula dactylatra* Lesson, 1831 藍臉鯉鳥 Ref. Dickinson, 2003  
*Sula leucogaster* (Boddaert, 1783) 白腹鯉鳥 Ref. 同前  
*Sula sula* (Linnaeus, 1766) 紅腳鯉鳥 Ref. 同前

### Family Threskiornithidae 鸚科

*Nipponia nippon* (Temminck, 1835) 朱鸚 Ref. Dickinson, 2003  
*Platalea leucorodia* Linnaeus, 1758 琵鷺 Ref. 同前  
*Platalea minor* Temminck & Schlegel, 1849 黑面琵鷺 Ref. 同前  
*Plegadis falcinellus* (Linnaeus, 1766) 彩鸚 Ref. 同前  
*Threskiornis aethiopica* (Latham, 1790) 埃及聖鸚 Ref. 同前  
*Threskiornis melanocephalus* (Latham, 1790) 黑頭白鸚 Ref. 同前

## Order Columbiformes 鴿形目

### Family Columbidae 鳩鴿科

- Chalcophaps indica* (Linnaeus, 1758) 翠翼鳩 Ref. Dickinson, 2003  
*Columba janthina* Temminck, 1830 黑林鴿 Ref. 同前  
*Columba livia* Gmelin, 1789 岩鴿 Ref. 同前  
*Columba pulchricollis* Blyth, 1846 灰林鴿 Ref. 同前  
*Macropygia tenuirostris* Bonaparte, 1854 菲律賓鴿 Ref. 同前  
*Ptilinopus leclancheri* (Bonaparte, 1855) 黑頰果鳩 Ref. 同前  
*Streptopelia chinensis* (Scopoli, 1786) 珠頸斑鳩 Ref. 同前  
*Streptopelia orientalis* (Latham, 1790) 金背鳩 Ref. 同前  
*Streptopelia tranquebarica* (Hermann, 1804) 紅鳩 Ref. 同前  
*Treron bicinctus* (Jerdon, 1840) 橙胸綠鳩 Ref. 同前  
*Treron formosae* Swinhoe, 1863 紅頭綠鳩 Ref. 同前  
*Treron sieboldii* (Temminck, 1835) 綠鳩 Ref. 同前

## Order Coraciiformes 佛法僧目

### Family Alcedinidae 翠鳥科

- Alcedo atthis* (Linnaeus, 1758) 翠鳥 Ref. Dickinson, 2003  
*Ceyx erithaca* (Linnaeus, 1758) 三趾翠鳥 Ref. 同前  
*Halcyon coromanda* (Latham, 1790) 赤翡翠 Ref. 同前  
*Halcyon pileata* (Boddaert, 1783) 黑頭翡翠 Ref. 同前  
*Halcyon smyrnensis* (Linnaeus, 1758) 白胸翡翠 Ref. 同前  
*Todiramphus chloris* (Boddaert, 1783) 白領翡翠 Ref. 同前

### Family Coraciidae 佛法僧科

- Eurystomus orientalis* (Linnaeus, 1766) 三寶鳥 Ref. Dickinson, 2003

### Family Meropidae 蜂虎科

- Merops ornatus* Latham, 1802 彩虹蜂虎 Ref. Dickinson, 2003

## Order Cuculiformes 鵲形目

### Family Cuculidae 杜鵑科

- Cacomantis merulinus* (Scopoli, 1786) 八聲杜鵑 Ref. Dickinson, 2003  
*Centropus bengalensis* (Gmelin, 1788) 小鴉鵒 Ref. 同前  
*Clamator coromandus* (Linnaeus, 1766) 栗翅鳳鵒 Ref. 同前  
*Cuculus canorus* Linnaeus, 1758 大杜鵑 Ref. 同前  
*Cuculus fugax* Horsfield, 1821 棕腹杜鵑 Ref. 同前  
*Cuculus micropterus* Gould, 1838 四聲杜鵑 Ref. 同前  
*Cuculus poliocephalus* Latham, 1790 小杜鵑 Ref. 同前  
*Cuculus saturatus* Blyth, 1843 中杜鵑 Ref. 同前  
*Cuculus sparveriioides* Vigors, 1832 鷹鵒 Ref. 同前  
*Eudynamis scolopaceus* (Linnaeus, 1758) 噪鵒 Ref. 同前

## Order Galliformes 雞形目

### Family Phasianidae 雉科

- Arborophila crudigularis* (Swinhoe, 1864) 台灣山鷓鴣 Ref. Dickinson, 2003  
*Bambusicola thoracicus* (Temminck, 1815) 竹雞 Ref. 同前  
*Coturnix chinensis* (Linnaeus, 1766) 藍胸鵒 Ref. 同前  
*Coturnix japonica* Temminck & Schlegel, 1849 鵪鶉 Ref. 同前  
*Lophura swinhoii* (Gould, 1863) 藍腹鵒 Ref. 同前  
*Phasianus colchicus* Linnaeus, 1758 環頸雉 Ref. 同前  
*Syrnaticus mikado* (Ogilvie-Grant, 1906) 黑長尾雉 Ref. 同前

## Order Gruiformes 鶴形目

### Family Gruidae 鶴科

- Antropoides virgo* (Linnaeus, 1758) 蓑羽鶴 Ref. Dickinson, 2003  
*Grus grus* (Linnaeus, 1758) 灰鶴 Ref. 同前  
*Grus japonensis* (Statius Müller, 1776) 丹頂鶴 Ref. 同前  
*Grus monacha* Temminck, 1835 白頭鶴 Ref. 同前  
*Grus vipio* Pallas, 1811 白枕鶴 Ref. 同前

### Family Rallidae 秧雞科

- Amaurornis phoenicurus* (Pennant, 1769) 白胸苦惡鳥 Ref. Dickinson, 2003  
*Fulica atra* Linnaeus, 1758 白骨頂 Ref. 同前  
*Gallixera cinerea* (Gmelin, 1789) 董雞 Ref. 同前  
*Gallinula chloropus* (Linnaeus, 1758) 紅冠水雞 Ref. 同前  
*Gallirallus striatus* (Linnaeus, 1766) 灰胸紋秧雞 Ref. 同前  
*Porphyrio porphyrio* (Linnaeus, 1758) 紫水雞 Ref. 同前  
*Porzana cinerea* (Vieillot, 1819) 白眉田雞 Ref. 同前  
*Porzana fusca* (Linnaeus, 1766) 紅胸田雞 Ref. 同前  
*Porzana paykullii* (Ljungh, 1813) 斑脇田雞 Ref. 同前  
*Porzana porzana* (Linnaeus, 1766) 斑胸田雞 Ref. 同前

*Porzana pusilla* (Pallas, 1776) 小田雞 Ref. 同前  
*Rallina eurizonoides* (Lafresnaye, 1845) 灰腳斑秧雞 Ref. 同前  
*Rallina fasciata* (Raffles, 1822) 紅腳斑秧雞 Ref. 同前  
*Rallus aquaticus* Linnaeus, 1758 秧雞 Ref. 同前

## Order Passeriformes 燕雀目

### Family Aegithalidae 長尾山雀科

*Aegithalos concinnus* (Gould, 1855) 紅頭長尾山雀 Ref. Dickinson, 2003

### Family Alaudidae 百靈科

*Alauda arvensis* Linnaeus, 1758 歐亞雲雀 Ref. Dickinson, 2003  
*Alauda gulgula* Franklin, 1831 小雲雀 Ref. 同前  
*Calandrella brachydactyla* (Leisler, 1814) 大短趾百靈 Ref. 同前  
*Calandrella cheleensis* (Swinhoe, 1871) 亞洲短趾百靈 Ref. 同前

### Family Bombycillidae 連雀科

*Bombycilla garrulus* (Linnaeus, 1758) 黃連雀 Ref. Dickinson, 2003  
*Bombycilla japonica* (Siebold, 1824) 朱連雀 Ref. 同前

### Family Campephagidae 山椒鳥科

*Coracina macei* (Lesson, 1830) 花翅山椒 Ref. Dickinson, 2003  
*Coracina melaschistos* (Hodgson, 1836) 黑翅山椒 Ref. 同前  
*Pericrocotus divaricatus* (Raffles, 1822) 灰山椒 Ref. 同前  
*Pericrocotus ethologus* Bangs & Phillips, 1914 長尾山椒 Ref. 同前  
*Pericrocotus solaris* Blyth, 1846 灰喉山椒 Ref. 同前

### Family Cinclidae 河鳥科

*Cinclus pallasii* Temminck, 1820 河鳥 Ref. Dickinson, 2003

### Family Cisticolidae 扇尾鶯科

*Cisticola exilis* (Vigors & Horsfield, 1827) 黃頭扇尾鶯 Ref. Dickinson, 2003  
*Cisticola juncidis* (Rafinesque, 1810) 棕扇尾鶯 Ref. 同前  
*Prinia crinigera* Hodgson, 1836 斑紋鶯 Ref. 同前  
*Prinia flaviventris* (Delessert, 1840) 灰頭鶯 Ref. 同前  
*Prinia inornata* Sykes, 1832 褐頭鶯 Ref. 同前

### Family Corvidae 鴉科

*Corvus corone* Linnaeus, 1758 小嘴烏鴉 Ref. Dickinson, 2003  
*Corvus dauuricus* Pallas, 1776 東方寒鴉 Ref. 同前  
*Corvus frugilegus* Linnaeus, 1758 禿鼻鴉 Ref. 同前  
*Corvus macrorhynchos* Wagler, 1827 巨嘴鴉 Ref. 同前  
*Corvus pectoralis* Gould, 1836 玉頸鴉 Ref. 同前  
*Corvus splendens* Vieillot, 1817 家烏鴉 Ref. 同前  
*Dendrocitta formosae* Swinhoe, 1863 灰樹鶻 Ref. 同前  
*Garrulus glandarius* (Linnaeus, 1758) 松鴉 Ref. 同前  
*Nucifraga caryocatactes* (Linnaeus, 1758) 星鴉 Ref. 同前  
*Pica pica* (Linnaeus, 1758) 喜鴉 Ref. 同前  
*Urocissa caerulea* Gould, 1863 台灣藍鶻 Ref. 同前

### Family Dicaeidae 啄花科

*Dicaeum concolor* Jerdon, 1840 綠啄花 Ref. Dickinson, 2003  
*Dicaeum ignipectum* (Blyth, 1843) 紅胸啄花 Ref. 同前

### Family Dicruridae 卷尾科

*Dicrurus aeneus* Vieillot, 1817 小卷尾 Ref. Dickinson, 2003  
*Dicrurus hottentottus* (Linnaeus, 1766) 髮冠卷尾 Ref. 同前  
*Dicrurus leucophaeus* Vieillot, 1817 灰卷尾 Ref. 同前  
*Dicrurus macrocercus* Vieillot, 1817 大卷尾 Ref. 同前

### Family Emberizidae 鶉科

*Calcarius lapponicus* (Linnaeus, 1758) 鐵爪鶉 Ref. Dickinson, 2003  
*Emberiza aureola* Pallas, 1773 金鶉 Ref. 同前  
*Emberiza chrysophrys* Pallas, 1776 黃眉鶉 Ref. 同前  
*Emberiza cioides* Brandt, 1843 草鶉 Ref. 同前  
*Emberiza elegans* Temminck, 1836 黃喉鶉 Ref. 同前  
*Emberiza fucata* Pallas, 1776 栗耳鶉 Ref. 同前  
*Emberiza leucocephalos* S. G. Gmelin, 1771 白頭鶉 Ref. 同前  
*Emberiza melanocephala* Scopoli, 1769 黑頭鶉 Ref. 同前  
*Emberiza pallasi* (Cabanis, 1851) 葦鶉 Ref. 同前  
*Emberiza pusilla* Pallas, 1776 小鶉 Ref. 同前  
*Emberiza rustica* Pallas, 1776 田鶉 Ref. 同前  
*Emberiza rutila* Pallas, 1776 鏽鶉 Ref. 同前  
*Emberiza schoeniclus* (Linnaeus, 1758) 蘆鶉 Ref. 同前  
*Emberiza spodocephala* Pallas, 1776 黑臉鶉 Ref. 同前  
*Emberiza sulphurata* Temminck & Schlegel, 1848 繡眼鶉 Ref. 同前  
*Emberiza tristrami* Swinhoe, 1870 白眉鶉 Ref. 同前

*Emberiza variabilis* Temminck, 1836 灰鷓 Ref. 同前  
*Melophus lathami* (J. E. Gray, 1831) 冠鷓 Ref. 同前  
*Plectrophenax nivalis* (Linnaeus, 1758) 雪鷓 Ref. 同前

#### Family Estrildidae 梅花雀科

*Estrilda melpoda* (Vieillot, 1817) 橙頰梅花雀 Ref. Dickinson, 2003  
*Lonchura malabarica* (Linnaeus, 1758) 白喉文鳥 Ref. 同前  
*Lonchura malacca* (Linnaeus, 1766) 黑頭文鳥 Ref. 同前  
*Lonchura punctulata* (Linnaeus, 1758) 斑文鳥 Ref. 同前  
*Lonchura striata* (Linnaeus, 1766) 白腰文鳥 Ref. 同前

#### Family Fringillidae 雀科

*Carduelis flammaea* (Linnaeus, 1758) 白腰朱頂雀 Ref. Dickinson, 2003  
*Carduelis sinica* (Linnaeus, 1766) 金翅雀 Ref. 同前  
*Carduelis spinus* (Linnaeus, 1758) 黃雀 Ref. 同前  
*Carpodacus erythrinus* (Pallas, 1770) 普通朱雀 Ref. 同前  
*Carpodacus vinaceus* J. Verreaux, 1870 酒紅朱雀 Ref. 同前  
*Coccothraustes coccothraustes* (Linnaeus, 1758) 錫嘴雀 Ref. 同前  
*Eophona migratoria* Hartert, 1903 小黃嘴雀 Ref. 同前  
*Eophona personata* (Temminck & Schlegel, 1848) 黃嘴雀 Ref. 同前  
*Fringilla montifringilla* Linnaeus, 1758 花雀 Ref. 同前  
*Pyrrhula erythaca* Blyth, 1862 灰頭灰雀 Ref. 同前  
*Pyrrhula nipalensis* Hodgson, 1836 褐灰雀 Ref. 同前

#### Family Hirundinidae 燕科

*Cecropis daurica* (Laxmann, 1769) 金腰燕 Ref. Dickinson, 2003  
*Cecropis striolata* (Schlegel, 1844) 赤腰燕 Ref. 同前  
*Delichon dasypus* (Bonaparte, 1850) 東方毛腳燕 Ref. 同前  
*Hirundo rustica* Linnaeus, 1758 家燕 Ref. 同前  
*Hirundo tahitica* J. F. Gmelin, 1789 洋燕 Ref. 同前  
*Riparia paludicola* (Vieillot, 1817) 棕沙燕 Ref. 同前  
*Riparia riparia* (Linnaeus, 1758) 灰沙燕 Ref. 同前

#### Family Lanidae 伯勞科

*Lanius bucephalus* Temminck & Schlegel, 1845 紅頭伯勞 Ref. Dickinson, 2003  
*Lanius cristatus* Linnaeus, 1758 紅尾伯勞 Ref. 同前  
*Lanius schach* Linnaeus, 1758 棕背伯勞 Ref. 同前  
*Lanius sphenocercus* Cabanis, 1873 楔尾伯勞 Ref. 同前  
*Lanius tigrinus* Drapiez, 1828 虎紋伯勞 Ref. 同前

#### Family Monarchidae 王鷓科

*Hypothymis azurea* (Boddaert, 1783) 黑枕王鷓 Ref. Dickinson, 2003  
*Terpsiphone atrocaudata* (Eyton, 1839) 紫壽帶 Ref. 同前  
*Terpsiphone paradisi* (Linnaeus, 1758) 亞洲壽帶 Ref. 同前

#### Family Motacillidae 鵲科

*Anthus cervinus* (Pallas, 1811) 赤喉鵲 Ref. Dickinson, 2003  
*Anthus godlewskii* (Taczanowski, 1876) 布萊氏鵲 Ref. 同前  
*Anthus gustavi* Swinhoe, 1863 白背鵲 Ref. 同前  
*Anthus hodgsoni* Richmond, 1907 樹鵲 Ref. 同前  
*Anthus richardi* Vieillot, 1818 大花鵲 Ref. 同前  
*Anthus rubescens* (TunStall, 1771) 黃腹鵲 Ref. 同前  
*Anthus spinoletta* (Linnaeus, 1758) 水鵲 Ref. 同前  
*Dendronanthus indicus* (J. F. Gmelin, 1789) 山鵲 Ref. 同前  
*Motacilla alba* Linnaeus, 1758 白鵲 Ref. 同前  
*Motacilla cinerea* TunStall, 1771 灰鵲 Ref. 同前  
*Motacilla citreola* Pallas, 1776 黃頭鵲 Ref. 同前  
*Motacilla flava* Linnaeus, 1758 黃鵲 Ref. 同前  
*Motacilla grandis* Sharpe, 1885 日本鵲 Ref. 同前

#### Family Muscicapidae 鷓科

*Culicicapa ceylonensis* (Swainson, 1820) 方尾鷓 Ref. Dickinson, 2003  
*Cyanoptila cyanomelaena* (Temminck, 1829) 白腹藍鷓 Ref. 同前  
*Enicurus scouleri* Vigors, 1832 小剪尾 Ref. 同前  
*Eumyias thalassinus* (Swainson, 1838) 銅藍鷓 Ref. 同前  
*Ficedula hyperythra* (Blyth, 1843) 黃胸姬鷓 Ref. 同前  
*Ficedula mugimaki* (Temminck, 1835) 斑眉姬鷓 Ref. 同前  
*Ficedula narcissina* (Temminck, 1835) 黃眉姬鷓 Ref. 同前  
*Ficedula parva* (Bechstein, 1792) 紅喉姬鷓 Ref. 同前  
*Ficedula zanthopygia* (Hay, 1845) 白眉姬鷓 Ref. 同前  
*Luscinia akahige* (Temminck, 1835) 日本歌鷓 Ref. 同前  
*Luscinia calliope* (Pallas, 1776) 紅喉歌鷓 Ref. 同前  
*Luscinia cyane* (Pallas, 1776) 藍歌鷓 Ref. 同前  
*Luscinia cyanura* (Pallas, 1773) 藍尾歌鷓 Ref. 同前  
*Luscinia indica* (Vieillot, 1817) 白眉林鷓 Ref. 同前

*Luscinia johnstoniae* (Ogilvie-Grant, 1906) 栗背林鴝 Ref. 同前  
*Luscinia komadori* (Temminck, 1835) 琉球歌鴝 Ref. 同前  
*Luscinia sibilans* (Swinhoe, 1863) 紅尾歌鴝 Ref. 同前  
*Luscinia svecica* (Linnaeus, 1758) 藍喉歌鴝 Ref. 同前  
*Monticola gularis* (Swinhoe, 1863) 白喉磯鶇 Ref. 同前  
*Monticola solitarius* (Linnaeus, 1758) 藍磯鶇 Ref. 同前  
*Muscicapa dauurica* Pallas, 1811 灰鶇 Ref. 同前  
*Muscicapa ferruginea* (Hodgson, 1845) 紅尾鶇 Ref. 同前  
*Muscicapa griseisticta* (Swinhoe, 1861) 斑鶇 Ref. 同前  
*Muscicapa sibirica* J. F. Gmelin, 1789 烏鶇 Ref. 同前  
*Myiomela leucura* (Hodgson, 1845) 白尾鶇 Ref. 同前  
*Niltava vivida* (Swinhoe, 1864) 黃腹仙鶇 Ref. 同前  
*Oenanthe deserti* (Temminck, 1825) 漠即鳥 Ref. 同前  
*Oenanthe isabellina* (Temminck, 1829) 沙即鳥 Ref. 同前  
*Oenanthe oenanthe* (Linnaeus, 1758) 穗即鳥 Ref. 同前  
*Phoenicurus auroreus* (Pallas, 1776) 黃尾鶇 Ref. 同前  
*Phoenicurus ochruros* (S. G. Gmelin, 1774) 赭紅尾鶇 Ref. 同前  
*Rhyacornis fuliginosa* (Vigors, 1831) 鉛色水鶇 Ref. 同前  
*Saxicola ferreus* Gray, GR, 1847 灰叢鶇 Ref. 同前  
*Saxicola torquatus* (Linnaeus, 1766) 黑喉鶇 Ref. 同前

#### Family Oriolidae 黃鸝科

*Oriolus chinensis* Linnaeus, 1766 黃鸝 Ref. Dickinson, 2003  
*Oriolus traillii* (Vigors, 1832) 朱鸝 Ref. 同前

#### Family Paridae 山雀科

*Parus ater* (Linnaeus, 1758) 煤山雀 Ref. Dickinson, 2003  
*Parus holsti* Seebohm, 1894 黃山雀 Ref. 同前  
*Parus major* Linnaeus, 1758 大山雀 Ref. 同前  
*Parus monticolus* Vigors, 1831 綠背山雀 Ref. 同前  
*Parus varius* Gould. 赤腹山雀 Ref. 同前

#### Family Passeridae 麻雀科

*Passer montanus* (Linnaeus, 1758) 麻雀 Ref. Dickinson, 2003  
*Passer rutilans* (Temminck, 1835) 山麻雀 Ref. 同前

#### Family Pittidae 八色鳥科

*Pitta moluccensis* (Statius Müller, 1776) 藍翅八色鶇 Ref. Dickinson, 2003  
*Pitta nympha* Temminck & Schlegel, 1850 仙八色鶇 Ref. 同前

#### Family Prunellidae 岩鶇科

*Prunella collaris* (Scopoli, 1769) 岩鶇 Ref. Dickinson, 2003  
*Prunella montanella* (Pallas, 1776) 棕眉山岩鶇 Ref. 同前

#### Family Pycnonotidae 鶇科

*Hypsipetes leucocephalus* (J. F. Gmelin, 1789) 紅嘴黑鶇 Ref. Dickinson, 2003  
*Microscelis amaurotis* (Temminck, 1830) 棕耳鶇 Ref. 同前  
*Pycnonotus sinensis* (J. F. Gmelin, 1789) 白頭翁 Ref. 同前  
*Pycnonotus taivanus* Styan, 1893 烏頭翁 Ref. 同前  
*Spizixos semitorques* Swinhoe, 1861 白環鸚嘴鶇 Ref. 同前

#### Family Reguliidae 戴菊科

*Regulus goodfellowi* Ogilvie-Grant, 1906 台灣戴菊 Ref. Dickinson, 2003  
*Regulus regulus* (Linnaeus, 1758) 戴菊 Ref. 同前

#### Family Remizidae 攀雀科

*Remiz pendulinus* (Linnaeus, 1758) 攀雀 Ref. Dickinson, 2003

#### Family Sittidae 鸚科

*Sitta europaea* Linnaeus, 1758 茶腹鸚 Ref. Dickinson, 2003

#### Family Sturnidae 八哥科

*Acridotheres cristatellus* (Linnaeus, 1758) 八哥 Ref. Dickinson, 2003  
*Acridotheres fuscus* (Wagler, 1827) 叢林八哥 Ref. 同前  
*Acridotheres javanicus* Cabanis, 1851 爪哇八哥 Ref. 同前  
*Acridotheres tristis* (Linnaeus, 1766) 家八哥 Ref. 同前  
*Aplonis panayensis* (Scopoli, 1786) 亞洲輝椋鳥 Ref. 同前  
*Sturnus cineraceus* Temminck, 1835 灰椋鳥 Ref. 同前  
*Sturnus malabaricus* (J. F. Gmelin, 1789) 灰頭椋鳥 Ref. 同前  
*Sturnus philippensis* (Forster, 1781) 紫背椋鳥 Ref. 同前  
*Sturnus roseus* (Linnaeus, 1758) 粉紅椋鳥 Ref. 同前  
*Sturnus sericeus* J. F. Gmelin, 1788 絲光椋鳥 Ref. 同前  
*Sturnus sinensis* (J. F. Gmelin, 1788) 灰背椋鳥 Ref. 同前  
*Sturnus sturninus* (Pallas, 1776) 北椋鳥 Ref. 同前  
*Sturnus vulgaris* Linnaeus, 1758 歐洲椋鳥 Ref. 同前

#### Family Sylviidae 鶯科

*Abroscopus albogularis* (Hodgson, 1854) 棕面鶇鶇 Ref. Dickinson, 2003  
*Acrocephalus bistrigiceps* Swinhoe, 1860 雙眉葦鶇 Ref. 同前  
*Acrocephalus orientalis* (Temminck & Schlegel, 1847) 東方大葦鶇 Ref. 同前  
*Acrocephalus sorghophilus* (Swinhoe, 1863) 細紋葦鶇 Ref. 同前  
*Bradypterus alishanensis* Rasmussen et al., 2000 台灣短翅鶇 Ref. 同前  
*Cettia acanthizoides* (Verreaux, 1871) 黃腹樹鶇 Ref. 同前  
*Cettia diphone* (Kittlitz, 1830) 短翅樹鶇 Ref. 同前  
*Cettia fortipes* (Hodgson, 1845) 強腳樹鶇 Ref. 同前  
*Locustella certhiola* (Pallas, 1811) 小蝗鶇 Ref. 同前  
*Locustella fasciolata* Gray, 1860 蒼眉蝗鶇 Ref. 同前  
*Locustella lanceolata* (Temminck, 1840) 茅斑蝗鶇 Ref. 同前  
*Locustella ochotensis* (Middendorff, 1853) 北蝗鶇 Ref. 同前  
*Locustella pleskei* Taczanowski, 1889 史氏蝗鶇 Ref. 同前  
*Phylloscopus borealis* (Blasius, 1858) 極北柳鶇 Ref. 同前  
*Phylloscopus borealoides* Portenko, 1950 庫頁島柳鶇 Ref. 同前  
*Phylloscopus coronatus* (Temminck & Schlegel, 1847) 冠羽柳鶇 Ref. 同前  
*Phylloscopus fuscatus* (Blyth, 1842) 褐色柳鶇 Ref. 同前  
*Phylloscopus ijimae* (Stejneger, 1892) 飯島柳鶇 Ref. 同前  
*Phylloscopus inornatus* (Blyth, 1842) 黃眉柳鶇 Ref. 同前  
*Phylloscopus proregulus* (Pallas, 1811) 黃腰柳鶇 Ref. 同前  
*Phylloscopus reguloides* (Blyth, 1842) 冠紋柳鶇 Ref. 同前  
*Phylloscopus schwarzi* (Radde, 1863) 巨嘴柳鶇 Ref. 同前  
*Phylloscopus tenellipes* Swinhoe, 1860 淡腳柳鶇 Ref. 同前  
*Sylvia curruca* (Linnaeus, 1758) 白喉林鶇 Ref. 同前  
*Urosphena squameiceps* (Swinhoe, 1863) 短尾鶇 Ref. 同前

### Family Timaliidae 畫眉科

*Actinodura morrisoniana* Ogilvie-Grant, 1906 台灣斑翅鶇 Ref. Dickinson, 2003  
*Alcippe brunnea* Gould, 1863 烏線雀鶇 Ref. 同前  
*Alcippe cinereiceps* (Verreaux, 1870) 紋喉雀鶇 Ref. 同前  
*Alcippe morrisonia* Swinhoe, 1863 繡眼雀鶇 Ref. 同前  
*Erpornis zantholeuca* Blyth, 1844 綠鳳鶇 Ref. 同前  
*Garrulax albogularis* (Gould, 1836) 白喉噪鶇 Ref. 同前  
*Garrulax morrisonianus* (Ogilvie-Grant, 1906) 台灣噪鶇 Ref. 同前  
*Garrulax poecilorhynchus* Gould, 1863 棕噪鶇 Ref. 同前  
*Garrulax taewanus* Swinhoe, 1859 台灣畫眉 Ref. 同前  
*Heterophasia auricularis* (Swinhoe, 1864) 白耳奇鶇 Ref. 同前  
*Liocichla steerii* Swinhoe, 1877 黃痣藪鶇 Ref. 同前  
*Paradoxornis verreauxi* (Sharpe, 1883) 黃羽鶇雀 Ref. 同前  
*Paradoxornis webbianus* (Gould, 1852) 棕頭鶇雀 Ref. 同前  
*Pnoepyga albiventer* (Hodgson, 1837) 鱗胸鶇鶇 Ref. 同前  
*Pomatorhinus erythrogenys* Vigors, 1832 大彎嘴鶇 Ref. 同前  
*Pomatorhinus ruficollis* Hodgson, 1836 小彎嘴鶇 Ref. 同前  
*Stachyris ruficeps* Blyth, 1847 紅頭穗鶇 Ref. 同前  
*Yuhina brunneiceps* Ogilvie-Grant, 1906 冠羽鳳鶇 Ref. 同前

### Family Troglodytidae 鷓鴣科

*Troglodytes troglodytes* (Linnaeus, 1758) 鷓鴣 Ref. Dickinson, 2003

### Family Turdidae 鶇科

*Brachypteryx montana* Horsfield, 1821 小翼鶇 Ref. Dickinson, 2003  
*Myophonus insularis* Gould, 1863 台灣紫嘯鶇/紫嘯鶇 Ref. 同前  
*Turdus cardis* Temminck, 1831 烏灰鶇 Ref. 同前  
*Turdus chrysolais* Temminck, 1831 赤胸鶇 Ref. 同前  
*Turdus eunomus* Temminck, 1831 斑點鶇 Ref. 同前  
*Turdus hortulorum* Sclater, 1863 灰背鶇 Ref. 同前  
*Turdus merula* Linnaeus, 1758 黑鶇 Ref. 同前  
*Turdus naumanni* Temminck, 1820 紅尾鶇 Ref. 同前  
*Turdus obscurus* J. F. Gmelin, 1789 白眉鶇 Ref. 同前  
*Turdus pallidus* J. F. Gmelin, 1789 白腹鶇 Ref. 同前  
*Turdus poliocephalus* Latham, 1802 白頭鶇 Ref. 同前  
*Turdus ruficollis* Pallas, 1776 赤頸鶇 Ref. 同前  
*Zoothera aurea* (Holandre, 1825) 白氏地鶇 Ref. 同前  
*Zoothera dauma* (Latham, 1790) 虎斑地鶇 Ref. 同前  
*Zoothera sibirica* (Pallas, 1776) 白眉地鶇 Ref. 同前

### Family Zosteropidae 繡眼科

*Zosterops japonicus* Temminck & Schlegel, 1847 綠繡眼 Ref. Dickinson, 2003  
*Zosterops meyeri* Bonaparte, 1850 低地繡眼 Ref. 同前

## Order Piciformes 鵝形目

### Family Picidae 啄木鳥科

*Dendrocopos canicapillus* (Blyth, 1845) 小啄木 Ref. Dickinson, 2003  
*Dendrocopos leucotos* (Bechstein, 1802) 大赤啄木 Ref. 同前

*Jynx torquilla* Linnaeus, 1758 蟻鴉 Ref. 同前

*Picus canus* Gmelin, 1788 綠啄木 Ref. 同前

### Family Ramphastidae 鬚鴛科

*Megalaima nuchalis* Gould, 1863 五色鳥 Ref. Dickinson, 2003

## Order Strigiformes 鴞形目

### Family Caprimulgidae 夜鷹科

*Caprimulgus affinis* Horsfield, 1821 南亞夜鷹 Ref. Dickinson, 2003

*Caprimulgus indicus* Latham, 1790 普通夜鷹 Ref. 同前

### Family Strigidae 鴞科

*Asio flammeus* (Pontoppidan, 1763) 短耳鴞 Ref. Dickinson, 2003

*Asio otus* (Linnaeus, 1758) 長耳鴞 Ref. 同前

*Athene noctua* (Scopoli, 1769) 縱紋腹小鴞 Ref. 同前

*Glaucidium brodiei* (Burton, 1836) 領角鴞 Ref. 同前

*Ketupa flavipes* (Hodgson, 1836) 黃魚鴞 Ref. 同前

*Ninox scutulata* (Raffles, 1822) 褐鷹鴞 Ref. 同前

*Otus bakkamoena* Pennant, 1769 領角鴞 Ref. 同前

*Otus elegans* (Cassin, 1852) 優雅角鴞 Ref. 同前

*Otus spilocephalus* (Blyth, 1846) 黃嘴角鴞 Ref. 同前

*Otus sunia* (Hodgson, 1836) 東方角鴞 Ref. 同前

*Strix aluco* Linnaeus, 1758 灰林鴞 Ref. 同前

*Strix leptogrammica* Temminck, 1832 褐林鴞 Ref. 同前

### Family Tytonidae 草鴞科

*Tyto capensis* (A. Smith, 1834) 草鴞 Ref. Dickinson, 2003

## Order Turniciformes 三趾鶉目

### Family Turnicidae 三趾鶉科

*Turnix suscitator* (Gmelin, 1789) 棕三趾鶉 Ref. Dickinson, 2003

*Turnix sylvaticus* (Desfontaines, 1789) 林三趾鶉 Ref. 同前

*Turnix tanki* Blyth, 1843 黃腳三趾鶉 Ref. 同前

## Order Upupiformes 戴勝目

### Family Upupidae 戴勝科

*Upupa epops* Linnaeus, 1758 戴勝 Ref. Dickinson, 2003

## Class Mammalia 哺乳綱

## Order Artiodactyla 偶蹄目

### Family Bovidae 牛科

*Naemorhedus swinhoei* (Gray, 1862) 臺灣山羊 [特有]

### Family Cervidae 鹿科

*Cervus nippon* Blyth 梅花鹿 [特有]

*Cervus unicolor* (Sclater) 水鹿 [特有]

*Muntiacus reevesi* (Sclater) 山羌 [特有]

### Family Suidae 豬科

*Sus scrofa* (Swinhoe) 臺灣野豬 [特有]

## Order Carnivora 食肉目

### Family Felidae 貓科

*Felis bengalensis* Kerr, 1792 石虎

*Neofelis nebulosa* Swinhoe 雲豹 [特有]

### Family Herpesidae 獾科

*Herpestes urva* (Hodgson, 1836) 食蟹獾

### Family Mustelidae 貂科

*Lutra lutra* (Linnaeus, 1758) 水獺

*Martes flavigula* Swinhoe 黃喉貂 [特有]

*Melogale moschata* Swinhoe 鼬獾 [特有]

*Mustela formosanus* (Lin & Harada) 台灣高山小黃鼠狼 [特有]

*Mustela sibirica* (Milne-Edwards) 華南鼬鼠 [特有]

### Family Ursidae 熊科

*Ursus thibetanus* Swinhoe 臺灣黑熊 [特有]

### Family Viverridae 靈貓科

*Paguma larvata* Swinhoe 白鼻心 [特有]

*Viverricula indica* Schwarz 麝香貓 [特有]

## Order Cetacea 鯨目

### Family Balaenopteridae 鬚鯨科

*Balaenoptera acutorostrata* Lacepede, 1804 小鬚鯨 Ref. Rice, 1998

*Balaenoptera borealis* Lesson, 1828 鯨鯨 Ref. Rice, 1998  
*Balaenoptera brydei* Olsen, 1912 布氏鯨 Ref. Rice, 1998  
*Balaenoptera edeni* Anderson, 1879 鯨鯨 Ref. Rice, 1998  
*Balaenoptera musculus* (Linnaeus, 1758) 藍鯨 Ref. Rice, 1998  
*Balaenoptera omurai* Wada, Oishi & Yamada, 2003 大村鯨 Ref. Wada, Oishi & Yamada, 2003  
*Balaenoptera physalus* Linnaeus, 1758 長鬚鯨 Ref. Rice, 1998  
*Megaptera novaeangliae* Gray 大翅鯨 Ref. Rice, 1998

### Family Delphinidae 海豚科

*Delphinus delphis* Linnaeus, 1758 真海豚 Ref. Rice, 1998  
*Feresa attenuata* Gray, 1874 小虎鯨 Ref. Rice, 1998  
*Globicephala macrorhynchus* Gray, 1846 短肢領航鯨 Ref. Rice, 1998  
*Grampus griseus* G. Cuvier, 1812 瑞氏海豚 Ref. Rice, 1998  
*Lagenodelphis hosei* Fraser, 1956 弗氏海豚 Ref. Rice, 1998  
*Orcinus orca* Linnaeus, 1758 虎鯨 Ref. Rice, 1998  
*Peponocephala electra* Gray, 1846 瓜頭鯨 Ref. Rice, 1998  
*Pseudorca crassidens* Owen, 1846 偽虎鯨 Ref. Rice, 1998  
*Sousa chinensis* Osbeck, 1765 中華白海豚 Ref. Rice, 1998  
*Stenella attenuata* Gray, 1846 熱帶斑海豚 Ref. Rice, 1998  
*Stenella coeruleoalba* Meyen, 1833 條紋海豚 Ref. Rice, 1998  
*Stenella longirostris* Gray, 1828 長吻飛旋海豚 Ref. Rice, 1998  
*Steno bredanensis* G. Cuvier in Lesson, 1828 糙齒海豚 Ref. Rice, 1998  
*Tursiops aduncus* Ehrenberg, 1833 印太瓶鼻海豚 Ref. Rice, 1998  
*Tursiops truncatus* Montagu, 1821 瓶鼻海豚 Ref. Rice, 1998

### Family Eschrichtiidae 灰鯨科

*Eschrichtius robustus* Gray, 1864 灰鯨 Ref. Rice, 1998

### Family Kogiidae 小抹香鯨科

*Kogia breviceps* Blainville, 1838 小抹香鯨 Ref. Rice, 1998  
*Kogia sima* Owen, 1866 侏儒抹香鯨 Ref. Rice, 1998

### Family Phocoenidae 鼠海豚科

*Neophocaena phocaenoides* G. Cuvier, 1829 江豚 Ref. Rice, 1998

### Family Physeteridae 抹香鯨科

*Physeter macrocephalus* Linnaeus, 1758 抹香鯨 Ref. Rice, 1998

### Family Ziphiidae 喙鯨科

*Mesoplodon densirostris* Blainville, 1817 柏氏中喙鯨 Ref. Rice, 1998  
*Mesoplodon ginkgodens* Nishiwaki & Kamiya, 1958 銀杏齒中喙鯨 Ref. Rice, 1998  
*Ziphius cavirostris* Cuvier 柯氏喙鯨 Ref. Rice, 1998

## Order Chiroptera 翼手目

### Family Hipposideridae 葉鼻蝠科

*Coelops frithi* Horikawa 臺灣無尾葉鼻蝠 [特有]  
*Hipposideros terasensis* Kisida 臺灣葉鼻蝠 [特有]

### Family Molossididae 游離尾蝠科

*Tadarida teniotis* (Blyth, 1861) 游離尾蝠

### Family Pteropidae 大蝙蝠科

*Cynopterus sphinx* (Vah, 1797) 印度犬果蝠  
*Pteropus dasymallus* (Sclater, 1873) 臺灣狐蝠 [特有]

### Family Rhinolophidae 蹄鼻蝠科

*Rhinolophus formosae* Sanborn 臺灣大蹄鼻蝠 [特有]  
*Rhinolophus monoceros* Andersen 臺灣小蹄鼻蝠 [特有]

### Family Vespertilionidae 蝙蝠科

*Arielulus torquatus* Gabor & Lee 黃喉家蝠 [特有]  
*Barbastella leucomelas* (Cretzschmar, 1826) 寬耳蝠 [特有]  
*Eptesicus serotinus* (Kishida, 1924) 峴川氏棕蝠 [特有]  
*Harpiocephalus harpia* (Temminck, 1840) 毛翼大管鼻蝠  
*Harpiola isodon* Kuo et al., 2006 金芒管鼻蝠 [特有]  
*Kerivoula* sp. 台灣彩蝠  
*Miniopterus schreibersii* (Kuhl, 1817) 褶翅蝠  
*Murina gracilis* 姬管鼻蝠 [特有]  
*Murina lucogaster* 黃胸管鼻蝠  
*Murina puta* Kishida, 1924 臺灣管鼻蝠 [特有]  
*Murina* sp. 高山管鼻蝠 [特有]  
*Myotis flavus* (Shamel, 1944) 金黃鼠耳蝠 [特有]  
*Myotis latirostris* Kishida, 1932 寬吻鼠耳蝠 [特有]  
*Myotis rufoniger* (Thomes) 渡瀨氏鼠耳蝠 [特有]  
*Myotis* sp. 1 高山鼠耳蝠 [特有]  
*Myotis* sp. 2 大足寬吻鼠耳蝠  
*Myotis* sp. 3 長尾鼠耳蝠

*Myotis taiwanensis* (Linde, 1908) 臺灣鼠耳蝠 [特有]  
*Nyctalus noctula* (Schreber, 1774) 夜蝠  
*Nyctalus velutinus* G. Allen, 1923 絨山蝠  
*Pipistrellus abramus* (Temminck, 1835) 東亞家蝠  
*Pipistrellus* sp. 1 高山家蝠  
*Pipistrellus* sp. 2 山家蝠  
*Plecotus taivanus* Yoshiyuki 臺灣長耳蝠 [特有]  
*Scotophilus heathi* (Horsfield, 1831) 大黃蝠  
*Scotophilus kuhlii* Leach, 1822 高頭蝠  
*Vespertilio superans* Thomas, 1899 霜毛蝠

## Order Insectivora 食蟲目

### Family Soricidae 尖鼠科

*Anourosorex squamipes* Kuroda 山階氏鼯鼠 [特有]  
*Chimarrogale himalayica* (Gray, 1842) 水鼯  
*Crocidura attenuata* Kuroda 臺灣灰鼯鼠 [特有]  
*Crocidura suaveolens* Jameson & Jones 小鼯鼠 [特有]  
*Crocidura tadae* Tokuda & Kano 長尾鼯鼠 [特有]  
*Soriculus fumidus* Thomas 臺灣煙尖鼠 [特有]  
*Soriculus sodalis* Thomas 細尾長尾鼠 [特有]  
*Suncus murinus* (Linnaeus, 1766) 臭鼯

### Family Talpidae 鼩鼠科

*Mogera insularis* (Swinhoe) 臺灣鼩鼠 [特有]  
*Mogera kanoana* Kawada et al., 2007 鹿野氏鼩鼠 [特有] Ref. Kawada et al., 2007

## Order Lagomorpha 兔形目

### Family Leporidae 兔科

*Lepus sinensis* Thomas 台灣野兔 [特有]

## Order Pholidota 鱗甲目

### Family Manidae 穿山甲科

*Manis pentadactyla* Linnaeus 穿山甲 [特有]

## Order Primate 靈長目

### Family Cercopithecidae 獼猴科

*Macaca cyclopis* (Swinhoe) 台灣獼猴 [特有]

## Order Rodentia 啮齒目

### Family Muridae 鼠科

*Apodemus agrarius* (Pallas, 1771) 赤背條鼠  
*Apodemus semotus* Thomas 臺灣森鼠 [特有]  
*Bandicota indica* (Bechstein, 1800) 鬼鼠  
*Eothenomys melanogaster* (Milne-Edwards, 1871) 天鵝絨鼠  
*Micromys minutus* (Pallas, 1771) 巢鼠  
*Microtus kikuchii* (Kuroda) 高山田鼠 [特有]  
*Mus caroli* Bonhote, 1902 田鼠  
*Mus musculus* Linnaeus, 1758 家鼠  
*Niviventer coxingi* (Swinhoe) 刺鼠 [特有]  
*Niviventer culturatus* (Thomas) 高山白腹鼠 [特有]  
*Rattus losea* (Swinhoe, 1871) 小黃腹鼠  
*Rattus norvegicus* (Berkenhout, 1769) 溝鼠  
*Rattus rattus* (Linnaeus, 1758) 玄鼠

### Family Sciuridae 松鼠科

*Belomys pearsoni* (Swinhoe) 小鼯鼠 [特有]  
*Callosciurus erythraeus* (Pallas, 1779) 赤腹松鼠  
*Dremomys pernyi* (Thomas) 長吻松鼠 [特有]  
*Petaurista lena* Thomas 白面鼯鼠 [特有]  
*Petaurista philippensis* (Elliot) 大赤鼯鼠 [特有]  
*Tamiops maritimus* (Bonhote) 條紋松鼠 [特有]



## 科級以上學名索引

- +ssRNA 正鏈 RNA 病毒, 1  
Abylidae 多面水母科, 295  
Acanthaceae 爵床科, 277  
Acanthasteridae 長棘海星科, 729  
Acanthigorgiidae 棘柳珊瑚科, 290  
Acanthinulidae 茶種蝸牛科, 720  
Acanthocephala 鉤頭動物門, 301  
Acanthochitonidae 毛膚石蠶科, 725  
Acanthocistidae, 46  
Acanthocolpidae, 299  
Acanthodesmiidae, 46  
Acanthoecidae 領鞭毛科, 49  
Acanthosomatidae 角蝨科(同蝨科), 470  
Acanthostomidae, 299  
Acanthuridae 刺尾鯛科, 750  
Acaridae 粉蟎科, 314  
Acariformes 真蟎目, 303  
Acarosporaceae 微孢衣科, 107  
Acartiidae 紡錘水蚤科, 321  
Acaulosporaceae 無柄孢子科, 170  
Accacoeliidae 凸腹科, 299  
Accipitridae 鷹科, 784  
Aceraceae 槭樹科, 276  
Acerentomidae 虱科, 622  
Acetobacteraceae 醋酸菌科, 19  
Achatinidae 非洲大蝸牛科, 720  
Achipteridae 角翼甲蟎科, 316  
Achnantheaceae 曲殼藻科, 51  
Acidithiobacillaceae 酸硫桿狀菌科, 20  
Acidithiobacillales 酸硫桿狀菌目, 20  
Acinetosporaceae 不動孢藻科, 76  
Acleridae 仁介殼蟲科, 470  
Acnanthes 曲殼藻目, 51  
Aconchulinida 無殼目, 37  
Acrasiaceae 集胞菌科, 25  
Acrasiales 集胞菌目, 25  
Acrasiomycetes 集胞菌綱, 25  
Acrasiomycota 集胞菌門, 25  
Acrididae 蝗科, 619  
Acroceridae 小頭虻科, 425  
Acrochaetiaceae 頂絲藻科, 175  
Acrochaetiales 頂絲藻目, 175  
Acrolepiidae 偽菜蛾科, 550  
Acropomatidae 發光鯛科, 750  
Acroporidae 軸孔珊瑚科, 291  
Acteocinidae 米螺科, 684  
Acteonidae 捻螺科, 684  
Actinedida 輻鱗目, 304  
Actiniidae 獼猴桃科, 281  
Actinobacteria 放線菌門, 13  
Actinobacteria 放線菌綱, 13  
Actinodiscaceae 輻盤藻科, 71  
Actinomidae, 46  
Actinomycetales 放線菌目, 13  
Actinophryida 太陽目, 46  
Actinophryidae 太陽科, 46  
Actinopterygii 條鱗魚綱, 738  
Actinosphaeridae, 46  
Acytosteliaceae, 27  
Adelidae 長角蛾科, 550  
Adenoviridae, 5  
Adeorbidae 扁螺科, 692  
Aderidae 偽細頸蟲科, 334  
Adiantaceae 鐵線蕨科, 214  
Adrianichthyidae 異鱗科, 741  
Aegidae, 654  
Aegisthidae 保猛水蚤科, 330  
Aegithalidae 長尾山雀科, 789  
Aeolothripidae 紋薊馬科, 625  
Aeroglyphidae 嗜濕蟎科, 314  
Aeromonadaceae 氣單胞菌科, 20  
Aeromonadales 氣單胞菌目, 20  
Aeropsidae 汽海膽科, 731  
Aeshnidae 晏蜓科, 617  
Aeteidae, 726  
Aethridae 奇淨蟹科, 633  
Aetideidae 鷹嘴水蚤科, 322  
Agalmidae 盛裝水母科, 295  
Agamidae 飛蜥科, 782  
Agaonidae 榕小蜂科, 506  
Agaricaceae 傘菌科, 140  
Agaricales 傘菌目, 140  
Agariciidae 蓮珊瑚科, 292  
Agavaceae 龍舌蘭科, 233  
Agelasida, 287  
Agelasidae, 287  
Agelenidae 草蛛科, 309  
Aglajidae 似海牛科, 684  
Agonidae 八角魚科, 775  
Agonoxenidae 異角蛾科, 550  
Agromyzidae 潛蠅科, 425  
Aizoaceae 番杏科, 247  
Alabaminidae 阿拉巴馬蟲科, 38  
Alangiaceae 八角楓科, 249  
Alaudidae 百靈科, 789  
Albatrellaceae 地花菌科, 151  
Albuginaceae 白銹菌科, 78  
Albulidae 狐鱸科, 738  
Albuliformes 狐鱸目, 738  
Albunidae 管鬚蟹科, 633  
Alcaligenaceae 產鹼菌科, 20  
Alcedinidae 翠鳥科, 788  
Alcidae 海雀科, 785  
Alcyonacea 軟珊瑚目, 289  
Alcyoniidae 軟珊瑚科, 289  
Alectonidae, 288  
Alectoriaceae 樹髮衣科, 107  
Alepisauridae 帆蜥魚科, 741  
Alepocephalidae 黑頭魚科, 740  
Aleyrodidae 粉蝨科, 470  
Alismataceae 澤瀉科, 223  
Alismatales 澤瀉目, 223  
Alisphaeraceae, 68  
Alloherpesviridae, 5  
Alloposidae 異夫蛸科, 676  
Almaenidae, 38  
Alopiidae 狐鮫科, 735  
Alphaproteobacteria 甲型變形菌綱, 19  
Alpeidae, 633  
Alteromonadaceae 異單胞菌科, 20  
Alteromonadales 異單胞菌目, 20  
Alucitidae 多翼蛾科, 550  
Alveolinidae, 38  
Alycaeiidae 帶管蝸牛科, 692  
Alydidae 蛛緣蝨科, 473  
Amabilliidae, 297  
Amaranthaceae 莧科, 247  
Amaryllidaceae 石蒜科, 233  
Ambassidae 雙邊魚科, 751  
Amblycipitidae 鮎科, 778  
Amblystegiaceae 柳葉蘚科, 202  
Ambungiopidae, 330  
Ameiridae 阿瑪猛水蚤科, 330  
Ameletidae 姬雙尾蟄科, 469  
Ameridae 無領甲蟎科, 316  
Ameronothroidea 美背甲蟎科, 316  
Ammodytidae 玉筋魚科, 751  
Amoebida 變形蟲目, 48  
Amoebidae 真正變形蟲科, 48  
Amphibia 兩生綱, 781  
Amphibolidae 兩棲螺科, 683  
Amphicaryoninae, 295  
Amphientomidae 蛾嚙蟲科, 623  
Amphileptidae 裂口蟲科, 26  
Amphinomidae 仙蟲科, 661  
Amphioxichthyes 文昌魚綱, 734  
Amphioxiformes 文昌魚目, 734  
Amphipoda 端足目, 631  
Amphipsocidae 雙嚙蟲科, 623  
Amphisbatidae 詭蛾科, 550  
Amphisoleniaceae, 27  
Amphisphaeriaceae 黑盤孢科, 135  
Amphisteginidae, 38  
Amphiuridae 陽燧足科, 733  
Ampulicidae 長背泥蜂科, 506  
Ampullariidae 蘋果螺科, 693  
Anacardiaceae 漆樹科, 276  
Anadyomenaceae 肋葉藻科, 190  
Analgidae 羽蟎科, 314  
Anapronoidea 後葉戎科, 631  
Anaspidea 無盾目, 678  
Anatidae 雁鴨科, 784  
Anatinellidae 水鴨蛤科, 669  
Anaulaceae, 69  
Anaulales, 69  
Anchitrematidae, 299  
Ancistrocheiridae 魷科, 677  
Ancorinidae, 287  
Ancyliidae 淡水笠 科(盤蝨科), 683  
Ancylistaceae 科, 170  
Andreaeaceae 黑 科, 195  
Andreaeales 黑 目, 195  
Andreaeopsida 黑 綱, 195  
Andrenidae 地花蜂科, 507  
Angariidae 棘冠 科, 678  
Angiodictyidae, 299  
Anguidae 蛇蜥科, 782  
Anguillidae 科, 738  
Anguilliformes 形目, 738  
Animalia 動物界, 287  
Anisakidae 安尼線 科, 301  
Anisopodidae 蚊 科, 426  
Annelida 節動物門, 658  
Annonaceae 番荔枝科, 263  
Anobiidae 標本甲科, 334  
Anoecidae 短痣蚜科, 473  
Anomalinidae, 38  
Anomalopidae 燈眼魚科, 742  
Anomiidae 銀蛤科, 666  
Anoplocephalidae, 297  
Anseriformes 雁形目, 784  
Antedonidae 海洋齒科, 729  
Antennariidae 魚科, 747  
Anthessiidae, 331  
Anthicidae 形 科, 334

# 科級以上學名索引

Anthocoridae 花蝽科, 473  
Anthomyiidae 花蠅科, 426  
Anthothelidae 花頭珊瑚科, 290  
Anthozoa 珊瑚蟲綱, 289  
Anthribidae 長角象鼻蟲科, 335  
Antroporidae, 726  
Anura 無尾目, 781  
Anuropidae, 654  
Anziaceae 棉腹衣科, 107  
Aphelinidae 蚜小蜂科, 507  
Aphididae 常蚜科, 473  
Aphragmophora 無膜目, 728  
Aphrodidae 緣脊葉蟬科, 475  
Aphrophoridae 尖胸沫蟬科, 475  
Aphylophorales 無褶菌目, 146  
Aphyonidae 裸鰓魚科, 749  
Apiales 繖形目, 241  
Apicomplexa 頂複合器門, 25  
Apidae 蜜蜂科, 508  
Apionidae 針嘴象鼻蟲科, 336  
Apiosporaceae, 83  
Aploactinidae 絨皮鮎科, 775  
Aplysiacea 海鹿目, 678  
Aplysiidae 海鹿科, 678  
Aplysinellidae, 288  
Apocynaceae 夾竹桃科, 258  
Apodida 無足目, 731  
Apodidae 雨燕科, 784  
Apodiformes 雨燕目, 784  
Apogonidae 天竺鯛科, 751  
Apolemiidae 離翼水母科, 295  
Aponogetonaceae 水蘿科, 235  
Aporiaceae, 158  
Aquifoliaceae 冬青科, 249  
Araceae 天南星科, 223  
Arachnida 蛛形綱, 303  
Arachnoidae 蛛網海膽科, 730  
Arachnopsiidae, 726  
Aradidae 扁蝽科, 476  
Arales 天南星目, 223  
Araliaceae 五加科, 241  
Araneae 蜘蛛目, 309  
Araneidae 金蛛科, 309  
Arbaciidae 皇冠海膽科, 730  
Arbacioida 皇冠海膽目, 730  
Arcellidae 蕈頂蟲科, 48  
Arcellinida 表殼蟲目, 48  
Archaea 古菌界, 23  
Archaeobalanidae 古藤壺科, 656  
Archaeogastropoda 原始腹足目, 678  
Archaeopulmonata 原始有肺目, 683  
Archasteridae 飛白楓海星科, 729  
Archiphormididae, 47  
Archipsocidae 古嚙蟲科, 623  
Architectonicidae 車輪螺科, 685  
Arcidae 魁蛤科, 661  
Arcoida 魁蛤目, 661  
Arctiidae 燈蛾科, 550  
Arctopsychidae 弓石蛾科, 628  
Arcyriaceae 團網菌科, 36  
Ardeidae 鷺科, 785  
Arecales 棕櫚目, 224  
Arenaviridae, 9  
Argasidae 軟蜱科, 319  
Argentinidae 水珍魚科, 740

Argentiniformes 水珍魚目, 740  
Argidae 三節葉蜂科, 509  
Argonautidae 船蛸科, 676  
Arietellidae 尖頭水蚤科, 322  
Ariidae 海鯨科, 778  
Ariommatidae 無齒鯧科, 752  
Ariophantidae 絲鱉甲蝸牛科, 720  
Aristaeidae 長鬚蝦科, 634  
Aristolochiaceae 馬兜鈴科, 242  
Aristolochiales 馬兜鈴目, 242  
Arrhenophanidae 蕁巢蛾科, 553  
Artematopodidae 偽長花蚤科, 336  
Arteriviridae, 1  
Arthoniaceae 星裂菌科, 85  
Arthoniales 星裂菌目, 85  
Arthrodermataceae 裸囊菌科, 123  
Arthropoda 節肢動物門, 303  
Artiodactyla 偶蹄目, 793  
Artostrobidae, 47  
Ascalaphidae 長角蛉科, 615  
Ascaridida 蛔蟲目, 301  
Ascidae 囊蟻科, 315  
Asclepiadaceae 蘿藦科, 258  
Ascobolaceae 糞盤菌科, 126  
Ascodesmidaceae 裸盤菌科, 127  
Ascomycetes 子囊菌綱, 83  
Ascomycota 子囊菌門, 83  
Asfaviridae, 5  
Asilidae 食蟲虻科, 427  
Aspidiaceae 三叉蕨科, 215  
Aspidiscidae 織蟲科, 26  
Aspidochirotid 槓手目, 732  
Aspidosiphonidae 盾管星蟲科, 661  
Aspidosiphoniformes 盾管星蟲目, 661  
Asplanchnidae 晶囊輪科, 302  
Aspleniaceae 鐵角蕨科, 215  
Assimineidae 山椒蝸牛科, 693  
Astartidae 愛神蛤科, 669  
Astasiaceae 雙胞藻科, 30  
Astagistidae 卵腹甲蟻科, 316  
Asteiidae 星蠅科, 428  
Asterales 菊目, 242  
Asteriidae 海盤車科, 728  
Asterinaceae 星盾壳科, 132  
Asterinidae 海燕科, 729  
Asterocheridae 星管水蚤科, 657  
Asteroidea 海星綱, 728  
Asterolampraceae 星紋藻科, 69  
Asterolamprales 星紋藻目, 69  
Asterolecaniidae 鏈介殼蟲科, 476  
Asteropseidae 鋸腕海星科, 729  
Astigmata 無氣門目, 314  
Astriclypeidae 星盾海膽科, 730  
Astrocoeniidae 星珊瑚科, 292  
Astropectinidae 槓海星科, 728  
Astrophorida, 287  
Astrorhizidae, 38  
Astrosphaeridae, 47  
Astroviridae, 1  
Atelecylidae 近圓蟹科, 634  
Ateleopodidae 軟腕魚科, 740  
Ateleopodiformes 軟腕魚目, 740  
Atheliaceae, 151  
Atherinidae 銀漢魚科, 740  
Atheriniformes 銀漢魚目, 740

Atherionidae 小銀漢魚科, 741  
Athyriaceae 蹄蓋蕨科, 216  
Atlantidae 海蝶螺科, 689  
Attelabidae 捲葉象鼻蟲科, 336  
Atyidae 匙指蝦科, 634  
Atyidae 葡萄螺科, 684  
Atypidae 地蛛科, 310  
Augaptilidae 亮羽水蚤科, 322  
Aulacidae 高背瘦蜂科, 509  
Aulopidae 仙女魚科, 741  
Aulopiformes 仙女魚目, 741  
Aulostomidae 管口魚科, 746  
Auriculariaceae 木耳科, 146  
Auriculariales 木耳目, 146  
Auriscalpiaceae 耳匙菌科, 156  
Austrachipteriidae 澳角翼甲蟻科, 316  
Aves 鳥綱, 784  
Axiidae 阿姑蝦科, 634  
Axinellidae, 288  
Axymyiidae 朽木蚋科, 428  
Azollaceae 滿江紅科, 217  
Azygiida, 298  
Bacidiaceae 桿孢衣科, 107  
Bacillaceae 芽孢桿菌科, 18  
Bacillales 芽孢桿菌目, 18  
Bacillariaceae 矽藻科, 52  
Bacillariales 矽藻目, 52  
Bacillariophyceae 矽藻綱, 51  
Bacillariophyta 矽藻門, 51  
Bacilli 桿菌綱, 18  
Bacteria 細菌界, 13  
Bacteroidetes 擬桿菌門, 13  
Badelliidae 巴氏蛾科, 553  
Baecomycetaceae 羊角衣科, 107  
Baetidae 四節蜉科, 469  
Bagginidae, 38  
Bagridae 鮠科, 778  
Balaenopteridae 鬚鯨科, 793  
Balanidae 藤壺科, 656  
Balanophoraceae 蛇菰科, 275  
Balistidae 鱗鮠科, 779  
Balitoridae 平鰭鰍科, 744  
Ballophilidae 投射蜈蚣科, 320  
Balsaminaceae 鳳仙花科, 259  
Bangiaceae 頭髮菜科, 175  
Bangiiales 頭髮菜目, 175  
Bangiophyceae 頭髮菜綱, 175  
Banjosidae 扁棘鯛科, 752  
Bankeraceae 煙白齒菌科, 158  
Barleeidae, 693  
Bartramiaceae 珠蘚科, 195  
Basellaceae 落葵科, 248  
Basidiobolaceae, 170  
Basidiobolales, 170  
Basidiomycetes 擔子菌綱, 140  
Basidiomycota 擔子菌門, 140  
Basilobelbidae 王腳甲蟻科, 316  
Basommatophora 基眼目, 683  
Bataguridae 河龜科, 782  
Bathylupeiidae 深海鮓科, 752  
Bathypalaemonellidae, 634  
Bathypontiidae 深水水蚤科, 323  
Bathysquilloidea, 654  
Bathyteuthidae 深海魷科, 677  
Batrachedridae 蛙蛾科, 553

# 科級以上學名索引

Bdelloidea 蛭態亞目, 302  
Begoniaceae 秋海棠科, 284  
Belonidae 鶴鱗科, 741  
Beloniformes 鶴鱗目, 741  
Belostomatidae 負蝽科, 477  
Bembridae 赤蝽科, 775  
Beraeidae 貝石蛾科, 628  
Berberidaceae 小檗科, 268  
Berothidae 毛蛉科, 615  
Berycidae 金眼鯛科, 742  
Beryciformes 金眼鯛目, 742  
Berytidae 錘角蝽科, 477  
Betaproteobacteria 乙型變形菌綱, 20  
Bethyidae 蟻形蜂科, 509  
Betulaceae 樺木科, 257  
Bibionidae 毛蚋科, 428  
Biddulphiaceae 盒形藻科, 70  
Biddulphiales 盒形藻目, 70  
Bifidobacteriaceae 雙歧桿菌科, 13  
Bifidobacteriales 雙歧桿菌目, 13  
Bignoniaceae 紫葳科, 277  
Bilidiidae, 26  
Bionectriaceae 生赤殼科, 102  
Bipaliidae 廣頭地渦蟲科, 301  
Biphyllidae 毛蕈蟲科, 337  
Birnaviridae, 8  
Bithyniidae 沼螺科, 693  
Bittacidae 蚊蠶蛤科, 614  
Bivalvia 雙殼綱, 661  
Bivalvulida 雙殼目, 37  
Bivesiculidae 二囊科, 300  
Blaberidae 葡蠊科, 333  
Blasticotomidae 四節葉蜂科, 510  
Blastobasidae 痣蛾科, 553  
Blastocladiaceae 芽枝黴科, 168  
Blastocladales 枝芽黴目, 168  
Blattaria 蜚蠊目, 333  
Blattellidae 姬蠊科, 333  
Blattidae 蜚蠊科, 334  
Blechnaceae 烏毛蕨科, 217  
Blenniidae 鰈科, 752  
Blephariceridae 網蚊科, 428  
Bolbitiaceae 蕈傘科, 141  
Bolboceratidae 厚角金龜科, 337  
Boletaceae 牛肝菌科, 147  
Boletales 牛肝菌目, 147  
Boliniaceae, 85  
Boliniales, 85  
Bolitaenidae 單盤蛸科, 677  
Bolitophilidae, 428  
Bolivinidae, 38  
Bolivinitidae 劍頭蟲科, 38  
Bolivinitlidae, 38  
Bombacaceae 木棉科, 263  
Bombycidae 蠶蛾科, 553  
Bombycillidae 連雀科, 789  
Bombyliidae 蜂虻科, 428  
Bomolochidae 盜魚蚤科, 331  
Bondarzewiaceae 刺孢多孔菌科, 156  
Bonnemaisoniaceae 柏安藻科, 175  
Bonnemaisoniales 柏安藻目, 175  
Boodleaceae 布氏藻科, 190  
Bopyridae, 654  
Boraginaceae 紫草科, 260  
Boreostereaceae, 151

Bornaviridae, 10  
Bostrichidae 長蠹蟲科, 337  
Bothidae 鮎科, 774  
Bothrideridae 長蕈蟲科, 337  
Botryobasidiaceae, 148  
Botryochloridaceae, 78  
Botryococcaceae 葡萄藻科, 188  
Botryosphaeriaceae 葡萄座腔菌科, 87  
Bovidae 牛科, 793  
Brachionidae 臂尾輪科, 302  
Brachodidae 短軀蛾科, 553  
Brachylaimata, 298  
Brachylaimidae, 298  
Brachytheciaceae 青蘚科, 202  
Braconidae 小蘗蜂科, 510  
Bradybaenidae 扁蝸牛科, 720  
Bradyrhizobiaceae 慢生型根瘤菌科, 19  
Brahmaeidae 籬紋蛾科, 553  
Bramidae 烏魴科, 753  
Branchiostomatidae 文昌魚科, 734  
Bregmacerotidae 海鮒鰕科, 745  
Brentidae 三錐象鼻蟲科, 337  
Bretschneideraceae 鐘萼木科, 276  
Briareidae 皮軟珊瑚科, 290  
Brigantiaaceae 鏽疣衣科, 108  
Brissidae 壺海膽科, 731  
Brissopsidae 沐海壺科, 731  
Bromoviridae, 1  
Bryaceae 真蘚科, 196  
Bryales 真蘚目, 195  
Bryophyta 蘚類植物門, 195  
Bryopsida 蘚綱, 195  
Bryopsidaceae 羽藻科, 181  
Bryopsidales 羽藻目, 181  
Bryopsidophyceae 羽藻綱, 181  
Bryoxiphiaceae 蝦蘚科, 198  
Bryozoa 苔蘚動物門, 726  
Buccinidae 峨螺科, 703  
Bucculatricidae 稜巢蛾科, 553  
Bucephalidae 牛首科, 300  
Bufonidae 蟾蜍科, 781  
Bulgariaceae 膠陀螺菌科, 93  
Buliminidae, 38  
Bullidae 囊螺科, 684  
Bullinidae 豔捻螺科, 684  
Bunyaviridae, 10  
Bunyaviridae, 10  
Buprestidae 吉丁蟲科, 338  
Burkholderiaceae 伯克氏菌科, 20  
Burkholderiales 伯克氏菌目, 20  
Burmanniaceae 水玉簪科, 235  
Bursidae 蛙螺科, 689  
Buxaceae 黃楊科, 252  
Buxbaumiaceae 煙桿蘚科, 197  
Buxbaumiales 煙桿蘚目, 197  
Byrrhidae 丸甲科, 340  
Bythitidae 深海鮪魚科, 749  
Byturidae 擬吸木蟲科, 340  
Cabereidae, 726  
Cabombaceae 蓴科, 266  
Cadlinidae 卡海牛科, 719  
Cadulidae 胖象牙貝科, 726  
Caecidae 蛆管螺科, 693  
Caeciliusidae 毛嚙蟲科, 623  
Caenidae 細蟬科, 469

Caesionidae 烏尾鮃科, 753  
Calamoceratidae 枝石蛾科, 628  
Calanidae 哲水蚤科, 323  
Calanoida 哲水蚤目, 321  
Calancticidae 籃茗荷科, 655  
Calappidae 饅頭蟹科, 634  
Calcarea 石灰海綿綱, 287  
Calcarinidae, 38  
Calcidiscaceae, 67  
Calcioleniaceae, 67  
Caliciales 粉衣目, 85  
Caliciviridae, 1  
Caligidae 魚虱科, 657  
Callanthiidae 美花鱸科, 753  
Callaphididae 斑蚜科, 477  
Callianassidae 美人蝦科, 634  
Callianideidae 玉蝦科, 635  
Callululidae 鏤紋蛾科, 553  
Calliodontaliidae 麗象牙貝科, 726  
Callionymidae 鼠科, 753  
Calliphoridae 麗蠅科, 429  
Callirhipidae 槓角蟲科, 341  
Callistoplacidae 盃石蟹科, 725  
Callitrichaceae 水馬齒科, 246  
Callitrichales 水馬齒目, 246  
Callyspongiidae, 287  
Calocarididae 秀蝦科, 635  
Calophyidae 麗木蟲科, 477  
Calopterygidae 珈蟴科, 617  
Calosphaeriaceae 美球菌科, 85  
Calosphaeriales 美球菌目, 85  
Calympereaceae 花葉蘚科, 210  
Calypttraeidae 舟螺科, 693  
Calyptrosphaeraceae, 67  
Camaenidae 南亞蝸牛科, 721  
Cambalopsidae, 333  
Cambaridae 螯蛄科, 635  
Camisiidae 鬼甲蟬科, 316  
Campanulaceae 桔梗科, 246  
Campanulales 桔梗目, 246  
Campephagidae 山椒鳥科, 789  
Campichoetidae, 429  
Camptandriidae 猴面蟹科, 635  
Canaceidae 包蠅科, 429  
Cancellaridae 核螺科, 704  
Cancridae 黃道蟹科, 635  
Candaciidae 平頭水蚤科, 323  
Candeinidae, 38  
Cannaceae 美人蕉科, 241  
Cantharellaceae 雞油菌科, 148  
Cantharellales 雞油菌目, 148  
Cantharidae 菊虎科, 341  
Capnodiaceae 煤炱科, 138  
Capnodiales 煤炱目, 138  
Capparaceae 白花菜科, 246  
Capparales 白花菜目, 246  
Caprifoliaceae 忍冬科, 250  
Caprimulgidae 夜鷹科, 793  
Caproidae 羊魴科, 754  
Capulidae 偏蓋螺科, 693  
Carabidae 步行蟲科, 343  
Carabodoidea 離甲蟬科, 316  
Caracanthidae 頰棘鮪科, 775  
Carangidae 鱈科, 754  
Carapidae 隱魚科, 749

## 科級以上學名索引

Carcharhinidae 白眼鯊科, 734  
Carcharhiniformes 白眼鯊目, 734  
Carcinophoridae 肥螻蛄科, 424  
Cardiidae 烏尾蛤科, 669  
Cardiliidae 象蛤科, 670  
Carditidae 算盤蛤科, 670  
Carnivora 食肉目, 793  
Carpiliidae 瓢蟹科, 635  
Carposinidae 果蛀蛾科, 553  
Carsidaridae, 477  
Carychiidae 墨栗蝸牛科, 683  
Caryophyllaceae 石竹科, 248  
Caryophyllales 石竹目, 247  
Caryophylliidae 莨珊瑚科, 292  
Cassidae 唐冠螺科, 690  
Cassidulinidae, 38  
Catapsydracidae, 38  
Catenicellidae, 727  
Catillariaceae 臘腸衣科, 108  
Caudata 有尾目, 782  
Caulacanthaceae 莖刺藻科, 178  
Caulerpaceae 蕨藻科, 181  
Caulimoviridae, 7  
Caulobacteraceae 柄桿菌科, 19  
Caulobacterales 柄桿菌目, 19  
Cavoliniidae 駝蝶螺科, 725  
Cecidomyiidae 癭蚋科, 429  
Cecropiaceae 錐頭麻科, 282  
Celastraceae 衛矛科, 249  
Celastrales 衛矛目, 249  
Celleporidae, 727  
Cellulomonadaceae 纖維單胞菌科, 13  
Celyphidae 鎗蠅科, 430  
Centrales 中心目, 71  
Centrarchidae 太陽魚科, 755  
Centriscidae 蝦魚科, 746  
Centrohelida 中心粒太陽蟲目, 46  
Centrolophidae 長鰓科, 755  
Centropagidae 胸刺水蚤科, 323  
Centrophoridae 尖鰭鮫科, 737  
Centropyxidae 匣殼科, 48  
Centrorhynchidae, 301  
Cephalaspidea 頭楯目, 684  
Cephalogonimidae, 299  
Cephalopoda 頭足綱, 675  
Cephalotaxaceae 粗榧科, 223  
Cepheoidea 鮮甲蟻, 317  
Cephidae 莖蜂科, 516  
Cepolidae 赤刀魚科, 755  
Cerambycidae 天牛科, 349  
Ceramiceae 仙菜科, 175  
Ceramiales 仙菜目, 175  
Ceraphromnidae 分盾細蜂科, 516  
Ceratiaceae 角藻科, 28  
Ceratiidae 角鯊鯨科, 747  
Ceratiomyxaceae 鵝絨黏菌科, 37  
Ceratobasidiaceae 角擔菌科, 149  
Ceratobasidiales 角擔菌目, 149  
Ceratocanthidae 球金龜科, 360  
Ceratocombidae 櫛蟻科, 477  
Ceratocoryaceae, 29  
Ceratocystidaceae 長喙黴科, 115  
Ceratolithaceae 角狀石科, 67  
Ceratomycetaceae 角黴科, 106  
Ceratophyllaceae 金魚藻科, 266

Ceratophyllidae 角葉蚤科, 625  
Ceratopogonini 蠓科, 430  
Ceratostomataceae 長喙殼科, 102  
Ceratozetidae 尖稜甲蟻科, 317  
Cercopidae 沫蟬科, 477  
Cercopithecidae 獼猴科, 795  
Cerinomycetaceae, 149  
Cerithiidae 蟹守螺科, 693  
Cerithiopsidae 右錐螺科, 690  
Cerococcidae 壺介殼蟲科, 478  
Cervidae 鹿科, 793  
Cerylonidae 朽葉蟲科, 360  
Cestoda 條蟲綱, 296  
Cetacea 鯨目, 793  
Cetorhinidae 象鯨科, 735  
Chaconiaceae 共基銹菌科, 161  
Chaenopsidae 旗瓣科, 755  
Chaetoceraceae 角毛藻科, 71  
Chaetodontidae 蝴蝶魚科, 755  
Chaetognatha 毛顎動物門, 728  
Chaetomiaceae 毛殼菌科, 134  
Chaetophoraceae 內植藻科, 182  
Chaetophorales 內植藻目, 182  
Chaetopteridae 鱗蟲科, 660  
Chaetosphaeriaceae, 85  
Chaetosphaeriales, 85  
Chaetothyriaceae 刺盾亥科, 85  
Chaetothyriales 刺盾亥目, 85  
Chaitophoridae 毛蚜科, 478  
Chalcididae 小蜂科, 516  
Chalinidae, 287  
Chamaemyiidae 蚜小蠅科, 432  
Chamidae 偏口蛤科, 670  
Champiaceae 環節藻科, 180  
Champsodontidae 鱷齒鱗科, 756  
Chanidae 虱目魚科, 747  
Channidae 鱧科, 756  
Characeae 輪藻科, 182  
Characiaceae 小庄藻科, 182  
Charadriidae 鴝科, 785  
Charales, 182  
Charophyceae 輪藻綱, 182  
Chathamalidae 小藤壺科, 656  
Chaunacidae 單棘躑魚科, 747  
Cheileidae 晃蓋螺科, 694  
Cheilodactylidae 唇指科, 756  
Cheilostomata 唇口目, 726  
Cheiropleuriaceae 燕尾蕨科, 217  
Chelisochidae 墊附螻蛄科, 424  
Chelonariidae 縮頭花蚤科, 360  
Chelonia 龜鱉目, 782  
Chelonibiidae 龜藤壺科, 656  
Cheloniidae 蠟龜科, 782  
Chenopodiaceae 藜科, 248  
Cheyletidae 肉食蟻科, 304  
Chiasmodontidae 叉齒鱗科, 756  
Chilophiurida 唇蛇尾目, 732  
Chilopoda 唇足綱, 320  
Chimaeridae 短鼻銀鮫科, 735  
Chimaeriformes 銀鮫目, 735  
Chiridotidae 指參科, 731  
Chirocentridae 寶刀魚科, 743  
Chironomidae 搖蚊科, 432  
Chiroptera 翼手目, 794  
Chirostylidae 劣柱蝦科, 635

Chiroteuthidae 手魷魚科, 677  
Chitonidae 石鱉科, 725  
Chlamydomonadaceae 衣藻科, 189  
Chlamydoselachidae 鱗鰐鮫科, 735  
Chlopsidae 擬鯨科, 738  
Chloranthaceae 金粟蘭科, 266  
Chlorellaceae 小球藻科, 189  
Chlorellales 小球藻目, 189  
Chlorobacteriaceae 綠色細菌綱, 14  
Chlorococcaceae 綠球藻科, 183  
Chlorococcales 綠球藻目, 182  
Chlorocyphidae 鼓蟴科, 617  
Chloromonadineae 綠胞藻綱, 81  
Chlorophthalmidae 青眼魚科, 741  
Chlorophyceae 綠藻植物綱, 182  
Chlorophyta 綠藻植物門, 181  
Chloropidae 稈蠅科, 433  
Chlorosarcinaceae 綠八迭藻科, 183  
Choanephoraceae 筭黴科, 171  
Choanoflagellida 鞭毛蟲目, 49  
Chondrichthyes 軟骨魚綱, 734  
Chondrillidae, 287  
Chondrosida, 287  
Chordariaceae 索藻科, 76  
Chordata 脊索動物門, 733  
Chordeumatida, 331  
Choreutidae 偽捲蛾科, 554  
Chorizoporidae, 727  
Chortoglyphidae 嗜草蟻科, 314  
Chromadorea 色矛綱, 301  
Chromista 原藻界, 51  
Chromodorididae 多形海牛科, 719  
Chromulinidae 單金藻科, 77  
Chroococcaceae 色球藻科, 14  
Chroococcales 色球藻目, 14  
Chroococcidiaceae, 18  
Chrysamoebiales 金變形藻目, 69  
Chrysididae 青蜂科, 517  
Chrysocapsales 金囊藻目, 69  
Chrysomelidae 金花蟲科, 360  
Chrysophyceae 金藻綱, 69  
Chrysopidae 草蛉科, 615  
Chyromyiidae 液蠅科, 435  
Chytridiaceae 壺菌科, 168  
Chytridiales 壺菌目, 168  
Chytridiomycetes 壺菌綱, 168  
Chytridiomycota 壺菌門, 167  
Cibicididae, 38  
Cicadellidae 葉蟬科, 478  
Cicadidae 蟬科, 480  
Cichlidae 慈鯛科, 756  
Ciconiidae 鸛科, 785  
Ciconiiformes 鸛形目, 784  
Cidaridea 頭帕科, 730  
Cidaroida 頭帕目, 730  
Ciidae 筒蕈蟲科, 370  
Ciliatea 纖毛綱, 25  
Ciliophora 纖毛蟲動物門, 25  
Cimbicidae 錘角葉蜂科, 517  
Cimicidae 臭蟲科, 481  
Cinclidae 河鳥科, 789  
Cintractiaceae, 167  
Circoviridae, 9  
Cirolanidae, 654  
Cirrhitidae 科, 756

# 科級以上學名索引

- Cisticolidae 扇尾鶯科, 789  
Citharidae 棘鯢科, 774  
Cixiidae 菱飛蝨科, 481  
Cladochytriaceae 歧壺菌科, 168  
Cladoniaceae 石蕊科, 108  
Cladophoraceae 剛毛藻科, 190  
Cladophorales 剛毛藻目, 190  
Clambidae 拳草蟲科, 370  
Clariidae 塘蝨魚科, 778  
Clastodermataceae 碎皮黏菌科, 33  
Clathrinida, 287  
Clathrinidae, 287  
Clausidiidae 克氏水蚤科, 328  
Clausiliidae 煙管蝸牛科, 722  
Clausocalanidae 偽哲水蚤科, 324  
Clausophyidae 雙體水母科, 296  
Clavagellidae 濾管蛤科, 665  
Clavariaceae 珊瑚菌科, 141  
Clavicipitaceae 麥角菌科, 102  
Clavulariidae 羽珊瑚科, 295  
Clavulinaceae 灰珊瑚菌科, 146  
Cleridae 郭公蟲科, 370  
Climaciaceae 萬年蘚科, 207  
Clinidae 磯鱒科, 756  
Clinostomatidae, 300  
Clionidae, 288  
Clitellata 環帶綱, 658  
Closteroviridae, 2  
Clostridia 梭菌綱, 19  
Clostridiaceae 梭菌科, 19  
Clostridiales 梭菌目, 19  
Clubionidae 袋蛛科, 310  
Clupeidae 鯡科, 743  
Clupeiformes 鯡形目, 743  
Clusiidae 澳蠅科, 435  
Clypeasteridae 盾海膽科, 730  
Clypeasteroida 盾形目, 730  
Clytemnestridae 盔頭猛水蚤科, 330  
Cnidaria 刺胞動物門, 289  
Cobitidae 鯽科, 744  
Coccidae 介殼蟲科, 483  
Coccinellidae 瓢蟲科, 371  
Coccocarpiaceae 瓦衣科, 108  
Coccodiscidae, 47  
Coccoideaceae, 89  
Coccolithophoridae, 69  
Coccomyxaceae 膠球藻科, 183  
Cocconeaceae 卵形藻科, 51  
Coccosphaerales, 67  
Coccotremataceae 球孔衣科, 126  
Cocculinidae 小帽螺科, 692  
Codiaceae 松藻科, 181  
Codiolales 似松藻目, 190  
Codoenllidae, 26  
Codonellopsidae 類鈴蟲科, 26  
Codonosigidae, 49  
Coelastraceae 空星藻科, 183  
Coenagrionidae 細蟴科, 617  
Coenobitidae 陸寄居蟹科, 635  
Coenothecalia 藍珊瑚目, 290  
Colaciaceae 柄裸藻科, 30  
Coleophoridae 鞘蛾科, 554  
Coleoptera 鞘翅目, 334  
Coleosporiaceae 鞘銹菌科, 161  
Collemataceae 膠衣科, 124  
Colletidae 擬蜜蜂科, 517  
Collospheeridae, 47  
Collotheceae 膠鞘目, 302  
Collotheceidae 膠鞘輪科, 302  
Colobathristidae 束蟠科, 484  
Colobometridae 短羽枝科, 729  
Colocongridae 倭糯鰻科, 738  
Colubrariidae 布紋螺科, 704  
Colubridae 黃領蛇科, 782  
Columbellidae 麥螺科, 704  
Columbidae 鳩鴿科, 788  
Columbiformes 鴿形目, 788  
Colydiidae 細堅蟲科, 374  
Comamonadaceae 叢毛單胞菌科, 20  
Comasteridae 櫛羽星科, 730  
Comatulida 海羊齒目, 729  
Combretaceae 使君子科, 264  
Commelinaceae 鴨跖草科, 224  
Commelinales 鴨跖草目, 224  
Comoviridae, 2  
Compositae 菊科, 242  
Compsopogonophyceae 真紅藻綱, 175  
Congridae 糯鰻科, 738  
Conidae 芋螺科, 705  
Coniferophyta 毬果門, 222  
Coniophoraceae 粉孢革菌科, 148  
Coniopterygidae 粉蛤科, 615  
Connaraceae 牛栓藤科, 271  
Conochilidae 聚花輪科, 302  
Conopidae 眼蠅科, 435  
Convolvulaceae 旋花科, 279  
Cookellaceae, 123  
Copepoda 橈足綱, 321  
Coprinceae 鬼傘科, 141  
Coraciidae 佛法僧科, 788  
Coraciiformes 佛法僧目, 788  
Corallinaceae 珊瑚藻科, 176  
Corallinales 珊瑚藻目, 176  
Coralliophilidae 珊瑚螺科, 707  
Corbiculidae 蜆科, 670  
Corbulidae 抱蛤科, 663  
Cordulegastridae 勾蜓科, 617  
Corduliidae 弓蜓科, 618  
Coreidae 緣蟬科, 484  
Coriariaceae 馬桑科, 268  
Corillidae 蠅蝸牛科, 723  
Corinnidae 管蛛科, 310  
Corixidae 划蟬科, 484  
Cornaceae 山茱萸科, 249  
Cornales 山茱萸目, 249  
Cornuspiridae, 39  
Coronaviridae, 2  
Coronophorales 冠囊菌目, 86  
Corticiaceae 皮殼菌科, 151  
Cortinariaceae 絲膜菌科, 142  
Cortrematidae, 299  
Corvidae 鴉科, 789  
Corycaidae 大眼水蚤科, 328  
Corydalidae 魚蛉科, 615  
Corylophidae 瑣微蟲科, 374  
Corynebacteriaceae 棒狀桿菌科, 13  
Corynesporascaceae, 128  
Coryphaenidae 鱗科, 756  
Corystidae 盔蟹科, 635  
Coscinodiscaceae 圓篩藻科, 72  
Coscinodiscophyceae 圓篩藻綱, 69  
Cosmopterigidae 紋翅蛾科, 554  
Cossidae 蠹蛾科, 554  
Costellariidae 蝸筆螺科, 708  
Cottidae 杜父魚科, 776  
Crabronidae 銀口蜂科, 517  
Crambidae 草螟科, 554  
Cranchiidae 小頭魷魚科, 677  
Crangonidae 褐蝦科, 635  
Crassatellidae 厚殼蛤科, 670  
Crassulaceae 景天科, 271  
Creediidae 沙鱸科, 756  
Crellidae, 288  
Crenarchaeota 泉古菌門, 23  
Crenotrichaceae 泉髮菌科, 13  
Crepidacanthidae, 727  
Cribrariaceae 篩黏菌科, 33  
Cribrilimidae, 727  
Crinoidea 海百合綱, 729  
Crisiidae, 728  
Crocyniaceae 棉絮衣科, 108  
Cronartiaceae, 161  
Cruciferae 十字花科, 247  
Cryphaeaceae 隱蒴蘚科, 207  
Cryptochetidae 大角小蠅科, 435  
Cryptochiridae 隱螯蟹科, 635  
Cryptodesmidae, 332  
Cryptomonadaceae 隱鞭藻科, 67  
Cryptomonadales 隱鞭藻目, 67  
Cryptonemiales 隱絲藻目, 177  
Cryptophagidae 吸木蟲科, 374  
Cryptophyceae 隱藻綱, 67  
Cryptophyta 隱藻門, 67  
Cryptopidae 盲蜈蚣科, 321  
Ctenidae 絞蛛科, 310  
Ctenizidae 螳蟴科, 310  
Ctenochelidae 櫛指蝦科, 635  
Ctenopterygidae 櫛鱗魷魚科, 677  
Ctenostylidae, 435  
Cucujidae 扁甲科, 374  
Cuculidae 杜鵑科, 788  
Cuculiformes 鵲形目, 788  
Cucullaeidae 圓魁蛤科, 662  
Cucumariidae 瓜參科, 732  
Cucurbitaceae 葫蘆科, 284  
Cucurbitariaceae, 128  
Cudoniaceae, 93  
Culicidae 蚊科, 435  
Cultellidae 刀蝗科, 670  
Cunninghamellaceae 小克銀漢黴科, 171  
Cupedidae 長扁甲科, 374  
Cupressaceae 柏科, 223  
Curculionidae 象鼻蟲科, 374  
Curtonotidae 擬果蠅科, 437  
Cuspitariidae 杓蛤科, 665  
Cyanobacteria 藍菌門, 13  
Cyanophyceae 藍藻綱, 14  
Cyatheaceae 桫欏科, 213  
Cyatheales 桫欏目, 213  
Cyathocotylidae, 300  
Cycadaceae 蘇鐵科, 222  
Cycadales 蘇鐵目, 222  
Cycadophyta 蘇鐵門, 222  
Cycadopsida 蘇鐵綱, 222  
Cyclaminidae, 39

## 科級以上學名索引

Cyclanthaceae 巴拿馬草科, 224  
Cyclanthales 巴拿馬草目, 224  
Cyclocoelidae, 298  
Cyclodorippidae 圓關公蟹科, 635  
Cyclophoridae 山蝸牛科, 694  
Cyclophyllidea 圓葉目, 297  
Cyclopidae 劍水蚤科, 328  
Cyclopinidae 鏢劍水蚤科, 329  
Cyclopoida 劍水蚤目, 328  
Cyclostomata 環口目, 728  
Cycloteuthidae 圓鰭魷科, 677  
Cydniidae 土蟻科, 484  
Cymatosirales, 74  
Cymbellaceae 橋彎藻科, 54  
Cymbellales 橋彎藻目, 54  
Cymonomidae, 636  
Cymothoidae, 654  
Cynoglossidae 舌鰾科, 774  
Cyperaceae 莎草科, 225  
Cyperales 莎草目, 225  
Cyphellaceae 掛鐘菌科, 151  
Cyphoderiidae 曲頸蟲科, 37  
Cypraeidae 寶螺科, 695  
Cyprinidae 鯉科, 744  
Cypriniformes 鯉形目, 744  
Cyprinodontiformes 鯉齒目, 744  
Cypselostomatidae 黃腳蠅科, 437  
Cystoseiraceae 囊鏈藻科, 76  
Cystostereaceae, 151  
Dacampiaceae, 129  
Dacrymycetaceae 花耳科, 149  
Dacrymycetales 花耳目, 149  
Dactylopteridae 飛角魚科, 776  
Dactylosporaceae, 108  
Dairidae 疣扇蟹科, 636  
Dalatiidae 黑棘鮫科, 737  
Damaeidae 球背甲蟻科, 317  
Dampfiellidae 小濕費甲蟻科, 317  
Daphniphyllaceae 虎皮楠科, 250  
Daphniphyllales 虎皮楠目, 250  
Darwinellidae, 287  
Dascillidae 花甲科, 377  
Dasyaceae 絨線藻科, 175  
Dasyatidae 土魷科, 736  
Dasyclaceae, 188  
Dasycladaceae 絨枝藻科, 190  
Dasycladales 絨枝藻目, 190  
Dasydemellidae 離嚙蟲科, 623  
Davaineidae, 297  
Davalliaceae 骨碎補科, 217  
Decapoda 十足目, 633  
Deinococcaceae 異常球菌科, 18  
Deinococcales 異常球菌目, 18  
Deinococci 異常球菌綱, 18  
Deinococcus-thermus 異常球菌-棲熱菌門, 18  
Delesseriaceae 紅葉藻科, 176  
Delphacidae 稻蝨科, 484  
Delphinidae 海豚科, 794  
Deltoccephalidae 角頂葉蟬科, 484  
Demodecidae 蠕形蟎科, 304  
Demospongiae 尋常海綿綱, 287  
Dendrasteridae 樹星海膽科, 730  
Dendroceratida, 287  
Dendrochirotida 枝(或樹)手目, 732

Dendrodorididae 枝鯉海牛科, 719  
Dendrophylliidae 樹珊瑚科, 292  
Dennstaedtiaceae 碗蕨科, 217  
Dentaliidae 象牙貝科, 726  
Dentalioida 象牙貝目, 726  
Derbesiaceae 德氏藻科, 181  
Derbidae 長翅飛蟲科, 486  
Dermabacteraceae 表皮菌科, 13  
Dermamnyssidae 皮刺蟎科, 315  
Dermaptera 革翅目, 424  
Dermateaceae 皮盤菌科, 93  
Dermestidae 蠹蟲科, 377  
Dermochelidae 革龜科, 782  
Desmacellidae, 288  
Desmidiaceae 鼓藻科, 191  
Desmophyceae 縱裂甲藻綱, 181  
Desmopteridae 蝴蝶螺科, 725  
Deuteromycota 不完全菌, 169  
Diademmatidae 冠海膽科, 730  
Diademmatoida 冠海膽目, 730  
Diadocidiidae, 437  
Dialidae 天螺科, 696  
Dianemataceae, 36  
Diapensiaceae 岩梅科, 250  
Diapensiales 岩梅目, 250  
Diapheromeridae 笛竹節蟲科, 620  
Diaporthales 間座殼目, 86  
Diapriidae 錘角細蜂科, 521  
Diptomidae 鏢水蚤科, 324  
Diaspididae 盾介殼蟲科, 486  
Diatomaceae 等片藻科, 54  
Diatomales 等片藻目, 54  
Diatrypaceae 蕉孢殼菌科, 135  
Dicaeidae 啄花科, 789  
Diceratiidae 雙角鮫鯨科, 747  
Dicistroviridae, 11  
Dicksoniaceae 蚌殼蕨科, 217  
Dicranaceae 曲尾蘚科, 198  
Dicranales 曲尾蘚目, 198  
Dicrocoeliidae, 299  
Dicruridae 卷尾科, 789  
Dictynidae 葉蛛科, 310  
Dictyoceratida, 287  
Dictyonellidae, 288  
Dictyopharidae 象蠟蟬科, 489  
Dictyosiphonales 網管藻目, 75  
Dictyosphaeriaceae 膠網藻科, 188  
Dictyosteliaceae 網柱黏菌科, 27  
Dictyosteliales 網柱黏菌目, 27  
Dictyosteliomycetes 網柱黏菌綱, 27  
Dictyosteliomycota 網柱粘菌門, 27  
Dictyotaceae 網地藻科, 75  
Dictyotales 網地藻目, 75  
Didymiaceae 鈣皮菌科, 34  
Didymosphaeriaceae, 129  
Diffugiidae 砂殼科, 48  
Digononta 雙卵巢綱, 302  
Dilariidae 橈角蛤科, 615  
Dilepididae, 297  
Dimyidae 石牡蠣科, 666  
Dinidoridae 兜蟻科, 489  
Dinobryaceae 錐囊藻科, 69  
Dinoflagellida 腰鞭毛目, 27  
Dinophyceae 甲藻綱, 27  
Dinophysiaceae 鱗藻科, 27

Dinophysiales 甲藻目, 27  
Dinophyta 甲藻門, 27  
Dinopontiidae 漩管水蚤科, 658  
Diodontidae 二齒鮎科, 780  
Dioecocestidae, 297  
Diogenidae 活額寄居蟹科, 636  
Diomedidae 信天翁科, 785  
Diopsidae 炳眼蠅科, 437  
Dioscoreaceae 薯蕷科, 233  
Diphyidae 雙生水母科, 296  
Diphyllbothriidae, 298  
Diphysciaceae 短頸蘚科, 198  
Diplodiscidae, 298  
Diplomaragnidae, 331  
Diplommatinidae 芝麻蝸牛科, 696  
Diplopoda 倍足綱, 331  
Diplostomatidae, 300  
Diplphidae 雙光魚科, 778  
Dipluridae 上戶蛛科, 310  
Diprionidae 松葉蜂科, 521  
Dipsacaceae 續斷科, 250  
Dipsacales 續斷目, 250  
Dipsocoridae 鞭蟻科, 489  
Diptera 雙翅目, 425  
Dipteridaceae 雙扇蕨科, 217  
Diptilomiopidae 羽爪節蟬科, 304  
Dipylidiidae, 297  
Diretmidae 黑銀眼鯛科, 742  
Discodorididae 圓盤海牛科, 685  
Discolomatidae 盤甲科, 378  
Discorbidae, 39  
Ditomyiidae 准蠅蚊科, 437  
Ditrichaceae 牛毛蘚科, 199  
Dixidae 細蚊科, 437  
Doassansiaceae, 166  
Doassansiales, 166  
Dolichopodidae 長足虻科, 437  
Doliolida, 733  
Doliolidae, 733  
Donacidae 斧蛤科, 670  
Doridina 裸鰓目, 685  
Dorippidae 關公蟹科, 637  
Dothideaceae 座囊菌科, 89  
Dothideales 座囊菌目, 87  
Dothideomycetes 座囊菌綱, 138  
Dothioraceae 穴殼科, 89  
Draconettidae 蜥 科, 756  
Dreissenidae 似殼菜蛤科, 670  
Drepaneidae 簾鯛科, 756  
Drepanidae 鉤蛾科, 560  
Dromiidae 綿蟹科, 637  
Droseraceae 茅膏菜科, 265  
Drosophilidae 果蠅科, 440  
Dryinidae 螫蜂科, 521  
Dryomyzidae 螞蟻科, 443  
Dryopidae 泥蟲科, 378  
Dryopteridaceae 鱗毛蕨科, 217  
dsDNA 雙鏈DNA 病毒, 5  
dsDNA-RT DNA 逆轉錄病毒, 7  
dsRNA 雙鏈RNA 病毒, 8  
Dumontiaceae 杜蟎藻科, 178  
Dynomenidae 貝綿蟹科, 637  
Dysderidae 野豬蛛科, 310  
Dysideidae, 287  
Dytiscidae 龍蝨科, 378

## 科級以上學名索引

- Ebenaceae 柿樹科, 250  
Ebenales 柿樹目, 250  
Echeneidae 印魚科, 756  
Echimyopodidae 墊鱗科, 315  
Echinasteridae 棘海星科, 729  
Echinodermata 棘皮動物門, 728  
Echinodontiaceae 木齒菌科, 156  
Echinoida 海膽目, 731  
Echinoidea 海膽綱, 730  
Echinometridae 長海膽科, 731  
Echinoneidae 斜海膽科, 731  
Echinorhinidae 笠鱗鮫科, 735  
Echinorhiniformes 笠鱗鮫目, 735  
Echinosteliaceae 刺絲黏菌科, 33  
Echinosteliales 刺絲黏菌目, 33  
Echinostomatidae, 298  
Echinostomida, 298  
Echinothuriidae 柔海膽科, 731  
Echinothurioida 柔海膽目, 731  
Ecnomidae 長鬚石蛾科, 628  
Ectinosomatidae 長猛水蚤科, 330  
Ectocarpaceae 外子藻科, 76  
Ectocarpales 外子藻目, 76  
Ectolechiaceae, 108  
Ectopsocidae 外嚙蟲科, 623  
Eggerellidae, 39  
Elachisinidae 小菜籽螺科, 697  
Elachistidae 草潛蛾科, 561  
Elaeagnaceae 胡頹子科, 270  
Elaeocarpaceae 杜英科, 263  
Elaphomycetaceae 大團囊菌科, 90  
Elapidae 蝙蝠蛇科, 783  
Elasmidae 扁股小蜂科, 522  
Elateridae 叩頭蟲科, 379  
Elatinaceae 溝繁縷科, 281  
Eleotridae 塘鱧科, 756  
Ellipsolagenidae, 39  
Ellisellidae 鞭珊瑚科, 290  
Ellobiidae 耳螺科, 683  
Elmidae 長角泥蟲科, 383  
Elopidae 海鱧科, 745  
Elopiformes 海鱧目, 745  
Elphidiidae, 39  
Elsinoaceae 茄囊腔菌科, 123  
Elysiidae 海天牛科, 720  
Emberizidae 鸚科, 789  
Embiidina 紡足目, 469  
Embolemyidae 梨頭蜂科, 522  
Emmelichthyidae 科, 757  
Empididae 舞虻科, 443  
Emydidae 澤龜科, 782  
Encalyptaceae 大帽蘚科, 211  
Encyrtidae 跳小蜂科, 522  
Enderleinellidae 松鼠蟲科, 621  
Endochytriaceae, 168  
Endocladiaaceae 內枝藻科, 178  
Endodontidae 內齒蝸牛科, 723  
Endogonaceae 內囊黴科, 170  
Endogonales 內囊黴目, 169  
Endomychidae 擬瓢甲科, 383  
Eneopteridae 叢蟋科, 619  
Englerulaceae, 83  
Engraulidae 鰈科, 743  
Enicocephalidae 奇蝽科, 489  
Enidae 似煙管蝸牛科, 723  
Enoplometopidae 確螯蝦科, 637  
Enoploleuthidae 武裝魷科, 677  
Enteridiaceae 孔膜黏菌科, 33  
Enterobacteriaceae 腸桿菌科, 20  
Enterobacteriales 腸桿菌目, 20  
Enterococcaceae 腸球菌科, 18  
Entodontaceae 絹蘚科, 202  
Entolomataceae 粉褶傘科, 142  
Entomophthoraceae 蟲黴科, 170  
Entomophthorales 蟲黴目, 170  
Entomoplasmatales 蟲原體目, 19  
Entomotaeniata 腸紐目, 685  
Entylomataceae, 166  
Entylomatales, 166  
Eosentomidae 古蚋科, 623  
Epermeniidae 貂蛾科, 561  
Ephemerellidae 小蜉科, 470  
Ephemeridae 蜉蝣科, 470  
Ephemeroptera 蜉蝣目, 469  
Ephippidae 白蟻科, 757  
Ephydriidae 水蠅科, 444  
Epicopeiidae 鳳蛾科, 561  
Epilohamanniidae 溝腹甲蟎科, 317  
Epipsocidae 一嚙蟲科, 623  
Epipyropidae 蟬寄蛾科, 561  
Episiphonidae 蕊象牙貝科, 726  
Epistomariidae, 39  
Epistomiidae, 727  
Epitheliaceae, 151  
Epithemiaceae 窗紋藻科, 65  
Epitoniidae 海錘螺科, 686  
Eponididae, 39  
Equisetaceae 木賊科, 213  
Equisetales 木賊目, 213  
Equisetophyta 木賊門, 213  
Equisetopsida 木賊綱, 213  
Eratoidae 石榴螺科, 697  
Eremobelbidae 顆背甲蟎科, 317  
Eremotheciaceae, 139  
Eremulidae 沙甲蟎科, 317  
Ereuniidae 冰魚科, 776  
Ergasilidae 魚蚤科, 331  
Ericaceae 杜鵑花科, 251  
Ericales 杜鵑花目, 251  
Eriocaulaceae 穀精草科, 232  
Eriocaulales 穀精草目, 232  
Eriococcidae 絨介殼蟲科, 489  
Eriocottidae 毛蛾科, 561  
Eriophyidae 節蜉科, 305  
Eriphiidae 曾婦蟹科, 637  
Erotylidae 大蕈蟲科, 384  
Erpodiaceae 樹生蘚科, 209  
Erysiphaceae 白粉菌科, 89  
Erysiphales 白粉菌目, 89  
Erythraeidae 赤蟎科, 308  
Erythropeltidae 星絲藻目, 175  
Erythrotrichiaceae 星絲藻科, 175  
Eschrichtiidae 灰鯨科, 794  
Estrildidae 梅花雀科, 790  
Etmopteridae 燈籠棘鮫科, 737  
Eucalanidae 真哲水蚤科, 324  
Euchaetidae 真刺水蚤科, 324  
Eucharitidae 蟻小蜂科, 522  
Eucinetidae 偽圓花蚤科, 385  
Eucnemidae 偽叩頭蟲科, 385  
Eucoilidae 隆盾瘦蜂科, 523  
Euglenaceae 裸藻科, 30  
Euglenales 眼蟲目, 30  
Euglenida 眼蟲綱, 30  
Euglenozoa 眼蟲門, 30  
Euglyphidae 鱗殼科, 37  
Eugonatonotidae, 637  
Eugregarinida 真簇蟲目, 25  
Eukrohniidae, 728  
Eulimidae 瓷螺科, 690  
Eulophidae 釉小蜂科, 523  
Eumegacetidae, 300  
Eunicida 磯沙蠶目, 659  
Eunotiaceae 短殼縫藻科, 56  
Eunotiales 短殼藻目, 56  
Eupelmidae 旋小蜂科, 524  
Euphaeidae 幽螳科, 618  
Euphausiacea 磷蝦目, 653  
Euphausiidae 磷蝦科, 653  
Euphorbiaceae 大戟科, 252  
Euphorbiales 大戟目, 252  
Euphthiracaridae 真卷甲蟎科, 317  
Euplotidae 遊僕蟲科, 26  
Eupterotidae 帶蛾科, 561  
Eurotiales 散囊菌目, 90  
Euryalidae 蔓蛇尾科, 733  
Euryarchaeota 廣域古菌門, 23  
Eurytomidae 廣肩小蜂科, 524  
Euterpinidae, 330  
Eutreptiaceae, 33  
Evacanthidae 橫脊葉蟬科, 489  
Evanidae 瘦蜂科, 524  
Evermannellidae 齒口魚科, 741  
Exidiaceae 黑耳科, 158  
Exobasidiales 外擔菌目, 166  
Exocoetidae 飛魚科, 742  
Fabales 蠶豆目, 253  
Fabroniaceae 碎米蘚科, 203  
Fagaceae 殼斗科, 257  
Fagales 殼斗目, 257  
Falconidae 隼科, 785  
Falculiferidae 鴿羽蟎科, 315  
Fanniidae 廁蠅科, 445  
Farysiaceae, 167  
Fasciolariidae 旋螺科, 708  
Fasciolidae, 298  
Faucheaceae 葉囊藻科, 180  
Faviidae 菊珊瑚科, 292  
Felidae 貓科, 793  
Fellodistomidae 壯穴科, 301  
Fibulariidae 豆海膽科, 730  
Ficidae 枇杷螺科, 690  
Figitidae 環腹瘦蜂科, 525  
Filicopsida 真蕨綱, 213  
Filistatidae 縮網蛛科, 310  
Filosea 絲狀根足蟲綱, 37  
Filoviridae, 10  
Fimbriidae 花籃蛤科, 670  
Firmicutes 厚壁菌門, 18  
Fissidentaceae 鳳尾蘚科, 199  
Fissidentales 鳳尾蘚目, 199  
Fissurellidae 裂螺科, 678  
Fistulariidae 馬鞭魚科, 746  
Fistulinaceae 牛排菌科, 142  
Flabellinidae 扇羽海蛞蝓科, 685

# 科級以上學名索引

- Flacourtiaceae 大風子科, 284  
Flagellariaceae 鬚葉藤(鞭藤)科, 241  
Flatidae 青翅飛蝨科, 490  
Flaviviridae, 2  
Flavobacteria 黃桿菌綱, 13  
Flavobacteriaceae 黃桿菌科, 13  
Flavobacteriales 黃桿菌目, 13  
Flexibacteraceae 屈撓桿菌科, 13  
Flexiviridae, 3  
Florideae, 76  
Florideophyceae 真紅藻綱, 175  
Flosculariacea 簇輪目, 302  
Fomitopsidaceae, 151  
Foraminiferida 有孔蟲目, 38  
Forcipulatida 鉗棘目, 728  
Forficulidae 蠼螋科, 424  
Formicidae 蟻科, 525  
Forskaliidae 歪鐘水母科, 296  
Fossaridae 小堡螺科, 697  
Fosshageniidae 符氏水蚤科, 325  
Fragilariaceae 脆杆藻科, 74  
Fragilariales 脆杆藻目, 74  
Fregatidae 軍艦鳥科, 785  
Fringillidae 雀科, 790  
Frontoniidae 前口蟲科, 25  
Fucales 墨角藻目, 76  
Fulgoridae 蟻蟬科, 490  
Fumariaceae 紫堇科, 266  
Funariaceae 葫蘆蘚科, 200  
Funariales 葫蘆蘚目, 200  
Fungi 真菌界, 83  
Fungiidae 蕈珊瑚科, 293  
Fursenkoinidae, 39  
Fuscideaceae 棕網衣科, 134  
Gadiformes 鱈形目, 745  
Galacticidae 豆蛾科, 562  
Galatheidae 鎧甲蝦科, 637  
Galaxauraceae 乳節藻科, 179  
Galliformes 雞形目, 788  
Galumnellidae 大小翼甲蟎科, 317  
Galumnidae 大翼甲蟎科, 317  
Gammaproteobacteria 丙型變形菌綱, 20  
Ganodermataceae 靈芝科, 151  
Gasterosteiformes 棘背魚目, 746  
Gasterostiidae 棍棒瘦蜂科, 528  
Gastrochaenidae 開腹蛤科, 663  
Gastrocoptidae 砂蝸牛科, 723  
Gastropoda 腹足綱, 678  
Gastropodidae 腹尾輪科, 302  
Gastrothylacidae, 298  
Gavelinellidae, 39  
Geastraceae 地星科, 150  
Gecarcinidae 地蟹科, 638  
Gekkonidae 壁虎科, 783  
Gelastocoridae 蟾蟬科, 490  
Gelichiidae 旋蛾科, 562  
Gelidiaceae 石花菜科, 177  
Gelidiales 石花菜目, 177  
Gelidiellaceae 凝花菜科, 178  
Geminiiviridae, 9  
Gempylidae 帶鱈科, 757  
Gentianaceae 龍膽科, 258  
Gentianales 龍膽目, 258  
Geoglossaceae 地舌菌科, 113  
Geometridae 尺蛾科, 563  
Geophilidae 地蜈蚣科, 320  
Geophilomorpha 地蜈蚣目, 320  
Georgiaceae 四齒蘚科, 212  
Geotrupidae 糞金龜科, 385  
Geraniaceae 牻牛兒苗科, 259  
Geraniales 牻牛兒苗目, 259  
Gerreidae 鑽嘴魚科, 757  
Gerridae 眼蝽科, 490  
Geryonidae 怪蟹科, 638  
Gesneriaceae 苦苣苔科, 277  
Giganthorhynchidae, 301  
Gigantoporidae, 727  
Giganthorhynchida, 301  
Gigartinaceae 杉藻科, 178  
Gigartinales 杉藻目, 178  
Gigasporaceae 大孢子科, 170  
Ginglymostomatidae 鋪鬚鮫科, 736  
Glabratellidae, 39  
Glandulinidae, 39  
Glareolidae 燕鴿科, 786  
Glaucidae 灰海蛞蝓科, 685  
Glaucoidae, 25  
Glauconomidae 曇蛤科, 670  
Glaucosomatidae 葉鯛科, 757  
Gleicheniaceae 裏白科, 213  
Gleicheniales 裏白目, 213  
Glenodiniaceae 薄甲藻科, 29  
Globigerinidae, 39  
Gloeocystaceae, 188  
Gloeophyllaceae, 151  
Glomaceae 繡球菌科, 170  
Glomales 繡球菌目, 170  
Glomerellaceae 小叢殼科, 83  
Glomerida, 331  
Glomeridae, 331  
Glomosporiaceae, 167  
Glossidae 同心蛤科, 671  
Glossoscolecidae 滑蚓科, 658  
Glossosomatidae 舌石蛾科, 629  
Glycymerididae 蚌綱科, 662  
Glycyphagidae 食甜蟻科, 315  
Glyphaeidae 碑球牡蠣科, 666  
Glyphipterigidae 雕翅蛾科, 574  
Glyphocrangonidae, 638  
Glyphomitriaceae 高領蘚科, 206  
Gnaphosidae 鸞蛛科, 310  
Gnathophiurida 顎蛇尾目, 733  
Gnathophyllidae, 638  
Gobiesocidae 喉盤魚科, 757  
Gobiidae 鰕虎科, 757  
Goeridae 瘤石蛾科, 629  
Golfingiidae 芬星蟲科, 661  
Golfingiiformes 戈芬星蟲目, 661  
Gomphaceae 釘菇科, 146  
Gomphidae 春蜓科, 618  
Gomphidiaceae 鉤釘菇科, 148  
Gomphonemaceae 異極藻科, 56  
Gonatidae 手鈎魷科, 677  
Goneplacidae 長腳蟹科, 638  
Goniaceae, 189  
Goniadidae 角沙蠶科, 660  
Goniasteridae 角海星科, 729  
Goniotrichaceae 角毛藻科, 181  
Gonodactylidae, 654  
Gonorhynchiformes 鼠鱈目, 747  
Gonorynchidae 鼠鱈科, 747  
Gonostomatidae 鑽光魚科, 778  
Gonyaulaceae, 29  
Goodeniaceae 草海桐科, 246  
Gordoniaceae 戈登氏菌科, 13  
Gorgonacea 柳珊瑚目, 290  
Gorgoniidae 柳珊瑚科, 290  
Gorgonocephalidae 筐蛇尾科, 733  
Gracilariaceae 龍鬚菜科, 179  
Gracilariales 龍鬚菜目, 179  
Gracillariidae 細蛾科, 575  
Grammicolepididae 菱的鯛科, 781  
Grammitidaceae 禾葉蕨科, 219  
Grammotheleaceae, 152  
Granuloreticulosea 果粒性網狀根足蟲綱, 37  
Graphidaceae 文字衣科, 124  
Graphiolaceae 粉座菌科, 166  
Grapsidae 方蟹科, 639  
Greenideidae 毛管蚜科, 490  
Gregarinea 簇蟲綱, 25  
Grimalditeuthidae 葛氏雙鰭魷科, 677  
Grimmiaceae 紫萼蘚科, 200  
Grimmiales 紫萼蘚目, 200  
Gromidae, 37  
Gruidae 鶴科, 788  
Gruiformes 鶴形目, 788  
Gryllidae 蟋蟀科, 619  
Gryllotalpidae 螻蛄科, 620  
Guembelitreidae, 40  
Gustaviidae 鉅鉅甲蟎科, 317  
Guttiferae 金絲桃科, 281  
Guttulinaceae 班瘤菌科, 25  
Gyalectaceae 凹盤衣科, 92  
Gyalectales 凹盤衣目, 92  
Gyliauchenidae 中盤科, 300  
Gymnoascaceae 裸囊菌科, 123  
Gymnodiniaceae 裸甲藻科, 28  
Gymnodiniales 裸甲藻目, 28  
Gymnodiniidae, 27  
Gymnodorididae 裸海牛科, 719  
Gymnuridae 鳶魷科, 736  
Gyrinidae 豉甲科, 385  
Gyrinocheilidae 食藻鰓科, 744  
Gyroporaceae 圓孢牛肝菌科, 148  
Hadromerida, 288  
Haematococcaceae 紅球藻科, 189  
Haematommataceae 赤星衣科, 108  
Haematopinidae 獸蝨科, 621  
Haematopodidae 螞蟬科, 786  
Haemulidae 石鱸科, 760  
Hahniidae 橫疣蛛科, 310  
Halgeridae, 719  
Halichondrida, 288  
Halichondriidae, 288  
Halictidae 隧蜂科, 528  
Halimedaaceae 仙掌藻科, 181  
Haliotidae 鮑螺科, 679  
Halipegidae, 298  
Haliplidae 小頭水蟲科, 385  
Haloragaceae 小二仙草科, 259  
Haloragales 小二仙草目, 259  
Halosauridae 海蜥魚科, 738  
Halosphaeriaceae 海殼菌科, 93  
Halosphaeriales 海殼菌目, 92

## 科級以上學名索引

Halteriidae 彈跳蟲科, 26  
Halymeniaceae 海膜藻科, 179  
Halymeniales 海膜藻目, 179  
Hamamelidaceae 金縷梅科, 259  
Hamamelidales 金縷梅目, 259  
Haminoeidae 長葡萄螺科, 684  
Hapalopilaceae 彩孔菌科, 152  
Haplodesmidae, 332  
Haplophragmoididae, 41  
Haplotaxida 單向蚓目, 658  
Haplozetidae 角袖甲蟻科, 317  
Haptoglossaceae, 169  
Haptoglossales, 169  
Haptophyta 定鞭藻門, 67  
Harpacticidae 猛水蚤科, 330  
Harpacticoida 猛水蚤目, 330  
Harpellaceae 鈎孢毛菌科, 170  
Harpellales 鈎孢毛菌目, 170  
Harpidae 楊桃螺科, 709  
Hauerinidae, 41  
Hebridae 膜蟾科, 490  
Hecalidae 長頭葉蟬科, 490  
Hedwigiaceae 虎尾蘚科, 207  
Heleomyzidae 陽蠅科, 445  
Helicarionidae 鱉甲蝸牛科, 723  
Helicinidae 虫昌蝸牛科, 679  
Helicosphaeraceae, 68  
Heliodinidae 日逐蛾科, 575  
Helioporidae 藍珊瑚科, 290  
Heliozoa 真正太陽蟲綱, 45  
Helminthosphaeriaceae, 135  
Helotiaceae 柔膜菌科, 93  
Helotiales 柔膜菌目, 93  
Helotidae 大吸木甲科, 386  
Helotrephidae 蚤蟾科, 491  
Helvellaceae 馬鞍菌科, 127  
Hemerobiidae 姬蛉科, 616  
Hemidiscaceae, 73  
Hemigaleidae 沙條鮫科, 734  
Hemipsoidea 半嚙蟲科, 624  
Hemiptera 半翅目, 470  
Hemiramphidae 鱗科, 742  
Hemiscylliidae 竹鮫科, 736  
Hemiuridae 半尾科, 299  
Henicopidae 長腳石蜈蚣科, 321  
Hepadnaviridae, 7  
Hepeviridae, 3  
Hepialidae 蝠蛾科, 575  
Heptageniidae 扁蜉科, 470  
Hericiaceae 猴頭菇科, 156  
Hermaceidae 荷葉鰓科, 720  
Hermannelliidae 矮隆背甲蟻科, 317  
Hermannidae 隆背甲蟻科, 317  
Hernandiaceae 蓮葉桐科, 262  
Herpesidae 蒙科, 793  
Herpesviridae, 5  
Herpomycetaceae 二托菌科, 106  
Herpotrichiellaceae, 85  
Hersiliidae 長疣蛛科, 310  
Hesperiidae 弄蝶科, 575  
Heterobelbidae 異腳甲蟻科, 317  
Heteroceridae 四節泥蟲科, 386  
Heterococcales 異球藻目, 78  
Heterodontiferae, 29  
Heterodontidae 異齒鮫科, 735

Heterodontiformes 異齒鮫目, 735  
Heterogastropoda 異腹足目, 685  
Heterolepidae, 42  
Heterolobosea 根足蟲綱, 48  
Heteronemiidae 異竹節蟲科, 621  
Heterophyidae, 299  
Heteropoda 異足目, 689  
Heteropodidae 高腳蛛科, 310  
Heteropterygidae 異翅竹節蟲科, 621  
Heterorhabdidae 異肢水蚤科, 325  
Heterosiphonales 異管藻目, 77  
Heterotracheales 異絲藻目, 78  
Heterotracheata 異毛目, 25  
Heteroxyidae, 288  
Hexabranthidae 六鰓海牛科, 719  
Hexanchidae 六鰓鯨科, 735  
Hexanchiformes 六鰓鯨目, 735  
Hexathelidae 六疣蛛科, 310  
Hexatrygonidae 六鰓魴科, 736  
Hiatellidae 潛泥蛤科, 663  
Himantolophidae 疏刺角鮫鱗科, 747  
Himerometridae 美羽枝科, 730  
Hippidae 蟬蟹科, 640  
Hippoboscidae 蝨蠅科, 445  
Hippolytidae, 640  
Hipponicidae 頂蓋螺科, 697  
Hippopodiidae 馬蹄水母科, 296  
Hippopodidae, 727  
Hipposideridae 葉鼻蝠科, 794  
Hippothoidae, 727  
Hirundinidae 燕科, 790  
Histeridae 閻魔蟲科, 386  
Histiotethidae 帆魷魚科, 677  
Hodotermitidae 草白蟻科, 549  
Holectypoida 全雕目, 731  
Holocentridae 金鱗魚科, 742  
Holothuriidae 海參科, 732  
Holothuroidea 海參綱, 731  
Homolidae 人面蟹科, 640  
Homolodromiidae 人面錦蟹科, 640  
Homosclerophorida, 288  
Homotomidae, 491  
Hookeriaceae 油蘚科, 201  
Hookeriales 油蘚目, 201  
Hoplichthyidae 針鱗科, 776  
Hoplopleuridae 甲胄蟲科, 621  
Hormaphidae 扁蚜科, 491  
Hormogonales 藻殖段目, 15  
Humerobatidae, 317  
Hyaloscyphaceae 晶杯菌科, 93  
Hyblaeidae 駝蛾科, 576  
Hybosoridae 駝金龜科, 387  
Hybotidae, 445  
Hydatinidae 泡螺科, 685  
Hydnaceae 齒菌科, 146  
Hydnangiaceae, 143  
Hydraenidae 細牙蟲科(苔水龜科), 387  
Hydrobatidae 海燕科, 786  
Hydrobiidae 釘螺科, 697  
Hydrobiosidae 囊翅石蛾科, 629  
Hydrocenidae 芝麻虫昌蝸牛科, 679  
Hydrocharitaceae 水蘘科, 232  
Hydrocharitales 水蘘目, 232  
Hydrodictyaceae 水網藻科, 183  
Hydrometridae 尺蟾科, 491

Hydrophiidae 海蛇科, 783  
Hydrophilidae 牙蟲科, 387  
Hydrophyllaceae 田亞麻科, 280  
Hydropsychidae 紋石蛾科, 629  
Hydroptilidae 姬石蛾科, 629  
Hydroscaphidae 出尾水蟲科, 388  
Hydrozoa 水螅蟲綱, 295  
Hydruraceae 水樹藻科, 69  
Hylcidae 寬頭葉蟬科, 492  
Hylidae 樹蟾科, 781  
Hylocomiaceae 塔蘚科, 203  
Hymeneliaceae, 108  
Hymenocerae, 640  
Hymenochaetaceae 刺革菌科, 149  
Hymenochaetales 刺革菌目, 149  
Hymenolepididae, 297  
Hymenophyllaceae 膜蕨科, 213  
Hymenophyllales 膜蕨目, 213  
Hymenopodidae 花螳科, 614  
Hymenoptera 膜翅目, 506  
Hymenosomatidae 膜殼蟹科, 640  
Hymenostomatida 膜口目, 25  
Hynobiidae 山椒魚科, 782  
Hyperidae 戎科, 631  
Hyphodermataceae 絲毛伏革菌科, 152  
Hyphomycetes 絲孢綱, 169  
Hypnaceae 灰蘚科, 203  
Hypnales 灰蘚目, 202  
Hypnaceae 沙茶科, 178  
Hypnodendraceae 樹灰蘚科, 197  
Hypochthoniidae 縫甲蟻科, 317  
Hypocreaceae 肉座菌科, 103  
Hypocreales 肉座菌目, 94  
Hypocneciaceae, 136  
Hypopterygiaceae 孔雀蘚科, 201  
Hypotracheata 下毛口目, 26  
Hypoxidaceae 仙茅科, 233  
Hysteriaceae 縱裂菌科, 105  
Hysteriales 縱裂菌目, 105  
Hystrichopsyllidae 多毛蚤科, 625  
Ibaliidae 枝附癭蜂科, 529  
Iblidae 鳥嘴科, 655  
Icacinae 茶茱萸科, 249  
Ichneumonidae 姬蜂科, 529  
Ichthyophthiriidae, 25  
Icmadophilaceae 霜降衣科, 113  
Idiosepiidae 微鱗烏賊科, 676  
Idiozetidae 隆腹甲蟻科, 317  
Illiciaceae 八角科, 259  
Illiciales 八角目, 259  
Immididae 奇蛾科, 576  
Incierta, 89  
Inocelliidae 盲蛇蛉科, 616  
Insecta 昆蟲綱, 333  
Insectivora 食蟲目, 795  
Ipnopidae 燈眼蜥魚科, 741  
Iravadiidae 河口螺科, 697  
Irciniidae, 287  
Iridaceae 鳶尾科, 233  
Iridoviridae, 6  
Ischnochitonidae 薄石鱗科, 726  
Ischnopsyllidae 蝠蚤科, 625  
Ishigeaceae 鐵釘菜科, 76  
Isobryales 變齒蘚目, 206  
Isochrsidales, 68

## 科級以上學名索引

- Isodictyidae, 288  
Isoetaceae 水韭科, 212  
Isoetales 水韭目, 212  
Isogonomonidae 障泥蛤科, 666  
Isonychiidae 等蜉科, 470  
Isopoda 等足目, 654  
Isoptera 等翅目, 549  
Issidae 圓飛蝨科, 492  
Istiophoridae 旗魚科, 761  
Ixodidae 硬蜱科, 319  
Jacanidae 水雉科, 786  
Janthinidae 紫螺科, 687  
Juglandaceae 胡桃科, 259  
Juglandales 胡桃目, 259  
Julida 姬馬陸目, 331  
Juliidae, 331  
Juliidae 珠綠螺科, 720  
Juncaceae 燈心草科, 232  
Juncales 燈心草目, 232  
Kallymeniaceae 孔海膜科, 178  
Kalotermitidae 木白蟻科, 549  
Kanamariidae, 709  
Kateretidae 小出尾蟲科, 388  
Kelliidae, 671  
Kemidokoptidae 疙蝨科, 315  
Kentrodorididae 斑刺海牛科, 685  
Kentrogonida, 655  
Kermesidae 絳介殼蟲科, 493  
Keroplastidae, 445  
Kerriidae 膠介殼蟲科, 493  
Kickxellaceae 梳黴科, 171  
Kickxellales 梳黴目, 171  
Kogiidae 小抹香鯨科, 794  
Krohnittidae, 728  
Kudoidae, 37  
Kuhliidae 湯鯉科, 761  
Kyphosidae 舵魚科, 761  
Labiateae 唇形科, 260  
Labidiasteridae 叉棘海星科, 728  
Labiduridae 球蠼螋科, 425  
Labiidae 小蠼螋科, 425  
Laboulbeniaceae 蟲囊菌科, 106  
Laboulbeniales 蟲囊菌目, 106  
Labridae 隆頭魚科, 761  
Labyrinthulea 盤絲綱, 48  
Labyrinthulomycetes 網粘菌綱, 68  
Labyrinthulomycota 網粘菌門, 68  
Lacernidae, 727  
Lacertidae 正蜥科, 783  
Lachesillidae 姬螞蟥科, 624  
Lachnidae 大蚜科, 493  
Lachnocladiaceae 茸瑚菌科, 156  
Lactariidae 乳鱈科, 763  
Lactobacillaceae 乳酸菌科, 18  
Lactobacillales 乳桿菌目, 18  
Laelapidae 厲蟎科, 320  
Laemophloeidae 姬扁甲科, 388  
Laevidentaliidae 光滑象牙貝科, 726  
Laganidae 餅乾海膽科, 730  
Lagenina 瓶蟲目, 45  
Lagomorpha 兔形目, 795  
Lamiales 唇形目, 260  
Lamnidae 鱈鮫科, 735  
Lamniformes 鱈鮫目, 735  
Lampridae 月魚科, 747  
Lampridiformes 月魚目, 747  
Lampyridae 螢科, 389  
Lanceolidae 矛戎科, 631  
Lanceoporidae, 727  
Laniidae 伯勞科, 790  
Laomediidae 泥鰍科, 640  
Lardizabalaceae 木通科, 269  
Largidae 大紅蜻科, 493  
Laridae 鷗科, 786  
Lasiocampidae 枯葉蛾科, 576  
Lasiosphaeriaceae 毛球殼科, 134  
Laternulidae 薄殼蛤科, 666  
Lathridiidae 姬薪蟲科, 389  
Latidae 尖嘴鱸科, 763  
Latreilliidae 蛛形蟹科, 640  
Lauraceae 樟科, 262  
Laurales 樟目, 262  
Lauxaniidae 縞蠅科, 445  
Lecanidae 腔輪科, 303  
Lecaniodiaspididae 球鏈介殼蟲科, 494  
Lecanoraceae 茶漬衣科, 108  
Lecanorales 茶漬目, 107  
Lecideaceae 網衣科, 109  
Lecithoceridae 折角蛾科, 577  
Lecithodendriidae, 300  
Lecudinidae 衣袍蟲科, 25  
Lecythidaceae 玉蕊科, 263  
Lecythidales 玉蕊目, 263  
Ledridae 耳葉蟬科, 494  
Leeaceae 火筒樹科, 270  
Leguminosae 豆科, 253  
Leiodidae 球蠹甲科, 389  
Leiognathidae 鱒科, 763  
Lembophyllaceae 船葉蘚科, 197  
Lemnaceae 浮萍科, 224  
Lentibulariaceae 狸藻科, 278  
Leotiaceae 錘舌菌科, 113  
Leotiales 錘舌菌目, 113  
Lepadidae 茗荷科, 655  
Lepetellida, 692  
Lepetidae 無鰓笠螺科, 679  
Lepidocyclinidae, 42  
Lepidopsocidae 鱗嚙蟲科, 624  
Lepidoptera 鱗翅目, 550  
Lepidostomatidae 鱗石蛾科, 629  
Lepocreadiidae, 300  
Leporidae 兔科, 795  
Lepraliellidae, 727  
Leptoceridae 長角石蛾科, 629  
Leptochitonidae 鱗側石蠶科, 726  
Leptolegniaceae, 80  
Leptolegniellaceae 水節黴科, 80  
Leptonetidae 弱蛛科, 311  
Leptophlebiidae 褐蜉科, 470  
Leptopsyllidae 細蚤科, 625  
Leptosphaeriaceae 小球腔菌科, 129  
Lernaeopodidae 顎虱科, 658  
Leskeaceae 薄羅蘚科, 204  
Lestidae 絲螳科, 618  
Lethrinidae 龍占魚科, 763  
Letroitiaceae 多極孢衣科, 134  
Leucobryaceae 白髮蘚科, 199  
Leucochloridiidae, 300  
Leucodontaceae 白齒蘚科, 207  
Leucodontales 白齒蘚目, 207  
Leucomiaceae 白蘚科, 202  
Leucosiidae 玉蟹科, 640  
Leucospidae 褶翅小蜂科, 538  
Leuctridae 卷石蠅科, 621  
Liagoraceae 粉枝藻科, 180  
Libellulidae 蜻蜓科, 618  
Liceaceae 無絲黏菌科, 34  
Liceales 無絲黏菌目, 33  
Ligiidae, 654  
Liliaceae 百合科, 233  
Liliales 百合目, 233  
Liliopsida 百合綱, 223  
Limacidae 蛞蝓科, 723  
Limacinidae 蝸螺科, 725  
Limacodidae 刺蛾科, 578  
Limapontiidae, 720  
Limidae 狐蛤科, 666  
Limnephilidae 沼石蛾科, 630  
Limnichidae 微泥蟲科, 391  
Limopsidae 笠蚌科, 662  
Lindsaeaceae 陵齒蕨科, 219  
Linhomoeidae 線型線蟲科, 301  
Linognathidae 毛蟲科, 621  
Linotaeniidae, 320  
Linyphiidae 皿網蛛科, 311  
Liocranidae 輝蛛科, 311  
Liopteridae 光翅癭蜂科, 538  
Liotiidae, 679  
Liposcelidae 書蟲科, 624  
Listeriaceae 李斯特菌科, 18  
Lithellidae, 47  
Lithistida, 288  
Lithobiidae 石蜈蚣科, 321  
Lithobiomorpha 石蜈蚣目, 321  
Lithodidae, 641  
Lithotryidae 石茗荷科, 656  
Litiopidae 糟糠螺科, 697  
Littorinidae 玉黍螺科, 697  
Lituolidae, 42  
Lobariaceae 肺衣科, 125  
Lobatovitelliovariidae 葉腺科, 299  
Lobosa, 48  
Lobosea 葉狀根足蟲綱, 48  
Lobotidae 松鱗科, 764  
Loganiaceae 馬錢科, 259  
Lohmanniidae 羅甲蟎科, 317  
Loliginidae 槍魷魚科, 677  
Lomariopsidaceae 蘿蔓藤蕨科, 219  
Lomentariaceae 蘿蔓藻科, 180  
Lonchaeidae 黑艷蠅科, 446  
Lonchopteridae 槍蠅科, 447  
Lophiidae 鮫鱈科, 748  
Lophiiformes 鮫鱈目, 747  
Lophiostomataceae, 129  
Lophogastridae, 654  
Lophophaenidae, 47  
Lophoproctidae, 332  
Lophotidae 冠棘魚科, 747  
Loranthaceae 桑寄生科, 275  
Loricariidae 骨甲鯰科, 778  
Lottiidae 蓮花青螺科, 679  
Loveniidae 拉文海膽科, 731  
Loxostomatidae, 42  
Lucanidae 錨形蟲科, 391  
Lucicutiidae 光水蚤科, 325

## 科級以上學名索引

Luciferidae 螢蝦科, 641  
Lucinidae 滿月蛤科, 671  
Luidiidaesladen 砂海星科, 728  
Lumbricidae 正蚓科, 658  
Luteoviridae, 3  
Lutjanidae 笛鯛科, 764  
Lycaeidae 麗戎科, 631  
Lycaenidae 灰蝶科, 579  
Lycaeopsidae 秀戎科, 632  
Lycidae 紅螢科, 392  
Lycoperdaceae 馬勃科, 143  
Lycoperdales 馬勃目, 150  
Lycopodiaceae 石松科, 212  
Lycopodiales 石松目, 212  
Lycopodiophyta 石松門, 212  
Lycopodiopsida 石松綱, 212  
Lycosidae 狼蛛科, 311  
Lycoteuthidae, 677  
Lyctocoridae 細角花蝽科, 494  
Lygaeidae 長蝽科, 494  
Lygistorrhinidae, 447  
Lymantriidae 毒蛾科, 580  
Lymexylidae 筒蠹蟲科, 393  
Lymnaeidae 椎實螺科, 683  
Lyonetiidae 萊氏蛾科, 582  
Lyonsiidae 波浪蛤科, 666  
Lysiosquillidae, 654  
Lythraceae 千屈菜科, 264  
Macrachelidae 巨螯螯科, 315  
Macroceridae 大角蕈蚊科, 447  
Macroderoididae, 300  
Macronyssidae 巨刺蟻科, 320  
Macropiridae 單羽蛾科, 582  
Macroramphosidae 鰐嘴魚科, 746  
Macrouridae 鼠尾鱈科, 745  
Mactridae 馬珂蛤科, 671  
Magnaporthaceae 巨座殼科, 84  
Magnoliaceae 木蘭科, 263  
Magnoliales 木蘭目, 263  
Magnoliophyta 木蘭植物門, 223  
Magnoliopsida 木蘭綱, 241  
Majidae 蜘蛛蟹科, 641  
Malacanthidae 軟棘魚科, 764  
Malaconothridae 盲甲蟻科, 318  
Malacostraca 軟甲綱, 631  
Malcidae 突眼長蝽科, 495  
Malleidae 丁蠟科, 667  
Malletiidae 豌豆蛤科, 664  
Mallomonadaceae 魚鱗藻科, 77  
Malpighiaceae 黃蓍花科, 267  
Malvaceae 錦葵科, 263  
Malvales 錦葵目, 263  
Mammalia 哺乳綱, 793  
Manidae 穿山甲科, 795  
Mantidae 螳科, 614  
Mantispidae 螳蛉科, 616  
Mantodea 螳螂目, 614  
Marantaceae 竹芋科, 241  
Marasmiaceae 小皮傘科, 143  
Marattiaceae 觀音座蓮屬科, 214  
Marattiales 觀音座蓮目, 214  
Maretiidae 仙壺海膽科, 731  
Margarodidae 碩介殼蟲科, 495  
Marginellidae 穀米螺科, 709  
Mariametridae 瑪麗羽枝科, 730

Marsileaceae 蘋科, 219  
Mastacembelidae 棘鰍科, 779  
Mastigocladaceae 鞭枝藻科, 18  
Mastigoteuthidae 鞭魷科, 678  
Mathildidae 彫蜃科, 688  
Mathilidae 巧蜃螺科, 688  
Matutidae 黎明蟹科, 641  
Maxillopoda 顎足綱, 655  
Mbidiidae, 26  
Mecistocephalidae 長頭地蜈蚣科, 320  
Mecoptera 長翅目, 614  
Mecynoceridae 長角哲水蚤科, 325  
Meenoplidae 縞飛蟲科, 495  
Megacalanidae, 325  
Megachilidae 切葉蜂科, 538  
Megalopidae 大眼海鱗科, 745  
Megalosporaceae 大孢衣科, 109  
Megamerinidae 細蠅科, 447  
Megapodagrionidae 躡螳科, 619  
Megascolecidae 巨蚓科, 658  
Megasilidae 大痣細蜂科, 539  
Melampoidae 大鱗鰓科, 778  
Melampsoraceae 柵銹菌科, 161  
Melanconidaceae, 86  
Melandryidae 長朽木蟲科, 393  
Melanommataceae, 129  
Melanopsichaceae, 167  
Melastomataceae 野牡丹科, 264  
Meliaceae 棟科, 276  
Meliolaceae 小煤炭菌科, 113  
Meliolales 小煤炭菌目, 113  
Meliolinaceae, 83  
Melithaeidae 扇珊瑚科, 290  
Melittidae 毛腳花蜂科, 539  
Mellinidae 捕蠅蜂科, 539  
Melliterycidae 鈕釦蛤科, 671  
Meloidae 地膽科, 393  
Melolonthidae, 447  
Melongenidae 香螺科, 709  
Meloseirales 直縫藻目, 74  
Melosiraceae 直縫藻科, 74  
Melyridae 耀夜螢科, 393  
Membraniporidae, 727  
Menidae 眼眶魚科, 764  
Menispermaceae 防己科, 269  
Meripilaceae, 152  
Merismopediaceae, 14  
Meropidae 蜂虎科, 788  
Merothripidae 食孢蕪馬科, 625  
Meruliaceae 皺皮菌科, 152  
Merulinidae 縐紋珊瑚科, 293  
Mesocoeliidae, 300  
Mesodesmatidae 尖峰蛤科, 671  
Mesogastropoda 中腹足目, 692  
Mesopsocidae 斑嚙蟲科, 624  
Mesostigmata 革蟎目, 315  
Mesotaeniaceae 中帶藻科, 195  
Mesoveliidae 水蝽科, 495  
Meteoriaceae 蔓藤科, 207  
Methanococcaceae 甲烷球菌科, 23  
Methanococcales 甲烷球菌目, 23  
Methanococci 甲烷球菌綱, 23  
Methanomicrobia 甲烷微菌綱, 23  
Methanomicrobiaceae 甲烷菌科, 23  
Methanomicrobiales 甲烷菌目, 23

Methanosarcinaceae 甲烷疊球菌科, 23  
Methanosarcinales 甲烷疊球菌目, 23  
Methylobacteriaceae 甲基桿菌科, 19  
Metopidae 扭頭科, 25  
Metridinidae 長腹水蚤科, 325  
Metrodiridae 錐棘海星科, 729  
Metrodoridae 短翼菱蝗科, 620  
Miamiidae, 719  
Micheleidae 亮指蝦科, 641  
Micractiniaceae 微放射藻科, 184  
Microascaceae 小囊菌科, 115  
Microascales 小囊菌目, 115  
Microbotryaceae, 159  
Microbotryales, 159  
Microchaetaceae 微毛藻科, 15  
Microcionidae, 288  
Micrococcaceae 微球菌科, 13  
Microcystaceae, 14  
Microdesmidae 蚶鰕虎科, 764  
Microhylidae 狹口蛙科, 781  
Micronectidae 小划蟾科, 495  
Micropeltidae, 84  
Micropezidae 微腳蠅科, 447  
Microphallidae, 300  
Microporellidae, 727  
Micropterigidae 小翅蛾科, 582  
Microsporaceae 微孢藻科, 187  
Microsporales 微孢藻目, 187  
Microstomatidae 小口鮭科, 740  
Microthyriaceae 小盾殼科, 115  
Microthyriales 小盾殼目, 115  
Mictyridae 和尚蟹科, 641  
Milichiidae 稗桿蠅科, 447  
Milleporida 千孔珊瑚目, 295  
Milleporidae 千孔珊瑚科, 295  
Miraciidae, 330  
Miridae 盲蝽科, 495  
Mischococcales 柄球藻目, 78  
Misophriidae 異水蚤科, 330  
Misophrioida 異水蚤目, 330  
Mitridae 筆螺科, 709  
Miturgidae 長腳袋蛛科, 311  
Mniaceae 提燈蘚科, 197  
Mochlozetidae 姬翼甲蟻科, 318  
Modulidae 壺螺科, 698  
Mogoplistidae 鉗蟋科, 620  
Molidae 翻車鮑科, 780  
Mollicutes 柔膜菌綱, 19  
Molluginaceae 粟米草科, 248  
Mollusca 軟體動物門, 661  
Molossidae 游離尾蝠科, 794  
Mompidae 朦蛾科, 582  
Monacanthidae 單棘鮫科, 780  
Monarchidae 王鵝科, 790  
Monascaceae 紅麴科, 90  
Monhysterida 單宮目, 301  
Moniligastridae 鏈胃科, 659  
Monoblastiaceae 單芽枝科, 133  
Monocentridae 松毬魚科, 743  
Monodactylidae 銀鱗鯧科, 764  
Monogononta 單卵巢綱, 302  
Monommatidae 擬吉丁蟲科, 394  
Monostromataceae 礁膜科, 190  
Monotomidae 出尾扁甲科, 394  
Monstrilloida 怪水蚤目, 330

## 科級以上學名索引

Monstrilloidae 怪水蚤科, 330  
Montacutidae 寄生蛤科, 671  
Moraceae 桑科, 282  
Moraxellaceae 莫拉氏菌科, 21  
Morchellaceae 羊肚菌科, 127  
Mordellidae 花蚤科, 394  
Moridae 稚鱗科, 746  
Moringuidae 刺繭科, 738  
Mormonillidae 摩門虱科, 330  
Mormonilloida 摩門虱目, 330  
Moronidae 夢鱸科, 765  
Mortierellaceae 被孢黴科, 171  
Mortierellales 被孢黴目, 171  
Motacillidae 鶺鴒科, 790  
Mucoraceae 毛黴科, 172  
Mucorales 毛黴目, 171  
Mugilidae 鱚科, 748  
Mugiliformes 鱚形目, 748  
Mullidae 鬚鯛科, 765  
Multivalvulida 多殼目, 37  
Muraenesocidae 海鰻科, 738  
Muraenidae 鱧科, 738  
Muricidae 骨螺科, 710  
Muridae 鼠科, 795  
Musaceae 芭蕉科, 241  
Muscicapidae 鶺鴒科, 790  
Muscidae 家蠅科, 447  
Mussidae 苔珊瑚科, 294  
Mustelidae 貂科, 793  
Mutillidae 蟻蜂科, 539  
Mycetobiidae 蕈棲蚊科, 449  
Mycetophagidae 小蕈蟲科, 395  
Mycetophilidae 蕈蚋科, 449  
Mycoblastaceae 黑紅衣科, 109  
Mycosphaerellaceae 球腔菌科, 116  
Mycosphaerellales 球腔菌目, 116  
Myctophidae 燈籠魚科, 748  
Myctophiformes 燈籠魚目, 748  
Mycolidae, 331  
Myidae 海螂蛤科, 663  
Myliobatidae 燕魷科, 736  
Myliobatiformes 燕魷目, 736  
Mymaridae 繆小蜂科, 540  
Myochamidae 三角瓣蛤科, 666  
Myoida 海螂目, 663  
Myoporaceae 苦藍盤科, 278  
Myopsocidae 星嚙蟲科, 624  
Myriangiaceae 多腔菌科, 123  
Myriangiales 多腔菌目, 123  
Myricaceae 楊梅科, 264  
Myricales 楊梅目, 264  
Myridae 擬蜂虻科, 450  
Myristicaceae 肉豆蔻科, 263  
Myrmeleontidae 蟻蛉科, 616  
Myrsinaceae 紫金牛科, 268  
Myrtaceae 桃金娘科, 265  
Myrtales 桃金娘目, 264  
Mysidacea 糠蝦目, 654  
Mytilidae 殼菜蛤科, 663  
Mytiliniidiaceae, 106  
Mytiloidea 貽貝目, 663  
Myuriaceae 金毛蘚科, 195  
Myxini 盲鰻綱, 734  
Myxinidae 盲鰻科, 734  
Myxiniformes 盲鰻目, 734

Myxobolidae 孢子蟲科, 37  
Myxomycetes 黏菌綱, 33  
Myxomycota 黏菌門, 33  
Myxospora 黏孢子蟲門, 37  
Myxosporea 黏孢子蟲綱, 37  
Myxotrichaceae, 84  
Nabidae 姬蝽科, 498  
Naididae 仙女蟲科, 659  
Najadaceae 茨藻科, 235  
Najadales 茨藻目, 235  
Nanhermanniidea 弧溝甲蟻科, 318  
Nannosquillidae, 655  
Nanoviridae, 9  
Narcinidae 雙鱗電鱗科, 737  
Nassariidae 織紋螺科, 712  
Naticidae 玉螺科, 690  
Nautilidae 鸚鵡螺科, 675  
Nautiloidea 鸚鵡螺目, 675  
Naviculaceae 舟形藻科, 57  
Naviculales 舟形藻目, 56  
Nebelidae 梨殼科, 48  
Neckeraceae 平蘚科, 208  
Nectriaceae 叢赤殼科, 104  
Neilonellidae 黃錦蛤科, 664  
Neisseriaceae 奈瑟氏菌科, 20  
Neisseriales 奈瑟氏菌目, 20  
Nelumbonaceae 蓮科, 266  
Nemaliales 海索麵目, 179  
Nemasomatidae, 332  
Nemastomatales, 180  
Nematocariniidae, 642  
Nematoda 圓形動物門, 301  
Nemestrinidae 擬長吻蛇科, 450  
Nemichthyidae 線鯨科, 739  
Nemipteridae 金線魚科, 765  
Nemobiidae 地蟋蟀科, 620  
Nemouridae 短尾石蠅科, 622  
Neocallimastigaceae, 169  
Neocallimastigales, 169  
Neogastropoda 新腹足目, 703  
Neoloricata 新石鱉目, 725  
Neopseustidae 卵翅蛾科, 582  
Neosciadiocapsidae, 47  
Neoscopelidae 新燈籠魚科, 749  
Nepenthes 豬籠草目, 265  
Nephromataceae 腎盤衣科, 125  
Nephropidae 海螯蝦科, 642  
Nephtidae 穗珊瑚科, 290  
Nephtyidae 齒吻沙蠶科, 659  
Nepidae 螞蟥科, 498  
Nereidida 沙蠶目, 659  
Nereididae 沙蠶科, 660  
Neridae 長腳蠅科, 450  
Neritidae 蟹螺科, 679  
Neritopsidae 真珠蠶螺科, 680  
Nettastomatidae 鴨嘴鰻科, 739  
Neuroptera 脈翅目, 615  
Neurorthidae 脈蛉科, 616  
Nidaliidae 巢軟珊瑚科, 290  
Nidulariaceae 鳥巢菌科, 143  
Niessliaceae, 105  
Nimaviridae, 11  
Niphatidae, 287  
Nippobodidae 尖喙甲蟻科, 318  
Nirvanidae 隱脈葉蟬科, 498

Nitidulidae 出尾蟲科, 395  
Nitschkiaceae 凹球殼科, 86  
Nitzschiaceae 菱形藻科, 65  
Nocardioideae 類諾卡氏菌科, 13  
Noctilucaceae 月光藻科, 28  
Noctilucales 月光藻目, 28  
Noctuidae 夜蛾科, 582  
Nodaviridae, 11  
Nodaviridae, 3  
Nodosariidae, 42  
Noelaerhabdaceae, 68  
Nolidae 瘤蛾科, 595  
Nomeidae 圓鯧科, 765  
Nonionidae, 43  
Nosodendridae 姬刺蟲科, 397  
Nostocaceae 念球藻科, 15  
Nostocales 念珠藻目, 15  
Notarchidae, 678  
Noteridae 方胸龍蝨科, 397  
Nothrolahmanniidae 羅懶甲蟻科, 318  
Notoarchidae, 678  
Notocheiridae 浪花魚科, 741  
Notocotylidae, 298  
Notodontidae 舟蛾科, 596  
Notommatidae 椎輪科, 303  
Notonectidae 仰蝽科, 499  
Notosudidae 大鱗蜥魚科, 741  
Nuculanidae 鸞錦蛤科, 664  
Nuculidae 銀錦蛤科, 665  
Nuculoidea 鸞錦蛤目, 664  
Nudibranchia 裸鰓目, 719  
Nullosetigeridae 無毛水蚤科, 325  
Nummuliidae, 43  
Nyctaginaceae 紫茉莉科, 248  
Nycteribiidae 蛛蠅科, 450  
Nymphaeaceae 睡蓮科, 266  
Nymphaeales 睡蓮目, 266  
Nymphalidae 蛺蝶科, 598  
Ocadiatrematidae, 298  
Ochodaecidae 紅金龜科, 397  
Ochromonadales 棕鞭藻目, 69  
Ochrophyta 褐藻門, 69  
Ochteridae 蝨蟥科, 499  
Ocnerostridae 寒(虫憲)蚋科, 659  
Octochaetidae 八毛蚋科, 659  
Octopoda 章魚目, 675  
Octopodidae 章魚科, 676  
Octopoteuthidae 蛸蛸魚科, 678  
Oculinidae 目珊瑚科, 294  
Ocyrodidae 沙蟹科, 642  
Odonata 蜻蛉目, 617  
Odontaspidae 砂鯨科, 735  
Odontobutidae 沙塘鱧科, 765  
Odontodactylidae, 655  
Odontostomatida 齒口目, 27  
Oecobiidae 埃蛛科, 311  
Oecophoridae 織蛾科, 601  
Oedemeridae 擬天牛科, 397  
Oedogoniaceae 鞘藻科, 188  
Oedogoniales 鞘藻目, 188  
Oestridae 狂蠅科, 450  
Ogocephalidae 棘茄魚科, 748  
Ogyrididae, 642  
Oithonidae 長腹劍水蚤科, 329  
Olacaceae 鐵青樹科, 276

## 科級以上學名索引

- Oleaceae 木犀科, 278  
Oleandraceae 蔞蕨科, 219  
Oligotomidae 等尾絲蟻科, 469  
Oligotrichida 小毛口目, 26  
Olividae 榧螺科, 713  
Olpidiaceae 油壺菌科, 169  
Olpidiopsidaceae 擬油壺菌科, 167  
Olpidiopsidales 擬油壺菌目, 167  
Ommastrephidae 柔魚科, 678  
Omphalometridae, 300  
Onagraceae 柳葉菜科, 265  
Oncaeidae 隆水蚤科, 329  
Onchidiidae 石礮科, 724  
Oneirodidae 夢角鮫鱗科, 748  
Onocleaceae 球子蕨科, 219  
Onuphidae 歐努非蟲科, 659  
Onychoteuthidae 爪魷魚科, 678  
Onygenaceae 爪甲團囊菌科, 123  
Onygenales 爪甲團囊菌目, 123  
Oocystaceae 卵囊藻科, 184  
Oomycetes 卵菌綱, 78  
Oomycota 卵菌門, 78  
Oonopidae 卵蛛科, 311  
Opescoelidae 孔腸科, 300  
Ophiactidae 輻蛇尾科, 733  
Ophichthidae 蛇鰻科, 739  
Ophidiasteridae 蛇星科, 729  
Ophidiidae 鮃魚科, 749  
Ophidiiformes 鮃魚目, 749  
Ophiocomidae 橈蛇尾科, 732  
Ophiocytaceae, 78  
Ophiodermatidae 皮蛇尾科, 732  
Ophioglossaceae 瓶爾小草科, 214  
Ophioglossales 瓶爾小草目, 214  
Ophionereidae 蝟蛇尾科, 732  
Ophiostomataceae 長喙殼菌科, 124  
Ophiostomatales 長喙殼菌目, 124  
Ophiotrichidae 刺蛇尾科, 733  
Ophiurida 真蛇尾目, 733  
Ophiuroidea 蛇尾綱, 732  
Opiliaceae 山柎科, 276  
Opisthorchiida 後單目, 299  
Opisthorchiidae, 299  
Opisthoteuthidae 面蛸科, 678  
Opistognathidae 後頷魚科, 765  
Opiuridae 灸蛇尾科, 732  
Oplegnathidae 石鯛科, 766  
Oplophoridae 刺蝦科, 642  
Opomyzidae 禾蠅科, 450  
Opostegidae 遮顏蛾科, 601  
Oppiidae 粒甲蟻科, 318  
Orbiliaceae 圓盤菌科, 138  
Orbiliiales 圓盤菌目, 138  
Orbiliomycetes 圓盤菌綱, 138  
Orbiniidae 錐頭蟲科, 660  
Orchidaceae 蘭科, 235  
Orchidales 蘭目, 235  
Oreasteridae 瘤海星科, 729  
Orectolobidae 鬚鮫科, 736  
Orectolobiformes 鬚鮫目, 736  
Orectospiridae 高聳蟹守螺科, 698  
Oribatida 甲蟻目, 316  
Oribatulidae 微翼甲蟻科, 318  
Oridorsalidae, 43  
Oriolidae 黃鸝科, 791  
Ormyridae 刻腹小蜂科, 540  
Orobanchaceae 列當科, 278  
Ortheziidae 旌介殼蟲科, 499  
Orthomyxoviridae, 10  
Orthoptera 直翅目, 619  
Orthotrichaceae 木靈蘚科, 209  
Orthotrichales 木靈蘚目, 209  
Orussidae 寄生樹蜂科, 540  
Oryidae 小頭地蜈蚣科, 321  
Oscillatoriaceae 顫藻科, 16  
Oscillatoriales 顫藻目, 15  
Osmeridae 胡瓜魚科, 750  
Osmeriformes 胡瓜魚目, 750  
Osmundaceae 紫萁科, 220  
Osmylidae 翼蛉科, 616  
Ospironemidae, 766  
Ostraciidae 箱貳科, 780  
Ostracoberycidae 巨棘鱸科, 766  
Ostreidae 牡蠣科, 667  
Ostropales 厚頂盤菌目, 124  
Otocephelidae 細瓢甲蟻科, 318  
Ovulidae 海兔螺科, 698  
Oxalidaceae 酢漿草科, 259  
Oxycephalidae 尖頭戎科, 632  
Oxyopidae 貓蛛科, 311  
Oxytoxaceae, 29  
Oxytrichidae, 26  
Pachybolidae, 332  
Pachyneuridae 粗脈蚋科, 450  
Pachytroctidae 粗嚙蟲科, 624  
Paenibacillaceae 類芽孢桿菌科, 18  
Paguridae 寄居蟹科, 643  
Palaeacanthocephala, 301  
Palaemonidae 長臂蝦科, 643  
Palaepneustidae 古心形海膽科, 731  
Palaeosetidae 古蠅蛾科, 601  
Palicidae 扁蟹科, 644  
Palinuridae 龍蝦科, 644  
Palmae 棕櫚科, 224  
Palmellaceae 四集藻科, 188  
Pamphiliidae 扁葉蜂科, 540  
Pandalidae 長額蝦科, 644  
Pandanaceae 露兜樹科, 241  
Pandanales 露兜樹目, 241  
Pandaloridae 屠刀蛤科, 666  
Pannariaceae 鱗葉衣科, 109  
Panorpidae 蠍蛉科, 614  
Pantheidae 隆蛾科, 601  
Papaveraceae 罌粟科, 266  
Papaverales 罌粟目, 266  
Papilionidae 鳳蝶科, 601  
Papovaviridae, 6  
Parabothriocephalidae, 298  
Paracalanidae 擬哲水蚤科, 325  
Paradoxosomatidae, 332  
Parakalommidae 板翼甲蟻科, 318  
Paralepididae 裸蜥魚科, 741  
Paraliaceae 雙菱藻科, 74  
Paraliales 雙菱藻目, 74  
Paralichthyidae 牙鯽科, 774  
Parameciidae 綠草履蟲科, 25  
Paramphistomidae, 301  
Paramyxoviridae, 10  
Parapaguridae 擬寄居蟹科, 645  
Paraphronimidae 擬巧戎科, 632  
Parascelidae 臂戎科, 632  
Parascylliidae 喉鬚鮫科, 736  
Parasitiformes 寄蟻目, 319  
Parasquillidae, 655  
Parathelphusidae 束腹蟹科, 646  
Parazenidae 准的鯛科, 781  
Paridae 山雀科, 791  
Parkeriaceae 水蕨科, 220  
Parmeliaceae 梅衣科, 109  
Parmulariaceae 多腔盾菌科, 106  
Parodiellaceae, 129  
Parodiopsidaceae, 84  
Parthenopidae 菱蟹科, 646  
Paruterinidae, 297  
Parvoviridae, 9  
Pasiphaeidae 玻璃蝦科, 646  
Passalidae 黑黽蟲科, 397  
Passandridae 捕蠱蟲科, 397  
Passeridae 麻雀科, 791  
Passeriformes 燕雀目, 789  
Passifloraceae 西番蓮科, 284  
Patellariaceae 膠皿菌科, 124  
Patellariales 膠皿菌目, 124  
Patellidae 笠螺科, 680  
Patellinidae, 43  
Paxillaceae 椿菇科, 148  
Paxillosoida 柱體目, 728  
Pectinidae 海扇蛤科, 667  
Pectiniidae 梳狀珊瑚科, 294  
Pectinodontidae 梳齒笠螺科, 680  
Pedicinidae 猿蟲科, 621  
Pediculidae 蝨科, 621  
Pedinomonadales 平藻目, 69  
Pedinomonas 平藻科, 69  
Pedunculata 有柄目, 655  
Pegasidae 海蛾魚科, 746  
Pelecanidae 鵝鵝科, 786  
Peleopodidae 鳩蛾科, 602  
Pelomyxidae, 48  
Peloppiidae 前翼甲蟻科, 318  
Peltidiidae 龜甲猛水蚤科, 330  
Peltigeraceae 地卷科, 126  
Peltigerales 地卷菌目, 124  
Peltoperlidae 扁石蠅科, 622  
Pempheridae 擬金眼鯛科, 766  
Pemphigidae 綿螳科, 499  
Penaeidae 對蝦科, 646  
Peniophoraceae 隔孢伏革菌科, 156  
Pentacerotidae 五棘鯛科, 766  
Pentatomidae 蝽科, 499  
Penthimiidae 烏葉蟬科, 500  
Peraclidae 長軸螺科, 725  
Peranemaceae, 33  
Peranemataceae, 33  
Percichthyidae 真鱸科, 766  
Perciformes 鱸形目, 750  
Percophidae 鴨嘴鱸科, 766  
Pericosmidae 緣帶海膽科, 731  
Peridiniaceae 多甲藻科, 29  
Peridinales 多甲藻目, 28  
Perilampidae 巨胸小蜂科, 540  
Periplomatidae 湯匙蛤科, 666  
Peripsocidae 圍嚙蟲科, 624  
Peristediidae 黃魴鮒科, 776  
Peritrichida 緣毛目, 26

## 科級以上學名索引

- Perlidae 石蠅科, 622  
Peronosporaceae 霜霉科, 78  
Peronosporales 霜霉目, 78  
Pertusariaceae 雞皮衣科, 126  
Pertusariales 雞皮衣目, 126  
Petrosaviaceae 櫻井草科, 234  
Petrosiidae, 287  
Peyssonneliaceae 耳殼藻科, 178  
Pezizaceae 盤菌科, 127  
Pezizales 盤菌目, 126  
Phacelocarpaceae 叢果藻科, 178  
Phacidiaceae 星裂盤菌科, 94  
Phacopterionidae, 500  
Phacotaceae 殼衣藻科, 189  
Phaennidae 褐水蚤科, 326  
Phaeodactylaceae 褐指藻科, 65  
Phaeodactylales 褐指藻目, 65  
Phaeophyceae 褐藻綱, 75  
Phaeosphaeriaceae, 129  
Phaethontidae 熱帶鳥科, 786  
Phakopsoraceae 層銹菌科, 161  
Phalacridae 姬花螢科, 397  
Phalacrocoracidae 鸕鶿科, 786  
Phallaceae 鬼筆科, 150  
Phallales 鬼筆目, 150  
Phanerochaetaceae, 153  
Pharellidae 蠅科, 671  
Phascolosomatidae 革囊星蟲科, 661  
Phascolosomatidea 革囊星蟲綱, 661  
Phascolosomatiformes 革囊星蟲目, 661  
Phasianellidae 雉螺科, 680  
Phasianidae 雉科, 788  
Phasmatidae 竹節蟲科, 621  
Phasmida 竹節蟲目, 620  
Phaudidae 榕蛾科, 602  
Phenacolepadidae 扁帽螺科, 681  
Phengodidae 捕蠅螢科, 398  
Phidianidae 費佳海蛞蝓科, 685  
Phidoloporidae, 727  
Philinidae 薄泡螺科, 685  
Philodinidae 旋輪科, 302  
Philodromidae 蝦蛛科, 311  
Philomycidae 黏液蛞蝓科, 724  
Philopotamidae 指石蛾科, 630  
Philotarsidae 黑斑嚙蟲科, 624  
Philydraceae 田蔥科, 234  
Phlaeothripidae 管蕁馬科, 625  
Phloeodictyidae, 287  
Phocoenidae 鼠海豚科, 794  
Pholadidae 鵝蛤科, 663  
Pholadomyoidea 筍螂目, 665  
Pholcidae 幽靈蛛科, 311  
Pholidota 鱗甲目, 795  
Pholidoteuthidae 角鱗魷科, 678  
Phoridae 蚤蠅科, 450  
Phormidiaceae 席藻科, 17  
Phosichthyidae 光器魚科, 778  
Phragmidiaceae, 162  
Phragmophora 膜筋目, 728  
Phronimidae 巧戎科, 632  
Phrosinidae 靈戎科, 632  
Phryganeidae 石蛾科, 630  
Phrynophiurida 蝮蛇尾目, 733  
Phthiracaridae 卷甲蟎科, 318  
Phthiraptera 毛蟲目, 621  
Phycomycetaceae, 172  
Phyllachoraceae 黑痣菌科, 128  
Phyllachorales 黑痣菌目, 128  
Phyllidiidae 葉海牛科, 719  
Phyllobacteriaceae 葉桿菌科, 19  
Phyllodocida 葉鬚蟲目, 660  
Phyllogoniaceae 帶蘚科, 195  
Phyllophoraceae 育葉藻科, 178  
Phyllophoridae 沙雞子科, 732  
Physaraceae 絨泡黏菌科, 34  
Physarales 絨泡黏菌目, 34  
Physciaceae 蜈蚣衣科, 111  
Physeteridae 抹香鯨科, 794  
Physidae 囊螺科, 684  
Physophoridae 氣囊水母科, 296  
Phytolaccaceae 商陸科, 248  
Phytoptidae 植羽爪節蟎科, 308  
Phytoseiidae 捕植蟎科, 315  
Picidae 啄木鳥科, 792  
Picipiformes 鷲形目, 792  
Picornaviridae, 3  
Pieridae 粉蝶科, 602  
Pileolariaceae, 162  
Pilobolaceae 水玉黴科, 172  
Pilumnidae 毛刺蟹科, 647  
Pinaceae 松科, 223  
Pinales 松杉目, 222  
Pinguipedidae 虎鱧科, 766  
Pinnidae 江珧蛤科, 664  
Pinnotheridae 豆蟹科, 647  
Pinopsida 松綱, 222  
Pinunculidae 頭蠅科, 451  
Piophilidae 酪蠅科, 451  
Piperaceae 胡椒科, 266  
Piperales 胡椒目, 266  
Piptocephalidaceae 頭珠黴科, 173  
Piroplasmida 梨形蟲目, 48  
Pisanianuridae 紡錘毛螺科, 698  
Pisauridae 跑蛛科, 312  
Pisidiidae 豌豆蜆科, 672  
Pittidae 八色鳥科, 791  
Pittosporaceae 海桐科, 271  
Placobranchidae, 720  
Placunidae 雲母蛤科, 668  
Plagiocanthidae, 47  
Plagiogyriaceae 瘤足蕨科, 220  
Plagiorchiida 斜舉目, 299  
Plagiorchiidae, 300  
Plagiorhynchidae, 301  
Plagiotheciaceae 棉蘚科, 204  
Plagiotropidaceae, 65  
Plagonidae, 47  
Plagusiinae, 648  
Plakinidae, 288  
Planaxidae 芝麻螺科, 698  
Planorbidae 扁蝸科, 684  
Planorbulinidae, 43  
Plantae 植物界, 175  
Plantaginaceae 車前科, 266  
Plantaginales 車前目, 266  
Plasmodiophoraceae 根腫菌科, 37  
Plasmodiophorales 根腫菌目, 37  
Plasmodiophoromycetes 根腫菌綱, 37  
Plasmodiophoromycota 根腫菌門, 37  
Plataspidae 龜蟎科, 500  
Platycephalidae 牛尾魚科, 776  
Platycnemididae 琵琶科, 619  
Platydesmida 平馬陸目, 332  
Platygastridae 廣腹細蜂科, 540  
Platyglloeaceae 泛膠耳科, 166  
Platyglloeales 泛膠耳目, 166  
Platyhelminthes 扁形動物門, 296  
Platypezidae 扁腳蠅科, 451  
Platypodidae 長小蠹蟲科, 398  
Platyrhinidae 黃點鮪科, 736  
Platyscelidae 扁足戎科, 632  
Platystomatidae 廣口蠅科, 451  
Plecoptera 積翅目, 621  
Plectanidae, 47  
Pleidae 固頭蟎科, 500  
Pleomassariaceae, 130  
Pleosporaceae 格孢菌科, 130  
Pleosporales 格孢菌目, 128  
Plesiobatidae 近魴科, 736  
Plesiopidae 七夕魚科, 766  
Pleurocapsaceae 厚皮藻科, 18  
Pleurocapsales 寬球藻目, 18  
Pleuroceridae 川蝮科, 698  
Pleurochloridaceae 肋胞藻科, 78  
Pleurogenidae, 300  
Pleuronectidae 鱈科, 775  
Pleuronectiformes 鱈形目, 774  
Pleuronematidae 卷帆口蟲科, 25  
Pleurotaceae 側耳科, 144  
Pleurotomariidae 翁戎螺科, 681  
Plexauridae 網柳珊瑚科, 291  
Plicatulidae 貓爪蛤科, 668  
Plocamiaceae 海頭紅科, 180  
Plocamiales 海頭紅目, 180  
Ploima 游泳目, 302  
Plotosidae 鰻鱈科, 778  
Plumbaginaceae 藍雪科, 267  
Plumbaginales 藍雪目, 266  
Pluteaceae 光柄菇科, 144  
Plutellidae 菜蛾科, 603  
Poaceae 禾本科, 227  
Pocilloporidae 鹿角珊瑚科, 294  
Podapolipidae 幼蟎科, 308  
Podicipedidae 鸕鶿科, 786  
Podocarpaceae 羅漢松科, 223  
Podolampadaceae, 29  
Podoscyphaceae 柄杯菌科, 153  
Podospongiidae, 288  
Poecilasmatidae 花茗荷科, 656  
Poeciliidae 花鱗科, 744  
Poecilopsettidae 瓦鱈科, 775  
Poecilosclerida, 288  
Poecilostomatoida 杯口水蚤目, 330  
Pollicipidae 指茗荷科, 656  
Polycentropodidae 多距石蛾科, 630  
Polyceridae 多角海牛科, 720  
Polychaeta 多毛綱, 659  
Polychelidae 多螯蝦科, 648  
Polycystina 多囊蟲目, 46  
Polydesmida 條馬陸目, 332  
Polydesmidae, 332  
Polygalaceae 遠志科, 267  
Polygalales 遠志目, 267  
Polygonaceae 蓼科, 267  
Polygonales 蓼目, 267

## 科級以上學名索引

- Polyhymenophora 多膜口綱(多膜綱), 27  
Polyidaceae 盾葉藻科, 178  
Polymixiidae 銀眼鯛科, 775  
Polymixiiformes 銀眼鯛目, 775  
Polymorphida, 301  
Polymorphidae, 301  
Polymorphinidae, 43  
Polynemidae 馬鮫科, 767  
Polynoidae 多鱗蟲科, 660  
Polyphagidae 苔蠟科, 334  
Polyphysaceae 多枝藻科, 190  
Polyplacidae 細毛蟲科, 621  
Polyplacophora 多板綱, 725  
Polypodiaceae 水龍骨科, 220  
Polypodiales 水龍骨目, 214  
Polyporaceae 多孔菌科, 154  
Polyporales 多孔菌目, 150  
Polystomellaceae, 84  
Polytrichaceae 土馬鬣科, 210  
Polytrichales 土馬鬣目, 210  
Polyxenida, 332  
Polyxenidae, 332  
Polyzoniida, 332  
Pomacanthidae 蓋刺魚科, 767  
Pomacentridae 雀鯛科, 767  
Pomatiopsidae 截尾釘螺科, 699  
Pomatoidae 扁鰲科, 768  
Pompilidae 蛛蜂科, 540  
Pontederiaceae 雨久花科, 234  
Pontellidae 角水蚤科, 326  
Porcellanidae 瓷蟹科, 648  
Porifera 海綿動物門, 287  
Poritidae 孔珊瑚科, 294  
Porodiscidae, 47  
Poromyidae 砂蛤科, 666  
Porphyridiales 紫球藻目, 181  
Porpidiaceae 假網衣科, 112  
Portulacaceae 馬齒莧科, 248  
Portunidae 梭子蟹科, 648  
Potamanthidae 花鰓蜉蝣科, 470  
Potamidae 溪蟹科, 649  
Potamididae 海螵螺科, 699  
Potamogetonaceae 眼子菜科, 235  
Potamogetonales 眼子菜目, 241  
Pottiaceae 叢蘚科, 211  
Pottiales 叢蘚目, 210  
Potyviridae, 4  
Poxviridae, 6  
Prasinocladida, 188  
Prasinophyta 綠枝藻門, 181  
Prasiolaceae 溪菜科, 188  
Prasiolales 溪菜目, 188  
Prayidae 帕腊水母科, 296  
Priacanthidae 大眼鯛科, 768  
Primate 靈長目, 795  
Primulaceae 報春花科, 268  
Primulales 報春花目, 268  
Prionoceridae 細花螢科, 398  
Prionodontaceae 毛蘚科, 206  
Prions, 11  
Pristigasteridae 鋸腹鱗科, 744  
Procellariidae 鰲科, 786  
Processidae, 650  
Proctotrupidae 細蜂科, 542  
Progynotaeniidae, 297  
Pronocephalidae, 299  
Pronoidea 葉戎科, 632  
Propeamussiidae 光芒海扇蛤科, 668  
Prorocentraceae 原甲藻科, 29  
Prorocentrales 雙甲藻目, 29  
Proscylliidae 原鮫科, 735  
Prostomidae 尖顎扁蟲科, 398  
Proteaceae 山龍眼科, 268  
Proteales 山龍眼目, 268  
Protentomidae 始蚺科, 623  
Proteobacteria 變形菌門, 19  
Proteocephalidae, 298  
Proteocephalidea, 298  
Prothoploporidae, 318  
Protococcaceae, 182  
Protomonadina, 49  
Protomycetaceae 原囊菌科, 140  
Protoneuridae 模螳科, 619  
Protosquillidae, 655  
Protosteliales 原柱菌目, 37  
Protosteliomycetes 原柱菌綱, 37  
Protozoa 原生生物界, 25  
Protura 原尾目, 622  
Prunellidae 岩鸚科, 791  
Prymnesidae 定鞭藻科, 69  
Prymnesiida 定鞭藻目, 69  
Prymnesiophyceae 定鞭藻綱, 67  
Psalidopodidae, 650  
Psemmobiidae 紫雲蛤科, 672  
Psechridae 樓網蛛科, 312  
Psephenidae 扁泥蟲科, 398  
Psettodidae 鰾科, 775  
Pseudanabaenaceae, 17  
Pseudocaeciliidae 叉嚙蟲科, 624  
Pseudocarchariidae 擬錐齒鮫科, 736  
Pseudoceratinidae, 288  
Pseudochromidae 准雀鯛科, 769  
Pseudococcidae 粉介殼蟲科, 500  
Pseudodiptomidae 偽鏢水蚤科, 326  
Pseudogaudryinidae, 43  
Pseudomonadaceae 假單胞菌科, 21  
Pseudomonadales 假單胞菌目, 21  
Pseudonocardiaceae 假諾卡氏菌科, 13  
Pseudoparrellidae, 43  
Pseudoperisporiaceae, 84  
Pseudophyllidea 擬葉目, 298  
Pseudopomyzidae 偽蠅科, 452  
Pseudosquillidae, 655  
Pseudotachidiidae 偽大吉猛水蚤科, 330  
Pseudotriakidae 擬貓鮫科, 735  
Psilidae 折翅蠅科, 452  
Psilophyta 松葉蕨門, 213  
Psilopsida 松葉蕨綱, 213  
Psilotaceae 松葉蕨科, 213  
Psilotales 松葉蕨目, 213  
Psocidae 嚙蟲科, 624  
Psocoptera 嚙蟲目, 623  
Psoquilidae 圓翅嚙蟲科, 624  
Psoraceae 鱗網衣科, 112  
Psoroptidae 怪蟻科, 315  
Psychidae 囊蛾科, 603  
Psychodidae 蛾蚋科, 452  
Psychomyiidae 管石蛾科, 630  
Psychrolutidae 隱棘杜父魚科, 776  
Psyllidae 木蝨科, 501  
Psyllipsocidae 裸嚙蟲科, 624  
Pterasteridae 翅海星科, 729  
Ptereleotridae 凹尾塘鱧科, 769  
Pteridaceae 鳳尾蕨科, 221  
Pteridophyta 蕨類植物門, 213  
Pteriidae 鶯蛤科, 668  
Pterioida 鶯蛤目, 666  
Pterobyaceae 蕨蘚科, 209  
Pterocorythidae, 47  
Pterolichidae 翅蟻科, 315  
Pteromalidae 金小蜂科, 542  
Pterophoridae 羽蛾科, 603  
Pteropidae 大扁蝠科, 794  
Pterosagittidae, 728  
Pthiridae 陰蝨科, 621  
Ptiliidae 櫻毛蕈蟲科, 398  
Ptilodactylidae 長花蚤科, 398  
Ptychocylididae 杯狀纖毛蟲科, 26  
Ptychomitriaceae 縮葉蘚科, 201  
Ptychomniaceae 稜蒴蘚科, 206  
Ptychoptera 細腰大蚊科, 452  
Pucciniaceae 柄銹菌科, 162  
Pucciniastraceae, 165  
Puccinosiraceae, 166  
Pulicidae 蚤科, 625  
Punctariaceae 點葉藻科, 75  
Punctidae 粟蝸牛科, 724  
Pupillidae 蛹蝸牛科, 724  
Pupinidae 豆蝸牛科, 699  
Pycnonotidae 鴨科, 791  
Pygidicranidae 大尾蠅螬科, 425  
Pygiopsyllidae 臀蚤科, 625  
Pygotidae 出頭蠅科, 452  
Pylochelidae 門螯寄居蟹科, 650  
Pyloniidae, 47  
Pyrallidae 螟蛾科, 603  
Pyramidellidae 塔螺科, 685  
Pyrenulaceae 小核衣科, 133  
Pyrenulales 小核衣目, 132  
Pyrgodesmidae, 332  
Pyrgomatidea 塔藤壺科, 656  
Pyrochroidae 赤翅螢科, 399  
Pyrocystaceae 梨甲蠹科, 29  
Pyrocystales 梨甲蠹目, 29  
Pyroglyphidae 塵蟻科, 315  
Pyrolaceae 鹿蹄草科, 252  
Pyronemataceae 火絲菌科, 127  
Pyrophacaceae, 29  
Pyrosomatida, 733  
Pyrosomatidae, 733  
Pyrostephidae, 296  
Pyroteuthidae 火魷魚科, 678  
Pyrrhocoridae 紅蝽科, 502  
Pythiaceae 腐霉科, 79  
Pythiales 腐霉目, 79  
Pythiogenotaceae, 80  
Rachycentridae 海鱸科, 769  
Rachyceridae 櫛角樹蚋科, 452  
Racopilaceae 卷柏蘚科, 197  
Radiococcaceae 幅球藻科, 185  
Rafflesiaceae 大花草科, 268  
Rafflesiales 大花草目, 268  
Rajidae 鮪魷科, 737  
Rajiformes 鮪魷目, 736  
Rallidae 秧雞科, 788

## 科級以上學名索引

- Ramalinaceae 樹花科, 112  
Ramariaceae 枝瑚菌科, 146  
Ramphastidae 鬚鴉科, 793  
Ranellidae 法螺科, 691  
Raniidae 赤蛙科, 781  
Raninidae 蛙蟹科, 650  
Ranunculaceae 毛茛科, 269  
Ranunculales 毛茛目, 268  
Raphididae 蛇蛉科, 617  
Raphidiophyidae, 48  
Raphidophyceae 針胞藻綱, 77  
Rataniidae 黃棒管水蚤科, 658  
Raveneliaceae, 166  
Recurvirostridae 長腳鸛科, 787  
Reduviidae 獵蝽科, 502  
Regalecidae 皇帶魚科, 747  
Reguliidae 戴菊科, 791  
Remizidae 攀雀科, 791  
Reoviridae, 8  
Reptilia 爬蟲綱, 782  
Restionales 繩草目, 241  
Retroviridae, 7  
Retroviridae, 11  
Retusidae 凹塔螺科, 685  
Reussellidae, 43  
Rhabdosphaeraceae 棒球蕨科, 68  
Rhabdoviridae, 11  
Rhacophoridae 樹蛙科, 782  
Rhagionidae 鬍虻科, 453  
Rhamnaceae 鼠李科, 270  
Rhamnales 鼠李目, 270  
Rhaophthalmidae 雌光螢科, 399  
Rhincodontidae 鯨鮫科, 736  
Rhinidae 鬚頭鱗科, 737  
Rhinobatidae 琵琶鱗科, 737  
Rhinochimaeridae 長鼻銀鮫科, 735  
Rhinocricidae, 332  
Rhinolophidae 蹄鼻蝠科, 794  
Rhinophoridae 短角寄蠅科, 453  
Rhinotermitidae 鼻白蟻科, 549  
Rhipiceridae 蟬寄甲科, 399  
Rhipiphoridae 大花蚤科, 399  
Rhizideaceae, 169  
Rhizinaceae, 128  
Rhizobiaceae 根瘤菌科, 19  
Rhizobiales 根瘤菌目, 19  
Rhizocarpaceae 地圖衣科, 112  
Rhizochysidaceae 根金藻科, 69  
Rhizochysidales 根金藻目, 69  
Rhizogoniaceae 檜蘚科, 197  
Rhizophoraceae 紅樹科, 271  
Rhizophorales 紅樹目, 271  
Rhizophyllidaceae 根葉藻科, 178  
Rhizosoleniaceae 根管藻科, 74  
Rhizosoleniales 根管藻目, 74  
Rhodellophyceae 紅藻綱, 181  
Rhodobacteraceae 紅細菌科, 19  
Rhodobacterales 紅細菌目, 19  
Rhodobiaceae 紅菌科, 19  
Rhodocyclaceae 紅環菌科, 20  
Rhodocyclales 紅環菌目, 20  
Rhodomelaceae 松節藻科, 176  
Rhodophyta 紅藻植物門, 175  
Rhodospirillaceae 紅螺旋菌科, 19  
Rhodospirillales 紅螺旋菌目, 19  
Rhodymeniaceae 紅皮藻科, 180  
Rhodymeniales 紅皮藻目, 180  
Rhopalidae 姬緣蝽科, 503  
Rhopoglyphus 盤菌科, 132  
Rhyacichthyidae 溪鱧科, 769  
Rhyacophilidae 流石蛾科, 630  
Rhynchobatidae 尖頭龍紋鱗科, 737  
Rhynchocinetidae, 650  
Rhyssodidae 背條蟲科, 399  
Rhytidiaceae 垂枝蘚科, 204  
Rhytismataceae 斑痣盤菌科, 133  
Rhytismatales 斑痣盤菌目, 133  
Ricianiidae 廣翅蠟蟬科, 503  
Ringiculidae 厚唇螺科, 685  
Rissoidae 亮眼螺科, 699  
Rivulariaceae 膠鬚藻科, 15  
Roccellaceae 染料衣科, 85  
Rodentia 齒目, 795  
Roeslerstammidae 羅氏蛾科, 606  
Romancheinidae, 727  
Rondelettiidae 紅口仿鯨科, 778  
Roniviridae, 12  
Roproniidae 窄腹細蜂科, 543  
Rosaceae 薔薇科, 271  
Rosales 薔薇目, 271  
Rosalinidae, 43  
Rostratulidae 彩鸛科, 787  
Rotaliidae, 43  
Rotifera 輪蟲動物門, 302  
Rubiaceae 茜草科, 273  
Rubiales 茜草目, 273  
Ruppiaceae 流蘇菜科, 235  
Russulaceae 紅菇科, 156  
Russulales 紅菇目, 156  
Rutaceae 芸香科, 275  
Rutales 芸香目, 275  
Rutilariaceae 舟輔藻科, 74  
Rutstroemiaceae, 94  
Sabellida 纓蟲目, 660  
Sabellidae 纓蟲科, 660  
Sabiaceae 清風藤科, 270  
Saccardiaceae 薩氏腔菌科, 84  
Saccharomycetaceae 酵母科, 139  
Saccharomycetales 酵母目, 139  
Saccharomycetes 半子囊菌綱, 139  
Saccharomycopsidaceae, 140  
Sacculinidae 蟹奴科, 655  
Sacoglossa 囊舌目, 720  
Sagittidae, 728  
Sagittoidea 箭蟲綱, 728  
Saksenaaceae, 173  
Saldidae 跳蝽科, 503  
Salicaceae 楊柳科, 275  
Salicales 楊柳目, 275  
Salmonidae 鮭科, 775  
Salmoniformes 鮭形目, 775  
Salpida, 734  
Salpidae, 734  
Salpingidae 微樹皮蟲科, 399  
Salpingoecidae, 49  
Salticidae 蠅虎科, 312  
Salviniaceae 槐葉蘋科, 221  
Samaridae 冠鱗科, 775  
Santalaceae 檀香科, 276  
Santalales 檀香目, 275  
Sapindaceae 無患子科, 276  
Sapindales 無患子目, 276  
Sapotaceae 山欖科, 251  
Sapphirinidae 葉水蚤科, 329  
Saprolegniaceae 水黴科, 80  
Saprolegniales 水黴目, 80  
Sarcodiaceae 海木耳科, 178  
Sarcomastigophora 肉質鞭毛蟲門, 37  
Sarcophagida 肉蠅科, 453  
Sarcoptidae 疥蝨科, 315  
Sarcoscyphaceae 肉杯菌科, 128  
Sarcosomataceae 肉盤菌科, 128  
Sargassaceae 馬尾藻科, 76  
Satellites, 12  
Saturniidae 天蠶蛾科, 606  
Saururaceae 三白草科, 266  
Savignyellidae, 727  
Saxifragaceae 虎耳草科, 273  
Scalpellidae 鎧茗荷科, 656  
Scaphandridae 粗米螺科, 685  
Scaphopoda 掘足綱, 726  
Scarabaeidae 金龜子科, 399  
Scaridae 鸚哥魚科, 769  
Scathophagidae 擬花蠅科, 454  
Scatophagidae 金錢魚科, 770  
Scatopsidae 偽毛蚋科, 454  
Scelionidae 緣腹細蜂科, 543  
Scenedesmaceae 柵藻科, 185  
Scenopinidae 窗虻科, 454  
Schelorbatiidae 捲翼甲蟲科, 319  
Schendylidae 有顎齒地蜈蚣科, 321  
Schindleriidae 辛氏魚科, 770  
Schisandraceae 五味子科, 259  
Schizaeaceae 莎草蕨科, 222  
Schizaeales 莎草蕨目, 222  
Schizasteridae 裂星海膽科, 731  
Schizomeridaceae, 182  
Schizophyllaceae 裂褶菌科, 144  
Schizoporaceae, 150  
Schizoporellidae, 727  
Schizopyreniida, 48  
Schizosaccharomycetaceae 裂殖酵母科, 140  
Schizosaccharomycetales 裂殖酵母目, 140  
Schizosaccharomycetes 裂殖酵母綱, 140  
Schizothyriaceae, 116  
Schizymeniaceae 裂膜藻科, 180  
Scholifera 皺足目, 720  
Schreckensteiniidae 莖蛾科, 606  
Sciaenidae 石首魚科, 770  
Sciaridae 黑翅蕈蚋科, 454  
Scidiaceae, 81  
Scincidae 石龍子科, 783  
Scinidae 錐戎科, 633  
Sciomyzinae 沼蠅科, 454  
Scirtidae 圓花蚤科, 406  
Scissurellidae 裂唇螺科, 725  
Sciuridae 松鼠科, 795  
Scleractinia 石珊瑚目, 291  
Sclerodactylidae 硬瓜參科, 732  
Sclerodermataceae 硬皮馬勃科, 158  
Sclerodermatales 硬皮馬勃目, 158  
Sclerosporaceae 指梗黴科, 81

# 科級以上學名索引

- Sclerosporales 指梗黴目, 80  
Sclerotiniaceae 核盤菌科, 94  
Scolecida 尖錐蟲目, 660  
Scolecithricidae 厚殼水蚤科, 327  
Scoliidae 土蜂科, 543  
Scolopacidae 鶯科, 787  
Scolopendridae 蜈蚣科, 321  
Scolopendromorpha 蜈蚣目, 321  
Scolopocryptopidae 棘盲蜈蚣科, 321  
Scolytidae 小蠹蟲科, 406  
Scombridae 鯖科, 770  
Scombropidae 鮪科, 770  
Scorpaenidae 鮋科, 776  
Scorpaeniformes 鮋形目, 775  
Scraptiidae 擬花蚤科, 408  
Scrophulariaceae 玄參科, 278  
Scrophulariales 玄參目, 277  
Scutelleridae 盾背蝽科, 503  
Scutigeridae 蚰蜒科, 321  
Scutigermorpha 蚰蜒目, 321  
Scydmaenidae 薛苔蟲科, 408  
Scyllorhinidae 貓鮫科, 735  
Scyllaridae 蟬蝦科, 650  
Scythruidae 絹蛾科, 606  
Scytodidae 山城蛛科, 312  
Scytonemataceae 偽枝藻科, 15  
Scytosiphonaceae 萱藻科, 76  
Scytosiphonales 萱藻目, 77  
Scytothamnaceae 萱藻科, 77  
Sebdeniaceae 囊膜藻科, 179  
Secernentea 胞管腎綱, 301  
Segestriidae 閻魔蛛科, 312  
Seguenziidae 陀螺科, 681  
Selaginellaceae 卷柏科, 212  
Selaginellales 卷柏目, 212  
Selenopidae 擬扁蛛科, 312  
Seligerales 細葉蘚目, 212  
Seligeriaceae 細葉蘚科, 212  
Sematophyllaceae 錦蘚科, 204  
Semelidae 唱片蛤科, 672  
Sepiariidae 擬耳烏賊科, 676  
Sepiidae 烏賊科, 676  
Sepioidea 烏賊目, 676  
Sepiolidae 耳烏賊科, 676  
Sepsidae 艷細蠅科, 454  
Septobasidiaceae, 159  
Septobasidiales, 159  
Sergestidae 櫻蝦科, 650  
Seriata, 301  
Sericostrimatidae 毛石蛾科, 631  
Serpulidae 龍介蟲科, 660  
Serranidae 鮭科, 770  
Serrivomeridae 鋸齒鰻科, 740  
Sesiidae 透翅蛾科, 606  
Sessilia 無柄目, 656  
Sethophormididae, 47  
Sethopillidae, 47  
Sialidae 泥蛉科, 617  
Sicariidae 絲蛛科, 312  
Sicyoniidae 單肢蝦科, 650  
Siderastreidae 絲珊瑚科, 295  
Siganidae 籃子魚科, 772  
Sigmoideomycetaceae, 173  
Signiphoridae 橫盾小蜂科, 544  
Siliquariidae 蚯蚓螺科, 700  
Sillaginidae 沙鮎科, 772  
Silphidae 埋葬蟲科, 408  
Siluridae 鮫科, 778  
Siluriformes 鮫形目, 778  
Silvanidae 細扁甲科, 408  
Simaroubaceae 苦木科, 276  
Simuliidae 蚋科, 455  
Siphogenerinoididae, 44  
Siphonaptera 蚤目, 625  
Siphonariidae 松螺科, 684  
Siphoninidae, 44  
Siphonocladaceae 管枝藻科, 190  
Siphonocladales 管枝藻目, 190  
Siphonodontaliidae 斜口象牙貝科, 726  
Siphonodontalioida 斜口象牙貝目, 726  
Siphonophora 管水母目, 295  
Siphonostomatoida 管口水蚤目, 657  
Siphonotidae, 332  
Sipuncula 星蟲動物門, 661  
Sipunculidae 星蟲科, 661  
Sipunculidea 星蟲綱, 661  
Sipunculiformes 星蟲目, 661  
Siricidae 樹蜂科, 544  
Sirobasidiaceae 鍊擔耳菌科, 158  
Sistotremataceae, 156  
Sittidae 鶇科, 791  
Skeletonemaceae 骨條藻科, 75  
Skeneidae 玉輪螺科, 681  
Smaragdinellidae 翡翠螺科, 685  
Smilacaceae 菝葜科, 234  
Smittinidae, 727  
Solanaceae 茄科, 280  
Solanales 茄目, 279  
Solecurtidae 毛蠅科, 672  
Soleidae 鰻科, 775  
Solemyidae 芒蛤科, 669  
Solemyoida 芒蛤目, 669  
Solenidae 竹蠅科, 672  
Solenoceridae 管鞭蝦科, 651  
Solenostomidae 溝口魚科, 746  
Solieriaceae 紅翎菜科, 179  
Solvidae 擬樹蛇科, 455  
Somniosidae 夢棘鮫科, 737  
Sorastraceae 群星藻科, 187  
Sordariaceae 囊殼菌科, 134  
Sordariales 囊殼菌目, 134  
Soricidae 尖鼠科, 795  
Soritidae, 44  
Sparassidaceae 繡球菌科, 146  
Sparassidae 巨蟹蜘蛛科, 312  
Sparganiaceae 黑三稜科, 241  
Sparidae 鯛科, 772  
Spatangidae 猥團海膽科, 731  
Spatangoida 猥團目, 731  
Speophilosomatidae, 331  
Sphacelariaceae 黑頂藻科, 77  
Sphacelariales 黑頂藻目, 77  
Sphaeridae 泥鰓科, 672  
Sphaeroceridae 大附蠅科, 455  
Sphaeroidinidae, 44  
Sphaerophoraceae 球粉衣科, 112  
Sphaerophragmiaceae, 166  
Sphagnaceae 泥炭蘚科, 212  
Sphagnales 泥炭蘚目, 212  
Sphagnopsida 泥炭蘚綱, 212  
Sphecidae 細腰蜂科, 544  
Sphenocleaceae 密穗桔梗科, 246  
Sphingidae 天蛾科, 607  
Sphingobacteria 鞘脂桿菌綱, 13  
Sphingobacteriales 鞘脂桿菌目, 13  
Sphingomonadaceae 鞘脂單胞菌科, 20  
Sphingomonadales 鞘脂單胞菌目, 20  
Sphyraenidae 金梭魚科, 772  
Sphyrnidae 丫髻鮫科, 735  
Spinocalanidae 刺哲水蚤科, 327  
Spinturnicidae 蝠蟻科, 316  
Spinulosida 有棘目, 729  
Spionida 海稚蟲目, 660  
Spionidae 海稚蟲科, 660  
Spiridentaceae 木毛蘚科, 197  
Spirillinidae, 44  
Spirobolida, 332  
Spirobolidae, 332  
Spiroloculinidae, 44  
Spirophorida, 288  
Spiroplasmataceae, 19  
Spiroplectamminidae, 44  
Spirostomidae, 25  
Spirostreptida, 333  
Spizellomycetaceae 小壺菌科, 169  
Spizellomycetales 小壺菌目, 169  
Splachnaceae 壺蘚科, 200  
Spondylidae 海菊蛤科, 668  
Spondylomoraceae 椎蕨藻科, 189  
Spongicolidae, 651  
Spongiidae, 287  
Spongodiscidae, 48  
Sporidiobolaceae 鎖鑰酵母科, 159  
Sporidiobolales 鎖鑰酵母目, 159  
Sporormiaceae 莢胞腔菌科, 132  
Sportellidae 果核蛤科, 672  
Squalidae 棘鮫科, 737  
Squaliformes 角鮫目, 737  
Squamariaceae, 177  
Squamata 有鱗目, 782  
Squatinidae 琵琶鮫科, 737  
Squatiniformes 扁鮫目, 737  
Squillidae, 655  
ssDNA 單鏈 DNA 病毒, 9  
-ssRNA 負鏈 RNA 病毒, 9  
ssRNA-RT RNA 逆轉錄病毒, 11  
Stachyuraceae 旌節花科, 285  
Staphyleaceae 省沽油科, 277  
Staphylinidae 隱翅蟲科, 409  
Staphylococcaceae 葡萄球菌科, 18  
Steccherinaceae 齒耳菌科, 146  
Stegostomatidae 虎鮫科, 736  
Stemonaceae 百部科, 235  
Stemonitales 髮網黏菌目, 35  
Stemonitidaceae 髮網黏菌科, 35  
Stenolaemata 窄唇綱, 726  
Stenopsocidae 狹嘴蟲科, 624  
Stenopsychidae 角石蛾科, 631  
Stenothyridae 粟螺科, 701  
Stentoridae 喇叭科, 26  
Stephanidae 冠蜂科, 544  
Stephanobercyiformes 奇鯛目, 778  
Stephidae 冠水蚤科, 327  
Stercorariidae 賊鷗科, 787  
Sterculiaceae 梧桐科, 264

# 科級以上學名索引

Stereaceae 韌革菌科, 157  
Stereocaulaceae 珊瑚枝科, 112  
Sternoptychidae 褶胸魚科, 778  
Stichopodidae 刺參科, 732  
Stictidaceae 點盤菌科, 124  
Stigonematales 真枝藻目, 18  
Stiliferidae 寄居螺科, 692  
Stilostomellidae, 44  
Stolonifera 匍根珊瑚目, 295  
Stomatellidae 廣口螺科, 681  
Stomatopoda 口足目, 654  
Stomiidae 巨口魚科, 779  
Stomiiformes 巨口魚目, 778  
Stomopneustidae 口鰓海膽科, 730  
Strahlaxiidae, 651  
Stratiomyidae 水虻科, 456  
Streblidae 蝙蝠蠅科, 456  
Strepsiptera 撚翅目, 625  
Streptaxidae 扭蝸牛科, 724  
Streptococcaceae 鏈球菌科, 19  
Strigeata, 300  
Strigeatida, 300  
Strigeatoidea 鼻形目, 300  
Strigeidae, 300  
Strigidae 鴟鵂科, 793  
Strigiformes 鴟形目, 793  
Strigulaceae 葉上衣科, 84  
Strobilopsidae 內溝蝸牛科, 724  
Stromateidae 鮠科, 773  
Strombidae 鳳凰螺科, 701  
Strongylophthalmyiidae 大眼蠅科, 456  
Strophariaceae 球蓋傘科, 144  
Sturmidae 八哥科, 791  
Stylasterida 柱星珊瑚目, 296  
Stylasteridae 柱星珊瑚科, 296  
Stylococcaceae, 69  
Stylodactylidae, 651  
Stylommatophora 柄眼目, 720  
Styloperidae 刺石蠅科, 622  
Stylopididae 蜂蠹科, 625  
Styracaceae 安息香科, 251  
Subergorgiidae 軟柳珊瑚科, 291  
Suberitidae, 288  
Subulinidae 錐蝸牛科, 724  
Subviral Agents 亞病毒因子, 11  
Succineidae 錐實蝸牛科, 724  
Suctobelbidae 陷胸甲蟎科, 319  
Suidae 豬科, 793  
Suillaceae 乳牛肝菌科, 148  
Sulfolobaceae, 23  
Sulfolobales 硫化葉菌目, 23  
Sulidae 鯉鳥科, 787  
Suriellaceae 雙菱藻科, 66  
Suriellales 雙菱藻目, 65  
Syllidae 裂蟲科, 660  
Sylviidae 鶯科, 791  
Symphyodontaceae 刺果蕨科, 202  
Symphysanodontidae 癒齒鯛科, 773  
Symplocaceae 灰木科, 251  
Synaphobranchidae 通鰓鰻科, 740  
Synaptidae 錨參科, 731  
Synbranchidae 合鰓魚科, 779  
Synbranchiformes 合鰓魚目, 779  
Syncephalastraceae 共頭黴科, 173  
Synchaetidae 疣毛輪科, 303

Synchytriaceae 集壺菌科, 169  
Syncoeliidae 連腸科, 299  
Synecococcaceae, 15  
Syngnathidae 海龍科, 746  
Synlestidae 洵螳科, 619  
Synodontidae 合齒魚科, 741  
Synurales 黃群藻目, 77  
Synuridae 黃群藻科, 69  
Synurophyceae 黃群藻綱, 77  
Syracosphaeraceae, 68  
Syracosphaerales, 68  
Syringophilidae 羽管蟎科, 308  
Syrphidae 食蚜蠅科, 456  
Systellomatophora 縮柄眼目, 724  
Syzygosporaceae 聯軛孢菌科, 158  
Tabanidae 虻科, 459  
Taccaceae 蒟蒻薯科, 235  
Tachinidae 寄生蠅科, 460  
Taeniocanthidae 繚刺魚蚤科, 331  
Taeniidae, 298  
Talpidae 鼯鼠科, 795  
Tanaostigmatidae 長痣小蜂科, 544  
Taphrinaceae 外囊菌科, 140  
Taphrinales 外囊菌目, 140  
Taphrinomycetes 外囊菌綱, 140  
Tarsonemidae 細蟎科, 308  
Taxaceae 紅豆杉科, 223  
Taxales 紅豆杉目, 223  
Taxodiaceae 杉科, 223  
Tectocephidae 蓋頭甲蟎科, 319  
Tedaniidae, 288  
Tegeocranellidae, 319  
Tellinidae 櫻蛤科, 673  
Teloschistaceae 黃枝衣科, 134  
Teloschistales 黃枝衣目, 134  
Temnopleuridae 刻肋海膽科, 731  
Temoridae 寬水蚤科, 327  
Tenebrionidae 擬步行蟲科, 419  
Tenthredinidae 葉蜂科, 544  
Tenuipalpidae 細須蟎科, 308  
Tephritidae 果實蠅科, 462  
Terapontidae 鱒科, 773  
Terebellida 螿龍介目, 660  
Terebellidae 螿龍介科, 661  
Terebridae 筍螺科, 714  
Teredinidae 蛀船蛤科, 663  
Termitidae 白蟻科, 550  
Tessaratomidae 荔枝科, 504  
Testudinellidae 鏡輪科, 302  
Tethinidae 濕蠅科, 464  
Tetillidae, 288  
Tetraclitidae 笠藤壺科, 656  
Tetragnathidae 長腳蛛科, 312  
Tetrahyemenidae 四肢科, 25  
Tetranychidae 葉蟎科, 303  
Tetraodontidae 四齒鮪科, 780  
Tetraodontiformes 鮪形目, 779  
Tetraphidales 四齒蕨目, 212  
Tetrasporaceae 四胞藻科, 188  
Tetrasporales 四胞藻目, 188  
Tetratomidae 偽單甲科, 424  
Tetrigidae 菱蝗科, 620  
Tetrigoniidae 蠱蟹科, 620  
Teuthida 管魷目, 677  
Teuthoidea 槍形目, 677

Textulariidae, 44  
Thalamoporellidae, 727  
Thalassinidae 海姑蝦科, 651  
Thalassionemataceae, 67  
Thalassionematales, 67  
Thalassiosiraceae 海鏈藻科, 75  
Thalassiosirales 海鏈藻目, 75  
Thaliacea 海樽綱, 733  
Thamniidae 枝微科, 173  
Thanerocleridae 蝶角郭公蟲科, 424  
Thaumatchthyidae 突吻角鮟鱇科, 748  
Theaceae 茶科, 281  
Theales 茶目, 281  
Thecosomata 有殼翼足目, 725  
Thelaxidae 群蚜科, 504  
Thelebolaceae, 135  
Thelebolales, 135  
Theleporaceae 革菌科, 158  
Theleporales 革菌目, 158  
Theliaceae 鱗蘚科, 205  
Theligonaceae 纖花草科, 275  
Thelotremataceae 疣孔衣科, 124  
Thelypteridaceae 金星蕨科, 221  
Themistidae 枝觸星蟲科, 661  
Theocorythidae, 48  
Theonellidae, 288  
Theoperidae, 48  
Theraphosidae 捕鳥蛛科, 313  
Therevidae 劍虻科, 464  
Theridiidae 姬蛛科, 313  
Thermoanaerobacteriaceae, 19  
Thermoanaerobacteriales 熱厭氧菌目, 19  
Thermoprotei 熱變形菌綱, 23  
Thiaridae 錐蝸科, 701  
Thomisidae 蟹蛛科, 314  
Thorectidae, 288  
Thraustochytriaceae, 68  
Thraustochytriales, 68  
Threskiornithidae 鸚科, 787  
Thripidae 薊馬科, 627  
Thuidiaceae 羽蘚科, 206  
Thyasiridae 無齒蛤科, 673  
Thycidae 笠盜螺科, 702  
Thymelaeaceae 瑞香科, 265  
Thyridiaceae 明斑殼科, 85  
Thyrididae 網蛾科, 608  
Thyrisomidae 斑體節甲蟎科, 319  
Thysanoptera 縷翅目, 625  
Thysanoteuthidae 飛魷科, 677  
Tiliaceae 田麻科, 264  
Tilletiaceae 腥黑粉菌科, 167  
Tilletiales 腥黑粉菌目, 167  
Timaliidae 畫眉科, 792  
Tindariidae 袖珍碎蛤科, 665  
Tineidae 蕈蛾科, 608  
Tineodidae 四翼蛾科, 609  
Tingidae 網蝽科, 504  
Tintinnidae, 26  
Tiphidae 小土蜂科, 546  
Tipulidae 大蚊科, 464  
Titanocidae 崖地蛛科, 314  
Togaviridae, 4  
Tombusviridae, 5  
Tonnidae 鶉螺科, 692

## 科級以上學名索引

- Tornatellidae 蚤蝸牛科, 724  
Tornidae 齒輪螺科, 702  
Torpedinidae 電鱘科, 738  
Torpediniformes 電鱘目, 737  
Tortanidae 歪水蚤科, 328  
Tortricidae 捲蛾科, 609  
Torymidae 長尾小蜂科, 547  
Toxopneustidae 毒棘海膽科, 731  
Trachichthyidae 鱧鯛科, 743  
Trachipteridae 粗鱈魚科, 747  
Trachypodaceae 扭葉蘚科, 206  
Trapaceae 菱科, 265  
Trapeliaceae 褐邊衣科, 112  
Trapeziidae 船蛤科, 673  
Trapeziidae 梯形蟹科, 651  
Trebouxiophyceae, 189  
Trematoda 吸蟲綱, 298  
Tremellaceae 銀耳科, 158  
Tremellales 銀耳目, 158  
Tremellomycetes 銀耳綱, 158  
Tremoctopodidae 水孔蛸科, 676  
Trentepohliaceae 董青藻科, 188  
Trentepohliales 桔色藻目, 188  
Trhypochthoniidae 禮服甲蟎科, 319  
Triacanthidae 三棘鮐科, 781  
Triacanthodidae 擬三棘鮐科, 781  
Triakidae 平滑鮫科, 735  
Trichiaceae 團毛黏菌科, 37  
Trichiales 團毛黏菌目, 36  
Trichiuridae 帶魚科, 773  
Trichocercidae 鼠輪科, 303  
Trichoceridae 冬大蚊科, 469  
Trichomaceae 髮菌科, 90  
Trichogrammatidae 赤眼蜂科, 547  
Tricholomataceae 口磨科, 145  
Trichomycetes 毛菌綱, 170  
Trichonotidae 絲鱈鱒科, 773  
Trichoptera 毛翅目, 628  
Trichosphaeriaceae 假毛球殼科, 135  
Trichosphaeriales 假毛球殼目, 135  
Trichosporonaceae, 159  
Trichotheliaceae 星果衣科, 135  
Trichotheliales 星果衣目, 135  
Trichotropidae 毛螺科, 702  
Tricladida, 301  
Tricoliidae, 681  
Tricentenotomidae 擬鉞甲科, 424  
Tridacnidae 碑磔蛤科, 674  
Triglidae 角魚科, 777  
Trigonalidae 鈎腹蜂科, 548  
Trigoniidae 草蟋科, 620  
Trigoniulidae, 333  
Trimusculidae 擬松螺科, 684  
Trinematidae 三足蟲科, 37  
Triodontidae 三齒鮐科, 781  
Trionychidae 鱉科, 782  
Triospyridae, 48  
Triozidae 叉木蝨科, 504  
Triphoridae 左錐螺科, 688  
Tripterygiidae 三鰭鰩科, 773  
Tritaxidae, 45  
Triuridaceae 霉草科, 241  
Triuridales 霉草目, 241  
Triviidae 蝸螺科, 702  
Trochidae 鐘螺科, 681  
Trochodendraceae 昆欄樹科, 282  
Trochodendrales 昆欄樹目, 282  
Trochomorphidae 笠蝸牛科, 724  
Troctopsocidae 粉嚙科, 624  
Trogidae 皮金龜科, 424  
Trogiidae 節嚙蟲科, 624  
Trogodytidae 鷓鴣科, 792  
Trogossitidae 穀盜蟲科, 424  
Trombiculidae 恙蟎科, 320  
Truncatellidae 截尾螺科, 702  
Trypetheliaceae 乳嘴衣科, 133  
Trypostegidae, 727  
Tuberaceae 塊菇科, 128  
Tubeufiaceae, 132  
Tubificida 顛蚓目, 659  
Tubiporidae 筊珊瑚科, 295  
Tubulicrinaceae, 156  
Tuckerellidae 杜克蟎科, 309  
Turbellaria 渦蟲綱, 301  
Turbellidae (Vasidae) 拳螺科, 715  
Turbinidae 蝶螺科, 682  
Turridae 鶉科, 792  
Turnicidae 三趾鶉科, 793  
Turniciformes 三趾鶉目, 793  
Turridae 捲管螺科, 715  
Turritellidae 錐螺科, 702  
Tylidae, 654  
Typhaceae 香蒲科, 241  
Typhales 香蒲目, 241  
Typhlopidae 盲蛇科, 783  
Typhulaceae, 146  
Tytonidae 草鴞科, 793  
Udoteaceae 鈣扇藻科, 182  
Uenoidae 黑管石蛾科, 631  
Ulmaceae 榆科, 283  
Uloboridae 渦蛛科, 314  
Ulopidae 突頰葉蟬科, 505  
Ulotrachaceae 軟絲藻科, 191  
Ulotrachales 軟絲藻目, 191  
Ulvaceae 石蓴科, 191  
Ulvales 石蓴目, 191  
Ulvophyceae 石蓴綱, 190  
Umbelliferae 繖形科, 242  
Umbellosphaeraceae, 67  
Umbilicariaceae 石耳科, 112  
Umbraculidae 傘螺科, 725  
Umbraculomorpha 傘殼目, 725  
Unclassed, 5  
Ungulinidae 蹄蛤科, 674  
Unionidae 蚌科, 669  
Unionoida 蚌目, 669  
Upogebiidae 螻蛄蝦科, 651  
Upupidae 戴勝科, 793  
Upupiformes 戴勝目, 793  
Uraniidae 燕蛾科, 612  
Uranoscopidae 膽星魚科, 773  
Uredinales 銹菌目, 159  
Urediniomycetes 銹菌綱, 159  
Urocentridae, 26  
Urolophidae 平魴科, 736  
Uropyxidaceae 肥柄銹菌科, 166  
Urostylididae 異尾蟬科, 505  
Urotrygonidae 巨尾魴科, 736  
Ursidae 熊科, 793  
Urticales 蕁麻目, 282  
Usneaceae 松蘿科, 113  
Ustilaginaceae 黑粉菌科, 167  
Ustilaginales 黑粉菌目, 167  
Ustilaginomycetes 黑粉菌綱, 166  
Uvigerinidae, 45  
Vacuolariaceae, 77  
Vaginulinidae, 45  
Valerianaceae 敗醬科, 250  
Valkampfidae, 48  
Valoniaceae 法囊藻科, 191  
Valsaceae 黑腐皮殼菌科, 86  
Valvatida 有瓣目, 729  
Vanikoridae 白彫螺科, 702  
Varroidae 瓦蟎科, 316  
Vayssiereidae 瓦西海牛科, 720  
Velatida 有緣目, 729  
Veliferidae 草鰩科, 747  
Veliidae 寬肩蟬科, 505  
Velocipedidae 捷蟎科, 506  
Veneridae 簾蛤科, 674  
Veneroida 簾蛤目, 669  
Venturiaceae 黑星菌科, 132  
Verbenaceae 馬鞭草科, 261  
Vermetidae 蛇螺科, 702  
Vermipsyllidae 蠕形蚤科, 625  
Verneulidae, 45  
Verongida, 288  
Veronicellidae 皺足蛞蝓科, 720  
Verrucariaceae 瓶口衣科, 135  
Verrucariales 瓶口衣目, 135  
Verrucidae 花籠科, 657  
Verticordiidae 圈心蛤科, 666  
Vertiginidae 牙蝸蝓牛科, 724  
Vespertilionidae 蝙蝠科, 794  
Vespidae 胡蜂科, 548  
Vetigastropoda 古腹足目, 725  
Vialaeaceae, 85  
Vibiliidae 片戎科, 633  
Vibrionaceae 弧菌科, 21  
Vibrionales 弧菌目, 21  
Violaceae 堇菜科, 285  
Violales 堇菜目, 284  
Viperidae 蝮蛇科, 783  
Viruses 病毒界, 1  
Viscaceae 槲寄生科, 276  
Vitaceae 葡萄科, 270  
Vitrinellidae 滑輪螺科, 702  
Vittariaceae 書帶蕨科, 222  
Viverridae 靈貓科, 793  
Viviparidae 田螺科, 702  
Volutidae 渦螺科, 719  
Volvocaceae 團藻科, 189  
Volvocales 團藻目, 189  
Vorticellidae 鐘蟲科, 26  
Vulsellidae 單軋穴蛤科, 668  
Waretrematidae, 298  
Watersiporidae, 727  
Williamsiaceae 威廉西亞菌科, 13  
Wurdemanniaceae 層孢藻科, 179  
Xanthidae 扇蟹科, 652  
Xanthobacteraceae 紗麗桿菌科, 19  
Xanthomonadaceae 黃單胞菌科, 21  
Xanthomonadales 黃單胞菌目, 21  
Xanthophyceae 黃藻綱, 78

## 科級以上學名索引

Xanthophyta 黃綠藻門, 81  
Xarifiidae, 330  
Xenasmataceae, 156  
Xenasteiidae, 469  
Xeniidae 傘軟珊瑚科, 290  
Xenisthmidae 扁頭鰕虎科, 773  
Xenophoridae 綴殼螺科, 703  
Xiphiidae 劍旗魚科, 773  
Xiphocentronidae 劍石蛾科, 631  
Xiphydriidae 長頸樹蜂科, 549  
Xyelidae 鞘蜂科, 549  
Xylariaceae 炭角菌科, 136  
Xylariales 炭角菌目, 135  
Xylobatidae 木單翼甲蟻科, 319  
Xylophaginidae 蛀木蛤科, 663  
Xyloryctidae 木蛾科, 613  
Xyridaceae 黃眼草科, 224  
Xystodesmidae, 332  
Yoldiidae 綾衣蛤科, 665  
Yponomeutidae 巢蛾科, 613  
Zanclidae 角蝶魚科, 774  
Zannichelliaceae 角果藻科, 235  
Zeidae 的鯛科, 781  
Zeiformes 的鯛目, 781  
Zeniontidae 甲眼的鯛科, 781  
Zetomotrichidae 毛跳甲蟻科, 319  
Zetorchestidae 跳甲蟻科, 319  
Zingiberaceae 薑科, 241  
Zingiberales 薑目, 241  
Ziphiide 喙鯨科, 794  
Zoarcidae 綿鯨科, 774  
Zodariidae 法師蛛科, 314  
Zonitidae 琥珀蝸牛科, 724  
Zoomastigophora 動物性鞭毛蟲綱, 48  
Zoopagaceae 捕蟲黴科, 173  
Zoopagales 捕蟲黴目, 173  
Zopfiaceae, 85  
Zoraptera 缺翅目, 631  
Zorotypidae 缺翅蟲科, 631  
Zosteraceae 甘藻科, 241  
Zosteropidae 繡眼科, 792  
Zygaenidae 斑蛾科, 613  
Zygnemaceae 雙星藻科, 195  
Zygnematales 雙星藻目, 191  
Zygnematophyceae 雙星藻綱, 191  
Zygodiscales, 68  
Zygomycetes 接合菌綱, 170  
Zygomycota 接合菌門, 169  
Zygophyllaceae 蒺藜科, 277

## 屬名索引

- Aptos*, 288  
*Aaroniella*, 624  
*Abacarus*, 305  
*Abacetus*, 343  
*Abaciscus*, 563  
*Abalistes*, 779  
*Abdastartus*, 504  
*Abelater*, 379  
*Abelases*, 544  
*Abelia*, 250  
*Abelmoschus*, 263  
*Aberoptus*, 305  
*Abgrallaspis*, 486  
*Abia*, 517  
*Abies*, 223  
*Abietinella*, 206  
*Abiomyia*, 456  
*Abirellus*, 360  
*Abirus*, 360  
*Abisara*, 579  
*Ablabesmyia*, 432  
*Ablabys*, 776  
*Ablennes*, 741  
*Abortiporus*, 152  
*Abra*, 672  
*Abraeomorphus*, 386  
*Abralia*, 677  
*Abraliopsis*, 677  
*Abraxas*, 563  
*Abraximorpha*, 575  
*Abretiella*, 714  
*Abrimoides*, 374  
*Abrina*, 672  
*Abrodictyum*, 213  
*Abroscelis*, 343  
*Abroscopus*, 792  
*Abrosiomya*, 456  
*Abrostola*, 582  
*Abrota*, 598  
*Abrus*, 253  
*Abryna*, 349  
*Absentia*, 305  
*Absentia*, 544  
*Absidia*, 172  
*Abudeuf*, 767  
*Abundisporus*, 154  
*Abusarbia*, 544  
*Abutilon*, 263  
*Abyla*, 295  
*Abylopsis*, 295  
*Acacia*, 253  
*Acalitus*, 305  
*Acalolepta*, 349  
*Acalycigorgia*, 290  
*Acalypha*, 252  
*Acalypta*, 504  
*Acampe*, 235  
*Acamptochetus*, 704  
*Acanthaleyrode*, 470  
*Acanthaphritis*, 766  
*Acantharia*, 132  
*Acanthaspis*, 502  
*Acanthaster*, 729  
*Acanthastrea*, 294  
*Acanthatrium*, 300  
*Acanthaxius*, 634  
*Acanthella*, 288  
*Acanthephippium*, 235  
*Acanthephyra*, 642  
*Acanthephyra*, 642  
*Acanthicus*, 778  
*Acanthocephala*, 755  
*Acanthochiton*, 725  
*Acanthochitona*, 725  
*Acanthocinus*, 349  
*Acanthoclita*, 609  
*Acanthocorbis*, 49  
*Acanthocoris*, 484  
*Acanthocorys*, 45  
*Acanthocybium*, 770  
*Acanthocyclops*, 328  
*Acanthocystis*, 46  
*Acanthodesmia*, 46  
*Acanthoeca*, 49  
*Acanthofungus*, 157  
*Acanthogobius*, 757  
*Acanthogorgia*, 290  
*Acanthoica*, 68  
*Acantholipes*, 582  
*Acantholyda*, 540  
*Acanthomyrmex*, 525  
*Acanthomytilus*, 486  
*Acanthonevra*, 462  
*Acanthonitschkea*, 86  
*Acanthonus*, 749  
*Acanthonyx*, 641  
*Acanthopagrus*, 772  
*Acanthoparyphium*, 298  
*Acanthophora*, 176  
*Acanthoplesiops*, 766  
*Acanthopleura*, 725  
*Acanthopysche (Eumetisa)*, 603  
*Acanthormius*, 510  
*Acanthorrhynchium*, 204  
*Acanthoscina*, 633  
*Acanthosoma*, 470  
*Acanthosphaera*, 184  
*Acanthosquilla*, 655  
*Acanthotomicus*, 406  
*Acanthurus*, 750  
*Acanthyphyra*, 642  
*Acaphylla*, 305  
*Acaphyllisa*, 305  
*Acar*, 661  
*Acarhis*, 304  
*Acartia (Acanthacartia)*, 321  
*Acartia (Acartiura)*, 322  
*Acartia (Odontacartia)*, 322  
*Acartia (Plantacartia)*, 322  
*Acartiella*, 322  
*Acarus*, 314  
*Acasis*, 563  
*Acaulopage*, 173  
*Acaulospora*, 170  
*Accipiter*, 784  
*Acentrogobius*, 757  
*Acer*, 276  
*Aceraius*, 397  
*Acerataspis*, 529  
*Aceria*, 305  
*Acerimina*, 306  
*Acesta*, 666  
*Acetabularia*, 190  
*Acetes*, 650  
*Acetobacter*, 19  
*Acetrella*, 469  
*Achaea*, 582  
*Achaearana*, 313  
*Achaetocephala*, 343  
*Achaeus*, 641  
*Achalinus*, 782  
*Acharax*, 669  
*Achatina*, 720  
*Achelura*, 613  
*Achenklingia*, 360  
*Acheron*, 615  
*Acherontia*, 607  
*Achionaspis*, 486  
*Achlya*, 80  
*Achnanthes*, 51  
*Achorocephalus*, 529  
*Achroia*, 603  
*Achyra*, 554  
*Achyranthes*, 247  
*Acia*, 478  
*Aciagrion*, 617  
*Acinemias*, 374  
*Aciculina*, 712  
*Aciculosporium*, 102  
*Acidiella*, 462  
*Acidiostigma*, 462  
*Acidithiobacillus*, 20  
*Acidota*, 409  
*Acidovorax*, 21  
*Acidoxantha*, 462  
*Acila*, 665  
*Acineta*, 26  
*Acinetobacter*, 21  
*Acisoma*, 618  
*Aclastus*, 529  
*Aclees*, 374  
*Aclerda*, 470  
*Acleris*, 609  
*Aclophora*, 688  
*Acmaeodera (Cobosiella)*, 338  
*Acmaeopleura*, 639  
*Acmella*, 242  
*Acmella*, 693  
*Acmella*, 265  
*Acmeshachia*, 597  
*Acmopolynema*, 540  
*Acolutha*, 563  
*Acomocera*, 495  
*Acompomintho*, 453  
*Aconitum*, 269  
*Acontia*, 582  
*Acontosceles*, 391  
*Aconura*, 484  
*Acophila*, 506  
*Acorus*, 223  
*Acorynus*, 335  
*Acosmerycoides*, 607  
*Acosmeryx*, 607  
*Acotyledon*, 314  
*Acraea*, 598  
*Acrasis*, 25  
*Acremoniella*, 94  
*Acremonium*, 94  
*Acrepyris*, 509  
*Acreuciroa*, 666  
*Acria*, 602  
*Acridothores*, 791  
*Acrilla*, 686  
*Acritus*, 386  
*Acrobasis*, 603  
*Acrocalanus*, 325  
*Acrocephalus*, 260  
*Acrocephalus*, 792  
*Acroceratitidis*, 462  
*Acrocercops*, 575  
*Acrochaetium*, 175  
*Acroclita*, 609  
*Acrocyrtilidus*, 349  
*Acrocystis*, 176  
*Acrodactyla*, 529  
*Acrodictys*, 94  
*Acrodontis*, 563  
*Acrogenospora*, 94  
*Acrolepiopsis*, 550  
*Acromantis*, 614  
*Acrometopia*, 450  
*Acronicta*, 582  
*Acronychia*, 275  
*Acropentias*, 554  
*Acrophorus*, 217  
*Acropimpla*, 529  
*Acropoma*, 750  
*Acropora*, 291  
*Acroporium*, 204  
*Acropsylla (Acropsylla)*, 625  
*Acropteris*, 612  
*Acropyga*, 525  
*Acroscina*, 529  
*Acrorumohra*, 217  
*Acrosphaera*, 47  
*Acrossocheilus*, 744  
*Acrosterigama*, 669  
*Acrosterigma*, 669  
*Acrostichum*, 214  
*Acrotaeniostola*, 462  
*Acrothecium*, 94  
*Acrothinium*, 360  
*Acrotrichis (Flachiana)*, 398  
*Acroxena*, 360  
*Actaea*, 652  
*Actaeodes*, 652  
*Actaeopyramis*, 685  
*Actenicerus*, 379  
*Acteocina*, 684  
*Acteon*, 684  
*Actias*, 606  
*Actina*, 456  
*Actinastrum*, 187  
*Actinidia*, 281  
*Actinochaetopteryx*, 460  
*Actinocladium*, 94  
*Actinocyclus*, 73

## 屬名索引

- Actinodontium*, 206  
*Actinodura*, 792  
*Actinomma*, 46  
*Actinomucor*, 172  
*Actinophrys*, 46  
*Actinoptera*, 462  
*Actinoptychus*, 71  
*Actinopyga*, 732  
*Actinoscirpus*, 225  
*Actinosphaerium*, 46  
*Actinostemma*, 284  
*Actinotaenium*, 191  
*Actinothuidium*, 206  
*Actinotia*, 583  
*Actinotrichia*, 179  
*Actites*, 652  
*Actitis*, 787  
*Actumnus*, 647  
*Aculochetus*, 306  
*Aculodes*, 306  
*Aculops*, 306  
*Aculus*, 306  
*Acumispora*, 94  
*Acupalpus*, 343  
*Acusilas*, 309  
*Acusta*, 720  
*Acuticylindra*, 709  
*Acygnatha*, 583  
*Acylophorus*, 409  
*Acyrtosiphon*, 473  
*Acystopteris*, 216  
*Acytolepis*, 579  
*Acytostelium*, 27  
*Adaina*, 603  
*Adapsilia*, 452  
*Addaea*, 608  
*Addyme*, 603  
*Adelencyrtus*, 522  
*Adelocera*, 379  
*Adelphotectonica*, 685  
*Ademula*, 502  
*Adenia*, 284  
*Adenophora*, 246  
*Adenostemma*, 243  
*Adeorbis*, 692  
*Aderorrhinus*, 375  
*Adiantum*, 214  
*Adinandra*, 281  
*Adipicola*, 663  
*Adiscus*, 360  
*Adisura*, 583  
*Adoretus*, 399  
*Adoxomyia*, 456  
*Adoxophyes*, 609  
*Adrama*, 462  
*Adrapsa*, 583  
*Adris*, 583  
*Adrisa*, 484  
*Aecidium*, 162  
*Aedes (Aedimorphus)*, 435  
*Aedes (Cancraedes)*, 435  
*Aedes (Finlaya)*, 435  
*Aedes (Lorrainea)*, 436  
*Aedes (Neomelaniconion)*, 436  
*Aedes (Ochrelotatus)*, 436  
*Aedes (Stegomyia)*, 436  
*Aedia*, 583  
*Aediodina*, 554  
*Aega*, 654  
*Aegaeon*, 635  
*Aegerita*, 94  
*Aeginetia*, 278  
*Aegista*, 720  
*Aegisthus*, 330  
*Aegithalos*, 789  
*Aegolipton*, 349  
*Aegosoma*, 349  
*Aegus*, 391  
*Aegyptius*, 784  
*Aenaria*, 499  
*Aeoneaenaria*, 529  
*Aenictus*, 525  
*Aeolanthes*, 561  
*Aeolesthes*, 349  
*Aeoliscus*, 746  
*Aeoloderma*, 379  
*Aephnidius*, 343  
*Aeretica*, 673  
*Aerobryidium*, 207  
*Aerobryopsis*, 207  
*Aerobryum*, 207  
*Aeromachus*, 575  
*Aeromonas*, 20  
*Aeropsis*, 731  
*Aerva*, 247  
*Aesalus*, 391  
*Aeschrocoris*, 499  
*Aeschynanthus*, 277  
*Aeschynomene*, 253  
*Aeshna*, 617  
*Aesopia*, 775  
*Aesopus*, 704  
*Aetea*, 726  
*Aethalodes*, 349  
*Aethaloessa*, 554  
*Aethaloperca*, 770  
*Aethalotus*, 494  
*Aethalura*, 563  
*Aethemorpha*, 360  
*Aethes*, 609  
*Aethina*, 395  
*Aethra*, 633  
*Aethus*, 484  
*Aetideopsis*, 322  
*Aetideus*, 322  
*Aetobatus*, 736  
*Aetomylaeus*, 736  
*Aetoplatea*, 736  
*Afer*, 715  
*Afidenta*, 371  
*Afiorinia*, 486  
*Afrephtaltes*, 529  
*Africaleyrodus*, 470  
*Afroagathidium*, 390  
*Afrocardium*, 669  
*Afrocucumis*, 732  
*Afronurus*, 470  
*Afrorylon*, 360  
*Agabus*, 378  
*Agadina*, 725  
*Agalma*, 295  
*Agalope*, 613  
*Aganaspis*, 523  
*Agapetus*, 629  
*Agaraeus*, 563  
*Agaricus*, 140  
*Agaripenthes*, 379  
*Agassziella*, 554  
*Agastache*, 260  
*Agasthenes*, 529  
*Agathia*, 563  
*Agathidium (Agathidium)*, 390  
*Agathidium (Cyphocele)*, 390  
*Agathidium (Macrocele)*, 390  
*Agathidium (Microcele)*, 390  
*Agathidium (Neocele)*, 390  
*Agathis*, 510  
*Agathodes*, 554  
*Agathomyia*, 451  
*Agave*, 233  
*Agdistopis*, 582  
*Agehana*, 601  
*Agelas*, 287  
*Agelasta*, 349  
*Agelena*, 309  
*Agelosus*, 409  
*Ageniaspis*, 522  
*Ageniell*, 540  
*Ageratina*, 243  
*Ageratum*, 243  
*Agetocera*, 360  
*Agglutinella*, 41  
*Aglaia*, 276  
*Aglaojoppa*, 529  
*Aglaomorpha*, 220  
*Aglaomorpha*, 550  
*Aglaostigma*, 544  
*Aglaothamnion*, 175  
*Aglossa*, 603  
*Agnesiella*, 478  
*Agnentina*, 622  
*Agnidra*, 560  
*Agonita (Agoniella)*, 360  
*Agonita (Agonita)*, 360  
*Agonopterix*, 561  
*Agonoscelis*, 499  
*Agonotrechus*, 343  
*Agonum*, 343  
*Agramma*, 504  
*Agrapha*, 583  
*Agraphydrus*, 388  
*Agraptocorixa*, 484  
*Arggina*, 550  
*Agrica*, 475  
*Agrilus*, 338  
*Agrimonia*, 271  
*Agriocnemis*, 617  
*Agrioptera*, 618  
*Agriotes*, 379  
*Agriothera*, 606  
*Agrius*, 607  
*Agrobacterium*, 19  
*Agrochola*, 583  
*Agrocybe*, 141  
*Agromyza*, 425  
*Agropyron*, 227  
*Agrostaleyrodus*, 470  
*Agrosteomela*, 360  
*Aegistis*, 227  
*Agrostophyllum*, 235  
*Agrotera*, 555  
*Agrotis*, 583  
*Agrypnus*, 379  
*Agrypon*, 529  
*Aguriahana*, 478  
*Agylla*, 550  
*Agyriella*, 124  
*Ahasverus*, 408  
*Ahnfeltiopsis*, 178  
*Aiceona*, 473  
*Aidanosagitta*, 728  
*Aidomyia*, 456  
*Ailanthus*, 277  
*Ainsliaea*, 243  
*Ainu*, 419  
*Aiolocaria*, 371  
*Aischrocrania*, 462  
*Aiteta*, 595  
*Aithaloderma*, 138  
*Aix*, 784  
*Ajuga*, 260  
*Aka*, 287  
*Akanthomyces*, 94  
*Akebia*, 269  
*Akkaia*, 473  
*Alaba*, 697  
*Alainites*, 469  
*Alamella*, 522  
*Alampla*, 576  
*Alangium*, 249  
*Alauda*, 789  
*Albara*, 560  
*Albatrellus*, 151  
*Albiza*, 253  
*Albonothrus*, 319  
*Albugo*, 78  
*Albula*, 738  
*Albunea*, 633  
*Alcaligenes*, 20  
*Alcedo*, 788  
*Alcerocoris*, 495  
*Alchornea*, 252  
*Alcides*, 375  
*Alcimocoris*, 499  
*Alcippe*, 792  
*Alcis*, 563  
*Alcyonium*, 289  
*Aldrichiomyza*, 447  
*Aldrovandia*, 738  
*Alebra*, 478  
*Alebroides*, 478  
*Alectis*, 754  
*Alectra*, 278  
*Alectryonella*, 667  
*Aleiodes*, 510

## 屬名索引

- Aletrion*, 712  
*Aleochara*, 409  
*Alepes*, 754  
*Alepisaurus*, 741  
*Alepocephalus*, 740  
*Alesia*, 371  
*Aletia*, 583  
*Aletris*, 233  
*Aleuria*, 127  
*Aleurobotrys*, 157  
*Aleurocanthus*, 470  
*Aleuroclava*, 470  
*Aleurocyperus*, 471  
*Aleurodaphis*, 491  
*Aleurodicus*, 471  
*Aleurodiscus*, 157  
*Aleurodothrips*, 625  
*Aleuroglyphus*, 314  
*Aleurolobus*, 471  
*Aleuromarginatus*, 471  
*Aleuroplatus*, 471  
*Aleurostictus*, 399  
*Aleurothrixus*, 471  
*Aleurotrachelus*, 471  
*Aleurotulus*, 471  
*Alexandrium*, 181  
*Aleyrodes*, 471  
*Algathia*, 530  
*Algirosphaera*, 68  
*Algon*, 409  
*Aliaporcellana*, 648  
*Alicis*, 564  
*Aliculastrum*, 684  
*Alikangiella*, 429  
*Alima*, 655  
*Alisma*, 223  
*Alisphaera*, 68  
*Alissonotum*, 399  
*Allactonerura*, 449  
*Allaeometrus*, 337  
*Allantus*, 545  
*Allecula*, 419  
*Alleculodes*, 419  
*Allepithema*, 693  
*Allxivirus*, 3  
*Allium*, 233  
*Alloasteropetes*, 583  
*Allocardiophorus*, 379  
*Allocetraria*, 109  
*Allochotes*, 370  
*Allochroa*, 683  
*Allochytridium*, 168  
*Allodahlia*, 424  
*Allodiaptomus*, 324  
*Allodontoides*, 597  
*Alloea*, 510  
*Alloeopagurodes*, 643  
*Alloeorhynchus*, 498  
*Allogalatea*, 637  
*Alloglobigerinoides*, 40  
*Allognosta*, 456  
*Allogramma*, 666  
*Allograpta*, 456  
*Allometopon (Calometopon)*, 435  
*Allomyces*, 168  
*Allomyrina*, 399  
*Allonais*, 659  
*Alloneda*, 371  
*Allonotus*, 530  
*Allonychus*, 303  
*Allopachria*, 378  
*Allopacria*, 378  
*Allopeas*, 724  
*Allophatnus*, 530  
*Allophyes*, 583  
*Allophylus*, 276  
*Allopora*, 296  
*Allorhynchium*, 548  
*Allosuctobelba*, 319  
*Alloteropsis*, 227  
*Allothoracaphis*, 491  
*Allothrips*, 625  
*Allotraeus*, 349  
*Allotrichoma*, 444  
*Alloxysta*, 525  
*Allozetes*, 317  
*Alluaudomyia*, 430  
*Almeida*, 473  
*Alnetoidia*, 478  
*Alnicola*, 141  
*Alniphyllum*, 251  
*Alnus*, 257  
*Alocasia*, 223  
*Alonips*, 484  
*Alopecurus*, 227  
*Alophorophasia*, 460  
*Alopias*, 735  
*Alora*, 686  
*Alpakesa*, 94  
*Alpharetrovirus*, 7  
*Alphavirus*, 4  
*Alphenus*, 633  
*Alpheus*, 633  
*Alphitobius*, 419  
*Alpinia*, 241  
*Alsomyia*, 460  
*Alternanthera*, 247  
*Alternaria*, 130  
*Alterococcus*, 20  
*Alteutha*, 330  
*Altha*, 578  
*Althonarosa*, 578  
*Altica*, 360  
*Alticus*, 752  
*Alucita*, 550  
*Alulatettix*, 620  
*Aluterus*, 780  
*Alvania*, 699  
*Alveopora*, 294  
*Alveosphaera*, 67  
*Alysia*, 510  
*Alyscarpus*, 253  
*Alysson*, 517  
*Alyxia*, 258  
*Amae*, 686  
*Amaea*, 686  
*Amalda*, 713  
*Amallothrix*, 327  
*Amamicytus*, 349  
*Amamipenthes*, 379  
*Amanita*, 144  
*Amanses*, 780  
*Amansia*, 176  
*Amantis*, 614  
*Amara*, 343  
*Amaranthus*, 247  
*Amarochara*, 409  
*Amarygmus*, 419  
*Amastigia*, 726  
*Amastigis*, 94  
*Amata*, 550  
*Amathina*, 702  
*Amauroderma*, 151  
*Amauromorpha*, 530  
*Amauromyza*, 425  
*Amaurornis*, 788  
*Amazonia*, 113  
*Ambassis*, 751  
*Ambiaxius*, 635  
*Amblopala*, 579  
*Amblychaeturichthys*, 757  
*Amblychia*, 564  
*Amblycirrhitus*, 756  
*Amblyeleotris*, 757  
*Amblygaster*, 743  
*Amblyglyphidodon*, 767  
*Amblygobius*, 757  
*Amblyjoppa*, 530  
*Amblyomma*, 319  
*Amblyopone*, 525  
*Amblyopus*, 384  
*Amblypomacentrus*, 767  
*Amblypterus*, 607  
*Amblyseius*, 315  
*Amblystegium*, 202  
*Amblyteles*, 530  
*Amblythyreus*, 502  
*Ambrosia*, 243  
*Ambrosiodmus*, 406  
*Ambrostoma*, 360  
*Ambulyx*, 607  
*Ambunguipes*, 330  
*Amegilla*, 508  
*Ameletus*, 469  
*Amemboa*, 490  
*Amentotaxus*, 223  
*Amerila*, 550  
*Amerodochis*, 87  
*Amesia*, 613  
*Ametastegia*, 545  
*Amichrotus*, 409  
*Amida*, 371  
*Amigdoscalpellum*, 656  
*Amiota (Amiota)*, 440  
*Amiota (Apsiphortica)*, 440  
*Amiota (Phortica)*, 440  
*Amischotolype*, 224  
*Amiserica*, 399  
*Amitostigma*, 235  
*Amitus*, 540  
*Ammannia*, 264  
*Ammobaculites*, 42  
*Ammonia*, 43  
*Ammonia (Pseudorotalia)*, 43  
*Ammonia (Rotalidium)*, 43  
*Ammophila*, 544  
*Ammophilimima*, 427  
*Amobina*, 453  
*Amoeba*, 48  
*Amoebotaenia*, 297  
*Amoebotricha*, 564  
*Amorphinopsis*, 288  
*Amorphophallus*, 223  
*Ampagia*, 375  
*Ampedus*, 379  
*Ampelophaga*, 607  
*Ampelopsis*, 270  
*Ampelopteris*, 221  
*Ampelovirus*, 2  
*Amphiareus*, 473  
*Amphibalanus*, 656  
*Amphibalanus (Balanus)*, 656  
*Amphicarpaea*, 253  
*Amphicaryon*, 295  
*Amphicercidus*, 473  
*Amphichaetella*, 94  
*Amphichama*, 670  
*Amphichilus*, 733  
*Amphicoma*, 399  
*Amphicrossus*, 395  
*Amphidinium*, 27  
*Amphidium*, 198  
*Amphiesma*, 782  
*Amphigerontia*, 624  
*Amphileptus*, 26  
*Amphimenes*, 343  
*Amphimerus*, 299  
*Amphimetra*, 730  
*Amphinemura*, 622  
*Amphiodia*, 733  
*Amphioplus*, 733  
*Amphipholis*, 733  
*Amphipleura*, 57  
*Amphiprion*, 767  
*Amphiprora*, 57  
*Amphipsocus*, 623  
*Amphipyra*, 583  
*Amphirhopalum*, 47  
*Amphiroa*, 176  
*Amphirhopalum*, 45  
*Amphisolenia*, 27  
*Amphisorus*, 44  
*Amphisphaerella*, 135  
*Amphisphaeria*, 135  
*Amphispyris*, 46  
*Amphistegina*, 38  
*Amphistethus*, 383  
*Amphitetranychus*, 303  
*Amphithyrus*, 632  
*Amphitorna*, 560  
*Amphitrite*, 661  
*Amphiura*, 733  
*Amphora*, 57  
*Amphoromorpha*, 170  
*Amphymenium*, 47  
*Ampittia*, 575  
*Ampulex*, 506

## 屬名索引

- Ampulicomorpha*, 522  
*Amraica*, 564  
*Amrasca*, 478  
*Amsacta*, 550  
*Amsactoides*, 550  
*Amsichthys*, 769  
*Amurta*, 478  
*Amusium*, 667  
*Amussiopecten*, 667  
*Amycolatopsis*, 13  
*Amylocorticium*, 151  
*Amyna*, 583  
*Amynthas*, 658  
*Amyosoma*, 510  
*Amyotea*, 499  
*Amystrops*, 396  
*Anabaena*, 15  
*Anabaenopsis*, 15  
*Anacampsis*, 562  
*Anacamptodon*, 203  
*Anacanthobatis*, 737  
*Anacanthoica*, 68  
*Anachis*, 704  
*Anachrostis*, 583  
*Anaciaeschna*, 617  
*Anacinaces*, 427  
*Anaclasiger*, 409  
*Anacolia*, 195  
*Anacromicta*, 601  
*Anacropora*, 291  
*Anacystis*, 14  
*Anadara*, 661  
*Anadastus*, 384  
*Anadevidia*, 583  
*Anadimonia*, 361  
*Anadyomene*, 190  
*Anaespogonius*, 349  
*Anaesthetobrium*, 349  
*Anagalis*, 268  
*Anagasta*, 603  
*Anaglymma*, 386  
*Anaglyptus*, 349  
*Anagrus*, 540  
*Anagyris*, 522  
*Anahita*, 310  
*Analthes*, 555  
*Anampses*, 761  
*Ananepa*, 583  
*Ananesiotes*, 337  
*Anania*, 555  
*Anaphalis*, 243  
*Anaphes*, 540  
*Anaphothrips*, 627  
*Anaplecta*, 333  
*Anaplectella*, 333  
*Anaplectoides*, 583  
*Anapronoe*, 631  
*Anarchias*, 738  
*Anaretella*, 430  
*Anarsia*, 562  
*Anas*, 784  
*Anascirtothrips*, 627  
*Anastathes*, 349  
*Anastatus*, 524  
*Anastrangalia*, 349
- Anasyntormon*, 437  
*Anatetranychus*, 303  
*Anathesis*, 380  
*Anatinella*, 669  
*Anatrichus*, 433  
*Anaulaciulus*, 331  
*Anax*, 617  
*Anaxandra*, 470  
*Anaxipha*, 620  
*Ancema*, 579  
*Anchinia*, 550  
*Anchisquilla*, 655  
*Anchista*, 343  
*Anchitrema*, 299  
*Anchocerus*, 409  
*Anchomenus*, 343  
*Anchylomera*, 632  
*Ancilla*, 713  
*Ancillista*, 713  
*Ancistria*, 397  
*Ancistrocerus*, 548  
*Ancistrocheirus*, 677  
*Ancistroplax*, 621  
*Ancyloides*, 603  
*Ancylolomia*, 555  
*Ancylopus*, 383  
*Ancylosis*, 603  
*Ancyrona*, 424  
*Andamia*, 752  
*Andaspis*, 486  
*Andes*, 481  
*Andara*, 661  
*Andraca*, 553  
*Andrallus*, 499  
*Andraea*, 195  
*Andreimyrmex*, 539  
*Andrena*, 507  
*Androcorys*, 235  
*Andrognathidae*, 332  
*Androsace*, 268  
*Androsus*, 419  
*Androthrips*, 625  
*Anechura*, 424  
*Anectropis*, 564  
*Anellaria*, 141  
*Anelosimus*, 313  
*Anemadiola*, 390  
*Anemadus*, 390  
*Anemone*, 269  
*Aneocia*, 473  
*Aneogmena*, 460  
*Anepsion*, 309  
*Anerastia*, 603  
*Aneugmenus*, 545  
*Aneurobracon*, 510  
*Aneurus*, 476  
*Angaria*, 678  
*Angelica*, 242  
*Angerianus*, 496  
*Angiola*, 698  
*Angiopsora*, 161  
*Angiopteris*, 214  
*Angiscala*, 686  
*Angonyx*, 607  
*Anguilla*, 738
- Anguipecten*, 667  
*Angularella*, 297  
*Angulus*, 673  
*Angulyagra*, 702  
*Angustalius*, 555  
*Angustassiminea*, 693  
*Ania*, 235  
*Anicetus*, 522  
*Aniculus*, 636  
*Anigraea*, 583  
*Anigrus*, 495  
*Anisakis*, 301  
*Aniselytron*, 227  
*Anisephyra*, 564  
*Anisobas*, 530  
*Anisocorbula*, 663  
*Anisodactylus*, 343  
*Anisodes*, 564  
*Anisodonta*, 673  
*Anisogomphus*, 618  
*Anisolabis*, 424  
*Anisomeles*, 260  
*Anisomeridium*, 133  
*Anisomeristes*, 374  
*Anisonema*, 33  
*Anisoneura*, 583  
*Anisopilothers*, 627  
*Anisops*, 499  
*Anisopteromalus*, 542  
*Anisostira*, 419  
*Anisotoma*, 390  
*Ankistrodesmus*, 189  
*Ankistrus*, 481  
*Ankylopteryx (Ankylopteryx)*, 615  
*Ankylopteryx (Sencera)*, 615  
*Ankyra*, 183  
*Annachlamys*, 667  
*Anneslea*, 281  
*Annulaturris*, 715  
*Anochetus*, 525  
*Anodendron*, 258  
*Anodonta*, 669  
*Anodontia*, 671  
*Anodontodes*, 583  
*Anoectangium*, 211  
*Anoectochilus*, 235  
*Anogramma*, 214  
*Anomala*, 399  
*Anomalina*, 38  
*Anomalinella*, 38  
*Anomalocardia*, 674  
*Anomalocera*, 400  
*Anomalon*, 530  
*Anomalops*, 742  
*Anomalosiphum*, 490  
*Anomalosiphum*, 504  
*Anomia*, 666  
*Anomis*, 583  
*Anomobryum*, 196  
*Anomodon*, 206  
*Anomoeoneis*, 58  
*Anomognathus*, 409  
*Anomoia*, 462  
*Anomophysis*, 350
- Anomotarus*, 343  
*Anomoterga*, 501  
*Anoncotaenia*, 297  
*Anophelinae (Anophelinae)*, 436  
*Anophelinae (Cellia)*, 436  
*Anoplius*, 540  
*Anoplocnemis*, 484  
*Anoploderomorpha*, 350  
*Anoplolepis*, 525  
*Anoplophora*, 350  
*Anoplophora (Anoplophora)*, 350  
*Anoratha*, 583  
*Anorthoa*, 583  
*Anorthoneis*, 51  
*Anothopoda*, 306  
*Anotogaster*, 618  
*Anotylus*, 409  
*Anourosorex*, 795  
*Anous*, 786  
*Anredera*, 248  
*Anser*, 784  
*Antalthes*, 555  
*Antedon*, 729  
*Antenella*, 87  
*Antennarius*, 747  
*Antennatus*, 747  
*Anteon*, 521  
*Antepipona*, 548  
*Anterhynchium*, 548  
*Antha*, 584  
*Anthaxia*, 339  
*Anthelephila*, 334  
*Anthelia*, 290  
*Anthenea*, 729  
*Anthenoides*, 729  
*Antheraea*, 606  
*Antherigona (Acritochaeta)*, 447  
*Anthessius*, 331  
*Anthicoclerus*, 370  
*Anthicus*, 334  
*Anthina*, 94  
*Anthinobaris*, 375  
*Anthocidaris*, 731  
*Anthocomus*, 393  
*Anthocoptes*, 306  
*Anthocytidium*, 47  
*Anthomyia*, 426  
*Anthonomus*, 375  
*Anthonympha*, 603  
*Anthophila*, 554  
*Anthophora*, 508  
*Anthophysa*, 69  
*Anthophora*, 508  
*Anthostomella*, 136  
*Anthoxanthum*, 227  
*Anthracalaus*, 380  
*Anthracobia*, 127  
*Anthracophaga*, 433  
*Anthracophora*, 400  
*Anthracothecium*, 133  
*Anthracus*, 343  
*Anthrax*, 429

## 屬名索引

- Anthrenus* (*Anthrenodes*), 377  
*Anthus*, 790  
*Anthyria*, 564  
*Anticarsia*, 584  
*Anticlea*, 564  
*Antidesma*, 252  
*Antigastra*, 555  
*Antigius*, 579  
*Antigona*, 674  
*Antigonia*, 754  
*Antigonon*, 267  
*Antillesoma*, 661  
*Antilochus*, 502  
*Antilycauges*, 564  
*Antimora*, 746  
*Antipalus*, 427  
*Antiperchnia*, 564  
*Antipodium*, 94  
*Antisabia*, 697  
*Antisolarium*, 681  
*Antitrichia*, 207  
*Antitrygodes*, 564  
*Antivaleria*, 584  
*Antocha* (*Antocha*), 464  
*Antonina*, 500  
*Antrocephalus*, 516  
*Antrodiia*, 152  
*Antrodiella*, 146  
*Antromyces*, 94  
*Antrophyum*, 222  
*Antropoides*, 788  
*Antropora*, 726  
*Anufrievia*, 478  
*Anuga*, 584  
*Anuraea*, 302  
*Anuraeopsis*, 302  
*Anuretes*, 657  
*Anuropus*, 654  
*Anyperodon*, 770  
*Anzia*, 107  
*Aongstroemia*, 198  
*Aonidia*, 486  
*Aonidiella*, 486  
*Aonidomytilus*, 486  
*Aoplus*, 530  
*Aoria*, 361  
*Aoria* (*Aoria*), 361  
*Aoria* (*Osnaparis*), 361  
*Apalochrus*, 393  
*Apamea*, 584  
*Apanteles*, 510  
*Apatania*, 630  
*Apataxia*, 699  
*Apatemon*, 300  
*Apatenia*, 335  
*Apatrobus*, 343  
*Apatura*, 598  
*Apechthis*, 530  
*Apeleptera*, 609  
*Apenesia*, 509  
*Aperiovula*, 698  
*Apha*, 561  
*Aphaenogaster*, 525  
*Aphalacrosoma*, 437  
*Aphalara*, 501  
*Aphana*, 490  
*Aphanamixis*, 276  
*Aphananthe*, 283  
*Aphaniosoma*, 435  
*Aphanistes*, 530  
*Aphanisticus*, 339  
*Aphanizomenon*, 15  
*Aphanocapsa*, 14  
*Aphanocephalus*, 378  
*Aphanocladium*, 94  
*Aphanoconia*, 679  
*Aphanomyces*, 80  
*Aphanothece*, 14  
*Aphanurus*, 299  
*Aphareus*, 764  
*Apharina*, 409  
*Apharyngostrigea*, 300  
*Aphaulimia*, 335  
*Aphelinus*, 507  
*Apheliona* (*s.str.*), 478  
*Apheliona* (*Sujitettix*), 478  
*Apheloecion*, 49  
*Aphelonema*, 492  
*Aphelopus*, 521  
*Aphidius*, 510  
*Aphis*, 473  
*Aphis* (*Protaphis*), 473  
*Aphodius* (*Acrossus*), 400  
*Aphodius* (*Aganocrossus*), 400  
*Aphodius* (*Aparammoecius*), 400  
*Aphodius* (*Balthasarianus*), 400  
*Aphodius* (*Calamosternus*), 400  
*Aphodius* (*Calaphodius*), 400  
*Aphodius* (*Carinaulus*), 400  
*Aphodius* (*Loboparius*), 400  
*Aphodius* (*Nialus*), 400  
*Aphodius* (*Paulianellus*), 400  
*Aphodius* (*Phalacronothus*), 400  
*Aphodius* (*Pharaphodius*), 400  
*Aphodius* (*Pleuraphodius*), 400  
*Aphodius* (*Sinodipterna*), 400  
*Aphodius* (*Trichaphodius*), 400  
*Aphrastobracon*, 510  
*Aphrodisium*, 350  
*Aphrophora*, 475  
*Aphropsis*, 475  
*Aphthona*, 361  
*Aphthonoides*, 361  
*Aphthonomorpha*, 361  
*Aphthovirus*, 3  
*Aphycus*, 522  
*Aphyllorchis*, 235  
*Aphyocypris*, 744  
*Aphytis*, 507  
*Apicalia*, 690  
*Apionodes*, 375  
*Apios*, 253  
*Apiospora*, 83  
*Apis*, 508  
*Apistonya*, 428  
*Apistus*, 776  
*Apithecina*, 564  
*Apium*, 242  
*Aploactis*, 775  
*Aplochloa*, 564  
*Aplonis*, 791  
*Apluda*, 227  
*Aplysia*, 678  
*Apoa*, 106  
*Apobemisia*, 471  
*Apobletes*, 386  
*Apochima*, 564  
*Apocryptodon*, 757  
*Apocryptus*, 530  
*Apocyclops*, 330  
*Apodemus*, 795  
*Apoderus*, 375  
*Apodiptacus*, 304  
*Apodynerus*, 548  
*Apogon*, 751  
*Apogonia*, 400  
*Apogonichthys*, 751  
*Apolecta*, 335  
*Apolemia*, 295  
*Apolemichthys*, 767  
*Apolygus*, 496  
*Apomecyna*, 350  
*Apomyeloides*, 603  
*Apona*, 561  
*Aponedyopus*, 332  
*Aponogeton*, 235  
*Aponomma*, 319  
*Aponychus*, 303  
*Apophua*, 530  
*Apophyllia*, 361  
*Apophysius*, 530  
*Apophlophora*, 318  
*Aporia*, 602  
*Aporinelliellus*, 541  
*Aporinellus*, 541  
*Aporobopyrus*, 654  
*Aporrectodea*, 658  
*Aporus*, 541  
*Apospasta*, 584  
*Apotomis*, 609  
*Appendicula*, 235  
*Appias*, 602  
*Appisana*, 703  
*Aprestes*, 521  
*Aprifrontalia*, 311  
*Aprion*, 764  
*Apriona*, 350  
*Apristurus*, 735  
*Aprimetopis*, 433  
*Aprostocetus*, 523  
*Apsarasa*, 584  
*Apsilochorema*, 629  
*Aptereucyrtus*, 419  
*Apterogaleruca*, 361  
*Apterygida*, 424  
*Aptychella*, 205  
*Apus*, 784  
*Apyrgota*, 452  
*Aquabirnavirus*, 8  
*Aquareovirus*, 8  
*Aquarius*, 490  
*Aquila*, 784  
*Arabis*, 247  
*Arachis*, 254  
*Arachniodes*, 218  
*Arachnis*, 235  
*Arachnocephalus*, 620  
*Arachnoides*, 730  
*Arachnoidiscus*, 71  
*Arachnophora*, 94  
*Arachnura*, 309  
*Aracima*, 564  
*Aradus*, 476  
*Araeaspis*, 523  
*Araecerus*, 335  
*Araeosoma*, 731  
*Araistostegia*, 217  
*Aralia*, 241  
*Araneus*, 309  
*Araragi*, 579  
*Arasada*, 584  
*Arbela*, 498  
*Arbolygus*, 496  
*Arboridia* (*Arboridia*), 478  
*Arborophila*, 788  
*Arbudas*, 613  
*Arca*, 662  
*Arcania*, 640  
*Arcella*, 48  
*Archaeocasis*, 564  
*Archamia*, 752  
*Archangiapteris*, 214  
*Archaphidius*, 510  
*Archaster*, 729  
*Archidendron*, 254  
*Archilobesia*, 609  
*Archips*, 609  
*Archipsocus*, 623  
*Architectonica*, 686  
*Archnoidiscus*, 71  
*Archnosphaera*, 45  
*Arcocellulus*, 54  
*Arcopella*, 673  
*Arcoppia*, 318  
*Arcopsis*, 662  
*Arcte*, 584  
*Arctomelon*, 719  
*Arctopsyche*, 628  
*Arctormis*, 580  
*Arctosa*, 311  
*Arcuator*, 433  
*Arcyria*, 36  
*Ardea*, 785  
*Ardeola*, 785  
*Ardhachandra*, 123  
*Ardisia*, 268  
*Ardonis*, 564  
*Areas*, 550

## 屬名索引

- Arenaria*, 248  
*Arenaria*, 787  
*Arenavirus*, 10  
*Arenga*, 224  
*Arenimitra*, 708  
*Arenimonas*, 21  
*Argas*, 319  
*Arge*, 509  
*Argemone*, 266  
*Argenis*, 496  
*Argentina*, 740  
*Argina*, 550  
*Argiope*, 309  
*Argogorytes*, 517  
*Argonauta*, 676  
*Argopecten*, 667  
*Argopistes*, 361  
*Argopus*, 361  
*Argostemma*, 273  
*Arguda*, 576  
*Argynnis*, 598  
*Argyactia*, 550  
*Argyreia*, 279  
*Argyresthia*, 613  
*Argyreus*, 598  
*Argyrodes*, 313  
*Argyrogramma*, 584  
*Argyropelecus*, 778  
*Argyrophylax*, 460  
*Argyrops*, 772  
*Argyrosomus*, 770  
*Argyrotoxa*, 609  
*Arhaphes*, 380  
*Arhopala*, 579  
*Arhopalus*, 350  
*Arhythmorhynchus*, 301  
*Aria*, 271  
*Ariadna*, 312  
*Ariadne*, 598  
*Arichanna*, 564  
*Aridelus*, 510  
*Arielulus*, 794  
*Arietellus*, 322  
*Ariomma*, 752  
*Ariophanta*, 724  
*Ariosoma*, 738  
*Arippara*, 603  
*Ariptyelus*, 475  
*Arisaema*, 223  
*Aristaeomorpha*, 634  
*Aristaeopsis*, 634  
*Aristomorpha*, 634  
*Aristeus*, 634  
*Aristichthys*, 744  
*Aristida*, 227  
*Aristobia*, 350  
*Aristocypha*, 617  
*Aristolochia*, 242  
*Aristotelia*, 562  
*Aritranis*, 530  
*Arius*, 778  
*Armata*, 84  
*Armatella*, 113  
*Armigeres (Armigeres)*, 436  
*Armigeres (Leicesteria)*, 436  
*Armillariella*, 143  
*Armostus*, 388  
*Arna*, 581  
*Arnoglossus*, 774  
*Aroa*, 581  
*Arocatus*, 494  
*Aroplectrus*, 523  
*Arotes*, 530  
*Aratron*, 780  
*Arractoerus*, 393  
*Arrhenatherum*, 227  
*Arrhenophagus*, 522  
*Arrup*, 320  
*Artema*, 311  
*Artemisia*, 243  
*Artena*, 584  
*Arterivirus*, 1  
*Arthobotryum*, 94  
*Arthonia*, 85  
*Arthraxon*, 227  
*Arthrinium*, 83  
*Arthroascus*, 140  
*Arthrobacter*, 13  
*Arthrobotrys*, 138  
*Arthrocardia*, 177  
*Arthrodesmus*, 191  
*Arthrolipes*, 374  
*Arthrolips*, 374  
*Arthromacra*, 419  
*Arthromeris*, 220  
*Arthropoma*, 727  
*Arthropteris*, 219  
*Arthrospira*, 16  
*Arthrostylidium*, 227  
*Arthrotus*, 361  
*Arthula*, 530  
*Articulospora*, 94  
*Artipe*, 579  
*Artocarpus*, 282  
*Artona*, 613  
*Artostrobium*, 45  
*Arundina*, 235  
*Arundinaria*, 227  
*Arundinella*, 228  
*Arundo*, 228  
*Arxiella*, 94  
*Arytaina*, 501  
*Asahinea*, 109  
*Asamangulia*, 361  
*Asaperda*, 350  
*Asaphidion*, 343  
*Asaphis*, 672  
*Asarkina (Asarkina)*, 456  
*Asarum*, 242  
*Asca*, 315  
*Ascalaphomerus*, 628  
*Ascalaphus*, 615  
*Ascaphium*, 409  
*Ascetoderes*, 337  
*Aschersonia*, 102  
*Asclepias*, 258  
*Asclepios*, 490  
*Ascobolus*, 126  
*Ascocentrum*, 235  
*Ascochyta*, 116  
*Ascocoryne*, 93  
*Ascodesmis*, 127  
*Ascogaster*, 510  
*Ascogregarina*, 25  
*Ascomorpha*, 302  
*Ascoschoengastia*, 320  
*Ascotaiwania*, 134  
*Ascotis*, 564  
*Asemorhinus*, 335  
*Asemum*, 350  
*Aseraggodes*, 775  
*Aseroe*, 150  
*Asetacus*, 304  
*Asfivirus*, 5  
*Ashibus*, 554  
*Ashinaga*, 601  
*Ashtoret*, 641  
*Asiablatta*, 333  
*Asiacornococcus*, 489  
*Asiagomphus*, 618  
*Asialeyrodes*, 471  
*Asiaster*, 386  
*Asiates*, 350  
*Asidemia*, 584  
*Asidoblaps*, 419  
*Asiemphytus*, 545  
*Asimoneura*, 462  
*Asio*, 793  
*Asiomorpha*, 332  
*Asiorestia*, 361  
*Asipodabrus*, 341  
*Asobara*, 511  
*Asosylus*, 337  
*Asota*, 584  
*Asparagopsis*, 175  
*Asparagus*, 233  
*Aspasma*, 757  
*Aspasmichthys*, 757  
*Aspella*, 710  
*Asperdaphne*, 715  
*Aspergillus*, 90  
*Aspicolpus*, 511  
*Aspidestrophus*, 499  
*Aspidiella*, 486  
*Aspidimerus*, 371  
*Aspidiotus*, 486  
*Aspidisca*, 26  
*Aspidistra*, 233  
*Aspidobracon*, 511  
*Aspidobyctiscus*, 375  
*Aspidomorpha*, 361  
*Aspidontus*, 752  
*Aspidosiphon*, 661  
*Asplanchna*, 302  
*Asplenium*, 215  
*Asprella*, 705  
*Assara*, 603  
*Assessor*, 766  
*Assilina*, 43  
*Assimine*, 693  
*Assulina*, 37  
*Astaculus*, 42  
*Astacte*, 669  
*Astasia*, 30  
*Astathes*, 350  
*Astathesa*, 350  
*Astegopteryx*, 491  
*Asteia*, 428  
*Astenus*, 409  
*Aster*, 243  
*Asterias*, 728  
*Asteridiella*, 113  
*Asterina*, 132  
*Asterina*, 729  
*Asterinella*, 115  
*Asterinidae*, 729  
*Asterionella*, 54  
*Asterobemisia*, 471  
*Asterocalyx*, 94  
*Asterocheres*, 657  
*Asterococcus*, 188  
*Asterodiaspis*, 476  
*Asterolampra*, 69  
*Asterolecanium*, 476  
*Asterolibertia*, 133  
*Asteromphalus*, 71  
*Asteronema*, 77  
*Asterophlyctis*, 169  
*Asteropsis*, 729  
*Asterorhombus*, 774  
*Asterotalia*, 43  
*Asterospicularia*, 290  
*Asterostroma*, 156  
*Asteropteryx*, 758  
*Asthen*, 564  
*Asthenognathus*, 647  
*Astilbe*, 273  
*Astiphromma*, 530  
*Astochia*, 427  
*Astomaspis*, 530  
*Astragalus*, 254  
*Astralium*, 682  
*Astrenis*, 530  
*Astreopora*, 291  
*Astriclypeus*, 730  
*Astrocladus*, 733  
*Astronesthes*, 779  
*Astronia*, 264  
*Astronion*, 43  
*Astropecten*, 728  
*Astropectinidae*, 728  
*Astrophaera*, 45  
*Astropyga*, 730  
*Astroscopometopus*, 496  
*Astrosphaera*, 47  
*Astrosphaeriella*, 129  
*Astrothauma*, 729  
*Astrothelium*, 133  
*Astrothrips*, 627  
*Astrovirus*, 1  
*Asura*, 551  
*Assardia*, 551  
*Asurpopsis*, 551  
*Asymmetrarcha*, 609  
*Asyndetus*, 437  
*Asystasia*, 277  
*Asystasiella*, 277  
*Atacira*, 584  
*Atactodea*, 671  
*Atadenovirus*, 5

## 屬名索引

- Ataenius*, 400  
*Atanygnathus*, 409  
*Atanyjoppa*, 530  
*Atarba (Atarbodes)*, 464  
*Ategumia*, 555  
*Ateleopus*, 740  
*Ateleute*, 530  
*Atelomycterus*, 735  
*Atenisodus*, 409  
*Atergatis*, 652  
*Atergatopsis*, 652  
*Aterpia*, 609  
*Ateuchocephala*, 299  
*Ateuchosaurus*, 783  
*Athalia*, 545  
*Athelges*, 654  
*Athemus (Athemellus)*, 341  
*Athene*, 793  
*Atherinomorus*, 740  
*Atherion*, 741  
*Atherix*, 453  
*Athermantus*, 509  
*Atheta*, 409  
*Athetis*, 584  
*Athlophorus*, 545  
*Atholus*, 386  
*Athous*, 380  
*Athrips*, 562  
*Athyma*, 599  
*Athymoris*, 577  
*Athyrium*, 216  
*Athyroglossa*, 444  
*Athysanus*, 485  
*Atimia*, 350  
*Atimura*, 350  
*Atinellia*, 335  
*Atissa*, 444  
*Atlanta*, 689  
*Atomaria (Anchicera)*, 374  
*Atomarops*, 384  
*Atopolinus*, 409  
*Atopophysa*, 564  
*Atopopompilus*, 541  
*Atrachea*, 584  
*Atrachya*, 361  
*Atractilina*, 94  
*Atriadops*, 450  
*Atrichadenotecnum*, 624  
*Atrichonota*, 383  
*Atrichopogon*, 430  
*Atrichum*, 210  
*Atrina*, 664  
*Atriplex*, 248  
*Atrobucca*, 770  
*Atrophaneura*, 601  
*Atropus*, 754  
*Atrosalarias*, 752  
*Attacus*, 606  
*Attalus*, 393  
*Attheya*, 70  
*Attonda*, 584  
*Atule*, 754  
*Atylotus*, 459  
*Atyopsis*, 634  
*Atypopenaeus*, 646  
*Atypus*, 310  
*Atys*, 684  
*Atysa*, 361  
*Auaxa*, 564  
*Auaztellodes*, 560  
*Auchenai (Pedrillia)*, 361  
*Auchenia (Pedrillia)*, 361  
*Auchmis*, 584  
*Aucuba*, 249  
*Auerswaldiella*, 87  
*Augaptilus*, 322  
*Augasmus*, 397  
*Augolesthus*, 419  
*Aulacaspis*, 486  
*Aulacocentrum*, 511  
*Aulacocephalus*, 770  
*Aulacochilus*, 384  
*Aulacodiscus*, 74  
*Aulacofusus*, 703  
*Aulacolambrus*, 646  
*Aulaconotus*, 350  
*Aulacophora*, 361  
*Aulacorthum*, 473  
*Aulacorthum (Neomyzus)*, 473  
*Aulacorthum (Perillaphis)*, 473  
*Aulana*, 456  
*Auletobius*, 375  
*Auliscus*, 74  
*Aulodrilus*, 659  
*Aulonosoma*, 397  
*Aulophorus*, 659  
*Aulopus*, 741  
*Aulostomus*, 746  
*Aulotrachichthys*, 743  
*Auplopus*, 541  
*Aurana*, 603  
*Aureobasidium*, 94  
*Auricula*, 56  
*Auricularia*, 146  
*Auriculastra*, 683  
*Auriculodes*, 683  
*Auriscalpium*, 156  
*Ausrolimmophila (Austrolimmophila)*, 464  
*Austinogebia*, 651  
*Australomussa*, 294  
*Australosepsis*, 454  
*Austriphorocera*, 460  
*Austroboletus*, 147  
*Austroceratoppia*, 318  
*Austroclimaciella*, 616  
*Austroenpatorium*, 243  
*Austrolethops*, 758  
*Austropelea*, 683  
*Austrophasiopsis*, 460  
*Austrorossia*, 676  
*Austroteredo*, 663  
*Austrotoma*, 715  
*Austrozele*, 511  
*Autalia*, 409  
*Autoba*, 584  
*Autocharis*, 555  
*Autoicomycetes*, 106  
*Automate*, 634  
*Autonopis*, 375  
*Autotropis*, 335  
*Auxis*, 770  
*Auzata*, 560  
*Avatha*, 584  
*Avena*, 228  
*Avencymon*, 383  
*Aviadenovirus*, 5  
*Avibirnavirus*, 8  
*Aviceda*, 784  
*Avicennia*, 261  
*Avihepadnavirus*, 7  
*Aviostivalus*, 625  
*Avipoxvirus*, 7  
*Aviticis*, 375  
*Avitta*, 584  
*Avocettina*, 739  
*Avrainvillea*, 182  
*Awaous*, 758  
*Awes*, 409  
*Axelella*, 704  
*Axiagastus*, 499  
*Axinoptera*, 564  
*Axinoscymnus*, 371  
*Axinota*, 437  
*Axinyssa*, 288  
*Axiopsis*, 634  
*Axonopus*, 228  
*Axylia*, 584  
*Aythya*, 784  
*Ayyaria*, 627  
*Azaleothrips*, 625  
*Azolla*, 217  
*Azonexus*, 20  
*Azorinus*, 672  
*Azospirillum*, 19  
*Azpeytia*, 457  
*Azumamorula*, 710  
*Babadrasterius*, 380  
*Babalimmichus*, 391  
*Babelomurex*, 707  
*Babuvirus*, 9  
*Babylonia*, 703  
*Bacanius*, 386  
*Baccha*, 457  
*Baccha (Allobaccha)*, 457  
*Baccha (Baccha)*, 457  
*Bacchisa*, 350  
*Bacciger*, 301  
*Bacidia*, 107  
*Bacillaria*, 52  
*Bacillus*, 18  
*Backusella*, 173  
*Bacopa*, 278  
*Bacteriastrium*, 72  
*Bactericera*, 504  
*Bacteridium*, 94  
*Bactra*, 609  
*Bactrocera (Bactrocera)*, 462  
*Bactrocera (Zeugodacus)*, 462  
*Bactrodesmium*, 87  
*Bactromyia*, 460  
*Bactronophorus*, 663  
*Bactrothrips*, 625  
*Baculentulus*, 622  
*Baculogypsina*, 38  
*Baculogysinoidea*, 38  
*Badamia*, 575  
*Badellia*, 553  
*Badhamia*, 34  
*Badnavirus*, 7  
*Baeacis*, 511  
*Baeocera*, 410  
*Baeochila*, 504  
*Baeomyces*, 107  
*Baeosciara*, 454  
*Baeospora*, 143  
*Baeoura*, 464  
*Baetiella*, 469  
*Baetis*, 469  
*Bagada*, 584  
*Bagcheea*, 86  
*Baggia*, 38  
*Bahusutrabeeja*, 94  
*Baibarana*, 477  
*Baizongia*, 499  
*Bajacalifornia*, 740  
*Bakerina*, 303  
*Bakeronymus*, 548  
*Balaenoptera*, 793  
*Balala*, 492  
*Balaninus*, 375  
*Balanophora*, 275  
*Balansia*, 103  
*Balanus*, 656  
*Balataea*, 613  
*Balcha*, 524  
*Balcis*, 690  
*Balclutha*, 485  
*Baliga*, 616  
*Balistapus*, 779  
*Balistoides*, 779  
*Balladyna*, 26  
*Balladyna*, 84  
*Balladynastrum*, 84  
*Baloghobates*, 317  
*Balta*, 333  
*Baltazaria*, 530  
*Bambusa*, 228  
*Bambusaspis*, 476  
*Bambusicola*, 788  
*Banareia*, 652  
*Bandar*, 350  
*Bandicota*, 795  
*Bangia*, 175  
*Banisia*, 608  
*Banjos*, 752  
*Bankia*, 663  
*Banksinoma*, 319  
*Barabattoia*, 292  
*Barathronus*, 749  
*Barbarea*, 247  
*Barbastella*, 794  
*Barbatia*, 662  
*Barbella*, 207  
*Barbonymus*, 744  
*Barbula*, 211

## 屬名索引

- Barbuligobius*, 758  
*Bareogonalos*, 548  
*Barichneumon*, 530  
*Baris*, 375  
*Barleeia*, 693  
*Barnardia*, 233  
*Barnea*, 663  
*Barrimysia*, 671  
*Barringtonia*, 263  
*Bartalinia*, 95  
*Barthea*, 264  
*Bartramia*, 195  
*Bartramidula*, 195  
*Baruna*, 635  
*Baryrrhynchus*, 337  
*Baryspira*, 713  
*Basanopsis*, 419  
*Basantisia*, 300  
*Basanus*, 419  
*Bascanichthys*, 739  
*Basella*, 248  
*Basidiobolus*, 170  
*Basilepta*, 361  
*Basilicum*, 260  
*Basilobelba*, 316  
*Basilometra*, 729  
*Basipionota*, 362  
*Basiprionota*, 362  
*Basitropis*, 335  
*Bassia*, 295  
*Bassozetus*, 749  
*Bassus*, 511  
*Bathanthidium*, 538  
*Bathophilus*, 779  
*Bathothauma*, 677  
*Bathrips*, 627  
*Bathyarca*, 662  
*Bathycalanus*, 325  
*Bathycallionymus*, 753  
*Bathyclupea*, 752  
*Bathycongrus*, 738  
*Bathygadus*, 745  
*Bathygobius*, 758  
*Bathyliotina*, 679  
*Bathymyrus*, 738  
*Bathynomus*, 654  
*Bathyonus*, 749  
*Bathypalaemonella*, 634  
*Bathypalaemonetes*, 634  
*Bathyphylax*, 781  
*Bathypolypus*, 676  
*Bathypterois*, 741  
*Bathyrāja*, 737  
*Bathysiphon*, 38  
*Bathysphyraenops*, 766  
*Bathysquilla*, 654  
*Bathystylodactylus*, 651  
*Bathytellina*, 673  
*Bathyteuthis*, 677  
*Bathythrix*, 530  
*Bahytoma*, 715  
*Bahytormus*, 670  
*Bahytroctes*, 740  
*Bahytyphlops*, 741  
*Bahyuroconger*, 738  
*Batillaria*, 699  
*Batissa*, 670  
*Batocera*, 350  
*Batopila*, 362  
*Batozonellus*, 541  
*Batracharta*, 584  
*Batrachedra*, 553  
*Batraxis*, 410  
*Batribolbus*, 410  
*Batriscenodes*, 410  
*Batrisiella*, 410  
*Batrisocenus*, 410  
*Batrisodes*, 410  
*Bauhinia*, 254  
*Bayadera*, 618  
*Beara*, 595  
*Beauveria*, 103  
*Beccariola*, 383  
*Bedeva*, 710  
*Begomovirus*, 9  
*Begonia*, 284  
*Beilschmiedia*, 262  
*Belamcanda*, 233  
*Belba*, 317  
*Belenus*, 504  
*Beleses*, 545  
*Belesidea*, 545  
*Belionota*, 339  
*Beliops*, 766  
*Belippa*, 578  
*Bellochea*, 70  
*Bellucina*, 671  
*Belomys*, 795  
*Belonepterygion*, 766  
*Belonoperca*, 770  
*Belonuchus*, 410  
*Belosynapsis*, 224  
*Beltrania*, 95  
*Beltraniella*, 135  
*Beltraniopsis*, 95  
*Belvisia*, 220  
*Bembecinus*, 517  
*Bembidion*, 343  
*Bembix*, 518  
*Bembras*, 775  
*Bembrops*, 766  
*Bemisia*, 471  
*Benbowia*, 597  
*Bengalia*, 429  
*Benibotarus*, 392  
*Benimakia*, 708  
*Benna*, 481  
*Benthamidia*, 249  
*Bentharca*, 662  
*Benthia*, 554  
*Benthobatis*, 737  
*Benthodesmus*, 773  
*Benthopanope*, 647  
*Benthosema*, 748  
*Benthovoluta*, 715  
*Bentyra*, 530  
*Berberentulus*, 622  
*Berberis*, 268  
*Berbyce*, 291  
*Berchemia*, 270  
*Bergia*, 281  
*Berkleasmium*, 95  
*Berosus*, 388  
*Berotha*, 615  
*Berrya*, 264  
*Berta*, 564  
*Bertia*, 86  
*Bertsa*, 496  
*Bertula*, 584  
*Besaia (Achepydna)*, 597  
*Besaia (Besaia)*, 597  
*Besaia (Ogulina)*, 597  
*Bessa*, 460  
*Bestiolina*, 326  
*Besuchetionella*, 390  
*Betacixius*, 481  
*Betaeus*, 634  
*Betanodavirus*, 3  
*Betanodavirus*, 11  
*Betaphycus*, 179  
*Betaretrovirus*, 8  
*Betashachia*, 597  
*Betasyrphus*, 457  
*Beybienkoana*, 619  
*Bezzia*, 430  
*Bharetta*, 576  
*Blasticus*, 502  
*Bibio*, 428  
*Bicellaria*, 443  
*Biddulphia*, 70  
*Bidens*, 243  
*Biemna*, 288  
*Bifidobacterium*, 13  
*Biflagellospora*, 95  
*Bigelowina*, 655  
*Bigenerina*, 44  
*Bilia*, 473  
*Biloculinella*, 41  
*Biloculinella (Pyrgoella)*, 41  
*bimaculata*, 350  
*Bimastos*, 658  
*Biophytum*, 259  
*Biorbulina*, 45  
*Bioxys*, 511  
*Bipalium*, 301  
*Biphyllus*, 337  
*Bipolaris*, 130  
*Birgus*, 635  
*Birmella*, 545  
*Birhana*, 576  
*Bischoffitilla*, 539  
*Bischofia*, 252  
*Biscogniauxia*, 136  
*Bispora*, 93  
*Bisporella*, 93  
*Biston*, 564  
*Bithynia*, 693  
*Bitias*, 644  
*Bitoma*, 374  
*Bittacus*, 614  
*Bittium*, 693  
*Bivescula*, 300  
*Bjerkandera*, 152  
*Blacus*, 511  
*Blaesoxipha*, 453  
*Blakeslea*, 171  
*Blaptostethoides*, 473  
*Blasicrura*, 695  
*Blasticorhinus*, 584  
*Blasticotoma*, 510  
*Blastobasis*, 553  
*Blastobotrys*, 95  
*Blastocladia*, 168  
*Blastomussa*, 294  
*Blastophaga*, 506  
*Blastophagus*, 406  
*Blastophorum*, 95  
*Blastospora*, 159  
*Blastus*, 264  
*Blattella*, 333  
*Blechnum*, 217  
*Blechum*, 277  
*Bledius*, 410  
*Bleekeria*, 751  
*Blenina*, 595  
*Blenniella*, 752  
*Blepephaeus*, 350  
*Blepharicerinae*, 428  
*Blepharipa*, 460  
*Blepharisma*, 25  
*Blepharita*, 584  
*Blepharoctenucha*, 564  
*Bletilla*, 235  
*Blindia*, 212  
*Blitopertha*, 400  
*Blomia*, 315  
*Blumea*, 243  
*Blysmia*, 337  
*Blyxa*, 232  
*Bocana*, 584  
*Bocchoris*, 555  
*Bocula*, 584  
*Bodianus*, 761  
*Bodo*, 49  
*Boehmeria*, 283  
*Boenninghausenia*, 275  
*Boergesenia*, 190  
*Boerhavia*, 248  
*Bohadschia*, 732  
*Boidinia*, 157  
*Boiga*, 782  
*Bolacothrips*, 627  
*Bolbelasmus*, 337  
*Bolbitis*, 219  
*Bolbitius*, 141  
*Bolbochromus*, 337  
*Bolboerodema*, 337  
*Bolbometopon*, 769  
*Bolbomorphus*, 383  
*Bolboschoenus*, 225  
*Bolbotypes*, 385  
*Bolcocius*, 374  
*Boleophthalmus*, 758  
*Boletellus*, 147  
*Boletinus*, 148  
*Boletoxenus*, 419  
*Boletus*, 147  
*Bolinichthys*, 748  
*Bolitaena*, 677  
*Bolithochara*, 410

## 屬名索引

- Bolitogyrus*, 410  
*Bolitophila* (*Bolitophila*), 428  
*Bolitophila* (*Clipisa*), 428  
*Bolitotrogus*, 419  
*Bolivina*, 38  
*Bolivina* (*Brizalina*), 38  
*Bolivinita*, 38  
*Bolliella*, 40  
*Bolma*, 682  
*Boloria*, 599  
*Bombax*, 263  
*Bombus*, 508  
*Bombus* (*Pyrobombus*), 508  
*Bombycilla*, 789  
*Bombylius*, 429  
*Bombyx*, 553  
*Bomolochus*, 331  
*Bonartemis*, 674  
*Bondarzewia*, 156  
*Bonellitia*, 704  
*Boninena*, 723  
*Boodlea*, 190  
*Boophilus*, 319  
*Bootania*, 547  
*Bopyroides*, 654  
*Borbacha*, 564  
*Borbo*, 575  
*Borboresthes*, 419  
*Borbororhinia*, 429  
*Borelis*, 38  
*Boreotrophon*, 710  
*Borkhausenia*, 601  
*Bornavirus*, 10  
*Bornetella*, 190  
*Borniola*, 671  
*Borolinus*, 410  
*Borostomias*, 779  
*Borsippa*, 584  
*Borsonia*, 715  
*Borysthenes*, 481  
*Bosara*, 564  
*Boschniakia*, 278  
*Bosellius*, 501  
*Bostra*, 603  
*Bostrycapulus*, 693  
*Bostrychanthera*, 260  
*Bostrychia*, 176  
*Bostrychopsis*, 337  
*Bostrychus*, 756  
*Botanophila*, 426  
*Botaurus*, 785  
*Bothriochloa*, 228  
*Bothriocyrtum*, 310  
*Bothriomiris*, 496  
*Bothriomyrmex*, 525  
*BothriospERMUM*, 260  
*Bothrocalvia*, 371  
*Bothrocarra*, 774  
*Bothrogonia*, 478  
*Bothropolys*, 321  
*Bothus*, 774  
*Bothynogria*, 419  
*Botocudo*, 494  
*Botrychium*, 214  
*Botrydiopsis*, 77  
*Botryobasidium*, 148  
*Botryocladia*, 180  
*Botryococcus*, 188  
*Botryodiplodia*, 87  
*Botryonopa*, 362  
*Botryopyle*, 45  
*Botryosphaeria*, 87  
*Botryosporium*, 95  
*Botryostrobilus*, 47  
*Botrytis*, 94  
*Botula*, 663  
*Botyodes*, 555  
*Boulaya*, 206  
*Bovine leukemia virus*, 7  
*Bovista*, 143  
*Boylea*, 331  
*Brabira*, 565  
*Brachiaria*, 228  
*Brachichila*, 344  
*Brachida*, 410  
*Brachidontes*, 663  
*Brachinus*, 344  
*Brachionus*, 302  
*Brachiosphaera*, 95  
*Brachirus*, 775  
*Brachmia*, 562  
*Brachyaulax*, 503  
*Brachybacterium*, 13  
*Brachycaudus*, 473  
*Brachyceutera*, 444  
*Brachycorythis*, 235  
*Brachycyrtus*, 530  
*Brachydiplax*, 618  
*Brachygaster*, 525  
*Brachylaima*, 298  
*Brachylecithum*, 299  
*Brachymenium*, 196  
*Brachymeria*, 516  
*Brachypeplus* (*Brachypeplus*), 396  
*Brachypeplus* (*Selis*), 396  
*Brachyplatys*, 500  
*Brachypodium*, 228  
*Brachypterois*, 776  
*Brachypterus*, 388  
*Brachypteryx*, 792  
*Brachyrhynchus*, 476  
*Brachyscelus*, 631  
*Brachyscleroma*, 530  
*Brachysiphoniella*, 473  
*Brachysomophis*, 739  
*Brachysporiella*, 135  
*Brachysporium*, 130  
*Brachysybra*, 350  
*Brachytarsina* (*Brachytarsina*), 456  
*Brachythecium*, 196  
*Brachythemis*, 618  
*Brachytoma*, 715  
*Brachytrichia*, 18  
*Brachytripes*, 619  
*Bracon*, 511  
*Bradina*, 555  
*Bradybaena*, 720  
*Bradycellus*, 344  
*Bradydius*, 322  
*Bradymerus*, 419  
*Bradypterus*, 792  
*Bradyrhizobium*, 19  
*Bradysia*, 449  
*Brahmaea*, 553  
*Brahmina*, 400  
*Brama*, 217  
*Brama*, 753  
*Branchiodrilus*, 659  
*Branchioppia*, 318  
*Branchiostegus*, 764  
*Branchiostoma*, 734  
*Branchiura*, 659  
*Branchytrichia*, 15  
*Brasenia*, 266  
*Brasiliomyces*, 89  
*Braunsapis*, 508  
*Braunsia*, 511  
*Bredia*, 264  
*Bregmaceros*, 745  
*Bremia*, 78  
*Brenthia*, 554  
*Bretschneidera*, 276  
*Breutelia*, 196  
*Brevemia*, 500  
*Brevicellicium*, 152  
*Brevicoryne*, 473  
*Breviculala*, 462  
*Brevilegnia*, 80  
*Brevilegniella*, 80  
*Brevipalpus*, 308  
*Brevipecten*, 584  
*Brevundimonas*, 19  
*Breynia*, 252  
*Breynia*, 731  
*Briareum*, 290  
*Bridelia*, 252  
*Brigantiaea*, 108  
*Brimoides*, 375  
*Brissopsis*, 731  
*Brissus*, 731  
*Britha*, 585  
*Brixia*, 481  
*Briza*, 228  
*Brizalina*, 38  
*Brizalina* (*Lugdunum*), 38  
*Brochina*, 693  
*Bromus*, 228  
*Brontispa*, 362  
*Brososoma*, 344  
*Brosomophyciops*, 749  
*Brothera*, 198  
*Brotherella*, 205  
*Brotula*, 750  
*Brotulina*, 749  
*Brotulinella*, 749  
*Broussonetia*, 282  
*Brucea*, 277  
*Bruchophagus*, 524  
*Brugmansia*, 280  
*Brulleia*, 511  
*Brumoides*, 371  
*Brunettia*, 452  
*Brunettia* (*Brunettia*), 452  
*Brunneocorticium*, 143  
*Bryanelllocoris*, 494  
*Bryaninops*, 758  
*Bryaxis*, 410  
*Bryobia*, 303  
*Bryocoris* (*Bryocoris*), 496  
*Bryocoris* (*Colalorrhynchus*), 496  
*Bryoerythrophyllum*, 211  
*Bryohaplodadium*, 204  
*Bryomoia*, 585  
*Bryomyia*, 430  
*Bryonorrisia*, 206  
*Bryophila*, 585  
*Bryophilina*, 585  
*Bryophyllum*, 271  
*Bryopsis*, 181  
*Bryoria*, 109  
*Bryoxiphium*, 198  
*Bryum*, 196  
*Bubonoxena*, 610  
*Bubulcus*, 785  
*Buccinaria*, 715  
*Buccinosphaera*, 47  
*Buccinulum*, 703  
*Buccinum*, 703  
*Bucculacus*, 304  
*Bucculatrix*, 553  
*Bucephala*, 784  
*Bucephalopsis*, 301  
*Buchanania*, 276  
*Buddleja*, 259  
*Buellia*, 111  
*Buergeria*, 782  
*Bufo*, 781  
*Bufoceratias*, 747  
*Bufonaria*, 689  
*Bulbochaete*, 188  
*Bulbophyllum*, 235  
*Bulbostylis*, 225  
*Bulbothrix*, 109  
*Bulenides*, 392  
*Bulgaria*, 93  
*Bulimina*, 38  
*Bulla*, 684  
*Bullacta*, 684  
*Bullera*, 158  
*Bullina*, 684  
*Bulukka*, 511  
*Bulweria*, 786  
*Bumetopia*, 350  
*Bungarus*, 783  
*Bunodophoron*, 112  
*Bunothorax*, 350  
*Buodias*, 530  
*Bupleurum*, 242  
*Buprestis*, 339  
*Buprestis* (*Akiyamaia*), 339  
*Burara*, 575  
*Burkholderia*, 20  
*Burmagomphus*, 618  
*Burmanna*, 235  
*Bursa*, 689  
*Bursaria*, 26

## 屬名索引

- Bursatella*, 678  
*Busarbia*, 545  
*Busarbidea*, 545  
*Busquilla*, 655  
*Butastur*, 784  
*Buteo*, 784  
*Butis*, 756  
*Butorides*, 785  
*Buxbaumia*, 197  
*Buxus*, 252  
*Buysmania*, 530  
*Byasa*, 601  
*Byrrhinus*, 391  
*Byrrhodes*, 334  
*Byrsax*, 419  
*Byssosphaeria*, 129  
*Bystodes*, 383  
*Bystra*, 530  
*Byturus*, 340  
*Cabera*, 565  
*Caberea*, 726  
*Caccobius (Caccobius)*, 401  
*Caccobius (Caccophilus)*, 401  
*Caccodes*, 341  
*Cachonina*, 29  
*Cacia*, 350  
*Cacomantis*, 788  
*Cacopsylla*, 501  
*Cacoxenus (Gitonides)*, 440  
*Cacumisporium*, 95  
*Cadella*, 673  
*Cadinella*, 719  
*Cadra*, 603  
*Cadrena*, 433  
*Cadrina*, 719  
*Caducifer*, 703  
*Cadulus*, 726  
*Caecilius*, 623  
*Caecomycetes*, 169  
*Caecula*, 739  
*Caecum*, 693  
*Caedius*, 419  
*Caelostomus*, 344  
*Caeneressa*, 551  
*Caenis*, 469  
*Caenocoris*, 494  
*Caenolanguria*, 384  
*Caenophloeobius*, 335  
*Caerostris*, 309  
*Caesalpinia*, 254  
*Caesio*, 753  
*Cafius*, 410  
*Cajanus*, 254  
*Calacarus*, 306  
*Calamagrostis*, 228  
*Calamaria*, 782  
*Calamoncosis*, 433  
*Calamorhynchus*, 632  
*Calamotropha*, 555  
*Calamus*, 224  
*Calandra*, 375  
*Calandrella*, 789  
*Calanoides*, 323  
*Calanopia*, 326  
*Calanthe*, 236  
*Calanus*, 323  
*Calappa*, 634  
*Calastacus*, 635  
*Calathodes*, 269  
*Calaxiopsis*, 635  
*Calaxius*, 634  
*Calcarina*, 38  
*Calcarius*, 789  
*Calcinus*, 636  
*Calciopappus*, 68  
*Calciosolenia*, 67  
*Caldariomyces*, 95  
*Caldesia*, 223  
*Caldimonas*, 20  
*Calepitrimerus*, 306  
*Calesia*, 585  
*Calguia*, 604  
*Caliadurgus*, 541  
*Calicasphaera*, 67  
*Calicha*, 565  
*Calicnemia*, 619  
*Calicurgus*, 541  
*Calidris*, 787  
*Caligodes*, 657  
*Caligula*, 606  
*Caligus*, 657  
*Calinaga*, 599  
*Calinipaxa*, 604  
*Calipandalus*, 644  
*Callajoppa*, 530  
*Callambulyx*, 607  
*Callanthias*, 753  
*Callaspidia*, 525  
*Callechelys*, 739  
*Calleida*, 344  
*Callenya*, 579  
*Callerrinnys*, 565  
*Callerya*, 254  
*Calletaera*, 565  
*Callianassa*, 634  
*Callianidea*, 635  
*Calliaster*, 729  
*Calliax*, 634  
*Callibotys*, 555  
*Callicaria*, 371  
*Callicarpa*, 261  
*Callicera*, 457  
*Callicilix*, 560  
*Callicostella*, 201  
*Callidosoma*, 308  
*Callidrepana*, 560  
*Callidula*, 553  
*Callimerus*, 370  
*Callimitra*, 47  
*Calliodontalium*, 726  
*Callionymus*, 753  
*Calliostoma*, 681  
*Calliotectum*, 719  
*Calliotropis*, 681  
*Callipareius*, 337  
*Calliphara*, 503  
*Calliphora*, 429  
*Callirhipis*, 341  
*Callista*, 674  
*Callistethus*, 401  
*Callistochiton*, 725  
*Callistoides*, 344  
*Callistomimus*, 344  
*Callistomyia*, 463  
*Callistopteris*, 213  
*Calliteara*, 581  
*Callitriche*, 246  
*Callitrichia*, 311  
*Callocardia*, 674  
*Callogobius*, 758  
*Callopietria*, 585  
*Callopleiops*, 766  
*Callopliphora*, 350  
*Calloporina*, 727  
*Callosciurus*, 795  
*Calluga*, 565  
*Callygris*, 565  
*Callyna*, 585  
*Callyspongia*  
(*Cladochalina*), 287  
*Callyspongia (Toxochalina)*, 287  
*Callytron*, 344  
*Calocarides*, 634  
*Calocedrus*, 223  
*Calocera*, 149  
*Calochromus*, 392  
*Calocybe*, 145  
*Calodera*, 410  
*Calodromus*, 337  
*Caloglossa*, 176  
*Calomera*, 344  
*Calomicrus*, 362  
*Calommata*, 310  
*Calomycterus*, 375  
*Calomyxa*, 36  
*Calonectria*, 104  
*Calonectris*, 786  
*Caloneis*, 58  
*Calophasia*, 585  
*Calophya*, 477  
*Calophyllum*, 281  
*Caloplaca*, 134  
*Calopogonium*, 254  
*Calopsectra*, 432  
*Caloptilia*, 575  
*Caloscarta*, 477  
*Calosilpha*, 408  
*Calosoma*, 344  
*Calosota*, 524  
*Calosphenisca*, 463  
*Calostoma*, 158  
*Calothrix*, 15  
*Calothyriopeltis*, 87  
*Calothyrium*, 116  
*Calotomus*, 769  
*Calpenia*, 551  
*Calpurnus*, 698  
*Caltoris*, 575  
*Calumia*, 756  
*Calvactaea*, 652  
*Calvatia*, 143  
*Calvia*, 371  
*Calvia (Anisocalvia)*, 371  
*Calvia (Eocaria)*, 371  
*Calybites*, 575  
*Calycina*, 394  
*Calycomyza*, 425  
*Calymmodon*, 219  
*Calymperes*, 210  
*Calyozina*, 509  
*Calyptella*, 145  
*Calyptocarpus*, 243  
*Calyptocerus*, 385  
*Calyptopogon*, 430  
*Calyptopygus*, 375  
*Calyptotheca*, 727  
*Calyptothecium*, 209  
*Calyptra*, 585  
*Calyptraea*, 693  
*Calyptrochaeta*, 201  
*Calyptrolithina*, 67  
*Calyptrolithophora*, 67  
*Calyptromyia*, 460  
*Calythgia*, 279  
*Calythea*, 426  
*Camaena*, 721  
*Camarophyllus*, 145  
*Camatopsis*, 638  
*Camellia*, 281  
*Camioleum*, 410  
*Camitia*, 681  
*Campachipteria*, 316  
*Campanella*, 143  
*Campanula*, 246  
*Campichoeta*, 429  
*Campichthys*, 746  
*Campiglossa*, 463  
*Campoletis*, 530  
*Campontus*, 525  
*Campoplex*, 530  
*Camposcia*, 641  
*Camposporium*, 95  
*Campsicnemus*, 437  
*Campsomeris*, 543  
*Campsomeris*  
(*Campsomeriella*), 543  
*Campsomeris*  
(*Megacampsomeris*), 543  
*Campsomeris*  
(*Phalerimeris*), 543  
*Campsosternus*, 380  
*Camptocladius*, 432  
*Camptoloma*, 595  
*Campptomastix*, 555  
*Camptomeris*, 95  
*Camptoptera*, 540  
*Camptothlipsis*, 511  
*Campotyopus*, 531  
*Campylandra*, 233  
*Campyliadelphus*, 202  
*Campylium*, 202  
*Campyloacantha*, 49  
*Campylocera*, 452  
*Campylodiscus*, 66  
*Campylomma*, 496  
*Campyloneis*, 51

## 屬名索引

- Campyloneurus*, 511  
*Campylopodium*, 198  
*Campylopus*, 198  
*Campylospora*, 95  
*Campylostelium*, 201  
*Campylotes*, 613  
*Campylotropis*, 254  
*Canalicephalus*, 511  
*Canavalia*, 254  
*Cancellaria*, 704  
*Cancer*, 635  
*Cancilla*, 709  
*Canda*, 726  
*Candacia*, 323  
*Candeina*, 38  
*Candida*, 139  
*Candidia*, 744  
*Candidiopotamon*, 649  
*Cangetta*, 555  
*Cania*, 578  
*Canna*, 241  
*Canomaculina*, 109  
*Canoparmelia*, 109  
*Cantacander*, 504  
*Cantao*, 503  
*Cantellius*, 656  
*Cantharellus*, 148  
*Cantharidus*, 681  
*Cantharis*  
(*Taiwanocantharis*), 341  
*Cantharus*, 703  
*Canthelea*, 604  
*Cantherhines*, 780  
*Canthesancus*, 502  
*Canthidermis*, 779  
*Canthigaster*, 780  
*Canthium*, 273  
*Canthocalanus*, 323  
*Cantonius*, 339  
*Canucha*, 560  
*Caphyra*, 648  
*Capidental*, 562  
*Capillaster*, 730  
*Capillipedium*, 228  
*Capillovirus*, 3  
*Capitophorus*, 473  
*Capitulum*, 656  
*Capnella*, 290  
*Capnodes*, 585  
*Capnodium*, 138  
*Capnophaeum*, 138  
*Cappaea*, 499  
*Capparis*, 246  
*Caprimulgus*, 793  
*Caprioxvirus*, 7  
*Caprodon*, 770  
*Capronia*, 86  
*Capsella*, 247  
*Capsicum*, 280  
*Capua*, 610  
*Capulus*, 693  
*Carabodes*, 316  
*Carabus*, 344  
*Caracanthus*, 775  
*Caragobius*, 758  
*Carangoides*, 754  
*Caranx*, 754  
*Carassius*, 744  
*Carbula*, 499  
*Carcelia* (*Carcelia*), 460  
*Carcelia* (*Carceliella*), 460  
*Carcelia* (*Catacarcelia*), 460  
*Carcelia* (*Euryclea*), 460  
*Carcelia* (*Senometopia*), 460  
*Carcharhinus*, 734  
*Carcharias*, 736  
*Carcharodon*, 735  
*Carchesium*, 26  
*Carclia*, 375  
*Carcinophora*, 424  
*Carcinopisthius*, 337  
*Carcinoplax*, 638  
*Carcinops*, 386  
*Cardamine*, 247  
*Cardiandra*, 273  
*Cardiastethus*, 473  
*Cardilia*, 670  
*Cardiochiles*, 511  
*Cardiococcus*, 483  
*Cardiocondyla*, 525  
*Cardiohypnus*, 380  
*Cardiomya*, 665  
*Cardiophorus*, 380  
*Cardiospermum*, 276  
*Cardiotarsus*, 380  
*Cardiovirus*, 3  
*Cardisoma*, 638  
*Cardita*, 670  
*Carditella*, 670  
*Carduelis*, 790  
*Carea*, 595  
*Caretta*, 782  
*Carex*, 225  
*Caridina*, 634  
*Carige*, 565  
*Carinapex*, 715  
*Carinosquilla*, 655  
*Carinostigmus*, 518  
*Carios*, 319  
*Carlavirus*, 3  
*Carludovica*, 224  
*Carmara*, 585  
*Carmentina*, 574  
*Carmovirus*, 5  
*Carodista*, 577  
*Carpatolechia*, 562  
*Carpelimus*, 410  
*Carpesium*, 243  
*Carphuroides*, 394  
*Carphurus*, 394  
*Carpilius*, 635  
*Carpinus*, 257  
*Carpodacus*, 790  
*Carpooni*, 375  
*Carpopeltis*, 179  
*Carpophilus* (*Capophilus*), 396  
*Carpophilus* (*Ecnomorphus*), 396  
*Carpophilus* (*Megacarpolus*), 396  
*Carpophilus* (*Myothorax*), 396  
*Carpophthoarcidia*, 463  
*Carpophthorella*, 463  
*Carposinus*, 406  
*Carrhotus*, 312  
*Carria*, 531  
*Carteria*, 189  
*Carventus*, 476  
*Carychium*, 683  
*Caryopteris*, 261  
*Caryospora*, 85  
*Casearia*, 284  
*Casella*, 719  
*Casinaria*, 531  
*Casmara*, 601  
*Casmaria*, 690  
*Casnonidea*, 420  
*Cassena*, 362  
*Cassia*, 254  
*Cassida*, 362  
*Cassida* (*Alledoya*), 362  
*Cassida* (*Cassida*), 362  
*Cassida* (*Taiwania*), 362  
*Cassidula*, 683  
*Cassidulina*, 38  
*Cassidulina* (*Burseolina*), 38  
*Cassis*, 690  
*Cassolus*, 401  
*Cassyma*, 565  
*Cassytha*, 262  
*Castanea*, 257  
*Castanopsides*, 496  
*Castanopsis*, 257  
*Cataclysta*, 555  
*Catada*, 585  
*Catapaecilma*, 579  
*Catapaguroides*, 643  
*Catapariprosopa*, 460  
*Cataphrodisium*, 350  
*Catapicephala*, 429  
*Catapiestus*, 420  
*Catarhinus*, 305  
*Catascopus*, 344  
*Catenicella*, 727  
*Catenochytridium*, 169  
*Catenosubulispora*, 95  
*Catharsius*, 401  
*Cathydrus*, 397  
*Catillaria*, 108  
*Catinarina*, 107  
*Catocala*, 585  
*Catocha*, 430  
*Catochrysops*, 579  
*Catolechia*, 112  
*Catops*, 390  
*Catopsilia*, 602  
*Catoptrus*, 648  
*Catopyrops*, 579  
*Catoria*, 565  
*Catoxyethira*, 629  
*Caulacanthus*, 178  
*Caulastrea*, 292  
*Caulerpa*, 181  
*Caulerpella*, 181  
*Caulimovirus*, 7  
*Caunaca*, 603  
*Cautires*, 392  
*Cautor*, 688  
*Cavariella*, 473  
*Cavelerius*, 494  
*Cavolina*, 725  
*Cavolinia*, 725  
*Cawjeekelia*, 332  
*Cayratia*, 270  
*Caystrus*, 499  
*Cazira*, 499  
*Cebriorhipis*, 380  
*Cechenena*, 607  
*Cechorismeus*, 456  
*Cecidophyes*, 306  
*Cecidophyopsis*, 306  
*Cecidopsylla*, 477  
*Cecidotrioza*, 504  
*Cecropis*, 790  
*Cecryphalium*, 48  
*Cedus*, 335  
*Ceipoda*, 443  
*Celaenorrhinus*, 575  
*Celastrina*, 579  
*Celastrus*, 249  
*Celatoxia*, 579  
*Celena*, 565  
*Cellana*, 680  
*Cellanthus* (*Elphidium*), 39  
*Celleporina*, 727  
*Cellulomonas*, 13  
*Celosia*, 247  
*Celtis*, 283  
*Celypha*, 610  
*Celyphus* (*Celyphus*), 430  
*Cenchrus*, 228  
*Cenisophus*, 410  
*Cenocoelius*, 511  
*Cenoloba*, 609  
*Cenometra*, 729  
*Centaurium*, 258  
*Centella*, 242  
*Centipeda*, 244  
*Centistes* (*Chaetocentistes*), 511  
*Centistidea*, 511  
*Centotheca*, 228  
*Centranthera*, 278  
*Centratherum*, 244  
*Centraugaptilus*, 322  
*Centriscus*, 746  
*Centritractus*, 81  
*Centroberyx*, 742  
*Centroceras*, 175  
*Centrocestus*, 299  
*Centroclisis*, 616  
*Centrocorynus*, 375  
*Centroculus*, 45  
*Centrodora*, 507  
*Centrodoraco*, 756  
*Centromyrmex*, 525  
*Centropages*, 323  
*Centrophorus*, 737

## 屬名索引

- Centrophthalmus*, 410  
*Centropus*, 788  
*Centropyge*, 767  
*Centropyxis*, 48  
*Centrorhynchus*, 301  
*Centrosyllium*, 737  
*Centrosema*, 254  
*Ceocephalus*, 337  
*Cephalaescnna*, 617  
*Cephalallus*, 350  
*Cephalanthera*, 236  
*Cephalantheropsis*, 236  
*Cephalanthus*, 273  
*Cephalcia*, 540  
*Cephaleta*, 542  
*Cephaleuros*, 188  
*Cephaliophora*, 95  
*Cephalispa*, 447  
*Cephalobyrrhus*, 391  
*Cephalochrysa*, 456  
*Cephalodella*, 303  
*Cephalodromia*, 443  
*Cephalogonimus*, 299  
*Cephalomanes*, 213  
*Cephalomerus*, 410  
*Cephalopholis*, 770  
*Cephalophyes*, 610  
*Cephaloscyllium*, 735  
*Cephaloserica*, 401  
*Cephalosporium*, 95  
*Cephalotaxus*, 223  
*Cepheus*, 317  
*Cephonodes*, 607  
*Cepola*, 755  
*Cepora*, 602  
*Cerace*, 610  
*Ceraceomyces*, 153  
*Ceracis*, 370  
*Ceraclea*, 629  
*Ceracupes*, 397  
*Cerails*, 433  
*Ceramium*, 175  
*Ceraninus*, 523  
*Cerapachys*, 525  
*Ceraphron*, 516  
*Cerastis*, 585  
*Cerastium*, 248  
*Cerataphis*, 491  
*Ceratarcha*, 555  
*Cerataulina*, 72  
*Cerataulina*, 445  
*Cerataulus*, 70  
*Ceratias*, 747  
*Ceratina*, 508  
*Ceratina (Ceratinidia)*, 508  
*Ceratiomyxa*, 37  
*Ceratium*, 28  
*Ceratobasidium*, 149  
*Ceratobregma*, 773  
*Ceratocombus*, 477  
*Ceratocorys*, 29  
*Ceratocryptus*, 531  
*Ceratocymba*, 295  
*Ceratocystis*, 115  
*Ceratodictyon*, 180  
*Ceratodon*, 199  
*Ceratoglyphina*, 491  
*Ceratolithus*, 67  
*Ceratonema*, 578  
*Ceratonereis*, 660  
*Ceratophyllum*, 266  
*Ceratopogon (Isohelea)*, 430  
*Ceratoppia*, 318  
*Ceratopteris*, 220  
*Ceratoscopelus*, 748  
*Ceratosolen*, 506  
*Ceratosoma*, 719  
*Ceratosporella*, 95  
*Ceratosporium*, 135  
*Ceratosticha*, 608  
*Ceratothoa*, 654  
*Ceratovacuna*, 491  
*Ceratozetes*, 317  
*Ceratuim*, 29  
*Cerbera*, 258  
*Cerceris*, 518  
*Cercidocerus*, 375  
*Cercion*, 617  
*Cerconychia*, 622  
*Cercophora*, 134  
*Cercoseptoria*, 95  
*Cercospora*, 116  
*Cercosporella*, 118  
*Cercosporidium*, 118  
*Cercotmetus*, 498  
*Cercyon*, 388  
*Cerdistus*, 427  
*Cerebella*, 95  
*Cereopsius*, 350  
*Ceresium*, 350  
*Ceriagrion*, 617  
*Ceriana*, 457  
*Cerinomyces*, 149  
*Ceriporia*, 152  
*Ceriporiopsis*, 152  
*Cerithidea*, 699  
*Cerithium*, 693  
*Cermatobius*, 321  
*Cerobates*, 337  
*Cerococcus*, 478  
*Cerocorticium*, 152  
*Cerodontha (Butomomyza)*, 425  
*Cerodontha (Cerodontha)*, 425  
*Cerodontha (Dizygomyza)*, 425  
*Cerodontha (Icteromyza)*, 425  
*Cerodontha (Poemyza)*, 425  
*Cerogria*, 420  
*Ceronychia*, 622  
*Ceropales*, 541  
*Cerophgsella*, 362  
*Cerophysa*, 362  
*Ceroplastes*, 483  
*Ceroprepes*, 604  
*Ceropria*, 420  
*Ceropsilopa*, 444  
*Cerotelium*, 161  
*Cerotriozia*, 504  
*Certhium*, 694  
*Cerura (Apocerura)*, 597  
*Cervaphis*, 504  
*Cervarita*, 463  
*Cervimunida*, 637  
*Cervoglenea*, 351  
*Cervus*, 793  
*Cespitularia*, 290  
*Cestopagurus*, 643  
*Cestrotus*, 445  
*Cetoconcha*, 666  
*Cetonurus*, 745  
*Cetorhinus*, 735  
*Cetoscarus*, 769  
*Cetraria*, 109  
*Cetrariopsis*, 109  
*Cetrelia*, 109  
*Cetrelipopsis*, 109  
*Cetrelipopsis*, 109  
*Cettia*, 792  
*Ceylalictus*, 528  
*Ceyx*, 788  
*Chabula*, 555  
*Chaceon*, 638  
*Chadisra*, 597  
*Chaedodiadema*, 730  
*Chaenogaleus*, 734  
*Chaetabraeus*, 386  
*Chaetanaphothrips*, 627  
*Chaetendophragmia*, 95  
*Chaetocanace*, 429  
*Chaetoceros*, 71  
*Chaetocnema*  
(*Chaetocnema*), 362  
*Chaetocnema (Tlanoma)*, 362  
*Chaetococcus*, 500  
*Chaetocosmia*, 424  
*Chaetoderms*, 780  
*Chaetodon*, 755  
*Chaetodontoplus*, 767  
*Chaetogaster*, 659  
*Chaetolauxania*, 445  
*Chaetolopha*, 565  
*Chaetomella*, 95  
*Chaetomitriopsis*, 201  
*Chaetomitrium*, 201  
*Chaetomium*, 134  
*Chaetomorpha*, 190  
*Chaetomymar*, 540  
*Chaetonerius*, 450  
*Chaetophora*, 182  
*Chaetopodella*, 455  
*Chaetopsina*, 104  
*Chaetopsylla*, 625  
*Chaetopterus*, 660  
*Chaetoscorias*, 138  
*Chaetospania*, 425  
*Chaetosphaerella*, 135  
*Chaetosphaeria*, 85  
*Chaetosphaeronema*, 95  
*Chaetostomella*, 463  
*Chaetothyrium*, 85  
*Chaetoxorista*, 460  
*Chaeturichthys*, 758  
*Chaitoregma*, 491  
*Chalara*, 95  
*Chalarus*, 451  
*Chalciope*, 585  
*Chalcis*, 516  
*Chalcolema*, 362  
*Chalcophaps*, 788  
*Chalcophora*, 339  
*Chalcopis*, 499  
*Chalcoscelides*, 578  
*Chalcosia*, 613  
*Chalepotaxis*, 723  
*Chalinula*, 287  
*Chalybion*, 544  
*Chalyboclydon*, 565  
*Chama*, 670  
*Chamabainia*, 283  
*Chamaeanthus*, 236  
*Chamaebotrys*, 181  
*Chamaecrista*, 254  
*Chamaecyparis*, 223  
*Chamaedoris*, 190  
*Chamaemyia*, 450  
*Chamaesyce*, 252  
*Chamaita*, 551  
*Chamalycaeus*, 692  
*Chamanthedon*, 606  
*Chamberlinius*, 332  
*Champereia*, 276  
*Champia*, 180  
*Champsodon*, 756  
*Chandata*, 585  
*Channa*, 756  
*Chanodichthys*, 744  
*Chanopagurus*, 643  
*Chanos*, 747  
*Chanteius*, 315  
*Chantransia*, 76  
*Chara*, 182  
*Characium*, 182  
*Characoma*, 595  
*Charadrius*, 785  
*Charagochilus*, 496  
*Charichirus*, 410  
*Charitajoppa*, 531  
*Charitovalgus*, 401  
*Charletonia*, 308  
*Charltoniada*, 555  
*Charmon*, 512  
*Charonia*, 691  
*Charops*, 531  
*Chartocerus*, 544  
*Chartographa*, 565  
*Charybdis*, 648  
*Chascanopsetta*, 774  
*Chasmagnathus*, 639  
*Chasmichthys*, 758  
*Chasmina*, 585  
*Chasminodes*, 585  
*Chasmogenus*, 388  
*Chatanayus*, 380  
*Chauliodes*, 615  
*Chauliodus*, 779  
*Chauliops*, 495

## 屬名索引

- Chaunax*, 747  
*Cheatopleurophora*, 450  
*Cheatopleurophora*  
(*Tritoconicera*), 450  
*Checupa*, 585  
*Cheilanthes*, 221  
*Cheilea*, 694  
*Cheilinus*, 761  
*Cheilio*, 761  
*Cheilmenes*, 371  
*Cheilocapsidea*, 496  
*Cheilocapsu*, 496  
*Cheilocapsus*, 496  
*Cheilodactylus*, 756  
*Cheilodipterus*, 752  
*Cheilopogon*, 742  
*Cheiloprion*, 767  
*Cheilosia*, 457  
*Cheilosporum*, 177  
*Cheilotheca*, 252  
*Cheilotrichia* (*Empeda*), 464  
*Cheilymenia*, 127  
*Cheiracanthium*, 311  
*Cheiracus*, 305  
*Cheiromoniliophora*, 95  
*Cheiroplatea*, 650  
*Cheiropleuria*, 217  
*Cheiropolyschema*, 95  
*Cheirostylis*, 236  
*Cheirotonus*, 401  
*Cheletomimus*, 304  
*Chelidonichthys*, 777  
*Chelidonium*, 351  
*Chelidonura*, 684  
*Chelidoperca*, 771  
*Chelmon*, 755  
*Chelon*, 748  
*Chelonaplysilla*, 287  
*Chelonarium*, 360  
*Chelonebarus*, 375  
*Chelonia*, 782  
*Cheloniba*, 656  
*Chelonibia*, 656  
*Chelonodon*, 780  
*Chelonogastra*, 512  
*Chelonomorpha*, 585  
*Chelonus*, 512  
*Chelophyes*, 296  
*Chelorhinus*, 337  
*Chenacidiella*, 463  
*Chenia*, 211  
*Chenopodium*, 248  
*Chersodromia*, 443  
*Cheumatopsyche*, 629  
*Cheyletus*, 304  
*Cheylotarsonemus*, 308  
*Chiasmodon*, 756  
*Chiasmoneura*, 447  
*Chibiraga*, 578  
*Chicoreus*, 710  
*Chikusichloa*, 228  
*Chilades*, 579  
*Chilasa*, 601  
*Chiliseius*, 315  
*Chilo*, 555  
*Chilochista*, 236  
*Chilocoris*, 484  
*Chilocoristes*, 362  
*Chilocorus*, 371  
*Chilocrous*, 371  
*Chilomonas*, 67  
*Chilomycterus*, 780  
*Chilorhinus*, 738  
*Chiloscyllium*, 736  
*Chilostomella*, 43  
*Chimaera*, 735  
*Chimaerosphecica*, 606  
*Chimaphila*, 252  
*Chimarra*, 630  
*Chimarrogale*, 795  
*Chimonobambusa*, 228  
*Chinattus*, 312  
*Chinemys*, 782  
*Chineura*, 500  
*Chinochthamalus*, 656  
*Chiodecton*, 85  
*Chion*, 670  
*Chionanthus*, 278  
*Chionaspis*, 487  
*Chionostomum*, 205  
*Chiraps*, 610  
*Chiridiella*, 322  
*Chiridius*, 322  
*Chiridota*, 731  
*Chirita*, 277  
*Chirocentrus*, 743  
*Chirochoristes*, 362  
*Chirromantes*, 639  
*Chironomus*, 432  
*Chiroteuthis*, 677  
*Chirothrips*, 627  
*Chirundina*, 322  
*Chisocheton*, 276  
*Chitinibacter*, 20  
*Chitinilyticum*, 20  
*Chitinimonas*, 20  
*Chitinophaga*, 13  
*Chiton*, 725  
*Chitonomyces*, 106  
*Chitoria*, 599  
*Chlaenius*, 344  
*Chlamisus*, 362  
*Chlamydomonas*, 189  
*Chlamydomyces*, 95  
*Chlamydoselachus*, 735  
*Chlamys*, 667  
*Chlidonias*, 786  
*Chlisolina* (*Hypericia*), 363  
*Chlisolina* (*Lithopteroides*), 363  
*Chloeia*, 661  
*Chloranthus*, 266  
*Chlorella*, 189  
*Chloridium*, 95  
*Chloridolum*, 351  
*Chloris*, 228  
*Chlorissa*, 565  
*Chloroclystis*, 565  
*Chlorococcum*, 183  
*Chlorocryptus*, 531  
*Chlorodesmis*, 182  
*Chlorodiella*, 652  
*Chlorodontopera*, 565  
*Chlorogomphus*, 618  
*Chlorogonium*, 189  
*Chloromachia*, 565  
*Chlorophanus*, 375  
*Chlorophorus*, 351  
*Chlorophthalmus*, 741  
*Chlorophyllum*, 140  
*Chlorops*, 433  
*Chloropsina*, 434  
*Chlorosplenium*, 93  
*Chlorostoma*, 681  
*Chlorurus*, 769  
*Chlumetia*, 585  
*Chnoospora*, 161  
*Chnoospora*, 76  
*Choanephora*, 171  
*Choaspes*, 576  
*Chodatella*, 184  
*Choenicospaera*, 45  
*Choerodon*, 761  
*Choeroichthys*, 746  
*Chokkirius*, 336  
*Cholorotcus*, 644  
*Chondracanthus*, 178  
*Chondria*, 383  
*Chondria*, 176  
*Chondrococcus*, 178  
*Chondromorpha*, 332  
*Chondrophycus*, 176  
*Chondrosia*, 287  
*Chondrostereum*, 152  
*Chondrus*, 178  
*Choniognathus*, 641  
*Choragus*, 335  
*Choreutis*, 554  
*Choridactylus*, 776  
*Chorinaeus*, 531  
*Chorioptes*, 315  
*Chorisoneura*, 333  
*Choristoneura*, 610  
*Chorizopora*, 727  
*Chorodna*, 565  
*Choroterpes*, 470  
*Choroterpides*, 470  
*Chortinaspis*, 487  
*Chortodes*, 585  
*Chortoglyphus*, 314  
*Chremistica*, 480  
*Chremylus*, 512  
*Chriodes*, 531  
*Chrioloba*, 565  
*Chrionema*, 766  
*Chrionota*, 531  
*Christia*, 254  
*Christisonia*, 278  
*Chromatomyia*, 425  
*Chromelosporium*, 95  
*Chromis*, 767  
*Chromobacterium*, 20  
*Chromodoris*, 719  
*Chromolaena*, 244  
*Chromulina*, 77  
*Chroococcus*, 14  
*Chroococcus*, 14  
*Chroodactylon*, 181  
*Chroomonas*, 67  
*Chrysaeglia*, 551  
*Chry sartona*, 613  
*Chryseobacterium*, 13  
*Chrysiptera*, 768  
*Chrysis*, 517  
*Chrysobothris*, 339  
*Chrysocerca*, 615  
*Chrysocharis*, 523  
*Chrysochir*, 770  
*Chrysochroa*, 339  
*Chrysocladium*, 207  
*Chrysocoris*, 503  
*Chrysocraspeda*, 565  
*Chrysodeixis*, 585  
*Chrysodema*, 339  
*Chrysoglossum*, 236  
*Chrysolina*, 363  
*Chrysolinan* (*Pierryvetia*), 363  
*Chrysomela* (*Macromela*), 363  
*Chrysomphalus*, 487  
*Chrysomyia*, 429  
*Chrysomyxa*, 161  
*Chrysonotomyia*, 523  
*Chrysopa*, 615  
*Chrysoperla*, 615  
*Chrysophrys*, 772  
*Chrysopida*, 363  
*Chrysopilus*, 453  
*Chrysopogon*, 228  
*Chrysopophthorus*, 512  
*Chrysops*, 459  
*Chrysopyxis*, 69  
*Chrysorabdia*, 551  
*Chrysosoma*, 438  
*Chrysosplenium*, 273  
*Chrysosporium*, 124  
*Chrysostoma*, 681  
*Chrysoteuchia*, 555  
*Chrysotoxum*, 457  
*Chrysotus*, 438  
*Chrysozephyrus*, 579  
*Chryso*, 313  
*Chrysymenia*, 181  
*Chthamalus*, 656  
*Chucallis*, 477  
*Chundana*, 612  
*Chuoppia*, 318  
*Chusaris*, 585  
*Chydaeus*, 344  
*Chyliza*, 452  
*Chymomyza*, 440  
*Chyromyza*, 435  
*Chysobothris*, 339  
*Chytonix*, 585  
*Chytridium*, 168  
*Chytriumyces*, 168  
*Chytrium*, 167  
*Cibdela*, 509  
*Cibicides*, 38

## 屬名索引

- Cibicides (Heterolepa)*, 39  
*Cibicides (Lobatula)*, 39  
*Ciboria*, 94  
*Ciborinia*, 94  
*Cibotium*, 217  
*Cibotogaster*, 456  
*Cicadula*, 485  
*Cichorium*, 244  
*Cicinnobolus*, 95  
*Ciconia*, 785  
*Cidariplura*, 585  
*Cifuna*, 581  
*Cilea*, 410  
*Ciliata*, 26  
*Ciliopagurus*, 636  
*Ciliopora*, 95  
*Cillenus*, 344  
*Cimex*, 481  
*Cimicifuga*, 269  
*Cimitra*, 608  
*Cinachyrella*, 288  
*Cinara*, 493  
*Cinclus*, 789  
*Cincticostella*, 470  
*Cinctiscala*, 686  
*Cingulina*, 685  
*Cinnamomum*, 262  
*Cintaroa*, 344  
*Cintractia*, 167  
*Cipangopaludina*, 702  
*Circaea*, 265  
*Circe*, 674  
*Circinella*, 172  
*Circinotrichum*, 95  
*Circobotys*, 555  
*Circus*, 785  
*Cirrenalia*, 95  
*Cirrhigaleus*, 737  
*Cirrhilabrus*, 761  
*Cirrhimuraena*, 739  
*Cirrhinus*, 744  
*Cirrhitichthys*, 756  
*Cirrhitus*, 756  
*Cirrhochrista*, 555  
*Cirrhoscyllium*, 736  
*Cirricaecula*, 739  
*Cirrimaxilla*, 738  
*Cirripectes*, 752  
*Cirriphyllum*, 202  
*Cirrospilus*, 523  
*Cirsium*, 244  
*Cirsosiella*, 133  
*Cirsotrema*, 686  
*Cis*, 370  
*Cisaberoptus*, 306  
*Cisar*, 531  
*Cissites*, 393  
*Cissus*, 270  
*Cistelina*, 420  
*Cistelomorpha*, 420  
*Cisticola*, 789  
*Cistina*, 729  
*Cistoclemmys*, 782  
*Cistopus*, 676  
*Cistula*, 58  
*Citharoides*, 774  
*Citripestis*, 604  
*Citronia*, 287  
*Citrostichus*, 523  
*Citrus*, 275  
*Cixius*, 481  
*Clada*, 334  
*Clada (Taiwanoclada)*, 334  
*Cladia*, 108  
*Cladiella*, 289  
*Cladina*, 108  
*Cladiscus*, 370  
*Cladium*, 225  
*Cladius*, 545  
*Cladobotryum*, 95  
*Cladochytrium*, 168  
*Cladococcus*, 45  
*Cladomorphora*, 188  
*Cladonia*, 108  
*Cladophora*, 190  
*Cladophoropsis*, 190  
*Cladosporium*, 118  
*Cladotaenia*, 297  
*Cladura*, 464  
*Clamator*, 788  
*Clambus*, 370  
*Clamoris*, 420  
*Clanculus*, 681  
*Clanis*, 607  
*Clanoneurum*, 444  
*Claopodium*, 206  
*Claoxylon*, 252  
*Clarias*, 778  
*Clasiopella*, 444  
*Claspettomys*, 430  
*Clasterosporium*, 95  
*Clastobryopsis*, 205  
*Clastobryum*, 205  
*Clastoderma*, 33  
*Clathria (Thalysias)*, 288  
*Clathrocanium*, 47  
*Clathrodrillia*, 715  
*Clathrulina*, 45  
*Clathrus*, 150  
*Claudea*, 176  
*Claudiconcha*, 674  
*Clausena*, 275  
*Clausocalanus*, 324  
*Clausophyes*, 296  
*Clavaria*, 141  
*Clavaspidiotus*, 487  
*Claviceps*, 103  
*Clavicornalica*, 363  
*Clavicornaltica*, 363  
*Clavicornona*, 156  
*Clavidisculum*, 93  
*Clavilispinus*, 410  
*Clavipalpula*, 586  
*Claviscala*, 686  
*Clavularia*, 295  
*Clavulina*, 146  
*Clavulinoides*, 43  
*Clavulinopsis*, 141  
*Clavus*, 715  
*Cleapa*, 597  
*Cleisostoma*, 236  
*Clelea*, 613  
*Clematis*, 269  
*Clematostigma*, 624  
*Clementia*, 674  
*Clenchiella*, 697  
*Cleome*, 247  
*Cleomenes*, 351  
*Cleomenes s.*, 351  
*Cleomis*, 420  
*Cleonaria*, 351  
*Cleonymus*, 542  
*Cleoporus*, 363  
*Cleora*, 565  
*Cleorian*, 363  
*Clepsimacha*, 562  
*Clepsis*, 610  
*Cleptes*, 517  
*Cleptomtopus*, 351  
*Clerodendrum*, 261  
*Clerotilia*, 363  
*Clerus*, 370  
*Clethrophora*, 595  
*Cletocamptus*, 330  
*Cletus*, 484  
*Cleyera*, 281  
*Clibanarius*, 636  
*Clidemia*, 264  
*Climacium*, 207  
*Climacodium*, 70  
*Climacosira*, 72  
*Climacosphenia*, 55  
*Clinocardium*, 669  
*Clinocentrus*, 512  
*Clinopodium*, 260  
*Clinopogon*, 427  
*Clinostomum*, 300  
*Clinotanypus*, 432  
*Clinteria*, 401  
*Clinterocera*, 401  
*Clio*, 725  
*Clistocoeloma*, 639  
*Clistoderes*, 541  
*Clistopyga*, 531  
*Clitea*, 363  
*Clitelloxenia*, 450  
*Clitenella*, 363  
*Clithon*, 679  
*Clitocybe*, 145  
*Clitopilus*, 142  
*Clitoria*, 254  
*Clivina*, 344  
*Clivipollia*, 703  
*Cloeon*, 469  
*Cloeosiphon*, 661  
*Clonorchis*, 299  
*Clorida*, 655  
*Cloridina*, 655  
*Cloridopsis*, 655  
*Clostera*, 597  
*Closteriopsis*, 189  
*Closterium*, 191  
*Closterocerus*, 523  
*Closterovirus*, 2  
*Clostridium*, 19  
*Clovia*, 475  
*Clubiona*, 310  
*Clunio*, 432  
*Clupanodon*, 743  
*Clupeosoma*, 555  
*Clusiodes (Microclusiaria)*, 435  
*Clypeaster*, 730  
*Clypeomorus*, 694  
*Clytemnestra*, 330  
*Clytocera*, 351  
*Clytosemia*, 351  
*Clytrasoma*, 363  
*Clytus*, 351  
*Cnaphalocrocis*, 555  
*Cneocnemis*, 420  
*Cneorane*, 363  
*Cneoranidea*, 363  
*Cnesteboda*, 610  
*Cnestus*, 406  
*Cnethodonta*, 597  
*Cnidium*, 242  
*Cnizocoris*, 502  
*Cobitis*, 744  
*Cobunus*, 531  
*Coccioides*, 123  
*Coccinella*, 371  
*Coccinia*, 284  
*Cocciobius*, 507  
*Cocconcarpia*, 108  
*Coccochora*, 87  
*Coccodilla*, 128  
*Coccodiplosis*, 430  
*Coccoidea*, 89  
*Coccomonas*, 189  
*Coccomyces*, 133  
*Coccomyxa*, 183  
*Cocconeis*, 51  
*Cocconia*, 106  
*Cocciophagoides*, 507  
*Cocciophagus*, 507  
*Cocciopyga*, 692  
*Coccostromopsis*, 128  
*Coccothraustes*, 790  
*Coccotrema*, 126  
*Coccotrypes*, 406  
*Cocculina*, 692  
*Cocculus*, 269  
*Coccus*, 483  
*Coccygidium*, 512  
*Coccygomimus*, 531  
*Cochlearia*, 247  
*Cochlespira*, 715  
*Cochliobolus*, 130  
*Cochylidia*, 610  
*Cociella*, 776  
*Cockerelliella*, 471  
*Coclebotys*, 555  
*Coconympha*, 562  
*Codakia*, 671  
*Codariocalyx*, 254  
*Codinaea*, 85  
*Codium*, 181  
*Codonacanthus*, 277  
*Codonopsis*, 246

## 屬名索引

- Coecella*, 671  
*Coelastrum*, 185  
*Coeleumenes*, 548  
*Coeliccia*, 619  
*Coeliodes*, 375  
*Coelioxys*, 538  
*Coelocartheria*, 288  
*Coelocaulon*, 109  
*Coelodera*, 401  
*Coelodiplosis*, 430  
*Coeloglossum*, 236  
*Coelomactra*, 671  
*Coelophora*, 371  
*Coelophrys*, 748  
*Coelopleurus*, 730  
*Coelops*, 794  
*Coeloreuteus*, 512  
*Coelorinchus*, 745  
*Coeloseris*, 292  
*Coelospharium*, 14  
*Coelostoma*, 388  
*Coeloteredo*, 663  
*Coemansia*, 171  
*Coenobita*, 635  
*Coenobius*, 363  
*Coenochilus*, 401  
*Coenochloris*, 185  
*Coenocystis*, 185  
*Coenodomus*, 604  
*Coenogonium*, 92  
*Coenonica*, 411  
*Coenosia*, 447  
*Coesula*, 531  
*Coilia*, 743  
*Coix*, 228  
*Colacium*, 30  
*Coladenia*, 576  
*Colaspoides*, 363  
*Colasposoma*, 363  
*Colastes*, 512  
*Colastes (Colastes)*, 512  
*Colastes (Shawiana)*, 512  
*Colastinus*, 512  
*Colastomion*, 512  
*Coldenia*, 260  
*Colenisia*, 391  
*Coleocentrus*, 531  
*Coleodictyospora*, 95  
*Coleolissus*, 344  
*Coleopalorus*, 420  
*Coleophora*, 554  
*Coleopuccinia*, 162  
*Coleosoma*, 313  
*Coleosporium*, 161  
*Coleotichus*, 503  
*Coleotroctellus*, 624  
*Coleotrypes*, 463  
*Coleroa*, 132  
*Coleus*, 260  
*Colias*, 602  
*Collabium*, 236  
*Collaria*, 35  
*Collema*, 124  
*Colletes*, 517  
*Colletotrichum*, 83  
*Collichthys*, 770  
*Collisella*, 679  
*Collix*, 565  
*Collodiscula*, 136  
*Collonista*, 682  
*Collosphaera*, 47  
*Collotheca*, 302  
*Collybia*, 145  
*Coloana*, 478  
*Colobaspis*, 363  
*Colobicus*, 374  
*Colobocentrotus*, 731  
*Colobodes*, 375  
*Colobometra*, 729  
*Colocasia*, 224  
*Coloconger*, 738  
*Cologlyphus*, 314  
*Colomicrus*, 363  
*Colopha*, 499  
*Colophina*, 499  
*Colopodacus*, 306  
*Coloradoa*, 474  
*Colpidium*, 25  
*Colpoides*, 344  
*Colpomenia*, 76  
*Colposcelis*, 363  
*Colposhodrus*, 344  
*Colpotrochia*, 531  
*Coltivirus*, 8  
*Coltrica*, 159  
*Coltvicia*, 159  
*Colubraria*, 704  
*Colubrina*, 270  
*Columba*, 788  
*Columbarium*, 715  
*Colurella*, 302  
*Colus*, 703  
*Colysis*, 220  
*Comamonas*, 20  
*Comanthina*, 730  
*Comanthosphace*, 260  
*Comanthus*, 730  
*Comaster*, 730  
*Comatella*, 730  
*Comatricha*, 35  
*Comatula*, 730  
*Comibaena*, 565  
*Comissia*, 730  
*Comitas*, 715  
*Commelina*, 224  
*Commotria*, 604  
*Comorta*, 604  
*Comostola*, 565  
*Comperiella*, 522  
*Compsoctena*, 561  
*Compsodrillia*, 715  
*Compsoptesis*, 460  
*Comusis*, 351  
*Conaea*, 329  
*Conandron*, 277  
*Conapion*, 336  
*Conarachnium*, 47  
*Conaspidia*, 545  
*Conchodytes*, 643  
*Conchoecetes*, 637  
*Conchoectes*, 637  
*Conchopus*, 438  
*Concinnum*, 299  
*Condate*, 586  
*Condeellum*, 623  
*Condega*, 555  
*Conderis*, 392  
*Condica*, 586  
*Condylostylus*, 438  
*Coneccaplypsis*, 427  
*Conferticium*, 158  
*Confluaria*, 297  
*Conganteon*, 521  
*Conger*, 738  
*Congresox*, 738  
*Congrogadus*, 769  
*Conicochyta*, 586  
*Conicomycetes*, 95  
*Conidens*, 757  
*Conidibolus*, 169  
*Conidiobolus*, 170  
*Coniella*, 86  
*Coniglobus*, 721  
*Conilepia*, 551  
*Coniocompsa*, 615  
*Coniogenes*, 553  
*Coniogramme*, 214  
*Coniophora*, 148  
*Coniopteryx*, 615  
*Conioscinella*, 434  
*Conioscypha*, 95  
*Conioselinum*, 242  
*Coniosporium*, 96  
*Coniothyrium*, 129  
*Conistra*, 586  
*Connarus*, 271  
*Conobathra*, 604  
*Conocaliscelis*, 492  
*Conocara*, 740  
*Conocerithium*, 694  
*Conochiloides*, 302  
*Conochilus*, 302  
*Conocybe*, 141  
*Conogethes*, 555  
*Cononellopsis*, 26  
*Conoplea*, 128  
*Conopomorpha*, 575  
*Conops (Conops)*, 435  
*Conosia*, 464  
*Conostigmus*, 539  
*Conotalopia*, 681  
*Conservula*, 586  
*Conspicuum*, 300  
*Conspiniaria*, 512  
*Conus*, 705  
*Conyza*, 244  
*Cookeina*, 128  
*Cookeolus*, 768  
*Coomaniella*, 339  
*Coomanister*, 386  
*Copelandia*, 141  
*Copelatus*, 378  
*Copera*, 619  
*Copidothrips*, 627  
*Copilia*, 329  
*Copium*, 504  
*Coprinus*, 141  
*Copris (Copris)*, 401  
*Copris (Microcopris)*, 401  
*Copris (Paracopris)*, 401  
*Coprobria*, 127  
*Coproica*, 455  
*Coprophilus*, 411  
*Coprotus*, 126  
*Coptis*, 269  
*Coptocephala*, 363  
*Coptodera*, 344  
*Coptosapelta*, 273  
*Coptosoma*, 500  
*Coptotermes*, 549  
*Coquillettia (Coquillettia)*, 436  
*Coracina*, 789  
*Coradion*, 755  
*Corallina*, 177  
*Coralliobia*, 707  
*Coralliocaris*, 643  
*Coralliophaga*, 673  
*Coralliophila*, 707  
*Corbicula*, 670  
*Corbula*, 663  
*Corchorus*, 264  
*Corculum*, 669  
*Corcyra*, 604  
*Cordagalma*, 295  
*Cordalia*, 411  
*Cordana*, 96  
*Cordelia*, 579  
*Cordia*, 260  
*Cordyceps*, 103  
*Cordyline*, 233  
*Cordylosomides*, 434  
*Corennys*, 351  
*Coreomyces*, 106  
*Corethromyces*, 106  
*Corethron*, 72  
*Corgatha*, 586  
*Coriaria*, 268  
*Coridius*, 489  
*Corigetis*, 375  
*Corina*, 329  
*Corioloopsis*, 154  
*Coriolus*, 154  
*Coriolus (Trametes)*, 154  
*Coris*, 761  
*Corithorn*, 66  
*Cornopteris*, 216  
*Cornuspiroides*, 39  
*Cornutrypeta*, 463  
*Corocalyptra*, 45  
*Coreobus*, 339  
*Coronaster*, 728  
*Coronavirus*, 2  
*Coronavirus group I*, 2  
*Coronavirus group II*, 2  
*Coronavirus group III*, 2  
*Coronavirus ungrouped*, 2  
*Coronopus*, 247  
*Coronosphaera*, 67  
*Coronospora*, 96

## 屬名索引

- Corsocasis*, 606  
*Corticaria*, 389  
*Corticarina*, 389  
*Corticeus*, 420  
*Corticium*, 151  
*Cortinarius*, 142  
*Cortinicara*, 389  
*Cortrema*, 299  
*Corvus*, 789  
*Corybas*, 236  
*Corycaeus*, 328  
*Corycaeus (Agetus)*, 328  
*Corycaeus (Corycaeus)*, 328  
*Corycaeus*  
(*Ditrichocorycaeus*), 328  
*Corycaeus (Monocorycaeus)*, 328  
*Corycaeus*  
(*Onychocorycaeus*), 328  
*Corycaeus (Urocorycaeus)*, 328  
*Corydalis*, 266  
*Corylopsis*, 259  
*Corylus*, 257  
*Corymbas*, 545  
*Corymbitodes*, 380  
*Corymborkis*, 236  
*Corymica*, 565  
*Coryne*, 96  
*Corynebacterium*, 13  
*Corynespora*, 128  
*Corynodes*, 363  
*Coryphaena*, 756  
*Coryphaenoides*, 745  
*Coryphopterus*, 758  
*Coryphosmila*, 623  
*Coryptilum*, 608  
*Corythoichthys*, 746  
*Coscinaraea*, 295  
*Coscinasterias*, 728  
*Cosciniopsis*, 727  
*Coscinoderma*, 287  
*Coscinodiscus*, 72  
*Coscinodon*, 201  
*Cosella*, 306  
*Cosetarectus*, 306  
*Cosmarium*, 192  
*Cosmia*, 586  
*Cosmiomorpha*, 401  
*Cosmocalanus*, 323  
*Cosmocampus*, 746  
*Cosmocladium*, 193  
*Cosmodela*, 344  
*Cosmodiscus*, 344  
*Cosmoeca*, 49  
*Cosmonotus*, 650  
*Cosmopolites*, 375  
*Cosmopterix*, 554  
*Cosmos*, 244  
*Cosmoscarta*, 477  
*Cosmotriche*, 576  
*Costalynia*, 699  
*Costellaria*, 708  
*Costellipitar*, 674  
*Costosa*, 610  
*Costus*, 241  
*Cotachena*, 555  
*Cotesia*, 512  
*Cothornobata*, 447  
*Cotoneaster*, 271  
*Cotugnia*, 297  
*Cotula*, 244  
*Coturnix*, 788  
*Crambostenia*, 555  
*Crambus*, 555  
*Cranaphis*, 477  
*Cranchia*, 677  
*Craneophora*, 604  
*Craniophora*, 586  
*Cranocephalus*, 632  
*Cranopsis*, 678  
*Cranopygia*, 425  
*Craspedodidymum*, 96  
*Craspedometopon*, 456  
*Craspedonotus*, 344  
*Craspedophorus*, 344  
*Craspedothrips*, 627  
*Craspidaster*, 728  
*Crassaspidiotus*, 487  
*Crassinarke*, 737  
*Crassispira*, 715  
*Crassocephalum*, 244  
*Crassostrea*, 667  
*Crataerina (Stenepteryx)*, 445  
*Craterellus*, 149  
*Craterium*, 34  
*Crateva*, 247  
*Crathiorada*, 531  
*Cratilla*, 618  
*Cratna*, 411  
*Cratolabus*, 531  
*Cratoneuron*, 202  
*Cretonotos*, 551  
*Crella (Grayella)*, 288  
*Cremastra*, 236  
*Crematogaster*, 525  
*Cremnops*, 512  
*Crenatula*, 666  
*Crenimugil*, 748  
*Crenitis*, 388  
*Crenovolva*, 698  
*Crenulaspidotus*, 487  
*Crenulilimopsis*, 663  
*Creontiades*, 496  
*Creosphaeria*, 136  
*Crepidacantha*, 727  
*Crepidiastrum*, 244  
*Crepidomanes*, 213  
*Crepidotus*, 142  
*Crepidula*, 693  
*Cresseis*, 725  
*Cresseysus*, 331  
*Cretonia*, 586  
*Cribraria*, 33  
*Cribrorigenerina*, 44  
*Cribroelphidium*, 39  
*Cribrostomoides*, 41  
*Cricocephalus*, 299  
*Cricotopus*, 432  
*Crinipellis*, 145  
*Crinolina*, 49  
*Crinum*, 233  
*Crioceris*, 363  
*Criorhina*, 457  
*Crisia*, 728  
*Crisicoccus*, 501  
*Cristaria*, 669  
*Cristatogobius*, 758  
*Critonia*, 604  
*Crocicreas*, 93  
*Crocidolomia*, 555  
*Crocidosema*, 610  
*Crocidura*, 795  
*Crocothemis*, 618  
*Crocynia*, 108  
*Crombrugghia*, 603  
*Cromileptes*, 771  
*Cronartium*, 161  
*Cronia*, 711  
*Crossocerus*, 518  
*Crossorhombus*, 774  
*Crossostemphium*, 244  
*Crossostoma*, 744  
*Crossotarsus*, 398  
*Crossotonotus*, 644  
*Crotalaria*, 254  
*Croton*, 252  
*Crouania*, 175  
*Crucibulum*, 143  
*Crucigenia*, 186  
*Cruriopsis*, 586  
*Cryphaea*, 207  
*Cryphaeus*, 420  
*Cryphalomorphus*, 406  
*Cryphalus*, 406  
*Cryphia*, 586  
*Crypsicometa*, 565  
*Crypsinus*, 220  
*Cryptalaus*, 380  
*Cryptanusia*, 522  
*Cryptarcha*, 396  
*Cryptasasma*, 610  
*Cryptoblades*, 604  
*Cryptocarya*, 262  
*Cryptocaryon*, 25  
*Cryptocentrus*, 758  
*Cryptocephalus*, 363  
*Cryptochetum*  
(*Cryptochetum*), 435  
*Cryptochironomus*, 432  
*Cryptochorina*, 565  
*Cryptococcus*, 140  
*Cryptocoryneum*, 96  
*Cryptocotyle*, 299  
*Cryptoderma*, 149  
*Cryptoderma*, 375  
*Cryptodromia*, 637  
*Cryptoeperla*, 622  
*Cryptogonus*, 371  
*Cryptogramma*, 221  
*Cryptolaemus*, 371  
*Cryptolechia*, 550  
*Cryptolepis*, 258  
*Cryptolestes*, 389  
*Cryptomonas*, 67  
*Cryptomya*, 474  
*Cryptomyces*, 133  
*Cryptopenaenus*, 651  
*Cryptoperla*, 622  
*Cryptophagus*, 374  
*Cryptophiale*, 96  
*Cryptophialoidea*, 96  
*Cryptophlebia*, 610  
*Cryptopimpla*, 531  
*Cryptopleurum*, 388  
*Cryptopodia*, 646  
*Cryptopone*, 525  
*Cryptops*, 321  
*Cryptopsaras*, 747  
*Cryptosiphum*, 474  
*Cryptostemma*, 489  
*Cryptostylis*, 236  
*Cryptotaenia*, 242  
*Cryptotermes*, 549  
*Cryptothrips*, 625  
*Cryptotropa*, 300  
*Cryptotypana*, 480  
*Crypturgus*, 406  
*Cryptostola*, 463  
*Csikia*, 380  
*Ctedoctema*, 26  
*Ctenactis*, 293  
*Ctenichneumon*, 531  
*Ctenidium*, 203  
*Ctenopinus*, 420  
*Ctenitis*, 215  
*Ctenitopsis*, 215  
*Ctenocalanus*, 324  
*Ctenocardia*, 669  
*Ctenocella*, 290  
*Ctenocephalides*, 625  
*Ctenochaetus*, 750  
*Ctenocheles*, 635  
*Ctenogobiops*, 758  
*Ctenoides*, 666  
*Ctenopharyngodon*, 744  
*Ctenophora (Dictenidia)*, 464  
*Ctenophora (Pselliophora)*, 464  
*Ctenophthalmus*, 625  
*Ctenoplectra*, 508  
*Ctenopleura*, 728  
*Ctenopteris*, 219  
*Ctenopteryx*, 677  
*Ctenothrips*, 627  
*Ctenotrypauchen*, 758  
*Cterissa*, 654  
*Cternarytaina*, 501  
*Cubiceps*, 765  
*Cubipilis*, 624  
*Cucubalus*, 248  
*Cucujus*, 374  
*Cucullaea*, 662  
*Cucullia*, 586  
*Cuculus*, 788  
*Cucumovirus*, 1  
*Cucurbitodithis*, 129

## 屬名索引

- Cudonia*, 93  
*Cueta*, 616  
*Culcita*, 729  
*Culcua*, 456  
*Culex* (*Culex*), 436  
*Culex* (*Culicomyia*), 436  
*Culex* (*Eumelanomyia*), 436  
*Culex* (*Lophoceraomyia*), 437  
*Culex* (*Lutzia*), 437  
*Culicicapa*, 790  
*Culicoides* (*Avaritia*), 430  
*Culicoides* (*Beltranmyia*), 430  
*Culicoides* (*Culicoides*), 430  
*Culicoides* (*Monotomus*), 431  
*Culicoides* (*Oecacta*), 431  
*Culicoides* (*Trithecoides*), 431  
*Culiseta* (*Culiseta*), 437  
*Culladia*, 556  
*Culpinia*, 565  
*Culter*, 744  
*Cultroribula*, 316  
*Cunninghamella*, 171  
*Cunninghamia*, 223  
*Cupacarus*, 306  
*Cupha*, 599  
*Cuphea*, 264  
*Cuphocera*, 460  
*Cuphodes*, 575  
*Cuphosis*, 393  
*Curculigo*, 233  
*Curculio*, 375  
*Curena*, 604  
*Curetis*, 579  
*Curruza*, 597  
*Curtos*, 389  
*Curuzza*, 597  
*Curvemysella*, 671  
*Curvidigitus*, 96  
*Curvularia*, 130  
*Cuscuta*, 279  
*Cusiala*, 565  
*Cuspidaria*, 665  
*Cutilia*, 334  
*Cuvierina*, 725  
*Cyana*, 551  
*Cyanarcus*, 65  
*Cyanodictyon*, 15  
*Cyanophlebia*, 606  
*Cyanoptila*, 790  
*Cyanosarcina*, 18  
*Cyanosesia*, 606  
*Cyanotis*, 224  
*Cyathea*, 213  
*Cyathophorella*, 201  
*Cyathopoma*, 694  
*Cyathula*, 247  
*Cyathus*, 143  
*Cybister*, 378  
*Cybocephalus*, 396  
*Cycas*, 222  
*Cycladicama*, 674  
*Cyclammina*, 39  
*Cyclastrum*, 45  
*Cyclax*, 641  
*Cyclea*, 269  
*Cyclidia*, 560  
*Cyclidiopsis*, 30  
*Cyclidium*, 25  
*Cyclina*, 674  
*Cyclobalanopsis*, 257  
*Cyclocodon*, 246  
*Cyclocoeloma*, 641  
*Cyclocoelum*, 298  
*Cyclodes*, 586  
*Cyclodictyon*, 201  
*Cyclodomus*, 96  
*Cycloes*, 634  
*Cycloforina*, 41  
*Cyclograpsus*, 639  
*Cyclommatus*, 391  
*Cyclomyces*, 149  
*Cyclopecten*, 667  
*Cyclopelta*, 489  
*Cyclophiops*, 782  
*Cyclophorus*, 694  
*Cyclopina*, 329  
*Cycloppia*, 318  
*Cyclops*, 328  
*Cycloptiloides*, 620  
*Cyclosa*, 309  
*Cyclosalpa*, 734  
*Cycloscala*, 686  
*Cyclosorus*, 221  
*Cyclosunetta*, 674  
*Cyclotella*, 75  
*Cyclotellina*, 673  
*Cyclothone*, 778  
*Cyclotoma*, 383  
*Cyclotus*, 695  
*Cycnotrachelus*, 336  
*Cydia*, 610  
*Cydnocoris*, 502  
*Cygnus*, 784  
*Cylapomorpha*, 496  
*Cylas*, 338  
*Cylichnella*, 685  
*Cylidru*, 370  
*Cylindera*, 344  
*Cylindilla*, 351  
*Cylindriscala*, 686  
*Cylindrobasidium*, 152  
*Cylindrocarpon*, 104  
*Cylindrocladium*, 104  
*Cylindrocystis*, 195  
*Cylindromitra*, 709  
*Cylindromyia*, 460  
*Cylindropyxis*, 66  
*Cylindrospermum*, 15  
*Cylindrotheca*, 52  
*Cylindrothecum*, 453  
*Cylindrotoma*, 465  
*Cyllene*, 712  
*Cyllodes*, 396  
*Cymatium*, 691  
*Cymatoderma*, 153  
*Cymatodiscus*, 73  
*Cymatophoropsis*, 586  
*Cymatopleura*, 66  
*Cymatosira*, 55  
*Cymatosyrinx*, 715  
*Cymbacephalus*, 776  
*Cymbella*, 54  
*Cymbidium*, 237  
*Cymbiola*, 719  
*Cymbopogon*, 228  
*Cymbovula*, 698  
*Cymo*, 652  
*Cymodusa*, 531  
*Cymolutes*, 762  
*Cymonomus*, 636  
*Cymopolia*, 190  
*Cymoriza*, 556  
*Cymus*, 494  
*Cynanchum*, 258  
*Cynarina*, 294  
*Cynicorates*, 613  
*Cynodon*, 228  
*Cynodontium*, 198  
*Cynoglossum*, 260  
*Cynoglossus*, 774  
*Cynopterus*, 794  
*Cyoceraphron*, 516  
*Cypa*, 607  
*Cyparium*, 411  
*Cyperus*, 225  
*Cyphagogus*, 338  
*Cyphastrea*, 292  
*Cyphellophora*, 96  
*Cyphochilus*, 401  
*Cyphoderia*, 37  
*Cypholophus*, 283  
*Cyphomyia*, 456  
*Cyphon*, 406  
*Cyphonocerus*, 389  
*Cyphononyx*, 541  
*Cypoides*, 607  
*Cypraea*, 695  
*Cypraecassis*, 690  
*Cyprinocirrhites*, 756  
*Cyprinus*, 744  
*Cypripedium*, 237  
*Cypselurus*, 742  
*Cyptotrama*, 143  
*Cypturus*, 386  
*Cyrenobatissa*, 670  
*Cyrenodonax*, 670  
*Cyrestis*, 599  
*Cyrpsis*, 420  
*Cyrtandra*, 277  
*Cyrtarachne*, 309  
*Cyrtepietomus*, 375  
*Cyrthermannia*, 318  
*Cyrtoclytus*, 351  
*Cyrtococcum*, 228  
*Cyrtogenius*, 406  
*Cyrtogonellum*, 218  
*Cyrtohypnum*, 198  
*Cyrtomaia*, 641  
*Cyrtomium*, 218  
*Cyrtomorphus*, 384  
*Cyrtonops*, 351  
*Cyrtophora*, 309  
*Cyrtoplastus*, 391  
*Cyrtorhinus*, 496  
*Cyrtosia*, 237  
*Cyrtosphaera*, 68  
*Cyrtothorax*, 411  
*Cyselosoma*, 437  
*Cysteochila*, 504  
*Cystidia*, 566  
*Cystidiodontia*, 151  
*Cystoderma*, 145  
*Cystopteris*, 216  
*Cytaea*, 312  
*Cytharopsis*, 716  
*Cytilus*, 340  
*Cytomegalovirus*, 5  
*Cytophaga*, 13  
*Cytospora*, 86  
*Cyttomimus*, 781  
*Cyttopsis*, 781  
*Czernyola*, 435  
*Daclera*, 473  
*Dacne*, 384  
*Dacrymyces*, 149  
*Dacryobolus*, 152  
*Dacryopilumnus*, 637  
*Dacryopinax*, 149  
*Dacryophanes*, 608  
*Dactylispa*, 364  
*Dactylaria*, 138  
*Dactylella*, 138  
*Dactylioglypha*, 610  
*Dactyliosolen*, 73  
*Dactylis*, 228  
*Dactylispa*, 364  
*Dactylium*, 96  
*Dactylococcopsis*, 14  
*Dactyloctenium*, 228  
*Dactyloplusia*, 586  
*Dactyloptena*, 776  
*Dactylopus*, 754  
*Dactylorhynchides*, 578  
*Dactylospongia*, 288  
*Dactylospora*, 108  
*Dactylosporium*, 96  
*Dactylosternum*, 388  
*Dactylotritoma*, 384  
*Dacus* (*Callantra*), 463  
*Dactylothyrea*, 434  
*Daddala*, 586  
*Daedalea*, 151  
*Daedaleopsis*, 154  
*Daedalopsis*, 159  
*Dahira*, 607  
*Daimio*, 576  
*Daira*, 636  
*Dairoides*, 636  
*Daisemia*, 556  
*Dalader*, 484  
*Dalatias*, 737  
*Dalbergia*, 254  
*Daldinia*, 136  
*Daldorfia*, 646  
*Dalpada*, 499  
*Daltonia*, 201

## 屬名索引

- Damaeoppia*, 318  
*Damalina*, 427  
*Damnacanthus*, 273  
*Danae*, 383  
*Danala*, 566  
*Danaus*, 599  
*Danielssenia*, 330  
*Danis*, 579  
*Danothrips*, 627  
*Daphne*, 265  
*Daphnella*, 716  
*Daphniphyllum*, 250  
*Daphnis*, 607  
*Dardanus*, 636  
*Darisa*, 566  
*Darjilingia*, 545  
*Darna*, 578  
*Darumara*, 492  
*Dascillus*, 377  
*Dascyllus*, 768  
*Daseochaeta*, 586  
*Dasiops*, 446  
*Dastarcus*, 337  
*Dasturella*, 161  
*Dasya*, 175  
*Dasyatis*, 736  
*Dasycaris*, 643  
*Dasychalina*, 287  
*Dasychira*, 581  
*Dasyhelea*, 431  
*Dasylepida*, 401  
*Dasymallomyia*, 465  
*Dasyneus*, 484  
*Dasyphila*, 175  
*Dasyproctus*, 518  
*Dasypsyllus*, 625  
*Dasyrhicnoessa*, 464  
*Dasyscypha*, 93  
*Dasyscyphus*, 93  
*Dasysyrphus*, 457  
*Dasytes*, 394  
*Dasyvalgus*, 401  
*Data*, 586  
*Datronia*, 154  
*Datura*, 280  
*Daulia*, 556  
*Daulocoris*, 476  
*Davallia*, 217  
*Davila*, 671  
*Dayus*, 478  
*Dayus takagii*, 478  
*Deadaleopsis*, 159  
*Deania*, 737  
*Debaryomyces*, 139  
*Decbregeasia*, 283  
*Decachaetophora*, 455  
*Decadoecten*, 667  
*Decapterus*, 754  
*Decaspermum*, 265  
*Decatoecten*, 667  
*Decodon*, 762  
*Decomia*, 496  
*Decomioides*, 496  
*Deeringia*, 248  
*Defectamerus*, 316  
*Degmaptera*, 607  
*Dehaasia*, 262  
*Deielia*, 618  
*Deightoniella*, 96  
*Deilephila*, 607  
*Deileptenia*, 566  
*Deimya*, 449  
*Deinagkistrodon*, 784  
*Deinococcus*, 18  
*Deinodryinus*, 521  
*Deinopteroloma*, 411  
*Deinostema*, 278  
*Deleaster*, 411  
*Delia*, 427  
*Delias*, 602  
*Delichon*, 790  
*Delisea*, 175  
*Delius*, 326  
*Delonovolva*, 698  
*Delopia*, 531  
*Delphinus*, 794  
*Delta*, 548  
*Deltaretrovirus*, 8  
*Deltavirus*, 9  
*Deltocephalus*, 485  
*Deltoplastis*, 577  
*Demania*, 652  
*Dematophora*, 136  
*Demimaea*, 375  
*Demodex*, 304  
*Demonarosa*, 578  
*Demonax*, 351  
*Demopsestis*, 560  
*Demotina*, 364  
*Dendostrea*, 667  
*Dendranthema*, 244  
*Dendrobium*, 237  
*Dendrocalamus*, 228  
*Dendrochilum*, 237  
*Dendrochirus*, 776  
*Dendrocitta*, 789  
*Dendrocnode*, 283  
*Dendrocopos*, 792  
*Dendrocyathophorum*, 201  
*Dendrocygna*, 784  
*Dendrodochium*, 96  
*Dendrodoris*, 719  
*Dendrographium*, 96  
*Dendroleon*, 616  
*Dendrolimus*, 576  
*Dendrolobium*, 254  
*Dendronanthus*, 790  
*Dendronephthya*, 290  
*Dendronereis*, 660  
*Dendropanax*, 241  
*Dendrophila*, 562  
*Dendrophilia*, 562  
*Dendrophilus*, 386  
*Dendrophoma*, 96  
*Dendrophora*, 156  
*Dendropoma*, 702  
*Dendrosporium*, 96  
*Dendrothripoides*, 627  
*Dendrothrips*, 627  
*Dendrotrogus*, 335  
*Dendryphiella*, 131  
*Dendryphion*, 131  
*Dendryphium*, 169  
*Dennstaedtia*, 217  
*Dentalina*, 42  
*Dentalium*, 726  
*Dentarene*, 679  
*Dentella*, 273  
*Dentex*, 772  
*Denticollis*, 380  
*Denticula*, 52  
*Dentimargo*, 678  
*Dentiovula*, 698  
*Dentostomina*, 41  
*Deoptilia*, 575  
*Dependovirus*, 9  
*Deporaus*, 375  
*Depressiscula*, 686  
*Deraeocoris*, 496  
*Derambila*, 566  
*Derarimus*, 334  
*Dercestra*, 364  
*Dercetina*, 364  
*Dercetis*, 364  
*Dere*, 351  
*Derepteryx*, 484  
*Deretiosus*, 376  
*Derisemias*, 335  
*Derispia*, 420  
*Derjuginella*, 685  
*Dermacentor*, 319  
*Dermanyssus*, 315  
*Dermaphis*, 491  
*Dermatodothis*, 87  
*Dermatohomoeus*, 391  
*Dermatolithon*, 177  
*Dermatomyzon*, 657  
*Dermatophagoides*, 315  
*Dermatoxenus*, 376  
*Dermestes (Dermestes)*, 377  
*Dermestes (Dermestinus)*, 378  
*Dermochelys*, 782  
*Dermocybe*, 142  
*Dermonema*, 180  
*Dero*, 659  
*Deroca*, 560  
*Deroceras*, 724  
*Derops*, 411  
*Deropygus*, 335  
*Derosphaeru*, 420  
*Derosphaerus*, 420  
*Derris*, 254  
*Deschampsia*, 228  
*Descolea*, 142  
*Descoreba*, 566  
*Desera*, 345  
*Desisa*, 351  
*Desmanthus*, 254  
*Desmia*, 177  
*Desmidium*, 193  
*Desmidophorus*, 376  
*Desmodema*, 747  
*Desmodium*, 254  
*Desmogonius*, 299  
*Desmometopa*, 447  
*Desmopterus*, 725  
*Desnatractum*, 183  
*Detonula*, 73  
*Dettopsomyia*, 440  
*Deudorix*, 579  
*Deutereulophus*, 523  
*Deuterocopus*, 603  
*Deuterogonia*, 561  
*Deutzia*, 273  
*Devenilia*, 566  
*Dexia*, 460  
*Dexialia*, 383  
*Dexiomiops*, 460  
*Dexippus*, 312  
*Deyeuxia*, 229  
*Diacalpe*, 218  
*Diacamma*, 526  
*Diacanthostylus*, 345  
*Diacanthurus*, 643  
*Diacanthus*, 184  
*Diacarnus*, 288  
*Diachasmimorpha*, 512  
*Diachea*, 36  
*Diachus*, 364  
*Diaclina*, 420  
*Diacria*, 725  
*Diacrotricha*, 603  
*Diactenis*, 610  
*Diacyclops*, 328  
*Diadegma*, 531  
*Diadema*, 730  
*Diadocidia*, 437  
*Diadromus*, 531  
*Diaeretiella*, 512  
*Diaeretus*, 512  
*Diagramma*, 760  
*Diala*, 696  
*Dialecticopteryx (Akotettix)*, 478  
*Dialeges*, 351  
*Dialeurodes*, 471  
*Dialeuropora*, 472  
*Dialysis*, 453  
*Diamesus*, 408  
*Dianella*, 233  
*Dianella*, 345  
*Dianemobius*, 620  
*Dianous*, 411  
*Dianthus*, 248  
*Diavidia*, 487  
*Diapaens*, 389  
*Diaperis*, 420  
*Diaphanes*, 389  
*Diaphania*, 556  
*Diaphanodon*, 206  
*Diaphanoeca*, 49  
*Diaphorencyrtus*, 522  
*Diaphorina*, 501  
*Diaphorus*, 438  
*Diaportha*, 86  
*Diapus*, 398  
*Diarsia*, 586  
*Diaschistorchis*, 299

## 屬名索引

- Diasemia*, 556  
*Diasemiopsis*, 556  
*Diaspidiotus*, 487  
*Diaspis*, 487  
*Diastephanus*, 544  
*Diathrausta*, 556  
*Diatoma*, 55  
*Diatomella*, 51  
*Diatora*, 531  
*Diaugasma*, 716  
*Diaugis*, 411  
*Dibaphus*, 709  
*Dibelonetes*, 411  
*Diboma*, 351  
*Dibranchus*, 748  
*Dicaeum*, 789  
*Dicalina*, 420  
*Dicamptus*, 531  
*Dicellispora*, 96  
*Dicellula*, 183  
*Dicelosternus*, 351  
*Dicephalarcha*, 610  
*Dicephalospora*, 94  
*Dicera*, 69  
*Diceratias*, 747  
*Dicerca*, 339  
*Dichaenopsis*, 96  
*Dichaetomyia*, 447  
*Dichaetothrips*, 626  
*Dichanthium*, 229  
*Dichelobosmina*, 531  
*Dichelomorpha*, 401  
*Dichocarpum*, 269  
*Dichodontium*, 198  
*Dichogaster*, 659  
*Dichomeris*, 562  
*Dichomyces*, 106  
*Dichondra*, 279  
*Dichopelmus*, 306  
*Dichopleuopus*, 156  
*Dichorragia*, 599  
*Dichothrix*, 15  
*Dichotomococcus*, 78  
*Dichrocephala*, 244  
*Dichrometra*, 730  
*Dichromothrips*, 627  
*Dichrorampha*, 610  
*Dicladiella*, 207  
*Dicladispera*, 364  
*Dicliptera*, 277  
*Diclostera*, 183  
*Dicolopodacus*, 306  
*Dicraeomorpha*, 393  
*Dicraeus*, 434  
*Dicranella*, 198  
*Dicranidion*, 139  
*Dicranocephalus*, 401  
*Dicranodontium*, 198  
*Dicranodromia*, 640  
*Dicranoloma*, 198  
*Dicranoncus*, 345  
*Dicranopselaphus*, 398  
*Dicranopteris*, 213  
*Dicranoptycha*, 465  
*Dicranosepsis*, 455  
*Dicranota (Amalopina)*, 465  
*Dicranota (Rhaphidolabis)*, 465  
*Dicranotaenia*, 297  
*Dicranum*, 198  
*Dicrolene*, 750  
*Dicrotendipus*, 432  
*Dicrurus*, 789  
*Dicruvasates*, 306  
*Dictycoryne*, 45  
*Dictydiaethalium*, 33  
*Dictyestra*, 586  
*Dictyla*, 504  
*Dictymetra*, 297  
*Dictyna*, 310  
*Dictyarthrinium*, 96  
*Dictyoceras*, 45  
*Dictyochaeta*, 96  
*Dictyocline*, 222  
*Dictyoneis*, 58  
*Dictyonella*, 84  
*Dictyonella*, 288  
*Dictyonema*, 152  
*Dictyonotus*, 531  
*Dictyopanus*, 145  
*Dictyophora*, 150  
*Dictyoportha*, 86  
*Dictyoptera*, 392  
*Dictyopteris*, 75  
*Dictyosphaeria*, 191  
*Dictyosphaerium*, 188  
*Dictyosporium*, 96  
*Dictyosporium*, 96  
*Dictyostelium*, 27  
*Dictyota*, 75  
*Dictyuchus*, 80  
*Dictyurus*, 175  
*Dicyphus*, 496  
*Didea*, 457  
*Dideoides*, 457  
*Dideopsis*, 457  
*Diderma*, 34  
*Didiciea*, 237  
*Didimarcia*, 662  
*Didiscus*, 288  
*Didontoglossa*, 685  
*Diduga*, 551  
*Didymella*, 128  
*Didymium*, 34  
*Didymium*, 34  
*Didymobotryum*, 96  
*Didymocystis*, 186  
*Didymodon*, 211  
*Didymogenes*, 183  
*Didymoplexiella*, 237  
*Didymoplexis*, 237  
*Didymopsorella*, 166  
*Didymosphaeria*, 129  
*Didymosphenia*, 54  
*Diergasilus*, 331  
*Dierna*, 586  
*Dietelia*, 166  
*Dieuches*, 494  
*Diffflugia*, 48  
*Digenea*, 176  
*Digitalis*, 278  
*Digitaria*, 229  
*Digitivalva*, 550  
*Dihammatus*, 392  
*Dilar*, 615  
*Dilepis*, 297  
*Dillwynella*, 681  
*Diloma*, 681  
*Dilophodes*, 566  
*Dilophotes*, 392  
*Dilophothripoides*, 595  
*Dilophotis*, 392  
*Dilophus*, 76  
*Diluvarca*, 662  
*Dima*, 380  
*Dimaetha*, 531  
*Dimeregramma*, 55  
*Dimeria*, 229  
*Dimeriella*, 84  
*Dimeriellopsis*, 84  
*Dimerina*, 84  
*Dimerium*, 84  
*Dimeromyces*, 106  
*Dimia*, 496  
*Dimophyes*, 296  
*Dimorphococcus*, 188  
*Dimorphopterus*, 494  
*Dimya*, 666  
*Dinarthrum*, 629  
*Dinaspis*, 487  
*Dindica*, 566  
*Dindyumus*, 502  
*Dinemasporium*, 135  
*Dinematichthys*, 749  
*Dineutus*, 385  
*Diniatys*, 684  
*Diniella*, 494  
*Dinobryon*, 69  
*Dinocampus*, 512  
*Dinochares*, 577  
*Dinoderus*, 337  
*Dinodon*, 782  
*Dinophysis*, 27  
*Dinoplatypus*, 398  
*Dinothenarus*, 411  
*Dinothnarus*, 411  
*Dinumma*, 586  
*Dinurus*, 299  
*Diochus*, 411  
*Diodia*, 273  
*Diodon*, 780  
*Diodora*, 678  
*Diogenes*, 636  
*Diogenichthys*, 749  
*Dioides*, 445  
*Diomea*, 586  
*Diomma (Diomma)*, 478  
*Diomus*, 371  
*Diopatra*, 659  
*Diorchidium*, 166  
*Dioryche*, 345  
*Dioryctria*, 604  
*Dioryx*, 692  
*Dioscorea*, 233  
*Diospilus*, 512  
*Diospyros*, 250  
*Diostracus*, 438  
*Dioxyna*, 463  
*Dipellicus*, 401  
*Diphtherocome*, 586  
*Diphtheroptila*, 575  
*Diphyes*, 296  
*Diphyllobothrium*, 298  
*Diphylorrhynchus*, 420  
*Diphyscium*, 198  
*Diphlyoptus*, 306  
*Diplachne*, 229  
*Diplacodes*, 618  
*Diplacrum*, 226  
*Diplatys*, 425  
*Diplaziopsis*, 216  
*Diplazium*, 216  
*Diplazon*, 531  
*Diplectrona*, 629  
*Diploastrea*, 293  
*Diploblechnum*, 217  
*Diplocalyptis*, 610  
*Diplocarpon*, 93  
*Diplochasma*, 445  
*Diplocheila*, 345  
*Diplochloris*, 185  
*Diplochytridium*, 168  
*Diplocladiella*, 96  
*Diplocyclos*, 284  
*Diplodesma*, 566  
*Diplodia*, 96  
*Diplodina*, 96  
*Diplodiscus*, 301  
*Diploeca*, 49  
*Diplogrammus*, 754  
*Diplomaragna*, 331  
*Diplommatina*, 696  
*Diploneis*, 58  
*Diplonerva (Diplonerva)*, 450  
*Diplonerva (Tristoechia)*, 450  
*Diplonychus*, 477  
*Diphlophlyctis*, 169  
*Diphlophus*, 778  
*Diploprion*, 771  
*Diploproctodaenum*, 300  
*Diploprora*, 237  
*Diplopseustis*, 556  
*Diploptera*, 333  
*Diplopterygium*, 213  
*Diplorhinus*, 499  
*Diploschistes*, 124  
*Diplostix*, 386  
*Diplothea*, 49  
*Diplurodes*, 566  
*Dipoena*, 313  
*Dipogon*, 541  
*Dipolydora*, 660  
*Dipriodonta*, 560  
*Dipsacaster*, 728  
*Diptacus*, 305  
*Dipteracanthus*, 277  
*Dipteris*, 217  
*Dipterygina*, 586

## 屬名索引

- Dipterygonotus*, 753  
*Diptilomiopus*, 305  
*Dipturus*, 737  
*Dipylidium*, 297  
*Diretmoides*, 742  
*Diretmus*, 742  
*Dirhinus*, 516  
*Dirinaria*, 111  
*Dirrhagofarsus*, 385  
*Disasterina*, 729  
*Discalma*, 566  
*Discaspis*, 523  
*Dischides*, 726  
*Dischidesia*, 566  
*Dischidia*, 258  
*Dischissus*, 345  
*Dischistodus*, 768  
*Dischloridium*, 96  
*Disciphus*, 434  
*Discocerina (Descocerina)*, 444  
*Discoconulus*, 723  
*Discodoris*, 685  
*Discoelius*, 548  
*Discoglypha*, 566  
*Discomyza*, 444  
*Discophora*, 599  
*Discophorellus*, 483  
*Discoplax*, 638  
*Discorbis*, 39  
*Discorbis (Rosalina)*, 39  
*Discors*, 669  
*Discorsobopyrus*, 654  
*Discosia*, 96  
*Discospaera*, 68  
*Discotectonica*, 686  
*Discoteuthis*, 677  
*Discothyrea*, 526  
*Discothyris*, 556  
*Discotrema*, 757  
*Disella*, 306  
*Disogmus*, 542  
*Disolenia*, 47  
*Disophrys*, 512  
*Disperis*, 237  
*Dispora*, 65  
*Disporopsis*, 233  
*Disporum*, 234  
*Disseta*, 325  
*Dissodinium*, 29  
*Dissomphalus*, 509  
*Distenia*, 351  
*Distichium*, 199  
*Distichophyllum*, 201  
*Distichopora*, 296  
*Distigma*, 30  
*Distilirella*, 512  
*Distocercospora*, 118  
*Distoechodon*, 744  
*Distolasterias*, 728  
*Distoleon*, 616  
*Distorsio*, 692  
*Distugonia*, 663  
*Distyliopsis*, 259  
*Distylium*, 259  
*Ditrichophora*, 444  
*Ditrichum*, 199  
*Ditrigona*, 560  
*Ditylum*, 70  
*Diurella*, 303  
*Diurocoris*, 502  
*Dixa*, 437  
*Dixella*, 437  
*Dixomyces*, 106  
*Doassansia*, 166  
*Docirava*, 566  
*Doclea*, 641  
*Dodona*, 579  
*Dodonaea*, 276  
*Doederleinia*, 751  
*Dohrniphora*, 450  
*Dolabella*, 678  
*Dolabrifera*, 678  
*Dolbina*, 607  
*Doleschallia*, 599  
*Dolichermaeus*, 318  
*Dolichermaeus*, 318  
*Dolicheulota*, 720  
*Dolichoctis*, 345  
*Dolichoderus*, 526  
*Dolichogenidea*, 512  
*Dolicholana*, 654  
*Dolicholatirus*, 708  
*Dolichomiris*, 496  
*Dolichomitra*, 197  
*Dolichomitrus*, 531  
*Dolichozeza (Dolichozeza)*, 465  
*Dolichozeza (Mitopeza)*, 465  
*Dolichozeza (Nesopeza)*, 465  
*Dolichozeza (Oropeza)*, 465  
*Dolichopodomintho*, 460  
*Dolichopus*, 438  
*Dolichoris*, 506  
*Dolichos*, 255  
*Dolichosaccus*, 300  
*Dolichotetranychus*, 308  
*Dolichothrips*, 626  
*Dolichovespula*, 548  
*Dolichurus*, 506  
*Doliema*, 420  
*Doliodrilus*, 659  
*Dolioletta*, 733  
*Doliolina*, 733  
*Doliolum*, 733  
*Doliops*, 352  
*Doloessa*, 604  
*Dolomedes*, 312  
*Dolophilodes*, 630  
*Dolophrades*, 352  
*Dolycoris*, 499  
*Domecia*, 651  
*Domene*, 411  
*Dometeorina*, 318  
*Domiporta*, 709  
*Donaceus*, 444  
*Donacia (Cyphogaster)*, 364  
*Donacia (Donacia)*, 364  
*Donaciolagria*, 420  
*Donax*, 241  
*Donda*, 586  
*Dooabia*, 566  
*Doosia*, 314  
*Dopatrium*, 278  
*Doratomyces*, 115  
*Doratoptera*, 566  
*Doratulina*, 485  
*Dorcadospyrus*, 48  
*Dorcadothrips*, 627  
*Dorcus*, 391  
*Dorippe*, 637  
*Dorisca*, 674  
*Dortus*, 496  
*Doryctes*, 512  
*Doryichthys*, 746  
*Dorylaea*, 334  
*Dorylas*, 451  
*Dorylomorpha*, 451  
*Doryopteris*, 221  
*Doryrhamphus*, 746  
*Doryscus*, 364  
*Dorysthenes*, 352  
*Dosinella*, 674  
*Dosinisca*, 674  
*Dosinorbis*, 674  
*Dotomella*, 716  
*Dotyophycus*, 180  
*Doubledaya*, 384  
*Dougaloplus*, 733  
*Draba*, 247  
*Dracaena*, 233  
*Drapetes*, 380  
*Drapetis*, 443  
*Drapetodes*, 560  
*Drasterius*, 380  
*Drawida*, 659  
*Drechslera*, 131  
*Dregea*, 258  
*Dreisbachia*, 531  
*Dremomys*, 795  
*Drepana*, 560  
*Drepanacra*, 616  
*Drepane*, 756  
*Drepanephora*, 445  
*Drepanepteryx*, 616  
*Drepanidolepis*, 297  
*Drepanocerus*, 401  
*Drepanococcus*, 483  
*Drepanoctonus*, 531  
*Drepanophora*, 727  
*Drilaster*, 389  
*Drino*, 460  
*Droguetia*, 283  
*Dromaeolus*, 385  
*Dromia*, 637  
*Dromius*, 345  
*Drosera*, 265  
*Drosicha*, 495  
*Drosophantis*, 556  
*Drosophila*, 440  
*Drosophila (Dorsidorpha)*, 440  
*Drosophila (Drosophila)*, 440  
*Drosophila (Lordiphosa)*, 441  
*Drosophila (Phloridosa)*, 441  
*Drosophila (Psilodorha)*, 441  
*Drosophila (Sophophora)*, 441  
*Drosophillela*, 441  
*Drumopama*, 96  
*Drupa*, 711  
*Drupella*, 711  
*Drupeus*, 398  
*Drussilla*, 411  
*Druthmarus*, 496  
*Dryinus*, 521  
*Drymaria*, 248  
*Drymosphaera*, 45  
*Drymotaenium*, 220  
*Drynaria*, 220  
*Dryobotodes*, 586  
*Dryomyza*, 443  
*Dryopomera*, 397  
*Dryopteris*, 218  
*Dryosoetes*, 406  
*Drypetes*, 252  
*Drypta*, 345  
*Dryxiphia*, 549  
*Dryxo (Cyphops)*, 444  
*Dualomyces*, 96  
*Duchesnea*, 271  
*Dudua*, 610  
*Dudusa*, 597  
*Duliophyle*, 566  
*Dumasia*, 255  
*Dumeia*, 641  
*Dunbaria*, 255  
*Dunira*, 586  
*Duolandrevus*, 619  
*Dupetor*, 785  
*Duplachionaspis*, 487  
*Duplicaria*, 714  
*Duportella*, 156  
*Dura*, 581  
*Durbos*, 411  
*Dussumieria*, 743  
*Duthiella*, 206  
*Dymasius*, 352  
*Dynomene*, 637  
*Dynopsylla*, 491  
*Dypsocus*, 623  
*Dypterygia*, 586  
*Dysaethria*, 612  
*Dysallacta*, 556  
*Dysalotus*, 756  
*Dysaphis (Pomaphis)*, 474  
*Dysceroides*, 376  
*Dyscharachthis*, 385  
*Dyschirius*, 345  
*Dysdera*, 310  
*Dysdercus*, 502  
*Dyseathria*, 612  
*Dysgonia*, 586

## 屬名索引

- Dysidea*, 287  
*Dysmicoccus*, 501  
*Dysmorphococcus*, 189  
*Dysolobium*, 255  
*Dysomma*, 740  
*Dysommina*, 740  
*Dyosma*, 268  
*Dysoxylum*, 276  
*Dystomorphus*, 352  
*Ealata*, 523  
*Eamesiella*, 671  
*Earias*, 595  
*Earinus*, 512  
*Earliella*, 154  
*Earobia*, 532  
*Ebaeus*, 394  
*Eblisia*, 386  
*Eboda*, 610  
*Ebodina*, 610  
*Ebola-like viruses*, 10  
*Ebosia*, 776  
*Ecacanthothrips*, 626  
*Ecapelopterum*, 492  
*Eccliseogyra*, 686  
*Eccoilopus*, 229  
*Eccoptosage*, 532  
*Ecdamua*, 547  
*Ecdyonurus*, 470  
*Ecdysanthera*, 258  
*Echeneis*, 756  
*Echiaster*, 411  
*Echidna*, 738  
*Echinaster*, 729  
*Echininus*, 697  
*Echinocamptus*, 330  
*Echinochaete*, 154  
*Echinochasmus*, 298  
*Echinochloa*, 229  
*Echinocnemus*, 376  
*Echinocotyle*, 297  
*Echinocyamus*, 730  
*Echinodiscus*, 730  
*Echinodoutium*, 159  
*Echinoecus*, 647  
*Echinogorgia*, 291  
*Echinolittorina*, 697  
*Echinometra*, 731  
*Echinoneus*, 731  
*Echinoparyphium*, 298  
*Echinophoria*, 690  
*Echinophyllia*, 294  
*Echinopora*, 293  
*Echinoporia*, 150  
*Echinops*, 244  
*Echinorhinus*, 735  
*Echinosoma*, 425  
*Echinostelium*, 33  
*Echinostoma*, 298  
*Echinostrephus*, 731  
*Echinothrix*, 730  
*Echiostoma*, 779  
*Echthrocollix*, 566  
*Echthrodelpax*, 522  
*Echthromorpha*, 532  
*Eclipsea*, 587  
*Eclipta*, 244  
*Ecliptopera*, 566  
*Ecmans*, 703  
*Ecnomus*, 628  
*Ecphylus*, 512  
*Ecsenius*, 752  
*Ectamenogonus*, 380  
*Ectatoderus*, 620  
*Ectatorhinus*, 376  
*Ectemnius*, 518  
*Ectemnius (Menyllus)*, 518  
*Ectemnoplax*, 512  
*Ectinohoplia*, 401  
*Ectinus*, 380  
*Ectocarpus*, 76  
*Ectocyclops*, 328  
*Ectogoniella*, 587  
*Ectomocoris*, 502  
*Ectomychus*, 383  
*Ectophasia*, 460  
*Ectopioglossa*, 548  
*Ectopria*, 398  
*Ectopsocopsis*, 623  
*Ectopsocus*, 623  
*Ectostroma*, 96  
*Ectreposebastes*, 776  
*Ectropis*, 566  
*Ectropotheciella*, 203  
*Ectropothecium*, 203  
*Ectrychotes*, 503  
*Edaphus*, 411  
*Edenticornia*, 545  
*Edessena*, 587  
*Edwardsiella*, 20  
*Egenolfia*, 219  
*Egesina*, 352  
*Eginiella*, 448  
*Egira*, 587  
*Egiropolia*, 587  
*Eglisia*, 686  
*Egnasia*, 587  
*Egretta*, 785  
*Ehrenbergina*, 38  
*Ehretia*, 260  
*Eichornia*, 234  
*Eidophelus*, 406  
*Eilema*, 551  
*Eilicrinia*, 566  
*Eiseniella*, 658  
*Elacatis*, 399  
*Elachiptera (Elachiptera)*, 434  
*Elachiptera (Melanochaeta)*, 434  
*Elachisina*, 697  
*Elachista*, 561  
*Elaeagnus*, 270  
*Elaeocarpus*, 263  
*Elaeocyma*, 716  
*Elaeocyma (Splendrilla)*, 716  
*Elaeomyxa*, 36  
*Elagatis*, 754  
*Elakatothrix*, 186  
*Elamena*, 640  
*Elanus*, 785  
*Elaphe*, 782  
*Elaphoglossum*, 219  
*Elaphomyces*, 90  
*Elaphromyia*, 463  
*Elaphropoda*, 508  
*Elaphropus*, 345  
*Elaphrothrips*, 626  
*Elasmolomus*, 494  
*Elasmosoma*, 512  
*Elasmostethus*, 470  
*Elasmus*, 522  
*Elassogaster*, 451  
*Elateroides*, 393  
*Elatine*, 281  
*Elatostema*, 283  
*Elauon*, 424  
*Electrogena*, 470  
*Electroma*, 668  
*Electrona*, 749  
*Electrophaes*, 566  
*Elegantiscala*, 686  
*Eleocharis*, 226  
*Eleotris*, 756  
*Elephantomyia (Elephantomyia)*, 465  
*Elephantomyia (Elephantomyodes)*, 465  
*Elephantopus*, 244  
*Eleusine*, 229  
*Eleusis*, 411  
*Eleutheranthera*, 244  
*Eleutherobia*, 289  
*Eleutherochir*, 754  
*Eleutherococcus*, 242  
*Eleutheonema*, 767  
*Eligma*, 596  
*Elixota*, 420  
*Elixothrips*, 627  
*Ellida*, 597  
*Elliptera*, 465  
*Elliptotellina*, 673  
*Ellisella*, 290  
*Ellisiodothis*, 116  
*Ellisiophyllum*, 278  
*Ellisopsis*, 96  
*Ellobium*, 683  
*Elma*, 724  
*Elmerina*, 158  
*Elophila*, 556  
*Elops*, 745  
*Elphidium*, 39  
*Elphidium (Cellanthus)*, 39  
*Elphos*, 566  
*Elsholtzia*, 260  
*Elsinoe*, 123  
*Elusa*, 587  
*Elymnias*, 599  
*Elysia*, 720  
*Emarginella*, 678  
*Emarginula*, 678  
*Embelia*, 268  
*Emberiza*, 789  
*Embolemus*, 522  
*Embrikstrandia*, 352  
*Embrik-Strandia*, 352  
*Emericella*, 91  
*Emerosema*, 430  
*Emesopsis*, 503  
*Emilia*, 244  
*Emiliania*, 68  
*Emmalocera*, 604  
*Emmelichthys*, 757  
*Emmelostiba*, 411  
*Emmepus*, 370  
*Emmesomyia*, 427  
*Emmidolium*, 388  
*Emoia*, 783  
*Emozamia*, 707  
*Empis*, 443  
*Empoasca (Chlorita)*, 478  
*Empoasca (Distantasca)*, 478  
*Empoasca (Eremochlorita)*, 478  
*Empoasca (Homa)*, 479  
*Empoasca (s.str.)*, 479  
*Empoascanara (Empoascanara)*, 479  
*Empoascanara (Kanguza)*, 479  
*Empusa*, 170  
*Emydocephalus*, 783  
*Enarmonodes*, 610  
*Enarthromyces*, 106  
*Encalypta*, 211  
*Encarsia*, 507  
*Encarsiella*, 508  
*Encaustes*, 384  
*Encheliophis*, 749  
*Enchelycore*, 738  
*Enchelys*, 26  
*Enchelyurus*, 752  
*Encrasicholina*, 743  
*Encyclometra*, 300  
*Encyclops*, 352  
*Endaenidius*, 376  
*Endaeus*, 376  
*Endarachme*, 75  
*Endelus*, 339  
*Endemoconus*, 707  
*Enderleinellus*, 621  
*Endiandra*, 262  
*Endocalyx*, 96  
*Endocarpon*, 135  
*Endochironomus*, 433  
*Endoclita*, 575  
*Endocrossis*, 556  
*Endoiasimyia*, 457  
*Endomychus*, 383  
*Endomycopsis*, 139  
*Endophragmia*, 96  
*Endophragmiella*, 96  
*Endophyllum*, 163  
*Endophyton*, 182  
*Endothenia*, 610  
*Endotricha*, 604  
*Endoxylina*, 87  
*Endropiodes*, 566

## 屬名索引

- Endrosis*, 601  
*Enerthenema*, 36  
*Engelhardtia*, 259  
*Engina*, 703  
*Engraulis*, 743  
*Engyprosopon*, 774  
*Engystenopus*, 651  
*Enhydria*, 783  
*Enicospilus*, 532  
*Enicurus*, 790  
*Enida*, 681  
*Enispa*, 587  
*Enithares*, 499  
*Enizemum*, 532  
*Enkianthus*, 251  
*Enneagonum*, 295  
*Enneapterygius*, 773  
*Ennometes*, 341  
*Enochrus*, 388  
*Enoplometopus*, 637  
*Enoplotheuthis*, 677  
*Enosteoides*, 648  
*Ensete*, 241  
*Ensiculus*, 670  
*Ensina*, 463  
*Entada*, 255  
*Entalina*, 726  
*Entalinopsis*, 726  
*Entemnotrochus*, 681  
*Enteridium*, 33  
*Enterobacter*, 20  
*Enterococcus*, 18  
*Enteromopha*, 191  
*Enteromorpha*, 191  
*Enteroplax*, 724  
*Enteropogon*, 229  
*Enterovirus*, 3  
*Entodon*, 202  
*Entodontopsis*, 204  
*Entoloma*, 142  
*Entomacrodus*, 752  
*Entomognathus*, 519  
*Entomogramma*, 587  
*Entomophthora*, 170  
*Entomopoxvirus A,B,C, 7*  
*Entophlyctis*, 169  
*Entoria*, 621  
*Entosthodon*, 200  
*Entrichella*, 606  
*Entyloma*, 166  
*Enzinopsis*, 703  
*Eobia*, 397  
*Eobrosca*, 345  
*Eocanthacona*, 499  
*Eodiaptomus*, 324  
*Eogorytes*, 519  
*Eohypochthonius*, 317  
*Eolygus*, 496  
*Eoneureclipsis*, 630  
*Eophyla*, 556  
*Eophileurus*, 401  
*Eophona*, 790  
*Eophyllophila*, 460  
*Eopompilus*, 541  
*Eoporis*, 352  
*Eopsetta*, 775  
*Eorhyssalus*, 512  
*Eoscaphander*, 685  
*Eoscartopsis*, 478  
*Eosentomon*, 623  
*Eospilarctia*, 551  
*Eotetranychus*, 303  
*Eothenomys*, 795  
*Eotricolia*, 681  
*Epaltes*, 244  
*Epanerchodus*, 332  
*Epania*, 352  
*Epaphiopsis*, 345  
*Eparchus*, 424  
*Epeorus*, 470  
*Epepeotes*, 352  
*Epermenia*, 561  
*Ephacerella*, 470  
*Ephedrus*, 512  
*Ephemera*, 470  
*Ephemerovirus*, 11  
*Ephestia*, 604  
*Ephialtes*, 532  
*Ephies*, 352  
*Ephippus*, 757  
*Ephucilla*, 539  
*Ephyrina*, 642  
*Epiacanthus*, 479  
*Epiblema*, 610  
*Epibulus*, 762  
*Epicatilis*, 26  
*Epicauta*, 393  
*Epiccephala*, 575  
*Epichole*, 87  
*Epiclinata*, 494  
*Epiclytus*, 352  
*Epicocum*, 96  
*Epicodakia*, 671  
*Epicopeia*, 561  
*Epicrocis*, 604  
*Epicroesa*, 575  
*Epidermophyton*, 96  
*Epiechinus*, 386  
*Epierys*, 386  
*Epiflorinia*, 487  
*Epiforis*, 688  
*Epigeneium*, 237  
*Epiglenea*, 352  
*Epigonichthys*, 734  
*Epigrapsus*, 638  
*Epiklisis*, 427  
*Epilachna*, 371  
*Epilanguria*, 384  
*Epilepia*, 604  
*Epilichas*, 398  
*Epilobium*, 265  
*Epilobophora*, 566  
*Epilohamannia*, 317  
*Epilohmannia*, 319  
*Epimactis*, 577  
*Epinephelus*, 771  
*Epinotia*, 610  
*Epiohragma (Epiphragma)*, 465  
*Epipactis*, 237  
*Epiplema*, 612  
*Epipodocera*, 352  
*Epipogium*, 237  
*Epipomponia*, 561  
*Epipremnum*, 224  
*Epipsestis*, 560  
*Epipsocus*, 623  
*Epipsylla*, 501  
*Epipterygium*, 196  
*Epirixanthes*, 267  
*Epirrita*, 566  
*Episcapha (Ephicaspa)*, 384  
*Episcapha (Episcapha)*, 384  
*Episcapha (Psiloscapa)*, 384  
*Episcaphium*, 411  
*Episcaphula*, 384  
*Episesarma*, 639  
*Episinus*, 313  
*Episiphon*, 726  
*Episomoides*, 376  
*Episomus*, 376  
*Episparis*, 587  
*Episteme*, 587  
*Epistominella*, 39  
*Epistominella (Asanonella)*, 43  
*Epistrophe (Epistrophella)*, 457  
*Episymphloe*, 333  
*Episyron*, 541  
*Episyrrhus*, 457  
*Epitenodera*, 614  
*Epithele*, 151  
*Epithema*, 277  
*Epithemia*, 65  
*Epitonium*, 686  
*Epitoxus*, 386  
*Epitranus*, 516  
*Epitrimerus*, 306  
*Epitriozia*, 504  
*Epixanthus*, 637  
*Eplumula*, 640  
*Epobeidia*, 566  
*Epochresta*, 523  
*Eponides*, 39  
*Eponides (Neoeponides)*, 38  
*Eponisia*, 495  
*Eponisiella*, 495  
*Epopnthalmia*, 618  
*Epsilon*, 548  
*Epsilonretrovirus*, 8  
*Eptatretus*, 734  
*Eptesicus*, 794  
*Epuraea (Epuraea)*, 396  
*Epuraea (Haptoncus)*, 396  
*Epuraea (Micruria)*, 396  
*Epyhemisphaerius*, 492  
*Epyris*, 509  
*Equisetum*, 213  
*Eragrostis*, 229  
*Erasmia*, 613  
*Erasmiphlebohecta*, 613  
*Eratoena*, 697  
*Ercheia*, 587  
*Erchomus*, 411  
*Ercolania*, 720  
*Erebomorpha*, 566  
*Erebus*, 587  
*Erechthias*, 608  
*Erechtites*, 244  
*Eremella*, 317  
*Eremma*, 295  
*Eremobelba*, 317  
*Eremochloa*, 229  
*Eremocoris*, 494  
*Eremosphaera*, 188  
*Eremulus*, 317  
*Eressa*, 551  
*Eretes*, 378  
*Eretmocerus*, 508  
*Eretmochelys*, 782  
*Ereunias*, 776  
*Ergaea*, 693  
*Ergalatax*, 711  
*Ergasilus*, 331  
*Eria*, 237  
*Eriades*, 517  
*Erianthus*, 229  
*Erioborus*, 532  
*Ericcia*, 587  
*Erichsonius*, 411  
*Ericolophium*, 474  
*Eridacnis*, 735  
*Eridolius*, 532  
*Erigeron*, 244  
*Erigone*, 311  
*Erigonidium*, 311  
*Eriolepturus*, 299  
*Eriobotrya*, 271  
*Eriocampa*, 545  
*Eriocaulon*, 232  
*Eriocheir*, 639  
*Eriochloa*, 229  
*Eriococcus*, 489  
*Eriocottis*, 561  
*Eriogyna*, 606  
*Eriopota*, 576  
*Eriophyes*, 306  
*Eriopithex*, 566  
*Erioptera*, 465  
*Erioptera (Meterioptera)*, 465  
*Erioptera (Psiloconopa)*, 465  
*Erioptera (Tasiocerodes)*, 465  
*Eriosema*, 255  
*Eriosoma*, 499  
*Eriosoma (Schizoneura)*, 499  
*Erioteremex*, 544  
*Eriozona*, 457  
*Eriphia*, 637  
*Erisphex*, 775  
*Eristalinus*, 457  
*Eristalinus (Eristalodes)*, 457  
*Eristalis*, 457  
*Eristalis (Eoseristalis)*, 457

## 屬名索引

- Eristalis (Eristalis)*, 457  
*Eristena*, 556  
*Ernestinus*, 496  
*Ernobius*, 334  
*Ernolatia*, 553  
*Ernothrips*, 627  
*Erocolania*, 720  
*Erodium*, 259  
*Eropteris*, 392  
*Erosa*, 776  
*Erotides (Glabroplatycis)*, 392  
*Erpodium*, 209  
*Erpornis*, 792  
*Erthesina*, 500  
*Erugosquilla*, 655  
*Erwinia*, 21  
*Erycibe*, 279  
*Erygia*, 587  
*Eryngium*, 242  
*Erynnis*, 576  
*Erysiphe*, 89  
*Eryssamena*, 352  
*Erythraeus*, 308  
*Erythricium*, 153  
*Erythrina*, 255  
*Erythrocles*, 757  
*Erythrocolon*, 181  
*Erythrodes*, 237  
*Erythrodontium*, 203  
*Erythroneura (s.str.)*, 479  
*Erythroplusia*, 587  
*Erythrorchis*, 237  
*Erythrorichia*, 175  
*Erythrus*, 352  
*Esakiopteryx*, 566  
*Escaryus*, 321  
*Escharoides*, 727  
*Eschata*, 556  
*Eschatarchia*, 566  
*Escherichia*, 21  
*Eschrichtius*, 794  
*Esehabachia*, 545  
*Estagrotis*, 587  
*Esteya*, 96  
*Estrilda*, 790  
*Etelis*, 764  
*Eteoneus*, 504  
*Eteoryctis*, 575  
*Eterusia*, 613  
*Etha*, 532  
*Ethirothrips*, 626  
*Ethmia*, 561  
*Ethminolia*, 681  
*Ethmodiscus*, 73  
*Ethusa*, 637  
*Ethusina*, 637  
*Etiella*, 604  
*Etisus*, 652  
*Etmopterus*, 737  
*Etrema*, 716  
*Etrumeus*, 743  
*Euagathis*, 512  
*Euagorus*, 503  
*Euagrus*, 310  
*Euamphimerus*, 299  
*Euaпта*, 731  
*Euaspa*, 579  
*Euaspis*, 538  
*Euastrum*, 193  
*Euaugaptilus*, 322  
*Eubasilissa*, 630  
*Eublemma*, 587  
*Euborellia*, 424  
*Eubrianax*, 398  
*Eucalanus*, 324  
*Eucalymnatus*, 483  
*Eucampia*, 70  
*Eucantharomyces*, 106  
*Eucapsis*, 15  
*Eucarpia*, 483  
*Eucaryphalus*, 48  
*Eucecryphalus*, 47  
*Euceraphis*, 477  
*Euceros*, 532  
*Eucetonia*, 401  
*Euchaeta*, 324  
*Eucharilda*, 688  
*Euchelus*, 681  
*Eucheuma*, 179  
*Euchirella*, 322  
*Euchitonia*, 47  
*Euchlaena*, 229  
*Euchlanis*, 352  
*Euchlanis*, 302  
*Euchresta*, 255  
*Euchristophia*, 566  
*Euchromia*, 551  
*Euchromius*, 556  
*Euchrysops*, 579  
*Eucibdelus*, 411  
*Eucidaris*, 730  
*Euciroa*, 666  
*Euclasta*, 556  
*Eucleoteuthis*, 678  
*Euclimacia*, 616  
*Eucoenogenes*, 610  
*Eucolliuris*, 345  
*Euconnus*, 408  
*Eucoronis*, 45  
*Eucorydia*, 334  
*Eucorynus*, 335  
*Eucoryssets*, 503  
*Eucosma*, 610  
*Eucosmabraxas*, 566  
*Eucosmetus*, 494  
*Eucrassatella*, 670  
*Eucrate*, 638  
*Eucteanus*, 383  
*Eucurtiopsis*, 386  
*Eucyclodes*, 566  
*Eucyclops*, 328  
*Eucyclotoma*, 716  
*Eucymon*, 383  
*Eucyrtidium*, 47  
*Eudarlucua*, 129  
*Eudemis*, 610  
*Eudemopsis*, 610  
*Eudiaptomus*, 324  
*Eudigraphis*, 332  
*Eudocima*, 587  
*Eudolium*, 692  
*Eudonia*, 556  
*Eudorina*, 189  
*Eudoxoides*, 296  
*Eudynamys*, 788  
*Eufistulana*, 663  
*Euforsius*, 545  
*Eufroggattisca*, 506  
*Eugalta*, 532  
*Eugauria*, 556  
*Euglena*, 30  
*Euglypha*, 37  
*Eugnamptus*, 336  
*Eugnathus*, 376  
*Eugoa*, 551  
*Eugonatonotus*, 637  
*Eugraptoblemma*, 587  
*Euhadra*, 720  
*Euhampsonia*, 597  
*Euhemicera*, 420  
*Euhemisphaerius*, 492  
*Euhthera*, 460  
*Eukerria*, 659  
*Eukrohnia*, 728  
*Eulachnus*, 493  
*Eulalia*, 229  
*Eulaliopsis*, 229  
*Eulechria*, 601  
*Euleptorhamphus*, 742  
*Eulima*, 690  
*Eulimitra*, 690  
*Eulithis*, 566  
*Eulomalus*, 386  
*Eulophia*, 237  
*Eumaladera*, 401  
*Eumanota*, 449  
*Eumantispia*, 616  
*Eumeces*, 783  
*Eumecichthys*, 747  
*Eumecocera*, 352  
*Eumegacetes*, 300  
*Eumelea*, 566  
*Eumenes*, 548  
*Eumenotes*, 489  
*Eumerus*, 457  
*Eumeta*, 603  
*Eumolpamarygmus*, 421  
*Eumorphus*, 383  
*Eumunida*, 635  
*Eumyias*, 790  
*Eumyrmococcus*, 501  
*Eumyrium*, 207  
*Eunaticina*, 690  
*Eunidia*, 352  
*Eunotia*, 56  
*Eunotogramma*, 74  
*Euodynerus*, 548  
*Euonymus*, 249  
*Euophrys*, 312  
*Euops*, 336  
*Eupachypeltis*, 496  
*Eupalamus*, 532  
*Euparius*, 335  
*Euparyphium*, 298  
*Eupasiphae*, 646  
*Eupatorium*, 244  
*Eupelmus*, 524  
*Eupenicillium*, 91  
*Euperilampus*, 540  
*Euphaea*, 618  
*Euphaedusa*, 722  
*Euphalerus*, 501  
*Euphausia*, 653  
*Euphitrea*, 364  
*Euphorbia*, 252  
*Euphoria*, 276  
*Euphranta (Euphranta)*, 463  
*Euphranta (Rhacochlaena)*, 463  
*Euphrasia*, 278  
*Euphthiracarus*, 317  
*Euphyllia*, 292  
*Euphyllura*, 501  
*Eupiestus*, 411  
*Eupilumnus*, 637  
*Eupitheca*, 566  
*Eupithecia*, 566  
*Euplectomorphus*, 411  
*Euplectomorpha*, 523  
*Euplectrus*, 523  
*Euplexia*, 587  
*Euplexidia*, 587  
*Euplica*, 704  
*Euplocamus*, 608  
*Euploea*, 599  
*Euplotes*, 26  
*Euplynes*, 345  
*Eupoecilia*, 610  
*Eupogonesthes*, 779  
*Eupristina*, 506  
*Euproctis*, 581  
*Eupromus*, 352  
*Eupronoe*, 632  
*Euprymna*, 676  
*Eupsilia*, 587  
*Eupteryx (Stacla)*, 479  
*Euraphia*, 656  
*Eurema*, 602  
*Euretaster*, 729  
*Eurhadina (Singhardina)*, 479  
*Eurhodope*, 604  
*Eurhopalothrix*, 526  
*Eurhynchium*, 202  
*Eurina*, 434  
*Euroglyphus*, 315  
*Eurohypnum*, 203  
*Euromoia*, 587  
*Europlema*, 612  
*Eurospongia*, 287  
*Eurostus*, 504  
*Eurotium*, 91  
*Eurpocetis*, 581  
*Eurprosopia*, 451  
*Eurrhyarodes*, 556  
*Eurukuttarus*, 603  
*Eurya*, 281  
*Euryale*, 266  
*Euryclytosemia*, 352

## 屬名索引

- Eurycorymbus*, 276  
*Eurycryptus*, 532  
*Eurydema*, 500  
*Eurydinotomorpha*, 542  
*Eurydoxa*, 610  
*Eurylabus*, 532  
*Eurylister*, 386  
*Eurynorhynchus*, 787  
*Euryobeidia*, 567  
*Euryomma*, 445  
*Eurypegasmus*, 746  
*Euryphlepsia*, 483  
*Euryphorus*, 657  
*Eurypleuron*, 749  
*Eurypoda*, 352  
*Eurypogon*, 336  
*Eurysciara*, 449  
*Eurystomus*, 788  
*Eurystylomorpha*, 496  
*Eurystylus*, 496  
*Eurytemora*, 327  
*Eurythoe*, 661  
*Eurytoma*, 524  
*Eurytrema*, 300  
*Euryusa*, 411  
*Euryxanthops*, 652  
*Eusabena*, 556  
*Eusarima*, 492  
*Euscalpellum*, 655  
*Euscaphis*, 277  
*Euschizomerus*, 345  
*Euscopus*, 502  
*Euscyrthus*, 619  
*Euseboides*, 352  
*Euseius*, 315  
*Euselates*, 401  
*Eushachia*, 597  
*Eusilpha*, 408  
*Eusomidius*, 376  
*Eusphalerum*, 411  
*Eustachys*, 229  
*Eustenopsylla*, 505  
*Eusthenes*, 504  
*Eustigma*, 259  
*Eustomias*, 779  
*Eustra*, 345  
*Eustrangalis*, 352  
*Eustroma*, 567  
*Eusudasina*, 492  
*Eusunoxa*, 545  
*Eutaenia*, 352  
*Eutanyacra*, 532  
*Eutectona*, 556  
*Eutelia*, 587  
*Euterapha*, 352  
*Euterpina*, 330  
*Euterpnosia*, 480  
*Eutetramorus*, 188  
*Eutetranychus*, 303  
*Eutetrapha*, 352  
*Eutettix*, 485  
*Euthalia*, 599  
*Eutheia*, 408  
*Euthrix*, 577  
*Euthycus*, 376  
*Euthymella*, 688  
*Euthynnus*, 770  
*Euthyonidiella*, 732  
*Euthyplatystoma*, 451  
*Eutimomena*, 424  
*Eutochia*, 421  
*Eutomostethus*, 545  
*Eutorna*, 550  
*Eutrema*, 247  
*Eutreptia*, 33  
*Eutrichocheles*, 634  
*Eutrichogramma*, 547  
*Eutrichosiphum*, 490  
*Eutrichosiphum*  
(*Ditrichosiphum*), 490  
*Eutrichosiphum*  
(*Paratrichosiphum*), 490  
*Eutroglia*, 587  
*Eutrombicula*, 320  
*Eutropha*, 434  
*Eutypa*, 135  
*Eutypella*, 135  
*Euurobracon*, 513  
*Euwallacea*, 407  
*Euwilemania*, 587  
*Euxanthus*, 652  
*Euxestocis*, 370  
*Euxestus*, 360  
*Euxiphydria*, 549  
*Euzopherodes*, 604  
*Evacanthus*, 489  
*Evagetes*, 541  
*Evania*, 525  
*Evarcha*, 312  
*Evaza*, 456  
*Evecliptopera*, 567  
*Everes*, 579  
*Evermannella*, 741  
*Everniastrum*, 109  
*Eviota*, 758  
*Evippe*, 562  
*Evistias*, 766  
*Evolvulus*, 279  
*Evonima*, 596  
*Evorinea*, 378  
*Evoxymetopon*, 773  
*Evylaeus*, 528  
*Evynnis*, 772  
*Exallias*, 753  
*Exallomochlus*, 501  
*Exallonyx*, 542  
*Excavarus*, 532  
*Excellichlamys*, 667  
*Exciorolana*, 654  
*Excoecaria*, 253  
*Exchesops*, 335  
*Exelastis*, 603  
*Exenterus*, 532  
*Exeristes*, 533  
*Exetastes*, 533  
*Exidia*, 158  
*Exillis*, 335  
*Exitianus*, 485  
*Exocentrus*, 352  
*Exochalara*, 169  
*Exochus*, 533  
*Exocoetus*, 742  
*Exolontha*, 401  
*Expalaemon*, 643  
*Exophiala*, 86  
*Exorista*, 461  
*Exosoma*, 364  
*Exosporella*, 96  
*Exosporium*, 83  
*Exostira*, 421  
*Exostratum*, 199  
*Exostroma*, 96  
*Exserohilum*, 131  
*Exserticlava*, 96  
*Exsula*, 588  
*Extremoplusia*, 588  
*Exyrias*, 758  
*Eysarcoris*, 500  
*Fabavirus*, 2  
*Fabiania*, 588  
*Fabrea*, 25  
*Fabronia*, 203  
*Facitorus*, 513  
*Facydes*, 533  
*Fagopyrum*, 267  
*Fagraea*, 259  
*Fagus*, 257  
*Falco*, 785  
*Falculifer*, 315  
*Falsogastrallus*, 334  
*Falsolobozetes*, 317  
*Falsomesosella*, 352  
*Falsomordellina*, 394  
*Falsomordellisena*, 394  
*Falsomordellistena*, 394  
*Famegana*, 579  
*Fannia*, 445  
*Farfugium*, 244  
*Faristenia*, 562  
*Farrania* (*Drepanopsis*),  
324  
*Farranula*, 328  
*Farsus*, 385  
*Farynala*, 479  
*Farysia*, 167  
*Fascellina*, 567  
*Fasciolopsis*, 298  
*Fatoua*, 282  
*Fatsia*, 242  
*Faughnia formosae*, 655  
*Faughnia haani*, 655  
*Faughnia serenei*, 655  
*Faunis*, 599  
*Faunus*, 701  
*Fauriella*, 203  
*Fautor*, 682  
*Favartia*, 711  
*Favella*, 26  
*Favia*, 293  
*Favites*, 293  
*Favolaschia*, 143  
*Favolus*, 154  
*Favonigobius*, 758  
*Favriella*, 716  
*Favulina*, 39  
*Fejervarya*, 781  
*Felaniella*, 674  
*Feldmannia*, 76  
*Feliniopsis*, 588  
*Felis*, 793  
*Felisacus*, 496  
*Femsjonina*, 149  
*Fentonina*, 597  
*Ferdinandea*, 457  
*Feresa*, 794  
*Ferosagitta*, 728  
*Ferreola*, 541  
*Ferreoloides*, 541  
*Ferrisia*, 501  
*Feshyia*, 463  
*Festuca*, 229  
*Fibularia*, 730  
*Ficedula*, 790  
*Ficiphagus*, 407  
*Ficotarsonemus*, 308  
*Ficus*, 282  
*Ficus*, 690  
*Fiebrigilla*, 434  
*Figulus*, 391  
*Filariomyces*, 106  
*Filientomon*, 622  
*Filinia*, 302  
*Filipendula*, 271  
*Filistata*, 310  
*Filoboletus*, 145  
*Fimbria*, 670  
*Fimbristylis*, 226  
*Fingulus*, 496  
*Fiorianteon*, 522  
*Fiorinia*, 487  
*Firmiana*, 264  
*Firmiscalca*, 687  
*Fischoederius*, 298  
*Fissicaudus*, 513  
*Fissicepheus*, 318  
*Fissidens*, 199  
*Fissidentalium*, 726  
*Fissilabia*, 698  
*Fissistigma*, 263  
*Fissurina*, 39  
*Fistularia*, 746  
*Fistulina*, 143  
*Fistulobalanus*, 656  
*Fitatsia*, 533  
*Fixsenia*, 579  
*Flabelligobius*, 758  
*Flabellina*, 685  
*Flabellospora*, 97  
*Flaccisagitta*, 728  
*Flacourtia*, 284  
*Flagellaria*, 241  
*Flammulina*, 143  
*Flavinarosa*, 578  
*Flavipennis*, 450  
*Flavivirus*, 2  
*Flavobacterium*, 13  
*Flavoparmelia*, 109  
*Flavopimpla*, 533  
*Fleischerobryum*, 196  
*Flemingia*, 255

## 屬名索引

- Fleutiauxellus*, 380  
*Flickingeria*, 237  
*Flintina*, 41  
*Flintina (Pseudofintina)*, 41  
*Floating*, 12  
*Floating*, 1  
*Floracarus*, 306  
*Floribundaria*, 207  
*Florilus*, 43  
*Florilus (Nonion)*, 43  
*Florilus (Nonionella)*, 43  
*Florilus (Pseudononion)*, 43  
*Florisphaera*, 67  
*Floscopa*, 224  
*Flueggea*, 253  
*Foa*, 752  
*Fodina*, 588  
*Foenatopus*, 544  
*Foetorepus*, 754  
*Fomes*, 154  
*Fomitella*, 154  
*Fomitopsis*, 151  
*Foochounus*, 421  
*Fopius*, 513  
*Forcipiger*, 755  
*Forcipomyia*, 431  
*Forcipomyia*  
(*Caloforcipomyia*), 431  
*Forcipomyia*  
(*Dacnoforcipomyia*), 431  
*Forcipomyia (Forcipomyia)*,  
431  
*Forcipomyia (Lasiohelea)*,  
431  
*Forcipomyia (Lepidohelea)*,  
432  
*Forcipomyia (Microhelea)*,  
432  
*Forcipomyia*  
(*Proforcipomyia*), 432  
*Forcipomyia (Pterobosca)*,  
432  
*Forcipomyia*  
(*Synthyridomyia*), 432  
*Forcipomyia (Thyridomyia)*,  
432  
*Forcipula*, 425  
*Forda*, 499  
*Forestia*, 652  
*Forficula*, 424  
*Formica*, 526  
*Formicococcus*, 501  
*Formiconus*, 334  
*Formicosepsis*, 437  
*Formocicada*, 480  
*Formocryptus*, 533  
*Formofentonia*, 597  
*Formokamaga*, 601  
*Formosana*, 722  
*Formosaphis*, 499  
*Formosaspis*, 487  
*Formosempria*, 545  
*Formosiella*, 345  
*Formosina*, 434  
*Formosobaris*, 376  
*Formosogalerucella*, 364  
*Formosopyrrhona*, 353  
*Formosotoxotus*, 353  
*Formostenus*, 533  
*Formotosena*, 480  
*Formozygaena*, 613  
*Fornax*, 385  
*Fornicia*, 513  
*Forskalia*, 296  
*Forsstroemia*, 207  
*Fossaria*, 683  
*Fossarus*, 697  
*Foveavirus*, 3  
*Fowleria*, 752  
*Fragaria*, 271  
*Fragilaria*, 55  
*Fragilariacylin*, 66  
*Fragilariella*, 55  
*Fragiliscala*, 687  
*Fragilopalma*, 687  
*Fragum*, 669  
*Franceia*, 184  
*Frankliniella*, 627  
*Franklinothrips*, 625  
*Fraxinus*, 278  
*Fregata*, 785  
*Freycinetia*, 241  
*Freyeria*, 579  
*Frigidocardium*, 669  
*Fringilla*, 790  
*Friona*, 533  
*Frisilia*, 577  
*Froggattiella*, 487  
*Froggetiella*, 487  
*Fromia*, 729  
*Fromundus*, 484  
*Frontonia*, 25  
*Frontopsylla*, 625  
*Frustulia*, 59  
*Fryeria*, 719  
*Fuhrmannetta*, 297  
*Fuirena*, 226  
*Fukienogomphus*, 618  
*Fulgoraria*, 719  
*Fulica*, 788  
*Fuligo*, 35  
*Fulmekiola*, 627  
*Fulvia*, 118  
*Fulvia*, 669  
*Fulvius*, 496  
*Fumago*, 138  
*Fumaria*, 266  
*Funaria*, 200  
*Funchalia*, 646  
*Fungia*, 293  
*Fungitarsonemus*, 308  
*Funkikonia*, 494  
*Fursenkoina*, 39  
*Fursenkoina (Virgulina)*, 39  
*Furusawaia*, 364  
*Fusariella*, 97  
*Fusarium*, 104  
*Fuscidea*, 134  
*Fusciludia*, 463  
*Fusella*, 97  
*Fusiaphera*, 704  
*Fusicladium*, 97  
*Fusicocccum*, 97  
*Fusigobius*, 758  
*Fusinus*, 708  
*Fusitriton*, 692  
*Fusolatirus*, 708  
*Fusoma*, 97  
*Fustiaria*, 726  
*Gabala*, 596  
*Gabrius*, 412  
*Gabronthus*, 412  
*Gadila*, 726  
*Gadilina*, 726  
*Gadinia*, 684  
*Gadomus*, 745  
*Gaertneriomyces*, 169  
*Gaetanus*, 322  
*Gaetice*, 639  
*Gafrarium*, 674  
*Gahnia*, 226  
*Gaillardia*, 244  
*Gaillardielli*, 652  
*Galactia*, 255  
*Galathea*, 637  
*Galaxaura*, 179  
*Galaxea*, 294  
*Galbites*, 385  
*Galeatus*, 504  
*Galene*, 647  
*Galeocerdo*, 734  
*Galeodea*, 690  
*Galeola*, 238  
*Galeolaria*, 296  
*Galeocorys*, 690  
*Galera*, 142  
*Galerina*, 142  
*Galerita*, 345  
*Galerucella*, 364  
*Galeus*, 735  
*Galiella*, 128  
*Galinsoga*, 244  
*Galium*, 273  
*Galleria*, 604  
*Gallerucida*, 364  
*Gallicrex*, 788  
*Gallinago*, 787  
*Gallinula*, 788  
*Gallirallus*, 788  
*Gallitellia*, 40  
*Galumna*, 317  
*Galumnella*, 317  
*Gamasomorpha*, 311  
*Gambleola*, 166  
*Gambroides*, 533  
*Gambusia*, 744  
*Gamepentes*, 380  
*Gametis*, 401  
*Gammaphytoptus*, 307  
*Gammaretrovirus*, 8  
*Gammiella*, 205  
*Gampsocera*, 434  
*Gampsocoris*, 477  
*Gandaritis*, 567  
*Ganeo*, 300  
*Gangetia*, 701  
*Ganisa*, 561  
*Ganoderma*, 151  
*Ganonema*, 180  
*Ganonema*, 628  
*Garaeus*, 567  
*Garcinia*, 281  
*Garckea*, 199  
*Gardena*, 503  
*Gardenia*, 273  
*Gardineroseris*, 292  
*Gardneria*, 259  
*Gargariscus*, 776  
*Gargela*, 556  
*Gargudinia*, 552  
*Gari*, 672  
*Garnotia*, 229  
*Garovaglia*, 209  
*Garrulax*, 792  
*Garrulus*, 789  
*Garthambrus*, 646  
*Gasteracantha*, 309  
*Gasterocercus*, 376  
*Gasterocome*, 567  
*Gasterostena*, 606  
*Gasteruption*, 528  
*Gastrallus*, 334  
*Gastraspis*, 523  
*Gastroboletus*, 147  
*Gastrocentrum*, 370  
*Gastrochaena*, 663  
*Gastrochilus*, 238  
*Gastrocopta*, 723  
*Gastrodia*, 238  
*Gastrolinoides*, 365  
*Gastromaladera*, 401  
*Gastropacha*, 577  
*Gastrophysa (Gastrophysa)*,  
365  
*Gastroptychia*, 697  
*Gastroserica*, 402  
*Gastrothrips*, 626  
*Gastrozona*, 463  
*Gastrum*, 159  
*Gatesclarkeana*, 610  
*Gatzara*, 616  
*Gaudryina*, 45  
*Gaultheria*, 251  
*Gaurax*, 434  
*Gaurenopsis*, 588  
*Gauromaia*, 421  
*Gavialiceps*, 738  
*Gaza*, 682  
*Gazalina*, 597  
*Gazza*, 763  
*Geastrum*, 150  
*Gecarcoidea*, 638  
*Gehyra*, 783  
*Geisha*, 490  
*Gekko*, 783  
*Gelagna*, 692  
*Gelasinospora*, 134  
*Gelasma*, 567  
*Gelastocera*, 596  
*Gelastyrella*, 492

## 屬名索引

- Gelidiella*, 178  
*Gelidiopsis*, 180  
*Gelidium*, 177  
*Gelliodes*, 287  
*Geloina*, 670  
*Gelonaetha*, 353  
*Gelonium*, 253  
*Gemmula*, 716  
*Gempylus*, 757  
*Geneosperma*, 127  
*Genicanthus*, 767  
*Genimella*, 188  
*Geniostema*, 259  
*Gentiana*, 258  
*Geobacillus*, 18  
*Geocoris*, 494  
*Geodorum*, 238  
*Geodromicus*, 412  
*Geogepa*, 610  
*Geoglossum*, 113  
*Geograpsus*, 639  
*Geoica*, 499  
*Geolegnia*, 80  
*Geometra*, 567  
*Geophagus*, 756  
*Geophila*, 274  
*Geophorus*, 679  
*Georissa*, 679  
*Georissus*, 388  
*Geosesarma*, 639  
*Geosmithia*, 91  
*Geostibida*, 412  
*Geothelphusa*, 649  
*Geotrichum*, 139  
*Geotricum*, 97  
*Gephyroberyx*, 743  
*Gephyrocapsa*, 68  
*Gephyroneura*, 611  
*Geranium*, 259  
*Gerbathodes*, 588  
*Gerbera*, 244  
*Gergithoides*, 492  
*Gergithus*, 492  
*Gerocyptera*, 461  
*Gerontha*, 608  
*Gerres*, 757  
*Gerris*, 490  
*Gesonia*, 588  
*Ghoria*, 552  
*Gibber*, 335  
*Gibberella*, 105  
*Gibberifera*, 611  
*Gibbium*, 334  
*Gibbovalva*, 575  
*Gibbula*, 682  
*Gibellula*, 103  
*Gibosia*, 622  
*Gibsmithia*, 178  
*Gibsonoma*, 524  
*Gigaleurodes*, 472  
*Gigantias*, 771  
*Gigantochloa*, 229  
*Gigantothrips*, 626  
*Gigartina*, 178  
*Gigaspora*, 170  
*Gilmaniella*, 97  
*Ginebis*, 682  
*Ginshachia*, 597  
*Giraldiella*, 205  
*Girardinia*, 283  
*Giraudia*, 533  
*Girella*, 761  
*Glaberoribates*, 317  
*Glbratella*, 39  
*Glbriscala*, 687  
*Glabropilumnus*, 647  
*Gladiolithus*, 67  
*Glandulina*, 39  
*Glans*, 670  
*Glanycus*, 608  
*Glaphyra*, 353  
*Glaphyrostomum*, 298  
*Glareola*, 786  
*Glaucias*, 500  
*Glaucidium*, 793  
*Glauccharis*, 556  
*Glaucoclystis*, 567  
*Glaucoma*, 25  
*Glaucanome*, 670  
*Glaucosoma*, 757  
*Glaucosphaera*, 365  
*Glaucostegus*, 737  
*Glechoma*, 260  
*Gleditsia*, 255  
*Glehnia*, 242  
*Glenea*, 353  
*Glenida*, 353  
*Glenkenia*, 65  
*Glenodinium*, 29  
*Glinus*, 248  
*Gliocladium*, 103  
*Gliomastix*, 97  
*Glipa*, 394  
*Glipostena*, 394  
*Glipostenoda*, 394  
*Glischrochilus*, 396  
*Globicephala*, 794  
*Globigerina*, 40  
*Globigerina*  
(*Globigerinella*), 40  
*Globigerina*  
(*Globorotaloides*), 40  
*Globigerina*  
(*Neogloboquadrina*), 40  
*Globigerinita*, 40  
*Globigerinoides*, 40  
*Globigerinoides*  
(*Globigerinoidesella*), 40  
*Globigerinoidesella*, 40  
*Globiscala*, 687  
*Globobulimina*, 38  
*Globonothrus*, 316  
*Globoquadrina*, 38  
*Globorotalia*, 40  
*Globorotaloides*, 38  
*Globovula*, 698  
*Globulina*, 43  
*Glochidion*, 253  
*Glocophyllum*, 159  
*Gloeoactinium*, 183  
*Gloecapsa*, 15  
*Gloecystidiellum*, 158  
*Gloecystis*, 188  
*Gloeomyces*, 156  
*Gloeophyllum*, 151  
*Gloeoporus*, 153  
*Gloeosporium*, 93  
*Gloeotheca*, 15  
*Gloeotila*, 191  
*Gloeotilopsis*, 191  
*Gloiopeltis*, 178  
*Gloiothele*, 158  
*Glomerella*, 84  
*Glomus*, 170  
*Gloniella*, 106  
*Gloniopsis*, 106  
*Glonium*, 106  
*Glossadelphus*, 205  
*Glossanodon*, 740  
*Glossilus*, 307  
*Glossocardia*, 244  
*Glossocardia*, 674  
*Glossoccephalus*, 632  
*Glossodium*, 108  
*Glossogobius*, 758  
*Glossosoma*, 629  
*Gluconacetobacter*, 19  
*Gluconobacter*, 19  
*Glyceria*, 229  
*Glycine*, 255  
*Glycosia*, 402  
*Glycosmis*, 275  
*Glycycometus*, 314  
*Glycydonta*, 674  
*Glycymeris*, 662  
*Glycyphana*, 402  
*Glyphicephalus*, 299  
*Glyphinaphis*, 491  
*Glyphipteris*, 574  
*Glyphipterix*, 574  
*Glyphis*, 124  
*Glyphis*, 679  
*Glyphis*, 734  
*Glyphiulus*, 333  
*Glyphium*, 106  
*Glyphocrangon*, 638  
*Glyphodes*, 556  
*Glyphomitrium*, 206  
*Glyphonyx*, 380  
*Glyphostoma*, 716  
*Glyphothecium*, 206  
*Glypta*, 533  
*Glyptapanteles*, 513  
*Glypthelmins*, 300  
*Glyptobasis*, 615  
*Glyptophidium*, 750  
*Glyptotendipus*, 433  
*Glyptotermes*, 549  
*Glyptus*, 635  
*Gnamptogenys*, 526  
*Gnamptoloma*, 567  
*Gnamptopteryx*, 567  
*Gnaphalium*, 244  
*Gnaphaloryx*, 391  
*Gnathanodon*, 754  
*Gnathocerus*, 421  
*Gnathodentex*, 763  
*Gnatholea*, 353  
*Gnatholepis*, 759  
*Gnathoncus*, 386  
*Gnathophausia*, 654  
*Gnathophis*, 738  
*Gnathophyllum*, 638  
*Gnesis*, 421  
*Gnomonia*, 86  
*Gnomoniella*, 86  
*Gnophomyia*, 465  
*Gnophomyia* (*Gonomyia*), 465  
*Gnophomyia* (*Gymnastes*), 465  
*Gnophomyia* (*Idiocera*), 465  
*Gnophomyia* (*Lipophleps*), 465  
*Gnophomyia*  
(*Protogonomyia*), 465  
*Gnophomyia*  
(*Ptilostenoides*), 465  
*Gnophos*, 567  
*Gnorismomyia*, 456  
*Gnorismoneura*, 611  
*Gnypeta*, 412  
*Gobiobotia*, 744  
*Gobiodon*, 759  
*Gobiopsis*, 759  
*Gobrya*, 447  
*Goera*, 629  
*Goerodes*, 629  
*Gogatea*, 300  
*Golenkinia*, 184  
*Golenkinopsis*, 184  
*Golfingia*, 661  
*Gollania*, 203  
*Gomesius*, 503  
*Gomphandra*, 249  
*Gomphidia*, 618  
*Gomphidius*, 148  
*Gomphina*, 674  
*Gomphonema*, 56  
*Gomphonitzschia*, 65  
*Gomphosphaeria*, 14  
*Gomphostemma*, 260  
*Gomphosus*, 762  
*Gomphrena*, 248  
*Gomphus*, 146  
*Gonanticlea*, 567  
*Gonatopsis*, 677  
*Gonatopus*, 522  
*Gonatozygon*, 195  
*Goneplax*, 638  
*Gonepteryx*, 602  
*Gongronella*, 172  
*Goniada*, 660  
*Goniagnathus*, 485  
*Goniastrea*, 293  
*Goniistius*, 756  
*Gonimyrtea*, 671  
*Goniocidaris*, 730  
*Goniocraspedon*, 588  
*Goniocraspidum*, 588

## 屬名索引

- Gonioctena*, 365  
*Gonioctena (Asiphytodecta)*, 365  
*Gonioctena*  
(*Brachyphytodecta*), 365  
*Gonioctena (Gonioctena)*, 365  
*Goniodiscaster*, 729  
*Goniophyto*, 453  
*Goniopora*, 294  
*Goniopugettia*, 641  
*Goniorhynchus*, 556  
*Goniothalamus*, 263  
*Goniotrichum*, 191  
*Goniozus*, 509  
*Gonium*, 189  
*Gonocaryum*, 249  
*Gonocephalum*, 421  
*Gonocormus*, 213  
*Gonodactylellus*, 654  
*Gonodactylus*, 654  
*Gonodontis*, 568  
*Gonoglasa*, 588  
*Gonolabis*, 424  
*Gonophallus*, 483  
*Gonorynchus*, 747  
*Gonostegia*, 283  
*Gonostoma*, 778  
*Gonyaulax*, 29  
*Gonytrichella*, 136  
*Gonytrichum*, 85  
*Goodyera*, 238  
*Gordonia*, 13  
*Gordonia*, 282  
*Gorgasia*, 738  
*Gorgonariana*, 647  
*Gorsachius*, 785  
*Gortyna*, 588  
*Goryphus*, 533  
*Gossleriella*, 73  
*Gotra*, 533  
*Goya*, 604  
*Graacilaria*, 179  
*Gracila*, 771  
*Gracilaria*, 179  
*Gracilentulus*, 622  
*Graciliscala*, 687  
*Gralliclava*, 484  
*Grammatobothus*, 774  
*Grammatomya*, 672  
*Grammatophora*, 55  
*Grammatorcynus*, 770  
*Grammicolepis*, 781  
*Grammicomyia*  
(*Ectemnodera*), 447  
*Grammistes*, 771  
*Grammitis*, 219  
*Grammodes*, 588  
*Grammographus*, 353  
*Grammoplites*, 776  
*Grammoptera*, 353  
*Grammothele*, 152  
*Grampus*, 794  
*Grangea*, 245  
*Granosolarium*, 686  
*Granulifusus*, 708  
*Granulilittorina*, 697  
*Granulocystis*, 184  
*Granulocystopsis*, 184  
*Graphicomassa*, 704  
*Graphidessa*, 353  
*Graphina*, 124  
*Graphiola*, 166  
*Graphis*, 124  
*Graphium*, 97  
*Graphium*, 601  
*Grapholita*, 611  
*Graphomya*, 448  
*Graphosoma*, 500  
*Grapsus*, 639  
*Graptacme*, 726  
*Graptomyza*, 457  
*Graptostethus*, 494  
*Grateloupia*, 175  
*Gredzinskiya*, 479  
*Greenaspis*, 487  
*Greeneria*, 87  
*Greenidea*, 490  
*Greenidea (Paragreenidea)*, 490  
*Greenidea (Trichosiphum)*, 490  
*Greeniella*, 487  
*Gregariella*, 664  
*Grewia*, 264  
*Griffithsia*, 175  
*Grifola*, 152  
*Grimalditeuthis*, 677  
*Grimmia*, 201  
*Grouvellinus*, 383  
*Grus*, 788  
*Grylloides*, 619  
*Gryllotalpa*, 620  
*Gryllus*, 619  
*Gryon*, 543  
*Gryporrhynchus*, 376  
*Guedea*, 97  
*Guembeltria (Gallitellia)*, 41  
*Guepinia*, 159  
*Guettarda*, 274  
*Guignardia*, 87  
*Guildfordia*, 682  
*Guinardia*, 73  
*Gumaga*, 631  
*Gunnelllichthys*, 764  
*Guppya*, 724  
*Gurales*, 716  
*Gurleyi*, 14  
*Gustavia*, 317  
*Guttulinopsis*, 25  
*Gyliauchen*, 300  
*Gymnapogon*, 752  
*Gymnasura*, 552  
*Gymnema*, 258  
*Gymnocarpium*, 216  
*Gymnocranium*, 763  
*Gymnoderma*, 124  
*Gymnodinium*, 27  
*Gymnodoris*, 719  
*Gymnomuraena*, 739  
*Gymnonerius*, 450  
*Gymnopatagus*, 731  
*Gymnopetalum*, 284  
*Gymnopilus*, 142  
*Gymnopteris*, 214  
*Gymnosarda*, 770  
*Gymnoscelis*, 568  
*Gymnosiphon*, 235  
*Gymnosoma*, 461  
*Gymnosporangium*, 163  
*Gymnostomiella*, 200  
*Gymnostomum*, 211  
*Gymnothamnion*, 175  
*Gymnothorax*, 739  
*Gymnozyga*, 193  
*Gymnura*, 736  
*Gymmodia*, 448  
*Gynacantha*, 617  
*Gynaikothrips*, 626  
*Gynaikothrips*, 626  
*Gynautocera*, 613  
*Gynenomus*, 556  
*Gynostemma*, 284  
*Gynura*, 245  
*Gypsonoma*, 611  
*Gyraulus*, 684  
*Gyrineum*, 692  
*Gyrinocheilus*, 744  
*Gyrinus*, 385  
*Gyrocoelia*, 297  
*Gyrodinium*, 27  
*Gyrodon*, 148  
*Gyrodontium*, 148  
*Gyrohypnus*, 412  
*Gyroidina*, 38  
*Gyroidina (Hansenisca)*, 39  
*Gyroidinoides*, 39  
*Gyroneuron*, 513  
*Gyroporus*, 148  
*Gyroscala*, 687  
*Gyrosigma*, 59  
*Gyrostomum*, 124  
*Gyrothrix*, 97  
*Gystomutilla*, 539  
*Habenaria*, 238  
*Habrissus*, 335  
*Habrodesmus*, 332  
*Habrojoppa*, 533  
*Habroloma*, 340  
*Habromorula*, 711  
*Habronyx*, 533  
*Habrophlebia*, 470  
*Habropoda*, 508  
*Habrosyne*, 560  
*Habrothrips*, 626  
*Hackelochloa*, 230  
*Hadena*, 588  
*Hadennia*, 588  
*Hadjina*, 588  
*Hadrogaster*, 425  
*Hadropenaeus*, 651  
*Hadrostethus*, 533  
*Haemaphysalis*, 319  
*Haematobia*, 448  
*Haematobosca*, 448  
*Haematococcus*, 189  
*Haematomma*, 108  
*Haematopinus*, 621  
*Haematopota*, 459  
*Haematopus*, 786  
*Haeterius*, 386  
*Halaelurus*, 735  
*Halbaniella*, 116  
*Halcyon*, 788  
*Halgerda*, 719  
*Haliaeetus*, 785  
*Haliastur*, 785  
*Halicampus*, 746  
*Halicarcinus*, 640  
*Halicardia*, 666  
*Halichoeres*, 762  
*Halichrysis*, 180  
*Halicmetus*, 748  
*Halictus*, 528  
*Halicyclops*, 330  
*Halieutaea*, 748  
*Halieutopsis*, 748  
*Haliichthys*, 746  
*Halimeda*, 182  
*Halimede*, 647  
*Halimochirurgus*, 781  
*Haliomma*, 46  
*Haliotis*, 679  
*Halipegus*, 298  
*Haliphron*, 676  
*Haliplus*, 386  
*Haliporoides*, 651  
*Haliporus*, 651  
*Halistemma*, 295  
*Hallodapus*, 497  
*Hallomenus*, 424  
*Halme*, 353  
*Haloa*, 684  
*Halobates*, 490  
*Halodule*, 235  
*Halolaguna*, 577  
*Halomitra*, 293  
*Halonympha*, 665  
*Halophila*, 232  
*Haloplegma*, 176  
*Haloptilus*, 323  
*Haloragis*, 259  
*Halorosellinia*, 136  
*Halosarpheia*, 136  
*Halosauropsis*, 738  
*Halospheera*, 78  
*Halovelgia*, 505  
*Halpe*, 576  
*Halteria*, 26  
*Halticoptera*, 542  
*Halticus*, 497  
*Halyabbus*, 500  
*Halycaea*, 513  
*Halymenia*, 179  
*Halyomorpha*, 500  
*Halyzia*, 372  
*Hamasporea*, 162  
*Hammerabates*, 319  
*Hammerella*, 318

## 屬名索引

- Hamodes*, 588  
*Hampeella*, 206  
*Hansenula*, 139  
*Hansfordia*, 97  
*Hantavirus*, 10  
*Hantzschia*, 52  
*Hanzawaia*, 39  
*Hapalocarcinus*, 635  
*Hapalochlaena*, 676  
*Hapalogenys*, 760  
*Hapalophragmium*, 166  
*Hapalosiphon*, 15  
*Haplacarus*, 317  
*Haplegis*, 434  
*Haplobasidium*, 97  
*Haplochaena*, 676  
*Haplocladium*, 206  
*Haplogonatopus*, 522  
*Haplographium*, 97  
*Haplohymenium*, 206  
*Haplomela*, 365  
*Haplophragmoides*, 41  
*Haplorchis*, 299  
*Haplosaenidea*, 365  
*Haplosomoides*, 365  
*Haplosporangium*, 171  
*Haplothrips*, 626  
*Haplothrips*, 626  
*Haplotinea*, 608  
*Haplozetes*, 316  
*Haptoglossa*, 169  
*Haptoquilla*, 655  
*Haraella*, 238  
*Haritalodes*, 556  
*Harknessia*, 97  
*Harmaclona*, 608  
*Harmochirus*, 312  
*Harmonia*, 372  
*Harmophorus*, 412  
*Haroldius*, 402  
*Harpa*, 709  
*Harpacticus*, 330  
*Harpadon*, 741  
*Harpagophalla*, 453  
*Harpalus*, 345  
*Harpedona*, 497  
*Harpiliopsis*, 643  
*Harpiocephalus*, 794  
*Harpiola*, 794  
*Harpioquilla*, 655  
*Harplaria*, 97  
*Harposporium*, 97  
*Harpyia*, 597  
*Harrovia*, 647  
*Hartemita*, 513  
*Harutalcis*, 568  
*Harzia*, 102  
*Hasarius*, 312  
*Hasora*, 576  
*Hastigerina*, 40  
*Hastina*, 568  
*Hastula*, 714  
*Hattigoria*, 492  
*Haustellum*, 711  
*Hawaiarca*, 662  
*Hawaiia*, 724  
*Hayashi*, 353  
*Hayashidonus*, 650  
*Hayaster*, 67  
*Hayekpenthes*, 381  
*Hayhurstia*, 474  
*Hazeus*, 759  
*Hebardina*, 334  
*Hebecnema*, 448  
*Hebeloma*, 141  
*Hebomoia*, 602  
*Hebra*, 712  
*Hebrus*, 490  
*Hecalus*, 491  
*Hecamede*, 444  
*Hecamedoides*, 444  
*Hedera*, 242  
*Hedwigia*, 207  
*Hedya*, 611  
*Hedybioattalus*, 394  
*Hedychium*, 241  
*Hedychrum*, 517  
*Hedycryptus*, 533  
*Hedyjoppa*, 533  
*Hedyotis*, 274  
*Hehnia*, 310  
*Heikea*, 637  
*Heimiella*, 147  
*Heizmznnia (Heizmznnia)*, 437  
*Heizmznnia (Mattinglyia)*, 437  
*Hekista*, 497  
*Helcogramma*, 773  
*Helcon*, 513  
*Helconidea*, 513  
*Helcyra*, 599  
*Helcystogramma*, 562  
*Heleanna*, 611  
*Helenina*, 39  
*Heliacus*, 686  
*Helice*, 639  
*Helicia*, 268  
*Helicodontium*, 203  
*Helicogloea*, 166  
*Helicolenus*, 776  
*Helicoma*, 132  
*Helicomycetes*, 132  
*Helicorthomorpha*, 332  
*Helicosalpa*, 734  
*Helicosphaera*, 68  
*Helicosporium*, 132  
*Helicostyla*, 720  
*Helicteres*, 264  
*Helictotrichon*, 230  
*Helina*, 448  
*Heliococcus*, 501  
*Helioocypha*, 617  
*Heliodiaptomus*, 324  
*Heliodiscus*, 47  
*Heliofungia*, 293  
*Heliogomphus*, 618  
*Heliographa*, 448  
*Helionothrips*, 627  
*Heliophorus*, 579  
*Heliopora*, 290  
*Heliosia*, 552  
*Heliosoma*, 46  
*Heliolithis*, 588  
*Heliolithrips*, 627  
*Heliotropium*, 260  
*Helius (Eurhamphida)*, 465  
*Helius (Helius)*, 465  
*Helladosphaera*, 67  
*Hellula*, 556  
*Helminthocladia*, 180  
*Helminthosporium*, 131  
*Helminthostachys*, 214  
*Helochares*, 388  
*Helonias*, 234  
*Helopeltis*, 497  
*Helota*, 386  
*Helotrephes*, 491  
*Helvella*, 127  
*Helwingia*, 249  
*Hemaris*, 607  
*Hemarthria*, 230  
*Hemathlophorus*, 545  
*Hemerobius*, 616  
*Hemerocallis*, 234  
*Hemerodromia*, 443  
*Hemiaulus*, 70  
*Hemibarbus*, 744  
*Hemiberlesia*, 487  
*Hemiboea*, 277  
*Hemibugnarus*, 783  
*Hemicera*, 421  
*Hemichromis*, 756  
*Hemicordulia*, 618  
*Hemicorynespora*, 97  
*Hemicrepidius*, 381  
*Hemictenophora*, 588  
*Hemiculter*, 744  
*Hemicyclops*, 328  
*Hemidactylus*, 783  
*Hemidaphne*, 716  
*Hemidiscus*, 74  
*Hemifusus*, 709  
*Hemigaleus*, 734  
*Hemigaster*, 533  
*Hemiglaea*, 588  
*Hemiglyphidodon*, 768  
*Hemigobius*, 759  
*Hemigramma*, 215  
*Hemigraphis*, 277  
*Hemigrapsus*, 639  
*Hemigymnus*, 762  
*Hemilea*, 463  
*Hemileia*, 159  
*Hemiliostraca*, 690  
*Hemimetis*, 673  
*Hemimyzon*, 744  
*Heminothrus*, 316  
*Hemionitis*, 214  
*Hemiops*, 381  
*Hemipenthes*, 429  
*Hemipepsis*, 541  
*Hemiphaedusa*, 722  
*Hemiphragma*, 278  
*Hemiphyllocladylus*, 783  
*Hemipilia*, 238  
*Hemipristis*, 735  
*Hemipsilia*, 552  
*Hemipsocus*, 624  
*Hemiptarsenus*, 524  
*Hemipvxix*, 365  
*Hemipyrellia*, 429  
*Hemipyxis*, 365  
*Hemipyxiy*, 365  
*Hemiramphus*, 742  
*Hemirhabdus*, 325  
*Hemiscolocenus*, 307  
*Hemimittoidea*, 727  
*Hemisphaerius*, 493  
*Hemistepia*, 245  
*Hemistola*, 568  
*Hemitaenichthys*, 756  
*Hemitaxonus*, 545  
*Hemithea*, 568  
*Hemistriakis*, 735  
*Hemistrichia*, 37  
*Hemityphis*, 632  
*Hendecaneura*, 611  
*Hendecasis*, 556  
*Hendelia (Prohendelia)*, 435  
*Hendersonia*, 97  
*Henicolabus*, 336  
*Henicospora*, 97  
*Heniochus*, 756  
*Henningsiella*, 116  
*Henosepilachna*, 372  
*Henoticus*, 374  
*Henschia*, 485  
*Henschiella*, 489  
*Hepacivirus*, 3  
*Hepatica*, 588  
*Hepatovirus*, 3  
*Hepevirus*, 3  
*Hepialiscus*, 575  
*Heptameria*, 87  
*Heptranchias*, 735  
*Heratemis*, 513  
*Hercostomus*, 438  
*Hercostomus (Hercostomus)*, 439  
*Herculia*, 604  
*Herennia*, 312  
*Heresiarches*, 533  
*Heriades*, 538  
*Heridium*, 156  
*Herimba*, 608  
*Heritiera*, 264  
*Herklotsichthys*, 743  
*Hermannia*, 317  
*Hermanniella*, 317  
*Hermatiomyces*, 97  
*Hermatias*, 611  
*Hermilius*, 658  
*Hermilia*, 588  
*Hermidium*, 238  
*Hermonassa*, 588  
*Hermya*, 461  
*Hernandia*, 262  
*Herochroma*, 568  
*Herophydrus*, 378

## 屬名索引

- Herpestes*, 793  
*Herpetineuron*, 206  
*Herpetogramma*, 556  
*Herpochondria*, 175  
*Herpolitha*, 293  
*Herpomycetes*, 106  
*Herposiphonia*, 176  
*Herpotrichia*, 129  
*Hersilia*, 310  
*Herzogiella*, 203  
*Hespera*, 365  
*Hesperomorpha*, 365  
*Hesperopalpus*, 412  
*Hesperosoma*, 412  
*Hesperus*, 412  
*Hestina*, 599  
*Hetacarpus*, 640  
*Hetaeria*, 238  
*Heteralex*, 568  
*Hetereleotris*, 759  
*Heterhelus (Heterhelus)*, 388  
*Heterhelus (Taiwanoheterhelus)*, 388  
*Heteribalia*, 529  
*Heterobasidium*, 156  
*Heterobelba*, 317  
*Heterobostrychus*, 337  
*Heterocallia*, 568  
*Heterocarpus*, 644  
*Heterocentrotus*, 731  
*Heterocephalum*, 97  
*Heterocerus*, 386  
*Heterochaete*, 158  
*Heteroconger*, 738  
*Heteroconidium*, 97  
*Heteroconis*, 615  
*Heterocrypta*, 646  
*Heteroderes*, 381  
*Heterodermia*, 111  
*Heterodinium*, 29  
*Heterodontus*, 735  
*Heteroglenea*, 353  
*Heteroglypta*, 672  
*Heterogymna*, 553  
*Heterolepa*, 42  
*Heterolitus*, 397  
*Heterolocha*, 568  
*Heteromeringia*, 435  
*Heteromycteris*, 775  
*Heteronucia*, 640  
*Heteropantilius*, 497  
*Heteropelma*, 533  
*Heterophasia*, 792  
*Heterophleps*, 568  
*Heterophotus*, 779  
*Heterophyllum*, 205  
*Heteropilumnus*, 647  
*Heteropoda*, 310  
*Heteropogon*, 230  
*Heteropriacanthus*, 768  
*Heteropsylla*, 501  
*Heterorepetobasidium*, 159  
*Heterorhabdus*, 325  
*Heteroscelus*, 787  
*Heterosmilax*, 234  
*Heterosmylus*, 616  
*Heterospilus*, 513  
*Heterosporium*, 97  
*Heterostegane*, 568  
*Heterostegania*, 568  
*Heterostegina*, 43  
*Heterostemma*, 258  
*Heterostilbus*, 397  
*Heterostylites*, 325  
*Heterotarsus*, 421  
*Heteroteuthis*, 676  
*Heterothera*, 568  
*Heterothops*, 412  
*Heteroxenia*, 290  
*Heterozaptix*, 722  
*Hewittia*, 279  
*Hexabanchus*, 719  
*Hexacantium*, 46  
*Hexadactylia*, 603  
*Hexafrenum*, 597  
*Hexagonia*, 154  
*Hexagonia*, 345  
*Hexalonche*, 46  
*Hexanchus*, 735  
*Hexaoma (Eriocera)*, 466  
*Hexaptilona*, 463  
*Hexastylus*, 46  
*Hexataenius*, 402  
*Hexatrygon*, 736  
*Hexechamaesipho*, 656  
*Hiatavolva*, 698  
*Hiatella*, 663  
*Hibiscus*, 263  
*Hicksonella*, 290  
*Hieracium*, 245  
*Hierodula (Hierodula)*, 614  
*Higehananomia*, 395  
*Higena*, 597  
*Higginsia*, 288  
*Higonius*, 338  
*Hikonasukuna*, 372  
*Hilara*, 443  
*Hilon*, 680  
*Hilsa*, 743  
*Hilyotrogus*, 402  
*Himalistra*, 588  
*Himalopsyche*, 630  
*Himantocladium*, 208  
*Himantolophus*, 747  
*Himantopus*, 787  
*Himantura*, 736  
*Himatolabus*, 376  
*Himerometra*, 730  
*Himeropteryx*, 597  
*Himopolynema*, 540  
*Hincksia*, 76  
*Hindsia*, 703  
*Hinemoa*, 685  
*Hintonia*, 749  
*Hipoepa*, 588  
*Hippa*, 640  
*Hippasa*, 311  
*Hippeutis*, 684  
*Hippichthys*, 746  
*Hippobroma*, 246  
*Hippocampus*, 747  
*Hippolyte*, 640  
*Hippomenella*, 727  
*Hipponix*, 697  
*Hippopodina*, 727  
*Hippopodius*, 296  
*Hippopus*, 674  
*Hipposcarus*, 769  
*Hipposideros*, 794  
*Hippospongia*, 288  
*Hippothoa*, 727  
*Hippotion*, 607  
*Hiptage*, 267  
*Hiradonta*, 597  
*Hirasa*, 568  
*Hirashimanymus*, 412  
*Hiratettix*, 479  
*Hirmonaurinae*, 450  
*Hiromurex*, 707  
*Hiroshia*, 459  
*Hirschioporus*, 154  
*Hirstia*, 315  
*Hirsutella*, 103  
*hirsutus*, 353  
*Hirtigaleruca*, 365  
*Hirtodrosophila*, 441  
*Hirtoscala*, 687  
*Hirundapus*, 784  
*Hirundichthys*, 742  
*Hirundo*, 790  
*Hishimonus*, 485  
*Hispellinus*, 365  
*Hister*, 386  
*Histeromerus*, 513  
*Histia*, 613  
*Histioneis*, 27  
*Histiophryne*, 747  
*Histiopteris*, 217  
*Histiopterus*, 766  
*Histioteuthis*, 677  
*Histoplasma*, 124  
*Histrio*, 747  
*Hobrothrips*, 626  
*Hockeria*, 516  
*Hodotermopsis*, 549  
*Hofmania*, 183  
*Hofmannophila*, 601  
*Hohenbuehelia*, 144  
*Holandria*, 412  
*Holarrhena*, 258  
*Holcocerus*, 554  
*Holcocoderus*, 345  
*Holcoglossum*, 238  
*Holcojoppa*, 533  
*Holcomycteronus*, 750  
*Holcus*, 230  
*Holepyris*, 509  
*Holococcolithophora*, 67  
*Holocolax*, 331  
*Holocompsa*, 334  
*Holocryptis*, 588  
*Hologymnosus*, 762  
*Hololeius*, 345  
*Hololepta*, 386  
*Holomitrium*, 198  
*Holopheromerus*, 427  
*Holophris*, 517  
*Holophrya*, 26  
*Holorusia*, 466  
*Holoson*, 412  
*Holostrophus*, 424  
*Holothuria*, 732  
*Holotrichia*, 402  
*Homacalypus*, 376  
*Homadaula*, 562  
*Homaeotarsus*, 412  
*Homalia*, 208  
*Homaliadelphus*, 208  
*Homaliodendron*, 208  
*Homalium*, 284  
*Homalocantha*, 711  
*Homalogaster*, 298  
*Homalomena*, 224  
*Homalopoma*, 682  
*Homalosipha*, 334  
*Homalota*, 412  
*Homalothecium*, 202  
*Homalotylus*, 522  
*Homaloxestis*, 577  
*Homocerus*, 338  
*Homochelas*, 562  
*Homoeocerus*, 484  
*Homoeogenus*, 398  
*Homoeostrichus*, 76  
*Homoeotricha*, 463  
*Homoeoxipha*, 620  
*Homohelia*, 432  
*Homola*, 640  
*Homolobus (Apatia)*, 513  
*Homolobus (Chartolobus)*, 513  
*Homolobus (Homolobus)*, 513  
*Homolobus (Oulophus)*, 513  
*Homolobus (Phylacter)*, 513  
*Homolochunia*, 640  
*Homologenus*, 640  
*Homolomannia*, 640  
*Homomallium*, 203  
*Homona*, 611  
*Homoneura (Drosomyia)*, 445  
*Homoneura (Homoneura)*, 446  
*Homoneura (Minettioides)*, 446  
*Homoneura (Neohomoeura)*, 446  
*Homonoia*, 253  
*Homonotus*, 541  
*Homostolus*, 750  
*Homotrioza*, 505  
*Homotrixa*, 461  
*Homozygosphaera*, 67  
*Hondaella*, 203  
*Hookeria*, 201  
*Hookeriopsis*, 202  
*Hoplammophila*, 544  
*Hoplandrothrips*, 626

## 屬名索引

- Hoplapoderus*, 376  
*Hoplasoma*, 365  
*Hoplia*, 402  
*Hoplichthys*, 776  
*Hoplitocoris*, 489  
*Hoplobatrachus*, 781  
*Hoplobrotula*, 750  
*Hoplocampa*, 545  
*Hoplodrina*, 588  
*Hoplolatilus*, 764  
*Hoplomaladera*, 402  
*Hoplopisthius*, 338  
*Hoplopleura*, 621  
*Hoplosaenidea*, 365  
*Hoplosebastes*, 776  
*Hoplostethus*, 743  
*Hoplothrips*, 626  
*Hoplothrips*, 626  
*Hoplothrips*  
(*Odontoplothrips*), 626  
*Hoploxaenidea*, 365  
*Horaemorphus*, 408  
*Horaga*, 579  
*Horaia*, 365  
*Horaiclavus*, 716  
*Horatocera*, 341  
*Hordeivirus*, 1  
*Hordeum*, 230  
*Horikawaea*, 195  
*Horipsestis*, 560  
*Horisme*, 568  
*Horithyatira*, 560  
*Hormidium*, 191  
*Hormiellus*, 513  
*Hormius*, 513  
*Hormomya*, 664  
*Hormophysa*, 76  
*Hornerotylus*, 384  
*Horniulus*, 372  
*Horniulus*, 345  
*Hornophyes*, 307  
*Horridipamera*, 494  
*Hoshihananomia*, 395  
*Hoshinoa*, 611  
*Hoshamudama*, 421  
*Hotea*, 503  
*Houttuynia*, 266  
*Howardia*, 487  
*Howella*, 766  
*Huechys*, 480  
*Huenia*, 641  
*Hulodes*, 588  
*Humata*, 217  
*Humerobates*, 317  
*Humicola*, 103  
*Humulus*, 282  
*Hupodonta*, 597  
*Hyadina*, 444  
*Hyalobathra*, 557  
*Hyalobole*, 588  
*Hyalocylis*, 725  
*Hyalodiscus*, 73  
*Hyalopeplus*, 497  
*Hyalopsora*, 165  
*Hyalopterus*, 474  
*Hyaloraphidium*, 184  
*Hyalorbilia*, 139  
*Hyalorisia*, 693  
*Hyalosynnema*, 169  
*Hyalotheca*, 193  
*Hyalotia*, 97  
*Hyastenus*, 641  
*Hybanthus*, 285  
*Hyblaea*, 576  
*Hybochelus*, 682  
*Hybomitra*, 459  
*Hybos*, 443  
*Hybosciara*, 449  
*Hybovalgus*, 402  
*Hybrdolinus*, 412  
*Hybridolinus*, 412  
*Hydaticus*, 378  
*Hydatina*, 685  
*Hydatocapnia*, 568  
*Hydatomanicus*, 629  
*Hydatothrips*, 627  
*Hydnophora*, 294  
*Hydnum*, 146  
*Hydraena*, 387  
*Hydraeomyces*, 106  
*Hydrangea*, 273  
*Hydrelia*, 568  
*Hydrellia*, 444  
*Hydrilla*, 232  
*Hydrillodes*, 588  
*Hydriris*, 557  
*Hydriscapha*, 388  
*Hydrobasileus*, 618  
*Hydrocassis*, 388  
*Hydrocharis*, 232  
*Hydrochus*, 388  
*Hydroclathrus*, 76  
*Hydrocotyle*, 242  
*Hydrocyphon*, 406  
*Hydrodictyon*, 183  
*Hydroglyphus*, 378  
*Hydrogonium*, 211  
*Hydroides*, 660  
*Hydrolagus*, 735  
*Hydrolea*, 280  
*Hydrolithon*, 177  
*Hydromanicus*, 629  
*Hydrometra*, 491  
*Hydrophasianus*, 786  
*Hydrophilus*, 388  
*Hydrophis*, 783  
*Hydrophitrema*, 299  
*Hydrophoria*, 427  
*Hydrophorus*, 439  
*Hydropsyche*, 629  
*Hydroptila*, 629  
*Hydropus*, 145  
*Hydrosera*, 70  
*Hydrotaea*, 448  
*Hydrovatus*, 378  
*Hydrurus*, 69  
*Hygia*, 484  
*Hygophum*, 749  
*Hygrocybe*, 145  
*Hygrohypnum*, 202  
*Hygrophila*, 277  
*Hygrophorus*, 145  
*Hygroposa*, 312  
*Hygroryza*, 230  
*Hygrotus*, 378  
*Hyla*, 781  
*Hylaeus*, 517  
*Hylastes*, 407  
*Hylecthrus*, 625  
*Hyleoglomeris*, 331  
*Hyles*, 607  
*Hylesinus*, 407  
*Hylimya*, 427  
*Hyllisia*, 353  
*Hylobius*, 376  
*Hylocomiastrum*, 197  
*Hylocomium*, 198  
*Hylodesmum*, 255  
*Hylomesa*, 546  
*Hylophila*, 238  
*Hylophilodes*, 596  
*Hylophilus*, 334  
*Hylotelephium*, 271  
*Hylurgops*, 407  
*Hymenachne*, 230  
*Hymenalia*, 421  
*Hymenia*, 557  
*Hymeniastrum*, 47  
*Hymenocephalus*, 745  
*Hymenocera*, 640  
*Hymenochaete*, 149  
*Hymenolepis*, 297  
*Hymenomonas*, 69  
*Hymenopenaeus*, 651  
*Hymenophyllum*, 213  
*Hymenopsis*, 97  
*Hymenoscyphus*, 93  
*Hymenostilbe*, 97  
*Hymenostylium*, 211  
*Hynobius*, 782  
*Hyophila*, 211  
*Hyorrhynchus*, 407  
*Hyotissa*, 666  
*Hypatima*, 562  
*Hypbaeus*, 394  
*Hypena*, 588  
*Hypenagonia*, 589  
*Hyperaeschrella*, 597  
*Hyperanalyta*, 557  
*Hyperaxis*, 365  
*Hypercodia*, 589  
*Hypericum*, 281  
*Hyperietta*, 631  
*Hyperioides*, 631  
*Hyperionyx*, 631  
*Hyperlophoides*, 589  
*Hyperoche*, 631  
*Hyperoglyphe*, 755  
*Hyperomyzus*, 474  
*Hyperoncus*, 503  
*Hyperopselaphus*, 397  
*Hyperstrotia*, 589  
*Hypersynoides*, 589  
*Hyperythra*, 568  
*Hyphaereon*, 345  
*Hyphalus*, 391  
*Hyphantosoma*, 674  
*Hyphoderma*, 152  
*Hyphodermella*, 153  
*Hyphodontia*, 150  
*Hyphydrus*, 378  
*Hypnea*, 178  
*Hypnodendron*, 197  
*Hypnogyra*, 412  
*Hypnum*, 203  
*Hypoatherina*, 741  
*Hypocacculus*, 386  
*Hypocaccus*, 386  
*Hypocacia*, 353  
*Hypocala*, 589  
*Hypocapnodium*, 138  
*Hypocera*, 450  
*Hypocharis*, 245  
*Hypocharassus*, 439  
*Hypochnus*, 160  
*Hypochrosis*, 568  
*Hypocolpus*, 652  
*Hypocometa*, 568  
*Hypocrea*, 103  
*Hypocrella*, 103  
*Hypocryphalus*, 407  
*Hypodematum*, 215  
*Hypoderaeum*, 298  
*Hypodoryctes*, 513  
*Hypoestes*, 277  
*Hypogalea*, 735  
*Hypogymnia*, 109  
*Hypolamprus*, 608  
*Hypolepis*, 217  
*Hypolimnas*, 599  
*Hypolycaena*, 580  
*Hypolytrum*, 226  
*Hypomeces*, 376  
*Hypomecis*, 568  
*Hypomedon*, 412  
*Hypomiolispa*, 338  
*Hypophthalmichthys*, 744  
*Hypoponera*, 526  
*Hypopterygium*, 201  
*Hypopyra*, 589  
*Hyporhamphus*, 742  
*Hyposada*, 589  
*Hyposemansis*, 589  
*Hyposiccia*, 552  
*Hyposidra*, 568  
*Hyposipalus*, 376  
*Hyposoter*, 533  
*Hypospila*, 589  
*Hypospilina*, 86  
*Hypostomus*, 778  
*Hypothalassia*, 637  
*Hypothenemus*, 407  
*Hypothymis*, 790  
*Hypotrachyna*, 110  
*Hypoxis*, 233  
*Hypoxylon*, 136  
*Hypozetes*, 316  
*Hypseleotris*, 757  
*Hypselodoris*, 719  
*Hypselothyrea*

## 屬名索引

- (*Deplanothyrea*), 441  
*Hypselothyrea*  
(*Hypselothyrea*), 441  
*Hypsibarbus*, 744  
*Hypsicerca*, 533  
*Hypsipetes*, 791  
*Hypsipyra*, 604  
*Hypsizigus*, 160  
*Hypsomadius*, 560  
*Hypsopygia*, 604  
*Hypsosinga*, 309  
*Hypsotropa*, 604  
*Hyptiotes*, 314  
*Hyptis*, 260  
*Hyrrios*, 288  
*Hyperschema*, 412  
*Hysterographium*, 106  
*Hysteroneura*, 474  
*Hysteroscene*, 613  
*Hysterothylacium*, 301  
*Hysterura*, 568  
*Hystrichopsylla*, 625  
*Hystrichoscelus*, 611  
*Hyugatyachus*, 412  
*Iacra*, 672  
*Ibacus*, 650  
*Ibalia*, 529  
*ibidiiformis*, 353  
*Ibla*, 655  
*Ibycus*, 723  
*Icerya*, 495  
*Ichnanthus*, 230  
*Ichneumon*, 533  
*Ichneumonopsis*, 463  
*Ichthyapis*, 487  
*Ichthyococcus*, 778  
*Ichthyoxenus*, 654  
*Ichthyscopus*, 773  
*Ichthyurus*, 341  
*Icmadophila*, 113  
*Icosta* (*Ardmoeca*), 445  
*Icosta* (*Icosta*), 445  
*Icosta* (*Ornithopouns*), 445  
*Ictericodes*, 463  
*Ictinaetus*, 785  
*Ictinogomphus*, 618  
*Idaea*, 569  
*Idea*, 599  
*Ideaa*, 569  
*Ideopsis*, 599  
*Idesia*, 284  
*Idgia*, 398  
*Idia*, 589  
*Idiacanthus*, 779  
*Idiastion*, 776  
*Idiella*, 429  
*Idiellopsis*, 429  
*Idiophantis*, 563  
*Idiosepius*, 676  
*Idiostrangalia*, 353  
*Idioterphria*, 569  
*Idioteuthis*, 678  
*Idonia* (*Cryptopidonia*), 354  
*Idozees*, 317  
*Idriella*, 93  
*Idya*, 330  
*Ihlea*, 734  
*Ijimaia*, 740  
*Ilea*, 75  
*Ilema*, 581  
*Ilex*, 249  
*Ilisha*, 744  
*Illeis*, 372  
*Illiberis*, 613  
*Illicium*, 259  
*Illiesonemoura*, 622  
*Illiesonemura*, 622  
*Illigera*, 262  
*Illis*, 335  
*Iltovirus*, 5  
*Ilyophis*, 740  
*Ilyoplax*, 642  
*Imachra*, 376  
*Imathia*, 376  
*Imbricaria*, 709  
*Imera*, 376  
*Imeria*, 534  
*Imerodes*, 376  
*Imma*, 576  
*Imparilarca*, 662  
*Impatiens*, 259  
*Impatientinum*, 474  
*Imperata*, 230  
*Imshaugia*, 110  
*Indalmus*, 383  
*Indalus*, 383  
*Indanobium*, 334  
*Indasclera*, 397  
*Indigofera*, 255  
*Indoaleyrodes*, 472  
*Indocrunoecia*, 629  
*Indoennea*, 724  
*Indolestes*, 618  
*Indomegoura*, 474  
*Indomitrella*, 704  
*Indoquedius*, 412  
*Indoscitalinus*, 412  
*Indoseiulus*, 315  
*Indosetacus*, 307  
*Indosorius*, 412  
*Inegocia*, 776  
*Inella*, 688  
*Inemadara*, 485  
*Influenzavirus*, 10  
*Influenzavirus A*, 10  
*Ingrisma*, 402  
*Iniforis*, 688  
*Iniistius*, 762  
*Inimicus*, 776  
*Inioteuthis*, 676  
*Inocellia*, 616  
*Inocybe*, 142  
*Inonotus*, 149  
*Inopeplus*, 399  
*Inouela*, 613  
*Inquisitor*, 716  
*Insnesia*, 501  
*Insulaspis*, 487  
*Intextomyces*, 152  
*Intybia*, 394  
*Iodophanus*, 127  
*Iodosphaeria*, 135  
*Ionaspis*, 108  
*Ione*, 654  
*Ionomidotis*, 93  
*Iontha*, 589  
*Iotaphora*, 569  
*Iphiaulax*, 513  
*Iphicrates*, 494  
*Iphiculus*, 640  
*Iphinoe*, 702  
*Ipidia*, 396  
*Ipimorpha*, 589  
*Ipobracon*, 513  
*Ipodoryctes*, 513  
*Ipomoea*, 279  
*Ipomovirus*, 4  
*Iproca*, 354  
*Ips*, 407  
*Iracundus*, 776  
*Iraga*, 578  
*Iragaodes*, 596  
*Iratsume*, 580  
*Iravadia*, 697  
*Ircinia*, 287  
*Iredalea*, 717  
*Irene*, 114  
*Irenina*, 114  
*Irenopsis*, 114  
*Iridomyrmex*, 526  
*Iridotaenia*, 340  
*Irinula*, 485  
*Iris*, 233  
*Irodes*, 331  
*Irpex*, 146  
*Irpicomycetes*, 97  
*Irus*, 674  
*Isabel*, 497  
*Isachne*, 230  
*Isara*, 709  
*Isaria*, 97  
*Isariopsis*, 97  
*Iscladia*, 596  
*Ischaemum*, 230  
*Ischalia*, 335  
*Ischiodon*, 457  
*Ischnafiorinia*, 487  
*Ischnaspis*, 487  
*Ischnocerithium*, 694  
*Ischnochaeta*, 90  
*Ischnochiton*, 726  
*Ischnodactylus*, 421  
*Ischnoderma*, 152  
*Ischnojoppa*, 534  
*Ischnomera*, 397  
*Ischnopoda*, 412  
*Ischnopsyllus*, 625  
*Ischnosoma*, 413  
*Ischnothyreus*, 311  
*Ischnura*, 617  
*Ischyja*, 589  
*Iseropus*, 534  
*Ishidaella*, 479  
*Ishigakia*, 534  
*Ishige*, 76  
*Isistius*, 737  
*Iso*, 741  
*Isocentris*, 557  
*Isocheilus*, 413  
*Isocradiella*, 205  
*Isoclerus*, 424  
*Isodemis*, 611  
*Isodon*, 260  
*Isodontia*, 544  
*Isodromus*, 522  
*Isoentomon*, 623  
*Isoetes*, 212  
*Isognomon*, 666  
*Isolabus*, 336  
*Isometopidea*, 497  
*Isometopus*, 497  
*Isomira*, 421  
*Isomyia*, 429  
*Isonychia*, 470  
*Isophanes*, 623  
*Isopterygium*, 204  
*Isosturmia*, 461  
*Isoteinon*, 576  
*Isotenes*, 611  
*Isothammis*, 606  
*Isothecium*, 197  
*Isotima*, 534  
*Isseliella*, 699  
*Isshikia*, 365  
*Issikiopteryx*, 577  
*Isthmochloron*, 78  
*Isthmolongispora*, 97  
*Istiblennius*, 753  
*Istieus*, 738  
*Istigobius*, 759  
*Istiompax*, 761  
*Istiophorus*, 761  
*Isurus*, 735  
*Itacorides*, 497  
*Italochrysa*, 615  
*Itatsina*, 311  
*Itea*, 273  
*Ithyphallus*, 150  
*Ithyphenes*, 396  
*Itmaharela*, 589  
*Itopectis*, 534  
*Ittostria*, 376  
*Ityorhoptrum*, 97  
*Ityphilus*, 320  
*Iwakawatrochus*, 682  
*Iwatsukiella*, 204  
*Ixa*, 640  
*Ixalma*, 376  
*Ixeridium*, 245  
*Ixeris*, 245  
*Ixias*, 602  
*Ixobrychus*, 785  
*Ixodes*, 320  
*Ixoides*, 640  
*Ixora*, 274  
*Izanami*, 641  
*Jaaginema*, 16  
*Jacksonomyces*, 153  
*Jacobiasca*, 479

## 屬名索引

- Jacquemontia*, 280  
*Jactellina*, 673  
*Jafnea*, 127  
*Jahnoporus*, 151  
*Jamides*, 580  
*Janetia*, 97  
*Jania*, 177  
*Janicella*, 642  
*Jankowskia*, 569  
*Jansia*, 150  
*Janthina*, 687  
*Janthinobacterium*, 20  
*Janthinomyia*, 461  
*Japalura*, 782  
*Japanagromyza*, 425  
*Japanostrangalia*, 354  
*Japetella*, 677  
*Japeuthria*, 703  
*Japonia*, 97  
*Japonia*, 695  
*Japonica*, 580  
*Japonitata*, 365  
*Japonoconger*, 738  
*Japonolaeops*, 774  
*Japonopsimus*, 354  
*Jasminanthes*, 258  
*Jasminum*, 278  
*Jaspis*, 287  
*Jasus*, 644  
*Jauravia*, 372  
*Javra*, 534  
*Jellyella*, 727  
*Jembra*, 475  
*Jembrana*, 475  
*Jembrophora*, 475  
*Jezarotes*, 534  
*Jocara*, 604  
*Jodina*, 687  
*Jodis*, 569  
*Johannsenomyia*, 432  
*Johnius*, 770  
*Jonas*, 635  
*Jorunna*, 685  
*Jouannetia*, 663  
*Juglans*, 259  
*Jujiroa*, 345  
*Julia*, 720  
*Junceella*, 290  
*Juncus*, 232  
*Junghuhnia*, 146  
*Juniperus*, 223  
*Junonia*, 599  
*Justicia*, 277  
*Justitia*, 644  
*Jutarus*, 307  
*Juxtanthias*, 652  
*Jynx*, 793  
*Kadsura*, 259  
*Kaenaea*, 669  
*Kainomyces*, 106  
*Kajikia*, 761  
*Kalanchoe*, 271  
*Kaliella*, 723  
*Kalinga*, 720  
*Kallima*, 599  
*Kallymenia*, 178  
*Kalotermes*, 549  
*Kaloula*, 781  
*Kaltenbachiella*, 499  
*Kamimuria*, 622  
*Kamoharaia*, 774  
*Kanaarister*, 386  
*Kanamarua*, 709  
*Kandelia*, 271  
*Kanekoa*, 354  
*Kangella*, 470  
*Kanigara*, 494  
*Kaniska*, 599  
*Kanoscarta*, 478  
*Kanozata*, 478  
*Kaochiaoja*, 474  
*Kappaphycus*, 179  
*Kapsa*, 479  
*Karachiota*, 479  
*Karana*, 589  
*Karlingia*, 168  
*Karlingiomyces*, 168  
*Karnyothrips*, 626  
*Karoowia*, 110  
*Karrerella*, 39  
*Kashotonus*, 376  
*Kaszabellus*, 346  
*Katachiota*, 479  
*Katagnymene*, 14  
*Katelysia*, 674  
*Katodinium*, 28  
*Katsuwonus*, 770  
*Kaupichthys*, 738  
*Kedirinus*, 334  
*Keiscymnus*, 372  
*Keiskea*, 260  
*Kempina*, 655  
*Kennelia*, 611  
*Kennethis*, 548  
*Kentingia*, 106  
*Kentrocipros*, 780  
*Kentroboris*, 685  
*Kenyentulus*, 622  
*Kephron*, 65  
*Kerala*, 596  
*Keratella*, 302  
*Kerivoula*, 794  
*Kermes*, 493  
*Kerria*, 493  
*Kerrichia*, 534  
*Kertesziomyia*, 458  
*Kessleria*, 613  
*Ketamia*, 635  
*Keteleeria*, 223  
*Ketupa*, 793  
*Khasia*, 365  
*Kibakoganea*, 402  
*Kikaiarca*, 662  
*Kilifia*, 483  
*Kindbergia*, 202  
*Kionochaeta*, 97  
*Kiotina*, 622  
*Kiramodulus*, 692  
*Kirbyana*, 483  
*Kirchneriella*, 184  
*Kiritshenkella*, 501  
*Kirramyces*, 97  
*Klebsiella*, 21  
*Kleinhovia*, 264  
*Kleothrips*, 626  
*Kloeckera*, 139  
*Klutiana*, 534  
*Klyxum*, 289  
*Kmetia*, 97  
*Knemidokoptes*, 315  
*Knoxia*, 274  
*Kobayasia*, 150  
*Kobuzo*, 376  
*Kochichthys*, 766  
*Kodamaius*, 623  
*Koelreuteria*, 276  
*Kogia*, 794  
*Kolbia*, 623  
*Kolla*, 479  
*Kombologion*, 682  
*Komvophoron*, 16  
*Konosirus*, 743  
*Korencia*, 458  
*Korthalsella*, 276  
*Korynetes*, 370  
*Kostermansinda*, 97  
*Kostermansindiopsis*, 97  
*Kotochalia*, 603  
*Kotophora*, 475  
*Kotoshozo*, 376  
*Kotozata*, 478  
*Koyaga*, 589  
*Kradibia*, 506  
*Kramasamuha*, 98  
*Krananda*, 569  
*Kraussia*, 652  
*Kretzschmaria*, 137  
*Kriechbaumerella*, 516  
*Kristotomus*, 534  
*Krohnitta*, 728  
*Krombeinius*, 540  
*Kronopolites*, 332  
*Kuantaochia*, 479  
*Kudoa*, 37  
*Kudoacanthus*, 277  
*Kuehneola*, 162  
*Kuehneromyces*, 144  
*Kuhlia*, 761  
*Kumanasamuha*, 83  
*Kumba*, 745  
*Kummerowia*, 255  
*Kumococius*, 776  
*Kunbir*, 354  
*Kunugia*, 577  
*Kuohledra*, 494  
*Kuphus*, 663  
*Kuraru*, 354  
*Kurisakia*, 504  
*Kurixalus*, 782  
*Kuronezumia*, 745  
*Kuroshioturris*, 717  
*Kurosoia*, 702  
*Kusala*, 479  
*Kuscarta*, 478  
*Kuvera*, 483  
*Kuwanaspis*, 487  
*Kuwanua*, 495  
*Kyllinga*, 226  
*Kyphosus*, 761  
*Labanda*, 596  
*Labdia*, 554  
*Labidocera*, 326  
*Labidura*, 425  
*Labioaetis*, 469  
*Lablab*, 255  
*Laboulbenia*, 106  
*Labracinus*, 769  
*Labrichthys*, 762  
*Labroides*, 762  
*Labropsis*, 762  
*Labrys*, 19  
*Labuandatum*, 639  
*Labuanium*, 639  
*Laccagathis*, 513  
*Laccaria*, 143  
*Laccinectus*, 378  
*Laccobius*, 388  
*Lacconectus*, 378  
*Laccophilus*, 378  
*Lacoptera*, 365  
*Lacotrephes*, 498  
*Lacera*, 589  
*Lachesilla*, 624  
*Lachmetha*, 534  
*Lachnoderma*, 346  
*Lachnopodus*, 652  
*Lachnopteris*, 354  
*Lachnum*, 93  
*Lachnus*, 493  
*Laciniodes*, 569  
*Laciolina*, 673  
*Lacon*, 381  
*Lactarius*, 157  
*Lactarius*, 763  
*Lactobacillus*, 18  
*Lactoria*, 780  
*Lacvietina*, 413  
*Laelaps*, 320  
*Laelia*, 581  
*Laemodonta*, 683  
*Laemoglyptus*, 341  
*Laemonema*, 746  
*Laemophloeus*, 389  
*Laeops*, 774  
*Laetiporus*, 154  
*Laevapex*, 683  
*Laevicardium*, 669  
*Laevidentalium*, 726  
*Laeviscalca*, 687  
*Laganum*, 730  
*Lagena*, 42  
*Lagenodelphis*, 794  
*Lagenophora*, 245  
*Lagerheimia*, 184  
*Lagerstroemia*, 264  
*Laggera*, 245  
*Lagidina*, 545  
*Lagocephalus*, 780  
*Lagoleptus*, 534  
*Lagovirus*, 1

## 屬名索引

- Lagri*, 421  
*Lagynion*, 69  
*Lagynogaster*, 427  
*Laiphognathus*, 753  
*Laius*, 394  
*Lambdasporium*, 98  
*Lambis*, 701  
*Lambrachaeus*, 646  
*Lamelligomphus*, 618  
*Lamellobates*, 316  
*Lamida*, 604  
*Lamium*, 260  
*Lamnostoma*, 739  
*Lamoha*, 640  
*Lamoria*, 604  
*Lampadena*, 749  
*Lampadioteuthis*, 678  
*Lampanyctus*, 749  
*Lampides*, 580  
*Lamprigera*, 389  
*Lampris*, 747  
*Lamprocheila*, 340  
*Lamprocoris*, 503  
*Lamprocyclas*, 47  
*Lamproderma*, 36  
*Lamprodila (Palmar)*, 340  
*Lamprogrammus*, 750  
*Lamprohaminoea*, 685  
*Lamprolabus*, 336  
*Lamprolonchaea*, 446  
*Lamprometra*, 730  
*Lampromicra*, 503  
*Lampromitra*, 48  
*Lampropalia*, 687  
*Lamprophaia*, 557  
*Lamproplax*, 494  
*Lampropteryx*, 569  
*Lamprystica*, 601  
*Lamyctes*, 321  
*Lanceola*, 631  
*Lanecarus*, 381  
*Lanelater*, 381  
*Langia*, 607  
*Lanhsia*, 421  
*Lanius*, 790  
*Lanka*, 365  
*Lanolepta*, 365  
*Lantana*, 261  
*Lanzia*, 94  
*Laogenia*, 376  
*Laomedia*, 640  
*Laonome*, 660  
*Laophonte*, 330  
*Laphria*, 427  
*Laphris*, 365  
*Laporte*, 283  
*Lapsanastrum*, 245  
*Larcopyle*, 47  
*Larcospira*, 47  
*Lardoglyphus*, 314  
*Lareiga*, 534  
*Larimichthys*, 770  
*Lariniaria*, 309  
*Larinus*, 376  
*Lariophagus*, 542  
*Larra*, 519  
*Larus*, 786  
*Lasallia*, 112  
*Lasia*, 224  
*Lasiacantha*, 504  
*Lasianthus*, 274  
*Lasibelba*, 318  
*Lasiobolus*, 126  
*Lasiochila*, 365  
*Lasioderma*, 334  
*Lasioglossum*, 529  
*Lasiognatha*, 611  
*Lasiomiris*, 497  
*Lasionectria*, 102  
*Lasiopelta*, 448  
*Lasiopogon*, 427  
*Lasioserica*, 402  
*Lasiosphaeria*, 134  
*Lasius*, 526  
*Lasmenia*, 98  
*Lassaba*, 569  
*Lastreopsis*, 215  
*Lataxiena*, 711  
*Lateolabrax*, 765  
*Lateralis (Laterialis)*, 392  
*Lateralis (Tricostaeptera)*, 392  
*Lateriramulosa*, 98  
*Laternula*, 666  
*Lates*, 763  
*Latheticus*, 421  
*Lathrecista*, 618  
*Lathrobium*, 413  
*Lathrolestes*, 534  
*Lathys*, 310  
*Latiaxis*, 707  
*Latibulus*, 534  
*Laticauda*, 783  
*Latirostrum*, 589  
*Latirulus*, 708  
*Latirus*, 708  
*Latitudo*, 307  
*Latizanchius*, 497  
*Latona*, 670  
*Latouchia*, 310  
*Latreillia*, 640  
*Latreillopsis*, 640  
*Latrodectus*, 313  
*Lauderia*, 73  
*Laurencia*, 176  
*Lauridromia*, 637  
*Laurilia*, 156  
*Lauritzenia*, 317  
*Laurus*, 262  
*Lauxaniella*, 446  
*Laxitextum*, 158  
*Laxohyperia*, 631  
*Layahima*, 616  
*Leachia*, 677  
*Leathesia*, 76  
*Lebbeus*, 640  
*Lebeda*, 577  
*Lebia*, 346  
*Lebidia*, 346  
*Lecanactis*, 85  
*Lecane*, 303  
*Lecaniodrosicha*, 495  
*Lecanodiaspis*, 494  
*Lecanora*, 108  
*Lecanorchis*, 238  
*Lecanthus*, 283  
*Leccinum*, 147  
*Lecidea*, 109  
*Lecidella*, 109  
*Lecithocera*, 577  
*Lecithochirium*, 299  
*Lecithocladium*, 299  
*Lecithodendrium*, 300  
*Lecitholaxa*, 578  
*Leclercqia*, 519  
*Lecquereusis*, 41  
*Lectotyphella*, 479  
*Ledaspis*, 488  
*Ledra*, 494  
*Ledropsis*, 494  
*Leea*, 270  
*Leechia*, 557  
*Leersia*, 230  
*Leeuwenia*, 626  
*Lefroyothrips*, 627  
*Legazpia*, 278  
*Leia*, 729  
*Leifia*, 156  
*Leiochrodes*, 421  
*Leiodes*, 391  
*Leiodytes*, 378  
*Leiognathus*, 763  
*Leiops*, 354  
*Leiostola*, 589  
*Leipothrix*, 307  
*Leistus*, 346  
*Leiuranus*, 739  
*Lema*, 365  
*Lembosia*, 133  
*Lemmaphyllum*, 220  
*Lemna*, 224  
*Lemnalia*, 290  
*Lemrya*, 552  
*Lemula*, 354  
*Lemyra*, 552  
*Lencophenga*  
(*Lencophenga*), 441  
*Lencophenga*  
(*Nankangomyia*), 442  
*Lenomyia*, 456  
*Lensia*, 296  
*Lenticulina*, 42  
*Lenticulina (Spincterules)*, 45  
*Lentinellus*, 156  
*Lentinula*, 143  
*Lentinus*, 154  
*Lentivirus*, 8  
*Lentivirus*, 11  
*Lenzites*, 154  
*Leocarpus*, 35  
*Leontopodium*, 245  
*Leonurus*, 260  
*Leotia*, 113  
*Lepadella*, 302  
*Lepadichthys*, 757  
*Lepas*, 656  
*Lepchina*, 607  
*Lepeophtheirus*, 658  
*Leperina*, 424  
*Lepidagathis*, 277  
*Lepidimerodes*, 376  
*Lepidium*, 247  
*Lepidoblepharon*, 774  
*Lepidocheilus*, 782  
*Lepidocybium*, 757  
*Lepidocyclina*, 42  
*Lepidodactylus*, 783  
*Lepidoglyphus*, 315  
*Lepidogma*, 604  
*Lepidoneura*, 557  
*Lepidonotus*, 660  
*Lepidophallus*, 413  
*Lepidophthalmus*, 635  
*Lepidosaphes*, 488  
*Lepidostoma*, 629  
*Lepidotarphus*, 575  
*Lepidotrigla*, 777  
*Lepidozona*, 726  
*Lepinotus*, 624  
*Lepiota*, 140  
*Lepironia*, 226  
*Lepisota*, 526  
*Lepisorus*, 220  
*Lepista*, 145  
*Lepistemon*, 280  
*Lepium*, 624  
*Lepocinclis*, 30  
*Lepolepis*, 624  
*Lepomelia*, 569  
*Leporimetis*, 673  
*Leporipoxvirus*, 7  
*Lepraria*, 98  
*Leprocaulon*, 98  
*Leprotintinnus*, 26  
*Leptacinus*, 413  
*Leptacinus (Phacophallus)*, 413  
*Leptadrillia*, 717  
*Leptamorphocephalus*, 338  
*Leptanilla*, 526  
*Leptaspis*, 230  
*Leptastrea*, 293  
*Leptaulax*, 397  
*Leptelmis*, 383  
*Leptepania*, 354  
*Lepteutypa*, 135  
*Leptispa*, 365  
*Leptoarsus (Longurio)*, 466  
*Leptobarbus*, 744  
*Leptobatopsis*, 534  
*Leptobryum*, 196  
*Leptocera (Leptocera)*, 455  
*Leptocera (Opacifrons)*, 455  
*Leptocera (Rachispoda)*, 455  
*Leptocerus*, 629  
*Leptochela*, 646  
*Leptochilus*, 220  
*Leptochiton*, 726

## 屬名索引

- Leptochloa*, 230  
*Leptocimbex*, 517  
*Leptoclastiella*, 203  
*Leptocoris*, 503  
*Leptocorisa*, 473  
*Leptocotis*, 632  
*Leptocylindrus*, 73  
*Leptoderma*, 740  
*Leptodialepis*, 541  
*Leptodictyum*, 202  
*Leptodius*, 652  
*Leptodontium*, 202  
*Leptogaster*, 427  
*Leptogenys*, 526  
*Leptogium*, 125  
*Leptoglossus*, 484  
*Leptoglyphus*, 337  
*Leptogomphus*, 618  
*Leptogoniulus*, 333  
*Leptogramma*, 222  
*Leptographium*, 98  
*Leptohtyrium*, 98  
*Leptojulius*, 762  
*Leptokalpion*, 135  
*Leptolegnia*, 80  
*Leptolegniella*, 80  
*Leptolynghya*, 16  
*Leptomastix*, 522  
*Leptometopa*, 447  
*Leptomiza*, 569  
*Leptomya*, 672  
*Leptomylas*, 450  
*Leptoneta*, 311  
*Leptopeza*, 444  
*Leptophion*, 534  
*Leptopimpla*, 534  
*Leptopoma*, 695  
*Leptopsaltria*, 480  
*Leptopsylla*, 625  
*Leptopterigynandrum*, 206  
*Leptoria*, 293  
*Leptorumohra*, 218  
*Leptoscarus*, 769  
*Leptosciarella*, 454  
*Leptosemia*, 480  
*Leptosera*, 292  
*Leptosia*, 602  
*Leptospathius*, 513  
*Leptosphaeria*, 129  
*Leptosphaerulina*, 131  
*Leptospora*, 87  
*Leptosporella*, 87  
*Leptostomias*, 779  
*Leptostrangalia*, 354  
*Leptothelarie*, 461  
*Leptothorax*, 526  
*Leptothyra*, 683  
*Leptotrema*, 124  
*Leptotrioza*, 505  
*Leptotrombidium*, 320  
*Leptoxenus*, 354  
*Leptura*, 354  
*Lepturga*, 504  
*Lepturus*, 230  
*Leptusa*, 413
- Leptynoptera*, 505  
*Lepus*, 795  
*Lepyrodes*, 557  
*Lepyronia*, 475  
*Lescuraea*, 204  
*Leskea*, 204  
*Lespedeza*, 255  
*Lesquereusia*, 48  
*Lestes*, 618  
*Lesteva*, 413  
*Lestica*, 519  
*Lesticus*, 346  
*Lestomerus*, 503  
*Lestrignonus*, 631  
*Lestrolepis*, 741  
*Lethe*, 599  
*Lethocerus*, 477  
*Lethrinus*, 763  
*Letrouitia*, 134  
*Leucaena*, 255  
*Leucania*, 589  
*Leucanthemum*, 245  
*Leucantigiis*, 580  
*Leucapamea*, 589  
*Leucas*, 260  
*Leucaspis*, 488  
*Leucauge*, 313  
*Leucetta*, 287  
*Leucinodella*, 557  
*Leucinodes*, 557  
*Leucoagaricus*, 141  
*Leucobrepis*, 560  
*Leucobryum*, 199  
*Leucochloridium*, 300  
*Leucocoprinus*, 141  
*Leucocosmia*, 589  
*Leucocraspodum*, 413  
*Leucodon*, 207  
*Leucoloma*, 198  
*Leucoma*, 582  
*Leucomium*, 202  
*Leucopaxillus*, 145  
*Leucophanes*, 199  
*Leucophlebia*, 607  
*Leucopis (Leucopis)*, 432  
*Leucopsarion*, 759  
*Leucorynchia*, 681  
*Leucosia*, 640  
*Leucospis*, 538  
*Leucostegia*, 217  
*Leucosyke*, 283  
*Leucosyrinx*, 717  
*Leucothecium*, 123  
*Leucotina*, 685  
*Leucozonia*, 709  
*Leuliisinea*, 98  
*Leurosoma*, 300  
*Leveillea*, 176  
*Liachirus*, 775  
*Liacos*, 543  
*Liagora*, 180  
*Liagore*, 635  
*Liagoropsis*, 180  
*Liancalus*, 439  
*Liardetia*, 723
- Liatongus*, 402  
*Libellago*, 617  
*Libnetis*, 392  
*Librarisca*, 687  
*Librodor*, 396  
*Libythes*, 649  
*Libythea*, 599  
*Licea*, 34  
*Licenophanes*, 337  
*Lichenophoma*, 98  
*Lichtwardtia*, 439  
*Licmophora*, 55  
*Licomophora*, 66  
*Lienardia*, 717  
*Lieudugeria*, 70  
*Lifuella*, 727  
*Ligia*, 654  
*Lignosus*, 154  
*Ligularia*, 245  
*Ligustrum*, 278  
*Ligyra*, 429  
*Liliocerig*, 366  
*Lilioceris*, 366  
*Lilium*, 234  
*Liloa*, 685  
*Lima*, 666  
*Limacella*, 144  
*Limacina*, 725  
*Limacina*, 87  
*Limalepeta*, 679  
*Limaria*, 666  
*Limassolla*, 479  
*Limatula*, 666  
*Limenitis*, 600  
*Limicola*, 787  
*Limiscala*, 687  
*Limlia*, 257  
*Limnebius*, 387  
*Limnephilus*, 630  
*Limnichthys*, 756  
*Limnodrilus*, 659  
*Limnodromus*, 787  
*Limnogonus*, 490  
*Limnoithona*, 329  
*Limnometra*, 490  
*Limnometes*, 781  
*Limnoperla*, 664  
*Limnophila*, 278  
*Limnophlia (Adelphomyia)*, 466  
*Limnophlia*  
(*Brachylimnophila*), 466  
*Limnophlia*  
(*Dicranophragma*), 466  
*Limnophlia (Eloeophila)*, 466  
*Limnophlia (Prionolabis)*, 466  
*Limnophora*, 448  
*Limnophyes*, 433  
*Limnubius*, 387  
*Limonella*, 479  
*Limonia*, 466  
*Limonia (Atypophthalmus)*, 466
- Limonia (Dicranomyia)*, 466  
*Limonia (Discobola)*, 466  
*Limonia (Euglochina)*, 466  
*Limonia (Eurhipida)*, 466  
*Limonia (Geranomyia)*, 466  
*Limonia (Goniodyneura)*, 466  
*Limonia (Idioglochina)*, 467  
*Limonia (Laosa)*, 467  
*Limonia (Libnotes)*, 467  
*Limonia (Limonia)*, 467  
*Limonia (Melanolimonia)*, 467  
*Limonia (Nealexandriaria)*, 467  
*Limonia (Neolimonia)*, 467  
*Limonia (Pseudoglochina)*, 467  
*Limonia (Rhipidia)*, 467  
*Limonia (Sivalimnobia)*, 467  
*Limonia (Thrypticomylia)*, 467  
*Limonium*, 267  
*Limopsis*, 663  
*Limosa*, 787  
*Limosina*, 455  
*Limulatus*, 684  
*Linnaeidea*, 366  
*Linaspis*, 523  
*Linatella*, 692  
*Linckia*, 729  
*Linda*, 354  
*Lindbergicoris*, 470  
*Lindera*, 262  
*Linderina*, 171  
*Lindernia*, 278  
*Lindingaspis*, 488  
*Lindsaea*, 219  
*Lingulina*, 42  
*Linnaemya*, 461  
*Linocarpon*, 135  
*Linoeucoila*, 523  
*Linopneustes*, 731  
*Linothrus*, 319  
*Linuparus*, 644  
*Linytus*, 534  
*Liobagrus*, 778  
*Liocapsus*, 497  
*Liocichla*, 792  
*Lioconcha*, 675  
*Liocranchia*, 677  
*Liodendron*, 253  
*Liodessus*, 379  
*Liodropia*, 391  
*Liodrosophila*, 442  
*Liogma*, 467  
*Liohtips*, 626  
*Liolophura*, 725  
*Liomera*, 652  
*Lionotus*, 26  
*Liopropoma*, 771  
*Lioptera*, 346  
*Liotessa*, 413  
*Liothrips*, 626  
*Liotina*, 679

## 屬名索引

- Lipaleyrodes*, 472  
*Lipaphis*, 474  
*Liparis*, 238  
*Liparopsis*, 597  
*Lipastrotethya*, 288  
*Liphopilius*, 46  
*Lipocarpha*, 227  
*Lipocheilus*, 764  
*Lipolexis*, 513  
*Lipoptena*, 445  
*Liporrhopalum*, 506  
*Liposcelis*, 624  
*Lipotriches*, 529  
*Lipromela*, 366  
*Lipromima*, 366  
*Lipromorpha*, 366  
*Liprus*, 366  
*Lipsothrix*, 467  
*Liquidambar*, 259  
*Liriomyza*, 425  
*Liriope*, 234  
*Liris*, 519  
*Lischkeia*, 682  
*Lisea*, 105  
*Lispe*, 448  
*Lispinus*, 413  
*Lispocephala*, 448  
*Lissocarcinus*, 649  
*Lissocephala*, 442  
*Lissocnemis*, 542  
*Lissodema (Episcapha)*, 399  
*Lissopoprcellana*, 648  
*Lissoporcellana*, 648  
*Lissorhoptrus*, 376  
*Lissosculpta*, 534  
*Listera*, 239  
*Listeria*, 18  
*Listrobyctiscus*, 376  
*Listrodromus*, 534  
*Listrognathus*, 534  
*Litargus*, 395  
*Litchi*, 276  
*Lithacrosiphon*, 661  
*Litharachnium*, 47  
*Litharium*, 688  
*Lithelius*, 46  
*Lithoaphis*, 491  
*Lithobius*, 321  
*Lithocarpus*, 257  
*Lithocharis*, 413  
*Lithodes*, 641  
*Lithodesmium*, 70  
*Lithomelissa*, 46  
*Lithopera*, 47  
*Lithophaga*, 664  
*Lithophane*, 589  
*Lithophyllon*, 293  
*Lithophyllum*, 177  
*Lithopolia*, 589  
*Lithospermum*, 260  
*Lithotrya*, 656  
*Lithurgus*, 538  
*Litobrenthia*, 554  
*Litocerus*, 335  
*Litosanthes*, 274  
*Litoscalpellum*, 656  
*Litotetothrips*, 626  
*Litsea*, 262  
*Littoraria*, 697  
*Littorimus*, 386  
*Litus*, 540  
*Livistona*, 224  
*Lixa*, 605  
*Lixus*, 376  
*Liza*, 748  
*Lizonia*, 84  
*Lobaria*, 125  
*Lobatovitelliovarium*, 299  
*Lobelia*, 246  
*Loberus*, 384  
*Lobesia*, 611  
*Lobianchia*, 749  
*Lobocla*, 576  
*Lobogonia*, 569  
*Lobogonodes*, 569  
*Lobophora*, 76  
*Lobophyllia*, 294  
*Lobophytum*, 289  
*Lobopterella*, 333  
*Loboscelidia*, 517  
*Loboschiza*, 611  
*Lobotes*, 764  
*Lobotrachelus*, 376  
*Locastra*, 605  
*Locharna*, 582  
*Lochmaea*, 366  
*Locustella*, 792  
*Locustipolipus*, 308  
*Loderus*, 545  
*Loepa*, 606  
*Loeskeobryum*, 203  
*Loligo*, 677  
*Loliolus (Nipponololigo)*, 677  
*Lolium*, 230  
*Lomariopsis*, 219  
*Lomatogonium*, 258  
*Lomographa*, 569  
*Lonchaea*, 446  
*Lonchodryinus*, 522  
*Lonchoptera*, 447  
*Lonchura*, 790  
*Longicaudinus*, 493  
*Longipalpus*, 354  
*Longipedia*, 330  
*Longistigma*, 493  
*Lonicera*, 250  
*Lonigtarsus*, 366  
*Lopadium*, 108  
*Lopadostoma*, 136  
*Lopha*, 667  
*Lopharcha*, 611  
*Lopharia*, 153  
*Lophatherum*, 230  
*Lophiodes*, 748  
*Lophiomus*, 748  
*Lophiostoma*, 129  
*Lophiotoma*, 717  
*Lophius*, 748  
*Lophobates*, 569  
*Lophocateres*, 424  
*Lophocharis*, 302  
*Lophocosma*, 597  
*Lophodermium*, 133  
*Lopholeucaspis*, 488  
*Lophomachia*, 569  
*Lophomilia*, 589  
*Lophomyrmex*, 526  
*Lophontosia*, 597  
*Lophonycta*, 589  
*Lophophelma*, 569  
*Lophopilumnus*, 647  
*Lophoptera*, 589  
*Lophopterygella*, 624  
*Lophorufa*, 589  
*Lophosia*, 461  
*Lophosiosoma*, 461  
*Lophospyris*, 46  
*Lophothrix*, 327  
*Lophotrichus*, 115  
*Lophoturus*, 332  
*Lophozozymus*, 653  
*Lophura*, 788  
*Lophyra*, 346  
*Lopidium*, 203  
*Loranthus*, 275  
*Lordithon*, 413  
*Loryma*, 605  
*Losbanosia*, 486  
*Lostellipitar*, 675  
*Lotella*, 746  
*Lotilia*, 759  
*Lotobia*, 455  
*Lottia*, 679  
*Lotus*, 255  
*Lovenia*, 731  
*Loweporus*, 154  
*Loxaspilates*, 569  
*Loxioda*, 590  
*Loxoblemmus*, 619  
*Loxocephalus*, 513  
*Loxocera (Loxocera)*, 452  
*Loxocrepis*, 346  
*Loxodon*, 734  
*Loxoglypta*, 673  
*Loxogramme*, 220  
*Loxoncus*, 346  
*Loxoneura*, 451  
*Loxosceles*, 312  
*Loxostege*, 557  
*Loxostomum*, 42  
*Loxotephria*, 569  
*Lubaninus*, 376  
*Lubbockia*, 329  
*Lubricogobius*, 759  
*Lucanus*, 391  
*Luceria*, 590  
*Luchuena*, 723  
*Lucicutia*, 325  
*Lucidina*, 389  
*Lucifer*, 641  
*Lucigadus*, 745  
*Lucilia*, 429  
*Lucinoma*, 671  
*Luciobrotula*, 750  
*Luciogobius*, 759  
*Luciola*, 389  
*Ludioschema*, 381  
*Ludwigia*, 265  
*Luehdorfia*, 601  
*Luidia*, 728  
*Luisia*, 239  
*Lumaria*, 611  
*Lumnitzera*, 264  
*Lunella*, 683  
*Lunulicardia*, 669  
*Luperodes*, 366  
*Luperomorpha*, 366  
*Luperus*, 366  
*Lupesthes*, 366  
*Lupocyclus*, 649  
*Luposicya*, 759  
*Luprops*, 421  
*Luscinia*, 790  
*Lophotrichus*, 115  
*Luteimonas*, 21  
*Luteuthis*, 678  
*Lutjanus*, 764  
*Lutra*, 793  
*Lutraria*, 671  
*Luxiaria*, 569  
*Luzula*, 233  
*Lybia*, 653  
*Lycaea*, 631  
*Lycaeopsis*, 632  
*Lycastris*, 458  
*Lychnagalma*, 295  
*Lycianthes*, 280  
*Lycium*, 280  
*Lycocerus*, 341  
*Lycodon*, 783  
*Lycogala*, 34  
*Lycoperdon*, 143  
*Lycopersicon*, 280  
*Lycopantis*, 613  
*Lycopodium*, 212  
*Lycoprogenes*, 392  
*Lycopus*, 260  
*Lycoriella*, 449  
*Lycoris*, 233  
*Lycorma*, 490  
*Lycosa*, 311  
*Lycostomus*, 392  
*Lyctocoris*, 494  
*Lyctoxyton*, 337  
*Lyctus*, 337  
*Lydia*, 637  
*Lygaeus*, 494  
*Lygephila*, 590  
*Lygistorrhina*, 447  
*Lygniodes*, 590  
*Lygocorides*, 497  
*Lygocoris*, 497  
*Lygodium*, 222  
*Lygurus*, 534  
*Lygus*, 497  
*Lylea*, 98  
*Lymantria*, 582  
*Lymbella*, 66  
*Lymexylon*, 393

## 屬名索引

- Lymnastis*, 346  
*Lymnocryptes*, 787  
*Lynghya*, 16  
*Lyonetia*, 582  
*Lyonia*, 251  
*Lyonsia*, 666  
*Lype*, 630  
*Lyperosomum*, 300  
*Lypestes*, 366  
*Lypthia*, 421  
*Lyphocystivirus*, 6  
*Lyphyllum*, 160  
*Lyponia*, 392  
*Lyreidus*, 650  
*Lyria*, 719  
*Lyriothemis*, 618  
*Lyroda*, 519  
*Lyrodes*, 663  
*Lysimachia*, 268  
*Lysionotus*, 277  
*Lysiosquilla*, 654  
*Lysipatha*, 578  
*Lysiphlebia*, 513  
*Lysmata*, 640  
*Lysmus*, 617  
*Lysobacter*, 21  
*Lyssavirus*, 11  
*Lystmata*, 640  
*Lystrus*, 376  
*Lysurus*, 150  
*Maackia*, 255  
*Maacoccus*, 483  
*Maaserphus*, 542  
*Mabellarca*, 662  
*Mabra*, 557  
*Mabuya*, 783  
*Macaca*, 795  
*Macaduma*, 552  
*Macalina*, 673  
*Macalpinella*, 452  
*Macandrewella*, 327  
*Macaranga*, 253  
*Macaria*, 569  
*Macbrideola*, 36  
*Macdunnoughia*, 590  
*Machaeropterus*, 608  
*Machaomyia*, 463  
*Machatothrips*, 626  
*Machilaphis*, 477  
*Machilus*, 262  
*Machimia*, 550  
*Machimus*, 427  
*Machlotes*, 337  
*Macleaya*, 266  
*Maclura*, 282  
*Macolor*, 764  
*Macoma*, 673  
*Maconellicoccus*, 501  
*Macratia*, 335  
*Macrauzata*, 560  
*Macrobarasa*, 596  
*Macrobrachium*, 643  
*Macrobrachiumc.*, 643  
*Macrobrochis*, 552  
*Macrocentrus*, 513  
*Macrocephenchelys*, 738  
*Macrochaetus*, 302  
*Macrocheira*, 641  
*Macrocheles*, 315  
*Macrochlamys*, 720  
*Macrochthonia*, 596  
*Macrocilix*, 560  
*Macrocixius*, 483  
*Macrocoma*, 209  
*Macrocornus*, 376  
*Macrocyclops*, 328  
*Macrocystidia*, 143  
*Macrodiplax*, 618  
*Macrodorcas*, 391  
*Macroebria*, 398  
*Macroglossum*, 607  
*Macrohabronychus*  
(*Monohabronychus*), 341  
*Macrohomotoma*, 491  
*Macrohyliota*, 408  
*Macrolepiota*, 141  
*Macrolleis*, 372  
*Macrolonius*, 497  
*Macrolycus*, 392  
*Macromedaeus*, 653  
*Macromeris*, 542  
*Macromia*, 618  
*Macromidia*, 618  
*Macromitrium*, 209  
*Macromolorchus*, 354  
*Macromyzus*, 474  
*Macronema*, 629  
*Macronotops*, 402  
*Macronychia*, 453  
*Macropes*, 494  
*Macropharyngodon*, 762  
*Macrophiothrix*, 733  
*Macrophoma*, 98  
*Macrophomina*, 98  
*Macrophthalmus*, 642  
*Macrophya*, 545  
*Macropisthodon*, 783  
*Macropodus*, 766  
*Macroptilium*, 255  
*Macropygia*, 788  
*Macroramphosus*, 746  
*Macrorhamphosodes*, 781  
*Macrosclesia*, 606  
*Macroschisma*, 679  
*Macroscyus*, 484  
*Macrosemia*, 480  
*Macrosetella*, 330  
*Macrosiagon*, 399  
*Macrosilis*, 341  
*Macrosiphoniella*, 474  
*Macrosiphoniella*  
(*Asterobium*), 474  
*Macrosiphum*, 474  
*Macrosmia*, 745  
*Macrosporium*, 131  
*Macrostemum*, 629  
*Macrostromion*, 513  
*Macrostylophora*, 625  
*Macrothamnium*, 203  
*Macrothele*, 310  
*Macrothyatira*, 560  
*Macrotoma* (*Bandar*), 354  
*Macrotoma* (*Zooblast*), 354  
*Macrotyloma*, 255  
*Macrovalsaria*, 89  
*Macteola*, 717  
*Mactra*, 671  
*Mactrinula*, 671  
*Mactrotoma*, 671  
*Maculotriton*, 711  
*Madioxytheria*, 629  
*Madiza*, 447  
*Madrasostes*, 360  
*Maematopotini*, 459  
*Maesa*, 268  
*Magdaliium*, 517  
*Magilus*, 707  
*Magnaporthe*, 84  
*Magnolia*, 263  
*Magoderna*, 151  
*Mahanta*, 578  
*Mahasena*, 603  
*Mahathala*, 580  
*Mahidolia*, 759  
*Mahonia*, 268  
*Maikona*, 590  
*Mainsia*, 162  
*Maja*, 641  
*Makaira*, 761  
*Makiyamaia*, 717  
*Makrostromos*, 331  
*Malacanthus*, 764  
*Malachius*, 394  
*Malachra*, 263  
*Malacocephalus*, 745  
*Malacosoma*, 577  
*Malacosteus*, 779  
*Maladera*, 402  
*Malaisia*, 283  
*Malakichthys*, 751  
*Malassezia*, 166  
*Malaxis*, 239  
*Malaya*, 437  
*Malbranchea*, 84  
*Malcus*, 495  
*Malea*, 692  
*Maliattha*, 590  
*Mallada*, 615  
*Malletia*, 664  
*Malleus*, 667  
*Mallochohelea*, 432  
*Mallomonas*, 77  
*Malloscelis*, 542  
*Mallota*, 458  
*Mallotus*, 253  
*Malluvium*, 697  
*Malpighia*, 267  
*Malthinus*, 341  
*Malthodes*, 342  
*Malthopsis*, 748  
*Maltypus*, 342  
*Malus*, 271  
*Malva*, 263  
*Malvastrum*, 263  
*Malvufundus*, 667  
*Mamestra*, 590  
*Mammila*, 690  
*Mampava*, 605  
*Mancinella*, 711  
*Mandibularia*, 354  
*Mangea*, 597  
*Mangelia*, 717  
*Manis*, 795  
*Manobia*, 366  
*Manobidia*, 366  
*Manota*, 449  
*Mansa*, 534  
*Mansonina* (*Mansonioidea*),  
437  
*Mansoniella*, 497  
*Manta*, 736  
*Mantis*, 614  
*Mantura*, 366  
*Maoricardium*, 669  
*Maoridaphne*, 717  
*Maorithyas*, 673  
*Maoutia*, 283  
*Marasmia*, 557  
*Marasmiellus*, 143  
*Marasmius*, 143  
*Marattia*, 214  
*Maravalia*, 161  
*Marburgvirus*, 10  
*Marcelcyba*, 479  
*Marchalia*, 84  
*Marchia*, 711  
*Maretia*, 731  
*Margarinotus*, 386  
*Margaritaria*, 253  
*Margattea*, 333  
*Marginella*, 709  
*Marginellona*, 709  
*Marginisporium*, 177  
*Marginulina*, 45  
*Marginulinopsis*, 43  
*Margites*, 354  
*Margovula*, 698  
*Maria*, 427  
*Mariannaea*, 98  
*Marietta*, 508  
*Marinobacter*, 20  
*Mariscus*, 227  
*Maritrema*, 300  
*Marmylaris*, 354  
*Marosiagon*, 399  
*Marpissa*, 312  
*Marrus*, 295  
*Marsdenia*, 258  
*Marshallena*, 717  
*Marsilea*, 219  
*Marsonia*, 98  
*Marssonia*, 98  
*Marssoniella*, 14  
*Marssonina*, 93  
*Martania*, 569  
*Martensia*, 176  
*Martes*, 793  
*Martesia*, 663  
*Martinotiella*, 39  
*Martyringa*, 601

## 屬名索引

- Maruca*, 557  
*Marukawichthys*, 776  
*Marumba*, 607  
*Massarina*, 129  
*Massepha*, 557  
*Massicus*, 354  
*Massilieurodes*, 472  
*Massilina*, 41  
*Mastadenovirus*, 5  
*Mastax*, 346  
*Masthermannia*, 318  
*Mastigomyia*, 439  
*Mastogloia*, 59  
*Mastogonia*, 71  
*Mastonia*, 688  
*Mastophora*, 177  
*Mastopoma*, 205  
*Masturus*, 780  
*Masuzonoblemus*, 346  
*Mataeocephalus*, 745  
*Mataoemera*, 590  
*Mataeopsephus*, 398  
*Mathildella*, 638  
*Matidia*, 310  
*Matifoehirus*, 640  
*Matileola*, 447  
*Matricaria*, 245  
*Matrona*, 617  
*Matsumuraeses*, 611  
*Matsumuraiella*, 623  
*Matsumuraja*, 474  
*Matsumuratettix*, 485  
*Matsumurina*, 479  
*Matteuccia*, 220  
*Matuta*, 641  
*Mauremys*, 782  
*Maurolicus*, 779  
*Maxates*, 570  
*Maxera*, 590  
*Maytenus*, 249  
*Mazus*, 279  
*Mazzaella*, 178  
*Meadia*, 740  
*Mecardonia*, 279  
*Mechistocerus*, 376  
*Mecistocephalus*, 320  
*Mecistoscelis*, 497  
*Mecodina*, 590  
*Mecodium*, 214  
*Mecomma*, 497  
*Mecoprosopus*, 366  
*Mecopus*, 376  
*Mecotropis*, 335  
*Mecyna*, 557  
*Mecynocera*, 325  
*Mecynotarsus*, 335  
*Mecynothrips*, 626  
*Mecysmoderes*, 376  
*Mecysmoderus*, 376  
*Mecysolobus*, 376  
*Medaeops*, 653  
*Medama*, 582  
*Medaniaria*, 605  
*Medasina*, 570  
*Medetera*, 439  
*Medhiama*, 413  
*Mediaster*, 729  
*Medicago*, 255  
*Medinilla*, 264  
*Mediorhynchus*, 301  
*Mediugum*, 305  
*Medon*, 413  
*Medusetta*, 46  
*Medythia*, 366  
*Megabalanus*, 656  
*Megacalanus*, 325  
*Megacanthaspis*, 488  
*Megacapitula*, 98  
*Megacardita*, 670  
*Megaceramis*, 597  
*Megachile*, 539  
*Megacoelum*, 497  
*Megacopta*, 500  
*Megacrania*, 621  
*Megacyclops*, 328  
*Megaentalina*, 726  
*Megafukia*, 475  
*Megagraphydrus*, 388  
*Megalaima*, 793  
*Megalasma*, 656  
*Megalaspis*, 754  
*Megalestes*, 619  
*Megalinus*, 413  
*Megalobrama*, 744  
*Megalocaria*, 372  
*Megalocranchia*, 677  
*Megaloctena*, 590  
*Megalocystidium*, 158  
*Megalocytivirus*, 6  
*Megalomma*, 660  
*Megalomus*, 616  
*Megalopaederus*, 413  
*Megalophipida*, 603  
*Megalops*, 745  
*Megalospora*, 109  
*Megalotocepheus*, 318  
*Megalurothrips*, 627  
*Meganephra*, 590  
*Meganola*, 596  
*Meganoton*, 607  
*Megapenthes*, 381  
*Megaphthalma*, 454  
*Megaptera*, 794  
*Megapulvinaria*, 483  
*Megarhogas*, 513  
*Megarhyssa*, 534  
*Megarhamphus*, 500  
*Megaschachia*, 597  
*Megaselia (Aphiochaeta)*, 450  
*Megaselia (Megaselia)*, 450  
*Megaselia (Uncertain)*, 451  
*Megasporoporia*, 154  
*Megastigmus*, 547  
*Megatomostethus*, 545  
*Megauchenia*, 396  
*Meghimatium*, 724  
*Megisba*, 580  
*Megischus*, 544  
*Megistostylus*, 439  
*Megninia*, 314  
*Megniniella*, 314  
*Megokris*, 646  
*Megophyra*, 448  
*Megopis*, 354  
*Megopis (Aegolipton)*, 354  
*Megopis (Aegosoma)*, 354  
*Megopis (Spinimegopis)*, 354  
*Megopisbaralipton*, 354  
*Megoura*, 474  
*Megymenum*, 489  
*Meiacanthus*, 753  
*Meigenia*, 461  
*Meijerella*, 434  
*Meilichius*, 383  
*Meimuna*, 480  
*Meiocardia*, 671  
*Meiothecium*, 205  
*Melamphaus*, 502  
*Melampsora*, 161  
*Melampsoridium*, 165  
*Melampus*, 683  
*Melanagromyza*, 426  
*Melanalis*, 605  
*Melanamansia*, 176  
*Melanaphis*, 474  
*Melanaspis*, 488  
*Melanconium*, 98  
*Melanelia*, 110  
*Melanella*, 690  
*Melanichneumon*, 534  
*Melanips*, 525  
*Melanitis*, 600  
*Melanobasidium*, 98  
*Melanocercops*, 575  
*Melanographium*, 98  
*Melanogryllus*, 620  
*Melanooides*, 701  
*Melanolagus*, 740  
*Melanolepis*, 253  
*Melanoleuca*, 145  
*Melanomma*, 129  
*Melanopsacus*, 335  
*Melanopsichium*, 167  
*Melanosphaeria*, 98  
*Melanostomatini*, 458  
*Melanostomias*, 779  
*Melanotheca*, 133  
*Melanotrichia*, 631  
*Melanotus*, 381  
*Melanoxanthus*, 382  
*Melanthia*, 570  
*Melasis*, 385  
*Melasmia*, 98  
*Melastoma*, 264  
*Melaxinaea*, 662  
*Melcha*, 534  
*Melia*, 276  
*Meliboeus*, 340  
*Melica*, 230  
*Melichariella*, 485  
*Melichthys*, 779  
*Melicope*, 275  
*Meligethes*, 396  
*Meligethinus*, 396  
*Melilotus*, 256  
*Melinda*, 429  
*Melinis*, 230  
*Melinomyia*, 446  
*Meliola*, 114  
*Meliolina*, 83  
*Meliosma*, 270  
*Meliscava*, 458  
*Melissa*, 260  
*Melithaea*, 290  
*Melitta*, 539  
*Melittia*, 606  
*Melittobia*, 524  
*Melixanthus*, 366  
*Mellinus*, 539  
*Mellipora*, 366  
*Melliteryx*, 671  
*Melo*, 719  
*Melobesia*, 177  
*Melocanna*, 230  
*Melochia*, 264  
*Melodinus*, 258  
*Meloe*, 393  
*Melogale*, 793  
*Melolontha*, 403  
*Melomastia*, 135  
*Melonis*, 43  
*Melophus*, 790  
*Melosira*, 74  
*Melothria*, 284  
*Membranaria*, 483  
*Memecylon*, 265  
*Memmoniella*, 98  
*Menaethius*, 641  
*Menaforia*, 534  
*Mene*, 764  
*Menegazzia*, 110  
*Menemerus*, 312  
*Menephilus*, 421  
*Menesia*, 354  
*Menida*, 500  
*Menippe*, 637  
*Menippus*, 366  
*Menisporopsis*, 98  
*Menoidium*, 31  
*Menophra*, 570  
*Mensamaria*, 732  
*Mentha*, 260  
*Mepachymerus (Steleocerellus)*, 434  
*Mepleres*, 624  
*Meracanthomyia*, 463  
*Meranoplus*, 526  
*Mercurialis*, 253  
*Merelina*, 699  
*Meretrix*, 675  
*Mergellus*, 784  
*Mergus*, 784  
*Meria*, 103  
*Merica*, 704  
*Meridarchis*, 553  
*Meridemis*, 611  
*Meridion*, 74  
*Merimbla*, 91

## 屬名索引

- Meringium*, 214  
*Merionoeda*, 354  
*Merisca*, 673  
*Merismopodia*, 14  
*Meristacram*, 98  
*Meristhus*, 382  
*Meristoides*, 366  
*Meristotheca*, 179  
*Merogomphus*, 618  
*Merohister*, 387  
*Meropesta*, 671  
*Meroplus*, 455  
*Merops*, 788  
*Merothrips*, 625  
*Merremia*, 280  
*Merulina*, 294  
*Merulius*, 153  
*Mesa*, 546  
*Mesalcidodes*, 376  
*Mesalox*, 307  
*Mesechthistatus*, 354  
*Meselatus*, 506  
*Mesembrius*, 458  
*Mesocaecilius*, 624  
*Mesocalanus*, 323  
*Mesocatops*, 391  
*Mesochaetopterus*, 660  
*Mesochorus*, 534  
*Mesochria*, 449  
*Mesocoelium*, 300  
*Mesocomys*, 524  
*Mesocrapex*, 590  
*Mesocyclops*, 328  
*Mesoderes*, 338  
*Mesodiomorus*, 547  
*Mesoereis*, 354  
*Mesohomotoma*, 477  
*Mesolabia*, 424  
*Mesoleptogaster*, 427  
*Mesoleptus*, 535  
*Mesoleuca*, 570  
*Mesolia*, 557  
*Mesomorphus*, 421  
*Mesona*, 260  
*Mesonodon*, 203  
*Mesopenaeus*, 651  
*Mesoperla*, 622  
*Mesophadnus*, 535  
*Mesophalera*, 597  
*Mesophleps*, 563  
*Mesophora*, 688  
*Mesophyllum*, 177  
*Mesoplodon*, 794  
*Mesopristes*, 773  
*Mesopsocus*, 624  
*Mesoptylus*, 476  
*Mesorhabdus*, 325  
*Mesorhaga*, 439  
*Mesorhizobium*, 19  
*Mesorhynchaglaea*, 590  
*Mesosa*, 354  
*Mesosagitta*, 728  
*Mesostenus*, 535  
*Mesostephanoides*, 300  
*Mesotaenium*, 195  
*Mesotettix*, 485  
*Mesothrips*, 626  
*Mesovelgia*, 495  
*Mestocharella*, 524  
*Metabemisia*, 472  
*Metabolus*, 403  
*Metabopyrus*, 654  
*Metabraxas*, 570  
*Metacalanus*, 322  
*Metacaligus*, 658  
*Metaceronema*, 483  
*Metachorischizus*, 535  
*Metaclisa*, 421  
*Metacolpodes*, 346  
*Metacosmesis*, 554  
*Metadynoneme*, 637  
*Metaemene*, 590  
*Metagrypa*, 554  
*Metalia*, 731  
*Metallactulus*, 391  
*Metallidascillus*, 377  
*Metalloleptura*, 355  
*Metallopeus*, 545  
*Metalphheus*, 634  
*Metametrochis*, 299  
*Metanachis*, 704  
*Metanaestia*, 577  
*Metanephrops*, 642  
*Metanigrus*, 495  
*Metanipponaphis*, 491  
*Metanoes*, 392  
*Metapenaeopsis*, 646  
*Metapenaeus*, 646  
*Metaphire*, 659  
*Metaphoenia*, 590  
*Metaphycus*, 522  
*Metaplax*, 639  
*Metapneumovirus*, 10  
*Metapocyrtus*, 376  
*Metapone*, 526  
*Metarhizium*, 105  
*Metasalis*, 504  
*Metasepia*, 676  
*Metasesarma*, 639  
*Metasia*, 557  
*Metasphaeria*, 89  
*Metastrangalis*, 355  
*Metasyrphus (Metasyrphus)*, 458  
*Metataeniacanthus*, 331  
*Metathelypteris*, 222  
*Metathrinca*, 613  
*Metatrichia*, 37  
*Metaxylophaga*, 663  
*Meteima*, 570  
*Meteoriella*, 209  
*Meteoropsis*, 208  
*Meteorium*, 208  
*Meteorius*, 513  
*Meteugoa*, 552  
*Methanocalculus*, 23  
*Methanococcus*, 23  
*Methanofollis*, 23  
*Methanosarcina*, 23  
*Methocha*, 546  
*Methylobacterium*, 19  
*Meticonaxius*, 641  
*Metioche*, 620  
*Metisa*, 603  
*Metleucauge*, 313  
*Metochus*, 494  
*Metoecca*, 557  
*Metopia*, 453  
*Metopiastes*, 374  
*Metopius (Ceratopius)*, 535  
*Metopius (Metopius)*, 535  
*Metopius (Tylopius)*, 535  
*Metopograpsus*, 639  
*Metopolophium*, 474  
*Metopomintho*, 461  
*Metopomyza*, 426  
*Metopoplectus*, 355  
*Metopostigma*, 434  
*Metopta*, 590  
*Metopus*, 25  
*Metrochis*, 299  
*Metriaeschra*, 597  
*Metriaulacus*, 382  
*Metridia*, 325  
*Metrocoris*, 490  
*Metrodira*, 729  
*Metula*, 704  
*Metylophorus*, 624  
*Metzia*, 744  
*Miagrammopes*, 314  
*Miamira*, 719  
*Micadina*, 620  
*Micantapex*, 717  
*Miccolamia*, 355  
*Michaelsarsia*, 68  
*Michelia*, 263  
*Michelopagurus*, 643  
*Michotamia*, 427  
*Mickelomyrme*, 539  
*Micracanthia*, 503  
*Micractinium*, 184  
*Micraglossa*, 557  
*Micranisa*, 506  
*Micraphis*, 474  
*Micraspis*, 372  
*Micrasterias*, 194  
*Micrellytriger*, 413  
*Micrempis*, 444  
*Micrencaustes*, 384  
*Micrepitrix*, 367  
*Micreremites*, 590  
*Microasterias*, 194  
*Microblepsis*, 560  
*Microbryum*, 211  
*Microcalanus*, 324  
*Microcalcarifera*, 570  
*Microcalicha*, 570  
*Microcampylopus*, 198  
*Microcanthus*, 761  
*Microcardium*, 669  
*Microcarpaea*, 279  
*Microcephalothrips*, 627  
*Microcera*, 98  
*Microceropsylla*, 477  
*Microchelonus*, 513  
*Microchilo*, 557  
*Microcoleus*, 16  
*Microcrypticus*, 421  
*Microcyclops*, 328  
*Microcycclus*, 118  
*Microcystis*, 14  
*Microcytis*, 14  
*Microdaphne*, 717  
*Microdictyon*, 190  
*Microdon (Microdon)*, 458  
*Microdrosophila (Microdrosophila)*, 442  
*Microdrosophila (Oxystyloptera)*, 442  
*Microdytes*, 379  
*Microfragum*, 669  
*Microgaster*, 514  
*Microgaza*, 682  
*Microglossa*, 245  
*Microgonium*, 214  
*Microhyla*, 781  
*Microichthyurus*, 342  
*Microlanguria*, 384  
*Microlenecamptus*, 355  
*Microleon*, 578  
*Microlepiea*, 217  
*Microlera*, 355  
*Microlestes*, 346  
*Microlipus*, 394  
*Microlophium*, 474  
*Microlygris*, 570  
*Micromacra*, 671  
*Micromelalopha*, 597  
*Micromelo*, 685  
*Micromphale*, 143  
*Micromulciber*, 355  
*Micromus*, 616  
*Micromys*, 795  
*Micromyzus*, 474  
*Micronebius*, 620  
*Micronecta*, 495  
*Micronemadus*, 391  
*Micronia*, 612  
*Micronidia*, 570  
*Micropedinus*, 421  
*Micropelocotoides*, 399  
*Micropeltis*, 84  
*Micropeplus*, 413  
*Microphalera*, 597  
*Microphis*, 747  
*Microphysogobio*, 744  
*Microplitis*, 514  
*Micropodabrus*, 342  
*Microporella*, 727  
*Microporellus*, 154  
*Microporus*, 484  
*Microporus*, 154  
*Micropsectra*, 433  
*Micropterus*, 755  
*Microscaphidium*, 299  
*Microscelis*, 791  
*Microschemus*, 346  
*Microscydmus*, 408  
*Microserica*, 403  
*Microsetella*, 330

## 屬名索引

- Microsolenia*, 73  
*Microsomacanthus*, 297  
*Microsorium*, 220  
*Microsphaera*, 90  
*Microspora*, 188  
*Microsporium*, 123  
*Microstegium*, 230  
*Microstelma*, 699  
*Microsternus*, 384  
*Microstoma*, 128  
*Microstylum*, 427  
*Microtatorchis*, 239  
*Microterys*, 522  
*Microthalestris*, 330  
*Microthyrium*, 116  
*Microtis*, 239  
*Microtrichomanes*, 214  
*Microtropis*, 249  
*Microtus*, 795  
*Microvelia*, 505  
*Microvonus*, 374  
*Microxyla*, 590  
*Microxylorhiza*, 355  
*Micryletta*, 781  
*Mictyris*, 642  
*Midoria*, 494  
*Mielichhoferia*, 196  
*Miichthys*, 770  
*Mikado*, 398  
*Mikania*, 245  
*Mikia*, 461  
*Mildella*, 221  
*Mileewa*, 479  
*Milesia*, 458  
*Milesina*, 165  
*Milichia*, 447  
*Milichiella*, 447  
*Miliolinella*, 41  
*Milionia*, 570  
*Milisipectis*, 606  
*Milium*, 230  
*Millepora*, 295  
*Milleria*, 613  
*Millettia*, 256  
*Miltochrista*, 552  
*Milviscutulus*, 483  
*Milvus*, 785  
*Mimacrotona*, 414  
*Mimastra*, 367  
*Mimastracella*, 367  
*Mimectatina*, 355  
*Mimegralla*, 447  
*Mimela*, 403  
*Mimemodes*, 394  
*Mimeusemia*, 590  
*Mimicia*, 605  
*Mimistena*, 355  
*Mimoblennius*, 753  
*Mimocalanus*, 327  
*Mimochroa*, 570  
*Mimocolliuris*, 346  
*Mimogonus*, 414  
*Mimoplocia*, 355  
*Mimopodabrus*, 342  
*Mimopydna*, 597  
*Mimorsidis*, 355  
*Mimosa*, 256  
*Mimostrangalia*, 355  
*Mimotettix*, 485  
*Mimulus*, 279  
*Mimumesa*, 519  
*Minagenia*, 542  
*Minakatella*, 37  
*Minettia (Frendelia)*, 446  
*Minettia (Minettiella)*, 446  
*Minicopenaeon*, 654  
*Minidiscus*, 73  
*Miniopterus*, 794  
*Minmomyia*  
(*Etorleptomyia*), 437  
*Minmomyia (Ingramia)*, 437  
*Minmomyia (Mimomyia)*, 437  
*Minois*, 600  
*Minolia*, 682  
*Minotocyphus*, 542  
*Minous*, 776  
*Minthea*, 337  
*Minutaleyrodes*, 472  
*Minutocellus*, 55  
*Miobdelus*, 414  
*Miolispa*, 338  
*Mipus*, 707  
*Miracia*, 330  
*Mirandina*, 98  
*Mirax*, 514  
*Miresa*, 578  
*Miridiba*, 403  
*Miscanthicoccus*, 501  
*Miscanthus*, 230  
*Miscelus*, 346  
*Miscera*, 553  
*Mischobulbum*, 239  
*Mischotetrastichus*, 524  
*Miscogasteriella*, 542  
*Misgomyces*, 107  
*Misgurnus*, 744  
*Misophria*, 330  
*Misumenoides*, 314  
*Misumenops*, 314  
*Mitchella*, 274  
*Mitella*, 273  
*Mithuna*, 552  
*Mitius*, 620  
*Mitjaevia*, 479  
*Mitomorphus*, 414  
*Mitra*, 709  
*Mitrasacme*, 259  
*Mitrastemon*, 268  
*Mitrella*, 704  
*Mitremyces*, 158  
*Mitrolumna*, 717  
*Mitromorpha*, 717  
*Mitropifex*, 708  
*Mitthyridium*, 211  
*Miuraea*, 98  
*Mixacarus*, 317  
*Mixaleyrodes*, 472  
*Mixaspis*, 488  
*Mixochlora*, 570  
*Mixomelia*, 590  
*Mixonychus*, 303  
*Miyabea*, 206  
*Miyagia*, 163  
*Mizococcus*, 501  
*Mizodorcatoma*, 334  
*Mnais*, 617  
*Mnesiloba*, 570  
*Mniotype*, 590  
*Mnium*, 197  
*Mobula*, 736  
*Moca*, 576  
*Mochtherus*, 346  
*Mocis*, 590  
*Modiolus*, 664  
*Modulus*, 698  
*Moechotypa*, 355  
*Moehringia*, 248  
*Moellendorffia*, 721  
*Moerchiella*, 699  
*Moerella*, 673  
*Mogamia*, 480  
*Mogera*, 795  
*Mohelnaspis*, 488  
*Moissonia*, 497  
*Mokrzeckia*, 542  
*Mola*, 780  
*Molendoa*, 211  
*Molineria*, 234  
*Molione*, 313  
*Mollisia*, 93  
*Mollitrichosiphum*, 490  
*Mollitrichosiphum*  
(*Metatrichosiphum*), 490  
*Mollugo*, 248  
*Molluscipoxvirus*, 7  
*Molobratia*, 427  
*Moloha*, 640  
*Molophilus (Molophilus)*, 467  
*Molophilus (Neolimnoplila)*, 467  
*Molorchoepania*, 355  
*Moma*, 590  
*Momoebora*, 704  
*Momordica*, 284  
*Mompha*, 582  
*Monacanthomyia*, 456  
*Monacanthus*, 780  
*Monachosorum*, 217  
*Monacilla*, 327  
*Monacrosporium*, 98  
*Monalocoris*, 497  
*Monanus*, 408  
*Monascus*, 90  
*Monema*, 578  
*Moneses*, 252  
*Moneta*, 313  
*Monetaria*, 696  
*Mongolodiptomus*, 330  
*Mongoloraphidia*, 617  
*Mongoloraphidia*  
(*Formosoraphidia*), 617  
*Mongoloraphidia*  
(*Kirgisoraphidia*), 617  
*Monilea*, 682  
*Monilia*, 134  
*Monilochaetes*, 98  
*Monilothrips*, 627  
*Monobidia*, 367  
*Monobolodes*, 612  
*Monocentris*, 743  
*Monocera*, 446  
*Monoceromyia*, 458  
*Monocerotesa*, 570  
*Monochamus*, 355  
*Monochoria*, 234  
*Monocillium*, 105  
*Monocrypta*, 414  
*Monooctonus*, 514  
*Monodactylus*, 764  
*Monodictys*, 87  
*Monodisma*, 98  
*Monodonta*, 682  
*Monoicomyces*, 107  
*Monolepta*, 367  
*Monomitopus*, 750  
*Monomma*, 394  
*Monomorium*, 526  
*Monontos*, 535  
*Monophadnus*, 545  
*Monopis*, 608  
*Monopsyllus*, 625  
*Monopterus*, 779  
*Monopylephorus*, 659  
*Monoraphidium*, 184  
*Monosiga*, 49  
*Monosporium*, 98  
*Monosporium*, 98  
*Monostroma*, 190  
*Monostyla*, 303  
*Monotaxis*, 763  
*Monothyra*, 663  
*Monotoma*, 394  
*Monotropa*, 252  
*Monotrymacus*, 307  
*Monozonium*, 46  
*Monstrilla*, 330  
*Montagnellina*, 88  
*Montandoniola*, 473  
*Montastraea*, 293  
*Montfortista*, 679  
*Monticola*, 791  
*Montipora*, 291  
*Montrouzieria*, 672  
*Moolgarda*, 748  
*Moonia*, 505  
*Moorella*, 19  
*Mopsella*, 291  
*Morbillivirus*, 10  
*Morchella*, 127  
*Mordella*, 395  
*Mordellaria*, 395  
*Mordellina*, 395  
*Mordellistema*, 395  
*Mordellochroa*, 395  
*Morella*, 448  
*Morenoella*, 133  
*Morganella*, 488  
*Moricella*, 545

## 屬名索引

- Morimotoides*, 346  
*Morinda*, 274  
*Moringua*, 738  
*Morinowotome*, 463  
*Morionia*, 613  
*Morishitium*, 298  
*Mormonilla*, 330  
*Morochores*, 542  
*Morphaga*, 608  
*Moroteuthis*, 678  
*Morphophagoides*, 608  
*Morphosphaera*, 367  
*Morrisiella*, 98  
*Mortierella*, 171  
*Mortonagrion*, 617  
*Morula*, 711  
*Morum*, 709  
*Morus*, 283  
*Mosla*, 261  
*Mosopia*, 590  
*Motacilla*, 790  
*Mothocya*, 654  
*Mothogenes*, 608  
*Motschulskyia* (s.str.), 479  
*Motschulskyia* (*Togaritetix*), 479  
*Motschulskyia* (*Woolongica*), 479  
*Mougeotia*, 195  
*Mucor*, 172  
*Mucronalia*, 690  
*Mucuna*, 256  
*Muggiaea*, 296  
*Mugil*, 748  
*Mugilogobius*, 759  
*Muhlenbergia*, 230  
*Mukaria*, 499  
*Mukia*, 284  
*Mulgravea*, 442  
*Muliercula*, 319  
*Mulloidichthys*, 765  
*Mulsanteus*, 382  
*Multi clavula*, 141  
*Multioppia*, 318  
*Multipatina*, 98  
*Mundopa*, 483  
*Mumida*, 638  
*Munidopsis*, 638  
*Munkovalsaria*, 129  
*Muntiacus*, 793  
*Muntingia*, 264  
*Muraenesox*, 738  
*Murdannia*, 224  
*Murex*, 712  
*Muricella*, 290  
*Muricopsis*, 712  
*Murina*, 794  
*Muromegaivirus*, 6  
*Murraya*, 275  
*Murrayella*, 176  
*Mursia*, 634  
*Mus*, 795  
*Musa*, 241  
*Musashia*, 719  
*Musca* (*Byomya*), 448  
*Musca* (*Musca*), 449  
*Musca* (*Philaematomyia*), 449  
*Musca* (*Plaxemya*), 449  
*Musca* (*Ptilolpis*), 449  
*Musca* (*Viviparomusca*), 449  
*Muscicapa*, 791  
*Muscina*, 449  
*Musculista*, 664  
*Musculus*, 664  
*Musotima*, 557  
*Mussaenda*, 274  
*Mussidia*, 605  
*Mustela*, 793  
*Mustelus*, 735  
*Mustilia*, 553  
*Mutatocoptops*, 355  
*Mutinus*, 150  
*Mya*, 663  
*Myas*, 346  
*Mycalesis*, 600  
*Mycedium*, 294  
*Myceliophthora*, 98  
*Mycena*, 145  
*Mycenella*, 145  
*Mycetina*, 384  
*Mycetobia*, 449  
*Mycetophagus*, 395  
*Mycetoporus*, 414  
*Mycoblastus*, 109  
*Mycocentrospora*, 99  
*Mycodrosophila*, 442  
*Mycogone*, 104  
*Mycoleptodiscus*, 99  
*Mycoporellum*, 87  
*Mycosphaerella*, 118  
*Mycovellosiella*, 119  
*Mycterotherps*, 627  
*Myctophum*, 749  
*Myelochroa*, 110  
*Myersina*, 759  
*Mycicola*, 331  
*Myiomela*, 791  
*Myiomma*, 497  
*Mylabris*, 393  
*Myliobatis*, 736  
*Myllaena*, 414  
*Myllocerus*, 376  
*Mylopharyngodon*, 744  
*Mymar*, 540  
*Myndus*, 483  
*Myodora*, 666  
*Myomenippe*, 637  
*Myonera*, 665  
*Myophonous*, 792  
*Myoporum*, 278  
*Myosides*, 377  
*Myosotis*, 260  
*Myospila*, 449  
*Myotis*, 794  
*Myra*, 640  
*Myriactis*, 245  
*Myriangium*, 123  
*Myrica*, 264  
*Myrichthys*, 739  
*Myrioblephara*, 570  
*Myriophyllum*, 259  
*Myriotrema*, 124  
*Myripristis*, 742  
*Myristica*, 263  
*Myrmarachne*, 312  
*Myrmechis*, 239  
*Myrmecina*, 526  
*Myrmecocephalus*, 414  
*Myrmecoptynus*, 334  
*Myrmecosepsis*, 434  
*Myrmekioderma*, 288  
*Myrmeleon*, 616  
*Myrmexocentrus*, 355  
*Myrmica*, 526  
*Myrophis*, 740  
*Myrothecium*, 99  
*Myrsine*, 268  
*Myrtea*, 671  
*Myrteta*, 570  
*Mystacides*, 629  
*Mythimna* (*Acantholeucania*), 590  
*Mythimna* (*Anapoma*), 590  
*Mythimna* (*Hyphilare*), 590  
*Mythimna* (*Morphopoliana*), 590  
*Mythimna* (*Mythimna*), 590  
*Mythimna* (*Pseudaletia*), 591  
*Mythimna* (*Sablia*), 591  
*Mytilina*, 303  
*Mytilopsis*, 670  
*Mytilus*, 664  
*Myurella*, 206  
*Myxine*, 734  
*Myxobolus*, 37  
*Myxosarcina*, 18  
*Myxosporium*, 99  
*Myzackaia*, 474  
*Myzus*, 474  
*Naarda*, 591  
*Nabis*, 498  
*Nacaduba*, 580  
*Nacaeus*, 414  
*Nacaura*, 615  
*Nacerdes*, 397  
*Nacna*, 591  
*Nacoleia*, 557  
*Nacoloëia*, 557  
*Nacolus*, 492  
*Nadagara*, 570  
*Naddia*, 414  
*Nadezhdiella*, 355  
*Naemateloma*, 160  
*Naematoloma*, 144  
*Naemorhedus*, 793  
*Naenaria*, 535  
*Naenarides*, 535  
*Nagaclovia*, 476  
*Nagadeba*, 591  
*Nageia*, 223  
*Nagodopsis*, 578  
*Nairovirus*, 10  
*Nais*, 659  
*Naja*, 783  
*Najas*, 235  
*Nakataea*, 84  
*Nala*, 425  
*Nalepella*, 308  
*Namalycastis*, 660  
*Namatopogon*, 550  
*Nanaguna*, 596  
*Nanhaipotamon*, 650  
*Nannoarctia*, 552  
*Nannobrachium*, 749  
*Nannocalanus*, 323  
*Nannodastia*, 444  
*Nannoëca*, 49  
*Nannophya*, 618  
*Nannophyopsis*, 618  
*Nanocassiope*, 653  
*Nanocnide*, 283  
*Nanohammus*, 355  
*Nanomia*, 295  
*Nanophyes*, 377  
*Nanosesarma*, 639  
*Nanostrangalia*, 355  
*Nansenia*, 740  
*Napicladium*, 99  
*Naquetia*, 712  
*Naranga*, 591  
*Narangodes*, 596  
*Naratettix*, 479  
*Narctes*, 740  
*Narcine*, 737  
*Nardoa*, 729  
*Narenga*, 230  
*Nargus*, 391  
*Naricolax*, 331  
*Narke*, 738  
*Narosa*, 578  
*Narosoideus*, 578  
*Naso*, 750  
*Nasonia*, 542  
*Nass*, 712  
*Nassaria*, 703  
*Nassarius*, 712  
*Nastrutium*, 247  
*Nasutitermes*, 550  
*Natada*, 578  
*Natica*, 690  
*Naucoria*, 141  
*Naucrates*, 754  
*Nauphoeta*, 333  
*Naupoda*, 451  
*Nautilus*, 675  
*Navicula*, 60  
*Naxa*, 570  
*Naxidia*, 570  
*Naxeris*, 414  
*Neacaniasta*, 355  
*Neachrostia*, 591  
*Neacroporium*, 205  
*Neadmete*, 704  
*Nealotus*, 757  
*Neamia*, 752  
*Neamphius*, 288  
*Neanastatus*, 524  
*Neanthes*, 660

## 屬名索引

- Neasura*, 552  
*Neasuroides*, 552  
*Neaxiopsis*, 651  
*Neaxius*, 651  
*Nebela*, 48  
*Nebria*, 346  
*Nebrioporus*, 379  
*Nebrius*, 736  
*Nebularia*, 709  
*Neckera*, 208  
*Neckeropsis*, 209  
*Necolio*, 535  
*Necrobia*, 370  
*Necrobioides*, 421  
*Necrodes*, 408  
*Necrovirus*, 5  
*Nectamia*, 752  
*Nectria*, 105  
*Necydalis*, 355  
*Necyla*, 616  
*Nedyopus*, 332  
*Negaprion*, 734  
*Negeta*, 596  
*Negritothripa*, 596  
*Neidium*, 63  
*Neilo*, 664  
*Neilonella*, 664  
*Neiraga*, 578  
*Nelumbo*, 266  
*Nemalion*, 180  
*Nemania*, 137  
*Nemapoda*, 455  
*Nematalosa*, 743  
*Nemateleotris*, 769  
*Nematocarcinus*, 642  
*Nematoctonus*, 145  
*Nematodes*, 385  
*Nematopagurus*, 643  
*Nematopalaemon*, 643  
*Nematopodius (Diapetus)*, 535  
*Nematopodius (Microchorus)*, 535  
*Nematoscelis*, 653  
*Nematospora*, 139  
*Nemichthys*, 739  
*Nemipterus*, 765  
*Nemka*, 539  
*Nemocardium*, 669  
*Nemophora*, 550  
*Nemoraea*, 461  
*Nemorilla*, 461  
*Nemosencio*, 245  
*Nemoura*, 622  
*Nemura*, 622  
*Nenasa*, 493  
*Nenimandijea*, 300  
*Neocyrtosiphon*, 474  
*Neocyrtosiphon (Pseudoacynthosiphon)*, 474  
*Neoalsomitra*, 284  
*Neoranpa*, 614  
*Neasterodiaspis*, 477  
*Neobaculentulus*, 623  
*Neobarbella*, 208  
*Neobisnius*, 414  
*Neoblastobasis*, 553  
*Neoblastia*, 552  
*Neobranchyceraea*, 435  
*Neobythites*, 750  
*Neocalanus*, 323  
*Neocallimastix*, 169  
*Neocalyptis*, 611  
*Neocancilla*, 710  
*Neocarcidina*, 634  
*Neocarpia*, 483  
*Neocecidophyes*, 307  
*Neocentrocnemis*, 503  
*Neocerambyx*, 355  
*Neocerura*, 597  
*Neochalcis*, 517  
*Neochalcosia*, 613  
*Neochauliodes*, 615  
*Neochheiropteris*, 220  
*Neochiera*, 591  
*Neocladia*, 522  
*Neocladoxena*, 384  
*Neoclerus*, 424  
*Neoclinus*, 755  
*Neocnemidocoptes*, 315  
*Neocollonia*, 683  
*Neocollyris*, 346  
*Neocrane*, 367  
*Neocrangon*, 635  
*Neocrepidodera*, 367  
*Neodacne*, 384  
*Neodecusa*, 414  
*Neodeporaus*, 377  
*Neodiciadiella*, 208  
*Neodiplostomum*, 300  
*Neodolichomitra*, 203  
*Neodontocryptus*, 535  
*Neodrasterius*, 382  
*Neodryinus*, 522  
*Neodrymonia*, 597  
*Neodrymonia (Epistauropus)*, 597  
*Neodrymonia (Neodrymonia)*, 597  
*Neodrymonia (Polystictina)*, 597  
*Neodusmetia*, 522  
*Neoepinnula*, 757  
*Neoeponides*, 39  
*Neoeryssamena*, 355  
*Neofacydes*, 535  
*Neofelis*, 793  
*Neoferdina*, 729  
*Neogerris*, 490  
*Neoglyphidodon*, 768  
*Neogurelca*, 607  
*Neohaematopinus*, 621  
*Neohaustator*, 702  
*Neohelota*, 386  
*Neohermenias*, 611  
*Neohipparchus*, 570  
*Neohyalospila*, 605  
*Neohydatothrips*, 628  
*Neohydnius*, 370  
*Neohylaspes*, 367  
*Neoitamus*, 427  
*Neojurtina*, 500  
*Neokalumma*, 318  
*Neokodaiana*, 493  
*Neolaeops*, 774  
*Neolaparus*, 428  
*Neoleipothrix*, 307  
*Neolethaeus*, 494  
*Neoliga*, 297  
*Neoliomera*, 653  
*Neolithodes*, 641  
*Neolitsea*, 263  
*Neolosbanus*, 522  
*Neololus*, 414  
*Neoloxotaenis*, 434  
*Neolucanus*, 391  
*Neolucoppia*, 318  
*Neolygus*, 497  
*Neomartensia*, 176  
*Neomaskellia*, 472  
*Neomerinthe*, 777  
*Neomeris*, 190  
*Neometaculus*, 307  
*Neomicroderma*, 300  
*Neomizaldus*, 494  
*Neomyoleja*, 463  
*Neon*, 312  
*Neonauclea*, 274  
*Neonectes*, 379  
*Neoniphon*, 742  
*Neonoguchia*, 208  
*Neonotonia*, 256  
*Neopalodes*, 396  
*Neopanorpa*, 614  
*Neoparacryptus*, 535  
*Neoparlatoria*, 488  
*Neope*, 600  
*Neopealius*, 472  
*Neopentamerus*, 307  
*Neopenthes*, 382  
*Neoperla*, 622  
*Neopetrolisthes*, 648  
*Neopetrosia*, 287  
*Neophacopteron*, 500  
*Neopheosia*, 597  
*Neophocaena*, 794  
*Neophyllaphis*, 477  
*Neopinaspis*, 488  
*Neopithecops*, 580  
*Neoplamius*, 422  
*Neoplatylecanium*, 483  
*Neopomacentrus*, 768  
*Neopotamia*, 611  
*Neopropilus*, 308  
*Neopsephus*, 382  
*Neopseustis*, 582  
*Neopsylla*, 625  
*Neoquernaspis*, 488  
*Neorhamnusium*, 355  
*Neoribates*, 318  
*Neoripersia*, 501  
*Neosaissetia*, 483  
*Neosarima*, 493  
*Neosarmatium*, 639  
*Neosartorya*, 91  
*Neoschizonobiella*, 303  
*Neoschoengastia*, 320  
*Neosclerus*, 414  
*Neoscolecithrix*, 326  
*Neoscombrops*, 751  
*Neoscona*, 309  
*Neoscopelus*, 749  
*Neosebastes*, 777  
*Neoseiulella*, 315  
*Neoseiulus*, 315  
*Neoserica*, 403  
*Neosericania*, 447  
*Neoserixia*, 355  
*Neoshevtchenkella*, 307  
*Neosilusa*, 414  
*Neosiphonia*, 176  
*Neosmerinthothrips*, 626  
*Neostromboceros*, 545  
*Neostylopyga*, 334  
*Neosybra*, 355  
*Neotermes*, 549  
*Neothoracaphis*, 491  
*Neothrinax*, 545  
*Neotogaria*, 561  
*Neotomostethus*, 546  
*Neotoxoptera*, 474  
*Neotoxoscelus*, 340  
*Neotrichus*, 374  
*Neotriplax*, 384  
*Neotrogaspidia*, 539  
*Neottia*, 239  
*Neottiospora*, 99  
*Neottiosporella*, 99  
*Neotypos*, 535  
*Neouwigerina (Siphouvigerina)*, 45  
*Neovalgus*, 403  
*Neoxanthias*, 653  
*Neoxanthops*, 653  
*Neoxenophthalmus*, 647  
*Neoxylophaga*, 663  
*Neozephyrus*, 580  
*Nepalisetia*, 435  
*Nepalomyia*, 439  
*Nepanthia*, 729  
*Nephila*, 313  
*Nephodonta*, 597  
*Nephopterix*, 605  
*Nephottettix*, 485  
*Nephotoma (Nephotoma)*, 467  
*Nephrites*, 399  
*Nephrochlamys*, 185  
*Nephroclytium*, 185  
*Nephrolepis*, 219  
*Nephroma*, 125  
*Nephromopsis*, 110  
*Nephrops*, 642  
*Nephropsis*, 642  
*Nephrospyrus*, 46  
*Nephrostomum*, 298  
*Nephthea*, 290  
*Nephtys*, 659  
*Nephus (Geminosipho)*, 372  
*Nephus (Nephus)*, 372

## 屬名索引

- Nephus (Sidis)*, 372  
*Nepoerla*, 622  
*Nepsalus*, 616  
*Neptis*, 600  
*Neptosternus*, 379  
*Neptunea*, 703  
*Neriene*, 311  
*Nerita*, 680  
*Neritina*, 680  
*Neritopsis*, 680  
*Nerocila*, 654  
*Nertera*, 274  
*Nerthomma*, 335  
*Nerthra*, 490  
*Nerthus*, 494  
*Nervilia*, 239  
*Neseuthia*, 408  
*Nesiodicoris*, 497  
*Nesiodrosophila*, 442  
*Nesiohelix*, 720  
*Neslia*, 247  
*Nesocaedius*, 422  
*Nesochthamalus*, 656  
*Nesodiprion*, 521  
*Nesogaster*, 425  
*Nesopteris*, 214  
*Nesopupa*, 724  
*Nesoselandria*, 546  
*Nesostenodontus*, 535  
*Nesotaxonus*, 546  
*Nesothrips*, 626  
*Nessiara*, 335  
*Nessiadocus*, 335  
*Neta*, 99  
*Netaclisa*, 422  
*Netelia*, 535  
*Netelia (Apatagium)*, 535  
*Netelia (Bessobates)*, 535  
*Netelia (Netelia)*, 535  
*Netelia (Prosthodocis)*, 535  
*Netria*, 597  
*Netrium*, 195  
*Netta*, 784  
*Nettapus*, 784  
*Nettastoma*, 739  
*Netuma*, 778  
*Neurigona*, 439  
*Neurobasis*, 617  
*Neurocarpus*, 76  
*Neuroctenus*, 476  
*Neurogenia*, 535  
*Neuronema*, 616  
*Neurotettix*, 485  
*Neurothemis*, 618  
*Neurymenia*, 176  
*Neustrotia*, 591  
*Neutrodiaptomus*, 324  
*Nevrina*, 557  
*Newsteadia*, 499  
*Neyraudia*, 230  
*Nezara*, 500  
*Nezumia*, 745  
*Niaccaba*, 591  
*Nibea*, 770  
*Nicandra*, 280  
*Nicotiana*, 280  
*Nicrophorus*, 408  
*Nidula*, 144  
*Niesslia*, 105  
*Nigidionus*, 391  
*Nigidius*, 391  
*Nigilgia*, 553  
*Nigritomyia*, 456  
*Nigrobaetis*, 469  
*Nigrocupula*, 166  
*Nigroporus*, 154  
*Nigrospora*, 135  
*Nihonia*, 717  
*Nikaea*, 552  
*Nikaeoides*, 552  
*Nikkoaspis*, 488  
*Nilobezzia*, 432  
*Niltava*, 791  
*Ninodes*, 570  
*Ninox*, 793  
*Niotha*, 713  
*Nipaecoccus*, 501  
*Niphanda*, 580  
*Niphe*, 500  
*Nipholophia*, 355  
*Niphon*, 771  
*Niphona*, 355  
*Niphonyx*, 591  
*Niponia*, 332  
*Niposoma*, 387  
*Nippoberaea*, 628  
*Nippobodes*, 318  
*Nippocallis*, 477  
*Nippohermannia*, 318  
*Nippolachmus*, 493  
*Nipponatys*, 684  
*Nipponcyrtus*, 425  
*Nipponesmus*, 332  
*Nipponeurothus*, 616  
*Nipponia*, 787  
*Nipponius*, 387  
*Nipponogelasma*, 570  
*Nipponohockeria*, 517  
*Nipponomyia*, 467  
*Nipponopholas*, 663  
*Nipponorthezia*, 499  
*Nipponoscala*, 687  
*Nipponosemia*, 481  
*Nipponoserica*, 403  
*Nipponotrophon*, 712  
*Nipponphis*, 491  
*Nippoodorcus*, 392  
*Nippoptilia*, 603  
*Nirvana*, 499  
*Nishada*, 552  
*Nisia*, 495  
*Niso*, 690  
*Nisotra*, 367  
*Nitela*, 519  
*Nitella*, 182  
*Nitidotellina*, 673  
*Nitobeia*, 463  
*Nitokra*, 330  
*Nitschkia*, 86  
*Nitzschia*, 52  
*Nitzschiella*, 65  
*Nitzshia*, 65  
*Niveotectura*, 679  
*Niveria*, 702  
*Niviventer*, 795  
*Nobia*, 656  
*Nocardioides*, 13  
*Nocticanace*, 429  
*Noctiluca*, 28  
*Nodaria*, 591  
*Nodilittorina*, 697  
*Nodina*, 367  
*Nodiscala*, 687  
*Nodosaria*, 43  
*Nodosaria (Dentalina)*, 43  
*Nodosaria (Pyramidulina)*, 43  
*Noemia*, 355  
*Nokona*, 606  
*Nokophora*, 476  
*Nola*, 596  
*Nolathripa*, 596  
*Nomada*, 508  
*Nomeus*, 765  
*Nomia*, 529  
*Nomia (Acunomia)*, 529  
*Nomia (Dinomina)*, 529  
*Nomia (Nomina)*, 529  
*Nomia (Paranomia)*, 529  
*Nomioides*, 529  
*Nomis*, 557  
*Nomocrosporium*, 99  
*Nomophila*, 557  
*Nomosphaea*, 535  
*Nomuraea*, 99  
*Nonarthra*, 367  
*Nonion*, 43  
*Nonionella*, 43  
*Nonionella (Pseudononion)*, 43  
*Noorda*, 557  
*Norbanus*, 542  
*Nordstromia*, 561  
*Norfolkia*, 773  
*Norirhabdovirus*, 11  
*Norma*, 305  
*Norracoides*, 597  
*Nortia*, 355  
*Nosodendron*, 397  
*Nosopsyllus*, 625  
*Nosphistica*, 578  
*Nostoc*, 15  
*Notacaphylla*, 307  
*Notarcha*, 557  
*Notata*, 552  
*Notesia*, 557  
*Nothapodytes*, 249  
*Nothobomolochus*, 331  
*Notholca*, 302  
*Nothomiza*, 570  
*Nothoploca*, 561  
*Nothoserphus*, 542  
*Nothrus*, 318  
*Notiobiella*, 616  
*Notioxenus*, 336  
*Notiphila (Ahrolima)*, 444  
*Notiphila (Notiphila)*, 444  
*Notoacmea*, 679  
*Notobitus*, 484  
*Notocelia*, 611  
*Notocotylus*, 298  
*Notocrypta*, 576  
*Notodoma*, 387  
*Notodonta*, 597  
*Notoedres*, 315  
*Notolaemus*, 389  
*Notolychnus*, 749  
*Notommata*, 303  
*Notonecta*, 499  
*Notopus*, 650  
*Notoraja*, 737  
*Notorynchus*, 735  
*Notosacantha*, 367  
*Notoscopelus*, 749  
*Notoseila*, 690  
*Notoseris*, 245  
*Notosinister*, 689  
*Notostomus*, 642  
*Nototeredo*, 663  
*Nototodarus*, 678  
*Novactaea*, 653  
*Novaculichthys*, 762  
*Novirhabdovirus*, 11  
*Novorostrum*, 648  
*Nowakowskiella*, 168  
*Nuchequula*, 763  
*Nucifraga*, 789  
*Nucleorhabdovirus*, 11  
*Nucula*, 665  
*Nuculana*, 664  
*Nuculoma*, 665  
*Nudaria*, 552  
*Nudina*, 552  
*Nudobius*, 414  
*Nullosetigera*, 325  
*Numenes*, 582  
*Numenius*, 787  
*Nummulites*, 43  
*Nuphar*, 266  
*Nupserha*, 355  
*Nurscia*, 314  
*Nursia*, 640  
*Nurudea*, 499  
*Nusa*, 428  
*Nuttallia*, 672  
*Nuttallina*, 725  
*Nyctalus*, 795  
*Nyctemera*, 552  
*Nycteribia*, 450  
*Nycterimyia*, 450  
*Nycticia*, 591  
*Nycticorax*, 785  
*Nyctiophylax*, 630  
*Nyctycia*, 591  
*Nyctycimorpha*, 591  
*Nymphaea*, 266  
*Nymphalis*, 600  
*Nymphicula*, 557  
*Nymphoides*, 258  
*Nysius*, 495

## 屬名索引

- Nysson, 519  
Nyssopsora, 166  
Obeidia, 570  
Oberea, 355  
Obereopsis, 356  
Oberonia, 239  
Oberthueria, 553  
Oblimopa, 663  
Obrium, 356  
Ocadia, 782  
Ocadiatrema, 298  
Oceanicola, 19  
Oceanodroma, 786  
Ocellularia, 124  
Ocenebra, 712  
Ochetellus, 526  
Ochlodes, 576  
Ochodaeus, 397  
Ochroconis, 99  
Ochrognesia, 570  
Ochrolechia, 126  
Ochromonas, 69  
Ochrolepura, 591  
Ochropsora, 166  
Ochrosphaera, 87  
Ochterus, 499  
Ochthebius, 387  
Ochthephilum, 414  
Ochthephilus, 414  
Ochthera, 444  
Ochyromera, 377  
Ochyrotica, 603  
Ocimum, 261  
Ocla, 546  
Ocoelophora, 570  
Ocosia, 777  
Octaspidiotus, 488  
Octavius, 414  
Octoblepharum, 199  
Octodendron, 46  
Octolasmis, 656  
Octonoba, 314  
Octopoteuthis, 678  
Octopus, 676  
Octopyle, 47  
Octotemnus, 370  
Ocupode, 642  
Ocupus, 414  
Odacantha, 346  
Odeningotrema, 300  
Odhnerium, 299  
Odonaspis, 488  
Odonestis, 577  
Odontacarus, 320  
Odontamblyopus, 759  
Odontanthias, 771  
Odontell, 65  
Odontepyrus, 510  
Odontestra, 591  
Odontia, 146  
Odontobutis, 765  
Odontochilus, 239  
Odontocrabro, 519  
Odontodactylus, 655  
Odontodactylus scyllarus, 655  
Odontoderes, 542  
Odontofroggata, 506  
Odontolabis, 392  
Odontomachus, 526  
Odontomatis, 614  
Odontomyia, 456  
Odontonotus, 476  
Odontopera, 570  
Odontoponera, 526  
Odontotermes, 550  
Odontoxenus, 414  
Odonus, 779  
Odostomella, 685  
Oecetis, 629  
Oecobius, 311  
Oedalechilus, 748  
Oedaspis, 463  
Oedematopoda, 601  
Oedemera, 397  
Oedemium, 135  
Oedemutes, 422  
Oedichirus, 414  
Oedicladium, 195  
Oedignatha, 310  
Oedocephalum, 126  
Oedocladium, 188  
Oedogonium, 188  
Oedostethus, 382  
Oedothorax, 311  
Oenanthe, 242  
Oenanthe, 791  
Oenopia, 372  
Oenospila, 570  
Oenothera, 265  
Oeonistis, 552  
Oestrupia, 63  
Oestrus, 450  
Ogcodes, 425  
Oglasa, 591  
Ogloblinia, 367  
Ogmocotyle, 298  
Ogygioses, 601  
Ogyrides, 642  
Ohbayashia, 356  
Ohtaius, 384  
Ohwia, 256  
Oiceoptoma, 408  
Oidaematophorus, 603  
Oides, 367  
Oidium, 99  
Oikomonas, 49  
Oithona, 329  
Okamejei, 737  
Okamuraea, 204  
Okavirus, 12  
Okinawepipona, 548  
Okiscarta, 478  
Okiseius, 316  
Okissus, 493  
Olax, 276  
Olbiogaster, 426  
Oleandra, 219  
Olene, 582  
Olenecamptus, 356  
Olesicampe, 535  
Olethreutes, 611  
Oliarus, 483  
Olibrus, 397  
Oligoaeschna, 617  
Oligochroa, 605  
Oligodon, 783  
Oligolepis, 759  
Oligometra, 729  
Oligomyrmex, 526  
Oligoneura, 425  
Oligonychus, 303  
Oligonychus (Oligonychus), 303  
Oligonychus (Pritchardinychus), 304  
Oligonychus (Reckiella), 304  
Oligonychus (Wainsteiniella), 304  
Oligophlebiella, 606  
Oligoporus, 154  
Oligoschema, 428  
Oligosita, 547  
Oligota, 414  
Oligotoma, 469  
Oligotrichum, 210  
Olios, 312  
Oliva, 714  
Olivea, 161  
Olivella, 714  
Olivenebula, 591  
Olophrinus, 414  
Olpidiopsis, 168  
Olpidium, 169  
Olpitrichum, 99  
Olulis, 591  
Omadius, 370  
Omala, 673  
Omalanthus, 253  
Omalus, 517  
Omidoes, 557  
Omiodes, 557  
Ommastrephes, 678  
Ommatartus, 46  
Ommatius, 428  
Ommatocarcinus, 638  
Ommatodiscus, 47  
Ommatolampus, 377  
Ommatophora, 591  
Omobranchus, 753  
Omoglymmius, 399  
Omoplandria, 414  
Omorgus, 424  
Omphalina, 145  
Omphalius, 682  
Omphalotukaia, 682  
Omphisa, 558  
Oncaea, 329  
Onchidium, 724  
Oncocephala, 367  
Oncocephalus, 503  
Oncocera, 605  
Oncoerysa, 18  
Oncomelania, 699  
Oncopagurus, 645  
Oncopeltus, 495  
Oncophorus, 199  
Oncorhynchus, 775  
Oncyclocotis, 489  
Ondonia, 356  
Oneirodes, 748  
Onigocia, 776  
Onithochiton, 725  
Onnia, 149  
Onoba, 699  
Onryza, 576  
Onthophagus (Colobonthophagus), 403  
Onthophagus (Gibbonthophagus), 403  
Onthophagus (Indachorius), 403  
Onthophagus (Matashia), 403  
Onthophagus (Micronthophagus), 404  
Onthophagus (Onthophagiellus), 404  
Onthophagus (Onthophagus), 404  
Onthophagus (Paraphanaeomorphus), 404  
Onthophagus (Parascatonomus), 404  
Onthophagus (Phanaeomorphus), 404  
Onthophagus (Serrophorus), 404  
Onthophagus (Strandius), 404  
Onthophilus, 387  
Ontsira, 514  
Onukia, 490  
Onuphis, 659  
Onustus, 703  
Onuxodon, 749  
Onychargia, 617  
Onychia, 678  
Onychium, 221  
Onychocamptus, 330  
Onychomesa, 503  
Onychonema, 194  
Onychosophraps, 404  
Onychoteuthis, 678  
Onychothemis, 618  
Oochoristica, 297  
Oocyclus, 388  
Oocystis, 185  
Ooencyrtus, 522  
Oolina, 39  
Oolina (Favulina), 39  
Oolithotus, 67  
Oomorphoides, 367  
Oomyzus, 524  
Oophana, 724  
Oospira, 722  
Ooyeton, 422  
Opalia, 687  
Opeceolus, 300

## 屬名索引

- Opegrapha*, 85  
*Opephora*, 55  
*Operculina*, 280  
*Operophtera*, 570  
*Opheodesoma*, 732  
*Ophiactis*, 733  
*Ophiarachna*, 733  
*Ophiarachnella*, 732  
*Ophiarthrum*, 732  
*Ophiaster*, 68  
*Ophichthus*, 740  
*Ophidiaster*, 729  
*Ophidiasteridae*, 729  
*Ophidion*, 750  
*Ophieleotris*, 757  
*Ophiobolus*, 129  
*Ophiocara*, 757  
*Ophiocentrus*, 733  
*Ophioceras*, 84  
*Ophiocoma*, 732  
*Ophiocytiium*, 78  
*Ophioderma*, 214  
*Ophiodopelma*, 624  
*Ophiodothella*, 128  
*Ophioglossum*, 214  
*Ophioirenina*, 115  
*Ophiomastix*, 732  
*Ophiomaza*, 733  
*Ophiomyia*, 426  
*Ophion*, 535  
*Ophionea*, 346  
*Ophionectria*, 105  
*Ophionephthy*, 733  
*Ophionereis*, 732  
*Ophioplocus*, 733  
*Ophiopogon*, 234  
*Ophiopsila*, 732  
*Ophiorrhiza*, 274  
*Ophiosoma*, 300  
*Ophiostigma*, 733  
*Ophiotaenia*, 298  
*Ophiothela*, 733  
*Ophiothrix*, 733  
*Ophiotremnoides*, 299  
*Ophisaurus*, 782  
*Ophisma*, 591  
*Ophiusa*, 591  
*Ophrida*, 367  
*Ophrydium*, 27  
*Ophthalmis*, 591  
*Ophthalmitis*, 570  
*Ophthalmothrips*, 626  
*Ophyra*, 449  
*Opilo*, 370  
*Opimilda*, 688  
*Opiocytium*, 78  
*Opisthograptis*, 570  
*Opisthoptatia*, 333  
*Opisthopterus*, 744  
*Opisthorchis*, 299  
*Opisthoteuthis*, 678  
*Opistognathus*, 765  
*Opius*, 514  
*Oplatocera*, 356  
*Oplegnathus*, 766  
*Oplismenus*, 230  
*Oplophorus*, 642  
*Oplopomus*, 759  
*Opogona*, 608  
*Opopaea*, 311  
*Oppiella*, 318  
*Opuna*, 497  
*Oraesia*, 591  
*Orancistrocerus*, 548  
*Orasema*, 523  
*Oratosquilla*, 655  
*Oratosquillina*, 655  
*Orbilina*, 139  
*Orbivirus*, 8  
*Orbulina*, 40  
*Orchestes*, 377  
*Orchisia*, 449  
*Orcinus*, 794  
*Ordus*, 99  
*Orectochilus*, 385  
*Orectolobus*, 736  
*Orectospira*, 698  
*Oreochromis*, 756  
*Oreocnide*, 283  
*Oreomyrrhis*, 242  
*Oreorchis*, 239  
*Oreoweisia*, 199  
*Orestes*, 621  
*Oreta*, 561  
*Oretylus*, 384  
*Oreumenes*, 548  
*Orffelia*, 449  
*Organopoda*, 570  
*Orgilonia*, 514  
*Orgilus*, 514  
*Orgyia*, 582  
*Oribatula*, 318  
*Oridorsalis*, 43  
*Orienticaelum*, 463  
*Orientidia*, 539  
*Orientilla*, 539  
*Orientocapsus*, 497  
*Orientohemiteles*, 535  
*Orientopius*, 514  
*Orientus*, 485  
*Origanum*, 261  
*Orimarga (Orimarga)*, 467  
*Orinisobates*, 332  
*Oriolus*, 791  
*Orius*, 473  
*Ormocarpum*, 256  
*Ormosia*, 256  
*Ormosia (Ormosia)*, 468  
*Ormyrus*, 540  
*Ornebius*, 620  
*Ornithocercus*, 27  
*Ornithoctona*, 445  
*Ornithoica (Ornithoica)*, 445  
*Ornithomyia*, 445  
*Ornithonyssus*, 320  
*Ornithophila*, 445  
*Ornithoteuthis*, 678  
*Orobanche*, 278  
*Orolestes*, 618  
*Oronotus*, 535  
*Orophotus*, 428  
*Oroplema*, 612  
*Oroplexia*, 591  
*Oropogon*, 107  
*Orothalassodes*, 570  
*Orphanostigma*, 558  
*Orphinus (Orphinus)*, 378  
*Orphnaeus*, 321  
*Ormaesia*, 717  
*Orsophagus*, 377  
*Ortalotrypeta*, 463  
*Orthaga*, 605  
*Orthaltica*, 367  
*Orthellia*, 449  
*Orthetrum*, 618  
*Orthezia*, 499  
*Ortheziola*, 499  
*Ortheziolamameti*, 499  
*Orthobrachia*, 570  
*Orthobula*, 310  
*Orthobunyavirus*, 10  
*Orthocabera*, 570  
*Orthocentrus*, 535  
*Orthocrepis*, 367  
*Orthodontium*, 196  
*Orthogonalys*, 548  
*Orthogonius*, 346  
*Orthohepadnavirus*, 7  
*Ortholema*, 367  
*Orthomiella*, 580  
*Orthomnion*, 197  
*Orthomorpha*, 332  
*Orthomorphella*, 332  
*Orthonama*, 570  
*Orthonerva*, 458  
*Orthopagus*, 489  
*Orthopodomyia*, 437  
*Orthopolia*, 591  
*Orthopoxvirus*, 7  
*Orthopygia*, 605  
*Orthoreovirus*, 8  
*Orthosia*, 592  
*Orthosiphon*, 261  
*Orthospila*, 558  
*Orthostethus*, 382  
*Orthothecium*, 204  
*Orthotomicus*, 407  
*Orthotrichum*, 210  
*Orthotylus*, 497  
*Orthozona*, 592  
*Orthrius*, 370  
*Orussus*, 540  
*Oruza*, 592  
*Orybina*, 605  
*Orychodes*, 338  
*Oryctes*, 404  
*Oryza*, 230  
*Oryzaephilus*, 408  
*Oryzavirus*, 9  
*Oryzias*, 741  
*Oryzopsis*, 230  
*Osbeckia*, 265  
*Oscillatoria*, 16  
*Oscinella*, 434  
*Oscinisoma*, 434  
*Osmanthus*, 278  
*Osmorhiza*, 242  
*Osmoxylon*, 242  
*Osmunda*, 220  
*Osmundaria*, 176  
*Osmundea*, 176  
*Osmylus*, 617  
*Osnaporis*, 367  
*Osoparon*, 766  
*Osoriomyces*, 107  
*Osorius*, 414  
*Osphya*, 393  
*Ostedes*, 356  
*Osteomeles*, 271  
*Ostichthys*, 742  
*Ostracion*, 780  
*Ostracoberyx*, 766  
*Ostrea*, 667  
*Ostrincola*, 331  
*Ostrinia*, 558  
*Ostrinina*, 558  
*Otanthera*, 265  
*Otesiopsis*, 723  
*Othiellus*, 415  
*Othius*, 415  
*Othogonius*, 346  
*Othreis*, 592  
*Otidea*, 127  
*Otoblastus*, 535  
*Otolithes*, 770  
*Otopleura*, 685  
*Otostigmus*, 321  
*Ottelia*, 232  
*Ottochloa*, 230  
*Otus*, 793  
*Oudemansiella*, 143  
*Oulastrea*, 293  
*Oulema*, 367  
*Oulophyllia*, 293  
*Ourapteryx*, 570  
*Ova*, 731  
*Ovachlamys*, 723  
*Ovalipes*, 649  
*Ovalisia*, 340  
*Ovatus*, 474  
*Ovoionella*, 654  
*Ovophis*, 784  
*Ovula*, 698  
*Ovularia*, 99  
*Ovulariopsis*, 99  
*Owilfordia*, 301  
*Owstonia*, 755  
*Oxalis*, 259  
*Oxidus*, 332  
*Oxytelus*, 415  
*Oxyaciura*, 463  
*Oxybelus*, 519  
*Oxycarenum*, 495  
*Oxycentrus*, 346  
*Oxycephalus*, 632  
*Oxycera*, 456  
*Oxycheilinus*, 762  
*Oxycirrhites*, 756  
*Oxyconger*, 738

## 屬名索引

- Oxycoryphe*, 517  
*Oxyderes*, 336  
*Oxydothis*, 135  
*Oxyeleotris*, 757  
*Oxymacaria*, 571  
*Oxymonacanthus*, 780  
*Oxyodes*, 592  
*Oxyomus*, 404  
*Oxyopes*, 311  
*Oxyperas*, 671  
*Oxypleurodon*, 641  
*Oxypora*, 294  
*Oxyporhamphus*, 742  
*Oxyporus*, 150  
*Oxyporus*, 415  
*Oxyrhyrachixius*, 634  
*Oxystegus*, 211  
*Oxysychus*, 542  
*Oxytate*, 314  
*Oxytelopsis*, 415  
*Oxytelus*, 415  
*Oxytheria*, 629  
*Oxytoxum*, 29  
*Oxytricha*, 26  
*Oxyurichthys*, 759  
*Ozana*, 592  
*Ozarba*, 592  
*Ozius*, 637  
*Ozola*, 571  
*Ozopemon*, 407  
*Ozotomerus*, 336  
*Pabulozetes*, 318  
*Pachliopta*, 601  
*Pachneophorus*, 367  
*Pachnephorus*, 367  
*Pachos (Pachysoma)*, 329  
*Pachybotys*, 558  
*Pachycentria*, 265  
*Pachycerina*, 446  
*Pachycheles*, 648  
*Pachycladella*, 185  
*Pachycondyla*, 526  
*Pachycorynus*, 415  
*Pachydesmus*, 332  
*Pachydictyon*, 76  
*Pachygrapsus*, 639  
*Pachygrontha*, 495  
*Pachyhalictus*, 529  
*Pachykytospora*, 154  
*Pachylanguria*, 385  
*Pachylister*, 387  
*Pachylomalus*, 387  
*Pachylophus*, 434  
*Pachyma*, 99  
*Pachymerium*, 320  
*Pachyneura*, 450  
*Pachyneuron*, 543  
*Pachynoa*, 558  
*Pachyodes*, 571  
*Pachyparnus*, 378  
*Pachypasoides*, 577  
*Pachypeltis*, 497  
*Pachyphylegyas*, 495  
*Pachypidonia*, 356  
*Pachyprotasis*, 546  
*Pachypsaltis*, 608  
*Pachyptilus*, 323  
*Pachyrhabda*, 601  
*Pachyrhizus*, 256  
*Pachyrrhynchus*, 377  
*Pachysandra*, 252  
*Pachyserica*, 404  
*Pachyseris*, 292  
*Pachystoma*, 239  
*Pachystomias*, 779  
*Padina*, 76  
*Paduca*, 600  
*Paduniella*, 630  
*Paecilomyces*, 91  
*Paectes*, 592  
*Paederia*, 274  
*Paederolanguria*, 385  
*Paederus*, 415  
*Paenibacillus*, 18  
*Paeoniella*, 297  
*Paesia*, 217  
*Pagada*, 558  
*Paglia*, 368  
*Pagrus*, 772  
*Paguma*, 793  
*Paguristes*, 636  
*Pagurixus*, 643  
*Pagurodohleinia*, 643  
*Pagurus*, 643  
*Pagyda*, 558  
*Palaemon*, 643  
*Palaeocallidium*, 356  
*Palaeomicroides*, 582  
*Palaeonympha*, 600  
*Palaeophanes*, 553  
*Palaeopsis*, 552  
*Palaeopsylla*, 625  
*Palaina*, 697  
*Palaminus*, 415  
*Palamocladium*, 202  
*Palapedia*, 653  
*Palaquium*, 251  
*Palausybra*, 356  
*Palembus*, 422  
*Pales*, 461  
*Palexorista*, 461  
*Paliga*, 558  
*Palimna*, 356  
*Palinustus*, 644  
*Palionebris*, 554  
*Palirisa*, 562  
*Palisadula*, 205  
*Paliurus*, 270  
*Pallodes (Coxollodes)*, 396  
*Palmella*, 188  
*Palmon*, 547  
*Palorus*, 422  
*Palpifer*, 575  
*Palpita*, 558  
*Palpiphixia*, 549  
*Palpoctenidia*, 571  
*Palpomyia*, 432  
*Palpoxena*, 368  
*Palta*, 333  
*Paltycoprepis*, 422  
*Paludinella*, 693  
*Paludinellassiminea*, 693  
*Palusphaera*, 68  
*Pambolus (Phaenodus)*, 514  
*Pamerana*, 495  
*Pammegus*, 415  
*Pamphlebia*, 571  
*Pampsilota*, 509  
*Pampus*, 773  
*Panaeolus*, 141  
*Panartus*, 46  
*Pancala*, 721  
*Pancorius*, 312  
*Pandalopsis*, 645  
*Pandalosia*, 699  
*Pandalus*, 645  
*Pandanus*, 241  
*Pandava*, 314  
*Pandemis*, 611  
*Pandion*, 785  
*Pandorella*, 666  
*Pandorina*, 189  
*Panellus*, 145  
*Panelus*, 404  
*Panesthia*, 333  
*Pangraptia*, 592  
*Pania*, 372  
*Panicum*, 230  
*Panilla*, 592  
*Pannaria*, 109  
*Panolis*, 592  
*Panonychus (Panonychus)*, 304  
*Panorpa*, 614  
*Pantala*, 619  
*Pantana*, 582  
*Panthea*, 601  
*Pantherinus*, 597  
*Pantoea*, 21  
*Pantoporia*, 600  
*Pantylidia*, 592  
*Panulirus*, 644  
*Panus*, 154  
*Panoraleococcus*, 494  
*Papaver*, 266  
*Paphia*, 675  
*Papilio*, 602  
*Papilionanthe*, 239  
*Papillacarus*, 317  
*Papillaria*, 208  
*Papillomavirus*, 6  
*Papuacoris*, 497  
*Papuana*, 404  
*Papulaspora*, 99  
*Papuliscalca*, 687  
*Papyriscala*, 687  
*Paprafrakra*, 479  
*Paraamblyseius*, 316  
*Parabliothrips*, 628  
*Parabapta*, 571  
*Parabathymyrus*, 738  
*Parabembras*, 775  
*Parabemisia*, 472  
*Parabetarmon*, 382  
*Parablennius*, 753  
*Paraboea*, 277  
*Parabolocratus*, 491  
*Parabopyrella*, 654  
*Parabostrychus*, 337  
*Parabothriocephalus*, 298  
*Parabothrus*, 774  
*Parabrachiella*, 658  
*Parabroscus*, 346  
*Parabrulleia*, 514  
*Paracaecilius*, 623  
*Paracaesio*, 764  
*Paracalacarus*, 307  
*Paracalanidae*, 326  
*Paracalanus*, 326  
*Paracandacia*, 323  
*Paracanthurus*, 750  
*Paracardiococcus*, 483  
*Paracardiophorus*, 382  
*Paracechorismeus*, 456  
*Paracentropia*, 547  
*Paracentropogon*, 777  
*Paraceras*, 625  
*Paracercion*, 617  
*Paracerura*, 597  
*Parachaeturichthys*, 759  
*Parachauliodes*, 615  
*Paracheilinus*, 762  
*Parachipteria*, 316  
*Parachironomus*, 433  
*Parachirus*, 775  
*Paracirrhites*, 756  
*Paracladura*, 469  
*Paraclathrella*, 717  
*Paracleistostoma*, 635  
*Paracleonymus*, 543  
*Paraclius*, 439  
*Paracme*, 605  
*Paracolax*, 592  
*Paracopium*, 504  
*Paracrama*, 596  
*Paracrangon*, 635  
*Paractaea*, 653  
*Paracyba*, 479  
*Paracyclois*, 634  
*Paracyclops*, 329  
*Paracycnotrachelus*, 377  
*Paracylindromorphus*, 340  
*Paracylopina*, 329  
*Paracymoriza*, 558  
*Paracyphononyx*, 542  
*Paradaris*, 571  
*Paradarisa*, 571  
*Paradasynus*, 484  
*Paradelphomyia (Oxyrhiza)*, 468  
*Paradentipus*, 433  
*Paradiacheopsis*, 36  
*Paradicheopsis*, 33  
*Paradiglyphosema*, 523  
*Paradilepis*, 297  
*Paradima*, 382  
*Paradolicherremaeus*, 318  
*Paradorippe*, 637  
*Paradoxecia*, 606  
*Paradoxopla*, 577

## 屬名索引

- Paradoxornis*, 792  
*Paradra*, 356  
*Paradrillia*, 717  
*Paradrino*, 461  
*Paraeuchaeta*, 324  
*Parafossarulus*, 693  
*Paragaleus*, 735  
*Paragastrozona*, 463  
*Paragenia*, 542  
*Paragetocera*, 368  
*Paragiopagurus*, 645  
*Paraglenea*, 356  
*Paraglenurus*, 616  
*Paragnetina*, 622  
*Paragobiodon*, 759  
*Paragona*, 592  
*Paragonus*, 415  
*Paragus*  
(*Pandasyophthalmus*), 458  
*Paragus (Pargus)*, 458  
*Paragymnopleurus*, 404  
*Parahemiurus*, 299  
*Paraheterorhabdus*, 325  
*Parahiracia*, 493  
*Parahormius*, 514  
*Parahybos*, 444  
*Parahyliota*, 409  
*Parainsulaspis*, 488  
*Parajulis*, 762  
*Parakaliella*, 723  
*Parakiefferiella*, 433  
*Paralabella*, 425  
*Paralaevicephalus*, 485  
*Paralamellobates*, 316  
*Paralauxania*, 446  
*Paralbunea*, 633  
*Paralcis*, 571  
*Paralebeda*, 577  
*Paralecanium*, 483  
*Paralemmalia*, 290  
*Paraleprodera*, 356  
*Paraleptomenes*, 548  
*Paraleptophlebia*, 470  
*Paraleucobryum*, 199  
*Paraleucophenga*, 442  
*Paraleyrodes*, 472  
*Paralia*, 74  
*Paralichas*, 398  
*Paralida*, 563  
*Paralimna*, 444  
*Paralina*, 368  
*Paralinomorpha*, 546  
*Paralispinus*, 415  
*Paralleloneurum*, 439  
*Parallelostethus*, 382  
*Parallorhogas*, 514  
*Parallygus*, 485  
*Paralobozetes*, 318  
*Paraluperodes*, 368  
*Paraluteres*, 780  
*Paralycaea*, 632  
*Paramaladera*, 404  
*Paramanota*, 449  
*Paramartyria*, 582  
*Paramaxates*, 571  
*Parambassis*, 751  
*Paramblynotus*, 538  
*Paramecium*, 25  
*Paramecolabus*, 336  
*Paramedaeus*, 653  
*Parameira*, 330  
*Paramenesia*, 356  
*Paramesodes*, 485  
*Paramesus*, 485  
*Parameteria*, 705  
*Parametopia*, 396  
*Paramicrodon*, 458  
*Paraminabea*, 289  
*Paramiridius*, 497  
*Paramisgurnus*, 744  
*Paramisolampidius*, 422  
*Paramonacanthus*, 780  
*Paramphicondrius*, 733  
*Paramphientomum*, 623  
*Paramunida*, 638  
*Paramycodrosophila*, 442  
*Paramyia*, 447  
*Paramyxine*, 734  
*Paranacoleia*, 558  
*Paranais*, 659  
*Paranaspia*, 356  
*Paranauphoeta*, 333  
*Parancistrocerus*, 548  
*Paranectriella*, 132  
*Paraneosybra*, 356  
*Paraneurus*, 476  
*Parania*, 535  
*Paranigilgia*, 553  
*Paranthostomella*, 137  
*Paranthrenopsis*, 606  
*Parantica*, 600  
*Paraona*, 552  
*Parapachycerina*, 446  
*Parapagurus*, 645  
*Parapales*, 461  
*Parapasiphae*, 646  
*Parapenaon*, 654  
*Parapenaepsis*, 646  
*Parapenaeus*, 646  
*Parapenia*, 382  
*Parapercis*, 766  
*Parapercnia*, 571  
*Paraperithous*, 535  
*Parapetalocephala*, 494  
*Parapetalus*, 658  
*Paraphelopus*, 522  
*Paraphloeostiba*, 415  
*Paraphlomis*, 261  
*Parapholas*, 663  
*Paraphronima*, 632  
*Paraphyllax*, 535  
*Paraphyllura*, 501  
*Paraphytoseius*, 316  
*Paraphytus*, 404  
*Parapilimurgus*, 404  
*Paraplagusia*, 774  
*Paraplea*, 500  
*Paraploactis*, 775  
*Paraplotes*, 368  
*Parapolybia*, 548  
*Parapolytretus*, 356  
*Paraponotocaris*, 635  
*Parapontophilus*, 635  
*Paraporpidia*, 112  
*Parapoxvirus*, 7  
*Parapoynx*, 558  
*Paraprenanthes*, 245  
*Parapriacanthus*, 766  
*Parapristipoma*, 760  
*Paraprogynotaenia*, 297  
*Parapronoe*, 632  
*Parapsalis*, 425  
*Parapterois*, 777  
*Parapyxidognathus*, 639  
*Parasabora*, 744  
*Pararotalia*, 43  
*Pararrhynchium*, 548  
*Parasa*, 578  
*Parasaissetia*, 483  
*Parasalpinia*, 356  
*Parasambus*, 340  
*Parasarima*, 493  
*Parasarpa*, 600  
*Parascela*, 368  
*Parascleroderma*, 510  
*Parascolopsis*, 765  
*Parascorpaena*, 777  
*Parasencio*, 245  
*Paraserica*, 404  
*Parasesarma*, 639  
*Parasiccica*, 552  
*Parasiobla*, 546  
*Parasitala*, 723  
*Paraslomis*, 641  
*Parasmittina*, 727  
*Paraspilarctia*, 552  
*Paraspirobolus*, 332  
*Parastasia*, 404  
*Parastenolechia*, 563  
*Parastenopsylla*, 505  
*Parastephanelus*, 544  
*Parastrangalis*, 356  
*Parastromateus*, 754  
*Parastyrodactylus*, 651  
*Parasyngia*, 571  
*Paratachardina*, 493  
*Paratalanta*, 558  
*Paratelenomus*, 543  
*Paratendipus*, 433  
*Paratephritis*, 463  
*Paratergatis*, 653  
*Parathelypteris*, 222  
*Parathitarodes*, 575  
*Parathoracaphis*, 491  
*Parathous*, 382  
*Parathranites*, 649  
*Parathyginus*, 495  
*Paratimomenus*, 425  
*Paratopula*, 526  
*Paratrachelophorus*, 337  
*Paratrachys*, 340  
*Paratrechina*, 526  
*Paratriacanthodes*, 781  
*Paratrichiis*, 404  
*Paratrigonidium*, 620  
*Paratrirhithrum*, 463  
*Paratyphis*, 632  
*Paraulaca (Carapaula)*, 368  
*Paraulaca (Paraulaca)*, 368  
*Paravindilis*, 493  
*Paraxanthias*, 653  
*Paraxiphia*, 549  
*Paraxonotha*, 385  
*Parazen*, 781  
*Parazoogenetes*, 720  
*Parbattia*, 558  
*Pardachirus*, 775  
*Pardosa*, 311  
*Pardosinia*, 675  
*Pareas*, 783  
*Parechovirus*, 4  
*Parechthrodryinus*, 522  
*Pareclipsis*, 571  
*Parectropis*, 571  
*Paregle*, 427  
*Parema*, 535  
*Parena*, 346  
*Parenchelyurus*, 753  
*Parenthrenella*, 606  
*Parepierus*, 387  
*Parepisimia*, 611  
*Pareucalanus*, 324  
*Pareutetrappa*, 356  
*Pareutypella*, 135  
*Parevania*, 525  
*Parexocoetus*, 742  
*Parhierodula (Parhierodula)*, 614  
*Paridae (Paridae)*, 368  
*Paridea (Paraulaca)*, 368  
*Paridea (Paridea)*, 368  
*Parilia*, 641  
*Parimera*, 377  
*Parioglossus*, 769  
*Pariphiculus*, 641  
*Paris*, 234  
*Parlatoreopsis*, 488  
*Parlatoria*, 488  
*Parmarion*, 723  
*Parmaturus*, 735  
*Parmelia*, 110  
*Parmelinella*, 110  
*Parmelinopsis*, 110  
*Parmeliopsis*, 110  
*Parmixogasteroides*, 458  
*Parmotrema*, 110  
*Parmulina*, 106  
*Parnara*, 576  
*Parnassia*, 273  
*Parobedia*, 571  
*Parocryptamus*, 458  
*Parodiella*, 129  
*Paromalus*, 387  
*Paromius*, 495  
*Paromola*, 640  
*Paronia*, 297  
*Paroniella*, 297  
*Paroosternum*, 388  
*Parophonus*, 347  
*Paropisthius*, 347

## 屬名索引

- Paroplapoderus*, 377  
*Parotis*, 558  
*Parpsestis*, 561  
*Parribacus*, 644  
*Parsonsia*, 258  
*Parthenium*, 245  
*Parthenocissus*, 270  
*Parthenodes*, 558  
*Parthenope*, 646  
*Parthenos*, 600  
*Parum*, 607  
*Parupeneus*, 765  
*Paruraecha*, 356  
*Parus*, 791  
*Parvicorbicula*, 49  
*Parviscala*, 687  
*Parvitaenia*, 297  
*Parvocalanus*, 326  
*Parvocaulis*, 190  
*Parvovirus*, 9  
*Parydra*, 444  
*Pasania*, 257  
*Pascula*, 712  
*Pasilobus*, 310  
*Pasiphaea*, 646  
*Paspalidium*, 231  
*Paspalum*, 231  
*Passaloecus*, 519  
*Passalora*, 99  
*Passalotis*, 554  
*Passandra*, 397  
*Passer*, 791  
*Passeromyia*, 449  
*Passiflora*, 284  
*Patella*, 680  
*Patellina*, 43  
*Patelloida*, 679  
*Patinapta*, 732  
*Patiriella*, 729  
*Patiscus*, 619  
*Patissa*, 558  
*Patrinia*, 250  
*Pauesia*, 514  
*Pauesia (Paraphidius)*, 514  
*Paulinella*, 37  
*Paulownia*, 279  
*Pauroaspis*, 477  
*Paurocephala*, 501  
*Paurophylla*, 592  
*Paussus*, 347  
*Pavetta*, 274  
*Pavona*, 292  
*Paxillus*, 148  
*Pazala*, 602  
*Pelialus*, 472  
*Pearsonothuria*, 732  
*Peasiella*, 698  
*Peblephaeus*, 356  
*Pecten*, 668  
*Pectinia*, 294  
*Pectiniseta*, 449  
*Pectinodonta*, 680  
*Pectinophora*, 563  
*Pectocera*, 382  
*Pectodictyon*, 183  
*Pedalion*, 302  
*Pedanus*, 384  
*Pediastrum*, 183  
*Pedicia (Tricyphona)*, 468  
*Pedicinus*, 621  
*Pedicularis*, 279  
*Pediculus*, 621  
*Pedinomonas*, 69  
*Pediobius*, 524  
*Pediococcus*, 19  
*Pedioxestis*, 601  
*Pedipes*, 683  
*Pedobesia*, 181  
*Pedostrangalia*, 356  
*Pedum*, 668  
*Pefudensovirus*, 9  
*Pegadomyia*, 456  
*Pegasus*, 746  
*Pegea*, 734  
*Pegomya*, 427  
*Peirates*, 503  
*Peitawopsis*, 415  
*Peithona*, 356  
*Pelagodes*, 571  
*Pelagothrix*, 65  
*Pelamis*, 783  
*Pelatea*, 611  
*Pelates*, 773  
*Pelatoneurus*, 439  
*Pelecanus*, 786  
*Pelecyora*, 675  
*Pelekiium*, 206  
*Pelena*, 558  
*Peliocypas*, 347  
*Pelioptera*, 415  
*Peliosanthes*, 234  
*Pellionella*, 99  
*Pellionia*, 283  
*Pellona*, 744  
*Pelocharles*, 391  
*Pelodiscus*, 782  
*Pelogloea*, 14  
*Pelogloea*, 65  
*Pelomyxa*, 48  
*Pelopia*, 433  
*Pelopidas*, 576  
*Peloribates*, 317  
*Pelosia*, 552  
*Pelthydrus*, 388  
*Peltigera*, 126  
*Peltodytes*, 386  
*Peltoptera*, 622  
*Pemia*, 479  
*Pempelia*, 605  
*Pempeliella*, 605  
*Pempheris*, 766  
*Pemphigus*, 499  
*Pemphis*, 264  
*Pemphredon*, 519  
*Penaeopsis*, 647  
*Penaeus*, 647  
*Penestica*, 336  
*Penia*, 382  
*Penicillaria*, 592  
*Penicillidia*, 450  
*Penicilliopsis*, 91  
*Penicillium*, 91  
*Peniophora*, 156  
*Penitella*, 663  
*Penium*, 194  
*Pennahia*, 770  
*Pennisetia*, 606  
*Pennisetum*, 231  
*Pennithera*, 571  
*Penottus*, 504  
*Pentacera*, 729  
*Pentaceros*, 766  
*Pentacheles*, 648  
*Pentaconvexus*, 307  
*Pentacora*, 503  
*Pentacta*, 732  
*Pentagonica*, 347  
*Pentaleyrodes*, 472  
*Pentalonis*, 474  
*Pentaneura*, 433  
*Pentaohyllus*, 422  
*Pentapanax*, 242  
*Pentaphyllus*, 422  
*Pentapodus*, 765  
*Pentaporca*, 308  
*Pentaprion*, 757  
*Pentastiridius*, 483  
*Pentateucha*, 607  
*Pentatomophaga*, 461  
*Penthe*, 424  
*PentHEMA*, 600  
*Penthetria*, 428  
*Penthides*, 356  
*Penthimia*, 500  
*Peperomia*, 266  
*Peponocephala*, 794  
*Pepsis*, 542  
*Peracarpa*, 246  
*Peraclis*, 725  
*Peracma*, 601  
*Peranema*, 218  
*Peranema*, 33  
*Peratogonus*, 388  
*Peratophyga*, 571  
*Perciana*, 592  
*Percis*, 775  
*Percnia*, 571  
*Percnon*, 648  
*Perenethis*, 312  
*Perenniporia*, 154  
*Pergalumna*, 317  
*Pergesa*, 608  
*Periacma*, 601  
*Periaeschna*, 617  
*Peribaea*, 461  
*Peribathys*, 336  
*Pericaecilius*, 623  
*Pericalus*, 347  
*Pericampylus*, 269  
*Pericapretermes*, 550  
*Perichaena*, 36  
*Pericilimenes*, 644  
*Periclimenes*, 644  
*Pericoma*, 452  
*Periconia*, 99  
*Pericosmus*, 731  
*Pericrocotus*, 789  
*Pericyma*, 592  
*Peridaedala*, 611  
*Peridea*, 598  
*Peridinium*, 29  
*Peridiospora*, 170  
*Peridium*, 46  
*Peridroma*, 592  
*Periergos*, 598  
*Periglypta*, 675  
*Perigona*, 347  
*Perigrapha*, 592  
*Perigymnosoma*, 461  
*Perilampus*, 540  
*Perileptus*, 347  
*Perilissus*, 535  
*Perilla*, 261  
*Perina*, 582  
*Perinaenia*, 592  
*Perinophela*, 558  
*Perinereis*, 660  
*Perionyx*, 659  
*Periophthalmus*, 759  
*Peripaaneta*, 334  
*Periphyllus*, 478  
*Periplaneta*, 334  
*Periploma*, 666  
*Peripristus*, 347  
*Peripsocus*, 624  
*Periscopeptila*, 554  
*Perissarma*, 639  
*Perissomoe*, 55  
*Perissonemia*, 504  
*Perissus*, 356  
*Peristedion*, 776  
*Peristernia*, 709  
*Peristrophe*, 277  
*Peristylus*, 239  
*Peritropis*, 497  
*Perixera*, 571  
*Perizoma*, 571  
*Permanotus*, 647  
*Perna*, 664  
*Pernis*, 785  
*Perochaeta*, 455  
*Peromyscopsylla*, 625  
*Peronella*, 730  
*Peronomerus*, 347  
*Peronophythora*, 79  
*Peronoplasmopara*, 78  
*Peronosclerospora*, 81  
*Peronospora*, 78  
*Perotis*, 231  
*Perotrochus*, 681  
*Perrotia*, 94  
*Perrottetia*, 249  
*Perrottetia*, 724  
*Perscheloribates*, 319  
*Pertusaria*, 126  
*Pertya*, 245  
*Pervagor*, 780  
*Pestalosphaeria*, 135  
*Pestalotia*, 99  
*Pestalotiopsis*, 135

## 屬名索引

- Pestalozzia*, 99  
*Pesudolasius*, 527  
*Petalcephala*, 494  
*Petalcephaloides*, 494  
*Petalochlamys*, 723  
*Petalolyma*, 505  
*Petalomera*, 637  
*Petalomonas*, 30  
*Petalonia*, 76  
*Petasites*, 245  
*Petaurista*, 795  
*Petersenidia*, 539  
*Petrasma*, 669  
*Petricola*, 675  
*Petrobia (Tetranychina)*, 304  
*Petrolisthes*, 648  
*Petrophora*, 571  
*Petrosavia*, 234  
*Petrosirtes*, 753  
*Petrosia (Petrosia)*, 287  
*Petrosia (Strongylophora)*, 287  
*Peuaeus*, 647  
*Peucedanum*, 242  
*Peuceptyelus*, 476  
*Peucetis*, 311  
*Peyritschiella*, 107  
*Peyssonelia*, 177  
*Peyssonnelia*, 178  
*Pezicula*, 93  
*Peziza*, 127  
*Phacellium*, 124  
*Phacelocarpus*, 178  
*Phacidium*, 94  
*Phacophallus*, 415  
*Phacotus*, 189  
*Phacus*, 31  
*Phaeacadophora*, 611  
*Phaeacsiophora*, 611  
*Phaedis*, 422  
*Phaedon (Phaedon)*, 368  
*Phaedusa*, 722  
*Phaenacantha*, 484  
*Phaenicia*, 429  
*Phaenna*, 326  
*Phaenocarpa*, 514  
*Phaenosperma*, 231  
*Phaeochroops*, 387  
*Phaeochrous*, 387  
*Phaeocryptopus*, 132  
*Phaeocytoplastoma*, 100  
*Phaeodactylum*, 100  
*Phaeodactylum*, 65  
*Phaeodiscula*, 100  
*Phaeodothis*, 129  
*Phaeofabrea*, 87  
*Phaeographina*, 124  
*Phaeographis*, 124  
*Phaeoisaria*, 85  
*Phaeoisariopsis*, 119  
*Phaeolepiota*, 146  
*Phaeolus*, 155  
*Phaeomitra*, 710  
*Phaeophyscia*, 111  
*Phaeoramularia*, 119  
*Phaeosaccardinula*, 85  
*Phaeoseptoria*, 129  
*Phaeosphaerella*, 132  
*Phaeosphaeria*, 129  
*Phaeotrichoconis*, 100  
*Phaethon*, 786  
*Phaius*, 239  
*Phakellia*, 288  
*Phakopsora*, 161  
*Phalacra*, 561  
*Phalacrodera*, 468  
*Phalacrocorax*, 786  
*Phalacroma*, 28  
*Phalacrostroma*, 439  
*Phalacrotophora (Omapanta)*, 451  
*Phalacrotophora (Plalacrotophora)*, 451  
*Phalacrus*, 397  
*Phalaenopsis*, 239  
*Phalangiodes*, 558  
*Phalangipus*, 641  
*Phalanta*, 600  
*Phalaris*, 231  
*Phalaropus*, 787  
*Phalera*, 598  
*Phalera*, 422  
*Phalerodonta*, 598  
*Phalga*, 592  
*Phalium*, 690  
*Phallus*, 150  
*Phanagenia*, 542  
*Phanerochaete*, 153  
*Phanerotoma*, 514  
*Phania*, 449  
*Pharaonella*, 673  
*Pharella*, 671  
*Pharoscmnus*, 372  
*Phascolosoma*, 661  
*Phasianella*, 680  
*Phasianus*, 788  
*Phasmotaenia*, 621  
*Phatnoma*, 504  
*Phauda*, 602  
*Phaulacantha*, 611  
*Phaulimia*, 336  
*Phaxas*, 670  
*Phazaca*, 612  
*Phegopteris*, 222  
*Pheidole*, 527  
*Pheidologeton*, 527  
*Phellinus*, 149  
*Phellodendron*, 275  
*Phelotrupes*, 385  
*Phenacoccus*, 501  
*Phenacolepas*, 681  
*Phenacoscorpius*, 777  
*Phenacovolva*, 698  
*Phengaris*, 580  
*Phenolia (Lasiodites)*, 396  
*Phenolia (Phenolia)*, 396  
*Pheosia*, 598  
*Pheosiopsis*, 598  
*Pheosiopsis (Oligoeschra)*, 598  
*Pheosiopsis (Pheosiopsis)*, 598  
*Pherallodus*, 757  
*Pherbellia*, 454  
*Pheropsophus*, 347  
*Phialocephala*, 100  
*Phialomyces*, 100  
*Phialophora*, 100  
*Phialosporostilbe*, 100  
*Phibalothrips*, 628  
*Phidiana*, 685  
*Phigalia*, 571  
*Philaeus*, 476  
*Philagra*, 476  
*Philanthaxia*, 340  
*Philanthus*, 519  
*Philbertia*, 717  
*Philenora*, 552  
*Philharmonia*, 578  
*Philine*, 685  
*Philinorbis*, 684  
*Phillipsia*, 128  
*Philobota*, 601  
*Philocheras*, 635  
*Philodromus*, 311  
*Philomachus*, 787  
*Philomides*, 540  
*Philonotis*, 196  
*Philonthus*, 415  
*Philophylla*, 463  
*Philozona*, 368  
*Philonella*, 314  
*Phylorus*, 428  
*Philostephanus*, 497  
*Philotrypesis*, 506  
*Philus*, 357  
*Philydrum*, 234  
*Philyra*, 641  
*Phimenes*, 548  
*Phinaphe*, 605  
*Phintella*, 312  
*Phlebia*, 153  
*Phlebiella*, 156  
*Phlebotomus (Phlebotomus)*, 452  
*Phlebovirus*, 10  
*Phleospora*, 100  
*Phlepsius*, 485  
*Phleum*, 231  
*Phloeobius*, 336  
*Phloeosinus*, 407  
*Phloeotrinus*, 393  
*Phlogophora*, 592  
*Phlogotettix*, 485  
*Phlossa*, 578  
*Phlyctochytrium*, 168  
*Phobetor*, 535  
*Phobocampe*, 536  
*Phodoryctis*, 575  
*Phoebastria*, 785  
*Phoebe*, 263  
*Phoenicurus*, 791  
*Phoenissa*, 571  
*Phoenix*, 224  
*Phola*, 368  
*Pholcomma*, 313  
*Pholcus*, 311  
*Pholidota*, 239  
*Pholidoteuthis*, 678  
*Pholiota*, 144  
*Phoma*, 86  
*Phomopsis*, 86  
*Phorcidella*, 461  
*Phorelliosoma*, 463  
*Phoriniophylax*, 461  
*Phormidium*, 17  
*Phorocardius*, 382  
*Phorocerosoma*, 461  
*Phorodon*, 474  
*Phoroncidia*, 313  
*Phortica*, 442  
*Phorticella*, 442  
*Phorticium*, 46  
*Phorticus*, 498  
*Phos*, 703  
*Phosinella*, 699  
*Photinia*, 271  
*Photonectes*, 779  
*Photopectoralis*, 763  
*Photoplagios*, 763  
*Photoscotosia*, 571  
*Photostomias*, 779  
*Phoxocampus*, 747  
*Phoxoserphus*, 542  
*Phragmataecia*, 554  
*Phragmidium*, 162  
*Phragmites*, 231  
*Phragmodothis*, 89  
*Phragmosperma*, 129  
*Phraortes*, 620  
*Phreatia*, 240  
*Phricanthes*, 611  
*Phrixocrita*, 563  
*Phrixolepia*, 578  
*Phronima*, 632  
*Phronimella*, 632  
*Phronimopsis*, 631  
*Phrosina*, 632  
*Phrudus*, 536  
*Phrurolithus*, 311  
*Phrygiomurex*, 712  
*Phrynocaria*, 372  
*Phthacarus*, 318  
*Phtheirospermum*, 279  
*Phtheochroa*, 611  
*Phthirunculus*, 621  
*Phthonandria*, 571  
*Phthonoloba*, 571  
*Phucobius*, 416  
*Phumosa*, 429  
*Phurumomyces*, 106  
*Phycacionia*, 611  
*Phycidopsis*, 598  
*Phycita*, 605  
*Phycitia*, 605  
*Phycomyces*, 172  
*Phycus*, 464  
*Phygasia*, 368  
*Phyla*, 261

## 屬名索引

- Phyladelphus*, 434  
*Phyllachora*, 128  
*Phyllachorella*, 89  
*Phyllactinia*, 90  
*Phyllanthus*, 253  
*Phyllaphoides*, 477  
*Phyllidia*, 719  
*Phyllitis*, 75  
*Phyllobrotica*, 368  
*Phylloclusia*, 435  
*Phyllocnistis*, 575  
*Phyllocoma*, 712  
*Phyllocoptes*, 307  
*Phyllocoptruta*, 307  
*Phyllocopturta*, 307  
*Phylloda*, 673  
*Phyllodecta (Phyllodecta)*, 368  
*Phyllodes*, 592  
*Phyllodictyon*, 190  
*Phylloidium*, 256  
*Phyllodon*, 204  
*Phyllodromia*, 333  
*Phyllodromia*, 444  
*Phyllomyza*, 447  
*Phyllonorycter*, 575  
*Phyllopertha*, 405  
*Phyllophorina*, 620  
*Phylloporus*, 147  
*Phyllopsora*, 107  
*Phylloreta*, 368  
*Phylloscopus*, 792  
*Phyllosphingia*, 608  
*Phyllostachys*, 231  
*Phyllosticta*, 88  
*Phylloteles*, 453  
*Phyllothelys*, 614  
*Phyllotopsis*, 146  
*Phyllotreta*, 368  
*Phymatopoderus*, 377  
*Phymatoceridea*, 546  
*Phymatoceroopsis*, 546  
*Phymatodes*, 357  
*Phymatosorum*, 220  
*Phymatosternus*, 373  
*Phymodius*, 653  
*Phyrella*, 732  
*Physa*, 684  
*Physaliastrum*, 280  
*Physalis*, 280  
*Physalospora*, 136  
*Physalosporella*, 87  
*Physarella*, 35  
*Physarum*, 35  
*Physatocheila*, 504  
*Physcia*, 111  
*Physcomitrium*, 200  
*Physconia*, 112  
*Physematia*, 558  
*Physeter*, 794  
*Physetobasis*, 571  
*Physiculus*, 746  
*Physisporinus*, 152  
*Physma*, 125  
*Physocephala*, 435  
*Physodera*, 347  
*Physogyra*, 292  
*Physomerinus*, 416  
*Physopella*, 160  
*Physopelta*, 493  
*Physophora*, 296  
*Physopleurella*, 473  
*Physopterus*, 336  
*Physoronia*, 396  
*Physosmaragdina*, 368  
*Phytobia*, 426  
*Phytocordyceps*, 103  
*Phytodecta (Asiphytodecta)*, 368  
*Phytodecta (Asiphytodecta)*, 368  
*Phytodecta (Phytodecta)*, 368  
*Phytodietus (Neuchorus)*, 536  
*Phytodietus (Phytodietus)*, 536  
*Phytoecia*, 357  
*Phytolacca*, 248  
*Phytolinus*, 416  
*Phytoliriomyza*, 426  
*Phytomia (Phytomia)*, 458  
*Phytomyptera*, 461  
*Phytomyza*, 426  
*Phytophthora*, 79  
*Phytoscaphus*, 377  
*Phytosciara*, 449  
*Phytoscutus*, 316  
*Phytoseiulus*, 316  
*Phytoseius*, 316  
*Phytosus*, 416  
*Pica*, 789  
*Picardiella*, 536  
*Picea*, 223  
*Pichia*, 139  
*Picrasma*, 277  
*Picris*, 245  
*Picrogama*, 605  
*Pictichromis*, 769  
*Picus*, 793  
*Pida*, 582  
*Pidonia*, 357  
*Pidorus*, 613  
*Piercea*, 611  
*Piercia*, 571  
*Pieris*, 251  
*Pieris*, 602  
*Piezodorus*, 500  
*Piezonotus*, 377  
*Piezotrachelus*, 336  
*Pila*, 693  
*Pilagiostenopterina (Meringomeria)*, 452  
*Pilagiostenopterina (Plagiostenopterina)*, 452  
*Pilaris*, 468  
*Pilea*, 283  
*Pileolaria*, 162  
*Pileostegia*, 273  
*Pileocera*, 558  
*Pilipectus*, 592  
*Pillucina*, 671  
*Pilobolus*, 173  
*Pilococcus*, 501  
*Pilodius*, 653  
*Pilophorus*, 112  
*Pilophorus*, 498  
*Pilopontonia*, 644  
*Pilosabia*, 697  
*Pilotrichopsis*, 207  
*Pilumnopeus*, 647  
*Pilumnus*, 647  
*Pimpinella*, 242  
*Pimpla*, 536  
*Pinanga*, 224  
*Pinctada*, 668  
*Pinellia*, 224  
*Pingasa*, 571  
*Pinguiggemula*, 718  
*Pinguitellina*, 673  
*Pinjalo*, 764  
*Pinna*, 664  
*Pinnaspis*, 488  
*Pinnatella*, 209  
*Pinnotheres*, 647  
*Pinnularia*, 63  
*Pinobius*, 416  
*Pinophilus*, 416  
*Pinus*, 223  
*Piophila (Piophila)*, 451  
*Piophila (Protopiophila)*, 451  
*Piper*, 266  
*Pipistrellus*, 795  
*Pipiza*, 458  
*Piptocephalis*, 173  
*Pipturus*, 284  
*Pipunculus (Cephalops)*, 451  
*Pipunculus (Claraeola)*, 451  
*Pipunculus (Eudorylas)*, 451  
*Pirata*, 311  
*Pirella*, 209  
*Piricauda*, 100  
*Pisanianura*, 698  
*Pisara*, 596  
*Pisenus*, 424  
*Pisidia*, 648  
*Pisidium*, 672  
*Pisodonophis*, 740  
*Pisolithus*, 158  
*Pison*, 519  
*Pisonia*, 248  
*Pistacia*, 276  
*Pistia*, 224  
*Pistosia*, 368  
*Pitar*, 675  
*Pitarina*, 675  
*Pitasila*, 552  
*Pithecopis*, 580  
*Pithemera*, 659  
*Pithomyces*, 131  
*Pitotrichopsis*, 207  
*Pitta*, 791  
*Pittosporum*, 271  
*Pityrogramma*, 214  
*Pityrosporium*, 100  
*Piyuma*, 519  
*Placamen*, 675  
*Placida*, 720  
*Placobranchus*, 720  
*Placonotus*, 389  
*Placophora*, 176  
*Placopsidella*, 444  
*Placopsis*, 112  
*Placoptila*, 554  
*Placorhombus*, 67  
*Placosaris*, 558  
*Placostroma*, 128  
*Placuna*, 668  
*Plaesus*, 387  
*Plagiodera*, 368  
*Plagiodiscus*, 66  
*Plagiogramma*, 55  
*Plagiogyria*, 220  
*Plagiolepis*, 527  
*Plagiomnium*, 197  
*Plagiopholis*, 783  
*Plagiophorus*, 416  
*Plagiopsetta*, 775  
*Plagiorhynchus*, 301  
*Plagiostigme*, 86  
*Plagiostropha*, 718  
*Plagiothecium*, 204  
*Plagiotremus*, 753  
*Plagiotropis*, 65  
*Plagiusa*, 416  
*Plagidis*, 572  
*Plagusia*, 648  
*Plakortis*, 288  
*Plamius*, 422  
*Planaeschna*, 617  
*Planaxis*, 698  
*Planchonella*, 251  
*Planococcus*, 501  
*Planctonema*, 191  
*Planes*, 639  
*Planetes*, 347  
*Planktolynghya*, 17  
*Planktomyces*, 17  
*Planktoniella*, 73  
*Planktosphaeria*, 185  
*Planktothrix*, 17  
*Planococcus*, 501  
*Planodiscorbis*, 43  
*Planorbulina*, 43  
*Plantago*, 266  
*Planulina*, 39  
*Plasmodiophora*, 37  
*Plasmopara*, 79  
*Plastosciara*, 449  
*Platalea*, 787  
*Platambus*, 379  
*Platanthera*, 240  
*Plataplecta*, 592  
*Platax*, 757  
*Platensina*, 463  
*Platelistoma*, 635  
*Plateros*, 392  
*Platismatia*, 111

## 屬名索引

- Platolenes*, 422  
*Platybelone*, 741  
*Platycarya*, 259  
*Platycephalus*, 776  
*Platycheirus*, 458  
*Platycorynus*, 368  
*Platycrepis*, 422  
*Platydemia*, 422  
*Platydialepis*, 542  
*Platydomene*, 416  
*Platydracus*, 416  
*Platyeriocheir*, 639  
*Platygyra*, 293  
*Platyhypnidium*, 202  
*Platyias*, 302  
*Platyja*, 593  
*Platylabus*, 536  
*Platylambrus*, 646  
*Platylister*, 387  
*Platylomalus*, 387  
*Platylomia*, 481  
*Platymaia*, 641  
*Platymetopius*, 485  
*Platymetopus*, 347  
*Platymonas*, 65  
*Platymystax*, 536  
*Platynaspidius*, 373  
*Platynectes*, 379  
*Platynopus*, 500  
*Platynothrus*, 316  
*Platynus*, 347  
*Platynychus*, 382  
*Platypalpus*, 444  
*Platypeza*, 451  
*Platypilumnus*, 638  
*Platyplacopus*, 783  
*Platyplectrus*, 524  
*Platypleura*, 49  
*Platypleura*, 481  
*Platypodia*, 653  
*Platyprosops*, 416  
*Platyprosopus*, 416  
*Platyptilia*, 603  
*Platypus*, 398  
*Platyraphpe*, 695  
*Platyrhina*, 736  
*Platyrhopalus*, 347  
*Platysaissetia*, 483  
*Platyscapa*, 506  
*Platyscelus*, 632  
*Platysodes*, 405  
*Platysoma*, 387  
*Platyspathius*, 514  
*Platystethus*, 416  
*Platystomos*, 336  
*Platyxiphidria*, 549  
*Platyzoostera*, 334  
*Plectia*, 428  
*Plectoglossus*, 750  
*Plectoptera*, 593  
*Plectotus*, 795  
*Plectodon*, 665  
*Plectonema*, 17  
*Plectopylis*, 723  
*Plectorhinchus*, 760  
*Plectranthias*, 771  
*Plectrogenium*, 777  
*Plectroglyphidodon*, 768  
*Plectrophenax*, 790  
*Plectropomus*, 772  
*Plectrosternus*, 382  
*Plectrothrips*, 626  
*Plectrypops*, 743  
*Plegadis*, 787  
*Pleione*, 240  
*Pleistacantha*, 641  
*Plenodomus*, 87  
*Pleocnemia*, 215  
*Pleodorina*, 189  
*Pleomassaria*, 130  
*Pleosphaerulina*, 89  
*Pleospora*, 132  
*Pleotrichophorus*, 474  
*Plerogyra*, 292  
*Plerurotaenium*, 194  
*Plesiastrea*, 293  
*Plesiobatis*, 736  
*Plesioclythia*, 451  
*Plesiomorpha*, 572  
*Plesioniak*, 645  
*Plesionika*, 645  
*Plesiopenaeus*, 634  
*Plesiophthalmus*, 422  
*Plesiops*, 766  
*Plesiothrips*, 628  
*Plesiotrochus*, 694  
*Plestiodon*, 783  
*plethus*, 629  
*Pleurasiga*, 49  
*Pleuridium*, 199  
*Pleurocapsa*, 18  
*Pleuroceras*, 87  
*Pleurochaete*, 211  
*Pleurocodonellina*, 727  
*Pleurocybella*, 146  
*Pleurodiscus*, 65  
*Pleuromamma*, 325  
*Pleuromanens*, 214  
*Pleuronema*, 25  
*Pleuronichthys*, 775  
*Pleurophorus*, 405  
*Pleurophragmium*, 100  
*Pleurophramium*, 100  
*Pleuroploca*, 709  
*Pleuroptya*, 559  
*Pleurosicya*, 759  
*Pleurosigma*, 64  
*Pleurostoma*, 85  
*Pleurotaenium*, 194  
*Pleurothecium*, 100  
*Pleurotheliopsis*, 133  
*Pleurotus*, 144  
*Pleurozium*, 198  
*Plexiphleps*, 593  
*Plexippus*, 312  
*Plicarcularia*, 713  
*Plicatula*, 668  
*Plicatura*, 151  
*Plicofollis*, 778  
*Plinachtus*, 484  
*Plintheria*, 336  
*Plinthisus*, 495  
*Pliomelaena*, 463  
*Plocaderus*, 357  
*Plocamium*, 180  
*Plochionus*, 347  
*Plodia*, 605  
*Ploesoma*, 303  
*Plonaphacarus*, 318  
*Plotosus*, 778  
*Plucheia*, 245  
*Plumbago*, 267  
*Plusiodonta*, 593  
*Plusiopalpa*, 593  
*Plutella*, 603  
*Pluteus*, 144  
*Pluvialis*, 785  
*Pneumovirus*, 10  
*Pnoepyga*, 792  
*Poa*, 231  
*Pocadites*, 396  
*Pocillopora*, 294  
*Poconectria*, 87  
*Podabacia*, 293  
*Podagricomela*, 368  
*Podagrion*, 547  
*Podagritus*, 519  
*Podapolipus*, 308  
*Podeonius*, 382  
*Podiceps*, 786  
*Podocarpus*, 223  
*Podocactes*, 634  
*Podocotyle*, 300  
*Podocystis*, 74  
*Podolampas*, 29  
*Podonectria*, 132  
*Podontia*, 368  
*Podoparalecanium*, 483  
*Podophthalmus*, 649  
*Podopyrya*, 26  
*Podoschistus*, 536  
*Podoscypha*, 154  
*Podosira*, 73  
*Podosphaera*, 90  
*Podospora*, 134  
*Podosporium*, 100  
*Podothrips*, 626  
*Poecilasma*, 656  
*Poecilia*, 745  
*Poecilips*, 407  
*Poecilisomella*, 456  
*Poecilocoris*, 503  
*Poecilomorpha*, 368  
*Poecilopompilus*, 542  
*Poecilopsetta*, 775  
*Poecilosomella*, 456  
*Poecilotheca*, 463  
*Poemenia*, 536  
*Poemnites*, 382  
*Pogonatherum*, 231  
*Pogonatum*, 210  
*Pogonia*, 240  
*Pogonoperca*, 772  
*Pogonopygia*, 572  
*Pogonosoma*, 428  
*Pogonus*, 347  
*Pogostemon*, 261  
*Pohlia*, 197  
*Poikilospermum*, 282  
*Polacus*, 397  
*Polemistus*, 519  
*Polerovirus*, 3  
*Polia*, 593  
*Poliaspoides*, 489  
*Policordia*, 666  
*Polididus*, 503  
*Polinices*, 691  
*Poliotelium*, 162  
*Polistes*, 548  
*Polistes (Gyrostoma)*, 549  
*Polistes (Polistella)*, 549  
*Polistes (Polistes)*, 549  
*Pollanista*, 613  
*Pollaplonyx*, 405  
*Pollia*, 224  
*Pollia*, 704  
*Pollichthys*, 778  
*Pollinia*, 429  
*Polodiscus*, 46  
*Poltys*, 310  
*Polyalthia*, 263  
*Polyarthra*, 303  
*Polyascus*, 655  
*Polyblastiopsis*, 87  
*Polyblastus*, 536  
*Polycampsis*, 605  
*Polycanthagyna*, 617  
*Polycarpaea*, 248  
*Polycentropus*, 630  
*Polycephalomyces*, 103  
*Polycheira*, 731  
*Polycheles*, 648  
*Polychytrium*, 168  
*Polydactylus*, 767  
*Polyderis*, 347  
*Polydesma*, 593  
*Polydora*, 660  
*Polyedilum*, 433  
*Polyedriopsis*, 185  
*Polygala*, 267  
*Polygonatum*, 234  
*Polygonia*, 600  
*Polygonum*, 267  
*Polygraphus*, 407  
*Polyhymno*, 563  
*Polyipnus*, 779  
*Polymetne*, 778  
*Polymixia*, 775  
*Polymixis*, 593  
*Polymorphus*, 301  
*Polynemamussium*, 668  
*Polyoeca*, 49  
*Polyomavirus*, 6  
*Polyonyx*, 648  
*Polyopes*, 179  
*Polypedates*, 782  
*Polypedilum*, 433  
*Polyphagotarsonemus*, 308  
*Polypheretima*, 659  
*Polyphylla*, 405

## 屬名索引

- Polyphyllia*, 293  
*Polyplax*, 621  
*Polyplectana*, 732  
*Polyplectropus*, 630  
*Polypodium*, 220  
*Polypogon*, 231  
*Polyporellus*, 155  
*Polyporus*, 155  
*Polyptychus*, 608  
*Polypylis*, 684  
*Polyrhachis*, 527  
*Polyschema*, 100  
*Polyscytalum*, 100  
*Polysiphonia*, 176  
*Polysolenia*, 47  
*Polysphincta*, 536  
*Polysphondylium*, 27  
*Polystenus*, 514  
*Polystichum*, 218  
*Polystictus*, 150  
*Polythlipta*, 559  
*Polytoxus*, 503  
*Polytremis*, 576  
*Polytrichastrum*, 210  
*Polytrichum*, 210  
*Polyura*, 600  
*Pomacanthus*, 767  
*Pomacea*, 693  
*Pomacentrus*, 768  
*Pomachromis*, 768  
*Pomaculax*, 683  
*Pomadasys*, 761  
*Pomasia*, 572  
*Pomatocalpa*, 240  
*Pomatocheles*, 650  
*Pomatomus*, 768  
*Pomatorhinus*, 792  
*Pometia*, 276  
*Pompholys*, 302  
*Pompholyx*, 302  
*Pompilus*, 542  
*Pomponia*, 481  
*Ponera*, 527  
*Ponerorchis*, 240  
*Pongamia*, 256  
*Ponsilasia*, 500  
*Pontella*, 326  
*Pontellina*, 326  
*Pontellopsis*, 326  
*Pontinus*, 777  
*Pontiothauma*, 718  
*Pontocaris*, 635  
*Pontodrilus*, 659  
*Pontoeciella*, 329  
*Pontomyia*, 433  
*Pontonides*, 644  
*Pontoscolex*, 658  
*Ponyalis*, 393  
*Poophilus*, 476  
*Popillia*, 405  
*Poppiocapsidea*, 498  
*Porcellanella*, 648  
*Poria*, 155  
*Poricalyptra*, 67  
*Poricella*, 726  
*Porina*, 135  
*Poritectolithus*, 67  
*Porites*, 294  
*Poroderus*, 416  
*Porodisculus*, 155  
*Poroeponides*, 39  
*Porogadus*, 750  
*Poromya*, 666  
*Poronia*, 137  
*Porophoromyces*, 107  
*Porosphaerella*, 85  
*Porostereum*, 153  
*Porotrichum*, 210  
*Porphyra*, 175  
*Porphyrellus*, 147  
*Porphyrio*, 788  
*Porphyrosela*, 575  
*Porpidia*, 112  
*Porrocaecum*, 301  
*Porrorchis*, 301  
*Portieria*, 178  
*Portlandia*, 665  
*Portulaca*, 249  
*Portunus*, 649  
*Porzana*, 788  
*Postobedia*, 572  
*Potamanthus*, 470  
*Potamarcha*, 619  
*Potamiaea*, 495  
*Potamocorbula*, 663  
*Potamogeton*, 235  
*Potanthus*, 576  
*Potentilla*, 271  
*Poteriophorus*, 377  
*Potexvirus*, 3  
*Pothoidium*, 224  
*Pothos*, 224  
*Pothyne*, 357  
*Potiarca*, 662  
*Potmyctycia*, 593  
*Pottia*, 211  
*Potyvirus*, 4  
*Poujadia*, 605  
*Pourthiaea*, 272  
*Pouteria*, 251  
*Pouzolzia*, 284  
*Powellomyces*, 169  
*Praealticus*, 753  
*Praeorbulina*, 45  
*Praestochrysis*, 517  
*Praetextatus*, 500  
*Pramadea*, 559  
*Praolia*, 357  
*Praon*, 514  
*Prasiola*, 188  
*Praya*, 296  
*Prazoogenetes*, 724  
*Premna*, 261  
*Preneopogon*, 559  
*Preptetos*, 300  
*Pretostrea*, 666  
*Priacanthus*, 768  
*Priassus*, 500  
*Primeuchroeus*, 517  
*Primierus*, 495  
*Primno*, 632  
*Primovula*, 698  
*Primula*, 268  
*Pringsheimia*, 89  
*Prinia*, 789  
*Prinovolva*, 698  
*Prinsepia*, 272  
*Priochirus*, 416  
*Priolepis*, 759  
*Prionace*, 734  
*Prionapteron*, 559  
*Prioneris*, 603  
*Prionitis*, 179  
*Prionocerus*, 398  
*Prionochoeta*, 391  
*Prionocidaris*, 730  
*Prionocrangon*, 635  
*Prionopelta*, 527  
*Prionospio*, 660  
*Prionovolva*, 698  
*Prionurus*, 750  
*Prionus*, 357  
*Prionyx*, 544  
*Priopus*, 382  
*Priotyrranus*, 357  
*Prismatopus*, 641  
*Prismognathus*, 392  
*Prismosticta*, 553  
*Pristaulacus*, 509  
*Pristigenys*, 769  
*Pristina*, 659  
*Pristinella*, 659  
*Pristiphora*, 546  
*Pristipomoides*, 764  
*Pristocera*, 510  
*Pristolycus*, 389  
*Pristomerus*, 536  
*Pristomyrmex*, 527  
*Pristosia*, 347  
*Pristotis*, 768  
*Proales*, 303  
*Proanoplomus*, 463  
*Proartacris*, 307  
*Problepsis*, 572  
*Probolomyrmex*, 527  
*Probolus*, 536  
*Proboscidoecoris*, 498  
*Procambarus*, 635  
*Procanace*, 429  
*Procautires*, 393  
*Proceratium*, 527  
*Processina*, 479  
*Prochaetostricha*, 547  
*Prochasma*, 572  
*Prochiloneurus*, 522  
*Prociophilus*, 499  
*Procladidus*, 385  
*Procladius*, 433  
*Procleomenes*, 357  
*Procletes*, 645  
*Procloeon*, 469  
*Prococcus*, 484  
*Proconura*, 517  
*Procraerus*, 382  
*Procris*, 284  
*Prodasineura*, 619  
*Prodecatoma*, 524  
*Prodegeeria*, 461  
*Prodiocetes*, 377  
*Prodotia*, 704  
*Prodromus*, 498  
*Proegmana*, 368  
*Profundinassa*, 713  
*Prognichthys*, 742  
*Progonia*, 593  
*Proiectus*, 307  
*Projectothrips*, 628  
*Prolophota*, 593  
*Prolygus*, 498  
*Promachus*, 428  
*Promalactis*, 601  
*Promanota*, 449  
*Promethichthys*, 757  
*Promethis*, 422  
*Prometis*, 422  
*Prometopia (Prometopia)*, 396  
*Prominens*, 307  
*Pronephrium*, 222  
*Pronoe*, 633  
*Pronomis*, 559  
*Propachys*, 605  
*Propagurus*, 643  
*Propeamussium*, 668  
*Propetes*, 397  
*Prophantis*, 559  
*Prophthalmus*, 338  
*Proproseioopsis*, 316  
*Propsephus*, 382  
*Propylea*, 373  
*Propyropterus*, 393  
*Proreinia*, 722  
*Proreus*, 424  
*Prorhinotermes*, 549  
*Prorocentrum*, 29  
*Prorodes*, 559  
*Prosaptia*, 219  
*Prosaspicera*, 525  
*Proschistis*, 611  
*Prosciara*, 449  
*Proscyllium*, 735  
*Prosevania*, 525  
*Prosheliomyia*, 461  
*Prosimnia*, 698  
*Prosopalictus*, 517  
*Prosopis*, 517  
*Prosoplus*, 357  
*Prosopocoilus*, 392  
*Prosopodesmus*, 332  
*Prosopodopsis*, 461  
*Prosorhynchus*, 301  
*Prostas*, 580  
*Prospheniscus*, 463  
*Prostemma*, 498  
*Prosthecarthron*, 416  
*Prosthiochaeta*, 452  
*Prostomis*, 398  
*Prostratus*, 86  
*Protaetia*, 405  
*Protammodytes*, 751

## 屬名索引

- Protankyra*, 732  
*Protaxymyia*, 428  
*Proteostrenia*, 572  
*Proterotaiwanella*, 321  
*Proteus*, 21  
*Prothalotia*, 682  
*Protheca*, 334  
*Prothema*, 357  
*Prothemus*, 342  
*Protichneumon*, 536  
*Protidricerus*, 615  
*Protoblastenia*, 112  
*Protoboarmia*, 572  
*Protococcus*, 182  
*Protocollyris*, 348  
*Protodeltote*, 593  
*Protohelius*, 468  
*Protohermes*, 615  
*Protomicroplitis*, 514  
*Protomyces*, 140  
*Protonebula*, 572  
*Protonibea*, 770  
*Protonoceras*, 559  
*Protopaussus*, 348  
*Protoperidinium*, 29  
*Protopulvinaria*, 484  
*Protosilvanus*, 409  
*Protosternum*, 388  
*Providencia*, 21  
*Prunella*, 261  
*Prunella*, 791  
*Prunus*, 272  
*Pryeria*, 613  
*Prymnesium*, 69  
*Psacadium*, 624  
*Psacotheca*, 357  
*Psalidopus*, 650  
*Psalis*, 582  
*Psalitrus*, 388  
*Psalliota*, 141  
*Psallops*, 498  
*Psammobia*, 672  
*Psammobius*, 405  
*Psammochares*, 542  
*Psammocora*, 295  
*Psammodynastes*, 783  
*Psammoecus*, 409  
*Psammogobius*, 759  
*Psammoperca*, 763  
*Psammotaea*, 672  
*Psammotellina*, 672  
*Psammotettix*, 485  
*Psathyrella*, 142  
*Psathyrocaris*, 646  
*Psaumis*, 653  
*Psausia*, 477  
*Psechrus*, 312  
*Psectra*, 616  
*Psectrocladius*, 433  
*Pselaphogenius*, 416  
*Pselnophorus*, 603  
*Psen*, 519  
*Pseno*, 519  
*Psenes*, 765  
*Psenopsis*, 755  
*Psenulus*, 519  
*Psephactus*, 357  
*Psettina*, 774  
*Psettodes*, 775  
*Pseudabraxas*, 572  
*Pseudacidovorax*, 20  
*Pseudacroclita*, 611  
*Pseudaesopia*, 775  
*Pseudagrion*, 617  
*Pseudalosterna*, 357  
*Pseudambassis*, 751  
*Pseudamia*, 752  
*Pseudamiops*, 752  
*Pseudamycla*, 705  
*Pseudanaesthetis*, 357  
*Pseudanaphothrips*, 628  
*Pseudanthias*, 772  
*Pseudanotia*, 489  
*Pseudapocryptes*, 759  
*Pseudargyria*, 559  
*Pseudartabanus*, 476  
*Pseudascozonus*, 126  
*Pseudasthena*, 572  
*Pseudaugaptilus*, 323  
*Pseudaulacaspis*, 489  
*Pseudocolenis (Pseudocolenis)*, 391  
*Pseudocolenis (Pseudocolenis)*, 391  
*Pseudechidna*, 739  
*Pseudelephantopus*, 245  
*Pseuderriopus*, 593  
*Pseuderistalis*, 458  
*Pseudeuchromia*, 572  
*Pseudeuphausia*, 653  
*Pseudeurina*, 435  
*Pseudeustrotia*, 593  
*Pseudindalmus*, 384  
*Pseudione*, 654  
*Pseudiphra*, 357  
*Pseudisotheicum*, 202  
*Pseudoamallothrix*, 327  
*Pseudoamolops*, 781  
*Pseudoanabaena*, 65  
*Pseudobaemyces*, 113  
*Pseudobagrus*, 778  
*Pseudobalistes*, 779  
*Pseudobarbella*, 208  
*Pseudobironium*, 416  
*Pseudoboletia*, 731  
*Pseudoborbo*, 576  
*Pseudobotrytis*, 100  
*Pseudobuliminus*, 721  
*Pseudobulweria*, 786  
*Pseudocaecilius*, 624  
*Pseudocalamobius*, 357  
*Pseudocaligus*, 658  
*Pseudocallidium*, 357  
*Pseudocaranx*, 754  
*Pseudocarcharias*, 736  
*Pseudocatharylla*, 559  
*Pseudocepolia*, 755  
*Pseudoceratina*, 288  
*Pseudocercospora*, 119  
*Pseudocercosporella*, 122  
*Pseudocetonurus*, 746  
*Pseudochama*, 670  
*Pseudocheilinus*, 762  
*Pseudochirella*, 322  
*Pseudochromis*, 769  
*Pseudoclitocybe*, 146  
*Pseudocnus*, 732  
*Pseudococcus*, 501  
*Pseudocoladenia*, 576  
*Pseudocollix*, 572  
*Pseudocolus*, 150  
*Pseudocoprinus*, 142  
*Pseudocordyceps*, 87  
*Pseudocoris*, 762  
*Pseudocryptochirus*, 635  
*Pseudocsikia*, 382  
*Pseudooctomeris*, 656  
*Pseudocypbellaria*, 125  
*Pseudocyprea*, 698  
*Pseudodax*, 762  
*Pseudodeltote*, 593  
*Pseudodendrothrips*, 628  
*Pseudodentroides*, 399  
*Pseudodera*, 368  
*Pseudodiptomus*, 326  
*Pseudodictyosporium*, 100  
*Pseudodioasis*, 437  
*Pseudodryinus*, 522  
*Pseudodrynaria*, 221  
*Pseudoeponides*, 39  
*Pseudofentonia (Disparia)*, 598  
*Pseudofentonia (Eufentonia)*, 598  
*Pseudofentonia (Mimus)*, 598  
*Pseudofentonia (Pseudofentonia)*, 598  
*Pseudofentonia (Viridifentonia)*, 598  
*Pseudofintina*, 42  
*Pseudoformicaleo*, 616  
*Pseudofusarium*, 100  
*Pseudofuscophialis*, 100  
*Pseudogaminozetes*, 317  
*Pseudognathaphanus*, 348  
*Pseudogobius*, 759  
*Pseudogonia*, 461  
*Pseudogoniopsita*, 435  
*Pseudogramma*, 772  
*Pseudograpsus*, 639  
*Pseudogulbenkiana*, 20  
*Pseudogyrtina*, 593  
*Pseudohandsfordia*, 100  
*Pseudohapladena*, 298  
*Pseudohelicarion*, 723  
*Pseudohemitaxonus*, 546  
*Pseudohydnum*, 158  
*Pseudohypocrea*, 104  
*Pseudoinope*, 613  
*Pseudoips*, 596  
*Pseudojuloides*, 762  
*Pseudokamikiria*, 358  
*Pseudolabrus*, 762  
*Pseudolabrys*, 19  
*Pseudolagarobasidium*, 151  
*Pseudolathra*, 416  
*Pseudolathrus*, 709  
*Pseudoleptaleus*, 335  
*Pseudoleskeopsis*, 204  
*Pseudoligosita*, 547  
*Pseudolimnophila*, 468  
*Pseudoliomera*, 653  
*Pseudoliotia*, 702  
*Pseudoliotina*, 702  
*Pseudoliprus*, 368  
*Pseudoliroetis*, 368  
*Pseudolitochira*, 647  
*Pseudolovenia*, 731  
*Pseudoloxops*, 498  
*Pseudolpidium*, 168  
*Pseudolycaea*, 631  
*Pseudolynchus*, 445  
*Pseudomaladera*, 405  
*Pseudomalletia*, 664  
*Pseudomarettia*, 731  
*Pseudomassaria*, 136  
*Pseudomeira*, 330  
*Pseudomenarus*, 348  
*Pseudomerulius*, 148  
*Pseudometaxis*, 368  
*Pseudometis*, 673  
*Pseudomicrocera*, 100  
*Pseudomicronia*, 613  
*Pseudomiolista*, 338  
*Pseudomiza*, 572  
*Pseudomonas*, 21  
*Pseudonapomyza*, 426  
*Pseudonautes*, 422  
*Pseudoneaera*, 665  
*Pseudonezumia*, 746  
*Pseudonitzschia*, 65  
*Pseudonodosaria*, 43  
*Pseudopachybrachius*, 495  
*Pseudopalicus*, 644  
*Pseudopanolis*, 593  
*Pseudopelmatops*, 463  
*Pseudoperichaeta*, 461  
*Pseudoperonospora*, 79  
*Pseudophegopteris*, 222  
*Pseudoplandria*, 416  
*PseudoPlandria*, 416  
*Pseudoplandria*, 416  
*Pseudoplasmopara*, 79  
*Pseudopleuropus*, 204  
*Pseudopoda*, 312  
*Pseudopolydora*, 660  
*Pseudopomatias*, 699  
*Pseudopostega*, 601  
*Pseudopyrochroa*, 399  
*Pseudoramularia*, 100  
*Pseudoraphis*, 231  
*Pseudorasbora*, 744  
*Pseudorca*, 794  
*Pseudoregma*, 491  
*Pseudorhaetus*, 392  
*Pseudorhaphitoma*, 718  
*Pseudorhiznoessa*, 464  
*Pseudorhombus*, 774  
*Pseudorotalia*, 44

## 屬名索引

- Pseudorotalia* (*Rotalinoides*), 44  
*Pseudorychodes*, 338  
*Pseudosagitta*, 728  
*Pseudosasa*, 231  
*Pseudoscleropodium*, 202  
*Pseudoscymnus*, 373  
*Pseudosericania*, 405  
*Pseudoshirakia*, 514  
*Pseudosiderastrea*, 295  
*Pseudosimnia*, 698  
*Pseudosomera*, 598  
*Pseudosphetta*, 593  
*Pseudospiridentopsis*, 206  
*Pseudospiropes*, 129  
*Pseudosquilla*, 655  
*Pseudostegias*, 654  
*Pseudostromboceros*, 546  
*Pseudosymblepharis*, 211  
*Pseudotalopia*, 682  
*Pseudotaxiphyllum*, 204  
*Pseudotermitoxenia*, 451  
*Pseudothemis*, 619  
*Pseudothis*, 86  
*Pseudotolida*, 395  
*Pseudotorula*, 100  
*Pseudotriacanthus*, 781  
*Pseudotriakis*, 735  
*Pseudotrioza*, 505  
*Pseudotritoma*, 385  
*Pseudotsuga*, 223  
*Pseudovalsaria*, 85  
*Pseudovertagus*, 694  
*Pseudovolucella*, 458  
*Pseudowallacea*, 456  
*Pseudoxanthobacter*, 19  
*Pseudoxanthomonas*, 21  
*Pseudoxendon*, 783  
*Pseudoxyroptila*, 603  
*Pseudozaena*, 348  
*Pseudozius*, 638  
*Pseudozumia*, 549  
*Pseuduvarus*, 379  
*Pseumenes*, 549  
*Psidopala*, 561  
*Psilachnum*, 94  
*Psilalcis*, 572  
*Psilaxis*, 686  
*Psilephydra*, 444  
*Psilocephala*, 464  
*Psilochalcis*, 517  
*Psilocharis*, 523  
*Psilocybe*, 145  
*Psilogramma*, 608  
*Psilomastax*, 536  
*Psilonyx*, 428  
*Psilopa*, 445  
*Psilospora*, 100  
*Psilotum*, 213  
*Psimada*, 593  
*Psix*, 543  
*Psocathropos*, 624  
*Psocidus*, 624  
*Psococerastis*, 624  
*Psolodesmus*, 617  
*Psoptheticus*, 638  
*Psoquilla*, 624  
*Psoralea*, 256  
*Psoroma*, 109  
*Psoroptes*, 315  
*Psylliodes*, 368  
*Psyche*, 603  
*Psychoda*, 452  
*Psychoides*, 608  
*Psychomyia*, 630  
*Psychotria*, 274  
*Psychristus*, 348  
*Psychrolutes*, 776  
*Psylla*, 501  
*Psyllaephagus*, 522  
*Psylliodes*, 368  
*Psyllipsocus*, 624  
*Psyra*, 572  
*Psytalia*, 514  
*Ptecticus*, 456  
*Pteraeolidia*, 685  
*Pteragogus*, 762  
*Ptereleotris*, 769  
*Pterella*, 453  
*Pteria*, 668  
*Pteridium*, 217  
*Pteridrys*, 215  
*Pterigynandrum*, 203  
*Pterilia*, 493  
*Pteris*, 221  
*Pterobryopsis*, 209  
*Pterobryum*, 209  
*Pterocaesio*, 753  
*Pterocallis* (*Reticallis*), 477  
*Pterocanium*, 48  
*Pterocladia*, 178  
*Pterocradiella*, 178  
*Pterocormus*, 536  
*Pterocorys*, 47  
*Pterocyclos*, 695  
*Pterocypsela*, 245  
*Pterodecta*, 553  
*Pterodroma*, 786  
*Pterogeina*, 452  
*Pterogonaga*, 596  
*Pteroidichthys*, 777  
*Pterois*, 777  
*Pterolichus*, 315  
*Pterolophia*, 358  
*Pterolophia* (*Pterolophia*), 358  
*Pteroma*, 603  
*Pteromalus*, 543  
*Pteromicra*, 454  
*Pteromonas*, 189  
*Pteronemobius*, 620  
*Pterophorus*, 603  
*Pteropsaron*, 766  
*Pteroptrix*, 508  
*Pteropurpura*, 712  
*Pteropus*, 794  
*Pterosagitta*, 728  
*Pterospermum*, 264  
*Pterostichus*, 348  
*Pterotarsus*, 385  
*Pterotosoma*, 613  
*Pterycombus*, 753  
*Pterygia*, 710  
*Pterygida*, 425  
*Pterygioteuthis*, 678  
*Pterygocalyx*, 258  
*Pterygoplichthys*, 778  
*Pterygotrigla*, 778  
*Pterynotus*, 712  
*Pthirus*, 621  
*Ptilineurus*, 334  
*Ptilinopus*, 788  
*Ptilium*, 204  
*Ptilocerus*, 503  
*Ptilodactyla*, 398  
*Ptilodon*, 598  
*Ptilona*, 463  
*Ptilophora*, 178  
*Ptilophora*, 598  
*Ptilopodius*, 407  
*Ptilothamnion*, 175  
*Ptilotolepis*, 297  
*Ptinus*, 334  
*Ptiolina*, 453  
*Ptocasius*, 312  
*Ptochphyle*, 572  
*Ptomaphaginus*, 391  
*Ptomaphagus*, 391  
*Ptomascopus*, 408  
*Ptosima*, 340  
*Ptyas*, 783  
*Ptychocerithium*, 694  
*Ptychognathus*, 639  
*Ptychomitrium*, 201  
*Ptychoptera*, 452  
*Ptyelus*, 476  
*Ptyomaxia*, 605  
*Puccinia*, 163  
*Pucciniastrum*, 166  
*Puccinosira*, 166  
*Puccinospora*, 100  
*Pucciniostele*, 162  
*Puellina*, 727  
*Pueraria*, 256  
*Puerulus*, 644  
*Puffinus*, 786  
*Pugettia*, 641  
*Pulcherricium*, 151  
*Pulchratis*, 653  
*Pulex*, 625  
*Pullenia*, 43  
*Pulleniatina*, 45  
*Pulveroboletus*, 147  
*Pulvinaria*, 484  
*Pulvinula*, 127  
*Punctacteon*, 684  
*Punctelia*, 111  
*Punctrella*, 679  
*Punctularia*, 151  
*Punctum*, 724  
*Punipagia*, 673  
*Puntius*, 744  
*Pupa*, 684  
*Pupalia*, 248  
*Pupinella*, 699  
*Pupiscala*, 687  
*Pupoides*, 724  
*Purana*, 481  
*Purpura*, 712  
*Purpuranus*, 485  
*Purpuricenus*, 358  
*Pusia*, 708  
*Pusiosoma*, 704  
*Pycnarmon*, 559  
*Pycnetron*, 543  
*Pycnomerus*, 374  
*Pycnonotus*, 791  
*Pycnoporos*, 155  
*Pycnoscelis*, 333  
*Pycnospora*, 256  
*Pycneus*, 227  
*Pygalataspis*, 489  
*Pygmaeorota*, 692  
*Pygmaerota*, 702  
*Pygolampis*, 503  
*Pygophora*, 449  
*Pygoplites*, 767  
*Pygopteryx*, 593  
*Pygospila*, 559  
*Pygostrangalia*, 358  
*Pygotettix*, 485  
*Pylaisiadelpha*, 205  
*Pylaisiella*, 204  
*Pylargosceles*, 572  
*Pylocheles* (*Bathycheles*), 650  
*Pylocheles* (*Pylocheles*), 650  
*Pylocheles* (*Xylocheles*), 650  
*Pylolena*, 46  
*Pylopaguropsis*, 643  
*Pylospira*, 46  
*Pyracantha*, 272  
*Pyralioides*, 608  
*Pyralis*, 605  
*Pyramica*, 527  
*Pyramidella*, 685  
*Pyramidelloides*, 700  
*Pyramidulina*, 43  
*Pyramimonas*, 69  
*Pyramodon*, 749  
*Pyrausta*, 559  
*Pyrenaria*, 282  
*Pyrene*, 705  
*Pyreneola*, 705  
*Pyrenochaeta*, 128  
*Pyrenochaetina*, 129  
*Pyrenophora*, 132  
*Pyrenula*, 133  
*Pyrestes*, 358  
*Pyrgo*, 42  
*Pyrgoella*, 42  
*Pyrgops*, 377  
*Pyricularia*, 84  
*Pyriculariopsis*, 100  
*Pyrocalymma*, 358  
*Pyrocoelia*, 389  
*Pyrocystis*, 29  
*Pyroderces*, 554  
*Pyrola*, 252  
*Pyrolachnus*, 493

## 屬名索引

- Pyronema*, 127  
*Pyrophacus*, 29  
*Pyrops*, 490  
*Pyrosis*, 577  
*Pyrosomella*, 734  
*Pyrostephos*, 296  
*Pyroteuthis*, 678  
*Pyrrhalta*, 368  
*Pyrrhia*, 593  
*Pyrrhidivalva*, 593  
*Pyrrhobryum*, 197  
*Pyrrhocoris*, 502  
*Pyrrhula*, 790  
*Pyrosia*, 221  
*Pyrrunculus*, 685  
*Pyrus*, 272  
*Pythia*, 683  
*Pythiogeton*, 80  
*Pythiopsis*, 80  
*Pythium*, 79  
*Pyxidicula*, 73  
*Pyxine*, 112  
*Quadrans*, 673  
*Quadrastichus*, 524  
*Quadratum*, 307  
*Quadrella*, 651  
*Quadria*, 479  
*Quadricoccus*, 188  
*Quadrigula*, 185  
*Quadrula*, 41  
*Quasimus*, 382  
*Quedius*, 416  
*Quercifilix*, 215  
*Quercus*, 257  
*Quernaphis*, 491  
*Quetarsius*, 417  
*Quidnipagus*, 673  
*Quinqueloculina*, 42  
*Quinquoppia*, 318  
*Quollastris*, 655  
*Quoyula*, 708  
*Raabeina*, 479  
*Raapia*, 385  
*Rabdestigma*, 472  
*Rachia*, 598  
*Rachiades*, 598  
*Rachicerus*, 453  
*Rachycentron*, 769  
*Racomitrium*, 201  
*Racopilum*, 197  
*Racotis*, 572  
*Racovitzanus*, 327  
*Radermachia*, 277  
*Radhica*, 577  
*Radiciseta*, 100  
*Radiococcus*, 185  
*Radix*, 684  
*Radoszkowskius*, 539  
*Radulina*, 205  
*Raetellops*, 671  
*Raillietina*, 297  
*Rainieria*, 447  
*Rakovicius*, 405  
*Rallina*, 789  
*Rallus*, 789
- Ralstonia*, 20  
*Ramalina*, 112  
*Ramaria*, 146  
*Ramaricium*, 146  
*Ramariopsis*, 146  
*Ramesa*, 598  
*Ramichloridium*, 100  
*Ramobia*, 572  
*Ramphotyphlops*, 783  
*Ramularia*, 122  
*Ramulariopsis*, 100  
*Ramulus*, 621  
*Rana*, 781  
*Ranatra*, 498  
*Ranavirus*, 6  
*Randallia*, 641  
*Randia*, 274  
*Ranilia*, 650  
*Ranina*, 650  
*Raninoides*, 650  
*Ranunculus*, 269  
*Rapa*, 708  
*Rapala*, 580  
*Rapana*, 712  
*Raparna*, 593  
*Raphanus*, 247  
*Raphidascaaris*, 301  
*Raphidiophrys*, 48  
*Raphidiopsis*, 15  
*Raphidivergens*, 64  
*Raphidopus*, 648  
*Raphipodus*, 358  
*Raphoneis*, 55  
*Raractocetus*, 393  
*Rastrelliger*, 770  
*Rastrococcus*, 501  
*Ratabulus*, 776  
*Ratania*, 658  
*Ratarda*, 554  
*Rattus*, 795  
*Rauvolfia*, 258  
*Ravenelia*, 166  
*Ravenna*, 580  
*Raviella*, 308  
*Rawasia*, 336  
*Recluzia*, 687  
*Rectalox*, 307  
*Rectiplanes*, 718  
*Rectobolivina*, 44  
*Rectusa*, 685  
*Recuridis*, 527  
*Recurvirostra*, 787  
*Redigobius*, 759  
*Reduvius*, 503  
*Reediella*, 214  
*Reevesia*, 264  
*Regalecus*, 747  
*Regimbartia*, 388  
*Regmatodon*, 204  
*Regulus*, 791  
*Rehimena*, 559  
*Reichenbachia*, 417  
*Reimersia*, 211  
*Reinboldiella*, 175  
*Reinia*, 722
- Relicina*, 111  
*Rema*, 593  
*Remaudiereana*, 495  
*Remirea*, 227  
*Remispora*, 93  
*Remiz*, 791  
*Remora*, 756  
*Remorina*, 756  
*Remusatia*, 224  
*Renocilla*, 654  
*Repetobasidium*, 156  
*Repomucenus*, 754  
*Resinicium*, 153  
*Respirovirus*, 11  
*Resupinatus*, 146  
*Retalia*, 536  
*Retaster*, 729  
*Reteporellina*, 727  
*Reticulaphis*, 491  
*Reticulitermes*, 549  
*Reticulofenestra*, 68  
*Reticulophragmium*, 39  
*Reticunassa*, 713  
*Retinia*, 612  
*Retipenna*, 615  
*Retusa*, 685  
*Reussella*, 43  
*Rexea*, 757  
*Rexithaerus*, 673  
*Rhabdamia*, 752  
*Rhabdastrella*, 287  
*Rhabdoblatta*, 333  
*Rhabdoblennius*, 753  
*Rhabdochaeta*, 464  
*Rhabdonema*, 55  
*Rhabdophis*, 783  
*Rhabdosargus*, 772  
*Rhabdosoma*, 632  
*Rhabdosphaera*, 68  
*Rhabdospora*, 100  
*Rhabdoweisia*, 199  
*Rhachisphora*, 472  
*Rhachomyces*, 107  
*Rhaconotus*, 514  
*Rhacophorus*, 782  
*Rhadinastis*, 554  
*Rhadinesthes*, 779  
*Rhadinovirus*, 6  
*Rhaetulus*, 392  
*Rhagadotarsus*, 490  
*Rhagastis*, 608  
*Rhagio*, 453  
*Rhagium*, 358  
*Rhagonycha*, 342  
*Rhagophthalmus*, 399  
*Rhagovelia*, 505  
*Rhamnopsis*, 579  
*Rhamnosa*, 579  
*Rhamnus*, 270  
*Rhamphocoris*, 498  
*Rhamphomyia*, 444  
*Rhamphothrips*, 628  
*Rhantaticus*, 379  
*Rhantus*, 379  
*Rhaphidophora*, 224
- Rhaphidostichum*, 205  
*Rhaphiolepis*, 272  
*Rhaphitropis*, 336  
*Rhaphium*, 439  
*Rhaphoneis*, 55  
*Rhaphuma*, 358  
*Rhectothyris*, 559  
*Rhegmoclema*, 454  
*Rhembobius*, 536  
*Rhene*, 312  
*Rheocricotopus*, 433  
*Rheotanytarsus*, 433  
*Rhesala*, 593  
*Rheumaptera*, 572  
*Rhina*, 737  
*Rhinaphe*, 605  
*Rhincalanus*, 324  
*Rhincodon*, 736  
*Rhinecanthus*, 779  
*Rhingia*, 458  
*Rhinia*, 429  
*Rhinobatos*, 737  
*Rhinochimaera*, 735  
*Rhinocradiella*, 100  
*Rhinoclavis*, 694  
*Rhinocylapidius*, 498  
*Rhinogobius*, 759  
*Rhinolambrus*, 646  
*Rhinolophus*, 794  
*Rhinomuraena*, 739  
*Rhinomyodes*, 461  
*Rhinophytoptus*, 305  
*Rhinopias*, 777  
*Rhinoprora*, 572  
*Rhinopsylla*, 505  
*Rhinoptera*, 736  
*Rhinotrichella*, 100  
*Rhinotus*, 332  
*Rhinovirus*, 4  
*Rhipicephalus*, 320  
*Rhipidiphyllon*, 190  
*Rhipidius*, 399  
*Rhipidolestes*, 619  
*Rhipidosiphon*, 182  
*Rhipiphorothrips*, 628  
*Rhithrogena*, 470  
*Rhizidium*, 168  
*Rhizina*, 128  
*Rhizobium*, 19  
*Rhizocarpon*, 112  
*Rhizochilus*, 708  
*Rhizochrysis*, 69  
*Rhizoclonium*, 190  
*Rhizoclosmatium*, 168  
*Rhizoctonia*, 151  
*Rhizoglyphus*, 314  
*Rhizomnium*, 197  
*Rhizophlyctis*, 169  
*Rhizophora*, 271  
*Rhizophydium*, 168  
*Rhizoplecta*, 46  
*Rhizoprionodon*, 734  
*Rhizopus*, 172  
*Rhizosolenia*, 74  
*Rhizosthenes*, 613

## 屬名索引

- Rhochmopterum*, 464  
*Rhodacra*, 612  
*Rhodesiella*, 435  
*Rhodeus*, 744  
*Rhodinia*, 606  
*Rhodobium*, 474  
*Rhodobium*, 19  
*Rhodobryum*, 197  
*Rhododendron*, 251  
*Rhodolia*, 373  
*Rhodomyrtus*, 265  
*Rhodoneura*, 608  
*Rhodopeltis*, 178  
*Rhodopeoma*, 718  
*Rhodophyllus*, 142  
*Rhodopina*, 358  
*Rhodopseudomonas*, 19  
*Rhodopsona*, 613  
*Rhodostrophia*, 572  
*Rhodotorula*, 139  
*Rhodotritoma*, 385  
*Rhoicospenia*, 52  
*Rhomboda*, 240  
*Rhomborrhina*, 405  
*Rhondia*, 358  
*Rhopalephora*, 224  
*Rhopalodia*, 65  
*Rhopalomastix*, 527  
*Rhopalopsale*, 621  
*Rhopalosiphonius*, 474  
*Rhopalosiphum*, 474  
*Rhopalostroma*, 137  
*Rhopalotettix*, 620  
*Rhopalum*, 520  
*Rhopalopsale*, 622  
*Rhopobota*, 612  
*Rhopographus*, 132  
*Rhopographus*, 546  
*Rhoptrisca*, 369  
*Rhoptromyrmex*, 527  
*Rhus*, 276  
*Rhyacichthys*, 769  
*Rhyacobates*, 490  
*Rhyacophila*, 630  
*Rhyacornis*, 791  
*Rhychopsilopa*, 445  
*Rhychosporium*, 100  
*Rhyncaphyoptus*, 305  
*Rhynchaglaea*, 593  
*Rhynchelytrum*, 231  
*Rhynchites*, 377  
*Rhynchium*, 549  
*Rhynchobatus*, 737  
*Rhynchocinetes*, 650  
*Rhynchoconger*, 738  
*Rhynchocoris*, 500  
*Rhynchoglossum*, 277  
*Rhynchopalpus*, 596  
*Rhynchophorus*, 377  
*Rhynchorhamphus*, 742  
*Rhynchosia*, 256  
*Rhynchospermum*, 245  
*Rhynchosphaeria*, 87  
*Rhynchospora*, 227  
*Rhynchosporium*, 100  
*Rhynchostegiella*, 202  
*Rhynchostegium*, 202  
*Rhynchotechum*, 277  
*Rhynchothrips*, 626  
*Rhynchozoon*, 727  
*Rhyncomya*, 429  
*Rhynobrissus*, 731  
*Rhynocoris*, 503  
*Rhynoncus*, 377  
*Rhyothemis*, 619  
*Rhyparida*, 369  
*Rhyparus*, 405  
*Rhysida*, 321  
*Rhysipolis*, 514  
*Rhysodesmus*, 332  
*Rhysopus*, 348  
*Rhyssemus*, 405  
*Rhyssoptax*, 725  
*Rhytidenglerula*, 83  
*Rhytidhysteron*, 124  
*Rhytidadelphus*, 203  
*Rhytidium*, 204  
*Rhytidodera*, 358  
*Rhytidortalis*, 452  
*Rhytisma*, 289  
*Rhytisma*, 134  
*Rhyzodiastes*, 399  
*Ribes*, 273  
*Ricania*, 503  
*Richardia*, 274  
*Richelia*, 15  
*Ricinus*, 253  
*Rickia*, 107  
*Rigidoporus*, 152  
*Rikiosatoa*, 572  
*Rimelia*, 111  
*Rimula*, 679  
*Ringiculina*, 685  
*Rinodina*, 112  
*Riparia*, 790  
*Ripersiella*, 501  
*Riptortus*, 473  
*Rismethus*, 383  
*Risoba*, 596  
*Rissa*, 786  
*Rissoa*, 700  
*Rissoilna*, 700  
*Rissoina*, 700  
*Rissolina*, 700  
*Riukiaria*, 332  
*Rivellia*, 452  
*Rivula*, 593  
*Rivularia*, 15  
*Robertotrivia*, 702  
*Robulus (Lenticulina)*, 45  
*Robulus (Spinckerules)*, 45  
*Robustanoplodera*, 358  
*Robustranoplodera*, 358  
*Rocella*, 73  
*Rochinia*, 641  
*Rodentolepis*, 297  
*Rodolia*, 373  
*Rogadius*, 776  
*Rohdea*, 234  
*Romeria*, 17  
*Rondeletia*, 778  
*Rondibilis*, 358  
*Ropalidia*, 549  
*Roperia*, 74  
*Ropica*, 358  
*Ropronia*, 543  
*Rorippa*, 247  
*Rosa*, 272  
*Rosacea*, 296  
*Rosalia*, 358  
*Rosalina*, 43  
*Rosama*, 598  
*Rosellinia*, 137  
*Rosenscheldiella*, 132  
*Roseningea*, 76  
*Rossia*, 676  
*Rostratula*, 787  
*Rostraverruca*, 657  
*Rostricephalus*, 383  
*Rostrzetes*, 317  
*Rotala*, 264  
*Rotaria*, 302  
*Rotavirus*, 9  
*Rothia*, 13  
*Rottboellia*, 231  
*Rouleina*, 740  
*Roumegueriella*, 102  
*Rourea*, 271  
*Roussoella*, 135  
*Roxita*, 559  
*Roya*, 195  
*Roya*, 681  
*Royella*, 694  
*Rozella*, 169  
*Rozites*, 142  
*Rubia*, 274  
*Rubiteucris*, 261  
*Rubivirus*, 5  
*Rubrocuneocoris*, 498  
*Rubulavirus*, 11  
*Rubus*, 272  
*Ruditapes*, 675  
*Ruellia*, 277  
*Rugilus*, 417  
*Rumex*, 267  
*Rumphella*, 290  
*Runaria*, 510  
*Runcinia*, 314  
*Rungia*, 277  
*Rupellaria*, 675  
*Ruppia*, 235  
*Rusostigmae*, 472  
*Russellaspis*, 477  
*Russula*, 157  
*Rutherfordia*, 489  
*Ruttelerona*, 572  
*Ruttellerona*, 572  
*Ruvettus*, 757  
*Rypa*, 348  
*Rypellia*, 449  
*Rysopterys*, 267  
*Ryukyucardiophorus*, 383  
*Sabactiopus*, 498  
*Sabaria*, 572  
*Sabia*, 270  
*Sabia*, 697  
*Sacapome*, 479  
*Saccamina*, 38  
*Saccardoella*, 85  
*Saccharicoccus*, 501  
*Saccharissa*, 523  
*Saccharomyces*, 139  
*Saccharomycopsis*, 140  
*Sacciolepis*, 231  
*Saccobolus*, 127  
*Saccolabiopsis*, 240  
*Saccostrea*, 667  
*Sachtlebenia*, 536  
*Sachybotrys*, 100  
*Sacodes*, 406  
*Sacura*, 772  
*Sadwavirus*, 1  
*Sageretia*, 270  
*Sagina*, 248  
*Sagitta*, 728  
*Sagittaria*, 223  
*Saidovina*, 44  
*Saissetia*, 484  
*Sakaila*, 633  
*Saksenaea*, 173  
*Salanx*, 750  
*Salarias*, 753  
*Saldoidea*, 503  
*Saldula*, 503  
*Saletara*, 603  
*Salganea*, 333  
*Salinator*, 683  
*Saliocteta*, 598  
*Salix*, 275  
*Salka*, 479  
*Salmacina*, 660  
*Salmacis*, 731  
*Salmonella*, 21  
*Salomonina*, 267  
*Saloptia*, 772  
*Salpa*, 734  
*Salpidobolus*, 332  
*Salpingoeca*, 49  
*Salpingothrips*, 628  
*Salvia*, 261  
*Salvinia*, 221  
*Samarangia*, 675  
*Samaris*, 775  
*Samariscus*, 775  
*Sambucus*, 250  
*Sambus*, 340  
*Sameodes*, 559  
*Samia*, 606  
*Sandalia*, 698  
*Sandalolitha*, 293  
*Sandalops*, 677  
*Sandalus*, 399  
*Sangariola*, 369  
*Sanguinolaria*, 672  
*Sanguisorba*, 273  
*Sanicula*, 242  
*Sanionia*, 202  
*Sansibia*, 290  
*Saotomea*, 719

## 屬名索引

- Saperda*, 358  
*Saperoderma*, 369  
*Sapheneutis*, 608  
*Sapindus*, 276  
*Sapium*, 253  
*Saporlegnia*, 78  
*Sapphirina*, 329  
*Saprinus*, 387  
*Saprodinium*, 27  
*Saprolegnia*, 80  
*Sapromyza* (*Sapromyza*), 446  
*Saprosites*, 405  
*Saptha*, 554  
*Saracenaria*, 43  
*Sarbanissa*, 593  
*Sarcandra*, 266  
*Sarcinodes*, 572  
*Sarcinomyces*, 100  
*Sarcococca*, 252  
*Sarcodia*, 178  
*Sarcodon*, 158  
*Sarcographa*, 124  
*Sarcogyne*, 107  
*Sarcophaga*, 453  
*Sarcophyton*, 289  
*Sarcophyton*, 240  
*Sarcopolia*, 593  
*Sarcopteran*, 593  
*Sarcoptes*, 315  
*Sarcopyramis*, 265  
*Sarcoscypha*, 128  
*Sarcotakaops*, 454  
*Sarda*, 770  
*Sardinella*, 743  
*Sardinops*, 743  
*Sargassum*, 77  
*Sargocentron*, 743  
*Sargus*, 456  
*Saridoscelis*, 613  
*Sarima*, 493  
*Sarimodes*, 493  
*Sarmyadus*, 358  
*Scaptadium*, 100  
*Sarocca*, 49  
*Saron*, 640  
*Sarophorum*, 92  
*Saruallis*, 477  
*Sasakia*, 600  
*Sasaokaea*, 202  
*Sassafras*, 263  
*Sassia*, 692  
*Sastragala*, 470  
*Sasunaga*, 593  
*Satarupa*, 576  
*Sathytes*, 417  
*Satablephara*, 572  
*Satrapia*, 601  
*Satrius*, 536  
*Satsuma*, 721  
*Saturnius*, 299  
*Satyrichthys*, 776  
*Satyrium*, 580  
*Saula*, 384  
*Saurauia*, 281  
*Saurenehelys*, 739  
*Saurida*, 741  
*Sauris*, 572  
*Saururus*, 266  
*Saussurea*, 245  
*Savignyella*, 727  
*Savillea*, 49  
*Saxicola*, 791  
*Saxifraga*, 273  
*Saxiglossum*, 221  
*Saxostrea*, 667  
*Scabiosa*, 250  
*Scabricola*, 710  
*Scabrotrophon*, 712  
*Scadra*, 503  
*Scaerugus*, 676  
*Scaevola*, 246  
*Scalida*, 333  
*Scalidion*, 348  
*Scalopidia*, 639  
*Scalpellum*, 656  
*Scalptia*, 704  
*Scambus* (*Ateleophadnus*), 536  
*Scambus* (*Endromopoda*), 536  
*Scambus* (*Scambus*), 536  
*Scandarma*, 639  
*Scantius*, 502  
*Scapharca*, 662  
*Scaphidema*, 422  
*Scaphidium*, 100  
*Scaphidium*, 417  
*Scaphisoma*, 417  
*Scaphobaeocera*, 417  
*Scaphocalanus*, 327  
*Scaphoideus*, 485  
*Scaphotettix*, 485  
*Scaphoxium*, 417  
*Scapophyllia*, 294  
*Scaptodrosophila*, 442  
*Scaptomyza*  
(*Parascaptomyza*), 443  
*Scaptomyza* (*Scaptomyza*), 443  
*Scardamia*, 572  
*Scaridium*, 303  
*Scarites*, 348  
*Scartelaos*, 760  
*Scartella*, 753  
*Scarus*, 769  
*Scasiba*, 606  
*Scatella*, 445  
*Scathophaga*, 454  
*Scatophagus*, 770  
*Scatopsciara*, 454  
*Scatopsini*, 454  
*Scedella*, 464  
*Scedopla*, 593  
*Scelio*, 543  
*Sceliphron*, 544  
*Scelodonta*, 369  
*Scenedesmus*, 186  
*Scenedra*, 605  
*Scenocharops*, 536  
*Scenopinus*, 454  
*Schedocleidochasma*, 727  
*Schefflera*, 242  
*Scheloribates*, 319  
*Schenckiella* (*Martinotiella*), 39  
*Schenklingia*, 369  
*Schidium*, 503  
*Schiffnerula*, 83  
*Schima*, 282  
*Schindleria*, 770  
*Schinostethus*, 398  
*Schioldtella*, 484  
*Schisandra*, 259  
*Schismatoglottis*, 224  
*Schismatogobius*, 760  
*Schismatomma*, 85  
*Schistidium*, 201  
*Schistophleps*, 552  
*Schistophyle*, 572  
*Schistopselaphus*, 397  
*Schizaceae*, 307  
*Schizachyrium*, 231  
*Schizaea*, 222  
*Schizaphis*, 474  
*Schizaphis* (*Paraschizaphis*), 474  
*Schizaspidia*, 523  
*Schizaster*, 731  
*Schizocerca*, 302  
*Schizochelisoche*, 424  
*Schizochlamys*, 188  
*Schizochytrium*, 68  
*Schizolachnus*, 493  
*Schizomeris*, 182  
*Schizomitrium*, 201  
*Schizoparme*, 86  
*Schizophragma*, 273  
*Schizophroida*, 641  
*Schizophrys*, 641  
*Schizophyllum*, 144  
*Schizopora*, 150  
*Schizosaccharomyces*, 140  
*Schizoscelus*, 632  
*Schizostachyum*, 231  
*Schizotetranychus*, 304  
*Schizothrix*, 17  
*Schizothyrium*, 116  
*Schizotrachelus*, 338  
*Schizymenia*, 180  
*Schizzaphis*  
(*Paraschizaphis*), 493  
*Schlechtendalia*, 499  
*Schlegelella*, 20  
*Schlotheimia*, 210  
*Schoenoplectus*, 227  
*Schoenorchis*, 240  
*Schoenotenini*, 612  
*Schoenus*, 227  
*Schoepfia*, 276  
*Schoutedenia*, 490  
*Schoutedeniastes*, 340  
*Schrankia*, 593  
*Schreineria*, 536  
*Schrodella*, 65  
*Schroederia*, 183  
*Schroeteriaster*, 160  
*Schuetitia*, 66  
*Schwartziella*, 700  
*Schwarzerium*, 358  
*Schwartziella*, 700  
*Schwenckfeldina*, 454  
*Schwetschkea*, 203  
*Schwetschkeopsis*, 203  
*Schwiebea*, 314  
*Sciades*, 358  
*Sciaenops*, 770  
*Sciaphila*, 241  
*Sciapus*, 439  
*Sciara*, 454  
*Sciarokeroplatus*, 445  
*Scieroptera*, 481  
*Scilla*, 234  
*Scina*, 633  
*Scinaia*, 180  
*Scincella*, 783  
*Sciocoris*, 500  
*Scionomia*, 572  
*Scirpophaga*, 559  
*Scirpus*, 227  
*Scirtes*, 406  
*Scirtothrips*, 628  
*Scissurella*, 725  
*Scleria*, 227  
*Sclerochaeta*, 129  
*Sclerocystis*, 171  
*Scleroderma*, 158  
*Sclerodermus*, 510  
*Sclerogenia*, 593  
*Scleroglossum*, 219  
*Scleron*, 423  
*Scleronephthya*, 290  
*Sclerophion*, 536  
*Sclerophyton*, 85  
*Sclerospora*, 81  
*Sclerotinia*, 94  
*Sclerotium*, 146  
*Sclomina*, 503  
*Scolecenchelys*, 740  
*Scolecotrichum*, 100  
*Scolecithricella*, 327  
*Scolecithrix*, 327  
*Scolecobasidium*, 100  
*Scolia*, 543  
*Scolia* (*Carinoscolia*), 543  
*Scolia* (*Discolia*), 543  
*Scolia* (*Scolia*), 544  
*Scoliodon*, 734  
*Scoliographa*, 612  
*Scoliophthalmus*, 435  
*Scoliopleura*, 64  
*Scoliopteryx*, 593  
*Scolobates*, 536  
*Scolopax*, 787  
*Scolopendra*, 321  
*Scolopia*, 284  
*Scoloplos*, 660  
*Scolopocryptops*, 321  
*Scoloposcelis*, 473  
*Scolopsis*, 765

## 屬名索引

- Scolothrips*, 628  
*Scolymia*, 294  
*Scolytoplatypus*, 407  
*Scolytus*, 407  
*Scomber*, 770  
*Scomberoides*, 755  
*Scomberomorus*, 770  
*Scombrops*, 770  
*Scopaeus*, 417  
*Scoparia*, 279  
*Scoparia*, 559  
*Scopelodes*, 579  
*Scopelogadus*, 778  
*Scopelophila*, 211  
*Scopelosaurus*, 741  
*Scopimera*, 642  
*Scopula*, 572  
*Scopulariopsis*, 115  
*Scopuloides*, 153  
*Scorias*, 138  
*Scorpaena*, 777  
*Scorpaenodes*, 777  
*Scorpaenopsis*, 777  
*Scortechinia*, 86  
*Scotiella*, 185  
*Scotinophara*, 500  
*Scotiophyes*, 612  
*Scotomedes*, 506  
*Scotophilus*, 795  
*Scottocalanus*, 327  
*Scapter*, 517  
*Scaptia*, 408  
*Scriptoplusia*, 593  
*Scrobipalpa*, 563  
*Scrophularia*, 279  
*Scropophaga*, 559  
*Scrupocellaria*, 726  
*Scutarcopagia*, 673  
*Scutellaria*, 261  
*Scutellastra*, 680  
*Scutellathous*, 383  
*Scutellera*, 504  
*Scutellinia*, 127  
*Scutellospora*, 170  
*Scuticaria*, 739  
*Scutigera*, 321  
*Scutuloris*, 42  
*Scutus*, 679  
*Scydmaenus*, 408  
*Scylaticus*, 428  
*Scylla*, 649  
*Scyllarides*, 644  
*Scyllarus*, 644  
*Scymnodon*, 737  
*Scymnomorphus*, 373  
*Scymnus*, 373  
*Scymnus (Neopullus)*, 373  
*Scymnus (Parapullus)*, 373  
*Scymnus (Pullus)*, 373  
*Scymnus (Scymnus)*, 373  
*Scytalidium*, 101  
*Scythos*, 385  
*Scythris*, 606  
*Scytinostroma*, 156  
*Scytodes*, 312  
*Scytonema*, 15  
*Scytosiphon*, 76  
*Sebastapistes*, 777  
*Sebastiscus*, 777  
*Sebdenia*, 179  
*Secale*, 231  
*Secutor*, 763  
*Sedum*, 271  
*Seguenzia*, 681  
*Sejanus*, 498  
*Selaginella*, 212  
*Selar*, 755  
*Selaroides*, 755  
*Selaserica*, 405  
*Selenanthias*, 772  
*Selenaspides*, 489  
*Selenastrum*, 185  
*Seleniopsis*, 573  
*Selenodesmium*, 214  
*Selenomphalus*, 489  
*Selenophoma*, 101  
*Selenops*, 312  
*Selenoptyx*, 722  
*Selenothrips*, 628  
*Selepa*, 596  
*Selinia*, 101  
*Semachrysa*, 615  
*Semanotus*, 358  
*Sematophyllum*, 205  
*Semecarpus*, 276  
*Semelangulus*, 673  
*Semelaspidus*, 489  
*Semele*, 672  
*Semia*, 481  
*Semiaphis*, 474  
*Semiaquelegia*, 269  
*Semiarundinaria*, 231  
*Semicassis*, 690  
*Semicixius*, 483  
*Semidalis*, 615  
*Semidonta*, 598  
*Semiothisa*, 573  
*Semiothisops*, 593  
*Semipallium*, 668  
*Semisulcospira*, 698  
*Semivertagus*, 694  
*Semniotes*, 612  
*Semnostola*, 612  
*Senachroia*, 605  
*Senecio*, 245  
*Senna*, 256  
*Senobolma*, 683  
*Senoclidea*, 546  
*Sepedon*, 454  
*Sepedonium*, 104  
*Sepinus*, 418  
*SepedoPhilus*, 418  
*Sepedophilus*, 417  
*Sephilus*, 383  
*Sephisa*, 600  
*Sepia*, 676  
*Sepia (Doratosepion)*, 676  
*Sepia (Rhombosepion)*, 676  
*Sepiadarium*, 676  
*Sepiella*, 676  
*Sepiolina*, 676  
*Septeuthis*, 677  
*Sepsidoscinis*, 435  
*Sepsis*, 455  
*Septaria*, 680  
*Septifer*, 664  
*Septobasidium*, 159  
*Septomyrothecium*, 101  
*Septonema*, 87  
*Septoria*, 122  
*Septoriella*, 101  
*Serangium*, 373  
*Seraniella*, 373  
*Serendiba*, 503  
*Sergentomyia*  
(*Sergentomyia*), 452  
*Sergestes*, 650  
*Sergia*, 650  
*Seriana*, 480  
*Seriatopora*, 294  
*Serica*, 405  
*Sericoderus*, 374  
*Sericomyia*, 458  
*Sericopimpla*, 536  
*Sericus*, 383  
*Serinthothrips*, 626  
*Seriola*, 755  
*Seriolina*, 755  
*Serissa*, 274  
*Serixia*, 358  
*Serpulorbis*, 702  
*Serranocirrhitus*, 772  
*Serratia*, 21  
*Serraticardia*, 177  
*Serratosagitta*, 728  
*Serriformax*, 385  
*Serrivomer*, 740  
*Serrodes*, 593  
*Serrognathus*, 392  
*Servillia*, 461  
*Sesamia*, 593  
*Sesarmops*, 639  
*Sesbania*, 256  
*Seseria*, 576  
*Sesuvium*, 247  
*Setacera*, 445  
*Setaleyrodes*, 472  
*Setanta*, 536  
*Setarches*, 777  
*Setaria*, 231  
*Sethophormis*, 47  
*Setipinna*, 743  
*Setocampanula*, 135  
*Setodes*, 630  
*Setomorpha*, 609  
*Setoptus*, 308  
*Setora*, 579  
*Setosecundus*, 307  
*Setylaides*, 405  
*Severinia*, 275  
*Seynesia*, 137  
*Shaira*, 369  
*Shairella*, 369  
*Shaka*, 598  
*Shevtchenkella*, 307  
*Shewanella*, 20  
*Shibataea*, 232  
*Shijimia*, 580  
*Shinghikalia*, 373  
*Shinikaia*, 638  
*Shinjia*, 474  
*Shirozuella*, 373  
*Shisa*, 554  
*Shivaphis*, 477  
*Shortia*, 250  
*Siagonium*, 418  
*Sialis*, 617  
*Sibatania*, 573  
*Sibatanozephyrus*, 580  
*Sibbaldia*, 273  
*Sibynophis*, 783  
*Siccia*, 552  
*Sicyonia*, 650  
*Sicyopterus*, 760  
*Sicyopus*, 760  
*Sida*, 263  
*Siderastrea*, 295  
*Siderocelis*, 185  
*Sieboldius*, 618  
*Sierraphytoptus*, 308  
*Siganus*, 772  
*Sigara*, 484  
*Sigesbeckia*, 246  
*Siglophora*, 596  
*Sigmatoneura*, 624  
*Sigmoidella*, 43  
*Sigmoilina*, 42  
*Sigmoilina (Spirosigmoilina)*, 42  
*Sigmophora*, 524  
*Sigmops*, 778  
*Sigmuncus*, 593  
*Signochrysa*, 615  
*Silba*, 446  
*Silbomyia*, 429  
*Silene*, 248  
*Siler*, 312  
*Silesis*, 383  
*Siliqua*, 670  
*Siliquaria*, 701  
*Silivius*, 459  
*Sillago*, 772  
*Silurus*, 778  
*Silvanophus*, 409  
*Silvanoprus*, 409  
*Silvanopsis*, 409  
*Silvanus*, 409  
*Silvestraspis*, 489  
*Silvestridia*, 623  
*Silvius*, 459  
*Simblum*, 150  
*Simenchelys*, 740  
*Similosodus*, 359  
*Simodactylus*, 383  
*Simorhynchotus*, 632  
*Simplexvirus*, 6  
*Simplexvirus*, 6  
*Simplicia*, 593  
*Simplicibracon*, 514

## 屬名索引

- Simplicifusus*, 709  
*Simplocaria*, 340  
*Simulium (Comphostibia)*, 455  
*Simulium (Eusimulium)*, 455  
*Simulium (Simulium)*, 455  
*Simulium (Wallacellum)*, 455  
*Sinaechinocyamus*, 730  
*Sinarella*, 594  
*Sinensis*, 579  
*Sinesarima*, 493  
*Sineugraphe*, 594  
*Singapore*, 480  
*Singhalesia*, 498  
*Singhaplax*, 639  
*Singhiella*, 472  
*Singhikalia*, 374  
*Singhius*, 472  
*Sinibotys*, 559  
*Sinibrama*, 744  
*Sinicaepermania*, 561  
*Sinicephus*, 516  
*Sinictinogomphus*, 618  
*Sinna*, 596  
*Sinoadina*, 274  
*Sinobambusa*, 232  
*Sinobdella*, 779  
*Sinoboletus*, 147  
*Sinocalanus*, 324  
*Sinocapritermes*, 550  
*Sinochresta*, 523  
*Sinocrepis*, 369  
*Sinocymbachus*, 384  
*Sinodrepanus*, 405  
*Sinoennea*, 724  
*Sinogastromyzon*, 744  
*Sinogeotrupes*, 385  
*Sinogomphus*, 618  
*Sinolachnus*, 493  
*Sinolestes*, 619  
*Sinomegoura*, 474  
*Sinomenium*, 269  
*Sinonatrix*, 783  
*Sinonipponaphis*, 491  
*Sinonovacula*, 672  
*Sinopanax*, 242  
*Sinophasma*, 621  
*Sinophorus*, 536  
*Sinopoda*, 312  
*Sinopontius*, 657  
*Sinoquernaspis*, 489  
*Sinorhizobium*, 19  
*Sinostrangalia*, 359  
*Sinotaia*, 702  
*Sinotermitomyces*, 146  
*Sinotilla*, 539  
*Sinoxylon*, 337  
*Sinskea*, 208  
*Sinthusia*, 580  
*Sintor*, 336  
*Sinularia*, 289  
*Sinum*, 691  
*Siobla*, 546  
*Sipalomimus*, 377  
*Sipalus*, 377  
*Siphamia*, 752  
*Siphonalia*, 704  
*Siphonaperta*, 42  
*Siphonaria*, 684  
*Siphonina*, 44  
*Siphonochelus*, 712  
*Siphonocladus*, 191  
*Siphonodosaria*, 44  
*Siphonofusus*, 704  
*Siphonogorgia*, 290  
*Siphonosoma*, 661  
*Siphonosphaera*, 47  
*Siphonostegia*, 279  
*Siphoscutula*, 44  
*Siphouvigerina*, 45  
*Siphunculina*, 435  
*Sipphonodosaria*, 44  
*Sipunculus*, 661  
*Sipyloidea*, 621  
*Siraitia*, 284  
*Siratus*, 712  
*Sirembo*, 750  
*Sirobasidium*, 158  
*Sirosporium*, 101  
*Sirthenea*, 503  
*Sistotrema*, 156  
*Sisymbrium*, 247  
*Sisyrrinchium*, 233  
*Sisyropa*, 461  
*Sisyrophora*, 559  
*Sitalina*, 723  
*Sitobion*, 475  
*Sitotroga*, 563  
*Sitta*, 791  
*Sitticus*, 312  
*Sium*, 242  
*Sivacrypticus*, 423  
*Sivanesia*, 89  
*Skeatia*, 536  
*Skeletocutis*, 155  
*Skeletonema*, 75  
*Skierka*, 162  
*Skimmia*, 275  
*Sloanea*, 263  
*Smaragdia*, 680  
*Smaragdina*, 369  
*Smaragdinella*, 685  
*Smeringopus*, 311  
*Smerinthothrips*, 627  
*Smerinthulus*, 608  
*Smerithothrips*, 627  
*Smicromyrme*, 539  
*Smilacicola*, 489  
*Smilacina*, 234  
*Smilax*, 234  
*Smithia*, 256  
*Smittia*, 433  
*Smittoidea*, 727  
*Snellenius*, 514  
*Snyderina*, 777  
*Sobolevicanthus*, 297  
*Sofota*, 348  
*Sohaerellopsis*, 65  
*Soita*, 464  
*Solanum*, 280  
*Solatisonax*, 686  
*Solea*, 775  
*Solecurtus*, 672  
*Solegnathus*, 747  
*Soleichthys*, 775  
*Solemya*, 669  
*Solen*, 672  
*Solena*, 284  
*Solenocaulon*, 290  
*Solenocera*, 651  
*Solenophaera*, 46  
*Solenopotes*, 621  
*Solenopsis*, 527  
*Solenostethium*, 504  
*Solenostomus*, 746  
*Solenura*, 543  
*Soletellina*, 672  
*Soleula*, 307  
*Solidago*, 246  
*Solidicorbula*, 663  
*Solieria*, 179  
*Soliva*, 246  
*Solocisquama*, 748  
*Solorina*, 126  
*Solosympodiella*, 101  
*Solve*, 455  
*Somadasys*, 577  
*Somanniathelphusa*, 646  
*Somatina*, 573  
*Somatochlora*, 618  
*Somana*, 582  
*Somera*, 598  
*Somotrichus*, 348  
*Sonagara*, 608  
*Sonchus*, 246  
*Sonerila*, 265  
*Sophianus*, 498  
*Sophiothrips*, 627  
*Sophora*, 256  
*Sophonica*, 359  
*Sophrops*, 405  
*Sophta*, 594  
*Sora*, 423  
*Sorbus*, 273  
*Sordaria*, 134  
*Sorghothrips*, 628  
*Sorghum*, 232  
*Sorhoanus*, 480  
*Soriculus*, 795  
*Sorites*, 44  
*Soritia*, 614  
*Sorolopha*, 612  
*Soronia*, 397  
*Soropediastrum*, 184  
*Sorosporium*, 167  
*Sorsogona*, 776  
*Sosylus*, 337  
*Sousa*, 794  
*Sowerbyella*, 127  
*Spadicoides*, 135  
*Spaeroderma*, 369  
*Spalangia*, 543  
*Spalgis*, 580  
*Spaniocelyphus*, 430  
*Spaniocentra*, 573  
*Spaniolinus*, 418  
*Spaniotoma*, 433  
*Sparasion*, 543  
*Sparassis*, 146  
*Sparganium*, 241  
*Spartaeus*, 312  
*Spartimas*, 456  
*Spatialia*, 598  
*Spatialina*, 598  
*Spatialistis*, 612  
*Spatangus*, 731  
*Spathiomorpha*, 514  
*Spathiostenus*, 514  
*Spathius*, 514  
*Spathoglottis*, 240  
*Spathulina*, 464  
*Spatoglossum*, 76  
*Spatularia*, 609  
*Spatulifimbria*, 579  
*Spatulignatha*, 578  
*Spatulipalpia*, 605  
*Spegazinia*, 101  
*Spegazzina*, 101  
*Spegazzinia*, 101  
*Speiredonia*, 594  
*Speiropsis*, 101  
*Spengleria*, 663  
*Speophilosoma*, 331  
*Spergula*, 248  
*Spermacoce*, 274  
*Spermophora*, 311  
*Spermospora*, 101  
*Sphacelaria*, 77  
*Sphaceloma*, 123  
*Sphacelotheca*, 159  
*Sphaeniscus*, 464  
*Sphaenoraia*, 369  
*Sphaeramia*, 752  
*Sphaeranthus*, 246  
*Sphaerellopsis*, 130  
*Sphaeridium*, 388  
*Sphaerirostris*, 301  
*Sphaerium*, 672  
*Sphaerobolus*, 150  
*Sphaerocalyptra*, 67  
*Sphaerocaryum*, 232  
*Sphaerococcus*, 177  
*Sphaerocystis*, 188  
*Sphaeroderma*, 369  
*Sphaerodopsis*, 128  
*Sphaerodromia*, 637  
*Sphaeroidina*, 44  
*Sphaeroidinella*, 44  
*Sphaeroidinellopsis*, 40  
*Sphaeroliodes*, 391  
*Sphaeromyias*, 432  
*Sphaerophoria*, 458  
*Sphaerophorus*, 112  
*Sphaerophragmium*, 166  
*Sphaerosporella*, 127  
*Sphaerostilbe*, 105  
*Sphaerotherca*, 90  
*Sphaerotherciella*, 207  
*Sphaerotrypes*, 407

## 屬名索引

- Sphaerozius*, 637  
*Sphaerozoma*, 194  
*Sphaerzosma*, 194  
*Sphaerulina*, 123  
*Sphagemacurus*, 746  
*Sphagnum*, 212  
*Spharopsis*, 101  
*Sphaciospongia*, 288  
*Sphécodes*, 529  
*Sphedanolestes*, 503  
*Sphagina*, 458  
*Sphenarches*, 603  
*Sphenella*, 464  
*Sphenoclea*, 246  
*Sphenocorynus*, 377  
*Sphenoderia*, 37  
*Sphenodesme*, 262  
*Sphenomeris*, 219  
*Sphenomorpbus*, 783  
*Sphenomorphus*, 783  
*Spheroneomura*, 622  
*Sphex*, 544  
*Sphinctotropis*, 336  
*Sphingius*, 311  
*Sphingobium*, 20  
*Sphinx*, 608  
*Sphinxis*, 377  
*Spherooides*, 781  
*Sphragifera*, 594  
*Sphyraena*, 772  
*Sphyrna*, 735  
*Spicaria*, 92  
*Spilarctia*, 553  
*Spilocoelis*, 615  
*Spilocosmia*, 464  
*Spilomena*, 520  
*Spilonota*, 612  
*Spilopteron*, 536  
*Spilornis*, 785  
*Spiloscapa*, 423  
*Spilosmylus*, 617  
*Spilosoma*, 553  
*Spilostethus*, 495  
*Spinacus*, 307  
*Spinaria*, 515  
*Spincterules*, 45  
*Spindasis*, 580  
*Spinibarbus*, 744  
*Spinifex*, 232  
*Spinimegopsis*, 359  
*Spiniphryne*, 748  
*Spiniplicatula*, 668  
*Spiniscalca*, 687  
*Spinocalanus*, 327  
*Spinosipella*, 666  
*Spinturnix*, 316  
*Spiraea*, 273  
*Spiralisigna*, 573  
*Spirama*, 594  
*Spiranthes*, 240  
*Spirema*, 46  
*Spiridens*, 197  
*Spirillina*, 44  
*Spirobolus*, 333  
*Spirocyrtilis*, 47  
*Spirodela*, 224  
*Spirogyphus*, 702  
*Spirogyra*, 195  
*Spiroloculina*, 44  
*Spiroloculina (Sigmoilina)*, 44  
*Spirometra*, 298  
*Spiropagurus*, 643  
*Spiroplasma*, 19  
*Spiroplectammina*, 44  
*Spirosigmoilina*, 42  
*Spirostomum*, 25  
*Spirostrophus*, 332  
*Spirotaenia*, 195  
*Spirulina*, 17  
*Spizaetus*, 785  
*Spizellomtes*, 167  
*Spizellomyces*, 169  
*Spizixos*, 791  
*Splachnobryum*, 200  
*Splanchnonema*, 130  
*Spliarctia*, 553  
*Spodiopogon*, 232  
*Spodoptera*, 594  
*Spoladea*, 559  
*Spondervilia*, 671  
*Spondotriplax*, 385  
*Spondylosium*, 194  
*Spondylocadium*, 130  
*Spondylomorom*, 189  
*Spondylosium*, 194  
*Spondylus*, 668  
*Spongaster*, 48  
*Spongicola*, 651  
*Spongicoloides*, 651  
*Spongocore*, 48  
*Spongodiscus*, 48  
*Spongoliva*, 46  
*Spongotrochus*, 46  
*Spongovostox*, 425  
*Sporidesmiella*, 101  
*Sporidesmium*, 101  
*Sporidiobolus*, 159  
*Sporobolomyces*, 159  
*Sporobolus*, 232  
*Sporodiniella*, 172  
*Sporopodium*, 108  
*Sporormiella*, 132  
*Sporoschisma*, 85  
*Sporothrix*, 124  
*Sporotrichum*, 140  
*Spratelloides*, 743  
*Springeratus*, 756  
*Springerichthys*, 773  
*Spulerina*, 575  
*Spuristyloptera*, 443  
*Spyridia*, 175  
*Squalidus*, 744  
*Squaliolus*, 737  
*Squalogadus*, 746  
*Squalus*, 737  
*Squamopleura*, 725  
*Squamura*, 554  
*Squatina*, 737  
*Squatinnella*, 302  
*Squilloides*, 655  
*Stachybotrys*, 101  
*Stachycoremium*, 169  
*Stachylidium*, 101  
*Stachylina*, 170  
*Stachyris*, 792  
*Stachys*, 261  
*Stachytarpheta*, 262  
*Stachyurus*, 285  
*Stactobiella*, 629  
*Stagmatophora*, 554  
*Stagonospora*, 130  
*Stalix*, 765  
*Stantonia*, 515  
*Stanulus*, 753  
*Staphylinus*, 418  
*Staphylococcus*, 18  
*Staphylocystis*, 297  
*Staphylotrichum*, 101  
*Statherotis*, 612  
*Statherotomantis*, 612  
*Statherotoxys*, 612  
*Stathmopoda*, 601  
*Statilia*, 614  
*Stauntonia*, 269  
*Staurastrum*, 194  
*Stauratrum*, 195  
*Staurochilus*, 240  
*Staurogyne*, 277  
*Stauroneis*, 64  
*Stauropus*, 598  
*Staurothele*, 135  
*Stavelia*, 664  
*Steatoda*, 313  
*Steccherinum*, 146  
*Stegana (Orthostegana)*, 443  
*Stegana (Oxyphortica)*, 443  
*Stegana (Parastegana)*, 443  
*Stegana (Stegana)*, 443  
*Stegana (Steganina)*, 443  
*Steganomus*, 529  
*Steganopsis*, 446  
*Stegasta*, 563  
*Stegastes*, 768  
*Stegnogramma*, 222  
*Stegobium*, 334  
*Stegopontonia*, 644  
*Stegostoma*, 736  
*Stelgistra*, 639  
*Stelidota*, 397  
*Stellaria*, 248  
*Stellaria*, 703  
*Stellaster*, 729  
*Stellasteropsis*, 729  
*Stellera*, 265  
*Stemmatophora*, 605  
*Stemona*, 235  
*Stemonaria*, 36  
*Stemonitis*, 36  
*Stemonitopsis*, 36  
*Stemphylium*, 132  
*Stenacis*, 307  
*Stenaesthetus*, 418  
*Stenalpheops*, 634  
*Stenaoplus*, 536  
*Stenarella*, 536  
*Stenaulophrys*, 478  
*Stenchaetothrips*, 628  
*Stenella*, 123  
*Stenella*, 794  
*Stenelmis*, 383  
*Steneotarsonemus*, 308  
*Stenomalus*, 359  
*Stenhypena*, 594  
*Stenia*, 559  
*Stenichneumon*, 536  
*Stenichnus*, 408  
*Stenischia*, 625  
*Steno*, 794  
*Stenobracon*, 515  
*Stenocatantops*, 619  
*Stenochinus*, 423  
*Stenochironomus*, 433  
*Stenocladus*, 398  
*Stenodema*, 498  
*Stenodontus*, 536  
*Stenodryas*, 359  
*Stenodyneru*, 549  
*Stenodynerus*, 549  
*Stenogobius*, 760  
*Stenoloba*, 594  
*Stenolophus*, 348  
*Stenoluperus*, 369  
*Stenomelania*, 701  
*Stenomesium*, 524  
*Stenomestopus*, 499  
*Stenommatius*, 428  
*Stenomystax*, 378  
*Stenonabis*, 498  
*Stenopeltis*, 178  
*Stenopirates*, 489  
*Stenopontius*, 658  
*Stenopsocus*, 624  
*Stenopsyche*, 631  
*Stenopsylla*, 505  
*Stenopterobia*, 66  
*Stenoptilia*, 603  
*Stenoptiloides*, 603  
*Stenopus*, 651  
*Stenorhis*, 336  
*Stenoscinis*, 435  
*Stenosemus*, 726  
*Stenosoprops*, 405  
*Stenotarsonemus*, 308  
*Stenotarsus*, 384  
*Stenothemus*, 342  
*Stenothyra*, 701  
*Stenotrophomonas*, 21  
*Stenotus*, 498  
*Stentor*, 26  
*Stentorella*, 25  
*Stenus*, 418  
*Stenygrinum*, 359  
*Stephanacantha*, 49  
*Stephanandra*, 273  
*Stephania*, 269  
*Stephanitis*, 504  
*Stephanoconus*, 707  
*Stephanodes*, 540  
*Stephanodiscus*, 73

## 屬名索引

- Stephanoeca*, 49  
*Stephanolepis*, 780  
*Stephanometra*, 730  
*Stephanopyxis*, 73  
*Stephensoniana*, 659  
*Stephos*, 327  
*Stercorarius*, 787  
*Sterculia*, 264  
*Stereocaulon*, 112  
*Stereodon*, 202  
*Stereophaedusa*, 722  
*Stereophyllum*, 204  
*Stereopsis*, 154  
*Stereosandra*, 240  
*Stereum*, 158  
*Sterigmatobotrys*, 101  
*Sterna*, 786  
*Sternolophus*, 388  
*Sternoptyx*, 779  
*Stethojulis*, 763  
*Stetholiodes*, 391  
*Stethorus*, 374  
*Stethrous*, 374  
*Sthenaridea*, 498  
*Sthenias*, 359  
*Sthenoteuthis*, 678  
*Stibadocerella*, 468  
*Stiboderes*, 336  
*Stichillus*, 451  
*Stichococcus*, 191  
*Sticholotis*, 374  
*Stichophthalma*, 600  
*Stichopilium*, 46  
*Stichopodium*, 48  
*Stichopogon*, 428  
*Stichopus*, 732  
*Stichotricha*, 26  
*Sticodiscus*, 66  
*Sticta*, 125  
*Stictocardia*, 280  
*Stictodiscus*, 71  
*Stictopisthus*, 536  
*Stictopleureus*, 503  
*Stigeoclonium*, 182  
*Stigmatium*, 371  
*Stigmatophora*, 553  
*Stigmina*, 87  
*Stigmophora*, 64  
*Stigmus*, 520  
*Stilapex*, 692  
*Stilbella*, 101  
*Stilbohypoxylon*, 137  
*Stilbula*, 523  
*Stilbum*, 517  
*Stillicoderus*, 418  
*Stillicopsis*, 418  
*Stilifer*, 692  
*Stiliger*, 720  
*Stilobezzia (Stilobezzia)*, 432  
*Stilpon*, 445  
*Stimpsonia*, 268  
*Stiphodon*, 760  
*Stirexphanes*, 536  
*Stirpuliniola*, 665  
*Stivalius*, 625  
*Stlengis*, 776  
*Stokesiella*, 202  
*Stokesiella*, 69  
*Stolephorus*, 743  
*Stomaphis*, 493  
*Stomatella*, 681  
*Stomias*, 779  
*Stomis*, 348  
*Stomopneustes*, 730  
*Stomorhina*, 429  
*Stomoxys*, 449  
*Stosicia*, 700  
*Strangalia*, 359  
*Strangaliella*, 359  
*Strangalomorpha*, 359  
*Streblacantha*, 46  
*Streblocera*, 515  
*Streblocera (Asiastreblocera)*, 515  
*Streblocera (Cosmophorida)*, 515  
*Streblocera (Streblocera)*, 515  
*Streblocera (Villocera)*, 515  
*Streetsia*, 632  
*Streneoderma*, 336  
*Strepsicrates*, 612  
*Strepsigonia*, 561  
*Strepsinoma*, 559  
*Streptococcus*, 19  
*Streptopelia*, 788  
*Streptopinna*, 664  
*Streptotheca*, 66  
*Streptothece*, 70  
*Streptothrips*, 627  
*Striarca*, 662  
*Striatella*, 55  
*Striatobalanus*, 656  
*Striga*, 279  
*Strigamia*, 320  
*Strigatella*, 710  
*Striglocyrbasia*, 603  
*Strigopagurus*, 636  
*Strigula*, 84  
*Strigulina*, 608  
*Striodentalium*, 726  
*Strix*, 793  
*Strobilanthes*, 277  
*Strobilomyces*, 147  
*Strobilurus*, 143  
*Strobopagurus*, 645  
*Stroggylocephalus*, 475  
*Stromatia*, 681  
*Stromatium*, 359  
*Stromatographium*, 101  
*Strombidium*, 26  
*Strombomonas*, 32  
*Strombus*, 701  
*Stronglyophthalmyia*, 456  
*Strongylium*, 423  
*Strongylogaster*, 546  
*Strongyloneura*, 429  
*Strongylovelia*, 505  
*Strongylura*, 741  
*Stropharia*, 145  
*Strophidon*, 739  
*Strumigenys*, 527  
*Struthiopteris*, 217  
*Struvea*, 190  
*Strychnos*, 259  
*Stuchybotrys*, 101  
*Sturmia*, 461  
*Sturnus*, 791  
*Stylaria*, 659  
*Stylaster*, 296  
*Styliola*, 725  
*Stylissa*, 288  
*Stylocheilus*, 678  
*Stylocheiron*, 653  
*Stylocidaris*, 730  
*Stylocoeniella*, 292  
*Stylodactylus*, 651  
*Stylodictya*, 46  
*Stylogomphus*, 618  
*Stylonema*, 181  
*Stylonychia*, 26  
*Stylophora*, 294  
*Styloptera*, 443  
*Stylosanthes*, 256  
*Stylurus*, 618  
*Styphlomerus*, 348  
*Stypocladus*, 450  
*Styrax*, 251  
*Styringomyia*, 468  
*Suaeda*, 248  
*Suastus*, 576  
*Subaequalitas*, 307  
*Subancistrocerus*, 549  
*Subathous*, 383  
*Subcancilla*, 710  
*Suberea*, 288  
*Subergorgia*, 291  
*Subeucalanus*, 324  
*Subleuconycta*, 594  
*Subsaltiesaphis*, 477  
*Subulicystidium*, 152  
*Subulina*, 724  
*Subulisporea*, 101  
*Succinea*, 724  
*Suctobelbella*, 319  
*Suezichthys*, 763  
*Sufflamen*, 779  
*Suggrundus*, 776  
*Sugia*, 594  
*Sugitania*, 594  
*Suidasia*, 314  
*Suillia*, 445  
*Suillus*, 148  
*Suipoxvirus*, 7  
*Suisha*, 481  
*Sukashitrochus*, 725  
*Sukerato*, 697  
*Sula*, 787  
*Sulcaria*, 107  
*Sulcomesitius*, 510  
*Sulcomitrella*, 705  
*Sulculeolaria*, 296  
*Sulfolobus*, 23  
*Sumnius*, 374  
*Sunagocia*, 776  
*Suncus*, 795  
*Sunesta*, 418  
*Sunettina*, 675  
*Sunipia*, 240  
*Sunius*, 418  
*Supella*, 333  
*Suphalasca*, 615  
*Suphalomitus*, 615  
*Supplanaxis*, 698  
*Surapoda*, 307  
*Surattha*, 559  
*Surirella*, 66  
*Sus*, 793  
*Susica*, 579  
*Suzukia*, 261  
*Swepovirus*, 9  
*Swertia*, 258  
*Swida*, 250  
*Sybra*, 359  
*Sybrida*, 605  
*Sybrodiboma*, 359  
*Sychnostigma*, 536  
*Sycophila*, 524  
*Sycopsis*, 259  
*Sycoryctes*, 506  
*Sycoscapter*, 506  
*Sydaphera*, 704  
*Sydowia*, 89  
*Sylvia*, 792  
*Sylvicola*, 426  
*Symblepharis*, 199  
*Symbolophorus*, 749  
*Symbrenthia*, 600  
*Symmerus (Psilosymmerus)*, 437  
*Symmetricella*, 451  
*Symmorphus*, 549  
*Sympagurus*, 645  
*Sympauropsylla*, 505  
*Sympiezomias*, 377  
*Sympetalistis*, 613  
*Sympetrum*, 619  
*Symphocladia*, 176  
*Symphorus*, 764  
*Symphurus*, 774  
*Symphyllia*, 294  
*Symphyocladia*, 176  
*Symphyodon*, 202  
*Symphysanodon*, 773  
*Symphytocarpus*, 36  
*Sympiesis*, 524  
*Sympis*, 594  
*Symploca*, 17  
*Symploce*, 333  
*Symplocos*, 251  
*Sympodiella*, 101  
*Sympycnus*, 439  
*Synagelides*, 312  
*Synagrops*, 751  
*Synalpheus*, 634  
*Synanceia*, 777  
*Synanthedon*, 606  
*Synaphalara*, 477  
*Synaphobranchus*, 740  
*Synapsis*, 405

## 屬名索引

- Synapta*, 732  
*Synaptocochlea*, 681  
*Synaptura*, 775  
*Syncephalastrum*, 173  
*Syncephalis*, 173  
*Synchaeta*, 303  
*Synchalara*, 561  
*Synchiropus*, 754  
*Synchytrium*, 169  
*Synclisis*, 616  
*Syncoelium*, 299  
*Syndetophyllum*, 49  
*Syndyas*, 444  
*Syneches*, 444  
*Synechococcus*, 14  
*Synechocystis*, 14  
*Synechogobius*, 760  
*Synedra*, 55  
*Synedrella*, 246  
*Synegia*, 573  
*Synegiodes*, 573  
*Syneilesis*, 246  
*Synesarga*, 578  
*Synestius*, 658  
*Syngamia*, 559  
*Syngnathoides*, 747  
*Syngnathus*, 747  
*Synnotum*, 727  
*Synodus*, 741  
*Synona*, 374  
*Synonycha*, 374  
*Synorbitomyia*, 454  
*Synorchestes*, 377  
*Synostemon*, 253  
*Synpsylla*, 502  
*Synstrophus*, 424  
*Syntarucus*, 580  
*Synthesionia*, 449  
*Synthliboramphus*, 785  
*Synthopsis*, 690  
*Syntomaula*, 554  
*Syntomernus*, 515  
*Syntomoza*, 502  
*Syngomus*, 348  
*Syntormon*, 439  
*Syntretomorpha*, 515  
*Syntretus*, 515  
*Syntrichia*, 211  
*Syntypistis*, 598  
*Synuchus*, 348  
*Synura*, 69  
*Sypna*, 594  
*Sypnoides*, 594  
*Syracosphaera*, 68  
*Syrastrena*, 577  
*Syrastrenopsis*, 577  
*Syringophilus*, 308  
*Syritta*, 458  
*Syrmaticus*, 788  
*Syrnola*, 685  
*Syrphoctonus*, 536  
*Syrphophagus*, 522  
*Syrphus*, 458  
*Syrrhopodon*, 211  
*Systellaspis*, 643  
*Systoloneura*, 575  
*Systropus*, 429  
*Syzygium*, 265  
*Syzygospora*, 158  
*Szombatya*, 383  
*Taaningichthys*, 749  
*Taban*, 459  
*Tabanus*, 459  
*Tabellaria*, 74  
*Tabernaemontana*, 258  
*Tacca*, 235  
*Tachardiaephagus*, 522  
*Tachinus*, 418  
*Tachybaptus*, 786  
*Tachydroma*, 444  
*Tachypompilus*, 542  
*Tachyporus*, 419  
*Tachys*, 348  
*Tachysphex*, 520  
*Tachyta*, 348  
*Tachytes*, 520  
*Tachytrechus*, 440  
*Tachyura*, 348  
*Tachyusida*, 419  
*Tadaia*, 723  
*Tadarida*, 794  
*Tadascarta*, 478  
*Tadehagi*, 256  
*Tadorna*, 784  
*Taeneremina*, 594  
*Taeniacanthus*, 331  
*Taenianotus*, 777  
*Taeniastrotos*, 331  
*Taeniodera*, 405  
*Taeniogonalos*, 548  
*Taenioides*, 760  
*Taenioncus*, 397  
*Taeniophyllum*, 240  
*Taeniostigma*, 623  
*Taeniostola*, 464  
*Taeniothrips*, 628  
*Taeniura*, 736  
*Tagetes*, 246  
*Tagiades*, 576  
*Taicallimorpha*, 553  
*Taichius*, 423  
*Taicona*, 348  
*Taijutarus*, 307  
*Taikona*, 606  
*Tainanina*, 429  
*Tainia*, 240  
*Taiocera (Dasymolophilus)*, 468  
*Taipsaphida*, 594  
*Taivaleria*, 594  
*Taiwagenia*, 542  
*Taiwanaenidea*, 369  
*Taiwanajinga*, 359  
*Taiwanaleyrodes*, 472  
*Taiwanaphis*, 477  
*Taiwanascus*, 105  
*Taiwanaspidotus*, 489  
*Taiwanassimineae*, 693  
*Taiwanastrapometis*, 605  
*Taiwanathous*, 383  
*Taiwancylis*, 612  
*Taiwanemobius*, 620  
*Taiwanhormius*, 515  
*Taiwania*, 542  
*Taiwania*, 223  
*Taiwanina*, 468  
*Taiwanobaris*, 377  
*Taiwanobryum*, 206  
*Taiwanobyctiscus*, 377  
*Taiwanocarilia*, 359  
*Taiwanocryphaeus*, 423  
*Taiwanofungus*, 155  
*Taiwanohespera*, 369  
*Taiwanolagria*, 423  
*Taiwanolepta*, 369  
*Taiwanoliprus*, 369  
*Taiwanomenephilus*, 423  
*Taiwanomyia*, 468  
*Taiwanomyrme*, 540  
*Taiwanoporia*, 156  
*Taiwanoppia*, 318  
*Taiwanorestia*, 369  
*Taiwanosemia*, 481  
*Taiwanoserica*, 406  
*Taiwanostethus*, 383  
*Taiwanotagalus*, 423  
*Taiwanotrechus*, 348  
*Taiwanotrichia*, 406  
*Taiyaru*, 383  
*Taizon Ia*, 369  
*Taizonia*, 369  
*Tajuria*, 580  
*Takachihoa*, 314  
*Takanea*, 577  
*Takaomyia*, 458  
*Takapsestis*, 561  
*Takasagoagonum*, 348  
*Takasagohadra*, 721  
*Takecallis*, 477  
*Takedromia*, 637  
*Takifugu*, 781  
*Takydromus*, 783  
*Talanga*, 559  
*Talaromyces*, 92  
*Talbotia*, 603  
*Talinum*, 249  
*Talismania*, 740  
*Tamarixia*, 524  
*Tamba*, 594  
*Tambja*, 720  
*Tamiops*, 795  
*Tamraca*, 605  
*Tanakia*, 744  
*Tanaocheles*, 647  
*Tanaoctenia*, 573  
*Tanaorhinus*, 573  
*Tanaostigmodes*, 544  
*Taneia*, 298  
*Tanna*, 481  
*Tanyarsus*, 433  
*Tanymecus*, 377  
*Tanypus*, 433  
*Tanytingis*, 504  
*Taonius*, 677  
*Tapeinidium*, 219  
*Tapeinus*, 503  
*Tapes*, 675  
*Taphrina*, 140  
*Taphrorychus*, 407  
*Tapinella*, 624  
*Tapinoma*, 528  
*Taractes*, 753  
*Taractichthys*, 753  
*Taraka*, 580  
*Taralla*, 594  
*Taraxacum*, 246  
*Tarebia*, 702  
*Tarenna*, 274  
*Tarpela*, 423  
*Tarphops*, 775  
*Tarsolepis*, 598  
*Tarsonemus*, 308  
*Tarsostenus*, 371  
*Tasta*, 573  
*Tatobotys*, 559  
*Tatria*, 297  
*Tauala*, 312  
*Tautoneura*, 480  
*Taxillus*, 276  
*Taxiphyllum*, 204  
*Taxithelium*, 204  
*Taxonus*, 546  
*Taxus*, 223  
*Tayalopsyche*, 603  
*Tayloria*, 200  
*Taylorilygus*, 498  
*Tebennotoma*, 515  
*Techomyrmex*, 528  
*Tectaria*, 215  
*Tectarius*, 698  
*Tectocephus*, 319  
*Tectus*, 682  
*Tedania (Tedania)*, 288  
*Tegenaria*, 309  
*Tegeocranellus*, 319  
*Tegillarca*, 662  
*Tegolophus*, 307  
*Tegonotus*, 307  
*Tegulifera*, 605  
*Teilingia*, 195  
*Teinoarsina*, 606  
*Teinoptila*, 613  
*Teinostoma*, 681  
*Teinotarsina*, 606  
*Teixeirichthys*, 768  
*Telamoptilia*, 575  
*Telasco*, 713  
*Telaso*, 713  
*Telenomeuta*, 573  
*Telenomus*, 543  
*Teleogryllus*, 620  
*Teleopsis*, 437  
*Telescopium*, 699  
*Telethera*, 606  
*Teleutaea*, 536  
*Telicota*, 576  
*Teliphasa*, 605  
*Tellina*, 673  
*Tellinella*, 673  
*Tellinides*, 673

## 屬名索引

- Tellinimacra*, 673  
*Telmatoscopus*, 452  
*Telmatoscopus (Clogmia)*, 452  
*Telocarphurus*, 394  
*Telorta*, 594  
*Teloscalpellum*, 656  
*Teloschistes*, 135  
*Telosma*, 258  
*Telostholus*, 542  
*Telostylus*, 450  
*Telsimia*, 374  
*Temelucha*, 537  
*Temlepis*, 542  
*Temnalysis*, 336  
*Temnolopha*, 612  
*Temnopleurus*, 731  
*Temnostoma*, 458  
*Temnotrema*, 731  
*Temora*, 327  
*Temorites*, 323  
*Temoropia*, 325  
*Tenacibaculum*, 13  
*Tenaphalara*, 477  
*Tendipus*, 433  
*Tenebrioides*, 424  
*Tenerobotys*, 560  
*Teneroides*, 371  
*Teneropsis*, 371  
*Tenerus*, 371  
*Tenguella*, 712  
*Tenguzo*, 377  
*Tenodera*, 614  
*Tenomerga*, 374  
*Tensha*, 598  
*Tenthredo*, 546  
*Tenthredopsis*, 546  
*Tenthredopsis (Thomsonia)*, 546  
*Tentidonax*, 670  
*Tentoriceps*, 773  
*Tenualosa*, 743  
*Tenuibaetis*, 469  
*Tenuipalpus*, 308  
*Tenuivirus*, 9  
*Tephrinectes*, 775  
*Tephritis*, 464  
*Tephromela*, 107  
*Tephrosieris*, 246  
*Tephrosia*, 256  
*Tepidimonas*, 20  
*Teradaia*, 348  
*Teramachia*, 719  
*Teramnus*, 256  
*Terapon*, 773  
*Terastia*, 560  
*Teratoclytus*, 359  
*Teratoglaea*, 594  
*Teratosperma*, 101  
*Teratozephyrus*, 580  
*Terebella*, 661  
*Terebellum*, 701  
*Terebra*, 714  
*Terebralia*, 699  
*Teredo*, 663  
*Teredora*, 663  
*Teredothyra*, 663  
*Teretrius*, 387  
*Termatophylum*, 498  
*Terminalia*, 264  
*Termioptycha*, 605  
*Termitomyces*, 146  
*Terna*, 664  
*Ternstroemia*, 282  
*Terpsimya*, 440  
*Terpsinoe*, 69  
*Terpsiphone*, 790  
*Terranova*, 301  
*Terschellingia*, 301  
*Terthreutis*, 612  
*Teschovirus*, 4  
*Tessaratomya*, 504  
*Testudinella*, 302  
*Testudobracon*, 515  
*Testudovolva*, 698  
*Tethea*, 561  
*Tethina*, 464  
*Tethyaster*, 728  
*Tetmemorus*, 195  
*Tetra*, 308  
*Tetrachlorella*, 183  
*Tetracladium*, 101  
*Tetraclita*, 656  
*Tetraclitella*, 657  
*Tetracystis*, 183  
*Tetrademus*, 183  
*Tetradium*, 275  
*Tetraedron*, 183  
*Tetragenococcus*, 18  
*Tetragantha*, 313  
*Tetragonia*, 247  
*Tetragonomenes*, 423  
*Tetragonus*, 553  
*Tetrahymena*, 25  
*Tetraleurodes*, 472  
*Tetralia*, 651  
*Tetrallantos*, 187  
*Tetralonia*, 509  
*Tetralonioidella*, 509  
*Tetrameracarus*, 308  
*Tetramesa*, 524  
*Tetramoera*, 612  
*Tetramorium*, 528  
*Tetranephris*, 183  
*Tetraneura*, 499  
*Tetraneura (Tetraneurella)*, 499  
*Tetranychus*, 304  
*Tetraommatus*, 359  
*Tetrapanax*, 242  
*Tetraphala*, 385  
*Tetraphis*, 212  
*Tetraphyllus*, 423  
*Tetraplektron*, 65  
*Tetrapleurus*, 419  
*Tetraploa*, 129  
*Tetraplodon*, 200  
*Tetraponera*, 528  
*Tetrapturus*, 761  
*Tetrapyle*, 47  
*Tetraspora*, 188  
*Tetrastichus*, 524  
*Tetrasticta*, 419  
*Tetrastigma*, 270  
*Tetrastrum*, 187  
*Tetrathyrus*, 632  
*Tetratritoma*, 385  
*Tetridia*, 560  
*Ternstroemia*, 282  
*Tetrochetus*, 299  
*Tetroda*, 500  
*Tetrosomus*, 780  
*Tettigella*, 480  
*Tettigomyces*, 106  
*Tettigonia*, 480  
*Teucholabis*, 468  
*Teucrium*, 261  
*Texara*, 447  
*Textularia*, 44  
*Textularia (Siphotextularia)*, 45  
*Thacra*, 308  
*Thaia (Nlunga)*, 480  
*Thaia (Thaia)*, 480  
*Thais*, 712  
*Thala*, 708  
*Thalamita*, 649  
*Thalamoporella*, 727  
*Thalassia*, 232  
*Thalassina*, 651  
*Thalassionema*, 67  
*Thalassiosira*, 75  
*Thalassiothria*, 65  
*Thalassiothrix*, 67  
*Thalassius*, 312  
*Thalassodes*, 573  
*Thalassograpsus*, 639  
*Thalassoma*, 763  
*Thalatta*, 594  
*Thalia*, 734  
*Thalictrum*, 269  
*Thamnaconus*, 780  
*Thamnacus*, 308  
*Thamneus*, 631  
*Thamnidium*, 173  
*Thamnobius*, 377  
*Thamnobryum*, 209  
*Thamnocephalis*, 173  
*Thamnia*, 113  
*Thamnotettix*, 485  
*Thanatophorus*, 149  
*Thanatophilus*, 408  
*Thaneroclerus*, 424  
*Thatcheria*, 718  
*Thaumaglossa*, 378  
*Thaumastocheles*, 642  
*Thaumastochloa*, 232  
*Thaumastopeus*, 406  
*Thaumastoptera (Taiwanita)*, 468  
*Thaumatichthys*, 748  
*Thaumatographa*, 612  
*Thaumatoleon*, 616  
*Thaumatomyia*, 435  
*Thaumatoptyx*, 722  
*Thaumatosmylus*, 617  
*Thecobathra*, 613  
*Thecocarcelia*, 461  
*Thecophora*, 435  
*Thecotheus*, 127  
*Theissenia*, 137  
*Thekopsora*, 166  
*Thelacantha*, 310  
*Thelasis*, 240  
*Thelcticopis*, 310  
*Thelebolus*, 135  
*Thelenota*, 732  
*Thelephora*, 158  
*Theleporus*, 152  
*Thelepus*, 661  
*Theligonum*, 275  
*Thelodesmus*, 332  
*Thelotrema*, 124  
*Thelypteris*, 222  
*Themeda*, 232  
*Themiste*, 661  
*Themistella*, 631  
*Themisto*, 631  
*Themus (Haplothemus)*, 342  
*Themus (Telephorops)*, 343  
*Themus (Themus)*, 343  
*Thenus*, 644  
*Theocon*, 46  
*Theocorythium*, 47  
*Theonella*, 288  
*Theopea*, 369  
*Theophormis*, 46  
*Theopilium*, 46  
*Theopompa*, 614  
*Theora*, 672  
*Theorica*, 612  
*Therates*, 348  
*Theretra*, 608  
*Thereuonema*, 321  
*Thereupoda*, 321  
*Theridion*, 313  
*Therion*, 537  
*Thermistis*, 359  
*Thermoascus*, 92  
*Thermocyclops*, 329  
*Thermomyces*, 101  
*Theronia*, 537  
*Thesium*, 276  
*Thespesia*, 264  
*Thiara*, 702  
*Thielavia*, 134  
*Thielaviopsis*, 115  
*Thinophilus*, 440  
*Thinopteryx*, 573  
*Thiotricha*, 563  
*Thismia*, 235  
*Thitarodes*, 575  
*Thladiantha*, 284  
*Thlaspi*, 232  
*Thlaspidia*, 369  
*Thliptoceras*, 560  
*Tholospyrus*, 46  
*Tholymis*, 619  
*Thomismus*, 314  
*Thomsoniella*, 485

## 屬名索引

- Thor*, 640  
*Thoracochirus*, 419  
*Thoracophorus*, 419  
*Thoracostrongylus*, 419  
*Thorakomonas*, 189  
*Thoressa*, 576  
*Thosea*, 579  
*Thranius*, 359  
*Thraulius*, 470  
*Thraustochytrium*, 68  
*Thraustothea*, 80  
*Threskiornis*, 787  
*Thressa*, 435  
*Thrips*, 628  
*Thrixspermum*, 240  
*Thryssa*, 743  
*Thuarea*, 232  
*Thubana*, 578  
*Thuidium*, 206  
*Thunbergia*, 277  
*Thunbergia*, 495  
*Thunnus*, 770  
*Thyas*, 594  
*Thyasira*, 673  
*Thyatira*, 561  
*Thyca*, 702  
*Thyestilla*, 359  
*Thymaris*, 537  
*Thymopides*, 642  
*Thyone*, 732  
*Thyreus*, 509  
*Thyridium*, 85  
*Thyris*, 608  
*Thyrocarpus*, 260  
*Thyropus*, 632  
*Thyrsitoides*, 757  
*Thyrsostachys*, 232  
*Thyrsostoma*, 563  
*Thysanactis*, 779  
*Thysanaspis*, 489  
*Thysanichthys*, 777  
*Thysanocardia*, 661  
*Thysanoflorinia*, 489  
*Thysanoidma*, 560  
*Thysanolaena*, 232  
*Thysanophrys*, 776  
*Thysanopoda*, 654  
*Thysanoptyx*, 553  
*Thysanoteuthis*, 677  
*Thysanotus*, 234  
*Tiachlidium*, 101  
*Tiamedon*, 647  
*Tiarella*, 273  
*Tiarella*, 710  
*Tiarinia*, 641  
*Tiarocoris*, 500  
*Tiarodes*, 503  
*Tibia*, 701  
*Tibicen*, 481  
*Tiffaniella*, 175  
*Tigrioides*, 553  
*Tilapia*, 756  
*Tilletia*, 167  
*Tilloidea*, 371  
*Tillus*, 371  
*Timandra*, 573  
*Timandromorpha*, 573  
*Timasius*, 490  
*Timavia*, 461  
*Timelaea*, 600  
*Timmiella*, 211  
*Timomenus*, 425  
*Timonius*, 275  
*Tindaria*, 665  
*Tinea*, 609  
*Tineola*, 609  
*Tineovertex*, 609  
*Tingitopsis*, 498  
*Tingitotum*, 498  
*Tingis*, 504  
*Tinissa*, 609  
*Tinocallis*, 477  
*Tinodemus*, 398  
*Tinodes*, 630  
*Tinospora*, 269  
*Tinthia*, 607  
*Tintinnidium*, 26  
*Tintinnopsis*, 26  
*Tintinopsis*, 26  
*Tipasa*, 594  
*Tiphia*, 547  
*Tipula*, 468  
*Tipula (Acutipula)*, 468  
*Tipula (Britura)*, 468  
*Tipula (Formotipula)*, 468  
*Tipula (Indotipula)*, 468  
*Tipula (Nippotipula)*, 468  
*Tipula (Pterelachisus)*, 468  
*Tipula (Scummelia)*, 468  
*Tipula (Sivatipula)*, 468  
*Tipula (Tipulodina)*, 468  
*Tipula (Trichotipula)*, 468  
*Tipula (Vestiplex)*, 468  
*Tipula (Yamatotipula)*, 469  
*Tipularia*, 240  
*Tiracola*, 594  
*Tirathaba*, 606  
*Tirumala*, 600  
*Tisamenus*, 621  
*Tisis*, 578  
*Titanoderma*, 177  
*Titanophora*, 180  
*Titanosiphon*, 475  
*Titanotrichum*, 278  
*Tithonia*, 246  
*Tituacia*, 563  
*Tituboea*, 369  
*Titulcia*, 596  
*Tituria*, 494  
*Tmarus*, 314  
*Tmethypocoelis*, 642  
*Tobamovirus*, 1  
*Tocolosida*, 606  
*Todarodes*, 678  
*Todaropsis*, 678  
*Toddalia*, 275  
*Todiramphus*, 788  
*Togacephalus*, 486  
*Togaritensha*, 598  
*Togepsylla*, 502  
*Togovirus*, 2  
*Togovirus like particle*, 2  
*Tohlezkus*, 385  
*Toleria*, 607  
*Tolidostena*, 395  
*Toloxis*, 208  
*Tolpia*, 594  
*Tolumnia*, 500  
*Tolypoclada*, 176  
*Tolyposporium*, 167  
*Tolypothrix*, 15  
*Tomapoderus*, 377  
*Tomarus*, 374  
*Tomoderus*, 335  
*Tomopaguroides*, 643  
*Tomophagus*, 151  
*Tomopleura*, 718  
*Tomostethus*, 546  
*Tomosvaryella*, 451  
*Tomoxia*, 395  
*Tonga*, 493  
*Tongeia*, 580  
*Tonicia*, 726  
*Tonna*, 692  
*Tonza*, 603  
*Topomesoides*, 582  
*Topomyia (Suaymyia)*, 437  
*Toramus*, 385  
*Torbda*, 537  
*Torenia*, 279  
*Torigea*, 598  
*Torilis*, 242  
*Torleya*, 470  
*Tornatellides*, 724  
*Torodora*, 578  
*Torpedo*, 738  
*Torquigener*, 781  
*Torrubiella*, 103  
*Tortaxis*, 724  
*Tortula*, 208  
*Torubrella*, 101  
*Torula*, 101  
*Torulinium*, 227  
*Torulomyces*, 101  
*Torulopsis*, 159  
*Torymoides*, 547  
*Torymus*, 547  
*Torynorrhina*, 406  
*Tosana*, 772  
*Tosarca*, 662  
*Tosatrochus*, 682  
*Tosirips*, 612  
*Tospovirus*, 10  
*Tospovirus*, 10  
*Totanus*, 328  
*Totanus (Atortus)*, 328  
*Totanus (Eutortanus)*, 328  
*Totanus (Totanus)*, 328  
*Totta*, 498  
*Tottonia*, 295  
*Tournefortia*, 260  
*Townesoma*, 524  
*Toxares*, 515  
*Toxicum*, 423  
*Toxobotys*, 560  
*Toxometra*, 729  
*Toxopneustes*, 731  
*Toxopodinae*, 455  
*Toxoptera*, 475  
*Toxorhina (Ceratocheilus)*, 469  
*Toxorhynchites (Toxorhynchites)*, 437  
*Toxoscelus*, 340  
*Trabala*, 577  
*Trabrooksia*, 34  
*Trabulsiella*, 21  
*Trachea*, 594  
*Trachelas*, 310  
*Trachelizus*, 338  
*Trachelomonas*, 32  
*Trachelospermum*, 258  
*Trachemys*, 782  
*Trachinocephalus*, 741  
*Trachinotus*, 755  
*Trachipterus*, 747  
*Trachionurus*, 746  
*Trachurus*, 755  
*Trachusa*, 539  
*Trachyaphthona*, 369  
*Trachycarcinus*, 634  
*Trachycardium*, 669  
*Trachycladiella*, 208  
*Trachycystis*, 197  
*Trachyloma*, 209  
*Trachylophus*, 359  
*Trachyneis*, 64  
*Trachyopella*, 456  
*Trachypenaeus*, 647  
*Trachypholis*, 374  
*Trachyphthona*, 370  
*Trachypodopsis*, 206  
*Trachypus*, 206  
*Trachyrhamphus*, 747  
*Trachys*, 340  
*Trachysalammbria*, 647  
*Trachysalamsvia*, 647  
*Trachyscelis*, 423  
*Trachyslambria*, 647  
*Trachythecium*, 204  
*Trachythorax*, 621  
*Tramea*, 619  
*Trametes*, 155  
*Tranzschelia*, 166  
*Trapa*, 265  
*Trapelia*, 112  
*Trapezia*, 651  
*Trapezium*, 674  
*Trathala*, 537  
*Trustedtia*, 734  
*Trchoisea*, 601  
*Trebania*, 606  
*Trebouxia*, 191  
*Trechiana*, 349  
*Trechispora*, 156  
*Trema*, 283  
*Trematodon*, 199  
*Trematosphaerella*, 130  
*Trematosphaeria*, 129  
*Tremella*, 159

## 屬名索引

- Tremex*, 544  
*Tremoctopus*, 676  
*Trentepohlia* (*Monoma*), 469  
*Trentepohlia* (*Trentepohlia*), 469  
*Trentepohlia*, 188  
*Treron*, 788  
*Tresus*, 671  
*Tretopileus*, 102  
*Treubaria*, 185  
*Triacanthodes*, 781  
*Triacanthus*, 781  
*Triacanus*, 397  
*Triadelphia*, 102  
*Triadenum*, 281  
*Triaenodes*, 630  
*Triaenodon*, 734  
*Triakis*, 735  
*Trialeurodes*, 472  
*Triancyra*, 537  
*Trianguloscapellum*, 656  
*Trianthemum*, 247  
*Triartiger*, 419  
*Triaspis* (*Schizoprymnus*), 515  
*Triaspis* (*Triaspis*), 516  
*Triastrum*, 46  
*Triatoma*, 503  
*Tribalus*, 387  
*Tribasodites*, 419  
*Tribolium*, 423  
*Tribonema*, 78  
*Tribulus*, 277  
*Tribus*, 182  
*Tricalysia*, 275  
*Tricanus*, 397  
*Tricellula*, 102  
*Triceratium*, 70  
*Trichadenotecnum*, 624  
*Trichaitophorus*, 477  
*Trichaptum*, 155  
*Trichaster*, 733  
*Trichasterina*, 133  
*Trichia*, 37  
*Trichiorhyssemus*, 406  
*Trichiurus*, 773  
*Trichius*, 406  
*Trichoblatta*, 333  
*Trichobotrys*, 102  
*Trichocephaloides*, 297  
*Trichocera*, 469  
*Trichocerca*, 303  
*Trichocerota*, 607  
*Trichochoermes*, 505  
*Trichochloritis*, 721  
*Trichochrysea*, 370  
*Trichocladium*, 102  
*Trichocoma*, 92  
*Trichoconis*, 132  
*Trichoderma*, 104  
*Trichodesma*, 334  
*Trichodesma*, 260  
*Trichodesmium*, 17  
*Trichogaster*, 766  
*Trichogloea*, 180  
*Trichoglossum*, 113  
*Trichoglottis*, 240  
*Trichogramma*, 547  
*Trichogrammatoidea*, 548  
*Trichoisea*, 601  
*Tricholoma*, 146  
*Tricholomopsis*, 146  
*Tricholomopsis*, 160  
*Trichomaladera*, 406  
*Trichomalopsis*, 543  
*Trichomma*, 537  
*Trichomya*, 664  
*Trichonotus*, 773  
*Trichophorum*, 227  
*Trichophya*, 419  
*Trichophysetis*, 560  
*Trichophyton*, 123  
*Trichoplites*, 573  
*Trichoplusia*, 595  
*Trichopsychoda*, 452  
*Trichopterygia*, 573  
*Trichopteryx*, 574  
*Trichoptilus*, 603  
*Trichoropis*, 702  
*Trichosanthos*, 284  
*Trichosia*, 454  
*Trichosillana*, 454  
*Trichosiphonaphis*, 475  
*Trichosolen*, 181  
*Trichosperma*, 102  
*Trichosphaeria*, 135  
*Trichospilus*, 524  
*Trichosporon*, 159  
*Trichosteium*, 205  
*Trichosterigma*, 102  
*Trichostomum*, 205  
*Trichotanypus*, 433  
*Trichothecium*, 102  
*Trichothelium*, 135  
*Trichotichnus*, 349  
*Trichovirus*, 3  
*Trichrysis*, 517  
*Trichurus*, 115  
*Tricimba*, 435  
*Tricladium*, 102  
*Tricleocarpa*, 180  
*Triclistus*, 537  
*Tricodesmium*, 65  
*Trictenotoma*, 424  
*Tricyclepsis*, 429  
*Tricyrtis*, 234  
*Tridacna*, 674  
*Tridax*, 246  
*Tridentaria*, 102  
*Tridentiger*, 760  
*Tridrepana*, 561  
*Trifaricardium*, 669  
*Trifarina*, 45  
*Trifolium*, 256  
*Triforis*, 689  
*Triglyphus*, 459  
*Trigona*, 509  
*Trigonella*, 256  
*Trigonidium*, 620  
*Trigoniocardia*, 669  
*Trigoniulus*, 333  
*Trigonium*, 66  
*Trigonmetopus*, 446  
*Trigonmetopus* (*Tetroxyrhina*), 446  
*Trigonocera*, 440  
*Trigonocolus*, 377  
*Trigonodemus*, 419  
*Trigonodera*, 399  
*Trigonodes*, 595  
*Trigonomima*, 428  
*Trigonophorus*, 406  
*Trigonoplax*, 640  
*Trigonopoda*, 423  
*Trigonoptila*, 574  
*Trigonosoma*, 452  
*Trigonospila*, 461  
*Trigonostoma*, 704  
*Trigonotis*, 260  
*Trigonotoma*, 349  
*Trigonotylius*, 498  
*Trillium*, 234  
*Trilocha*, 553  
*Triloculina*, 42  
*Triloculina* (*Scutuloris*), 42  
*Trilophus*, 349  
*Trimalacoanthrus*, 318  
*Trimenus*, 397  
*Trimeresurus*, 784  
*Trimerogaster*, 445  
*Trimma*, 760  
*Trimmatom*, 760  
*Trinacria*, 71  
*Trinacrium*, 102  
*Trinema*, 37  
*Tringa*, 787  
*Trinodes*, 378  
*Trinymus*, 501  
*Triodanis*, 246  
*Triodon*, 781  
*Triomicrus*, 419  
*Trionymus*, 501  
*Triopidia*, 240  
*Trioserica*, 406  
*Trioxys* (*Binodoxys*), 516  
*Trioxys* (*Trioxys*), 516  
*Trioxa*, 505  
*Trioxa* (*Megatrioxa*), 505  
*Triphaenopsis*, 595  
*Triphora*, 689  
*Triphosa*, 574  
*Triphoturus*, 749  
*Triphragmium*, 166  
*Triplax*, 385  
*Triplectides*, 630  
*Triploceras*, 195  
*Tripliphos*, 778  
*Triplostegia*, 250  
*Tripneustes*, 731  
*Tripodichthys*, 781  
*Tripogon*, 232  
*Tripospermum*, 138  
*Triposporiopsis*, 138  
*Tripteroides* (*Rachionotomyia*), 437  
*Tripteroides* (*Tripteroides*), 437  
*Tripterospermum*, 258  
*Tripterygium*, 249  
*Trirachys*, 359  
*Triramulispora*, 102  
*Trirogma*, 507  
*Trischidocera*, 461  
*Trisetacus*, 308  
*Trisetum*, 232  
*Trisidos*, 662  
*Trismegistia*, 205  
*Triso*, 772  
*Trisolenia*, 47  
*Trispinaria*, 516  
*Trissemus*, 419  
*Trissolcus*, 543  
*Tristeiometa*, 574  
*Tristellateia*, 267  
*Tristephanium*, 48  
*Tristichella*, 205  
*Trisuloides*, 601  
*Tritaeniopterum*, 464  
*Tritaxia*, 45  
*Trithemis*, 619  
*Triticum*, 232  
*Tritoma*, 385  
*Tritonoharpa*, 704  
*Tritonoturris*, 718  
*Triumfetta*, 264  
*Triuncina*, 553  
*Trivirostra*, 702  
*Trizcheles*, 650  
*Trochiscia*, 15  
*Trochochlamys*, 723  
*Trochodendron*, 282  
*Trochoideus*, 384  
*Trochophora*, 102  
*Trochosa*, 311  
*Trochus*, 682  
*Trogaspidia*, 540  
*Trogium*, 624  
*Trogodytes*, 792  
*Troides*, 602  
*Trollius*, 270  
*Tromatobia*, 537  
*Tropicomya*, 426  
*Tropicomyia*, 426  
*Tropideres*, 336  
*Tropidoneis*, 65  
*Tropidothorax*, 495  
*Tropilaelaps*, 320  
*Tropobracon*, 516  
*Tropocyclops*, 329  
*Tropodiptomus*, 324  
*Trotocraspeda*, 574  
*Trox*, 424  
*Trstrophis*, 574  
*Truncatella*, 702  
*Trupanea*, 464  
*Trybliographa*, 523  
*Tryblioptychus*, 67  
*Trymalitis*, 612  
*Tryngites*, 787  
*Trypanosyllis*, 660

## 屬名索引

- Trypauchen*, 760  
*Trypeta*, 464  
*Trypetheliopsis*, 133  
*Trypethelium*, 133  
*Trypeticus*, 387  
*Trypetomima*, 445  
*Tryphana*, 631  
*Trypherus*, 343  
*Trypodendron*, 407  
*Trypostega*, 727  
*Trypoxylon*, 520  
*Tryssogobius*, 760  
*Tsuga*, 223  
*Tsunogaipagurus*, 646  
*Tubastraea*, 292  
*Tuber*, 128  
*Tuberaleyrodes*, 472  
*Tuberaphis*, 491  
*Tubercularia*, 113  
*Tuberculatus*, 477  
*Tuberemaeus*, 319  
*Tuberocephalus*, 475  
*Tuberolabium*, 240  
*Tuberolachnus*, 493  
*Tubeufia*, 132  
*Tubifera*, 34  
*Tubipora*, 295  
*Tubocapsicum*, 280  
*Tubulicium*, 156  
*Tubulicrinis*, 156  
*Tucetona*, 662  
*Tuckerella*, 309  
*Tuckneraria*, 111  
*Tuerckheimia*, 211  
*Tullbergella*, 632  
*Tulotis*, 240  
*Tumeochrysa*, 615  
*Tumoris*, 308  
*Turbinaria*, 292  
*Turbinaria*, 77  
*Turbinella*, 33  
*Turbo*, 683  
*Turbonilla*, 685  
*Turborotalia*, 41  
*Turborotalia (Globorotalia)*, 41  
*Turdus*, 792  
*Turnebiella*, 473  
*Turnix*, 793  
*Turpinia*, 277  
*Turricula*, 718  
*Turridrupa*, 718  
*Turris*, 718  
*Turritella*, 702  
*Tursiops*, 794  
*Turturconchata*, 102  
*Tutufa*, 689  
*Tuxenentulus*, 623  
*Tyana*, 596  
*Tycacona*, 595  
*Tydemanina*, 182  
*Tydemanina*, 781  
*Tygarrup*, 321  
*Tylerius*, 781  
*Tylocarcinus*, 641  
*Tyloperla*, 622  
*Tylophora*, 258  
*Tylophoron*, 85  
*Tylopilus*, 147  
*Tyloptera*, 574  
*Tylorida*, 313  
*Tylos*, 654  
*Tylostega*, 560  
*Tylosurus*, 741  
*Tylorella*, 718  
*Tymolus*, 635  
*Tympanistes*, 596  
*Tympanophorus*, 419  
*Typha*, 241  
*Typhaea*, 395  
*Typhis*, 712  
*Typhlocarcinops*, 647  
*Typhlocarcinus*, 647  
*Typhlocyba*, 480  
*Typhlodromips*, 316  
*Typhlops*, 783  
*Typhonium*, 224  
*Typhosyrinx*, 718  
*Typhrodromus*, 316  
*Typosyllis*, 660  
*Tyrannophryne*, 748  
*Tyreophagus*, 314  
*Tyromyces*, 155  
*Tyrophagus*, 314  
*Tyspanodes*, 560  
*Tyto*, 793  
*Tytthus*, 498  
*Tyweponisia*, 495  
*Uca*, 642  
*Uchidella*, 537  
*Udara*, 580  
*Udaspes*, 576  
*Udea*, 560  
*Udonomeiga*, 560  
*Udotea*, 182  
*Uenoa*, 631  
*Uenobrium*, 359  
*Ugandatrachia*, 629  
*Ugyops*, 484  
*Uhlerites*, 504  
*Ukamenia*, 612  
*Ula (Ula)*, 469  
*Uleomyces*, 123  
*Ulesta*, 537  
*Uliocnemis*, 574  
*Uliura*, 574  
*Ulkenia*, 69  
*Ulmus*, 283  
*Ulocladium*, 132  
*Uloma*, 423  
*Ulonemia*, 504  
*Ulotia*, 210  
*Ulothrix*, 191  
*Ulotrichopus*, 595  
*Ulua*, 755  
*Ulva*, 191  
*Umbellosphaera*, 67  
*Umbilicaria*, 112  
*Umbilicosphaera*, 67  
*Umbonium*, 682  
*Umbraculum*, 725  
*Umbraulva*, 191  
*Ummidia*, 310  
*Unaspis*, 489  
*Uncaria*, 275  
*Uncinula*, 90  
*Uncinulopsis*, 90  
*Unclassified*, 11  
*Unclassified*, 1  
*Undeuchaeta*, 322  
*Undinula*, 323  
*Unguizetes*, 318  
*Ungulaspis*, 489  
*Unicolax*, 331  
*Unidia*, 359  
*Unio*, 669  
*Upeneus*, 765  
*Uperotus*, 663  
*Upogebia*, 652  
*Upupa*, 793  
*Uracanthella*, 470  
*Uracrobates*, 318  
*Uraecha*, 359  
*Uraechoides*, 359  
*Uranoscopus*, 773  
*Uranotaenia*  
*(Pseudoficalbia)*, 437  
*Uranotaenia (Uranotaensis)*, 437  
*Uraria*, 256  
*Uraspis*, 755  
*Uredinopsis*, 166  
*Uredo*, 160  
*Urena*, 264  
*Uresiphita*, 560  
*Uria*, 785  
*Urocaridella*, 644  
*Urocentrum*, 26  
*Urocercus*, 544  
*Urochela*, 505  
*Urocissa*, 789  
*Uroconger*, 738  
*Uroglena*, 69  
*Urogymnus*, 736  
*Urolabida*, 505  
*Uroleptus*, 26  
*Uroleucon*, 475  
*Uroleucon (Uromelan)*, 475  
*Urolophus*, 736  
*Uromedina*, 461  
*Uromyces*, 165  
*Uronema*, 191  
*Urophora (Urophora)*, 464  
*Urophorus (Anophorus)*, 397  
*Uropterygius*, 739  
*Urotychus*, 635  
*Uropyia*, 598  
*Uropyxis*, 166  
*Urosphena*, 792  
*Urosporellopsis*, 135  
*Urostyla*, 26  
*Urostylis*, 505  
*Uroteuthis (Photololigo)*, 677  
*Urothemis*, 619  
*Urotrygon*, 736  
*Urotylis*, 505  
*Ursus*, 793  
*Urtica*, 284  
*Ussingerida*, 476  
*Usnea*, 113  
*Ussuriana*, 580  
*Ussurohelcon*, 516  
*Ustilaginoidea*, 102  
*Ustilago*, 167  
*Utamphorophora*, 475  
*Utetheisa*, 553  
*Uthinia*, 560  
*Uthramyces*, 169  
*Utica*, 639  
*Utricularia*, 278  
*Uvigerina*, 45  
*Uvigerina (Euuvigerina)*, 45  
*Vaccinium*, 252  
*Vacuolaria*, 77  
*Vaginularia*, 222  
*Vaginulina*, 45  
*Vaginulus*, 720  
*Vakrabeeja*, 102  
*Valamugil*, 748  
*Valdiviella*, 322  
*Valenciennaea*, 760  
*Valenciennellus*, 779  
*Valenzuela*, 623  
*Valeriana*, 250  
*Valgus*, 406  
*Validentia*, 537  
*Valkampfia*, 48  
*Vallisneria*, 232  
*Valonia*, 191  
*Valoniopsis*, 190  
*Valsa*, 87  
*Valsaria*, 86  
*Valsella*, 87  
*Valvulinaria*, 38  
*Vampirolepis*, 297  
*Vampirolepis*, 297  
*Vanda*, 240  
*Vandenboschia*, 214  
*Vanderhorstia*, 760  
*Vaneeckea*, 598  
*Vanellus*, 785  
*Vanessa*, 600  
*Vanikoro*, 702  
*Vanilla*, 240  
*Vanoverberghia*, 241  
*Vanvoorstia*, 176  
*Varicellovirus*, 6  
*Varicinassa*, 713  
*Variscala*, 687  
*Varicorbula*, 663  
*Varicorhinus*, 744  
*Varicosporium*, 93  
*Variimorda*, 395  
*Variola*, 772  
*Varroa*, 316  
*Varuna*, 639  
*Varyomorpha*, 332  
*Vasates*, 308

## 屬名索引

- Vas davidius*, 473  
*Vasticardium*, 669  
*Vasum*, 715  
*Vayssiæra*, 720  
*Vechtia*, 521  
*Velarifictorus*, 620  
*Velifer*, 747  
*Velitra*, 503  
*Velleius*, 419  
*Veluticeps*, 151  
*Venonia*, 311  
*Ventilago*, 270  
*Ventricaria*, 191  
*Ventrifossa*, 746  
*Venturia*, 132  
*Venturia*, 537  
*Venturiella*, 209  
*Venus*, 675  
*Venusia*, 574  
*Venustoma*, 718  
*Vepracula*, 718  
*Vepricardium*, 670  
*Verania*, 374  
*Veratrum*, 234  
*Verbena*, 262  
*Veremolpa*, 675  
*Vermetus*, 702  
*Vermicularia*, 102  
*Vernonia*, 246  
*Veronaea*, 102  
*Veronica*, 279  
*Veronicastrum*, 279  
*Verruca*, 657  
*Verrucaria*, 135  
*Verticillata*, 47  
*Verticillis*, 102  
*Verticillium*, 102  
*Verticimonosporium*, 102  
*Vertigo*, 724  
*Vesbius*, 503  
*Vesiculaphis*, 475  
*Vesicularia*, 209  
*Vesiculomyces*, 158  
*Vesiculovirus*, 11  
*Vesivirus*, 1  
*Vespa*, 549  
*Vespertilio*, 795  
*Vespula*, 549  
*Vesta*, 389  
*Vetiveria*, 232  
*Vexilla*, 712  
*Vexillabium*, 240  
*Vexillum*, 708  
*Vialaea*, 85  
*Vibilia*, 633  
*Vibrio*, 21  
*Vibrissina*, 461  
*Viburnum*, 250  
*Vicia*, 256  
*Vicimitra*, 710  
*Viciniscala*, 687  
*Vidalia*, 464  
*Videnoida*, 724  
*Viennotaleyrodes*, 473  
*Vigilomicrozetes*, 317  
*Vigna*, 256  
*Vignadula*, 664  
*Viidaleppia*, 574  
*Vilhenabates*, 319  
*Vinciguerrria*, 778  
*Vindula*, 600  
*Vindusara*, 574  
*Vinsonia*, 484  
*Viola*, 285  
*Violetta*, 688  
*Vipera*, 784  
*Virgaria*, 102  
*virgatospora*, 102  
*Virgibacillus*, 18  
*Virgo*, 595  
*Viriola*, 689  
*Viscum*, 276  
*Vitex*, 262  
*Vitis*, 270  
*Vitivirus*, 3  
*Vitracar*, 662  
*Vitta*, 297  
*Vittacus*, 308  
*Vittaria*, 222  
*Viverricula*, 793  
*Vizcaya*, 484  
*Vladracula*, 134  
*Vogesella*, 20  
*Vogtia*, 296  
*Volachlamys*, 668  
*Vollenhovia*, 528  
*Volobilis*, 606  
*Volucella*, 459  
*Volutella*, 105  
*Volutharpa*, 704  
*Volva*, 698  
*Volvaria*, 144  
*Volvariella*, 144  
*Volvox*, 189  
*Voria*, 461  
*Vorticella*, 27  
*Vromitra*, 708  
*Vrydagzynea*, 240  
*Vstilaginoidea*, 161  
*Vuilletus*, 383  
*Vulgichneumon*, 537  
*Vulpia*, 232  
*Vulsella*, 668  
*Wadecosa*, 311  
*Wageria*, 84  
*Wagimo*, 580  
*Wagneriala*, 480  
*Wahlenbergia*, 246  
*Wahlgreniells*, 475  
*Walchia*, 320  
*Walkerella*, 506  
*Wallacea*, 456  
*Wallaceana*, 370  
*Wallrothiella*, 134  
*Wallucina*, 671  
*Walteriella*, 343  
*Waltheria*, 264  
*Wanella*, 656  
*Wanlessia*, 312  
*Wardium*, 297  
*Warnea*, 665  
*Warreniplema*, 613  
*Watara*, 480  
*Watasenia*, 677  
*Watersipora*, 728  
*Wattsia*, 763  
*Weberella*, 181  
*Wedelia*, 246  
*Wegneria*, 609  
*Weingaertmeriella*, 462  
*Weisia*, 212  
*Wendlandia*, 275  
*Wernya*, 561  
*Wesmaelia*, 516  
*Westella*, 188  
*Westellopsis*, 188  
*Westermannia*, 596  
*Wetmorella*, 763  
*Whalleya*, 137  
*Whispovirus*, 11  
*Whytockia*, 278  
*Wiebesia*, 506  
*Wijkia*, 205  
*Wikstroemia*, 265  
*Wilkinsonellus*, 516  
*Williamia*, 684  
*Williamsia*, 13  
*Williopsis*, 140  
*Willkommllangea*, 35  
*Wilsoniella*, 199  
*Winthemia*, 462  
*Wittstrotia*, 595  
*Wolffia*, 224  
*Wolfiporia*, 151  
*Woodiphora (Woodiphora)*, 451  
*Woodsia*, 216  
*Woodsia*, 778  
*Woodwardia*, 217  
*Wormaldia*, 630  
*Woronichinia*, 14  
*Woronina*, 37  
*Wrangelia*, 175  
*Wrightoporia*, 156  
*Wroughtonia*, 516  
*Wurdemannia*, 179  
*Wushenia*, 516  
*Xandarovula*, 698  
*Xandrames*, 574  
*Xanhandrus*, 459  
*Xanthia*, 595  
*Xanthias*, 653  
*Xanthichthys*, 780  
*Xanthidium*, 195  
*Xanthiopyxis*, 73  
*Xanthiosphaera*, 46  
*Xanthium*, 246  
*Xanthocalanus*, 326  
*Xanthocampoplex*, 537  
*Xanthocanace*, 429  
*Xanthochelus*, 377  
*Xanthochroina*, 397  
*Xanthoconium*, 148  
*Xanthoderopygus*, 336  
*Xanthodes*, 595  
*Xanthogramma*, 459  
*Xanthomonas*, 21  
*Xanthonia*, 370  
*Xanthoestrus*, 462  
*Xanthoparmelia*, 111  
*Xanthopenthes*, 383  
*Xanthophius*, 419  
*Xanthopimpla*, 537  
*Xanthoptera*, 595  
*Xanthorhoe*, 574  
*Xanthosoma*, 224  
*Xarifia*, 330  
*Xeinostoma*, 636  
*Xenasma*, 156  
*Xenaspis*, 452  
*Xenasteia*, 469  
*Xenia*, 290  
*Xenisthmus*, 773  
*Xenocarcinus*, 641  
*Xenoccephalus*, 773  
*Xenocera*, 424  
*Xenochrophis*, 783  
*Xenocorixa*, 484  
*Xenodermichthys*, 740  
*Xenograpsus*, 640  
*Xenohammus*, 359  
*Xenohelea*, 432  
*Xenokeroplatus (Tipulokeroplatus)*, 445  
*Xenolea*, 359  
*Xenolepidichthys*, 781  
*Xenomyza*, 428  
*Xenonola*, 596  
*Xenophora*, 703  
*Xenoplia*, 574  
*Xenopsylla*, 625  
*Xenortholitha*, 574  
*Xenorthrius*, 371  
*Xenos (Xenos)*, 625  
*Xenosepsis*, 455  
*Xenosporium*, 132  
*Xenostegia*, 280  
*Xenotarsonemus*, 308  
*Xenothoracaphis*, 491  
*Xenotingis*, 504  
*Xenotrachea*, 595  
*Xenuroturris*, 719  
*Xenus*, 787  
*Xenysmoderes*, 377  
*Xeris*, 544  
*Xerocomus*, 148  
*Xeromphalina*, 146  
*Xestia*, 595  
*Xestocasis*, 601  
*Xestocephalus*, 486  
*Xestospongia*, 287  
*Xinia*, 290  
*Xiphasia*, 753  
*Xiphias*, 774  
*Xipholimnobia*, 469  
*Xiphophorus*, 745  
*Xiphopteris*, 219  
*Xiphovelia*, 505  
*Xiphozele*, 516  
*Xoanodera*, 359

## 屬名索引

- Xorides* (*Cyanoxorides*), 537  
*Xorides* (*Moerophora*), 538  
*Xoridesopus*, 538  
*Xuthea*, 370  
*Xyela*, 549  
*Xyelacyba*, 750  
*Xylaplothrips*, 627  
*Xylaria*, 137  
*Xylariopsis*, 360  
*Xyleborus*, 407  
*Xylechinus*, 408  
*Xylena*, 595  
*Xyleutes*, 554  
*Xylinada*, 336  
*Xylobanus*, 393  
*Xylobolus*, 158  
*Xylobotryum*, 102  
*Xylocis*, 337  
*Xylocopa*, 509  
*Xylodectes*, 337  
*Xylolestes*, 389  
*Xyloperthella*, 337  
*Xylophaga*, 663  
*Xylopolia*, 595  
*Xylopsocus*, 337  
*Xylorhiza*, 360  
*Xylosandrus*, 408  
*Xyloscia*, 574  
*Xylosciara*, 454  
*Xylosma*, 284  
*Xylostola*, 595  
*Xylota*, 459  
*Xylothrips*, 337  
*Xylotrechus*, 360  
*Xylotrechus* (*Xylotrechus*), 360  
*Xylotrupes*, 406  
*Xyrichtys*, 763  
*Xyris*, 224  
*Xyrosaris*, 613  
*Xysticus*, 314  
*Xystycocera*, 360  
*Yaginumaella*, 312  
*Yaginumia*, 310  
*Yakuchloritis*, 721  
*Yakuhananomia*, 395  
*Yamadaella*, 180  
*Yamatarotes*, 538  
*Yamatocallis*, 477  
*Yamatosia*, 399  
*Yamatotettix*, 486  
*Yamia*, 313  
*Yangus*, 502  
*Yasuntatsua*, 509  
*Yatapoxvirus*, 7  
*Yezoceryx*, 538  
*Yoania*, 240  
*Yoldia*, 665  
*Yoma*, 600  
*Yongeichthys*, 760  
*Yoshinagaia*, 89  
*Yoshiobodes*, 316  
*Youngia*, 246  
*Yponomeuta*, 613  
*Ypthima*, 600  
*Yucca*, 233  
*Yuhina*, 792  
*Yukoana*, 383  
*Yula*, 595  
*Yushania*, 232  
*Zabrachypus*, 538  
*Zabromorphus*, 387  
*Zacco*, 744  
*Zachobiella*, 616  
*Zafra*, 705  
*Zafrona*, 705  
*Zaglyptus*, 538  
*Zaitzevia*, 383  
*Zalasius*, 653  
*Zambesa*, 462  
*Zanchius*, 498  
*Zanclognatha*, 595  
*Zanclopera*, 574  
*Zanclospora*, 102  
*Zanclus*, 774  
*Zannichellia*, 235  
*Zanthojoppa*, 538  
*Zanthoxylum*, 275  
*Zaocys*, 783  
*Zaommomentedon*, 524  
*Zapriouus*, 443  
*Zaptyx*, 723  
*Zaranga*, 598  
*Zaratha*, 550  
*Zavatilla*, 540  
*Zavreliomyia*, 433  
*Zea*, 232  
*Zebina*, 700  
*Zebinella*, 700  
*Zebraplatys*, 312  
*Zebrasoma*, 750  
*Zebrias*, 775  
*Zegriades*, 360  
*Zehneria*, 284  
*Zeiraphera*, 612  
*Zelee*, 516  
*Zelkova*, 283  
*Zellera*, 176  
*Zelotes*, 310  
*Zenarchopterus*, 742  
*Zenillinan*, 462  
*Zenion*, 781  
*Zenopsis*, 781  
*Zerovella*, 524  
*Zethenia*, 574  
*Zethes*, 595  
*Zetomotrichus*, 319  
*Zetorchestes*, 319  
*Zeugophora*, 370  
*Zeus*, 781  
*Zeuxine*, 240  
*Zeuxis*, 713  
*Zeuzera*, 554  
*Ziba*, 710  
*Zicrona*, 500  
*Zierliana*, 708  
*Zilla*, 310  
*Zingiber*, 241  
*Zipangia*, 370  
*Zipanginia*, 370  
*Ziphius*, 794  
*Zirfaea*, 663  
*Ziridava*, 574  
*Zizania*, 232  
*Zizeeria*, 580  
*Zizina*, 580  
*Zizula*, 580  
*Zobellella*, 13  
*Zodiomyces*, 107  
*Zombrus*, 516  
*Zonaria*, 76  
*Zonitis*, 393  
*Zonitoides*, 724  
*Zonodoropsis*, 498  
*Zonoplusia*, 595  
*Zonosagitta*, 728  
*Zoodes*, 360  
*Zoogloea*, 41  
*Zoothamnium*, 27  
*Zoothera*, 792  
*Zophoessa*, 601  
*Zoramia*, 752  
*Zorka*, 480  
*Zornia*, 256  
*Zorochros*, 383  
*Zorotypus*, 631  
*Zosimus*, 653  
*Zosis*, 314  
*Zostera*, 241  
*Zosterops*, 792  
*Zoysia*, 232  
*Zozymodes*, 653  
*Zu*, 747  
*Zukalia*, 85  
*Zukaliopsis*, 123  
*Zurobata*, 595  
*Zusidava*, 561  
*Zygina* (*Zygina*), 480  
*Zyginella*, 480  
*Zygnema*, 195  
*Zygobothria*, 462  
*Zygodon*, 210  
*Zyggolypta*, 538  
*Zygonema*, 195  
*Zygoneura*, 454  
*Zygonyx*, 619  
*Zygophyxia*, 574  
*Zygopleurage*, 134  
*Zygorhynchus*, 172  
*Zygoribatula*, 318  
*Zygosaccharomyces*, 140  
*Zygosphaera*, 67  
*Zygosporium*, 102  
*Zygowilliopsis*, 140  
*Zythia*, 102  
*Zythos*, 574  
*Zyxomma*, 619



國家圖書館出版品預行編目資料

2008臺灣物種多樣性 -II. 物種名錄 / 邵廣昭、彭鏡毅、  
吳文哲 主編 -- 初版. -- 臺北市：農委會林務局，  
民97.12

面； 公分

ISBN 978-986-01-7390-1 (精裝)

1.物種多樣性 2.名錄 3.臺灣

360.152026

97025687

## 2008台灣物種多樣性 - II.物種名錄

發行單位：行政院農業委員會林務局

地 址：台北市杭州南路一段2號

電 話：(02)2351-5441

發行人：顏仁德

總策劃：方國運、管立豪

策 劃：張弘毅、許曉華

執行策劃：中華民國魚類學會

執行單位：中央研究院生物多樣性研究中心

主 編：邵廣昭、彭鏡毅、吳文哲

執行編輯：李瀚、林欣樺

美術編輯：林永昌、古訓銘、蔡明諭

封面設計：莊桂瑛

助理編輯：陳君睿、黃黎薰、張榮樺、鄭惇遠、王玟琦、柯慧玲、蔡素甄、童華顛

印 刷：文盛彩藝事業有限公司

初版日期 中華民國97年12月

定 價：新台幣850元

印製冊數：300

GPN：1009704294

ISBN：978-986-01-7390-1



# 2008 Taiwan Species Diversity

## II. Species Checklist

Edited by Kwang-Tsao Shao, Ching-I Peng, & Wen-Jer Wu

Published by Forestry Bureau, Council of Agriculture, Executive Yuan, Taiwan

Planned by The Ichthyological Society of Taiwan


Executed by Biodiversity Research Center, Academia Sinica, Taiwan

Printed in Taipei, Taiwan

December, 2008



ISBN 978-986-017390-1



9 789860 173901

GPN 1009704294  
定價 新台幣850元整