

## REFERENCES

- Acocks, J.P.H. 1953. Veld types of South Africa. *Memoirs of the Botanical Survey of South Africa* 28: 1–192. (3<sup>rd</sup> edition with updated names and illustrations published in 1988 as *Memoirs of the Botanical Survey of South Africa* 57: 1–146).
- Adams, M., Cousins, B. and Manona, S. 2000 Land tenure and economic development in rural South Africa constraints and opportunities Pp. 111–128. In: B. Cousins, (ed.). *At the Crossroads Land and Agrarian Reform in South Africa into the 21st Century*, School of Government, University of the Western Cape, Cape Town.
- Al-Eisawi, D. 2003. Effect of biodiversity conservation on arid ecosystems with special emphasis on Bahrain. *Journal of Arid Environments* 54: 81–90.
- Anderson, J.M. (ed.) 2001. Towards Gondwana Alive, Vol.1 (Assoc. eds.). Berger, L., De Wit, M., Fatti, L.P., Holm, E., Rubidge, B., Smith, G., Thackeray, F. and Van Wyk, B. Gondwana Alive Society, Pretoria.
- Aucamp, A.J. and Barnard, H.H. 1980. Die ontplooiing van die vekundepotensiaal van die droë gras – bosgemeenskappe in die Oos-Kaap. *Proceedings of the Grassland Society of southern Africa* 15: 137–140.
- Barber, B. 2003. Production, consumption and the world summit on sustainable development. *Environment, Development and Sustainability* 5(1): 63–93.
- Barker, O.B. 1979. A contribution to the geology of the Soutpansberg Group, Waterbergberg Supergroup, northern Transvaal. MSc thesis, University of the Witwatersrand, Johannesburg.
- Barker, O.B. 1983. A proposed geotectonic model for the Soutpansberg Group within the Limpopo Mobile Belt, southern Africa. Pp. 10. In: W.J. van Biljon and J.H. Legg (eds.). The Limpopo Belt. *Geological Society of South Africa* 8: 181–190.
- Barkman, J.J. 1988. The association concept in the Braun-Blanquet School of Phytocoenology. Biologisch Station Wijster, *Meded* 370: 1–13.
- Barkman, J.J., Moravec, J. and Rauschert, S. 1986. Code of phytosociological nomenclature. *Vegetatio* 67: 145–195.

- Bedward, M., Pressey, R.L. and Keith, D.A. 1992. A new approach for selecting fully representative reserve networks: addressing efficiency, reserve design and land suitability with an iterative analysis. *Biological Conservation* 62: 115–125.
- Begon, M., Harper, J.L. and Townsend, C.R. 1996. Ecology. Blackwell Science, Oxford
- Behnke, R.H. and Scoones, I. 1993. Rethinking range ecology: implications for rangeland management in Africa. Pp. 1–30. In: Behnke, R.H., Scoones, I. and Kerven, C. (eds.). *Range ecology at disequilibrium*. Overseas Development Institute, London.
- Behr, C.M. and Bredenkamp, G.J. 1988. A phytosociological classification of the Witwatersrand National Botanical Garden. *South African Journal of Botany* 54: 525–533.
- Berger, K., Craffort, J.E., Gaiger, I., Gaiger, M.J., Hahn, N. and MacDonald, I. 2003. *A first synthesis of the environmental, biological and cultural assets of the Soutpansberg*. Leach Printers and Signs, Makhadu.
- Bezuidenhout, H. and Bredenkamp, G.J. 1990. A reconnaissance survey of the vegetation of the dolomite region in the Potchefstroom–Ventersdorp–Randfontein area, South Africa. *Phytocoenologia* 18(2,3): 387-403.
- Bezuidenhout, H., Bredenkamp, G.J. and Theron, G.K. 1994. Syntaxonomy of the vegetation of the Fb land type in the western Transvaal grassland, South Africa. *South African Journal of Botany* 60: 72-80.
- Bezuidenhout, H., Bredenkamp, G.J. and Theron, G.K. 1994. Phytosociological classes of the western Transvaal grassland, South Africa. *Koedoe* 37: 1–18.
- Biggs, R.C. 1979. The ecology of Chief's Island and the adjacent floodplains of the Okavango Delta. MSc thesis, University of Pretoria, Pretoria.
- Bond, W. J., and Midgley, J. J. 2001. Ecology of sprouting in woody plants: the persistence niche. *Trends in Ecology and Evolution* 16: 45–51.
- Bond, W.J., Midgley, G.F. and Woodward, F.I. 2003. What controls South African vegetation – climate or fire? *South African Journal of Botany* 69: 79–91.
- Botha, M.J. 2004a. Land types of the map 2228 Alldays. In: MacVicar, C.N. (ed.). *Memmoirs on the Agricultural Natural Resources of South Africa*. Department of Agriculture and Water Supply, [www.arc.agric.za/institutes/iscw/main/maps/htm](http://www.arc.agric.za/institutes/iscw/main/maps/htm)

- Botha, M.J. 2004b. Land types of the map 2328 Pietersburg. In: MacVicar, C.N. (ed.). *Memmoirs on the Agricultural Natural Resources of South Africa*. Department of Agriculture and Water Supply, [www.arc.agric.za/institutes/iscw/main/maps/htm](http://www.arc.agric.za/institutes/iscw/main/maps/htm)
- Box, E.O., 1996. Plant functional types and climate at the global scale. *Journal of Vegetation Science* 7: 309–320.
- Branch, W.R. 1988. South African Red Data Book – Reptiles and amphibians. *South African National Scientific Programmes Report* 151.
- Brandl, G. 2002. The Geology of the Alldays Area. Explanation, Sheet 2228 Alldays, Council for Geoscience South Africa, Pretoria, 71pp.
- Brandl, G. 2003. Geology. Pp. 7–9. In: Berger, K., Craffort, J.E., Gaiger, I., Gaiger, M.J., Hahn, N. and MacDonald, I. (eds.). *A first synthesis of the environmental, biological and cultural assets of the Soutpansberg*. Leach Printers and Signs, Makhadu.
- Bredenkamp, G.J. 1975. ‘n Plantssosiologiese studie van die Suikerbosrand-natuurreervaat. MSc thesis, University of Pretoria, Pretoria.
- Bredenkamp, G.J. 1982. ‘n Plantekologiese studie van die Manyeleti-wildtuin. DSc thesis, University of Pretoria, Pretoria.
- Bredenkamp, G.J. 1986. Ecological profiles of potential bush encroacher species in the Manyeleti Game Reserve. *South African Journal of Botany* 52(1): 53–59.
- Bredenkamp, G.J. 1987. An overview of the major plant communities of the Manyeleti Game Reserve, Gazankulu, South Africa. *Coenoses* 2(1): 29–38.
- Bredenkamp, G.J. and Bezuidenhout, H. 1995. A proposed procedure for the analysis of large phytosociological data sets in the classification of South African grasslands. *Koedoe* 38(1): 33–39.
- Bredenkamp, G.J. and Brown, L.R. 1998a. A vegetation assessment of the open spaces in the Western Metropolitan local Council area. Ekotrust cc pp 1–54
- Bredenkamp, G.J. and Brown, L.R. 1998b. A vegetation Assessment of open spaces in the northern areas of the Northern Metropolitan Local Council. Ekotrust cc, 1–60
- Bredenkamp, G.J. and Brown, L.R. *in prep.* Vegetation type and dynamics: African savannas Gradients.
- Bredenkamp, G.J. and Brown, L.R. *in prep.* A reappraisal of Acocks’ Bankenveld: origin and diversity of vegetation types.

- Bredenkamp, G.J. and Deutschlander, M.S. 1994. The *Themedo triandrae–Setarietum incrassatae*, a new association from gabbro in the Manyeleti Game Reserve, Gazankulu, South Africa. *Koedoe* 37(2): 43–57.
- Bredenkamp, G.J. and Theron, G.K. 1980. A synecological account of the Suikerbosrand Nature Reserve Part II: The phytosociology of the Ventersdorp geological system. *Bothalia* 13: 199–216.
- Bredenkamp, G.J. and Theron, G.K. 1980. A synecological account of the Suikerbosrand Nature Reserve Part II: The phytosociology of the Ventersdorp geological system. *Bothalia* 13: 199–216.
- Bredenkamp, G.J. and Theron, G.K. 1991. The *Eucleo divinori–Acacietum nigricentis*, a new association from the calcareous bottomland clays of the Manyeleti Game Reserve, Eastern Transvaal Lowveld, Gazankulu, South Africa. *Vegetatio* 93: 119–130.
- Bredenkamp, G.J. and Van Rooyen, N. 1996. 34. Rocky Highveld Grassland. P. 39. In: Low, A.B. and Rebelo, A.G. (eds.). *Vegetation of South Africa, Lesotho and Swaziland*. Department of Environmental Affairs and Tourism, Pretoria.
- Bredenkamp, G.J. and Van Vuuren, D.R.J. 1977. The plant communities below Turfloop Dam, Lebowa. University of the North.
- Bredenkamp, G.J., Brown, L.R. and Pfab, M. *in press*. Conservation value of the Egoli Granite Grassland, an endemic grassland in Gauteng, South Africa. *Koedoe* *in press*.
- Bredenkamp, G.J., Granger, E. and Van Rooyen, N. 1996. 43. North-eastern Mountain Grassland. P. 49. In: Low, A.B. and Rebelo, A.G. (eds.). *Vegetation of South Africa, Lesotho and Swaziland*. Department of Environmental Affairs and Tourism, Pretoria.
- Bredenkamp, G.J., Joubert, A.F. and Bezuidenhout, H. 1989. A reconnaissance survey of the vegetation of the plains in the Potchefstroom–Fochville–Parys Area. *South African Journal of Botany* 55: 199–206.
- Breebaart, L. and Deutchlander, M. 1997. The vegetation types and management units of the Goedverwacht farm in the mixed bushveld of the Northern Province, South Africa. *Koedoe* 40: 19–33.
- Brokaw, N., and Busing, R.T. 2000. Niche versus chance and tree diversity in forest gaps. *Trends in Ecology and Evolution* 15:183–188.

- Brown, L.R. 1997. A plant ecological study and wildlife management plan of the Borakalalo Nature Reserve, North-west Province, PhD thesis, University of Pretoria, Pretoria.
- Brown, L.R., Bredenkamp, G.J. and Van Rooyen, N. 1995a. The phytosociology of the western section of the Borakalalo Nature Reserve. *Koedoe* 38(2): 49–64.
- Brown, L.R., Bredenkamp, G.J. and Van Rooyen, N. 1995b. Phytosociological synthesis of the vegetation of the Borakalalo Nature Reserve, North-west Province. *South African Journal of Botany* 63(5): 242–253.
- Bumby, A.J. 2000. The geology of the Blouberg Formation, Waterberg and Soutpansberg Groups in the area of Blouberg Mountain, Northern Province, South Africa. PhD thesis, University of Pretoria, Pretoria.
- Bumby, A.J., Eriksson, P.G., Van Der Merwe, R. and Maier, W. 2001. The stratigraphic relationship between the Waterberg Group and the Soutpansberg Group, Northern Province, South Africa: Evidence from the Blouberg area. *South African Journal of Geology* 104: 205–216.
- Burgoyne, P.M. 1995. Phytosociology of the north-eastern Transvaal high mountain grasslands. MSc thesis, University of Pretoria, Pretoria.
- Cain, S.A. 1944. *Foundations of Plant Geography*. Harpers and Brothers, New York, London.
- Cawe, S. G. 1994. Rainfall and vegetation patterns in Transkei and environs. *South African Journal of Science* 90: 79–85.
- Cawe, S.G. 1990. A classification of the Coastal Forests of Transkei and an assessment of their timber potential. University Press, University of Transkei, Umtata.
- Chapin, F.S., Zavaleta, E.S., Eviner, V.T., Naylor, R.L., Vitousek, P.M., Reynolds, H.L., Hooper, D.U., Lavorel, S., Sala, O.E., Hobbie, S.E., Mack, M.C. and Diaz, S. 2000. Review article: consequences of changing biodiversity. *Nature* 405: 234–242.
- Cilliers, S.S., Schoeman, L.L. and Bredenkamp, G.J. 1998. Wetland plant communities in the Potchefstroom Municipal area, North-west, South Africa. *Bothalia* 28(2): 231–229.
- Cingolania, A.M., Renisona, D., Marcelo, B., Zaka, R. and Cabidoa, M.R. 2004. Mapping vegetation in a heterogeneous mountain rangeland using landsat

- data: an alternative method to define and classify land-cover units. *Remote Sensing of Environment* 92: 84–97.
- Coetzee, B.J. 1974. A phytosociological classification of the vegetation of the Jack Scott Nature Reserve. *Bothalia* 11: 329–347.
- Coetzee, B.J. 1975. A phytosociological classification of the Rustenburg Nature Reserve. *Bothalia* 11: 561–580.
- Coetzee, B.J. 1983. Phytosociology, vegetation structure and landscapes of the Central District, Kruger National Park, South Africa. *Dissertationes botanicae* 69: 1–456.
- Coetzee, B.J., Van Der Meulen, F., Zwanziger, S., Gonsalves, P. and Weisser, P.J. 1976. A phytosociological classification of the Nylsvlei Nature Reserve. *Bothalia* 12: 137–160.
- Coetze, J.P., Bredenkamp, G.J. and Van Rooyen, N. 1995. Plant communities of the Sub-humid Cool Temperate Mountain Bushveld in the Pretoria Witbank Heidelberg area. *South African Journal of Botany* 61: 114–122.
- Coles, J.M. and Higgs, E.S. 1975. *The archaeology of early man*. Peregrine Books, Great Britain.
- Cooper, K. H. 1985. *The conservation status of indigenous forests in Transvaal, Natal and O.F.S., South Africa*. Wildlife Society of South Africa, Durban.
- Corney, P.M., Le Duc, M.G., Smart, S.M., Kirkby, K.J., Bunce, R.G.H. and Marrs, R.H. 2004. The effect of landscape-scale environmental drivers on the vegetation composition of the British woodlands. *Biological Conservation* 120: 491–505.
- Costana, R., d'Arge, R., De Groot, R., Farber, S., Grasso, M., Hannon, B., Limburg, K., Naeem, S., O'Neill, R.V., Paruelo, J., Rasin, R.G., Sutton, P. and Van Den Belt, M. 1997. The value of the world's ecosystem services and natural capital. *Economics* 25: 3–15.
- Darkoh, M.B.K. 2003. Regional perspectives on agriculture and biodiversity in the drylands of Africa. *Journal of Arid Environments* 54: 261–279.
- Davies, S.D., Heywood, V.H. and Hamilton, A.C. (eds.) 1994. *Centres of plant diversity. A guide and strategy for their conservation*. Volume 1: Europe, Africa, South West Asia and the Middle East. IUCN Publications Unit, Cambridge, U.K.

- De Angelis, D.L. and Waterhouse, J.C. 1987. Equilibrium and non-equilibrium concepts in ecological models. *Ecological Monographs* 57(1): 1–21.
- Deall, G.B., Theron, G.K. and Westfall, R.H. 1989. The vegetation ecology of the Eastern Transvaal escarpment in the Sabie area: Floristic classification. *Bothalia* 19: 69–89.
- Denslow, J. S. 1987. Tropical rainforest gaps and tree species diversity. *Annual Review of Ecology and Systematics* 18:431–451.
- Dodd, J.L. 1994. Desertification and degradation in Sub-Saharan Africa. *Bioscience* 44:(1): 28–34.
- Du Plessis, F. 2001. A Phytosociological synthesis of Mopaneveld. MSc thesis, University of Pretoria, Pretoria.
- Du Preez, P.J. 1991. A syntaxonomical and synecological study of the vegetation of the southern and eastern Orange Free State and related areas with special reference to Korannaberg. PhD thesis, University of the Orange Free State, Bloemfontein.
- Du Preez, P.J. and Bredenkamp, G.J. 1991. Vegetation classes of the southern and eastern Orange Free State (Republic of South Africa) and the highlands of Lesotho. *Navorsinge van die Nasionale Meuseum Bloemfontein* 7: 477–526.
- Du Preez, P.J., Bredenkamp, G.J. and Venter, H.J.T. 1991. The syntaxonomy and synecology of the forests in the eastern Orange Free State, South Africa. I. The *Podocarpetalia latifolii*. *South African Journal of Botany* 57(4): 198–206.
- Edwards, D. 1967. A plant ecological survey of the Tugela river basin. *Botanical Survey of South Africa Memoir* 36. Town and Regional Planning Commission, Pietermaritzburg.
- Edwards, D. 1983. A broad-scale structural classification of vegetation for practical purposes. *Bothalia* 14: 705–712.
- Ellenberg, H. 1953. Physiologisches und ökologisches Verhalten derselben Pflanzenarten. *Ber. Dtsch. Bot. Ges.* 65: 351–362.
- Ellis, J.E. and Swift, D.M. 1988. Stability of African pastoral ecosystems: Alternate paradigms and implications for development. *Journal of Range Management* 41(6): 450–459.

- Eloff, J.F. 1979. Die kulture van Greefswald. 'n Argeologiese studie van die Ysterbydperkkulture op die plaas Greefswald Deel III. Department of Archaeology, University of Pretoria, Pretoria.
- Everard, D.A. 1987. A classification of the subtropical transitional thicket in the eastern Cape, based on syntaxonomic and structural attributes. *South African Journal of Botany* 53: 329–340.
- Fabricius, A.F. 1988. Klimageographie—Sudafrica Moqambique, Swaziland, Republik Sudafrica). Africa—Kartenwerke S5, Beiheft S5. Deutsche Forschungsgemeinschaft, Bomm—Bad Godesberg.
- Fairbanks, D.H.K. and Grant, A.B. 2000. Identifying regional landscapes for conservation planning: a case study from KwaZulu-Natal, South Africa. *Landscape and Urban Planning* 50: 237–257.
- Fairbanks, D.H.K., Reyers, B. and Van Jaarsveld, A.S. 2001. Species and environment representation: selecting reserves for the retention of avian diversity in KwaZulu-Natal, South Africa. *Biological Conservation* 98: 365–379.
- Fanshawe, D.B. 1969. The vegetation of Zambia. *Forest Research Bulletin* 7: 1–67.
- Fischer, H.S. 2000. Multivariate analysis of phenological data. *Phytocoenologia* 30: 477–480.
- Foord, S.H. and Dippenaar-Schoeman, A.S. 2003. Spiders (Araneae). Pp. 45–50. In: Berger, K., Craffort, J.E., Gaiger, I., Gaiger, M.J., Hahn, N. and MacDonald, I. (eds.). *A first synthesis of the environmental, biological and cultural assets of the Soutpansberg*. Leach Printers and Signs, Makhadu.
- Foord, S.H., Dippenaar-Schoeman, A.S. and Van Der Merwe, M. 2002. A checklist of the spider fauna of the Western Soutpansberg, South Africa (Arachnida: Araneae). *Koedoe* 45: 35–43.
- Fuls, E.R., Bredenkamp, G.J., Van Rooyen N. and Theron, G.K. 1993. The physical environment and major plant communities of the Heilbron–Lindley–Warden–Villiers area, northern Orange Free State. *South African Journal of Botany* 59: 345–359.
- Gauch, H.G. and Whittaker, R.H. 1981. Hierarchical classification of community data. *Journal of Ecology* 69: 537–557.
- Geldenhuys, C.J. 1987. Distribution and classification of the indigenous evergreen forest and deciduous woodland in South Africa. Pp. 443–453. In: Gadow, K.

- (ed.). *South African forestry handbook*. Southern African Institute of Forestry, Pretoria.
- Geldenhuys, C.J. 1992. Richness, composition and relationships of the floras of selected forests in southern Africa. *Bothalia* 22: 205–233.
- Geldenhuys, C.J. and Murray, B. 1993. Floristic and structural composition of Hanglip forest in the Soutpansberg, Northern Transvaal. *South African Forestry Journal* 165: 9–20.
- Geldenhuys, C.J. and Venter, S. 2002. Plant communities and biodiversity of indigenous forests on state forestry land, Northern Province. Report FW-01/02. Forestwood cc, Pretoria.
- Germishuizen, G. and Meyer, N.L. 2003. Plants of southern Africa: an annotated checklist. *Strelitzia* 14: 1–1231.
- Gertenbach, W.P.D. 1983. Landscapes of the Kruger National Park. *Koedoe* 26: 9–121.
- Gertenbach, W.P.D. 1987. ‘n Ekologiese studie van die suidelikste Mopaneveld in die Nasionale Krugerwildtuin. DSc thesis, University of Pretoria, Pretoria.
- Gibson, L.A., Wilson, B.A. and Aberton, J.G. 2004. Landscape characteristics associated with species richness and occurrence of small native mammals inhabiting a coastal heathland: a spatial modelling approach. *Biological Conservation* 120: 75–89.
- Gillison, A.N. and Liswanti, N. 2004. Assessing biodiversity at landscape level in northern Thailand and Sumatra (Indonesia): the importance of environmental context. *Agriculture, Ecosystems and Environment* 104: 75–86.
- Good, R., 1953. *The Geography of the Flowering Plants*. (second ed.) Longman, London.
- Götze, A. R. 2002. Plant communities and restoration technologies – Vhembe-Dongola National Park. MSc thesis, Potchefstroom University for Christian Higher Education, Potchefstroom.
- Goudie, A. 2000. *The human impact on the natural environment*. Oxford, Blackwell Publishers.
- Granger, E. and Bredenkamp, G.J. 1996. 46. Alti Mountain Grassland. P. 49. In: Low, A.B. and Rebelo, A.G. (eds.). *Vegetation of South Africa, Lesotho and Swaziland*. Department of Environmental Affairs and Tourism, Pretoria.

- Grobler, C.H., Bredenkamp, G.J. and Brown, L.R. 2002. Primary Grassland communities of urban open spaces in Gauteng, South Africa. Ekotrust cc pp 1-54
- Grundling, P.L. and Grobler, R. 2005. Peatlands and Mires of South Africa. Staphia 85, zugleich Kataloge der Oö. *Landesmuseen Neue Serie* 35: 379–396.
- Guisan, A. and Zimmermann, N.E. 2000. Predictive habitat distribution models in ecology. *Ecological Modelling* 135: 147–186.
- Hahn, N. 1994. *Tree list of the Soutpansberg*. Fanticque Publishers, Pretoria.
- Hahn, N. 1996. Rubiaceae. A new species of *Vangueria* from the Soutpansberg. *Bothalia* 27(1): 45–48.
- Hahn, N. 1997. Rare and endangered flora of Tshikondeni. In house manuscript: Tshikondeni Mining Company (Pty) Ltd.
- Hahn, N. 1999. Rubiaceae. A new species of *Pavetta* from the Soutpansberg, South Africa. *Bothalia* 29(1): 107–109.
- Hahn, N. 2002. *Endemic flora of the Soutpansberg*. MSc thesis, University of Natal, Pietermaritzburg.
- Hahn, N. 2003. Endemic flora. Pp. 29–33. In: Berger, K., Craffort, J.E., Gaiger, I., Gaiger, M.J., Hahn, N. and MacDonald, I. (eds.). *A first synthesis of the environmental, biological and cultural assets of the Soutpansberg*. Leach Printers and Signs, Makhadu.
- HAHN, N. *in prep.* Endemism and biogeography of the Soutpansberg, Limpopo Province, South Africa. PhD thesis, University of Pretoria, Pretoria.
- Harrison, J.A., Allan, D.G., Underhill, L.G., Herremans, M., Tree, A.J. Parker, V. and Brown, C.J. 1997. *The atlas of southern African birds*. Avian Demography Unit, Bird Life South Africa
- Hattingh, C. 1991. Die plantegroei van Fort Skanskop en Voortrekkermonument-omgewings, Pretoria. BSC Honours script, University of Pretoria, Pretoria
- Hennekens, S. 1996a. TURBOVEG: Software package for input, processing and presentation of phytosociological data. User's guide IBN-DLO. University of Lancaster.
- Hennekens, S. 1996b. MEGATAB: A visual editor for phytosociological tables. Version 1.0. Giesen and Geurts, Ulft.

- Hennekens, S.M. and Schaminée, J.H.J. 2001. TURBOVEG, a comprehensive data base management system for vegetation data. *Journal of Vegetation Science* 12: 589-591.
- Henning, B.J. 2002. The relevance of ecosystems to ecotourism in the Waterberg Biosphere Reserve. PhD thesis, University of Pretoria, Pretoria.
- Henns, L. and Nath, B. 2003. The Johannesburg conference. *Environment, Development and Sustainability* 5(1): 7–39.
- Hill, M.O. 1973. Diversity and evenness: a unifying notation and its consequences. *Ecology* 54: 427-432
- Hill, M.O. 1979a. TWINSPLAN – a FORTRAN program for arranging multivariate data in an ordered two way table by classification of individuals and attributes. Cornell University, New York.
- Hill, M.O. 1979b. DECORANA – a FORTRAN program for detrended correspondence analysis and reciprocal averaging. Cornell University, New York.
- Hockey, P.A.R., Dean, W.R.J. and Ryan, P.G. 2005. *Roberts – Birds of Southern Africa*, VII<sup>th</sup> ed. The Trustees of the John Voelcker Bird Book Fund, Cape Town.
- Hoffman, T. and Ashwell, A. 2000 *Land degradation: Northern Province fact sheet*. Salty Print.
- Holdridge, L.R., 1967. *Life Zone Ecology*. Tropical Science Center, San Jose', Costa Rica.
- Hudak, A.T., Fairbanks, D.H.K. and Brockett, B.H. 2004. Trends in fire patterns in a southern African savanna under alternative land use practices. *Agriculture, Ecosystems and Environment* 101: 307–325.
- Huffman, T. N. 1996. Archaeological evidence for climatic change during the last 2000 years in southern Africa. *Quaternary International* 33: 55–60.
- Jongman, R.H.G., Ter Braak, C.J.F and Van Tongeren, O.F.R. 1995. *Data analysis in community and landscape ecology*. Cambridge University Press, New York.
- Kabanda, T.A. 2003. Climate. Pp. 10–11. In: Berger, K., Craffort, J.E., Gaiger, I., Gaiger, M.J., Hahn, N. and MacDonald, I. (eds.). *A first synthesis of the environmental, biological and cultural assets of the Soutpansberg*. Leach Printers and Signs, Makhadu.

- Kent, M. and Ballard, J. 1988. Trends and problems in the application of classification and ordination methods in plant ecology. *Vegetatio* 78: 109–124.
- Kent, M. and Coker, P. 1992. *Vegetation description: A practical approach*. J. Wiley and Sons, Chichester.
- Klopper, H.L. A vegetation study of the Blouberg S.A.D.T. Nature Reserve with special reference to veld evaluation and grass production. Unpublished management report for the Centre of Wildlife Management, University of Pretoria, Pretoria.
- Kooij, M.S., Bredenkamp, G.J. and Theron, G.K. 1990. The vegetation of the north-western Orange Free State, South Africa. 1. Physical environment. *Bothalia* 20(2): 233–240.
- Kooij, M.S., Scheepers, J.C., Bredenkamp, G.J. and Theron, G.K. 1991. The vegetation of the north-western Orange Free State. 2. The D land types. *Bothalia* 20(2): 241–482.
- Kovar, P. 2000. Is plant community organization level relevant to monitoring landscape heterogeneity? Two case studies of mosaic landscapes in the urban zones of Prague, Czech Republic. *Landscape and Urban Planning* 32: 137–151.
- Kramer, P.J. 1969. *Plant and soil water relationships: a modern synthesis*. McGraw-Hill, United States of America.
- Krebs, C.J. 1989. *Ecological methodology*. HarperCollins, New York, NY.
- Krebs, C.J. 2001. *Ecology: the Experimental Analysis of Distribution and Abundance* (5<sup>th</sup> edn). Benjamin Cummings, San Francisco.
- Kunin, W.E., Lawton, J.H. 1996. 11 Does biodiversity matter? Evaluating the case for conserving species. In: Gaston, K.J. (ed.). *Biodiversity: A biology of number difference*. Blackwell Science Ltd, Oxford, UK.
- Lawes, M.J., Mander, M. and Cawe, S. 2000. The value and uses of natural forests. Pp. 613–624. In: Owen, D. (ed.). *Southern African Institute of Forestry Handbook*. 4th Edition, SAIF, Pretoria. ISBN 0-620-06439-0.
- Laycock, W.A. 1991. Stable states and thresholds of range condition on North American rangelands: A viewpoint. *Journal of Range Management* 44(5): 427–433.

- Le Roux, C.J.G., Grunow, J.O., Morris, J.W., Bredenkamp, G.J. and Scheepers, J.C. 1988. A classification of the vegetation of the Etosha National Park. *South African Journal of Botany* 54(1): 1–10.
- Liversidge, R. and Berry, M.P.S. 2002. Veld management. Pp 568–569. In: *Game ranch management*. Bothma, J. du P. (ed.). Van Schaik publishers, Pretoria.
- Louw, A.J. 1970 Mopane veld noord van die Soutpansberg. DSc thesis, University of Pretoria, Pretoria.
- Louw, J., Chapman, A. and Strydom, H. 1994. Site classification and evaluation of Entabeni plantation: Northern Transvaal. Report FOR-DEA 818, Environmentek, CSIR, Pretoria. 98 pp.
- Louw, W.J. 1951. An ecological account of the vegetation of the Potchefstroom area. *Memoirs of Botanical Surveys South Africa* 24.
- Lubke, R.A. and McKenzie, B. 1996. 2. Afromontane Forest. P. 12. In: Low, A.B. and Rebelo, A.G. (eds.). *Vegetation of South Africa, Lesotho and Swaziland*. Department of Environmental Affairs and Tourism, Pretoria.
- Lubke, R.A., Tinley, K.L. and Cowling, R.M. 1988. Vegetation of the Eastern Cape: Tension zones and chorological complexity. Pp.68–87. In: Bruton, M.N. and Gess, F.W. (eds.). *Towards an environmental plan for the Eastern Cape*. Rhodes University, Grahamstown.
- MacDevette, D.R. 1993. The woody vegetation of the Zululand coastal dunes. Pp. 633–637. In: Van Der Sejde, A. (ed.). *South African forestry handbook / Suid-Afrikaanse bosbouhandboek*. Southern African Institute of Forestry, Pretoria.
- MacDevette, D.R., Mac Devette, D.K., Gordon, I.G. and Bartholomew, R.I.C. 1989. Floristics of the Natal indigenus forests of southern Africa. *Occasional Report* 45. Foundation for Research and Development, Pretoria.
- MacVicar, C.N., Bennie, A.T.P. and De Villiers, J.M. 1991. Soil classification: A taxonomic system for South Africa. Department of Agricultural Development, Pretoria.
- Margules, C.R. and Pressy, R.L. 2000. Review article: systematic conservation planning. *Nature* 405: 243–253.
- Marneweck, G.C., Grundling, P.L. and Muller, J.L. 2001. Defining and classification of peat wetland eco-regions in South Africa, Wetland Consulting Services (Pty) Ltd. Report to the Institute for Soil, Climate and Water (ISCW),

Agricultural Research Council for the Directorate for Land and Resources Management (DLRM), Department of Agriculture, Pretoria, South Africa.

Matthews, W.S. 1991. *Phytosociology of the North-Eastern Mountain Sourveld*. MSc thesis, University of Pretoria, Pretoria.

Matthews, W.S., Bredenkamp, G.J. and Van Rooyen, N. 1991. The grassland-associated vegetation of the Black Reef Quartzite and associated large rocky outcrops in the north-eastern mountain sourveld of the Transvaal Escarpment. *South African Journal of Botany* 57: 143–150.

Matthews, W.S., Bredenkamp, G.J. and Van Rooyen, N. 1992a. The vegetation of the dry dolomitic regions of the north-eastern mountain sourveld of the Transvaal Escarp, South Africa. *Phytocoenologia* 20: 467–488.

Matthews, W.S., Bredenkamp, G.J. and Van Rooyen, N. 1992b. The phytosociology of the high altitude hygrophilous vegetation regions of the North-eastern Mountain Sourveld in the eastern Transvaal, South Africa. *Phytocoenologia* 20: 559–574.

Matthews, W.S., G.J. Bredenkamp and N. Van Rooyen. 1994. The phytosociology and syntaxonomy of relatively low-altitude areas in the North-eastern Mountain Sourveld, in the eastern Transvaal escarpment region. *Koedoe* 37(2): 73–87.

Matthews, W.S., Van Wyk, A.E. and Bredenkamp, G.J. 1993. Endemic flora of the north-eastern Transvaal Escarpment. *Biological Conservation* 63: 83–94.

McArthur, R.H. 1972. *Geographical Ecology: Patterns in the Distribution of Species*. Harper and Row, New York.

McCann, K.S. 2000. Review article: global patterns in biodiversity. *Nature* 405: 220–227.

McCracken, D.P. 1986. The indigenous forests of colonial Natal and Zululand. *Natalia* 16: 19–38.

McCune, B. and Mefford, M.J. 1999. PC-ORD for Windows. Multivariate analysis of ecological data, version 4.10. MjM Software, Gleneden Beach, Oregon, U.S.A.

Mentis, M.T., Grossman, D., Hardy, M.B. O'Connor, T.G. and O'Reagain, P.J. 1989. Paradigm shifts in South African range science, management and administration. *South African Journal of Science* 85: 684–687.

- Midgley, J. J., M. C. Cameron, and W. J. Bond. 1995. Gap characteristics and replacement patterns in the Knysna Forest, South Africa. *Journal of Vegetation Science* 6:29–36.
- Mitsch, W.J. and Gosselink, J.G. 1986. *Wetlands*. Van Nostrand Reinhold Company Inc., New York.
- Moleele, N.M. and Mainah, J. 2003. Resource use conflicts: the future of the Kalahari ecosystem. *Journal of Arid Environments* 54: 405–423.
- Moll, E.J. 1972. The current status of mistbelt mixed *Podocarpus* forest in Natal. *Bothalia* 10: 595–589.
- Moll, E.J. 1976. The vegetation of the Three Rivers region, Natal. Natal Town and Regional Planning Reports 33. Town and Regional Planning Commission,
- Mostert, T.H.C., Bredenkamp, G.J., Schaminée, J.H.J. and Stortelder, A. *in prep.*  
Proposed syntaxonomy for the vegetation of the Kruger National Park.
- Mucina, L. 1997. Classification of vegetation: Past, present and future. *Journal of Vegetation Science* 8: 751–760.
- Mueller-Dombois, D. and Ellenberg, H. 1974. *Aims and methods of vegetation ecology*. John Wiley, New York.
- Muller, D.B. 1986. Plantekologie van die Willem Pretorius Wildtuin. PhD thesis, University of Orange Free State, Bloemfontein.
- Muburg, W.J. and Bredenkamp, G.J. 2004. Macro-channel riparian vegetation of the Olifants River System in the Grassland Biome, Mpumalanga. *Koedoe* 47(1): 41–54.
- Myklestad, A. and Birks, H.J.B. 1993. A numerical analysis of the distribution patterns of *Salix* L. species in Europe. *Journal of Biogeography* 20: 1–32.
- Nemudzivhadi, M. 1985. *Lini na Zwini, Thangela ya ndavhuko ya Histori ya Venda*. Thohoyandou Press.
- Nichols, N. 1991. The El Nino / Southern Oscillation and Australian vegetation. *Vegetatio* 91: 23–36.
- Noy-Meir, I. 1982. Stability of plant–herbivore models and possible application to savanna. Pp 591–609. In: Huntley , B.J. and Walker, B.H. (eds.). *Ecology of tropical savannas*. Springer–Verlag, Berlin.
- Obermeyer, A.A., Schweickerdt, H.G. and Verdoorn, I.C. 1937. An enumeration of the plants collected in the northern Transvaal. *Bothalia* 3(2): 223–258.

- Obiri, J. A. F. 2002. Resource quantification, use and sustainable management of coastal forests in the Eastern Cape province. PhD dissertation. School of Botany and Zoology. University of Natal, Pietermaritzburg. 164 pp.
- Obiri, J. A. F., Lawes, M. and Mukolwe, M. 2002. The dynamics and sustainable use of high-value tree species of the coastal Pondoland forests of the Eastern Cape Province, South Africa. *Forest Ecology and Management* 199: 131–148.
- Olivier, J. and Rautenbach, C.J. 2002. The implementation of fog water collection systems in South Africa. *Atmospheric Research* 64(4): 227–239.
- Patterson, D.G. and Ross, P.G. 2004a. Land types of the map 2228 Alldays. In: MacVicar, C.N. (ed.). *Memmoirs on the Agricultural Natural Resources of South Africa*. Department of Agriculture and Water Supply, [www.arc.agric.za/institutes/iscw/main/maps/htm](http://www.arc.agric.za/institutes/iscw/main/maps/htm)
- Patterson, D.G. and Ross, P.G. 2004b. Land types of the map 2328 Alldays. In: MacVicar, C.N. (ed.). *Memmoirs on the Agricultural Natural Resources of South Africa*. Department of Agriculture and Water Supply, [www.arc.agric.za/institutes/iscw/main/maps/htm](http://www.arc.agric.za/institutes/iscw/main/maps/htm)
- Pickard, J. 1991. Land management in semi-arid environments of New South Wales. *Vegetatio* 91: 191–208.
- Pienkowski, M.W., Bignal, E. M., Galbraith, C. A., McCracken, D. I., Stillman, R. A. and Boobyer, M. G. 1996. A simplified classification of land-type zones to assist the integration of biodiversity objects in land-use policies. *Biological Conservation* 75: 11–25.
- Pignatti, S., Oberdorfer, E., Schaminée, J.H.J. and Westhoff, V. 1995. On the concept of vegetation class in phytosociology. *Journal of Vegetation Science* 6: 143–152.
- Poynton, R.J. 1971. A silvicultural map of South Africa. *South African Journal of Science* 67: 58–60.
- Pressey, R.L. and Taffs, K.H. 2001. Scheduling conservation action in production landscapes: priority areas in western New South Wales defined by irreplaceability and vulnerability to vegetation loss. *Biological Conservation* 100: 355–376.
- Pulina, G., Salime, E., Masala, G. and Sikosana, J.L.N. 2004. A spreadsheet model for the assessment of sustainable stocking rate in the semi-arid and sub-

- humid regions of southern Africa. *Livestock Production Science* 61:287–299.
- Raal, P.A. and Burns, M.E.R. 1996. Mapping and conservation importance rating of the South African coastal vegetation as an aid to development planning. *Landscape and Urban Planning* 34: 389–400.
- Reno, B.M., Jansson, R. and Nilsson, C. 2005. Spatial patterns of plant invasiveness in a riparian corridor. *Landscape Ecology* 20 (2): 165–176.
- Reyers, B. 2003. Incorporating anthropogenic threats into evaluations of regional biodiversity and prioritisation of caonservation areas in the Limpopo Province, South Africa. *Biological Conservation* 118: 521–531.
- Rhoads, A.F. and Thompson, L. 1992. Integrating herbarium data into a geographic information system: requirements for spatial analysis. *Taxon* 41: 43–49.
- Roberts, B.R. 1991. The role of land use planning in semi-arid areas. *Vegetatio* 91: 15–21.
- Rutherford, M. C. and R. H. Westfall. 1994. Biomes of Southern Africa: an objective categorization. *Memoirs of the Botanical Survey of South Africa* 63: 1–94.
- Salisbury, E.J., 1926. The geographical distribution of plants in relation to climatic factors. *Geography Journal* 57: 312–335.
- Schaminée, J.H.J., Stortelder, A.H.F. and Vethoff, V. 1995. De Vegetatie van Nederland 1. Inleiding tot de plantensociologie: grondslagen, methoden en toepassingen. Opulus, Upsala/Leiden, 296pp.
- Scholes, R.J. 1978. The vegetation of the Blouberg. BSc honorus project, University of the Witwatersrand, Johannesburg.
- Schultze, R.E. and McGee, O.S. 1978. Climatic indices and classification in relation to the biogeography of southern Africa. In: Werger, M.J.A. (ed.). *Biogeography and ecology in southern Africa*, The Hague, Junk.
- Schutte, J.M. 1971. Die onttrekking van water uit die newellaag en lae wolke by Mriepskop. S.A. Department of Water Affairs, Division Hydrological Research, Technical note 20: 1–21.
- Scott, D.F. and Le Maitre, D.C. 1998. The interaction between vegetation and groundwater: research priorities for South Africa. Water Research Commission WRC Report; no. 730/1/98, Pretoria.

- Scott, L. 1982. A 5000-year old pollen sequence from the spring deposits in the Bushveld at the north of the Soutpansberg, South Africa. *Palaeoecology of Africa and the surrounding islands* 14: 45–55.
- Seydack, A.H.W. 2000. Theory and practice of yield regulation systems for sustainable management of tropical and subtropical moist natural forests. Pp. 257–317. In: Von Gadow, K., Pukkala, T. and Tomé, M. *Sustainable Forest Management*. Kluwer Academic Publishers, Netherlands.
- Shackleton, C.M and Shackleton, S.E. 2000. Direct use values of secondary resources harvested from communal savannas in the Bushbuckridge Lowveld, South Africa. *Journal of Tropical Forest Products* 6: 28–47.
- Shackleton, C.M., Cawe, S.G., and Geldenhuys, C.J. 1999. Review of the definitions and classifications of South African indigenous forests and woodlands. ENV-P-C 99007, CSIR, Pretoria.
- Siebert, F., Bredenkamp, G.J. and Siebert, S.J. 2003b. A comparison of Mopaneveld vegetation in South Africa, Namibia and Zimbabwe. *Bothalia* 33(1): 121–134.
- Siebert, S.J. 2001. Vegetation on the ultramafic soils of the Sekhukhuneland Centre of Endemism. PhD thesis, University of Pretoria, Pretoria.
- Siebert, S.J., Van Wyk, A.E. and Bredenkamp, G.J. 2003a. Vegetation ecology of Sekhukhuneland, South Africa: *Kirkia wilmsii-Terminalia prunioides* Closed Mountain Bushveld. *South African Journal of Botany* 68: 497–517.
- Siebert, S.J., Van Wyk, A.E., Bredenkamp, G.J. and Siebert, F. 2003b. Vegetation of the rock habitats of the Sekhukhuneland Centre of Plant Endemism, South Africa. *Bothalia* 33(2): 207–228.
- Sinclair, I., Hockey, P. and Tarboton, W. 1995. *Birds of southern Africa*. Sasol.
- Smit, J.H.L. 2000. Phytosociology and veld management of the eastern Kalahari Thornveld. MSc thesis, University of Pretoria, Pretoria.
- Smuts, W.J. 1992. Peatlands of the Natal Mire Complex: geomorphology and characterization. *South African Journal of Science* 88: 474–483.
- Snyman, H.A. 1998. Dynamics and sustainable utilization of rangeland ecosystems in arid and semi-arid climates of southern Africa. *Journal of Arid Environments* 39: 645–666.
- South African Weather Bureau 2004. South African Weather Service,  
<http://www.weathersa.co.za>

- Stirton, C.H. 1982. A new species of *Rhynchosia* from Venda. *Bothalia* 14(1): 76–77.
- Stott, P., 1981. *Historical Plant Geography: An Introduction*. George Allen and Uwin, London.
- Straub, A.F. 2002. The vegetation of Breslau Game Farm, Northern Province, South Africa, MSc thesis, University of Pretoria, Pretoria.
- Tainton, N.M. and Hardy, B.M. 1999. Introduction to the concepts of development of vegetation. Pp1-21. In: Tainton , N.M. (ed.). Veld management in South Africa. University of Natal Press, Pietermaritzburg.
- Ter Braak, C.J.F. 1987. The analysis of vegetation-environment relationships by canonical correspondence analysis. *Vegetatio* 69: 69-77.
- Ter Braak, C.J.F. and ãmilauer, P. 1999. Canoco for Windows Version 4.02. Wageningen, The Netherlands: Centre for Biometry Wageningen, CPRO-DLO.
- Tichý, L. 2002. JUICE, software for vegetation classification. *Journal of Vegetation Science* 13(3): 451–453.
- Tichý, L. 2005. New similarity indices for the assignment of relevés to the vegetation units of an existing phytosociological classification. *Plant ecology* 179(1): 67–72.
- Trollope, W.S.W. 1974. Fire as a method of controlling macchia (fynbos) vegetation on the Amatole Mountains of the eastern Cape. *Proceedings of the Grassland Society of southern Africa* 8: 35–41.
- Turpie, J.K., Heydenrych, B.J. and Lamberth, S.J. 2003. Economic value of terrestrial and marine biodiversity in the Cape Floristic region: implications for defining effective and socially optimal conservation strategies. *Biological Conservation* 112: 233–251.
- UNESCO 2002. *Convention concerning the protection of the world cultural and natural heritages*. UNESCO World Heritage Centre, France (<http://www.unesco.org>)
- Van Den Berg, H.M. 1993. Die identifisering en kartering van veldekotope in die noordwes-Transvaalse suur- en gemngde-bosveld. MSc thesis, University of Pretoria, Pretoria.
- Van der Maarel, E. 1979. Multivariate methods in phytosociology, with reference to The Netherlands. Pp. 163–225. In: Werger, M.J.A. (ed.). *The study of vegetation*. Junk, The Hague.

- Van Der Maarel, E. 1980. On the interpretability of ordination diagrams. *Vegetatio* 42: 43–45.
- Van Der Maarel, E. 1996. Vegetation dynamics and dynamic vegetation science. *Acta Botanica Neerlandica* 45: 421–442.
- Van Der Maarel, E., Espejel, I. and Moreno-Casasola, P. 1987. Two-step vegetation analysis based on very large data sets. *Vegetatio* 68: 139–143.
- Van Der Meulen, F. 1979. Plant sociology of the western Transvaal Bushveld, South Africa: a syntaxonomic and synegological study. *Dissertationes Botanicae* 49: 1–192.
- Van Der Schijff, H.P. 1957. ‘n Ekologiese studie van die flora van die Nasionale Krugerwildtuin. DSc thesis, Potchefstroomse Universiteit vir Christelike Hoër Onderwys, Potchefstroom.
- Van Groenewoud, H. 1992. The robustness of correspondence, detrended-correspondence and TWINSPAN analysis. *Journal of Vegetation Science* 3: 239.
- Van Jaarsveld, E. and Hardy, D. 1991. The Blouberg botanical expedition, with specific reference to the succulent vegetation. *Aloe* 28(3): 78–83.
- Van Rooyen, N. 1978. ‘n Ekologiese studie van die plantgemeenskappe van die Punda Milia–Pafuri–Wambiyagebied in die Nasionale Krugerwildtuin, MSc thesis, University of Pretoria, Pretoria
- Van Rooyen, N., Theron, G.K. and Grobbelaar, N. 1981. A floristic description and structural analysis of the plant communities of the Punda Milia–Pafuri–Wambia area of the Kruger National Park, Republic of South Africa: 3. The *Colophospermum mopane* communities. *South African Journal of Botany* 47(4): 585–626.
- Van Rooyen, N. and Bredenkamp, G.J. 1996a. 11 Soutpansberg Arid Mountain Bushveld. P 22. In: Low, A.B. and Rebelo, A.G. (eds.). *Vegetation of South Africa, Lesotho and Swaziland*. Department of Environmental Affairs and Tourism, Pretoria.
- Van Rooyen, N. and Bredenkamp, G.J. 1996b. 17 Sweet Bushveld. P 21. In: Low, A.B. and Rebelo, A.G. (eds.). *Vegetation of South Africa, Lesotho and Swaziland*. Department of Environmental Affairs and Tourism, Pretoria.
- Van Rooyen, N. and Bredenkamp, G.J. 1996c. 12 The Waterberg Moist Mountain Bushveld. P 22. In: Low, A.B. and Rebelo, A.G. (eds.). *Vegetation of South*

- Africa, Lesotho and Swaziland.* Department of Environmental Affairs and Tourism, Pretoria.
- Van Staden, P.J. 2002. An ecological study of the plant communities of the Marakele National Park. MSc thesis, University of Pretoria, Pretoria.
- Van Staden, P.J. and Bredenkamp, G.J. 2005. Major plant communities of the Marakele National Park. *Koedoe* 48(2): 59–70.
- Van Staden, P.J. and Bredenkamp, G.J. 2006. A floristic analysis of forest and thicket vegetation of the Marakele National Park. *Koedoe* 49(1): 15–31.
- Van Wyk, A.E. 1984. A new species of *Combretum* from Venda and taxonomic notes on the section *Angustimarginata* (Combretaceae). *South African Journal of Botany* 3(2): 125–135.
- Van Wyk, A.E. 1996. Biodiversity of the Maputaland Center. *The biodiversity of African plants* 198–207.
- Van Wyk, A.E. and Smith, G.F. 2001. *Regions of floristic endemism in southern Africa*. Umdaus Press, Pretoria.
- Van Wyk, P. 1994. *Field guide to the trees of the Kruger National Park*. Struik Publishers, Cape Town.
- Venter, C.E. 2003. The vegetation ecology of Mfabeni peat swamp, St. Lucia, KwaZulu-Natal. MSc thesis, University of Pretoria, Pretoria.
- Voigt, E.A. and Plug, I. 1984. Happy Rest: the earliest Iron Age Fauna from the Soutpansberg. *South African Journal of Science* 80: 22–227.
- Von dem Bussche, G.H. 1984. *The western Soutpansberg*. Unpublished NAKOR report, Department of Environmental Affairs, Pretoria.
- Von Maltitz, G.P., Mucina, L., Geldenhuys, C., Lawes, M., Eeley, H., Adie, H., Vink, D., Fleming, G. and Voster, T. 2003. Classification system for South African Indigenous Forests: an objective classification for the Department of Water Affairs and Forestry. Environmentek report ENV-P-C 2003-017 CSIR, Pretoria.
- Walker, B. 1989. Diversity and stability in ecosystem conservation. In: Western, D. and Pearl, M. (eds.). *Conservation for the twenty-first century*. Oxford University Press, New York.
- Walter, H., 1985. *Vegetation of the Earth and Ecological Systems of Geobiosphere*. Springer, Heidelberg.

- Weare, P.R. and A. Yalala 1971. Provisional vegetation map of Botswana. *Botswana Notes and Records* 3: 131–147.
- Weisser, P.J., Hahn, N., Van Der Waal, C. Tshisikawe, P. and Todd, C.B. Anthropology. Pp. 24–26. In: Berger, K., Craffort, J.E., Gaiger, I., Gaiger, M.J., Hahn, N. and MacDonald, I. (eds.). *A first synthesis of the environmental, biological and cultural assets of the Soutpansberg*. Leach Printers and Signs, Makhadu.
- Werger, M.J.A. 1973. An account of the plant communities of Tussen die Riviere Game Farm, Orange Free State. *Bothalia* 11(2): 165–176.
- Werger, M.J.A. 1974. On concepts and techniques applied in the Zurich-Montpellier method of vegetation survey. *Bothalia* 11: 309–323.
- Werger, M.J.A. 1980. Phytosociology of the Uper Orange River Valley, South Africa. *Memoirs of the Botanical Surveys of South Africa* 46: 1–222.
- Werger, M.J.A. and Coetze, B.J. 1978. The Sudano-Zambesian Region. Pp 231–299. In: Werger, M.J.A. (ed.). *Biogeography and ecology in southern Africa*, The Hague, Junk.
- Wessels, K.J., Reyers, B., Van Jaarsveld, A.S. and Rutherford, M.C. 2003. Identification of potential conflict areas between land transformation and biodiversity conservation in north-eastern South Africa. *Agriculture, Ecosystems and Environment* 95: 157–178.
- Westfall, R.H. 1981. The plant ecology of the farm Groothoek, Thabazimbi District. MSc thesis, University of Pretoria, Pretoria.
- Westfall, R.H., Van Rooyen, N. and Theron, G.K. 1985. The plant ecology of the farm Groothoek, Thabazimbe District. II. Classification. *Bothalia* 14: 655–688.
- Westhoff, V. 1979. Phytosociology in The Netherlands: history, present state and future. Pp. 81–121. In: Werger, M.J.A. (ed.). *The study of vegetation*. Junk, The Hague.
- Westhoff, V. and Van Der Maarel, E. 1973. The Braun-Blanquet aproach. Pp. 617–726 In: Whittaker, R.H. (ed.). 5. Ordination and classification of communities. In: Tuxen, R. (ed.). *Handbook of vegetation science*. The Hague: Junk.

- Westhoff, V. and Van Der Maarel, E. 1978. The Braun-Blanquet approach. Pp. 289–374. In: Whittaker, R.H. (ed.). *Classification of plant communities*. The Hague, Junk.
- Westoby, M. 1979. Elements of a theory of vegetation dynamics in arid rangelands. *Israel Journal of Botany* 28: 169–194.
- Westoby, M., Walker, B. and Noy-Meir, I. 1989a. Opportunistic management for rangelands not at equilibrium. *Journal of Rangeland Management* 42(4): 266–274.
- Westoby, M., Walker, B. and Noy-Meir, I. 1989b. Range management on the basis of a model which does not seek to establish equilibrium. *Journal of Arid Environments* 17: 235–239.
- White, F. 1978a. The Afromontane Region. Pp. 463–513. In: M.J.A. Werger (ed.). *Biogeography and ecology of southern Africa*. Junk, The Hague.
- White, F. 1978b. The history of the Afromontane archipelago and the scientific need for its conservation. *African Journal of Ecology* 19: 33–54.
- White, F. 1983. The vegetation of Africa: a descriptive memoir to accompany the UNESCO/AETFAT/UNSO vegetation map of Africa. *Natural Resources Research* 20. UNESCO, Paris.
- White, R.E. 1995. *Introduction to the principles and practices of soil science*. Second edition, Blackwell Sciences (Ltd), Oxford.
- Wiens, J.A. 1984. On understanding a non-equilibrium world: myth and reality in community patterns and processes. In: Strong, D.R., Simberloff, Jr., D. Abele, L.G. and Thistle, A.B. (eds.). *Ecological communities: Conceptual issues and the evidence*. Princeton University Press, Princeton, New Jersey.
- Winstanley, T.J. 2001. Analysis of the legislative and institutional context for wetland rehabilitation. EnAct International report for a project on the development of tools to support planning, implementation and monitoring of wetland rehabilitation. Department of Environmental Affairs and Tourism, Pretoria.
- Winterbach, R. 1998. A phytosociological synthesis of *Acacia tortilis* communities in the north-western savanna of South Africa. MSc thesis, University of Pretoria, Pretoria.
- Winterbach, R., Bredenkamp, G.J., Deutschlander, M.S. and Mucina, L. 2000. Preliminary syntaxonomic scheme of vegetation classes for the Central Bushveld of South Africa. Pp. 123–127. In: Whyte, P.S., Mucina, L., Leps,

- J.S. and Van der Maarel, E. (eds.). *Proceedings IAVS Symposium*. Opulus Press, Upsala.
- Witkowski, E.T.F. and O'Connor, T.G. 1996. Topo-edaphic, floristic and physiognomic gradients of woody plants in a semi-arid African savanna woodland. *Vegetatio* 124: 9–23.
- Wright, R.G., Murray, M.P. and Merrill, T. 1998. Ecoregions as a level of ecological analysis. *Biological Conservation* 86: 207–213.
- Wright, R.G., Scott, J.M., Mann, S. and Murray, M.P. 2001. Identifying unprotected and potentially at risk plant communities in the western USA. *Biological Conservation* 98: 97–106.
- Yeo, M.J.M., Blackstock, T.H. and Stevens, D.P. The use of phytosociological data in conservation assessment: a case study of lowland grasslands in mid Wales. *Biological Conservation* 86: 125–138.

## APPENDIX A

### PLANT SPECIES CHECKLIST

The following species were recorded within the study area during the data collection phase of the study. This list contains 846 species represented by 114 families. Taxonomic names conform to those of Germishuizen & Meyer (2003).

## Pteridophyta

### ANEMIACEAE

*Anemia simii* Tardieu

### DENNSTAEDTIACEAE

*Pteridium aquilinum* (L.) Kuhn

### EQUISETACEAE

*Equisetum ramosissimum* Desf.

### PTERIDACEAE

*Cheilanthes involuta* (Sw.) Schelpe & N.C.Anthony

*Pellaea calomelanos* (Sw.) Link var. *calomelanos*

### SELAGINELLACEAE

*Selaginella dregei* (C.Presl) Hieron.

### THELYPTERIDACEAE

*Christella guenziana* (Mett.) Holtum

*Pneumatopteris unita* (Kunze) Holttum

*Thelypteris confluens* (Thunb.) Morton

## Gymnosperms

### CUPRESSACEAE

*Widdringtonia nodiflora* (L.) Powrie

### PODOCARPACEAE

*Podocarpus falcatus* (Thunb.) R.Br. ex Mirb.

*Podocarpus latifolius* (Thunb.) R.Br. ex Mirb.

## Dicotyledons

### ACANTHACEAE

*Asystasia schimperi* T.Anderson

*Barleria affinis* C.B.Clarke

*Barleria crossandriformis* C.B.Clarke

*Barleria elegans* S.Moore ex C.B.Clarke

*Barleria gueinzii* Sond.

*Barleria obtusa* Nees

*Barleria ovata* E.Mey. ex Nees

*Barleria pretoriensis* C.B.Clarke

*Barleria rotundifolia* Oberm.

*Barleria saxatilis* Oberm.

*Barleria* species

*Barleria wilmsiana* Lindau

*Blepharis aspera* Oberm.

*Blepharis diversispina* (Nees) C.B.Clarke

*Blepharis integrifolia* (L.f.) E.Mey. ex Schinz

*Blepharis* species

*Blepharis subvolubilis* C.B.Clarke

*Crabbea acaulis* N.E.Br.  
*Crabbea angustifolia* Nees  
*Crabbea nana* Nees  
*Crabbea velutina* S.Moore  
*Dicliptera heterostegia* C.Presl ex Nees  
*Dyschoriste transvaalensis* C.B.Clarke  
*Hypoestes forskaolii* (Vahl) R.Br.  
*Hypoestes triflora* (Forssk.) Roem. & Schult.  
*Isoglossa grantii* C.B.Clarke  
*Isoglossa hypoleuca* Lindau  
*Justicia anagalloides* (Nees) T.Anderson  
*Justicia betonica* L.  
*Justicia flava* (Vahl) Vahl  
*Justicia montis-salinarum* A.Meeuse  
*Justicia odora* (Forssk.) Vahl  
*Lepidagathis scabra* C.B.Clarke  
*Monechma divaricatum* (Nees) C.B.Clarke  
*Rhinacanthus xerophilus* A.Meeuse  
*Ruspolia hypocrateriformis* (Vahl) Milne-Redh. var. *australis*  
*Ruttya ovata* Harv.  
*Ruttya* X *Ruspolia*  
*Sclerochiton harveyanus* Nees  
*Sclerochiton ilicifolius* A.Meeuse  
*Thunbergia atriplicifolia* E.Mey. ex Nees

## AMARANTHACEAE

*Achyranthes aspera* L.  
*Alternanthera pungens* Humb., Bonpl. & Kunth  
*Cyathula orthacantha* (Hochst. ex Asch.) Schinz  
*Gomphrena celosioides* Mart.  
*Hermbstaedtia linearis* Schinz  
*Kyphocarpa angustifolia* (Moq.) Lopr.

*Pupalia lappacea* (L.) A.Juss. var. *lappacea*

*Sericocoma avolans* Fenzl

#### ANACARDIACEAE

*Lannea discolor* (Sond.) Engl.

*Lannea schweinfurthii* (Engl.) Engl. var. *stuhlmannii* (Engl.)

*Ozoroa paniculosa* (Sond.) R.& A.Fern. var. *salicina* (Sond.)

*Rhus chirindensis* Baker f.

*Rhus gueinzii* Sond.

*Rhus lancea* L.f.

*Rhus leptodictya* Diels

*Rhus lucida* L.

*Rhus magalismontana* Sond. subsp. *coddii* (R.& A.Fern.) Moffett

*Rhus pentheri* Zahlbr.

*Rhus pyroides* Burch.

*Rhus rehmanniana* Engl. var. *glabrata* (Sond.) Moffett

*Rhus rigida* Mill. var. *rigida*

*Rhus tumulicola* S.Moore var. *meeuseana* (R.& A.Fern.) Moffett

*Sclerocarya birrea* (A.Rich.) Hochst. subsp. *caffra* (Sond.) Kok

#### ANNONACEAE

*Artobotrys brachypetalus* Benth.

*Artobotrys monteiroae* Oliv.

*Hexalobus monopetalus* (A.Rich.) Engl. & Diels var. *monopetalus*

#### APIACEAE

*Centella glabrata* L.

*Heteromorpha arborescens* (Spreng.) Cham. & Schldl. var. *abyssinica*

*Steganotaenia araliacea* Hochst. var. *araliacea*

#### APOCYNACEAE

*Acokanthera oppositifolia* (Lam.) Codd

*Acokanthera* species

*Ancylobotrys capensis* (Oliv.) Pichon

- Ancylobotrys petersiana* (Klotzsch) Pierre  
*Carissa bispinosa* (L.) Desf. ex Brenan subsp. *zambesiensis* Kup  
*Carissa edulis* Vahl  
*Ceropegia* species  
*Cryptolepis cryptolepioides* (Schltr.) Bullock  
*Diplorhynchus condylocarpon* (Müll.Arg.) Pichon  
*Gomphocarpus tomentosus* Burch. subsp. *tomentosus*  
*Landolphia kirkii* Dyer  
*Raphionacme procumbens* Schltr.  
*Sarcostemma viminale* (L.) R.Br.  
*Secamone parvifolia* (Oliv.) Bullock  
*Stapelia gettliffei* R.Pott  
*Stapelia gigantea* N.E.Br.  
*Stapelia hirsuta* L.  
*Strophanthus speciosus* (Ward & Harv.) Reber  
*Wrightia natalensis* Stapf

#### AQUIFOLIACEAE

- Ilex mitis* (L.) Radlk. var. *mitis*

#### ARALIACEAE

- Cussonia natalensis* Sond.  
*Cussonia spicata* Thunb.  
*Cussonia transvaalensis* Reyneke  
*Schefflera umbellifera* (Sond.) Baill.

#### ASTERACEAE

- Acanthospermum* species  
*Arctotis* species  
*Berkheya insignis* (Harv.) Thell.  
*Berkheya zeyheri* (Sond. & Harv.) Oliv. & Hiern  
*Bidens bipinnata* L.  
*Bidens biternata* (Lour.) Merr. & Sherff  
*Bidens pilosa* L.

- Blainvillea gayana* Cass.  
*Brachylaena discolor* DC.  
*Brachylaena huillensis* O.Hoffm.  
*Cineraria parvifolia* Burtt Davy  
*Cineraria* species  
*Dicoma anomala* Sond.  
*Dicoma galpinii* Wilson  
*Dicoma montana* Schweick.  
*Dicoma schinzii* O.Hoffm.  
*Dicoma* species  
*Dicoma tomentosa* Cass.  
*Emilia transvaalensis* (Bolus) C.Jeffrey  
*Felicia clavipilosa* Grau  
*Felicia muricata* (Thunb.) Nees  
*Gerbera jamesonii* Bolus ex Adlam  
*Helichrysum argyrosphaerum* DC.  
*Helichrysum cephaloideum* DC.  
*Helichrysum cerastioides* DC.  
*Helichrysum griseum* Sond.  
*Helichrysum harveyanum* Wild  
*Helichrysum kraussii* Sch.Bip.  
*Helichrysum nudifolium* (L.) Less. var. *nudifolium*  
*Helichrysum nudifolium* (L.) Less. var. *pilosellum* (L.f.) Beentjie  
*Helichrysum retortum* (L.) Willd.  
*Helichrysum setosum* Harv.  
*Hirpicium* species  
*Kleinia longiflora* DC.  
*Lopholaena festiva* Brusse  
*Philyrophyllum schinzii* O.Hoffm.  
*Pseudognaphalium luteo-album* (L.) Hilliard & B.L.Burtt  
*Psiadia punctulata* (DC.) Oliv. & Hiern ex Vatke  
*Schistostephium crataegifolium* (DC.) Fenzl ex Harv.  
*Senecio barbertonicus* Klatt  
*Senecio coronatus* (Thunb.) Harv.

- Senecio erubescens* Aiton  
*Senecio gerrardii* Harv.  
*Senecio inornatus* DC.  
*Senecio isatideus* DC.  
*Senecio lydenburgensis* Hutch. & Burtt Davy  
*Senecio madagascariensis* Poir.  
*Senecio oxyriifolius* DC.  
*Senecio purpureus* L.  
*Senecio speciosus* Willd.  
*Senecio tamoides* DC.  
*Senecio thamathuensis* Hilliard  
*Senecio venosus* Harv.  
*Tarchonanthus camphoratus* L.  
*Tarchonanthus trilobus* DC. var. *galpinii* (Hutch. & E.Phillip  
*Ursinia nana* DC.  
*Vernonia capensis* (Houtt.) Druce  
*Vernonia centaureoides* Klatt  
*Vernonia fastigiata* Oliv. & Hiern  
*Vernonia glabra* (Steetz) Vatke  
*Vernonia natalensis* Sch.Bip. ex Walp.  
*Vernonia oligocephala* (DC.) Sch.Bip. ex Walp.  
*Vernonia streetiana* Oliv. & Hiern  
*Vernonia triflora* Bremek.

#### BALANITACEAE

- Balanites maughamii* Sprague subsp. *maughamii*  
*Balanites pedicellaris* Mildbr. & Schltr. subsp. *pedicellaris*

#### BIGNONIACEAE

- Catophractes alexandri* D.Don  
*Markhamia zanzibarica* (Bojer ex DC.) K.Schum.  
*Rhigozum obovatum* Burch.  
*Rhigozum zambesiacum* Baker  
*Tecoma capensis* (Thunb.) Lindl.

## BOMBACACEAE

*Adansonia digitata* L.

## BORAGINACEAE

*Cordia grandicalyx* Oberm.

*Cordia monoica* Roxb.

*Ehretia obtusifolia* Hochst. ex DC.

*Ehretia rigida* (Thunb.) Druce

*Heliotropium steudneri* Vatke

## BUDDLEJACEAE

*Buddleja saligna* Willd.

*Buddleja salviifolia* (L.) Lam.

*Nuxia floribunda* Benth.

## BURSERACEAE

*Commiphora africana* (A.Rich.) Engl. var. *africana*

*Commiphora glandulosa* Schinz

*Commiphora marlothii* Engl.

*Commiphora mollis* (Oliv.) Engl.

*Commiphora pyracanthoides* Engl.

*Commiphora schimperi* (O.Berg) Engl.

*Commiphora* species

*Commiphora tenuipetiolata* Engl.

*Commiphora viminea* Engl.

## CACTACEAE

*Opuntia ficus-indica* (L.) Mill.

## CAMPANULACEAE

*Wahlenbergia grandiflora* Brehmer

*Wahlenbergia undulata* (L.f.) A.DC.

## CAPPARACEAE

- Boscia albitrunca* (Burch.) Gilg & Gilg-Ben. var. *albitrunca*  
*Boscia foetida* Schinz subsp. *filipes* (Gilg) Lötter  
*Boscia foetida* Schinz subsp. *rehmanniana* (Pestal.) Toelken  
*Capparis fascicularis* DC. var. *fascicularis*  
*Capparis tomentosa* Lam.  
*Cleome angustifolia* Forssk. subsp. *petersiana* (Klotzsch ex Son  
*Cleome gynandra* L.  
*Cleome hirta* (Klotzsch) Oliv.  
*Cleome macrophylla* (Klotzsch) Briq. var. *macrophylla*  
*Cleome monophylla* L.  
*Maerua angolensis* DC.  
*Maerua cafra* (DC.) Pax  
*Maerua edulis* (Gilg & Gilg-Ben.) DeWolf  
*Maerua juncea* Pax subsp. *juncea*  
*Maerua parvifolia* Pax

## CARYOPHYLLACEAE

- Pollichia campestris* Aiton

## CELASTRACEAE

- Catha edulis* (Vahl) Forssk. ex Endl.  
*Elaeodendron croceum* (Thunb.) DC.  
*Elaeodendron transvaalense* (Burtt Davy) R.H.Archer  
*Gymnosporia buxifolia* (L.) Szyszyl.  
*Gymnosporia mossambicensis* (Klotzsch) Loes.  
*Gymnosporia senegalensis* (Lam.) Loes.  
*Gymnosporia tenuispina* (Sond.) Szyszyl.  
*Loeseneriella crenata* (Klotzsch) N.Hallé  
*Maytenus acuminata* (L.f.) Loes. var. *acuminata*  
*Maytenus undata* (Thunb.) Blakelock  
*Mystroxylon aethiopicum* (Thunb.) Loes. subsp. *aethiopicum*  
*Mystroxylon aethiopicum* (Thunb.) Loes. subsp. *schlechteri*  
*Pristimera longipitiolata* (oliv.) N.Hallé

*Pterocelastrus echinatus* N.E.Br.

*Robsonodendron eucleiforme* (Eckl. & Zeyh.) R.H.Archer

*Salacia rehmannii* Schinz

#### CELTIDACEAE

*Celtis africana* Burm.f.

*Trema orientalis* (L.) Blume

#### CHENOPODIACEAE

*Chenopodium album* L.

#### CHRYSOBALANACEAE

*Parinari capensis* Harv. subsp. *capensis*

*Parinari curatellifolia* Planch. ex Benth.

#### CLUSIACEAE

*Garcinia livingstonei* T.Anderson

#### COMBRETACEAE

*Combretum apiculatum* Sond. subsp. *apiculatum*

*Combretum collinum* Fresen.

*Combretum hereroense* Schinz

*Combretum imberbe* Wawra

*Combretum kraussii* Hochst.

*Combretum moggii* Exell

*Combretum molle* R.Br. ex G.Don

*Combretum mossambicense* (Klotzsch) Engl.

*Combretum* species

*Combretum vendae* A.E.van Wyk

*Combretum zeyheri* Sond.

*Terminalia prunioides* M.A.Lawson

*Terminalia sericea* Burch. ex DC.

## CONVOLVULACEAE

- Convolvulus sagittatus* Thunb.  
*Evolvulus alsinoides* (L.) L.  
*Ipomoea adenoides* Schinz  
*Ipomoea albivenia* (Lindl.) Sweet  
*Ipomoea oblongata* E.Mey. ex Choisy  
*Ipomoea* species  
*Seddera suffruticosa* (Schinz) Hallier f.

## CORNACEAE

- Curtisia dentata* (Burm.f.) C.A.Sm.

## CRASSULACEAE

- Cotyledon barbeyi* Schweinf. ex Baker  
*Cotyledon orbiculata* L.  
*Crassula swaziensis* Schönland  
*Kalanchoe brachyloba* Welw. ex Britten  
*Kalanchoe crundallii* I.Verd.  
*Kalanchoe paniculata* Harv.  
*Kalanchoe sexangularis* N.E.Br. var. *sexangularis*

## CUCURBITACEAE

- Coccinia rehmannii* Cogn.  
*Coccinia sessilifolia* (Sond.) Cogn.  
*Kedrostis foetidissima* (Jacq.) Cogn.  
*Momordica* species

## DICHRONIALEAE

- Dichapetalum cymosum* (Hook.) Engl.

## DIPSACACEAE

- Cephalaria pungens* Szabó  
*Scabiosa columbaria* L.

## EBENACEAE

- Diospyros lycioides* Desf. subsp. *guerkei* (Kuntze) De Winter  
*Diospyros lycioides* Desf. subsp. *sericea* (Bernh.) De Winter  
*Diospyros villosa* (L.) De Winter var. *parvifolia* (De Winter)  
*Diospyros whyteana* (Hiern) F.White  
*Euclea crispa* (Thunb.) Gürke subsp. *crispa*  
*Euclea divinorum* Hiern  
*Euclea linearis* Zeyh. ex Hiern  
*Euclea natalensis* A.DC. subsp. *angustifolia* F.White  
*Euclea natalensis* A.DC. subsp. *natalensis*  
*Euclea schimperi* (A.DC.) Dandy var. *schimperi*  
*Euclea undulata* Thunb.

## EUPHORBIACEAE

- Acalypha glabrata* Thunb.  
*Acalypha indica* L.  
*Acalypha* species  
*Androstachys johnsonii* Prain  
*Bridelia cathartica* Bertol.f.  
*Bridelia micrantha* (Hochst.) Baill.  
*Bridelia mollis* Hutch.  
*Clutia pulchella* L. var. *pulchella*  
*Croton gratissimus* Burch.  
*Croton megalobotrys* Müll.Arg.  
*Croton menyhartii* Pax  
*Croton pseudopulchellus* Pax  
*Croton sylvaticus* Hochst.  
*Dalechampia* species  
*Drypetes gerrardii* Hutch.  
*Erythrococca trichogyne* (Müll.Arg.) Prain  
*Euphorbia aeruginosa* Schweick.  
*Euphorbia confinalis* R.A.Dyer subsp. *confinalis*  
*Euphorbia cooperi* N.E.Br. ex A.Berger var. *cooperi*

- Euphorbia crotonoides* Boiss.  
*Euphorbia excelsa* A.C.White, R.A.Dyer & B.Sloane  
*Euphorbia griseola* Pax subsp. *griseola*  
*Euphorbia guerichiana* Pax  
*Euphorbia ingens* E.Mey. ex Boiss.  
*Euphorbia tirucalli* L.  
*Euphorbia zoutpansbergensis* R.A.Dyer  
*Flueggea virosa* (Roxb. ex Willd.) Voigt subsp. *virosa*  
*Jatropha schlechteri* Pax  
*Phyllanthus incurvus* Thunb.  
*Phyllanthus macranthus* Pax var. *macranthus*  
*Phyllanthus maderaspatensis* L.  
*Phyllanthus nummulariifolius* Poir. var. *nummulariifolius*  
*Phyllanthus parvulus* Sond. var. *garipensis* (E.Mey. ex Drège)  
*Phyllanthus pentandrus* Schumach. & Thonn.  
*Phyllanthus pinnatus* (Wight) G.L.Webster  
*Phyllanthus reticulatus* Poir. var. *reticulatus*  
*Pseudolachnostylis maprouneifolia* Pax  
*Spirostachys africana* Sond.  
*Suregada africana* (Sond.) Kuntze

## FABACEAE

- Acacia ataxacantha* DC.  
*Acacia burkei* Benth.  
*Acacia caffra* (Thunb.) Willd.  
*Acacia davyi* N.E.Br.  
*Acacia erioloba* E.Mey.  
*Acacia erubescens* Welw. ex Oliv.  
*Acacia gerrardii* Benth. var. *gerrardii*  
*Acacia karroo* Hayne  
*Acacia mellifera* (Vahl) Benth. subsp. *detinens* (Burch.) Brenan  
*Acacia nebrownii* Burtt Davy

- Acacia nigrescens* Oliv.  
*Acacia nilotica* (L.) Willd. ex Delile subsp. *kraussiana* (Benth)  
*Acacia permixta* Burtt Davy  
*Acacia rehmanniana* Schinz  
*Acacia robusta* Burch. subsp. *clavigera* (E.Mey.) Brenan  
*Acacia robusta* Burch. subsp. *robusta*  
*Acacia senegal* (L.) Willd. var. *rostrata* Brenan  
*Acacia sieberiana* DC. var. *woodii* (Burtt Davy) Keay & Brenan  
*Acacia* species  
*Acacia tortilis* (Forssk.) Hayne subsp. *heteracantha* (Burch.) B  
*Acacia welwitschii* Oliv. subsp. *delagoensis* (Harms) J.H.Ross &  
*Albizia adianthifolia* (Schumach.) W.Wight  
*Albizia anthelmintica* (A.Rich.) Brongn.  
*Albizia brevifolia* Schinz  
*Albizia harveyi* E.Fourn.  
*Albizia versicolor* Welw. ex Oliv.  
*Alistilus bechuanicus* N.E.Br.  
*Bolusanthus speciosus* (Bolus) Harms  
*Burkea africana* Hook.  
*Cassia abbreviata* Oliv. subsp. *beareana* (Holmes) Brenan  
*Chamaecrista absus* (L.) Irwin & Barneby  
*Chamaecrista mimosoides* (L.) Greene  
*Crotalaria capensis* Jacq.  
*Crotalaria laburnifolia* L.  
*Crotalaria lanceolata* E.Mey.  
*Crotalaria monteiroi* Taub. ex Baker f.  
*Crotalaria* species  
*Crotalaria sphaerocarpa* Perr. ex DC. subsp. *sphaerocarpa*  
*Dalbergia nitidula* Baker  
*Dichrostachys cinerea* (L.) Wight & Arn.  
*Dichrostachys cinerea* (L.) Wight & Arn. subsp. *africana* Brenan  
*Elephantorrhiza burkei* Benth.  
*Elephantorrhiza elephantina* (Burch.) Skeels  
*Erythrina lysistemon* Hutch.

- Erythrophleum africanum* (Welw. Ex Benth) Harms  
*Hoffmannseggia burchellii* (DC.) Benth. ex Oliv.  
*Indigofera adenoides* Baker f.  
*Indigofera circinnata* Benth. ex Harv.  
*Indigofera cryptantha* Benth. ex Harv. var. *cryptantha*  
*Indigofera hilaris* Eckl. & Zeyh.  
*Indigofera jucunda* Schrire  
*Indigofera lyalli* Baker subsp. *lyalli*  
*Indigofera rhytidocarpa* Benth. ex Harv.  
*Indigofera schimperi* Jaub. & Spach  
*Indigofera* species  
*Macrotyloma axillare* (E.Mey.) Verdc.  
*Mundulea sericea* (Willd.) A.Chev.  
*Ormocarpum trichocarpum* (Taub.) Engl.  
*Otoptera burchellii* DC.  
*Peltophorum africanum* Sond.  
*Philenoptera violacea* (Klotzsch) Schrire  
*Psoralea pinnata* L.  
*Pterocarpus angolensis* DC.  
*Pterocarpus rotundifolius* (Sond.) Druce subsp. *rotundifolius*  
*Pterolobium stellatum* (Forssk.) Brenan  
*Rhynchosia komatiensis* Harms  
*Rhynchosia monophylla* Schltr.  
*Rhynchosia nervosa* Benth. & Harv.  
*Rhynchosia sordida* (E.Mey.) Schinz  
*Rhynchosia vendae* C.H.Stirt.  
*Rhynchosia venulosa* (Hiern) K.Schum.  
*Schotia brachypetala* Sond.  
*Senna bicapsularis* (L.) Roxb.  
*Senna petersiana* (Bolle) Lock  
*Stylosanthes fruticosa* (Retz.) Alston  
*Tephrosia longipes* Meisn. subsp. *longipes*  
*Tephrosia macropoda* (E.Mey.) Harv.  
*Tephrosia purpurea* (L.) Pers.

*Xanthocercis zambesiaca* (Baker) Dumaz-le-Grand  
*Zornia* species

FLACOURTIACEAE

- Dovyalis caffra* (Hook.f. & Harv.) Hook.f.  
*Dovyalis rhamnoides* (Burch. ex DC.) Harv.  
*Dovyalis zeyheri* (Sond.) Warb.  
*Flacourtie indica* (Burm.f.) Merr.  
*Kiggelaria africana* L.  
*Oncoba spinosa* Forssk. subsp. *spinosa*  
*Scolopia zeyheri* (Nees) Harv.  
*Trimeria grandifolia* (Hochst.) Warb.

GENTIANACEAE

- Chironia palustris* Burch.  
*Chironia purpurascens* (E.Mey.) Benth. & Hook.f.

GERANIACEAE

- Monsonia angustifolia* E.Mey. ex A.Rich.

GISEKIACEAE

- Gisekia africana* (Lour.) Kuntze

GUNNERACEAE

- Gunnera perpensa* L.

HAMAMELIDACEAE

- Trichocladus grandiflorus* Oliv.

HERNANDIACEAE

- Gyrocarpus americanus* Jacq. subsp. *africanus*

HETEROPYXIDACEAE

- Heteropyxis natalensis* Harv.

## HYPERICACEAE

- Hypericum aethiopicum* Thunb. subsp. *sonderi* (Bredell) N.Robson  
*Hypericum lalandii* Choisy

## ICACINACEAE

- Apodytes dimidiata* E.Mey. ex Arn. subsp. *dimidiata*  
*Kirkia acuminata* Oliv.  
*Kirkia wilmsii* Engl.  
*Pyrenacantha grandiflora* Baill.

## LAMIACEAE

- Becium angustifolium* (Benth.) N.E.Br.  
*Becium filamentosum* (Forssk.) Chiov.  
*Becium obovatum* (E.Mey. ex Benth.) N.E.Br. subsp. *obovatum*  
*Clerodendrum glabrum* E.Mey. var. *glabrum*  
*Clerodendrum makanjanum* H.J.P.Winkl.  
*Endostemon tereticaulis* (Poir.) M.Ashby  
*Leonotis ocymifolia* (Burm.f.) Iwarsson  
*Leucas glabrata* (Vahl) Sm. var. *glabrata*  
*Leucas sexdentata* Skan  
*Ocimum gratissimum* L. subsp. *gratissimum* var. *gratissimum*  
*Orthosiphon labiatus* N.E.Br.  
*Plectranthus neochilus* Schltr.  
*Rothea myricoides* (Hochst.) Steane & Mabb. sensu lato  
*Tetradenia brevispicata* (N.E.Br.) Codd  
*Tetradenia riparia* (Hochst.) Codd  
*Tinnea rhodesiana* S.Moore  
*Vitex mombassae* Vatke  
*Vitex rehmannii* Gürke

## LAURACEAE

- Cryptocarya transvaalensis* Burtt Davy  
*Ocotea kenyensis* (Chiov.) Robyns

## LOBELIACEAE

*Cyphia angustifolia* Eckl. & Zeyh.

## MAESACEAE

*Maesa lanceolata* Forssk.

## MALPIGHIACEAE

*Sphedamnocarpus pruriens* (A.Juss.) Szyszyl.

## MALVACEAE

*Abutilon angulatum* (Guill. & Perr.) Mast. var. *angulatum*

*Abutilon austro-africanum* Hochr.

*Abutilon grantii* A.Meeuse

*Abutilon guineense* (K.Schum.) Baker f. & Exell

*Abutilon* species

*Azanza garckeana* (F.Hoffm.) Exell & Hillc.

*Gossypium herbaceum* L. subsp. *africanum* (Watt) Vollesen

*Hibiscus calyphyllus* Cav.

*Hibiscus meyeri* Harv.

*Hibiscus micranthus* L.f. var. *micranthus*

*Hibiscus praeteritus* R.A.Dyer

*Hibiscus pusillus* Thunb.

*Hibiscus sidiformis* Baill.

*Hibiscus vitifolius* L.

*Pavonia dentata* Burtt Davy

*Pavonia senegalensis* (Cav.) Leistner

*Sida alba* L.

*Sida cordifolia* L.

*Sida ovata* Forssk.

*Sida pseudocordifolia* Hochr.

## MELASTOMATACEAE

*Dissotis canescens* (E.Mey. ex R.A.Graham) Hook.f.

*Dissotis princeps* (Kunth) Triana

#### MELIACEAE

- Ekebergia capensis* Sparrm.  
*Ekebergia pterophylla* (C.DC.) Hofmeyr  
*Entandrophragma caudatum* (Sprague) Sprague  
*Trichilia dregeana* Sond.  
*Trichilia emetica* Vahl  
*Turraea obtusifolia* Hochst.

#### MESEMBRYANTHEMACEAE

- Khadia borealis* L.Bolus

#### MOLLUGINACEAE

- Corbicichonia decumbens* (Forssk.) Exell  
*Hypertelis salsolooides* (Burch.) Adamson  
*Limeum fenestratum* (Fenzl) Heimerl  
*Limeum sulcatum* (Klotzsch) Hutch.  
*Limeum viscosum* (J.Gay) Fenzl

#### MONIMIACEAE

- Xymalos monospora* (Harv.) Baill.

#### MORACEAE

- Ficus abutilifolia* (Miq.) Miq.  
*Ficus burkei* (Miq.) Miq.  
*Ficus craterostoma* Warb. ex Mildbr. & Burret  
*Ficus glumosa* (Miq.) Delile  
*Ficus ingens* (Miq.) Miq. var. *ingens*  
*Ficus natalensis* Hochst. subsp. *natalensis*  
*Ficus sur* Forssk.  
*Ficus sycomorus* L. subsp. *sycomorus*  
*Ficus tettensis* Hutch.

## MYRICACEAE

*Morella pilulifera* (Rendle) Killick

*Rapanea melanophloeos* (L.) Mez

## MYROTHAMNACEAE

*Myrothamnus flabellifolius* Welw.

## MYRSINACEAE

*Myrsine africana* L.

## MYRTACEAE

*Eugenia natalitia* Sond.

*Eugenia woodii* Dummer

*Syzygium cordatum* Hochst.

*Syzygium gerrardii* (Harv. ex Hook.f.) Burtt Davy

*Syzygium legatii* Burtt Davy & Greenway

## OCHNACEAE

*Ochna holsti* Engl.

*Ochna inermis* (Forssk.) Schweinf.

*Ochna natalitia* (Meisn.) Walp.

*Ochna pulchra* Hook.

## OLACACEAE

*Olax dissitiflora* Oliv.

*Ximenia americana* L. var. *microphylla* Welw. ex Oliv.

*Ximenia caffra* Sond. var. *caffra*

## OLEACEAE

*Chionanthus battiscombei* (Hutch.) Stearn

*Chionanthus foveolatus* (E.Mey.) Stearn

*Jasminum breviflorum* Harv. ex C.H.Wright

*Jasminum multipartitum* Hochst.

*Olea capensis* L. subsp. *enervis* (Harv. ex C.H.Wright) I.Verdi

*Olea capensis* L. subsp. *macrocarpa* (C.H.Wright) I.Verd.

*Olea europaea* L. subsp. *africana* (Mill.) P.S.Green

*Schrebera alata* (Hochst.) Welw.

#### OLINIACEAE

*Olinia emarginata* Burtt Davy

*Olinia rochetiana* Juss.

#### PASSIFLORACEAE

*Adenia digitata* (Harv.) Engl.

*Adenia repanda* (Burch.) Engl.

*Adenia spinosa* Burtt Davy

#### PEDALIACEAE

*Ceratotheca triloba* (Bernh.) Hook.f.

*Dicerocaryum eriocarpum* (Decne.) Abels

*Harpagophytum* species

*Pterodiscus* species

*Sesamothamnus lugardii* N.E.Br. ex Stapf

#### PITTOSPORACEAE

*Pittosporum viridiflorum* Sims

#### POLYGALACEAE

*Polygala gracilenta* Burtt Davy

*Polygala hottentotta* C.Presl

*Polygala uncinata* E.Mey. ex Meisn.

#### POLYGONACEAE

*Persicaria attenuata* (R.Br.) Soj k

*Persicaria decipiens* (R.Br.) Wilson

*Persicaria* species

#### PORTULACACEAE

*Anacampseros subnuda* Poelln. subsp. *subnuda*

*Avonia rhodesica* (N.E.Br.) G.D.Rowley

*Portulaca kermesina* N.E.Br.

*Portulaca pilosa* L.

*Portulaca quadrifida* L.

*Portulaca* species

*Portulacaria afra* Jacq.

*Talinum crispatulum* Dinter ex Poelln.

## PROTEACEAE

*Faurea saligna* Harv.

*Protea caffra* Meisn. subsp. *caffra*

*Protea roupelliae* Meisn. subsp. *roupelliae*

## RHAMNACEAE

*Berchemia zeyheri* (Sond.) Grubov

*Phylica burchellii* Pillans

*Rhamnus prinoides* L'Hér.

*Ziziphus mucronata* Willd. subsp. *mucronata*

*Ziziphus rivularis* Codd

## RHIZOPHORACEAE

*Cassipourea malosana* (Bak.) Alston

## ROSACEAE

*Prunus africana* (Hook.f.) Kalkman

*Rubus rigidus* Sm.

## RUBIACEAE

*Agathisanthemum bojeri* Klotzsch subsp. *bojeri*

*Anthospermum hispidulum* E.Mey. ex Sond.

*Anthospermum welwitschii* Hiern

*Canthium ciliatum* (Klotzsch) Kuntze

*Canthium inerme* (L.f.) Kuntze

- Canthium mundianum* Cham. & Schltdl.  
*Coddia rудis* (E.Mey. ex Harv.) Verdc.  
*Conostomium natalense* (Hochst.) Bremek.  
*Conostomium zoutpansbergense* (Bremek.) Bremek.  
*Coptosperma rhodesiacum* (Bremek.) Degreef  
*Coptosperma supra-axillare* (Hemsl.) Degreef  
*Fadogia homblei* De Wild.  
*Gardenia volkensii* K.Schum. subsp. *volkensii* var. *volkensii*  
*Hyperacanthus amoenus* (Sims) Bridson  
*Keetia gueinzii* (Sond.) Bridson  
*Lagynias dryadum* (S.Moore) Robyns  
*Oldenlandia herbacea* (L.) Roxb.  
*Otiophora calycophylla* (Sond.) Schltr. & K.Schum.  
*Oxyanthus speciosus* DC. subsp. *gerrardii* (Sond.) Bridson  
*Pachystigma bowkeri* Robyns  
*Pavetta eylesii* S.Moore  
*Pavetta gardeniifolia* A.Rich.  
*Pavetta schumanniana* F.Hoffm. ex K.Schum.  
*Pavetta trichardtensis* Bremek.  
*Pentanisia prunelloides* ssp. *prunelloides* (Klotzsch ex Eckl. & Zeyh.) Walp.  
*Plectroniella armata* (K.Schum.) Robyns  
*Psychotria capensis* (Eckl.) Vatke subsp. *capensis* var. *capensi*  
*Psydrax livida* (Hiern) Bridson  
*Psydrax locuples* (K.Schum.) Bridson  
*Pygmaeothamnus zeyheri* (Sond.) Robyns var. *zeyheri*  
*Pyrostria hystrix* (Bremek.) Bridson  
*Rothmannia capensis* Thunb.  
*Sericanthe andongensis* (Hiern) Robbr. var. *andongensis*  
*Spermacoce senensis* (Klotzsch) Hiern  
*Tricalysia capensis* (Meisn. ex Hochst.) Sim var. *capensis*  
*Tricalysia junodii* (Schinz) Brenan var. *kirkii* (Hook.f.) Rob  
*Vangueria infausta* Burch. subsp. *infausta*  
*Vangueria parvifolia* Sond.  
*Vangueria soutpansbergensis* N.Hahn

- Calodendrum capense* (L.f.) Thunb.  
*Clausena anisata* (Willd.) Hook.f. ex Benth. var. *anisata*  
*Oricia bachmannii* (Engl.) I.Verdi.  
*Ptaeroxylon obliquum* (Thunb.) Radlk.  
*Toddaliopsis bremekampii* I.Verdi.  
*Vepris lanceolata* (Lam.) G.Don  
*Vepris reflexa* I.Verdi.  
*Zanthoxylum capense* (Thunb.) Harv.  
*Zanthoxylum davyi* (I.Verdi.) P.G.Waterman

## SALVADORACEAE

- Salvadora australis* Schweick.

## SAPINDACEAE

- Allophylus africanus* P.Beeauv. var. *africanus*  
*Cardiospermum halicacabum* L.  
*Pappea capensis* Eckl. & Zeyh.

## SAPOTACEAE

- Englerophytum magalismontanum* (Sond.) T.D.Penn.  
*Mimusops zeyheri* Sond.

## SCROPHULARIACEAE

- Aptosimum lineare* Marloth & Engl.  
*Aptosimum patulum* Bremek.  
*Craterostigma* species  
*Halleria lucida* L.  
*Jamesbrittenia tenuifolia* (Bernh.) Hilliard

## SOLANACEAE

- Lycium cinereum* Thunb. sensu lato  
*Lycium* species  
*Solanum catombelense* Peyr.  
*Solanum lichtensteinii* Wild.

*Solanum macrocarpon* L.

*Solanum panduriforme* E.Mey.

*Solanum tettense* Klotzsch var. *renschii* (Vatke) A.E.Gonc.

*Solanum tomentosum* L. var *coccinum* (Jacq.) Wild.

## STERCULIACEAE

*Dombeya burgessiae* Gerrard ex Harv.

*Dombeya rotundifolia* (Hochst.) Planch. var. *rotundifolia*

*Hermannia boraginiflora* Hook.

*Hermannia depressa* N.E.Br.

*Hermannia grandiflora* Aiton

*Hermannia grisea* Schinz.

*Hermannia quartiniana* A.Rich.

*Melhania forbesii* Planch. ex Mast.

*Melhania prostrata* DC.

*Melhania rehmannii* Szyszyl.

*Sterculia rogersii* N.E.Br.

*Waltheria indica* L.

## STRYCHNACEAE

*Strychnos madagascariensis* Poir.

*Strychnos pungens* Soler.

*Strychnos spinosa* Lam.

## THYMELAEACEAE

*Gnidia cuneata* Meisn.

*Peddiea africana* Harv.

## TILIACEAE

*Corchorus asplenifolius* Burch.

*Corchorus confusus* Wild

*Corchorus kirkii* N.E.Br.

*Corchorus* species

*Corchorus trilocularis* L.

- Grewia bicolor* Juss. var. *bicolor*  
*Grewia flava* DC.  
*Grewia flavescens* Juss.  
*Grewia hexamita* Burret  
*Grewia monticola* Sond.  
*Grewia occidentalis* L. var. *occidentalis*  
*Grewia retinervis* Burret  
*Grewia* species  
*Grewia subspathulata* N.E.Br.  
*Grewia villosa* Willd. var. *villosa*  
*Triumfetta pentandra* A.Rich.

#### TURNERACEAE

- Tricliceras schinzii* (Urb.) R.Fern.

#### URTICACEAE

- Obetia tenax* (N.E.Br.) Friis  
*Pouzolzia mixta* Solms  
*Urtica urens* L.

#### VERBENACEAE

- Lantana camara* L.  
*Lantana rugosa* Thunb.  
*Lippia javanica* (Burm.f.) Spreng.  
*Verbena bonariensis* L.

#### VISCACEAE

- Viscum rotundifolium* L.f.  
*Cissus cornifolia* (Baker) Planch.  
*Cyphostemma woodii* (Gilg & M.Brandt) Desc.  
*Rhoicissus revoilii* Planch.  
*Rhoicissus rhomboidea* (E.Mey. ex Harv.) Planch.  
*Rhoicissus* species  
*Rhoicissus tomentosa* (Lam.) Wild & R.B.Drumm.

*Rhoicissus tridentata* (L.f.) Wild & R.B.Drumm. subsp. *tridentata*

#### ZYGOPHYLLACEAE

*Tribulus terrestris* L.

*Tribulus zeyheri* Sond. subsp. *zeyheri*

## Monocotyledons

#### AMARYLLIDACEAE

*Boophone disticha* (L.f.) Herb.

*Scadoxus puniceus* (L.) Friis & Nordal

#### ARECACEAE

*Hyphaene petersiana* Klotzsch

#### ASPARAGACEAE

*Asparagus africanus* Lam.

*Asparagus asparagoides* (L.) W.Wight

*Asparagus bechuanicus* Baker

*Asparagus cooperi* Baker

*Asparagus exuvialis* Burch. forma *exuvialis*

*Asparagus falcatus* L.

*Asparagus laricinus* Burch.

*Asparagus racemosus* Willd.

*Asparagus setaceus* (Kunth) Jessop

*Asparagus suaveolens* Burch.

*Asparagus virgatus* Baker

#### ASPHODELACEAE

*Aloe angelica* Pole-Evans

*Aloe arborescens* Mill.

*Aloe chabaudii* Schönland var. *chabaudii*

*Aloe globuligemma* Pole-Evans

*Aloe greatheadii* Schönland var. *greatheadii*

*Aloe littoralis* Baker

*Aloe marlothii* A.Berger subsp. *marlothii*

*Aloe spicata* L.f.

*Kniphofia* species

## COLCHICACEAE

*Androcymbium eucomoides* (Jacq.) Willd.

## COMMELINACEAE

*Commelina africana* L. var. *lancispatha* C.B.Clarke

*Commelina benghalensis* L.

*Commelina erecta* L.

*Cyanotis speciosa* (L.f.) Hassk.

## CYPERACEAE

*Bulbostylis burchellii* (Ficalho & Hiern) C.B.Clarke

*Bulbostylis contexta* (Nees) M.Bodard

*Bulbostylis hispidula* (Vahl) R.W.Haines subsp. *pyriformis* (Lye) R.W.Haines

*Coleochloa setifera* (Ridl.) Gilly

*Cyperus albostriatus* Schrad.

*Cyperus angolensis* Boeck.

*Cyperus denudatus* var. *denuatus* L.f.

*Cyperus distans* L.f.

*Cyperus indecorus* Kuth var. *deccurvatus* (C.B.Clarke) Kuk

*Cyeporus margaritaceus* Vahl var. *margaritaceus*

*Cyperus obtusiflorus* Vahl var. *obtusiflorus*

*Cyperus pseudoleptocladus* Kük.

*Cyperus rupestris* Kunth

*Cyperus sexangularis* Nees

*Cyperus solidus* Kunth

*Cyperus* species

*Cyperus sphaerospermus* Schrad.

*Fimbristylis complanata* (Retz.) Link

*Fuirena pubescens* (Poir.) Kunth

*Pycreus polystachyos* (Rottb.) P.Beauv.

*Schoenoplectus brachyceras* (A.Rich.) Lye

## DIOSCOREACEAE

*Dioscorea cotinifolia* Kunth

*Dioscorea sylvatica* (Kunth) Eckl.

## DRACAENACEAE

*Sansevieria aethiopica* Thunb.

*Sansevieria hyacinthoides* (L.) Druce

*Sansevieria pearsonii* N.E.Br.

## HYACINTHACEAE

*Drimia altissima* (L.f.) Ker Gawl.

*Drimia robusta* Baker

*Ledebouria apertiflora* (Baker) Jessop

*Ledebouria* species

*Ornithogalum* species

## HYPOXIDACEAE

*Hypoxis argentea* Harv. ex Baker var. *argentea*

*Hypoxis hemerocallidea* Fisch. & C.A.Mey.

## IRIDACEAE

*Aristea woodii* N.E.Br.

*Dites grandiflora* N.E.Br.

*Lapeirousia sandersonii* Baker

## ORCHIDACEAE

*Eulophia ensata* Lindl.

*Mystacidium braybonae* Summerh.

*Polystachya ottoniana* Rchb.f.

## POACEAE

*Alloteropsis semialata* (R.Br.) Hitchc.

*Andropogon chinensis* (Nees) Merr.

*Andropogon eucomus* Nees

*Aristida adscensionis* L.

*Aristida canescens* Henrard subsp. *ramosa* De Winter

*Aristida congesta* Roem. & Schult. subsp. *barbicollis* (Trin. &

*Aristida congesta* Roem. & Schult. subsp. *congesta*

*Aristida diffusa* Trin. subsp. *burkei* (Stapf) Melderis

*Aristida junciformis* Trin. & Rupr.

*Aristida meridionalis* Henrard

*Aristida rhiniochloa* Hochst.

*Aristida* species

*Aristida stipitata* Hack. subsp. *graciliflora* (Pilg.) Melderis

*Bothriochloa insculpta* (A.Rich.) A.Camus

*Bothriochloa radicans* (Lehm.) A.Camus

*Brachiaria deflexa* (Schumach.) C.E.Hubb. ex Robyns

*Brachiaria nigropedata* (Ficalho & Hiern) Stapf

*Brachiaria serrata* (Thunb.) Stapf

*Cenchrus ciliaris* L.

*Centropodia glauca* (Nees) Cope

*Chloris virgata* Sw.

*Cymbopogon excavatus* (Hochst.) Stapf ex Burtt Davy

*Cymbopogon pospischilii* (K.Schum) C.E. Hubb

*Cymbopogon* species

*Cynodon dactylon* (L.) Pers.

*Dactyloctenium aegyptium* (L.) Willd.

*Danthoniopsis dinteri* (Pilg.) C.E.Hubb.

*Dichanthium annulatum* (Forssk.) Stapf var. *papillosum* (A.Rich.) de Wet &

Harlan

*Digitaria eriantha* Steud.

- Diheteropogon amplexens* (Nees) Clayton  
*Elionurus muticus* (Spreng.) Kunth  
*Enneapogon cenchroides* (Roem. & Schult.) C.E.Hubb.  
*Enneapogon scoparius* Stapf  
*Enteropogon macrostachyus* (A.Rich.) Benth.  
*Eragrostis acraea* De Winter  
*Eragrostis aspera* (Jacq.) Nees  
*Eragrostis biflora* Hack. ex Schinz  
*Eragrostis chloromelas* Steud.  
*Eragrostis ciliaris* (L.) R.Br.  
*Eragrostis gummiflua* Nees  
*Eragrostis lehmanniana* Nees var. *lehmanniana*  
*Eragrostis micrantha* Hack.  
*Eragrostis pallens* Hack.  
*Eragrostis patentipilosa* Hack.  
*Eragrostis racemosa* (Thunb.) Steud.  
*Eragrostis rigidior* Pilg.  
*Eragrostis* species  
*Eragrostis superba* Peyr.  
*Eragrostis trichophora* Coss. & Durieu  
*Eustachys paspaloides* (Vahl) Lanza & Mattei  
*Heteropogon contortus* (L.) Roem. & Schult.  
*Ischaemum fasciculatum* Brongn.  
*Lintonia nutans* Stapf  
*Loudetia filifolia* Schweick.  
*Loudetia flava* (Stapf) C.E.Hubb.  
*Loudetia simplex* (Nees) C.E.Hubb.  
*Melinis nerviglumis* (Franch.) Zizka  
*Melinis repens* (Willd.) Zizka subsp. *repens*  
*Odyssea paucinervis* (Nees) Stapf  
*Oplismenus hirtellus* (L.) P.Beauv.  
*Panicum coloratum* L. var. *coloratum*  
*Panicum deustum* Thunb.  
*Panicum maximum* Jacq.

*Panicum natalense* Hochst.

*Panicum schinzii* Hack.

*Pennisetum glaucocladum* Stapf & C.E.Hubb.

*Perotis patens* Gand.

*Pogonarthria squarrosa* (Roem. & Schult.) Pilg.

*Schizachyrium jeffreysii* (Hack.) Stapf

*Schizachyrium sanguineum* (Retz.) Alston

*Schmidtia pappophoroides* Steud.

*Setaria megaphylla* (Steud.) T.Durand & Schinz

*Setaria nigrirostris* (Nees) T.Durand & Schinz

*Setaria sphacelata* (Schumach.) Moss

*Setaria sphacelata* (Schumach.) Moss var. *sphacelata*

*Setaria sphacelata* (Schumach.) Moss var. *torta* (Stapf) Clayt

*Setaria verticillata* (L.) P.Beauv.

*Sporobolus africanus* (Poir.) Robyns & Tournay

*Sporobolus fimbriatus* (Trin.) Nees

*Sporobolus ioclados* (Trin.) Nees

*Stipagrostis hirtigluma* (Trin. & Rupr.) De Winter

*Stipagrostis uniplumis* (Licht.) De Winter var. *uniplumis*

*Themeda triandra* Forssk.

*Trachypogon spicatus* (L.f.) Kuntze

*Tragus berteronianus* Schult.

*Tricholaena monachne* (Trin.) Stapf & C.E.Hubb.

*Urochloa mosambicensis* (Hack.) Dandy

## VELLOZIACEAE

*Xerophyta retinervis* Baker

*Xerophyta viscosa* Baker