

“Pyrenomycetes” *sensu lato* éléments de bibliographie récente Année 2000 (compléments), 2001, 2002

A.* et C. BELLEMÈRE

* Attaché au Muséum d'Histoire Naturelle,
12, rue de Buffon, F 75005 Paris, France

- Pour chaque année cette revue comporte deux parties :
- Bibliographie thématique.
 - Références bibliographiques.

Les références, qui sont classées par ordre alphabétique et sont numérotées, figurent dans les différentes rubriques de la partie thématique. Dans le thème “Systématique” les noms des genres nouveaux et des familles nouvelles sont soulignés.

Les compléments de l'année 2000 font suite à un article des mêmes auteurs publié dans *Cryptogamie, Mycologie*, 2002, 23 (2) : 169-180.

ANNÉE 2000 (compléments)

I – BIBLIOGRAPHIE THÉMATIQUE

Cytologie – 1, 24

Reproduction végétative – Généralités 25 – Anamorphes – *Botryodiplodia* 6 ;
Chalara 5 ; *Dothiorella* 6 ; *Drechslera* 2 ; *Fusarium* 1 ; *Fusicoccum* 6 ;
Hirsutella 18 ; *Metarhizium* 10 ; *Phialocephala* 16 ; *Xenochalara* 5

Reproduction sexuée – Ascomes 19 (hamathecium)

Génétique – 23

Milieus et substrats

Milieu aérien – Généralités 23 – Sur Plantes supérieures 2, 7, 22, 24 –
Fongicoles 20 – Lichénicoles 8, 9, 12, 27

Milieu aquatique 14, 15, 17, 26, 28

Endophytes 3, 26

Biogéographie et floristique

Régions boréales – Généralités 13, 22 – Sibérie 29

Europe – Allemagne 8 ; Autriche 12 ; Belgique et Luxembourg 9 ; Italie
27

Afrique du Sud 5

Asie – Chine 14, 18, 20, 28 ; Inde 8, 26

Australie 7

Systématique**Sordariomycetes**

Hypocreomycetidae – **Hypocreales** – Clavicipitaceae 18 (*Cordyceps*);
23 (*Claviceps*); Hypocreaceae 20 (*Hypocrea*); Nectriaceae 1
(*Gibberella*)

Sordariomycetidae – **Ophiostomatales** – Ophiostomataceae 30 (*Ophiostoma*)

Xylariomycetidae – **Xylariales** – Xylariaceae 21 (*Anthostomella*)

Sordariomycetes Inc. Sed. – **Phyllachorales** – Phyllachoraceae 10
(*Lichenochora*)

Chaetothyriomycetes

Chaetothyriomycetes Inc. Sed. – Rhynchostomataceae 32 (*Rhynchostoma*)

Dothideomycetes

Généralités 4, 19

Dothideales – Hysteriaceae 21 (*Actidiographium*)

Pleosporales – Pleosporaceae 2 (*Pyrenophora*)

Dothideomycetes Inc. Sed. – Delitschiaceae voir référence n° 4 dans
la bibliographie 2000 (*Delitschia*, *Ohleriella*, *Semidelitschia*)

II – RÉFÉRENCES BIBLIOGRAPHIQUES ANNÉE 2000 (compléments)

1. AHRAZEM O., GÓMEZ-MIRANDÁ B., PRIETO A., BERNABÉ M. & LEAL J.A. – A characteristic water-soluble cell wall polysaccharide for *Fusarium* and *Gibberella* species. *Mycological Research* 104 (5): 603-610.
2. ANGRA-SHARMA R., SINGH D. & SHARMA D.K. – Identification of phenolics accumulating as an initial response to infection of maize by *Drechslera maydis* and of barley by *Pyrenophora teres*. *Penjab University Research Bulletin* 60.
3. BACON C.W. & WHITE J.F.Jr. – *Microbial Endophytes*. Marcel Dekker éd. New York.
4. BARR M.E. & HUHDORF S.M. – *Loculoascomycetes*. In : Mac Laughlin D.J., Mac Laughlin E.G. & Lemke P.A. – *The Mycota VII A* - Springer éd. Berlin: 284-305.
5. COETZEE C., WINGFIELD M.J., CROUS P.W. & WINGFIELD B.D. – *Xenochalara*, a new genus of dematiaceous hyphomycetes for *Chalara* - like fungi with apical wall building conidial development. *South african Journal of Botany* 66: 99-103.
6. CROUS P.W. & PALM M.E. – Reassessment of the anamorph genera *Botryodiplodia*, *Dothiorella* and *Fusicoccum*. *Sydowia* 51: 167-175.
7. CROUS P.W., SUMERELL B.A., TAYLOR J.E. & BULLOCK S. – Fungi occurring on Proteaceae in Australia. *Plant Pathology* 29: 267-278.
8. de BRUYN U., APTROOT A. et van HERK K. – Lichenized and lichenicolous fungi new to the flora of North West Germany. *Herzogia* 14: 218-221.
9. DIEDERICH P. & SÉRUSIAUX E. – *The lichens and lichenicolous fungi of Belgium and Luxembourg*. Coll. P.G. van den Boom et A.M. Brand. Musée National d'Histoire Naturelle du Luxembourg : 1-207.
10. DRIVER F., MILNER R.J. & TRUEMAN W.H.A. – Taxonomic revision of *Metarhizium* based on a phylogenetic analysis of rDNA sequence data. *Mycological Research* 104: 134-150.
11. ERIKSSON O.E., BARAL H.O., CURRAH R.S., HANSEN K., KURTZMAN C.P., LAESSØE T. & RAMBOLD G. – Notes on ascomycete systematics n° 3128 à 3155.

12. HAFELLNER J. & BERGER F. – Über zwei seltene lichenicole Pilze auf *Trapelia*. *Herzogia* 14: 31-34.
13. HANSEN L. & KNUDSEN H. – *Nordic Macromycetes - Vol. I Ascomycetes* 309 p. Nordsvamp, Copenhagen.
14. HYDE K.D. & ALIAS S.A. – Biodiversity and distribution of fungi associated with decomposing *Nypa fruticans*. *Biodiversity and Conservation* 9(3) : 393-402.
15. HYDE K.D., SARMA V.V. & JONES E.B.G. – *Morphology and taxonomy of higher marine fungi*. In : Hyde K.D. & Pointing S.B. – *Marine Mycology. A practical approach* – Fungal Diversity Press, Hong Kong : 93-109.
16. JACOB S.A. – *The genus Phialocephala : a taxonomic study*. MS Thesis, Université de Pretoria, Afrique du Sud : 1-207.
17. JONES E.B.G. – Marine fungi : some factors influencing biodiversity. *Fungal Diversity* 4: 53-72.
18. LI Z.Z., HUANG B., LI C.R. & FAN M.Z. – “Preuve moléculaire dans la détermination de l’anamorphe de *Cordyceps sinensis* (Berk.) Sacc. I. Relation entre *Hirsutella sinensis* et *C. sinensis*”. *Mycosystema* 19: 60-64 [en chinois].
19. LIEW E.C.Y., APTROOT A. & HYDE K.D. – Phylogenetic significance of the pseudo-paraphyses in Loculoascomycete taxonomy. *Molecular Phylogenetics and Evolution* 16: 392-402.
20. LIU P.G., DOI Y., WANG X.H. & WANG Q.B. – The Hypocreaceae of China. III. Some fungicolous species of the genus *Hypocrea*. *Mycosystema* 19(3): 317-327.
21. LU B.S. & HYDE K.D. – *A world monograph of Anthostomella*. Fungal Diversity Press, Departement of Ecology and Biodiversity, University of Hong Kong : 1-376.
22. LUMLEY T.C., ABBOTT S.P. & CURRAH R.S. – Microscopic Ascomycetes isolated from rotting wood in the boreal forest. *Mycotaxon* 74(2): 395-414.
23. PAZOUTOVÁ Š., OLISOVSKÁ J., LINKA M., KOLÍNSKÁ R. & FLIEGER R. – Chemoraces and habitat specialization of *Claviceps purpurea* population. *Applied and Environmental Microbiology* 66: 5419-5425.
24. ROSSO L., MAIER M.S. & BERTONI M.D. – Trichotecenes production by the hypocrealean epibiont of *Baccharis coridifolia*. *Plant Biology* 6(2): 684-686.
25. SEIFERT K.A. & SAMUELS G.J. – *How should we look at anamorphs ?* In : Seifert K.A., Gams W., Crous P.W. & Samuels G.J. – *Molecules, morphology and classification : towards monophyletic genera in the Ascomycetes*. *Studies in Mycology* 45: 5-18.
26. SURYANARAYANAN T.S. & KUMARESAN V. – Endophytic fungi of some halophytes from an estuarine mangrove research. *Mycological Research* 104(12): 1465-1467.
27. TRETIACH M. & HAFELLNER J. – Lichens and lichenicolous fungi of Mt Fleons (Carnic Alps, Italy) I. Epilithic and epigaeic species. *Herzogia* 14: 99-111.
28. TSUI C.K.M., HYDE K.D. & HODGKISS J.J. – Biodiversity of fungi on submerged wood in Hong Kong streams. *Aquatic Microbial Ecology* 21: 289-298.
29. VASSILJEVA L.N. – *Actidographium* gen. nov. – *Mikologiya i Fitopatologiya* 34(6): 4.
30. VILJOEN C.D., WINGFIELD B.D. & WINGFIELD M.J. – Computer aided systematic evaluation of morphological characters of the ophiostomatoid fungi. *Mycotaxon* 74: 217-239.
31. WINKA K. – *Phylogenetic relationships within the Ascomycota based on 18S rDNA sequences*. Ph D Thesis, Umea University, Sweden.
32. WINKA K. & ERIKSSON O.E. – *Adding to the bitunicate puzzle-studies on systematic position of five aberrant ascomycete taxa*. In : K. Winka – *Phylogenetic relationships within the Ascomycota based on 18S rDNA sequences*. Ph D Thesis, Umea University, Sweden 5 : 1-13.

ANNÉE 2001

I – BIBLIOGRAPHIE THÉMATIQUE

Mycélium végétatif

Morphologie, Structure, Cytologie – 90, 152
 Métabolisme – 50, 52, 138, 151, 185, 188, 192
 Développement – 141

Reproduction

Reproduction végétative

Morphologie, Structure et Biologie – 141, 159, 178
 Anamorphes – *Beauveria* 108, 113 ; *Cercospora* 36, 66 ; *Clonostachys* 176, 177 ; *Colletotrichum* 69 ; *Coniothyrium* 137 ; *Cylindrocarpon* 27 ; *Cylindrocladium* 100 ; *Didymosphaerella* 14 ; *Discula* 11 ; *Ephelis* 198 ; *Fusarium* 6, 63, 165 ; *Fusicoccum* 181 ; *Gliocladium* 29 ; *Greeneria* 59 ; *Harknessia* 39 ; *Leptographium* 91, 92 ; *Micropeltopsis* 95 ; *Monocillium* 154 ; *Muscador* 224 ; *Neotyphodium* 130 ; *Nodulisporium* 32 ; 151 ; *Patriciomyces* 31 ; *Pestaliopsis* 105 ; *Phaeoacremonium* 160 ; *Pseudocercospora* 99 ; *Scopulariopsis* 1 ; *Septoria* 67 ; *Sporidesmium* 184 ; *Trichoderma* 28, 110 ; *Verticillium* 196

Reproduction sexuée

Ascomes – Morphologie 90, 179, 186 – Cytologie 89, 119, 140 – Biologie 51
 Asques – Structure 11, 13, 119, 140
 Ascospores – Morphologie 4 ; Libération 141 ; Germination 220

Génétique

Identification des gènes – 82, 189, 206
 Fonctionnement génique – 1, 225, 231
 Variabilité génomique – 35, 51, 60, 94, 120, 130, 163, 191
 Diversité génétique de populations – 18, 94, 214
 Evolution – 120

Milieus et Substrats

Milieu aérien

Sur plantes supérieures

- sur écorces 159
- sur bois 2, 94, 207, 208
- sur tiges, rameaux ou feuilles

Dicotylédones arborescentes – Chêne 32, 125, 166, 180 ; Bouleau 99, 187 ;
 Peuplier 101 ; Tilleul 173 ; Orme 74

Dicotylédones arbustives – Myrtaceae : Eucalyptus 26, 39, 44, 184 ; autres 37, 38 – Ericaceae 144 – Proteaceae 98, 149, 197, 200, 201, 202, 204, 223 – Autres plantes 7, 43, 82, 129, 143, 171, 224

Monocotylédones – Graminées herbacées 35, 67, 93, 193, 206, 222 ; Bambous 86, 112 ; Palmiers 70, 81, 169, 182, 203, 226, 227 ; Pandanus 101 ; Zingiberaceae 19

Sur Cryptogames

- sur Bryophytes 46
- Fongicoles 137, 205
- Lichénicoles 9, 21, 22, 31, 55, 72, 73, 139, 167, 213

Sur Insectes 71, 87, 108, 159, 193, 235

Fimicoles 158

Terricoles 62 (places brûlées), 190 (croûtes biologiques)

Milieu aquatique ou subaquatique

Généralités 208, 209, 210

Eaux douces 58, 78, 155, 207, 210, 215

Eaux marines 65, 141, 215

Mangroves et zone intertidale 2, 11, 13, 168

Endophytes 19, 35, 125, 130, 202, 223, 231

Rapports avec l'environnement

Action sur l'environnement – Parasitisme

Hôtes affectés

Graminées 35, 93, 193, 206, 222 ; autres plantes herbacées 172

Plantes arbustives – Vigne 59, 160 ; Proteaceae 197

Arbres – Orme (*Ophiostoma*) 74 ; Tremble (*Venturia*) 101 ; Chêne pubescent 180, 219

Champignons 185 ; Lichens (voir ci-dessus “Lichénicoles”)

Insectes 193, *Cordyceps* (voir à “Systématique”)

Modalités d'action 106, 180, 185

Sensibilité à l'environnement

Substances polluantes 207, 208

Biogéographie et floristique

Europe

France – Ensemble 179, 221 ; Sud-Ouest 24, 33, 157 ; Bretagne 107 ; Pays de Loire 134, 162 ; Alsace 75 ; Sud-Est 16

Europe méditerranéenne – Ibérie 32, 115 ; Grèce 228

Europe centrale – Allemagne 221 ; Autriche 42, 73, 173 ; Croatie 123 ; Tchèque 142

Afrique

Egypte 2 ; Zimbabwe 138 ; Namibie 98 ; Afrique du Sud 184, 202, 204, 214, 235 ; Ile Maurice 48, 49

Amérique

Amérique du Nord – USA 31, 58, 160, 190, 201 ; Hawaï 64, 200 ; Mexique 65, 71, 128, 166, 198
 Amérique centrale – Caraïbes 132
 Amérique du Sud – Généralités 131 - Argentine 27, 62, 76, 77, 116 ; Brésil 43 ; Bolivie 133 ; Equateur 55

Asie

Généralités 198 – Moyen Orient 135 ; Inde 81, 82, 146 ; Chine 47, 89, 103, 109, 112, 170, 207, 208, 209, 210 ; Indonésie 78, 88, 171, 199, 226 ; Japon 6, 99, 145, 205 ; Sibérie 217

Océanie

Australie 17, 26, 85, 124, 226 ; Nlle Zélande 44 ; Nlle Guinée 7

Systematique

Sordariomycetes – Généralités 53, 54, 68, 118, 164, 180

Hypocreomycetidae**Halosphaeriales**

Halosphaeriaceae – *Cucullospora* 4 ; *Halosarphaea* 3, 5, 13

Hypocreales

Bionectriaceae – Généralités 64 – *Bionectria* 177 ; *Nectriopsis* 167 ; *Pronectria* 55, 176 ; *Trichonectria* 55

Clavicipitaceae – Généralités 87, 195, 196 – *Aciculosporium* 143 ; *Claviceps* 147, 193, 206 ; *Cordyceps* 10, 30, 71, 75, 103, 109, 113, 114, 123, 136, 193, 195, 199 ; *Hypocrella* 112 ; *Neoclaviceps* 194

Hypocreaceae – *Arachnocrea* 42 ; *Hypocrea* 28, 29, 42, 47, 152 ; *Hypomyces* 42, 205 ; *Sphaerostilbella* 42

Nectriaceae – *Calonectria* 100, 174 ; *Gibberella* 6, 63, 191 ; *Nectria* 41, 42, 145 ; *Neonectria* 121

Niessliaceae – *Hyaloseta* 154 ; *Niesslia* 154 ; *Paraniesslia* 209 ; *Trichosphaerella* 42

Microascales

Microascaceae – Généralités 1

Microascales Inc. Sed. – *Ceratocystis* 51, 163

Sordariomycetidae**Diaporthales** – Généralités 59, 230

“Melanconidaceae” – *Uleoportha* 25 ; *Wuestneia* 39

Valsaceae – *Cryphonectria* 180, 214, 219 ; *Diaporthe* 222 ; *Rossmania* 217 ; *Vismaya* 170

Diaporthales Inc. Sed. – *Jobellisia* 155 ; *Lollipopaia* 88

Ophiostomatales

Ophiostomataceae – Généralités 235 – *Ophiostoma* 18, 50, 60, 74, 102, 122, 175

Sordariales

Annulatascaceae – *Aqualignicola* 155 ; *Brunneospora* 155

Chaetomiaceae – *Chaetomium* 185 ; *Farrowia* 212

Chaetosphaeriaceae – *Chaetosphaeria* 84 ; *Lecythothecium* 156 ; *Porosphaerellopsis* 155

- Helminthosphaeriaceae – *Helminthosphaeria* 42
 Lasiosphaeriaceae – *Arecacicola* 203 ; *Arnium* 116 ; *Jugulospora* 62 ; *Lasiosphaeria* 13, 203 ; *Podospora* 116
 Sordariaceae – (?) *Ascolacicola* 156 ; *Ascotaiwania* 222 ; *Diplogelasinospora* 142
 Sordariales Inc. Sed. – *Glomerella* 69 ; *Reconditella* 167 ; *Rosellinula* 167

Xylariomycetideae

Xylariales – Généralités 183

- Amphisphaeriaceae – *Lanceispora* 171 ; *Pestalosphaeria* 105
 Cainiaceae – *Ceriophora* 131
 Clypeosphaeriaceae – *Clypeosphaeria* 209 ; *Curvatispora* 166 ; *Oxydothis* 222 ; *Stereosphaeria* 62
 Hyponectriaceae – *Aquadulciospora* 58 ; *Leiosphaerella* 19 ; *Pellucida* 49 ; *Physalospora* 58, 200
 Xylariaceae – *Astrocystis* 182 ; *Biscogniauxia* 32, 96, 182, 188 ; *Cyanopulvis* 182 ; *Daldinia* 94, 126, 187, 188, 189, 221 ; *Guestia* 182 ; *Hypoxylon* 42, 126, 182 ; *Kretschmaria* 77 ; *Nemania* 182 ; *Poronia* 97 ; *Rosellinia* 182 ; *Seynesia* 70 ; *Stilbohypoxylon* 182 ; *Stromatoneurospora* 128 ; *Thuemenella* 127 ; *Xylaria* 76, 97, 107, 146, 166
 Xylariales Inc. Sed. – *Monosporascus* 220

Sordariomycetes Inc. Sed.

Ordres

Meliolales

- Meliolaceae – Généralités 34 – *Amazonia* 82 ; *Goniothalamus* 82

Phyllachorales

- Phyllachoraceae – Généralités 149 – *Lichenochora* 148 ; *Parberya* 148 ; *Sphaerodothis* 148 ; *Sphaerodothis* 148

Trichosphaeriales

- Trichosphaeriaceae – *Cresporhaphis* 20

Familles

- Magnaporthaceae – *Buergenerula* 117 ; *Gaeumannomyces* 19 ; *Magnaporthe* 50, 93, 225 ; *Ophioceras* 211 ; (?) *Pseudohalonectria* 145

- (?) Pleurotremataceae – *Rimaconus* 84

- Genres – *Saccardoella* 58

Dothideomycetes – Généralités 15, 111, 117

Capnodiales

- Capnodiaceae – *Capnodium* 138

Dothideales – Généralités 111, 117

- Arthopyreniaceae – *Arthopyrenia* 98

- Asterinaceae – Généralités 80 – *Asterina* 81

- Botryosphaeriaceae – Généralités 216 – *Botryosphaeria* 129, 181, 184, 216, 232, 233, 234

- Dacampiaceae – *Polycoccum* 167, 213 ; *Pyrenidium* 167 ; *Weddellomyces* 140

- Diademaceae – *Clathrospora* 12

Hysteriaceae – *Farlowiella* 42
 Microthyriaceae – *Hemigrapha* 167 ; *Lichenopeltella* 95, 167
 Mycosphaerellaceae – *Guignardia* 144 ; *Mycosphaerella* 26, 37, 38, 40, 44, 66, 67, 99, 141 ; *Sphaerellothecium* 167 ; *Stigmidium* 22, 167
 Mytiliniaceae – *Mytilinidion* 42 ; *Zoggium* 218
 Phaeosphaeriaceae – *Phaeosphaeria* 141 ; *Paraphaeosphaeria* 23 ; *Wilmia* 43
 Pleomassariaceae – *Lichenopyrenis* 21 ; *Pleomassaria* 16
 Sporormiaceae – *Preussia* 190 ; *Semidelitschia* 17
 Venturiaceae – *Venturia* 79, 101

Jahnulales

Aliquandostipitaceae – Généralités 90 – *Aliquandostipite* 90

Myriangiales

Elsinoaceae – *Elsinoe* 197

Pleosporales

Leptosphaeriaceae – *Leptosphaeria* 119, 167, 179, 209
 Massariaceae – *Massarina* 11, 215
 Melanommataceae – *Astrosphaeriella* 209 ; *Kalmusia* 190 ; *Melanomma* 89 ; *Pseudotrichia* 58 ; *Trematosphaeria* 83, 119
Montagnulaceae – Généralités 14 – *Didymosphaerella* 14, 153
 Pleosporaceae – *Cochliobolus* 52, 231 ; *Macroventuria* 190 ; *Pleospora* 106, 190 ; *Pyrenophora* 229 ; *Wettsteinina* 215

Dothideomycetes Inc. Sed.

Ordres

Coryneliales

Coryneliaceae – *Tripospora* 27

Familles

(?) Pleurotremataceae – *Rimaconus* 84

Xanthopyreniaceae – *Zwackhiomyces* 167

Genres : *Cercidospora* 167 ; *Endococcus* 167 ; *Swampomyces* 2

L'activité humaine et les Pyrenomycetes

Utilisation des Pyrenomycetes

Généralités 150 – Production de fongicides 129, 185 – Utilisation médicale 109 (*Cordyceps*)

Protection des Pyrenomycetes

Listes “rouges” 134 (Pays de la Loire) – Gestion des populations 162 (Chambord)

Recherches sur les Pyrenomycetes

Techniques expérimentales – Techniques moléculaires 3, 26, 32, 37, 38, 66, 74, 102, 117, 121, 125, 126, 137, 156, 159, 161, 174, 181, 183, 188, 189, 194, 196, 197, 206, 212, 229, 230, 232, 233

Herbiers, exsiccatas, listes de récoltes, clé de détermination – 42, 65, 73, 78, 86, 115, 122, 124, 132, 135, 149, 167, 168, 200, 204, 226

Nomenclature – 61

Bibliographie – Ouvrages généraux 120, 165 – Dictionnaire 104 – Documentation historique 68 – Références récentes 53, 54

II – RÉFÉRENCES BIBLIOGRAPHIQUES ANNÉE 2001

1. ABBOTT S.P. & SIGLER L. – Heterothallism in the Microascaceae demonstrated by three species in the *Scopulariopsis brevicaulis* series. *Mycologia* 93(6): 1211-1220.
2. ABDEL-WAHAB M.A., EL-SHAROUNEY H. & JONES E.B.G. – Two intertidal lignicolous *Swampomyces* species from Red Sea mangroves in Egypt. *Fungal Diversity* 8: 35-40.
3. ABDEL-WAHAB M.A., PANG K.L., EL-SHAROUNY H.M. & JONES E.B.G. – *Halosarpheia unicellularis* sp. nov. (Halosphaeriales, Ascomycota) based on morphological and molecular evidence. *Mycoscience* 42(3): 255-260.
4. ALIAS S.A., MOSS S.T. & JONES E.B.G. – *Cucullospora mangrovei*, ultrastructure of ascospores and their appendages. *Mycoscience* 42(5): 405-411.
5. ANDERSON J.L., CHEN W. & SHEARER C.A. – Phylogeny of *Halosarpheia* based on 18 S rDNA. *Mycologia* 93(5): 897-906.
6. AOKI T., O'DONNELL K. & KAZUNORI I. – *Fusarium fractiflexum* sp. nov. and two other species within the *Gibberella fujikuroi* species complex recently discovered in Japan that form aerial conidia in false heads. *Mycoscience* 42(5): 461-478.
7. APTROOT A. – Lichenized and saprobic fungal biodiversity of a single *Elaeocarpus* tree in Papua New Guinea, with a report of 200 species of ascomyceta associated with one tree. *Fungal Diversity* 6: 1-11.
8. APTROOT A. & LÜCKING R. – The *Sphaerella* species described from Hymenophyllaceae (filmy ferns) belong to *Strigula* and *Trichothelium* (lichenized ascomycetes). *Mycological Research* 105(4): 510-512.
9. APTROOT A. & SIPMAN H.J.M. – New Hong Kong lichens, ascomycetes and lichenicolous fungi. *Journal of the Hattori Botany Laboratory* 91: 317-343.
10. ARTJARIYASRIPONG S., MITCHELL J.I., HYWEL-JONES N.L. & JONES E.B.J. – Relationship of the genus *Cordyceps* and related genera, based on parsimony and spectral analysis of partial 18S and 28S ribosomal gene sequences. *Mycoscience* 42(6): 503-517.
11. AU D.W.T., VRIJMOED L.L.P. & JONES E.B.G. – Ultrastructure of asci and ascospores of *Massarina velatospora* from intertidal mangrove wood. *Botanica Marina* 44(3): 261-266.
12. BABUSHKINA I.N. – “*Pleospora, Clathrospora, Sphaeria*”. [en russe]. *Novitates Systematicae Plantarum non vascularum* [Academia Scientiarum Rossica] 34: 38-40.
13. BAKER T.A., JONES E.B.G. & MOSS S.T. – Ultrastructure of ascus and ascospore appendages of the mangrove fungus *Halosarpheia ratnagiriensis* (Halosphaeriales, Ascomycota). *Canadian Journal of Botany* 79(11): 1307-1317.
14. BARR M.E. – Montagnulaceae, a new family in the Pleosporales, and lectotypification of *Didymosphaerella*. *Mycotaxon* 77: 193-200.
15. BARR M.E. & HUHDORF S.M. – *Loculoascomycetes*. In : Mac Laughlin O.J., Mac Laughlin E.G. & Lemke P.A. – The Mycota VII, A : Systematics and Evolution – Springer-Verlag, Berlin : 223-305.
16. BARR M.E., LEROY P. & GAUTHIER L. – Neotypification de *Sphaeria protrusa*. *Bulletin de la Société Mycologique de France* 117(3): 207-211.
17. BELL A. & MAHONEY D.P. – *Semidelitschia nanostellata* (Fungi : Dothideales : Sporormiaceae): a new species from Australia. *Muelleria* 15: 3-6.
18. BRASIER C.M. & KIRK S.A. – Designation of the EAN and NAN races of *Ophiostoma novo-ulmi* as subspecies. *Mycological Research* 105(5): 547-554.
19. BUSSABAN B., LUMYONG S., LUMYONG P., HYDE K.D. & Mac KENZIE E.H.C. – Two new species of endophytes (ascomycetes) from Zingiberaceae sporulating in culture. *Nova Hedwigia* 73(3-4): 487-493.
20. CALATAYUD V. & AGUIRRE-HUDSON B. – Observations on the genus *Crespophis* (Trichosphaeriaceae) with a key to the known species, and *C. ulmi* sp. nov. *Mycological Research* 105(1): 122-126.
21. CALATAYUD V., SANZ M.J. & APTROOT A. – *Lichenopyrenis galligena* (Pleomasariaceae), a new genus of gall-forming lichenicolous fungi on *Leptochidium*. *Mycological Research* 105(5): 634-637.

22. CALATAYUD V. & TRIEBEL D. – *Stigidium acetabuli* (Dothideales sensu lato) a new lichenicolous fungus on *Pleurosticta acetabulum*. *Bibliotheca lichenologica* 78: 27-33
23. CÂMARA M.P.S., PALM M.E., van BERKUM P. & STEWART E.L. – Systematics of *Paraphaeosphaeria*: a molecular and morphological approach. *Mycological Research* 105(1): 41-56
24. CANDOUSSAU F., FOURNIER J. & MAGNI J.F. – New and rare species of *Lasio-sphaeria* in Southwestern France. *Mycotaxon* 80: 201-240.
25. CANNON P.F. – Rediscovery and redescription of the genus *Uleoporthe* (Melanconidaceae). *Fungal Diversity* 7: 17-25.
26. CARNEGIE A.J., ADES P.K. & FORD R. – The use of RAPD-PCR analysis for the differentiation of *Mycosphaerella* species from *Eucalyptus* in Australia. *Mycological Research* 105(11): 1313-1320.
27. CATANIA M.D.V. & ROMERO A.I. – *Tripispora militaris* sp. nov. from Argentina, with a key to the known species. *Mycological Research* 105(8): 1020-1024.
28. CHAVERRI P., SAMUELS G.J. & STEWART E.L. – *Hypocrea virens* sp. nov., the teleomorph of *Trichoderma virens*. *Mycologia* 93(6): 1113-1124.
29. CHAVERRI P., SAMUELS G.J., STEWART E.L. & UMANA L. – *Hypocrea nigrovirens*, a new species with a *Gliocladium*-like anamorph. *Mycologia* 93(4): 758-763.
30. CHEN Y.Q., WANG N., QU L.-H., LI T.H. & ZHANG W.M. – Determination of the anamorph of *Cordyceps sinensis* inferred from the analysis of the ribosomal DNA internal transcribed spacers and 5,8 S r DNA. *Biochemical systematics and Biology* 29: 597-607.
31. COLE M.S. & HAWKSWORTH D. – Lichenicolous fungi, mainly from the USA, including *Patriciomyces* gen. nov. *Mycotaxon* 77: 305-338.
32. COLLADO K., PLATAS G. & PELÁEZ F. – Identification of an endophytic *Nodulisporium* sp. from *Quercus ilex* in central Spain as the anamorph of *Biscogniauxia mediterranea* by rDNA sequence analysis and effect of different ecological factors on distribution of the fungus. *Mycologia* 93(5): 875-886.
33. COSTE C. & REY H. – Contribution à l'étude des Ascomycetes du Tarn (8^e note). *Bulletin de liaison de la Société tarnaise de Sciences Naturelles*, 2001: 46-62.
34. CRANE J.L. & JONES A.G. – Nomenclatural and taxonomic revisions in the Meliolaceae. *Mycotaxon* 77: 145-151.
35. CRAVEN K.D., BLANKENSHIP J.D., LEUCHTMANN A., HIGHNIGHT K. & SCHARDL C.L. – Hybrid fungal endophytes symbiotic with the grass *Lolium pratense*. *Sydowia* 53(1): 44-73.
36. CROUS P.W. & BRAUN U. – A reassessment of the *Cercospora* species described by C. Chupp: specimen deposited at BPI, Maryland, USA. *Mycotaxon* 78: 327-343.
37. CROUS P.W., HONG L., WINGFIELD B.D. & WINGFIELD M.J. – ITS rDNA phylogeny of selected *Mycosphaerella* species and their anamorphs occurring on Myrtaceae. *Mycological Research* 105(4): 425-431.
38. CROUS P.W., KANG J.C. & BRAUN U. – A phylogenetic redefinition of anamorph genera in *Mycosphaerella* based on ITS rDNA sequence and morphology. *Mycologia* 93(6): 1081-1101.
39. CROUS P.W. & ROGERS J.D. – *Wuestneia molokaiensis* and its anamorph *Harknessia molokaiensis* sp. nov. from *Eucalyptus*. *Sydowia* 53(1): 74-80.
40. CZEREPANOV P.S. – “*Mycosphaerella*, région de Leningrad, clé”. [en russe]. *Novitates Systematicae Plantarum non vascularum* [Academia Scientiarum Rossica] 34: 68-70.
41. CZEREPANOV P.S. – “*Nectria*, région de Leningrad, clé”. [en russe]. *Novitates Systematicae Plantarum non vascularum* [Academia Scientiarum Rossica] 34: 71.
42. DÄMON W. – Notizen zur Pilzflora der Bundeslandes Salzburg (1). *Linzer Biologische Beiträge* 33(2): 723-796.
43. DIANESE J.C., INÁCIO C.A. & DORNELO-SILVA D. – *Wilmia*, a new genus of phaeosphaeriaceous ascomycetes on *Memora pedunculata* in central Brazil. *Mycologia* 93(5): 1014-1018.

44. DICK M.A. & DOBBIE K. – *Mycosphaerella suberosa* and *M. intermedia* sp. nov. on *Eucalyptus* in New Zealand. *New Zealand Journal of Botany* 39: 269-276.
45. DIEDERICH P., van den BOOM P. & APTROOT A. – *Cladoniicola staurospora* gen. et sp. nov., a new lichenicolous coelomycete from western Europe. *Belgian Journal of Botany* 134: 127-130.
46. DÖBBELER P. – *Polytrichadelphus magellanicus* *sensu lato* (Musci) and its ascomycetes – different fungi on different hosts. *Sendtnera* 7: 35-45.
47. DOI Y., LIU P.G. & TAMURA M. – A new species of the Hypocreales (Ascomycota) from Mt Changbeishan, Northeast China. *Bulletin of the National Science Museum Tokyo*, ser. B, 27(2-3): 57-63.
48. DULYMAMODE R., CANNON P.F., HYDE K.D. & PEERALLY A. – Four new ascomycete species from endemic *Pandanus* of Mauritius. *Fungal Diversity* 8: 87-96.
49. DULYMAMODE R., CANNON P.F., SIVANESAN A. & PEERALLY A. – Fungi from Mauritius : four new Ascomycetes on native plants. *Mycological Research* 105(2): 247-254.
50. EAGEN R., KIM S.H., KRONSTAD J.W. & BREUIL C. – An hydroxynaphtalene reductase gene from the wood-staining fungus *Ophiostoma floccosum* complements the buff phenotype in *Magnaporthe grisea*. *Mycological Research* 105(4): 461-469.
51. EL-ANI A.S. – Trigenomic perithecia in a three-component heterocaryon of *Ceratocystis radialis*. *Mycologia* 93(2): 265-269.
52. EMAMI K. & HACK E. – Characterisation of a xylanase gene from *Cochliobolus sativus* and its expression. *Mycological Research* 105(3): 352-359.
53. ERIKSSON O.E., BARAL H.O., CURRAH R.S., HANSEN K., KURTZMAN C.P., LAESSØE T. & RAMBOLD G. – Notes on ascomycete systematics n° 3128-3477.
54. ERIKSSON O.E., BARAL H.O., CURRAH R.S., HANSEN K., KURTZMAN C.P., RAMBOLD G. & LAESSØE T. – Outline of Ascomycota – 2001 – *Myconet* 7: 1-88.
55. ETAYO J. – Hongos liquenícolas de Ecuador. I – Dos especies nuevas del orden Hypocreales (Ascomycota) : *Pronectria parmotrematis* y *Trichonectria leptogicola*. *Anales del Jardín Botánico de Madrid* 58(2): 219-222.
56. ETAYO J. & BREUSS O. – *Endococcus incrassatus*, a new lichenicolous fungus (Dothideales). *Österreichische Zeitschrift für Pilzkunde* 10: 315-317.
57. FAHSELT D., MADZIA S. & ALSTRUP V. – Scanning electron microscopy of invasive fungi in Lichens. *Bryologist* 104(1): 24-39.
58. FALLAH P.M. & SHEARER C.A. – Freshwater ascomycetes : new or noteworthy species from north temperate lakes in Wisconsin. *Mycologia* 93 (3) : 566-602
59. FARR D.F., CASTLEBURY L.A., ROSSMAN A.Y. & ERINCIK O. – *Greeneria uvicola*, cause of bitter rot of grapes, belongs in the Diaporthales. *Sydowia* 53(2): 185-199.
60. GAGNÉ P., YANG D.-Q., HAMELIN R.C. & BERNIER L. – Genetic variability of Canadian population of the capstain fungus *Ophiostoma piceae*. *Phytopathology* 91: 369-376.
61. GAMS W. – Report of the Committee for Fungi. *Taxon* 49: 812.
62. GAMUNDI I.J. & LORENZO L.E. – Ascomycetes from burnt places in the NW Patagonia, Argentina. *Czech Mycology* 52(4): 267-275.
63. GEISER D.M., JUBA J.H., WANG B. & JEFFERS S.N. – *Fusarium hostae* sp. nov., a relative of *F. redolens* with a *Gibberella* teleomorph. *Mycologia* 93(4): 670-678.
64. GILBERTSON R.L., DESJARDIN D.E., ROGERS J.D. & HEMMES D.E. – Fungi from the Mamane-Niao vegetation zone of Hawaii's. *Fungal Diversity* 6: 35-69.
65. GONZÁLES M.C., HANLIN R.T. & ULLOA M. – A checklist of higher marine fungi of México. *Mycotaxon* 80: 241-253.
66. GOODWIN S.B., DUNKLE L.D. & ZISMANN V.L. – Phylogenetic analysis of *Cercospora* and *Mycosphaerella* based on the internal transcribed spaces region of ribosomal DNA. *Phytopathology* 91: 648-658.
67. GOODWIN S.B. & ZISMANN V.L. – Phylogenetic analysis of the ITS region of ribosomal DNA reveal that *Septoria passerinii* from barley is closely related to the wheat pathogen *Mycosphaerella graminicola*. *Mycologia* 93(5): 934-946.

68. GRANITI A., ZUCCONI L. & CICCARONE C. – *Sferiaceae Italici. Centuria II.* [“Transcription commentée de l'ébauche manuscrite de De Notaris”] – Ed. Mycotaxon, Ithaca, USA : 1-144.
69. GUERBER J.C. & CORRELL J.C. – Characterization of *Glomerella acutata*, the teleomorph of *Colletotrichum acutatum*. *Mycologia* 93(1): 216-229.
70. GUO L.D. & HYDE K.D. – Fungi from palms 46 – *Seynesia livistonae* sp. nov. (Xylariaceae) from Hong-Kong. *Nova Hedwigia* 72(3-4): 461-465.
71. GUZMÁN G., MORÓN M.A. & RAMÍREZ-GUILLEN F. – Entomogenous *Cordyceps* and related genera from Mexico with discussions on their hosts and new records. *Mycotaxon* 78: 115-125.
72. HAFELLNER J. – Studies in lichenicolous fungi and lichens. XII: on the genus *Trematosphaeriopsis* (Dothideales). *Mycotaxon* 80: 381-387.
73. HAFELLNER J. & WIESER B. – Beitrag zur Diversität von Flechten und lichenicolen Pilzen im ostosterrischen Hügelland unter besonderer Berücksichtigung der Gebiete mit entstehenden Vulbraniten (Steiermark, Österreich). *Fritschiana* 23: 1-26.
74. HARRINGTON T.C., Mac NEW D., STEIMEL J., HOFSTRA D. & FARRELL R. – Phylogeny and taxonomy of the *Ophiostoma piceae* complex and the Dutch elm disease fungi. *Mycologia* 93(1): 111-136.
75. HERTZOG P. – Les *Cordyceps* récoltés en Alsace. *Bulletin de la Société Mycologique de Strasbourg* 82: 11-12.
76. HLADKI A.I. – *Xylaria enteroleuca* (Xylariaceae) nuevo registro para el Noroeste de la Argentina. *Lilloa* 40(2): 209-214.
77. HLADKI A.I. & ROMERO A.T. – The genus *Kretzschmaria* from Tucuman, Argentina. *Mycotaxon* 79: 481-496.
78. HO W.H., HYDE K.D., HODGKISS I.J. & YANNA – Fungal communities on submerged wood from streams in Brunei, Hong-Kong and Malaysia. *Mycological Research* 105(12): 1492-1501.
79. HOLM K. & HOLM L. – *Venturia glacialis*, an overlooked species. *Czech Mycology* 52(4): 323-327.
80. HOSAGOUDAR V.B., ABRAHAM T.K. & BIJU C.K. – Re-evaluation of the family Asterinaceae. *Journal of the Mycopathological Research* 39: 61-63.
81. HOSAGOUDAR V.B., ABRAHAM T.K., BIJU C.K. & HYDE K.D. – Fungi from palms 47 – A new species of *Asterina* on palms from India. *Fungal Diversity* 6: 69-73.
82. HOSAGOUDAR V.B., RAJKUMAR G., BIJU C.K. & ABRAHAM T.K. – *Amazonia goniothalami* sp. nov. and some additional records of fungi on *Goniothalamus wightii* from India. *Mycotaxon* 77: 431-434.
83. HSIEH W.H. & CHEN C.Y. – Toward a better circumscription of *Trematosphaeria* (Dothideales). *Rostanika (Botanical Journal of Iran)* 2001(2): 18.
84. HUHNDORF S.M., FERNÁNDEZ F.A., TAYLOR J.E. & HYDE K.D. – Two pantropical Ascomycetes : *Chaetosphaeria cylindrospora* (sp. nov.) and *Rimaconus*, a new genus for *Lasiosphaeria jamaicensis*. *Mycologia* 93(6): 1072-1080.
85. HYDE K.D. – Non-lichenised Australian Ascomycetes. *Australian Systematic Botany* 14: 357-375.
86. HYDE K.D., HO W.H., Mac KENZIE E.H.C. & DALISAY T. – Saprobic fungi on bamboo culms. *Fungal Diversity* 7: 35-48.
87. HYWEL-JONES N.L. – The importance of a molecular phylogenetic approach in the study of the insect-host in Clavicipitaceae. *Rostanika (Botanical Journal of Iran)* 2001(2): 5.
88. INDERBITZIN P. & BERBEE M.L. – *Lollipopaia minuta* from Thailand, a new genus and species of the Diaporthales (Ascomycetes, Fungi) based on morphological and molecular data. *Canadian Journal of Botany* 79(9): 1099-1106.
89. INDERBITZIN P. & HUANG Z.L. – *Melanomma dinghuense*, a new loculoascomycete with Munk pore-like perforations from Dinghushan Biosphere Reserve in Southern China. *Mycoscience* 42(2): 187-191.

90. INDERBITZIN P., LANDVIK S., ABDEL-WAHAB M.A. & BERBEE M. – Aliquandostipitaceae, a new family for two new tropical Ascomycetes with unusually wide hyphae and dimorphic ascomata. *American Journal of Botany* 88(1): 52-61.
91. JACOBS K. & WINGFIELD B.D. – Phylogenetic relationships in *Leptographium* based on morphological and molecular characters. *Canadian Journal of Botany* 79(6): 719-732.
92. JACOBS K. & WINGFIELD M.J. – *Leptographium species : three pathogens, insect associates and agents of blue-stain*. APS Press St Paul USA : 1-207.
93. JAVAN-NIKKHAH M., HEDJAROUDE A., SHARIFI-TEHRANI A. & ELAHINIA S.A. – Biology of *Magnaporthe salvinii* the causal agent of rice stem rot in Guilan Province, Iran. [en iranien, résumé en anglais]. *Iranian Journal of Plant Pathology* 37: 15-17.
94. JOHANNESSON H., GUSTAFSSON M. & STENLID J. – Local population structure of the wood decay ascomycete *Daldinia loculata*. *Mycologia* 93(3): 440-446.
95. JONES E.B.G. & HAWKSWORTH D.L. – *Micropeltopsis quinquecladiopsis* belongs in *Lichenopeltella*. *Mycological Research* 105(6): 642.
96. JU Y.M. & ROGERS J.D. – New and interesting *Biscogniauxia* taxa with a key to the world species. *Mycological Research* 105(9): 1123-1133.
97. JU Y.M. & ROGERS J.D. – *Xylaria cranioides* and *Poronia pileiformis* and their anamorphs in culture, and implications for the status of *Penzigia*. *Mycological Research* 105(9): 1134-1136.
98. KAINZ C., APTROOT A. & TRIEBEL D. – *Arthopyrenia aloës*, a new Ascomycete from Namibia. *Nova Hedwigia* 72(1-2): 209-215.
99. KANEKO R. & KASHIMA M. – *Mycosphaerella buna* sp. nov. with a *Pseudocercospora* anamorph isolated from leaves of Japanese beach. *Mycoscience* 42(1): 59-66.
100. KANG J.C., CROUS P.W., OLD K.M. & DUDZINSKI M.J. – Non conspecificity of *Cylindrocladium quinquesepatum* and *Calonectria quinquesepata* based on a β -tubulin gene phylogeny and morphology. *Canadian Journal of Botany* 79(10): 1241-1247.
101. KASANEN R., HANTULA J. & KURKELA T. – The occurrence of an undescribed species of *Venturia* in blighted shoots of *Populus tremula*. *Mycological Research* 105(3): 338-343.
102. KIM S.H. & BREUIL C. – Common nuclear ribosomal internal transcribed spacer sequences occur in the sibling species *Ophiostoma piceae* and *O. quercus*. *Mycological Research* 105(3): 331-337.
103. KINJO N. & ZANG M. – Morphological and phylogenetic studies on *Cordyceps sinensis* distributed in Southwestern China. *Mycoscience* 42(6): 567-574.
104. KIRK P.M., CANNON P.F., DAVID J.C. & STALPERS J.A. – *Dictionary of the Fungi* 9 ed. CABInternational, Wallingford, Oxon 0 x 10 8 DE, UK – 655 p.
105. KOBAYASHI T., ISHIIHARA M. & ONO Y. – A new species of *Pestalotia*, the teleomorph of *Pestalotiopsis neglecta*. *Mycoscience* 42(2): 211-216.
106. KSHIRSAGAR A., REID A.J., MAC COLL S.M., SAUNDERS V.A., WHALLEY A.J.S. & EVANS E.H. – The effect of fungal metabolites on leaves as detected by chlorophyll fluorescence. *New Phytologist* 151(2): 451-457.
107. LEROY P. & MORNAND J. – Un *Xylaria* (*Penzigia*) sp. (Xylariaceae) en presqu'île de Crozon (Finistère) France. *Documents Mycologiques* 122: 15-19.
108. LI Z.Z., LI C.R., HUANG B. & FAN M.Z. – Discovery and demonstration of the teleomorph of *Beauveria bassiana* (Bals.) Vuill. an important entomogenous fungus. *Chinese Scientific Bulletin* 9: 751-753.
109. LIANG Z.Q. – “Situation et pondération de la recherche et de l'exploitation concernant *Cordyceps* Fr. en Chine”. [en chinois]. *Acta Mycologica Sinica* 10: 50-56.
110. LIECKFELDT E., KULLNIG C., KUBICEK C.P., SAMUELS G.J. & BÖRNER T. – *Trichoderma aureo-viride* : phylogenetic position and characterization. *Mycological Research* 105(3): 313-322.

111. LINDEMUTH R., WIRTZ N. & LUMBSCH H.T. – Phylogenetic analysis of nuclear and mitochondrial DNA sequences supports the view that loculoascmycetes (Ascomycota) are not monophyletic. *Mycological Research* 105(10): 1176-1181.
112. LIU P.G., WANG X.H., LI Z.Q., YANG Z.L. & ZHANG D.-C. – Notes on the bambusicolous species of the genus *Hypocrella* from south-western China. *Mycotaxon* 78: 67-74.
113. LIU Z.Y., LIANG Z.Q., WHALLEY A.J.S., LIU A.Y. & YAO Y.J. – A new species of *Beauveria* the anamorph of *Cordyceps sobolifera*. *Fungal Diversity* 7: 61-70.
114. LIU Z.Y., YAO Y.J., LIANG Z.Q., LIU A.Y., PEGLER D.N. & CHASE M.W. – Molecular evidence for the anamorph-teleomorph connection in *Cordyceps sinensis*. *Mycological Research* 105(7): 827-832.
115. LLIMONA X. & HLADUN N.L. – Checklist of the lichens and lichenicolous fungi of the Iberian peninsula and balearic islands. *Bocconea* 14: 5-58.
116. LORENZO L.E. & HAVRYLENKO M. – The genera *Arnium* and *Podospora* from Argentina. *Mycologia* 93(6): 1221-1230.
117. LUMBSCH H.T. & LINDEMUTH R. – Major lineages of Dothideomycetes (Ascomycota) inferred from SSU and LSU rDNA sequences. *Mycological Research* 105(8): 901-908.
118. LUTZONI F., PAGEL M. & REEB V. – Major fungal lineages are derived from the lichen symbiotic ancestors. *Nature* 411: 937-940.
119. Mac KEOWN T.A., ALIAS A., MOSS S.T. & JONES E.B.G. – Ultrastructural studies of *Trematosphaeria malaysiana* sp. nov. and *Leptosphaeria pelagica*. *Mycological Research* 105(5): 615-624.
120. Mac LAUGHLIN D.J., Mac LAUGHLIN E.G. & LEMKE P.A. (Ed.) – *Systematics and Evolution – The Mycota VII A*. Springer Verlag, Berlin, Heidelberg : 1-336.
121. MANTIRI F.R., SAMUELS G.J., RAHE J.E. & HONDA B.M. – Phylogenetic relationships in *Neonectria* species having *Cylindrocarpon* anamorphs inferred from mitochondrial ribosomal DNA sequences. *Canadian Journal of Botany* 79(2): 334-340.
122. MARAIS G.J. & WINGFIELD M.J. – *Ophiostoma africanum* sp. nov. and a key to ophiostomatoid species from *Protea* infructescences. *Mycological Research* 105(2): 240-246.
123. MATOCEC N. & OZIMEC R. – Observations on *Cordyceps riverae* (Hypocreales, Ascomycota) in Croatian caves. *Natura Croatica* 10(3): 197-206.
124. MAY T.W. & FARRER L. – *Biodiversity and Biogeography of Australasian Fungi*. CSIRO Publishing, Victoria, Australia : 1-184.
125. MAZZAGLIA A., ANSELMINI N., GASBARRI A. & VANNINI A. – Development of a Polymerase Chain Reaction (PCR) assay for the specific detection of *Biscogniauxia mediterranea* living as an endophyte in oak tissue. *Mycological Research* 105(8): 952-956.
126. MAZZAGLIA A., ANSELMINI N., VICARIO S. & VANNINI A. – Sequence analysis of the 5.8S rDNA and ITS regions in evaluating genetic relationships among some species of *Hypoxylon* and related genera. *Mycological Research* 105(6): 670-675.
127. MEDEL R. – *Thuemenella cubispora* (Ascomycetes, Xylariaceae) un hongo poco común en México. *Acta Botánica Mexicana* 54: 25-28.
128. MEDEL R. – Primer registro del género *Stromatoneurospora* (Ascomycetes, Xylariaceae) en México. *Acta Botánica Mexicana* 55: 13-16.
129. MICHAILIDES T.J., MORGAN D.P., DANIEL F. & DRIEVER G.F. – *Chemical and culture control of Botryosphaeria blight of pistachio in California in 2000*. California Pistachio Industry Annual Report 2000-01. California Pistachio Commission, Fresno, CA USA : 57.
130. MIKKELSEN L., ROULUND N., LÜBECK M. & FUNCK JENSEN D. – The perennial ryegrass endophyte *Neotyphodium lolii* genetically transformed with the green fluorescent protein gene (gfp) and visualization in the host plant. *Mycological Research* 105(6): 644-650.

131. MILLER A.N. & HUHNDORF S. – Neotropical Ascomycetes 10. New and interesting *Ceriophora* species. *Sydowia* 53(2): 211-226.
132. MINTER D.W., RODRIGUEZ HERNANDEZ M. & MENA PORTALES J. – *Fungi of the Caribbean – An annotated check list*. IMJ, CABI Bioscience Egham Surrey UK.
133. MORENO-ARROYO B., ORTEGA DIAZ A., ESTEVE-RAVENTÓS F. & GÓMEZ J. – Brevi note tassonomiche su alcuni macromiceti della Bolivia. *Bolletino Gruppo Micologico G. Bresadolae* 44(3): 45-62.
134. MORNAND J. – Liste rouge des champignons menacés de la région des Pays de la Loire. *Société d’Etudes Scientifiques de l’Anjou*. Mémoire n° 15 : 1-33.
135. MOUCHACCA J. – Biodiversité des récentes découvertes fongiques dans les états arides de l’est méditerranéen. *Bocconeia* 13: 131-143.
136. MUSUMECI E. & RIVA A. – *Cordyceps gracilis* Montagne et Durieu. *Bulletin Suisse de Mycologie* 79: 232-233.
137. MUTHUMEENAKSHI S., GOLDSTEIN A.L., STEWART A. & WHIPPS J.M. – Molecular studies on intraspecific diversity and phylogenetic position of *Coniothyrium minitans*. *Mycological Research* 105(9): 1065-1074.
138. MWENJE E. & MGUNI N. – Cellulolytic and pectinolytic activities of *Capnodium* isolates (sooty mould) from Zimbabwe. *Canadian Journal of Botany* 79(12): 1492-1495.
139. NAVARRO-ROSINÉS P. & ETAYO J. – *Lichenochora epinashii* sp. nov. y *L. sinapis-permae* sp. nov. (Phyllachorales, Ascomycetes), dos nuevos hongos liquenícolas sobre *Caloplaca*. *Cryptogamie Mycologie* 22(2): 147-158.
140. NAVARRO-ROSINÉS P., ROUX C. & BELLEMÈRE A. – Ultrastructure de *Weddellomyces epicallopisma* (Dothideales, Dacampiaceae, Ascomycota), plus particulièrement de ses ascospores. *Compte-rendus de l’Académie des Sciences de Paris, Sciences de la Vie* 324 : 443-451.
141. NEWELL S.Y. – Spore-expulsion rates and extents of blade occupation by Ascomycetes of the smooth-cordgrass standing-decay system. *Botanica Marina* 44(3): 277-285.
142. NOVOTNY D. – *Diplogelasinospora princeps* (Sordariales) the first record in Czech Republic. *Czech Mycology* 53(3): 203-209.
143. OGUCHI T. – *Aciculosporium saxicola* sp. nov. on witches’ broom of *Sasa senanensis*. *Mycoscience* 42(2): 217-221.
144. OKANE I., NAKAGIRI A. & ITO T. – Identity of *Guignardia* sp. inhabiting ericaceous plants. *Canadian Journal of Botany* 79(1): 101-109.
145. ONO Y. & KOBAYASHI T. – Notes on new and noteworthy plant-inhabiting fungi from Japan (1). *Mycoscience* 42(5): 439-446.
146. PANDE A., WAINGANKAR V., PRASAD L., VAIDYA Y. & VAIDYA J.G. – A giant *Xylaria* from India. *Mycotaxon* 80: 163-166.
147. PAZOUTOVÁ S. – The phylogeny and evolution of the genus *Claviceps*. *Mycological Research* 105(3): 275-283.
148. PEARCE C.A. & HYDE K.D. – Two new genera in the Phyllachoraceae: *Sphaerodothella*, to accomodate *Sphaerodothis danthoniae*, and *Parberya* gen. nov. *Fungal Diversity* 6: 83-97.
149. PEARCE C.A., REDDEL P. & HYDE K.D. – Revision of the Phyllachoraceae (Ascomycota) on hosts of the angiosperm family Proteaceae. *Australian Systematic Botany* 14(2): 283-328.
150. POINTING S.B. & HYDE K.D. – *Bio-Exploitation of filamentous Fungi*. Fungal Diversity Press Hong Kong : 1-467.
151. POLISHOOK J.D., ONDEYKA J.G., DOMBROWSKI A.W., PELÁEZ F., PLATAS G. & TERAN A.M. – Biogeography and relatedness of *Nodulisporium* strains producing nodulisporic acid. *Mycologia* 93(6): 1125-1137.
152. PRIETO A., LEAL J.A., GÓMEZ-MIRANDA B., AHRAZEM O., JIMÉNEZ-BARBERO J. & BERNABÉ M. – Structure of a cell wall polysaccharide isolated from *Hypocrea gelatinosa*. *Carbohydrate Research* 333: 173-178.
153. RAMALEY A.W. – *Didymosphaerella yuccae* sp. nov. *Mycotaxon* 78: 435-438.

154. RAMALEY A.W. – *Hyaloseta nolinae*, its anamorph *Monocillium nolinae* and *Niesslia agavacearum*, new members of the Niessliaceae, Hypocreales, from leaves of Agavaceae. *Mycotaxon* 79: 267-274.
155. RANGHOO V.M., TSUI C.K.M. & HYDE K.D. – *Brunneosporella aquatica* gen. et sp. nov., *Aqualignicola hyalina* gen. et sp. nov., *Jobellisia viridifusca* sp. nov. and *Porosphaerellopsis bipolaris* sp. nov. (ascomycetes) from submerged wood in freshwater habitats. *Mycological Research* 105(5): 625-633.
156. RÉBLOVÁ M. & WINKA K. – Generic concepts and correlations in ascomycetes based on molecular and morphological data : *Lecythothecium duriligini* gen. and sp. nov. with a *Sporidesmium* anamorph, and *Ascolacicola austriaca* sp. nov. *Mycologia* 93(3): 478-493.
157. REY H. – Etude mycologique en forêt de Grésigne. *Bulletin de liaison de la Société tarnaise de Sciences Naturelles* 2001 : 31-41.
158. RICHARDSON M.J. – Diversity and occurrence of coprophilous fungi. *Mycological Research* 105(4): 387-404.
159. ROLLINS F., JONES K.G., KROKEN P., SOLHEIM H. & BLACKWELL M. – Phylogeny of asexual fungi associated with bark and ambrosia beetles. *Mycologia* 93(5): 991-996.
160. ROONEY S.N., ASKALEN A. & GUBLER W.D. – First report of three *Phaeoacremonium* spp. causing young grapevine decline in California. *Plant diseases* 82: 590.
161. ROSSMAN A.Y., Mac KEMY J.M., PARDO-SCHULTHEISS R.A. & SCHOERS H.J. – Molecular studies of the Bionectriaceae using large subunit rDNA sequences. *Mycologia* 93(1): 100-110.
162. ROUX C., BRICAUD O. & TRANCHIDA F. – Importance des lichens et des champignons dans la richesse spécifique et la gestion de la réserve de Chambord. *Bulletin de la Société linnéenne de Provence* 52: 161-183.
163. ROUX Y., HARRINGTON T.C., STEIMEL J.P. & WINGFIELD M.J. – Genetic variation in the wattle wilt pathogen *Ceratocystis albofundus*. *Mycoscience* 42(4): 327-332.
164. SAMUELS G.J. & BLACKWELL M. – *Pyrenomycetes fungi with perithecia*. In : Mac Laughlin et Lemke P.A. The Mycota VII A, Systematics and Evolution, Springer Verlag, Berlin, Heidelberg : 221-256.
165. SAMUELS G.J., NIRENBERG H.I. & SEIFERT K.A. – *Perithecial species of Fusarium*. In : Summerell (B.A.), Leslie (J.F.), Backhouse (D.), Bryden (W.L.) et Burgess (L.W.) *Fusarium* - American Phytopathology Society, St Paul Minnesota, Paul E. Nelson Memorial Symposium : 1-14.
166. SAN MARTIN F., LAVIN P. & ROGERS J.D. – Some species of *Xylaria* (Hymenozascomycetes, Xylariaceae) associated with oaks in Mexico. *Mycotaxon* 79: 337-360.
167. SANTESSON A. – Fungi lichenicoli exsiccati. Fasc. 13 et 14 (n^{os} 301-350). *Thunbergia* 31: 1-18.
168. SARMA U.V. & HYDE K.D. – A review on frequently occurring fungi in mangroves. *Fungal Diversity* 8: 1-34.
169. SARMA V.V. & HYDE K.D. – Fungi from palms 48 – *Curvatispora singaporensis* gen. & sp. nov. on *Livistona spinosa* from Singapore. *Nova Hedwigia* 72(3-4): 479-485.
170. SARMA V.V. & HYDE K.D. – *Vismaya chaturbeeja* gen. and sp. nov. from a dicotyledonous twig in Hong-Kong. *Nova Hedwigia* 73(1-2): 247-252.
171. SARMA V.V. & HYDE K.D. – *Lanceispora phyllophila* sp. nov. on petioles of unknown dicotyledonous leaves in Singapore. *Mycoscience* 42(1): 97-99.
173. SCHEUER C. – Einige neuere Kleinpilzefunde auf *Tilia* (Linde), hauptsächlich aus der Steiermark. *Fritschiana* 24: 36-38.
174. SCHOCH C.L., CROUS P.W., WINGFIELD B.D. & WINGFIELD M.J. – Phylogeny of *Calonectria* based on composition of β -tubulin DNA sequence. *Mycological Research* 105(9): 1045-1052.
175. SCHROEDER S., KIM S.H., CHEUNG W.T., STERFLINGER K. & BREUIL C. – Phylogenetic relationship of *Ophiostoma piliferum* to other sapstain fungi based on the nuclear rRNA gene. *FEMS Microbiology Letters* 195: 163-167.

176. SCHROERS H.-J. – A monograph of *Bionectria* (Ascomycota, Hypocreales, Bionectriaceae) and its *Clonostachys* anamorphs. *Studies in Mycology* 46: 1-214.
177. SCHROERS H.J. & GAMS W. – A revision of *Bionectria* (Bionectriaceae, Hypocreales, Ascomycetes) with anamorphs in *Clonostachys*. *Rostanika (Botanical Journal of Iran)* 2001(2): 6.
178. SEIFERT K.A. & GAMS W. – *The taxonomy of anamorphic fungi*. In : Mac Laughlin et Lemke P.A. *The Mycota VII A, Systematics and Evolution*, Springer Verlag, Berlin, Heidelberg : 307-347.
179. SHOEMAKER R.A. & BRUN H. – The teleomorph of the weakly aggressive segregate of *Leptosphaeria maculans*. *Canadian Journal of Botany* 79(4): 412-419.
180. SIDOTI A., TAMBURINO V. & GRANATA G. – *Cryphonectria parasitica* su Roverella (*Quercus pubescens*). Risultati delle infezioni artificiali. *Micologia Italiana* 2001(3): 5-10.
181. SMITH D.R. & STANOSZ G.R. – Molecular and morphological differentiation of *Botryosphaeria dothidea* (anam. *Fusicoccum aesculi*) from some other fungi with *Fusicoccum* anamorphs. *Mycologia* 93(3): 505-515.
182. SMITH G.J.D. & HYDE K.D. – Fungi from palms 49 – *Astrocystis*, *Biscogniauxia*, *Cyanopulvis*, *Hypoxylon*, *Nemania*, *Guestia*, *Rosellinia* and *Stilbohypoxyton*. *Fungal Diversity* 7: 89-127.
183. SMITH G.J.D., LIEW E.C.Y., JEEWON R.V.R. & HYDE K.D. – Molecular systematics of the Xylariales inferred from 18S r DNA sequence data. *Phytopathology* 91 (supplement 6) : 5124.
184. SMITH H., CROUS P.W., WINGFIELD M.J., COUTINHO T.A. & WINGFIELD B.D. – *Botryosphaeria eucalyptorum* sp. nov., a new species in the *B. dothidea*-complex on *Eucalyptus* in South Africa. *Mycologia* 93(2): 277-285.
185. SOYTONG K., KANOKMEDHAKUL S., KUKONGVIRIYAPA V. & ISOBE M. – Applications of *Chaetomium* species (Ketomium R) as a new broad spectrum biological fungicide for plant disease control : a review article. *Fungal Diversity* 7: 1-15.
186. STADLER M., BAUMGARTNER M. & WOLLWEBER H. – Three new *Daldinia* species with yellowish stromatal pigments. *Mycotaxon* 80: 179-196.
187. STADLER M., BAUMGARTNER M., WOLLWEBER H., JU Y.-M. & ROGERS J.D. – *Daldinia decipiens* sp. nov. and notes on some other *Daldinia* ssp. inhabiting Betulaceae. *Mycotaxon* 80: 167-177.
188. STADLER M., WOLLWEBER H., MÜHLBAUER A., ASAKAWA Y., HASHIMOTO T., JU Y.M., ROGERS J.D., WETZSTEIN H.G. & TICHY H.V. – Molecular chemotaxonomy of *Daldinia* and other Xylariaceae. *Mycological Research* 105(10): 1191-1205.
189. STADLER M. & WOLLWEBER H., MÜHLBAUER A., HENKEL T., ASAKAWA Y., HASHIMOTO T., JU Y.M., ROGERS J.D., WETZSTEIN H.G. & TICHY H.V. – Secondary metabolite profiles, genetic fingerprints and taxonomy of *Daldinia* and allies. *Mycotaxon* 77: 379-429.
190. STATES J.S. & CHRISTENSEN M. – Fungi associated with biological soil crusts in desert grasslands of Utah and Wyoming. *Mycologia* 93(3): 432-439.
191. STEENKAMP E.E.T., COUTINHO T.A., DESJARDINS A.E., WINGFIELD B.D., MARASAS W.F.O. & WINGFIELD M.J. – Cryptic speciation in *Gibberella fujikuroi* mating population. *Phytopathology* 91(6) (supplement) : S 124.
192. STROBEL G.A., DIRSKE E., SEARS J. & MARKWORTH C. – Volatil antimicrobials from *Muscodor albus*, a novel endophytic fungus. *Microbiology* 147: 2943-2950.
193. STURM G. – Ergot du Seigle et Massue des chenilles, deux représentants de la famille des Clavicipitaceae. *Bulletin Suisse de Mycologie* 2000(1): 36-37.
194. SULLIVAN R., BERGEN M.S., PATEL R., BILLS G.F., ALDERMAN S.C., SPATAFORA J.W. & WHITE J.F. Jr – Features and phylogenetic status of an enigmatic clavicipitalean fungus *Neoclaviceps monostipa* gen. & sp. nov. *Mycologia* 93(1): 90-99.

195. SUNG G.H., HODGE K.T. & SPATAFORA J.W. – A multigene phylogeny for *Cordyceps* and the Clavicipitaceae. *Phytopathology* 91 (6) (supplement): S 125.
196. SUNG G.H., SPATAFORA J.W., ZARE R., HODGE K.T. & GAMS W. – A revision of *Verticillium* sect. *Prostata* II. Phylogenetic analysis of SSU and LSU nuclear rDNA sequences from anamorphs and teleomorphs of the Clavicipitaceae. *Nova Hedwigia* 72(3-4): 311-328.
197. SWART L., CROUS P.W., KANG J.C., MICHAU G.R.A., PASCOE I. & PALM M.E. – Differentiation of species of *Elsinoë* associated with scab disease of Proteaceae based on morphology, symptomatology, and ITS sequence phylogeny. *Mycologia* 93(2): 366-379.
198. TANAKA E., KAWASAKI S., MATSUMURA K., KUSUDA R., TANAKA C., PENG Y.L., TSUKIBOSCHI T. & TSUDA M. – Phylogenetic studies of *Ephelis* species from various locations and hosts in Asia. *Mycological Research* 105(7): 811-817.
199. TASANATAI K. & HYWEL-JONES N.L. – *Cordyceps unilateralis* in Thailand : an exemple of 'Hidden species'. *Rostanika (Botanical Journal of Iran)* 2001(2): 6.
200. TAYLOR J.E., CROUS P.W. & PALM M.E. – Foliar and stem fungal pathogens of Proteaceae in Hawai. *Mycotaxon* 78: 449-490.
201. TAYLOR J.E., CROUS P.W. & SWART L. – Follicolous and caulicolous fungi associated with Proteaceae cultivated in California. *Mycotaxon* 78: 75-103.
202. TAYLOR J.E., DENMAN S. & CROUS P.W. – Endophytes isolated from the three species of *Protea* in a nature reserve in the Western Cape, South Africa. *Sydowia* 53(2): 247-260.
203. TAYLOR J.E., FRÖLICH J. & HYDE K.D. – *Lasio-sphaeria* and a similar genus from palms. *Mycoscience* 42(4): 369-377.
204. TAYLOR J.E., LEE S. & CROUS P.W. – Biodiversity in the Cape Floral Kingdom : fungi occurring on Proteaceae. *Mycological Research* 105(12): 1480-1484.
205. TOKIWA T. & OKUDA T. – “Ascomycetes japonais fimicoles, trois espèces d'*Hypomyces*” [en japonais]. *Nippon Kingakukai Kaiho* 42(4): 199-209.
206. TOOLEY P.W., GOLEY E.D., CARRAS M.M., FREDERICK R.D., WEBER E.L. & KULDAU G.A. – Characterization of *Claviceps* species pathogenic on *Sorghum* by sequence analysis of the β -tubulin gene intron 3 region and EF-1 α gene intron 4. *Mycologia* 93(3): 541-551.
207. TSUI C.K.M., HYDE K.D. & HODGKISS I.J. – Effects of glyphosate on lignicolous freshwater fungi of Hong-Kong. *Sydowia* 53(1): 167-174.
208. TSUI C. K.-M., HYDE K.D. & HODGKISS I.J. – Colonization patterns of wood-inhabiting fungi on baits in Hong-Kong rivers, with references to the effect of organic pollution. *Antonie van Leeuwenhoek* 79(1): 33-38.
209. TSUI C. K.-M., HYDE K.D. & HODGKISS I.J. – *Paraniesslia tuberculata* gen. and sp. nov. and new records or species of *Clypeosphaeria*, *Leptosphaeria* and *Astrosphaeriella* in Hong-Kong freshwater habitats. *Mycologia* 93(5): 1002-1009.
210. TSUI C.K.M., HYDE K.D. & HODGKISS I.J. – Longitudinal and temporal distribution of freshwater ascomycetes and dematiaceous hyphomycetes in the Lam Tsuen River Hong-Kong. *Phytopathology* 91 (6) (supplement) : S 125.
211. TSUI C.K.M., LEUNG Y.M., HYDE K.D. & HODGKISS I.J. – Three new *Ophioceras* species (Ascomycetes) from the tropics. *Mycoscience* 42(4): 321-326.
212. UNTEREINER W.A., DEBOIS V. & NAVEAU F.A. – Molecular systematics of the ascomycete genus *Farrowia* (Chaetomiaceae). *Canadian Journal of Botany* 79(3): 321-333.
213. VÁCZI P. & HAWKSWORTH D. – *Polycoccum crespoae* sp. nov., the first report of a lichenicolous fungus on *Chondropsis semiviridis* (Parmeliaceae). *Lichenologist* 33(6): 513-517.
214. Van HEERDEN S.W. & WINGFIELD M.J. – Genetic diversity of *Cryphonectria cubensis* isolates in South Africa. *Mycological Research* 105(1): 94-99.
215. Van RYCKEGEM G. & APTROOT A. – A new *Massarina* and a new *Wettsteinina* (Ascomycotina) from freshwater and tidal reeds. *Nova Hedwigia* 73(1-2): 161-166.

216. VASCONCELOS A.F.D., DEKKER R.F.H., BARBOSA A.M. & PACCOLA-MAIRELLES L. – Comparison of the laccases, molecular marker proteins, and induction of pycnidia by three species of botryosphaeriaceous fungi. *Mycoscience* 42(6): 543-548.
217. VASSILJEVA L.N. – Pyrenomyces of the Russian Far East – Additions and corrections – 1 – *Mycoscience* 42(4): 399-401.
218. VASSILJEVA L.N. – *Rossmania ukurunduensis* gen. et sp. nov., *Zoggium* gen. nov. *Mikologiya i Fitopatologiya* 35(1): 17.
219. VENTER M., MYBURG H., WINGFIELD M.J. & WINGFIELD B.D. – *Cryphonectria cubensis* represents a new genus comprised of three species. *Phytopathology* 91 (6) (supplement) : S 125-126.
220. WAUGH M.M., STANGHELLINI M.E. & KIM D. – Scanning electron microscopy of germinated ascospores of *Monosporascus cannonballus*. *Mycological Research* 105(6): 745-748.
221. WOLLWEBER H. & STADLER M. – Zur Kenntnis der Gattung *Daldinia* in Deutschland and Europa. *Zeitschrift für Mykologie* 67(1): 3-53.
222. WONG M.K.M. & HYDE K.D. – Fungi on grasses : new species of *Ascotaiwania*, *Diaporthe* and *Oxydothis* (Ascomycetes). *Cryptogamie Mycologie* 22(1): 19-28.
223. WORAPONG J., STROBEL G.A., DAISY B.H., CASTILLO U., BAIRD G. & HESS W.M. – *Muscador roseus* sp. nov. an., endophyte from *Grevillea pteridifolia*. *Mycotaxon* 81: 463-475.
224. WORAPONG J., STROBEL G., FORD E.J., LI J.Y., BAIRD G. & HESS W.M. – *Muscador albus* anam. gen. et sp. nov., an endophyte from *Cinnamomum zeylanicum*. *Mycotaxon* 79: 67-79.
225. XUE C.Y. & XU J.R. – Functional analysis of two genes regulated by the PMK1 MAP kinase pathway in *Magnaporthe grisea*. *Phytopathology* 91 (6) (supplement): S127.
226. YANNA, HO W.H. & HYDE K.D. – Fungal communities on decaying palm fronds in Australia, Brunei and Hong Kong. *Mycological Research* 105(12): 1458-1473.
227. YANNA, HO W.H., HYDE K.D. & GOH T.K. – Occurrence of fungi on tissues of *Livistona chinensis*. *Fungal Diversity* 6: 177-180.
228. ZERVAKIS G. – Mycodiversity in Greece. *Bocconeia* 13: 119-124.
229. ZHANG G. & BERBEE M. – *Pyrenophora* phylogenetics inferred from ITS and glyceraldehyde-3-phosphate dehydrogenase gene sequences. *Mycologia* 93(6): 1048-1063.
230. ZHANG N. & BLACKWELL M. – Molecular phylogeny of dogwood anthracnose fungus (*Discula destructiva*) and the Diaporthales. *Mycologia* 93(2): 355-365.
231. ZHONG S. & STEFFENSON B.J. – Genetic and molecular characterization of mating type genes in *Cochliobolus sativus*. *Mycologia* 93(5): 852-863.
232. ZHOU S., SMITH D.R. & STANOSZ G.R. – Differentiation of *Botryosphaeria* species and related anamorphic fungi using Inter Simple or Short Sequence Repeat (ISSR) fingerprinting. *Mycological Research* 105(8): 919-926.
233. ZHOU S. & STANOSZ G.R. – Relationships among *Botryosphaeria* species and associated anamorphic fungi inferred from the analysis of ITS and 5.8 S rDNA sequences. *Mycologia* 93(3): 516-527.
234. ZHOU S. & STANOSZ G.R. – Primers for amplification of mt SSU rDNA, and a phylogenetic study of *Botryosphaeria* and associated anamorphic fungi. *Mycological Research* 105(9): 1033-1044.
235. ZHOU X.D., de BEER Z.W., WINGFIELD B.D. & WINGFIELD M.J. – Ophiostomatoid fungi associated with three pine-infesting bark beetles in South Africa. *Sydowia* 53(2): 290-300

ANNÉE 2002**I – BIBLIOGRAPHIE THÉMATIQUE****Mycélium végétatif**

Cytologie – 59

Métabolisme – 5, 38, 51, 102, 105, 167

Croissance et Développement – 22, 30, 59

Reproduction***Reproduction végétative***

Morphologie, Structure et Biologie – 22, 118, 124

Anamorphes – Généralités 82, 83, 157, 188 – *Alternaria* 149 ; *Arthroxyllaria* 147 ; *Beauveria* 72 ; *Bisporostilbella* 147 ; *Chalara* 128 ; *Chalaropsis* 128 ; *Clonostachys* 106 ; *Cocconia* 81 ; *Dischloridium* 150 ; *Fusarium* 16, 109 ; *Fusicladium* 15 ; *Fusicoccum* 131 ; *Lecythophora* 181, 182 ; *Microsphaeropsis* 3 ; *Muscodor* 38, 39 ; *Neotyphodium* 29, 30, 112 ; *Nodulisporium* 133 ; *Nomuraea* 174 ; *Nymbia* 84 ; *Parvosympodium* 135 ; *Phialophora* 60 ; *Phomopsis* 109 ; *Pseudocercospora* 13, 36 ; *Spilocaea* 15 ; *Thielaviopsis* 128 ; *Trichoderma* 89 ; *Verrucisporota* 12

Reproduction sexuée

Ascomes – Développement 111, 124

Asques – Morphologie, Structure 2, 79 ; Développement 111, 134 ; Déhiscence 171

Ascospores – Structure de la paroi (MET) 9 ; Développement 111 ; Libération 171

Génétique

Généralités – 113

Identification des gènes – 44, 51, 102, 120

Fonctionnement génique – 20, 51, 102

Variabilité génomique – 10, 34, 60, 106, 117, 132, 148, 167

Milieus et Substrats***Milieu aérien*****Sur plantes supérieures**

– sur Gymnospermes 144

– sur Dicotylédones arborescentes

– sur troncs ou rameaux – Hêtre 42, 178, 191 ; Arbres fruitiers 3 ; Eucalyptus 53, 185 ; Plantes diverses 116, 130

– sur feuilles – Généralités 29 – Plantes diverses 100, 111, 154, 155 – Sur litière 125, 126

– sur fruits 143

- sur Dicotylédones arbustives ou herbacées – 109, 125, 130
- sur Monocotylédones – Graminées 53, 120, 183 ; Agavaceae 21, 135 ; Typhaceae 41 ; Pandanaceae 108 ; Bananier 36 ; Palmiers 184

Sur Cryptogames

- sur Bryophytes – 43
- Fongicoles – 177
- Lichénicoles – 7, 31, 48, 55, 122, 145, 172, 190 ; cultures pures 96

Sur Insectes – 121

Fimicoles – 119, 147

Terricoles – 57, 91, 139, 170

Milieu aquatique et subaquatique

- Généralités – 18, 45, 74
- Eaux douces – 41, 73, 127, 157, 173
- Eaux marines – 74
- Mangroves et zone intertidale – 9, 76, 82, 90, 93, 129

Endophytes – 30, 32, 39, 40, 58, 93, 99, 112, 115

Rapports avec l'environnement

Action sur l'environnement – Parasitisme

Hôtes affectés

- Graminées – 45, 120, 183 – Bananier 36
- Arbres – Sapin 121 ; Poirier 33 ; Avocat 130
- Vigne 66 – Plantes diverses 8
- Champignons – 112 (hyperparasitisme) – Lichens (voir ci-dessus “Lichénicoles”)
- Insectes – *Cordyceps* (voir à “Systématique”)

Modalités d'action 59, 100, 120, 136

Sensibilité à l'environnement

- Généralités – 22, 111
- Facteurs physiques ou chimiques – 29, 52, 105, 118, 158
- Facteurs biologiques liés à l'hôte – 66, 109
- Succession des flores fungiques – Généralités 75 – Exemples 89, 125, 187

Biogéographie et floristique

Généralités - 28, 112, 123

Europe – Généralités – 97, 144

- France – Champagne 50 ; Loiret 98 ; Sud-Ouest 35 ; Tarn 137,138 ; Sud-Est 145
- Europe méditerranéenne – Espagne 123 ; Italie 40, 191 ; Grèce 42 ; Crète 41
- Europe centrale – Allemagne 44 ; Tchéquie 67 ; Pologne 29 ; Hongrie 4
- Europe orientale – Bulgarie 166 ; Russie 190

Afrique

Afrique centrale – Cameroun 94
 Afrique du Sud – 117, 176

Amérique

Amérique du Nord – Généralités 132, 144, 178 – Mexique 25, 26, 64, 99 ;
 Hawaï 140, 141
 Amérique centrale – Costa Rica 142 ; Cuba 110
 Amérique du Sud – Généralités 117 – Argentine 23 ; Chili 164 ;
 Venezuela 63

Asie – Généralités – 117

Moyen Orient 168 – Inde 7, 68, 69, 70, 148
 Chine 18, 71, 103, 159, 160, 161, 162, 163, 173, 179, 189
 Japon 33, 53, 126 - Philippines 17

Océanie

Australie 12, 114, 150 à 156, 176, 189
 Nlle Zélande 55, 85, 86 (île Campbell)

Systematique

Généralités 14, 46, 47, 107, 169

SordariomycetesHypocreomycetideae**Halosphaeriales**

Halosphaeriaceae – *Aniptodera* 73 ; *Halosarphaea* 6, 41

Hypocreales

Bionectriaceae – Généralités 189 – *Globonectria* 48
 Clavicipitaceae – *Balansia* 99 ; *Claviceps* 45, 129 ; *Cordyceps* 67,
 72, 79, 83, 104, 138 ; *Epichloe* 30 ; *Heteroepichloe* 137
 Hypocreaceae – *Hypocrea* 103 ; *Hypocreopsis* 137 ; *Hypomyces*
 137, 138 ; *Podostroma* 179 ; *Syspastospora* 57
 “Melanosporaceae” – *Melanospora* 186
 Nectriaceae – Généralités 189 – *Gibberella* 16, 171 ; *Nectria* 97,
 132, 137, 138, 146, 177 ; *Neonectria* 95
 Niessliaceae – *Niesslia* 172

Microascales

Microascaceae – *Microascus* (incl. *Pithoascus*) 1
 Microascales Inc. Sed. – *Ceratocystis* 128, 185

Sordariomycetideae**Diaporthales** – Généralités 24

Gnomoniaceae – Généralités 166
 “Melanconidaceae” – *Melogramma* 50, 137
 Valsaceae – (?) *Cryphonectria* 59, 65, 116, 117, 176 ; *Diaporthe* 50,
 109 ; *Valsa* 3 (*Leucostoma*)

Diatrypales – Généralités 23

Diatrypaceae – *Diatrype* 138 ; *Endoxylina* 25

Ophiostomatales

Ophiostomataceae – Généralités 175 – *Ophiostoma* 121, 158

Sordariales

- Annulatascaceae – Généralités 173 – *Annulatascus* 17
- Chaetomiaceae – *Chaetomium* 71, 105, 139 ; *Thielavia* 165
- Chaetosphaeriaceae – *Australiasca* 150 ; *Chaetosphaeria* 138
- Coniochaetaceae – *Coniochaeta* 182
- Lasiosphaeriaceae – *Podospora* 164
- Nitschkiaceae – *Bertia* 138 ; *Nitschkia* 177 ; *Rhagadostomella* 48
- Sordariaceae – *Neurospora* 1
- Sordariales Inc. Sed. – *Glomerella* 54

Xylariomycetideae

Xylariales

- Amphisphaeriaceae – Généralités 88 – *Discostroma* 155
- Hyponectriaceae – *Hyponectria* 152 ; *Physalospora* 152
- Xylariaceae – Généralités 125, 147 – *Anthostomella* 90, 187 ;
Ascovirgaria 127 ; *Biscogniauxia* 86, 137 ; *Camillea* 142 ;
Daldinia 138 ; *Hypoxylon* 29, 44, 61 ; *Jumillera* 127 ;
Kretschmaria 138 ; *Lopadostoma* 127 ; *Rosellinia* 8, 130 ;
Xylaria 62, 94, 138, 143

Sordariomycetes Inc. Sed.

Ordres

Meliolales – Généralités 168

- Meliolaceae – Généralités 68 – *Meliola* 70, 161

Phyllachorales

- Phyllachoraceae – *Brobdingnacia* 154 ; *Fremiomyces* 21 ; *Ophio-*
dothella 42 ; *Phyllachora* 21, 154 ; *Rikatlia* 21

Trichosphaeriales

- Trichosphaeriaceae – *Trichosphaeria* 152

Familles

- Coniocybaceae – *Chaenotheca* 170

- Magnaporthaceae – *Gaeumannomyces* 60, 102, 183 ; *Magnaporthe* 34,
37, 120, 136, 148

- Pleurotremataceae – *Melomastia* 138

- Genres – *Endoxylina* 25 ; *Hypotrachynicola* 48 ; *Monosporascus* 32 ;
Saccardoella 17 ; “X” ... 115

Dothideomycetes

- Généralités 9

Capnodiales

- Généralités 49

Dothideales

- Asterinaceae – *Asterina* 69, 160 ; *Lembosia* 156, 159 ; *Lembosina* 156

- Botryosphaeriaceae – *Botryosphaeria* 89, 131, 188

- Dacampiaceae – *Clypeococcum* 55

- Didymosphaeriaceae – *Thyridaria* 137

- Dothioraceae – *Sacchettoecium* 76

- Hysteriaceae – *Hysterium* 50

- Micropeltidaceae – *Stomiopeltis* 135

- Microthyriaceae – *Lichenopeltella* 31, 48 ; *Seynesiella* 155

- Mycosphaerellaceae – *Guignardia* 54, 66 ; *Mycosphaerella* 12, 13, 36, 54, 92, 111, 150
 Mytiliniaceae – *Glyphium* 35, 138
 Naetrocymbaceae – *Leptorhaphis* 4
 Phaeosphaeriaceae – *Paraphaeosphaeria* 26, 53 ; *Phaeosphaeria* 19, 53
 Planistromellaceae – *Planistromella* 153
 Venturiaceae – *Rosencheldiella* 155 ; *Venturia* 22, 33, 35, 100
 Dothideales Inc. Sed. – *Cercidospora* 190 ; *Didymella* 155

Jahnulales (ord. nov.) 127

Pleosporales

- Leptosphaeriaceae – *Leptosphaeria* 10, 19, 27, 50
 Lophiostomataceae – *Lophiostoma* 76, 98
 Massarinaceae – *Massarina* 76, 101
 Pleosporaceae – *Cochliobolus* 167 ; *Decorospora* 82 ; *Lewia* 149 ; *Macrospora* 84 ; *Pleospora* 54 ; *Pyrenophora* 20 ; *Setomelanomma* 144
Teichosporaceae – Généralités 11

Dothideomycetes Inc. Sed.

Familles

- Cephalothecaceae – *Cephalotheca* 5

Genres

- Clypeostroma* 85 – *Dianesea* 81

L'activité humaine et les Pyrenomycetes

- Utilisation des Pyrenomycetes** – 28, 106
Biocontrôle des Pyrenomycetes – 22, 89, 106, 167, 175
Protection des Pyrenomycetes – 110
Recherches sur les Pyrenomycetes

Techniques expérimentales

- Cultures 54 – Cytologie 37 – Techniques moléculaires 3, 19, 24, 32, 33, 64, 72, 88, 95, 101, 104, 107, 115, 124, 133, 169, 170, 182, 186, 188

- Herbiers, exsiccatas, listes de récoltes, clés de détermination** – 7, 21, 27, 42, 48, 58, 77, 81, 90, 145, 146, 153, 189

- Nomenclature et Révisions systématiques** – 15, 56, 92

- Bibliographie** – Ouvrages généraux 74, 75, 180 – Références récentes 14, 46, 4

II – RÉFÉRENCES BIBLIOGRAPHIQUES ANNÉE 2002

1. ABBOTT S.P., LUMLEY T.C. & SIGLER L. – Use of holomorphs characters to delimit *Microascus nidicola* and *M. soppi* sp. nov. with notes on the genus *Pithoascus*. *Mycologia* 94(2): 362-369.
2. ADAMCKIOVA K. & JUHÁSOVÁ G. – Reproductive structures of *Cryphonectria parasitica*. *Thaiszia, Journal of Botany* 12: 161-165.

3. ADAMS G.C., SURVE-YVER R.S. & IEZZONI A.F. – Ribosomal DNA sequence divergence and group I introns within the *Leucostoma* species : *L. cinctum*, *L. personii* and *L. parapersonii* sp. nov., ascomycetes that cause *Cytospora* canker of fruit trees. *Mycologia* 94(6): 947-967.
4. AGUIRRE-HUDSON B., FARKAS E. & LÖKÖS L. – Pyrenolichens of the Hungarian lichen flora I : The genus *Leptorhaphis* Körber. *Bibliotheca Lichenologica* 82: 3-18.
5. AHRAZEM C., BLÁZQUEZ G., PRIETO A., BARNABÉ M. & LEAL J.A. – Alkali-extractable and water soluble polysaccharide (F1 ss) : a chemotaxonomic and phylogenetic character for *Cephalotheca*. *Mycological Research* 106(10): 1187-1192.
6. ANDERSON J.L. & SHEARER C.S. – *Halosarpheia heteroguttulata* : anamorph and report from the northern hemisphere. *Mycotaxon* 82: 115-120.
7. APTROOT A. & FEIJEN F.J. – Annotated checklist of the lichens and lichenicolous fungi of Bhutan. *Fungal Diversity* 11: 21-48.
8. ARAKAWA N., NAKAMURA H., UETAKE Y. & MATSUMOTO N. – Presence and distribution of double-stranded elements in the white root rot fungus *Rosellinia necatrix*. *Mycoscience* 43(1): 21-26.
9. AU D.W.T. & VRIJMOED L.L.P. – A comparative ultrastructural study of ascospore sheaths in selected marine *Loculoascomycetes* In : Hyde K.D. “Fungi in marine environments”. Fungal Diversity Press, Hong Kong : 81-91.
10. BALESIDENT M.H., ATTARD A., KÜHN M.L. & ROUXEL T. – New avirulence genes in the phytopathogenic fungus *Leptosphaeria maculans*. *Phytopathology* 92(10): 1122-1133.
11. BARR M.E. – Teichosporaceae, another family in the Pleosporales. *Mycotaxon* 82: 373-389.
12. BEILHARZ V. & PASCOE I. – Two additional species of *Verrucisporota*, one with a *Mycosphaerella* teleomorph from Australia. *Mycotaxon* 82: 357-365.
13. BEILHARZ V., PASCOE I. & PARBERY D.G. – Three *Pseudocercospora* species, one with a *Mycosphaerella* teleomorph from Kennedia in Australia. *Mycotaxon* 82: 397-407.
14. BELLEMÈRE A. & BELLEMÈRE C. – “Pyrenomyces” *sensu lato*, éléments de bibliographie récente – Année 2000. *Cryptogamie Mycologie* 23(2): 169-180.
15. BRAUN U., RITSCHEL A. & SCHUBERT K. – Proposal (1536) to conserve the generic name *Fusicladium* against *Spilocaea* (Hyphomycetes). *Taxon* 51(3): 557.
16. BRITZ H., COUTINHO T.A. & WINGFIELD M.J. – Validation of the description of *Gibberella circinans* and morphological differentiation of the anamorph *Fusarium circinatum*. *Sydowia* 54(1): 9-22.
17. CAI L., LUMYONG P., ZHANG K. & HYDE K.D. – New species of *Annulatascus* and *Saccardoella* from the Philippines. *Mycotaxon* 84: 255-263.
18. CAI L., TSUI C.K.M., ZHANG K. & HYDE K.D. – Aquatic fungi from Lake Fuxian, Yunnan, China. *Fungal Diversity* 9: 57-70.
19. CÂMARA M.P.S., PALM M.E., van BERKUM P. & O’NEILL N.R. – Molecular phylogeny of *Leptosphaeria* and *Phaeosphaeria*. *Mycologia* 94(4): 630-640.
20. CAMPBELL G.F., LUCAS J.A. & CROUS P.W. – Evidence of recombination between net- and spot-type populations of *Pyrenophora teres* as determined by RADP analysis. *Mycological Research* 106(10): 602-608.
21. CANNON P.F. – [“Phyllachoraceae” (*Phyllachora*, *Frematomyces*, *Rikatlia*)] IMI Description of Fungi and Bacteria 147, n^{os} 1461 à 1470.
22. CARISSE O. & BERNIER J. – Effect of environmental factors on growth, pycnidial production and spore germination of *Microsphaeropsis* isolates with biocontrol potential against scab. *Mycological Research* 106(12): 1455-1462.
23. CARMARÁN C.C. – Contribución al estudio del orden Diatrypales en las zonas subtropicales de la Republica Argentina. *Boletín de la Sociedad Micológica de Madrid* 26: 43-56.
24. CASTLEBURY L.A., ROSSMAN A., JAKLITSCH W.J. & VASILYEVA L.N. – A preliminary overview of the Diaporthales based on large subunit nuclear ribosomal DNA sequences. *Mycologia* 94(6): 1017-1031.

25. CHACÓN S. – Taxonomic notes on the genus *Endoxylina* (Diatrypales, Ascomycotina) and description of a new species from Mexico. *Fungal Diversity* 11: 61-68.
26. CHECA J., RAMALEY A.W., PALM-HERNÁNDEZ M.E. & CÂMARA M.P.S. – *Paraphaeosphaeria barrii*, a new species on *Yucca schidigera* from Mexico. *Mycological Research* 106(3): 375-379.
27. CHEN C.Y., DAVID J.C. & HSIEH W.H. – [*Leptosphaeria* sp. plus.] IMI Description of fungi and bacteria 154 n° 1531-1540.
28. CHLEBICKI A. – Biogeographic relationships between fungi and selected glacial relict plants. The use of host-fungus data as an aid to plant geography on the basis from material from Europa, Greenland and northern Asia. *Monographia Botanica* 90: 1-230.
29. CHLEBICKI A. – Graminicolous fungi from Poland 2. Interaction of internal fungi isolated from *Puccinellia distans* and their salt tolerance. *Polish Botanical Journal* 47(2): 243-249.
30. CHRISTENSEN M.J., BENNETT R.J. & SCHMID J. – Growth of *Epichloë* / *Neotyphodium* and p-endophytes in leaves of *Lolium* and *Festuca* grasses. *Mycological Research* 106(1): 93-106.
31. COLE M.S. & HAWKSWORTH D.L. – *Lichenopeltella heterodermicola*, a new lichenicolous ascomycete on *Heterodermia speciosa* in Arkansas. *Mycotaxon* 83: 391-396.
32. COLLADO J., GONZÁLEZ A., PLATAS G., STCHIGEL A., GUARRO J. & PELÁEZ F. – *Monosporascus ibericus* sp. nov. an endophyte ascomycete from plants on saline soils, with observations on the position of the genus based on sequence analysis of the 18S rDNA. *Mycological Research* 106(1): 118-127.
33. COOLS H.J., ISHI H., BUTTERS J.A. & HOLLOMON D.W. – Cloning and sequence analysis of the Eburicol 14- α -Demethylase encoding gene (CYP 5I) from the Japanese Pear Scab Fungus *Venturia nashicola*. *Journal of Phytopathology* 150(8-9): 444-450.
34. COUCH B.C. & KOHN L.M. – A multilocus gene genealogy concordant with host preference indicates segregation of a new species, *Magnaporthe oryzae*, from *M. grisea*. *Mycologia* 94(4): 683-693.
35. COUÉ B. – Contribution à l'inventaire des Champignons du marais de Bois Mou (Charente-Maritime) et notes sur quelques espèces. *Bulletin de la Société botanique du Centre-Ouest*. Nlle série 33 : 271-284.
36. CROUS P.W. & MOURICHON X. – *Mycosphaerella eumusae* and its anamorph *Pseudocercospora eumusae* sp. nov. : causal agent of eumusae leaf spot disease of banana. *Sydowia* 54(1): 23-34.
37. CZYMMEK K.J., BOURETT T.M., SWEIGARD J.A., CARROLL A. & HOWARD R.J. – Utility of cytoplasmic fluorescent proteins for live-cell imaging of *Magnaporthe grisea* in planta. *Mycologia* 94(2): 280-289.
38. DAISY B.H., STROBEL G.A., CASTILLO U., EZRA D., SEARS J., WEAVER D.K. & RUNYON J.B. - Naphtalene, an insect repellent, is produced by *Muscodor vitigenus*, a novel endophytic fungus. *Microbiology* 148: 3737-3741.
39. DAISY B.H., STROBEL G.A., EZRA D., CASTILLO U., BAIRD G. & HESS W.M. – *Muscodor vitigenus* anam. sp. nov. an., endophyte from *Paullinia paullinioides*. *Mycotaxon* 84: 39-50.
40. DANTI R., SIEBER T.N. & SANGUINETI G. – Endophytic mycobiota in bark of european beech (*Fagus sylvatica*) in the Apennines. *Mycological Research* 106(11): 1343-1348.
41. DE MEULDER H. – *Halosarpehia spartinae* (E.B.G. Jones) Shearer et J.L. Crane een pyrenomyceet op Crete lisdodde (*Typha latifolia*). *AMK Mededelingen* 2002(1): 11-12.
42. DIMOU D.M., ZERVAKIS G.I. & POLEMIS E. – Mycodiversity studies in selected ecosystems in Greece : I. Macrofungi from the southernmost *Fagus* forest in the Balkans (Oxya Mountain, Central Greece). *Mycotaxon* 82: 177-205.
43. DÖBBELER P. – Microniches occupied by bryophilous ascomycetes. *Nova Hedwigia* 75(3-4): 275-306.

44. DOLL D. & HERTZOG P. – Découverte de *Hypoxylon ticinense* en milieu rhénan. *Bulletin de la Société Mycologique de Strasbourg* 84: 13-14.
45. DUNCAN R.A.Jr., SULLIVAN R., ALDERMAN S.C., SPATAFORA J.W. & WHITE J.F. – *Claviceps purpurea* var. *spartinae* var. nov. : an ergot adapted to the aquatic environment. *Mycotaxon* 81: 11-25.
46. ERIKSSON O.E., BARAL H.O., CURRAH R.S., HANSEN K., KURTZMAN C.P., LAESSØE T. & RAMBOLD G. – Outline of Ascomycota. *Myconet* 9: 1-89.
47. ERIKSSON O.E., BARAL H.O., CURRAH R.S., HANSEN K., KURTZMAN C.P., LAESSØE T. & RAMBOLD G. – Notes on ascomycete Systematics – n° 3478 à 3589
48. ETAYO J. – Aportación al conocimiento de los hongos liquenícolas de Colombia. *Bibliotheca Lichenologica* 84: 1-154.
49. FAULL J.L., OLEJNIK I., INGROVILLE M. & REYNOLDS D. – A reassessment of the taxonomy of some tropical sooty moulds. In : Watling R., Frankland J.C., Ainsworth A.M., Isaac S. & Robinson C. “Tropical Mycology vol. 2. Micromycetes” CABI Publ. : 1-203.
50. FERRÉ D. – *Leptosphaeria acuta* (: 14-15), *Diaporthe strumella* (: 18-19), *Hysterium angustatum* (: 20-21), *Melogramma campylosporum* (: 22-23). *Bulletin de la Société Mycologique Rémoise* 22: 14-23.
51. FLEET C. & BREUIL C. – Inhibitors and genetic analysis of scytalone dehydratase confirm the presence of DHN-melanine pathway in sapstain fungi. *Mycological Research* 106(11): 1331-1339.
52. FOMINA M. & GADO G.M. – Influence of clay minerals on the morphology of fungal pellets. *Mycological Research* 106(1): 107-117.
53. FUKUHARA M. – Three *Phaeosphaeria* species and *Parasphaeosphaeria michotii* isolated from *Phragmites* leaves in Osaka, Japan. *Mycoscience* 43: 375-382.
54. FURUKAWA T. & KISHI K. – Production of perithecia of various Ascomycotina on water agar medium emended with leaf pieces. *Journal of Phytopathology* 150 (11-12): 625-628.
55. GALLOWAY D.J. – Additional lichen records from New Zealand 38. *Clypeococcum grossum* (Körb.) D. Hawksw., on nine species of *Umbilicaria*. *Australasian Lichenology* 51: 36-39.
56. GAMS W. – Report of the Committee for fungi – 10. *Taxon* 51: 791-792.
57. GARCIA D., STCHIGEL A.M. & GUARRO J. – A new species of *Syspastospora* from tropical soils. *Mycologia* 94(5): 862-865.
58. GIRLANDA M., GHIGNONE S. & LUPPI A.M. – Diversity of sterile root-associated fungi of two mediterranean plants. *New Phytologist* 155: 481-498.
59. GOBBI E., REKAB D. & LOCCI R. – Mitochondrial plasmids of the pCp family are spread worldwide in *Cryphonectria parasitica* populations. *Mycological Research* 106(12): 1408-1416.
60. GOINS T.Q., EDENS W.A. & HENSON J.M. – Heavily-melanized variants of the sexual *Gaeumannomyces graminis* var. *tretiel* are non-pathogenic and indistinguishable from the asexual *Phialophora* state. *Mycological Research* 106(10): 1479-1486.
61. GRANMO L. – A new species of *Hypoxylon* (Xylariaceae). *Sydowia* 54(1): 44-52.
62. HAMME M.S. & GUERRERO R.T. – Contribução ao estudo biossistemático de espécies do gênero *Xylaria* (Xylariaceae, Ascomycota) para o Rio Grande do Sul (Brasil). *Jheringia* (série Botânica) 57(2): 135-201.
63. HANLIN R.T., GONZÁLEZ M.C., TORTOLERO O. & RENAUD J. – A new species of *Ophiodothella* on *Casearia* from Venezuela. *Mycoscience* 43: 321-325.
64. HERRERA FONSECA M. de J., GUZMÁN-DÁVALOS L. & RODRIGUEZ O. – Contribución al conocimiento de la microbiota de la región de San Sebastica del Oese, Jalisco, México. *Acta Botanica Mexicana* 58: 19-50.
65. HOEGGER P.T., RIGLING D., HOLDENRIEDER C. & HEINIGER U. – *Cryphonectria radialis* : rediscovery of a lost fungus. *Mycologia* 94(1): 105-115.
66. HOFFMAN L.E., WILCOX W.F., GADOURY D.M. & SEEM R.C. – Influence of grape berry age on susceptibility to *Guignardia bidwellii* and its incubation period length. *Phytopathology* 92(10): 1068-1076.

67. HOLEC J. & SUKOVÁ M. – Notes on the taxonomy of *Cordyceps longisegmentis* based on collections from the Czech Republic. *Czech Mycologia* 54(1-2): 105-111.
68. HOSAGOUDAR V.B. – Meliolaceae of Kerala, India – XIII. *Sydowia* 54,1: 53-58.
69. HOSAGOUDAR V.B., BIJU C.K., ABRAHAM T.K. & AGARWAL D.K. – Studies on foliicolous fungi – III. *Indian Phytopathology* 55(4): 497-502.
70. HOSAGOUDAR V.B. & SHIBURAJ S. – *Meliola gamsii* sp. nov. (Ascomycota, Meliolales) from Kerala, India. *Nova Hedwigia* 74(3-4): 411-413.
71. HSIEH H.-J. & HU B.-Y. – Eight species of *Chaetomium* new for Taiwan. *Taiwania* 47(4): 264-272.
72. HUANG B., LI C.R., LI Z.G., FAN M.Z. & LI Z.Z. – Molecular identification of the teleomorph of *Beauveria bassiana*. *Mycotaxon* 81: 229-236.
73. HYDE K.D. – *Aniptodera triseptata* sp. nov. (Halosphaeriales) from submerged wood in freshwater. *Cryptogamie Mycologie* 23(1): 5-7.
74. HYDE K.D. – *Fungi in marine environments*. Fungal Diversity Press, Hong Kong.
75. HYDE K.D. & JONES E.B.G. – Introduction to fungal succession. *Fungal Diversity* 10: 1-4.
76. HYDE K.D., WONG W.S.W. & APTROOT A. – *Marine and estuarine species of Lophiostoma and Massarina*. In Hyde K.D. *Fungi in marine environments*. Fungal Diversity Press, Hong Kong. / : 93-109.
77. HYDE K.D., ZHOU D.Q. & DALISAY T. – Bambusicolous fungi : a review. *Fungal Diversity* 9: 1-14.
78. HYDE K.D., ZHOU D.Q., Mac KENZIE E.H.C., HO W.H. & DALISAY T. – Vertical distribution of saprobic fungi on bamboo culms. *Fungal Diversity* 11: 109-118.
79. HYWEL-JONES N.L. – Multiples of eight in *Cordyceps* ascospores. *Mycological Research* 106(1): 2-3.
80. INÁCIO C.A. & CANNON P.F. – Re-interpretation of *Cocconia palmae* with description of the genus *Dianesea* (Ascomycota : Dothideomycetidae). *Fungal Diversity* 9: 71-79.
81. INÁCIO C.D. & MINTER D.W. – IMI Description of Fungi, 145 [‘2000’] ; n° 1441 à 1450.
82. INDERBITZIN P., KOHLMAYER J., VOLKMANN-KOHLMEYER B. & BERBEE M.L. – *Decorospora*, a new genus for the marine ascomycete *Pleospora gaudefroyi*. *Mycologia* 94(4): 651-659.
83. JIANG Y. & YAO Y.-J. – Names related to *Cordyceps sinensis* anamorph. *Mycotaxon* 84: 245-254.
84. JOHNSON D.A., SIMMONS E.G., MILLER J.S. & STEWARD E.L. – Taxonomy and pathologie of *Macrospora* // *Nimbya* on some north american bulrushes (*Scirpus* spp.). *Mycotaxon* 84: 413-428.
85. JOHNSTON P.R. – *Clypeostroma spilomeum* and *C. hemisphaericum* reassessed. *New Zealand Journal of Botany* 40: 265-268.
86. JOHNSTON P.R. – *Biscogniauxia*, Campbell Island, rats and beetles. *Mycologist* 16(4): 172-174.
87. JU Y.M. & ROGERS J.D. – The genus *Nemania* (Xylariaceae). *Nova Hedwigia* 74(1-2): 75-120.
88. KANG J.C., KONG R.Y.C. & HYDE K.D. – Phylogeny of Amphisphaeriaceae (sensu stricto) and related taxa revisited based on nrDNA sequences. *Mycotaxon* 81: 321-330.
89. KEXIANG G., XIAGUANG L., YOUGHONG L., TIAMBO Z. & SHULIANG W. – Potential of *Trichoderma harzianum* et *T. atroviride* to control *Botryosphaeria berengeriana* f sp. *pricola* the cause of apple ring rot. *Journal of Phytopathology* 150(4-5): 271-276.
90. KOHLMAYER J. & VOLKMAN-KOHLMEYER B. – Fungi on *Juncus* and *Spartina* : new marina species of *Anthostomella*, with a list of marine fungi known on *Spartina*. *Mycological Research* 106(3): 365-374.
91. KUBÁTOVÁ A., PRASIL K. & VÁNOVÁ M. – Diversity of soil microscopic fungi on abandoned industrial deposits. *Cryptogamie Mycologie* 23(3): 205-219.

92. KUIJPERS A.F.A. & APTROOT A. – A revision of *Mycosphaerella* section *Longispora* (Ascomycetes). *Nova Hedwigia* 75(3-4): 451-468.
93. KUMARESAN V., & SURYANARAYANAN T.S. – Endophyte assemblages in young, mature and senescent leaves of *Rhizophora apiculata* : evidence for the role of endophytes in mangrove litter degradation. *Fungal Diversity* 9: 21-91.
94. LAESSØE T. & CHEEK M. – A new *Xylaria* (Xylariaceae, Ascomycota) from Cameroon. *Kew Bulletin* 57(3): 687-691.
95. LANGRELL S.R.H. – Molecular detection of *Neonectria galligena* (syn. *Nectria galligena*). *Mycological Research* 106(3): 280-292.
96. LAWREY J.D. – *Isolation and culture of lichenicolous fungi*. In : I. Kranner, R.P. Beckett & A.K. Varma (eds.), *Protocols in Lichenology, Culturing, Biochemistry, Eco-physiology and Use in Biomonitoring*. Springer-Verlag, Berlin, Heidelberg : 75-84.
97. LECHAT C. – Nouvelles récoltes européennes de *Nectria aurigena*. *Bulletin de la Société Mycologique de France* 118(1): 55-60.
98. LEROY P., GAUTHIER L., REYNAUD A. & BARR M.E. – *Lophiostoma populneum* sp. nov. *Bulletin de la Société Mycologique de France* 118(1): 49-54.
99. LEWIS E.A., BILLS G.F., HEREDIA G., REYES M., ARIAS R.M. & WHITE J.F. Jr – A new species of endophytic *Balansia* from Veracruz, Mexico. *Mycologia* 94(6): 1066-1070.
100. LI B. & XU X. – Infection and development of apple scab (*Venturia inaequalis*) on old leaves. *Journal of Phytopathology* 150(11-12): 687-691.
101. LIEW E.C.Y., APTROOT A. & HYDE K.D. – An evaluation of the monophyly of *Massarina* based on ribosomal DNA sequences. *Mycologia* 94(5): 803-813.
102. LITVINSEVA A.P. & HENSON J.M. – Characterization of two laccase genes of *Gaeumannomyces graminis* var. *graminis* and their differential transcription in melanin mutants and wild type. *Mycological Research* 106(7): 808-814.
103. LIU P.-G., WANG X.-H., YU F.-Q. & ZHENG H.D. – The Hypocreaceae of China IV - Some new records of the genus *Hypocrea* from China. *Mycotaxon* 82: 463-494.
104. LIU Z.-Y., LIANG Z.-Q., LIU A.-Y., YAO Y.-J., HYDE K.D. & YU Z.-N. – Molecular evidence for telemorph-anamorph connections in *Cordyceps* based on ITS – 5,8S rDNA sequences. *Mycological Research* 106(9): 1100-1108.
105. LU M., LI D. & ZHANG C. – Purification and properties of an endocellulase from the thermophilic fungus *Chaetomium thermophile*. *Acta microbiologica sinica* 42(4): 470-476.
106. LÜBECK M., KNUDSEN I.M.B., JENSEN B., THRANE U., JANVIER C. & FUNCK JENSEN D. – GUS et GFP transformation of the biocontrol strain *Clonostachys rosea* IK 726 and the use of these marker genes in ecological studies. *Mycological Research* 106(7): 815-826.
107. LUMBSCH H.T., WIRTZ N., LINDEMUTH R. & SCHMITT I. – Higher level phylogenetic relationships of euascomycetes (Pezizomycotina) inferred from a combined analysis of nuclear and mitochondrial sequence data. *Mycological Progress* 1: 57-70.
108. Mac KENZIE E., WHITTON S.R. & HYDE K.D. – *The Pandanaceae – does it have a diverse and unique fungal biota?* In : Watling R., Frankland J.C., Ainsworth A.M., Isaac S., Robinson C. “Tropical mycology, vol. 2, Micromycetes” CABI Publ. : 1-203.
109. MERILES J.M., GIORDA L.M. & MAESTRI D.M. – Effect of planting date on *Fusarium* spp. and *Diaporthe/Phomopsis* complex incidence and its relationship with *Soja* bean seed quality. *Journal of Phytopathology* 150(11-12): 606-610.
110. MINTER D.W. – *Fungal conservation in Cuba* In : Moore D., Nauta M.M., Evans S.E. & Rotheroe M. “Fungal conservation, issues and solutions”. Cambridge University Press, UK : 182-196.
111. MONDAL S.N. & TIMMER L.W. – Environmental factors affecting pseudothecial development and ascospore production of *Mycosphaerella citri* the cause of *Citrus* greasy spot. *Phytopathology* 92(12): 1267-1275.

112. MOON C.D., MILES C.O., JÄRLEFORS U. & SCHARDL C.L. – The evolutionary origins of the three new *Neotyphodium* endophyte species from grasses indigenous of the Southern Hemisphere. *Mycologia* 94(4): 694-711.
113. MOORE D. & NOVAK-FRAZER L. – *Essential Fungal Genetics*. 357. Springer éd. Berlin.
114. MORRISON-GARDINER S. – Dominant fungi from Australian coral reefs. *Fungal Diversity* 9: 105-121.
115. MUCCIARELLI M., SCANNERINI S., BERTEA C.M. & MAFFEI M. – An ascomycetous endophyte isolated from *Mentha piperita* L. : biological features and molecular studies. *Mycologia* 94(1): 28-39.
116. MYBURG H., GRYZENHOUT M., HEATH R., ROUX J., WINGFIELD B.D. & WINGFIELD M.J. – *Cryphonectria* canker on *Tibouchina* in South Africa. *Mycological Research* 106(11): 1299-1306.
117. MYBURG H., GRYZENHOUT M., WINGFIELD B.D. & WINGFIELD M.J. – β -tubulin and histone H³ gene sequences distinguish *Cryphonectria cubensis* from South Africa, Asia and South America. *Canadian Journal of Botany* 80: 590-596.
118. NAKAMURA H., IKEDA K., ARAKAWA M. & MATSUMOTO N. – Conidioma production of the white root rot fungus in axeme culture under near-ultraviolet light radiation. *Mycoscience* 43(3): 251-254.
119. NYBERG A. & PERSSON I.-L. – Habitat differences of coprophilus fungi on moose dung. *Mycological Research* 106(11): 1360-1366.
120. OH H.S., TOSA Y., TAKABAYASHI N., NAKAGAWA S., TOMITA R., DON L.D., KUSABA M., NAKAYASHIKI H. & MAYAMA S. – Characterization of an *Avena* isolate of *Magnaporthe grisea* and identification of a locus conditioning its specificity on oat. *Canadian Journal of Botany* 80: 1088-1095.
121. OHTAKA N., MASUYA H., KANEKO S. & YAMAOKA Y. – Two *Ophiostoma* species associated with bark beetles in wave-regenerated *Abies veitchii* in Japan. *Mycoscience* 43(2): 151-157.
122. ORANGE A. – Lichenicolous fungi on *Ionaspis lacustris*. *Mycotaxon* 81: 265-279.
123. ORTEGA A., ESTEVE RAVENTOS F. & MORENO G. – Biodiversidad mico-florística del área de distribución del *Abies pinsapo* en España : aspectos micoecológicos. *Cryptogamie Mycologie* 23(1): 51-62.
124. OSIEWACZ H.D. – Molecular biology of fungal development. Marcel Dekker éd. New York 608 p.
125. OSONO T. – Phyllosphere fungi on leaf litter of *Fagus crenata* : occurrence, colonization and succession. *Canadian Journal of Botany* 80(5): 460-469.
126. OSONO T. & TAKEDA H. – Comparizon of litter decomposing ability among diverse fungi in a cool temperature deciduous forest in Japan. *Mycologia* 94(3): 421-427.
127. PANG K.L., ABDEL-WAHAB M.A., SIVICHAI S., EL-SHAROUNEY H.M. & JONES E.B.G. – Jahnulales (Dothideomycetes, Ascomycota) : a new order of lignicolous freshwater ascomycetes. *Mycological Research* 106(9): 1031-1042.
128. PAULIN-MAHADY A.E., HARRINGTON T.C. & Mac NEW D. – Phylogenetic and taxomic evaluation of *Chalara*, *Chalaropsis* and *Thielaviopsis* anamorphs associated with *Ceratocystis*. *Mycologia* 94(1): 62-72.
129. PAZOUTOVÁ S., RAYBOULD A.F., HONZÁTKO A. & KOLÍNSKÁ R. – Specialised population of *Claviceps purpurea* from salt march *Spartina* species. *Mycological Research* 106(2): 210-214.
130. PÉREZ JIMÉNEZ R.M., JIMÉNEZ DÍAZ R.M. & LÓPEZ HERRERA C.J. – Somatic incompatibility of *Rosellinia necatrix* on avocado plants in southern Spain. *Mycological Research* 106(2): 239-244.
131. PHILLIPS A.J.L. , FONSECA F. & NOLASCO G. – A reassessment of the anamorphic fungus *Fusicoccum luteum* and description of its teleomorph *Botryosphaeria lutea* sp. nov. *Sydowia* 54(1): 59-77.
132. PLANTE F., HAMELIN R.C. & BERNIER L. – A comparative study of genetic diversity of populations of *Nectria galligena* and *N. coccinea* var. *faginata* in North America. *Mycological Research* 106(2): 183-193.

133. PLATAS G., POLISHOOK J.D. & PELÁEZ F. – VNTR polymorphism in the ITS 1 region (rDNA) in isolates of a *Nodulisporium* species. *Mycological Research* 106(11): 1293-1298.
134. RAJU N.B. – Meiosis and ascospore development in non linear asci of *Neurospora pannonica*. *Mycologia* 94(1): 99-104.
135. RAMALEY A.W. – *Stomiopeltopsis nolinae* and its synanamorph *Parvosympodium nolinae* from leaves of *Nolina* (Agavaceae). *Mycotaxon* 83: 327-334.
136. RATHOUR R., SINGH B.M. et PLAHA P. – Host species – specific protoplast damaging activity of spore germination fluid of blast pathogen *Magnaporthe grisea*. *Journal of Phytopathology* 150(10): 576-578.
137. REY H. & COSTE C. – Contribution à l'étude des Ascomycètes du Tarn (9^e note). *Bulletin de liaison de la Société Tarnaise de Sciences Naturelles* 2002 : 24-35.
138. REY H. & ROUANET R. – Champignons du Sidobre. *Bulletin de liaison de la Société Tarnaise de Sciences Naturelles* 2002 : 8-20.
139. RODRÍGUEZ K., STCHIGEL A. & GUARRO J. – Three new species of *Chaetomium* from soil. *Mycologia* 94(1): 116-120.
140. ROGERS J.D. & JU Y.M. – *Ascovirgaria occulta* gen. et sp. nov., *Jumillera hawaiiensis* sp. nov. and *Lopodostoma hawaiianum* sp. nov. from Hawaiï. *Canadian Journal of Botany* 80(5): 478-481.
141. ROGERS J.D. & JU Y.M. – *Nemania pouzarii*, a new species from Cahu Island, Hawaii. *Czech Mycology* 54(1-2): 79-81.
142. ROGERS J.D., SAN MARTÍN F. & JU Y.M. – Three new taxa of *Camillea* from Costa Rica. *Sydowia* 54(1): 84-90.
143. ROGERS J.D., SAN MARTÍN F. & JU Y.M. – A reassessment of the *Xylaria* on *Liquidambar* fruits and two new taxa on *Magnolia* fruits. *Sydowia* 54(1): 91-97.
144. ROSSMAN A.Y., FARR D.F., CASTLEBURY L.A., SHOEMAKER R. & MENGISTU A. – *Setomelanomma holmii* (Pleosporales, Phaeosphaeriaceae) on living spruce tree twigs in Europe and North America. *Canadian Journal of Botany* 80(11): 1209-1215.
145. ROUX C. & GUEIDAN C. – Flore et végétation des lichens et champignons lichénicoles non lichénisés du massif de la Sainte Baume (Var, Provence, France). *Bulletin de la Société Linnéenne de Provence* 53: 123-150.
146. SAMUELS G.J. & ROSSMAN A.Y. – *Key to tropical species of Nectria* In : Watling R. et al. *Tropical Mycology* : vol. 2 - Micromycetes CABI Publ. : 1-203.
147. SEIFERT K.A., GAMS W. & LOUIS-SEIZE G. – *Arthroxyllaria elegans*, a new coprophilous anamorphic fungus allied with the Xylariaceae, with notes on the genus *Bisporostilbella*. *Czech Mycology* 53(4): 297-307.
148. SHARMA T.R., CHAUHAN R.S., SING B.M., PAUL R., SAGAR V. & RATHOUR R. – RAPD and pathotype analyses of *Magnaporthe grisea* populations from the north-western Himalayan region of India. *Journal of Phytopathology* 150(11-12): 649-656.
149. SIMMONS E. G. – *Alternaria* themes and variations (305-309) – *Lewia/Alternaria* revisited. *Mycotaxon* 83: 127-145.
150. SIVANESAN A. & ALCORN J. – *Australiaasca islandica* gen. et sp. nov. (Chaetosphaeriaceae : Ascomycota) and its anamorph *Dischloridium camelliae* sp. nov. from Australia. *Australian Systematic Botany* 15(5): 741-747.
151. SIVANESAN A. & SHIVAS R.G. – Studies on *Mycosphaerella* species in Queensland, Australia. *Mycological Research* 106(3): 355-364.
152. SIVANESAN A. & SHIVAS R.G. – New species from each of the pyrenomycete genera *Hyponectria*, *Physalospora* and *Trichosphaeria* from Queensland, Australia. *Fungal Diversity* 9: 169-174.
153. SIVANESAN A. & SHIVAS R.G. – *Planistromella opuntiae* sp. nov. from Queensland, Australia, and key to the known species. *Fungal Diversity* 9: 175-178.
154. SIVANESAN A. & SHIVAS R.G. – *Brobdingnacia eucalypticola* sp. nov. and *Phyllachora neoliteae* sp. nov., two new phyllachoraceous ascomycetes from Australia. *Fungal Diversity* 11: 145-149.

155. SIVANESAN A. & SHIVAS R.G. – New species of foliicolous Loculoascomycetes on *Dysoxylum*, *Melaleuca* and *Syzygium* from Queensland, Australia. *Fungal Diversity* 11: 151-158.
156. SIVANESAN A. & SHIVAS R.G. New species of *Lembosia* and *Lembosina* from Australia. *Fungal Diversity* 11: 159-168.
157. SIVICHAI S., JONES E.B.G. & HYWEL-JONES N. – *Lignicolous freshwater higher fungi with reference to their teleomorph and anamorph stages*. In : Watling R. et al. *Tropical Mycology* : vol. 2, Micromycetes, CABI Publ. : 1-203.
158. SOLLA A. & GIL L. – Influence of water stress on Dutch elm disease symptoms in *Ulmus minor*. *Canadian Journal of Botany* 80(8): 810-817.
159. SONG B. & LI T.-H. – New species of the genus *Lembosia* from China. *Mycotaxon* 84: 401-406.
160. SONG B. & LI T.-H. – New species of the genus *Asterina* from China. *Mycotaxon* 84: 407-412.
161. SONG B., LI T.-H. & GOOS R.D. – Three new species of the genus *Meliola* from China. *Mycotaxon* 84: 79-82.
162. SONG B., LI T.-H. & SHEN Y.H. – “Analyses écologiques et floristiques de Meliiales (Fungi) de Chine”. [en chinois]. *Journal of Tropical and Subtropical Botany* 10: 118-127.
163. SPARRIUS L.B., APTROOT A. & LAI M.J. – New reports of Calicioid lichenized and non lichenized ascomycetes from Taiwan. *Mycotaxon* 83: 357-360.
164. STCHIGEL A.M., CALDUCH M., GUARRO J. & ZAROR L. – A new species of *Podospora* from soil in Chile. *Mycologia* 94(3): 554-558.
165. STCHIGEL A.M., FIGUERA L., CANO J. & GUARRO J. – New species of *Thielavia*, with a molecular study of representative species of the genus. *Mycological Research* 106(8): 975-983.
166. STOIKOV D. & FAKIROVA V. – A contribution to the study of the species of the family Gnomoniaceae in Bulgaria. *Phytologia balcanica* 7(2): 267-271.
167. TANAKA C., MIYAGAWA H., KUWAHARA Y. & TSUDA M. – Accumulation of anthraquinones in the reddish brown colored polyoxin-resistant mutants of *Cochliobolus heterostrophus*. *Mycoscience* 43: 317-320.
168. TANAKA E., TANAKA C., GAFUR A. & TSUDA M. – *Heteroepichloë*, gen. nov. (Clavicipitaceae; Ascomycotina) on bamboo plants in East Asia. *Mycoscience* 43(2): 87-93.
169. TEHLER A., FARRIS J.S., LIPSCOMB D.S. & KÄLLERSJÖ M. – Phylogenetic analyses of the fungi based on large rDNA data sets. *Mycologia* 92: 459-474.
170. TIBELL L. – Morphological variation and ITS phylogeny of *Chaenotheca trichialis* and *C. xyloxena* (Coniocybaceae, lichenized ascomycetes). *Annales Botanici Fennici* 39: 73-80.
171. TRAIL F., XU H., LORANGER R. & GADOURY D.M. – Physiological and environmental aspects of ascospore discharge in *Gibberella zeae*. *Mycologia* 94(2): 181-189.
172. TRETACH M. – *Niesslia robusta*, a new lichenicolous fungus on *Tephromela grumosa* from Tuscany, Italy. *Nova Hedwigia* 75(3-4): 357-366.
173. TSUI C.K.M., RANGHOO V.M., HODGKISS I. & HYDE K.D. – Three new species of Annulatascaceae (Ascomycetes) from Hong-Kong freshwater habitats. *Mycoscience* 43(5): 383-389.
174. UCHIYAMA S. & UDAGAWA S.J. – *Cordyceps ovariensis* f. *viridescens* and its new *Nomuraea* anamorph. *Mycoscience* 43(2): 135-141.
175. VANNESTE J.L., HILL R.A., KAY S.J., FARRELL R.L. & HOLLAND P.T. – Biological control of sapstain fungi with natural products and biological control agents : a review of the work carried out in New Zealand. *Mycological Research* 106(2): 228-232.
176. VENTER M., MYBURG H., WINGFIELD B.D., COUTINHO T.A. & WINGFIELD M.J. – A new species of *Cryphonectria* from South Africa and Australia, pathogenic to *Eucalyptus*. *Sydowia* 54(1): 98-117.

177. VUJANOVIC V. – A new variety of *Nitschkea parasitans* hyperparasitic on *Nectria cinnabarina* from american beech. *Mycotaxon* 82: 121-126.
178. VUJANOVIC V. & BRISSON J. – Microfungal biodiversity on *Fagus grandifolia* in an old-growth forest of eastern North-America. *Phyton* 42(2): 315-328.
179. WANG X.H. & LIU P.G. – The Hypocreaceae of China. V. The genus *Podostroma*. *Mycosystema* 21: 156-161.
180. WATLING R., FRANKLAND J.C., AINSWORTH A.M., ISAAC S. & ROBINSON C. – *Tropical Mycology. Vol. 2. Micromycetes* CABI Wallingford UK : 1-203.
181. WEBER E. – The *Lecythophora-Coniochaeta* complex I – Morphological studies on *Lecythophora* isolated from *Picea abies*. *Nova Hedwigia* 74(1-2): 159-185.
182. WEBER E., GÖRKE C. & BEGEROW D. – The *Lecythophora-Coniochaeta* complex I – Molecular studies based on sequences of the large subunit of ribosomal DNA. *Nova Hedwigia* 74(1-2): 187-200.
183. WONG P.T.W. – *Gaeumannomyces wongoonoo* sp. nov., the cause of a patch disease of buffalo grass (St Augustin grass). *Mycological Research* 106(7): 857-862.
184. YANNA, HO W.H. & HYDE K.D. – Fungal succession on fronds of *Phoenix hanceana* in Hong-Kong. *Fungal Diversity* 10: 185-211.
185. YUAN Z.-Q. & MOHAMMED C. – *Ceratocystis moniliformopsis* sp. nov. an early coloniser of *Eucalyptus obliqua* logs in Tasmania (Australia). *Australian Systematic Botany* 15(1): 125-133.
186. ZHANG N. & BLACKWELL M. – Molecular phylogeny of *Melanospora* and similar pyrenomycetous fungi. *Mycological Research* 106: 148-155.
187. ZHOU D.Q. & HYDE K.D. – Fungal succession on bamboo in Hong Kong. *Fungal Diversity* 10: 213-227.
188. ZHOU S. & STANOSZ G.R. – Erratum [“Relationships among *Botryosphaeria* species and associated anamorphic fungi inferred from analysis of ITS and 5.8S rDNA sequences”. *Mycologia* 2000, 93 (3)]. *Mycologia* 94(3): 560-562.
189. ZHUANG W.-Y. & ZHANG X.-M. – Re-examination of Bionectriaceae and Nectriaceae (Hypocreales) from tropical China on deposit in HMAS. *Nova Hedwigia* 74(1-2): 275-283.
190. ZHURBENKO M.P. – “Champignons lichénicoles du genre *Cercidospora* (Dothideales, Ascomycota) dans le Nord de la Russie”. [en russe]. *Mikologiya i Fitopatologiya* 36: 3-10.
191. ZOTTI M. – Recherches mycofloristiques dans les bois de hêtres des Appennins en Ligurie occidentale entre le col de Cadibona et le col du Giovo, Savona (Italie). *Cryptogamie Mycologie* 23(2): 135-162.

