

**Bastrop County Monocots, Grasses, Ferns and Allies**  
**As of February 20, 2014**

This checklist of the vascular plants of Bastrop County is primarily based on the collections in the herbarium at Plant Resource Center (PRC), University of Texas, Austin. Additional records were added from the USDA files, historic plant lists from Bastrop and Buescher State Parks (including the Stengl Research Station), recent McKinney Roughs Natural Area bio-surveys, and from the Bill Carr post-fire survey in 2012.

Special codes used: asterisk (\*) USDA, percent (%) Bill Carr, pound sign (#) added to the PRC from surveys. Rare plants listed from **Rare Plants of Texas** by Poole, et.al. are indicated with an exclamation point (!).

New Biota of North America (BONAP) modern family names have an ampersand (&).

**Species marked in bold are listed on the Texas Department of Agriculture Noxious Weeds list, on the USDA list, or introduced.**

| <u>Scientific Name</u>                            | <u>Common Name</u>                  |
|---|-------------------------------------|
| <b><u>Alismataceae</u></b>                        | <b><u>Water Plantain Family</u></b> |
| <i>Echinodorus berteroii</i>                      | erect burhead                       |
| <i>Echinodorus cordifolius</i>                    | creeping burhead                    |
| <i>Echinodorus tenellus</i>                       | pygmy chainsword plant #            |
| <i>Sagittaria graminea</i>                        | grassy arrowhead                    |
| <i>Sagittaria longiloba</i>                       | long-lobe arrowhead                 |
| <i>Sagittaria papillosa</i>                       | nipple-bract arrowhead              |
| <i>Sagittaria platyphylla</i>                     | delta arrowhead                     |
| <b><u>Amaryllidaceae &amp;</u></b>                | <b><u>Amaryllis Family</u></b>      |
| <i>Allium canadense</i>                           | walking onion (3 subsp.)            |
| <i>Allium canadense</i> var. <i>canadense</i>     | meadow garlic %                     |
| <i>Allium canadense</i> var. <i>hyacinthoides</i> | hyacinth meadow garlic %            |
| <i>Allium drummondii</i>                          | prairie onion                       |
| <i>Cooperia drummondii</i>                        | evening rain lily #                 |
| <i>Habranthus tubispathus</i>                     | copper lily                         |
| <i>Nothoscordum bivalve</i>                       | crow poison                         |
| <b><u>Araceae</u></b>                             | <b><u>Arum Family</u></b>           |
| <i>Arisaema draconitum</i>                        | green dragon                        |
| <i>Lemna obscura</i>                              | common duckweed                     |
| <i>Peltandra virginica</i>                        | tuckahoe #                          |
| <i>Wolffia</i> sp.                                | watermeal %                         |
| <b><u>Asparagaceae &amp;</u></b>                  | <b><u>Asparagus Family</u></b>      |
| <i>Androstephium caeruleum</i>                    | blue funnel lily *                  |
| <i>Schoenolirion croceus</i>                      | yellow sunnybells                   |
| <i>Yucca arkansana</i>                            | Arkansas yucca                      |
| <i>Yucca filamentosa</i>                          | Adam's needle #                     |
| <i>Yucca louisianensis</i>                        | Gulf Coast yucca *                  |
| <b><u>Aspleniaceae</u></b>                        | <b><u>Spleenwort Family</u></b>     |
| <i>Asplenium platyneuron</i>                      | ebony spleenwort                    |
| <i>Asplenium resiliens</i>                        | black-stem spleenwort               |

| <u>Scientific Name</u>                           | <u>Common Name</u>          |
|--|-----------------------------|
| <u>Blechnaceae</u>                               | <u>Chain Fern Family</u>    |
| <i>Woodwardia areolata</i>                       | netted chain fern #         |
| <i>Woodwardia virginica</i>                      | Virginia chain fern #       |
| <u>Bromeliaceae</u>                              | <u>Airplant Family</u>      |
| <i>Tillandsia recurvata</i>                      | ball moss                   |
| <i>Tillandsia usneoides</i>                      | Spanish moss                |
| <u>Burmanniceae</u>                              | <u>Burmannia Family</u>     |
| <i>Burmannia capitata</i>                        | cap burmannia #             |
| <u>Commelinaceae</u>                             | <u>Spiderwort Family</u>    |
| <i>Commelina communis</i>                        | common dayflower            |
| <i>Commelina erecta</i> var. <i>angustifolia</i> | erect dayflower             |
| <i>Tradescantia edwardsiana</i>                  | plateau spiderwort          |
| <i>Tradescantia gigantea</i>                     | giant spiderwort            |
| <i>Tradescantia hirsutiflora</i>                 | hairyflower spiderwort %    |
| <i>Tradescantia humilis</i>                      | Texas spiderwort            |
| <i>Tradescantia ohiosensis</i>                   | Ohio spiderwort             |
| <i>Tradescantia reverchonii</i>                  | Reverchon's spiderwort      |
| <i>Tradescantia subacaulis</i>                   | stemless spiderwort         |
| <u>Cyperaceae</u>                                | <u>Sedge Family</u>         |
| <i>Bulbostylis capillaris</i>                    | densetuft hairsedge %       |
| <i>Bulbostylis ciliatifolia</i>                  | capillary hairsedge %       |
| <i>Carex albicans</i>                            | whitetinge sedge %          |
| <i>Carex amphibola</i>                           | creek sedge                 |
| <i>Carex atlantica</i>                           | prickly bogsedge #          |
| <i>Carex austrina</i>                            | southern sedge              |
| <i>Carex brevior</i>                             | shortbeak sedge %           |
| <i>Carex bulbostylis</i>                         | false hairsedge *           |
| <i>Carex bushii</i>                              | Benjamin Bush's sedge       |
| <i>Carex cherokeensis</i>                        | Cherokee sedge              |
| <i>Carex complanata</i>                          | hirsute sedge %             |
| <i>Carex corrugata</i>                           | wrinkle-fruit sedge         |
| <i>Carex cruscorvi</i>                           | crow-foot sedge             |
| <i>Carex debilis</i>                             | white-edge sedge #          |
| <i>Carex emoryi</i>                              | William Emory's sedge       |
| <i>Carex festucacea</i>                          | fescue sedge %              |
| <i>Carex frankii</i>                             | Frank's sedge %             |
| <i>Carex glaucescens</i>                         | southern waxy sedge #       |
| <i>Carex grisea</i>                              | inflated sedge              |
| <i>Carex joori</i>                               | cypress swamp sedge #       |
| <i>Carex leavenworthii</i>                       | Melines Leavenworth's sedge |
| <i>Carex leptalea</i>                            | bristly-stalked sedge #     |
| <i>Carex longii</i>                              | Long's sedge #              |
| <i>Carex lurida</i>                              | sallow sedge #              |
| <i>Carex microrhyncha</i>                        | small-beak sedge            |

| <u>Scientific Name</u>                             | <u>Common Name</u>            |
|--|-------------------------------|
| <u>Cyperaceae continued</u>                        | <u>Sedge Family continued</u> |
| <i>Carex muhlenbergii</i>                          | Gotthilf Muhlenberg's sedge   |
| <i>Carex reniformis</i>                            | kidney-shaped sedge           |
| <i>Carex retroflexa</i>                            | reflexed-fruit sedge          |
| <i>Carex stricta</i>                               | tussock sedge #               |
| <i>Cladium jamaicense</i>                          | Jamacia sawgrass #            |
| <i>Cladium mariscoides</i>                         | twig rush #                   |
| <i>Cyperus acuminatus</i>                          | taper-leaf flatsedge          |
| <i>Cyperus bipartitus</i>                          | slender flatsedge             |
| <i>Cyperus breviflorus</i>                         | short-leaf flatsedge          |
| <i>Cyperus croceus</i>                             | Baldwin flatsedge             |
| <i>Cyperus cylindricus</i>                         | cylinder flatsedge            |
| <i>Cyperus echinatus</i> (ovularis)                | globe flatsedge               |
| <i>Cyperus erythrorhizos</i>                       | redroot flatsedge %           |
| <i>Cyperus esculentus</i>                          | yellow nutsedge %             |
| <i>Cyperus globulus</i>                            | globe sedge                   |
| <i>Cyperus haspan</i>                              | sheathed flatsedge #          |
| <i>Cyperus hermaphroditus</i>                      | hermaphrodite flatsedge       |
| <i>Cyperus hystricinus</i> var. <i>hystricinus</i> | bristly flatsedge %           |
| <i>Cyperus odoratus</i>                            | fragrant flatsedge #          |
| <i>Cyperus plukenetii</i>                          | Plukenet's flatsedge          |
| <i>Cyperus polystachys</i>                         | Texan flatsedge               |
| <i>Cyperus pseudovegetus</i>                       | sand flatsedge                |
| <i>Cyperus retroflexus</i>                         | one-flower flatsedge          |
| <i>Cyperus retrofractus</i>                        | reflexed flatsedge            |
| <i>Cyperus retrorsus</i>                           | pine barren flatsedge         |
| <i>Cyperus squarrosus</i>                          | bearded flatsedge             |
| <i>Cyperus strigosus</i>                           | straw-colored flatsedge #     |
| <i>Cyperus surinamensis</i>                        | tropical flatsedge            |
| <i>Cyperus virens</i>                              | green flatsedge               |
| <i>Eleocharis acicularis</i>                       | needle spikesrush             |
| <i>Eleocharis atropurpurea</i>                     | purple spikerush              |
| <i>Eleocharis engelmanii</i>                       | Engelman's spikerush          |
| <i>Eleocharis quisetoides</i>                      | jointed spikerush #           |
| <i>Eleocharis flavescens</i>                       | yellow spikerush #            |
| <i>Eleocharis macrostachys</i>                     | pale spikerush                |
| <i>Eleocharis microcarpa</i>                       | smallfruit spikerush %        |
| <i>Eleocharis minima</i>                           | small spikerush               |
| <i>Eleocharis montevidensis</i>                    | sand spikerush                |
| <i>Eleocharis obtusa</i>                           | blunt spikerush %             |
| <i>Eleocharis olivacea</i>                         | bright green spikerush #      |
| <i>Eleocharis quadrangulata</i>                    | square-stem spikerush #       |
| <i>Eleocharis reverchonii</i>                      | Reverchon's spikerush         |
| <i>Eleocharis tortilis</i>                         | twisted spikerush #           |
| <i>Fimbristylis autumnalis</i>                     | slender fimbry #              |
| <i>Fimbristylis miliacea</i>                       | fimbry #                      |

| <u>Scientific Name</u>             | <u>Common Name</u>               |
|------------------------------------|----------------------------------|
| <u>Cyperaceae continued</u>        | <u>Sedge Family continued</u>    |
| <i>Fimbristylis puberula</i>       | hairy fimbry                     |
| <i>Fimbristylis valhii</i>         | Vahl's fimbry                    |
| <i>Fuirena bushii</i>              | Bush's umbrella sedge            |
| <i>Fuirena squarrosa</i>           | hairy umbrella sedge #           |
| <i>Isolepis carinata</i>           | keeled bulrush                   |
| <i>Isolepis molesta</i>            | Gulf coast bulrush               |
| <i>Lipocarpa drummondii</i>        | Drummond's half-chaff sedge      |
| <i>Rhynchospora cadua</i>          | anglestem beaksedge #            |
| <i>Rhynchospora capitellata</i>    | brownish beaksedge #             |
| <i>Rhynchospora chalarocephala</i> | loosehead beaksedge #            |
| <i>Rhynchospora colorata</i>       | star-rush whitetop               |
| <i>Rhynchospora corniculata</i>    | horned beakrush #                |
| <i>Rhynchospora cuphalantha</i>    | short-bristle horned beaksedge # |
| <i>Rhynchospora globularis</i>     | globe beakrush #                 |
| <i>Rhynchospora glomerata</i>      | cluster beakrush #               |
| <i>Rhynchospora gracilenta</i>     | slender beaksedge #              |
| <i>Rhynchospora harveyii</i>       | Harvey's beakrush                |
| <i>Rhynchospora macrostachya</i>   | tall horned beaksedge            |
| <i>Rhynchospora oligantha</i>      | feather-bristle beaksedge #      |
| <i>Rhynchospora perplexa</i>       | pineland beaksedge #             |
| <i>Rhynchospora pusilla</i>        | fairy beaksedge #                |
| <i>Rhynchospora rariflora</i>      | fewflower beaksedge #            |
| <i>Rhynchospora scirpoides</i>     | long-beak beaksedge #            |
| <i>Rhynchospora stenophylla</i>    | coastal plain beaksedge #        |
| <i>Scirpus cyperinus</i>           | woolgrass #                      |
| <i>Scirpus koilolepis</i>          | bulrush                          |
| <i>Scleria ciliata</i>             | fringed nutrush #                |
| <i>Scleria oligantha</i>           | little-head nut-rush             |
| <i>Scleria reticularis</i>         | netted nutrush #                 |
| <i>Scleria triglomerata</i>        | whipgrass #                      |
| <u>Dennstaedtiaceae</u>            | <u>Bracken Fern Family</u>       |
| <i>Pteridium aquilinum</i>         | bracken fern #                   |
| <u>Dryopteridaceae</u>             | <u>Wood Fern Family</u>          |
| <i>Dryopteris marginalis</i>       | marginal woodfern #              |
| <u>Equisetaceae</u>                | <u>Horsetail Family</u>          |
| <i>Equisetum hyemale</i>           | tall scouring rush               |
| <i>Equisetum laevigatum</i>        | smooth horsetail                 |
| <u>Eriocaulaceae</u>               | <u>Pipewort Family</u>           |
| <i>Eriocaulon deangulare</i>       | ten-angle pipewort #             |
| <i>Eriocaulon komickianum</i>      | smallhead pipewort # !           |
| <i>Eriocaulon texensis</i>         | Texas pipewort #                 |

| <u>Scientific Name</u>            | <u>Common Name</u>             |
|-----------------------------------|--------------------------------|
| <u>Hydrocharitaceae</u>           | <u>Waterweed Family</u>        |
| <i>Najas guadalupensis</i>        | common water nymph             |
| <u>Hypoxidaceae &amp;</u>         | <u>Yellow Stargrass Family</u> |
| <i>Hypoxis hirsuta</i>            | yellow star-grass              |
| <u>Iridaceae</u>                  | <u>Iris Family</u>             |
| <i>Alophia drummondii</i>         | purple pleat-leaf              |
| <i>Herbertia lahue</i>            | herbertia                      |
| <i>Iris virginica</i>             | Virginia iris #                |
| <i>Iris xiphium</i>               | Dutch Iris                     |
| <i>Nemastylis geminiflora</i>     | prairie celestial              |
| <i>Sisyrinchium angustifolium</i> | bermuda blue-eyed grass        |
| <i>Sisyrinchium atlanticum</i>    | eastern blue-eyed grass #      |
| <i>Sisyrinchium chilense</i>      | swordleaf blue-eyed grass *    |
| <i>Sisyrinchium langlosii</i>     | pale blue-eyed grass #         |
| <i>Sisyrinchium minus</i>         | least blue-eyed grass          |
| <i>Sisyrinchium pruinosum</i>     | dotted blue-eyed grass         |
| <i>Sisyrinchium rosulatum</i>     | annual blue-eyed grass         |
| <i>Sisyrinchium scabrum</i>       | rough blue-eyed grass          |
| <u>Isoetaceae</u>                 | <u>Quillwort Family</u>        |
| <i>Isoetes melanopoda</i>         | black-footed quillwort         |
| <u>Juncaceae</u>                  | <u>Rush Family</u>             |
| <i>Juncus acuminatus</i>          | knot-leaf rush                 |
| <i>Juncus brachycarpus</i>        | white-root rush                |
| <i>Juncus bufonius</i>            | toad rush                      |
| <i>Juncus capitatus</i>           | capped rush                    |
| <i>Juncus coriaceus</i>           | leathery rush #                |
| <i>Juncus dichotomos</i>          | forked rush *                  |
| <i>Juncus diffusissimus</i>       | slim-pod rush #                |
| <i>Juncus effusus</i>             | common rush #                  |
| <i>Juncus filipendulus</i>        | ring-seed rush                 |
| <i>Juncus interior</i>            | inland rush                    |
| <i>Juncus marginatus</i>          | grass-leaf rush #              |
| <i>Juncus polyccephalus</i>       | flat-leaf rush #               |
| <i>Juncus scirpoides</i>          | needle-pod rush #              |
| <i>Juncus tenuis</i>              | slender rush                   |
| <i>Juncus trigonocarpus</i>       | red-pod rush #                 |
| <i>Juncus validus</i>             | round-head rush #              |
| <u>Lycopodiaceae</u>              | <u>Clubmoss Family</u>         |
| <i>Lycopodiella appressum</i>     | southern bog clubmoss #        |
| <i>Lycopodiella carolinianum</i>  | slender clubmoss #             |
| <u>Marsileaceae</u>               | <u>Pepperwort Family</u>       |
| <i>Marsilea vestita</i>           | hooked pepperwort              |

|                                  |                              |
|----------------------------------|------------------------------|
| <u>Scientific Name</u>           | <u>Common Name</u>           |
| <u>Mayacaceae</u>                | <u>Bogmoss Family</u>        |
| Mayaca aubietii (or fluviatiale) | bogmoss                      |
| <u>Melanthiaceae &amp;</u>       | <u>Melanthium Family</u>     |
| Veratrum virginicum              | bunch flower #               |
| Zigadenus densus                 | black snakeroot #            |
| Zigadenus nuttallii              | death-camas                  |
| <u>Nartheciaceae &amp;</u>       | <u>Colic Root Family</u>     |
| Aletris aurea                    | yellow colicroot #           |
| <u>Ophioglossaceae</u>           | <u>Adder's Tongue Family</u> |
| Botrychium dissectum             | dissected grape fern #       |
| Ophioglossum engelmannii         | Engleman's adder's tongue    |
| Ophioglossum crotalophoroioides  | bulbous adder's tongue       |
| <u>Orchidaceae</u>               | <u>Orchid Family</u>         |
| Calopogon tuberosus              | grass-pink #                 |
| Corallorrhiza wisteriania        | spring coralroot             |
| Habenaria repens                 | water spider orchid #        |
| Hexalectris spicata              | crested coralroot            |
| Platanthera ciliaris             | yellow fringed orchid #      |
| Platanthera clavellata           | small green wood orchid *    |
| Pogonia ophioglossoides          | rose pogonia                 |
| Spiranthes cernua                | nodding ladies' tresses #    |
| Spiranthes gracilis              | slender ladies' tresses      |
| Spiranthes grayii                | Gray's ladies' tresses       |
| Spiranthes lacera                | green-lip ladies' tresses    |
| Spiranthes parksii               | Park's ladies' tresses !     |
| Spiranthes praecox               | greeleaf ladies' tresses     |
| Spiranthes tuberosa              | little ladies' tresses *     |
| Spiranthes vernalis              | spring ladies' tresses #     |
| <u>Osmundaceae</u>               | <u>Royal Fern Family</u>     |
| Osmunda cinnamomea               | cinnamon fern #              |
| Osmunda regalis                  | royal fern #                 |
| <u>Poaceae</u>                   | <u>Grass Family</u>          |
| Agrostis hyemalis                | winter bentgrass #           |
| Agrostis scabra                  | rough bentgrass #            |
| Aira caryophyllea                | hairgrass                    |
| Alopecurus caroliniana           | Carolina foxtail             |
| Andropogon gerardii              | big bluestem                 |
| Andropogon glomeratus            | bushy bluestem #             |
| Andropogon ternarius             | split-beard bluestem         |
| Andropogon virginicus            | broomsedge                   |
| Anthaenanthus rufa               | purple silky scale           |
| Aristida affinis                 | three-awn grass              |
| Aristida desmantha               | church mouse three-awn       |
| Aristida dichotoma               | poverty grass                |

| <u>Scientific Name</u>                                   | <u>Common Name</u>                  |
|--|-------------------------------------|
| <u>Poaceae continued</u>                                 | <u>Grass Family continued</u>       |
| <i>Aristida glauca</i>                                   | smooth three-awn                    |
| <i>Aristida lanosa</i>                                   | woolly three-awn                    |
| <i>Aristida longespica</i>                               | slim-spike three-awn                |
| <i>Aristida oligantha</i>                                | old-field three-awn                 |
| <i>Aristida purpurascens</i>                             | arrow feather three-awn             |
| <i>Aristida purpurea</i>                                 | purple three-awn                    |
| <i>Aristida purpurea</i> var. <i>longiseta</i>           | Fendler threeawn %                  |
| <b>Arundo donax</b>                                      | <b>giant reed</b>                   |
| <i>Axonopus compressus</i>                               | broadleaf carpetgrass #             |
| <i>Axonopus farcatus</i>                                 | big carpetgrass                     |
| <i>Axonopus fissifolius</i>                              | carpetgrass                         |
| <i>Bothriochloa hybridus</i>                             | hybrid beardgrass                   |
| <b>Bothriochloa ischaemum</b>                            | <b>King Ranch bluestem</b>          |
| <i>Bothriochloa laguroides</i>                           | silver bluestem                     |
| <i>Bothriochloa longipanniculata</i>                     | longspike beardgrass                |
| <i>Bouteloua curtipendula</i>                            | side-oats grama                     |
| <i>Bouteloua hirsuta</i>                                 | hairy grama                         |
| <i>Bouteloua rigidiseta</i>                              | Texas grama                         |
| <i>Brachiaria ciliatissima</i>                           | fringed signal grass                |
| <i>Brachiaria fasciculata</i>                            | brown-top signal grass              |
| <i>Brachiaria texana</i>                                 | Texas signal grass                  |
| <i>Briza minor</i>                                       | quaking grass                       |
| <b>Bromus catharticus</b>                                | <b>rescuegrass</b>                  |
| <b>Bromus japonicus</b> or <i>B. arvensis</i>            | <b>Japanese bromus, field brome</b> |
| <i>Bromus pubescens</i>                                  | hairy bromus                        |
| <b>Bromus secalinus</b>                                  | <b>rye brome</b>                    |
| <i>Buchloe dactylifolia</i>                              | buffalo grass                       |
| <i>Cenchrus echinatus</i>                                | southern sandspur                   |
| <i>Cenchrus spinifex</i>                                 | common sandspur                     |
| <i>Chasmanthium latifolium</i>                           | inland sea oats #                   |
| <i>Chasmanthium laxum</i>                                | narrow-leaf wood oats #             |
| <i>Chasmanthium sessilifolium</i>                        | long-leaf wood oats *               |
| <i>Chloris cucullata</i>                                 | hooded windmill grass               |
| <i>Chloris subdolichostachya</i>                         | shortspike windmill grass %         |
| <i>Chloris verticillata</i>                              | tumble windmill grass               |
| <i>Chloris virgata</i>                                   | feather fingergrass *               |
| <i>Cinna arundinacea</i>                                 | sweet woodreed #                    |
| <i>Coelorachis cylindrica</i>                            | Carolina joint-tail #               |
| <b>Cynodon dactylon</b>                                  | <b>Bermuda grass</b>                |
| <i>Dichanthelium aciculare</i>                           | needle-leaf panicgrass              |
| <i>Dichanthelium acuminatum</i>                          | taper-leaf panicgrass               |
| <i>Dichanthelium acuminatum</i> var. <i>fasciculatum</i> | western panicgrass %                |
| <i>Dichanthelium aristatum</i>                           | pointed panicgrass                  |
| <i>Dichanthelium depauperatum</i>                        | starved panicgrass *                |
| <i>Dichanthelium dichotomatum</i>                        | forked panicgrass #                 |
| <i>Dichanthelium laxiflorum</i>                          | openflower rosette grass *          |
| <i>Dichanthelium linearifolium</i>                       | slim-leaf panicgrass %              |
| <i>Dichanthelium longiligulatum</i>                      | coastal plain panicgrass %          |
| <i>Dichanthelium nodatum</i>                             | Sarita rosette grass                |

| <u>Scientific Name</u>               | <u>Common Name</u>            |
|--------------------------------------|-------------------------------|
| <u>Poaceae continued</u>             | <u>Grass Family continued</u> |
| <i>Dichanthelium oligosanthes</i>    | Scribner's rosette grass      |
| <i>Dichanthelium ovale</i>           | eggleaf rosette grass %       |
| <i>Dichanthelium pedicellatum</i>    | cedar rosette grass           |
| <i>Dichanthelium portoricense</i>    | <i>sabulorum</i>              |
| <i>Dichanthelium ravenellii</i>      | Ravenel's rosette grass *     |
| <i>Dichanthelium sabulorum</i>       | hemlock rosettegrass *        |
| <i>Dichanthelium scabrusculum</i>    | woolly rosette grass #        |
| <i>Dichanthelium scoparium</i>       | velvety panic grass #         |
| <i>Dichanthelium sphaeriocarpon</i>  | round-seed grass              |
| <b><i>Dichanthium aristatum</i></b>  | <b>angleton bluestem</b>      |
| <i>Digitaria bicornis</i>            | Asian crabgrass %             |
| <i>Digitaria ciliaris</i>            | southern crabgrass *          |
| <i>Digitaria cognata</i>             | fall witch grass              |
| <i>Digitaria filiformis</i>          | slender crabgrass             |
| <i>Digitaria insularis</i>           | sourgrass *                   |
| <i>Digitaria sanguinalis</i>         | hairy crabgrass               |
| <i>Dulichium arundinaceae</i>        | three-ranked grass #          |
| <b><i>Echinochloa crus-galli</i></b> | <b>barnyard grass</b>         |
| <i>Echinochloa walteri</i>           | coastal barnyard grass        |
| <b><i>Eleusine indica</i></b>        | <b>Indian goosegrass</b>      |
| <i>Elioneurus tripsacoides</i>       | PanAmerican balsamscale *     |
| <i>Elymus canadensis</i>             | Canada wild rye               |
| <i>Elymus virginicum</i>             | Virginia wild rye             |
| <i>Eragrostis urtipedicellata</i>    | gummy lovegrass               |
| <i>Eragrostis capillaris</i>         | lacegrass                     |
| <i>Eragrostis diffusa</i>            | diffuse lovegrass             |
| <i>Eragrostis elliotii</i>           | Elliot's lovegrass            |
| <i>Eragrostis hirsuta</i>            | big-top lovegrass             |
| <i>Eragrostis hyponoides</i>         | teal lovegrass *              |
| <i>Eragrostis intermedia</i>         | plains lovegrass              |
| <i>Eragrostis lugens</i>             | mourning lovegrass %          |
| <i>Eragrostis refracta</i>           | common lovegrass              |
| <i>Eragrostis reptans</i>            | creeping lovegrass            |
| <i>Eragrostis secundiflora</i>       | red lovegrass                 |
| <i>Eragrostis sessilispica</i>       | tumble lovegrass              |
| <i>Eragrostis spectabilis</i>        | purple lovegrass              |
| <b><i>Eragrostis superba</i></b>     | <b>Wilman lovegrass</b>       |
| <i>Erioneuron pilosum</i>            | hairy woollygrass *           |
| <b><i>Eustachys retusa</i></b>       | <b>Argentine finger grass</b> |
| <i>Festuca versata</i>               | Texas fescue                  |
| <i>Gymnopogon ambigua</i>            | bearded skeleton grass        |
| <i>Hilaria belangeri</i>             | curly mesquite                |
| <i>Hordeum pusillum</i>              | little barley                 |
| <i>Leersia hexandria</i>             | southern cutgrass #           |
| <i>Leersia oryzoides</i>             | rice cutgrass #               |
| <i>Leersia virginica</i>             | Virginia cutgrass             |
| <i>Leptochloa cognaturn</i>          | sprangletop                   |
| <i>Leptochloa dubia</i>              | green sprangletop %           |
| <i>Leptochloa fascicularis</i>       | bearded sprangletop           |
| <b><i>Leptochloa fusca</i></b>       | <b>Malabar sprangletop *</b>  |

| <u>Scientific Name</u>                           | <u>Common Name</u>             |
|--|--------------------------------|
| <u>Poaceae continued</u>                         | <u>Grass Family continued</u>  |
| <i>Leptochloa panicea</i>                        | red (mucronata) sprangletop *  |
| <i>Limnodea arkansana</i>                        | Ozark grass                    |
| <i>Lolium perenne</i>                            | rye grass                      |
| <i>Muhlenbergia capillaris</i>                   | hairy-awn muhly                |
| <i>Muhlenbergia lindheimeri</i>                  | big muhly                      |
| <i>Nassella leucotricha</i>                      | Texas wintergrass *            |
| <i>Neragrostis reptans</i>                       | creeping lovegrass *           |
| <i>Oplismenus hirtella</i>                       | Ozark grass                    |
| <i>Panicum anceps</i>                            | beaked panicgrass #            |
| <i>Panicum brachyanthum</i>                      | prairie panicgrass #           |
| <i>Panicum capillare</i>                         | common witchgrass              |
| <i>Panicum depauperatum</i>                      | starved rosette grass          |
| <i>Panicum dichotomatum</i>                      | fall panicgrass *              |
| <i>Panicum hallii</i>                            | Hall's panicgrass              |
| <i>Panicum hemitomum</i>                         | maiden cane #                  |
| <i>Panicum ravenelii</i>                         | Ravenel's grass                |
| <i>Panicum rigidulum</i>                         | red-top panicum #              |
| <i>Panicum verrucosum</i>                        | warty panicgrass #             |
| <i>Panicum virgatum</i>                          | switchgrass                    |
| <i>Pascopyrum texanum</i>                        | western wheatgrass             |
| <i>Paspalidium geminatum</i>                     | Egyptian panicgrass            |
| <i>Paspalum dilatatum</i>                        | dallisgrass                    |
| <i>Paspalum dissectum</i>                        | mudbank crownglass             |
| <i>Paspalum floridanum</i>                       | Florida paspalum #             |
| <i>Paspalum floridanum</i> var. <i>glabratum</i> | Florida paspalum %             |
| <i>Paspalum langea</i>                           | Lang's paspalum                |
| <i>Paspalum notatum</i>                          | bahiagrass                     |
| <i>Paspalum plicatulum</i>                       | brown-seed paspalum #          |
| <i>Paspalum praecox</i>                          | early paspalum #               |
| <i>Paspalum pubiflorum</i>                       | hairy-seed paspalum            |
| <i>Paspalum setacum</i>                          | fringe-leaf paspalum #         |
| <i>Paspalum urvillei</i>                         | Vasey grass (crown paspalum #) |
| <i>Phalaris caroliniana</i>                      | Carolina canarygrass           |
| <i>Phanopyrum gymnocarpon</i>                    | savannah panicgrass            |
| <i>Phragmites australis</i>                      | common reed %                  |
| <i>Phyllostachys aurea</i>                       | golden bamboo                  |
| <i>Piptochaetium avenaceum</i>                   | blackseed speargrass %         |
| <i>Poa annua</i>                                 | annual bluegrass               |
| <i>Saccharum gigantia</i>                        | sugarcane #                    |
| <i>Sacoilepus striata</i>                        | cupscale *                     |
| <i>Schedonnardius paniculatus</i>                | tumblegrass                    |
| <i>Schizachryium scoparium</i>                   | little bluestem                |
| <i>Setaria geniculata</i>                        | bristlegrass                   |
| <i>Setaria parviflora</i>                        | knotroot bristlegrass          |
| <i>Setaria pumila</i>                            | yellow foxtail grass           |
| <i>Setaria scheelei</i>                          | southwest bristlegrass         |
| <i>Setaria viridis</i>                           | green bristlegrass             |
| <i>Sorgastrum elliotii</i>                       | slender indiangrass            |
| <i>Sorgastrum nutans</i>                         | yellow indiangrass             |
| <i>Sorghum bicolor</i>                           | milo grass                     |

| <u>Scientific Name</u>                         | <u>Common Name</u>            |
|--|-------------------------------|
| <u>Poaceae continued</u>                       | <u>Grass Family continued</u> |
| <i>Sorghum halapense</i>                       | <b>Johnson grass</b>          |
| <i>Sphenopholis obtusata</i>                   | prairie wedgescale            |
| <i>Sporobolus clandestinus</i>                 | rough dropseed                |
| <i>Sporobolus compositus</i>                   | purple dropseed               |
| <i>Sporobolus compositus</i> var. <i>macer</i> | composite dropseed %          |
| <i>Sporobolus cryptandrus</i>                  | sand dropseed                 |
| <i>Sporobolus indicus</i>                      | smut grass %                  |
| <i>Sporobolus junceus</i>                      | piney woods dropseed          |
| <i>Sporobolus pyramidatus</i>                  | whorled dropseed              |
| <i>Sporobolus vaginiflorus</i>                 | Ozark dropseed                |
| <i>Steinchisma hians</i>                       | gaping panicgrass             |
| <i>Trichoneura elegans</i>                     | Silveus' grass *              |
| <i>Tridens albescens</i>                       | white-top                     |
| <i>Tridens congestus</i>                       | pink fluffgrass               |
| <i>Tridens flavus</i>                          | purpletop                     |
| <i>Tridens muticus</i>                         | slim tridens                  |
| <i>Tridens purpurea</i>                        | purple sandgrass              |
| <i>Tridens strictus</i>                        | longspike tridens             |
| <i>Triplasia purpurea</i>                      | purple sandgrass *            |
| <i>Tripsacum dactyloides</i>                   | eastern gamagrass %           |
| <i>Trisetum interruptum</i>                    | prairie false oat *           |
| <b>Triticum aestivum</b>                       | <b>common wheat</b>           |
| <i>Urochloa ciliatissima</i>                   | fringed signalgrass           |
| <i>Urochloa fusca</i>                          | brown top signalgrass *       |
| <i>Urochloa texana</i>                         | Texas signalgrass *           |
| <i>Vulpia elliotae</i>                         | Elliot's squirrelsgrass       |
| <i>Vulpia octoflora</i>                        | common 6-weeks grass          |
| <i>Vulpia sciurea</i>                          | squirrel 6-weeks grass        |
| <i>Willkommia texana</i>                       | Texas willkommia              |
| <i>Zizaniopsis miliacea</i>                    | giant cutgrass %              |

Polypodiaceae  
Pleopeltis polypodioides

Polypody Family  
 resurrection fern

| <u>Pontederiaceae</u>      |
|----------------------------|
| <i>Heteranthera dubia</i>  |
| <i>Heteranthera limosa</i> |
| <i>Pontederia cordata</i>  |

| <u>Pickerelweed Family</u> |
|----------------------------|
| grassleaf mudplantain *    |
| blue mudplantain *         |
| pickerel weed *            |

| <u>Potamogetonaceae</u>          |
|----------------------------------|
| <i>Potamogeton diversiflorus</i> |
| <i>Potamogeton nodosus</i>       |
| <i>Potamogeton pusillus</i>      |

| <u>Pondweed Family</u> |
|------------------------|
| waterthread pondweed * |
| longleaf pondweed *    |
| baby pondweed          |

| <u>Pteridaceae</u>             |
|--------------------------------|
| <i>Cheilanthes alabamensis</i> |
| <i>Cheilanthes tormentosa</i>  |
| <i>Pellea atropurpurea</i>     |

| <u>Maidenhair Fern Family</u> |
|-------------------------------|
| Alabama lip fern              |
| woolly lip fern               |
| purple cliff brake %          |

| <u>Scientific Name</u>                             | <u>Common Name</u>                 |
|--|------------------------------------|
| <u>Selaginellaceae</u>                             | <u>Spikemoss Family</u>            |
| <i>Selaginella apoda</i>                           | meadow spikemoss #                 |
| <i>Selaginella arenicola</i> var. <i>riddellii</i> | Ridell's spikemoss                 |
| <br>   |                                    |
| <u>Thelypteridaceae</u>                            | <u>Maiden or Marsh Fern Family</u> |
| <i>Thelypteris kunthii</i>                         | southern shield fern               |
| <i>Thelypteris palustris</i>                       | marsh fern #                       |
| <br>   |                                    |
| <u>Typhaceae</u>                                   | <u>Cattail Family</u>              |
| <i>Sparganium americanus</i>                       | bur-reed                           |
| <i>Typha domingensis</i>                           | narrow-leaf cattail                |
| <i>Typha latifolia</i>                             | common cattail #                   |
| <br>   |                                    |
| <u>Woodsiaceae</u>                                 | <u>Bladderfern Family</u>          |
| <i>Woodsia obtusa</i>                              | bluntlobe cliff fern               |
| <br>   |                                    |
| <u>Xyridaceae &amp;</u>                            | <u>Yellow-Eyed Grass Family</u>    |
| <i>Xyris ambigua</i>                               | coastal plain yellow-eyed grass #  |
| <i>Xyris baldwiniana</i>                           | Baldwin's yellow-eyed grass #      |
| <i>Xyris difformis</i>                             | bog yellow-eyed grass #            |
| <i>Xyris iridifolia</i>                            | iris-leaf yellow-eyed grass #      |
| <i>Xyris jupicai</i>                               | Richard's yellow-eyed grass #      |
| <i>Xyris torta</i>                                 | slender yellow-eyed grass #        |
| <br>   |                                    |
| <u>Zannichelliaceae</u>                            | <u>Horned Pondweed Family</u>      |
| <i>Zannichellia palustris</i>                      | common poolmat                     |