FUMARIACEAE Corydalis

C. pauciflora
C. aurea
C. sempervirens







http://williamcullina.com/files/Download/corydalis aurea 1 5182.jpg



http://farm4.static.flickr.com/3287/2697710338_78f4434a65_o.jpg

Information

- Kingdom *Plantae*, the Plants
- Division *Magnoliophyta*, the Angiosperms (flowering plants)
 - Class Magnoliopsida, the Dicotyledons
 - Subclass Magnoliidae
 - Order Papaverales
 - Family *Fumariaceae*, the Fumitories
 - » Genus *Corydalis*, the Corydalis

(It has also been considered a subfamily of Papaveraceae- class book by Walters, Keil, and Murrell)


| Character | Subfamily | Subfamily |
|-----------|-------------------------------------------------------|------------------------------------------------------------------------------------|
| | Papaveroideae | Fumarioideae |
| Habitat | Annual or perennial herbs, shrubs, rarely small trees | Annual or perennial herbs |
| Latex | Present | Absent |
| Sepals | 2-3, large, enclosing flower bud | 2, small and bract-like, much shorter than flower bud |
| Symmetry | Radial or nearly so, fully distinct | Bilateral or isobilateral (4 petals in 2 unequal pairs), the inner cohering at tip |
| Spurs | Absent | Present on 1 or 2 petals |
| Stamens | (4-)many, equal | 6, tetradynamous |


Corydalis

Tender glabrous herbs, annual or biennial or perennial, with watery juice. Leaves dissect. Flowers hypogenous, irregular, diadelphous; sepals small, scale like; corolla spurred below; fruit a slender pod like 2-valved capsule; seeds small, black, shiny.

Corydalis, from the Greek korudallis (korydallis), "crested lark", in reference to the shape of the flower resembling that of the bird's spur.


Distributions in Alaska/Yukon






C. aurea

C. sempervirens






spur 2-4 mm long





tall erect stem



C. aurea Willd.

Use Medicinal: Amerindians used tea for painful menstruation, backache, diarrhea, bronchitis, heart diseases, sore throat, and stomach aches; inhaled fumes from burning roots for headaches.

Warning: This plant is believed to be poisonous to livestock if consumed in quantity due to high alkaloid content.

Humans should generally avoid ingesting plants that are toxic to animals.

Literature Cited

Arctos. Multi- Institution, multi-Collection Museum Database.

http://arctos.database.museum/Collections/index.cfm. April 2009.

Cody, J. W. Flora of the Yukon Territory.

Nrc Research Press. 2; 2002.

Hulten, E. Flora of Alaska and Neighboring Territories

A Manual of the Vascular Plants. Stanford Univ. Pr. 1968

Floral of North America.

http://www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=233500427. April 2009

Floral of North America.

http://www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=233500447. April 2009

