

Appendix 1. Category 1 – 3 Declared Weed and Alien Invader Plants in South Africa in terms of the Regulations pertaining to the Conservation of Agricultural Resources Act 43 of 1983 as amended.

Declared Weeds & Invaders: Category 1 Plants

Acacia implexa Benth. **Screw - pod wattle.** Weed
Acacia longifolia (Andr.) Willd. **Long - leaved wattle.** Weed
Acacia paradoxa DC. **Kangaroo wattle.** Weed
Acacia pycnantha Benth. **Golden wattle.** Weed
Achyranthes aspera L. **Burweed.** Weed
Ageratina adenophora (Spreng.) **Crofton weed.** Weed
Ageratina riparia (Regel) R.M.King **Mistflower.** Weed
Ageratum conyzoides L. **Invading ageratum.** Weed
Ageratum houstonianum Mill **Mexican ageratum.** Weed
Albizia lebbek (L.) Benth. **Lebbeck tree.** Weed
Albizia procera (Roxb.) Benth. **False lebbeck.** Weed
Alhagi maurorum Medik. **Camel thorn bush.** Weed
Anredera cordifolia (Ten.) Steenis **Madeira vine, Bridal wreath.** Weed
Araujia sericifera Brot. **Moth catcher.** Weed
Argemone mexicana L. **Yellow-flowered Mexican poppy.** Weed
Argemone ochroleuca Sweet **White-flowered Mexican poppy.** Weed
Arundo donax L. **Giant reed, Spanish reed** Weed
Azolla filiculoides Lam. **Azolla, Red water fern..** Weed
Bryophyllum delagoense (Eckl.) **Chandelier plant.** Weed
Caesalpinia decapetala (Roth) Alston **Mauritius thorn.** Weed
Campuloclinium macrocephalum (Less) DC. **Pom pom weed.** Weed
Canna indica L. **Indian shot** Weed
Cardiospermum grandiflorum Sw. **Balloon vine.** Weed
Cereus jamacaru DC. **Queen of the Night.** Weed
Cestrum aurantiacum Lindl. **Yellow or Orange cestrum.** Weed
Cestrum elegans (Brongn.) Schtdl. **Crimson cestrum.** Weed

Cestrum laevigatum Schtdl. **Inkberry**. Weed

Cestrum parqui L'Hér. **Chilean cestrum**. Weed

Chromolaena odorata (L.) R.M.King **Triffid weed, Chromolaena**. Weed

Cirsium vulgare (Savi) Ten. **Spear thistle, Scotch thistle**. Weed

Convolvulus arvensis L. **Field bindweed, Wild morning glory**. Weed

Cortaderia jubata (Lem.) Stapf **Pampas grass**. Weed

Cortaderia selloana (Schult.) Asch. **Pampas grass**. Weed

Cuscuta campestris Yunck. **Common dodder**. Weed

Cuscuta suaveolens Ser. **Lucerne dodder** Weed

Cytisus monspessulanus L. **Montpellier broom**. Weed

Cytisus scoparius (L.) Link **Scotch broom**. Weed

Datura ferox L. **Large thorn apple**. Weed

Datura innoxia Mill. **Downy thorn apple** Weed

Datura stramonium L. **Common thorn apple** Weed

Echinopsis spachiana (Lem.) Fiedrich **Torch cactus**. Weed

Echium plantagineum L. **Patterson's curse**. Weed

Echium vulgare L. **Blue echium** Weed

Egeria densa Planch. **Dense water weed**. Weed

Eichhornia crassipes (C.Mart.) Solms **Water hyacinth** Weed

Elodea canadensis Michx. **Canadian water weed** Weed

Hakea drupacea (C.F.Gaertn.) Roem. **Sweet hakea** Weed

Hakea gibbosa (Sm.) Cav. **Rock hakea** Weed

Hakea sericea Schrad. & J.C.Wendl **Silky hakea** Weed

Harrisia martinii (Labour.) Britton **Moon cactus, Harrisia cactus** Weed

Hedychium coccineum Sm. **Red ginger lily** Weed

Hedychium coronarium J. König **White ginger lily** Weed

Hedychium flavescens Roscoe **Yellow ginger lily** Weed

Hedychium gardnerianum **Kahili ginger lily** Weed

Lantana - all seedbearing forms **Lantana, Tickberry, Cherry pie** Weed

Lepidium draba L. **Pepper - cress, Hoary candaria** Weed

Leptospermum laevigatum (Gaertn.) Australian myrtle Weed
Litsea glutinosa (Lour.) C.B.Rob. Indian laurel Weed
Lythrum salicaria L. Purple loosestrife Weed
Macfadyena unguis-cati (L.) Cat's claw creeper Weed
Montanoa hibiscifolia Benth. Tree daisy Weed
Myriophyllum aquaticum (Vell.) Verdc. Parrot's feather Weed
Myriophyllum spicatum L. Spiked water-milfoil Weed
Nassella tenuissima (Trin.) Barkworth White tussock Weed
Nassella trichotoma (Nees) Arech. Nassella tussock Weed
Nerium oleander L. Oleander Weed
Nicotiana glauca Graham Wild tobacco Weed
Opuntia aurantiaca Lindl. Jointed cactus Weed
Opuntia exaltata A.Berger Long spine cactus Weed
Opuntia ficus-indica (L.) Mill. Mission or Sweet prickly pear Weed
Opuntia fulgida Engelm. Rosea cactus Weed
Opuntia humifusa (Raf.) Raf. Large flowered prickly pear Weed
Opuntia imbricata (Haw.) DC. Imbricate cactus or prickly pear Weed
Opuntia lindheimeri Engelm. Small round - leaved prickly pear Weed
Opuntia monacantha Haw. Drooping or Cochineal prickly pear Weed
Opuntia spinulifera Salm-Dyck Saucepan cactus Weed
Opuntia stricta (Haw.) Haw. Pest pear of Australia Weed
Orobanche minor Sm. Lesser broomrape, Clover broomrape Weed
Paraserianthes lophantha (Willi.) Australian Albizia, Stink bean Weed
Parthenium hysterophorus L. Parthenium Weed
Passiflora caerulea L. Blue passion flower Weed
Passiflora mollissima (Kunth) Banana poka, Bananadilla Weed
Passiflora suberosa L. Devil's pumpkin, Indigo berry Weed
Passiflora subpeltata Ortega Granadina Weed
Pennisetum setaceum (Forssk.) Fountain grass Weed
Pennisetum villosum R.Br. ex Fresen. Feathertop Weed

Pereskia aculeata Mill. Barbados gooseberry Weed
Pistia stratiotes L. Water lettuce Weed
Pittosporum undulatum Vent. Australian cheesewood Weed
Psidium x durbanensis Baijnath ined. Durban guava Weed
Pueraria lobata (Willd.) Ohwi Kudzu vine Weed
Rhus succedanea L. Wax tree Weed
Rivina humilis L. Rivina, Bloodberry Weed
Rosa rubiginosa L. Eglantine, Sweetbriar Invader
Rubus cuneifolius Pursh and hybrid *R. x proteus* C.H.Stirt. American bramble Weed
Salvinia molesta D.S.Mitch. Kariba weed Weed
Sesbania punicea (Cav.) Benth. Red sesbania Weed
Solanum elaeagnifolium Cav. Silver-leaf bitter apple Weed
Solanum mauritianum Scop. Bugweed Weed
Solanum seafortianum Andr. Potato creeper Weed
Solanum sisymbriifolium Lam. Wild tomato Weed
Spartium junceum L. Spanish broom Weed
Tecoma stans (L.) Kunth Yellow bells Weed
Thevetia peruviana (Pers.) K.Schum. Yellow oleander Weed
Tithonia diversifolia (Hemsl.) A.Gray Mexican sunflower Weed
Tithonia rotundifolia (Mill.) S.F.Blake Red sunflower Weed
Triplaris americana L. Triplaris, Ant Tree Weed
Ulex europaeus L. European gorse Weed
Xanthium spinasum L. Spiny cocklebur Weed
Xanthium strumarium L. Large cocklebur Weed

Declared Weeds and Invader Plants: Category 2 Plants

Acacia cyclops A.Cunn. ex G.Don Red eye Invader
Acacia decurrens (Wendi.) Willd. Green wattle Invader
Acacia meamsii De Wild. Black wattle Invader
Acacia melanoxylon R.Br. Australian blackwood Invader
Acacia saligna (Labill.) H.L.Wendl. Port Jackson Invader

Agave sisalana Perrine **Sisal** Invader
Atriplex nummularia Lindl. **Old man saltbush** Invader
Casuarina cunninghamiana Miq. **Beefwood** Invader
Casuarina equisetifolia L. **Horsetail tree** Invader
Eucalyptus camaldulensis Dehnh. **Red river gum** Invader
Eucalyptus cladocalyx F.Muell. **Sugar gum** Invader
Eucalyptus diversicolor F.Muell. **Karri** Invader
Eucalyptus grandis W.Hill ex Maiden **Saligna gum, Rose gum** Invader
Eucalyptus paniculata Sm. **Grey ironbark** Invader
Eucalyptus sideroxylon A.Cunn. **Black ironbark, Red ironbark** Invader
Gleditsia triacanthos L. **Honey locust, Sweet locust** Invader
Hypericum perforatum L. **St. John's wort, Tipton weed** Invader
Pinus canariensis C.Sm. **Canary pine** Invader
Pinus elliotti Engelm. **Slash pine** Invader
Pinus halepensis Mill. **Aleppo pine** Invader
Pinus patula Schltld. & Cham. **Patula pine** Invader
Pinus pinaster Aiton **Cluster pine** Invader
Pinus radiata D.Don **Radiata pine, Monterey pine** Invader
Pinus roxburghii Sarg. **Chir pine, longifolia pine** Invader
Pinus taeda L. **Loblolly pine** Invader
Populus alba L. **White poplar** Invader
Populus x canescens (Aiton) Sm. **Grey poplar, Matchwood poplar** Invader
Prosopis glandulosa Torr. Var. and hybrids **Honey mesquite** Invader
Prosopis velutina Wooton and hybrids **Velvet mesquite** Invader
Psidium guajava L. and hybrids **Guava** Invader
Ricinus communis L **Castor - oil plant** Invader
Robinia pseudoacacia L. **Black locust** Invader
Rorippa nasturtium - aquaticum (L.) **Watercress** Invader
Rubus fruticosus L. agg. European blackberry Invader
Salix babylonica L. **Weeping willow** Invader

Salix fragilis L. Crack or brittle willow Invader

Sorghum halepense (L.) Pers. Johnson grass, Aleppo grass Invader

Declared Weeds & Invader Plants: Category 3 Plants

Acacia baileyana F.Muell. Bailey's wattle Invader

Acacia elata A.Cunn. ex Benth. Pepper tree wattle Invader

Acacia podalyriifolia A.Cunn. Pearl acacia Invader

Ailanthus altissima (Mill.) Swingle Tree - of - heaven Invader

Atriplex lindleyi Moq. Subsp. inflata Sponge - fruit saltbush Invader

Bauhinia purpurea L. Butterfly orchid tree Invader

Bauhinia variegata L. Orchid tree Invader

Cotoneaster franchetii Boiss. Cotoneaster Invader

Cotoneaster pannosus Franch. Silver - leaf cotoneaster Invader

Eriobotrya japonica (Thunb.) Lindl. Loquat Invader

Grevillea robusta A.Cunn. ex R.Br. Australian silky oak Invader

Ipomoea purpurea (L.) Roth Morning glory Invader

Jacaranda mimosifolia D.Don Jacaranda Invader

Ligustrum japonicum Thunb. Japanese wax - leaved privet Invader

Ligustrum lucidum Aiton Chinese wax - leaved privet Invader

Ligustrum ovalifolium Hassk. Californian privet Invader

Ligustrum sinense Lour. Chinese privet Invader

Ligustrum vulgare L. Common privet Invader

Lilium formosanum A. Wallace St Joseph's lily, Trumpet lily Invader

Melia azedarach L. Syringa, Persian lilac Invader

Metrosideros excelsa Sol. ex Gaertn. New Zealand christmas tree Invader

Mimosa pigra L. Giant sensitive plant Invader

Morus alba L. White or common mulberry Invader

Myoporum tenuifolium G.Forst. Manatoka Invader

Nephrolepis exaltata (L.) Schott Sword fern Invader

Phytolacca dioica L. Belhambra Invader

Plectranthus comosus Sims 'Abyssinian' coleus Invader

Pontederia cordata L. Pickerel weed Invader
Psidium cattleianum Sabine Strawberry guava Invader
Psidium guineense Sw. Brazilian guava Invader
Pyracantha angustifolia (Franch.) Yellow firethorn Invader
Pyracantha crenulata (D.Don) Himalayan firethorn Invader
Senna bicapsularis (L.) Roxb. Rambling cassia Invader
Senna didymobotrya (Fresen.) Irwin Peanut butter cassia Invader
Senna pendula (Willd.) Irwin Invader
Syzygium cumini (L.) Skeels Jambolan Invader
Syzygium jambos (L.) Alston Rose apple Invader
Tipuana tipu (Benth.) Kuntze Tipu tree Invader
Toona ciliata M.Roem. Toon tree Invader

APPENDIX 2. Study Site Labels and GPS Coordinate Locations using the following settings: Cape Datum; SDI Scale = ± 0.25 ; and units presented in Statuete (hddd°mm.mm’).

Example: **H H C 2** - High/Low altitude; High/Low invasion intensity;
Cleared/Uncleared treatment; Plot number **2**.

High altitude plots	Low altitude plots
1 - H H C 2 - S 25° 13.65 E 30° 68.19	21 - L L U 1 - S 25° 05.90 E 30° 91.14
2 - H H C 3 - S 25° 13.62 E 30° 68.38	22 - L H C 1 - S 25° 05.90 E 30° 91.14
3 - H L C 2 - S 25° 13.62 E 30° 68.38	23 - L H C 2 - S 25° 05.90 E 30° 91.14
4 - H H C 4 - S 25° 13.33 E 30° 68.80	24 - L H U 1 - S 25° 05.90 E 30° 91.14
5 - H H C 1 - S 25° 13.30 E 30° 69.03	25 - L L U 2 - S 25° 06.34 E 30° 90.87
6 - H L C 3 - S 25° 12.96 E 30° 69.48	26 - L H C 4 - S 25° 06.22 E 30° 90.85
7 - H L C 4 - S 25° 12.96 E 30° 69.48	27 - L H C 5 - S 25° 06.22 E 30° 90.85
8 - H L C 1 - S 25° 12.55 E 30° 70.43	28 - L H U 4 - S 25° 06.283 E 30° 90.59
9 - H H U 1 - S 25° 12.55 E 30° 70.43	29 - L H U 5 - S 25° 06.28 E 30° 90.59
10 - H H U 2 - S 25° 12.55 E 30° 70.43	30 - L L U 3 - S 25° 06.28 E 30° 90.59
11 - H L U 1 - S 25° 10.77 E 30° 79.86	31 - L H U 2 - S 25° 06.28 E 30° 90.59
12 - H H U 5 - S 24° 95.39 E 30° 88.98	32 - L L C 1 - S 25° 06.15 E 30° 89.78
13 - H H C 5 - S 24° 95.45 E 30° 89.42	33 - L L C 3 - S 25° 06.15 E 30° 89.78
14 - H H U 3 - S 24° 95.45 E 30° 89.42	34 - L L C 4 - S 25° 05.98 E 30° 88.72
15 - H H U 4 - S 24° 95.45 E 30° 89.42	35 - L L C 5 - S 25° 05.98 E 30° 88.72

High altitude plots**Low altitude plots**

Appendix 2. Continued.....

16 - H L U 2 - S 24° 95.45

E 30° 89.42

17 - H L C 5 - S 24° 95.54

E 30° 90.90

18 - H L U 3 - S 24° 95.41

E 30° 91.56

19 - H L U 4 - S 24° 95.39

E 30° 91.72

20 - H L U 5 - S 24° 95.39

E 30° 91.72

36 - L L C 2 - S 25° 05.98

E 30° 88.72

37 - L H C 3 - S 25° 05.84

E 30° 88.27

38 - L L U 4 - S 25° 05.78

E 30° 87.70

39 - L L U 5 - S 25° 05.78

E 30° 87.70

40 - L L U 3 - S 25° 04.96

E 30° 87.70

Appendix 3. Probability values for percentage ground cover estimates of soil, litter, grass, herbaceous vegetation, rock and depth of litter for the three-way ANOVA's on invasion (INV), altitude (ALT) and management (MAN). *d.f.* = 1,32 for all main effects and interaction terms. $P < 0.05$ indicated in **BOLD**.

Variable	ALT	MAN	MAN*ALT	INV	ALT*INV	MAN*INV	MAN*ALT*INV
Soil (%)	0.079	0.424	0.603	0.424	0.242	0.095	0.569
Litter (%)	0.236	0.004	0.037	0.042	0.397	0.149	0.478
Herbaceous (%)	0.755	0.005	0.038	0.013	0.7985	0.477	0.028
Rock (%)	0.518	0.871	0.131	0.936	0.152	0.746	0.468
Grass (%)	0.652	0.813	0.001	0.488	0.841	0.555	0.087
Depth of litter (cm)	0.084	0.015	0.238	0.377	0.714	0.352	0.234

Appendix 4. Differences in soil physical characteristics tested by three-way ANOVA's with repeated measures (depth) for altitude (ALT), invasion intensity (INV) and clearing (MAN). *d.f.* = 1,32 for all main effects and interaction terms. Bold text indicates $P < 0.05$.

Soil Characteristic	ALT	INV	MAN	ALT *INV	ALT *MAN	INV *MAN	ALT *INV *MAN	Depth	Depth *ALT	Depth *INV	Depth *MAN	Depth *ALT *INV	Depth *ALT *MAN	Depth *INV *MAN	Depth* ALT* INV* MAN
Soil organic matter (%)	0.0001	0.605	0.235	0.099	0.044	0.956	0.462	0.0001	0.103	0.841	0.423	0.923	0.291	0.582	0.856
pH	0.693	0.067	0.260	0.370	0.591	0.972	0.490	0.016	0.143	0.776	0.847	0.272	0.847	0.574	0.337
Clay (< 2 µm)	0.047	0.140	0.005	0.0001	0.121	0.433	0.025	0.442	0.143	0.520	0.637	0.216	0.809	0.550	0.712
Silt (< 20 µm)	0.001	0.145	0.027	0.410	0.490	0.876	0.796	0.137	0.406	0.767	0.022	0.768	0.037	0.565	0.746
Silt (> 20 µm)	0.138	0.025	0.393	0.068	0.891	0.319	0.301	0.378	0.113	0.841	0.715	0.113	0.127	0.698	0.112
Sand (> 50 µm)	0.001	0.017	0.003	0.067	0.288	0.774	0.091	0.112	0.328	0.575	0.019	0.908	0.934	0.824	0.490
Gravel (> 2000 µm)	0.0002	0.025	0.309	0.110	0.873	0.333	0.378	0.0004	0.025	0.851	0.174	0.812	0.280	0.613	0.842

Appendix 5. Soil elements as oxides, (mean \pm S.E.) found under different altitudes, invasion intensities and management treatments for both A (0 -10 cm) and B (10 - 20 cm) horizons. Means with the same superscript letter within row are not significantly different ($P < 0.05$, Ryan's Q).

Oxides	Treatment Soil	High Altitude				Low Altitude			
		horizon		horizon		horizon		horizon	
		High invasion		Low invasion		High invasion		Low invasion	
		Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared
Al ₂ O ₃ (%)	A	23.0 \pm 1.9 ^a	19.0 \pm 1.9 ^{ab}	18.4 \pm 1.0 ^{ab}	15.4 \pm 1.3 ^{bc}	15.1 \pm 2.8 ^{bc}	11.1 \pm 1.5 ^c	16.6 \pm 0.5 ^{abc}	15.0 \pm 0.7 ^{bc}
	B	24.6 \pm 2.2 ^a	17.6 \pm 1.8 ^{ab}	19.3 \pm 1.4 ^{ab}	16.2 \pm 1.4 ^{bc}	13.6 \pm 2.5 ^{bc}	10.2 \pm 2.0 ^c	18.1 \pm 0.8 ^{ab}	15.5 \pm 0.8 ^{bc}
CaO (%)	A	0.3 \pm 0.1 ^a	0.3 \pm 0.2 ^a	0.5 \pm 0.1 ^a	0.2 \pm 0.0 ^a	0.3 \pm 0.1 ^a	0.2 \pm 0.1 ^a	0.3 \pm 0.1 ^a	0.0 \pm 0.0 ^a
	B	0.3 \pm 0.1 ^{ab}	0.1 \pm 0.1 ^{ab}	0.4 \pm 0.1 ^a	0.1 \pm 0.0 ^b	0.2 \pm 0.1 ^{ab}	0.1 \pm 0.0 ^b	0.2 \pm 0.1 ^{ab}	0.2 \pm 0.0 ^{ab}
Fe ₂ O ₃ (%)	A	13.6 \pm 1.7 ^a	9.3 \pm 1.5 ^{abc}	12.4 \pm 1.6 ^{ab}	7.8 \pm 1.7 ^{abc}	7.7 \pm 1.6 ^{abc}	10.6 \pm 1.8 ^{abc}	6.7 \pm 1.0 ^{bc}	4.7 \pm 0.3 ^c
	B	13.8 \pm 1.8 ^a	8.0 \pm 2.0 ^{abc}	12.2 \pm 2.0 ^{ab}	7.5 \pm 2.0 ^{abc}	9.5 \pm 2.0 ^{abc}	10.4 \pm 1.8 ^{abc}	6.4 \pm 0.8 ^{bc}	4.8 \pm 0.4 ^c
K ₂ O (%)	A	1.7 \pm 0.3 ^{bc}	0.7 \pm 0.3 ^c	2.2 \pm 0.1 ^{ab}	1.3 \pm 0.4 ^{bc}	1.9 \pm 0.2 ^{ab}	1.9 \pm 0.4 ^{ab}	2.1 \pm 0.1 ^{ab}	3.0 \pm 0.1 ^a
	B	1.8 \pm 0.3 ^{abc}	0.6 \pm 0.3 ^c	2.2 \pm 0.3 ^{ab}	1.4 \pm 0.5 ^{bc}	1.7 \pm 0.2 ^{bc}	1.8 \pm 0.4 ^{abc}	2.3 \pm 0.1 ^{ab}	3.0 \pm 0.1 ^a
MgO (%)	A	0.5 \pm 0.2 ^a	0.4 \pm 0.3 ^a	0.9 \pm 0.1 ^a	0.4 \pm 0.1 ^a	0.3 \pm 0.1 ^a	0.4 \pm 0.1 ^a	0.3 \pm 0.1 ^a	0.3 \pm 0.0 ^a
	B	0.5 \pm 0.2 ^a	0.4 \pm 0.3 ^a	0.8 \pm 0.1 ^a	0.3 \pm 0.1 ^a	0.3 \pm 0.1 ^a	0.4 \pm 0.1 ^a	0.3 \pm 0.1 ^a	0.4 \pm 0.0 ^a
MnO (%)	A	0.2 \pm 0.1 ^a	0.2 \pm 0.1 ^a	0.3 \pm 0.1 ^a	0.1 \pm 0.1 ^a	0.1 \pm 0.0 ^a	0.2 \pm 0.0 ^a	0.2 \pm 0.0 ^a	0.1 \pm 0.0 ^a
	B	0.2 \pm 0.0 ^a	0.1 \pm 0.1 ^a	0.2 \pm 0.1 ^a	0.1 \pm 0.1 ^a	0.1 \pm 0.0 ^a	0.2 \pm 0.0 ^a	0.2 \pm 0.1 ^a	0.1 \pm 0.0 ^a
Na ₂ O (%)	A	0.3 \pm 0.0 ^{ab}	0.2 \pm 0.1 ^b	0.4 \pm 0.1 ^{ab}	0.3 \pm 0.1 ^{ab}	0.6 \pm 0.2 ^{ab}	0.3 \pm 0.2 ^{ab}	0.4 \pm 0.0 ^{ab}	0.7 \pm 0.1 ^a
	B	0.3 \pm 0.0 ^b	0.2 \pm 0.1 ^b	0.4 \pm 0.1 ^{ab}	0.3 \pm 0.1 ^b	0.4 \pm 0.2 ^{ab}	0.3 \pm 0.2 ^{ab}	0.5 \pm 0.0 ^{ab}	0.8 \pm 0.1 ^a
P ₂ O ₅ (%)	A	0.2 \pm 0.0 ^a	0.2 \pm 0.0 ^a	0.2 \pm 0.0 ^a	0.2 \pm 0.0 ^{ab}	0.1 \pm 0.0 ^c	0.1 \pm 0.0 ^{bc}	0.1 \pm 0.0 ^{bc}	0.1 \pm 0.0 ^c
	B	0.2 \pm 0.0 ^a	0.1 \pm 0.0 ^{bcd}	0.2 \pm 0.0 ^{ab}	0.1 \pm 0.0 ^{abc}	0.1 \pm 0.0 ^d	0.1 \pm 0.0 ^{cd}	0.1 \pm 0.0 ^{cd}	0.1 \pm 0.0 ^{cd}
SiO ₂ (%)	A	48.8 \pm 3.6 ^d	58.3 \pm 2.4 ^{cd}	59.4 \pm 5.2 ^{cd}	70.1 \pm 4.1 ^{bc}	80.5 \pm 3.4 ^{ab}	82.1 \pm 2.3 ^{ab}	76.2 \pm 2.2 ^{ab}	84.0 \pm 3.1 ^a
	B	47.6 \pm 3.6 ^c	70.9 \pm 5.2 ^{ab}	60.3 \pm 6.1 ^{bc}	72.8 \pm 5.5 ^{ab}	81.7 \pm 1.7 ^a	86.5 \pm 2.5 ^a	75.4 \pm 2.8 ^{ab}	84.1 \pm 2.8 ^a
TiO ₂ (%)	A	1.4 \pm 0.1 ^a	0.9 \pm 0.1 ^{bc}	1.3 \pm 0.2 ^{ab}	1.0 \pm 0.1 ^{abc}	0.5 \pm 0.1 ^d	0.6 \pm 0.1 ^{cd}	0.8 \pm 0.1 ^{cd}	0.6 \pm 0.1 ^{cd}
	B	1.5 \pm 0.1 ^a	0.9 \pm 0.1 ^{cd}	1.3 \pm 0.2 ^{ab}	1.1 \pm 0.2 ^{abc}	0.5 \pm 0.1 ^d	0.6 \pm 0.1 ^{cd}	0.9 \pm 0.1 ^{bcd}	0.7 \pm 0.1 ^{cd}

Appendix 6. Probability values for soil chemical elements (XRF data) from three way ANOVA=s with repeated measures (depth) for altitude (ALT), invasion intensity (INV) and clearing (MAN). *d.f.* = 1,32 for all main effects and interaction terms. Bold text indicates $P < 0.05$.

Soil Characteristic	ALT	INV	MAN	ALT* INV	ALT* MAN	INV* MAN	ALT* INV* MAN	Depth	Depth* ALT	Depth* INV	Depth* MAN	Depth *ALT *INV	Depth *ALT *MAN	Depth *INV *MA N	Depth* INV* ALT* MAN
Al ₂ O ₃ (%)	0.0001	0.992	0.003	0.002	0.546	0.360	0.834	0.594	0.466	0.059	0.265	0.329	0.372	0.681	0.133
CaO (%)	0.148	0.896	0.016	0.810	0.059	0.381	0.117	0.001	0.591	0.399	0.907	0.811	0.475	0.210	0.374
Fe ₂ O ₃ (%)	0.005	0.015	0.022	0.188	0.019	0.404	0.319	0.899	0.490	0.754	0.455	0.571	0.976	0.335	0.814
K ₂ O (%)	0.0002	0.001	0.134	0.609	0.001	0.198	0.600	0.999	0.840	0.244	0.707	0.654	0.919	0.939	0.502
MgO (%)	0.043	0.540	0.237	0.400	0.075	0.207	0.385	0.932	0.471	0.754	0.726	0.232	0.899	0.707	0.550
MnO (%)	0.348	0.851	0.268	0.569	0.274	0.053	0.738	0.072	0.291	0.995	0.413	0.895	0.675	0.642	0.823
Na ₂ O (%)	0.004	0.027	0.687	0.700	0.174	0.095	0.093	0.500	0.544	0.250	0.482	0.298	0.337	0.574	0.476
P ₂ O ₅ (%)	0.0001	0.706	0.046	0.252	0.069	0.836	0.182	0.0001	0.111	0.280	0.146	0.753	0.280	0.111	0.646
SiO ₂ (%)	0.0001	0.302	0.0003	0.025	0.254	0.802	0.332	0.021	0.326	0.105	0.020	0.991	0.282	0.101	0.449
TiO ₂ (%)	0.0001	0.215	0.003	0.187	0.029	0.745	0.038	0.615	0.625	0.745	0.799	0.755	0.552	0.363	0.675

Appendix 7. Probability values for soil trace elements (XRF data) from three-way ANOVA's of altitude (ALT), invasion (INV) and management / clearing treatment (MAN) for soil depths 0 - 10 cm (A) and 10 - 20 (B). *d.f.* = 1,32 for all main effects and interaction terms. Bold text indicates $P > 0.05$.

Soil characteristic	Soil horizon	ALT	INV	MAN	ALT* INV	ALT* MAN	INV* MAN	ALT*INV*MAN
As ($\mu\text{g}\cdot\text{g}^{-1}$)	A	0.005	0.013	0.375	0.015	0.726	0.245	0.392
	B	0.036	0.002	0.472	0.005	0.889	0.882	0.598
Ba ($\mu\text{g}\cdot\text{g}^{-1}$)	A	0.569	0.010	0.005	0.252	0.001	0.271	0.649
	B	0.947	0.014	0.006	0.518	0.002	0.712	0.623
Co ($\mu\text{g}\cdot\text{g}^{-1}$)	A	0.187	0.890	0.012	0.498	0.016	0.272	0.570
	B	0.395	0.902	0.036	0.339	0.072	0.183	0.717
Cr ($\mu\text{g}\cdot\text{g}^{-1}$)	A	0.0001	0.167	0.403	0.913	0.011	0.094	0.499
	B	0.0003	0.152	0.138	0.963	0.032	0.149	0.514
Cu ($\mu\text{g}\cdot\text{g}^{-1}$)	A	0.998	0.230	0.270	0.059	0.041	0.127	0.260
	B	0.863	0.081	0.099	0.061	0.089	0.308	0.586
Mo ($\mu\text{g}\cdot\text{g}^{-1}$)	A	0.226	0.116	0.399	0.511	0.638	0.399	0.638
	B	0.017	0.004	0.255	0.440	0.052	0.769	0.769
Ni ($\mu\text{g}\cdot\text{g}^{-1}$)	A	0.054	0.637	0.172	0.337	0.030	0.106	0.352
	B	0.052	0.278	0.084	0.350	0.047	0.176	0.499
Pb ($\mu\text{g}\cdot\text{g}^{-1}$)	A	1.000	0.055	0.965	0.726	0.726	0.570	0.793
	B	0.589	0.045	0.076	0.570	0.750	0.945	0.051
Rb ($\mu\text{g}\cdot\text{g}^{-1}$)	A	0.005	0.066	0.012	0.940	0.001	0.590	0.777
	B	0.010	0.053	0.003	0.500	0.001	0.478	0.789

Appendix 8. Soil organic matter, pH and soil physical characteristics tested for significant differences using three-way ANOVA's for altitude (ALT), invasion (INV) and management (MAN) for soil horizons, 0 - 10 cm (A) and 10 - 20 (B). *d.f.* = 1,32 for all main effects and interaction terms. Bold text indicates $P < 0.05$.

Soil Characteristic	Soil horizon	ALT	INV	MAN	ALT*INV	ALT*MAN	INV*MAN	ALT*INV*MAN
Soil organic matter (%)	A	0.0001	0.624	0.219	0.162	0.047	0.826	0.582
	B	0.0001	0.627	0.330	0.077	0.073	0.864	0.376
pH	A	0.364	0.123	0.342	0.255	0.736	0.797	0.889
	B	0.675	0.073	0.275	0.739	0.497	0.779	0.206
Clay (< 2 μm)	A	0.014	0.102	0.017	0.001	0.127	0.666	0.058
	B	0.276	0.318	0.008	0.0001	0.213	0.344	0.035
Silt (< 20 μm)	A	0.003	0.211	0.425	0.449	0.730	0.909	0.946
	B	0.001	0.165	0.001	0.476	0.058	0.625	0.648
Silt (> 20 μm)	A	0.316	0.080	0.696	0.269	0.290	0.340	0.089
	B	0.203	0.092	0.077	0.086	0.334	0.594	0.759
Sand (> 50 μm)	A	0.003	0.033	0.172	0.161	0.382	0.744	0.102
	B	0.007	0.039	0.0001	0.064	0.319	0.876	0.198
Gravel (>2000 μm)	A	0.0001	0.095	0.933	0.214	0.464	0.340	0.471
	B	0.047	0.062	0.061	0.211	0.509	0.625	0.525

Appendix 9. Regression relationships of invasive species basal cover and density with aerial cover used to determine pre-clearing invasion intensity in plots cleared of exotic species. “-“ indicates no data available, “#” indicates regression relationship used. Transformations used in the table below were Log_{10} transformations.

<i>Final results</i>		Bugweed		Eucalypt		Pine		Total	
Variables	Data	equation	r^2	equation	r^2	equation	r^2	equation	r^2
Density vs. aerial cover	untransformed	$5.06+(104.48*X)$	#	$13.27+(281.11*X)$	#	$1.42+(20.08*X)$	0.03	$33.93+(-306.99*X)$	0.03
	transformed	$5.06+(104.49*X)$	0.51	$13.26+(281.18*X)$	0.56	$0.002*\exp(94.25*X)$	#	$33.96+(-307.37*X)$	0.03
Basal cover vs. aerial cover	untransformed	-	-	$39.66+(-3226.25*X)$	0.13	$1.43+(9903.85*X)$	0.04	$16.66+(60007.59*X)$	#
	transformed	-	-	$39.87+(-3255.82*X)$	0.13	$4.33+(-27499.51*X)$	0.12	$108.52+10.37*\text{LOG}(X)$	0.44

Appendix 10. Mean and S.E. for pre- and post-clearing aerial cover of total exotic vegetation and two exotic weed species, *Eucalyptus grandis* and *Solanum mauritianum*. Values with the same superscript letter are not significantly different using Ryan's Q post-hoc test ($p < 0.05$).

Treatment	High Altitude				Low Altitude			
	High Invasion		Low Invasion		High Invasion		Low Invasion	
	Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared
% aerial cover								
Total exotic pre-clearing	72 ± 1 ^a	72 ± 8 ^a	52 ± 3 ^{ab}	11 ± 4 ^c	65 ± 5 ^a	69 ± 11 ^a	23 ± 10 ^{bc}	23 ± 7 ^{bc}
Total exotic post clearing	21 ± 12 ^b	72 ± 8 ^a	3 ± 1 ^b	11 ± 4 ^b	29 ± 8 ^b	69 ± 11 ^a	11 ± 4 ^b	23 ± 7 ^b
<i>S. mauritianum</i> pre-clearing	5 ± 2 ^a	15 ± 7 ^a	8 ± 1 ^a	3 ± 1 ^a	24 ± 8 ^a	32 ± 17 ^a	5 ± 2 ^a	18 ± 5 ^a
<i>S. mauritianum</i> post clearing	3 ± 2 ^a	15 ± 7 ^a	3 ± 1 ^a	3 ± 1 ^a	15 ± 5 ^a	32 ± 17 ^a	5 ± 2 ^a	18 ± 5 ^a
<i>E. grandis</i> pre-clearing	63 ± 4 ^a	71 ± 9 ^a	15 ± 7 ^b	7 ± 3 ^b	64 ± 13 ^a	43 ± 8 ^{ab}	18 ± 8 ^b	4 ± 2 ^b
<i>E. grandis</i> post clearing	18 ± 13 ^{bc}	71 ± 9 ^a	1 ± 1 ^c	7 ± 3 ^c	14 ± 6 ^{bc}	43 ± 8 ^b	2 ± 1 ^c	4 ± 2 ^c

Appendix 11. Means and S.E. for percentage aerial cover of total, indigenous, exotic vegetation and various common species from plots under different experimental categories. “–” indicates not present. Values with same superscript letters in the same row indicate no significant differences using Ryan’s Q post-hoc test.

% Aerial cover	Treatment	High Altitude				Low Altitude			
		High Invasion		Low Invasion		High Invasion		Low Invasion	
		Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared
Total	Total	36 ± 11 ^a	83 ± 5 ^a	49 ± 17 ^a	62 ± 12 ^a	49 ± 8 ^a	81 ± 10 ^a	72 ± 13 ^a	77 ± 6 ^a
	> 5 m	17 ± 14 ^b	80 ± 7 ^a	29 ± 18 ^b	11 ± 2 ^b	3 ± 1 ^b	37 ± 11 ^b	40 ± 15 ^{ab}	45 ± 4 ^{ab}
	2 - 5 m	16 ± 5 ^b	23 ± 7 ^b	19 ± 8 ^b	26 ± 10 ^b	22 ± 1 ^b	60 ± 11 ^a	40 ± 7 ^{ab}	41 ± 2 ^{ab}
	< 2 m	10 ± 3 ^a	12 ± 10 ^a	13 ± 7 ^a	34 ± 12 ^a	21 ± 7 ^a	11 ± 3 ^a	12 ± 6 ^a	12 ± 5 ^a
Indigenous vegetation	Total	14 ± 9 ^b	11 ± 4 ^b	45 ± 16 ^{ab}	51 ± 13 ^{ab}	20 ± 1 ^{ab}	12 ± 7 ^b	61 ± 13 ^a	54 ± 8 ^{ab}
	> 5 m	5 ± 3 ^a	13 ± 5 ^a	28 ± 17 ^a	6 ± 3 ^a	2 ± 1 ^a	9 ± 6 ^a	36 ± 15 ^a	38 ± 6 ^a
	2 - 5 m	9 ± 6 ^{ab}	5 ± 2 ^b	18 ± 9 ^{ab}	22 ± 11 ^{ab}	7 ± 3 ^{ab}	15 ± 5 ^{ab}	37 ± 8 ^a	28 ± 6 ^{ab}
	< 2 m	7 ± 4 ^a	10 ± 10 ^a	12 ± 7 ^a	32 ± 13 ^a	7 ± 2 ^a	7 ± 3 ^a	8 ± 6 ^a	11 ± 5 ^a
Exotic vegetation	Total	21 ± 12 ^b	72 ± 8 ^a	3 ± 1 ^b	11 ± 4 ^b	29 ± 8 ^b	69 ± 11 ^a	11 ± 4 ^b	23 ± 7 ^b
	> 5 m	13 ± 12 ^b	67 ± 9 ^a	1 ± 1 ^b	5 ± 3 ^b	1 ± 1 ^b	28 ± 12 ^b	4 ± 4 ^b	7 ± 3 ^b
	2 - 5 m	6 ± 3 ^b	18 ± 6 ^b	1 ± 1 ^b	4 ± 2 ^b	15 ± 4 ^b	46 ± 13 ^a	4 ± 2 ^b	13 ± 4 ^b
	< 2 m	3 ± 2 ^b	2 ± 1 ^b	1 ± 0 ^b	2 ± 0 ^b	14 ± 5 ^a	4 ± 2 ^b	4 ± 2 ^b	2 ± 1 ^b
<i>Solanum mauritianum</i>	Total	3 ± 2 ^a	15 ± 7 ^a	3 ± 1 ^a	3 ± 1 ^a	15 ± 5 ^a	32 ± 17 ^a	5 ± 2 ^a	18 ± 5 ^a
	> 5 m	1 ± 1	-	1 ± 1	-	-	-	-	3 ± 1
	2 - 5 m	0 ± 0 ^a	13 ± 6 ^a	1 ± 1 ^a	2 ± 1 ^a	8 ± 2 ^a	30 ± 17 ^a	3 ± 2 ^a	12 ± 4 ^a
	< 2 m	3 ± 2 ^a	2 ± 1 ^a	1 ± 1 ^a	1 ± 0 ^a	7 ± 3 ^a	2 ± 1 ^a	2 ± 2 ^a	3 ± 1 ^a
<i>Eucalyptus grandis</i>	Total	18 ± 13 ^{bc}	71 ± 9 ^a	1 ± 1 ^c	7 ± 1 ^c	14 ± 6 ^c	43 ± 8 ^b	2 ± 1 ^c	4 ± 2 ^c
	> 5 m	12 ± 12	66 ± 9	-	5 ± 3	1 ± 1	32 ± 10	-	4 ± 2
	2 - 5 m	6 ± 3	5 ± 2	1 ± 1	2 ± 1	6 ± 5	9 ± 5	0 ± 0	-
	< 2 m	0 ± 0	-	0 ± 0	-	7 ± 3	2 ± 1	1 ± 1	-

Treatment	High Altitude				Low Altitude				
	High Invasion		Low Invasion		High Invasion		Low Invasion		
	Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared	
App 11. Cont.									
<i>Pinus patula</i>	Total	1 ± 1	1 ± 1	-	1 ± 1	0 ± 0	3 ± 2	4 ± 4	1 ± 1
	> 5 m	1 ± 1	1 ± 1	-	-	0 ± 0	3 ± 2	4 ± 4	1 ± 1
	2 - 5 m	-	-	-	0 ± 0	-	-	-	0 ± 0
	< 2 m	-	-	-	1 ± 1	-	-	-	-
<i>Buddleja</i>	Total	-	-	1 ± 1	14 ± 11	-	-	-	-
	> 5 m	-	-	1 ± 1	1 ± 1	-	-	-	-
	2 - 5 m	-	-	0 ± 0	13 ± 9	-	-	-	-
	< 2 m	-	-	-	-	-	-	-	-
<i>Acacia ataxacantha</i>	Total	-	1 ± 1	24 ± 17	-	5 ± 3	3 ± 2	3 ± 2	18 ± 11
	> 5 m	-	1 ± 1	21 ± 14	-	1 ± 1	-	3 ± 3	12 ± 7
	2 - 5 m	-	0 ± 0	3 ± 2	-	4 ± 2	3 ± 2	-	5 ± 3
	< 2 m	-	-	1 ± 1	-	1 ± 1	-	-	0 ± 0
Unidentified Species 22c	Total	7 ± 7	-	-	-	1 ± 1	-	-	1 ± 1
	> 5 m	-	-	-	-	-	-	-	-
	2 - 5 m	3 ± 3	-	-	-	-	-	-	-
	< 2 m	4 ± 4	-	-	-	1 ± 1	-	-	1 ± 1
Unidentified Species 22d	Total	2 ± 2	-	1 ± 1	14 ± 6	0 ± 0	-	-	-
	> 5 m	-	-	-	-	-	-	-	-
	2 - 5 m	2 ± 2	-	-	2 ± 1	0 ± 0	-	-	-
	< 2 m	-	-	1 ± 1	12 ± 6	-	-	-	-

Appendix 12. Letter from the Directorate: Plant and Quality Control, National Department of Agriculture on seed identification.


AGR 02/002

Republiek van Suid-Afrika
Nasionale Departement van Landbou

I-Riphabliki yaseNingizimu Africa
UMnyango kaZwelonke wezoLimo

IRiphabliki yoMzantsi-Afrika
ISebe lezoLimo likaZwelonke

Repabliki ya Afrika-Borwa
Kgoro-kgolo ya Temo



Republic of South Africa
National Department of Agriculture

Direktoraat: Plant- en Gehaltebeheer
Directorate: Plant and Quality Control

Privaatsak/Private Bag X258, PRETORIA 0001

02/09/1997

R Garner
WITS UNIVERSITY
DEPT. BOTANY

Dear Richard


SEED IDENTIFICATION

The seeds I received from you were identified as follows:

A01	<i>Smilax</i> sp. (<i>kraussiana</i> ?)	LILIACEAE / SMILACACEAE
A02	Unknown species	
A03	<i>Pavonia</i> cf. <i>columella</i> Cav.	MALVACEAE
A04	<i>Passiflora</i> sp.	PASSIFLORACEAE
A05	<i>Senna</i> cf. <i>septemtrionalis</i> (Viv.) Irwin & Barneby syn. <i>Cassia</i> cf. <i>floribunda</i>	FABACEAE
A06	cf. <i>Entada</i> sp. (<i>spicata</i> ?)	FABACEAE
A07	cf. <i>Robinia</i> sp.	FABACEAE
A08	cf. <i>Turraea</i> sp.	MELIACEAE
A09	<i>Helinus</i> cf. <i>integrifolius</i> (Lam.) Kuntze	RHAMNACEAE
A10	<i>Eriosema</i> sp.	FABACEAE
A11	Unknown Fabaceae	

Herewith the seed back.

Regards


DIRECTOR:
DIRECTORATE OF PLANT & QUALITY CONTROL

Enquiries: Ms A GILDENHUYS ☎ (012) 3196711

Reference No. 16/3/2 ☎ (012) 3196701 (Int. Fax: +2712)

Appendix 13. Species list, presence/absence and richness per experimental category for all seeds and capsules greater than 0.1 cm in diameter found in the litter and soil, down to 4 cm depth of burial.

Species	Treatment		High Altitude				Low Altitude			
			High Invasion		Low Invasion		High Invasion		Low Invasion	
	Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared		
Woody species										
<i>Eucalyptus grandis</i> (capsules)	1	1	1	1	1	1	1	1	1	
<i>Solanum mauritianum</i>	1	1	1	1	1	1	1	1	1	
<i>Clusia monticola</i>	1	1	1	1	1	1	1	1	1	
<i>Acacia ataxacantha</i>	0	1	1	1	1	1	1	1	1	
Species number	<u>3</u>	<u>4</u>	<u>4</u>	<u>4</u>	<u>4</u>	<u>4</u>	<u>4</u>	<u>4</u>	<u>4</u>	
Herbaceous species										
<i>Ipomoea</i> spp.	1	1	1	1	1	1	1	1	1	
Unknown Poaceae	1	1	1	1	1	1	1	1	1	
Big Brown seed sp.	0	0	1	0	1	1	1	1	1	
<i>Senna septemtrionalis</i>	0	0	1	0	0	1	1	1	0	
<i>Passiflora edulis</i>	1	1	1	1	1	1	1	1	1	
Big round sp.	0	1	0	1	1	0	1	1	1	
<i>Helinus</i> sp.	1	1	1	1	0	1	1	1	1	
cf. <i>Turraea</i> sp.	0	1	1	0	1	0	1	1	1	
<i>Robinia</i> sp.	1	1	1	1	1	1	0	1	1	
<i>Eriosema</i> sp.	1	0	1	1	0	1	1	1	1	
<i>Pavonia</i> cf. <i>columella</i>	1	1	1	1	1	0	1	1	1	
<i>Bidens pilosa</i>	0	0	0	0	0	0	0	0	1	
Unknown Fabaceae	1	0	0	0	0	0	1	0	0	
<i>Smilax anceps</i>	0	1	0	0	0	0	0	0	1	
Round Black	0	1	0	0	0	0	0	0	1	
cf. <i>Entada</i> sp.	0	0	0	0	0	0	0	0	1	
Species number	<u>8</u>	<u>10</u>	<u>10</u>	<u>8</u>	<u>8</u>	<u>8</u>	<u>11</u>	<u>14</u>		
Total Species number	11	14	14	12	12	12	15	18		

Appendix 14. Mean and S.E. for all species of seed and capsules found in the soil seed bank for litter, 0 - 2 cm and 2 - 4 cm depth of burial for each treatment category in the experimental design. Values with the same superscript letter are not significantly different using a one-way ANOVA and Ryan's Q post hoc test ($P < 0.05$).

Treatment		High Altitude				Low Altitude			
		High Invasion		Low Invasion		High Invasion		Low Invasion	
		Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared
Species	Depth								
<i>Eucalyptus grandis</i> (capsules)	Litter	244 ± 138 ^{ab}	1001 ± 304 ^a	250 ± 179 ^{ab}	63 ± 19 ^{ab}	514 ± 162 ^{ab}	87 ± 42 ^{ab}	450 ± 219 ^{ab}	83 ± 56 ^b
	0 - 2 cm	77 ± 67 ^a	226 ± 79 ^a	92 ± 50 ^a	38 ± 24 ^a	283 ± 81 ^a	22 ± 11 ^a	132 ± 55 ^a	79 ± 72 ^a
	2 - 4 cm	146 ± 113 ^a	102 ± 19 ^a	30 ± 14 ^a	12 ± 7 ^a	116 ± 39 ^a	4 ± 2 ^a	141 ± 62 ^a	39 ± 17 ^a
<i>Solanum mauritianum</i>	Litter	24 ± 7 ^{abc}	16 ± 6 ^{abc}	7 ± 2 ^{abc}	7 ± 5 ^{bc}	181 ± 106 ^{bc}	64 ± 21 ^{ab}	10 ± 6 ^a	31 ± 12 ^{abc}
	0 - 2 cm	51 ± 32 ^a	39 ± 15 ^a	26 ± 13 ^a	17 ± 4 ^a	173 ± 90 ^a	157 ± 28 ^a	42 ± 10 ^a	67 ± 30 ^a
	2 - 4 cm	16 ± 5 ^{bc}	18 ± 10 ^{bc}	14 ± 9 ^c	43 ± 32 ^{bc}	200 ± 47 ^a	154 ± 70 ^{ab}	28 ± 9 ^{abc}	54 ± 19 ^{abc}
<i>Clusia monticola</i>	Litter	1 ± 1 ^a	4 ± 4 ^a	3 ± 2 ^a	3 ± 2 ^a	1 ± 1 ^a	0 ± 0 ^a	0 ± 0 ^a	1 ± 1
	0 - 2 cm	8 ± 8 ^b	6 ± 2 ^{ab}	8 ± 3 ^{ab}	41 ± 19 ^b	3 ± 2 ^{ab}	2 ± 1 ^a	2 ± 1 ^b	7 ± 3 ^{ab}
	2 - 4 cm	2 ± 2 ^b	4 ± 1 ^{ab}	12 ± 10 ^b	27 ± 9 ^b	1 ± 1 ^{ab}	0 ± 0 ^a	0 ± 0 ^b	12 ± 7 ^{ab}
Unknown <i>Ipomoea</i> sp.	Litter	1 ± 1 ^a	1 ± 1 ^a	1 ± 1 ^a	0 ± 0 ^a	3 ± 3 ^a	1 ± 1 ^a	2 ± 1 ^a	0 ± 0 ^a
	0 - 2 cm	3 ± 3 ^a	1 ± 1 ^a	1 ± 1 ^a	4 ± 1 ^a	12 ± 11 ^a	3 ± 3 ^a	2 ± 1 ^a	1 ± 1 ^a
	2 - 4 cm	12 ± 6 ^{ab}	1 ± 1 ^b	1 ± 1 ^b	0 ± 0 ^b	1 ± 1 ^b	1 ± 1 ^b	16 ± 4 ^a	9 ± 5 ^{ab}
<i>Helinus integrifolius</i>	Litter	2 ± 1	0 ± 0	3 ± 2	0 ± 0	0 ± 0	0 ± 0	1 ± 1	2 ± 1
	0 - 2 cm	0 ± 0	1 ± 1	1 ± 1	2 ± 1	0 ± 0	2 ± 2	3 ± 3	3 ± 2
	2 - 4 cm	0 ± 0	1 ± 1	0 ± 0	0 ± 0	0 ± 0	0 ± 0	1 ± 1	9 ± 8

Appendix 14. Continued.

<i>Senna</i> cf.	Litter	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0
<i>Septemtrionalis</i>	0 - 2 cm	0 ± 0	0 ± 0	9 ± 6	0 ± 0	0 ± 0	0 ± 0	1 ± 1	0 ± 0
	2 - 4 cm	0 ± 0	0 ± 0	1 ± 1	0 ± 0	0 ± 0	2 ± 2	0 ± 0	0 ± 0
<i>Acacia ataxacantha</i>	Litter	0 ± 0	3 ± 3	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0
	0 - 2 cm	0 ± 0	26 ± 26	0 ± 0	1 ± 1	0 ± 0	1 ± 1	18 ± 15	6 ± 6
	2 - 4 cm	0 ± 0	10 ± 10	0 ± 0	1 ± 1	1 ± 1	0 ± 0	2 ± 2	1 ± 1
<i>Passiflora edulis</i>	Litter	0 ± 0	2 ± 1	4 ± 2	0 ± 0	0 ± 0	1 ± 1	2 ± 1	0 ± 0
	0 - 2 cm	0 ± 0	2 ± 2	8 ± 5	6 ± 4	2 ± 1	3 ± 3	1 ± 1	3 ± 2
	2 - 4 cm	2 ± 2	0 ± 0	8 ± 8	0 ± 0	0 ± 0	10 ± 10	0 ± 0	0 ± 0
<i>Bidens pilosa</i>	Litter	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	4 ± 4
	0 - 2 cm	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0
	2 - 4 cm	0 ± 0	0 ± 0	7 ± 4	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0
<i>Pavonia</i> cf. <i>Columella</i>	Litter	0 ± 0	8 ± 8	0 ± 0	2 ± 2	1 ± 1	0 ± 0	0 ± 0	0 ± 0
	0 - 2 cm	6 ± 6	1 ± 1	19 ± 13	322 ± 275	16 ± 16	0 ± 0	14 ± 13	4 ± 3
	2 - 4 cm	13 ± 5	8 ± 4	2 ± 1	37 ± 20	2 ± 2	0 ± 0	28 ± 16	2 ± 1
<i>Entada</i> sp.	Litter	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0
	0 - 2 cm	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0
	2 - 4 cm	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	1 ± 1
<i>Smilax</i> sp.	Litter	0 ± 0	8 ± 8	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0
	0 - 2 cm	0 ± 0	2 ± 2	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	2 ± 2
	2 - 4 cm	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0

Appendix 14. Continued.

<i>Turraea</i> sp.	Litter	2 ± 1	1 ± 1	0 ± 0	0 ± 0	1 ± 1	0 ± 0	1 ± 1	3 ± 2
	0 - 2 cm	0 ± 0	0 ± 0	2 ± 1	0 ± 0	1 ± 1	0 ± 0	6 ± 4	6 ± 4
	2 - 4 cm	0 ± 0	0 ± 0	0 ± 0	0 ± 0	1 ± 1	0 ± 0	8 ± 5	1 ± 1
<i>Robinia</i> sp.	Litter	0 ± 0	0 ± 0	1 ± 1	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0
	0 - 2 cm	13 ± 9	0 ± 0	4 ± 3	0 ± 0	1 ± 1	0 ± 0	0 ± 0	0 ± 0
	2 - 4 cm	2 ± 2	2 ± 2	4 ± 4	5 ± 3	0 ± 0	1 ± 1	0 ± 0	12 ± 12
<i>Eriosema</i> sp.	Litter	0 ± 0	0 ± 0	6 ± 4	4 ± 3	0 ± 0	1 ± 1	0 ± 0	0 ± 0
	0 - 2 cm	4 ± 4	0 ± 0	6 ± 4	11 ± 5	0 ± 0	0 ± 0	2 ± 1	2 ± 1
	2 - 4 cm	11 ± 5	0 ± 0	2 ± 2	2 ± 2	0 ± 0	0 ± 0	3 ± 2	2 ± 1
Unknown Fabaceae	Litter	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0
	0 - 2 cm	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0
	2 - 4 cm	1 ± 1	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	16 ± 15	0 ± 0
Unknown Poeaceae	Litter	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	1 ± 1	0 ± 0
	0 - 2 cm	8 ± 8	1 ± 1	8 ± 8	1 ± 1	9 ± 8	9 ± 8	16 ± 13	4 ± 2
	2 - 4 cm	0 ± 0	1 ± 1	1 ± 1	0 ± 0	1 ± 1	6 ± 4	2 ± 2	0 ± 0
Big round sp.	Litter	0 ± 0	0 ± 0	0 ± 0	1 ± 1	0 ± 0	0 ± 0	7 ± 4	6 ± 3
	0 - 2 cm	0 ± 0	2 ± 2	0 ± 0	0 ± 0	2 ± 1	0 ± 0	2 ± 1	4 ± 3
	2 - 4 cm	0 ± 0	1 ± 1	2 ± 1	0 ± 0	0 ± 0	0 ± 0	2 ± 1	11 ± 11
Big brown sp.	Litter	0 ± 0	0 ± 0	1 ± 1	0 ± 0	0 ± 0	3 ± 2	2 ± 2	8 ± 7
	0 - 2 cm	0 ± 0	0 ± 0	2 ± 1	0 ± 0	2 ± 1	7 ± 3	0 ± 0	0 ± 0
	2 - 4 cm	0 ± 0	0 ± 0	1 ± 1	0 ± 0	1 ± 1	2 ± 2	1 ± 1	1 ± 1

Appendix 15. Regression equations of seed half life for seeds of *Acacia mearnsii* and *Solanum mauritianum* under greenhouse and field trials for varying light, water and depths of burial. * after r^2 values indicates $P < 0.05$. X in the equations is the time of seed in the seedbank in months and Y equals the total percentage of seeds remaining in the seedbank.

<i>S. mauritianum</i> seed half life				
Depth	0 cm	2 cm	4 cm	Average
Treatment	Field low light (shaded) conditions			
Regression relationship	Linear	Linear	Linear	Linear
Equation	$92.2 + (-5.0 * X)$	$94.6 + (-4.1 * X)$	$100.0 + (-4.0 * X)$	$95.6 + (-4.4 * X)$
r^2	0.64*	0.63*	0.70*	0.76*
Projected ½ life	9 ½ months	11 ½ months	13 months	11 months
Treatment	Field high light (unshaded) conditions			
Regression relationship	Linear	Linear	Linear	Linear
Equation	$97.0 + (-5.8 * X)$	$99.8 + (-5.4 * X)$	$97.5 + (-5.3 * X)$	$98.1 + (-5.5 * X)$
r^2	0.8*	0.72*	0.85*	0.86*
Projected ½ life	8 ½ months	9 ½ months	9 ½ months	9 months
Treatment	Greenhouse low light (shaded), low water (5.14 ml/day) conditions			
Regression relationship	Linear	Linear	linear	
Equation	$105.4 + (-5.2 * X)$	$104.6 + (-5.7 * X)$	$105.0 + (-5.5 * X)$	
r^2	0.67*	0.91*	0.83*	
Projected ½ life	10 ½ months	9 ½ months	10 months	
Treatment	Greenhouse low light (shaded), high water (50.69 ml/day) conditions			
Regression relationship	Linear	Linear	Linear	
Equation	$103.0 + (-5.7 * X)$	$102.4 + (-5.5 * X)$	$102.7 + (-5.6 * X)$	
r^2	0.71*	0.80*	0.78*	
Projected ½ life	9 ½ months	9 ½ months	9 ½ months	
Treatment	Greenhouse high light (unshaded), low water (5.14 ml/day) conditions			
Regression relationship	Linear	Linear	Linear	
Equation	$101.5 + (-5.1 * X)$	$99.9 + (-4.4 * X)$	$100.7 + (-4.7 * X)$	

Appendix 15. Cont....

r^2	0.76*	0.86*	0.83*
Projected ½ life	10 months	11 ½ months	11 months
Treatment	Greenhouse high light (unshaded), high water (50.69 ml/day) conditions		
Regression relationship	Linear	Logarithmic	Linear
Equation	$103.0 + (-6.0 * X)$	$69.6 + (-35.3 * \text{Log } X)$	$96.4 + (-5.9 * X)$
r^2	0.90*	0.74*	0.94*
Projected ½ life	9 months	50 months	8 ½ months

A. mearnsii seed half life

Depth	0 cm	2 cm	4 cm	Average
Treatment	Field low light (shaded) conditions			
Regression relationship	Logarithmic	Linear	exponential	Linear
Equation	$81.0 - 28.8 * \text{Log}(X)$	$97.9 + (-3.9 * X)$	$98.0 * \text{Exp}(-0.4 * X)$	$95.6 + (-3.4 * X)$
r^2	0.74*	0.66*	0.90*	0.82*
Projected ½ life	25 years	1 year 1 month	6 years 4 months	1 year 3 months
Treatment	Field high light (unshaded) conditions			
Regression relationship	Logarithmic	Linear	Logarithmic	Logarithmic
Equation	$56.6 - 27.6 * \text{Log}(X)$	$96.2 + (-3.5 * X)$	$80.1 - 29.8 * \text{Log}(X)$	$73.4 - 31.9 * \text{Log}(X)$
r^2	0.92*	0.77*	0.74*	0.89*
Projected ½ life	5 years	1 year 2 months	25 years	8 years 4 months
Treatment	Greenhouse low light (shaded), low water (5.14 ml/day) conditions			
Regression relationship	Linear	Linear	Linear	
Equation	$101.2 + (-4.18 * X)$	$99.2 + (-3.4 * X)$	$100.2 + (-3.7 * X)$	
r^2	0.85*	0.83*	0.86*	
Projected ½ life	1 year ½ month	1 year 3 months	1 year 1 ½ months	
Treatment	Greenhouse low light (shaded), high water (50.69 ml/day) conditions			
Regression relationship	Exponential	Linear	Linear	
Equation	$97.4 * \text{Exp}(-4.3 * X)$	$102.1 + (-4.2 * X)$	$99.3 + (-3.8 * X)$	

Appendix 15. Cont.

r^2	0.80*	0.85*	0.86*
Projected ½ life	1 year 4 months	1 year	1 year 1 month

Treatment Greenhouse high light (unshaded), low water (5.14 ml/day) conditions

Regression relationship	Linear	Linear	Linear
Equation	$99.5 + (-3.7 * X)$	$98.3 + (-3.3 * X)$	$98.9 + (-3.5 * X)$
r^2	0.76*	0.70*	0.76*
Projected ½ life	1 year 1 ½ months	1 year 3 months	1 year 11 months

Treatment Greenhouse high light (unshaded), high water (50.69 ml/day) conditions

Regression relationship	Linear	Linear	Linear
Equation	$99.7 + (-4.5 * X)$	$99.9 + (-3.9 * X)$	$99.8 + (-4.2 * X)$
r^2	0.92*	0.85*	0.92*
Projected ½ life	11 ½ months	1 year 1 month	1 year

Appendix 16. Key species codes used in Constrained Canonical Analyses (CCA) Plots Figure 6.6. Species indicated in bold are declared Category 1(*), 2 (**), and 3 (***) weed species and ◼ are undeclared weed species..

Species Name	Species Code in Plot
<i>Bothriochloa radicans</i>	BOTHRADI
<i>Brachiaria deflexa</i>	BRACDEFL
<i>Cymbopogon validus</i>	CYMBVALI
<i>Cyperus esculentus</i>	CYPEESCU
<i>Hemarthria altissima</i>	HEMAALTI
<i>Hyparrhenia dichroa</i>	HYPADICH
<i>Ischaemum fasciculatum</i>	ISCHAFASC
<i>Kyllinga erecta</i>	KYLLEREC
<i>Panicum aequinerve</i>	PANIAEQU
<i>Panicum maximum</i>	PANIMAXI
<i>Paspalum urvillei</i>	PASPURVI
<i>Pennisetum macrourum</i>	PENNMACR
<i>Phragmites australis</i>	PHRAAUST
<i>Setaria incrassata</i>	SETAINCR
<i>Setaria megaphylla</i>	SETAMEGA
<i>Sorghum bicolor</i>	SORGBICO
<i>Sporobolus consimilis</i>	SPORCONS
<i>Themeda triandra</i>	THEMTRIA
<i>Acalypha caperonioides</i>	ACALCAPE
<i>Acalypha villicaulis</i>	ACALVILL
<i>Achyranthes aspera</i>*	ACHYASPE*
<i>Adenocline acuta</i>	ADENACUT
<i>Adiantum poiretii</i>	ADIAPOIR
<i>Anomatheca laxa</i>	ANOMLAXA
<i>Anthospermum welwitschii</i>	ANTHWELW
<i>Asclepias physocarpa</i>	ASCLPHYS
<i>Asparagus cooperi</i>	ASPACOO
<i>Bidens pilosa</i> ◼	BIDPEILO
<i>Cheilanthes viridis</i>	CHEIVIRI
<i>Chenopodium schraderianum</i>	CHENSCHR
<i>Convolvulus arvensis</i>*	CONVARVE*
<i>Conyza aegyptiaca</i> ◼	CONYAEGY
<i>Conyza albida</i> ◼	CONYALBI
<i>Corchorus asperifolius</i>	CORCASPE

Species Name	Species Code in Plot
<i>Cucumis zeyheri</i>	CUCUZEYH
<i>Cynoglossum lanceolatum</i>	CYNOLANC
<i>Desmodium repandum</i>	DESMREPA
<i>Dietes iridioides</i>	DIETIRID
<i>Eriosema pauciflorum</i>	ERIOPAUC
<i>Eriosema psoraleoides</i>	ERIOPSOR
<i>Foeniculum vulgare</i> ☐	FOENVULG
<i>Gladiolus dalenii</i>	GLADDALE
<i>Helichrysum ruderale</i>	HELIRUDE
<i>Helichrysum acutatum</i>	HELIACUT
<i>Helichrysum revolutum</i>	HELIREVO
<i>Helichrysum sp.</i>	HELICHRY
<i>Helichrysum rugulosum</i>	HELIRUGU
<i>Hydrocotyle americana</i>	HYDROAMER
<i>Hypoestes forskoolii</i>	HYPOFORS
<i>Hypoxis rigidula</i>	HYPORIGI
<i>Hypoxis sp.</i>	HYPOXISS
<i>Indigofera swaziensis</i>	INDISWAZ
<i>Ipomoea pes-caprae</i>	IPOMPESC
<i>Ipomoea purpurea</i> ***	IPOMPURP***
<i>Lagenaria siceraria</i>	LAGESICE
<i>Mariscus congestus</i>	MARICONG
<i>Medicago hispida</i> ☐	MEDIHISP
<i>Mentha longifolia</i>	MENTLONG
<i>Myrsiphyllum volubile</i>	MYRSVOLU
<i>Nepeta cataria</i>	NEPECATA
<i>Oxalis corniculata</i>	OXALCORN
<i>Oxalis latifolia</i>	OXALLATI
<i>Passiflora edulis</i> ☐	PASSEDUL
<i>Passiflora sp.*</i>	PASSIFLO*
<i>Pentodon pentandrus</i>	PENTPENT
<i>Physalis angulata</i> ☐	PHYSANGU
<i>Protasparagus exuvialis</i>	PROTEXUV
<i>Pseudarthria hookeri</i>	PSEUHOOK
<i>Pseudognaphalium luteo-album</i>	PSEULUTE
<i>Pteridium aquilinum</i>	PTERAQUI
<i>Rhynchosia galpinii</i>	RHYNGALP

Species Name	Species Code in Plot
<i>Rhynchosia hirta</i>	RHYNHIRT
<i>Rumohra adiantiformis</i>	RUMOADIA
<i>Scadoxus multiflorus</i>	SCADMULT
<i>Selago transvaalensis</i>	SELATRAN
<i>Senecio affinis</i>	SENEAFFI
<i>Senecio conrathii</i>	SENECONR
<i>Senecio coronatus</i>	SENECORO
<i>Senecio graminifolius</i>	SENEGRAM
<i>Senecio poseideonis</i>	SENEPOSE
<i>Senecio quinquelobus</i>	SENEQUIN
<i>Senecio serratuloides</i>	SENESERR
<i>Senna septemtrionalis</i>	SENNSEPT
<i>Smilax anceps</i>	SMILANCE
<i>Solanum nigrum</i>	SOLANIGR
<i>Solanum sisymbriifolium</i>*	SOLASISY*
<i>Stephania abyssinica</i>	STEPABYS
<i>Thelypteris pozoi</i>	THELPOZO
<i>Toddalia asiatica</i>	TODDASIA
<i>Thunbergia natalensis</i>	THUNNATA
<i>Wahlenbergia undulata</i>	WAHLUNDU
<i>Antidesma venosum</i>	ANTIVENO
<i>Artemisia afra</i>	ARTEAFRA
<i>Brachylaena discolor</i>	BRACDISC
<i>Caesalpinia decapetala</i>*	CAESDECA*
<i>Cassinopsis ilicifolia</i>	CASSILIC
<i>Clausena anisata</i>	CLAUANIS
<i>Cliffortia linearifolia</i>	CLIFLINE
<i>Clutia affinis</i>	CLUTAFFI
<i>Clutia monticola</i>	CLUTMONT
<i>Dalbergia armata</i>	DALBARMA
<i>Diospyros galpinii</i>	DIOSGALP
<i>Diospyros lycioides</i>	DIOSLYCI
<i>Diospyros whyteana</i>	DIOSWHYT
<i>Endostemon obtusifolius</i>	ENDOBTU
<i>Englerophytum magalismontanum</i>	ENGLMAGA
<i>Euclea crispa</i>	EUCLCRIS
<i>Euclea natalensis</i>	EUCLNATA

Species Name	Species Code in Plot
<i>Flemingia grahamiana</i>	FLEMGRAH
<i>Gymnosporia mossambicensis</i>	GYMNMOS
<i>Hymenodictyon parvifolium</i>	HYMEPARV
<i>Indigofera daleoides</i>	INDIDALE
<i>Keetia gueinzii</i>	KEETGUEI
<i>Lantana camara</i>*	LANTCAMA*
<i>Leucosidea sericea</i>	LEUCSERI
<i>Leonotis</i> sp.	LEONOTIS
<i>Lippia javanica</i>	LIPPJAVA
<i>Maesa lanceolata</i>	MAESLANC
<i>Gymnosporia polyacantha</i>	MAYTPOLY
<i>Passerina filiformis</i>	PASSFILI
<i>Pavetta gracilifolia</i>	PAVEGRAC
<i>Pavonia burchellii</i>	PAVOBURC
<i>Plectranthus laxiflorus</i>	PLECLAXI
<i>Plectranthus</i> sp.	PLECOERT
<i>Rhamnus prinoides</i>	RHAMPRIN
<i>Rhoicissus torminalis</i>	RHOITORM
<i>Rhoicissus tridentata</i> subsp. <i>cuneifolia</i>	RHOITRID
<i>Rhus dentata</i>	RHUSDENT
<i>Rhus discolor</i>	RHUSDISC
<i>Rubus cuneifolius</i>*	RUBUCUNE*
<i>Solanum mauritianum</i>*	SOLAMAUR*
<i>Toddalia asiatica</i>	TODDASIA
<i>Trimeria grandifolia</i>	TRIMGRAN
<i>Verbena bonariensis</i> ☐	VERBBONA
<i>Acacia ataxacantha</i>	ACACATAX
<i>Acacia mearnsii</i>**	ACACMEAR**
<i>Acacia melanoxylon</i>*	ACACPYCN*
<i>Apodytes dimidiata</i> subsp. <i>dimidiata</i>	APODDIMI
<i>Breonadia salicina</i>	BREOSALI
<i>Buddleja auriculata</i>	BUDDLORI
<i>Buddleja salviifolia</i>	BUDDSALV
<i>Cephalanthus natalensis</i>	CEPHNATA
<i>Combretum celastroides</i>	COMBCELA
<i>Combretum fragrans</i>	COMBFRAG

Species Name	Species Code in Plot
<i>Combretum kraussii</i>	COMBKRAU
<i>Cussonia paniculata</i>	CUSSPANI
<i>Cyathea dregei</i>	CYATDREG
<i>Dombeya rotundifolia</i>	DOMBROTU
<i>Eucalyptus grandis</i>**	EUCAGRAN**
<i>Ficus sur</i>	FICUSSUR
<i>Grevillea robusta</i>***	GREVROBU***
<i>Grewia occidentalis</i>	GREWOCCI
<i>Halleria lucida</i>	HALLLUCI
<i>Ilex mitis</i>	ILEXMITI
<i>Musa lanceolata</i>	MUSALANC
<i>Pinus patula</i>**	PINUSPATU**
<i>Prunus persica</i> ☐	PRUNPERS
<i>Rawsonia lucida</i>	RAWSLUCI
<i>Sequoia sp.</i> ☐	SEQUSEMP
<i>Syzygium cordatum</i>	SYZYCORD
<i>Tricalysia capensis</i>	TRICCAPE
<i>Zanthoxylum davyi</i>	ZANTDAVY
<i>Ziziphus mucronata</i>	ZIZIMUCR

Appendix 17. Mean and standard error for woody plant species alpha diversity. Values with the same superscript letter within rows are not significantly different using Ryan's Q multiple comparison test ($P < 0.05$).

Variable	Treatment		High Altitude				Low Altitude			
			High Invasion		Low Invasion		High Invasion		Low Invasion	
	Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared	Cleared	Uncleared		
1 m ²	0.12 ± 0.06 ^a	0.28 ± 0.06 ^a	0.24 ± 0.07 ^a	0.36 ± 0.12 ^a	0.36 ± 0.08 ^b	0.44 ± 0.13 ^b	0.62 ± 0.15 ^b	0.46 ± 0.14 ^b		
10 m ²	0.80 ± 0.46 ^a	1.2 ± 0.12 ^a	0.80 ± 0.34 ^a	1.20 ± 0.64 ^a	1.30 ± 0.20 ^b	1.60 ± 0.33 ^b	2.00 ± 0.35 ^b	2.30 ± 0.64 ^b		
100 m ²	0.60 ± 0.25 ^{ac}	2.6 ± 0.68 ^{ac}	2.40 ± 0.81 ^{ad}	2.20 ± 0.80 ^{ad}	2.40 ± 0.51 ^{bc}	2.60 ± 0.25 ^{bc}	5.00 ± 0.84 ^{bd}	4.20 ± 0.73 ^{bd}		
1000 m ²	1.00 ± 0.55 ^{ac}	3.2 ± 0.20 ^{ac}	3.20 ± 0.80 ^{ad}	2.80 ± 0.58 ^{ad}	2.40 ± 0.81 ^{bc}	3.4 ± 0.51 ^{bc}	5.20 ± 0.66 ^{bd}	6.20 ± 1.02 ^{bd}		