

Index for Volume 76

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses. Pages of errata are in italic type.

- Abawi, G. S., 1064, 1087
Abbas, H. K., 1061, 1063
Abdel-Gawad, K. I., 563
Abdelgawad, T. I., 1133
Abney, T. S., 1093, 1098
Abrahamson, D. S., 650
Abstracts
—annual meeting, 1057
—Caribbean division, 372, 1057
—North Central division, 956
—Northeastern division, 650
—Pacific division, 841
—Potomac division, 562
—Southern division, 1057
Acosta, O., 1182
Acremonium coenophialum, on fescue
—identification with ELISA, 1125
—sterol inhibitor fungicide for, 1108
Adams, G. C., 1123, 1126, 1239
Adams, P. B., 101
Adams, S. S., 1068, 1083
Adaskaveg, J. E., 841
Adelman, M., 1099
Adkins, C. R., 679
Aebig, J. A., 1132
Aerobiology, spore trap, volumetric, 127
Agaricus bisporus
—growth regulator effect on, 563
—LaFrance disease, viral etiology, 1121
Agostini, J. P., 707
Agrios, G. N., 1031, 1034
Agrobacterium spp.: antisera for, strain specific, 1077; ethylene production, 1117; ribosome purity in serology, 1323; strains of, ribosomal subunits of, serology, 1265
—*A. tumefaciens*: apple strains, antagonism of pseudomonads to, 1135; biovar 3, population dynamics, 1070; on grape, infection process, 1118
Ahmad, J. S., 1104
Ainsworth, A. J., 1132
Aist, J. R., 1097, 1141
Aiton, M. M., 1075
Akem, C. N., 1115
Albert, F. G., 1138
Alcaligenes sp., *Fusarium oxysporum* chlamydospore germination effect, 171
Alcorn, S. M., 1093, 1124, 1142
Alderman, S. C., 715, 1083
Aldwinckle, H. S., 656, 670
Alegria, A., 1182
Alexander, J. D., 1131
Alfalfa
—*Aphanomyces* and *Phytophthora* infection, seedling root rot from, 1146
—*Colletotrichum trifolii* on, induced protection, factors, 1143
—damping-off of, carbofuran effect, 563
—Fusarium wilt and root-knot relation, interactions, 843
—leaf spot, spatial pattern analysis, 190
—leaf spot pathogens in North Carolina, 1063
—leaf spot resistance, assessment in North Carolina, 1106
—ozone and root and crown rot interaction, 651
—*Peronospora trifoliorum* on, resistance, 1143
—rust pathosystem, crop loss estimation, 1108
—seedling blight caused by nematodes, seed treatment, 1139
—soilborne fungi and stem nematode association, in Colorado, 842
—spring black stem: alfalfa blotch leafminer role, 653; sprinkler irrigation effect, 844
—*Verticillium* wilt: anatomical response, 522, (524-526); infection process in seeds, 1108; leafcutter bee vector, 75, (75-78); soil strain persistence, 576
Alfalfa mosaic virus, detection by dot hybridization and ELISA, 1061
Alisma triviale, phylloplane of, microorganisms in, wild rice field, 1138
Allard, R. W., 661, 843, 1102
Allredge, J. R., 342
Allen, T. C., 253, 843
Almond, signification of, wound-induced, 1107
Alternaria spp.
—*A. alternata*, on soybean seed, histopathology, 543, (544, 545)
—*A. brassicae*, toxin from, host-specific, 1103
—*A. brassicicola*, on cabbage, disease progress, 1114
—*A. panax*, on three foliage plants, host nutrition effect, 1071
—*A. solani*, on potato: interaction with *Verticillium* and leafhopper, 1046; leaf age effect, 657
Alvarez, A. M., 1078
Aly, H. M., 562
Amador, J. M., 375
American Phytopathological Society
—abstracts (see Abstracts)
—annual report, 7
—awards, historical listing, 36
—CIBA-Geigy award, 35
—fellows, 30
—manuscript preparation, 4
—officers, representatives, and committees, 28
—presidential address, Lockwood, 20
—reviewer acknowledgment, 1
—Ruth Allen award, 34
Amerson, H. V., 1085
Ames, M. E., 841
Ames, R. N., 1110
Amyelois transitella, on pistachio, relation to splitting and tattering, 692
Andersen, G. L., 1118
Anderson, A. J., 1138
Anderson, D. L., 581
Anderson, N. A., 957
Anderson, R. L., 1084, 1085, 1086, 1133
Andrews, J. H., 1104, 1115
Anguillospora pseudolongissima, mycoparasite on *Glomus deserticola*, 351
Anikster, Y., 1026
Ann, P. J., 1142
Antonopoulos, A. A., 956, 958
Antoun, G. G., 654, 658
Anzalone, L., Jr., 841
Aphis gossypii, watermelon mosaic virus 2 vector
—acquisition and inoculation, 1276
—spatial and temporal spread, 1254
Apium spp., Fusarium wilt of, lignin deposition, 1107
Appel, D. N., 1114
Apple
—crown rot of, biological control, 847
—dead spur of, graft transmission, 1074
—*Erwinia amylovora* endophytes, core tissue absence, 1140
—fire blight: chemical control and motility role, 441; scanning electron microscopy, 900, (901-903); stigma role, 476, (481)
—fly speck and sooty blotch of, pruning effect, 1083
—fungicide and insecticide application, integration, 652
—fungicide effect, sterol-inhibiting, 1066
—leaf resistance to scab, morphology, 1102
—*Penicillium expansum* on, postharvest calcium treatment, 1128
—postharvest disease control with yeast, 1133
—powdery mildew, protective spray program, 1128
—Reuter-Stokes scab predictor, spray applications in Missouri, 1066
—scab: ascospore dose forecasting, 112, (114); control by *Chaetomium globosum*, failure, 1103; ergosterol biosynthesis-inhibiting fungicides, 119; lesion density, 654
Apple, J. D., 56
Aragaki, M., 1124, 1130
Arceuthobium vaginatum, on pine, growth and mortality effect, 1113
Arlt, M., 1088
Armillaria spp.: Alaskan isolates, pathogenicity, 1081; rhizomorphs in soils, spruce stand decline, 659
—*mellea*: bacteria and rickettsiae-like organisms infecting, 1141; complex, basidiocarps and haploidy, 656; rhizomorph differentiation, alcohol dehydrogenase level, 1081; on sour cherry, in Michigan, 1080
Arneson, P. A., 568, 869, 874
Arunakumari, A., 1136
Ascochyta lenti, on lentil, seedborne, 355, (356)
Ash
—mycoplasma-like organisms on, oxytetracycline therapy, 650
—yellows and decline of, in Massachusetts, 650
Asparagus
—*Cercospora* blight: evaluation, 1114; growth and sporulation conditions, 617
—slow-rusting in, components, 208
—virus infection of, root response, 1134
—viruses I and II, purification and assay in New Jersey, 656
Aspen
—ecology of fungi and elk in mountain ecosystems, 1058
—stem canker, resistance estimation by ordination, 1289
Aspergillus spp.
—*A. flavus*: on corn, aflatoxin and inoculation technique, 290; on corn, aflatoxin production, 373; on corn, irrigation and tillage effect, 679; growth, cotton leaf volatiles, 1125; in raisins, suppression by solar heating, 335
—*A. parasiticus*, aflatoxin biosynthesis by, enzyme characterization, 1145
Asquith, T. N., 1315
Aster yellows, in aster leafhoppers, dual infection with oat blue dwarf virus, 1062
Atapia, E. E., 1115
Atcham, T., 1062
Atkinson, M. M., 1101
Atropa belladonna, mottling disease, in India, 1109
Augustin, B. J., 1057
Avissar, R., 1094
Avocado, *Phytophthora* root rot, induced resistance, 194

- Awuah, R. T., 1202
 Axelrood, P. E., 1086
 Ayers, J. E., 129, 254
 Ayers, W. A., 101
 Azad, H., 841, 846, 1134
Azadirachta indica, seed extract, toxicity to *Rhizoctonia* and *Fusarium*, 1129
 Azaizeh, H. A., 1091
 Babadoost, M., 1108
 Bachi, P. R., 1106
Bacillus subtilis
 —antagonistic to *Monilinia*, substance characterization, 136
 —mutations in, *kan*, *sac* cartridge for generation, 1100
 Backman, P. A., 376, 1094, 1106
 Bactericides, testing and representative bacteria, 1135
 Baenziger, P. S., 566
 Bahme, J. B., 1086
 Bahrami, Z., 1133
 Bailey, J. E., 1067, 1083, 1127
 Bains, P. S., 1103
 Bair, W., 129
 Baker, C., 372
 Baker, C. J., 1101, 1124, 1143
 Baker, R., 518, 720, 1104, 1105
 Baker, R. A., 1135
 Baldwin, J. G., 375
 Ball, E. M., 1131
 Ballester, J., 375
 Bamboo, virus detection in Okinawa, 1122
 Banana, black sigatoka disease
 —bitertanol for control, 376
 —propiconazol for control, 377
 Banana streak virus, purification and serology, 995, (996, 997)
 Bandong, J. M., 1105
 Bandy, B. P., 650
 Banik, M. T., 653
 Banttari, E. E., 1062
 Barash, I., 1081
 Barbara, D. J., 1131, 1132
 Bar-Joseph, M., 820
 Barkai-Golan, R., 42
 Barkdoll, A. W., 1064
 Barker, K. R., 1139
 Barksdale, T. H., 563
 Barley
 —canopies from, fungicide treated seed, spectroradiometric readings, 1147
 —*Fusarium* root rot, water stress effect, 1098
 —kernel discoloration, resistance screening, 1060
 —leaf spots of, foliar fungicides for, multispectral radiometry use, 957
 —net blotch of, rate-reducing resistance to, 1146
 —powdery mildew: *ml-o* resistance, 1097; resistance, sugar composition, and acid invertase activity, 365; resistance induction, 301
 —*Rhizoctonia solani* on, isolate characterization in Australia, 1245
 —rust of, slow rusting and three races, 1105
 —scald, California and Montana, 1146
 —virus-like disease of, unique particle, 1120
 Barley soil mosaic virus, effect on malting quality and identification in central valley of Mexico, 377
 Barley stripe mosaic virus
 —deterioration after antibody decoration, 339
 —genetic analysis, 360, (363)
 —isolate variation, 1122
 —isozyme patterns in barley cultivars, 1131
 —poa semil latent virus compared to, 322, (323)
 Barley yellow dwarf virus
 —antivirus monoclonal antibody, production, 1062
 —aphid transmission mechanism, 653
 —beet western yellows virus compared with, 1270, (1272)
 —DNA clones, 1131
 —ecology and epidemiology in Indiana, ELISA, 86
 —isolate detection with antibodies, electron microscopy, 225, (227-229)
 —on oats, yield effect, 563
 Barlow, E., 1137
 Barnard, E. L., 1059
 Barnett, O. W., 390
 Barrera, C. E., 1122
 Barta, T. M., 1076
 Barton-Willis, P. A., 1140
 Bartz, J. A., 1077, 1087, 1114
 Batarseh, S. F., 1127
 Batzer, J. C., 1117
 Baudoin, A. B. A. M., 562, 1145
 Baxter, L. W., Jr., 1072
 Bayot, R. G., 441
 Bays, D. C., 764, 1127
 Beagle-Ristaino, J., 841, 1124
 Bean (see also *Phaseolus* spp.)
 —bacterial multiplication in leaves of, host plasma membrane exchange, 1101
 —common blight, hydrogen fluoride effect, 1067
 —disease resistance to, methodology, 1135
 —*Pseudomonas syringae* on, strain effects and disease, 1069
 —rust, uredospore development and cyclic nucleotides, 1128
 Bean, G. A., 562, 564
 Bean golden mosaic virus
 —nuclear inclusion bodies, light microscopy, 124
 —resistance by nursery management, 1073
 Bean rugose mosaic virus
 —biological and physicochemical properties, 1182, (1183-1185, 1187)
 —replication, 1096
 Bean yellow mosaic virus
 —clover yellow vein virus differentiated from, antigenic distinction, 1061
 —nuclear inclusion and cytoplasmic crystals induced by, immunofluorescence, 1061
 Beck, D. L., 1095
 Beczner, L., 1073
 Bedker, P. J., 1058
 Beer, S. V., 656, 900
 Beet necrotic yellow vein virus, resistance and correlations, 1074
 Beet western yellows virus
 —barley yellow dwarf virus compared with, 1270
 —overwintering in winter annual weeds, 847
 Bell, D. K., 248, 1115
Bemisia tabaci
 —*Jatropha* mosaic virus vector, ultrastructure, 80, (81-84)
 —lettuce infectious yellows virus vector, 97
 —virus vectors on melon and lettuce in Arizona, 236
 Benary, A. J., 1077
 Benda, G. T. A., 1109
 Bender, C. L., 1100
 Benedict, A. A., 1078
 Benner, C. P., 795, 1138
 Bennett, J. H., 1338
 Bennett, R., 562
 Benson, D. M., 1072, 1083, 1190
 Ben-Yephet, Y., 842
 Bergdahl, D. R., 650, 653, 655
 Berger, P. H., 1063
 Berger, R. D., 1108
 Berggren, G. T., Jr., 1063, 1101, 1123, 1125, 1147
 Bergstrom, G. C., 586, 651, 653, 1123
 Berman, P. M., 659
 Bermudagrass, spring dead spot, fungus pathogens, 1130
 Bernales E. C., 372
 Bernard, E. C., 1082
 Bernd, R. B., 562
 Berner, D. K., 1125
 Bertrand, P. F., 1108, 1139
 Besemer, S., 1071
 Besoain, X., 1112
 Bethlenfalvay, G. J., 1110
 Bettiga, L., 1064
 Beute, M. K., 468, 495, 715, 860, 1147
 Bhatnagar, D., 1144, 1145
 Biggs, A. R., 905
 Bijaisoradat, M., 1132
 Biological control
 —agents for delivery to soil, 1086
 —*Alcaligenes* for *Fusarium oxysporum*, iron competition, 171
 —*Bacillus subtilis*: to *Monilinia fructicola*, substance characterization, 136; in peanut rhizosphere, 1094
 —bacteria: for geranium rust, 1134; for *Monilia roreri* epiphytes, 1118; for *Rhizoctonia solani* on rice, 1260
 —*Botrytis cinerea* in greenhouse roses, 1071
 —*Cochliobolus sativus* to *Pyrenophora tritici-repentis* on wheat leaves, 1123
 —cucumber anthracnose, induced systemic protection, 186
 —cucumber root colonization in composted tree bark, 1123
 —*Enterobacter cloacae* to *Pythium ultimum*, 327, (330, 332)
 —*Glomus intraradices* and *Fusarium oxysporum* on tomato, phosphorus effects, 942
 —grey snow mold in creeping bentgrass, 650
 —peanuts to *Cercosporidium* leaf spot, factors, 990
 —peat carrier interactions, 1104
 —pseudomonads: antagonistic to *Erwinia carotovora* in potato seed piece, 414, (419); for tobacco black root rot, 181, (183)
 —pseudomonads and *Erwinia* in potato, field evaluation, 423
 —*Pseudomonas fluorescens*: for *Penicillium* spp., 176; *Pythium* and siderophore production, 1069
 —*Pythium* damping-off: with composted bark, 1105; of cucumbers with *Pythium*, 1105
 —*Rhizoctonia* crown rot of sugar beet by *Laetisaria arvalis*, 1103
 —*Rhizoctonia solani* by fungi and insects, 1104
 —*Sclerotinia minor* by *Sporidesmium sclerotivorum*, 101
 —seed application, rhizosphere colonization, 60, (63)
 —take-all of wheat, agents, 1319
 —*Talaromyces flavus*: edaphic parameters, 643; for *Verticillium* wilt of potato, 563
 —*Trichoderma*: for pea damping-off, mechanism of control, 720; for *Rhizoctonia* damping-off of radish, 306
 —*Trichoderma* spp. and plant growth, 518
 —*Trichoderma* and *Gliocladium*, isozyme polymorphism, 659
 —wheat tan spot with foliar bacteria, 1122
Bipolaris spp.
 —*B. maydis*: on corn, *Ht* gene effect, 108; race T, conidium germination, factors, 1145; race T, on corn leaves, appressorium formation and sporulation, 1148; race T, protein in hyphal sheath of, 792, (793)
 —*B. sorokiniana*, methionine effect on ethylene and aminocyclopropane-carboxylic acid production, 851
 Bird, J., 80, 124
 Bird, L. S., 1107
 Bischoff, T. W., 1145
 Bishop, A. L., 1070
 Bissonnette, S. M., 956
 Bjarko, M. E., 842
 Black, L. L., 1082, 1133, 1134
 Black, M. C., 1087
 Blaker, N. S., 970
 Blanchette, R. A., 1058
 Blazquez, C. H., 1077, 1092, 1093
 Blenis, P., 1058

- Bloomberg, W. J., 1059
 Bloomfield, P., 243
 Blueberry
 —*Botryosphaeria dothidea* on, infection court, 1133
 —sheep pen hill disease of, rod particle association, 1065
 Blueberry leaf mottle virus, detection in pollen and seed, 1333
 Blueberry red ringspot virus, detection in sap of, 844
 Blueberry shoestring virus
 —antibody and dot-blot immunoassay techniques, 1074
 —grafting and girdling techniques, 1074
 —movement in aphid-inoculated leaves, 1074
 Bluegrass (see also Turfgrass)
 —*Poa* patch of, etiology, 1057
 —root cortical death, 917
 Bockus, W. W., 1122, 1125
 Boerma, H. R., 1072
 Bolkan, H. A., 842
 Bonde, M. R., 562, 1144
 Bonman, J. M., 1105
 Bonn, W. G., 1140
 Borromeo, E. S., 261
 Bostock, R. M., 1080, 1107
Botryodiplodia theobromae, on grape, hypovirulence, 845
Botryosphaeria dothidea
 —on blueberry, factors, 1081
 —on pistachio, epidemiology and control, 1106
Botrytis spp., on onions: blight and girdling from, in New York, 599, (601); pathogenicity, 604, (606, 609); temperature and moisture effect, 612
 —*B. cinerea*: on faba bean, antigens in cytoplasm of, detection, 622, (623-625); on strawberry, moisture and temperature effect, 1114; on strawberry, survival in dead leaves, apparatus for studying, 657
 Boudreau, M. A., 1104
 Bouzar, H., 1077, 1265, 1323
 Bowen, K. L., 1119
 Bowers, E. J., 1144
 Bozarth, R. F., 1130
 Bracker, C. E., 322
 Brady, C. J., 42
 Brammall, R. A., 1125
 Braun, E. J., 959
 Breman, L. L., 1076
Bremia lactucae, oospores of, production, 655
 Brennan, E., 652, 659
 Brenneman, T. B., 562
 Bristow, P. R., 842
 Britton, K. O., 1065
 Bralsky, R. H., 707, 1072, 1074, 1101, 1110, 1118
 Brodie, B. B., 654, 657
 Brodny, U., 546
 Brome mosaic virus, beetle regurgitant effect on transmission, 808
 Bronson, C. R., 154, 1294
 Brooks, A. D., 563
 Browder, L. E., 379, 1103, 1286
 Brown, G. E., 1094
 Brown, H. D., 1084, 1085
 Brown, J. K., 236, 842
 Brown, L. G., 1072
 Brown, W. M., Jr., 842, 846, 848, 1057, 1130, 1309
 Bruck, R. I., 1067, 1084, 1085, 1113, 1190
 Bruehl, G. W., 278, 695
 Bruening, G., 1091
 Bruton, B. D., 1128, 1136
 Buchanan, J. R., 692
 Bulger, M. A., 1080, 1114
 Bullock, B., 1128
 Bullock, S., 101
 Burges, A. R., 1076
 Burleigh, J. R., 1098
 Burmeister, H. R., 1143
 Burnett, P. A., 373, 377
 Burpee, L. L., 650
 Burr, T. J., 1070
 Burra, L. R., 1063
 Burroughs, R., 745
Bursaphelochus xylophilus, on pine wood chips, population dynamics, 653
 Bush, L. P., 1057
 Bushnell, W. R., 1123
 Butler, E. E., 1066
 Butler, L. G., 1315
 Butrov, D., 1070
 Byther, R. S., 1124
 Cabauatan, P. Q., 1075, 1132
 Cabbage, black rot of
 —monoclonal antibody analysis, 1078
 —seed survival in Washington, 1306
 Cacao (see also Cocoa)
 —black pod of, factors affecting, 1116
 —*Monilia* and black pod incidence, fungicides for, 376
 —*Monilia roreri* on, resistance in Costa Rica, 376
 Cadena, M., 377
 Calcium
 —cucumber damping-off affected by, 221
 —in potato tuber cell walls, *Erwinia* relation, 401
 —suppressive soil association, *Pythium*, 215
 Calendar, Julian vs. Gregorian, 41
Calendula officinalis, Alternaria leaf spot of, 846
Calonectria crotalariae, microsclerotia, freezing effect, 1123
 Calvert, L. A., 1090
 Calvert, O. H., 1143
 Calvez, C., 889
 Cameron, H. R., 317
 Campbell, C. L., 190, 557, 1063, 1064, 1106, 1129, 1190, 1254
 Campbell, R. N., 844
 Canfield, M. L., 1117, 1135
 Capinera, J. L., 1309
Capsicum spp., virus resistance, 1120
 —*C. annuum*: nematodes parasitic to, 372; potato virus Y and tobacco mosaic virus, reaction, 1126; tobamovirus resistance in, in Florida, 1121; virus resistance in, multiple, 377; yield and disease control, cultural methods, 1068
 Cardenas-Sorio, E., 375
 Cardoso, J. E., 1115
 Carey, A. C., 659
 Caristi, J., 1083
 Carling, D. E., 725, 1064
 Carlson, E., 1078, 1079
 Carlson, L., 270, 712
 Caron, M., 942
 Carr, K. P., 650
 Carrillo R., H., 376
 Carroll, T. W., 1120
 Carrot
 —*Sclerotium rolfsii* on, soil factors affecting, 976
 —southern blight, factors affecting epidemics, 1083
 Carruthers, R. I., 586
 Carson, M. L., 1120
 Caruso, F. L., 654, 658
 Carvajal, M., 1061, 1123
 Casale, W. L., 684, 980, 1144
 Casano, F. J., 1101
 Cashion, N. L., 846
 Cassava
 —RNAs of, detection and immunoblot electrophoresis, 1132
 —viruses of, properties, 1075
 Cassava common mosaic virus
 —on chaya and cassava, serology, 373
 —on *Cnidoscolus aconitifolius* strain, 632, (634, 635)
 —flagellate protozoan relation, Brazil, 638, (640, 641)
 Cassava latent virus, cause of mosaic in
- South Africa, 1109
 Cassel, D. K., 679
 Castillo F., D., 372
Catharanthus roseus, mycoplasmalike organisms on, detection by immunofluorescence microscopy, 864, (865-867)
 Cauliflower, curd smudge of, new disease in California, 844
 Cauliflower mosaic virus
 —in solanaceous plants, host response, 1090
 —unusual strain, properties, 451, (452)
 Cavalcante, M. J. B., 1073
 Cavichioli, D. M. M. M., 1140
 Centeno, F., 1089
Cephalosporium gramineum, growth affected by pH, 845
Ceratostys spp.
 —*C. coeruleascens*, on lumber, longevity, 653
 —*C. fagacearum*, on oak, compartmentalization in South Carolina, 698, (699)
 —*C. ulmi*: ceratoulmin produced by, ELISA for screening, 1086; thiabendazole effect on fine structure, 565
 —*C. wageneri*, on Douglas-fir, soil temperature effect, 627
Cercospora spp.
 —*C. arachidicola*: germination and germ tube elongation, temperature and moisture effect, 712; on peanut, management using fungicide spray advisory, 860; on peanut, partial resistance, management, 468; on peanut, resistance components, 495
 —*C. asparagi*, on asparagus, growth and sporulation conditions, 617
 —*C. zeae-maydis*, on corn, isolate variability, 129
Cercosporidium personatum, on peanut
 —*Dicyema pulvinata* mycoparasite on, factors affecting, 1168
 —factors, 1147
 Cereal, take-all, temperature effect on, 923
 Cerecer, D., 372
 Cerkauskas, R. F., 1092
 Cervantes, L. A., 1065, 1066
 Chambers, A. Y., 1120
 Chang, C. A., 1061
 Chang, C. J., 1139
 Chang, K.-F., 1058
 Chao, W. L., 60, 327
 Chappelka, A. H., 1084, 1085
 Charest, P. M., 1128
 Chase, A. R., 1071
 Chastagner, G. A., 1124
 Chellemi, D. O., 1097
 Chen, T. A., 45, 564, 650, 658, 1077, 1084
 Chen, W. D., 1105
 Chen, Z. W., 650
 Chengguo, W., 564
 Chern, L. L., 1138
 Cherry
 —black, ozone effect on seedlings, 564
 —disease survey in California orchards, 847
 Cherry rasp leaf virus, properties, 1121
 Chessin, M., 1062
 Chevone, B. I., 1084, 1085
 Chiang, M.-Y., 1111
 Chichester, E., 1071
 Childress, A. M., 1333
 Cho, B. H., 301
 Cho, J. J., 1134
 Choi, C. W., 1121, 1126
 Chokecherry, mycoplasmalike organisms on, detection with fluorescence microscopy, 784, (785)
 Christ, B. J., 564, 651
 Christie, R. G., 124
Chrysanthemum morifolium, cytopathology of foliar necrosis, detection by fluorescence microscopy, 655
Chrysomyxa weiri, on *Picea pungens*, infection percentage, 650
 Chumley, F., 383
 Churchill, A. C. L., 1124

- Cissus rhombofolia*, leaf spot and blight, cause, 1071
- Citrus*
—bacteriosis, host range in Mexico, 376
—blight of, amorphous plug formation, 1110
—blight and vascular occlusions in, Florida and Argentina, 707, (710)
—Botryodiplodia stem lesions, in Texas, 1082
—canker, simulated epidemic, Florida, 1118
—canker and leaf spot of, disease comparison in Mexico, 847
—copper toxic to seedlings of, mycorrhizae, 66
—diseases in San Luis Potosi, Mexico, 375
—Phytophthora root rot of, salinity role, 970
—*Phytophthora* spp. on, rootstock susceptibility, 1065
—root infection with *Fusarium*, image analysis, 1092
—virus and virus-like diseases in Jordan, 1127
- Citrus ringspot virus, components of, 1072
- Citrus tristeza virus*
—biological evaluation of decline by isolates, 1074
—detection with cloned cDNA sequences, 820
—DNA cloning of, viral proteins, 1090
- Civerolo, E. L., 549, 1078, 1101, 1118, 1137
- Cladosporum fulvum*, on tomato, interaction and induced resistance, 1088
- Clausen, C. A., 1113
- Clauzel, J. M., 1122
- Clavibacter* spp.
—*C. michiganense*, on tomato seeds: plating assay, 1137; seed treatment for, 842
—*C. xyli*, on sugarcane, detection in leaves, 563
- Claviceps fusiformis*, on pearl millet, stigmatic constriction, resistance basis, 536
- Clement, D. L., 86, 842
- Cleveland, G. L., 1117
- Cleveland, T. E., 1145
- Clover, red, *Glomus* and *Fusarium* interactions, in soil, P relation, 1111
- Clover yellow vein virus, white clover yield effect, 557
- Cnidoscolus aconitifolius*, cassava common mosaic virus of, strain, 632, (634, 635)
- Cobb, F. W., Jr., 845, 1058
- Cochliobolus heterostrophus*, on corn
—genetic selection and adaptation, 774
—toxic gene effect, 1294
- Cocoa (see also Cacao)
—*Phytophthora* spp. on, pathology, 159
- Coconut
—foliar decay disease of, single-stranded DNA association, 889, (889, 890)
—lethal yellows of, distribution and propagation, 376
- Coffee
—coffee berry disease, etiology losses and control, 375
—leaf spot, control, 1140
—rust of: copper fungicides in El Salvador, 1110; resistance induced, 1140
- Coffey, M. C. 194
- Cohen, E., 1142
- Cohen, R., 1143, 1281
- Cohen, S., 1165
- Cohen, S. D., 1081
- Cohen, Y., 194, 855, 1081, 1082, 1116, 1165
- Cole, H. Jr., 565, 659
- Cole, J. S., 455, 1092
- Coleman, L. W., 851
- Colletotrichum* spp.
—*C. coccodes*: potato susceptible to, 845; velvetleaf control, adjuvant effect, 1115
—*C. destructivum*, anamorph of *Glomerella glycines*, 282, (283, 284)
—*C. fragariae*, isolate variation, 1134
—*C. gloeosporioides*, on papaya, cutinase detection by plate assay, 473
- C. graminicola*, on corn: *Ht* gene effect, 108; corn borer effect, 586; glycoprotein effect, 1315, (1315)
—*C. lagenarium*, on cucumber: electron microscope study, 1092; induced systemic protection, 186, 966
—*C. trifolii*, on alfalfa, histopathology, 1124
- Collins, M. H., 1125
- Collmer, A., 1100
- Colyer, P. D., 1093
- Commelinaceae, viruses in genera of, 372
- Computer
—crown rust epidemic simulation, oat cultivar mixture, 590
—disease incidence estimation, 1299
—graphic simulation use for bean powdery mildew, 883
- Conservation tillage (see Tillage)
- Converse, R. H., 842, 843, 844
- Conway, K. E., 1072, 1114, 1126
- Conway, W. S., 562, 1128
- Cook, R. J., 342, 1061, 1205
- Cooksey, D. A., 844, 1076, 1100
- Cooley, D. R., 651
- Cooperman, C. J., 617
- Coplin, D. L., 165, 1076, 1353
- Corbett, M. K., 565
- Cordell, C. E., 824
- Corden, M. E., 212
- Coriolus versicolor*, on hemlock and sweetgum, degradation, 1128
- Corn
—aflatoxin in, irrigation and tillage effect, 679
—aflatoxin in field, inoculation technique, 290
—anthracnose and European corn borer relation, 586
—*Aspergillus flavus* on grain and in soil of, 1099
—*Cochliobolus heterostrophus* on, resistance to, 774
—common rust, increase in cultivar mixtures, 895
—ear and stalk rot, fungicides for, 1106
—foliar pathogens of, *Ht* gene for resistance, 108
—fungicides for seed preservation, 375
—*Fusarium* ear rot, resistance components, 684
—*Fusarium* spp. in stalks of, in Minnesota, 1061
—gray leaf spot, isolate variability, 129
—head smut, teliospore survival in soil, 487
—*Helminthosporium carbonum*, selective toxin and chlorophyll synthesis, 1095
—northern leaf blight: hybrid resistance to race 2, 257, 1349; yield reduction, detasseling, 1119
—*Rhizoctonia solani* on, crown and brace root rot, crop rotation, 248
—root disease and yield decline, continuous crop, 1088
—rust of, dilatory resistance, components, 1098
—stalk rot, *Fusarium* spp., rootworm association, 1309
—Stewart's and Goss' wilt of, severity effect, 1079
—sweet, rust resistance in, seedlings, 702
—trichothecene mycotoxins, protein synthesis inhibited by, 1144
—T-toxin sensitivity, mitochondrial gene for, 1060
- Cornus florida*, canker, histological study, 1071
- Correa, A., Jr., 1140
- Correa, F. J., 1141
- Correll, J. C., 396, 1068, 1111, 1145
- Corsini, D. L., 1112
- Corte G., E., 372
- Corynebacterium* spp.
—*C. flaccumfaciens*, on bean, circumnutation relation, 712
—*C. sepedonicum*: genetic variation,
- fragment length analysis, 1101; insertion sequence, detection and cloning, 1100
- Cotton
—*Aspergillus*-ovule interaction, stress metabolites, 1125
—boll infection with *Aspergillus*, pectolytic enzymes, 1145
—*Fusarium* wilt of, planting date effect, 844
—nematode and *Fusarium* infection, yield response and growth mortality, 1107
—phytoalexin accumulation, elicitation in cotyledons, 1140
—*Rhizoctonia* and *Pythium* on, gene action and resistance, 1107
—seed and root colonization, osmo-sensitivity and pseudomonads, 1077
—seedling disease: *Fusarium* spp., 1093; soil relation, 286
—*Verticillium dahliae* of, sesquiterpenoids in stems, 1011, (1012)
—Verticillium wilt of, resistance and distribution, 1005
- Cottonwood (see also *Populus deltoides*)
—mycorrhizal formation in, soil factors affecting, 1110
—seasonal wounds in, closure and compartmentalization, 1113
—spore sampler, with aircraft, 1086
- Covey, R. P., 1140
- Cowpea
—mycorrhizal fungus on, nodule activity affected by, 1110
—southern bean mosaic virus on, resistance, 795
- Cowpea chlorotic mottle virus
—beetle regurgitant effect on transmission, 808
—variability in, 1072
- Cowpea severe mosaic virus, beetle regurgitant effect on transmission, 808
- Cowpea southern bean mosaic virus, in bean leaf beetle hemolymph, 1127
- Coyne, D. P., 1136
- Coziah, L. V., 1060, 1135
- Crandall, B. A., 1146
- Crawford, M. A., 1094, 1106
- Crestani, O. A., 951
- Creswell, T. C., 1081
- Crête, R., 655
- Crinipellis perniciosa*, on cacao, penetration and infection, 373
- Crome, F. J., 1094
- Cronartium* spp.
—*C. quercuum*, on pine, resistance screening, 1085
—*C. ribicola*, origin, distribution, and taxonomy, 1059
- Crop rotation, corn crown and brace root rot, 248
- Cross protection (see also Integrated pest management)
—semi-synchronous replication in, 1091
- Croton, leaf spot of, factors, 1142
- Cruz, C., 1116
- Cruz, J., 1110
- Csinos, A. S., 1064
- Cubeta, M. A., 1109
- Cucumber
—*Colletotrichum* on, induced systemic protection, 186
—damping-off, calcium and organism effect, 221
—hypersensitive induced resistance in, 1137
—lignification response, immunization, 1067
—mycorrhizae, phosphorus, and pathogen relations, 654
—powdery mildew of, leaf age and fungicide timing effect, 841
—*Pythium* damping-off, sewage sludge and seed treatments, 563
—resistance, cycloheximide for, 1088
—systemic protection induced in, 966
- Cucumber mosaic virus
—in bean, seed transmission, serology, and host-pathogen relations, 999

- on *Clitoria ternatea*, double virus infection, 1073
 —on pepper: time course studies and ELISA, 652; yield losses, 652
 —serotyping, SDS-immunodiffusion, 1131
 —*Vinca minor* as reservoir host, 658
 —in weed hosts, detection with ELISA, 658
 —on wheat, 1127
Cucurbits
 —bacterial wilt, beetle vector, population dynamics, 956
 —viruses in New Jersey, storage condition effect on detection, 1091
Cunfer, B. M., 1127, 1139
Curl, E. A., 1104
Cyclaneusma minus, on Scots pine, control, 659
Cylindrocladium spp.
 —*C. crotalariae*, on peanuts, colonization on resistant roots, 1111
 —*C. scoparium*, in soil and seedlings in tree nurseries, 564
Daffodil, bulb fungi and mites, relations, 565
Dainello, F. J., 1087
Dalrymple, L. W., 1108
da Luz, W. C., 651, 1123
Damann, K. E., Jr., 1079
d'Ambrosio, R. P., 651
Damicone, J. P., 1096
Damsteegt, V. D., 759, 1062, 1075
Danko, S. J., 957
Danon, T., 1098
D'Arcy, C. J., 1062, 1270
da Rocha, A., 864
da Silva, L. G., 846
Datnoff, L. E., 1144
Daub, M. E., 1080, 1137
Daubert, S. D., 1090
Daughtry, M., 651
Davies, M., 1069
Davis, A. E., 670
Davis, D. D., 564, 655
Davis, J. M., 1114
Davis, J. R., 563, 730, 842, 845, 1021, 1094, 1112
Davis, L. L., 562, 1145
Davis, M. J., 1136
Davis, R. E., 1083
Davis, R. F., 651, 656, 658, 999, 1065, 1073, 1091
Davis, R. M., 1082
Dawson, W. O., 1095
Day, A. W., 622, 1111
Daykin, M. E., 1232
Deahl, K. L., 562, 1122
Dean, J. L., 581, 1099
Dean, R. A., 186, 966, 1067
de Anda-R., V., 372
Deasey, M. C., 1136
de Bauer, L. I., 374, 377
DeBoer, S. H., 1138
Debrot, E. A., 1089, 1121
Decker, A. M., 563
Défago, G., 181
de Faria, J. C., 1073, 1135
Delp, B. R., 1299
Delp, C. J., 1152
de Mejia, M. V. G., 346
de Milliano, W. A. J., 372
Demler, S., 1090
Demski, J. W., 1073, 1127
Denis, S. J., 670
Denny, R. L., 712
Denny, T. P., 1138
Derie, M. L., 1117
Derks, A. F. L. N., 1132
Dernoeden, P. H., 1057
Derrick, K. S., 1072
Desjardins, P. R., 1126
DeVay, J. E., 842, 843, 1107
de Zoeten, G. A., 1090
Diabrotica virgifera, corn stalk rot association, 1309
Diaco, R., 225
Diaporthe spp., on sunflower, temperature effect, 1082
 —*D. phaseolorum*: growth in culture, factors, 1115; on soybean, temperature effect, 1115; vegetative compatibility groups, 1095
Diaz P., R., 372, 373
Dickman, M. B., 473
Dicymya pulvinata
 —antagonist for *Cercosporidium* leaf spot on peanut, 990
 —mycoparasite on *Cercosporidium personatum* leaf spot of peanut, factors, 1168
Dillard, H. R., 651
Dillavou, C. L., 1143
Dinitramine, effect on *Fusarium* wilt, 1281
Dinoor, A., 1098, 1099, 1116, 1142
Diourte, M., 1124
Disease assessment, field sampling techniques, 1299
Disease management, eradicant fungicide, isothiazolin group, 1110
Disease progression, function of plant growth, 1171
Disease stress, yield selection, theory, 1120
Disease survey, major food crops in Somalia, East Africa, 1141
Diuraphis noxia
 —on barley and wheat, chemical control, 373
 —on cereals in Mexico, virus, vector, and toxin interaction, 373
 —on wheat, barley, and triticale, resistance, 373
DNA, foliar decay of coconut palm diagnosed by use of, 889
Dobson, R., 1066
Dodds, J. A., 459, 845, 1063, 1072, 1091
Doe, F. J., 1142
Dogwood, canker in Tennessee, distribution, 1071
Dolan, T. E., 194
Dollet, M., 889
Dolph, P. J., 1076
Domier, L. L., 1090
Donald, P. A., 956
Doster, M. A., 1107
Douglas, S. M., 784, 1084
Douglas-fir
 —*Ceratocystis wageneri* on, soil temperature effect, 627
 —damping-off, amendments for, 1125
 —*Fusarium oxysporum* of, *Laccaria laccata* induction, 1133
 —needlecast diseases, in New Hampshire, 653
 —stem canker, fungicides for, 1124
 —Swiss needle cast, variation in incidence, 1114
Douglass, L. W., 1338
Dounpnik, B. Jr., 1060
Dowler, W. M., 565
Doyle, J. H., 286
Drake, R. J., 1126
Drozdowski, J. L., 651
Dubos, B., 656
Duffus, J. E., 97, 1087, 1089
Dukes, P. D., 1134
Duncan, D. R., 788
Duniway, J. M., 841, 1124, 1248
Dunleavy, J. M., 1079
Dunn, M. F., 1101
Dunning, D. E. H., 1136
Durand, D. P., 225
Duthie, J., 652
Dutky, E. M., 563
Dyer, P., 1122
Eastburn, D. M., 1066
Eastman, C., 1084
Easton, G. D., 1135
Echandi, E., 1063, 1115
Eckert, J. W., 805
Edwards, G. J., 1092
Edwards, M. C., 360, 1122, 1131
Edwardson, J. R., 1061
Ehret, G. R., 1080
Einemann, L., 956
Eisensmith, S. P., 41
Elad, Y., 518
Electron microscopy
 —banana streak disease, bacilliform virus association, 995, (997)
 —barley stripe mosaic and poa semilatent viruses, comparisons, 322, (323)
 —barley yellow dwarf virus, isolate detection with antibodies, 225, (227-229)
 —barley yellow dwarf virus and beet western yellows virus, characterization, 1270, (1272)
 —*Botrytis cinerea* in faba bean leaf, antisera, 622, (623-625)
 —cassava common mosaic virus, flagellate protozoan association, 638, (640, 641)
 —citrus, vascular occlusions, 707, (710)
 —*Colletotrichum* spores, 1315
 —*Enterobacter cloacae* in *Pythium* hyphae, biocontrol role, 327, (330, 332)
 —*Erwinia* spp. on apple blossoms, 900, (901-903)
 —*Erwinia carotovora* in stigma of apple and pear, 476, (481)
 —*Jatropha* mosaic virus ultrastructure, 80, (81-84)
 —lettuce infectious yellows virus, 97, (99)
 —passion fruit yellow mosaic virus, 951, (952, 954)
 —prune dwarf virus on sweet cherry pollen, 317, (318)
 —*Rhizoctonia solani* in rice leaf sheaths, infection process, 811, (812, 813)
 —soybean cyst nematode in host, morphology of syncytia, 913, (916)
 —*Trichoderma kionngii* on pea roots, 60, (63)
 —Verticillium wilt of alfalfa, leafcutter bee vector, 75, (76-78)
El-Gholl, N. E., 1059
Elgin, J. H., Jr., 1124, 1143
El-Hamalawi, Z. A., 503, 508
Elias, K. S., 1129
ELISA, plate reconditioning, 483
ELISA plate reader, construction of, 1217, (1218)
Ellingboe, A. H., 154, 1069, 1135
Elliott, C., 652
Elliott, M. S., 373, 632
Elliott, V. J., 1068
Ellis, M. A., 1080, 1082, 1114, 1141
Elliston, J., 652
Ellor, K., 656
Elm, Dutch elm disease, new origin date, 653
Elmer, W. H., 1114
Elmore, C. L., 842
El-Nashaar, H. M., 1098, 1319
El-Zik, K. M., 1107
Emoasca fabae, on potato, interaction with *Alternaria* and *Verticillium*, 1046
Endo, R. M., 1107
Endocronartium harknessii
 —isozyme differences in sources of, 958
 —on lodgepole pine, teliospore release and survival, 1058
Endogone pisiformis, cytochemistry, 1128
Endothia parasitica
 —biocontrol with hypovirulent conidia, 1058
 —cankers from, ethylene production, 1113
 —hypovirulence, factors, 652
 —hypovirulent strains, oxalic acid production, 562
 —strains of, gel analysis of polypeptides from, 1128
Engelhard, A. W., 1070
English, H., 567
Enríquez, G., 376
Enterobacter cloacae, in *Pythium ultimum* hyphae, biocontrol role, 327, (330, 332)
Enzymes
 —cutinase, detection by plate assay, 473

- polygalacturonase, in tomato fruit, 42
- Epidemiology**
- cultivar mixture effect: in bean rust and corn rust, 895; model, 832
 - epidemic induced, theory and practice, 1088
 - prediction system, on wheat, 1083
 - splash dispersal process, methods for study, 1141
- Epilachna varivestis*, regurgitant of, plant virus transmission effect, 808
- Epps, W. M., 849, 850
- Epstein, L., 1128, 1142
- Erickson, P. I., 500
- Errampalli, D., 1084
- Errata**
- vol. 75, no. 9, 1985, 369
 - vol. 76, no. 3, 1986, 649
- Erwin, D. C., 503, 508, 1102
- Erwinia* spp.: pectolytic, invertebrate association, 377; polypeptide patterns, image analysis, 565; on *Primula*, wilt and crown rot from, 1117
- E. amylovora*: amylovorin produced by, gel formation, cell wall polymers, 1118; on apple, tissue culture assay for virulence, 656; on apple blossoms, electron microscopy, 900, (901-903); in apple blossoms, motility and fire blight control, 441; fatty acid changes, factors, 1101; identification and detection, monoclonal antibody application, 1077; monoclonal antibodies specific to, 564
- E. carotovora*: on apple and pear, stigma role, 476, (481); lipopolysaccharide, monoclonal antibodies, 1138; mutants of, antibiotic minus strains, 1086; mutants of, characterization, 655; pectolytic enzyme genes, expression in other bacteria, 659; on potato, early generation seed stock performance, 56; in potato, pseudomonads antagonistic to, 414, (419); on potato, tissue maceration, calcium in cell walls, 401, (402); on potato, yield and pseudomonad interaction, field, 423; on sugar beet, resistance analysis, 1077
- E. chrysanthemi*, on chrysanthemum, cutting rottings, 1136
- E. herbicola*: on apple blossoms, electron microscopy, 900, (901-903); ice nucleation gene characterized, 1100
- E. stewartii*: capsular polysaccharide synthesis, regulation, 1076; plasmid DNA from, transformation of *Escherichia coli*, 1353; plasmid pDC190 from, 165
- Erysiphe* spp.
- E. graminis*: on barley, resistance, sugar composition, and acid invertase activity, 365; on barley, resistance induction, 301; on bromegrass, conidial liberation, factors initiating, 1239; haustoria, mitochondrial activity, 1123; virulence genes, survey in Ontario, 656; on wheat, fitness, unnecessary genes, 154; on wheat, grain filling effect, 566; on wheat, mobile nurseries for assessment in North Carolina, 1059; on wheat, triadimenol seed treatment, 254
- E. pisi*, on pea, conidial liberation, factors initiating, 1239
- E. polygoni*, growth and sporulation, computer graphics simulation, 883, (887)
- Eschen, D. J., 843, 1102
- Escherichia coli*
- cloned pectate lyase gene, potato, 1100
 - transformation by *Erwinia stewartii* plasmid, 1354
- Escudero, J., 80
- Eshed, N., 1142
- Espinosa, A. M., 1095
- Essenberg, M., 1076, 1078, 1140
- Ethylene, *Bipolaris sorokiniana* producing, methionine effect, 851; *Fusarium* wilt of melon affected by, 1281
- Ettinger, T. L., 1119
- Euonymous* mottle virus, properties and cytopathology, 1075
- Euphorbia* spp., blight of, *Amphibolrys* cause, 1070
- Euphorbia* mosaic virus, nuclear inclusion bodies, light microscopy, 124
- Eustoma russellianum*, virus, new, 1126
- Evans, R. C., 792
- Evans, T. A., 1134
- Eversmeyer, M. G., 379, 1103, 1286
- Everson, D. O., 730
- Evert, D. R., 1108
- Exserohilum turcicum*
- on corn, *Ht* gene effect, 108
 - race 2, *Ht* gene resistance, 257, 1349
- Eyal, H., 1082
- Eyal, Z., 1061, 1098
- Eyespot, on wheat, papilla formation and hypersensitivity, 737, (738, 741)
- Ezzahiri, B., 1098
- Fagbenle, H. H., 1139
- Fahy, P. C., 1123
- Falk, B. W., 124
- Fardelmann, D., 66
- Fatmi, M., 842, 1137
- Feder, W. A., 1096, 1097
- Fenwick, H. S., 843, 1102
- Fernández, B., 1089
- Fernandez, J. A., 843
- Fernandez-Northcote, E. N., 1122
- Ferrara, D. M., 652
- Ferrin, D. M., 1153, 1213
- Ferris, H., 1139
- Ferriss, R. S., 273, 938, 1081, 1089
- Fery, R. L., 1134
- Fescue, endophyte of, aphid and alkaloid relation, 1057
- Fett, W. F., 1101
- Figwort mosaic virus, deletion mutant of, nucleotide sequence, 1131
- Filer, T. H., 205
- Filonow, A. B., 1101, 1139
- Fir**
- balsam, root and butt rot fungi, pathogenicity, 658
 - Fraser, *Phytophthora* root rot of, simulation of spread, 1190
- Fisher, G. A., 1064
- Flax, rust of, new resistance factor, 1043
- Fletcher, J., 1084
- Florance, E. R., 843
- Flores, V., 1112
- Florini, D. A., 652
- Flurkey, W. H., 1130
- Fomes annosus*, on pine and fir, allozyme relations, 1112
- Fontem, D. A., 1077, 1114
- Ford, R. E., 1073, 1275
- Forest shrubs, new diseases of in Hawaii, 843
- Förster, H., 1146
- Fortin, J. A., 942, 1111, 1128, 1148
- Fortlage, R. J., 335, 692
- Foster, J. A., 1109
- Foster, J. E., 86
- Fowler, M. C., 923
- Fraedrich, S. W., 698
- Fragaria vesca* (see also Strawberry) —strawberry crinkle virus in, 1161, (1162)
- France, R. C., 824
- Franci, L. J., 1108
- Frank, J. A., 254, 563, 565, 659
- Franklin, K., 1090
- Franssen, J. M., 1132
- Fravel, D. R., 563, 643
- Frederick, R. D., 165, 1076, 1353
- Frederiksen, R. A., 446, 1142
- Freeman, T. E., 1057
- Freeman, T. P., 931
- French, E. R., 1078
- Frias-T., G. A., 373
- Frommea* spp., teliospore germination of, 1026
- Fry, W. E., 407, 410, 656, 657, 1083, 1088,
- 1102, 1209
- Fucikovsky, Z. L., 374, 377
- Fuentes, A. L., 1096
- Fujimoto, T. T., 883
- Fulbright, D. W., 1123, 1126, 1132, 1137
- Fulton, J. H., 590
- Fulton, J. P., 1122
- Fulton, R. H., 1110
- Fulton, R. W., 1137
- Fungicides (general)** (see also Fungicides, specific)
- acidic rain effect on, on potato leaves, 800
 - concentration effect on apple powdery mildew model, 1176
 - contact and systemic, mixtures for potato late blight control, 855
 - copper, toxicity to citrus seedlings and mycorrhizae, 66
 - ergosterol biosynthesis-inhibiting, for apple scab, 119
 - resistance, industry committee activities, 1127
- Fungicides (specific)** (see also Fungicides, general)
- Bitertanol, for cotton rust, 372
 - chlorothalonil, irrigation water application, peanuts, 1116
 - cymoxanil, for cucumber downy mildew and potato late blight, 1116
 - ethyltrianol, broad-spectrum, 1117
 - metalaxyl, bioassay in potato leaves, 656
 - metamecian and iprodione, for *Alternaria* diseases of carrot and onion, 375
 - Nustar: for apple scab, mildew, rust, 660; diseases controlled in Brazil, 846; field performance, 660
 - pyrifenox, sterol inhibitor, prevention and cure, 1117
 - sec-butylamine, *Penicillium digitatum* isolates resistant to, 805
 - triadimefon, pine ectomycorrhizae affected by, 824
 - triadimenol, wheat seed treatment, for powdery mildew, 254
- Fusarium* spp.: beetle dissemination on corn, 1309; cellulolytic strains, isolation and screening, 958; on corn ears, resistance components, 684; on cotton seedlings, soil factor, 286; on *Medicago* spp., in South Africa, toxicogenicity, 1040; monosaccharide fermentation, 956; naphthoquinones from, antimicrobial activity, 1135; population density, chemical and solar treatment effect, 846; on shelled corn, in Pennsylvania and Maryland, 654; in soil and seedlings in tree nurseries, 564; on wheat, seed-borne, Canada, 652
- F. culmorum*, chlamydospore persistence in wheat field soils, 1205
- F. graminearum*, group 1 and 2, zearealenone and perithecial production, 1063
- F. moniliforme*: from equine feed, toxicogenicity, 1147; water potential effect, 1248
- F. oxysporum*: on asparagus, vegetative compatible group, 1114; on celery, culture identification characters, 396; on celery, race 2, selective medium for propagule enumeration, 1202; chlamydospore germination and infection, *Alcaligenes* effect, 171; *Fusarium solani* growth response compared to, special medium, 1145; isolate identification, 956; on melon, herbicide-induced resistance, 1281; on melon, new race in Maryland, 563; on pea, race-specific variation, analysis, 1080; on tomato, genetic diversity and vegetative compatibility, 1129; on tomato, phosphorus concentration and *Glomus intraradices*, 942
- F. solani*: in citrus rootstock, polypeptide and enzymatic characteristics, 1144; on pea, inoculum density and placement, 1325; variance of, kievitone detoxification

- in, 1112
F. subglutinans, homo- and heterothallic isolates, 1142
F. tricinctum, enniatin production, 1143
- Gabriel, C. J., 1132
 Gabriel, D. W., 1076, 1099, 1118
 Gabrielson, R. L., 1105, 1306
 Gadoury, D. M., 112, 127, 652, 985, 1145
Gaeumannomyces spp.
 —*G. cylindrosporus*, on turf, in Rhode Island, 654
 —*G. graminis*: antibiosis to, bacterial DNA segment, 1135; on cereals, temperature effect, 923; on wheat, bacteria antibiotic to, mutants, 1069; on wheat, ELISA for detection, 1319; on wheat, lesion number and suppressive soil, 342; on wheat, nutrient effect on inoculum, 815, (816)
 Galindo, J. J., 375, 376, 1116, 1118
 Galindo-Alonso, J., 374, 375
 Gallenberg, D. J., 1121, 1126
 Galuska, D. A., 1138
 Gálvez, G., 375
 Gálvez, G. C., 1110
 Gamliel, A., 1094
 Ganske, D. D., 670
 Garas, N. A., 1005, 1011
 García-Aguirre, G., 373
 Gardiner, R. B., 622, 1111
 Gardner, D. E., 843
 Gardner, W. S., 1121, 1126
 Garibaldi, A., 1065, 1127
 Garlic
 —Fusarium basal rot of, 1094
 —viruses of, differentiation, 655
 Garnett, H. M., 1109
 Garnsey, S. M., 1074, 1118, 1143
 Garrabrandt, L. E., 563
 Garraway, M. O., 1145, 1148
 Gascho, G. J., 1088
 Gates, M. M., 1069
 Geballe, G. T., 659
 Gegenbach, B. G., 1060
 Gendloff, E. H., 684, 1094
 George, R. A., 1099, 1319
 Geostatistics, spatial studies application, 1097
Geotrichum candidum, water relations
 —enzyme production, 562
 —semipermeable membrane growth, 1145
 Geranium
 —*Botrytis cinerea* on, in greenhouse stock plants, 1071
 —Pythium root rot of, fertility relation, 656
 —virus from, characterization, 1121
 Gergerich, R. C., 808, 1075, 1122
 Gerik, J. S., 1089
 German, T. L., 1073, 1090, 1122
 Gershay, J. S., 1147
 Geske, S. M., 1062
 Gessler, C., 1102
 Ghabrial, S. A., 1081, 1090
 Ghaffar, A., 1134, 1145
 Gholson, R. K., 1140
Gibberella fujikuroi, chlorate-resistant mutants of, 1142
 Giblin, D. E., 917
 Gibson, P. B., 390
Gigaspora margarita, auxillary cells of, characterization, 1111
 Gilbert, R. G., 1108
 Gilbertson, R. L., 841, 1078, 1079, 1124, 1309
 Gilchrist, D. G., 1125
 Gilchrist S., L., 373
 Gildow, F. E., 563
 Gill, B. S., 1075
 Gillaspie, A. G., Jr., 563, 566, 1079
 Gilly, S. P., 1059
 Ginseng, Phytophthora root rot, spatial pattern in Wisconsin, 1083
 Gintis, B. O., 1072
 Giorda, L. M., 1072
 Gitaitis, R. D., 1070, 1139
- Gleason, M. L., 1081
Gliocladium triacanthos, Thysanectria canker of, temperature and wound age effect, 313
Gliocladium spp., protoplasts of, formation and regeneration, 1141
 —*G. virens*, gliotoxin methylation by, 1103
Globodera rostochiensis, on potato, cultivar effect on egg viability, 654
Gloeocercospora sorghi, on sorghum, pathogenic to root tissue, 1082
Glomus spp.
 —*G. deserticola*, mycoparasite effect on, 351
 —*G. macrocarpum*, tobacco stunt disease caused by, 688
 Gobbi, E., 1128
 Goheen, A. C., 373
 Gold, H. J., 1190
 Goldstein, D. E., 842
 González, L. C., 376
 Goodell, B. S., 652
 Goodell, J. J., 652
 Goodman, R. M., 1091
 Goodman, R. N., 1070, 1117, 1118
 Goodwin, P., 843
 Goodwin, S. B., 843, 1102
 Gorbet, D. W., 1081
 Gordon, T. R., 1098, 1111
 Goth, R. W., 563, 566
 Gottwald, T. R., 1118, 1239
 Gough, F. J., 1103
 Goultry, L. G., 650
 Graham, E., 1071
 Graham, J. H., 66, 707, 1093, 1110
 Grantham, G. L., 1095
 Grape
 —*Agrobacterium tumefaciens*, biovar 3 spread, tumors, 1118
 —*Aspergillus* in raisins from, solar heating for suppression, 335
 —*Botryosphaeria* canker, 1112
 —*Botrytis* of, wind and moisture effect on sporulation, 1114
 —*Botrytis* bunch rot of, control through management, 1064
 —crown gall: indexing cuttings in, method, 1070; varietal differences, basis, 1117
 —*Ganoderma lucidum* on, infection and colonization, 841
 —gray mold of, biological and integrated control, 1065
 —Pierce's disease of: fastidious bacterial strains, monoclonal antibodies, 658; morphological changes in host tissue, 1232, (1233-1237); water status, 843
 —virus detection by electron microscopy, 565
 Grapevine fanleaf virus, isolation and purification, 373
 Grau, C. R., 554, 1146
 Graves, C. H., 1065, 1066
 Graves, M. W., 205
 Gray, F. A., 843, 1139, 1141
 Gray, S. M., 243, 1062, 1254
 Greathead, A. S., 1094
 Green, F., III, 1113
 Green, R. J., Jr., 37
 Greenhouse, operation, fungi controlled, low pressure use, 1141
 Gregory, G., 652
 Gregory, L. V., 546
Gremmeniella abietina, temperature and snow cover effect, 1059
 Griffin, D. H., 1289
 Griffin, G. D., 843
 Griffin, G. J., 566, 1111
 Griffiths, H. M., 1130
 Grinberger, M., 1116
 Grisham, M. P., 1109
 Grogan, R. G., 846, 1097, 1102
 Gross, D. C., 414, 423, 1078
 Gross, K. C., 573, 1112, 1128
 Groth, D. E., 959, 1060
 Grothaus, G. D., 1057
 Grove, G. G., 844
 Growth retardants, on turfgrass, effect of pathogens, 657
 Grybauskas, A. P., 563
 Gualco, A., 1127
 Gubler, W. D., 847, 1064
 Gudauskas, R. T., 1060
 Guevara L., J., 374
 Guillaume, F. M., 270
 Gullino, M. L., 1065, 1127
 Gulya, T. J., 1141
 Gumpf, D. J., 847
 Gunasinghe, U. B., 1073
 Gunnell, P. S., 1147
 Gupta, A. K., 881
 Gurian-Sherman, D., 1100
 Guttersen, N., 1077
 Gwinn, K. D., 1080
Gypsophila paniculata, *Pseudomonas andropogonis* on, leaf spot from, 1070
- Hackett, W. P., 1119
 Hadden, C. H., 1082
 Hadidi, A., 1131
 Hadley, B. A., 670
 Hafez, S. L., 842
 Hagan, A. K., 1060
 Hagedorn, D. J., 1067, 1078, 1079, 1080, 1134
 Halbert, C. R., 563
 Halik, S., 653
 Hall, D. H., 1094
 Hall, R., 652
 Hall, V. N., 844
 Halliwell, R. S., 1089
 Halloin, J. M., 38
 Hamilton, R. I., 1073
 Hamm, P. B., 1080
 Hammar, S. A., 1123
 Hammell, R. L., 655
 Hammerschmidt, R., 1088, 1137
 Hammond, J., 1091, 1132
 Hampton, R. O., 999
 Hancock, J. G., 1103, 1221
 Handley, M. K., 1131
 Hannan, R. M., 355
 Hanneman, R., 1137
 Hansen, E. M., 627, 1080
 Harman, G. E., 60, 327, 659, 1104, 1109
 Harrington, T. C., 653, 658
 Harris, K. F., 1090
 Harrison, B. D., 1075
 Harrison, N. A., 1136
 Hart, J. H., 1058
 Hart, L. P., 684, 980, 1144
 Hartman, G. L., 282, 1106
 Hartman, J. R., 1106
 Hartung, J. S., 1137
 Harvey, T. L., 1076
 Hattingh, M. J., 900
 Haufler, K. Z., 1132
 Haugen, L. M., 1133
 Hausbeck, M. K., 1071
 Havens, W. M., 1090
 Havey, M. J., 1092
 Hawksworth, F., 1113
 Haygood, R. A., 1066
 Hazen, B. E., 1141
 Heagle, A. S., 51, 1097
 Heather, W. A., 266
 Heaton, L. A., 322
 Hebard, F. V., 1113
 Heck, W. W., 51
 Hedin, P. A., 205, 1065
 Hedley, L. E., 1077, 1093
 Heggestad, H. E., 1338
 Heick, J. A., 459
 Heimann, M. F., 958
 Heiny, D. K., 1125
 Heitefuss, R., 365
 Helgeson, J. P., 1137
Helianthus tuberosus, diseases in Quebec, 654
 Hellmann, G. M., 1090
Helminthosporium spp.
 —*H. carbonum*: on corn, *Ht* gene effect, 108; host-selective toxin from, DNA

- modification, 957
 —*H. maydis*, on corn, toxin insensitivity, mutation, 1060
 —*H. oryzae*, on rice, host-specific toxin produced by, 261, (262)
 —*H. sacchari*, selective toxin from, aglycone, 1095
 —*H. victoriae*, virus of, double-stranded RNA transcription, 1090
Hemileia vastatrix, infection structure polysaccharide composition, lectin use, 1140
 Henderson, C. T., 1143
 Hendrix, F. F., 1065, 1133
 Hendrix, J. W., 688
 Henequen
 —disease incidence in Yucatan, 373
 —pole wilt of, fungicides for, 372
 Henry, C. E., 1128
 Henson, R. D., 1092
 Hepp, R. F., 844
 Hepperly, P. R., 373, 1119
 Herbert, S. J., 1096
 Herbicides
 —Fusarium wilt resistance affected by, in melon, 1281
 —*Sclerotinia sclerotiorum* germination and apothecium development affected by, 980, (981-983)
 Hering, T. F., 1061
 Hernández, M. E., 375
 Hernández T., T., 377
 Herr, L. J., 1103
 Hertsgaard, D. M., 1120
Herpestis matronalis, cucumber, ribgrass, and turnip mosaic viruses on, 1073
 Hessburg, P. F., 627
Heterodera glycines, on soybean, syncytial morphology, 913, (914-916)
Hevea brasiliensis, brown panel canker, in Indonesia, 1124
 Hewings, A. D., 759, 1062, 1075, 1102, 1270
 Hibino, H., 1075, 1132
 Hickey, K. D., 1171, 1176
 Hiebert, E., 124, 346, 1061, 1090
 Higgins, V. J., 1088, 1125
 Highley, T. L., 1113, 1128
 Hill, J. H., 225
 Hill, R. R., Jr., 657
 Himelick, E. B., 788
 Hindahl, D. F., 562
 Hiratsuka, Y., 1059
 Hiremath, S., 1091
 Hiruki, C., 864, 1061, 1121
 Ho, W. C., 1138
 Hoang, I. S., 1146
 Hobbs, H. A., 795, 1126
 Hobbs, T. W., 1119
 Hoch, H. C., 60, 1128, 1137, 1142
 Hodges, C. F., 851
 Hoes, J. A., 1043
 Hoitink, H. A. J., 1105, 1123
 Holcomb, G. E., 1070, 1082
 Holley, R. C., 71, 1120
 Holmes, F. W., 39, 653
 Holmwood, G., 1117
 Holub, E. B., 1146
 Horseradish latent virus, new caulimovirus, 749, (751)
 Horst, R. K., 655, 1062
 Hosford, R. M., Jr., 931
 Houston, D. R., 653
 Howie, W., 1069, 1077
 Hoy, J. W., 1089
 Hruschka, W. R., 565
 Hsu, H. T., 1132
 Hu, J. S., 653, 1062
 Huang, H. C., 75
 Huang, J.-S., 1137, 1139
 Huang, P.-Y., 1232
 Huang, Y., 1137
 Hubbes, M., 1112
 Huber, D. M., 1093, 1098, 1104
 Hudler, G. W., 653
 Huftalen, C. S., 653
 Huisman, O. C., 1064
 Humaydan, H. S., 1109
 Hunger, R. M., 956, 1127
 Hunst, P. L., 674
 Hunter, B. B., 564
 Hunter, B. G., 322
 Huot, C. M., 1138
 Hurtt, S. S., 564, 1121, 1122
 Husain, A., 1109
 Hussein, A. M., 335
 Hussey, R. S., 1108
 Hutchison, D., 1143
 Hvang, F., 1142
 Hwang, B. K., 365
 Hyassat, A. A., 1126
 Hyer, A. H., 844
 Hyman, B. C., 1139
 Hypersensitivity, bacterial induction, lipid relations, 104
Hypoxyylon mammatum, on aspen
 —resistance, estimate, 1289
 —trechopper wound effect, 957
- Ichida, J., 652
 Iglesias-Olivas, J., 1068
 Impson, L. K., 1139
 Inaba, T., 1081
 Inglis, D. A., 1205
 Inskeep, P. M., 1101
 Integrated pest management
 —program for dairy farm, 1088
 —tomato curly top virus, resistance, 540
 Ireland, K., 653
 Ireland, K. F., 956
Isariopsis griseola, on bean, pathogenic variation, 1141
 Ishimaru, C., 1136
 Isleib, T. G., 684, 1120
 Israel, H. W., 655
 Iuli, R. J., 656
 Jabaji-Hare, S. H., 1111, 1128
 Jackson, A. O., 322
 Jackson, L. F., 1146
 Jackson, N., 654, 657
 Jacobi, J., 1058
 Jacobi, W. R., 1113
 Jacobs, D. L., 278, 695
 Jacobsen, B. J., 956
 Jacobson, J. S., 659, 800, 1097
 Jacome, L. H., 1108
 Jacquemond, M., 1122
 James, C., 654
 Jamieson, A. A., 1078
 Janisiewicz, W. J., 1133
 Jardine, D. J., 957
 Jarl fors, U., 1092
 Jarstfer, A., 1111
 Jatropha mosaic virus, ultrastructural studies, whitefly transmission, 80, (81-84)
 Juárez, J., 1092, 1116
 Javed, Z. U., 1110
 Jeffers, D. P., 844
 Jeffers, S. N., 1105
 Jeger, M. J., 446, 1107, 1124, 1142
 Jenkins, C. L., 1076
 Jenkins, S. F., 617, 755, 1083
 Jensen, S. G., 528, 1131
 Jeschke, N., 654
 Jewell, E. L., 564
 Jiang, Y. P., 1084
 Jilka, J. M., 1073
 Jiménez, F., 373
 Jiménez, J. M., 1118
 Jiménez A., L. G., 1089
 Jiménez G., E., 374
 Jiménez-León, M., 374
 Jodon, M. H., 654, 658
 Johnson, A. W., 1088
 Johnson, C. S., 468, 495, 860
 Johnson, D. A., 208
 Johnson, D. R., 1147
 Johnson, G. A., 1067
 Johnson, K. B., 1046, 1067
 Johnson, L. F., 286
- Johnson, M. C., 1057
 Johnson, W. S., 841
 Johnsongrass, leaf spot, *Bipolaris* cause, 1111
 Johnston, S. A., 563
 Jones, A. L., 1066, 1080
 Jones, B. L., 1088, 1102
 Jones, J. B., 240, 430, 1070, 1087
 Jones, J. P., 430
 Jones, K. J., 1124
 Jones, R. W., 1103
 Jones, S. V., 843, 1102
 Jones, W. B., 1122
 Jordan, C. M., 1107
 Jordan, R. L., 1083, 1091, 1121, 1132
 Joye, C. F., 1101
 Juárez, J., 1116
 Juhnke, M. E., 1070
 Julia, J. F., 889
 Juniper, *Cercospora* resistance, 1113
- Kado, C. I., 846
 Kaiser, W. J., 355
 Kaniewski, W. K., 844, 847
 Kantzes, J. E., 563
 Kantzes, J. G., 563
 Kao, C. W., 215, 221
 Kao, J., 844, 1136
 Kao, L. B., 1120
 Kaplan, J. D., 654, 1082
 Kararah, M. A., 562
 Karasevicz, D., 564, 654
 Karr, D. A., 1075
 Kartaatmadja, S., 1062
 Kashman, Y., 1081
 Kaspers, H., 1117
 Katan, J., 1094, 1281
 Kawamoto, S. O., 655
 Kawata, E. E., 1131
 Kaye, L. M., 650
 Keane, K. D., 654
 Kebler, K. M., 1064
 Keeling, B. L., 1115
 Keen, N. T., 1099, 1100
 Keinath, A. P., 576
 Kellam, M. K., 159
 Keller, N. P., 586
 Kelley, R. D., 317
 Kelley, W. D., 1085
 Kelman, A., 401, 1077, 1101, 1138
 Kempfer, B. A., 1078
 Kenaschuk, E. O., 1043
 Kendall, T. L., 957
 Kenerley, C. M., 1141
 Kennedy, B. W., 270, 712, 1074, 1118
 Kennedy, G. G., 1254, 1276
 Kennell, J. C., 1060
 Kenworthy, W. J., 566
 Keppler, L. D., 104
 Kern, H., 181
 Kessler, K., 1058
 Ketring, D. L., 500
 Ketterer, N., 1104
 Khan, V. A., 1068
 Khudair, M. M., 1126
 Kim, K. S., 80, 124, 913, 1075
 Kim, S.-D., 957
 Kim, S. H., 1079
 Kim, Y. H., 913
 Kimbell, K., 844
 King, S. B., 290
 Kingsland, G. C., 1097, 1099
 Kinkel, L., 1115
 Kinscherf, T. G., 1146
 Kitajima, E. W., 638, 951
 Klittich, C. J. R., 1142, 1294
 Klomparens, K., 1074
 Klopmeyer, M. J., 1077, 1138
 Knoche, H. W., 957
 Knoche, K. K., 1137
 Knorr, D. A., 1095
 Knott, D. R., 1149
 Knous, T. R., 841, 844
 Knox-Davies, P. S., 1040
 Ko, N.-J., 124

- Ko, W. H., 215, 221, 1138, 1142, 1159
 Kobayashi, D. Y., 1099
 Koike, H., 1109
 Kokko, E. G., 75
 Kolmer, J. A., 774
 Kolp, B. J., 1141
 Kommedahl, T., 487, 1061
 Konai, M., 1083
 Koogle, D. L., 565
 Koons, K. C., 1121
 Kopeliovitch, E., 42
 Korf, R. P., 656
 Kostka, S. J., 1079
 Koukkari, W. L., 270, 712
 Kraft, J. M., 1087, 1325, 1330
 Krenzer, E. G., 1103
 Kropp, B. R., 1148
 Krupinsky, J. M., 1061
 Kuan, T.-L., 1109
 Kuć, J., 186, 455, 938, 966, 1067, 1092, 1106, 1116
 Kucharek, T. A., 1081
 Kuhn, C. W., 795, 1072, 1126, 1132
 Kunwar, I. K., 532, 543
 Kurdyla, T. M., 1114
 Kurtz, E., 1094
 Kuti, J. O., 564, 1112
 Kvien, C. S., 1064
 Kwok, O. C. H., 1123
- Laberge, C., 654
Laccaria bicolor, symbiotic ability of, incompatibility system, 1148
 Lacetti, L., 1137, 1142
 Lacy, M. L., 956
 Laemmlen, F. F., 844
 Laguette-R., H. D., 374
 Laird, D. W., 1065
 Lalancette, N., 1082, 1171, 1176
 Lamka, G. L., 957
 LaMondia, J. A., 654
 Landschoot, P. J., 654
 Lane, L. C., 1121, 1130
 Langenberg, W. G., 339
 Langham, M. A. C., 1132
 Larez, C. R., 931
 Larkins, B. A., 1131
 Larsen, H. J., 1128, 1139
 Larsen, R. C., 97, 1075
 Lartey, R., 1104
 Lastra, R., 124, 1121, 1182
 Latin, R. X., 1067, 1068
 Latorre, B. A., 1106, 1112
 Latterell, F. M., 231, 564, 674, 1093
 Laurence, J. A., 514, 658, 1067
 Lawson, E. W., 900
 Lawson, R. H., 1132
 Lawson, T. T., 1058
 Lawton, M. B., 650
 Lazarowitz, S., 1063
 Lazo, G. R., 1076
 Leach, C. M., 1239
 Leach, J. E., 1125, 1140
 Leahy, R. M., 1071
 Leath, K. T., 522, 653, 657
 Leath, S., 108, 257, 1059, 1349
 Leben, C., 1086
 Lecoq, H., 1063, 1122, 1131
 Lee, E. H., 1338
 Lee, L. S., 1144
 Lee, R. F., 820, 1072, 1090, 1101
 Lee, T. S., 1098
 Leggett, M. E., 465
 Lei, J. D., 650, 1031, 1034
 Leiner, R. H., 725, 1064
 Leite, R. P., Jr., 1069
 Lennon, A. M., 1075
Lens culinaris, *Ascochyta lentis* on, seedborne, 355, (356)
Lentinus edodes, viral disease of, in USA, 1122
 Leon, P., 1095, 1096
 Leonard, K. J., 590, 774, 832, 895, 1111
 Leong, S. A., 1080, 1146
Leptosphaerulina briosiana, on alfalfa, spatial pattern analysis, 190
 Leslie, J. F., 646, 1142, 1145
 Lesser, V. M., 51
 Lester, G. E., 1136
 Letter to the Editor
 —genetic nomenclature of pathogenic fungi, 383
 —Julian Day discussion, 41
 —parasite:host specificity and resistance, 379
 —parasite:host specificity and resistance, response, 382
 —volumetric spore trap comparison, 127
 Lettuce
 —corky root rot of: host-specific toxin, 844; toxin, resistance to, 1136
 —tipburn, tolerance determination, 1097
 —whitefly-borne viruses of, in Arizona, 236
 Lettuce infectious yellows virus, whitefly transmitted, new type, 97, (99)
Leucostoma spp., on peach, comparative anatomy and host response, 905, (908, 909, 911)
 —*L. cincta*: on peach, 1123; on peach, virus-like particle association, 1126
 Leung, H., 778
Leveillula taurica, on tomato, planting date and triadimenol effect, 1068
 Levine, R., 655
 Levy, E., 1061
 Lewis, R. L., Jr., 652, 1114, 1115
 Li, X., 1102
 Liao, C. H., 655, 1070
 Liddle, J. M., 815
 Lifshitz, R., 720
 Lillehoj, E. B., 1144
 Lima bean golden mosaic virus, nuclear inclusion bodies, light microscopy, 124
 Lima, J. A. A., 1073
 Lin, C. P., 45, 564, 1077
 Lin, D., 1112
 Lin, M. T., 951
 Linderman, R. G., 1118, 1125
 Lindow, S. E., 1068, 1069, 1100, 1118, 1136
 Lindsey, D. L., 1068
 Line, R. F., 93, 435, 842
 Lisker, N., 1281
 Lister, R. M., 86, 225, 1131, 1132
 Littrell, R. H., 1064, 1116
 Liu, H.-Y., 97, 1087
 Liu, X., 655
 Liu, Z., 1123
 Livingston, R. S., 1077, 1101, 1138
 Locke, J. C., 1129
 Lockhart, B. E. L., 995
 Lockwood, J. L., 20, 1120
 Locy, R. D., 1122, 1130
 Lodge, D. J., 1110
 Logan, C., 1078
 Lolas, M. A., 1106
 Lommel, S. A., 957, 1075, 1090
 Long, D. L., 1147
 Long, R., 564, 655
 Long-Davidson, B., 528
 Loopstra, E. M., 1081
 LoParco, D. P., 655
 Loper, J. E., 386, 1069
 Lopes, C. A., 1068
 López C., J. A., 374
 López P., J., 372
 Lorbeer, J. W., 599, 604, 612, 655, 658, 1202
 Loria, R., 1078
 Loschke, D. C., 240
 Lot, H., 1131
 Louie, R., 769, 1075
 Lowe, S. K., 847
 Luczka, C. J., 1097
 Lukezic, F. L., 655, 1134
 Luley, C. J., 1059
 Lumsden, R. D., 563
 Lutz, A., 1093
 Lyda, S. D., 38, 1089
- MacDonald, J. D., 970, 1071
 MacFall, J. S., 1110
 MacGown, M. W., 205
- Machado, C. C., 532
 MacHardy, W. E., 112, 127, 652, 654, 658, 985, 1082, 1107
 Mack, T., 376
 MacKenzie, D. J., 491
 Mackey, B. E., 1077
 Macksel, M., 651
 MacNab, A. A., 655
 MacNeill, B. H., 656
 MacNish, G. C., 815
Macrophomina phaseolina
 —beans resistant to, 1087
 —chlorate resistance in, 646
 —on corn, root growth effect, factors, 1129
 —ELISA for detection, fluorescent antibody technique, 1093
 —isolates virulence, screening procedure, 1064
 —isolates resistant to chlorate, nitrogen catabolism, 1145
 —microsclerotia: location and environment effect, 1088; statistical models for prediction, 1088
 —*Rhizobium* effect, 1134
 —sclerotia, inactivation of, time-temperature relation, 1145
 —seed transmission and seed treatments, 1064
 —on soybean, seed histopathology and seedling infection, 532, (533, 534)
 —spatial pattern dynamics, 1129
 —spatial pattern of: sclerotia, 1142; tillage effect, 1064
 —water stress effect, 1124
 Maczuga, S. A., 564
 Madalageri, B. B., 563
 Madden, L. V., 1080, 1082, 1108, 1114, 1141
 Maffei, H. M., 1113
Magnaporthe grisea, on rice, differentiation, variation, and genetics, 778
 Mahannah, C. N., 844
 Maher, E. A., 1101
 Maher, I., 1094
 Main, C. E., 1114, 1119
 Maize (see Corn)
 Maize chlorotic dwarf virus, resistance inheritance, mode, 1095
 Maize chlorotic mottle virus, tissue distribution, 1121
 Maize dwarf mosaic virus
 —corn resistant to, genotype and inoculation effect, 769
 —detection with immunofluorescent staining of enzyme treated leaves, 1031, (1032)
 —resistance gene number and disease incidence, 1096
 —resistance mechanisms in corn, 1034
 —in sorghum: insecticide treatment, 1076; strains A and B, 1126
 —strain A: on sorghum, planting date relation, 1097; on sudangrass, growth response, 1107
 —strain identification by dot immunobinding, 1132
 —sugarcane mosaic virus strains related to, serology, 1131
 Maize rayado fino virus, RNA of, translation, 1095
 Maize white line mosaic virus, root inoculum effect, 1075
 Majerczak, D. R., 1076
 Maldonado S., G., 372
 Malvaceous chlorosis virus, nuclear inclusion bodies, light microscopy, 124
 Manandhar, J. B., 282, 543
 Mango, postharvest decay control, chemicals and radiation, 1066
Manihot esculenta (see Cassava)
 Manion, P. D., 1289
 Manning, W. J., 651, 654, 1096
 Mantle, P. G., 536
 Manulis, S., 1081
 Manuscript preparation, author's guide, 4
 Maple
 —crown density and girdling root syndrome

- correlation, 651
 —red, ion profile of wounds, 132, (133)
 —tar spot, occurrence in New York, 653
 Marani, A., 1099
 Marani, D., 1098
 Marco, S., 1344
 Marinho, V. L. A., 951
 Marois, J. J., 643, 841, 847, 1064, 1071, 1114, 1299
 Marosy, M., 1059
 Marroquín A., L. M., 374
 Martin, C., 1116
 Martin, E. M., 80
 Martin, F. N., 1089, 1221
 Martin, M. W., 540
 Martin, S. B., 1141
 Martínez-Flores, R., 373
 Martínez-Soriano, J. P., 374, 375
 Martyn, R. D., 1107
 Marx, D. H., 824
 Mason, T. L., 1086
 Masuck, T. M., 659
 Matejka, J. C., 1065, 1066
 Matheron, M. E., 845, 1065, 1066
 Mathews, D. M., 845
 Mathre, D. E., 1070
 Matric potential, in soil, gas quality relation, cell to control, 1018
 Matsubara, D., 1069
 Matsumoto, T. T., 1146
 Matsuura, K., 811
 Matthysse, A. G., 1136
 Matyac, C. A., 487, 067, 1083, 1127
 Mau, R., 1134
 Maxwell, D. P., 1078, 1079, 1146
 May, B., 654, 658
 Mayhew, D. E., 1126
 Mazzola, M., 650, 655
 McAfee, B. J., 1148
 McBeath, J. H., 1099, 1142, 1146
 McCain, A. H., 1111
 McCarter, S. M., 1070, 1117
 McClain, E., 1098
 McCool, P. M., 1096
 McCormick, S. P., 1125, 1144, 1145
 McCracken, F. I., 1086
 McDonald, H. J., 1245
 McGawley, E. C., 1147
 McGee, D. C., 957
 McGovern, R. J., 655
 McGruer, G. A., 1096
 McGuire, R. G., 401
 McInnes, T. B., 1070
 McKeen, C. D., 136
 McKeen, W. E., 622, 1111
 McLaughlin, M. R., 1132
 McLaughlin, R. J., 1118
 McLaughlin, S., 1124
 McMurray, D. N., 1063
 McNabb, H. S., Jr., 1059
 McNally, K., 1076
 McNaughton, M. E., 1138
 McQueen, D. A. R., 957
 Meadows, M. E., 1076
 Media, general purpose, V-9 agar, 1143
Medicago spp., *Fusarium* spp. of, seedborne, toxicogenicity in South Africa, 1040
Megachile rotundata, *Verticillium* wilt vector in alfalfa, 75, (76)
 Mehdizadegan, F., 1103
Melampsora spp., teliospore germination of, 1026
 —*M. lini*, on flax, new resistance factor, 1043
 —*M. medusae*: on *Populus*, races, 1085; virulence and aggressiveness traits, relation, 266
 Melching, J. S., 565
 Melero, J. M., 842
 Mellon, J. E., 1125
Meloidogyne incognita
 —control of, ammonification, 377
 —larvae of, bacteria antagonistic to, 378
 —on peach, nematicides for, 1108
 Melon (see also Muskmelon)
- Fusarium wilt resistance induced, 1281
 —whitefly-borne viruses of, in Arizona, 236
 Melouk, H. A., 500, 1115
 Mendgen, K., 1123
 Menge, J. A., 351, 1093
 Menzies, J. G., 656
 Meredith, C. P., 843
 Merrill, W., 564, 654, 659
 Methionine, ethylene and aminocyclopropane-carboxylic acid production affected by, in *Bipolaris sorokiniana*, 851
 Mew, T. W., 261, 1103, 1117, 1260
 Micales, J. A., 1113
 Michailides, T., 1066
 Michailides, T. J., 845, 1106
 Mignucci, J. S., 375
 Mihail, J. D., 1138, 1142
 Mihuta-Grimm, L., 306
 Miles, M. R., 1060
 Milgroom, M. G., 656, 1088
 Milholland, R. D., 1081, 1232
 Milich, C. A., 844
 Millar, R. L., 576
 Miller, F. R., 1107
 Miller, J. B., 1113
 Miller, J. R., 956
 Miller, M., 1122
 Miller, M. E., 375, 1067
 Miller, S. A., 1057
 Miller, S. G., 653
 Miller, W. W., 844
 Milus, E. A., 93, 435
 Minsavage, G. V., 1078
 Mirocha, C. J., 1061, 1063
 Mitchell, D. J., 1153, 1213
 Mitchell, J. E., 1116
 Mitchell, J. K., 990, 1168
 Mitchell, W. C., 1134
 Mittal, R. K., 1113
 Mitten, D. H., 844, 1136
 Mizuki, M. K., 651, 1073, 1091
 Mock, R. G., 566
 Models
 —apple powdery mildew, plant growth, inoculum, and fungicide concentration, 1176
 —disease progression as function of plant growth, 1171
 —distance-class, two-dimensional, virus-infected plant distribution lattices, 243
 —EPIMUL, mechanisms in multilines, 1146
 —EPIMUL modification, disease in cultivar mixtures, 832
 —life cycle parameters, iterative procedure, 1139
 —long-range transport, trajectory, 1114
 —microcomputer-based, for foliar diseases of soybean, 1106
 —oat crown rust, cultivar mixtures, EPIMUL, 590
 —*Phytophthora cinnamomi* in Fraser fir nursery beds, 1190
 —yield loss assessment, disease and wheat growth model coupling, 1146
 Modjo, H. S., 688
 Mogen, B. D., 1100, 1101
 Mohamed, M. A., 1141
 Mohan, S. K., 845, 1112
 Moline, H. E., 562, 565, 573, 1112, 1135
 Momol, M. T., 1124
Monilia spp.
 —*M. laxa*, sterol-inhibiting fungicides for, 1106
 —*M. roreri*, on cacao, cultivar reaction, 375
Monilinia spp., in apricot and prune orchards, benomyl resistance, 845
 —*M. fructicola*: *Bacillus* antagonistic to, substance characterization, 136; fatty acid composition, penconazole effect, 566; on peaches, postharvest, *Bacillus* effect, 1141; on sour cherry, blossom infection environment, 1065
 Monis, J., 808
 Monoclonal antibodies
- assessment for affinity chromatography, 491, (494)
 —clover yellow vein and bean yellow mosaic viruses detected, 1132
 —pectic lyases in, production and characterization, 1138
 —soft rot differentiated by, 1077
 —take-all of wheat, detection, 1319
 —western blots, pectate lyase recognition, 1101
 Montreal, C., 375
 Montasser, M. S., 656
 Montgomery, M., 1071
 Moody, E. H., 1117
 Moore, L. D., 1066
 Moore, L. W., 1077, 1099, 1105, 1117, 1135, 1265, 1319, 1323
 Moorman, G. W., 656
 Mora, B., 375
 Mora, J., 375
 Moraes, W. B. C., 1140
 Morales, A., 375
 Moreno-M., E., 375, 376
 Morris, T. J., 1074
 Mort, A., 1140
 Morton, H. L., 1114
 Morton, J. B., 1111
 Motta, J. J., 1081
 Mount, M. S., 659
 Moyer, J. W., 243, 557, 1062, 1109, 1126, 1133, 1254, 1276
 Mu, L., 1091
Mucor piriformis
 —germinability, temperature and humidity effect, 562
 —in pear orchard soil, population dynamics, 1066
 Mullen, J. B., 1080, 1134
 Mullin, R. H., 1074
 Mundo, M., 375
 Mundt, C. C., 590, 832, 895
 Muñoz C., D., 376
 Murdoch, C. W., 656
 Murmanis, L., 1128
 Murphy, J. F., 1062
 Murphy, J. P., 1059
 Murray, T. D., 737, 845
 Muskmelon (see also Melon)
 —Alternaria leaf blight of, ozone effect, 1067
 —*Diaporthe melonis* on, calcium relation, 1128
 —*Erwinia ananas* on, in Texas, 1136
 —Fusarium wilt, quantitative resistance, 1068
 —powdery mildew of, resistance to race 2, 1165
 —watermelon mosaic virus 2 on, 1276
 Musselman, R. C., 1096
 Mycoplasmalike organisms
 —aster yellows: antibody detection, 45, (47-49); natural occurrence in vegetables in Oklahoma, 1084
 —on *Catharanthus roseus*, detection with immunofluorescence microscopy, 864, (865-867)
 —detection in peach and chokecherry, fluorescence microscopy, 784, (785)
 —lettuce and aster yellows, purification, 1084
 —on vegetable crops, virescence agent and gibberellic acid relations, 847
 Mycorrhizae
 —chitin-decomposing microorganisms associated with, 1110
 —copper toxicity to, in citrus seedlings, 66
 —*Glomus macrocarpum* as cause of tobacco stunt, 688
 —mycoparasite effect on, in onion, 351
 —vesicular-arbuscular, on bean roots, aluminum effect, 1063
Mycosphaerella spp.
 —*M. graminicola*, isolate mixture effect on wheat seedlings, 1061
 —*M. juglandis*, on black walnut, ecological control, 1058

- M. pinodes*, on pea, cultivar resistance of seedlings, 878
- M. populorum*, ascospore production, seasonal estimates, 1059
- Mycotoxins (see also Toxin)
- aflatoxin: averufanin, precursor to aflatoxin, 1144; corn kernels and cottonseed, water effect, 1144; irrigation and tillage effect on contamination in corn, 679; in pistachio, splitting and tattering relation, 692
- cerato-ulmin, effect on cell membrane and ion loss from cells, 1113
- zearelenone, decomposition in tortillas from corn, 1061
- Myers, D. F., 1117
- Myint, H., 1089
- Myndus taffini*, on coconut palm, foliar decay from, 889, (889, 890)
- Myriosclerotinia borealis*, on bluegrass, control in Rocky Mountains, 1057
- Myrothecium roridum*
 - on melon, fungicides for, 564
 - spore germination, cell wall monosaccharide effect, 1112
- Myzus ornatus*, strawberry crinkle virus vector, consecutive serial passage, 1161
- Nagar, R. S. M., 1109
- Nagle, M. E., 1135
- Nakajima, H., 1095
- Nakhla, M. K., 1062
- Naot, O., 1094
- Nash, G. T., 327
- Nashaar, H. E. L., 1104
- Navarro-F., M., 377
- Nectria* spp.
 - N. fuckeliana*: on fir, first report in California, 846; on white fir, resistance mechanisms, 1059
 - N. galligena*, Florida isolates, characterization, 1059
- Neill, J., 1122
- Nelson, B. D., 71, 1120
- Nelson, D. L., 946
- Nelson, E. B., 60, 327, 1129
- Nelson, J., 1071
- Nelson, K., 656
- Nelson, L. A., 1083
- Nelson, M. R., 236, 374, 842, 1138
- Nelson, P. E., 654
- Nelson, R. R., 546
- Nematodes
 - host range, Mexico, 378
 - mitochondrial DNA, molecular diagnostics, 1139
 - soil, fruit-producing in Colorado, 1139
- Nemec, S., 1092, 1135, 1144
- Nesmith, W. C., 938, 1092, 1116
- Neurospora* spp., protoplasts sensitive to cercosporin, cell wall regeneration, 1080
- Nezryetti, 1124
- Ng, T. J., 564, 1112
- Nguyen, T. K., 1072
- Nicholson, R. L., 1315
- Nigh, E. A., 842, 1139
- Noegel, K., 1117
- Nolt, B. L., 1132
- Nordin, J. H., 1086
- Nordquist, P. T., 957
- Norelli, J. L., 656
- Norman, B. L., 1122
- Norton, J. M., 327
- Novacky, A., 104
- Nus, A., 1130
- Nutter, F. W., Jr., 1088
- Oak
 - basal area increment, in Pennsylvania stands, 655
 - gypsy moth, ambrosia beetle, and stain and decay relations, 654
 - red, deterioration fungi succession, gypsy moth defoliation, 564
 - seasonal occurrence of wilt, nitidulid relation, 1114
 - turkey, oak wilt of, compartmentalization, 698, (699)
 - wilt, compartmentalization response, 1133
 - wilt control with benzimidazole, persistence, 1115
- Oak, S. W., 1058
- Oats
 - crown rust epidemics, computerized simulation, 590
 - HV toxin effect on protoplast, 1094
 - leaf spot of, resistance characterization, 931, (932-936)
- Oat blue dwarf virus, in aster leafhoppers, dual infection with aster yellows, 1062
- Obituaries
 - George Miller Armstrong, 849
 - Charles Homer Arndt, 850
 - Robert H. Daines, 40
 - L. C. P. Kerling, 39
 - Manson B. Linn, 1275
 - Frank Paden McWhorter, 253
 - John Thomas Presley, 38
 - Truman C. Ryker, 1152
 - Arnold J. Ullstrup, 37
 - Edward Elmer Wilson, 567
- O'Brien, R. D., 1068
- Ocamb-Basu, C. M., 1083
- Ogawa, J. M., 567, 845, 1080, 1106
- Ogoshi, A., 1245
- Ohki, S. T., 864
- Okamoto, H., 1113
- Olanya, O. M., 1064, 1129
- Oldfield, G. N., 847
- O'Leary, A. L., 119, 199, 1066
- Oleson, A. E., 1100, 1101
- Olpidium brassicae*, virus vector on lettuce, 846
- Omielan, J. A., 845
- O'Neill, N. R., 1124, 1143
- Onion
 - Botrytis* on umbel of, pathogenicity, 604, (606, 609)
 - flower blight, temperature and moisture effect, 612
 - flower blight and scape girdling, in New York, 599, (601)
 - Glomus intraradices* on roots of, sporulation, 1111
 - nematodes of, in Mexico, 372
 - yield related to defoliation, 1067
- Onycomyces viciifolia*, Phytophthora seed rot and seedling blight of, control, 843
- Ooka, J. J., 845
- Opgenorth, D. C., 845
- Ortega, M. L., 373
- Osburn, R. M., 1109
- Ozman, S. F., 1101
- Osmeloski, J. F., 659, 800, 1097
- Ostrinia nubilalis*, on corn, anthracnose effect, 586
- Ostry, M. E., 957, 1119
- Otani, H., 1113
- Otrrosina, W. J., 845, 1112
- Overton, S. V., 565, 1066
- Owen, G. R., 1129
- Owens, F. N., 1115
- Pace, M. E., 1125, 1147
- Pacumbaba, R. P., 1115
- Paguio, O. R., 1072
- Pair, J., 1130
- Palmer, L. T., 846
- Palmer, M. A., 1085
- Pan, S.-Q., 1106
- Panopoulos, N. J., 846, 1069, 1100
- Papa, K. E., 1126
- Papa, S. L., 1057
- Papaya, pathogens of, cutinase detection by plate assay, 473
- Papaya ringspot virus
 - antigenically distinct strain, serology, 346
 - melon resistance, vector acquisition, 1122
 - of mutant spore control, in Taiwan, 1091
- Pappu, H. R., 1121
- Parish, C. L., 1074
- Parke, J. L., 1093
- Parmeter, J. R., 846, 1059
- Parsnip, *Phoma* canker of, resistance, 1092
- Partridge, J. F., 957
- Passion fruit yellow mosaic virus, tymovirus in Brazil, new, 951, (952, 954)
- Pastor-Corrales, M. A., 1064, 1087
- Pataky, J. K., 702, 1079, 1349
- Pategas, K. G., 1121
- Pathak, A., 566
- Patil, S. S., 473
- Patterson, C. L., 846, 1097, 1102
- Patton, R. F., 1059
- Paulitz, T. C., 351, 1105
- Paulus, A. O., 1071
- Pavek, J. J., 1112
- Paxton, J. D., 1112
- Payne, G. A., 679
- Payne, J. H., 1100
- Pea
 - Aphanomyces root rot, continuous cropping effect, 1093
 - Ascochyta blight of, cultivar resistance of seedlings, 878
 - damping-off, *Trichoderma* seed treatment, biocontrol mechanism, 720
 - Fusarium root rot of, inoculum density and placement, 1087, 1325
 - hollow heart of, occurrence in Pacific Northwest, 846
 - resistance to, evaluation technique, 1134
- Pea enation mosaic virus, genomic RNAs, structure, 1090
- Peabody, D. C., 656
- Peabody, R. B., 656
- Peach
 - Botryosphaeria* spp. on, factors, 1065
 - canker of, comparative anatomy and host response in cultivars, 905, (908, 909, 911)
 - growth and yield affected by fungi, nematodes, and fertility, 1108
 - mycoplasma-like organisms in, detection with fluorescence microscopy, 784, (785)
 - Phytophthora* root rot and stem canker, systemic fungicides for, 1066
 - X-disease, initial stages of spread, 1084
 - Xanthomonas campestris*: in leaves, survival, 1139; on, pruniphage and epiphytic bacterial interaction, 549
- Peanut
 - Aspergillus flavus* on: genotype screening, aflatoxin, 1091; pod resistance, 1092
 - Aspergillus parasiticus* of, irrigation and gypsum factors, 1063
 - black hull: histopathology, 1102; resistance assessment, 1089
 - Cercospora arachidicola* on, disease gradients, 1083
 - Cercospora leaf spot: management with fungicides, advisory, 860; management and partial resistance roles, 468
 - Cercosporidium leaf spot: biocontrol with *Dicyema pulvinata*, 990; mycoparasite of, factors affecting, 1168
 - early leaf spot of, resistance components, 495
 - immunosuppressive compounds in, fungus role, 1063
 - leafspot advisory, evaluation, 1127
 - leafspot incidence, field inoculation effect, 564
 - leafspot severity and defoliation, time relation, 1081
 - Meloidogyne hapla* on, cytokinin activity in roots, 1139
 - Rhizoctonia* on seeds, peanut-corn rotation, 1115
 - Sclerotium* and *Rhizoctonia* of, diniconazole effect, 1064
 - Verticillium wilt of, sap flow velocity in susceptible genotypes, 500
- Peanut mottle virus
 - nodulation function affected by, 294, (295)
 - potyvirus relations, nucleic acid

- hybridization, 1132
 —soybean germ plasm interaction, 764
 Peanut stripe virus, on soybean, resistance, 1073
 Peanut stunt virus
 —strains, characterization by hosts and serology, 390
 —white clover yield effect, 557
 Pear
 —fire blight, stigma role, 476, (481)
 —fruit decay of, control, 1065
 —*Mucor* spp. on, in British Columbia, 1129
 Pearson, C. A. S., 646, 1145
 Pearson, N. S., 1096
 Pearson, R. C., 656, 1145
 Pecan
 —juglone localization in, histochemicals, 205, (207)
 —tissue culture of, 1065
 Pedersen, W. L., 108, 257, 1119
 Pederson, V. D., 957, 1147
 Peet, R. C., 846
 Peever, T., 657
 Pelargonium flowerbreak virus, characterization, 564
 Pell, E. J., 657, 845, 1096
 Pelletier, J. R., 657, 1083
 Peng, Y. F., 1069
Penicillium digitatum
 —isolates resistant to butylamine, 805
 —on orange, chemical changes and susceptibility, 1094
Pennisetum americanum, ergot resistance in, stigmatic constriction, 536
 Pennucci, A., 657
 Pennypacker, B. W., 522, 657
 Pennypacker, S. P., 1071
 Pepper
 —viral diseases of, diagnosis, 375
 —viruses of, etiology, 374
 Percich, J. A., 1138
 Perez-Serrato, P., 376
 Periwinkle, *Phytophthora* leaf and stem blight, in Florida, 1071
 Perkins, J. M., 1349
Peronosclerospora sorghi, on sorghum, spatial pattern analysis, dispersion index, 446
Peronospora spp.
 —*P. tabacina*: sporangium of, multinucleate condition, 1111; on tobacco, metalaxyl resistance, 1116; on tobacco, plant age and leaf position effect, 455; on tobacco, protection by stem injection, 938, 1092
 —*P. trifoliorum*, on alfalfa, resistance based on saponin, 958
 Perring, T. M., 1063
 Petic, Z., 1061
 Petersen, F. P., 1057
 Peterson, A. G., 957
 Peterson, C. M., 1104
 Peterson, G. L., 562
 Peterson, G. W., 313, 1113
 Peterson, J. F., 294, 655
 Peterson, M. A., 1110
 Pettit, R. E., 1063, 1091, 1092, 1168
 Pfender, W. F., 957, 958
Phaseolus spp. (see also Bean)
 —*P. lunatus*, geminivirus from, purification, 1121
 —*P. vulgaris*: anthracnose, race-nonspecific resistance to, 1092; bacterial blight, leaf movement alteration, 270; breeding line, development and release, 1067; circumnavigation in, bacterial infection effect, 712; common blight, hydrogen fluoride and sulfur dioxide effect, 514; cucumber mosaic virus of, seed transmission, serology, and host-pathogen relations, 999; *Rhizoctonia* root rot, seedling protection, 1115; *Rhizoctonia* root rot of, path coefficient analysis, 874; *Rhizoctonia solani* on, factors affecting yield, 869; *Rhizoctonia solani* on, soil factors, 568; rust of, increase in cultivar mixtures, 895; rust of, leaf age factor, 1105; rust resistance in, leaf age effect, 958; temperature and moisture effect on cultivar quality, 376; viruses of, yield effect and etiology in Mexico, 374
Phellinus weiri, model control strategies, 1059
 Phenols, binding by glycoproteins, *Colletotrichum*, 1315
Phialophora spp.
 —*P. graminicola*: on bluegrass, root cortical death, 917; on cereals, temperature effect, 923
 —*P. radicicola*, on bermudagrass, decline, 1057
 Philbeck, R. B., 51
 Philips, T. D., 1063
 Phillips, D. V., 1119
 Phillips, W., 375
 Phipps, P. M., 562, 564, 860
Phomopsis spp., on soybean seed, pod moisture effect, 273, 649
 —*P. longicolla*, on soybean seed, serological detection, 1081
Photinia fraseri, leaf spot, temperature and moisture effect, 1072
 Phyloplane, colonization of, model, 1115
Phytophthora spp.: Agral effect on asexual stages, 847; on apple, root and crown rot from, in Arizona, 845; on apple rootstocks, root dips for, 1105; on avocado, protection with citrus
Phytophthora, 194; on citrus, fungicides for, systemic and trunk application, 1066; on cocoa, morphological and pathological comparisons, 159, (161); cross-inducing species, mutants and enzyme production, 1142; herbicide oryzalin effect on, 659; taro corm rot from, in Hawaii, 845
 —*P. cactorum*: sporulation, fungicide effect on, in soil, 1116; on strawberry, splash dispersal in canopy, 1080
 —*P. cinnamomi*: on azalea, hyphomycetes as biocontrol agents, 847; on Fraser fir, spread, 1190
 —*P. cryptogea*, water potential effect, 1248
 —*P. infestans*: cryogenic storage, 1143; double-stranded RNA in, detection, 1102; fitness and virulence of isolates, sexual and asexual populations, 1209; genetics, isozyme analysis, 410, (411); genetics, single-oospore cultures, intraspecific stimulation, 407, (408); nuclear DNA content, 566; on potato, acidic mist effect, 1097; on potato, acidic rain and fungicide relation, 800; on potato, fungicides for, 855; on potato, somaclonal variants, 562; segregation ratios, isozymes for analysis, 1102; on tomato and potato, control with organic waste extracts, 1104
 —*P. megasperma*: in alfalfa, speciation, 1080; on alfalfa, variability in culture and isolates, 1102; formae speciales of, restriction fragment polymorphism of DNA, 1146; oospore germination in, alfalfa root extract and exudate effect, 508; oospore germination in, chemical and physical factors, 503; on soybean, race-specific resistance, microplots, 554
 —*P. parasitica*: on citrus, rhizosphere populations, 1093; on citrus, salinity role, 970; in citrus soil, population assay and sampling, 1093; on poinsettia, fosetyl-Al and metalaxyl effect, 651; soil microorganisms antagonistic to, organic carriers, 1069; on tobacco, inoculum density and distribution effect, 1153; on tobacco, soil water effect on epidemiology, 1213; on tomato, furrow irrigation effect, 841; zoospore production, citrus germplasm screening, 1143
 Phytoxins (see also Toxins)
 —juglone, in pecan, histochemistry, 205, (207)
 Piche, Y., 1111
 Pickett, L. S., 842
 Pierce, M., 1140
 Pillay, M., 1094
 Piña R., J., 376
 Pine (see also *Pinus* spp.)
 —Cylindrocladium root rot of, ectomycorrhizal fungus effect, 1110
 —fusiform rust of, prediction by greenhouse method, 1133
 —loblolly: drought and growth decline, 1058; fusiform rust, triadimefon-treated seed for, 1085; pitch canker of, silvicultural control, 1113; pitch canker, thiabendazole for, 1085; rust resistance detection, isozyme analysis, 1112
 —loblolly and slash, ectomycorrhizae, triadimefon effect on, 824
 —lodgepole, gall rust of, spore dispersal, 1058
 —Scots, pine wood nematode effect, 1058
 —slash, fusiform rust of, resistance, 1085
 —white, air pollution symptoms, in Appalachian Mountains, 1084
 Pineapple
 —mealybug-wilt of, virus particle association, 1073
 —root rot, inoculum potential of pathogens, 1124
 Pinon, J., 1133
Pinus spp. (see also Pine), fusiform rust resistance in 20 species, 1086
 —*P. hartwegii*, photochemical oxidant damage, in Mexico, 377
 —*P. strobus*: Cylindrocladium root rot, temperature and ammonium nitrate effect, 1085; seed-borne fungi, pathogenicity, 1113
 Pirone, T. P., 1063
Pisolithus tinctorius, on pines, triadimefon effect on, 824
 Pistachio
 —aflatoxin in, splitting and tattering, 692, (693)
 —epicarp lesion development, wound-induced peroxidase activity, 1080
 Pitrat, M., 1122
 Plant disease database, in Arizona, application, 1138
 Plasmids
 —pDC190, *Erwinia stewartii*, 165
 —*Xanthomonas campestris*, copper resistance and avirulence loci linkage, 240
Plasmodiophora brassicae, on *Brassica*, resistance and factors, 1105
Plasmopara spp.
 —*P. halstedii*, longevity, temperature and moisture effect, 1141
 —*P. viticola*, on grape, infection efficiency, 1082
 Platzer, E. G., 1139
 Ploetz, R. C., 1082, 1095, 1120
 Poa semilatent virus, barley stripe mosaic virus compared to, 322, (323)
 Podila, G. K., 1130
 Podlechis, E. V., 565, 1065
Podosphaera leucotricha, on apple, model based on plant growth, inoculum, and fungicides, 1176
 Poe, S. L., 565
Pogostemon patchouli, mosaic caused by potyvirus, in India, 1109
 Pohronezny, K. L., 430
 Poinsettia, *Pythium* root rot, metalaxyl for, 1129
 Pollution
 —acid rain: fungicide relation to potato late blight, 800; ozone and C_2H_4 emission in oats, 657
 —acidic fog, plant injury and disease, 1096
 —hydrogen fluoride and sulfur dioxide, common blight of bean affected by, 514
 —oxidants, on bean in Mexico, 374
 —ozone: bioindicator survey in Southeast USA, 1085; loblolly pine seedlings affected by, 1097; pollen use to predict response,

- 1097; soybean foliage effect, injury response, 1096; soybean response, 51
 —ozone and acidic precipitation: mycorrhizae on birch and pine seedlings, 654; rhizosphere microorganism response, 1096
 —ozone and sulfur dioxide, tomato growth and yield, 1338
 Polston, J. E., 1063
Polymyxia spp.
 —*P. betae*, pathogenicity and vector potential, 1089
 —*P. graminis*, wheat virus vector, 339
 Poole, R. T., 1071
 Poplawsky, A. R., 1069, 1135
Populus deltoides (see also Cottonwood)
 —rust of, virulence and aggressiveness traits, 266
Poria spp.
 —*P. carbonica*, wood colonization and spore germination by, moisture and temperature effect, 212
 —*P. placenta*: ELISA for detection, 652; xylanase purification in, gel filtration, 1113
 Porras, V. H., 376, 1116
 Postharvest pathology
 —aflatoxin contamination in corn, preharvest infection, 679
 —*Aspergillus flavus* in raisins, suppression by solar heating, 335
 —oil crops and mycoflora of, control, 562
 —tomato, fungal pathogens and polysaccharide fractions, 573
 Poswal, M. A. T., 1107
 Potato
 —*Alternaria*, *Verticillium*, and leafhopper effect, interacting population, 1046
 —bacterial soft rot: calcium in cell walls, 401, (402); cut surface area and puncture effect, 1077
 —bacterial wilt resistance, IR-1 collection screening, 1137
 —blackleg, early generation seed stock performance, 56
 —CGA 449 effect on infection, 566
 —common scab of, streptomycete isolates, 1078
 —early blight: factors, 1083; fungicides and yield effects, 564; growth model, 1067; maturity and resistance factors, 651
 —early dying of, pathogens and yields, 1108
 —*Erwinia* spp. on, survival in wild plants, 377
 —*Escherichia coli* on, in tuber, cloned pectate lyase gene, 1100
 —late blight: acidic rain and fungicide relation, 800; fungicides for, acid rain effect, 659; systemic and contact fungicide mixtures for, 855
 —leafhopper feeding effect, growth model, 1067
 —metalaxyl residue, spatial and temporal variation, 1088
 —ozone and sulfur dioxide effect, 1096
 —pitted scab of, control, 957
 —premature death, chemical control, 1116
 —*Pseudomonas solanacearum* on, five inoculation methods, 1078
 —ring rot, nitrogen effect in cultivars, 1135
 —rishiitin and lubimin accumulation in tubers, calcium role, 1067
 —root diffusates, diffusion through soil, 657
 —seed tuber decay, *Pseudomonas* inhibitory to, 1078
 —*Verticillium* and *Pratylenchus* interactions, 842
 —*Verticillium* wilt: irrigation and N-fertility relation, 730; soil solarization for, resistance, 1021; yield loss, 1068
 —virus Y detection of tubers, 377
 —viruses of: aphid-transmitted, whitewash effects, 1344; detection methods, 844
 Potato leaf roll virus
 —eradication by chemotherapy of buds,
- 1122
 —overwintering in winter annual weeds, 847
 —RNA, cloning and physical mapping, 1090
 —tissue regeneration after infection, 1130
 Potato virus X, resistance in protoplasts, 652
 Potato virus X and Y, resistance to, monitoring, 1122
 Pothos, leaf and stem blight, three fungi causing, 1071
 Powell, C. A., 1062
 Powell, W. A., 1128
 Powelson, M. L., 56
 Powelson, R. L., 815
 Powers, H. R., Jr., 1112
 Powers, T. O., 1139
 Prakash, C. S., 266, 1085
Pratylenchus thornei, reproduction of, "carrot callus" culture technique, 374
 Prescott, J. M., 847, 1060
 Pretorius, Z. A., 1147
 Pring, D. R., 1060
 Proffer, T. J., 1080
 Prud'homme, A., 657
 Prunus dwarf virus, on sweet cherry pollen and seed, 317, (318)
 Prunus necrotic ringspot ilarvirus, immunology, mouse monoclonal antibody, 1132
 Prunus necrotic ringspot virus, in sweet cherry pollen and seed, 317
 Przybylowicz, P. R., 212
Pseudocercosporella herpotrichoides, on wheat, papilla formation and hypersensitivity, 737, (738, 741)
Pseudomonas spp., in potato seed piece, antagonism to *Erwinia carotovora*, 414, (419)
 —*P. avenae*, on corn, biocontrol in phylloplane, 1068
 —*P. cichorii*: on chrysanthemum, bacteria antagonistic to, 1135; selective medium for isolation, 1087
 —*P. fluorescens*: on cotton, antifungal biosynthesis in root, 1069; iron role in root colonization and fungal inhibition, 1069; on ornamentals, root-colonizing microflora effect, 176
 —*P. maltophilia*, on live oak, antagonistic, 652
 —*P. putida*: antagonist to soft rot bacteria, 1070; *Erwinia carotovora* interaction, yield effect, 423; root surface peroxidases in, production, 1138
 —*P. solanacearum*: eggplant resistant to, screening method, 563; phenotypic variability, from potato field, 1118; in potato tissue culture, responses, 1137; soil suppressive to, detection method, 1138; soil suppressive to, inhibitory characteristics, 1138
 —*P. syringae*: on almond and citrus, copper tolerant strains, control, 1118; in carrot suspension culture cells, interactions, 1136; on citrus, in Mexico, 375; copper resistance genes in, cosmid clone, 1100; in cucumber seedling buds, survival, 1086; epiphytes, interaction and specificity, 1136; homogeneous strains, 1138; hypersensitive reaction, lipid relations, 104; ice nucleation active strains, epiphytic fitness, 1068; identification using cloned phaseolotoxin gene, 846; mutant strains, competitive exclusion, 1069; on soybean, avirulence gene analysis, hypersensitivity, 1099; sugar beet root elongation affected by, 386; *Tn5* mutants, toxin relation, 1100; on tobacco, race 0 and 1, multiplication, 1137; on tomato, biocide resistance, 655; on tomato, copper resistance induced, 1076; on tomato, overwintering populations, 957
Pseudoperonospora cubensis, pathotypes, 1081
Pseudopeziza tracheiphila, on grape, in New York, 656
- Puccinia* spp., teliospore germination of, 1026
 —*P. allii*, on Chinese chive, biology and epidemiology, 1123
 —*P. asparagi*, slow-rusting by, two components, 208
 —*P. cababata*, bitertanol for control, 372
 —*P. coronata*, on oats, cultivar mixture effect, model, 590
 —*P. graminis*: on oats, resistance, 1147; on wheat, defeated resistance genes in, 546; on wheat, populations, genetic structure, 1149
 —*P. helianthi*, low temperature storage of, 657
 —*P. melanocephala*, on sugarcane, severity and nutrient relation, 581
 —*P. recondita*: on wheat, epidemiology zones in Mexico, 376; on wheat, temperature and time interactions, 1286
 —*P. sorghi*: on corn, cultivar mixture effect, 895; on sweet corn, seedling resistance, 702
 —*P. striiformis*: on wheat, durable, high-temperature resistance, 435; on wheat, resistance and temperature genes, 93
 Puente, M., 657
 Puhalla, J. E., 396
 Punja, Z. K., 755, 976
 Purcifull, D. E., 346, 1061, 1073
 Purdy, L. H., 373, 1124
 Pusey, P. L., 136
Pyrenophaeta lycopersici, host range, 844
Pyrenophora spp.
 —*P. avenae*, virulence and viability, storage conditions, 565
 —*P. teres*, on barley, yield loss from in Morocco, 1098
 —*P. tritici-repentis*: isolate storage method, 956; on oats and wheat, resistance, 931, (932-936); sexual reproduction by, nutrition, 957
Pyricularia oryzae (see also *Magnaporthe grisea*)
 —chemical control, 372
 —isolate variation, 1093
 —longevity and pathogenic stability, 231, (233)
 —mycoviruses from, dsRNA banding patterns in isolates of, 674
Pythium spp.: Agral effect on asexual stages, 847; on cotton seedlings, soil factor, 286; proteins from, isoelectric focusing, 841; sporangial germination, cotton seed volatile effect, 1129; storage, wheat leaf:water medium, 1143
 —*P. aphanidermatum*, sexual reproduction of, phospholipids for stimulation, 1159
 —*P. splendens*: on cucumber, damping-off and calcium effect, 221; suppression in soil, calcium and organism effect, 215
 —*P. ultimum*: on bean, biocontrol, 956; *Enterobacter cloacae* in hyphae of, biocontrol role, 327, (330, 332); soil suppressive to, factors, 1221, (1226); wheat chaff effect on inoculum density, 1330
- Quail pea mosaic virus, on beans and soybeans in Venezuela, 1089
 Quinn, J. A., 883
 Quiot, J. B., 1122
 Quiot-Douine, L., 346
- Raabe, R. D., 846, 1129
 Radcliffe, E. B., 1046, 1067
 Radish
 —damping-off, biocontrol, 306
 —soilborne pathogens of, solarization and metham-sodium effect, 842
Radopholus similis, physiologic races in Mexico, 375
 Ragland, C. K., 557
 Rahe, J. E., 465
 Rahimian, M. K., 1083, 1116
 Rajaram, S., 376
 Raju, B. C., 1071, 1083

- Ramig, R. E., 1330
 Ramírez, C., 1118
 Ramirez, P., 1095
 Ramírez-G., J., 375, 376
 Ramsdell, D. C., 1074, 1333
 Ramsey, G. R., 599, 604, 612
 Rand, R. E., 1067, 1078, 1079
 Randhawa, P. S., 549, 1071, 1087, 1135, 1136
 Randles, J. W., 889
 Rao, B. L. S., 1109
 Rao, D. V., 1140
 Rasmussen, J. B., 1095
 Rasmussen-Dykes, C. H., 842, 846, 1057
 Raspberry, postharvest fruit rots of, fungicides for, 842
 Rawlings, J. O., 51
 Rawsthorne, D., 657
 Raymer, P. L., 1119
 Read, P. E., 1119
 Red clover necrotic mosaic virus, DNA cloning of, RNA-encoded proteins, 1090
 Reddick, B. B., 1125, 1126
 Redmond, J. C., 1071
 Reed, K. L., 1123
 Reeder, W. F., 1066
 Reeser, P. W., 1079
 Reichard, D. L., 1141
 Reilly, C. C., 136
 Reinecke, P., 1117
 Reinert, R. A., 1096
 Relia, M., 1086
 Resistance
 —aspen to stem canker, estimation by ordination, 1289
 —avocado to *Phytophthora*, induced, 194
 —barley: to powdery mildew, induction, 301; to scald, gene-by-race relations, 661
 —bean and corn to rusts, cultivar mixture effect, 895
 —corn: to *Cochliobolus heterostrophus*, 774; to foliar pathogens, *Ht* gene, 108; to *Fusarium* ear rot, 684; to maize dwarf mosaic virus, 769, 1034; to northern corn leaf blight, *Ht* gene effect, 257
 —cotton to *Verticillium* wilt, distribution relation, 1005
 —cowpea to southern bean mosaic virus, 795
 —cucumber to anthracnose, induced protection, 966
 —cultivar mixture effect, epidemiology, model, 832
 —flax to rust, new factor, 1043
 —fungi to fungicides, systemic, 1116
 —muskmelon to powdery mildew race 2, 1165
 —oats to crown rust, epidemiology, 590
 —oats and wheat to leaf spots, histological, 931
 —parasite:host specificity, concepts, 379
 —pea to *Mycosphaerella pinodes* seedlings, 878
 —peanut to early leaf spot, 495
 —pearl millet to ergot, stigmatic constriction, 536
 —rice to bacterial leaf blight, 881
 —soybeans: to bacterial pustule, histopathology, 959, (962, 963); to peanut mottle virus, 764
 —wheat: to stem rust, defeated resistance genes, 546; to stripe rust, durable, high-temperature, 435; to stripe rust, high temperature genes, 93
 Reuveni, M., 455, 1092, 1116
 Reviewers, acknowledgment of, 1
 Rey, M. E. C., 1109
 Reyes, J. C. B., 1082
 Reynolds, K. L., 514, 658, 923, 1067
 Reynolds, K. M., 1080, 1141, 1190
Rhizobium spp.: in peanut mottle virus infected peanuts, 294; strains of, ribosomal subunits of, serology, 1265
 —*R. leguminosarum*, competitiveness of strain T24, basis, 1076
Rhizoctonia solani
 —anastomosis groups: characterization, 1064; strawberry root rot association, 1141
 —on bean: factors affecting yield, 869; path coefficient analysis, 874
 —bean resistant to, evaluation, 1087
 —on cereal roots, characterization of isolates, Australia, 1245
 —on corn, crown and brace root rot from, rotation effect, 248
 —on cotton, chemical control, 376
 —on cotton seedlings, soil factor, 286
 —on dry bean, soil factors, 568
 —fungicide resistance, 1127
 —on lima bean in New York, 651
 —mycovirus, RNA polymerase from, 650
 —on peanut, Tolclofos-methyl sensitivity, 1101
 —on potato, isolation from stems and subterranean organs, characterization, 725
 —on radish, *Trichoderma* as biocontrol agent, 306
 —on rice, bacterization for control, 1260, (1262, 1263)
 —on rice leaf sheaths, infection process, microscopy, 811, (812, 813)
 —sclerotia of, morphological changes, 1101
 —on strawberry, fungal associations in Massachusetts, 651
 —on wheat, tillage and crop rotation effect, 669
Rhizophorus stolonifer, in tomato, enzyme detection in fruits, 42
Rhizosphere
 —colonization by seed applied organisms, 60, (63)
 —cotton, tomato, and barley, colonization patterns, 1064
 Rhoades, M. H., 565
 Rhoads, M. L., 1140
 Rhoads, R. E., 1091
 Rhodes, D. J., 1078
Rhodococcus rubropertinctus, virulence of, pea bioassay, 1079
Rhododendron spp., *Phytophthora* root rot, water potential and pine bark effect, 1072
Rhynchosia mosaic virus
 —mechanical transmission, 1073
 —nuclear inclusion bodies, light microscopy, 124
Rhynchosporium secalis
 —on barley: biology and control, 1123; pathogenic complex and gene-by-race relations, 661
 —fragment length polymorphisms, 1102
 —isozymes in, 843
 Ribonucleic acid
 —denatured, system for electrophoresing, 1130
 —double-stranded: elongated particles and undivided genomes, 459; in 23 viruses, 459
 Ribosome, purity in serology, 1323
 Rice (see also Wild rice)
 —bacterial blight of, pathogenicity of Indian isolates, 881
 —blast: character association, 564; electrophoretic variation, 778; races, relation to dsRNA banding patterns, 674
 —blast resistance, assessment, 1105
 —brown leaf spot of, host-specific toxin, 261, (262)
 —foliar disease of, fungicides for, 1060
 —*Rhizoctonia* in leaf sheaths of, infection process, microscopy, 811, (812, 813)
 —seedling disease and feeder root decline, *Pythium* association, 1094
 —sheath blight of, bacterization for control, 1260, (1262, 1263)
 —straw decomposition by *Trichoderma*, in soil, 1103
 Rice, R. E., 1080
 Rice grassy stunt virus, mouse monoclonal antibody for detection, 1132
 Rice tungro bacilliform virus, leafhopper vectors, 1075
 Richard, C., 942
 Richards, K. W., 75
 Richards, W. C., 1086
 Richardson, J., 1161
 Richins, R. D., 451, 749, 1131
 Ricker, M. D., 495
 Rickerl, D. H., 1120
 Ried, J. L., 1100
 Riedel, R. M., 1108
 Ries, S. M., 441
 Riffle, J. W., 313
 Riggs, R. D., 913
 Rijkenberg, F. H. J., 1147
 Riov, J., 1281
 Rist, D. L., 658
 Rizzo, D. M., 658
 Roane, C. W., 764
 Robak, J., 1105
 Robert, C. F., 1110
 Roberto, N., 652
 Roberts, D. A., 1097
 Roberts, P. A., 844
 Robertson, N. L., 1120
 Robison, M. D., 1127
 Rochow, W. F., 653, 1062
 Rodriguez, R. L., 80
 Rodriguez-Kabana, R., 376
 Rodríguez M., R., 373, 377
 Rodríguez-Santiago, C., 375
 Roelfs, A. P., 1146
 Roffey, R., 1076
 Rohrbach, K. G., 1097, 1124
 Romaine, C. P., 1121
 Romanow, L. R., 1276
 Ronald, W. P., 491
 Roncadori, R. W., 1108
 Rosales, A. M., 1103, 1260
 Rose, mildew and rust control, fungicides, 1071
 Rose mosaic virus, purification by host protein reduction, 1062
 Rosenberg, K. A., 658
 Rosenbrock, S. M., 1088
 Rosenkranz, E., 1095, 1096
 Rosiles, R., 1061
 Rosner, A., 820
 Ross, M. A., 1098
 Rossi, A. E., 231, 564, 674
 Rossman, E. C., 684
 Rothman, P. G., 1147
 Rothrock, C. S., 1098, 1119
 Rotkis, P. T., 1093, 1124
 Rouse, D. I., 1068, 1069
 Rovira, A. D., 669, 1245
 Rowe, R. C., 306, 1108
 Royer, M. H., 562, 565, 1144, 1146
 Royse, D. J., 654, 658
 Rufty, R. C., 1096
 Ruiz-N., J. E., 376
 Ruiz B., P., 376
 Runion, G. B., 1085, 1113
 Rupe, J. C., 273, 1080
 Ruppel, E. G., 1309
 Ruppel, E. R., 1130
 Rush, C. M., 846, 1087, 1325, 1330
 Rush, M. C., 1094
 Russell, M. L., 1091
 Russo, V. M., 1068
 Rust, teliospore germination of in 27 spp. of, 1026, (1028)
 Rutter, S. M., 1088
 Ryttter, J. L., 1146
 Ryttter, J. R., 1134
 Saari, E. E., 372
 Sabourin, D., 878
 Sackton, W. E., 654, 657
 Saettler, A. W., 1141
 Safflower, stem soft rot of, in Mexico, 374
 Sagan, J. E., 1005
 Sagebrush, snowmold disease of, 946, (948)
 Saghai-Marof, M. A., 661, 843, 1102
 Saini, R. G., 881
 Salt, S. D., 1106
 Salzwedel, J. L., 1137
 Samoucha, Y., 855

- Sams, C. E., 1128
 Samyn, G., 1141
 Sanborn, M. R., 1133
 Sánchez, G., 1121
 Sandler, H. A., 707, 1093
 Sands, D. C., 1070, 1083
 Sasaki, P. J., 1126
 Sasser, M., 1087
 Sauer, D. B., 745
 Saunders, J. L., 1108
 Scardaci, S. C., 1094
 Schaad, N. W., 139, 148, 841, 842, 846, 1117, 1134, 1137, 1265
 Schaeffer, G. W., 1146
 Schafer, J. F., 1147
 Scharen, A. L., 1083, 1112
 Schaupe, H. W., 1323
 Scheffler, R. P., 1094, 1095
 Scheinpflug, H., 1117
 Schenck, N. C., 1064, 1111
 Schilling, K., 1107
 Schisler, D. A., 1118, 1125
 Schisler, L. C., 563
 Schlagnhaufer, B., 1121
 Schmidt, R. A., 373, 1124
 Schmitt, C. A., 1121
 Schmittthenner, A. F., 1105
 Schneider, D. J., 1040
 Schneider, I. R., 1091
 Schneider, R. W., 396, 1089, 1094, 1129
 Schneider, S. M., 1139
 Schoelz, J. E., 451, 1090
 Scholthof, H. B., 1131
 Schraeder, W. R., 847
 Schreiber, L., 652
 Schroth, M. N., 171, 176, 386, 1086, 1109
 Schubert, T. S., 1071
 Schuerger, A. C., 1117, 1121
 Schuh, W., 446
 Schultz, M. E., 846, 1059
 Schultz, T., 1306
 Schulze, C. P., 1065
 Schwartz, M., 376, 1106
 Schwenk, F. W., 646, 1145
 Scibilia, K. L., 1058
Sclerotinia spp.
 —*S. borealis*, extracellular enzymes in, method for determination, 1143
 —*S. minor*: fungicide resistance in, field plots, 562; mating types, compatibility genes analyzed, 1102; sclerotia parasitized by *Sporidesmium*, haustorial production, 101, (102); sclerotial survival, in animal digestive tract, 1115
 —*S. sclerotiorum*: germination and apothecium development, herbicide effect, 980, (981-983); on sunflower, inoculum density and plant population effect, 71
 —*S. trifoliorum*, apothecia, factors, 1123
Sclerotium spp.
 —*S. cepivorum*, sclerotia, isolation in muck soil by centrifugation, 465
 —*S. rolfsii*: on apple, sclerotial production, 1072; on carrot, soil factors, 976; host tissues infected, histology, 755, (756, 757); on southernpea, infection response, 1134
 Scott, G. E., 290, 1095, 1096
 Scott, H. A., 808, 1122, 1127
 Scott, S. W., 1132
 Seed disinfection, sodium hypochlorite for, efficacy, 745
 Seem, R. C., 41
 Seh, M. L., 1141
 Sehgal, O. P., 1062
 Seifers, D. L., 1075, 1076
 Seip, E. R., 565
 Seip, L., 528
 Semer, C. R., IV, 1071, 1135, 1136
Septobasidium pinicola, on white pine, discoloration, 656
Septoria spp.
 —*S. musiva*, on *Populus*, resistance selection, 1119
 —*S. nodorum*, epidemic from, quantification of environment, 659
 —*S. tritici*, on wheat, streptomycin effect, 1103
 Sequeira, L., 1118, 1137
 Sesame, blight of, control in Texas, 1089
 Shafer, S. R., 1096, 1097
 Shaffer, W. H., 1066
 Shahabuddin, M., 1090
 Shaik, M., 958, 1105
 Shaikh, A. H., 1145
 Shain, L., 1058, 1113
 Sharma, S. C., 881
 Sharp, E. L., 1083
 Shattock, R. C., 407, 410, 1102
 Shaw, C. G., III, 1081
 Shaw, J. G., 1091
 Shaw, J. J., 846
 Shelby, R. A., 1108
 Sheng, W. S., 658
 Shepard, D. P., 1070
 Shepherd, E. C., 1063
 Shepherd, R. J., 451, 749, 1090, 1131
 Sherwood, J. L., 1126, 1127, 1133
 Shevenell, B. J., 132
 Shew, B. B., 1147
 Shew, H. D., 1119
 Shi, C. L., 658
 Shokes, F. M., 1081, 1082, 1095, 1120
 Sholberg, P. L., 1129
 Shortle, W. C., 132
 Shtenberg, D., 1098, 1099
 Sibara, M., 1109
 Siegel, M. R., 455, 1057, 1092, 1116
 Silva-Z., J., 372, 376
 Silveira, J. S. M., 638
 Simini, M., 1067
 Simon, J. E., 1067
 Simone, G. A., 1087
 Sims, J. J., 1100
 Sinclair, J. B., 282, 532, 543, 1106
 Sinclair, W. A., 1133
 Sinden, S. L., 562
 Singh, R. P., 376
 Singh, T., 532
 Singleton, L. L., 1115, 1143
 Sisler, H. D., 566
 Skaria, M., 1126, 1127
 Skelly, J. M., 565
 Skilling, D. D., 1119
 Skinner, D. Z., 958, 1143
 Skoglund, L. G., 842, 846, 1130
 Skopp, R. N., 1121, 1130
 Slack, S. A., 1062
 Slater, L. S., 1083
 Smail, V. W., 566
 Smedegaard-Petersen, V., 301
 Smereka, K. J., 658, 1107
 Smilanick, J. L., 805, 846, 1060
 Smiley, R. W., 917, 923
 Smith, B. J., 1133, 1134
 Smith, C. M., 1127
 Smith, D. A., 1112
 Smith, D. B., 658
 Smith, E. F., 1094
 Smith, F. D., 659
 Smith, G., 659
 Smith, J. A., 1137
 Smith, L. L., 1086
 Smith, O. P., 1090
 Smith, R. J., 622, 1111
 Smith, V., 1128
 Smith, V. L., 755, 1083
 Smith, W. H., 659
 Snow, J. P., 1063, 1125, 1147
 Snyder, B. A., 1126
 So, M. L., 1123
 Soh, D. H., 1139
 Soil
 —matric potential, head smut teliospore survival in soil, 487
 —matric potential and gas quality, environmental cell to control, 1018
 Soil microorganisms, conifer nursery, volatile effect, 1118
 Soil suppression (see Suppression soils)
 Soilborne plant pathogens, concepts and connections, presidential address, 20
 Soilborne wheat mosaic virus, deterioration after antibody decoration, 339
 Solarization
 —radish soilborne pathogens and weeds affected by, 842
 —use in glass houses, 1094
 Somerville, P. A., 1094
 Somerville, S. C., 1094
 Sommer, N. F., 335, 692
 Sonoda, R. M., 1097
 Sorenson, L. H., 563, 842, 1021, 1094
 Sorghum
 —downy mildew, spatial pattern analysis, dispersion index, 446
 —foliar diseases and yield loss, in Honduras, 1142
 —leaf blight, resistance source in Puerto Rico, 373
 —maize dwarf mosaic virus of, cytology, 1121
 —maize dwarf mosaic virus-A on, factors affecting, 1072
 —rust: ecology, losses, and resistance, 1119; resistance, 1119
 —stalk rot of, pectolytic bacteria, 957
 —virus infection, segregating populations, 566
 Sorrell, M. E., 1126
 Sosa Moss, C., 374
 Sotomayor-Rios, A., 373, 1119
 Southern bean mosaic virus
 —on cowpea: multiple genes, 1126; resistance and symptomatology, 795
 —monoclonal antibodies, assessment for chromatography, 491
 Soybean
 —acid rain and nitrogen metabolism, 652
 —*Alternaria alternata* on seeds of, histopathology, 543, (544, 545)
 —bacterial pustule of, histopathology and growth genetics, 959, (962, 963)
 —*Colletotrichum destructivum* on, *Glomerella anamorph*, 282, (283, 284)
 —cyst nematode: race 1, glycocalin I in roots of, radioimmunoassay, 1139; of, syncytia of, morphological characters, 913, (914-916)
 —*Diaporthe phaseolorum* on, epidemiology, 1094
 —foliar fungicides for, timing, in Louisiana, 1147
 —*Fusarium* pathogenic to, sudden death syndrome, 1080
 —glycocalin elicitation, biological assay, 1112
 —ozone effect on photosynthesis, 845
 —ozone response in, 51
 —peanut mottle virus strains of, interaction, 764
 —*Phomopsis* of, factors affecting infection, 957
 —*Phomopsis* seed infection: pod moisture effect, 273, 649; quality, 566
 —physiology and yield affected by antioxidant, 659
 —*Phytophthora* root rot of, race-specific resistance, microplots, 554
 —premature dying of, tillage and crop rotation effect, 1093
 —red crown rot, in Louisiana, 1125
 —red leaf blotch of, yield reduction by, 1106
 —root-knot and cyst nematode of, model predicting yield, 376
 —rust of, plant age effect on resistance, 565
 —seed histopathology and seedling infection, charcoal rot, 532, (533, 534)
 —seedling disease, flooding temperature effect, 1089
 —Southern stem canker, perithecial production, factors, 1119
 —stem canker: crop residue, 1120; of, factors affecting, 1082; management practices, 1119; of, phytotoxin production by pathogens, 1063; resistance in Florida,

- 1120
 —tan spot of, temperature effect on spread of seed to leaves, 1079
 —white mold, evaluation, 1120
- Soybean dwarf virus
 —detection by ELISA, 1075
 —two strains of, purification and properties, 759
- Spadafora, V. J., 565, 659
- Spaine, P. C., 1085
- Spalding, D. H., 1066
- Spathiphyllum* sp., *Cylindrocladium* root rot, 1130
- Spachelotheca reiliana*, teliospore, survival in soil, 487
- Sphaerotheca* spp.
 —*S. fuliginea*: on cucurbits, sexual reproduction in Israel, 1082; in muskmelon, race 2 resistance, genetics and nature, 1165
 —*S. pannosa*, on rose, conidial liberation, factors, 1239
- Specht, L. P., 566
- Spielman, L. J., 1102
- Spinach, white rust of, leaf area percentage and lesions, 1087
- Spinach latent virus, first report in North America, 1087
- Spiraea* spp., leaf spot pathogens, life cycle, 1082
- Spiroplasma
 —honey bee, AS-576, monoclonal antibodies, 658
 —immunofluorescence microscopy, monoclonal antibodies, 1083
 —monoclonal antibody production, 650
- Spore trap, volumetric, comparison, 127
- Sporidesmium sclerotivorum*, *Sclerotinia* mycoparasite, haustorial formation, 101, (102)
- Spotts, R. A., 1065, 1066
- Sprenkel, R. K., 1120
- Spruce
 —Norway, decline in Pennsylvania, 565
 —red, acidic rain effect on seedling, 1084
 —root and butt rot fungi, pathogenicity, 658
- Spurr, H. W., Jr., 1111
- Squash, *Erwinia carotovora* on, factors affecting, 1117
- Squash leaf curl virus, nucleic acid detection in vector, 1063
- Squash mosaic virus, beetle regurgitant effect on transmission, 808
- Stack, J. P., 1063, 1124
- Staley, J. M., 1124
- Stall, R. E., 240, 430, 1068, 1078
- Stanghellini, M. E., 841, 847
- Stanosz, G. R., 1084
- Staples, R. C., 1128, 1137, 1142
- Stapleton, J. J., 376, 847, 1107
- Starr, J. L., 1107
- Stasz, T. E., 659, 1104, 1109
- Stavely, J. R., 566
- Steadman, J. R., 956, 958, 1105
- Steele, J. L., 564
- Steffenson, B. J., 1146
- Stempen, H., 792
- Stemphyllium botryosum*
 —hydroxamate siderophores produced by, 1081
 —phytotoxin, antibody use, 1125
- Stenger, D. C., 1074
- Stephens, C. T., 957, 1114, 1134
- Stevens, C., 1068, 1085
- Stevenson, R. E., 1072
- Steward-Clark, E., 1128
- Stewart, J. S., 958
- Stienstra, W. C., 1061
- Stipes, R. J., 562, 565
- Stobbs, L. W., 483, 1217
- Stoddard, S. L., 1075
- Stokes, I. E., 566
- Stone, H. E., 1100
- Stowell, L. J., 1299
- Strawberry (see also *Fragaria vesca*)
 —*Colletotrichum* spp. on, isolate variation, 1133
 —Strawberry crinkle virus, in *Myzus ornatus*, serial passage, transmission to *Fragaria vesca*, 1161, (1162)
 —Strawberry mild yellow-edge virus, ultrastructure in host cells, 843
 —Strawberry vein banding virus, DNA analysis and molecular cloning, 1074
 —Stretch, A. W., 1065
 —Strobel, N. E., 1133
 —Stromberg, E. L., 1123
 —Sturges, D. L., 946
 —Stuteville, D. L., 958, 1143
 —Stutz, E. W., 181
 —Sugar beet
 —Pythium damping-off of, osmoprimer, 1109
 —Rhizoctonia root and crown rot of, fungicides for, 843
 —rhizomania of, preplant fumigation for, 1089
 —root elongation, bacterial indoleacetic acid influence, 386
 —seed treatments, field evaluation, 958
 —Sugarcane
 —bacteria in vascular tissue, raton stunting relation, 1136
 —Pythium root rot, stubble decline role, 1089
 —raton stunting disease: distribution in Louisiana, 1079; incidence in Costa Rica, 1089; sap extraction, 1079
 —rust of, severity and nutrient relation, 581
 —smut, disease gradients, 1124
 —smut resistance, genotype evaluation, 1080
 —Sugarcane mosaic virus
 —field losses, 1109
 —maize dwarf mosaic virus strains related to, serology, 1131
 —proteins induced by, size variation, 528
 —on sorghum, rhythmic variation, 1099
 —Sullivan, D. A., 847
 —Summers, M. D., 1090
 —Sumner, D. R., 248, 1088, 1115, 1116
 —Sun, T. J., 1078
 —Sunflower
 —*Pseudomonas tagetis* on, circadian leaf movements, 1118
 —reaction to *Phoma macdonaldi*, 956
 —*Sclerotinia* wilt of: factors, 1120; plant population and inoculum density effect, 71
 —Suparyono, 1079
 —Suppressive soils
 —calcium and *Pythium*, 221
 —*Fusarium* and *Alcaligenes* spp., 171
 —*Pythium splendens*, calcium and organism effect, 215
 —*Pythium ultimum*, chemical and biological factors, 1221
 —wheat take-all decline, microorganism role, 342
 —Suslow, T. V., 1069, 1077
 —Sutton, J. C., 656, 657
 —Sutton, T. B., 119, 199, 1083
 —Svircev, A. M., 622, 1111
 —Sweet clover necrotic mosaic virus, on tobacco, mesophyll protoplast infection, 1121
 —Sweet potato
 —soilborne pathogens, solarization effect, 1068
 —virus disease, new, 1109
 —Sweet potato feathery mottle virus
 —serological detection, 1133
 —strain variability, 1126
 —Sweigard, J. A., 1102
 —Swiecki, S. A., 1126
 —Sylvester, E. S., 1161
 —Sztejnberg, A., 847
- Taber, R. A., 990, 1092, 1168
- Tainter, F. H., 698, 1058, 1086, 1133
- Tajani, M., 1098
- Takai, S., 1086, 1113
- Talaromyces flavus*, biocontrol agent, edaphic parameters, 643
- Tamaki, S., 1099
- Tang, A. Y., 1068, 1085
- Tarbah, F. A., 1070, 1118
- Tattar, T. A., 650
- Tatum, J. H., 1135
- Tavantzis, S. M., 650, 652
- Teaching, student grades and teacher ratings, 1097
- Teng, P. S., 1046, 1067, 1146
- Tewari, J. P., 1103, 1140
- Thakur, R. P., 536
- Thal, W. M., 190, 590, 1106
- Thanatephorus cucumeris*, losses in bean and corn, 375
- Thaveechai, N., 139, 148
- Thecaphora cuneata*, on *Grindelia camporum*, in Arizona, 1124
- Thelephora terrestris*, on pines, triadimefon effect on, 824
- Therrien, C. D., 566
- Thiel, P. G., 1040
- Thielaviopsis basicola*
 —on cotton seedlings, soil factor, 286
 —fungicide effect on, 1106
 —on tobacco, pseudomonads for control, 181, (183)
- Thomas, C. E., 1081
- Thomas, C. S., 1080, 1114
- Thomas, J., 652
- Thomas, P. E., 540, 844, 847
- Thomas, S. H., 1108
- Thomison, P. R., 566
- Thomson, S. V., 476, 1140
- Threadgill, E. D., 1088
- Thyr, B. D., 843, 844
- Thyronectria austro-americana*, on honeylocust, temperature and wound age effect, 313
- Tiffany, M. G., 1091
- Tillage
 —corn stalk rot and rhizosphere *Fusarium* populations, 1130
 —plant-parasitic nematode populations affected by, crop rotation, 1108
 —*Rhizoctonia* and collembola affected by, cropping system, 1120
 —*Rhizoctonia* bare patch of wheat, crop rotation relation, 669
 —wheat chaff effect on *Pythium*, 1330
- Tilletia* spp.
 —*T. controversa*, promycelial formation, temperature effect, 1102
 —*T. indica*: crosses verified by isozyme analysis, 562; grass host range, 1146; teliospore germination, soil fumigation effects, 1060; teliospores, quantifying in soil, 1144
- Timian, R. G., 360, 1122, 1131
- Timmer, L. W., 66, 707, 847, 1072, 1093, 1110
- Tisserat, N., 1130
- Tobacco
 —black root rot of, pseudomonad for control, 181
 —black shank of: epidemiology, inoculum density and distribution, 1153; soil water effect on epidemiology, 1213
 —blue mold: antifungal factors removed, resistance effect, 1092; plant age and leaf position effect, 455; stem injection for protection, 938; susceptibility, duvatrienediol removal, 1092; systemic resistance in, 1106
 —*Glomus macrocarpum* on, stunt disease from, 688
 —hypersensitive cell death, bacterial induction, 1137
 —ozone effect, viruses affected by, 1096
 —*Peronospora tabacina* on, metalaxyl resistance, 1116
 —*Rhizoctonia* leaf spot, temperature and misting effect, 1119
 —root rot severity and inoculum density,

- Tobacco etch virus, tobacco flower color effect, 1126
- Tobacco mosaic virus
—on bean, intercellular wash fluid, characterization, 1062
- beetle regurgitant effect on transmission, 808
- mutants, insertions or deletions in coat protein gene, 1095
- satellite virus interaction on hosts, 1072
- sequence identification in disease, 1095
- sequence variation, 1095
- Tobacco ringspot virus
—RNAs in, nucleotide sequences, 1091
- on soybean, leaf angle and circadian leaf movement effect, 1074
- Tobacco streak virus, serology in isolates, 842
- Tobacco vein mottling virus, RNA, nucleotide sequence, 1090
- Toler, R. W., 1072, 1090, 1107, 1131, 1132
- Tolin, S. A., 759, 764
- Tomas, A., 1125
- Tomasino, S. F., 1072
- Tomato**
—bacterial aerosol generation on, cultural practice, 1070
- bacterial leaf spot, spectrophotometric measurements, computer aided, 1077
- bacterial spot, pathogen survival in crop residue, weeds, and seeds, 430
- Botrytis* and *Mucor* on, host pathogen interaction, 573
- fruit necrosis, virus-induced, in Jordan, 1126
- Fusarium crown and root rot: glyphosate effect, 1125; phosphorus and mycorrhiza effect, 942
- Fusarium wilt resistance induced, 1281
- late blight, detection with infrared photography, 1093
- Phytophthora root rot, water stress effect, 1124
- postharvest decay, treatment for reducing, 1087
- Rhizopus stolonifer* infection, enzyme detection in fruits, 42
- root disease, nuclear magnetic resonance imaging, 1067
- sulfur dioxide and ozone effect on growth and yield, 1338
- viroid binding proteins from, 1131
- yellow leaf curl virus of, partial characterization, 842
- Tomato curly top virus, resistance and integrated pest management for control, 540
- Tomato lethal necrosis virus, etiology, 374
- Tomato ringspot virus, monoclonal antibodies, characterization, 1062
- Tomato spotted wilt virus, control, 1134
- Tomerlin, J. R., 566
- Tomimatsu, G. S., 1111
- Tomita, J. K., 1124
- Tomlinson, J. A., 847
- Tooley, P. W., 407, 410, 554, 566, 1102, 1143, 1209
- Torres, H., 1116
- Torres, R., 372
- Towers, B., 564
- Toxins (see also Mycotoxins and Phytotoxins)
—aflatoxin: on corn in field, inoculation technique, 290; in raisins, suppression by solar heating, 335
- host-specific, from *Helminthosporium oryzae*, 261
- T-toxin, effect on fitness, in corn, 1294
- Tranzschelia* spp., teliospore germination of, 1026
- Treeful, L. M., 1105
- Tremaine, J. H., 491
- Trevathan, L. E., 290, 1082
- Trichoderma* spp.: plant growth induced by, mechanism, 518; in rhizosphere, 60; *Rhizoctonia* damping-off of radish controlled by, 306; seed treatment for pea damping-off, biocontrol mechanism, 720
- T. harzianum*: benomyl resistant isolates, in soil, 1066; rhizosphere competence in, implications, 1104; rhizosphere competent mutants, activity, 1104; strains of, protoplast fusion, 1104
- Trigiano, R. N., 1111
- Triplett, E. W., 1076
- Trolinger, J. C., 1071
- Tsao, P. H., 847
- Tucker, D. H., Jr., 290
- Tuite, J. F., 37
- Tulip breaking virus, mouse monoclonal antibodies for detection, properties, 1132
- Tuovinen, O. H., 1105
- Turbek, C. S. M., 1112
- Turfgrass (see also Bluegrass)
—frost damage to, pathogens, 958
- growth retardants for, phytotoxicity and pathogenicity, 657
- Pythium blight of, detection with monoclonal antibody, 1057
- take-all patch of, management in bentgrass with fertilizer, 1057
- Turner, J. T., 1094
- Turner, P. C., 1099
- Tuskan, G. A., 958
- Tuzun, S., 455, 938, 1092, 1116
- Typhula* spp.
—saprophytic ability, 695
- sclerotia in soil and water in wheat fields, 278
- Uchida, J. Y., 845, 1130
- Ueng, P. P., 1131
- Ultrastructure (see Electron microscopy)
- Uncinula necator*
—ascospore discharge, mechanism, 1145
- on grape, epidemiology, 374
- Urban, L. A., 1074
- Uredinopsis mirabilis*
—on *Abies balsamea*: bayleton and benodanil effect, 650; infection percentage, 650
- aeciospore dissemination relation to rainfall, 655
- Uromyces* spp.: teliospore germination of, 1026
- U. appendiculatus*: on bean, calmodulin characterization and purification, 1137; on bean, races, resistance genes, 566; cell-substratum adhesive protein in, 1142
- U. phaseoli*, on bean, cultivar mixture effect, 895
- Ustilago* spp.
—*U. hordei*, genetics of, mutagenesis and recombination, 1128
- U. maydis*: fatty acid composition, ergosterol biosynthesis inhibiting fungicide, 566; virus P4, toxin gene products from, 1130
- Utermohlen, J. G., 1073
- Utkhede, R. S., 847
- Uyemoto, J. K., 847, 1080
- Vaillancourt, L. J., 1112
- Vainstein, M. H., 638
- Valent, B., 383
- Valverde, R. A., 459, 1072
- Van Alfen, N. K., 1128
- van Bruggen, A. H. C., 568, 659, 800, 869, 874, 1097
- van der Merwe, P. J. A., 1089
- van der Zwart, T., 564, 1077, 1101, 1140
- Van Dyke, C. G., 1111
- van Ginkel, M., 1112
- Van Gundy, S. D., 377, 378, 1086
- Van Pelt, N. J., 1131
- Van Schage, J. G., 483
- Van Scyoc, S. W., 1123
- Vanderplank, J. E., 382
- Vanilla, viruses of, in Society Islands, 1091
- Vann, S. R., 1107
- Varela, F., 375
- Vásquez, R. E., 377
- Velasco, V., 848
- Vélez, J. A., 375
- Venette, J. R., 956
- Venturia inaequalis*
—on apple: ascospore dose forecasting, 112; ascospore germination and penetration, 658; ergosterol biosynthesis-inhibiting fungicides, 119
- ascospores of, deposition efficiency, 1082
- ascospore discharge, patterns, 985
- ascospore penetration of apple leaves, differentiation, 1107
- Athelia bombacina* antagonistic to, stains for, 1104
- fungicides for: in greenhouse and field, 1066; synergistic interactions, 658
- pathogenicity, resistance in apple, 660
- pseudothecia of, temperature and moisture effect, 199
- Vera Cruz, C. M., 1117
- Verticillidiella wageneri*
—tree mortality, site conditions, 1058
- variance of, electrophoretic characteristics, 845
- Verticillium* spp., population dynamics, host genotype and metam sodium effect, 1094
- V. albo-atrum*: on alfalfa, anatomical response, 522, (524-526); on alfalfa, filtrate use in resistance, 653; on alfalfa, flowering affected by, 657; on alfalfa, leafcutter bee vector, 75, (75-78); on alfalfa, soil strain persistence, 576; host specificity, 1111
- V. dahliae*: conidial production of, inhibition with ammonium sulfate, 788, (789); on cotton, pathotype differentiation, 1107; on cotton, resistance and distribution relation, 1005; on cotton, sesquiterpenoids in stems of, 1011, (1012); hydroxamate siderophores produced by, 1081; on peanut, sap flow in susceptible cultivars, 500; on pepper, resistance, 1068; on potato, interaction with *Alternaria* and leafhopper, 1046; on potato, soil solarization for, genotype resistance, 1021; potato genotype response to culture filtration, 1112; in soil and potato tissue, irrigation and fertility relation, 730
- Vesonder, R. F., 1147
- Vicia faba*
—Botrytis blight of, antigens in host cytoplasm, detection, 622, (623-625)
- cytoplasm, *Botrytis* antigens in, 1111
- Vidaver, A. K., 1135, 1136
- Vidhyasankaran, P., 261
- Villalón, B., 377, 1080, 1120
- Villarreal, L. A., 377
- Vimard, B., 465
- Viruses (see also under specific viruses)
—beetle-transmitted, properties and transmissibility, 1122
- caulimoviruses, recombination in mixed infections, 1090
- cereal, detection with dot immunobinding assay and ELISA, 1131
- Commelinaceae, five naturally occurring viruses, 372
- dot immunodetection procedure for, 1062
- double-stranded RNA, in 23 viruses, 459
- ELISA plate reader, construction, 1217, (1218)
- ELISA plates for, reconditioning, 483
- luteoviruses, identification and classification, RNAs, 1062
- potyvirus: helper component, a glycoprotein, 1063; monoclonal antibodies, antigenic specificity, 1091
- proteins specific to, temporal accumulation in whole plants, 1062
- spatial pattern, quantitative description, 243
- Volvariella volvacea*
—isozyme analysis use, 654

- isozyme loci, segregation, 658
- Von Chong, K., 1063
- von Qualen, R. H., 1093
- von Qualen, S. K., 1106
- von Wechmar, M. B., 1127
- Vough, L. R., 563
- Wach, M. P., 1121
- Wade, M., 1127
- Wagner, J. E., 1104
- Wagner, R. E., 1057
- Waindle, M. L., 1117
- Waiss, A. C., Jr., 1011
- Waldrön, J. K., 1088
- Walker, J. C., 1152
- Walker, M. E., 1063
- Walkinshaw, C. H., 1085, 1133, 1141
- Wall, G. C., 1142
- Wall, J. H., 1144
- Walla, J. A., 958
- Wallis, G., 651
- Walnut, witches'-broom, in Georgia, 1139
- Wang, B. S. P., 1113
- Wang, H.-L., 1091
- Wargo, P. M., 659
- Warkentin, D. S., 1090
- Warren, H. L., 1106
- Warwick, D., 1073
- Waterfield, W. F., 566
- Watermelon mosaic virus 2
- acquisition and inoculation by plant and vector, 1276
 - spatial and temporal spread, virus-suppression and aphid resistance, 1254
- Watkins, J. E., 1060
- Watson, A. K., 1115
- Watson, G. R., 1081
- Weaber, K. F., 655
- Webb, R. E., 563
- Weber, D., 40
- Webster, R. K., 661, 843, 1102, 1146, 1147
- Weeden, N. F., 659
- Weidemann, G. J., 1080
- Weingartner, D. P., 1114
- Weinstein, G. A., 846
- Weisburg, W. G., 1083
- Weller, D. M., 1059
- Wells, D. W., 1070
- Wells, J. M., 564, 658, 1077, 1083, 1101, 1136
- Weltzien, H. C., 1104
- Welvaert, W., 1141
- Wene, E. G., 956, 958
- Wenko, L., 1143
- Wenner, N. G., 659
- Whalen, C. H., 568, 869
- Wheat
- anther culture and plant regeneration from, 1146
 - black chaff, frost effect, 1134
 - Corynebacterium michiganense* on, seed detection, 1099
 - disease control with foliar fungicides, 841
 - durum, infection coefficient for two rusts, 372
 - embryo infection and seedling response, seed age effect, 1061
 - eyespot, management in Ontario, 656
 - foliar diseases: fungicides for in tank mixes, 1060; growth affected by, 1099
 - fungal leaf spots of, temperature sensitivity in cultivars, 651
 - Fusarium culmorum* in soil of, chlamydospore persistence, 1205
 - Helminthosporium* leaf spot of, occurrence and control in Bolivia, 848
 - Karnal bunt of, seed and foliar fungicides for, 846
 - leaf rust and spots of, fungicides for, 1060
 - leaf rust: factors in slow rusting, 841; growth stage and leaf position effect, 1147; host parasite relation, quantitative, 1103; resistance gene segregating loci, 842; time and temperature interactions, 1286; virulence combination and loss in 1985, 1147
 - loss assessment, single tiller method, 1098
 - microbial community in straw of, tillage effect, 958
 - mildew of, unnecessary virulence genes on fitness, 154
 - powdery mildew, triadimenol seed treatment, 254
 - Pyrenophora tritici-repentis* on, from brome, 1061
 - Rhizoctonia* bare patch, crop rotation and tillage effect, 669, (671)
 - Rhizoctonia solani* on, isolate characterization in Australia, 1245
 - root colonization by take-all suppressive strain of *Pseudomonas*, 1059
 - root colonizers of, soil bacteria, 1070
 - seed fungal flora, in Iran, 1108
 - seedling emergence, seed treatments for, 958
 - Septoria leaf blight, resistance inheritance, 1098
 - Septoria nodorum* leaf and glume blotch, yield effect, 565
 - Septoria tritici* on, genetics of resistance, 1112
 - smut of, spike number per plant relation, 843
 - soilborne pathogens of, tillage and cropping system effect, 1098
 - stem rust, defeated resistance genes, 546
 - strawbreaker foot rot, papilla formation and hypersensitivity, 737, (738, 741)
 - stripe rust of: resistance to, durable, high-temperature, 435; resistance and temperature genes, 93
 - take-all: biocontrol, ELISA for detection, 1319; high and low-nutrient effect, 815; sand effect, 1098
 - take-all decline, lesion number and suppressive soil, 342
 - tan spot: nitrogen effect, 1098; resistance characterization, 931, (932-936); toxin and symptomatology, 1125
 - Typhula* spp. on, sclerotial survival in fields, 278
 - viruses of, rod-shaped, deterioration after antibody decoration, 339, (340)
- Wheat soilborne mosaic virus
- monoclonal antibody production, 1133
 - wheat yield effect, 1127
- Wheat spindle streak mosaic virus
- characterization and time course study, 957
 - deterioration after antibody decoration, 339
 - ELISA and dot immunobinding for detection, 1132
 - grain yield and quality, 1127
- Wheat streak mosaic virus
- deterioration after antibody decoration, 339
 - evaluation and genetic analysis, ELISA and slot-blot hybridization, 1075
 - freezing effect on infectivity, 1075
- White, D. G., 1275
- White, E. P., 1123
- White clover, yield effect of two viruses, 557
- Whitmoyer, R. E., 1148
- Whitney, E. D., 1074, 1077, 1089
- Wicks, Z. W., III, 1120
- Wieringa-Brants, D. H., 39
- Wiglesworth, M. D., 1092, 1116
- Wilcox, W. F., 659, 1065, 1105
- Wilcoxson, R. D., 1060, 1105, 1147
- Wild rice (see also Rice)
- crown and root rot, in California, 1147
- Wilhelm, S., 1005
- Wilkinson, H. T., 342, 1018, 1057
- Willetts, H. J., 101
- Williams, E., Jr., 958
- Williams, M. W., 1074
- Williams, P. H., 778
- Williams, R. W., 670
- Williamson, M. A., 1082
- Willingale, J., 536
- Willman, P. A., 1086
- Wills, W. H., 1069
- Wilson, D. M., 1063
- Wilson, J. D., 1142
- Wilson, M. A., 1068
- Windels, C. E., 958, 1061, 1063
- Windham, M. T., 518, 720; 1071
- Windom, G. E., 842
- Wise, R. P., 1060
- Wisler, G. C., 1076, 1091
- Wofford, D. S., 843
- Wokoma, E. C., 1148
- Wong, S.-M., 1062
- Wongkaew, S., 294
- Woods, D. M., 1248
- Wootke, S. L., 957, 958
- Worf, G. L., 958
- Wu, B., 564, 1093
- Wu, F. C., 1131
- Wyllie, T. D., 1088
- Wymore, L. A., 1115
- Wynne, J. C., 1147
- Xanthomonas* spp., epiphytic growth and survival of, factors affecting, 847
- X. campestris*: on bean, circumnutation relation, 712; on bean, leaf movement alterations, 270; on bean, lesion development and HF relation, 658; on bean, mutant identification, 1136; on bean, resistance tested with dry inoculum, 1079; on bean, survival in tillage systems, 1078; in carrot seed, detection medium, 1109; in citrus, detection by membrane entrapment and immunofluorescence, 1101; on citrus, genomic fingerprints, 1137; on citrus, survival on fruit, 1135; on citrus budwood, disinfectants for, 1076; on cotton, cloned avirulence genes, 1099; on cotton, gene mutagenesis, transconjugants, 1076; on cotton, mutant, extracellular protease-deficient, 1140; on crucifer seed, Alcide for, 1109; on crucifer seed, occurrence and survival, 1306; epiphytic distribution, lognormal, 1136; genetic analysis using bioluminescence, 846; genetically and pathologically related pathovars, 1076; on kidney bean, air pollution effects, 514; on lime, unique strains, 1078; membrane proteins of, immunochemistry, 148; membrane proteins of, serology, 139; mutants of, host range, 844; pathogenicity of Indian isolates, 881; pathovar taxonomy, membrane protein analysis, 1117; pathovars of, differentiation without pathogenicity, 1076; on peach, pruniphage and epiphytic bacterial interaction, 549; on peach and plum, epiphytic behavior, 1070; on pepper, hypersensitivity and parasitism, 1078; plasmid in, copper resistance and avirulence loci, 240; races, phenotypic variation, 1117; resistant to cotton phytoalexin, reactive oxygen, 1078; on rice, populations, 1140; on soybean, auxin production, 1101; on soybean, histopathology and growth, 959, (962, 963); strains of, serology, 841; on tomato, survival in residue, weeds, seeds, and plants, 430
- Xie, W., 1063
- Xiong, Z., 1090
- Xixuan, J., 1111
- Xu, G.-W., 414, 423
- Xu, Z., 390
- Xuei, X.-L., 1092
- Xylella fastidiosum*, new genus of fastidious bacteria on plants, 1083
- Yang, S. M., 1082
- Ye, H., 737
- Yeh, S.-D., 1091
- Yeh, W. H., 1105
- Yepes, L. M., 670

- Yoder, O. C., 383
Yokomi, R. K., 1074
Yost, R. S., 1097
Young, C. S., 1104
Young, D. J., 845
Young, R. J., 566
Yuen, G. Y., 171, 176, 1078
- Zaim, M., 1109
Zaki, M. J., 1134
Zamora-D., M., 377
Zavala, T., 377
- Zavaleta-Mejia, E., 377, 378
Zehr, E. I., 1070
Zelikovitch, N., 1061
Zentmyer, G. Z., 159
Zeringue, H. J., Jr., 1125
Zeron, F., 372
Zettler, F. W., 372, 373, 632, 1091
Zheng, Y., 1131
Zhu, Z., 1114
Zimmer, R. C., 878
Zimmerman, M. J. de O., 1073
- Zinnia, *Pseudomonas* of, biocontrol, 176
Zion, R., 1081
Zitter, T. A., 652
Zook, M., 1067
Zucchini yellow mosaic virus
—aphid transmissible variant, 1063
—beetle regurgitant effect on transmission, 808
—characterization, South Carolina, 651
—on squash, seed transmission, 1073
Zuck, M. G., 658
Zummo, N., 1098, 1119

STATEMENT OF OWNERSHIP MANAGEMENT AND CIRCULATION <i>(Required by 39 U.S.C. 3685)</i>						
1A. TITLE OF PUBLICATION		1B. PUBLICATION NO.			2. DATE OF FILING	
Phytopathology		4	3	1	5 4 9	10-01-86
3. FREQUENCY OF ISSUE		3A. NO. OF ISSUES PUBLISHED ANNUALLY			3B. ANNUAL SUBSCRIPTION PRICE	
Monthly					\$150.00	
4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION (<i>Street, City, County, State and ZIP+4 Code</i>) (<i>Not printers</i>)						
3340 Pilot Knob Road, St. Paul, Dakota, MN 55121						
5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OF GENERAL BUSINESS OFFICES OF THE PUBLISHER (<i>Not printer</i>)						
3340 Pilot Knob Road, St. Paul, MN 55121						
6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (<i>This item MUST NOT be blank</i>)						
PUBLISHER (<i>Name and Complete Mailing Address</i>)						
American Phytopathological Society, 3340 Pilot Knob Road, St. Paul, MN 55121						
EDITOR (<i>Name and Complete Mailing Address</i>)						
Gregory E. Shaner, Purdue Univ., Dept of Bot & Pl Path, W. Lafayette, IN 47907						
MANAGING EDITOR (<i>Name and Complete Mailing Address</i>)						
Steve C. Nelson, 3340 Pilot Knob Road, St. Paul, MN 55121						
7. OWNER (<i>If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.</i>) (<i>Item must be completed.</i>)						
FULL NAME		COMPLETE MAILING ADDRESS				
American Phytopathological Society		3340 Pilot Knob Road, St. Paul, MN 55121				
8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (<i>If there are none, so state</i>)						
FULL NAME		COMPLETE MAILING ADDRESS				
N/A Non-Profit Scientific Society						
9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (<i>Section 423.12 DMM only</i>) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (<i>Check one</i>)						
(1) <input checked="" type="checkbox"/> HAS NOT CHANGED DURING PRECEDING 12 MONTHS		(2) <input type="checkbox"/> HAS CHANGED DURING PRECEDING 12 MONTHS		<i>(If changed, publisher must submit explanation of change with this statement.)</i>		
10. EXTENT AND NATURE OF CIRCULATION <i>(See instructions on reverse side)</i>		AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS		ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE		
A. TOTAL NO. COPIES (<i>Net Press Run</i>)		5673		5600		
B. PAID AND/OR REQUESTED CIRCULATION 1. Sales through dealers and carriers, street vendors and counter sales						
2. Mail Subscription <i>(Paid and/or requested)</i>		5068		5117		
C. TOTAL PAID AND/OR REQUESTED CIRCULATION <i>(Sum of 10B1 and 10B2)</i>		5068		5117		
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES		31		29		
E. TOTAL DISTRIBUTION (<i>Sum of C and D</i>)		5099		5146		
F. COPIES NOT DISTRIBUTED 1. Office use, left over, unaccounted, spoiled after printing		574		454		
2. Return from News Agents						
G. TOTAL (<i>Sum of E, F1 and 2—should equal net press run shown in A</i>)		5673		5600		
11. I certify that the statements made by me above are correct and complete		SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER <i>Kayment Hartzer, Publisher</i>				

SUSTAINING ASSOCIATES

ABBOTT LABORATORIES, Long Grove, IL
ADVANCED GENETIC SCIENCES, INC., Oakland, CA
AGRICULTURE CANADA, Vineland Station, Ontario
AGRI-DIAGNOSTICS ASSOCIATES, Cinnaminson, NJ
AGRI-SCIENCES, INC., Rolling Hills Estates, CA
ALF CHRISTIANSON SEED CO., Mount Vernon, WA
AMERICAN CYANAMID CO., Princeton, NJ
ASGROW SEED CO., San Juan Bautista, CA
BASF CORPORATION, Parsippany, NJ
BUCKMAN LABORATORIES, INC., Memphis, TN
CALGENE, INC., Davis, CA
CARGILL, INC., Aurora, IL
CHEVRON CHEMICAL CO., Richmond, CA
CHEVRON CHEMICAL CO., San Francisco, CA
CIBA-GEIGY CORP., Agricultural Division,
Greensboro, NC
DEKALB-PFIZER GENETICS, Dekalb, IL
DEL MONTE CORP., San Leandro, CA
DEPT. OF AGRICULTURE-AUSTRALIA, Northfield, S. Australia
DOW CHEMICAL CO., Midland, MI
E. I. DU PONT DE NEMOURS & CO., Newark, DE
ELI LILLY & CO., Greenfield, IN
FERRY MORSE SEED CO., Modesto, CA
FMC CORP., Agricultural Chemical Division, Princeton, NJ
FUNK SEEDS INTERNATIONAL, Bloomington, IL
GEO J. BALL, INC., W. Chicago, IL
GREAT LAKE CHEMICAL CO., W. Lafayette, IN
GRIFFIN CORP., Valdosta, GA
GUSTAFSON, INC., Des Moines, IA
HARRIS MORAN SEED CO., Rochester, NY
HARTMAN'S PLANTS, INC., Palmdale, FL
HOECHST ROUSSEL AGRI VET CO., Somerville, NY
H. J. HEINZ CO., Bowling Green, OH
ICI AMERICAS, INC., Goldsboro, NC

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.,
Urbana, IL
ILLINOIS FOUNDATION SEEDS INC., Champaign, IL
INST. DE FITOVIROLOGIA, Torino, Italy
ITESM, Queretaro, Mexico
JANSSEN PHARMACEUTICA, Washington Crossing, NJ
KALO, INC., Columbus, OH
LOXTON RESEARCH CENTRE, Dept. of Agriculture,
Loxton, S. Australia
MALLINCKRODT, INC., St. Louis, MO
MERCK & CO., INC., Rahway, NJ
MILES LABORATORIES, INC., Elkhart, IN
MOBAY CHEMICAL CORP., Kansas City, MO
MONSANTO COMPANY, St. Louis, MO
NOR-AM CHEMICAL CO., Wilmington, DE
NORTHRUP KING & CO., Woodland, CA
OGLEVEE ASSOCIATES, INC., Connellsville, PA
O. M. SCOTT & SONS, Marysville, OH
PENNWALT CORP., Tacoma, WA
PETOSEED CO., INC., Woodland, CA
PFISTER HYBRID CORN CO., El Paso, IL
PFIZER, INC.-TEKCHEM, Chemical Division, New York, NY
PIONEER HI-BRED INTERNATIONAL, INC., Johnston, IA
RHONE POULENC, INC., Monmouth Junction, NJ
ROHM & HAAS CO., Philadelphia, PA
SANDOZ CROP PROTECTION CORP., Chicago, IL
SDS BIOTECH CORPORATION, Painesville, OH
STAUFFER CHEMICAL CO., Mountain View, CA
UNIROYAL CHEMICAL, Bethany, CT
USDA FOREST SERVICE, Ogden, UT
W. L. RESEARCH, INC., Highland, MD
W. R. LANDIS ASSOCIATES, INC., Valdosta, GA
YODER BROTHERS, Barberton, OH