

Index for Volume 76 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses. Page numbers of errata are in italic.

- Abney, T. S., 287
Abrahams, B. R., 251
Abt, J. J., 1069
Acremonium spp., on ryegrass, cattle association, 212
—*A. coenophialum*, on tall fescue, endophyte relation, 911
Adaskaveg, J. E., 226
Adebitan, S. A., 1025
Aeschynomene virginica, anthracnose, tree-frog vector, 1266
Agostini, J. P., 1176
Agrobacterium tumefaciens, on kiwi, in Japan, 212
Agropyron mosaic virus, Colorado isolate, characterization, 564
Aigbokhan, E., 1283
Akem, C. N., 101, 323
Akiew, E., 753
Akueshi, C. O., 323
Alam, M., 1074
Albrechts, E. E., 976
Albugo candida, on mustard, cover photo, November
Aldrich, J. H., 885
Alexander, S. A., 307
Alfalfa
—crown rot, *Phoma*, 1237, (1238, 1239)
—leaf spot, *Pseudomonas* for control, 1217
—seedling disease by *Aphanomyces*, in Kentucky, 622
—Verticillium and Fusarium wilts of, mycorrhizal fungus role, 239
—Verticillium wilt of, management in Wyoming, economics, 504
—web blight, *Rhizoctonia*, 1283
Alfaro, A., 363
Allen, W. R., 23
Allium sativum (see also Garlic, Onion, *Ophiomyia* spp.)
—*Alternaria* leaf disease, first report in South Africa, 643
—leaf blight in South Africa, first report, 426
Alstroemeria sp., Freesia mosaic virus in, natural occurrence, 643
Alternaria spp.
—*A. alternata*, on soybean seed, freeze damage effect, 879
—*A. brassicicola*, on Chinese cabbage, cover photo, March
—*A. cucumerina*: on cantaloupe leaves, cover photo, May; on muskmelon, yield loss, model, 1013
—*A. macrospora*, on cotton, chemical control in Israel, 1164
—*A. mali*, on apples, chemical control, 126
—*A. porri*, on garlic, first report in South Africa, 643
—*A. ricini*, on castor beans, cover photo, December
—*A. solani*: on greenhouse tomatoes, control using plastic film, 43; on tomato, difenoconazole effect on, 774
Amaranthus albus, biocontrol with *Aposphaeria amaranthi*, 267
American Type Culture Collection, germ plasm resources, 762
Anand, S. C., 894
Anchusa italica, wheat leaf rust alternate host, in Morocco, 1185
Anderegg, J. C., 282
Anderson, T. R., 587, 600, 958
Anisogramma anomala
—on filbert, characteristics in Oregon, 1179
—on hazelnut: cover photo, April; seedling susceptibility and infection period, 348
Ans, O. A., 95
Aphanomyces euteiches
—on alfalfa, seedling disease in Kentucky, 622
—on red clover, resistance to, 39
Aposphaeria amaranthi, for biocontrol of pigweed, factors, 267
Appel, D. N., 1120
Appel, J. A., 539
Apple
—Alternaria blotch of, chemical control, 126
—expert system for management, consultant, 545
—fire blight: infection predicted using computer, 344; severity in Michigan, 1049
—perennial canker, perennation factors of pathogen on fruit, 1109
—Phytophthora crown and root rots, orchard management effect, 199
—*Phytophthora* spp. on, preplant root treatments, 12
—postharvest decay: calcium treatment, 329, (330, 331); carbon dioxide and oxygen effect, 992
—postharvest disease, biocontrol with yeast, 470
—scab: conidial overwintering in buds, New York, 121, (124); sterol demethylation inhibitor fungicides for, 669
Appleby, J., 1209
Arabidopsis thaliana
—*Spiroplasma citri* on, 862, (863)
—*Xanthomonas campestris* isolated from, 539
Aragaki, M., 853, 925
Aranda, M. A., 363
Arceuthobium americanum, on jack pine, survey, Manitoba, 1256
Armillaria spp.: hosts and distribution in New York, 166; site relation, in New York, 170, 641
—*A. gallica*, on sugar maple, cover photo, February
Armstrong, J. W., 723
Arsenijević, M., 1283
Arthrinium arundinis, on barley, kernel blight, 1077
Asai, W. K., 71
Ascochyta rabiei
—on chickpea, climate and global distribution, 409
—on clover seeds, first report, 538
Ash, yellows
—drought effect, survey, 1209
—mycoplasmalike organisms in, detection by DNA probe and DAPI, 154
Ashulin, L., 357
Asparagus
—*Phytophthora megasperma* on, in Chile, 101
—rust of, effect on yield, 84
Aspergillus flavus
—on corn, in soil in Iowa, 19
—on corn kernels, *Fusarium* interaction, aflatoxin, 771
Atlin, G., 1185
Author instructions, 103
Aveling, T. A. S., 426, 643
Avocado, citrus viroid of, transmission by grafting, 357
Bacon, C. W., 144
Bacteria, xylem-limited, on *Prunus*, 5
Baenziger, P. S., 1283
Baird, R. E., 244, 1251
Baker, F. A., 1256
Baker, N. K., 19, 943
Bankert, R., 545
Bar-Joseph, M., 357
Barkdoll, A. W., 131
Barker, K. R., 352
Barker, R. E., 637
Barley
—flame chlorosis, cover photo, June
—kernel blight, first report, 1077
—leaf and glume blotch, resistance, 1227
—loose smut, cover photo, January
—net blotch of, resistance inheritance, 367
—*Puccinia coronata* in, in Nebraska, 1283
—*Pyrenophora tritici-repentis* on, aggressiveness, 783
—*Rhizoctonia* root rot, herbicide effect, 937
—stem rust of, resistance sources, 212
—stripe rust, in Texas, 538
Barley stripe mosaic virus, wheat aphid vector, 1155
Barley yellow dwarf virus
—field detection, monoclonal antibody application, 273
—isolate purification, antibody properties, 1125
—RMV-like isolates, biological and serological characterization, 33
—wheat aphid vector, 1155
Barley yellow streak mosaic virus, in Idaho, 861
Barnard, J., 717
Barnes, D., 824
Barnett, O. W., 46
Bartolotti, S. E., 101
Bashan, B., 451
Bauske, E. M., 236
Bean common mosaic virus
—comparative immunoassays of, 57
—on lima bean, cover photo, March
—pathogenicity groups, germ plasm collection, 1263
Bean severe mosaic comoviruses, interaction with necrosis gene in bean, 570, (571, 572)
Becker, C. M., 121
Beet leafhopper-transmitted virescence agent, on tomato, tolerance, 139
Beet western yellows virus
—monoclonal antibody production, in detection, 75
—weed hosts, in British Columbia, 1137
Bélanger, R. R., 1008
Bellardi, M. G., 643
Bemisia tabaci
—cotton virus vector, Caribbean, 220, (221, 222)
—on *Cucurbita* and *Brassica* spp., disorder, 426
Ben-Arie, R., 470
Bennett, I. J., 630
Bennett, M. A., 700
Bennett, R. M., 144
Benson, D. M., 578
Bentgrass, Penicillium leaf blight of, in North Carolina, 753
Bergstrom, G. C., 188
Berkett, L. P., 277
Bermudagrass, *Claviceps purpurea* on, sclerotial formation, 1077

- Bernard, R. L., 964
 Berner, D. K., 1283
 Bernhardt, E. A., 101, 416
 Bertaccini, A., 643
 Beute, M. K., 352
 Bezerra, A. P. T., 809
 Bhatti, M. A., 50, 54, 960, 1259
 Binkerd, K. A., 1078
 Biological control
 —*Aposphaeria amaranthi* for pigweed, factors, 267
 —bacteria for *Erwinia amylovora*, bee dissemination, 1052
 —*Colletotrichum capsici* for morningglory, 995
 —compost for dollar spot on turfgrass, 954
 —*Pasteuria penetrans* for nematodes in kiwi orchards, 1275
 —*Pseudomonas*: for green mold of lemon, 481; for leaf spots of alfalfa and tomato, 1217
 —*Pseudomonas syringae* for pear storage rot, 555
 —yeast, for postharvest diseases of grape, peach, and apple, 470
Bipolaris spp.
 —*B. oryzae*: on rice, silicon fertilizer effect, 1011; on wild rice, 1193, (1195, 1196)
 —*B. sorokiniana*, on wheat, chloride effect, 908
 Bird, J., 220, 843
 Black, L. L., 260
 Blodgett, J. T., 166, 170
 Blueberry, stem blight, root dip treatments, 136
Blumeria graminis, on wheat, plot factors, 299
Blumeriella jaapii, on black cherry seedlings, effects, 602
 Boal, R. J., 1109
 Bockus, W. W., 633, 1061
 Boiteux, L. S., 212
 Bonman, J. M., 384
 Bosque-Pérez, N. A., 789
 Bost, S. C., 861
Botryodiplodia theobromae, on coconut, cover photo, April
Botryosphaeria dothidea, on blueberry, root dip treatments, 136
Botrytis cinerea
 —benzimidazole and dicarboximide resistance, in Pennsylvania, 477
 —on geranium: dicarboximide application, resistant strain, 919; fungicide residual efficacy, 374
 —on grape, leaf removal for control, 205
 —grape berry, *Lobesia* larvae effect, 404
 —on greenhouse tomatoes, control using plastic film, 43
 —on kenaf, first report in Spain, 539
 Bottenberg, H., 304
 Boucher, A., 951
 Bove, J. M., 1092
 Bowen, K. L., 982
 Bowser, T., 545
 Boyd, W. J. R., 212
 Boyhan, G., 251
 Boyle, J. S., 1084
Brachychiton populneus, root rot of, 883, (883, 884)
 Bradley, J. K., 824
 Bragard, C., 999
Brassica spp., whitefly-associated squash silverleaf disorder of, 426
 Bravo-Almonacid, F., 574
 Brenneman, T. B., 29, 1199, 1241
 Britton, K. O., 915
 Broadbent, A. B., 23
 Broadbent, P., 824
 Broccoli, bacterial soft rot, nitrogen effect, 989
 Brome mosaic virus, wheat aphid vector, 1155
 Browder, L. E., 1061
 Brown, A. R., 1227
 Brown, J. K., 220, 426
 Brown, L. P., 642
 Brown, S. A., 723
 Brumfield, S. K. Z., 33, 861
 Buddenhagen, I. W., 789
 Burkett, J. Z., 928
 Burner, D. M., 360
 Burpee, L. L., 112, 1065
 Burr, T. J., 121
 Busch, R. H., 658
 Butler, E. E., 539
 Butternut, canker, first report in Ontario, 972
 Buzzell, R. I., 587, 600, 958
 Cahill, D. M., 630
Cajanus cajan, nematodes of, constraints in tropics, 868, (870)
 Caldwell, W. D., 861
 Call, N. G., 972
Calonectria spp., on *Howea forsterana*, in Hawaii, 853, (854, 855)
 Campbell, C. L., 213, 427, 754
 Campbell, H. L., 426
 Campbell, R. N., 1245
 Canaday, C. H., 989
Candida guilliermondii, biocontrol agent for postharvest disease of fruit, 470
 Canola (see also Rapeseed)
 —*Rhizoctonia* crown rot, in Indiana, 1251, (1252)
 —winter decline syndrome, 861
 Canteros, B. I., 118
 Cantaloupe (see Melon and Muskmelon)
Capsicum annuum
 —bacterial spot: bactericides, genotypes, insect population, 1042; in Barbados, 1046; race shift in Florida, 118
 —*Cladosporium* leaf spot, new, 536
 —foliar and stem blight, virulence of geographic isolates, 486
 —sand injury, relation to bacterial spot, 1036
 Carris, L. M., 972
 Carroll, R. B., 747
 Carroll, T. W., 33, 861, 1155
 Carrot, powdery mildew, in New York, 972
 Cartwright, D. K., 995
 Casida, L. E., Jr., 1217
 Castaño, M., 570
 Castello, J. D., 518, 696, 1209
Catharanthus roseus
 —*Phytophthora parasitica* on, metalaxyl resistance, 82
 —root and crown rot of, populations of *Phytophthora* and fungicide use, 60
Centaurea diffusa, rust of, first report in U.S., 972
 Centipedegrass mosaic, occurrence in South Carolina, widespread, 46
Cephalosporium gramineum, on winter wheat, liming for control, 282
Ceratocystis fagacearum, on oak, control with propiconazole, 1120
Cercospora spp.
 —*C. arachidicola*, on peanut, difenoconazole effect on, 774
 —*C. beticola*, on sugar beet, root and sugar effects, 812
 —*C. kikuchii*, on soybean, protein degradation in seed coats, 779
 —*C. zeae-maydis*, on corn residue, survival in Ohio, 560
Cercosporidium spp.
 —*C. personatum*: *Dicyma pulvinata* as parasite, 1185; on peanut, control by irrigation, chlorothalonil, and resistant cultivars, 29; on peanut, management, 1199
 —*C. punctum*: on fennel, in California, 539; on fennel, cover photo, May
 Cereals (see also Barley and Wheat)
 —soilborne pathogens, in Mexico, 149
 —viruslike diseases of, flame chlorosis diagnosis, 590, (593)
 Cervantes, L. A., 256
 Chakravarty, P., 239
 Chalutz, E., 470
 Chandler, C. K., 976
 Chaney, W. R., 340
 Chang, C. J., 1116
 Chang, K. F., 239
 Chang, R. J., 805, 1150
 Chellemi, D. O., 861, 915
 Chen, C.-C., 835
 Chen, G. Q., 1077
 Chen, J., 1116
 Chen, M.-J., 835
 Cheng, Y.-H., 835
 Chérif, M., 1008
 Cherry
 —black, leaf spot, control benefits, 602
 —sweet, bacterial canker of, freezing temperature effect, 447
 Cherry leafroll virus, walnut strain, transmission and host response, 264, (265, 266)
 Chickpea
 —Ascochyta blight, climate and global distribution, 409
 —root rot and wilt, soil moisture, 1259
 Cho, J. J., 642
 Christie, R. G., 856
 Christmas, E. P., 1251
 Chrysanthemum, cucumber mosaic virus of, properties, 474, (475)
 Chu, P. W. G., 420
Cicer arietinum
 —Fusarium and Thielaviopsis root rots of, resistance to, 54
 —nematodes of, constraints in tropics, 868, (870)
 —root rot and wilt: inoculum density and temperature effect, 50; soil bulk density effect, 960
 Citrus
 —Asiatic canker, analysis in Florida, 389
 —bacterial canker: detection and identification using hybridization probes, 889; immunoassay for resistance evaluation, 708
 —blight, nontransmission by soil, 323
 —foot and root rot of, temperature effect, 1103
 —greening disease, in Tanzania, survey, 1185
 —postbloom fruit drop: fungicides for, timing, 820; selective media for pathogen, 1176
 —root pathogens, chlorine for control in irrigation systems, 457
 —tristeza virus, cross protection, 141
 —viroid transmission to avocado, by grafting, 357
Citrus grandis, Asiatic citrus canker of, detection in Australia, 824, (825, 826)
 Citrus vein enation virus, first report in China, 1077
 Claassen, M. M., 633
Cladosporium spp.
 —*C. fulvum*, on greenhouse tomatoes, control using plastic film, 43
 —*C. oxysporum*, on pepper, new leaf spot, 536
 Clapham, W. M., 417
 Clark, C. A., 67
Clavibacter spp.
 —*C. michiganensis*: on potato, isolation medium, 830; on tomato, cover photo, August; on tomato, incubation and severity factors, 1150; on tomato, seedling resistance, greenhouse method, 1004; on tomato, yield effect, 805
 —*C. xyli*, on sugarcane, mechanical harvester

- effect, 1148
Claviceps spp.
 —*C. africana*, on sorghum, resistance, 986
 —*C. purpurea*: on bermudagrass, cover photo, October; on bermudagrass, sclerotial formation, 1077
 Cline, W. O., 131
 Clover
 —berseem, *Ascochyta rabiei* on seeds of, 538
 —white, stand decline, virus diseases, 158
 Cobb, A. C., 972
Coccostroma palmicola, on coconut, cover photo, April
Cochliobolus sativus
 —on cereals, in Mexico, 149
 —tall fescue affected by, factors, 270
 Cocoa
 —brown root rot of, threat in Papua New Guinea, 642
 —pod rot, cover photo, January
 Coconut
 —*Phytophthora* fruit and heart rots, in Hawaii, 925
 —red ring nematode of, root transmission, 809
 Cohen, M., 141
 Cohen, Y., 615, 626
 Coleman, P. M., 1213
Coleosporium plumeriae
 —on *Plumeria*, cover photo, June; first report in Hawaii, 642
Colletotrichum spp.: on cowpea, resistance screening and inoculation methods, 1025; on strawberry, complex in Florida, 976, (978)
 —*C. acutatum*: on strawberry, in Brazil, 212; on strawberry, cover photo, October; on strawberry, overwinter survival on fruit in Ohio, 948; on strawberry, soil moisture and temperature effect, 841; on strawberry flowers, cover photo, February
 —*C. capsici*: on morningglory, cover photo, October; mycoherbicide for morningglory, 995
 —*C. coccodes*: on potato, in Nebraska, 1077; on potato, pathogenic variation, 131
 —*C. fragariae*, on strawberry, disease management, 260
 —*C. gloeosporioides*: on citrus, fungicides for, 820; on citrus, strain differentiation, isolation procedure, 1176; on northern joint vetch, cover photo, December; on northern joint vetch, treefrogs as vectors, 1266, (1267); on orange blossom, cover photo, November
 —*C. graminicola*, on corn, wound predisposition to, 188
 —*C. magna*, on cucurbits, bioassay method, 901
 Collins-Shepard, M. H., 856
 Colyer, P. D., 861
 Common names, plant disease, 1186
 Computer
 —analysis software for, disease spatial pattern, 427
 —DIAGNOSIS, teaching aid, 644
 —spatial correlation analysis software, 213
 Comstock, J. C., 175, 426, 1033
 Conci, V., 594
 Conradie, E., 744
 Conway, K. E., 1077
 Conway, W. S., 329
 Cook, R. J., 937
 Corn
 —anthracnose stalk rot of, factors, 188
 —*Aspergillus flavus/parasiticus* in soils of, Iowa, 19
 —*Aspergillus* and *Fusarium* interaction on kernels, aflatoxin, 771
 —downy mildew, symptom remission in Nigeria, 753
 —gray leaf spot, fungus survival on residue, 560, (563)
 —intercropping of, role in bean halo blight, in Tanzania, 687
 —mycotoxins, electron microscopy of *Fusarium*, 144
 —northern corn leaf blight, tillage practice effect, 1161
 —rust, *Rp* resistance genes, 1140
 —sweet, northern leaf blight, culture filtrate effect on cultivars, 451
 —viruses and mycoplasmas of, light microscopy for identification, 318, (319-321)
Cornus florida, anthracnose of, site factors in North Carolina, 915
Corylus avellana
 —bright epidemic, characteristics in Oregon, 1179
 —filbert blight of, seedling susceptibility and infection period, 348
 Costa, H. S., 426
 Cotton, Alternaria leaf spot, chemical control, 1164
 Couper, D. C., 1283
 Coutinho, T. A., 412
 Cover photo
 —*Albugo candida*, on mustard, November
 —Alternaria leaf blight on cantaloupe, May
 —*Anisogramma anomala*, on hazelnut, April
 —*Armillaria*, on sugar maple, February
 —barley crown rust, December
 —barley flame chlorosis, June
 —barley loose smut, January
 —bean golden mosaic virus, March
 —*Botryodiplodia theobromae*, on coconut, April
 —broccoli, bacterial soft rot, October
 —cabbage leaf spot, *Alternaria*, March
 —castor bean leaf spot, *Alternaria*, December
 —*Cercosporidium punctum*, on fennel, May
 —*Claviceps purpurea*, on bermudagrass, October
 —*Coccostroma palmicola*, on coconut, April
 —cocoa pod rot, January
 —*Colletotrichum capsici*, on morningglory, October
 —*Colletotrichum gloeosporioides*: on northern joint vetch, December; on orange blossom, November
 —cotton root rot, September
 —cucumber belly rot, *Rhizoctonia*, April
 —grapevine leafroll-associated virus, September
 —*Hainesia lythri*, on thimbleberry, December
 —Hibiscus chlorotic ringspot virus, July
 —maize downy mildew, March
 —marigold bacterial spot, May
 —pea pod rot, June
 —pepper blight, *Sclerotinia*, July
 —*Phytophthora* root infection, soybean, June
 —pine cone rust, August
 —*Plumeria* rust, June
 —*Puccinia podophylli*, on mayapple, July
 —pumpkin blight, August
 —rice, sheath blotch, November
 —rice stem rot, March
 —*Rotylenchulus* egg sacs on pigeonpea, September
 —St. Augustinegrass, leaf sheath lesions, *Rhizoctonia*, February
 —sesame powdery mildew, February
 —soybean severe stunt virus, July
 —stony pit virus, on pear, November
 —strawberry: browning *Colletotrichum*, February; bud rot, October
 —tomato foot rot, *Fusarium*, January
 —tomato ringspot virus, on plum-peach grass, January
 —tomato spotted wilt virus, on orchid, April
 —tomato stem canker, August
 —tomato yellow leaf curl virus, May
 —*Ustilago vilvae*, on sewan grass, August
 —willow canker, September
 Cowpea, anthracnose, resistance screening and inoculation methods, 1025
 Cox, T. S., 1061
 Craft, C. M., 954
 Craig, J., 314
 Cranberry, diseases of, common names, 1186
 Crassweller, R., 545
Cristulariella moricola:
 —on kenaf: first report in Louisiana, 642; leaf spot, 861
Cronartium spp.
 —*C. comandrae*, on lodgepole pine, in North Dakota, 323
 —*C. conigenum*, on pine cone, cover photo, August
 —*C. ribicola*, on limber pine, in South Dakota, 538
 Crosier, B., 861
 Crosslin, J. M., 1132
Cryptonectria cubensis, on *Eucalyptus*, water stress effects on lesions, 744
Cryptosporiopsis perennans, on apple, perennialization, 1109
 Csinos, A. S., 1241
 Cucumber
 —crown and root rot, potassium silicate treatment, 1008, (1009)
 —Pythium root rot, control under hydroponics, 777
 Cucumber mosaic virus
 —on chrysanthemum, properties in India, 474, (475)
 —isolates, California, characterization, 1245
 —on tomato: epidemic in Spain, 363; satellite-mediated control, 1270, (1271)
Cucumis melo, downy mildew, resistance inheritance, 615
 Cucurbit
 —anthracnose, bioassay method, 901, (902)
 —downy mildew, sporulation and virulence factors, host effect, 905
 —foliar diseases, bicarbonate and polymer effects, 513, (515, 516)
Cucurbita, whitefly-associated squash silverleaf disorder of, 426
 Cucuzza, J. D., 101
 Culbreath, A. K., 29, 352, 1199, 1241
 Cummings-Carlson, J., 1209
 Cunfer, B. M., 1227
Cuscuta gronovii, tomato ringspot virus vector, 642
 Cvitkovitch, S., 590
Cylindrocladium crotalariae, on peanut, nematode and fungus relation, 352
 Cymbaluk, T. E., 908
Cymbopogon winterianus, lethal yellowing, in India, 1074
Cytospora chrysoperma, on willow, cover photo, September
 Czerwinski, E. J., 972

Dactuliochaeta glycines
 —on soybean: cultural studies, 847; outbreak in Nigeria, 323
 Dahmen, H., 523, 774
 Damann, K. E., 1148
 Damcone, J. P., 101, 1185
 Damsteegt, V. D., 1155
 Danet, J. L., 1092
 Daniels, J., 1245
 Dankers, H. A., 861
 D'Arcy, C. J., 273
 Dashell, K. E., 101, 323, 1025
 Datnoff, L. E., 118, 1011, 1036, 1182
 Davis, C. N., 972
 Davis, J. R., 131

- Davis, R. E., 154
 De Cal, A., 539
 de la Cruz, A. R., 830
 Demski, J. W., 95
 de Nazareno, N. R. X., 560
Dendranthema grandiflora, flower abnormalities, heat-induced, 728, (729, 732, 733)
 Denis-Arrue, R., 293, 481
 Dennis, J. J. C., 642
 Deren, C. W., 1011
 Derr, M. A., 795
 Desprez-Loustau, M.-L., 376
 Diagnosis
 —computer package, teaching aid, 644
 —immunoassay kits, *Phytophthora*-specific, clinical use, 928
Diaporthe perniciosa, on peach, in Alabama, 426
Dicyma pulvinata, hyperparasite on *Cercosporidium personatum*, in Virginia, 1185
 Diekmann, M., 409
 Dienelt, M. M., 728
 Di Giambattista, G., 538
 Dillard, H. R., 972
 Dill-Macky, R., 212
 Diouri, S., 1185
Diplocarpon rosae, on rose, sodium bicarbonate and oil for, 247, (249)
Discula destructiva, on flowering dogwood, site factors in North Carolina, 915
Ditylenchus destructor, on snap bean, infection, 1097
Diuraphis noxia actor for barley and brome viruses, 1155
 Droby, S., 470
 Duarte, V., 67
 Dudek, J., 700
 Dugan, F. M., 972, 1109
 Dullahide, S. R., 1004
 Dunbar, K. B., 693
 Duniway, J. M., 582
 Dupuis, F., 376
 Duveiller, E., 999
 Eastburn, D. M., 841
 Eastman, C. E., 273, 862
 Eby, V., 545
Eclipta prostrata, *Sclerotinia minor* on, new weed host, 101
 Egel, D. S., 389
 Ellerbrock, L. A., 1213
 Elliott, C. L., 966
 Elliott, M. S., 843
 Ellis, M. A., 948
 Ellis, P. J., 75, 1137
 Elmer, W. H., 208
 Endophyte, tall fescue, *Rhizoctonia* relation, 911
 Entz, T., 64
 Epstein, L., 310
 Errata
 —vol. 75, no. 6, 1991, 415
 —vol. 76, no. 2, 1992, 641
Erwinia spp., pectolytic, isolation medium, 382
 —*E. amylovora*: on apple, infection predicted using computer model, 344; on apple, severity in Michigan, 1049; bacteria antagonistic to, bee dissemination, 1052; on pear, spread in Turkey, 1114; on quince and pear, in Yugoslavia, 1293
 —*E. chrysanthemi*, on sweetpotato, presence through growing season, 67
Erysiphe spp.
 —*E. cichoracearum*, on *Eucalyptus*, in Arizona, 1077
 —*E. heraclei*, on carrot, in New York, 972
Escarole, tobacco streak virus on, characterization, 966, (967, 968)
 Estrada, B. A., 384
Eucalyptus spp., powdery mildew, in Arizona, 1077
 —*E. grandis*, *Cryphonectria* canker, water stress effect on lesions, 744
 —*E. marginata*, *Phytophthora cinnamomi* on, micropropagation, 630
 Evans, C. K., 1056
 Evans, R. R., 158
 Evans, T. A., 747
 Evers, G., 1185
Exserohilum turcicum
 —on corn, tillage practice effect, 1161
 —on sweet corn, culture filtrate effect on cultivars, 451
 Ezzahiri, B., 1185
 Fahy, P. C., 824
 Fajemisin, J. M., 753
 Fehrmann, H., 712
 Feliciano, A., 226
 Feliciano, A. J., 226
 Femi Lana, A., 1185
 Ferguson, L., 310
 Fermaud, M., 404
 Ferrandino, F. J., 208
 Ferreira, S., 426
 Ferrin, D. M., 60, 82, 492, 643, 883
 Fertilization, chloride, on wheat, root rot and yield effect, 908
Festuca arundinacea
 —brown patch on, resistance assessment, disease progress and crop recovery, 1065
 —*Cochliobolus sativus* infection, in soil, factors, 270
 —endophyte of, seedling disease relation, 911
 Filajdić, N., 126
 Filonow, A. B., 1203
 Finlay, G. P., 1004
 Fischer, S. L., 928
 Flachmann, M., 518
 Fletcher, J., 862
 Flint, K. M., 1052
 Focus, 4, 111, 219, 328, 435, 544, 657, 761, 867, 975, 1083
Foeniculum vulgare, *Cercosporidium punctum* on, in California, 539
 Forster, R. L., 861
 Fos, A., 1092
Frankliniella occidentalis, tomato spotted wilt virus vector, weed hosts, 23
 Fransen, S. C., 212
 Frederiksen, R. A., 314
 Freeman, S., 901
 Freesia mosaic virus, in *Alstroemeria* sp., in nature, 643
 Fumigation, soil, for bunts on wheat, 293
 Fungicides (general) (see also Fungicides, specific)
 —*Alternaria* leaf spot of cotton, in Israel, 1164
 —blueberry stem blight, root dip treatments, 136
 —*Botrytis cinerea* on geraniums, residual efficacy, 374
 —*Botrytis* resistance to benzimidazole and dicarboximide, 477
 —brown spot, wild rice, 1193
 —citrus postbloom fruit drop, timing of applications, 820
 —cucurbit foliar diseases controlled by, film-forming polymers, 513
 —peanut diseases, management, 1199
 —pear, *Stemphylium* spot, spray schedule, 1221
 —residues, management on processing tomatoes, 700
 —root and crown rot of periwinkle, population dynamics, 60
 —sterol demethylation inhibitors, for apple scab control, 669
 —sterol-inhibiting, for pine twisting rust control, 376
 Fungicides (specific) (see also Fungicides, general)
 —carboxin, common bunt of wheat, application methods, 64
 —chlorothalonil, peanut late leaf spot control, 29, 1241
 —cyproconazole, peanut foliar and soilborne diseases, 1241
 —dicarboximide, selected regimes for *Botrytis cinerea*, 919
 —difenoconazole: effect on *Alternaria*, *Cercospora*, and *Venturia*, 774; in wheat, peanut, and tomato plants, characterization, 523
 —ethanol and benomyl-DCNA, for peach brown rot, 226
 —iprodione, for *Alternaria* blotch of, 126
 —metalaxyl: periwinkle root rot, resistant isolates, 82; *Phytophthora parasitica* resistance to, 492; *Phytophthora* sensitivity on soybean, 932
 —ozonated water, for pear postharvest pathogens, 256
 —propiconazole, oak wilt control, 1120
 —sodium bicarbonate and oil, for rose black spot and powdery mildew, 247
 —thiabendazole, for *Septoria* leaf blotch on wheat, 178
Fusarium spp.: on chickpea, inoculum density and temperature effect, 50; in citrus micro-irrigation systems, chlorine effect, 457
 —*F. graminearum*: on soybean seed, freeze damage effect, 879; on wheat, cultivar resistance, 658
 —*F. moniliforme*: on corn, toxicity to animals, 144, (145-147); on corn kernels, *Aspergillus* interaction, 771
 —*Fusarium oxysporum*: on alfalfa, mycorrhizal fungus role, 239; on basil, 323; on chickpea, soil moisture, 1259; on muskmelon, resistance to races 0 and 2, 162; on tomato, first report in Florida and Georgia, 861; on tomato, resistance induced, 340
 —*Fusarium solani*: on bean, bean fly relation, 1253; on chickpea, soil moisture, 1259; on tomato, in California, 101; on tomato root, cover photo, January
- Gadoury, D. M., 277, 717
Gaeumannomyces graminis, on cereals, in Mexico, 149
 García-Arenal, F., 363
 Gardner, D. E., 642
 Garg, I. D., 527
 Garlic (see also *Allium sativum*)
 —filamentous viruses of, in Argentina, 594
 Garnier, M., 1092
 Garrity, D. P., 384
 Gatti, J. M., Jr., 260
 Gaudet, D. A., 64
 Gavin, A. M., 911
 Gay, C. C., 212
 Geils, B. W., 538
 Geletka, L. M., 1270
 Geminivirus, whitefly-transmitted, in Caribbean Basin, 220, (220-222)
 Geranium
 —bacterial blight, seedling resistance, 693
 —*Botrytis cinerea* on, fungicide efficacy, residual, 374
 Germ plasm, resources, American Type Culture Collection, 762
 Gherna, R. L., 762
Gibberella fujikuroi, on grain sorghum, isolate aggressiveness, 897
 Giboulot, A., 404
Gilbertella persicaria, on peach, in South Carolina, 753
 Gildow, F. E., 795, 1155

- Gill, B. S., 1061
 Gillings, M. R., 824
 Gingera, G. R., 1140
 Ginting, C., 753
 Gitaitis, R., 651
Gliocladium spp.
 —*G. roseum*, in soil, isolation and enumeration, 230
 —*G. virens*, in soil, isolation and enumeration, 230
 Goates, B. J., 293
 Goldberg, N. P., 777
 Gonsalves, D., 530
 Gooding, G. V., Jr., 856
 Goto, M., 1283
 Gottwald, T. R., 213, 389
 Gould, A. B., 885
 Graham, J. H., 323, 389
 Grant, R. S., 205
 Grape
 —postharvest disease, biocontrol with yeast, 470
 —summer bunch rot complex, leaf removal effect, 205
 Grapevine leafroll-associated virus, cover photo, September
 Grau, C. R., 39
 Gray, F. A., 504
 Gray, L. E., 454
 Gray, S. M., 33
 Greathead, A. S., 539
 Greber, R. S., 1039
 Grech, N. M., 457
 Green, R. J., Jr., 340
 Grey, W. E., 1077
 Griesbach, J. A., 1179
 Griffith, C. S., 754
 Griffiths, H. M., 154
 Grisham, M. P., 360
 Groth, D. E., 721
 Groth, J. V., 1140
 Groundnut rosette virus, peanut resistance to mixed infections with groundnut rosette assistor virus, 95
 Grove, G. G., 1109
 Gubler, W. D., 416, 841
 Gumpertz, M. L., 1017
 Gumpf, D. J., 1185
 Gupta, A. K., 489
 Gwinn, K. D., 911
 Haber, S., 590, 753
 Hadas, R., 357
 Hagan, A. K., 982
 Haim, L., 574
Hainesia lythri, on thimbleberry, cover photo, December
 Halbrendt, J. M., 642
 Halliwell, R. S., 643
 Halloin, J. M., 875
 Hamm, P. B., 928
 Hammerschlag, F. A., 1132
 Hammond, R. W., 1132
 Hammouda, A. M., 536
 Hampson, M. C., 1284
 Hampton, R. O., 1263
 Hanada, K., 466
 Hanna, W. W., 1171
 Hansen, D. R., 1052
 Hartman, G. L., 396, 462, 847
 Hartsell, P. L., 293
 Hartung, J. S., 889
 Hartwig, E. E., 78
 Hassan, S., 139
 Hatcher, R., 1209
 Hausbeck, M. K., 795
 Haviland, P., 323
 Haygood, R. A., 46
 Heaton, J. B., 1004
 Heinemann, P. H., 545
 Heiny, D. K., 267
 Helms, K., 420
 Henson, D. J., 293
 Henz, G. P., 212
 Herbicide
 —glyphosate, barley root rot affected by, 937
 —Rhizoctonia disease on soybean, effect, 236
 —sulfonylurea, on Rhizoctonia root rot of wheat, 399
 Herr, L. J., 1251, 1283
 Herszman, D. E., 861
Heterodera spp.
 —*H. glycines*: on soybean, cropping sequence effect, 78; on soybean, isolate genetic diversity, 894; on soybean, yield loss in Iowa, 943
 —*H. iri*, on putting green, 643
 Hewings, A. D., 273, 1155
 Hewitt, M., 1036
 Hibben, C. R., 696
 Hibberd, A. M., 1004
Hibiscus cannabinus
 —*Botrytis cinerea* on, first report in Spain, 539
 —*Cristulariella* on, first report in Louisiana, 642
Hibiscus chlorotic ringspot virus, cover photo, July
 Hickey, K. D., 545
 Hikata, M., 466
 Hill, C. B., 861
 Hine, R. B., 1169
 Hinton, D. M., 144
 Holcomb, G. E., 642, 859
 Hord, M. J., 1017
 Horst, R. K., 247
 Howard, C. M., 976
Howea forsteriana, Calonectria leaf spot, in Hawaii, 853, (854, 855)
 Hoy, J. W., 735
 Hoyland, B. F., 1280
 Hu, B. K. S., 723
 Hu, J.-G., 708
 Hu, J. S., 426, 642
 Huang, H. C., 597
 Huber, D. M., 1251
 Hudelson, B. D., 1097
 Hudler, G. W., 101
 Huerta-Espino, J., 538
 Hull, L. A., 545
 Hunger, R. M., 1056
 Husain, A., 1074
 Hwang, B. K., 486
 Hwang, I., 182, 195
 Hwang, S. F., 239
Hyalesthes obsoletus, stolbur disease vector, on tomato, 1092
Hylobius pales, on eastern white pine, transmission of procerum root disease, 307
 Hymowitz, T., 396, 779
 Ieki, H., 212
 Ikotun, T., 1025
 Infante, J., 1036
Ipomoea lacunosa, *Colletotrichum capsici* on, mycoherbicide effect, 995, (996)
 Irey, M. S., 1033
 Irrigation, citrus, chlorine control in water-borne root pathogens, 457
 Irwin, M. E., 304
 Ishida, Y., 708
 Ivy, R. L., 158
 Jackson, K. E., 101
 Jacobi, V., 518, 696
 Jacobs, J. L., 1185
 Jacobsen, B. J., 251
 Janardhanan, K. K., 1074
 Janisiewicz, W. J., 555
 Jardine, D. J., 539, 897
 Jarret, R. L., 1116
 Jeffers, S. N., 12
 Jensen, S. E., 101
 Jih, C.-L., 835
 Jin, Y., 1283
 Johnson, D. A., 84
 Johnson, D. R., 1193
 Johnson, D. W., 538
 Johnson, J. D., 643
 Johnson, J. W., 1227
 Johnson, K. B., 348, 1179
 Jones, A. L., 344, 447, 1049
 Jones, D. B., 1182
 Jones, J., 651
 Jones, K. J., 753
 Jong, S.-C., 762
 Jordá, C., 363
 Jorge, P. E., 340
 Jourdain, E. L., 905
 Kaiser, W. J., 57, 605, 1263
 Kameya-Iwaki, M., 466
 Kane, R. T., 538
 Kaper, J. M., 1270
 Kawamoto, S. O., 247
 Kearl, W. G., 504
 Kegley, M., 118
 Kelman, A., 329
 Kenaf, zonate leaf spot, 861
 Kenerley, C. M., 230
 Kenigsbuch, D., 615, 626
 Kerr, E. D., 1077
 Khurana, S. M. P., 527
 Killani, A. S., 1283
 Kim, E. S., 486
 Kirby, H. W., 236
 Kitagawa, T., 708
 Kiwi
 —crown gall, in Japan, 212
 —*Meloidogyne* on, biocontrol, 1275
 Klein, R. E., 57, 1263
Kloeckera apiculata, biocontrol agent for postharvest disease of fruit, 470
 Knoke, J. K., 1069
 Knowles, K., 1256
 Ko, N. J., 318
 Koike, S. T., 539
 Koizumi, M., 708
 Kokko, E. G., 597
 Kollipara, K. P., 779
 Kolmer, J. A., 618
 Kouda, Y., 466
 Kovach, J., 669
 Kraft, J. M., 50, 54, 323, 960, 1259
 Krupinsky, J. M., 87, 92, 783
 Kuhara, S., 708
 Kuhn, C. W., 95
 Kurdyla, T., 1120
 Kürschner, E., 384
 Laemmlen, F., 426
 Lamb, J. A., 908
 Lamboy, J. S., 932
 LaMondia, J. A., 643
 Landschoot, P. J., 1280
Lasiodiplodia theobromae, on *Brachychiton populneus*, root rot, 883, (883, 884)
 Latham, A. J., 426
Lathyrus sativus, tomato spotted wilt virus on, first report in Manitoba, 753
 Latin, R. X., 509, 1013
 Latorre, B. A., 101
 Laughland, D., 545
 Law, T. F., 335
 Lawn, D. A., 149
 Lawson, R. H., 728
 Leach, S. S., 417
 Lease, R. J., 374, 477
 Leath, K. T., 1237
 Leath, S., 1061

- Lee, I.-M., 154
 Lee, S. C., 972
 Lee, Y. S., 735
 Legendre, B. L., 360
 Legg, D. E., 504
 Lemon, green mold of, control with *Pseudomonas*, 481
Lens culinaris, fungi on seeds of, in U.S. Pacific Northwest, 605, (606, 609)
 Leonard, K. J., 500
Leptographium procerum, on eastern white pine, weevil transmission, 307
 Leslie, J. F., 897
 Letourneau, D. K., 1253
 Letter to the editor, tomato, etiology of gray wall or internal browning, 1084
 Lettuce
 —corky root of, transplants vs. direct seeding, 703
 —tipburn, prevention during postharvest storage, 1169
 —tobacco streak virus on, purification and characterization, 966
 —tomato spotted wilt virus on, 642
 Lettuce infectious yellows virus, on cucurbits in Texas, 643
 Levy, Y., 451
 Li, R. H., 843
 Liang, L. Z., 875
 Lim, S. M., 182, 195
 Lin, Y.-C., 835
 Line, R. F., 253
 Lipps, P. E., 299, 560
 Lister, R. M., 1125
Lobesia botrana, Botrytis rot of berries affected by, 404
 Lohnes, D. G., 964
 Loi, J. S., 972
Lolium perenne
 —*Acremonium* endophyte of, in Washington, 212
 —stem rust of, resistance, 637
 Long, D. L., 495, 500
 Lopes, C. A., 212
 Lorbeer, J. W., 1213
 Louie, R., 1069
 Luhn, C. F., 71
 Luisetti, J., 370
 Lukezic, F. L., 1217
 Luley, C. J., 1209
 Lunden, J. D., 84
 Lundquist, J. E., 538
 Lupine
 —brown spot, first report in Canada, 1185
 —*Rhizoctonia solani* of, in Maine, 417
 Maas, J. L., 976
 Mabagala, R. B., 443, 678, 683, 687
 MacGuidwin, A. E., 1097
 MacHardy, W. E., 277, 717
Macrophomina phaseolina
 —on *Mucuna pruriens*, in Nigeria, 1283
 —on *Salicornia bigelovii*, marine habitat, 751
 Madden, L. V., 299, 560, 948
Magnaporthe salvini, on rice, cover photo, March
 Maize (see Corn)
 Maize streak virus, on grass and cereals in Nigeria, 789, (791)
 Maize white line mosaic virus, transmission in hydroponic culture, 1069
 Manceau, C., 370
 Maple, Verticillium wilt of, seasonal variation, 184
 Mappas, C. B., 539
 Maracuja mosaic virus, on passionfruit, in Florida, 843, (844)
Marasmus spp., sterile white basidiomycete complex relation, 244
 Marchi, A., 555
 Marsh, P. L., 427
 Marshall, D., 296, 538
 Martelli, G. P., 436
 Martin, B., 112
 Martin, F. G., 885
 Martin, R. R., 420
 Martínez-Cano, C., 1077
 Masirević, S., 1283
 Matejka, J. C., 1077, 1103
 Matheron, M. E., 1077, 1103
 Matsumoto, R., 708
 Maxwell, D. P., 538
 Mayer, J. S., 184
 Mazyad, H. M., 538
 McCain, A. H., 382
 McCarter, S. M., 651, 1042
 McCoy-Buis, T. S., 1251
 McClure, J., 545
 McComb, J. A., 630
 McCraw, B. D., 1185
 McDaniel, L. L., 762, 966
 McDonald, D., 868
 McGee, D. C., 879
 McGuire, R. G., 329
 McInnes, T. B., 260
 McKinney, J. D., 293
 McLaren, N. W., 986
 McLaughlin, M. R., 158
 McLaughlin, R. J., 470
 McLaughlin, W., 538
 McLean, H. S., 1241
 Meboka, M. M. B., 768
 Medalla, E. S., 1029
Melampsora pinitorqua, on pine, sterol-inhibiting fungicides for, 376
 Melgarejo, P., 539
Meloidogyne spp.: on kiwi, seasonal fluctuation, 1275; on peanut, effect on *Cylindrocladium* resistance, 352
 —*M. arenaria*, on peanut, chemical management, 1199
 Melon (see also Muskmelon)
 —Verticillium cavity rot, first report in fruit, 416
 Melouk, H. A., 101
 Mentaberry, A., 574
 Merwin, I. A., 199
 Mesfin, T., 789
 Mew, T. W., 1029
Microdochium tabacinum
 —on cucurbits, blight, 861
 —on pumpkin, cover photo, August
Microsphaera diffusa, on soybean, resistance inheritance, 964
 Mielke, M. E., 1209
 Mihail, J. D., 751
 Milholland, R. D., 131, 335
 Milne, R. G., 594
 Mink, G. I., 57, 1039
 Mint, diseases of, common names, 1187
 Minton, N. A., 1199
 Mintz, A. S., 267
 Mircetic, S. M., 264
 Misaghi, I. J., 1169
 Misari, S. M., 95
 Miura, C. K., 723
 Mmbaga, M. T., 1230
 Model
 —Alternaria leaf blight on muskmelon, yield loss, 1013
 —computer, MARYBLYT, apple fire blight prediction, 344
 —FAST, fungicides for *Stemphylium* on pear, 1221
 —two-dimensional distance class analysis software, computer use, 427
 Mojtabahi, H., 323
 Momol, M. T., 1114
Moniliophthora roreri, on cocoa, cover photo, January
 Montana, J. R., 1056
 Montesinos, E., 1221
 Montorsi, F., 538
 Moorman, G. W., 374, 477, 919
 Morales, F. J., 570
 Morgan, D. P., 310
 Morgan-Jones, G., 426
 Moriones, E., 363
 Msuku, W. A. B., 1253
Mucuna pruriens, *Macrophomina*, in Nigeria, 1283
 Muimba-Kankolongo, A., 188
 Mullinix, B. G., 1199
 Mullins, C. A., 861
 Mulrooney, R. P., 747
 Murray, G., 590
 Murray, T. D., 282
Musa shizocarpa, bacterial wilt of, race 1, Australia, 753
 Muskmelon (see also Melon)
 —*Alternaria* leaf blight, yield loss, model, 1013
 —*Fusarium* wilt of, races 0 and 2, resistance, 162
 —powdery mildew of, resistance to races 1 and 2, 626
 Mustard, diseases of, common names, 1187
 Mycoplasmalike organisms
 —in ash, detection by DNA probe and DAPI, 154
 —on *Prunus*, in California and South Carolina, 5
 —tomato, monoclonal antibody for detection, vectors, 1092, (1093)
 —walnut witches'-broom, seasonal occurrence, DNA probes for, 1116
 Mycorrhizae, vesicular-arbuscular, effect on alfalfa wilt, 239
Mycosphaerella graminicola, on wheat, thiabendazole seed treatment, 178
 Mycotoxin
 —aflatoxin, *Aspergillus* and *Fusarium* interaction on corn kernels, 771
 —on corn, *Fusarium moniliforme*, 144, (145-147)
 —deoxynivalenol, detection in wheat, ELISA and TLC for, 1078
 Myren, D. T., 972
 Nagata, N. M., 925
 Nagata, R. T., 966
 Nakhl, M. K., 538
 Naude, S. P., 426, 643
 Neher, D., 582
 Nelson, E. B., 954
 Nelson, S. C., 427
 Nematode, on chickpea and pigeonpea, constraints in tropics, 868, (870)
Neonotonia wightii, weed host for *Pseudomonas syringae*, 683
 Nevill, R. J., 307
 Niblack, T. L., 943
 Nickell, C. D., 454
 Nishijima, K. A., 723
 Nome, S. F., 594
 Norton, D. C., 943
 Norton, J. D., 251
 Nowick, E. M., 721
 Oak, wilt, propiconazole for control, 1120
 Oberthur, L. E., 1283
 Obst, N. R., 665
Ocimum basilicum, *Fusarium* wilt of, in USA, 323
 Oebker, N. F., 1169
 O'Garro, L. W., 1046
 Ogata, D., 426
 Ogato, D. Y., 642
 Ogawa, J. M., 226
 Ogg, A. G., Jr., 937

- Olanya, O. M., 753
 Oldham, M. G., 1161
 Olojede, S. O., 789
 Olorunju, P. E., 95
 Onion (see also *Allium sativum*)
 —pink root, cultivar and soil moisture effect, 1213
 Ooka, J. J., 925
Ophiomyia spp. (see also *Allium sativum*)
 —on bean, Fusarium solani vector, 1253
 Ornamentals, greenhouse, tomato spotted wilt virus survey, 795
 Osorio, J. A., 879
 Oster, J. J., 740
 Overman, M. A., 318
 Owens, R. A., 527
 Ozmon, E. A., 658

 Pabale, D., 384
 Pacumbaba, R. P., 768
 Page, M. S., 504
 Palm, M. E., 972
 Panić, M., 1283
 Panicum mosaic virus, on St. Augustinegrass, in South Carolina, 46
 Papaya, postharvest diseases, hot-air treatment, 723
 Park, Y.-H., 230
 Parker, P., 972
 Passiflora latent virus, on passionfruit, in Florida, 843, (844, 845)
Passiflora spp., passiflora latent and maracuja mosaic viruses on, in Florida, 843, (844)
Pasteuria penetrans, on kiwi, seasonal population fluctuation, 1275
 Pataky, J. K., 805, 1140, 1150
 Patterson, M. E., 992
 Paulitz, T. C., 1185
 Pavlista, A. D., 1077
 Paxton, J. D., 932
 Pea, pod rot of, infection sites, 597, (597-599)
 Peach
 —brown rot, postharvest chemical treatments, 226
 —Gilbertella rot of, in South Carolina, 753
 —Phomopsis dieback, in Alabama, 426
 —postharvest disease, biocontrol with yeast, 470
 —prune dwarf and Prunus necrotic ringspot viruses on, spread and effect on growth and yield, 71
 —*Xylella fastidiosa* on roots of, distribution, 885
 Peanut
 —*Cylindrocladium*-resistant genotypes of, nematode effect, 352
 —difenoconazole effect on, 523
 —foliar and soilborne diseases, cyproconazole and chlorothalonil for, 1241
 —late leaf spot: control by resistance, irrigation, and chlorothalonil, 29; *Dicyema pulvinata* as pathogen parasite, 1185; management, chemical, 1199
 —soil, *Pythium* population, 1203
 —southern stem rot, yield loss and minimization, 982
 —virus infections, mixed compared to single infection, 95
 Pear
 —bacterial blast, leaf assay for virulence, 370, (372)
 —fire blight: spread in Turkey, 1114; in Yugoslavia, 1293
 —postharvest pathogens, ozonated water effect, 256
 —*Stemphylium vesicarum* on, spray schedule model, 1221
 —storage rot, biocontrol with *Pseudomonas*, 555
 Pedersen, W. L., 1161
 Pederson, G. A., 158
Pelargonium spp., bacterial blight, seedling resistance, 693
 Pelosi, R. R., 141
Penicillium oxalicum, on creeping bentgrass, in North Carolina, 753
Pennisetum spp., disease resistance, wild species, 1171
 Percich, J. A., 1193
 Pepper (see *Capsicum annuum*)
Peronosclerospora spp.
 —*P. maydis*, on corn, cover photo, March
 —*P. sorghi*, on corn, symptom remission in Nigeria, 753
 Pest management, decision support system, apple orchard, 545
 Petersen, M. A., 843
 Peterson, P. D., Jr., 754
Phaeoisariopsis griseola, on bean, management with varieties, 1144
Phakopsora pachyrhizi, on soybean, resistance sources, 396
Phaseolus vulgaris
 —angular leaf spot, management and variety mixtures, 1144
 —bacterial blight of, antibiotics for, polyethylene glycol and glycerol as carriers, 875
 —halo blight of, races in Tanzania, 678
 —mosaic virus of, comparative immunoassays of, 57
 —potato rot nematode on, infection, 1097
 —rust, resistance and pubescence, 1230
Phellinus noxius, on cocoa, threat in Papua New Guinea, 642
Phialophora gregata, on soybean, environmental effect, 454
 Phillips, D. V., 861
Phoma spp.
 —*P. medicaginis*, on alfalfa, pathogenicity, 1237, (1238, 1239)
 —*P. terrestris*, on onion, soil moisture and cultivar, 1213
Phomopsis longicolla
 —on soybean, protein degradation in seed coats, 779
 —on soybean seed, freeze damage effect, 879
Phymatotrichum omnivorum, on cotton, cover photo, September
Phytophthora spp.: on apple roots, orchard ground management, 199; on apple rootstock, preplant root treatments, 12; in citrus microirrigation systems, chlorine effect, 457; on coconut, fruit and heart rots, characterization, 925, (926); immunoassay kits for, clinical use, 928
 —*P. capsici*: on pepper, geographic difference in virulence, 486; in soil, population density, factors affecting, 1017
 —*P. cinnamomi*, on *Eucalyptus marginata*, resistance, 630
 —*P. citricola*, on Monterey pine, first report in California, 643
 —*P. citrophthora*, on citrus, temperature effect on sporulation and growth, 1103
 —*P. fragariae*, on strawberry, genotype response, 335
 —*P. megasperma*: on asparagus, in Chile, 101; on soybean, diversity of races in Ontario, 587; on soybean, metalaxyl sensitivity, 932; on soybean, new allele for resistance, 600; on soybean, resistance to, race-specific, 665; on soybean, resistance, *Rps7* gene, 958
 —*P. parasitica*: on citrus, temperature effect on sporulation and disease growth, 1103; metalaxyl resistance, sporulation and growth effect, 492; on periwinkle, metalaxyl resistance, 82; on periwinkle, population dynamics and fungicide relation, 60; in tomato, dispersal in fields by irrigation, 582
 —*P. sojae*: on soybean, new race, 212; on soybean, taproot infection in aeroponics, 610; on soybean root, cover photo, June
 Pierce, L., 382
 Pine
 —jack, dwarf mistletoe, survey in Manitoba, 1256
 —limber, white pine blister rust on, in South Dakota, 538
 —lodgepole, comandra blister rust of, in North Dakota, 323
 —Scots, pine twisting rust control with fungicides, 376
 —white, procerum root disease of, transmission by weevils, 307
 Pinkerton, J. N., 348, 1179
Pinus spp.
 —*P. mugo*, *Ploioderma lethale* on, first report, 101
 —*P. radiata*, Phytophthora root rot, first report in California, 643
Pissodes nemorensis, on eastern white pine, transmission of procerum root disease, 307
 Pistachio, *Verticillium* wilt, interspecific hybrid effect, 310
Plasmopara halstedii, on sunflower, first report in Greece, 539
Pleiochaeta setosa, on lupine, first report in Canada, 1185
Ploioderma lethale, on mugo pine, first report, 101
 Ploper, L. D., 287
Plumeria obtusa, rust of, first report in Hawaii, 642
Poa annua, *Sclerotium rolfsii* on, first report in Illinois, 538
 Pohronezny, K., 118, 1036
 Poinssetta, *Rhizoctonia* spp. on, detection using ELISA, 578
 Porta-Puglia, A., 538
 Porter, D. M., 1185
 Porter, L. L., 247
 Postharvest diseases, pear storage rot, biocontrol with *Pseudomonas*, 555
 Postharvest pathology
 —apple, postharvest decay, carbon dioxide and oxygen effect, 992
 —apple, grape, and peach, biocontrol with yeasts, 470
 —apple and potato, calcium treatment, 329, (330, 331)
 —papaya fruit, hot-air treatment, 723
 —pear pathogens, ozonated water effect, 256
 —tipburn in lettuce, 1169
 Potato
 —black dot, in Nebraska, 1077
 —black dot disease of, pathogenic variation, 131
 —famine, demography, 1284
 —late blight, cause and management, Teschemacher role, 754
 —postharvest decay, calcium treatment, 329, (330, 331)
 —virus detection in tissue squashes, 574, (575-577)
 Potato leafroll virus
 —monoclonal antibodies for detection, 75
 —weed hosts, in British Columbia, 1137
 Potato spindle tuber viroid
 —in pollen, detection, 951
 —in wild *Solanum* spp., India strain, 527
 Powell, C. A., 141
 Pratt, R. G., 661
Pratylenchus spp.
 —*P. neglectus*, on wheat, in Washington, 323
 —*P. thornei*, on cereals, in Mexico, 149
 Precheur, R. J., 700
 Provvidenti, R., 530, 642
 Prune dwarf virus
 —on peach, effect on growth and yield, 71
 —thrip transmission, cherry pollen to

- cucumber, 1039
- Prunus* sp., virus and other graft-transmissible pathogens on, in California and South Carolina, 5, (6-9)
- Prunus necrotic ringspot virus
—on peach, effect on growth and yield, 71
—serotypes, detection in hosts using RNA probe, 1132
—thrip transmission, cherry pollen to cucumber, 1039
- Pschmidt, J. W., 348, 928
- Pseudocercospora fuligena*, on tomato, yield effect, 462
- Pseudomonas* spp., strain 679-2, leaf spot control, apple and tomato, 1217
- P. cepacia*, green mold of lemon controlled by, 481
- P. marginalis*: on broccoli, cover photo, October; on broccoli, nitrogen fertilization, 989
- P. solanacearum*, on banana, race 1 in Australia, 753
- P. syringae*, on bean, corn intercropping effect, in Tanzania, 687; on bean, races in Tanzania, 678; on bean, weed role in survival, in Tanzania, 683, (685); biocontrol agent for pear storage rot, 555; on castor bean, Yugoslavia, 1283; on marigold, cover photo, May; on pear, detached leaf assay, 370, (372); on soybean, multiple infection and yield effects, 195; on sweet cherry roots, freezing temperature effect, 447
- Pseudoperonospora cubensis*
—on cucurbit, resistance inheritance, 615
—sporulation, virulence factors, 905
- Puccinia* spp.
—*P. asparagi*, on asparagus, yield effect, 84
—*P. coronata*: on barley, cover photo, December; on barley, in Nebraska, 1283
- P. graminis*: on barley, resistance sources, 212; on ryegrass, resistance evaluation, 637
- P. jaceae*, on knapweed, first U.S. report, 972
- P. melanocephala*, on sugarcane, growth and biomass effect, 175
- P. podophylli*, on mayapple, cover photo, July
- P. recondita*: virulence in USA, 1988–1990, 495; on wheat, phenotype diversity, host sampling in Canada, 618; on wheat, resistance from avirulent race, 412; on wheat, resistance in seedlings and adult plants, 489; on wheat, virulence diversity in USA, 500; on wheat, virulence in Texas, 296
- P. sorghi*, on corn, *Rp* resistance genes, North America, 1140
- P. striiformis*: on barley, in Texas, 538; on wheat, adult-plant and durable resistance, 253
- Puchalski, B. J., 64
- Putnam, M. L., 1078
- Pyndji, M. M., 1144
- Pyrenophaeta oryzae*
—on rice: cover photo, November; new in Americas, 1182, (1183)
- Pyrenophora* spp.
—*P. teres*, on barley, resistance inheritance, 367
- P. tritici-repentis*: on barley and grass, aggressiveness, 783; grass hosts of, 92; on wheat, isolate aggressiveness in northern Great Plains, 87; on wheat, virulence patterns, geography, resistance sources, 712; on winter wheat, crop rotation and management practice, 633
- Pyricularia grisea*
—on rice: nitrogen application, 384; silicon fertilizer effect, 1011
—on turfgrass, in Pennsylvania, 1280, (1281, 1282)
- Pythium* spp.: in soil, peanut, populations, 1203; on sugarcane, species interactions, 735
- P. aphanidermatum*: on cucumber, hydroponic culture, 777; on *Cymbopogon winterianus*, lethal yellowing, in India, 1074, (1076)
- P. myriotylum*, on cocoyam, resistance protocol, 768, (769)
- P. ultimum*: on chickpea, soil moisture, 1259; on cucumber, potassium silicate treatment, 1008, (1009)
- Raid, R. N., 175, 966
- Raj, S. K., 474
- Rajotte, E., 545
- Rane, K. K., 509
- Rao-Arelli, A. P., 894
- Rapeseed (see also Canola)
—diseases of, common names, 1187
- Rasmussen, S. L., 751, 777
- Rasmusson, D. C., 367
- Raupp, W. J., 1061
- Red clover, root rot of, resistance to, 39
- Reddick, B. B., 856
- Rees, R. G., 212
- Resistance
—barley to leaf and glume blotch, 1227
—barley to net blotch, 367
—bean to rust, 1230
—citrus to bacterial canker, immunoassay method, 708
—cocoyam to *Pythium myriotylum*, protocol, 768
—corn to rust, resistance genes, 1140
—*Cucumis melo* to downy mildew, inheritance, 615
—Geraniaceae to bacterial blight, 693
—musk melon: to *Fusarium* wilt, races 0 and 2, 162; to powdery mildew races 1 and 2, 626
—peanut to groundnut viruses, 95
—*Pennisetum* to disease, wild species, 1171
—red clover to *Aphanomyces euteiches*, 39
—rice to stem rot, 740
—ryegrass to stem rust, evaluation, 637
—sorghum to sugary disease, 986
—soybean: to cyst nematode, isolate diversity, 894; to *Phytophthora* root rot, 958; to *Phytophthora* root and stem rot, 665; to powdery mildew, 964
—strawberry to red stele disease, 335
—sugarcane to mosaic virus, wild forms, 360
—wheat: to *Fusarium* head blight, 658; to tan spot, geographic isolates, 712
- Reviewers, acknowledgment of, 106
- Rhadinaphelenchus cocophilus*, on coconut, root transmission, 809
- Rhizoctonia* spp., on turfgrass, biology, 112, (113, 114)
- R. solani*: on alfalfa, 1283; on barley, herbicide and inoculum potential relation, 937; on canola, crown rot, 1251, (1252); on cucumber, cover photo, April; on poinsettia, detection using ELISA, 578; on rice, resistance selection, 721; on rosemary, web blight, 859; on soybean, herbicide interaction, 236; on St. Augustinegrass leaves, cover photo, February; in tall fescue, resistance assessment, disease progress and crop recovery, 1065; on wheat, sulfonylurea herbicide effect, 399; on white lupine, in Maine, 417, (419)
- R. zeae*, on tall fescue, endophyte relation, 911
- Rhizomonas suberifaciens*, on lettuce, transplant vs. direct seeding effect, 703, (704)
- Rhopalosiphum* spp.
- R. maidis*, barley yellow dwarf virus vector, characterization, 33
- R. padi*, barley yellow dwarf virus vector, characterization, 33
- Rice
—bacterial blight, race frequency changes, 1029
—blast and brown spot, silicon fertilizer effect, yield, 1011
—blast disease, nitrogen timing and split application, 384
—diseases of, common names, 1188
—sheath blight, resistance, infection cushion and lesion type, 721
—sheath blotch, new disease in Americas, 1182
—stem rot of, resistance to, 740
- Richard, R. D., 972
- Richie, S. M., 213
- Ricinus communis*, bacterial leaf spot, in Yugoslavia, 1283
- Riedel, R. M., 700
- Ries, S. M., 805, 1150
- Rijkenberg, F. H. J., 412, 457
- Ristaino, J. B., 1017
- Roberts, J. J., 495
- Rodriguez, R., 1237
- Rodriguez, R. J., 901
- Roelfs, A. P., 495, 500, 538, 1185
- Rohde, R. G., 60, 82
- Roistacher, C. N., 1077
- Rojas, M. R., 538
- Rose, black spot and powdery mildew, chemical control, 247, (249)
- Rosenberger, D. A., 277, 717
- Rosmarinus officinalis*, web blight, *Rhizoctonia* cause, 859
- Rotylenchulus reniformis*, on pigeonpea, cover photo, September
- Rowhani, A., 264
- Roy, K. W., 287
- Rubatzky, V. E., 703
- Rush, C. M., 800
- Ryley, M. J., 665
- Saettler, A. W., 443, 678, 683, 687, 875
- Sah, D. N., 712
- Salicornia bigelovii*, *Macrophomina phaseolina* on, marine habitat, 751
- Sams, C. E., 329
- Sanchez, L., 643
- Sandlin, C. M., 643, 883
- Sands, D. C., 1077, 1079
- Santo, G. S., 323
- Sattar, A., 1074
- Sawada, H., 212
- Sayre, K. D., 149
- Schaad, N. W., 830
- Schizaphis graminum*, barley yellow dwarf virus vector, characterization, 33
- Schreiber, L. R., 184
- Schultz, T. R., 253
- Sclerotinia* spp.
—*S. homoeocarpa*, on bentgrass, biocontrol with compost, 954
- S. minor*, on *Eclipta prostrata*, new weed host, 101
- S. sclerotiorum*: on chili pepper, cover photo, July; on pea, pod rot, ascospore infection, 597, (597–599); on pea pods, cover photo, June; on soybean, in Nigeria, 101
- S. trifoliorum*, on hop clover, host specialization, 661, (662)
- Sclerotium* spp.
—*S. oryzae*, on rice, resistance to, 740
- S. rolfsii*: on bluegrass, first report in Illinois, 538; on peanut, chemical management, 1199; on peanut, yield loss and minimization, 982; on soybean, first report in Kansas, 539

- Scott, G. E., 771
 Scott, S. W., 5
 Seem, R. C., 277
 Seifers, D. L., 564
Septoria lycopersici, on tomato, yield reduction, 208
 Sesame, powdery mildew, cover photo, February
 Shane, W. W., 812
 Sharma, S. B., 868
 Shaw, P. D., 182
 Shearer, J. F., 19
 Shelby, R. A., 1077
 Sherwood, J. L., 1056
 Shew, B. B., 352
 Shokes, F. M., 1241
 Shine, J. M., Jr., 175, 426
 Shtienberg, D., 178, 1164
 Sinclair, J. B., 779, 847, 1087
 Sinclair, W. A., 154
 Singh, B. P., 474
 Singh, M. N., 527
 Singh, R. P., 489, 951
 Singh, S. R., 1025
Sirococcus clavigignenti-juglandacearum, on butternut, canker in Ontario, 972
 Sitton, J. W., 992
 Skaf, J. S., 861
 Slivitsky, M., 1256
 Smilanick, J. L., 293, 481
 Smiley, R. W., 399, 937
 Smith, C. A., 121
 Smith, C. R., 1270
 Smith, D. H., 868
 Smith, D. R., 527
 Smith, R. R., 39
 Snyder, G. H., 1011
 Sobczewski, P., 447
 Soil, bulk density, chickpea root rot and wilt affected by, 960
 Somerville, S. C., 539
 Somerville, T. H., 951
 Sorghum
 —grain mold and stalk rot, *Fusarium* cause, 897
 —head smut, resistance, 314, (315)
 —sugary disease of, quantifying resistance, 986
 Soufi, R. K., 1203
 Soybean
 —bacterial pathogens of, multiple infection and yield effects, 195
 —bacterial pustule of, pathogenicity test on cotyledons, 182, (183)
 —brown stem rot of, environmental effects, 454
 —*Cercospora* and *Phomopsis* infection, protein degradation in seed coats, 779
 —cyst nematode: cropping sequence effect, 78; genetic diversity of isolates, 894; yield loss in Iowa, 943
 —mycoflora, freeze damage effect, 879
 —*Phytophthora megasperma* on, new *Rps1* allele for, inheritance, 600
 —*Phytophthora* root rot: metalaxyl sensitivity, 932; resistance, *Rps7* gene, 958
 —*Phytophthora* root and stem rot: infection under aeroponics, 610, (612, 613); race-specific resistance, 665
 —*Phytophthora sojae*, new race, 212
 —powdery mildew, resistance inheritance, 964
 —red leaf blotch of: cultural studies of agent, 847; outbreak in Nigeria, 323
 —Rhizoctonia disease, herbicide-pathogen interaction, 236
 —root rot, diversity of races in Ontario, 587
 —rust, resistance sources, 396
 —Sclerotinia stem rot of, in Nigeria, 101
 —seed discoloration, quality indicator, 1087, (1088, 1089)
 —seed maturation and seedborne fungi, 287
 —southern blight and aerial blight, first report in Kansas, 539
 —Soybean mosaic virus, mixed cropping effect, 304
 —Soybean severe stunt virus
 —cover photo, July
 —etiology and properties, 747
 —*Sphaerotheca* spp.
 —*S. fuliginea*, on muskmelon, resistance to races 1 and 2, 626
 —*S. pannosa*, on rose, sodium bicarbonate and oil for, 247
 —*Spiroplasma citri*, on *Arabidopsis thaliana*, 862, (862, 863)
 —*Sporisorium reilianum*, on sorghum, resistance, 314, (315)
 —Spotts, R. A., 256
 —Spruce, red, tomato mosaic virus isolated from, 518
 —Srivastava, K. M., 474
 —Stack, J. P., 230
 —*Stagonospora nodorum*, on barley, resistance, 1227
 —Stall, R. E., 118, 1085
 —Stanghellini, M. E., 751, 777
 —Stanosz, G. R., 602
 —Stapleton, J. J., 205
 —Staub, T., 523, 774
 —Steadman, J. R., 1230
 —Steffenson, B. J., 1283
 —*Stemphylium vesicarium*
 —on garlic, first report in South Africa, 426
 —on pear, spray schedule model, 1221
 —Stephens, C. T., 693
 —Stewart, T. M., 644
 —St Hill, A. A., 843
 —Stiles, W. C., 199
 —Stirling, A. L., 23
 —Stobbs, L. W., 23
 —Stone, J. K., 348
 —Stony pit virus, on pear, cover photo, November
 —Strawberry
 —anthracnose: complex in Florida, 976, (978); outbreak, in Brazil, 212; overwinter survival in Ohio, 948; soil moisture and temperature effect, 841
 —anthracnose crown rot, disease management, 260
 —red stele disease, genotype reaction, 335
 —Subramanya, R., 118
 —Suganda, T., 367
 —Sugar beet
 —*Cercospora* leaf spot, root and sugar effects, 812
 —stand establishment, pathogen-infested soils, factors, 800
 —Sugarcane
 —leaf scald, outbreak in Florida, 426
 —*Pythium* root rot, species interactions, 735
 —ratoon stunting disease, spread by mechanical harvester, 1148
 —rust, growth and biomass effect, 175
 —Sugarcane mosaic virus, H strain of, resistance in wild forms, 360
 —Sumner, D. R., 244
 —Sunflower, downy mildew, first report in Greece, 539
 —Sutton, T. B., 126
 —Swai, I. S., 1185
 —Swank, W. T., 915
 —Swart, W. J., 744
 —Sweetpotato, stem and root rot of, inoculum sources, 67
 —Sweets, L. E., 19
 —*Syringa* spp., tomato mosaic virus on, 696, (697)
 —Taber, R. A., 1185
 —Taliaferro, C. M., 1077
 —Tamisin, M. M., 384
 —Teaching, idea generation, rediscovering in a scientific discipline, 1079
 —Teakle, D. S., 1039
 —Tebbets, J. C., 293
 —TeBeest, D. O., 1266
 —Templeton, G. E., 995
 —Teng, P. S., 812
 —Thanassoulopoulos, C. C., 539
 —Theiling, K. M., 1179
 —*Thielaviopsis basicola*
 —on chickpea, inoculum density and temperature effect, 50; soil moisture relation, 1259
 —Thomas, C. E., 905
 —Thomas, P. E., 139
 —Thomas, T. M., 1049
 —Thomson, S. V., 1052
 —Thottappilly, G., 789
 —Tiffany, L. H., 19
 —Tillage, northern corn leaf blight, epidemic effect, 1161
 —*Tilletia* spp., on winter wheat, survival of spores and sori after fumigation, 293
 —*T. tritici*, *T. laevis* compared to, on wheat, carboxin for control, 64
 —Timmer, L. W., 323, 820, 1176
 —Tobacco streak virus, on escarole and lettuce, purification, 966, (967, 968)
 —Tobacco vein-banding mosaic virus, new virus in North America, 856, (857, 858)
 —Toft, J. E., 39
 —Tomaru, K., 466
 —Tomato
 —anthracnose of, fungicide residue management, 700
 —bacterial canker: incubation and severity factors, 1150; seedling resistance, greenhouse method, 1004; yield reduction, 805
 —bacterial spot, in Barbados, 1046
 —big bud disease, immunity and tolerance, 139
 —black leaf mold, yield effect, 462
 —cucumber mosaic virus of, epidemic in Spain, 363, (364, 365); satellite-mediated control model, 1270, (1271)
 —difenoconazole effect on, 523
 —etiology of graywall or internal browning, letter to editor, 1084
 —foot rot, cover photo, January
 —fungal diseases in greenhouse, control with plastic film, 43
 —*Fusarium oxysporum* race 3, first report in Florida and Georgia, 861
 —*Fusarium solani* on, foot rot in California, 101
 —*Fusarium* and *Verticillium* resistance, 340
 —leaf spot, control with *Pseudomonas*, 1217
 —*Phytophthora* root rot of, dispersal in fields by irrigation, 582
 —*Septoria* leaf spot of, yield reduction from, 208
 —stolbur disease, monoclonal antibody for detection, vectors, 1092, (1093)
 —transplants of, disease control in Georgia and Florida, 651, (651, 654)
 —Tomato mosaic virus
 —on lilac, 696, (697)
 —on red spruce, in New York, 518
 —Tomato ringspot virus
 —on plum-peach grass, cover photo, January
 —transmission by dodder, 642
 —Tomato spotted wilt virus
 —on greenhouse ornamentals, in Pennsylvania, 795
 —on *Lathyrus sativus*, first report in Manitoba, 753
 —on leaves and plants in Ontario, transmission by thrips, 23
 —on lettuce, resistance, 642

- on orchid: cover photo, April; in Hawaii, 426
- Tomato spotted wiltlike virus, on watermelon, in Taiwan, 835, (836, 837)
- Tomato yellow leaf curl virus
 - molecular characterization, 538
 - on tomato, cover photo, May
- Tousignant, M. E., 1270
- Toxin (see Mycotoxin)
- Travis, J. W., 545
- Treeful, L. M., 367
- Trevathan, L. E., 270
- Trifolium* spp.
 - T. dubium*, *Sclerotinia trifoliorum* on, host specialization, 661
 - T. subterraneum*, distortion due to viruslike disease, 420, (422)
- Triticum tauschii*, foliar disease, resistance in, 1061
- Trutmann, P., 1144
- Tsai, J. H., 318, 966
- Tsuda, S., 466
- Tsuji, J., 539
- Turfgrass
 - dollar spot, biocontrol with compost, 954
 - gray leaf spot, Pennsylvania, 1280, (1281, 1282)
 - Rhizoctonia* spp. association, biology, 112
- Turner, B. C., 751
- Uchida, J. Y., 853, 925
- Uromyces appendiculatus*, on bean, resistance, 1230
- Ustilago* spp.
 - U. nuda*, on barley, cover photo, January
 - U. vilfae*, on sewan grass, cover photo, August
- Uwala, O. A., 323
- Uyemoto, J. K., 5, 71
- Vakalounakis, D. J., 43
- Vali, R. J., 919
- van Asch, M. A. J., 412
- van Bruggen, A. H. C., 703
- Vandenberg, J. D., 1052
- Vargas, R., 101
- Velichetti, R. K., 779
- Vendrusculo, J., 226
- Venter, W. B., 744
- Venturia inaequalis*
 - on apple: difenoconazole effect on, 774; fungicides for control, 669; overwintering in buds, New York, 121, (124)
 - asci and ascospore maturity, disparity between, 277
 - pseudothecia of, ascospore maturity and discharge, 717
- Vera Cruz, C. M., 1029
- Verdejo-Lucas, S., 1275
- Vernon, P. R., 861
- Verticillium* spp.
 - V. albo-atrum*: on alfalfa, irrigation and economic effects, 504; on alfalfa, mycorrhizal fungus role, 239
 - V. dahliae*: on maple, seasonal variation, 184; on melon, cavity rot, 416; on pistachio nut trees, hybrid effect, 310; on tomato, resistance induced, 340
- Viator II, H. P., 642
- Vibio, M., 643
- Viguié, A., 376
- Vilardeil, P., 1221
- Vincelli, P. C., 622, 1283
- Viruses
 - classification and nomenclature, 436
 - detection and identification technique, immunofilter paper assay, 466
 - filamentous, on garlic, in Argentina, 594
 - Viruslike diseases, on cereals, detection using RNA and labeled probes, 590
 - Voss, K. A., 144
- Wadsworth, M. L., 492, 643
- Wagner, R. E., 212, 610
- Wakarchuk, D. A., 590
- Walla, J. A., 323
- Waller, R. S., 454
- Walnut, black, witches'-broom, seasonal occurrence, DNA probes, 1116
- Walter, C. C., 282
- Wang, H. L., 530
- Wang, M., 426, 642
- Wang, T. C., 396, 462
- Ward, H. P., 1046
- Warwick, D. R. N., 809
- Wasson, D. I., 669
- Watermelon
 - bacterial fruit blotch: first report in Oklahoma, 1185; seed association, 509
 - tomato spotted wilt-like virus, in Taiwan, 835, (836, 837)
- Waterson, J. C., 101
- Webby, G. N., 1125
- Weeks, R., 982
- Weidemann, G. J., 267
- Weldekidan, T., 747
- Welliver, R. A., 642, 795
- Welty, R. E., 637
- Wheat
 - bunts of, survival after fumigation, 293
 - Cephalosporium stripe, liming for control, 282
 - common bunt of, carboxin for control, methods, 64
 - common root rot, chloride application, 908
 - deoxynivalenol in, detection with ELISA and TLC method, 1078
 - difenoconazole effect on, disease control, 523
 - Fusarium head blight, resistance, 658
 - leaf rust: alternate hosts in Morocco, 1185; resistance, avirulent race, 412; resistance in seedlings and adult plants, 489; virulence diversity in USA, 500; virulence in Texas, 296; virulence in USA during 1988–1990, 495; virulence phenotypes and host sampling in Canada, 618
 - powdery mildew, plot size and border width effect, 299
 - Pratylenchus neglectus*, first report in Washington, 323
 - Rhizoctonia root rot, herbicide effect, 399
 - Septoria leaf blotch, thiabendazole seed treatment for, 178
 - stripe rust, adult-plant and durable resistance, 253
 - tan spot of: crop rotation and management practice, 633; geographic virulence patterns, 712; isolate aggressiveness in northern Great Plains, 87
 - Wheat streak mosaic virus, planting and inoculation date effects, 1056
 - White clover (see Clover, white)
 - Wick, R. L., 323, 643
 - Wieczorek, A., 75
 - Wiese, K. L., 700
 - Wiese, M. V., 830
 - Wilcox, W. F., 199, 277, 669
 - Wilcoxson, R. D., 367, 658
 - Wild rice, brown spot, in Minnesota, 1193, (1195, 1196)
 - Wilkins, D. E., 399
 - Wilkinson, H. T., 212, 538, 610
 - Wilson, A. D., 212
 - Wilson, C. L., 470
 - Wilson, D. L., 1061
 - Wilson, J. P., 244, 1171
 - Wilson, L. L., 948
 - Windels, C. E., 908
 - Wingfield, M. J., 744
 - Wixted, D. J., 1097
 - Wong, S. M., 972
 - Worrall, J. J., 166, 170
 - Wrather, J. A., 894
 - Wutoh, J. G., 768
 - Wyatt, J. E., 989
 - Wyatt, S. D., 57, 1263
 - Wyman, J., 538
 - Xanthomonas* spp.
 - X. albilineans*: on sugarcane, detection, tissue blot, ELISA, 1033; on sugarcane, outbreak in Florida, 426
 - X. campestris*: on *Arabidopsis thaliana*, natural infection, 539; on citrus, analysis in Florida, 389; on citrus, detection and identification, hybridization probes for, 889; on citrus, immunoassay for resistance, 708; on geranium, seedling resistance, 693; on grain seeds, detection assay, immunofluorescence, 999; on navy bean seeds, antibiotics for, polyethylene glycol and glycerol, 875; on pepper, bactericides, genotypes, and insect population, 1042; on pepper, race shift in Florida, 118; on pepper, sand injury, infection relation, 1036; on pepper and tomato, in Barbados, 1046; on pummelo, detection in Australia, 824, (825, 826); selective medium for, 443; on soybean, multiple infection and yield effects, 195; on soybean, pathogenicity test on cotyledons, 182
 - X. oryzae*, on rice, race frequency changes, 1029
 - Xanthosoma sagittifolium*, root rot, resistance protocol, 768, (769)
 - Xylella fastidiosa*, on peach, root distribution, 885
 - Yan, S. X., 1077
 - Yang, X. B., 1266
 - Yeh, S.-D., 835
 - Yessad, S., 370
 - Yoshiuchi, H., 708
 - Young, L. D., 78
 - Zehr, E. I., 753
 - Zeller, W., 1114
 - Zettler, F. W., 843
 - Zimmer, R. C., 753
 - Zink, F. W., 162
 - Zitko, S. E., 820
 - Zitter, T. A., 513, 530, 1086
 - Ziv, O., 513
 - Zreik, L., 1092
 - Zucchini yellow mosaic virus
 - host range and resistance, 251
 - in Singapore, first report, 972
 - strains of, properties, 530
 - Zummo, N., 771

Salute to APS Sustaining Associates

This section is designed to help APS members understand more about APS Sustaining Associates. Information is supplied by company representatives. Each month features different companies. A complete listing appears in each issue of *Phytopathology*.

Istituto di Fitovirologia Applicata del CNR. Contact: **M. A. Conti, Strada Delle Cacce, 73, Torino 10135, Italy; (011) 3977.1, fax: (011) 343809.** The institute, founded in 1968 by the Italian National Research Council (CNR), has grown to become the largest group of plant virologists in Italy. Its main work is on viruses, viroids, and mycoplasmas. The principal techniques used are serology, electron microscopy, biochemistry, and molecular biology, and the main lines of work are virus characterization, diagnostics, epidemiology, physiopathology, and quarantine studies. The institute cooperates with CIAT, CIMMYT, and other national and international institutions.

Janssen Pharmaceutica. Contact: **David B. Helmer, Plant Protection Division, 40 Kingsbridge Road, Piscataway, NJ 08855-3998; 908/524-9012.** With headquarters in Beerse, Belgium, Janssen Pharmaceutica has developed antifungal compounds for human and veterinary pharmaceutical use and for agricultural and industrial applications. Imazalil has been developed for application to wheat and barley as a seed treatment and for postharvest treatment of citrus fruit. Specific formulations are available through licensed distributors. New uses of imazalil, which are under development, focus on seed treatment of field and vegetable crops. Postharvest uses are being expanded to include vegetables and other fruits. Janssen supports cooperative phytopathological research projects of mutual interest.

Landis International, Inc. Contact: **W. R. Landis, President, P.O. Box 5126, Valdosta, GA 31603-5126; 912/247-6472.** Landis International, Inc., is a world leader in research and development management, specializing in agricultural products.

It has the capability of guiding products through their entire research and development (R&D) process in the most expedient and cost-effective manner. Landis has extensive expertise with the regulations and requirements of the U.S. Environmental Protection Agency (EPA). Its state regulatory expertise with the EPA and individual states is broad-based. Landis stays abreast of and conducts all federal and state requirements under Good Laboratory Practices guidelines. Areas of management expertise include formulation development and evaluation, toxicology, residue chemistry, environmental safety, nontarget organism studies, and worker exposure. The company has successfully negotiated protocols with the EPA, including soil dissipation, dislodgeable residue, import tolerances, and worker exposure studies. Landis is experienced in biorationals and formulation inerts, as well as classical pesticide areas. The company has successfully brought these products through to registration and clearance with the EPA. Landis takes a project management approach to R&D management and includes staff in the disciplines of plant pathology, entomology, agronomy, nematology, and chemistry who bring technical expertise to each project. Landis has opened offices in Europe to provide similar services to the European Economic Community. In Europe, Landis will provide R&D management services not only to meet OECD guidelines but also to comply with each country's regulatory requirements.

Loxton Research Centre. Contact: **Gregory E. Walker, Soils Pathologist, P.O. Box 411, Loxton, South Australia 5333; 011 61 85 847315, fax: 011 61 85 846 354.** This state government horticultural research center administers research and extension for all local and state horticultural crops, including grapes, citrus, apricots, peaches, vegetables, pome fruits, almonds, pistachios, avocados, walnuts, and persimmons. It comprises sections on crop production, crop protection (including an entomologist-spray technologist, soils pathologist, and plant pathologist), irrigation, and soil and land use, as well as a drylands section that administers research and extension of agronomic crops, including wheat, oats, and barley. Located in the South Australian Riverland region, the center comprises some 60 research and extension staff.