

DISTRIBUTED BY

**Best MATERIALS**.com<sup>®</sup>

**BRICKFORM**

*Decorative Concrete Product Guide*

sales@bestmaterials.com | <https://www.bestmaterials.com> | 1-800-474-7570



Find a Local Distributor

1-800-483-9628

8:00a to 6:00p CST

Monday-Friday

More Information Online

[www.brickform.com](http://www.brickform.com)

[www.solomoncolors.com](http://www.solomoncolors.com)



## Table of Contents

<b>Texturing Products.....5-28</b>	<b>Surface Preparation &amp; Maintenance .....40.</b>
Seamless Texture Skins.....5-7	..... E-Etch
Stone Patterns .....8-12	40
Slate Patterns .....13-16	Neutra Clean.....40
Wood Patterns .....17	Strip-It .....40
Brick Patterns.....18-19	Premium Acrylic Floor Finish.....40
Tile Texture Mats.....20-21	<b>Resurfacing Products .....41-46</b>
Border Tools.....22	Cem-Coat.....41
Specialty Patterns.....23	Stampable Overlay .....42
<b>NEW</b> Step-Liners.....24-25	Micro-Topping .....43
Concrete Dimensions Stencils.....26-27	SM Professional Grade.....44
Texturing Accessories .....28	Triple Seven Bond Coat.....45
<b>Coloring Products .....29-35</b>	Liquid Polymer .....45
Color Hardener .....29	..... Overlay Liquid Colorant
Antique-It.....29	45
Powdered Integral Color .....30	Turtle Set.....45
<b>NEW</b> Ultra-Mix Integral Color .....31	Design Tape.....45
Blush-Tone Acid Stain.....32	Vertical Mix.....46
ARTesian Stain.....33	<b>Sealers.....47-51</b>
Pro Dye <i>PLUS</i> .....34	Gem Cure & Seal.....47
Refresh .....35	..... Satin Cure & Seal
<b>Release Agents.....36</b>	47.....
Antique Release.....36	Gem-Seal .....48
Liquid Release .....36	Poly-Seal.....48
<b>Finishing Aids.....37</b>	Safety-Seal .....48
DAY1.....37	Satin-Seal .....48
Evaporation Retarder.....37	Gem-Guard.....49
<b>Surface Retarders.....38-39</b>	Stealth-Seal WB.....49
<b>NEW</b> Select-Etch.....38	UreMax WB.....50
<b>NEW</b> Select-Etch PLUS.....39	..... Poly-Astic
	50
	DecoPoxy.....50
	Tinta' Seal .....50
	Traction Grip .....50
	Matte-Magic.....50
	Sealer Properties Checklist.....51

Cover photo courtesy of Concretec Ecuador



Brickform was founded in 1971 during the early days of modern decorative concrete. With innovations such as urethane stamps and computer aided design, Brickform has long been at the forefront of the Decorative Concrete Industry. In 2008, Brickform was acquired by Solomon Colors, forming a strong family of brands focused on a singular goal: making concrete beautiful.

Brickform's core principals focus on providing high quality innovative products backed by fast, friendly, expert service. These same values are exhibited today through our Sales staff, Technical Services team and Customer Service representatives on a daily basis.

Brickform works with premier dealers nationwide to provide continuing education, hands-on training and architectural guidance to the concrete craftsman. Whether you are looking for technical assistance, the location of the nearest Brickform dealer or, our the Sales Representative in your area, call us at 800-483-9628.

Thank you for your business.

Solomon/Brickform Team

BRICKFORM

# BRICKFORM TRAINING

Learn more. Earn more.

Join us at one of our training seminars in Springfield, IL, Temple, TX or Rialto, CA. You will receive in-depth instruction on cutting edge decorative concrete products and techniques. Seminars feature lectures, demonstrations, and hands-on training.

[www.Brickformtraining.com](http://www.Brickformtraining.com)



BRICKFORM

# stamp app

DECORATIVE CONCRETE  
AUGMENTED REALITY



Search for **Brickform StampApp**  
on the Apple iTunes Store or Google Play!

Solomon Colors and Brickform are excited to bring you the decorative concrete augmented reality app that will revolutionize the way homeowners and contractors design decorative hardscapes.

Using advanced augmented reality technology, you can create your own custom stamped concrete, using the most popular textures, colors, and stamp patterns Solomon Colors and Brickform has to offer. See how your favorite patterns and color combinations work with your home, from the convenience of your tablet or phone. Best of all... It's **FREE** to download and use.

Once you've installed the Brickform StampApp on your tablet or phone, scan the above image from within the app to get started. If you would like to experience the full-size, 10'x10' augmented reality slab, just fill out the form available at [www.stampapp.net](http://www.stampapp.net)

## Seamless Texture Skins



### Blue Stone Texture (A)

- FM-A2M2N 2'x2' square
- FM-A3M2Y 3'x3' square
- FM-A4M2Y 4'x4' square




### Rough Stone Texture (C)

- FM-C2M2N 2'x2' square
- FM-C3M2Y 3'x3' square
- FM-C4M2Y 4'x4' square



### Heavy Stone Texture (D)

- FM-D2M2N 2'x2' square
- FM-D3M2Y 3'x3' square
- FM-D4M2Y 4'x4' square



**Sanded Slate Texture (E)**

- FV-E2M2N 2'x2' square
- FV-E3M2Y 3'x3' square
- FV-E4M2Y 4'x4' square



**Renaissance Slate Texture (F)**

- FV-F2M2N 2'x2' square
- FV-F3M2Y 3'x3' square
- FV-F4M2Y 4'x4' square



**Chiseled Slate Texture (G)**

- FV-G2M2N 2'x2' square
- FV-G3M2Y 3'x3' square
- FV-G4M2Y 4'x4' square



**Roman Slate Texture (H)**

- FV-H2M2N 2'x2' square
- FV-H3M2Y 3'x3' square
- FV-H4M2Y 4'x4' square



**Sierra Seamless Texture (K)**

- FVHK2M2N 2'x2' square
- FVHK3M2Y 3'x3' square
- FVHK4M2Y 4'x4' square




**Rocky Mountain Stone Texture (L)**

- FVHL2M2N 2'x2' square
- FVHL3M2Y 3'x3' square
- FVHL4M2Y 4'x4' square



**Desert Slate Texture (P)**

- FVHP2M2N 2'x2' square
- FVHP3M2Y 3'x3' square
- FVHP4M2Y 4'x4' square



**Regal Ashlar Slate (S)**

- FVHD2M2N 2'x2' square
- FVHD3M2Y 3'x3' square
- FVHD4M2Y 4'x4' square

## Stone Patterns





### Rough Cut Ashlar, FM-100 S/O

24" x 24" (60.96 x 60.96 cm)

Red, Yellow and Blue

Matching skin/touch-up wheel: Rough Stone/ FM-6520

Grout 1/4"-3/8" wide, 1/4" deep





### Large Cobble, FM-580

28.125" x 33.375" (71.43 x 84.77 cm) Blue

Matching skin/touch-up wheel: Smooth Slate/ FM-6510

Joint width 1/4"-1/2", depth 3/8"

Stone size 6 1/2"-6 3/4" wide, 7 1/2"-11 1/4" long




### 6" x 6" Edinburgh Cobble, FM-520

26" x 36" (66.04 x 91.44 cm) Yellow

Matching skin/touch-up wheel: Rough Stone/ FM-6570

Joint size 1/2"-3/4" wide, 1/2" deep

Stone size 5 1/4"-6" wide, 5 1/4"-6 1/4" long



### Cheshire Cobble

(Smooth Grout), FM-525

20.5" x 46" (52.07 x 116.84 cm) Red


Matching touch-up wheel: FM-6510

Joint size 1/4"-3/4" wide, 3/8" deep


Stone size 4 3/8"-4 7/8" wide, 5 1/4"-9 1/4" long









**London Cobble, FM-540 S/O**  
 17" x 29.75" (43.18 x 75.56 cm) Blue  
 Matching skin/touch-up wheel: Slate/ FM-6510  
 Joint 1/8"-1/4" wide, 1/4" deep  
 Stone size 5 1/2"-5 3/4" wide, 6"-8" long





**London Cobble Strip, FM-560 S/O**  
 5.75" x 28.625"  
 (14.605 x 72.71 cm) Blue  
 Matching skin/touch-up wheel: Slate/ FM-6510  
 Joint 1/8"-1/4" wide, 1/4" deep  
 Stone size 5 1/2"-5 3/4" wide, 5 1/4"-8" long



**European Fan, FM-650 S/O**  
 26" x 46" (66.04 x 116.84 cm) Blue  
 Matching skin/touch-up wheel: Smooth Slate/ FM-6520  
 Joint size 1/8"-1/4" wide, 3/8" deep  
 Stone size 3 3/4"-5 1/2" wide, 4"-6 1/2" long





**Patio Stone, FM-1295 S/O**  
 36.5" x 36.5" (92.71 x 92.71 cm) Red  
 Joint size 1/2"-2 1/2" wide



**Random Stone, FM-700**  
 29.125" x 29.125" (73.97 x 73.97 cm) Red, Yellow and Blue.  
 Matching skin/touch-up wheel: Rough Stone/ FM-6520  
 Joint size 1/4"-3/4" wide, 3/8" deep  
 Stone size 7"-11 1/2" wide, 10"-15" long




**Large Random Stone, FM-750**  
 36" x 36" (91.44 x 91.44 cm) Yellow and Blue  
 Matching skin/touch-up wheel: Rough Stone/ FM-6570  
 Joint size 1/2"-1" wide, 3/8" deep  
 Stone size 7"-14" wide, 13"-20 1/2" long




**Stones of Athens**  
**Full Tool, PD-400**  
 47.75" x 23.875"  
 (121.3 x 60.6 cm)  
 I, II, III, IV, V, VI, VII, VIII

Part #	STONES OF ATHENS	Size		# per set
PD-400	Full tool	47.75" x 23.875"	24 lbs	8
PD-405	2x2 skin	24" x 24"	4 lbs	3
PD-410	1x1 skin	12" x 12"	1 lb	1





**Tuscany Stone, FM-1775**  
 28" x 40" (71.12 x 101.60 cm)  
 Red, Yellow and Blue  
 Matching skin/touch-up wheel: Rough Stone/ FM-6550  
 Joint 1/4" wide, 3/16" deep  
 Stone sizes vary from 3 1/8" x 7 3/4" to 3 7/8" x 9 7/8"

**Also Available: Tuscany Border, FM-1785**  
 48" x 12"







**Ashlar, TM-100 S/O**  
 36" x 36" (91.44 x 91.44 cm)  
 Pattern: A, B and C  
 Matching skin/touch-up wheel: Blue Stone/ FM-6550  
 Joint size  $\frac{3}{8}$ "- $\frac{3}{4}$ " wide,  $\frac{3}{8}$ " deep  
 Stone size 10  $\frac{1}{2}$ "-24" wide, 11  $\frac{1}{2}$ "-21" long



**Random Stone, TM-200**  
 36" x 36" (91.44 x 91.44 cm)  
 Pattern: A and B  
 Matching skin/touch-up wheel: Slate/ FM-6560  
 Joint size  $\frac{1}{2}$ "- $\frac{3}{8}$ " wide,  $\frac{1}{2}$ " deep  
 Stone size 9"-11  $\frac{1}{2}$ " wide, 10  $\frac{3}{4}$ "-17  $\frac{1}{2}$ " long




**Castle Stone, TM-1300**  
 47.5" x 47.5" (120.65 x 120.65 cm)  
 Pattern: A and B  
 Matching skin/touch-up wheel: Yucatan/ FM-6550  
 Joint size  $\frac{3}{8}$ "- $\frac{3}{8}$ " wide,  $\frac{3}{8}$ " deep. Stone size 9  $\frac{3}{8}$ "-21" wide,  
 11  $\frac{3}{4}$ "-25" long





**European Fan, TM-400**

28" x 50" (71.12 x 127 cm) Pattern: A  
 Matching skin/touch-up wheel: Slate/  
 FM-6570  
 Joint size  $\frac{3}{8}$ "- $\frac{3}{4}$ " wide,  $\frac{1}{4}$ " deep. Stone size 5  
 $\frac{1}{8}$ "- 5 $\frac{1}{2}$ " wide, 4  $\frac{1}{2}$ "-7" long




**Mesa Random Stone, TM-500**

61.75" x 61.75" (156.85 x 156.85 cm)  
 Pattern: A  
 Matching skin/touch-up wheel:  
 Mesa Stone/ FM-6560  
 Joint size  $\frac{1}{4}$ "- $\frac{3}{8}$ " wide,  $\frac{3}{8}$ " deep.  
 Stone size 26"-30" wide, 40" long.





**Flagstone, TM-700**

48" x 48" (121.92 x 121.92 cm)  
 Pattern: A and B  
 Matching touch-up wheel: FM-6560  
 Joint size  $\frac{3}{8}$ "-1 $\frac{1}{2}$ " wide,  $\frac{1}{4}$ " deep  
 Stone size 11-21  $\frac{1}{4}$ " wide, 16  $\frac{1}{8}$ "-21  $\frac{3}{4}$ " long




**Verona Stone, TM-1500**

42.75" x 68.5" (108.58 x 173.99 cm)  
 Red, Yellow and Blue  
 Matching skin/touch-up wheel: Blue Stone/ FM-6520/  
 FM-6530  
 Joint size  $\frac{1}{4}$ "- $\frac{1}{2}$ " wide,  $\frac{1}{4}$ " deep  
 Stone size 13"-21" wide, 19  $\frac{1}{2}$ "-30  $\frac{1}{2}$ " long



## Slate Patterns



### 36" Ashlar Cut Slate, FM-3120 S/O



36" x 36" (91.44 x 91.44 cm)

Red, Yellow and Blue

Matching skin/touch-up wheel:

Smooth Slate/ FM-6550

Joint size 3/8"-3/4" wide, 3/8" deep



### California Weave, FM-3500 S/O

24" x 24" (60.96 x 60.96 cm) Red

Matching skin/touch-up wheel: Smooth Slate/ FM-6550

Joint size 3/8"-3/4" wide, 1/2" deep

Stone sizes 8"x8" and 8"x16"



### Grand Ashlar, FM-3675


36" x 36" (91.44 x 91.44 cm)





Red, Yellow and Blue

Matching touch-up wheel: FM-6550






Joint size 1/8"-3/8" wide, 3/8" deep

Stone size 6"-15" wide, 6"-22" long





**Fractured Cyprus Slate**  
**Full Tool, PD-600**  
 41.875" x 41.875"  
 (106.4 x 106.4 cm)  
 I, II, III, IV, V, VI, VII, VIII






41.875" 41.875" 41.875" 41.875" 41.875" 41.875"

Part #	FRACTURED CYPRUS SLATE	Size		# per set
PD-600	Full tool	41.875" x 41.875"	33 lbs	8
PD-605	2x2 skin	24" x 24"	4 lbs	2
PD-610	1x1 skin	12" x 12"	1 lb	1



**Ashlar Cut Slate, FM-3125 S/O**  
 23.125" x 23.125" (58.74 x 58.74 cm)  
 Red, Yellow and Blue  
 Matching skin/touch-up wheel: Smooth Slate/ FM-6510  
 Joint size 1/8"-1/4" wide, 5/8" deep  
 Stone size 5 1/4"-9 7/8" wide, 6 3/4"-20 5/8" long






23.125" 23.125" 23.125"





**Large Ashlar Cut Slate**  
**FM-3150 S/O**  
 28" x 28" (71.12 x 71.12 cm)  
 Red, Yellow and Blue

Matching skin/touch-up wheel: Smooth Slate/ FM-6550  
 Joint size 3/8"-5/8" wide, 1/2" deep  
 Stone size 10"-16" wide, 12"-28" long




28" 28" 28"







**Herringbone Slate, FM-3550 S/O**  
 32" x 40" (81.28 x 101.6 cm) Blue  
 Matching skin/touch-up wheel: Smooth Slate/ FM-6550  
 Joint size  $\frac{1}{8}$ "- $\frac{3}{8}$ " wide,  $\frac{3}{8}$ " deep  
 Stone size 8" wide, 16" long




**16" x 16" Slate, TM-300**  
 32" x 48" (81.28 x 121.92 cm) Pattern: A  
 Matching skin/touch-up wheel: Slate/ FM-6560  
 Joint size  $\frac{1}{2}$ "- $\frac{5}{8}$ " wide,  $\frac{1}{4}$ " deep.  
 Stone size 16" square



**12" x 12" Slate-Butt Joint**  
**TM-900**  
 24" x 48" (60.96 x 121.92 cm) Pattern: A  
 Matching skin/touch-up wheel: Slate/Chisel  
 Stone size 12" square



**12" x 12" Slate - 1/4" Joint, TM-600**  
 24" x 48" (60.96 x 121.92 cm) Pattern: A  
 Matching skin/touch-up wheel: Slate/ FM-6550  
 Joint size  $\frac{3}{8}$ "- $\frac{1}{2}$ " wide,  $\frac{1}{4}$ " deep  
 Stone size 12" square




**18" x 18" Slate, TM-1620**

36" x 54" (91.44 x 137.16 cm) Pattern: A  
 Three slates with sharp edges, laid in two rows  
 Matching skin/touch-up wheel: Slate/ FM-6550  
 Joint size  $\frac{1}{2}$ "- $\frac{5}{8}$ " wide,  $\frac{3}{16}$ " deep  
 Stone size 18" square



**Walkway Slate, FM-3400 S/O**


18" x 36" (45.72 x 91.44 cm)  
 Red, Yellow and Blue  
 Stone sizes vary  
 Matching skin/touch-up wheel: Smooth Slate/ FM-6550  
 Joint size  $\frac{1}{2}$ "- $\frac{5}{8}$ " wide,  $\frac{1}{2}$ " deep  
 Stone size wide, 12"-24" long



**American Ashlar Slate**


**FM-3160**  
 48" x 30" (121.9 x 61cm)  
 Red and Blue

Matching skin/touch-up wheel:  
 Smooth Slate/ FM-6510






## Wood Patterns



### Classic Wood FM-8700 S/O

81.5" x 21.75" (207 x 55.2 cm) Blue  
Matching skin/touch-up wheel: FM-8700FE/ FM-6510

Joint size 1/8" wide, 3/16" deep  
Plank size 6" wide, 23 1/2"-71" long



### 8" Weathered Wood, FM-8750

76.125" x 29.625" (193.36 x 75.25 cm) Yellow  
Matching touch-up wheel: FM-6510



### Cedar Wood Set, FM-8010S

Includes: 1 ea 2', 3', 4' and 2 ea 6'

**2' Cedar Wood Plank, FM-8110 S/O**

11.5" x 24" (29.21 x 60.96 cm) Blue

**3' Cedar Wood Plank, FM-8210 S/O**

11.5" x 36" (29.21 x 91.44 cm) Blue

**4' Cedar Wood Plank, FM-8310 S/O**

11.5" x 48" (29.21 x 121.92 cm) Blue

**6' Cedar Wood Plank, FM-8410 S/O**

11.5" x 72" (29.21 x 182.88 cm) Blue

**8' Cedar Wood Plank, FM-8510 S/O**

11.5" x 96" (29.21 x 243.84 cm) Blue

Matching skin/touch-up wheel: FM-8010FE/ FM-6550  
Surrounding joint 1/8"



### Wood Plank Set, FM-8000S

Includes: 1 ea 2', 3', 4' and 2 ea 6'

**2' Wood Plank, FM-8100 S/O**

12" x 24" (30.48 x 60.96 cm) Blue

**3' Wood Plank, FM-8200 S/O**

12" x 36" (30.48 x 91.44 cm) Blue

**4' Wood Plank, FM-8300 S/O**

12" x 48" (30.48 x 121.92 cm) Blue


**6' Wood Plank, FM-8400 S/O**

12" x 72" (30.48 x 182.88 cm) Blue

**8' Wood Plank, FM-8500 S/O**

12" x 96" (30.48 x 243.84 cm) Blue

Matching skin/touch-up wheel: FM-8000FE/ FM-6550  
Surrounding joint 1/8"



### Bridges of Madison County

**4' Wood Plank, FM-8320 S/O** \*floppy available

15" x 48" (38.1 x 121.92 cm) Blue

**6' Wood Plank, FM-8420 S/O**

15" x 72" (38.1 x 182.88 cm) Blue

**8' Wood Plank, FM-8520 S/O**

15" x 96" (38.1 x 243.84 cm) Blue

**10' Wood Plank, FM-8620 S/O**

15" x 120" (38.1 x 304.8 cm) Blue

Surrounding joint depth 1/4"


**Bridges Set FM-8020S includes:**

FM-8320, Qty:1 (4') FM-8620, Qty:2 (10')

FM-8420, Qty:2 (6')


Matching skin/touch-up wheel: FM-8420FE/ FM-6510

## Brick Patterns




### Herringbone Used Brick, FM-5000 S/O

25.25" x 36.5" (64.13 x 92.71 cm) Red  
 Matching skin/touch-up wheel: Used Brick/ FM-6540  
 Joint size 1/4"-1/2" wide, 1/4" deep  
 Brick size 3 3/4" wide, 7 1/2" long





### Herringbone New Brick (Fine Grout), FM-5050 S/O

25.5" x 36.5" (64.77 x 92.71 cm) Red  
 Matching skin/touch-up wheel: New Brick/ FM-6540  
 Joint size 3/8"-1/2" wide, 1/4" deep  
 Brick size 3 5/8" wide, 7 3/4" long




### Running Bond Used Brick FM-5100 S/O

16" x 36.5" (40.64 x 92.71 cm) Blue  
 Matching skin/touch-up wheel: Used Brick/ FM-6540  
 Joint size 3/8"-1/2" wide, 1/4" deep  
 Brick size 3 1/2" wide, 7 1/2" long




### New England Basket Weave FM-3600 S/O

24" x 36" (60.96 x 91.44 cm) Blue  
 Matching skin/touch-up wheel: Smooth Slate/ FM-6550  
 Joint size 1/4"-5/8" wide, 3/8" deep  
 Stone size 6" wide, 12" long



**Running Bond New Brick**  
**FM-5150 S/O**


24" x 36.5" (60.96 x 92.71 cm) Red  
 Matching skin/touch-up wheel:  
 New Brick/ FM-6540  
 Joint size  $\frac{1}{2}$ "- $\frac{3}{4}$ " wide,  $\frac{1}{4}$ " deep  
 Brick size  $3\frac{1}{2}$ " wide,  $7\frac{1}{2}$ " long



**Basket Weave Used Brick**

**FM-5200 S/O**  
 15.375" x 30.75" (39.05 x 78.10 cm) Blue  
 Matching skin/touch-up wheel: Used Brick/ FM-6540


Joint size  $\frac{1}{8}$ "- $\frac{1}{4}$ " wide,  $\frac{3}{8}$ " deep  
 Brick size  $3\frac{3}{4}$ " wide,  $7\frac{3}{8}$ " long



**Basket Weave New Brick**

**FM-5250 S/O**  
 16" x 32" (40.64 x 81.28 cm) Blue  
 Matching skin/touch-up wheel: New Brick/ FM-6540

Joint size  $\frac{3}{8}$ "- $\frac{1}{2}$ " wide,  $\frac{1}{4}$ " deep  
 Brick size  $3\frac{3}{8}$ " wide,  $7\frac{3}{4}$ " long




**Herringbone New Brick**  
**(Sanded Joint) FM-5900 S/O**


25.25" x 36.5" (64.12 x 92.71 cm) Red  
 Matching skin/touch-up wheel: New Brick/ FM-6540

Joint size  $\frac{3}{8}$ "- $\frac{1}{2}$ " wide,  $\frac{1}{4}$ " deep  
 Brick size  $3\frac{3}{4}$ " wide,  $7\frac{3}{4}$ " long


## Tile Patterns



**4" x 4" Slate Sets, FM-200 S/O**  
 24" x 24" (60.96 x 60.96 cm) Red  
 Matching skin/touch-up wheel: Smooth Slate/ FM-6510  
 Joint size  $\frac{1}{8}$ "- $\frac{1}{4}$ " wide  
 Stone size 4"




**6" x 6" Granite Sets, FM-250 S/O**  
 24" x 24" (60.96 x 60.96 cm) Blue  
 Matching skin/touch-up wheel: Rough Stone/ FM-6510  
 Joint size  $\frac{3}{8}$ "- $\frac{1}{2}$ " wide,  $\frac{1}{4}$ " deep  
 Stone size 5  $\frac{3}{4}$ "




**12" x 12" Cut Stone, FM-300 S/O**  
 24" x 24" (60.96 x 60.96 cm) Red  
 Matching skin/touch-up wheel: Smooth Slate/ FM-6510  
 Joint size  $\frac{1}{4}$ "- $\frac{3}{4}$ " wide,  $\frac{3}{8}$ " deep  
 Stone size 12"







**24" x 24" Yucatan Stone, FM-1100**  
 S/O  
 24" x 24" (60.96 x 60.96 cm) Blue  
 Matching skin/touch-up wheel: Yucatan/ FM-6550  
 Surrounding joint size 1/4" wide, 1/4" deep



**24" x 24" Slate Texture, FM-3200**  
 S/O  
 24" x 24" (60.96 x 60.96 cm)  
 Red, Yellow and Blue  
 Matching skin/touch-up wheel: Smooth Slate/ FM-6550




**12" x 12" Mexican Tile, TM-1400**  
 24" x 48" (60.96 x 121.92 cm) Pattern: A  
 Matching touch-up wheel: FM-6570  
 Joint size 3/4" wide, 1/4" deep  
 Tile size 11 1/4" square



**12" x 12" Slate, FM-3250 S/O**  
 24" x 24" (60.96 x 60.96 cm) Blue  
 Matching skin/touch-up wheel: Smooth Slate/ FM-6550  
 Joint size 3/8"-1/2" wide, 1/4" deep  
 Stone size 12" square

## Border Tools



### Tile Border, TM-1020


14" x 47.75" (35.56 x 121.28 cm) Pattern: A

TM-1020-1 Tile Border Corner Piece

18.25" x 20.75" (46.36 x 52.71 cm) Pattern: A

Matching touch-up wheel: FM-6520

Joint size 1/4" wide, 1/4" deep. Tile size: 5" square, 4" square, 2 1/2" x 5".



### Slate Border, TM-1010

16" x 40" (40.64 x 101.6 cm)

Pattern: A

Matching skin/touch-up wheel: Slate/ FM-6530

Joint size 1/4"-3/8" wide, 3/8" deep

Stone size 9 3/4" wide, 15 1/4" long



### 4" x 8" Cut Stone Border, FM-1225

8.375" x 33.5" (21.27 x 85.09 cm) Red



Matching skin/touch-up wheel: Smooth Slate/ FM-6530

Joint size 3/8" wide, 1/4" deep

Stone size 4" wide, 8" long

Also Available: Cut Stone Single Brick

FM-1284, 4" x 8"



### 12" x 12" Slate Border

FM-3300 S/O

12" x 48" (30.48 x 121.92 cm) Red

A border of four 12" slate squares in a row

Matching skin/touch-up wheel: Smooth Slate/ FM-6550


Joint size 3/8" wide, 1/8" deep



### 4" x 8" New Brick Border, FM-5325, S/O

8.5" x 32.25" (21.59 x 81.92 cm) Red

Matching skin/touch-up wheel: New Brick/FM-6570



Also Available: 4" x 8" Used Brick Border, FM-5300 S/O

8.5" x 32" (21.59 x 81.28 cm) Red

Matching skin/touch-up wheel: Used Brick/FM-6540

Joint size 3/8"-1/2" wide, 1/4" deep

Brick size 3 1/2" wide, 7 1/2" long




### Single New Brick, FM-5550 S/O

4" x 8" (10.16 x 20.32 cm) Red

Joint size 3/8" wide, 1/4" deep


Brick size 3 3/8" wide, 7 5/8" long



Also Available:

Single Used Brick, FM-5500 S/O

4.5" x 8.5" (11.43 x 20.59 cm) Blue



### Used Brick Runner, FM-5600 S/O


4.5" x 32.375"

(11.43 x 82.23 cm) Blue


Joint size 3/8" wide, 1/4" deep

Brick size 3 3/8" wide, 7 3/4" long

Specialty Patterns



**Lotus Blossom Medallion, FM-2492**  
 60" x 60"  
 (152.4 x 152.4 cm)  
 Yellow  
 Joint size  $\frac{3}{8}$ " wide,  
 $\frac{3}{8}$ "- $\frac{1}{2}$ " deep



**Radius Tools**

Matching skin/touch-up wheel: Smooth Slate/ FM-6550  
 Joint size  $\frac{1}{4}$ "- $\frac{3}{4}$ " wide,  $\frac{1}{2}$ " deep  
 Stone size 4"-5  $\frac{1}{4}$ " wide, 5  $\frac{1}{4}$ "-6  $\frac{1}{2}$ " long

**Cobble Stone Radius Tool - E, FM-1685 S/O**  
 (Diameter - 286  $\frac{3}{4}$ ") 36" x 24" (68.58 x 60.96 cm) Red  
 64 mats needed to complete full circle

**Cobble Stone Radius Tool - D, FM-1675 S/O**  
 (Diameter - 214  $\frac{3}{4}$ ") 24" x 37" (60.96 x 93.98 cm) Blue  
 32 mats needed to complete full circle

**Cobble Stone Radius Tool - C, FM-1665 S/O**  
 (Diameter - 167  $\frac{1}{4}$ ") 30" x 30" (76.2 x 76.2 cm) Yellow  
 16 mats needed to complete full circle

**Cobble Stone Radius Tool - B, FM-1655 S/O**  
 (Diameter - 107  $\frac{3}{4}$ ") 23" x 43" (58.42 x 109.22 cm) Blue  
 8 mats needed to complete full circle

**Cobble Stone Radius Tool - A, FM-1605 S/O**  
 (Diameter - 59  $\frac{3}{4}$ ") 30" x 31" (76.2 x 78.74 cm) Yellow  
 4 mats needed to complete full circle

## Step-Liners



### Cantilever Step Liner **NEW**

Perfect for cast concrete stairs, this tool has a rough, natural stone face with a dramatic cantilever that continues to additional stone texture on the riser. Designed for greater ease of use, this tool comes in a single piece, meaning less work and difficulty for installers.

- Lightweight
- Flexible
- Easy to install
- Durable and reuseable

**SL-521A**  
**Chiseled Face 2" Cantilever Step Liner**  
 7.25" x 8"



## Quick Strips

Brickform Quick Strips are perfect for creating a more decorative joint. By placing the Brickform Quick Strips into your control joints prior to stamping with our seamless skins, you can transform your slab from ordinary to extraordinary in no time. Average width .375"-1.5" (Sold 5 per case.)




**FM-6580 Chiseled V-Joint**, Offered in 5-foot strips



**FM-6590 Sanded Stone Joint**, Offered in 5-foot strips

*Disclaimer - All measurements are approximate. Urethane has a natural tendency to shrink or expand, depending on*





**45° Angle Step Liner**  
(Two shown to form corner)

**SL-350**  
**45° 24" Step Liner**  
6" x 26.375"  
(15.24 x 66.99 cm)  
Pattern: A or B



**SL-450**  
**45° 16" Step Liner**  
6" x 18.375"  
(15.24 x 45.72 cm)  
Pattern: A or B



*Hint: To reduce pattern repeat, use A and B together.  
Hint: Use as a curb edge to mimic split stone.*

- A variety of standard sizes
- Easy pre-cut 45° joints available
- Superb detail
- Reusable
- Up to 1 1/2" of texture

**Also Available:**

**SL-100, 48" Step Liner**  
6" x 48" (15.24 x 121.92 cm)  
Pattern: A or B

**SL-200, 72" Step Liner**  
6" x 72" (15.24 x 182.88 cm)  
Pattern: A

**SL-300, 24" Step Liner**  
6" x 24" (15.24 x 60.96 cm)  
Pattern: A or B

**SL-400, 16" Step Liner**  
6" x 16" (15.24 x 40.64 cm)  
Pattern: A or B


**Dimensional Step Liners**

- Sized to dimensional lumber
- Thin, approximately 2" thick
- Attach to forms
- Flexible for creating organic shapes

**SL-500A**  
**Stone Step Liner (Dimensional lumber)**  
8" (7.25") x 6'

**SL-530A**  
**Stone Step Liner (Dimensional lumber)**  
4" (3.5") x 6'

**SL-525A**  
**Stone Step Liner (Dimensional lumber)**  
6" (5.5") x 6'



**Slim-Strip Step Liners**

- Ultra-thin
- Super flexible for creating organic shapes
- Available in slate and stone textures
- Sized to dimensional lumber
- Approximately 1/2" thick

**SL-600A**  
**6" Stone Slim Strip**  
6" (5.5") x 8'


**SL-615A**  
**4" Stone Slim Strip**  
4" (3.5") x 8'

**SL-625A**  
**8" Stone Slim Strip**  
8" (7.25") x 8'


**SL-650A**  
**6" Slate Slim Strip**  
6" (5.5") x 8'

**SL-665A**  
**4" Slate Slim Strip**  
4" (3.5") x 8'

**SL-675A**  
**8" Slate Slim Strip**  
8" (7.25") x 8'



**SL-680A**  
**8" Wood Grain Slim Strip**  
8" (7.25") x 8'



## Concrete Dimensions



Custom stencils available on request

Celtic Knot  
Basic Set, 21 Stencils  
CD-2000S  
(12x Linear Border +  
4x Corner Pieces +  
4x T-Pieces +  
1 Center Piece)




Celtic Knot  
Center Piece  
CD-2004  
12" x 48" x 48"



Celtic Knot  
T-Piece  
CD-2003  
12" x 36" x 36"




Celtic Knot  
Corner Piece  
CD-2002  
12" x 36" x 36"





Celtic Knot  
Linear Border  
CD-2001  
12" x 36"


Compass Rose Wide  
CD-1001  
48" x 48"



Compass Rose Narrow  
CD-1000  
48" x 48"



Random Stone Border, CD-5100  
10' x 18"



Cobblestone Horizontal Border, CD-5601  
10' x 16"



Double Brick Soldier Course, CD-5201  
10' x 16"




Cobblestone Vertical Border, CD-5602  
10' x 16"

## Texturing Accessories

Available for your finishing needs, Brickform has all the texturing accessories to complement the full-line of texture mats.

### Brickform Touch-up Wheels

Brickform Touch-up Wheels are part of the Brickform Texture Mat System and are designed to help installers create clean, crisp grout lines. These wheels are versatile and lightweight, making them easy to use, even in the tightest areas. Brickform Touch-up Wheels are available in seven styles to complement the full range of Brickform Texture Mats.




TW-1	FM-6510	1/4" Round Joint	2" Diameter
TW-2	FM-6520	3/16" Flat Joint	2" Diameter
TW-3	FM-6530	3/8" Flat Joint	2" Diameter
TW-4	FM-6540	3/8" Sanded Joint	2" Diameter
TW-5	FM-6550	1/2" Wedge Joint	2" Diameter
TW-6	FM-6560	1/2" Flat Joint	2" Diameter
TW-7	FM-6570	1/2" Sanded Joint	2" Diameter



### Brickform Grouting Tools

Brickform Grouting Tools create a sanded grout line. Use the rigid tool for straight lines and the flexible tool for curved or wavy grout lines.



A.	Rigid	3/8" x 8"
B.	Flexible	3/8" x 8"



### Brickform Pounders

Find the pounder that is right for you and your job. Back by popular demand Brickform Aluminum Handle Pounders. It is designed with a flexible head that reduces fatigue on the neck and shoulders. Of course, you can't forget about the popular Original Brickform Pounder that has a rigid head with a fixed placed handle. Two great pounders to achieve optimum detail on the concrete surface.

A.	Fiberglass Handle	10" x 10"	19 Lbs.
B.	Fiberglass Handle	12" x 12"	20 Lbs.
C.	Fiberglass Handle	15" x 15"	23 Lbs.
D.	Fiberglass Handle		
E.	Fiberglass Handle		



## Coloring Products



### Brickform Color Hardener Concrete Colorant and Hardener

Brickform Color Hardener is an engineered blend of pigments, portland cement and fine aggregates, used to color the surface of newly placed concrete. Color Hardener is designed to work with imprinting tools to produce clear, sharp impressions that enhance the finished appearance of any new hardscape. Color Hardener can be used to create opaque finishes or as a complementary color to integrally colored concrete.



- 90 to 120 ft<sup>2</sup> per 60 lb pail
- Denser, more durable surface



CH- 42 Standard Colors  
(Including black and white) 5 Gallon  
Bucket




### Brickform Antique-It Antiquing Agent

Antique-It is a water-soluble antiquing agent designed to impart a secondary color or to highlight stamped concrete or textured overlays. Antique-It is easy to apply, dries fast, and provides a durable color that closely resembles the look of antique release powder. Use Antique-It on newly placed hardened concrete or to rejuvenate old stamped concrete.

- 1600 to 2000 ft<sup>2</sup> per kit
- Easy application
- Unlimited effects and color combinations
- Dust free application



AN- 42 Standard Colors  
(Including black and white) 3 lb container





### Brickform Powdered Integral Color

Brickform Powdered Color is a quality assured uniform blend of pure iron oxide pigment packaged in pre-measured dissolving re-pulpable paper bags that are added at the ready-mix batch plant or at the jobsite. Brickform Powdered Color disperses evenly throughout the concrete mix and complies with ASTM C979 "Pigments for Integrally Colored Concrete". Brickform's System Approach provides the professional contractor the tools necessary for uniform batching, finishing, curing, and sealing to ensure the uniformity of architectural concrete\* High volume orders may require bulk packaging


- Pre-measured dissolving re-pulpable paper bags.
- UV-resistant
- Mixes evenly
- Meets ASTM C979



## Brickform Ultra-M1x <sup>NEW</sup> Integral Concrete Color with UltraFiber 500

Brickform Ultra-M1x is a blend of pure iron oxide pigment and UltraFiber 500, packaged in a pre-measured re-pulpable paper bag. Ultra-M1x offers a premium color system combined with the added benefit of UltraFiber 500 in the mix. Ultra-M1x can be added at the ready-mix batch plant or at the jobsite and complies with ASTM C979 "Pigments for Integrally Colored Concrete." Brickform Ultra-M1x requires no measuring and disperses evenly throughout the concrete mix. Ultra-M1x is the perfect choice for architectural concrete on residential, commercial, and municipal applications.

- One bag per cubic yard (6-sack)
- Fiber reinforced
- Reduces plastic shrinkage cracking
- 20 premium colors





JADE  
CS-100




EBONY  
CS-600




TURQUOISE  
CS-200




MISSION BROWN  
CS-700



COFFEE  
CS-300




AMBER  
CS-800



CARAMEL  
CS-400



OLIVE  
CS-900



MAHOGANY  
CS-500



WALNUT  
CS-1000

## Brickform Blush-Tone Acid Stain Chemical Stain for Concrete

Brickform Blush-Tone Acid Stain reacts with minerals that exist in newly cured or existing concrete. It penetrates the very top layer of the concrete with color that will not chip, crack, or peel. The colors produced in each section of concrete will be unique with captivating, multi-colored intensities that become a permanent part of the concrete. Brickform Blush-Tone Acid Stain is available in 10 standard colors.

- 200 to 300 ft<sup>2</sup> per gallon
- Penetrating chemical stain
- Variegated color
- Will not chip, crack, or peel
- Use on floors and walls



CS- 10 Standard Colors      1 Gallon Bottle  
CS4- 10 Standard Colors      Case of four 1 Gallon Bottles

Coordinating SwissMex sprayer DS-8042 or DS-8182.  
See pg 53 for more information.

**Disclaimer** - When choosing colors, use the appropriate Brickform color selection guide for more accurate matching. Colors shown here display only the range of Brickform options available. To confirm an exact color, have your contractor prepare a color sample for your approval before actual construction. BRICKFORM accepts no responsibility for color matching or misprints.




Photo courtesy of Celeste Korthase Studio



\*Top left, stain applied to gray concrete with a smooth finish; bottom right, applied to gray concrete with a broom finish.



BURLAP AS-100



CAMELBACK AS-200



CAJUN RED AS-300



CHESTNUT AS-400



OLYMPIC BRONZE AS-500



EBONY AS-600



SCARLET AS-700



HARVEST GOLD AS-800



DEEP SEA AS-900



AGED WALNUT AS-1000



GREENBELT AS-1100



SANDBANK AS-1200



SALMON AS-1300



TIGEREYE AS-1600



DRIED THYME AS-1700



CAPRI AS-1800




AUTUMN AS-1900



PEWTER AS-2000



MAGNET, AS-2100



METALLICA, AS-2200

## Brickform ARTesian Stain

### Penetrating, Water-Based Stain

ARTesian stains are penetrating, water-based stains that produce unique color effects in finished cementitious surfaces, simulating the natural shadings and aged appearance of stone or masonry. ARTesian stain may be applied over smooth troweled or textured concrete, cement-based overlays, vertical or horizontal concrete and masonry surfaces, artificial rock displays, water features and themed finishes.

- 250 to 300 ft<sup>2</sup> per gallon
- Contains no acid
- Zero VOC
- Water-based
- Interior/exterior use
- Apply with sprayer
- Must be sealed




AS- 20 Standard Colors  
AS4- 20 Standard Colors  
Bottles

1 Gallon Bottle  
Case of four 1 Gallon

Coordinating SwissMex sprayer DS-8041, DS-8351 or DS-8401. See pg 53 for more information.

**Disclaimer** - When choosing colors, use the appropriate Brickform color selection guide for more accurate matching. Colors shown here display only the range of Brickform options available. To confirm an exact color, have your contractor prepare a color sample for your approval before actual construction. BRICKFORM accepts no responsibility for color matching or misprints.



Pro-Dye PLUS Standard Colors on smooth troweled concrete

Swatches shown here represent Pro-Dye PLUS mixed with acetone (left) and water (right).




Brickform Pro-Dye PLUS Penetrating Stain for Concrete

Brickform Pro-Dye PLUS has been reformulated to a liquid form and is now easier to use than before. Pro-Dye PLUS is available in the same 25 standard colors and produces the same beautiful results. Pro-Dye PLUS penetrates the surface of concrete, creating a layer of translucent color that dries quickly and will not chip, crack, or peel. Pro-Dye PLUS is packaged in liquid form to be mixed in proportion with acetone or water. Pro-Dye PLUS is designed to work with the Lythic Polishing System for the coloring process in polishing floors. Pro-Dye PLUS mixed with acetone is also excellent in vertical applications, stencils, and logos because it dries quickly. Pro-Dye PLUS colors are vivid with unique multi-colored intensities, similar to the mottling effect of acid stain. Colors can be combined to create an unlimited number of color variations.

- 200 to 600 ft<sup>2</sup> per gallon
- Interior use only
- Easy to spray apply
- Dries quickly (acetone)
- Use any Brickform spray-on sealer



**Disclaimer** - When choosing colors, use the appropriate Brickform color selection guide for more accurate matching. Colors shown here display only the range of Brickform options available. To confirm an exact color, have your contractor prepare a color sample for your approval before actual construction. Brickform accepts no responsibility for color matching or misprints.



## Refresh



### Exterior Penetrating Stain

Brickform Refresh is a solvent-based, semi-opaque stain used to impart color on unsealed, porous concrete and masonry surfaces. Refresh is great for correcting surface discoloration, upgrading existing concrete, or blending together multiple pours of integrally colored concrete. For added protection and color enhancement, Refresh can be sealed using spray-applied Brickform Gem-Seal or Poly-Seal.

- 1000 to 1500 ft<sup>2</sup> per pail
- Provides sealing properties
- UV resistant
- Available in Brickform and Solomon integral colors
- Available in RTU and Concentrate

Coordinating SwissMex sprayer DS-8040, DS-8350 or DS-8400. See pg 52 for more information.

User-friendly clamp lid for easy mixing



## Release Agents



### Antique Release

#### Colored Bond-Breaker

Brickform Antique Release is a hydrophobic powder that imparts color while serving as a bond breaker for stamping. It is made from a finely ground formula that creates beautifully antiqued concrete surfaces. During the stamping process, Antique Release is pressed into the concrete surface, creating a secondary coloring effect once washed off and sealed.



- 800 to 1000 ft<sup>2</sup> per pail.
- Prolongs tool life
- Fade-resistant
- Unlimited effects and color combinations

RA- 42 Standard Colors (Including black and white) 5 Gallon Bucket

### Liquid Release

#### Colorless Bond-Breaker

Brickform Liquid Release is a colorless release agent formulated and recommended for use with Brickform texture mats or concrete stamping tools. Liquid Release forms a barrier that prevents imprinting tools from sticking to the concrete surface during the stamping process. It is commonly used on interior applications in place of powdered release or where final projects require topical stains or coatings.



- 150 to 250 ft<sup>2</sup> per gal
- Easy to apply
- Interior or exterior applications
- Minimizes wear on tools
- Clear liquid

LR-1 1-Gallon Can  
LR4-1 Case of four 1-Gallon Cans  
LR-5 5-Gallon Can

Coordinating SwissMex Sprayer DS-8041, DS-8351 or DS-8401. See pg 53 for more information.

## Finishing Aids

### DAY1

Brickform DAY1 is a colloidal silica-based finishing aid that makes concrete flatwork finishing easier and faster. It produces a better result and reduces the risk of a prematurely setting slab. Applied during floating and troweling, DAY1 increases cream and extends workability under adverse conditions such as high wind, heat, or low humidity. It eliminates the need to add water to the surface which can lead to premature surface failure. DAY1 does not alter the water to cement ratio and becomes a permanent part of the slab so there is no membrane or residue to remove.

- Slows surface evaporation extending work times by 15 to 30 minutes
- Increases abrasion & impact resistance
- Reduces the potential for efflorescence on both colored and non-colored concrete
- Minimizes the potential for checking, crazing and scaling
- Reduces water vapor transmission (MVER)
- Aids application of shake-on hardeners
- Reduces potential for slab curling
- Decreases potential for alkali silica reaction (ASR)
- Reduces operator fatigue and trowel wear
- Improves curing and creates a less permeable surface

Coordinating Swissmex sprayer: DS-8351 or DS-8401.  
See pg 53 for more information.



### Evaporation Retarder

Extends Working Time for Coloring And Stamping

Brickform Evaporation Retarder is formulated to be V.O.C. compliant. This water-based film minimizes the evaporation of water from the surface of newly placed concrete, extending both workability and finishing time. Brickform Evaporation Retarder comes in an odorless concentrate that is mixed with water, making it economical and environmentally friendly. Brickform Evaporation Retarder will not affect the final cure and concrete strength.

- 1 gal. of concentrate will cover 2000 to 4000 ft<sup>2</sup>
- Economical
- Easy to apply
- Helps prevent plastic shrinkage cracks

EV-1000      1 Gallon Bottle  
EV-2000      5 Gallon Bucket

Coordinating Swissmex sprayer:  
DS-8041, DS-8351 or DS-8401.  
See pg 53 for more information.



## Surface Retarders



### Select-Etch <sup>NEW</sup>

#### Surface Retarder

Select-Etch by Brickform makes exposed aggregate finishes easier and more consistent. It is typically applied to freshly-placed concrete to prevent cement paste hardening and achieve more controlled exposed aggregate finishes. Unlike sugar-based retarders with uncertain levels of retardation, Select-Etch selectively slows the hydration process down to a controlled depth.

Twelve predetermined depths of exposure are available, color-coded for identification, to provide consistent, repeatable cement paste removal and aggregate reveal. Because Select-Etch provides a longer window before the surface paste must be removed, it allows underlying concrete to harden properly, locking in aggregate and reducing pop-outs. Select-Etch is water-soluble for easy removal with high-pressure water washing and scrubbing equipment.

Select-Etch creates a polymeric film that acts as a water retention barrier and temporary curing agent, protecting fresh concrete from light rain and reducing moisture loss.

- Consistent exposure and reveal
- 12 standard exposure depths
- Colored for visual coverage
- Creates a slip resistant surface
- Performs in hot and cold conditions
- Water-based; VOC compliant control

PRODUCT	AGG. EXPOSURE	EXPOSURE DEPTH
SE-01 White	Light Acid Wash	Light Acid Wash
SE-03 Violet	Acid Wash	Acid Wash
SE-05 Light Blue	Sandblast	Sandblast
SE-15 Yellow	1/8" - 1/4"	1/32"
SE-25 Beige	1/8" - 1/4"	1/16"
SE-50 Light Green	1/8" - 3/8"	3/32"
SE-75 Blue	1/8" - 3/8"	1/8"
SE-100 Gray	3/8" - 1/2"	5/32"
SE-125 Pink	3/8" - 5/8"	3/16"
SE-150 Green	3/8" - 5/8"	7/32"



Coordinating SwissMex Sprayer  
DS-8042 or DS-8182  
See pg 53 for more information.



### Select-Etch **PLUS** NEW

Select-Etch PLUS is a water-based surface retarder engineered to create architecturally refined sand finishes and exposed aggregate concrete. Select-Etch PLUS prevents hardening of cementitious paste to a predetermined depth, ranging from a light sand finish to full aggregate exposure. Select-Etch PLUS is specially formulated for vertical applications. The high viscosity formula helps eliminate runs when applied to steps, risers or any vertical concrete surface.

- Consistent exposure and reveal
- 10 standard exposure depths
- Colored for visual coverage
- Creates a slip resistant surface
- Performs in hot and cold conditions
- Water-based; VOC compliant control

PRODUCT	AGG. EXPOSURE	EXPOSURE DEPTH
SEP-01 White	Light Acid Wash	Light Acid Wash
SEP-03 Violet	Acid Wash	Acid Wash
SEP-05 Light Blue	Sandblast	Sandblast
SEP-15 Yellow	1/8" - 1/4"	1/32"
SEP-25 Beige	1/8" - 1/4"	1/16"
SEP-50 Light Green	1/4" - 3/8"	3/32"
SEP-75 Blue	3/8" - 1/2"	1/8"
SEP-125 Pink	3/8" - 5/8"	3/16"



## Surface Preparation & Maintenance

### E-Etch

Brickform E-Etch is an environmentally friendly industrial strength floor cleaner, degreaser and light etching product. It is ideal for cleaning and preparing cementitious surfaces for acid staining, decorative overlays, water-based stains, and coatings applications. It may also be used on concrete, stucco, terrazzo and most masonry surfaces to open up the pores on the surface and clean grime, dirt, grease, scuff marks and stains. E-Etch effectively removes excess Antique Release from textured concrete and can also be used as an efflorescence remover.

- 250 ft<sup>2</sup> per gallon; undiluted usage
- Biodegradable
- Rinse with water
- Non-hazardous
- Non-abrasive
- Non-carcinogenic
- Antique Release/efflorescence remover

ES-1200 1 Gallon Bottle

ES4-1200 Case of four 1 Gallon Bottles

Coordinating SwissMex Sprayer DS-8042 or DS-8182.  
See pg 53 for more information.



### Neutra Clean

Brickform pH neutral cleaner is a cleaning and neutralizing agent engineered for use on acid and reactive stained floors prior to sealing and to remove light oil, grease or other types of soils from colored, imprinted and natural concrete surfaces. This product combines cleaning and light degreasing without the use of petroleum solvents and effectively loosens residues from the staining process, as well as loosening release powders from stamped concrete.

- 150 to 200 ft<sup>2</sup> per diluted gal
- Neutralizes acid stains
- PH neutral

NC-1 1 Gallon Bottle

NC4-1 Case of four 1 Gallon Bottles

Coordinating Swissmex sprayer:  
DS-8041, DS-8351 or DS-8401.  
See pg 53 for more information.



### Strip-It

Brickform Strip-It is an environmentally sound and user-safe stripper for water and solvent-based sealers and paints. Strip-It may be used on all masonry surfaces including concrete, quarry tile, ceramic tile, terrazzo, cementitious overlays and other surfaces. Strip-It meets 2005 California Air Resources Board VOC standards (less than 50% VOC by weight).

- 60 to 100 ft<sup>2</sup> per gal
- Non-flammable
- Contains no methylene chloride

SR-1 Strip-It 1 Gallon

SR4-1 Strip-It case Case of four 1 Gallon units

SR-5 Strip-It 5 Gallon



### Brickform Premium Acrylic Floor Finish

Brickform Premium Acrylic Floor Finish is a finish that forms a long-lasting protective coating over a Brickform sealer. It provides a wear-resistant sacrificial coating and stands up to the heaviest of traffic conditions. It is easily applied and can be re-coated up to 100 times without having to strip the floor. It will not powder and it can be mopped or cleaned time after time without damaging its original shine. Brickform Premium Acrylic Floor Finish is ideal for ongoing maintenance.

- 800 to 1000 ft<sup>2</sup> per gal
- Super-tough film
- High-gloss
- Interior use only
- Slip-resistant

DW-1000 1 Gallon Bottle

DW4-1000 Case of four 1 Gallon Bottles

DW-5000 5 Gallon Bucket





## Resurfacing Products



BEFORE



AFTER

### Brickform Cem-Coat Made-to-Order

Colored Cementitious Coating

Cem-Coat is an opaque, high-strength, cement-based concrete coating. Cem-Coat is perfect for any unsealed concrete surface that needs to be re-colored. Cem-Coat offers a re-surfacing solution that is durable with consistent coloring. Whether a solid color, antiqued, or an artistic stained surface, Cem-Coat offers versatility in applications and final outcomes.

- Coverage rate: 350 to 420 ft<sup>2</sup> per kit
- 42 standard colors
- Custom color matching
- Richly pigmented colors
- UV-resistant
- Interior/Exterior
- Suitable for all cementitious surfaces
- Compatible with Antique-it

CC4- 42 Standard Colors (Including black and white) Large Kit



## Brickform Stampable Overlay Concrete Overlay

Brickform Stampable Overlay "White" is a single component (add water only) blend of white cement and special materials that forms a thin, concrete coating. Brickform Stampable Overlay is specially designed to work with Brickform Overlay Liquid Colorant. Brickform Stampable Overlay is easy to install and forms a tough, durable topping that will withstand years of wear. When used on properly prepared surfaces, Brickform Stampable Overlay will permanently bond to concrete surfaces.



- Approx. 0.45 ft<sup>2</sup> per lb at 1/4" thickness
- 27 ft<sup>2</sup> per bag at 1/4" thickness
- Use with overlay liquid colorant
- Durable
- Use with Triple Seven Bond Coat
- For use with Overlay Liquid Colorant and Liquid Release only

SC-60      60 lb. bag (White Mix)



Brickform Stampable Overlay "Gray" is a premixed blend of special materials that, when mixed with water, forms a thin, concrete coating. This overlay is intended for use with Color Hardener and Antique Release.

- Approx. 0.45 ft<sup>2</sup> per lb at 1/4" thickness
- 27 ft<sup>2</sup> per bag at 1/4" thickness
- Can be textured & colored
- Durable
- Use with Triple Seven Bond Coat
- For use with Color Hardener and Antique Release only



OL-60      5 Gallon Bucket (Gray Mix)





## Brickform Micro-Topping Smooth Grade

Brickform Micro-Topping is used on interior or exterior cured concrete to create a durable surface that can be colored or stained. It is available as a white or gray dry powder in smooth grade, and mixed with Brickform Liquid Polymer. The smooth grade is applied over SM Professional Grade for a smooth finish when desired. The mixed materials form a thin concrete coating that can be used to restore or repair any concrete surface.

- 150 to 350 ft<sup>2</sup> per 40 lb bag
- Use with overlay liquid colorant
- Use with Triple Seven Bond Coat
- Creates a new surface
- Can be colored & stained



MT-1500 SG	Gray Smooth	40 Lb. Bag
MT-2500 SG	White Smooth	40 Lb. Bag
MT-3000	Liquid Polymer	5 Gallon Bucket



**SM Professional Grade**  
Rough Grade Micro-Topping


Brickform SM Professional Grade is a white, sprayable cementitious overlay that is designed to be mixed with Brickform Liquid Polymer and applied with a hopper gun. It can be integrally colored using Brickform Overlay Liquid Colorant. Brickform SM Professional Grade can be used to create the look of brick, stone, tile or other unique specialty finishes.

- 150 to 300 ft<sup>2</sup> per bag for base coat, depending on porosity of concrete
- 150 to 200 ft<sup>2</sup> per bag for texture coat, troweled or sprayed
- Use with Overlay Liquid Colorant
- Use with Triple Seven Bond Coat
- Can be stained
- Spray or trowel



**TIP:** Use design tape to create patterns that mimic stone, tile or slate. See page 45 for details.

MT-4000	SM Pro Grade	60 Lb. Bag
MT-3000	Liquid Polymer	5 Gallon Bucket



## Brickform Triple Seven Bond Coat

Primer for Cementitious Overlays

Brickform Triple Seven Bond Coat prevents the concrete from absorbing water from the overlay material, making it easier to spread and achieve a smooth surface. Triple Seven Bond Coat is a reactive primer, remaining active for at least two hours after it is applied. Triple Seven Bond Coat increases the bond strength by creating a more efficient chemical link between the concrete and the overlay.

- 160 to 200 ft per gal
- “Reactive primer”
- Easy application
- Enhances bonding to concrete

BC-007      5 Gallon  
 BC-0071     1 Gallon  
 BC4-0071    Case of four 1 Gallon units



## Liquid Polymer

Brickform Liquid Polymer is specifically designed to be compatible with BRICKFORM SM Professional Grade and BRICKFORM Micro-Topping.

MT-3000      Liquid Polymer      5 Gallon Bucket



## Overlay Liquid Colorant

Specifically designed for Brickform Micro-Topping, SM Professional Grade and Stampable Overlay (SC-60, White Mix). Use one bottle per bag.

- Available in 35 standard colors.
- Six per case, cannot break cases.

\*Overlay Liquid Colorant not available in Smokey Blue, White or NEW colors.

MTC-            10 Oz. Bottle



## Turtle Set

Brickform Turtle Set is a retardant designed for use with Brickform SM Professional Grade, Micro-Topping, OL-60 and SC-60 Stampable overlay products. Easily measured liquid form increases pot life and set times for greater control with resurfacing products in warm weather.

TS-1            1 Gallon Bottle  
 TS4-1          Case of four 1 Gallon Bottles



## Design Tape

- Create the patterns that mimic stone, tile or slate
- Will not disintegrate, shed fiber hairs or cause grout bleeds
- No glue residue
- Strong and versatile
- Eliminates the need for chalk lines
- 180 feet per roll



LDT90      1/4" Grout Line Design Tape (36/tube, 144/case)  
 LDT91      1/2" Grout Line Design Tape (18/tube, 48/case)  
 LDT92      3/4" Grout Line Design Tape (12/tube, 48/ case)

### Vertical Mix

Brickform Vertical Mix is a lightweight vertical overlay mix designed for texturing vertical surfaces up to 2" and creating simulated stone, rock, tile, slate and other natural surfaces. It is composed of cement, polymers, lightweight aggregates and admixtures. It may be applied to vertical surfaces such as wood, drywall, concrete, blocks, etc.


- 1/2" thickness covers approximately 10 ft<sup>2</sup> per bag
- Add-water only product
- Color with Overlay Liquid colorant or stain
- Easily textured by carving and stamping

VM-1000, Vertical Mix, 45 lb. bag




### Rock Fall, VM-125

27.75" x 12" (70.49 x 30.48 cm), Pattern: A, B and C



### Dry Stack, VM-100


27.75" x 12" (70.49 x 30.48 cm), Pattern: A, B and C



### Pebble Skin, VM-1075 A or B

16" x 16" (40.64 x 40.64 cm)


Pebble Skin Roller, VM-2075, 8.5"



### Rough Stone Skin, VM-1025

16" x 16" (40.64 x 40.64 cm)


Rough Stone Skin Roller, VM-2025, 8.5"



### Intensity Skin, VM-1050 A or B

16" x 16" (40.64 x 40.64 cm)

Intensity Skin Roller, VM-2050, 8.5"



## Sealers

**CURE & SEALS****Gem Cure & Seal**

650, 350 &amp; 100 VOC

Gem Cure & Seal is a solvent-based acrylic curing and sealing compound for freshly placed concrete or existing concrete surfaces. Gem Cure & Seal minimizes moisture loss in newly placed concrete to provide maximum strength, hardness, and protection. Reducing water evaporation will result in a stronger, denser, more durable concrete with higher compressive strength and better crack and freeze-thaw resistance.



- 250 to 350 ft<sup>2</sup> per gal
- Color enhancing/wet look
- Med to high gloss
- Dries clear
- Non-yellowing
- Breathable

Coordinating SwissMx Sprayer 650 & 350 VOC DS-8350 or DS-8400; 100 VOC DS-8351 or DS-8401. See pg 52-53 for more information.

**Satin Cure & Seal**

100 VOC

Satin Cure & Seal is a water-based acrylic curing and sealing compound for freshly placed concrete or existing concrete surfaces. Satin Cure & Seal minimizes moisture loss in newly placed concrete to provide maximum strength, hardness, and protection. Reducing water evaporation will result in a stronger, denser, more durable concrete with higher compressive strength and better crack and freeze-thaw resistance.



- 250 to 300 ft<sup>2</sup> per gal
- Satin finish
- Dries clear
- Non-yellowing
- Breathable

Coordinating SwissMx Sprayer DS-8351 or DS-8401. See pg 53 for more information.



## ACRYLIC SEALERS

### Gem-Seal

700, 400 or 100 VOC

Brickform Gem-Seal is a premium quality, solvent-based acrylic sealer designed to protect architectural concrete surfaces. A light coating of Brickform Gem-Seal helps to protect the concrete surface and provide resistance to oil, grease, and food stains. Gem-Seal is ideal for use on stained, colored, stamped, exposed aggregate and Brickform resurfacing products.

- 250 to 350 ft<sup>2</sup> per gal
- Wet look
- Medium to high gloss
- Non-yellowing
- Dries clear
- Resists Stains



Coordinating SwissMex Sprayer (100/400 VOC only): DS-8350 or 8400. See pg 52 for more information.

### Poly-Seal

650, 400 or 100 VOC

Brickform Poly-Seal is a solvent-based acrylic sealer designed to protect concrete and masonry surfaces. Poly-Seal is specifically formulated for use on colored, stained, stamped and exposed aggregate concrete but can also be used on all exterior concrete surfaces.

- 250 to 350 ft<sup>2</sup> per gal
- Wet look
- Medium to high gloss
- Non-yellowing
- Dries clear
- Resists Stains



Coordinating SwissMex Sprayer: DS-8350 or 8400. See pg 52 for more information.

### Safety-Seal with Traction-Grip

400 VOC or 100 VOC

Brickform Safety-Seal is designed to be slip-resistant and is ideal around pool decks and areas where water or moisture can accumulate. Safety-Seal is a solvent-based sealer that protects concrete surfaces from stains and mildew. Brickform Safety-Seal dries to a beautiful matte finish that is UV-resistant.

- 250 to 350 ft<sup>2</sup> per gal
- Wet Look
- Non-Yellowing
- Dries to a low sheen
- Resists Stains



Coordinating SwissMex Sprayer: DS-8350 or 8400. See pg 52 for more information.

### Brickform Satin-Seal®



100 VOC

Brickform Satin-Seal is a non-flammable product, designed to protect concrete with a satin finish. This water-based acrylic VOC-compliant sealer reduces the effect of efflorescence on porous surfaces, while forming a non-yellowing, scuff-resistant finish that resists moisture penetration.

- 250 to 300 ft<sup>2</sup> per gallon
- Low odor
- Natural-look
- Non-yellowing satin-finish
- Interior/exterior use
- Scuff-resistant



Coordinating SwissMex sprayer: DS-8351. See pg 53 for more information.







## HYBRID SEALER

### Gem-Guard SB

600, 400 & 100 VOC

Brickform Gem-Guard is a penetrating, solvent-based Silane/Siloxane sealer designed for decorative concrete and concrete pavers. Applying Gem-Guard SB will enhance the color and provide a low sheen without adding the gloss and plastic look associated with traditional film forming sealers. Once treated, the sealer protects against stains, water and salt intrusion.

- Approx. 1000 ft<sup>2</sup> per pail
- Great on saltwater pools
- Low gloss/color enhancing
- Breathable

Coordinating SwissMex sprayer: DS-8350 or DS-8400.  
See pg 52 for more information




## PENETRATING SEALER

### Stealth-Seal WB

Brickform Stealth-Seal WB is a water-based Silane/Siloxane sealer that effectively protects and preserves the natural appearance of any surface. It works by creating an invisible barrier at the surface level through a chemical reaction between the sealer and the cement paste. Stealth Seal WB protects against freeze-thaw cycles, oil, water and salt intrusion to porous construction materials such as concrete, bricks, stone, masonry blocks, and mortar.

- Approximately 200 ft<sup>2</sup> per gal.
- < 100 VOC
- Breathable
- Non-film forming

Coordinating SwissMex sprayer: DS-8351 or DS-8401.  
See pg 53 for more information



## HIGH PERFORMANCE COATINGS

### UreMax WB

Water-based Polyurethane Coating

Brickform UreMax WB is a two-part, matte finish, polyurethane that forms a high-solids coating. UreMax WB preserves and protects any above-grade concrete, masonry or stone surface. It is the most durable, chemical-resistant coating of the Brickform sealers, without the odor typically found in solvent-based sealers.

- 400 to 600 ft<sup>2</sup> per kit
- Matte Finish
- Low VOC/low odor
- Natural Look
- Anti-graffiti barrier
- Chemical resistant



### Poly-Astic®

Solvent-based Poly-Aspartic Sealer

Brickform Poly-Astic is a two-part high-build sealer designed for concrete or masonry surfaces. It provides full color enhancement and a long lasting protective, high gloss finish that's ideal for decorative concrete surfaces. Poly-Astic protects against abrasion, oils, gasoline, acids, deicing salts, and common household chemicals.

- 200 to 400 ft<sup>2</sup> per gal.
- Zero VOC
- High gloss clear finish
- Non-yellowing
- Enhances color
- Chemical resistant



### DecoPoxy

Water-Based Epoxy Coating

Brickform DecoPoxy is specifically formulated to protect interior commercial or residential cementitious floors. It provides high gloss, wear and chemical resistance, and an easy-to-maintain finish, while bringing up the full depth color of architectural concrete.

- 400 to 500 ft<sup>2</sup> per kit
- Low odor/low VOC
- High gloss clear finish
- Enhances color
- Chemical resistant
- Interior use only



## SEALER ADDITIVES

**Tinta' Seal** Color tint pack additive for solvent-based sealers

Tinta' Seal can enhance and correct the color of existing cementitious surfaces such as integral color concrete, stamped concrete, overlays or plain concrete. It is packaged in a 16-oz can that is mixed onsite with a 5-gallon pail of either Gem-Seal, Poly-Seal or Gem Cure & Seal. Tinta' Seal colors can be found on the Brickform Standard Color Selection Guide available at [www.brickform.com](http://www.brickform.com).



### Traction Grip

Skid Additive

Traction Grip is an anti-slip micronized powder that adds texture to decorative sealers (Brickform Gem-Seal, Poly-Seal, and Satin Seal). The lightweight, spherical shape and clarity gives Traction Grip its specific properties. Applications include inclined driveways, garages, steps, patios and pool decks.



### Matte-Magic

Gloss Reducing Additive


Brickform Matte-Magic is a powdered flattening agent additive for Brickform solvent based sealers. The original topcoat gloss is reduced based on the amount of additive used. Matte-Magic comes in 16-oz units, with cases of 8 units. Each unit is added to a 5-gallon sealer for gloss reduction.



Sealer Properties Checklist

	UreMax WB	Poly-Astic	DecoPoxy	Stealth-Seal WB	Gem-Guard SB	Gem Cure & Seal	Satin Cure & Seal	Gem-Seal	Poly-Seal	Safety-Seal	Satin-Seal
High performance	✓	✓	✓								
Penetrating/ Impregnating			✓	✓							
Cure and seal					✓	✓					
Solvent-based		✓		✓	✓		✓	✓	✓	✓	
Water-based	✓		✓	✓			✓				✓
Use with Matte-Magic					✓		✓	✓	n/a		
Two-part	✓	✓	✓								
VOC in grams/ liter	<50	0	<100	<100	<100/400/600		<100	<100/400/700		<100/400	<100
Solids Content %	51	65	35	n/a	low	19-25	18-25	19-27	19	19	26
High-sheen		✓	✓	n/a				✓			
Medium-sheen						✓			✓		
Low-sheen	✓			flat			✓			✓	✓
Satin-Sheen	✓			n/a	✓						✓
Film-forming	✓	✓	✓		minimal	✓	✓	✓	✓	✓	✓
Non film-forming	n/a	n/a	n/a	penetrating		n/a	n/a	n/a	n/a	n/a	n/a
Flammable		✓			✓	✓		✓	✓	✓	
Roll-on	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
Spray-on	✓*		✓	✓	✓	preferred	✓	preferred	preferred	preferred	✓
Interior	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

\* Not a preferred method but possible with proper personal protection



## Swissmex Sprayers

Solomon Colors is proud to distribute Swissmex sprayers. These purpose-made sprayers are ideally suited to many of our Brickform decorative products including, stains, sealers, and dyes. Swissmex sprayers are designed for performance, durability, and ease of use far beyond the competition. All of these sprayers feature impact and UV resistant poly tanks, leak-resistant internals, and adjustable nozzles.

### ACETONE SPRAYERS

#### DS-8040

- 0.4 gallon hand sprayer
- Adjustable poly nozzle included
- Best for acetone-based sealers and alcohol or acetone-based dyes



#### DS-8350

- 3 gallon compression sprayer
- Blue fan tip, adjustable brass nozzle, and brass wand included
- Best for acetone-based sealers and alcohol or acetone-based dyes
- Air Compressor Compatible – Optional clip-on air chuck allows the sprayer to be pressurized up to 40 psi to eliminate hand pumping.



#### DS-8400

- 4 gallon backpack sprayer
- Blue fan tip, adjustable brass nozzle, and brass wand included
- Best for acetone-based sealers and alcohol or acetone-based dyes



#### DS-SPRAYNOZZLE

The Precision Tip provides a precise and consistent wide fan spray pattern without the inconsistencies often found in competing spray tips. The Precision Tip is also designed to reduce dripping when the spray lever is not depressed.



## ACID SPRAYERS

### DS-8042

- 0.4 gallon hand sprayer
- Adjustable plastic nozzle included
- Best for muriatic acids, phosphoric acids, E-Etch and acid stains



### DS-8182

- 2 gallon compression sprayer
- Metal-free poly wand included
- Optional blue fan tip and adjustable plastic tip
- Best for muriatic acids, phosphoric acids, E-Etch and acid stains



## SOLVENT SPRAYERS


### DS-8041

- 0.4 gallon hand sprayer
- Adjustable poly nozzle included
- Best for aromatic solvent-based sealers, form oils, curing compounds and water-based products



### DS-8351

- 3 gallon backpack sprayer
- Adjustable brass nozzle and wand included
- Best for aromatic solvent-based sealers, form oils, curing compounds and water-based products
- Air Compressor Compatible – Optional clip-on air chuck allows the sprayer to be pressurized up to 40 psi to eliminate hand pumping.



### DS-8401

- 4 gallon backpack sprayer
- Blue fan tip, adjustable brass nozzle, and brass wand included
- Best for aromatic solvent-based sealers, form oils, curing compounds and water-based products



