

INDEX TO VOLUME 3

INDEX TO AUTHORS AND TITLES

- Chapman, V. J.** Some new species and forms of marine algae from New Zealand. 495-498.
- De Berg, R. F.** The New Zealand species of *Bostrychia* related to *Bostrychia scorpioides* Mont. 499-502.
- Doty, Maxwell S.** The marine algae of Oregon. Part I. Chlorophyta and Phaeophyta. 1-66; The marine algae of Oregon. Part II. Rhodophyta. 159-216.
- Hansford, C. G.** Chinese fungi collected by S. Y. Cheo. 269-284.
- Hansford, C. G., and M. J. Thirumalachar.** Fungi of South India. Part I. 285-314.
- Hirschhorn, Elisa.** Critical observations on the Ustilaginaceae. 73-94.
- Hwang, Shuh-Wei.** Variability and perithecium production in a homothallic form of the fungus *Hypomyces solani*. 315-326.
- Laviano, Trent.** A study of antibiotic activity of some basidiomycetes. 503-507.
- Linder, David Hunt.** A memorial page to Dr. Linder precedes page one.
- Long, W. H., and Sultan Ahmad.** The genus *Tylostoma* in India. 225-267.
- Rogers, D. P.** Nomina conservanda proposita and nomina confusa — fungi. 425-493.
- Singer, Rolf.** Coscinoids and coscinocystidia in *Linderomyces lateritius*. 155-158.
- Smith, Gilbert M.** The historical significance of names applied to reproductive structures of the algae. 217-224.
- Tai, F. L.** Uredinales of western China. 95-139.
- Weston, William H.** David Hunt Linder. 140-154.
- Whelden, Roy M.** A note on a *Chara* new to the Philippine Islands. 67-72.
- White, W. Lawrence, C. C. Yeager, and Helen Shotts.** History, distribution and economic significance of the cellulose-destroying fungus *Memnoniella echinata*. 399-424.
- Wood, Richard D.** Proposed dates for T. F. Allen's exsiccatae (Characeae). 327-330.
- Wood, Richard D.** A review of the genus *Nitella* (Characeae) of North America. 331-398.

INDEX TO GENERA AND SPECIES

- Acremonium* sp.? 417
Acrochaetium amphiroae 162; *Desmarestiae* 162; *pacificum* 162
Acrostalagmus cinnabarinus 414
Acrotheca 428
Acrothecium 428
Actinodaphne sp. 274
Acurtis 474
Acidium 446; *anningense* 131; *Campylotropidis* 131; *Cardui* 132; *Circaeae* 131; *Dispori* 130; *Eleagni* 131; *foetidum* 132; *Fraxini-Bungeanae* 131; *Klugkistiana* 132; *Machili* 131; *Mori* 130; *orbiculare* 130; *Osmanthi* 132; *Paederiae* 132; *Pourthieae* 108, 131; *pulcherrimum* 131; *Rhamni-japonici* 131; *Smilacis* 120, 130
Aedycia 460
Aeodes Gardneri 172
Agardhiella Coulteri 177
Agaricus 431
Agrocybe semi-orbicularis 504
Ahnfeltia 170; *concinna* 179; *Gigartinoides* 179; *plicata* 179
Alangium begoniifolium 285
Alaria marginata 43; *nana* 43; *praelonga* 43; *valida* 43
Albugo 432
Aleuria 466
Aleurodiscus 433
Alternaria sp. 416
Alytospodium 484
Amanita rubescens 504
Amazonia Leeae 287
Amphiroa tuberculata f. *californica* 169; *tuberculata* f. *Orbigiana* 168
Amphisphaeria 433, 480
Amplisiphonia pacifica 199
Antithamnion 159; *Baylesiae* 191; *defectum* 189; *glanduliferum* 189; *Kylinii* 190; *occidentale* 190; *pacificum* 190; *pygmaeum* 190; *subulatum* 190; *tenuissimum* 190; *uncinatum* 190
Apiosphaeria 433
Araiospora 142
Arcangeliella 463
Argyllum 456
Armatella Cinnamomi 286; *Litsea* 286
Armillariella mellea 504
Aschersonia 434, 450
Ascospora 480, 489
Ascotricha chartarum 416; sp. 416-418, 421
Aspergillus flavus 417, 418, 420; *fumigatus* 417, 420; *glaucus* 417; *japonicus* 418; *niger* 416-418, 420; *Oryzae* 417; sp. 402, 414, 416-418, 421, 422; *Sydowii* 417, 420; *Tamarii* 416; *terreus* 417, 418, 422; *unguis* 416-418; *ustus* 417; *versicolor* 420
Aspocottus bison 161
Asterina Brandisiae 278; *cansjericola* 304; *congesta* 305; *Dichapetali* 305; *Elaeagni* 306; *erysiphoides* 306; *Jasmini* 278; *Linderae* 279, 280; *mysorensis* 307; *Mangiferae* 303
Auricularia 434, 449, 480

Bangia vermicularis 27, 159
Barya 425
Biscogniauxia 462
Boletinus pictus 504
Boletus albellus 504; *edulis* 504
Bossea californica 169; *corymbifera* 169; *frondifera* 168; *Gardneri* 169; *Orbigiana* 168; *plumosa* 168
Bostrychia distans 499; *harveyi* 499-501; *harveyi* *ecad* *distans* 500; *scorpioides* 499-501
Botryodiplodia sp. 403; *Theobromae* 417
Botryoglossum Farlowianum 169, 196
Brachysporium sp. 415
Brandisia sp. 275, 278
Bryopsis corticulans 28, 29; *hypnoides* 29
Buddleia sp. 271
Bullardia 457
Bulliarda 457

Cacumisporium 428
Caecoma Warburgianum 132
Caecomurus 487
Caldesiella 455, 483
Calliarthron 170; *regenerans* 162, 169
Callithamnion laxum 191; *Pikeanum* 191; *Pikeanum* var. *laxum* 191; *Pikeanum* var. *pacificum* 191
Callophyllis 7, 186; *crassifolia* 174; *crenulata* 174; *edentata* 175; *flabellulata* 174; *heanophylla* 174; *marginifruta* 174; *megalocarpa* 174; *obtusifolia* 175; *oregona* 175; *pinnata* 175; *violacea* 175
Calocera 434
Calodon 435
Calvatia 435
Cansjera Rheedii 304
Cantharellus cibarius 504

- Capnodium 425
 Capparis aphylla 227; sepiaria 302, 307
 Caripia 451
 Carlia 431, 446, 479
 Castanopsis tibetanae 271, 275
 Cattleya sp. 415
 Centroceras oregonense 187
 Cephalosporium sp. 415, 418
 Cephalotrichum sp. 401
 Ceramium (key) 186; californicum 187; codicola 30, 187; Eatonianum 163, 187; Gardneri 187, 188; pacificum 187; washingtoniense 187; zebrinum 187
 Ceratiomyxa 434
 Ceratothamnion Pikeanum var. laxum 191
 Cercidospora 442
 Cercospora capparidicola 307
 Ceriospora 425, 426
 Cerotelium desmium 102; Fici 102
 Chaetomium funiculum 418, 420; globosum 401, 414, 418, 420; indicum 420; sp. 402, 403, 406, 416-418, 420, 421
 Chaetothyrium mysorensis 301
 Chara 217; (species index 396); australis 67, 68, 70; australis subsp. plebeja 67; australis var. lucida 67; australis var. nobilis 67; australis var. Viellardi 67; gymnopitys var. keukensis 327; Wallichii 67
 Cheirospora 481
 Chlamydopus meyenianus 262
 Chlorochytrium inclusum 27; porphyrae 28
 Chordaria attenuata 38
 Chrysomyxa Dietelii 97; Rhododendri 97
 Cienkowskia 435
 Cinnamomum zeylanicum 286
 Cintractia aspera 83; arenaria 83; gigantospora 83; lejoderma 83; limitata 82; limosa 81; microsora 83; Montagnei 82, 83; Rhynchosporae 82; turfosa 81; utriculicola 82
 Cissampelus convolvulacea 291
 Cladaria 473
 Cladochaeta 436
 Cladochaete 436
 Cladoderris 436
 Cladophora delicatula 22, 50, 52; flexuosa 7; gracilis 23; hemispherica 23, 52; microcladioides 23; trichotoma 2, 23, 24; sp. 495
 Cladophoropsis 495
 Cladosporium herbarum 414, 415, 417, 418; sp. 416
 Claudopus 474
 Clavaria 436; botrytis 504; formosa 504
 Clavariella botrytis 504; formosa 504
 Clisporium 437
 Clitocybe illudens 504
 Clypeothecium 483
 Codium fragile 30, 187; Setchellii 30
 Coemansia 144
 Coilodesme amplissima 39; bulligera 36-38; californica 37, 38
 Coleosporium Aconiti 98; Arundinae 98; Bletiae 98; campanulae 100; Carpesii 101; Cimicifugatum 99; Clematidis 99; Eupatorii 101; Evodiae 99; Fauriae 99; Geranii 99; Inulae 101; Leptodermidis 100; Ligulariae 101; Paederiae 100; Pedicularidis 100; Perillae 100; Plectranthi 99; Saussureae 101; Senecionis 101; Solidaginis 101; Xanthoxyli 99
 Colletosporium 484
 Colletotrichum sp. 415
 Collinsella tuberculata 5
 Collybia 436
 Colpomenia sinuosa 36; sinuosa f. deformans 37
 Conferva 217
 Coniophora sp. 418
 Coniosporium 436
 Coniothyrium 433, 437
 Conocybe 437, 444
 Constantinea simplex 165
 Convolvulus sp. 302
 Coprinus sp.? 420
 Corallina chilensis 167; densa 167, 170, 187; gracilis var. densa 167; gracilis var. multiramosa 167; officinalis 498
 Cordana 428
 Cordiceps 438
 Corticium 438, 489, 490
 Cortinaria 440
 Cortinarius 156, 440; armillatus 504; sp. 504; torvus 504
 Corynoides 434
 Costaria costata 34, 41; Mertensii 41; Turneri 41
 Craterella 471
 Craterellus cornucopioides 504; lutescens 504
 Crepidopus 470
 Crepidotus sect. Echinospori 156
 Cronartium Delavayi 96; flaccidum 96; gentianeum 96; Keteleeriae 96; Quercuum 96
 Cruoriaceae 167
 Cryptoderis 425
 Cryptomela 425

- Cryptonemia (key) 171; borealis 171, 172; obovata 171; ovalifolia 171, 172
 Cryptopleura brevis 195; crista 196; fimbriata 195; lobulifera 195; Ruprechtiana 195; violacea 196
 Cryptosiphonia 166; Woodii 163
 Cucurbita pepo 315
 Cumagloia Andersonii 162
 Curvularia brachyspora 418; lanata 415; sp. 417
 Cylandrospora 473
 Cylandrosporium 473
 Cymatoderma 436
 Cynophallus 460
 Cyperus conglomeratus 236
 Cyphella 433
 Cystopus 432
 Cystoseira osmundacea 39, 196, 199; osmundacea var. typica 45
 Cyttaria 441
 Cyttarium 441

 Dacryopinax 446
 Dactyloctenium scindicum 236
 Dalbergia sissoo 227, 246
 Daldinia 442
 Darwiniella 489, 490
 Delesseria decipiens 192
 Dendryphium sp. 420
 Dentinum 449; repandum 504
 Derbesia novae-zelandiae 498; marina 28, 498; tenuissima 498; vaucheriformis 498
 Desmarestia aculeata 35; herbacea 35; intermedia 35; latissima 36; munda 35, 36, 162
 Dichapetalum gelonioidis 292, 305
 Dictyochora 489
 Dictyolus 442
 Dictyonella Alangii 285
 Dictyota 34, 221; Binghamiae 34; flabellata 34
 Didymella 425
 Dilsea californica 7, 27, 165, 176; pygmaea 165
 Dimeriella Salaciae 300
 Diplophysa 463
 Disciseda cervina 228
 Dothidella 471
 Dothiopsis 425
 Dubitatio 478

 Eccilia 474
 Ectocarpus acutus 31, 32; acutus var. haplogloiae 32; confervoides 31; confervoides var. Pygmaeus 32; granulatus 31; Haplogloiae 60; Ectocarpus pygmaeus 32; siliculosus 31; terminalis 32; tomentosus 31
 Ectosperma 218
 Egregia 29, 44, 198; menziesii 2, 44
 Elachistea fucicola 33
 Elaeagnus latifolia 292, 306
 Eleusine flagellifera 236
 Empusa 443
 Endocladia muricata 2, 166
 Endoconidiophora 464
 Endoderma 7
 Endophyton ramosum 7
 Endoptychum 476
 Endostigma 487
 Enslenia 471
 Enterobotryum 477
 Enteromorpha Ahlneriana 13, 15; arctica 17; angusta 13, 18, 20; bulbosa f. foliacea 496; clathrata 5, 13, 16; clathrata f. uncinata 17; compressa 13-15; compressa var. flexuosa 15; compressa var. subsimplex 14; crinita 15, 16; erecta 16; flexuosa 15; intestinalis 13-15; intestinalis f. proliferata 15; intestinalis var. clavata 14; linza 5, 13, 18, 20; linza var. crispata 18, 19; linza var. flexicaulis 18, 19; linza var. lanceolata 18, 19; linza var. oblanceolata 18, 19; micrococca 17; micrococca f. subsalsa 17; minima 13, 17, 50; minima f. fastigiata 495; minima var. glacialis 496; minima var. rivularis 17; minima var. subsalsa 17; nana 17; nana var. minima 17; nana var. subsalsa, 17; plumosa 16; proliferata 13, 14; proliferata var. flexuosa 15; salina 16; tubulosa 15; vexata 13, 21
 Entocladia 7
 Entoloma 474
 Entomophthora 443
 Ephelidium 489, 490
 Eviocladus 453
 Eriomycopsis chinensis 280
 Erythrocladia irregularis 159; subintegra 159
 Erythroglossum californicum 192
 Erythrophyllum Delesserioides 184; splendens 184
 Erythrotrichia pulvinata 159; sp. 28; Welwitschii 159
 Escherichia coli 406, 503
 Exidia 483
 Exobasidium 142
 Farlowia crassa 164; mollis 164

- Fauchea Fryeana* 185; *Fauchea Gardneri* 186; *laciniata* 185; *media* 185
Favolus 447
Ferrarisia Ipomoeae 302
Ficus sp. 270, 272, 290, 293, 307
Filasporea 474
Fimetaria 478
Flammopsis 443
Flammula 443
Fosliella dispar 170
Fryeella Gardneri 185, 186
Fucus 26, 32, 44, 197; *asplenioides* 189; *costatus* 41; *edentatus* var. *hesperius* 45; *evanescens* 33, 44, 189; *evanescens* var. *stellatus* 45; *furcatus* 44; *furcatus* var. *angustus* 44; *furcatus* var. *elongatus* 44; *linza* 18; *nootkanus* 164; sp. 297
Fusarium 146; *diversisporum* 417; *Scirpi* var. *longipes* 416; sect. *Elegans* 418; *Solani* 415; *Solani* var. *minus* 418; sp. 403, 416, 420

Galera 444
Galerula 444
Gamosporella 489, 490
Gardneria sp. 293
Gausapia 476
Gelidium caloglossoides 163; *Coulteri* 163, 181; *pulchrum* 163; *pusillum* 163; *sinicola* 163
Gerwasia fasciculata 103; *Rosae* 103; *Rubi* 103
Gigartina 166; *Agardhii* 2; *Binghamiae* 181; *californica* 181, 188; *canaliculata* 2, 181, 186; *corymbifera* 181; *cristata* 180; *Harveyana* 181; *mamillosa* 180; *obovata* 180; *papillata* 2, 180; *papillata* var. *obovata* 180; *papillata* var. *subsimplex* 180; *volans* 180
Glenospora 476
Gliocladium atrum 418
Gliomastix convoluta 414, 416-418, 421
Gloiodon 461
Gloipeltis furcata 2, 166, 180
Gloiophloeia confusa 163
?Gloiosiphonia californica 166; *verticillaris* 166
Gomontia polyrhiza 7
Gomphinarina 428
Gomphora 445
Gomphus 445; *floccosus* 504
Gracilaria 40; *confervoides* 178; *Sjöstedtii* 178
Gracilariophila oryzoides 178
Grandinioides 460

Granularia 461
Grateloupia californica 170; *Cutleriae* f. *maxima* 171; *maxima* 171; *Setchellii* 171
Griffithsia pacifica 192
Guepinia 445, 446
Guepiniopsis 446
Guignardia 446
Gymnocybe 443
Gymnogongrus leptophyllus 179; *linearis* 20, 179
Gymnopilus 443
Gymnopus 436
Gymnosporangium 446; *clavariaeforme* 107; *Cunninghamianum* 107; *Haraeanum* 107; *japonicum* 107, 108, 131; *juniperinum* 107; *Miyabei* 108; *nipponicum* 107; *wenshanense* 108
Gyrraria 483
Gyrocephalus 445
Gyrophila 484

Hafgygia Sinclairii 40
Halicystis ovalis 28
Halosaccion glandiforme 186
Hamaspora benguetensis 104; *sinica* 104
Haplogloia Andersonii 32, 34
Haplographium echinatum 400, 416; sp. 400, 402, 415
Hariotula Capparidis 301; *Convolvuli* 302
Hedophyllum sessile 2, 42; *subsessile* 39, 42
Helminthosporium sp. 416
Hemileia vastatrix 104
Hemisphaeria 442
Hendersonia 447, 480
Heridium 447; *caput-ursi* 504
Heringia 452
Herposiphonia (key) 199; *grandis* 199; *parva* 199; *pygmaea* 199; *rigida* 199; *verticillata* 199
Heterobasidium 489, 490
Heterchordaria abietina 33
Hexagona 447
Heynea trijuga 294
Hildenbrandia 2; *occidentalis* 167
Hippoperdon 435
Hirneola 448, 460
Holarrhenia antidysenterica 295
Hormidium rivulare 6, 54, 56
Hormiscia doliifera 26; *grandis* 26; *penicilliformis* 27; *Wornickioldii* 27
Hormodendrum sp. 401
Humicola sp. 414, 418
Hyalospora Polypodii 95

- Hydnellum 435
 Hydnogloea 483
 Hydnum 435, 449; Murrillii 505; repandum 504
 Hygrocybe sp. 504
 Hymenella 451
 Hymenena cuneifolia 195; fibriata 195; flabelligera 193, 195; Fryeana 194; Kylinii 194; multiloba 193, 194; Setchellii 194; Smithii 194
 Hymenobolina 489, 490
 Hymenobolus 489
 Hymenochaeta 450
 Hymenochaete 450
 Hymenogramme 450
 Hymenula 451
 Hyperomyxa 482
 Hyperrhiza 456
 Hypopholoma perplexum 504
 Hypochanum 454
 Hypochnus 451, 483
 Hypolyssus 451, 453, 490
 Hypomyces 453; chrysospermum 505; ipomoeae 315; solani 315-326; solani f. cucurbitae 316
 Hyporhamma 490, 491
 Hypospila 431, 453, 491
 Hypoxylon 442; sp. 415

 Ichnocarpus frutescens 295
 Ilea 159; fascia 36
 Irene calostroma 269; styracicola var. minor 269
 Irenina Buddleiae 270; ?Castanopsidis 271; Cheoi 272; Lonicerae 272; Malloiti 289; Pothodis 288; quercina 273; Rosae 273
 Irenopsis benguetensis 270; mysorensis 287
 Iridophycus 161, 188; cordatum 184; coriaceum 183; flaccidum 2, 182; fulgens 184; heterocarpum 183; lineare 182; oregonum 182; sanguineum 184; sinicola 183; splendens 182; Whidbeyanum 184
 Ipomoea batatas 315
 Isaria 434
 Ithyphallus 460, 466

 Janczewskia Gardneri 199
 Jasminum rigidum 306; sp. 279
 Joculator delicatulus 167; pinnatifolius 168
 Junghuhnina 450
 Kneiffia 490
 Knyaria 486
 Koelreuteria sp. 276
 Krempelhuberia 472
 Kydiae calycinae 296

 Laccaria laccata 504; ochropurpurea 504
 Lachnocladium 453
 Lactarius deceptivus 505; piperatus 504; quietus 504; volemus 504
 Lamprothamnium 396
 Langermannia 435
 Langloisula 490, 491
 Laschia 434, 448, 450
 Lasiosiphonis ericocephalus 288
 Lasiophoma 490, 491
 Laurencia spectabilis 169, 199
 Laminaria Andersonii 2, 40, 43, 161; costata 41, 42; cuneifolia 39; ephemera 40, 64; saccharina 39; saccharina var. linearis 39; Sinclairii 2, 7, 32, 40, 171
 Leathesia difformis 34; nana 35
 Leccinum albellum 504
 Leea macrophylla 287, 289
 Leptocladia conferta 164
 Leptoglossum 442
 Leptographium 476
 Leptonia 474
 Leptosphaeria sp. 415
 Leptotus 442
 Lessoniopsis 175, 188; littoralis 43
 Lindera sp. 279, 280
 Linderella 147
 Linderomyces lateritius 155-157
 ?Lithophyllum grumosum 170; neofarlowii 170
 Lithothamnion californicum 170; conchatum 170; lamellatum 170; pacificum 170; parcum 170
 Lobocolax deformans 174
 Lonicera sp. 272
 Lychnothamnus 396
 Lycoperdon echinellum 228
 Lyomyces 451

 Macowania 454
 Macowanites 454
 Macroplodia 480
 Macrocystis integrifolia 42; pyrifera 42
 Mainsia chinensis 108
 Malinvernina 477
 Mallotus alba 289
 Mangifera indica 296, 303
 Marasmius 454
 Marsonia 455
 Marssonina 455
 Marssonina 455

- Massaria* 455
Massariella 425
Mastomyces 455
Melampsora 456; *coleosporoides* 102; *Kusanoi* 101; *Larici-epitea* 102; *Larici-populina* 102; *Ricini* 101; *Rostrupii* 102; *Salicis-albae* 102; *Salicis-Cavaleriei* 102
Melampsoridium Alni 96
Melanogaster 456
Meliola Actinodaphnes 274; *Bakeri* 289; *bangalorensis* 290; *Brandisiae* 273; *Cansjeriae* 290; *Castanopsidis* 275; *cissampelicola* 291; *Dichapetali* 292; *Elaeagni* 292; *ficicola* 293; *Gardneriae* 293; *Heyniae* 294; *Holarrheniae* 294; *Ichnocarpus* 295; *Koelreutia* 276; *kweichowensis* 277; *Kydiae-calcinae* 296; *Mangiferae* 296; *Memecyli* 297; *ovatifoda* 297; *symplocicola* var. *chinensis* 277; *tabernaemontanicola* 298; *Tecleae* var. *Toddaliae-asiaticae* 298; *toddaliicola* var. *indica* 299; *Zizyphi* 299
Meliolinopsis 491
Melobesia mediocris 169; *marginata* 169
Membranoptera dimorpha 192; *multiramosa* 192; *platyphylla* 192
Memecylon edulis 297; *Talbotianum* 297
Memnoniella aterrima 400, 415; *echinata* 399-424; sp. 401-404, 406, 408, 410, 411, 417, 422
Merulius sp. 418
Metarrhizium glutinosum 401, 404; sp. 401
Microcladia borealis 188; *californica* 188; *Coulteri* 188
Micromphale 454
Milesina erythrosora 95
Molinia 459
Monilia 457
Monomyces 484
Monostroma laceratum 12; *latissimum* 12; *orbiculatum* 12; *oxycoccum* 12; *oxyspermum* 12, 48; *quaternarium* 12; *Wittrockii* 12; *zostericola* 11, 48
Monotospora 459, 489
Montagnaea 459
Montagnea 459
Montagnites 459
Montanoa 459
Morus alba 227
Muciporus 490, 491
Musa paradisiaca 315
Mutinus 460
Mycena 436
Mycobacterium phlei 503; *smegma* 406; *smegmatis* 503; *tuberculosis* 503
Mycobonia 460
Mycoleptodon 460
Mycosphaerella 479
Myelophycus intestinalis 36; *intestinalis* f. *tenuis* 38
Myriocephalum 482
Myriogramme multilobum 194
Myrionema foecundum f. *majus* 34; *primarium* 34
Myrothecium roridum 414, 417, 420; sp. 406; *verrucaria* 401, 404, 414
Mytilidion 461
Mytilinidion 461
Mytilus sp. 197

Naematoloma sublateralitium 504
Nectria sp. 417, 420
Neolitsea zeylanica 286
Nereocystis 29, 31, 32, 160, 162; *luetkeana* 42
Nidularia 461
Nigredo 487
Nienburgia Andersoniana 28, 193; *borealis* 193
Nitella 328, 329, 331-398; (sp. index 396-398); *australis* 67
Nitellopsis 398
Nitophyllum mirabile 193; *multilobum* 193; *Fryeanum* 193, 194
Nolanea 474
Nummularia 462
Nyssopsora Cedrelae 105

Octaviania 456, 463
Octavianina 463
Odonthalia 9, 36; *alteutica* 197; *floccosa* 181, 197; *oregona* 196; *semicostata* 197; *washingtoniensis* 197
Odontia 460
Oedocephalum albidum 417
Oedogonium 218
Oidium 142, 144
Olea dioica 303
Olpidiopsis 463, 472
Omphalia campanella 504
Omphalotus olearius 504
Ophiodothis 490
Ophiostoma 464
Opuntia sp. 408
Opuntiella californica 177
Orbilia sp. 420

Pachymenia 498
Pactilia 425

- Paecilomyces Varioti* 416, 417
Panus 464
Paxillus 465; *involutus* 156; *lateritius* 155-157; *panuoides* 155
Pelvetia fastigiata 45
Pelvetiopsis 166; *limitata* 2, 45; *limitata* var. *alata* 45
Penicillium 146; *chrysogenum* 416, 418, 420; *citrinum* 417, 418; *echinatum* 400; *funiculosum* 418; sp. 400, 402, 403, 416-418, 420, 421
Peniophora 439, 490
Penzigia 425
Periconia 465, 491
Peripherostoma 442
Perisphaeria 442
Perisporium 465
Perona 451
Pestalotia sp. 403
Petrocelis franciscana 167
Petroglossum pacificum 179
Peyssonelia pacifica 167
Peziza 466
Phaestrophion irregulare 39
Phakopsora Ampelopsidis 98; *Artemisiae* 97; *compositarum* 97; *hengshanensis* 98; *punctiformis* 97; *Ziziphi-vulgaris* 97
Phallus 466; *celebicus* 228
Phellinus 466
Phellorina inquinans 228, 263
Phlebia 438
Phlebiella 438
Phleogena 470
Phleospora 466
Phlogiotis 445, 470
Phlyctidium 467
Pholiotella 437
Pholiotina 437
Phoma 453, 468; sp. 418, 420
Phragmidium 103; *brevipedicellatum* 105; *mucronatum* 104; *pauciloculare* 104; *Rosae-rugosae* 105; *Rubi-parvifolii* 104
Phycodrys Setchellii 193
Phycopsora Pachyrhizi 98
Phycoseris reticulata 10
Phycotheca 174, 198
Phylacteria 471
Phyllobolites coccineus 155
Phyllonochaeta 490
Phylloporus rhodoxantus ssp. *Americanus* 504
Phyllospadix 24, 35, 160, 169, 170; sp. 11
Physalospora 490, 492
Phyllosticta cacao 118
Physisporus 471
Pikea 2; *californica* 164; *nootkana* 164; *pinnata* 164
Pilacre 470
Pileolaria Shiraiana 106; *Terenbinthi* 106
Pilinia morsei 498
Pisomyxa 425
Platythamnion heteromorphum 191; *pectinatum* 191; *villosum* 191
Pleocystidium 463
Pleurance 477
Pleurophycus Gardneri 41
Pleuropus 464, 470
Pleurote 470
Pleurotus 470; sp. 155
Plocamiocolax pulvinata 178
Plocamium oregonum 177; *oviforme* 177; *pacificum* 169, 178, 187; *tenuis* 178; *violaceum* 178
Plowrightia 454, 471
Plumaria asplenioides 189; *californica* 189; *densa* 189; *filicina* 188; *hypnoides* 189, 190; *tenuis* 188
Pluteus cervinus 504
Podaxon pistillaris 228, 263
Podoscypha 471
Podospora 477
Podostrombium 452
Polycystis 486
Polyneura 2; *latissima* 193
Polyporus Spraguei 504
Polysiphonia 162, 218; *californica* 197; *Collinsii* 197; *Hendryi* 198; *pacifica* 198; *paniculata* 197; *Snyderae* 198
Poria 466, 471; sp. 504
Porodisculus 471
Porphyra 21; *lanceolata* 28, 160; *leucosticta* 161; *miniata* var. *cuneiformis* 161; *naiadum* 160; *nereocystis* 160; *occidentalis* 161, 198; *perforata* 28, 161; *schizophylla* 2, 160, 166; *Thuretii* 161; *variegata* 161
Porphyrella Gardneri 161
Postelsia 43, 188; *palmaeformis* 42; *scandens* 288
Prasiola 22; *meridionalis* 2, 22, 166
Pratella 431
Prionitis Andersoniana 172; *angusta* 172; *filiformis* 172; *lanceolata* 173, 174; *lanceolata-angusta* 172; *linearis* 173; *Lyallii* 172; *mexicana* 174
Prosopsis spicigera 227
Protoventuria 487
Protubera maracuja 228
Psalliota 431
Psathura 472
Psathyra 472

- Psathyrella hydrophila* 504
Pseudodictyon geniculatum 7
Pseudofarinaceus 488
Pseudographis 472
Pseudohydnum 483
Pseudolpidium 463, 472
Pseudovella consociata 7
Psilothecium 480
Pterochondria Woodii 199
Pterophyllus 470
Pterosiphonia bipinnata 198; *bipinnata* var. *robusta* 198; *dendroidea* 198; *gracilis* 198; *robusta* 31, 198
Pterygophora 32, 40; *californica* 43
Ptilota asplenioides 189; *californica* 189; *densa* 189; *filicina* 188; *hypnoides* 189; *plumosa* var. *filicina* 188; *tenuis* 188
Puccinia 473; *absinthii* 129; *Abutili* 126; *Acetosae* 121, 130; *agrostidicola* 115; *anomala* 117; *Arenariae* 124; *argentata* 126; *artemisiicola* 129; *Arthraxonis* 117; *Arundinellae* 114, 115; *Arundinellae-anomala* 114; *Arundinellae-setosae* 114; *Baryi* 117; *Behenis* 124; *Bistortae* 121; *canaliculata* 118; *Caricis* 119; *Carthami* 129; *Cesatii* 113; *Cinnamomi* 125; *Circaeae* 126; *clematidicola* 124; *columnata* 121; *congesta* 121, 122; *consimilis* 122; *constanta* 119; *Convolvuli* 127; *coronata* 116; *Crandalli* 117; *Cynodontis* 115; *Cyperii* 118; *Dieteliana* 126; *Duthiae* 113, 114; *Epimedii* 125; *Eragrostidis* 116; *Eragrostidis-ferrugineae* 116; *erythraeensis* 113, 114; *erythropus* 112; *Eulaliae* 111-113; *exhausta* 125; *Fagopyri* 121, 124; *ferruginea* 120, 121; *ferruginosa* 129; *Festuca-ovinae* 116; *filipodia* 113; *Glycyrrhizae* 125; *glumarum* 117; *graminis* 117; *Helianthi* 128; *Hemero-callidis* 120; *hemisphericum* 129; *heterospora* 126; *Impatientis-uliginosae* 126; *invenusta* 116; *Iridis* 121; *Ivantz-kiae* 128; *Juncelli* 119; *Kuhnii* 112; *Kusanoi* 118; *kwanhsienensis* 118; *Lactuca-debilis* 130; *Lactuca-repentis* 129, 130; *lactucicola* 129; *Leucadis* 127; *leucophaea* 127; *levis* 115; *liberta* 119; *mamillata* 121; *Menthae* 127; *Millefolii* 129; *minussensis* 129; *Miscanthi* 111, 112; *Muehlenbeckiae* 121; *nitidula* 121; *obscura* 119; *Oenantes* 126; *pachycephala* 120; *Patrinae* 128; *peraffinis* 128; *philippinensis* 118; *Phragmitis* 116; *phragmoides* 129; *Phyllostachydis* 118; *Poeae-sudeticae* 117; *Polinae* 114; *Pollinae-quadrinervis* 112; *Polygoni-amphibii* 121, 122; *Polygoni-lapathifolii* 121, 124; *Polygoni Weirichii* 121, 124; *polygonicola* 122; *purpurea* 115; *Porri* 120; *Prunipersicae* 125; *punctata* 128; *punctiformis* 121; *purpurea* 111; *Romagnoliana* 118, 119; *Roscoaeae* 121; *rubigo-vera* 117; *rufipes* 118; *Sachalinensis* 123; *Saussureae-alpinae* 128; *Saussureae-ussuriensis* 128; *Schirajewskii* 129; *Shiraiana* 127, 128; *sinica* 115; *Smilacis* 121; *Smilacis-chinae* 120; *Smilacis-sempervirentis* 121; *Solmsii* 122; *Sorghi* 111; sp. 118; *Stellariae* 124; *Swertiae* 127; *Thwaitesii* 128; *taliensis* 123; *veratricola* 120; *Violae* 126; *Vomica* 128; *Wattiana* 124; *Yokokurae* 119; *yunnanensis* 123
Pucciniastrum Agrimoniae 95; *Castaneae* 96; *Coriariae* 96
Puccinina 446
Puccinola 487
Pugetia firma 176; *fragilissima* 176
Pullularia sp. 403; *pullulans* 418
Pylaiella littoralis 32; *unilateralis* 32
Pyrenochaeta sp. 415

Quercus sp. 273

Raddetes 437
Ralfsia fungiformis 33; *pacifica* 33; *verrucosa* 33
Ramaria 473
Ramularia 473
Ravenelia Indigoferae 106; *Indigoferae-scabridae* 106; *levis* 106; *macrocapitula* 106; *Mitteri* 107; *japonica* 107; *Schroeteriana* 106
Renfrewia parvula 40
Rhabdospora 474
Rhipidium 464, 474
Rhizoclonium implexum 25, 26; *lubricum* 25, 26; *riparium* 25, 26; *tortuosum* 25
Rhizopus 425; sp. 402
Rhodochorton amphiroae 162; *purpureum* 3, 162; *Rothii* 162; *violaceum* 166
Rhododermis Georgii 167
Rhodoglossum affine 181
Rhodomela 29, 36; *aleutica* 197; *larix* 2, 25, 186, 196
Rhodophyllus 474
Rhodophysema Georgii 167
Rhodymenia 2; *californica* 185; *Gardneri* 186; *pacifica* 185; *palmata* var. *mollis* 185; *pertusa* 185
Rhymovis 465

- Rhymoxis 465
 Ricnophora 438
 Ripidium 464
 Roesleria 470
 Roestelia 446
 Rosa roxburghii 274
 Rubus sp. 269
 Russula cyanoxantha 504; densifolia 504;
 emetica 504; foetens 505
 Ruthea 465
 Ryssospora 443

 Saccharum munja 237; spontaneum 237
 Salacia sp. 300, 301
 Salvadora oleoides 227
 Santalum album 305
 Sarcodon 449
 Sarcophyllis californica 165, 176; califor-
 nica f. pygmaea 165
 Schizophyllum 464
 Schizostoma laceratum 262
 Schizothecium 477
 Schizymenia pacifica 165, 176, 198
 Scleroderma 456
 Scnidium 447
 Scolecotrichum 475
 Scopularia 476
 Scopulariopsis brevicaulis 414, 420
 Scytosiphon 159; attenuatus 37, 38, 62;
 bulbosus 36-38; complanatus 37, 62;
 lomentaria (et var.) 37, 38
 Searlesia dira 170
 Secotium 476
 Septaria 467
 Septobasidium 476
 Septoria 466
 Simblum gracile 228
 Soppittiella 492
 Soranthera ulvoidea 36
 Sordaria 477
 Spegazzinula 478
 Sphacelaria racemosa 33
 Sphaerella 479
 Sphaeria 481
 Sphaeropsis 433, 468, 480
 Spicaria 434
 Spirogyra 218
 Splanchnonema 455
 Spongomorpha coalita 24, 31; duriuscula
 24; Mertensii 24, 56; saxatilis 24; spin-
 escens 25, 54
 Sporocadus 447
 Sporocladopsis novae-zelandiae 496
 Sporotrichum sp. 417
 Stagonospora 480
 Stachybotrys atra 406, 408, 410, 414,
 416-418, 420, 421; lobulata 403; papy-
 rogena 401, 402, 414, 415; sp. 401-406,
 408, 410, 411, 414, 415; subsimplex 401,
 403
 Staphylococcus aureus 406, 503
 Steccherinum 461
 Stemphylium consortiale 420; sp. 416
 Stenogramme californica 180
 Stephanotheca Oleae 303
 Steveum 450, 480
 Stigmatea 480
 Stigmea 480
 Streptococcus hemolyticus 503
 Strickeria 481
 Strobilomyces floccopus 504
 Stromatosphaeria 442
 Strongylocentrotus purpuratus 159
 Styrax benzoin 270, 277
 Symplocus setchuenensis 277
 Syncephalastrum racemosum 417
 Syringospora 459

 Tabernaemontana sp. 298
 Tamarix articulata 227; dioica 237
 Tegula funebris 162
 Teichospora 481
 Terfezia leonis 228
 Tetracoccusporium sp. 415, 417
 Tetrastigma sp. 289
 Thelephora 471, 490
 Thyrsideum 481
 Toddalia asiatica var. floribunda 298
 Tolypella 331, 398
 Tomentella 455, 483, 485
 Topospora 455
 Trachythriolum 490, 492
 Tranzschelia Pruni-spinosae 104; suffusca
 104
 Trematostoma 483
 Tremella 483
 Tremellodon 483
 Tremellodendron candidum 504
 Tremiscus 445
 Trentepohlia odorata var. umbrina 7
 Trichochora 490
 Trichoderma sp. 403; viride 415, 420
 Tricholoma 484
 Trichosporium 484
 Trichothecium roseum 418
 Tritirachium sp. 418
 Tromera 425, 426
 Tubaria thermophila 156
 Tubercularia 486
 Tubercinia 486
 Tulasnella 430
 Turnerella pacifica 176

- Tylochytrium 467
 Tylopilus alboater 504; felleus 504
 Tylostoma 225-267; (key) 233; adhaerens 254; albicans 237; albiceps 257; albocretaceum 243; amnicola 243; australianum 250; balanoides 242; Barbeyanum 258, 262; Boisseri 258; Bonianum 266; cineraceum 244; crassipes 256; dumeticola 232; egranulosum 248; evanescens 235; exasperatum 231, 233, 252; exitum 254; gracile 262; hygrophilum 238; innotum 246; Jourdanii 262; kansense 262; Leslei 237; Mac Alpinianum 240; membranaceum 251; meyenianum 262; mussooriense 234; obesum 262; occidentale 237; operculatum 256; parvissimum 250; perplexum 257; pluriosteum 235; psilophilum 242; puncticulosum 246; pusillum 266; pygmaeum 238; Ridleyi 252; Ruhmerianum 262; Schweinfurthii 262; sedimenticola 237; squamosum 241; subsquamosum 241; tortuosum 262; volvulatum 228, 258; vulgare 248; Wightii 243, 252; xerophilum 240
 Tyromyces Spraguei 504
 Ulothrix flacca 5; implexa 5, 16; pseudoflacca 6; tenuicutis 108; zonata 6
 Ulva 217; angusta 20; californica 8, 11, 21, 48; dactylifera 9; expansa 8-10; fasciata 9; fenestrata 8, 9, 48; lactuca 10; lanceolata 20; latissima 12; linza 18; linza var. oblanceolata 60; lobata 8-10; oxycocca 12; oxysperma 12; quaternaria 12; reticulata 10; stenophylla 10, 48; taeniata 8, 9, 48, 52; vexata 11, 21, 28, 159
 Uperhiza 456
 Uperrhiza 456
 Uredo 456; Arthaxonis-ciliaris 133; Arundinis-Donacis 133; cantonensis 133; Colebrookiae 133; Cynodontis-dactylis 132; cypericola 118; Cyperi-taetiformis 118; Deutziae 133; Killingiae 133; Panacis 133; Themediae 133; Verecunda 133; Zehneriae 133
 Urocystis 486
 Uromyces 487; Alopecuri 108; bidenticola 111; coronatus 108; decoratus 109; Ervi 110; Fabae 111; Genistae-tinctoriae 111; Geranii 111; Gueldendstaedtia 111; inaequalitus 109; Itoanus 109; Kondoi 110; Lespedezae-macrocarpae 110; Lespedezae-procumbentis 109; Mac Intirianus 109; Mucunae 98; Phaseoli-typici 110; Phaseoli-Vigna 110; Polygoni 111; punctatus 109; rugulosus 110; Sojae 98; Sophorae-vicii-foliae 109; striatus 109
 Urospora collabens 27; crassa 26; doliifera 26; doliispora 58; grandis 26, 58; Hartzii 26; incrassata 26 pencilliformis 27, 58, 160; Wormskioldii 27, 58
 Ustilago anomala 76, 77; anomala var. carnea 78; Bistortarum 76, 79; caricis var. leioderma 83; carnea 77, 78; Cordai 77, 78; Euchlaenae 75; halophylla 74; hypodytes 73; inflorescentiae 79; Kellermanii 76; Kuhneana 80; Maydis 75; minima 74 muricata 76, 77; nummularia 74; Parlatorei 76, 80; persicariae 76; Spegazzinii 74; Spegazzinii var. agrestis 74; Stipae 74; stygia 80; Williamsii 74; Zeae 75
 Vaucheria 218, Thuretii 29
 Venturia 487
 Verticillium sp. 420
 Visculus 443
 Volvaria 488
 Volvariopsis 488
 Winterina 489
 Wittrockiella salina 495
 Xeromphalina campanella 504
 Zanardinula 2; Andersoniana 172; filiformis 172; Kylinii 173; lanceolata 172; linearis 173; Lyallii 172
 Zingiber officinale 415
 Zizyphus rugosa 300
 Zostera 31, 160
 Zygnema 27



1949. "Index to Volume 3." *Farlowia :a journal of cryptogamic botany* 3(4), 509–519. <https://doi.org/10.5962/p.316038>.

View This Item Online: <https://www.biodiversitylibrary.org/item/33572>

DOI: <https://doi.org/10.5962/p.316038>

Permalink: <https://www.biodiversitylibrary.org/partpdf/316038>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Harvard University Herbaria

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.