

INDEX SEMINUM



Botanická zahrada Teplice
Botanical Garden Teplice
Czech Republic
2020-2021



BOTANICKÁ ZAHRADA
TEPLICE

Botanical Garden Teplice

Josefa Suka 1388/18
415 01 Teplice
Czech Republic

Latitude: N 50° 38' 17"

Longitude: E 13° 50' 32"

Altitude: 228 m a. s. l.

Website: www.botanickateplice.cz



www.facebook.com/botanickateplice



www.instagram.com/botanickateplice

E-mail: curator@botanickateplice.cz or ptacek@botanickateplice.cz

The Botanical Garden Teplice is a member of the Union of Botanic Gardens of the Czech Republic (www.ubzcr.estranky.cz) and Botanic Gardens Conservation Institution (BGCI, www.bgci.org).

Our botanical garden is a part of the IPEN network (= International Plant Exchange Network). You can find us under the institution code **TEBLI**.

MEAN MONTHLY TEMPERATURE (°C)

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI
0.5	4.1	8.9	13.9	17.0	18.6	18.0	13.9	8.8	3.6	0.3

Mean Annual Temperature: 8.9 °C

Extreme Highest Temperature: +35.9 °C (29/07/1983)

Extreme Lowest Temperature: -21.7 °C (14/01/1987)

MEAN MONTHLY RAINFALL (mm)

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI	XII
33.6	29.8	35.0	33.7	50.1	64.0	58.0	60.0	40.9	32.9	38.0	40.4

Mean Annual Precipitation: 516.4 mm

Botanical Garden Teplice

The Botanical Garden Teplice was established by the Teplice City Council in 2002 as an independent public body and fully funded by the Teplice City Council. From the garden's total area of two hectares almost a half is dedicated to the open-air display of plants. The exhibition greenhouses cover 2400 m² of land and the storage greenhouses, which are not open to the public, cover 1750 m². Each one of our four greenhouses is dedicated to a distinct climatic zone.

THE XERIC GREENHOUSE

Vast areas of the Earth are covered with plant communities which have adapted to the long periods of drought. We have selected some especially attractive ones: Central America, primarily Mexican half deserts, dry mountain areas of South America, western parts of South Africa and arid South of Madagascar. These main areas are supplemented with several smaller ones – a show of flora from the Galapagos Islands, Arabia and rare vegetation of the Socotra Island which is situated in the Arabian Sea between Yemen and Somalia.

THE TROPICAL GREENHOUSE

This is the most spacious. It covers an area of over 1000 square meters and stands almost 16 meters high. A lively waterfall, two flowing brooks, a copy of the ruins of a Mexican pyramid, a glazed case with orchids and other rare plants, a pond and aquariums enhance the interior. All plants exhibits are displayed – as in other glasshouses – by their geographical origin and include collections from tropical America, Asia, Australia, Africa and northern Madagascar.

THE SUBTROPICAL GREENHOUSE

The Andes from Mexico to Patagonia, the Himalayas and subtropics of the south-eastern Asia, New Zealand, mountains and eastern part of South Africa with winter rains – that is all we try to introduce in the subtropical greenhouse. The subtropical exposures are diversified in a show-case with quite cold-loving carnivorous plants and orchids and a patio created by a column down which water flows with a star pergola inspired by the travels around Mexico.

THE ROCK GARDEN GREENHOUSE

The rock garden greenhouse is the newest construction subsequent the whole exhibition complex. There are dedicate to plants from the mountain areas of Europe (incl. Canary Islands), Asia, North America, New Zealand and South American (incl. the Chilean desert Atacama).

THE OPEN-AIR DISPLAY

The outdoor exposure is spread on the area of 1.5 hectares and during one day in the botanic garden you can travel almost all around the world. As well as the greenhouse exposure the whole area is divided to the individual regions on the Earth from the geographic point of view.

Index seminum

SEED COLLECTORS

Harald Eichhorn

Irena Jelínková

Marcela Strnadová

Hana Šedivá

CURATOR

Petr Beránek

Jan Ptáček

BOTANIST

Jiří R. Haager

DIRECTOR

Petr Šíla

Magnoliophyta

Magnoliopsida

Acanthaceae

- 1 G ***Barleria obtusa*** Nees
XX-0-TEBLI-01396
- 2 G ***Barleria oenotheroides*** Dum.Cours.
XX-0-ULM-2015-G-130 [ex BG Ulm, Germany]
- 3 G ***Crabbea velutina*** S.Moore
XX-0-KL-2013/2659 [ex BG Klagenfurt, Austria]
- 4 G ***Crossandra massaica*** Mildbr.
XX-0-TEBLI-00981
- 5 G ***Eranthemum wattii*** (Bedd.) Stapf
XX-0-TEBLI-01276
- 6 G ***Schaueria calicotricha*** (Link & Otto) Nees [syn. *Schaueria flavicoma* N.E.Br.]
XX-0-UDE-5-90-7-3 [ex BG Duisburg-Essen, Germany]

Amaranthaceae

- 7 G ***Aerva javanica*** (Burm.f.) Juss. ex Schult.
XX-0-TEBLI-01399 [ex BG Tel Aviv, Israel]
- 8 O ***Atriplex hortensis*** L. 'Red Spire'
XX-0-TEBLI-01961 [ex BG Linz, Austria]
- 9 G ***Pleuropetalum darwinii*** Hook. F
EC-0-B-0547874, loc. Santa Cruz Isl., Galápagos Isl., Ecuador
[ex. BG Berlin-Dahlem, Germany]

Anacampserotaceae

- 10 G ***Anacampseros telephastrum*** DC.
XX-0-ROST-2003-G-4896 [ex BG Klagenfurt, Austria]

Apiaceae

- 11 O ***Angelica atropurpurea*** L.
XX-0-TUEB-1236 [ex BG Tübingen, Germany]
- 12 O ***Angelica dahurica*** (Hoffm.) Benth. & Hook.f ex Franch. & Sav.
XX-0-TEBLI-01814 [ex Jelitto, Germany]
- 13 O ***Astrantia trifida*** Hoffm.
XX-0-TEBLI-01278 [ex BG Utrecht, Netherlands]

- 14 O ***Bunium bulbocastanum*** L.
XX-0-BHU-F-1991-454 [ex BG Berlin Humboldt, Germany]
- 15 O ***Eryngium agavifolium*** Griseb.
XX-0-TEBLI-00983 [ex BG Copenhagen, Denmark]
- 16 O ***Eryngium planum*** L.
XX-0-TEBLI-0011 [ex BG Duisburg-Essen, Germany]
- 17 O ***Eryngium spinalba*** Vill.
XX-0-LZ-ZF 506/1994 [ex BG Leipzig, Germany]
- 18 O ***Melanoselinum decipiens*** (Schrad. & J.C.Wendl.) Hoffm.
PT-1-MADJ-209-2018 [ex BG Madeira, Portugal]

Apocynaceae

- 19 O ***Asclepias curassavica*** L.
XX-0-TEBLI-01524
- 20 G ***Catharanthus trichophyllus*** (Baker) Pichon
MG-0-TEBLI-00017, loc. Isalo Mts., Madagascar
[col. Smržová, ex BG Praha, Czech Republic]
- 21 O ***Oxypetalum coeruleum*** (D. Don ex Sweet) Decne.
XX-0-TEBLI-01140 [ex BG Košice, Slovak Republic]

Asteraceae

- 22 O ***Ageratina occidentalis*** (Hook.) R.M.King & H.Rob.
US-0-PRAZ-2018.01762, loc. Mahonita Village, forest near Crater Lake, OR, USA
[ex BG Praha, Czech Republic]
- 23 O ***Achillea ×kolbiana*** Sünd.
XX-0-FB-2244 [ex BG Freiburg, Germany]
- 24 O ***Antennaria howellii*** Greene
XX-0-HOH-SYS-712 [ex BG Stuttgart-Hohenheim, Germany]
- 25 O ***Arctotis fastuosa*** Jacq. 'Orange Prince'
XX-0-TEBLI-01545 [ex BG Krefeld, Germany]
- 26 O ***Arctotis venusta*** Norl.
XX-0-Z-20020220 [ex BG Mainz, Germany]
- 27 O ***Arnica griscomii*** subsp. ***frigida*** (C.A.Mey. ex Iljin) S.J.Wolf
XX-0-TEBLI-00027 [ex BG Šiauliai, Lithuania]
- 28 O ***Aster alpinus*** L. 'Roseus'
XX-0-TEBLI-01413 [ex BG Vilnius, Lithuania]
- 29 O ***Aster alpinus*** L. 'Pirinensis'
XX-0-TEBLI-00988 [ex BG St. Andrews, UK]
- 30 O ***Aster alpinus*** L. 'Polycephalus'
XX-0-TEBLI-01412 [ex BG Kaunas, Lithuania]
- 31 O ***Aster himalaicus*** C.B.Clarke
XX-0-BRNU-2017-01095 [ex BG Brno, Czech Republic]

- 32 0 ***Aster pyrenaeus*** Desf. ex DC.
XX-0-TEBLI-01551 [ex BG Geneve, Switzerland]
- 33 0 ***Aster pyrenaeus*** Desf. ex DC.
3442JP2015 [ex BG Caen, France]
- 34 0 ***Aster tongolensis*** Franch.
XX-0-TEBLI-01962 [ex BG Łódź, Poland]
- 35 0 ***Berkheya macrocephala*** J.M.Wood
XX-0-TEBLI-00037
- 36 0 ***Berkheya multijuga*** (DC.) Roessler
XX-0-TEBLI-00820
- 37 0 ***Berkheya purpurea*** (DC.) Benth. & Hook.f. ex Mast.
XX-0-TEBLI-01963 [ex BG Praha, Czech Republic]
- 38 0 ***Berkheya purpurea*** (DC.) Benth. & Hook.f. ex Mast. '**Silver Spikes'**
XX-0-TEBLI-01552 [ex BG Praha, Czech Republic]
- 39 0 ***Berkheya radula*** (Harv.) De Wild.
XX-0-Z-20140391 [ex BG Zürich, Switzerland]
- 40 0 ***Buphthalmum salicifolium*** L.
XX-0-TEBLI-01964 [ex BG Nantes, France]
- 41 0 ***Catananche caerulea*** L.
FR-0-M-2011/2067 [ex BG München, Germany]
- 42 0 ***Centaurea jacea*** L.
DE-0-OLD-17-030-71-10 DE [ex BG Oldenburg, Germany]
- 43 0 ***Centaurea macrocephala*** Muss.Puschk. ex Willd.
XX-0-TEBLI-00042 [ex BG Giessen, Germany]
- 44 0 ***Centaurea orientalis*** L.
RO-0-CLA-3030, loc. 44° 29' N 28° 26' S, Măcinului Mountains, Romania
[ex BG Cluj-Napoca, Romania]
- 45 0 ***Coreopsis auriculata*** L.
XX-0-BONN-29732 [ex BG Bonn, Germany]
- 46 0 ***Coreopsis palmata*** Nutt.
XX-0-TEBLI-00604 [ex BG Kaunas, Lithuania]
- 47 0 ***Cosmos bipinnatus*** Cav. '**Sonata Rosa'**
XX-0-TEBLI-01965 [ex BG Krefeld, Germany]
- 48 0 ***Cosmos bipinnatus*** Cav. '**Veloutte'**
XX-0-TEBLI-01966 [ex Černý seeds s r. o., Czech Republic]
- 49 0 ***Cota tinctoria*** (L.) J.Gay (syn. *Anthemis tinctoria* L.)
XX-0-TEBLI-00024
- 50 0 ***Cotula sericea*** L.f.
XX-0-TEBLI-01967 [ex BG Kursk, Russia]
- 51 0 ***Cynara cardunculus*** L.
IT-0-SIENA-01388, loc. Montauto-Siena, Italy [ex BG Siena, Italy]

- 52 0 ***Dahlia atropurpurea*** P. D. Sørensen
XX-0-TEBLI-01968 [ex BG Krefeld, Germany]
- 53 0 ***Dahlia coccinea*** Cav.
XX-0-CLA-3639 [ex BG Cluj-Napoca, Romania]
- 54 0 ***Dahlia coccinea*** Cav. **'Species Mixed'**
XX-0-TEBLI-01969 [ex Thompson & Morgan, United Kingdom]
- 55 0 ***Dieteria canescens*** (Pursh) Nutt.
US-0-GZU-11 420698 [ex BG Graz, Austria]
- 56 0 ***Dimorphotheca sinuata*** DC.
ZA-0-TEBLI-00993, loc. Stellenbosch, Western Cape Province, South Africa
[ex Silverhill Seeds, South Africa]
- 57 0 ***Dimorphotheca*** Vaill. ex Moench. **'Silverhill White'**
XX-0-TEBLI-00609 [ex Silverhill Seeds, South Africa]
- 58 0 ***Echinops bannaticus*** Rochel ex Schrad. **'Blue Globe'**
XX-0-TEBLI-01970 [ex Pereny Hlavenec, Czech Republic]
- 59 0 ***Erigeron aureus*** Greene
XX-0-TUEB-1323 [ex BG Tübingen, Germany]
- 60 0 ***Erigeron aureus*** Greene
XX-0-TUEB-1952 [ex BG St. Gallen, Switzerland]
- 61 0 ***Erigeron caucasicus*** Steven
AT-0-IAGB197610G [ex BG Iasi, Romania]
- 62 0 ***Erigeron epiroticus*** (Vierh.) Halácsy
BA-0-M-1998/1565, loc. 1850 m, Bosnia and Herzegovina
[ex BG München, Germany]
- 63 0 ***Erigeron pulchellus*** Michx.
XX-0-BONN-29602 [ex BG Bonn, Germany]
- 64 0 ***Eriophyllum lanatum*** var. ***integritolium*** (Hook.) Smiley
US-0-TUEB-1462 [ex BG Tübingen, Germany]
- 65 0 ***Eupatorium fistulosum*** J. Barratt
US-0-JENA-7000 [ex BG Jena, Germany]
- 66 0 ***Eurybia divaricata*** (L.) G.L.Nesom (syn. *Aster divaricatus* L.)
US-0-MSTR-5583 [ex BG Jena, Germany]
- 67 0 ***Gaillardia x grandiflora*** Hort. ex Van Houtte **'Burgunder'**
XX-0-TEBLI-01971 [ex BG Lublin, Poland]
- 68 0 ***Gaillardia aristata*** Pursh **'Torch Light'**
XX-0-TEBLI-01285
- 69 0 ***Galatella linosyris*** (L.) Rchb.f. (syn. *Aster linosyris* (L.) Bernh.)
XX-0-TEBLI-00035 [ex Zahradní centrum, Czech Republic]
- 70 0 ***gen. et sp. indet.***
CL-0-TEBLI-01972, loc. Osorno Volcano, Osorno Province, Los Lagos Region,
Chile [col. Haager & Šedivá 2015]

- 71 0 ***Grindelia aegialitis*** Cabrera
AR-0-B-0470199 [ex BG Berlin-Dahlem, Germany]
- 72 0 ***Grindelia squarrosa*** (Pursh) Dunal
XX-0-HAL-980 [ex BG Halle, Germany]
- 73 0 ***Gutierrezia*** sp.
CL-0-TEBLI-01973, loc. Caleta El Toro, Limarí Province, Coquimbo Region, Chile
[col. Haager & Šedivá 2015]
- 74 0 ***Haplopappus macrocephalus*** (Poepp. ex Less) DC.
CL-0-TEBLI-01974 [col. M. Belov, ex Chileflora, Chile]
- 75 0 ***Helianopsis helianthoides*** (L.) Sweet var. ***scabra*** 'Bleeding Hearts'
XX-0-TEBLI-01975 [ex Jelitto, Germany]
- 76 0 ***Hieracium tomentosum*** L. [syn. *Hieracium lanatum* Vill.]
XX-0-TEBLI-01419 [ex Jelitto, Germany]
- 77 0 ***Hypochaeris*** sp.
CL-0-TEBLI-01976, loc. Valle Rio Teno, Maule Region, Chile
[col. Haager & Šedivá 2015]
- 78 0 ***Inula ensifolia*** L.
XX-0-TEBLI-01569 [ex BG Průhonice, Czech Republic]
- 79 0 ***Inula oculus-christi*** L.
XX-0-TEBLI-00076
- 80 0 ***Kemulariella caucasica*** (Willd.) Tamansch.
XX-0-LZ-S-30-2007 [ex BG Leipzig, Germany]
- 81 0 ***Parthenium integrifolium*** L.
XX-0-TEBLI-01576 [ex BG St. Louis, USA]
- 82 0 ***Porophyllum linaria*** (Cav.) DC.
XX-0-BONN-40680 [ex BG Bonn, Germany]
- 83 0 ***Porophyllum ruderale*** (Jacq.) Cass.
XX-0-TEBLI-01292 [ex BG LF MU Brno, Czech Republic]
- 84 0 ***Santolina pinnata*** Viv.
XX-0-TUEB-622 [ex BG Tübingen, Germany]
- 85 0 ***Santolina rosmarinifolia*** L.
XX-0-TEBLI-01831 [ex BG LF MU Brno, Czech Republic]
- 86 0 ***Sanvitalia procumbens*** Lam.
MX-0-STGAL-9160-Freiland(2016) [ex BG St. Gallen, Switzerland]
- 87 0 ***Senecio*** sp.
CL-0-TEBLI-01977, loc. Llaima Volcano, Conguillío NP, Cautín Province, Araucanía
Region Chile [col. Haager & Šedivá 2015]
- 88 0 ***Schlagintweitia intybacea*** (All.) Griseb. [syn. *Hieracium intybaceum* All.]
XX-0-TEBLI-01423 [ex Jelitto, Germany]
- 89 0 ***Silybum marianum*** (L.) Gaertn.
XX-0-TEBLI-01584

- 90 O ***Solidago chilensis*** Meyen
CL-0-TEBLI-01978, loc. Malalcaullelo-Nalcas, Araucanía Region, Chile
[col. Haager & Šedivá 2015]
- 91 O ***Tagetes erecta*** L.
XX-0-TEBLI-01979 [ex BG Turku, Finland]
- 92 O ***Tagetes patula*** L. 'Harlekin'
XX-0-CLA-3547 [ex BG Cluj-Napoca, Romania]
- 93 O ***Tagetes tenuifolia*** Cav. 'Ornament'
XX-0-TEBLI-01980 [ex Černý seeds s r. o., Czech Republic]
- 94 O ***Tanacetum balsamita*** L.
XX-0-TEBLI-01424 [ex BG UP Olomouc, Czech Republic]
- 95 O ***Tanacetum macrophyllum*** (Waldst. & Kit.) Sch.Bip
XX-0-TEBLI-01595 [ex Krulichovi, Czech Republic]
- 96 O ***Tragopogon porrifolius*** L. 'Mammoth Sandwich'
XX-0-TEBLI-01981 [ex BG Lublin, Poland]
- 97 O ***Tripleurospermum caucasicum*** (Willd.) Hayek
(syn. *Chrysanthemum caucasicum* (Willd.) Pers.)
XX-0-TEBLI-00092
- 98 O ***Ursinia anethoides*** (DC.) N.E.Br.
XX-0-STGL-5/1996 [ex BG St. Gallen, Switzerland]
- 99 O ***Ursinia calenduliflora*** (DC.) N.E.Br.
XX-0-HAL-83 [ex BG Halle, Germany]
- 100 O ***Ursinia speciosa*** DC.
XX-0-LZ-SYS-115-2018 [ex BG Leipzig, Germany]
- 101 O ***Viguiera revoluta*** (Meyen) S.F.Blake
CL-0-TEBLI-01982, loc. Embalse El Yeso, Cordillera Province, Santiago
Metropolitan Region, Chile [col. Haager & Šedivá, 2015]

Bassellaceae

- 102 G ***Anredera cordifolia*** (Ten.) Steenis
XX-0-TEBLI-01837

Begoniaceae

- 103 G ***Begonia poculifera*** Hook.f.
XX-0-TEBLI-01838 [ex BG Liberec, Czech Republic]

Boraginaceae

- 104 O ***Caccinia strigosa*** Boiss.
DE-0-IAGB197610G [ex BG Iasi, Romania]
- 105 G ***Cordia obovata*** Balf.f.
YE-0-TEBLI-00635, loc. Qaysoh Wadi, Socotra, Yemen [col. Bejček]

- 106 O ***Moltkia petraea*** (Tratt.) Griseb.
XX-0-TEBLI-01840 [ex Jelitto, Germany]
- 107 O ***Omphalodes linifolia*** (L.) Moench
XX-0-TEBLI-00133
- 108 O ***Phacelia minor*** (Harv.) Thell. ex F. Zimm.
XX-0-HOH-SYS-13411 [ex BG Stuttgart-Hohenheim]

Brassicaceae

- 109 O ***Aethionema „antitaurus“*** Boiss.
XX-0-TEBLI-01297 [ex BG St. Andrews, UK]
- 110 O ***Aethionema armenum*** Boiss
XX-0-TEBLI-00134 [ex BG Wien Belvedere, Austria]
- 111 O ***Aethionema grandiflorum*** Boiss. & Hohen
XX-0-TEBLI-01427 [ex BG Praha, Czech Republic]
- 112 O ***Aethionema schistosum*** Boiss. & Kotschy
XX-0-TEBLI-01605 [ex Jelitto, Germany]
- 113 O ***Aethionema schistosum*** Boiss. & Kotschy
XX-0-TEBLI-01301 [ex BG Vácrátót, Hungary]
- 114 O ***Coluteocarpus vesicaria*** (L.) Holmboe
XX-0-LI-6615 [ex BG Linz, Austria]
- 115 O ***Draba magellanica*** Lam.
AR-0-TEBLI-00639, loc. 1940 m, El Atravesado, W of Zapala, Neuquén Province, Argentina [ex BG Marburg, Germany]
- 116 O ***Erysimum rhaeticum*** (Schleich. ex Hornem.) DC.
XX-0-UDE-17-110-8-0 [ex BG Duisburg-Essen, Germany]
- 117 O ***Iberis amara*** L.
XX-0-TEBLI-01983 [ex BG Jibou, Romania]
- 118 O ***Isatis tinctoria*** L.
XX-0-TEBLI-00643 [ex BG Greifswald, Germany]
- 119 O ***Lepidium latifolium*** L.
XX-0-TEBLI-01607 [ex BG Chemnitz, Germany]
- 120 O ***Thlaspi minimum*** Ard. [syn. *Thlaspi kernerii* Huter]
XX-0-HAL-12104 [ex BG Halle, Germany]

Campanulaceae

- 121 O ***Adenophora khasiana*** (Hook. f. & Thomson) Oliv. ex Collett & Hemsl.
[syn. *Adenophora bulleyana* Diels]
XX-0-TEBLI-00156 [ex BG Vácrátót, Hungary]
- 122 O ***Campanula alliariifolia*** Wild.
[syn. *Campanula ochroleuca* (Kem.-Nath.) Kem.-Nath.]
XX-0-TEBLI-00649 [ex BG Linz, Austria]

- 123 O ***Campanula alpestris*** All.
XX-0-TEBLI-01610 [ex BG UP Olomouc, Czech Republic]
- 124 O ***Campanula alpina*** Jacq.
XX-0-TEBLI-01611 [ex BG Wien Belvedere, Austria]
- 125 O ***Campanula bayerniana*** Rupr.
XX-0-TEBLI-01984 [ex Gatineau, Canada]
- 126 O ***Campanula hierapetrae*** Rech.f.
XX-0-ZAVRT-3438 [ex BG Zagreb, Croatia]
- 127 O ***Campanula hofmannii*** (Pantan.) Greuter & Burdet
BA-0-DR-001855, loc. Bosnia and Herzegovina [ex BG Dresden, Germany]
- 128 O ***Campanula nobilimacrantha*** Regel
XX-0-TEBLI-01847 [ex BG Vilnius, Lithuania]
- 129 O ***Campanula petrophila*** Rupr.
XX-0-TEBLI-01985 [ex BG Perm, Russia]
- 130 O ***Campanula raineri*** Perp.
XX-0-TEBLI-01170 [ex BG Klaipeda, Lithuania]
- 131 O ***Campanula raineri*** Perp.
XX-0-TEBLI-01015 [ex BG Bielefeld, Germany]
- 132 O ***Campanula raineri*** Perp.
XX-0-TEBLI-01986 [ex Gatineau, Canada]
- 133 O ***Campanula rotundifolia*** L.
XX-0-TEBLI-00178 [ex BG Reykjavik, Iceland]
- 134 O ***Campanula speciosa*** Pourr.
XX-0-HOH-SYS-1822 [ex BG Stuttgart-Hohenheim, Germany]
- 135 O ***Campanula speciosa*** Pourr.
XX-0-TR-20083022 [ex BG Trento, Italy]
- 136 O ***Codonopsis clematidea*** (Schrenk) C.B.Clarke
XX-0-TEBLI-01614
- 137 O ***Jasione crispa*** (Pourr.) Samp.
XX-0-TEBLI-00188 [ex BG Aarhus, Denmark]
- 138 O ***Jasione laevis*** Lam.
XX-0-TEBLI-01987 [ex BG Chemnitz, Germany]
- 139 O ***Jasione laevis*** Lam.
XX-0-TEBLI-01848 [ex BG Šiauliai, Lithuania]
- 140 O ***Phyteuma humile*** Schleich. ex Murith
XX-0-TEBLI-01988 [ex Gatineau, Canada]
- 141 O ***Wahlenbergia capensis*** (L.) A.DC.
XX-0-TEBLI-01989 [ex BG Tartu, Estonian]

Caprifoliaceae

- 142 O ***Cephalaria gigantea*** (Lebed.) Bobrov
XX-0-TEBLI-00194 [ex BG Krefeld, Germany]

- 143 O ***Dipsacus sativus*** (L.) Honck.
XX-0-HOH-StuttGart-2517 [ex BG Stuttgart-Hohenheim, Germany]
- 144 O ***Lomelesia caucasica*** (M.Bieb.) Greuter & Burdet '**Perfecta Mid Blue'**
XX-0-TEBLI-01850 [ex Pereny Hlavenec, Czech Republic]
- 145 O ***Pterocephalus perennis*** DC.
XX-0-TEBLI-00196 [ex BG Copenhagen, Denmark]
- 146 O ***Scabiosa columbaria*** L.
XX-0-TEBLI-01620 [ex BG Konstanz, Germany]
- 147 O ***Scabiosa drakensbergensis*** B.L. Burtt
XX-0-TEBLI-01853 [ex BG Stavanger, Norway]

Caryophyllaceae

- 148 O ***Cerastium candidissimum*** Correns
GR-0-B-2719389, loc. Sterea Ellas, Nomos Viotias, Parnass-Gebirge, Kalk, 2100m, Greece [ex BG Berlin-Dahlem, Germany]
- 149 O ***Dianthus acicularis*** Fisch. ex Ledeb
XX-0-TEBLI-01990 [ex BG Linz, Austria]
- 150 O ***Dianthus anatolicus*** Boiss.
XX-0-TEBLI-01177 [ex BG Cluj-Napoca, Romania]
- 151 O ***Dianthus andrzejowskianus*** Kulcz.
XX-0-TEBLI-01622 [ex BG Izhevsk, Russia]
- 152 O ***Dianthus angrenicus*** Vved.
KZ-0-IB-018355 [ex BG Innsbruck, Austria]
- 153 O ***Dianthus deltoides*** L. '**Arctic Fire'**
XX-0-TEBLI-01855 [ex BG Izhevsk, Russia]
- 154 O ***Dianthus giganteiformis*** subsp. ***pontederae*** (A.Kern.) Soó
XX-0-TEBLI-01856 [ex BG Průhonice, Czech Republic]
- 155 O ***Dianthus gracilis*** Sm.
XX-0-TEBLI-01024 [ex BG Klaipeda, Lithuania]
- 156 O ***Dianthus graniticus*** Jord.
XX-0-TEBLI-01991 [ex BG Klaipeda, Lithuania]
- 157 O ***Dianthus henteri*** Heuff. ex Griaseb. & Schenk
RO-0-CLA-3040, loc. 45°22'N 22°33'E, 1400 m, Retezat Mountains, Romania
[col. G. Groza 2000, ex BG Cluj-Napoca, Romania]
- 158 O ***Dianthus chinensis*** L. [syn. *Dianthus amurensis* Jacques]
XX-0-HAL-7698 [ex BG Halle, Germany]
- 159 O ***Dianthus plumarius*** subsp. ***lumnitzeri*** (Wiesb.) Domin
[syn. *Dianthus moravicus* Kovanda]
XX-0-TEBLI-01992 [ex BG Volgograd, Russia]
- 160 O ***Dianthus plumarius*** subsp. ***lumnitzeri*** (Wiesb.) Domin
[syn. *Dianthus moravicus* Kovanda]
XX-0-TEBLI-00230 [ex BG MU Brno, Czech Republic]

- 161 O ***Dianthus plumarius*** subsp. ***lumnitzeri*** (Wiesb.) Domin
 [syn. *Dianthus moravicus* Kovanda]
 XX-0-TEBLI-01305 [ex BG Wien Belvedere, Austria]
- 162 O ***Dianthus ruprechtii*** Schischk. ex Grossh.
 XX-0-TEBLI-01993 [ex BG Šiauliai, Lithuania]
- 163 O ***Dianthus squarrosus*** M.Bieb
 XX-0-TEBLI-01994 [ex BG Volgograd, Russia]
- 164 O ***Dianthus sternbergii*** Sieber ex Capelli
 XX-0-TEBLI-01630 [ex BG Jibou, Romania]
- 165 O ***Dianthus subacaulis*** Vill.
 frOu-1994BL01124 [ex BG Utrecht, Netherlands]
- 166 O ***Dianthus tianschanicus*** Schischk.
 XX-0-TEBLI-01861
- 167 O ***Dianthus turkestanicus*** Preobr.
 XX-0-HAL-2589 [ex BG Halle, Germany]
- 168 O ***Dianthus uralensis*** Korsh.
 XX-0-TEBLI-01631 [ex BG Bormio, Italy]
- 169 O ***Dianthus webbianus*** Parl. ex Vis. [syn. *Dianthus erinaceus* Boiss.]
 XX-0-TEBLI-01027 [ex BG Bormio, Italy]
- 170 O ***Gypsophila libanotica*** Boiss.
 XX-0-TEBLI-01632 [ex BG Łódź, Poland]
- 171 O ***Saponaria calabrica*** Guss.
 XX-0-DR-002075 [ex BG Dresden, Germany]
- 172 O ***Silene alpestris*** Jacq. [syn. *Heliosperma alpestre* (Jacq.) Rchb.]
 XX-0-TEBLI-01435 [ex BG Wien, Austria]
- 173 O ***Silene caramanica*** Boiss. & Heldr.
 XX-0-JENA-7291710 [ex BG Jena, Germany]
- 174 O ***Silene caroliniana*** subsp. ***wherryi*** (Small) R.T.Clausen
 XX-0-TEBLI-01635 [ex BG Jelitto, Germany]
- 175 O ***Silene coronaria*** (Desr.) Clairv. ex Rchb. 'Alba'
 XX-0-TEBLI-01188 [ex BG Milano, Italy]
- 176 O ***Silene dinarica*** Spreng.
 XX-0-TEBLI-00665 [ex BG St. Andrews, UK]
- 177 O ***Silene elisabethae*** Jan.
 IT-0-Z-19971146 [ex BG Frankfurt, Germany]
- 178 O ***Silene flos-jovis*** (L.) Greuter & Burdet 'Nana' [syn. *Lychnis flos-jovis* (L.) Desr.]
 XX-0-TEBLI-00857 [ex BG Debrecen, Hungary]
- 179 O ***Silene chalcedonica*** (L.) E.H.L.Krause [syn. *Lychnis chalcedonica* L.]
 XX-0-TEBLI-01189 [ex BG Linz, Austria]
- 180 O ***Silene chungtienensis*** W.W. Sm.
 CN-0-TEBLI-00667, loc. 3659 m, Zhongdian Plateau, Yunnan Province, China
 [ex BG Marburg, Germany]

- 181 O ***Silene mexicana*** Moc. & Sessé ex Otth
XX-0-TEBLI-00668
- 182 O ***Silene samojedorum*** (Sambuk) Oxelman
XX-0-TEBLI-00244
- 183 O ***Silene saxatilis*** Sims
XX-0-TEBLI-00245
- 184 O ***Silene saxifraga*** L. [syn. *Silene petraea* Waldst. & Kit.]
XX-0-BONN-9540 [ex BG Bonn, Germany]
- 185 O ***Silene saxifraga*** L. [syn. *Silene petraea* Waldst. & Kit.]
XX-0-TEBLI-00246 [ex BG Wien Belvedere, Austria]
- 186 O ***Silene undulata*** Aiton
XX-0-TEBLI-01638 [ex ZBG Plzeň, Czech Republic]

Cistaceae

- 187 O ***Helianthemum apenninum*** (L.) Mill.
FR-0-B-0721197 [ex BG Berlin-Dahlem, Germany]

Combretaceae

- 188 G ***Combretum*** sp.
MG-0-TEBLI-01995, loc. Tuleár-Behaloka, Madagascar
[ex BG Praha, Czech Republic]

Crassulaceae

- 189 G ***Kalanchoe flammea*** Stapf
XX-0-TEBLI-01996
- 190 G ***Kalanchoe humilis*** Britten
XX-0-TEBLI-01643
- 191 O ***Rhodiola kirilowii*** (Regel) Maxim.
XX-0-TEBLI-01997 [ex BG Perm, Russia]

Droseraceae

- 192 G ***Drosera capensis*** L. f. *alba*
XX-0-TEBLI-01998
- 193 G ***Drosera kansaiensis*** Debbert
XX-0-M-2007/13232001/532 [ex BG Marburg, Germany]

Ericaceae

- 194 G ***Sphyrospermum buxifolium*** Poepp. & Endl.
XX-0-TEBLI-00860 [ex BG New York - Bronx Park, USA]
- 195 G ***Sphyrospermum cordifolium*** Benth.
XX-0-TEBLI-00861 [ex BG New York - Bronx Park, USA]

- 196 G ***Sphyrospermum ellipticum*** Sleumer
EC-0-TEBLI-01193, loc. Ecuador [ex BG Praha, Czech Republic]

Fabaceae

- 197 G ***Abrus precatorius*** L.
XX-0-TEBLI-01032 [ex BG Duisburg-Essen, Germany]
- 198 O ***Astragalus cicer*** L.
XX-0-TEBLI-01999 [ex BG Chemnitz, Germany]
- 199 O ***Astragalus mongolicus*** Bunge
XX-0-TEBLI-01653 [ex Jelitto, Germany]
- 200 G ***Cajanus goensis*** Dalzell
XX-0-TEBLI-01654 [ex ČZU Praha-Suchdol, Czech Republic]
- 201 O ***Colutea orientalis*** Mill.
XX-0-TEBLI-02071 [ex BG Klagenfurt, Austria]
- 202 G ***Dichrostachys cinerea*** (L.) Wight & Arn.
XX-0-TEBLI-01867
- 203 G ***Mimosa pudica*** L.
XX-0-TEBLI-01657 [ex BG Ljubljana, Slovenia]
- 204 G ***Senna septemtrionalis*** (Viv.) H.S.Irwin & Barneby
XX-0-TEBLI-01868

Gentianaceae

- 205 O ***Gentiana burseri*** Lapeyr.
XX-0-TEBLI-01440 [ex BG Bielefeld, Germany]
- 206 O ***Gentiana capitata*** Buch.-Ham. ex D. Don [syn. *Gentiana andersonii* C.B. Clarke]
XX-0-TEBLI-01659 [ex BG St. Andrews, UK]
- 207 O ***Gentiana cruciata*** L.
[syn. *Gentiana cruciata* subsp. *phlogifolia* (Schott & Kotschy) Tutin]
XX-0-TEBLI-01441 [ex BG Debrecen, Hungary]
- 208 O ***Gentiana decumbens*** L.f.
XX-0-TEBLI-01870 [ex BG Halle, Germany]
- 209 O ***Gentiana feterii*** auct.
XX-0-TEBLI-00273 [ex BG Wien Belvedere, Austria]
- 210 O ***Gentiana gelida*** M. Bieb.
XX-0-TEBLI-00274 [ex BG Nantes, France]
- 211 O ***Gentiana macrophylla*** Pall.
XX-0-TEBLI-02000 [ex BG Wien Belvedere, Austria]
- 212 O ***Gentiana nubigena*** Edgew.
XX-0-IB-010225 [ex BG Innsbruck, Austria]
- 213 O ***Gentiana puberulenta*** J. S. Pringle
XX-0-TEBLI-01660 [ex BG Edmonton, Canada]

- 214 O ***Gentiana robusta*** King ex Hook. f
XX-0-TEBLI-01442 [ex BG Nantes, France]
- 215 O ***Gentiana scabra*** Bunge
XX-0-TEBLI-00862 [ex BG Klagenfurt, Austria]
- 216 O ***Gentiana siphonantha*** Maxim. ex Kusn.
CN-0-M-1993/2566, loc. 2700 m, Mt. Emei and Jiuzhaigou County, Sichuan Province, China [ex BG München, Germany]
- 217 O ***Gentiana siphonantha*** Maxim. ex Kusn.
XX-0-TEBLI-00280 [ex BG Aarhus, Denmark]
- 218 O ***Gentiana tianschanica*** Rupr. ex Kusn.
XX-0-TEBLI-00281 [ex BG Jena, Germany]
- 219 O ***Gentiana utriculosa*** L.
XX-0-TEBLI-00283 [ex BG Wien, Austria]
- 220 O ***Gentiana vernayi*** C. Marquand [syn. *Gentiana bhutanica* Grubov]
XX-0-TEBLI-00285 [ex BG Copenhagen, Denmark]
- 221 O ***Gentiana walujewii*** Regel & Schmalh.
[syn. *Gentiana walujewii* var. *kesselringii* Kusn.]
XX-0-TEBLI-00286 [ex BG Klagenfurt, Austria]

Geraniaceae

- 222 O ***Erodium gruinum*** (L.) L'Hér.
XX-0-STR-2013331 [ex BG Strasbourg, France]

Gesneriaceae

- 223 G ***Gloxinella lindeniana*** (Regel) Roalson & Boggan
XX-0-TEBLI-02002 [ex BG Düsseldorf, Germany]

Hydrangeaceae

- 224 O ***Carpenteria californica*** Torr.
XX-0-TEBLI-01200

Hypericaceae

- 225 O ***Hypericum androsaemum*** L.
IT-0-TEBLI-02003, loc. Apuan Alps, Lucca, Italy [ex BG Parma, Italy]
- 226 O ***Hypericum olympicum*** L.
BG-0-TEBLI-02004, loc. Melnik, Bulgaria [col. A. Frolíková]
- 227 O ***Hypericum reptans*** Hook.f. & Thomson ex Dyer
XX-0-TEBLI-01872 [ex BG Wien Belvedere, Austria]

Lamiaceae

- 228 O ***Ballota acetabulosa*** (L.) Benth.
GR-0-TEBLI-01203, loc. Delfy, 574 m, Greece [ex MNHN Paris, France]

- 229 O ***Cedronella canariensis*** (L.) Webb & Berthel.
XX-0-TEBLI-01316 [ex Krulichovi, Czech Republic]
- 230 G ***Clerodendrum speciosissimum*** Drapiez
XX-0-TEBLI-00871 [ex BG TU Dresden, Germany]
- 231 O ***Dracocephalum argunense*** Fisch. ex Link
XX-0-TEBLI-01874 [ex BG New Foundland, Canada]
- 232 O ***Dracocephalum bullatum*** Forrest ex Diels
XX-0-TEBLI-00312 [ex BG Giessen, Germany]
- 233 O ***Dracocephalum grandiflorum*** L.
XX-0-TEBLI-00685 [ex BG MU Brno, Czech Republic]
- 234 O ***Dracocephalum moldavica*** L. var. ***album***
XX-0-TEBLI-02005 [ex BG LF MU Brno, Czech Republic]
- 235 O ***Dracocephalum ruyschiana*** L.
XX-0-UNKAR-2012-7688 [ex BG Karlsruhe, Germany]
- 236 O ***Hyssopus seravschanicus*** (Dubj.) Pazij
XX-0-TEBLI-00316
- 237 O ***Leonurus cardiaca*** L.
XX-0-TEBLI-01669 [ex BG LF MU Brno, Czech Republic]
- 238 O ***Mentha gattefossei*** Maire
MA-0-BONN-28695 [ex ZBG Plzeň, Czech Republic]
- 239 O ***Ocimum basilicum*** L. 'Red Rubin'
XX-0-TEBLI-02006 [ex Semo Smržice]
- 240 O ***Ocimum gratissimum*** L. 'Thymol type – thyme scented'
XX-0-TEBLI-02007 [ex BG Frankfurt, Germany]
- 241 O ***Ocimum kilimandscharicum*** Gürke
XX-0-BONN-27895 [ex BG Caen, France]
- 242 O ***Ocimum tenuiflorum*** L.
XX-0-TEBLI-02008 [ex BG La Gacilly, France]
- 243 O ***Phlomis russeliana*** (Sims) Lag. ex Benth.
XX-0-LZ-S-73-2013 [ex BG Leipzig, Germany]
- 244 O ***Salvia argentea*** L.
XX-0-TEBLI-02009 [ex BG Riga, Lithuania]
- 245 O ***Salvia bucharica*** Popov
XX-0-TEBLI-02010 [ex BG Nantes, France]
- 246 O ***Salvia dumetorum*** Andrz. ex Besser (syn. *Salvia stepposa* Des.-Shost.)
XX-0-TEBLI-02011
- 247 O ***Salvia lyrata*** L. 'Purple Knockout'
XX-0-TEBLI-02012 [ex Černý seeds s r. o., Czech Republic]
- 248 O ***Salvia verticillata*** subsp. ***amasiaca*** (Freyn & Bornm.) Bornm.
XX-0-TEBLI-00336
- 249 O ***Scutellaria alpina*** L.
XX-0-TEBLI-00338 [ex BG Bochum, Germany]

- 250 O ***Scutellaria baicalensis*** Georgi
XX-0-TEBLI-00339 [ex BG Łódź, Poland]
- 251 O ***Sideritis scardica*** Griseb.
GR-0-B-2419292 [ex BG München, Germany]
- 252 O ***Stachys byzantina*** K.Koch
TR-0-GIESS-2009-J-371 [ex BG Giessen, Germany]
- 253 O ***Stachys discolor*** Benth.
XX-0-TEBLI-01888 [ex BG Krefeld, Germany]
- 254 O ***Teucrium orientale*** L.
GE-0-M-2012/2456, loc. Tsaghveri, Samcche-Džavachetie, Georgia
[ex BG München, Germany]

Linaceae

- 255 O ***Linum altaicum*** Ledeb. ex Juz.
XX-0-KIEL-1989-5965-70-10 [ex BG Kiel, Germany]
- 256 O ***Linum campanulatum*** L.
XX-0-BGAT-0000978 [ex BG Wien Belvedere, Austria]
- 257 O ***Linum leonii*** F.W.Schultz
XX-0-TEBLI-00346 [ex BG Giessen, Germany]
- 258 O ***Linum lewisii*** Pursh
XX-0-TEBLI-01048 [ex BG Seattle, USA]

Loasaceae

- 259 O ***Blumenbachia insignis*** Schrad.
XX-0-DR-008828 [ex BG Cluj-Napoca, Romania]

Malvaceae

- 260 G ***Abroma augusta*** (L.) L.f.
XX-0-TEBLI-00350 [ex Sunshine Seeds, Germany]
- 261 O ***Alcea froloviiana*** (Litw.) Iljin
XX-0-TEBLI-02013
- 262 O ***Alcea rosea*** L.
XX-0-TEBLI-02014 [ex BG Průhonice, Czech Republic]
- 263 O ***Callirhoe involucrata*** (Torr. & A.Gray) A.Gray
XX-0-Z-20071311 [ex BG Zürich, Switzerland]
- 264 G ***Gossypium herbaceum*** L.
XX-0-TEBLI-02015 [ex BG Padova, Italy]
- 265 G ***Helicteres jamaicensis*** Jacq.
XX-0-TEBLI-02016 [ex BG Berlin-Dahlem, Germany]
- 266 G ***Hibiscus acetosella*** Welw. ex Hiern
XX-0-TEBLI-00877 [ex Sementes, Germany]

- 267 G ***Hibiscus calyphyllus*** Cav.
XX-0-TEBLI-00705
- 268 G ***Hibiscus pedunculatus*** L. f.
XX-0-TEBLI-00708
- 269 O ***Lavatera trimestris*** L. 'Tanagra'
XX-0-TEBLI-02017 [ex BG Krefeld, Germany]
- 270 O ***Palaua trisepala*** Hochr.
PE-0-LZ-ZG-13-2008 [ex BG Leipzig, Germany]

Martyniaceae

- 271 O ***Proboscidea parviflora*** (Wooton) Wooton & Standl.
XX-0-TEBLI-01699 [ex BG Padova, Italy]

Melastomataceae

- 272 G ***Calvoa orientalis*** Taub.
XX-0-TEBLI-01898 [ex ZBG Stuttgart-Wilhelma, Germany]
- 273 G ***Clidemia hirsuta*** Griseb.
XX-0-TEBLI-01899 [ex BG Nantes, France]
- 274 G ***Monolena primuliflora*** Hook.f.
EC-0-TEBLI-00356, loc. San Francisco de Borja, near Baeza, Ecuador
[col. J. R. Haager]

Meliaceae

- 275 G ***Turraea heterophylla*** Sm.
XX-0-TEBLI-02018 [ex BG Kiel, Germany]

Onagraceae

- 276 O ***Epilobium angustifolium*** L.
CZ-0-TEBLI-02019, loc. Teplice, Czech Republic [col. H. Eichhorn]
- 277 O ***Oenothera versicolor*** Lehm.
XX-0-TEBLI-01904 [ex BG Pécs, Hungary]

Paeoniaceae

- 278 O ***Paeonia daurica*** subsp. ***coriifolia*** (Rupr.) D.Y.Hong
GE-0-M-2002/2513, loc. 1900 m, Oni, Georgia [ex BG München, Germany]
- 279 O ***Paeonia mascula*** (L.) Mill.
XX-0-TEBLI-02020 [ex BG Průhonice, Czech Republic]
- 280 O ***Paeonia suffruticosa*** var. ***papaveracea*** (Andrews) A. Kern.
XX-0-TEBLI-01334 [ex Kaichen Nursery, China]

Papaveraceae

- 281 O ***Argemone mexicana*** L.
XX-BOCH-2014-306 [ex BG Bochum, Germany]
- 282 O ***Argemone polyanthemos*** (Fedde) Ownbey
XX-0-STGAL-137/1994-70 [ex BG Jena, Germany]
- 283 O ***Papaver amurense*** (N. Busch) N. Busch ex Tolm.
XX-0-TEBLI-02021 [ex BG Vladivostok, Russia]
- 284 O ***Papaver atlanticum*** Coss.
XX-0-TEBLI-00720 [ex Cambridge, UK]
- 285 O ***Papaver orientale*** L. 'Blood Red'
XX-0-TEBLI-01905
- 286 O ***Papaver orientale*** L. 'Princess Elisabeth'
XX-0-TEBLI-01907
- 287 O ***Papaver orientale*** L. 'Royal Wedding'
XX-0-TEBLI-01908 [ex BG Weinheim, Germany]
- 288 O ***Papaver spicatum*** Boiss. & Balansa
IR-0-M-1994/1869 [ex BG München, Germany]

Passifloraceae

- 289 G ***Passiflora calcarata*** Mast.
MG-0-TEBLI-00372

Phrymaceae

- 290 O ***Mimulus guttatus*** DC.
XX-0-HOH-StudGart-5678 [ex BG Bremen, Germany]

Phytolaccaceae

- 291 G ***Phytolacca rugosa*** A.Braun & C.D.Bouché
GT-0-TEBLI-02022, loc. Volcán Tajumulco, Guatemala [col. Haager & Rybková]
- 292 G ***Rivina humilis*** L.
XX-0-TEBLI-01910 [ex BG Giessen, Germany]
- 293 G ***Rivina humilis*** L.
XX-0-TEBLI-01222 [ex BG Giessen, Germany]

Plantaginaceae

- 294 O ***Antirrhinum braun-blanquetii*** Rothm.
ES-0-HBG-AO-F-8516 [ex BG Zürich, Switzerland]
- 295 O ***Collinsia heterophylla*** Graham
XX-0-ROST-2003-F-2450 [ex BG Rostock, Germany]
- 296 O ***Digitalis mariana*** Boiss.
XX-0-TEBLI-02023 [ex BG Lublin, Poland]

- 297 O ***Globularia cordifolia*** L.
XX-0-TEBLI-01912 [ex BG Warszawa, Poland]
- 298 O ***Globularia incanescens*** Viv.
XX-0-GENT-20121818 [ex BG Gent, Belgium]
- 299 O ***Globularia punctata*** Lapeyr.
XX-0-ROST-2003-F-2762 [ex BG Rostock, Germany]
- 300 O ***Globularia punctata*** Lapeyr.
XX-0-TEBLI-01059 [ex BG Vácrátót, Hungary]
- 301 O ***Globularia trichosantha*** Fisch. & C.A.Mey.
XX-0-TEBLI-00887 [ex BG Chemnitz, Germany]
- 302 O ***Globularia trichosantha*** Fisch. & C.A.Mey
XX-0-FB-1861 [ex BG Freiburg, Germany]
- 303 O ***Globularia valentina*** Willk.
XX-0-TEBLI-01061 [ex BG Jena, Germany]
- 304 O ***Globularia vulgaris*** L. [syn. *Globularia bisnagarica* L.]
XX-0-TEBLI-00394 [ex BG Zürich, Switzerland]
- 305 O ***Globularia vulgaris*** L. [syn. *Globularia bisnagarica* L.]
CZ-0-PLZEN-1990-15-70 [ex ZBG Plzeň, Czech Republic]
- 306 O ***Linaria reticulata*** (Sm.) Desf.
XX-0-TEBLI-02024 [ex BG Tartu, Estonian]
- 307 O ***Penstemon ×mexicali 'Sunburst Ruby'***
XX-0-TEBLI-01460 [ex BG Weinheim, Germany]
- 308 O ***Penstemon alpinus*** Torr.
XX-0-TEBLI-02025 [ex BG Krakow, Poland]
- 309 O ***Penstemon azureus*** Benth.
[syn. *Penstemon heterophyllus* var. *azureus* (Benth.) Jeps.]
XX-0-BONN-9371 [ex BG Bonn, Germany]
- 310 O ***Penstemon campanulatus*** (Cav.) Willd.
XX-HOH-SYS-5693 [ex BG Stuttgart-Hohenheim, Germany]
- 311 O ***Penstemon cardinalis*** Wooton & Standl.
US-0-FRT-2011/348 [ex BG Klagenfurt, Austria]
- 312 O ***Penstemon gentianoides*** (Kunth) Poir.
XX-0-TEBLI-02026 [ex BG Bormio, Italy]
- 313 O ***Penstemon glaber* var. *alpinus*** (Torr.) A.Gray [syn. *Penstemon alpinus* Torr.]
US-0-U-1996BL00291, loc. 2300 m, Jefferson County, CO, USA
[ex BG Utrecht, Netherlands]
- 314 O ***Penstemon grandiflorus*** Nutt.
XX-0-TEBLI-00406 [ex BG Denver, USA]
- 315 O ***Penstemon hartwegii*** Benth. 'Giganteus'
XX-0-TEBLI-01065
- 316 O ***Penstemon hirsutus*** (L.) Willd. 'Pygmaeus'
XX-0-KAUN-2005-PF1273 [ex BG Kaunas, Lithuania]

- 317 O ***Penstemon humilis*** Nutt. ex A.Gray
XX-0-TEBLI-01721 [ex BG Šiauliai, Lithuania]
- 318 O ***Penstemon nanus*** D.D.Keck
XX-0-TEBLI-00891 [ex BG Kaunas, Lithuania]
- 319 O ***Penstemon newberryi*** A.Gray
XX-0-TEBLI-01339 [ex BG Linz, Austria]
- 320 O ***Penstemon newberryi*** var. ***berryi*** (Eastw.) N. H. Holmgren
[syn. *Penstemon newberryi* subsp. *berryi* (Eastw.) D. D. Keck]
US-0-M-2008/1051, loc. 42°12.2'N 123°27.329'W, 1700 m, 1.3 mile E
of Bolan Lakes Jct., Siskiyou Mts., OR, USA [ex BG München, Germany]
- 321 O ***Penstemon richardsonii*** Douglas
XX-0-TEBLI-00415 [ex BG Glasgow, UK]
- 322 O ***Penstemon wilcoxii*** Rydb.
XX-0-TEBLI-00417
- 323 O ***Plantago sempervirens*** Crantz
XX-0-HAL-3935 [ex BG Halle, Germany]
- 324 O ***Rehmannia elata*** N.E.Br. ex Prain
XX-0-TEBLI-01915 [ex RHS Garden Wisley, UK]
- 325 O ***Rehmannia glutinosa*** (Gaertn.) DC.
XX-0-TEBLI-02027 [ex Ing. Jelínek]
- 326 O ***Veronica austriaca*** subsp. ***teucrium*** (L.) D.A.Webb
XX-0-TEBLI-01723
- 327 O ***Veronica longifolia*** L.
XX-0-TEBLI-02028 [ex BG Volgograd, Russia]

Plumbaginaceae

- 328 O ***Acantholimon caryophyllum*** Boiss.
XX-0-TEBLI-02029 [ex BG Denver, USA]
- 329 O ***Armeria allicaea*** (Cav.) Hoffmanns. & Link
XX-0-TR-20094011 [ex BG Trento, Italy]
- 330 O ***Armeria alpina*** (DC.) Willd.
XX-0-TEBLI-01465 [ex BG Košice, Slovak Republic]
- 331 O ***Armeria berlengensis*** Daveau
XX-0-Z-20011771 [ex BG Akureyri, Iceland]
- 332 O ***Armeria cariensis*** Boiss.
XX-0-TEBLI-01918 [ex BG Aarhus, Denmark]
- 333 O ***Armeria cariensis*** Boiss.
XX-0-TEBLI-01728 [ex BG Cluj-Napoca, Romania]
- 334 O ***Armeria curvifolia*** Bertero
XX-0-TEBLI-01919 [ex BG Utrecht, Netherlands]
- 335 O ***Armeria pinifolia*** (Brot.) Hoffmanns. & Link
XX-0-TEBLI-00897 [ex BG Vácrátót, Hungary]

- 336 O ***Armeria splendens*** (Lag. & Rodr.) Webb
XX-0-TEBLI-01226 [ex BG Bormio, Italy]
- 337 O ***Limonium minutum*** (L.) Fourr.
XX-0-TEBLI-02030 [ex BG Krefeld, Germany]
- 338 O ***Limonium minutum*** (L.) Fourr.
XX-0-U-1984BL00199 [ex BG Utrecht, Netherlands]

Polemoniaceae

- 339 O ***Collomia grandiflora*** Douglas ex Lindl.
XX-0-ROST-2003-F-2442 [ex BG Rostock, Germany]
- 340 O ***Collomia grandiflora*** Douglas ex Lindl.
XX-0-TEBLI-02031
- 341 O ***Polemonium kiushianum*** Kitam
XX-0-TEBLI-02032 [ex BG Nantes, France]

Polygonaceae

- 342 O ***Persicaria tinctoria*** (Aiton) H.Gross
XX-0-TEBLI-02033 [ex BG Bielefeld, Germany]
- 343 O ***Rheum ribes*** L.
XX-0-TEBLI-02034 [ex BG Bormio, Italy]

Portulacaceae

- 344 O ***Calandrinia crassifolia*** Phil.
CL-0-TEBLI-02035, loc. Totoralilo, Limarí Province, Coquimbo Region, Chile
[Haager & Šedivá 2011]
- 345 O ***Cistanthe cf. grandiflora***
CL-0-TEBLI-02036, loc. Los Quenes, Curicó Province, Maule Region, Chile
[Haager & Šedivá 2015]

Primulaceae

- 346 G ***Ardisia compressa*** Kunth
XX-0-TEBLI-01922
- 347 G ***Ardisia humilis*** Vahl
XX-0-TEBLI-01345
- 348 G ***Ardisia solanacea*** (Poir.) Roxb.
XX-0-TEBLI-01346
- 349 O ***Dodecatheon jeffreyi*** Van Houtte
XX-0-TEBLI-01347 [ex BG Wien Belvedere, Austria]
- 350 O ***Primula elatior*** subsp. ***pallasii*** W.W.Sm. & Forrest
XX-0-TEBLI-01230 [ex BG Šiauliai, Lithuania]
- 351 O ***Primula vialii*** Delavay ex Franch.
XX-0-TEBLI-02037 [ex BG Marburg, Germany]

Ranunculaceae

- 352 O ***Anemone rupicola*** Cambess.
XX-0-LZ-A-52-2002 [ex BG Leipzig, Germany]
- 353 O ***Aquilegia alpina*** L.
XX-0-LZ-A-167-1996 [ex BG Leipzig, Germany]
- 354 O ***Aquilegia bernardii*** Gren. & Gord.
XX-0-TEBLI-00451 [ex BG Vácrátót, Hungary]
- 355 O ***Aquilegia bernardii*** Gren. & Gord.
XX-0-TEBLI-00451 [ex BG Akureyri, Iceland]
- 356 O ***Aquilegia bertolonii*** Schott
XX-0-TEBLI-01924 [ex BG Jibou, Romania]
- 357 O ***Aquilegia bertolonii*** Schott
XX-0-TEBLI-01232 [ex BG Bormio, Italy]
- 358 O ***Aquilegia einseleana*** F.W.Schultz
XX-0-LZ-A-76-1997 [ex BG Leipzig, Germany]
- 359 O ***Aquilegia flabellata*** Siebold & Zucc. '**Alba**'
[syn. *Aquilegia flabellata* var. *pumila* (Huth) Kudô]
XX-0-TEBLI-01741 [ex Jelitto, Germany]
- 360 O ***Aquilegia grata*** Maly ex Zimmeter
XX-0-TEBLI-01925 [ex BG Bielefeld, Germany]
- 361 O ***Aquilegia pyrenaica*** subsp. ***discolor*** (Levier & Leresche) Pereda & Laíñz
XX-0-TEBLI-00460 [ex BG Northampton, USA]
- 362 O ***Delphinium brunonianum*** Royle
XX-0-TEBLI-00751 [ex BG Olomouc, Czech Republic]
- 363 O ***Delphinium caucasicum*** C.A.Mey
XX-0-TEBLI-01351 [ex BG Bormio, Italy]
- 364 O ***Glaucidium palmatum*** Siebold & Zucc.
XX-0-TEBLI-01352 [ex BG Schellerhau, Germany]
- 365 O ***Nigella damascena*** L. '**Persian Jewels Group**'
XX-0-TEBLI-0168 [ex Černý seeds s r.o., Czech Republic]
- 366 O ***Nigella papillosa*** G.López
XX-0-TEBLI-02038 [ex RHS Garden Wisley, UK]

Rosaceae

- 367 O ***Acaena viridior*** (Cockayne) Allan
XX-0-LZ-N-14-1998 [ex BG Leipzig, Germany]
- 368 O ***Comarum salesovianum*** (Stephan) Asch. & Graebn.
XX-0-TEBLI-02039 [ex BG Marburg, Germany]
- 369 O ***Geum calthifolium*** Menzies ex Sm.
XX-0-TEBLI-01928 [ex BG Chemnitz, Germany]

- 370 O ***Geum coccineum*** Sibth. & Sm. 'Orange Queen'
XX-0-TEBLI-02040 [ex Pereny Hlavenec, Czech Republic]
- 371 O ***Geum pyrenaicum*** Mill.
XX-0-TEBLI-00483 [ex BG Geneve, Switzerland]
- 372 O ***Geum pyrenaicum*** Mill.
XX-0-TEBLI-00484 [ex BG Olomouc, Czech Republic]
- 373 O ***Geum quellyon*** Sweet [syn. *Geum magellanicum* Comm. ex Pers.]
AR-0-TEBLI-00923, loc. Perito Moreno Glacier, Santa Cruz Province, Argentina
[ex ZBG Plzeň, Czech Republic]
- 374 O ***Potentilla atrosanguinea*** G.Lodd. ex D.Don
XX-0-TEBLI-00487
- 375 O ***Potentilla gracilis*** var. ***fastigiata*** (Nutt. ex Torr. & A.Gray) S.Watson
XX-0-TEBLI-02041 [ex BG Marburg, Germany]
- 376 O ***Potentilla griffithii*** Hook.f.
XX-0-TEBLI-00489 [ex BG Besançon, France]
- 377 O ***Potentilla nepalensis*** Hook.
DK-0-BR-2008123807 [ex BG Meise, Belgium]
- 378 O ***Potentilla thurberi*** A.Gray
XX-0-TEBLI-01746 [ex BG Zürich, Switzerland]
- 379 O ***Rubus laciniatus*** (Weston) Willd.
XX-0-TEBLI-01749
- 380 O ***Rubus odoratus*** L.
XX-0-TEBLI-01750 [ex Northhampton, USA]
- 381 O ***Rubus phoenicolasius*** Maxim.
XX-0-TEBLI-01930 [ex BG Lublin, Poland]

Rubiaceae

- 382 O ***Phuopsis stylosa*** (Trin.) Hook.f ex B.D.Jacks.
XX-0-TEBLI-01357 [ex BG Cluj-Napoca, Romania]
- 383 G ***Psychotria punctata*** var. ***punctata*** [syn. *Psychotria bacteriophila* Valeton]
XX-0-TEBLI-00925

Rutaceae

- 384 O ***Ruta montana*** (L.) L.
XX-0-TEBLI-01754 [ex Arboretum Simeria, Romania]
- 385 O ***Zanthoxylum bungeanum*** Maxim (syn. *Zanthoxylum simulans* Hance)
XX-0-TEBLI-00927

Salicaceae

- 386 G ***Dovyalis monbazaie*** Tul.
MG-0-TEBLI-02042, loc. Betioky, Madagascar [col. L. Kunte]

Saxifragaceae

- 387 O ***Heuchera ×brizoides* 'Firefly'**
XX-0-TEBLI-02043 [ex Černý seeds s r.o., Czech Republic]
- 388 O ***Saxifraga crustata* Vest.**
XX-0-ROST-2003-F-3405 [ex BG Rostock, Germany]

Scrophulariaceae

- 389 O ***Nemesia strumosa* Benth. 'KLM'**
XX-0-TEBLI-02044 [ex Černý seeds s r.o., Czech Republic]
- 390 O ***Phygelius aequalis* Harv. Ex Hiern 'Yellow Trumpet'**
XX-0-TEBLI-02045
- 391 O ***Scrophularia grandiflora* DC.**
XX-0-TEBLI-02046 [ex BG Nantes, France]
- 392 O ***Verbascum eriophorum* Godr.**
XX-0-TEBLI-02047 [ex BG Hamburg, Germany]
- 393 O ***Verbascum chaixii* Vill. 'Album'**
XX-0-TEBLI-01242
- 394 O ***Verbascum wiedemannianum* Fisch. & C.A.May**
XX-0-STGAL-11/1978 [ex BG St. Gallen, Switzerland]

Solanaceae

- 395 O ***Capsicum annuum* L. 'Apache'**
XX-0-TEBLI-02048 [ex ČZU Praha-Suchdol, Czech Republic]
- 396 O ***Capsicum annuum* L. 'Black Pearl'**
XX-0-STUTZ-007061 [ex ZBG Stuttgart-Wilhelma, Germany]
- 397 O ***Capsicum annuum* L. 'Carnival Mix Orange'**
XX-0-TEBLI-02049 [ex ČZU Praha Suchdol, Czech Republic]
- 398 O ***Capsicum annuum* L. 'Cayenne Lilac'**
XX-0-TEBLI-00765 [ex seminka-chilli.cz, Czech Republic]
- 399 O ***Capsicum annuum* L. 'Garda Fireworks'**
XX-0-BGAT-0014694 [ex BG Wien Belvedere, Austria]
- 400 O ***Capsicum annuum* L. 'Garda Tricolor'**
XX-0-BGAT-0014695 [ex BG Wien Belvedere, Austria]
- 401 O ***Capsicum annuum* L. 'Hot Lemon'**
XX-0-STUTZ-004115 [ex BG Wien Belvedere, Austria]
- 402 O ***Capsicum annuum* L. 'Charleston'**
XX-0-BGAT-0014699 [ex BG Wien Belvedere, Austria]
- 403 O ***Capsicum annuum* L. 'Cherry Pepper'**
XX-0-TEBLI-02050 [ex ČZU Praha Suchdol, Czech Republic]
- 404 O ***Capsicum annuum* L. 'Chocolate Miniature Bells'**
XX-0-STUTZ-004078 [ex BG Tübingen, Germany]

- 405 O ***Capsicum annuum*** L. 'Meduse'
XX-0-TEBLI-02051 [ex BG Lublin, Poland]
- 406 O ***Capsicum annuum*** L. 'Mirasol'
GT-0-TEBLI-01244, loc. Alta Verapaz, Cobán, Guatemala
- 407 O ***Capsicum annuum*** L. 'Pasilla Bajío'
XX-0-TEBLI-007100 [ex ZBG Stuttgart-Wilhelma, Germany]
- 408 O ***Capsicum annuum*** L. 'Peruvian Purple'
XX-0-TEBLI-01246
- 409 O ***Capsicum annuum*** var. ***glabriusculum*** (Dunal) Heiser & Pickersgill
XX-0-STUTZ-007055 [ex ZBG Stuttgart-Wilhelma, Germany]
- 410 O ***Capsicum baccatum*** L. [syn. *Capsicum annuum* var. *cerasiforme* (Mill.) Irish]
XX-0-STUTZ-007054 [ex ZBG Stuttgart-Wilhelma, Germany]
- 411 O ***Capsicum baccatum*** L. 'Aji Pineapple'
XX-0-TEBLI-02052 [ex garda.cz, Czech Republic]
- 412 O ***Capsicum baccatum*** L. 'Christmas Bells'
XX-0-TEBLI-01769 [ex ČZU Praha-Suchdol, Czech Republic]
- 413 O ***Capsicum chinense*** Jacq. 'Habanero Spicy Mustard'
XX-0-TEBLI-02053 [ex BG Lublin, Poland]
- 414 O ***Nolana humifusa*** (Gouan) I.M. Johnst.
XX-0-STGAL-399/1988 [ex BG St. Gallen, Switzerland]
- 415 O ***Nolana reichei*** M.O. Dillon & Arancio, Gina
CL-0-TEBLI-02054, loc. Caleta El Toro, Limari Sur, Limarí Province, Coquimbo Region, Chile [col. M. Belov, ex Chileflora, Chile]
- 416 O ***Nolana rupicola*** Gaudich.
CL-0-TEBLI-02055 [col. M. Belov, ex Chileflora, Chile]
- 417 O ***Solanum sisymbriifolium*** Lam.
XX-0-GENT-20162909 [ex BG Gent, Belgium]

Vitaceae

- 418 G ***Leea guineensis*** G. Don
XX-0-TEBLI-01775 [ex BG Mainz, Germany]



Liliopsida

Amaryllidaceae

- 419 O ***Agapanthus campanulatus*** F.M.Leight
LS-0-GZU-09110631 [ex BG Graz, Austria]
- 420 O ***Allium barszczewskii*** Lipsky
XX-0-TEBLI-01944 [ex BG Perm, Russia]
- 421 O ***Allium caeruleum*** Pall.
XX-0-TEBLI-02056 [ex OBI, Czech Republic]
- 422 O ***Allium carinatum* subsp. *pulchellum*** (G.Don) Bonnier & Layens '**Album'**
XX-0-TEBLI-01255 [ex Jelitto, Germany]
- 423 O ***Allium carolinianum*** DC.
XX-0-TEBLI-01776 [ex BG Perm, Russia]
- 424 O ***Allium galanthum*** Kar. & Kir.
XX-0-TEBLI-01091
- 425 O ***Allium chinense*** G.Don
XX-0-TEBLI-01484 [ex BG Bormio, Italy]
- 426 O ***Allium sarawschanicum*** Regel
XX-0-TEBLI-01779 [ex Gatineau, Canada]
- 427 O ***Allium sphaerocephalon*** L.
FR-0-BR-19801799, loc. France, Jura, Le Mont Poupet [ex BG Meise, Belgium]
- 428 O ***Allium victorialis*** L.
XX-0-TEBLI-01784 [ex BG MU Brno, Czech Republic]
- 429 G ***Habranthus tubisphathus*** (L'Hér.) Traub
XX-0-TEBLI-02057 [ex BG Jerusalem, Israel]
- 430 G ***Phaedranassa tunguraguae*** Ravenna
EC-0-TEBLI-02058, loc. Tungurahua, Sangay NP, Tungurahua Province, Ecuador
[col. J. R. Haager]
- 431 G ***Veltheimia bracteata*** Harv. ex Barker
XX-0-TEBLI-02059

Araceae

- 432 G ***Anthurium obtusum*** (Engl.) Grayum
XX-0-TEBLI-01373 [col. Croat]
- 433 G ***Anthurium scandens*** (Aubl.) Engl.
CR-0-TEBLI-02060, loc. road San Carlo-Fortuna, Costa Rica
- 434 G ***Nephthytis afzelii*** Schott
XX-0-TEBLI-02061 [ex BG Praha-Malešice, Czech Republic]
- 435 G ***Remusatia vivipara*** (Roxb.) Schott
XX-0-TEBLI-02062 [ex BG Greifswald, Germany]

Arecaceae

- 436 G ***Caryota* cf. *mitis***
VN-0-TEBLI-01376, loc. Dray Sap waterfalls, near Da Lat, Vietnam
[col. Haager & Rybková]
- 437 G ***Caryota* cf. *mitis***
VN-0-TEBLI-02063, loc. Cuc Phuong, Vietnam [col. Haager & Dušek]

Asparagaceae

- 438 O ***Arthropodium cirrhatum*** (G.Forst.) R.Br.
XX-0-TEBLI-01951 [ex BG Parma, Italy]
- 439 O ***Leopoldia comosa*** (L.) Parl.
TR-0-TEBLI-02064, loc. Malatia Province, Turkey [ex BG Salaspils, Lithuania]
- 440 O ***Ornithogalum viridiflorum*** (I.Verd.) J.C.Manning & Goldblatt
LE-0-TEBLI-01377, loc. Malibamatso River, Lesotho
[ex BG München, Germany via ZBG Plzeň, Czech Republic]

Bromeliaceae

- 441 G ***Lymania smithii*** Read
XX-0-TEBLI-02065 [ex BG Dresden, Germany]
- 442 G ***Tillandsia bulbosa*** Hook.
XX-0-TEBLI-02066
- 443 G ***Tillandsia crocata*** (E. Morren) N. E. Br.
XX-0-STUTZ-002484 [ex ZBG Stuttgart-Wilhelma, Germany]
- 444 G ***Tillandsia loliaceae*** Mart. ex Schult & Schult.f.
XX-0-MAGDE-18391 [ex BG Magdeburg, Germany]
- 445 G ***Tillandsia schiedeana*** Steud.
GT-0-TEBLI-02067, loc. El Rancho, Salama, Guatemala
- 446 G ***Tillandsia schiedeana*** Steud.
XX-0-ROST-2014-G-5201 [ex BG Rostock, Germany]
- 447 G ***Tillandsia tricholepis*** Baker
XX-0-BHU-CG-1999-11 [ex Berlin Humboldt, Germany]

Commelinaceae

- 448 O ***Commelina erecta*** L.
XX-0-DATH-457 [ex BG Darmstadt, Germany]
- 449 O ***Tradescantia*** Ruppius ex L. - **hybrid 'Billberry Ice'**
XX-0-TEBLI-02068

Cyperaceae

- 450 O ***Carex crinita*** Lam.
US-0-TEBLI-02069, loc. 237 m, Clinton, Michigan, USA [ex BG East Lansing]

- 451 O ***Carex grayi*** J.Carey
XX-0-TEBLI-01383 [ex OBI, Czech Republic]
- 452 O ***Carex testacea*** Sol. ex Boot
XX-0-LZ-N-17-2013 [ex BG Leipzig, Germany]
- 453 O ***Scirpus atrovirens*** Willd.
XX-0-TEBLI-01494 [ex BG Göttingen, Germany]

Heliconiaceae

- 454 G ***Heliconia pseudoaemygdiana*** Emygdio & E.Santos
XX-0-TEBLI-00959 [ex BG Lyon, France]

Iridaceae

- 455 G ***Dites butcheriana*** Gerstner
XX-0-TEBLI-00788 [ex Silverhill Seeds, South Africa]
- 456 G ***Dites iridioides*** (L.) Sweet ex Klatt
XX-0-DR-003005 [ex BG Dresden, Germany]
- 457 O ***Iris pallida* subsp. *illyrica*** (Tomm. ex Vis.) K.Richt
XX-0-TEBLI-02070
- 458 O ***Sisyrinchium chilense*** Hook.
XX-0-TEBLI-01957 [ex BG Krefeld, Germany]

Juncaceae

- 459 O ***Juncus ensifolius*** Wikstr.
XX-0-TEBLI-01387 [ex Jelitto, Germany]

Musaceae

- 460 G ***Musa velutina*** H. Wendl. & Drude
XX-0-TEBLI-01798 [ex BG Klagenfurt, Austria]

Poaceae

- 461 O ***Cortaderia araucana*** Stapf
CL-0-TEBLI-02072, loc. Llaima Volcano, Conguillío NP, Cautín Province, Araucanía Region, Chile [Haager & Šedivá 2010]
- 462 O ***Cortaderia rudiuscula*** Stapf
CL-0-TEBLI-02073, loc. Alto del Carmen, Huasco Province, Atacama Region, Chile [Haager & Šedivá 2012]
- 463 O ***Cymbopogon flexuosus*** (Nees ex Steud.) W.Watson
XX-0-TEBLI-02074 [ex Zahr. Dvořák, Czech Republic]
- 464 O ***Eragrostis spectabilis*** (Pursh) Steud.
XX-0-TEBLI-02075 [ex Jelitto, Germany]
- 465 O ***Eragrostis trichodes*** (Nutt.) Alph.Wood
XX-0-DR-007959 [ex BG Dresden, Germany]

- 466 O ***Harpochloa falx*** (L.f.) Kuntze
XX-0-TEBLI-01266 [ex BG Weinheim, Germany]
- 467 O ***Koeleria macrantha*** (Ledeb.) Schult.
XX-0-TEBLI-00972 [ex BG MU Brno, Czech Republic]
- 468 O ***Lygeum spartum*** Loefl. ex L.
XX-0-AJBLL-17165 [ex BG Lleida, Spain]
- 469 O ***Melica altissima*** L. 'Atropurpurea'
XX-0-TEBLI-02076 [ex BG Tábor, Czech Republic]
- 470 O ***Melinis repens*** (Willd.) Zizka
XX-0-TEBLI-02077 [ex BG UK Praha, Czech Republic]
- 471 O ***Merxmuellera macowanii*** (Stapf) Conert
ZA-0-TEBLI-02078, loc. Tiffindell, Northern Ukhahlamba, South Africa
[ex Silverhill Seeds, South Africa]
- 472 O ***Nassella tenuissima*** (Trin.) Barkworth. 'Pony Tails'
[syn. *Stipa tenuissima* Trin. 'Pony Tails']
XX-0-TEBLI-00581
- 473 O ***Setaria italica*** (L.) P.Beauv. 'Red Jewel'
XX-0-TEBLI-02079 [ex BG Krefeld, Germany]
- 474 O ***Wangenheimia lima*** (L.) Trin.
XX-0-TEBLI-02080 [ex BG Stockholm, Sweden]

Xanthorrhoeaceae

- 475 G ***Aloe albiflora*** Guillaumin
XX-0-TEBLI-01803

Zingiberaceae

- 476 G ***Burbidgea stenantha*** Ridl.
XX-0-TEBLI-02081 [ex BG Olomouc, Czech Republic]
- 477 G ***Globba schomburgkii*** Hook.f.
XX-0-BR-19741200 [ex BG Meise, Belgium]

Desiderata 2020-2021

Based on the Convention on Biological Diversity (CBD, Rio de Janeiro 1992) the Index seminum is exclusively intended for the institutions operating in research, education and nature protection areas. Conditions coming from the Nagoya Protocol must be fulfilled for scientific purposes. Any material acquired from these seeds is not allowed to be used for commercial purposes.

Our botanical garden is a part of the IPEN network (= International Plant Exchange Network). You can find us under the institution code **TEBLI**.

Non IPEN-members have to return the „Agreement on the supply of living plant material for non-commercial purposes“. IPEN members do not have to sign the agreement.

We are not able to issue phytosanitary certificate with any delivery.

All Seeds are result of open pollination. Hybridization may occur.

NOMENCLATURE OF PLANTS IS MAINLY BASED ON:

www.theplantlist.org

<http://apps.rhs.org.uk/horticulturaldatabase/HortGenera.asp>

ABBREVIATIONS:

O – plant is cultivated outdoors

G – plant is cultivated in greenhouses

PLEASE SEND THE REQUESTS TO THE ADDRESS:

curator@botanickateplice.cz or ptacek@botanickateplice.cz

For easier application completion use the form „Desiderata 2020“ to fill in PDF or docx forma (download <https://www.botanickateplice.cz/en/index-seminum>).

Order by e-mail is preferred, but you can order by post too.

Botanical Garden Teplice

Josefa Suka 1388/18

415 01 Teplice, Czech Republic

**Please, limit your request
to 20 items, deadline
is 31st May 2021.**

Desiderata 2020-2021

MAILING ADDRESS:

Botanická zahrada Teplice
Josefa Suka 1388/18
415 01 Teplice, Czech Republic

VIA E-MAIL**(PREFERABLY):**

curator@botanickateplice.cz
ptacek@botanickateplice.cz

YOUR ADDRESS:

**LEGIBLY WRITE OR TYPE NUMBERS OF DESIRED SEEDS IN BOXES BELOW
(LIMIT 20 ITEMS):**

**IN THE FUTURE, PLEASE SEND THE INDEX SEMINUM TO THE FOLLOWING E-MAIL
ADDRESS:**

AGREEMENT ON THE SUPPLY OF LIVING PLANT MATERIAL FOR NON-COMMERCIAL PURPOSES LEAVING THE INTERNATIONAL PLANT EXCHANGE NETWORK

Against the background of the provisions and decisions of the Convention on Biological Diversity of 1992 (CBD) and in particular those on access to genetic resources and benefit-sharing, the garden is dedicated to promoting the conservation, sustainable use, and research of biological diversity. The garden therefore expects its partners in acquiring, maintaining, and transferring plant material to always act in accordance with the CBD and the Convention on the International Trade in Endangered Species (CITES).

The responsibility for legal handling of the plant material passes on to the recipient upon receipt of the material. The requested plant material will be supplied to the recipient only on the following conditions:

1. Based on this agreement, the plant material is supplied only for non-commercial use such as scientific study and educational purposes as well as environmental protection. Should the recipient at a later date intend a commercial use or a transfer for commercial use, the country of origin's prior informed consent (PIC) must be obtained in writing before the material is used or transferred. The recipient is responsible for ensuring an equitable sharing of benefits.
2. On receiving the plant material, the recipient endeavours to document the received plant material, its origin (country of origin, first receiving garden, „donor“ of the plant material, year of collection) as well as the acquisition and transfer conditions in a comprehensible manner.
3. In the event that scientific publications are produced based on the supplied plant material, the recipient is obliged to indicate the origin of the material (the supplying garden and if known the country of origin) and to send these publications to the garden and to the country of origin without request.
4. On request, the garden will forward relevant information on the transfer of the plant material to the body charged with implementing the CBD.
5. The recipient may transfer the received plant material to third parties only under these terms and conditions and must document the transfer in a suitable manner (e.g. by using the documentation form).

I ACCEPT THE ABOVE CONDITIONS.

Date	Signature, stamp
------	------------------

Recipient's name	Address
------------------	---------



BOTANICKÁ ZAHRADA
TEPLICE