

A Cumulative Checklist for the Lichen-Forming, Lichenicolous and Allied Fungi of the Continental United States and Canada, Version 24

THEODORE L. ESSLINGER¹

ABSTRACT. – Version 24 of the checklist of lichen-forming, lichenicolous and allied fungi occurring in North America north of Mexico is presented. It includes a total of 5,823 species in 805 genera, with an additional 38 subspecies, 51 varieties, and 3 forms. The total species number includes 670 lichenicolous fungi, 113 saprophytic fungi related to lichens or to lichenicolous fungi, and another 96 species of varying and/or uncertain biological status.

KEYWORDS. – Canada, floristics, lichens, nomenclature, United States.

INTRODUCTION

This checklist consists of cumulative updates to the most recently published North American checklist (Esslinger 2019). The same style and conventions for listings used there continue to be followed here. Within each genus the accepted names are listed first and are in boldface. Names considered to be synonyms are listed second and are presented in normal font only. Significant changes made since the last version (#23) are given in blue font. As before, the following symbols are used to indicate the lichenicolous fungi and other allied fungi: * = lichenicolous fungi (parasites on living lichens), + = saprophytic fungi related to either lichens or lichenicolous fungi, on various substrates, # = various fungi of odd or uncertain status: e.g.: those which are questionably or weakly lichen-forming; or algicolous/saprophytic; or parasitic when young but saprophytic or lichen-forming when mature; or lichenicolous lichens.

The first North American (north of Mexico) lichen checklist produced by Mason Hale and Bill Culberson in 1956 (*Castanea* 21: 73–105) listed 2,280 species in 193 genera (their count), and included few or no lichenicolous or allied fungi. Almost forty years later, the first checklist version with which I was involved (Esslinger & Egan 1995) reported 3,580 lichen species and another 219 species of lichenicolous and allied fungi, all in 477 genera. The count for this current version (#24) is 5,823 total species in 805 genera, with an additional 38 subspecies, 51 varieties, and 3 forms. The total species number includes 670 lichenicolous fungi (*), 113 saprophytic fungi related to lichens or to lichenicolous fungi (+), and another 96 species of varying and/or uncertain biological status (#).

This list is updated at semi-regular intervals, usually about once every twelve to eighteen months, as changes accumulate in the literature. I would appreciate being informed of any oversights or omissions, and although not all taxonomic or nomenclatural differences of opinion will be easily or immediately settled, any polite opinions that users would like to share will be welcomed and taken under consideration. Additions or changes appearing in this version of the checklist represent reports in the literature, and their presence here does not necessarily imply endorsement by the author. In addition to inviting comments or corrections, it would be very helpful if authors of publications containing additions to the North American lichen biota, or other taxonomic and nomenclatural changes that impact it, would provide me with copies, either paper or electronic. I owe a sincere thank you to the many colleagues who continue to provide suggested corrections and/or additions.

¹THEODORE L. ESSLINGER – Department of Biological Sciences, #2715, P.O. Box 6050, North Dakota State University, Fargo, ND 58108-6050, U.S.A. – e-mail: Ted.Esslinger@ndsu.edu

The first 20 versions of this checklist were published only online (Version #1 dated 1 December 1997 through Version #20 dated 19 April 2015). This version (Version #24, 10 December 2021) like the preceding three (#21, #22 & #23) is being simultaneously published here in *Opuscula Philolichenum* and online at the usual site hosted at North Dakota State University: <http://www.ndsu.edu/pubweb/~esslinge/chcklst/chcklst7.htm>. The purpose of dual publication is to provide a standard formatted journal article that can be cited, to assure permanent archiving of each version, and to facilitate dissemination of the checklist to those outside of the lichenological community via indexing services such as Scopus. Although there are minor organizational differences between the introductory sections of this and the online edition, the bodies of the two editions are identical except for indenting.

CHECKLIST

ABROTHALLUS De Not.

- ***acetabuli** Diederich (Kocourkova et al. 2012)
- ***bertianus** De Not.
- ***bryoriarum** Hafellner
- ***caerulescens** I. Kotte (Diederich 2003)
- ***cladoniae** R. Sant. & D. Hawksw.
- ***eriodermae** Suija, Etayo & Pérez-Ortega (Suija et al. 2015)
- ***ertzii** Suija, & Pérez-Ortega (Suija et al. 2015)
- ***halei** Pérez-Ortega, Suija, D. Hawksw. & R. Sant. (Suija et al. 2011)
- ***hypotrichynae** Etayo & Diederich (Lendemer & Knudsen 2008b)
- ***lobariae** (Diederich & Etayo) Diederich & Ertz Syn.: **Phoma lobariae** (Diederich et al. 2018)
- ***microspermus** Tul. (Cole & Hawksworth 2001)
- ***nephromatis** Suija, & Pérez-Ortega (Suija et al. 2015)
- ***parmeliarum** (Sommerf.) Arnold Syn.: **Buellia parmeliarum**
- ***peyritschii** (Stein) I. Kotte
- ***pezizicola** Diederich & R. C. Harris (Diederich 2003)
- ***prodiens** (Harm.) Diederich & Hafellner
- ***secedens** Wedin & R. Sant. (Spribille et al. 2010)
- ***suecicus** (Kirschst.) Nordin (Diederich 2003)
- ***tulasnei** M. S. Cole & D. Hawksw. (Cole & Hawksworth 2001) Possible synonym of **A. caeruleascens** (Spribille et al 2018)
- ***usneae** Rabenh. (Cole & Hawksworth 2001)
- ***welwitschii** Mont. ex Tul.
- ***cetrariae** I. Kotte (Goward et al. 1996) = **A. parmeliarum** (Diederich et al. 2018)
- ***oxysporus** Tul. = **Nesolechia oxyspora**
- ***usneae** auct. non Rabenh. = **Lichenostigma maurei**

ABSCONDITELLA Vězda

- amabilis** T. Sprib. (Spribille et al. 2009)
- celata** Döbbeler & Poelt (Spribille et al. 2009)
- lignicola** Vězda & Pišút (Nash et al. 1998)
- rosea** Kalb & Aptroot (Spribille et al. 2020)
- sphagnorum** Vězda & Poelt
- trivialis** (Willey ex Tuck.) Vězda

ACANTHOTHECIS Clem.

- aurantiaca** (Müll. Arg.) Staiger & Kalb Syns.: **Graphina intertexta**, **Graphis intertexta** (Staiger 2002)
- floridana** Lendemer & R. C. Harris (Lendemer & Harris 2014a)
- floridensis** F. Seavey & J. Seavey (Seavey et al. 2017)
- fontana** Muscavitch & Lendemer (Muscavitch & Lendemer 2016)
- gracilis** Staiger & Kalb (Staiger & Kalb 1999)
- leucopepla** (Tuck.) E. Tripp & Lendemer Syns.: **Graphis leucopepla**, **Graphina abaphoides** (Tripp et al. 2010)

leucoxanthoides Lendemer (Lendemer & Harris 2014a)
mosquitensis (Tuck.) E. Tripp & Lendemer Syns.: Graphis mosquitensis, Graphina subvirginalis
 (Tripp et al. 2010)
paucispora Lendemer & R. C. Harris (Lendemer & Harris 2014a)
peplophora (M. Wirth & Hale) E. Tripp & Lendemer Syn.: Graphina peplophora (Tripp et al.
 2010)
poitaeoides (M. Wirth & Hale) E. Tripp & Lendemer Syn.: Graphis poitaeoides (Tripp et al.
 2010)
 abaphoides (Nyl.) Staiger & Kalb (Staiger & Kalb 1999) = A. leucosepla
 intertexta (Müll. Arg.) Staiger & Kalb = A. Aurantiaca

ACAROCONIUM Kocourk. & D. Hawksw. (Kocourková & Hawksworth 2008)
 ***punctiforme** Kocourk. & D. Hawksw. (Kocourková & Hawksworth 2008)

ACAROSPORA A. Massal.

affinis K. Knudsen (Knudsen 2007a)
amabilis H. Magn. (Knudsen & Kocourková 2020d, Knudsen et al. 2021d)
americana H. Magn. (Knudsen et al. 2011b)
applanata H. Magn. (Knudsen et al. 2021d)
arenacea H. Magn. (Knudsen & Kocourková 2008a, 2020b)
asahinae H. Magn.
badiofusca (Nyl.) Th. Fr. Syn.: Sarcogyne athroocarpa (Knudsen & Kocourková 2013)
bolleana (H. Magn.) K. Knudsen, J. N. Adams, Kocourk. & Y. Wang Syn.: Sarcogyne bolleana
 (Knudsen et al. 2020)
boulderensis H. Magn. (Knudsen et al. 2014b; McCune et al. 2014b)
brattiae K. Knudsen (Knudsen 2007a)
brodoana K. Knudsen, Kocourk. & M. Westb. (Knudsen et al. 2016)
brouardii B. de Lesd. (Knudsen 2007a, Knudsen et al. 2008a)
brucei K. Knudsen & Kocourk. (Knudsen & Kocourková 2018b)
bullata Anzi (Brinker & Knudsen 2019) Previous reports for N.A. were in error (Knudsen et al.
 2010)
calcarea K. Knudsen (Knudsen 2007a)
carnegiei Zahlbr. (Knudsen et al. 2021d)
chrysops (Tuck.) H. Magn. (Knudsen et al. 2008a)
clauzadeana (Llimona) Casares & Hafellner Syn.: Biatorella clauzadeana
coloradiana H. Magn.
contigua H. Magn. (Brodo et al. 2001, Knudsen 2007a)
elevata H. Magn.
epilutescens Zahlbr. (Knudsen 2005a)
erratica K. Knudsen & Kocourk. (Knudsen & Kocourková 2018b)
erythrophora H. Magn. (Knudsen 2007a)
fuscata (Schrader) Arnold
fuscescens H. Magn.
glaucocarpa (Ach.) Körber Syns.: Lecanora glaucocarpa, L. glaucocarpa var. verrucosa
gyrocarpa (H. Magn.) K. Knudsen & M. Westb. Syns.: Polysporina gyrocarpa, Sarcogyne
 gyrocarpa, S. oligospora (Knudsen et al. 2017)
heufleriana Körber
hilaris (Dufour) Hue
impressula Th. Fr.
#interjecta H. Magn.
janae K. Knudsen (Lumbsch et al. 2011)
lendemeri K. Knudsen & Kocourk. Syn.: Sarcogyne sphaerospora (Knudsen & Kocourková
 2020c)
maccarthyi K. Knudsen & Kocourk. (Knudsen & Kocourková 2015)
macrospora (Hepp ex Nyl.) A. Massal. ex Bagl.
moenium (Vainio) Räsänen (Nordin et al. 2009)

molybdina (Wahlenb.) Trevisan
#**nashii** K. Knudsen (Knudsen 2011a)
nevadensis H. Magn.
nicolai B. de Lesd. (Knudsen & Morse 2009)
nodulosa (Dufour) Hue var. **nodulosa**
novomexicana H. Magn. (Knudsen 2007a)
obnubila H. Magn.
obpallens (Nyl. ex Hasse) Zahlbr. Syn.: Lecanora obpallens
oligospora (Nyl.) Arnold
orecuttii K. Knudsen (Knudsen 2010 [2011])
organensis K. Knudsen, Kocourk., Hodková & Y. Wang (Knudsen et al. 2021d)
piedmontensis K. Knudsen (Knudsen et al. 2011b)
privigna (Ach.) A. Schneider Syns.: Biatorella revertens, B. simplex, Lecanora privigna, L. privigna var. revertens, Polysporina simplex, Sarcogyne simplex (Knudsen et al. 2021b)
radicata H. Magn. (Knudsen & Kocourková 2020d)
robiniae K. Knudsen (Knudsen 2007a)
rosulata (Th. Fr.) H. Magn. (Knudsen et al. 2010)
rouxii K. Knudsen, Elix & Reeb (Knudsen 2007a, Knudsen et al. 2008a)
rugulosa Körber
saepincola H. Magn.
schleicheri (Ach.) A. Massal. Syn.: Lecanora schleicheri
scotica Hue
#**scottii** K. Knudsen & Kocourk. (Knudsen & Kocourková 2020b)
sinopica (Wahlenb.) Körber Syn.: Lecanora fuscata var. sinopica
socialis H. Magn.
sparsa H. Magn.)
squamulosa (Schrader) Trevisan (Knudsen et al. 2019)
#**stapfiana** (Müll. Arg.) Hue
strigata (Nyl.) Jatta
***subfuscescens** (Nyl.) H. Magn. Syns.: Polysporina subfuscescens, Sarcogyne bicolor p.p., S. lapponica auct. p.p. (Knudsen et al. 2021b)
succedens H. Magn.
superfusa H. Magn. (Lendemer & Knudsen 2011)
tenebrica H. Magn. (Knudsen et al. 2021d)
thamnina (Tuck.) Herre Syn.: Lecanora cervina var. thamnina
thelococcoides (Nyl.) Zahlbr. Syns.: Lecanora thelococcoides, L. pleiospora, L. pleistospora
tintickiana St. Clair, Newberry & S. Leavitt (Leavitt et al. 2018)
toensbergii K. Knudsen & Kocourk. (Knudsen & Kocourková 2017)
tuckerae K. Knudsen (Knudsen 2007a)
veronensis A. Massal.
aeruginosa Hasse = Caeruleum heppii
albida H. Magn. = A. epilutescens
albomarginata (Herre) G. Salisb. = A. elevata (Knudsen 2007a)
amphibola Wedd. = Myriospora smaragdula
amphibola sensu auct. = Myriospora rhagadiza
*arenacea H. Magn. = Polysporina arenacea (Knudsen & Kocourková 2008a)
arenosa Herre = Sarcogyne arenosa
asperata H. Magn. = A. boulderensis (Kocourková et al. 2014b)
bella (Nyl.) Jatta = A. rhabarbarina (Knudsen et al. 2008a), but a misidentification for North America (Knudsen & Kocourková 2012a)
caesiofusca (Müll. Arg.) H. Magn. = A. nicolai
californica Zahlbr. = A. badiofusca (Knudsen 2007a)
canadensis H. Magn. = Sarcogyne canadensis (Knudsen et al. 2020)
cartilaginea H. Magn. = A. fuscata
cervina A. Massal. Not known to occur in N.A. (Knudsen & Kocourková 2020c)
chlorophhana (Wahlenb.) A. Massal. = Pleopsidium chlorophanum

cineracea (Nyl.) Wedd. = misidentification for North America
cinerealba (Fink) H. Magn. = *A. americana* (Knudsen et al. 2011b)
citrina (Taylor) Zahlbr. = misidentification for North America (Knudsen & Flakus 2016)
complanata H. Magn. North American report is *A. brucei* (Knudsen & Kocourková 2018b)
desolata H. Magn. = *Sarcogyne desolata*
dispersa H. Magn. = *Trimmatothelopsis dispersa*
dissipata H. Magn. = *A. schleicheri*
evoluta H. Magn. = *A. socialis* (Knudsen 2007a)
flava (Bellardi) Ach. = *Pleopsidium flavum*
gallica H. Magn. = *A. janae* for North American reports (Knudsen et al. 2011b)
geogena H. Magn. = *A. nodulosa* (Knudsen 2007a)
geophila H. Magn. = *A. nodulosa*
glebosa (Flotow) Körber = *A. oligospora*
hassei Herre (Knudsen 2007a) = *Myriospora hassei* (Arcadia & Knudsen 2012)
heppii (Nägeli ex Hepp) Nägeli ex Körber = *Caeruleum heppii*
immersa Fink = *Caeruleum immersum*
incertula H. Magn. = *A. novomexicana* (Knudsen 2007a)
instrata H. Magn. = *A. carnegiei* (Knudsen et al. 2021d)
intercedens H. Magn. = *A. socialis* (Knudsen & Lendemer 2005b)
interposita H. Magn. = *A. thamnina* (Knudsen 2007a)
interspersa H. Magn. = *A. succedens* (Knudsen 2011a)
lapponica (Ach. ex Schaeerer) Th. Fr. = *Sarcogyne lapponica* (see note there)
*lapponica auct. N.A. = *Polysporina subfuscesens*
montana H. Magn. = *A. rugulosa*
nigromarginata B. de Lesd. = *A. strigata* (Knudsen 2007a)
nitida H. Magn. (Weber & Wittman 2000) = *A. elevata* for North American records (Knudsen 2007a)
nodulosa (Dufour) Hue var. reagens Zahlbr. = *A. nodulosa*
obscura H. Magn. = *A. veronensis* for N.A. (Knudsen 2007a, Knudsen & Kocourková 2018)
ocellata H. Magn. = *A. schleicheri*
oreophila K. Knudsen (Knudsen 2007a) = *Trimmatothelopsis oreophila* (Knudsen et al. 2021c)
oxytona (Ach.) A. Massal. = *Pleopsidium flavum*
particularis H. Magn. = *Myriospora hassei* (Knudsen 2007a, Arcadia & Knudsen 2012)
peliocypha (Wahlenb.) Th. Fr. ("peliscypha") = *A. squamulosa* (Knudsen et al. 2019)
peltastica Zahlbr. = *A. strigata* (Knudsen & Lendemer 2005b)
peltata Hasse = *A. strigata* (Knudsen 2007a)
pleiospora (Nyl.) Hasse. = *A. thelococcoides* (Lendemer 2004a)
pleistospora (Nyl.) Hasse = *A. thelococcoides* (Lendemer 2004a)
pyrenopsoides H. Magn. = misidentification for North America (Knudsen & Kocourková 2010a)
reagens Zahlbr. = *A. nodulosa* (Knudsen 2007a)
rhabarbarina Hue (Knudsen et al. 2008a) = misidentification for North America (Knudsen & Kocourková 2012a)
rhagadiosa (Ach.) Th. Fr. = *Glypholecia scabra*
rimulosa H. Magn. = *A. socialis* (Knudsen 2007a)
rubicunda H. Magn. = *A. heufleriana* (Knudsen 2007a)
rufescens (Ach.) Bausch = *Myriospora smaragdula*
saxicola Fink = *Glypholecia scabra*
scabra (Pers.) Th. Fr. = *Glypholecia scabra*
scabrida Hedl. ex H. Magn. = *Myriospora scabrida*
smaragdula (Wahlenb.) A. Massal. = *Myriospora smaragdula*
smaragdula var. lesdainii (Harm. ex A.L. Smith) H. Magn. (Knudsen 2004a) = *Myriospora smaragdula*
sphaerosperma R. C. Harris & K. Knudsen (Knudsen et al. 2011b) = *Trimmatothelopsis sphaerosperma* (Knudsen et al. 2021c)
squamulosa (Schrader) Trevisan = *A. macrospora* (Knudsen 2007a)
squamulosa sensu Th. Fr. = *A. macrospora*

stenospora (Stizenb.) Hue = Pleopsidium flavum
 subalbida H. Magn. = A. socialis (Knudsen & Lendemer 2005b)
 subcontigua H. Magn. = A. schleicheri
 subrufula (Nyl.) H. Olivier (McCune et al. 1997) Report based on a specimen of Myriospora
 smaragdula (Knudsen 2007b)
 superfusa H. Magn. = A. americana (Lendemer & Knudsen 2011, Knudsen et al. 2011b)
 terricola H. Magn. = Trimmatothelopsis terricola (Knudsen & Lendemer 2016)
 texana H. Magn. = Pleopsidium chlorophanum
 thermophila Herre = A. thamnina (Knudsen 2007a)
tongletii Hue Not known from N.A. (Knudsen & Kocourková 2020c)
tucsonensis H. Magn. = A. carnegiei Zahlbr. (Knudsen et al. 2021d)
 umbilicata Bagl. (Harris & Ladd 2005) North American records are Acarospora nicolai (Knudsen et al. 2011b)
 utahensis H. Magn. = A. strigata (Knudsen & Lendemer 2005b)
 variegata H. Magn. = A. tongleti
 washingtonensis H. Magn. = A. elevata (Knudsen 2007a)
 weldensis H. Magn. = Pleopsidium chlorophanum
 xanthophhana (Nyl.) Jatta = misidentification for North America (Knudsen 2008a)

ACOLIUM (Ach.) Gray (Prieto & Wedin 2017)

chloroconium Tuck. Syn.: Cyphelium chlороconium
inquinans (Sm.) A. Massal. Syn.: Cyphelium inquinans
karelicum (Vainio) M. Prieto & Wedin Syn.: Cyphelium karelicum
***sessile** (Pers.) Arnold Syns.: Calicium sessile, Cyphelium sessile
 bolanderi Tuck. (Tuckerman 1888) = Thelomma mammosum
 carolinianum Tuck. = Calicium carolinianum
 sancti-jacobi Tuck. (Tuckerman 1888) = Texosporium sancti-jacobi
 tympanellum (Ach.) Gray = Acolium inquinans

ACREMONIUM Link

***strictum** W. Gams (Spribille et al. 2010)

ACROCORDIA A. Massal.

cavata (Ach.) R. C. Harris Syn.: Arthopyrenia cavata
conoidea (Fr.) Körber Syn.: Arthopyrenia conoidea
gemma (Ach.) A. Massal. Syns.: Arthopyrenia gemmata, A. alba, A. sphaeroides (Lendemer & Harris 2014b)
megalospora (Fink) R. C. Harris Syns.: Arthopyrenia macrospora, A. finkii, Pyrenula megalospora

ACROSCYPHUS Lév.

sphaerophoroides Lév.

ACTINOGYRA Schol. = **UMBILICARIA**

muhlenbergii (Ach.) Schol. = Umbilicaria muhlenbergii
 muhlenbergii var. alpina (Tuck.) Llano = Umbilicaria muhlenbergii
 polyyrhiza (L.) Schol. = Umbilicaria polyyrhiza

ADELOCOCCUS Theissen & Sydow

***alpestris** (Zopf) Theissen & Sydow

ADELOLECIA Hertel & Hafellner

kolaensis (Nyl.) Hertel & Rambold Syn.: Lecidea conferenda
pilati (Hepp) Hertel & Hafellner Syns.: Lecidea pilati, L. lyngeana, L. subauriculata Lynge non B. de Lesd.
sonorae Hertel (Hertel 2004)

AGONIMIA Zahlbr.

- allobata** (Stizenb.) P. James (Fryday 2001)
flabelliformis Halda, Czarnota & Guzow-Krzemińska (Waters & Lendemer 2019)
gelatinosa (Ach.) M. Brand & Diederich Syn.: Polyblastia gelatinosa (Sérusiaux et al. 1999)
opuntiella (Buschardt & Poelt) Vězda (Lendemer 2004c)
tristicula (Nyl.) Zahlbr. Syn.: Polyblastia tristicula
vouauxii (B. de Lesd.) M. Brand & Diederich (Freebury 2014)

AGRESTIA J. W. Thomson = **CIRCINARIA**

- cypbellata** J. W. Thomson = Circinaria hispida
hispida (Mereschk.) Hale & W. L. Culb. = Circinaria hispida

AGYRIUM Fr.

- +rufum** (Pers.) Fr.
carneolum Tuck. non (Corda) Rabenh. (Tuckerman 1888) Identity uncertain

AGYROPHORA (Nyl.) Nyl. = **UMBILICARIA**

- leiocarpa** (DC.) Gyelnik = Umbilicaria leiocarpa
lyngei (Schol.) Llano = Umbilicaria lyngei
rigida (Du Rietz) Llano = Umbilicaria rigida
scholanderi Llano = Umbilicaria scholanderi

AHLESIA Fuckel = **THELOCARPON**

- sphaerospora** (H. Magn.) G. Salisb. = Thelocarpon sphaerosporum

AHTIANA Goward

- aurescens** (Tuck.) A. Thell & Randlane Syns.: Cetraria aurescens, Tuckermannopsis aurescens (Thell et al. 1995)
pallidula (Tuck. ex Riddle) Goward & A. Thell Syns.: Cetraria pallidula, Tuckermannopsis pallidula (Thell et al. 1995)
sphaerosporella (Müll. Arg.) Goward Syn.: Parmelia sphaerosporella

AINOA Lumbsch & I. Schmitt (Lumbsch et al. 2001)

- bella** Brodo & Lendemer (Brodo & Lendemer 2015)
mooreana (Carroll) Lumbsch & I. Schmitt Misidentification for North America (Brodo & Lendemer 2015)

ALBEMARLEA Lendemer & R. C. Harris (Lendemer et al. 2016c)

- pamlicoensis** Lendemer & R. C. Harris

ALECTORIA Ach.

- fallacina** Motyka
imshaugii Brodo & D. Hawksw.
lata (Taylor) Lindsay
ochroleuca (Hoffm.) A. Massal.
sarmentosa (Ach.) Ach.
sorediosa (Lång ex Räsänen) McMullin & Lendemer (McMullin et al. 2016)
vancouverensis (Gyelnik) Gyelnik ex Brodo & D. Hawksw.
vexillifera (Nyl.) Stizenb. (McMullin et al. 2016)
abbreviata (Müll. Arg.) R. Howe = Nodobryoria abbreviata
achariana Gyelnik = Bryoria pseudofuscescens
altaica (Gyelnik) Räsänen = Bryoria nadvornikiana
ambigua Motyka = Bryoria ambigua
americana Motyka = Bryoria americana
bicolor (Ehrh.) Nyl. = Bryoria bicolor

boryana Delise = *Gowardia nigricans*
californica (Tuck.) G. Merr. = *Kaernefeltia californica*
cana (Ach.) Leighton = *Bryoria fuscescens* (Boluda et al. 2018), but N.A. records are B.
pseudofuscescens
canadensis Motyka = *Bryoria trichodes* subsp. *trichodes*
capillaris (Ach.) Crombie = *Bryoria fuscescens* (Boluda et al. 2018), many N.A. records are B.
pseudofuscescens
cervinula Motyka = *Bryoria cervinula*
cetrariza Nyl. = *Kaernefeltia californica*
chalybeiformis (L.) Gray = *Bryoria fuscescens*
corneliae Gyelnik = *Bryoria fremontii*
delicata Motyka = a nomen nudum = *Bryoria trichodes* subsp. *trichodes*
divergens (Ach.) Nyl. = *Bryocaulon divergens*
fremontii Tuck. = *Bryoria fremontii*
fuscescens Gyelnik = *Bryoria fuscescens*
gowardii Lumbsch (Lumbsch & Huhndorf 2010) = *Gowardia arctica*
glabra Motyka = *Bryoria glabra*
haynaldii Gyelnik = misidentification for North America
implexa (Hoffm.) Nyl. = *Bryoria fuscescens* (Boluda et al. 2018), many N.A. records are B.
pseudofuscescens
irvingii Llano = *Bryoria nitidula*
jubata (L.) Ach. Commonly confused and misused name applied to various pendent species of
Bryoria (Brodo & Hawksworth 1977)
lanea auct. non (Hoffm.) Vainio = *Bryoria nitidula*
lanestris (Ach.) Gyelnik = *Bryoria fuscescens* (Velmala et al. 2014; Boluda et al. 2018)
luteola Mont. = *A. sarmentosa*
minuscula (Nyl. ex Arnold) Degel. = *Pseudephebe minuscula*
nadvornikiana Gyelnik = *Bryoria nadvornikiana*
nana Motyka = a nomen nudum = *Bryoria simplicior*
nidulifera Norrlin = *Bryoria furcellata*
nigricans (Ach.) Nyl. = *Gowardia nigricans*
nitidula (Th. Fr.) Vainio = *Bryoria nitidula*
norstictica Motyka = a nomen nudum = *Bryoria pseudofuscescens*
ochroleuca var. *cincinnata* (Fr.) Nyl. (Tuckerman 1882) = *A. vexillifera*
ochroleuca var. *osteina* Nyl. (Tuckerman 1882) = *A. ochroleuca*
ochroleuca var. *rigida* (Fr.) Th. Fr. (Tuckerman 1882) = *A. ochroleuca*
oregana Tuck. = *Nodobryoria oregana*
positiva (Gyelnik) Motyka = *Bryoria fuscescens*
pseudofuscescens Gyelnik = *Bryoria pseudofuscescens*
pubescens (L.) R. Howe = *Pseudephebe pubescens*
sarmentosa subsp. *vexillifera* (Nyl.) D. Hawksw. = *A. vexillifera* (McMullin et al. 2016)
setacea (Ach.) Motyka = *Bryoria pseudofuscescens* for North American records
simplicior (Vainio) Lynge = *Bryoria simplicior*
stigmata Bystrek = *A. sarmentosa*
subcana (Nyl. ex Stizenb.) Gyelnik = *Bryoria fuscescens* (Velmala et al. 2014)
subdivergens E. Dahl = *Nodobryoria subdivergens*
subsarmentosa Stirton = *A. sarmentosa*
subtilis Motyka = a nomen nudum = *Bryoria pseudofuscescens*
tenerrima Motyka = *Bryoria fremontii*
tenuis E. Dahl = *Bryoria tenuis*
thrausta Ach. = *Ramalina thrausta*
tortuosa G. Merr. = *Bryoria fremontii*
virens auct. = *Bryoria fremontii* for North American records

ALLANTOPARMELIA (Vainio) Essl.
almquistii (Vainio) Essl. Syn.: *Parmelia almquistii*

alpicola (Th. Fr.) Essl. Syns.: *Parmelia alpicola*, *P. encausta* var. *alpicola*
sibirica (Zahlbr.) Essl. (Spribille et al. 2009a)

ALLARTHONIA (Nyl.) Zahlbr.
caesia Flotow = *Chrysothrix caesia*

ALLOCALICIUM M. Prieto & Wedin (Prieto & Wedin 2017)
adaequatum (Nyl.) M. Prieto & Wedin Syn.: *Calicium adaequatum*, *C. hemisphaericum*

ALLOCETRARIA Kurokawa & Lai

madreporiformis (Ach.) Kärnefelt & A. Thell Syns.: *Cetraria madreporiformis*, *Dactylina madreporiformis*, *Dufourea madreporiformis* (Kärnefelt & Thell 1996)
stracheyi (Bab.) Kurok. & M. J. Lai (Thell et al. 2009)
cucullata (Bellardi) Randlane & Saag = *Flavocetraria cucullata*
nivalis (L.) Randlane & Saag = *Flavocetraria nivalis*
oakesiana (Tuck.) Randlane & A. Thell = *Usnocetraria oakesiana*

ALLOGRAPHA Chevall. (Lücking & Kalb 2018)

acharii (Fée) Lücking & Kalb Syns.: *Graphina acharii*, *Graphis acharii* (Kalb et al. 2018) Presence in N.A. uncertain (Tripp et al. 2010)
argentata (Lücking & Umaña) Lücking & Kalb Syn.: *Graphis argentata* (Lücking et al. 2011b, Lücking & Kalb 2018)
elongata (Zenker) Lücking & Kalb Syn.: *Graphis elongata* (Seavey et al. 2017, Kalb et al. 2018)
longula (Kremp.) Lücking & Kalb Syn.: *Graphis longula* (Lücking et al. 2011b, Lücking & Kalb 2018)
lumbricina (Vainio) Lücking & Kalb Syn.: *Graphis lumbricina* (Lücking & Kalb 2018)
pavoniana (Fée) Lücking & Kalb Syn.: *Graphis pavoniana* (Kalb et al. 2018) N.A. reports uncertain (Lendemer 2010b)
pseudocinerea (Lücking) Lücking & Kalb Syn.: *Graphis pseudocinerea* (Lücking et al. 2011b, Lücking & Kalb 2018)
rimulosa (Mont.) Lücking & Kalb Syn.: *Graphis rimulosa* (Kalb et al. 2018)
sterlingiana (E. Tripp & Lendemer) Lücking & Kalb Syn.: *Graphis sterlingiana* (Lendemer et al. 2013, Lücking & Kalb 2018)
subamylacea (Zahlbr.) Lücking & Kalb Syn.: *Graphis subamylacea* (Lücking & Kalb 2018)
subflexibilis (Lücking & Chaves) Lücking & Kalb Syn.: *Graphis subflexibilis* (Lücking et al. 2011b; Lücking & Kalb 2018)
tamiamiensis (Lendemer) Lücking & Kalb Syn.: *Graphis tamiamiensis* (Lendemer 2010b, Lücking & Kalb 2018)
xanthospora (Müll. Arg.) Lücking & Kalb Syn.: *Graphis xanthospora* (Lücking et al. 2011b, Kalb et al. 2018)

ALYXORIA Ach. (Ertz & Tehler 2011)

bicolor (R. C. Harris & Lendemer) Ertz & Tehler (Ertz & Tehler 2011) Syn.: *Opegrapha bicolor*
culmigena (Libert) Ertz Syn.: *Opegrapha herbarum* (Spribille et al. 2020)
mougeotii (A. Massal.) Ertz, Frisch & G. Thor Syn.: *Opegrapha mougeotii* (Frisch et al. 2014)
ochrocheila (Nyl.) Ertz & Tehler (Ertz & Tehler 2011) Syn.: *Opegrapha ochrocheila*
varia (Pers.) Ertz & Tehler (Ertz & Tehler 2011) Syns.: *Opegrapha diaphora*, *O. varia*

AMANDINEA M. Choisy ex Scheid. & H. Mayrhofer

***adjuncta** (Th. Fr.) Hafellner Syn.: *Buellia adjuncta* (Hafellner 2004b)
cacuminum (Th. Fr.) H. Mayrhofer & Sheard Syn.: *Rinodina cacuminum* (Mayrhofer & Sheard 2002)
coniops (Wahlenb.) M. Choisy ex Scheid. & H. Mayrhofer Syn.: *Buellia coniops*
dakotensis (H. Magn.) P. May & Sheard Syns.: *Rinodina dakotensis*, *R. finkii*, *R. inaequalis*, *R. pennsylvanica*, *R. pyriniformis*, *R. subplumbea*, *R. subpyriniformis*. (Sheard & May 1997)

efflorescens (Müll. Arg.) Marbach (Marbach 2000)
endachroa (Malme) Marbach (Lücking et al. 2011bb)
langloisii Imshaug ex Marbach (Marbach 2000) Syn.: *Buellia langloisii*
leucomela (Imshaug) P. May & Sheard Syns.: *Buellia leucoemela* (Sheard & May 1997)
lignicola Tønsberg & Nordin (Tønsberg et al. 2012)
millarioides (Tuck.) P. May & Sheard Syn.: *Rinodina millarioides* (Sheard & May 1997)
polyspora (Willey) E. Lay & P. May Syn.: *Buellia myriocarpa* var. *polyspora*, *B. polyspora*, *B. punctata* var. *polyspora* (Sheard & May 1997)
punctata (Hoffm.) Coppins & Scheid. Syn.: *Buellia punctata*, *B. myriocarpa*
subduplicata (Vainio) Marbach (Marbach 2000)
submontana Marbach (Marbach 2000)
insperata (Nyl.) H. Mayrhofer & Sheard (Lendemer et al. 2008c) = *Orcularia insperata* (Kalb & Giralt 2012)
placodiomorpha (Vainio) Marbach (Marbach 2000) = *Orcularia placodiomorpha* (Kalb & Giralt 2012)
turgescens (Nyl.) Marbach (Marbach 2000) = **Monerolechia badia** (Diederich et al. 2018;
Bungartz & Nash 2004c)

AMELIELLA Fryday & Coppins (Fryday & Coppins 2008)
andreaeicola Fryday & Coppins

AMEROCONIUM U. Braun & Zhurb.
***cladoniae** U. Braun & Zhurb. (Zhurbenko & Braun 2013)

AMEROSPORIOPSIS Petr.
***phaeographidis** Diederich & Common (Diederich et al. 2019)

AMPHILOMA Nyl.
lanuginosum (Ach.) Nyl. = *Lepraria membranaceum*

AMPHISPHAERIA Ces. & De Not.
+bufonia (Berk. & Broome) Ces. & De Not. (Perlmutter et al. 2017)

AMPLIOTREMA Kalb ex Kalb
auratum (Tuck.) Kalb ex Kalb (Seavey et al. 2014)

AMPULLIFERA Deighton
***foliicola** Deighton (Diederich et al. 2019)

AMYGDALARIA Norman
consentiens (Nyl.) Hertel, Brodo & Mas. Inoue
continua Brodo & Hertel
elegantior (H. Magn.) Hertel & Brodo Syns.: *Hulia elegantior*, *Lecidea elegantior*
haidensis Brodo & Hertel
panaeola (Ach.) Hertel & Brodo Syns.: *Biatora panaeola*, *Lecidea panaeola*, *Hulia panaeola*
pelobotryon (Wahlenb.) Norman Syns.: *Lecanora pelobotrya*, *Aspicilia pelobotrya*, *Lecidea pelobotrya*, L. "pelobotrion"
subdissentiens (Nyl.) Mas. Inoue & Brodo

ANAMYLOPSORA Timdal
pulcherrima (Vainio) Timdal Syns.: *Lecidea pulcherrima*, *Psora pulcherrima*

ANAPTYCHIA Körber
bryorum Poelt
crinalis (Schaerer) Vězda (Esslinger 2007) Syn.: *Physcia ciliaris* var. *crinalis*
elbursiana (Szatala) Poelt (Esslinger 2002a) Syn.: *Physconia thomsonii*

palmulata (Michaux) Vainio Syns.: *Physcia detonsa*, *Psoroma palmulata*
ulothricoides (Vainio) Vainio
appalachensis Kurok. = *Heterodermia appalachensis*
aquila (Ach.) A. Massal. North American records = *A. palmulata*
boryi (Fee) A. Massal. = *Heterodermia boryi*
casarettiana A. Massal. = *Heterodermia casarettiana*
chondroidea (W. A. Weber & D. D. Awasthi) Kurok. = *Heterodermia chondroidea*
ciliaris (L.) Körber = misidentification for North America
comosa (Eschw.) A. Massal. North American records = *Heterodermia galactophylla*
corallophora (Taylor) Lyng = *Heterodermia crocea* (for North American records)
dendritica (Pers.) Vainio = *Heterodermia dendritica*
diademata (Taylor) Kurok. = *Heterodermia diademata*
domingensis (Ach.) A. Massal. = *Heterodermia albicans*
echinata (Taylor) Kurok. = *Heterodermia echinata*
erinacea (Ach.) Trevisan = *Heterodermia erinacea*
galactophylla (Tuck.) Trevisan = *Heterodermia galactophylla*
granulifera (Ach.) A. Massal. = *Heterodermia granulifera*
heterochroa Vainio = *Heterodermia obscurata*
hypoleuca (Muhl.) A. Massal. = *Heterodermia hypoleuca*
hypoleuca (Muhl.) A. Massal. var. *colorata* Zahlbr. = *Heterodermia obscurata*
isidiza Kurok. (Yoshimura & Sharp 1973) = *A. isidiata* Tomin, but a misidentification for North America (Esslinger 2007)
kaspica Gyelnik = *A. setifera*, but North American reports are *A. crinalis*
leucomela (L.) A. Massal. = *Heterodermia leucomela*
"leucomelaena" auct. = *Heterodermia leucomela*
major (Nyl.) Vainio = misidentification for North America
neoleucomelaena Kurok. = *Heterodermia boryi*
obscurata (Nyl.) Vainio = *Heterodermia obscurata*
"pamatula" auct. = *A. palmulata*
pseudospeciosa Kurok. = *Heterodermia pseudospeciosa*
pseudospeciosa Kurok. var. *tremulans* (Müll. Arg.) Kurok. = *Heterodermia speciosa*
ravenelii (Tuck.) Zahlbr. = *Heterodermia albicans*
setifera Räsänen North American reports are *A. crinalis*
sorediifera (Müll. Arg.) Du Rietz & Lyng = *Heterodermia obscurata*
speciosa (Wulfen) A. Massal. = *Heterodermia speciosa*
squamulosa Degel. = *Heterodermia squamulosa*
stippaea (Ach.) Nadv. = *A. bryorum*
tropica Kurok. = *Heterodermia tropica*
wrightii (Tuck.) Zahlbr. North American report (Tuckerman 1882) is *Heterodermia diademata* (Esslinger & Tucker 2009)

ANDREIOMYCES Hodkinson & Lendemer (Hodkinson & Lendemer 2013)
moroziyanus (Lendemer) Hodkinson & Lendemer Syn.: *Lepraria moroziyanus*

ANEMA Nyl. ex Forssell
progidulum (Nyl.) Henssen (Schultz 2002a)
dodgei Herre = *Heppia despreauxii* (Schultz 2007b)
jenisejensis H. Magn. = misidentification for North America

ANISOMERIDIUM (Müll. Arg.) M. Choisy
albisedum (Nyl.) R. C. Harris Syn.: *Ditremis albiseda*
ambiguum (Zahlbr.) R. C. Harris Syns.: *Arthopyrenia ambigua*, *Ditremis ambigua*
anisolobum (Müll. Arg.) Aptroot Syns.: *Arthopyrenia anisoloba*, *Ditremis anisoloba*
aureopunctatum R. C. Harris Syn.: *Ditremis macrospora* R. C. Harris non Makhija & Patwardhan (Harris 1995a)
biforme (Borrer) R. C. Harris Syns.: *Arthopyrenia biformis*, *A. parvula*, *A. conformis* auct. N.

Am., Ditremis biformis, Trimmatothele umbellulariae
biformoides R. C. Harris (Harris 1995a)
carinthiacum (J. Steiner) R. C. Harris Syns.: Arthopyrenia carinthiaca, A. dimidiata, Ditremis carinthiaca
distans (Willey) R. C. Harris Syns.: Arthopyrenia distans, Ditremis distans
excaecariae (Müll. Arg.) R. C. Harris Syns.: A. sanfordense, Arthopyrenia sanfordensis, Ditremis sanfordensis (Harris 1995a)
finkii (R. C. Harris) R. C. Harris Syn.: Ditremis finkii (Harris 1995a)
griffinii R. C. Harris (Harris 1995a)
leucochlorum (Müll. Arg.) R. C. Harris Syns.: Arthopyrenia leucochlora, Ditremis leucochlora
[Ditremis macrospora R. C. Harris]
phaeospermum R. C. Harris (Harris 1995a)
polypori (Ellis & Everh.) M. E. Barr Syns.: Ditremis nyssigena, Arthopyrenia willeyana (Barr et al. 1996)
quadricoccum R. C. Harris (Harris 1995a, Aptroot 1997)
quaternarium (R. C. Harris) R. C. Harris Syn.: Ditremis quaternaria (Harris 1995a)
subnexum (Nyl.) R. C. Harris (Lücking et al. 2011b)
subprostans (Nyl.) R. C. Harris Syns.: Arthopyrenia subprostans, Ditremis subprostans, Pyrenula subprostans.
tamarindi (Fée) R. C. Harris Syn.: Ditremis tamarindi.
terminatum (Nyl.) R. C. Harris Syns.: Ditremis terminata, Pleurotrema anacardii, Arthopyrenia anacardii (Harris 1995a)
tuckerae R. C. Harris Syn.: Ditremis tuckerae.
feeicum (Müll. Arg.) R. C. Harris = A. anisolobum
juistense (Erichsen) R. C. Harris = A. polypori
nyssigenum (Ellis & Everh.) R. C. Harris = A. polypori
sanfordense (Zahlbr.) R. C. Harris = Anisomeridium excaecariae
willeyanum (R. C. Harris) R. C. Harris = A. polypori

ANOMALOBARIA B. Moncada & Lücking (Moncada et al. 2013) = LOBARIA (McCune et al. 2014b;
 Miądlikowska et al. 2014a)
 anomala (Brodo & Ahti) B. Moncada & Lücking = Lobaria anomala (McCune et al. 2014b)
 anthraspis (Ach.) B. Moncada & Lücking = Lobaria anthraspis (McCune et al. 2014b)

ANOMOMORPHA Nyl.
turbulenta (Nyl.) Hue Syn.: Graphis turbulenta (Staiger 2002)

ANTHRACOTHECIUM Hampe ex A. Massal.
australiense (Müll. Arg.) Aptroot (Aptroot 2012) Syns. : Parmentaria nana, Pleurotheliopsis australiensis, P. nana
pachycheilum (Tuck.) Zahlbr. Syn.: Pyrenula pachycheila (Tuckerman 1872)
prasinum (Eschw.) R. C. Harris
 canellae-albae (Fée) Müll. Arg. = Sulcopyrenula canellae-albae
 corticatum Müll. Arg. = Pyrenula confinis
 falsarium Zahlbr. = Pyrenula schiffneri
 leucostomum (Ach.) Malme = Pyrenula leucostoma
 libricola (Fée) Müll. Arg. = probable misidentification for North American
 maculare Zahlbr. = Pyrenula breutelii
 mucosum (Vainio) Zahlbr. = probable misidentification for North American
 nanum (Zahlbr.) R. C. Harris = A. australiense
 ochraceoflavens (Nyl.) Zahlbr. = Pyrenula ochraceoflavens
 ochraceoflavum (Nyl.) Müll. Arg. = Pyrenula ochraceoflava
 pauciloculare Herre = identity uncertain
 pyrenuloides (Mont.) Müll. Arg. = Pyrenula pyrenuloides
staurosorum (Tuck. ex Willey) Zahlbr. = Sulcopyrenula staurospora
 subglobosum Riddle = Sulcopyrenula subglobosa

thelomorphum (Tuck.) Zahlbr. = *Pyrenula thelomorpha*
varians R. C. Harris = *Pyrenula novemseptata*

ANZIA Stizenb.

americana Yoshim. & Sharp
colpodes (Ach.) Stizenb. Syns.: *Parmelia colpodes*, *P. cristulata*
ornata (Zahlbr.) Asahina

ANZINA Scheid.

carneonivea (Anzi) Scheid. (Goward et al. 1996)
carneonivea var. **tetraspora** Scheid. (Spribille et al. 2010)

APATOPLACA Poelt & Hafellner = **CALOPLACA**

oblongula (H. Magn.) Poelt & Hafellner = *Caloplaca oblongula*

ARCTOCETRARIA Kärnfeldt & A. Thell

andrejevii (Oxner) Kärnfeldt & A. Thell Syn.: *Cetraria andrejevii*, *C. simmonsii*
nigricascens (Nyl.) Kärnfeldt & A. Thell Syn.: *Cetraria nigricascens*, *C. elenkinii*, *C. sibirica*

ARCTOMIA Th. Fr.

delicatula Th. Fr.
delicatula var. **acutior** (Nyl.) Henssen (McCune et al. 2020)
interfixa (Nyl.) Vainio

ARCTOPARMELIA Hale

centrifuga (L.) Hale Syns.: *Parmelia centrifuga*, *P. aleuritica*, *Parmelia halseyana*, *Xanthoparmelia centrifuga*
incurva (Pers.) Hale Syns.: *Parmelia incurva*, *Xanthoparmelia incurva*
separata (Th. Fr.) Hale Syns.: *Parmelia separata*, *P. birulae* var. *grumosa*, *Xanthoparmelia separata*
subcentrifuga (Oxner) Hale Syns.: *Parmelia subcentrifuga*, *Xanthoparmelia subcentrifuga*
aleuritica (Nyl.) Hale = *A. centrifuga*

ARCTOPELTIS Poelt

thuleana Poelt

ARRHENIA Fr.

***peltigerina** (Peck) Redhead, Lutzoni, Moncalvo & Vilgalys Syn.: *Omphalina peltigerina*
(Redhead et al. 2002)

ARTHONIA Ach.

***acanthothecicola** Ertz & Common (Diederich et al. 2019)
***agelastica** R. C. Harris & Lendemer (Lendemer et al. 2016c)
albofuscescens Tuck.
+**albopulverea** Nyl. (Grube 2007)
albovirescens Nyl. Syn.: *Arthothelium albovirescens*
aleuromela Nyl.
***almquistii** Vainio (Zhurbenko 2013)
anglica Coppins (Hodkinson et al. 2009, Lendemer et al. 2009c)
***anjutii** S. Y. Kondr. & Alstrup (Kondratyuk 1996)
antillarum (Fée) Nyl. (Lücking et al. 2011b)
apaterica (A. Massal.) Th. Fr.
arthonioides (Ach.) A. L. Sm.
asteriscus Müll. Arg.
atomaria (Lyngé) R. Kilias
atra (Pers.) A. Schneider (Ertz et al. 2009) Syn.: *Opegrapha atra*

atrata (Fée) Müll. Arg.
+**beccariana** (Bagl.) Stizenb. (Grube 2007)
***biatoricola** Ihlen & Owe-Larsson (Ihlen et al. 2004b)
calcarea (Turner ex Sm.) Ertz & Diederich (Ertz et al. 2009) Syn.: Opegrapha calcarea
caribea (Ach.) A. Massal.
cinereopruinosa Schaeerer
cinnabarina (DC.) Wallr.
***circinata** Th. Fr. (Villella & Sheehy 2015)
***clemens** (Tul.) Th. Fr.
colombiana Etayo (Lendemer & Harris 2012)
compensata Nyl. (Hansen & Dute 2005)
compensatula Nyl. (Seavey & Seavey 2012)
complanata Fée
conferta (Fée) Nyl.
***coronata** Etayo (Lendemer & Harris 2012)
cupressina Tuck.
cyrtodes Nyl. (Lendemer et al. 2009c)
+**cytisi** A. Massal.
dictyospora (Coppins & P. James) McCune (McCune 2017)
didyma Körber
diffusa Nyl.
diffusella Fink
***digitatae** Hafellner (Knudsen & Lendemer 2007)
***diploiciae** Calat. & Diederich (Grube 2007, Lendemer et al. 2009b)
dispersula Nyl.
eckfeldtii Müll. Arg.
***epicladonia** (Nyl.) Alstrup & Zhurb. (Zhurbenko & Alstrup 2004)
***epimela** (Almq.) I. M. Lamb (Goward et al. 1996)
***epiphyssia** Nyl.
erubescens Willey
erupta Nyl.
excedens Nyl.
***excentrica** Th. Fr. (Hafellner et al. 2002)
exilis (Flörke) Anzi
***farinacea** (H. Olivier) R. Sant. (Diederich 2003)
fissurinea Nyl.
floridana Willey
fuliginosa (Schaerer) Flotow
***fuscopurpurea** (Tul.) R. Sant. (Alstrup & Cole 1998)
***gelidae** R. Sant. (Spribile et al. 2010)
gerhardii Egea & Torrente (Grube 2007)
+**glauCELLA** Nyl. (Grube 2007)
glebosa Tuck.
granosa B. de Lesd.
gutberletiana Lendemer & D. Ray (Lendemer & Ray 2017)
gyalectoides Müll. Arg.
hamamelidis Nyl.
helvola (Nyl.) Nyl. (Harris 1977)
+**hypobela** (Nyl.) Zahlbr.
hypochniza Nyl. (Seavey et al. 2017)
ilicina Taylor Syn.: Arthothelium ilicinum
impallens Nyl.
incarnata Th. Fr. ex Almq.
infectans Egea & Torrente (Egea & Torrente 1995)
interveniens Nyl. Syn.: Arthothelium interveniens (Lücking et al. 2011b)
***intexta** Almq.

kermesina R. C. Harris, E. Tripp & Lendemer (Lendemer et al. 2013)
lapidicola (Taylor) Branth & Rostrup
lecanactidea Zahlbr.
***lecanorina** (Almq.) Grube (Grube 2007)
***lepidophila** (Anzi) Clauzade, Diederich & Cl. Roux (Spribille et al. 2020)
***lethariicola** Alstrup & M. S. Cole (Alstrup & Cole 1998)
leucastraea Tuck.
lignaria Hellb. (Spribille et al. 2020)
lignariella Coppins (Spribille & Björk 2008)
luridoalba Nyl.
macrotheca Fée (Lücking et al. 2011b) Syn.: Arthothelium macrothecum
madreana Egea & Torrente (Egea & Torrente 1995)
mediella Nyl.
mesoleuca Nyl. (Lücking et al. 2011b)
microsperma Nyl. (Seavey et al. 2017)
microspermella Willey
mirabilis Grube (Lücking et al. 2011b)
***molendoi** (Heufl. ex Frauenf.) R. Sant. (Alstrup & Cole 1998; Hafellner et al. 2002)
neoni B. de Lesd.
***nephromiaria** (Nyl. ex Arn.) Sacc.
norvegica (Coppins & Tønsberg) McCune (McCune 2017)
ochrocincta Willey
ochrodiscodes Nyl.
ochrlutea Nyl.
ochrospila Nyl. (Seavey & Seavey 2012)
oxytera Nyl. (Fink 1935, Esslinger & Tucker 2009)
palmulacea (Müll. Arg.) R. Sant.
patellulata Nyl.
***peltigera** Th. Fr. (Hafellner et al. 2002)
***peltigerina** (Almq.) H. Olivier
perminuta Willey
phaeobaea (Norman) Norman
***phaeophysciae** Grube & Matzer (Hafellner et al. 2002)
phlyctiformis Nyl. subsp. **californica** Grube (Grube 2007)
platygraphidea Nyl.
platyspilea Nyl.
***polydactylonis** Diederich & Ertz (Diederich et al. 2018)
polygramma Nyl.
polymorpha Ach.
***protoparmeliopseos** Etayo & Diederich (Kocourková & Knudsen 2015)
+**pruinascens** (Zahlbr.) Grube (Grube 2007) Syn.: Arthothelium pruinascens
+**pruinosella** Nyl. (Grube 2007)
pruinosula Nyl.
pseudostromatica F. Seavey & J. Seavey (Seavey et al. 2017)
pyrrhuliza Nyl.
+**quintaria** Nyl.
radiata (Pers.) Ach.
ravenelii Tuck.
reniformis (Pers.) Ach.
+**rhoidis** Zahlbr. (Grube 2007)
rubella (Fée) Nyl.
rubrocincta G. Merr. ex Grube & Lendemer (Grube & Lendemer 2009)
rupicola Fink
samdykeana Lendemer & D. Ray (Lendemer & Ray 2017)
+**sanguinea** Willey (Grube 2007) Syn.: Arthothelium sanguineum
septiseptella Nyl. (Fink 1935, Esslinger & Tucker 2009)

- ⁺**sexlocularis** Zahlbr. (Grube 2007)
- siderea** Degel.
- simplicascens** Nyl. (Lücking et al. 2011b)
- spadicea** Leighton
- speciosa** (Müll. Arg.) Grube (Grube 2007)
- stellaris** Kremp.
- ***stereocaulina** (Ohlert) R. Sant. (Zhurbenko 2010)
- ***stevensoniana** R. C. Harris & Lendemer (Lendemer et al. 2016c)
- ⁺**subastroidea** Anzi (McMullin et al. 2017)
- subastroidella** Nyl.
- subdiffusa** Willey
- ⁺**subdispuncta** Nyl.
- ***subfuscicola** (Lindsay) Triebel
- ***subgraphidicola** Ertz, Common & Diederich (Diederich et al. 2019)
- subminutissima** Nyl.
- subminutula** Nyl.
- subrubella** Nyl.
- susa** R. C. Harris & Lendemer Syn.: Arthothelium taediosum auct. N.A. (Lendemer et al. 2013)
- taedescens** Nyl.
- ***tavaresii** Grube & Hafellner (Seavey et al. 2017)
- terrigena** Nyl.
- ⁺**tetramera** (Stizenb.) Hasse (Grube 2007)
- ***thelotrematis** Coppins (Spribile et al. 2020)
- torulosa** Fée
- varia** (Ach.) Nyl.
- ***varians** (Davies) Nyl. Syn.: Celidium varians (Hawksworth 2003)
- vernans** Willey
- vinosa** Leighton
- viridicans** Willey
- ***xanthoparmeliarum** Etayo (Kocourková 2009)
- xylographica** Nyl.
- alba** Müll. Arg. = a Stirtonia sp.
- aspersa** Leighton = A. arthonioides
- atractospora Zahlbr. = Naetrocymbae atractospora
- biseptata Degel. = Mycoporum biseptatum (Lendemer & Harris 2014c)
- byssacea (Weigel) Almq. = Inoderma byssaceum (Weigel) Gray (Frisch et al. 2015)
- caesia (Flotow) Körber = Chrysotrichia caesia
- carneorufa Willey = Catillaria erysiboides
- ***caudata** Willey = Arthonia hypobela (McMullin 2018)
- ***ceracea** Etayo & Breuss (Etayo & Breuss 1998) = A. polydactylonis (Diederich et al. 2018)
- chiodectella Nyl. = Pachnolepia pruinata (Grube 2007)
- convexella Nyl. = a non-lichenized fungus (Mycoporum sp.?)
- ⁺**dispersa** (Schrader) Nyl. = Naevia dispersa (Thiyagaraja et al. 2020)
- epipastoides auct. N.A. non Nyl. = A. glaucella (Grube 2007)
- fusca (A. Massal.) Hepp = A. lapidicola
- galactitella Nyl. = A. glaucella (Grube 2007)
- glaucescens Nyl. = Schismatomma glaucescens
- glaucomaria (Nyl.) Nyl. = A. varians (Hawksworth 2003)
- gregaria (Weigel) Körber = A. cinnabarina
- gregaria Willey = Coniarthonia gregarina
- ***hodgesii** Lendemer & R. C. Harris (Lendemer et al. 2016c) = Synarthonia hodgesii
- impolita (Hoffm.) Borrer = Pachnolepia pruinata
- lecidella Nyl. ex Willey = Chrysotrichia caesia (Lendemer 2008)
- leucodontis (Poelt & Döbb.) Coppins = Bryostigma muscigena
- leucopellaea (Ach.) Almq. = Felipes leucopellaeus (Frisch et al. 2014)
- ***linitae** R. Sant. (Esslinger & Egan 1995) = Plectocarpon linitae

lurida Ach. nom. rej. = *A. spadicea*
macounii G. Merr. (Kocourková et al. 2008) = *Arthothelium macounii*
melaspora Tuck. = *Sporostigma melaspora* (Grube 2001)
montagnei (Tuck.) R. C. Harris = uncertain species of *Cryptothecia*? (Lücking et al. 2011b)
muscigena Th. Fr. = *Bryostigma muscigena*
⁺*pinastri* Anzi = *Naevia pinastri* (Thiyagaraja et al. 2020)
pruinata (Pers.) Steud. ex A. L. Sm. (Grube 2007) = *Pachnolepia pruinata* (Frisch et al. 2014)
⁺*punctiformis* Ach. = *Naevia punctiformis* (Thiyagaraja et al. 2020)
pyrrhula Nyl. = *Coniarthonia pyrrhula*
⁺*redingeri* Grube Erroneously listed here; reported only from Mexico (Grube 2007)
ruana A. Massal. = *Arthothelium ruanum*
spectabilis Flotow = *Arthothelium spectabile*
⁺*stictella* Stizenb. = *A. albopulvrea* (Grube 2007)
taediosa Nyl. North American reports are *Arthonia susa* (Lendemer et al. 2013)
tremelloides Etayo Erroneously listed here; reported only from Mexico (Grube 2007)
tuckermaniana Willey = *Coniocarpion tuckermanianum* (Van den Broeck et al. 2018)
tumidula (Ach.) Ach. = *A. cinnabarina*
verrucosa Egea & Torrente Erroneously listed here; reported only from Mexico (Grube 2007)
willeyi Tuck. = *A. diffusa* (Lendemer 2004a)

ARTHOPHACOPSIS Hafellner

**parmeliarum* Hafellner (Diederich 2003, Zhurbenko & Laursen 2003)

ARTHOPYRENIA A. Massal.

⁺*analepta* (Ach.) A. Massal. (Harris 1995a, Aptroot 2002a) Syn.: *Polyblastiopsis fallax*
betulicola R. C. Harris, E. Tripp & Lendemer (Harris et al. 2014)
cerasi (Schrader) A. Massal.
cinereopruinosa (Schaerer) A. Massal.
degelii R. C. Harris (Harris 1995a)
esenbeckiana (Fée) R. C. Harris (Harris 1995a)
exasperata R. C. Harris (Harris 1995a)
minor R. C. Harris
oblongens R. C. Harris (Harris 1995a)
⁺*plumbaria* (Stizenb. ex Hasse) R. C. Harris Syns.: *Porina plumbaria*, *Pyrenula herrei*
rappii Zahlbr.
⁺*subcerasi* (Vainio) Zahlbr. (Spribille et al. 2010)
taxodii R. C. Harris (Harris 1995a)
**texensis* (Cooke) D. Hawksw.
affinis (A. Massal.) R. C. Harris = *Strigula affinis* North American records are *S. jamesii*
alba (Schrader) Zahlbr. = *Acrocordia gemmata*
ambigua Zahlbr. = *Anisomeridium ambiguum*
anacardii Vainio = *Anisomeridium terminatum*
analectella (Nyl.) Arnold = misidentification for North America
anisoloba Müll. Arg. = *Anisomeridium anisoloba*
antecellens (Nyl.) Arnold = *Mycoporum antecellens*
atomariooides Müll. Arg. = *Naetrocymbe atomariooides*
attractospora Zahlbr. = *Naetrocymbe attractospora*
bifera Zahlbr. = *A. malaccitula*
biformis (Borrer) A. Massal. = *Anisomeridium biforme*
bryospila (Nyl.) Arnold = *Collemopsidium bryosipilum*
carinthiaca J. Steiner = *Anisomeridium carinthiacum*
cavata (Ach.) R. C. Harris = *Acrocordia cavata*
cinchonae (Ach.) Müll. Arg. = *Constrictolumina cinchonae*
confluens R. C. Harris (Harris 1995a) = *Constrictolumina leucostoma*
conformis (Nyl.) Müll. Arg. = misidentification for North America, mostly *Anisomeridium biforme*

conoidea (Fr.) Zahlbr. = *Acrocordia conoidea*
 dimidiata Fink = *Anisomeridium carinthiacum*
 distans (Willey) Zahlbr. = *Anisomeridium distans*
 epidermidis (DC.) A. Massal. = *Naetrocymbe punctiformis*
 faginea (Schaerer) Swinscow = *Strigula stigmatella*
 fallax (Nyl.) Arnold = *A. analepta*
 finkii Zahlbr. = *Acrocordia megalospora*
 floridana Zahlbr. = *Naetrocymbe atomariooides*
 fraxini A. Massal. = *Naetrocymbe fraxini*
 gemmata (Ach.) A. Massal. = *Acrocordia gemmata*
 halodytes (Nyl.) Arnold = *Collemopsidium halodytes*
 hyalospora (Nyl.) Fink = *Lithothelium hyalosporum*
 lapponica Anzi = *A. analepta*
 leucochlora Müll. Arg. = *Anisomeridium leucochlorum*
 litoralis (Leighton) Arnold (Fink 1935) = *Collemopsidium sublitorale* (Santesson et al. 2004)
 lyrata R. C. Harris = *Constrictolumina lyrata*
 macrocarpa (Körber) Zahlbr. = misidentification for North America
 macrospora Fink = *Acrocordia megalospora*
 majuscula (Nyl.) Zahlbr. = *Constrictolumina majuscula*
 malaccitula (Nyl.) Zahlbr. = *Constrictolumina malaccitula*
 megalospora Lonnr. = *Naetrocymbe megalospora*
 mycoporoides Müll. Arg. = *Mycoporum mycoporoides*
 padi Rabenh. = *Naetrocymbe punctiformis*
 parvula Zahlbr. = *Anisomeridium biforme*
 pinicola (Hepp) A. Massal. = *A. cinereopruinosa*
 planorbis (Ach.) Müll. Arg. = *Constrictolumina planorbis*
 prospersella (Nyl.) Zahlbr. = *Pyrenocollema prospersella*
 punctiformis (Pers.) A. Massal. = *Naetrocymbe punctiformis*
 quinqueseptata (Nyl.) Müll. Arg. = *Polymeridium quinqueseptatum*
 rhyponta (Ach.) A. Massal. (Aptroot 2002a) = *Naetrocymbe rhyponta*
 salicis A. Massal. = Identity uncertain (Harris 1995a)
 sanfordensis Zahlbr. = *Anisomeridium excaecariae*
 sphaerooides (Wallr.) Zahlbr. = *Acrocordia gemmata*
 sublitoralis (Leighton) Arnold = *Collemopsidium sublitoralis*
 submuriformis R. C. Harris = *Strigula submuriformis*
 subprostans (Nyl.) Müll. Arg. = *Anisomeridium subprostans*
 subpunctiformis Nyl. = *A. atomariooides*
 tenuis R. C. Harris = *Strigula americana*
 tichothecioides Arnold = *Pyrenocollema tichothecioides*
 willeyana R. C. Harris = *Anisomeridium polypori*

ARTHOTHELIOPSIS Vainio

floridensis Lücking & W. R. Buck (Lücking et al. 2007)

planicarpa (Lücking) Lücking, Sérus. & Vězda (Lücking et al. 2007) A tentative report.

ARTHOTHELIUM A. Massal.

abnorme (Ach.) Müll. Arg.

adveniens Nyl.

anastomosans (Ach.) Arnold

distendens (Nyl.) Müll. Arg.

hallii (Tuck.) Zahlbr.

macounii (G. Merr.) W. Noble Syn.: *Arthonia macounii*

norvegicum Coppins & Tønsberg (Tønsberg & Williams 2006)

orbilliferum (Almq.) Hasse

ruanum (A. Massal.) Körber Syn.: *Arthonia ruana*

spectabile (Flotow) A. Massal. Syn.: *Arthonia spectabilis*

subcyrtodes (Willey) Hasse
violascens (Nyl.) Zahlbr.
 albovirescens (Nyl.) Fink = Arthonia albovirescens
 gregarinum (Willey) Zahlbr. = Coniarthonia gregarina
 ilicinum (Taylor) P. James = Arthonia ilicina
 interveniens (Nyl.) Zahlbr. = Arthonia interveniens
 lichenale (Peck) M. E. Barr (Barr et al. 1986) = Mycoporum compositum (Lendemer & Harris 2016)
 macrothecum (Fée) A. Massal. = Arthonia macrothecum
⁺pruinascens Zahlbr. = Arthonia pruinascens (Grube 2007)
 ruanideum (Nyl.) Arnold = A. ruanum
⁺sanguineum (Willey) Zahlbr. = Arthonia sanguinea (Grube 2007)
 taediosum (Nyl.) Müll. Arg. North American reports are Arthonia susa (Lendemer et al. 2013)

ARTHORORHAPHIS Th. Fr.

^{*}**aeruginosa** R. Sant. & Tønsberg
[#]**alpina** (Schaerer) R. Sant. Syn.: Bacidia alpina
[#]**citrinella** (Ach.) Poelt Syns.: Bacidia citrinella, B. flavovirescens, Lecidea flavovirescens
[#]**grisea** Th. Fr. Syn.: Lahmia fueestingii
^{*}**muddii** Obermayer (Spribile et al. 2020)

ARTHROSPORUM A. Massal. = **TONINIA** (Kistenich et al. 2018)
 accline (Flotow) A. Massal. = Toninia populorum
^{populorum} A. Massal. = Toninia populorum

ASAHHINEA W. L. Culb. & C. F. Culb.

chrysantha (Tuck.) W. L. Culb. & C. F. Culb. Syns.: Cetraria chrysantha, Platysma septentrionale
scholanderi (Llano) W. L. Culb. & C. F. Culb. Syn.: Cetraria scholanderi

ASPICILIA A. Massal.

albomarginata B. de Lesd. Syn.: Lecanora albomarginata
albonota McCune & J. Di Meglio (McCune & Di Meglio 2021)
alboradiata (H. Magn.) Oxner Syn.: Lecanora alboradiata
aliena (Zahlbr.) Oxner Syn.: Lecanora aliena
americana B. de Lesd. Syn.: Lecanora americana
angelica Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007)
annulata (Lynge) J. W. Thomson Syn.: Lecanora annulata
anseris (Lynge) J. W. Thomson Synonym: Lecanora anseris
aquatica Körber Syn.: Lecanora aquatica
arctica (Lynge) Oxner Syn.: Lecanora arctica
arizonica Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007, Knudsen et al. 2008b)
aspera (Mereschk.) Tomin (McCune et al. 2014b)
aurantiaca Owe-Larsson & A. Nordin (Knudsen et al. 2008b)
berntii A. Nordin, Tibell & Owe-Larsson Syn.: Lecanora mastoidea (Nordin et al. 2008)
bicensis F. Anderson & Lendemer (Anderson & Lendemer 2016)
boykinii Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007)
brucei Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007)
caesiopruinosa (H. Magn.) J. W. Thomson Syn.: Lecanora caesiopruinosa
californica Rosentr. (Rosentreter 1998)
californica var. **gigantea** McCune & J. Di Meglio (McCune & Di Meglio 2021)
candida (Anzi) Hue Syn.: Lecanora candida
cinerea (L.) Körber Syn.: Lecanora cinerea
cingulata (Zahlbr.) Oxner Syn.: Lecanora cingulata
composita (Lynge) J. W. Thomson Syn.: Lecanora composita
concinna (J. W. Thomson) J. W. Thomson (Thomson 1997)
confusa Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007)

contigua (Lynge) J. W. Thomson
cuprea Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007, Knudsen et al. 2008b)
curvabilis (Nyl.) Hue (Hansen 2006)
cyanescens Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007)
determinata (H. Magn.) N. S. Golubk. (Owe-Larsson et al. 2007)
diploschistiformis McCune & Di Meglio (McCune & Di Meglio 2021)
disserpens (Zahlbr.) Räsänen Syn.: Lecanora disserpens
dudinensis (H. Magn.) Oxner (McCune et al. 2020)
elevata (Lynge) J. W. Thomson Syn.: Lecanora elevata
filiformis Rosentr. (Rosentreter 1998)
fimbriata (H. Magn.) Clauzade & Rondon Syn.: Lecanora fimbriata
fumosa Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007)
glaucopsina (Nyl. ex Hasse) Hue (Knudsen 2005b, Owe-Larsson et al. 2007)
grisea Arnold (Fryday 2001)
heteroplaca (Zahlbr.) Oxner Syn.: Lecanora heteroplaca
humboldtii (Lynge) J. W. Thomson
karelica (H. Magn.) Oxner
knudsenii Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007)
laevata (Ach.) Arnold Syns.: Lecanora cinerea var. laevata, L. laevata
laxula (H. Magn.) Brodo
lesleyana Darb. Syn.: Lecanora lesleyana
limitata (H. Magn.) J. W. Thomson Syn.: Lecanora limitata
mansourii Sohrabi (McCune et al. 2014b)
mazarina (Wahlenb.) R. Sant.
narssquensis (Lynge) J. W. Thomson Syns.: Lecanora basaltica, L. narssquensis
nashii Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007)
nathorstii (Lynge) J. W. Thomson
nikrapensis Darb. Syn.: Lecanora nikrapensis
nordlandica (H. Magn.) Degel.
novae-semliae (Zahlbr.) Oxner Syn.: Lecanora novae-semliae
olivaceobrunnea Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007)
olivaceopallida (H. Magn.) Lendemer (Lendemer et al. 2013)
pacifica Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007, Knudsen et al. 2008b)
papilliformis McCune & J. Di Meglio (McCune & Di Meglio 2021)
peltastictoides (Hasse) K. Knudsen & Kocourk. (Knudsen & Kocourková 2013) Syn.: Lecanora peltastictoides
pergibbosa (H. Magn.) Räsänen Syn.: Lecanora pergibbosa
perradiata (Nyl.) Hue Syn.: Lecanora perradiata
pertusa (Lynge) J. W. Thomson Syn.: Lecanora pertusa
phaea Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007, Knudsen et al. 2008b)
plicigera (Zahlbr.) Räsänen Syn.: Lecanora plicigera
polychroma Anzi Syn.: Lecanora polychroma
praecrenata (Nyl. ex Hasse) Hue Syn.: Lecanora praecrenata (Owe-Larsson et al. 2007, Knudsen et al. 2008b)
reptans (Looman) Wetmore Syn.: Lecanora reptans:
rolleana Hue Syn.: Lecanora rolleana
rosulata Körber Syn.: Lecanora rosulata
ryrkaipiae (H. Magn.) Oxner Syn.: Lecanora ryrkaipiae
santamonicae Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007, Knudsen et al. 2008b)
sipeana (H. Magn.) Owe-Larsson & A. Nordin Syn.: Lecanora sipeana (Owe-Larsson et al. 2007)
sorediza (Lynge) J. W. Thomson
spicata McCune & J. Di Meglio (McCune & Di Meglio 2021)
subcontinua McCune & J. Di Meglio (McCune & Di Meglio 2021)
sublapponica (Zahlbr.) Oxner Syn.: Lecanora sublapponica
submersa (Lamy) Hue
subplicigera (H. Magn.) Oxner

subradians (Nyl.) Hue Syns.: Lecanora stygioplaca, L. subradianscens, L. subradians
substictica Owe-Larsson & A. Nordin (Owe-Larsson et al. 2007)
supertegens Arnold Syn.: Lecanora supertegens
tenuis (H. Magn.) Owe-Larsson & A. Nordin Syn.: Lecanora tenuis (Owe-Larsson et al. 2007)
verrucigera Hue Syn.: Lecanora verrucigera
wyomingensis McCune & J. Di Meglio (McCune & Di Meglio 2021)
 alphoplaca (Wahlenb.) Poelt & Leuckert = Lobothallia alphoplaca
 alpina (Sommerf.) Arnold = Bellemerea alpina
 bennettii (Lynge) J. W. Thomson = A. mashiginensis
 caesiocinerea (Nyl. ex Malbr.) Arnold = Circinaria caesiocinerea
 calcarea (L.) Körber = Circinaria calcarea
 cinereorufescens (Ach.) A. Massal. = Bellemerea cinereorufescens
 contorta (Hoffm.) Kremp. = Circinaria contorta
 desertorum (Kremp.) Mereschk. North American reports are Circinaria arida (Owe-Larsson et al. 2011)
 diamarta (Ach.) Boistel = Bellemerea diamarta
 excavata G. Thor & Timdal = Acarospora moenium
 flavida (Hepp) Rehm = Eiglera flavida
 fruticulosa (Eversm.) Flagey = Circinaria rogeri for N.A. reports
 gibbosa (Ach.) Körber = Circinaria gibbosa
 hispida Mereschk. = Circinaria hispida
 intermutans (Nyl.) Arnold (McCune et al. 2014b) = Aspiciliella intermutans
 lacustris (With.) Th. Fr. = Ionaspis lacustris
 leprosescens (Sandst.) Hav. = Circinaria leprosescens
mashiginensis (Zahlbr.) Oxner = Oxneria mashiginensis
 mastoidea (Lynge) J. W. Thomson = A. berntii (Nordin et al. 2008)
 mastrucata (Wahlenb.) Th. Fr. (Wetmore 1967) = Sagedia mastrucata
 melanaspis (Ach.) Poelt & Leuckert = Lobothallia melanaspis
 melinodes Körber = Porpidia melinodes
 moenium (Vainio) G. Thor & Timdal = Acarospora moenium (Nordin et al. 2009)
 myrinii (Fr.) Stein = Aspilidea myrinii
 pelobotrya (Wahlenb.) Th. Fr. = Amygdalaria pelobotryon
 praeradiosa (Nyl.) Poelt & Leuckert = Lobothallia praeradiosa
 quartzitica W. A. Weber = Schaereria fuscocinerea (Owe-Larsson et al. 2007)
 radiosha (Hoffm.) Poelt & Leuckert = Lobothallia radiosha
 rogeri Sohrabi (Sohrabi et al. 2013b) = Circinaria rogeri
 sanguinea Kremp. = Bellemerea sanguinea
 simoënsis Räsänen (Owe-Larsson et al. 2007) = Sagedia simoënsis
 stygioplaca (Nyl.) Hue = A. subradians
 subradianscens (Nyl.) Hue = A. subradians
 subsorediza (Lynge) R. Sant. = Bellemerea subsorediza
 uxoris (Werner) V. J. Rico (Shrestha & St. Clair 2009) North American report = Teuvoa
 junipericola (Sohrabi et al. 2013a)

ASPICILIUM M. Choisy

intermutans (Nyl.) M. Choisy Syn.: Aspicilia intermutans (Zakeri et al. 2017)

ASPIDOTHELIUM Vainio (Nelsen et al. 2017)

cinerascens Vainio (Lücking et al. 2011b) Syn.: Thelenella cinerascens
fugiens (Müll. Arg.) R. Sant. Syn.: Thelenella fugiens (Nelsen et al. 2017)
geminiparum (Malme) R. Sant. (Lücking et al. 2011b) Syn.: Thelenella geminipara
scutellicarpum Lücking (Lücking et al. 2011b)

ASPILIDEA Hafellner (Hafellner & Türk 2001)

myrinii (Fr.) Hafellner

ASTEROPHOMA D. Hawksw.

***mazaediicola** D. Hawksw.

ASTEROTHYRIUM Müll. Arg.

decipiens (Rehm) R. Sant.

leucophthalmum (Müll. Arg.) R. Sant.

rotuliforme (Mull. Arg.) Sérus. Syns.: Gyalectidium rotuliforme, Lopadiopsis floridana

ASTROTHELIUM Eschw.

aeneum (Eschw.) Aptroot & Lücking Syn.: Trypethelium aeneum (Aptroot & Lücking 2016)

cinnamomeum (Eschw.) Müll. Arg.

crassum (Fée) Aptroot (Aptroot & Lücking 2016)

diplocarpoides Müll. Arg. (Lücking et al. 2011b)

diplocarpum Nyl. (Harris 1995a)

feei (C. F. W. Meissn.) Aptroot & Lücking (Aptroot & Lücking 2016)

floridanum Zahlbr.

macrocarpum (Fée) Aptroot & Lücking (Aptroot & Lücking 2016)

marcidum (Fée) Aptroot & Lücking Syn.: Trypethelium marcidum (Aptroot & Lücking 2016)

megaspermum (Mont.) Aptroot & Lücking Syns.: Campylothecium nitidum, Clathroporina

diphloea, Laurera megasperma (Aptroot & Lücking 2016)

nitidiusculum (Nyl.) Aptroot & Lücking Syn.: Trypethelium nitidiuscula (Aptroot & Lücking 2016)

phlyctaena (Fée) Aptroot & Lücking Syns.: Trypethelium ochroleucum, T. pallescens (Aptroot & Lücking 2016)

porosum (Ach.) Aptroot & Lücking Syn.: Trypethelium porosum (Aptroot & Lücking 2016)

scoria (Fée) Aptroot & Lücking Syn.: Trypethelium scoria (Aptroot & Lücking 2016)

subdisjunctum (Müll. Arg.) Aptroot & Lücking Syn.: Laurera subdisjuncta (Aptroot & Lücking 2016)

variolosum (Ach.) Müll. Arg. Syn.: Trypethelium variolosum (Aptroot & Lücking 2016)

versicolor Müll. Arg.

confusum Müll. Arg. = A. crassum (Aptroot & Lücking 2016)

conicum auct. = A. cinnamomeum

conicum Eschw. = (?) type not found

galbineum Kremp. = A. macrocarpum (Aptroot & Lücking 2016)

ochrothelizum Müll. Arg. = A. macrocarpum (Aptroot & Lücking 2016)

ATHALLIA Arup, Frödén & Søchting (Arup et al. 2013)

cerinelloides (Erichsen) Arup, Frödén & Søchting Syn.: Caloplaca cerinelloides

holocarpa (Hoffm.) Arup, Frödén & Søchting Syn.: Caloplaca holocarpa

pyracea (Ach.) Arup, Frödén & Søchting Syns.: Caloplaca pyracea, Placodium cerinum var.

pyracea

saxifragarum (Poelt) Arup, Frödén & Søchting Syn.: Caloplaca saxifragarum

scopularis (Nyl.) Arup, Frödén & Søchting Syn.: Caloplaca scopularis

vitellinula (Nyl.) Arup, Frödén & Søchting Syn.: Caloplaca vitellinula

ATHELIA Pers.

***arachnoidea** (Berk.) Jülich (Haffelner et al. 2002)

***epiphylla** Pers.

poeltii Jülich

ATLA Savić & Tibell

alaskana S. Tibell & Tibell (Tibell & Tibell 2015)

recondita Savić (Spribille et al. 2020)

ATROPHYSMA T. Sprib. (Spribille et al. 2020)

cyanomelanos T. Sprib. (Spribille et al. 2020)

AULAXINA Fée

- microphana** (Vainio) R. Sant.
quadrangula (Stirton) R. Sant.

BACHMANNIOMYCES D. Hawksw.

- ***punctum** (A. Massal.) Diederich & Pino-Bodas Syn.: Phaeopyxis punctum (Diederich et al. 2018)
***uncialicola** (Zopf) D. Hawksw. = B. punctum (Diederich et al. 2018)

BACIDIA De Not.

- absistens** (Nyl.) Arnold
aggregatula Malme
alnetorum (S. Ekman & Tønsberg) S. Y. Kondr. Syn.: Biatora alnetorum (Kondratyuk et al. 2019, Spribile et al. 2020)
arceutina (Ach.) Arnold Syn.: Biatora effusa var. arceutina, Lecidea luteola var. arceutina
[**Bilimbia artyta** (Ach.) Fink]
auerswaldii (Hepp ex Stizenb.) Mig.
austinii (Tuck.) Zahlbr. (“augustinii”) Syn.: Biatora austinii; misplaced here, correct placement uncertain (Ekman 1996)
bagliettoana (A. Massal. & De Not.) Jatta Syn.: Biatora muscorum
biatorina (Körber) Vainio
brouardii (B. de Lesd.) Zahlbr.
campalea (Tuck.) S. Ekman & Kalb
coprodes (Körber) Lettau (Llop & Ekman 2004) Syns.: Bilimbia coprodes, Biatora trachona auct., Bilimbia trachona auct.
coruscans S. Ekman (Ekman 2004a)
diffracta S. Ekman
depriestiana Lendemer & Keepers (Lendemer & Keepers 2021)
eckfeldtii (Müll. Arg.) Zahlbr. Syn.: Patellaria eckfeldtii (Lendemer & Hewitt 2002)
ekmaniana R. C. Harris, Lendemer & Ladd (Lendemer et al. 2016b)
flavens (Willey) Zahlbr. Syn.: Biatora flavens = a species of Lecania (Ekman 1996)
friesiana (Hepp) Körber
gigantensis Lendemer, McCune & McMullin (McMullin et al. 2020)
granosa (Tuck.) Zahlbr. Syns.: Bilimbia granosa, Bilimbia pammellii (Ekman 2014)
gullahgeechee Lendemer (Lendemer 2018)
hegetschweileri (Hepp) Vainio
helicospora S. Ekman
herbarum (Stizenb.) Arnold
heterochroa (Müll. Arg.) Zahlbr.
hostheleoides (Nyl.) Zahlbr. Syns.: Biatora caloosensis
idahoensis H. Magn. (McCune et al. 2014b)
igniarrii (Nyl.) Oxner
illudens (Nyl.) Lynge
insularis Zahlbr.
jacobi (Tuck.) Hasse Syn.: Biatora jacobi = misplaced here, correct placement uncertain (Ekman 1996, 2004a)
kekesiana R. C. Harris (Harris 2009)
kingmanii Hasse = misplaced here, correct placement uncertain (Ekman 1996)
laurocerasi (Delise ex Duby) Zahlbr. Syn.: Biatora atrogrisea
lobarica Printzen & Tønsberg (Printzen & Tønsberg 2007)
mutabilis Malme
***peltigericola** Vainio (Weber & Wittman 2000)
phylllopsoropsis R. C. Harris & Lendemer (Harris & Lendemer 2006)
polychroa (Th. Fr.) Körber Syns.: Biatora fuscorubella, Lecidea spadicea
purpurans R. C. Harris, Lendemer & Ladd (Lendemer et al. 2016b)

ravenelii (Tuck.) Zahlbr. Syn.: *Bilimbia ravenelii* Correct placement uncertain (Ekman 1996)
reagens Malme
rosellizans S. Ekman (Ekman 2009)
rubella (Hoffm.) A. Massal. Syn.: *Biatora rubella*
rubidofusca (Willey) Zahlbr. Syn.: *Bilimbia rubidofusca* Possibly a species of Gyalidea (Printzen 1995)
russeola (Kremp.) Zahlbr.
salmonea S. Ekman
saxicola Looman = misplaced, correct placement uncertain (Ekman 1996)
schweinitzii (Fr. ex Tuck.) A. Schneider Syns.: *Biatora leucampyx* (Lendemer & Harris 2012), *B. schweinitzii*, *Patellaria granulosa* Michaux non (Hoffm.) DC.
scopulicola (Nyl.) A. L. Sm.
sorediata Lendemer & R. C. Harris (Lendemer et al. 2016b)
subgranulosa (Tuck.) Riddle Erroneously listed as a synonym of *Phyllopsora canoumbrina* in the checklist; possibly belongs to *Psorella* (Ekman 1996)
subincompta (Nyl.) Arnold
suffusa (Fr.) A. Schneider Syn.: *Biatora suffusa*
thiersiana Lendemer (Lendemer 2020a)
veneta S. Ekman (Ekman 2004a)
viridifarinosa Coppins & P. James (Tønsberg 1997)
abbrevians (Nyl.) Th. Fr. = *B. igniarii*
abductans (Nyl.) Zahlbr. = *B. schweinitzii*
accedens (Arnold) Lettau = *Bilimbia accedens*
accedens sensu Harris = unnamed species (Ekman 1996)
acclinis (Flotow) Zahlbr. = **Toninia populorum**
affinis (Stizenb.) Vainio = *B. subincompta*
akompsa (Tuck.) Fink = a *Lecanactis* sp.
alaskensis (Nyl.) Zahlbr. = *Herteliana alaskensis*
albescens (Kremp.) Zwackh = *Bacidina phacodes*
alpina (Schaerer) Vainio = *Arthrorhaphis alpina*
apiahica (Müll. Arg.) Zahlbr. = *Bacidina apiyahica*
arnoldiana Körber = *Bacidina arnoldiana*
arthoniza (Nyl.) Zahlbr. = *Lecidella stigmata*
assulata (Körber) Vězda = *Bacidina assulata*
atrogrisea (Delise ex Hepp) Körber = *B. laurocerasi*
aurantiaca Vězda = *Fellhanera aurantiaca*
bacillifera (Nyl.) Arnold = **Scutula circumspecta**
beckhausii Körber = *Biatora beckhausii* (Printzen 2014)
caloosensis (Tuck.) Zahlbr. = *B. hostheleoides*
carneoalbida (Müll. Arg.) Coppins = *Mycobilimbia carneoalbida*
chlorantha (Tuck.) Fink = *Ropalospora chlorantha*
chlorococca (Stenh.) Lettau = *Scoliciosporum chlorococcum*
chlorosticta (Tuck.) A. Schneider = *Micarea chlorosticta*
circumspecta (Nyl. ex Vainio) Malme = **Scutula circumspecta** (Kistenich et al. 2018)
citrinella (Ach.) Branth & Rostrup = *Arthrorhaphis citrinella*
clementis Hasse = *Bactrospora patellarioides* (Ekman 1996)
cuprea (A. Massal.) Lettau = *Lecania cuprea* (Ekman 1996)
cupreorosella (Nyl. ex Stizenb.) A. Schneider = *Lecania cuprea*
declinis (Tuck.) Zahlbr. = *Catillaria nigroclavata*
dryina (Ach.) Fink = *Bactrospora dryina*
effusa auct. = *Bacidina assulata*
egenula (Nyl.) Arnold = *Bacidina egenula*
egenuloidea Fink = *Bacidina egenuloidea*
endocyanea (Tuck. ex Willey) Zahlbr. = *Micarea endocyanea*
endoleuca auct. = *B. laurocerasi*
epixanthoides (Nyl.) Lettau = *Mycobilimbia epixanthoides*

flavovirescens (Dickson) Anzi = Arthrorraphis citrinella
floridana (Tuck.) Zahlbr. = Fellhanera floridana
fusca (A. Massal.) Du Rietz = Mycobilimbia tetramera
fuscorubella (Hoffm.) Bausch = B. polychroa
fuscorubella var. suffusa (Fr.) Fink = B. suffusa
globulosa (Flörke) Hafellner & V. Wirth = [Myrionora](#) globulosa (Kondratyuk et al. 2019)
gyalectiformis (Zahlbr.) Hasse = Ramonia gyalectiformis
gyalizella (Nyl.) Zahlbr. = Gyalecta gyalizella (Baloch et al. 2013a)
hegetschweileri auct. = [Bibbya vermicifera](#) (Ekman 1996, [Kistenich et al. 2018](#))
hegetschweileri (Hepp) Vainio = B. subincompta (Nyl.) Arnold (Ekman 1996)
[hemipolia](#) (Nyl.) Malme ([Weber & Wittman 2000](#), [Czarnota & Coppins 2007](#)) = [Myrionora](#)
[hemipolia](#) (Kondratyuk et al. 2019)
herrei Zahlbr. = Ophioparma rubricosa
hypnophila (Turner ex Ach.) Zahlbr. = Bilimbia sabuletorum
incompta (Borrer ex Hooker) Anzi = misidentification for North America
intermedia (Hepp ex Stizenb.) Arnold = Bacidina assulata (Ekman 1996)
inundata (Fr.) Körber = Bacidina inundata
[ioessa Herre](#) = [Thalloidima ioen](#)
laurocerasi subsp. idahoensis (H. Magn.) S. Ekman = B. idahoensis (McCune et al. 2014b)
leucophyllina (Nyl.) Fink = misidentification for North America
lignaria (Ach.) Lettau = Micarea lignaria
lugubris (Sommerf.) Zahlbr. = Ropalospora lugubris
luteola "(Ach.) Mudd" = B. rubella
meadii (Tuck. ex Willey) Zahlbr. = Byssoloma meadii
[medialis](#) (Tuck. ex Nyl.) [B. de Lesd.](#) (Ekman 1996) = [Bacidina medialis](#)
melaena (Nyl.) Zahlbr. = Micarea melaena
microcarpa (Th. Fr.) Lettau = Bilimbia microcarpa
microphyllina auct. = Phyllopsora santensis
microphyllina (Tuck.) Riddle = misidentification for North America
minuscula Anzi = B. beckhausii
[molybditis](#) (Tuck.) Zahlbr. = [Bacidina medialis](#)
muscorum (Sw.) Mudd = B. bagliettoana
naegelii (Hepp) Zahlbr. = [Lecaniella](#) naegelii
nivalis Follmann = Stereocaulon nivale
obscurata (Sommerf.) Zahlbr. = Mycobilimbia tetramera
pallens (Kullhem) Zahlbr. = [Coppinsidea](#) pallens (Kondratyuk et al. 2019)
pammellii (Fink) Zahlbr. = Bacidia granosa (Ekman 2014)
phacodes auct. N. Am. = Bacidina californica, in part
phacodes Körber (Tuckerman 1888) = Bacidina phacodes
populorum (A. Massal.) Trevisan = Arthrosporum populorum
rosella (Pers.) De Not. = B. rosellizans for North American reports
rubricosa (Müll. Arg.) Zahlbr. = Ophioparma rubricosa
sabuletorum (Schreber) Lettau = Bilimbia sabuletorum
sibiricensis (Willey ex Rothr.) Zahlbr. = Lecania subfuscula (Ekman 1996)
[spadicea](#) (Ach.) Zahlbr. = [B. suffusa](#) (Ekman 1996)
sphaerooides (Dickson) Zahlbr. = Mycobilimbia pilularis
sphaerooides auct. non (Dickson) Zahlbr. = Mycobilimbia carneoalbida
stigmatella (Tuck.) Zahlbr. = Lecania stigmatella
subfuscula (Nyl.) Th. Fr. = Lecania subfuscula
[subspadicella](#) Zahlbr. = [B. polychroa](#) (Ekman 1996)
tetramera (De Not.) Coppins = Mycobilimbia tetramera
trachona (Ach.) Lettau North American reports are B. coprodes (Llop & Ekman 2004)
trisepta (Hellbom) Zahlbr. = Micarea peliocarpa
umbrina (Ach.) Bausch = Scoliosporum umbrinum
vereundula (Th. Fr.) = misidentification for North America (Ekman 1996)
[vermicifera](#) (Nyl.) Th. Fr. (Ekman 1996) = [Bibbya vermicifera](#) (Kistenich et al. 2018)

BACIDINA Vězda

- aenea** S. Ekman
apiahica (Müll. Arg.) Vězda Syn.: Bacidia apiahica
arnoldiana (Körber) V. Wirth & Vězda Syn.: Bacidia arnoldiana
assulata (Körber) S. Ekman Syns.: Bacidia albescens, B. assulata, B. effusa auct., B. intermedia
brandii (Coppins & van den Boom) M. Hauck & V. Wirth (Spribille et al. 2020)
brittoniana (Riddle) LaGreca & S. Ekman (Berger & LaGreca 2014)
californica S. Ekman Syns.: Bacidia phacodes auct. N.A., B. albescens auct. N.A.?
chlorotica (Nyl.) Vězda & Poelt (Ekman 1996)
circumpulla S. Ekman (Spribille et al. 2020)
conecta S. Ekman & T. Sprib. (Spribille et al. 2009)
crystallifera S. Ekman
delicata (Leighton) V. Wirth & Vězda (Harris & Lendemer 2005)
egenula (Nyl.) Vězda Syn.: Bacidia egenula
egenuloidea (Fink) S. Ekman Syn.: Bacidia egenuloidea
inundata (Fr.) Vězda Syns.: Bacidia inundata, Biatora inundata
lacerata (Timdal) Kistenich, Timdal, Bendiksby & S. Ekman Syn.: Phyllopsora lacerata
(Kistenich et al. 2018)
medialis (Tuck. ex Nyl.) Kistenich, Timdal, Bendiksby & S. Ekman Syn.: Bacidia medialis,
Biatora medialis, B. molybditis, Bilimbia molybditis, Lecidea medialis (Kistenich et al. 2018)
neosquamulosa (Aptroot & van Herk) S. Ekman (Ekman 2004b)
pallidocarnea (Müll. Arg.) Vězda (Seavey & Seavey 2012)
phacodes (Körber) Vězda (Harris & Ladd 2005) Syn.: Bacidia phacodes
saxenii (Erichsen) M. Hauck & V. Wirth (Spribille et al. 2020)
squamellosa S. Ekman
sulphurella (Samp.) M. Hauck & V. Wirth (Spribille et al. 2020)
phacodes (Körber) Vězda = Bacidina californica, in part, for N.A. records
ramea S. Ekman = Mycobilimbia ramea (Kondratyuk et al. 2019)
varia S. Ekman = B. brittoniana

BACIDIOPSORA Kalb

- orizabana** (Vainio) Kalb (Seavey et al. 2017)
squamulosula (Nyl.) Kalb (Seavey et al. 2014)

BACTROSPORA A. Massal.

- acicularis** (C. W. Dodge) Egea & Torrente (Egea et al. 2004a)
brevispora R.C. Harris
brodoi Egea & Torrente
carolinensis (Ellis & Everh.) R. C. Harris (Knudsen et al. 2011b)
cascadensis Ponzetti & McCune (Ponzetti & McCune 2006)
denticulata (Vainio) Egea & Torrente
dryina (Ach.) A. Massal. Syn.: Bacidia dryina
metabola (Nyl.) Egea & Torrente (Joseph et al. 2021) Syns.: Gyalecta lamprospora,
Melampylium macrosporum (Lendemer 2004a)
myriadea (Fée) Egea & Torrente
patellarioides (Nyl.) Almq. Syns.: Lecanactis patellarioides, Lecidea patellarioides, Bacidia
clementis
spiralis Egea & Torrente
integriflora Seaver = B. denticulata (Harris 1995a)
lamprospora (Nyl.) Lendemer = B. metabola (Joseph et al. 2021)
macrospora R.C. Harris = B. lamprospora
mesospora R.C. Harris = B. carolinensis
nematospora R.C. Harris = B. myriadea

BACULIFERA Marbach & Kalb

curtisii (Tuck.) Marbach Syns.: *Buellia curtisii* (Marbach 2000), *Gyrostomum curtisii*
imshaugiana (R. C. Harris) Marbach Syn.: *Buellia imshaugiana* (Marbach 2000)
micromera (Vainio) Marbach (Seavey et al. 2017)

BAEOMYCES Pers.

carneus Flörke
placophyllus Ach.
rufus (Hudson) Rebent.
absolutus Tuck. = *Dibaeis absoluta*
aeruginosa (Scop.) DC. = *Icmadophila ericetorum*
byssoides (L.) Ach. (Claassen 1912) = *B. rufus*
fungoides (Sw.) Ach. North American reports are *Dibaeis baeomyces*
roseus Pers. = *Dibaeis baeomyces*

BAGLIETTOA A. Massal.

baldensis (A. Massal.) Vězda (Breuss 2007a) Syn.: *Verrucaria baldensis*
calciseda (DC.) Gueidan & Cl. Roux Syn.: *Verrucaria calciseda* (Knudsen & Kocourková 2009b)
marmorea (Scop.) Gueidan & Cl. Roux Syn.: *Verrucaria marmorea* (Yuzon et al. 2014)
rubrocincta (Breuss) Gueidan & Cl. Roux (Yuzon et al. 2014) Syn.: *Verrucaria rubrocincta*

BATHELIUM Ach. (Harris 1995a)

carolinianum (Tuck.) R. C. Harris (Harris 1995a) Syn.: *Trypethelium carolinianum*
madreporiforme (Eschw.) Trevisan (Harris 1995a) Syn.: *Laurera madreporiformis*

BELLEMERA Hafellner & Cl. Roux

alpina (Sommerf.) Clauzade & Cl. Roux Syns.: *Lecanora alpina*, *L. applegatei*, *Aspicilia alpina*
cinereorufescens (Ach.) Clauzade & Cl. Roux Syns.: *Aspicilia cinereorufescens*, *Lecanora cinereorufescens*
diamarta (Ach.) Hafellner & Cl. Roux Syn.: *Aspicilia diamarta*
sanguinea (Kremp.) Hafellner & Cl. Roux Syns.: *Aspicilia sanguinea*, *Lecanora sanguinea*
subsorediza (Lynge) R. Sant. Syns.: *Lecidea subsorediza*, *Aspicilia subsorediza*

BELLEMERELLA Nav.-Ros. & Cl. Roux

***ritae** Pérez-Ortega & T. Sprib. (Pérez-Ortega & Spribille 2007)
***trapeliae** Nav.-Ros. & Cl. Roux (Lendemer et al. 2013)

BELONIA Körber ex Nyl. = **GYALECTA** (Baloch et al. 2013a)

americana Fink ex Hedr. = *Robergea pupula*, but excluded as a non-lichen
fennica Vainio = *Gyalecta russula*
russula Körber ex Nyl. = *Gyalecta russula*

BIATORA Fr.

aegrefaciens Printzen (Printzen et al. 2002)
alaskana Printzen & Tønsberg (Printzen & Tønsberg 1999)
appalachensis Printzen & Tønsberg (Printzen & Tønsberg 2004)
aureolepra T. Sprib. & Tønsberg (Spribille et al. 2009)
beckhausii (Körber) Tuck. Syn.: *Bacidia beckhausii* (Printzen 2014)
caulophylla Tuck. Possibly belongs to *Lecanora* (Ryan & Nash 1997a)
chrysantha (Zahlbr.) Printzen in V. Wirth (Printzen 1995)
chrysanthoides Printzen & Tønsberg (Printzen & Tønsberg 2003)
cuprea (Sommerf.) Fr. Syns.: *Bilimbia bacidioides*, *Lecidea cuprea*
efflorescens (Hedl.) Räsänen (Printzen 1995) Syns.: *Lecidea efflorescens*, *L. epixanthoidiza*
fallax Hepp (Printzen & Tønsberg 1999)
halei (Tuck.) S. Y. Kondr. Syns.: *Pannaria halei*, *Phyllopsora halei* (Kondratyuk et al. 2019)

helvola Körber ex Hellbom (Spribille et al. 2010) Syn.: Lecidea helvola
kalbii (Brako) S. Y. Kondr. Syn.: *Phyllopsora kalbii* (Kondratyuk et al. 2019)
kodiakensis Printzen & Tønsberg (Printzen & Tønsberg 2004)
longispora (Degel.) Lendemer & Printzen Syn.: Lecidea helvola var. longispora (Lendemer 2004b ; Kondratyuk et al. 2019)
marmorea T. Sprib. (Spribille et al. 2020)
meiocarpa (Nyl.) Arnold Syns.: Lecidea meiocarpa, L. minuta
meiocarpa var. **tacomensis** (Printzen & Tønsberg) Printzen & Tønsberg (Printzen & Tønsberg 2004) Syn.: Lecidea meiocarpa var. tacomensis
mendax Anzi (McMullin et al. 2017)
nobilis Printzen & Tønsberg (Printzen & Tønsberg 1999)
oligocarpa Printzen & Tønsberg (Printzen & Tønsberg 2004)
pausiaca Printzen & Tønsberg (Printzen & Tønsberg 2003)
pontica Printzen & Tønsberg (Printzen & Tønsberg 2003)
printzenii Tønsberg (Tønsberg 2002)
pycnidiata Printzen & Tønsberg (Printzen & Tønsberg 2004)
rufidula (Graewe) S. Ekman & Printzen (Printzen & Tønsberg 1999)
sphaeroidiza (Vainio) Printzen & Holien (Dillman et al. 2012)
subduplex (Nyl.) Printzen (Printzen 1995) Syns.: Lecidea subduplex, L.apochroeiza, L. internectens
terrae-novae Printzen & J. W. McCarthy (Printzen et al. 2017)
toensbergii Holien & Printzen (Printzen & Tønsberg 1999)
troendelagica Holien & Printzen (Tønsberg & Printzen 2018)
vernalis (L.) Fr. Syn.: Lecidea vernalis
akompsa Tuck. (Tuckerman 1888) = *Pentagenella akompsa* (Perlmutter et al. 2020)
albohyalina (Nyl.) Bagl. & Carestia = *Mycobilimbia albohyalina* (Kondratyuk et al. 2019)
albidula Willey (Tuckerman 1888) = *Myrionora albidula* (Kondratyuk et al. 2019)
alnetorum S. Ekman & Tønsberg (Ekman & Tønsberg 2019, Spribille et al. 2020) = *Bacidia alnetorum* (Kondratyuk et al. 2019)
amaurospoda Anzi = *Frutidella furfuracea*
anthracophila (Nyl.) Hafellner = *Carbonicola anthracophila*
artyta Tuck. (Tuckerman 1888) Identity uncertain, acc. to Zahlbrückner, not the same as Lecidea
artyta Ach.
atrogrisea Delise (Tuckerman 1888) = *Bacidia laurocerasi*
atropurpurea (Schaerer) Hepp = *Catinaria atropurpurea*
atrorufa (Dickson) Fr. (Tuckerman 1888) = *Lecidoma demissum*
austinii Tuck. ("augustinii," Tuckerman 1888) = *Bacidia austinii*
botryosa Fr. (Printzen 1995) = *Hertelidea botryosa*
calcivora (Schaerer) Tuck. (Tuckerman 1888) = *Clauzadea immersa*
caloosensis Tuck. (Tuckerman 1888) = *Bacidia hostheleoides*
campestris Fr. (Tuckerman 1888) = *Sarcosagium campestre*
carneoalbida (Müll. Arg.) Coppins = *Mycobilimbia carneoalbida*
carnulenta Tuck. (Tuckerman 1888) = *Lecidea carnulenta*
chlorantha Tuck. (Tuckerman 1888) = *Ropalospora chlorantha*
chlorosticta (Tuck.) Tuck. (Tuckerman 1888) = *Micarea chlorosticta*
cinnabarina (Sommerf.) Fr. (Tuckerman 1888) = *Ramboldia cinnabarina*
cladoniscum Willey (see note under *Nesolechia cladoniscum*)
coarctata (Turner) Th. Fr. (Tuckerman 1888) = *Trapelia coarctata*
coarctata var. brujeriana (Schaerer) Tuck. (Tuckerman 1888) = *Ainoa mooreana* (but a misidentification for N.A. acc. to Brodo & Lendemer 2015)
crenata (Taylor) Tuck. (Tuckerman 1888) = *Psora crenata*
crenata f. dealbata Tuck. (Tuckerman 1888) = *Psora crenata*
cupreorosella (Nyl. ex Stizenb.) Tuck. (Tuckerman 1888) = *Lecania cuprea*
cyphalea Tuck. (Tuckerman 1888) = *Strangospora cyphalea*
cyratella (Ach.) W. Mann = *Lecania cyrtella*
decipiens (Ehrh.) Fr. = *Psora decipiens*

declinis Tuck. (Tuckerman 1888) = *Catillaria nigroclavata*
decolorans (Hoffm.) Fr. (Tuckerman 1888) = *Trapeliopsis granulosa*
denigrata Fr. (Tuckerman 1888) = *Micarea denigrata*
diapensiae (Th. Fr.) Arnold (Tuckerman 1888) = *Bryobilimbia diapensiae*
difformis (Fr.) Tuck. (Tuckerman 1888) = *Sarea diffiformis*
dryina (Ach.) Th. Fr. (Tuckerman 1888) = *Bactrospora dryina*
effusa Hepp (Tuckerman 1888) = *Bacidina assulata* for N.A. records
effusa var. arceutina Ach. (Tuckerman 1888) = *Bacidia arceutina*
ementiens (Nyl.) Printzen (Printzen 2014) = *Myrionora ementiens* (Kondratyuk et al. 2019)
epixanthoides (Nyl.) Diederich = *Mycobilimbia epixanthoides*
exigua (Chaub.) Fr. (Tuckerman 1888) = *Lecidea varians* for N.A. records
fendleri Mont. & Tuck (Tuckerman 1888) = *Phyllopsora parvifolia*
flavens Willey (Tuckerman 1888) = *Bacidia flavens*
flavidolivens Tuck. (Tuckerman 1888) = *Lecidea flavidolivens*
flavopunctata (Tønsberg) Hinter. & Printzen = *Myrionora flavopunctata* (Kondratyuk et al. 2019)
floridana Tuck. = *Fellhanera floridana*
fossarum (Dufour) Mont. (Tuckerman 1888) = *Biatorella hemisphaerica* for N.A. records
franciscana Tuck. = *Lecania franciscana*
friesii (Ach.) Tuck. = *Xylopsora friesii*
furfurosa (Tuck. ex Nyl.) Tuck. (Tuckerman 1888) = *Malmidea furfurosa*
furvonigrans Tuck. ex Willey = *Lecidea furvonigrans*
fuscorubella (Hoffm.) Tuck. = *Bacidia polychroa*
fuscescens (Sommerf.) Fr. (Tuckerman 1888) = *Lecanora fuscescens*
geophana (Nyl.) Th. Fr. (Tuckerman 1888) = *Steinia geophana*
glauconigrans Tuck. (Tuckerman 1888) = *Catillaria glauconigrans*
globifera (Ach.) Fr. (Tuckerman 1888) = *Psora globifera*
globifera var. rubiformis (Wahlenb. Ex Ach.) Torss. (Tuckerman 1888) = *Psora rubiformis*
globulosa (Flörke) Fr. = *Myrionora globulosa* (Kondratyuk et al. 2019)
granulosa (Hoffm.) Flotow (Tuckerman 1888) = *Trapeliopsis granulosa*
granulosa var. flexuosa (Fr.) Flotow (Tuckerman 1888) = *Trapeliopsis flexuosa*
griffithii (Sm.) Hepp (Tuckerman 1888) = *Cliostomum griffithii*
*heerii Hepp (Tuckerman 1888) = *Scutula heerii*
hemipolia (Nyl.) S. Ekman & Printzen = *Myrionora hemipolia* (Printzen 2014, Kondratyuk et al. 2019)
holopolia Tuck. (Tuckerman 1888) = *Lecidea holopolia*
hypnophila (Turner ex Ach.) Lönnr. (Tuckerman 1888) = *Bilimbia sabuletorum*
hypomela "Nyl." (Mohr 1901) = *Lecidea hypomela*?
hypophaea Printzen & Tønsberg (Printzen & Tønsberg 1999) = *Ivanpisutia hypophaea* (Kondratyuk et al. 2019)
icterica Mont. (Tuckerman 1888) = *Psora icterica*
incompta Hepp (Tuckerman 1888) = *Bacidia incompta*, an apparent misidentification for N.A.
inundata Fr. (Tuckerman 1888) = *Bacidina inundata*
ocelliformis (Nyl.) Arnold (Printzen & Otte 2005) = *Ivanpisutia ocelliformis* (Kondratyuk et al. 2019)
jacobi Tuck. (Tuckerman 1888) = *Bacidia jacobi*
laureri Hepp (Tuckerman 1888) = *Lecidella laureri*
leucophaea Flörke ex Rabenh. (Tuckerman 1888) = *Miriquidica leucophaea*
leucophaea var. griseoatra (Hoffm.) Körber (Tuckerman 1888) = *Miriquidica subplumbea*
ligni-mollis T. Sprib. & Printzen (Spribble et al. 2009) = *Myrionora ligni-mollis* (Kondratyuk et al. 2019)
lucida (Ach.) Fr. (Tuckerman 1888) = *Psilolechia lucida*
lurida (Sw.) Fr. (Tuckerman 1888) = *Romjularia lurida*
luridella Tuck. (Tuckerman 1888) = *Psora luridella*
meadii Tuck. ex Willey = *Byssoloma meadii*
medialis (Tuck) Tuck. (Tuckerman 1888) = ***Bacidina medialis***
melaena (Nyl.) Tuck. (Tuckerman 1888) = *Micarea melaena*

micrococca Körber (Tuckerman 1888) = *Micarea micrococca*
millaria (Fr.) Tuck. (Tuckerman 1888) = *Micarea lignaria*
mixta Fr. (Tuckerman 1888) = *Cliostomum griffithii*
molybditis Tuck. = **Bacidina medialis**
moriformis (Ach.) Tuck. (Tuckerman 1888) = *Strangospora moriformis*
muscorum (Ach.) Fr. (Tuckerman 1888) = *Bacidia bagliettoana*
mutabilis (Fée) Mont. (Tuckerman 1888) = *Lecidea mutabilis*
myriocarpella G. Merr. = *Lecidea enalla* (Printzen 1995)
myriocarpoides (Nyl.) Tuck. (Tuckerman 1888) = *Lecidea plebeja*
naegelii Hepp. (Tuckerman 1888) = **Lecaniella naegelii**
nylanderi Anzi (Tuckerman 1888) = *Lecidea nylanderi*
ostreata (Hoffm.) Fr. (Tuckerman 1888) = *Hypocenomyce scalaris*
ostreata var. *cladonioides* Fr. (Tuckerman 1888) = *Carbonicola anthracophila*
*oxyspora (Tul.) Tuck. (Tuckerman 1888) = **Nesolechia oxyspora**
paddensis Tuck. = *Lecanora paddensis* (McCune et al. 2014b)
pallens (Kullhem) Printzen (Printzen & Otte 2005) = *Coppinsidea pallens* (Kondratyuk et al. 2019)
panaeola (Ach.) Fr. (Tuckerman 1888) = *Amygdalaria panaeola*
papillariae Willey (see note under *Nesolechia cladoniscum*)
parvifolia (Pers.) Tuck. = *Phyllopsora parvifolia*
parvifolia var. *corallina* Tuck. (Tuckerman 1888) = *Phyllopsora parvifolia*
parvifolia var. *subgranulosa* Tuck. (Tuckerman 1888) = *Phyllopsora parvifolia*
peliaspis Tuck. (Tuckerman 1888) = *Lecidea peliaspis*
petri Tuck. = *Romjularia lurida*
porphyrospoda Anzi = *Myochroidea porphyrospoda*
prasina (Fr.) Fr. (Tuckerman 1888) = *Micaria prasina*
punctella Willey (Tuckerman 1888) = *Micarea rhabdogena*
pullata Norman = *Frutidella furfuracea*
pullula Tuck. = *Lecanora anopta*
quernea (Dickson) Fr. (Tuckerman 1888) = *Pyrrhospora quernea*
+resinae (Fr.) Tuck. (Tuckerman 1888) = *Sarea resinae*
rivulosa (Ach.) Fr. (Tuckerman 1888) = *Fuscidea cyathoides*, but an apparent misidentification for N.A.
rivulosa var. *mollis* (Wahlenb.) Th. Fr. (Tuckerman 1888) = *Fuscida mollis*
rubella (Hoffm.) Rabenh. (Tuckerman 1888) = *Bacidia rubella*
rufofusca Anzi = *Myochroidea rufofusca*
rufonigra Tuck. = *Psorula rufonigra*
russula (Ach.) Mont. = *Ramboldia russula*
russellii Tuck. = *Psora russellii*
sanguineoatra (Wulfen) Tuck. (Tuckerman 1888) = *Bryobilimbia sanguineoatra*, but uncertain for N.A.
scotophilis Tuck. (Tuckerman 1888) = *Miriquidica scotophilis*
schweinitzii Fr. ex Tuck. (Tuckerman 1888) = *Bacidia schweinitzii*
scrupulosa Eckfeldt = *Fuscidea scrupulosa*
sibiricensis Willey ex Rothr. = *Lecania subfuscata* (Ekman 1996, Dillman et al. 2012)
sphaeroides (Dickson) Körber = *Mycobilimbia pilularis*
stenospora Hepp (Tuckerman 1888) = *Biatora beckhausii*
stigmatella Tuck. (Tuckerman 1888) = *Lecania stigmatella*
suffusa Fr. = *Bacidia suffusa*
tornoënsis (Nyl.) Th. Fr. (Tuckerman 1888) = *Japewia tornoënsis*
trachona (Ach.) Körber (Tuckerman 1888) = *Bacidia trachona*, but a misidentification for N.A. (Llop & Ekman 2004)
tricholoma Mont. (Tuckerman 1888) = *Byssoloma tricholomum*
turgidula (Fr.) Nyl. = *Lecidea turgidula*
uliginosa (Schrader) Fr. (Tuckerman 1888) = *Placynthiella uliginosa*
umbrina (Ach.) Tuck. (Tuckerman 1888) = *Scoliciosporum umbrinum*

vacciniicola (Tønsberg) Printzen (Printzen 1995) = *Myrionora vacciniicola* (Kondratyuk et al. 2019)

varians (Ach.) Eschw. = *Lecidea varians*

verecundula (Th. Fr.) Tuck. (Tuckerman 1888) = *Bacidia verecundula*, but a misidentification for N.A. (Ekman 1996)

viridescens (Schrader) W. Mann = *Trapeliopsis viridescens*

viridescens var. *gelatinosa* (Flörke) Fr. (Tuckerman 1888) = *Trapeliopsis gelatinosa*

wallrothii (Flörke ex Sprengel) Körber (Tuckerman 1888) = *Trapeliopsis wallrothii*, but a misidentification for N.A.

BIATORELLA De Not.

campocarpa (Tuck.) Fink (Tuckerman 1888, Fink 1935, Esslinger & Tucker 2009)

conspurcans Norman (Dillman et al. 2012)

contigua N. S. Golubk. & Piin (Zhurbenko et al. 2005)

floridensis H. Magn.

fossarum (Dufour) Th. Fr. (Morse & Lendemer 2019)

hemisphaerica Anzi

albidula (Willey) Zahlbr. = *Myrionora albidula*

campestris (Fr.) Almq. = *Sarcosagium campestre*

clauzadeana Llimona & Vězda = *Acarospora clauzadeana*

clavus (DC.) Th. Fr. = *Sarcogyne clavus*

consperga (Fée) Vainio = *Piccolia consperga*

cypialea (Tuck.) Zahlbr. = *Strangospora cypialea* (Morse & Lendemer 2019)

geophana (Nyl.) Rehm (Fink 1935) = *Steinia geophana*

hypophaea (Nyl.) Blomb. & Forssell = *Sarcogyne hypophaea*

kulshanensis Herre = *Sporastatia testudinea* (Ketzner 2010)

leucampyx Tuck. = *Bacidia schweinitzii* (Lendemer & Harris 2012)

microhaema Norman = *Strangospora microhaema*

moriformis (Ach.) Th. Fr. = *Strangospora moriformis*

nannaria (Tuck.) Zahlbr. (Fink 1935) = *Piccolia nannaria*

ochrophora (Nyl.) Arnold = *Piccolia ochrophora*

plicata (H. Magn.) Zahlbr. = *Sarcogyne plicata* (Knudsen & Lendemer 2005a)

pruinosa "(Körber) Mudd" = *Sarcogyne regularis*

rappii Zahlbr. = *Ramonia microspora* (Lendemer & Knudsen 2011)

+resinae (Fr.) Th. Fr. = *Sarea resinae*

revertens (Tuck.) Herre (Tuckerman 1882, Fink 1935) = *Acarospora privigna* (Knudsen et al. 2021b)

simplex (Taylor) Branth & Rostrup = *Acarospora privigna* (Knudsen et al. 2021b)

terrena Hasse = *Sarcogyne crustacea* (Knudsen & Kocourková 2010a)

testudinea (Ach.) A. Massal. = *Sporastatia testudinea*

BIATORIDIUM J. Lahm

delitescens (Arnold) Hafellner (Ekman 1996)

lasiothecium C. A. Morse & Lendemer (Morse & Lendemer 2019)

monasteriense J. Lahm ex Körber (McCune & Rosentreter 2014)

BIATOROPSIS Räsänen

***minuta** Millanes, Diederich, M. Westb. & Wedin (Millanes et al. 2016)

***usnearum** Räsänen

BIAZROVIA Zhurb. & Etayo

***stereocaulicola** Zhurb. & Etayo (Zhurbenko & Pino-Bodas 2017)

BIBBYA J. H. Willis

bullata (Meyen & Flotow) Kistenich, Timdal, Bendiksby & S. Ekman Syn.: *Toninia bullata* (Kistenich et al. 2018)

- lutosa** (Ach.) Kistenich, Timdal, Bendiksby & S. Ekman Syns.: (?)*Catillaria crystallifera*, *Tonina lutosa* (Kistenich et al. 2018)
ruginosa (Tuck.) Kistenich, Timdal, Bendiksby & S. Ekman subsp. **ruginosa** Syns.: *Lecidea ruginosa*, *Toninia ruginosa* subsp. *ruginosa* (Kistenich et al. 2018)
ruginosa subsp. **pacifica** (Timdal) Timdal Syn.: *Toninia ruginosa* susp. *pacifica* (Kistenich et al. 2018)
vermifera (Nyl.) Kistenich, Timdal, Bendiksby & S. Ekman (Kistenich et al. 2018) Syns.: *Bacidia vermicifera*, *Lecidea hegetschweileri* auct. (Ekman 1996)

BILIMBIA De Not.

- accedens** Arnold Syns.: *Mycobilimbia accedens*, *Myxobilimbia accedens* (Spribille et al. 2010)
lobulata (Sommerf.) Hafellner & Coppins Syns.: *Mycobilimbia lobulata*, *Toninia lobulata* (Veldkamp 2004), *Toninia syncomista*
microcarpa (Th. Fr.) Th. Fr. Syns.: *Bacidia microcarpa*, *Mycobilimbia microcarpa* (Veldkamp 2004)
sabuletorum (Schreber) Arnold Syns.: *Bacidia sabuletorum*, *B. hypnophila*, *Biatora hypnophila*, *Mycobilimbia sabuletorum*, *Myxobilimbia sabuletorum* (Veldkamp 2004)
acclinis (A. Massal.) Trevisan (Fink 1935) = **Toninia populorum** (Ekman 1996)
bacidioides Körber (Tuckerman 1888) = *Biatora cuprea*
caloosensis (Tuck.) Fink (Fink 1935) = *Bacidia hostheleoides* (Ekman 1996)
caudata (Nyl.) Fink = *Ropalospora lugubris*
coprodes Körber (Tuckerman 1888) = *Bacidia coprodes*
cupreorosella (Nyl. ex Stizenb.) Bausch (Fink 1935) = *Lecania cuprea* (Ekman 1996)
declinis (Tuck.) Fink (Fink 1935) = *Catillaria nigroclavata* (Ekman 1996)
floridana (Tuck.) Riddle (Fink 1935) = *Fellhanera floridana* (Ekman 1996)
granosa (Tuck.) Fink (Fink 1935) = *Bacidia granosa* (Ekman 2014)
gyalectiformis Zahlbr. = *Ramonia gyalectiformis*
gyalizella (Nyl.) Fink (Fink 1935) = *Gyalecta gyalizella* (Baloch et al. 2013a)
lignaria (Ach.) A. Massal. (Fink 1935) = *Micarea lignaria*
meadii (Tuck.) Fink (Fink 1935) = *Byssoloma meadii* (Tuck. ex Willey) S. Ekman (Ekman 1996)
melaena (Nyl.) Arnold (Fink 1935) = *Micarea melaena*
molybditis (Tuck.) Fink (Fink 1935) = **Bacidina medialis**
naegelii (Hepp) Kremp. (Fink 1935) = **Lecaniella naegelii**
pammellii Fink (Fink 1935) = *Bacidia granosa* (Ekman 2014)
ravenelii (Tuck.) Fink (Fink 1935) = *Bacidia ravenelii* (Ekman 1996)
rubidofusca (Willey) Fink (Fink 1935) = *Bacidia rubidofusca* (Ekman 1996)
rubricosa (Müll. Arg.) Fink (Fink 1935) = *Ophioparma rubricosa* (Ekman 1996)
sphaeroides (Dickson) Körber (Fink 1935) = *Mycobilimbia pilularis* (Ekman 1996)
sphaeroides auct. = *Mycobilimbia carneoalbida* (Ekman 1996)
trachona (Ach.) Trevisan (Fink 1935) North American reports are *Bacidia coprodes* (Llop & Ekman 2004)
trisepta (Nägeli) Arnold = *Micarea peliocarpa* (Santesson et al. 2004)
tricholoma (Mont.) Fink = *Byssoloma tricholum*

BISPORA Fuckel

- **christiansenii* D. Hawksw. (Alstrup & Cole 1998) = *Intralichen christiansenii*
**lichenum* Diederich (Cole & Hawksworth 2001) = *Intralichen lichenum*

BLASTENIA A. Massal. (Arup et al. 2013)

- ammiospila** (Wahlenb.) Arup, Søchting & Frödén Syns. *Caloplaca ammiospila*, *C. cinnamomea*, *C. discoidalis*
ferruginea (Hudson) Th. Fr. Syn.: *Caloplaca ferruginea*, *Placodium ferrugineum*
furfuracea (H. Magn.) Arup, Søchting & Frödén Syn.: *Caloplaca furfuracea*
atrosanguinea (G. Merr.) Fink (Fink 1935) = *Caloplaca atrosanguinea*
crenularia (With.) Arup, Søchting & Frödén = misidentification for North America (Wetmore 1996)

diphasia (Tuck.) Zahlbr. = Caloplaca diphasia
 festiva (Ach.) A. Massal. = Caloplaca crenularia, but North American records incorrect according to Wetmore (1996)
 floridana (Tuck.) Zahlbr. = Caloplaca floridana
 fraudans (Th. Fr.) B. de Lesd. = Caloplaca fraudans
 luteominia (Tuck.) Hasse = Polycauliona luteominea
 novomexicana Fink = a Caloplaca sp.?
 rubrofusca B. de Lesd. = a Caloplaca sp.?
 sinapisperma (DC.) A. Massal. = Bryoplaca sinapisperma

BLENNOTHALLIA Trevisan (Otálora et al. 2014)

crispa (Hudson) Otálora, P. M. Jørg. & Wedin Syn.: Collema cheilum, C. crispum
fecunda (Degel.) Otálora, P. M. Jørg. & Wedin Syn.: Collema fecundum

BOGORIELLA Zahlbr.

+apposita (Nyl.) Aptroot & Lücking (Aptroot & Lücking 2016) Syn.: Mycomicrothelia apposita (Seavey et al. 2017)
#captiosa (Kremp.) Aptroot & Lücking Syn.: Mycomicrothelia captiosa (Aptroot & Lücking 2016)
+decipliens (Müll. Arg.) Aptroot & Lücking (Aptroot & Lücking 2016) Syn.: Mycomicrothelia decipiens (Seavey et al. 2017)
#hemisphaerica (Müll. Arg.) Aptroot & Lücking Syn.: Mycomicrothelia hemisphaerica (Aptroot & Lücking 2016)
socialis (Zahlbr.) Aptroot & Lücking Syn.: Mycomicrothelia socialis (Aptroot & Lücking 2016)
#subfallens (Müll. Arg.) Aptroot & Lücking Syn.: Mycomicrothelia subfallens (Aptroot and Lücking 2016)

BOMBYLIOSPORA De Not. ex A. Massal. = MEGALOSPORA

domingensis (Pers.) Zahlbr. = Letrouitia domingensis
 pachycheila (Tuck.) Zahlbr. = Megalospora pachycheila
 porphyritis (Tuck.) A. Massal. = Megalospora porphyritis
 tuberculosa (Fée) De Not. = Megalospora tuberculosa
 vulpina (Nyl.) J. M. Burgess = nom. inval. = Letrouitia vulpina

BORRERA Ach. = Teloschistes

tenella (Scop.) Ach. = Physcia tenella

BOTRYDINA Bréb. = LICHENOMPHALIA

botryoides (L.) Redhead & Kuyper = Lichenomphalia umbellifera
 luteovitellina (Pilát & Nannf.) Redhead & Kuyper = Lichenomphalia alpina
 velutina (Quélet) Redhead & Kuyper = Lichenomphalia velutina
 viridis (Ach.) Redhead & Kuyper = Lichenomphalia hudsoniana
 vulgaris Bréb. sens. str. = Lichenomphalia umbellifera

BOTRYOLEPRARIA Canals, Hernández-Mariné, Gómez-Bolea & Llimona

lesdainii (Hue) Canals, Hernández-Mariné, Gómez-Bolea & Llimona Syn.: Lepraria lesdainii (Canals et al. 1997)

BOTTARIA A. Massal. = MYCOPORUM Flotow ex Nyl.

cruentata Müll. Arg. = Pyrenula cruentata

BRACKELIA Zhurb.

***lunkei** Zhurb. (Zhurbenko & Pino-Bodas 2017)

BRIANARIA S. Ekman & M. Svensson (Ekman & Svensson 2014)

bauschiana (Körber) S. Ekman & M. Svensson Syns.: Lecidea dilutiuscula, L. lynceola auct. N.

Am., Micarea bauschiana
lutulata (Nyl.) S. Ekman & M. Svensson Syns.: Lecidea lutulata, Micarea lutulata
sylvicola (Flotow ex Körber) S. Ekman & M. Svensson Syns.: Lecidea sylvicola, Micarea sylvicola
tuberculata (Sommerf.) S. Ekman & M. Svensson Syn.: Micarea tuberculate

BRIANCOPPINSSIA Diederich, Ertz, Lawrey & van den Boom (Diederich et al. 2012)
***cytospora** (Vouaux) Diederich, Ertz, Lawrey & van den Boom (Diederich et al. 2012,
Kocourková et al. 2012) Syn.: Phoma cytospora

BRIGANTIAEA Trevisan
fusolutea (Dickson) R. Sant. Syn.: Lopadium fusoluteum
leucoxantha (Sprengel) R. Sant. & Hafellner Syn.: Lopodium leucoxanthum, Heterothecium leucoxanthum
praetermissa Hafellner & St. Clair (Hafellner 1997)
purpurata (Zahlbr.) Hafellner & Bellem. (Goward et al. 1996) = B. praetermissa (Hafellner 1997)

BRODOA Goward
oroarctica (Krog) Goward Syn.: Hypogymnia oroarctica.
atrofusca (Schaerer) Goward Syns.: Hypogymnia atrofusca, Parmelia atrofusca. North American reports are probably misidentifications of Brodoa oroarctica
intestiniformis (Vill.) Goward Syns.: Hypogymnia intestiniformis, H. encausta, Parmelia intestiniformis, P. encausta. North American reports are misidentifications of Brodoa oroarctica

BRUCEA Rikkinen (Rikkinen 2003b) = BRUCEOMYCES Rikkinen (Tuovila et al. 2012)
+**castoris** Rikkinen = Bruceomyces castoris

BRUCEOMYCES Rikkinen (Tuovila et al. 2012)
+**castoris** Rikkinen

BRYOBILIMBIA Fryday, Printzen & S. Ekman (Fryday et al. 2014)
ahlesii (Körber) Fryday, Printzen & S. Ekman Syns.: Lecidea ahlesii, L. delincta, L. virginiensis
ahlesii var. **nemoralis** (J. Lowe) Fryday, Printzen & S. Ekman Syns.: Lecidea ahlesii var.
nemoralis, L. nemoralis
diapensiae (Th. Fr.) Fryday, Printzen & S. Ekman Syn.: Lecidea diapensiae
hypnorum (Lib.) Fryday, Printzen & S. Ekman Syns.: Lecidea hypnorum, L. fusca, L.
templetonii, L. atrofusca, L. sanguineoatra sens. Nyl., Mycobilimbia hypnorum

BRYOCaulon Kärnefelt
divergens (Ach.) Kärnefelt Syns.: Alectoria divergens, Cornicularia divergens, Coelocaulon divergens
pseudosatoanum (Asahina) Kärnefelt Syn.: Cornicularia pseudosatoana

BRYODINA Hafellner
rhypariza (Nyl.) Hafellner & Türk (Zhurbenko 2013)

BRYONORA Poelt
castanea (Hepp) Poelt Syn.: Lecanora castanea
curvescens (Mudd) Poelt Syn.: Lecania curvescens
pruinosa (Th. Fr.) Holtan-Hartwig
septentrionalis Holtan-Hartwig

BRYOPHAGUS Nitschke ex Arnold
gloeocapsa Nitschke ex Arnold (fide J. Hafellner, see Appendix) = Cryptodiscus gloeocapsa

BRYOPLACA Søchting, Frödén & Arup (Arup et al. 2013)

- jungermanniae** (Vahl) Søchting, Frödén & Arup Syns.: *Caloplaca jungermanniae*, *Placodium jungermanniae*
sinapisperma (Lam. & DC.) Søchting, Frödén & Arup Syns.: *Blastenia sinapisperma*, *Caloplaca leucoraea*, *C. sinapisperma*, *Placodium sinapispermum*
tetraspora (Nyl.) Søchting, Frödén & Arup Syn.: *Caloplaca tetraspora*

BRYOPOGON Link

- negativus** Gyelnik = *Bryoria fuscescens*
pacificus Gyelnik = *Bryoria fuscescens*

BRYORIA Brodo & D. Hawksw.

- alaskana** Myllys & Goward (Myllys et al. 2016)
ambigua (Motyka) Bystr. & Fabiszewski Syn.: *Alectoria ambigua* (Bystrek & Fabiszewski 1998)
americana (Motyka) Holien Syn.: *Alectoria americana* (Holien 1994, Myllys et al. 2011)
bicolor (Ehrh.) Brodo & D. Hawksw. Syn.: *Alectoria bicolor*
carlottae Brodo & D. Hawksw.
cervinula Motyka ex Brodo & D. Hawksw. Syn.: *Alectoria cervinula*
fabiszewskiana Bystr. (Bystrek & Fabiszewski 1998)
fremontii (Tuck.) Brodo & D. Hawksw. Syns.: *Alectoria fremontii*, *A. corneliae*, *A. tenerrima*, *A. tortuosa*
furcellata (Fr.) Brodo & D. Hawksw. Syns.: *Alectoria nidulifera*, *Cornicularia fibrillosa*
furcellata subsp. **hawksworthiana** Bystr. & Fabiszewski (Bystrek & Fabiszewski 1998)
fuscescens (Gyelnik) Brodo & D. Hawksw. Syns.: *Alectoria fuscescens*, *A. positiva*, *Bryopogon pacificus*
glabra (Motyka) Brodo & D. Hawksw. Syn.: *Alectoria glabra* **irwinii** Goward & Myllys (Myllys et al. 2016)
kockiana Velmala, Myllys & Goward (Velmala et al. 2014)
nadvornikiana (Gyelnik) Brodo & D. Hawksw. Syns.: *Alectoria nadvornikiana*, *A. altaica*
nitidula (Th. Fr.) Brodo & D. Hawksw. Syns.: *Alectoria nitidula*, *A. irvingii*, *A. lanea* auct.
pseudofuscescens (Gyelnik) Brodo & D. Hawksw. Syns.: *Alectoria achariana*, *A. norstictica* nom. inval., *A. subtilis* nom. inval. (Velmala et al. 2014)
salazinica Brodo & D. Hawksw.
simplicior (Vainio) Brodo & D. Hawksw. Syns.: *Alectoria simplicior*, *A. nana* nom. nudum
tenuis (E. Dahl) Brodo & D. Hawksw. Syn.: *Alectoria tenuis*
trichodes (Michaux) Brodo & D. Hawksw. subsp. **trichodes** Syns.: *Alectoria canadensis*, *A. delicata* nom. nudum
trichodes subsp. **brodoana** Bystr. & Fabiszewski (Bystrek & Fabiszewski 1998)
trichodes subsp. **canadensis** (Motyka) Bystr. & Fabiszewski (Bystrek & Fabiszewski 1998)
abbreviata (Müll. Arg.) Brodo & D. Hawksw. = *Nodobryoria abbreviata*
capillaris (Ach.) Brodo & D. Hawksw. = *B. fuscescens* (Boluda et al. 2018); many N.A. reports are *B. pseudofuscescens*
chalybeiformis (L.) Brodo & D. Hawksw. = *B. fuscescens* (Velmala et al. 2014)
friabilis Brodo & D. Hawksw. (Velmala et al. 2014) = *B. pseudofuscescens* (Boluda et al. 2018)
implexa (Hoffm.) Brodo & D. Hawksw. = *B. fuscescens*; many North American records are *B. kockiana*
inactiva Goward, Velmala & Myllys (Velmala et al. 2014) = *B. pseudofuscescens* (Boluda et al. 2018)
lanestris (Ach.) Brodo & D. Hawksw. = *B. fuscescens* (Velmala et al. 2014; Boluda et al. 2018)
oregana (Tuck. ex Willey) Brodo & D. Hawksw. = *Nodobryoria oregana*
pikei Brodo & D. Hawksw. = *B. pseudofuscescens* (Boluda et al. 2018)
pseudocapillaris Brodo & D. Hawksw. = *Sulcaria spiralifera* (Myllys et al. 2014)
setacea (Ach.) Brodo & D. Hawksw. Not in North America.
spiralifera Brodo & D. Hawksw. = *Sulcaria spiralifera* (Myllys et al. 2014)
subcana (Nyl. ex Stizenb.) Brodo & D. Hawksw. = *B. fuscescens* (Velmala et al. 2014)
subdivergens (E. Dahl) Brodo & D. Hawksw. = *Nodobryoria subdivergens*

tortuosa (G. Merr.) Brodo & D. Hawksw. = *B. fremontii* (Velmala et al. 2009)
trichodes subsp. *americana* (Motyka) Brodo & D. Hawksw. = *B. americana* (Myllys et al. 2011)
vrangiana (Gyelnik) Brodo & D. Hawksw. (Velmala et al. 2014) = *B. fuscescens* (Boluda et al. 2018)

BRYOSCYPHUS Spooner

**lichenicola* Alstrup & M. S. Cole (Alstrup & Cole 1998)

BRYOSTIGMA Poelt & Döbbeler

muscigenum (Th. Fr.) Frisch & G. Thor Syn.: *Arthonia muscigena*, *A. leucodontis* (Frisch et al. 2014)
leucodontis Poelt & Döbbeler = *Bryostigma muscigenum*

BUELLIA De Not.

abstracta (Nyl.) H. Olivier (Giralt et al. 2011, Knudsen & Kocourková 2010c)
aethalea (Ach.) Th. Fr.
arborea Coppins & Tønsberg (Tønsberg & McCune 2001)
arnoldii Servít Syn.: *Hafellia arnoldii*
bahiana Malme Syn.: *Hafellia bahiana*
bolacina Tuck.
calcariaecola B. de Lesd.
callispora (C. Knight) J. Steiner Syn.: *Hafellia callispora*
capitis-regum W. A. Weber
cedricola Werner (Nordin 1999)
christophii Bungartz (Bungartz et al. 2004a)
circumpallida H. Magn. Syn.: *Endohyalina circumpallida*
concinna Th. Fr. (Bungartz et al. 2004b)
conspirans (Nyl.) Vainio (Bungartz 2004)
crystallifera (Vainio) Hav. (Goward et al. 1996)
curatellae Malme Syn.: *Hafellia curatellae*
disciformis (Fr.) Mudd Syn.: *Hafellia disciformis*
dispersa A. Massal.
dives (Th. Fr.) Th. Fr. (Haldeman 2018)
eganii Bungartz (Bungartz & Nash. 2004a)
elegans Poelt
elizae (Tuck.) Tuck. Syn.: *Gassicurtia elizae* (Lendemer et al. 2013)
epigaea (Hoffm.) Tuck.
erubescens Arnold
fosteri (Imshaug & Sheard) Perlmutter & Rivas Plata Syn.: *Hafellia fosteri* (Perlmutter & Rivas Plata 2018)
georgei Trinkaus, H. Mayrhofer & Elix (Bungartz et al. 2007)
gibstoneorum Brodo & Sheard (Brodo & Sheard 2020)
griseovirens (Turner & Borrer ex Sm.) Almb.
halonia (Ach.) Tuck.
immersa Lyngé
#imshaugii Hafellner
jugorum (Arnold) Arnold
lacteoidea B. de Lesd.
lepidastræ (Tuck.) Tuck. Syn.: *Lecidea lepidastræ*
leptocline (Flotow) A. Massal.
maculata Bungartz (Bungartz 2004a)
mamillana (Tuck.) W. A. Weber Syns.: *Rinodina mamillana*, *R. thomae*
maritima (A. Massal.) Bagl. (Bungartz et al. 2007)
mexicana J. Steiner (Nordin 2000)
microbola (Tuck. ex Fink) Sheard Syn.: *Rinodina microbola*
#miriquidica Scheid. (Fryday 2006)

muriformis A. Nordin & Tønsberg (Nordin 1999)
nantiana B. de Lesd.
nashii Bungartz (Bungartz 2004)
navajoensis Bungartz (Bungartz 2004)
nigra (Fink) Sheard Syn.: *Rinodina nigra*
occidentalis Lynge (Lepage 1972)
ocellata (Flotow) Körber
oidalea (Nyl.) Tuck. Syn.: *Rhizocarpon oidaleum*
parastata (Nyl.) Zahlbr. Syn.: *Hafellia parastata*
pleiotera Malme Syns.: *Hafellia pleiotera*, *Hafellia bahiana* var *pleiotera*, *Hafellia bahiana* var.
“*pleiotropa*” (Perlmutter & Rivas Plata 2018)
prospera (Nyl.) Riddle (Bungartz et al. 2004b)
pullata Tuck. (Bungartz et al. 2004b)
ryanii Bungartz (Bungartz et al. 2004b)
schaereri De Not.
sequax (Nyl.) Zahlbr. (Bungartz et al. 2004b) Many previous reports are *B. abstracta* (Giralt et al. 2011)
sharpiana Lendemer & R. C. Harris (Lendemer & Harris 2013a)
silicicola B. de Lesd.
smaragdula B. de Lesd.
spuria (Schaerer) Anzi
stellulata (Taylor) Mudd
stigmatae Körber
subaethalea B. de Lesd. (Bungartz & Nash 2004a)
subdispersa Mig. (Nordin 1999)
tesserata Körber (Rico et al. 2003)
triseptata A. Nordin (Nordin 1999)
tyrolensis Körber (Bungartz 2004)
uberior Anzi
vernicoma (Tuck.) Tuck. Syn. : *Gassicurtia vernicoma*
vilis Th. Fr.
***adjuncta** Th. Fr. (Esslinger & Egan 1995) = *Amandinea adjuncta*
aethaleoides (Nyl.) H. Olivier = *B. aethalea*
alboatra (Hoffm.) Th. Fr. = *Diplotomma alboatrum*
alboatra var. *saxicola* (Fr.) Tuck. (Tuckerman 1888) = *Diplotomma alboatrum*
alpicola (Wahlenb.) Anzi (Tuckerman 1888) = *Rhizocarpon alpicola*
ambigua (Ach.) Malme = *Diplotomma ambiguum*
amphidexia Imshaug ex R. C. Harris = *Buellia circumpallida*
atrata (Sm.) Anzi = *Orphniospora moriopsis*
atroalba auct. (Tuckerman 1888) = *Rhizocarpon hochstetteri*
#badia (Fr.) A. Massal. = *Monerolechia badia* (Diederich et al. 2018)
badioatra (Flörke ex Sprengel) Körber = *Rhizocarpon badioatrum*
bahiana var. *pleiotropa* Malme = *Buellia pleiotera* (Perlmutter & Rivas Plata 2018)
blasteniospora Zahlbr. = *B. parastata*
blumeri Zahlbr. = *B. dispersa*
bolanderi Tuck. (Tuckerman 1888) = *Rhizocarpon bolanderi*
bolanderi var. *sulphurosa* Tuck. (Tuckerman 1888) = *Rhizocarpon sulphurosum*
caloosensis Tuck. = *Gassicurtia catasema*
canescens (Dickson) De Not. = *Diploicia canescens*
catasema (Tuck.) Tuck. = *Gassicurtia catasema*
catawbensis Willey (Tuckerman 1888) = *Dermiscellum oulocheilum*
chloroleuca Körber (Bungartz et al. 2007, Spribille & Björk 2008) = *Tetramelas chloroleucus*
chlorophaeae (Hepp ex Leighton) Lettau = *Diplotomma chlorophaeum*
coccinea (Fée) Aptroot = *Gassicurtia coccinea*
colludens (Nyl.) Arnold = *Rhizocarpon hochstetteri*
coniops (Wahlenb.) Th. Fr. = *Amandinea coniops*

contermina Arnold = *B. uberior*
coracina (Nyl.) Körber = *Orphniospora moriopsis*
curtisii (Tuck.) Imshaug = *Baculifera curtisii*
dakotensis (H. Magn.) Bungartz = *Amandinea dakotensis*
dialyta (Nyl.) Tuck. = *Chrismofulvea dialyta*
epipolia sensu auct. = *Diplotomma venustum* (Nordin 1996, McCune 2017)
epipolia (Ach.) Mong. = *Diplotomma alboatrum* (Nordin 1996, McCune 2017)
fimbriata (Tuck.) Imshaug = *B. tesserata*
geographicica (L.) Tuck. = *Rhizocarpon geographicum*
geographicica var. *lecanorina* (Körber) Tuck. (Tuckerman 1888) = *Rhizocarpon lecanorinum*
geophila (Flörke ex Sommerf.) Lynge = *Tetramelias geophila*, but North American reports are *T. terricolus*
glaucaria (Nyl.) Tuck. (Tuckerman 1888) = *Phacographa glaucomaria*
**glaucariaoides* Willey ex Tuck. = *Sclerococcum glaucomariooides*
glaziouana (Kremp.) Müll. Arg. = *B. mamillana*
hassei Imshaug = *B. griseovirens*
imshaugiana R. C. Harris = *Baculifera imshaugiana*
**inquilina* Tuck. = *Sclerococcum inquinum*
insignis (Nägeli ex Hepp) Th. Fr. = *Tetramelias insignis*
isidians (Nyl.) Zahlbr. = excluded as doubtful
japonica (Tuck.) Tuck. (Sheard et al. 2008) = *Sculptolumina japonica*
langloisii Imshaug = *Amandinea langloisii* (Marbach 2000)
lauricassiae (Fée) Müll. Arg. = *Cratiria lauricassiae*
lecanoroides H. Magn. = *Diplotomma venusta* (Bungartz et al. 2007)
lepidastroidea Imshaug ex Bungartz (Bungartz 2004) = *B. sequax* (Giralt et al. 2011)
leucomela Imshaug = *Amandinea leucomela*
malmei Lynge = *B. aethalea*
melanochlora (Kremp.) Müll. Arg. = *Cratiria melanochlora*
**minimula* Tuck. (Tuckerman 1888) = *Buellia minimula*
modesta (Kremp.) Müll. Arg. = *Cratiria americana*
moriopsis (A. Massal.) Th. Fr. = *Orphniospora moriopsis*
myriocarpa (DC.) De Not. = *Amandinea punctata*
myriocarpa var. *polyspora* Willey (Tuckerman 1888) = *Amandinea polyspora*
nivalis (Bagl. & Carestia) Hertel ex Hafellner = *Diplotomma nivalis*
notabilis Lynge = *Rinodina notabilis*
novomexicana B. de Lesd. = *B. tyrolensis*
oederi (Hoffm.) Rostrup (Tuckerman 1888) = *Rhizocarpon oederi*
oidalea (Tuck.) Tuck. var. *penichra* Tuck. (Tuckerman 1888) = *Diplotomma penichrum*
pachnidisca R. C. Harris = *Gassicurtia subpulcella*
papillata (Sommerf.) Tuck. = *Tetramelias papillatus*
papillata var. *albocincta* Th. Fr. (Tuckerman 1888) = *Tetramelias papillatus*
parasema (Ach.) De Not. = *B. disciformis*
parasema var. *triphragma* Nyl. (Tuckerman 1888) = *Buellia disciformis*
**parasitica* (Flörke ex Sprengel) Th. Fr. (Tuckerman 1888) = *Sclerococcum parasiticum*
**parmeliacarum* (Sommerf.) Arnold (Tuckerman 1888) = *Abrothallus parmeliarum*
penichra (Tuck.) Hasse = *Diplotomma penichrum*
**pertusariicola* Willey ex Tuck. = *Dactylospora pertusariicola*
petraea (Wulfen) Branth & Rostrup (Tuckerman 1888) = *Rhizocarpon petraeum*
petraea var. *albinea* Tuck. (Tuckerman 1888) = *Rhizocarpon obscuratum*, but a misidentification for N.A.
petraea var. *grandis* (Flörke ex Flotow) Tuck. (Tuckerman 1888) = *Rhizocarpon grande*
petraea var. *montagnei* Tuck. (Tuckerman 1888) = *Rhizocarpon disporum*
pinastri Erichsen (Erichsen 1940) = *Chrismofulvea pinastri*
placodiomorpha Vainio = *Orcularia placodiomorpha*
polyspora (Willey) Vainio = *Amandinea polyspora*
pruinella Imshaug = *B. tesserata*

puebla B. de Lesd. = *B. dispersa*
 pulchella (Schrader) Tuck. = *Catolechia wahlenbergii*
 *pulverulenta (Anzi) Jatta = *Tetramelas pulverulentus*
 punctata (Hoffm.) A. Massal. = *Amandinea punctata*
 punctata var. polyspora (Willey) Fink = *Amandinea polyspora*
 radiata Tuck. = *Dimelaena radiata*
 rappii Imshaug ex R.C. Harris = *Endohyalina rappii*
 retrovertens Tuck. = *B. dispersa* (Bungartz et al. 2002)
 rinodinoides Anzi = misidentification for North America
 rinodinospora Riddle = *B. parastata*
 rittokensis Hellb. (Tuckerman 1888) = *Rhizocarpon rittokense*
 rubifaciens R.C. Harris = *Chrismofulvea rubifaciens*
 saurina W. A. Weber = *Rhizocarpon saurinum*
 *saxatilis (Schaerer) Körber (Tuckerman 1888) = *Sclerococcum saxatile*
 saxicola B. de Lesd. = *B. sequax*
 scabrosa (Ach.) A. Massal. = *Epilichen scabrosus*
 semitensis Tuck. = *B. concinna*
 stigmaea Tuck. = *B. maculata*
 stillingiana J. Steiner = *B. erubescens* (Bungartz et al. 2007)
 subalbula (Nyl.) Müll. Arg. North American reports are *B. maritima* (Bungartz et al. 2007)
 subdisciformis (Leighton) Jatta (Mohr 1901) = *B. disciformis*
 subposticum Nyl. (Mohr 1901) = *Rhizocarpon subposticum*, but a misidentification for North America
 subpulcella Vainio = *Gassicurtia subpulcella*
 tergestina J. Steiner & Zahlbr. = *B. dispersa*
 terricola A. Nordin (Nordin 1999) = *Tetramelas terricolus*
 thomae (Tuck.) Imshaug = *B. mamillana*
 tolucae B. de Lesd. (Nordin 1999) = *B. mexicana* (Bungartz et al. 2007)
 triphragmioides Anzi = *Tetramelas triphragmioides*
 *tryptethelii Tuck. (Tuckerman 1888) = *Buellia tryptethelii*
 tucsonensis Zahlbr. = *B. dispersa* (Bungartz et al. 2007)
 #turgescens Tuck. = *Monerolechia badia* (Bungartz & Nash 2004c, Diederich et al. 2018)
 #turgescenoides Fink = *Monerolechia badia* (Bungartz & Nash 2004c, Diederich et al. 2018))
 *urceolata Th. Fr. (Tuckerman 1888) = *Sclerococcum urceolatum*
 venusta (Körber) Lettau = *Diplotomma venustum*
 verruculosa (Sm.) Mudd = *B. aethalea*
 verruculosa auct. = *B. ocellata*
 wahlenbergii (Ach.) Sheard = *Catolechia wahlenbergii*
 wheeleri R. C. Harris = *Ciposia wheeleri*
 zahlbruckneri J. Steiner = *B. erubescens*
 zahlbruckneri sensu Imshaug = mostly *Tetramelas chloroleucus* (Bungartz et al. 2007)

BUELLIPELLA Fink

- ***inops** (Triebel & Rambold) Hafellner Syn.: *Karschia inops* (Hafellner 2004a)
- ***minimula** (Tuck.) Fink Syn.: *Buellia minimula*
- ***physciicola** Poelt & Hafellner (Esslinger & Egan 1995)
- ***poetschii** Hafellner (Hafellner et al. 2008)
- ***tryptethelii** (Tuck.) Fink Syn.: *Buellia tryptethelii*
- ***inquilina** (Tuck.) Fink = *Sclerococcum inquilinum*
- ***nuttallii** (Calk. & Nyl.) Fink = *Sclerococcum lobariellum*
- ***parmeliarum** (Sommerf.) Fink = *Abrothallus parmeliarum*
- ***saxatilis** (Schaerer) Fink = *Sclerococcum saxatile*
- ***usneae** (Rabenh.) Fink = misidentification for North America

BUELLIOPSIS A. Schneider = **BUELLIA**
papillata (Sommerf.) Fink = *Tetramelas papillata*
vernicoma (Tuck.) A. Schneider = *Buellia vernicoma*

BULBOTHRIX Hale
cofoederata (W. L. Culb.) Hale Syn.: *Parmelia cofoederata*
coronata (Fée) Hale Syn.: *Parmelia coronata*
isidiza (Nyl.) Hale
laevigatula (Nyl.) Hale Syn.: *Parmelia laevigatula*
scortella (Nyl.) Hale (Benatti & Elix 2012) Syn.: *Parmelia njalensis*, *P. scortella*
goebelii (Zenker) Hale North American reports are *B. scortella* (Benatti & Elix 2012)

BULLATINA Vězda & Poelt
aspidata (Vainio) Vězda & Poelt = *Calenia aspidotum*

BUNODOPHORON A. Massal.
melanocarpum (Sw.) Wedin Syn.: *Sphaerophorus melanocarpus*

BURGELLA Diederich & Lawrey (Diederich & Lawrey 2007)
***flavoparmeliae** Diederich & Lawrey

BYSSOLOMA Trevisan
absconditum Farkas & Vězda (Seavey & Seavey 2012)
chlorinum (Vainio) Zahlbr. (Lücking et al. 2011b)
leucoblepharum (Nyl.) Vainio Syn.: *Lecidea leucoblephara*
maderense Breuss (Breuss 2016)
marginatum (Arnold) Sérus.
meadii (Tuck. ex Willey) S. Ekman Syns.: *Bacidia meadii*, *Biatora meadii*, *Bilimbia meadii*
subdiscordans (Nyl.) P. James
tricholomum (Mont.) Zahlbr. Syns.: *Biatora tricholoma*, *Bilimbia tricholoma*
pubescens Vězda ex R.C. Harris (Harris 1995a) = *B. meadii* (Brodo et al. 2001)
rotuliforme (Müll. Arg.) R. Sant. = *B. subdiscordans*

CAERULEOCONIDIA Zhurb. & Pino-Bodas
***ochrolechia** Zhurb. & Diederich (Haldeman 2018)

CAERULEUM K. Knudsen & Arcadia (Arcadia & Knudsen 2012)
heppii (Nägeli ex Körber) K. Knudsen & Arcadia Syns.: *Acarospora aeruginosa*, *A. heppii*,
Myriospora heppii
immersum (Fink) K. Knudsen & Arcadia Syns.: *Acarospora immersa*, *Myriospora immersa*

CALENIA Müll. Arg.
aspidotum (Vainio) Vězda Syn.: *Bullatina aspidota* (Lücking et al. 2007)

CALICIETTA Vainio = non-lichenized fungi

CALCIUM Pers.
abietinum Pers.
adspersum Pers.
brachysporum (Nádv.) K. Knudsen, Kocourk. & Lendemer Syn.: *Cyphelium brachysporum*
(Knudsen et al. 2020 (2019))
carolinianum (Tuck.) M. Prieto & Wedin Syns.: *Acolium carolinianum*, *Cyphelium carolinianum*, *Thelomma carolinianum* (Prieto & Wedin 2017)
chlorosporum F. Wilson
***corynellum** (Ach.) Ach.
denigratum (Vainio) Tibell (McMullin et al. 2012)

glauceum Ach.
hyperelloides Nyl.
lenticulare Ach.
leucochlorum Tuck.
lucidum (Th. Fr.) M. Prieto & Wedin Syn.: Cyphelium lucidum (Prieto & Wedin 2017)
montanum Tibell (Kolb & Spribille 2001)
notarisii (Tul.) M. Prieto & Wedin Syn.: Cyphelium notarisii (Prieto & Wedin 2017)
parvum Tibell
pinastri Tibell (Selva 2013)
pinicola (Tibell) M. Prieto & Wedin Syn.: Cyphelium pinicola (Prieto & Wedin 2017)
quercinum Pers.
salicinum Pers.
sequoiae C. Williams & Tibell (Williams & Tibell 2008)
tigillare (Ach.) Pers. Syns.: Cyphelium tigillare, C. notarisii subsp. tigillare (Prieto & Wedin 2017)
trabinellum (Ach.) Ach.
trachylioides (Nyl. ex Branth & Rostrup) Prieto & Wedin Syn.: Cyphelium trachylioides
viride Pers.
 adaequatum Nyl. = Allocalicum adaequatum (Prieto & Wedin 2017)
 albonigrum Nyl. = Mycocalicum albonigrum
 #asikkalense Vainio = Chaenothecopsis pusilla
 curtisii Tuck. = Phaeocalicum curtisii
curtisii var. **splendidulum** G. Merr. (Merrill 1909) = **Phaeocalicum curtisii** (Selva & McMullin 2020)
 *disseminatum Ach. = Microcalicum disseminatum
 #floerkei Zahlbr. = Chaenothecopsis pusilla
 fuscipes Tuck. = Mycocalicum fuscipes
 hemisphaericum Howard = Allocalicum adaequatum
 hyperellum (Ach.) Ach. = C. viride
 lentigerellum Tuck. = C. lenticulare
 lichenoides (L.) Schumacher = C. salicinum
 melanophaeum Sommerf. (Mohr 1901) = Mycocalicum albonigrum
 microcephalum (Sm.) Ach. = Sphinctrina anglica
 minutissimum G. Merr. (Merrill 1909) = Phaeocalicum minutissimum
obscura G. Merr. (Merrill 1909) = **Chaenotheca obscura** (Selva & McMullin 2020)
⁺parietinum Ach. (Claassen 1912) = Mycocalicum subtile
⁺populneum Brond. ex Duby = Phaeocalicum populneum
[#]pusillum auct. = Chaenothecopsis pusilla
 pusiolum Ach. = Chaenothecopsis pusiola
 queenslandiae (F. Wilson) Tibell = C. chlorosporum
 ravenelii Tuck. = Mycocalicum ravenelii
 roscidum (Ach.) Ach. nom. superfl. = C. adspersum
 roscidum var. trabinellum (Ach.) Schaerer = C. trabinellum for North American records
 sphaerocephalum (L.) Ach. = (?) C. lichenoides
[#]subpusillum Vainio = Chaenothecopsis pusilla
 subquercinum Asahina = C. lenticulare
⁺subtile Pers. = Mycocalicum subtile
 trachelinum Ach. = C. salicinum
 turbinatum Pers. = Sphinctrina turbinata

CALLOME Otálora & Wedin (Otálora et al. 2014)
multipartita (Sm.) Otálora, P. M. Jørg. & Wedin Syn.: Collema multipartitum

CALOGAYA Arup, Frödén & Söchting (Arup et al. 2013)
arnoldii (Wedd.) Arup, Frödén & Söchting Syns.: Caloplaca arnoldii, C. arnoldii subsp. oblitterata
biatorina (A. Massal.) Arup, Frödén & Söchting Syn.: Caloplaca biatorina

bryochrysion (Poelt) Vondrák Syns.: *Caloplaca alaskensis*, *C. bryochrysion* (Vondrák et al. 2016)
decipiens (Arnold) Arup, Frödén & Søchting Syn.: *Caloplaca decipiens*
lobulata (Flörke) Arup, Frödén & Søchting Syn.: *Caloplaca lobulata*
pusilla (A. Massal.) Arup, Frödén & Søchting Syn.: *Caloplaca pusilla*
saxicola (Hoffm.) Vondrák Syns.: *Caloplaca saxicola*, *Placodium murorum* (Vondrák et al. 2016)
alaskensis (Wetmore) Arup, Frödén & Søchting = *C. bryochrysion* (Vondrák et al. 2016)

CALOPADIA Vězda

editae Vězda ex Chaves & Lücking (Lücking et al. 2011b)
floridana Hodges & Lücking (Lücking et al. 2011b)
fusca (Müll Arg.) Vězda Syn.: *Lopadium fuscum*
imshaugii Common & Lücking (Lücking et al. 2011b)
lecanorella (Nyl.) Kalb & Vězda (Lücking et al. 2011b)
perpallida (Nyl.) Vězda (Lücking et al. 2011b)
puiggarii (Müll. Arg.) Vězda Syn.: *Lopodium puiggarii*
schomerae F. Seavey & J. Seavey (Seavey & Seavey 2011)
subcoeruleescens (Zahlbr.) Vězda (Lücking et al. 2011b)

CALOPLACA Th. Fr.

adnexa Vězda
ahtii Søchting
albovariegata (B. de Lesd.) Wetmore Syn.: *Pyrenodesmia albovariegata*
alcarum Poelt
approximata (Lynge) H. Magn.
atroalba (Tuck.) Zahlbr. Syn.: *Lecania perproxima* (van den Boom & Ryan 2004b)
atrocyanescens (Th. Fr.) H. Olivier (Spribille et al. 2010)
atroflava (Turner) Mong.
atrosanguinea (G. Merr.) I. M. Lamb Syns.: *Blastenia atrosanguinea*, *Lecanora atrosanguinea*
borealis (Vainio) Poelt
brouardii (B. de Lesd.) Zahlbr. (Nash et al. 1998)
brunneola Wetmore
californica Zahlbr.
camptidia (Tuck.) Zahlbr. Syn.: *Placodium camptidia*
carolinae H. Magn.
cascadensis H. Magn.
catalinae H. Magn.
celata Th. Fr.
cerina (Ehrh. ex Hedwig) Th. Fr. (Laundon 2005)
chlorina (Flotow) Sandst.
cinnabarina (Ach.) Zahlbr.
conversa (Kremp.) Jatta
dakotensis Wetmore
demissa (Körber) Arup & Grube Syns.: *Lecanora demissa*, *L. incusa*, *L. subolivascens* (Arup & Grube 1999)
diphasia (Tuck.) Wetmore Syns.: *Blastenia diphasia*, *Lecanora diphasia*, *Placodium diphasium*
diphyodes (Nyl.) Jatta Syn.: *Lecania arctica*
dispersa B. de Lesd.
durietzii H. Magn.
edwardiana J. R. Hoffm. & Lendemer (Hoffman & Lendemer 2020)
epiphora (Taylor) C. W. Dodge (Wetmore 2004a)
#epithallina Lynge
erichansenii S. Y. Kondr., A. Thell, Kärnefelt & Elix (Vondrák et al. 2011)
erythrantha (Tuck.) Zahlbr. (Wetmore 2007b)
eugyra (Tuck.) Zahlbr. Syn.: *Placodium eugyrum*

exsecuta (Nyl.) Dalla Torre & Sarnth.
ferrugineofusca (Vainio) H. Magn.
floridana (Tuck.) S. Tucker Syns.: Blastenia floridana, Lecanora floridana, Placodium floridanum
fraudans (Th. Fr.) H. Olivier Syn.: Blastenia fraudans
fraxinea I. M. Lamb
fulvolutea (Arnold) Jatta (Thomson 1997)
fuscorufa H. Magn. (McCune et al. 2018)
granularis (Müll. Arg.) Zahlbr. (Wetmore 2004b)
#**grimmiae** (Nyl.) H. Olivier
groenlandica Lynge
#**insularis** Poelt
#**isidiigera** Vězda (Šoun et al. 2011)
kamczatica (Savicz) Savicz (Søchting 2004)
#**lecanorae** F. Seavey & J. Seavey (Seavey & Seavey 2012)
lecanoroides Lendemer (Lendemer et al. 2010)
lignicola Wetmore (Wetmore 2009)
lithophila H. Magn.
litoricola Brodo
livida (Hepp) Jatta
microphyllina (Tuck.) Hasse Syn.: Placodium microphyllum
[**Pyrenodesmia montana** B. de Lesd.]
neonii B. de Lesd.
neotropica Wetmore
nivalis (Körber) Th. Fr. Syn.: Placodium nivale
[**Blastenia novomexicana** Fink]
obamae K. Knudsen (Knudsen 2009)
obesimarginata Søchting (Søchting 2004)
oblongula (H. Magn.) Wetmore Syns.: Apatoplaca oblongula, Lecidea oblongula
obscurella (J. Lahm) Th. Fr.
oleicola (J. Steiner) van den Boom & Breuss (Goward et al. 1996)
oregona H. Magn.
parvula Wetmore
peliophylla (Tuck.) Zahlbr.
#**pellodella** (Nyl.) Hasse Syn.: Pyrenodesmia elaeodes
phaeocarpella (Nyl.) Zahlbr.
phyllidizans Wetmore (Wetmore 2003)
pinicola H. Magn.
pollinii (A. Massal.) Jatta Syn.: Placodium ferrugineum var. pollinii
pratensis Wetmore (Wetmore 2009)
pygmaea Wetmore (Wetmore 2007a)
quercicola H. Magn.
reptans Lendemer & Hodkinson (Hodkinson & Lendemer 2012)
rubelliana (Ach.) Lojka
[**Blastenia rubrofusca** B. de Lesd.]
schaereri (Flörke) Zahlbr.
schoeferi Poelt (Wetmore 2007a)
sibirica H. Magn. (Søchting & Olech 1995)
sideritis (Tuck.) Zahlbr. Syn.: Placodium cerinum var. sideritis
sipeana H. Magn.
sonorae Wetmore (Wetmore 1996)
soralifera Vondrák & Hrouzek (Wetmore 2009)
sorocarpa (Vainio) Zahlbr.
spaldingii Zahlbr.
spitsbergensis H. Magn.
stanfordensis H. Magn.

stillicidiorum (Vahl) Lynge (Šoun et al. 2011, Arup et al. 2013)
subnitida (Malme) Zahlbr.
subpyraceella (Nyl.) Zahlbr.
tornoënsis H. Magn.
turkuensis (Vainio) Zahlbr. (Šoun et al. 2011)
ulcerosa Coppins & P. James (Wetmore 2004b)
ulmorum (Fink) Fink (Šoun et al. 2011) But see also Wetmore 2007b
urceolata B. de Lesd.
verrucosa Hasse
wetmorei Nimis, Poelt & Tretiach
wrightii (Tuck.) Fink Syn.: *Placodium ferrugineum* var. *wrightii*
yuchiorum Lendemer & C. A. Morse (Lendemer & Morse 2010)
alaskensis Wetmore (Wetmore 2004b) = *Calogaya bryochrysion* (Vondrák et al. 2016)
alboatra (Tuck.) Zahlbr. (Flowers 1953/1954) Misspelling of *C. atroalba*
allochroa Y. Joshi, Vondrák & Hur (Spribile et al. 2020) = *Gyalolechia allochroa*
amabilis (Fink) Zahlbr. = *C. pellodella*
ammiospila (Wahlenb.) H. Olivier = *Blastenia ammiospila*
arenaria (Pers.) Müll. Arg. = *Rufoplaca arenaria*
arizonica H. Magn. = *Gyalolechia epiphyta* (Vondrák et al. 2016)
arizonica E. Rudolph non H. Magn. = *C. pellodella*
arnoldii (Wedd.) Zahlbr. subsp. *obliterata* (Pers.) Gaya (Gaya 2009) = *Calogaya arnoldii*
aurantia (Pers.) Hellbom = *Variospora aurantia*
aurantiaca (Lightf.) Th. Fr. = *Gyalolechia flavorubescens*
austrocitrina Vondrák, Říha, Arup & Søchting (Knudsen & Kocourková 2010e) = *Flavoplaca austrocitrina*
biatorina (A. Massal.) J. Steiner (Gaya 2009) = *Calogaya biatorina*
bolacina (Tuck.) Herre = *Polycauliona bolacina*
bolanderi (Tuck.) H. Magn. = *Polycauliona luteominea* var. *bolanderi*
bracteata (Hoffm.) Jatta = *Gyalolechia bracteata*
brattiae W. A. Weber = *Polycauliona brattiae*
bryochrysion Poelt = *Gyalolechia bryochrysion* (Vondrák et al. 2016)
caesiorufa (Wibel) Flagey = removed as a nomen confusum (Wetmore 1996)
caesiorufella (Nyl.) Zahlbr. = *C. phaeocarpella*
callopisma (Ach.) Th. Fr. = *Variospora aurantia*
castellana (Räsänen) Poelt If treated as separate from *C. invadens* (=*Pachypeltis invadens*) as done by e.g. Alstrup (1991), this species has not yet been reported for North America
cerinelloides (Erichsen) Poelt (Qian & Klinka 1998) = *Athallia cerinelloides*
chrysodeta (Vainio) Dombr. = *Leproplaca chrysodeta*
chrysopthalma Degel. = *Solitaria chrysopthalma*
cinnamomea (Th. Fr.) H. Olivier = *Blastenia ammiospila*
cirrochroa (Ach.) Th. Fr. = *Leproplaca cirrochroa*
citrina (Hoffm.) Th. Fr. = *Flavoplaca citrina*
cladodes (Tuck.) Zahlbr. = *Pachypeltis cladodes*
constipans (Nyl.) Zahlbr. = *Edrudia constipans*
coralloides (Tuck.) Hulting = *Polycauliona coralloides*
crenularia (With.) J. R. Laundon = *Blastenia crenularia*, but a misidentification for North America (Wetmore 1996)
crenulatella (Nyl.) H. Olivier (Knudsen & La Doux 2005) = *Xanthocarpia crenulatella*
decipiens (Arnold) Blomb. & Forssell = *Calogaya decipiens*
diplacia (Ach.) Riddle = doesn't occur N of Mexico (Wetmore 1994)
discernenda (Nyl.) Zahlbr. = *C. saxicola*
discoidalis (Vainio) Lynge = *Blastenia ammiospila*
discolor (Willey) Fink = *Gyalolechia xanthostigmoidea* (Wetmore 2001, Arup et al. 2013)
elegans (Link) Th. Fr. = *Rusavskia elegans*
epiphyta Lynge (Søchting & Tønsberg 1997) = *Gyalolechia epiphyta* (Vondrák et al. 2016)
erythrella (Ach.) Kieffer = *Gyalolechia flavovirescens*

feracissima H. Magn. = *Xanthocarpia feracissima*
 ferruginea (Hudson) Th. Fr. = *Blastenia ferruginea*
 festiva (Ach.) Zwackh = *Caloplaca crenularia*, but North American records incorrect according to Wetmore (1996)
 flavocitrina (Nyl.) H. Olivier (Arup 2006) = *Flavoplaca flavocitrina*
 flavogranulosa Arup = *Polycauliona flavogranulosa*
 flavorubescens (Hudson) J. R. Laundon = *Gyalolechia flavorubescens*
 flavovirescens (Wulfen) Dalla Torre & Sarnth. = *Gyalolechia flavovirescens*
 fulgens (Sw.) Körber = *Gyalolechia fulgens*
 furfuracea H. Magn. (Wetmore 2004a) = *Blastenia furfuracea*
 galactophylla (Tuck.) Zahlbr. = *Squamulea galactophylla*
 gilva (Hoffm.) Zahlbr. = *C. cerina*
 gloriae sensu Aptroot (1996) non Werner & Llimona = *Polycauliona verruculifera* (Arup 1997)
 granulosa (Müll. Arg.) Jatta = *Flavoplaca granulosa*
 herbidella (Hue) H. Magn. = *Blastenia herbidella*, but a misidentification for North America (Wetmore 2004a)
 herrei Hasse = *C. atrosanguinea*
 holocarpa (Hoffm. ex Ach.) A. E. Wade = *Athallia holocarpa*
 ignea Arup = *Polycauliona ignea*
 impolita Arup = *Polycauliona impolita*
 inconspecta Arup = *Polycauliona inconspecta*
 intermedia (B. de Lesd.) Zahlbr. = *C. cinnabarina* (Wetmore & Kärnefelt 1999)
 invadens Lynge (Thomson 1997) = *Pachypeltis invadens*
 irrubescens (Arnold) Zahlbr. = *Squamulea subsoluta*
 jungermanniae (Vahl) Th. Fr. = *Bryoplaca jungermanniae*
 lactea (A. Massal.) Zahlbr. = *Xanthocarpia lactea*
 laeta H. Magn. = *Polycauliona luteominia* var. *luteominia*
 lamprocheila (DC.) Flagey = *Rufoplaca arenaria*
 leucoraea (Ach. ex Flörke) Branth = *Bryoplaca sinapisperma*
 lobulata (Flörke) B. de Lesd. = *Calogaya lobulata*
 ludificans Arup = *Polycauliona ludificans*
 luteoalba (Turner) Th. Fr. = *Cerothallia luteoalba*
 luteominia (Tuck.) Zahlbr. var. *luteominia* = *Polycauliona luteominia* var. *luteominia*
 luteominia var. bolanderi (Tuck.) Arup = *Polycauliona luteominia* var. *bolanderi*
 marina (Wedd.) Zahlbr. subsp. *americana* Arup = *Flavoplaca marina*
 marmorata (Bagl.) Jatta (Knudsen & La Doux 2005) = *Xanthocarpia marmorata*
 microthallina (Wedd.) Zahlbr. = *Flavoplaca microthallina*
 modesta (Zahlbr.) Fink = *Squamulea subsoluta*
 murorum (Hoffm.) Th. Fr. = *C. saxicola*
 nashii Nav.-Ros., Gaya & Hladun (Kudsen & La Doux 2005) = *Polycauliona nashii*
 oblitterans (Nyl.) Blomb. & Forssell = *Leproplaca oblitterans*
 oxfordensis Fink = *Rufoplaca oxfordensis*
 parviloba Wetmore (Wetmore 2003) = *Squamulea parviloba*
 paulsenii (Vainio) Zahlbr. = misidentification for North America
 persimilis Wetmore (Wetmore 2004b) = *Gyalolechia persimilis*
 phlogina (Ach.) Flagey (Richardson et al. 2009, Vondrák et al. 2010) = *Polycauliona phlogina*
 pusilla (A. Massal.) Zahlbr. (Gaya 2009) = *Calogaya pusilla*
 pyracea (Ach.) Zwackh (Arup 2009) = *Athallia pyracea*
 rosei Hasse = *Polycauliona rosei*
 sarcopisoides (Körber) Zahlbr. = *C. obscurella*
saxicola (Hoffm.) Nordin = *Calogaya saxicola*
 saxifragarum Poelt = *Athallia saxifragarum*
 scopularis (Nyl.) Lettau = *Athallia scopularis*
 scotoplaca (Nyl.) H. Magn. = misidentification for North America (Wetmore 1996)
 sinapisperma (Lam. & DC.) Maheu & A. Gillet = *Bryoplaca sinapisperma*
 sorediata (Vainio) Du Rietz = *Rusavskia sorediata*

splendens (Darb.) Zahlbr. = *Rusavskia elegans*
 squamosa (B. de Lesd.) Zahlbr. = *Squamulea squamosa*
 stantonii W. A. Weber ex Arup = *Gyalolechia stantonii*
 stellata Wetmore & Kärnefelt (Wetmore & Kärnefelt 1998) = *Polycauliona stellata*
 stipitata Wetmore (Wetmore 1999) = *Gyalolechia stipitata*
 submexicana (B. de Lesd.) Zahlbr. = *Candelina submexicana*
 subnigricans H. Magn. = *C. atrosanguinea*
 subolivacea (Th. Fr.) Lynge = *Parvoplaca tiroiensis*
 subsoluta (Nyl.) Zahlbr. (Wetmore 2003) = *Squamulea subsoluta*
 teicholyta (Ach.) J. Steiner = misidentification for North America (Wetmore 1996)
 tetraspora (Nyl.) H. Olivier = *Bryoplaca tetraspora*
 texana Wetmore & Kärnefelt (Wetmore & Kärnefelt 1998) = *Wetmoreana texana*
 thallincola (Wedd.) Du Rietz Not in North America
 tiroiensis Zahlbr. = *Parvoplaca tiroiensis*
 tominii (Savicz) Ahlner (Wetmore 2001) = *Xanthocarpia tominii*
 trachyphylla (Tuck.) Zahlbr. = *Xanthomendoza trachyphylla*
 variabilis (Pers.) Müll. Arg. = *Pyrenodesmia variabilis*
 velana (A. Massal.) Du Rietz = *Variospora velana*
 verruculifera (Vainio) Zahlbr. = *Polycauliona verruculifera*
 vicaria H. Magn. = *C. kamczatica*
 vitellinula (Nyl.) H. Olivier = *Athallia vitellinula*
 xanthostigmoidea (Räsänen) Zahlbr. = *Gyalolechia xanthostigmoidea*

CALOPLACOPSIS (Zahlbr.) B. de Lesd. = **CANDELARIELLA**
 submexicana (B. de Lesd.) B. de Lesd. = *Candelina submexicana*

CALVITIMELA Hafellner (Hafellner & Türk 2001)
aglaea (Sommerf.) Hafellner Syn.: *Lecidea aglaea*, *L. aglaeida* (Hertel & Andreev 2003), L.
shushanii, *Tephromela aglaea*, *T. aglaeida*
armeniaca (DC.) Hafellner Syn.: *Lecidea armeniaca*, *Tephromela armeniaca*
cuprea Haugan & Timdal (Lendemer & Harris 2016)
melaleuca (Sommerf.) R. Sant. (Spribille et al. 2011, Dillman et al. 2012)
perlata (Haugan & Timdal) R. Sant. (Bendiksby et al. 2015)
talayana (Haugan & Timdal) Andreev (Hodkinson et al. 2009)
testaceoatra (Vainio) Hafellner Syn.: *Lecidea testaceoatra*, *L. arctogena*, *Tephromela testaceoatra*

CAMPYLOTHELIUM Müll. Arg.
 amylosporum (Vainio) R. C. Harris = *Dictyomeridium amylosporum*
 nitidum Zahlbr. = *Astrothelium megaspernum*

CANDELARIA A. Massal.
concolor (Dickson) Stein Syn.: *Teloschistes concolor* var. *effusa*
fibrosa (Fr.) Müll. Arg.
pacifica M. Westb. & Arup (Westberg & Arup 2011)
concolor var. *effusa* (Tuck.) G. Merr. & Burnham = *C. concolor* (Lendemer & Westberg 2010)

CANDELARIELLA Müll. Arg.
aggregata M. Westb. (Westberg 2007a)
antennaria Räsänen
arctica (Körber) R. Sant. Syn.: *Placodium crenulatum*
aurella (Hoffm.) Zahlbr. Syn.: *Placodium vitellinum* var. *aurellum*
biatorina M. Westb. (Westberg 2007c)
blastidiata Yakovchenko (Yakovchenko et al. 2017)
borealis M. Westb. (Westberg 2007b)
californica M. Westb. (Westberg 2007a)
canadensis H. Magn.

citrina B. de Lesd.
clarkiae E. Tripp & Lendemer (Tripp & Lendemer 2015)
complanata M. Westb. (Westberg 2007a)
coralliza (Nyl.) H. Magn.
corviniscalensis C. A. Morse & M. Westb. (Westberg et al. 2011b)
deppeanae M. Westb. (Westberg 2007a)
efflorescens R. C. Harris & W. R. Buck
granuliformis M. Westb. (Westberg et al. 2011b)
immarginata M. Westb. (Westberg 2007a)
kansuensis H. Magn. (Westberg 2007a)
lutella (Vainio) Räsänen
minuta Reichert & Galun (Weber & Wittman 2000)
placodizans (Nyl.) H. Magn.
rosulans (Müll. Arg.) Zahlbr.
spraguei (Tuck.) Zahlbr. Syn.: *Placodium spraguei*
subdeflexa (Nyl.) Lettau
vitellina (Hoffm.) Müll. Arg.
xanthostigma (Ach.) Lettau
xanthostigmoides (Müll. Arg.) R. W. Rogers (Lendemer & Westberg 2010)
athallina (Wedd.) Du Rietz Excluded from North America (Westberg et al. (2011b))
cerinella (Flörke) Zahlbr. = *C. aurella*
corallizoides M. Westb. Erroneously listed here; reported only from Mexico (Westberg 2007a)
crenulata (Wahlenb.) Zahlbr. = *C. arctica*
deflexa (Nyl.) Zahlbr. = *C. aurella*, but N. American reports are mostly *C. antennaria* (Westberg 2007a)
dispersa (Räsänen) Hakul. Excluded from North America (Westberg et al. 2011b)
epixantha auct. = *C. aurella*
epixantha (Ach.) Sandst. = *Candelariella aurella*
holophaea (Mont.) Zahlbr. = *Solenopsora holophaea*
hudsonica Hakul. = *C. canadensis*
kuusamoensis Räsänen var. *areolata* Hakul. Excluded from North America (Westberg et al. 2011b)
luteoalba (Turner) Lettau = *Cerothallia luteoalba*
medians (Nyl.) Sm. North American reports probably refer to *Candelina submexicana*
plumbea Poelt & Vězda Excluded from North America (Westberg et al. 2011b)
reflexa (Nyl.) Lettau = misidentification for North America (Westberg et al. 2007)
stenospora B. de Lesd. Excluded from North America (Westberg et al. 2011b)
submexicana B. de Lesd. = *Candelina submexicana*
terrigena Räsänen = *C. citrina* (Westberg 2007a, Westberg 2009)

CANDELINA Poelt

mexicana (B. de Lesd.) Poelt
submexicana (B. de Lesd.) Poelt Syns.: *Caloplacopsis submexicana*, *Candelariella submexicana*, *Caloplaea submexicana*. North American reports of *Candelariella medians* (Nyl.) Sm. probably belong here.

CANOMACULINA Elix & Hale = PARMOTREMA (Blanco et al. 2005)

conferenda (Hale) Elix = *Parmotrema conferendum*
haitiensis (Hale) Elix = *Parmotrema haitiensis*
neotropicica (Kurok.) Elix = *Parmotrema neotropicum*
subsumpta (Nyl.) Elix = *Parmotrema subsumptum*
subtinctoria (Zahlbr.) Elix = *Parmotrema subtinctorum*

CANOPARMELIA Elix & Hale

alabamensis (Hale & McCull.) Elix (Elix 2001) Syns: *Paraparmelia alabamensis*, *Parmelia alabamensis*, *Pseudoparmelia alabamensis*

caroliniana (Nyl.) Elix & Hale Syns.: Parmelia caroliniana, Pseudoparmelia caroliniana
cryptochlorophaea (Hale) Elix & Hale Syns.: Parmelia cryptochlorophaea, Pseudoparmelia cryptochlorophaea
martinicana (Nyl.) Elix & Hale Syns.: Parmelia martinicana, Pseudoparmelia martinicana
texana (Tuck.) Elix & Hale Syns.: Parmelia texana, Pseudoparmelia texana
amabilis Heiman & Elix (Heiman & Elix 1999) = Canoparmelia caroliniana (Lendemer & Ruiz 2015)
amazonica (Nyl.) Elix & Hale = *Parmelinella amazonica* (Rodrigues et al. 2021)
crozalsiana (B. de Lesd. ex Harm.) Elix & Hale = Crespoa crozalsiana
salacinifera (Hale) Elix & Hale = *Parmelinella salacinifera* (Rodrigues et al. 2021)

CAPRONIA Sacc.

***harrisiana** Hollinger & Lendemer (Hollinger & Lendemer 2021)
***thamnoliae** Zhurb. (Zhurbenko 2012)
*peltigerae (Fuckel) D. Hawksw. (Zhurbenko & Laursen 2003) = Knufia peltigerae (Réblová et al. 2013)

CARBACANTHOGRAPHIS Staiger & Kalb (Staiger 2002)

candidata (Nyl.) Staiger & Kalb Syn.: Graphis candidata (Staiger 2002)
marcescens (Fée) Staiger & Kalb Syn.: Graphina marcescens, G. plittii, Graphis marcescens (Staiger 2002)
muriformis E. Tripp & Lendemer (Tripp et al. 2010)

CARBONEA (Hertel) Hertel

***aggregantula** (Müll. Arg.) Diederich & Triebel (Goward et al. 1996)
#**assimilis** (Körber) Hafellner & Hertel Syn.: Lecidea assimilis
atronivea (Arnold) Hertel Syn.: Lecidea atronivea
*b*intrudens* (H. Magn.) Hafellner (Dillman et al. 2012) Syn.: Lecidea intrudens
latypizodes (Nyl.) Knoph & Rambold (Knoph et al. 2004) Syns.: Lecidea austrocalifornica, L. subplebeia (Knudsen et al. 2008b), L. subcontinuor, L. amabilis, Mycobilimbia austrocalifornica
*b*supersparsa* (Nyl.) Hertel (Diederich 2003)
*b*vitellinaria* (Nyl.) Hertel Syn.: Lecidea vitellinaria, Nesolechia vitellinaria
#**vorticosa** (Flörke) Hertel Syn.: Lecidea vorticosa
intrusa (Th. Fr.) Rambold & Triebel (Hinds et al. 2002) = Scoliosporum intrusum

CARBONICOLA Bendiksby & Timdal (Bendiksby & Timdal 2013)

anthracophila (Nyl.) Bendiksby & Timdal Syns.: Biatora anthracophila, B. ostreata var. cladonioides, Hypocenomyce anthracophila, Lecidea anthracophila, Psora anthracophila
myrmecina (Ach.) Bendiksby & Timdal Syn.: Hypocenomyce castaneocinerea

CARNEOTHELE Fryday, T. Sprib. & M. Svenss. (Spribille et al. 2020)

sphagnicola Fryday, M. Svenss. & Holien (Spribille et al. 2020)

CATAPYRENIUM Flotow (Breuss 1996)

cinereum (Pers.) Körber Syns.: Dermatocarpon cinereum, D. hepaticum
daedaleum (Kremp.) Stein Syn.: Dermatocarpon daedaleum
globosum J. W. Thomson
granulosum (B. de Lesd.) J. W. Thomson Syns.: Endopyrenium crustaceum, E. granulosum, Dermatocarpon granulosum
psoromoides (Borrer) R. Sant.
squamellum (Nyl. ex Hasse) J. W. Thomson Syn.: Dermatocarpon squamellum
acarosporoides (Zahlbr.) J. W. Thomson = Placidium acarosporoides
andicolum Breuss = Placidium andicola
caeruleopulvinum J. W. Thomson = Placopyrenium caeruleopulvinum
chilense (Räsänen) Breuss = Placidium chilense
#**compactum** (A. Massal.) R. Sant. = Heteroplacidium compacta

congestum Breuss & McCune = *Heteropladidium congestum*
heppioides (Zahlbr.) J. W. Thomson = *Placopyrenium heppioides*
lachneum (Ach.) R. Sant. = *Placidium lachneum*
lacinulatum (Ach.) Breuss = *Clavascidium lacinulatum*
michelii (A. Massal.) R. Sant. = *Placidium michelii*
norvegicum Breuss = *Placidium norvegicum*
plumbeum (B. de Lesd.) J. W. Thomson (p.p.) = *Verrucaria inficiens* (Breuss 1998)
podolepis Breuss = *Placidium podolepis*
rufescens (Ach.) Breuss = *Placidium rufescens*
schaereri (Fr.) R. Sant. = *Placopyrenium coloradoense* for North American reports
squamulosum (Ach.) Breuss = *Placidium squamulosum*
tuckermanii (Rav. ex Mont.) J. W. Thomson = *Placidium arboreum*
umbrinum Breuss = *Clavascidium umbrinum*
waltheri (Kremp.) Körber = *Involucropyrenium waltheri*
zahlbruckneri (Hasse) J. W. Thomson = *Placopyrenium stanfordii*

CATILLARIA A. Massal.

atomariooides (Müll. Arg.) H. Kilias (Kocourková et al. 2010)
chalybeia (Borrer) A. Massal.
contristans (Nyl.) Zahlbr. (Miller et al. 2005)
cupressi Zahlbr.
erysiboides (Nyl.) Th. Fr. Syn.: *Arthonia carneorufa* (Printzen & Tønsberg 1999)
flavens (Willey) Fink
glauconigrans (Tuck.) Hasse Syn.: *Biatora glauconigrans*
lenticularis (Ach.) Th. Fr.
***lobariicola** (Alstrup) Coppins & Aptroot (Spribilille et al. 2010) **Syn. : Phoma lobariicola**
muscicola Lynge
nigroclavata (Nyl.) Schuler Syns.: *Bacidia declinis*, *Biatora declinis*, *Bilimbia declinis*, *Lecidea declinis*
patteeana D. P. Waters & Lendemer (Waters & Lendemer 2019)
picila (A. Massal.) Coppins (McCune & Rosentreter 2014)
***stereocaulorum** (Th. Fr.) H. Olivier (Zhurbenko 2010)
subnegans (Nyl.) Boistel
subviridis (Nyl.) Zahlbr.
terrena (Willey) Zahlbr.
arctica Lynge = **Kiliasia philippea**
athallina (Hepp) Hellbom = **Kiliasia athallina**
atropurpurea (Schaerer) Th. Fr. = *Catinaria atropurpurea*
bahusiensis (Blomb.) Th. Fr. = *Tylothallia biformigera*
biformigera (Leighton) H. Magn. = *Tylothallia biformigera*
bouteillei (Desm.) Zahlbr. = *Fellhanera bouteillei*
columbiana (G. Merr.) W. Noble = *Megalaria columbiana*
crystallifera R. Kilias = **Bibbya lutosa**
endochroma(Fée) Zahlbr. = *Catilochroma endochroma*
franciscana (Tuck.) Herre = *Lecania franciscana*
globulosa (Flörke) Th. Fr. = **Myrionora globulosa**
graniformis (K. G. Hagen) Vainio = *Cliostomum corrugatum*
griffithii (Sm.) Malme = *Cliostomum griffithii*
groenlandica Lynge = a *Lecania* sp.
grossa (Pers. ex Nyl.) Körber = *Megalaria grossa*
**heerii* (Hepp) H. Olivier = *Scutula heerii*
**herrii* (Hepp) Fink (Fink 1935) Orthographic variant for *C. heerii*
jemtlandica Th. Fr. & Almq. = *Megalaria jemtlandica*
kansuensis H. Magn. = **Kiliasia philippea**
laureri Hepp ex Th. Fr. = *Megalaria laureri*
leptocheila (Tuck.) Riddle = *Megalaria leptocheila*

micrococca (Körber) Th. Fr. = *Micarea micrococca* (Fryday & Coppins 2007)
 philippea (Mont.) A. Massal. = *Kiliasia philippea* (Thomson 1997)
 prasina (Fr.) Th. Fr. = *Micarea prasina*
 pulverea (Borrer) Lettau = *Megalaria pulverea*
 schaereri (Fr.) R. Sant. = *Placocarpus schaereri*, but a misidentification for N.A. (McCune et al. 2014b)
 sculpturata H. Magn. = *Kiliasia sculpturata*
 sphaeroides (A. Massal.) Schuler = *Mycobilimbia pilularis*
 subnitida Hellbom = *Toninia subnitida*
 subnigrata (Nyl.) Blomb. & Forssell = a European species
 superflua (Müll. Arg.) Zahlbr. = ?*Megalaria grossa* (Printzen 1995)
 tricolor auct. = *Cliostomum griffithii*
 tristis (Müll. Arg.) Arnold = *Toninia subnitida*

CATILLOCHROMA Kalb (Kalb 2007)

endochromum (Fée) Kalb (Lücking et al. 2011b) Syn.: *Catillaria endochroma*
albocinctum (Degel.) Kalb = *Megalaria albocincta* (Fryday & Lendemer 2010)
leptocheilum (Tuck.) Kalb = *Megalaria leptocheila* (Fryday & Lendemer 2010)

CATINARIA Vainio

atropurpurea (Schaerer) Vězda & Poelt Syns.: *Biatora atropurpurea*, *Catillaria atropurpurea*,
Lecidea intermixta, *L. intermixta* var. *lignaria*
brodoana R. C. Harris & W. R. Buck (Lendemer et al. 2016a)
neuschildii (Körber) P. James (Waters & Lendemer 2019)
radulae R. C. Harris & W. R. Buck (Lendemer et al. 2016a)
subcorallina (Zahlbr.) Brako Syn.: *Phyllopsora subcorallina*
albocincta Degel. = *Megalaria albocincta*
grossa (Pers. ex Nyl.) Vainio = *Megalaria grossa*
laureri (Hepp ex Th. Fr.) Degel. = *Megalaria laureri*
leucoplaca auct. = *Megalaria grossa*
versicolor (Fée) Sipman = *Megalaria versicolor*

CATOLECHIA Flotow

wahlenbergii (Ach.) Körber Syns.: *Buellia wahlenbergii*, *B. pulchella*

CAVERNULARIA Degel. = **HYPOGYMNIA** (Miądlikowska et al. 2011)
hultenii Degel. = *Hypogymnia hultenii*
lophyrea (Ach.) Degel. = *Hypogymnia lophyrea*

CECIDONIA Triebel & Rambold

***umbonella** (Nyl.) Triebel & Rambold Syn.: *Lecidea umbonella*
***xenophana** (Körber) Triebel & Rambold (Hinds et al. 2002) Syn.: *Lecidea columnata* (Coppins & Fryday 2006b)

CELIDIUM Tul. = **ARTHONIA**

**varians* Arnold = *Arthonia varians* (Hawksworth 2003)

CELOTHELIUM A. Massal. (Harris 1995a)

aciculiferum (Nyl.) Vainio (Harris 1995a)

CEPHALOPHYSIS (Hertel) H. Kiliias

leucospila (Anzi) H. Kiliias & Scheid. Syn.: *Lecidea ultima*

CERCIDOSPORA Körber

***caudata** Kernst. (Navarro-Rosinés et al. 2004)
***cecidiiformans** Grube & Hafellner (Hafellner et al. 2002, Spribille et al. 2010)

***cephalodiorum** Triebel & Grube (Spribile et al 2020)
 ***cladoniicola** Alstrup (Lendemer et al. 2008c)
 #**decolorella** (Nyl.) O. E. Erikss. & J. Z. Yue
 ***epicarphinea** (Nyl.) Grube & Hafellner
 ***epipolytropa** (Mudd) Arnold
 ***exiguella** (Nyl.) Arnold (Spribile et al. 2010)
 ***lobothalliae** Nav.-Ros. & Calat. (Navarro-Rosinés et al. 2004)
 ***macrospora** (Uloth) Hafellner & Nav.-Ros. (Navarro-Rosinés et al. 2004)
 ***ochrolechia** Zhurb. (Zhurbenko 2013)
 ***parva** Hafellner & Ihlen (Zhurbenko 2020)
 ***punctillata** (Nyl.) R. Sant. (Zhurbenko 2013)
 ***soror** Obermayer & Triebel (McCune & Ponzetti 2005)
 ***stereocaulorum** (Arnold) Hafellner (Alstrup & Cole 1998)
 ***thamnoliae** Zhurb. (Zhurbenko 2012)
 ***tryptetheliza** (Nyl.) Haffellner & Obermayer Syn.: *Neonorrlinia tryptetheliza* (McCune & Ponzetti 2005, Weber & Wittmann 2000)
 ***verrucosaria** (Lindsay) Arnold (Navarro-Rosinés et al. 2004)
 ***xanthoriae** (Wedd.) R. Sant. (Knudsen & Lendemer 2006)
 ***ulothii** Körber = *C. macrospora* (Navarro-Rosinés & Hafellner 2004)

CEROTHALLIA Arup, Frödén & Søchting (Arup et al. 2013)
luteoalba (Turner) Arup, Frödén & Søchting Syn.: *Caloplaca luteoalba*

CETRADONIA J.-C. Wei & Ahti (Wei & Ahti 2002)
linearis (Evans) J.-C. Wei & Ahti Syn.: *Gymnoderma linearis*, *Cladonia linearis*

CETRARIA Ach.

- aculeata** (Schreber) Fr. Syns.: *Coelocaulon aculeatum*, *Cornicularia aculeata*
- arenaria** Kärnefelt
- ericetorum** Opiz subsp. **ericetorum**
- ericetorum** subsp. **reticulata** (Räsänen) Kärnefelt
- islandica** (L.) Ach. subsp. **islandica**
- islandica** subsp. **crispiformis** (Räsänen) Kärnefelt
- islandica** subsp. **orientalis** (Asahina) Kärnefelt
- kamczatica** Savicz
- laevigata** Rass.
- muricata** (Ach.) Eckfeldt Syn.: *Coelocaulon muricatum*
- nigricans** Nyl.
- odontella** (Ach.) Ach. Syns.: *Cornicularia odontella*, *Coelocaulon odontellum*
- agnata** (Nyl.) Kristinsson = *Melanelia agnata*
- alaskana** C. F. Culb. & W. L. Culb. = *Cetrelia alaskana*
- aleurites** (Ach.) Th. Fr. (Tuckerman 1882) = *Imshaugia aleurites*
- aleurites** var. **placorodia** (Ach.) Tuck. (Tuckerman 1882) = *Imshaugia placorodia*
- andrejevii** Oxner = *Arctocetraria andrejevii*
- arborialis** (Zahlbr.) Howard = *Tuckermannopsis subalpina*
- arctica** (Hooker f.) Tuck. (Tuckerman 1882) = *Dactylina arctica*
- atlantica** (Tuck.) Du Rietz = *Platismatia tuckermanii*
- aurescens** Tuck. = *Ahtiana aurescens*
- californica** Tuck. = *Kaernefeltia californica*
- canadensis** (Räsänen) Räsänen = *Vulpicida canadensis*
- chicitae** W. L. Culb. = *Cetrelia chicitae*
- chlorophylla** (Willd.) Vainio = *Tuckermannopsis chlorophylla*
- chrysantha** Tuck. = *Asahinea chrysantha*
- ciliaris** Ach. = *Tuckermannopsis ciliaris*
- ciliaris** Ach. var. **halei** (W. L. Culb. & C. F. Culb.) Ahti = *Tuckermannopsis americana*
- commixta** (Nyl.) Th. Fr. = *Cetrariella commixta*

coralligera (W. A. Weber) Hale = *Tuckermanella coralligera*
 crispa (Ach.) Nyl. = *C. ericetorum* subsp. *ericetorum*
 cucullata (Bellardi) Ach. = *Flavocetraria cucullata*
 culbersonii Hale = *Melanelia culbersonii*
 delisei (Bory ex Schaerer) Nyl. = *Cetrariella delisei*
 elenkinii Krog = *Arctocetraria nigricascens*
 fahlunensis (L.) Schreber = *Cetrariella commixta*
 fastigiata (Delise ex Nyl.) Kärnefelt = *Cetrariella fastigiata*
 fendleri (Nyl.) Tuck. = *Tuckermanella fendleri*
 glauca (L.) Ach. = *Platismatia glauca*
 halei W. L. Culb. & C. F. Culb. = *Tuckermannopsis americana*
 hepatizon (Ach.) Vainio = *Melanelia hepatizon*
 herrei Imshaug = *Platismatia herrei*
 hiascens (Fr.) Th. Fr. = *Cetrariella delisei*
 idahoensis Essl. = *Esslingeriana idahoensis*
 inermis (Nyl.) Krog = *Masonhalea inermis*
 juniperina (L.) Ach. = Old North American records are *Vulpicida canadensis* or *V. viridis*
 juniperina var. jerseyi Gyelnik (Gyelnik 1931) = *V. viridis*
 juniperina var. terrestris Schaerer (Tuckerman 1882) = misidentification for N.A., possibly
Vulpicida canadensis
 lacunosa Ach. = *Platismatia lacunosa*
 lacunosa Ach. var. atlantica Tuck. = *Platismatia tuckermanii*
 madreporeformis (Ach.) Müll. Arg. (Tuckerman 1882) = *Allocetraria madreporeformis*
 merrillii Du Rietz = *Kaernefeltia merrillii*
 nigricascens (Nyl.) Elenkin = *Arctocetraria nigricascens*
 nivalis (L.) Ach. = *Flavocetraria nivalis*
 norvegica (Lyng) Du Rietz = *Platismatia norvegica*
 oakesiana Tuck. = *Usnocetraria oakesiana*
 orbata (Nyl.) Fink = *Tuckermannopsis orbata*
 pallidula Tuck. ex Riddle = *Ahtiana pallidula*
 pinastri (Scop.) Gray = *Vulpicida pinastri*
 platyphylla Tuck. = *Tuckermannopsis platyphylla*
 polyschiza (Nyl.) Jatta = *Melanelia hepatizon*
 ramulosa (Hooker f.) Tuck. (Tuckerman 1882) = *Dactylina ramulosa*
 richardsonii Hooker = *Masonhalea richardsonii*
 scholanderi Llano = *Asahinea scholanderi*
 scutata (Wulfen) Poetsch = *Tuckermannopsis sepincola*
 scutata auct. = *Tuckermannopsis chlorophylla*
 sepincola (Ehrh.) Ach. = *Tuckermannopsis sepincola*
 sibirica H. Magn. = *Arctocetraria nigricascens*
 simmonsii Krog = *Arctocetraria andrejevii*
 stenophylla (Tuck.) G. Merr. = *Platismatia stenophylla*
 subalpina Imshaug = *Tuckermannopsis subalpina*
 tilesii Ach. = *Vulpicida juniperina* (Saag et al. 2014)
 tristis (Weber ex F. H. Wigg.) Fr. = *Cornicularia normoerica* (Santesson et al. 2004)
 tuckermanii Oakes non Herre = *Platismatia tuckermanii*
 tuckermanii Herre non Oakes = *Platismatia herrei*
 viridis Schwein. = *Vulpicida viridis*
 weberi Essl. = *Tuckermanella weberi*

CETRARIASTRUM Sipman = **HYPOTRACHYNA** (Divakar et al. 2013)
catawbiense (Degel.) W. L. Culb. & C. F. Culb. = *Hypotrachyna catawbiensis*

CETRARIELLA Kärnefelt & A. Thell
commixta (Nyl.) A. Thell & Kärnefelt (Thell et al. 2009) Syns.: *Cetraria commixta*, *C. fahlunensis*, *Melanelia commixta*

delisei (Schaerer) Kärnefelt & A. Thell Syns.: Cetraria delisei, C. hiascens
fastigiata (Nyl.) Kärnefelt & A. Thell Syn.: Cetraria fastigiata

CETRELIA W. L. Culb. & C. F. Culb.

alaskana (C. F. Culb. & W. L. Culb.) W. L. Culb. & C. F. Culb. Syn.: Cetraria alaskana
cetrariooides (Duby) W. L. Culb. & C. F. Culb.
chicitae (W. L. Culb.) W. L. Culb. & C. F. Culb. Syn.: Cetraria chicitae
monachorum (Zahlbr.) W. L. Culb. & C. F. Culb.
olivetorum (Nyl.) W. L. Culb. & C. F. Culb. Syns.: Parmelia olivetorum, P. olivaria

CHAENOTHECA Th. Fr.

brachypoda (Ach.) Tibell Syn.: Conocybe sulphurea
brunneola (Ach.) Müll. Arg.
chlorella (Ach.) Müll. Arg.
chrysocephala (Ach.) Th. Fr. Syn.: Conocybe gracilescens
cinerea (Pers.) Tibell
erkahomattiorum Selva (Selva 2013)
ferruginea (Turner ex Sm.) Mig.
floridana R. C. Harris (Harris 1995a)
furfuracea (L.) Tibell Syn.: Conocybe furfuracea
gracilenta (Ach.) Mattsson & Middelb. Syn.: Cybebe gracilenta (Tibell 2001)
gracillima (Vainio) Tibell Syn.: Conocybe gracillima
hispida (Ach.) Zahlbr.
hygrophila Tibell (Selva & Tibell 1999)
laevigata Nádv.
longispora Reese Naesborg & Tibell (Reese Naesborg et al. 2019)
nitidula Tibell (Tibell & Koffman 2002)
olivaceorufa Vainio (Rikkinen 1998)
obscura (G. Merr.) Nádv. Syn.: Calicium obscurum (Selva & McMullin 2020)
phaeocephala (Turner) Th. Fr.
selvae Maloles & McMullin (McMullin et al. 2018)
servitii Nádv. (Selva & Tibell 1999)
sphaerocephala Nádv. (Selva & Tibell 1999)
stemonea (Ach.) Müll. Arg.
subroscida (Eitner) Zahlbr.
trichialis (Ach.) Th. Fr.
xyloxena Nádv.
balsamconensis J. L. Allen & McMullin (Allen & McMullin 2015) = C. obscura (Selva & McMullin 2020)
carthusiae (Harm.) Lettau = C. chlorella
melanophaea (Ach.) Zwackh = C. ferruginea
savonica (Räsänen) Tibell = Chaenothecopsis savonica
schaereri (De Not.) Zahlbr. = C. cinerea
sulphurea (Retz.) Middleb. & Mattsson = C. brachypoda
trichialis var. cinerea (Pers.) Blomb. & Forsell = C. cinerea

CHAENOTHECOPSIS Vainio

+aeruginosa Goward & E. B. Peterson (Peterson & Goward 2016)
amurensis Titov (Selva 2013)
***arthoniae** Tibell (Dillman et al. 2012)
+asperopoda Titov (Selva & Tibell 1999)
***australis** Tibell (Selva 2014)
***brevipes** Tibell
+claydenii Selva & Tuovila (Selva & Tuovila 2016)
***consociata** (Nádv.) A.F.W. Schmidt
+debilis (Turner & Borrer ex Sm.) Tibell

⁺**diabolica** Rikkinen & Tuovila (Tuovila et al. 2011, 2012)
^{*}**dibbleandersoniarum** Selva (Selva 2013)
⁺**dolichocephala** Titov (Selva 2010)
⁺**edbergii** Selva & Tibell (Selva & Tibell 1999)
^{*}**epithallina** Tibell
⁺**eugenia** Titov (Selva & Tuovila 2016)
⁺**exilis** Tibell (Selva & Tibell 1999)
⁺**fennica** (Laurila) Tibell (Selva 2014)
⁺**haematopus** Tibell (Selva & Tibell 1999)
⁺**irregularis** Titov (Selva & Tibell 1999)
⁺**jordaniana** Gockman & Selva (Gockman et al. 2020)
^{*}**kalpii** Tibell & K. Ryman (Lendemer et al. 2008c)
^{*}**lecanactidis** Tibell (Hardman et al. 2016)
⁺**marcineae** Selva (Selva 2013)
⁺**montana** Rikkinen (Rikkinen 2003b)
⁺**nana** Tibell
^{*}**nigra** Tibell (Harris & Lendemer 2005, Spribille & Björk 2008)
⁺**nigripunctata** Rikkinen (Rikkinen 2003a)
⁺**nivea** (F. Wilson) Tibell (Hardman et al. 2016)
⁺**norstictica** R. C. Harris (Harris 1995a)
⁺**oregana** Rikkinen (Rikkinen 2003b, Tuovila et al., 2011, 2012)
^{*}**ochroleuca** (Körber) Tibell & K. Ryman (Selva & Tibell 1999)
⁺**penningtonensis** Gockman & Selva (Gockman et al. 2020)
⁺**perforata** Rikkinen & Tuovila (Gockman et al. 2019)
^{*}**pilosa** Tibell & Kalb (Harris 1995a)
[#]**pusilla** (Ach.) A.F.W. Schmidt Syns.: Calicium pusillum, C. floerkei, C. subpusillum, C. asikkalense
[#]**pusiola** (Ach.) Vainio Syns.: Calicium pusiolum, Mycocalicium pusiolum
⁺**rappii** (Nádv.) R. C. Harris (Harris 1995a) Syn.: Mycocalicium rappii
⁺**resinicola** Tibell & Titov (Selva 2010)
⁺**rubescens** Vainio
^{*}**rubina** Tibell (Peterson & Rikkinen 1999)
⁺**savonica** (Räsänen) Tibell Syns.: Mycocalicium savonicum, Chaenotheca savonica
⁺**sitchensis** Rikkinen (Rikkinen 1999)
^{*}**subparoica** (Nyl.) Tibell (Peterson & Rikkinen 1999)
⁺**tasmanica** Tibell (Selva & Tibell 1999)
⁺**tsugae** Rikkinen (Rikkinen 1999)
⁺**ussuriensis** Titov (Peterson & Rikkinen 1999)
⁺**vainioana** (Nádv.) Tibell (Hardman et al. 2016)
^{*}**viridialba** (Kremp.) A.F.W. Schmidt
[#]**viridireagens** (Nádv.) A.F.W. Schmidt
[#]**lignicola** (Nádv.) A.F.W. Schmidt = C. pusiola
[#]**subpusilla** (Vainio) Tibell = C. pusilla
⁺**thujae** Rikkinen (Selva & Tibell 1999) = C. tsugae (Selva 2010)
⁺**zebrina** Rikkinen & Tuovila (Tuovila et al. 2011) = C. oregana (Tuovila et al. 2012)

CHALARA (Corda) P. A. Saccardo
^{*}**lobariae** Etayo (Zhurbenko & Dillman 2010)

CHAPSA A. Massal. (Frisch 2006)
^{alborosella} (Nyl.) A. Frisch Syns.: Ocellularia alborosella, Thelotrema alborosellum (Frisch 2006)
^{boninensis} (Tat. Matsumoto) Rivas Plata & Mangold (Seavey et al. 2017)
^{chionostoma} (Nyl.) Rivas Plata & Mangold (Lücking et al. 2011b)
^{leprocarpa} (Nyl.) A. Frisch Syns.: Graphina leptocarpa, Thelotrema leptocarpum (Frisch 2006)
^{paralbida} (Riddle) Rivas Plata & Lücking (Seavey et al. 2017)

phlyctidioides (Müll. Arg.) Mangold (Seavey et al. 2017)
platycarpa (Tuck.) A. Frisch Syns.: Thelotrema platycarpoides, T. platycarpum (Frisch 2006)
platycarpoides (Tuck.) Breuss & Lücking (Lücking et al. 2011b)
subpatens (Hale) Mangold (Lücking et al. 2011b)

CHEIROMYCINA B. Sutton

flabelliformis B. Sutton (Tønsberg 2002)
petri D. Hawksw. & Poelt (McCune et al. 2018, Printzen 2007, Spribille et al. 2020)

CHIODECTON Ach.

malmei Thor
ochroleucum Zahlbr. = Paraschismatoma ochroleucum (Ertz & Tehler 2011)
californicum Tuck. = Schizopeltia crustosa (Ertz & Tehler 2011)
inscriptum (Nyl.) Fink = Sclerophyton inscriptum
montagnaei auct. N.A. = Cryptothecia striata
perplexum Nyl. = Syncesia graphica (Tehler 1996)
rubrocinctum (Ehrenb. : Fr.) Nyl. = Herpothallon rubrocinctum
sanguineum (Sw.) Vainio = Herpothallon rubrocinctum
sphaerale Ach. = misidentification for North America (Harris 1995a)
subochroleucum Fink = Dendrographa franciscana (Kocourková et al. 2010; Ertz & Tehler 2011)

CHIONOSPHAERA Cox

*apobasidialis Cox (According to Diederich [1996, and pers. comm.], only non-lichenicolous specimens are known for North America, and the lichenicolous specimens from Europe may represent a distinct species.)

CHRISMOFULVEA Marbach

dalyta (Nyl.) Marbach Syn.: Buellia dalyta (Marbach 2000)
pinastri (Erichsen) Marbach Syn.: Buellia pinastri (Marbach 2000)
rubifaciens (R. C. Harris) Marbach Syn.: Buellia rubifaciens (Marbach 2000)

CHROMATOCHLAMYS Trevisan (Nelsen et al. 2017)

muscorum (Fr.) H. Mayrhofer & Poelt var. **muscorum** Syn.: Thelenella muscorum
muscorum var. **octospora** (Nyl.) H. Mayrhofer & Poelt Syn.: Thelenella muscorum var.
octosporum

CHRYSOPSORA M. Choisy

testacea (Hoffm.) M. Choisy = Psora testacea, but not in North American flora.

CHYSOTHRIX Mont.

bergeri LaGreca (LaGreca 2020)
caesia (Flotow) Ertz & Tehler (Ertz & Tehler 2011) Syns.: Allarthonia caesia, Arthonia caesia, A. lecideella
candelaris (L.) J. R. Laundon Syns.: Lepraria candelaris, L. flava, L. citrina sens. lat.
chamaecyparicola Lendemer (Lendemer & Elix 2010)
chlorina (Ach.) J. R. Laundon Syn.: Lepraria chlorina
chrysophthalma (P. James) P. James & J. R. Laundon (Tønsberg 2002)
granulosa G. Thor (Tønsberg 2004a)
insulizans R. C. Harris & Ladd (Harris & Ladd 2008)
onokoensis (Wolle) R. C. Harris & Ladd (Harris & Ladd 2008)
susquehannensis Lendemer & Elix (Lendemer & Elix 2010)
xanthina (Vainio) Kalb (Harris & Ladd 2008)
flavovirens Tønsberg (Harris & Lendemer 2005) North American report is C. chamaecyparicola

CIPOSIA Marbach

wheeleri (R. C. Harris) Marbach Syn.: Buellia wheeleri (Marbach 2000)

CIRCINARIA Link (Nordin et al. 2010)

- arida** Owe-Larsson, A. Nordin & Tibell (Owe-Larsson et al. 2011) Syns.: Aspicilia desertorum, Lecanora desertorum (American reports only)
- caesiocinerea** (Nyl. ex Malbr.) A. Nordin, Savić & Tibell Syns.: Aspicilia caesiocinerea, Lecanora caesiocinerea
- calcarea** (L.) A. Nordin, Savić & Tibell Syns.: Aspicilia calcarea, Lecanora calcarea
- contorta** (Hoffm.) A. Nordin, Savić & Tibell Syns.: Aspicilia contorta, Lecanora calcarea var. contorta, L. contorta, L. albopruinosa
- elmorei** (E. D. Rudolph) Owe-Larsson, A. Nordin & M. Sohrabi (Owe-Larsson et al. 2011) Syn.: Lecanora elmorei
- gibbosa** (Ach.) A. Nordin, Savić & Tibell Syns.: Aspicilia gibbosa, Lecanora gibbosa, L. gibbosula
- hispida** (Mereschk.) A. Nordin, Savić & Tibell Syns.: Agrestia hispida, A. cyphellata, Aspicilia hispida
- leprosescens** (Sandst.) A. Nordin, Savić & Tibell Syn.: Aspicilia leprosescens
- rogeri** (Sohrabi) Sohrabi (Sohrabi et al. 2013b) Syn.: Aspicilia rogeri

CIRRENALIA Meyers & R. T. Moore

- ***lichenicola** Pérez-Ort. (Spribile et al. 2020)

CLADIDIUM Hafellner

- bolanderi** (Tuck.) B. D. Ryan Syns: Lecanora thamnitis, L. bolanderi
thamnitis (Tuck.) Hafellner = C. bolanderi

CLADINA Nyl. = **CLADONIA** (Ahti & DePriest 2001)

- aberrans (Abbayes) Hale & W. L. Culb. = Cladonia stellaris
- alpestris (L.) Nyl. = Cladonia stellaris
- arbuscula (Wallr.) Hale & W. L. Culb. = Cladonia arbuscula
- arbuscula subsp. beringiana (Ahti) N. S. Golubk. = Cladonia arbuscula subsp. beringiana
- arbuscula subsp. mitis (Sandst.) Burgaz = Cladonia mitis
- beringiana (Ahti) Trass = Cladonia arbuscula subsp. beringiana
- ciliata (Stirton) Trass var. ciliata = Cladonia ciliata var. ciliata
- ciliata var. tenuis (Flörke) Ahti & M. J. Lai = Cladonia ciliata var. tenuis
- conspicua Ahti = Cladonia conspicua
- evansii (Abbayes) Hale & W. L. Culb. = Cladonia evansii
- impexa B. de Lesd. = Cladonia portentosa
- leucophaea (Abbayes) Hale & W. L. Culb. = Cladonia ciliata var. ciliata
- mitis (Sandst.) Mong. = **Cladonia mitis**
- pacifica (Ahti) Hale & W. L. Culb. = Cladonia portentosa subsp. pacifica
- portentosa (Dufour) Follmann = Cladonia portentosa
- portentosa subsp. pacifica (Ahti) Ahti = Cladonia portentosa subsp. pacifica
- portentosa subsp. pacifica f. decolorans (Ahti) Ahti = Cladonia portentosa subsp. pacifica f. decolorans
- pseudoëvansii (Asahina) Hale & W. L. Culb. = Cladonia pseudoëvansii
- rangiferina (L.) Nyl. = Cladonia rangiferina
- sandstedei (Abbayes) Ahti = Cladonia sandstedei
- stellaris (Opiz) Brodo = Cladonia stellaris
- stellaris var. aberrans (Abbayes) Ahti = Cladonia stellaris
- stygia (Fr.) Ahti = Cladonia stygia
- submitis (A. Evans) Hale & W. L. Culb. = Cladonia submitis
- subtenuis (Abbayes) Hale & W. L. Culb. = Cladonia subtenuis
- subtenuis f. cinerea (Ahti) Ahti = Cladonia subtenuis f. cinerea
- tenuis (Flörke) B. de Lesd. = Cladonia ciliata var. tenuis
- terrae-novae (Ahti) Hale & W. L. Culb. = Cladonia terraenovae

CLADONIA P. Browne

- abbreviatula** G. Merr.
acuminans R. C. Harris (Harris 2009)
acuminata (Ach.) Norrlin
alaskana A. Evans
albonigra Brodo & Ahti (Brodo & Ahti 1996)
alinii Trass (Ahti 1980)
amaurocraea (Flörke) Schaeerer
andereggii S. Hammer
anitae W. L. Culb. & C. F. Culb.
apodocarpa Robbins
appalachensis Yoshim. & Sharp ex Lendemer & R. C. Harris (Lendemer & Harris 2013b)
arbuscula (Wallr.) Flotow subsp. **arbuscula** Syn.: Cladina arbuscula
arbuscula subsp. **beringiana** Ahti Syn.: Cladina arbuscula subsp. beringiana
artuata S. Hammer
asahinae J. W. Thomson
atlantica A. Evans
bacilliformis (Nyl.) Sarnth.
beaumontii (Tuck.) Vainio
bellidiflora (Ach.) Schaeerer
borealis S. Stenroos
boryi Tuck.
botryocarpa G. Merr.
botrytes (K. G. Hagen) Willd.
brevis (Sandst.) Sandst.
buckii R. C. Harris
caespiticia (Pers.) Flörke
cariosa (Ach.) Sprengel
carneola (Fr.) Fr.
caroliniana Tuck. Syn.: Pychnothelia cladinoidea
cenotea (Ach.) Schaeerer
cervicornis (Ach.) Flotow subsp. **cervicornis**
chlorophaea (Flörke ex Sommerf.) Sprengel
ciliata Stirton Syn.: Cladina ciliata
ciliata var. **tenuis** (Flörke) Ahti Syn.: Cladina ciliata var. tenuis
cinerella Ahti (Ahti 2000, Seavey 2010[2011])
coccifera (L.) Willd.
concinna Ahti & Goward (Ahti 2007)
coniocraea (Flörke) Sprengel
conista (Nyl.) Robbins (Pino-Bodas et al. 2012)
conspicua (Ahti) Ahti Syn.: Cladina conspicua
cornuta (L.) Hoffm. subsp. **cornuta**
cornuta subsp. **groenlandica** (E. Dahl) Ahti
crispata (Ach.) Flotow var. **crispata**
crispata var. **cetrariiformis** (Delise) Vainio
cristatella Tuck.
cryptochlorophaea Asahina
cyanipes (Sommerf.) Nyl.
cylindrica (A. Evans) A. Evans
dactylota Tuck.
dahliana Kristinsson
decorticata (Flörke) Sprengel
deformis (L.) Hoffm.
didyma (Fée) Vainio
didyma var. **vulcanica** (Zoll. & Moritzi) Vainio
digitata (L.) Hoffm.

dimorpha S. Hammer
dimorphoclada Robbins
ecmocyna Leighton subsp. **ecmocyna**
ecmocyna subsp. **intermedia** (Robbins) Ahti
ecmocyna subsp. **occidentalis** Ahti (Brodo & Ahti 1996)
evansii Abbayes Syn.: Cladina evansii
extracorticata S. Hammer
farinacea (Vainio) A. Evans
fimbriata (L.) Fr.
firma (Nyl.) Nyl.
florerkeana (Fr.) Flörke
floridana Vainio
furcata (Hudson) Schrader
glauca Flörke
gracilis (L.) Willd. subsp. **gracilis**
gracilis subsp. **elongata** (Jacq.) Vainio
gracilis subsp. **turbinata** (Ach.) Ahti
gracilis subsp. **vulnerata** Ahti
granulans Vainio
grayi G. Merr. ex Sandst.
homosekikaica Nuno
humilis (With.) J. R. Laundon
hypoxantha Tuck.
ignatii Ahti, Pino-Bodas & J. W. McCarthy (Ahti et al. 2018)
imbricarica Kristinsson
incrassata Flörke
islandica Kristinsson & Ahti (Pino-Bodas et al. 2015)
jakutica Ahti (McCune et al. 2009)
jaliscana Ahti & Guzm.-Dáv. (Ahti & Hammer 2002)
kanewskii Oxner
krogiana Løfall & Timdal (Clayden et al. 2021)
labradorica Ahti & Brodo
lacryma S. Hammer (Hammer 2001)
leporina Fr.
libifera Savicz (McCune et al. 2009; Hansen & Ahti 2011)
luteoalba Wheldon & A. Wilson
macilenta Hoffm.
macilenta var. **bacillaris** (Ach.) Schaerer
macroceras (Delise) Ahti
macrophylla (Schaerer) Stenh.
macrophyllodes Nyl.
magyarica Vainio
maritima K. Knudsen & Lendemer (Knudsen & Lendemer 2009a)
mateocyatha Robbins
maxima (Asahina) Ahti
merochlorophaea Asahina
mitis Sandst. Syns.: **Cladina mitis**, **Cladina arbuscula** subsp. **mitis** (Stenroos et al. 2016)
monomorpha Aptroot, Sipman & van Herk (Kowalewska et al. 2008)
multiformis G. Merr.
nana Vainio
nashii Ahti (Ahti & Hammer 2002)
nipponica Asahina
nitens Ahti (Ahti 2007)
norvegica Tønsberg & Holien
novochlorophaea (Sipman) Brodo & Ahti (Brodo & Ahti 1996)
ochrochlora Flörke

oricola Ahti & S. Stenroos (Ahti & Stenroos 2008)
pachycladodes Vainio
parasitica (Hoffm.) Hoffm.
perforata A. Evans
perlomera Kristinsson
petrophila R. C. Harris
peziziformis (With.) J. R. Laundon
phylophora Hoffm.
piedmontensis G. Merr.
pleurota (Flörke) Schaeerer
pocillum (Ach.) O. J. Rich.
poroscypha S. Hammer
portentosa (Dufour) Coem. Syn.: Cladina portentosa
portentosa subsp. **pacifica** (Ahti) Ahti Syn.: Cladina portentosa subsp. pacifica
portentosa subsp. **pacifica** f. **decolorans** Ahti Syn.: Cladina portentosa subsp. pacifica f. decolorans
prolifica Ahti & S. Hammer
prostrata A. Evans
pseudalcicornis Asahina (Ahti 2007)
pseudoëvansii Asahina Syn.: Cladina pseudoëvansii
pulvinella S. Hammer
pyxidata (L.) Hoffm.
ramulosa (With.) J. R. Laundon
rangiferina (L.) F. H. Wigg. Syn.: Cladina rangiferina
rangiformis Hoffm. (Clayden et al. 2021)
rappii A. Evans
ravenelii Tuck.
rei Schaeerer (Syrek & Kukwa 2008, Dolnik et al. 2010, Pino-Bodas et al. 2010)
robbinsii A. Evans
sandstedei Abbayes Syn.: Cladina sandstedei
santensis Tuck.
scabriuscula (Delise) Nyl.
scotteri Ahti & E. S. Hansen (Hansen & Ahti 2011)
simulata Robbins
singularis S. Hammer
squamosa Hoffm.
squamosa var. **subsquamosa** (Nyl. ex Leighton) Vainio
stellaris (Opiz) Pouzar & Vězda Syn.: Cladina stellaris
stipitata Lendemer & Hodkinson (Lendemer & Hodkinson 2009)
straminea (Sommerf.) Flörke (Timdal & Tønsberg 2012)
strepsilis (Ach.) Grognot
stricta (Nyl.) Nyl.
stygia (Fr.) Ruoss Syn.: Cladina stygia
subcariosa Nyl. (Ahti 2000)
subfimbriata Ahti (Ahti & Hammer 2002)
subfurcata (Nyl.) Arnold
submitis A. Evans Syn.: Cladina submitis
subradiata (Vainio) Sandst.
subsetacea Robbins ex A. Evans
subsquamosa Kremp.
subtenuis (Abbayes) Mattick Syn.: Cladina subtenuis
subtenuis f. **cinerea** Ahti Syn.: Cladina subtenuis f. cinerea
subulata (L.) F. H. Wigg.
sulphurina (Michaux) Fr.
sympycarpa (Flörke) Fr. (Ahti 2000, Hansen & Ahti 2011)
terrae-novae Ahti Syn.: Cladina terrae-novae

thiersii S. Hammer
thomsonii Ahti
transcendens (Vainio) Vainio
trassii Ahti (Ahti 1998)
turgida Ehrh. ex Hoffm.
uliginosa (Ahti) Ahti (Ahti 1998)
umbricola Tønsberg & Ahti
uncialis (L.) F. H. Wigg. subsp. **uncialis** (Stenroos et al. 2015)
uncialis subsp. **biuncialis** (Hoffm.) M. Choisy (Stenroos et al. 2015)
verruculosa (Vainio) Ahti
verticillata (Hoffm.) Schaeerer (Ahti, in litt.)
wainioi Savicz
aberrans (Abbayes) Stuckenb. = Cladonia stellaris
acuminata var. norrlinii (Vainio) Lyngé = C. acuminata
alcicornis (Lightf.) Fr. (Tuckerman 1882) = Cladonia foliacea, but a misidentification for N.A.
alpestris (L.) Rabenh. = C. stellaris
alpestris f. aberrans Abbayes = C. stellaris
alpicola (Flotow) Vainio = C. macrophylla
anomaea (Ach.) Ahti & P. James = C. ramulosa
arbuscula subsp. **mitis** (Sandst.) Ruoss (Piercey-Normore et al. 2010) = Cladonia mitis (Stenroos et al. 2016)
bacillaris (Ach.) Genth = C. macilenta var. bacillaris
balfourii auct. = C. subradiata
balfourii Crombie = C. macilenta
blakei Robbins = C. coccifera
borbonica (Delise) Nyl. North American reports are C. cylindrica (Evans 1950)
botryoides (Tuck.) Vainio = C. squamosa (Ahti et al. 2016)
calycantha Delise ex Nyl. = C. rappii for North American records.
capitata (Michaux) Sprengel = C. peziziformis
carassensis Vainio = misidentification for North America
carneola (Fr.) Fr. var. cyanipes Sommerf. (Tuckerman 1882) = Cladonia cyanipes
cenotea (Ach.) Schaeerer var. furcellata Fr. (Tuckerman 1882) Identity uncertain.
cerasphora Vainio (Fink 1935) = C. stricta (Ahti 1998)
cerasphora auct. = C. trassii (Ahti, in litt.)
cervicornis subsp. **verticillata** (Hoffm.) Ahti = Cladonia verticillata (Ahti, in litt.)
cetrarioides Schwein. ex Tuck. (Fink 1935) = C. leporina (Lendemer & Hewitt 2002)
cladinoides (Nyl.) Zahlbr. = Cladonia caroliniana
clavulifera Vainio = C. subeariosa (Ahti 2000)
conistea auct. = C. humilis
conoidea Ahti = C. humilis
cornucopioides auct. (Mohr 1901) = C. coccifera
cornutoradiata (Leighton) Sandst. = C. subulata
corymbosula Nyl. (Fink 1935) Apparent misidentification for North America (Esslinger & Tucker 2009)
crinita Bertol. = C. evansii (Ahti et al. 2016)
cristatella Tuck. var. ramosa Tuck. (Tuckerman 1882) = C. cristatella
cyathomorpha «(Evans) Evans» (Qian & Klinka 1998) = misidentification for North America
degenerans (Flörke) Sprengel = C. phyllophora
delessertii Vainio = C. subfurcata
delicata auct. = C. parasitica
diversa Asperges (Lendemer 2006) = misidentification for North America (Ahti, in litt.)
elongata auct. non (Jacq.) Hoffm. = misidentification for North America, possibly C. macroceras or C. maxima,
elongata (Jacq.) Hoffm. = C. gracilis var. elongata
endoxantha Vainio (Fink 1935) = C. hypoxantha (Thomson 1967)
exasperatula G. Merr. (Fink 1935) = C. beaumontii (Tuck.) Vainio (Thomson 1967)

fimbriata (L.) Fr. var. radiata (Willd.) Crome. (Tuckerman 1882) = Cladonia subulata
fimbriata var. tubaeformis (Hoffm.) Fr. (Tuckerman 1882) Identity uncertain.
flabelliformis Vainio = C. polydactyla
flavescens Vainio = misidentification for North America
foliacea (Hudson) Willd. = misidentification for North America
furcata (Hudson) Schrader var. crispata (Ach.) Flörke (Tuckerman 1882) = Cladonia crispata
furcata var. pungens Ach. (Tuckerman 1882) = Cladonia scabriuscula
furcata var. racemosa (Hoffm.) Flörke (Tuckerman 1882) = Cladonia furcata
furcata subsp. subrangiformis auct. N. Am. = C. furcata (Ahti, in litt.)
furcata var. subulata Flotow (Tuckerman 1882) Identity uncertain.
gonecha (Ach.) Asahina = C. sulphurina
gracilescens auct. = C. stricta
graciliformis Zahlbr. North American reports are errors, mostly representing C. bellidiflora
(Dillman et al. 2012)
gracilis (L.) Nyl. f. cervicornis Flörke (Tuckerman 1882) = Cladonia cervicornis
gracilis var. elongata Fr. (Tuckerman 1882) = Cladonia gracilis subsp. elongata
gracilis var. hybrida Schaeerer (Tuckerman 1882) = Cladonia gracilis
gracilis subsp. nigripes (Nyl.) Ahti = C. gracilis subsp. elongata
gracilis f. symphyccarpia Tuck. (Tuckerman 1882) = Cladonia gracilis
gracilis var. verticillata Fr. (Tuckerman 1882) = Cladonia verticillata
hammeri Ahti (Ahti & Hammer 2002) = C. pulvinella (Pino-Bodas et al. 2013)
herrei Fink ex J. Hedrick = C. furcata
heteromorpha G. Merr. (Fink 1935) = Pycnothelia papillaria (Laundon 1986)
hookeri Tuck. = C. bellidiflora
hookeri sensu J. W. Thomson = C. graciliformis
humilis var. bourgeanica A.W. Archer = C. conista
innominata Lendemer (Lendemer 2008) = C. conista (Pino-Bodas et al. 2012)
invisa Robbins = C. ochrochlora
japonica Vainio = C. crispata
lepidota auct. = C. trassii (Ahti, in litt.)
leptothallina G. Merr. = C. peziziformis
linearis A. Evans = Cetradonia linearis
macroptera Räsänen = C. scabriuscula (fide T. Ahti)
major (K. G. Hagen) Sandst. = C. fimbriata
merochlorophaea var. novochlorophaea Sipman = C. novochlorophaea
metacorallifera Asahina = C. straminea (Timdal & Tønsberg 2012)
microphylliza G. Merr. (Fink 1935) = C. beaumontii (Thomson 1967)
mitrula Tuck. = C. peziziformis
nanodes Robbins ex Sandst. = nom. invalid., identity uncertain
nemoxyna (Ach.) Arnold = C. rei
norrlinii Vainio = C. acuminata var. acuminata
palamaea (Ach.) Fink (Fink 1935) = C. furcata (Thomson 1967)
paludicola (Tuck.) G. Merr. (Fink 1935) = incrassata (Thomson 1967)
papillaria (Ehrh.) Hoffm. = Pycnothelia papillaria
pityrea (Flörke) Fr. = C. ramulosa
polycarpia G. Merr. = C. subcariosa (Ahti 2000)
polycarpoides Nyl. = C. subcariosa (Ahti 2000)
polydactyla (Flörke) Sprengel = misidentification for North America, mostly refers to C. umbricola (fide T. Ahti)
pseudodigitata Gyelnik = C. coccifera
pseudohondoensis Asahina = misidentification for North America
pseudomacilenta Asahina = misidentification for North America
pseudorangiformis Asahina = C. wainioi
pseudostellata Asahina (Spribille et al. 2010) = C. uncialis subsp. uncialis (Stenroos et al. 2015)
psoromica J. P. Dey = C. dimorphoclada Robbins (Ahti 2000)
pulchella Schwein. (Mohr 1901) = C. didyma

pycnoclada (Gaudich.) Nyl. = misidentification for North America (Ahti 1961)
pyxidata (L.) Hoffm. var. *pocillum* (Ach.) Flotow (Tuckerman 1882) = *Cladonia pocillum*
rangiferina (L.) Weber ex F.H. Wigg. var. *alpestris* Schrader (Tuckerman 1882) = *Cladonia alpestris*
rangiferina var. *sylvatica* L. (Tuckerman 1882) = *Cladonia portentosa*
rappii var. *exilior* (Abbeyes) Ahti = *C. rappii* var. *rappii*
reticulata (Russell) Vainio (Fink 1935) = *C. boryi* (Thomson 1967)
santensis Tuck. var. *beaumontii* Tuck. (Tuckerman 1882) = *Cladonia beaumontii*
schofieldii Ahti & Brodo (Brodo & Ahti 1996) = *C. pseudalcicornis*
sobolescens Nyl. ex Vainio = *C. subcariosa* (Ahti 2000)
stellaris var. *aberrans* (Abbeyes) ined. = *C. stellaris* (Ahti, in litt.)
stenophyllodes Vainio (Fink 1935) = misidentification for North America
stricta var. *uliginosa* Ahti = *C. uliginosa*
subapodocarpa Harris, nomen nudum (Hale 1979) = *Cladonia petrophila*
subcervicornis (Vainio) Kernst. = misidentification for North America
subclavulifera Asahina = *C. subcariosa* (Ahti 2000)
subrangiformis auct. N. Am. = *C. furcata*
subsquamosa (Nyl. ex Leighton) Crombie nom. illeg. = *C. squamosa* var. *subsquamosa*
subsubulata Nyl. = misidentification for North America
sylvatica nom. utique rej. s. auct. = *C. arbuscula* subsp. *arbuscula* (Ahti, in litt., Stenroos et al. 2016)
sympycarpa (Flörke) Fr. var. *epiphylla* (Ach.) Nyl. (Tuckerman 1882) Identity uncertain.
theiophila Asahina = *C. vulcani*, but not present in North America
turgida (Ehrh.) Hoffm. var. *conspicua* (Schaerer) Nyl. (Tuckerman 1882) = *Cladonia turgida*
uncialis (L.) Fr. var. *caroliniana* (Tuck.) Tuck. (Tuckerman 1882) = *Cladonia caroliniana*
vulcani Savicz = misidentification for North America
vulcanica Zoll. & Moritzi = *C. didyma* var. *vulcanica*
yunnana (Vainio) Abbayes ex J. C. Wei & Y. M. Jiang = misidentification for North America

CLADOPHIALOPHORA Borelli (Diederich et al. 2013)

****megalosporae*** Diederich (Diederich et al. 2013)
 ****parmeliae*** (Etayo & Diederich) Diederich & Unter. (Kocourková & Knudsen 2009d) Syn.:
Sclerococcum parmeliae

CLATHROPORINA Müll. Arg.

isidiifera R. C. Harris (Harris 1995a)
subpungens (Malme) R. C. Harris (Harris 1995a)
tetracerae (Ach.) R. C. Harris (Harris 1995a)
⁺*amygdalina* sensu Fink = *Julella sublactea* (Harris 1995a).
confinis Müll. Arg. = *Porina nuculastrum* (Harris 1995a)
diphloea Zahlbr. = *Astrothelium megaspermum*
⁺*exiguella* Zahlbr. = *Julella sublactea* (Harris 1995a)
nuculastrum Müll. Arg. = *Porina nuculastrum* (Harris 1995a)

CLAUROUXIA D. Hawksw.

chalybeoides (Nyl.) D. Hawksw. (Fyday 2010)

CLAUZADEA Hafellner & Bellem.

chondrodes (A. Massal.) Clauzade & Cl. Roux (Lendemer et al. 2013)
immersa (Hoffm.) Hafellner & Bellem. Syns.: *Biatora calcivora*, *Lecidea calcivora*
metzleri (Körber) Clauzade & Cl. Roux ex D. Hawksw. (Hansen 2003)
monticola (Ach.) Hafellner & Bellem. Syns.: *Lecidea monticola*, *L. fuscorubens*, *Protoblastenia monticola*

CLAUZADEANA Cl. Roux

macula (Taylor) Coppins & Rambold (Hertel 1991) Syn.: *Lecanora morioides*

CLAVASCIDIUM Breuss (Breuss 1996)

lacinulatum (Ach.) M. Prieto var. **lacinulatum** (Prieto et al. 2012) Syns.: Catapyrenium lacinulatum, Placidium lacinulatum
lacinulatum var. **atrans** (Breuss) M. Prieto (Prieto et al. 2012)
lacinulatum var. **erythrostrum** (Breuss) M. Prieto (Prieto et al. 2012)
umbrinum (Breuss) Breuss Syn.: Placidium umbrinum (Prieto et al. 2012)

CLIOSTOMUM Fr.

corrugatum (Ach.: Fr.) Fr. Syn.: Catillaria graniformis
flavidulum Hafellner & Kalb (Tønsberg 1997)
griffithii (Sm.) Coppins Syns.: Biatora griffithii, B. mixta, Catillaria griffithii, C. tricolor auct., Lecidea tricolor
leprosum (Räsänen) Holien & Tønsberg
spribilei Goward & Tønsberg (Tønsberg & Goward 2016)
tenerum (Nyl.) Coppins & S. Ekman (Ekman 1997) Syns.: Lecania tenera, Lecanora tenera
vitellinum Gowan
graniforme (K. G. Hagen) Coppins = C. corrugatum
luteolum Gowan = C. leprosum
pallens (Kullhem) S. Ekman = [Coppinsidea pallens](#) (Kondratyuk et al. 2019)

CLYPEOCOCCUM D. Hawksw.

***bisporum** Zhurb. (Zhurbenko 2009b)
***grossum** (Körber) D. Hawksw.
***hypocenomyces** D. Hawksw.
*[placopsiphilum](#) Øvstedral & D. Hawksw. ([Spribile et al. 2020](#))
*epicrassum (H. Olivier) Hafellner & Nav.-Ros. According to Hawksworth (1986), our records probably based on Polycoccum squamarioides

COCCOCARPIA Pers.

domingensis Vainio
erythroxili (Sprengel) Swinscow & Krog
filiformis Arv. (Kaminsky et al. 2013)
palmicola (Sprengel) Arv. & D. J. Galloway Syn.: Pannaria molybdaea var. **cronia**
pellita (Ach.) Müll. Arg. (Kaminsky et al. 2013)
prostrata Lücking, Aptroot & Sipman (Lücking et al. 2007)
stellata Tuck. Syns.: Pannaria stellata, Parmeliella stellata
asterella (Nyl.) Vainio = C. stellata
cronia (Tuck.) Vainio = C. palmicola
incisa Pers. = [Fuscopannaria incisa](#)
parmelioides (Hooker) Tuck. ex M. A. Curtis = C. erythroxili

COCCOTREMA Müll. Arg.

hahriæ T. Sprib. & Tønsberg ([Spribile et al. 2010](#))
maritimum Brodo
pocillarium (Cummings) Brodo Syn.: Ochrolechia pacifica
minutum ([Degel.](#)) R. Sant. ([Spribile et al. 2010](#)) = [Ochrolechia minuta](#) ([Spribile et al. 2020](#))

COELOCAULON Link

aculeatum (Schreber) Link = Cetraria aculeata
divergens (Ach.) R. Howe = Bryocaulon divergens
muricatum (Ach.) J. R. Laundon = Cetraria muricata
odontellum (Ach.) R. Howe = Cetraria odontella

COENOGONIUM Ehrenb.

congensis C. W. Dodge (Lücking et al. 2011b)

disjunctum Nyl.
geralense (P. Henn) Lücking (Lücking et al. 2011b)
implexum Nyl.
interplexum Nyl.
interpositum Nyl.
isidiatum (G. Thor & Vězda) Lücking, Aptroot & Sipman (Seavey & Seavey 2014a)
isidiiferum (Lücking) Lücking (Seavey & Seavey 2014a)
isidiigerum (Vězda & Osorio) Lücking, Aptroot & Sipman (Seavey & Seavey 2012)
isidiosum (Breuss) Rivas Plata, Lücking, Umaña & Chavez (Seavey & Seavey 2012)
linkii Ehrenb.
luteocitrinum Rivas Plata, Lücking & Umaña (Lücking et al. 2011b)
lutescens (Vězda & Malcolm) Malcolm (Seavey et al. 2014)
luteum (Dickson) Kalb & Lücking Syns.: Dimerella lutea (Lücking & Kalb 2000), Gyalecta lutea, Microphiale lutea
maritimum F. Seavey & J. Seavey (Seavey et al. 2017)
missouriense J. Davis
moniliforme Tuck.
nepalense (G. Thor & Vězda) Lücking (Seavey & Seavey 2014a)
pineti (Ach.) Lücking & Lumbsch (Lücking, Stuart & Lumbsch 2004) Syns. Dimerella pineti, D. diluta, Microphiale diluta
pusillum (Mont.) Lücking, Aptroot & Sipman (Seavey et al. 2014)
pyrophthalmum (Mont.) Lücking (Seavey et al. 2017)
roumeguerianum (Müll. Arg.) Kalb (Seavey et al. 2014)
stenosporum (Malme) Lücking, Aptroot & Sipman (Seavey et al. 2014)
subdentatum (Vězda & G. Thor) Rivas Plata, Lücking, Umaña & Chavez (Lücking et al. 2011b)
subdilutum (Malme) Lücking, Aptroot & Sipman (Seavey & Seavey 2014a)
subfallaciosum (Vězda & Farkas) Lücking, Aptroot & Sipman (Lücking et al. 2011b)

COLLEMA F. H. Wigg.

coniophilum Goward (Spribille et al. 2009)
curtisporum Degel.
flaccidum (Ach.) Ach. Syn.: Synechoblastus rupestris
furfuraceum (Arnold) Du Rietz
furfuraceum var. **luzonense** (Räsänen) Degel.
glebulentum (Nyl. ex Crombie) Degel.
leptaleum Tuck. Syns.: Synechoblastus leptaleus, S. microptychius
nigrescens (Hudson) DC. Syn.: Synechoblastus nigrescens
pulchellum Ach. Syn.: Leptogium pulchellum
pulchellum var. **leucopeplum** (Tuck.) Degel.
pulchellum var. **subnigrescens** (Müll. Arg.) Degel.
pustulatum Ach.
ryssoleum (Tuck.) A. Schneider Syn.: Synechoblastus ryssoleus
subflaccidum Degel.
subnigrescens Degel.
subparvum Degel.
texanum Tuck. Syns.: Synechoblastus texanus, S. laciniatus
thamnodes Riddle
 apalachense Tuck. = Scytinium apalachense (Otálora et al. 2014)
 arcticum Lynge = Rostania ceranisca
 aggregatum (Ach.) Röhl = Gabura fasciculare
 auriculatum Hoffm. = Lathagrium auriforme
 auriforme (With.) Coppins & J. R. Laundon = Lathagrium auriforme (Otálora et al. 2014)
 bachmanianum (Fink) Degel. = Enchylium bachmanianum (Otálora et al. 2014)
 bermudanum Tuck. ex Riddle = C. pustulatum (Degelius 1974)
 bermudiana Tuck. ex Riddle (Fink 1935) Orthographic variant of C. bermudanum
 callibotrys Tuck. = Rostania callibotrys (Otálora et al. 2014)

callopismum A. Massal. = *Scytinium callopismum* (Otálora et al. 2014)
callopismum var. rhyparodes (Nyl.) Degel. = *Scytinium callopismum*
ceraniscum Nyl. = *Rostania ceranisca* (Otálora et al. 2014)
chalazanum Ach. (Tuckerman 1882) = *Lempholemma chalazanum*
cheileum (Ach.) Ach. = *Blennothallia crispa*
cladodes Tuck. (Tuckerman 1882) = *Lempholemma cladodes*
coccophorum Tuck. = *Enchylium coccophorum* (Otálora et al. 2014)
conglomeratum Hoffm. = *Enchylium conglomeratum* (Otálora et al. 2014)
conglomeratum var. corynesporum (Malme) Degel. = *Enchylium conglomeratum*
conglomeratum var. crassiusculum (Malme) Degel. = *Enchylium conglomeratum*
crispum (Hudson) Weber ex F. H. Wigg. = *Blennothallia crispa* (Otálora et al. 2014)
cristatellum Tuck. = *Enchylium tenax*
cristatum (L.) Weber ex F. H. Wigg. = *Lathagrium cristatum* (Otálora et al. 2014)
cristatum var. marginale (Hudson) Degel. = *Lathagrium cristatum*
cyrtaspis Tuck. = *Enchylium conglomeratum*
dichotomum (With.) Coppins & J. R. Laundon = *Lathagrium dichotomum* (Otálora et al. 2014)
dubium B. de Lesd. = *Enchylium coccophorum* (Otálora et al. 2014)
fasciculare (L.) F. H. Wigg. = *Gabura fascicularis* (Jørgensen 2014)
fayettense Fink = *C. pustulatum*
fecundum Degel. = *Blennothallia fecunda* (Otálora et al. 2014)
fluviatile (Hudson) Steudel = *Lathagrium. dichotomum*
fragrans (Sm.) Ach. = *Scytinium fragrans* (Otálora et al. 2014)
furvum (Ach.) Ach. = *Lathagrium fuscovirens* (Otálora et al. 2014)
fuscovirens (With.) J. R. Laundon = *Lathagrium fuscovirens* (Otálora et al. 2014)
glaucescens Hoffm. = *Enchylium limosum*
granosum auct. = *C. auriforme*
kauaiense H. Magn. = *Scytinium kauaiense* (Otálora et al. 2014)
laciniatum Nyl. = *C. texanum*
leucocarpum Hooker & Taylor = misidentification for North America
leucoseplum (Tuck.) A. Schneider = *C. pulchellum* var. *leucoseplum*
limosum (Ach.) Ach. = *Enchylium limosum* (Otálora et al. 2014)
melaenum (Ach.) Ach. (Tuckerman 1882) = *Lathagrium cristatum*
melaenum var. polycarpon (Hoffm.) Nyl. (Tuckerman 1882) = *Enchylium polycarpum*
microphyllum Ach. = *Scytinium fragrans*
microptychium Tuck. = *C. leptaleum*
multipartitum Sm. = *Callome multipartita* (Otálora et al. 2014)
myriococcum (Ach.) Ach. = *Lempholemma polyanthes*
nigrescens (Hudson) DC. var. *leucoseplum* Tuck. (Tuckerman 1882) = *Collema pulchellum* var.
leucoseplum
novomexicanum B. de Lesd. = *Enchylium coccophorum*
nylanderianum Zahlbr. = *C. texanum*
occultatum Bagl. = *Rostania occultata* (Otálora et al. 2014)
occultatum var. *populinum* (Th. Fr.) Degel. = *Rostania occultata*
ohioense (Fink) Zahlbr. = *Enchylium conglomeratum*
plicatile (Ach.) Ach. = *Scytinium plicatile* (Otálora et al. 2014)
polycarpon Hoffm. = *Enchylium polycarpon* (Otálora et al. 2014)
pulposum (Bernh.) Ach. = *Enchylium tenax*
pycnocarpum Nyl. = *Enchylium conglomeratum*
quadrifidum D. F. Stone & McCune (Stone & McCune 2010) = *Scytinium quadrifidum*
(Košuthová et al. 2019)
rugosum Kremp. Not known from North America.
stenophyllum Nyl. = *Lathagrium dichotomum*
subfurfuraceum Degel. = *C. furfuraceum* var. *luzonense*
subfurvum sensu Degelius = *C. subflaccidum* Degel.
subfurvum (Müll. Arg.) Degel. = *C. rugosum*, but this taxon is not known from North America.
tenax (Sw.) Ach. = *Enchylium tenax* (Otálora et al. 2014)

tenax var. ceranoides (Borrer) Degel. = Enchylium tenax
tenax var. corallinum (A. Massal.) Degel. = Enchylium tenax
tenax var. crustaceum (Kremp.) Degel. = Enchylium tenax
tenax var. expansum Degel. = Enchylium expansum (Jørgensen & Goward 2014b)
tenax var. substellatum (H. Magn.) Degel. = Enchylium tenax
tuniforme (Ach.) Ach. = Lathagrium fuscovirens
undulatum Laurer ex Flotow = Lathagrium undulatum (Otálora et al. 2014)
undulatum var. granulosum Degel. = Lathagrium undulatum var. granulosum
verruciforme auct. = excluded as doubtful

COLLEMODES Fink = **COLLEMA**
bachmanianum Fink = *Enchylium bachmanianum*

COLLEMOPSISDIUM Nyl.

angermannicum (Degel.) A. Nordin Syn.: Pyrenocollema strontianense (Nordin 2002)
bryosporum (Nyl.) Coppins Syn.: Arthopyrenia bryosporum (Fryday 2004a)
elegans (R. Sant.) Grube & B. D. Ryan (Grube & Ryan 2002) Syn.: Pyrenocollema elegans
foveolatum (A. L. Sm.) F. Mohr (Dillman et al. 2012)
halodytes (Nyl.) Grube & B. D. Ryan (Grube & Ryan 2002) Syns.: Arthopyrenia halodytes,
Pyrenocollema halodytes
sublitorale (Leighton) Grube & B. D. Ryan (Grube & Ryan 2002) Syns.: Arthopyrenia
sublitoralis, *A. litoralis* auct., Pyrenocollema sublitorale

COLLEMOPSIS Nyl. ex Crombie
segregata Nyl. ex Hasse = Lempholemma chalazanum

COMBEA De Not.
californica (Th. Fr.) Follmann & M. Geyer = Schizopeltz californica

CONIAMBIGUA Etayo & Diederich
***phaeographidis** Etayo & Diederich (Diederich 2003)

CONIARTHONIA Grube

gregaria (Willey) Grube (Grube 2001) Syns: Arthonia gregarina, Arthothelium gregarinum
pyrrhula (Nyl.) Grube (Grube 2001) Syn.: Arthonia pyrrhula

CONIOCARPON DC. (Van den Broeck et al. 2018)
tuckermanianum (Willey) Van den Broeck & Ertz Syn.: Arthonia tuckermaniana

CONIOCYBE Ach.

furfuracea (L.) Ach. = Chaenotheca furfuracea
gracilescens Willey = Chaenotheca chrysoccephala (Selva 2004)
gracillima Vainio = Chaenotheca gracillima
nivea (Hoffm.) Arnold non Tuck. & Mont. = Sclerophora nivea
pallida (Pers.) Fr. = Sclerophora nivea
sulphurea (Retz.) Nyl. = Chaenotheca brachypoda

CONIOCYBOPSIS Vainio
arenaria (Hampe ex A. Massal.) Vainio = Microcalicium arenarium

CONOTREMA Tuck.
albonigrum Zahlbr. = Trinathotrema stictideum
urceolatum (Ach.) Tuck. = Stictis urceolatum

CONSTRICTOLUMINA Lücking, M. P. Nelsen & Aptroot
cinchonae (Ach.) Lücking, M. P. Nelsen & Aptroot Syns: Arthopyrenia cinchonae, Pyrenula

cinchonae (Aptroot & Lücking 2016)
leucostoma (Müll. Arg.) Lücking, M. P. Nelsen & Aptroot Syn.: *Arthopyrenia confluens* (Aptroot & Lücking 2016)
lyrata (R. C. Harris) Lücking, M. P. Nelsen & Aptroot Syn.: *Arthopyrenia lyrata* (Aptroot & Lücking 2016)
majuscula (Nyl.) Lücking, M. P. Nelsen & Aptroot Syn.: *Arthopyrenia majuscula* (Aptroot & Lücking 2016)
malaccitula (Nyl.) Lücking, M. P. Nelsen & Aptroot Syn.: *Arthopyrenia malaccitula* (Aptroot & Lücking 2016)
planorbis (Ach.) Lücking, M. P. Nelsen & Aptroot Syn.: *Arthopyrenia planorbis* (Aptroot & Lücking 2016)

COPPINIDEA S.Y. Kondr., E. Farkas & L. Lökö (Kondratyuk et al. 2019)

croatica (Zahlbr.) S.Y. Kondr., E. Farkas & L. Lökö Syn.: *Lecania croatica*
pallens (Kullhem) S.Y. Kondr., E. Farkas & L. Lökö Syns.: *Bacidia pallens*, *Biatora pallens*, *Cliostomum pallens*
sphaerella (Hedl.) S.Y. Kondr., E. Farkas & L. Lökö Syn.: *Lecidea sphaerella*
vainioana S.Y. Kondr., E. Farkas & L. Lökö Syns.: *Biatora sphaeroidiza*, *Lecidea sphaeroidiza*

CORA Fr. (Lawrey et al. 2009)

timucua Dal Forno, Kaminsky & Lücking (Lücking et al. 2020)
glabrata (Sprengel) Fr. = *Cora timucua*, for North American reports
pavonia (Sw.) Fr. = *Cora timucua*, for North American reports

CORISCIUM Vainio = LICHENOMPHALIA

viride (Ach.) Vainio = *Lichenomphalia hudsoniana*

CORNICULARIA (Schreber) Hoffm.

normoerica (Gunn.) Du Rietz
aculeata (Schreber) Ach. = *Cetraria aculeata*
californica (Tuck.) Du Rietz = *Kaernefeltia californica*
divergens Ach. = *Bryocaulon divergens*
fibrillosa (Ach.) Halsey = *Bryoria furcellata*
muricata (Ach.) Ach. = *Cetraria muricata*
odontella (Ach.) Westend. = *Cetraria odontella*
pseudosatoana Asahina = *Bryocaulon pseudosatoanum*

CORNUTISPORA Piroz.

***ciliata** Kalb (Cole & Hawksw. 2001)
***intermedia** Punith & D. Hawksw. (Esslinger & Egan 1995)
***lichenicola** D. Hawksw. & B. Sutton (Kalb et al. 1995)
***pyramidalis** Etayo (McMullin et al. 2017, Seaward et al. 2017) = *Spirographa pyramidalis* (Flakus et al. 2019)

CORTICIFRAGA D. Hawksw. & R. Sant.

***chugachiana** Zhurb. (Zhurbenko 2007a)
***fuckelii** (Rehm) D. Hawksw. & R. Sant. Syn.: *Phragmonaevia fuckelii*
***nephromatis** Pérez-Ort. (Spribile et al. 2020)
***peltigerae** (Nyl.) D. Hawksw. & R. Sant. (Alstrup & Cole 1998)
***santessonii** Zhurb. & Zavarzin (Zhurbenko 2007a)
***scrobiculatae** Pérez-Ortega (Spribile et al. 2010)

CORYNESPORA Güssow

laevistipitata (M. S. Cole & D. Hawksw.) Heuchert & U. Braun Syn.: *Taeniolella laevistipitata* (Heuchert & Braun 2006)

CRATIRIA Marbach (Marbach 2000)

americana (Fée) Kalb & Marbach Syn.: *Buellia modesta*
lauricassiae (Fée) Marbach Syn.: *Buellia lauricassiae*
melanochlora (Kremp.) Marbach Syn.: *Buellia melanochlora*

CRESPOA (D. Hawksw.) Lendemer & Hodkinson (Lendemer & Hodkinson 2012)

crozalsiana (B. de Lesd. ex Harm.) Lendemer & Hodkinson (Lendemer & Hodkinson 2012)
Syns.: *Canoparmelia crozalsiana*, *Parmelia crozalsiana*, *Pseudoparmelia crozalsiana*

CRESPONEA Egea & Torrente

chloroconia (Tuck.) Egea & Torrente Syn.: *Lecanactis chloroconia*, *L. premnea* var. *chloroconia*
flava (Vainio) Egea & Torrente (Harris 1995a)
leprieurii (Mont.) Egea & Torrente
premnea (Ach.) Egea & Torrente Syn.: *Lecanactis premnea*
premnea var. **saxicola** (Leighton) Egea & Torrente
proximata (Nyl.) Egea & Torrente

CROCODIA Link (Galloway & Elix 2013)

aurata (Ach.) Link Syns.: *Pseudocypiphellaria aurata*, *Sticta aurata*

CROCYNIA (Ach.) A. Massal.

aliciae Hue = *Lepraria finkii* (fide J. Lendemer)
alpina B. de Lesd. = *Lepraria neglecta*
americana B. de Lesd. = *Lepraria finkii* (fide J. Lendemer)
finkii B. de Lesd. = *Lepraria finkii*
gossypina (Sw.) A. Massal. = *Phyllopsora gossypina* (Kistenich et al. 2018)
membranacea (Dickson) Zahlbr. = *Lepraria membranacea*
moxleyi Plitt = non-lichenized *Septobasidium* sp.
neglecta (Nyl.) Hue = *Lepraria neglecta*
pyxinoides Nyl. = *Phyllopsora pyxinoides* (Kistenich et al. 2018)

CRYPTODISCUS Corda

***cladoniicola** (D. Hawksw. & R. Sant.) Pino-Botas, Zhurb. & S. Stenroos Syn.: *Lettuaia cladoniicola* (Pino-Bodas et al. 2017)
***epicladonia** Zhurb. & Pino-Bodas (Pino-Bodas et al. 2017)
***galaninae** Zhurb. & Pino-Bodas (Pino-Bodas et al. 2017)
gloeocapsa (Nitschke ex Arnold) Baloch, Gilenstam & Wedin Syn.: *Bryophagus gloeocapsa* (Baloch et al. 2009)

CRYPTOLECHIA A. Massal. = **GYALECTA** (Lücking et al. 2019)

carneolutea (Turner) A. Massal. = *Gyalecta carneolutea* (Lücking et al. 2019)
nana (Tuck.) D. Hawksw. & Dibben (Lücking et al. 2011b) = *Gyalecta nana* (Lücking et al. 2019)

CRYPTOTHECIA Stirton

calusarum F. Seavey & J. Seavey (Seavey et al. 2017)
effusa (Müll. Arg.) R. Sant. (Lücking et al. 2011b)
evergladensis Seavey (Seavey 2009)
fuscopunctata F. Seavey & J. Seavey (Seavey & Seavey 2014a)
miniata Vainio ex Lücking (Lücking et al. 2011b)
punctosorediata Sparrius (Lücking et al. 2011b)
randallii F. Seavey & J. Seavey (Seavey et al. 2017)
striata G. Thor Syn.: *Chiodecton montagnei* sensu auct. N.A. (Thor 1991)
submacrocephala F. Seavey & J. Seavey (Seavey et al. 2017)
rubrocincta (Ehrenb. : Fr.) G. Thor = *Herpothallon rubrocinctum*

CRYPTOTHELE Th. Fr.

granuliforme (Nyl.) Henssen Syn.: Pyrenopsis granuliforme, Pyrenopsis granuliformis
neglecta Henssen (Spribille et al. 2020)
permiscens (Nyl.) Th. Fr. Syn.: Pyrenopsis phylliscina

CULBERSONIA Essl. (Essliger 2000a)

nubila (Moberg) Essl. (Essliger 2002b)
americana Essl. = *C. nubila*

CYANISTICTA Gyelnik

epiflavoides Gyelnik (Gyelnik 1931) = Pseudocyphellaria epiflavoides

CYBEBE Tibell = CHAENOTHECA (Tibell 2001)

gracilenta (Ach.) Tibell = Chaenotheca gracilenta (Tibell 2001)

CYCLOHYMENIA McCune & M. J. Curtis (McCune et al. 2017)

epilithica McCune & M. J. Curtis

CYPHELIOPSIS Vainio = THELOMMA

bolanderi (Tuck.) Vainio = Thelomma mammosum

CYPHELIUM Ach. = CALICIUM (Prieto & Wedin 2017)

brachysporum Nádv. = *Calicium brachysporum* (Knudsen et al. 2020 (2019))
andersonii Herre = Thelomma californicum
brunneum W. A. Weber = Thelomma brunneum
caliciforme (Flotow) Zahlbr. = Pseudothelomma occidentale for most North American records
californicum (Tuck.) Zahlbr. = Thelomma californicum
carolinianum (Tuck.) Zahlbr. = *Calicium carolinianum*
chloroconium (Tuck.) Zahlbr. = *Acolium chloroconium*
farlowii (Tuck. ex Herre) Herre = Thelomma californicum
inquinans (Sm.) Trevisan = *Acolium inquinans*
karelicum (Vainio) Räsänen = *Acolium karelicum*
lucidum (Th. Fr.) Th. Fr. = *Calicium lucidum*
notarisii (Tul.) Blomb. & Forssell = *Calicium notarisii*
occidentale Herre = Pseudothelomma occidentale
ocellatum (Körber) Trevisan = Pseudothelomma ocellatum
pinicola Tibell = *Calicium pinicola*
sancti-jacobi (Tuck.) Zahlbr. = *Texosporium sancti-jacobi*
*sessile (Pers.) Trevisan = *Acolium sessile*
tigillare (Ach.) Ach. = *Calicium tigillare*
tigillare subsp. notarisii (Tul.) W. A. Weber = *Calicium notarisii*
trachylioides (Nyl. ex Branth & Rostrup) Erichsen = *Calicium trachylioides*
ventricosulum (Müll. Arg.) Zahlbr. = *Acolium inquinans*

CYPHELLOSTEREUM D. A. Reid

georgianum Dal Forno, McMullin & Lücking (Dal Forno et al. 2019)

jamesianum Dal Forno & Kaminsky (Dal Forno et al. 2019)

phylogennum (Müll. Arg.) Lücking, Dal Forno & Lawrey Syn.: *Dictyonema phylogennum* (Lücking et al. 2013b)

CYPHOBASIDIUM Millanes, Diederich & Wedin

***hypogymniicola** (Diederich & Ahti) Millanes, Diederich & Wedin Syn.: *Cystobasidium hypogymniicola* (Millanes et al. 2016)
***usneicola** (Diederich & Alstrup) Millanes, Diederich & Wedin Syn.: *Cystobasidium usneicola* (Millanes et al. 2016)

CYSTOBASIDIUM (Lagerh.) Neuhoff

- **hypogymniicola* Diederich & Ahti (Diederich 1996) = *Cyphobasidium hypogymniicola* (Millanes et al. 2016)
- **usneicola* Diederich & Alstrup (Diederich 1996) = *Cyphobasidium usneicola* (Millanes et al. 2016)

CYSTOCOLEUS Thwaites

- ebeneus** (Dillwyn) Thwaites
- rupestris* (Pers.) Rabenh. (Tuckerman 1882) = *Racodium rupestre*

DACAMPIA A. Massal.

- **engeliana* (Sauter) A. Massal. (Henssen 1995)
- +*hookeri* (Borrer) A. Massal.
- **lecaniae* Kocourk. & K. Knudsen (Kocourkova & Knudsen 2010)
- **rufescens* (Vouaux) D. Hawksw. (Zhurbenko & Daniëls 2003)

DACTYLINA Nyl.

- arctica* (Hooker f.) Nyl. Syn.: *Cetraria arctica*
- beringica* C. D. Bird & J. W. Thomson (Treated as subsp. of *D. arctica* by Kärnefelt & Thell 1996)
- ramulosa* (Hooker f.) Tuck. Syn.: *Cetraria ramulosa*
- madreporiformis (Ach.) Tuck = *Allocetraria madreporiformis*

DACTYLOSPORA Körber = **SCLEROCCUM** (Diederich et al. 2018)

- **aeruginosa* Holien & Ihlen (Ihlen et al. 2004a) = *Sclerococcum aeruginosum* (Diederich et al. 2018)
- **ahtii* Zhurb. & Pino-Bodas (Pino-Bodas et al. 2017) = *Sclerococcum ahtii* (Diederich et al. 2018)
- **amygdalariae* Triebel = *Sclerococcum amygdalariae* (Diederich et al. 2018)
- **athallina* (Müll. Arg.) Hafellner = *Sclerococcum athallinum* (Diederich et al. 2018)
- **attendenda* (Nyl.) Arnold = *Sclerococcum attendendum* (Diederich et al. 2018)
- **borealis* Holien & Ihlen (Ihlen et al. 2004a) = *Sclerococcum boreale* (Diederich et al. 2018)
- **deminuta* (Th. Fr.) Triebel = *Sclerococcum deminutum* (Diederich et al. 2018)
- **frigida* Hafellner (Dillman et al. 2012) = *Sclerococcum frigidum* (Diederich et al. 2018)
- **glaucomariooides* (Willey ex Tuck.) Hafellner = *Sclerococcum glaucomariooides* (Diederich et al. 2018)
- **inquilina* (Tuck.) Hafellner = *Sclerococcum inquilinum* (Diederich et al. 2018)
- **lobariella* (Nyl.) Hafellner = *Sclerococcum lobariellum* (Diederich et al. 2018)
- **lurida* Hafellner (Harris & Lendemer 2005) = *Sclerococcum luridum*
- **parasitica* (Flörke ex Sprengel) Zopf = *Sclerococcum parasiticum* (Diederich et al. 2018)
- **parellaria* (Nyl.) Arnold = *Sclerococcum parellarium* (Diederich et al. 2018)
- **pertusariicola* (Willey ex Tuck.) Hafellner = *Sclerococcum pertusariicola* (Diederich et al. 2018)
- **pleiosperma* Triebel (Hafellner et al. 2002) = *Sclerococcum pleiospermum* (Diederich et al. 2018)
- **porphyrea* Hafellner & Kalb (Etayo & Breuss 1998) = *Sclerococcum porphyreum* (Diederich et al. 2018)
- **purpurascens* Triebel = *Sclerococcum purpurascens* (Diederich et al. 2018)
- **rhypariae* Arnold (Zhurbenko 2013) = *Sclerococcum rhypariae* (Diederich et al. 2018)
- **saxatilis* (Schaerer) Hafellner var. *saxatilis* = *Sclerococcum saxatile* (Diederich et al. 2018)
- **suburceolata* Coppins & Fryday (McMullin et al. 2017) = *Sclerococcum suburceolatum* (Diederich et al. 2018)
- **urceolata* (Th. Fr.) Arnold = *Sclerococcum urceolatum* (Diederich et al. 2018)

DEGELIA Arv. & D. J. Galloway

- plumbea* (Lightf.) P. M. Jørg. & P. James = *Pectenia plumbea* (Ekman et al. 2014)

DENDRISCOCAULON Nyl.

intricatum (Nyl.) Henssen Syns.: *Leptogidium intricatum*, *Polychidium intricatum*
umhausense (Auersw.) Degel. Syn.: *Polychidium umhausense*

DENDRISCOSTICTA B. Moncada & Lücking (Moncada et al. 2013)

oroborealis (Goward & Tønsberg) B. Moncada & Lücking Syn.: *Sticta oroborealis* (Moncada et al. 2013)

wrightii (Tuck.) B. Moncada & Lücking Syn.: *Sticta wrightii* (Moncada et al. 2013)

DENDRODOCHIUM Bonord

***subeffusum** Ellis & Everh.

DENDROGRAPHA Darb.

alectoroides Sundin & Tehler (Sundin & Tehler 1996)

conformis (Tehler) Ertz & Tehler (Ertz & Tehler 2011)

decolorans (Turner & Borrer ex Sm.) Ertz & Tehler (Ertz & Tehler 2011)

franciscana (Zahlbr. ex Herre) Ertz & Tehler (Ertz & Tehler 2011)

leucophaea (Tuck.) Darb. Syn.: *Roccella leucophaea*

minor Darb. = *D. leucophaea* (Tuck.) Darb. (Sundin & Tehler 1996)

DERMATINA (Almq.) Zahlbr. = PEZICULA

"**pyrenocarpa**" (Nyl.) Zahlbr. = *Mycoporum compositum*

DERMATISCUM Nyl.

catawbense (Willey) Nyl. = *Dermiscellum oulocheila*

DERMATOCARPON Eschw.

americanum Vainio (Heidmarsson & Breuss 2004)

arenosaxi Amtoft (Amtoft et al. 2008)

arnoldianum Degel.

atrogranulosum Breuss (Breuss 2003)

bachmannii Anders (Heidmarsson & Breuss 2004)

dolomiticum Amtoft (Amtoft et al. 2008)

intestiniforme (Körber) Hasse

leptophyllum (Nyl.) Vainio ex Hav. (Heidmarsson & Breuss 2004, Heidmarsson 2017)

linkolae Räsänen (Goward et al. 1996)

lorenzianum Anders

luridum (With.) J. R. Laundon

luridum var. **xerophilum** Amtoft (Amtoft et al. 2008)

meiophyllizum Vainio (Glavich & Geiser 2004)

miniatum (L.) W. Mann Syn.: *Endocarpon miniatum*

moulinii (Mont.) Zahlbr.

muhlenbergii (Ach.) Müll. Arg. (Amtoft et al. 2008)

multifolium Amtoft (Amtoft et al. 2008)

polyphyllizum (Nyl.) Blomb. & Forssell (Heidmarsson & Breuss 2004)

reticulatum H. Magn.

rivulorum (Arnold) Dalla Torre & Sarnth.

[**Entosthelia saxicola** B. de Lesd.]

schaechtelinii Werner (Heidmarsson & Breuss 2004)

taminium Heidmarsson (Heidmarsson 2003)

tenue (Müll. Arg.) Heidmarsson (Heidmarsson 2003)

tomentulosum Amtoft (Amtoft 2006)

vellereum Zschacke

acarosporoides Zahlbr. = *Placidium acarosporoides*

aquaticum (Weiss) Zahlbr. = *D. luridum*

arboreum (Schwein.) Fink = *Placidium arboreum*

cinereum (Pers.) Th. Fr. = *Catapyrenium cinereum*
 #compactum (A. Massal.) Lettau = *Heteropladidium compactum*
 daedaleum (Kremp.) Th. Fr. = *Catapyrenium daedaleum*
 fluviatile (Weber) Th. Fr. = *D. luridum*
 granulosum (B. de Lesd.) Zahlbr. = *Catapyrenium granulosum*
 hepaticum auct. = *Placidium squamulosum*
 hepaticum (Ach.) Th. Fr. = *Catapyrenium cinereum*
 heppioides Zahlbr. = *Placopyrenium heppioides*
 lachneum (Ach.) A. L. Sm. = *Placidium lachneum*
 lecideoides (A. Massal.) Hasse = *Placopyrenium lecideoides*
 leptophyllum (Ach.) Lång = *D. miniatum*
 lyngei Servit Reported from Greenland and Iceland but not U. S. or Canada
 michelii (A. Massal.) Zwackh = *Placidium michelii*
 miniatum (L.) W. Mann var. complicatum (Lightf.) Th. Fr. = *D. miniatum* (Heiðmarsson 2003)
 novomexicanum (B. de Lesd.) Zahlbr. = *Placidium acarosporoides*
 peltatum (Taylor) Zahlbr. = a sterile psoroid lichen; a misidentification for North America
 plumbeum (B. de Lesd.) Zahlbr. = *Verrucaria inficiens*
 polyphyllum (Wulfen) Dalla Torre & Sarnth. = *D. intestiniforme*
 rufescens (Ach.) Th. Fr. = *Placidium rufescens*
 rupicola (B. de Lesd.) Zahlbr. = *Verrucaria othmarii* (Knudsen & Kocourková 2012a)
 squamellum (Nyl.) Herre = *Catapyrenium squamellum*
 tuckermanii (Rav. ex Mont.) Zahlbr. = *Placidium arboreum*
 vagans Imshaug = *D. reticulatum* H. Magn.
 waltheri (Kremp.) Blomb. & Forssell = *Involucropyrenidium waltheri*
 weberi (Ach.) W. Mann = *D. luridum*
 zahlbruckneri Hasse = *Placopyrenium stanfordii*

DERMISCELLUM Hafellner, H. Mayrhofer & Poelt

oulocheila (Tuck.) Lendemer Syns.: *Buellia catawbensis*, *Dermatiscum catawicense*, *Opegrapha oulocheila* (Lendemer 2003)
catawicense (Willey) Hafellner & Poelt = *D. oulocheila*

DESMAZIERIA Mont.

cephalota (Tuck.) Follmann & Huneck = *Niebla cephalota*
 ceruchis (Ach.) Trevisan = *Niebla ceruchis*, but absent from North America (Spjut 1996)
 combeoides (Nyl.) Follmann & Huneck = *Niebla combeoides*
 evernioides (Nyl.) Follmann & Huneck = *Ramalina lacera*
 homalea (Ach.) Mont. = *Niebla homalea*
 peruviana (Ach.) Follmann & Huneck = *Ramalina peruviana*
 testudinaria (Nyl.) Follmann & Huneck = *Niebla homalea*

DIBAEIS Clem.

absoluta (Tuck.) Kalb & Gierl Syn.: *Baeomyces absolutus*
baeomyces (L. f.) Rambold & Hertel Syn.: *Baeomyces roseus*
 fungoides (Sw.) Kalb & Gierl = A tropical species, not in North America
 rosea (Pers.) Clem. = *D. baeomyces*

DICTYOCATENULATA Finley & E. F. Morris

alba Finley & E. F. Morris (Lendemer & Harris 2004)

DICTYOMERIDIUM Aptroot, M. P. Nelsen & Lücking

amylosporum (Vainio) Aptroot, M. P. Nelsen & Lücking Syns.: *Campylothelium amylosporum*,
Polyblastiopsis dealbens (Aptroot & Lücking 2016)
proponens (Aptroot, M. P. Nelsen & Lücking) Aptroot, M. P. Nelsen & Lücking Syn.:
Polymeridium proponens (Aptroot & Lücking 2016)

DICTYONEMA C. Agardh

lawreyi Dal Forno, Kaminsky & Lücking (Dal Forno et al. 2019)

moorei (Nyl.) Henssen

sericeum (Sw.) Berk.

glabratum (Sprengel) D. Hawksw. = **Cora timucua**, for North American reports (Lücking et al. 2020)

guadalupense (Rabenh.) Zahlbr. = *D. sericeum*

irpicinum Mont. = misidentification for North America

pavonium (Sw.) Parmasto = **Cora timucua**, for North American reports (Lücking et al. 2020)

phyllogenum (Müll. Arg.) Zahlbr. (Lücking et al. 2011b) = **Cyphellostereum phyllogenum**

DIDYMELLOPSIS (P. A. Saccardo) Clem. & Shear

***latitans** (Nyl.) Clem. & Shear (Zhurbenko 2009a)

***pulposi** (Zopf) Grube & Hafellner (Zhurbenko 2013)

DIDYMOCYRTIS Vainio

***bryonthae** (Arnold) Hafellner Syn.: *Polycoccum bryonthae* (Ertz et al. 2015a)

***cladoniicola** (Diederich, Kocourk. & Etayo) Ertz & Diederich Syn.: *Phoma cladoniicola* (Ertz et al. 2015a)

***consimilis** Vainio (Ertz et al. 2015a) Syn.: **Phoma caloplacae** (Diederich et al. 2018)

***epiphyscia** Ertz & Diederich Syn.: *Phoma physciicola* (Ertz et al. 2015a)

***grumantiana** (Zhurb. & Diederich) Zhurb. & Diederich Syn.: **Phoma grumantiana** (Diederich et al. 2018)

***melanelixiae** (Brackel) Diederich, Harris & Etayo (Ertz et al. 2015a)

***xanthomendozae** (Diederich & Freebury) Diederich & Freebury Syn.: *Phoma xanthomendozae* (Ertz et al. 2015a)

DIDYMOSPHAERIA Fuckel

***epicrassa** (H. Olivier) Vouaux = *Clypeococcum epicrassum*, but see note there

DIGITOOTHREA P. P. Moreno & Egea

divergens (Henssen) Moreno & Egea (Sweat et al. 2004)

polyglossa (Nyl.) P. P. Moreno & Egea (Schultz 2002b)

DIMELAENA Norman

#**lichenicola** K. Knudsen, Sheard, Kocourk. & H. Mayrhofer (Knudsen et al. 2013b)

oreina (Ach.) Norman Syns.: *Rinodina oreina*, *R. hueana*, *R. novomexicana*, *R. suboreina*

radiata (Tuck.) Müll. Arg. (Matzer et al. 1996) Syns.: *Buellia radiata*, *Rinodina radiata*

tenuis (Müll. Arg.) H. Mayrhofer & Wippel (Beeching 2007)

thysanota (Tuck.) Hale & W. L. Culb. Syn.: *Rinodina thysanota*

weberi Sheard

angelica (Stizenb.) Hale & W. L. Culb. = *Mobergia angelica*

#**californica** (H. Magn.) Sheard = **Monerolechia californica** (Diederich et al. 2018)

chrysomelaena (Ach.) Hale & W. L. Culb. = *Rinodina chrysomelaena*

novomexicana (B. de Lesd.) Hale & W. L. Culb. = *D. oreina*

suboreina (B. de Lesd.) Hale & W. L. Culb. = *D. oreina*

DIMERELLA Trevisan = **COENOGONIUM** (Lücking & Kalb 2000)

diluta (Pers.) Trevisan = *Coenogonium pineti*

lutea (Dickson) Trevisan = *Coenogonium luteum*

pineti (Ach.) Vězda = *Coenogonium pineti*

DIMIDIOGRAPHA Ertz & Tehler (Ertz & Tehler 2011)

longissima (Müll. Arg.) Ertz & Tehler (Ertz & Tehler 2011) Syn.: *Graphis atrorubens*, *Opegrapha longissima*

DINEMASPORIUM Lév.

***strigosum** (Fr.) Sacc. (Alstrup & Cole 1998)

DIORYGMA Eschw.

antillarum (Vainio) Nelsen, Lücking & Rivas Plata (Nelsen et al. 2012) Syn.: Herpothallon antillarum
basinigrum F. Seavey & J. Seavey (Seavey & Seavey 2014a)
junghuhni (Mont. & Bosch) Kalb, Staiger & Elix (Tripp et al. 2010)
microsporum M. Cáceres & Lücking (Lumbsch et al. 2011; Lücking et al. 2011b)
poitaei (Fée) Kalb, Staiger & Elix (Kalb et al. 2004) Syn.: Graphina virginea
pruinosum (Ehrh.) Kalb. Syn.: Graphina platyleuca (Tripp et al. 2010)
reniforme (Fée) Kalb, Staiger, & Elix (Tripp et al. 2010)

DIPLOICIA A. Massal.

canescens (Dickson) A. Massal. Syn.: Buellia canescens

DIPLOLAEVIOPSIS Giralt & D. Hawksw.

***ranula** Giralt & D. Hawksw. (Diederich 2003)

DIPLOSCHISTELLA Vainio

athalloides (Nyl.) Lücking, Knudsen & Fryday (Lücking et al. 2007) Syn.: Rhizocarpon athalloides

DIPLOSCHISTES Norman

actinostomus (Ach.) Zahlbr. Syn.: Urceolaria actinostoma
aeneus (Müll. Arg.) Lumbsch
arabiensis Lumbsch
badius Lumbsch & Elix
#caesioplumbeus (Nyl.) Vainio (Lumbsch 2002)
candidissimus (Kremp.) Zahlbr. (Esslinger & Egan 1995)
diacapsis (Ach.) Lumbsch Syn.: Urceolaria albissima
gypsaceus (Ach.) Zahlbr.
hypoleucus Zahlbr.
#muscorum (Scop.) R. Sant. subsp. **muscorum**
scruposus (Schreber) Norman Syn.: Urceolaria scruposa
albissimus (Ach.) Dalla Torre & Sarnth. = D. diacapsis
bisporus (Bagl.) J. Steiner = Ingvariella bisporus
bryophilus (Ehrh. ex Ach.) Zahlbr. = D. muscorum subsp. muscorum
canadensis Räsänen = D. muscorum subsp. muscorum
scruposus (Schreber) Norman var. parasiticus (Sommerf.) Zahlbr. = D. muscorum
straminescens Zahlbr. = D. hypoleucus

DIPLOTOMMA Flotow

alboatum (Hoffm.) Flotow Syns.: Buellia alboatra, B. alboatra var. siccicola, Rhizocarpon alboatum
ambiguum (Ach.) Flagey Syn.: Buellia ambigua
chlorophaeum (Hepp ex Leighton) Kr. P. Singh & S. R. Singh Syns.: Rhizocarpon chlorophaeum, Buellia chlorophaea
nivale (Bagl. & Carestia) Hafellner (Hafellner & Türk 1995) Syn.: Buellia nivalis
penichrum (Tuck.) Szatala Syns.: Buellia oidalia var. penichra, B. penichra, Rhizocarpon penichrum
venustum (Körber) Körber Syns.: Buellia epipolia, B. venusta, B. lecanoroides, Rhizocarpon cumulatum
epipodium sensu auct. = D. venustum (Nordin 1996, McCune 2017)
epipodium (Ach.) Arnold = D. alboatum (Nordin 1996, McCune 2017)
***pulverulentum** (Anzi) D. Hawksw. (Molina et al. 2002) = Tetramelas pulverulentus

DIRINA Fr.**catalinariae** Hasse**massiliensis** Durieu & Mont. (Harris & Ladd 2005; reported as f. sorediata)**paradoxa** (Fée) Tehler

approximata Zahlbr. subsp. hioramii (B. de Lesd.) Tehler = D. paradoxa

calcicola Sparrius (Sparrius 2004a) = Fulvophyton calcicola (Tehler et al. 2013)

californica Tuck. = Sigridea californica

franciscana Zahlbr. ex Herre = Dendrographa franciscana

hassei Zahlbr. = Sigridea californica

rediunta Hasse = Schismatomma rediunta

DIRINARIA (Tuck.) Clem.**aegialita** (Afz.) B. J. Moore Syn.: Physcia aspera, P. aegialita**applanata** (Fée) D. D. Awasthi**confluens** (Fr.) D. D. Awasthi**confusa** D. D. Awasthi**confusa** var. **saxicola** (Räsänen) D. D. Awasthi**frostii** (Tuck.) Hale & W. L. Culb. Syns.: Physcia frostii, Pyxine frostii**leopoldii** (Stein) D. D. Awasthi**neotropica** Kalb (Kalb 2004a)**papillulifera** (Nyl.) D. D. Awasthi**picta** (Sw.) Clem. & Shear Syns.: Physcia picta, Pyxine picta, P. picta var. erythrocardia**purpurascens** (Vainio) B. J. Moore Syn.: Physcia purpurascens

aspera (H. Magn.) D. D. Awasthi = D. aegialita

DISCOTHECIUM Zopf = ENDOCOCCUS Nyl.

*gemmiferum Vouaux = an uncertain species of Endococcus

DISTOPYRENIS Aptroot**americana** Aptroot**pachyospora** Aptroot (Harris 1995a)**quercicola** R. C. Harris (Harris 1995a)**submuriformis** R. C. Harris (Harris 1995a)**DITREMIS** Clem. = ANISOMERIDIUM

albiseda (Nyl.) R. C. Harris = Anisomeridium albisedum

ambigua (Zahlbr.) R. C. Harris = Anisomeridium ambiguum

anisoloba (Müll. Arg.) R. C. Harris = Anisomeridium anisolobum

biformis (Borrer) R. C. Harris = Anisomeridium biforme

carinthiaca (Steiner) R. C. Harris = Anisomeridium carinthiacum

distans (Willey) R. C. Harris = Anisomeridium distans

finkii R. C. Harris = Anisomeridium finkii

leucochlora (Müll. Arg.) R. C. Harris = Anisomeridium leucochlorum

macrospora R. C. Harris = Anisomeridium aureopunctatum

nyssigena (Ellis & Everh.) R. C. Harris = Anisomeridium polypori

quaternaria R. C. Harris = Anisomeridium quaternarium

sanfordensis (Zahlbr.) R. C. Harris = Anisomeridium excaecariae

subprostans (Nyl.) R. C. Harris = Anisomeridium subprostans

tamarindii (Fée) R. C. Harris = Anisomeridium tamarindii

terminata (Nyl.) R. C. Harris = Anisomeridium terminatum

tuckerae (R. C. Harris) R. C. Harris = Anisomeridium tuckerae

DOLICHOUSNEA (Y. Ohmura) Articus (Articus 2004)**diffracta** (Vainio) Articus Syn.: Usnea diffracta**longissima** (Ach.) Articus Syn.: Usnea longissima

DUFOUREA Ach.
madreporiformis (Ach.) Ach. = Allocetraria madreporiformis

DYPLOLABIA A. Massal.
afzelii (Ach.) A. Massal. Syn.: Graphis afzelii (Staiger 2002)

ECHINODISCUS Etayo & Diederich = **NEOECHINODISCUS**
*lesdainii (Vouaux) Etayo & Diederich (Kocourková et al. 2010) = Neoechinodiscus lesdainii
(Sierra & Molinari-Novoa 2020)

ECHINOPLACA Fée
areolata Lücking & W. R. Buck (Lücking et al. 2007)
basalis W. B. Sanders & Lücking (Sanders & Lücking 2015)
furcata Sérus. subsp. neotropica Lücking (Lücking et al. 2007)
intercedens Vězda
leucotrichoides (Müll. Arg.) R. Sant. (Lücking et al. 2011b)
lucernifera Kalb & Vězda (Lücking et al. 2007)
pellicula (Müll. Arg.) R. Sant.
similis Kalb & Vězda (Lücking et al. 2007)
tetraplaca (Zahlbr.) Lücking (Lücking et al. 2007)

ECHINOTHECIUM Zopf
***aerophilum** Alstrup & M. S. Cole (Alstrup & Cole 1998)
***reticulatum** Zopf = Sphaerellothecium reticulatum

EDRUDIA W. P. Jordan
constipans (Nyl.) W. P. Jordan Syn.: Caloplaca constipans, Lecanora constipans

EIGLERA Hafellner
flavida (Hepp) Hafellner Syns.: Lecanora flavida, Aspicilia flavida

ELIXIA Lumbsch
flexella (Ach.) Lumbsch (Spribille & Björk 2008)

ELLISEMBIA Subram.
***lichenicola** Heuchert & U. Braun (Heuchert & Braun 2006)

EMMANUELIA Ant. Simon, Lücking & Goffinet
erosa (Eschw.) Lücking, M. Cáceres & Ant. Simon Syns.: Lobaria erosa, Sticta erosa (Simon et al. 2020)
lobulifera (B. Moore) Ant. Simon & Goffinet Syn.: Lobaria lobulifera (Simon et al. 2020)
ornata (Malme) Lücking, Moncada & Bungartz (Simon et al. 2020)
ravenelii (Tuck.) Ant. Simon & Goffinet Syns.: Lobaria ravenelii, Sticta ravenelii (Simon et al. 2020)

ENCHYLIUM (Ach.) Gray (Otálora et al. 2014)
bachmanianum (Fink) Otálora, P. M. Jørg. & Wedin Syns.: Collema bachmanianum, Collemodes bachmanianum
bachmanianum var. **millegranum** (Degel.) M. Schultz & McCune (McCune et al. 2018)
coccophorum (Tuck.) Otálora, P. M. Jørg. & Wedin Syns.: Collema coccophorum, C. dubium, C. novomexicanum, Synechoblastus coccophorus
conglomeratum (Hoffm.) Otálora, P. M. Jørg. & Wedin Syns.: Collema conglomeratum, C. pycnocarpum, Synechoblastus ohioense, S. cyrtaspis, S. pycnocarpus
expansum (Degel.) P. M. Jørg. Syn.: Collema tenax var. expansum (Jørgensen & Goward 2015)
limosum (Ach.) Otálora, P. M. Jørg. & Wedin Syns.: Collema glaucescens, C. limosum

polycarpon (Hoffm.) Otálora, P. M. Jørg. & Wedin Syns.: Collema melaenum var. polycarpon, Collema polycarpon, Synechoblastus polycarpus, S. wyomingensis
substellatum (H. Magn.) P. M. Jørg. (Jørgensen & Goward 2015)
tenax (Sw.) Gray Syn.: Collema tenax

ENDOCARPISCUM Nyl. = HEPPIA
bolanderi (Nyl.) Tuck. (Tuckerman 1882) = Peltula bolanderi
guepinii (Delise) Nyl. (Tuckerman 1882) = Peltula euploca

ENDOCARPON Hedwig

adscendens (Anzi) Müll. Arg.
adsurgens Vainio
lepidallum Nyl.
loscosii Müll. Arg. (Breuss 2002a)
pallidulum (Nyl.) Nyl. (Breuss 2002a)
pallidum Ach.
petrolepideum (Nyl.) Nyl.
pseudosubnitescens Breuss (Knudsen 2005b)
pusillum Hedwig
schisticola B. de Lesd. (Breuss 2002a)
simplicatum (Nyl.) Nyl. (Breuss 2002a)
subnitescens Nyl.
arboreum Schwein. (Mohr 1901) = Placidium arboreum
diffractellum (Nyl.) Gueidan & Cl. Roux (Gueidan et al. 2007) = Willeya diffractella (Gueidan & Lendemer 2015)
drummondii (Tuck.) M. Choisy = Staurothele drummondii
miniatum (L.) Schaefer (Mohr 1901) = Dermatocarpon miniatum
moenium Vainio = Acarospora moenium
monicae Zahlbr. = Staurothele monicae
*ochroleucum Tuck. = Heterocarpon ochroleucum
pulvinatum Th. Fr. = Staurothele pulvinata (Heiðmarsson et al. 2017) Syns.: Endocarpon pulvinatum, Pyrenothamnia brandegeei, P. spraguei, Staurothele brandegeei
tenuissimum (Degel.) Lendemer & E. Tripp = Willeya diffractella (Gueidan & Lendemer 2015)
tortuosum Herre = Staurothele pulvinatum (Heiðmarsson et al. 2017)
tuckermanii Rav. ex Mont. = Placidium arboreum (Lendemer & Yahr 2004)
wilmsoides Zahlbr. = Staurothele drummondii

ENDOCOCCUS Nyl.

***apiciicola** (J. Steiner) R. Sant. (Diederich 2003)
***incrassatus** Etayo & Breuss (Knudsen & Kocourková 2008b)
***macrosporus** (Arnold) Nyl. (Hafellner et al. 2002)
***matzeri** D. Hawksw. & Iturr. (Knudsen & Kocourková 2009b)
***nanellus** Ohlert (Diederich 2003)
***oreinae** Hafellner (Hafellner et al. 2002)
***peltigericola** Zhurb. & Stapanchikova (Zhurbenko 2021)
***perpusillus** Nyl.
***propinquus** (Körber) D. Hawksw.
***rugulosus** Nyl. (Knudsen & Kocourková 2010b)
***stigma** (Körber) Stizenb. (Hafellner et al. 2002)
***thelommatis** Kocourk. & K. Knudsen (Kocourková & Knudsen 2011)
***verrucosus** Hafellner (Hafellner et al. 2002)
***zahlbrucknerellae** (Henssen) D. Hawksw. Syn.: Ticothecium zahlbrucknerella
***buelliae** (C. W. Dodge) Matzer (Matzer et al. 1996) = E. matzeri for North American reports

ENDOHYALINA Marbach

ericina Giralt, van den Boom & Elix var. **ericina** (Giralt et al. 2010)

***insularis** (Arnold) Giralt, van den Boom & Elix Syn.: Rinodina insularis (Nadyeina et al. 2010)
rappii (Imshaug ex R. C. Harris) Marbach Syn.: Buellia rappii (Marbach 2000)
circumpallida (H. Magn.) Marbach (Marbach 2000) = Buellia circumpallida (Giralt et al. 2010)

ENDOPYRENIUM Flotow

americanum B. de Lesd. = Verrucaria americana
bajadanae B. de Lesd. = Placidium acarosporoides
crustaceum B. de Lesd. = Catapyrenium granulosum
granulosum B. de Lesd. = Catapyrenium granulosum
novomexicanum B. de Lesd. = Placidium acarosporoides
plumbeum B. de Lesd. = Verrucaria inficiens
rupicola B. de Lesd. = Verrucaria othmarii
tuckermanii (Rav. ex Mont.) Müll. Arg. = Placidium arboreum

ENTEROGRAPHA Fée

***bagliettoae** F. Seavey & J. Seavey (Seavey et al. 2017)
bradleyana F. Seavey & J. Seavey (Seavey & Seavey 2014b)
caudata F. Seavey & J. Seavey (Seavey & Seavey 2014b)
hutchinsiae (Leighton) A. Massal. (Sparrius 2004b)
johsoniae F. Seavey & J. Seavey (Seavey et al. 2017)
keylargoensis F. Seavey & J. Seavey (Seavey et al. 2017)
murrayana F. Seavey & J. Seavey (Seavey & Seavey 2014b)
nitidula F. Seavey & J. Seavey (Seavey & Seavey 2014b)
oregonensis Sparrius & Björk (Sparrius & Björk 2008)
***osagensis** C. A. Morse (Morse 2013)
pallidella (Nyl.) Redinger (Seavey & Seavey 2012)
quassicola Fée
subserialis (Nyl.) Redinger (Seavey & Seavey 2014a)
zonata (Körber) Källsten Syn.: Opegrapha zonata (Ertz et al. 2009)
anguinella (Nyl.) Redinger (Sparrius 2004b) = Opegrapha anguinella
carnea (Eckfeldt) R. C. Harris = Mazosia ocellata
elegans (Eschw.) Tuck. = Sclerophyton elegans
lecanoroides R. C. Harris = Opegrapha anguinella

ENTEROSTIGMA Müll Arg.

montagnaei (Tuck) Fink (Fink 1935) = Cryptothecia striata (Thor 1991)

ENTOSTHELIA (Wallr.) Hue

saxicola B. de Lesd. = unknown Dermatocarpon sp.

EOPYRENULA R. C. Harris

intermedia Coppins Syn.: Pyrenula leucoplaca var. pluriloculata
parvispora R. C. Harris & Aptroot
leucoplaca (Wallr.) R. C. Harris = misidentification for North America (fide R. Harris)

EPAPHROCONIDIA Calat. & V. Atienza

***hawksworthii** Calat. & V. Atienza (Diederich 2003)

EPHEBE Fr.

americana Henssen
hispidula (Ach.) Horw. Syn.: Ephebeia hispidula
lanata (L.) Vainio
ocellata Henssen
perspinulosa Nyl.
solida Bornet
lesquereuxii Bornet (Tuckerman 1882) = E. solida

mamillosum (Lyngb.) E. Fr. (Fink 1935) Possibly *Stigonema mamillosum*, a cyanobacterium
pubescens (Ach.) Fr. = *Pseudephbe pubescens*

EPHEBEIA Nyl. = **EPHEBE**
hispidula (Ach.) Nyl. = *Ephebe hispidula*

EPICLADONIA D. Hawksw.

**sandstedei* (Zopf) D. Hawksw. (Scholz 1998)
**simplex* D. Hawksw. (Esslinger & Egan 1995)
**stenospora* (Harm) D. Hawksw. (Zhurbenko & Pino-Bodas 2017, Seaward et al. 2017)

EPICOCCUM Link

**nigrum* Link (Diederich et al. 2018)
**purpurascens* Schltdl. (Diederich 2003) = *E. nigrum*

PIGLOEA Zukal

#*diversispora* McCune (McCune 2020a)
intermedia Döbbeler (Lendemer & Harris 2004)
medioincrassata (Grumm) Döbbeler (Fryday 2004a)
pleiospora Döbbeler (Buck & Harris 2002)
renitens (Grumm) Döbbeler (Spribile et al. 2010)
soleiformis Döbbeler (Buck & Harris 2002)
urosperma Döbbeler (Spribile et al. 2020)

EPILICHEN Clem.

#*glaconigellus* (Nyl.) Hafellner (Zhurbenko 2009a)
#*scabrosus* (Ach.) Clem. Syn.: *Buellia scabrosa*
**stellatus* Triebel

EPITHAMNOLIA Zhurb. (Zhurbenko 2012)

**karatyginii* Zhurb.

ERINACELLUS T. Sprib., Muggia & Tønsberg (Spribille et al. 2014b)

dendroides (Henssen) T. Sprib., Muggia & Tønsberg Syn.: *Spilonema dendroides*

ERIODERMA Fée

mollissimum (Samp.) Du Rietz
pedicellatum (Hue) P. M. Jørg.
sorediatum D. J. Galloway & P. M. Jørg.
boreale Ahlner = *E. pedicellatum*

ERYTHRICIUM J. Erikss. & Hjortstam (Hawksworth & Helcini 2015)

**aurantiacum* (Lasch) D. Hawksw. & A. Henrici Syn.: *Marchandiobasidium aurantiacum* (Hawksworth & Helcini 2015)

ESCHATOGONIA Trevisan

prolifera (Mont.) R. Sant. (Seavey et al. 2014)

ESSLINGERIANA Hale & M. J. Lai

idahoensis (Essl.) Hale & M. J. Lai Syn.: *Cetraria idahoensis*

ETAYOA Diederich & Ertz (Ertz et al. 2014)

**trypethelii* (Flakus & Kukwa) Diederich & Ertz

EUGENIELLA Lücking, Sérus. & Kalb (Lücking et al. 2011b)

leucocheila (Tuck.) Lücking, Sérus. & Kalb (Lücking et al. 2011b)

EUOPSIS Nyl.

granatina (Sommerf.) Nyl. Syns.: Pyrenopsis granatina, Lecanora granatina, Pannaria granatina
pulvinata (Schaerer) Nyl. Syn.: Pyrenopsis pulvinata

EVERNIA Ach.

divaricata (L.) Ach.

mesomorpha Nyl.

perfragilis Llano

prunastri (L.) Ach.

ceratea (Ach.) Zopf (Fink 1935) = Pseudevernia furfuracea (L.) Zopf, but a misidentification for North America

esorediosa (Müll. Arg.) Du Rietz = misidentification for North America (Bird 1974)

furfuracea (L.) W. Mann = Pseudevernia consocians and *P. intensa* for North American records

furfuracea var. *cladonia* Tuck. (Tuckerman 1882) = Pseudevernia cladonia

thamnodes (Flotow) Arnold = *E. mesomorpha*

vulpina (L.) Ach. = *Letharia vulpina*

EVERNIASTRUM Hale ex Sipman = HYPOTRACHYNA (Divakar et al. 2013)

catawbiense (Degel.) Hale ex Sipman = Hypotrachyna catawbiensis

sorocheilum (Vainio) Hale ex Sipman = Hypotrachyna sorocheila, but reports apparently based on *H. catawbiense*

EVERNIICOLA D. Hawksw.

***flexispora** D. Hawksw.

FARNOLDIA Hertel

hypocrita (A. Massal.) Fröberg Syns.: Lecidea hypocrita, *L. lithospersa*, *L. ypocrita*

jurana (Schaerer) Hertel Syns.: Lecidea jurana, *L. albosuffusa*, Tremolecia jurana, Melanolecia jurana

micropsis (A. Massal.) Hertel Syns.: Lecidea rhaetica, Melanolecia micropsis, Tremolecia nivalis, *T. micropsis*

FAYODIA Kühner

**leucophylla* (Gillet) M. T. Lange = Gamundia leucophylla (Bigelow 1983)

**striatula* (Kühner) Singer = Gamundia striatula (Raitelhuber 1983)

FELIPES Frisch & G. Thor (Frisch et al. 2014)

leucopellaeus (Ach.) Frisch & G. Thor Syn.: Arthonia leucopellaea

FELLHANERA Vězda

aurantiaca (Vězda) Vězda Syn.: Bacidia aurantiaca

bouteillei (Desm.) Vězda Syn.: Catillaria bouteillei

crucitignorum C. A. Morse & Ladd (Morse & Ladd 2013)

eriniae R. C. Harris & Lendemer (Harris & Lendemer 2009)

fallax R. C. Harris & Lendemer (Harris & Lendemer 2009)

floridana (Tuck.) S. Ekman Syns.: Bacidia floridana, Biatora floridana, Bilimbia floridana

granulosa R. C. Harris & Lendemer (Harris & Lendemer 2009)

hybrida R. C. Harris & Lendemer (Harris & Lendemer 2009)

minnisinkorum R. C. Harris & Lendemer (Harris & Lendemer 2009)

montesfumosi R. C. Harris & Lendemer (Harris & Lendemer 2009)

rhipidophylli (Rehm)Vězda (Seavey & Seavey 2014a)

silicis R. C. Harris & Ladd (Harris & Lendemer 2009)

subtilis (Vězda) Diederich & Sérus. (Goward et al. 1996)

FELLHANEROPSIS Sérus. & Coppins
myrtillicola (Erichsen) Sérus. & Coppins (Lendemer & Knudsen 2011)
vezdae (Coppins & P. James) Sérus. & Coppins (Tønsberg 1997)

FELTGENIOMYCES Dieder.
***mongolicus** Zhurb. (Zhurbenko 2020)

FIBRILLITHECIS A. Frisch (Frisch 2006)
confusa Lücking, Kalb & Rivas Plata (Rivas Plata et al. 2010)
halei (Tuck. & Mont.) Mangold Syns.: Myriotrema halei, Thelotrema halei (Lücking et al. 2016)
insignis (Zahlbr.) A. Frisch (Frisch 2006) = F. confusa (Rivas Plata et al. 2010)

FISSURINA Féé
aggregatula Common & Lücking (Lücking et al. 2011b)
albolabiata F. Seavey & J. Seavey (Seavey et al. 2017)
alligatorensis Lendemer & R. C. Harris (Lendemer & Harris 2014a)
americana Lendemer & R. C. Harris (Lendemer & Harris 2014a)
analphabetica Common & Lücking (Lücking et al. 2011b)
cingalina (Nyl.) Staiger (Lücking et al. 2011b)
columbina (Tuck.) Staiger Syns.: Graphina columbina, G. virginialis, Graphis columbina,
Phaeographina columbina (Staiger 2002)
confusa Common & Lücking (Lücking et al. 2011b)
crassilabra Mont. & Bosch (Lücking et al. 2011b)
cypressi (Müll. Arg.) Lendemer Syn.: Graphina cypressi (Lendemer 2007a)
dumastioides (Fink) Staiger Syns.: Graphina dumastioides, Graphis dumastioides (Staiger 2002)
egena (Nyl.) Nyl. (Lücking et al. 2011b)
humilis (Vainio) Staiger (Staiger & Kalb 2004)
ilicicola Lendemer & R. C. Harris (Lendemer & Harris 2014a)
illiterata (R. C. Harris) Lendemer Syn.: Graphis illiterata (Lendemer & Knudsen 2008b)
incisura F. Seavey & J. Seavey (Seavey et al. 2017)
incrustans Féé Syns.: Graphina incrustans, G. glaucoderma, Graphis incrustans, G. glaucoderma
(Staiger 2002)
insidiosa C. Knight & Mitten Syns.: Graphis beaumontii, G. insidiosa (Staiger 2002)
inspersa Common & Lücking (Lücking et al. 2011b)
insculpta Mont. Syns.: Graphina babingtonii, Graphis babingtonii (Staiger 2002, Tripp et al.
2010)
leuconeephela Nyl. Syns.: Graphina leuconeephela, Graphis leuconeephela (Staiger 2002, Tripp et
al. 2010)
mexicana (Zahlbr.) Lücking & Rivas Plata (Lücking et al. 2011b)
nitida (Eschw.) Mont. Syns.: Graphis nitida, Medusulina nitida (Miranda-González et al. 2020,
Staiger 2002)
nitidescens (Nyl.) Nyl. Syns.: Graphina nitidescens, Graphis nitidescens (Staiger 2002)
pseudostromatica Lücking & Rivas Plata (Lücking et al. 2011b)
radiata Mont. (Lücking et al. 2011b)
rufula (Mont.) Staiger Syn.: Graphis rufula (Staiger 2002)
scolecitis (Tuck.) Lendemer Syns.: Graphina scolecitis, Graphis scolecitis (Lendemer 2007a)
North American records of Graphina adscribens belong here
subcomparimuralis Common & Lücking (Lumbsch et al. 2011; Lücking et al. 2011b)
subnitida (Nyl.) Zahlbr. (Staiger 2002, Tripp et al. 2010)
subnitidula (Nyl.) Staiger Syns.: Graphina subnitidula, Graphis subnitidula (Staiger 2002)
tachygrapha (Nyl.) Staiger (Lücking et al. 2011b)
tuckermaniana Common & Lücking (Lücking et al. 2011b)
varieseptata Common & Lücking (Lücking et al. 2011b)
subcontexta (Nyl.) Nyl. = F. rufula (Lücking et al. 2011b)

FISTULARIELLA Bowler & Rundel

almquistii (Vainio) Bowler & Rundel = Ramalina almqistii
dilacerata (Hoffm.) Bowler & Rundel = Ramalina dilacerata
geniculata (Hooker f. & Taylor) Bowler & Rundel = Ramalina geniculata
inflata (Hooker f. & Taylor) Bowler & Rundel = Ramalina inflata
minuscula (Nyl.) Bowler & Rundel = Ramalina dilacerata
roesleri (Hochst. ex Schaefer) Bowler & Rundel = Ramalina roesleri
scoparia (Vainio) Bowler & Rundel = Ramalina scoparia

FLAKEA O. E. Erikss. (Hansen 2003; Perlmutter 2006)

papillata O. E. Erikss. (Hansen 2003; Perlmutter 2006)

FLAVOCETRARIA Kärnefelt & A. Thell

cucullata (Bellardi) Kärnefelt & A. Thell Syns.: Cetraria cucullata, Allocetraria cucullata
minuscula (Elenkin & Savicz) Ahti, Poryadina & Zhurb. (Zhurbenko et al. 2005)
nivalis (L.) Kärnefelt & A. Thell Syns.: Cetraria nivalis, Allocetraria nivalis

FLAVOPARMELIA Hale

baltimorensis (Gyelnik & Fóriss) Hale Syns.: Parmelia baltimorensis, Pseudoparmelia baltimorensis
caperata (L.) Hale Syns.: Parmelia caperata, P. cyliphora, P. flavicans, P. herreana, P. negativa, Pseudoparmelia caperata
rutidota (Hooker f. & Taylor) Hale Syns.: Parmelia rutidota, Pseudoparmelia rutidota, and P. conspersa var. subconspersa and Xanthoparmelia subconspersa for North American records.
subcapitata (Nyl. ex Hasse) Hale ex DePriest & B. Hale (Knudsen et al. 2005) Syn.: Parmelia subcapitata
[Parmelia concreta Stizenb.] This name was apparently never effectively published; identified as an uncertain species of Flavoparmelia by Hale & DePriest (1999), although an apparent ‘type’ specimen in FH was annotated by Mason Hale as an Aspicilia sp.

FLAVOPLACA Arup, Søchting & Frödén (Arup et al. 2013)

austrocitrina (Vondrák, Říha, Arup & Søchting) Arup, Søchting & Frödén Syn.: Caloplaca austrocitrina
citrina (Hoffm.) Arup, Frödén & Søchting Syns.: Caloplaca citrina, Placodium citrinum
flavocitrina (Nyl.) Arup, Frödén & Søchting Syn.: Caloplaca flavocitrina
granulosa (Müll. Arg.) Arup, Frödén & Søchting Syn.: Caloplaca granulosa
marina (Wedd.) Arup, Frödén & Søchting Syn.: Caloplaca marina
microthallina (Wedd.) Arup, Frödén & Søchting Syn.: Caloplaca microthallina

FLAVOPUNCTELIA (Krog) Hale

darrowi (J. W. Thomson) Hale Syns.: Parmelia darrowi, Punctelia darrowi
flaventior (Stirton) Hale Syns.: Parmelia flaventior, P. andreana, P. kernstockii, Punctelia flaventior
praesignis (Nyl.) Hale Syns.: Parmelia praesignis, P. incorrupta, P. caperata var. incorrupta, Punctelia praesignis
soredica (Nyl.) Hale Syns.: Parmelia soredica, P. ulophyllodes, P. mansjurica, Punctelia soredica

FORAMINELLA S. F. Meyer = **PARMELIOPSIS**

FORSSELLIA Zahlbr. = **PTERYGIOPSIS**

minnesotensis (Fink) Fink = Lichenella minnesotensis
neglecta Erichsen = Pterygiopsis neglecta

FOURAGEA Trevisan (Frisch et al. 2014)

filicina (Mont.) Trevisan Syn.: Opegrapha filicina (Frisch et al. 2014)

FRUTIDELLA Kalb (Kalb 1994)

caesioatra (Schaerer) Kalb (Kalb 1994) Syn.: Lecidea caesioatra, L. arctica
furfuracea (Anzi) M. Westb. & M. Svensson (Svensson et al. 2017) Syns.: Biatora pullata,
Lecidea pullata
pullata (Norman) Schmull (Schmull et al. 2011) = F. furfuracea (Svensson et al. 2017)

FULGENSIA A. Massal. & De Not. = GYALOLECHIA (Arup et al. 2013)

bracteata (Hoffm.) Räsänen subsp. bracteata = Gyalolechia bracteata subsp. bracteata
bracteata subsp. bracteata var. alpina (Th. Fr.) Poelt = Gyalolechia bracteata subsp. bracteata var.
alpina
bracteata subsp. deformis Poelt (Esslinger & Egan 1995) = Gyalolechia bracteata subsp. deformis
desertorum (Tomin) Poelt = Gyalolechia desertorum
fulgens (Sw.) Elenkin = Gyalolechia fulgens
subbracteata (Nyl.) Poelt (Brodo et al. 2001, Kasalicky 2004) = Gyalolechia subbracteata

FULGIDEA Bendiksby & Timdal (Bendiksby & Timdal 2013)

oligospora (Timdal) Bendiksby & Timdal Syn.: Hypocenomyce oligospora
sierrae (Timdal) Bendiksby & Timdal Syn.: Hypocenomyce sierrae

FULVOPHYTON Ertz & Tehler

calcicola (Sparrius) Tehler & Ertz Syn.: Dirina calcicola (Tehler et al. 2013)

FUSARIUM Link

***peltigerae** Westend. (Spribble et al. 2010)

FUSCIDEA V. Wirth & Vězda

aleutica (Degel.) Fryday (Fryday 2008)
appalachensis Fryday (Fryday 2008)
arboricola Coppins & Tønsberg
gothoburgensis (H. Magn.) V. Wirth & Vězda (Fryday 2006)
intercincta (Nyl.) Poelt
lowensis (H. Magn.) R. A. Anderson & Hertel Syn.: Lecidea lowensis
mollis (Wahlenb.) V. Wirth & Vězda Syns.: Biatora rivulosa var. mollis, Lecidea mollis
muskeg Tønsberg & M. Zahradn. (Spribble et al. 2020)
praeruptorum (Du Rietz & H. Magn.) V. Wirth & Vězda Syn.: Lecidea praeruptorum
pusilla Tønsberg
recensa (Stirton) Hertel, V. Wirth & Vězda Syn.: Lecidea recensa
recensa var **arcuatula** (Arnold) Fryday Syns. Lecidea arcuatula, L. gyrodes (Fryday 2008)
scrupulosa (Eckfeldt) Fryday (Fryday 2008) Syns.: Biatora scrupulosa, Lecidea scrupulosa, L.
kochiana var. subreagens
texana Fryday (Fryday 2008)
thomsonii Brodo & V. Wirth (Brodo & Wirth 1998)
cyathoides (Ach.) V. Wirth & Vězda = misidentification for North America (Fryday 2008)
kochiana (Hepp) V. Wirth & Vězda = misidentification for North America (Fryday 2008)
lightfootii (Sm.) Coppins & P. James (Aptroot 1996) = misidentification for North America
(Tønsberg 2002, Fryday 2008)
placidensis (H. Magn.) R. C. Harris = Lecanora pl acidensis
subfilamentosa (Zahlbr.) Brako = Lecidea subfilamentosa (Fryday 2008)
subreagens (H. Magn.) Oberholl. & V. Wirth = Fuscidea scrupulosa (Fryday 2008)

FUSCOPANNARIA P. M. Jørg.

ahlneri (P. M. Jørg.) P. M. Jørg. Syn.: Pannaria ahlneri
alaskana P. M. Jørg. & Tønsberg (Jørgensen 2000c)
aurita P. M. Jørg. (Jørgensen 2000c)
cheiroloba (Müll. Arg.) P. M. Jørg. (Jørgensen 2000c) Syn.: Parmeliella cheiroloba

confusa (P. M. Jørg.) P. M. Jørg. (Jørgensen 2000c)
convexa P. M. Jørg. (Jørgensen 2005)
coralloidea P. M. Jørg. (Jørgensen 2000c)
crustacea P. M. Jørg. (Jørgensen 2000c)
cyanolepra (Tuck.) P. M. Jørg. (Jørgensen 2000b) Syns.: *Pannaria lepidiota* var. *cyanolepra*, *P. cyanolepra*, *Parmeliella cyanolepra*
dillmaniae T. Sprib. (Spribille et al. 2020)
frullaniae (Maass) E. Tripp & Lendemer Syn. : *Moelleropsis nubulosa* subsp. *frullaniae* (Tripp & Lendemer 2020)
incisa (Pers.) P. M. Jørg. (Jørgensen 2000c) Syns.: *Coccocarpia incisa*, *Pannaria molybdaea* var. *incisa*
leprosa P. M. Jørg. & Tønsberg (Jørgensen 2000c)
leucosticta (Tuck.) P. M. Jørg. Syn.: *Pannaria leucosticta*
leucostictoides (Ohlsson) P. M. Jørg. Syn.: *Pannaria leucostictoides*
maritima (P. M. Jørg.) P. M. Jørg. Synonym: *Pannaria maritima*
mediterranea (Tav.) P. M. Jørg. Syn.: *Pannaria mediterranea*
pacifica P. M. Jørg. (Jørgensen 2000c)
praetermissa (Nyl.) P. M. Jørg. Syns.: *Pannaria lepidiota* var. *corallophora*, *P. praetermissa*, *Parmeliella praetermissa*, *P. lepidiota*
pulveracea (P. M. Jørg. & Henssen) P. M. Jørg. Syn.: *Pannaria pulveracea*
ramulina P. M. Jørg. & Tønsberg (Jørgensen 2000c)
sorediata P. M. Jørg. (Jørgensen 2000b)
thiersii P. M. Jørg. (Jørgensen 2000c)
viridescens P. M. Jørg. & Zhurb. (Jørgensen & Zhurbenko 2002)
californica (Tuck.) P. M. Jørg. (Jørgensen 2000c) = *Vahliella californica*
globigera Fryday & P. M. Jørg. (Fryday 2004a) = *Vahliella globigera*
hookerioides P. M. Jørg. (Jørgensen 2000c) = *Vahliella hookerioides*
labrata P. M. Jørg. (Jørgensen 2005) = *Vahliella labrata*
laceratula (Hue) P. M. Jørg. = *Steineropsis laceratula* (Spribille et al. 2020)
leucophaea (Vahl) P. M. Jørg. = *Vahliella leucophaea*
saubinetii (Mont.) P. M. Jørg. = *Vahliella saubinetii*

GABURA Adanson

fascicularis (L.) P. M. Jørg. (Jørgensen 2014) Syns.: *Collema fasciculare*, *Synechoblastus aggregatus*, *S. fascicularis*
insignis (P. M. Jørg. & Tønsberg) Magain & Serusiaux (Magain et al. 2020) Syn.: *Leptogium insigne*

GAMUNDIA Raithelh.

***leucophylla** (Gillet) H. E. Bigelow Syn.: *Fayodia leucophylla* (Bigelow 1983)
 ***striatula** (Kühner) Raitelh. Syn.: *Fayodia striatula* (Raitelhuber 1983)

GASPARRINIA Tornab. = CALOPLACA

GASSICURTIA Fée

catasema (Tuck.) Marbach Syn.: *Buellia catasema*, *B. caloosensis* (Marbach 2000)
coccinea Fée Syn.: *Buellia coccinea* (Marbach 2000)
subpulcella (Vainio) Marbach Syns.: *Buellia subpulcella*, *B. pachnidisca* (Marbach 2000)
elizae (Tuck.) Marbach (Marbach 2000) = *Buellia elizae* (Lendemer et al. 2013)
vernicoma (Tuck.) Marbach = *Buellia vernicoma* (Lendemer et al. 2013)

GEISLERIA Nitschke (Aptroot et al. 2014)

sychnogonioides Nitschke Syn.: *Strigula sychnogonioides*

GELATINOPSIS Rambold & Triebel

#**geoglossi** (Ellis & Everh.) Rambold & Triebel (Diederich et al. 2010)

*acarosporicola Kocourk. & K. Knudsen (Kocourková & Knudsen 2009a) = Llimoniella acarosporicola

GELTINGIA Alstrup & D. Hawksw.

***associata** (Th. Fr.) Alstrup & D. Hawksw. Syn.: Lecidea associata

GLAUCOMARIA M. Choisy

rupicola (L.) M. Choisy = Lecanora rupicola
sordida (Pers.) Th. Fr. = Lecanora rupicola

GLAUCOTREMA Rivas Plata & Lumbsch (Rivas Plata et al. 2012)

glaucophaenum (Kremp.) Rivas Plata & Lumbsch Syns.: Myriotrema glaucophaenum,
Ocellularia glaucophaena Presence in N.A. is doubtful

GLOBOSPHAERIA D. Hawksw.

***jamesii** D. Hawksw. (Diederich 2003)

GLOEOHEPIA Gyelnik

polyspora Henssen (Schultz 2002c)
rugosa Henssen (Knudsen et al. 2017)
squamulosa (Zahlbr.) M. Schultz Syn.: Psorotrichia squamulosa (Schultz 2007b)

GLYPHIS Ach.

atrofusca (Müll. Arg.) Lücking (Lücking et al. 2011b) Syn.: Graphis ferrugineodisca (Lücking & Kalb 2018)

cicatricosa Ach.

scyphulifera (Ach.) Staiger Syn.: Gyrostomum scyphuliferum (Staiger 2002, Lücking et al. 2011b)

substriatula (Nyl.) Staiger Syn.: Graphina substriatula (Staiger 2002, Tripp et al. 2010)

achariana Tuck. = G. cicatricosa

confluens Zenker = G. cicatricosa

favulosa Ach. = G. cicatricosa

GLYPHOLECIA Nyl.

scabra (Pers.) Müll. Arg. Syns.: Acarospora rhagadiosa, A. scabra, A. saxicola

GOMPHILLUS Nyl.

americanus Essl.

calycoides (Duby) Nyl. (Buck 1998)

GONGYLIA Körber

muscorum Zschacke (North American only) = Protothelenella pluriseptata (Fryday 2004b)

nadvornikii Servít = Segestria mammillosa, but a misidentification for North America (Fryday 2004b)

GONOHYMENIA J. Steiner = **LICHINELLA**

cribellifera (Nyl.) Henssen = Lichenella cribellifera

melamphylla (Tuck.) Henssen = Lichenella melamphylla

minnesotensis (Fink) Henssen = Lichenella minnesotensis

nigritella (Lettau) Henssen = Lichenella nigritella

GOWARDIA P. Halonen, L. Myllys, S. Velmala, & H. Hyvärinen (Halonen et al. 2009, Myllys et al. 2014)

arctica P. Halonen, L. Myllys, S. Velmala, & H. Hyvärinen Syn.: Alectoria gowardii

nigricans (Ach.) P. Halonen, L. Myllys, S. Velmala, & H. Hyvärinen Syn.: Alectoria nigricans

zebrina Goward & Myllys (Goward & Myllys 2020)

GRANULOPYRENIS Aptroot

hymnothora (Ach.) Aptroot Syns.: *Verrucaria hymnothora*, *Microthelia hymnothora*, *Sphaeria bignoniae*

GRAPHINA Müll. Arg. = GRAPHIS (Lücking et al. 2007; Tripp et al. 2010)

abaphoides (Nyl.) Müll. Arg. = *Acanthothecis leucopepla*

acharrii (Fée) Müll. Arg. = *Allographa acharrii*

acrophaea Müll. Arg. = *Graphis parilis*

adscribens (Nyl.) Müll. Arg. = *Fissurina scolecitis* for North American records

anguina (Mont.) Müll. Arg. = *Thalloloma anguinum*

antillarum (Vainio) Zahlbr. = *Graphis antillarum*

babingtonii (Mont.) Zahlbr. = *Fissurina insculpta*

colliculosa (Mont.) Hale = *Platythecium colliculosum*

columbina (Tuck.) M. Wirth & Hale = *Fissurina columbina*

cypressi Müll. Arg. = *Fissurina cypressi*

dimidiata (Vainio) Zahlbr. = misidentification for North America

dumastoides (Fink) ined. = *Fissurina dumastoides*

floridana (Tuck.) R. C. Harris = *Platythecium floridanum*

glaucodera (Nyl.) Müll. Arg. = *Fissurina incrustans*

incrustans (Fée) Müll. Arg. = *Fissurina incrustans*

intertexta (Müll. Arg.) R. C. Harris = *Acanthothecis aurantiaca*

leprocarpa (Nyl.) Zahlbr. = *Chapsa leprocarpa*

marcescens (Fée) Müll. Arg. = *Carbacanthographis marcescens*

mendax (Nyl.) Müll. Arg. = misidentification for North America

nitidescens (Nyl.) Riddle = *Fissurina nitidescens*

leuconeephela (Nyl.) Zahlbr. = *Fissurina leuconeephela*

parilis (Kremp.) Müll. Arg. = *Graphis parilis*

peplophora M. Wirth & Hale = *Acanthothecis peplophora*

platycarpa (Eschw.) Zahlbr. = misidentification for North America

platyleuca (Nyl.) Zahlbr. (Harris 1995a) = *Diorygma pruinosum*

plittii Zahlbr. = *Carbacanthographis marcescens*

scolecitis (Tuck.) Fink = *Fissurina scolecitis*

sophisticascrens (Nyl.) Zahlbr. = *Graphis sophisticascrens*

subnitida (Nyl.) Zahlbr. = *Fissurina subnitida*

subnitidula (Nyl.) Zahlbr. = *Fissurina subnitidula*

substriatula (Nyl.) Zahlbr. = *Glypis substriatula*

subvirginalis (Nyl.) Müll. Arg. = *Acanthothecis mosquitensis*

virginalis (Nyl.) Müll. Arg. = *Fissurina columbina*

virginea (Eschw.) Müll. Arg. = *Diorygma poitaei*

xylophaga R. C. Harris = *Graphis xylophage*

GRAPHIS Adanson

analogia Nyl. (Seavey & Seavey 2011)

anfractuosa Eschw.

antillarum Vainio Syn.: *Graphina antillarum*

aperiens Müll. Arg.

appendiculata Common & Lücking (Lücking et al. 2011b)

assimilis Nyl. (Lücking et al. 2011b)

botryosa Tuck.

brittoniae F. Seavey & J. Seavey (Seavey & Seavey 2011)

bungartzii Barcenas-Peña, Lücking, Herrera-Campos & R. Miranda (Seavey et al. 2017)

caesiella Vainio

caesiocarpa Redinger (Lücking et al. 2011b)

caribica Lücking (Lücking et al. 2011b)

chlorotica A. Massal. (Seavey & Seavey 2011)

chromothecia R. C. Harris
cincta (Pers.) Aptroot (Seavey & Seavey 2011)
conferta Zenker (Lücking et al. 2011b)
crebra Vainio (Seavey & Seavey 2011)
cupei Vainio ex Lücking (Lücking et al. 2011b)
dendrogramma Nyl. (Seavey & Seavey 2011)
desquamescens (Fée) Zahlbr.
disserpens Nyl. (Lücking et al. 2011b)
elegans (Borrer ex Sm.) Ach.
elevata F. Seavey & J. Seavey (Seavey & Seavey 2011)
endoxantha Nyl. (Lücking 2009)
eulectra Tuck. Syn.: Phaeographis eulectra
filiformis Adaw. & Makhija (Seavey & Seavey 2011)
furcata Fée (Seavey & Seavey 2011)
glaucescens Fée
haleana R. C. Harris
handelii Zahlbr. (Lücking et al. 2011b)
hinnulea F. Seavey & J. Seavey (Seavey & Seavey 2011)
hodgesiana Lendemer (Lendemer 2010b)
hyphosa Staiger (Lendemer 2010b)
intermedians Vainio (Lendemer 2010b)
intricata Fée
inversa R. C. Harris
koltermaniae F. Seavey & J. Seavey (Seavey et al. 2017)
leptocarpa Fée
leptoclada Müll. Arg.
librata C. Knight
lineola Ach.
lucifica R. C. Harris
modesta Zahlbr. (Seavey & Seavey 2011)
neelongata Lücking (Seavey & Seavey 2011)
oshioi M. Nakan. (Lücking et al. 2011b)
oxyclada Müll. Arg. (Lücking et al. 2011b)
paralleloides M. Cáceres & Lücking (Seavey et al. 2014)
parilis Kremp. Syn.: Graphina parilis (Lücking et al. 2008)
pergracilis (Zahlbr.) Lücking & A. W. Archer (Lücking & McCune 2012)
perstriatula Nyl. (Seavey et al. 2017)
pinicola Zahlbr. (Lendemer 2010b)
platycarpella Müll. Arg.
proserpens Vainio (Tucker 1981)
pseudoserpens Chaves, Lücking & Umaña (Seavey et al. 2017)
pyrrhocheioides Zahlbr. (Seavey et al. 2014)
renschiana (Müll. Arg.) Stizenb. (Seavey & Seavey 2011)
sauroidea Leighton (Lücking et al. 2011b)
schiffneri Zahlbr. (Seavey et al. 2014)
scripta (L.) Ach.
sophisticascens (Nyl.) Zahlbr. (Harris & Ladd 2005; Tripp et al. 2010)
stellata M. Cáceres & Lücking (Lücking et al. 2011b)
striatula (Ach.) Sprengel
supracola A. W. Archer (Seavey & Seavey 2011)
tenella Ach.
xylophaga (R. C. Harris) Lendemer Syn.: Graphina xylophaga (Lendemer & Knudsen 2008b)
acharii Fée = Allographa acharii
afzelii Ach. = Dyploblabia afzelii
amicta Nyl. (1935) = Carbacanthographis amicta (Nyl.) Staiger & Kalb (Staiger 2002) Probable misidentification for North America (Esslinger & Tucker 2009)

anguilliformis Taylor (Fink 1935) Identity uncertain; probable misidentification for North America (Esslinger & Tucker 2009)
argentata Lücking & Umaña (Lücking et al. 2011b) = *Allographa argentata*
atrorubens Tuck. ex Fink = *Dimidiographa longissima*
babingtonii Tuck. (Tuckerman 1888) = *Fissurina insculpta*
balbisina Nyl. (Fink 1935) = *G. implicata* Féé Probable misidentification for North America (Esslinger & Tucker 2009)
beaumontii Tuck. = *Fissurina insidiosa*
candidata Nyl. = *Carbacanthographis candidata*
celtidis Müll. Arg. = *G. librata*
cinerea Féé (Fink 1935) Probable misidentification for North America (Esslinger & Tucker 2009)
columbina Tuck. (Tuckerman 1888) = *Fissurina columbina*
dendritica (Ach.) Ach. (Mohr 1901) = *Phaeographis dendritica*
diversa Nyl. (Fink 1935) = *Leiorreuma exaltata* (Zahlbruckner 1924, Staiger 2002)
dumastii (Fée) Sprengel (Fink 1935) = *Fissurina dumastii* Féé Probable misidentification for North America (Esslinger & Tucker 2009)
dumastioides Fink = *Fissurina dumastioides*
elongata Zenker (Seavey et al. 2017) = *Allographa elongata*
ferrugineodisca F. Seavey & J. Seavey (Seavey et al. 2017) = *Glyphis atrofusca*
floridana Tuck. = *Platythecium floridanum*
glaucoderma Nyl. (Tuckerman 1888) = *Fissurina incrustans*
grammatis Féé = *Platythecium grammatis*
illiterata R. C. Harris = *Fissurina illiterata*
incrustans = *Fissurina incrustans*
insidiosa (C. Knight & Mitten) Hooker f. = *Fissurina insidiosa*
intertexta Müll. Arg. = *Acanthothecis aurantiaca*
inustula Stirton (Stirton 1875) = *Thalloloma anguinum*
lactea (Fée) Sprengel (Fink 1935) Identity uncertain (Esslinger & Tucker 2009)
leuconecephala Nyl. (Tuckerman 1888) = *Fissurina leuconecephala*
leucopepla Tuck. = *Acanthothecis leucopepla*
longula Kremp. (Lücking et al. 2011b) = *Allographa longula*
lumbricina Vainio = *Allographa lumbricina*
marcescens = *Carbacanthographis marcescens*
mosquitensis Tuck. = *Acanthothecis mosquitensis*
nitida (Eschw.) Tuck. = *Fissurina nitida*
nitidescens Nyl. = *Fissurina nitidescens*
pavoniana Féé = *Allographa pavoniana*
poitaeoides Nyl. = *Acanthothecis poitaeoides*
pseudocinerea Lücking (Lücking et al. 2011b) = *Allographa pseudocinerea*
radiata (Mont.) Nyl. (Fink 1935) Identity uncertain (Esslinger & Tucker 2009)
rigidula Müll. Arg. (Lendemer & Yahr 2004) = *G. leptoclada* (Lücking 2009)
ramificans Nyl. (Fink 1935) Identity uncertain (Esslinger & Tucker 2009)
rimulosa (Mont.) Trevisan = *Allographa rimulosa*
rufula Mont. = *Fissurina rufula*
saxorum Egea & Torrente (Egea & Torrente 1997) = *Redonographa saxorum* (Lücking et al. 2013a)
sculpturata Ach. (Mohr 1901) = *Phaeographis sculpturata*
scolecitis Tuck. = *Fissurina scolecitis*
scripta var. *varia* Ach. (Fink 1935) = *G. scripta*
sterlingiana E. Tripp & Lendemer (Lendemer et al. 2013) = *Allographa sterlingiana*
subamylacea Zahlbr. = *Allographa subamylacea*
subdiversa Nyl. (Fink 1935) a nomen nudum; identity uncertain
subelegans Nyl. = *G. endoxantha* (Lücking 2009)
subflexibilis Lücking & Chaves (Lücking et al. 2011b) = *Allographa subflexibilis*
subnitidula Nyl. = *Fissurina subnitidula*
subparilis Nyl. = *Fissurina rufula*

tamiamiensis Lendemer (Lendemer 2010b) = *Allographa tamiamiensis*
turbulenta Nyl. = *Anomomorpha turbulenta*
xanthospora Müll. Arg. (Lücking et al. 2011b) = *Allographa xanthospora*

GRAPHIUM Corda

***aphthosae** Alstrup & D. Hawksw. (Esslinger & Egan 1995)

GREGORELLA Lumbsch (McCune & Stone 2020)

humida (Kullh.) Lumbsch (McCune & Stone 2020)

GYALECTA Ach.

erythrozona Lettau

carneola (Ach.) Hellbom Syn. *Pachyphiale carneola* (Baloch et al. 2013a)

carneolutea (Turner) H. Olivier Syns.: *Cryptolechia carneolutea* (Lücking et al. 2019),

Gyalectina carneolutea

fagicola (Hepp ex Arnold) Kremp. Syn.: *Pachyphiale fagicola* (Baloch et al. 2013a)

flotowii Körber

foveolaris (Ach.) Schaeerer

friesii Flotow ex Körber

geoica (Wahlenb. ex Ach.) Ach. Syn.: *Secoliga geoica*

gyalizella (Nyl.) Baloch & Lücking Syn.: *Pachyphiale gyalizella* (Baloch et al. 2013a)

herrei Vězda

***hypoleuca** (Ach.) Zahlbr. (McMullin et al. 2017)

jenensis (Batsch) Zahlbr.

kukriensis (Räsänen) Räsänen

nana Tuck. Syn.: *Cryptolechia nana* (Lücking et al. 2019)

obesispora R. C. Harris & Lendemer (Lendemer et al. 2013a)

peziza (Mont.) Anzi

russula (Körber ex Nyl.) Baloch, Lumbsch & Wedin Syns.: *Belonia fennica*, *B. russula* (Baloch et al. 2013a)

truncigena (Ach.) Hepp

cupularis (Hedwig) Schaeerer = *G. jenensis*

farlowii Tuck. ex Nyl. = *Petractis farlowii*

geoica (Wahlenb. Ex Ach.) Ach. var. *trivialis* Willey ex Tuck. (Tuckerman 1882) = *Absconditella trivialis*

lamprospora Nyl. = *Bactrospora metabola* (Joseph et al. 2021)

lutea (Dickson) Tuck. = *Coenogonium luteum*

odora Ach. (Fink 1935) = *Ionaspis odora*

pineti (Ach.) Tuck. (Tuckerman 1882) = *Coenogonium pineti*

radiatilis Tuck. = *Skyttea radiatilis*

rhexoblephara (Nyl.) Tuck. (Tuckerman 1882) = *Rhexophiale rhexoblephara*

valenzueliana (Mont.) Tuck. (Tuckerman 1882) = *Ramonia valenzueliana*

GYALECTARIA Schmitt, Kalb & Lumbsch (Schmitt et al. 2010)

diluta (Björk, G. Thor & T. B. Wheeler) Schmitt, T. Strib. & Lumbsch (Schmitt et al. 2010)

GYALECTIDIUM Müll. Arg.

appendiculatum Lücking, Lendemer & E. Tripp (Lücking et al. 2007, Lendemer & Tripp 2008)

catenulatum (Cavalc. & A. A. Silva) L. I. Ferraro, Lücking & Sérus. (Lücking et al. 2007)

filicinum Müll. Arg.

floridense Safranek & Lücking (Safranek & Lücking 2005)

imperfectum Vězda (Ferraro, Lücking & Sérusiaux 2001)

paolae Herrera-Campos & Lücking (Sanders & de los Ríos 2015)

tuckerae Lücking & Lendemer (Lücking et al. 2007)

ulloae Herrera-Campos & Lücking (Lücking et al. 2011b)

viride Lücking, W. R. Buck & Rivas Plata (Lücking et al. 2007)

yahriae W. R. Buck & Sérus. (Buck & Sérusiaux 2000)
rotuliforme Müll. Arg. = *Asterothyrium rotuliforme*

GYALECTINA Vězda = **GYLECTA**
carneolutea (Turner) Vězda = [Gyalecta carneolutea](#)

GYALIDEA Lettau ex Vězda

asteriscus (Anzi) Aptroot & Lücking (Aptroot & Lücking 2003) Syn.: *Solorinella asteriscus*
fritzei (Stein) Vězda (Hutten et al. 2013)
hyalinescens (Nyl.) Vězda
lecidieopsis (A. Massal.) Lettau ex Vězda
lecidieopsis var. **eucarpa** (Servít) Vězda
lecidieopsis var. **kurdistanica** (J. Steiner) Vězda
roseola (Arnold) Lettau (Brodo 1995)
subscutellaris (Vězda) Vězda ([Spribille et al. 2020](#))
dodgei Vězda = *G. hyalinescens*
lecidieopsis var. *convarians* (Nyl.) Vězda = *G. lecidieopsis* var. *eucarpa*

GYALIDEOPSIS Vězda

africana Kalb & Vězda (Lücking et al. 2007)
americana Lücking & W. R. Buck (Lücking et al. 2007)
bartramiorum Lendemer (Lendemer 2017b)
berenice (Ellis & Everh.) Lücking & W. R. Buck
buckii Lücking, Sérus. & Vězda (Lücking et al. 2007) Syn.: *Tricharia vezdae*
epicorticis (A. Funk) Tønsberg & Vězda (Lücking et al. 2007) Syn.: *Microlychnus epicorticis*
floridae Etayo & Diederich (Etayo & Diederich 2001)
helvetica van den Boom & Vězda ([Spribille & Björk 2008](#))
lambinonii Vězda (Lücking et al. 2007)
macarthuri Lücking, Umaña & Aptroot (Lücking et al. 2007)
mexicana Tretiach, Giralt & Vězda (Lendemer 2011a, Lendemer & Tripp 2014)
moodyae Lendemer & Lücking (Lendemer & Lücking 2004)
muscicola P. James & Vězda ([Spribille et al. 2020](#))
ozarkensis Lücking, W. R. Buck & R. C. Harris (Lücking et al. 2007)
piceicola (Nyl.) Vězda & Poelt
pusilla Lücking & Tønsberg (Lücking & Tønsberg 2016)
sessile W. B. Sanders & Lücking (Sanders & Lücking 2015)
subaequatoriana Lücking & W. R. Buck (Lücking et al. 2007)
submonospora Lücking & W. R. Buck (Lücking et al. 2007)
vainioi Kalb & Vězda var. **semicirculata** Lücking & W. R. Buck (Lücking et al. 2007)
vainioi Kalb & Vězda var. **vainioi**
wesselsii Lücking, Sipman & Chaves (Lücking et al. 2007)
alnicola W. Noble & Vězda = *G. piceicola*
anastomosans P. James & Vězda = *Jamesiella anastomosans*
athalloides (Nyl.) Vězda = *Diploschistella athalloides*
muscicola P. James & Vězda (Tønsberg 1997) = misidentification of *G. moodyae* (Lücking et al. 2007)

GYALOLECHIA A. Massal. (Arup et al. 2013)

allochroa (Y. Joshi, Vondrák & Hur) Søchting, Frödén & Arup ([Spribille et al. 2020](#))
bracteata (Hoffm.) A. Massal. subsp. **bracteata** Syn.: *Caloplaca bracteata*, *Fulglesia bracteata*
bracteata subsp. **bracteata** var. **alpina** (Th. Fr.) ined. Syn.: *Fulglesia bracteata* subsp. *bracteata*
var. *alpina*
bracteata subsp. **deformis** (Poelt) Hafellner & Türk Syn.: *Fulglesia bracteata* subsp. *deformis*
desertorum (Tomin) Søchting, Frödén & Arup Syn.: *Fulglesia desertorum*
epiphyta (Lynge) Vondrák Sys.: *Caloplaca arizonica*, *C. epiphyta* (Vondrák et al. 2016)
flavorubescens (Hudson) Søchting, Frödén & Arup Sys.: *Caloplaca aurantiaca*, *C.*

flavorubescens
flavovirescens (Wulff) Søchting, Frödén & Arup Syns.: *Caloplaca erythrella*, *C. flavovirescens*
fulgens (Sw.) Søchting, Frödén & Arup Syns.: *Caloplaca fulgens*, *Fulgensia fulgens*, *Placodium fulgens*
persimilis (Wetmore) Søchting, Frödén & Arup Syn.: *Caloplaca persimilis*
stantonii (W. A. Weber ex Arup) Søchting, Frödén & Arup Syn.: *Caloplaca stantonii*
stipitata (Wetmore) Søchting, Frödén & Arup Syn.: *Caloplaca stipitata*
subbracteata (Nyl.) Søchting, Frödén & Arup Syn.: *Fulgensia subbracteata*
xanthostigmoidea (Räsänen) Søchting, Frödén & Arup Syns.: *C. discolor*, *C. xanthostigmoidea*,
Placodium ferrugineum var. *discolor*
arizonica (H. Magn.) Søchting, Frödén & Arup = *G. epiphyta* (Vondrák et al. 2016)

GYMNODERMA Nyl.
lineare (A. Evans) Yoshim. & Sharp = *Cetradonia linearis*

GYPSOPLACA Timdal
macrophylla (Zahlbr.) Timdal
rosulata H. X. Shi, Li S. Wang and Timdal (Shi et al. 2018)

GYROGRAPHA Ertz & Tehler (Ertz et al. 2015b)
gyrocarpa (Flotow) Ertz & Tehler Syn.: *Opegrapha gyrocarpa* (Ertz et al. 2015b)

GYROPHORA Ach. = **UMBILICARIA**
angulata (Tuck.) Herre = *Umbilicaria angulata*
anthracina (Wulff) Körber = *Umbilicaria rigida*
arctica Ach. = *Umbilicaria arctica*
cylindrica (L.) Ach. = *Umbilicaria cylindrica*
decussata (Vill.) Zahlbr. = *Umbilicaria decussata*
deusta (L.) Ach. = *Umbilicaria deusta*
dillenii (Tuck.) Müll. Arg. = *Umbilicaria mammulata*
erosa (G. Weber) Ach. = *Umbilicaria torrefacta*
flocculosa (Wulff) Turner & Borrer = *Umbilicaria deusta*
grisea Swartz (Fink 1935) = *Umbilicaria grisea* Hoffm. = misidentification for North America
(Esslinger & Tucker 2009)
hyperborea Ach. = *Umbilicaria hyperborea* var. *hyperborea*
muhlenbergii Ach. = *Umbilicaria muhlenbergii*
phaea (Tuck.) Nyl. = *Umbilicaria phaea*
polyphylla (L.) Funck = *Umbilicaria polyphylla*
polyyrrhiza (L.) Körber = *Umbilicaria polyyrrhiza*
proboscidea (L.) Ach. (Fink 1935) = *Umbilicaria proboscidea*
rugifera (Nyl.) Th. Fr. (Fink 1935) = *Umbilicaria virginis* (Llano 1950)
torrefacta (Lightf.) Cromb. (Fink 1935) = *Umbilicaria torrefacta*
vellea (L.) Ach. = *Umbilicaria vellea*

GYROPHTHORUS Hafellner & Sancho (McCune 2020b)
***perforans** Hafellner & Sancho (McCune 2020b)

GYROSTOMUM Fr.
curtisii Tuck. (Fink 1935) = *Baculifera curtisii*
scyphuliferum (Ach.) Nyl. = *Glyphis scyphuliferum*

HAEMATOMMA A. Massal.
accoleens (Stirton) Hillm. (Staiger & Kalb 1995)
americanum Kalb & Staiger (Staiger & Kalb 1995)
fenzlianum A. Massal. (Staiger & Kalb 1995)
flexuosum Hillm. (Staiger & Kalb 1995)

guyanense Kalb & Staiger (Brodo et al. 2008)
leprariooides (Vainio) Vainio (Brodo et al. 2008)
ochroleucum (Necker) J. R. Laundon var. **ochroleucum**
ochroleucum (Necker) J. R. Laundon var. **porphyrium** (Pers.) J. R. Laundon Syn.: H.
 porphyrium
persoonii (Fée) A. Massal. (Staiger & Kalb 1995)
rufidulum (Fée) A. Massal. (Staiger & Kalb 1995)
 caesium Coppins & P. James = Mycoblastus caesius
 californicum Sigal & D. Toren = Ophioparma rubricosa (Ekman 1996)
 cismonicum Beltr. = Loxospora cismonica
 coccineum (Dickson) Körber = misidentification for North America
 elatinum (Ach.) A. Massal. = Loxospora elatina
 lapponicum Räsänen = Ophioparma lapponica
 ochrophaeum (Tuck.) A. Massal. = Loxospora ochrophaeum
 pacificum Hasse = Ophioparma rubricosa (Staiger & Kalb 1995, Ekman 1996)
 porphyrium (Pers.) Zopf = H. ochroleucum var. porphyrium
 puniceum (Sw.) A. Massal. North American records are H. persoonii
 pustulatum Brodo & W. L. Culb. = Lepra pustulata
 rappii Zahlbr. = Schismatomma rappii
 subpuniceum (Fée) B. de Lesd. = H. fenzlianum
 ventosum (L.) A. Massal. = Ophioparma ventosa

HAFELLIA Kalb, H. Mayrhofer & Scheid. = Buellia (Nordin & Tibell 2005)
 arnoldii (Servít) Hafellner & Türk = Buellia arnoldii
 bahiana (Malme) Sheard = Buellia bahiana
 bahiana var. pleiotera (Malme) Sheard = Buellia pleiotera (Perlmutter & Rivas Plata 2018)
 bahiana var. pleiotropa (Malme) Sheard = Buellia pleiotropa (Perlmutter & Rivas Plata 2018)
 callispora (C. Knight) H. Mayrhofer & Sheard = Buellia callispora
 curatellae (Malme) Marbach (Marbach 2000) = Buellia curatellae
 disciformis (Fr.) Marbach & H. Mayrhofer = Buellia disciformis
 fosteri Imshaug & Sheard = a species of Buellia
 parastata (Nyl.) Kalb = Buellia parastata
 pleiotera (Malme) Marbach (Hansen et al. 2008) = Buellia pleiotera

HAFELLNERA Houmeau & Cl. Roux
 parasemella (Nyl.) Houmeau & Cl. Roux = Schaereria parasemella

HALECANIA M. Mayrhofer
 #**alpivaga** (Th. Fr.) M. Mayrhofer Syns.: Lecania alpivaga, L. disceptans, L. thallophila, Lecanora
 disceptans
athallina Fryday (Spribille et al. 2020)
australis Lumbsch (van den Boom & Ryan 2004a)
pepegospora (H. Magn.) van den Boom (van den Boom & Elix 2005) Syn.: Lecania pepegospora
viridescens Coppins & P. James

HALEGRApha Rivas Plata & Lücking (Lücking et al. 2011a, 2011b)
floridana Common & Lücking

HALOSPORA (Zschacke) Tomas. & Cif.
 ***discrepans** (J. Lahm ex Arnold) Hafellner (Dillman et al. 2012)

HARPIDIUM Körber
nashii Scheid. (Schultz et al. 2000)
 glaucophanum (Hasse) Hasse = Rhizoplaca glaucophana

HASSEA Zahlbr.

*bacillosa (Nyl.) Zahlbr. = Sarcopyrenia bacillosa

HAZSLINSZKYA Körber (Ertz & Diederich 2015)

gibberulosa (Ach.) Körber Misidentifications for North America (Perlmutter et al. 2015)

HAWKSWORTHIANA U. Braun

*peltigericola (D. Hawks.) U. Braun

HEIOMASIA Nelsen, Lücking & Rivas Plata (Nelsen & Lücking 2010 [2011])

seaveyorum Nelsen & Lücking

HELMINTHOCARPON Féé

leprevostii Féé

HELOCARPON Th. Fr.

crassipes Th. Fr. Syns.: Lecidea crassipes, Micarea crassipes

lesdainii (Zahlbr.) Breuss (Breuss 2001)

corticola Breuss (Etayo 1998) = H. lesdainii

HEMIGRAPHIA (Müll. Arg.) R. Sant. ex D. Hawksw.

*graphidicola Diederich & Common (Diederich et al. 2019)

HENRICA B. de Lesd.

americana Breuss (Breuss 2002c)

melaspora (Taylor) Savić & Tibell Syn.: Polyblastia melaspora (Savić & Tibell 2008)

theleodes (Sommerf.) Savić, Tibell & Nav.-Ros. Syn.: Polyblastia theleodes (Savić & Tibell 2008)

HEPPIA Nägeli

adglutinata (Kremp.) A. Massal.

conchiloba Zahlbr.

despreauxii (Mont.) Tuck. (Büdel et al. 2002) Syns.: Anema dodgei, Solorinaria despreauxii (Schultz 2007b)

lutosa (Ach.) Nyl.

alumenensis Herre Excluded from North American flora; type not found.

bolanderi (Tuck.) Vainio = Peltula bolanderi

deserticola Zahlbr. = Peltula obscurans var. deserticola

euploca (Ach.) Vainio = Peltula euploca

guepinii (Delise) Nyl. = Peltula euploca

hassei Zahlbr. = [Peltula hassei](#)

leptopholis Nyl. ex Hasse = Peltula patellata

macrospora B. de Lesd. = H. conchiloba

placodizans Zahlbr. = Peltula placodizans.

planescens Nyl. Excluded from North American flora; type not found.

polyphylla B. de Lesd. = Peltula euploca

polyspora Tuck. = Peltula patellata

psammophila Nyl. = misidentification for North America

richardsii Herre = Peltula richardsii

terrena Nyl. ex Hasse = Peltula patellata

tortuosa (Nees) Vainio = Peltula tortuosa

virescens (Despr.) Nyl. = H. lutosa

zahlbruckneri Hasse = Peltula zahlbruckneri

HERPOTHALLON Tobler (Aptroot et al. 2009)

echinatum Aptroot, Lücking & Will-Wolf (Lücking et al. 2011b)

hyposticticum F. Seavey & J. Seavey (Seavey & Seavey 2014a)
rubrocinctum (Ehrenb.: Fr.) Aptroot, Lücking & G. Thor Syns. *Cryptothecia rubrocincta*, C.
sanguineum
rubroechinatum Frisch & G. Thor (Frisch et al. 2010)
antillarum (Vainio) Aptroot, Lücking & G. Thor (Lücking et al. 2011b) = *Diorygma antillarum*

HERTELIANA P. James

alaskensis (Nyl.) S. Ekman Syns.: *Bacidia alaskensis*, *Lecidea alaskensis* (Ekman 1996)
schuyleriana Lendemer (Lendemer 2016c)

HERTELIDEA Printzen & Kantvilas (Printzen & Kantvilas 2004)

botryosa (Fr.) Printzen & Kantvilas Syns.: *Biatora botryosa*, *Lecidea botryosa* (Printzen &
Kantvilas 2004)
pseudobotryosa R. C. Harris, Ladd & Printzen (Printzen & Kantvilas 2004)

HETEROCARPON Müll. Arg.

***ochroleucum** (Tuck.) Müll. Arg. Syn.: *Endocarpon ochroleucum*

HETEROCEPHALACRIA Berthier

***bachmannii** (Diederich & M. S. Christ.) Millanes & Wedin (McMullin et al. 2017, Zhurbenko &
Pino-Bodas 2017) Syn.: *Syzygospora bachmannii*
***physciacearum** (Diederich) Millanes & Wedin (Diederich et al. 2018) Syn.: *Syzygospora*
physciacearum

HETEROCYPHELIUM Vainio

leucampyx (Tuck.) Vainio

HETERODERMIA Trevisan

albicans (Pers.) Swinscow & Krog Syns.: *Anaptychia domingensis*, *A. ravenelii*, *Physcia ravenelii*
appalachensis (Kurok.) W. L. Culb. Syn.: *Anaptychia appalachensis*
boryi (Fée) K. P. Singh & S. R. Singh Syns.: *Anaptychia boryi*, *A. neoleucomelaena*
casarettiana (A. Massal.) Trevisan Syn.: *Anaptychia casarettiana*
chondroidea W. A. Weber & D. D. Awasthi Syn.: *Anaptychia chondroidea*
comosa (Eschw.) Follm. & Redón (Harris 1995b) Syn.: *Physcia comosa*
crocea R. C. Harris North American reports of *H. corallophora* belong here
dendritica (Pers.) Poelt Syn.: *Anaptychia dendritica*
diademata (Taylor) D. D. Awasthi Syn.: *Anaptychia diademata*
echinata (Taylor) W. L. Culb. Syn.: *Anaptychia echinata*
erecta Lendemer (Lendemer 2009a)
erinacea (Ach.) W. A. Weber Syns.: *Anaptychia erinacea*, *Physcia erinacea*
galactophylla (Tuck.) W. L. Culb. Syns.: *Anaptychia comosa* (for North American records), *A.*
galactophylla
granulifera (Ach.) W. L. Culb. Syns.: *Anaptychia granulifera*, *Physcia granulifera*
hypoleuca (Muhl.) Trevisan Syn.: *Anaptychia hypoleuca*
japonica (M. Satô) Swinscow & Krog
langdoniana Lendemer & E. Tripp (Tripp & Lendemer 2019)
leucomela (L.) Poelt Syns.: *Anaptychia "leucomelaena"*, *Physcia leucomela*
microphylla (Kurok.) Skorepa Questionable for N. America (Lendemer 2009a)
namaquana Brusse (Esslinger & Bratt 1998)
neglecta Lendemer, R. C. Harris & E. Tripp (Lendemer et al. 2007)
obscurata (Nyl.) Trevisan Syns.: *Anaptychia heterochroa*, *A. hypoleuca* var. *colorata*, *A.*
obscurata, *A. soreniifera*
palpebrata (Taylor) Vainio (Moberg 2011)
podocarpa (Bél.) Awasthi (Moberg & Nash 1999)
pseudospeciosa (Kurok.) W. L. Culb. Syn.: *Anaptychia pseudospeciosa*
rugulosa (Kurok.) Wetmore

sitchensis Goward & W. Noble
speciosa (Wulfen) Trevisan Syns.: Anaptychia pseudospeciosa var. tremulans, A. speciosa
squamulosa (Degel.) W. L. Culb. Syn.: Anaptychia squamulosa
tropica (Kurok.) Sipman Syn.: Anaptychia tropica (Marcano et al. 1996)
barbifera (Nyl.) K. P. Singh = misidentification for N.A. (Lendemer 2009a)
corallophora (Taylor) Skorepa = H. crocea for North American reports
domingensis (Ach.) Trevisan = H. albicans
leucomelaena (L.) Poelt = H. leucomela
neoleucomelaena (Kurok.) Follmann & Redón = H. boryi
propagulifera (Vainio) J. P. Dey = misidentification for North America, mostly H. neglecta
(Lendemer et al. 2007)
tremulans (Müll. Arg.) W. L. Culb. = H. speciosa

HETEROPLACIDIUM Breuss (Breuss 1996)

#compactum (A. Massal.) Gueidan & Cl. Roux (Prieto et al. 2012) Syns.: Catapyrenium compactum, Dermatocarpon compactum, Verrucaria compacta
congestum (Breuss & McCune) Breuss Syn.: Catapyrenium congestum
#transmutans K. Knudsen, Breuss & Kocourk. (Knudsen et al. 2014a)
#zamenhofianum (Clauzade & Cl. Roux) Cl. Roux (Kocourková et al. 2012) Syn.: Verrucaria zamenhofiana
acarosporoides (Zahlbr.) Breuss = Placidium acarosporoides
podolepis (Breuss) Breuss = Placidium podolepis

HETEROTHECIUM Flotow

augustinii (Tuck.) Tuck. (Tuckerman 1888) = Lopadium augustinii
conpersum (Fée) Flotow = Piccolia conpersa
domingense (Pers.) Flotow = Letrouitia domingense
grossum (Pers. ex Nyl.) Tuck. (Tuckerman 1888) = Megalaria grossa
leptocheilum Tuck. (Tuckerman 1888) = Megalaria leptocheila
leucoxanthum (Sprengel) A. Massal. = Brigantiae leucoxantha
nannarium Tuck. = Piccolia nannaria
pachycheilum Tuck. = Megalospora pachycheila
pezizoideum (Ach.) Stizenb. (Tuckerman 1888) = Lopodium pezizoideum
porphyrites (Tuck.) Tuck. (Tuckerman 1888) = Megalospora porphyritis
sanguinarium (L.) Flotow (Tuckerman 1888) = Mycoblastus sanguinarius
tuberculosum (Fée) Flotow = Megalospora tuberculosa
versicolor Flotow (Tuckerman 1888) = Megalaria versicolor
vulpinum (Tuck.) Tuck. (Tuckerman 1888) = Letrouitia vulpina

HOBSONIA Massee

***christiansenii** B. L. Brady & D. Hawksw. = Illosporiopsis christiansenii

HOBSONIOPSIS D. Hawksw. (Sikaroodi et al. 2001)

***santessonii** (Lowen & D. Hawksw.) D. Hawksw. (Diederich 2003)

HOMOSTEGIA Fuckel

***dermatocarpi** Alstrup & M. S. Cole (Alstrup & Cole 1998)
***hertelii** D. Hawksw., V. Atienza & M. Cole (Hawksworth et al. 2004)
***piggotii** (Berk. & Broome) P. Karsten (Esslinger & Egan 1995)
***parmelihana** (Jacz.) Vouaux (Cole & Hawksworth 2001) Erroneous report based on H. hertelii
(Hawksworth et al. 2004)

HUBBSIA W. A. Weber (Tehler et al. 1997)

californica (Räsänen) W. A. Weber Syn.: Reinkella californica
lumbricoides W. A. Weber = Schizopelte lumbricoides (Ertz & Tehler 2011), but not known north

of Mexico
parishi (Hasse) Tehler, Loht., Myllys & Sundin = *Schizopelt parishii* (Ertz & Tehler 2011)

HUILIA Zahlbr. = **PORPIDIA**

albocaerulescens (Wulfen) Hertel = *Porpidia albocaerulescens*
cinereoatra (Ach.) Hertel = *Porpidia cinereoatra*
crustulata (Ach.) Hertel = *Porpidia crustulata*
elegantior (H. Magn.) Hertel = *Amygdalaria elegantior*
flavocaerulescens (Hornem.) Hertel = *Porpidia flavigunda*
glaucohæa (Körber) Hertel = *Porpidia rugosa*
macrocarpa (DC.) Hertel = *Porpidia macrocarpa*
melinodes (Körber) Hertel = *Porpidia melinodes*
nigrocruenta (Anzi) Hertel = *Porpidia macrocarpa*
panaeola (Ach.) Hertel = *Amygdalaria panaeola*
platycarpoides (Bagl.) Hertel = *Porpidia platycarpoides*
soredizodes (Lamy ex Nyl.) Hertel = *Porpidia soredizodes*
superba (Körber) Hertel = *Porpidia superba*
tuberculosa (Sm.) P. James = *Porpidia tuberculosa*

HYALOPEZIZA Fuckel

***rapax** Huhtinen (Huhtinen et al. 2008)

HYDROPUNCTARIA Keller, Gueidan & Thüs (Gueidan et al. 2009)

alaskana Thüs & Pérez-Ort. (Spribile et al. 2020)
amphibia (Clemente) Orange (Orange 2012) Syn.: *Verrucaria amphibia*
maura (Wahlenb.) C. Keller, Gueidan & Thüs Syn.: *Verrucaria maura*
rheitrophila (Zschacke) C. Keller, Gueidan & Thüs Syns.: *Verrucaria kernstockii*, V.
rheitrophila
scabra (Vězda) C. Keller, Gueidan & Thüs (McCune et al. 2014b)

HYDROTHYRIA J. L. Russell = **PELTIGERA**

venosa J. L. Russell = *Peltigera hydrothyria*

HYMENELIA Kremp.

arctica (Lynge) Lutzoni Syn.: *Ionaspis arctica*, *I. epulotica* var. *arctica*
ceracea (Arnold) M. Choisy
cyanocarpa (Anzi) Lutzoni (Miller et al. 2005)
epulotica (Ach.) Lutzoni Syns.: *Ionaspis epulotica*, *Lecanora epulotica*, *L. epulotica* var. *subepulotica*
heteromorpha (Kremp.) Lutzoni Syns.: *Ionaspis heteromorpha*, *I. annularis*, *I. ochracella*, *I. reducta*, *I. schismatopsis*
melanocarpa (Kremp.) Arnold Syn.: *Ionaspis melanocarpa*
parva Fryday & J. W. McCarthy (Fryday & McCarthy 2018)
rhodopis (Sommerf.) Lutzoni Syns.: *Ionaspis ochromicra*, *I. rhodopis*
lacustris (With.) M. Choisy = *Ionaspis lacustris*
ochrolemma (Vainio) Gowan & Ahti = *Porpidia ochrolemma*
prevostii (Duby) Kremp. = *H. epulotica*

HYPERRHYSIA Müll. Arg.

adglutinata (Flörke) H. Mayrhofer & Poelt Syns.: *Parmelia obscura* var. *adglutinata*, *Physcia adglutinata*, *P. elaeina*, *Physciopsis adglutinata*, *P. elaeina*
confusa Essl., C. A. Morse & S. Leavitt (Esslinger et al. 2012)
minor (Fée) D. D. Awasthi Syns.: *Physcia minor*, *Physciopsis minor*
pyrithrocardia (Müll. Arg.) Moberg & Aptroot (Esslinger et al. 2012) Syn.: *Physcia adglutinata* f. *pyrithrocardia*
syncolla (Tuck. ex Nyl.) Kalb Syns.: *Physcia syncolla*, *Physciopsis syncolla*

HYPOCENOMYCE M. Choisy

scalaris (Ach. ex Lilj.) M. Choisy Syns.: Biatora ostreata, Lecidea scalaris, L. ostreata, Psora scalaris, P. ostreata
anthracophila (Nyl.) P. James & Gotth. Schneider (Timdal 2002a) = Carbonicola anthracophila
castaneocinerea (Räsänen) Timdal = Carbonicola myrmecina
friesii (Ach.) P. James & Gotth. Schneider = Xylopsora friesii
leucococca R. Sant. = Toensbergia leucococca
oligospora Timdal (Timdal 2001) = Fulgidea oligospora
praestabilis (Nyl.) Timdal = Pycnora praestabilis
sierrae Timdal (Timdal 2001) = Fulgidea sierrae
sorophora (Vainio) P. James & Poelt = Pycnora sorophora
xanthococca (Sommerf.) P. James & Gotth. Schneider = Pycnora xanthococca

HYPOGYMNIA (Nyl.) Nyl.

apinnata Goward & McCune
austerodes (Nyl.) Räsänen Syn.: Parmelia austerodes
beringiana (Krog) McCune (McCune 2008)
bitteri (Lynge) Ahti Syn.: Parmelia bitteri
canadensis Goward & McCune (Goward & McCune 2007)
castanea McCune & Krog (McCune 2008)
dichroma Goward (Goward et al. 2012)
duplicata (Ach.) Rass. Syn.: Parmelia elongata (Spribille et al. 2010)
enteromorpha (Ach.) Nyl. Syn.: Parmelia physodes var. enteromorpha
farinacea Zopf Uncertain for North America (Goward et al. 2012)
fistulosa McCune & Krog (McCune 2008)
gracilis McCune (McCune 2002)
heterophylla L. Pike
hultenii (Degel.) Krog Syn.: Cavernularia hultenii (Miądlikowska et al. 2011)
imshaugii Krog
inactiva (Krog) Ohlsson
incurvoides Rass. (McCune et al. 2006)
krogiae Ohlsson
lophyrea (Ach.) Krog Syns.: Cavernularia lophyrea, Parmelia lophyrea (Miądlikowska et al. 2011), P. cribellata
lugubris (Pers.) Krog
minilobata McCune & Schoch (McCune & Schoch 2009)
mollis L. Pike & Hale
occidentalis L. Pike
oceanica Goward
physodes (L.) Nyl. Syns.: Parmelia duplicata var. douglasicola, P. physodes, P. physodes var. obscurata, P. oregana
protea Goward, T. Sprib. & Ahti (Goward et al. 2012)
pulverata (Nyl. ex Crombie) Elix
recurva Goward, Björk, & Hollinger (Goward et al. 2010)
rugosa (G. Merr.) L. Pike
salsa Goward (Goward et al. 2012)
schizidiata McCune (McCune 2002)
subcapitata (Nyl.) Rass.
subobscura (Vainio) Poelt Syn.: Parmelia subobscura
subphysodes (Kremp.) Filson (McCune & Rosentreter 1997)
tubulosa (Schaerer) Hav. Syn.: Parmelia tubulosa
verruculosa Goward (Goward et al. 2012)
vittata (Ach.) Parrique Syn.: Parmelia physodes var. vittata, P. vittata
wilfiana Goward, T. Sprib. & Ahti (Goward et al. 2010)
amplexa Goward, Björk & T. B. Wheeler (Lumbsch et al. 2011) = H. imshaugii (McCune et al.

2011)
atrofusca (Schaerer) Räsänen = *Brodoa atrofusca*, but North American reports are misidentifications
bitteriana (Zahlbr.) Räsänen = *H. farinacea*
elongata (Hillm.) Rass. = *H. duplicata*
encausta (Sm.) Walter Watson = *Brodoa intestiniformis* (but see below)
intestiniformis (Vill.) Räsänen = *Brodoa intestiniformis*, but North American records are misidentifications of, e.g., *Brodoa oroarctica*
metaphysodes (Asahina) Rass. = misidentification for North America (Goward et al. 2010)
oroarctica Krog = *Brodoa oroarctica*
pseudophysodes (Asahina) Rass. North American reports are *H. oceanica*

HYPOTRACHYNA (Vainio) Hale

afrorevoluta (Krog & Swinscow) Krog & Swinscow (Knudsen & Lendemer 2005b)
appalachensis Lendemer & J. L. Allen (Lendemer & Allen 2020)
britannica (D. Hawksw. & P. James) Coppins (Lendemer & Allen 2020)
catawbiensis (Degel.) Divakar, A. Crespo, Sipman, Elix & Lumbsch Syms.: *Cetrariastrum catawbiense*, *Everniastrum catawbiense*, *Parmelia sorocheila* var. *catawbiensis*
consimilis (Vainio) Hale (Lendemer & Harris 2016)
costaricensis (Nyl.) Hale
croceopustulata (Kurok.) Hale Syn.: *Parmelia croceopustulata*
cryptochlora (Vainio) D. Hawksw. & A. Crespo Syms.: *Parmelinopsis cryptochlora* (Divakar et al. 2013)
dactylifera (Vainio) Hale (Nash et al. 1998)
densirhizinata (Kurok.) Hale Syn.: *Parmelia densirhizinata*
dentella (Hale & Kurok.) Hale Syn.: *Parmelia dentella*
ensifolia (Kurok.) Hale Syms.: *Parmelia ensifolia*, *P. lobulifera* var. *insensitiva*
gondylophora (Hale) Hale Syn.: *Parmelia gondylophora*
horrescens (Taylor) Krog & Swinscow Syms.: *Parmelia horrescens*, *Parmelina horrescens*, *Parmelinopsis horrescens* (Divakar 2013)
imbricatula (Zahlbr.) Hale Syms.: *Parmelia imbricatula*, *P. lobulifera*, *P. lobulifera* var. *luteoreagens*
kauffmaniana Lendemer & J. L. Allen (Lendemer & Allen 2020)
laevigata (Sm.) Hale Syn.: *Parmelia laevigata*
livida (Taylor) Hale Syn.: *Parmelia livida*
lividescens (Kurok.) Hale (Hodkinson 2010)
meridensis Hale & López (Nash et al. 2002)
mcmulliniana Lendemer & J. L. Allen (Lendemer & Allen 2020)
minarum (Vainio) Krog & Swinscow Syms.: *Parmelia dissecta*, *P. hubrichtii*, *Parmelina dissecta*, *P. minarum*, *Parmelinopsis minarum* (Divakar 2013)
oprah Lendemer & J. L. Allen (Lendemer & Allen 2019)
oostingii (J. P. Dey) Hale Syn.: *Parmelia oostingii*
ossealba (Vainio) Park & Hale Syms.: *Parmelia formosana*
polydactyla (Krog & Swinscow) T. H. Nash
producta Hale Syn.: *Parmelia producta*
prolongata (Kurok.) Hale Syms.: *Parmelia prolongata*, *P. lobulifera* var. *sanguineoreagens*, *P. rachista*
pseudosinuosa (Asahina) Hale
pulvinata (Fée) Hale Syn.: *Parmelia pulvinata*
punoensis Kurok. & K. H. Moon (Nash et al. 2002)
pustulifera (Hale) Skorepa Syn.: *Parmelia pustulifera*
revoluta (Flörke) Hale Syn.: *Parmelia revoluta*
riparia McCune (McCune 1998a)
rockii (Zahlbr.) Hale Syn.: *Parmelia rockii*
showmanii Hale
sinuosa (Sm.) Hale Syn.: *Parmelia sinuosa*

spumosa (Asahina) Krog & Swinscow Syns.: *Parmelia spumosa*, *Parmelina spumosa*, *Parmelinopsis spumosa* (Divakar et al. 2013)
subsaxatilis (B. de Lesd.) Hale
swinscowii (Hale) Krog & Swinscow Syns.: *Parmelia swinscowii*, *Parmelina swinscowii*, *Parmelinopsis swinscowii* (Divakar et al. 2013)
taylorensis (M. E. Mitch.) Hale (Groner & Dietrich 1996)
thysanota (Kurok.) Hale Syn.: *Parmelia thysanota*
virginica (Hale) Hale Syn.: *Parmelia virginica*
formosana (Zahlbr.) Hale = *H. ossealba*
rachista (Hale) Hale = *H. prolongata*
sorocheila (Vainio) Divakar, A. Crespo, Sipman, Elix & Lumbsch Reports apparently based on *H. catawbiensis* (Egan 1987)

ICMADOPHILA Trevisan

ericetorum (L.) Zahlbr. Syn.: *Baeomyces aeruginosa*

ILLOSPORIOPSIS D. Hawksw.

***christiansenii** (B. L. Brady & D. Hawksw.) D. Hawks. (Sikaroodi et al. 2001)

ILLOSPORIUM Martius

***carneum** Fr.
**corallinum* Roberge = *Marchandiomyces corallinus*

IMMERSARIA Rambold & Pietschm.

#**athroocarpa** (Ach.) Rambold & Pietschm.
carbonoidea (J. W. Thomson) Esnault & Cl. Roux Syn.: *Lecidea carbonoidea*

IMSHAUGIA S. F. Meyer

aleurites (Ach.) S. F. Meyer Syns.: *Cetraria aleurites*, *Parmelia aleurites*, *P. ambigua* var. *albescens*, *Parmeliopsis aleurites*
placorodia (Ach.) S. F. Meyer Syns.: *Cetraria aleurites* var. *placorodia*, *Parmeliopsis placorodia*

INGVARIELLA Guderley & Lumbsch

bispora (Bagl.) Guderley & Lumbsch (Lumbsch 2004)

INODERMA (Ach.) Gray

byssaceum (Weigel) Gray Syn.: *Arthonia byssacea* (Frisch et al. 2015)

INTRALICHEN D. Hawksw. & M. S. Cole

***baccisporus** Hawksworth & M. S. Cole (Hawksworth & Cole 2002)
***christiansenii** (D. Hawksw.) D. Hawksw. & M. S. Cole Syn.: *Bispora christiansenii* (Hawksworth & Cole 2002)
***lichenicola** (M. S. Christ. & D. Hawksw.) D. Hawksw. & M. S. Cole (Kocourková et al. 2012)
***lichenum** (Diederich) D. Hawksw. & M. S. Cole (Hawksworth & Cole 2002) Syn.: *Bispora lichenum*

INVOLUCROPYRENIUM Breuss (Breuss 1996)

waltheri (Kremp.) Breuss Syn.: *Catapyrenium waltheri*, *Dermatocarpon waltheri*

IONASPIS Th. Fr.

alba Lutzoni
lacustris (With.) Lutzoni Syns.: *Hymenelia lacustris*, *Aspicilia lacustris*, *Lecanora lacustris*, *L. deplanans*
lavata H. Magn. Syn.: *Lecanora lavata*
obtecta (Vainio) R. Sant. (McCune et al. 2014b)

odora (Ach.) Th. Fr. ex Stein Syns.: Gyalecta odora, Lecanora odora
suaveolens (Fr.) Th. Fr. ex Stein
annularis H. Magn. (Thomson 1997) = Hymenelia heteromorpha
arctica Lyngé = Hymenelia arctica
chrysophana (Körber) Stein = I. suaveolens
epulotica (Ach.) Blomb. & Forssell = Hymenelia epulotica
epulotica var. arctica (Lyngé) H. Magn. = Hymenelia arctica
heteromorpha (Kremp.) Arnold = Hymenelia heteromorpha
melanocarpa (Kremp.) Arnold = Hymenelia melanocarpa
ochracella (Nyl.) H. Magn. = Hymenelia heteromorpha
ochromicra (Nyl.) Hue = Hymenelia rhodopis
reducta H. Magn. = Hymenelia heteromorpha
rhodopis (Sommerf.) Blomb. & Forssell = Hymenelia rhodopis
schismatopis (Nyl.) Hue = Hymenelia heteromorpha
spitsbergensis H. Magn. = nom. Invalidum

IVANPISUTIA S.Y. Kondr., L. Lökö & J.-S. Hur (Kondratyuk et al. 2020)
hypophaea (Printzen & Tønsberg) S. Y. Kondr. Syn.: Biatora hypophaea
ocelliformis (Nyl.) S. Y. Kondr. Syn.: Biatora ocelliformis

JAMESIELLA Lücking, Sérus. & Vězda

anastomosans (P. James & Vězda) Lücking, Sérus. & Vězda (Lücking et al. 2007) Syn.:
Gyalideopsis anastomosans
dacryoidea Fryday (Fryday & Dillman 2021)
scotica (P. James) Lücking, Sérus. & Vězda (Tønsberg 2016)

JAPEWIA Tønsberg

subaurifera Muhr & Tønsberg
tornoënsis (Nyl.) Tønsberg Syns.: Biatora tornoënsis, Lecidea tornoënsis, Mycoblastus tornoënsis
carrollii (Coppins & P. James) Tønsberg (Aptroot 1996) = misidentification for North America
(Printzen 1999)

JAPEWIELLA Printzen

dollypartoniana J. L. Allen & Lendemer (Allen & Lendemer 2015)

JARXIA D. Hawksw. (Harris 1995a)

ilicicola R. C. Harris (Harris 1995a)
thelenula R. C. Harris (Harris 1995a)

JOCATOA R. Miranda (Miranda-González et al. 2020)

agminalis (Nyl.) Lücking, Herrera-Camp. & R. Miranda Syn.: Medusulina texana

JULELLA Fabre

+asema R. C. Harris (Harris 1995a)
+dispora (Müll. Arg.) R. C. Harris (Harris 1995a) Syn.: Polyblastiopsis dispora
+fallaciosa (Arnold) R. C. Harris (Harris 1995a) Syn.: Polyblastiopsis fallaciosa
+geminella (Nyl.) R. C. Harris (Harris 1995a) Syn.: Polyblastiopsis rappii
+lactea (A. Massal.) M. E. Barr (Harris 1995a) Syn.: Polyblastiopsis lactea
+sericea (A. Massal.) Coppins (Aptroot 2002b)
+sublactea (Nyl.) R. C. Harris (Harris 1995a) Syns.: Clathroporina exigua, C. amygdalina,
Polyblastiopsis sublactaea
+taxodii R. C. Harris (Harris 1995a)
+variiformis R. C. Harris (Harris 1995a)
+vitrispora (Cooke & Harkness) M. E. Barr (Harris 1995a)

KAERNEFELTIA A. Thell & Goward (Thell & Goward 1996)

californica (Tuck.) A. Thell & Goward (Thell & Goward 1996) Syns.: *Alectoria californica*, *A. cetrariza*, *Cetraria californica*, *Cornicularia californica*, *Tuckermannopsis californica*
merrillii (Du Rietz) A. Thell & Goward (Thell & Goward 1996) Syns.: *Cetraria merrillii*, *Tuckermannopsis merrillii*

KALCHBRENNERIELLA Diederich & M. S. Christ.

***cyanescens** (Kalchbr.) Diederich & M. S. Christ. (Diederich 2002)

KARSCHIA Körber

***talcophila** (Ach.) Körber (Hafellner et al. 2002)
***athallina** (Müll. Arg.) Vouaux = *Sclerococcum athallinum*
***inops** Triebel & Rambold = *Buellia inops*

KARSTENIOMYCES D. Hawksw.

***peltigerae** (P. Karsten) D. Hawksw. (Alstrup & Cole 1998)

KEPHARTIA R. C. Harris & Lendemer (Lendemer et al. 2013)

crystalligera R. C. Harris & Lendemer
spinadiaboli R. C. Harris & Lendemer

KILIASIA Hafellner (Kistenich et al. 2018)

athallina (Hepp) Hafellner Syns.: *Catillaria athallina*, *Toninia athallina*
pennina (Schaerer) Kistenich, Timdal, Bendiksby & S. Ekman Syn.: *Toninia pennina*
philippea (Mont.) Hafellner Syns.: *Catillaria arctica*, *C. kansuensis*, *C. philippea*, *Toninia philippea*
sculpturata (H. Magn.) Kistenich, Timdal, Bendiksby & S. Ekman (Kistenich et al. 2018) Syns.: *Catillaria sculpturata*, *Toninia sculpturata*
superioris (Timdal) Timdal (Kistenich et al. 2018) Syn.: *Toninia superioris*
tristis (Müll. Arg.) Hafellner Syn.: *Toninia subnitida*

KIRSCHSTEINOTHELIA D. Hawksw. Omitted as a totally saprophytic genus

KNUFIA L. J. Hutchinson & Unter.

***peltigerae** (Fuckel) Réblová & Unter. Syn.: *Capronia peltigerae* (Réblová et al. 2013)

KOERBERIA A. Massal.

biformis A. Massal.
sonomensis (Tuck.) Henssen = *Tingiopsis sonomense* (Hafellner & Spribille 2016)

KOERBERIELLA Stein

wimmeriana (Körber) Stein

KOHLMEYERA Schatz

complicatula (Nyl.) Schatz = *Mastodia tesselata* (Kohlmeyer et al. 2004)

LABROCARPON Etayo & Pérez-Ortega

***canariense** (D. Hawksw.) Etayo & Pérez-Ortega (Seavey & Seavey 2014a)

LAETISARIA Burds.

***buckii** (Diederich & Lawrey) Diederich, Lawrey & Ghobad-Nejhad Syn.: *Marchandiomyces buckii* (Diederich et al. 2018)

LAEVIOMYCES D. Hawksw. = **LICHENODIPLIS**

**lecanoricola* M. S. Cole & D. Hawksw. (Cole & Hawksworth 2001) = *Lichenodiplis lecanoricola*
**pertusariicola* (Nyl.) D. Hawksw. = *Lichenodiplis pertusariicola*

LAHMIA Körber
fueistingii Körber = Arthrorthaphis grisea

LAMBIELLA Hertel
aliphatica T. Sprib. & Resl (Spribile et al. 2020)
arenosa McCune & Lumbsch (McCune & Lumbsch 2017)
caeca (J. Lowe) Resl & T. Sprib. Syns.: Lecidea caeca, Rimularia caeca (Resl et al. 2015)
#furvella (Nyl. ex Mudd) M. Westb. & Resl Syns.: Lecidea furvella, Rimularia furvella (Resl et al. 2015)
gyrizans (Nyl.) M. Westb. & Resl Syn.: Rimularia gyrizans (Resl et al. 2015)
impavida (Th. Fr.) M. Westb. & Resl. Syns.: Lecidea impavida, Rimularia impavida (Resl. et al. 2015)
#insularis (Nyl.) T. Sprib. (Spribile et al. 2014a) Syns.: Lecidea insularis, Rimularia insularis
sphacelata (Th. Fr.) M. Westb. & Resl Syns.: Lecidea sphacelata, Rimularia sphacelata (Resl et al. 2015)
fuscosora (Muhr & Tønsberg) M. Westb. & Resl (Seaward et al. 2017) N.A. report is Japewiella dollypartoniana (Lendemer & Brodo 2018)

LASALLIA Mérat
caroliniana (Tuck.) Davydov, Peršoh & Rambold Syn.: Umbilicaria caroliniana (Davydov et al. 2010)
papulosa (Ach.) Llano Syns.: Umbilicaria pustulata var. papulosa, U. papulosa
pensylvanica (Hoffm.) Llano Syn.: Umbilicaria pensylvanica
pustulata (L.) Mérat Syn.: Umbilicaria pustulata
pustulata subsp. papulosa (Ach.) W. A. Weber = L. papulosa

LASIOSPHAERIOPSIS D. Hawksw. & Sivan.
***lecanorae** Pérez-Ort. & Halici (Spribile et al. 2020)
***stereocaulicola** (Lindsay) O. E. Eriksson & R. Sant. (Zhurbenko & Daniëls 2003)

LATHAGRIUM (Ach.) Gray (Otálora et al. 2014)
auriforme (With.) Otálora, P. M. Jørg. & Wedin Syn.: Collema auriculatum, C. auriforme, C. granosum auct.
cristatum (L.) Otálora, P. M. Jørg. & Wedin Syns.: Collema melaenum, C. cristatum, C. cristatum var. marginale
dichotomum (With.) Otálora, P. M. Jørg. & Wedin Syns.: Collema dichotomum C. fluviatile, C. stenophyllum
fuscovirens (With.) Otálora, P. M. Jørg. & Wedin Syns.: Collema furvum, C. fuscovirens, C. tuniforme
undulatum (Flotow) Otálora, P. M. Jørg. & Wedin Syn.: Collema undulatum
undulatum var. **granulosum** (Degel.) M. Schulz & McCune (McCune et al. 2018)

LAUDERLINDSAYA J. C. David & D. Hawksw. (McCune 1997a) = Normandina (Muggia et al. 2010)
*borrii (Tul.) J. C. David & D. Hawksw. (McCune 1997a) = Normandina pulchella

LAURERA Rchb.
madreporeiformis (Eschw.) Riddle = Bathelium madreporeiforme (Harris 1995a)
megasperma (Mont.) Riddle = Astrothelium megaspernum
subdisjuncta (Müll. Arg.) R. C. Harris = Astrothelium subdisjunctum
varia (Fée) Zahlbr. = misidentification for North America

LAWALREEA Diederich
***lecanorae** Diederich (Haldeman 2020)

LAWREYA Ertz, Common, Diederich & U. Braun
***glyphidiphila** U. Braun, Common, Diederich & Ertz (Diederich et al. 2019)

LECANACTIS Körber

abietina (Ach.) Körber
[**Bacidia akompsa** (Tuck.) Fink]
californica Tuck.
dubia G. Merr.
epileuca (Nyl.) Tehler Syns.: *Platygrapha subattingens*, *Schismatomma subattingens*
salicina Zahlbr.
amylacea (Ehrh. ex Pers.) Arnold = *Lecanographa amylacea*
chloroconia Tuck. = *Cresponea chloroconia*
dimelaenoides Egea & Torrente = *Lecanographa dimelaenoides*
***grumulosa** (Dufour) Fr. = **Paralecanographa grumulosa**
illicebrosa (Dufour) Fr. = *Lecanographa amylacea*
megaspora (G. Merr.) Brodo = *L. abietina*
nashii Egea & Torrente = *Lecanographa hypothallina*
patellarioides (Nyl.) Vainio = *Bactrospora patellarioides*
premnea (Ach.) Arnold = *Cresponea premnea*
premnea var. **chloroconia** (Tuck.) Tuck. (Tuckerman 1882) = *Cresponea chloroconia*
ravenelii (Tuck.) R. C. Harris = *Opegrapha ravenelii*
subattingens (Nyl.) R. C. Harris = *L. epileuca*
subdryophila Follmann & Vězda = *Lecanographa subdryophila*
zahlbruckneri Herre (Fink 1935) = *L. californica* (Ryan & Tehler 2004)

LECANIA A. Massal.

aipospila (Wahlenb.) Th. Fr. (McCune 2017) Syn.: *Lecanora spodophaeiza*
arizonica B. D. Ryan & van den Boom (van den Boom & Ryan 2004b)
brunonis (Tuck.) Herre Syn.: *Lecanora brunonis*
#**caloplacicola** B. D. Ryan & van den Boom (van den Boom & Ryan 2004b)
chalcophila B. D. Ryan & van den Boom (van den Boom & Ryan 2004b)
coeruleorubella (Mudd) M. Mayrhofer (van den Boom & Ryan 2004b)
constricta W. A. Weber
cuprea (A. Massal.) van den Boom & Coppins Syns.: *Bacidia cuprea*, *B. cupreorosella*, *Biatora cupreorosella*, *Bilimbia cupreorosella*
cyrtaea (Ach.) Th. Fr. Syn.: *Biatora cyrtella*, *Lecidea cyrtella*
dudleyi Herre
flavescens Lyngé (Thomson 1997)
franciscana (Tuck.) K. Knudsen & Lendemer Syns.: *Biatora franciscana*, *Catillaria franciscana* (Knudsen & Lendemer 2007)
fructigena Zahlbr.
fuscella (Schaerer) Körber
fuscelloides B. D. Ryan & van den Boom (van den Boom & Ryan 2004b)
[**Catillaria groenlandica** Lyngé]
hassei (Zahlbr.) W. Noble Syn.: *Solenopsora hassei*
hydrophobica T. Sprib. & Fryday (Spribile et al. 2020)
inundata (Hepp ex Körber) M. Mayrhofer (van den Boom & Ryan 2004b)
koerberiana J. Lahm (McCune 2017)
madida Reese Naesb. & Björk (Reese Naesborg 2008)
nylanderiana A. Massal.
pacifica Zahlbr. ex B. D. Ryan & van den Boom (van den Boom & B. D. Ryan 2004b)
polycycla (Anzi) Lettau (van den Boom & B. D. Ryan 2004b)
rabenhorstii (Hepp) Arnold (van den Boom & B. D. Ryan 2004b)
ryaniana van den Boom (van den Boom & Ryan 2004b)
shastensis Herre
stigmatella (Tuck.) S. Ekman (Ekman 1996) Syns.: *Bacidia stigmatella*, *Biatora stigmatella*

subcaesia (Nyl.) B. de Lesd.
subfuscula (Nyl.) S. Ekman (Ekman 1996) Syns.: Bacidia sibiricensis, B. subfuscula
toninoides Zahlbr.
turicensis (Hepp) Müll. Arg.
albariella (Nyl.) Müll. Arg. = L. turicensis
alpivaga Th. Fr. = Halecania alpivaga
arctica Lyngé = Caloplaca diphyses
brattiae B. D. Ryan & van den Boom (van den Boom & Ryan 2004b) = L. hassei (Knudsen & Lendemer 2007)
californica (Zahlbr.) Fink = L. turicensis (van den Boom & Ryan 2004b)
croatica (Zahlbr.) Kotlov (Harris & Lendemer 2010) = *Coppinsidea croatica* (Kondratyuk et al. 2019)
cyathiformis Szatala (Tavares et al. 1997) = Solenopsora cyathiformis
cyrtellina (Nyl.) Sandst. = *Lecaniella cyrtellina*
curvescens (Mudd) A. L. Sm. = Bryonora curvescens
dimera (Nyl.) Th. Fr. = L. dubitans
disceptans (Nyl.) Lyngé = Halecania alpivaga (Dillman et al. 2011)
dubitans (Nyl.) A. L. Sm. = *Lecaniella dubitans*
erysibe (Ach.) Mudd = *Lecaniella erysibe* (Kondratyuk et al. 2019)
hutchinsiae (Nyl.) A. L. Sm. (Spribille et al. 2010) = *Lecaniella hutchinsiae* (Kondratyuk et al. 2019)
naegelii (Hepp) Diederich & van den Boom = *Lecaniella naegelii* (Ekman 1996; Kondratyuk et al. 2019)
pepegospora H. Magn. = Halecania pepegospora
perproxima auct. = uncertain species of Lecania, perhaps L. chalcophila (van den Boom & Ryan 2004b)
perproxima (Nyl.) Zahlbr. = Caloplaca atroalba (van den Boom & Ryan 2004b)
prasinoides Elenkin (Reese Naesborg 2008) = *Lecaniella prasinoides* (Kondratyuk et al. 2019)
subdispersa B. D. Ryan [non (Nyl. ex Hasse) Hasse] = L. franciscana
subdispersa (Nyl. ex Hasse) Hasse = Toninia subdispersa
syringea (Ach.) Th. Fr. = L. fuscella
tenera (Nyl.) Clauzade & Cl. Roux = Cliostomum tenera
thallophila H. Magn. = Halecania alpivaga

LECANIELLA Jatta (Kondratyuk et al. 2019)

cyrtellina (Nyl.) S. Y. Kondr. Syn.: *Lecania cyrtellina*
dubitans (Nyl.) S. Y. Kondr. Syn.: *Lecania dubitans*
erysibe (Ach.) S. Y. Kondr. Syn.: *Lecania erysibe*
hutchinsiae (Nyl.) S. Y. Kondr. Syn.: *Lecania hutchinsiae*
naegelii (Hepp) S. Y. Kondr. Syns.: *Bacidia naegelii*, *Biatora naegelii*, *Bilimbia naegelii*, *Lecania naegelii*
prasinoides (Elenkin) S. Y. Kondr. Syn.: *Lecania prasinoides*

LECANOGRAPHA Egea & Torrente

aggregata Egea & Torrente (Egea et al. 2004b, as *Lecanographa* "aff." *aggregata*)
amylacea (Ehrh. ex Pers.) Egea & Torrente Syns.: *Lecanactis amylacea*, *L. illecebrosa*, *Opegrapha illecebrosa*
brattiae (Egea & Ertz) Ertz & Tehler (Ertz & Tehler 2011) Syn.: *Opegrapha brattiae*
dimelaenoides (Egea & Torrente) Egea & Torrente Syn.: *Lecanactis dimelaenoides*
hypothallina (Zahlbr.) Egea & Torrente Syns.: *Platygrapha hypothallina*, *Schismatomma hypothallinum*, *Opegrapha hypothallina*, *O. hassei*, *Lecanactis nashii*
insolita Lendemer & K. Knudsen (Lendemer & Knudsen 2010)
lyncea (Sm.) Egea & Torrente (Egea et al. 2004b)
lynceoides (Müll. Arg.) Egea & Torrente (Egea et al. 2004b)
subdryophila (Follmann & Vězda) Egea & Torrente Syn.: *Lecanactis subdryophila*
***grumulosa** (Dufour) Egea & Torrente = *Paralecanographa grumulosa* (Diederich et al. 2018)

LECANORA Ach.

- achroa** Nyl. (Lücking et al. 2011b)
achroides Vainio
actophila Wedd.
aitema (Ach.) Hepp Syn.: Lecidea aitema
alaskensis H. Magn.
albella (Pers.) Ach. var. **albella**
albella var. **rubescens** (Imshaug & Brodo) Lumbsch
albellula Nyl. (Printzen 2001)
albocaesiella B. D. Ryan & T. H. Nash (Ryan et al. 2004)
albula (Nyl.) Hue
aleutica H. Magn.
allophana (Ach.) Nyl.
anakeestiicola Lendemer & E. Tripp (Lendemer & Tripp 2015)
annularis Lendemer & K. Knudsen (Knudsen et al. 2014c)
anopta Nyl. Syns.: Biatora pullula, Lecidea pullula (Pérez-Ortega et al. 2010)
anoptiza Nyl.
apochroeoides Vainio
appalachensis Lendemer & R. C. Harris (Lendemer et al. 2013)
arenisaxicola B. D. Ryan & T. H. Nash (Ryan et al. 2004)
argentata (Ach.) Malme
argentea Oxner & Volkova
argopholis (Ach.) Ach.
atromarginata (Ach.) Rambold & Pietschm. (Brinker 2020)
atrosulphurea (Wahlenb.) Ach.
austrocalifornica Lendemer & K. Knudsen (Lendemer & Knudsen 2009)
bicincta Ramond
boligera (Norman ex Th. Fr.) Hedl.
brandegeei (Tuck.) Davydov, Yakovcenko & Printzen (Davydov et al. 2021a, 2021b) Syns. :
Lecanora pringlei subsp. brandegeei, Lecidea brandegeei
brattiae B. D. Ryan & T. H. Nash (Ryan et al. 2004)
brodoana Lumbsch & T. H. Nash
[**Parmularia brouardii** B. de Lesd.]
bryopsora (Doppelb. & Poelt) Hafellner & Türk (Dillman et al. 2012)
cadubriae (A. Massal.) Hedl. Syns.: Lecidea cadubriae, L. ramulicola
caesiorubella Ach. subsp. **caesiorubella**
caesiorubella subsp. **glaucodes** (Nyl.) Imshaug & Brodo
caesiorubella subsp. **merrillii** Imshaug & Brodo
caesiorubella subsp. **saximontana** Imshaug & Brodo
caesiosora Poelt (Miller et al. 2005)
caesiosulphurea Vainio
californica Brodo
campestris (Schaerer) Hue
canadensis Lynge & H. Magn.
caperatica O. Asher & Lendemer (Asher & Lendemer 2018)
carneolutescens Nyl. (Lumbsch et al. 2003)
carpinea (L.) Vainio
cateilea (Ach.) A. Massal.
[**Lecidea caulophylla** (Tuck.) Zahlbr.]
cavicola Creveld (Nash et al. 1998)
cenisia Ach.
chlorotera Nyl.
chloroleprosa (Vainio) H. Magn. (Spribille et al. 2010)
chlorophaeodes Nyl.
cinereofusca H. Magn.

circumborealis Brodo & Vitik.
cladonioides Lynge
collatolica J. W. Thomson & T. H. Nash
comonduensis T. H. Nash & Hertel (Nash & Hertel 1997)
confusa Almb.
congesta Lynge
coniferarum Printzen (Printzen 2001)
conizaeoides Nyl. ex Crombie
cupressi Tuck.
darlingiae Lendemer & E. Tripp (Tripp & Lendemer 2019)
demosthenesii Lumbsch & Messuti (Lumbsch et al. 2003)
densa (Śliwa & Wetmore) Printzen (Printzen 2001)
discoënsis Lynge
ecorticata J. R. Laundon (Spribille et al. 2020)
elapheia Stizenb. (Lücking et al. 2011b)
epanora (Ach.) Ach.
epibryon (Ach.) Ach.
excludens Malme (Brodo et al. 2020)
expallens Ach.
farinaria Borrer
floridula Lumbsch
frustulosa (Dickson) Ach. (Spribille et al. 2010)
fuscescens (Sommerf.) Nyl. Syns.: Biatora fuscescens, Lecidea fuscescens
fuscidula Degel.
gangaleoides Nyl.
geophila (Th. Fr.) Poelt
***gisleriana** Müll. Arg. (Brinker 2020)
glabrata (Ach.) Malme
groenlandica Lynge
gypsicola St. Clair & Newberry (Rajvanshi et al. 1998)
helicopis (Wahlenb.) Ach. (identification uncertain)
horiza (Ach.) Lindsay
hypocarpa (Tuck.) Brodo
hypocrocinia Nyl. (Seavey & Seavey 2012)
hypopta (Ach.) Vainio Syn.: Lecidea hypopta
hypoptoides (Nyl.) Nyl.
impudens Degel. In eastern N.A. at least, a misapplied name (Lendemer et al. 2013)
imshaugii Brodo
inaurata C. A. Morse & Ladd (Morse & Ladd 2016)
insignis Degel.
intricata (Ach.) Ach.
intumescens (Rebent.) Rabenh. (Brodo et al. 2020)
iowensis Fink
jamesii J. R. Laundon (Tønsberg 1997)
kariana Räsänen
latens Printzen (Printzen 2001)
laxa (Śliwa & Wetmore) Printzen (Printzen 2001)
layana Lendemer (Lendemer 2015)
lendemeri E. Tripp & C. A. Morse (Tripp et al. 2019)
leprosa Fée
leptacina Sommerf.
leptacinella Nyl.
leucococca Sommerf. (McCune et al. 2018)
lividolutea Räsänen
louisianae B. de Lesd.
luteovernalis Brodo

marginata (Schaerer) Hertel & Rambold Syns.: Lecidea marginata, L. elata, L. purissima. See note under "Lecidea amylacea."

markjohnstonii And. Stewart, E. Tripp & Lendemer (Anderson Stewart et al. 2018)

masana Lendemer & R. C. Harris (Lendemer et al. 2013)

maxima Lynge

melaena (Hedl.) Fink

mellea W. A. Weber

meridionalis H. Magn.

microbola I. M. Lamb

microfusca Lynge

miculata Ach.

minutella Nyl.

monticola H. Magn.

mughicola Nyl.

munzii K. Knudsen & Lendemer (Knudsen & Lendemer 2009c)

nashii B. D. Ryan (Ryan et al. 2004)

neoalbomarginata Gyelnik

neodegelii B. D. Ryan & T. H. Nash Syn.: Squamarina degelii (Ryan et al. 2004)

nordenskioeldii Vainio

nothocaesieilla R. C. Harris & Lendemer (Lendemer et al. 2013)

ochraceorubescens Arnold (LaGreca & Lumbsch 2001)

orae-frigidae R. Sant.

oreinoides (Körber) Hertel & Rambold Syns.: Lecidea oreinodes, L. tennesensis, L. tessellina

orizabana Vainio (Lumbsch et al. 2003)

orosthea (Ach.) Ach. Syn.: Lecidea orosthea

pacifica Tuck. Syn.: L. tetraspora

paddensis (Tuck.) T. Sprib. Syns.: Biatora paddensis, Lecidea paddensis (McCune et al. 2014b)

pallidochlorina T. H. Nash, B. D. Ryan & Lumbsch (Ladd & Morse 2012)

pannonica Szatala (McCune 2017)

peninsularis K. Knudsen, Lendemer & Elix (Knudsen et al. 2011a)

perplexa Brodo

phaeophora (Stizenb.) H. Magn. Syns.: Lecidea phaeophora, Biatora phaeophora

phaeostigma (Körber) Almb. (Spribile et al. 2020)

phryganitis Tuck.

placidensis (Magnusson) Knoph, Leuckert & Rambold (Knoph & Leuckert 1994) Syns.: Lecidea placidensis, Lecidella placidensis, Fuscidea placidensis

plumosa Müll. Arg. (Nash et al. 1998)

poliophaea (Wahlenb.) Ach.

poluninii Lynge

polytropa (Ehrh.) Rabenh.

populicola (DC.) Duby

proserpens Nyl. (Barrett & Thomson 1975)

protervula Stirton (Stirton 1876)

pseudargentata Lumbsch (LaGreca & Lumbsch 2001)

pseudistera Nyl.

pseudolivacea Zahlbr. (Esslinger & Tucker 2009)

pseudomellea B. D. Ryan

pseudosarcopidoides M. Brand & van den Boom (Hutten et al. 2013)

pulicaris (Pers.) Ach.

reagens Norman

remota K. Knudsen & Lendemer (Knudsen et al. 2017)

rhodi Szatala (LaGreca & Lumbsch 2001)

rubicunda Bagl.

rupicola (L.) Zahlbr. Syns.: Glaucomaria rupicola, G. sordida

sachsiana E. Tripp & Lendemer (Tripp & Lendemer 2019)

salicicola H. Magn.

saligna (Schrader) Zahlbr. Syn.: Lecanoropsis saligna
sarcopidoides (A. Massal.) Hedl. (Hutten et al. 2013)
saxigena Lendemer & R. C. Harris (Lendemer & Harris 2014d)
scrobiculata (Th. Fr.) Øvstedral & Elix Syn.: Lecidea scrobiculata (Elix & Øvstedral 2004)
semitensis (Tuck.) Zahlbr.
sierrae B. D. Ryan & T. H. Nash
simeonensis K. Knudsen & Lendemer (Lendemer & Knudsen 2009)
sophodopsella Nyl.
soralifera (Suza) Räsänen (McCune 2017)
stanislai Guzow-Krzemińska, Łubek, Malíček & Kukwa (Guzow-Krzemińska et al. 2017)
stenotropa Nyl. (LaGreca & Lumbsch 2001)
stramineoalbida Vainio (Lendemer & Knudsen 2011)
strobilina (Sprengel) Kieffer
subaurea Zahlbr. (missing from ver. 21 & 22)
subcarnea (Lilj.) Ach. (missing from ver. 21 & 22)
subcavicola B. D. Ryan (Ryan et al. 2004)
subimmersens Vainio
subintricata (Nyl.) Th. Fr.
subpallens Zahlbr. (Lumbsch et al. 1997, Lendemer 2004e)
subravida Nyl. (Hutten et al. 2013)
subrugosa Nyl.
subsaligna M. Brand & van den Boom (van den Boom & Brand 2008)
substrobilina Printzen (Printzen 2001)
sulphurea (Hoffm.) Ach. Syn.: Lecidea sulphurea
swartzii (Ach.) Ach. (Nash et al. 1998)
symmicta (Ach.) Ach. Syn.: Lecidea symmicta
texana W. A. Weber
#thallophila H. Magn.
thysanophora R. C. Harris (Harris et al. 2000)
tristiuscula H. Magn.
tropica Zahlbr. (Seavey & Seavey 2012)
umbrosa Degel.
urceolaria (Fr.) Wetm.
utahensis H. Magn. (Knudsen 2012)
valesiaca (Müll. Arg.) Stizenb.
varia (Hoffm.) Ach.
vegae Malme
viridipruinosa M. Svenss. & T. Sprib. (Spribble et al. 2020)
viriduloflava B. de Lesd.
willeyi Tuck.
wisconsinensis H. Magn.
xanthosora B. D. Ryan & Poelt
xylophila Hue
zeroensis Lendemer (Knudsen et al. 2011b)
agardhiana Ach. (Śliwa 2007b) = Myriolecis agardhiana
albescens (Hoffm.) Branth & Rostrup (Śliwa 2007b, Laundon 2010) = Myriolecis albescens
albomarginata (B. de Lesd.) Zahlbr. = Aspicilia albomarginata
albopruinosa Looman = Circinaria contorta (McCune et al. 2014b, Perlmutter & Rivas Plata 2020)
alboradiata H. Magn. = Aspicilia alboradiata
aliena Zahlbr. = Aspicilia aliena
alphoplaca (Wahlenb.) Ach. = Lobothallia alphoplaca
alpina Sommerf. = Bellemerea alpina
americana (B. de Lesd.) Zahlbr. = Aspicilia americana
andrewii B. de Lesd. (Śliwa 2007b) = Myriolecis andrewii
annulata Lynge = Aspicilia annulata
anseris Lynge = Aspicilia anseris

applegatei Herre = *Bellemerea alpina* (Owe-Larsson & Ryan 2007)
 aquatica (Körber) Hepp = *Aspicilia aquatica*
 arctica Lyngé = *Aspicilia arctica*
 arizonica (Tuck. ex Willey) W. A. Weber = *Omphalora arizonica*
 athroocarpa Duby (Tuckerman 1882) Identity uncertain.
 atra (Hudson) Ach. = *Tephromela atra*
 atriseda (Fr.) Nyl. = *Protoparmelia atriseda*
 atrosanguinea G. Merr. = *Caloplaca atrosanguinea*
 atrynea (Ach.) Röhl. = *Lecanora cenisia*
 badia (Hoffm.) Ach. = *Protoparmelia badia*
barkmaniana Aptroot & Herk (Kaminsky et al. 2013) = misidentification of *L. floridula*
 (Lendemer & Harris 2014b)
 basaltica Lyngé = *Aspicilia narssaqueensis*
 beringii Nyl. ("behringii") = *L. zosterae* var. *beringii* (Śliwa 2007b)
 bipruinosa Fink = *Protoparmeliopsis bipruinosa*
 bockii (Fr.) Rabenh. = *Rimularia gibbosa*
 bolanderi Tuck. = *Cladidium bolanderi*
 brunonis Tuck. (Tuckerman 1882) = *Lecania brunonis*
 caesiocinerea Nyl. ex Malbr. = *Circinaria caesiocinerea*
 caesiopruinosa H. Magn. = *Aspicilia caesiopruinosa*
 caesiorubella subsp. *lathamii* Imshaug & Brodo = *L. subpallens*
 caesiorubella subsp. *prolifera* (Fink) R. C. Harris = *L. subpallens*
 calcarea (L.) Sommerf. = *Circinaria calcarea*
 calcarea var. *contorta* (Hoffm.) Hepp (Tuckerman 1882) = *Circinaria contorta*
 calcarea var. ? *hoffmannii* Nyl. (Tuckerman 1882) Identity uncertain, a later homonym of *L.*
 calcarea var. *hoffmannii* (Ach.) Sommerf.
 canceriformis (Hoffm.) Vainio = *L. caesiorubella* Ach. subsp. *caesiorubella*
 candida (Anzi) Nyl. = *Aspicilia candida*
 candida (Anzi) Nyl. var. *nikrapensis* (Darb.) Oxner (Barrett & Thomson 1975) = *Aspicilia candida*
 carlottiana Lewis & Śliwa (Lewis & Śliwa 2012) = *Myriolecis carlottiana*
 cascadiensis H. Magn. = *Protoparmeliopsis garovagliai*
 castanea (Hepp) Th. Fr. = *Bryonora castanea*
 cervina (Pers.) Nyl. (Tuckerman 1882) = *Acarospora cervina*, but not known for N.A. (Knudsen & Kocourková 2020c)
 cervina var. *thamnina* Tuck. (Tuckerman 1882) = *Acarospora thamnina*
 chlarona (Ach.) Nyl. = *L. pulicaris*
 chlorophana (Wahlenb.) Ach. = *Pleopsidium chlorophanum*
 chloropolia (Erichsen) Almb. = *L. impudens* for most North American records
 chonion Tuck. (Tuckerman 1888) = *Psora crenata*
 christoi W. A. Weber = *Rhizoplaca phaedrophthalma*
 chrysoleuca (Sm.) Ach. = *Rhizoplaca chrysoleuca*
 cinerea (L.) Sommerf. = *Aspicilia cinerea*
 cinerea (L.) Sommerf. var. *gibbosa* Nyl. (Tuckerman 1882) Identity uncertain.
 cinerea var. *laevata* (Ach.) Tuck. (Tuckerman 1882) = *Aspicilia laevata*
 cinereofusca var. *appalachensis* Brodo = *L. saxigena* (Lendemer & Harris 2014d)
 cinereorufescens (Ach.) Hepp = *Bellemerea cinereorufescens*
 cingulata Zahlbr. = *Aspicilia cingulata*
 circinata (Pers.) Ach. = *Lobothallia radiosa*
 coilocarpa auct. = *L. circumborealis*
 coilocarpa (Ach.) Nyl. = *L. pulicaris*
 composita Lyngé = *Aspicilia composita*
 concinna J. W. Thomson = *Aspicilia concinna*
 conizaea auct. = *L. strobilina*
 conizaea (Ach.) Nyl. ex Crombie = *L. expallens*
 constipans (Nyl.) Nyl. (Fink 1935) = *Edrudia constipans*
 contorta (Hoffm.) J. Steiner = *Circinaria contorta*

contractula Nyl. = *Myriolecis contractula*
 crenulata Hooker (Śliwa 2007b) = *Myriolecis crenulata*
 crustacea (Savicz) Zahlbr. (Ryan & Nash 1997b) = *Protoparmeliopsis crustacea*
 degelii T. Schauer & Brodo = *L. cinereofusca* var. *cinereofusca*
 demissa (Körber) Zahlbr. = *Caloplaca demissa*
 deplanans Nyl. = *Ionaspis lacustris* (Lendemer & Yahr 2004)
 desertorum Kremp. North American reports are *Circinaria arida*
 diffracta Ach. = *Protoparmeliopsis muralis*
 diphasia Tuck. = *Caloplaca diphasia*
 disceptans Nyl. = *Halecania alpivaga* (Dillman et al. 2011)
 dispersa (Pers.) Sommerf. = *Myriolecis dispersa*
 dispersoareolata (Schaerer) Lamy = *Protoparmeliopsis dispersoareolata*
 disserpens (Zahlbr.) H. Magn. = *Aspicilia disserpens*
 distans (Pers. ex Ach.) Nyl. = *L. populicola*
 effusa (Hoffm.) Ach. = *L. saligna*
 elevata Lyngé = *Aspicilia elevata*
 elatina Ach. (Tuckerman 1882) = *Loxospora elatina*
 elatina var. minor Tuck. (Tuckerman 1882) Identity uncertain.
 elatina var. ochrophaea (Tuck.) Tuck. (Tuckerman 1882) = *Loxospora ochrophaea*
 elmorei E. D. Rudolph = *Circinaria elmorei*
 epulotica (Ach.) Nyl ex Crombie = *Hymenelia epulotica*
 epulotica var. subepulotica Nyl. (Tuckerman 1882) = *Hymenelia epulotica*
 erythrantha Tuck. (Fink 1935) = *Caloplaca erythrantha* (Wetmore 2007b)
 exigua f. pruinosa Merrill = *Rinodina hallii* (Sheard 2010)
 eyerdamii Herre = *L. xylophila*
 filamentosa (Stirton) Elix & Palice (Pérez-Ortega et al. 2010; Palice et al. 2011) = *Palicella*
 filamentosa (Rodriguez Flakus & Printzen 2014)
 fimbriata H. Magn. = *Aspicilia fimbriata*
 flavida Hepp = *Eiglera flavida*
 flavopunctata Tønsberg = *Myrionora* flavopunctata
 floridana Tuck. = *Caloplaca floridana*
 flotoviana Sprengel (Ryan et al. 2004) = *Myriolecis semipallida* for North American reports
 (Śliwa 2007a, Zhao et al. 2016)
 flowersiana H. Magn. = *Myriolecis flowersiana*
 frustulosa auct. N.A. in part = *L. argopholis* (Vänska 1984)
 fugiens Nyl. (Ryan et al. 2004, as *Lecanora* "aff." *fugiens*, Śliwa 2007b) = *Myriolecis fugiens*
 fuliginosa Brodo = *L. argentea*
 fulva Schwein. (Fink 1935) Identity uncertain (Harris 2004)
 fuscata (Ach.) Röhl var. oligocarpa Nyl. (Tuckerman 1882) Identity uncertain, possible
 misspelling of var. *oligospora*?
 fuscata var. rufescens (Ach.) Tuck. (Tuckerman 1882) Identity uncertain
 fuscata var. sinopica (Wahlenb.) Tuck. (Tuckerman 1882) = *Acarospora sinopica*
 fuscidula Degelius = *L. minutella* Nyl. (LaGreca & Lumbsch 2001)
 galactina (Ach.) Nyl. (Fink 1935) = *Myriolecis albescens* (Scholz 2000, Zhao et al. 2016))
 galactinula Vainio = *L. pseudistera*
 garovaglii (Körber) Zahlbr. subsp. *garovaglii* = *Protoparmeliopsis garovaglii*
 garovaglii subsp. *cascadensis* (H. Magn.) B. D. Ryan & T. H. Nash (Ryan et al. 2004) =
Protoparmeliopsis garovaglii
 geiserae B. D. Ryan (Ryan et al. 2004) = *Protoparmeliopsis geiserae*
 gelida (L.) Ach. = *Placopsis gelida*
 gibbosa (Ach.) Nyl. = *Circinaria gibbosa*
 gibbosula H. Magn. = *Circinaria gibbosa*
 glaucocarpa (Wahl.) Ach. (Tuckerman 1882) = *Acarospora glaucocarpa*
 glaucocarpa var. verrucosa Tuck. (Tuckerman 1882) = *Acarospora glaucocarpa*
 glaucomela Tuck. = *Pertusaria glaucomela*
 glaucophana Nyl. ex Hasse = *Rhizoplaca glaucophana*

glaucopsina Nyl. = *Aspicilia glaucopsina*
granatina Sommerf. = *Euopsis granatina*
granifera Ach. = *Malmidea granifera*
granulifera (Ach.) Nyl. (Fink 1935) non (Müll. Arg.) Stizenb. Identity uncertain; cited basionym
is *Parmelia granulifera* Ach., which is *Heterodermia granulifera*
grandis H. Magn. = *Protoparmelia badia*
grantii H. Magn. = *L. xylophila*
gyalectodes Nyl. = *Topelia gyalectodes*
gyrophorica Lendemer (Knudsen & Lendemer 2009c) = *Protoparmeliopsis gyrophorica*
hagenii (Ach.) Ach. = *Myriolecis hagenii*
hagenii var. sambuci (Pers.) Tuck. (Tuckerman 1882) = *Myriolecis sambuci*
haydenii Tuck. = *Rhizoplaca haydenii*
heteroplaca Zahlbr. = *Aspicilia heteroplaca*
holophaea (Mont.) Nyl. = *Solenopsora holophaea*
hypospilota Vainio = *L. oreinoides*
incusa (Fr.) Vainio = *Caloplaca demissa*
intrudens H. Magn. = *Miriquidica intrudens*
invadens H. Magn. (Śliwa 2007b) = *Myriolecis invadens*
juniperina Śliwa (Ryan et al. 2004) = *Myriolecis juniperina*
kofae B. D. Ryan & T. H. Nash = *Protoparmeliopsis kofae*
laatokkaensis (Räsänen) Poelt = *Protoparmeliopsis laatokkaensis*
lacustris (With.) Nyl. = *Ionaspis lacustris*
laevata (Ach.) Nyl. = *Aspicilia laevata*
laevis Poelt = *L. horiza*, but N. American records are *L. xylophila*
lavata (H. Magn.) Fink = *Ionaspis lavata*
lentigera (Weber) Ach. = *Squamaria lentigera*
lesleyana (Darb.) Paulson = *Aspicilia lesleyana*
limitata H. Magn. = *Aspicilia limitata*
marginalis Hasse = *Rhizoplaca marginalis*
mastoidea Lyngé = *Aspicilia berntti*
mastrucata (Wahlenb.) Ach. (Wetmore 1967) = *Sagedia mastrucata*
mazatzalensis B. D. Ryan & T. H. Nash = *Protoparmeliopsis mazatzalensis*
melanaspis (Ach.) Ach. = *Lobothallia melanaspis*
melanophthalma (DC.) Ramond = *Rhizoplaca melanophthalma*
mniaroeiza Nyl. = *Rinodina mniaroeiza*
molybdina Ach. (Tuckerman 1882) = *Acarospora molybdina*
molybdina var. ereutica (Wahlenb.) Schaeerer (Tuckerman 1882) Identity uncertain
molybdina var. microcyclos (Ach.) Ach. (Tuckerman 1882) Identity uncertain
moriooides (Blomb. ex Arnold) Blomb. = *Clauzadeana macula*
muralis (Schreber) Rabenh. = *Protoparmeliopsis muralis*
muralis var. brunneola (Mereschk.) Ryan & T. H. Nash (Nash et al. 1998) = *Protoparmeliopsis muralis*
muralis (Schreber) Rabenh. var. diffracta (Ach.) Rabenh. (Tuckerman 1882) = *Protoparmeliopsis muralis*
muralis var. saxicola (Pollich) Hepp (Tuckerman 1882) = *Protoparmeliopsis muralis*
muralis var. garovaglii (Körber) Tuck. (Tuckerman 1882) = *Protoparmeliopsis garovaglii*
muralis var. semitensis (Tuck.) Tuck. (Tuckerman 1882) = *Lecanora semitensis*
muralis var. versicolor (Pers.) Tuck. = *Protoparmeliopsis muralis*
mutabilis Sommerf. = *L. intricata*
mutabilis (Ach.) Nyl. = *Megaspora verrucosa*
myrina Fée (Fink 1935) Identity uncertain; possible orthographic error for *L. myrinii* (Esslinger & Tucker 2009)
myrinii (Fr.) Tuck. = *Aspilidea myrinii*
narssaquensis Lyngé = *Aspicilia narssaquensis*
nephaea Sommerf. = *Protoparmelia nephaea*
nevadensis H. Magn. = *Protoparmeliopsis garovaglii*

nigromarginata H. Magn. = Rhizoplaca nigromarginata
 nikrapensis (Darb.) Zahlbr. = Aspicilia nikrapensis
 novae-semliae Zahlbr. = Aspicilia novae-semliae
 novomexicana H. Magn. = Rhizoplaca novomexicana
 novomexicana B. de Lesd. = identity uncertain
 obpallens Nyl. ex Hasse = Acarospora obpallens
 occidentalis (Lynge) Lynge = L. argopholis
 ochrococca (Nyl.) Clauzade & Cl. Roux = Protoparmelia ochrococca
 oculata (Dickson) Ach. (Tuckerman 1882) = Pertusaria oculata
 odora (Ach.) Tuck. (Fink 1935) = Ionaspis odora
 olivacea (Bagl. & Carestia) J. Steiner (Herr 1911, Fink 1935) = Lecanora pseudolivacea
 olivaceopallida H. Magn. = Aspicilia olivaceopallida
 opiniconensis Brodo = Rhizoplaca opiniconensis
 oregana Tuck. = L. argopholis
 pachythallina Lynge = L. geophila
 palanderi Vainio = L. zosterae
 pallescens (L.) Röhl = Ochrolechia pallescens (L.) A. Massal., but misidentification for North America
 pallescens var. rosella Tuck. (Tuckerman 1882) = Ochrolechia trochophora
 pallescens var. upsaliensis (L.) Flotow = Ochrolechia upsaliensis
 pallida (Schreber) Rabenh. var. pallida = L. albella var. albella
 pallida (Schreber) Rabenh. var. angulosa Hoffm. (Tuckerman 1882) = Lecanora carpinea
 pallida var. cancriformis Tuck. (Tuckerman 1882) = Lecanora caesiorubella var. caesiorubella
 pallida var. rubescens Imshaug & Brodo = L. albella var. rubescens
 parisiensis Nyl. = L. horiza
 pelobotrya (Wahlenb.) Sommerf. = Amygdalaria pelobotryon
 peltata (Ramond) Steudel = Protoparmeliopsis peltata
 peltastictoides Hasse (Knudsen 2003) = Aspicilia peltastictoides (Knudsen & Kocourková 2013)
 percrenata H. Magn. (Śliwa 2007b) = Myriolecis percrenata
 pergibbosa H. Magn. = Aspicilia pergibbosa
permutata Zahlbr. = Oxneria permutata
 perpruinosa Fröberg (Śliwa 2007b) = Myriolecis perpruinosa
 perradiata Nyl. = Aspicilia perradiata
 persimilis (Th. Fr.) Nyl. = Myriolecis persimilis
 pertusa Lynge = Aspicilia pertusa
 phaedrophthalma Poelt var. phaedrophthalma = Rhizoplaca phaedrophthalma
 phaedrophthalma var. christoi (W. A. Weber) B. D. Ryan (Ryan et al. 2004) = Rhizoplaca phaedrophthalma
 phaeobola Tuck. = Protoparmelia ochrococca
 pinastri (Schaerer) H. Magn. = L. pulicaris
 pinguis Tuck. = Protoparmeliopsis pinguis
 piniperda Körber = L. albella Nyl. (Printzen 2001)
 pleiospora Nyl. = Acarospora thelococcoides
 pleistospora Nyl. = Acarospora thelococcoides
 plicigera Zahlbr. = Aspicilia plicigera
 polychroma (Anzi) Nyl. = Aspicilia polychroma
 praecrenata Nyl. = Aspicilia praecrenata
 praeradiosa Nyl. = Lobothallia praeradiosa
 pringlei (Tuck.) I. M. Lamb subsp. pringlei = *Pulvinora pringlei* (Davydov et al. 2021a)
 pringlei subsp. brandegei (Tuck.) Ryan (Ryan et al. 2004) = *Lecanora brandegeei* (Davydov et al. 2021a, 2021b)
 privigna (Ach.) Nyl. = *Acarospora privigna* (Knudsen et al. 2021b)
 privigna (Ach.) Nyl. var. clavus (DC.) Tuck. (Tuckerman 1882) = *Sarcogyne clavus*
 privigna var. pruinosa auct. (Tuckerman 1882) Identity uncertain
 privigna var. revertens Tuck. = *Acarospora privigna* (Knudsen et al. 2021b)
 pruinosa Chaub. Not in North America

pseudochlarotera Brodo = *L. hybocarpa*
punicea (Sw.) Ach. North American records are *Haematomma persoonii*
radiosa (Hoffm.) Schaeerer = *Lobothallia radios*
ramulicola (H. Magn.) Printzen & P. May (Printzen & May 2002) = *L. filamentosa*
reptans Looman = *Aspicilia reptans*
riparia G. Merr. non (Flotow) M. Steiner = *L. xylophila*
rolleana (Hue) Zahlbr. = *Aspicilia rolleana*
rosulata (Körber) Stizenb. = *Aspicilia rosulata*
rubina (Vill.) Ach. = *Rhizoplaca chrysoleuca*
rubina var. *heteromorpha* Ach. (Tuckerman 1882) = *Protoparmeliopsis peltata* ?
rubina var. *opaca* Ach. (Tuckerman 1882) Identity uncertain
rugosa auct. (Fink 1935) = *L. chlarotera* (Brodo 1984)
rugosella Zahlbr. = *L. chlarotera* (Ryan et al. 2004)
yrkaipiae H. Magn. = *Aspicilia yrkaipiae*
salina H. Magn. = *Myriolecis salina*
sambuci (Pers.) Nyl. = *Myriolecis sambuci*
sanguinea (Kremp.) Mig. = *Bellemerea sanguinea*
saxicola (Pollich) Ach. = *Protoparmeliopsis muralis*
schizochromatica Pérez-Ortega, T. Sprib. & Printzen (Pérez-Ortega et al. 2010) = *Palicella*
schizochromatica (Rodríguez Flakus & Printzen 2014)
schleicheri (Ach.) Nyl. (Tuckerman 1882) = *Acarospora schleicheri*
schofieldii Brodo (Brodo 2010) = *Myriolecis schofieldii*
scotopholis (Tuck.) Timdal = *Miriquidica scotopholis*
semipallida H. Magn. (Fryday 2004a) = *Myriolecis semipallida*
sipeana H. Magn. = *Aspicilia sipeana*
sophodopsis Nyl. (Tuckerman 1882) Identity uncertain
sordida (Pers.) Th. Fr. = *L. rupicola*
spodophaeiza Nyl. (Fink 1935, Ryan et al. 2004) = *Lecania aipospila*
stenospora Stizenb. = *Pleopsidium flavum*
straminea Ach. = *Myriolecis straminea*
stygioplaca Nyl. = *Aspicilia subradians*
subdispersa Nyl. ex Hasse = *Toninia subdispersa*
subfusca (L.) Ach. = nom. rej. prop. = *L. allophana*
subfusca (L.) Ach. var. *allophana* Ach. (Tuckerman 1882) = *Lecanora allophana*
subfusca var. *argentata* (Ach.) Boistel (Tuckerman 1882) = *Lecanora argentata*
subfusca var. *campestris* (Schaerer) Rabenh. = *Lecanora campestris*
subfusca var. *coilocarpa* Ach. (Tuckerman 1882) = *L. pulicaris*
subfusca var. *distans* (Pers.) D. Dietr. (Tuckerman 1882) = *L. populicola*
subfuscata var. *hypnorum* (Schaerer) Rabenh. (Tuckerman 1882) = identity uncertain
subfuscata H. Magn. = *L. argentata*
sublapponica Zahlbr. = *Aspicilia sublapponica*
sublivascens Nyl. = *Caloplaca demissa*
subpallida G. Merr. non C. Knight = *L. subpallens*
subradians Nyl. = *Aspicilia subradians*
subradiascens Nyl. = *Aspicilia subradians*
superfluens H. Magn. = *L. geophila*
supertegens (Arnold) Zahlbr. = *Aspicilia supertegens*
sylvestris (Nyl.) Zahlbr. = *L. rubicunda*
symmictera Nyl. = *L. symmicta*
tartarea (L.) Ach. = *Ochrolechia tartarea*
tenera (Nyl.) Crombie = *Cliostomum tenerum*
tenuis H. Magn. = *Aspicilia tenuis*
tesselina (Tuck.) Zahlbr. = *L. oreinoides*
tetraspora H. Magn. = *L. pacifica*
thamnitis Tuck. = *Cladidium bolanderi*
thamnoplaca Tuck. = *Lobothallia alphoplaca*

thelococcoides Nyl. = *Acarospora thelococcoides* (Lendemer 2004a)
 thomsonii H. Magn. = *Rhizoplaca novomexicana* (Ryan & Nash 1991, Zhao et al. 2016)
 torrida Vainio = *Myriolecis torrida*
 turbinata Poelt & Leuckert = *L. zosterae* var. *beringii* (Śliwa 2007b)
 umbrina (Ach.) A. Massal. = *L. hagenii* (Śliwa 2007b)
 urceolaria (Fr.) Wetmore = *Megaspora verrucosa*
 varia subsp. *densa* Śliwa & Wetmore (Śliwa & Wetmore 2000) = *L. densa*
 varia (Hoffm.) Ach. var. *intricata* (Ach.) Th. Fr. (Tuckerman 1882) = *Lecanora intricata*
 varia subsp. *laxa* Śliwa & Wetmore (Śliwa & Wetmore 2000) = *L. laxa*
 varia var. *polytropa* (Ehrh.) D. Dietr. (Tuckerman 1882) = *Lecanora alpigena* (Ach.) Cl. Roux, but
 this European taxon not confirmed for N.A.
 varia var. *sepincola* (Ach.) Link (Tuckerman 1882) = *Lecanora aitema*
 varia var. *symmieta* Ach. (Tuckerman 1882) = *Palicella filamentosa*
 variolascens auct. = *L. impudens* for North American records
 ventosa (L.) Ach. (Tuckerman 1882) = *Ophioparma ventosa*
 #*verrucariicola* B. D. Ryan (Ryan et al. 2004) = *Miriquidica verrucariicola* (Knudsen et al. 2015)
verrucigera (Hue) Zahlbr. = *Aspicilia verrucigera*
verrucosa (Ach.) Laurer = *Megaspora verrucosa*
verrucosa f. *mutabilis* Ach. (Tuckerman 1882) = *Megaspora verrucosa*
versicolor (Pers.) Ach. = *Protoparmeliopsis muralis*
victoriae (F. Wilson) "Tibell" Erroneous creation by typographic error (in ver. 10), should be
Mycocalicium victoriae
weberi B. D. Ryan = *Rhizoplaca weberi*
wetmorei Śliwa (Ryan et al. 2004) = *Myriolecis wetmorei*
xanthophaea Nyl. (Nylander 1891) = *Rinodina xanthophaea*, a Japanese species, not known for
 North America
xanthophana Nyl. = *Acarospora xanthophana*, but a misidentification for North America
xanthophana f. *dealbata* Tuck. (Tuckerman 1882) Identity uncertain
zosterae (Ach.) Nyl. var. *zosterae* = *Myriolecis zosterae*
zosterae var. *beringii* (Nyl.) Śliwa (Śliwa 2007b) = *Myriolecis zosterae*
zosterae var. *palanderi* (Vainio) Śliwa 2007b) = *Myriolecis zosterae*

LECANOROPSIS M. Choisy

saligna (Schrader) M. Choisy = *Lecanora saligna*

LECIDIA Ach.

albofuscescens Nyl.
amniculensis J. Lowe Possibly a syn. of *Brianaria lutulata* (Coppins & Fryday 2006b)
atomaria Th. Fr.
atrobrunnea (Ramond ex Lam. & DC.) Schaefer subsp. **atrobrunnea**
atrobrunnea subsp. **planaica** Hertel & Leuckert (Hertel & Leuckert 2011)
atromarginata H. Magn.
atroviridis (Arnold) Th. Fr.
auriculata Th. Fr. subsp. **auriculata** (Hertel & Andreev 2003)
auriculata subsp. **brachyspora** Th. Fr. (Hertel & Andreev 2003)
baffiniana H. Magn.
berengeriana (A. Massal) Th. Fr. (Spribille et al. 2020)
betulicola (Kullh.) H. Magn. f. **endamylea** (Hedl.) Hinter. (Printzen & Tønsberg 1999)
brachyspora (Th. Fr.) Nyl.
brodoana Hertel & Leuckert (Hertel & Printzen 2004)
brunneofusca H. Magn.
californica Zahlbr.
carneoalbens Nyl.
carnulenta (Tuck.) Fink Syn.: *Biatora carnulenta*
cascadensis H. Magn.
cellularis Lowe

cerviniicola B. de Lesd. (Fryday 2020)
cinerata Zahlbr.
commaculans Nyl. (Fryday 2006)
confluens (Weber) Ach.
confluentula Müll. Arg. (Knudsen & Kocourková 2014b)
congesta Fink
coriacea Holien & Palice (Holien et al. 2016)
crassilabra Müll. Arg.
crisima Nyl.
cruciaria Tuck.
cyrtidia Tuck. (Harris 1997)
deplanaica (Hertel & Leuckert) McCune Syn.: *L. atroburnnea* ssp. *deplanaica* (McCune et al. 2017)
despecta Th. Fr.
diducens Nyl.
eckfeldtii Zahlbr.
ecrustacea (Anzi ex Arnold) Arnold
enalla Nyl. (Printzen 1995)
enterophaea Vainio
epiphaea Nyl. (Spribile et al. 2010)
erythrophaea Flörke ex Sommerf.
extenuata Vainio
flavidolivens (Tuck.) Fink Syn.: *Biatora flavidolivens*
formosa (Bagl. & Carestia) Knoph & Leuckert (Knudsen et al. 2017)
fuliginosa Taylor
furvonigrans (Tuck. ex Willey) Zahlbr. (Coppins & Fryday 2006b)
fuscatoatra Nyl.
fuscoatra (L.) Ach.
globulispora Nyl. (Spribile et al. 2020)
goniophiloides B. de Lesd.
griseomarginata Fryday (Spribile et al. 2020)
haerjedalica H. Magn. (Fryday 2004a)
hassei Zahlbr.
herteliana Fryday & Coppins (Fryday & Coppins 2012)
hogani E. Tripp & Lendemer (Tripp & Lendemer 2015)
holopolia (Tuck.) Zahlbr. Syn.: *Biatora holopolia*
homosema Nyl.
hypomela Nyl.
intropallida Fink
katahdinensis Degel.
kingmanii (Hasse) Hertel & S. Ekman (Hertel & Printzen 2004)
laboriosa Müll. Arg. (Hertel 1995)
labradorica Arnold
lactea Flörke ex Schaefer (McCune et al. 2014b)
lapicida (Ach.) Ach. (Coppins 2002; Hertel & Andreev 2003)
leprarioides Tønsberg
leucothallina Arnold
lithophila (Ach.) Ach.
louisianae B. de Lesd.
lyngei Degel.
magnussonii Lyngé (Dix 1956)
malmeana Zahlbr. (Spribile et al. 2010)
mamillana Tuck.
mannii Tuck.
meiocarpa Nyl. var. **tacomensis** Printzen & Tønsberg (Printzen & Tønsberg 1999)
melaphanooides Nyl.

merrillii H. Magn.
microps Tuck. (Fink 1935, Perlmutter & Greene 2005)
micytho Tuck. ex Willey (Coppins & Fryday 2006b)
moreliensis B. de Lesd.
mutabilis Fée Syn.: Biatora mutabilis
nearingii H. Magn.
nylanderi (Anzi) Th. Fr. Syn.: Biatora nylanderi
occidentalis Lynge
olivascens Th. Fr
oreophila K. Knudsen & Kocourk. (Knudsen & Kocourková 2014a)
pacifica Herre
paupercula Th. Fr. (Hertel & Andreev 2003)
peliaspis (Tuck.) Zahlbr. Syn.: Biatora peliaspis
perlatolica Hertel & Leuckert (Hertel & Printzen 2004)
phaeopelidna Vainio
phaeops Nyl.
picea Lynge
plana (J. Lahm) Nyl.
plebeja Nyl. Syn.: Biatora myriocarpoides
polaris Lynge
polycocca Sommerf.
populina Müll. Arg. ex Nyl. Syn.: Micarea populina
praenubila Nyl.
praetermissa Tønsberg
promiscens Nyl.
promiscua Nyl. (Fryday 2020)
protabacina Nyl.
pseudaglaea Hertel (Hertel & Printzen 2004)
pulla Lowe
pumicicola H. Magn.
ramulosa Th. Fr.
rivulorum H. Magn.
roseotincta Coppins & Tønsberg
rubrocastanea T. Sprib. & Printzen (Spribble & Printzen 2007)
sarcogynoides Körber (McMullin & Lendemer 2013)
sauteri Körber (Hertel & Printzen 2004)
scabridula Hedl. nom. illeg. (Spribble & Björk 2008)
silacea Ach.
somphoterella Vainio
steineri Hertel
strasseri Zahlbr. (Spribble et al. 2010)
stratura K. Knudsen & Lendemer (Knudsen et al. 2017)
streveleri T. Sprib. (Spribble et al. 2020)
subaglaea B. de Lesd.
subcandida H. Magn.
subfilamentosa (Zahlbr.) Fryday (Fryday 2008)
subrhagadiella Lynge
swartzioidea Nyl.
syncarpa Zahlbr. (McCune 1998b)
tenayucae B. de Lesd.
tenuissima Lynge
tessellata Flörke
tessellata var. **caesia** (Anzi) Arnold
theodori Lynge
torquens Müll. Arg. = a species of Lecanora? (Printzen 1995)
trapelioides Printzen (Hertel & Printzen 2004)

truckeei Herre
turgidula Fr. Syn.: Biatora turgidula
umbonata (Hepp) Mudd
uniformis McCune (McCune et al. 2017)
varians Ach. Syns.: Biatora varians, Pyrrhospora varians (Hertel & Printzen 2004), Lecidea subtilis (Lendemer & Harris 2014c)
versicolor Schwein. (Printzen 1995)
xanthococcoides Zahlbr.
ablephora Nyl. = Ramonia ablephora
acclinis Flotow (Tuckerman 1888) = **Toninia populorum**
acrocyannea (Th. Fr.) H. Magn. = Lecidella patavina
adirondackii H. Magn. = Psilolechia clavulifera
admisca Nyl. = Trapeliopsis glaucopholis
aenea (Fr.) Nyl. = Miriquidica garovaglioi
aeruginosa Borrer = Trapeliopsis flexuosa
aglaea Sommerf. = Calvitimela aglaea
aglaeida Nyl. = Calvitimela aglaea
ahlesii (Hepp) Nyl. (Harris 1995b) = Bryobilimbia ahlesii
ahlesii var. nemoralis (J. Lowe) Fryday & Coppins (Coppins & Fryday 2006b) = Bryobilimbia ahlesii var. nemoralis
aitema Ach. = Lecanora aitema
alaiensis Vainio = Lecidella patavina
alaskensis Nyl. = Herteliana alaskensis
albidocinerella (Vainio) Vainio = Lecidella effugiens
albocaerulescens (Wulfen) Ach. = Porpidia albocaerulescens
albocaerulescens var. flavocaerulescens (Hornem.) Schaefer = Porpidia flavicunda
albohyalina (Nyl.) Th. Fr. = **Mycobilimbia albohyalina**
albonigra H. Magn. = Lecidella carpathica (Coppins & Fryday 2006b)
albosuffusa Th. Fr. = Farnoldia jurana
aleutica Degel. = Fuscidea aleutica
alpestris Sommerf. = **Protomicarea alpestris**
amabilis B. de Lesd. = Carbonea latypizodes
amaurospoda (Anzi) Vainio = Frutidella furfuracea
"amylacea" Ach. 1810" nom. illeg. Probably refers to Lecanora marginata
aniptiza Stirton = Micarea denigrata
anthracophila Nyl. = Carbonicola anthracophila
antoniensis H. Magn. = L. hassei
apochroeiza Nyl. = Biatora subduplex
arctica Sommerf. = Frutidella caesioatra
arctogena (Th. Fr.) H. Olivier = Calvitimela testaceoatra
arcuatula (Arnold) Nyl. = Fuscidea recensa var. arcuatula
armeniaca (DC.) Fr. = Calvitimela armeniaca
aromatica (Turner) Turner (Tuckerman 1888) = **Toniniopsis aromatica**
assimilata Nyl. = Micarea assimilata
assimilis (Körber) Th. Fr. = Carbonea assimilis
associata Th. Fr. = Geltingia associata
atrata (Ach.) Wahlenb. = Tremolecia atrata
atrobrunnea subsp. deplanaica Hertel & Leuckert (Hertel & Leuckert 2011) = L. deplanaica (McCune et al. 2017)
atrobrunnea subsp. saxosa Hertel & Leuckert (Hertel & Printzen 2004) = L. syncarpa (McCune et al. 2014b)
atrobrunnea subsp. stictica Hertel & Leuckert (Hertel & Printzen 2004) = L. protabacina (McCune et al. 2014b)
atrofulva Sommerf. = Miriquidica atrofulva
atrofusca (Hepp) Mudd = Bryobilimbia hypnorum
atrolutescens Nyl. = L. mannii

atronivea Arnold = *Carbonea atronivea*
austrocalifornica Zahlbr. = *Carbonea latypizodes*
berengeriana (A. Massal.) Nyl. (Hertel & Printzen 2004) = *Mycobilimbia berengeriana*
botryosa (Fr.) Th. Fr. = *Hertelidea botryosa*
brandegeei Tuck. = [Lecanora brandegeei \(Davydov et al. 2021a, 2021b\)](#)
breviuscula Nyl. (Tuckerman 1888) = *Phyllopsora breviuscula*
brouardii (B. de Lesd.) Zahlbr. = *Psorula rufonigra*
brujeriana (Schaerer) Leighton = *Ainoa mooreana*, but a misidentification for North America
cadubriae (A. Massal.) Nyl. = *Lecanora cadubriae*
caeca J. Lowe = *Lambiella caeca*
caesioatra Schaeerer = *Frutidella caesioatra*
caesiocoronata J. Lowe = *Lecidea olivascens* (Degelius 1957); belongs to *Lecanora* according to
Printzen (1995)
calcivora (Ehrh.) Nyl. = *Clauzadea immersa*
candida (Weber) Ach. (Tuckerman 1888) = *Toninia candida*
carbonoidea J. W. Thomson = *Immersaria carbonoidea*
carpathica (Körber) Szatala = *Lecidella carpathica*
catalinaria Stizenb. = *Lecidella asema*
caudata Nyl. (Fink 1935) = *Ropalospora lugubris*
caulophylla (Tuck.) Zahlbr. = a *Lecanora* sp.
chalybeiza Nyl. = *Leimonis erratica*
cinereoatra Ach. = *Porpidia cinereoatra*
cinereorufa Schaeerer = *Schaereria cinereorufa*
cinnabarina Sommerf. = *Ramboldia cinnabarina*
circumnigrata H. Magn. = *Miriquidica pulvinatula*
circumnigrata var. reagens H. Magn. = *Miriquidica lulensis*
cladonioides Th. Fr. (Tuckerman 1888) = *Carbonicola anthracophila*
coarctata (Turner ex Sm.) Nyl. = *Trapelia coarctata*
coeruleonigrans auct. (Tuckerman 1888) = [Thalloidima sedifolia](#)
[cohibilis Nyl. \(Nylander 1891\) = Buellia mamillana \(Bungartz et al. 2004a\)](#)
colludens Nyl. = *Rhizocarpon hochstetteri*
columbiana H. Magn. = *L. tessellata*
columnata J. Lowe = *Cecidonia xenophana*
conferenda Nyl. = *Adelolecia kolaensis*
contigua Fr. = *Porpidia macrocarpa*
contigua var. convexella (Wainio) Fink (Claassen 1917) = *Porpidia macrocarpa*
contigua var. hydrophila (Fr.) Fr. (Tuckerman 1888) = *Porpidia hydrophila* (Fr.) Hertel & A. J.
Schwab, but not confirmed for N.A.
coroniformis Kremp. = *Psora crenata*
crassipes (Th. Fr.) Nyl. = *Helocarpon crassipes*
crenata (Taylor) Stizenb. = *Psora crenata*
crustulata (Ach.) Sprengel = *Porpidia crustulata*
cuprea Sommerf. = *Biatora cuprea*
cuprea var. berengeriana (A. Massal.) Leighton (Tuckerman 1888) = *Mycobilimbia berengeriana*
cyanea (Ach.) Rohl. = *L. tessellata*
cyanescens Lynge = *L. lapicida*
cyathoides (Ach.) Ach. = *Fuscidea cyathoides*, but a misidentification for North America
cyratella Ach. = *Lecania cyrtella*
decipiens (Hedwig) Ach. = *Psora decipiens*
degelii H. Magn. = *Porpidia degelii* (Lendemer & Harris 2014c)
delincta Nyl. = *Bryobilimbia ahlesii* (Arup 2004, Fryday et al. 2014)
declinis Tuck. = *Catillaria nigroclavata* (Ekman 1996)
deminutula H. Magn. = *Lecidella enteroleucella* (Lendemer et al. 2019a)
demissa (Rutstr.) Ach. = *Lecidoma demissum*
[destituta Nyl. \(Nylander 1891\) = Rinodina moziana \(Sheard 2018\)](#)
deustata Zahlbr. = *Miriquidica deusta*

diapensiae Th. Fr. = *Bryobilimbia diapensiae*
 dicksonii auct. = *Tremolecia atrata*
 dicksonii (Gmelin) Ach. = *nomen dubium*
 dilutiuscula Nyl. = *Brianaria bauschiana*
 diversa J. Lowe = *Porpidia contraponenda*
 dolodes Nyl. = *Schaeraria dolodes*
 efflorescens (Hedl.) Erichsen = *Biatora efflorescens*
 elabens Fr. = *Ramboldia elabens*
 elaeochroma (Ach.) Ach. = *Lecidella elaeochroma*
 elata Schaeerer = *Lecanora marginata*
 elegantior H. Magn. = *Amygdalaria elegantior*
 ementiens Nyl. = [Myrionora ementiens](#) (Kondratyuk et al. 2019)
 endolithea Lynge = *Lecidella patavina*
 enteroleuca auct. = *Lecidella* spp.
 enteroleuca Ach. (Tuckerman 1888) = *Melaspilea enteroleuca* (Ach.) Ertz & Diederich, but not confirmed for N.A.
 enteroleuca var. achrista (Sommerf.) Tuck. (Tuckerman 1888) Identity uncertain
 enteroleuca var. aequata (Flörke) Tuck. (Tuckerman 1888) Identity uncertain
 enteroleuca var. ambigua "Anzi" (Tuckerman 1888) Identity uncertain
 enteroleuca var. flavidula Fr. (Tuckerman 1888) Identity uncertain
 enteroleuca var. theioplaca Tuck. (Tuckerman 1888) Identity uncertain
 epiiodiza Nyl. = *Schaereria endocyanea*
 epixanthoidiza Nyl. nom. rej. prop. = *Biatora efflorescens*
 erratica Körber = *Leimonis erratica*
 euphorea (Flörke) Nyl. = *Lecidella euphorea*
 evansii H. Magn. = *Lecidella carpathica*
 fissuriseda Poelt = *Mycobilimbia fissuriseda*
 flavocaeruleascens Hornem. = *Porpidia flavicunda*
 #*Lecidea flavovirescens* Borrer (Tuckerman 1888) = #*Arthrorraphis citrinella*
 flexuosa (Fr.) Nyl. = *Trapeliopsis flexuosa*
 floridensis Nyl. = *Malmidea floridensis* (Cáceres et al. 2017)
 friesii Ach. = *Xylopsora friesii*
 fumosa (Hoffm.) Ach. (Tuckerman 1888) = *Lecidea fuscoatra*
 furfuracea Pers. = *Phyllopsora furfuracea*
 furfurosa Tuck. ex Nyl. = *Malmidea furfurosa*
 furva J. Lowe = *Miriquidica plumbeoatra* (Coppins & Fryday 2006b)
 furvella Nyl. ex Mudd = *Lambiella furvella*
 fusca (Schaeerer) Th. Fr. = *Bryobilimbia hypnorum*
 fuscescens Sommerf. = *Lecanora fuscescens*
 fuscoatrina Hertel & Leuckert (Hertel & Printzen 2004) = *L. cascadiensis* (Hutten et al. 2013)
 fuscocinerea Nyl. = *Schaereria fuscocinerea*
 fuscorubens (Nyl.) Nyl. (Fink 1935) = *Clauzadea monticola* (Scholz 2000)
 garovaglioi Schaeerer = *Miriquidica garovaglioi*
 gelatinosa Flörke = *Trapeliopsis gelatinosa*
 geophana Nyl. = *Steinia geophana*
 glaucophaea Körber = *Porpidia rugosa* (Fryday 2005)
 glaucopholis Nyl. = *Trapeliopsis glaucopholis*
 glebulosa (Fr.) Clem. = *Trapeliopsis wallrothii*, but misidentifications for North America
 globulosa Flörke = [Myrionora globulosa](#)
 globifera Ach. = *Psora globifera*
 glomerulosa (DC.) Steudel = *Lecidella euphorea*
 goniophila auct. = *Lecidella anomalooides*
 granosa Tuck. = *Bacidia granosa* (Ekman 2014)
 granulata H. Magn. = *Lecidella granulata*
 granulosa (Hoffm.) Ach. = *Trapeliopsis granulosa*
 granulosa var. phyllizans Zahlbr. = *Trapeliopsis glaucopholis*

gregaria G. Merr. = *Trapelia glebulosa*
grisella Flörke ex Schaefer = *L. fuscoatra*
griseoatra (Flotow) Schaefer (Fink 1935) = *Miriquidica subplumbea*
gyrodes H. Magn. = *Fuscidea recensa* var. *arcuatula*
gyalizella Nyl. = *Gyalecta gyalizella* (Baloch et al. 2013a)
gyrophoroides Sprengel (Fink 1935) Identity uncertain (Esslinger & Tucker 2009)
hebescens Nyl. = *Porpidia albocaerulescens* (Lendemer 2004a)
helvola (Körber) Th. Fr. = *Biatora helvola*
helvola var. longispora Degel. = *Biatora longispora*
heppii R. A. Anderson & W. A. Weber = *Lecidella wulfenii*
homalodes Nyl. = *L. tessellata* Flörke (Hertel 1991)
humilis J. Lowe = *Miriquidica plumbeoatra*
humosa (Hoffm.) Nyl. = *Placynthiella uliginosa*
hypnorum Lib. = *Bryobilimbia hypnorum*
hypocrita A. Massal. = *Farnoldia hypocrita*
hypopta Ach. = *Lecanora hypopta*
icterica (Mont.) Taylor = *Psora icterica*
impavida Th. Fr. = *Lambiella impavida*
insidians Nyl. (Nylander 1891) = *Buellia insidians*, but identity uncertain
instrata Nyl. = *Miriquidica instrata*
insularis Nyl. = *Lambiella insularis*
intermediella Nyl. (Tuckerman 1888) N.A. report is *Phyllopsora parvifolia*
intermixta Nyl. (Tuckerman 1888) = *Catinaria atropurpurea*
intermixta var. lignaria Nyl. (Tuckerman 1888) = *Catinaria purpurea*
internectens Nyl. = *Biatora subduplex*
interponens Nyl. (Nylander 1891) Illegitimate later homonym; identity uncertain
intrudens H. Magn. = *Carbonia intrudens* (Dillman et al. 2012)
intumescens (Flotow) Nyl. = *Lambiella insularis*
jurana Schaefer = *Farnoldia jurana*
kochiana Hepp = *Fuscidea kochiana*, but apparently a misidentification for N.A. (Fryday 2008)
kochiana var. subreagens H. Magn. = *Fuscidea scrupulosa*
lacus-crateris H. Magn. = *Lecidella stigmata*
lapicida Fr. var. oxydata Fr. (Tuckerman 1888) Identity uncertain
lapicida var. pantherina Ach. (Hertel & Andreev 2003) = *L. lactea* (Coppins 2002)
latypea auct. non Ach. = *Lecidella carpathica*
latypea Ach. = *L. plana*
latypiza Nyl. = *Lecidella carpathica*
laureri (Hepp) Anzi = *Lecidella laureri*
laureri (Hepp ex Th. Fr.) Leighton = *Megalaria laureri*
lepidastral Tuck. = *Buellia lepidastral*
leptoboloides Nyl. = *L. laboriosa*
leucoblephara Nyl. (Tuckerman 1888) = *Byssoloma leucoblepharum*
leucophaea (Flörke ex Rabenh.) Nyl. = *Miriquidica leucophaea*
leucophaeoides Nyl. = *Miriquidica leucophaeoides*
limborina (Nyl.) Lamy = *Rimularia limborina*
limitata auct. = *Lecidella elaeochroma*
limosa Ach. = *Protomicarea limosa*
lithospersa Zahlbr. = *Farnoldia hypocrita*
lividula Nyl. (Nylander 1891) Identity uncertain; a later homonym of *L. lividula* Müll. Arg.
longiuscula Nyl. (Tuckerman 1888) N.A. report is *Phyllopsora parvifolia*
lopadioides (Th. Fr.) Grumann = *Ainoa mooreana*, but a misidentification for North America
lowensis H. Magn. = *Fuscidea lowensis*
lucida (Ach.) Ach. = *Psilolechia lucida*
lugubris Sommerf. = *Ropalospora lugubris*
lulensis (Hellbom) Stizenb. = *Miriquidica lulensis*
lurida (Ach.) DC. = *Romjularia lurida*

luridella Tuck. = *Psora luridella*
luteola (Schrader) Ach. var. *arceutina* Ach. (Tuckerman 1888) = *Bacidia arceutina*
lynceola Th. Fr. = *Micarea lynceola*, but a misidentification for N. America (Coppins & Fryday 2006b)
lynceola auct. N. Am. = *Brinaria bauschiana* (Coppins & Fryday 2006b)
lyngeana Zahlbr. = *Adelolecia pilati*
macrocarpa (DC.) Steudel = *Porpidia macrocarpa*
macrocarpa var. *trullisata* (Arnold) Mig. = *Porpidia zeoroides*
mamillaria Tuck. (Mohr 1901) Apparent typographical error for *L. mamillana*
manni Tuck. (Esslinger & Tucker 2009) Orthographic variant of *L. manni*
marciensis J. Lowe = *Miriquidica pycnocarpa* (Coppins & Fryday 2006b)
marginata Schaeerer = *Lecanora marginata*
marylandensis H. Magn. = *Miriquidica leucophaea* (Coppins & Fryday 2006b)
massata Tuck. (Tuckerman 1888) = ***Thalloidima massatum***
medialis Tuck. ex Nyl. = ***Bacidina medialis***
meiocarpa Nyl. = *Biatora meiocarpa*
meiocarpa var. *tacomensis* Printzen & Tønsberg = *Biatora meiocarpa* var. *tacomensis*
melancheima Tuck. = *Ramboldia elabens*
melinodes (Körber) H. Magn. ex Lynge = *Porpidia melinodes*
micacea Körber = *Lecidella stigmata*
michenerii (Tuck.) Identity uncertain (Esslinger & Tucker 2009)
minuta (Nyl.) Nyl. = *Biatora meiocarpa*
misella (Nyl.) Nyl. = *Micarea misella*
mollis (Wahlenb.) Nyl. = *Fuscidea mollis*
monticola Ach. = *Clauzadea monticola*
morio (Duby) Fr. (Tuckerman 1888) Identity uncertain
morio var. *coracina* Schaeerer (Tuckerman 1888) Identity uncertain
mundula Müll. Arg. = *Lecanora oreinodes* (Rambold 1989)
myriocarpella (G. Merr.) Zahlbr., nom. illeg., probable synonym of *Lecidea enalla* (Printzen 1995)
myriocarpoides Nyl. = *L. plebeja*
myrmecina Fr. (Tuckerman 1888) = *Xylopsora friesii*
neglecta Nyl. (Fink 1935) = *Lepraria neglecta*
nemoralis J. Lowe = *Bryobilimbia ahlesii* var. *nemoralis*
nivalis Anzi = *Farnoldia micropsis*
novomexicana (B. de Lesd.) W. A. Weber ex R. A. Anderson = *Psora nipponica*
oblongula H. Magn. = *Caloplaca oblongula*
obtegens Th. Fr. = *Trapelia obtegens*
occidentalis Lynge = *L. tessellata* (Hertel 1991)
ochrococca Nyl. = *Protoparmelia ochrococca*
ochrophora Nyl. = *Piccolia ochrophora*
oligotropha J. R. Laundon = *Placynthiella oligotropha*
olivacea (Hoffm.) A. Massal. = *Lecidella elaeochroma*
olivacea var. *inspersa* Degel. = *Lecidella elaeochroma* (Lendemer et al. 2019a)
oreinodes (Körber) W. A. Weber & Hertel = *Lecanora oreinoides*
ornata (Sommerf.) Hue = *Trapelia glebulosa*
orosthea (Ach.) Ach. = *Lecanora orosthea*
ostreata (Hoffm.) Schaeerer = *Hypocenomyce scalaris*
oxyspora** (Tul.) Nyl. = ***Nesolechia oxyspora
paddensis (Tuck.) Zahlbr. = *Lecanora paddensis* (McCune et al. 2014b)
pallida Th. Fr. = *Pilophorus dovrensis*
panaeola (Ach.) Ach. = *Amygdalaria panaeola*
pantherina (Ach.) Th. Fr. = *L. lactea*
parasema (Ach.) Ach. (Fink 1935) = *Lecidella elaeochroma* (Scholz 2000)
parasemella Nyl. = *Schaereria parasemella*
parvifolia Pers. = *Phyllopsora parvifolia*
parvifoliella Nyl. (Tuckerman 1888) = *Phyllopsora parvifoliella*

patellariooides Nyl. (Tuckerman 1888) = *Bactrospora patellariooides*
"pelobotrion" = *Amygdalaria pelobotryon*
pelobotrya (Wahlenb.) Leighton = *Amygdalaria pelobotryon*
petri (Tuck.) Zahlbr. = *Romjularia lurida*
phaeophora Stizenb. = *Lecanora phaeophora*
phylliscina Nyl. = *Porpidia macrocarpa*
pilati (Hepp) Körber = *Adelolecia pilati*
placidensis H. Magn. = *Lecanora placidensis*
planetica Tuck. ex Willey = *Leimonis erratica*
platycarpa Ach. = *Porpidia macrocarpa*
plumbeoatra Vainio = *Miriquidica plumbeoatra*
polycarpa Flörke (Fink 1935) = *L. lropicida* (Santesson et al. 2004)
porphyrospoda (Anzi) Th. Fr. = *Myochroidea porphyrospoda*
praeruptorum Du Rietz & H. Magn. = *Fuscidea praeruptorum*
prasinula (Wedd.) B. de Lesd. = *Lecidella scabra*
pringlei Tuck. = [Pulvinora pringlei](#) (Davydov et al. 2021a)
pruinosa Ach. = *L. lithophila*
pulcherrima Vainio = *Anamylopsora pulcherrima*
pullata (Norman) Th. Fr. (Jørgensen et al. 2002) = *Frutidella furfuracea*
pullula (Tuck.) Zahlbr. = *Lecanora anopta*
punctella (Willey) Zahlbr. = *Micarea rhabdogena*
purissima Darb. = *Lecanora marginata*
pycnocarpa (Körber) Ohlert = *Miriquidica pycnocarpa*
quadricolor (Dickson) Borrer = *Trapeliopsis granulosa*
quernea (Dickson) Ach. = *Pyrrhospora quernea*
ramulicola H. Magn. = *Lecanora cadubriae*
recedens Nyl. = a non-lichenized fungus
recensa Stirton = *Fuscidea recensa*
rhaetica Hepp ex Th. Fr. = *Farnoldia micropsis*
rivulosa Ach. = *Fuscidea cyathoides*, but a misidentification for North America
rubiformis (Ach.) Wahlenb. = *Psora rubiformis*
rufofusca (Anzi) Nyl. = *Myochroidea rufofusca*
rufonigra (Tuck.) Nyl. = *Psorula rufonigra*
ruginosa Tuck. (Tuckerman 1888) = [Bibbya ruginosa](#)
rugosa J. Lowe = *Schaereria cinereorufa* (Coppins & Fryday 2006b)
russellii Tuck. = *Psora russellii*
russula Ach. = *Ramboldia russula*
salweyi Borrer (Tuckerman 1888) = *Trapeliopsis wallrothii*, a misidentification for N.A. (McCune et al. 2002)
sanguineoatra sens. Nyl. = *Bryobilimbia hypnorum*
santae-monicae H. Magn. = *L. laboriosa* (Knudsen & Lendemer 2005a)
santensis Tuck. = *Phyllopsora santens*
saxosa R. A. Anderson = *L. syncarpa* (Hertel 1995, Leuckert & Hertel 2003)
scabra Taylor = *Lecidella scabra*
scalaris (Ach. ex Lilj.) Ach. = *Hypocenomyce scalaris*
schizopeltica Hertel & Leuckert (Hertel & Printzen 2004, Hertel & Leuckert 2011) = *L. truckeei* (Lendemer & Knudsen 2007)
scholanderi Lynge = [Kiliasia tristis](#)
scotopholis (Tuck.) Herre = *Miriquidica scotopholis*
scrobiculata Th. Fr. = *Lecanora scrobiculata* (Elix & Øvstvedal 2004)
scrupulosa (Eckfeldt) H. Magn. = *Fuscidea scrupulosa*
shushanii J. W. Thomson = *Lecidea aglaeida* (Haugan & Timdal 1994) = *Calvitimela aglaea* (Hertel & Andreev 2003)
sordidescens Nyl. (Tuckerman 1888) = *Micarea prasina*
soredifera J. Lowe = *Porpidia macrocarpa* (Coppins & Fryday 2006b)
sorediza Nyl. = *Porpidia tuberculosa*

soredizodes (Lamy ex Nyl.) Vainio = *Porpidia soredizodes*
 spadicea Ach. (Tuckerman 1888) = *Bacidia suffusa* (Ekman 1996)
 speirea (Ach.) Ach. = *Porpidia speirea*
 sphacelata Th. Fr. = *Lambiella sphacelata*
sphaerella Hedl. = *Coppinsidea sphaerella* (Kondratuk et al. 2019)
 squalida Ach. (Tuckerman 1888) = *Tonina squalida*
 squalida var. caulescens (Anzi) Nyl. (Tuckerman 1888) = *Tonina squalida*
 stenotera (Nyl.) Nyl. = *L. alpestris*
 steriza (Ach.) Vainio = *Porpidia macrocarpa*
 stigmata Ach. = *Lecidella stigmata*
 suballinita Nyl. = *Micarea ternaria* (Nyl.) Vězda (Printzen 1995)
 subauriculata B. de Lesd. non Lyngé = *Lecidella spp.*
 subauriculata Lyngé non B. de Lesd. = *Adelolecia pilati*
 subcinnabrina Tønsberg = *Pyrrhospora subcinnabrina*
 subcontinuor B. de Lesd. = *Carbonea latypizodes*
 subduplex (Nyl.) Nyl. = *Biatora subduplex*
 suberratica J. Lowe = *Micarea erratica*
 sublimosa Nyl. = *Megalaria jemtlandica*
 subplebeia Nyl. = *Carbonea latypizodes*
 subplebeja Vainio This name (a corticolous Brazilian taxon) was first added to the North American checklist in the 1960 Hale & Culberson version, apparently erroneously replacing *L. subplebeia* Nyl. (a saxicolous California taxon) which had been in the 1956 version.
 subplumbea Anzi = *Miriquidica subplumbea*
 subramosa J. Lowe = *Toninia squalescens* (Coppins & Fryday 2006b)
 subsimplex H. Magn. = *Porpidia subsimplex*
 subsorediza Lyngé = *Bellemerea subsorediza*
subspadicea Nyl. (Nylander 1891) = *Bacidia polychroa* (Ekman 1996)s
 subtilis Degel. = *Lecidea varians* (Lendemer & Harris 2014c)
 sulphurea (Hoffm.) Wahlenb. = *Lecanora sulphurea*
 sylvana (Körber) Th. Fr. = ***Myrionora globulosa***
 sylvicola Flotow = *Brianaria sylvicola*
 symmicta (Ach.) Ach. = *Lecanora symmicta*
 symmictella Nyl. (Spribille & Björk 2008) = *Puttea caesia* (Dillman et al. 2012)
 templetonii Taylor = *Bryobilimbia hypnorum*
 tenebrosa Flotow = *Schaereria fuscocinerea*
 tennessensis Nyl. = *Lecanora oreinoides*
 tessellina Tuck. = *Lecanora oreinoides*
 testacea (Hoffm.) Ach. = *Psora testacea*, but not included in the North American flora.
 texana W. A. Weber = *Xanthopsorella texana*
 tornoënsis Nyl. = *Japewia tornoënsis*
 tricolor (With.) Nyl. (Tuckerman 1888) = *Cliostomum griffithii*
 trochodes (Taylor ex Leighton) Crombie = *Rimularia limborina*
 tuckeii Herre (Fink 1935) Apparent typographic error for *L. truckeei*
 tumida A. Massal. = *Porpidia tuberculosa*
 uliginosa (Schrader) Ach. = *Placythiella uliginosa*
 ultima Th. Fr. = *Cephalophysia leucospila*
 umbonella Nyl. = *Cecidonia umbonella*
 vacciniicola Tønsberg = ***Myrionora vacciniicola* (Kondratuk et al. 2019)**
 variegata Fr. (Tuckerman 1888) = *Lecidea lactea*
 vernalis (L.) Ach. = *Biatora vernalis*
 vernalis (L.) Ach. var. *turgidula* (Fr.) Nyl. (Tuckerman 1888) = *Lecidea turgidula*
 vernicoma Tuck. = *Buellia vernicoma*
 violascens H. Magn. = *L. laboriosa* (Knudsen & Lendemer 2005a)
 virginensis Calk. & Nyl. = *Bryobilimbia ahlesii* (Lendemer et al. 2019a)
 viridans (Flotow) Lamy = *Lecidella viridans*
 viridescens (Schrader) Ach. = *Trapeliopsis viridescens*

*vitellinaria Nyl. = *Carbonea vitellinaria*
 vorticosa (Flörke) Körber = *Carbonea vorticosa*
 vulgata Zahlbr. = *Lecidella stigmataea*
 wallrothii Flörke ex Sprengel = *Trapeliopsis wallrothii*, but misidentifications for North America
 washingtonensis H. Magn. = *L. cascadiensis*
 wulfenii (Hepp) Arnold = *Lecidella wulfenii*
 xanthococca Sommerf. = *Pycnora xanthococca*
 ypocrita A. Massal. = *Farnoldia hypocrita*
 zahlbruckneri Fink = *Lecidella latypiza* (Knoph & Leuckert 1994)

LECIDELLA Körber

anomaloides (A. Massal.) Hertel & H. Kilius Syn.: *Lecidea goniophila* auct.
asema (Nyl.) Knoph & Hertel Syn.: *Lecidea catalinaria*
bullata Körber
carpathica Körber Syns.: *Lecidea latypiza*, *L. carpathica*, *L. latypea* auct., *L. evansi*, *L. albonigra*
chiricahuana Knoph & Leuckert (Knoph & Leuckert 2004)
#dimelaenophila Hertel
effugiens (Nilson) Knoph & Hertel Syn.: *Lecidea albiodocinerella*
elaeochroma (Ach.) M. Choisy Syns.: *Lecidea elaeochroma*, *L. olivacea*, *L. limitata* auct.
enteroleucella (Nyl.) Hertel Syn.: *Lecidea deminutula*
euphorea (Flörke) Hertel Syns.: *Lecidea euphorea*, *L. glomerulosa*
flavosorediata (Vězda) Hertel & Leuckert
granulata (H. Magn.) R. C. Harris Syn.: *Lecidea granulata*
granulosula (Nyl.) Knoph & Leuckert (Knoph & Leuckert 2004)
latypiza (Nyl.) M. Choisy
laureri (Hepp) Körber (Goward et al. 1996) Syns.: *Biatora laureri*, *Lecidea laureri*
meiococca (Nyl.) Leuckert & Hertel
nashiana Knoph & Leuckert (Knoph & Leuckert 2004)
patavina (A. Massal.) Knoph & Leuckert Syns.: *Lecidea acrocyanea*, *L. alaiensis*, *L. endolithaea*
pulveracea (Flörke ex Th. Fr.) P. Sydow (Laundon 2005)
scabra (Taylor) Hertel & Leuckert Syns.: *Lecidea scabra*, *L. prasinula*
stigmatea (Ach.) Hertel & Leuckert Syns.: *Bacidia arthoniza*, *Lecidea micacea*, *L. stigmataea*, *L. vulgata*, *L. lacus-crateris*
[*Lecidea subauriculata* B. de Lesd. non Lyngé]
subviridis Tønsberg (Coppins & Fryday 2006b)
tumidula (A. Massal.) Knoph & Leuckert (Knoph & Leuckert 2004)
viridans (Flotow) Körber Syn.: *Lecidea viridans*
wulfenii (Hepp) Körber Syns.: *Lecidea heppii*, *L. wulfenii*
alaiensis (Vainio) Hertel = *L. patavina*
chodatii (Samp.) Knoph & Leuckert = *L. granulosula*
elaeochromoides (Nyl.) Knoph & Hertel = *L. asema*
enteroleuca auct. = various *Lecidella* spp.
glomerulosa (DC.) M. Choisy = *L. euphorea*
goniophila auct. = *L. anomaloides*
inamoena (Müll. Arg.) Hertel = *L. patavina*
incongruella (Vainio) Hertel & Leuckert = *L. effugiens placidensis* (H. Magn.) R. C. Harris =
Lecanora placidensis (Knoph & Leuckert 1994)
prasinula (Wedd.) Hertel = *L. scabra*
pycnocarpa Körber = *Miriquidica pycnocarpa*
spitsbergensis (Lyngé) Hertel & Leuckert = *L. patavina*
subincongrua (Nyl.) Hertel & Leuckert var. *elaeochromoides* (Nyl.) Hertel & Leuckert = *L. asema*

LECIDOMA Gotth. Schneider & Hertel

demissum (Rutstr.) Gotth. Schneider & Hertel Syns.: *Biatora atrorufa*, *Lecidea demissa*,
Lepidoma demissum, *Psora demissa*

LECIOGRAPHA A. Massal. = OPEGRApha

- **glaucomaria* (Nyl.) H. Olivier = *Phacographa glaucomaria*
- **glaucomarioidea* (Willey) Fink (Fink 1935) = *Sclerococcum glaucomariooides*
- **inspersa* (Tul.) Rehm = possibly *Sclerococcum parasiticum*
- **lamyi* (O. J. Rich. ex Nyl.) Sacc. & D. Sacc. = *Opegrapha lamyi*
- **parasitica* A. Massal. = *Opegrapha rupestris*
- **pertusariicola* (Willey ex Tuck.) Fink = *Sclerococcum pertusariicola*
- **urceolata* (Fr.) Körber = *Sclerococcum urceolatum*

LECIOPHYSMA Th. Fr.

finmarkicum Th. Fr.

furfurascens (Nyl.) Gyelnik

saximontanum (T. Sprib., P. M. Jørg. & M. Schultz) P. M. Jørg., Wedin & S. Ekman Syn.:
Santessonella saximontana (Ekman et al. 2014)

LEIGHTONIOMYCES D. Hawksw. & B. Sutton

#**phillipsii** (Berk. & Leighton) D. Hawksw. & B. Sutton (McCune & Stone 2009)

LEIMONIS R. C. Harris (Harris 2009)

erratica (Körber) R. C. Harris & Lendemer Syns.: *Lecidea chalybeiformis*, *L. erratica*, *L. suberratica*, *Micarea erratica*

LEIODERMA Nyl.

cherokeense P. M. Jørg. (Jørgensen & Tønsberg 2005)

sorediatum D. J. Galloway & P. M. Jørg.

LEJORREUMA Eschw.

erodens F. Seavey & J. Seavey (Seavey et al. 2017)

exaltatum (Mont. & Bosch) Staiger Syn.: *Graphis diversa*, *Phaeographis exaltata* (Staiger 2002)

explicans (Fink) Lendemer Syn.: *Phaeographina explicans* (Lendemer & Knudsen 2008b)

patellulum (Fée) Staiger Syn.: *Phaeographis patellula* (Esslinger & Tucker 2009)

sericeum (Eschw.) Staiger Syn.: *Phaeographis sericea* (Staiger 2002)

LEMMOPSIS (Vainio) Zahlbr.

arnoldiana (Hepp) Zahlbr. (Schultz 2002d)

LEMPHOLEMMA Körber

chalazanum (Ach.) B. de Lesd. Syns.: *Collema chalazanum*, *Collemopsis segregata*, *Psorotichia segregata* (Schultz 2007b)

cladodes (Tuck.) Zahlbr. Syn.: *Collema cladodes*

intricatum (Arnold) Zahlbr.

isidiodes (Nyl. ex Arnold) H. Magn.

minutulum (Bornet) Zahlbr. (Spribile et al. 2020)

oblique-peltatum (Eschw.) C. W. Dodge

polyanthes (Bernh.) Malme Syn.: *Collema myriococcum*

radiatum (Sommerf.) Henssen

syreniarum C. J. Lewis & M. Schultz (Lewis & Schultz 2020)

umbella (Tuck.) Zahlbr. Syn.: *Omphalaria umbella*

vesiculiferum Henssen

albonigrum H. Magn. = *L. cladodes*

fennicum (Räsänen) Degel. (Goward 1999) = *L. intricatum*

myriococcum (Ach.) Th. Fr. = *L. polyanthes*

LEPIDOCOLLEMA Vainio

marianum (Fr.) P. M. Jørg. Syns.: *Pannaria mariana*, *Parmeliella mariana* (Ekman et al. 2014)

Uncertain for North America (Jørgensen 2000c)

stylophorum (Vainio) P. M. Jørg. Syns.: *Pannaria stylophora*, *Parmeliella stylophorum* (Ekman et al. 2014)

LEPIDOMA (Ach.) Gray
demicissum (Rutstr.) M. Choisy = *Lecidoma demissum*

LEPRA Scop. (Hafellner & Türk 2016, Lendemer & Harris 2017)
albescens (Hudson) Hafellner Syns.: *Pertusaria albescens*, *P. globulifera*, *P. scutellaris*
amara (Ach.) Hafellner Syns.: *Pertusaria amara*, *Variolaria amara*
andersoniae (Lendemer) Lendemer & R. C. Harris Syn.: *Pertusaria andersonii*
commutata (Müll. Arg.) Lendemer & R. C. Harris Syns.: *Pertusaria commutata*, *P. copiosa*
dactylina (Ach.) Hafellner Syn.: *Pertusaria dactylina*
excludens (Nyl.) Hafellner Syn.: *Pertusaria excludens*
floridana (Dibben) Lendemer & R. C. Harris Syn.: *Pertusaria floridana*
hypothamnolica (Dibben) Lendemer & R. C. Harris Syn.: *Pertusaria hypothamnolica*
multipunctoides (Dibben) Lendemer & R. C. Harris Syns.: *Pertusaria multipunctoides*, *Variolaria multipunctoides*
ophthalmiza (Nyl.) Hafellner Syns.: *Pertusaria lecanina* subsp. *nigra*, *P. ophthalmiza*, *Variolaria ophthalmiza*
panyrga (Ach.) Hafellner Syn.: *Pertusaria panyrga*
pustulata (Brodo & W. Culb.) Lendemer & R. C. Harris Syns.: *Haematomma pustulatum*, *Loxospora pustulata*, *Variolaria pustulata*
subdactylina (Nyl.) Lendemer & R. C. Harris Syn.: *Pertusaria subdactylina*
subvelata (G. K. Merr.) T. Sprib. Syn.: *Pertusaria subvelata* (Spribile et al. 2020)
trachythallina (Erichsen) Lendemer & R. C. Harris Syns.: *Pertusaria trachythallina*, *Variolaria trachythallina*
ventosa (Malme) Lendemer & R. C. Harris Syn.: *Pertusaria ventosa*
waghornei (Hulting) Lendemer & R. C. Harris Syns.: *Pertusaria waghornei*, *Variolaria waghornei*

LEPRARIA Ach.

albicans (Th. Fr.) Lendemer & Hodkinson Syns.: *Leprocaulon albicans*, *Stereocaulon albicans* (Lendemer & Hodkinson 2013)
arbuscula (Nyl.) Lendemer & Hodkinson Syns.: *Leprocaulon arbuscula*, *Stereocaulon arbuscula* (Lendemer & Hodkinson 2013)
aurescens Orange & Wolseley (Lendemer 2010a)
barbatica Lendemer (Lendemer 2010a)
brodoi Lendemer & Tønsberg (Lendemer & Tønsberg 2014)
caesiella R. C. Harris (Lendemer 2005a)
cryophila Lendemer (Lendemer 2010a)
diffusa (J. R. Laundon) Kukwa Syn.: *Leproloma diffusum* (Kukwa 2002)
disjuncta Lendemer (Lendemer 2010a)
eburnea J. R. Laundon
elobata Tønsberg (Tønsberg 1997)
finkii (B. de Lesd.) R. C. Harris (Lendemer 2013b) Syns: *Crocynia aliciae*, *C. americana*
friabilis Lendemer, K. Knudsen & Elix (Lendemer et al. 2008b)
gracilescens (Nyl.) Lendemer & Hodkinson Syn.: *Leprocaulon gracilescens* (Lendemer & Hodkinson 2013)
harrisiana Lendemer (Lendemer 2012a)
hodkinsoniana Lendemer (Lendemer 2011b)
humida Slav.-Bayr. & Orange (Lendemer 2013a, 2013b)
jackii Tønsberg (Kümmerling et al. 1995)
lanata Tønsberg (Tønsberg 2007)
lecanorica Tønsberg (Tønsberg 2004b)
leprolomopsis Diederich & Sérus. (Lendemer 2013b)
membranacea (Dickson) Vainio Syns.: *Amphiloma lanuginosum*, *Leproloma membranaceum*

(Kukwa 2002), *Pannaria lanuginosa*
neglecta (Nyl.) Erichsen Syn.: *Crocynia neglecta*
nivalis J. R. Laundon
normandinoides Lendemer & R. C. Harris (Lendemer & Harris 2007)
oxybapha Lendemer (Lendemer 2012b)
pacifica Lendemer (Lendemer 2011b)
rigidula (B. de Lesd.) Tønsberg
squamatica Elix (Lendemer 2008)
subalbicans (I. M. Lamb) Lendemer & Hodkinson Syns.: *Leprocaulon subalbicans*, *Stereocaulon subalbicans* (Lendemer & Hodkinson 2013)
torii Pérez-Ortega & T. Sprib. (Pérez-Ortega & Spribile 2009a)
vouauxii (Hue) R. C. Harris Syn.: *Leproloma vouauxii* (Kukwa 2002)
xanthonica Lendemer (Lendemer 2010a)
xerophila Tønsberg (Tønsberg 2004b)
adhaerens K. Knudsen, Elix & Lendemer (Knudsen et al. 2007) = *Leprocaulon adhaerens*
aeruginosa auct. = misidentification for North America
aeruginosa (Weiss) Sm. = not a lichen-forming fungus
alpina (B. de Lesd.) Tretiach & Baruffo (Knudsen & Elix 2007a) = *L. neglecta* (Lendemer 2013a, 2013b)
arctica (Lyng) Wetmore = *L. vouauxii*
borealis Loht. & Tønsberg = *L. neglecta* (Lendemer 2013b)
cacuminum sensu J. R. Laundon = *L. neglecta* (Lendemer 2013a, 2013b)
cacuminum sensu Loht. = *L. neglecta* (Lendemer 2013a, 2013b)
caesioalba (B. de Lesd.) J. R. Laundon = *L. neglecta* (Lendemer 2013a, 2013b)
candelaris (L.) Fr. = *Chrysothrix candelaris*
chlorina (Ach.) Ach. = *Chrysothrix chlorina*
citrina (Schaerer) Rabenh. = *Chrysothrix candelaris*
crassissima (Hue) Lettau = misidentification for North America (Lendemer 2011b)
crassissima var. *isidiata* Llimona = misidentification for North America (Lendemer 2011b)
diffusa (J. R. Laundon) Kukwa var. *chrysodetoides* (J. R. Laundon) Kukwa = *L. diffusa*
(Lendemer 2013a, 2013b)
flava (Schreber) Sm. = *Chrysothrix candelaris*
frigida J. R. Laundon = *L. eburnea* (Tønsberg 2004b)
gelida Tønsberg & Zhurb. (Kukwa & Zhurbenko 2010) = *Lepraria neglecta* (Lendemer 2013b)
incana (L.) Ach. = misidentification for North America (Lendemer 2011b)
lesdainii (Hue) R. C. Harris = *Botryolepraria lesdainii*
lobificans auct. N.A. non Nyl. = *L. finkii* (Lendemer 2013b)
moroziiana Lendemer (Lendemer 2010a) = *Andreomyces morozianus*
salazinica Tønsberg (Tønsberg 2007) = *L. elobata* (Lendemer 2013a, 2013b)
santamonicae K. Knudsen & Elix (Knudsen & Elix 2007b) = *Leprocaulon santamonicae*
terricola Lendemer (Lendemer 2010a) = *Leprocaulon terricola*
texta K. Knudsen, Elix & Lendemer (Knudsen & Elix 2007a) = *Leprocaulon textum*
zonata Brodo = *L. neglecta*

LEPROCAULON Nyl. ex Lamy

adhaerens (K. Knudsen, Elix & Lendemer) Lendemer & Hodkinson Syn.: *Lepraria adhaerens* (Lendemer & Hodkinson 2013)
americanum Lendemer & Hodkinson (Lendemer & Hodkinson 2013)
beechingii Lendemer (Lendemer 2020b)
knudsenii Lendemer & Hodkinson (Lendemer & Hodkinson 2013)
nicholsiae Lendemer & E. Tripp (Tripp & Lendemer 2019)
santamonicae (K. Knudsen & Elix) Lendemer & Hodkinson Syn.: *Lepararia santamonicae* (Lendemer & Hodkinson 2013)
terricola (Lendemer) Lendemer & Hodkinson Syn.: *Lepraria terricola* (Lendemer & Hodkinson 2013)
textum (K. Knudsen, Elix & Lendemer) Lendemer & Hodkinson Syn.: *Lepraria texta* (Lendemer

& Hodkinson 2013)
albicans (Th. Fr.) Nyl. = *Lepraria albicans*
arbuscula (Nyl.) Nyl. = *Lepraria arbuscula*
gracilescens (Nyl.) I. M. Lamb & A. Ward = *Lepraria gracilescens*
microscopicum (Vill.) Gams ex D. Hawksw. = *L. quisquiliare*, but North American records are *L. americanum* (Lendemer & Hodkinson 2013)
pseudoarbuscula (Asahina) I. M. Lamb & A. Ward = *Lepraria subalbicans* for North American records
quisquiliare (Leers) M. Choisy = misidentification for North America
subalbicans (I. M. Lamb) I. M. Lamb & A. Ward = *Lepraria subalbicans*

LEPROCOLLEMA Vainio

americanum Vainio Apparently absent from N.A. north of Mexico (Schultz 2007a)

LEPROLOMA Nyl. ex Crombie = LEPRARIA (Kukwa 2002)

angardianum (Øvstdal) J. R. Laundon = *Lepraria neglecta*
cacuminum (A. Massal.) J. R. Laundon = *Lepraria neglecta*
diffusum J. R. Laundon var. *diffusum* = *Lepraria diffusa*
diffusum J. R. Laundon var. *chrysodetoides* J. R. Laundon (Goward et al. 1996) = *Lepraria diffusa*
membranaceum (Dickson) Vainio = *Lepraria membranacea*
"membranaceum var. *chrysodetoides*" Removed as a typographical error here
vouauxii (Hue) J. R. Laundon = *Lepraria vouauxii*

LEPROPLACA (Nyl.) Hue (Arup et al. 2013)

cirrochroa (Ach.) Arup, Frödén & Söchting Syns.: *Caloplaca cirrochroa*, *Placodium cirrochroum*
chrysodeta (Vainio) J. R. Laundon ex Ahti Syn.: *Caloplaca chrysodeta*
obliterans (Nyl.) Arup, Frödén & Söchting Syn.: *Caloplaca oblitterans*

LEPTOCHIDIUM M. Choisy

albociliatum (Desm.) M. Choisy Syns.: *Polychidium albociliatum*, *Leptogium albociliatum*, *L. pilosellum*
crenatulum (Nyl.) P. M. Jørg. (Jørgensen 2006)

LEPTOGIDIUM Nyl. (Muggia et al. 2011)

contortum (Henssen) T. Sprib. & Muggia (Muggia et al. 2011)
dendriscum (Nyl.) Nyl. Syns.: *Leptogium dendriscum*, *Polychidium dendriscum*
intricatum Nyl. = *Dendriscocaulon intricatum*

LETOGIUM (Ach.) Gray

acadiense J. W. Hinds, F. L. Anderson & Lendemer (Stone et al. 2016)
adpressum Nyl.
arcticum P. M. Jørg.
arsenei Sierk
austroamericanum (Malme) C. W. Dodge
azureum (Sw. ex Ach.) Mont.
brebissonii Mont.
burgessii (L.) Mont.
byssinum (Hoffm.) Zwackh ex Nyl. Syn.: *Pannaria byssina*
chloromelum (Ach.) Nyl.
compactum D. F. Stone, F. L. Anderson & J. W. Hinds (Stone et al. 2016)
cookii D. F. Stone & Lendemer (Stone et al. 2016)
coralloideum (Meyen & Flotow) Vainio (Jørgensen & Nash 2004) Syn.: *Parmelia coralloideum*
corticola (Taylor) Tuck.
crenatulum (Nyl.) Vainio
cyanescens (Rabenh.) Körber
digitatum (A. Massal.) Zahlbr.

floridanum Sierk
fusisporum (Tuck.) C. W. Dodge
hibernicum M. E. Mitch. ex P. M. Jørg. (Nealy & Anderson 2010)
hirsutum Sierk
hypotrachynum Müll. Arg.
isidiostellum (Riddle) Sierk
joergensenii Marcelli & Kitaura (Kitaura et al. 2015)
juressianum Tav. (Lendemer et al. 2008c)
laceroides B. de Lesd.
marginellum (Sw.) Gray
microstictum Vainio
milligranum Sierk
nanum Herre (McCune & Rosentreter 2007)
papillosum (B. de Lesd.) C. W. Dodge (Jørgensen & Nash 2004)
phyllocarpum (Pers.) Mont.
pseudofurfuraceum P. M. Jørg. & Wallace (Jørgensen 1997)
resupinans Nyl. (Jørgensen & Nash 2004)
rivulare (Ach.) Mont.
rugosum Sierk
saturninum (Dickson) Nyl.
sessile Vainio
stipitatum Vainio
albociliatum Desm. = Leptochidium albociliatum
americanum Degel. = L. laceroides
amphineum Ach. ex Nyl. = L. byssinum
apalachense (Tuck.) Nyl. = Scytinium apalachense (Otálora et al. 2014)
aquale (Arnold) P. M. Jørg. (Jørgensen & Tønsberg 1999) = Scytinium aquale (Otálora et al. 2014)
aragonii Otálora (Otálora et al. 2008) = Scytinium aragonii (Otálora et al. 2014)
arizonicum Zahlbr. = Scytinium juniperinum
biatorinum (Nyl.) Leighton (Jørgensen & Tønsberg 1999) = L. nanum, for North American report (McCune & Rosentreter 2007)
bolacinum (Ach.) Nyl. (Tuckerman 1888) = Ricasolia amplissima growth form
bullatum (Sw. in Ach.) Nyl. (Fink 1935) Probable misidentification for North America (Esslinger & Tucker 2009)
bullatum (Sw.) Mont. var. phyllocarpum (Pers.) Tuck. (Tuckerman 1888) = Leptogium phyllocarpum
burnetiae C. W. Dodge Misidentifications for North America (Stone et al. 2016)
burnetiae C. W. Dodge var. hirsutum (Sierk) P. M. Jørg. = L. hirsutum
caesiellum Tuck. = L. byssinum
caesium (Ach.) Vainio = L. cyanescens
californicum Tuck. = Scytinium californicum (Otálora et al. 2014)
cellulosum P. M. Jørg. & Tønsberg (Jørgensen & Tønsberg 1999) = Scytinium cellulosum (Otálora et al. 2014)
chloromelum (Sw.) Nyl. var. conchatum Tuck. (Tuckerman 1882) Identity uncertain
chloromelum var. stellans Tuck. (Tuckerman 1882) Identity uncertain
contortum Sierk = Scytinium contortum (Otálora et al. 2014)
corniculatum (Hoffm.) Minks = Scytinium palmatum (Otálora et al. 2014)
crenatum (Nyl.) Tuck. = L. rivulare
dactylinum Tuck. = Scytinium dactylinum (Otálora et al. 2014)
dendriscum Nyl. (Tuckerman 1882) = Leptogidium dendriscum
denticulatum Nyl. = misidentification for North America (Kitaura et al. 2015)
denticulatum sensu Sierk (1964) = L. joergensenii (Kitaura et al. 2015)
erectum Sierk = Scytinium erectum (Otálora et al. 2014)
fragile (Tayl.) Nyl (Fink 1935) = Scytinium fragile Taylor, but a likely misidentification for North America (Degelius 1954)

furfuraceum (Harm.) Sierk = *L. pseudofurfuraceum* (for North American reports; Jørgensen 1997)
 gelatinosum (With.) J. R. Laundon = *Scytinium gelatinosum* (Otálora et al. 2014)
 hildenbrandii (Garov.) Nyl. = a European species, a misidentification for North America (Sierk 1964)
 imbricatum P. M. Jørg. = *Scytinium imbricatum* (Otálora et al. 2014)
 inflexum Nyl. = *L. burgessii* (fide Jørgensen)
insigne P. M. Jørg. & Tønsberg (Jørgensen & Tønsberg 2010) = Gabura insignis
 intermedium (Arnold) Arnold = *Scytinium intermedium* (Otálora et al. 2014)
 intricatum Nyl. (Fink 1935) = *Scytinium teretiusculum* (Sierk 1964)
 juniperinum Tuck. = *Scytinium juniperinum* (Otálora et al. 2014)
 lacerum (Sw.) Gray = *Scytinium lichenoides*
 lichenoides (L.) Zahlbr. = *Scytinium lichenoides* (Otálora et al. 2014)
 lividofuscum (Florke ex Schlecht.) Flotow = *Scytinium tenuissimum*
 microdium (Nyl.) Zahlbr. = *Scytinium plicatile* (Sierk 1964)
 minutissimum (Flörke) Fr. = *Scytinium subtile*
 minutissimum auct. = *Scytinium intermedium*
 muscicola (Sw.) Fr. = *Polychidium muscicola*
 myochroum (Ehrh.) Nyl. (Tuckerman 1882) = *Leptogium saturninum*
 myochroum var. saturninum (Schaerer) Tuck. (Tuckerman 1882) = *Leptogium saturninum*
 myochroum var. tomentosum (Hoffm.) Tuck. (Tuckerman 1882) = *Leptogium saturninum*
 palmatum (Hudson) Mont. (Hoffman & Hafellner 2000; Santesson et al. 2004) = *Scytinium palmatum* (Otálora et al. 2014)
 papillosum (B. de Lesd.) C. W. Dodge North American reports refer to *L. pseudofurfuraceum*
 parcum Nyl. = *Scytinium parcum* (Otálora et al. 2014)
 perminutum Hedr. = *Scytinium subtile*
 pilosellum G. Merr. = *Leptochidium albociliatum*
 platynum (Tuck.) Herre = *Scytinium platynum* (Otálora et al. 2014)
 plectenchymum Fink = *Scytinium juniperinum*
 plicatile (Ach.) Leighton = *Scytinium plicatile* (Otálora et al. 2014)
 polycarpum P. M. Jørg. & Goward = *Scytinium polycarpum* (Otálora et al. 2014)
 pulchellum (Ach.) Nyl. = *Collema pulchellum*
 pulvillus Tuck. (Fink 1935) Possible synonym of *Scytinium lichenoides* (Sierk 1964)
 rhyparodes Nyl. (Fink 1935) = *Scytinium callopismum*
 rivale Tuck. = *Scytinium rivale* (Otálora et al. 2014)
 schraderi (Bernh.) Nyl. = *Scytinium schraderi* (Otálora et al. 2014)
 scotinum (Ach.) Fr. = *Scytinium gelatinosum* (Santesson et al. 2004)
 sinuatum (Hudson) A. Massal. = *Scytinium gelatinosum*
 siskiyouensis D. F. Stone & Ruchty (Stone & Ruchty 2008) = *Scytinium siskiyouensis* (Otálora et al. 2014)
 subaridum P. M. Jørg. & Goward = *Scytinium subaridum* (Otálora et al. 2014)
 subtile (Schrader) Torss. = *Scytinium subtile* (Otálora et al. 2014)
 tacomae P. M. Jørg. & Tønsberg (Jørgensen & Tønsberg 1999) = *Scytinium tacomae* (McCune et al. 2014b)
 tenuissimum (Dickson) Körber = *Scytinium tenuissimum* (Otálora et al. 2014)
 teretiusculum (Wallr.) Arnold = *Scytinium teretiusculum* (Otálora et al. 2014)
 tremelloides auct. = *L. cyanescens*
 turgidum (Ach.) Crombie (McCune & Rosentreter 2007) = *Scytinium turgidum* (Otálora et al. 2014)

LEPTORHAPHIS Körber

atomaria (Ach.) Szatala
 #**contorta** Degel.
 #**epidermidis** (Ach.) Th. Fr.
 lucida Körber
 +**parameca** (A. Massal.) Körber
 quercus (Beltr.) Körber = identity uncertain

LEPTOSPHAERIA Ces. & De Not.

**arnoldii* Rehm. Syn. : *Phaeospora peltigericola* (Alstrup & Ahti 2007)

LEPTOSPHAERULINA McAlpine

**peltigerae* (Fuckel) Riedel

LEPTOTREMA Mont. & Bosch (Frisch 2006)

auberianum (Mont.) Fink = *Stegobolus auberianus*
glaucescens (Nyl.) Müll. Arg. = *Leucodecton glaucescens*
heterosporum (C. Knight ex F. M. Bailey) Zahlbr. = *Thelotrema santense*
laeviusculum (Nyl.) Zahlbr. = *Ocellularia laeviusculum*
lepadodes (Tuck.) Zahlbr. = *Thelotrema monosporum*
monosporum (Nyl.) Müll. Arg. = *Thelotrema monosporum*
obturascens (Nyl.) Hale = *Ocellularia bahiana*
polycarpum Müll. Arg. = *Leucodecton subcompunctum*
ravenelii (Tuck.) Fink = *Sanguinotrema wightii*
reclusum (Kremp.) Zahlbr. = *Leucodecton compunctellum*
santense (Tuck.) Zahlbr. = *Reimnitzia santensis*
wightii (Taylor) Müll. Arg. (Frisch 2006) = *Sanguinotrema wightii* (Lücking et al. 2015)

LETHARIA (Th. Fr.) Zahlbr.

columbiana (Nutt.) J. W. Thomson

gracilis Kroken ex McCune & Altermann (McCune & Altermann 2009)

lupina Altermann, Leavitt & Goward (Altermann et al. 2016)

vulpina (L.) Hue Syn.: *Evernia vulpina*

californica (Lév.) Hue = *L. columbiana*

vulpina (L.) Hue f. *californica* (Lév.) W. A. Weber = *L. columbiana*

LETHARIICOLA Grummann = **SPHAEROPEZIA** (Baloch et al. 2013b)

**cucularis* (Norman) Lumbsch & D. Hawksw. = *Sphaeropezia cucularis*

**sipei* Grummann = *Sphaeropezia sipei*

LETROUITIA Hafellner & Bellem.

domingensis (Pers.) Hafellner & Bellem. Syns.: *Bombyliospora domingensis*, *Lopadium domingense*, *Heterothecium domingense*

parabola (Nyl.) R. Sant. & Hafellner

vulpina (Tuck.) Hafellner & Bellem. Syns.: *Heterothecium vulpinum*, *Lopodium vulpinum*, *Bombyliospora vulpina*

LETTAUIA D. Hawksw. & R. Sant.

**santessonii* Ihlen & Tønsberg (Ihlen & Tønsberg 1996)

**cladoniicola* D. Hawksw. & R. Sant. (Esslinger & Egan 1995) = *Cryptodiscus cladoniicola*

LEUCOCARPIA Vězda = **PSOROGLAENA** (Lücking 2008)

biatorella (Arnold) Vězda (Buck & Harris 2001) = *Psoroglaena biatorella* (Lücking 2008)

dictyospora (Orange) R. Sant. (Alstrup 2004) = *Psoroglaena dictyospora* (Harada 2003)

LEUCODECTON Massal. (Frisch 2006)

compunctellum (Nyl.) Frisch (Lücking et al. 2011b) Syns.: *Leptotrema reclusum*, *Myriotrema reclusum*

compunctum (Ach.) A. Massal. (Seavey et al. 2017)

fissurinum (Hale) A. Frisch (Seavey et al. 2017)

glaucescens (Nyl.) A. Frisch Syns: *Leptotrema glaucescens*, *Myriotrema glaucescens*, *Thelotrema glaucescens* (Frisch 2006)

occultum (Eschw.) A. Frisch Syn: *Myriotrema compunctum* (Frisch 2006)

phaeosporum (Nyl.) Rivas Plata & Lücking (Seavey et al. 2014)
subcompunctum (Nyl.) A. Frisch Syns: Leptotrema polycarpum (Frisch 2006), Myriotrema
subcompunctum
willeyi (Nyl.) R. C. Harris Syn.: Phlyctis willeyi (Lendemer & Harris 2014d)

LEUCOGYROPHANA Pouzar

***lichenicola** Thorn, Malloch & Ginns (Thorn et al. 1998)

LIBERTIELLA Speg. & Roum.

***malmedyensis** Speg. & Roum. (Alstrup & Ahti 2007)

LICHENOBARYA Etayo, Diederich & Lawrey (Lawrey et al. 2015)

***usneae** (Etayo) Etayo, Diederich & Lawrey (Lawrey et al. 2015)

LICHENOCHORA Hafellner

***aipoliae** Etayo, Nav.-Ros. & Coppins (Haldeman 2020)
***arctica** Zhurb. (Zhurbenko 2013)
***constrictella** (Müll. Arg.) Hafellner (Etayo & Navarro-Rosinés 2008)
***galligena** R. Sant. & Hafellner (Diederich 2003)
***haematommatum** R. C. Harris & Lendemer (Lendemer et al. 2016c)
***lepidiotae** (Anzi) Etayo & Nav.-Ros. (Zhurbenko 2013)
***obscuroides** (Lindsay) Triebel & Rambold (Hoffmann & Hafellner 2000)
***rinodinae** Zhurb. (Zhurbenko 2013)
***verrucicola** (Wedd.) Nik. Hoffm. & Hafellner (Hoffmann & Hafellner 2000)
***weillii** (Werner) Hafellner & R. Sant.
***xanthoriae** Triebel & Rambold
***thallina** (Cooke) Hafellner = L. obscuroides

LICHENOCONIUM Petrak & H. Sydow

***cargillianum** (Lindsay) D. Hawksw. (Diederich 2003)
***christiansenii** M. S. Cole & D. Hawksw. (Cole & Hawksworth 2004)
***edgewoodensis** Alstrup & M. S. Cole (Alstrup & Cole 1998)
***erodens** M. S. Christ. & D. Hawksw.
***follmannii** Kondratyuk & Galloway (Kondratyuk & Galloway 1995)
***laevisporum** Kalb & Hafellner (Kalb et al. 1995)
***lecanorae** (Jaap) D. Hawksw.
***lichenicola** (P. Karsten) Petrak & H. Sydow (Etayo et al. 2007)
***pyxidatae** (Oudem.) Petrak & H. Sydow
***usneae** (Anzi) D. Hawksw.
***xanthoriae** M. S. Christ.

LICHENODIPLIS Dyko & D. Hawksw.

***anomala** Etayo & Pérez-Vargas (Haldeman 2018)
***dendrographae** Diederich & van den Boom (Diederich 2003)
***lecanorae** (Vouaux) Dyko & D. Hawksw.
***lecanoricola** (M. S. Cole & Hawksw.) Diederich Syn.: Laeviomycetes lecanoricola (Diederich 2003)
***lichenicola** Dyko & D. Hawksw.
***rinodinicola** Kocourk. & K. Knudsen (Knudsen & Kocourková 2009b)
***pertusariicola** (Nyl.) Diederich Erroneously listed here (Diederich 2003)

LICHENOMPHALIA Redhead, Lutzoni, Moncalvo & Vilgalys (Redhead et al. 2002)

alpina (Britzelm.) Redhead, Lutzoni, Moncalvo & Vilgalys Syns.: Omphalina alpina, O. luteovitellina, Phytoconis luteovitellina, Botrydina luteovitellina (Redhead et al. 2002)
hudsoniana (H. S. Jenn.) Redhead, Lutzoni, Moncalvo & Vilgalys Syns.: Omphalina hudsoniana, Botrydina viridis, Coriscium viride, Phytoconis viridis (Redhead et al. 2002)

oreades (Singer) Voitk, Thorn & I. Saar (Lücking et al. 2017b)
umbellifera (L. : Fr.) Redhead, Lutzoni, Moncalvo & Vilgalys Syns.: Omphalina umbellifera, O. ericetorum, Phytoconis ericetorum, Botrydina botryooides, B. vulgaris (Redhead et al. 2002)
velutina (Quél.) Redhead, Lutzoni, Moncalvo & Vilgalys Syns.: Omphalina velutina, Phytoconis velutina, Botrydina velutina (Redhead et al. 2002)

LICHENOPELTTELLA Höhn.

***arctomiae** Pérez-Ortega & T. Sprib. (Pérez-Ortega & Spribile 2009b)
***biatorae** Pérez-Ortega & T. Sprib. (Pérez-Ortega & Spribile 2009b)
***cladoniarum** E. S. Hansen & Alstrup (Zhurbenko & Pino-Bodas 2017)
***heterodermiicola** M. S. Cole & D. Hawksw. (Cole & Hawksworth 2002)
***leprosulae** Pérez-Ortega & T. Sprib. (Pérez-Ortega & Spribile 2009b)
***peltigericola** (D. Hawksw.) R. Sant. (Alstrup & Cole 1998)
***santessonii** (P. M. Kirk & Spooner) R. Sant. (Alstrup & Cole 1998)
***stereocaulorum** Zhurb. (Zhurbenko 2010)
***thamnoliae** R. Sant. Erroneously listed here; reported only from South America (Diederich 2003)

LICHENOPUCCINIA D. Hawksw. & Hafellner

***poeltii** D. Hawksw. & Haffelner (Diederich 2003)

LICHENOSTICTA Zopf

***alcicornaria** (Lindsay) D. Hawksw.

LICHENOSTIGMA Hafellner

***alpinum** (R. Sant., Alstrup & D. Hawksw.) Ertz & Diederich Syn.: Phaeosporobolus alpinus (Ertz et al. 2014)
***amplum** Calat. & Hafellner (Kocourková & Knudsen 2008)
***anatolicum** Halici & Kocakaya (Lendemer et al. 2009b)
***bolacinae** Nav.-Ros., Calat. & Hafellner (Kocourková & Knudsen 2008)
***chlaroterae** (F. Berger & Brackel) Ertz & Diederich (Ertz et al. 2014)
***cosmopolites** Hafellner & Calat. (Hafellner & Calatayud 1999)
***elongatum** Nav.-Ros. & Hafellner (Navarro-Rosines & Hafellner 1996)
***fellhanerae** (R. C. Harris & Lendemer) Ertz & Diederich Syn.: Phaeosporobolus fellhanerae (Ertz et al. 2014)
***maureri** Hafellner (Esslinger & Egan 1995) Syns: Abrothallus usneae auct. non Rabenh., Phaeosporobolus usneae (Ertz et al. 2014)
***radicans** Calat. & Barreno (Knudsen & Kocourková 2008)
***saxicola** K. Knudsen & Kocourk. (Knudsen & Kocourková 2010d)
***semiimmersum** Hafellner (Hafellner 1999)
***subradians** Hafellner, Calat. & Nav.-Ros. (Calatayud et al. 2002)
***dimelaenae** Calat. & Hafellner (Calatayud et al. 2004) = Lichenothelia dimelaenae
***rugosum** G. Thor = *Lichenothelia rugosa* (Diederich et al. 2018)

LICHENOTHELIA D. Hawksw.

#**arida** Muggia, Kocourk. & K. Knudsen (Muggia et al. 2015)
#**calcarea** Henssen
#**convexa** Henssen
***dimelaenae** (Catal. & Hafellner) Kocourk., K. Knudsen & Muggia Syn.: Lichenostigma dimelaenae (Ametrano et al. 2019)
#**intermixta** Henssen
#**metzleri** (J. Lahm) D. Hawksw. Syn.: Microthelia metzleri
#**muriformis** Ametrano, K. Knudsen, Kocourk. & Muggia (Ametrano et al. 2019)
#**papilliformis** Ametrano, K. Knudsen Kocourk. & Muggia (Ametrano et al. 2019)
#**renobalesiana** D. Hawksw. & V. Atienza (Kocourková & Knudsen 2009d)
***rugosa** (G. Thor) Ertz & Diederich Syn. : *Lichenostigma rugosum* (Diederich et al. 2018)

#**scopularia** (Nyl.) D. Hawksw. Syns.: Microthelia aterrima, Rinodina aterrima
#**tenuissima** Henssen
#**umbrophila** Muggia, Kocourk. & K. Knudsen (Muggia et al. 2015)

LICHENOTHRIX Henssen = PYRENOTHRIX
riddlei Henssen = Pyrenothrix nigra

LICHINA C. Agardh
 confinis (O. F. Müller) C. Agardh
 willeyi (Tuck.) Henssen

LICHINELLA Nyl.
 americana Henssen
 cribellifera (Nyl.) P. P. Moreno & Egea Syns.: Gonohymenia cribellifera, Rechingeria cribellifera
 flexa Henssen, Büdel & T. H. Nash (Schultz 2005)
 granulosa M. Schultz (Schultz 2005)
 intermedia Henssen (Schultz 2005)
 iodopulchra (Croz.) P. P. Moreno & Egea (Schultz 2005)
 melamphylla (Tuck.) Essl. Syns.: Gonohymenia melamphylla, Pannaria melamphylla
 minnesotensis (Fink) Essl. Syns.: Forsellia minnesotensis, Gonohymenia minnesotensis
 myriospora (Zahlbr.) P. P. Moreno & Egea (Schultz 2005)
 nigritella (Lettau) P. P. Moreno & Egea Syns.: Gonohymenia nigritella, Thyrea nigritella
 robustoides Henssen, Büdel & T.H. Nash (Schultz 2005)
 sinaica (Marton & Galun) P. P. Moreno & Egea (Schultz 2005)
 stipatula Nyl.

LICHINODIUM Nyl.
 ahlneri Henssen (Spribble et al. 2010)
 canadense Henssen
 saxicola Henssen
 #**silosiphoides** Nyl.

LIGNOSCRIPTA B. D. Ryan
 atroalba B. D. Ryan & T. H. Nash (Ryan 2004a)

LITHOGRAPHA Nyl.
 tesserata (DC.) Nyl.

LITHOTHELIUM Müll. Arg.
 hyalosporum (Nyl.) Aptroot Syns.: Arthopyrenia hyalospora, Plagiocarpa hyalospora,
Pleurotrema solivagum
 illotum (Nyl.) Aptroot Syn.: Plagiocarpa illota, P. langloisii
 macrosporum (R. C. Harris) Aptroot Syn.: Plagiocarpa macrospora
 microsporum R. C. Harris (Harris 1995a)
 phaeosporum (R. C. Harris) Aptroot Syn.: Plagiocarpa phaeosporum
 septemseptatum (R. C. Harris) Aptroot Syn.: Plagiocarpa septemseptata

LLIMONAEA Egea & Torrente
 californica (Tuck.) Sparrius (Sparrius 2004b) = Schizopeltel crustosa (Ertz & Tehler 2011)
 cerebriformis (Egea & Torrente) Sparrius (Sparrius 2004b) = Sparria cerebriformis (Ertz & Tehler 2011)

LLIMONIELLA Hafellner & Nav.-Ros.
 *b^a**carosporicola** (Kocourk. & K. Knudsen) Diederich & Ertz Syn.: Gelatinopsis acarosporicola
(Diederich et al. 2010)

- ***catapyrenii** Zhurb., Kukwa & Flakus (Zhurbenko 2013)
- ***cinnabarinæ** Pérez-Ortega, Etayo & T. Sprib. (Pérez-Ortega et al. 2011)
- ***pertusariae** Diederich & Etayo (Diederich & Etayo 2000)
- ***phaeophysciae** Diederich, Ertz & Etayo (Diederich et al. 2010)
- ***pyrenulae** Diederich & Etayo (Diederich & Etayo 2000)
- ***neglecta** (Vainio) Triebel & Rambold = Rhymbocarpus neglectus

LOBARIA (Schreber) Hoffm.

- anomala** (Brodo & Ahti) T. Sprib. & McCune Syns.: Anomalobaria anomala, Pseudocyphellaria anomala (McCune et al. 2014b)
- anthraspis** (Ach.) T. Sprib. & McCune Syns.: Anomalobaria anthraspis, Pseudocyphellaria anthraspis, Sticta anthraspis (McCune et al. 2014b)
- hallii** (Tuck.) Zahlbr. Syn.: Sticta hallii
- kurokawae** Yoshim.
- linita** (Ach.) Rabenh. Syns.: Sticta linita, Sticta pulmonaria var. linita
- oregana** (Tuck.) Müll. Arg. Syn.: Sticta oregana
- pseudopulmonaria** Gyelnik
- pulmonaria** (L.) Hoffm. Syns.: Sticta pulmonaria, Sticta pulmonaria var. hypomela
- retigera** (Bory) Trevisan
- scrobiculata** (Scop.) DC. Syns.: Sticta scrobiculata, S. verrucosa
- silvae-veteris** (Goward & Goffinet) Goward & Goffinet Syn.: Nephroma silvae-veteris (Goffinet & Goward 1998)
- amplissima (Scop.) Forssell (Tønsberg & Goward 2001) = Ricasolia amplissima
- erosa** (Eschw.) Nyl. = **Emmanuelia erosa** (Simon et al. 2020)
- isidiosa (Müll. Arg.) Vainio Not in North America.
- laetevirens (Lightf.) Zahlbr. = Ricasolia virens (With.) H. H. Blom & Tønsberg, but not known from North America
- lobulifera** B. J. Moore = **Emmanuelia lobulifera** (Simon et al. 2020)
- quercizans Michaux = Ricasolia quercizans
- ravenelii** (Tuck.) Yoshim. = **Emmanuelia ravenelii** (Simon et al. 2020)
- submarginalis Michaux (Tuckerman 1888) = Parmotrema submarginale
- tenuis** Vainio **North American reports are Emmanuelia lobulifera** (Simon et al. 2020)
- verrucosa (Hudson) Hoffm. = L. scrobiculata

LOBOTHALLIA (Clauzade & Cl. Roux) Hafellner

- alphoplaca** (Wahlenb.) Hafellner Syns.: Aspicilia alphoplaca, Lecanora alphoplaca, Lecanora thamnoplaca
- melanaspis** (Ach.) Hafellner Syns.: Aspicilia melanaspis, Lecanora melanaspis
- praeradiosa** (Nyl.) Hafellner Syns.: Aspicilia praeradiosa, Lecanora praeradiosa
- radiosa** (Hoffm.) Hafellner Syns.: Aspicilia radiosa, Lecanora radiosa, L. circinata

LOPADIOPSIS Vainio = **GYALECTIDIUM**

- floridana Zahlbr. = Asterothyrium rotuliforme

LOPADIUM Körber

- augustini** (Tuck.) Zahlbr. Syn.: Lopadium augustinii
- coralloideum** (Nyl.) Lynge
- disciforme** (Flotow) Kullhem
- dodgei** Herre
- pezizoideum** (Ach.) Körber Syn.: Heterothecium pezizoideum
- alpinum (Körber) R. Sant. = Schadonia alpina
- domingense (Pers.) Fink = Letrouitia domingensis
- fecundum Th. Fr. = Schadonia fecunda
- fuscum Müll. Arg. = Calopadia fusca
- fuscoluteum (Dickson) Mudd = Brigantiaeae fuscolutea
- gemellum (Anzi) Stizenb. = Schadonia alpina

leucoxanthum (Sprengel) Zahlbr. = *Brigantiae leucoxantha*
puiggarii (Müll. Arg.) Zahlbr. = *Calopadia puiggarii*
phyllocharis (Mont.) Fink = *Tapellaria epiphylla*
vulpinum (Tuck.) Zahlbr. = *Letrouitia vulpina*

LOPEZARIA Kalb & Hafellner (Kalb 1990) = **MEGALARIA** Hafellner (Fryday & Lendemer 2010)
versicolor (Fée) Kalb & Hafellner (Kalb 1990) = *Megalaria versicolor*

LOXOSPORA A. Massal.

assateaguensis Lendemer (Lendemer 2013c)
cismonica (Beltr.) Hafellner Syn.: *Haematomma cismonicum*
confusa Lendemer (Lendemer 2013c)
elatina (Ach.) A. Massal. Syns.: *Haematomma elatinum*, *Lecanora elatina*
ochropheaea (Tuck.) R. C. Harris Syns.: *Haematomma ochropaeum*, *Lecanora elatina* var.
ochropheaea
pustulata (Brodo & W. L. Culb.) R. C. Harris = *Lepra pustulata*

LOXOSPOROPSIS Henssen

corallifera Brodo, Henssen & Imshaug

MACENTINA Vězda

dictyospora Orange (Will-Wolf 1998) = *Psoroglaena dictyospora* (Harada 2003)

MALCOLMIELLA Vězda

granifera (Ach.) Kalb & Lücking (Lendemer & Knudsen 2007) = *Malmidea granifera*

MALMIDEA Kalb, Rivas Plata & Lumbsch (Lücking et al. 2011b)

cineracea Breuss & Lücking (Seavey et al. 2017)
flavopustulosa (M. Cáceres & Lücking) M. Cáceres & Kalb (Seavey & Seavey 2014a)
floridensis (Nyl.) M. Cáceres, Aptroot & Lücking Syn.: *Lecidea floridensis* (Cáceres et al. 2017)
furfurosa (Tuck. ex Nyl.) Kalb & Lücking Syns.: *Biatora furfurosa*, *Lecidea furfurosa* (Lücking et al. 2011b)
fuscella (Müll. Arg.) Kalb & Lücking (Lücking et al. 2011b)
granifera (Ach.) Kalb, Rivas Platas & Lumbsch Syns.: *Lecanora granifera*, *Malcolmella granifera* (Lücking et al. 2011b)
gyalectoides (Vainio) Kalb & Lücking (Lücking et al. 2011b)
leptoloma (Müll. Arg.) Kalb & Lücking (Lücking et al. 2011b)
piperis (Sprengel) Kalb, Rivas Plata & Lumbsch (Lücking et al. 2011b)
rhodopis (Tuck.) Kalb, Rivas Plata & Lumbsch (Lücking et al. 2011b)
variabilis Kalb (Lücking et al. 2011b)
vinosa (Eschw.) Kalb, Rivas Plata & Lumbsch (Lücking et al. 2011b)

MARCHANDIOBASIDIUM Diederich & Schultheis (Diederich & Lawrey 2007) = **ERYTHRICIUM**

**aurantiacum* (Lasch) Diederich & Schultheis = *Erythricium aurantiacum* (Hawksworth & Helcini 2015)

MARCHANDIOMYCES Diederich & D. Hawksw.

***corallinus** (Roberge) Diederich & D. Hawksw. Syn.: *Illosporium corallinum*
#**lignicola** Lawrey & Diederich (DePriest et al. 2005)
***buckii** Diederich & Lawrey (Diederich & Lawrey 2007) = *Laetisaria buckii* (Diederich et al. 2018)

MARONEA A. Massal.

constans (Nyl.) Hepp (Harris 2006b, Lendemer et al. 2013)
polyphaea H. Magn.

carolinae H. Magn. = *M. polyphaea* (Harris 2006b)
porinoidea Zahlbr. = *Ramonia valenzueliana*

MASONHALEA Kärnefelt

inermis (Nyl.) Lumbsch, M. Nelsen & A. Thell Syns.: *Cetraria inermis*, *Tuckermannopsis inermis* (Nelsen et al. 2013)
richardsonii (Hooker) Kärnefelt Syn.: *Cetraria richardsonii*

MASSALONGIA Körber

carnosa (Dickson) Körber Syn.: *Pannaria carnosa*
microphylliza (Nyl. ex Hasse) Henssen Syns.: *Placynthium dubium*, *P. microphyllizum*

MASSARINA Sacc.

staphyleae (Petr.) Aptroot = *Pseudopyrenula staphyleae*

MASTODIA Hooker f. & Harvey

tessellata (Hooker f. & Harvey) Hooker f. & Harvey Syns.: *Kohlmeyera complicatula*,
Turgidosculum complicatulum (Kohlmeyer et al. 2004)

MAZOSIA A. Massal.

carnea (Eckfeldt) Aptroot & M. Cáceres (Aptroot et al. 2014) Syns.: *Enterographa carnea*,
Ocellularia carnea, *Thelotrema carneum*
viridescens (Fée) Aptroot & M. Cáceres (Seavey et al. 2017) Syns.: *Platygrapha ocellata*,
Schismatomma ocellatum
ocellata (Nyl.) R. C. Harris = *M. viridescens* (Tehler 1993, Aptroot et al. 2014)

MEDUSULINA Müll. Arg. = **FISSURINA** (Miranda-González et al. 2020)

nitida (Eschw.) Müll. Arg. = *Fissurina nitida* (Miranda-González et al. 2020)
texana Müll. Arg. = *Jocatoa agminalis* (Miranda-González et al. 2020)

MEGALARIA Hafellner

albocincta (Degel.) Tønsberg (Ekman & Tønsberg 1996) Syns.: *Catillaria albocincta*,
Catillochroma albocinctum (Fryday & Lendemer 2010)
allenae Lendemer & McMullin (McMullin & Lendemer 2016)
alligatorensis Lendemer (Lendemer et al. 2016c)
beechingii Lendemer (Lendemer 2007b)
brodoana S. Ekman & Tønsberg (Ekman & Tønsberg 1996)
columbiana (G. Merr.) S. Ekman (Ekman & Tønsberg 1996) *Catillaria columbiana*
grossa (Pers. ex Nyl.) Hafellner Syns.: *Catillaria grossa*, *Catinaria grossa*, *C. leucoplaca* auct.,
Heterothecium grossum
jemtlandica (Th. Fr. & Almq.) Fryday Syns.: *Catillaria jemtlandica*, *Lecidea sublimosa* (Fryday 2004a)
laureri (Hepp ex Th. Fr.) Hafellner (Ekman & Tønsberg 1996) Syns.: *Catillaria laureri*, *Catinaria laureri*
leptocheila (Tuck.) Fryday & Lendemer Syns.: *Catillaria leptocheila*, *Catillochroma leptocheilum*, *Heterothecium leptocheilum* (Fryday & Lendemer 2010)
pannosa (Zahlbr.) Fryday & Lendemer (Fryday & Lendemer 2010)
pulverea (Borrer) Hafellner & E. Schreiner Syn.: *Catillaria pulverea*
versicolor (Flotow) Fryday & Lendemer Syns.: *Catillochroma versicolor*, *Heterothecium versicolor*
versicolor (Fryday & Lendemer 2010)

MEGALOSPORA Meyen

pachycheila (Tuck.) Sipman Syns.: *Bombyliospora pachycheila*, *Heterothecium pachycheilum*
porphyritis (Tuck.) R. C. Harris Syns.: *Bombyliospora porphyritis*, *Heterothecium porphyrites*
tuberculosa (Fée) Sipman Syns.: *Bombyliospora tuberculosa*, *Heterothecium tuberculosum*

sanguinaria (L.) A. Massal. = *Mycoblastus sanguinaria*
versicolor (Fée) Zahlbr. = *Megalaria versicolor*

MEGASPORA (Clauz. & Cl. Roux) Hafellner & V. Wirth

verrucosa (Ach.) Arcadia & A. Nordin (Arcadia & Nordin 2012) Syns.: *Pachyospora verrucosa*,
P. mutabilis, *Lecanora verrucosa*, *L. verrucosa* f. *mutabilis*, *L. mutabilis* (Ach.) Nyl. non Sommerf.,
L. urceolaria, *Pertusaria freyi*

MELANARIA Erichsen = **PERTUSARIA**
macounii I. M. Lamb = *Pertusaria macounii*

MELANELIA Essl.

agnata (Nyl.) A. Thell Syn.: *Cetraria agnata*
culbersonii (Hale) A. Thell Syn.: *Cetraria culbersonii*
hepatizon (Ach.) A. Thell Syns.: *Cetraria hepatizon*, *C. polyschiza*
stygia (L.) Essl. Syn.: *Parmelia stygia*
albertana (Ahti) Essl. = *Melanelia albertana*
commixta (Nyl.) A. Thell = *Cetrariella commixta*
disjuncta (Erichsen) Essl. = *Montanelia disjuncta*
elegantula (Zahlbr.) Essl. = *Melanohalea elegantula*
exasperata (De Not.) Essl. = *Melanohalea exasperata*
exasperatula (Nyl.) Essl. = *Melanohalea exasperatula*
fuliginosa (Fr. ex Duby) Essl. = *Melanelia fuliginosa*, but apparently absent from North America
glabra (Schaerer) Essl. North American reports are *Melanelia californica*
glabratula (Lamy) Essl. = *Melanelia glabratula*
glabroides (Essl.) Essl. = *Melanelia glabroides*
granulosa (Lynge) Essl. = *Montanelia disjuncta*
halei (Ahti) Essl. = *Melanohalea halei*
incolorata (Parrique) Essl. = *Melanohalea elegantula*
infumata (Nyl.) Essl. = *Melanohalea infumata*
multispora (A. Schneider) Essl. = *Melanohalea multispora*
olivacea (L.) Essl. = *Melanohalea olivacea*
olivaceoides (Krog) Essl. = *Melanohalea olivaceoides*
panniformis (Nyl.) Essl. = *Montanelia panniformis*
septentrionalis (Lynge) Essl. = *Melanohalea septentrionalis*
sorediata (Ach.) Goward & Ahti = *Montanelia sorediata*
sorediosa (Almb.) Essl. = *Montanelia sorediata*
subargentifera (Nyl.) Essl. = *Melanelia subargentifera*
subaurifera (Nyl.) Essl. = *Melanelia subaurifera*
subelegantula (Essl.) Essl. = *Melanohalea subelegantula*
subolvacea (Nyl.) Essl. = *Melanohalea subolvacea*
substygia (Räsänen) Essl. = *Montanelia tominii*, but North American reports are *M. saximontana* or *M. secwepemc*
tominii (Oxner) Essl. = *Montanelia tominii*, but North American reports are *M. saximontana* or *M. secwepemc*
trabeculata (Ahti) Essl. = *Melanohalea trabeculata*
villosella (Essl.) Essl. (Esslinger 2002c) = *Melanelia villosella*

MELANELIXIA O. Blanco, A. Crespo, Divakar, Essl., D. Hawksw. & Lumbsch (Blanco et al. 2004a)

ahtii S. Leavitt, Essl., Divakar, A. Crespo & Lumbsch (Leavitt et al. 2016)
albertana (Ahti) O. Blanco et al. Syns.: *Melanelia albertana*, *Parmelia albertana*
californica A. Crespo & Divakar (Divakar et al. 2010)
glabratula (Lamy) Sandler & Arup Syns.: *Melanelia glabratula*, *Parmelia glabratula*
glabroides (Essl.) O. Blanco et al. Syns.: *Melanelia glabroides*, *Parmelia glabroides*
robertsoniorum S. Leavitt, Essl., Divakar, A. Crespo & Lumbsch (Leavitt et al. 2016)

subargentifera (Nyl.) O. Blanco et al. Syns.: Melanelia subargentifera, Parmelia subargentifera, P. conspurcata
subaurifera (Nyl.) O. Blanco et al. Syns.: Melanelia subaurifera, Parmelia subaurifera
villosella (Essl.) O. Blanco et al. Syns.: Melanelia villosella, Parmelia villosella
fuliginosa (Fr. ex Duby) O. Blanco et al. North American reports are misidentifications of M. glabratula (Leavitt et al. 2012)
glabra (Schaerer) O. Blanco et al. North American reports are M. californica

MELANOGRAPHA Müll. Arg. (Ertz & Diederich 2015)

***tribulodes** (Tuck.) Müll. Arg. Syns.: Melaspilea tribulodes, Opegrapha tribulodes (Ertz & Diederich 2015)

MELANOHALEA O. Blanco, A. Crespo, Divakar, Essl., D. Hawksw. & Lumbsch (Blanco et al. 2004a)

beringiana S. Leavitt, Essl., Divakar, A. Crespo & Lumbsch (Leavitt et al. 2016)

clari S. Leavitt, Essl., Divakar, A. Crespo & Lumbsch (Leavitt et al. 2016)

columbiana S. Leavitt, Essl., Divakar, A. Crespo & Lumbsch (Leavitt et al. 2016)

elegantula (Zahlbr.) O. Blanco et al. Syns.: Melanelia elegantula, M. incolorata, Parmelia elegantula

exasperata (De Not.) O. Blanco et al. Syns.: Melanelia exasperata, Parmelia exasperata, P. aspera, P. aspidota, Parmelia olivacea f. aspidota

exasperatula (Nyl.) O. Blanco et al. Syns.: Melanelia exasperatula, Parmelia exasperatula

halei (Ahti) O. Blanco et al. Syns.: Melanelia halei, Parmelia halei

infumata (Nyl.) O. Blanco et al. Syns.: Melanelia infumata, Parmelia infumata

multispora (A. Schneider) O. Blanco et al. Syns.: Melanelia multispora, Parmelia multispora

olivacea (L.) O. Blanco et al. Syns.: Melanelia olivacea, Parmelia olivacea

olivaceoides (Krog) O. Blanco et al. Syns.: Melanelia olivaceoides, Parmelia olivaceoides

septentrionalis (Lynge) O. Blanco et al. Syns.: Melanelia septentrionalis, Parmelia septentrionalis

subelegantula (Essl.) O. Blanco et al. Syns.: Melanelia subelegantula, Parmelia subelegantula

subolvacea (Nyl.) O. Blanco et al. Syns.: Melanelia subolvacea, Parmelia subolvacea

tahltan S. Leavitt, Essl., Divakar, A. Crespo & Lumbsch (Leavitt et al. 2016)

trabeculata (Ahti) O. Blanco et al. Syns.: Melanelia trabeculata, Parmelia trabeculata

MELANOLECIA Hertel

transitoria (Arnold) Hertel ex Poelt

jurana (Schaerer) Hertel = Farnoldia jurana

micropsis (A. Massal.) Hertel = Farnoldia micropsis

MELANOMMA Nitschke ex Fuckel

+oxysporum (Zahlbr.) D. Hawksw. Syn.: Microthelia oxyspora

MELANOPHLOEA P. James & Vězda

americana K. Knudsen & Lendemer (Knudsen et al. 2011b) = Trimmatothelopsis americana (Knudsen & Lendemer 2016) Syn.: Thelenella americana (Knudsen & Kocourová 2013)

MELANOTHECA Körber = PYRENULA

achariana Fée = Pyrenula anomala

aggregata (Fée) Müll. Arg. = not in North America

anomala (Ach.) A. Massal. = Pyrenula anomala

cinerata Zahlbr. = Pyrenula sexlocularis

concatervans (Nyl.) Zahlbr. = Pyrenula sexlocularis

cruenta (Mont.) Müll. Arg. = Pyrenula cruenta

esenbeckiana Fée = Tomasellia esenbeckiana, but a misidentification for North America

subincruenta (Nyl.) Zahlbr. = Pyrenula cruenta

wrightii Müll. Arg. = misidentification for North American records

MELANOTOPELIA Lumbsch & Mangold (Mangold et al. 2008)
toensbergii (Vězda & Kantvilas) Lumbsch & Mangold Syn.: Topeliopsis toensbergii (Mangold et al. 2008)

MELANOTREMA A. Frisch (Frisch 2006)
meiospermum (Nyl.) A. Frisch Syns.: Ocellularia meiosperma, Phaeotrema meiospermum (Frisch 2006)
platystomum (Mont.) Frisch (Seavey & Seavey 2014a)

MELASPILEA Nyl.
amota Nyl.
cinerascens (Willey) Fink Syn.: Opegrapha cinerascens
constrictella (Stirton) A. L. Sm.
***cupularis** Müll. Arg.
demissa (Tuck.) Zahlbr. Syn.: Opegrapha demissa
***epigena** Müll. Arg. (Esslinger & Egan 1995)
gemella (Eschw.) Nyl. (Esslinger & Tucker 2009)
interjecta (Leighton) A. L. Sm. (Villella et al. 2013)
maculosa (Fr.) Müll. Arg.
stellans Zahlbr.
urceolata (Fr.) Ertz & Diederich (Ertz & Diederich 2015)
arthonioides (Fée) Nyl. = M. urceolata (Ertz & Diederich 2015)
deformis (Schaerer) Nyl. = Hazslinszky gibberulosa, but misidentifications for North America (Perlmutter et al. 2015)
diformis (Rabenh.) Nyl. = Hazslinszky gibberulosa (Ertz & Diederich 2015)
gibberulosa (Ach.) Zwackh (Brodo 1967) = Hazslinszky gibberulosa (Ertz & Diederich 2015)
lentiginosula (Nyl.) A. L. Sm. = misidentification for North America (Perlmutter et al. 2015)
mesophlebia (Nyl.) Müll. Arg. = Opegrapha mesophlebia (Perlmutter et al. 2015)
octomera Müll. Arg. = Opegrapha astraea (Perlmutter et al. 2015)
+proximella (Nyl.) Nyl. = Melaspilella proximella (Ertz & Diederich 2015)
***tribulodes** (Tuck.) Müll. Arg. = Melanographa tribulodes (Ertz & Diederich 2015)

MELASPILELLA (P. Karsten) Vainio (Ertz & Diederich 2015)
+proximella (Nyl.) Ertz & Diederich Syn.: Melaspilea proximella

MENEGAZZIA A. Massal.
subsimilis (H. Magn.) R. Sant. (Bjerke 2003)
terebrata (Hoffm.) A. Massal. Syns.: Parmelia pertusa, P. sipeana
pertusa (Schrank) Stein = M. terebrata

MERISMATIUM Zopf
***coccisporum** (Norman) Vouaux
***decolorans** (Rehm ex Arnold) Triebel
***heterophractum** (Nyl.) Vouaux (Zhurbenko & Laursen 2003)
***nigritellum** (Nyl.) Vouaux (Zhurbenko & Dillman 2010)
***peregrinum** (Flotow) Triebel (Harris & Lendemer 2005)

METAMELANGEA Henssen
melambola (Tuck.) Henssen Syns.: Pyrenopsis melambola, Synalissa melambola
umbonata Henssen (Fryday 2006)

METASPHAERIA Sacc.
***tartarina** (Nyl.) Keissler (Talbot et al. 2000) = Sagediopsis campsteriana

MICAREA Fr.
adnata Coppins (McCune 2017)

alabastrites (Nyl.) Coppins (Tønsberg & Coppins 2000)
anterior (Nyl.) Hedl. (McCune et al. 2014b)
assimilata (Nyl.) Coppins Syn.: Lecidea assimilata
botryoides (Nyl.) Coppins (McCune 1996)
byssacea (Th. Fr.) Czarnota, Guzow-Krzemińska & Coppins (Launis & Myllys 2014)
chlorosticta (Tuck.) R. C. Harris Syns.: Bacidia chlorosticta, Biatora chlorosticta
cinerea (Schaerer) Hedl.
contexta Hedl. (Konoreva et al. 2021)
coppinsii Tønsberg (Fryday 2006)
czarnotae Launis, van den Boom, Sérus. & Myllys (Spribille et al. 2020)
deminuta Coppins (Fryday & Coppins 2007)
denigrata (Fr.) Hedl. Syns.: Lecidea aniptiza, Micarea denigrata
elachista (Körber) Coppins & R. Sant.
endocyanea (Tuck. ex Willey) R. C. Harris Syn.: Bacidia endocyanea
fallax Launis & Myllys (Konoreva et al. 2021)
farinosa Coppins & Aptroot (Spribille et al. 2020)
globulosella (Nyl.) Coppins
hedlundii Coppins
incrassata Hedl.
inopinula (Nyl.) Coppins & T. Sprib. (Konoreva et al. 2021)
***inquinans** (Tul.) Coppins (Fryday 2017)
laeta Launis & Myllys (Konoreva et al. 2021)
leprosula (Th. Fr.) Coppins & A. Fletcher
lignaria (Ach.) Hedl. Syns.: Bacidia lignaria, Biatora millaria
lithinella (Nyl.) Hedl.
marginata Coppins & Muhr (Fryday 2006)
melaena (Nyl.) Hedl. Syns.: Bacidia melaena, Biatora melaena, Bilimbia melaena
melaeniza Hedl. (Spribille et al. 2020)
microareolata Launis, Pykälä & Myllys (Konoreva et al. 2021)
micrococca (Körber) Gams ex Coppins (Fryday & Coppins 2007) Syn.: Biatora micrococca
misella (Nyl.) Hedl. Syn.: Lecidea misella
myriocarpa V. Wirth & Vězda ex Coppins (Tønsberg 1999a)
neostipitata Coppins & P. May (Coppins & May 2001)
nigella Coppins (McCune 2017)
nitschkeana (J. Lahm ex Rabenh.) Harm.
paratropa (Nyl.) Alstrup (Alstrup et al. 1994)
peliocarpa (Anzi) Coppins & R. Sant. Syns.: Bacidia trisepta, Bilimbia trisepta
perparvula (Nyl.) Coppins & Printzen (Printzen 1995, Coppins 2008)
prasina Fr. Syns.: Biatora prasina, Catillaria prasina, Lecidea sordidescens
prasinella (Jatta) I. M. Lamb (Spribille et al. 2010)
pseudomicrococca Launis & Myllys (Konoreva et al. 2021)
pusilla Launis, Malíček & Myllys (Konoreva et al. 2021)
pycnidiophora Coppins & P. James
rhabdogena (Norman) Hedl. Syns.: Biatora punctella, Lecidea punctella (Printzen 1995)
soralifera Guzow-Krzem., Czarnota, Lubek & Kukwa (Lendemer 2017a)
subalpina Coppins & T. Sprib. (Coppins & Spribille 2004)
subviridescens (Nyl.) Hedl. (McCune 2017)
synotheoides (Nyl.) Coppins (Tønsberg & Coppins 2000)
ternaria (Nyl.) Vězda Syn.: Lecidea suballinita
tomentosa Czarnota & Coppins (Konoreva et al. 2021)
turfosa (A. Massal.) Du Rietz
vulpinaris (Nyl.) Muhr
xanthonica Coppins & Tønsberg (Coppins & Tønsberg 2001)
bauschiana (Körber) V. Wirth & Vězda = Brianaria bauschiana (Ekman & Svensson 2014)
clavopycnidia Brodo & Tønsberg = Szezawinskia tsugae (Aptroot et al. 1997)
crassipes (Th. Fr.) Coppins = Helocarpon crassipes

erratica (Körber) Hertel, Rambold & Pietschmann = *Leimonis erratica*
gelatinosa (Flörke) Brodo = *Trapeliopsis gelatinosa*
globularis "(Ach. ex Nyl.) Hedl." = *M. misella*
lutulata (Nyl.) Coppins = *Brianaria lutulata* (Ekman & Svensson 2014)
lynceola (Th. Fr.) Palice = misidentification for North America? (Coppins & Fryday 2006b)
melanobola (Nyl.) Coppins = misidentification for North America (Coppins & Fryday 2006b)
populina (Müll. Arg. ex Nyl.) R. A. Anderson & M. P. Carmer = *Lecidea populina*
subviolascens (H. Magn.) Coppins = *Micarea paratropa* (Alstrup et al. 1994)
sylvicola (Flotow) Věžda & V. Wirth = *Brianaria sylvicola* (Ekman & Svensson 2014)
trisepta (Hellbom) Wetmore = *M. peliocarpa*
tuberculata (Sommerf.) R. A. Anderson = *Brianaria tuberculata* (Ekman & Svensson 2014)
violacea (Crouan ex Nyl.) Hedl. = *M. peliocarpa*
viridescens (Schrader) Brodo = *Trapeliopsis viridescens*

MICAREOPSIS R. C. Harris & Lendemer (Lendemer et al. 2013)
irriguata R. C. Harris & Lendemer

MICROCALICIUM Vainio

⁺**ahlneri** Tibell
***arenarium** (Hampe ex A. Massal.) Tibell Syn.: *Coniocybopsis arenaria*
***conversum** Tibell (Tibell & Ryan 2004)
***disseminatum** (Ach.) Vainio Syns.: *Mycocalicium disseminatum*, *Calicium disseminatum*
^{*}**subpedicellatum** (Schaeerer) Tibell = *M. disseminatum*

MICROGLAENA Körber nom. illegit. = **THELENELLA**

corrosa (Körber) Arnold = *Protothelenella corrosa*
hassei Zahlbr. = *Thelenella hassei*
inductula (Nyl.) Servít = *Thelenella inductula*
muscorum (Fr.) Th. Fr. = *Thelenella muscorum*
sordidula Th. Fr. = *Thelenella sordidula*
sphinctrinoides (Nyl.) Lönnr. = *Protothelenella sphinctrinoides*
subcorallina Hasse = *Thelenella modesta*
sychnogonoides Zahlbr. = *Thelenella hassei*

MICROLYCHNUS A. Funk
epicorticis A. Funk = *Gyalideopsis epicorticis*

MICROPHIALE (Stizenb.) Zahlbr. = **COENOGONIUM**
diluta (Pers.) Zahlbr. (Fink 1935) = *Coenogonium pineti*
lutea (Dickson) Zahlbr. (Fink 1935) = *Coenogonium luteum*

MICROTHELIA Körber = **ANISOMERIDUM**

[#]**aterrima** (Kremp. ex Anzi) Zahlbr. = *Lichenothelia scopularia*
hymnothora (Ach.) Trevisan = *Granulopyrenis hymnothora*
[#]**inops** Degel. = *Kirschsteiniothelia aethiops*
[#]**metzleri** J. Lahm = *Lichenothelia metzleri*
[#]**micula** auct. non Flotow ex Körber = *Kirschsteiniothelia aethiops* for most North American records
⁺**oblongata** Müll. Arg. = *Mycomicrothelia wallrothii*
⁺**oxyspora** Zahlbr. = *Melanomma oxysporum*
⁺**thelena** (Ach.) Trevisan = *Mycomicrothelia thelena*, but not found in North America
verruculosa Anastasiou = identity uncertain
⁺**wallrothii** (Hepp) Rehm = *Mycomicrothelia wallrothii*
[#]**willeyana** Müll. Arg. North American reports based on *Bogoriella socialis* (Aptroot & Lücking 2016)

MIOSPIUM D. Hawksw.

***graphideorum** (Nyl.) D. Hawksw. (Spribille et al. 2020)

MINUTOEXCIPULA V. Atienza & D. Hawksw.

***mariana** V. Atienza (Diederich 2003)

***miniatoexcipula** R. C. Harris & Lendemer (Lendemer et al. 2016c)

***tuckerae** V. Atienza & D. Hawksw.

MIRIQUIDICA Hertel & Rambold (Hertel & Rambold 1987)

atrofulva (Sommerf.) A. J. Schwab & Rambold Syn.: Lecidea atrofulva

complanata (Körber) Hertel & Rambold (Spribille et al. 2020)

deusta (Sten.) Hertel & Rambold Syn.: Lecidea deustata

garovaglioi (Schaerer) Hertel & Rambold Syns.: Lecidea garovaglioi, L. aenea

gyrizans Fryday (Spribille et al. 2020)

***instrata** (Nyl.) Hertel & Rambold Syn.: Lecidea instrata

***intrudens** (H. Magn.) Hertel & Rambold Syn.: Lecanora intrudens

leucophaea (Flörke ex Rabenh.) Hertel & Rambold Syns.: Biatora leucophaea, Lecidea leucophaea, L. marylandensis

leucophaeoides (Nyl.) Hertel & Andreev Syn.: Lecidea leucophaeoides (Hertel & Andreev 2003)

lulensis (Hellbom) Hertel & Rambold Syns.: Lecidea lulensis, L. circumnigrata var. reagens

***nigroleprosa** (Vainio) Hertel & Rambold (Spribille et al. 2010)

plumbeoatra (Vainio) A. J. Schwab & Rambold Syn.: Lecidea plumbeoatra, L. furva, L. humilis

pulvinatula (Arnold) Hertel & Rambold Syn.: Lecidea circumnigrata

pycnocarpa (Körber) Andreev Syns.: Lecidea marciensis, L. pycnocarpa, Lecidella pycnocarpa (Coppins & Fryday 2006b)

scotopholis (Tuck.) B. D. Ryan & Timdal Syns.: Biatora scotopholis, Lecanora scotopholis, Lecidea scotopholis, Psora scotopholis, Psorula scotopholis (Nash et al. 2004a)

subplumbea (Anzi) Cl. Roux (McCune 2017, McMullin et al. 2017) Syn.: Biatora leucophaea var. griseoatra

***verrucariicola** (B. D. Ryan) K. Knudsen & Kocourk. Syns.: Lecanora verrucariicola, Protoparmelia ryaniana (Knudsen et al. 2015)

griseoatra (Flotow) Hertel & Rambold = M. subplumbea

mexicana Rambold, Sipman & Hertel (Knudsen & Owe-Larson 2005) = M. scotopholis (Knudsen et al. 2008b, Lendemer & Knudsen 2008, Knudsen et al. 2015)

MIXTOCONIDIUM Etayo

nashii (Hafellner) Etayo & van den Boom Syn.: Plectocarpon nashii (Diederich et al. 2018)

MOBERGIA H. Mayrhofer & Sheard

angelica (Stizenb.) H. Mayrhofer & Sheard Syns.: Rinodina angelica, R. bolodes, R. dirinoides, Dimelaena angelica

calculiformis (W. A. Weber) H. Mayrhofer & Sheard Syns.: Rinodina calculiformis, R. platyloba

MOELLEROPSIS Gyelnik

nebulosa (Hoffm.) Gyelnik subsp. **nebulosa** (Jørgensen 2002)

nebulosa subsp. frullaniae Maass (Jørgensen 2000a, Maass 1986) = Fuscopannaria nebulosa (Tripp & Lendemer 2020)

MONEROLECHIA Trevisan

***badia** (Fr.) Kalb Syns.: Buellia badia, B. turgescens, B. turgescentoides (Diederich et al. 2018)

***californica** (H. Magn.) Elix Syn.: Dimelaena californica (Diederich et al. 2018)

MONOBLASTIA Riddle

borinquensis R. C. Harris (Harris 1995a)

buckii R. C. Harris

cypressi R. C. Harris (Harris 1995a)

palmicola Riddle (Seavey et al. 2017)
rappii Zahlbr.

MONOBLASTIOPSIS R. C. Harris & C. A. Morse
konzana R. C. Harris & C. A. Morse (Harris & Morse 2008)
nigrocortina R. C. Harris & C. A. Morse (Harris & Morse 2008)

MONODICTYS S. Hughes
***cellulosa** S. Hughes (Diederich 2003)
***epilepraria** Kukwa & Diederich (Seaward et al. 2017)
***fuliginosa** Etayo (Zhurbenko 2009b)

MONTANELIA Divakar, A. Crespo, Wedin & Essl. (Divakar et al. 2012)
disjuncta (Erichsen) Divakar, A. Crespo, Wedin & Essl. Syns.: Melanelia disjuncta, Parmelia disjuncta, P. granulosa, P. denalii
ocultipanniformis S. Leavitt, Essl., Divakar, A. Crespo & Lumbsch (Leavitt et al. 2016)
panniformis (Nyl.) Divakar, A. Crespo, Wedin & Essl. Syns.: Melanelia panniformis, Parmelia olivacea f. panniformis, P. panniformis
saximontana (R. Anderson & W. Weber) S. Leavitt, Essl., Divakar, A. Crespo & Lumbsch (Leavitt et al. 2016) Syns.: Parmelia saximontana, P. substygia p.p.
secwepemc S. Leavitt, Essl., Divakar, A. Crespo & Lumbsch (Leavitt et al. 2016)
sorediata (Ach.) Divakar, A. Crespo, Wedin & Essl. Syns.: Melanelia sorediata, M. sorediosa, Parmelia olivacea var. sorediata, P. sorediata, P. sorediosas
tomini (Oxner) Divakar, A. Crespo, Wedin & Essl. North American reports are M. saximontana or M. Secwepemc

MOSIGIA Fr. ex A. Massal. = **RIMULARIA**
gibbosa (Ach.) Fr. ex A. Massal. = Rimularia gibbosa

MUELLERELLA Hepp ex Müll. Arg.
***erratica** (A. Massal.) Hafellner & V. John (Knudsen & Kocourková 2009b)
***hospitans** Stizenb. (Spribile et al. 2010)
***lecanactidis** Diederich & van den Boom (Diederich 2003)
***lichenicola** (Sommerf. ex Fr.) D. Hawksw.
***polyspora** Hepp ex Müll. Arg. (Seaward et al. 2017)
***pygmaea** (Körber) D. Hawksw. Syn.: Tichothecium pygmaeum
***ventosicola** (Mudd) D. Hawksw.
*pygmaea var. athallina (Müll. Arg.) Triebel = *M. erratica
*pygmaea var. ventosicola (Mudd) Triebel = *M. ventosicola

MULTICLAVULA R. H. Petersen
coronilla (G. W. Martin) R. H Petersen
corynoides (Peck) R. H. Petersen
mucida (Fr.) R. H. Petersen
sharpii R. H. Petersen
vernalis (Schwein.) R. H. Petersen

MYCOBILIMBIA Rehm
albohyalina (Nyl.) S. Y. Kondr. Syns.: Biatora albohyalina, Lecidea albohyalina (Kondratyuk et al. 2019)
berengeriana (A. Massal.) Hafellner & V. Wirth Syns.: Lecidea berengeriana, Lecidea cuprea var. berengeriana
carneoalbida (Müll. Arg.) S. Ekman & Printzen (Ekman 2004c) Syns.: Bacidia carneoalbida, B. sphaeroides, Biatora carneoalbida, Bilimbia sphaeroides auct.
epixanthoides (Nyl.) Vitik., Ahti, Kuusinen, Lommi & T. Ulvinen (Hafellner & Türk 2001)
Syns: Biatora epixanthoides, Lecidea epixanthoides

fissuriseda (Poelt) Poelt & Hafellner Syn.: Lecidea fissuriseda
pilularis (Körber) Hafellner & Türk Syns.: Bacidia sphaeroides, Biatora sphaeroides, Bilimbia sphaeroides, Catillaria sphaeroides (Hafellner & Türk 2001)
ramea (S. Ekman) S. Y. Kondr. Syn.: Bacidina ramea (Kondratyuk et al. 2019)
tetramera (De Not.) Vitik., Ahti, Kuusinen, Lommi & T. Ulvinen ex Hafellner & Türk (Hafellner & Türk 2001) Syn.: Bacidia fusca
 accedens (Arnold) V. Wirth ex Hafellner = Bilimbia accedens
 austrocalifornica (Zahlbr.) Knudsen (Knudsen 2005b) = Carbonea latypizodes
 fusca (A. Massal.) Hafellner & V. Wirth = M. tetramera
 hypnorum (Lib.) Kalb & Hafellner = Bryobilimbia hypnorum
 lobulata (Sommerf.) Hafellner = Bilimbia lobulata
 lurida (Ach.) Hafellner & Türk (Hafellner & Türk 2001) = Romjularia lurida
 microcarpa (Th. Fr.) W. Brunnbauer = Bilimbia microcarpa
 obscurata (Sommerf.) Rehm = M. tetramera
 sabuletorum (Schreber) Hafellner = Bilimbia sabuletorum

MYCOBLASTUS Norman

affinis (Schaerer) T. Schauer
alpinus (Fr.) Th. Fr. Ex Hellbom
caesius (Coppins & P. James) Tønsberg Syn.: Haematomma caesium
glabrescens (Nyl.) Zahlbr. (Kantvilas 2009)
sanguinarioides Kantvilas (Spribile et al. 2011b)
sanguinarius (L.) Norman Syns.: Megalospora sanguinaria, Heterothecium sanguinarium
 fucatus (Stirton) Zahlbr. = Violella fucata (Spribile et al. 2011a)
 marginatus Degel. = M. affinis (Spribile & Tønsberg 2007)
 melinus (Kremp. ex Nyl.) Hellbom = M. affinis
 tornoënsis (Nyl.) R. A. Anderson = Japewia tornoënsis

MYCOCALICIUM Vainio

⁺**albonigrum** (Nyl.) Fink Syn.: Calicium albonigrum
⁺**americanum** (R. Sant.) Tibell
⁺**caliciooides** (Nádv.) Tibell Syn.: Sphinctrinella caliciooides
fuscipes (Tuck.) Fink Syn.: Calicium fuscipes
ravenelii (Tuck.) Fink Syn.: Calicium ravenelii
reticulatum Nádv.
⁺**sequoiae** Bonar
⁺**subtile** (Pers.) Szatala Syns.: M. parietinum, Calicium subtile
victoriae (C. Knight & F. Wilson) Nádv. (Nash et al. 1998; Tibell 2007)
⁺**compressulum** Nyl. ex Szatala = Phaeocalicium compressulum
^{*}**disseminatum** (Ach.) Fink = Microcalicium disseminatum
^{*}**microcephalum** (Sm.) Fink = Sphinctrina anglica
⁺**parietinum** (Ach. ex Schaerer) D. Hawksw. = M. subtile
[#]**pusiolum** (Ach.) Räsänen = Chaenothecopsis pusiola
⁺**rappii** Nádv. = Chaenothecopsis rappii (Harris 1995a)
⁺**savonicum** Räsänen = Chaenothecopsis savonica

MYCOGLAENA Höhn

⁺**acuminans** (Nyl.) Vainio
⁺**alni** (Dearness & House) Barr
⁺**canadensis** (Ellis & Everh.) Barr
⁺**elegans** (Berk. & Curtis) Höhn
⁺**meridionalis** (Zahlbr.) Szatala
⁺**myricae** (Nyl.) R. C. Harris
⁺**quercicola** R. C. Harris
⁺**subcoeruleascens** (Nyl.) Höhn

MYCOMICROTHELIA Keissler

- ⁺**dothideaspora** (Cook & Harkn.) D. Hawksw.
⁺**inaequalis** (Fabre) D. Hawksw.
[#]**subfallens** (Müll. Arg.) D. Hawksw.
⁺**wallrothii** (Hepp) D. Hawksw. Syns.: Microthelia wallrothii, M. oblongata
⁺**apposita** (Nyl.) D. Hawksw. (Seavey et al. 2017) = Bogoriella apposita (Aptroot & Lücking 2016)
[#]**captiosa** (Kremp.) D. Hawksw. = Bogoriella captiosa (Aptroot & Lücking 2016)
⁺**decipiens** (Müll. Arg.) R. C. Harris (Seavey et al. 2017) = Bogoriella decipiens (Aptroot & Lücking 2016)
[#]**hemisphaerica** (Müll. Arg.) D. Hawksw. = Bogoriella hemisphaerica (Aptroot & Lücking 2016)
thelena (Ach.) D. Hawksw. = Bogoriella thelena, but not found in North America
[#]**willeyana** (Müll. Arg.) D. Hawksw. North American reports based on Bogoriella socialis (Aptroot & Lücking 2016)

MYCOPORELLUM Müll. Arg.

- californicum** Zahlbr. = Mycoporum californicum (Harris 1995a)
difforme (Minks) Fink = Mycoporum lacteum (Harris 1995a)
hassei Zahlbr. = Mycoporum lacteum (Harris 1995a)
sparsellum (Nyl.) Müll. Arg. = Mycoporum sparsellum (Harris 1995a)

MYCOPORUM Flotow ex Nyl.

- acervatum** R. C. Harris (Harris 1995a)
antecellens (Nyl.) R. C. Harris Syn.: Arthopyrenia antecellens (Harris 1995a)
biseptatum Lendemer & R. C. Harris Syn.: Arthonia biseptata (Lendemer & Harris 2014c, Lendemer & Harris 2015a)
buckii R. C. Harris (Harris 1995a)
californicum (Zahlbr.) R. C. Harris (Harris 1995a) Syns.: Tomasellia californica, Mycoporellum californicum
compositum (A. Massal.) R. C. Harris Syns.: Dermatina "pyrenocarpa", Arthothelium lichenale
eschweileri (Müll. Arg.) R. C. Harris (Harris 1995a) Syn.: Tomasellia eschweileri
⁺**hippocastani** (DC) Coppins (Aptroot 2002c)
lacteum (Ach.) R. C. Harris (Harris 1995a) Syns.: Mycoporellum difforme, M. hassei, Tomasellia lactaea
mycoporoides (Müll. Arg.) R. C. Harris (Harris 1995a) Syn.: Arthopyrenia mycoporoides
pycnocarpoides Müll. Arg.
sparsellum Nyl. (Harris 1995a) Syns.: Tomasellia sparsella, Mycoporellum sparsellum
uniloculatum R. C. Harris (Harris 1995a)
ohiense Nyl. ex Fink = M. compositum
pycnocarpum Nyl. = M. compositum

MYELOCHROA (Asahina) Elix & Hale

- aurulenta** (Tuck.) Elix & Hale Syns.: Parmelina aurulenta, Parmelia aurulenta, P. silvestris
galbina (Ach.) Elix & Hale Syns.: Parmelina galbina, Parmelia galbina, P. subquercifolia, P. sulphurosa, P. tiliacea var. sulphurosa
metarevoluta (Asahina) Elix & Hale Syns.: Parmelina metarevoluta, Parmelia metarevoluta
obsessa (Ach.) Elix & Hale Syns.: Parmelina obsessa, Parmelia obsessa, P. finkii

MYOCHROIDEA Printzen, T. Sprib. & Tønsberg (Printzen et al. 2008)

- leprosula** (Arnold) Printzen, T. Sprib. & Tønsberg
minutula Printzen, T. Sprib. & Tønsberg
porphyrospoda (Anzi) Printzen, T. Sprib. & Tønsberg Syns.: Biatora porphyrospoda, Lecidea porphyrospoda
rufofusca (Anzi) Printzen, T. Sprib. & Tønsberg Syn. : Biatora rufofusca, Lecidea rufofusca

MYRIOLECIS Clem.

- agardhiana** (Ach.) Śliwa, Zhao Xin & Lumbsch Syn.: Lecanora agardhiana (Zhao et al. 2016)

albescens (Hoffm.) Śliwa, Zhao Xin & Lumbsch Syns.: *Lecanora albescens*, *L. galactina* (Zhao et al. 2016)
andrewii (B. de Lesd.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora andrewii* (Zhao et al. 2016)
carlottiana (Lewis & Śliwa) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora carlottiana* (Zhao et al. 2016)
contractula (Nyl.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora contractula* (Zhao et al. 2016)
crenulata (Hooker) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora crenulata* (Zhao et al. 2016)
dispersa (Pers.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora dispersa* (Zhao et al. 2016)
flowersiana (H. Magn.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora flowersiana* (Zhao et al. 2016)
fugiens (Nyl.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora fugiens* (Zhao et al. 2016)
hagenii (Ach.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora hagenii* (Zhao et al. 2016)
invadens (H. Magn.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora invadens* (Zhao et al. 2016)
juniperina (Śliwa) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora juniperina* (Zhao et al. 2016)
percrenata (H. Magn.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora percrenata* (Zhao et al. 2016)
perpruinosa (Fröberg) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora perpruinosa* (Zhao et al. 2016)
persimilis (Th. Fr.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora persimilis* (Zhao et al. 2016)
salina (H. Magn.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora salina* (Zhao et al. 2016)
sambuci (Pers.) Clem. Syns.: *Lecanora hagenii* var. *sambuci*, *L. sambuci* (Zhao et al. 2016)
schofieldii (Brodo) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora schofieldii* (Zhao et al. 2016)
semipallida (H. Magn.) Śliwa, Zhao Xin & Lumbsch Syns.: *Lecanora flotoviana*, *L. semipallida* (Zhao et al. 2016)
straminea (Ach.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora straminea* (Zhao et al. 2016)
torrida (Vainio) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora torrida* (Zhao et al. 2016)
wetmorei (Śliwa) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora wetmorei* (Zhao et al. 2016)
zosterae (Ach.) Śliwa, Zhao Xin & Lumbsch Syn.: *Lecanora zosterae* (Zhao et al. 2016)

MYRIONORA R. C. Harris

albidula (Willey) R. C. Harris Syns.: *Biatora albidula*, *Biatorella albidula*
ementiens (Nyl.) S. Y. Kondr. Syns.: *Biatora ementiens*, *Lecidea ementiens* (Kondratyuk et al. 2019)
flavopunctata (Tønsberg) S. Y. Kondr. Syns.: *Biatora flavopunctata*, *Lecanora flavopunctata* (Kondratyuk et al. 2019)
globulosa (Flörke) S. Y. Kondr. Syns.: *Bacidia globulosa*, *Biatora globulosa*, *Lecania globulosa*, *Lecidea globulosa*, *L. sylvana* (Printzen 2004, Kondratyuk et al. 2019)
hemipolia (Nyl.) S. Y. Kondr. Syns.: *Bacidia hemipolia*, *Biatora hemipolia* (Kondratyuk et al. 2019)
ligni-mollis (T. Sprib. & Printzen) S. Y. Kondr. Syn.: *Biatora ligni-mollis* (Kondratyuk et al. 2019)
vacciniicola (Tønsberg) S. Y. Kondr. Syns.: *Biatora vacciniicola*, *Lecidea vacciniicola* (Kondratyuk et al. 2019)

MYRIOSPORA Nägeli ex Uloth (Arcadia & Knudsen 2012)

dilatata (M. Westb. & Wedin) Arcadia (Spribble et al. 2020)
hassei (Herre) K. Knudsen & Arcadia Syns.: *Acarospora hassei*, *A. particularis*, *Silobia hassei* (Arcadia & Knudsen 2012)
myochroa (M. Westb.) K. Knudsen & Arcadia (Spribble et al. 2020 ; McCune et al. 2020)
rhagadiza (Nyl.) K. Knudsen & Arcadia Syns.: *Acarospora amphibola* auct., *Silobia rhagadiza* (Arcadia & Knudsen 2012)
scabrida (Hedl. ex Magn.) K. Knudsen & Arcadia Syns.: *Acarospora scabrida*, *Silobia scabrida* (Arcadia & Knudsen 2012)
smaragdula (Wahlenb. ex Ach.) Nägeli ex Uloth Syns.: *Acarospora amphibola*, *A. smaragdula*, *A. smaragdula* var. *lesdainii*, *Silobia smaragdula* (Arcadia & Knudsen 2012)
tangerina (M. Westb. & Wedin) K. Knudsen & Arcadia (Spribble et al. 2020)

heppii (Nägeli ex Körber) Hue = *Caeruleum heppii*
immersa (Fink ex J. Hedrick) R. C. Harris = *Caeruleum immersum*

MYRIOTREMA Fée

clandestinum (Fée) Hale Syn.: *Ocellularia terebratula* (Lücking et al. 2016)
glauculum (Nyl.) Hale
microporum (Mont.) Hale Syns.: *Ocellularia micropora*, *Thelotrema microporum*
rugiferum (Harm.) Hale
bahianum (Ach.) Hale North American reports are *Ocellularia obturascens* (Lücking et al. 2011)
compunctum (Ach.) Hale = *Leucodecton occultum*
erodens R. C. Harris = *Ocellularia erodens* (Lücking et al. 2016)
glaucescens (Nyl.) Hale = *Leucodecton glaucescens*
glaucophaenum (Kremp.) Hale = *Glaucotrema glaucophaenum*
granulosum (Leighton) Hale Erroneously reported for North America
halei (Tuck.) Hale = *Fibrillithecis halei*
laeviusculum (Nyl.) Hale = *Ocellularia laeviusculum* (Lücking et al. 2016)
peninsulae R. C. Harris = *Nadvornikia peninsulae* (Lücking et al. 2016)
pycnoporellum (Nyl.) Hale (Lücking et al. 2011b) = *Pycnotrema pycnoporellum* (Lücking et al. 2016)
reclusum (Kremp.) Hale = *Leucodecton compunctellum* (Lücking et al. 2016)
subcompunctum (Nyl.) Hale = *Leucodecton subcompunctum*
terebratum (Nyl.) Hale = *Myriotrema clandestinum* (Lücking et al. 2016)
wightii (Taylor) Hale = *Sanguinotrema wightii*

MYXOBILIMBIA Hafellner = BILIMBIA (Veldkamp 2004)

accedens (Arnold) Hafellner = *Bilimbia accedens*
sabuletorum (Schreber) Hafellner = *Bilimbia sabuletorum*

MYXOPHORA Döbbeler & Poelt

***leptogiophila** (Minks ex G. Winter) Nik. Hoffm. & Hafellner (Hoffmann & Hafellner 2000)

MYXOTRICHUM Kunze

***bicolor** (Ehrenb. ex Pers.) Fr.
poluninii Apinis = M.

NADVORNIKIA Tibell

hawaiensis (Tuck.) Tibell
peninsulae (R. C. Harris) I. Medeiros, Lücking & Lumbsch Syn.: *Myriotrema peninsulae* (Lücking et al. 2016)
sorediata R. C. Harris

NAETROCYMBE Körber

#atomariooides (Müll. Arg.) R. C. Harris (Harris 1995a)
#attractospora (Zahlbr.) R. C. Harris (Harris 1995a)
#cedrina (Zahlbr.) R. C. Harris (Harris 1995a)
#fraxini (Massal.) R. C. Harris (Harris 1995a)
herrei K. Knudsen & Lendemer (Knudsen & Lendemer 2009b)
#megalospora (Lönnr.) R. C. Harris (Harris 1995a)
#punctiformis (Pers.) R. C. Harris (Harris 1995a)
#quassiicola (Fée) R. C. Harris (Harris 1995a)
rhyponta (Ach.) R. C. Harris Syn.: *Arthopyrenia rhyponta* (Aptroot 2002a)
saxicola (A. Massal.) R. C. Harris (Lendemer et al. 2010)
#massalongiana (Hepp) R. C. Harris A European species, listed here erroneously (Harris 1995a)

NAEVIA Fr. (Thiyagaraja et al. 2020)

***dispersa** (Schrader) Thiyagaraja., Lücking & K. D. Hyde Syn.: *Arthonia dispersa* (Thiyagaraja)

et al. 2020)

⁺**pinastri** (Anzi) Thiyagaraja., Lücking & K. D. Hyde Syn.: Arthonia pinastri (Thiyagaraja et al. 2020)

⁺**punctiformis** (Ach.) A. Massal. Syn.: Arthonia punctiformis (Thiyagaraja et al. 2020)

NANOSTICTIS M. S. Christ.

***christiansenii** Etayo (Alstrup & Cole 1998)

***pseudocypsellariae** Sherwood

NECTRIA (Fr.) Fr.

⁺**zonata** Seaver

***lecanodes** Ces. (Esslinger & Egan 1995) = Nectriopsis lecanodes

***parmeliae** (Berk. & M. A. Curtis) D. Hawksw. = Oviculicula parmeliae

***rubefaciens** Ellis & Everh. = Trichonectria rubefaciens

NECTRIELLA Nitschke ex Fuckel

***anisospora** Lowen = Trichonectria anisospore

NECTRIOPSIS Maire

***cladoniicola** M. S. Cole & D. Hawksw. (Cole & Hawksworth 2001)

***lecanodes** (Ces.) Diederich & Schroers Syn. Nectria lecanodes (Sérusiaux et al. 1999)

***parmeliae** (Berk. & M. A. Curtis) M. S. Cole & D. Hawksw. (Cole & Hawksworth 2001) = Oviculicula parmeliae

***rubefaciens** (Ellis & Everh.) M. S. Cole & D. Hawksw. (Cole & Hawksworth 2001) =

Trichonectria rubefaciens

NEOBARYA Lowen

***peltigerae** Lowen, Boqueras & Gomez-Bolea (Zhurbenko 2009c)

NEOCATATPYRENIUM Harada

disparatum Breuss (Breuss 2005)

NEOCOLEROA Petrak

***inundata** (Vainio) Diederich (Harris & Lendemer 2009) Reported as uncertain

NEOECHINODISCUS Molinari & R. Sierra

***lesdainii** Molinari & R. Sierra Syn.: Echinodiscus lesdainii (Sierra & Molinari-Novoa 2020)

NEOFUSCELIA Essl. = XANTHOPARMELIA (Blanco et al. 2004b; but, see McCune et al 2014b)

ahtii (Essl.) Essl. = Xanthoparmelia ahtii

atticoides (Essl.) Essl. = Xanthoparmelia atticoides

brunella (Essl.) Essl. = Xanthoparmelia brunella

chiricahuensis (R. A. Anderson & W. A. Weber) Essl. = Xanthoparmelia chiricahuensis

infrapallida (Essl.) Essl. = Xanthoparmelia infrapallida

loxodes (Nyl.) Essl. = Xanthoparmelia loxodes

occidentalis (Essl.) Essl. = Xanthoparmelia occidentalis

pulla (Ach.) Essl. = Xanthoparmelia pulla, but not present in North America

pustulosa (Essl.) Essl. = Xanthoparmelia pustulosa

subhosseana (Essl.) Essl. = Xanthoparmelia subhosseana

verruculifera (Nyl.) Essl. = Xanthoparmelia verruculifera

NEOLAMYA Theissen & Sydow

***peltigerae** (Mont.) Theissen & Sydow (Alstrup & Cole 1998)

***xanthoparmeliae** Kocourk. (Kocourková 2009)

NEONORRLINIA Sydow

**tryptetheliza* (Nyl.) Sydow (Weber & Wittman 2000) = *Cercidospora tryptetheliza*

NEOPROTOPARMELIA Garima Singh, Lumbsch & I. Schmitt (Singh et al. 2018)

amerisidiata Garima Singh & Aptroot (Singh et al. 2018) Syn.: N.A. report of Protoparmelia
isidiata belongs here

capitata (Lendemer) Garima Singh, Lumbsch & I. Schmitt (Singh et al. 2018)

NEPHROMA Ach.

arcticum (L.) Torss.

bellum (Sprengel) Tuck.

expallidum (Nyl.) Nyl.

helveticum Ach. subsp. **helveticum** Syn.: *Nephromium helveticum*

helveticum subsp. **sipeanum** (Gyelnik) Goward & Ahti

isidiosum (Nyl.) Gyelnik

laevigatum Ach.

occultum Wetmore

parile (Ach.) Ach.

resupinatum (L.) Ach. Syn.: *Sticta drummondii*

aspera Tuck. = *N. helveticum* subsp. *helveticum*

canadense Räsanen = *N. helveticum* subsp. *sipeanum*

filarszkyanum Gyelnik = *N. bellum*

helveticum Ach. var. *sipeanum* (Gyelnik) Wetmore = *N. helveticum* subsp. *sipeanum*

laevigatum auct. non Ach. = *N. Bellum*

laevigatum Ach. var. *parile* (Ach.) Mudd (Tuckerman 1882) = *Nephroma parile*

lusitanicum Schaeerer = *N. laevigatum* Ach. non auct.

massachusettsianum Gyelnik = *N. helveticum* subsp. *helveticum*

plittii Gyelnik = *N. helveticum* subsp. *helveticum*

rameum (Schaeerer) A. Massal. (Fink 1935) = *N. resupinatum* (L.) Ach. (Wetmore 1960)

silvae-veteris Goward & Goffinet = *Lobaria silvae-veteris*

sipeanum Gyelnik = *N. helveticum* subsp. *sipeanum*

szatalae Gyelnik = *N. laevigatum*

subtomentellum (Nyl.) Gyelnik = *N. bellum*

tomentosum (Hoffm.) Flotow (Tuckerman 1882) = *Nephroma resupinatum*

washingtoniense Gyelnik = *N. laevigatum*

NEPHROMIUM Nyl. = **NEPHROMA**

helveticum (Ach.) Nyl. = *Nephroma helveticum*

tropicum (Müll. Arg.) Zahlbr. (Gyelnik 1932) = *Nephroma helveticum* subsp. *helveticum*

NEPHROMOPSIS Müll. Arg.

californica Gyelnik = *Tuckermannopsis orbata* (Tucker 2013)

ciliaris (Ach.) Hue = *Tuckermannopsis ciliaris*

platyphylla (Tuck.) Herre = *Tuckermannopsis platyphylla*

NESOLECHIA A. Massal. (Diederich et al. 2018)

**doerfeltii* (Alstrup & P. Scholz) Diederich Syn.: *Phacopsis doerfeltii*

**oxyspora* (Tul.) A. Massal. Syns.: *Abrothallus oxyspora*, *Biatora oxyspora*, *Lecidea oxyspora*, *Phacopsis oxyspora*

**oxyspora* var. *fusca* (Triebel & Rambold) Diederich Syns.: *Phacopsis fusca*, *P. oxyspora* var. *fusca*

**thallicola* (A. Massal.) A. Massal. Syn.: *Phacopsis thallicola*

cladoniscum (Willey) Fink = apothecia of *Pycnothelia papillaria*

**oxysporella* (Nyl.) Arnold (Fink 1935) Identity uncertain (Essligner & Tucker 2009)

papillariae (Willey) Fink (Fink 1935) = apothecia of *Pycnothelia papillaria* (Rambold & Triebel

1992)

**vitellinaria* (Nyl.) Rehm (Fink 1935) = *Carbonea vitellinaria* (Scholz 2000)

NEUROPOGON Nees & Flotow = USNEA

lambii Imshaug = *Usnea lambii*

sulphureus (J. König) Hellbom North American reports are *Usnea sphacelata*

sphacelatus (R. Br.) Alstrup & E. S. Hansen = *Usnea sphacelata*

NIEBLA Rundel & Bowler

cedrosensis J. E. Marsh & T. H. Nash Syns.: *Vermilacinia cedrosensis*, *V. reptiloderma* (Bowler & Marsh 2004)

cephalota (Tuck.) Rundel & Bowler Syns.: *Desmazieria cephalota*, *Ramalina cephalota*, *Vermilacinia cephalota* (Bowler & Marsh 2004)

ceruchis Rundel & Bowler Syns.: *Desmazieria ceruchis*, *Ramalina ceruchis*, *Vermilacinia cerebra*, *V. corrugata*, *V. ceruchis*, *V. howei*, *V. leoni*, *V. leopardina*, *V. nylanderi*, *V. vesiculosa*, *V. zebrina* (Bowler & Marsh 2004)

ceruchoides Rundel & Bowler Syns.: *Desmazieria ceruchoides*, *Vermilacinia ceruchoides*, *V. acicularis*, *V. pumila* (Bowler & Marsh 2004)

combeoides (Nyl.) Rundel & Bowler Syns.: *Desmazieria combeoides*, *Ramalina combeoides*, *Vermilacinia combeoides* (Bowler & Marsh 2004)

homalea (Ach.) Rundel & Bowler Syns.: *Desmazieria homalea*, *D. testudinaria*, *Ramalina homalea*, *R. testudinaria*

isidiascens Bowler, J. E. Marsh, T. H. Nash & Riefner

laevigata Bowler & Rundel Syns.: *Vermilacinia johncassadyi*, *V. laevigata*, *V. ligulata*, *V. paleoderma*, *V. rigida*, *V. rosei*, *V. varicosa* (Bowler & Marsh 2004)

polymorpha Bowler, J. E. Marsh, T. H. Nash, & Riefner Syn.: *Vermilacinia polymorpha* (Bowler & Marsh 2004)

procera Rundel & Bowler Syn.: *Vermilacinia procera* (Bowler & Marsh 2004)

ramosissima Spjut (Spjut 1996, Knudsen & Wheeler 2015)

robusta (R. Howe) Rundel Syns.: *Ramalina combeoides* var. *robusta*, *Vermilacinia robusta* (Bowler & Marsh 2004)

tuberculata Riefner, Bowler, J. E. Marsh & T. H. Nash Syn: *Vermilacinia tuberculata* (Bowler & Marsh 2004)

caespitosa Spjut (Spjut 1996) = *N. homalea*

cornea Spjut (Spjut 1996) = *N. homalea*

dactylifera Spjut (Spjut 1996) = *N. homalea*

disrupta (Nyl.) Spjut (Spjut 1996) = *N. homalea*

dissecta Spjut (Spjut 1996) = *N. homalea*

eburnea Spjut (Spjut 1996) = *N. homalea*

fimbriata Spjut (Spjut 1996) = *N. homalea*

flaccescens (Nyl.) Rundel & Bowler = a South American species, not in North America

flagelliforma Spjut (Spjut 1996) = *N. homalea*

halei Spjut (Spjut 1996) = *N. homalea*

infundibula Spjut (Spjut 1996) = *N. homalea*

laminaria Spjut (Spjut 1996) = *N. homalea*

palmeri Spjut (Spjut 1996) = *N. homalea*

siphonoloba Spjut (Spjut 1996) = *N. homalea*

sorediata Spjut (Spjut 1996) = *N. homalea*

sorocarpia Spjut (Spjut 1996) = *N. homalea*

testudinaria (Nyl.) Spjut (Spjut 1996) = *N. homalea*

undulata Spjut (Spjut 1996) = *N. homalea*

NIESSLIA Auersw.

****cladoniicola*** D. Hawksw. & W. Gams (Hansen & Alstrup 1995)

****keissleri*** Zhurb. (Zhurbenko & Pino-Bodas 2017)

****lobariae*** Etayo & Diederich (Zhurbenko & Dillman 2010)

***peltigerae** Pérez-Ort. (Spribille et al. 2020)

***peltigericola** (D. Hawksw.) Etayo (Zhurbenko 2010) Syns.: Raciborskiomyces peltigericola, Wentiomyces peltigericola (Gams et al. 2019)

NIGROPUNCTA D. Hawksw.

***rugulosa** D. Hawksw. (Alstrup & Cole 1998)

NIGROVOTHELIUM Lücking, M. P. Nelsen & Aptroot

tropicum (Ach.) Lücking, M. P. Nelsen & Aptroot Syns.: Pyrenula tropica, Trypethelium tropicum (Aptroot et al. 2016)

NODOBRYORIA Common & Brodo

abbreviata (Müll. Arg.) Common & Brodo Syns.: Bryoria abbreviata, Alectoria abbreviata

oregana (Tuck.) Common & Brodo Syns.: Bryoria oregana, Alectoria oregana

subdivergens (E. Dahl) Common & Brodo Syns.: Bryoria subdivergens, Alectoria subdivergens

NORMANDINA Nyl.

acroglypta (Norman) Aptroot (McCune et al. 2018, Spribille et al. 2020)

pulchella (Borrer) Nyl. Syn.: Lauderlindsaya borri (Muggia et al. 2010)

OBRYZUM Wallr.

***corniculatum** Wallr. (Diederich 2007b)

OCELLULARIA G. Meyer

americana Hale

auberianoides (Nyl.) Müll. Arg. (Lücking et al. 2011b)

cavata (Ach.) Müll. Arg.

concolor Meyen & Flotow (Harris 1995a)

erodens (R. C. Harris) Kraichak, Lücking & Lumbsch Syn.: Myriotrema erodens (Lücking et al. 2016)

fissa (Nyl.) Hale

laeviuscula (Nyl.) Kraichak, Lücking & Lumbsch Syns.: Leptotrema laeviusculum, Myriotrema laeviuscula (Lücking et al. 2016)

obturascens (Nyl.) Hale (Lücking et al. 2011b) Syn.: Thelotrema bahianum var. obturascens

postposita (Nyl.) A. Frisch (Frisch 2006)

praestans (Müll. Arg.) Hale Syn.: Thelotrema praestans

retispora R. C. Harris

sanfordiana (Zahlbr.) Hale Syn.: Thelotrema sanfordianum Possible synonym of Ocellularia interposita (Frisch 2006)

alborosella (Nyl.) R. Sant. = Chapsa alborosella

auberiana (Mont.) Hale = Stegobolus auberianus

bahiana (Ach.) A. Frisch North American reports are O. obturascens (Lücking et al. 2011)

carnea (Eckfeldt) Zahlbr. = Mazosia ocellata

domingensis (Fée) Müll. Arg. = misidentification for North America

emersa (Kremp.) Müll. Arg. (Harris 1995a) = Rhabdodiscus emersus

floridensis Fink = Thelotrema porinoides

glaucophaena (Kremp.) Zahlbr. = Glaucotrema glaucophaenum

granulosa (Tuck.) Zahlbr. = Rhabdodiscus granulosus

interposita (Nyl.) Hale = misidentification for North America

lathraea (Tuck.) Zahlbr. = Thelotrema lathraeum

leiostoma (Tuck.) R. C. Harris = Redingeria leiostoma (Tuck.) A. Frisch, but not in North America (Frisch & Kalb 2006)

meiosperma (Nyl.) Hale = Melanotrema meiospermum

micropora (Mont.) Müll. Arg. = Myriotrema microporum

stictidea (Nyl.) Vězda = Trinathotrema stictideum

subtilis (Tuck.) Riddle = *Thelotrema subtile*
terebratula (Nyl.) Müll. Arg. = *Myriotrema clandestinum*

OCHROLECHIA A. Massal.

- africana** Vainio
alaskana (Verseghy) Kukwa (Kukwa 2009b)
androgyna (Hoffm.) Arnold
antillarum Brodo
arborea (Kreyer) Almb.
bahusiensis H. Magn. (McCune et al. 2020)
brodoi Kukwa (Brodo & McCune 2017)
bryophaga (Erichsen) K. Schmitz & Lumbsch Syn.: *Pertusaria bryophaga*
cooperi T. Sprib. (Spribille et al. 2020)
farinacea Howard
frigida (Sw.) Lynge
gowardii Brodo
grimmiae Lynge
gyalectina (Nyl.) Zahlbr.
inaequatula (Nyl.) Zahlbr.
isidiata (Malme) Verseghy (Lendemer & Harris 2014b)
juvenalis Brodo
laevigata (Räsänen) Verseghy
mahuensis Räsänen (Brodo & Lendemer 2012; Knudsen 2012)
mexicana Vainio
microstictoides Räsänen (Brodo & Lendemer 2012)
minuta (Degel.) T. Sprib. Syns.: *Coccotrema minutum*, *Perforaria minuta* (Spribille et al. 2020)
montana Brodo
oregonensis H. Magn.
pseudopallescens Brodo
rhodoleuca (Th. Fr.) Brodo Syn.: *Pertusaria rhodoleuca*
splendens Lumbsch & Messuti (Roemer et al. 2004)
subbathallina H. Magn.
subisidiata Brodo
subpallescens Verseghy
subplicans (Nyl.) Brodo subsp. **subplicans** Syn.: *Pertusaria subplicans*
subplicans subsp. **hultenii** (Erichsen) Brodo Syn.: *Pertusaria hultenii*
szatalaënsis Verseghy
tartarea (L.) A. Massal. Syn.: *Lecanora tartarea*
[*Pertusaria trachydactyla* Vainio]
trochophora (Vainio) Oshio var. **trochophora** Syn.: *Lecanora pallescens* var. *rosella*
trochophora var. **pruinirosellula** Brodo
turneri (Sm.) Hasselrot (Brodo & Lendemer 2012)
upsaliensis (L.) A. Massal.
xanthostoma (Sommerf.) K. Schmitz & Lumbsch Syn.: *Pertusaria xanthostoma*
yasudae Vainio
alboflavescens (Wulfen) Zahlbr. = a European taxon, not in North America
apiculata Verseghy Mistakenly reported for North America
californica Verseghy = *O. oregonensis*
elisabethae-kolae Verseghy = *O. frigida*
frigida f. **alaskana** Verseghy = *O. alaskana*
geminipara (Th. Fr.) Vainio = *Toensbergia geminipara*
gonatodes (Ach.) Räsänen = *O. frigida*
groenlandica Verseghy = *O. frigida* (Kukwa 2009a)
pacifica H. Magn. = *Coccotrema pocillarium*
pallescens (L.) A. Massal. Not in North America
parella (L.) A. Massal. Not in North America

pennsylvanica Verseghy = *O. yasudae*
pseudotartarea (Vainio) Verseghy = *O. szatalaënsis* (Brodo 1992, Messuti & Lumbsch 2000)
pterulina (Nyl.) Howard = *O. frigida*
rhamni-purshiana E. Senft Identity uncertain
rosella (Müll. Arg.) Verseghy = *O. trochophora*
sorediosa Howard = *O. szatalaënsis*
subviridis (Høeg) Erichsen Not in North America
tuckermanii Verseghy = *O. yasudae*

ODONTOTREMA Nyl. (Baloch et al. 2013b)

**bryoriae* Diederich & Etayo (Diederich et al. 2002) = *Sphaeropezia intermedia*
 **intermedium* Diederich, Zhurb. & Etayo (Diederich et al. 2002) = *Sphaeropezia intermedia*
 **lecanorae* Diederich & G. Marson (Diederich et al. 2002) = *Sphaeropezia lecanorae*
 **melaneliae* Diederich & Zhurb. (Diederich et al. 2002) = *Sphaeropezia melaneliae*
 **ochrolechia* Diederich, Holien & Zhurb. (Diederich et al. 2002) = *Sphaeropezia ochrolechia*
 **santessonii* Zhurb., Etayo & Diederich (Zhurbenko 2012) = *Sphaeropezia santessonii*
 **sipei* (Grummann) Diederich (Diederich et al. 2002) = *Sphaeropezia sipei*
 **thamnoliae* Zhurb., Diederich & Etayo (Zhurbenko 2012) = *Sphaeropezia thamnoliae*

OMPHALARIA Girard & Dunal ex Nyl. = THYREA

girardii Durieu & Mont. = *Thyrea girardii*
kansana Tuck. = *Peccania kansana*
pulvinata (Schaerer) Nyl. (Claassen 1912) North American reports are *Thyrea confusa*
symphorea (Ach.) Tuck. = *Synalissa ramulosa*
texana (Tuck.) Tuck. (Tuckerman 1882) = *Peccania texana*
phyllisca (Wahl.) Tuck. (Tuckerman 1882) Identity uncertain
pyrenoides Nyl. (Tuckerman 1882) = *Paulia pyrenoides*
umbella Tuck. = *Lempholemma umbella*

OMPHALINA Quélet

alpina (Britzelm.) Bresinsky & Stangl = *Lichenomphalia alpina*
ericetorum (Pers. : Fr.) M. T. Lange = *Lichenomphalia umbellifera*
hudsoniana (H. S. Jenn.) H. E. Bigelow = *Lichenomphalia hudsoniana*
luteovitellina (Pilát & Nannf.) M. T. Lange = *Lichenomphalia alpina*
 **peltigerina* (Peck) P. Collin = *Arrhenia peltigerina*
umbellifera (L. : Fr.) Quélet = *Lichenomphalia umbellifera*
velutina (Quélet) Quélet = *Lichenomphalia velutina*

OMPHALODISCUS Schol. = UMBILICARIA

crustulosus (Ach.) Schol. = *Umbilicaria crustulosa*
decussatus (Vill.) Schol. = *Umbilicaria decussata*
krascheninnikovii (Savicz) Schol. = *Umbilicaria krascheninnikovii*, but N.A. reports are *U. polaris*
virginis (Schaerer) Schol. = *Umbilicaria virginis*

OMPHALODIUM Meyen & Flotow

arizonicum (Tuck.) Tuck. = *Omphalora arizonica*

OMPHALORA T. H. Nash & Hafellner

arizonica (Tuck.) T. H. Nash & Hafellner Syns.: *Lecanora arizonica*, *Omphalodium arizonicum*,
Parmelia arizonica

OPEGRAPHA Ach.

**agelaea* Fée (Ertz 2009)
anguinella (Nyl.) Ertz & Diederich (Ertz et al. 2009) Syns.: *Enterographa anguinella*,
Schismatomma pallidellum auct.

- *anomea** Nyl. (Ertz et al. 2004)
astraea Tuck. Syn.: Melaspilea octomera
aurantiaca B. de Lesd. (Harris 1995a)
bonplandii Fée
***buelliae** Zhurb. (Zhurbenko 2013)
candida Müll. Arg.
***diffracticola** R. C. Harris & Ladd (Harris & Ladd 2005, 2007)
dolomitica (Arnold) Clauzade & Cl. Roux ex Torrente & Egea (Lendemer et al. 2009b)
erosa Egea & Ertz (Ertz & Egea 2007))
***foreaui** (Moreau) Hafellner & R. Sant. (Diederich 2003)
fumosa Coppins & P. James (Tønsberg 1997 [1998])
***geographicola** (Arnold) Hafellner (Dillman et al. 2012)
gyrophorica F. Seavey & J. Seavey (Seavey et al. 2014)
halophila Brodo & Tønsberg (Brodo & Tønsberg 2020)
***hellespontica** Vondrák & Kocourk. (Kocourková & Knudsen 2009d)
***inconspicua** Ertz, S. R. Clayden & K. E. Driscoll (Ertz et al. 2021a)
keyensis F. Seavey & J. Seavey (Seavey et al. 2014)
***lamyi** (O. J. Rich. ex Nyl.) Triebel Syn.: Leciographa lamyi
leucoplaca Müll. Arg.
levidensis Willey (Fink 1935, Esslinger & Tucker 2009)
lithyrga Ach.
***melanospila** Müll. Arg. (Diederich 2003)
mesophlebia Nyl. Syn.: Melaspilea mesophlebia (Perlmutter et al. 2015)
microcycnia Tuck.
moroziana Lendemer (Lendemer 2009)
niveoatra (Borrer) J. R. Laundon
***parmeliiperda** Ertz, K. E. Driscoll & S. R. Clayden (Ertz et al. 2021a)
***phaeophysciae** R. Sant., Diederich, Ertz & Christnach (Hafellner 2009)
prosodea Ach.
protocetrarica F. Seavey & J. Seavey (Seavey et al. 2014)
protuberans Zahlbr.
***pulvinata** Rehm Syn.: Opegraphoidea pulvinata
ravenelii (Tuck.) Tehler Syns.: Lecanactis ravenelii, Platygrapha ravenelii, Schismatomma ravenelii
***rupestris** Pers. Syn.: Leciographa parasitica
sorediifera P. James
***sphaerophoricola** Isbrand & Alstrup
***stereocaulicola** Alstrup & D. Hawksw. (Zhurbenko 2010)
***thelotrema** Coppins (Tønsberg 1997 [1998])
umbellulariae Zahlbr.
vulgata Ach.
xerica Torrente & Egea (Ertz & Egea 2007)
atra Pers. = Arthonia atra (Ertz et al. 2009)
betulina Sm. = O. herbarum
bicolor R. C. Harris & Lendemer (Harris & Lendemer 2005) = Alyxoria bicolor (Ertz & Tehler 2011)
brattiae Egea & Ertz (Ertz & Egea 2007) = Lecanographa brattiae (Ertz & Tehler 2011)
calcarea Turner ex Sm. & Sowerby = Arthonia calcarea (Ertz et al. 2009)
cinerea Chevall. = O. vulgata
corticola Coppins & P. James (Tønsberg 2002) = Thelopsis corticola (Ertz et al. 2021b)
cypressi R. C. Harris = Vigneronia cypressi (Ertz et al. 2015b)
demissa Tuck = Melaspilea demissa
diaphora (Ach.) Ach. = Alyxoria varia
diaphoroides Nyl. = **Paralecanographa grumulosa**
filicina Mont. = Fouragea filicina (Frisch et al. 2014)
***glaucomaria** (Nyl.) Källsten ex Hafellner = ***Phacographa glaucomaria**

gyrocarpa Flotow = Gyrographa gyrocarpa (Ertz et al. 2015b)
 hassei Zahlbr. = Lecanographa hypothallina
herbarum Mont. = Alyxoria culmigena (Spribille et al. 2020)
 herpetica (Ach.) Ach. = O. rufescens
 herpetica var. subocellata Ach. (Fink 1935) = O. rufescens (Santesson et al. 2004)
 hypothallina (Zahlbr.) Tehler = Lecanographa hypothallina
 lichenoides Pers. = Alyxoria varia
 longissima Müll. Arg. = Dimidiographa longissima (Ertz & Tehler 2011)
 mesophaelia Nyl. (Fink 1935) Orthographic variant of O. mesophlebia Nyl. = Melaspilea
 mesophlebia
 mougeotii A. Massal. (Harris & Ladd 2005) = Alyxoria mougeotii
 myriocarpa Tuck. non Fée (Tuckerman 1888) = O. microcyclia
 ochrocheila Nyl. = Alyxoria ochrocheila (Ertz & Tehler 2011)
 oulocheila Tuck. = Dermiscellum oulocheila
***physciaria** (Nyl.) D. Hawksw. & Coppins (Cole & Hawksworth 2001) = Phacothecium varium
 (Hafellner 2009)
 prosiliens Stirton = O. protuberans
 pulicaris auct. = Alyxoria varia
***quaternella** Nyl. = O. anomea (Ertz et al. 2004)
 rimalis Pers. ex Ach. = Alyxoria varia
 rufescens Pers. = Pseudoschismatomma rufescens (Ertz et al. 2015b)
***saxicola** Ach. = O. rupestris
 scaphella var. gemella (Eschw.) Eckfeldt (Fink 1935) = Melaspilea gemella
***trassii** S. Y. Kondr. & Coppins (Coppins & Kondratyuk 1998) = O. foreau
***tribulodes** Tuck. (Mohr 1901) = Melanographa tribulodes
 varia Pers. = Alyxoria varia (Ertz & Tehler 2011)
 viridis (Pers. ex Ach.) Behlen & Desberger = Zwackhia viridis (Ertz & Tehler 2011)
***wetmorei** M. S. Cole & D. Hawksw. (Cole & Hawksworth 2001) = O. anomea (Ertz et al. 2004)
 zonata Körber (Sparrius 2004b) = Enterographa zonata (Ertz et al. 2009)

OPEGRAHOIDEA Fink

***staurothelicola** Fink (fide D. Ertz)
***pulvinata** (Rehm) Fink = Opegrapha pulvinata
***quaternella** (Nyl.) Fink = Opegrapha anomea

OPHIOPARMA Norman

lapponica (Räsänen) Hafellner & R. W. Rogers
rubricosa (Müll. Arg.) S. Ekman Syns.: Bacidia rubricosa, B. herrei, Haematomma californicum
ventosa (L.) Norman (May 1997) Syn.: Lecanora ventosa
 herrei (Zahlbr.) Kalb & Staiger (Staiger & Kalb 1995) = O. rubricosa (Ekman 1996)

ORCULARIA (Malme) Kalb & Giralt (Kalb & Giralt 2011)

insperata (Nyl.) Kalb & Giralt Syn.: Amandinea insperata (Kalb & Giralt 2011)
placodiomorpha (Vainio) Kalb & Giralt Syns.: Amandinea placodiomorpha, Buellia
 placodiomorpha (Kalb & Giralt 2011)

ORPHNIOSPORA Körber

moriopsis (A. Massal.) D. Hawksw. Syns.: Buellia atrata, B. moriopsis, B. coracina
 atrata (Sm.) Poelt = O. moriopsis

OVICUCULISPORA Etayo (Etayo 2010)

***parmeliae** (Berk. & M. A. Curtis) Etayo (Etayo 2010) Syns.: Nectria parmeliae, Nectriopsis
 parmeliae

OXNERIA S. Y. Kondr. & Kärnefelt (Kondratyuk & Kärnefelt 2003a, 2003b) = **XANTHOMENDOZA** (Lindblom 2006)
weberi S. Y. Kondr. & Kärnefelt = Xanthomendoza weberi (Lindblom 2006)

OXNERIARIA S. Y. Kondr. & Lökös
mashiginensis (Zahlbr.) S. Y. Kondr. & Lökös (Spribille et al. 2020)
permutata (Zahlbr.) S. Y. Kondr. & Lökös (Spribille et al. 2020)
virginea (Hue) S. Y. Kondr. & Lökös (Fryday et al. 2021)

PACHNOLEPIA A. Massal. (Frisch et al. 2014)
pruinata (Pers.) Frisch & G. Thor Syn.: Arthonia pruinata

PACHYOSPORA A. Massal.
mutabilis (Ach.) A. Massal. = Megaspora verrucosa
verrucosa (Ach.) A. Massal. = Megaspora verrucosa

PACHYPELTIS Søchting, Arup & Frödén (Arup et al. 2013)
cladodes (Tuck.) Søchting, Frödén & Arup Syns.: Caloplaca cladodes, Placodium cladodes
#invadens (Lynge) Søchting, Frödén & Arup Syn.: Caloplaca invadens

PACHYPHIALE Lönnr. = **GYALECTA** (Baloch et al. 2013a)
carneola (Ach.) Arnold = Gyalecta carneola
fagicola (Arnold) Zwackh = Gyalecta fagicola
gyalizella (Nyl.) S. Ekman = Gyalecta gyalizella

PACHYPHYYSIS R. C. Harris & Ladd (Harris & Ladd 2005, 2007)
ozarkana R. C. Harris & Ladd (Harris & Ladd 2005, 2007)

PALICELLA Rodr. Flakus & Printzen (Rodriguez Flakus & Printzen 2014)
filamentosa (Stirton) Rodr. Flakus & Printzen Syns.: Lecanora filamentosa, L. varia var.
symmicta
schizochromatica (Pérez-Ortega, T. Sprib. & Printzen) Rodr. Flakus & Printzen Syn.: Lecanora schizochromatica

PANNARIA Delise
conoplea (Ach.) Bory
elatior Stirton (Jørgensen 2000c)
hookeri (Borrer ex Sm.) Nyl.
lurida (Mont.) Nyl. subsp. **lurida** Syn.: Physma luridum
lurida subsp. **quercicola** P. M. Jørg. (Jørgensen 2000c)
lurida subsp. **russellii** (Tuck.) P. M. Jørg. (Jørgensen 2000c)
rubiginella P. M. Jørg. & Sipman (Jørgensen 2005)
rubiginosa (Thunb.) Delise
subfusca P. M. Jørg. (Jørgensen 2000c)
tavaresii P. M. Jørg.
ahlneri P. M. Jørg. = Fuscopannaria ahlneri
bolanderi Tuck. (Tuckerman 1872) = Peltula bolanderi
brunnea (Sw.) A. Massal. (Tuckerman 1882) = Protopannaria pezizoides
byssina (Hoffm.) Nyl. (Tuckerman 1882) = Leptogium byssinum
carnosa (Dickson) Rabenh. (Tuckerman 1882) = Massalongia carnosa
crossophylla Tuck. = Rockefellera crossophylla
cyanolepra Tuck. = Fuscopannaria cyanolepra
flabellosa Tuck. (Tuckerman 1882) = Placynthium flabellosum
granatina (Sommerf.) Th. Fr. = Euopsis granatina
halei Tuck. = **Biatora** halei
hypnorum (Vahl) Körber = Psoroma hypnorum

isidiata Degel. = *Tingiopsisidium isidiatum* (Hafellner & Spribille 2016)
 laceratula Hue = *Steineropsis laceratula* (Spribille et al. 2020)
 lanuginosa (Ach.) Körber (Tuckerman 1882) = *Lepraria membranacea*
 lepidiota (Sommerf.) Th. Fr. = *Fuscopannaria praetermissa*
 lepidiota var. *corallophora* Tuck. (“*coralliphora*”) (Tuckerman 1882) = *Fuscopannaria praetermissa*
 lepidiota var. *cyanolepra* Tuck. (Tuckerman 1882) = *Fuscopannaria cyanolepras*
 leucophaea (Vahl) P. M. Jørg. = *Vahliella leucophaea*
 leucosticta Tuck. = *Fuscopannaria leucosticta*
 leucostictoides Ohlsson = *Fuscopannaria leucostictoides*
 malmei C. W. Dodge (Jørgensen 2000c) = misidentification of *P. rubiginella*
 mariana (Fr.) Müll. Arg. = *Lepidocollema marianum* (Jørgensen 2000c, Ekman et al. 2014)
 maritima P. M. Jørg. = *Fuscopannaria maritima*
 mediterranea Tav. = *Fuscopannaria mediterranea*
 melamphylla Tuck. = *Lichenella melamphylla*
 microphylla (Sw.) Delise = *Vahliella leucophaea*
 microphylla var. *californica* Tuck. = *Vahliella californica*
 molybdaea (Pers.) Tuck. var. *cronia* Tuck. (Tuckerman 1882) = *Coccocarpia palmicola*
 molybdaea var. *incisa* (Pers.) Tuck. (“*incisa* Nyl.”) (Tuckerman 1882) = *Fuscopannaria incisa*
 nigra (Hudson) Nyl. = *Placynthium nigrum*
 nigra var. *caesia* (Schaer.) Malbr. (“var. *caesia* Nyl.”) (Tuckerman 1882) Identity uncertain
 nigrocincta (Mont.) Nyl. (Mohr 1901) = *Parmeliella nigrocincta*, but a probable misidentification
 for North America
 pannosa Nyl. = *Parmeliella pannosa*
 petersii (Nyl.) Tuck. = *Placynthium petersii*
 pezizoides (Weber) Trevisan = *Protopannaria pezizoides*
 pityrea auct. = *P. conoplea*
 plumbea (Lightf.) Bory (Tuckerman 1882) = *Pectenia plumbea*
 praetermissa Nyl. = *Fuscopannaria praetermissa*
 pulveracea P. M. Jørg. & Henssen = *Fuscopannaria pulveracea*
 rubiginosa (Sw.) Delise var. *conoplea* (Ach.) Körber (Tuckerman 1882) = *Pannaria conoplea*
 rubiginosa var. *lanuginosa* (Hoffm.) Zahlbr. = *P. lanuginosa*, a misidentification for N.A.
 saubinetii (Mont.) Nyl. = *Vahliella saubinetii*
 sonomensis Tuck. = *Tingiopsisidium sonomense* (Hafellner & Spribille 2016)
 stellata (Tuck.) Nyl. = *Coccocarpia stellata*
 stenophylla Tuck. = *Placynthium stenophyllum*
 stylophora Vainio = *Lepidocollema stylophorum* (Ekman et al. 2014)
 triptophylla (Ach.) A. Massal. = *Parmeliella triptophylla*
 waghornei Eckfeldt = identity uncertain, possibly *Santessonella arctophila*

PARABAGLIETTOA Gueidan & Cl. Roux
disjuncta (Arnold) Krzewicka (McCune et al. 2014b)

PARALECANOGRAPHA Ertz & Tehler
**grumulosa* (Dufour) Ertz & Tehler Syns.: *Lecanactis grumulosa*, *Lecanographa grumulosa*,
Opegrapha diaphoroides but questionable for North America

PARALLOPSORA Kistenich, Timdal & Bendiksby (Kistenich et al. 2018)
labriformis (Timdal) Kistenich, Timdal & Bendiksby Syn. : *Phyllopsora labriformis* (Kistenich et al. 2018)

PARANECTRIA Sacc.
**alstrupii* Zhurb. (Zhurbenko & Dillman 2010)
**oropensis* (Ces.) D. Hawks. & Piroz.
 subsp. *parviseptata* M. S. Cole & D. Hawks. (Cole & Hawksworth 2001) = *P. oropensis*
 (Diederich 2003)

PARAPARMELIA Elix & J. Johnston

alabamensis (Hale & McCull.) Elix & J. Johnston = *Canoparmelia alabamensis* (Hale & McCull.)
Elix (Elix 2001)

PARASCHISMATOMMA Ertz & Tehler (Ertz & Tehler 2012)

ochroleucum (Zahlbr.) K. Knudsen, Ertz & Tehler Syns.: *Chiodecton ochroleucum*, *Platygrapha plurilocularis*, *Schismatomma pluriloculare* (Ertz & Tehler 2011)

PARATHELIUM Nyl. = **PYRENULA**

cuyabense Malme = *Pyrenula cuyabensis*
emergens Nyl. ex Müll. Arg. = *Pyrenula erumpens*
martinicanum Vainio = *Pyrenula adacta*
microcarpum Riddle = *Pyrenula microtheca*
subferrugineum Malme = *Pyrenula circumfiniens*

PARMELIA Ach.

barrenoae Divakar, M. C. Molina & A. Crespo (Hodkinson et al. 2010)
fertilis Müll. Arg.
fraudans (Nyl.) Nyl.
hygrophila Goward & Ahti
imbricaria Goward, Divakaar, M. C. Molina & A. Crespo (Molina et al. 2016)
mayi Divakar, A. Crespo, M. C. Molina (Molina et al. 2011)
neodiscordans Hale
omphalodes (L.) Ach.
pinnatifida Kurok. (Crespo et al. 2004)
pseudosulcata Gyelnik
saxatilis (L.) Ach.
skultii Hale
squarrosa Hale
sulcata Taylor
sulymae Goward, Divakar, M. C. Molina & A. Crespo (Molina et al. 2016)
acanthifolia Pers. = *Parmotrema cetratum*
abstrusa Vainio = *Relicina abstrusa*
ahtii Essl. = *Xanthoparmelia ahtii*
aipolia (Ehrh. ex Humb.) Ach. (Tuckerman 1882) = *Physcia aipolia*
ajoensis T. H. Nash = *Xanthoparmelia ajoensis*
alabamensis Hale & McCull. = *Canoparmelia alabamensis*
albertana Ahti = *Melanelixia albertana*
aleurites (Ach.) Ach. (Tuckerman 1882) = *Imshaugia aleurites*
aleuritica Nyl. = *Arctoparmelia centrifuga*
almquistii Vainio = *Allantoparmelia almqvistii*
alpicola Th. Fr. = *Allantoparmelia alpicola*
amazonica Nyl. = *Parmelinella amazonica*
ambigua Ach. (Tuckerman 1882) = *Parmeliopsis ambigua*
ambigua var. albescens (Wahlenb.) Tuck. (Tuckerman 1882) = *Parmeliopsis aleurites*
ambigua var. halei Tuck. (Tuckerman 1882) = *Parmeliopsis ambigua*
andreana Müll. Arg. = *Flavopunctelia flaventior*
antillensis Nyl. = *Parmotremopsis antillensis*
appalachensis W. L. Culb. = *Punctelia appalachensis*
arizonica (Tuck.) Nyl. (Fink 1935) = *Omphalora arizonica*
arnoldii Du Rietz = *Parmotrema arnoldii*
arseneana Gyelnik = *Xanthoparmelia novomexicana*
aspera A. Massal. = *Melanohalea exasperata*
aspidota (Ach.) Poetsch = *Melanohalea exasperata*
atrocilla Tayl. (Tuckerman 1882) = *Phaeophyscia hispidula*
atrofusca (Schaerer) Crombie = *Brodoa atrofusca*

atticoides Essl. = *Xanthoparmelia* *atticoides*
aurulenta Tuck. = *Myelochroa* *aurulenta*
austerodes Nyl. = *Hypogymnia* *austerodes*
austrosinensis Zahlbr. = *Parmotrema* *austrosinense*
baltimorensis Gyelnik & Fóriss = *Flavoparmelia* *baltimorensis*
birulae Elenkin var. grumosa Llano = *Arctoparmelia* *separata*
bitteri Lynge = *Hypogymnia* *bitteri*
bolliana Müll. Arg. = *Punctelia* *bolliana*
borreri (Sm.) Turner = *Punctelia* *borreri*
borreri var. hypomela Kremp. (Tuckerman 1882) Identity uncertain
borreri var. rudenta (Ach.) Tuck. (Tuckerman 1882) = *Punctelia* *rudenta*
brunella Essl. = *Xanthoparmelia* *brunella*
californica Gyeln. = *Flavopunctelia* *flaventior* (Tucker 2014)
camtschadalensis (Ach.) Eschw. (Tuckerman 1882) = *Xanthoparmelia* *camtschadalensis*
caperata (L.) Ach. = *Flavoparmelia* *caperata*
caperata var. incorrupta (J. P. Moore) E. C. Berry = *Flavopunctelia* *praesignis*
caroliniana Nyl. = *Canoparmelia* *caroliniana*
catawbiensis (Degel.) Hale & M. Wirth = *Hypotrichyna* *catawbiensis*
centrifuga (L.) Ach. = *Arctoparmelia* *centrifuga*
cetrarioides (Delise ex Duby) Nyl. = *Cetrelia* *cetrarioides*
cetrata Ach. = *Parmotrema* *cetratum*
cetrata var. hypotropoides Nyl. ex Willey = *Parmotrema* *hypotropum*
chiricahuensis R. A. Anderson & W. A. Weber = *Xanthoparmelia* *chiricahuensis*
chlorochroa Tuck. = *Xanthoparmelia* *chlorochroa*
chrysantha Tuck. = *Parmotrema* *xanthinum* (Lendemer 2016a)
cirrhata Fr. = *Everniastrum* *cirratum*, a misidentification for North America.
cladonia (Tuck.) Du Rietz = *Pseudevernia* *cladonia*
claudelii (Harm.) Vainio = *Parmotrema* *stuppeum*
colpodes (Ach.) Stizenb. (Fink 1935) = *Anzia* *colpodes*
commensurata Hale = *Parmotrema* *commensuratum*
concreta Stizenb. Identity uncertain, see note under *Flavoparmelia*
confoederata W. L. Culb. = *Bulbothrix* *confoederata*
congensis Stein = *Xanthoparmelia* *congensis*, but not found in North America north of Mexico.
congruens auct. = *Pseudoparmelia* *uleana*
conspersa (Ehrh. ex Ach.) Ach. = *Xanthoparmelia* *conspersa*
conspersa var. subconspersa (Nyl.) Gyelnik = *Flavoparmelia* *rutidota*
conspurcata (Schaerer) Vainio = *Melanelyxia* *subargentifera*
coralloidea (Meyen & Flotow) Vainio (Fink 1935) = *Leptogium* *coralloideum*, but N. Am. reports
were apparently an unknown species of *Parmotrema* (Esslinger & Tucker 2009)
coronata Fée = *Bulbothrix* *coronata*
cribellata Taylor (Tuckerman 1882) = *Hypogymnia* *lophyrea*
crinita Ach. = *Parmotrema* *crinitum*
cristifera Taylor = *Parmotrema* *cristiferum*
cristulata Ach. (Tuckerman 1882) = *Anzia* *colpodes*
croceopustulata Kurok. = *Hypotrichyna* *croceopustulata*
crozalsiana B. de Lesd. ex Harm. = *Crespoa* *crozalsiana*
cryptochlorophaea Hale = *Canoparmelia* *cryptochlorophaea*
cubensis Nyl. = *Pseudoparmelia* *cubensis*
cumberlandia (Gyelnik) Hale = *Xanthoparmelia* *cumberlandia*
cylisphora (Ach.) Vainio = *Flavoparmelia* *caperata*
darrowsi J. W. Thomson = *Flavopunctelia* *darrowi*
delavayi Hue = *Hypogymnia* *delavayi* (Hue) Rass., but a misidentification for North America
denalii Krog = *Montanelia* *disjuncta*
densirhizina Kurok. = *Hypotrichyna* *densirhizina*
dentella Hale & Kurok. = *Hypotrichyna* *dentella*
dierythra Hale = *Xanthoparmelia* *dierythra*

diffractaica Essl. = *Parmotrema diffractaicum*
digitata Lynge = *Hypotrichyna physcioides* (Nyl.) Hale, but a misidentification for North America
(?)
dilatata Vainio = *Parmotrema dilatatum*
disjuncta Erichsen = *Montanelia disjuncta*
dissecta Nyl. = *Hypotrichyna minarum*
dissensa T. H. Nash = *Xanthoparmelia dissensa*
dominicana Vainio = *Parmotrema dominicanum*
dubia (Wulff) Schaefer = *Punctelia subrudecta* (Nyl.) Krog, but a misidentification for North America
duplicata var. douglasicola Gyelnik = *Hypogymnia physodes*
elegantula (Zahlbr.) Szatala = *Melanohalea elegantula*
elongata J. Hillmann = *Hypogymnia duplicata* (Spribille et al. 2010)
encausta (Sm.) Nyl. = *Brodoa intestiniformis*, but this species is not found in North America
encausta var. alpicola (Th. Fr.) Nyl. (Tuckerman 1882) = *Allantoparmelia alpicola*
endococcina Körber (Tuckerman 1882) = *Phaeophyscia endococcina*
endosulphurea (Hillm.) Hale = *Parmotrema endosulphureum*
endoxantha G. Merr. = *Pseudoparmelia uleana*
ensifolia Kurok. = *Hypotrichyna ensifolia*
enteromorpha Ach. = *Hypogymnia enteromorpha*
epiclada Hale = *Parmotrema submarginale*
erecta E. C. Berry = *Parmotrema perforatum*
euryaca Hue = *Parmotrema euryacum*
exasperata De Not. = *Melanohalea exasperata*
exasperatula Nyl. = *Melanohalea exasperatula*
eximbricata (Gyelnik) Hale & Kurok. = *Relicina eximbricata*
finkii Zahlbr. = *Myelochroa obsessa*
flaventior Stirton = *Flavopunctelia flaventior*
flavicans (Tuck.) Tuck. = *Flavoparmelia caperata*
formosana Zahlbr. = *Hypotrichyna osseoalba*
frankliniana Taylor = *Vulpicida pinastri* (Randlane et al. 2013)
frondifera G. Merr. = *Punctelia bolliana*
fuliginosa (Wibel) Nyl. (Fink 1935) = *Melanelia fuliginosa*, but North American reports are misidentifications (Leavitt et al. 2012)
furfuracea (L.) Ach. = *Pseudevernia intensa* and *P. consocians* for North American records
galbina Ach. = *Myelochroa galbina*
glaberrima Kremp. (Tuckerman 1882) Identity uncertain
glabra (Schaefer) Nyl. North American records are *Melanelia californica*
glabratula (Lamy) Nyl. = *Melanelia glabratula*
glabroides Essl. = *Melanelia glabroides*
goebelii Zenker North American reports are *Bulbothrix scortella* (Benatti & Elix 2012)
gondylophora Hale = *Hypotrichyna gondylophora*
graminicola B. de Lesd. = *Punctelia graminicola*
granulosa Lynge = *Montanelia disjuncta*
hababiana Gyelnik = *Parmotrema hababianum*
haitiensis Hale = *Parmotrema haitiense*
halei Ahti = *Melanohalea halei*
halseyana Tuck. (Fink 1935) = *Arctoparmelia centrifuga* (Hale & DePriest 1999, Esslinger & Tucker 2009)
herreana Zahlbr. = *Flavoparmelia caperata*
herrei Zahlbr. = *Parmotrema herrei*
horrescens Taylor = *Hypotrichyna horrescens*
huachucensis T. H. Nash = *Xanthoparmelia huachucensis*
hubrichtii E. C. Berry = *Hypotrichyna minarum*
hyperopta Ach. (Tuckerman 1882) = *Parmeliopsis hyperopta*
hypoleucina J. Steiner = *Parmotrema hypoleucinum*

hypoleucites Nyl. = *Punctelia hypoleucites*
hypomelaena Hale = *Xanthoparmelia hypomelaena*
hypopsila Müll. Arg. = *Xanthoparmelia hypopsila*, but North American records are X.
angustiphylla
hypotropa Nyl. = *Parmotrema hypotropum*
hypotropa var. sorediata Müll. Arg. (Fink 1935) = *Parmotrema hypotropum* (Esslinger & Tucker 2009)
hypotropoides Nyl. ex Willey = *Parmotrema perforatum*
hypotrypodes (Nyl.) Willey (Fink 1935) Apparent orthographic error for *P. hypotropoides* (Esslinger & Tucker 2009)
imbricatula Zahlbr. = *Hypotrachyna imbricatula*
incorruta J. P. Moore = *Flavopunctelia praesignis*
incurva (Pers.) Fr. = *Arctoparmelia incurva*
infrapallida Essl. = *Xanthoparmelia infrapallida*
infumata Nyl. = *Melanohalea infumata*
internexa Nyl. = *Parmotrema internexum*
intestiniformis (Vill.) Ach. = *Brodoa intestiniformis*, but North American reports are *B. oroarctica*
ioanis-simae Gyelnik = *Xanthoparmelia taractica*, but western North American records are probably *Xanthoparmelia coloradoensis*
isidiata (Anzi) Gyelnik = *Xanthoparmelia conspersa*
isidiosa (Müll. Arg.) Hale = misidentification for North America
isidiotyla Nyl. = *Xanthoparmelia loxodes*
joranadia T. H. Nash = *Xanthoparmelia joranadia*
kernstockii (Lynge) Zahlbr. = *Flavopunctelia flaventior*
kergueensis A. Wilson = chemotype of *Parmelia saxatilis*
kergueensis auct. N. Am. = *Parmelia pseudosulcata*
kurokawae Hale = *Xanthoparmelia lavicola*
laciniatula (Flagey) Zahlbr. (Eyerdam 1960) = misidentification for North America
laevigata (Sm.) Ach. = *Hypotrachyna laevigata*
laevigata var. sinuosa (Sm.) Nyl. (Tuckerman 1882) = *Hypotrachyna sinuosa*
laevigatula Nyl. = *Bulbothrix laevigatula*
lanata (L.) Wallr. = *Pseudephebe pubescens*
latissima Fée = *Parmotrema latissimum*, but reports are a misidentification for North America
leana Tuck. (Tuckerman 1882) = *Phaeophyscia leana*
lecanorica Hale = *Xanthoparmelia lecanorica*, but reports are a misidentification for North America
leucohloara Tuck. = *Pseudoparmelia cubensis*
lineola E. C. Berry = *Xanthoparmelia lineola*
livida Taylor = *Hypotrachyna livida*
lobulifera Degel. = *Hypotrachyna imbricatula*
lobulifera var. insensitiva Degel. = *Hypotrachyna ensifolia*
lobulifera var. luteoreagens Degel. = *Hypotrachyna imbricatula*
lobulifera var. sanguineoreagens Degel. = *Hypotrachyna prolongata*
lophyrea Ach. (Fink 1935) = *Hypogymnia lophyrea*
louisiana Hale = *Parmotrema louisiana*
loxodes Nyl. = *Xanthoparmelia loxodes*
madagascariacea (Hue) Abbayes = *Parmotrema xanthinum* (Lendemer 2016a)
mandshurica Asahina = *Flavopunctelia soredica*
margaritata Hue = *Parmotrema margaritatum*
martinicana Nyl. = *Canoparmelia martinicana*
maxima Hue = *Parmotrema stuppeum*
mellissii C. W. Dodge = *Parmotrema mellissii*
mesogens Nyl. (Fink 1935) Apparent typographic error for *P. mesogenes* Nyl = *Parmotrema mesogenes*, a misidentification for North America (Esslinger & Tucker 2009)
metarevoluta Asahina = *Myelochroa metarevoluta*
mexicana Gyelnik = *Xanthoparmelia mexicana*

michaouxiana Zahlbr. = *Parmotrema submarginale*
molliuscula Ach. = misidentification for North America
monticola J. P. Dey = *Xanthoparmelia monticola*
mordenii Hale = *Parmotrema mordenii*
mougeotii Schaeerer = *Xanthoparmelia mougeotii*
multispora A. Schneider = *Melanohalea multispora*
negativa Gyelnik = *Flavoparmelia caperata*
neoconspersa Gyelnik = *Xanthoparmelia neoconspersa*
nigropsoromifera T. H. Nash = *Xanthoparmelia nigropsoromifera*
njalensis C. W. Dodge = *Bulbothrix scortella*
novomexicana Gyelnik = *Xanthoparmelia novomexicana*
obscura (Ehrh.) Fr. var. adglutinata (Flörke) Schaeerer (Tuckerman 1882) = *Hyperphyscia adglutinata*
obsessa Ach. = *Myelochroa obsessa*
occidentalis Essl. = *Xanthoparmelia occidentalis*
olivacea (L.) Ach. = *Melanohalea olivacea*
olivacea f. aspidota (Ach.) Th. Fr. (Tuckerman 1882) = *Melanohalea exasperata*
olivacea f. panniformis Nyl. (Tuckerman 1882) = *Montanelia panniformis*
olivacea var. prolixa (Ach.) Zahlbr. (Tuckerman 1882) = *Xanthoparmelia pulla*, a misidentification for N.A.
olivacea var. sorediata (Ach.) Nyl. (Tuckerman 1882) = *Montanelia sorediata*
olivaceoides Krog = *Melanohalea olivaceoides*
olivaria (Ach.) Th. Fr. = *Cetrelia olivetorum*
olivetorum Nyl. = *Cetrelia olivetorum*
omphalodes subsp. glacialis Skult = *P. skultii*
omphalodes subsp. pinnatifida (Kurok.) Skult = *P. pinnatifida*
oncodes Tuck. (Fink 1935) Name not located in any available source (Esslinger & Tucker 2009)
oostingii J. P. Dey = *Hypotrichyna oostingii*
oregana Gyelnik = *Hypogymnia physodes*
panniformis (Nyl.) Vainio = *Montanelia panniformis*
perfoliata (Jacq.) Ach. (Mohr 1901) = misspelling of *P. perforata*
perforata (Jacq.) Ach. = *Parmotrema perforatum*
perforata var. hypotropa (Nyl.) Tuck. (Tuckerman 1882) = *Parmotrema hypotropum*
perlata (Hudson) Ach. = *Parmotrema perlatum*
perlata var. flavicans Tuck. (Tuckerman 1882) = *Flavoparmelia caperata*
perlata var. latissima Mont. (Tuckerman 1882) = *Parmotrema latissimum*, a misidentification for N.A.
permaculata Hale = *Parmotrema eurysacum*
perreticulata (Räsänen) Hale = *Punctelia perreticulata*
pertusa (Schrank) Schaeerer = *Menegazzia terebrata*
phaea Tuck. (Fink 1935) = *Physcia phaea*
physodes (L.) Ach. = *Hypogymnia physodes*
physodes var. enteromorpha (Ach.) Tuck. (Tuckerman 1882) = *Hypogymnia enteromorpha*
physodes var. obscurata Ach. (Tuckerman 1882) = *Hypogymnia physodes*
physodes var. vittata Ach. (Tuckerman 1882) = *Hypogymnia vittata*
piedmontensis Hale = *Xanthoparmelia piedmontensis*
plittii Gyelnik = *Xanthoparmelia plittii*
praesignis Nyl. = *Flavopunctelia praesignis*
praesorediosa Nyl. = *Parmotrema praesorediosum*
preperforata W. L. Culb. = *Parmotrema hypoleucinum*
proboscidea Tayl. (Fink 1935) = *Parmotrema crinitum* (Hale & DePriest 1999)
producta (Hale) J. P. Dey = *Hypotrichyna producta*
prolixa (Ach.) Carroll = *Neofuscelia pulla*, but a misidentification for North America.
prolongata Kurok. = *Hypotrichyna prolongata*
pseudoborreri Asahina = *Punctelia borreri*
psoromifera Kurok. = *Xanthoparmelia psoromifera*

pubescens (L.) Vainio = *Pseudephebe pubescens*
pulla Ach. = *Xanthoparmelia pulla* (Ach.) Crespo et al., but a misidentification for North America
pulvinata Fée = *Hypotrichyna pulvinata*
pustulifera Hale = *Hypotrichyna pustulifera*
pustulosa Essl. = *Xanthoparmelia pustulosa*
quercina (Willd.) Vainio North American reports are *Parmelina coleae*
rachista Hale = *Hypotrichyna prolongata*
rampoddensis Nyl. = *Parmotrema rampoddense*
recipienda Nyl. = *Parmotrema subcaperatum* (Kremp.) Hale., but a misidentification for North America
reddenda Stirton = *Punctelia reddenda*
relicina Fr. = *Relicina relicinula* (Müll. Arg.) Hale, but a misidentification for North America
reparata Stirton = *Parmotrema cetratum*
reticulata Taylor = *Parmotrema reticulatum*
revoluta Flörke = *Hypotrichyna revoluta*
rigida Lyngé = *Parmotrema subridigum* (N. Am. records only)
robusta Degel. = *Parmotrema robustum*, but North American records are *Parmotrema gardneri*
rockii Zahlbr. = *Hypotrichyna rockii*
rudecta Ach. = *Punctelia rudecta*
rutidota Hooker f. & Taylor = *Flavoparmelia rutidota*
salacinifera Hale = *Parmelinella salacinifera*
santae-crucis Vainio = *Parmotrema praesorediosum*
saxatilis (L.) Ach. var. *omphalodes* (Tuckerman 1882) = *Parmelia omphalodes*
saxatilis var. *panniformis* (Ach.) Schaeerer, Syn. N.A. Lichens I: 59 = *Parmelia saxatilis*
saxatilis var. *sulcata* Nyl., Syn. N.A. Lichens I: 59 = *Parmelia sulcata*
saximontana R. A. Anderson & W. A. Weber = *Montanelia saximontana*
scortea (Ach.) Ach. (Fink 1935) = *Parmelina tiliacea* (Hoffm.) Hale, but an apparent misidentification for North America
scortella Nyl. = *Bulbothrix scortella*
semansiana W. L. Culb. & C. F. Culb. = *Punctelia graminicola*
separata Th. Fr. = *Arctoparmelia separata*
septentrionalis (Lyngé) Ahti = *Melanohalea septentrionalis*
sibirica Zahlbr. = *Allantoparmelia sibirica*
silvestris Degel. = *Myelochroa aurulenta*
simulans Hale = *Parmotrema simulans*
sinuosa (Sm.) Ach. = *Hypotrichyna sinuosa*
sipeana Gyelnik = *Menegazzia terebrata*
sorediata (Ach.) Th. Fr. = *Montanelia sorediata*
soredica Nyl. = *Flavopunctelia soredica*
sorediosa Almb. = *Montanelia sorediata*
sorocheila Vainio = *Hypotrichyna sorocheila*, but North American records apparently refer to *E. catawbiense*
sphaerospora Nyl. (North American records) = *Pseudoparmelia uleana*
sphaerosporella Müll. Arg. = *Ahtiana sphaerosporella*
spumosa Asahina = *Parmelinopsis spumosa*
stenophylla (Ach.) Du Rietz = *Xanthoparmelia stenophylla*
stictica (Duby) Nyl. = *Punctelia stictica*
stuppea Taylor = *Parmotrema stuppeum*
stygia (L.) Ach. = *Melanelia stygia*
subargentifera Nyl. = *Melanelia subargentifera*
subarnoldii Abbayes = *Parmotrema subarnoldii*, but a misidentification for North America north of Mexico
subaurifera Nyl. = *Melanelia subaurifera*
subcapitata Nyl. ex Hasse = *Flavoparmelia subcapitata*
subcentrifuga Oxner = *Arctoparmelia subcentrifuga*
subcrinita auct. = *Parmotrema ultralucens*

subcrinita Nyl. = *Parmotrema subtinctorium*
 subdecipliens Vainio = *Xanthoparmelia subdecipliens*
 subelegantula Essl. = *Melanohalea subelegantula*
 subhosseana Essl. = *Xanthoparmelia subhosseana*
 subinvoluta Hale = *Parmotrema rampoddense*
 subisidiosa (Müll. Arg.) C. W. Dodge = *Parmotrema subisidiosum*
 sublaevigata (Nyl.) Nyl. = *Hypotrichyna sublaevigata*, but a misidentification for North America
 (Hale 1979)
 submarginalis (Michaux) Nyl. (Fink 1935) = *Parmotrema submarginale* (Hale & DePriest 1999)
 subobscura Vainio = *Hypogymnia subobscura*
 subolivacea Nyl. = *Melanohalea subolivacea*
 subpraesignis Nyl. = *Punctelia subpraesignis*
 subquercifolia Hue = *Myelochroa galbina*
 subramigera Gyelnik = *Xanthoparmelia subramigera*
 subrudecta Nyl. = *Punctelia subrudecta* (Nyl.) Krog, but a misidentification for North America
 (Lendemer & Hodkinson 2010)
 subrugata Kremp. = misidentification for North America
 substygia Räsänen North American reports are *Montanelia saximontana* or *M. secwepemc*
 subsumpta Nyl. = *Parmotrema subsumptum*
 subtinctoria Zahlbr. = *Parmotrema subtinctorium*
 sulphurata Nees & Flotow = *Parmotrema sulphuratum*
 sulphurosa (Tuck.) Fink (Fink 1935) = *Myelochroa galbina* (Hale & DePriest 1999)
 swinscowii Hale = *Parmelinopsis swinscowii*
 taractica Kremp. = *Xanthoparmelia taractica*, but see note there
 tasmanica Hooker f. & Taylor = *Xanthoparmelia tasmanica*
 texana Tuck. = *Canoparmelia texana*
 thysanota Kurok. = *Hypotrichyna thysanota*
 tiliacea Flörke var. relicina (Fr.) Tuck. (Tuckerman 1882) = *Relicina relicinula*, a misidentification
 for N.A.
 tiliacea var. sublaevigata Nyl. ex Tuck. (Tuckerman 1882) = *Hypotrichyna sublaevigata*, a
 misidentification for N.A.
 tiliacea var. sulphurosa Tuck. (Tuckerman 1882) = *Myelochroa galbina*
 tinctina Maheu & A. Gillet = *Xanthoparmelia tinctina*, but not found in North America
 tinctorum Delise ex Nyl. = *Parmotrema tinctorum*
 trabeculata Ahti = *Melanohalea trabeculata*
 trichotera Hue = *Parmotrema perlatum*
 tuberculata Gyelnik = *Xanthoparmelia novomexicana*
 tubulosa (Schaerer) Bitter = *Hypogymnia tubulosa*
 tucsonensis T. H. Nash = *Xanthoparmelia tucsonensis*
 uleana Müll. Arg. = *Pseudoparmelia uleana*
 ulophyllodes (Vainio) Savicz = *Flavopunctelia soredica*
 ultralucens Krog = *Parmotrema ultralucens*
 verruculifera Nyl. = *Xanthoparmelia verruculifera*
 virginica Hale = *Hypotrichyna virginica*
 vittata (Ach.) Röhl. = *Hypogymnia vittata*
 weberi Hale = *Xanthoparmelia weberi*
 wyomingica (Gyelnik) Hale = *Xanthoparmelia wyomingica*
 xanthina (Müll. Arg.) Vainio = *Parmotrema xanthinum*
 xanthomela Nyl. (Fink 1935) Typographic error for *P. xanthomyela* = *Hypotrichyna endochlora*
 (Leighton) Hale, a misidentification for North America
 zollingeri Hepp = *Parmotrema zollingeri*

PARMELIELLA Müll. Arg.

appalachensis P. M. Jørg. (Jørgensen 2000c)
corallinoides (Hoffm.) Zahlbr.
pannosa (Sw.) Nyl. Syn.: *Pannaria pannosa*

parvula P. M. Jørg. (Jørgensen 2000c)
ruderatula (Nyl.) Hasse
triptophylla (Ach.) Müll. Arg. Syn.: *Pannaria triptophylla*
arctophila (Th. Fr.) Malme = *Santessonella arctophila* (Henssen 1997)
cheiroloba Müll. Arg. = *Fuscopannaria cheiroloba*
crossophylla (Tuck.) G. Merr. & Burnham = *Rockefellera crossophylla*
cyanolepra (Tuck.) Herre = *Fuscopannaria cyanolepra*
mariana (Fr.) P. M. Jørg. & D. J. Galloway = *Lepidocollema marianum* (Ekman et al. 2014)
lepidiota (Sommerf.) Vainio = *Fuscopannaria praetermissa*
microphylla "(Sw.)" Müll. Arg. = *Vahliella leucophaea*
plumbea (Lightf.) Vainio = *Pectenia plumbea* (Ekman et al. 2014)
praetermissa (Nyl.) P. James = *Fuscopannaria praetermissa*
saubinetii (Mont.) Zahlbr. = *Vahliella saubinetii*
stellata (Tuck.) Zahlbr. = *Coccocarpia stellata*
stylophora (Vainio) P. M. Jørg. (Jørgensen 2000c) = *Lepidocollema stylophorum* (Ekman et al. 2014)

PARMELINA Hale

coleae Argüello & A. Crespo (Argüello et al. 2007a, 2007b)
yalungana (Zahlbr.) P. R. Nelson & Kepler (Nelson et al. 2013)
antillensis (Nyl.) Hale = *Parmotremopsis antillensis*
aurulenta (Tuck.) Hale = *Myelochroa aurulenta*
dissecta (Nyl.) Hale = *Hypotrachyna minarum*
galbina (Ach.) Hale = *Myelochroa galbina*
horrescens (Taylor) Hale = *Hypotrachyna horrescens*
metarevoluta (Asahina) Hale = *Myelochroa metarevoluta*
minarum (Vainio) Skorepa = *Hypotrachyna minarum*
obsessa (Ach.) Hale = *Myelochroa obsessa*
quercina (Willd.) Hale North American reports are *P. coleae*
spumosa (Asahina) Hale = *Hypotrachyna spumosa*
swinscowii (Hale) Hale = *Hypotrachyna swinscowii*
tiliacea (Hoffm.) Hale North American reports are misidentifications

PARMELINELLA Elix & Hale (Rodrigues et al. 2021)

amazonica (Nyl.) A. S. Rodrigues, A. P. Lorenz & Canêz Syns. : *Canoparmelia amazonica*,
Parmelia amazonica, *Pseudoparmelia amazonica* (Rodrigues et al. 2021)
salacinifera (Hale) Marcelli & Benatti Syns. : *Canoparmelia salacinifera*, *Parmelia salacinifera*
(Rodrigues et al. 2021)

PARMELINOPSIS Elix & Hale = **HYPOTRACHYNA** (Divakar et al. 2013)
cryptochlora (Vainio) Elix & Hale = *Hypotrachyna cryptochlora*
horrescens (Taylor) Elix & Hale = *Hypotrachyna horrescens*
minarum (Vainio) Elix & Hale = *Hypotrachyna minarum*
spumosa (Asahina) Elix & Hale = *Hypotrachyna spumosa*
swinscowii (Hale) Elix & Hale = *Hypotrachyna swinscowii*

PARMELIOPSIS Nyl.

ambigua (Wulff) Nyl. Syns.: *Foraminella ambigua*, *Parmelia ambigua*, *P. ambigua* var. *halei*
capitata R. C. Harris ex J. W. Hinds & P. L. Hinds (Hinds & Hinds 1998)
esorediata (Degel.) Nordnes (McCarthy et al. 2012)
hyperopta (Ach.) Arnold Syns.: *Foraminella hyperopta*, *Parmelia hyperopta*
subambigua Gyelnik Syn.: *Foraminella subambigua*
aleurites (Ach.) Nyl. = *Imshaugia aleurites*
diffusa (Weber) Riddle = *P. hyperopta*
halei (Tuck.) Hale = *P. subambigua*
placorodia (Ach.) Nyl. = *Imshaugia placorodia*

PARMENTARIA Fée = PYRENULA

astroidea Fée = *Pyrenula astroidea*
nana (Zahlbr.) R. C. Harris = *Anthracothecium australiense*
rappii Zahlbr. = *Pyrenula leucostoma* Ach.
ravenelii (Tuck.) Müll. Arg. = *Pyrenula ravenelii*

PARMOTREMA A. Massal.

arnoldii (Du Rietz) Hale Syn.: *Parmelia arnoldii*
austrosinense (Zahlbr.) Hale Syn.: *Parmelia austrosinensis*
cetratum (Ach.) Hale Syns.: *Parmelia cetrata*, *P. herrei*, *Rimelia cetrata* (Blanco et al. 2005)
commensuratum (Hale) Hale Syns.: *Parmelia commensuratum*, *Rimelia commensuratum*
conferendum Hale Syns.: *Canomaculina conferenda*, *Rimeliella conferenda*
crinitum (Ach.) M. Choisy Syns.: *Parmelia crinita*, *Parmelia proboscidea*
cristiferum (Taylor) Hale Syn.: *Parmelia cristifera*
despectum Kurok. (Kurokawa 2001)
diffractaicum (Essl.) Hale Syns.: *Parmelia diffractaica*, *Rimelia diffractaica*
dilatum (Vainio) Hale Syn.: *Parmelia dilatata*
dominicanum (Vainio) Hale Syn.: *Parmelia dominicana*
endosulphureum (Hilm.) Hale Syn.: *Parmelia endosulphurea*
eurysacum (Hue) Hale Syns.: *Parmelia eurysaca*, *P. permaculata*
gardneri (C. W. Dodge) Sérus. Syn.: *Parmelia robusta*
hababianum (Gyelnik) Hale Syn.: *Parmelia hababiana*
haitiene (Hale) Hale Syns.: *Parmelia haitiensis*, *Canomaculina haitiensis*
herrei (Zahlbr.) Spielmann & Marcelli (Marcelli et al. 2011)
hypoleucinum (J. Steiner) Hale Syn.: *Parmelia hypoleucina*
hypotropum (Nyl.) Hale Syns.: *Parmelia hypotropa*, *Parmelia hypotropa* var. *sorediata*, *P. cetrata* var. *hypotropoides*, *P. perforata* var. *hypotropa*
internexum (Nyl.) Hale Syn.: *Parmelia internexa*
louisianae (Hale) Hale Syn.: *Parmelia louisianae*
margaritatum (Hue) Hale Syn.: *Parmelia margaritata*
mellissii (C. W. Dodge) Hale Syn.: *Parmelia mellissii*
mordenii (Hale) Hale Syn.: *Parmelia mordenii*
neotropicum Kurok. ex Hale Syns.: *Canomaculina neotropica*, *Rimeliella neotropica*
overeemii (Zahlbr.) Elix (Lendemer & Harris 2016)
perforatum (Jacq.) A. Massal. Syns.: *Parmelia perforata*, *P. erecta*, *P. hypotropoides*
perlatum (Hudson) M. Choisy Syns.: *Parmelia perlata*, *P. trichotera*
praesorediosum (Nyl.) Hale Syns.: *Parmelia praesorediosa*, *P. santae-crucis*
rampoddense (Nyl.) Hale Syns.: *Parmelia rampodensis*, *P. subinvoluta*
reticulatum (Taylor) M. Choisy Syns.: *Parmelia reticulata*, *Rimelia reticulata*
rubifaciens (Hale) Hale
simulans (Hale) Hale Syns.: *Parmelia simulans*, *Rimelia simulans*
stuppeum (Taylor) Hale Syns.: *Parmelia stupaea*, *P. claudelii*, *P. maxima*
subisidiosum (Müll. Arg.) Hale Syns.: *Parmelia subisidiosa*, *Rimelia subisidiosa*
submarginale (Michaux) DePriest & B. Hale Syns.: *Lobaria submarginale*, *Parmelia michauxiana*, *P. epiclada* (DePriest & Hale 1998), *P. submarginalis*
subrigidum Egan (Egan et al. 2005)
subsumptum (Nyl.) Hale Syns.: *Canomaculina subsumpta*, *Rimeliella subsumpta*, *Parmelia subsumpta*
subtinctiorum (Zahlbr.) Hale Syns.: *Canomaculina subtinctoria*, *Rimeliella subtinctoria*, *Parmelia subtinctoria*
sulphuratum (Nees & Flotow) Hale Syn.: *Parmelia sulphurata*
tinctorum (Delise ex Nyl.) Hale Syn.: *Parmelia tinctorum*
ultralucens (Krog) Hale Syns.: *Parmelia ultralucens*, *P. subcrinita* auct. non Nyl.
wrightii L. I. Ferraro & Elix (Seavey & Seavey 2012)
xanthinum (Müll. Arg.) Hale Syns.: *Parmelia xanthina*, *P. chrysantha*, *P. madagascariacea*

zollingeri (Hepp) Hale Syn.: *Parmelia zollingeri* Uncertain for North America (Lendemer & Harris 2016)
chinense (“Osbeck”) Hale & Ahti = *P. perlatum* (Hawksworth 2004)
crozalsianum (B. de Lesd. ex Harm.) Hawksworth = *Crespoa crozalsiana* (Lendemer & Hodkinson 2012)
madagascariaceum (Hue) Hale = *P. xanthinum* (Lendemer 2016a)
michauxianum (Zahlbr.) Hale = *P. submarginale*
ochrocrinitum Elix & J. Johnst. Erroneously mapped for North America (Michlig & Ferraro 2010)
preperforatum (W. L. Culb.) Hale = *Parmotrema hypoleucinum* (Widholm et al. 2017)
rigidum (Lynge) Hale North American records are *P. subridum*
robustum (Degel.) Hale North American records are *P. gardneri*

PARMOTREMOPSIS Elix & Hale

antillensis (Nyl.) Elix & Hale Syns.: *Parmelina antillensis*, *Parmelia antillensis*

PARMULARIA Nilson

brouardii B. de Lesd. = a *Lecanora* sp.
novomexicana B. de Lesd. = Identity uncertain

PARVOPLACA Arup, Søchting & Frödén (Arup et al. 2013)

nigroblastidiata Arup, Halici & Vondrák (Arup et al. 2015)
tiroliensis (Zahlbr.) Arup, Søchting & Frödén Syns.: *Caloplaca subolivacea*, *C. tiroliensis*

PATELLARIA Hoffm.

eckfeldtii Müll. Arg. (Lendemer & Hewitt 2002) = *Bacidia eckfeldtii*
granulosa Michaux non (Hoffm.) DC. (Tuckerman 1888) = *Bacidia schweinitzii*

PATRICIOMYCES D. Hawksw.

***valentinianus** D. Hawks. (Cole & D. Hawksworth 2001)

PAULIA Fée

pyrenoides (Nyl.) Henssen Syns.: *Omphalaria pyrenoides*, *Thyrea pyrenoides*

PECCANIA A. Massal. ex Arnold

arizonica Tuck. ex Herre
cernohorskyi (Servít) Scheiman-Cseika, Cseika & Guttová (Knudsen et al. 2017)
corallina Hazsl. (Knudsen et al. 2017)
coralloides (A. Massal.) A. Massal. (McCune 2017)
kansana (Tuck.) Forssell Syn.: *Omphalaria kansana*
kansuensis (H. Magn.) M. Schultz ined. (McCune et al. 2014b)
subnigra (B. de Lesd.) Wetmore Syns.: *Placynthium subnigrum*, *Synalissa subnigra*
texana (Tuck.) Wetmore Syns.: *Omphalaria texana*, *Synalissa texana*
tiruncula (Nyl.) Henssen (Tretiach & Schultz 2007)

PECTENIA P. M. Jørg., L. Lindblom, Wedin & S. Ekman (Ekman et al. 2014)

plumbea (Lightf.) P. M. Jørg., L. Lindblom, Wedin & S. Ekman Syns.: *Degelia plumbea*, *Parmeliella plumbea*

PELTIGERA Willd.

aphthosa (L.) Willd.
aquatica Miądl. & Lendemer (Miądlkowska et al. 2014b)
britannica (Gyelnik) Holt.-Hartw. & Tønsberg
canina (L.) Willd.
castanea Goward, Goffinet & Miądl. (Goffinet et al. 2003)
chionophila Goward & Goffinet (Goward & Goffinet 2000)

cinnamomea Goward
collina (Ach.) Schrader
degenii Gyelnik
didactyla (With.) J. R. Laundon
elisabethae Gyelnik
evansiana Gyelnik
extenuata (Nyl. ex Vainio) Lojka (Goffinet et al. 2003)
fibrilloides (Gyelnik) Vitik. (Vitikainen 2004)
frippii Holt.-Hartw. (Vitikainen 1994)
gowardii Lendemer & H. O'Brien (Lendemer & O'Brien 2011)
horizontalis (Hudson) Baumg.
hydrothyria Miadl. & Lutzoni Syn.: *Hydrothyria venosa* (Miadlikowska & Lutzoni 2000)
hymenina (Ach.) Delise
islandica Goward & Manoharan-Basil (Manoharan-Basil et al 2016)
kristinssonii Vitik.
latiloba Holt.-Hartw. (Holtan-Hartwig 2005)
lepidophora (Nyl. ex Vainio) Bitter
leucophlebia (Nyl.) Gyelnik
lyngei Gyelnik (Dillman et al. 2012)
malacea (Ach.) Funck
membranacea (Ach.) Nyl.
monticola Vitik. (Vitikainen 2004)
neckeri Hepp ex Müll. Arg.
neopolydactyla (Gyelnik) Gyelnik
pacifica Vitik.
phyllidiosa Goffinet & Miadl. (Goffinet & Miadlikowska 1999)
polydactylon (Necker) Hoffm.
polydactylon subsp. **udeghe** Magain, Miadl. & Sérus. (Magain et al. 2016)
ponojensis Gyelnik
praetextata (Flörke ex Sommerf.) Zopf
retifoveata Vitik.
rufescens (Weiss) Humb.
scabrosa Th. Fr.
scabrosella Holt.-Hartw.
seneca Magain, Miadl. & Sérus. (Magain et al. 2016)
tartarea (Llano) Vitik. (Vitikainen 2006)
venosa (L.) Hoffm.
aphthosa f. complicata (Th. Fr.) Zahlbr. = *P. leucophlebia*
aphthosa var. variolosa A. Massal. = *P. leucophlebia*
avenosa Gyeln
canina (L.) Willd. f. membranacea (Ach.) Duby (Tuckerman 1882) = *Peltigera membranacea*
canina var. rufescens (Weiss) Mudd = *P. rufescens*
canina var. rufescens f. innovans (Körber) J. W. Thomson = *P. praetextata*
canina f. sorediata Tuck. (Tuckerman 1882) = *P. didactyla*
canina var. spongiosa Tuck. (Tuckerman 1882) = *P. canina*
canina var. spuria (Ach.) Schaeerer = *P. didactyla*
didactyla var. extenuata (Nyl. ex Vainio) Goffinet & Hastings (Goffinet & Hastings 1995) = *P. extenuata*
dolichorrhiza (Nyl.) Nyl. = *P. polydactylon*
erumpens (Taylor) Elenkin = *P. didactyla*
hazslinszkyi Gyelnik = *P. extenuata*
horizontalis (Hudson) Baumg. f. zoppii (Gyelnik) J. W. Thomson This name has often been used for *P. elisabethae*
lactucifolia (With.) J. R. Laundon = *P. hymenina*
occidentalis sensu Kristinsson = *P. kristinssonii*
occidentalis (E. Dahl) Kristinsson = *P. neopolydactyla*

polydactyla var. *hymenina* (Ach.) Flotow = *P. hymenina*
polydactyla var. *neopolydactyla* Gyelnik = *P. neopolydactyla*
praecanina Gyelnik (Gyelnik 1931) no type designated, identity uncertain
pulverulenta (Taylor) Kremp. = *P. scabrosa* Th. Fr. for North American records
scutata (Dickson) Duby = *P. collina*
sorediata (Schaerer) Fink (Fink 1935) = *P. didactyla* (Vitikainen 1994)
spuria (Ach.) DC. = *P. didactyla*
variolosa (A. Massal.) Gyelnik = *P. leucophlebia*
zoppii Gyelnik (Fink 1935) = *P. horizontalis* (Vitikainen 1994)

PELTULA Nyl.

bolanderi (Tuck.) Wetmore Syns.: *Endocarpiscum bolanderi*, *Heppia bolanderi*, *Pannaria bolanderi*
clavata (Kremp.) Wetmore
corticola Büdel & R. Sant. (Büdel et al. 2007)
cylindrica Wetmore
euploca (Ach.) Poelt ex Ozenda & Clauzade Syns.: *Endocarpiscum guepinii*, *Heppia euploca*, *H. guepinii*, *H. polyphylla*
farinosa Büdel (Büdel & Nash 2002)
hassei (Zahlbr.) Büdel, Kauff & Bachran (Kauff et al. 2018)
michoacanensis (B. de Lesd.) Wetmore
obscurans (Nyl.) Gyelnik var. **obscurans**
obscurans var. **deserticola** (Zahlbr.) Wetmore Syn.: *Heppia deserticola*
omphaliza (Nyl.) Wetmore
patellata (Bagl.) Swinscow & Krog Syns.: *Heppia leptopholis*, *H. polyspora*, *H. terrena*
placodizans (Zahlbr.) Wetmore Syn.: *Heppia placodizans*
psammophila (Nyl.) Egea (Büdel & Nash 2002)
radicata (Ach.) Nyl.
richardsii (Herre) Wetmore Syn.: *Heppia richardsii*
sonorensis Büdel & T. H. Nash
tortuosa (Nees) Wetmore Syn.: *Heppia tortuosa*
zahlbruckneri (Hasse) Wetmore Syn.: *Heppia zahlbruckneri*
obscurans var. **hassei** (Zahlbr.) Wetmore = *P. hassei*
polyspora (Tuck.) Wetmore = *P. patellata*

PENTAGENELLA Darb.

akompsa (Tuck.) Perlmutter, LaGreca, Ertz & Tehler Syn.: *Biatora akompsa* (Perlmutter et al. 2020)

PERFORARIA Müll. Arg. = COCCOTREMA

minuta Degel. = *Ochrolechia minuta* (Spribille et al. 2020)

PERIDIOTHELIA D. Hawksw.

⁺**fuliguncta** (Norman) D. Hawksw. (Aptroot 2002d)
⁺**grandiuscula** (Anzi) D. Hawksw.

PERIGRAPHA Hafellner

^{*}**superveniens** (Nyl.) Hafellner (Diederich 2003)

PERTUSARIA DC.

alaskensis Erichsen
alpina Hepp ex Ahles
appalachensis Lendemer, R. C. Harris & Elix (Lendemer et al. 2008a)
atra Lynge
azulensis B. de Lesd. (Lumbsch & Nash 1999)
borealis Erichsen

brattiae Lumbsch & T. H. Nash (Lumbsch & Nash 1999)
bryontha (Ach.) Nyl.
californica Dibben
carneopalpida (Nyl.) Anzi
chiodectonoides Bagl. ex A. Massal.
coccodes (Ach.) Nyl. (Tønsberg 1999a)
consocians Dibben
copiosa Erichsen
coriacea (Th. Fr.) Th. Fr.
epixantha R. C. Harris
expolita R. C. Harris
flavicunda Tuck.
flavocorallina Coppins & Muhr
glaucomela (Tuck.) Nyl. Syn.: *Lecanora glaucomela*
globularis (Ach.) Tuck.
glomerata (Ach.) Schaeerer
hakkodensis Yasuda ex Räsänen
hymenea (Ach.) Schaeerer
iners R. C. Harris
islandica Bratt, Lumbsch & Schmitt (Schmitt et al. 2006)
lecanina Tuck.
leioplaca DC.
macounii (I. M. Lamb) Dibben Syn.: *Melanaria macounii*
mariae B. de Lesd. (Lumbsch & Nash 1999)
mccroryae Björk, Goward & T. Sprib. (Spribble et al. 2010)
moreliensis B. de Lesd. (Nash et al. 1998)
neolecania Lumbsch & T. H. Nash (Lendemer et al. 2013)
neoscotica I. M. Lamb
obruta R. C. Harris
occidentalis Bratt, Lumbsch & Schmitt (Schmitt et al. 2006)
octomela (Norman) Erichsen
oculata (Dickson) Th. Fr. Syn.: *Lecanora oculata*
ostiolata Dibben
papillata (Ach.) Tuck.
paratuberculifera Dibben
plittiana Erichsen
propinqua Müll. Arg.
pruinifera Erichsen
pseudocorallina (Lilj.) Arnold
pupillaris (Nyl.) Th. Fr.
pustulata (Ach.) Duby
rhexostoma Nyl.
rigida Müll. Arg. (Seavey et al. 2017)
rubefacta Erichsen
saximontana Wetmore
sinusmexicanii Dibben
sommerfeltii (Flörke ex Sommerf.) Fr.
stenhammarii Hellbom
subambigens Dibben
subobducens Nyl.
suboculata Brodo & Dibben
subpertusa Brodo
subrigida Müll. Arg. (Seavey et al. 2017)
sulcata Dibben
superiana Lendemer & E. Tripp (Tripp & Lendemer 2019)
tejocotensis B. de Lesd. (Lumbsch et al. 1999)

tetrathalamia (Fée) Nyl.
texana Müll. Arg.
trochiscea Norman
valliculata Dibben
virensica R. C. Harris
wulfenioides B. de Lesd.
xanthodes Müll. Arg.
zeorina Erichsen
albescens (Hudson) M. Choisy & Werner = *Lepra albescens*
aleutensis Erichsen = *P. alaskensis*
amara (Ach.) Nyl. = *Lepra amara*
amara var. *flotowiana* (Flörke) Vainio = *Lepra amara*, at least for Europe
ambigens (Nyl.) Tuck. = *P. subambigens*, for North American records
andersonii Lendemer (Lendemer 2009c) = *Lepra andersoniae*
arizonica Dibben = *P. tejocotensis*
bryophaga Erichsen = *Ochrolechia bryophaga*
canadensis Stirton = *P. pustulata*
ceuthocarpa (Sm.) Turner & Borrer = *P. excludens*
ceuthocarpoides Zahlbr. = *P. excludens*
communis DC. (Mohr 1901) = *P. pertusa*, a misidentification for North America
commutata Müll. Arg. (Lücking et al. 2011b) = *Lepra commutata*
concentrica Erichsen Type not found. May be *Lepra multipunctoides*
coriacea var. *obducens* (Nyl.) Vainio = *P. coriacea*
dactylina (Ach.) Nyl. = *Lepra dactylina*
diffusilis Erichsen = *P. glomerata*
diluta Björk, G. Thor & T. B. Wheeler (Spribble et al. 2009) = *Gyalectaria diluta*
discoidea (Pers.) Malme = *P. albescens*
disticha Erichsen = *P. texana* (Dibben 1980)
excludens Nyl. = *Lepra excludens*
finkii Zahlbr. ex Fink = *P. rhexostoma*
flavida (DC.) J. R. Laundon = a European taxon, not in North America
floridana Dibben = *Lepra floridana*
freyi Erichsen = *Megaspora verrucosa*
geminipara (Th. Fr.) C. Knight ex Brodo = *Toensbergia geminipara*
globulifera (Turner) A. Massal. (Fink 1935) = *Lepra albescens*
granulata (Ach.) Müll. Arg. = *P. wulfenioides* for North American records
hemisphaerica (Flörke) Erichsen = a European taxon, not in North America
hultenii Erichsen = *Ochrolechia subplicans* subsp. *hultenii*
hypothamnolica Dibben = *Lepra hypothamnolica*
laevigata (Nyl.) Arnold non (Th. Fr.) Anzi = *Variolaria trachythallina*
lecanina subsp. *nigra* Fink ex Hedrick = *Lepra ophthalmiza*
leioterella Erichsen = *P. macounii* for North American reports
leucostoma (Ach.) A. Massal. = *P. leioplaca*
lutescens (Hoffm.) Lamy = *P. flavida*, but not in North America
marginata Nyl. = *P. propinquua*
microsticta (Sm. & Sow.) Erichsen = *P. excludens*
monogona Nyl. = *P. excludens* for North American records
multipuncta (Turner) Nyl. = misidentification for North America
multipunctoides Dibben = *Lepra multipunctoides*
nolens Nyl. = *P. chiodectonoides*
ocellata (Wallr.) Körber = misidentification for North America
ophthalmiza (Nyl.) Nyl. = *Lepra ophthalmiza*
panyrga (Ach.) A. Massal. = *Lepra panyrga*
pertusa (Weigel) Tuck. = misidentification for North America
pocillum Cumm. (Eyerdam 1960) = apparent nomen nudum of uncertain identity
protuberans (Sommerf. ex Th. Fr.) Th. Fr. = *P. carneopallida*

pulchella Malme = Varicellaria velata (Archer & Messuti 1997)
raesaenii Erichsen = misidentification for North America
rhodocarpa Körber (Tuckerman 1882) = Varicellaria rhodocarpa
rhodoleuca Th. Fr. = Ochrolechia rhodoleuca
rubescens Erichsen = P. propinquua
santamonicæ Dibben = Varicellaria velata (Archer & Messuti 1997)
scutellaris (Schaerer) Hue (Fink 1935) = Lepra albescens
shenandoensis Hale & Dibben = P. plittiana (Lendemer & Harris 2012)
subamplicata Nyl. Erroneous name created by typographic error, first appearing in Egan (1987)
subdactylina Nyl. = Lepra subdactylina
subplicans Nyl. = Ochrolechia subplicans
subpupillaris Vězda = P. glaucomela
subvelata G. K. Merr. = [Lepra subvelata](#) (Spribble et al. 2020)
tabuliformis Erichsen = P. leioplaca
taeniata Erichsen = P. zeorina
torquata Müll. Arg. = P. propinquua
trachydactyla Vainio = identity uncertain, possibly an Ochrolechia sp.
trachythallina Erichsen = Lepra trachythallina
tuberculifera Nyl. = misidentification for North America; most specimens are P. paratuberculifera
tuckermanii Erichsen = P. subobducens
ventosa Malme = Lepra ventosa
velata (Turner) Nyl. = Varicellaria velata (Schmitt et al. 2012)
waghornei Hulting = Lepra waghornei
wulfenii DC. = P. hymenea
xanthostoma (Sommerf.) Fr. = Ochrolechia xanthostoma

PETRACTIS Fr.

clausa (Hoffm.) Kremp. (Dillman et al. 2012)
farlowii (Tuck. ex Nyl.) Vězda Syn.: Gyalecta farlowii

PEZIZELLA Fuckel

***epithallina** (W. Phillips & Plowr.) Sacc. (Diederich 2003)

PHACOGRAPHA Hafellner (Hafellner 2009)

***glaucomaria** (Nyl.) Hafellner Syns.: Buellia glaucomaria, Leciographa glaucomaria, Opegrapha glaucomaria

PHACOPSIS Tul.

***cephalodioides** (Nyl.) Triebel & Rambold (Diederich 2003)
***vulpicidae** Zhurb. & Diederich ([Zhurbenko et al. 2019](#))
***vulpina** Tul.
***doerfeltii** Alstrup & P. Scholz ([Scholz 1998](#)) = Nesolechia doerfeltii
***fusca** (Triebel & Rambold) Diederich (Diederich 2003) = Nesolechia oxyspora var. fusca (Diederich et al. 2019)
*huuskonenii Räsänen = Raesaenienia huuskonenii (Divakar et al. 2015)
***oxyspora** (Tul.) Triebel & Rambold = Nesolechia oxyspora
***oxyspora** var. **defecta** Triebel & Rambold = Nesolechia oxyspora
***oxyspora** var. **fusca** Triebel & Rambold = Nesolechia oxyspora var. fusca
***thallicola** (A. Massal.) Triebel & Rambold = Nesolechia thallicola

PHACOTHECIUM Trevisan

***varium** (Tul.) Trevisan Syn.: Opegrapha physciaria (Hafellner 2009)

PHAEOCALICIUM A.F.W. Schmidt

***betulinum** (Nyl.) Tibell ([Selva & Tibell 1999](#))
***boreale** (Nyl.) Tibell ([McCune et al. 2014b](#))

- ⁺**compressulum** (Nyl. ex Vainio) A.F.W. Schmidt Syn.: Mycocalicium compressulum
- ⁺**curtisii** (Tuck.) Tibell Syn.: Calicium curtisii
- ⁺**flabelliforme** Tibell (Selva & Tibell 1999)
- ⁺**interruptum** (Nyl.) Tibell (Hardman et al. 2016)
- ⁺**matthewsianum** Selva & Tibell (Selva & Tibell 1999)
- ⁺**minutissimum** (G. Merr.) Selva Syns.: Calicium minutissimum, Stenocybe minutissima (Selva & Tibell 1999)
- ⁺**polyporaeum** (Nyl.) Tibell
- ⁺**populneum** (Brond. ex Duby) A.F.W. Schmidt Syn.: Calicium populneum
- ⁺**praecedens** (Nyl.) A.F.W. Schmidt
- ⁺**tremulicola** (Norrlin ex Nyl.) Tibell Syn. Stenocybe tremulicola (Tibell 1996; Selva & Tibell 1999)

PHAEOGRAPHINA Müll. Arg.

- asteroides** Fink = Phaeographis asteroides
- caesiopruinosa** (Fée) Müll. Arg. = Platygramme caesiopruinosa
- columbina** (Tuck.) Zahlbr. = Fissurina columbina
- explicans** Fink = Leiorreuma explicans
- plurifera** (Nyl.) Fink = Platygramme caesioipruinosa
- quassiicola** (Fée) Müll. Arg. = Thecaria quassiicola
- sculpturata** (Ach.) Müll. Arg. = Phaeographis sculpturata

PHAEOGRAPHIS Müll. Arg.

- arthonioides** (Vainio) Zahlbr.
- asteroides** (Fink) Lendemer Syn.: Phaeographina asteroides (Lendemer & Knudsen 2008b)
- atromaculata** (A. W. Archer) A. W. Archer (Lendemer & Knudsen 2008b)
- brasiliensis** (A. Massal.) Kalb & Matthes-Leicht (Archer 2006)
- delicatula** Common & Lücking (Lücking et al. 2011b)
- dendritica** (Ach.) Müll. Arg. Syn.: Graphis dendritica
- dendriticella** Müll. Arg.
- dividens** (Nyl.) Kr. P. Singh & Swarnalatha (Seavey et al. 2017)
- erumpens** (Nyl.) Müll. Arg.
- flavescens** Dal Forno & Eliasaro (Lücking et al. 2011b)
- haematites** (Fée) Müll. Arg.
- inconspicua** (Fée) Müll. Arg. (Lücking et al. 2011b)
- intricans** (Nyl.) Staiger Syn.: Sarcographa intricans (Staiger 2002)
- inusta** (Ach.) Müll. Arg.
- leiogrammodes** (Kremp.) Müll. Arg. (Lücking et al. 2011b)
- lobata** (Eschw.) Müll. Arg.
- major** (Kremp.) Lücking (Lücking et al. 2011b)
- multicolor** R. C. Harris
- nylanderi** (Vainio) Zahlbr. (Lücking et al. 2011b)
- oricola** Lendemer & R. C. Harris (Lendemer & Harris 2014a)
- pseudostromatica** F. Seavey & J. Seavey (Seavey et al. 2017)
- punctiformis** (Eschw.) Müll. Arg.
- quadrifera** (Nyl.) Staiger (Seavey et al. 2017)
- radiata** F. Seavey & J. Seavey (Seavey et al. 2017)
- sculpturata** (Ach.) Staiger (Lücking et al. 2011b)
- schizoloma** (Müll. Arg.) Müll. Arg. (Lücking et al. 2011b)
- smithii** (Leighton) B. de Lesd. (Tønsberg 1999a)
- subfulgurata** (Nyl.) Zahlbr.
- tortuosa** (Ach.) Müll. Arg.
- exaltata** (Mont. & Bosch) Müll. Arg. = Leiorreuma exaltatum
- eulectra** (Tuck.) Zahlbr. = Graphis eulectra
- lyellii** (Sm.) Zahlbr. = misidentification for North America
- patellula** (Fée) Müll. Arg. (Fink 1935) = Leiorreuma patellulum

sericea (Eschw.) Müll. Arg. = *Leiorreuma sericea*
sexloculata Fink = *P. arthonioides*
subtigrina (Vainio) Zahlbr. = *P. brasiliensis*

PHAEOPHYSCIA Moberg

adiastola (Essl.) Essl. Syn.: *Physcia adiastola*
ciliata (Hoffm.) Moberg Syns.: *Physcia ciliata*, *P. obscura* auct.
constipata (Norrlin & Nyl.) Moberg Syn.: *Physcia constipata*
decolor (Kashiw.) Essl.
endococcina (Körber) Moberg Syns.: *Parmelia endococcina*, *Physcia endococcina*, *P. lithotodes*,
(?) *P. columbiana*
endococcinodes (Poelt) Essl. Syn.: *Physcia endococcinodes*
erythrocardia (Tuck.) Essl. Syn.: *Physcia obscura* var. *erythrocardia*
hirsuta (Mereschk.) Essl. Syn.: *Physcia hirsuta*
hirtella Essl.
hispidula (Ach.) Essl. Syns.: *Physcia hispidula*, *P. setosa*
insignis (Mereschk.) Moberg
kairamoi (Vainio) Moberg Syn.: *Physcia kairamoi*
leana (Tuck.) Essl. Syns.: *Parmelia leana*, *Physcia leana*
nigricans (Flörke) Moberg Syn.: *Physcia nigricans*
orbicularis (Necker) Moberg Syns.: *Physcia orbicularis*, *P. virella*
pusilloides (Zahlbr.) Essl. Syn.: *Physcia pusilloides*
rubropulchra (Degel.) Essl. Syns.: *Physcia orbicularis* f. *rubropulchra*, *P. endochrysea*, *P. rubropulchra*
sciastra (Ach.) Moberg Syns.: *Physcia sciastra*, *P. lithotea*
squarrosa Kashiw. (Moberg 1995) Syn: *Physcia lacinulata*, for North American records
cernohorskyi (Nádv.) Essl. = *P. hirsuta* (Esslinger 2004b)
chlantha (Ach.) Moberg = *Physciella chlantha*
imbricata sensu Esslinger (1978) = *P. squarrosa*
imbricata (Vainio) Essl. = *P. hispidula*
melanchra (Hue) Hale = *Physciella melanchra*
nepalensis (Poelt) D. D. Awasthi = *Physciella nepalensis*

PHAEOPYXIS Rambold & Triebel (Rambold & Triebel 1990) = **BACHMANNIOMYCES** (Diederich et al. 2018)

**punctum* (A. Massal.) Rambold, Triebel & Coppins (Rambold & Triebel 1990) = *Bachmanniomycetes punctum* (Diederich et al. 2018)

PHAEORRHIZA H. Mayrhofer & Poelt

nimbosa (Fr.) H. Mayrhofer & Poelt Syns.: *Rinodina nimbosa*, *R. phaeocarpa*
sareptana (Tomin) H. Mayrhofer & Poelt

PHAEOSPORA Hepp ex Stein

**arctica* Horáková & Alstrup
**catolechia* Zopf (Zhurbenko 2014)
**parasitica* (Lönnr.) Arnold
**rimosicola* (Leighton ex Mudd) Hepp ex Stein Syn.: *Pyrenulella endococcoidea*
**peltigericola* D. Hawksw. (Alstrup & Ahti 2007) = *Leptosphaeria arnoldii*

PHAEOSPOROBOLUS D. Hawksw. & Hafellner

**alpinus* R. Sant., Alstrup & D. Hawksw. = *Lichenostigma alpinum* (Ertz et al. 2014)
**fellhanerae* R. C. Harris & Lendemer (Harris & Lendemer 2009) = *Lichenostigma fellhanerae*
(Ertz et al. 2014)
**usneae* D. Hawksw. & Hafellner = *Lichenostegma maureri* (Ertz et al. 2014)

PHAEOTREMA Müll. Arg.
californicum (Tuck.) Zahlbr. = Thelotrema californicum
meiospermum (Nyl.) Müll. Arg. = Melanotrema meiospermum

PHARCIDIA Körber = STIGMIDIUM
*dispersa (J. Lahm ex Körber) Winter ex Rabenh. = Zwackhiomyces dispersus
*ephebes Henssen = Stigmidium ephesae
*epicymatia (Wallr.) Winter = a Stigmidium spp.
*parva Henssen = Stigmidium parvum

PHLOEOPECCANIA J. Steiner (Schultz & Büdel 2005)
major Henssen ined. (Schultz & Büdel 2005)
pulvinulina J. Steiner (Schultz & Büdel 2005)

PHLYCTELLA Kremp.
andensis Nyl.

PHLYCTIDIA Müll. Arg.
ludoviciensis Müll. Arg. = Phlyctis boliviensis

PHLYCTIS Wallr.
agelaea (Ach.) Flotow
argena (Ach.) Flotow
boliviensis Nyl. Syn.: Phlyctidia ludoviciensis (Lendemer & R. C. Harris 2014d)
petraea R. C. Harris, Muscavitch, Ladd & Lendemer (Muscavitch et al. 2017a)
speirea G. Merr.
ludoviciensis (Müll. Arg.) Lendemer (Lendemer 2005a) = P. boliviensis
willeyi Tuck. = Leucodecton willeyi

PHOEBUS R. C. Harris & Ladd (Harris & Ladd 2005, 2007)
hydrophobius R. C. Harris & Ladd (Harris & Ladd 2005, 2007)

PHOMA Fr.
***fuliginosa** M. S. Cole & D. Hawksw. (Hawksworth & Cole 2004)
***peltigerae** (P. Karsten) D. Hawksw. (Zhurbenko & Laursen 2003)
***caloplaceae** D. Hawksw. (Lawrey et al. 2012) = **Didymocytis consimilis** (Diederich et al. 2018)
*cladoniicola Diederich, Kocourk. & Etayo (Diederich et al. 2007) = Didymocytis cladoniicola (Ertz et al. 2015a)
*cytospora (Vouaux) D. Hawks. (Cole & D. Hawksworth 2001) = Brianoppinsia cytospora (Diederich et al. 2012; Kocourkova et al. 2012)
***grumontiana** Zhurb. & Diederich (Diederich et al. 2007) = Didymocytis grumontiana (Diederich et al. 2018)
***lobariae** Diederich & Etayo (Hafellner et al. 2002) = Abrothallus lobariae (Diederich et al. 2018)
***lobariicola** Alstrup (Spribille et al. 2010) = Catillaria lobariicola (Diederich et al. 2018)
*physciicola Keissler (Alstrup & Cole 1998) = Didymocytis epiphyscia (Ertz et al. 2015a)
***puncteliae** Diederich & Lawrey (Lawrey et al. 2012) = Xenophoma puncteliae (Diederich et al. 2018)
***xanthomendozae** Diederich & Freebury (Lawrey et al. 2012) = Didymocytis xanthomendozae (Ertz et al. 2015a)

PHRAGMONAEVIA Rehm
*fuckelii Rehm = Corticifraga fuckelii

PHYLLISCUM Nyl.
***demangeonii** (Moug. & Mont.) Nyl. Syn.: Thyrea demangeonii
tenué Henssen

PHYLLOBLASTIA Vainio
fortuita Llop & Gómez-Bolea (Carlberg 2016)

PHYLLOPSORA Müll. Arg.

- breviuscula** (Nyl.) Müll. Arg. (Timdal 2011) Syn.: *Lecidea breviuscula*
- buettneri** (Müll. Arg.) Zahlbr. (Timdal 2011)
- confusa** Swinscow & Krog
- corallina** (Eschw.) Müll. Arg. var. **corallina**
- furfuracea** (Pers.) Zahlbr. Syn.: *Lecidea furfuracea*
- gabella** (Nyl.) Gotth. Schneider
- glaucella** (Vainio) Timdal (Timdal 2008)
- glaucescens** (Nyl.) Gotth. Schneider (Seavey et al. 2017) [Correct placement uncertain \(Kistenich et al. 2019\)](#)
- gossypina** (Sw.) Kistenich, Timdal, Bendiksby & S. Ekman Syn.: *Crocynia gossypina* (Kistenich et al. 2018)
- isidiosa** Kistenich & Timdal (Kistenich et al. 2019)
- isidiotyla** (Vainio) Riddle (Brako 1991)
- neotinica** Kistenich & Timdal (Kistenich et al. 2019)
- parvifolia** (Pers.) Müll Arg. var. **parvifolia** Syns.: *Biatora fendleri*, *B. parvifolia*, *B. parvifolia* var. *corallina*, *B. parvifolia* var. *subgranulosa*, *Lecidea parvifolia*
- parvifoliella** (Nyl.) Müll. Arg. Syn.: *Lecidea parvifoliella*
- porphyromelaena** (Vainio) Zahlbr. (Timdal 2011)
- pyxinoides** (Nyl.) Kistenich, Timdal, Bendiksby & S. Ekman Syn.: *Crocynia pyxinoides* (Kistenich et al. 2018)
- rappiana** (Brako) Elix (Timdal 2011)
- santensis** (Tuck.) Swinscow & Krog (Timdal 2008) Syns.: *Bacidia microphyllina* auct., *Lecidea santensis*
- buettneri** (Müll. Arg.) Zahlbr. var. *glaуca* (*B. de Lesd.*) Brako (Harris 1995a) = *P. porphyromelaena*
- buettneri** var. *munda* (Malme) Brako (Brako 1991) = *P. buettneri*
- canoumbrina** (Vainio) Brako Not known from North America; see note under *Bacidia subgranulosa*
- corallina** var. **glaucella** (Vainio) Brako (Brako 1991) = *P. glaucella*
- corallina** var. **ochroantha** (Nyl.) Brako (Brako 1991) = [Wolseleyidea ochroantha](#)
- corallina** var. **rappiana** Brako (Brako 1991) = *P. rappiana*
- corallina** var. **santensis** (Tuck.) Brako = *P. santensis*
- halei** (Tuck.) Zahlbr. = *Biatora halei*
- kalbii** Brako (Brako 1991) = *Biatora kalbii*
- labriformis** Timdal (Seavey & Seavey 2014a) = *Parallopsora labriformis* (Kistenich et al. 2018)
- lacerata** Timdal (Lücking et al. 2011b) = *Bacidina lacerata* (Kistenich et al. 2018)
- ochroantha** (Nyl.) Zahlbr. (Timdal 2008) = [Wolseleyidea ochroantha](#) (Kondratyuk et al. 2019)
- parvifolia** var. **breviuscula** (Nyl.) Brako (Brako 1991) = *P. breviuscula*
- subcorallina** Zahlbr. = *Catinaria subcorallina*
- subfilamentosa** Zahlbr. = *Lecidea subfilamentosa*

PHYSALOSPORA Niessl
**xanthoriae* (Wedd.) Sacc. = misidentification for North America

PHYSCIA (Schreber) Michaux

- adscendens** (Fr.) H. Olivier
- aipolia** (Ehrh. ex Humb.) Fürnr. var. **aipolia** Syn.: *Parmelia aipolia*
- albinea** (Ach.) Nyl.
- alnophila** (Vainio) Loht., Moberg, Myllys & Tehler (Lohtander et al. 2009)
- americana** G. Merr.
- astrostriata** Moberg

biziana (A. Massal.) Zahlbr.
caesia (Hoffm.) Hampe ex Fürnr.
clementei (Sm.) Lynge
convexa Müll. Arg.
crispa Nyl. Many old records using this name are actually *P. atrostriata*
dakotensis Essl. (Esslinger 2004a)
dimidiata (Arnold) Nyl.
dubia (Hoffm.) Lettau
duplicorticata W. A. Weber & J. W. Thomson
erumpens Moberg (Moberg 1997)
halei J. W. Thomson
leptalea (Ach.) DC.
magnussonii Frey
mexicana B. de Lesd.
millegrana Degel.
montana B. de Lesd.
nashii Moberg (Moberg 1997)
neglecta Moberg (Tucker 2014)
neogaea R. C. Harris
occidentalis Essl. & McCune (Esslinger et al. 2020)
phaea (Tuck.) J. W. Thomson Syn.: *Parmelia phaea*
poncinsii Hue (Harris 1995a)
pseudospeciosa J. W. Thomson
pumilior R. C. Harris
rhizinata Essl. & McCune (Esslinger et al. 2020)
solistella Essl. & Egan (Esslinger & Egan 1996)
sorediosa (Vainio) Lynge
stellaris (L.) Nyl.
subalbinea Nyl. (Lohtander et al. 2009)
subtilis Degel.
tenella (Scop.) DC. Syn.: *Borrera tenella*
tenella subsp. **marina** (A. Nyl.) D. Hawksw.
tenellula Moberg (Moberg 1997)
thomsoniana Essl. (Esslinger 2017)
tribacia (Ach.) Nyl.
undulata Moberg (Harris 1995a)
villosula Moberg (Tucker 2014)
adglutinata (Flörke) Nyl. = *Hyperphyscia adglutinata*
adglutinata f. *pyrithrocardia* Müll. Arg. (Tuckerman 1882) = *Hyperphyscia pyrithrocardia*
adiastola Essl. = *Phaeophyscia adiastola*
aegialita (Afzel. ex Ach.) B. J. Moore = *Dirinaria aegialita*
aipolia var. *alnophila* (Vainio) Lynge = *P. alnophila*
alba (Fée) Müll. Arg. = misidentification for North America
alba var. *obsessa* (Mont.) J. W. Thomson = *P. integrata* Nyl., but a misidentification for North America
albicans sensu J. W. Thomson = *P. atrostriata* for North American reports
albicans (Pers.) J. W. Thomson = *Heterodermia albicans*
aquila (Ach.) Nyl. (Tuckerman 1882) = *Anaptychia runcinata*, a misidentification for N.A.
aquila var. *detonsa* (Fr.) Tuck. (Claassen 1912) = *Anaptychia palmulata*
aspera H. Magn. = *Dirinaria aegialita*
astroidea (Clem.) Nyl. = *P. clementei*
astroidea f. *hypomela* Tuck (Tuckerman 1882) Identity uncertain
cainii Räsänen = *P. aipolia*
callosa sensu Thomson (1963) = *P. tribacia* (Moberg 1997)
callosa Nyl. = *P. phaea*
cascadensis H. Magn. = *P. phaea* (Moberg 1997)

cernohorskyi Nádv. = *Phaeophyscia cernohorskyi*
chloantha (Ach.) Vainio = *Physciella chloantha*
ciliaris (L.) DC. (Tuckerman 1882) = *Anaptychia ciliaris*, a misidentification for N.A.
ciliaris var. crinalis Schaefer (Tuckerman 1882) = *Anaptychia crinalis*
ciliata (Hoffm.) Du Rietz = *Phaeophyscia ciliata*
cocoës (Sw.) Nyl. (Tuckerman 1882) = *Pyxine cocoës*
columbiana B. de Lesd. = (?) *Phaeophyscia endococcina*, but the type not seen
comosa (Eschw.) Nyl. = *Heterodermia comosa*
constipata Norrlin & Nyl. = *Phaeophyscia constipata*
convexella Moberg (Moberg 1997, in map) Erroneous report for the United States (Moberg 2002)
crispa (Pers.) Nyl. f. hypomela Tuck. (Tuckerman 1882) Identity uncertain
culbersonii J. W. Thomson (nomen nudum) = *Phaeophyscia squarrosa*
detersa (Nyl.) Nyl. = *Physconia detersa*
detonsa (Fr.) Nyl. (Tuckerman 1882) = *Anaptychia palmulata*
elaeina (Sm.) A. L. Sm. = *Hyperphyscia adglutinata*
erinacea (Ach.) Tuck. (Tuckerman 1882) = *Heterodermia erinacea*
erosa Borrer, Syn. N.A. Lichens I: 75 = *Physcia tribacia*
endochrysea (Hampe) Nyl. = *Phaeophyscia rubropulchra*
endococcina (Körber) Th. Fr. = *Phaeophyscia endococcina*
endococcinodes Poelt = *Phaeophyscia endococcinodes*
fragilescens Zahlbr. = *P. sorediosa*
frostii (Tuck.) Zahlbr. = *Dirinaria frostii*
granulifera (Ach.) Tuck. (Tuckerman 1882) = *Heterodermia granulifera*
grisea (Lam.) Zahlbr. = *Physconia grisea*, but a misidentification for North America
hirsuta Mereschk. = *Phaeophyscia hirsuta*
hispida auct. = *P. tenella*
hispidula (Ach.) Frey = *Phaeophyscia hispidula*
hypoleuca (Ach.) Tuck. = *Heterodermia hypoleuca*
intermedia Vainio = *P. dubia*
imbricata Vainio = *Phaeophyscia hispidula*
isidiigera (Zahlbr.) Fink = *Physconia isidiigera*
kairamoi Vainio = *Phaeophyscia kairamoi*
lacinulata Müll. Arg. = *Phaeophyscia squarrosa*, for North American records
leana (Tuck.) Tuck. = *Phaeophyscia leana*
leucoleiptes (Tuck.) Lettau = *Physconia leucoleiptes*
leucomela (L.) Michaux (Tuckerman 1882) = *Heterodermia leucomela*
lithotea "(Ach.) Nyl." = *Phaeophyscia sciastra*
lithotodes Nyl. = *Phaeophyscia endococcina*
luginensis Mereschk. = *Physciella chloantha*
meissneri Tuck. (Tuckerman 1882) = *Pyxine berteriana*
melanchra Hue = *Physciella melanchra*
melops Dufour = *P. phaea*
minor (Fée) Vainio = *Hyperphyscia minor*
muscigena (Ach.) Nyl. = *Physconia muscigena*
nepalensis Poelt = *Physciella nepalensis*
nigricans (Flörke) Stizenb. = *Phaeophyscia nigricans*
obscura auct. = *Phaeophyscia ciliata*
obscura var. endochrysea (Hampe) Nyl. (Claassen 1912) North American reports are
Phaeophyscia rubropulchra
obscura var. erythrocardia Tuck. (Tuckerman 1882) = *Phaeophyscia erythrocardia*
obsessa (Mont.) Nyl. = *P. integrata*, but a misidentification for North America
orbicularis (Necker) Poetsch = *Phaeophyscia orbicularis*
orbicularis f. rubropulchra Degel. = *Phaeophyscia rubropulchra*
picta (Sw.) Nyl. = *Dirinaria picta*
pulverulenta auct. non (Schreber) Fürnr. = *Physconia distorta*, but a misidentification for North
America

pulverulenta (Schreber) Nyl. var. leucoleiptes Tuck. (Tuckerman 1882) = *Physconia leucoleiptes*
pusilloides Zahlbr. = *Phaeophyscia pusilloides*
purpurascens Vainio = *Dirinaria purpurascens*
ravenelii Tuck. (Tuckerman 1882) = *Heterodermia albicans*
rubropulchra (Degel.) Moberg = *Phaeophyscia rubropulchra*
sciastra (Ach.) Du Rietz = *Phaeophyscia sciastra*
semipinnata (J. F. Gmelin) Moberg = *P. leptalea*
setosa (Ach.) Nyl. = *Phaeophyscia hispidula*
sorediata Fr. (Tuckerman 1882) = *Pyxine sorediata*
speciosa (Wulfen) Nyl. = *Heterodermia speciosa*
stellaris (L.) Nyl. var. *aipolia* (Ehrh. ex Humb.) Tuck. (Tuckerman 1882) = *Physcia aipolia*
stellaris var. *hispida* (Schreber) Nyl. (Tuckerman 1882) = *Physcia tenella*
stellaris var. *tribacia* (Ach.) Tuck. (Tuckerman 1882) = *Physcia tribacia*
subobscura Nyl. = *P. tenella* subsp. *marina*
syncolla Tuck. ex Nyl. = *Hyperphyscia syncolla*
teretiuscula (Ach.) Lyngé = *P. dubia*
tribacoides auct. non Nyl. = *P. americana*
venusta (Ach.) Nyl. = *Physconia venusta*, but a misidentification for North America
virella (Ach.) Flagey (Fink 1935) = *Phaeophyscia orbicularis*
wainioi Räsänen = *P. subalbinea*
wrightii Tuck. = North American report is *Heterodermia diademata* (Essligner & Tucker 2009)

PHYSCIPELLA Essl.

chloantha (Ach.) Essl. Syns.: *Physcia chloantha*, *P. luganensis*, *Phaeophyscia chloantha*
melanchra (Hue) Essl. Syns.: *Physcia melanchra*, *Phaeophyscia melanchra*
nepalensis (Poelt) Essl. Syns.: *Physcia nepalensis*, *Phaeophyscia nepalensis*

PHYSCIOPSIS M. Choisy = HYPERPHYSCKIA

adglutinata (Flörke) M. Choisy = *Hyperphyscia adglutinata*
elaeina (Sm.) Poelt = *Hyperphyscia adglutinata*
minor (Fée) B. J. Moore = *Hyperphyscia minor*
syncolla (Tuck. ex Nyl.) Poelt = *Hyperphyscia syncolla*

PHYSCONIA Poelt

americana Essl. (Essligner 1994)
californica Essl. (Essligner 2000b)
detersa (Nyl.) Poelt Syn.: *Physcia deterosa*
elegantula Essl.
enteroxantha (Nyl.) Poelt
fallax Essl. (Essligner 2000b)
grumosa Kashiw. & Poelt (Essligner & Dillman 2010)
isidiigera (Zahlbr.) Essl.
isidiomuscigena Essl. (Essligner 2000b)
labrata Essl., McCune & Haughland (Essligner et al. 2017)
leucoleiptes (Tuck.) Essl. Syns.: *Physcia leucoleiptes*, *Physcia pulverulenta* var. *leucoleiptes*
muscigena (Ach.) Poelt Syn.: *Physcia muscigena*
perisidiosa (Erichsen) Moberg
subpallida Essl.
distorta (With.) J. R. Laundon = misidentification for North America
farrea sensu Poelt = *P. perisidiosa* [Parmelia farrea Ach. = *Physconia grisea*]
grisea (Lam.) Poelt = misidentification for North America
kurokawae Kashiw. = *P. leucoleiptes* (Essligner 2002d)
pulverulacea Moberg = *P. distorta*, but a misidentification for North America
pulverulenta auct. non (Schreber) Poelt = *P. distorta*, but a misidentification for North America
thomsonii Essl. = *Anaptychia elbursiana*

PHYSMA A. Massal.

byrsaeum (Afzel. ex Ach.) Tuck. ("byrsinum")
cataractaecola B. de Lesd.
luridum (Mont.) Tuck. = *Pannaria lurida*

PHYTOCONIS Bory

ericetorum (Pers. : Fr.) Redhead & Kuyper = *Lichenomphalia umbellifera*
luteovitellina (Pilát & Nannf.) Redhead & Kuyper = *Lichenomphalia alpina*
velutina (Quélet) Redhead & Kuyper = *Lichenomphalia velutina*
viridis (Ach.) Redhead & Kuyper = *Lichenomphalia hudsoniana*

PICCOLIA A. Massal. (Hafellner 1995)

conspersa (Fée) Vainio Syns.: *Biatorella conspersa*, *Heterothecium conspersum* (Hafellner 1995)
nannaria (Tuck.) Lendemer & Beeching Syns.: *Biatorella nannaria*, *Heterothecium nannarium* (Knudsen & Lendemer 2007)
ochrophora (Nyl.) Hafellner Syns.: *Biatorella ochrophora*, *Lecidea ochrophora*, *Strangospora ochrophora* (Hafellner 2004d)

PILOPHORUS Th. Fr.

acicularis (Ach.) Th. Fr.
cereolus (Ach.) Th. Fr. in Hellbom
clavatus Th. Fr. Syn.: *P. hallii*
dovrensis (Nyl.) Timdal, Hertel & Rambold Syn.: *Lecidea pallida*
fibula (Tuck.) Th. Fr.
nigricaulis M. Satô
robustus Th. Fr.
vegae Krog
cereolus (Ach.) Th. Fr. var. *acicularis* (Ach.) Tuck. (Tuckerman 1882) = *Pilophorus acicularis*
cereolus var. *fibula* (Tuck.) Tuck. (Tuckerman 1882) = *Pilophorus fibula*
cereolus var. *hallii* (Tuck.) Tuck. (Tuckerman 1882) = *Pilophorus clavatus*
cereolus var. *robustus* (Th. Fr.) Tuck. (Tuckerman 1882) = *Pilophorus robustus*
hallii (Tuck.) Vainio = *P. clavatus*
pallidus (Th. Fr.) Timdal = *P. dovrensis*

PLACIDIOPSIS Beltr.

cinerascens (Nyl.) Breuss
minor R. C. Harris
pseudocinerea Breuss
cervinula (Nyl.) Vainio = misidentification for North America

PLACIDIUM A. Massal. (Breuss 1996)

acarosporoides (Zahlbr.) Breuss (Breuss & Bratt 2000) Syns.: *Catapyrenium acarosporoides*,
Dermatocarpon acarosporoides, *D. novomexicanum*, *Endopyrenium bajadanae*, *E. novomexicanum*, *Heteroplacidium acarosporoides*
andicola (Breuss) Breuss Syn.: *Catapyrenium andicolum*
arboreum (Schwein. ex E. Michener) Lendemer Syns.: *Catapyrenium tuckermanii*,
Dermatocarpon tuckermanii, *Dermatocarpon arboretum*, *Endocarpon arboretum*, *E. tuckermanii*,
Endopyrenium tuckermanii (Lendemer & Yahr 2004)
californicum Breuss (Breuss & Bratt 2000)
chilense (Räsänen) Breuss Syn.: *Catapyrenium chilense*
fingens (Breuss) Breuss (Breuss 2002d)
imbecillum (Breuss) Breuss (McCune & Rosentreter 2007)
lachneum (Ach.) B. de Lesd. Syn.: *Catapyrenium lachneum*
michelii A. Massal. Syns.: *Catapyrenium michelii*, *Dermatocarpon michelii*
norvegicum (Breuss) Breuss Syn.: *Catapyrenium norvegicum*
pilosellum (Breuss) Breuss (Nash et al. 1998)

podolepis (Breuss) M. Prieto (Prieto et al. 2012) Syns.: *Catapyrenium podolepis*, *Heteroplacidium podolepis*
rufescens (Ach.) A. Massal. Syns.: *Catapyrenium rufescens*, *Dermatocarpon rufescens*
squamulosum (Ach.) Breuss Syns.: *Catapyrenium squamulosum*, *Dermatocarpon hepaticum* auct. non (Ach.) Th. Fr.
yoshimurae (H. Harada) Breuss (McCune 2017)
lacinulatum (Ach.) Breuss = *Clavascidium lacinulatum*
lacinulatum var. *atrans* Breuss (Lendemer 2004c) = *Clavascidium lacinulatum* var. *atrans*
lacinulatum var. *erythrostratum* Breuss (Breuss 2000) = *Clavascidium lacinulatum* var. *erythrostratum*
tuckermanii (Ravenel ex Mont.) Breuss = *P. arboreum*
umbrinum (Breuss) Prieto & Breuss (Gueidan et al. 2009) = *Clavascidium umbrinum*

PLACOCARPUS Trevisan

#americanus K. Knudsen, Breuss, & Kocourk. (Knudsen et al. 2009)
schaereri (Fr.) Breuss = misidentification for North America (McCune et al. 2014b)

PLACODIUM F. H. Wigg.

aurantiacum (Lightf.) Hepp (Claassen 1912) = *Gyalolechia flavorubescens*
bolacinum Tuck. = *Polycauliona bolacina*
camptidium (Tuck.) Tuck. (Tuckerman 1882) = *Caloplaca camptidia*
cerinum (Hedwig) Nägeli ex Hepp (Claassen 1912) = *Caloplaca cerina*
cerinum var. *sideritis* Tuck. (Tuckerman 1882) = *Caloplaca sideritis*
cinnabarinum (Ach.) Nyl. = *Caloplaca cinnabarina*
cirrochroum (Ach.) Rabenh. (Tuckerman 1882) = *Leproplaca cirrochroa*
citrinum (Hoffm.) Hepp (Tuckerman 1882) = *Flavoplaca citrina*
cladodes Tuck. = *Pachypeltis cladodes*
coralloides Tuck. = *Polycauliona coralloides*
crenulatum (Wahlenb.) Tuck. (Tuckerman 1882) = *Candelariella arctica*
diphasium (Tuck.) Tuck. (Tuckerman 1882) = *Caloplaca diphasia*
elegans (Link) DC = *Rusavskia elegans*
elegans var. *trachyphyllum* Tuck. = *Xanthomendoza trachyphylla*
eugyrum Tuck. (Tuckerman 1882) = *Caloplaca eugyra*
ferrugineum (Hudson) Hepp = *Blastenia ferruginea*
ferrugineum f. *bolanderi* Tuck. = *Polycauliona luteominia* var. *bolanderi*
ferrugineum var. *discolor* Willey (Tuckerman 1882) = *Gyalolechia xanthostigmoidea*
ferrugineum var. *pollinii* (A. Massl.) Hepp (Tuckerman 1882) = *Caloplaca pollinii*
ferrugineum var. *wrightii* Tuck. (Tuckerman 1882) = *Caloplaca wrightii*
fulgens (Sw.) DC. = *Gyalolechia fulgens*
fulgens var. *bracteatum* (Hoffm.) Mull. Arg. (Tuckerman 1882) = *Gyalolechia bracteata*
galactophyllum Tuck. = *Squamulea galactophylla*
jungermanniae (Vahl) Tuck. (Tuckerman 1882) = *Bryoplaca jungermanniae*
luteominium Tuck. (Tuckerman 1882) = *Polycauliona luteominia*
microphyllum Tuck. = *Caloplaca microphyllina*
murorum (Hoffm.) DC. (Tuckerman 1882) = *Calogaya saxicola*
nivale (Körber) Tuck. (Tuckerman 1882) = *Caloplaca nivalis*
peliophyllum Tuck. = *Caloplaca peliophylla*
pyraceum (Ach.) Fink (Claassen 1917) = *Athallia pyracea*
sinapispermum (DC.) Hepp (Tuckerman 1882) = *Bryoplaca sinapisperma*
spraguei Tuck. (Tuckerman 1882) = *Candelariella spraguei*
variabile (Pers.) Hepp (Tuckerman 1882) = *Pyrenodesmia variabilis*
variabile var. *atroalbum* Tuck. (Tuckerman 1882) Identity uncertain
vitellinum (Hoffm.) Hepp (Claassen 1912) = *Candelariella vitellina*
vitellinum var. *aurellum* Ach. (Tuckerman 1882) = *Candelariella aurella*

PLACOMARONEA Räsänen**mendozae** (Räsänen) M. Westberg (Westberg 2004a)**PLACOPSIS** (Nyl.) Lindsay**cribellans** (Nyl.) Räsänen**fusciduloides** D. J. Galloway (Galloway 2005)**gelida** (L.) Lindsay Syn.: Lecanora gelida**lambii** Hertel & V. Wirth (Moberg & Carlin 1996; Brodo et al. 2001)**roseonigra** Brodo

effusa I. M. Lamb = misidentification for North America

PLACOPYRENIUM Breuss**bucekii** (Nádv. & Servít) Breuss (Breuss 2009)**caeruleopulvinum** (J.W. Thomson) Breuss (Breuss 2002e) Syn.: Catapyrenium caeruleopulvinum**canellum** (Nyl.) Gueidan & Cl. Roux Syn.: Verrucaria canella (Navarro-Rosínes et al. 2007)**coloradoense** Breuss Syn.: Catapyrenium schaeferi sensu Thomson (Breuss 2009)**conforme** Breuss (Breuss 2009)**fuscellum** (Turner) Gueidan & Cl. Roux Syn.: Verrucaria fuscella (Navarro-Rosínes et al. 2007)**heppioides** (Zahlbr.) Breuss Syns.: Catapyrenium heppioides, Dermatocarpon heppioides (Breuss 2002e)**lecidoides** (A. Massal.) Gueidan & Cl. roux Syns.: Dermatocarpon lecidoides, Verrucaria

lecidoides (Navarro-Rosínes et al. 2007)

#noxium Breuss (Breuss 1998)**stanfordii** (Herre) K. Knudsen Syns.: Catapyrenium zahlbruckneri, Dermatocarpon zahlbruckneri, Verrucaria stanfordii (Knudsen & Lendemer 2006)

zahlbruckneri (Hasse) Breuss (Breuss 2002e) = P. stanfordii

PLACYNTIELLA Elenkin**dasaea** (Srirton) Tønsberg (Tønsberg 1997 [1998])**hyporhoda** (Th. Fr.) Coppins & P. James Syn.: Saccomorpha hyporhoda**icmalea** (Ach.) Coppins & P. James Syn.: Saccomorpha icmalea**knudsenii** Lendemer (Lendemer 2004d)**oligotropha** (J. R. Laundon) Coppins & P. James Syns.: Saccomorpha oligotropha, Lecidea

oligotropha

uliginosa (Schrader) Coppins & P. James Syns.: Biatora uliginosa, Lecidea uliginosa, L. humosa, Saccomorpha uliginosa**PLACYNTIUM** (Ach.) Gray**asperellum** (Ach.) Trevisan**flabellosum** (Tuck.) Zahlbr. Syn.: Pannaria flabellosa**garovaglioi** (A. Massal.) Zahlbr. (Fryday 2017)**glaciale** Fryday & T. Sprib. (Spribile et al. 2020)**nigrum** (Hudson) Gray Syn.: Pannaria nigra**pannariellum** (Nyl.) H. Magn. (Spribile et al. 2010)**petersii** (Nyl.) Burnham Syn.: Pannaria petersii, Pterygium petersii**stenophyllum** (Tuck.) Fink var **stenophyllum** Syn.: Pannaria stenophylla**stenophyllum** var. **isidiatum** Henssen**subradiatum** (Nyl.) Arnold**tantaleum** (Hepp) Hue

aspratile (Ach.) Henssen = P. asperellum

dubium Herre = Massalongia microphylliza

microphyllizum (Nyl. ex Hasse) Hasse = Massalongia microphylliza

pannariellum (Nyl.) H. Magn. Reported from Greenland and Iceland but not the U. S. or Canada
as yet

rosulans (Th. Fr.) Zahlbr. Reported from Greenland but not the U. S. or Canada as yet

subnigrum B. de Lesd = Peccania subnigra

PLAGIOPCARPA R. C. Harris = **LITHOTHELIUM**
hyalospora (Nyl.) R. C. Harris = Lithothelium hyalosporum
illota (Nyl.) R. C. Harris = Lithothelium illotum
langloisii R. C. Harris = Lithothelium illotum
macrospora R. C. Harris = Lithothelium macrosporum
phaeospora R. C. Harris = Lithothelium phaeosporum
septemseptata R. C. Harris = Lithothelium septemseptatum

PLATISMATIA W. L. Culb. & C. F. Culb.

glauca (L.) W. L. Culb. & C. F. Culb. Syn.: Cetraria glauca
herrei (Imshaug) W. L. Culb. & C. F. Culb. Syns.: Cetraria herrei, C. tuckermanii Herre non Oakes
lacunosa (Ach.) W. L. Culb. & C. F. Culb. Syn.: Cetraria lacunosa
norvegica (Lynge) W. L. Culb. & C. F. Culb. Syn.: Cetraria norvegica
stenophylla (Tuck.) W. L. Culb. & C. F. Culb. Syn.: Cetraria stenophylla
tuckermanii (Oakes) W. L. Culb. & C. F. Culb. Syns.: Cetraria atlantica, C. lacunosa var. atlantica, C. tuckermanii Oakes non Herre
wheeleri Goward, Altermann & Björk (Lumbsch et al. 2011)

PLATYGRAMME Fée

caesiopruinosa (Fée) Fée Syn.: Phaeographina caesiopruinosa, P. plurifera (Staiger 2002)
coccinea F. Seavey & J. Seavey (Seavey & Seavey 2014a)
elegantula F. Seavey & J. Seavey (Seavey et al. 2017)
pachnodes (Fée) E. Tripp & Lendemer (Tripp & Lendemer 2010, Lücking et al. 2011b)
praestans (Müll. Arg.) Staiger (Tripp & Lendemer 2010, Lücking et al. 2011b)

PLATYGRAPHA Nyl.

californica (Tuck.) Nyl. = Sigridea californica
hypothallina Zahlbr. = Lecanographa hypothallina
interrupta (Fée) Nyl. (Tuckerman 1888) = Platygraphopsis interrupta
ocellata Nyl. = Mazosia ocellata
periclea (Ach.) Nyl. (Tuckerman 1888) = Schismatomma pericleum
phlyctella Nyl. (Tuckerman 1888) Identity uncertain
plurilocularis Zahlbr. = Paraschismatomma ochroleucum (Ertz & Tehler 2011)
ravenelii Tuck. = Opegrapha ravenelii
subattingens Nyl. = Lecanactis epileuca
vernans Tuck. (Tuckerman 1888) = Schismatomma vernans

PLATYGRAPHOPSIS Müll. Arg.

interrupta (Fée) Müll. Arg. Syn.: Platygrapha interrupta

PLATYSMA Hill

septentrionale Nyl. (Tuckerman 1882) = Asahinea chrysantha

PLATYTHECIUM Staiger

colliculosum (Mont.) Hale Syn.: Graphina colliculusa (Tripp et al. 2010)
floridanum (Tuck.) Lendemer Syns.: Graphis floridana, Graphina floridana (Lendemer & Knudsen 2008)
grammitis (Fée) Staiger (Staiger 2002)

PLECTOCARPON Fée

***cladoniae** R. Sant. (Ertz et al. 2005)
***lambinonii** Diederich & Etayo (Ertz et al. 2005)
***lichenum** (Sommerf.) D. Hawksw.
***linitae** (R. Sant.) Wedin & Hafellner Syn.: Arthonia linitae (Diederich et al. 2018)

- ***nephromeum** (Norman) Sant. (Goward et al. 1996)
- ***peltigerae** Zhurb., Ertz, Diederich & Miadl. (Ertz et al. 2003)
- ***scrobiculatae** Diederich & Etayo (Ertz et al. 2005)
- ***triebeliae** Diederich & Ertz (Ertz et al. 2005)
- ***nashii** Hafellner (Hafellner et al. 2002) = **Mixtoconidium nashii** (Diederich et al. 2018)

PLEOPSIDIUM Körber

- chlorophanum** (Wahlenb.) Zopf Syns.: Acarospora chlorophana, A. erythrophora, A. texana, A. weldensis
- flavum** (Bellardi) Körber Syns.: Acarospora flava, A. oxytona
oxytonum (Ach.) Rabenh. = P. flavum
- stenosporum (Stizenb. ex Hasse) K. Knudsen (Knudsen 2011c) = P. flavum (Knudsen & Kocourková 2013)

PLEUROTHELIOPSIS Zahlbr. = PYRENULA

- australiensis (Müll. Arg.) Zahlbr. = Anthracothecium australiense
- nana Zahlbr. = Anthracothecium australiense

PLEUROTREMA Müll. Arg. = LITHOTHELIUM

- anacardii (Vainio) R. C. Harris nom. inval. = Anisomeridium terminatum
- inspersum Müll. Arg. = Anisomeridium americanum, not present in North America? (Harris 1995)
- solivagum Degel. = Lithothelium hyalospora

POELTINULA Hafellner

- cerebrina** (DC.) Hafellner

POLYBLASTIA A. Massal.

- albida** Arnold (Thomson 1997)
- amota** Arnold (McCune et al. 2014b)
- bryophila** Lönnr.
- cucurbitula** J. W. Thomson & B. M. Murray
- cupularis** A. Massal. Syn.: Verrucaria intercedens
- efflorescens** Coppins (Spribille et al. 2020)
- epigaea** A. Massal.
- exalbida** (Nyl.) Zahlbr. (Dillman et al. 2012)
- fulva** Zahlbr. (Spribille et al. 2020)
- gothica** Th. Fr.
- hyperborea** Th. Fr.
- hyperborea** var. **macrospora** Lynge
- obsoleta** Arnold
- quartzina** Lynge (Spribille et al. 2010)
- sendtneri** Kremp.
- septentrionalis** Lynge
- cruenta (Körber) P. James & Swinscow = Sporodictyon cruentum
- gelatinosa (Ach.) Th. Fr. = Agonimia gelatinosa
- henscheliana (Körber) Lönnr. (Fink 1935) = Sporodictyon cruentum (Vitikainen et al. 1997)
- integrascens (Nyl.) Vainio = P. hyperborea
- intercedens (Nyl.) Lönnr. = P. cupularis
- melaspora (Taylor) Zahlbr. = Henrica melaspora (Savić & Tibell 2008)
- sommerfeltii Lynge = Sporodictyon terrestre
- terrestris Th. Fr. = Sporodictyon terrestre
- theleodes (Sommerf.) Th. Fr. = Henrica theleodes (Savić & Tibell 2008)
- tristicula (Nyl.) Arnold = Agonimia tristicula

POLYBLASTIOPSIS Zahlbr. = JULELLA

- dealbens Fink = Dictyomeridium amylosporum

⁺dispora (Müll. Arg.) Zahlbr. = Julella dispora
⁺fallaciosa (Stizenb. ex Arnold) Zahlbr. = Julella fallaciosa
 fallax (Nyl.) Fink = Arthopyrenia anallepta
 floridana Fink = Porina nuculastrum
 inductula (Nyl.) Fink = Thelenella inductula
 intrusa (Nyl.) Zahlbr. = a Laurera sp., not in North America
⁺lactea (A. Massal.) Zahlbr. = Julella lactea
⁺quercicola Brodo = Julella fallaciosa
⁺rappii Zahlbr. = Julella geminella
⁺sublactea (Nyl.) Zahlbr. = Julella sublactaea

POLYCAULIONA Hue (Arup et al. 2013)

ascendens (S. Y. Kondr.) Frödén, Arup, & Søchting Syn.: Xanthoria ascendens
bolacina (Tuck.) Arup, Frödén & Søchting Syns.: Caloplaca bolacina, Placodium bolacinum
brattiae (W. A. Weber) Arup, Frödén & Søchting Syn.: Caloplaca brattiae
candelaria (L.) Frödén, Arup, & Søchting Syns.: Teloschistes candelarius, Teloschistes lychneus
 var. pygmaeus, Xanthoria candelaria
coralloides (Tuck.) Hue Syn.: Caloplaca coralloides, Placodium coralloides
flavogranulosa (Arup) Arup, Frödén & Søchting Syn.: Caloplaca flavogranulosa
ignea (Arup) Arup, Frödén & Søchting Syn.: Caloplaca ignea
impoluta (Arup) Arup, Frödén & Søchting Syn.: Caloplaca impoluta
inconspicta (Arup) Arup, Frödén & Søchting Syn.: Caloplaca inconspicta
ludificans (Arup) Arup, Frödén & Søchting Syn.: Caloplaca ludificans
luteominia (Tuck.) Arup, Frödén & Søchting var. **luteominia** Syns.: Blastenia luteominia,
 Caloplaca laeta, C. luteominia, Placodium luteominium
luteominia var. **bolanderi** (Tuck.) Arup, Frödén & Søchting Syns.: Caloplaca bolanderi,
 Placodium ferrugineum f. bolanderi
nashii (Nav.-Ros., Gaya & Hladún) Arup, Frödén & Søchting Syn.: Caloplaca nashii
phlogina (Ach.) Arup, Frödén & Søchting Syn.: Caloplaca phlogina
pollinarioides (L. Lindblom & D.M. Wright) Frödén, Arup, & Søchting Syn.: Xanthoria
 pollinarioides
polycarpa (Hoffm.) Frödén, Arup, & Søchting Syns.: Teloschistes polycarpus T. ramulosus,
 Xanthoria polycarpa, X. ramulosa
rosei (Hasse) Arup, Frödén & Søchting Syn.: Caloplaca rosei
stellata (Wetmore & Kärnefelt) Arup, Frödén & Søchting Syn.: Caloplaca stellata
tenax (L. Lindblom) Frödén, Arup, & Søchting Syn.: Xanthoria tenax
tenuiloba (L. Lindblom) Frödén, Arup, & Søchting Syn.: Xanthoria tenuiloba
verruculifera (Vainio) Arup, Frödén & Søchting Syns.: Caloplaca gloriae sensu Aproto, C.
 verruculifera

POLYCHIDIUM (Ach.) Gray

muscicola (Sw.) Gray Syn.: Leptogium muscicola
 albociliatum (Desm.) Zahlbr. = Leptochidium albociliatum
 contortum Henssen = Leptogidium contortum (Muggia et al. 2011)
 dendriscum (Nyl.) Henssen = Leptogidium dendriscum (Muggia et al. 2011)
 intricatum (Nyl.) Henssen = Dendriscocaulon intricatum
 rivale (Tuck.) Fink = Scytinium rivale
 umhausense (Auersw.) Henssen = Dendriscocaulon umhausense

POLYCOCCUM Sauter ex Körber

^{*}**clauzadei** Nav.-Ros. & Cl. Roux (Hafellner et al. 2002)
^{*}**deformans** R. Sant. & Brackel (Spribile et al. 2020)
^{*}**hymeniicola** (Berk. & Broome) Zhurb. (Spribile et al. 2010, Zhurbenko & Dillman 2010)
^{*}**kerneri** J. Steiner (Hafellner et al. 2002)
^{*}**laursenii** Zhurb. (Zhurbenko & Alstrup 2004)
^{*}**microcarpum** Diederich & Etayo (Zhurbenko & Pino-Bodas 2017)

- ***microsticticum** (Leighton ex Mudd) Arnold
- ***minutulum** Kocourková & F. Berger (Diederich 2003)
- ***opulentum** (Th. Fr. & Almq.) Arnold (Hafellner et al. 2002)
- ***peltigerae** (Fuckel) Vězda (Alstrup 2004)
- ***pulvinatum** (Eitner) R. Sant.
- ***sporastatiae** (Anzi) Arnold
- ***squamarioides** (Mudd) Arnold
- ***tryptethelioides** (Th. Fr.) R. Sant. (Diederich 2003)
- ***vermicularium** (Lindsay) D. Hawksw. (Esslinger & Egan 1995)
- ***bryonthae** (Arnold) Vězda (Zhurbenko 2009a) = *Didymocyrtis bryonthae* (Ertz et al. 2015a)
- ***epicrassum** (H. Olivier) R. Sant. = *Clypeococcum epicrassum*, but see note there
- ***galligenum** Vězda = *P. pulvinatum*
- ***gelidarium** (Mudd) D. Hawksw. = *Roselliniopsis gelidaria*

POLYDESMIA Boud.

- ***lichenis** Huhtinen & R. Sant. (Spribble et al. 2010)

POLYMERIDIUM (Müll. Arg.) R. C. Harris

- albidum** (Müll. Arg.) R. C. Harris
- albocinereum** (Kremp.) R. C. Harris
- catapastum** (Nyl.) R. C. Harris
- contendens** (Nyl.) R. C. Harris
- quinqueseptatum** (Nyl.) R. C. Harris Syns.: *Arthopyrenia quinqueseptata*, *Pyrenula quinqueseptata*
- subcinereum** (Nyl.) R. C. Harris Syn.: *Porina subcinerea*
- pleiomerellum** (Müll. Arg.) R. C. Harris = *P. albocinereum*
- proponens** (Nyl.) R. C. Harris Syns. = *Dictyomeridium proponens*

POLYPYRENULA D. Hawksw.

sexlocularis (Müll. Arg.) D. Hawksw. Syn.: *Polythelis sexlocularis*. The implied occurrence of this species in Florida is questionable. No material seen from North America

POLYSPORINA Vězda (Knudsen et al. 2021a, Westberg et al. 2015)

- arenacea** (H. Magn.) K. Knudsen & Kocourk. = *Acarospora arenacea* (Knudsen & Kocourková 2008a, 2020b)
- arenacea** auct. p.p. = *Sarcogyne paradoxa* (Knudsen & Kocourková 2020b)
- cyclocarpa** (Anzi) Vězda (Knudsen et al. 2011b) = *Sarcogyne cyclocarpa* (Knudsen et al. 2016)
- gyrocarpa** (H. Magn.) N. S. Golubk. = *Acarospora gyrocarpa* (Knudsen et al. 2017)
- ***pusilla** (Anzi) M. Steiner ex Kantvilas (Knudsen & Kocourková 2008a) = *Sarcogyne pusilla*
- lapponica** (Ach. ex Schaefer) Degel. (Spribble et al. 2020) = *Sarcogyne lapponica* (Knudsen & Kocourková 2008a) Name sometimes misapplied to lichenicolous fungus, *Acarospora subfuscescens* (Knudsen et al. 2021b)
- oligospora** (H. Magn.) K. Knudsen (Knudsen & Lendemer 2005a) = *Acarospora gyrocarpa*
- simplex** (Taylor) Vězda = *Acarospora privigna* (Knudsen et al. 2021b)
- ***subfuscescens** (Nyl.) K. Knudsen & Kocourk. = *Acarospora subfuscescens* (Knudsen et al. 2021b)
- urceolata** (Anzi) Brodo = *Sarcogyne urceolata*

POLYTHELIS Clem. = **POLYPYRENULA**

sexlocularis (Müll. Arg.) Clem. = *Polypyrenula sexlocularis* (q.v.)

PORINA Müll. Arg.

- amygdalina** Müll. Arg.
- chlorotica** (Ach.) Müll. Arg. (Spribble et al. 2020)
- heterospora** (Fink ex J. Hedrick) R. C. Harris
- leptalea** (Durieu & Mont.) A. L. Sm. (Spribble et al. 2020)

linearis (Leighton) Zahlbr. (Nash 2002) Syns.: Pseudosagedia linearis, Trichothelium lineare
norrlinii Vainio (Fryday 2010)
nucula Ach.
nuculastrum (Müll. Arg.) R. C. Harris Syns.: Clathroporina nuculastrum, C. confinis,
 Polyblastiopsis floridana (Harris 1995a)
pacifica Brodo (Brodo 2004)
peregrina Tretiach & P. M. McCarthy (Aptroot 2002e)
radicicola P. M. McCarthy & Tønsberg (McCarthy & Tønsberg 1998)
salicina Müll. Arg.
scabrida R. C. Harris (Harris 1995a)
 aenea (Wallr.) Zahlbr. = Pseudosagedia aeneum
 carpinea (Pers. ex Ach.) Zahlbr. = Pseudosagedia aeneum
 cestrensis (Tuck. ex E. Michener) Müll. Arg. = Pseudosagedia cestrensis
 chlorotica (Ach.) Müll. Arg. = Pseudosagedia chlorotica
 cinerea "(Pers.) Zahlbr." = nom. illeg. = Strigula stigmatella
 faginea (Schaerer) Arnold = Strigula stigmatella
 guentheri (Flotow) Zahlbr. = Pseudosagedia guentheri
 hibernica P. James & Swinscow = misidentification for North America (Harris 1995a)
 lectissima (Fr.) Zahlbr. = Segestria lectissima
 leptalea (Durieu & Mont.) A. L. Sm. = Segestria leptalea
 linearis (Leighton) Zahlbr. = Pseudosagedia linearis
 mammillosa (Th. Fr.) Vainio = Segestria mammillosa
 mastoidea (Ach.) Müll. Arg. = misidentification for North America (Harris 1995a)
 nitidula Müll. Arg. = Pseudosagedia nitidulum
 nucula var. heterospora Fink = Porina heterospora
 olivacea (Pers.) A. L. Sm. = misidentification for North America
 plumbaria (Stizenb.) Hasse = Arthopyrenia plumbaria
 pulla (Ach.) Müll. Arg. = an Arthopyrenia sp., not in North America
 rhaphidosperma Müll. Arg. = Pseudosagedia rhaphidosperma
 subcinerea (Nyl.) Zahlbr. = Polymeridium subcinereum
 thaxteri R. Sant. = Pseudosagedia thaxteri
 viridiseda (Nyl.) Zahlbr. = Strigula viridiseda

POROCYPHUS Körber

coccodes (Flotow) Körber Syn.: P. furfurellus
kenmorensis (Holl ex Nyl.) Henssen
 dispersus E. Dahl = Thelignya lignyota
 furfurellus (Nyl.) Forssell = P. coccodes

PORPIDIA Körber

albocaerulescens (Wulfen) Hertel & Knoph Syns.: Huilia albocaerulescens, Lecidea
 albocaerulescens, L. hebescens
albocaerulescens (Wulfen) Hertel & Knoph var. **polycarpiza** (Vainio) Rambold & Hertel
 (Rambold 1989)
calcarea Gowan
carlottiana Gowan
cinereoatra (Ach.) Hertel & Knoph Syns.: Huilia cinereoatra, Lecidea cinereoatra
contraponenda (Arnold) Knoph & Hertel
crustulata (Ach.) Hertel & Knoph Syns.: Huilia crustulata, Lecidea crustulata
degelii (H. Magn.) Lendemer Syn.: Lecidea degelii (Lendemer & Harris 2014c)
flavicunda (Ach.) Gowan Syns.: Huilia flavocaerulescens, Lecidea albocaerulescens var.
 flavocaerulescens, L. flavocaerulescens (Fryday 2005)
flavocruenta Fryday & Buschbom (Fryday 2005)
grisea Gowan
irrigua Orange (Spribille et al. 2020)
lowiana Gowan

macrocarpa (DC.) Hertel & A. J. Schwab Syns.: Huilia macrocarpa, H. nigrocruenta, Lecidea steriza, L. macrocarpa, L. platycarpa, L. phylliscina, L. contigua, L. soredifera
melinodes (Körber) Gowan & Ahti Syns.: Aspicilia melinodes, Huilia melinodes, Lecidea melinodes
nigrocruenta (Anzi) Diederich & Sérus (Spribille et al. 2020)
ochrolemma (Vainio) Brodo & R. Sant. Syn.: Hymenelia ochrolemma
platycarpoides (Bagl.) Hertel Syn.: Huilia platycarpoides
rugosa (Taylor) Coppins & Fryday Syns.: Huilia glaucophaea, Lecidea glaucophaea (Fryday 2005)
seakensis Fryday (Spribille et al. 2020)
soredizodes (Lamy ex Nyl.) J. R. Laundon Syns.: Lecidea soredizodes, Huilia soredizodes (Fryday et al. 2007)
speirea (Ach.) Kremp. Syn.: Lecidea speirea
striata Fryday (Spribille et al. 2020)
subsimplex (H. Magn.) Fryday (Coppins & Fryday 2006b)
superba (Körber) Hertel & Knoph Syn.: Huilia superba
thomsonii Gowan
tuberculosa (Sm.) Hertel & Knoph Syns.: Huilia tuberculosa, Lecidea sorediza, L. tumida
zeoroides (Anzi) Knoph & Hertel Syn.: Lecidea macrocarpa var. trullisata

diversa (Lowe) Gowan = P. contraponenda (Fryday 2005)

flavocaerulescens (Hornem.) Hertel & A. J. Schwab = P. flavicunda (Fryday 2005)

glaucophaea (Körber) Hertel & Knoph = P. rugosa (Fryday 2005)

herteliana Gowan = P. cinereoatra (Fryday 2005)

pseudomelinodes A. J. Schwab = Porpidia ochrolemma

tahawasiana Gowan = P. subsimplex

PRONECTRIA Clem.

***dillmaniae** Zhurb. (Zhurbenko et al. 2005)
 ***erythrinella** (Nyl.) Lowen Syn.: Nectriella erythrinella
 ***oligospora** Lowen & Rogerson
 ***robergei** (Mont. & Desm.) Lowen (Alstrup & Cole 1998)
 ***tibellii** Zhurb. (« tibellae ») (Zhurbenko & Alstrup 2004)
 ***walkerorum** Zhurb. (Zhurbenko et al. 2005)
 ***anisospora** (Lowen) Lowen = Trichonectria anisospora
 ***fissuriprodien** Etayo (Spribille et al. 2010) = Xenonectriella fissuriprodien

PROTOBLASTENIA (Zahlbr.) J. Steiner

calva (Dickson) Zahlbr.
cyclospora (Hepp ex Körber) Poelt (Dillman et al. 2012)
incrustans (DC.) J. Steiner
lilacina Poelt & Vězda (Fryday 2017)
rupestris (Scop.) J. Steiner
siebenhaariana (Körber) J. Steiner (Spribille et al. 2020)
terricola (Anzi) Lynge

cinnabarina (Sommerf.) Räsänen = Ramboldia cinnabarina

monticola (Ach.) J. Steiner = Clauzadea monticola

quernea (Dickson) Clauzade = Pyrrhospora quernea

rupestris var. calva (Dickson) J. Steiner = P. calva

russula (Ach.) Räsänen = Ramboldia russula

testacea (Hoffm.) Clauzade & Rondon = Psora testacea, but not included in the North American flora.

PROTOMICAREA Hafellner (Hafellner & Türk 2001)

alpestris (Sommerf.) McCune Syn. Lecidea alpestris (McCune et al. 2018)
limosa (Ach.) Hafellner Syn.: Lecidea limosa

PROTOPANNARIA (Gyelnik) P. M. Jørg. & S. Ekman
pezizoides (Weber) P. M. Jørg. & S. Ekman (Jørgensen 2000c) Syns: *Pannaria brunnea*, P. *pezizoides*

PROTOPARMELIA M. Choisy

#**atriseda** (Fr.) R. Sant. & V. Wirth Syn.: *Lecanora atriseda*
badia (Hoffm.) Hafellner Syn.: *Lecanora badia*, L. *grandis*
#**cupreobadia** (Nyl.) Poelt
hypotremella Herk, Spier & V. Wirth (Brodo & Aptroot 2005)
#**leproloma** (R. Sant.) Rambold & Poelt (Singh et al. 2015, McCune 2017)
memnonia Hafellner & Türk (McCune 2017)
nephaea (Sommerf.) R. Sant. ex Poelt & Obermayer Syn.: *Lecanora nephaea*
ochroococca (Nyl.) P. M. Jørg., Rambold & Hertel Syns.: *Lecidea ochroococca*, *Lecanora ochroococca*, L. *phaeobola*
capitata Lendemer (Lendemer & Lumbsch 2008) = *Neoprotoparmelia capitata* (Singh et al. 2018)
isidiata Diederich, Aptroot & Sérus. (Lendemer & Lumbsch 2008) = *Neoprotoparmelia amerisiadiata*, for N.A. report
#**ryaniana** van den Boom, Sipman & Elix (van den Boom et al. 2007) = *Miriquidica verrucariicola* (Knudsen et al. 2015)

PROTOPARMELIOPSIS M. Choisy

bipruinosa (Fink) S. Y. Kondr. (Kondratyuk et al. 2012) Syn.: *Lecanora bipruinosa*
crustacea (Savicz) S. Y. Kondr. (Kondratyuk et al. 2012) Syn.: *Lecanora crustacea*
dispersoareolata (Körber) S. Y. Kondr. (Kondratyuk et al. 2012) Syn.: *Lecanora dispersoareolata*
garovaglii (Körber) Arup, Zhao Xin & Lumbsch (Zhao et al. 2016) Syns.: *Lecanora cascadiensis*, L. *garovaglii*, L. *nevadensis*, L. *muralis* var. *garovaglii*
geiserae (B. D. Ryan) S. Y. Kondr. (Kondratyuk et al. 2012) Syn.: *Lecanora geiserae*
gyrophorica (Lendemer) S. Y. Kondr. (Kondratyuk et al. 2013) Syn.: *Lecanora gyrophorica*
kofae (B. D. Ryan & T. H. Nash) (Kondratyuk et al. 2012) Syn.: *Lecanora kofae*
laatokkaensis (Räsänen) Moberg & R. Sant. Syn.: *Lecanora laatokkaensis*
mazatzalensis (B. D. Ryan & T. H. Nash) S. Y. Kondr. (Kondratyuk et al. 2013) Syn.: *Lecanora mazatzalensis*
muralis (Schreber) M. Choisy (Zhao et al. 2016) Syns.: *Lecanora diffracta*, L. *muralis*, L. *muralis* var. *diffracta*, L. *muralis* var. *saxicola*, L. *saxicola*, L. *versicolor*
peltata (Ramond) Arup, Zhao Xin & Lumbsch (Zhao et al. 2016) Syns.: *Rhizoplaca peltata*, *Lecanora peltata*
pinguis (Tuck.) S. Y. Kondr. (Kondratyuk et al. 2013) Syn.: *Lecanora pinguis*

PROTOTHELENELLA Räsänen

corrosa (Körber) H. Mayrhofer & Poelt Syns.: *Microglaena corrosa*, *Thelenella humilis*
***crocea** (Bagl. & Carestia) Hafellner & H. Mayrhofer (Spribille et al. 2010)
leucothelia (Nyl.) H. Mayrhofer & Poelt (Goward et al. 1996)
pluriseptata Fryday (Fryday 2004a) Syn.: *Gongylia muscorum*
***santessonii** H. Mayrhofer
sphinctrinoidella (Nyl.) H. Mayrhofer & Poelt (Mayrhofer 1987)
sphinctrinoides (Nyl.) H. Mayrhofer & Poelt Syns.: *Microglaena sphinctrinoides*, *Verrucaria pernigrata*

PROTOUNGUICULARIA Raity. & R. Galán

***fasciculata** (Etayo) Etayo Syn.: *Unguiculariopsis fasciculata* (Diederich et al. 2018)
***nephromatis** (Zhurb. & Zavarzin) Huhtinen, D. Hawksw. & Ihlen (Huhtinen et al. 2008) Syn.: *Unguiculariopsis nephromatis*
***transiens** (Höhn.) Huhtinen (Huhtinen et al. 2008)

PSEUDEPHEBE M. Choisy

minuscula (Nyl. ex Arnold) Brodo & D. Hawksw. Syn.: *Alectoria minuscula*

pubescens (L.) M. Choisy Syns.: *Alectoria pubescens*, *Ephebe pubescens*, *Parmelia lanata*
(According to a molecular study by Boluda et al. (2016), *P. pubescens* has not been confirmed for
North America)

PSEUDEVERNIA Zopf

cladonia (Tuck.) Hale & W. L. Culb. Syns.: *Evernia furfuracea* var. *cladonia*, *Parmelia cladonia*
consocians (Vainio) Hale & W. L. Culb.
intensa (Nyl.) Hale & W. L. Culb.
furfuracea (L.) Zopf = misidentification for North America; records are either *P. consocians* or *P. intensa*

PSEUDOCYPHELLARIA Vainio

citrina (Gyeln.) Lücking, Moncada & S. Stenroos (Lücking et al. 2017a)
deyi Lücking (Lücking et al. 2017a)
epiflavoides (Gyeln.) Lücking, Farkas & Lökö (Lücking et al. 2017a)
hawaiensis H. Magn. (Moncada et al. 2014)
holarectica McCune, Lücking & Moncada (Lücking et al. 2017a)
mallota (Tuck.) H. Magn. (Tønsberg 1999b) Syn.: *Sticta crocata* var. *mallota*
punctata Lücking & Moncada (Lücking et al. 2017a)
rainierensis Imshaug
anomala Brodo & Ahti = *Lobaria anomala* (McCune et al. 2014b)
anthraspis (Ach.) H. Magn. = *Lobaria anthraspis* (McCune et al. 2014b)
aurata (Ach.) Vainio = *Crocodia aurata* (Galloway & Elix 2013)
crocata (L.) Vainio Misidentifications for North America (Lücking et al. 2017a)
mougeotiana (Delise) Vainio = *P. crocata*, but misidentifications for North America
perpetua McCune & Miadl. (Miadlikowska et al. 2002) = *P. hawaiensis* (Moncada et al. 2014)

PSEUDOPARMELIA Lyng (Elix & Nash 1997)

cubensis (Nyl.) Elix & T. H. Nash (Elix & Nash 1997) Syn.: *Parmelia leucochlora* Tuck. non
(Mont.) Mont.
floridense Elix & T. H. Nash (Elix & Nash 1997)
uleana (Müll. Arg.) Elix & T. H. Nash (Elix & Nash 1997) Syns.: *Parmelia uleana*, *Parmelia*
endoxantha, *Parmelia congrdens* auct., *Parmelia sphaerospora* auct.
alabamensis (Hale & McCull.) Hale = *Canoparmelia alabamensis*
amazonica (Nyl.) Hale = *Parmelinella amazonica*
baltimorensis (Gyelnik & Fóri) Hale = *Flavoparmelia baltimorensis*
caperata (L.) Hale = *Flavoparmelia caperata*
caroliniana (Nyl.) Hale = *Canoparmelia caroliniana*
crozalsiana (B. de Lesd.) Hale = *Canoparmelia crozalsiana*
cryptochlorophaea (Hale) Hale = *Canoparmelia cryptochlorophaea*
martinicana (Nyl.) Hale = *Canoparmelia martinicana*
rutidota (Hooker f. & Taylor) Hale = *Flavoparmelia rutidota*
salacinifera (Hale) Hale = *Canoparmelia salacinifera*
sphaerospora (Nyl.) Hale (North American records) = *Pseudoparmelia uleana*
texana (Tuck.) Hale = *Canoparmelia texana*

PSEUDOPYRENIDIUM Nav.-Ros., Zhurb. & Cl. Roux

***tartaricola** (Lindsay) Nav.-Ros., Zhurb. & Cl. Roux (Zhurbenko 2013)

PSEUDOPYRENULA Müll. Arg.

diluta (Fée) Müll Arg. var. **degenerans** Vainio (Harris 1998)
staphyleae (Petr.) Aptroot Syn.: *Massarina staphyleae* (Aptroot et al. 2016)
subgregaria Müll. Arg. (Lücking et al. 2011b)
subnudata Müll. Arg. (Lücking et al. 2011b)
pupula (Ach.) Müll. Arg. = *Trypethelium floridanum* for North American records

PSEUDOSAGEDIA (Müll. Arg.) M. Choisy (Harris 2005)

aenea (Wallr.) Hafellner & Kalb Syns.: Trichothelium aeneum, Porina aenea, P. carpinea
cestrensis (Tuck. ex E. Michener) R. C. Harris Syns.: Porina cestrensis, Trichothelium cestrense,
Verrucaria cestrensis
chlorotica (Ach.) Hafellner & Kalb Syns.: Porina chlorotica, Trichothelium chloroticum
crocynoides (R. C. Harris) R. C. Harris Syn.: Trichothelium crocynoides
guentheri (Flotow) Hafellner & Kalb Syns.: Porina guentheri, Trichothelium guentheri
isidiata (R. C. Harris) R. C. Harris Syn.: Trichothelium isidiatum
nitidula (Müll. Arg.) Hafellner & Kalb Syns.: Porina nitidula, Trichothelium nitidulum
rhaphidosperma (Müll. Arg.) R. C. Harris Syns.: Porina rhaphidosperma, Trichothelium
rhaphidospermum
thaxteri (R. Sant.) Hafellner & Kalb Syns.: Porina thaxteri, Trichothelium thaxteri
linearis (Leighton) Hafellner & Kalb = Porina linearis

PSEUDOSCHISMATOMMA Ertz & Tehler (Ertz et al. 2015b)

rufescens (Pers.) Ertz & Tehler Syn.: Opegrapha rufescens

PSEUDOTHELOMMA M. Prieto & Wedin (Prieto & Wedin 2017)

ocellatum (Körber) M. Prieto & Wedin Syns.: Acolium ocellatum, Thelomma ocellatum
occidentale (Herre) M. Prieto & Wedin Syn.: Cyphelium occidentale, North American records of
Cyphelium caliciforme probably belong here.

PSIOLECHIA A. Massal.

clavulifera (Nyl.) Coppins Syn.: Lecidea adirondackii
lucida (Ach.) M. Choisy Syns.: Biatora lucida, Lecidea lucida

PSORA Hoffm.

brunneocarpa Timdal (Timdal 2002a)
californica Timdal
cerebriformis W. A. Weber
crenata (Taylor) Reinke Syns.: Biatora crenata, Lecanora chonion, Lecidea crenata, L.
coroniformis
decipiens (Hedwig) Hoffm. Syns.: Biatora decipiens, Lecidea decipiens
elenkinii Rass. (Zhurbenko 2009a)
globifera (Ach.) A. Massal. Syns.: Biatora globifera, Lecidea globifera
himalayana (Church. Bab.) Timdal
hyporubescens Timdal (Timdal 2002a)
icterica (Mont.) Müll. Arg. Syns.: Biatora icterica, Lecidea icterica
luridella (Tuck.) Fink Syns.: Biatora luridella, Lecidea luridella
montana Timdal
nipponica (Zahlbr.) Gotth. Schneider Syn.: Lecidea novomexicana
pacifica Timdal
peninsularis Timdal (Timdal 2002a)
pruinosa Timdal (Timdal 2002a)
pseudorussellii Timdal
rubiformis (Ach.) Hooker Syns.: Biatora globifera var. rubiformis, Lecidea rubiformis
russellii (Tuck.) A. Schneider Syns.: Lecidea russellii, Biatora russellii
tenuifolia Timdal
tuckermanii R. A. Anderson ex Timdal
vallesiaca (Schaerer) Timdal
anthracophila (Nyl.) Arnold = Carbonicola anthracophila
dемисса (Rutstr.) Hepp = Lecidoma demissum
friesii (Ach.) Hellbom = Xylopsora friesii
lurida (Ach.) DC. = Romjularia lurida
novomexicana B. de Lesd. = P. nipponica
ostreata Hoffm. = Hypocenomyce scalaris
petri (Tuck.) Fink = Romjularia lurida

pulcherrima (Vainio) Elenkin = Anamylopsora pulcherrima
 rufonigra (Tuck.) A. Schneider = Psorula rufonigra
 scalaris (Ach. ex Lilj.) Hooker = Hypocenomyce scalaris
 scholanderi (Lynge) R. A. Anderson = *Kiliasia tristis*
 scotopholis (Tuck.) Fink (Fink 1935) = Miriquidica scotopholis
 testacea (Hoffm.) Ach. = Psora testacea, but not included in the North American flora.
 texana W. A. Weber = Xanthopsorella texana

PSORINIA Gotth. Schneider

conglomerata (Ach.) Gotth. Schneider Syn.: Toninia conglomerata

PSOROGLAENA Müll. Arg.

biatarella (Arnold) Lücking & Sérus. Syn.: Leucocarpia biatorella (Lücking 2008)
costaricensis Henssen (Lücking et al. 2011b)
cubensis Müll. Arg. var. **cubensis**
cubensis var. **teretiloba** O. Eriksson
dictyospora (Orange) H. Harada (Harada 2003) Syns.: Leucocarpia dictyospora, Macentina dictyospora
stigonemoides (Orange) Henssen (Björk et al. 2009)

PSOROMA Michaux

cinnamomeum Malme (Jørgensen 2000c)
hypnorum (Vahl) Gray Syn.: Pannaria hypnorum
nivale Fryday, Elvebakk, F. L. Anderson & J. Gagnon (Fryday et al. 2019)
paleaceum (Fr.) Timdal & Tønsberg
spinuliferum Elvebakk & Tønsberg (Elvebakk & Tønsberg 2018)
tenue Henssen var. **boreale** Henssen
 hirsutulum Nyl. (Jørgensen 2005) = P. paleaceum (Timdal & Tønsberg 2006)
 palmulata Michaux (Tuckerman 1882) = Anaptychia palmulata

PSOROTICHIA A. Massal.

hassei Fink ex J. Hedrick
minuta H. Magn.
montinii (A. Massal.) Forssell (Schultz 2007c)
murorum A. Massal. (Schultz 2007c)
nigra H. Magn.
schaereri (A. Massal.) Arnold Syn.: Pyrenopsis schaeferi
taurica (Nyl.) Vainio (Schultz 2007c)
vermiculata (Nyl.) Forssell (Knudsen et al. 2017)
 numidella (Nyl.) Forssell var. flageyana J. Steiner Erroneously listed here; reported only from Mexico (Schulz 2007c)
 segregata (Nyl. ex Hasse) Hasse = Lempholemma chalazanum
 squamulosa Zahlbr. = Gloeoheppia squamulosa

PSORULA Gotth. Schneider

#**rufonigra** (Tuck.) Gotth. Schneider Syns.: Biatora rufonigra, Lecidea rufonigra, L. brouardii, Psora rufonigra
 scotopholis (Tuck.) Gotth. Schneider = Miriquidica scotopholis

PTERYGIOPSIS Vainio

atra Vainio
canariensis Henssen (Schultz 2006)
cava M. Schultz (Schultz 2006)
neglecta (Erichsen) M. Schultz & Thüs ined. Syn.: Forsellia neglecta (Lewis 2014)

PTERYGIUM Nyl.
petersii Nyl. (Fink 1935) = *Placynthium petersii*

PTYCHOGRAPHA Nyl. (McCune 1997b)
xylographoides Nyl. (McCune 1997b)

PULVINORA Davydov, Yakovczenko & Printzen (Davydov et al. 2021)
pringlei (Tuck.) Davydov, Yakovczenko, Hollinger, Bungartz & Printzen (Davydov et al. 2021)
Syns.: *Lecanora pringlei*, *Lecidea pringlei*

PUNCTELIA Krog

appalachensis (W. L. Culb.) Krog Syn.: *Parmelia appalachensis*
bolliana (Müll. Arg.) Krog Syns.: *Parmelia bolliana*, *P. frondifera*
borreri (Sm.) Krog Syns.: *Parmelia borreri*, *P. pseudoborreri*
caseana Lendemer & Hodkinson (Lendemer & Hodkinson 2010)
eganii Hodkinson & Lendemer (Hodkinson & Lendemer 2011)
graminicola (B. de Lesd.) Egan Syns.: *Parmelia graminicola*, *P. semansiana* (Egan 2003)
hypoleucites (Nyl.) Krog Syn.: *Parmelia hypoleucites*
jeckeri (Roum.) Kalb (Lendemer & Hodkinson 2010)
missouriensis G. Wilh. & Ladd (Adler 1997, van Herk & Aptroot 2000, Aptroot 2003)
nashii Marcelli & Canêz (Marcelli et al. 2011)
perreticulata (Räsänen) G. Wilh. & Ladd Syn.: *Parmelia perreticulata*
punctilla (Hale) Krog
reddenda (Stirton) Krog Syn.: *Parmelia reddenda*
rudecta (Ach.) Krog Syn.: *Parmelia rudecta*, *P. borreri* var. *rudecta*
stictica (Duby) Krog Syn.: *Parmelia stictica*
subpraesignis (Nyl.) Krog Syn.: *Parmelia subpraesignis*
darrowi (J. W. Thomson) Krog = *Flavopunctelia darrowi*
flaventior (Stirton) Krog = *Flavopunctelia flaventior*
praesignis (Nyl.) Krog = *Flavopunctelia praesignis*
semansiana (W. L. Culb. & C. F. Culb.) Krog = *P. graminicola*
soredica (Nyl.) Krog = *Flavopunctelia soredica*
subrudecta (Nyl.) Krog = misidentification for North America (Lendemer & Hodkinson 2010)
ulophylla (Ach.) van Herk & Aptroot (Tucker et al. 2006) = *P. jeckeri* (Lendemer & Hodkinson 2010)

PUTTEA S. Stenroos & Huhtinen

caesia (Fr.) M. Svensson & T. Sprib. (Dillman et al. 2012) Syn.: *Lecidea symmictella*
exsequens (Nyl.) Printzen & Davydov (Buck & Lendemer 2012)
margaritella (Hulting) S. Stenroos & Huhtinen (Spribille et al. 2010)

PYCNORA Hafellner (Hafellner & Türk 2001)

praestabilis (Nyl.) Hafellner Syn.: *Hypocenomyce praestabilis*
sorophora (Vainio) Hafellner Syn.: *Hypocenomyce sorophora*
xanthococca (Sommerf.) Hafellner Syns.: *Hypocenomyce xanthococca*, *Lecidea xanthococca*
leucococca (R. Sant.) R. Sant. (Santesson et al. 2004) = *Toensbergia leucococca*

PYCNOTHELIA Dufour

papillaria Dufour Syns.: *Cladonia heteromorpha*, *C. papillaria*
cladinoides Nyl. = *Cladonia caroliniana* (Ahti & Brodo 1981)

PYCNOTREMA Rivas Plata & Lucking

pycnoporellum (Nyl.) Rivas Plata & Lucking Syn.: *Myriotrema pycnoporellum* (Lücking et al. 2016)

PYRENASTRUM Eschw. = **PYRENULA**

astroideum (Fée) Eschw. = Pyrenula astroideum
cubanum Müll. Arg. = Pyrenula cubana
fuscum Mont. = Pyrenula septicollaris
pyrenastraeum (Nyl.) Zahlbr. = Pyrenula septicollaris
ravenelii Tuck. (Tuckerman 1888) = Pyrenula ravenelii

PYRENIDIUM Nyl.

***actinellum** Nyl.
***aggregatum** K. Knudsen & Kocourk. (Knudsen & Kocourková 2010g)
***hyalosporum** Alstrup, D. Hawksw. & R. Sant. = *Zwackhiomacromyces hyalosporus* (Diederich et al. 2018)
***octosporum** Looman = Thelenella muscorum var. octospora

PYRENOCARPON Trevisan

thelostomum (Ach. ex J. Harriman) Coppins & Aptroot (Dillman et al. 2012)

PYRENOCOLLEMA Reinke

atlanticum (Vainio) R. C. Harris (Harris 1995a)
caesium (Nyl.) R. C. Harris
prospersellum (Nyl.) R. C. Harris Syn.: Arthopyrenia prospersella
tichotheциoidес (Arnold) R. C. Harris Syn.: Arthopyrenia tichotheциoides
elegans R. Sant. = Collemopsidium elegans
halodytes (Nyl.) R. C. Harris = Collemopsidium halodytes
strontianense (Swinscow) R. C. Harris = Collemopsidium angermannicum
sublitorale (Leighton) R. C. Harris ex Fletcher = Collemopsidium sublitorale

PYRENODESMIA A. Massal. (Arup et al. 2013)

variabilis (Pers.) A. Massal. Syn.: Caloplaca variabilis, Placodium variabile
albovariegata B. de Lesd. = Caloplaca albovariegata
elaeodes E. D. Rudolph = Caloplaca pellorella
montana B. de Lesd. = a Caloplaca sp.

PYRENOPSISIUM (Nyl.) Forssell = CRYPTOTHELE

granuliforme (Nyl.) Forssell = Cryptotheli granuliformis
homoeopsis (Nyl.) Forssell = Pyrenopsis furfurea
iivarensis (Vainio) Forssell (Thomson 1997) = Pyrenopsis furfurea (Henssen & Jørgensen 1990; Santesson 1993)

PYRENOPSIS (Nyl.) Nyl.

compacta Willey
furfurea (Nyl.) Th. Fr. Syns.: Pyrenopsis homoeopsis, P. iivarensis
fuscoatra Fink
grumulifera Nyl.
haemaleella (Nyl.) Blomb. & Forssell
haematina P. M. Jörg. & Henssen (Spribile et al. 2010)
lecidella Fink ex J. Hedrick
phaeococca Tuck.
polycocca (Nyl.) Tuck.
portoricensis Zahlbr. (fide Perlmutter, see appendix)
reducta Th. Fr. (Hutten et al. 2013)
sanguinea Anzi
subareolata Nyl. (Schultz 2009)
subfuliginea Nyl.
tasmanica Nyl.
triptococca Nyl. (Schultz 2007d)

viridirufa Tuck.

corallina Willey in Tuck. (Tuckerman 1882) Identity uncertain
granatina (Sommerf.) Nyl. = *Euopsis granatina*
granuliformis (Nyl.) Th. Fr. = *Cryptothele granuliforme*
homoeopsis Nyl. = *P. furfurea*
melambola (Tuck.) Tuck. = *Metamelanea melambola*
"multispora E. Dahl" Report probably refers to *P. myriospora* E. Dahl = *P. grumulifera*
myriospora E. Dahl = *P. grumulifera*
phylliscina (Tuck.) Tuck. = *Cryptothele permiscens*
pulvinata (Schaerer) Th. Fr. = *Euopsis pulvinata*
schaereri A. Massal. = *Psorotichia schaeereri*

PYRENOTHAMNIA Tuck. = ENDOCARPON

brandegei (Tuck.) Zahlbr. = *Staurothele pulvinata*
spraguei Tuck. = *Staurothele pulvinata*

PYRENOTHRIX Riddle

nigra Riddle Syn.: *Lichenothrix riddlei*

PYRENOTRICHUM Mont.

splitgerberi Mont. = campylidia of lichens

PYRENULA A. Massal.

acutalis R. C. Harris
acutispora Kalb & Hafellner (Aptroot 1996)
adacta Fée (Aptroot 2012)
anomala (Ach.) Vainio Syns.: *Melanotheca anomala*, *M. achariana*
aspistea (Ach.) Ach.
astroidea (Fée) R. C. Harris Syn.: *Parmentaria astroidea*
atrolaminata R. C. Harris (Aptroot 1996)
bahiana Malme (Aptroot 2012)
balia (Kremp.) R. C. Harris (Aptroot 2012)
breutelii (Müll. Arg.) Aptroot (Aptroot 2012) Syn.: *Anthracotheicum maculare*
brunnea Fée (Lücking et al. 2011b)
caryae R. C. Harris (Aptroot 1996)
cerina Eschw.
chlorospila (Nyl.) Arnold (Aptroot 2012)
circumfiniens Vainio (Aptroot 2012) Syn.: *Parathelium subferrugineum*
clavatispora Common & Aptroot (Aptroot & Common 2017)
cocoes Müll. Arg.
confinis (Nyl.) R. C. Harris (Lücking et al. 2011b)
cofoederata R. C. Harris
cruenta (Mont.) Vainio Syns.: *Melanotheca cruenta*, *M. subinuenta*, *Trypethelium cruentum*
cruentata (Müll. Arg.) R. C. Harris Syn.: *Bottaria cruentata*
cubana (Müll. Arg.) R. C. Harris Syn.: *Pyrenastrum cubanum*
cuyabensis (Malme) R. C. Harris Syn.: *Parathelium cuyabense*
dermatodes (Borrer) Schaeerer (Lücking et al. 2011b)
dissimulans (Müll. Arg.) R. C. Harris (Seavey & Seavey 2014a)
duplicans (Nyl.) Aptroot (Lücking et al. 2011b)
erumpens R. C. Harris Syn.: *Parathelium emergens*
fetivica (Kremp.) Müll. Arg. (Aptroot 2012)
globifera (Eschw.) Aptroot (Lücking et al. 2011b)
laetior Müll. Arg. (Harris 1995a)
laevigata (Pers.) Arnold
leucostoma Ach. Syns.: *Anthracotheicum leucostomum*, *Parmentaria rappii*
macounii R. C. Harris

mamillana (Ach.) Trevisan (fide R. Harris)
micheneri R. C. Harris
microcarpa Müll. Arg.
microtheca R. C. Harris Syn.: Parathelium microcarpum
minor Fée (Seavey & Seavey 2014a)
nitidula (Bres.) R. C. Harris (Harris 1995a)
novemseptata Vainio (Aptroot 2012) Syn.: Anthracothecium varians
occidentalis (R. C. Harris) R. C. Harris
ochraceoflava (Nyl.) R. C. Harris Syn.: Anthracothecium ochraceoflavum
ochraceoflavens (Nyl.) R. C. Harris Syn.: Anthracothecium ochraceoflavens
oleosa R. C. Harris
parvinuclea (Meyen & Flotow) Aptroot (Seavey & Seavey 2014a)
papillifera (Nyl.) Aptroot (Aptroot 2012)
pleiomera (Nyl.) Zahlbr. (Seavey & Seavey 2014a)
pseudobufonia (Rehm) R. C. Harris
punctella (Nyl.) Trevisan
pyrenuloides (Mont.) R. C. Harris Syn.: Anthracothecium pyrenuloides
quassiicola Fée
ravenelii (Tuck.) R. C. Harris Syns.: Parmentaria ravenelii, Pyrenastrum ravenelii
rubrostoma R. C. Harris
schiffneri (Zahlbr.) Aptroot (Aptroot 2012) Syn. Anthracothecium falsarium
septicollaris (Eschw.) R. C. Harris Syns.: Pyrenastrum fuscum, P. pyrenastraeum
sexocularis (Nyl.) Müll. Arg. (Lücking et al. 2011b)
subelliptica (Tuck.) R. C. Harris
subgregantula Müll. Arg. (Aptroot 2012)
tenuisepta R. C. Harris
thelomorpha Tuck. Syn.: Anthracothecium thelomorphum
wetmorei R. C. Harris
wheeleri R. C. Harris
aggregata (Fée) Fée (Mohr 1901) = misidentification for North America
aquila R. C. Harris = P. aspistea (Aptroot 2012)
caraibica Aptroot & Etayo (Etayo & Aptroot 2003) = Pyrenula adacta (Aptroot 2012)
cerasi (Schrader) Hepp = Arthopyrenula cerasi
cinchonae (Ach.) Tuck. (Mohr 1901) = Constrictolumina cinchonae
cinerea Zahlbr. = P. microcarpa
cinerella (Nyl.) Branth & Rostrup (Claassen 1912) = Microthelia micula
citriformis R. C. Harris = P. fetivica (Aptroot 2012)
clandestina Ach. (Fink 1935) Typographic error for Pyrenula clandestina Ach. = Ocellularia
clandestine (Ach.) Müll. Arg., an apparent misidentification for N. America
concatervans (Nyl.) R. C. Harris = P. sexocularis (Aptroot 2012)
corticata (Müll. Arg.) R. C. Harris = P. confinis (Aptroot 2012)
falsaria (Zahlbr.) R. C. Harris = P. schiffneri (Aptroot 2012)
farrea auct. = Eopyrenula leucoplaca, but a misidentification for North America
fulvella R. C. Harris = P. subgregantula
glabrata (Ach.) A. Massal. = P. laevigata
herrei Fink = Arthopyrenia plumbaria
imperfecta (Ellis & Everh.) R. C. Harris = P. subelliptica
leucoplaca (Wallr.) Körber = Eopyrenula leucoplaca, but a misidentification for North America
leucoplaca var. pluriloculata Fink = Eopyrenula intermedia
lucifera R. C. Harris = Pyrenula dermatodes (Aptroot 2012)
macularis (Zahlbr.) R. C. Harris = P. breutelii (Aptroot 2012)
maculata (R. C. Harris) R. C. Harris = P. chlorospila (Aptroot 2012)
mamillana (Ach.) Trevisan = misidentification for North America
marginata Hooker = P. mamillana
martinicana (Vainio) R. C. Harris = P. adacta
megalospora Fink = Acrocordia megalospora

mucosa (Vainio) R. C. Harris (Harris 1995a) = *P. papillifera* (Aptroot 2012)
neglecta R. C. Harris = *P. pseudobufonia*
nitida (Weigel) Ach. = misidentification for North America
nitidella (Flörke ex Schaefer) Müll. Arg. var. *maculata* R. C. Harris = *P. chlorospila* (Aptroot 2012)
pachycheila Tuck. (Tuckerman 1872) = *Anthracothecium pachycheilum*
personata (Malme) R. C. Harris = *P. subgregantula* (Aptroot 2012)
pinguis (Sprengel) Fée = misidentification for North America
plittii R. C. Harris = *P. nitidula* (Aptroot 2012)
pulicina Nyl. (Fink 1935) Not located in any available source (Esslinger & Tucker 2009)
quinqueseptata (Nyl.) Tuck. (Tuckerman 1872) = *Polymeridium quinqueseptatum*
reebiae Aptroot & Gueidan (Gueidan et al. 2016) = *P. leucostoma* (Lendemer & Harris 2016)
santensis (Nyl.) Müll. Arg. = *P. balia* (Aptroot 2012)
subaggregata Müll. Arg. Not in North America
subferruginea (Malme) R. C. Harris = *P. circumfiniens* (Aptroot 2012)
subprostans (Nyl.) Tuck. (Tuckerman 1872) = *Anisomeridium subprostans*
texana Tuck. ex R. C. Harris = *P. microcarpa*
tropica (Ach.) Trevisan = *Nigrovothelium tropicum*
xyloides (Eschw.) Müll. Arg. = *P. mamillana*

PYRENUELLA Fink = **PHAEOSPORA**
 **endococcoidea* (Nyl.) Fink = *Phaeospora rimosicola*

PYRGILLUS Nyl.

javanicus (Mont. & Bosch) Nyl.
americanus Nyl. = *P. javanicus*

PYRRHOSPORA Körber

quernea (Dickson) Körber Syns.: *Biatora quernea*, *Lecidea quernea*, *Protoblastenia quernea*
cinnabarina (Sommerf.) M. Choisy = *Ramboldia cinnabarina*
elabens (Fr.) Hafellner = *Ramboldia elabens*
gowardiana T. Sprib. & Hauck (Spribile & Hauck 2003) = *Ramboldia gowardiana*
russula (Ach.) Hafellner = *Ramboldia russula*
subcinnabarina (Tønsberg) Hafellner = *Ramboldia subcinnabarina*
varians (Ach.) R. C. Harris = *Lecidea varians*

PYXINE Fr.

albovirens (G. Meyer) Aptroot
berteriana (Fée) Imshaug Syn.: *Physcia meisneri*
caesiopruinosa (Nyl.) Imshaug (Amtoft 2002)
cocoes (Sw.) Nyl. Syn.: *Physcia cocoes*
coralligera Malme
eschweileri (Tuck.) Vainio
meissneriana Nyl. (Nash et al. 1998)
petricola Nyl.
retirugella Nyl.
sorediata (Ach.) Mont. Syn.: *Physcia sorediata*
subcinerea Stirton (Amtoft 2002)
chrysanthoides Vainio = *P. subcinerea*
cocoes (Sw.) Nyl. var. *meissneri* (Tuck.) Tuck. (Tuckerman 1882) = *Pyxine berteriana*
cocoes var. *sorediata* Ach. (Tuckerman 1882) = *Pyxine sorediata*
daedalea Krog & R. Sant. = misidentification for North America
frostii Tuck. = *Dirinaria frostii*
meissneri Tuck. = *P. berteriana*
picta (Sw.) Tuck. = *Dirinaria picta*
picta var. *erythrocardia* Tuck. (Tuckerman 1882) = *Dirinaria picta*

pringlei Imshaug = *P. petricola*
sorediata f. *eschweileri* Tuck. (Tuckerman 1882) = *P. eschweileri*

RACIBORSKIOMYCES Siemaszko (Diederich 2003)

**peltigericola* (D. Hawksw.) M. E. Barr = *Niesslia peltigericola* (Gams et al. 2019)

RACODIUM Pers. : Fr.

rupestre Pers. Syn.: *Coenogonium rupestris*

RAESAENENIA D. Hawksw., Boluda & H. Lindgr.

**huuskonenii* (Räsänen) D. Hawksw., Boluda & H. Lindgr. Syn.: *Phacopsis huuskonenii* (Divakar et al. 2015)

RAMALINA Ach.

ahtii Kashiw. & T. H. Nash

almquistii Vainio Syn.: *Fistulariella almquistii*

americana Hale Earlier North American reports of *R. fastigiata* belong here.

baltica Lettau

bistorta Nyl.

calicaris (L.) Fr.

canariensis J. Steiner

celastri (Sprengel) Krog & Swinscow

complanata (Sw.) Ach.

culbersoniorum LaGreca (LaGreca 1999)

dasypoga Tuck.

dendriscoides Nyl.

denticulata Nyl.

dilacerata (Hoffm.) Hoffm. Syn.: *Fistulariella minuscula*

farinacea (L.) Ach.

fastigiata (Pers.) Ach. Earlier reports of this species from North America refer to *R. americana*

fraxinea (L.) Ach.

geniculata Hooker f. & Taylor Syn.: *Fistulariella geniculata*

inflata (Hooker f. & Taylor) Hooker f. & Taylor subsp. **inflata** Syn.: *Fistulariella inflata*

intermedia (Delise ex Nyl.) Nyl.

labiosorediata Gasparian, Sipman & Lücking (Gasparian et al. 2017)

lacera (With.) J. R. Laundon

leptocarpha Tuck.

leptosperma Nyl. (Seavey & Seavey 2014a)

linearis (Sw.) Ach.

menziesii Taylor

montagnei De Not.

obtusata (Arnold) Bitter

paludosa B. J. Moore

peruviana Ach. Syn.: *Desmazieria peruviana*

petrina Bowler & Rundel

polymorpha (Lilj.) Ach.

puberulenta Riefner & Bowler

ramificans F. Seavey & J. Seavey (Seavey et al. 2017)

rigida Pers. ex Ach.

roesleri (Hochst. ex Schaeerer) Hue Syn.: *Fistulariella roesleri*

sarahae K. Knudsen, Lendemer & Kocourk. (Knudsen et al. 2018b)

scoparia Vainio Syn.: *Fistulariella scoparia*

sinensis Jatta

sonorensis Kashiw. & T. H. Nash (Kashiwadani & Nash 2004)

sorediantha Nyl.

stenospora Müll. Arg.

subleptocarpha Rundel & Bowler
subpellucida Müll. Arg.
tenuis (Tuck.) G. Merr.
thrausta (Ach.) Nyl. Syn.: Alectoria thrausta
unifolia J. W. Thomson
usnea (L.) R. Howe
willeyi R. Howe
 canaliculata (Fr.) Herre (Fink 1935) = Ramalina calicaris (Nimis & Martellos 2003)
 cephalota Tuck. = Niebla cephalota
 ceruchis (Ach.) De Not. = Niebla ceruchis
 cochlearis Zahlbr. = misidentification for North America
 combeoides Nyl. = Niebla combeoides
 crinita Tuck. = Trichoramalina crinita
 cuspidata (Ach.) Nyl. (Fink 1935) = misidentification for North America
 duriae (De Not.) Bagl. = R. lacera
 ecklonii auct. = R. celastri
 ecklonii (Sprengel) G. Meyer & Flotow Not known from North America.
 evernioides Nyl. = R. lacera
 flaccescens Nyl. = Niebla flaccescens
 homalea Ach. = Niebla homalea
 hypoprotocetrarica W. L. Culb. = R. farinacea laevigata Fr. = R. celastri
 menziesii Tuck. non Taylor = R. leptocarpha
 minuscula (Nyl.) Nyl. = R. dilacerata
 pollinaria (Westr.) Ach. North American records apparently R. labiosorediata
 pollinariella Nyl. = R. roesleri
 populina (Hoffm.) Vainio = R. fastigiata
 pusilla Le Prévost var. geniculata (Hook. f. & Taylor) Tuck. (Tuckerman 1882) = Ramalina inflata
 subsp. inflata
 reagens (B. de Lesd.) W. L. Culb. = R. farinacea
 reticulata (Nöhden) Kremp. = R. menziesii
 scopulorum (Retz.) Ach. (Fink 1935) = misidentification for North America
 subampliata (Nyl.) Fink = misidentification for North America
 subfraxinea Nyl. (Fink 1935) = misidentification for North America
 testudinaria Nyl. = Niebla homalea
 usneoides (Ach.) Fr. (Fink 1935) = misidentification for North America
 yemensis (Ach.) Nyl. = R. celastri

RAMBOLDIA Kantvilas & Elix

blochiana Lendemer & R. C. Harris (Lendemer & Harris 2011)
cinnabarina (Sommerf.) Kalb, Lumbsch & Elix Syns.: Biatora cinnabarina, Lecidea cinnabarina, Protoblastenia cinnabarina (Kalb et al. 2008)
elabens (Fr.) Kantvilas & Elix (Kantvilas & Elix 2007) Syns.: Lecidea elabens, L. melancheima, Pyrrhospora elabens
gowardiana (T. Sprib. & Hauck) Kalb, Lumbsch & Elix Syn.: Pyrrhospora gowardiana (Kalb et al. 2008)
russula (Ach.) Kalb, Lumbsch & Elix Syns.: Biatora russula, Lecidea russula, Protoblastenia russula, Pyrrhospora russula (Kalb et al. 2008)
subcinnabarina (Tønsberg) Kalb, Lumbsch & Elix Syns.: Lecidea subcinnabarina, Pyrrhospora subcinnabarina (Kalb et al. 2008)

RAMONIA Stizenb.

ablephora (Nyl. ex Hasse) R. C. Harris Syns.: Lecidea ablephora
absconsa (Tuck.) Vězda
extensa Lendemer, K. Knudsen & Coppins (Lendemer et al. 2009a)
gyalectiformis (Zahlbr.) Vězda
malmei Vězda

melathelia (Nyl.) Ertz (Ertz et al. 2021b)
microspora Vězda Syn.: Biatorella rappii
rappii Vězda
valenzueliana (Mont.) Stizenb. Syns.: Gyalecta valenzueliana, Maronea porinoidea
vermispora Lendemer & K. Knudsen (Lendemer & Knudsen 2008a)

REBENTISCHIA P. Karsten

+massalongoi (Mont.) Sacc. (Perlmutter et al. 2017)

RECHINGERIA Servít = **LICHINELLA**
cribellifera (Nyl.) Servít = Lichinella cribellifera

RECONDITELLA Matzer & Hafellner

***physconiarum** Matzer & Hafellner (Lendemer et al. 2009b)

REDONOGRAPHA Lücking, Tehler & Lumbsch (Lücking et al. 2013a)
saxorum (Egea & Torrente) Lücking & Tehler Syn. : Graphis saxorum (Lücking et al. 2013a)

REFRACTOHILUM D. Hawksw.

***galligenum** D. Hawksw. (Alstrup & Cole 1998)
***peltigerae** (Keissler) D. Hawksw.

REICHLINGIA Diederich & Scheid. (Morse & Ladd 2021)
americana C. A. Morse & Ladd

REIMNITZIA Kalb

santensis (Tuck.) Kalb Syns.: Leptotrema santense, Thelotrema santense (Kalb 2001)

REINKELLA Darb. (Tehler et al. 1997)
californica Räsänen = Hubbsia californica
parishii Hasse = Schizopelte parishii (Ertz & Tehler 2011)
subcrustacea Räsänen = Schizopelte parishii (Ertz & Tehler 2011)

RELICINA (Hale & Kurok.) Hale

abstrusa (Vainio) Hale Syn.: Parmelia abstrusa
eximbricata (Gyelnik) Hale Syn.: Parmelia eximbricata

REQUIENELLA Fabre

subcollapsa (Ellis & Everhart) R. C. Harris (Harris 1995a)
#seminuda (Pers. : Fr.) Boise (Aptroot 1991) European, according to Harris (1995a)

RHABDODISCUS Vainio (Rivas Plata et al. 2012)

emersus (Kremp.) Rivas Plata, Lücking & Lumbsch Syns.: Ocellularia emersa, Stegobolus emersus
granulosus (Tuck.) Rivas Plata, Lücking & Lumbsch Syns.: Ocellularia granulosa, Stegobolus granulosus, Thelotrema granulosum

RHABDOSPORA (Durieu & Mont.) Mont.

lecanorae B. de Lesd. = pycnidia of Lecanora thalli (Hawksworth 1981, Kalb et al. 1995)

RHAGADOSTOMA Körber

***lichenicola** (De Not.) Keissler (Alstrup & Cole 1998)

RHEXOPHIALE Th. Fr.

rhexoblephara (Nyl.) Almq. (Tuckerman 1882) Syn.: Gyalecta rhexoblephara

RHIZOCARPON Ramond ex DC.

- alaxense** J. W. Thomson
alpicola (Anzi) Rabenh. Syn.: *Buellia alpicola*
amphibium (Fr.) Th. Fr. (Hinds et al. 2002)
anaperum (Vainio) Vainio
anseris Lyngé
arctogenum Gelting (Nash et al. 1998)
atroflavescens Lyngé
#atrovirellum (Nyl.) Zahlbr. (McCune et al. 2014b)
badioatrum (Flörke ex Sprengel) Th. Fr. Syn.: *Buellia badioatra*
bolanderi (Tuck.) Herre Syn.: *Buellia bolanderi*
caesium Fryday (Fryday 2002)
chioneum (Norman) Th. Fr.
cinereonigrum Vainio
cinereovirens (Müll. Arg.) Vainio
concentricum (Davies) Beltr.
cookeanum H. Magn.
copelandii (Körber) Th. Fr.
#dimelaenae Timdal (Feuerer & Timdal 2004)
#diploschistidina McCune (Lumbsch et al. 2011)
disporum (Nägeli ex Hepp) Müll. Arg. Syn.: *Buellia petraea* var. *montagnei*
distinctum Th. Fr.
#effiguratum (Anzi) Th. Fr.
eupetraeoides (Nyl.) Blomb. & Forssell
eupetraeum (Nyl.) Arnold
expallescens Th. Fr.
ferax H. Magn.
frigidum Räsänen
geminatum Körber
geographicum (L.) DC. Syn.: *Buellia geographica*
grande (Flörke ex Flotow) Arnold Syn.: *Buellia petraea* var. *grandis*
haidense Brodo & Fryday (Spribile et al. 2020)
hensseniae Brodo
hochstetteri (Körber) Vainio Syns.: *Buellia atroalba* auct., *B. colludens*, *Lecidea colludens*, *Rhizocarpon colludens*
inarensse (Vainio) Vainio
infernulum (Nyl.) Lyngé (Fryday 2002)
intermediellum Räsänen
intersitum Arnold
jemtlandicum (Malme) Malme
lavatum (Fr.) Hazsl.
lecanorinum Anders Syn.: *Buellia geographica* var. *Lecanorina*
leptolepis Anzi (McCune et al. 2018)
lindsayanum Räsänen Possibly a subspecies of *R. geographicum*
macrosporum Räsänen
microsporum Lyngé
norvegicum Räsänen
oederi (Weber) Körber Syn.: *Buellia oederi*
#parvum Runemark May not be distinct from *R. norvegicum*
petraeum (Wulfen) A. Massal. Syn.: *Buellia petraea*
polycarpoides Degel.
polycarpum (Hepp) Th. Fr.
posticum (Nyl.) Arnold
praebadium (Nyl.) Zahlbr.
#pusillum Runemark
quinonum McCune, Timdal & Bendiksby (McCune et al. 2016)

reductum Th. Fr. (Fryday 2000)
#renneri Poelt
ridescens (Nyl.) Zahlbr. (Brinker 2020)
riparium Räsänen Possibly a subspecies of *R. geographicum*
rittokense (Hellbom) Th. Fr. Syn.: *Buellia rittokensis*
rubescens Th. Fr. (Fryday 2000)
saanaëNSE Räsänen Syn.: *R. sublucidum*
#santessonii Timdal
saurinum (W. A. Weber) Bungartz Syn.: *Buellia saurina* (Bungartz & Fryday 2004)
simillimum (Anzi) Lettau
sinense Zahlbr. (McCune et al. 2018)
subgeminatum Eitner
sublavatum Fryday (McCune 2017)
submodestum (Vainio) Vainio
subpostumum (Nyl.) Arnold (McCune 2017)
sulphurosum (Tuck. ex Willey) Lendemer (Lendemer et al. 2010) Syn.: *Buellia bolanderi* var.
sulphurosa
suomiense Räsänen (MacDonald et al. 2011)
#superficiale (Schaerer) Vainio
superficiale subsp. **boreale** Runemark
tetramerum (Vainio) Vainio
timdalii Ihlen & Fryday (Ihlen & Fryday 2002)
umbilicatum (Ramond) Flagey
vernicomoidicum Fink
#viridiatrum (Wulfen) Körber
albineum (Tuck.) Fink = *R. obscuratum*
alboatrum (Hoffm.) Anzi = *Diplotomma alboatrum*
applanatum (Fr.) Th. Fr. (Hambleton 1910) Probable misidentification of *R. hochstetteri*
athalloides (Nyl.) Hasse = *Diploschistella athalloides*
ambiguum (Schaerer) Zahlbr. = *R. distinctum*
atroalbescens (Nyl.) Zahlbr. = *R. eupetraeoides*
chionophilum Th. Fr. = *R. alpicola*
chlorophaeum Hepp ex Leighton = *Diplotomma chlorophaeum*
colludens (Nyl.) Fryday (Mohr 1901) = *Rhizocarpon hochstetteri*
concentricum auct. = *R. petraeum*
concretum (Ach.) Elenkin = *R. geminatum*
crystalligenum Lyngé = *R. superficiale* subsp. *boreale*
cumulatum J. W. Thomson = *Diplotomma venusta* (as *Buellia*, Feuerer 1991)
disporum auct. = *R. geminatum*
infernulum f. *sylvaticum* Fryday (Fryday 2002) = *R. infernulum*
intermedium Degel. = *R. eupetraeum*
interponens (Nyl.) Zahlbr. = *R. obscuratum*
malenconianum (Llimona & Werner) Hafellner & Mayrhofer (McCune & Ponzetti 2005)
Erroneous report for N.A. (Lumbsch et al. 2011)
montagnei Körber = *R. disporum*
obscuratum (Ach.) A. Massal. = misidentification for North America (Fryday 2000); mostly *R. lavatum*/*R. reductum*
occidentale Lyngé = *R. superficiale*
oidaleum (Nyl.) Fink = *Buellia oidalea*
oreites (Vainio) Zahlbr. = *R. alpicola*
penichrum (Tuck.) G. Merr. = *Diplotomma penichrum*
permodeskum Arnold = *R. obscuratum*
plicatile auct. North American = *R. rubescens* Th. Fr.?
plicatile (Leighton) A. L. Sm. = *Stereocaulon plicatile* (Leighton) Fryday & Coppins (Fryday & Coppins 1996) Not known from North America
polare Räsänen = *R. superficiale*

sphaerosporum Räsänen = *R. macrosporum* Räsänen
subconcentricum (Körber) Körber (Mohr 1901) = *R. petraeum*
sublucidum Räsänen = *R. saanaense* Räsänen.
subtile Runemark = *R. viridiatrum*

RHIZOPLACA Zopf

chrysoleuca (Sm.) Zopf Syns.: *Lecanora chrysoleuca*, *L. rubina*
glaucophana (Nyl. ex Hasse) W. A. Weber Syn.: *Lecanora glaucophana*, *Harpodium glaucophanum*
haydenii (Tuck.) W. A. Weber Syn.: *Lecanora haydenii*
haydenii subsp. ***arbuscula*** Rosentreter (McCune & Rosentreter 2007)
idahoensis Rosentreter & McCune (McCune & Rosentreter 2007)
marginalis (Hasse) W. A. Weber Syn.: *Lecanora marginalis*
melanophthalma (DC.) Leuckert & Poelt Syn.: *Lecanora melanophthalma*
melanophthalma subsp. ***cerebriformis*** Rosentreter & B. D. Ryan (McCune & Rosentreter 2007)
melanophthalma subsp. ***crispa*** Rosentreter & B. D. Ryan (McCune & Rosentreter 2007)
nigromarginata (H. Magn.) Leavitt, Zhao Xin & Lumbsch (Zhao et al. 2016) Syn.: *Lecanora nigromarginata*
novomexicana (H. Magn.) Leavitt, Zhao Xin & Lumbsch (Zhao et al. 2016) Syns.: *Lecanora novomexicana*, *L. thomsonii*
opiniconensis (Brodo) Leavitt, Zhao Xin & Lumbsch (Zhao et al. 2016) Syn.: *Lecanora opiniconensis*
phaedrophthalma (Poelt) Leavitt, Zhao Xin & Lumbsch (Zhao et al. 2016) Syn.: *Lecanora phaedrophthalma*
subdiscrepans (Nyl.) R. Sant.
weberi (Ryan) Leavitt, Zhao Xin & Lumbsch (Zhao et al. 2016) Syn.: *Lecanora weberi*
peltata (Ramond) Leuckert & Poelt = *Protoparmeliopsis peltata*

RHYMBOCARPUS Zopf

****boomii*** Etayo & Diederich (Diederich & Etayo 2004a)
****cruciatus*** (Sherwood, D. Hawksw. & Coppins) Etayo & Diederich (Diederich 2003)
****neglectus*** (Vainio) Diederich & Etayo Syn.: *Llimoniella neglecta* (Diederich & Etayo 2000)
****stereocaulorum*** (Alstrup & D. Hawksw.) Etayo & Diederich (Zhurbenko 2010)

RICASOLIA De Not. (Moncada et al. 2013, Cornejo et al. 2017)

amplissima (Scop.) De Not. (Moncada et al. 2013, Cornejo et al. 2017) Syns.: *Leptogium bolacinum*, *Lobaria amplissima*, *Sticta amplissima*, *S. glomulifera*
amplissima subsp. ***sheiyi*** Derr & Dillman (Cornejo et al. 2017)
quercizans (Michaux) Stitzenb. Syn.: *Lobaria quercizans* (Cornejo et al. 2017)
crenulata Nyl. var. *stenospora* Nyl. (Tuckerman 1882) Identity uncertain
intermedia Nyl. (Tuckerman 1882) = *Lobaria intermedia*, a misidentification for N.A.

RIMELIA Hale & Fletcher = **PARMOTREMA** (Blanco et al. 2005)

cetrata (Ach.) Hale & Fletcher = *Parmotrema cetratum*
commensurata (Hale) Hale & Fletcher = *Parmotrema commensuratum*
diffRACTaICA (Essl.) Hale & Fletcher = *Parmotrema diffRACTaicum*
reticulata (Taylor) Hale & Fletcher = *Parmotrema reticulatum*
simulans (Hale) Hale & Fletcher = *Parmotrema simulans*
subisidiosa (Müll. Arg.) Hale & Fletcher = *Parmotrema subisidiosum*

RIMELIELLA Kurok. = **PARMOTREMA** (Blanco et al. 2005)

conferenda (Hale) Kurok. = *Parmotrema conferendum*
neotropica (Kurok.) Kurok. = *Parmotrema neotropicum*
subsumpta (Nyl.) Kurok. = *Parmotrema subsumptum*
subtinctoria (Zahlbr.) Kurok. = *Parmotrema subtinctorum*

RIMULARIA Nyl.

- actinostoma** Coppins & Fryday (Coppins & Fryday 2006a)
badioatra (Kremp.) Hertel & Rambold
gibbosa (Ach.) Coppins, Hertel & Rambold Syns.: Mosigia gibbosa, Lecanora bockii
limborina Nyl. Syns.: Lecidea limborina, L. trochodes
paradoxa Timdal & W. A. Weber (Timdal 2002b)
caeca (J. Lowe) Rambold & Printzen = Lambiella caeca (Resl et al. 2015)
furvella (Nyl. ex Mudd) Hertel & Rambold = Lambiella furvella (Resl et al. 2015)
gyrizans (Nyl.) Hertel & Rambold = Lambiella gyrizans (Resl et al. 2015)
impavida (Th. Fr.) Hertel & Rambold = Lambiella impavida (Resl et al. 2015)
#insularis (Nyl.) Rambold & Hertel = Lambiella insularis (Spribble et al. 2014a)
sphacelata (Th. Fr.) Hertel & Rambold = Lambiella sphacelata (Resl et al. 2015)

RINODINA (Ach.) Gray

- albertana** Sheard (Sheard 2010)
archaea (Ach.) Arnold
ascociscana (Tuck.) Tuck.
aspersa (Borrer) J. R. Laundon (Glew 1999)
athallina H. Magn.
austroborealis Sheard (Sheard 2010)
badiexcipula Sheard (Sheard & Mayrhofer 2002)
bischoffii (Hepp) A. Massal.
bolanderi H. Magn.
boulderensis Sheard (Sheard & Mayrhofer 2002)
brauniana Lendemer & Sheard (Lendemer et al. 2019b)
brodoana Sheard, Lendemer & E. Tripp (Lendemer et al. 2014)
brouardii B. de Lesd.
buckii Sheard (Sheard et al. 2012)
bullata Sheard & Lendemer (Sheard et al. 2012)
calcigena (Th. Fr.) Lyngé
californiensis Sheard (Sheard & Mayrhofer 2002)
campestris Sheard & C. A. Morse (Sheard et al. 2011)
cana (Arnold) Arnold (Wilhelm 1998)
capensis Hampe
castanomela (Nyl.) Arnold
castanomelodes H. Mayrhofer & Poelt
chrysidiata Sheard (Lendemer et al. 2012)
chrysomelaena (Ach.) Tuck. (Lendemer & Sheard 2006)
cinereovirens (Vainio) Vainio (Sheard et al. 2017)
cinnamomea (Th. Fr.) Räsänen Syn.: Rinodina mniaraea var. cinnamomea (Spribble et al. 2010; Resl et al. 2016)
colobina (Ach.) Th. Fr.
colobinoides (Nyl.) Zahlbr.
coloradiana H. Magn.
confragosa (Ach.) Körber
confragosula (Nyl.) Müll. Arg. (Sheard 2010)
conradii Körber
disjuncta Sheard & Tønsberg
dolichospora Malme (Sheard & Mayrhofer 2002)
efflorescens Malme
endophragmia I. M. Lamb
endospora Sheard (Sheard & Mayrhofer 2002)
ex crescens Vainio
exigua (Ach.) Gray
ficta (Stizenb.) Zahlbr. (Sheard 2018)
fimbriata Körber (Sheard 2010)

flavosoralifera Tønsberg (Tønsberg 2002)
freyi H. Magn. (Sheard 2010)
gennarii Bagl.
grandilocularis Sheard (Sheard & Mayrhofer 2002)
granuligera H. Magn.
griseosoralifera Coppins (Tønsberg 1993a)
guzzinii Jatta (Sheard 2004)
hallii Tuck. Syn. Lecanora exigua f. pruinosa
herrei H. Magn.
imshaugii Sheard (Sheard 2010)
incurva Sheard & J. Walton (Sheard 2018)
innata Sheard (Sheard & Mayrhofer 2002)
intermedia Bagl. (Mayrhofer et al. 2001)
intrusa (Nyl.) Malme (Sheard 2010)
juniperina Sheard (Sheard & Mayrhofer 2002)
laevigata (Ach.) Malme
lecidinea H. Mayrhofer & Poelt (McCune 2017)
lecidopsis Sheard & C. A. Morse (Morse & Sheard 2020)
lepidia (Nyl.) Müll. Arg.
lobulata H. Mayrhofer & Sheard (Sheard & Mayrhofer 2002)
luridata (Körber) H. Mayrhofer, Scheid. & Sheard
macrospora Sheard (Sheard & Mayrhofer 2002)
maculans Müll. Arg. (Sheard 2010)
marysvillensis H. Magn.
megistospora Sheard & H. Mayrhofer (Sheard et al. 2011)
metaboliza Vainio
milvina (Wahlenb.) Th. Fr.
mniaroea (Ach.) Körber
mniaroeiza (Nyl.) Arnold (Resl et al. 2016)
moziana (Nyl.) Zahlbr. Syn.: Lecidea destituta (Sheard 2018)
notabilis (Lynge) Sheard Syn.: Buellia notabilis (Sheard 2010)
#obnascens (Nyl.) H. Olivier (Sheard 2010)
ochracea Lynge (Sheard et al. 2012)
oleae Bagl. (Sheard 2010)
olivaceobrunnea C. W. Dodge & Baker
orculata Poelt & M. Steiner (Mayrhofer & Sheard 2007)
oregana H. Magn.
oxydata (A. Massal.) A. Massal.
pachysperma H. Magn.
pacifica Sheard (Sheard & Mayrhofer 2002)
pallidescens Sheard & Tønsberg (Sheard et al. 2014)
papillata H. Magn.
#parasitica H. Mayrhofer & Poelt
perreagens Sheard (Sheard & Mayrhofer 2002)
pityrea Ropin & H. Mayrhofer (Sheard 2011)
poeltiana Giralt & Obermayer (Sheard 2004)
polyspora Th. Fr.
populincola H. Magn.
pycnocarpa H. Magn. (Sheard 2010)
pyrina (Ach.) Arnold
rinodinoides (Anzi) H. Mayrhofer & Scheid. (Sheard 2004)
riparia Sheard (Sheard 1998)
roscida (Sommerf.) Arnold
santae-monicae H. Magn.
septentrionalis Malme
sheardii Tønsberg

sibirica H. Magn. (Sheard 2010)
sioxiiana Sheard (Sheard 2010)
stictica Sheard & Tønsberg
straussii J. Steiner (Sheard 2010)
subminuta H. Magn.
subpariata (Nyl.) Zahlbr. (Resl. et al. 2016)
tenuis Müll. Arg. (Sheard 2018)
tephraspis (Tuck.) Herre
terrestris Tomin (Zhurbenko et al. 2006)
terricola Sheard & K. Knudsen (Sheard et al. 2011)
trevisanii (Hepp) Körber (Sheard 2004)
turfacea (Wahlenb.) Körber
venostana Buschardt & H. Mayrhofer (Freebury 2014)
verruciformis Sheard (Sheard & Mayrhofer 2002)
wetmorei Sheard (Sheard 2010)
willeyi Sheard & Giralt (Sheard 1995)
zwackhiana (Kremp.) Körber
adirondackii H. Magn. = R. tenuis (Sheard 2018)
americana B. de Lesd. Identity not established (Sheard 2010)
angelica Stizenb. = Mobergia angelica
annulata H. Magn. = R. subminuta (Sheard 2010)
applanata H. Magn. = R. maculans (Sheard 2010)
archaeoides H. Magn. = R. olivaceobrunnea
arctica H. Magn. = R. olivaceobrunnea (Sheard 2010)
aterrima Kremp. ex Anzi = Lichenothelia scopularia
atrocinerea (Hooker) Körber = misidentification for North America
aurantiaca Sheard (Sheard & Mayrhofer 2002) = R. capensis (Sheard 2018)
biatorina Körber = R. oxydata
biatorina sensu Fink = R. destituta (Sheard 2010)
boleana Giralt & H. Mayrhofer (Sheard et al. 2011) = R. ficta (Sheard 2018)
bolodes Tuck. ex Fink = Mobergia angelica
cacuminum (Th. Fr.) Malme = Amandinea cacuminum
calculiformis W. A. Weber = Mobergia calculiformis
californica H. Magn. = Dimelaena californica
cinereovirens (Vainio) Vainio = R. turfacea (Sheard 2010)
constans (Nyl.) Tuck. = Maronea constans
constrictula H. Magn. = R. straussii (Sheard 2010)
corticola (Arnold) Arnold = R. capensis
dakotensis H. Magn. = Amandinea dakotensis
darrovia E. D. Rudolph ("darrovii") = R. intermedia
degeliana Coppins = R. subpariata (Resl. et al. 2016)
destituta (Nyl.) Zahlbr. = R. moziana (Sheard 2018)
dirinoides Zahlbr. = Mobergia angelica
diskoensis Sheard ined. (Thomson 1997) = R. endophragmia (Sheard 2010)
dissa (Stirton) H. Mayrhofer = Hafellia dissaa, but not in North America
exigua var. glauca H. Magn. = R. oleae (Sheard 2010)
euryaspera Zahlbr. = R. luridata
farinosa Sheard ined. (Brodo 1988) = R. efflorescens (Sheard 2010)
finkii H. Magn. = Amandinea dakotensis
flavonigella Tuck. = R. lepida (Sheard 2010)
glauca Ropin = R. freyi (Sheard 2010)
granulans Vainio sensu Thomson (1997) = R. sibirica (Sheard 2010)
halei H. Magn. = R. subminuta (Sheard 2010)
hueana Vainio = Dimelaena oreina
hyperborea H. Magn. = R. septentrionalis (Sheard 2010)
inaequalis H. Magn. = Amandinea dakotensis

*insularis (Arnold) Hafellner (Sheard 2004) = Endohyalina insularis
 interpolata (Stirton) Sheard (Thomson 1997) = misidentification for N.A. (Sheard 2010)
 iowensis Zahlbr. = R. cana (Sheard 2010)
 kentuckyensis Fink = R. tephraeas
 lecanoides B. de Lesd. Identity not established (Sheard 2010)
 lecanorina (A. Massal.) A. Massal. = misidentification for N.A. (Sheard 2010)
 lecideoides (Nyl.) Kernst. = R. archaea (Mayrhofer & Sheard 2007)
 lignaria H. Magn. = R. trevisanii
 lignicola Sheard (Sheard & Mayrhofer 2002) = R. archaea (Mayrhofer & Sheard 2007)
 lycopodiicola B. de Lesd. Identity not established (Sheard 2010)
 lyngei Sheard ined. (Thomson 1997) = R. endophragmia (Sheard 2010)
 magnussonii Sheard ined. (Brodo 1988) = R. freyi (Sheard 2010)
 mamillana (Tuck.) W. A. Weber = Buellia mamillana
 marysvillensis var. thujae H. Magn. = R. excrescens (Sheard 2010)
 microbola Tuck. ex Fink = Buellia microbola
 minutissima B. de Lesd. Identity not established (Sheard 2010)
 milliaria Tuck. = Amandinea milliaria
 mniaraea var. cinnamomea = R. cinnamomea (Resl et al. 2016)
 mucronatula H. Magn. = R. terrestris
 nigra Fink = Buellia nigra
 nimbosa (Fr.) Th. Fr. = Phaeorrhiza nimbosa
 novomexicana B. de Lesd. = Dimelaena oreina
 occidentalis Lyngé = R. calcigena
 ocellata (Hoffm.) Arnold = R. lecanorina, but a misidentification for N.A. (Sheard 2010)
 ochrocea Willey ex Hedrick = R. destituta (Sheard 2010)
 orbata (Ach.) Vainio = R. turfacea
 oreina (Ach.) A. Massal. = Dimelaena oreina
 palustris Willey nom. inval. = R. populicola (Sheard 2010)
 penardiana Müll. Arg. = a Buellia sp. (Sheard 2010)
 pennsylvanica H. Magn. = Amandinea dakotensis
 phaeocarpa (Sommerf.) Vainio = Phaeorrhiza nimbosa
 platyloba Willey = nom. nudum = Mobergia calculiformis
 pyriniformis H. Magn. = Amandinea dakotensis
 radiata Tuck. = Dimelaena radiata
 radiata var. fimbriata Tuck. (Tuckerman 1882) = Dimelaena radiata
 roboris (Dufour ex Nyl.) Arnold Known only from Mexico
 sabulosa Tuck. = R. intermedia
 salina Degel. = R. gennarii
 sexigua Ach. (Claassen 1912) Apparent Freudian typographical error for R. exigua
 silicicola B. de Lesd. Identity not established (Sheard 2010)
 sophodes (Ach.) A. Massal. = misidentification for North America
 sophodes var. atrocinerea (Fr.) Tuck. (Tuckerman 1882) = Rinodina atrocinerea, a
 misidentification for N.A.
 sophodes var. confragosa (Ach.) Tuck. (Tuckerman 1882) = Rinodina confragosa
 sophodes var. exigua (Ach.) Tuck. (Tuckerman 1882) = Rinodina exigua
 sophodes var. tephraeas (Tuck.) Tuck. (Tuckerman 1882) = Rinodina tephraeas
 suboreina B. de Lesd. = Dimelaena oreina
 subsophodes (Nyl. ex Lindsay) Zahlbr. = R. ascociscana (Sheard 2010)
 succedens Nyl. (Fink 1935) = apparent misidentification for North America (Tucker & Ryan
 2006)
 subplumbea H. Magn. = Amandinea dakotensis
 thomae Tuck. (Fink 1935) = Buellia mamillana (Bungartz et al. 2004)
 thomsonii Sheard (Sheard 1995) = R. santae-monicae (Sheard 2010)
 thujae (H. Magn.) Sheard = R. excrescens
 thysanota Tuck. = Dimelaena thysanota
 turfacea (Wahlenb.) Körber var. mniaroëa (Ach.) Arnold (Tuckerman 1882) = Rinodina mniaroëa

turfacea var. *roscida* (Sommerf.) Th. Fr. (Tuckerman 1882) = *Rinodina roscida*
vegasii B. de Lesd. Identity not established (Sheard 2010)
verrucosa G. K. Merr. ex Sheard ined. Identity uncertain (Sheard 2010)
vezdae H. Mayrhofer (Harris & Ladd 2005, Lendemer & Macklin 2006) = *R. moziana* (Sheard 2018)
violascens H. Magn. = *R. zwackhiana*

ROBERGEA Desm.

pupula (Nyl.) R. C. Harris Syn.: *Belonia americana* Excluded as a non-lichen

ROCCELLA DC.

decipiens Darb.

gracilis Bory (Tehler 2006)

babingtonii Mont. = *R. decipiens*

babingtonii sensu auct. North American = *R. gracilis* (Tehler 2006)

difficilis Darb. = *R. gracilis* (Tehler 2002b, 2006)

fimbriata Darb. = *R. decipiens* (Tehler 2002b; Tehler et al. 2004)

fuciformis (L.) DC. = misidentification for North America (Tehler et al. 2004)

fucoides (Dickson) Vainio = *R. phycopsis* (Tehler 2002a, 2003)

leucophaea Tuck. = *Dendrographa leucophaea*

montagnei Bél. = misidentification for North America (Tehler et al. 2004)

peruensis Kremp. = *R. gracilis* (Tehler 2006)

phycopsis (Ach.) Ach. = misidentification for North America (Tehler et al. 2004)

tinctoria DC. = misidentification for North America (Tehler et al. 2004)

ROCCELLINA Darb.

conformis Tehler = *Dendrographa conformis* (Ertz & Tehler 2011)

franciscana (Zahlbr. ex Herre) Follmann = *Dendrographa franciscana* (Ertz & Tehler 2011)

ROCKEFELLERA Lendemer & E. Tripp

crossophylla (Tuck.) Lendemer & E. Tripp (Lendemer et al. 2017) Syns.: *Parmeliella*

crossophylla, *Pannaria crossophylla*, *Santessonella crossophylla* (Jørgensen 2000c, 2005)

ROMJULARIA Timdal

lurida (Ach.) Timdal Syns.: *Mycobilimbia lurida*, *Lecidea lurida*, *L. petri*, *Biatora lurida*, *B. petri*,
Psora lurida (Timdal 2007)

ROPALOSPORA A. Massal.

chlorantha (Tuck.) S. Ekman Syns.: *Bacidia chlorantha*, *Biatora chlorantha*

hibernica (P. James & Poelt) Tønsberg

lugubris (Sommerf.) Poelt Syns.: *Bacidia lugubris*, *Bilimbia caudata*, *Lecidea lugubris*, *L. caudata*

viridis (Tønsberg) Tønsberg

ROSELLINIPELLA Vainio (Goward et al. 1996)

***atlantica** Matzer & Hafellner (Etayo & Breuss 1998)

***cladoniae** (Anzi) Matzer & Hafellner (Diederich 2003)

***microthelia** (Wallr.) Nik. Hoffm. & Hafellner (Kocourková 2007)

***nephromatis** (Crouan) Matzer & Hafellner (Goward et al. 1996)

***peltigericola** D. Hawksw. & Miadl. (Zhurbenko & Laursen 2003)

***stereocaulorum** Zhurb., Kukwa, & Oset (Zhurbenko et al. 2009)

ROSELLINIOPSIS Matzer & Hafellner

***gelidaria** (Mudd) Matzer Syn.: *Polycoccum gelidarium*

***tartaricola** (Nyl.) Matzer (Hafellner 2004e)

***tropica** Matzer & Hafellner (Lendemer & Harris 2014b)

***ventosa** (Rostrup) Alstrup (Spribile et al. 2020)

ROSELLINULA R. Sant. (Kalb et al. 1995)

***haplospora** (Nyl.) R. Sant. (Lendemer & Harris 2012)

***kalbii** (Hafellner) Hafellner & R. W. Rogers (Kalb et al. 1995)

ROSTANIA Trevisan (Otálora et al. 2014)

callibotrys (Tuck.) Otálora, P. M. Jørg. & Wedin Syn.: Collema callibotrys

ceranisca (Nyl.) Otálora, P. M. Jørg. & Wedin Syns.: Collema arcticum, C. ceraniscum

occultata (Bagl.) Otálora, P. M. Jørg. & Wedin Syn.: Collema occultatum

occultata var. **populina** (Th. Fr.) Perlmutter & Rivas Plata (Perlmutter & Rivas Plata 2018)

quadrifida (D. F. Stone & McCune) McCune (McCune et al. 2014b) = **Scytinium quadrifida** (Košuthová et al. 2019)

RUFOPLACA Arup, Søchting & Frödén (Arup et al. 2013)

arenaria (Pers.) Arup, Søchting & Frödén Syn.: Caloplaca arenaria

oxfordensis (Fink) Arup, Søchting & Frödén Syn.: Caloplaca oxfordensis

RUSAWSKIA S.Y. Kondr. & Kärnefelt (Arup et al. 2013)

elegans (Link) S. Y. Kondr. & Kärnefelt Syns.: Caloplaca elegans, C. splendens, Placodium elegans, Xanthoria elegans

papillifera (Vainio) S. Y. Kondr. & Kärnefelt Syn.: Xanthoria papillifera

sorediata (Vainio) S. Y. Kondr. & Kärnefelt Syns.: Caloplaca sorediata, Xanthoria sorediata

SACCOMORPHA Elenkin = **PLACYNTIELLA**

hyporrhoda (Th. Fr.) Clauzade & Cl. Roux = Placynthiella hyporrhoda

icmalea (Ach.) Clauzade & Cl. Roux = Placynthiella icmalea

oligotropha (J. R. Laundon) Clauzade & Cl. Roux = Placynthiella oligotropha

uliginosa (Schrader) Hafellner = Placynthiella uliginosa

SAGEDIA Ach. (Nordin et al. 2010)

mastrucata (Wahlenb.) A. Nordin, Savić & Tibell Syns.: Aspicilia mastrucata, Lecanora mastrucata

simoënsis (Räsänen) A. Nordin, Savić & Tibell Syn: A. simoënsis

cestrensis (Tuck.) Tuck. (Mohr 1901) = **Pseudosagedia cestrensis**

SAGEDIOPSIS (Sacc.) Vainio

***aquatica** (Stein) Triebel (Brodo 1995)

***barbara** (Th. Fr.) R. Sant. & Triebel Syn.: Gongylia nadvornikii

***campsteriana** (Lindsay) D. Hawksw. & R. Sant. Syn.: Metasphaeria tartarina

***lomnitzensis** (Stein) Orange (Spribble et al. 2010)

SAGIOLECHIA A. Massal.

bairdensis Fryday (Fryday & Dillman 2021)

phaeospora Fryday & T. Sprib. (Spribble et al. 2020)

protuberans (Ach.) A. Massal.

rhexoblephara (Nyl.) Zahlbr.

SANGUINOTREMA Lücking

wightii (Taylor) Lücking Syn.: Leptotrema wightii, Myriotrema wightii, Thelotrema ravenelii, T. wightii (Lücking et al. 2015)

SANTESSONIELLA Henssen (Henssen 1997)

arctophila (Th. Fr.) Henssen var. **arctophila** Syn.: Parmeliella arctophila (Henssen 1997)

grisea (Hue) Henssen (Tønsberg & Henssen 1999)

crossophylla (Tuck.) P. M. Jørg. = Rockefellera crossophylla

saximontana T. Sprib., P. M. Jørg. & M. Schultz (Spribille et al. 2007) = *Leciophysma saximontana* (Ekman et al. 2014)

SARCOGRAPHA Fée

labyrinthica (Ach.) Müll. Arg.
medusulina (Nyl.) Müll. Arg.
tricosa (Ach.) Müll. Arg.
intricans (Nyl.) Müll. Arg. = *Phaeographis intricans*

SARCOGYNE Flotow

albothallina K. Knudsen, T. B. Wheeler, Kocourk. & M. Westb. (Knudsen et al. 2016)
alesensis K. Knudsen, J. N. Adams, Kocourk. & Y. Wang (Knudsen et al. 2020)
arenosa (Herré) Knudsen & S. M. Standley (Knudsen 2005b) Syn.: *Acarospora arenosa*
bernardinensis K. Knudsen, J. N. Adams, Kocourk. & Y. Wang (Knudsen et al. 2020)
canadensis (H. Magn.) K. Knudsen, J. N. Adams, Kocourk. & Y. Wang (Knudsen et al. 2020)
Syn.: *Acarospora canadensis*
clavus (DC.) Kremp. Syn.: *Biatorella clavus*
convexa K. Knudsen, J. N. Adams, Kocourk. & Y. Wang (Knudsen et al. 2020)
crustacea K. Knudsen & Kocourk. (Knudsen & Kocourková 2010a) Syn.: *Biatorella terrena*
dakotensis H. Magn.
desolata (H. Magn.) K. Knudsen & Standley Syn.: *Acarospora desolata* (Knudsen & Standley 2007)
hypophaea (Nyl.) Arnold Syn.: *Biatorella hypophaea* (Knudsen et al. 2013b)
hypophaeoides Vainio ex H. Magn. (Knudsen & Kocourková 2020a)
integra B. de Lesd. ex H. Magn. (Knudsen et al. 2018a)
lapponica (Ach. Ex Schaefer) K. Knudsen & Kocourk. (Spribille et al. 2020) Syns.: *Acarospora lapponica*, *Polysporina lapponica*
magnussonii B. de Lesd.
mitziae K. Knudsen, Kocourk. & McCune (Knudsen et al. 2013a)
novomexicana H. Magn.
*#**paradoxa** Kocourk. & K. Knudsen (Knudsen & Kocourková 2020b)
plicata H. Magn. (Knudsen & Kocourková 2009a, 2011) Syn.: *Biatorella plicata*
***pusilla** Anzi Syn. : *Polysporina pusilla* (
regularis Körber Syns.: *Biatorella pruinosa*
similis H. Magn.
squamosa K. Knudsen & McCune (Knudsen & McCune 2013)
urceolata Anzi Syn. : *Polysporina urceolata*
wheeleri K. Knudsen, J. N. Adams, Kocourk. & Y. Wang (Knudsen et al. 2020)
athroocarpa H. Magn. = *Acarospora badiofuscata* (Knudsen & Kocourková 2013)
***bicolor** H. Magn. = *Acarospora subfuscescens* (Knudsen & Kocourková 2008a, Knudsen et al. 2021b)
bolleana H. Magn. = *Acarospora bolleana* (Knudsen et al. 2020)
californica H. Magn. = *S. similis* (Knudsen & Lendemer 2005a)
gyrocarpa H. Magn. = *Acarospora gyrocarpa* (Knudsen et al. 2017)
oligospora H. Magn. = *Acarospora gyrocarpa*
privigna (Ach.) A. Massal. = *Acarospora privigna*
pruinosa auct. = *S. regularis*
reebiae K. Knudsen (Knudsen & Standley 2007) = *S. similis* (Knudsen & Kocourková 2020c)
simplex (Davies) Nyl. = *Polysporina simplex*
***sphaerospora** J. Steiner (Lendemer et al. 2009b) = *Acarospora lendemeri* (Knudsen & Kocourková 2020c)

SARCOPYRENIA Nyl. (Harris 1995b)

***bacillosa** (Nyl. ex Hasse) Nav.-Ros. & Hladun Syns.: *Hassea bacillosa*, *Verrucaria bacillosa* (Navarro-Rosinés & Hladun 2004)

***calcarea** Lendemer & R. C. Harris (Lendemer et al. 2013)
***cylindrospora** (P. Crouan & H. Crouan) M. B. Aguirre (Harris 1995b)

SARCOSAGIUM A. Massal.

campestre (Fr.) Poetsch & Schied. Syns.: Biatora campestris, Biatorella campestris

SAREA Fr.

+**diformis** (Fr.) Fr. Syn.: Biatora difformis
+**resinae** (Fr.) Kuntze Syns.: Biatora resinae, Biatorella resinae

SAXOMYCES Sellmann & Isola (Ametrano et al. 2019)

#**americanus** Ametrano, K. Knudsen, Kocourk. & Muggia
#**penninicus** Zucconi & Onofri

SCHADONIA Körber

alpina Körber Syns.: Lopadium alpinum, L. gemellum
fecunda (Th. Fr.) Vězda & Poelt Syn.: Lopodium fecundum

SCHAERERIA Körber

brunnea Björk, T. Sprib. & T. B. Wheeler (Spribble et al. 2009)
cinereorufa (Schaerer) Th. Fr. Syns.: Lecidea cinereorufa, L. rugosa
corticola Muhr & Tønsberg
dolodes (Nyl.) Schmull & T. Sprib. (Schmull & Spribble 2005)
endocyanea (Stirton) Hertel & Gotth. Schneider Syn.: Lecidea epiiodiza
fuscocinerea (Nyl.) Clauzade & Cl. Roux Syns.: Aspicilia quartzitica, Lecidea fuscocinerea, L. tenebrosa
#**parasemella** (Nyl.) Lumbsch Syns.: Hafellnera parasemella, Lecidea parasemella (Lumbsch 1997)
tenebrosa (Flotow) Hertel & Poelt = S. fuscocinerea

SCHISMATOMMA Flotow & Körber ex A. Massal.

glaucescens (Nyl. ex Willey) R. C. Harris Syn.: Arthonia glaucescens
graphidoides (Leighton) Zahlbr. (Lendemer & Harris 2016)
pericleum (Ach.) Branth & Rostrup Syn.: Platygrapha periclea
rappii (Zahlbr.) R. C. Harris Syn.: Haematomma rappii
rediunta (Hasse) Tehler Syn.: Dirina rediunta
vernans (Tuck.) Zahlbr. Syn.: Platygrapha vernans
abietinum (Humb.) A. Massal. = S. pericleum
californicum (Tuck.) Zahlbr. = Sigridia californica
cupressum Herre = Dendrographa franciscana
decolorans (Turner & Borrer ex Sm.) Clauz. & Vězda = Dendrographa decolorans (Ertz & Tehler 2011)
hypothallinum (Zahlbr.) Hasse = Lecanographa hypothallina
ocellatum (Nyl.) Zahlbr. = Mazosia ocellata
palidellum auct. = Opegrapha anguinella
pluriloculare (Zahlbr.) Zahlbr. (Tehler 2002c) = Paraschismatomma pluriloculare (Ertz & Tehler 2011)
ravenelii (Tuck.) Zahlbr. = Opegrapha ravenelii
subattingens (Nyl.) Zahlbr. = Lecanactis epileuca

SCHIZOPELTE Th. Fr.

californica Th. Fr. Syn.: Combea californica
crustosa Ertz & Tehler (Ertz & Tehler 2011) Syns.: Chiodecton californicum, Llimonaea californica, Sclerophyton californicum
parishii (Hasse) Ertz & Tehler (Ertz & Tehler 2011)

lumbricoides (W. A. Weber) Ertz & Tehler (Ertz & Tehler 2011) Previously regarded as a synonym of *Hubbsia californica*, but when recognized as separate, it is known only from Mexico

SCLEROCOCCUM Fr.

- ****aeruginosum*** (Holien & Ihlen) Ertz & Diederich Syn.: *Dactylospora aeruginosa* (Diederich et al. 2018)
- ****ahtii*** (Zhurb. & Pino-Bodas) Ertz & Diederich Syn.: *Dactylospora ahtii* (Diederich et al. 2018)
- ****amygdalariae*** (Triebel) Ertz & Diederich Syn.: *Dactylospora amygdalariae* (Diederich et al. 2018)
- ****athallinum*** (Müll. Arg.) Ertz & Diederich Syns.: *Karschia athallina*, *Dactylospora athallina* (Diederich et al. 2018)
- ****attendendum*** (Nyl.) Ertz & Diederich Syn.: *Dactylospora attendenda* (Diederich et al. 2018)
- ****boreale*** (Holien & Ihlen) Ertz & Diederich (Ihlen et al. 2004a) Syn.: *Dactylospora borealis* (Diederich et al. 2018)
- ****crassitunicatum*** Zhurb., Diederich & U. Braun (Zhurbenko & Pino-Bodas 2017)
- ****deminutum*** (Th. Fr.) Ertz & Diederich Syn.: *Dactylospora deminuta* (Diederich et al. 2018)
- ****fissurinae*** Pérez-Ort. (Spribile et al. 2020)
- ****frigidum*** (Hafellner) Ertz & Diederich (Dillman et al. 2012) Syn.: *Dactylospora frigida* (Diederich et al. 2018)
- ****gelidarium*** Etayo & F. Berger (Spribile et al. 2020)
- ****glaucomariooides*** (Willey ex Tuck.) Ertz & Diederich Syns.: *Buellia glaucomariooides*, *Leciographa "glaucomarioidea"*, *Dactylospora glaucomariooides* (Diederich et al. 2018)
- ****griseisporodochium*** Etayo (Brinker 2020)
- ****inquilinum*** (Tuck.) Ertz & Diederich Syns.: *Buellia inquilina*, *Buelliella inquilina*, *Dactylospora inquilina* (Diederich et al. 2018)
- ****lobariellum*** (Nyl.) Ertz & Diederich Syns.: *Buelliella nuttallii*, *Dactylospora lobariella* (Diederich et al. 2018)
- ****luridum*** (Hafellner) Ertz & Diederich (Harris & Lendemer 2005) Syn.: *Dactylospora lurida*
- ****montagnei*** Hafellner (Diederich 2004a)
- ****parasiticum*** (Flörke ex Sprengel) Ertz & Diederich Syns.: *Buellia parasitica*, *Leciographa inspersa*, *Sclerophyton occidentale* (Diederich et al. 2018)
- ****parellarium*** (Nyl.) Ertz & Diederich Syn.: *Dactylospora parellaria* (Diederich et al. 2018)
- ****pertusariicola*** (Willey ex Tuck.) Ertz & Diederich Syns.: *Buellia pertusariicola*, *Dactylospora pertusariicola*, *Leciographa pertusariicola* (Diederich et al. 2018)
- ****pleiospermum*** (Triebel) Ertz & Diederich (Hafellner et al. 2002) Syn.: *Dactylospora pleiosperma* (Diederich et al. 2018)
- ****porphyreum*** (Hafellner & Kalb) Ertz & Diederich (Etayo & Breuss 1998) Syn.: *Dactylospora porphyrea* (Diederich et al. 2018)
- ****purpurascens*** (Triebel) Ertz & Diederich Syn.: *Dactylospora purpurascens* (Diederich et al. 2018)
- ****rhyparizae*** (Arnold) Ertz & Diederich (Zhurbenko 2013) Syn.: *Dactylospora rhyparizae* (Diederich et al. 2018)
- ****saxatile*** (Schaerer) Ertz & Diederich Syns.: *Buellia saxatilis*, *Buelliella saxatilis*, *Dactylospora saxatilis* (Diederich et al. 2018)
- ****simplex*** D. Hawksw. (Cole & Hawksworth 2001)
- ****suburceolatum*** (Coppins & Fryday) Ertz & Diederich (McMullin et al. 2017) Syn.: *Dactylospora suburceolata* (Diederich et al. 2018)
- ****toensbergii*** Diedereich (Diederich & van den Boom 2017)
- ****urceolatum*** (Th. Fr.) Ertz & Diederich Syns.: *Buellia urceolata*, *Dactylospora urceolata*, *Leciographa urceolata* (Diederich et al. 2018)
- **parmeliae* Etayo & Diederich (Kocourková & Knudsen 2009d) = *Cladophialophora parmeliae*

SCLEROPHORA Chevall.

- amabilis*** (Tibell) Tibell (Goward et al. 1996)
- coniophaea*** (Norman) Mattsson & Middelb. (Goward et al. 1996)
- farinacea*** (Chevall.) Chevall.

nivea (Hoffm.) Tibell Syns.: Coniocybe nivea (Hoffm.) Arnold non Tuck. & Mont., C. pallida
peronella (Ach.) Tibell (Goward et al. 1996)

SCLEROPHYTON Eschw.

elegans Eschw. Syns.: Chiodecton inscriptum, Enterographa elegans (Sparrius 2004b)
seriale (Ach.) Sparrius (Seavey & Seavey 2014a)
californicum (Tuck.) Hasse = Schizophelte crustosa
cerebriforme Egea & Torrente = Sparria cerebriformis
inscriptum (Nyl.) Müll. Arg. = S. elegans
occidentale Herre = **Sclerococcum parasiticum** (Sparrius 2004b, Diederich et al. 2018)

SCOLICIOSPORUM A. Massal.

abietinum T. Sprib. (Spribille et al. 2009)
chlorococcum (Sten.) Vězda Syn.: Bacidia chlorococca
gallurae Vězda (McCune 2017)
intrusum (Th. Fr.) Hafellner Syn.: Carbonea intrusa (Hafellner 2004c)
pensylvanicum R. C. Harris (Harris 2009)
pruinatum (P. James) Vězda (Tønsberg 1997 [1998])
sarothamni (Vainio) Vězda
umbrinum (Ach.) Arnold Syns.: Bacidia umbrina, Biatora umbrina
umbrinum var. **compacta** (Körber) Vězda

SCULPTOLUMINA Marbach

japonica (Tuck.) Marbach Syn.: Buellia japonica (Giralt et al. 2009)

SCUTULA Tul.

circumspecta (Vainio) Kistenich, Timdal, Bendiksby & S. Ekman Syn.: Bacidia circumspecta (Kistenich et al. 2018)
***cladoniicola** Alstrup & D. Hawksw. (Hansen & Alstrup 1995)
#**dedicata** Triebel, Wedin & Rambold (Triebel et al. 1997)
***epiblastematica** (Wallr.) Rehm (Triebel et al. 1997)
#**heeri** (Hepp.) Trevisan (Spribille et al. 2010) Syn.: Biatora heeri
***miliaris** (Wallr.) Trevisan
***stereocaulorum** (Anzi) Körber
***tuberculosa** (Th. Fr.) Rehm (Wedin et al. 2007)

SCYTINIUM (Ach.) Gray (Otálora et al. 2014)

apalachense (Tuck.) Otálora, P. M. Jørg. & Wedin Syns.: Collema apalachense, Leptogium apalachense
aquale (Arnold) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium aquale
aragonii (Otálora) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium aragonii
californicum (Tuck.) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium californicum
callopismum (A. Massal.) Otálora, P. M. Jørg. & Wedin Syns.: Collema callopismum, C. callopismum var. rhyparodes
cellulosum (P. M. Jørg. & Tønsberg) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium cellulosum
contortum (Sierk) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium contortum
dactylinum (Tuck.) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium dactylinum
erectum (Sierk) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium erectum
fragrans (Sm.) Ach. Syns.: Collema fragrans, C. microphyllum
gelatinosum (With.) Otálora, P. M. Jørg. & Wedin Syns.: Leptogium gelatinosum, L. scotinum, L. sinuatum
imbricatum (P. M. Jørg.) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium imbricatum
intermedium (Arnold) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium intermedium
juniperinum (Tuck.) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium juniperinum
kauaiense (H. Magn.) Otálora, P. M. Jørg. & Wedin Syn.: Collema kauaiense
lichenoides (L.) Otálora, P. M. Jørg. & Wedin Syns.: Leptogium lacerum, L. lichenoides

palmatum (Hudson) Gray Syns.: Leptogium corniculatum, L. palmatum
parculum (Nyl.) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium parculum
platynum (Tuck.) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium platynum
plicatile (Ach.) Otálora, P. M. Jørg. & Wedin Syns.: Collema plicatile, Leptogium microdium, L. plicatile
polycarpum (P. M. Jørg. & Goward) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium polycarpum
pulvinatum (Hoffm.) Otálora, P. M. Jørg. & Wedin (McCune et al. 2014b)
quadrifidum (D. F. Stone & McCune) Košuth. & Wedin Syns.: Collema quadrifidum, Rostania quadrifida (Košuthová et al. 2019)
rivale (Tuck.) Otálora, P. M. Jørg. & Wedin Syns.: Leptogium rivale, Polychidium rivale
schraderi (Bernh.) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium schraderi
singulare T. Carlberg & P. M. Jørg. (Carlberg et al. 2016)
siskiyouensis (D. F. Stone & Ruchty) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium siskiyouensis
subaridum (P. M. Jørg. & Goward) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium subaridum
subtitle (Schrader) Otálora, P. M. Jørg. & Wedin Syns.: Leptogium minutissimum, L. perminutum, L. subtile
tacomaee (P. M. Jørg. & Tønsberg) McCune (McCune et al. 2014b) Syn.: Leptogium tacomaee
tenuissimum (Dickson) Otálora, P. M. Jørg. & Wedin Syns.: Leptogium lividofuscum, L. tenuissimum
teretiusculum (Wallr.) Otálora, P. M. Jørg. & Wedin Syns.: Leptogium intricatum, L. teretiusculum
turgidum (Ach.) Otálora, P. M. Jørg. & Wedin Syn.: Leptogium turgidum

SECOLIGA Norman = GYALECTA

arceutina (Ach.) Stizenb. (Tuckerman 1888) = Bacidia arceutina
 atrosanguinea (Hepp) Stizenb. (Tuckerman 1888) = Bacidia incompta, a misidentification for N.A. beckhausii (Körber) Stizenb. (Tuckerman 1888) = Bacidia beckhausii
 carneoluteola (Tuck.) Müll. Arg. (Fink 1935) = Cryptolechia carneoluteola (Tuck.) Kalb Probable misidentification for North America (Esslinger & Tucker 2009)
 geoica (Wahlenb. ex Ach.) Körber = Gyalecta geoica

SEGESTRIA Fr. (Harris 1995a)

lectissima Fr. Syn.: Porina lectissima (Harris 1995a)
leptalea (Durieu & Mont.) R. C. Harris Syn.: Porina leptalea (Harris 1995a)
mammillosa Th. Fr. Syn.: Porina mammillosa (Harris 1995a)
octomera (Müll. Arg.) R. C. Harris (Harris 1995a)
rubentior (Stirton) R. C. Harris (Harris 1995a)
nucula Fr. (Mohr 1901) = Porina nucula

SEIROPORA Poelt (Frödén & Lassen 2004)

aurantiaca (R. Br.) Frödén Syn.: Teloschistes arcticus (Frödén & Lassen 2004)
californica (Sipman) Frödén Syn.: Teloschistes californicus
contortuplicata (Ach.) Frödén Syn.: Teloschistes contortuplicatus

SIGRIDEA Tehler

californica (Tuck.) Tehler Syns.: Dirina californica, D. hassei, Platygrapha californica, Schismatomma californicum

SILOBIA M. Westb. & Wedin (Westberg et al. 2011a) = **MYRIOSPORA** Nägeli ex Uloth (Arcadia & Knudsen 2012)
 hassei (Herre) K. Knudsen (Knudsen 2011b) = Myriospora hassei (Arcadia & Knudsen 2012)
 rhagadiza (Nyl.) M. Westb. (Westberg et al. 2011a) = Myriospora rhagadiza (Arcadia & Knudsen 2012)
 scabrida (H. Magn.) M. Westb. (Westberg et al. 2011a) = Myriospora scabrida (Arcadia & Knudsen 2012)

smaragdula (Wahlenb.) M. Westb. & Wedin (Westberg et al. 2011a) = *Myriospora smaragdula* (Arcadia & Knudsen 2012)

SINUICELLA D. F. Stone, McCune & Miadl. (Stone et al. 2021)
denisonii D. F. Stone, McCune & Miadl.

SIPHULA Fr.

ceratites (Wahlenb.) Fr.

dactyliza Nyl. Placement uncertain, possibly a *Stereocaulon* sp. (Kantvilas 2002)
simplex (Taylor) Nyl. = *S. ceratites*

SKYTTEA Sherwood, D. Hawksw. & Coppins

***caesii** Diederich & Etayo (Diederich & Etayo 2000)

***cismonicae** Hafellner (Hafellner 2000)

***dacampiae** Zhurb. (Zhurbenko 2013)

***elachistophora** (Nyl.) Sherwood & D. Hawksw.

***graphidicola** Diederich, Common & Suija (Diederich et al. 2019)

***gregaria** Sherwood, D. Hawksw. & Coppins (Diederich & Etayo 2000)

***insignis** Driscoll, S. R. Clayden & R. C. Harris (Driscoll et al. 2016)

***lecanorae** Diederich & Etayo (Diederich & Etayo 2000)

***mayrhoferi** Diederich & Etayo (Diederich & Etayo 2000)

***nitschkei** (Körber) Sherwood, D. Hawksw. & Coppins (Diederich & Etayo 2000)

***pertusariicola** Diederich & Etayo (Diederich & Etayo 2004b)

***radiatilis** (Tuck.) R. Sant., Etayo & Diederich (Diederich & Etayo 2000)

***richardsonii** Iturr. & D. Hawksw. (Iturriaga & Hawksworth 2004)

***tavaresae** R. Sant., Etayo & Diederich (Diederich & Etayo 2000)

***tephromelarum** Kalb & Hafellner (Diederich & Etayo 2004b)

SKYTTELLA D. Hawksw. & R. Sant.

***mulleri** (Willey) D. Hawksw. & R. Sant.

SOLENOPSORA A. Massal.

candicans (Dickson) J. Steiner

cladonioides B. D. Ryan & Timdal (Ryan & Timdal 2002, 2011)

crenata (Herré) Zahlbr.

cyathiformis (Szatala) van den Boom Syn.: *Lecania cyathiformis* (van den Boom & Ryan 2004b)

holophaea (Mont.) Samp. Syns.: *Lecanora holophaea*, *Candelariella holophaea*

hassei (Zahlbr.) Zahlbr. = *Lecania hassei* (Zahlbr.) W. Noble

SOLITARIA Arup, Søchting & Frödén (Arup et al. 2013)

chrysophthalma (Degel.) Arup, Søchting & Frödén Syn.: *Caloplaca chrysophthalma*

SOLORINA Ach.

bispora Nyl.

bispora var. **subspongiosa** (Zschacke) Frey (Zhurbenko et al. 2006)

crocea (L.) Ach.

monospora Gyelnik (McCune et al. 2014b)

octospora (Arnold) Arnold

saccata (L.) Ach.

spongiosa (Ach.) Anzi

saccata (L.) Ach. var. *spongiosa* (Ach.) Nyl. (Tuckerman 1882) = *Solorina spongiosa*

SOLORINARIA (Vainio) Gyelnik

despreauxii (Mont.) Fink = *Heppia despreauxii*

SOLORINELLA Anzi = GYALIDEA (Aptroot & Lücking 2003)
asteriscus Anzi = Gyalidea asteriscus (Aptroot & Lücking 2003)

SPARRIA Ertz & Tehler (Ertz & Tehler 2011)
cerebriformis (Egea & Torrente) Ertz & Tehler Syn.: Llimonaea cerebriformis, Sclerophyton cerebriforme

SPEERSCHNEIDERA Trevisan
euploca (Tuck.) Trevisan Syn.: Teloschistes euplocus

SPHAERELLOTHECIUM Zopf

- ***abditum** Triebel
- ***araneosum** (Rehm ex Arnold) Zopf
- ***atryneae** (Arnold) Cl. Roux & Triebel (Hafellner et al. 2002)
- ***breussii** K. Knudsen, Kocourk. & Etayo (Knudsen, Kocourková & Etayo 2009)
- ***cladoniae** (Alstrup & Zhurb.) Hafellner (Knudsen & Kocourková 2010b)
- ***cladoniicola** E. S. Hansen & Alstrup (Hansen & Alstrup 1995)
- ***coniodes** (Nyl.) Cl. Roux & Diederich (Hodkinson et al. 2009)
- ***contextum** Triebel
- #**gowardii** Alstrup & M. S. Cole (Alstrup & Cole 1998)
- ***minutum** Hafellners
- ***parmeliae** Diederich & Etayo (Diederich 2003)
- ***propinquellum** (Nyl.) Cl. Roux & Triebel Syn.: Stigmidium congestum (for North America)
- ***pumilum** (Lettau) Nav.-Ros., Cl. Roux & Hafellner Syn.: Stigmidium pumilum (Diederich et al. 2018)
- ***reticulatum** (Zopf) Etayo Syn.: Echinothecium reticulatum (Kocourková et al. 2008)
- ***siphulae** Zhurb. (Motiejunate et al. 2019)
- ***stereocaulorum** Zhurb. & Triebel (Zhurbenko 2010)
- ***thamnoliae** Zhurb. (Zhurbenko 2012)
- *araneosum var. cladoniae Alstrup & Zhurb. (Zhurbenko & Alstrup 2004) = S. cladoniae

SPHAERIA Haller = HYPOXYLON
bignoniae Schwein. = Granulopyrenis hymnothora

SPHAEROPEZIA Sacc. (Baloch et al. 2013b)

- ***bryoriae** (Diederich & Etayo) Baloch & Wedin Syn.: Odontotrema intermedia
- ***cucularis** (Norman) Baloch & Wedin Syn.: Lethariicola cucularis
- ***intermedia** (Diederich, Zhurb. & Etayo) Baloch & Wedin Syn.: Odontotrema intermedium
- ***lecanorae** (Diederich & G. Marson) Baloch & Wedin Syn.: Odontotrema lecanorae
- ***melaneliae** (Diederich & Zhurb.) Baloch, Gilenstam & Wedin Syn.: Odontotrema melaneliae
- ***mycoblasti** Diederich, Baloch & Wedin (Baloch et al. 2013b)
- ***ochrolechia** (Diederich, Holien & Zhurb.) Baloch & Wedin Syn.: Odontotrema ochrolechia
- ***santessonii** (Zhurb., Etayo & Diederich) Baloch & Wedin Syn.: Odontotrema santessonii
- ***sipei** (Grummann) Baloch & Wedin Syn.: Lethariicola sipei, Odontotrema sipei
- ***thamnoliae** (Zhurb., Diederich & Etayo) Baloch & Wedin Syn.: Odontotrema thamnoliae

SPHAEROPHORUS Pers.

- fragilis** (L.) Pers.
- globosus** (Hudson) Vainio
- tuckermanii** Räsänen (Wedin et al. 2009)
- venerabilis** Wedin, Högnabba & Goward (Wedin et al. 2009)
- globiferus** (L.) D.C. var. **gracilis** Müll. Arg. = *S. tuckermanii* (Wedin et al. 2009)
- globosus** var. **gracilis** auct. = *S. tuckermanii*
- melanocarpus** (Sw.) DC. = *Bunodophoron melanocarpus*

SPHAERULINA Sacc.

***dolichotera** (Nyl.) Vouax (Esslinger & Egan 1995)

SPHINCTRINA Fr.

***anglica** Nyl. Syns.: Mycocalicium microcephalum, Calicum microcephalum

***benmargana** Selva (Selva 2004)

***leucopoda** Nyl.

***pallidella** (Willey) Selva (Selva 2004)

***tubaeformis** A. Massal.

***turbinata** (Pers. : Fr.) De Not. Syn.: Calicum turbinatum

***gelasinata** (With.) Zahlbr. (Fink 1935) = *S. turbinata* (Santesson et al. 2004)

***microcephala** (Sm.) Körber = *S. anglica*

***microcephala** Nyl. = *S. tubaeformis*

SPHINCTRINELLA Nádv. = MYCOCALICIUM

calicioides Nádv. = Mycocalicium calicioides

SPILONEMA Bornet

americanum (Henssen & Tønsberg) T. Sprib., Muggia & Tønsberg Syn.: Spilonemella americana (Spribile et al. 2014b)

maritimum T. Sprib. & Fryday (Spribile et al. 2020)

paradoxum Bornet

revertens Nyl.

dendroides Henssen = *Erinacellus dendroides* (Henssen) T. Sprib., Muggia & Tønsberg (Spribile et al. 2014b)

SPILONEMELLA Henssen & Tønsberg (Henssen & Tønsberg 2000)

americana Henssen & Tønsberg = *Spilonema americanum* (Spribile et al. 2014b)

SPIROGRAPHA Zahlbr.

***fusisporella** (Nyl.) Zahlbr. (Alstrup & Cole 1998)

***pyramidalis** (Etayo) Flakus, Etayo & Miadlikowska Syns. : *Asteroglobulus pyramidalis*, *Cornutispora pyramidalis* (Flakus et al. 2019)

SPORASTATIA A. Massal.

polyspora (Nyl.) Grummann

testudinea (Ach.) A. Massal. Syns.: *Biatorella kulshanensis*, *B. testudinea* *cinerea* (Schaerer) Körber = *S. polyspora*

SPORODICTYON A. Massal.

cruentum (Körber) Körber Syn.: *Polyblastia cruenta* (Fryday 2006, Savić & Tibell 2009, Spribile et al. 2010)

minutum Savić & Tibell (McCune et al. 2014b)

schaererianum A. Massal. (Hafellner 2010)

terrestre (Th. Fr.) Savić & Tibell Syn.: *Polyblastia terrestris* (Savić & Tibell 2009), *Verrucaria obtenta* (Dillman et al. 2012)

SPORODOPHORON Frisch, Y. Ohmura, Ertz & G. Thor (Frisch et al. 2015)

americanum (Lendemer, E. Tripp & R. C. Harris) Ertz & Frisch (Frisch et al. 2015)

SPOROPODIUM Mont.

marginatum Lücking & Lumbsch (Lücking et al. 2011b)

phylocharis (Mont.) A. Massal. Syn.: *Heterothecium phylocharis*

SPOROSTIGMA Grube

melasporum (Tuck.) Grube Syn. *Arthonia melaspora* (Grube 2001)

SQUAMARINA Poelt

cartilaginea (With.) P. James
lentigera (Weber) Poelt Syn.: Lecanora lentigera
crassa (Hudson) Poelt = *S. cartilaginea*
degelii Poelt = *Lecanora neodegelii*

SQUAMULEA Arup, Søchting & Frödén (Arup et al. 2013)

galactophylla (Tuck.) Arup, Søchting & Frödén Syns.: *Caloplaca galactophylla*, *Placodium galactophylla*
parviloba (Wetmore) Arup, Søchting & Frödén Syn.: *Caloplaca parviloba*
squamosa (B. de Lesd.) Arup, Søchting & Frödén Syn.: *Caloplaca squamosa*
subsoluta (Nyl.) Arup, Søchting & Frödén Syns.: *Caloplaca irrubescens*, *C. modesta*, *C. subsoluta*

STAUROLEMMA Körber

carolinianum P. M. Jørg. (Jørgensen 2004)

STAUROTHELE Norman

arctica Lyngé
areolata (Ach.) Lettau
bacilligera (Arnold) Arnold (Lendemer 2008)
clopimoides (Bagl. & Carestia) J. Steiner
discedens (Nyl.) Zahlbr.
drummondii (Tuck.) Tuck. Syns: *Endocarpon drummondii*, *E. wilmsoides*
effigurata J. W. Thomson
elenkinii Oxner
fissa (Taylor) Zwackh
frustulenta Vainio (McCune et al. 2014b)
guestphalica (Lahm ex Körber) Arnold (Lendemer 2008)
lecidoides B. de Lesd.
monicae (Zahlbr.) Wetmore Syn.: *Endocarpon monicae*
nemorum C. A. Morse & Ladd (Morse & Ladd 2019)
orispruinosa J. W. Thomson
polygonia B. de Lesd.
pulvinata (Th Fr.) Heiðmarsson (Heiðmarsson et al. 2017) Syns.: *Endocarpon pulvinatum*, *E. tortuosum*, *Pyrenothamnia brandegei*, *P. spraguei*, *Staurothele brandegei*
rufa (A. Massal.) Zschacke (McCune 2017)
rugosa J. W. Thomson
rupifraga (A. Massal.) Arnold Syn. : *Verrucaria terebrata*
septentrionalis Lyngé (Spribille et al. 2020)
succedens (Rehm) Arnold (Spribille et al. 2020)
verruculosa J. W. Thomson
ambrosiana (A. Massal.) Zschacke = *S. drummondii* for North American records
brandegei Tuck. (Tuckerman 1888) = *Staurothele pulvinata*
circinata Tuck. = *S. fissa*
catalepta auct. N. Am. = mostly *S. monicae*
clopima (Wahlenb.) Th. Fr. [epithet to be proposed for rejection under I.C.B.N. Art.69 (Thomson 1991)] = *S. drummondii*
diffractella (Nyl.) Tuck. = *Willeya diffractella*
fuscocuprea (Nyl.) Zschacke = *S. drummondii*
glacialis Herre = *S. fissa*
hazslinskyi (Körber) J. Steiner = *S. fissa*
hymenogonia (Nyl.) Th. Fr. = *S. discedens* for North American records
perradiata Lynge = *S. drummondii*
sessilis H. Magn. = *S. elenkinii*

succedens (Rehm) Arnold = *S. drummondii* for North American record
tenuissima Degel. = *Endocarpon tenuissimum*
umbrina (Wahlenb.) Hellb. = *S. fissa*

STEGOBOLUS Mont.

auberianus (Mont.) A. Frisch & Kalb Syns.: *Leptotrema auberianum*, *Ocellularia auberiana* (Frisch & Kalb 2006), *Thelotrema auberianum*
emersus (Kremp.) Frisch & Kalb = *Rhabdodiscus emersus* (Rivas Plata et al. 2012)
granulosus (Tuck.) A. Frisch = *Rhabdodiscus granulosus* (Rivas Plata et al. 2012)

STEINEROPSIS T. Sprib. & Muggia (Spribile et al. 2010)

alaskana T. Sprib. & Muggia (Spribile et al. 2010)
laceratula (Hue) T. Sprib. & S. Ekman Syns.: *Fuscopannaria laceratula*, *Pannaria laceratula* (Spribile et al. 2020)

STEINIA Körber

geophana (Nyl.) Stein Syns.: *Lecidea geophana*, *Biatora geophana*, *Biatorella geophana*

STENOCYBE (Nyl.) Körber

⁺**clavata** Tibell
⁺**flexuosa** Selva & Tibell (Selva & Tibell 1999)
⁺**fragmenta** E. B. Peterson & Rikkinen (Peterson & Rikkinen 1998)
⁺**major** Nyl. ex Körber
⁺**pullatula** (Ach.) Stein
⁺**byssacea** (Fr.) Körber = *S. pullatula*
⁺**euspora** (Nyl.) Anzi = (?) *S. major*
⁺**minutissima** (G. Merr.) Zahlbr. = *Phaeocalicium minutissimum*
⁺**tremulicola** Norrlin ex Nyl. = *Phaeocalicium tremulicola*

STEREOCAULON Hoffm.

alpestre (Flotow) Dombr. (Oset 2014)
alpinum Laurer ex Funck
apocalypticum Nyl
arcticum Lyngé
arenarium (Savicz) I. M. Lamb
areolatum McCune, E. DiMeglio & Tønsberg (McCune et al. 2019)
botryosum Ach.
capitellatum H. Magn.
cephalocrustatum McCune, E. DiMeglio & Tønsberg (McCune et al. 2019)
condensatum Hoffm.
coniophyllum I. M. Lamb
dactylophyllum Flörke
dactylophyllum var. **occidentale** (H. Magn.) I. M. Lamb
depreaultii Delise ex Nyl.
depressum (Frey) I. M. Lamb (Zhurbenko et al 2006)
fecundum McCune, E. DiMeglio & Tønsberg (McCune et al. 2019)
glareosum (Savicz) H. Magn.
glaucescens Tuck.
glaucescens var. **caespitosulum** (Nyl.) I. M. Lamb
grande (H. Magn.) H. Magn.
groenlandicum (E. Dahl) I. M. Lamb
hypothallinum McCune, E. DiMeglio & Tønsberg (McCune et al. 2019)
incrustatum Flörke
intermedium (Savicz) H. Magn.
klondikense T. Sprib. (Spribile et al. 2010)
leucophaeopsis (Nyl.) P. James & Purvis (Fryday 2010)

leprocephalum Vainio
microcarpum Müll. Arg.
myriocarpum Th. Fr.
nanodes Tuck.
nivale (Follmann) Fryday Syn.: Bacidia nivalis (Fryday & Glew 2003)
octomerum Müll. Arg.
oregonense McCune, E. DiMeglio & Tønsberg (McCune et al. 2019)
paschale (L.) Hoffm.
pileatum Ach.
plicatile (Leighton) Fryday & Coppins (Fryday 2006)
procrastinata E. B. Peterson (Peterson 2021)
rivulorum H. Magn.
sasakii Zahlbr. var. **simplex** (Riddle) I. M. Lamb
sasakii var. **tomentosoides** I. M. Lamb
saviczii Du Rietz
saxatile H. Magn.
spathuliferum Vainio
sterile (Savicz) I. M. Lamb ex Krog
subcoralloides (Nyl.) Nyl.
subdenudatum Hav. (Spribble et al. 2010)
sympycheilum I. M. Lamb
taeniarum (H. Magn.) Kivistö (Kivistö 1998)
tennesseense H. Magn. ex Degel.
tennesseense H. Magn. ex Degel. var. **nigrofastigiatum** I. M. Lamb
tomentosum Fr.
tornense (H. Magn.) P. James & Purvis (McCune 2017)
vesuvianum Pers.
albicans Th. Fr. = Lepraria albicans
arbuscula Nyl. = Lepraria arbuscula
coralloides Fr. = S. dactylophyllum
denudatum Flörke = S. vesuvianum
evolutoides (H. Magn.) Frey = S. saxatile
microscopicum (Vill.) Frey = Leprocaulon quisquiliare, but N.A. records are L. americanum
pseudoarbuscula Asahina = Lepraria subalbicans for North American records
quisquiliare (Leers) Hoffm. = Leprocaulon quisquiliare, but N.A. records are L. americanum
ramulosum Raeuschel = not in North America north of Mexico
subalbicans I. M. Lamb = Lepraria subalbicans
tomentosum Fr. var alpestre Flotow = S. alpestre (Oset 2014)
tomentosum var. alpinum (Laurer) Th. Fr. (Tuckerman 1882) = Stereocaulon alpinum
wrightii Tuck. (Tuckerman 1882) Described from Siberia, not known from N.A. (Lamb 1977)
uliginosum I. M. Lamb Known from Greenland but not from the United States or Canada.
wrightii Tuck. = not in North America

STICTA (Schreber) Ach.
arctica Degel.
beauvoisii Delise
canariensis (Bory) Bory ex Delise
carolinensis T. McDonald (McDonald et al. 2003)
deyana Lendemer & Goffinet (Lendemer & Goffinet 2015)
fragilinata T. McDonald (McDonald et al. 2003)
fuliginosa (Hoffm.) Ach.
leucoblephara (Müll. Arg.) D. J. Galloway (Galloway & Thomas 2004)
limbata (Sm.) Ach.
rhizinata Moncada & Lücking (Spribble et. al. 2020)
sylvatica (Hudson) Ach.
torii Simon & Goward (Simon et al. 2018)

xanthotropa (Kremp.) D. J. Galloway (Galloway & Thomas 2004)
 amplissima (Scop.) Rabenh. (Fink 1935) = *Ricasolia amplissima*
anthraspis Ach. = *Lobaria anthraspis*
aurata Ach. = *Crocodia aurata*
crocata (L.) Ach. = *Pseudocyphellaria crocata*, but misidentifications for North America
crocata var. *mallota* Tuck (Tuckerman 1882) = *Pseudocyphellaria mallota*
drummondii Taylor = *Nephroma resupinatum*
erosa (Eschw.) Tuck. = **Emmanuelia erosa** (Simon et al. 2020)
glomerulifera (Hoffm.) Delise (Tuckerman 1882) Identity uncertain
glomulifera (Lightf.) Delise = *Ricasolia amplissima*
hallii Tuck. = *Lobaria hallii*
herbacea (Hudson) Ach. = misidentification for North America
laciniata Ach. = misidentification for North America
linita Ach. = *Lobaria linita*
oregana Tuck. = *Lobaria oregano*
oroborealis Goward & Tønsberg (Tønsberg & Goward 2001) = *Dendriscosticta oroborealis*
(Moncada et al. 2013)
pulmonaria (L.) Biroli = *Lobaria pulmonaria*
pulmonaria var. *hypomela* (Delise) Duby (Tuckerman 1882) = *Lobaria pulmonaria*
pulmonaria var. *linita* Nyl. (Tuckerman 1882) = *Lobaria linita*
quercizans (Michaux) Ach. (Fink 1935) = *Ricasolia quercizans*
ravenelii Tuck. (Tuckerman 1882) = **Emmanuelia ravenelii** (Simon et al. 2020)
scrobiculata (Scop.) Ach. (Tuckerman 1882) = *Lobaria scrobiculata*
verrucosa (Hudson) Fink = *Lobaria scrobiculata*
weigelii (Ach.) Vainio = misidentification for North America
wrightii Tuck. = *Dendriscosticta wrightii* (Moncada et al. 2013)

STICTIS Pers.: Fr.

urceolatum (Ach.) Gilenstam Syn.: *Conotrema urceolatum* (Wedin et al. 2005)

STIGMATOCHROMA Marbach

gerontoides (Stirton) Marbach (Seavey et al. 2017)

STIGMIDIUM Trevisan

***beringicum** Zhurb. & Triebel (Zhurbenko 2010)
***californicum** K. Knudsen & Kocourk. (Knudsen & Kocourková 2010f)
***cerinae** Cl. Roux & Triebel (Cole & D. Hawksworth 2001)
***congestum** (Körber) Triebel (Driscoll et al. 2016) An earlier N.A. report was based on
Sphaerellothecium propinquellum (Esslinger & Egan 1995)
***conspurcans** (Th. Fr.) Triebel & R. Sant. (Spribille et al. 2010)
***croceae** (Arnold) Cl. Roux & Triebel (Zhurbenko & Daniëls 2003)
***ephebes** (Henssen) D. Hawksw. Syn.: *Pharcidia ephbebs* (Henssen) D. Hawksw.
***epistigmellum** (Nyl. ex Vouaux) Kocourk. & K. Knudsen (Kocourková & Knudsen 2009c)
***epixanthum** Hafellner (Hafellner et al. 2002)
***frigidum** (Sacc.) Alstrup & D. Hawksw.
***fuscatae** (Arnold) R. Sant.
***glebarum** (Arnold) Hafellner (Etayo & Breuss 1998)
***gyrophorarum** (Arnold) D. Hawksw. (Hafellner et al. 2002)
***hesperium** Kocourk., K. Knudsen, & Diederich (Kocourková & Knudsen 2009b)
***lendemerii** Kocourk. & K. Knudsen (Kocourková et al. 2012, Kocourková & Knudsen 2012)
***leprariae** Zhurb. (Haldeman 2020)
***marinum** (Deakin) Swinscow
***microcarpum** Alstrup & J. C. David (Zhurbenko 2009b)
***mitchelii** Cl. Roux & Bricaud (Zhurbenko 2013)
***mycobilimbiae** Cl. Roux, Triebel & Etayo (Diederich 2003)
***parvum** (Henssen) Diederich (Diederich et al. 2018)

***peltideae** (Vainio) R. Sant. (Alstrup & Cole 1998)
 ***pseudopeltideae** Cl. Roux & Triebel (Diederich 2003; Zhurbenko & Laursen 2003)
 ***psorae** (Anzi) Hafellner
 ***ramalinae** (Müll. Arg.) Etayo & Diederich (Kocourková et al. 2010)
 ***rouxianum** Calat. & Triebel (Kocourková & Knudsen 2018)
 ***schaereri** (A. Massal.) Trevisan (Reinstated for N.Am. by Henssen 1995)
 ***solorinarium** (Vainio) D. Hawksw. (Zhurbenko 2009a)
 ***squamariae** (B. de Lesd.) Cl. Roux & Triebel
 ***stygnospilum** (Minks) R. Sant. (McCune et al. 2014b)
 ***tabacinae** (Arnold) Triebel
 ***xanthoparmeliarum** Hafellner (Kocourková & Knudsen 2008)
 ***atryneae** (Arnold) Hafellner = Sphaerellothecium atryneae, but North American specimens are Stigmidium squamariae
 ***pumilum** (Lettau) Matzer & Hafellner (Cole & D. Hawksworth 2001) = Sphaerellothecium pumilum
 ***schaereri** (A. Massal.) Trevisan = misidentification for North America

STIRTONIA A. L. Sm.

alba Groenh. ex Makhija & Patw. (Seavey et al. 2017)
byssoides F. Seavey & J. Seavey (Seavey & Seavey 2015)
coei F. Seavey & J. Seavey (Seavey & Seavey 2015)
divaricatica F. Seavey & J. Seavey (Seavey et al. 2017)
dubia A. L. Smith (Lücking et al. 2011b)
latispora F. Seavey & J. Seavey (Seavey & Seavey 2015)
macrocarpa Makhija & Patw. (Lücking et al. 2011b)
punctiformis Aptroot & Sipman (Perlmutter et al. 2018)

STRANGOSPORA Körber

cypalea (Tuck.) C. A. Morse & Lendemer (Morse & Lendemer 2019) Syns.: Biatora cypalea, Biatorella cypalea
deplanata (Almq.) Clauz. & Cl. Roux (Knudsen 2007c)
microhaema (Norman) R. A. Anderson Syn.: Biatorella microhaema
moriformis (Ach.) Stein Syns.: Biatora moriformis, Biatorella moriformis
pinicola (A. Massal.) Körber
 ochrophora (Nyl.) R. A. Anderson = Piccolia ochrophora

STRIGULA Fr.

americana R. C. Harris Syn.: Arthopyrenia tenuis
bermudana (Nyl.) R. C. Harris (Harris 1995a)
connivens R. C. Harris (Harris 1995a)
 ***graphidicola** Diederich & Common (Diederich et al. 2019)
griseonitens R. C. Harris (Harris 1995a)
hypothallina R. C. Harris (Harris 1995a)
jamesii (Swinscow) R. C. Harris Syn.: Arthopyrenia affinis auct.
laceribraceae R. C. Harris (Harris 1995a)
nitidula Mont.
orbicularis Fr. (Lücking et al. 2011b)
 ***perparvula** Diederich & Common (Diederich et al. 2019)
phaea (Ach.) R. C. Harris
schizospora R. Sant. (Lücking et al. 2011b)
smaragdula Fr. : Fr. (Harris 1995a)
stigmatella (Ach.) R. C. Harris Syns.: Arthopyrenia faginea, Porina cinerea, P. faginea
subelegans Vainio (Harris 1995a)
submuriformis (R. C. Harris) R. C. Harris Syn.: Arthopyrenia submuriformis
viridiseda (Nyl.) R. C. Harris Syn.: Porina viridiseda
wilsonii (Riddle) R. C. Harris

affinis (A. Massal.) R. C. Harris = *S. jamesii* for North American records
complanata (Fée) Mont. = *S. orbicularis* (Lücking 2008)
elegans (Fée) Müll. Arg. = *S. smaragdula* (Harris 1995a)
sychnogonioides (Nitschke) R. C. Harris = *Geisleria sychnogonioides*

STROMATELLA Henssen
bermudana (Riddle) Henssen (Schultz 2002e)

SULCARIA Bystrek
badia Brodo & D. Hawksw.
isidiifera Brodo
spiralifera (Brodo & D. Hawksw.) Myllys, Velmala & Goward (Myllys et al. 2014) Syns.:
Bryoria pseudocapillaris, *B. spiralifera*

SULCOPYRENULA H. Harada
canellae-albae (Fée) H. Harada Syn.: *Anthracothecium canellae-albae* (Harada 1999)
staurospora (Tuck.) H. Harada Syn.: *Anthracothecium staurosporum* (Harada 1999)
subglobosa (Riddle) Aptroot (Aptroot 2012)

SYNALISSA Fr.
matogrossensis (Malme) Henssen (Schultz 2002f)
ramulosa (Hoffm.) Fr. Syn.: *Omphalaria symphorea* (McCune et al. 2014b)
melambola Tuck. = *Metamelanea melambola*
symphorea (Ach.) Nyl. = *S. ramulosa* (McCune et al. 2014b)
subnigra (B. de Lesd.) Henssen = *Peccania subnigra*
texana Tuck. = *Peccania texana*

SYNARTHONIA Müll. Arg. (Van den Broeck et al. 2018)
***hodgesii** (Lendemer & R. C. Harris) Van den Broeck & Ertz Syn.: *Arthonia hodgesii*

SYNCESIA Taylor (Tehler 1996)
byssina (Vainio) Tehler
depressa (Fée) Tehler
graphica (Fr.) Tehler Syn.: *Chiodecton perplexum*
psaroleuca (Nyl.) Tehler

SYNECHOBLASTUS Trevisan = **COLLEMA**
aggregatus ("Ach.") Th. Fr. = *Gabura fasciculare*
coccophorus (Tuck.) Fink (Fink 1935) = *Enchylium coccophorum*
cyrtaspis (Tuck.) Fink (Fink 1935) = *Enchylium conglomeratum* (var. *crassiusculum*, Degelius 1974)
fascicularis (L.) A. L. Smith (Fink 1935) = *Gabura fasciculare*
laciniatus (Nyl.) Fink (Fink 1935) = *Collema texanum* (Degelius 1974)
leptaleus (Tuck.) Fink (Fink 1935) = *Collema leptaleum*
leucocarpus (Hooker f. & Taylor) Müll. Arg. (Fink 1935) = *Collema leucocarpum* Hooker f. & Taylor, misidentification for North America (Degelius 1974)
microptychius (Tuck.) Fink (Fink 1935) = *Collema leptaleum* (Degelius 1974)
nigrescens (Hudson) Trevisan (Fink 1935) = *Collema nigrescens*
ohioensis Fink (Fink 1935) = *Enchylium conglomeratum* (Degelius 1974)
ryssoleus (Tuck.) Fink (Fink 1935) = *Collema ryssoleum*
polycarpus (Hoffm.) Dalla Torre & Sarnth. = *Enchylium polycarpon*
pycnocarpus Nyl. = *Enchylium conglomeratum* (var. *crassiusculum*, Degelius 1974)
rupestris (Sw.) Trevisan = *Collema flaccidum*
texanus (Tuck.) Müll. Arg. = *Collema texanum*
wyomingensis Fink = *Enchylium polycarpon*

SYZYGOSPORA G. W. Martin (Diederich 1996)

**bachmannii* Diederich & M. S. Christ. (Diederich 1996) = *Heterocephalacria bachmannii* (Diederich et al. 2018)

**physciacearum* Diederich (Diederich 1996) = *Heterocephalacria physciacearum* (Diederich et al. 2018)

SZCZAWINSKIA A. Funk

leucopoda Holien & Tønsberg (Holien & Tønsberg 2002)

tsugae A. Funk Syn.: *Micarea clavopycniidata* (Aptroot et al. 1997)

TAENIOLELLA S. Hughes

**caespitosa* M. S. Cole & D. Hawksw. (Cole & Hawksworth 2001)

**christiansenii* Alstrup & D. Hawksw. (Zhurbenko & Daniëls 2003)

**cladinicola* Alstrup (Seaward et al. 2017)

**delicata* M. S. Christ. & D. Hawksw. (Diederich 2003)

**friesii* (Hepp) Hafellner (Heuchert et al. 2018)

**hawksworthiana* Heuchert, Ertz & Common (Heuckert et al. 2018)

**pertusariicola* D. Hawksw. & H. Mayrhofer (McMullin et al. 2017)

**phaeophysciae* D. Hawksw. (Diederich 2003)

**rolfii* Diederich & Zhurb. (Diederich & Zhurbenko 2001)

**serusiauxii* Diederich (Diederich 2003)

**toruloides* Heuchert & Diederich (Haldeman 2020)

**beschiana* Diederich (Zhurbenko & Alstrup 2004) = *Talpapellis beschiana*

**laevistipitata* M. S. Cole & D. Hawksw. (Cole & Hawksworth 2001) = *Corynespora laevistipitata*

TALPAPELLIS Alstrup & M. S. Cole

**beschiana* (Diederich) Zhurb., U. Braun, Diederich & Heuchert (Heuchert et al. 2018)

**graphidis* Heuchert, Common, U. Braun & Diederich (Diederich et al. 2019)

**peltigerae* Alstrup & M. S. Cole (Alstrup & Cole 1998)

TAPELLARIA Müll. Arg.

albomarginata Lücking (Lücking et al. 2011b)

epiphylla (Müll. Arg.) R. Sant. Syn.: *Lopadium phyllocharis*

floridensis Common & Lücking (Lücking et al. 2011b)

granulosa Lücking & Rivas Plata (Lücking et al. 2011b)

malmei R. Sant. (Lücking et al. 2011b)

nana (Fée) R. Sant.

bilimbioides R. Sant. Report based on *T. albomarginata* (Lücking et al. 2011b)

TELOSCHISTES Norman

chrysophthalmus (L.) Th. Fr.

exilis (Michaux) Vainio

flavicans (Sw.) Norman

arcticus Zahlbr. = *Seirophora aurantiaca*

californicus Sipman = *Seirophora californica*

candelarius (L.) Fink = *Polycauliona candelaria*

concolor (Dickson) Tuck. = *Candelaria concolor*

concolor var. *effusa* Tuck. (Tuckerman 1882) = *Candelaria concolor*

contortuplicatus (Ach.) Clauzade & Rondon = *Seirophora contortuplicata*

euplocus (Tuck.) Zahlbr. = *Speerschneidera euploca*

lychneus (Ach.) Tuck. = *Polycauliona candelaria*

lychneus var. *pygmaeus* Tuck. (Tuckerman 1882) = *Polycauliona candelaria*

parietinus (L.) Norman = *Xanthoria parietina*

polycarpus (Hoffm.) Tuck. = *Polycauliona polycarpa*

ramulosus Tuck. = *Xanthoria ramulosa*

villosus auct. non (Ach.) Norman = *T. californicus* for North American records

TEPHROMELA M. Choisy

atra (Hudson) Hafellner Syn.: Lecanora atra
***cerasina** (Müll. Arg.) Rambold & Triebel (Nash et al. 2004b)
eviolacea Haldeman & McCune (Haldeman & McCune 2021)
nashii Kalb (Nash et al. 2004b)
pacifica Björk & Muggia (Cestaro et al. 2016)
aglaea (Sommerf.) Hertel & Rambold = Calvitimela aglaea
“aglaeida” Nyl. = Calvitimela aglaea
armeniaca (DC.) Hertel & Rambold = Calvitimela armeniaca
testaceoatra (Vainio) Hertel & Rambold = Calvitimela testaceoatra

TETRAMELAS Norman

chloroleucus (Körber) A. Nordin Syn.: Buellia chloroleuca (Nordin 2004)
insignis (Nägeli ex Hepp) Kalb Syn.: Buellia insignis (Nordin 2004)
papillatus (Sommerf.) Kalb Syn.: Buellia papillata (Kalb 2004)
***pulverulentus** (Anzi) A. Nordin & Tibell Syns.: Buellia pulverulenta, Diplotomma
pulverulentum (Nordin & Tibell 2005)
terricolus (A. Nordin) Kalb (Kalb 2004)
triphragmioides (Anzi) A. Nordin & Tibell Syn.: Buellia tripfragmioides (Nordin & Tibell
2005)
geophilus (Flörke ex Sommerf.) Norman North American records reported to be T. terricolus
(Nordin 1999, McCune et al. 2014b)

TEUVOA Sohrabi & S. Leavitt (Sohrabi et al. 2013a)

junipericola Sohrabi & S. Leavitt (Sohrabi et al. 2013a)

TEXOSPORIUM Nádv. ex Tibell & Hofsten

sancti-jacobi (Tuck.) Nádv. Syns.: Acolium sancti-jacobi, Cyphelium sancti-jacobi

THALLOIDIMA A. Massal.

arcticum (Timdal) Timdal Syn.: Toninia arctica (Kistenich et al. 2018)
ioen (Herré) S. Ekman & Timdal Syns.: Bacidia ioessa, Toninia submexicana (Kistenich et al.
2018)
massatum (Tuck.) Kistenich, Timdal, Bendiksby & S. Ekman Syns.: Lecidea, massata, Toninia
massata (Kistenich et al. 2018)
opuntioides (Vill.) Kistenich, Timdal, Bendiksby & S. Ekman Syn.: Toninia opuntioides
(Kistenich et al. 2018)
physaroides (Opiz) Kistenich, Timdal, Bendiksby & S. Ekman Syn.: Toninia physaroides
(Kistenich et al. 2018)
sedifolium (Scop.) Kistenich, Timdal, Bendiksby & S. Ekman Syn.: Toninia sedifolia (Kistenich
et al. 2018)
subdiffractum (Timdal) Timdal Syn.: Toninia subdiffracta (Kistenich et al. 2018)

THALLOLOMA Trevisan

anguiniforme (Vainio) Staiger (Lendemer et al. 2009b)
anguinum (Mont.) Trevisan Syn.: Graphina anguina (Staiger 2002, Tripp et al. 2010), Graphis
inustula
cinnabarinum (Fée) Staiger (Kocourková et al. 2010)
hypoleptum (Nyl.) Staiger (Lendemer & Knudsen 2008b)

THAMNOGALLA D. Hawksw.

*** crombiei** (Mudd) D. Hawksw.

THAMNOLIA Ach. ex Schaefer

subuliformis (Ehrh.) W. L. Culb.

tundrae Brännström & Tibell (Onut-Bränström et al. 2018)
subvermicularis Asahina = *T. subuliformis*
vermicularis (Sw.) Ach. ex Schaefer Apparent misidentification for North America (Onut-Bränström et al. 2018)

THECARIA Fée

quassiicola Fée Syn.: *Phaeographina quassiicola* (Staiger 2002)

THELENELLA Nyl.

brasiliensis (Müll. Arg.) Vainio (Harris 1995a)
calcicola C. A. Morse (Morse 2016)
harrisii H. Mayrhofer
hassei (Zahlbr.) H. Mayrhofer Syns.: *Microglaena hassei*, *M. sychnogonoides*
inductula (Nyl.) H. Mayrhofer Syns.: *Microglaena inductula*, *Polyblastiopsis inductula*
modesta (Nyl.) Nyl. Syn.: *Microglaena subcorallina*
nubifera C. A. Morse (Morse 2016)
pertusariella (Nyl.) Vainio (Harris 1995a)
rappii R. C. Harris (Harris 1995a)
sastreana R. C. Harris (Harris 1995a)
sordidula (Th. Fr.) H. Mayrhofer Syn.: *Microglaena sordidula*
sychnogonoides (Zahlbr.) R. C. Harris (Harris 1995a)
weberi H. Mayrhofer
americana (Knudsen & Lendemer) Aptroot (Aptroot & Schumm 2012) = *Trimmatothelopsis americana* (Knudsen & Lendemer 2016)
cinerascens (Vainio) R. C. Harris (Harris 1995a) = *Aspidothelium cinerascens* (Nelsen et al. 2017)
fugiens (Müll. Arg.) R. C. Harris (Harris 1995a) = *Aspidothelium fugiens* (Nelsen et al. 2017)
geminipara (Malme) R. C. Harris (Harris 1995a) = *Aspidothelium geminiparum* (Nelsen et al. 2017)
humilis R. C. Harris (Harris 1995a) = *Protothelenella corrosa* (Lendemer et al. 2019a)
luridella (Nyl.) H. Mayrhofer (Harris 1995a) North American records are *T. nubifera* (Morse 2016)
muscorum (Fr.) Vainio var. *muscorum* (Lendemer & Harris 2004) = *Chromatochlamys muscorum* (Nelsen et al. 2017)
muscorum var. *octospora* (Nyl.) Coppins & Fryday (Fryday & Coppins 2004) = *Chromatochlamys muscorum* var. *octospora* (Nelsen et al. 2017)

THELIDIUM Fink ex J. Hedrick

blastenica Fink = a non-lichenized fungus

THELIDIUM A. Massal.

absconditum (Hepp) Rabenh.
aeneovinosum (Anzi) Arnold
areolatum J. W. Thomson
decipiens (Nyl.) Kremp.
fontigenum A. Massal. Syns.: *Thelidium microbolum*, *Verrucaria microbola*
incavatum Nyl. ex Mudd
microsporum Lynge
minimum (A. Massal. ex Körber) Arnold
minutulum Körber
olivaceum (Fr.) Körber
papulare (Fr.) Arnold Syn.: *Verrucaria sprucei*
parvulum Arnold
pyrenophorum (Ach.) Mudd
transsylvaniaicum Zschacke
velutinum (Bernh.) Körber

zwackhii (Hepp) A. Massal. (Harris & Lendemer 2005)
acrotellum Arnold = T. minutulum
circumspersellum (Nyl.) Zschacke North American record is Porina linearis (Nash 2002)
mesotropum (Nyl.) A. L. Sm. = T. minutulum
microbolum (Tuck.) Hasse = T. fontigenum (Orange 2009)
viride (Deakin) Zahlbr. (Fink 1935) = T. pyrenophorum (Santesson et al. 2004)

THELIGNYA A. Massal.

groenlandica (E. Dahl) Henssen (Spribile et al. 2020)
lignyota (Wahlenb.) P. M. Jørg. & Henssen Syn.: Porocyphus dispersus

THELOCARPON Nyl. ex Hue

depressellum Vainio (Spribile et al. 2020)
***epibolum** Nyl.
***epibolum** var. **epithallinum** (Leighton ex Nyl.) G. Salisb.
hassei B. de Lesd.
immersum Fryday (Spribile et al. 2020)
impressellum Nyl. (Dillman et al. 2012)
intermediellum Nyl.
laureri (Flotow) Nyl.
***lichenicola** (Fuckel) Poelt & Hafellner (Hafellner et al. 2002)
sphaerosporum H. Magn. Syn.: Ahlesia sphaerospora
superellum Nyl.
albomarginatum Herre = Acarospora elevata
epilithellum Nyl. = T. laureri
fimicola Fink = T. intermediellum
majusculum Nyl. = T. laureri
prasinellum Nyl. = T. laureri

THELOOMMA A. Massal.

brunneum (W. A. Weber) M. Prieto & Wedin Syn.: Cyphelium brunneum (Prieto & Wedin 2017)
californicum (Tuck.) Tibell Syns.: Cyphelium californicum, C. farlowii, C. andersonii
mammosum (Hepp) A. Massal. Syns.: Cypheliopsis bolanderi, Acolium bolanderi
santessonii Tibell
carolinianum (Tuck.) Tibell = Calicium carolinianum
occidentale (Herre) Tibell = Pseudothelomma occidentale
ocellatum (Körber) Tibell = Pseudothelomma ocellatum

THELOPSIS Nyl.

corticola (Coppins & P. James) Sanderson & Ertz (Tønsberg 2002, Ertz et al. 2021b) Syn.:
Opegrapha corticola
flaveola Arnold
inordinata Nyl.
isiaca Stizenb.
rubella Nyl.
melathelia Nyl. = Ramonia melathelia (Ertz et al. 2021b)
subporinella Nyl. = T. isiaca

THELOTREMA Ach.

adjectum Nyl.
californicum Tuck. Syn.: Phaeotrema californicum
circumscriptum C. Knight (fide T. Lumbsch, see appendix)
defectum Hale
dilatatum (Müll. Arg.) Hale
eximum R. C. Harris
floridense R. C. Harris

lacteum Kremp.
lathraeum Tuck. Syn.: *Ocellularia lathraea*
lepadinum (Ach.) Ach.
monospermum R. C. Harris Syns.: *Leptotrema lepadodes*, *L. monosporum* auct.
pachysporum Nyl. (Lücking et al. 2011b)
petractoides P. M. Jørg. & Brodo (Purvis et al. 1995)
porinoides Mont. & Bosch Syn.: *Ocellularia floridensis*
subtile Tuck. Syn.: *Ocellularia subtilis*
sueicum (H. Magn.) P. James (Esslinger & Egan 1995)
alborosellum (Nyl.) Tuck. = *Chapsa alborosella*
auberianum Mont. (Tuckerman 1882) = *Stegobolus auberianus*
bahianum Ach. var. obturascens Nyl. = *Ocellularia obturascens*
carneum Eckfeldt = *Mazosia ocellata*
clandestinum Fée = *Myriotrema clandestinum*, but a misidentification for N. America
domingense (Fée ex Nyl.) Tuck. = *Ocellularia domingensis*, but a misidentification for N. America
domingense var. rhodostroma (Mont.) Tuck. (Tuckerman 1882) = *Ocellularia rhodostroma*, but apparently a misidentification for N.A.
glaucescens Nyl. = *Leucodecton glaucescens*
granulosum Tuck. = *Rhabdodiscus granulosus*
halei (Tuck. & Mont.) Zahlbr. = *Fibrillithecis halei* (Lücking et al. 2016)
heterosporum C. Knight ex F. M. Bailey = *Reimnitzia santensis*
interpositum (Nyl.) Müll. Arg. = *Ocellularia interposita*, but a misidentification for North America
leiostomum Tuck. = *Redingeria leiostoma* (Tuck.) A. Frisch, but a misidentification for North America (Frisch & Kalb 2006)
leprocarpum (Nyl.) Tuck. = *Chapsa leprocarpa*
microporum Mont. (Tuckerman 1882) = *Myriotrema microporum*
monosporum auct. = *T. monospermum* for North American records
platycarpoides Tuck. (Harris 1995a) = *Chapsa platycarpoides*
platycarpum Tuck. = *Chapsa platycarpoides*
postpositum Nyl. = *Ocellularia postposita*
praestans Müll. Arg. = *Ocellularia praestans*
ravenelii Tuck. = *Sanguinotrema wightii*
sanfordianum Zahlbr. = *Ocellularia sanfordiana*
santense Tuck. = *Reimnitzia santensis*
texanum Willey ex Nyl. = *Trinathotrema stictideum*
wightii (Taylor) Nyl. = *Sanguinotrema wightii*

THERMUTIS Fr.

velutina (Ach.) Flotow

THOLURNA Norman

dissimilis (Norman) Norman

THROMBIUM Wallr.

aoristum (Nyl.) Arnold (Breuss 2002f)

discordans (Nyl.) Zahlbr.

epigaeum (Pers.) Wallr.

mongolicum H. Magn. = misidentification for North America (Morse & Ladd 2015)

THYREA A. Massal.

confusa Henssen (Henssen & Jørgensen 1990)

girardii (Durieu & Mont.) Bagl. & Carestia Syn.: *Omphalaria girardii*

demangeonii (Moug. & Mont.) Fink = *Phylliscum demangeonii*

nigritella Lettau = *Lichenella nigritella*

pulvinata auct. North American = *T. confusa*

pulvinata (Schaerer) A. Massal. = *Gonohymenia iodopulchra* (Croz.) Henssen, but not in North

America
pyrenoides (Nyl.) Fink = *Paulia pyrenoides*

TICHOTHECIUM Flotow = VERRUCARIA
**pygmaeum* Körber = *Muellerella pygmaea*
**zahlbrucknerella* Henssen = *Endococcus zahlbrucknerellae*

TINGIOPSIDIUM Werner (Hafellner & Spribile 2016)
elaeinum (Wahlenb. ex Ach.) Hafellner & T. Sprib. Syn.: *Vestergrenopsis elaeina*
isidiatum (Degel.) Hafellner & T. Sprib. Syns.: *Pannaria isidiata*, *Vestergrenopsis isidiata*
sonomense (Tuck.) Hafellner & T. Sprib. Syns.: *Koerberia sonomensis*, *Pannaria sonomensis*,
Vestergrenopsis sonomensis

TOENSBERGIA Bendiksby & Timdal (Bendiksby & Timdal 2013)
blastidiata T. Sprib. & Tønsberg (Spribile et al. 2020)
geminipara (Th. Fr.) T. Sprib. & Resl Syns: *Ochrolechia geminipara*, *Pertusaria geminipara*
(Spribile et al. 2020)
leucococca (R. Sant.) Bendiksby & Timdal Syn.: *Pycnora leucococca*

TOMASELLIA A. Massal.
americana (Minks ex Willey) R. C. Harris
[*Mycoporellum difforme* (Minks) Fink]
macularis (Minks ex willey) R. C. Harris (Harris 1995a) Syn.: *Cyrtidula macularis*
californica (Zahlbr.) R. C. Harris = *Mycoporum californicum*
eschweileri (Müll. Arg.) R. C. Harris = *Mycoporum eschweileri*
esenbeckiana (Fée) Müll. Arg. = *Melanotheca esenbeckiana*, but a misidentification for N.
America
lactea (Ach.) R. C. Harris = *Mycoporum lactaeum*
sparsella (Nyl.) R. C. Harris = *Mycoporum sparsellum*

TONINIA A. Massal.
alutacea (Anzi) Jatta
candida (Weber) Th. Fr. Syn.: *Lecidea candida*
cinereovirens (Schaerer) A. Massal.
**nashii* Timdal (Timdal 2002c, Knudsen & Kocourková 2018a.)
populorum (A. Massal.) Kistenich, Timdal, Bendiksby & S. Ekman Syns.: *Arthrosporum*
accline, *A. populorum*, *Bacidia acclinis*, *Bilimbia acclinis*, *Lecidea acclinis* (Kistenich et al. 2018)
squalescens (Nyl.) Th. Fr. (Coppins & Fryday 2006b) But misplaced here?
squalida (Ach.) A. Massal. Syns.: *Lecidea squalida*, *L. squalida* var. *caulescens*
**subdispersa* (Nyl. ex Hasse) K. Knudsen Syn.: *Lecania subdispersa* (Knudsen & Lendemer
2007)
subnitida (Hellbom) Hafellner & Türk (Hafellner & Türk 2001) Syns.: *Catillaria tristis*, *C.*
subnitida, *Kiliasia tristis*
**subtalparum* van den Boom (van den Boom 2004)
taurica (Szatala) Oxner (McCune et al. 2014b)
tecta C. A. Morse & Ladd (Ladd & Morse 2018)
weberi Timdal
arctica Timdal = *Thalloidima arcticum*
aromatica (Turner) A. Massal. = *Toniniopsis aromatic*
athallina (Hepp) Timdal = *Kiliasia athallina*
bullata (Meyen & Flotow) Zahlbr. = *Bibbya bullata*
caulescens Anzi = *T. squalida*
coeruleonigricans auct. = *Thalloidima sedifolia*
coeruleonigricans (Lightf.) Th. Fr. = *Pannaria praetermissa*, nom. rej. prop.
conglomerata (Ach.) Boistel = *Psorinia conglomerata*
cumulata (Sommerf.) Th. Fr. Excluded from Toninia; a misidentification for North America

kolax Poelt = *Toniniopsis verrucariooides*
 lobulata (Sommerf.) Lynge = *Bilimbia lobulata*
 lutosa (Ach.) Timdal = *Bibbya lutosa*
 massata (Tuck.) Herre = *Thalloidima massatum*
 opuntioides (Vill.) Timdal = *Thalloidima opuntioides*
 pennina (Schaerer) Gyelnik = *Kiliasia pennina*
 philippea (Mont.) Timdal = *Kiliasia philippea*
 physaroides (Opiz) Zahlbr. = *Thalloidima physaroides*
 ruginosa (Tuck.) Herre subsp. ruginosa = *Bibbya ruginosa*
 ruginosa subsp. pacifica Timdal = *Bibbya ruginosa* subsp. *pacifica*
 sculpturata (H. Magn.) Timdal = *Kiliasia sculpturata*
 sedifolia (Scop.) Timdal = *Thalloidima sedifolium*
 subdifferacta Timdal = *Thalloidima subdifferactum*
 superioris Timdal = *Kiliasia superioris*
 squarrosa (Ach.) Th. Fr. = *T. squalida*
 submexicana B. de Lesd. = *Thalloidima ioen*
 syncomista (Flörke) Th. Fr. (Tuckerman 1888) = *Bilimbia lobulata*
 tabacina auct. = *T. tristis*
 talparum Timdal = *T. subdispersa*
 tristis (Th. Fr.) Th. Fr. subsp. *tristis* = *Kiliasia tristis*
 tristis subsp. *arizonica* Timdal = *Kiliasia tristis*
 tristis subsp. *asiae-centralis* (H. Magn.) Timdal = *Kiliasia tristis*
 tristis subsp. *canadensis* Timdal = *Kiliasia tristis*
 tristis subsp. *scholanderi* (Lynge) Timdal = *Kiliasia tristis*
 **verrucariooides* (Nyl.) Timdal = *Toniniopsis verrucariooides*

TONINIOPSIS Frey (Kistenich et al. 2018)

aromatica (Sm.) Kistenich, Timdal, Bendiksby & S. Ekman Syn. : *Tonina aromatica*
subincompta (Nyl.) Kistenich, Timdal, Bendiksby & S. Ekman (Spribile et al. 2020)
***verrucariooides** (Nyl.) Kistenich, Timdal, Bendiksby & S. Ekman Syn. : *Toninia verrucariooides*

TOPELIA P. M. Jørg. & Vězda

aperiens P. M. Jørg. & Vězda
californica P. M. Jørg. & Vězda
gyalectodes (Nyl.) B. D. Ryan & H. T. Lumbsch Syn.: *Lecanora gyalectodes* (Ryan & Lumbsch 2007, Knudsen et al. 2008b)

TOPELIOPSIS Kantvilas & Vězda

toensbergii Vězda & Kantvilas (Kantvilas & Vězda 2000) = *Melanotelia toensbergii*

TORNABEA Østh.

scutellifera (With.) J. R. Laundon (Nimis & Tretiach 1997) North American report was based on specimens of *Seirophora californica* (Knudsen & Kocourková 2016)

TRAPELIA M. Choisy

coarctata (Turner) M. Choisy Syns.: *Biatora coarctata*, *Lecidea coarctata*
corticola Coppins & P. James
glebulosa (Sm.) J. R. Laundon Syns.: *Lecidea gregaria*, *L. ornata* (Laundon 2005)
obtegens (Th. Fr.) Hertel Syn.: *Lecidea obtegens*
placodiooides Coppins & P. James
stipitata Brodo & Lendemer (Brodo & Lendemer 2015)
brujeriana (Schaerer) M. Choisy = *Ainoa mooreana*, but a misidentification for North America
involuta (Taylor) Hertel = *T. glebulosa*
mooreana (Carroll) P. James = *Ainoa mooreana*, but a misidentification for North America (Brodo & Lendemer 2015)
torellii (Anzi) Hertel = *Ainoa mooreana*, but a misidentification for North America

TRAPELIOPSIS Hertel & Gotth. Schneider

- aeneofusca** (Flotow) Coppins & P. James (Aptroot 1996)
bisorediata McCune & Camacho (McCune et al. 2002)
flexuosa (Fr.) Coppins & P. James Syns.: Biatora granulosa var. flexuosa, Lecidea aeruginosa, L. flexuosa
gelatinosa (Flörke) Coppins & P. James Syns.: Lecidea gelatinosa, Micarea gelatinosa
glaucolepidea (Nyl.) Gotth. Schneider ([Spribile et al. 2020](#))
glaucopholis (Nyl. ex Hasse) Printzen & McCune Syns.: Lecidea glaucopholis, L. admiscens, L. granulosa var. phyllizans (Printzen & McCune 2004)
granulosa (Hoffm.) Lumbsch Syns.: Biatora decolorans, B. granulosa, Lecidea granulosa, L. quadricolor
pseudogranulosa Coppins & P. James
steppica McCune & Camacho (McCune et al. 2002)
viridescens (Schradler) Coppins & P. James Syns.: Biatora viridescens, Lecidea viridescens, Micarea viridescens
californica McCune & Camacho (McCune et al. 2002) = T. glaucopholis
wallrothii (Flörke ex Sprengel) Hertel & Gotth. Schneider North American reports are T. californica (McCune et al. 2002)

TREMATOSPHAERIOPSIS Elenkin

- ***parmeliana** (Jacz.) Elenkin (Hafellner 2001)

TREMELLA Pers.

- ***caloplaceae** (Zahlbr.) Diederich (Diederich 2003)
***candelariellae** Diederich & Etayo (Harris 2006a)
***cetrariicola** Diederich & Coppins (Diederich 1996)
***christiansenii** Diederich (Freebury 2014)
***cladoniae** Diederich & M. S. Christ. (Diederich 1996)
***coppinsii** Diederich & G. Marson (Seaward et al. 2017)
***dendrographae** Diederich & Tehler (Diederich 1996)
***diploschistina** Millanes, M. Westb., Wedin & Diederich (Millanes et al. 2012)
***dirinariae** Diederich, Millanes & Wedin (Ariyawansa et al. 2015)
***everniae** Diederich (Diederich 1996)
***graphidis** Diederich, Millanes, Wedin & Common (Ariyawansa et al. 2015)
***haematommatis** Diederich (Diederich 1996)
***harrisii** Diederich (Diederich 1996)
***hypogymniae** Diederich & M. S. Christ. (Diederich 1996)
***imshaugiae** Diederich, Coppins, R. C. Harris, Millanes & Wedin ([Diederich et al. 2020](#))
***lethariae** Diederich (Diederich 2003)
***lichenicola** Diederich (Diederich 1996)
***mayrhoferi** J. C. Zamora, Millanes, Etayo & Wedin (Zamora et al. 2018)
***nashii** Diederich (Diederich 2007a)
***nephromatis** Diederich (Diederich 1996)
***niebla** Diederich & van den Boom (Diederich 2007a)
***papuana** Diederich (Diederich 2003)
***parmeliarum** Diederich (Diederich 1996)
***pertusariae** Diederich (Diederich 1996)
***phaeographinae** Diederich & Aptroot (Diederich 1996)
***phaeophysciae** Diederich & M. S. Christ. (Diederich 2003)
***pyrenulae** Diederich, Millanes, Wedin & Common (Ariyawansa et al. 2015)
***ramalinae** Diederich (Diederich 2003)
***tuckerae** Diederich (Diederich 2007a)
***wedinii** Diederich, Common & Millanes ([Diederich et al. 2019](#))
*leptogii Diederich (Diederich 2003) According to Diederich (2004b), in N.A. known only from Mexico.

TREMOLECIA M. Choisy

atrata (Ach.) Hertel Syns.: *Lecidea atrata*, *L. dicksonii* auct.
jurana (Schaerer) Hertel = *Farnoldia jurana*
micropsis (A. Massal.) Hertel = *Farnoldia micropsis*
nivalis (Anzi) Hertel = *Farnoldia micropsis*

TRICHARIA Fée

cretacea Vězda
cuneata L. I. Ferraro & Vězda (Lücking et al. 2007)
duotela W. B. Sanders & Lücking (Sanders & Lücking 2015)
floridensis Lücking & W. R. Buck (Lücking et al. 2007)
santessonii D. Hawksw.
subumbrosa Lücking & W. R. Buck (Lücking et al. 2007)
tuckerae Lücking & W. R. Buck (Lücking et al. 2007)
vainioi R. Sant. (Lücking et al. 2007)
melanothrix Fée = *T. santessonii* and *T. vezdae* for North American records
vezdae W. R. Buck = *Gyalideopsis buckii*

TRICHONECTRIA Kirschst.

***anisospora** (Lowen) van den Boom & Diederich Syns.: *Nectriella anisospora*, *Pronectria anisospora* (Diederich et al. 2018)
***rubefaciens** (Ellis & Everh.) Diederich & Schroers (Sérusiaux et al. 1999) Syns.: *Nectria rubefaciens*, *Nectriopsis rubefaciens* (Diederich et al. 2018)

TRICHORAMALINA Rundel & Bowler

crinita (Tuck.) Rundel & Bowler Syn.: *Ramalina crinita*

TRICHOSPHAERELLA E. Bommer, M. Rousseau & Sacc.

***buckii** R. C. Harris & Lendemer (Lendemer et al. 2016c)

TRICHOSPHAERIA Fuckel

***lichenum** P. Karsten & Har. (Zhurbenko 2009b)

TRICHOTHELIUM Müll. Arg. (Harris 2005)

americanum Lendemer (Lendemer 2016b)
epiphyllum Müll. Arg.
aeneum (Wallr.) R. C. Harris = *Pseudosagedia aenea*
angustisporum Cáceres & Lücking (Lücking & Cáceres 2001) North American reports are *T. americanum* (Lendemer 2016b)
cestrense (E. Michener) R. C. Harris = *Pseudosagedia cestrensis*
chloroticum (Ach.) R. C. Harris = *Pseudosagedia chlorotica*
crocynioides R. C. Harris = *Pseudosagedia crocynioides*
guentheri (Flotow) R. C. Harris = *Pseudosagedia guentheri*
horridulum (Müll. Arg.) R. Sant. North American reports are *T. americanum* (Lendemer 2016b)
isidiatum R. C. Harris = *Pseudosagedia isidiata*
lineare (Leighton) R. C. Harris = *Porina linearis*
nitidulum (Müll. Arg.) R. C. Harris = *Pseudosagedia nitidula*
rhaphidospermum (Müll. Arg.) R. C. Harris = *Pseudosagedia rhaphidosperma*
thaxteri (R. Sant.) R. C. Harris = *Pseudosagedia thaxteri*

TRIMMATOSTROMA Corda

***commonii** Diederich, Zhurb. & van den Boom (Diederich et al. 2020)

***dendrographae** Diederich, Ertz, U. Braun & Heuchert (Kocourková et al. 2012)

TRIMMATOTHELE Norman ex Zahlbr.

perquisita (Norman) Norman ex Zahlbr. (Fryday 2017)

umbellulariae Herre = Anisomeridium biforme (Lendemer & Knudsen 2007)

TRIMMATOTHELOPSIS Zschacke (Knudsen & Lendemer 2016)

americana (K. Knudsen & Lendemer) K. Knudsen & Lendemer Syns.: Melanophloea americana, Thelenella americana (Knudsen & Lendemer 2016)

dispersa (H. Magn.) K. Knudsen & Lendemer Syn.: Acarospora dispersa (Knudsen & Lendemer 2016)

oreophila (K. Knudsen) K. Knudsen, Kocourk., Hodková & Wang Syn.: Acarospora oreophila (Knudsen et al. 2021c)

sphaerosperma (K. Knudsen & R. C. Harris) K. Knudsen & Kocourk. Syn.: Acarospora sphaerosperma (Knudsen et al. 2021c)

terricola (H. Magn.) K. Knudsen & Lendemer Syn.: Acarospora terricola (Knudsen & Lendemer 2016)

TRINATHOTREMA Lücking, Rivas Plata & Mangold

stictideum (Nyl.) Lücking, R. Miranda & Kalb Syns.: Conotrema albonigrum, Ocellularia stictidea, Thelotrema texanum (Lücking et al. 2011)

TRYPETHELIUM Sprengel

eluteriae Sprengel

subeluteriae Makhija & Patwardhan (Harris 1995a)

aeneum (Eschw.) Zahlbr. = Astrothelium aeneum

annulare (Fée) Mont. = Astrothelium floridanum for North American records

carolinianum Tuck. = Bathelium carolinianum

catervarium (Fée) Tuck. = Astrothelium variolosum

cruentum Mont. = Pyrenula cruenta

exocanthum Tuck. = Viridothelium virens

favulosum Ach. (Fink 1935) Questionable for North America (Esslinger & Tucker 2009)

floridanum (Zahlbr. ex M. Choisy) R. C. Harris = Astrothelium floridanum

marcidum (Fée) Aptroot (Lücking et al. 2011b) = Astrothelium marcidum

mastoideum (Ach.) Ach. = misidentification for North America (Harris 1995a)

nitidiusculum (Nyl.) R. C. Harris = Astrothelium nitidiusculum

ochroleucum (Eschw.) Nyl. = Astrothelium phlyctaena

pallescens Fée = Astrothelium phlyctaena

porosum (Eschw.) Ach. (Fink 1935) = Astrothelium porosum

scoria Fée (Mohr 1901) = Astrothelium scoria

scorites Tuck. = Viridothelium virens

tropicum (Ach.) Müll. Arg. = Nigrovothelium tropicum

variatum Nyl. (Fink 1935) = Astrothelium variatum (Nyl.) Aptroot & Lücking, but questionable for North America (Esslinger & Tucker 2009)

variolosum Ach. (Harris 1995a) = Astrothelium variolosum

virens Tuck. ex E. Michener = Viridothelium virens

TUCKERMANELLA Essl

arizonica Essl. (Esslinger 2003)

coralligera (W. A. Weber) Essl. Syns.: Cetraria coralligera, Tuckermannopsis coralligera (Esslinger 2003)

fendleri (Nyl.) Essl. Syns.: Cetraria fendleri, Tuckermannopsis fendleri (Esslinger 2003)

weberi (Essl.) Essl. Syn.: Cetraria weberi (Esslinger 2003)

pseudoweberi Essl. Erroneously listed here; reported only from Mexico (Esslinger 2003)

TUCKERMANNOPSIS Gyelnik

americana (Sprengel) Hale Syns.: Cetraria halei, C. ciliaris var. halei

chlorophylla (Willd.) Hale Syns.: Cetraria chlorophylla, C. scutata auct. non (Wulfen) Poetsch

ciliaris (Ach.) Gyelnik Syn.: Cetraria ciliaris
orbata (Nyl.) M. J. Lai Syn.: Cetraria orbata
platyphylla (Tuck.) Hale Syn.: Cetraria platyphylla Placement uncertain (Thell et al. 2009)
sepincola (Ehrh.) Hale Syn.: Cetraria sepincola, C. scutata (Wulfen) Poetsch non auct. Placement uncertain (Thell et al. 2009)
subalpina (Imshaug) Kärnefelt Syns: Cetraria subalpina, C. arborialis Placement uncertain (Thell et al. 2009)
aurescens (Tuck.) Hale = Ahtiana aurescens
"californica" = Kaernefelia californica
canadensis (Räsänen) Hale = Vulpicida canadensis
coralligera (W. A. Weber) W. A. Weber = Tuckermanella coralligera
fendleri (Nyl.) Hale = Tuckermanella fendleri
halei (W. L. Culb. & C. F. Culb.) M. J. Lai = T. americana
inermis (Nyl.) Kärnefelt = Masonhalea inermis
juniperina (L.) Hale = Old North American records are Vulpicida canadensis or V. viridis
juniperina (L.) Hale = Vulpicida juniperina
merrillii (Du Rietz) Hale = Kaernefelia merrillii
oakesiana (Tuck.) Hale = Usnocetraria oakesiana
pallidula (Tuck. ex Riddle) Hale = Ahtiana pallidula
pinastri (Scop.) Hale = Vulpicida pinastri
viridis (Schwein.) Hale = Vulpicida viridis
 [Cetraria weberi Essl.] = Tuckermanella weberi

TURGIDOSCULUM Kohlm. & E. Kohlm.
complicatulum (Nyl.) Kohlm. & E. Kohlm. = Mastodia tessellata

TYLOPHORON Nyl. ex Stizenb.
hibernicum (D. Hawksw., Coppins & P. James) Ertz, Diederich, Bungartz & Tibell (Lendemer et al. 2013)
moderatum Nyl.
americanum Lendemer, E. Tripp & R. C. Harris (Lendemer et al. 2013) = Sporodophoron
americanum (Frisch et al. 2015)
protrudens Nyl. North American reports were misidentifications of *T. hibernicum* (Lendemer et al. 2013)

TYLOTHALLIA P. James & H. Kilius
biformigera (Leighton) P. James & H. Kilius Syns.: Catillaria biformigera, C. bahusiensis

UMBILICARIA Hoffm.
americana Poelt & T. H. Nash
angulata Tuck. Syn.: Gyrophora angulata
aprina Nyl.
arctica (Ach.) Nyl. Syn.: Gyrophora arctica
cinereorufescens (Schaerer) Frey
crustulosa (Ach.) Frey Syn.: Omphalodiscus crustulosus
cylindrica (L.) Delise ex Duby Syn.: Gyrophora cylindrica
decussata (Vill.) Zahlbr. Syns.: Omphalodiscus decussatus, Gyrophora decussata
deusta (L.) Baumg. Syns.: Gyrophora deusta, G. flocculosa
dura McCune (McCune 2018)
havaasii Llano
hirsuta (Sw. ex Westr.) Ach.
hyperborea (Ach.) Hoffm. var. **hyperborea** Syn.: Gyrophora hyperborea
hyperborea var. **radicicula** (J. E. Zetterst.) Hasselrot
lambii Imshaug
leiocarpa DC. Syn.: Agyrophora leiocarpa
lyngei Schol. Syn.: Agyrophora lyngei

mammulata (Ach.) Tuck. Syn.: Gyrophora dillenii
muhlenbergii (Ach.) Tuck. Syns.: Actinogyra muhlenbergii, Gyrophora muhlenbergii
multistrata McCune (McCune 2018)
nodospora McCune, Di Meglio & M. J. Curtis (McCune et al. 2014a)
nylanderiana (Zahlbr.) H. Magn.
phaea Tuck. Syn.: Gyrophora phaea
polaris (Schol.) Zahlbr. Syn.: Omphalodiscus krascheninnikovii auct.
polyphylla (L.) Baumg. Syn.: Gyrophora polyphylla
polyrhiza (L.) Fr. Syns.: Actinogyra polyrhiza, Gyrophora polyrhiza
proboscidea (L.) Schrader Syn.: Gyrophora proboscidea
rigida (Du Rietz) Frey Syns.: U. coriacea, Agyrophora rigida, Gyrophora anthracina
scholanderi (Llano) Krog Syn.: Agyrophora scholanderi
semitensis Tuck. (Fink 1935; McCune & Curtis 2012)
subglabra (Nyl.) Harm. (Nash et al. 1998)
torrefacta (Lightf.) Schrader Syn.: Gyrophora erosa, G. torrefacta
vellea (L.) Ach. Syn.: Gyrophora vellea
virginis Schaeerer Syns.: Omphalodiscus virginis, Gyrophora rugifera
 (Schaeerer) Schaeerer (Tuckerman 1882) = U. polyphylla
 Tuck. var. semitensis (Tuck.) Tuck. (Tuckerman 1882) = U. semitensis
 (Wulfen) Hoffm. (Tuckerman 1882) = U. polyphylla
 var. reticulata (Schaeerer) Tuck. (Tuckerman 1882) = U. decussata
 var. diomedensis G. Merr. ex Llano = U. arctica
 Fr. (Tuckerman 1882) Identity uncertain
 Tuck. = Lasallia caroliniana
 Imshaug = U. rigida
 Tuck. = U. mammulata
 (Weber) Ach. (Tuckerman 1882) = U. torrefacta
 (Wulfen) Hoffm. (Tuckerman 1882) = U. deusta
 Hoffm. = misidentification for North America (Esslinger & Tucker 2009)
 (Sw. ex Westr.) Ach. var. grisea Tuck. (Tuckerman 1882) = U. grisea, a misidentification for North America
 Frey = U. hyperborea
 (Savicz) Zahlbr. North American reports are U. polaris (Davydov et al. 2011)
 (Ach.) Tuck. var. Tuck. (Tuckerman 1882) = U. muhlenbergii
 (Ach.) DC. (Tuckerman 1882) = U. grisea, a misidentification for North America
 (Ach.) Nyl. = Lasallia papulosa
 Hoffm. = Lasallia pensylvanica
 (L.) Schrader var. (Ach.) Fr. (Tuckerman 1882) = U. arctica
 (L.) Hoffm. = Lasallia pustulata
 var. (Ach.) Tuck. = Lasallia papulosa
 Nyl. (Tuckerman 1882) = U. virginis
 (Nyl.) Nyl. (Tuckerman 1882) = U. vellea

UNGUICULARIOPSIS Rehm

***lettaui** (Grummann) Coppins (Diederich 2003)
 ***refractiva** (Coppins) Coppins (Zhurbenko 2009a)
 ***thallophilia** (P. Karsten) W. Y. Zhuang (Diederich 2003)
 ***fasciculata** Etayo (Etayo & Triebel 2010) = **Protounguicularia fasciculata** (Diederich et al. 2018)
 ***nephromatis** Zhurb. & Zavarzin (Zhurbenko 2007b) = **Protounguicularia nephromatis**

URCEOLARIA Hooker = ASPICILIA

actinostoma Ach. = Diploschistes actinostomus
 albissima (Ach.) Fink = Diploschistes diacapsis
 scruposa (Schreber) Ach. = Diploschistes scruposus

USNEA Dill. ex Adanson

- aculeata** Motyka (apparent nomen nudum, identity uncertain)
affinis Motyka (apparent nomen nudum, identity uncertain)
alpina Motyka
amabilis Motyka
amblyoclada (Müll. Arg.) Zahlbr. (Clerc & Herrera-Campos 1997)
angulata Ach.
australis Fr.
baileyi (Stirton) Zahlbr.
brasiliensis (Zahlbr.) Motyka (Pérez-Vargas et al. 2010)
brattiae P. Clerc (Clerc 2007)
californica Herre
capillaris Motyka
catenulata Motyka (Identification uncertain)
cavernosa Tuck.
ceratina Ach.
chaetophora Stirton (Halonen et al. 1998)
cirrosa Motyka
condensata Motyka
cornuta Körber subsp. **cornuta**
cristatula Motyka (Knudsen & Lendemer 2006)
cylindrica P. Clerc (Dillman et al. 2012)
dasaea Stirton (Clerc & Herrera-Campos 1997)
dasopoga (Ach.) Nyl. (Arcadia 2013)
deformis Motyka
dimorpha (Müll. Arg.) Motyka
diplotypus Vainio (Halonen et al. 1998)
endochrysea Stirton
entoviolata Motyka (Clerc 2004, Lendemer & Tripp 2008)
erinacea Vainio (Tavares & Sanders 1998; Clerc 2011)
esperantiana Clerc (Halonen et al. 1998)
evansii Motyka
fibrillosa Motyka
flammea Stirton (Clerc & May 2007)
flavocardia Räsänen (Clerc 2004)
florida (L.) Weber ex F. H. Wigg. (questionable for North America, Tavares & Sanders 1998)
fragilescens Hav. ex Lynge
fragilescens var. **mollis** (Vainio) Clerc
freyi Motyka
fulvoreagens (Räsänen) Räsänen
furfurosula (Zahlbr.) Motyka
glabrata (Ach.) Vainio
glabrescens (Nyl. ex Vainio) Vainio
graciosa Motyka (Identification uncertain)
halei P. Clerc (Clerc & Herrera-Campos 1997)
hirta (L.) Weber ex F. H. Wigg.
intermedia (A. Massal.) Jatta (Clerc 2007)
lambii (Imshaug) Wirtz & Lumbsch Syn.: *Neuropogon lambii* (Wirtz et al. 2008; Lumbsch & Wirtz 2011)
leucosticta Vainio
macaronesica P. Clerc (Clerc 2011)
meridionalis Zahlbr. Syn.: *U. michauxii* (Gerlach et al. 2017)
merrillii Motyka
mexicana Vainio (Truong et al. 2013)
mirabilis Motyka
monstruosa Vainio

mutabilis Stirton
myrmaiacaina P. Clerc (Clerc 2007)
nidulans Motyka (Halonen et al. 1998)
occidentalis Motyka
pacificana P. Halonen (Halonen 2000)
parafloridana K. Mark, Will-Wolf & Randlane (Mark et al. 2016)
parvula Motyka (Clerc 2007)
perhispidella J. Steiner (Clerc 2016)
perplexans Stirton (Clerc 2016)
poliotrix Kremp. (Clerc 2016)
praetervisa (Asahina) P. Clerc (Clerc 2004)
quasirigida Lendemer & Tavares (Lendemer & Tavares 2003)
ramillosa Motyka
roseola Vainio
rubicunda Stirton
scabrata Nyl.
scholanderi Llano
silesiaca Motyka (Tavares 1997; Gams 2004)
silvatica Motyka
sphacelata R. Br. Syns.: *Neuropogon sphacelatus*, *N. sulphureus* from N.A.
strigosa (Ach.) Eaton subsp. **strigosa**
strigosa subsp. **major** (Michaux) I. Tav.
strigosa subsp. **rubiginea** (Michaux) I. Tav. Syn.: *U. rubiginea*
subcornuta Stirton (Brodo et al. 2001)
subdasaea Truong & P. Clerc (Clerc 2016)
subfloridana Stirton
subfuscata Stirton
subgracilis Vainio (Tavares 1997; Clerc 2004; Truong et al. 2013)
subrubicunda P. Clerc (Clerc 2011)
subscabrosa Nyl. ex Motyka
transitoria Motyka (Truong et al. 2013)
trichodea Ach.
tristis Motyka
vainioi Motyka
variegata Stirton
wasmuthii Räsänen
xanthopoga Nyl.
ammannii P. Clerc & Herrera-Campos In North America, only known in Mexico (Clerc & Herrera-Campos 1997)
antillarum (Vainio) Zahlbr. = *U. baileyi*
arizonica Motyka = *U. intermedia* (Clerc 2007)
articulata (L.) Hoffm. = misidentification for North America
barbata (L.) F. H. Wigg. = misidentification for North America?
barbata var. *xanthopoga* Müll. Arg. = *U. xanthopoga*
betulina Motyka = (?) *U. glabrescens*
cornuta subsp. *brasiliensis* (Zahlbr.) P. Clerc (Clerc 2007) = *U. brasiliensis*
caucasica Vainio = (?) *U. dasopoga*
ciliifera Motyka (apparent nomen nudum) = *U. cirrosa* (fide J. Lendemer)
comosa auct. = *U. subfloridana*
compacta (Räsänen) Motyka = *U. glabrescens*
confusa Asahina = *U. cornuta*
diffracta Vainio (Lendemer et al. 2008c) = *Dolichousnea diffracta* (Articus 2004)
diplotypus Vainio = saxicolous specimens were misidentification for North America (Clerc & Herrera-Campos 1997)
distincta Motyka = *U. glabrescens*
duriuscula Motyka = *U. mexicana* (Truong et al. 2013) However, the two names represent

different chemotypes
 esthonica Räsänen = *U. dasopoga*
 filipendula Stirton = *U. dasopoga* (Arcadia 2013)
 finkii Zahlbr. = *U. transitoria* (Truong et al. 2013)
 flagellata Motyka = *U. dasopoga*
 globularis Motyka = *U. amblyoclada*
 herrei Hale = nom. nud.
 hesperina Motyka = *U. subgracilis*
 implicita (Stirton) Zahlbr. = *U. baileyi*
 inflata Delise ex Duby nom. nudum = *U. cornuta*
 kujalae Räsänen = *U. glabrata*
 lapponica Vainio = *U. perplexans* (Clerc 2016)
 laricina Vainio ex Räsänen = (?) *U. lapponica*
 longissima Ach. = *Dolichousnea longissima* (Articus 2004)
 madeirensis Motyka = *U. silesiaca*
 michauxii I. Tav. = *U. meridionalis* (Gerlach et al. 2017)
 mollis Stirton = *U. fragilescens* var. *mollis*
 montana Motyka = misidentification for North America
 nashii P. Clerc & Herrera-Campos In North America, only known in Mexico (Clerc & Herrera-Campos 1997)
 pachyclada Motyka = *U. ceratina* (Clerc 2007)
 pensylvanica Motyka = *U. rubicunda* (Clerc 2007)
 perplexata Motyka = *U. baileyi* (Clerc 2007)
 perplexans Stirton (Clerc 1987) = an Asian taxon, not present in North America
 plicata (L.) Weber ex F. H. Wigg. = misidentification for North America
 prostrata Vainio ex Räsänen = *U. barbata*, misidentification for North America?
 retifera Motyka = *U. intermedia* (Clerc 2007)
 rigida (Ach.) Motyka (Halonen et al. 1998) = *U. quasirigida*
 rubiginea (Michaux) A. Massal. = *U. strigosa* subsp. *rubiginea*
 rugulosa Vainio = *U. scabrata*
 scabiosa Motyka = *U. scabrata* (Clerc 2007)
 scabrata subsp. *nylanderiana* Motyka = chemotype of *U. scabrata*
 schadenbergiana Göpp. & Stein (Clerc 2007) N.A. reports are *U. subgracilis* (Truong et al. 2013)
 shimadai Asahina In North America, only known in Mexico (Clerc 2004)
 similis Motyka ex Räsänen = *U. subfloridana*
 sorediifera (Arnold) Lyngé = *U. glabrata*
 sorediifera sensu Motyka = *U. substerilis* (Clerc 2007)
 spinulifera (Vainio) Motyka = *U. dasaea* (Clerc 2007)
 stuprea (Räsänen) Motyka = *U. substerilis* (Clerc 2007)
 subcavata Motyka = *U. perplexata*
 subhirta (Vainio) Motyka = *U. cornuta* subsp. *cornuta* (Clerc 2007)
 sublaxa Vainio = *U. dasopoga*
 substerilis Motyka = *U. lapponica* (Mark et al. 2016)
 sulphurea Th. Fr. (Tuckerman 1882) Reports from Arctic America = *Usnea sphacelata*
 variolosa Motyka = *U. hirta* (Clerc 1997)
 wirthii Clerc = *U. flavocardia*

USNOCETRARIA M. J. Lai & C. J. Wei

oakesiana (Tuck.) M. J. Lai & C. J. Wei Syns.: *Allocetraria oakesiana*, *Cetraria oakesiana*, *Tuckermannopsis oakesiana* (Thell et al. 2009)

VAHLIELLA P. M. Jørg. (Jørgensen 2008)

californica (Tuck.) P. M. Jørg. (Jørgensen 2008) Syns. *Fuscopannaria californica*, *Pannaria microphylla* var. *californica*
globigera (Fryday & P. M. Jørg.) P. M. Jørg. (Jørgensen 2008) Syn.: *Fuscopannaria globigera*
hookerioides (P. M. Jørg.) P. M. Jørg. (Jørgensen 2008) Syn.: *Fuscopannaria hookerioides*

labrata (P. M. Jørg.) P. M. Jørg. (Jørgensen 2008) Syn.: Fuscopannaria labrata
leucophaea (Vahl) P. M. Jørg. (Jørgensen 2008) Syns.: Fuscopannaria leucophaea, Pannaria leucophaea, Parmeliella microphylla
saubinetii (Mont.) P. M. Jørg. (Jørgensen 2008) Syns.: Fuscopannaria saubinetii, Parmeliella saubinetii

VAINIONORA Kalb
americana Kalb, Tønsberg & Elix (Kalb 2004b)

VARICELLARIA Nyl.
lactea (L.) Schmitt & Lumbsch (McMullin et al. 2017, Tønsberg 2018)
rhodocarpa (Körber) Th. Fr. Syn.: Pertusaria rhodocarpa
velata (Turner) Schmitt & Lumbsch (Schmitt et al. 2012) Syn.: Pertusaria velata
kemensis Räsänen = V. rhodocarpa

VARIOLARIA Pers. (Lendemer et al. 2013, Lendemer & Harris 2017)
amara Ach. = Lepra amara
multipunctoides (Dibben) Lendemer, Hodkinson & R. C. Harris = Lepra multipunctoides
ophthalmiza (Nyl.) Darb. = Lepra ophthalmiza
pustulata (Brodo & W. L. Culb.) Lendemer, Hodkinson & R. C. Harris = Lepra pustulata
trachythallina (Erichsen) Lendemer, Hodkinson & R. C. Harris = Lepra trachythallina
waghornei (Hulting) Darb. = Lepra waghornei

VARIOSPORA Arup, Söchting & Frödén (Arup et al. 2013)
aurantia (Pers.) Arup, Söchting & Frödén Syns.: Caloplaca aurantia, C. callopisma
#velana (A. Massal.) Arup, Söchting & Frödén Syn.: Caloplaca velana

VERMILACINIA Spjut & Hale (Spjut 1996) = NIEBLA (Bowler & Marsh 2004)
acicularis Spjut (Spjut 1996) = Niebla ceruchoides
cephalota (Tuck.) Spjut & Hale (Spjut 1996) = Niebla cephalota
cerebra Spjut (Spjut 1996) = Niebla ceruchis
ceruchoides (Rundel & Bowler) Spjut (Spjut 1996) = Niebla ceruchoides
combeoides (Nyl.) Spjut & Hale (Spjut 1996) = Niebla combeoides
corrugata Spjut (Spjut 1996) = Niebla ceruchis
howei Spjut (Spjut 1996) = Niebla ceruchis
laevigata (Rundel & Bowler) Spjut (Spjut 1996) = Niebla laevigata
leopardina Spjut (Spjut 1996) = Niebla ceruchis
nylanderi Spjut (Spjut 1996) = Niebla ceruchis
paleoderma Spjut (Spjut 1996) = Niebla laevigata
polymorpha (Bowler, Marsh, T. H. Nash & Riefner) Spjut (Spjut 1996) = Niebla polymorpha
procera (Bowler & Rundel) Spjut (Spjut 1996) = Niebla procera
pumila Spjut (Spjut 1996) = Niebla ceruchoides
reptiloderma Spjut (Spjut 1996) = Niebla cedrosensis
robusta (Howe) Spjut & Hale (Spjut 1996) = Niebla robusta
tigrina (Follmann) Spjut & Hale (Spjut 1996) = misidentification for North America
tuberculata (Riefner, Bowler, J. E. Marsh & T. H. Nash) Spjut (Spjut 1996) = Niebla tuberculata
zebrina Spjut (Spjut 1996) = Niebla ceruchis

VERRUCARIA Schrader
acrotella Ach.
adelminienii Zschacke (Breuss 2007b)
aethiobola Wahlenb.
alutacea Wallr. (Breuss 2007b)
americana (B. de Lesd.) Breuss Syn.: Endopyrenium americanum (Breuss 2007b)
amylacea Hepp
anziana Garov. (Spribile et al. 2020)

- applanata** Hepp
aquatalis Mudd (Spribile et al. 2020)
arctica Lynge
aspecta Breuss (Breuss 2007b)
asperula Servít (Breuss 2007b)
beltraminiiana (A. Massal.) Trevisan (Breuss 2007b)
bernaicensis Malbr. (Breuss 2007b)
#bernardinensis Breuss (Breuss 2007b)
boccana Servít (Knudsen & Kocourková 2012b)
breussii Diederich & van den Boom (McCune et al. 2014b)
bryoctona (Th. Fr.) A. Orange (Breuss 2002b)
caerulea DC.
calkinsiana Servít
carbonusta Breuss (Hutten et al. 2013)
cataleptoides (Nyl.) Nyl.
#cetera Breuss (Breuss 1998)
ceuthocarpa Wahlenb.
confluens A. Massal. (Breuss 2007b, McCune et al. 2014b)
dacryodes Nyl.
degelii R. Sant.
denudata Zschacke (McMullin et al. 2017)
deversa Vainio
ditmarsica Erichsen
divergens Nyl.
dolomitica (A. Massal.) Kremp. (McCune et al. 2014b)
dolosa Hepp
elaeina Borrer (Breuss 2007b, Knudsen 2007c)
elaeomelaena (A. Massal.) Arnold
endocarpoides Servít (Breuss 2007b)
epimaura Brodo (Brodo & Santesson 1997)
erichsenii Zschacke
#falcata Breuss (Breuss 2007b)
fayettensis Servít
finkiana Servít
fischeri Müll. Arg. (McCune et al. 2014b)
floerkeana Dalla Torre & Sarnth (Breuss 2007b)
fraudulosa Nyl. (Breuss 2007b)
funckii (Sprengel) Zahlbr.
furfuracea (B. de Lesd.) Breuss (Breuss 2007b, Knudsen 2007c)
fusca Pers. (Tucker et al. 2006)
fuscoatroides Servít (Knudsen & La Doux 2006)
fusconigrescens Nyl.
glaucovirens Grummann
halizoa Leighton
hochstetteri Fr. (McCune et al. 2014b)
hydrela Ach.
illinoiensis Servít
incrassata Breuss (Breuss 2007b)
#inficiens Breuss Syns.: Catapyrenium plumbeum, Dermatocarpon plumbeum, Endopyrenium plumbeum (Breuss 1998)
inornata Servit (Breuss 2007b)
integra (Nyl.) Nyl.
internigrescens (Nyl.) Erichsen
iovensis Servít
kondaensis Vainio (McCune et al. 2014b)
kootenaica Breuss & T. Sprib. (Breuss & Spribile 2001)

latebrosa Körber (Spribile et al. 2010)
lobata J. W. Thomson
macrostoma Dufour ex DC.
maculicarpa Breuss (Breuss 2007b)
margacea (Wahlenb.) Wahlenb.
memnonia (Flotow) Arnold (Tucker et al. 2006, Breuss 2007b)
mimicrans Servít (Breuss 2007b, Knudsen 2007c)
minor Breuss (Breuss 2007b) *Syn.: Verruculopsis minutum* (Krzewicka 2012)
muralis Ach.
murorum (Arnold) Lindau (Breuss 2007b)
nigrescens Pers.
nigrescentoidea Fink
nigrofusca Servít (Breuss 2007b)
novomexicana B. de Lesd.
obductilis (Nyl.) Zschacke (Nash et al. 1998)
obnigrescens Nyl.
obsoleta Lyngé
olivascens Servít (Breuss 2021)
onegensis Vainio (Breuss 2007b)
ossiseda Lyngé
othmarii K. Knudsen & Arcadia (Knudsen & Kocourková 2012a)
phaeothelena Th. Fr.
phloeophila Breuss (Breuss 2002b)
pinguicula A. Massal.
poeltii (Servít) Breuss (McCune et al. 2014b)
praetermissa (Trevisan) Anzi
prominula Nyl.
prosoplectenchymatica Servít (Breuss 2007b)
pseudonigrescens Servít
putnae Servít (McCune et al. 2014b)
quercina Breuss (Breuss 2007b)
riddleana R. C. Harris (Harris 1995a)
ruderella Nyl.
rufofuscella Servít (Breuss 2007b, Knudsen 2007c)
rupestris Schrader
sandstedei B. de Lesd.
schindleri Servít (Breuss 2007b)
schofieldii Brodo (Brodo & Santesson 1997)
silicicola Fink
sorbicola Servít
sordida Fink
sphaerospora Anzi (Goward et al. 1996)
sphinctrina Ach.
subdivisa Breuss (Breuss 2007b)
subglaucina B. de Lesd.
submersella Servít
submuralis Nyl.
subvirens Servít (McCune et al. 2014b)
tectorum (A. Massal.) Körber
thujae Lendemer & Breuss (Lendemer & Breuss 2009)
trabicola Arnold ex Servít (Nash et al. 1998, Breuss 2007b)
turgida Servít (Breuss 2007b, Knudsen 2007c)
umbrinula Nyl.
viridigrana Breuss (Breuss 2002b)
viridula (Schrader) Ach.
xyloxena Norman (Breuss 2002b)

amphibia Clemente = *Hydropunctaria amphibia* (Orange 2012)
 aquilella Nyl. = *V. aethiobola*
 bacillosa Nyl. = *Sarcopyrenia bacillosa*
 baldensis A. Massal. (Halda 2003) = *Bagliettoa baldensis* (Breuss 2007b)
 calciseda DC. = *Bagliettoa calciseda*
 canella Nyl. = *Placopyrenium canellum*
 cestrensis Tuck. ex E. Michener = *Pseudosagedia cestrensis*
 circumspersella Nyl. = *Thelidium circumspersellum*, but apparent misidentification for North America (Nash 2002)
 #compacta (A. Massal.) Jatta (Knudsen & La Doux 2005) = *Heteroplacidium compactum*
consequella Nyl. (Nylander 1891) = *Arthopyrenia consequella* (Identity uncertain)
 devergescens Nyl. = *V. margacea*
 diffractella Nyl. = *Willeya diffractella*
 disjuncta Arnold = *Parabagliettoa disjuncta*
 exalbida Nyl. = *Polyblastia exalbida*
 fulva Cumm. Identity uncertain, illegitimate homonym of *V. fulva* Hoffm. (Dillman et al. 2012)
 fuscella (Turner) Winch = *Placopyrenium fuscellum*
 fuscella var. glaucina (Ach.) Schaefer = *V. caerulea*
 glaucina Ach. = *V. caerulea*
 hymnothora Ach. = *Granulopyrenis hymnothora*
 iowensis Servít = *V. fayettensis*
 intercedens Nyl. = *Polyblastia cupularis*
 kernstockii Zschacke = *Hydropunctaria rheitrophila*
 laevata Ach. = *V. aethiobola*
 lecideoides (A. Massal.) Treisan = *Placopyrenium lecideoides*
 marmorea (Scop.) Arnold = *Bagliettoa marmorea* (Yuzon et al. 2014)
 maura Wahlenb. = *Hydropunctaria maura*
 melas Herre = *Wahlenbergiella striatula* (Knudsen 2012)
 microbola Tuck. = *Thelidium fontigenum*
 microspora auct. = *V. halizoa*
 microspora Nyl. = *V. striatula*
 mucosa Wahlenb. = *Wahlenbergiella mucosa*
 mutabilis Borrer ex Leighton = nom. illegit.
 obtenta Nyl. = *Sporodictyon terrestre* (Dillman et al. 2012)
 papillosa Ach. (Breuss 2007b, Knudsen et al. 2008b) = *V. viridula* (Orange 2004)
 papillosa Flörke non Ach. = *V. floerkeana* (Breuss 2007b)
 pernigrata Nyl. = *Protothelenella sphinctrinoides* (Dillman et al. 2012)
 perpusilla Russell (Fink 1935) = *Thelidium perpusillum* (A. W. Russell) Zahlbr. Uncertain for North America
 rheitrophila Zschacke = *Hydropunctaria rheitrophila*
 rubrocincta Breuss (Breuss 2000) = *Bagliettoa rubrocincta* (Yuzon et al. 2014)
 rupicola (B. de Lesd.) Breuss non (L.) Humb. = *V. othmarii* (Knudsen & Kocourková 2012a)
 sprucei (Lönnr.) Bab (Fink 1935) = *Thelidium papulare* (Nimis & Martellos 2003)
 stanfordii Herre = *Placopyrenium stanfordii*
 striatula Wahlenb. = *Wahlenbergiella striatula*
 submersa Schaefer = *V. submersella*
 subsuperficialis Fink = *V. striatula*
 tavaresiae R. Moe (Moe 1997) = *Wahlenbergiella tavaresiae*
 terebrata (Mudd) Leighton (Fink 1935) = *Staurothele rupifraga* (Smith 1926)
 virens Nyl. = *V. glaucovirens*
 zamenhofiana Clauzade & Cl. Roux = *Heteroplacidium zamenhofianum* (Kocourková et al. 2012)

VERRUCOCCUM *V. Atienza, D. Hawksw. & Pérez-Ort.* (Atienza et al. 2021)
***spribilei** *V. Atienza, D. Hawksw. & Pérez-Ort.*

VERRUCULOPSIS Gueidan, Nav.-Ros. & Cl. Roux
minutum (Hepp) Krzewicka = *Verrucaria minor*

VESTERGRENOPSIS Gyelnik = *TINGIOPSIDIUM* (Hafellner & Spribille 2016)
elaeina (Wahlenb.) Gyelnik = *Tingiopsisidium elaeinum*
isidiata (Degel.) E. Dahl = *Tingiopsisidium isidiatum*
sonomensis (Tuck.) T. Sprib. & Muggia (Spribille & Muggia 2012) = *Tingiopsisidium sonomense*

VEZDAEA Tschermak-Woess & Poelt
acicularis Coppins (Brodo 2001; Lendemer & Yahr 2004)
#aestivalis (Ohlert) Tscherm.-Woess & Poelt (Spribille et al. 2020)
cobria Giralt, Poelt & Suanjak (Spribille et al. 2020)
leprosa (P. James) Vězda (Buck et al. 1999)
retigera Poelt & Döbbeler (Lendemer & Yahr 2004)
rheocarpa Poelt & Döbbeler (Westberg 2004b)
schuyleriana Lendemer (Lendemer 2011c)
stipitata Poelt & Döbbeler

VIGNERONIA Ertz (Ertz et al. 2015b)
cypressi (R. C. Harris) Ertz & Tehler

VIOLELLA T. Sprib. (Spribille et al. 2011a)
fucata (Stirton) T. Sprib. Syn.: *Mycoblastus fucatus*

VIRIDOTHELIUM Lücking, M. P. Nelsen & Aptroot
virens (Tuck. ex Michener) Lücking, M. P. Nelsen & Aptroot Syn.: *Trypethelium virens* (Aptroot et al. 2016)

VOUAUXIELLA Petrak & Sydow
***lichenicola** (Lindsay) Petrak & Sydow (Esslinger & Egan 1995)
***verrucosa** (Vouaux) Petrak & Sydow (Diederich 2003)

VOUAUXIOMYCES Dyko & D. Hawksw.
***truncatus** (B. de Lesd.) Dyko & D. Hawksw. (= anamorph of *Abrothallus microspermus*)

VULPICIDA J.-E. Mattsson & M. J. Lai
canadensis (Räsänen) J.-E. Mattsson & M. J. Lai Syns.: *Cetraria canadensis*, *Tuckermannopsis canadensis*
juniperina (L.) J.-E. Mattsson & M. J. Lai (Saag et al. 2014)
pinastri (Scop.) J.-E. Mattsson & M. J. Lai Syns.: *Cetraria pinastri*, *Tuckermannopsis pinastri*
viridis (Schwein.) J.-E. Mattsson & M. J. Lai Syns.: *Cetraria viridis*, *Tuckermannopsis viridis tilesii* (Ach.) J.-E. Mattsson & M. J. Lai = *Vulpicida juniperina* (Saag et al. 2014)

WAHLENBERGIELLA Gueidan & Thüs (Gueidan et al. 2009)
mucosa (Wahlenb.) Gueidan & Thüs Syn.: *Verrucaria mucosa*
striatula (Wahlenb.) Gueidan & Thüs Syns.: *Verrucaria melas*, *V. striatula*
tavaresiae (R. L. Moe) Gueidan, Thüs, & Pérez-Ortega Syn.: *Verrucaria tavaresiae* (Gueidan et al. 2011)

WAYNEA Moberg
californica Moberg Erroneously listed here as a synonym of *W. stoechadiana*
stoechadiana (Abbassi Maaf & Cl. Roux) Cl. Roux & Clerc = Not in North America

WEDDELLOMYCES D. Hawksw.
***xanthoparmeliae** Calat. & Nav.-Ros. (Kocourková & Knudsen 2008)

WENTIOMYCES Koord.

**peltigericola* D. Hawksw. (Alstrup & Cole 1998) = *Niesslia peltigericola* (Gams et al. 2019)

WETMOREANA Arup, Søchting & Frödén (Arup et al. 2013)

texana (Wetmore & Kärnefelt) Arup, Frödén & Søchting Syn.: *Caloplaca texana*

WILLEYA Müll. Arg. (Gueidan & Lendemer 2015)

diffractella (Nyl.) Müll. Arg. Syns.: *Endocarpon tenuissimum*, *E. diffractellum*, *Staurothele diffractella*, *Verrucaria diffractella*

WOLSELEYIDEA S. Y. Kondr., E. Farkas & L. Lökö (Kondratyuk et al. 2019)

ochroxantha (Nyl.) S. Y. Kondr., E. Farkas & L. Lökö Syns.: *Lecidea ochroxantha*, *Phyllopsora ochroxantha*, *P. corallina* var. *ochroxantha* (Kondratyuk et al. 2019)

XANTHOCARPIA A. Massal. & De Not. (Arup et al. 2013)

crenulatella (Nyl.) Frödén, Arup & Søchting Syn.: *Caloplaca crenulatella*

erichansenii (S. Y. Kondr., A. Thell, Kärnefelt & Elix) Frödén, Arup & Søchting. Syn.: *Caloplaca erichansenii*

feracissima (H. Magn.) Frödén, Arup & Søchting Syn.: *Caloplaca feracissima*

lactea (A. Massal.) A. Massal. Syn.: *Caloplaca lactea*

marmorata (Bagl.) Frödén, Arup & Søchting Syn.: *Caloplaca marmorata*

tominii (Savicz) Frödén, Arup & Søchting Syn.: *Caloplaca tominii*

XANTHOMENDOZA S. Y. Kondr. & Kärnefelt

borealis (R. Sant. & Poelt) Søchting, Kärnefelt & S. Y. Kondr. Syn.: *Xanthoria borealis* (Søchting et al. 2002)

concinna (J. W. Thomson & T. H. Nash) Søchting, Kärnefelt & S. Y. Kondr. Syn.: *Xanthoria concinna* (Søchting et al. 2002)

fallax (Hepp ex Arnold) Søchting, Kärnefelt & S. Y. Kondr. Syn.: *Xanthoria fallax* (Søchting et al. 2002)

fulva (Hoffm.) Søchting, Kärnefelt & S. Y. Kondr. Syn.: *Xanthoria fulva* (Søchting et al. 2002)

galericulata L. Lindblom (Lindblom 2006)

hasseana (Räsänen) Søchting, Kärnefelt & S. Y. Kondr. Syn.: *Xanthoria hasseana* (Søchting et al. 2002)

mendozae (Räsänen) S. Y. Kondr. & Kärnefelt Syn.: *Xanthoria mendozae* (Lindblom 2004a)

montana (L. Lindblom) Søchting, Kärnefelt & S. Y. Kondr. Syn.: *Xanthoria montana* (Søchting et al. 2002)

oregana (Gyelnik) Søchting, Kärnefelt & S. Y. Kondr. Syn.: *Xanthoria oregana* (Søchting et al. 2002)

subramulosa (Räsänen) Søchting, Kärnefelt & S. Y. Kondr. Syn.: *Xanthoria subramulosa* (Søchting et al. 2002) According to Lindblom (1997), this is a synonym of *X. fulva*

trachiphylla (Tuck.) Frödén, Arup & Søchting Syns.: *Caloplaca trachiphylla*, *Placodium elegans* var. *trachiphyllum*

ulophyllodes (Räsänen) Søchting, Kärnefelt & S. Y. Kondr. Syn.: *Xanthoria ulophyllodes* (Søchting et al. 2002)

weberi (S. Y. Kondr. & Kärnefelt) L. Lindblom (Lindblom 2006) Syns.: *Oxneria weberi*, *Xanthoria wetmorei*

alfredii (S. Y. Kondr. & Poelt) Søchting, Kärnefelt & S. Y. Kondr. = North American report is *X. montana*

rosemariaeae S. Y. Kondr. & Kärnefelt (Lumbsch et al. 2011) = *X. weberi* (Knudsen et al. 2011b)

XANTHOPARMELIA (Vainio) Hale

ahtii (Essl.) O. Blanco, A. Crespo, Elix, D. Hawksw. & Lumbsch (Blanco et al. 2004b) Syns.: *Neofuscelia ahtii*, *Parmelia ahtii*

ajoensis (T. H. Nash) Egan Syn.: *Parmelia ajoensis*

amableana (Gyelnik) Hale (Nash & Elix 2004)

angustiphylla (Gyelnik) Hale

arida Egan & Derstine
atticoides (Essl.) O. Blanco, A. Crespo, Elix, D. Hawksw. & Lumbsch (Blanco et al. 2004b)
 Syns.: Neofuscelia atticoides, Parmelia atticoides
australisica D. J. Galloway
barbatica (Elix) Egan
brunella (Essl.) O. Blanco, A. Crespo, Elix, D. Hawksw. & Lumbsch (Blanco et al. 2004b) Syns.:
 Neofuscelia brunella, Parmelia brunella
californica Hale
camtschadalis (Ach.) Hale Syn.: Parmelia camtschadalis
chiricahuensis (R. A. Anderson & W. A. Weber) O. Blanco, A. Crespo, Elix, D. Hawksw. &
 Lumbsch (Blanco et al. 2004b) Syns.: Neofuscelia chiricahuensis, Parmelia chiricahuensis
chlorochroa (Tuck.) Hale Syn.: Parmelia chlorochroa
coloradoënsis (Gyelnik) Hale
commonii Elix & T. H. Nash (Elix & Nash 1999)
consociata (Elix) Elix & Johnston (Nash et al. 1998)
conspersa (Ehrh. ex Ach.) Hale Syns.: Parmelia conspersa, P. isidiata
cumberlandia (Gyelnik) Hale Syn.: Parmelia cumberlandia
dierythra (Hale) Hale Syn.: Parmelia dierythra
digitiformis (Elix & P. M. Armstr.) Filson (Nash & Elix 2004)
dissensa (T. H. Nash) Hale Syn.: Parmelia dissensa
eganii Elix & T. H. Nash (Elix & Nash 1999)
huachucensis (T. H. Nash) Egan Syn.: Parmelia huachucensis
hypofusca (Gyelnik) Hodkinson & Lendemer (Hodkinson & Lendemer 2011)
hypomelaena (Hale) Hale Syn.: Parmelia hypomelaena
idahoensis Hale
incerta (Kurok. & Filson) Elix & J. Johnst. (Nash & Elix 2004)
infrapallida (Essl.) O. Blanco, A. Crespo, Elix, D. Hawksw. & Lumbsch (Blanco et al. 2004)
 Syns.: Neofuscelia infrapallida, Parmelia infrapallida
isidiascens Hale
isidiigera (Müll. Arg.) Elix & J. Johnst. (Nash & Elix 2004)
isidiosa (Müll. Arg.) Elix & Johnston (Nash et al. 1998)
joranadia (T. H. Nash) Hale Syn.: Parmelia joranadia
knudsenii Elix, A. Thell & Söchting (Thell et al. 2009)
lavicola (Gyelnik) Hale Syn.: Parmelia kurokawae
lineola (E. C. Berry) Hale Syn.: Parmelia lineola
lipochlorochroa Hale & Elix
lobulatella T. H. Nash & Elix (Nash & Elix 2004)
loxodes (Nyl.) O. Blanco, A. Crespo, Elix, D. Hawksw. & Lumbsch (Blanco et al. 2004b) Syns.:
 Neofuscelia loxodes, Parmelia isidiotyla, P. loxodes
maricopensis T. H. Nash & Elix
mexicana (Gyelnik) Hale Syn.: Parmelia mexicana
moctezumensis T. H. Nash
montanensis Hale
monticola (J. P. Dey) Hale Syn.: Parmelia monticola
mougeotii (Schaerer) Hale Syn.: Parmelia mougeotii
neochlorochroa Hale
neocongensis (Hale) Hale (Nash et al. 1998)
neoconspersa (Gyelnik) Hale Syn.: Parmelia neoconspersa
neorimalis (Elix & P. M. Armstr.) Elix & T. H. Nash (Nash & Elix 2004)
neotaractica Hale
neowyomingica Hale
nigrolavicola T. H. Nash & Elix (Nash & Elix 2004)
nigropsoromifera (T. H. Nash) Egan Syn.: Parmelia nigropsoromifera
nigroweberi T. H. Nash & Elix (Nash & Elix 2004)
norchlorochroa Hale
norhypopsila Hale

novomexicana (Gyelnik) Hale Syns.: *Parmelia novomexicana*, *P. tuberculata*, *P. arseneana*
occidentalis (Essl.) O. Blanco, A. Crespo, Elix, D. Hawksw. & Lumbsch (Blanco et al. 2004b)
 Syns.: *Neofuscelia occidentalis*, *Parmelia occidentalis*
oleosa (Elix & P. M. Armstrong) Elix & T. H. Nash
piedmontensis (Hale) Hale Syn.: *Parmelia piedmontensis*
planilobata (Gyelnik) Hale
plittii (Gyelnik) Hale Syn.: *Parmelia plittii*
pseudocongensis Hale (Nash & Elix 2004)
psoromifera (Kurok.) Hale Syn.: *Parmelia psoromifera*
pustulosa (Essl.) O. Blanco, A. Crespo, Elix, D. Hawksw. & Lumbsch (Blanco et al. 2004b)
 Syns.: *Neofuscelia pustulosa*, *Parmelia pustulosa*
schmidtii Hale
standaertii (Gyelnik) Hale (Nash & Elix 2004)
stenophylla (Ach.) Ahti & D. Hawksw. Syn.: *Parmelia stenophylla* (Ahti & Hawksworth 2005)
stenophylloides (Müll. Arg.) Hale
subcumberlandia Elix & T. H. Nash (Nash & Elix 2004)
subdecipiens (Vainio) Hale Syn.: *Parmelia subdecipiens*
subhosseana (Essl.) O. Blanco, A. Crespo, Elix, D. Hawksw. & Lumbsch (Blanco et al. 2004b)
 Syns.: *Neofuscelia subhosseana*, *Parmelia subhosseana*
subplittii Hale (Nash & Elix 2004)
subramigera (Gyelnik) Hale Syn.: *Parmelia subramigera*
substenophylloides Hale
subtasmanica Elix & T. H. Nash (Nash & Elix 2004)
tegeta Elix & Johnston (Nash et al. 1998)
tinctina (Maheu & Gillet) Hale (Nash & Elix 2004)
tuberculata (Gyelnik) T. H. Nash & Elix (Nash & Elix 2004)
tuckeriana Elix & T. H. Nash (Nash & Elix 2004)
tucsonensis (T. H. Nash) Egan Syn.: *Parmelia tucsonensis*
vagans (Nyl.) Hale
verruculifera (Nyl.) O. Blanco, A. Crespo, Elix, D. Hawksw. & Lumbsch (Blanco et al. 2004b)
 Syns.: *Neofuscelia verruculifera*, *Parmelia verruculifera*
viriduloumbrina (Gyelnik) Lendemer (Lendemer 2005b)
weberi (Hale) Hale Syn.: *Parmelia weberi*
wyomingica (Gyelnik) Hale Syn.: *Parmelia wyomingica*
~~arseneana~~ (Gyelnik) Hale = *X. novomexicana*
~~centrifuga~~ (L.) Hale = *Arctoparmelia centrifuga*
~~congensis~~ (Stein) Hale Syn.: *Parmelia congregens*, but only known as far north as Mexico
~~hypopsila~~ (Müll. Arg.) Hale = misidentification for North America; most specimens are *X.*
~~angustiphylla~~
~~incurva~~ (Pers.) Hale = *Arctoparmelia incurva*
~~ioanis-simae~~ (Gyelnik) Hale = *X. taractica*, but see note below
~~kurokawae~~ (Hale) Hale = *X. lavicola*
~~lecanorica~~ (Hale) Hale Syn.: *Parmelia lecanorica* Not in North America
~~separata~~ (Th. Fr.) Hale = *Arctoparmelia separata*
~~somloënsis~~ (Gyelnik) Hale = *Xanthoparmelia stenophylla*
~~subcentrifuga~~ (Oxner) Hale = *Arctoparmelia subcentrifuga*
~~subconspersa~~ (Nyl.) Hale = *Flavoparmelia rutidota*
~~taractica~~ (Kremp.) Hale = known from Mexico, but misidentification for our area; western N.A.
 specimens are mostly *X. coloradoensis* and eastern N.A. specimens are mostly *X. viriduloumbrina*
~~tasmanica~~ (Hooker f. & Taylor) Hale North American reports are *X. hypofusca*
~~tinctina~~ (Maheu & A. Gillet) Hale Not in North America

XANTHOPSORA Gotth. Schneider & W. A. Weber = XANTHOPSORELLA
texana (W. A. Weber) Gotth. Schneider & W. A. Weber = *Xanthopsorella texana*

XANTHOPSORELLA Kalb & Hafellner
texana (W. A. Weber) Kalb & Hafellner Syns.: Xanthopsora texana, Psora texana, Lecidea texana

XANTHORIA (Fr.) Th. Fr.

parietina (L.) Th. Fr. Syn.: Teloschistes parietinus
tibellii S. Y. Kondr. & Kärnefelt (Kondratyuk & Kärnefelt 2003a)
alaskana J. W. Thomson = Polycauliona polycarpa (Lindblom 1997)
alfredii S. Y. Kondr. & Poelt (Kondratyuk & Poelt 1997) = North American report is
Xanthomendoza montana (Lindblom 1997)
ascendens S. Y. Kondr. (Lindblom 2004b) = Polycauliona ascendens
borealis R. Sant. & Poelt = Xanthomendoza borealis
candelaria (L.) Th. Fr. = Polycauliona candelaria
candelaria var. finmarkica (Ach.) Hillmann = Polycauliona candelaria
concinna J. W. Thomson & T. H. Nash = Xanthomendoza concinna
elegans (Link) Th. Fr. = Rusavskia elegans
elegans var. splendens (Darb.) M. S. Christ. ex Poelt = Rusavskia elegans
fallax (Hepp ex Arnold) Arnold = Xanthomendoza fallax
fulva (Hoffm.) Poelt & Petut. (Esslinger & Egan 1995) = Xanthomendoza fulva
hasseana Räsänen = Xanthomendoza hasseana
lobulata (Flörke) B. de Lesd. = Calogaya lobulata
mendozae Räsänen = Xanthomendoza mendozae
montana L. Lindblom (Lindblom 1997) = Xanthomendoza montana
oregana Gyelnik (Lindblom 1997) = Xanthomendoza oregana
papillifera (Vainio) Poelt = Rusavskia papillifera
pollinariooides L. Lindblom & D. M. Wright (Lindblom 2004b) = Polycauliona pollinariooides
polycarpa (Hoffm.) Th. Fr. ex Rieber = Polycauliona polycarpa
ramulosa (Tuck.) Herre = Polycauliona polycarpa (Lindblom 1997)
sorediata (Vainio) Poelt = Rusavskia sorediata
subramulosa Räsänen = Xanthomendoza subramulosa
tenax L. Lindblom (1997) = Polycauliona tenax
tenuiloba L. Lindblom (Lindblom 2004b) = Polycauliona tenuiloba
ulophyllodes Räsänen = Xanthomendoza ulophyllodes
weberi S. Y. Kondr. & Kärnefelt = Xanthomendoza weberi
wetmorei S. Y. Kondr. & Kärnefelt (Kondratyuk & Kärnefelt 2003a) = Xanthomendoza weberi
(Knudsen et al. 2011b)

XENONECTRIELLA Weese

***fissuriprodiens** (Etayo) Etayo (Spribble et al. 2010) Syn.: Pronectria fissuriprodienis (Diederich et al. 2018)
***lutescens** (Arnold ex Rehm) Weese (Zhurbenko 2009a)
***nephromatis** Pérez-Ort. (Spribble et al. 2020)

XENOPHOMA Crous & Trakun.

puncteliae Crous & Trakun. Syn.: Phoma puncteliae (Diederich et al. 2018)

XEROTREMA Sherwood & Coppins

+**megalospora** Sherwood & Coppins

XYLEBORUS R. C. Harris & Ladd (Harris & Ladd 2007)

nigricans R. C. Harris & Lendemer (Lendemer & Harris 2015b)

sporodochifer R. C. Harris & Ladd (Harris & Ladd 2007)

XYLOGRAPHA (Fr.) Fr.

bjoerkii T. Sprib. (Spribble et al. 2014a)

carneopalida (Räsänen) T. Sprib. (Spribble et al. 2014a)

crassithallia B. D. Ryan & T. H. Nash (Ryan 2004b) Possibly a synonym of X. difformis

(Spribille et al. 2014a)
diformis (Vainio) Vainio (Spribille et al. 2014a)
disseminata Willey
erratica T. Sprib. (Spribille et al. 2014a)
hians Tuck.
opegraphella Nyl.
pallens (Nyl.) Malmgren (Spribille et al. 2014a)
parallela (Ach.) Fr.
rubescens Räsänen (Spribille et al. 2014a)
schofieldii T. Sprib. (Spribille et al. 2014a)
septentrionalis T. Sprib. (Spribille et al. 2014a)
soralifera Holien & Tønsberg (Holien & Tønsberg 2008)
stenospora T. Sprib. & Resl (Spribille et al. 2014a)
trunciseda (Th. Fr.) Minks ex Redinger
vermicularis T. Sprib. (Spribille et al. 2014a)
vitiligo (Ach.) J. R. Laundon
abietina (Pers.) Zahlbr. = X. parallela
micrographa G. Merr. = X. hians
pruinodisca B. D. Ryan & T. H. Nash (Ryan 2004b) = X. difformis (Spribille et al. 2014a)
spilomatica (Anzi) Th. Fr. = X. vitiligo

XYLOPSORA Bendiksby & Timdal (Bendiksby & Timdal 2013)

canopeorum Timdal, Reese Naesborg & Bendiksby (Bendiksby et al. 2018)
friesii (Ach.) Bendiksby & Timdal Syns.: Hypocenomyce friesii, Lecidea friesii, L. myrmecina, Psora friesii

XYLOSCHISTES Vainio ex Zahlbr

platytropa (Nyl.) Vainio (Spribille & Björk 2008)

ZAHLBRUCKNERELLA Herre

calcarea (Herre) Herre
californica Henssen
fabispora Henssen

ZAMENHOFIA Clauzade & Cl. Roux = PORINA

hibernica (P. James & Swinscow) Clauzade & Cl. Roux = Porina hibernica

ZWACKHIA Körber

viridis (Pers. ex Ach.) Poetsch & Schied. (Ertz & Tehler 2011) Syn.: Opegrapha viridis

ZWACKHIOMACROMYCES Etayo & van den Boom

***hyalosporus** (Alstrup, D. Hawksw. & R. Sant.) Etayo & R. Sant. Syn.: Pyrenidium hyalosporum (Diederich et al. 2018)

ZWACKHIOMYCES Grube & Hafellner

***arenicola** R. C. Harris (Harris 1995a)
berengerianus (Arnold) Grube & Triebel
cladoniae (C. W. Dodge) Diederich (Alstrup & Cole 1998)
coepulonus (Norman) Grube & R. Sant. (Goward et al. 1996)
diederichii D. Hawksw. & Iturr. (Zhurbenko & Pino-Bodas 2017)
dispersus (J. Lahm ex Körber) Triebel & Grube Syn.: Pharcidia dispersa
euplocinus Hafellner, Grube & Egan
macrosporus Alstrup & Olech (Zhurbenko 2013)

ACKNOWLEDGEMENTS

I owe a sincere thank you to the many colleagues who continue to provide suggested corrections and/or additions.

LITERATURE CITED

- Adler, M. T. 1997. Polymorphism of vegetative propagules in *Punctelia punctilla* (Parmeliaceae, Lecanorales) and the delimitation of the species. *Mycotaxon* 63: 57-70.
- Ahti, T. 1961. Taxonomic studies on reindeer lichens (*Cladonia*, subgenus *Cladina*). *Annales Botanici Societatis Zoologicae Botanicae Fenniae 'Vanamo'* 32(1): i-iv+1-160.
- Ahti, T. 1980. Taxonomic revision of *Cladonia gracilis* and its allies. *Annales Botanici Fennici* 17: 195-243.
- Ahti, T. 1998. A revision of *Cladonia stricta* [Ülevaade liigist *Cladonia stricta*]. *Folia Cryptogamica Estonica* 32: 5-8.
- Ahti, T. 2000. Cladoniaceae. *Flora Neotropica*, 78. Organization for Flora Neotropica and New York Botanical Garden, Bronx. 362 pp.
- Ahti, T. 2007. Further studies on the *Cladonia verticillata* group (Lecanorales) in East Asia and western North America. *Bibliotheca Lichenologica* 96: 5-19.
- Ahti, T. & I. Brodo. 1981. *Cladonia labradorica*, sp. nov., and *C. kanewskii* in Canada. *The Bryologist* 84(2): 238-241.
- Ahti, T. & P. T. DePriest. 2001. New combinations of *Cladina* epithets in *Cladonia* (Ascomycotina: Cladoniaceae). *Mycotaxon* 78: 499-502.
- Ahti, T. & S. Hammer. 2002. *Cladonia*, pp. 131-158. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ahti, T. & D. L. Hawksworth. 2005. *Xanthoparmelia stenophylla*, the correct name for *X. somloënsis*, one of the most widespread usnic acid containing species of the genus. *Lichenologist* 37: 363-366.
- Ahti, T., R. Pino-Bodas, A. Flakus & S. Stenroos. 2016. Additions to the global diversity of *Cladonia*. *Lichenologist* 48(5): 517-526.
- Ahti, T., R. Pino-Bodas & J. W. McCarthy. 2018. *Cladonia ignatii*, an overlooked new lichen in eastern North America. *Herzogia* 31(1): 630-638.
- Ahti, T. and S. Stenroos. 2008. *Cladonia oricola*, a new coastal species of reindeer lichen in eastern North America. *Abhandlungen des Westfälischen Museums der Naturkunde* 70: 405-410.
- Allen, J. L. & J. C. Lendemer. 2015. *Japewiella dollypartonia*, a new widespread lichen in the Appalachian Mountains of Eastern North America. *Castanea* 80(1): 59-65.
- Allen, J. L. & R. T. McMullin. 2015. *Chaenothecea balsamconensis*, a new calicoid lichen on *Trichaptum abietinum* from North America that is benefiting from widespread conifer fatalities. *The Bryologist* 118(1): 54-58.
- Alstrup, V. 2004. New records in distribution of lichens and lichenicolous fungi. *Graphis Scripta* 16: 46-57.
- Alstrup, V. & T. Ahti. 2007. New reports of lichenicolous fungi, mainly from Finland and Russia. *Karstenia* 47: 1-4.
- Alstrup, V., S. N. Christensen, E. S. Hansen & S. Svane. 1994. The lichens of the Faroes. *Fróðskaparrit* 40: 61-121.
- Alstrup, V. & M. S. Cole. 1998. Lichenicolous fungi of British Columbia. *The Bryologist* 101: 221-229.
- Altermann, S., S. D. Leavitt & T. Goward. 2016. Tidying up the genus *Letharia*: introducing *L. lupina* sp. nov. and a new circumscription for *L. columbiana*. *Lichenologist* 48(5): 423-439.
- Ametrano, C.G., K. Knudsen, J. Kocourková, M. Grube, L. Selbmann and L. Muggia. 2019. Phylogenetic relationships of rock-inhabiting black fungi belonging to the widespread genera *Lichenothelia* and *Saxomyces*. *Mycologia* 111(1): 127-160.
- Amtoft, A. 2002. *Pyxine subcinerea* in the eastern United States. *The Bryologist* 105: 270-272.
- Amtoft, A. 2006. A new species of *Dermatocarpon* (Verrucariaceae) from the United States and the Bahamas. *The Bryologist* 109(2): 182-184.
- Amtoft, A., F. Lutzoni & J. Miądlikowska. 2008. *Dermatocarpon* (Verrucariaceae) in the Ozark Highlands, North America. *The Bryologist* 111(1): 1-40.
- Anderson, F. & J. Lendemer. 2016. *Aspicilia bicensis* (Megasporaceae), a new sterile, pustulose lichen from eastern Canada. *The Bryologist* 119(1): 8-15.
- Anderson Stewart, C. R., J. C. Lendemer, K. G. Keepers, C. S. Pogoda, N. C. Kane, C. M. McCain & E. A. Tripp. 2018. *Lecanora markjohnstonii* (Lecanoraceae, lichenized Ascomycetes), a new sorediate crustose lichen from the southeastern United States. *The Bryologist* 121(4): 498-512.
- Aptroot, A. 1991. A monograph of the Pyrenulaceae (excluding *Anthracotheicum* and *Pyrenula*) and the Requienellaceae, with notes on the Pleomassariaceae, the Trypetheliaceae and *Mycomicrothelia* (lichenized and non-lichenized Ascomycetes). *Bibliotheca Lichenologica* 44: 1-178.
- Aptroot, A. 1996. New records of lichens and lichenicolous fungi from British Columbia. *The Bryologist* 99: 196-198.
- Aptroot, A. 1997. Corticolous pyrenocarpous ascomycetes (lichenized and non-lichenized) from the Sonoran Desert (Arizona and Mexico). *Nova Hedwigia* 64: 169-176.

- Aptroot, A. 2002a. *Arthopyrenia*, pp. 103-106. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Aptroot, A. 2002b. *Julella*, pp. 254-256. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Aptroot, A. 2002c. *Mycoporum*, pp. 287-288. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Aptroot, A. 2002d. *Peridiothelia*, pp. 340-341. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Aptroot, A. 2002e. *Porina*, pp. 402-405. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Aptroot, A. 2003. A new perspective on the sorediate *Punctelia* (Parmeliaceae) species of North America. The Bryologist 106: 317-319.
- Aptroot, A. 2012. A world key to the species of *Anthracothecium* and *Pyrenula*. Lichenologist 44(1): 5-53.
- Aptroot, A. & R. S. Common. 2017. *Pyrenula clavatispora*, a new species from Florida with narrowly clavate ascospores, with a key to similar species. The Bryologist 120(3): 270-273.
- Aptroot, A., P. Diederich, E. Sérusiaux & H. J. M. Sipman. 1997. Lichens and Lichenicolous Fungi from New Guinea. Bibliotheca Lichenologica 64: 1-220.
- Aptroot, A. & R. Lücking. 2003. Phenotype-based phylogenetic analysis does not support generic separation of *Gyalidea* and *Solorinella* (Ostropales: Asterothyriaceae), pp. 53-78. In M. Jensen (ed.), Lichenological Contributions in Honour of G.B. Feige. Bibliotheca Licheologica 86. J. Cramer.
- Aptroot, A. & R. Lücking. 2016. A revisionary synopsis of the Trypetheliaceae (Ascomycota: Trypetheliales). Lichenologist 48(6): 763-982.
- Aptroot, A., A. A. Menezes, A. B. Xavier-Leite, V. m. dos Santos, M. M. E. Alves & M. E. S. Cáceres. 2014. Revision of the corticolous *Mazosia* species, with a key to *Mazosia* species with 3-septate ascospores. Lichenologist 46(4): 563-572.
- Aptroot, A., S. Parnmen, R. Lücking, E. Baloch, P. Jungbluth, M. E. S. Cáceres & H. T. Lumbsch. 2014. Molecular phylogeny resolves a taxonomic misunderstanding and places *Geisleria* close to *Absconditella* s. str. (Ostropales: Stictidaceae). Lichenologist 46(1): 115-128.
- Aptroot, A. & F. Schumm. 2012. The genus *Melanophloea*, an example of convergent evolution towards polysporous. Lichenologist 44: 501-509.
- Aptroot, A., G. Thor, R. Lücking, J.A Elix & J.L Chaves. 2009. The lichen genus *Herpothallon* reinstated. In A. Aptroot, M.R.D Seaward & L.B Sparrius. Biodiversity and ecology of lichens: liber amicorum Harrie Sipman. Bibliotheca Lichenologica 99:19-66.
- Arcadia, L. 2013. *Usnea dasopoga*, a name to be reinstated for *U. filipendula*, and its orthography. Taxon 62(3): 604-605.
- Arcadia, L. & K. Knudsen. 2012. The name *Myriospora* is available for the *Acarospora smaragdula* group. Opuscula Philolichenum 11: 19-25.
- Arcadia, L. & A. Nordin. 2012. Proposal to conserve the name *Megaspora verrucosa* (Ach.) L. Arcadia & A. Nordin against *M. verrucosa* Hafellner & V. Wirth (lichenized Ascomycota). Taxon 61: 464-465.
- Archer, A. W. 2006. The Lichen Family Graphidaceae in Australia. Bibliotheca Lichenologica 94: 1-191.
- Archer, A. W. & M. I. Messuti. 1997. *Pertusaria velata* (Turner) Nyl. and its synonyms. Mycotaxon 61: 375-379.
- Argüello, A., A. Crespo & D. L. Hawksworth. 2007a. Neo- and epitypifications to fix the application of the names *Parmelina carporrhizans* and *P. quercina*. Lichenologist 39: 397-399.
- Argüello, A., R. del Prado, P. Cubas & A. Crespo. 2007b. *Parmelina quercina* (Parmeliaceae, Lecanorales) includes four phylogenetically supported morphospecies. Biological Journal of the Linnean Society 91: 455-467.
- Ariyawansa, H. A. et al. 2015. Fungal diversity notes 111-252 – taxonomic and phylogenetic contributions to fungal taxa. Fungal Diversity 75(1):27-274.
- Articus, K. 2004. *Neuropogon* and the phylogeny of *Usnea* s.l. (Parmeliaceae, lichenized Ascomycetes). Taxon 53(4): 925-934.
- Arup, U. 1997. Correction of reports of two *Caloplaca* species from North America. The Bryologist 100: 516.
- Arup, U. 2004. Three overlooked *Lecidea* species in Sweden. Symbolae Botanicae Upsalienses 34: 39-48.
- Arup, U. 2006. A new taxonomy of the *Caloplaca citrina* group in the Nordic countries, except Iceland. Lichenologist 38: 1-20.
- Arup, U. 2009. The *Caloplaca holocarpa* group in the Nordic countries, except Iceland. Lichenologist 41:111-130.
- Arup, U. & M. Grube. 1999. Where does *Lecanora demissa* (Ascomycota, Lecanorales) belong? Lichenologist 31: 419-430.
- Arup, U., U. Söchting & P. Frödén. 2013. A new taxonomy of the family Teloschistaceae. Nordic Journal of Botany 31: 16-83.

- Arup, U., J. Vondrák & M. G. Halici. 2015. *Parvoplaca nigroblastidiata*, a new corticolous lichen (Teloschistaceae) in Europe, Turkey and Alaska. *Lichenologist* 47(6): 379-385.
- Asher, O. A. & J. C. Lendemer. 2018. *Lecanora caperatica* (Lecanoraceae, lichenized ascomycetes) a new sorediate species widespread in eastern North America. *The Bryologist* 121: 306-323.
- Atienza, V., D. L. Hawksworth & S. Pérez-Ortega. 2021. *Verrucoccum* (Dothideomycetes, Dictyosporiaceae), a new genus of lichenicolous fungi on *Loberia* s. lat. for the *Dothidea hymeniticola* species complex. *Mycologia* 113(6): 1233-1252.
- Baloch, E., H. T. Lumbsch, R. Lücking & M. Wedin. 2013a. New combinations and names in *Gyalecta* for former *Belonia* and *Pachyphiale* (Ascomycota, Ostropales) species. *Lichenologist* 45(6): 723-727.
- Baloch, E., G. Gilenstam & M. Wedin. 2009. Phylogeny and classification of *Cryptodiscus*, with a taxonomic synopsis of the Swedish species. *Fungal Diversity* 38: 51-68.
- Baloch, E., G. Gilenstam & M. Wedin. 2013b. The relationships of *Odontotrema* (Odontotremataceae) and the resurrected *Sphaeropezia* (Stictidaceae) – new combinations and three new *Sphaeropezia* species. *Mycologia* 105(2): 384-397.
- Barr, M. E., S. B. Huhndorf & C. T. Rogerson. 1996. The Pyrenomycetes Described by J. B. Ellis. *Memoirs of the New York Botanical Garden* 79: 1-137.
- Barr, M. E., C. T. Rogerson, S. J. Smith & J. H. Haines. 1986. An annotated catalogue of the Pyrenomycetes described by Charles H. Peck. *Bulletin of the New York State Museum* 459: 1-74.
- Barrett, P. E. & J. W. Thomson. 1975. Lichens from a High Arctic coastal lowland, Devon Island, N.W.T. *The Bryologist* 78(2): 160-167.
- Beeching, S. Q. 2007. *Dimelaena tenuis* (lichenized Ascomycota) new to North America, and *Xanthoparmelia pseudocongensis* new to Georgia, USA. *Opuscula Philolichenum* 4: 55-56.
- Benatti, M. N. & J. A. Elix. 2012. The true identity of *Bulbothrix goebelii* (Zenker) Hale and the re-establishment of some of its synonyms as accepted species. *Lichenologist* 44: 813-826.
- Bendiksby, M., R. Haugan, T. Spribille & E. Timdal. 2015. Molecular phylogenetics and taxonomy of the *Calvitimela aglaea* complex (Tephromelataceae, Lecanorales). *Mycologia* 107(6): 1172-1183.
- Bendiksby, M., R. Reese Naesborg & E. Timdal. 2018. *Xylopsora canopeorum* (Umbilicariaceae), a new lichen species from the canopy of *Sequoia sempervirens*. *Mycokeys* 30: 1-15.
- Bendiksby, M. & E. Timdal. 2013. Molecular phylogenetics and taxonomy of *Hypocenocyce* sensu lato (Ascomycota: Lecanoromycetes): extreme polyphyly and morphological/ecological convergence. *Taxon* 62(5): 940-956.
- Berger, F. & S. LaGreca. 2014. Contributions to the lichen flora of Bermuda – Part I. New records, new combinations, and interesting collections of lichenized ascomycetes. *Evansia* 31(2): 41-68.
- Bigelow, H. E. 1983. Spore ornamentation in the Tricholomataceae II. *Sydowia* 36: 11-18.
- Bird, C. D. 1974. Studies on the lichen genus *Evernia* in North America. *Canadian Journal of Botany* 52: 2427-2434.
- Bjerke, J. W. 2003. *Menegazzia subsimilis*, a widespread sorediate lichen. *Lichenologist* 35: 393-396.
- Björk, C. R., T. Goward, & T. Spribille. 2009. New records and range extensions of rare lichens from waterfalls and sprayzones in inland British Columbia, Canada. *Evansia* 219-224.
- Blanco, O., A. Crespo, P. K. Divakar, T. L. Esslinger, D. L. Hawksworth & H. T. Lumbsch. 2004a. *Melanelixia* and *Melanohalea*, two new genera segregated from *Melanelia* (Parmeliaceae) based on molecular and morphological data. *Mycological Research* 108: 873-884.
- Blanco, O., A. Crespo, J. A. Elix, D. L. Hawksworth, and H. T. Lumbsch. 2004b. A molecular phylogeny and a new classification of parmelioid lichens containing *Xanthoparmelia*-type lichenan (Ascomycota: Lecanorales). *Taxon* 53(4): 959-975.
- Blanco, O., A. Crespo, P. K. Divakar, J. A. Elix & H. T. Lumbsch. 2005. Molecular phylogeny of parmotremaoid lichens (Ascomycota, Parmeliaceae). *Mycologia* 97: 150-159.
- Boluda, C. G., D. L. Hawksworth, P. K. Divakar, A. Crespo & V. J. Rico. 2016. Microchemical and molecular investigations reveal *Pseudophragma* species as cryptic with an environmentally modified morphology. *Lichenologist* 48(5): 527-543.
- Boluda, C. G., V. J. Rico, P. K. Divakar, O. Nadyeina, L. Myllys, R. T. McMullin, J. C. Zamora, C. Scheidegger, D. L. Hawksworth. 2018. Evaluating methodologies for species delimitation: the mismatch between phenotypes and genotypes in lichenized fungi (*Bryoria* sect. *implexa*, Parmeliaceae). *Persoonia* 42: 75-100.
- Bowler, P. A. & J. E. Marsh. 2004. *Niebla*, pp. 368-380. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Brako, L. 1991. *Phyllopsora* (Bacidiaceae). *Flora Neotropica*, 55. New York Botanical Garden (for Organization for Flora Neotropica), Bronx, NY. 66 pp.
- Breuss, O. 1996. Ein verfeinertes Gliederungskonzept für *Catapyrenium* (lichenisierte Ascomyceten, Verrucariaceae) mit einem Schlüssel für die bisher bekannten Arten. *Annalen des Naturhistorischen Museums in Wien* 98 B Suppl: 35-50.
- Breuss, O. 1998. On the taxonomy of "*Catapyrenium*" *plumbeum* (lichenized Ascomycetes, Verrucariaceae). *Annalen des Naturhistorischen Museums in Wien* 100B: 671-676.
- Breuss, O. 2000. New taxa of pyrenocarpous lichens from the Sonoran region. *The Bryologist* 103: 705-709.

- Breuss, O. 2001. *Helocarpon lesdainii* (Lichens, Helocarpaceae) in the Pacific Northwest. *The Bryologist* 104: 600-601.
- Breuss, O. 2002a. *Endocarpon*, pp. 181-187. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited*, Arizona State University, Tempe, Arizona.
- Breuss, O. 2002b. Four *Verrucaria* species new to America. *Evansia* 19: 26-28.
- Breuss, O. 2002c. The lichen genus *Henrica* (Verrucariaceae) new to North America. *The Bryologist* 105: 398-399.
- Breuss, O. 2002d. *Placidium*, pp. 384-393. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited*, Arizona State University, Tempe, Arizona.
- Breuss, O. 2002e. *Placopyrenium*, pp. 393-397. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited*, Arizona State University, Tempe, Arizona.
- Breuss, O. 2002f. *Thrombium*, pp. 483-484. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited*, Arizona State University, Tempe, Arizona.
- Breuss, O. 2003. Eine neue *Dermatocarpon*-Art (lichenisierte Ascomyceten, Verrucariales) aus Kanada. *Bibliotheca Lichenologica* 86: 99-102.
- Breuss, O. 2005. A new species of the lichen genus *Neocatapyrenium* (Verrucariaceae) from North America. *The Bryologist* 108: 537-539.
- Breuss, O. 2007a. *Bagliettoa*, p. 109. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Breuss, O. 2007b. *Verrucaria*, pp. 335-377. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Breuss, O. 2009. A synopsis of the lichen genus *Placopyrenium* (Verrucariaceae), with descriptions of new taxa and a key to all species. *Bibliotheca Lichenologica* 99: 93-112.
- Breuss, O. 2016. *Byssoloma maderense* is not endemic to Macaronesia. *Evansia* 33(2): 54-62.
- Breuss, O. 2021("2020"). Neue Funde pyrenocarper Flechten (lichenisierte Ascomycota, Verrucariaceae). Austrian Journal of Mycology** 29: 117-121.
- Breuss, O. & C. C. Bratt. 2000. Catapyrenoid lichens in California. *Bulletin of the California Lichen Society* 7(2): 36-43.
- Breuss, O. & B. McCune. 1994. Additions to the pyrenolichen flora of North America. *The Bryologist* 97: 365-370.
- Breuss, O. & T. Spribile. 2001. *Verrucaria kootenai*, a new pyrenocarpous lichen from the northern Rocky Mountains. *The Bryologist* 104: 453-455.
- Brinker, S. 2020. Contributions to the Ontario flora of lichens and allied fungi, with emphasis on the Great Lakes Basin. Opusculum Philolichenum** 19: 58-157.
- Brinker, S. R. & K. Knudsen. 2019. The first confirmed report of *Acarospora bullata* from North America. *Opuscula Philolichenum* 18: 11-16.
- Brodo, I. M. 1967. Lichens collected in Wisconsin on the 1965 foray of the American Bryological Society. *The Bryologist* 70(2): 208-227.
- Brodo, I. M. 1984. The North American species of the *Lecanora subfuscata* group, pp. 63-185. In *Beiheft zur Nova Hedwigia* 79. J. Cramer - Vaduz.
- Brodo, I. M. 1988. Lichens of the Ottawa region. *Sylogeus* No. 29. National Museum of Natural Sciences, Ottawa, Canada. pp. 1-137.
- Brodo, I. M. 1991. Studies in the lichen genus *Ochrolechia*. 2. Corticolous species of North America. *Canadian Journal of Botany* 69 (4): 733-772.
- Brodo, I. M. 1995. Lichens and lichenicolous fungi of the Queen Charlotte Islands, British Columbia, Canada. 1. Introduction and new records for B.C., Canada and North America. *Mycotaxon* 56: 135-173.
- Brodo, I. M. 2001. *Vezdaea acicularis*, an addition to the North American lichen flora. *The Bryologist* 104: 297-298.
- Brodo, I. M. 2004. A new saxicolous *Porina* (Ascomycota, Porinaceae) from maritime rocks of Haida Gwaii (Queen Charlotte Islands), British Columbia, Canada. *Bibliotheca Lichenologica* 88: 43-48.
- Brodo, I. M. 2010. The lichens and lichenicolous fungi of Haida Gwaii (Queen Charlotte Islands), British Columbia, Canada. 5. A new species of *Lecanora* from shoreline rocks. *Botany* 88: 352-358.
- Brodo, I. M. & T. Ahti. 1996. Lichens and lichenicolous fungi of the Queen Charlotte Islands, British Columbia, Canada. 2. The Cladoniaceae. *Canadian Journal of Botany* 74: 1147-1180.
- Brodo, I. M. & A. Aptroot. 2005. Corticolous species of *Protoparmelia* (lichenized Ascomycotina) in North America. *Canadian Journal of Botany* 83(8): 1075-1081.
- Brodo, I. M., W. L. Culberson, & C. F. Culberson. 2008. *Haematomma* (Lecanoraceae) in North and Central America, including the West Indies. *The Bryologist* 111: 363-423.
- Brodo, I. M., M. Haldeman & J. Malíček. 2020. Notes on species of the *Lecanora albella* group (Lecanoraceae) from North America and Europe. The Bryologist** 123(3): 430-450.
- Brodo, I. M. & J. Lendemer. 2012. On the perplexing variability of reproductive modes in the genus *Ochrolechia*: Notes on *O. africana* and *O. arborea* in eastern North America. *Opuscula Philolichenum* 11: 120-134.

- Brodo, I. M. & J. Lendemer. 2015. A revision of the saxicolous, esorediate species of *Ainoa* and *Trapelia* (Baeomycetaceae and Trapeliaceae, lichenized Ascomycota) in North America, with the description of two new species. *The Bryologist* 118(4): 385-399.
- Brodo, I. M. & B. McCune. 2017. *Ochrolechia brodoi*, a new lichen for North America from Alaska, with updates to the key of corticolous North American species. *Evansia* 34(3): 110-113.
- Brodo, I. M., S. Duran Sharnoff & S. Sharnoff. 2001. *Lichens of North America*. Yale University Press, New Haven & London. 795 pp.
- Brodo, I. M. & R. Santesson. 1997. Lichens of the Queen Charlotte Islands, British Columbia, Canada. 3. Marine species of *Verrucaria* (Verrucariaceae, Ascomycotina). *Journal of the Hattori Botanical Laboratory* 82: 27-37.
- Brodo, I. M. & J. W. Sheard. 2020. The lichens and lichenicolous fungi of Haida Gwaii, British Columbia, Canada. 6. A new species of *Buellia* with four-celled, *Callispora*-type ascospores. *Opuscula Philolichenum* 19: 163-167.
- Brodo, I. M. & T. Tønsberg. 2020. *Opegrapha halophila* (Opegraphaceae), a new lichen species from coastal British Columbia, Canada, and Alaska, U.S.A. *The Bryologist* 123(3): 457-462.
- Brodo, I. M. & V. Wirth. 1998. Lichens and lichenicolous fungi of the Queen Charlotte Islands, British Columbia, Canada. 4. The genus *Fuscidea* (Fuscideaceae), pp. 149-162. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- Buck, W. R. 1998. Lichen flora of eastern North America: the genus *Gomphillus* (Gomphillaceae), pp. 71-76. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- Buck, W. R. & R. C. Harris. 2001. *Leucocarpia biatorella* (Verrucariaceae), new to North America. *Evansia* 18: 82-83.
- Buck, W. R. & R. C. Harris. 2002. *Epigloea* (Epigloeaceae) new to North America. *Evansia* 19: 83-84.
- Buck, W. R., R. C. Harris, A. J. Shaw, M. D. Piercy-Normore, A. Tabaee, J. Antonovics & E. E. Crone. 1999. Unusual lichens under electricity pylons on zinc-enriched soil. *The Bryologist* 102: 130-132.
- Buck, W. R. & J. C. Lendemer. 2012. *Puttea* (Pilocarpaceae) in eastern North America. *Opuscula Philolichenum* 11: 141-144.
- Buck, W. R. & E. Sérusiaux. 2000. *Gyalectidium yahriae*, sp. nov. (lichenized Ascomycetes, Gomphillaceae) from Florida and Papua New Guinea. *The Bryologist* 103: 134-138.
- Büdel, B. & T. H. Nash III. 2002. *Peltula*, pp. 331-340. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Büdel, B., A. Rauhut & M. Schultz. 2007. *Peltula*, pp. 388-389. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Büdel, B., M. Schulz & T. H. Nash III. 2002. *Heppia*, pp. 204-207. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Bungartz, F. 2004. New and previously unrecorded saxicolous species of *Buellia* s.l. with one-septate ascospores from the Greater Sonoran Desert Region. *Mycotaxon* 90: 81-123.
- Bungartz, F., J. A. Elix & T. H. Nash III. 2004a. The genus *Buellia sensu lato* in the Greater Sonoran Desert Region: saxicolous species with one-septate ascospores containing xanthones. *The Bryologist* 107: 459-479.
- Bungartz, F. & A. M. Fryday. 2004. *Buellia saurina* belongs to the genus *Rhizocarpon* (Rhizocarpaceae, lichenized Ascomycetes). *The Bryologist* 107: 75-78.
- Bungartz, F. & T. H. Nash III. 2004a. The *Buellia aethalea*-group in the Greater Sonoran Desert Region with reference to similar species in North America. *The Bryologist* 107: 441-458.
- Bungartz, F. & T. H. Nash III. 2004b. *Buellia subalbula* (Nyl.) Müll. Arg. and *B. amabilis* de Lesd., two species from North America with one-septate ascospores: A comparison with *Buellia* ["Diplotomma"] *venusta* (Körb.) Lettau. *Bibliotheca Lichenologica* 88: 49-66.
- Bungartz, F. & T. H. Nash III. 2004c. *Buellia turgescens* is synonymous with *Buellia badia* and must not be included in *Amandinea*. *The Bryologist* 107: 21-27.
- Bungartz, F., T. H. Nash III & B. Ryan. 2004b. Morphology and anatomy of chasmolithic versus epilithic growth: a taxonomic revision of inconspicuous saxicolous *Buellia* species from the Sonoran Desert Region generally ascribed to the "*Buellia punctata*" group. *Canadian Journal of Botany* 82: 540-562.
- Bungartz, F., A. Nordin & M. Grube. 2007. *Buellia*, pp. 113-179. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Bungartz, F., C. Scheidegger & T. H. Nash III. 2002. *Buellia dispersa* A. Massal., a variable lichen species from semi-arid to arid environments of North America and Europe. *Bibliotheca Lichenologica* 82: 19-35.

- Bystrek, J. & J. Fabiszewski. 1998. Materials to North American lichen flora. *Acta Societatis Botanicorum Poloniae* 67: 87-93.
- Cáceres, M. E. da S., A. Aptroot, C. de O. Mondonça, L. A. dos Santos & R. Lücking. 2017. *Sprucidea*, a further new genus of rain forest lichens in the family Malmideaceae (Ascomycota). *The Bryologist* 120(2): 202-211.
- Calatayud, V., J. Hafellner & P. Navarro-Rosinés. 2004. *Lichenostigma*, pp. 664-669. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Calatayud, V., P. Navarro-Rosinés & J. Hafellner. 2002. A synopsis of *Lichenostigma* subgen. *Lichenogramma* (Arthoniales), with a key to the species. *Mycological Research* 106: 1230-1242.
- Canals, A., M. Hernández-Marié, A. Gómez-Bolea & X. Llimona. 1997. *Botryolepraria*, a new monotypic genus segregated from *Lepraria*. *Lichenologist* 29: 339-345.
- Carlberg, T. 2016. *Phylloblastia fortuita* (Verrucariaceae), a foliicolous lichen new to California and North America. *Bulletin of the California Lichen Society* 23(1): 9-12.
- Carlberg, T., P. M. Jørgensen & T. Tønsberg. 2016. *Scytinium singulare*, a new lichen species from coastal California. *North American Fungi* 11(4): 1-6.
- Cestaro, L., T. Tønsberg & L. Muggia. 2016. Phylogenetic data and chemical traits characterize a new species in the lichen genus *Tephromela*. *Herzogia* 29(2): 383-402.
- Claassen, E. 1912. Alphabetical list of lichens collected in several counties of northern Ohio. *Ohio Naturalist* 12 (8): 543-548.
- Claassen, E. 1917. Second alphabetical list of the lichens collected in several counties of northern Ohio. *Ohio Journal of Science* 18(2): 62-63.
- Clayden, S. R., T. Ahti, R. Pino-Bodas, M. Pitcher, B. P. Løfall, J. W. McCarthy & R. T. McMullin. First documented occurrences of *Cladonia krogiana* and *C. rangiformis* in North America. *Opuscula Philolichenum* 20: 25-36.
- Clerc, P. 1987. Systematics of the *Usnea fragilescens* aggregate and its distribution in Scandinavia. *Nordic Journal of Botany* 7: 479-495.
- Clerc, P. 1997. Notes on the genus *Usnea* Dill. ex Adanson. *Lichenologist* 29: 209-215.
- Clerc, P. 2004. Notes on the genus *Usnea* Adanson. II. *Bibliotheca Lichenologica* 88: 79-90.
- Clerc, P. 2007. *Usnea*, pp. 302-335. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Clerc, P. 2011. Notes on the genus *Usnea* Adanson (lichenized Ascomycota). III. *Bibliotheca Lichenologica* 106: 41-51.
- Clerc, P. 2016. Notes on the genus *Usnea* (lichenized Ascomycota, Parmeliaceae) IV. *Herzogia* 29(2): 403-411.
- Clerc, P. & M. A. Herrera-Campos. 1997. Saxicolous species of *Usnea* subgenus *Usnea* (lichenized Ascomycetes) in North America. *The Bryologist* 100: 281-301.
- Clerc, P. & P. F. May. 2007. *Usnea flammea* (Lecanorales) new for North America. *The Bryologist* 110: 126-128.
- Cole, M. S. & D. L. Hawksworth. 2001. Lichenicolous fungi, mainly from the USA, including *Patriciomycetes* gen. nov. *Mycotaxon* 77: 305-338.
- Cole, M. S. & D. L. Hawksworth. 2002. *Lichenopeltella heterodermiicola*, a new lichenicolous ascomycete on *Heterodermia speciosa* in Arkansas. *Mycotaxon* 83: 391-396.
- Cole, M. S. & D. L. Hawksworth. 2004. *Lichenoconium christiansenii* sp. nov. from *Nodobryoria abbreviata* (Parmeliaceae) in the Pacific Northwest, with a key to the known lichenicolous species. *Lichenologist* 36: 1-6.
- Coppins, B. J. 2002. Checklist of lichens of Great Britain and Ireland. 87 pp. British Lichen Society.
- Coppins, B. J. 2008. *Micarea perparvula* in North America. *Opuscula Philolichenum* 5: 23-24.
- Coppins, B. J. & A. M. Fryday. 2006a. New or previously misunderstood species of *Lithographa* and *Rimularia* (Agyriaceae) from the southern subpolar region and western Canada. *Lichenologist* 38: 93-107.
- Coppins, B. J. & A. M. Fryday. 2006b. Reassessment of some lichen species described by Josiah Lowe, and notes on some other North American lecideoid lichens. *The Bryologist* 109: 9-17.
- Coppins, B. J. & S. Y. Kondratyuk. 1998. *Opegrapha trassii* sp. nov., a new lichenicolous fungus on *Heterodermia* [*Opegrapha trassii* sp. nov., uus liiheniseerunud seene liik sambliku *Heterodermia* tallustelt]. *Folia Cryptogamica Estonica* 32: 9-14.
- Coppins, B. J. & P. F. May. 2001. *Micarea neostipitata*, a new species with pale stipitate pycnidia from eastern North America. *Lichenologist* 33: 487-490.
- Coppins, B. J. & L.-E. Muhr. 1997. *Micarea lapillicola* (Vain.) Coppins & Muhr, a previously misunderstood species from NW Europe. *Graphis Scripta* 8: 45-49.
- Coppins, B. J. & T. Spribille. 2004. *Micarea subalpina* Coppins & Spribille, a new subalpine species from the Rocky Mountains, USA. *Lichenologist* 36: 97-102.
- Coppins, B. J. & T. Tønsberg. 2001. A new xanthone-containing *Micarea* from northwest Europe and the Pacific Northwest of North America. *Lichenologist* 33: 93-96.
- Cornejo, C., C. Derr and K. Dillman. 2017. *Ricasolia amplissima* (Lobariaceae): one species, three genotypes and a new taxon from south-eastern Alaska. *Lichenologist* 49(6): 579-596.

- Czarnota, P. & B. J. Coppins. 2007. Contribution to the knowledge of rare *Bacidia* s. lat. (Lecanorales, lichenized Ascomycetes) from Central Europe including a new, pallid forma of *Bacidia hemipolia*. *Nova Hedwigia* 85(3-4): 503-513.
- Dal Forno, M., L. Kaminsky, R. Rosentreter, R. Troy McMullin, A. Aptroot & R. Lücking. 2019. A first phylogenetic assessment of *Dictyonema* s. lat. in southeastern North America reveals three new basidiolichens, described in honor of James D. Lawrey. *Plant and Fungal Systematics* 64(2): 383-392.
- Davydov, E. A., D. Peršoh & G. Rambold. 2010. The systematic position of *Lasallia caroliniana* (Tuck.) Davydov, Peršoh & Rambold *comb. nova* and considerations on the generic concept of *Lasallia* (Umbilicariaceae, Ascomycota). *Mycological Progress* 9: 261-266.
- Davydov, E. A., L. S. Yakovchenko, J. Hollinger, F. Bungartz, C. Parrinello & C. Printzen. 2021a. The new genus *Pulvinora* (Lecanoraceae) for species of the '*Lecanora pringlei*' group, including the new species *Pulvinora sereothallina*. *The Bryologist* 124(2): 242-256.
- Davydov, E. A., L. S. Yakovchenko & C. Printzen 2021b. Validation of the combination *Lecanora brandegeei* (Ξ *Lecidea brandegeei*). *Opuscula Philolichenum* 20: 71-72.
- Degelius, G. 1954. The lichen genus *Collema* in Europe: Morphology, Taxonomy, Ecology. *Symbolae Botanicae Upsalienses* 13: 1-499.
- Degelius, G. 1957. The epiphytic lichen flora of the birch stands in Iceland. *Acta Horti Gothoburgensis* 22: 1-51.
- Degelius, G. 1974. The lichen genus *Collema* with special reference to the extra-European species. *Symbolae Botanicae Upsalienses* 20: 1-215.
- DePriest, P. T. & B. W. Hale. 1998. A validated species and a new combination in *Parmotrema* (Ascomycotina: Parmeliaceae). *Mycotaxon* 67: 207-209.
- DePriest, P. T., M. Sikaroodi, J. D. Lawrey & P. Diederich. 2005. *Marchandiomyces lignicola* sp. nov. shows recent and repeated transition between a lignicolous and a lichenicolous habit. *Mycological Research* 109: 57-70.
- Dibben, M. J. 1980. The chemosystematics of the lichen genus *Pertusaria* in North America north of Mexico. Milwaukee Public Museum, Publications in Biology and Geology, No. 5, pp. i-iv & 1-162.
- Diederich, P. 1996. The Lichenicolous Heterobasidiomycetes. *Bibliotheca Lichenologica* 61: 1-198.
- Diederich, P. 2002. *Kalchbrenneriella*, a new genus to accommodate the lichenicolous Hyphomycete *Torula cyanescens*. *The Bryologist* 105: 411-414.
- Diederich, P. 2003. New species and new records of American lichenicolous fungi [Neue Arten und neue Funde von amerikanischen lichenicolen Pilzen]. *Herzogia* 16: 41-90.
- Diederich, P. 2004a. *Sclerococcum*, p. 691. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Diederich, P. 2004b. *Tremella*, pp. 710-714. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Diederich, P. 2007a. New or interesting lichenicolous Heterobasidiomycetes. *Opuscula Philolichenum* 4: 11-22.
- Diederich, P. 2007b. *Obryzum*, pp. 401-402. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Diederich, P., R. S. Common, U. Braun, B. Heuchert, A. Millanes, A. Suija & D. Ertz. 2019. Lichenicolous fungi from Florida growing on Graphidales. *Plant and Fungal Systematics* 64(2): 249-282.
- Diederich, P., D. Ertz, J. D. Lawrey, M. Sikaroodi & W. A. Untereiner. 2013. Molecular data place the hyphomycetous lichenicolous genus *Sclerococcum* close to *Dactylospora* (Eurotiomycetes) and *S. parmeliae* in *Cladophialophora* (Chaetothyriales). *Fungal Diversity* 58: 61-72.
- Diederich, P., D. Ertz, & J. Etayo. 2010. An enlarged concept of *Llimoniella* (lichenicolous Helotiales), with a revised key to the species and notes on related genera. *Lichenologist* 42: 253-269.
- Diederich, P. & J. Etayo. 2000. A synopsis of the genera *Skyttea*, *Llimoniella* and *Rhymbocarpus* (lichenicolous Ascomycota, Leotiales). *Lichenologist* 32: 423-485.
- Diederich, P. & J. Etayo. 2004a. *Rhymbocarpus*, pp. 686-687. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Diederich, P. & J. Etayo. 2004b. *Skyttea*, pp. 693-695. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Diederich, P., J. Kocourková, J. Etayo & M. Zhurbenko. 2007. The lichenicolous *Phoma* species (coelomycetes) on *Cladonia*. *Lichenologist* 39: 153-163.
- Diederich, P. & J. D. Lawrey. 2007. New lichenicolous, muscicolous, corticolous and lignicolous taxa of *Burgoa* s. l. and *Marchandiomyces* s. l. (anamorphic Basidiomycota), a new genus for *Omphalina foliacea*, and a catalogue and a key to the non-lichenized, bulbilliferous basidiomycetes. *Mycological Progress* 6: 61-80.
- Diederich, P., J. D. Lawrey & D. Ertz. 2018. The 2018 classification and checklist of lichenicolous fungi, with 2000 non-lichenized, obligately lichenicolous taxa. *The Bryologist* 121(3): 340-425.

- Diederich, P., J. D. Lawrey, M. Sikaroodi, P. P. G. van den Boom & D. Ertz. 2012. *Briancoppinsia*, a new coelomycetous genus of Arthoniaceae (Arthoniales) for the lichenicolous *Phoma cytospora*, with a key to this and similar taxa. *Fungal Diversity* 52: 1-12.
- Diederich, P., A. M. Millanes, B. J. Coppins & M. Wedin. 2020. *Tremella imshaugiae* and *T. tubulosae* (Tremellomycetes, Basidiomycota), two new lichenicolous fungi on *Imshaugia aleurites* and *Hypogymnia tubulosa*. *Bulletin de la Société naturalistes luxembourgeois* 122: 239-246.
- Diederich, P. & P. van den Boom. 2017. *Sclerococcum phaeophysciae* and *S. toensbergii*, two new lichenicolous asexual Ascomycetes, with a revised key to the species of *Sclerococcum*. *Bulletin de la Société des naturalistes luxembourgeois* 119: 71-78.
- Diederich, P. & M. Zhurbenko. 2001. Nomenclatural notes on *Taeniolella rolfii* (lichenicolous hyphomycetes). *Graphis Scripta* 12: 37-40.
- Diederich, P., M. Zhurbenko & J. Etayo. 2002. The lichenicolous species of *Odontotrema* (syn. *Lethariicola*) (Ascomycota, Ostropales). *Lichenologist* 34: 479-501.
- Diederich, P., M. P. Zhurbenko, A. N. Kuznetsov & P. van den Boom. 2020. *Trimmatostroma commonii*, a new lichenicolous hyphomycete inhabiting Graphidaceae hosts. *Folia Cryptogamica Estonica* 57: 33-36.
- Dillman, K. L., T. Ahti, C. R. Björk, P. Clerc, S. Ekman, T. Goward, J. Hafellner, S. Pérez-Ortega, C. Printzen, S. Savić, M. Schultz, M. Svensson, G. Thor, T. Tønsberg, O. Vitikainen, M. Westberg & T. Spribille. 2012. New records, range extensions and nomenclatural innovations for lichens and lichenicolous fungi from Alaska, U.S.A. *Herzogia* 25(2): 177-210.
- Divakar, P. K., A. Crespo, J. Núñez-Zapata, A. Flakus, H. J. M. Sipman, J. A. Elix & H. T. Lumbsch. 2013. A molecular perspective on generic concepts in the *Hypotrachyna* clade (Parmeliaceae, Ascomycota). *Phytotaxa* 132(1): 21-38.
- Divakar, P. K. et al. 2015. Evolution of complex symbiotic relationships in a morphologically derived family of lichen-forming fungi. *New Phytologist* 208: 1217-1226.
- Divakar, P. K., R. Del-Prado, H. T. Lumbsch, M. Wedin, T. L. Esslinger, S. D. Leavitt & A. Crespo. 2012. Diversification of the newly recognized lichen-forming fungal lineage *Montanelia* (Parmeliaceae, Ascomycota) and its relation to key geological and climatic events. *American Journal of Botany* 99 (12): 2014-2026.
- Divakar, P. K., G. Figueras, N. L. Hladun & A. Crespo. 2010. Molecular phylogenetic studies reveal an undescribed species within the North American concept of *Melanelixia glabra* (Parmeliaceae). *Fungal Diversity* 42: 47-55.
- Dix, W. L. 1956. Lichens and hepatics of the Ungava Peninsula. *The Bryologist* 59(1): 43-50.
- Dolnik, C., A. Beck, & D. Zarabska. 2010. Distinction of *Cladonia rei* and *C. subulata* based on molecular, chemical and morphological characteristics. *Lichenologist* 42: 373-386.
- Driscoll, K. E., S. R. Clayden & R. C. Harris. 2016. *Lecanora insignis* (Lecanoraceae) and its lichenicolous fungi in North America, including a new species of *Skyttea* (Helotiidae). *The Bryologist* 119(1): 39-51.
- Egan, R. S. 2003. What is the lichen *Parmelia graminicola* B. de Lesd.? *The Bryologist* 106: 314-316.
- Egan, R., R. Harms & T. Widholm. 2005. Studies on the lichen *Parmotrema rigidum* s. lat. from North and South America. *The Bryologist* 108: 402-405.
- Egea, J. M. & P. Torrente. 1995. Especies saxícolas del género *Arthonia* (Arthoniaceae) en áreas costeras de California y Baja California (Estados Unidos y México), pp. 193-204. In F. J. A. Daniels, M. Schulz & J. Peine (eds.), Flechten Follmann. Contributions to lichenology in Honour of Gerhard Follmann. Geobotanical and Phytophotaxonomical Study Group, Botanical Institute, University of Cologne, Cologne.
- Egea, J. M. & P. Torrente. 1997. *Graphis saxorum* (lichenized Ascomycotina, Graphidaceae) a new species from California and Baja California. *The Bryologist* 100: 207-209.
- Egea, J. M., P. Torrente & B. D. Ryan. 2004a. *Bactrospora*, pp. 32-37. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Egea, J. M., P. Torrente & B. D. Ryan. 2004b. *Lecanographa*, pp. 171-176. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ekman, S. 1996. The corticolous and lignicolous species of *Bacidia* and *Bacidina* in North America. *Opera Botanica* 127: 1-148.
- Ekman, S. 2004a. *Bacidia*, pp. 18-28. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ekman, S. 2004b. *Bacidina*, pp. 28-32. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ekman, S. 2004c. *Mycobilimbia*, pp. 365-367. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.

- Ekman, S. 2009. *Bacidia rosellizans*, a new lichen species from the taiga belt. *Lichenologist* 41(5): 481-487.
- Ekman, S. 2014. The *Bacidia coprodes* group (Ramalinaceae, Lecanoromycetes, Ascomycota), with special reference to the species in Europe and North America. *Phytotaxa* 191(1): 66-80.
- Ekman, S. & M. Svensson. 2014. *Brianaria* (Psoraceae), a new genus to accommodate the *Micarea sylvicola* group. *Lichenologist* 46(3): 285-294.
- Ekman, S. & T. Tønsberg. 1996. A new species of *Megalaria* from the North American west coast, and notes on the generic circumscription. *The Bryologist* 99: 34-40.
- [Ekman, S. & T. Tønsberg. 2019. *Biatora alnetorum* \(Ramalinaceae, Lecanorales\), a new lichen species from western North America. *MycoKeys* 48: 55-65.](#)
- Ekman, S., M. Wedin, L. Lindblom & P. M. Jørgensen. 2014. Extended phylogeny and a revised generic classification of the Pannariaceae (Peltigerales, Ascomycota). *Lichenologist* 46(5): 627-656.
- Elix, J. A. 2001. A Revision of the Lichen Genus *Paraparmelia* Elix & J. Johnst. *Bibliotheca Lichenologica* 80: 1-224.
- Elix, J. A. & T. H. Nash III. 1997. A monograph of the lichen genus *Pseudoparmelia* (Ascomycotina, Parmeliaceae). *The Bryologist* 100: 482-498.
- Elix, J. A. & T. H. Nash III. 1999. Two new species of *Xanthoparmelia* (Ascomycotina, Parmeliaceae) from North America. *Mycotaxon* 71: 417-422.
- Elix, J. A. & D. O. Øvstedal. 2004. A new *Lecanora* species from the Arctic with a remarkable chemistry. *Graphis Scripta* 15: 57-59.
- Elvebakk, A & T. Tønsberg. 2018. *Psorama spinuliferum* (Pannariaceae), a new corticolous lichen species from Alaska with two different types of cephalodia. *The Bryologist* 121: 166-173.
- Ertz, D. 2009. Revision of the Corticolous *Opegrapha* Species from the Paleotropics. *Bibliotheca Lichenologica* 102: 1-176.
- Ertz, D., C. Christnach, M. Wedin & P. Diederich. 2005. A World Monograph of the Genus *Plectocarpon* (Roccellaceae, Arthoniales). *Bibliotheca Lichenologica* 91: 1-155.
- Ertz, D. & P. Diederich. 2015. Dismantling Melaspileaceae: a first phylogenetic study of *Buellia*, *Hemigrapha*, *Karschia*, *Labrocarpon* and *Melaspilea*. *Fungal Diversity* 71: 141-164.
- Ertz, D., P. Diederich, J. D. Lawrey, F. Berger, C. E. Freebury, B. Coppins, A. Gardiennet & J. Hafellner. 2015a. Phylogenetic insights resolve Dacampiaceae (Pleosporales) as polyphyletic: *Didymocyrtis* (Pleosporales, Phaeosphaeriaceae) with *Phoma*-like anamorphs resurrected and segregated from *Polycoccum* (Trypetheliales, Polycoccaceae fam. nov.). *Fungal Diversity* 74: 53-89.
- Ertz, D., P. Diederich & J. Miądlikowska. 2004. The lichenicolous *Opegrapha* species (Roccellaceae, Acomycota) with 3-septate ascospores on *Pertusaria* and *Ochrolechia*. *Botanical Journal of the Linnean Society* 144: 235-241.
- [Ertz, D., K. E. Driscoll & S. R. Clayden. 2021a. Two new lichenicolous species of *Opegrapha* \(Arthoniales\) from Canada. *The Bryologist* 124\(1\): 39-51.](#)
- Ertz, D. & J. M. Egea. 2007. *Opegrapha*, pp. 255-266. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Ertz, D., J. D. Lawrey, R. S. Common & P. Diederich. 2014. Molecular data resolve a new order of Arthoniomycetes sister to the primarily lichenized Arthoniales and composed of black yeasts, lichenicolous and rock-inhabiting species. *Fungal Diversity* 66:113-137.
- Ertz, D., J. Miądlikowska, F. Lutzoni, S. Dessein, O. Raspé, N. Vigneron, V. Hofstetter & P. Diederich. 2009. Towards a new classification of the Arthoniales (Ascomycota) based on a three-gene phylogeny focussing on the genus *Opegrapha*. *Mycological Research* 113(1): 141-152.
- [Ertz, D., N. Sanderson & M. Lebouvier. 2021b. *Thelopsis* challenges the generic circumscription in the Gyalectaceae and brings new insights to the taxonomy of *Ramonia*. *Lichenologist* 53\(1\): 45-61.](#)
- Ertz, D. & A. Tehler. 2011. The phylogeny of Arthoniales (Pezizomycotina) inferred from nuLSU and RPB2 sequences. *Fungal Diversity* 49: 47-71.
- Ertz, D., A. Tehler, M. Irestedt, A. Frisch, G. Thor & P. van den Boom. 2015b. A large-scale phylogenetic revision of Roccellaceae (Arthoniales) reveals eight new genera. *Fungal Diversity* 70: 31-53.
- Ertz, D., M. Zhurbenko, P. Diederich & J. Miądlikowska. 2003. A new species of *Plectocarpon* (lichenicolous Roccellaceae, Ascomycota) on *Peltigera*. *The Bryologist* 106: 465-467.
- Esslinger, T. L. 1978. Studies in the lichen family Physciaceae. II. The genus *Phaeophyscia* in North America. *Mycotaxon* : 283-320
- Esslinger, T. L. 1994. New species and new combinations in the lichen genus *Physconia* in North America. *Mycotaxon* 51: 91-100.
- Esslinger, T. L. 2000a. *Culbersonia americana*, a rare new lichen (Ascomycota) from western America. *The Bryologist* 103: 771-773.
- Esslinger, T. L. 2000b. A key for the lichen genus *Physconia* in California, with descriptions for three new species occurring within the state. *Bulletin of the California Lichen Society* 7: 1-6.

- Esslinger, T. L. 2002a. *Anaptychia*, pp. 95-97. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Esslinger, T. L. 2002b. *Culbersonia*, pp. 164-165. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Esslinger, T. L. 2002c. *Melanelia*, pp. 274-286. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Esslinger, T. L. 2002d. *Physconia*, pp. 373-383. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Esslinger, T. L. 2003. *Tuckermanella*, a new cetrarioid genus in western North America. Mycotaxon 85: 135-141.
- Esslinger, T. L. 2004a. A new North American species in the lichen genus *Physcia* (Ascomycota) with a unique thallus morphology. Mycotaxon 90: 301-306.
- Esslinger, T. L. 2004b. *Phaeophyscia*, pp. 403-414. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Esslinger, T. L. 2007. A synopsis of the North American species of *Anaptychia* (Physciaceae). The Bryologist 110: 788-797.
- Esslinger, T. L. 2016. A cumulative checklist for the lichen-forming, lichenicolous and allied fungi of the continental United States and Canada, Version 21. Opuscula Philolichenum 15: 136-390. [Online at: <http://www.ndsu.edu/pubweb/~esslinge/checklst/checklst7.htm>]
- Esslinger, T. L. 2017. A new circumscription for the common and widespread North American species *Physcia subtilis*, and description of a new species, *P. thomsoniana*. Opuscula Philolichenum 16: 139-152.
- Esslinger, T. L. 2019. A cumulative checklist for the lichen-forming, lichenicolous and allied fungi of the continental United States and Canada, Version 23.** Opuscula Philolichenum 18: 102-378. [Online at: <http://www.ndsu.edu/pubweb/~esslinge/checklst/checklst7.htm>]
- Esslinger, T. L. & C. Bratt. 1998. The *Heterodermia erinacea* group in North America, and a remarkable new disjunct distribution, pp. 25-36. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- Esslinger, T. L. & K. L. Dillman. 2010. *Physconia grumosa* in North America. The Bryologist 113: 77-80.
- Esslinger, T. L. & R. S. Egan. 1995. A sixth checklist of the lichen-forming, lichenicolous, and allied fungi of the continental United States and Canada. The Bryologist 98: 467-549.
- Esslinger, T. L. & R. S. Egan. 1996. A new species of the lichen genus *Physcia* (lichen-forming Ascomycota) from Texas. The Bryologist 99: 331-334.
- Esslinger, T. L., S. D. Leavitt & B. McCune. 2020. Two closely related but morphologically disparate new species of *Physcia* from western North America.** The Bryologist 123(2): 204-214.
- Esslinger, T. L., B. McCune & D. L. Haughland. 2017. *Physconia labrata*, a new species from western North America and Asia. The Bryologist 120(4): 427-434.
- Esslinger, T. L., C. A. Morse & S. D. Leavitt. 2012. A new North American species of *Hyperphyscia* (Physciaceae). Bryologist 115(1): 31-41.
- Esslinger, T. L. & S. Tucker 2009. Names appearing in Fink's 'Lichen Flora of the United States' which remain unresolved in the current United States/Canada checklist. Evansia 26: 177-192.
- Etayo, J. 1998. Aportación a la flora liquenícola de las Islas Canarias. iv. Líquenes epíticos de La Gomera (Isla Canarias). Tropical Bryology 14: 85-107.
- Etayo, J. 2010. Hongos liquenícolas de Perú: Homenaje a Rolf Santesson. Bulletin de la Société linnéenne de Provence 61: 83-128.
- Etayo, J. & A. Aptroot. 2003. *Pyrenula luteopruinosa* sp. nov. from Panama and notes on other members of the genus. Lichenologist 35: 233-236.
- Etayo, J. & O. Breuss. 1998. New species and interesting records of lichenicolous fungi. Österreichische Zeitschrift für Pilzkunde 7: 203-213.
- Etayo, J. & P. Diederich. 2001. *Gyalideopsis floridae*, sp. nov. a new lichenicolous lichen from Florida (Gomphillaceae, Ascomycetes). The Bryologist 104: 130-133.
- Etayo, J., J. Kocourková & K. Knudsen. 2007. New records of lichenicolous fungi for California. Bulletin of the California Lichen Society 14: 37-39.
- Etayo, J. & P. Navarro-Rosinés. 2008. Una combinación y tres especies nuevas de *Lichenochora* (Phyllachorales, Ascomycetes liquenícolas), y notas adicionales para el género. Revista Catalana de Micología 30: 27-44.
- Etayo, J. & D. Triebel. 2010. New and interesting lichenicolous fungi at the Botanische Staatssammlung München. Lichenologist 42: 227-229.
- Evans, A.W. 1950. Notes on the *Cladoniae* of Connecticut-IV. Rhodora 52(617): 77-123.

- Eyerdam, W. J. 1960. Lichens new to the state of Washington. *The Bryologist* 63: 107-110.
- Ferraro, L. I., R. Lücking & E. Sérusiaux. 2001. A world monograph of the lichen genus *Gyalectidium* (Gomphillaceae). *Botanical Journal of the Linnean Society* 137: 311-345.
- Feuerer, T. 1991. Revision der europäischen Arten der Flechtengattung *Rhizocarpon* mit nichtgelbem Lager und veilzelligen Sporen. *Bibliotheca Lichenologica* 39: 1-218.
- Feuerer, T. & E. Timdal. 2004. *Rhizocarpon*, pp. 456-466. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Fink, B. 1935. The Lichen Flora of the United States. Ann Arbor, The University of Michigan Press.
- Flakus, A., J. Etayo, J. Miadlikowska, F. Lutzoni, M. Kukwa, N. Matura & P. Rodriguez-Flakus. 2019. Biodiversity assessment of ascomycetes inhabiting *Lobariella* lichens in Andean cloud forests led to one new family, three new genera and 13 new species of lichenicolous fungi. *Plant and Fungal Systematics* 64(2): 283-344.
- Flowers, S. 1953-1954. Some lichens of Utah. *Utah Acad. Sci., Arts & Lett. Proc.* 31: 101-105.
- Freebury, C. 2014. Lichens and lichenicolous fungi of Grasslands National Park (Saskatchewan, Canada). *Opuscula Philolichenum* 13: 102-121.
- Frisch, A. 2006. The lichen family Thelotremaeae in Africa. A revision with special consideration of the taxa from Cameroon and Tanzania. *Bibliotheca Lichenologica* 92: 3-370.
- Frisch, A. & K. Kalb. 2006. A monograph of Thelotremaeae with a complex structure of the columella. *Bibliotheca Lichenologica* 92: 371-516.
- Frisch, A., Y. Ohmura, D. Ertz & G. Thor. 2015. *Inoderma* and related genera in Arthoniaceae with elevated white pruinosis pycnidia or sporodochia. *Lichenologist* 47(4): 233-256.
- Frisch, A., G. Thor, & J. Elix. 2010. *Herpothallon rubroechinatum* (Arthoniaceae), a new species from tropical and subtropical America. *The Bryologist* 113: 144-148.
- Frisch, A., G. Thor, D. Ertz & M. Grube. 2014. The Arthonialean challenge: restructuring Arthoniaceae. *Taxon* 63(4): 727-744.
- Frödén, P. & P. Lassen. 2004. Typification and emendation of *Seirophora* Poelt to include species segregated from *Teloschistes* Norman. *Lichenologist* 36: 289-298.
- Fryday, A. 2000. On *Rhizocarpon obscuratum* (Ach.) Massal., with notes on some related species in the British Isles. *Lichenologist* 32: 207-224.
- Fryday, A. M. 2001. Additions to the lichen flora of North America?? *Agonimia allobata* and *Aspicilia grisea*. *Evensia* 18: 87-89.
- Fryday, A. M. 2002. A revision of the species of the *Rhizocarpon hochstetteri* group occurring in the British Isles. *Lichenologist* 34: 451-477.
- Fryday, A. M. 2004a. A new species of *Fuscopannaria* with a green photobiont, and other taxonomic innovations and new records of lichenized-fungi from Alaska. *The Bryologist* 107: 173-179.
- Fryday, A. M. 2004b. A re-assessment of the genus *Gongylia* in North America, and a new species of *Protothelenella* from Colorado. *The Bryologist* 107: 232-233.
- Fryday, A. M. 2005. The genus *Porpidia* in northern and western Europe, with special emphasis on collections from the British Isles. *Lichenologist* 37: 1-35.
- Fryday, A. M. 2006. New and interesting North American lichen records from the alpine and sub-alpine zones of Mt. Katahdin, Maine. *The Bryologist* 109: 570-578.
- Fryday, A. M. 2008. The genus *Fuscidea* (Fuscideaceae, lichenized Ascomycota) in North America. *Lichenologist* 40: 295-328.
- Fryday, A. M. 2010. A brief lichen foray in the Mount Washington alpine zone – including *Clauroxia chalybeoides*, *Porina norrlinii* and *Stereocaulon leucophaeopsis* new to North America. *Opuscula Philolichenum* 8: 1-7.
- Fryday, A. M. 2017. Additions to the lichenized fungi biota of North America and Alaska from collections held in the University of Alaska Museum of the North herbarium (ALA). *Arctic Science* 3: 577-584.
- Fryday, A. M. 2020. *Lecidea cerviniicola* and *L. promiscua* new to the North American lichen biota. *Opuscula Philolichenum* 19: 9-13.
- Fryday, A. M. & B. J. Coppins. 1996. A new crustose *Stereocaulon* from the mountains of Scotland and Wales. *Lichenologist* 28: 513-519.
- Fryday, A. M. & B. J. Coppins. 2004. A reassessment of the genera *Chromatochlamys* and *Thelenella*, and a new species of *Strigula* from the British Isles. *Lichenologist* 36: 89-95.
- Fryday, A. M. & B. J. Coppins. 2007. *Micarea*, pp. 246-250. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Fryday, A. M. & B. J. Coppins. 2012. New taxa, reports, and names of lichenized and lichenicolous fungi, mainly from the Scottish Highlands. *Lichenologist* 44: 723-737.
- Fryday, A. M. & K. L. Dillman. 2021. Two new species of Ostropales (Lecanoromycetes) and other significant records of lichenized fungi from southeastern Alaska. *The Bryologist* 124(1): 20-26.
- Fryday, A. M., A. Elvebak, F. L. Anderson & J. Y. Gagnon. 2019. *Psorma nivale* (Pannariaceae, lichenized Ascomycota) a new species with dark, elongate squamules and bacilliform ascospores from arctic Québec, Canada. *Lichenologist* 51(5): 419-429.

- Fryday, A. M. & K. A. Glew. 2003. *Stereocaulon nivale*, comb. nov., yet another crustose species in the genus. The Bryologist 106: 565-568.
- Fryday, A. M. & J. C. Lendemer. 2010. Reassessment of the genus *Catillochroma* (lichenized Ascomycota, Ramalinaceae). Lichenologist 42: 587-600.
- Fryday, A. M., J. C. Lendemer & N. M. Howe. 2007. *Porpidia soredizodes* (lichenized ascomycota) in North America. Opuscula Philolichenum 4: 1-4.
- Fryday, A. M. & J. W. McCarthy. 2018. *Hymenelia parva* (Hymeneliaceae, Ostropomycetidae): A new species from Newfoundland, Canada. Graphis Scripta 30(6): 44-50.
- Fryday, A. M., C. Printzen & S. Ekman. 2014. *Bryobilimbia*, a new generic name for *Lecidea hypnorum* and closely related species. Lichenologist 46(1): 25-37.
- Fryday, A. M., T. B. Wheeler & J. Etayo. 2021. A new species of *Aspicilia* (Megasporaceae), with a new lichenicolous *Sagediopsis* (Adelococcaceae), from the Falkland Islands. Lichenologist 53(4): 307-315.
- Galloway, D. J. 2005. *Placopsis fusciduloides* (Ascomycota: Agyriaceae), a new lichen from Aotearoa New Zealand, British Columbia, and Bolivia. Australasian Lichenology 57: 16-20.
- Galloway, D. J. & J. A. Elix. 2013. Reinstatement of *Crocodia* Link (Lobariaceae: Ascomycota) for five species formerly included in *Pseudocyphellaria* Vain. Australasian Lichenology 72: 32-42.
- Galloway, D. J. & M. A. Thomas. 2004. *Sticta*, pp. 513-524. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Gams, W. 2004. Report of the committee for fungi: 11. Taxon 53: 1067-1069.
- Gams, W., B. Stielow, T. Gräfenhan, H.-J. Schroers. 2018. The ascomycete genus *Niesslia* and associated monocillium-like anamorphs. Mycological Progress 18(1-2): 5-76.
- Gasparyan, A., H. J. M. Sipman & R. Lücking. 2017. *Ramalina europaea* and *R. labiosorediata*, two new species of the *R. pollinaria* group (Ascomycota: Ramalinaceae), and new typifications for *Lichen pollinarius* and *L. squarrosus*. The Lichenologist 49(4): 301-319.
- Gaya, E. 2009. Taxonomical revision of the *Caloplaca saxicola* group (Teloschistaceae, lichen-forming Ascomycota). Bibliotheca Lichenologica 101: 1-191.
- Gerlach, A. da C. L., P. Clerc, R. M. Borges da Silveira. 2017. Taxonomy of the corticolous, shrubby, esorediate, neotropical species of *Usnea* Adans. (Parmeliaceae) with an emphasis on southern Brazil. Lichenologist 49(3): 199-238.
- Giralt, M., G. Paz-Bermúdez, J. A. Elix. 2009. New data on *Sculptolumina japonica* (Physciaceae). The Bryologist 112: 397-403.
- Giralt, M., F. Bungartz & J. A. Elix. 2011. The identity of *Buellia sequax*. Mycological Progress 10(1): 115-119.
- Giralt, M., P. P. G. van den Boom & J. A. Elix. 2010. *Endohyalina*, the genus in the Physciaceae to accommodate the species of the *Rinodina ericina*-group. Mycological Progress 9(1): 37-48.
- Glavich, D. A. & L. H. Geiser. 2004. *Dermatocarpon meiophyllum* Vainio in the US Pacific Northwest. Evansia 21: 137-140.
- Glew, K. A. 1999. *Rinodina aspersa* (Borrer) Laundon new to North America. Evansia 16: 168-169.
- Gockman, O., S. B. Selva & R. T. McMullin. 2019. The first report of *Chaenothecopsis perforata* from North America. Opuscula Philolichenum 18: 52-57.
- Gockman, O., S. B. Selva & R. T. McMullin. 2020. Calicoid lichens and fungi of Minnesota, U.S.A.: including two new species, *Chaenothecopsis jordanianai* and *C. penningtonensis* (Mycocaliciaceae). The Bryologist 123(2): 235-259.
- Goffinet, B. & T. Goward. 1998. Is *Nephroma silvae-veteris* the cyanomorph of *Lobaria oregana*? Insights from molecular, chemical and morphological characters, pp. 41-52. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- Goffinet, B. & R. I. Hastings. 1995. Two new sorediate taxa of *Peltigera*. Lichenologist 27: 43-58.
- Goffinet, B. & J. Miadlikowska. 1999. *Peltigera phyllidiosa* (Peltigeraceae, Ascomycotina), a new species from the southern Appalachians corroborated by ITS sequences. Lichenologist 31: 247-256.
- Goffinet, B., J. Miadlikowska & T. Goward. 2003. Phylogenetic inferences based on nrDNA sequences support five morphospecies within the *Peltigera didactyla* complex (lichenized Ascomycota). The Bryologist 106: 349-364.
- Goward, T., T. Ahti, J. A. Elix, & Toby Stribille. 2010. *Hypogymnia recurva* and *Hypogymnia wilfiana* spp. nov., two new lichens from western North America. Botany 88: 345-351.
- Goward, T., O. Breuss, B. Ryan, B. McCune, H. Sipman & C. Scheidegger. 1996. Notes on the lichens and allied fungi of British Columbia. III. The Bryologist 99: 439-449.
- Goward, T. & B. Goffinet. 2000. *Peltigera chionophila*, a new lichen (Ascomycetes) from the Western Cordillera of North America. The Bryologist 103: 493-498.
- Goward, T. & B. McCune. 2007. *Hypogymnia canadensis* (Parmeliaceae), a new lichen from the Pacific Coast of North America. The Bryologist 110: 808-811.

- Goward, T. & L. Myllys. 2020. *Gowardia zebrina* sp. nov., a new species in a little-known genus of arctic-alpine lichens (Parmeliaceae). *Plant and Fungal Systematics* 65(1): 219-226.
- Goward, T., T. Spribille, T. Ahti & C. J. Hampton-Miller 2012. Four new sorediate species in the *Hypogymnia austeroedes* group (lichens) from northwestern North America, with notes on thallus morphology. *Bryologist* 115(1): 84-100.
- Groner, U. & M. Dietrich. 1996. *Hypotrachyna taylorensis* (Parmeliaceae) a European species in the New World. *The Bryologist* 99: 457-459.
- Grube, M. 2001. *Sporostigma*, a new calicioid genus in Arthoniales. *Lichenologist* 33: 387-391.
- Grube, M. 2007. *Arthonia*, pp. 39-61. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Grube, M. & J. C. Lendemer. 2009. *Arthonia rubrocincta*: belated validation of a name for a common species endemic to Sabal palmetto in the southeastern United States. *Opuscula Philolichenum* 7: 7-12.
- Grube, M. & B. D. Ryan. 2002. *Collemopsidium*, pp. 162-164. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Gueidan, C., A. Aptroot, M. E. S. Cáceres & N. Q. Binh 2016. Molecular phylogeny of the tropical lichen family Pyrenulaceae: contribution from dried herbarium specimens and FTA card samples. *Mycological Progress* 15(1): 1-21.
- Gueidan, C. & J. C. Lendemer. 2015. Molecular data confirm morphological and ecological plasticity within the North American endemic *Willeya diffractella* (Verrucariaceae). *Systematic Botany* 40(2): 369-375.
- Gueidan, C., C. Roux & F. Lutzoni. 2007. Using a multigene phylogenetic analysis to assess generic delineation and character evolution in *Verrucaria* (Verrucariales, Ascomycota). *Mycological Research* 111(10): 1145-1168.
- Gueidan, C., S. Savić, H. Thüs et al. 2009. Generic classification of the Verrucariaceae (Ascomycota) based on molecular and morphological evidence: recent progress and remaining challenges. *Taxon* 58: 184-208.
- Gueidan, C., H. Thüs & S. Pérez-Ortega. 2011. Phylogenetic position of the brown algae-associated lichenized fungus *Verrucaria tavaresiae* (Verrucariaceae). *The Bryologist* 114(3): 563-569.
- Guzow-Krzemińska, B., A. Łubek, J. Malíček, T. Tønsberg, M. Oset & M. Kukwa. 2017. *Lecanora stanislai*, a new, sterile, usnic acid containing lichen species from Eurasia and North America. *Phytotaxa* 329(9): 201-211.
- Gyelnik, V. 1931. Additamenta ad cognitionem lichenum extraeuropaeorum. *Annales de Cryptogamie Exotique* 4: 166-174.
- Hafellner, J. 1995. Über *Piccolia*, eine lichenisierte Pilzgattung der Tropen (Ascomycotina, Lecanorales). *Bibliotheca Lichenologica* 58: 107-122.
- Hafellner, J. 1997. A world monograph of *Brigantiae* (lichenized Ascomycotina, Lecanorales), pp. 35-74. In L. Tibell & I. Hedberg (eds.), *Lichen Studies Dedicated to Rolf Santesson*. *Symbolae Botanicae Upsalienses* 32. Acta Universitatis Upsaliensis, Uppsala.
- Hafellner, J. 1999. Beiträge zu einem Prodromus der lichenicolen pilze Österreichs und angrenzender Gebiete. IV. Drei neue Arten und weitere bemerkenswerte Funde hauptsächlich in der Steiermark [Contributions to a prodromus of the lichenicolous fungi of Austria and neighbouring areas. IV. Three new species and further remarkable records mainly from Styria]. *Linzer Biologische Beiträge* 31: 507-532.
- Hafellner, J. 2000. Zur Biodiversität lichenisierter und lichenicoler Pilze in den Eisenerzer Alpen (Steiermark) [Biodiversity of lichenized and lichenicolous fungi in the Eisenerzer Alpen (Styria)]. *Mitteilungen der Naturwissenschaftlichen Vereines für Steiermark* 130: 71-106.
- Hafellner, J. 2001. Studies in lichenicolous fungi and lichens XII: on the genus *Trematosphaeriopsis* (Dothideales). *Mycotaxon* 80: 381-387.
- Hafellner, J. 2004a. *Buellia*, pp. 633-635. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Hafellner, J. 2004b. A further evolutionary lineage to lichenicolous growth in Physciaceae (Lecanorales), pp. 175-186. In P. Döbbeler & G. Rambold (eds.), *Contributions to Lichenology. Festschrift in Honour of Hannes Hertel*. *Bibliotheca Lichenologica* 88. J. Cramer in der Gebrüder Borntraeger, Berlin, Stuttgart.
- Hafellner, J. 2004c. Notes on *Scoliciosporum intrusum*. *Fritschiana* 49: 29-41.
- Hafellner, J. 2004d. A revision of *Maronella laricina* and *Piccolia ochrophora*. *Symbolae Botanicae Upsalienses* 34: 87-96.
- Hafellner, J. 2004e. *Roselliniopsis*, pp. 688-689. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Hafellner, J. 2009. *Phacothecium* resurrected and the new genus *Phacographa* (Arthoniales) proposed. *Bibliotheca Lichenologica* 100: 85-121.
- Hafellner, J. 2010. Contributions to a revision of lichenized, phaeospored species of *Polyblastia* coll., mainly in the Central European mountains. *Bibliotheca Lichenologica* 104: 117-141.
- Hafellner, J. & V. Calatayud. 1999. *Lichenostigma cosmopolites*, a common lichenicolous fungus on *Xanthoparmelia* species. *Mycotaxon* 72: 107-114.

- Hafellner, J., G. Herzog & H. Mayrhofer. 2008. Zur Diversität von lichenisierten und lichenicolen Pilzen in den Ennstaler Alpen (Österreich: Steiermark, Oberösterreich). Mitteilungen der Naturwissenschaftlichen Vereine für Steiermark 137: 131-204.
- Hafellner, J. & T. Spribille. 2016. *Tingiopsidium* – the correct name for *Vestergrenopsis* as currently delimited (Peltigerales, Koerberiaceae). Fritschiana 83: 47-50.
- Hafellner, J., D. Triebel, B. D. Ryan & T. H. Nash III. 2002. On lichenicolous fungi from North America. II. Mycotaxon 84: 293-329.
- Hafellner, J. & R. Türk. 1995. Über Funde lichenicoler Pilze und Flechten im Nationalpark Hohe Tauern (Kärntner Anteil, Österreich). Carinthia II 185/105: 599-635.
- Hafellner, J. & R. Türk. 2001. Die lichenisierten Pilze Österreichs - eine Checkliste der bisher nachgewiesenen Arten mit verbreitungsangaben. Staphia 76: 1-167.
- Hafellner, J. & R. Türk. 2016. Die lichenisierten Pilze Österreichs - eine neue Checkliste der bisher nachgewiesenen Taxa mit Angaben zu Verbreitung und Substratökologie. Staphia 104(1): 1-216.
- Halda, J. 2003. A taxonomic study of the calcicolous endolithic species of the genus *Verrucaria* (Ascomycotina, Verrucariales) with the lid-like and radiately opening involucellum. Acta Musei Richnoviensis, Sect. Natur. 10: 1-148.
- Haldeman, M. 2018. New and interesting records of lichens and lichenicolous fungi from northwestern USA. Evansia 35: 24-29.
- Haldeman, M. 2020. New and interesting records of lichens, lichenicolous fungi and other Ascomycota from northwestern USA III. Evansia 37: 71-80.
- Haldeman, M. & B. McCune. 2021. *Tephromela violacea*, a new species of Tephromela (Tephromelataceae) lacking a violet hymenium from northwestern North America. The Bryologist 124(2):230-241.
- Hale, B. W. & P. T. DePriest. 1999. Mason E. Hale's list of epithets in the parmelioid genera. The Bryologist 102: 462-544.
- Hale, M. E., Jr. 1979. How to Know the Lichens. 2nd. Edition. Wm. C. Brown Co., Dubuque. 246 pp.
- Hale, M. E., Jr. & W. L. Culberson. 1956. A checklist of the lichens of the United States, Canada, and Alaska. Castanea 21: 73-105.
- Halonen, P. 2000. *Usnea pacificana*, sp. nov. and *U. wasmuthii* (lichenized Ascomycetes) in Pacific North America. The Bryologist 103: 38-43.
- Halonen, P., P. Clerc, T. Goward, I. M. Brodo & K. Wulff. 1998. Synopsis of the genus *Usnea* (lichenized Ascomycetes) in British Columbia, Canada. The Bryologist 101: 36-60.
- Halonen, P., L. Myllys, S. Velmala & H. Hyvärinen. 2009. *Gowardia* (Parmeliaceae) — a new alectorioid lichen genus with two species. The Bryologist 112(1): 138-146.
- Hambleton, J. C. 1910. A list of the lichens of Ohio. Ohio Naturalist 10: 41-43.
- Hammer, S. 2001. A new *Cladonia* from California. The Bryologist 104: 226-229.
- Hansen, C. J. [& J. D. Freeman.] 2003. A catalog and brief history of the lichen flora of Alabama. Evansia 20: 59-101. [The second author should be deleted as a typographical error]
- Hansen, C. J. & R. R. Dute. 2005. Additions to the lichen flora of Alabama I. Evansia 22(3): 110-117.
- Hansen, C. J., J. C. Lendemer & S. Q. Beeching. 2008. Contributions to the lichen flora of Alabama: recent collections from four counties. Opuscula Philolichenum 5: 43-48.
- Hansen, E. S. 2006. Notes on some new and interesting Greenland lichens IX. Graphis Scripta 18(1): 1-5.
- Hansen, E. S. & T. Ahti 2011. A contribution to the lichen genus *Cladonia* in Greenland and new records from other northern regions. Graphis Scripta 23(2): 56-64.
- Hansen, E. S. & V. Alstrup. 1995. The lichenicolous fungi on *Cladonia* subgenus *Cladina* in Greenland. Graphis Scripta 7: 33-38.
- Harada, H. 1999. *Sulcopyrenula*, a new pyrenocarpous lichen genus (Pyrenulaceae, lichenized Ascomycota). Lichenologist 31: 567-573.
- Harada, H. 2003. *Psoroglaena japonica* (lichenized Ascomycota, Verrucariaceae), a new species from Chiba-ken, central Japan, with notes on *Psoroglaena*. Lichenology 2: 5-10.
- Hardman, A., D. Stone & S. B. Selva. 2017. Calicioid lichens and fungi of the Gifford Pinchot and Okanogan-Wenatchee National Forests in Washington. Opuscula Philolichenum 16: 1-14.
- Harris, R. C. 1977. Lichens of the Straits Counties, Michigan. Publ. by the author, 150 pp.
- Harris, R. C. 1995a. More Florida Lichens. Including the 10¢ Tour of the Pyrenolichens. Publ. by the Author, Bronx, N.Y. 192 pp.
- Harris, R. C. 1995b. New or rare lichens/lichenicolous fungi for North America. Evansia 12: 4.
- Harris, R. C. 1997. Reinstatement of *Lecidea cyrtidia* Tuck. in the North American lichen checklist. Evansia 14: 69-73.
- Harris, R. C. 1998. A preliminary revision of *Pseudopyrenula* Müll. Arg. (lichenized Ascomycetes, Trypetheliaceae) with a redisposition of the names previously assigned to the genus, pp. 133-148. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- Harris, R. C. 2004. A preliminary list of the lichens of New York. Opuscula Philolichenum 1: 55-73.

- Harris, R. C. 2005. Some name changes in *Porina* s. lat. *Opuscula Philolichenum* 2: 15-16.
- Harris, R. C. 2006a. Lichens of Limestone Rise Preserve, Albany County, New York. *Evansia* 23(3): 53-55.
- Harris, R. C. 2006b. A preliminary glance at *Maronea* (Fuscideaceae) in North America. *Opuscula Philolichenum* 3: 65-68.
- Harris, R. C. 2009. Four novel lichen taxa in the lichen biota of eastern North America. *Opuscula Philolichenum* 6: 149-155.
- Harris, R. C., I. M. Brodo & T. Tønsberg. 2000. *Lecanora thysanophora*, a common leprose lichen in North America. *The Bryologist* 103: 790-793.
- Harris, R. C. & K. Knudsen. 2006. The genus *Myriospora*. *Opuscula Philolichenum* 3: 1-4.
- Harris, R. C. & D. Ladd. 2005. Preliminary draft: Ozark lichens; Enumerating the lichens of the Ozark Highlands of Arkansas, Kansas, Illinois, Missouri, and Oklahoma: Prepared for the 14th Tuckerman Lichen Workshop, Eureka Springs, Arkansas. 249 pp.: http://sweetgum.nybg.org/ozarklichens/biblio_detail.php?irn=132967
- Harris, R. C. & D. Ladd. 2007. New taxa of lichens and lichenicolous fungi from the Ozark Ecoregion. *Opuscula Philolichenum* 4: 57-68.
- Harris, R. C. & D. Ladd. 2008. The lichen genus *Chrysotricha* in the Ozark ecoregion, including a preliminary treatment for eastern and central North America. *Opuscula Philolichenum* 5: 29-42.
- Harris, R. C. & J. C. Lendemer. 2005. Contributions to the lichen flora of Pennsylvania: a checklist of lichens collected during the first Howard Crum Bryological Workshop, Delaware Water Gap National Recreation Area. *Opuscula Philolichenum* 2: 1-10.
- Harris, R. C. & J. C. Lendemer. 2006. Contributions to the lichen flora of Pennsylvania: additions to the checklist of lichens of the Delaware Water Gap National Recreation Area. *Opuscula Philolichenum* 3: 69-78.
- Harris, R. C. & J. C. Lendemer. 2009. The *Fellhanera silicis* group in eastern North America. *Opuscula Philolichenum* 6: 157-174.
- Harris, R. C. & J. C. Lendemer. 2010. A review of *Lecania croatica* (syn. *Catillaria croatica*) in North America. *Opuscula Philolichenum* 8: 41-49.
- Harris, R. C. & C. A. Morse. 2008. *Monoblastiopsis* (Dothideomycetes, Pleosporales, incertae sedis), a new genus from the Great Plains and Ozark Highlands. *Opuscula Philolichenum* 5: 89-96.
- Harris, R. C., E. A. Tripp & J. C. Lendemer. 2014. *Arthopyrenia betulincola* (Arthopyreniaceae, Dothidiomycetes), an unusual new lichenized fungus from high elevations of the southern Appalachian Mountains. *Aliso* 31(2): 77-81.
- Haugan, R. & E. Timdal. 1994. *Tephromela perlata* and *T. talayana*, with notes on the *T. aglaea*-complex. *Graphis Scripta* 6: 17-26.
- Hawksworth, D. L. 1981. The lichenicolous Coelomycetes. *Bulletin of the British Museum (Natural History), Botany* 9: 1-98.
- Hawksworth, D. L. 1986. Notes on British lichenicolous fungi: V. Notes from the Royal Botanic Garden Edinburgh 43: 497-519.
- Hawksworth, D. L. 2003. The lichenicolous fungi of Great Britain and Ireland: an overview and annotated checklist. *Lichenologist* 35: 191-232.
- Hawksworth, D. L. 2004. Rediscovery of the original material of Osbeck's *Lichen chinensis* and the re-instatement of the name *Parmotrema perlatum* (Parmeliaceae). *Herzogia* 17: 37-44.
- Hawksworth, D. L., V. Atienza & M. S. Cole. 2004. Lichenicolous species of *Homostegia* (Dothideomycetes), with the description of *H. hertelii* sp. nov., a new fungus on *Flavoparmelia* species. *Bibliotheca Lichenologica* 88: 187-194.
- Hawksworth, D. L. & M. S. Cole. 2002. *Intralichen* a new genus for lichenicolous '*Bispora*' and '*Trimmatostroma*' species. *Fungal Diversity* 11: 87-97.
- Hawksworth, D. L. & M. S. Cole. 2004. *Phoma fuliginosa* sp. nov., from *Caloplaca trachyphylla* in Nebraska, with a key to the known lichenicolous species. *Lichenologist* 36: 7-13.
- Hawksworth, D. L. & H. Henrici. 2015. New resting places for *Laeticorticium quercinum* and *Marchandiobasidium aurantiacum*. *Field Mycology* 16(1): 16-17.
- Heidmarsson, S. 2003. Molecular study of *Dermatocarpon miniatum* (Verrucariales) and allied taxa. *Mycological Research* 107: 459-468.
- Heidmarsson, S. & O. Breuss. 2004. *Dermatocarpon*, pp. 88-93. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Heidmarsson, S. 2017. *Dermatocarpon*, pp. 19-25. In R. Moberg, S. Tibell & L. Tibell (eds.), *Nordic Lichen Flora*, Vol. 6, *Verrucariaceae* 1. Museum of Evolution, Uppsala University on behalf of Nordic Lichen Society.
- Heiðmarsson, S., C. Gueidan, J. Miadlikowska & F. Lutzoni. 2017. Multi-locus phylogeny supports the placement of *Endocarpon pulvinatum* within *Staurothele* s. str. (lichenised Ascomycetes, Eurotiomycetes, Verrucariaceae). *Phytotaxa* 306(1): 37-48.
- Heiman, K. & J. A. Elix. 1999. A new species of *Canoparmelia* from North America (lichenized Ascomycotina, Parmeliaceae). *Mycotaxon* 70: 163-166.

- Henssen, A. 1995. Studies on the biology and structure of *Dacampia* (Dothideales), a genus with lichenized and lichenicolous species. *Cryptogamic Botany* 5: 149-158.
- Henssen, A. 1997. *Santessonella*, a new cyanophilic genus of lichenized ascomycetes, pp. 75-93. In L. Tibell & I. Hedberg (eds.), *Lichen Studies Dedicated to Rolf Santesson*. *Symbolae Botanicae Upsalienses* 32. Acta Universitatis Upsaliensis, Uppsala.
- Henssen, A. & P. M. Jorgensen. 1990. New combinations and synonyms in the Lichinaceae. *Lichenologist* 22: 137-147.
- Henssen, A. & T. Tønsberg. 2000. *Spilonemella*, a new genus of cyanophilic lichens with species from North America and Japan (Coccocarpiaceae). *The Bryologist* 103: 108-116.
- Hertel, H. 1991. *Lecidea* in der Arktis III (lecidioide Flechten; Lecanorales). *Mitteilungen der Botanischen Staatssammlung München* 30: 297-333.
- Hertel, H. 1995. Schlüssel für die Arten der Flechtenfamilie Lecideaceae in Europa. *Bibliotheca Lichenologica* 58: 137-180.
- Hertel, H. 2004. *Adelolecia*, pp. 17-18. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Hertel, H. & M. P. Andreev. 2003. On some saxicolous lecideoid lichens of the Beringian Region and adjacent areas of eastern Siberia and the Russian Far East. *The Bryologist* 106: 539-551.
- Hertel, H. & C. Leuckert. 2011. On the *Lecidea atrobrunnea*-complex (Lecanorales, Lecideaceae) in the Americas. 2. The Distribution of the taxa occurring in North America south of the 55th parallel. *Bibliotheca Lichenologica* 106: 95-113.
- Hertel, H. & C. Printzen. 2004. *Lecidea*, pp. 287-309. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Hertel, H. & G. Rambold. 1987. *Miriquidica* genus novum Lecanoracearum (Ascomycetes lichenisati). *Mitteilungen der Botanischen Staatssammlung München* 23: 377-392.
- Heuchert, B. & U. Braun. 2006. On some dematiaceous lichenicolous hyphomycetes. *Herzogia* 19: 11-21.
- Heuchert, B., U. Braun, P. Diederich & D. Ertz. 2018. Taxonomic monograph of the genus *Taeniolella* s. lat. (Ascomycota). *Fungal Systematics and Evolution* 2: 69-261.
- Hinds, J. W. & P. L. Hinds. 1998. An annotated checklist of Maine macrolichens, pp. 345-376. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- Hinds, J. W., A. M. Fryday & A. C. Dibble. 2002. Three additions to the lichen flora of North America from Mt. Katahdin, Maine. *Evansia* 19: 137-141.
- Hodkinson, B. P. 2010. A first assessment of lichen diversity in one of North America's biodiversity hotspots' in the mountains of Virginia. *Castanea* 75: 126-133.
- Hodkinson, B. P., R. C. Harris & M. A. Case. 2009. A checklist of Virginia lichens. *Evansia* 26: 64-88.
- Hodkinson, B. P. & J. C. Lendemer. 2011. *Punctelia eganii*, a new species in the *P. rufecta* group with a novel secondary compound for the genus. *Opuscula Philolichenum* 9: 35-38.
- Hodkinson, B. P. & J. C. Lendemer. 2012. Phylogeny and taxonomy of an enigmatic sterile lichen. *Systematic Botany* 37(4): 835-844.
- Hodkinson, B. P. & J. C. Lendemer. 2013. Next-generation sequencing reveals sterile crustose lichen phylogeny. *Mycosphere* 4 (6): 1028-1039.
- Hodkinson, B. P., J. C. Lendemer & T. L. Esslinger. 2010. *Parmelia barrenoae*, a macrolichen new to North America and Africa. *North American Fungi* 5: 1-5.
- Hoffman, J. R. & J. C. Lendemer. 2020. *Caloplaca edwardiana* (Teloschistaceae, lichenized Ascomycetes), a new crustose species from the southern Appalachian Mountains of eastern North America. *The Bryologist* 123(2): 225-234.
- Hoffmann, N. & J. Hafellner. 2000. Eine Revision der lichenicolen Arten der Sammelgattungen *Guignardia* und *Physalospora*. *Bibliotheca Lichenologica* 77: 1-190.
- Holien, H. 1989. The genus *Bryoria* Sect. *Implexae* in Norway. *Lichenologist* 21: 243-258.
- Holien, H. 1994. Additions to the Norwegian flora of lichens and lichenicolous fungi. *Graphis scripta* 6: 39-43.
- Holien, H., Z. Palice, C. R. Björk, T. Goward & T. Spribille. 2016. *Lecidea coriacea* sp. nov., a lichen species from oldgrowth boreal and montane forests in Europe and North America. *Herzogia* 29(2): 412-420.
- Holien, H. & T. Tønsberg. 2002. Two new species in the lichen genus *Szczawinskia* A. Funk. *Lichenologist* 34: 369-372.
- Holien, H. & T. Tønsberg. 2008. *Xylographa soralifera*, a new species in the *X. vitiligo* complex. *Graphis Scripta* 20(2): 58-63.
- Hollinger, J. P. & J. C. Lendemer. 2021. *Capronia harrisiana* (Ascomycota, Chaetothyriales), a new lichenicolous species on *Crocodia aurata* from the southern Appalachian Mountains of southeastern North America. *The Bryologist* 124(4): 522-532.

- Holtan-Hartwig, J. 2005. *Peltigera latiloba*, a new lichen species from Norway and USA (Alaska). *Graphis Scripta* 17: 34.
- Huhtinen, S., D. L. Hawksworth & P. G. Ihlen. 2008. Observations on two glassy-haired lichenicolous discomycetes. *Lichenologist* 40(6): 549-557.
- Hutten, M., U. Arup, O. Breuss, T. L. Esslinger, A. M. Fryday, K. Knudsen, J. C. Lendemer, C. Printzen, H. T. Root, M. Schultz, J. Sheard, T. Tønsberg & B. McCune. 2013. Lichens and lichenicolous fungi of Yosemite National Park, California. *North American Fungi* 8 (11): 1-47.
- Ihlen, P. G. & A. M. Fryday. 2002. *Rhizocarpon timdalii*, a new lichen species from north-west Europe and north-east North America. *Lichenologist* 34: 95-100.
- Ihlen, P. G., H. Holien & T. Tønsberg. 2004a. Two new species of *Dactylospora* (Dactylosporaceae, Lecanorales), with a key to the known species in Scandinavia. *The Bryologist* 107: 357-362.
- Ihlen, P. G., B. Owe-Larsson & T. Tønsberg. 2004b. *Arthonia biatoricola* sp. nov. from north-western Europe and northern Pacific North America. *Symbolae Botanicae Upsalienses* 34: 107-111.
- Ihlen, P. G. & T. Tønsberg. 1996. The lichenicolous genus *Lettisia* in North America. *The Bryologist* 99: 32-33.
- Iturriaga, T. & D. L. Hawksworth. 2004. *Skyttea richardsonii* sp. nov. from Maine, with a key to the species known from North America. *Mycologia* 96: 925-928.
- Jørgensen, P. M. 1997. Further notes on hairy *Leptogium* species, pp. 113-130. In L. Tibell & I. Hedberg (eds.), *Lichen Studies Dedicated to Rolf Santesson*. *Symbolae Botanicae Upsalienses* 32. Acta Universitatis Upsaliensis, Uppsala.
- Jørgensen, P. M. 2000a. *Moelleropsis nebulosa* ssp. *frullaniae*, a new lichen for Europe. *Cryptogamie, Mycologie* 21: 49-52.
- Jørgensen, P. M. 2000b. On the sorediate counterparts of the lichen *Fuscopannaria leucosticta*. *The Bryologist* 103: 104-107.
- Jørgensen, P. M. 2000c. Survey of the lichen family Pannariaceae on the American continent, north of Mexico. *The Bryologist* 103: 670-704.
- Jørgensen, P. M. 2002. *Moelleropsis*, pp. 286-287. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Jørgensen, P. M. 2004. A new North American species of the lichen genus *Staurolema* (Collemataceae). *The Bryologist* 107: 392-394.
- Jørgensen, P. M. 2005. Additions to the Pannariaceae of North America. *The Bryologist* 108: 255-258.
- Jørgensen, P. M. 2006. *Leptochidium crenatum*, a misunderstood arctic-alpine lichen. *Graphis Scripta* 18(1): 19-22.
- Jørgensen, P. M. 2008. *Vahliella*, a new lichen genus. *Lichenologist* 40: 221-225.
- Jørgensen, P. M. 2014. Taxonomy and nomenclature of *Collema fasciculare* (L.) G. H. Weber. *Lichenologist* 46(4): 594.
- Jørgensen, P. M. & T. Goward. 2015. Notes on the *Collema tenax* complex, with recognition of two further species in the genus *Enchylium* (Ach.) Gray. *Evensia* 32(1): 42-47.
- Jørgensen, P. M. & T. H. Nash III. 2004. *Leptogium*, pp. 330-350. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Jørgensen, P. M. & T. Tønsberg. 1999. Notes on some small species of *Leptogium* from Pacific North America. *The Bryologist* 102: 412-417.
- Jørgensen, P. M. & T. Tønsberg. 2005. *Leioderma cherokeense* (Pannariaceae, Lecanorales) sp. nov. from the Great Smoky Mountains, North Carolina, U.S.A. *The Bryologist* 108: 412-414.
- Jørgensen, P. M. & T. Tønsberg. 2010. *Leptogium insigne*, a new species from the Pacific Northwest of North America. *Bibliotheca Lichenologica* 104: 241-246.
- Jørgensen, P. M. & M. Zhurbenko. 2002. Two new, remarkable, arctic species in the lichen genus *Fuscopannaria* (Pannariaceae, lichenized Ascomycetes). *The Bryologist* 105: 465-469.
- Joseph, S., S. Naka & G. P. Sinha. 2021. On the taxonomic identity of *Bactrospora lamprospora* (lichenized Ascomycota: Arthoniales). *Archive for Lichenology* 25: 1-5.
- Kalb, J., R. Lücking & K. Kalb. 2018. The lichen genera *Allographa* and *Graphis* (Ascomycota: Ostropales, Graphidaceae) in Thailand—eleven new species, forty-seven new records and a key to all one hundred and fifteen species so far recorded for the country. *Phytotaxa* 377(1): 1-83.
- Kalb, K. 1990. Lichenes Neotropicí ausgegeben von Klaus Kalb. Fascikel XI (No. 451-475). Neumarkt/OPf. 12 pp.
- Kalb, K. 1994. *Frutidella*, eine neue Flechtengattung für *Lecidea caesioatra* Schaefer. *Hoppea* 55: 581-586.
- Kalb, K. 2001. The lichen genus *Topeliopsis* in Australia and remarks on Australian Thelotremaeae. *Mycotaxon* 79: 319-328.
- Kalb, K. 2004a. *Dirinaria*, pp. 98-103. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Kalb, K. 2004b. New or otherwise interesting lichens II. *Bibliotheca Lichenologica* 88: 301-329.
- Kalb, K. 2007. New or otherwise interesting lichens. III. *Bibliotheca Lichenologica* 95: 297-316.

- Kalb, K. & M. Giralt. 2011. *Orcularia*, a segregate from the lichen genera *Buellia* and *Rinodina* (Lecanoromycetes, Caliciaceae). *Phytotaxa* 38: 53-60.
- Kalb, K., J. Hafellner & B. Staiger. 1995. *Haematomma*-studien. II. Lichenicole Pilze auf Arten der Flechtengattung *Haematomma*. *Bibliotheca Lichenologica* 59: 199-222.
- Kalb, K., B. Staiger & J. A. Elix. 2004. A monograph of the lichen genus *Diorygma* - a first attempt. *Symbolae Botanicae Upsalienses* 34: 133-181.
- Kalb, K., B. Staiger, J.A. Elix, U. Lange, H. T. Lumbsch. 2008. A new circumscription of the genus *Ramboldia* (Lecanoraceae, Ascomycota) based on morphological and molecular evidence. *Nova Hedwigia* 86: 23-42.
- Kaminsky, B., R. Rosentreter & A. DeBolt. 2013. Ecology and distribution of *Coccocarpia filiformis* and other new and uncommon Florida lichens. *Evansia* 30(3): 79-89.
- Kantvilas, G. 2002. Studies on the lichen genus *Siphula* Fr. *Bibliotheca Lichenologica* 82: 37-53.
- Kantvilas, G. 2009. The genus *Mycoblastus* in the cool temperate Southern Hemisphere, with special reference to Tasmania. *Lichenologist* 41: 151-178
- Kantvilas, G. & J. A. Elix. 2007. The genus *Ramboldia* (Lecanoraceae): a new species, key and notes. *Lichenologist* 39: 135-141
- Kantvilas, G. & A. Vězda. 2000. Studies on the lichen family Thelotremaeae in Tasmania. The genus *Chroodiscus* and its relatives. *Lichenologist* 32: 325-357.
- Kärnefelt, I. & A. Thell. 1996. A new classification for the *Dactylina/Dufourea* complex. *Nova Hedwigia* 62: 487-511.
- Kasalicky, T. 2004. *Fulglesia*, pp. 114-116. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Kashiwadani, H. & T. H. Nash III. 2004. *Ramalina*, pp. 440-455. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Kauff, F., A. Bachran, M. Schultz, V. Hofstetter, F. Lutzoni & B. Büdel. 2018. Molecular data favours a monogeneric *Peltulaceae* (Lichenomycetes). *Lichenologist* 50(3): 313-327.
- Ketzner, D. M. 2010. An Evaluation of the Nomenclatural Status of *Biatorella kulshanensis* Herre. *Evansia* 27: 92-93.
- Kistenich, S., E. Timdal, M. Bendiksby & S. Ekman. 2018. Molecular systematics and character evolution in the lichen family Ramalinaceae (Ascomycota: Lecanorales). *Taxon* 67(5): 871-904.
- Kitaura, M. J., M. P. Marcelli, B. R. da Hora & P. Jungbluth. 2015. *Leptogium denticulatum* (Collemataceae, lichenized Ascomycota) and some morphologically related species. *The Bryologist* 118(1): 11-21.
- Kivistö, L. 1998. Taxonomy of *Stereocaulon paschale* and allied species in Finland [Zur Taxonomie von *Stereocaulon paschale* und den benachbarten Arten in Finland]. *Sauteria* 9: 25-36.
- Knoph, J. G. & C. Leuckert. 1994. Chemotaxonomic studies in the saxicolous species of the lichen genus *Lecidella* (Lecanorales, Lecanoraceae) in America. *Nova Hedwigia* 59: 455-508.
- Knoph, J.-G. & C. Leuckert. 2004. *Lecidella*, pp. 309-320. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Knoph, J. G., G. Rambold, D. Triebel & C. Kainz. 2004. *Carbonea*, pp. 54-55. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Knudsen, K. 2003. Type specimens: investigations and observations. *Bulletin of the California Lichen Society* 10: 36-38.
- Knudsen, K. 2004a. A preliminary study of *Acarospora smaragdula* var. *lesdainii* in California. *Opuscula Philolichenum* 1: 21-24.
- Knudsen, K. 2004b. A study of Acarosporas in the lichen flora of the Santa Cruz Peninsula by A. W. C. T. Herre. *Bulletin of the California Lichen Society* 11: 10-15.
- Knudsen, K. 2005a. *Acarospora epilutescens* rediscovered. *Opuscula Philolichenum* 2: 11-13.
- Knudsen, K. 2005b. Lichens of the Santa Monica Mountains, Part One. *Opuscula Philolichenum* 2: 27-36.
- Knudsen, K. 2005c. *Polysporina lapponica* in Southern California. *Opuscula Philolichenum* 2: 17-19.
- Knudsen, K. 2007a. *Acarospora*, pp. 1-38. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Knudsen, K. 2007b. *Acarospora smaragdula* in North America. *Evansia* 24: 94-97.
- Knudsen, K. 2007c. An annotated checklist of the lichens of the Santa Monica Mountains, pp. 35-62, In D. A. Knapp, *Flora and Ecology of the Santa Monica Mountains*. Fullerton, Calif., Southern California Botanists.
- Knudsen, K. 2007d. *Polysporina*, pp. 276-278. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Knudsen, K. 2009. *Caloplaca obamae*, a new species from Santa Rosa Island, California. *Opuscula Philolichenum* 6: 37-40.

- Knudsen, K. 2010. *Acarospora orcuttii* (Acarosporaceae), a rare terricolous lichen from southern California. *The Bryologist* 113: 713-716.
- Knudsen, K. 2011a. *Acarospora nashii*, a lichenicolous lichen from western North America. *Bibliotheca Lichenologica* 106: 169-172.
- Knudsen, K. 2011b. A new member of the genus *Silobia* (Acarosporaceae) from North America. *Opuscula Philolichenum* 9: 27-30.
- Knudsen, K. 2011c. A preliminary study of *Pleopsidium stenosporum* (Stizenb. ex Hasse) K. Knudsen. *Opuscula Philolichenum* 9: 77-83.
- Knudsen, K. 2012. Notes on the California lichen flora #4. *Bulletin of the California Lichen Society* 19(1): 4-7.
- Knudsen, K., J. N. Adams, J. Kocourková, Y. Wang, J. Ortañez & J. E. Stajich. 2020. The monophyletic *Sarcogyne canadensis-wheeleri* clade, a newly recognized group sister to the European *Acarospora glaucocarpa* group. *The Bryologist* 123(1): 11-30.
- Knudsen, K., L. Arcadia & J. Kocourková. 2019. *Acarospora squamulosa*, the correct name for *A. peliocyppha*. *Mycotaxon* 134: 281-287.
- Knudsen, K., L. Arcadia & V. Wirth. 2021a. Proposal to conserve the name *Sarcogyne* (Acarosporaceae, lichenised Ascomycota) with a conserved type. *Taxon* 70(5): 1129-1131.
- Knudsen, K., O. Breuss & J. Kocourková. 2014a. A new lichenicolous *Heteroplacidium* (Verrucariaceae) from the deserts of southern California. *Opuscula Philolichenum* 13: 26-33.
- Knudsen, K. & J. A. Elix. 2007a. *Lepraria*, pp. 384-388. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Knudsen, K. & J. A. Elix. 2007b. A new *Lepraria* (Stereocaulaceae) from the Santa Monica Mountains in southern California. *The Bryologist* 110: 115-118.
- Knudsen, K., J. A. Elix & J. C. Lendemer. 2007. *Lepraria adhaerens*: a new species from North America. *Opuscula Philolichenum* 4: 5-10.
- Knudsen, K., J. A. Elix & V. Reeb. 2008a. A preliminary study of the genera *Acarospora* and *Pleopsidium* in South America. *Opuscula Philolichenum* 5: 1-22.
- Knudsen, K. & A. Flakus. 2016. The identity of *Acarospora xanthophana* (Fungi: Ascomycota) and a description of *A. congregate* sp. nov. to accommodate a widely distributed saxicolous species occurring in the higher elevations of South America. *Taxon* 65(1): 146-151.
- Knudsen, K. & J. Kocourková. 2008a. A study of lichenicolous species of *Polysporina* (Acarosporaceae). *Mycotaxon* 105: 149-164.
- Knudsen, K. & J. Kocourková. 2008b. New records of lichen and lichenicolous fungi from California. *Crossosoma* 34: 37-39.
- Knudsen, K. & J. Kocourková. 2009a. Lichens and lichenicolous fungi of the northwestern Santa Ana Mountains. *Crossosoma* 35: 66-81.
- Knudsen, K. & J. Kocourková. 2009b. Lichens, lichenicolous and allied fungi of the Santa Monica Mountains, Part 4: additions and corrections to the annotated list. *Opuscula Philolichenum* 7: 29-48.
- Knudsen, K. & J. Kocourková. 2009c. A taxonomic study of *Polysporina gyrocarpa* and *P. cyclocarpa* (Acarosporaceae) and a new record from Asia of *P. arenacea*. *Bibliotheca Lichenologica* 100: 199-206.
- Knudsen, K. & J. Kocourková. 2010a. Lichenological notes 1. *Acarosporaceae*. *Mycotaxon* 112: 361-366.
- Knudsen, K. & J. Kocourková. 2010b. Lichens, Lichenicolous and Allied Fungi of the Santa Monica Mountains, Part 5: Additions and Corrections to the Annotated Checklist. *Opuscula Philolichenum* 8: 83-100.
- Knudsen, K. & J. Kocourková. 2010c. Lichens and lichenicolous fungi of West Anacapa Island Chanel Islands National Park. *Crossosoma* 36(2): 32-49.
- Knudsen, K. & J. Kocourková. 2010d. A new *Lichenostigma* species (Genus incertae sedis) from Southern California. *Bryologist* 113: 229-234.
- Knudsen, K. & J. Kocourková. 2010e. New records of lichens and lichenicolous fungi for California II. *Crossosoma* 36(2): 57-61.
- Knudsen, K. & J. Kocourková. 2010f. A new species of *Stigmidium* from corticolous *Caloplaca* in southern California (USA) and Baja California (Mexico). *Bibliotheca Lichenologica* 105: 25-31.
- Knudsen, K. & J. Kocourková. 2010g. *Pyrenidium aggregatum*, a new species from North America. *Opuscula Philolichenum* 8: 71-74.
- Knudsen, K. & J. Kocourková. 2011. Lichenological notes 3: *Sarcogyne plicata* in California. *Mycotaxon* 118: 423-431.
- Knudsen, K. & J. Kocourková. 2012a. The annotated checklist of lichens, lichenicolous and allied fungi of Channel Islands National Park. *Opuscula Philolichenum* 11: 145-302.
- Knudsen, K. & J. Kocourková. 2012b. Erratum: *Placidium boceanum* does not occur in North America. *Opuscula Philolichenum* 11: 303.
- Knudsen, K. & J. Kocourková. 2013. Lichenological notes 6: nomenclatural acts. *Mycotaxon* 124: 353-356.
- Knudsen, K. & J. Kocourková. 2014a. A new species of *Lecidea* (Lecideaceae, lichenized Ascomycetes) from the mountains of California. *Opuscula Philolichenum* 13: 80-83.

- Knudsen, K. & J. Kocourková. 2014b. Notes on the California lichen flora 6: new records. *Opuscula Philolichenum* 13: 4-7.
- Knudsen, K. & J. Kocourková. 2015. A new species of *Acarospora* (Acarosporaceae) from eastern Canada with melanized epiphytinal accretions, with additional notes on *A. anatolica* and *Polysporina terricola*. *Opuscula Philolichenum* 14: 144-147.
- Knudsen, K. & J. Kocourková. 2016. A name misapplied: *Tornabea scutellifera* does not occur in North America. *Bulletin of the California Lichen Society* 23(2): 14-17.
- Knudsen, K. & J. Kocourková. 2017. *Acarospora toensbergii* (Acarosporaceae), a new species from Alaska, U.S.A. *Opuscula Philolichenum* 16: 317-321.
- Knudsen, K. & J. Kocourková. 2018a. *Toninia nashii* is a lichenicolous fungus. *Bulletin of the California Lichen Society* 25(1): 16-17.
- Knudsen, K. & J. Kocourková. 2018b. Two new calciphyses from Western North America, *Acarospora brucei* and *Acarospora erraticata* (Acarosporaceae). *Opuscula Philolichenum* 17: 342-350.
- Knudsen, K. & J. Kocourková. 2020a. Acarosporaceae of Belarus. *Herzogia* 33(2): 394-406.
- Knudsen, K. & J. Kocourková. 2020b. *Acarospora scottii* and *Sarcogyne paradoxa* spp. nov. from North America. *Mycotaxon* 135: 453-463.
- Knudsen, K. & J. Kocourková. 2020c. Lichenological notes 7: on taxa of *Acarospora* and *Sarcogyne*. *Opuscula Philolichenum* 19: 158-162.
- Knudsen, K. & J. Kocourková. 2020d. The real *Acarospora socialis*. *Bulletin of the California Lichen Society* 27(2): 41-45.
- Knudsen, K., J. Kocourková, P. Cannon, B. Coppins, A. Fletcher & J. Simkin. 2021b. Acarosporales: Acarosporaceae, including the genera *Acarospora*, *Caeruleum*, *Myriospora*, *Pleopsidium*, *Sarcogyne* and *Trimmatothelopsis*. Revisions of British and Irish Lichens 12: 1-25.
- Knudsen, K., J. Kocourková, E. Hodková, J. N. Adams & Y. Wang. 2021c. Three species of *Trimmatothelopsis* (Acarosporaceae) from Europe and North America. *The Bryologist* 124(2): 271-280.
- Knudsen, K., J. Kocourková, E. Hodková, J. Malíček & Y. Wang. 2021d. Acarosporaceae of the Chihuahuan Desert: four Magnusson species saved from synonymy and a new yellow species. *The Bryologist* 124(4): 533-551.
- Knudsen, K., J. Kocourková & J. Etayo. 2009. A new species of *Sphaerellothecium* (Mycosphaerellaceae) on *Placidium lacinulatum*. *Opuscula Philolichenum* 6: 41-49.
- Knudsen, K., J. Kocourková & J. C. Lendemer. 2020 (2019). *Calicium brachysporum*, a rare California endemic. *Bulletin of the California Lichen Society* 26(2): 51-53.
- Knudsen, K., J. Kocourková & B. McCune. 2013a. *Sarcogyne mitziae* (Acarosporaceae), a new species from biotic soil crusts in western North America. *The Bryologist* 116(2): 122-126.
- Knudsen, K., J. Kocourková & A. Nordin. 2014b. Conspicuous similarity hides diversity in the *Acarospora badiofuscata* group (Acarosporaceae). *The Bryologist* 117(4): 319-328.
- Knudsen, K., J. Kocourková & M. Westberg. 2013b. The identity of *Sarcogyne hypophaea* (Nyl.) Arnold. *Opuscula Philolichenum* 12: 23-26.
- Knudsen, K., J. Kocourková, M. Westberg & T. Wheeler. 2016. Two new species of Acarosporaceae from North America with carbonized epiphytinal accretions. *Lichenologist* 48(5): 347-354.
- Knudsen, K., J. Kocourková & T. Wheeler. 2015. *Protoparmelia ryaniana* is a synonym of *Lecanora verrucariicola*, which belongs in the genus *Miriquidica*. *Opuscula Philolichenum* 14: 139-143.
- Knudsen, K., J. Kocourková & T. Wheeler. 2018a. Neotypification of *Sarcogyne integra* (Acarosporaceae). *Opuscula Philolichenum* 17: 330-334.
- Knudsen, K. & T. La Doux. 2005. Lichen flora of the Southwestern Mojave Desert: Key's Ranch, Joshua Tree National Park, San Bernardino County, California, USA. *Evansia* 22: 103-109.
- Knudsen, K. & T. La Doux. 2006. Lichen flora of the southwestern Mojave Desert: Eureka Peak, Joshua Tree National Park, Riverside and San Bernardino County, California. *Evansia* 23: 24-27.
- Knudsen, K. & J. C. Lendemer. 2005a. Changes and additions to the checklist of North American lichens - III. *Mycotaxon* 93: 277-281.
- Knudsen, K. & J. C. Lendemer. 2005b. Changes and additions to the North American lichen flora - IV. *Mycotaxon* 93: 289-295.
- Knudsen, K. & J. C. Lendemer. 2006. Changes and additions to the North American lichen mycota - V. *Mycotaxon* 95: 309-313.
- Knudsen, K. & J. C. Lendemer. 2007. Studies in lichens and lichenicolous fungi: notes on some North American taxa. *Mycotaxon* 101: 81-87.
- Knudsen, K. & J. C. Lendemer. 2009a. *Cladonia maritima*, a new species in the *C. cervicornis* group from western North America. *Opuscula Philolichenum* 6: 121-124.
- Knudsen, K. & J. C. Lendemer. 2009b. *Naetrocymbe herrei* (Pleosporales: Ascomycetes), a new lichenized saxicolous species from the coast of central California, U.S.A. *Opuscula Philolichenum* 6: 59-64.
- Knudsen, K. & J. C. Lendemer. 2009c. Two new species of *Lecanora* with gyrophoric acid from North America. *Opuscula Philolichenum* 7: 21-28.

- Knudsen, K. & J. C. Lendemer. 2016. A new perspective on *Melanophloea*, *Thelocarpella*, and *Trimmatothelopsis*: species previously placed in multiple families are united within a single genus in the Acarosporaceae. *The Bryologist* 119(3): 266-279.
- Knudsen, K., J. C. Lendemer & J. A. Elix. 2011a. *Lecanora peninsularis* (Lecanoraceae, lichenized Ascomyctes), a second new species with gyrophoric acid from California. *Nova Hedwigia* 92: 101-105.
- Knudsen, K., J. C. Lendemer & R. C. Harris 2011b. Studies in lichens and lichenicolous fungi – no. 15: miscellaneous notes on species from eastern North America. *Opuscula Philolichenum* 9:45-75.
- Knudsen, K., J. C. Lendemer & J. Kocourková. 2014c. *Lecanora annularis* (Lecanoraceae, Lecanorales), a new lichen species from the Channel Islands and the central California coast. *Monographs of the Western North American Naturalist* 7: 221-224.
- Knudsen, K., J. C. Lendemer & J. Kocourková. 2018b. *Ramalina sarahae* (Ramalinaceae), a new species from the Channel Islands of California, U.S.A. *The Bryologist* 121(4): 513-519.
- Knudsen, K., J. Lendemer & R. E. Riefner Jr. 2005. *Flavoparmelia subcapitata* rediscovered in southern California. *Bulletin of the California Lichen Society* 11: 1-2.
- Knudsen, K., J. C. Lendemer, M. Schultz, J. Kocourková, J. W. Sheard, A. Pigniolo & T. Wheeler. 2017. Lichen biodiversity and ecology in the San Bernardino and San Jacinto Mountains in southern California (U.S.A.). *Opuscula Philolichenum* 16: 15-138.
- Knudsen, K. & B. McCune. 2013. A new squamulose *Sarcogyne* from Oregon. *North American Fungi* 8 (8): 1-6.
- Knudsen, K. & C. A. Morse. 2009. *Acarospora nicolai* (Acarosporaceae), a rediscovered species. *The Bryologist* 112: 147-151.
- Knudsen, K. & B. Owe-Larsson. 2005. *Miriquidica mexicana* in Southern California. *Bulletin of the California Lichen Society* 11: 7-8.
- Knudsen, K., B. Owe-Larsson, J. A. Elix, J. C. Lendemer & J. Kocourková. 2008b. Lichens and lichenicolous fungi of the Santa Monica Mountains, Part 3: additions and corrections to the annotated checklist. *Opuscula Philolichenum* 5: 53-60.
- Knudsen, K., V. Reeb, M. Westberg, R. Srikantha, & D. Bhattacharya. 2010. *Acarospora rosulata* in Europe, North America and Asia. *Lichenologist* 42: 291-296.
- Knudsen, K., J. W. Sheard, J. Kocourková & H. Mayrhofer. 2013b. A new lichenicolous lichen from Europe and western North America in the genus *Dimelaena* (Physciaceae). *The Bryologist* 116(3): 257-262.
- Knudsen, K. & S. M. Standley. 2007. *Sarcogyne*, pp. 289-296. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Knudsen, K. & T. Wheeler. 2015. *Niebla ramosissima*: an endemic of San Nicolas Island. *Bulletin of the California Lichen Society* 22(2): 33-36.
- Kocourková, J. 2007. *Roselliniella microthelia*, a new lichenicolous fungus for North America. *Evansia* 24: 113-115.
- Kocourková, J. 2009. Observations on the genus *Neolamya*, with the description of the new species *N. xanthoparmeliae* (Ascomycota, genera incertae sedis). *Opuscula Philolichenum* 6: 137-147.
- Kocourková, J., A. M. Fryday, K. Knudsen, & J. C. Lendemer. 2010. Studies in lichens and lichenicolous fungi: more notes on taxa from North America 6. *Mycotaxon* 111: 423-429.
- Kocourková, J. & D. L. Hawksworth. 2008. *Acaroconium punctiforme* gen. sp. nov., a new lichenicolous coelomycete on *Acarospora* species and *Sarcogyne regularis*. *Lichenologist* 105-109.
- Kocourková, J. & K. Knudsen. 2008. Four new lichenicolous fungi from North America. *Evansia* 25: 62-64.
- Kocourková, J. & K. Knudsen. 2009a. *Gelatinopsis acarosporicola* (Helotiaceae), a new lichenicolous fungus on *Acarospora socialis* from western North America. *The Bryologist* 112: 363-367.
- Kocourková, J. & K. Knudsen. 2009b. A new species of *Stigmidium* (Mycosphaerellaceae, Ascomycetes) from western North America. *Czech Mycology* 61(1): 73-80.
- Kocourková, J. & K. Knudsen. 2009c. *Stigmidium epistigmellum* (Mycosphaerellaceae), a lichenicolous fungus from maritime Caloplaca in North America. *The Bryologist* 112(3): 578-583.
- Kocourková, J. & K. Knudsen. 2009d. Three lichenicolous fungi new for North America. *Evansia* 26(3): 148-151.
- Kocourková, J. & K. Knudsen. 2010. A new species of *Dacampia* (Dacampiaceae) on *Lecania fuscella*. *Bibliotheca Lichenologica* 105: 33-36.
- Kocourková, J. & K. Knudsen. 2011. *Endococcus thelommatis*, a new lichenicolous fungus from southern California. *Bibliotheca Lichenologica* 106: 173-178.
- Kocourková, J. & K. Knudsen. 2012. A new species of *Stigmidium* (Mycosphaerellaceae) on *Aspicilia* from North America. *Mycotaxon* 121: 45-52.
- Kocourková, J. & K. Knudsen. 2018. *Stigmidium rouxianum* (Mycosphaerellaceae, Dothideomycetes), reported new for North America and California. *Opuscula Philolichenum* 17: 293-298.
- Kocourková, J. & K. Knudsen. 2015. Notes on the California lichen flora 7: more new records. *Opuscula Philolichenum* 14: 118-120.
- Kocourková, J., K. Knudsen, J.C. Lendemer, & A. M. Fryday. 2008. New California records of lichens and lichenicolous fungi. *Crossosoma* 34: 19-23.

- Kocourková, J., K. Knudsen, & S. Tucker. 2012. A checklist of the lichenicolous biota of California. *Opuscula Philolichenum* 11: 64-103.
- Kohlmeyer, J., D. L. Hawksworth, & B. Volkmann-Kohlmeyer. 2004. Observations on two marine and maritime "borderline" lichens: *Mastodia tessellata* and *Collemopsidium pelvetiae*. *Mycological Progress* 3(1): 51-56.
- Kolb, A. & T. Spribille. 2001. *Calicium corynellum* (Ach.) Ach. in the United States, and *Calicium montanum* Tibell new for North America. *Evansia* 18: 90-92.
- Kondratyuk, S. Y. 1996. Four new species of lichenicolous fungi, pp. 309-315. In S. P. Wasser (ed.), *Botany and Mycology for the Next Millennium: Collection of Scientific Articles Devoted to the 70th Anniversary of Academician K. M. Sytnik*. N. G. Khodny Institute of Botany, National Academy of Sciences of Ukraine, Kiev.
- Kondratyuk, S. Y. & D. J. Galloway. 1995. Two new lichenicolous fungi from *Lobaria* and *Sticta* (Stictaceae), pp. 255-261. In F. J. A. Daniels, M. Schulz & J. Peine (eds.), *Flechten Follmann. Contributions to lichenology in Honour of Gerhard Follmann. Geobotanical and Phytotaxonomical Study Group, Botanical Institute, University of Cologne, Cologne*.
- Kondratyuk, S. Y. & I. Kärnefelt. 2003a. Five new Xanthorias from Holarctic. *Ukrayins'kyi Botanichnyi Zhurnal* 60: 121-130.
- Kondratyuk, S. Y. & I. Kärnefelt. 2003b. Revision of three natural groups of xanthorioid lichens (Teloschistaceae, Ascomycota). *Ukrayins'kyi Botanichnyi Zhurnal* 60: 427-437.
- Kondratyuk, S.Y., L. Lökö, E. Farkas, S.-H Jang, D. Liu, J. Halda, P.-E. Persson, M. Hansson, I. Kärnefelt, A. Thell & J.-S. Hur. 2019. Three new genera of the Ramalinaceae (lichen-forming Ascomycota) and the phenomenon of presence of 'extraneous mycobiont DNA' in lichen associations. *Acta Botanica Hungarica*. 61(3-4): 275-323.
- Kondratyuk, S., L. Lökö, S. Tschanbanenko, M. Haji Moniri, E. Farkas, X. Y. Wang, S.-O. Oh & J.-S. Hur. 2013. New and noteworthy lichen-forming and lichenicolous fungi. *Acta Botanica Hungarica* 55(3-4): 275-349.
- Kondratyuk, S. & J. Poelt. 1997. Two new Asian *Xanthoria* species (Teloschistaceae, lichenized Ascomycotina). *Lichenologist* 29: 173-190.
- Kondratyuk, S. Y., B. Zarei-darki & S. J. Khajeddin. 2012. New species and combinations in the genus *Protoparmeliopsis* (Lecanoraceae, lichenized Ascomycota). *Ukrayins'kyi Botanichnyi Zhurnal* 69(6): 869-879.
- Konoreva, L. A., S. V. Chesnokov, I. S. Stepanchikova, T. Spribille, C. Björk & P. Williston. 2021. Nine *Micarea* species new to Canada including five species new to North America. *Herzogia* 34(1): 18-37.
- Košuthová, A., M. Westberg, M. A. G. Otálora & M. Wedin. 2019. *Rostania* revised: testing generic delimitations in Collemataceae (Peltigerales, Lecanoromycetes). *MycoKeys* 47: 17-33.
- Kowalewska, A., M. Kukwa, I. Ostrowska, A. Jabłońska, M. Oset & J. Szok. 2008. The lichens of the *Cladonia pyxidata-chlorophaea* group and allied species in Poland. *Herzogia* 21: 61-78.
- Kukwa, M. 2002. Taxonomic notes on the lichen genera *Lepraria* and *Leproloma*. *Annales Botanici Fennici* 39: 225-226.
- Kukwa, M. 2009a. The lichen genus *Ochrolechia* in Poland III. with a key and notes on some taxa. *Herzogia* 22: 43-66.
- Kukwa, M. 2009b. *Ochrolechia aegaea* and *O. alaskana*, two species with gyrophoric and variolaric acids in the cortex. *Graphis Scripta* 21(2): 42-48.
- Kukwa, M. & M. P. Zhurbenko. 2010. Notes on the lichen genus *Lepraria* from the Arctic. *Graphis Scripta* 22: 3-8.
- Kümmerling, H., C. Leuckert & V. Wirth. 1995. Chemische Flechtenanalysen XI. *Lepraria jackii* Tønsberg. *Nova Hedwigia* 60: 457-465.
- Kurokawa, S. 2001. Taxonomic notes on *Parmelia reparata* (Parmeliaceae, Lichenes) and the related species. *Bulletin of the National Science Museum, Series B [Tokyo]* 27: 1-10.
- Ladd, D. & C. Morse. 2012. Endemism lost: *Lecanora pallidochlorina* (Lecanorales, lichenized Ascomycotina) in the Great Plains, U.S.A. *Opuscula Philolichenum* 11: 60-63.
- Ladd, D. & C. Morse. 2018. A new lichenicolous species of *Toninia* (Ramalinaceae) on *Dermatocarpon* in central North America. *The Bryologist* 121: 214-220.
- LaGreca, S. 1999. A phylogenetic evaluation of the *Ramalina americana* chemotype complex (lichenized Ascomycota, Ramalinaceae) based on rDNA ITS sequence data. *The Bryologist* 102: 602-618.
- LaGreca, S. 2020. *Chrysotrichia bergeri* (Ascomycota: Arthoniales: Chrysotrichaceae), a new lichen species from the southeastern United States, the Caribbean, and Bermuda. *Plant and Fungal Systematics* 65(2): 509-514.
- LaGreca, S. & H. T. Lumbsch. 2001. Three species of *Lecanora* new to North America, with notes on other poorly known lecanoroid lichens. *The Bryologist* 104: 204-211.
- Lamb, I. M. 1977. A conspectus of the lichen genus *Stereocaulon* (Schreb.) Hoffm. *Journal of the Hattori Botanical Laboratory* 43: 191-355.
- Laundon, J. R. 1986. Studies in the nomenclature of British lichens II. *Lichenologist* 18: 169-177.
- Laundon, J. R. 2005. The publication and typification of Sir James Edward Smith's lichens in *English Botany*. *Botanical Journal of the Linnean Society* 147: 483-499.

- Laundon, J. R. 2010. *Lecanora antiqua*, a new saxicolous species from Great Britain, and the nomenclature and authorship of *L. albescens*, *L. conferta* and *L. muralis*. *Lichenologist* 42: 631-636.
- Launis, A. & L. Myllys. 2014. *Micarea byssacea* new to North America and *Micarea hedlundii* new to Maine, Michigan and Quebec. *Opuscula Philolichenum* 13: 84-90.
- Lawrey, J. D., P. Diederich, M. P. Nelsen, C. Freebury, D. Van den Broeck, M. Sikaroodi & D. Ertz. 2012. Phylogenetic placement of lichenicolous *Phoma* species in the Phaeosphaeriaceae (Pleosporales, Dothideomycetes). *Fungal Diversity* 55: 195-213.
- Lawrey, J. D., J. Etayo, M. Dal-Forno, K. E. Driscoll & P. Diederich. 2015. Molecular data support establishment of a new genus for the lichenicolous species *Neobarya usneae* (Hypocreales). *The Bryologist* 118(1): 83-92.
- Lawrey, J. D., R. Lücking, H. J. M. Sipman, J. L. Chaves, S. A. Redhead, F. Bungartz, M. Sikaroodi & P. M. Gillevet. 2009. High concentration of basidiolichens in a single family of agaricoid mushrooms (Basidiomycota: Agaricales: Hygrophoraceae). *Mycological Research* 113: 1154-1171.
- Leavitt, S. D., T. L. Esslinger, P. K. Divakar, A. Crespo & H. T. Lumbsch. 2016. Hidden diversity before our eyes: delimiting and describing cryptic lichen-forming fungal species in camouflage lichens (Parmeliaceae, Ascomycota). *Fungal Biology* 120: 1374-1391.
- Leavitt, S. D., T. L. Esslinger, P. K. Divakar & H. T. Lumbsch. 2012. Miocene divergence, phenotypically cryptic lineages, and contrasting distribution patterns in common lichen-forming fungi (Ascomycota: Parmeliaceae). *Biological Journal of the Linnean Society* 107: 920-937.
- Leavitt, S. D., C. C. Newberry, J. Hollinger, B. Wright & L L. St. Clair. 2018. An integrative perspective into diversity in *Acarospora* (Acarosporaceae, Ascomycota), including a new species from the Great Basin, U.S.A. *The Bryologist* 121: 275-285.
- Lendemer, J. C. 2003. *Dermiscellum oulocheila*, forgotten priority and nomenclatural confusion in the Physciaceae (lichenized Ascomycetes). *The Bryologist* 106: 311-313.
- Lendemer, J. C. 2004a. Changes and additions to the checklist of North American lichens. I. *Mycotaxon* 89: 255-257.
- Lendemer, J. C. 2004b. Lichens of Eastern North America Exsiccati. Fascicle II, nos. 51-100. *Opuscula Philolichenum* 1: 25-39.
- Lendemer, J. C. 2004c. Lichens of Eastern North America Exsiccati. Fascicle III, nos. 101-150. *Opuscula Philolichenum* 1: 41-54.
- Lendemer, J. C. 2004d. *Placynthiella knudsenii* sp. nov., a new lichen from western North America. *Opuscula Philolichenum* 1: 75-77.
- Lendemer, J. C. 2004e. Recent records of lichens in the local area (MD, NJ, PA). *Opuscula Philolichenum* 1: 9-20.
- Lendemer, J. C. 2005a. Lichens of Eastern North America Exsiccati. Fascicle IV, nos. 151-200. *Opuscula Philolichenum* 2: 37-52.
- Lendemer, J. C. 2005b. *Xanthoparmelia viriduloumbrina*, a neglected species from eastern North America. *Mycotaxon* 92: 441-442.
- Lendemer, J. C. 2006. Contributions to the lichen flora of New Jersey: a preliminary checklist of the lichens of Wharton State Forest. *Opuscula Philolichenum* 3: 21-40.
- Lendemer, J. C. 2007a. Lichens of Eastern North America Exsiccati, Fascicle V, Nos. 201-250. *Opuscula Philolichenum* 4: 69-80.
- Lendemer, J. C. 2007b. *Megalaria beechingii* (lichenized ascomycota), a new species from Eastern North America. *Opuscula Philolichenum* 4: 39-44.
- Lendemer, J. C. 2008. Studies in lichens and lichenicolous fungi: notes on some taxa from eastern North America. *Mycotaxon* 104: 325-329.
- Lendemer, J. C. 2009a. A synopsis of the lichen genus *Heterodermia* (Physciaceae, lichenized Ascomycota) in eastern North America. *Opuscula Philolichenum* 6: 1-35.
- Lendemer, J. C. 2009b. *Opegrapha moroziana* (Roccellaceae, lichenized ascomycetes), a new sorediate saxicolous species from eastern North America. *Opuscula Philolichenum* 6: 51-54.
- Lendemer, J. C. 2009c. *Pertusaria andersoniae* (Pertusariaceae, lichenized ascomycetes), a new species from high elevations of the southern Appalachian Mountains in eastern North America. *Opuscula Philolichenum* 6: 55-58.
- Lendemer, J. C. 2010a. Notes on *Lepraria* s. l. (Lecanoromycetes, Ascomycota) in North America: new species, new reports, and preliminary keys. *Brittonia* 62: 267-292.
- Lendemer, J. C. 2010b. Notes on the genus *Graphis* (Graphidaceae: Lichenized Ascomycetes) in the coastal plain of southeastern North America. *Journal of the Torrey Botanical Society* 137: 312-317.
- Lendemer, J. C. 2011a. *Gyalideopsis mexicana*, a new report for North America and a remarkable disjunction from Central America. *North American Fungi* 6(15): 1-5.
- Lendemer, J. C. 2011b. A taxonomic revision of the North American species of *Lepraria* s.l. that produce divaricatic acid, with notes on the type species of the genus *L. incana*. *Mycologia* 103(6): 1216-1229.
- Lendemer, J. C. 2011c. *Vezdaea schuyleriana* (Vezdaeaceae, Lichenized Ascomycetes), a new species from eastern North America. *Notulae Naturae* 484: 1-4.

- Lendemer, J. C. 2012a. Perspectives on chemotaxonomy: molecular data confirm the existence of two morphologically distinct species within a chemically defined *Lepraria caesiella* (Stereocaulaceae). *Castanea* 77(1): 89-105.
- Lendemer, J. C. 2012b. A tale of two species: molecular data reveal the chemotypes of *Lepraria normandinoides* (Stereocaulaceae) to be two sympatric species. *Journal of the Torrey Botanical Society* 139(2): 118-130.
- Lendemer, J. C. 2013a. Molecular phylogenetic evidence corroborates morphology but not chemistry in the *Lepraria neglecta* group (Stereocaulaceae). *Memoirs of the New York Botanical Garden* 108: 127-153.
- Lendemer, J. C. 2013b. A monograph of the crustose members of the genus *Lepraria* Ach. s. str. (Stereocaulaceae, lichenized Ascomycetes) in North America north of Mexico. *Opuscula Philolichenum* 11: 27-141.
- Lendemer, J. C. 2013c. Two new sterile species of *Loxospora* (Sarrameanaceae: lichenized Ascomycetes) from the Mid-Atlantic Coastal Plain. *Journal of the North Carolina Academy of Science* 129(3): 71-81.
- Lendemer, J. C. 2015. *Lecanora layana* (Lecanoraceae), a new sorediate species widespread in temperate eastern North America. *The Bryologist* 118(2): 145-153.
- Lendemer, J. C. 2016a. A new look at *Parmotrema madagascariaceum* and *P. xanthinum* in North America. *Journal of the Torrey Botanical Society* 143(3): 285-297.
- Lendemer, J. C. 2016b. *Trichothelium americanum*, a new species widespread in the coastal plain of southeastern North America. *Journal of the Torrey Botanical Society* 143(2): 199-206.
- Lendemer, J. C. 2016c. *Herteliana schuyleriana* (Squamariaceae), a new crustose lichen widespread in the Appalachian Mountains of eastern North America. *Bartsonia* 69: 62-76.
- Lendemer, J. C. 2017a. Lichens and allied fungi of the Indiana forest alliance ecoregion, Brown and Monroe counties, Indiana incorporated into a revised checklist for the state of Indiana. *Proceedings of the Indiana Academy of Science* 126(2): 129-152.
- Lendemer, J. C. 2017b. Revision of *Gyalideopsis ozarkensis* and *G. subaequatoriana* (Gomphillaceae; lichenized Ascomycetes), leads to the description of an overlooked new species. *The Bryologist* 120(3): 274-286.
- Lendemer, J. C. 2018. *Bacidia gullahgeechee* (Bacidiaceae, Lecanoromycetes) an unusual new species potentially endemic to the globally unique Ashepoo-Combahee-Edisto River Basin of southeastern North America. *The Bryologist* 121(4): 536-546.
- Lendemer, J. C. 2020a. *Bacidia thiersiana* (Ramalinaceae), a new species with lobaric acid widespread in southeastern North America. *The Bryologist* 123(1): 39-47.
- Lendemer, J. C. 2020b. *Leprocaulon beechingii* (Leprocaulaceae), a new species from the southern Appalachian Mountains of eastern North America. *The Bryologist* 123(1): 1-10.
- Lendemer, J. C. & J. L. Allen. 2019. *Hypotrachyna oprah* (Parmeliaceae, lichenized Ascomycota), a new foliose lichen with lichenan from southeastern North America. *Castanea* 84(1): 24-32.
- Lendemer, J. C. & J. L. Allen. 2020. A revision of *Hypotrachyna* subgenus *Parmelinopsis* (Parmeliaceae) in eastern North America. *The Bryologist* 123(2): 265-332.
- Lendemer, J. C. & O. Breuss. 2009. *Verrucaria thujae* (Verrucariaceae, lichenized Ascomycetes), a new corticolous species from the Great Lakes Region of North America. *Opuscula Philolichenum* 7: 13-16.
- Lendemer, J. C. & I. M. Brodo. 2018. Studies in lichens and lichenicolous fungi – No. 21: Notes on *Lambiella caeca* and *L. fuscosora*. *Opuscula Philolichenum* 17: 269-274.
- Lendemer, J. C., W. R. Buck & R. C. Harris. 2016a. Two new host-specific hepaticicolous species of *Catinaria* (Ramalinaceae). *Lichenologist* 48(5): 441-449.
- Lendemer, J. C. & J. A. Elix. 2010. Two new species of *Chrysotricha* from eastern North America. *Opuscula Philolichenum* 8: 51-58.
- Lendemer, J. C. & B. Goffinet. 2015. *Sticta deyana*: a new endemic photomorphic lichen from the imperiled Mid-Atlantic Coastal Plain of eastern North America. *Systematic Botany* 40(4): 933-941.
- Lendemer, J. C. & R. C. Harris. 2004. A checklist of the lichens collected on the 28th A. Leroy Andrews Foray. *Evansia* 21: 88-100.
- Lendemer, J. C. & R. C. Harris. 2007. *Lepraria normandinoides*, a new widespread species from Eastern North America. *Opuscula Philolichenum* 4: 45-50.
- Lendemer, J. C. & R. C. Harris. 2011. *Ramboldia blochiana*, a new sorediate species in the *Ramboldia russula* group. *Opuscula Philolichenum* 9: 1-4.
- Lendemer, J. C. & R. C. Harris. 2012. Studies in lichens and lichenicolous fungi – no. 16. *Opuscula Philolichenum* 11: 323-321.
- Lendemer, J. C. & R. C. Harris. 2013a. *Buellia sharpiana* (Physciaceae, Lichenized Ascomycetes), another new species from the Great Smoky Mountains of eastern North America. *Castanea* 78(2): 148-153.
- Lendemer, J. C. & R. C. Harris. 2013b. *Cladonia appalachensis*, belated description of a southern Appalachian lichen endemic from the Great Smoky Mountains. *Opuscula Philolichenum* 12: 17-22. 2013.
- Lendemer, J. C. & R. C. Harris. 2014a. Seven new species of Graphidaceae (Lichenized Ascomycetes) from the coastal plain of southeastern North America. *Phytotaxa* 189(1): 153-175.
- Lendemer, J. C. & R. C. Harris. 2014b. Studies in lichens and lichenicolous fungi no. 17 – Notes on lichens from the coastal plain of Southeastern North America. *Opuscula Philolichenum* 13: 8-19

- Lendemer, J. C. & R. C. Harris. 2014c. Studies in lichens and lichenicolous fungi – no. 18: Resolution of three names introduced by Degelius and Magnusson based on material from the Great Smoky Mountains. *Castanea* 79(2): 106-117.
- Lendemer, J. C. & R. C. Harris. 2014d. Studies in lichens and lichenicolous fungi – no. 19: Further notes on species from the coastal plain of southeastern North America. *Opuscula Philolichenum* 13: 155-176.
- Lendemer, J. C. & R. C. Harris. 2015a. A nomenclatural note on *Mycoporum biseptatum* (basionym *Arthonia biseptata*). *Opuscula Philolichenum* 14: 116-117.
- Lendemer, J. C. & R. C. Harris. 2015b. *Xyleborus nigricans*, a second species for the previously monospecific genus newly found in the Mid-Atlantic Coastal Plain of North America. *The Bryologist* 118(3): 284-292.
- Lendemer, J. C. & R. C. Harris. 2016. Studies in lichens and lichenicolous fungi – No. 20: Further notes on species from the eastern North America. *Opuscula Philolichenum* 15: 105-131.
- Lendemer, J. C. & R. C. Harris. 2017. Nomenclatural changes for North American members of the *Variolaria*-group necessitated by the recognition of *Lepra* (Pertusariales). *The Bryologist* 120(2): 182-189.
- Lendemer, J. C., R. C. Harris & J. A. Elix. 2008a. *Pertusaria appalachensis*, a new species from Eastern North America. *Opuscula Philolichenum* 5: 77-82.
- Lendemer, J. C., R. C. Harris & D. Ladd. 2016b. The faces of *Bacidia schweinitzii*: molecular and morphological data reveal three new species including a widespread sorediate morph. *The Bryologist* 119(2): 143-171.
- Lendemer, J. C., R. C. Harris & R. T. McMullin. 2019a. Studies in lichens and lichenicolous fungi – No. 22: The identities of *Lecidea diminutula*, *L. olivacea* var. *inspersa*, *L. virginicensis* and *Thelenella humilis*. *Opuscula philolichenum* 18: 90-101.
- Lendemer, J. C., R. C. Harris & A. M. Ruiz. 2016c. A review of the lichens of the Dare Regional Biodiversity Hotspot in the mid-Atlantic coastal plain of North Carolina, Eastern North America. *Castanea* 81(1): 1-77.
- Lendemer, J. C., R. C. Harris & E. Tripp. 2007. *Heterodermia neglecta* (Physciaceae), a new lichen species from eastern North America. *The Bryologist* 110: 490-493.
- Lendemer, J. C., R. C. Harris & E. A. Tripp. 2013. The Lichens and Allied Fungi of Great Smoky Mountains National Park. *Memoirs of the New York Botanical Garden*, vol. 104. New York Botanical Garden Press.
- Lendemer, J. C. & D. A. Hewitt. 2002. A catalogue of the type specimens of lichens in the herbarium of The Academy of Natural Sciences of Philadelphia. *Proceedings of the Academy of Natural Sciences of Philadelphia* 152: 173-204.
- Lendemer, J. C. & B. P. Hodkinson. 2009. The wisdom of fools: new molecular and morphological insights into the North American apotheciate species of *Cladonia*. *Opuscula Philolichenum* 7: 79-100.
- Lendemer, J. C. & B. P. Hodkinson. 2010. A new perspective on *Punctelia subrudecta* (Parmeliaceae) in North America: previously rejected morphological characters corroborate molecular phylogenetic evidence and provide insight into an old problem. *Lichenologist* 42: 405-421.
- Lendemer, J. C. & B. P. Hodkinson. 2012. Recognition of the *Parmelia crozalsiana* group as the genus *Crespoa*. *North American Fungi* 7(2): 1-5.
- Lendemer, J. C. & B. P. Hodkinson. 2013. A radical shift in the taxonomy of *Lepraria* s.l.: molecular and morphological studies shed new light on the evolution of asexuality and lichen growth form diversification. *Mycologia* 105(4): 994-1018.
- Lendemer, J. C., J. R. Hoffman & J. W. Sheard. 2019b. *Rinodina brauniana* (Physciaceae, Teloschistales), a new species with pseudoisidia from the southern Appalachian Mountains of eastern North America. *The Bryologist* 122(1): 111-121.
- [Lendemer, J. C. & K. G. Keepers. 2021. *Bacidia depriestiana* \(Ramalinaceae\), a new species from the southern Appalachian Mountains of eastern North America. *The Bryologist* 124\(3\): 362-375.](#)
- Lendemer, J. C. & K. Knudsen. 2007. Changes and additions to the North American lichen Mycota – VI. *Proceedings of the Academy of Natural Sciences of Philadelphia* 156: 55-57.
- Lendemer, J. C. & K. Knudsen. 2008a. *Ramonia vermispora*, a new species from the Sonoran Desert region of southwestern North America. *Opuscula Philolichenum* 5: 83-88.
- Lendemer, J. C. & K. Knudsen. 2008b. Studies in lichens and lichenicolous fungi: further notes on North American taxa. *Mycotaxon* 103: 75-86.
- Lendemer, J. C. & K. Knudsen. 2009. Two new usnic acid containing species of *Lecanora* from Western North America. *Opuscula Philolichenum* 6: 73-80.
- Lendemer, J. C. & K. Knudsen. 2010 [2011]. *Lecanographa insolita*, an unusual new species of Roccellaceae from western North America. *The Bryologist* 113: 350-355.
- Lendemer, J. C. & K. Knudsen. 2011. Studies in lichens and lichenicolous fungi: 7. More notes on taxa from North America. *Mycotaxon* 115: 45-52.
- Lendemer, J. C., K. Knudsen & B. J. Coppins. 2009a. Further notes on the genus *Ramonia* in California: the first modern record of *R. ablephora* and the description of *R. extensa* sp. nov. *Opuscula Philolichenum* 7: 191-194.
- Lendemer, J. C., K. Knudsen & J. A. Elix. 2008b. *Lepraria friabilis*, a new species from Eastern North America. *Opuscula Philolichenum* 5: 61-66.

- Lendemer, J. C., K. Knudsen & A. M. Fryday. 2010. New and interesting lichens, lichenicolous and allied fungi from Yosemite National Park, California, U.S.A. *Opuscula Philolichenum* 8: 107-120.
- Lendemer, J. C., J. Kocourková & K. Knudsen. 2009b. Studies in lichen and lichenicolous fungi: more notes on taxa from North America. *Mycotaxon* 108: 491-497.
- Lendemer, J. C., J. Kocourková & K. Knudsen. 2008c. Studies in lichens and lichenicolous fungi: notes on some taxa from North America. *Mycotaxon* 105: 379-386.
- Lendemer, J. C., J. Kocourková & K. Knudsen. 2009c. Studies in lichens and lichenicolous fungi: more notes on taxa from North America. *Mycotaxon* 110: 373-378.
- Lendemer, J. C. & R. Lücking. 2004. *Gyalideopsis moodyae* (Ostropales: Gomphillaceae), a new lichen species from eastern North America. *The Bryologist* 107: 234-236.
- Lendemer, J. C. & T. Lumbsch. 2008. *Protoparmelia capitata* sp. nov., and *P. isidiata* Diederich, Aptroot & Sérus., two species of *Protoparmelia* (Lecanorales, Ascomycota) from south-eastern North America. *Lichenologist* 40: 329-336.
- Lendemer, J. C. & J. A. Macklin. 2006. Contributions to the lichen flora of Pennsylvania: a preliminary checklist of the lichens of Nescopeck State Park. *Opuscula Philolichenum* 3: 41-48.
- Lendemer, J. C. & C. A. Morse. 2010. *Caloplaca yuchiorum* (Teloschistaceae; lichenized Ascomycota), a new sorediate species from North America. *Journal of the Torrey Botanical Society* 127: 327-332.
- Lendemer, J. C. & H. O'Brien. 2011. How do you reconcile molecular and non-molecular datasets? A case study where new molecular data prompts a revision of *Peltigera hydrothyria* s.l. in North America and the recognition of two species. *Opuscula Philolichenum* 9: 99-111.
- Lendemer, J. C. & D. Ray. 2017. Two new pinicolous *Arthonia* (Arthoniaceae: Arthoniomycetes) from the Delmarva Peninsula of the Atlantic Coastal Plain in eastern North America. *The Bryologist* 120(1): 11-18.
- Lendemer, J. C. & A. M. Ruiz. 2015. Molecular data confirm morphological variability in the widespread foliose lichen *Canoparmelia caroliniana* (Parmeliaceae). *Castanea* 80(1): 29-36.
- Lendemer, J. C. & J. W. Sheard. 2006. The typification and distribution of *Rinodina chrysomelaena* (Physciaceae), a rare eastern North American lichen. *The Bryologist* 109: 562-565.
- Lendemer, J. C., J. W. Sheard, G. Thor & T. Tønsberg. 2012. *Rinodina chrysidiata*, a new species from far eastern Asia and the Appalachian Mountains of North America. *Lichenologist* 44(2): 179-187.
- Lendemer, J. C., H. B. Stone & E. A. Tripp. 2017. Taxonomic delimitation of the rare, eastern North American endemic lichen *Santessonella crossophylla* (Pannariaceae). *Journal of the Torrey Botanical Society* 144(4): 459-468.
- Lendemer, J. C. & I. I. Tavares. 2003. Nomenclature and typification in the genus *Usnea* (lichenized Ascomycetes) - I. *Usnea rigida*. *Proceedings of the Academy of Natural Sciences of Philadelphia* 153: 177-180.
- Lendemer, J. C. & T. Tønsberg. 2014. *Lepraria brodoi* (Stereocaulaceae, lichenized Ascomycetes), a new species from the temperate rainforests of western Canada and southeastern Alaska, U.S.A. *Opuscula Philolichenum* 13: 20-25.
- Lendemer, J. C. & E. A. Tripp. 2008. Contributions to the lichen flora of North Carolina: a preliminary checklist of the lichens of Gorges State Park. *The Bryologist* 111(1): 57-67.
- Lendemer, J. C. & E. A. Tripp. 2014. Discovery of *Gyalideopsis mexicana* in the United States. *North American Fungi* 9(7): 1-4.
- Lendemer, J. C. & E. A. Tripp. 2015. *Lecanora anakeestiicola* (Lecanorales): an unusual new fruticose species from Great Smoky Mountains National Park in eastern North America. *The Bryologist* 118(1): 1-10.
- Lendemer, J. C., E. A. Tripp & J. Sheard. 2014. A review of *Rinodina* (Physciaceae) in Great Smoky Mountains National Park highlights the growing significance of this “island of biodiversity” in eastern North America. *The Bryologist* 117(3): 259-281.
- Lendemer, J. C. & M. Westberg. 2010. *Candelariella xanthostigmoides* in North America. *Opuscula Philolichenum* 8: 75-81.
- Lendemer, J. C. & R. Yahr. 2004. A checklist of the lichens collected during the Tuckerman workshop #12, Outer Banks, North Carolina, USA. *Evansia* 21: 118-136.
- Lepage, E. 1972. Nouveau catalogue des lichens du Quebec. *Naturaliste Canadien* 99: 533-550.
- Leuckert, C. & H. Hertel. 2003. On the *Lecidea atrobrunnea* complex (Lecanorales, Lecideaceae) in the Americas. I. Introduction and chemistry. *Bibliotheca Lichenologica* 86: 13-31.
- Lewis, C. J. 2014. Notes on new and interesting cyanolichens from Ontario, Canada. *Opuscula Philolichenum* 13: 34-43. 2014.
- Lewis, C. J. & M. Schultz. 2020. *Lempholemma syreniarum* (Lichinaceae), a new species from Ontario, Canada. *The Bryologist* 123(3): 423-429.
- Lewis, C. J. & L. Śliwa. 2012. *Lecanora carlottiana*, a new saxicolous lichen species from the Great Lakes region of North America. *The Bryologist* 115(3): 375-381.
- Lindblom, L. 1997. The genus *Xanthoria* (Fr.) Th. Fr. in North America. *Journal of the Hattori Botanical Laboratory* 83: 75-172.

- Lindblom, L. 2004a. *Xanthomendoza*, pp. 561-566. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Lindblom, L. 2004b. *Xanthoria*, pp. 605-611. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Lindblom, L. 2006. *Xanthomendoza galericulata*, a new sorediate lichen species, with notes on similar species in North America. *The Bryologist* 109: 1-8.
- Llano, G. A. 1950. A Monograph of the Lichen Family Umbilicariaceae in the Western Hemisphere. Navexos P-831. Office of Naval Research, Washington. 281 pp.
- Llop, E. & S. Ekman. 2004. "Bacidia coprodes" in the Mediterranean region, p. 18. In T. Randlane & A. Saag (eds.), Book of Abstracts of the 5th IAL Symposium. Lichens in Focus. Tartu University Press.
- Llop, E. & S. Ekman. 2007. *Bacidia coprodes* – resurrecting a misinterpreted species. *Lichenologist* 39: 251-257.
- Lohtander, K., L. Mylllys, M. Kälersjö, R. Moberg, S. Stenroos & A. Tehler. 2009. New entities in *Physcia aipolia-P. caesia* group (Physciaceae, Ascomycetes): an analysis based on mtSSU, ITS, group I intron and betatubulin sequences. *Annales Botanici Fennici* 46(1): 43-53.
- Lücking, R. 2008. Follicolous Lichenized Fungi. *Flora Neotropica Monograph* 103. Flora Neotropica Monograph 103. Organization for Flora Neotropica and The New York Botanical Garden Press, Bronx, New York. 866 pp.
- Lücking, R., A. Aptroot, J. L. Chaves, H. J. M. Sipman & L. Umaña. 2007. A first assessment of the TICOLICHEN biodiversity inventory in Costa Rica: the genus *Coccocarpia* (Peltigerales: Coccocarpiaceae). *Bibliotheca Lichenologica* 95: 429-457.
- Lücking, R., W. R. Buck & E. Rivas Plata. 2007. The lichen family Gomphillaceae (Ostropales) in eastern North America, with notes on hyphophore development in *Gomphillus* and *Gyalideopsis*. *The Bryologist* 110: 622-672.
- Lücking, R. & M. Cáceres. 2004. Corticolous species of *Trichothelium* (Ascomycota: Porinaceae). *Mycological Research* 108: 571-575.
- Lücking, R. & K. Kalb. 2000. Follikole Flechten aus Brasilien (vornehmlich Amazonien), inklusive einer Checkliste und Bemerkungen zu *Coenogonium* und *Dimerella* (Gyalectaceae). *Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie* 122: 1-61.
- Lücking, R. & K. Kalb. 2018. Formal instatement of *Allographa* (Graphidaceae): how to deal with a hyperdiverse genus complex with cryptic differentiation and paucity of molecular data. *Herzogia* 31(1): 535-561.
- Lücking, R., K. Kalb, B. Staiger & J. McNeill. 2007. Proposal to conserve the name *Phaeographis*, with a conserved type, against *Creographa*, *Ectographis*, *Flegographis*, *Hymenodecton*, *Platygramma*, and *Pyrographa* (Ascomycota: Ostropales: Graphidaceae), along with notes on the names *Graphina* and *Phaeographina*. *Taxon* 56(4): 1296-1299.
- Lücking, R., L. Kaminsky, G. B. Perlmutter, J. D. Lawrey & M. Dal Forno. 2020. *Cora timucua* (Hygrophoraceae), a new and potentially extinct, previously misidentified basidiolichen of Florida inland scrub documented from historical collections. *The Bryologist* 123(4): 657-673.
- Lücking, R., A. Mangold & H. T. Lumbsch. 2016. A worldwide key to species of the genera *Myriotrema* and *Glaucotrema* (lichenized Ascomycota: Graphidaceae), with a nomenclatural checklist of species published in *Myriotrema* [Ein weltweiter schlüssel zu den arten der gattungen *Myriotrema* und *Glaucotrema* (lichenisierte Ascomycota: Graphidaceae) mit einer nomenklatorischen checkliste aller in der gattung *Myriotrema* publizierten namen]. *Herzogia* 29(2): 493-513.
- Lücking, R., A. Mangold, E. Rivas Plata, S. Parnmen, E. Kraichak & H. T. Lumbsch. 2015. Morphology-based phylogenetic binning to assess a taxonomic challenge: a case study in Graphidaceae (Ascomycota) requires a new generic name for the widespread *Leptotrema wightii*. *Botanical Journal of the Linnean Society* 179(3): 436-443.
- Lücking, R. & B. McCune. 2012. *Graphis pergracilis* new to North America, and a new name for *Graphis britannica* sensu Staiger auct. *Evansia* 29: 77-84.
- Lücking, R., B. Moncada & D. L. Hawksworth. 2019. Gone with the wind: sequencing its type species supports inclusion of *Cryptolechia* in *Gyalecta* (Ostropales: Gyalectaceae). *Lichenologist* 51(4): 287-299.
- Lücking, R., B. Moncada, B. McCune, E. Farkas, B. Goffinet, D. Parker, J. L. Chaves, L. Lökö, P. R. Nelson, T. Spribille, S. Stenroos, T. Wheeler, A. Yanez-Ayabaca, K. Dillman, O. T. Gockman, T. Goward, J. Hollinger, E. A. Tripp, J. Villella, W. R. Álvaro-Alba, C. J. Arango, M. E. S. Cáceres, L. F. Coca, C. Printzen, C. Rodriguez, K. Schramgl, R. Rozzi, E. Soto-Medina & L. S. Yakovchenko. 2017a. *Pseudocyphellaria crocata* (Ascomycota: Lobariaceae) in the Americas is revealed to be thirteen species, and none of them is *P. crocata*. *The Bryologist* 120(4): 441-500.
- Lücking, R., E. Rivas Plata, K. Kalb, R. S. Common, A. Barcenas Peña & M. V. Duya. 2011a. *Halegrapha* (Ascomycota: Graphidaceae), an enigmatic new genus of tropical lichenized fungi dedicated to Mason E. Hale Jr. *Lichenologist* 43: 1-13.

- Lücking, R., F. Seavey, R. S. Common, S. Q. Beeching, O. Breuss, W. R. Buck, L. Crane, M. Hodges, B. P. Hodkinson, E. Lay, J. C. Lendemer, R. T. McMullin, J. A. Mercado-Díaz, M. P. Nelsen, E. Rivas Plata, W. Safranek, W. B. Sanders, H. P. Schaefer Jr., & J. Seavey. 2011b. The Lichens of Fakahatchee Strand Preserve State Park, Florida: Proceedings from the 18th Tuckerman Workshop. Bulletin of the Florida Museum of Natural History 49: 127-186.
- Lücking, R., B. L. Stuart & H. T. Lumbsch. 2004. Phylogenetic relationships of Gomphillaceae and Asterothryiaceae: evidence from a combined Bayesian analysis of nuclear and mitochondrial sequences. Mycologia 96: 283-294.
- Lücking, R., A. Tehler, F. Bungartz, E. Rivas Plata & H. T. Lumbsch. 2013a. Journey from the West: did tropical Graphidaceae (lichenized Ascomycota: Ostropales) evolve from a saxicolous ancestor along the American Pacific coast? American Journal of Botany 100(5): 844-856.
- Lücking, R., M. Dal Forno, J. D. Lawrey, F. Bungartz, M. E. H. Rojas, J. E. Hernandez, M. P. Marcelli, B. Moncada, E. A. Morales, M. P. Nelsen, E. Paz, L. Salcedo, A. A. Spielmann, K. Wilk, S. Will-Wolf & A. Yanez-Ayabaca. 2013b. Ten new species of lichenized Basidiomycota in the genera *Dictyonema* and *Cora*. Phytotaxa 139(1): 1-38.
- Lücking, R., R. G. Thorn, I. Saar, M. D. Piercy-Normore, B. Moncada, J. Doering, H. Mann, R. Lebeuf, M. Voitk & A. Voitk. 2017b. A hidden basidiolichen rediscovered: *Omphalina oreades* is a separate species in the genus *Lichenomphalia* (Basidiomycota: Agaricales: Hygrophoraceae). Lichenologist 49(5): 467-481.
- Lücking, R. & T. Tønsberg. 2016. *Gyalideopsis pusilla* (Gomphillaceae, lichenized Ascomycetes), a new species from southeastern North America. North American Fungi 11(7): 1-4.
- Lumbsch, H. T. 1997. Systematic studies in the suborder Agyriineae (Lecanorales). Journal of the Hattori Botanical Laboratory 83: 1-73.
- Lumbsch, H. T. 2002. *Diploschistes*, pp. 173-178. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Lumbsch, H. T. 2004. *Ingvariella*, pp. 136-137. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Lumbsch, H. T. et al. 2011. One hundred new species of lichenized fungi: a signature of undiscovered global diversity. Phytotaxa 18: 1-127.
- Lumbsch, H.T. & S. M. Huhndorf. 2010. Myconet Volume 14. Part One. Outline of Ascomycota - 2009. Part Two. Notes on Ascomycete Systematics. Nos. 4751-5113. - *Fieldiana. Life and Earth Sciences* 1: 1-64.
- Lumbsch, H. T. & T. H. Nash III. 1999. A revision of *Pertusaria* species with hyaline ascospores in southwestern North America (Pertusariales, Ascomycotina). The Bryologist 102: 215-239.
- Lumbsch, H. T., M. I. Messuti & T. H. Nash III. 2003. New or overlooked species in the *Lecanora subfusca* group from southwestern North America (Lecanorales, Ascomycotina). The Bryologist 106: 552-559.
- Lumbsch, H. T., M. Plümper, R. Guderley & G. B. Feige. 1997. The corticolous species of *Lecanora* sensu stricto with pruinose apothecial discs, pp. 131-161. In L. Tibell & I. Hedberg (eds.), Lichen Studies Dedicated to Rolf Santesson. Symbolae Botanicae Upsalienses 32. Acta Universitatis Upsaliensis, Uppsala.
- Lumbsch, H. T., I. Schmitt, H. Döring & M. Wedin. 2001. ITS sequence data suggest variability of ascus types and support ontogenetic characters as phylogenetic discriminators in the Agyriales (Ascomycota). Mycological Research 105(3): 265-274.
- Lumbsch, H. T. & N. Wirtz. 2011. Phylogenetic relationships of the neopogonoid core group in the genus *Usnea* (Ascomycota: Parmeliaceae). Lichenologist 43(6): 553-559.
- Maass, W. S. G. 1986. *Moelleropsis* (Lecanorales) as a component of *Erioderma* habitats in Atlantic Canada. Proceedings of the Nova Scotian Institute of Science 37: 21-36.
- MacDonald, A. M., J. T. Lundholm & S. R. Clayden. 2011. Saxicolous lichens on a Nova Scotian coastal barren. Northeastern Naturalist 18(4): 475-488.
- Magain, N., E. Sérusiaux, M. P. Sérusiaux, F. Lutzoni, J. Miadlikowska. 2016 Disentangling the *Peltigera polydactylon* species complex by recognizing two new taxa, *P. polydactylon* subsp. *udeghe* and *P. seneca*. Herzogia 29(2): 514-528.
- Magain, N., T. Spribile, J. Dimeglio, P. R. Nelson, J. Miadlikowska & E. Sérusiaux. 2020. Phylogenetic evidence for an expanded circumscription of *Gabura* (Arctomiaceae). Lichenologist 52(1): 3-15.
- Mangold, A., M. P. Martín, K. Kalb, R. Lücking & H. T. Lumbsch. 2008. Molecular data show that *Topeliopsis* (Ascomycota, Thelotremaeaceae) is polyphyletic. Lichenologist 40(1): 39-46.
- Manoharan-Basil, S. S., J. Miadlikowska, T. Goward, Ó. S. Andresson & V. P. W. Miao. 2016. *Peltigera islandica*, a new cyanolichen species in section *Peltigera* ('*P. canina* group'). Lichenologist 48(5): 451-467.
- Marbach, B. 2000. Corticole und lignicole Arten der Flechtengattung *Buellia* sensu lato in den Subtropen und Tropen. Bibliotheca Lichenologica 74: 1-384.
- Marcano, V., A. Morales Méndez, H. Sipman & L. Calderon. 1996. A first checklist of the lichen-forming fungi of the Venezuelan Andes. Tropical Bryology 12: 193-235.

- Marcelli, M. P., L. S. Canêz, M. N. Benatti, A. A. Spielmann, P. Jungbluth & J. A. Elix. 2011. Taxonomical novelties in Parmeliaceae. *Bibliotheca Lichenologica* 106: 211-224.
- Mark, K., L. Saag, S. D. Leavitt, S. Will-Wolf, M. P. Nelsen, T. Törra, A. Saag, T. Randlane & H. T. Lumbsch. 2016. Evaluation of traditionally circumscribed species in the lichen-forming genus *Usnea*, section *Usnea* (Parmeliaceae, Ascomycota) using a six-locus dataset. *Organisms, Diversity & Evolution* 16: 497-524.
- Matzer, M., H. Mayrhofer, A. Wippel & J. A. Elix. 1996. *Dimelaena radiata* (Physciaceae, Lecanorales) and its lichenicolous fungus *Endococcus buelliae* (Verrucariales). *The Bryologist* 99: 450-456.
- May, P. F. 1997. *Ophioparma lapponica* - a misunderstood species. *Harvard Papers in Botany* 2: 213-228.
- Mayrhofer, H. 1987. Ergänzende Studien zur Taxonomie der Gattung *Protothelenella*. *Herzogia* 7: 313-342.
- Mayrhofer, H. & J. W. Sheard. 2002. *Amandinea cacuminum*: a new combination (Physciaceae, lichenized Ascomycetes). *Mycotaxon* 82: 437-441.
- Mayrhofer, H. & J. W. Sheard. 2007. *Rinodina archaea* (Physciaceae, lichenized Ascomycetes) and related species. *Bibliotheca Lichenologica* 96: 229-246.
- Mayrhofer, H., J. W. Sheard, M. C. Grassler & J. A. Elix. 2001. *Rinodina intermedia* (Physciaceae, lichenized Ascomycetes): a well-characterized species with submuriform ascospores. *The Bryologist* 104: 456-463.
- McCarthy, J. W., M. Pitcher, & S. R. Clayden. 2012. *Parmeliopsis esorediata* (Degel.) Nordnes discovered in North America. *Evansia* 29: 85.
- McCarthy, P. M. & T. Tønsberg. 1998. *Porina radicicola*, a new lichen from western North America. *Lichenologist* 30: 245-248.
- McCune, B. 1996. *Micarea botryoides* new to North America. *Evansia* 13: 65-66.
- McCune, B. 1997a. *Lauderlindsaya*, a parasitic fungus on *Normandina*, new to North America. *Evansia* 14: 13.
- McCune, B. 1997b. *Ptychographa*, a lichen genus new to North America. *The Bryologist* 100: 239-240.
- McCune, B. 1998a. *Hypotrachyna riparia*, a new lichen from western North America. *The Bryologist* 101: 448-450.
- McCune, B. 1998b. Lichens of granitic peaks in the Bitterroot Range, Montana and Idaho, USA, pp. 281-294. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- McCune, B. 2002. *Hypogymnia*, pp. 228-238. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- McCune, B. 2008. Three species of *Hypogymnia* (Ascomycota: Parmeliaceae) from the Bering Sea region, Alaska and Russia. *North American Fungi* 3: 1-10.
- McCune, B. 2017. Microlichens of the Pacific Northwest, Vol. 2, Keys to the Species. 755 pp. Wild Blueberry Media, Corvallis, Oregon.
- McCune, B. 2018. Two new species in the *Umbilicaria torrefacta* group from Alaska and the Pacific Northwest of North America. *Graphis Scripta* 30(6): 65-77.
- McCune, B. 2020a. *Epigloea diversispora*, a new possibly lichenized ascomycete from Oregon, with a key to the World species. *The Bryologist* 123(3): 534-540.
- McCune, B. 2020b. *Gyrophthora perforans*, a genus and species of lichenicolous fungi new to North America. *Evansia* 37(1): 7-9.
- McCune, B., T. Ahti & C. M. Duncan. 2006. *Hypogymnia incurvoides* (Parmeliaceae), a little-known Russian species discovered in eastern North America. *The Bryologist* 109: 80-84.
- McCune, B., U. Arup, O. Breuss, E. Di Meglio, J. Di Meglio, T. L. Esslinger, N. Magain, J. Miadlikowska, A. E. Miller, L. Muggia, P. R. Nelson, R. Rosentreter, M. Schultz, J. W. Sheard, T. Tønsberg & J. Walton. 2018. Biodiversity and ecology of lichens of Katmai and Lake Clark National Parks and Preserves, Alaska. *Mycosphere* 9(4): 859-930.
- McCune, B., U. Arup, O. Breuss, E. Di Meglio, J. Di Meglio, T. L. Esslinger, J. Miadlikowska, A. E. Miller, R. Rosentreter, M. Schultz, J. Sheard, T. Tønsberg & J. Walton. 2020. Biodiversity and ecology of lichens of Kenai Fjords National Park, Alaska. *Plant and Fungal Systematics* 65(2): 586-619.
- McCune, B., F. Camacho & J. Ponzetti. 2002. Three new species of *Trapeliopsis* on soil in western North America. *The Bryologist* 105: 78-85.
- McCune, B. & M. J. Curtis. 2012. *Umbilicaria semitensis* (lichenized fungi: Umbilicariaceae) resurrected. *The Bryologist* 115(2): 255-264.
- McCune, B., M. J. Curtis & J. Di Meglio. 2017. New taxa and a case of ephemeral spore production in Lecideaceae from western North America. *The Bryologist* 120(2): 115-124.
- McCune, B., E. Di Meglio, T. Tønsberg & R. Yahr. 2019. Five new crustose *Stereocaulon* species in western North America. *The Bryologist* 122(2): 197-218.
- McCune, B. & J. Di Meglio. 2021. Revision of the *Aspicilia reptans* group in western North America, an important component of soil biocrusts. *Monographs in North American Lichenology*, Vol. 5 (Northwest Lichenologists), pp. i-iv + 1-92.
- McCune, B., J. Di Meglio & M. J. Curtis. 2014a. An unusual ascospore shape and a new species, *Umbilicaria nodulospora* (Umbilicariaceae), from California and Oregon. *The Bryologist* 117(2): 170-178.

- McCune, B., E. A. Holt, P. N. Neitlich, T. Ahti & R. Rosentreter 2009. Macrolichen diversity in Noatak National Preserve, Alaska. *North American Fungi* 4(4): 1-22.
- McCune, B. & H. T. Lumbsch. 2017. *Lambiella arenosa*, a new species from the coastal Oregon dunes. *The Bryologist* 120(3): 329-334.
- McCune, B. & J. Ponzetti. 2005. *Cercidospora soror* and *Rhizocarpon malenconianum* from North America. *Evansia* 22: 6-12.
- McCune, B. & R. Rosentreter. 1997. *Hypogymnia subphysodes* new to North America. *Evansia* 14: 106.
- McCune, B. & R. Rosentreter. 2007. Biotic Soil Crust Lichens of the Columbia Basin. Monographs in North American Lichenology. Volume 1. Northwest Lichenologists, Ltd., Corvallis. 105 pp.
- McCune, B. & R. Rosentreter. 2014. New lichen records from Oregon to Alaska in North America. *Evansia* 31(1): 1-7.
- McCune, B., R. Rosentreter & a Debolt. 1997. Biogeography of rare lichens from the coast of Oregon, pp. 234-241. In T. N. Kaye, A. Liston, R. M. Love, D. L. Luoma, R. J. Meinke & M. V. Wilson (eds.), *Conservation and Management of Native Plants and Fungi*. Native Plant Society of Oregon, Corvallis.
- McCune, B., R. Rosentreter, T. Spribile, O. Breuss & T. Wheeler. 2014b. *Montana Lichens: An Annotated List*. Monographs in North American Lichenology 2: 1-183. Northwest Lichenologists, Corvallis, Oregon.
- McCune, B. & C. Schoch. 2009. *Hypogymnia minilobata* (Parmeliaceae), a new lichen from coastal California. *The Bryologist* 112: 94-100.
- McCune, B., C. Schoch, H. T. Root, S. A. Kageyama & J. Miadlikowska. 2011. Geographic, climatic, and chemical differentiation in the *Hypogymnia imshaugii* species complex (Lecanoromycetes, Parmeliaceae) in North America. *The Bryologist* 114(3): 526-544.
- McCune, B. & D. Stone. 2020. *Gregarella*, a cyanobacterial pioneer on soil, new to North America. *Evansia* 37(1): 15-19.
- McCune, B. & J. Stone. 2009. *Leightoniomyces phillipsii*, a synnematous soil-dwelling hyphomycete new to North America. *North American Fungi* 4(5): 1-4.
- McCune, B., E. Timdal & M. Bendiksby. 2016. *Rhizocarpon quinonum*, a new anthraquinone-containing species from the Alaska Peninsula. *Lichenologist* 48(5): 367-375.
- McDonald, T., J. Miadlikowska & F. Lutzoni. 2003. The lichen genus *Sticta* in the Great Smoky Mountains: a phylogenetic study of morphological, chemical, and molecular data. *The Bryologist* 106: 61-79.
- McMullin, R. T. 2018. *New and interesting lichens and allied fungi from British Columbia, Nova Scotia, Nunavut, Ontario, Prince Edward Island, and Quebec, Canada*. *Opuscula Philolichenum* 17: 275-292.
- McMullin, R. T., J. Gagnon, F. Anderson, W. R. Buck, S. R. Clayden, B. C. Dorin, A. Fryday, J. G. Guccion, R. C. Harris, J. Hinds, C. Isabel, D. Ladd, E. Lay, J. C. Lendemer, J. R. Maloles, C. Roy, & D. P. Waters. 2017. One hundred new provincial, national, and continental lichen and allied fungi records from Parc National de la Gaspésie, Québec, Canada. *Northeastern Naturalist* 24(4): 446-466.
- McMullin, R. T. & J. C. Lendemer. 2013. Lichen biodiversity and conservation status in the Copeland Forest Resources Management Area: a lichen-rich second-growth forest in southern Ontario. *Canadian Field-Naturalist* 127: 240-254.
- McMullin, R. T. & J. C. Lendemer. 2016. *Megalaria allenae* (Ramalinaceae), a new sorediate species from southeastern North America previously confused with *M. pulvrea*. *The Bryologist* 119(3): 290-297.
- McMullin, R. T., J. C. Lendemer, H. E. Braid & S. G. Newmaster. 2016. Molecular insights into the lichen genus *Alectoria* (Parmeliaceae) in North America. *Botany* 94: 165-175.
- McMullin, R. T., J. R. Maloles, S. B. Selva & S. G. Newmaster. 2018. A synopsis of *Chaenotheca* in North America, including a new species from southern Ontario, *C. selvae*, supported by morphometric analyses. *Botany* 96: 547-553.
- McMullin, R. T., B. McCune & J. C. Lendemer. 2020. *Bacidia gigantensis* (Ramalinaceae), a new species with homosekikaic acid from the north shore of Lake Superior in Ontario, Canada. *The Bryologist* 123(2): 215-224.
- McMullin, R. T., S. B. Selva, J. R. Maloles & S. G. Newmaster. 2012. *Calicium denigratum* (Vain.) Tibell, a new lichen record for North America. *North American Fungi* 7(11): 1-5.
- Merrill, G. K. 1909. Lichen notes no. 14. Three new forms of *Calicium*. *Bryologist* 12: 107-108.
- Messuti, M. I. & H. T. Lumbsch. 2000. A revision of the genus *Ochrolechia* in southern South America. *Bibliotheca Lichenologica* 75: 33-46.
- Miadlikowska, J. et al. (31 co-authors). 2014a. A multigene phylogenetic synthesis for the class Lecanoromycetes (Ascomycota): 1307 fungi representing 1139 infrageneric taxa, 317 genera and 66 families. *Molecular Phylogenetics and Evolution* 79: 132-168.
- Miadlikowska, J. & F. Lutzoni. 2000. Phylogenetic revision of the genus *Peltigera* (lichen-forming Ascomycota) based on morphological, chemical, and large subunit nuclear ribosomal DNA data. *International Journal of Plant Science* 161: 925-958.
- Miadlikowska, J., B. McCune & F. Lutzoni. 2002. *Pseudocyphellaria perpetua*, a new lichen from western North America. *The Bryologist* 105: 1-10.

- Miądlikowska, J., D. Richardson, N. Magain, B. Ball, F. Anderson, R. Cameron, J. Lendemer, C. Truong & F. Lutzoni. 2014b. Phylogenetic placement, species delimitation, and cyanobiont identity of endangered aquatic *Peltigera* species (lichen-forming Ascomycota, lecanoromycetes). American Journal of Botany 101(7): 1141-1156.
- Miądlikowska, J., C. L. Schoch, S. A. Kageyama, K. Molnar, F. Lutzoni & B. McCune. 2011. *Hypogymnia* phylogeny, including *Cavernularia*, reveals biogeographic structure. The Bryologist 114(2): 392-400.
- Michlig, S. A. & L. I. Ferraro. 2010. The first record of *Parmotrema pseudocrinitum* (Parmeliaceae, lichenized Ascomycota) in South America. Mycotaxon 112: 275-282.
- Millanes, A. M., P. Diederich & M. Wedin. 2016. *Cyphobasidium* gen. nov., a new lichen-inhabiting lineage in the Cystobasidiomycetes (Pucciniomycotina, Basidiomycota, Fungi). Fungal Biology 120(11): 1468-1477.
- Millanes, A. M., P. Diederich, M. Westberg & M. Wedin. 2016. Three new species in the *Biatoropsis usnearum* complex. Herzogia 29: 337-354.
- Millanes, A. M., M. Westberg, M. Wedin & P. Diederich. 2012. *Tremella diploschistina* (Tremellales, Basidiomycota, Fungi), a new lichenicolous species growing on *Diploschistes*. Lichenologist 44(3): 321-332.
- Miller, N. G., A. M. Fryday & J. W. Hinds. 2005. Bryophytes and lichens of a calcium-rich spring seep isolated on the granitic terrain of Mt. Katahdin, Maine, U.S.A. Rhodora 107: 339-358.
- Moberg, R. 1995. The lichen genus *Phaeophyscia* in China and Russian Far East. Nordic Journal of Botany 15: 319-335.
- Moberg, R. 1997. The lichen genus *Physcia* in the Sonoran Desert and adjacent regions, pp. 163-186. In L. Tibell & I. Hedberg (eds.), Lichen Studies Dedicated to Rolf Santesson. Symbolae Botanicae Upsalienses 32. Acta Universitatis Upsaliensis, Uppsala.
- Moberg, R. 2011. The lichen genus *Heterodermia* (Physciaceae) in South America – a contribution including five new species. Nordic Journal of Botany 29 : 129-147.
- Moberg, R. & G. Carlin. 1996. The genus *Placopsis* (Trapeliaceae) in Norden. Symbolae Botanicae Upsalienses 31: 319-325.
- Moberg, R. & T. H. Nash III. 1999. The genus *Heterodermia* in the Sonoran Desert area. The Bryologist 102: 1-14.
- Moe, R. 1997. *Verrucaria tavaresiae* sp. nov. Bulletin of the California Lichen Society 4: 7-11.
- Mohr, C. 1901. Plant life of Alabama. Contributions from the U.S. National Herbarium, vol. 6, 921 pp.
- Molina, M. C., A. Crespo, O. Blanco, N. Hladun & D. L. Hawksworth. 2002. Molecular phylogeny and status of *Diploicia* and *Diplotomma*, with observations on *Diploicia subcanescens* and *Diplotomma rivas-martinezii*. Lichenologist 34: 509-519.
- Molina, M. C., R. Del-Prado, P. K. Divakar, D. Sánchez-Mata & A. Crespo. 2011. Another example of cryptic diversity in lichen-forming fungi: The new species *Parmelia mayi* (Ascomycota: Parmeliaceae). Organisms Diversity and Evolution 11(5): 331-342.
- Molina, M. C., P. K. Divakar, T. Goward, A. M. Millanes, H. T. Lumbsch & A. Crespo. 2016. Neogene diversification in the temperate lichen-forming fungal genus *Parmelia* (Parmeliaceae, Ascomycota). Systematics and Biodiversity, 2016, 1-16.
- Moncada, B., R. Lücking & L. Betancourt-Macuase. 2013. Phylogeny of the *Lobariaceae* (lichenized Ascomycota: *Peltigerales*), with a reappraisal of the genus *Lobariella*. Lichenologist 45 (2): 203-263.
- Moncada, B., B. Reidy & R. Lücking. 2014. A phylogenetic revision of Hawaiian *Pseudocypsellaria* sensu lato (lichenized Ascomycota: Lobariaceae) reveals eight new species and a high degree of inferred endemism. The Bryologist 117(2): 119-160.
- Morse, C. A. 2013. A new lichenicolous *Enterographa* (Arthoniales, Roccellaceae) from central North America. Opuscula Philolichenum 12: 233-240.
- Morse, C. A. 2016. Two new species of *Thelenella* and new reports from the Great Plains of central North America, with a worldwide key to the genus. Opuscula Philolichenum 15: 22-36.
- Morse, C. A. & D. Ladd. 2013. A new species of *Fellhanera* (lichenized Ascomycota: Pilocarpaceae) from central North America. Lichenologist 45(3): 341-346.
- Morse, C. A. & D. Ladd. 2015. *Lichenes Exsiccati Magnicamporum* Fascicle 1, with comments on selected taxa. Opuscula Philolichenum 14: 66-81.
- Morse, C. A. & D. Ladd. 2016. *Lecanora inaurata*, a new member of the the *L. subfuscata* group from central North America. Lichenologist 48(5): 377-385.
- Morse, C. A. & D. Ladd. 2019. *Staurothele nemorum* sp. nov. (Ascomycota: Verrucariaceae), with a revised key to North American *Staurothele* s. lat. Lichenologist 51(6): 495-506.
- Morse, C. A. & D. Ladd. 2021. A new species of *Reichlingia* (Arthoniaceae) from the grasslands of central North America. The Bryologist 124(1): 33-38.
- Morse, C. A. & J. C. Lendemer. 2019. A new *Biatoridium* from eastern North America, with comments on the disposition of species of *Biatorella* sensu Magnusson. The Bryologist 122(1): 1-9.
- Morse, C. A. & J. W. Sheard. 2020. *Rinodina lecideopsis* (Teloschistales, Physciaceae) a new endemic species from the central United States related to *R. bischoffii*. The Bryologist 123(1): 31-38.
- Motiejūnaitė, J., M. P. Zhurbenko, A. Suija & G. Kantvilas. 2019. Lichenicolous ascomycetes on *Siphula*-like lichens, with a key to the species. Lichenologist 51(1): 45-73.

- Muggia, L., C. Gueidan & M. Grube. 2010. Phylogenetic placement of some morphologically unusual members of Verrucariales. *Mycologia* 102: 835-846.
- Muggia, L., J. Kocourková & K. Knudsen. 2015. Disentangling the complex of *Lichenothelia* species from rock communities in the desert. *Mycologia* 107(6): 1233-1253.
- Muggia, L., P. Nelson, T. Wheeler, L. S. Yakovchenko, T. Tønsberg & T. Spribille 2011: Convergent evolution of a symbiotic duet: The case of the lichen genus *Polychidium* (Peltigerales, Ascomycota). *American Journal of Botany* 98(10): 1647-1656.
- Muscavitch, Z. M. & J. C. Lendemer. 2016. A new species of *Acanthothecis* (Ostropales), highlights subtropical floristic elements of the southern Appalachian lichen biota in eastern North America. *The Bryologist* 119(4): 350-360.
- Muscavitch, Z. M., J. C. Lendemer & R. C. Harris. 2017a. A review of the lichen genus *Phlyctis* in North America (Phlyctidaceae) including the description of a new widespread saxicolous species from eastern North America. *The Bryologist* 120(4): 388-417.
- Muscavitch, Z. M., J. C. Lendemer & R. C. Harris. 2017b. A synopsis of the lichenicolous fungi occurring on *Phlyctis* including description of a new *Monodictys* widespread on *P. speirea*. *The Bryologist* 120(4): 418-426.
- Mylllys, L., S. Velmala, H. Holien, P. Halonen, L. Wang & T. Goward. 2011. Phylogeny of the genus *Bryoria*. *Lichenologist* 43(6): 617-638.
- Mylllys, L., S. Velmala, H. Lindgren, D. Glavich, T. Carlberg, L. Wang & T. Goward. 2014. Taxonomic delimitation of the genera *Bryoria* and *Sulcaria*, with a new combination *Sulcaria spiralifera* introduced. *Lichenologist* 46(6): 737-752.
- Mylllys, L., S. Velmala, R. Pino-Bodas & T. Goward. 2016. New species in *Bryoria* (Parmeliaceae, Lecanoromycetes) from north-west North America. *Lichenologist* 48(5): 355-365.
- Nadyeina, O., M. Grube & H. Mayrhofer. 2010. A contribution to the taxonomy of the genus *Rinodina* (Physciaceae, lichenized Ascomycotina) using combined ITS and mtSSU rDNA data. *Lichenologist* 42: 521-531.
- Nash, T. H., III. 2002. Previously reported but currently excluded species from the Greater Sonoran Desert Region, pp. 509-510. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Nash, T. H., III & J. A. Elix. 2004. *Xanthoparmelia*, pp. 566-604. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Nash, T. H., III & H. Hertel. 1997. *Lecanora comoduensis* (Lecanorales: Lecanoraceae), a new species of lichenized fungi from the Sonoran Desert Region. *The Bryologist* 100: 377-379.
- Nash, T. H., III, C. Kainz, L. Zedd, B. D. Ryan & G. Rambold. 2004a. *Miriquidica*, pp. 361-363. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Nash, T. H., III, K. Kalb & G. Rambold. 2004b. *Tephromela*, pp. 530-532. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Nash, T. H., III, B. D. Ryan, W. C. Davis, O. Breuss, J. Hafellner, H. T. Lumbsch, L. Tibell & T. Feuerer. 1998. Additions to the lichen flora of Arizona IV. *The Bryologist* 101: 93-99.
- Nash, T. H., III, H. G. M. Sipman & J. A. Elix. 2002. *Hypotrachyna*, pp. 238-251. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Navarro-Rosinés, P., V. Calatayud & J. Hafellner. 2004. *Cercidospora*, pp. 635-639. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Navarro-Rosinés, P. & J. Hafellner. 1996. *Lichenostigma elongata* spec. nov. (Dothideales), a lichenicolous ascomycete on *Lobothallia* and *Aspicilia* species. *Mycotaxon* 57: 211-225.
- Navarro-Rosinés, P. & J. Hafellner. 2004. *Cercidospora*, pp. 635-639, In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Navarro-Rosinés, P. & N. L. Hladun. 2004. *Sarcopyrenia*, pp. 690-691, In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Navarro-Rosinés, P., C. Roux & C. Gueidan. 2007. La generoj *Verrucula* kaj *Verruculopsis* (Verrucariaceae, Verrucariales). *Bulletin de la Société Linnéenne de Provence* 58: 133-180.
- Neily, T. & F. Anderson. 2010. *Leptogium hibernicum* Mitch. ex P. M. Jørg. discovered in North America. *Lichenologist* 42: 629.
- Nelsen, M. P., R. Lücking, C. J. Andrew, E. Rivas Plata, J. L. Chaves, M. E. S. Cáceres & N. Ventura. 2012. Dismantling *Herpothallon*: *Herpothallon antillarum* (Arthoniomycetes: Arthoniaceae) is a member of the genus *Diorygma* (Lecanoromycetes: Graphidaceae). *Bryologist* 115(2): 313-321.

- Nelsen, M. P., R. Lücking, M. E. S. Cáceres, A. Aptroot & H. T. Lumbsch. 2017. Assessing the phylogenetic placement and redundancy of Aspidotheliaceae (Ascomycota), an orphaned family of lichen-forming fungi. *Systematics and Biodiversity* 15(1): 63-73.
- Nelsen, M. P., R. Lücking, E. Rivas Plata & J. S. Mbatchou. 2010. *Heiomasia*, a new genus in the lichen-forming family Graphidaceae (Ascomycota: Lecanoromycetes: Ostropales) with disjunct distribution in Southeastern North America and Southeast Asia. *The Bryologist* 113: 742-751.
- Nelsen, M. P., A. Thell, S. D. Leavitt, C. J. Hampton-Miller & H. T. Lumbsch. 2013. A reappraisal of *Masonhalea* (Parmeliaceae, Lecanorales) based on molecular and morphological data. *Lichenologist* 45(6): 729-738.
- Nelson, P. R., R. Kepler, J. Walton, J. Fankhauser, L. Nelson & Wang Li Song. 2013. *Parmelina yalungana* resurrected and reported from Alaska, China and Russia. *The Bryologist* 115(4): 557-565.
- Nimis, P. L. & S. Martellos. 2003. A Second Checklist of the Lichens of Italy with a Thesaurus of Synonyms. Museo Regionale di Scienze Naturali Saint-Pierre - Valle d'Aosta. 192 pp.
- Nimis, P. L. & M. Tretiach. 1997. A revision of *Tornabea*, a genus of fruticose lichens new to North America. *The Bryologist* 100: 217-225.
- Nordin, A. 1996. *Buellia* species (Physciaceae) with pluriseptate spores in Norden. *Symbe Botanicae Upsalienses* 31: 327-354.
- Nordin, A. 1999. *Buellia* species with pluriseptate spores: new and unrecorded species in North America. *The Bryologist* 102: 249-264.
- Nordin, A. 2000. Taxonomy and phylogeny of *Buellia* species with pluriseptate spores (Lecanorales, Ascomycotina). *Symbolae Botanicae Upsalienses* 33: 1-117.
- Nordin, A. 2002. *Collemopsidium angermannicum*, a widespread but rarely collected aquatic lichen. *Graphis Scripta* 13: 39-41.
- Nordin, A. 2004. New species in *Tetramelas*. *Lichenologist* 36: 355-359.
- Nordin, A., S. Savić & L. Tibell. 2010. Phylogeny and taxonomy of *Aspicilia* and Megasporaceae. *Mycologia* 102: 1339-1349.
- Nordin, A. & L. Tibell. 2005. Additional species in *Tetramelas*. *Lichenologist* 37: 491-498.
- Nordin, A., L. Tibell & B. Owe-Larsson. 2007. A preliminary phylogeny of *Aspicilia* in relation to morphological and secondary product variation. *Bibliotheca Lichenologica* 96: 247-266.
- Nordin, A., L. Tibell & B. Owe-Larsson. 2009. *Endocarpon moenium* belongs in Acarosporaceae. *Graphis Scripta* 21: 21-22.
- Nylander, W. 1891. Sertum Lichenae Tropicae e Labuan et Singapore. Paul Schmidt, Paris.** 48 pp.
- Onut-Bränström, I., H. Johannesson & L. Tibell. 2018. *Thamnolia tundrae* sp. Nov., a cryptic species and putative glacial relict. *Lichenologist* 50(1): 59-75.
- Orange, A. 2004. *Verrucaria papillosa* is a synonym of *V. viridiula*. *Lichenologist* 36: 445-447.
- Orange, A. 2009. *Thelidium* A. Massal. (1855), pp. 879-883, In C. W. Smith et al., *The Lichens of Great Britain and Ireland*. British Lichen Society, London.
- Orange, A. 2012. Semi-cryptic marine species of *Hydropunctaria* (Verrucariaceae, lichenized Ascomycota) from north-west Europe. *Lichenologist* 44(3): 299-320.
- Oset, M. 2014. The lichen genus *Stereocaulon* (Schreb.) Hoffm. in Poland – a taxonomic and ecological study. *Monographiae Botanicae* 104. 81 pp. Polish Botanical Society, Warsaw, Poland.
- Otalora, M. A. G., I. Martinez, M. C. Molina, G. Aragon & F. Lutzoni 2008: Phylogenetic relationships and taxonomy of the Leptogium lichenoides group (Collemataceae, Ascomycota) in Europe. *Taxon* 57(3): 907-921.
- Otalora, M. A. G., P. M. Jørgensen & M. Wedin. 2014. A revised generic classification of the jelly lichens, *Collemataceae*. *Fungal Diversity* 64: 275-293.
- Owe-Larsson, B., A. Nordin & L. Tibell. 2007. *Aspicilia*, pp. 61-108. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Owe-Larsson, B., A. Nordin, L. Tibell & M. Sohrabi. 2011. *Circinaria arida* sp. nova and the '*Aspicilia desertorum*' complex. *Bibliotheca Lichenologica* 106: 235-246.
- Owe-Larsson, B. & B. D. Ryan. 2007. *Bellemeraea*, pp. 110-112. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Palice, Z., C. Printzen, T. Spribille & J. A. Elix. 2011. Notes on the synonyms of *Lecanora filamentosa*. *Graphis Scripta* 23(1): 1-7.
- Pérez-Ortega, S. & T. Spribille. 2007. *Bellemerella ritae* sp. nov. (Verrucariaceae), a new lichenicolous ascomycete from northwest North America. *Nova Hedwigia* 85: 515-520.
- Pérez-Ortega, S. & T. Spribille. 2009a. *Lepraria torii*, a new epiphytic species with fumarprotocetraric acid from northwest North America. *Graphis Scripta* 21(2): 36-41.
- Pérez-Ortega, S. & T. Spribille. 2009b. Three new species of *Lichenopeltella* (Microthyriaceae, Ascomycota) from northwest North America. *Nova Hedwigia* 89: 219-228.

- Pérez Ortega, S., J. Etayo & T. Spribille 2011. A new species of *Llimoniella* (Ascomycota, Helotiales) on *Ramboldia cinnabarina* from Alaska. *Lichenologist* 43(4): 363-366.
- Pérez-Ortega, S., T. Spribille, Z. Palice, J. A. Elix & C Printzen. 2010. A molecular phylogeny of the *Lecanora varia* group, including a new species from western North America. *Mycological Progress* 9(4): 523-535.
- Pérez-Vargas, I., C. Hernández Padrón, R. Arroyo & E. Seriñá. 2010. *Usnea brasiliensis* (Zahlbr.) Motyka (Parmeliaceae), a new amphi-Atlantic disjunct lichen species. *The Bryologist* 113: 308-312.
- Perlmutter, G. B. 2006. *Flakea papillata* in North America. *The Bryologist* 109: 566-569.
- Perlmutter, G. B., G. B. Blank & E. Rivas Plata. 2017. Checklists of corticolous lichenized and allied fungi collected in mixed forests of western Wake County, North Carolina, USA. *Evansia* 34 (1): 23-37.
- Perlmutter, G. B. & D. N. Greene. 2005. Corrections and additions to the North Carolina, USA lichen checklist. *Evansia* 22: 126-137.
- Perlmutter, G. B. & E. Rivas Plata. 2018. New combinations and notes on *Buellia* and *Rostania*. *Opuscula Philolichenum* 17: 319-321.
- Perlmutter, G. B. & E. Rivas Plata. 2020. *Lecanora (Aspicilia) albopruinosa* Looman is a synonym of *Circinaria contorta*. *Opuscula Philolichenum* 19: 168-171.
- Perlmutter, G. B., E. Rivas Plata, S. LaGreca, A. Aptroot, R. Lücking, A. Tehler & D. Ertz. 2020. *Iatora akompsa* is revealed as a disjunct North American species of *Pentagenella* (Opegraphaceae) through molecular phylogenetic analysis and phenotype-based binning. *The Bryologist* 123(3): 502-516.
- Perlmutter, G. B., E. Rivas Plata & R. Lücking. 2018. Is *Stirtonia alba* in North America? Resolving a nomenclatural impasse and assessing the taxonomic status of the *Arthonia alba* complex. *The Bryologist* 121: 80-86.
- Perlmutter, G. B., S. C. Tucker, E. Rivas Plata, P. Clerc & R. Lücking. 2015. *Melaspilea demissa* (Tuck.) Zahlbr. (lichenized Ascomycota) in eastern North America with a key to North American species of *Melaspilea* s. lat. *Lichenologist* 47(3): 167-182.
- Peterson, E. B. 2021. *Stenocybe procrastinata* (Mycocaliciaceae), a new calicioid fungus on *Cercocarpus* in western North America. *Opuscula Philolichenum* 20: 37-43.
- Peterson, E. B. & T. Goward. 2016. *Chaenothecopsis aeruginosa* sp. nov., an overlooked Calicioid in the Pacific Northwest of North America. *Herzogia* 29(2): 561-565.
- Peterson, E. B. & J. Rikkinen. 1998. *Stenocybe fragmenta*, a new species of Mycocaliciaceae with fragmenting spores. *Mycologia* 90: 1087-1090.
- Peterson, E. B. & J. Rikkinen. 1999. Range extensions of selected pin-lichens and allied fungi in the Pacific Northwest. *The Bryologist* 102: 370-376.
- Piercey-Normore, M., T. Ahti & T. Goward. 2010. Phylogenetic and haplotype analyses of four segregates within *Cladonia arbuscula* s.l. *Botany* 88: 397-408.
- Pino-Bodas, R., T. Ahti & A. R. Burgaz. 2014. *Cladonia islandica* (Cladoniaceae, Ascomycota) a species newly discovered in Spain, Alaska and Canada. *Botanica Complutensis* 38: 25-27.
- Pino-Bodas, R., T. Ahti, S. Stenroos, M. P. Martín & A. R. Burgaz. 2012. *Cladonia conista* and *C. humilis* (Cladoniaceae) are different species. *Bibliotheca Lichenologica* 108: 161-176.
- Pino-Bodas, R., T. Ahti, S. Stenroos, M. P. Martín & A. R. Burgaz. 2013. Multilocus approach to species recognition in the *Cladonia humilis* complex. *American Journal of Botany* 100(4): 664-678.
- Pino-Bodas, R., A. R. Burgaz & M. P. Martín. 2010. Elucidating the taxonomic rank of *Cladonia subulata* versus *C. rei* (Cladoniaceae). *Mycotaxon* 113: 311-326.
- Pino-Bodas, R., M. P. Zhurbenko & S. Stenroos. 2017. Phylogenetic placement within Lecanoromycetes of lichenicolous fungi associated with *Cladonia* and some other genera. *Persoonia* 39: 91-117.
- Ponzetti, J. & B. McCune. 2006. A new species of *Bactrospora* from northwestern North America. *The Bryologist* 109: 85-88.
- Prieto, M., I. Martínez, G. Aragón, C. Gueidan & F. Lutzoni. 2012. Molecular phylogeny of *Heteroplacidium*, *Placidium* and related catapyrenioid genera (Verrucariaceae, lichen-forming Ascomycota). *American Journal of Botany* 99(1): 23-35.
- Prieto, M. & M. Wedin. 2017. Phylogeny, taxonomy and diversification events in the Caliciaceae. *Fungal Diversity* 82: 221-238.
- Printzen, C. 1995. Die Flechtengattung *Biatoria* in Europa. *Bibliotheca Lichenologica* 60: 1-275.
- Printzen, C. 1999. *Japewiella* gen. nov., a new lichen genus and a new species from Mexico. *The Bryologist* 102: 714-719.
- Printzen, C. 2001. Corticolous and lignicolous species of *Lecanora* (Lecanoraceae, Lecanorales) with usnic or isousnic acid in the Sonoran Desert Region. *The Bryologist* 104: 382-409.
- Printzen, C. 2004. *Biatoria*, pp. 37-39. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Printzen, C. 2007. New records of *Cheiromycina* species, a genus of lichenized hyphomycetes, with *C. reimerae* sp. nov. and a revised key to the species. *Nova Hedwigia* 84(1-2): 261-267.
- Printzen, C. 2014. A molecular phylogeny of the lichen genus *Biatoria* including some morphologically similar species. *Lichenologist* 46(3): 441-453.

- Printzen, C., J. P. Halda, J. W. McCarthy, Z. Palice, P. Rodriguez-Flakus, G. Thor, T. T. J. P. Halda, J. W. McCarthy, Z. Palice, P. Rodriguez-Flakus, G. Thor, T. Tønsberg & J. Vondrák. 2014. Five new species of *Biatora* from four continents. *Herzogia* 29(2): 566-585.
- Printzen, C. & G. Kantvilas. 2004. *Hertelidea*, genus novum Stereocaulacearum (Ascomycetes lichenisati). *Bibliotheca Lichenologica* 88: 539-553.
- Printzen, C. & P. May. 2002. *Lecanora ramulicola* (Lecanoraceae, Lecanorales), an overlooked lichen species from the *Lecanora symmicta* group. *The Bryologist* 105: 63-69.
- Printzen, C. & B. McCune. 2004. *Trapeliopsis*, pp. 538-541. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe, Arizona.
- Printzen, C. & V. Otte. 2005. *Biatora longispora*, new to Europe, and a revised key to European and Macaronesian *Biatora* species. *Graphis Scripta* 17: 56-61.
- Printzen, C., T. Spribille & T. Tønsberg. 2008. *Myochroidea*, a new genus of corticolous, crustose lichens to accommodate the *Lecidea leprosula* group. *Lichenologist* 40: 195-207.
- Printzen, C. & T. Tønsberg. 1999. The lichen genus *Biatora* in northwestern North America. *The Bryologist* 102: 692-713.
- Printzen, C. & T. Tønsberg. 2003. Four new species and three new apothecial pigments of *Biatora*. *Bibliotheca Lichenologica* 86: 133-145.
- Printzen, C. & T. Tønsberg. 2004. New and interesting *Biatora*-species, mainly from North America. *Symbolae Botanicae Upsalienses* 8: 343-357.
- Printzen, C. & T. Tønsberg. 2007. *Bacidia lobarica* (Baciidae, Lecanorales) sp. nov., a sorediate lichen from the southeastern U.S.A. *The Bryologist* 110: 487-489.
- Printzen, C., T. Tønsberg & Z. Palice. 2002. *Biatora aegrefaciens*, rare but widespread. *Graphis Scripta* 13: 37-38.
- Purvis, O. W., P.-M. Jørgensen & P. W. James. 1995. The lichen genus *Thelotrema* Ach. in Europe. *Bibliotheca Lichenologica* 58: 335-360.
- Qian, H. & K. Klinka. 1998. Plants of British Columbia. UBC Press, Vancouver, 534 pp.
- Raiithelhuber, J. 1983. Über die Nomenklatur einiger Argentinischer Blätterpilze. *Metrodiana Sonderheft* 2: 1-24.
- Rajvanshi, V., L. L. St. Clair, B. L. Webb & C. C. Newberry. 1998. The terricolous lichen flora of the San Rafael Swell, Emery County, Utah, U.S.A, pp. 399-406. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd., Ithaca, New York.
- Rambold, G. 1989. A Monograph of the Saxicolous Lecideoid Lichens of Australia (Excl. Tasmania). *Bibliotheca Lichenologica* 34: 1-345.
- Rambold, G. & D. Triebel. 1990. *Gelatinopsis*, *Gelingia* and *Phaeopyxis*: three helotialean genera with lichenicolous species. Notes from the Royal Botanic Garden Edinburgh 46: 375-389.
- Rambold, G. & D. Triebel. 1992: The Inter-lecanoralean Associations. *Bibliotheca Lichenologica* 48: 1-201.
- Randlane, T., A. Saag, A. Thell & T. Ahti. 2013. Third world list of cetrarioid lichens. Ver. January 20, 2013. <http://esamba.bo.bg.ut.ee/checklist/cetrarioid>
- Réblová, M., W. A. Untereiner & K. Réblová. 2013. Novel evolutionary lineages revealed in the Chaetothyriales (Fungi) based on multigene phylogenetic analyses and comparison of ITS secondary structure. *PLoS ONE* 8(5): 1-28.
- Redhead, S. A., F. Lutzoni, J.-M. Moncalvo & R. Vilgalys. 2002. Phylogeny of agarics: partial systematics solutions for core omphaloid genera in the Agaricales (Euagarics). *Mycotaxon* 83: 19-57.
- Reese Naesborg, R. 2010. Taxonomic revision of the *Lecania cyrtella* group based on molecular and morphological evidence. *Mycologia* 100: 397-416.
- Reese Naesborg, R., E. B. Peterson & L. Tibell. 2018. *Chaenotheca longispora* (Coniocybaceae), a new lichen from coast redwood trees in California, U.S.A. *The Bryologist* 122(1): 31-37.
- Resl, P., H. Mayrhofer, S. R. Clayden, T. Spribille, G. Thor, T. Tønsberg & J. W. Sheard. 2016. Morphological, chemical and species delimitation analyses provide new taxonomic insights into two groups of *Rinodina*. *Lichenologist* 48(5): 469-488.
- Resl, P., K. Schneider, M. Westberg, C. Printzen, Z. Palice, G. Thor, A. Fryday, H. Mayrhofer & T. Spribille. 2015. Diagnostics for a troubled backbone: testing topological hypotheses of trapelioid lichenized fungi in a large-scale phylogeny of Ostropomycetidae (Lecanoromycetes). *Fungal Diversity* 73: 239-258.
- Richardson, D. H. S., Z. Lucas & F. Anderson. 2010. The lichen flora of Sable Island, Nova Scotia: its past, present and likely future statusfull access. *The Bryologist* 112: 558-571.
- Rico, V. J., V. Calatayud & M. Giralt. 2003. *Buellia tesserata* and *Dimelaena radiata*, two closely related species. *Lichenologist* 35: 117-124.
- Rikkinen, J. 1998. *Chaenotheca olivaceorufa* (Caliciales) new to North America. *The Bryologist* 101: 558-559.
- Rikkinen, J. 1999. Two new species of resinicolous *Chaenothecopsis* (Mycocaliciaceae) from western North America. *The Bryologist* 102: 366-369.
- Rikkinen, J. 2003a. *Chaenothecopsis nigripunctata*, a remarkable new species of resinicolous Mycocaliciaceae from western North America. *Mycologia* 95(1): 98-103.

- Rikkinen, J. 2003b. New resinicolous ascomycetes from beaver scars in western North America. *Annales Botanici Fennici* 40: 443-450.
- Rivas Plata, E., R. Lücking & H. T. Lumbsch. 2012. Molecular phylogeny and systematics of the *Ocellularia* clade (Ascomycotina: Ostropales: Graphidaceae). *Taxon* 61(6): 1161-1179.
- Rodrigues, A. S., L. S. Canêz & A. P. Lorenz. 2021. *Canoparmelia amazonica*, *Myelochroa lindmanii* and *Parmelinella salacinifera* belong to *Parmelinella* (Parmeliaceae). *The Bryologist* 124(3): 352-361.
- Rodriguez Flakus, P. & C. Printzen. 2014. *Palicella*, a new genus of lichenized fungi and its phylogenetic position within Lecanoraceae. *Lichenologist* 46(4): 535-552.
- Roemer, J., T. H. Nash III, H. T. Lumbsch & M. I. Messuti. 2004. *Ochrolechia*, pp. 381-387. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Rosentreter, R. 1998. Notes on *Aspicilia reptans* complex, with descriptions of two new species, pp. 163-170. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- Ryan, B. D. 2004a. *Lignoscripta*, pp. 350-351. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ryan, B. D. 2004b. *Xylographa*, pp. 612-616. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ryan, B. D. & H. T. Lumbsch. 2007. *Topelia*, p. 398. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Ryan, B. D., H. T. Lumbsch, M. I. Messuti, C. Printzen, L. Śliwa & T. H. Nash III. 2004. *Lecanora*, pp. 176-286. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ryan, B. D. & T. H. Nash III. 1991. *Lecanora* Sect. *Petrasterion* (lichenized Ascomycotina) in North America: Notes on the *L. novomexicana* complex (Subsect. *Pseudocorticatae*). *Mycotaxon* 41(1): 57-65.
- Ryan, B. D. & T. H. Nash III. 1997a. Placiodoid taxa of Lecanoraceae sensu Zahlbr. (lichenized Ascomycotina) in North America: taxa excluded from *Lecanora* subg. *Placodium*. *Nova Hedwigia* 64: 393-420.
- Ryan, B. D. & T. H. Nash III. 1997b. Systematics of *Lecanora* subgenus *Placodium* (lichenized Ascomycotina) in North America: an overview, with keys. *Nova Hedwigia* 64: 111-127.
- Ryan, B. D. & A. Tehler. 2004. *Lecanactis*, pp. 141-143, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- Ryan, B. D. & E. Timdal. 2002. *Solenopsora*, pp. 462-465. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ryan, B. D. & E. Timdal 2011. Validation of two names in Solenopsora (Catillariaceae). *Bibliotheca Lichenologica* 106: 289-290.
- Saag, L., K. Mark, A. Saag & T. Randlane. 2014. Species delimitation in the lichenized fungal genus *Vulpicida* (Parmeliaceae, Ascomycota) using gene concatenation and coalescent-based species tree approaches. *American Journal of Botany* 101(12): 2169-2182.
- Safranek, W. W. & R. Lücking. 2005. *Gyalectidium floridense*, a new foliicolous lichen from the southeastern United States. *The Bryologist* 108: 295-297.
- Sanders, W. B. & A. de los Ríos. 2015. Structure and in situ development of the microlichen *Gyalectidium paolae* (Gomphillaceae, Ascomycota), an overlooked colonist on palm leaves in southwest Florida. *American Journal of Botany* 102(9): 1403-1412.
- Sanders, W. B. & R. Lücking. 2015. Three new species of foliicolous Gomphillaceae (lichen-forming ascomycetes) from southern Florida. *The Bryologist* 118(2): 170-177.
- Santesson, R. 1993. The Lichens and Lichenicolous Fungi of Sweden and Norway. SBT-förlaget, Lund. 240 pp.
- Santesson, R., R. Moberg, A. Nordin, T. Tønsberg & O. Vitikainen 2004. Lichen-forming and Lichenicolous Fungi of Fennoscandia. Museum of Evolution, Uppsala University, Uppsala, Sweden. 359 pp.
- Savić, S. & L. Tibell. 2008. The lichen genus *Henrica* (Verrucariaceae, Eurotiomycetes) in northern Europe. *Nordic Journal of Botany* 26: 237-247.
- Savić, S. & L. Tibell. 2009. Taxonomy and species delimitation in *Sporodictyon* (Verrucariaceae) in Northern Europe and the adjacent Arctic - reconciling molecular and morphological data. *Taxon* 58: 585-605.
- Schmitt, I., J. D. Fankhauser, K. Sweeney, T. Spribille, K. Kalb & H. T. Lumbsch. 2010. Gyalectoid *Pertusaria* species form a sister-clade to *Coccotrema* (Ostropomyctidae, Ascomycota) and comprise the new lichen genus *Gyalectaria*. *Mycology* 1: 75-83.
- Schmitt, I., H. T. Lumbsch & C. Bratt. 2006. Two new brown-spored species of *Pertusaria* from southwestern North America. *Lichenologist* 38(5): 411-416.

- Schmitt, I., J. Otte, S. Parnmen, A. D. Sadowska-Deś, R. Lücking & H. T. Lumbsch. 2012. A new circumscription of the genus *Varicellaria* (Pertusariales, Ascomycota). MycoKeys 4: 23-36.
- Schmull, M., J. Miądlikowska, M. Pelzer, E. Stocker-Wörgötter, V. Hofstetter, E. Fraker, B. P. Hodkinson, V. Reeb, M. Kukwa, H. T. Lumbsch, F. Kauff & F. Lutzoni. 2011. Phylogenetic affiliations of members of the heterogeneous lichen-forming fungi of the genus *Lecidea* sensu Zahlbruckner (Lecanoromycetes, Ascomycota). Mycologia 103(5): 983-1003.
- Schmull, M. & T. Spribille. 2005. *Schaereria dolodes* (Nyl. ex Hasse) Schmull & T. Sprib.: a second corticolous species in the genus. Lichenologist 37: 527-533.
- Scholz, P. 1998. *Phacopsis doerfeltii*, sp. nov., and two other interesting lichenicolous fungi from Canada [*Phacopsis doerfeltii*, sp. nov., und zwei weitere bemerkenswerte lichenicole Pilze aus Kanada]. Sauteria 9: 37-42.
- Scholz, P. 2000. Katalog der Flechten und flechtenbewohnenden Pilze Deutschlands. Schriftenreihe für Vegetationskunde 31: 1-298.
- Schultz, M. 2002a. *Anema*, pp. 97-98. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2002b. *Digitothyrea*, pp. 171-173. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2002c. *Gloeohepbia*, pp. 202-203. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2002d. *Lemmopsis*, pp. 261-262. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2002e. *Stromatella*, pp. 475-476. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2002f. *Synalissa*, pp. 476-477. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2005. An overview of *Lichenella* in the southwestern United States and northwestern Mexico, and the new species *Lichenella granulosa*. The Bryologist 108: 567-590.
- Schultz, M. 2006. *Pterygiopsis cava* and *P. mutabilis* (Lichenaceae), two new species from southwestern United States and northwestern Mexico. The Bryologist 109: 68-79.
- Schultz, M. 2007a. *Leprocollema*, pp. 232-233. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Schultz, M. 2007b. On the identity of *Anema dodgei*, *Psorotrichia segregata* and *Psorotrichia squamulosa*, three misunderstood cyanolichens from the southwestern United States. The Bryologist 110: 286-294.
- Schultz, M. 2007c. *Psorotrichia*, pp. 279-284. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Schultz, M. 2007d. *Pyrenopsis*, pp. 286-287. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Schultz, M. 2009. Chasing small cyanolichens. Bulletin of the California Lichen Society 16(2): 34-37.
- Schultz, M. & B. Büdel. 2005. *Phloeopecanina anemoides*, a new lichen species from Baja California Sur and Sinaloa, Mexico. The Bryologist 108: 520-525.
- Schultz, M., C. Printzen & C. Scheidegger. 2000. *Harpidium nashii* sp. nov., a new species and a genus new to North America. The Bryologist 103: 802-805.
- Seavey, F. 2009. *Cryptothecia evergladensis* sp. nov. (Arthoniaceae), a new lichen species from Everglades National Park, Florida. Opuscula Philolichenum 7: 49-54.
- Seavey, F. 2010. Rediscovery of *Cladonia cinerella* Ahti (Cladoniaceae) in Everglades National Park. The Bryologist 113: 739-741.
- Seavey, F. & J. Seavey. 2011. *Calopadia schomerae* (Pilocarpaceae), a new lichen from Everglades National Park. Opuscula Philolichenum 9: 39-43.
- Seavey, F. & J. Seavey. 2012. *Caloplaca lecanorae* (Teloschistaceae), a new lichenicolous lichen and several additions to the North American lichenized mycota from Everglades National Park. Bryologist 115(2): 322-328.
- Seavey, F. & J. Seavey. 2014a. Four new species and sixteen new lichen records for North America from Everglades National Park. The Bryologist 117(4): 395-404.
- Seavey, F. & J. Seavey. 2014b. New additions to the lichen genus *Enterographa* (Roccellaceae) from Everglades National Park including an updated key. Lichenologist 46(1): 83-93.
- Seavey, F. & J. Seavey. 2015. Three new *Stirtonia* from Everglades National Park with a key to neotropical species. Lichenologist 47(1): 1-7.
- Seavey, F., J. Seavey, J. Gagnon, J. Guccion, B. Kaminsky, J. Pearson, A. Podaril & B. Randall. 2017. The lichens of Dagny Johnson Key Largo Hammock Botanical State Park, Key Largo, Florida, USA. Bulletin of the Florida Museum of Natural History 53(5): 201-268.

- Seavey, F., J. Seavey, J. E. Hernández M. & R. Lücking. 2014. Three new *Opegrapha* species (Roccellaceae, Arthoniales) and several additions to the North American lichen mycota from Everglades National Park. *The Bryologist* 117(1): 62-71.
- Seaward, M. R. D., D. H. S. Richardson, I. M. Brodo, R. C. Harris, & D. L. Hawksworth. 2017. Checklist of lichen-forming, lichenicolous and allied fungi of Eagle Hill and its vicinity, Maine. *Northeastern Naturalist* 24: 349-379.
- Selva, S. B. 2004. *Coniocybe gracilescens* and species of *Sphinctrina* with 1-septate spores. *Symbolae Botanicae Upsalienses* 34: 19-23.
- Selva, S. B. 2010. New and interesting calicioid lichens and fungi from eastern North America. *The Bryologist* 113: 272-276.
- Selva, S. B. 2013. The calicioid lichens and fungi of the Acadian Forest ecoregion of northeastern North America, I. New species and range extensions. *The Bryologist* 116(3): 248-256.
- Selva, S. B. 2014. The calicioid lichens and fungi of the Acadian Forest ecoregion of northeastern North America, II. The rest of the story. *The Bryologist* 117(4): 336-367.
- [Selva, S. B. & R. T. McMullin. 2020. An update of G. K. Merrill's 1909 "Lichen notes no. 14". Mycotaxon 135: 333-337.](#)
- Selva, S. B. & L. Tibell. 1999. Lichenized and non-lichenized calicioid fungi from North America. *The Bryologist* 102: 377-397.
- Selva, S. B. & H. Tuovila. 2016. Two new resinicolous mycocalicioid fungi from the Acadian Forest: one new to science, the other new to North America. *The Bryologist* 119(4): 417-422.
- Sérusiaux, E., P. Diederich, A. M. Brand & P. van den Boom. 1999. New or interesting lichens and lichenicolous fungi from Belgium and Luxembourg. VIII [Lichens et champignons nouveaux ou intéressants pour la flore de la Belgique et du G.-D. de Luxembourg. VIII]. *Lejeunia* 162: 1-95.
- Sheard, J. W. 1995. Disjunct distributions of some North American, corticolous, vegetatively reproducing *Rinodina* species (Physciaceae, lichenized Ascomycetes) [Die disjunkte Verbreitung einiger nordamerikanischer corticoler, sich vegetativ verbreitender Arten der Gattung *Rinodina* (Physciaceae, lichenisierte Ascomyceten)]. *Herzogia* 11: 115-132.
- Sheard, J. W. 1998. *Rinodina riparia* (lichenized Ascomycetes, Physciaceae), a new corticolous species from North America, pp. 37-40. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd., Ithaca, New York.
- Sheard, J. W. 2004. *Rinodina*, pp. 467-502. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Sheard, J. W. 2010. The lichen genus *Rinodina* (Ach.) Gray (Lecanoromycetidae, Physciaceae) in North America, North of Mexico. NRC Research Press, Ottawa, Ontario, Canada, 246 pp.
- Sheard, J. W. 2011. *Rinodina pityrea* recorded for the first time from North America. *Bibliotheca Lichenologica* 106: 291-295.
- Sheard, J. W. 2018. A synopsis and new key to the species of *Rinodina* (Ach.) Gray (Physciaceae, lichenized Ascomycetes) presently recognized in North America. *Herzogia* 31(1): 395-423.
- Sheard, J. W., K. Knudsen, H. Mayrhofer & C. A. Morse. 2011. Three new species of *Rinodina* (Physciaceae) and a new record from North America. *The Bryologist* 114(3): 453-465.
- Sheard, J. W., J. C. Lendemer, T. Spribille, G. Thor & T. Tønsberg. 2012. Further contributions to the genus *Rinodina* (Physciaceae, Lecanoromycetidae): two species new to science and a new record for the Canadian High Arctic. *Herzogia* 25 (2): 125-143.
- Sheard, J. W., J. C. Lendemer & E. A. Tripp. 2008. *Buellia japonica* (Physciaceae), a new lichen record for North America. *The Bryologist* 111(1): 124-127.
- Sheard, J. W. & P. F. May. 1997. A synopsis of the species of *Amandinea* (lichenized Ascomycetes, Physciaceae) as presently known in North America. *The Bryologist* 100: 159-169.
- Sheard, J. W. & H. Mayrhofer. 2002. New species of *Rinodina* (Physciaceae, lichenized Ascomycetes) from western North America. *The Bryologist* 105: 645-672.
- Sheard, J. W., B. McCune & T. Tønsberg. 2014. A new corticolous species of *Rinodina* (Physciaceae) and two interesting range extensions for species collected from Katmai National Park, Alaska. *The Bryologist* 117(3): 253-258.
- Sheard, J. W., A. K. Ezhkin, I. A. Galanina, D. Himelbrant, E. Kuznetsova, A. Shimizu, I. Stepanchikova, G. Thor, T. Tønsberg, L. S. Yakovchenko & T. Spribille. 2017. The lichen genus *Rinodina* (Physciaceae, Caliciales) in northeastern Asia. *Lichenologist* 49(6): 617-672.
- Shi, H., X. Wang, Y. Zhou, D. Liu, Y. Zhang, M. Yang, E. Timdal & L. Wang. 2018. Three new species and one new combination of *Gypsolacula* (lichenized Ascomycota) from the Hengduan Mountains in China. *Mycological Progress* 17(7): 781-790.
- Sierk, H. A. 1964. The genus *Leptogium* in North America north of Mexico. *The Bryologist* 67: 245-317.

- Sierra, R. & E. A. Molinari-Novoa. 2020. *Neoechinodiscus*, a new name for *Echinodiscus* Etayo & Diederich (lichenicolous Helotiales). *Opuscula Philolichenum* 19: 172-173.
- Sikaroodi, M., J. D. Lawrey, D. L. Hawksworth & P. T. DePriest. 2001. The phylogenetic position of selected lichenicolous fungi: *Hobsonia*, *Illosporium*, and *Marchandiomyces*. *Mycological Research* 105: 453-460.
- Simon, A., T. Goward, J. Di Meglio, K. Dillman, T. Spribille, & B. Goffinet. 2018. *Sticta torii* sp. nov., a remarkable lichen of high conservation priority from northwestern North America. *Graphis Scripta* 30(6): 105-114.
- Simon, A., R. Lücking, B. Moncada, J. A. Mercado-Díaz, F. Bungartz, M. E. da Silva Cáceres, E. L. Gumboski, S. M. de Azevedo Martins, A. A. Spielmann, D. Parker & B. Goffinet. 2020. *Emmanuelia*, a new genus of lobarioid lichen-forming (Ascomycota: Peltigerales): phylogeny and synopsis of accepted species. *Plant and Fungal Systematics* 65(1): 76-94.
- Singh, G., A. Aptroot, V. J. Rico, J. Otte, P. K. Divakar, A. Crespo, M. da Silva Cáceres, H. T. Lumbsch, & I. Schmitt. 2018. *Neoprotoparmelia* gen. nov. and *Maronina* (Lecanorales, Protoparmelioidae): species description and generic delimitation using DNA barcodes and phenotypical characters. *MycoKeys* 44: 19-50.
- Śliwa, L. 2007a. *Lecanora semipallida*, the correct name for *L. xanthostoma*, and a reappraisal of *L. flotoviana* (Lecanoraceae, Ascomycotina). *Polish Botanical Journal* 52(1): 71-79.
- Śliwa, L. 2007b. A revision of the *Lecanora dispersa* complex in North America. *Polish Botanical Journal* 52(1): 1-70.
- Søchting, U. 2004. *Caloplaca kamezatrica* and *C. obesimarginata* sp. nov, two species of temperate, Pacific North America. *Symbolae Botanicae Upsalienses* 34: 399-403.
- Søchting, U. & M. Olech. 1995. The lichen genus *Caloplaca* in polar regions. *Lichenologist* 27(6): 463-471.
- Smith, A. L. 1926. A monograph of the British Lichens. A descriptive catalogue of the species in the department of Botany, British Museum. British Museum Natural History, London. viii + 497 pp.
- Søchting, U., I. Kärnfeldt & S. Kondratyuk. 2002. Revision of *Xanthomendoza* (Teloschistaceae, Lecanorales) based on morphology, anatomy, secondary metabolites and molecular data. *Mitteilungen aus dem Institut für Allgemeine Botanik in Hamburg* 30-32: 225-240.
- Søchting, U. & T. Tønsberg. 1997. *Caloplaca xanthostigmoides* (Räs.) Zahlbr., a common lichen in cool regions of the northern hemisphere, pp. 247-253. In L. Tibell & I. Hedberg (eds.), *Lichen Studies Dedicated to Rolf Santesson*. *Symbolae Botanicae Upsalienses* 32. Acta Universitatis Upsaliensis, Uppsala.
- Sohrabi, M., S. D. Leavitt, V. J. Rico, M. G. Halici, G. Shrestha & S. Stenroos. 2013a. *Teuvoa*, a new lichen genus in Megasporaceae (Ascomycota: Pertusariales), including *Teuvoa junipericola* sp. nov. *Lichenologist* 45(3): 347-360.
- Sohrabi, M., S. Stenroos, F. Högnabba, A. Nordin & B. Owe-Larsson. 2011. *Aspicilia rogeri* sp. nov. (Megasporaceae) and other allied vagrant species in North America. *The Bryologist* 114: 178-189.
- Sohrabi, M., S. Stenroos, L. Myllys, U. Sochting, T. Ahti & J. Hyvönen. 2013b. Phylogeny and taxonomy of the ‘manna lichens.’ *Mycological Progress* 12(2): 231-269.
- Šoun, J., J. Vondrák, U. Søchting, P. Hrouzek, A. Khodosovtsev & U. Arup. 2011. Taxonomy and phylogeny of the *Caloplaca cerina* group in Europe. *Lichenologist* 43: 113-135.
- Sparrius, L. B. 2004a. *Dirina calcicola*, a new lichen species from Florida, U.S.A. *The Bryologist* 107: 521-523.
- Sparrius, L. B. 2004b. A Monograph of *Enterographa* and *Sclerophyton*. *Bibliotheca Lichenologica* 89: 1-141.
- Sparrius, L. & C. R. Björk. 2008. *Enterographa oregonensis* (Roccellaceae), a new foliicolous species from the northwest coast of North America. *The Bryologist* 111(3): 487-489.
- Spjut, R. W. 1996. *Niebla* and *Vermilacinia* (Ramalinaceae) from California and Baja California. *Sida, Botanical Miscellany* 14: 1-208.
- Spribille, T. & C. R. Björk. 2008. New records and range extensions in the North American lignicolous lichen flora. *Mycotaxon* 105: 455-468.
- Spribille, T., C. R. Björk, S. Ekman, J. A. Elix, T. Goward, C. Printzen, T. Tønsberg, and T. Wheeler. 2009. Contributions to an epiphytic lichen flora of northwest North America: I. Eight new species from British Columbia inland rain forests. *The Bryologist* 112: 109-137.
- Spribille, T., A. M. Fryday, S. Pérez-Ortega, M. Svensson, T. Tønsberg, S. Ekman, H. Holien, P. Resl, K. Schneider, E. Stabentheiner, H. Thüs, J. Vondrák & L. Sharman. 2020. Lichens and associated fungi from Glacier Bay National Park, Alaska. *Lichenologist* 52: 61-181.
- Spribille, T., B. Goffinet, B. Klug, L. Muggia, W. Obermayer & H. Mayrhofer. 2011a. Molecular support for the recognition of the *Mycoblastus fucatus* group as the new genus *Violella* (Tephromelataceae, Lecanorales). *Lichenologist* 43(5): 445-466.
- Spribille, T. & M. Hauck. 2003. *Pyrrhospora gowardiana*, a new montane lichen from western North America (Lecanoraceae, lichenized Ascomycetes). *The Bryologist* 106: 560-564.
- Spribille, T., P. M. Jørgensen, M. Schultz & I. Houde. 2007. *Santessonella saximontana*, a new lichen species from British Columbia. *Bibliotheca Lichenologica* 96: 287-297.
- Spribille, T., B. Klug & H. Mayrhofer. 2011b. A phylogenetic analysis of the boreal lichen *Mycoblastus sanguinarius* (Mycoblastaceae, lichenized Ascomycota) reveals cryptic clades correlated with fatty acid profiles. *Molecular Phylogenetics and Evolution* 59: 603-614.

- Spribille, T. & L. Muggia. 2013[2012]. Expanded taxon sampling disentangles evolutionary relationships and reveals a new family in Peltigerales (Lecanoromycetidae, Ascomycota). *Fungal Diversity* 58(1): 171-184.
- Spribille, T., S. Pérez-Ortega, T. Tønsberg, and D. Schirokauer. 2010. Lichens and lichenicolous fungi of the Klondike Gold Rush National Historic Park, Alaska, in a global biodiversity. *The Bryologist* 113: 439-515.
- Spribille, T. & C. Printzen. 2007. *Lecidea rubrocastanea*, a new lichen species from conifer bark and wood in interior western North America (Lecanorales, lichenized ascomycetes). *Lichenologist* 39: 339-347.
- Spribille, T., P. Resl, T. Ahti, S. Pérez-Ortega, T. Tønsberg, H. Mayrhofer & H. T. Lumbsch. 2014a. Molecular systematics of the wood-inhabiting, lichen-forming genus *Xylographa* (Baeomycetales, Ostropomyctetidae) with eight new species. *Symbolae Botanicae Upsalienses* 37(1): 1-87.
- Spribille, T. & T. Tønsberg. 2007. *Mycoblastus marginatus*, a new synonym for *M. affinis* (Mycoblastaceae, lichenized Ascomycota). *Mycotaxon* 100: 105-107.
- Spribille, T., T. Tønsberg, E. Stabentheiner & L. Muggia. 2014b. Reassessing evolutionary relationships in the filamentous cyanolichen genus *Spilonema* (Peltigerales, Lecanoromycetes). *Lichenologist* 46(3): 373-388.
- Staiger, B. 2002. Die Flechtenfamilie Graphidaceae. Studien in Richtung einer natürlicheren Gliederung. *Bibliotheca Lichenologica* 85: 1-526.
- Staiger, B. & K. Kalb. 1995. *Haematomma*-studien. I. Die Flechtengattung *Haematomma*. *Bibliotheca Lichenologica* 59: 1-198.
- Staiger, B. & K. Kalb. 1999. *Acanthothecis* and other graphidioid lichens with warty periphysoids or paraphysis-tips. *Mycotaxon* 73: 69-134.
- Staiger, B. & K. Kalb. 2004. *Fissurina*, pp. 109-110. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Stenroos, S. 1989. Taxonomy of the *Cladonia coccifera* group. 1. *Annales Botanici Fennici* 26: 157-168.
- [Stenroos, S., S. Velmala, J. Pykälä & T. Ahti. 2016. *Lichens of Finland*, 896 pp., Finnish Museum of Natural History \(Norrlinia 30\).](#)
- Stirton, J. 1875. Lichens British and foreign. *Transactions of the Glasgow Society of Field Naturalists*, 1875: 85-95.
- Stone, D. F., J. W. Hinds, F. L. Anderson & J. C. Lendemer. 2016. A revision of the *Leptogium saturninum* group in North America. *Lichenologist* 48(5): 387-421.
- Stone, D. & B. McCune. 2010. *Collema quadrifidum*, a new epiphytic lichen species from the Pacific Northwest of the United States. *North American Fungi* 5(2): 1-6.
- [Stone, D. F., B. McCune, C. J. Pardo-De la Hoz, N. Magain & J. Miadlikowska. 2021. *Sinuicella denisonii*, a new genus and species in the Peltigraceae from western North America. *Lichenologist* 53: 185-192](#)
- Stone, D. & A. Ruchty. 2008. *Leptogium siskiyouensis*, a new epiphytic lichen species from the Pacific Northwest of the United States. *North American Fungi* 3(2): 1-7.
- Suija, A., A. de los Ríos & S. Pérez-Ortega. 2015. A molecular reappraisal of *Abrothallus* species growing on lichens of the order Peltigerales. *Phytotaxa* 195(3): 201-226.
- Suija, A., S. Pérez-Ortega & D. L. Hawksworth. 2011. *Abrothallus halei* (Ascomycota, incertae sedis), a new lichenicolous fungus on *Lobaria* species in Europe and North America. *Lichenologist* 43: 51-55.
- Sundin, R. & A. Tehler. 1996. The genus *Dendrographa* (Roccellaceae). *The Bryologist* 99: 19-31.
- Svensson, M., S. Ekman, J. T. Klepsland, A. Nordin, G. Thor, G. von Hirschheydt, F. Jonsson, T. Knutsson, M. Lif, T. Spribille & M. Westberg. 2017. Taxonomic novelties and new records of Fennoscandian crustose lichens. *MycoKeys* 25: 51-86.
- Sweat, K. G., W. A. Iselin, S. T. Bates, and T. H. Nash III. 2004. Lichens of Parashant National Monument, Arizona: A Preliminary Study. *Journal of the Arizona-Nevada Academy of Science* 37(2): 85-90.
- Syrek, M. & M. Kukwa. 2008. Taxonomy of the lichen *Cladonia rei* and its status in Poland. *Biologia* 63: 493-497.
- Talbot, S. S., S. L. Talbot, J. W. Thomson & W. B. Schofield. 2000. Lichens of Izembek National Wildlife Refuge, westernmost Alaska Peninsula. *The Bryologist* 103: 379-389.
- Tavares, I. I. 1997. A preliminary key to *Usnea* in California. *Bulletin of the California Lichen Society* 4: 19-23.
- Tavares, I. I. & W. B. Sanders. 1998. Preliminary report on the short, apotheciate taxa of *Usnea* in the southwestern United States, pp. 171-185. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd.
- Tavares, I., S. Tucker, R. Moe & D. Wright (Eds.). 1997. *Bulletin of the California Lichen Society*. Vol. 4. No. 1. Summer 1997. 18 pp.
- Tehler, A. 1993. The genus *Schismatomma* (Arthoniales, Euascomycetidae). *Opera Botanica* 118: 1-38.
- Tehler, A. 1996. *Syncesia* (Arthoniales, Euascomycetidae). *Flora Neotropica*, 74. New York Botanical Garden (for Organization for Flora Neotropica), New York. 48 pp.
- Tehler, A. 2002a. On the typification of two misunderstood *Roccella* (lichenized fungi) names, *R. tinctoria* and *R. fucoides*. *Taxon* 51: 787-790.
- Tehler, A. 2002b. *Roccella*, pp. 451-454. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Lichens Unlimited, Arizona State University.
- Tehler, A. 2002c. *Schismatomma*, pp. 455-457. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Lichens Unlimited, Arizona State University.

- Tehler, A. 2003. *Roccella phycopsis* the correct name for *R. fucoides* (lichenized fungi). *Taxon* 52: 621.
- Tehler, A. 2006. *Roccella gracilis*, the correct name for *R. peruvensis* and *R. humboldtiana* (lichenized fungi, Roccellaceae). *Taxon* 55: 785-787.
- Tehler, A., Å. Dahlkild, P. Eldenäs & G. B. Feige. 2004. The phylogeny and taxonomy of Macaronesian, European and Mediterranean *Roccella* (Roccellaceae, Arthoniales). *Symbolae Botanicae Upsaliensis* 34: 405-428.
- Tehler, A., D. Ertz & M. Irestedt. 2013. The genus *Dirina* (Roccellaceae, Arthoniales) revisited. *Lichenologist* 45 (4): 427-476.
- Tehler, A., K. Lohtander, L. Myllys & R. Sundin. 1997. On the identity of the genera *Hubbsia* and *Reinkella* (Roccellaceae), pp. 255-265. In L. Tibell & I. Hedberg (eds.), *Lichen Studies Dedicated to Rolf Santesson*. *Symbolae Botanicae Upsalienses* 32. Acta Universitatis Upsaliensis, Uppsala.
- Thell, A., J.A. Elix, and U. Söchting. 2009. *Xanthoparmelia lineola* s. l. in Australia and North America. *Bibliotheca Lichenologica* 99:393-404.
- Thell, A. & T. Goward. 1996. The new Cetrarioid genus *Kaernefeltia* and related groups in the Parmeliaceae (lichenized Ascomycotina). *The Bryologist* 99: 125-136.
- Thell, A., T. Goward, T. Rndlane, E. I. Kärnefelt & A. Saag. 1995. A revision of the North American lichen genus *Ahtiana* (Parmeliaceae). *The Bryologist* 98: 596-605.
- Thell, A., F. Högnabba, J. A. Elix, T. Feuerer, I. Kärnefelt, L. Myllys, T. Rndlane, A. Saag, S. Stenroos, T. Ahti & M. R. D. Seaward. 2009. Phylogeny of the cetrarioid core (Parmeliaceae) based on five genetic markers. *Lichenologist* 41(5): 489-511.
- Thiyagaraja, V., R. Lücking, D. Ertz, D. N. Wanasinghe, S. C. Karunarathna, E. Camporesi & K. D. Hyde. 2020. Evolution of non-lichenized, saprotrophic species of *Arthonia* (Ascomycota, Arthoniales) and resurrection of *Naevia*, with notes on *Mycoporum*. *Fungal Diversity* 102: 205-224.
- Thomson, J. W. 1963. The Lichen Genus *Physcia* in North America. Beihefte zur Nova Hedwigia. viii + 172 pp. 47 maps. 47 fig. on 27 pl.
- Thomson, J. W. 1967. The Lichen Genus *Cladonia* in North America. University of Toronto Press. xi + 172 pp.
- Thomson, J. W. 1997. American Arctic Lichens. 2. The Microlichens. The University of Wisconsin Press, Madison. 675 pp.
- Thor, G. 1991. The placement of *Chiodection sanguineum* (syn. *Chiodection rubrocinctum*), and *Cryptothecia striata* sp. nov. *The Bryologist* 94: 278-283.
- Thorn, R. G., D. W. Malloch & J. Ginn. 1998. *Leucogyrophana lichenicola* sp. nov., and a comparison with basidiomes and cultures of the similar *Leucogyrophana romellii*. *Canadian Journal of Botany* 76: 686-693.
- Tibell, L. 1996. *Phaeocalicium* (Mycocaliciaceae, Ascomycetes) in northern Europe. *Annales Botanici Fennici* 33: 205-221.
- Tibell, L. 2001. *Cybebe gracilenta* in an ITS/5.8S rDNA based phylogeny belongs to *Chaenotheca* (Coniocybaceae, lichenized Ascomycetes). *Lichenologist* 33: 519-525.
- Tibell, L. 2007. *Mycocalicium*, pp. 250-254. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Tibell, L. & A. Koffman. 2002. *Chaenotheca nitidula*, a new species of calicoid lichen from northeastern North America. *The Bryologist* 105: 353-357.
- Tibell, L. & B. D. Ryan. 2004. *Microcalicium*, pp. 669-672. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Tibell, S. & L. Tibell. 2015. Two new species of *Atla* (Verrucariaceae). *Lichenologist* 47(2): 93-98.
- Timdal, E. 2001. *Hypocenomyce oligospora* and *H. sierrae*, two new lichen species. *Mycotaxon* 77: 445-453.
- Timdal, E. 2002a. *Psora*, pp. 418-430. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Timdal, E. 2002b. Three squamulose species of *Rimularia* (Lecanorales). *The Bryologist* 105: 219-224.
- Timdal, E. 2002c. *Toninia*, pp. 488-501. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Timdal, E. 2007. *Romjularia*, pp. 287-289. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Timdal, E. 2008. Studies on *Phyllopsora* (Ramalinaceae) in Peru. *Lichenologist* 40: 337-362.
- Timdal, E. 2011. The lichen genus *Phyllopsora* (Ramalinaceae) in the West Indies. *Bibliotheca Lichenologica* 106: 319-351.
- Timdal, E. & T. Tønsberg. 2006. *Psoroma paleaceum* comb. nov. the only hairy *Psoroma* in northern Europe. *Graphis Scripta* 18: 54-57.
- Timdal, E. & T. Tønsberg. 2012. *Cladonia straminea*, the correct name for *C. metacorallifera*. *Graphis Scripta* 24(2): 33-35.
- Tønsberg, T. 1997 [1998]. Additions to the lichen flora of North America VI. *The Bryologist* 100: 522-524.
- Tønsberg, T. 1999a. Additions to the lichen flora of North America VII. Some species found on Waadah Island, Washington. *The Bryologist* 102: 133-134.

- Tønsberg, T. 1999b. *Pseudocyphellaria arvidssonii* new to Africa and *P. mallota* new to North America. The Bryologist 102: 128-129.
- Tønsberg, T. 2002. Additions to the lichen flora of North America XI. The Bryologist 105: 122-125.
- Tønsberg, T. 2004a. *Chrysotrix*, pp. 62-63. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Tønsberg, T. 2004b. *Lepraria*, pp. 322-329. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Tønsberg, T. 2007. Notes on the lichen genus *Lepraria* in Great Smoky Mountains National Park, southeastern North America: *Lepraria lanata* and *L. salazinica* spp. nov. Opuscula Philolichenum 4: 51-54.
- Tønsberg, T. 2016. *Jamesiella scotica* new to North America from USA, Alaska. Folia Cryptogamica Estonica 53: 23-24.
- Tønsberg, T. 2018. *Varicellaria lactea* new to the U.S.A. from Alaska. Opuscula Philolichenum 17: 1-5.
- Tønsberg, T. & B. Coppins. 2000. Additions to the lichen flora of North America IX. *Micarea alabastites* and *M. synotheoides*. Evansia 17: 135-136.
- Tønsberg, T. & T. Goward. 2001. *Sticta oroborealis* sp. nov. and other Pacific North American lichens forming dendriscocauloid cyanotypes. The Bryologist 104: 12-23.
- Tønsberg, T. & T. Goward. 2016. *Cliostomum spribilei* (Ramalinaceae, lichenized Ascomycetes), a new species from western North America. North American Fungi 11(5): 1-7.
- Tønsberg, T. & A. Henssen. 1999. Additions to the lichen flora of North America VIII. *Santessonella grisea* new to North America. Evansia 16: 184.
- Tønsberg, T. & B. McCune. 2001. Additions to the lichen flora of North America X. *Buellia arborea*. Evansia 18: 128.
- Tønsberg, T., A. Nordin & L. Tibell. 2012. *Amandinea lignicola*, a new species from the Pacific coast of North America. Graphis Scripta 24(2): 60-64.
- Tønsberg, T. & C. Printzen. 2018. *Biatora troendelagica* new to North America from Alaska, USA. Graphis Scripta 30(9): 161-165.
- Tønsberg, T. & C. Williams. 2006. *Arthothelium norvegicum* in North America. Evansia 23: 80-81.
- Tretiach, M. & M. Schultz. 2007. *Peccania*, pp. 266-270. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Triebel, D., M. Wedin & G. Rambold. 1997. The genus *Scutula* (lichenicolous ascomycetes, Lecanorales): species on the *Peltigera canina* and *P. horizontalis* groups, pp. 323-337. In L. Tibell & I. Hedberg (eds.), Lichen Studies Dedicated to Rolf Santesson. Symbolae Botanicae Upsalienses 32. Acta Universitatis Upsaliensis, Uppsala.
- Tripp, E. A. & J. C. Lendemer. 2010. The genus *Platygramme* in North America. Castanea 75: 388-393.
- Tripp, E. A. & J. C. Lendemer. 2015. *Candelariella clarkia* and *Lecidea hoganii*: two lichen species new to science from White Rocks Open Space, City of Boulder, Colorado. The Bryologist 118(2): 154-163.
- Tripp, E. A. & J. C. Lendemer. 2019. Highlights from 10+ years of lichenological research in Great Smoky Mountains National Park: celebrating the United States National Park Service Centennial. Systematic Botany 44(4): 943-980.
- Tripp, E. A., J. C. Lendemer & R. C. Harris. 2010. Resolving the genus *Graphina* Müll. Arg. in North America: new species, new combinations, and treatments for *Acanthothecis*, *Carbacanthographis*, and *Diorygma*. Lichenologist 42(1): 55-71.
- Tripp, E. A., C. A. Morse, K. G. Keepers, C. Anderson Stewart, C. S. Pogoda, K. H. White, J. R. Hoffman, N. C. Kane & C. M. McCain. 2019. Evidence of substrate endemism of lichens on Fox Hills Sandstone: discovery and description of *Lecanora lendemeri* as new to science. The Bryologist 122(2): 246-259.
- Truong, C., J. M. Rodriguez & P. Clerc. 2013. Pendulous *Usnea* species (Parmeliaceae, lichenized Ascomycota) in tropical South America and the Galapagos. Lichenologist 45 (4): 505-543.
- Tucker, S. 1981. Checklist of Louisiana lichens. Proceedings of the Louisiana Academy of Sciences 44: 58-70.
- Tucker, S. 2014. Catalog of lichens, lichenicoles and allied fungi in California (revised edition). Constancea 85 [<http://ucjeps.berkeley.edu/constancea/85/tucker.html>].
- Tucker, S. C. & W. P. Jordan. 1979. A catalog of California lichens. Wasmann Journal of Biology 36: 1-105.
- Tucker, S. C., K. Knudsen & J. Robertson. 2006. Additional lichen collections from Pinnacles National Monument, San Benito County, California. Bulletin of the California Lichen Society 13: 6-9.
- Tucker, S. C. & B. D. Ryan. 2006. Revised catalog of lichens, lichenicoles, and allied fungi in California. Constancea 84: 1-275 + 1-52.
- Tuckerman, E. 1872. Genera Lichenum: an Arrangement of the North American Lichens. Edwin Nelson, Amherst. XV + 283 pp.
- Tuckerman, E. 1882. A synopsis of the North American lichens. Part. I. Comprising the Parmeliacei, Cladonieei and Coenogonieei. S.F. Cassino - Boston. XX + 262 pp.

- Tuckerman, E. 1888. A synopsis of the North American lichens. Part. II. Comprising the Lecideacei, and (in part) the Graphidacei. New Bedford, Massachusetts. 176 pp.
- Tuovila, H., P. Larsson & J. Rikkinen. 2011. Three resinicolous North American species of Mycocaliciales in Europe with a re-evaluation of *Chaenothecopsis oregana* Rikkinen. *Karstenia* 51: 37-49.
- Tuovila, H., J. Rikkinen & S. Huhtinen. 2012. Nomenclatural corrections in calicioid fungi. *Karstenia* 52(2): 73-74.
- van den Boom, P. P. G. 2004. *Toninia*, pp. 708-709. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- van den Boom, P. P. G. & A. M. Brand. 2008. Some new *Lecanora* species from western and central Europe, belonging to the *L. saligna* group, with notes on related species. *The Lichenologist* 40: 465-497.
- van den Boom, P. P. G. & J. A. Elix. 2005. Notes on *Halecania* species, with descriptions of two new species from Asia. *Lichenologist* 37: 237-246.
- van den Boom, P. P. G. & B. D. Ryan. 2004a. *Halecania*, pp. 131-133. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- van den Boom, P. P. G. & B. D. Ryan. 2004b. *Lecania*, pp. 143-171. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- van den Boom, P. P. G., H. Sipman & J. A. Elix. 2007. *Protoparmelia*, pp. 392-393. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Van den Broeck, D., A. Frisch, T. Razafindrahaja, B. Van de Vijver & D. Ertz. 2018. Phylogenetic position of *Synarthonia* (lichenized Ascomycota, Arthoniaceae), with the description of six new species. *Plant Ecology and Evolution* 151(3): 327-351.
- van Herk, K. & A. Aptroot. 2000. The sorediate *Punctelia* species with lecanoric acid in Europe. *Lichenologist* 32: 233-246.
- Vänska, H. 1984. The identity of the lichens *Lecanora frustulosa* and *L. argopholis*. *Annales Botanici Fennici* 21: 391-402.
- Veldkamp, J. F. 2004. *Bilimbia* (Lichenes) resurrected. *Lichenologist* 36: 191-195.
- Velma, S., L. Myllys, T. Goward, H. Holien & P. Halonen. 2014. Taxonomy of *Bryoria* section *Implexae* (Parmeliaceae, Lecanoromycetes) in North America and Europe, based on chemical, morphological and molecular data. *Annales Botanici Fennici* 51: 345-371.
- Velma, S., L. Myllys, P. Halonen, T. Goward, & T. Ahti. 2009. Molecular data show that *Bryoria fremontii* and *B. tortuosa* (Parmeliaceae) are conspecific. *Lichenologist* 41: 231-242.
- Villella, J., S. Loring & B. McCune. 2013. The lichens of southwest Oregon's Illinois River Watershed. *Bulletin of the California Lichen Society* 20(1): 33-48.
- Villella, J. & S. Sheehy. 2015. Additional sites of *Umbilicaria hirsute* from southwestern Oregon, and the associated lichenicolous fungus *Arthonia circinata* new to North America. *Bulletin of the California Lichen Society* 22(1): 19-22.
- Vitikainen, O. 1994. Taxonomic revision of *Peltigera* (lichenized Ascomycotina) in Europe. *Acta Botanica Fennica* 152: 1-96.
- Vitikainen, O. 2004. *Peltigera*, pp. 389-399. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Vitikainen, O. 2006. *Peltigera tartarea*, a new species from Arctic America. *Journal of the Hattori Botanical Laboratory* 100: 853-854.
- Vitikainen, O., T. Ahti, M. Kuusinen, S. Lommi & T. Ulvinen. 1997. Checklist of lichens and allied fungi of Finland. *Norrlinia* 6: 1-123.
- Vondrák, J., I. Frolov, E. A. Davydov, I. Urbanavichene, S. Chesnokov, I. Zhdanov, E. Muchnik, L. Konoreva, D. Himelbrant, & S. Tchabanenko. 2016. The extensive geographical range of several species of Teloschistaceae: evidence from Russia. *Lichenologist* 48(3): 171-189.
- Vondrák, J. P. Říha, O. Redchenko, O. Vondráková, P. Hrouzek & A. Khodosovtsev. 2011. The *Caloplaca crenulatella* species complex; its intricate taxonomy and description of a new species. *Lichenologist* 43(5): 467-481.
- Vondrák, J., J. Šoun, M. Z. Søgaard, U. Søchting & U. Arup. 2010. *Caloplaca phlogina*, a lichen with two facies; an example of infraspecific variability resulting in the description of a redundant species. *Lichenologist* 42: 685-692.
- Waters, D. P. & J. C. Lendemer. 2019. The lichens and allied fungi of Mercer County, New Jersey. *Opuscula Philolichenum* 18: 17-51.
- Weber, W. A. & R. C. Wittman. 2000. The Colorado Catalog – Online Version. Catalog of the Colorado Flora: A Biodiversity Baseline. Lichens. (<http://cumuseum.colorado.edu/Research/Botany/Databases/catalog.html>).

- Wedin, M., F. Högnabba & T. Goward. 2009. A new species of *Sphaerophorus*, and a key to the family Sphaerophoraceae in western North America. *The Bryologist* 112: 368-374.
- Wedin, M., P. G. Ihlen & D. Triebel. 2007. *Scutula tuberculosa*, the correct name of the *Scutula* growing on *Solorina* spp., with a key to *Scutula* s. str. in the Northern Hemisphere. *Lichenologist* 39: 329-333.
- Wei, J.-C. & T. Ahti. 2002. *Cetradonia*, a new genus in the new family Cetradoniaceae (Lecanorales, Ascomycota). *Lichenologist* 34: 19-31.
- Westberg, M. 2004a. *Placomaronea*, pp. 418-419. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Westberg, M. 2004b. *Vezdaea rheocarpa* new to North America. *Mycotaxon* 89: 153-154.
- Westberg, M. 2007a. *Candelariella* (Candelariaceae) in western United States and northern Mexico: the 8-spored, lecanorine species. *The Bryologist* 110: 391-419.
- Westberg, M. 2007b. *Candelariella* (Candelariaceae) in western United States and northern Mexico: the polyporous species. *The Bryologist* 110: 375-390.
- Westberg, M. 2007c. *Candelariella* (Candelariaceae) in western United States and northern Mexico; the species with biatorine apothecia. *The Bryologist* 110: 365-374.
- Westberg, M. 2010. The identity of *Candelariella canadensis*. *Lichenologist* 42(1): 119-122.
- Westberg, M. & U. Arup. 2011. *Candelaria pacifica* sp. nova (Ascomycota, Candelariales) and the identity of *Candelaria vulgaris*. *Bibliotheca Lichenologica* 106: 353-364.
- Westberg, M., U. Arup & I. Kärnefelt. 2007. Phylogenetic studies in the Candelariaceae (lichenized Ascomycota) based on nuclear ITS DNA sequence data. *Mycological Research* 111: 1277-1284.
- Westberg, M., A. T. Crewe, O. W. Purvis & M. Wedin. 2011a. *Silbia*, a new genus for the *Acarospora smaragdula* complex (Ascomycota, Acarosporales) and a revision of the group in Sweden. *Lichenologist* 43: 7-25.
- Westberg, M., A. M. Millanes, K. Knudsen & M. Wedin. 2015. Phylogeny of the Acarosporaceae (Lecanoromycetes, Ascomycota, Fungi) and the evolution of carbonized ascospores. *Fungal Diversity* 73: 145-158.
- Westberg, M., C. A. Morse & M. Wedin 2011b. Two new species of *Candelariella* and a key to the Candelariales (lichenized Ascomycetes) in North America. *The Bryologist* 114(2): 325-334.
- Wetmore, C. M. 1960. The lichen genus *Nephroma* in North and Middle America. *Publications of the Museum, Michigan State University, Biol. Ser.* 1: 369-452.
- Wetmore, C. M. 1967. Lichens of the Black Hills of South Dakota and Wyoming. *Publ. Mus., Michigan State Univ., Biol. Ser.* 3: 209-464.
- Wetmore, C. M. 1994. The lichen genus *Caloplaca* in North and Central America with brown or black apothecia. *Mycologia* 86: 813-838.
- Wetmore, C. M. 1996. The *Caloplaca sideritis* group in North and Central America. *The Bryologist* 99: 292-314.
- Wetmore, C. M. 1999. Four new species of *Caloplaca* from Mexico. *The Bryologist* 102: 99-103.
- Wetmore, C. M. 2001. The *Caloplaca citrina* group in North and Central America. *The Bryologist* 104: 1-11.
- Wetmore, C. M. 2003. The *Caloplaca squamosa* group in North and Central America. *The Bryologist* 106: 147-156.
- Wetmore, C. M. 2004a. The isidiate corticolous *Caloplaca* species in North and Central America. *The Bryologist* 107: 284-292.
- Wetmore, C. M. 2004b. The sorediate corticolous species of *Caloplaca* in North and Central America. *The Bryologist* 107: 505-520.
- Wetmore, C. M. 2007a. *Caloplaca*, pp. 179-220. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Wetmore, C. M. 2007b. Notes on *Caloplaca cerina* (Teloschistaceae) in North and Central America. *The Bryologist* 110: 798-807.
- Wetmore, C. M. 2009. New species of *Caloplaca* (Teloschistaceae) from North America. *The Bryologist* 112: 379-386.
- Wetmore, C. M. & E. I. Kärnefelt. 1998. The lobate and subfruticose species of *Caloplaca* in north and central America. *The Bryologist* 101: 230-255.
- Wetmore, C. M. & E. I. Kärnefelt. 1999. What is *Caloplaca cinnabarina*? *The Bryologist* 102: 683-691.
- Widholm, T. J., R. S. Egan, F. R. Bertoletti, M. J. Asztalos, E. Kraichak, S. D. Leavitt, & H. T. Lumbsch. 2016. Picking holes in traditional species delimitations: an integrative taxonomic reassessment of the *Parmotrema perforatum* group (Parmeliaceae, Ascomycota). *Botanical Journal of the Linnean Society* 182: 868-884.
- Wilhelm, G. S. 1998. The lichen flora of Chicago and vicinity: one hundred years of Lichenology. *Erigenia* 16: 3-36.
- Williams, C. B. & L. Tibell. 2008. *Calicium sequoiae*, a new lichen species from north-western California, USA. *Lichenologist* 40: 185-194.
- Will-Wolf, S. 1998. Lichens of Badlands National Park, South Dakota, USA, pp. 323-336. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- Wirth, M. & M. E. Hale, Jr. 1963. The lichen family Graphidaceae in Mexico. Contributions to the United States National Herbarium 36: 63-119.

- Wirth, M. & M. E. Hale, Jr. 1978. Morden-Smithsonian Expedition to Dominica: the lichens (Graphidaceae). Smithsonian Contributions to Botany 40: 1-64.
- Wirtz, N., C. Printzen & H. T. Lumbsch. 2008. The delimitation of Antarctic and bipolar species of neuropogonoid *Usnea* (Ascomycota, Lecanorales): a cohesion approach of species recognition for the *Usnea perpusilla* complex. Mycological Research 112: 472-484.
- Yakovchenko, L. S., J. Vondrák, Y. Ohmura, E. S. Korchikov, O. S. Vondráková & E. A. Davydov. 2017. *Candelariella blastidiata* sp. nov. (Ascomycota, Candelariaceae) from Eurasia and North America, and a key for grey thalli *Candelariella*. Lichenologist 49(2): 117-126.
- Yoshimura, I. & A. J. Sharp. 1973. First record of *Anaptychia isidiza* in North America. Miscellanea Bryologica et Lichenologica 6: 85.
- Yuzon, J., C. Roux, J. C. Lendemer & C. Gueidan. 2014. Molecular phylogeny and taxonomy of the endolithic lichen genus *Bagliettoa* (Ascomycota : Verrucariaceae). Taxon 63(6): 1177-1192.
- Zahlbruckner, A. 1924. Catalogus Lichenum Universalis, vol. II. Gebrüder Borntraeger – Leipzig, Berlin.
- Zakeri, Z., P. K. Divakar & V. Otte. 2017. Taxonomy and phylogeny of *Aspiciliella*, a resurrected genus of Megasporaceae, including the new species *A. portosantana*. Herzogia 30: 166-176.
- Zamora, J. C., A. M. Millanes, J. Etayo & M. Wedin. 2018. *Tremella mayrhoferi*, a new lichenicolous species on *Lecanora allophana*. Herzogia 31(1): 666-676.
- Zhao, X., S. D. Leavitt, Z. T. Zhao, L. L. Zhang, U. Arup, M. Grube, S. Pérez-Ortega, C. Printzen, L. Śliwa, E. Kraichak, P. K. Divakar, A. Crespo & H. T. Lumbsch. 2016. Towards a revised generic classification of lecanoroid lichens (Lecanoraceae, Ascomycota) based on molecular, morphological and chemical evidence. Fungal Diversity 78: 293-304.
- Zhurbenko, M. 2007a. *Corticifraga santessonii* and *C. chugachiana* (Lecanoromycetes, Ascomycota), new species of lichenicolous fungi from the Holarctic. Lichenologist 39: 221-226.
- Zhurbenko, M. 2007b. A new species of *Unguiculariopsis* (Helotiales) on *Nephroma* from Alaska. Mikologiya I Fitopatologiya 41: 126-129.
- Zhurbenko, M. 2009a. Lichenicolous fungi and lichens from the Holarctic. Part II. Opuscula Philolichenum 7: 121-186.
- Zhurbenko, M. 2009b. Lichenicolous fungi and some lichens from the Holarctic. Opuscula Philolichenum 6: 87-120.
- Zhurbenko, M. P. 2009c. New and interesting lichenicolous hypocrealean fungi from the Northern Hemisphere. Sydowia 61(7): 177-188.
- Zhurbenko, M. 2010. Lichenicolous fungi and lichens growing on *Stereocaulon* from the Holarctic, with a key to the known species. Opuscula Philolichenum 8: 9-39.
- Zhurbenko, M. 2012. Lichenicolous fungi growing on *Thamnolia*, mainly from the Holarctic, with a worldwide key to the known species. Lichenologist 44(2): 147-177.
- Zhurbenko, M. P. 2013. Lichenicolous fungi and some allied lichens from the Canadian Arctic. Opuscula Philolichenum 12: 180-197.
- Zhurbenko, M. P. 2014. *Phaeospora catolechiae*, a lichenicolous fungus on *Catolechia wahlenbergii*, new to North America. Opuscula Philolichenum 13: 1-3.
- Zhurbenko, M. P. 2020. Lichenicolous fungi from the Holarctic. Part III. New reports and a key to species on *Hypogymnia*. Opuscula Philolichenum 19: 180-2020.
- Zhurbenko, M. P. 2021. Lichenicolous fungi from the Holarctic. Part IV: New reports and a key to species on *Dermatocarpon*. Opuscula Philolichenum 20: 44-53.
- Zhurbenko, M. P. & V. Alstrup. 2004. Lichenicolous fungi on *Cladonia* mainly from the Arctic. Symbolae Botanicae Upsalienses 34: 477-499.
- Zhurbenko, M. P. & U. Braun. 2013. *Ameroconium cladoniae* gen. et sp. nov. and *Phoma psoromatis* sp. nov., new anamorphic lichenicolous fungi from the Holarctic. Lichenologist 45(5): 583-591.
- Zhurbenko, M. & F. J. A. Daniëls. 2003. New or rarely reported lichenicolous fungi and lichens from the Canadian Arctic. Mycotaxon 88: 97-106.
- Zhurbenko, M. & K. Dillman. 2010. *Polycoccum hymeniticolae* comb. nov. (Dacampiaceae) and other interesting lichenicolous fungi from southeastern Alaska. The Bryologist 113: 260-266.
- Zhurbenko, M. P., O. Enkhtuya & S. Javkhlan. 2019. A first synopsis of lichenicolous fungi of Mongolia, with the description of five new species. Plant and Fungal Systematics 64(2): 345-366.
- Zhurbenko, M. P., M. Kukwa & M. Oset. 2009. *Roselliniella stereocaulorum* (Sordariales, Ascomycota), a new lichenicolous fungus from the Holarctic. Mycotaxon 109: 323-328.
- Zhurbenko, M. & G. Laursen. 2003. Lichenicolous fungi from central Alaska: new records and range extensions. The Bryologist 106: 460-464.
- Zhurbenko, M. P., G. A. Laursen & D. A. Walker. 2005. New and rare lichenicolous fungi and lichens from the North American Arctic. Mycotaxon 92: 201-212.
- Zhurbenko, M. P., V. Matveeva, C. Vonlanthen, D. A. Walker & M. K. Reynolds. 2006. Lichens from Ellef Ringnes Island, Canadian Arctic Archipelago. Evansia 23(3): 69-78.

Zhurbenko, M. P. & R. Pino-Bodas. 2017. A revision of lichenicolous fungi growing on *Cladonia*, mainly from the Northern Hemisphere, with a worldwide key to the known species. Opuscula Philolichenum 16: 188-266.

APPENDIX – SPECIMEN CITATIONS

Bryophagus gloeocapsa Nitschke ex Arnold – U.S.A. MICHIGAN. Cheboygan Co.: just N of Cheboygan Levering Rd. W of its intersection with Interstate 75; 45°38'N 84°39' W, on terricolous bryophytes, J. Hafellner 7998 (GZU).

Pyrenopsis portoricensis Zahlbr. – U.S.A. NORTH CAROLINA. Anson Co.: Flatrock Church Outcrop, E of NC-145, 11.iv.2009, G.B. Perlmutter 1827 (NCU). Wake Co.: TLC Temple Flatrock Preserve, 25.iv.2009, G.B. Perlmutter 1899 (NCU). GEORGIA. Columbia Co.: TNC Heggie's Rock Preserve, 8.xi.2008, G.B. Perlmutter 1644 (NCU). New to North America (communicated G. Perlmutter; specimens identified by Matthias Schultz).

Thelotrema circumspectum C. Knight – U.S.A. OREGON. Lincoln Co.: Ona Beach State Park, 8 mi. S of Newport, Sitka spruce & pines at shore, 20.viii.1975, C. M. Wetmore 24624 (MIN). New to Northern Hemisphere (communicated T. Lumbsch).