

HAWAII AGRICULTURAL EXPERIMENT STATION

HONOLULU, HAWAII

Under the supervision of the
UNITED STATES DEPARTMENT OF AGRICULTURE

EXTENSION BULLETIN NO. 11

LIFE OF PELLUCIDITY
OF THE HAWAII AGRICULTURAL
EXPERIMENT STATION

(Revised and reissued in 1926)

prepared

ELIZABETH H. H. NOBLE
Office of Experiment Stations

issued in 1927



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON

1927

HAWAIIAN BUREAU OF IMMIGRATION

Office of the Bureau of Immigration, Honolulu, Territory of Hawaii

F. H. ... Department of...

H. ... of ...

Stat



NOTIFICATION

...

...

...

...

...

...

...

...

HAWAII AGRICULTURAL EXPERIMENT STATION

HONOLULU, HAWAII

Under the supervision of the
U. S. DEPARTMENT OF AGRICULTURE

EXTENSION BULLETIN No. 10

Washington, D. C.

June, 1927

INDEX TO PUBLICATIONS OF THE HAWAII AGRICULTURAL EXPERIMENT STATION

By ELIZABETH H. LANGDALE, *Office of Experiment Stations*

CONTENTS

	Page		Page
Annual reports.....	1	Special bulletins.....	5
Bulletins.....	2	Reprint.....	5
Press bulletins.....	4	Subject index.....	6
Extension bulletins.....	5		

ANNUAL REPORTS

FIRST ANNUAL REPORT, 1901.

Establishment of Station and General Statement of Station Work. Jared G. Smith, Special Agent in Charge. Pp. 361-379, pls. 25-32. (Reprint from An. Rept. Office of Expt. Stations, 1901.)

SECOND ANNUAL REPORT, 1902.

General Statement of Station Work. Jared G. Smith, Special Agent in Charge. Pp. 309-330, pls. 20-27. (Reprint from An. Rept. Office of Expt. Stations, 1902.)

THIRD ANNUAL REPORT, 1903.

General Statement of Station Work. Jared G. Smith, Special Agent in Charge. Pp. 391-418, pls. 14-17. (Reprint from An. Rept. Office of Expt. Stations, 1903.)

FOURTH ANNUAL REPORT, 1904.

General Statement of Station Work. Jared G. Smith, Special Agent in Charge. Pp. 361-382, pls. 14-15. (Reprint from An. Rept. Office of Expt. Stations, 1904.)

FIFTH ANNUAL REPORT, 1905.

General Statement of Station Work. Jared G. Smith, Special Agent in Charge. Pp. 66, pls. 4. (Office of Experiment Stations Bul. 170.)

SIXTH ANNUAL REPORT, 1906.

General Statement of Station Work. Jared G. Smith, Special Agent in Charge. Pp. 88, pls. 7.

SEVENTH ANNUAL REPORT, 1907.

General Statement of Station Work. Jared G. Smith, Special Agent in Charge. Pp. 90, pls. 9, figs. 3.

EIGHTH ANNUAL REPORT, 1908.

General Statement of Station Work. E. V. Wilcox, Special Agent in Charge. Pp. 84, pls. 7.

NINTH ANNUAL REPORT, 1909.

General Statement of Station Work. E. V. Wilcox, Special Agent in Charge. Pp. 76, pls. 6, figs. 8.

TENTH ANNUAL REPORT, 1910.

General Statement of Station Work. E. V. Wilcox, Special Agent in Charge. Pp. 64, pls. 8, figs. 4.

ELEVENTH ANNUAL REPORT, 1911.

General Statement of Station Work. E. V. Wilcox, Special Agent in Charge. Pp. 63, pls. 7, figs. 6.

TWELFTH ANNUAL REPORT, 1912.

General Statement of Station Work. E. V. Wilcox, Special Agent in Charge. Pp. 91, pls. 5, figs. 2.

THIRTEENTH ANNUAL REPORT, 1913.

General Statement of Station Work. E. V. Wilcox, Special Agent in Charge. Pp. 53, pls. 3.

FOURTEENTH ANNUAL REPORT, 1914.

General Statement of Station Work. E. V. Wilcox, Special Agent in Charge. Pp. 73, pls. 3.

FIFTEENTH ANNUAL REPORT, 1915.

General Statement of Station Work. J. M. Westgate, Agronomist in Charge. Pp. 73, pls. 9.

SIXTEENTH ANNUAL REPORT, 1916.

General Statement of Station Work. J. M. Westgate, Agronomist in Charge. Pp. 46, pls. 6.

SEVENTEENTH ANNUAL REPORT, 1917.

General Statement of Station Work. J. M. Westgate, Agronomist in Charge. Pp. 56, pls. 8, fig. 1.

EIGHTEENTH ANNUAL REPORT, 1918.

General Statement of Station Work. J. M. Westgate, Agronomist in Charge. Pp. 55, pls. 11.

NINETEENTH ANNUAL REPORT, 1919.

General Statement of Station Work. J. M. Westgate, Agronomist in Charge. Pp. 73, pls. 10.

TWENTIETH ANNUAL REPORT, 1920.

General Statement of Station Work. J. M. Westgate, Agronomist in Charge. Pp. 72, pls. 10, figs. 1.

TWENTY-FIRST ANNUAL REPORT, 1921.

General Statement of Station Work. J. M. Westgate, Agronomist in Charge. Pp. 65, pls. 10.

TWENTY-SECOND ANNUAL REPORT, 1922.

General Statement of Station Work. J. M. Westgate, Agronomist in Charge. Pp. 23, pls. 9.

TWENTY-THIRD ANNUAL REPORT, 1923.

General Statement of Station Work. J. M. Westgate, Agronomist in Charge. Pp. 16, pls. 2.

TWENTY-FOURTH ANNUAL REPORT, 1924.

General Statement of Station Work. J. M. Westgate, Director. Pp. 24, figs. 12.

TWENTY-FIFTH ANNUAL REPORT, 1925.

General Statement of Station Work. J. M. Westgate, Director. Pp. 24, figs. 10.

BULLETINS

- 1.—December 1, 1901. Chickens and Their Diseases in Hawaii. T. F. Sedgwick, Agriculturist. Pp. 24.
- 2.—July 25, 1902. The Root Rot of Taro. T. F. Sedgwick, Agriculturist. Pp. 22, pls. 2.
- 3.—August 22, 1902. Insecticides for Use in Hawaii. D. L. Van Dine, Entomologist. Pp. 26, pl. 1, figs. 7.
- 3.—(Revised.) January 8, 1904. Insecticides for Use in Hawaii. D. L. Van Dine, Entomologist. Pp. 21, pl. 1, figs. 7.
- 4.—March 5, 1903. The Cultivation of Sisal in Hawaii. Frank E. Conter, Assistant. Pp. 32, pls. 5, figs. 4.
- 5.—January 23, 1904. A Sugar-Cane Leaf-Hopper in Hawaii. D. L. Van Dine, Entomologist. Pp. 29, figs. 8.
- 6.—May 25, 1904. Mosquitoes in Hawaii. D. L. Van Dine, Entomologist. Pp. 30, figs. 12.
- 7.—October 18, 1904. The Banana in Hawaii. J. E. Higgins, Horticulturist. Pp. 53, pls. 9, figs. 9.
- 8.—January 27, 1905. Methods of Milking. F. G. Krauss, Instructor in Agriculture, Kamehameha Boys' School, Honolulu. Pp. 15, figs. 5.
- 9.—September 1, 1905. Citrus Fruits in Hawaii. J. E. Higgins, Horticulturist. Pp. 32, pls. 3, figs. 7.
- 10.—May 31, 1905. Insect Enemies of Tobacco in Hawaii. D. L. Van Dine, Entomologist. Pp. 16, figs. 6.
- 11.—January 1, 1906. The Black Wattle (*Acacia decurrens*) in Hawaii. Jared G. Smith, Special Agent in Charge. Pp. 16, pls. 3.
- 12.—January 30, 1906. The Mango in Hawaii. J. E. Higgins, Horticulturist. Pp. 32, pls. 10.
- 13.—March 15, 1906. The Composition of Some Hawaiian Feeding Stuffs. Edmund C. Shorey, Chemist. Pp. 24.
- 14.—May 6, 1907. Marketing Hawaiian Fruits. J. E. Higgins, Horticulturist. Pp. 44, pls. 8.
- 15.—October 22, 1907. Cultivation of Tobacco in Hawaii. Jared G. Smith, Special Agent in Charge, and Charles R. Blacow, in Charge of Tobacco Investigations. Pp. 30, pls. 3, figs. 4.
- 16.—July 3, 1908. The Ceara Rubber Tree in Hawaii. Jared G. Smith, Special Agent in Charge, and Q. Q. Bradford, Assistant in Rubber Investigations. Pp. 30, pls. 4.
- 17.—June 30, 1908. Hawaiian Honeys. D. L. Van Dine, Entomologist, and Alice R. Thompson, Assistant Chemist. Pp. 22, pl. 1.
- 18.—May 5, 1909. Insects of Cotton in Hawaii. D. T. Fullaway, Entomologist. Pp. 28, figs. 18.
- 19.—December 28, 1909. Experiments in Tapping Ceara Rubber Trees. E. V. Wilcox, Special Agent in Charge. Pp. 20.
- 20.—December 3, 1909. Shield Budding the Mango. J. E. Higgins, Horticulturist. Pp. 16, pls. 2, figs. 4.
- 21.—April 5, 1910. A Study of the Composition of the Rice Plant. W. P. Kelley, Chemist, and Alice R. Thompson, Assistant Chemist. Pp. 51.

- 22.—December 27, 1910. Insects Attacking the Sweet Potato in Hawaii. D. T. Fullaway, Entomologist. Pp. 31, figs. 10.
- 23.—September 20, 1911. Leguminous Crops for Hawaii. F. G. Krauss, Agronomist. Pp. 31, pls. 7.
- 24.—June 16, 1911. The Assimilation of Nitrogen by Rice. W. P. Kelley, Chemist. Pp. 20.
- 25.—December 16, 1911. The Avocado in Hawaii. J. E. Higgins, Horticulturist, Chester J. Hunn, Assistant Horticulturist, and Valentine S. Holt, Assistant in Horticulture. Pp. 48, pls. 7, figs. 12.
- 26.—April 8, 1912. The Function and Distribution of Manganese in Plants and Soils. W. P. Kelley, Chemist. Pp. 56.
- 27.—July 11, 1912. Insects Injurious to Corn. D. T. Fullaway, Entomologist. Pp. 20, figs. 8.
- 28.—September 10, 1912. The Effect of Manganese on Pineapple Plants and the Ripening of the Pineapple Fruit. E. V. Wilcox, Special Agent in Charge, and W. P. Kelley, Chemist. Pp. 20, pls. 2.
- 29.—December 1, 1913. Ornamental Hibiscus in Hawaii. E. V. Wilcox, Special Agent in Charge, and V. S. Holt, Assistant Horticulturist. Pp. 60, pls. 16.
- 30.—December 31, 1913. The Effect of Heat on Hawaiian Soils. W. P. Kelley, Chemist, and Wm. McGeorge, Assistant Chemist. Pp. 38.
- 31.—January 17, 1914. Rice Soils of Hawaii: Their Fertilization and Management. W. P. Kelley, Chemist. Pp. 23.
- 32.—March 26, 1914. The Papaya in Hawaii. J. E. Higgins, Horticulturist, and V. S. Holt, Assistant in Horticulture. Pp. 44, pls. 10.
- 33.—April 25, 1914. The Organic Nitrogen of Hawaiian Soils. W. P. Kelley, Chemist, and Alice R. Thompson, Assistant Chemist. Pp. 22.
- 34.—May 25, 1914. Tobacco Insects in Hawaii. D. T. Fullaway, Entomologist. Pp. 20, figs. 9.
- 35.—August 24, 1914. Absorption of Fertilizer Salts by Hawaiian Soils. Wm. McGeorge, Assistant Chemist. Pp. 32.
- 36.—February 20, 1915. Grasses and Forage Plants of Hawaii. C. K. McClelland, Agronomist. Pp. 43, pls. 9.
- 37.—February 25, 1915. Ammonification and Nitrification in Hawaiian Soils. W. P. Kelley, Chemist. Pp. 52.
- 38.—April 24, 1915. Effect of Fertilizers on the Physical Properties of Hawaiian Soils. Wm. McGeorge, Assistant Chemist. Pp. 31, figs. 3.
- 39.—August 3, 1915. The Biochemical Decomposition of Nitrogenous Substances in Soils. W. P. Kelley, Chemist. Pp. 25, fig. 1.
- 40.—August 26, 1915. The Soils of the Hawaiian Islands. W. P. Kelley, Chemist, and Wm. McGeorge and Alice R. Thompson, Assistant Chemists. Pp. 35.
- 41.—December 2, 1916. Phosphate Fertilizers for Hawaiian Soils, and Their Availability. Wm. T. McGeorge, Former Chemist. Pp. 45, figs. 4.
- 42.—January 17, 1917. Composition of Hawaiian Soil Particles. W. T. McGeorge, Former Chemist. Pp. 12.
- 43.—May 7, 1917. Chemical Studies of the Efficiency of Legumes as Green Manures in Hawaii. Alice R. Thompson, Assistant Chemist. Pp. 26.
- 44.—July 27, 1917. The Litchi in Hawaii. J. E. Higgins, Horticulturist. Pp. 21, pls. 5.
- 45.—January 24, 1920. Potato Diseases in Hawaii and Their Control. C. W. Carpenter, Plant Pathologist. Pp. 42, pls. 15, figs. 7.
- 46.—December 16, 1921. The Pigeon Pea (*Cajanus indicus*): Its Culture and Utilization in Hawaii. F. G. Krauss, Superintendent of Extension Division. Pp. 23, pls. 5, fig. 1.
- 47.—June 21, 1923. Applications of the Principles of Jelly Making to Hawaiian Fruits. J. C. Ripperton, Chemist. Pp. 24, pl. 1.
- 48.—May 31, 1923. Swine Raising in Hawaii. F. G. Krauss, Superintendent of Extension Work. Pp. 43, figs. 26.
- 49.—July 9, 1923. The Acid Lime Fruit in Hawaii. W. T. Pope, Horticulturist. Pp. 20, pls. 6.
- 50.—October, 1923. The Sweet Potato in Hawaii. H. L. Chung, Specialist in Tropical Agronomy. Pp. 20, pls. 4.
- 51.—August, 1924. The Guatemalan Avocado in Hawaii. W. T. Pope, Horticulturist. Pp. 24, pls. 10.
- 52.—July, 1924. Manganese Chlorosis of Pineapples: Its Cause and Control. M. O. Johnson, Chemist. Pp. 38, pls. 4.
- 53.—July, 1924. The Hawaiian Tree Fern as a Commercial Source of Starch. J. C. Ripperton, Chemist. Pp. 16, pls. 7.
- 54.—July, 1924. Edible Canna in Hawaii. H. L. Chung, Specialist in Tropical Agronomy, and J. C. Ripperton, Chemist. Pp. 16, pls. 2, figs. 4.
- 55.—December, 1926. Banana Culture in Hawaii. W. T. Pope, Horticulturist. Pp. 48, pls. 17.

PRESS BULLETINS

- 1.—January 2, 1903. The Function of the Experiment Station. Jared G. Smith, Special Agent in Charge. Pp. 1.
- 2.—No date. Castor Bean. Jared G. Smith, Special Agent in Charge. Pp. 1.
- 3.—No date. Preliminary Experiments with the "Quick Blight" of the Potato. T. F. Sedgwick. Pp. 1.
- 4.—No date. Na Hoao No Ke Pale Ana I Ka Pala O Ke Kalo (The Root Rot of Taro). T. F. Sedgwick. Pp. 1.
- 5.—No date. Manila Hemp or Abaca. Jared G. Smith, Special Agent in Charge. Pp. 1
- 6.—August 10, 1903. Vanilla Cultivation in Hawaii. Frank E. Conter, Assistant. Pp. 8, pls. 2.
- 7.—September 14, 1903. Mosquitoes. D. L. Van Dine, Entomologist. Pp. 1, figs. 2. (Published in English, Portuguese, Hawaiian, Chinese, and Japanese.)
- 8.—October 21, 1903. The Mealy Bug, or "Pear Blight" of the Alligator Pear. D. L. Van Dine, Entomologist. Pp. 6, figs. 3.
- 9.—March 16, 1904. Two Plant Diseases in Hawaii. Jared G. Smith, Special Agent in Charge. Pp. 6.
- 10.—August 11, 1904. The Pineapple Scale (*Diaspis bromeliae* Kerner). D. L. Van Dine, Entomologist. Pp. 6, pl. 1.
- 11.—January 5, 1905. The Common Liver Fluke in Hawaii (*Distoma hepaticum*). Jared G. Smith, Special Agent in Charge, and D. L. Van Dine, Entomologist. Pp. 8, pls. 2.
- 12.—April 10, 1905. Tobacco Experiments in Hamakua, Hawaii. Jared G. Smith, Special Agent in Charge, and C. R. Blacow, in Charge of Tobacco Investigation. Pp. 24.
- 13.—July 20, 1905. Rubber in Hawaii. Jared G. Smith, Special Agent in Charge. Pp. 12.
- 14.—October 19, 1905. Fuller's Rosé Beetle (*Aramigus fulleri* Horn.). D. L. Van Dine, Entomologist. Pp. 8, fig. 1.
- 15.—January 2, 1906. Lime an Essential Factor in Forage. Edmund C. Shorey, Chemist. Pp. 6.
- 16.—January 13, 1906. The Avocado Mealy-bug (*Pseudococcus nipae* Mask.) D. L. Van Dine, Entomologist. Pp. 12, figs. 3. (Reprint of Press Bulletin No. 8.)
- 17.—August 14, 1906. The Mango Weevil (*Cryptorhynchus mangiferae* Fabr.). D. L. Van Dine, Entomologist. Pp. 12, pls. 2.
- 18.—October 10, 1906. All About the Hawaii Experiment Station. Jared G. Smith, Special Agent in Charge. Pp. 14.
- 19.—January 19, 1907. A Preliminary Report on Rice Investigations. F. G. Krauss, Expert in Charge of Rice Investigations. Pp. 8.
- 20.—July 25, 1907. The Introduction of Top-Minnows (Natural Enemies of Mosquitoes) into the Hawaiian Islands. D. L. Van Dine, Entomologist. Pp. 10, figs. 3.
- 21.—No date. Fruit Marketing Investigations in 1907. J. E. Higgins, Horticulturist. Pp. 27, fig. 1.
- 22.—No date. Pineapple Shipping Experiments in 1908. J. E. Higgins, Horticulturist. Pp. 6, pl. 1.
- 23.—No date. The Influence of Manganese on the Growth of Pineapples. W. P. Kelley, Chemist. Pp. 14.
- 24.—No date. A Preliminary Report on Cotton Experiments. F. G. Krauss, Expert in Agriculture. Pp. 16.
- 25.—No date. Carbon Bisulphid for Killing Weeds. E. V. Wilcox, Special Agent in Charge. Pp. 4.
- 26.—No date. The Algaroba in Hawaii. E. V. Wilcox, Special Agent in Charge. Pp. 8.
- 27.—No date. The Use of Insecticides in Hawaii. D. T. Fullaway, Entomologist. Pp. 8.
- 28.—No date. Peanuts in Hawaii. F. G. Krauss, Agronomist. Pp. 11, pls. 2.
- 29.—No date. The Management of Pineapple Soils. W. P. Kelley, Chemist. Pp. 10.
- 30.—No date. Killing Weeds with Arsenite of Soda. E. V. Wilcox, Special Agent in Charge. Pp. 16.
- 31.—No date. Brief Instructions for Farm Butter Makers. F. A. Clowes, Superintendent Hawaii Substations. Pp. 12, figs. 4.
- 32.—No date. Cultural Methods for Controlling the Cotton Boll Worm. C. K. McClelland, Agronomist, and C. A. Sahr, Assistant in Agronomy. Pp. 8, figs. 2.
- 33.—No date. A Study of Humus in Hawaiian Soils. W. P. Kelley and Wm. McGeorge. Pp. 23, fig. 1.
- 34.—May 2, 1912. Cotton in Hawaii. C. K. McClelland and C. A. Sahr. Pp. 24, figs. 2.
- 35.—June 12, 1912. Sisal and the Utilization of Sisal Waste. E. V. Wilcox and Wm. McGeorge. Pp. 24.
- 36.—June 21, 1912. The Pineapple in Hawaii. J. E. Higgins, Horticulturist. Pp. 34, figs. 15.
- 37.—August 8, 1912. *Euphorbia lortifolia*, a Possible Source of Rubber and Chicle. Wm. McGeorge, Assistant Chemist, and Wm. A. Anderson, Superintendent of Rubber Substation. Pp. 16.
- 38.—October 20, 1912. The Use of Dynamite in Farming. E. V. Wilcox. Pp. 7.
- 39.—February 8, 1913. The Extraction and Use of Kukui Oil. E. V. Wilcox and Alice R. Thompson. Pp. 8.
- 40.—April 1, 1913. Silos, Silage, and Silage Crops for Hawaii. C. K. McClelland, Agronomist. Pp. 30, figs. 4.
- 41.—April 1, 1913. Tin Cans vs. Pots for Seedling Plants. E. V. Wilcox. Pp. 8, figs. 2.
- 42.—May 21, 1913. Corn Culture and Improvement. C. K. McClelland, Agronomist. Pp. 36, figs. 7.
- 43.—June 1, 1913. Eye Worm of Chickens. E. V. Wilcox and C. K. McClelland. Pp. 14.
- 44.—July 1, 1913. Plantation Rubber in Hawaii. W. A. Anderson. Pp. 12.
- 45.—May 11, 1914. An Experiment in Marketing Under Territorial Auspices. E. V. Wilcox and A. T. Longley. Pp. 27.

- 46.—June 20, 1914. Poultry Management. C. K. McClelland, Agronomist. Pp. 54, figs. 4.
 47.—October 10, 1914. Cold Storage for Tropical Fruits. E. V. Wilcox and C. J. Hunn. Pp. 12.
 48.—January 12, 1915. Suppression of Weeds Among Pineapples by Arsenite of Soda Spray. F. G. Krauss, Superintendent of Extension Work. Pp. 8, figs. 2.
 49.—January 18, 1915. A Cheap and Effective Home-Made Plank Drag. F. G. Krauss, Superintendent of Extension Work. Pp. 4, figs. 2.
 50.—June 10, 1915. The Effect of Arsenite of Soda on the Soil. W. T. McGeorge, Chemist. Pp. 16, figs. 3.
 51.—December 13, 1916. The Spraying of Yellow Pineapple Plants on Manganese Soils with Iron Sulphate Solutions. M. O. Johnson, Chemist. Pp. 11, figs. 4.
 52.—February 24, 1917. Comparative Value of Legumes as Green Manures. M. O. Johnson, Chemist, Alice R. Thompson, Assistant Chemist, and C. A. Sahr, Assistant Agronomist. Pp. 14, figs. 6.
 53.—March 29, 1918. Composition and Digestibility of Feeding Stuffs Grown in Hawaii. M. O. Johnson, Chemist, and Kim Ak Ching, Assistant Chemist. Pp. 26.
 54.—December 9, 1919. Preliminary Report on Root Rot in Hawaii. C. W. Carpenter, Pathologist. Pp. 8, pls. 8.

EXTENSION BULLETINS

- 1.—January 6, 1917. Extension Notes—I. F. G. Krauss, Superintendent of Extension Work. Pp. 7.
 2.—April 24, 1917. Extension Notes—II. F. G. Krauss, Superintendent of Extension Work. Pp. 7.
 3.—July 20, 1917. Field Production of Beans. F. G. Krauss, Superintendent of Extension Work. Pp. 10.
 4.—August 13, 1917. Methods of Combating Garden Pests. C. W. Carpenter, Pathologist. Pp. 16.
 5.—August 20, 1917. Peanuts: How to Grow and Use Them. F. G. Krauss, Superintendent of Extension. Pp. 12.
 6.—November 23, 1917. The Banana as an Emergency Food Crop. J. E. Higgins, Horticulturist. Pp. 16, figs. 3.
 7.—March 8, 1918. Drying as a Method of Food Preservation in Hawaii. M. O. Johnson, Chemist. Pp. 31, figs. 4.
 8.—March 14, 1918. Bean Spot Disease. C. W. Carpenter, Pathologist. Pp. 4, figs. 2.
 9.—January, 1926. Hawaiian Vegetables and Their Function in the Diet. J. C. Ripperton, Chemist, and Nellie A. Russell, Collaborator in Home Economics. Pp. 24, pl. 3.

SPECIAL BULLETINS

- A Cultura da Banana (The Cultivation of the Banana). E. V. Wilcox, Special Agent in Charge. Pp. 8. (1911.)
 A Cultura da Uva (The Cultivation of the Grape). J. E. Higgins, Horticulturist. Pp. 15, figs. 3. (1911.)
 No Ka Hooulu Ana I Ka Maia (The Cultivation of the Banana). E. V. Wilcox, Special Agent in Charge. Pp. 12. (1911.)
 No Ka Hooulu Ana I Ke Kalo (The Cultivation of Taro). E. V. Wilcox, Special Agent in Charge, and F. A. Clowes, Superintendent Hawaii Substations. Pp. 16. (1911.)
 The Grazing Industry. E. V. Wilcox, Special Agent in Charge. Pp. 92. (1911.)

REPRINT

- The Economic Seaweeds of Hawaii and Their Food Values. Minnie Reed, Science Teacher Kamehameha Manual Training Schools. Pp. 61-88, pls. 4-7. (Reprinted from Annual Report for 1906.)

SUBJECT INDEX

NOTE.—R, Report; B, Bulletin; PB, Press Bulletin; EB, Extension Bulletin; SB, Special Bulletin.

- Abaca. (See Hemp, Manila.)
 Abortion, in pigs, B 48, p. 23.
 Acacia—
decurrens. (See Wattle.)
farnesiana. (See Cassie flower.)
giraffæ, R. 1906, p. 36.
koa. (See Wattle, forage plant.)
mollissima. (See Wattle.)
semperflorens, R. 1906, p. 36.
Acanthopanax rubra, PB 16, p. 5.
 Acetate of lead, insecticidal value, B 3, p. 16.
 Achocha, R. 1908, p. 48.
Achras sapota. (See Sapodilla.)
Acritocheta pulvinata, R. 1913, p. 20.
Acrostichum reticulatum, R. 1909, p. 23.
Actinomyces chromogenus. (See Corky scab.)
 Adeira. (See Canna.)
Adelencyrtus odonaspis, description, R. 1912, p. 27.
Adenostemma viscosum, B 27, p. 12.
Adoretus spp. (See Japanese beetles.)
Adrastia nebulosa, B 5, p. 24.
Aedes spp. (See Mosquitoes.)
 Aeration of soils. (See Soils, aeration.)
 Agar agar. (See Seaweeds, uses.)
 Agave—
lespinassei, R. 1911, p. 40.
rigida spp. (See Sisal.)
zapupe, R. 1911, p. 40.
Ageratum conyzoides, B 27, p. 12.
 Agriculture—
 diversified, R. 1909, p. 9; 1915, pp. 9, 45; 1918, p. 5; 1919, p. 7; 1920, pp. 9, 62; 1921, p. 1; 1923, p. 1; 1924, p. 1; 1925, p. 1.
 drawbacks, R. 1917, p. 5.
 Agrion, B 6, p. 23.
Agromyza diminuta, R. 1911, p. 20.
 Agropyron—
smithii. (See Blue joint.)
spicatum. (See Gumbo grass.)
tenerum. (See Wheat grass.)
 Agrostis—
alba. (See Florin grass.)
alba var. *stolonifera*. (See Creeping bent grass.)
scabra. (See Tickle grass.)
vulgaris. (See Redtop.)
 Agrotis—
crimigera, R. 1913, p. 19.
dislocata, B 18, p. 7.
saucia, B 18, p. 7.
suffusa, B 10, p. 4.
telifera, B 10, p. 4.
ypsilon. (See Cutworms.)
Ahnfeldtia concinna. (See Seaweeds, collecting.)
 Aguacate. (See Avocado.)
 Akala berry. (See Hitchcock berry.)
 Akoko. (See Rubber, *Euphorbia lorifolia*.)
 Akole. (See *Phegopteris* spp.)
 Akolea. (See *Baheria stipularis*.)
 Akulikuli. (See *Sesuvium portulacastrum* and *Batis maritima*.)
 Akulikuli laulii. (See Purslane.)
Albizzia lophantha, notes, PB 14, p. 4.
Albugo candida (See White rust.)
 Alena. (See *Berhaaria diffusa*.)
 Aleurites—
cordata. (See Chinese wood-oil.)
fordii. (See Chinese wood-oil.)
moluccana. (See Kukui nut.)
triloba. (See Kukui nut.)
 Aleyrodes—
hibisci, R. 1912, p. 29.
sonchi, R. 1912, p. 29.
 Alfalfa—
 cost of production, B 23, p. 15.
 cultural requirements, B 23, pp. 9, 15; R. 1919, p. 70.
 feeding value, B 13, p. 9; PB 53, pp. 6, 19; R. 1919, p. 43.
 Alfalfa—Continued.
 fertilizer experiments, B 23, p. 16; R. 1919, p. 63.
 harvesting and yields, B 23, p. 13; R. 1915, p. 41; 1917, p. 49; 1918, p. 51; 1919, pp. 64, 70.
 hay, R. 1914, p. 23.
 inoculation, B 23, p. 15; R. 1919, p. 63; 1921, p. 30.
 irrigation, B 23, p. 13; R. 1919, p. 48.
 rotation with corn, B 23, p. 15.
 seeding, B 23, p. 11; R. 1918, p. 51; 1919, p. 70.
 spraying, R. 1918, p. 50.
 suitability for Hawaiian conditions, R. 1902, p. 312.
 varieties in Hawaii, B 23, p. 6.
 Alfilaria. (See *Erodium* spp.)
 Algae. (See Seaweeds.)
 Algaroba—
 bean—
 as feed, PB 26, p. 4; B 1, p. 22; B 36, p. 31.
 meal industry, R. 1909, p. 15; 1912, p. 15; 1913, p. 16; 1914, p. 19.
 botany and habitat, PB 26, p. 2.
 feeding value, B 13, p. 13; PB 26, p. 5; PB 53, pp. 14, 24; R. 1914, p. 68.
 grinding pods, B 36, p. 30.
 honey, PB 26, p. 3; B 17, p. 8; R. 1908, p. 24.
 in Hawaii, PB 26; B 36, p. 30; R. 1916, p. 7; 1919, p. 37; 1921, p. 20.
 insects affecting, R. 1907, p. 46; 1908, p. 35; 1909, p. 20; 1910, p. 20.
 marketing, PB 26, p. 7; B 36, p. 31.
 milk affected by, B 36, p. 31.
 uses, other than as feed, PB 26, p. 4.
 Alligator pear. (See Avocado.)
Allium cepa. (See Onions.)
 Allspice. (See *Pimenta officinale*.)
Aloha ipomææ, B 22, p. 30.
Alopecurus pratensis. (See Meadow foxtail.)
Alphitobius diaperinus. (See Coleoptera.)
Alternaria solani. (See Blight, early.)
Amansia glomerata. (See Seaweeds, edible.)
Amaranthus palmeri. (See Careless weed.)
 Amau, B 53, p. 3.
 Amelia sp., R. 1905, p. 46.
Amicroterys kotinskyi, R. 1912, p. 27.
 Ammonia—
 for weed destruction, PB 30, p. 6.
 in soils, R. 1906, p. 45.
 Ammoniacal solution of copper carbonate, PB 9, p. 6.
Amorbia emigratella, life history, B 22, p. 23; B 27, p. 12; B 25, p. 23; B 51, p. 15.
Anacardium occidentale. (See Cashew.)
Anagryus sp. (See Ectromini.)
Ananas sativus. (See Pineapple.)
Anastrepha fraterculus. (See Fly, mango.)
 Andropogon—
contortus. (See Pili grass.)
emerus, R. 1918, p. 47.
halepensis. (See Johnson grass.)
nodosum. (See Wilder grass.)
saccharoides. (See Fuzzy top.)
sericus. (See Australian blue grass.)
sorghum. (See Sudan grass.)
vulgare var. *saccharatum*, notes, R. 1909, p. 42.
Aneristus ceroplastæ. (See Scale parasites.)
 Angoumois grain moth, life history, B 27, p. 18; R. 1907, p. 43.
Anisoblabis spp. (See Euplexoptera.)
 Annona—
atmoya, R. 1921, p. 22.
cherimolia. (See Cherimoya.)
diversifolia. (See Ilama.)
muricata. (See Soursop.)
reticulata. (See Custard apple.)
squamosa. (See Sweetsop.)
 Annona, market value, R. 1907, p. 54.
Anomalochrysa hepatica, B 5, p. 24.
Anthonomus grandis. (See Boll weevil, cotton)

- Anthozanthum odoratum*. (See Sweet vernal grass.)
 Ants, white, damage, R 1904, p. 378.
Apentelicus kotinskyi, description, R. 1912, p. 26.
Aphelininae. (See Scale parasites.)
Aphelinus diaspidis. (See Diaspidinae.)
 Aphidæ, Hawaiian, synopsis, R. 1909, p. 20; B 12, p. 24.
Aphidencirtus sp. (See Mirini.)
 Aphididæ, R 1912, p. 30.
 Aphid—
bambusæ, description, R 1909, p. 35.
brassicæ, description, R 1909, p. 40.
dianthi, description, R 1909, p. 28.
gossypii, description, B 18, p. 9; R 1909, p. 39.
maidis, description, R 1909, p. 41.
medicaginis, R 1909, p. 39.
myosotidis, description, R 1909, p. 42.
papaveris, R 1909, p. 39.
persicæ, description, R 1909, p. 28.
sacchari, description, R 1906, p. 28; 1909, p. 35.
swezeyi, description, R 1909, p. 36.
 Aphid—
 corn, R 1902, p. 324.
 orange, R 1909, p. 27; B 9, p. 26; B 49, p. 11.
Aphycus sp. (See Mirini.)
 Apiculture. (See Beekeeping.)
 Apis—
dorsata, B 17, p. 8.
melifica, B 17, p. 8.
 Apitrefe. (See Clover, Swiss Rummellee.)
Apomecyna pertigera. (See Cerambycidae.)
 Apples—
 composition, B 25, p. 35; B 55, p. 10.
 insect pests, R 1907, p. 45; 1908, p. 33.
 Apricots, composition, B 55, p. 12.
Arachis hypogæa. (See Peanuts.)
Aræocerus fasciculatus, R 1908, p. 31; B 18, p. 24.
Aramigus fulleri. (See Fuller's rose beetle.)
Archips postvitanus, R 1909, p. 18; B 18, p. 21.
Argemone mexicana. (See Fuskala.)
 Army worms. (See Cutworms.)
Arrhenatherum elatius. (See Tall meadow oat grass.)
 Arrowroot, R 1905, p. 23.
 Arrowroot, Queensland. (See Canna.)
 Arsenate of lead as insecticide, B 3, p. 16; PB 27, p. 2; EB 4, p. 3.
 Arsenate of soda for weed destruction, PB 30, p. 6.
 Arsenic—
 and bran, insecticide, B 3, p. 19.
 biological influences, PB 50, p. 9.
 effect on ammonification and nitrification, PB 50, p. 10.
 white, insecticide, PB 27, p. 2.
 Arsenical—
 insecticides. (See Insecticides.)
 injury to potatoes, B 45, p. 35.
 Arsenite of soda—
 effect on plant growth, PB 50, p. 3.
 effect on soil, PB 50; R 1915, p. 32.
 effect on weeds, R 1910, p. 18; 1914, p. 19; PB 30; PB 48.
Arthrothamnus bifidus. (See Seaweeds, edible.)
 Artichokes—
 Jerusalem, as hog feed, R 1916, pp. 12, 41.
 market value, PB 45, p. 12.
 preparation for table, EB 9, p. 14.
 Artocarpus—
incisa. (See Breadfruit.)
integrifolia. (See Jack fruit.)
 Ascaris—
inflexa, PB 43, p. 12.
vesicularis, PB 43, p. 12.
Aclepias curassavica. (See Milkweed.)
 Ash of plants on normal and manganiferous soils, B 26, p. 35.
Asimina triloba, B 32, p. 18.
Asparagopsis sanfordiana. (See Seaweeds, collecting.)
 Asparagus—
 bean. (See Bean.)
 market value, PB 45, p. 12.
 preparation for table, EB 9, p. 14.
 Asparagus—
decumbens, R 1906, p. 36.
plumosus blampiedii, R 1906, p. 36.
plumosus nanus, R 1906, p. 36.
sprengeri, injurious insects, R 1908, p. 35.
 Aspergillois of poultry, PB 46, p. 42.
Aspidiotiphagus citrinus, PB 10, p. 4; R 1912, p. 29.
- Aspidiotus*—
auranti. (See Scale, California red.)
camellizæ, R 1912, p. 29.
cyanophylli, R 1907, p. 46.
cydonizæ, R 1912, p. 29.
latanizæ, R 1907, p. 46.
perniciosus. (See Scale, San Jose.)
rapax, notes, R 1912, p. 29.
 Asterolecanium—
miliaris, R 1907, p. 46.
pustulans, R 1907, p. 46; 1912, p. 28.
Astichus sp., R 1912, p. 29.
Astragalus sinicus, R 1910, p. 56.
 Astrebla—
pectinata. (See Mitchell grass.)
triticoides. (See Mitchell grass.)
Atractomorpha crenaticarpa, R 1907, p. 50.
 Atriplex—
halimoides. (See Saltbush, gray.)
holocarpa. (See Saltbush, all-fruited.)
leptocarpa. (See Saltbush, slender.)
nummularia. (See Saltbush, round-leaved.)
nuttallii, B 36, p. 32.
semibaccata. (See Saltbush, half-berried.)
Attagenus plebinus. (See Coleoptera.)
Auhola. (See *Tephrosia purpurea*.)
 Aulacaspis—
pentagona. (See Scale, peach.)
rosæ. (See Scale, rose.)
 Australian—
 bluegrass—
 as pasture, B 36, p. 26; R 1913, p. 37; 1915, p. 43; 1916, p. 30; 1917, p. 50; 1922, p. 10.
 feeding value, PB 53, pp. 11, 22.
 water grass—
 as pasture, B 36, p. 15; R 1915, p. 52; 1916, p. 40; 1917, p. 43; 1919, p. 72; 1922, p. 10.
 composition, B 13, p. 8; B 36, p. 11.
 feeding value, R 1907, p. 63; PB 53, pp. 5, 18.
Avena fatua. (See Wild oats.)
Averrhoa carambola. (See Carambola.)
 Avocado—
 breeding experiments, B 25, pp. 12, 32; B 51, pp. 5, 17; R 1910, p. 25; 1912, p. 36; 1913, p. 25; 1915, p. 23; 1916, p. 17; 1917, p. 19; 1921, p. 25; 1923, p. 3; 1924, p. 5; 1925, p. 4.
 classification, R 1921, p. 10.
 composition, B 25, p. 35; B 51, p. 15; R 1914, pp. 63, 66; 1921, p. 9.
 culture—
 in Hawaii, B 25; B 51; R 1920, p. 17.
 in other countries, R 1915, p. 70.
 diseases, B 25, p. 23; R 1910, p. 27; 1912, pp. 38, 50; 1921, p. 12.
 distribution by station, R 1912, p. 37; 1919, p. 20.
 food value, B 25, p. 34.
 history, B 25, p. 8; B 51, p. 2.
 insect pests, B 25, p. 21; B 51, p. 14; PB 8; PB 16; R 1904, p. 375; 1905, p. 46; 1908, p. 33; 1910, p. 26; 1912, p. 38; 1919, p. 49; 1924, p. 5.
 marketing, B 14, p. 28; B 25; B 51, p. 13; PB 21, p. 26; PB 45, p. 12; R 1910, p. 27; 1919, p. 19; 1920, p. 12.
 oil content, B 51, p. 17; R 1914, p. 63; 1920, p. 17; 1921, p. 2.
 pickling in salt brine, PB 47, p. 12.
 preparation for table, EB 9, p. 14.
 storage experiments, PB 47, p. 8.
 uses, B 25, p. 35; B 51, p. 17; R 1902, p. 321.
 varieties for Hawaii, B 25; B 51; R 1910, p. 27; 1915, p. 23; 1919, p. 20; 1920, p. 18; 1922, p. 4; 1924, p. 5.
 Awa as forage, R 1912, p. 86.
 Awnless brome, growth in Hawaii, R 1919, p. 72.
Azonomus compressus. (See Carpet grass.)
 Bacillus—
alvei. (See Bees, foul brood.)
larvæ. (See Bees, foul brood.)
phytophthorus, attacking potatoes, B 45, p. 38.
solanacearum. (See Wilt, Southern bacterial.)
subtilis, ammonification of peptone effect, B 37, p. 37.
Bactroera cucurbitæ. (See Fly, melon.)
 Balts, poisoned, B 3, p. 19; B 45, p. 14; B 54, p. 7; EB 3, p. 6; EB 4, p. 4; PB 12, p. 9; R 1905, p. 16.
 Bamboo—
 grass, R 1917, p. 43; 1918, p. 55.
 insect pests, R 1904, p. 378; 1907, p. 46; 1908, p. 34.
 timber, R 1919, p. 38.

- Banana**—
 botany, B 7, p. 39; B 55, p. 2.
 characters, B 55, p. 3.
 composition, B 7, p. 27; B 13, pp. 11, 17; B 55, p. 8; PB 53, pp. 8, 20; EB 7, p. 30; R. 1906, p. 78; 1914, pp. 66, 69.
 culture, B 7, p. 12; B 55; EB 6, p. 12; R 1911, p. 33.
 diseases, PB 54; B 7, p. 30; B 55, p. 21; R 1905, p. 64; 1911, p. 34; 1914, p. 23; 1917, p. 40; 1918, pp. 10, 36; 1919, p. 51; 1920, p. 40.
 distribution by station, R 1906, pp. 11, 34; 1911, p. 40.
 drying, EB 7, p. 14; B 55, p. 11.
 fertilizer experiments, R 1905, p. 60; 1919, p. 43; 1920, pp. 13, 34; 1921, p. 36; 1922, p. 12; 1923, p. 8; 1924, p. 14.
 fig, EB 6, p. 8; EB 7, p. 14.
 flour, EB 6, p. 6; EB 7, p. 14; B 7, p. 33; B 55, p. 11; R 1918, p. 14.
 food value, EB 6; B 55, p. 8.
 history, B 55, p. 1.
 Iholena group, B 7, p. 48; B 55, p. 42.
 industry, B 7, pp. 9, 36; R 1918, p. 37; 1921, p. 13; 1922, p. 2; EB 6, pp. 5, 10.
 insect pests, B 7, p. 32; B 55, p. 21; R 1904, p. 376; 1905, pp. 46, 65; 1906, p. 30; 1907, p. 45; 1908, p. 33.
 Maoli group, B 7, p. 49; B 55, p. 36.
 marketing, B 7, pp. 18, 30; B 14, p. 35; B 55, p. 19; PB 21, p. 24; PB 45, p. 12; R 1912, pp. 11, 41; 1918, p. 14; 1920, p. 69; 1921, p. 49; 1924, p. 4.
 nomenclature, B 7, p. 42; B 55, p. 2.
 Pisang types, B 7, p. 45; R 1905, p. 60.
 plantain, description, B 55, p. 35.
 Popoulu group, B 7, p. 51; B 55, p. 44.
 uses, R 1918, p. 13; B 7, p. 32; EB 9, p. 15.
 varieties—
 cooking, B 14, p. 38; B 55; EB 9, p. 15; R 1923, p. 4; PB 45, p. 13.
 for home consumption, B 7, p. 45.
 native, B 7, p. 46; B 55, p. 36; R 1904, p. 379.
 station, B 7, p. 42; B 55, p. 25; R 1908, p. 44; 1904, pp. 363, 380; 1905, p. 60; 1911, p. 34; 1912, p. 83; 1913, p. 50; 1921, p. 64; 1922, p. 2; 1923, p. 4.
- Bankul oil.** (See Kukui nut oil.)
Bark beetles. (See Beetles.)
Barleria flava, R 1908, p. 48.
Barley—
 insects affecting, R 1910, p. 22.
 variety tests, R 1913, p. 36; 1914, p. 37; 1915, p. 41; 1916, p. 28; 1917, p. 31.
- Barn,** tobacco curing, B 15, p. 8.
Barnyard grass—
 feeding value, B 36, p. 11; PB 53, pp. 5, 18.
 growth in Hawaii, B 36, p. 21.
- Batis maritima** as forage, B 36, p. 32.
Batrachedra rileyi, attacking corn, B 27, p. 15; R 1910, p. 22.
Bats, insectivorous, B 6, p. 25.
Bauhinia—
 spp., R 1906, p. 36.
 tomentosa. (See St. Thomas tree.)
- Bean**—
 ashy pod, R 1915, p. 41.
 asparagus, description, R 1913, p. 49.
 canning, string, R 1918, pp. 7, 16, 33.
 composition, R 1906, p. 78.
 cooking, EB 9, p. 15.
 disease, spot, EB 8.
 fertilizer tests, R 1919, p. 69.
 field production, requirements, EB 3.
 horse, R 1913, p. 49.
 insect pests, EB 3, p. 6.
 kiawe. (See Algaroba.)
 klu. (See Cassie flower.)
 Lima, R 1913, p. 49.
 marketing, PB 45, p. 13; EB 3, p. 10.
 mutation, R 1919, p. 45.
 muth, as forage, R 1916, p. 27.
 navy, white, R 1913, p. 49.
 storage. (See Storing.)
 sword, variety tests, R 1913, p. 44.
 tepary, R 1917, p. 49.
 varieties for Hawaii, EB 3, p. 4.
 variety tests, R 1918, pp. 17, 33; 1919, p. 45; 1920, p. 31; 1925, p. 17.
 weevil parasites, R 1909, p. 19; 1910, p. 17.
 weevils, life history, R 1912, p. 24.
- Bean**—Continued.
 (See also Castor bean, Jack bean, Kulthi bean, Mungo bean, Soy bean, Velvet bean, etc.)
Bedellia spp. (See Leaf miner of sweet potatoes.)
Beef—
 composition, R 1906, p. 78.
 lime content, PB 15, p. 3.
 Beekeeping industry, R 1905, p. 40; 1908, p. 23 (See also Honey.)
Bees—
 carpenter, R 1904, p. 378; 1910, p. 31.
 Cyprio crosses, R 1906, p. 24.
 fertilizing artificially, R 1913, p. 19.
 foul brood, regulations, R 1907, p. 41.
Beet—
 feeding value, PB 53, pp. 10, 21.
 marketing, PB 45, p. 14.
 preparation for table, EB 9, pp. 15, 16.
 variety test, R 1921, p. 60.
Beetles—
 bamboo. (See Bamboo, insect pests.)
 bark, R 1905, p. 46; 1907, p. 46; B 16, p. 30.
 black ground, R 1904, p. 376.
 coccinellid, breeding, R 1912, p. 31.
 rust-red flour, R 1904, p. 378.
 wood-boring, B 51, p. 14; R 1912, p. 38.
 (See also Cigarette, Japanese, and Fuller's rose beetles.)
Beggarweed—
 Florida, as green manure, R 1914, p. 41.
 nitrogen content, PB 52, p. 5.
 Belgaum oil. (See Kukui nut oil.)
 Benzine, for weed destruction, PB 30, p. 4.
Bermuda grass—
 feeding value, PB 53, pp. 5, 18; B 13, p. 8; B 36, p. 11.
 in Hawaii, R 36, p. 20; R 1903, p. 399; 1914, pp. 18, 38; 1915, p. 43; 1916, p. 30; 1918, p. 47.
 Berries, marketing, PB 45, p. 14.
 Berseem. (See Clover, Egyptian.)
Bidens pilosa. (See Spanish needles.)
 Bird of Paradise flower, B 7, p. 39.
 Birdsfoot clover. (See Trefoil.)
Biza orellana, R 1906, p. 36.
 Black fly. (See Aphis, orange.)
 Black rot of white potatoes. (See Rot, black.)
 Black scurf. (See Rosette.)
 Blackleg of potatoes. (See *Bacillus phytophthorus*.)
 Blanc mange, from limu. (See Seaweeds, uses.)
 Blattidae. (See Cockroaches.)
Blepyrus insularis. (See Mirini.)
Blight—
 coffee, R 1904, p. 375.
 early, of potatoes, B 45, p. 23; R 1918, p. 40.
 late, of potatoes, B 45, p. 20; R 1917, p. 35; 1918, p. 40.
 mango, B 12, p. 22.
 pear. (See *Dactylopius* spp.)
Blow fly. (See Fly.)
 Blue joint, B 36, p. 37.
 Blue mold, B 49, p. 12; B 9, p. 23.
 Bluebottle fly. (See Fly.)
Boehmeria stipularis, B 36, p. 32.
Borhaavia diffusa, B 36, p. 32.
 Boll weevil, cotton, R 1909, p. 17.
Bollworm—
 cotton, life history, B 18, p. 16; R 1912, p. 23; 1913, pp. 15, 38.
 cultural methods for controlling, PB 32; R 1911, p. 14.
 false, B 10, p. 9; B 34, p. 11; R 1908, p. 30.
Bordeaux mixture—
 and Paris green for biting insects, B 3, p. 15.
 formulas, B 9, p. 24; B 12, p. 23; B 45, p. 10; B 49, p. 13; EB 4, p. 8; PB 9, p. 5; R 1908, p. 47; 1919, p. 52.
Borer—
 banana, B 7, p. 32; R 1904, p. 376.
 cane. (See Cane, insect pests.)
 cotton, B 18, p. 23.
 sweet potato, R 1907, p. 44; B 22, p. 16; B 50; p. 13; EB 4, p. 6.
 (See also specific kinds.)
 Bostrichidae, R 1905, p. 49.
Bostrichus migrator. (See Bostrichidae.)
Bot fly—
 horse. (See Fly.)
 sheep. (See Fly.)
 Bottle fly. (See Fly.)
 Bougainvillaea disease, treatment, R 1910, p. 40.

- Bougainvillea* spp., R 1910, p. 40.
Bouteloua spp. (See Grama grass.)
 Box, for corn testing, PB 42, p. 5.
 Boxes—
 packing, pineapples, PB 36, p. 17.
 propagating, R 1912, p. 36.
 Boy scouts, R 1920, p. 70; 1922, p. 18; 1923, p. 14; 1924, pp. 3, 19; 1925, p. 20.
 Boys' and girls' club work, R 1919, p. 60; 1923, p. 15; 1924; pp. 3, 19, 21; 1925, pp. 3, 20, 21.
 Boys' working reserve, R 1919, p. 73; 1920, pp. 16, 70.
Brachychiton populneus. (See Carryong.)
 Braconid. (See *Chelonus blackburni*.)
 Bran, as poison bait, PB 12, p. 9; R 1905, p. 17; 1909, p. 49.
 Brassica—
 campestris, R 1918, p. 44.
 oleracea, R 1909, p. 29.
 rapa. (See Turnips.)
 Bread, St. John's. (See Carob.)
 Breadfruit—
 analysis, R 1914, pp. 64, 66; B 55, p. 10.
 marketing, PB 45, p. 15.
 notes, R 1921, p. 21; 1922, p. 7; 1923, p. 4; 1925, p. 7.
 preparation for table, EB 9, p. 16.
 Brewers' grains. (See Grains.)
 Bricks, lava, efflorescence, R. 1912, p. 59.
 Bristly foxtail, B 36, pp. 11, 21.
Briza minor, B 36, pp. 13, 20.
 Bromeliaceæ. (See Pineapple.)
 Bromus—
 erectus, R 1916, p. 30.
 inermis, B 36, p. 37.
 sericeus, R 1916, p. 31.
 unioloides. (See Rescue grass.)
 Bronchitis—
 pigs, B 48, p. 23.
 poultry, PB 46, p. 37.
 Broomcorn—
 as feed, PB 53, pp. 3, 13, 18, 23.
 broom industry, R 1911, pp. 15, 62; 1912, p. 77; PB 45, p. 15.
 seed distribution, R 1910, p. 18.
 variety tests, R 1925, p. 18.
 Brown-eyed disease of coffee, R 1904, p. 375; PB 9, p. 4.
 Brown spot of potatoes, internal, B 45, p. 40.
Bruchus prosopis. (See Bean weevils.)
 Brussels sprouts, marketing, PB 45, p. 15.
Bryophyllum calycinum, destruction, PB 30, p. 11.
 Buckwheat—
 arsenic effect, PB 50, p. 5.
 notes, R 1914, p. 40; 1915, p. 43.
 Bud worm, tobacco, R 1904, p. 377.
 (See also Bollworm, false.)
 Budwood—
 demands for, R 1911, p. 11.
 preservation, R 1909, p. 48.
 Buffalo grass—
 as feed, B 13, p. 8; B 36, p. 11; PB 53, pp. 5, 18.
 for range improvement, R 1912, p. 79.
 notes, B 36, p. 13; R 1914, p. 39; 1915, p. 43; 1916, p. 30.
 Buffaloes in the United States, SB Grazing, p. 28.
 Buhach, insecticide, B 3, p. 17; PB 27, p. 4.
 Buildings. (See Station.)
Bubibis dactyloides. (See Buffalo grass.)
 Burlap wrapping for seedlings, R 1912, p. 37.
 Burning, effect on plants and soil, B 30, pp. 5, 6.
 Butterfly—
 blue, B 46, p. 23.
 cabbage, R 1904, p. 376.
 Butter making, PB 31.
 (See also Creamery.)
 Butter, market value, PB 45, p. 15.
 Buttermilk, marketing, PB 45, p. 16.
 Cabbage—
 cooking, EB 9, p. 16.
 disease, R 1904, p. 380.
 fertilizer experiment, R 1921, p. 33.
 marketing, PB 45, p. 16.
 pests, insect, R 1908, p. 31.
 (See also Diamond-backed cabbage moth.)
 Cacao, cultivation, R 1917, p. 21.
 Cactus. (See Pear, prickly.)
 Cadelle, R 1906, p. 29.
Cesalpinia gilliesii, notes, R 1906, p. 35.
Cafanus indicus. (See Pigeon pea.)
Caladium esculentum. (See Taro.)
Calamagrostis—
 forsteri. (See Toothed bent grass.)
 jangsdorfii, B 36, p. 37.
 Calamondin. (See *Citrus mitis*.)
Calamus sp., R 1909, p. 57; 1910, p. 40.
 Calandra—
 linearis, R 1907, p. 48.
 linearis striata, R 1907, p. 48.
 oryza. (See Weevils, rice.)
 remota. (See Borer, banana.)
 Calcium. (See Lime.)
Calliphora duz. (See Fly, blow.)
Callithmysus koebeli, R 1908, p. 40.
 Calotermes—
 castaneus, R 1908, p. 36.
 marginipennis. (See Ants, white.)
 Calotropis, PB 37, p. 2.
 Camphor, R 1908, p. 49; 1916, p. 21.
Camphora officinalis. (See Camphor.)
Campoletis (Linneria) tibiator, R 1905, p. 48.
Campylochea spp., B 36, p. 32.
 Canada, western, as a market for Hawaiian fruit, R 1907, p. 53.
 Canadian bluegrass. (See *Poa compressa*.)
 Canarium—
 commune, R 1911, p. 40.
 ovatum. (See Pili nuts.)
 Canary grass. (See *Phalaris commutata*.)
 Canavali—
 ensiformis. (See Jack bean.)
 gladiata. (See Bean, sword.)
 gladiata incurva. (See Bean, sword.)
 Candle nut. (See Kukui-nut oil.)
 Cane—
 diseases, PB 9, p. 1; PB 54.
 copperas solution for, R 1918, p. 50.
 fertilizer experiments, R 1922, p. 14; 1924, p. 14.
 industry, status, R 1903, p. 407.
 insect pests, B 5; R 1902, p. 325; 1904, p. 374; 1906, p. 28; 1907, p. 26; 1908, p. 29.
 Japanese. (See Cane, Uba.)
 sugar. (See sugar.)
 top silage, R 1915, p. 52.
 tops, feeding value, B 13, p. 7; PB 53, pp. 3, 18; R 1919, p. 43.
 Uba, R 1921, pp. 30, 61; 1922, p. 9; 1923, p. 6; 1924, p. 11.
 upland sugar, R 1921, p. 36; 1922, p. 14.
 Yellow Tip, R 1921, p. 61.
 Canna, edible—
 as a feed, B 54, p. 12; R 1918, p. 54; 1923, p. 10.
 botany, B 54, p. 2.
 composition, B 54, p. 7; PB 53, p. 9; R 1916, p. 25; 1923, p. 10.
 drying, EB 7, p. 23.
 fertilizer tests, B 54, p. 5; R 1918, p. 48; 1920, p. 27; 1921, p. 61; 1922, p. 17.
 flour, EB 7, p. 26.
 in Hawaii, B 54; R 1925, p. 20.
 insect pests, B 54, p. 7.
 starch, B 54, pp. 1, 13, 15; R 1919, p. 10; 1924, p. 14; 1925, p. 11.
 storing, B 54, p. 6; R 1916, p. 41.
 study of growth, R 1925, p. 12.
 yield, B 54, p. 6; R 1916, p. 41; 1917, p. 51; 1918, pp. 11, 48; 1919, p. 47; 1920, p. 27; 1921, pp. 61, 63; 1925, p. 16.
Canna edulis. (See Canna, edible.)
 Canning—
 advantage, EB 7, p. 2.
 demonstrations, R 1924, p. 24; 1925, p. 23.
 effect on nutritive value of food, EB 9, p. 8.
 Cans, tin—
 for propagating plants, R 1912, p. 36.
 v. pots for seedlings, PB 41.
 Cape gooseberry. (See Poha.)
Capnodium sp., R 1918, p. 44.
 Caprifig. (See Figs.)
Capriola [Cynodon] dactylon. (See Bermuda grass.)
 Capsicum—
 annuum. (See Peppers.)
 frutescens. (See Peppers.)
 Caradrina—
 crigua, R 1913, p. 19.
 reclusa, R 1908, p. 40; B 34, p. 6.
 Carambola—
 composition, R 1914, p. 67.
 description, R 1907, p. 55.

- Carbohydrates—
in rice plants, B 21, p. 43.
in the body, EB 9, p. 2.
- Carbolic acid—
emulsion, formula, B 51, p. 15.
for weeds, PB 30, p. 4.
- Carbon bisulphide—
as insecticide, B 3, p. 24; B 34, p. 19; PB 27, p. 5.
for pineapples for shipment, PB 22, p. 6.
for potatoes, B 45, p. 30.
for weed destruction, PB 25; R 1909, p. 15.
- Careless weed, as forage, B 36, p. 32.
- Carica spp. (See Papaya, in Hawaii.)
- Carissa—
ardua, R 1909, p. 56; 1910, p. 38; 1911, p. 41.
grandiflora. (See Natal plum.)
- Carob, R 1921, p. 20.
- Carpet grass, R 1920, p. 30; B 36, p. 17.
- Carpet grass, R 1920, p. 30; B 36, p. 17.
- Caryodinus* spp. (See Rubber, African.)
- Carpophilus humeralis*, notes, PB 36, p. 34.
- Carrots, cooking, EB 9, p. 16.
- Carrots, notes, PB 45, p. 16; R 1919, p. 47; 1920, p. 32; 1925, p. 17.
- Carryong, composition, R 1906, p. 36; 1914, p. 68.
- Caryoborus gonagra*. (See Bean weevils.)
- Caryota urens*. (See Palm, wine.)
- Casein, effect of bacterial action, B 39, p. 18.
- Cashew, composition, R 1906, p. 35; 1914, pp. 65, 68.
- Cassava—
drying, EB 7, p. 17.
feeding value, B 13, p. 11; PB 53, pp. 9, 12, 20, 23; EB 7, p. 19; R 1920, p. 60.
flour, EB 7, pp. 18, 29, 30.
hydrocyanic acid contents, EB 7, p. 18; R 1916, p. 24.
keeping qualities, R 1924, p. 12.
in Hawaii, R 1905, p. 23.
insect pests, R 1905, p. 48; 1908, p. 31.
poi, EB 7, p. 18.
(See also Poi.)
starch, R 1902, p. 322; 1919, pp. 10, 71.
variety tests, R 1917, p. 51; 1918, p. 48; 1919, p. 45; 1920, pp. 27, 60; 1921, p. 62; 1922, p. 8.
- Cassia chamaecrista*. (See Partridge pea.)
- Cassia flower—
feeding value, B 13, p. 11; PB 53, pp. 8, 20.
in Hawaii, R 1901, p. 377.
insect pests, R 1906, p. 30.
- Castilloa—
elastica. (See Rubber, black.)
lactiflua, R 1907, p. 18.
- Castina licus*. (See Banana insect pests.)
- Castner forage-crop station. (See Substations.)
- Castor bean—
cultivation and history, PB 2; R 1903, p. 404.
market value, R 1901, p. 379; 1902, p. 322.
oil, R 1902, p. 322; PB 2.
pomace, analyses, PB 2; R 1908, p. 60.
yields, R 1902, p. 322; R 1903, p. 404.
- Casuarina equisetifolia*. (See Ironwood.)
- Catalpa—
bignonioides, R 1908, p. 24.
speciosa, R 1908, p. 24.
- Catarrh, of poultry, PB 46, p. 37.
- Catch crops, for rubber plantations, B 16, p. 12.
- Caterpillars—
affecting algaroba flowers, R 1909, p. 20.
defoliating, life history, B 27, p. 11.
green, B 49, p. 11.
leaf-folding. (See *Archips posttritanus*.)
- Catorama mexicana*, R 1910, p. 22.
- Cattle—
bananas as a feed for cows, R 1920, p. 66.
diseases, R 1903, p. 401; 1915, p. 53.
in Hawaii, R 1902, p. 311; 1914, p. 59; 1915, p. 53.
insect pests, R 1907, p. 47; 1908, p. 36.
(See also Liver fluke.)
lime content, PB 15, p. 2.
production in United States, SB Grazing, p. 67.
ridding of flies, EB 2, p. 2.
(See also Dairy.)
- Cauliflower, cooking, EB 9, p. 16.
- Cauliflower, market value, PB 45, p. 16.
- Cayenne grass, R 1918, p. 47.
- Ceara rubber. (See Rubber.)
- Celery—
cooking, EB 9, p. 17.
disease control, R 1916, p. 42.
market value, PB 45, p. 17.
- Cenchrus*—
echinatus. (See Sandbur grass.)
montanus, B 36, p. 37.
- Centroceras clavulatum*. (See Seaweeds, edible.)
- Centrosema plumeri*, R 1905, p. 63.
- Cerambycidae, R 1908, p. 32.
- Cerambycobius cushmani*, R 1910, p. 20.
- Cerapterocer* sp. (See Mirini.)
- Cerataphis lantanis*, description, R 1909, p. 45.
- Ceratitis capitata*. (See Fly, Mediterranean fruit.)
- Ceratonia stiliqua*. (See Carob.)
- Cercospora*—
bolleana, R 1919, p. 53.
coffeicola. (See Brown-eyed disease of coffee.)
- Cereals. (See Grains.)
- Ceresium simplex*, R 1905, p. 49.
- Ceriman cherry, composition, R 1914, p. 67.
- Ceromasia sphenophori*, notes, B 55, p. 22.
- Ceroplastes rubens*, R 1912, p. 28.
- Cestrum diurnum*. (See Chinese inkberry.)
- Chaetochloa*—
glauca. (See Yellow foxtail.)
palmifolia. (See Bamboo grass.)
verticillata. (See Bristly foxtail.)
- Chaetozedra monticola*, R 1908, p. 40; 1911, p. 18.
- Chaetomorpha antennina*. (See Seaweeds, edible.)
- Chalcidoidea, R 1912, p. 28.
- Chalcis obscura*, R 1911, p. 18.
- Chalcolepidius erythroloma*, R 1905, p. 49.
- Champia compressa*. (See Seaweeds, edible.)
- Charcoal, value, PB 45, p. 17.
- Chayote, as intercrop for avocado, B 51, p. 11.
- Cheese, composition, R 1906, p. 78.
- Chelem. (See Sisal.)
- Chelonus blackburni*, B 18, p. 21; R 1909, p. 18; 1912, p. 24.
- Cherimoya—
analysis, R 1914, pp. 64, 67.
notes, R. 1907, p. 54; 1908, p. 49; 1921, p. 22.
- Cherry, ground. (See Poha.)
- Chestnuts, composition, B 25, p. 35.
- Chewings' fescue. (See Red fescue.)
- Chicken pox. (See Sorehead of poultry.)
- Chickens. (See Poultry.)
- Chickle. (See Rubber.)
- Chilocorus circumdatus*, B 18, p. 25.
- Chinese wood-oil, R 1911, p. 41; 1915, p. 25; 1916, p. 19; PB 39, p. 3.
- Chinese inkberry, R 1908, p. 26.
- Chinini. (See *Persea* spp.)
- Chloris—
ciliata. (See Finger grass.)
elegans, feed value, B 13, p. 8; PB 53, pp. 5, 18.
gayana. (See Rhodes grass.)
virgata. (See Rhodes grass.)
- Chnoospora fastigata pacifica*. (See Seaweeds, edible.)
- Cholera—
hog, B 48, p. 23.
poultry, PB 46, p. 41; B 1, p. 18.
- Chondria tenuissima* var. *intermedia*. (See Seaweeds, edible.)
- Chondrus crispus*. (See Seaweeds, edible.)
- Chrysomphalus*—
anidum. (See Scale, Florida red.)
aurantii. (See Scale, citrus.)
dictyospermi, R 1905, p. 48.
ficus, R 1905, p. 46; 1907, p. 45.
- Chrysophlyctis endobiotica*. (See Wart, black.)
- Chrysopa microphya*, B 5, p. 24.
- Chrysophyllum cainito*. (See Star apple.)
- Chrysopogon*—
aciculatus. (See Pilipiliula grass.)
montanus, R 1914, p. 38.
- Chutneys. (See Mango.)
- Chylocardia rigens*. (See Seaweeds, edible.)
- Chytridinae, PB 54, p. 4.
- Cibotium* spp. (See Tree fern.)
- Cigarette beetle, B 10, p. 14; B 34, p. 18; R 1904, p. 378.
- Cimex lectularius*, R 1908, p. 37.
- Cinchona. (See Peruvian bark.)
- Cinnamomum camphora*. (See Camphor.)
- Cinnamomum cinnamomum*, B 25, p. 9.
- Cirphis—
amblycasis, B 27, p. 8.
pyrrhias, B 27, p. 8.
unipuncta, R 1910, p. 21.
(See also Cutworms.)
- Cissus* sp., R 1906, p. 35.

Citron, R 1911, p. 39.

Citrus—

- aurantifolia*. (See Limes, acid.)
- aurantium amara*. (See Orange, sour.)
- decumana*. (See Pomelo.)
- limetta*, B 49, p. 2.
- limonum*. (See Lemons.)
- medica acida*. (See Limes.)
- mitis*, B 49, p. 4.
- pomelanus*. (See Pomelo.)

Citrus—

- composition, B 49, p. 14.
- diseases, B 9, p. 22; B 49, p. 12.
- in Cuba, Florida, and Porto Rico, R 1915, p. 66.
- in Hawaii, B 9; R 1905, p. 61.
- insect pests, R 1904, p. 375; 1905, p. 46; 1906, p. 29; 1908, p. 32; 1909, p. 48; 1910, p. 35; B 9, p. 25; B 49, p. 10.

Cladophora nitida. (See Seaweeds, edible.)

Clausena lansium, R 1914, p. 33.

Clausena wampa. (See Wampee.)

Climate. (See Hawaii.)

Clod masher. (See Plank drag.)

Clover—

- alsike, B 36, p. 30.
- birdsfoot. (See Trefoil.)
- bur, R 1916, p. 40; 1917, p. 45; B 36, p. 30.
- crimson, B 36, p. 30.
- Egyptian, R 1914, p. 41; B 36, p. 30.
- hop, B 36, p. 30.
- Hubam, R 1922, p. 11.
- Indian, B 36, p. 30.
- Japan, B 36, p. 29.
- Mexican, B 36, p. 33.
- red, B 36, p. 30.
- Spanish—
 - as forage crop, B 36, p. 29.
 - feeding value, B 13, p. 9; PB 53, pp. 7, 19.
 - lime content, PB 15, p. 5.
 - nitrogen content, PB 52, p. 5.
- sweet—
 - feeding value, PB 53, pp. 8, 20.
 - notes, R 1915, p. 40; 1919, pp. 48, 70; B 36, p. 30.
 - Swiss Kummellee, R 1916, p. 28.
 - white, notes, B 36, p. 30.
 - (See also *Trifolium* spp.)

Clubs. (See Boys' and girls' club work.)

Cocaine, for chicken eyeworm, PB 43, p. 4.

Coccidiosis. (See Poultry diseases.)

Coccinella—

- abdominalis*. (See Ladybird beetles.)
- repanda*. (See Ladybird beetles.)

Cocophagus—

- immaculatus*, R 1905, p. 48.
- lecanii*, R 1912, p. 29.
- orientalis*, R 1912, p. 29.

Coccus—

- elongatus*, B 46, p. 22.
- hesperidum*, R 1905, p. 48.
- (*Lecanium*) *mangiferæ*, B 12, p. 24.
- longulus*, R 1905, p. 48.
- mangiferæ*, R 1906, p. 30.
- punctuliferus*, R 1908, p. 32.
- viridis*, R 1908, p. 32.

Cocklebur, B 36, p. 33.

Cockroaches—

- attacking lime trees, B 49, p. 11.
- home-frequenting species, R 1904, pp. 374, 377.

Coconut—

- analysis, R 1914, pp. 65, 68.
- germination tests, R 1921, p. 19; 1922, p. 7.
- insect pests, R 1907, p. 45; 1908, p. 34.
- market value, PB 45, p. 18.
- meal—
 - effect of bacterial action on, B 39, p. 21.
 - feeding value, B 13, p. 13; PB 53, pp. 15, 24.

Cocoon. (See Silk culture.)

Cocos nucifera. (See Coconut.)

Codfish, composition, R 1906, p. 78.

Codium spp. (See Seaweeds, edible.)

Coleococcus carolinensis. (See Palm, ivory nut.)

Coleophora spp. (See Beetles, coccinellid.)

Coffea—

- arabica*, R 1906, p. 36.
- liberica*, R 1906, p. 35.
- zanguebariz*, R 1906, p. 36.

Coffee—

- bean weevil. (See *Aræocerus fasciculatus*.)
- composition, R 1914, p. 68; 1919, p. 36.
- cultivation, R 1901, p. 371; 1919, p. 33.
- disease, brown-eyed. (See Brown-eyed disease.)
- diseases, R 1918, p. 42.
- industry—

- condition, R 1901, p. 366; 1902, p. 313; 1903, p. 409; 1906, p. 14; 1919, p. 31.
- needs, R. 1919, p. 33.

- insect pests, R 1904, p. 375; 1905, p. 65; 1908, p. 29.
- marketing, R 1903, p. 411; 1919, p. 31; PB 45, p. 18.

Cold storage for tropical fruits, PB 47; R 1914, p. 23.

Colds, of poultry, PB 46, p. 37; B 1, p. 19.

Coleococcus amicarum, R 1909, p. 57.

Coleoptera, R 1913, p. 19.

Colletotrichum—

glæosporioides, R 1919, p. 24.

indemuthianum, R 1917, p. 42.

Colocasia antiquorum esculentum. (See Taro.)

Colorado grass. (See *Panicum* spp.)

Commelina nudiflora. (See Honohono grass.)

Compsomyia macellaria. (See Screw worm.)

Concentrates, feeding value, PB 53, pp. 13, 24.

Constipation of—

poultry, PB 46, p. 40.

swine, B 48, p. 24.

Cookia punctata. (See Wampee.)

Cooking, effect on food, EB 9, p. 8.

Cook's hard soap emulsion, B 3, p. 21.

Cooperation—

- benefit to farmers, EB 1, p. 6; EB 2, p. 5.
- in fruit marketing, PB 21, p. 10.
- with boy scouts, R 1921, p. 50; 1922, p. 18.
- with growers, R 1918, p. 6; 1911, p. 9.
- with industrial service workers, R 1921, p. 50.
- with military posts, R 1914, p. 12; 1916, p. 6; 1917, p. 6; 1918, p. 6; 1920, p. 11.
- with miscellaneous, R 1910, p. 10; 1915, p. 49; 1919, pp. 8, 57.
- with Territorial authorities, R 1904, p. 362; 1907, p. 11; 1918, p. 30.
- (See also Extension, county agent.)

Copper—

carbonate solution, formula, PB 9, p. 6.

sulphate for weed destruction, PB 30, p. 5.

Coral sand, analysis, B 42, p. 4.

Coral tree, PB 6, p. 4.

Cordyline terminalis. (See Ti leaves.)

Coriza blackburni, PB 20, p. 10.

Corky seab attacking potatoes, B 45, p. 26.

Corn—

- cooking, EB 9, p. 17.
- culture and improvement, PB 42; R 1903, p. 393; 1917, p. 30.
- diseases, PB 42, p. 32.
- feeding, PB 42, p. 21.
- feeding value, PB 42, p. 1; PB 53, pp. 4, 10, 15, 18, 20, 24; PB 42, p. 23.
- fertilizer requirements, PB 42, p. 10; R 1915, p. 15; 1919, p. 62; 1920, p. 57.
- field, PB 45, p. 18; R 1925, p. 18.
- food value, PB 42, p. 24; EB 6, pp. 4, 7; R 1906, p. 78.
- harvesting, PB 42, p. 15.
- insect pests, R 1902, p. 324; 1903, p. 393; 1908, p. 31; 1910, p. 21; 1917, p. 51; B 3, p. 7; B 27, PB 42, p. 31.
- judging, PB 42, p. 31.
- picker, PB 42, p. 18.
- seed, PB 42, pp. 4, 26.
- shelling, PB 42, p. 19.
- shocker, PB 42, p. 18.
- shrinkage and loss, PB 42, p. 20.
- sled cutters, PB 42, p. 18.
- species, PB 42, p. 3.
- stalk disposal, PB 42, p. 13.
- storing, PB 42, p. 18.
- structure, PB 42, p. 2.
- sweet, market value, PB 45, p. 18; R 1913, p. 39.
- varietal tests, R 1911, p. 63; 1913, p. 52; 1917, p. 30; 1918, p. 46; 1919, pp. 44, 62, 70; 1920, pp. 28, 56; 1921, pp. 3, 29, 64; 1922, p. 9; 1924, p. 11; 1925, p. 9.
- waste, prevention, R 1913, p. 40.
- weights, accepted, PB 42, p. 20.
- Corrodentia, notes, R 1913, p. 18.
- Corrosive sublimate for potato seed disinfection, EB 4, p. 11; B 45, p. 9; R 1919, p. 65.

- Cosmophila*—
noctivolans, B 29, p. 16.
sabulifera, R 1907, p. 46.
- Cotton—
 baling, PB 34, p. 8; PB 45, p. 18.
 culture, PB 32, p. 6.
 diseases, PB 34, p. 23; R 1909, p. 70.
 fertilizer tests, R 1910, p. 44; 1911, p. 51.
 fertilizers, recommended, PB 34, p. 23; PB 24, p. 13.
 fiber tests, R 1911, p. 61.
 ginning, R 1912, p. 75; PB 24, p. 14.
 improving the crop, PB 34, p. 20.
 in Hawaii, PB 34; R 1902, p. 322.
 industry, R 1902, p. 322; 1903, p. 407; 1910, p. 57.
 insects—
 beneficial, B 18, p. 24.
 injurious, R 1908, p. 18; 1909, p. 17; 1910, p. 22; B 18.
 (See also Bollworm.)
 irrigation, PB 34, p. 21.
 picking, PB 24, p. 14; PB 34, pp. 6, 15.
 planting, R 1909, p. 74; PB 24, p. 12.
 pruning, PB 32, p. 3; PB 34, pp. 11, 16; R 1912, p. 75.
 report, PB 24.
 seed, PB 34, p. 20; PB 24, p. 14.
 seed meal, bacterial action in, B 39, p. 20.
 soils, PB 24, p. 11; PB 34, p. 4; R 1909, p. 72.
 temperature effect, PB 24, p. 11; R 1911, p. 13.
 tillage, PB 24, p. 12; R 1909, p. 73.
 variety tests, PB 24; R 1906, p. 10; 1908, pp. 15, 82; 1909, p. 69; 1910, pp. 13, 58; 1911, p. 56; 1912, p. 14; 1913, p. 38; 1915, p. 44.
 wild, B 36, p. 32.
- Couch grass, blue, R 1917, p. 49; 1918, p. 47.
- County agents. (See Extension.)
- Cover crops—
 classification, R 1913, p. 41.
 orchard, R 1908, p. 42; 1909, p. 53; B 51, p. 10.
- Cowpeas—
 arsenic effect, PB 50, p. 5.
 culture, B 23, p. 16.
 feeding, B 23, p. 18.
 feeding value, PB 53, pp. 6, 19.
 harvesting, B 23, p. 18.
 meal, feeding value, PB 53, pp. 12, 15, 22, 24.
 nitrogen content, PB 52, p. 5.
 sterilization, effect of, R 1915, p. 38.
 varietal tests, R 1917, p. 29; 1920, p. 31; 1921, p. 31; 1922, p. 11.
 wild, feeding value, B 13, p. 9; PB 53, pp. 7, 19.
- Cows. (See Cattle.)
- Coyó. (See *Persea* spp.)
- Crab grass—
 feeding value, B 13, p. 8; B 36, p. 11; PB 53, pp. 5, 18; R 1912, p. 81.
 notes, B 36, p. 22.
- Crackers, composition, R 1906, p. 78.
- Crates—
 fruit packing, B 14, p. 35; B 25, p. 30; PB 36, p. 19.
 hog breeding and loading, B 48, p. 13.
- Cream, market value, PB 45, p. 19.
- Creamery, Glenwood substation, notes, R 1913, pp. 9, 51; 1914, pp. 10, 59; 1918, p. 27; 1919, p. 59; 1920, p. 65; 1921, p. 45.
- Creeping bent grass, notes, R 1912, p. 81; B 36, p. 37.
- Creeps for pigs, B 48, p. 11.
- Cresium simplex*, B 11, p. 16.
- Crested dogtail, B 36, p. 37; R 1919, p. 72.
- Cridle mixture. (See Baits, poisoned.)
- Crocodysema plebiana*, notes, R 1913, p. 19.
- Crop production, educational work, R 1920, p. 70.
- Cropping systems for swine, B 48, p. 31.
- Crops—
 aquatic. (See Rice and Taro.)
 effect of brackish irrigation water. (See Irrigation.)
 marketing, notes, R 1920, p. 69.
 miscellaneous staple, notes, R 1901, p. 373; 1911, p. 62.
 root, for swine, B 48, p. 33.
 truck, R 1918, p. 33.
 tuber, for swine, B 48, p. 33.
 (See also Catch, Fiber, etc.)
- Crotalaria*—
assamica. (See Sunn hemp.)
candicans, R 1916, p. 27.
incana. (See Rattlepod.)
- Crotalaria*—Continued.
juncea. (See Sunn hemp.)
longirostrata, PB 48, p. 6.
madurensis, R 1915, p. 41; 1916, p. 10.
mesopotamica, R 1915, p. 41.
saltiana. (See Rattlepod.)
striata, R 1915, p. 41.
- Croton, insect pests, R 1908, p. 35.
- Crowfoot grass, B 36, p. 37.
- Crucifers, pests, R 1914, p. 43.
- Cryptoblabes aliena*, R 1909, p. 20; 1910, p. 22.
- Cryptolemus montrouzieri*, R 1905, p. 48.
- Cryptomeria japonica*, B 26, p. 10.
- Cryptophlebia illepidia*, R 1910, p. 19.
- Cryptorhynchus batatae*. (See Weevils; sweet potato.)
- Cryptorhynchus mangiferae*. (See Mango insects.)
- Cryptostegia* spp., R 1907, p. 18.
- Ctenocephalus canis*. (See Fleas.)
- Cucumber—
 preparation for table, EB 9, p. 17.
 wild, R 1919, p. 39.
- Cucurbita lagenaria villosa*, R 1906, p. 36.
- Cucurbits—
 insect pests, B 3, p. 7; R 1902, p. 324; 1907, p. 30; 1908, p. 32; 1919, p. 39.
 marketing, PB 45, p. 19.
 (See also specific kinds.)
- Culex* spp. (See Mosquitoes.)
- Culicidæ. (See Mosquitoes.)
- Cupressus macrocarpa*. (See Cypress, Monterey.)
- Curcuma longa*. (See Olena.)
- Curly dwarf. (See Leaf roll.)
- Custard apple, R 1921, p. 22.
- Cuttings—
 bottom heating, R 1912, p. 47; 1920, p. 25.
 distribution, R 1919, p. 49; 1920, p. 26; 1922, p. 11; 1923, p. 8; 1924, p. 12; 1925, pp. 11, 10.
- Cutworms—
 climbing, R 1909, p. 49.
 corn, B 27, p. 7.
 insecticides for, B 3, p. 15.
 life history, B 18, p. 7.
 miscellaneous crops, R 1901, p. 373; 1902, p. 324; 1913, p. 51.
 potato, B 45, p. 30.
 rice, R 1909, p. 18.
 sweet potato, B 22, p. 10; B 50, p. 12.
 tobacco, B 10, pp. 3, 4; B 34, p. 5.
- Cyanide gas, fumigation for insects, R 1908, p. 27.
 (See also Hydrocyanic acid.)
- Cylas* spp. (See Weevils, sweet potato.)
- Cyrtene crinicornis*, R 1905, p. 49; B 11, p. 16.
- Cynodon dactylon*. (See Bermuda grass.)
- Cynosurus cristatus*. (See Crested dogtail.)
- Cyperus*—
rotundus. (See Nut grass, Japanese.)
totiformis. (See Matting sedge and rush, experiments.)
- Cyphomandra betacea*. (See Tree tomato.)
- Cypress girdler. (See Cockroaches.)
- Cypress, Monterey, as windbreak, R 1909, p. 54.
- Cystophyllum fusiforme*. (See Seaweeds, edible.)
- Cytisus proliferus*. (See Tree lucern.)
- Cytospora batatas*. (See Pox.)
- Dactylois glomerata*. (See Orchard grass.)
- Dactylopus* spp., notes, B 4, p. 30; PB 8; PB 16, pp. 1, 5, 6; R 1904, pp. 374, 375.
- Dacus cucurbitæ*. (See Fly, melon.)
- Dacus tryoni*, R 1907, p. 34.
- Dæmonorops. (See *Calamus* spp.)
- Dairy—
 herd, R 1921, p. 59.
 (See also Cattle.)
 industry, R 1901, p. 365; 1903, p. 401; 1918, p. 51; 1921, p. 43; 1922, p. 19.
- Dandelion, B 36, pp. 32, 33.
- Danthonia* spp. (See Wallaby grass.)
- Date palm. (See Palm.)
- Datura stramonium*. (See Jimson weed.)
- Daucus carota*. (See Carrots.)
- Deciduous fruits, R 1907, pp. 18, 58; 1908, p. 50; 1910, p. 39.
- Deilephila lineata*, B 34, p. 13.
- Delphax* spp., B 5, pp. 16, 17.
- Demonstration—
 farms, R 1910, p. 9; 1911, p. 8; 1912, p. 8; 1913, p. 7; 1915, pp. 46, 48; 1916, p. 33; 1917, p. 8; 1920, p. 63; 1921, p. 8; 1922, p. 19.
 (See also Substations.)
 plats, R 1920, p. 68.

- Dermestes cadaverinus*, R 1905, p. 49.
- Desmodium**—
hirtum, R 1916, p. 28.
tortuosum. (See Beggarweed, Florida.)
triflorum, feeding value, B 13, p. 9; PB 53, pp. 7, 19.
uncinatum. (See Clover, Spanish.)
- Diamond-backed cabbage moth, life history, R 1914, p. 46.
- Diaporthe batatatis*. (See Rot, dry, sweet potato.)
- Dizetius rapæ*, R 1912, p. 29.
- Diarrhoea** of—
 poultry, PB 46, pp. 40, 43; B 1, p. 18.
 swine, infectious, B 48, p. 24.
- Diaspinæ**, R 1912, p. 30.
- Diaspis**—
amygdali, R 1903, p. 417.
bromelizæ. (See Scale, pineapple.)
rosæ. (See Scale, rose.)
- Dicranotropis**—
maidis, R 1903, p. 417.
vastatrix, B 5, p. 17.
- Dictyophoradelphax mirabilis*, R 1908, p. 40.
- Dictyota* spp. (See Seaweeds, edible.)
- Die-back. (See Avocado, Citrus, and Cotton diseases.)
- Digitaria didactyla*. (See Couch grass, blue.)
- Dimocarpus longan*, B 44, p. 20.
- Dinoderus minutus*. (See Bamboo, insect pests.)
- Dioscoreas* pp. (See Yams.)
- Diospyros ebenaster*. (See Sapote.)
- Diplodia**—
opuntizæ, R 1918, p. 43.
tubericola. (See Rot, root, Java.)
- Dipping vat, for hogs, B 48, p. 10.
- Diptera**, R 1913, p. 18.
- Disinfectants, for poultry, PB 46, p. 52.
- Dispharagus nasutus*. (See Round worms.)
- Distemper, chicken, PB 46, p. 37; B 1, p. 19.
- Distoma hepaticum*. (See Liver-fluke.)
- Dodonæa viscosa spathulata*, notes, R 1908, p. 26.
- Dogs**—
 insect pests, R 1907, pp. 35, 48; 1908, p. 37.
 prairie, injury to range, SB Grazing, p. 32.
- Dolichos**—
biflorus. (See Kulthi bean.)
lablab, R 1913, p. 48; B 36, p. 29.
sesquipedalis, B 23, p. 18.
- Dragon flies. (See Fly, dragon.)
- Drainage, B 40, pp. 9, 18; PB 38, p. 1; R 1913, p. 16.
- Drastringia amabilis*, PB 14, p. 6.
- Dried blood, bacterial action in, B 39, p. 18.
- Drier, EB 7, p. 6; R 1918, p. 22; 1919, pp. 12, 40.
- Drospseed. (See *Sporobolus* spp.)
- Drosophila ampelophila*. (See Fly, pomace.)
- Dry farming. (See Farming.)
- Drying Hawaiian fruits and vegetables, R 1918, pp. 8, 22; 1921, p. 1.
 (See also Food.)
- Duck farming, conditions of industry, R 1901, p. 377; PB 45, p. 19; PB 46, pp. 3, 31.
- Durian, notes, R 1925, p. 9.
- Durio zebethinus*. (See Durian.)
- Dynamite, use in farming, PB 36, p. 9; PB 38, p. 1; R 1912, p. 14; 1913, p. 16; 1914, p. 20; 1920, p. 52.
- Dysentery, poultry, PB 46, p. 41.
- Earworms. (See Corn insect pests.)
- Eboc oil. (See Kukui-nut oil.)
- Echinochloa* spp. (See Barnyard grass.)
- Ecklonia bicyclis*. (See Seaweeds, edible.)
- Ecthodolaphax fairchildii*, B 5, p. 24.
- Ectobia germanica*. (See Cockroaches, house-frequenting.)
- Ectocarpus* sp., R 1906, p. 64.
- Ectoposocus fullawayi*, R 1913, p. 18.
- Ectromini, R 1912, p. 28.
- Eelworms. (See Nematodes.)
- Eggplants, cooking, EB 9, p. 17.
- Eggplants, notes, PB 45, p. 20; R 1918, p. 43.
- Eggs**—
 composition, R 1906, p. 78.
 importation, B 1, p. 7.
 lime content, PB 15, p. 3.
 marketing, PB 45, p. 19; PB 46, p. 3.
 production, R 1919, p. 59; 1921, p. 58.
 selecting, PB 46, p. 14; R 1924, p. 14.
- Elæis guineensis*. (See Palm, oil.)
- Eleocharis obtusa*. (See Sedge.)
- Elephant grass. (See Napier.)
- Eleusine**—
ægyptiaca. (See Crowfoot grass.)
indica. (See Yard grass.)
- Eleutheroda dytiscoides*. (See Cockroaches.)
- Elimæa appendiculata*, B 34, p. 18.
- Elipsoæ inconstans*, B 18, p. 24.
- Elymus condensatus*. (See Giant rye grass.)
- Emmer, R 1922, p. 22.
- Emolua, B 36, p. 13.
- Empusa culicis*, B 6, p. 25.
- Encarsia* sp., R 1912, p. 29.
- Encyrtidæ, R 1912, p. 28.
- Encyrtus* spp., R 1912, p. 28.
- Endive, cooking, EB 9, p. 17.
- Enteromorpha* spp., R 1906, p. 64.
- Entomological**—
 investigations, R 1903, p. 414.
 library accessions, R 1906, p. 31; 1907, p. 48; 1908, p. 38.
 organizations in Hawaii, R 1905, p. 38.
 publications, R 1904, p. 373.
- Entomology of the Hawaiian Islands, bibliography, R 1905, p. 50.
- Entomophthora, B 6, p. 25.
- Ephestia elutella*, R 1910, p. 22.
- Epithelloma contagiosum*. (See Sorehead of poultry.)
- Epitragus diremptus*, R 1910, p. 22.
- Epitrix parvula*. (See Flea beetle.)
- Eragrostis**—
abyssinica. (See Tef grass.)
brownii, B 36, p. 38.
leptostachya, B 36, p. 37.
variabilis. (See Emolua.)
- Erechthites* sp., R 1909, p. 42.
- Eremochloa ophiroides*. (See Human grass.)
- Eretmocerus corni*, R 1912, p. 29.
- Ereunetes flavistrata*, B 27, p. 15.
- Eriogon canadensis*. (See Fleabane.)
- Erinose. (See Litchi.)
- Eriobotrya japonica*. (See Loquat tree.)
- Eriodendron anfractuosum*, R 1906, p. 36.
- Eriophyes* sp. (See Litchi, erinose.)
- Eriosoma mali*, R 1909, p. 44.
- Erodium* spp., B 36, pp. 32, 33; R 1908, p. 25.
- Erythrina**—
lithosperma. (See Coral tree.)
monosperma, R 1908, p. 24.
 spp., R 1906, pp. 35, 36.
- Erythroxyton coca*, R 1906, p. 35.
- Eucalyptus**—
globulus as source of honey, B 17, p. 15.
robusta, R 1923, p. 14; 1924, p. 18; 1925, p. 18.
- Eucolla* sp., R 1912, p. 29.
- Eugenia**—
jambolana. (See Java plum.)
jambosa. (See Rose apple.)
malaccensis. (See Mountain apple.)
michelli. (See Surinam cherry.)
punicifolia, R 1906, p. 36.
- Eulophidæ**, R 1912, p. 29.
- Eumetopina krugeri*, B 5, p. 17.
- Eupatorium* sp., B 36, p. 42; R 1925, p. 3.
- Eupelmus* sp., R 1913, p. 19.
- Euplexoptera**, R 1913, p. 18.
- Euphorbia**—
lortfolia. (See Rubber.)
peplus. (See Spurge.)
 spp., PB 37, p. 3.
- Euphoria longana*. (See Longan.)
- Eurotia lanata*. (See Sage, sweet.)
- Eurytoma tyloclermatis*, R 1910, p. 10.
- Euxesta annonæ*, PB 36, p. 34.
- Euxoa* spp., R 1913, p. 19.
- Exhibits at fairs. (See Fair.)
- Exophorus unisetus*, R 1922, p. 10.
- Experiment station. (See Station.)
- Extension**—
 county agent collaboration, R 1916, p. 38; 1918, pp. 9, 26; 1919, pp. 7, 57; 1920, p. 65; 1921, p. 45.
 division needs, R 1919, p. 60.
 inauguration, R 1915, p. 45; 1921, p. 41.
 meetings, R 1921, p. 51.
 organization of farmers, R 1916, pp. 32, 38.
 (See also Demonstration farms and Substations.)
- Faba vulgaris*. (See Kidney bean.)

Fair—

lessons from, EB 1, p. 4.
notes, R 1916, p. 36; 1917, p. 32; 1918, pp. 6, 15, 31; 1919, pp. 11, 38, 58; 1920, p. 64; 1921, pp. 2, 43, 50; 1925, pp. 2, 19, 23.
school, R 1923, p. 13; 1924, p. 23; 1925, pp. 20, 23.

False budworm. (See Bollworm, false.)

Farina, from limu. (See Seaweeds, uses.)

Farm bureau, need, R 1919, p. 60.

Farmer, as business man, EB 1, p. 5.

Farmers' associations, R 1920, p. 68; 1921, p. 42.

(See also Cooperation.)

Farmers' institute, R 1902, p. 327; 1903, p. 413;

1904, p. 365; 1905, p. 66.

Farming, dry, R 1912, p. 76.

Farms. (See Demonstration farms and Substations.)

Fat choy. (See Seaweeds, edible.)

Fats, in the body, EB 9, p. 2.

Feeding—

problems, livestock, R 1918, p. 32.

rack, for pigs, B 48, p. 12.

Feeding stuffs—

composition and digestibility, PB 53; B 13;

B 36, p. 10; R 1907, p. 63; 1908, p. 58; 1919,

p. 42.

lime content, PB 15.

method of analyzing, R 1905, p. 25.

roughage—

dried, composition, PB 53, pp. 11, 22.

fresh, composition, FB 53, pp. 3, 18.

yields on manganese soil, R 1913, p. 49.

Feijoa sellowiana. (See Guava, pineapple.)

Feltia discolata, B 22, p. 10.

Fenugreek, B 36, p. 30.

Fertility-rotation experiments, R 1920, pp. 13, 32;

1921, p. 36; 1922, p. 15; 1923, p. 9; 1924, p. 14.

Fertilizers—

demonstration experiments, R 1918, p. 34.

fixation, R 1913, p. 32; 1915, p. 29.

liming experiments. (See Liming.)

(See also Soils.)

Festuca—

duriuscula. (See Hard fescue.)

elator. (See Tall fescue.)

myurus. (See Rat-tail fescue.)

ovina var. *tenuifolia*. (See Fine-leaved fescue.)

pratensis. (See Meadow fescue.)

rubra. (See Red fescue.)

viridula. (See Oregon bunch grass.)

Fiber—

analysis, pineapple, R 1919, p. 43.

plants, R 1902, p. 314.

(See also Flax and Hemp, Manila.)

Ficus—

carica. (See Figs, composition.)

elastica. (See Rubber, Assam.)

religiosa. (See Rubber, latex-bearing.)

Field burnet, B 36, p. 33; R 1914, p. 41.

Figs—

capriñg, R 1906, p. 35.

composition, R 1914, p. 67.

industry, R 1902, p. 319; 1924, p. 9.

insect pests, R 1908, p. 33.

marketing, PB 45, p. 20.

storage experiments, PB 47, p. 3.

variety tests, R 1922, p. 7; 1924, p. 9.

Fine-leaved fescue, B 36, p. 37.

Finger grass, B 36, p. 37.

Florin grass, B 36, p. 37.

Florinia florinix, attacking avocado, R 1904, p. 375.

Fish, for mosquito control, B 6, p. 24.

(See also Top minnows.)

Flat planting, B 50, p. 5.

Flax, notes, R 1914, p. 40; 1918, p. 53.

Flea beetle, life history, B 10, p. 5; B 34, p. 16.

Fleabane, B 36, p. 32.

Fleas, R 1907, p. 35.

Flesh fly. (See Fly.)

Flour—

costs, EB 7, p. 26.

food value, EB 6, p. 7.

substitutes, EB 7, p. 25; R 1918, p. 22.

yields, EB 7, p. 26.

(See specific kinds.)

Flowers, at Hilo market, notes, R 1913, p. 52.

Fly—

black. (See Aphis, orange.)

blow, R 1907, p. 47.

Fly—Continued.

bluebottle, American, notes, R 1907, p. 47.

bluebottle, English, notes, R 1907, p. 47.

bottle, B 12, p. 25.

dragon, B 6, p. 23.

flesh, R 1907, p. 47.

heel, R 1907, p. 47.

horn, R 1902, p. 325; 1904, p. 378; 1907, p. 47;

1908, p. 18.

horse bot, R 1907, p. 47.

horse chin, R 1907, p. 47.

house, R 1904, p. 378.

mango, R 1915, p. 72.

Mediterranean fruit—

effect of storage, PB 47, p. 10.

notes, R 1911, pp. 9, 24; 1912, pp. 10, 33, 39;

1913, p. 21; 1919, pp. 19, 21; B 49, p. 12.

melon—

injury to cucurbits, R 1907, p. 30; 1908, p. 32;

B 3, p. 7.

injury to tomatoes, R 1922, p. 7.

pomace, R 1907, p. 44; PB 36, p. 34.

sheep bot, R 1907, p. 47; 1908, pp. 11, 21.

stable, R 1907, p. 47.

vinegar. (See Fly, pomace.)

warble, R 1907, p. 47.

Food—

constituents and their uses in the body, EB 9,

p. 2.

cost of constituents of, EB 9, p. 9.

crop industries, supplementary, EB 6, p. 1;

R 1917, pp. 5, 23, 35; 1918, pp. 5, 21; 1919, pp.

7, 10, 56; 1920, pp. 9, 26.

lime content, PB 15, p. 2.

pests, EB 4, p. 13.

products, drying and preserving, R 1917, p. 27;

1919, p. 40; 1920, p. 36; EB 7.

Forage crops. (See Feeding stuffs.)

Forest—

insect pests, R 1905, p. 49; 1907, p. 46; 1908, p. 35.

reserves, SB Grazing, p. 64.

trees, sources of honey, R 1908, p. 24.

Forestry, R 1901, p. 379.

Formaldehyde—

for treating fruit, PB 36, p. 25; B 14, pp. 8, 25;

R 1907, p. 17.

for treating seed potatoes, EB 4, p. 11; B 45,

p. 9; R 1903, p. 395; 1919, p. 65.

Formicidae. (See Ants.)

Fourcroya gigantea. (See Malina.)

Foxtail grass, feeding value, PB 53, pp. 11, 22.

Freycinetia arnotti. (See Ieie.)*Frontina archippivora*, notes, R 1921, p. 34.

Fruit—

budding and grafting demonstration, notes,

R 1921, p. 48.

fly, Mediterranean. (See Fly.)

marketing and shipping, PB 21; R 1905, p. 60;

1907, pp. 16, 52.

modeling, R 1911, p. 37.

nursery, R 1922, p. 20; 1923, p. 14; 1924, p. 21;

1925, p. 21.

production possibilities, R 1901, p. 366.

trees as source of honey, R 1908, p. 25.

Fruits—

Hawaiian, composition, R 1914, pp. 27, 62, 66.

preservation, R 1921, p. 40; 1922, p. 15; 1925,

p. 14.

seed propagation, notes, R 1925, p. 7.

Fuller's rose beetle, life history, PB 14; B 49, p. 12;

R 1904, p. 375.

Fundulus grandis. (See Top-minnows.)

Fungicides. (See Insecticides and fungicides.)

Fungus, defined, PB 9, p. 1.

Fusarium—

batatasii. (See Rot, stem, sweet potato.)

coeruleum, B 45, p. 28.

oxysporum, B 45, pp. 18, 28; R 1917, p. 35.

radicicola, R 1918, p. 44; B 45, p. 28.

vasinfectum, R 1917, p. 41.

Fuzzy top, B 36, pp. 13, 26; R 1916, p. 30; 1922, p. 10.

Gahnia becheyi. (See Sedge.)

Gallworms. (See Nematodes.)

Galleta. (See *Hilaria* spp.)

Gambusia affinis. (See Top minnows.)

Garbage for swine, B 48, p. 36.

Garcinia—

mangostana. (See Mangosteen.)

zanthochymus, R 1910, p. 38.

- Garden pests, combating, EB 4; R 1904, p. 376; 1905, p. 48; 1913, p. 19; 1914, pp. 43, 48.
- Gardens—
 emergency, R 1918, p. 5.
 school and home, R 1914, p. 57; 1918, pp. 14, 34; 1919, pp. 38, 73; 1920, p. 70; 1921, pp. 43, 50; 1922, p. 18; 1923, p. 13; 1924, pp. 19, 23; 1925, p. 20.
- Garlic, cooking, EB 9, p. 17.
- Gastrophilus—
equi. (See Fly, horse bot.)
nasalis. (See Fly, horse chin.)
- Gazon grass. (See Carpet grass.)
- Geese, marketing, PB 45, p. 20.
- Gelatin, in Hawaiian algæ. (See Seaweeds, uses.)
- Gelechia gossypiella*. (See Bollworm.)
- Gelechia* spp., B 10, p. 7.
- Gelidium* spp., R 1906, p. 64.
- Geococcus radicum*, R 1910, p. 24.
- German ivy, eradicating, PB 30, p. 9.
- Giant—
 Bermuda grass. (See Bermuda grass.)
 ryegrass, B 36, p. 37.
- Glenwood substation. (See Substations.)
- Glomosporium*—
limeticolum. (See Limes, diseases.)
manifera. (See Mango blight.)
musarum, R 1905, p. 64; B 7, p. 30.
- Glomerella*—
lindemuthianum, attacking beans, EB 8, p. 2. spp., R 1918, pp. 43, 44.
- Glozintia hybrida robusta*, R 1906, p. 36.
- Glue, in Hawaiian algæ. (See Seaweeds, uses.)
- Glycine hispida*. (See Soy bean.)
- Goats—
 breeding, R 1921, p. 59.
 injurious to sisal, B 4, p. 30.
 raising in the United States, SB Grazing, p. 82.
- Goniodes stylifer*. (See Turkey insect pests.)
- Gossypium tomentosum*. (See Cotton, wild.)
- Gourd, snake, R 1918, p. 16; 1919, p. 38.
- Grabowskia glauca*, R 1906, p. 35.
- Gracilaria* spp., R 1906, p. 83.
- Grains—
 brewers', feeding value, PB 53, pp. 13, 24.
 for poultry, PB 46, p. 21.
 insect pests, B 27, p. 18.
 (See also specific kinds.)
- Grass for range improvement, B 36, p. 37.
- Gramineæ, effect of manganese, B 26, p. 23.
- Granadilla, R 1906, p. 35.
- Grapefruit. (See Pomelo.)
- Grapes—
 composition, R 1914, p. 67.
 fertilizer tests, R 1917, p. 14; 1920, p. 21.
 industry, R 1911, p. 35.
 insect pests, R 1906, p. 30; 1908, p. 33.
 marketing, PB 45, p. 20; R 1902, p. 321; 1917, p. 13.
 variety tests, R 1916, p. 20; 1917, p. 13; 1921, p. 17; 1922, p. 6; 1923, p. 5; 1924, p. 5; 1925, p. 6.
- Grasses—
 feeding value, B 13, p. 8; B 36, p. 11; PB 53, pp. 4, 18.
 in Hawaii, experiments, B 36; R 1903, p. 398; 1904, p. 364; 1905, p. 11; 1912, p. 77; 1925, pp. 11, 16.
- Grateloupia filicina*. (See Seaweeds, edible.)
- Grate machine for fiber extraction, B 4, p. 24.
- Green manures. (See Leguminous crops.)
- Greigia sphacelata*, R 1911, p. 40.
- Grevillea robusta*. (See Silver oak.)
- Griffithsia* sp., R 1906, p. 66.
- Ground cherry. (See Poha.)
- Gryllotalpa africana*. (See Mole cricket.)
- Guada bean. (See Gourd, snake.)
- Guama, R 1921, p. 20.
- Guatemala grass, in Hawaii, R 1920, p. 30; 1922, p. 10; 1923, p. 6; 1925, p. 11.
- Guava—
 analysis, R 1914, pp. 64, 67.
 jelly-making, B 47, p. 4; R 1902, p. 320; 1905, p. 27.
 pests, R 1907, p. 46; 1908, pp. 33, 36.
 pineapple, R 1913, p. 25; 1916, p. 20.
 strawberry, R 1922, p. 7; PB 47, p. 6.
 wild, R 1920, p. 33.
- Guignardia* spp., R 1918, p. 37.
- Guillemia utilis*. (See Palm, Pejibaye.)
- Guinea grass—
 feeding value, B 13, p. 8; B 36, p. 11; PB 53, pp. 4, 18.
 growth in Hawaii, B 36, pp. 13, 25.
- Gum disease. (See Rot, foot, citrus.)
- Gumbo grass, B 36, p. 37.
- Gymnogonrus* spp., R 1906, p. 64.
- Hæmatobia serrata*. (See Fly, horn.)
- Hæmatopinus* spp. (See Hog insect pests.)
- Hæmatoxyton campechianum*. (See Logwood.)
- Haiku substation. (See Substations.)
- Haleakala. (See Substations.)
- Haliseris* spp. (See Seaweeds, edible.)
- Haloscenus immigrans*. (See Coleoptera.)
- Halymenia formosa*. (See Seaweeds.)
- Hancornia speciosa*, PB 13, p. 6.
- Haplostachys* spp., B 36, p. 32.
- Hapu. (See Tree fern.)
- Hard fescue, B 36, p. 37.
- Harpephyllum caffrum*. (See Kafir plum.)
- Hau tree as source of honeydew, R 1908, p. 26.
- Hawaii—
 climate, R 1902, p. 329; 1915, p. 18; 1920, p. 10.
 customs of original people, R 1906, p. 61.
 divisions of islands, R 1905, p. 50.
 experiment station. (See Station.)
 land matters. (See Public domain.)
 rainfall, B 36, p. 8; R 1902, p. 329; 1912, p. 85; 1919, p. 49.
 temperature, R 1902, p. 330.
 winds, R 1902, p. 330.
- Hay—
 curing truck, description, B 46, p. 11.
 feeding value, PB 53, pp. 11, 12, 22.
 (See also Alfalfa, Pigeon peas, etc.)
- Heat—
 bottom, for cuttings, R 1912, p. 47; 1920, p. 25.
 prostration, in swine, B 48, p. 25.
- Hedysarum coronarium*. (See Spanish sulla.)
- Heel fly. (See Fly.)
- Helianthus tuberosus*. (See Artichokes, Jerusalem.)
- Heliphila unipuncta*, R 1909, p. 18.
- Heliothis*—
obscura. (See Bud worm.)
obsoleta. (See Bollworm, false.)
 spp., B 10, p. 9.
- Heliothrips rubrocinctus*. (See Thrips, red-banded.)
- Hellebore, insecticide, B 3, p. 17.
- Hellula undalis*. (See Webworm.)
- Hemencyrtus* sp., R 1912, p. 28.
- Hemichionaspis minor*, R 1908, p. 35.
- Hemiptera. (See Insects, Laysan.)
- Hemp—
 bow-string, B 4, p. 24.
 Manila, PB 5; R 1907, p. 58; 1918, p. 53; B 55, p. 35.
- Hen flea, R 1914, p. 24.
- Herbarium, R 1902, p. 327; 1916, p. 6.
- Herse conovulvi*. (See *Sphinx conovulvi*.)
- Hesperocinde sandwicensis*, notes, PB 30, p. 10.
- Heteropogon contortus*. (See Pili grass.)
- Heterospilus* sp., R 1910, p. 20.
- Heupueo. (See Toothed bent grass.)
- Hevea brasiliensis*. (See Rubber, Para.)
- Hibiscus*—
 insect pests, R 1907, p. 46; 1908, p. 34; B 29, p. 16.
 ornamental, in Hawaii, culture, B 29; R 1905, p. 62; 1911, p. 41; 1912, p. 43; 1913, p. 26; 1914, p. 31.
sabdariffa. (See Roselle.)
- Hides, preparing for market, PB 45, p. 21.
- Hilaria* spp., B 36, p. 37.
- Hill planting for sweet potatoes, B 50, p. 5.
- Hilo grass—
 feeding value, B 13, p. 8; B 36, p. 11; PB 53, pp. 5, 18; R 1907, p. 63.
 in Hawaii, B 36, p. 14; R 1903, p. 399.
- Hilo substation. (See Substations.)
- Hitchcock berry—
 analysis, R 1914, pp. 65, 68; B 36, p. 42.
 in Hawaii, R 1921, p. 64.
- Hog plum, composition, R 1914, p. 68.
- Hog—
 diseases and ailments, B 48, p. 22.
 feeding, B 48, pp. 19, 26; R 1916, p. 41; 1918, p. 54.
 importation, B 48, p. 42.
 pests, other than diseases, R 1908, p. 36; B 48, p. 25.
 raising in Hawaii, B 48.

- Holcus lanatus*, growth in Hawaii, B 36, pp. 13, 18.
Holmskiöldia sanguinea. (See Mandarin vine.)
 Home demonstration work, R. 1920, p. 15; 1921, pp. 6, 46; 1922, pp. 2, 20; 1923, pp. 2, 15.
 Homesteads. (See Substations and Demonstration farms.)
 Honey—
 composition, B 17, p. 13; R 1905, p. 27.
 Hawaiian, source and characteristics, B 17; R 1905, p. 41; 1907, p. 40; 1908, p. 24.
 marketing, B 17, p. 11; PB 45, p. 21.
 Honeydew—
 derived from insect secretion, notes, R 1908, p. 26.
 honey, analysis, B 17, pp. 10, 16.
 (See also Wax, honeydew.)
 Honohono grass, feeding value, B 13, p. 10; B 36, p. 11; PB 53, pp. 7, 19; R 1915, p. 51; 1916, p. 40.
Hordeum murinum. (See Wall barley.)
 Horn fly. (See Fly.)
 Hornworm, description, B 10, p. 10; B 34, p. 13.
 Horses—
 insect pests, R 1907, p. 47; 1908, p. 36.
 raising in the United States, SB Grazing, p. 79.
 wild, in the West, SB Grazing, p. 31.
 Horticultural—
 accessions, R 1906, p. 35; 1911, p. 39; 1912, p. 49; 1913, p. 28; 1914, p. 34.
 buildings. (See Station buildings.)
 exhibit in Honolulu, notes, R 1907, p. 59.
 extension work, R 1915, p. 27; 1919, p. 38.
 field mapping, R 1912, p. 48.
 needs, R 1911, p. 42; 1915, p. 27.
 observations in Cuba, Florida, Porto Rico, R 1915, p. 58.
 products, miscellaneous, R 1905, p. 63.
 records, systematizing, R 1906, p. 34; 1909, p. 51; 1912, p. 49.
 House fly. (See Fly.)
Howardia biclavata, R 1912, p. 29.
 Hules. (See Taro.)
 Huluhulu. (See Cotton, wild.)
 Humus—
 in Hawaiian soils. (See Soils.)
 sodium arsenite effect, PB 50, p. 14.
 Hunan grass, R 1920, p. 30.
Hyalopeplus pellucidus, R 1911, p. 23.
 Hydrocyanic acid—
 fumigation, insect, PB 27, p. 4; B 3, p. 24; B 34, p. 19; R 1909, p. 53.
 in cassava. (See Cassava.)
Hydrodictyon reticulatum. (See Seaweeds, edible.)
Hydrophorus sp. (See Insects, Laysan.)
Hydropogon aciculatus, growth in Hawaii, B 26, p. 24.
Hymena spp., R 1913, p. 19.
 Hymenoptera. (See Insects, Laysan.)
Hyperamorphia squamosa, notes, B 22, p. 27.
Hyppnea spp. (See Seaweeds, edible.)
Hypochaeris radicata. (See Dandelion.)
 Hypoderma—
 bovis. (See Fly, warble.)
 lineata. (See Fly, heel.)
Hypomocoma notabilis, R 1913, p. 19.
Icerya purchasi. (See Scale, cottony cushion.)
Ichneumon koebli, R 1911, p. 18.
 Ieie, B 36, p. 32.
 Ihi. (See Purslane.)
 Ihimakole, B 36, p. 33.
 Iiama, R 1921, p. 22.
Ilex paraguayensis. (See Tea, Paraguay.)
 Ilima. (See Sida spp.)
 Ilioha. (See Fleabane.)
 Indian Shot. (See Canna.)
 Indigestion, of poultry, PB 46, p. 40.
 Indigo, nitrogen content, PB 52, p. 5.
Indigofera anil. (See Indigo.)
 Industries, suggested for Hawaii, R 1901, p. 378.
Inga laurina. (See Guama.)
 Inikoa. (See Indigo.)
 Inoculation—
 for alfalfa, B 23, p. 15.
 for legumes, R 1913, p. 43.
 Insecticides and fungicides, B 3; B 25, p. 24; B 45, p. 13; B 49, p. 10; PB 9; PB 27; EB 4; R 1910, p. 27.
 Insects—
 beneficial, B 3, p. 7.
 biting, EB 4, p. 2; B 3, p. 9.
 chewing, EB 4, p. 2.
 Insects—Continued.
 combating, EB 4; B 3, p. 8; R 1901, p. 378; 1902, p. 323; 1903, p. 414; 1904, p. 373; 1905, p. 50; 1907, p. 26; 1909, p. 17.
 field crops, R 1910, p. 21.
 forest trees. (See Forest.)
 garden. (See Garden.)
 household, R 1902, p. 325; 1904, p. 377; 1908, p. 37.
 injurious in Hawaii, R 1905, p. 46; 1906, p. 28; 1907, p. 43; 1908, p. 29.
 Laysan, R 1913, p. 18.
 stored products, R 1904, p. 378; 1905, p. 49; 1907, p. 48; 1908, p. 37.
 sucking, B 3, p. 9.
 (See also Scale.)
 Intercropping—
 in avocado orchards, B 51, p. 11.
 in rubber plantations, B 19, p. 17; PB 44, p. 5.
Ipomæa—
 batatas. (See Sweet potato.)
 digitata. (See Morning-glory, wild.)
 spp., R 1906, p. 36.
 Iron in the body. (See Mineral substances.)
 Iron sulphate—
 for pineapple yellows. (See Manganese chlorosis of pineapples.)
 for weeds, PB 30, p. 3.
 Ironwood, B 51, p. 8.
 Irrigation—
 for avocados, B 51, p. 10.
 for bananas, B 55, p. 16.
 for mangoes, B 12, p. 16.
 for sweet potatoes, B 50, p. 7.
 with brackish water, R 1921, p. 41; 1922, p. 17; 1923, p. 11.
 (See also Water system.)
Isariopsis griseola. (See Pod spot.)
Jaboticaba. (See *Myrciaria* sp.)
 Jack bean—
 feeding value, PB 53, pp. 7, 15, 19, 24; R 1908, p. 60; 1913, p. 45.
 in Hawaii, B 23, p. 19.
 insect pests, R 1910, p. 22.
 nitrogen content, PB 52, p. 5.
 Jack fruit, composition, R 1914, pp. 64, 66.
 Japanese beetles—
 on cotton, B 18, p. 11; R 1908, p. 30.
 on grapes, R 1917, p. 18.
 on roses, B 3, p. 7.
 on sweet potatoes, B 50, p. 12.
 on tobacco, life history, B 10, p. 13.
 Java—
 grass, R 1920, p. 30.
 plum, composition, R 1914, p. 67.
 Jellies from limu. (See Seaweeds, uses.)
 Jelly making from tropical fruits, B 47; R 1919, p. 41; 1922, p. 15; 1923, p. 10; 1924, p. 16.
 Jenequin. (See Sisal.)
 Jerusalem pea, B 55, p. 15.
 Jimson weed, B 10, p. 7.
 Johnson grass—
 composition, B 36, p. 11.
 in Hawaii, B 36, pp. 27, 42.
 Judd grass, R 1914, p. 39; B 36, p. 27.
 Jujube, Chinese, R 1919, p. 38.
Juncus effusus. (See Matting sedge.)
Jussiza villosa. (See Pukamole.)
 Kafr—
 corn, composition, B 13, p. 7.
 plum, R 1906, p. 35.
 Kai choy, R 1918, p. 43.
 Kakonakona, R 1914, p. 39.
 Kalaheo. (See Substations.)
 Kalamalo. (See Emolau.)
 Kaie, in Hawaii, R 1917, p. 45; 1922, p. 10.
 Kaluha. (See Sedge.)
 Kamani fruit, R 1914, pp. 65, 68.
 Kamuela experiment station. (See Substations.)
 Kapa cloth. (See Mamake.)
 Keawe. (See Algaroba.)
 Kekune oil. (See Kukui nut.)
Kelisia sp., R 1913, p. 18.
 Kelp. (See Seaweeds, edible.)
 Kentucky bluegrass—
 composition, B 36, p. 11.
 in Hawaii, B 36, p. 18.
 Kerosene emulsion, for insect pests, formula, PB 8, p. 5; PB 10, p. 5; PB 16, p. 8; PB 27, p. 3; PB 30, p. 4; B 3, p. 20; B 9, p. 26; B 49, p. 10; B 51, p. 14.

- Ki. (See Spanish needles.)
Kickxia elastica. (See Rubber, African.)
 Kidney beans, B 26, p. 25.
 Kikania. (See Jimson weed.)
Kilauella sp., R 1913, p. 18.
 Kilika. (See Milkweed.)
 Klu bean. (See Cassia flower.)
 Koa. (See Wattle.)
 Koa bush, B 36, pp. 30, 42.
 Koahale. (See Koa bush.)
 Koali. (See Morning-glory, wild.)
Koeleria glomerata, B 36, pp. 13, 19.
 Kohekohe. (See Sedge.)
 Kohl-rabi, marketing, PB 45, p. 21.
 Kohl-rabi, preparation for table, EB 9, p. 18.
 Koko. (See Rubber, *Euphorbia* sp.)
 Koli. (See Castor bean.)
 Kolu. (See Cassia flower.)
 Kombu. (See Seaweeds, edible.)
 Kookolau. (See *Campylothea* spp.)
 Kudzu, in Hawaii, R 1921, p. 32.
 Kukallio. (See *Sida* spp.)
 Kukaipua grass. (See Crab grass.)
 Kukui-nut oil, extraction and use, PB 39; R 1913, pp. 16, 34; 1914, pp. 19, 65, 68; 1915, p. 25; 1916, p. 19.
 Kula substation. (See Substations.)
 Kulthi bean—
 in Hawaii, R. 1913, p. 48; 1921, p. 31.
 nitrogen content, PB 52, p. 5.
Kyllingia—
 brevifolia, PB 48, p. 4.
 monocephala. (See Sedge.)
 Lac trees, B 26, p. 8.
 Ladybird beetles, B 5, p. 23; B 18, p. 25; R 1912, p. 32.
Lagerstræmia indica, R 1909, p. 43.
Lagocheirus araneiformis, R 1905, p. 48.
Laminaria spp. (See Seaweeds, edible.)
Lampsona communis, B 36, p. 32.
 Land. (See Public domain.)
Landolphia spp. (See Rubber, African.)
Lantana camara, B 26, p. 25.
Lasioderma serricornis. (See Cigarette beetle.)
Lantium domesticum, R 1914, p. 34.
 Latex. (See Rubber.)
Lathyrus tingitanus. (See Tangier pea.)
 Lauki. (See Spanish needles.)
Laurencia spp. (See Seaweeds, edible.)
Laurus persea. (See Avocado.)
 Lava—
 analysis, R. 1913, p. 30; B 26, p. 45; B 42, p. 4.
 bricks, efflorescence, R 1912, p. 59.
Lawsonia alba, R 1905, p. 48.
 Laysan insects. (See Insects.)
 Leaf hoppers. (See *specific kinds*.)
 Leaf miner—
 of sweet potatoes, B 22, p. 13; B 50, p. 12.
 serpentine, R 1914, p. 48.
 Leaf roll of potatoes, B 45, p. 40.
 Leaf rollers. (See *Amorbia emigratella*, etc.)
 Leaf spot, of pineapples. (See *Thielaviopsis paradoxa*.)
 Leak disease of potatoes, B 45, p. 40.
Lecanium viride, R 1906, p. 31.
 Leek, cooking, EB 9, p. 18.
 Leek, marketing, PB 45, p. 21.
 (See also Onions.)
 Leg weakness, of poultry, PB 46, p. 45.
 Leguminous crops—
 as green manure—
 adapted to Hawaii, R 1914, p. 21; 1915, pp. 14, 32; 1916, p. 9; 1917, p. 29.
 chemical studies, B 43.
 comparative values, PB 52.
 as swine feed, B 48, p. 33.
 demand for, R 1911, p. 15.
 feeding value, B 13, p. 9; B 23, p. 31.
 for Hawaii, B 23; R 1911, p. 63.
 insect pests, R 1911, p. 17.
 manganese effect, B 26, p. 24.
 Leguminous forage plants, B 36, p. 29; R 1921, p. 30.
 Leguminous fruit trees, R 1921, p. 19.
 Lemons—
 composition, R 1914, p. 67; B 49, p. 14.
 in Hawaii, B 9, p. 28.
 marketing, PB 45, p. 22.
 scab, B 9, p. 24.
 varieties, B 9, p. 29; R 1911, p. 39.
 Lepidoptera, R 1913, p. 19.
Lepidosaphes—
 beckii, B 49, p. 10.
 pallida, R 1908, p. 35.
Lepisma sp. (See Silverfish.)
Leptochloa virgata. (See Judd grass.)
Lespedeza striata. (See Clover, Japan.)
 Lettuce—
 breeding, R 1925, pp. 10, 17.
 marketing, PB 45, p. 22.
 preparation for table, EB 9, p. 18.
Leucæna glauca. (See Judd bush.)
Leucania unipuncta, R 1909, p. 67.
Leucopis—
 grandicornis, B 27, p. 10.
 nigricornis, R 1911, p. 18.
Liagora decussata. (See Seaweeds, edible.)
 Library. (See Station.)
 Lice—
 killers, PB 46, p. 53.
 on poultry, B 1, p. 21; PB 46, p. 46.
 on swine, B 48, p. 25.
 plant, B 3, p. 7; B 27, p. 9; R 1909, p. 20.
 (See also *Aphis* spp.)
 Lichens on citrus, B 9, p. 23.
 Licorice roots, R 1919, p. 69.
 Lillihua. (See Sage, red.)
Lilium spp. (See Lily.)
 Lily, R 1912, p. 49.
 Lily root, preparation for table, EB 9, p. 18.
 Lime—
 fertilizer for bananas, B 7, p. 25.
 function in animals and plants, PB 15, p. 2;
 EB 9, p. 3.
 in feeding stuffs. (See Feeding stuffs.)
 magnesia ratio. (See Soils.)
 resin stock, B 25, p. 25.
 sources, PB 15, p. 2.
 sulphur mixture, EB 4, p. 6; B 25, p. 25; B 45,
 p. 13.
 Limes—
 acid fruit in Hawaii, B 9, p. 30; B 49; R 1902,
 p. 321.
 commercial products, B 9, p. 31; B 49, p. 15.
 composition, B 49, p. 14; R 1914, p. 67.
 diseases, B 49, p. 12.
 insect pests, B 49, p. 10.
 marketing, PB 45, p. 22.
 propagation, B 49, p. 6.
 recipes, B 49, p. 16.
 varieties in Hawaii, B 9, p. 31; B 49; R 1911,
 p. 39; 1921, p. 16.
 Liming—
 for soil acidity, B 23, p. 9; R 1916, p. 22.
 Hawaiian soils, R 1918, p. 23; 1920, p. 44.
Limnæa spp., PB 11, p. 2.
Limmerium blackburni, R 1914, p. 47.
Limonia aurantifolia. (See Limes, acid.)
 Limu. (See Seaweeds.)
 Linseed meal, bacterial action in, B 39, p. 20.
Lispe sp., R 1913, p. 18.
Lita solanella. (See *Gelechia* spp.)
Litchi chinensis, in Hawaii, B 44; R 1910, p. 38;
 R 1915, p. 12.
 Litchi—
 botany, B 44, p. 20.
 canning and drying, B 44, p. 15.
 composition, B 44, p. 13.
 erionose, treatment, B 44, p. 17; R 1916, pp. 8,
 17; 1918, p. 44.
 history and distribution, B 44, p. 4.
 insects affecting, B 44, p. 15.
 marketing, R 1905, p. 63.
 Propagation—
 air-layering, B 44, p. 9; R 1919, p. 29; 1925,
 p. 7.
 budding and grafting, B 44, p. 10; R 1910,
 p. 38; 1916, p. 16.
 seeds, B 44, p. 7; R 1916, p. 16.
 recipes, B 44, p. 14.
 transportation experiments, R 1915, pp. 12, 20.
 varieties in Hawaii, B 44, p. 18; R 1909, p. 56;
 1919, p. 29; 1921, p. 22.
 Literature, agricultural, distribution, R 1920, p. 68;
 1921, p. 49; 1923, p. 13; 1924, p. 20; 1925, p. 20.
 Liver fluke, life history, PB 11; R 1903, p. 401;
 1920, p. 67.

Livestock—

- balanced rations, EB 2, p. 4.
- (See also Feeding stuffs.)
- breeding. (See Substations.)
- feeding problems, R 1918, p. 32.
- importation from Orient, R 1924, p. 10.
- pests affecting, R 1904, p. 378; 1907, p. 15; 1908, pp. 17, 36.
- (See also Liver fluke.)

Locusts, injury to range, SB Grazing, p. 32.

Loganberries, marketing, PB 45, p. 22.

Logwood, R 1908, p. 24.

Lolium spp. (See Rye grass.)

Longan—

- composition, R 1914, p. 68.
- grafting experiments, R 1916, p. 16.
- seed introduction, R 1922, p. 7.
- structure of tree, R 1919, p. 30.
- (See also Litchi.)

Lophocateres pusilla, notes, R 1908, p. 37.

Loquat tree—

- composition of fruit, R 1914, p. 67.
- growth in Hawaii, R 1916, p. 21.

Lotus corniculatus. (See Trefoil.)

Loulu, R 1912, p. 85.

Luuu. (See Taro, cooking.)

Lucern. (See Alfalfa.)

Lucilia—

- cæsar*. (See Fly, American bluebottle.)
- serricata*. (See Fly, English bluebottle.)

Luffa, cooking, EB 9, p. 18.

Lumpy jaw of hogs, B 48, p. 23.

Lunas, B 5, p. 8.

Lupine—

- as green manure crop, R 1914, pp. 21, 41; 1921, p. 32.
- nitrogen content, PB 52, p. 5.

Lupinus spp. (See Lupine.)

Lycnis dioica, notes, B 32, p. 35.

Lycæna bætica. (See Butterfly, blue.)

Lycopersicum esculentum. (See Tomato.)

Lycophotia margaritosa, B 22, p. 10.

Lysiphlebus testaceipes, R 1908, p. 31.

Macadamia ternifolia. (See Macadamia tree.)

Macadamia tree—

- in Hawaii, R 1916, p. 21; 1919, p. 17; 1920, p. 22; 1921, p. 18; 1922, p. 8; 1924, p. 9.

nut, composition, R 1914, p. 68.

Macrancylus linearis. (See Insects, Laysan.)

Macrosiphum spp. (See Aphidæ.)

Maguey. (See Sisal.)

Malina, R 1902, p. 315; B 4, p. 24.

Malvastrum tricuspidatum, as forage crop, B 36, p. 32.

Mamake, R 1902, p. 316; R 1912, p. 85.

Mamani, B 36, p. 30.

Mammea americana. (See Mammee apple.)

Mammee apple, affected by stem blight, R 1916, p. 26.

Mandarin vine, growth in Hawaii, R 1919, p. 38.

Mangane—

- chlorosis of pineapples, PB 51; B 52; R 1910, p. 14; 1912, p. 12; 1916, pp. 9, 23.
- effect on pineapple plants, B 28; B 52, p. 24; PB 23.
- effect on rice, B 52, p. 11.
- effect on sisal, PB 35, p. 3.
- function and distribution in plants, B 26.

Mange of swine, B 48, p. 26.

Mangel wurzels, variety tests for yields, R 1922, p. 8; 1923, p. 7.

Mangifera indica. (See Mango.)

Mango—

- analyses, B 12, p. 20; R 1914, pp. 63, 66.
- blight, B 12, p. 22; R 1904, p. 380; 1910, p. 32; 1911, p. 36; 1915, p. 72; 1923, p. 4.
- botany, B 12, p. 7.
- flowering and fruiting, B 12, p. 18; R 1908, p. 47; 1915, p. 21.
- how to eat, B 12, p. 19.
- in Hawaii, B 12; R 1902, p. 321.
- in other countries, R 1915, p. 73.
- insects affecting, B 12, p. 24; R 1904, p. 376; 1906, p. 30; 1907, p. 45; 1908, p. 32; 1910, p. 31; 1915, p. 72.
- (See also Weevils, mango.)
- layering, B 12, p. 14.
- marketing and shipping, B 12, p. 18; B 14, p. 39; PB 45, p. 22; R 1908, p. 47.
- mold on leaves and twigs, B 12, p. 23.

Mango—Continued.

propagation—

- budding and grafting, B 12, p. 11; B 20; R 1908, p. 45; 1909, p. 50; 1910, p. 30; 1912, p. 39; 1915, pp. 12, 22; 1922, p. 5; 1923, p. 4; 1924, p. 8; 1925, p. 5.
- pollination studies, R 1915, p. 21; 1916, p. 18.
- seed, B 12, p. 8; R 1919, p. 22.
- top-working, R 1915, p. 12; 1919, p. 27.
- scab, B 12, p. 23.
- seedlings in Hawaii, B 12, p. 25.
- storage, B 12, p. 18; PB 47, p. 7.
- transplanting, B 12, p. 15; R 1908, p. 46; 1910, p. 30.
- uses, B 12, p. 20; R 1902, p. 321.
- variety tests, B 12, p. 25; R 1911, p. 35; 1915, p. 72; 1919, p. 23; 1920, p. 19; 1922, p. 4; 1923, p. 4; 1924, p. 8.

Mangosteen, R 1905, p. 63; 1910, p. 37; 1922, p. 7.

Manienie. (See Bermuda grass.)

Manienie akiaki. (See St. Augustine grass.)

Manienie alii. (See Yard grass.)

Manihot—

dichotoma, for latex, PB 37, p. 2.

esculenta. (See Cassava.)

glaziovii. (See Rubber, Ceara.)

piuhimensis, latex bearing, PB 37, p. 2.

utilissima. (See Cassava.)

Manila hemp. (See Hemp.)

Mao. (See Cotton, wild.)

Manson's eyeworm, PB 43; PB 46, p. 51.

Manure—

arsenicated, for tobacco, PB 12, p. 9.

effect of plowing under, B 23, p. 10.

Mapping fields, R 1912, p. 48.

Maranta arundinacea. (See Arrowroot.)

Marasmius semustus, attacking banana, B 7, p. 31

Market—

accessible, PB 21, p. 12; PB 45, p. 8; R 1907, p. 53

capacity for tropical fruits, PB 21, p. 13.

competition, PB 21, p. 14.

notes for farmers, PB 45, p. 12.

organization, PB 45.

Marketing—

agent, needed, R 1919, p. 60.

assistance to dealers, R 1921, p. 42; 1923, p. 13;

1924, p. 21.

division, territorial, R 1913, p. 10; 1914, p. 13;

1915, p. 10; 1916, pp. 13, 43; 1917, pp. 10, 55;

PB 45, p. 2.

fruits, B 14; PB 21.

pineapples, PB 22, p. 4.

system, B 14, p. 40.

Matting sedge and rush, experiments, R 1908, pp

15, 82; 1909, p. 75.

(See also specific kinds.)

Mau-laiki. (See Rice grass.)

Maytenus boaria, R 1906, p. 35.

Meadow—

fescue, R 1919, p. 72; B 36, p. 37.

foxtail, R 1916, p. 31.

Meal from hay. (See Hay.)

Mealy bugs—

citrus, B 9, p. 26; B 49, p. 10.

pineapple, PB 36, p. 32.

treatment, PB 8, p. 4; PB 16, p. 5.

(See also specific kinds.)

Medicago—

apiculata, B 36, p. 30.

arabica. (See Clover, bur.)

denticulata. (See Clover, bur.)

falcata. (See Alfalfa, varieties.)

hispida sardoa. (See Clover, bur.)

lupulina. (See Clover, hop.)

orbicularis, R 1918, p. 47.

sativa. (See Alfalfa, varieties.)

scutellata, R 1918, p. 47.

tuberculata. (See Clover, bur.)

Mediterranean fruit fly. (See Fly.)

Megachile—

palmarum, R 1907, p. 49.

schauinslandi, R 1905, p. 52.

Meibomia spp. (See Clover, Spanish.)

Melilotus—

alba. (See Clover, sweet.)

alba annua, R 1918, p. 47.

indica. (See Clover, Indian.)

officinalis. (See Clover, sweet.)

Melinis minutiflora. (See Molasses grass.)

Meliola camellizæ. (See Sooty mold.)

- Melittobia hawaiiensis*, notes, R 1907, p. 50.
 Melon fly. (See Fly.)
 Melons. (See Cucurbits.)
 Melters. (See Leak disease of potatoes.)
 Merker grass, in Hawaii, R 1919 p. 48; 1920 p. 29; 1921, p. 30; 1922, p. 9; 1925, p. 11.
 Mescal. (See Sisal.)
 Mesquite, Texas, R 1908, p. 24.
 Meteorological records, R 1916, p. 43.
Metrosideros polymorpha. (See Ohia lehua.)
 Meu. (See Tree fern.)
 Mice, attacking sisal, B 4, p. 30.
Microcantha nutans, R 1905, p. 49.
Microcera rectispora, R 1905, p. 46.
Microdus hawaiiicola, B 27, p. 16.
Microterys flavus, R 1912, p. 28.
 Military posts. (See Cooperation.)
 Milk, lime content, PB 15, p. 3.
 Milking methods, B 8.
 (See also Dairy.)
 Milkweed, B 36, p. 42.
 Millet—
 arsenic effect, PB 50, p. 5.
 composition, B 13, p. 7.
 in Hawaii, R 1915, p. 43.
 soil sterilization, R 1915, p. 38.
 Milling, pigeon peas, B 46, p. 16.
 Mills, rice, principal in Hawaii, R 1908, p. 66.
 Mimosa—
 afzalioi, R 1906, p. 35.
 pubida. (See Sensitive plants.)
Mimusops elengi, R 1906, p. 36.
 Mineral—
 constituents of Hawaiian vegetables, R 1922, p. 16; EB 9, p. 11.
 feeds for poultry, PB 46, p. 21.
 substances, relation to alkalinity of the body, EB 9, p. 3.
 Mint. (See Peppermint.)
 Mirini, R 1912, p. 28.
 Mitchell grass for range improvement, B 36, p. 37; R 1914, p. 39; 1915, p. 43; 1916, p. 30.
 Mite disease—
 of peppers, R 1919, p. 53.
 of potatoes, B 45, p. 31; R 1917, p. 39; 1918, p. 40.
 Mites of poultry, PB 46, p. 47.
 Mixers for fertilizers, B 46, p. 18.
 Moko disease, R 1917, p. 41.
 Moluscuit, feeding value, B 13, p. 13; PB 53, pp. 12, 24.
 Molasses, feeding value, PB 53, pp. 15, 24.
 Molasses grass, in Hawaii, B 36, p. 24; R 1915, p. 42.
 Mold. (See specific kinds.)
 Mole cricket, R 1904, p. 374.
Molliniesia latipinna. (See Top-minnows.)
Momordica charantia. (See Cucurbit, wild.)
 Mongoose, destructive to poultry, B 1, p. 7; EB 2, p. 4; PB 46, p. 2.
Monilochetes infuscans. (See Scurf.)
 Monkey pod as shade for coffee, R 1918, p. 43.
Monocrepidius exsul attacking corn, B 27, p. 7.
Monomorium spp., R 1913, p. 19.
Monstera deliciosa. (See Ceriman cherry.)
Morinda citrifolia. (See Noni.)
 Morning-glory, wild, B 36, p. 32; B 50, p. 12.
 Morus—
 alba. (See Mulberry, white.)
 nigra. (See Mulberry, black.)
 Mosaic disease. (See Leaf roll.)
 Mosquito hawks. (See Fly, dragon.)
 Mosquitoes—
 as yellow fever carriers, B 6, p. 22; R 1907, p. 38.
 control, B 6, p. 25; R 1905, p. 43; 1906, p. 25; 1912, pp. 22, 23.
 in Hawaii, life history, B 6; PB 7; R 1903, p. 418; 1904, p. 377; 1907, p. 38; 1912, pp. 10, 16.
 Moss, Irish. (See Seaweeds, edible.)
 Mound planting. (See Hill planting.)
 Mountain apple—
 analysis, R 1906, p. 62; 1914, p. 67.
 in Hawaii, R 1906, p. 44; 1924, p. 10.
 Mountain pill. (See *Kaetaria glomerata*.)
 Mowing machines for pigeon peas, R 1922, p. 21.
 Muclilage from limu. (See Seaweeds, uses.)
Mucuna spp. (See Velvet beans.)
 Mud dauber, R 1904, p. 378.
Muhlenbergia porteri. (See Grama.)
 Mulberry—
 black, R 1921, p. 22.
 pests, R 1906, p. 29; 1908, p. 34.
 white, R 1907, p. 42.
 Mule raising in the United States, SB Grazing, p. 81.
 Mullet, composition, R 1906, p. 78.
 Mungo bean—
 feeding value, R 1919, p. 43.
 for citrus orchards, R 1922, p. 4.
 nitrogen content, PB 52, p. 5.
 variety tests, R 1913, p. 49; 1921, p. 31.
Munia nisoria. (See Rice birds.)
Mus rattus. (See Tree rat.)
Musa spp. (See Banana.)
Musca domestica. (See Fly, house.)
 Muskmelons, marketing, B 3, p. 7.
 Mustard, green, preparation for table, EB 9, p. 19.
 Muth beans. (See Bean.)
 Mynah birds, destructive to snails, R 1920, p. 67.
Myzochia sp., R 1925, p. S.
 Mytilaspis—
 citricola, B 9, p. 25; R 1904, p. 375.
 pallida, R 1905, p. 48.
 pinniformis, R 1903, p. 417.
Myzocallis spp., R 1909, p. 42.
 Myzus—
 cerasi, R 1909, p. 27.
 citricidus. (See Aphis, orange.)
 persicae, R 1909, p. 28; 1914, p. 43.
 Nahiku substation. (See Substations.)
Naias major, R 1906, p. 68.
 Naou trees, R 1902, p. 317.
 Napier grass, in Hawaii, R 1917, p. 50; 1920, p. 29; 1921, p. 30; 1922, p. 9; 1923, p. 6; 1925, p. 11.
 Natal plum, analysis, R 1914, p. 67.
 Natal redtop, feeding value, PB 53, pp. 11, 22.
 Natal redtop, in Hawaii, B 36, p. 26; R 1917, p. 50; 1922, p. 10.
 Navy beans. (See Bean.)
Necrobia rufipes, R 1913, p. 19.
 Nematodes affecting crops, R 1905, p. 65; 1919, p. 54; B 7, p. 32; B 45, p. 33.
 Nephelium—
 lappaceum, R 1913, p. 28; B 44, p. 20; R 1925, p. 9.
 litchi. (See Litchi.)
 longana. (See Longan.)
 mutabile, R 1913, p. 28; B 44, p. 20.
Nesamiptis laysanensis. (See Lepidoptera.)
Nesodryas freycinetix, R 1908, p. 40.
Nesomicromus ragus, R 1908, p. 40.
Nesosydne ipomoeicola, R 1910, p. 24.
 Net for catching leafhoppers, B 5, p. 25.
 Net necrosis. (See Brown spot of potato.)
Nicotiana spp. (See Tobacco.)
 Nicotine-sulphate sprays, insecticidal value, EB 4, p. 5; B 49, p. 11; R 1920, p. 24.
Nipa fruticans, PB 16, p. 1.
Nitophyllum sp. (See Seaweeds, edible.)
 Nitrate of soda, effect on latex flow, B 19, p. 13.
 Nitrification—
 arsenic effect, PB 50, p. 11.
 in soils. (See Soils, biological conditions.)
 Nitrogen—
 assimilation by rice, B 24.
 content of legumes, PB 52, p. 3.
 in banana fertilizer, B7, p. 25.
 Nodular skin disease of swine, B 48, p. 25.
 Noni, composition, R 1914, p. 68.
 Nonleguminous crops. (See Clover crops, classification.)
 Nonparasitic diseases of potatoes, B 45, pp. 34, 40.
 Norway spruce, ash content, B 26, p. 8.
Nostoc commune flagelliforme. (See Seaweeds, edible.)
Nothopanax guilfoylea. (See Panax hedge.)
Norius cardinalis, R 1905, p. 49.
 Nut grass, Japanese, in Hawaii, R 1914, p. 7; 1915, p. 43; 1916, p. 31; 1917, p. 50.
 Nuts, composition, R 1914, pp. 62, 68.
 (See also specific kinds.)
 Nuumela. (See Milkweed.)
Nysius sp., R 1913, p. 18.
 Oats, variety tests, R 1913, p. 36; 1914, p. 37; 1915, p. 41; 1916, p. 28; 1917, pp. 31, 44.
Octopus octopodia. (See Squid.)
 Odonata. (See Fly, dragon.)

Odonaspis graminis, notes, R 1912, p. 27.
Odynerus nigripennis, notes, B 22, p. 23.
Œchalia—
grisea, B 22, p. 31.
griseus, B 5, p. 24.
Œstrus ovis. (See Fly, sheep bot.)
 Ohelo berry. (See *Vaccinium reticulatum*.)
 Ohia. (See Mountain apple.)
 Ohia lehua—
 notes, R 1902, p. 317.
 pests, R 1908, p. 36.
 Oi, notes, PB 30, p. 8.
 Oil—
 castor. (See Castor bean.)
 crude, as insecticide, B 49, p. 11.
 essential, of limes, B 49, p. 16.
 miscible, insecticidal value, PB 27, p. 3.
 San-U-Zay, insecticidal value, B 49, p. 11;
 B 51, p. 14; R 1921, p. 24.
 Okra, EB 9, p. 19.
 Oleander, pests, R 1908, p. 35.
 Olena, R 1912, p. 85.
Oliarus koanao, R 1907, p. 50.
Oligotoma insularis, R 1905, p. 54.
 Olinda beetle. (See Fuller's rose beetle.)
 Olives, composition, B 25, p. 35.
Oloha ipomea, damage to crops, R 1910, p. 24.
 Olona, in Hawaii, R 1902, p. 315.
Omiodes—
accepta, R 1907, p. 50.
blackburnii, R 1907, p. 45.
laysanensis. (See Insects, Laysan.)
meyricki, R 1907, p. 45.
monogona, R 1911, p. 18.
Ompatrum serratum. (See Beetles, black, ground.)
Omphale metallicus, B 22, p. 16.
Omphisa anastomosalis. (See Borer, sweet-potato.)
 Onions—
 growth in partially sterilized soil, R 1915, p. 38.
 marketing, PB 45, p. 22.
 preparation for table, EB 9, p. 19.
 tests, R 1912, p. 43; 1914, p. 11; 1915, p. 38;
 1918, p. 33.
Onobrychis sativa. (See Sainfoin.)
Oodemas sp. (See Coleoptera.)
Oospora scabies on potato, B 45, p. 27.
Ootetrastichus sp., R 1917, p. 51.
Ophionectria coccicola, R 1915, p. 67.
Optismenus compositus, B 22, p. 13.
Opuntia ficus indica. (See Pear, prickly.)
 Orange—
 composition, B 49, p. 14; R 1914, p. 67.
 culture, B 9, p. 8.
 diseases, B 9, p. 22.
 insect pests, B 9, p. 25; R 1907, p. 45.
 (See also Aphid, orange.)
 marketing, B 9, p. 20; PB 45, p. 23.
 sour, as stock, B 9, p. 11.
 sweet, as stock, B 9, p. 11.
 varieties in Hawaii, B 9, p. 21; R 1911, p. 39;
 1912, p. 48; 1921, p. 16; 1922, p. 4.
 Orchard—
 conditions, R 1913, p. 25.
 development for experimental purposes, R
 1909, p. 52.
 grass, B 36, pp. 11, 18.
 insect pests, R 1908, p. 43.
Orcus chalybeus, B 18, p. 25.
 Oregon bunch grass, B 36, p. 37.
Oreodoxa regia. (See Palm, royal.)
 Ornaments, pests, R 1904, p. 377; 1905, p. 48;
 1907, p. 46; 1908, p. 34.
Orneodes—
accepta on sugar cane, R 1904, p. 374.
blackburni on bananas, R 1904, p. 376.
Orn. omir's hawaiiensis. (See Insects, Laysan.)
Orthezia insignis, R 1908, p. 39.
Ostomyles anthyllidifolia. (See Ulei.)
 Otte. (See Oil, essential.)
 Oviduct inflammation, poultry, PB 46, p. 46.
Oxapoe or, on rice, R 1906, p. 29.
Oxyspirura mansoni. (See Manson's eyeworm.)
Oxuri curvata, PB 43, p. 12.
 Oyster plant, preparation for table, EB 9, p. 19.
Ozonium omnivorum. (See Rot, root, Texas.)
Pachyrhizus tulosus. (See Yam bean.)
 Pacific Northwest as market for Hawaiian fruit,
 R 1907, p. 53.
 Paikana. (See Clover, sweet.)
Paisota bartori, R 1906, p. 36.

Palm—
 beach grass, introduction, R 1918, p. 47.
 date, composition of fruit, B 55, p. 12.
 date, notes, R 1911, p. 39.
 insect pests, R 1908, p. 34.
 ivory nut, R 1919, p. 38.
 oil, composition of fruit, R 1914, p. 68.
 Peijibaye, R 1922, p. 7; 1924, p. 10; 1925, p. 8.
 rattan. (See *Calamus* sp.)
 royal, notes, R 1904, p. 374.
 traveler's, B 7, p. 39.
 wine, R 1904, p. 374.
 Palo amarillo. (See *Euphorbia* spp.)
 Palta. (See Avocado.)
 Pamakani. (See *Eupatorium* spp.)
 Panax hedge as windbreak for avocados, B 51, p. 8.
Panicum—
antidotale for range improvement, R 1920, p. 30;
 1922, p. 10.
barbinode. (See Para grass.)
colonum. (See Barnyard grass.)
complanatum, in Hawaii, R 1922, p. 10.
crus-galli. (See Barnyard grass.)
frumentaceum. (See Barnyard grass.)
jumentorum. (See Guinea grass.)
maximum. (See Guinea grass.)
molle. (See Para grass.)
palmifolium. (See Bamboo grass.)
plicatum, feed value, B 53, pp. 11, 22.
pruriens. (See Crab grass.)
setosum, R 1922, p. 10.
 spp., B 36, p. 37.
torridum. (See Kakonakona.)
 Páni. (See Pear, prickly.)
 Pan-Pacific Conservation Congress, R 1925, p. 1.
Pantomorus olinda. (See Fuller's rose beetle.)
 Papain. (See Papaya.)
 Papapa. (See *Dolichos lablab*.)
 Papaya—
 botany, B 32, p. 18.
 breeding—
 experiments, R 1911, p. 26; 1912, p. 40; 1913,
 p. 22; 1914, pp. 16, 29; 1915, p. 24; 1921, p.
 14; 1922, p. 3; 1923, p. 5; 1924, p. 6; 1925,
 p. 8.
 forms, B 32, p. 18; R 1910, pp. 16, 33.
 composition, B 32, p. 13; R 1914, pp. 66, 71.
 in Hawaii, culture, B 32; R 1911, p. 30.
 insect pests, B 32, p. 44.
 marketing and shipping, B 14, p. 32; B 32, p. 11;
 PB 45, p. 23; R 1911, p. 30.
 papain, B 32, p. 16; R 1914, p. 20; 1920, p. 36;
 1921, p. 38.
 recipes, B 32, p. 13; EB 9, p. 19.
 Solo variety, R 1919, p. 28; 1920, p. 21; 1922, p. 3.
 storage experiments, PB 47, p. 4.
 uses, medicinal and other, R 1902, p. 320; 1921,
 p. 14; B 32, p. 15.
 Paper for wrapping fruit, B 14, p. 34; R 1907, p. 17.
 Papipi. (See Pear, prickly.)
 Para—
 grass—
 feeding value, PB 53, pp. 4, 10, 18; B 13,
 p. 8; B 36, p. 11; R 1907, p. 63.
 in Hawaii, B 36, p. 23.
 rubber. (See Rubber.)
 silage, digestible nutrients, PB 53, p. 20.
Parastorola cellularis, R 1912, p. 24.
 Parasites. (See specific kinds.)
 Parasitic—
 diseases of potatoes, B 45, pp. 18, 36.
 fungi, control, EB 4 p. 8.
 Paris green—
 and Bordeaux mixture, B 3, p. 15.
 and bran for cutworms, B 10, p. 5.
 as insecticide, B 3, p. 15; PB 27, p. 2.
 Paris green-bran mash, EB 3, p. 6; EB 4, p. 4; B 45,
 p. 14; B 54, p. 7.
Paritium tiliaecum. (See Hau tree.)
Parlatoria ziziphos on oranges, R 1907, p. 45.
 Parsley, EB 9, p. 20.
 Parsnip, EB 9, p. 20.
 Partridge pea, nitrogen content, PB 52, p. 5.
Paspalum—
compressum. (See Carpet grass.)
conjugatum. (See Hilo grass.)
dilatatum. (See Australian water grass.)
elegans, B 36, p. 37.
floridum, R 1912, p. 81.
larranagai, R 1923, p. 12.

- Paspalum*—Continued.
nodosum. (See Wilder grass.)
notatum, R 1916, p. 30.
orbiculare. (See Rice grass.)
stoloniferum, R 1914, p. 39.
virgatum, B 36, p. 17; R 1914, p. 39; 1916, p. 30.
Passer domesticus. (See Sparrow, English.)
Passiflora—
fatida, B 36, p. 42.
laurifolia. (See Waterlemons.)
quadrangularis. (See Granadilla.)
Peaches—
in Hawaii, culture, R 1912, p. 9; 1913, p. 27.
insect pests, R 1908, p. 33.
pruning, R 1913, p. 25.
Peanuts—
as cotton intercrop, R 1911, p. 62.
as stock feed, EB 5, p. 8.
in Hawaii, culture, EB 5; PB 28; R 1924, p. 12;
1925, p. 18.
marketing, PB 45, p. 24.
meal, analysis, R 1908, p. 60.
recipes, EB 5, p. 9.
Pear—
alligator. (See Avocado.)
prickly, composition, PB 53, pp. 8, 20; B 13,
p. 11; B 36, pp. 11, 35; R 1914, p. 68.
prickly, notes, R 1914, pp. 17, 32; B 36, p. 35.
Peas—
lime content, PB 15, p. 3.
marketing, PB 45, p. 23.
notes, R 1913, p. 42; 1917, p. 44; 1922, p. 22; 1925,
p. 17.
preparation for table, EB 9, p. 20.
Pectin in juice, determination, B 47, p. 2.
(See also Jelly making.)
Pediobius sp., R 1911, p. 20.
Pegomya fusciceps, R 1907, p. 44.
Peijibaye palm. (See Palm.)
Pele's hair, R 1913, p. 31.
Pelopæus sp. (See Mud dauber.)
Penicillium italicum. (See Blue mold.)
Pennisetum—
merkeri. (See Merker grass.)
purpureum. (See Napier grass.)
Pentalonia nigronervosa, R 1909, p. 29.
Pentarthron semifuscum, B 22, p. 13.
Pentzia virgata, R 1906, p. 36.
Pepper tree—
notes, B 12, p. 7.
pests, R 1907, p. 46; 1908, p. 34.
Peppermint, EB 9, p. 19.
Peppers—
in Hawaii, R 1903, p. 404.
marketing, PB 45, p. 24; R 1908, p. 50.
preparation for table, EB 9, p. 20.
sweet, mite disease affecting, R 1919, p. 53.
Peral. (See Avocado.)
Peregrinus maidis, B 27, p. 10; R 1917, p. 51.
Periplaneta spp. (See Cockroaches, house-fre-
quenting.)
Perkinsiella saccharicida, life history, B 5; R 1904,
p. 374.
Permanganate of potash with formalin as fumigant,
PB 36, p. 25.
Persea spp. (See Avocado.)
Peruvian bark, R 1919, p. 38.
Pests. (See specific kinds.)
Phænopia sp., notes, R 1913, p. 19.
Phalaris—
bulbosa, R 1914, p. 39.
commutata, R 1913, p. 38; B 36, p. 37.
Phaseolus—
aconitifolius. (See Bean, muth.)
lunatus, R 1909, p. 39.
mungo. (See Mungo bean.)
radiatus. (See Mungo bean.)
retusa as forage, B 36, p. 30.
semirectus, B 36, p. 30; PB 52, p. 5.
trineris. (See Jerusalem pea.)
Phaeopterus spp., B 36, p. 32.
Phenacaspis eugenizæ. (See Scale, oleander.)
Phenice maculosa, B 5, p. 17.
Phlegethontius—
convolvuli, R 1908, p. 31.
quinquemaculata. (See Hornworm.)
Phleum pratense, B 36, p. 37.
Phlyctænia—
chytropa, B 29, p. 16.
vecta, B 22, p. 19; B 50, p. 12.
Phoenix dactylifera. (See Palm, date.)
Phoma musæ. (See Banana diseases.)
Phosphorus, in the body. (See Mineral sub-
stances.)
Phthorimæa operculella. (See Tuber moth.)
Phyllostachya sp., R 1913, p. 18.
Phyllostachys bambusoides. (See Bamboo timber.)
Phyllosticta hortorum, R 1918, p. 43.
Physalis peruviana. (See Poha.)
Phytophthora—
calocasisæ, R 1919, p. 53.
infestans. (See Blight, late, of potatoes.)
Phytophthora oleivorus. (See Orange, insect pests.)
Pia. (See Cassava.)
Picea excelsa. (See Norway spruce.)
Pieris rapæ. (See Butterfly, cabbage.)
Pigeon pea—
as forage crop, R 1925, p. 16.
as windbreak, B 23, p. 21; R 1910, p. 40.
botany and history, B 46, p. 5.
Cadios variety, introduction, R 1911, p. 40.
culture and utilization, B 23, p. 21; B 46; R 1908,
p. 43; 1918, p. 32; 1922, p. 20; 1925, p. 21.
diseases, B 46, p. 22.
feeding value, B 46, p. 15; PB 53, pp. 7, 19;
R 1919, p. 43.
fertilizer experiments, R 1922, p. 21; 1924, p. 14.
hay crop, B 46, p. 9; R 1920, p. 62.
meal, PB 53, pp. 12, 15, 22, 24.
meal, fertilizer analysis, R 1908, p. 60.
mower, improved, R 1922, p. 21.
pests, B 46, p. 22.
seed crop, B 46, p. 13; R 1920, p. 64.
Pigweed. (See Purslane.)
Piipili. (See Piipiliulua grass.)
Pili grass—
feeding value; B 13, p. 8; PB 53, pp. 5, 18; R 1907,
p. 63.
in Hawaii, B 36, pp. 13, 26.
Pili nuts, R 1922, p. 8.
Piipili. (See Clover, Spanish.)
Piipiliulua grass—
feeding value, B 13, p. 8; PB 53, pp. 5, 18.
in Hawaii, B 36, p. 14.
Pili-uka. (See *Koeleria glomerata*.)
Pimenta officinale, composition, R 1914, p. 68.
Pineapple—
breeding experiments, R 1913, p. 23; 1914, p. 33;
1916, p. 14; 1917, pp. 6, 11; 1918, p. 20; 1920,
p. 20; 1921, p. 64.
burning over land, effect, R 1920, p. 54.
canning. (See Pineapple industry.)
composition, R 1910, p. 45; 1914, p. 67; 1919,
p. 43; B 28, p. 13.
culture, R 1903, p. 406; 1909, p. 58; 1911, p. 12;
1917, p. 31; 1920, p. 51; 1921, p. 52; PB 29;
PB 36.
diseases, R 1916, p. 23; 1917, pp. 7, 26; 1918, p. 25;
1920, p. 35; 1921, p. 36; B 14, p. 8; PB 36, p. 23;
PB 54, p. 4.
fertility maintenance, R 1916, p. 36.
fertilizer experiments, R 1910, pp. 15, 41; 1918,
p. 23; 1919, p. 43; 1920, pp. 35, 43, 54; 1921,
pp. 36, 54; 1922, pp. 13, 22; 1924, p. 14; 1925,
p. 18; PB 36, p. 17.
guava. (See Guava, pineapple.)
industry in Cuba, Florida, and Porto Rico,
R 1915, p. 58.
industry in Hawaii, R 1902, p. 318; 1903, p. 406;
1905, p. 38; 1912, pp. 11, 35; PB 36.
insect pests, R 1904, p. 376; 1907, pp. 14, 44;
1908, pp. 27, 32; 1909, p. 17; 1915, p. 61; PB 10;
PB 36, p. 31.
juice—
as sugar substitute, R 1913, p. 14; 1919, p. 41.
for vinegar making, R 1913, p. 34; 1919, p. 42.
leaves, B 28, p. 8; R 1918, p. 44.
manganese chlorosis. (See Manganese.)
manganese effect, B 26, p. 22; B 28; PB 23;
R 1910, p. 14.
marketing and shipping, R 1907, p. 16; 1908,
p. 27; 1914, p. 14; 1916, p. 44; B 14, p. 7; PB 21,
p. 16; PB 22; PB 36, p. 18; PB 45, p. 24.
ripening, B 28, p. 14; R 1910, p. 15.
roots, B 28, p. 7.
scale. (See Pineapple insect pests.)
seed germination, R 1916, p. 15.
selection of plants by form of fruit, R 1913, p. 23.
soils. (See Pineapple culture.)

- Pineapple—Continued.
storage experiments, PB 47, p. 7.
varieties, R 1907, p. 57; 1908, p. 48; PB 36, p. 20.
weed suppression, PB 48.
West Indian field inspection, R 1918, p. 23.
yellowing. (See Manganese chlorosis.)
- Phiphila casei*, R 1907, p. 48.
Pipiwal. (See Sedge.)
Pipturus albidus. (See Mamake.)
Piricularia grisea, R 1918, p. 43.
Pisang. (See Banana.)
Pistachio nuts, R 1921, p. 19; 1922, p. 8.
Pistacia spp. (See Pistachio nuts.)
Pit. (See Pox of sweet potatoes.)
Pithecolobium saman. (See Monkey pod.)
Pithephora spp., 1906, p. 68.
Plank drag, construction and use, PB 49.
- Plant—
acquisitions, R 1908, p. 48; 1919, p. 38; 1923, p. 6; 1925, p. 8.
disease investigations, R 1916, p. 10; 1917, pp. 8, 34, 42; 1918, pp. 10, 35; 1919, p. 14; 1920, p. 14.
distribution, R 1907, p. 59; 1911, p. 40; 1912, p. 49; 1913, p. 28; 1915, p. 26; 1918, p. 16; 1920, p. 22; 1921, p. 23; 1923, p. 6; 1925, p. 9.
insect pests, R 1904, p. 377; 1905, p. 48; 1908, p. 29.
(See also specific kinds.)
lime content, PB 15, p. 2.
pathology division, establishment, R 1916, p. 25.
sterilization, effect, R 1915, p. 37.
Plantago lanceolata, B 36, p. 32.
Plantains. (See Banana.)
- Plants—
packing and shipping, R 1920, p. 23.
tin cans v. pots for seedlings, PB 41.
Platform, for curing hay, B 46, p. 13.
Platymus lividigaster. (See Ladybird beetles.)
Plenodomus destruens. (See Rot, foot, sweet potato.)
Plodia interpunctella, R 1910, p. 22.
Plusia chalcites. (See Caterpillars, green.)
Plutella maculipennis. (See Diamond-backed cabbage moth.)
- Pneumonia—
of poultry, PB 46, p. 38.
of swine, B 48, p. 23.
- Poa—
annua, B 36, p. 13.
aquatica, B 36, p. 37.
arachnifera, R 1916, p. 31; B 36, p. 37.
compressa, B 36, p. 37.
nemoralis, B 36, p. 37.
pratensis. (See Kentucky bluegrass.)
senegalensis, B 36, p. 37.
- Pod—
borer. (See Bollworm, false.)
spot, R 1918, p. 43.
Peeclidae. (See Top-minnows.)
- Poha—
analysis, R 1914, pp. 65, 67.
jelly-making, B 47, p. 20.
notes on growth, R 1917, p. 46; 1919, p. 69.
- Poi—
composition, R 1906, p. 78.
notes, R 1901, p. 376; 1906, p. 61; EB 7, p. 18.
- Poison baits. (See Baits, poisoned.)
Poisoned plants, B 36, p. 42.
Pokos. (See Cutworms.)
Poles, for curing tobacco, PB 12, p. 15.
Polypotes sp. (See Seaweeds, edible.)
Polyopogon sp., B 36, p. 37.
Polysiphonia mollis. (See Seaweeds, edible.)
Polytrias—
diversiflora. (See Java grass.)
præmorsa, R 1917, p. 49.
Polyzosteria soror. (See Insects, Laysan.)
- Pomace fly. (See Fly.)
Pomegranate, analysis, R 1914, p. 67.
Pomelo—
composition, B 49, p. 14; R 1914, p. 67.
marketing, PB 45, p. 21.
notes, B 9, p. 29; R 1911, p. 39; 1921, p. 16; 1922, p. 4.
Pontia rapæ. (See Worms, cabbage.)
Pop corn, R 1921, p. 62; 1925, p. 18.
Popolo. (See *Solanum* spp.)
- Pork—
curing, B 48, p. 41.
shoulder, composition, R 1906, p. 78.
Porphyra spp. (See Seaweeds.)
Porto Rico Fruit Exchange, organization, R 1915, p. 62.
Portulaca—
oleracea. (See Purslane.)
sclerocarpa. (See Ihimakole.)
- Potash—
in banana fertilizer, B 7, p. 25.
in Hawaiian soils, B 40, p. 10.
- Potato—
diseases, B 45; R 1902, p. 312; 1903, p. 395; 1913, pp. 15, 39; 1914, pp. 18, 39; 1917, p. 34; 1918, pp. 10, 40; PB 3.
fertilizers, R 1915, p. 40; 1919, pp. 65, 68, 73.
flour, EB 7, p. 24.
food value, EB 6, pp. 4, 7; B 25, p. 35; R 1906, p. 78.
handling, B 45, p. 14.
industry, R 1901, p. 374.
lime content, PB 15, p. 3.
marketing, PB 45, p. 24; R 1906, p. 10; 1920, p. 69.
preparation for table, EB 9, p. 20.
seed, B 45, p. 4; R 1903, p. 395; 1919, p. 65.
soil, B 45, p. 9.
storage, B 45, p. 15; R 1919, p. 66.
variety tests, R 1913, p. 39; 1914, p. 39; 1915, pp. 15, 40; 1917, pp. 9, 31, 46; 1918, pp. 41, 52; 1919, pp. 66, 68; 1920, pp. 28, 60; 1921, p. 28; 1925, pp. 10, 17.
(See also Sweet potato.)
- Pots v. tin cans for seedlings, PB 41.
- Poultry—
breeding, PB 46, p. 10; R 1916, p. 42; 1917, p. 9; 1918, p. 53; 1919, pp. 59, 72; 1920, p. 66; 1921, pp. 6, 51, 57; 1922, p. 11; 1923, pp. 8, 12; 1924, p. 13.
breeds, B 1, p. 21; PB 46, p. 13.
canonizing, PB 46, p. 28; R 1921, p. 35.
diseases, B 1, pp. 7, 10; R 1902, p. 309; 1915, p. 54; 1919, p. 54; 1921, p. 35; 1922, p. 12; 1924, p. 13; 1925, p. 11; PB 43; PB 46, p. 37; EB 1, p. 2.
disinfectants, PB 46, p. 52.
eggs. (See Eggs.)
industry, PB 45, p. 17; PB 46, p. 2; R 1901, pp. 365, 377; 1914, p. 13; 1919, p. 55; 1921, p. 35; 1922, p. 11.
insect pests, R 1907, p. 48; 1908, p. 36; B 1, p. 21; PB 46, p. 46.
management, PB 46; B 1; R 1915, p. 55; 1918, p. 53; 1919, p. 72; 1921, p. 58; 1924, p. 14.
pox. (See Sorehead.)
tonics, PB 46, p. 54.
water supply, PB 46, p. 20.
(See also Duck, Turkey.)
- Poverty Bay rye grass. (See Rye grass.)
Powder for lice on poultry, PB 46, p. 53.
Powdery scab, B 45, p. 37.
Pox of sweet potatoes, B 50, p. 14.
Prairie fires, SB Grazing, p. 33.
Prickly pear. (See Pear.)
Pride of India tree as shade for hogs, B 48, p. 7.
Pristomerus hawaiiensis, R 1912, p. 24.
Pritchardia gaudichaudii. (See Loulu.)
Prodenia sp., R 1913, p. 19.
Prolifkeeno grass, R 1918, p. 47.
- Propagation—
experiments, R 1921, p. 25.
house, R 1914, p. 34.
vegetative methods, R 1925, pp. 2, 3.
- Prosopis—
chilensis. (See Algaroba.)
glandulosa. (See Mesquite, Texas.)
juliflora. (See Algaroba.)
- Proteins in the body, EB 9, p. 2.
- Protoparce—
cingulata, R 1907, p. 43.
convolvuli. (See *Sphinx convolvuli*.)
spp., B 10, p. 10.
Prunella vulgaris. (See Self-heal.)
Pseudonotidia clavigera, notes, R 1907, p. 45.
Pseudococcus—
aonidium, R 1912, p. 29.
bromeliae. (See Mealybugs, pineapple.)
calceolariae, R 1912, p. 29.

- Pseudococcus*—Continued.
citri. (See Mealybugs, citrus.)
filamentosus, PB 16, p. 6; B 18, p. 11; B 49, p. 10.
nipse, occurrence in Hawaii, PB 16; B 51, p. 14.
pseudonipae, PB 16, p. 5.
virgatus, B 18, p. 11; PB 16, p. 7.
Pseudomonas longulus, R 1905, p. 48.
Pseudomonas campestris. (See Rot, black, cabbage.)
Psidium—
cattleianum. (See Guava, strawberry.)
guayava pyriferum. (See Guava, wild.)
Pterocladia capillacea. (See Seaweeds.)
Pteromalidæ, R 1912, p. 28.
Pteroptrichoides, R 1912, p. 27.
Puahilahila. (See Sensitive plants.)
Puakala, R 1908, p. 26.
Puaki. (See Spanish needles.)
Pualele. (See Sow thistle.)
Puapilipili. (See Clovers, Spanish.)
 Public domain—
 historical sketch, SB Grazing, p. 6.
 of the United States, SB Grazing, pp. 11, 23.
 Puddling, effect on soil, B 40, p. 16.
Pueraria thurbergiana. (See Kudzu.)
Pukamole, B 36, p. 32.
Puassan. (See *Nephtium mutabile*.)
Pulex spp. (See Fleas.)
Pulque. (See Sisal.)
Pulvinaria—
mammæ, R 1912, p. 28.
psidii. (See Blight, coffee.)
 Pumpkins, R 1925, p. 17.
Punica granatum. (See Pomegranate.)
 Purslane, feed value, B 13, p. 10; B 36, pp. 11, 32; PB 53, pp. 7, 19.
Pyrausta dryadopa, R 1913, p. 19.
 Pyrethrum. (See Buhach.)
Pyrethrum cinerariaefolium, PB 27, p. 4.
Pyrus malus, R 1909, p. 44.
Pythiactysis citrophthora. (See Rot, brown, limes.)
Pythium debaryanum. (See Leak disease of potato.)
 Quaking grass. (See *Briza minor*.)
 Quarantine, for insect control, PB 22, p. 5.
Quebrachia lorentzii, notes, R 1906, p. 35.
 Radishes—
 marketing, PB 45, p. 25.
 variety tests, R 1925, p. 17.
 Rainfall. (See Hawaii.)
 Raisins, composition, B 55, p. 12.
 Rambutan. (See *Nephtium lappaceum*.)
 Range—
 country of the United States, SB Grazing, p. 21.
 deterioration and improvement, SB Grazing, p. 22; R 1912, p. 78.
 industry, SB Grazing, p. 89.
 management, B 36, p. 41.
 Rape—
 cooking, EB 9, p. 21.
 feeding value, PB 53, pp. 8, 20.
 notes, R 1916, p. 31; 1917, pp. 45, 51.
 Raspador, machine for fiber extraction, B 4, p. 24.
 Raspberries. (See Berries.)
 Rat-tail fescue, B 36, pp. 13, 19.
 Rattan palm. (See *Calamus* sp.)
 Rattlepod—
 nitrogen content, PB 52, p. 5.
 notes, R 1914, p. 21; 1915, p. 41.
Raenala madagascariensis. (See Palms, travelers'.)
 Red fescue, B 36, p. 37.
 Red spider, B 7, p. 32; B 18, p. 23.
 Redtop grass, feeding value, B 36, p. 37; PB 53, pp. 11, 22; R 1912, p. 80.
Reduviolus blackburni, B 22, p. 31.
 Refrigeration—
 for avocados, B 14, p. 31.
 for papayas, B 14, p. 34.
 in transportation, PB 21, p. 7.
 v. ventilation, PB 21, p. 23.
 Rescue grass, feeding value, B 36, p. 11; PB 53, pp. 11, 22; R 1916, p. 30.
 Resin-sal soda as spreader stickler, R 1919, p. 52.
 Resin-wash as insecticide, B 3, p. 23; PB 10, p. 5.
 Rheumatism—
 of poultry, PB 46, p. 45.
 of swine, B 48, p. 24.
Rhipicephalus sanguineus. (See Dogs, insect pests.)
Rhizobius ventralis, B 18, p. 25; PB 36, p. 33.
Rhizoctonia—
solani. (See Rosette.)
 spp. in tobacco seedbeds, B 15, p. 16.
Rhizopertha pusilla, R 1907, p. 43.
Rhizopus nigricans. (See Rot, ring.)
 Rhode Island bent grass. (See Redtop grass.)
 Rhodes grass—
 feeding value, B 36, p. 11; R. 1907, p. 63; PB 53, pp. 6, 11, 19, 22.
 notes, B 36, p. 24.
Rhopalosiphum violæ, R 1909, p. 30.
Rhopalus hyalinus, B 18, p. 25.
 Rhubarb, marketing, PB 45, p. 25.
 Rhus—
succedanea. (See Lac tree.)
toxiodendron, B 1, p. 16.
Rhynogonon blackburnii, R 1907, p. 50.
Rhyprobia maderæ, R 1907, p. 50.
 Rice—
 birds, attacking crops, R 1921, p. 34.
 breeding experiments, R 1907, pp. 69, 72; 1909, p. 66; 1910, p. 54; PB 19, p. 4.
 chlorine content, R 1912, pp. 13, 64.
 composition, study, B 21; R 1906, p. 78; 1908, p. 51.
 culture, PB 19, p. 2; R 1907, p. 67; 1920, p. 37.
 fertilizers, R 1907, p. 67; 1908, p. 70; 1909, pp. 63, 66; 1910, pp. 12, 43; 1911, pp. 12, 52; B 31, p. 8.
 food value, EB 6, p. 4.
 grass, feeding value, PB 53, pp. 5, 18; B 36, p. 13.
 hay from, R 1908, p. 79.
 industry, R 1901, p. 377; 1907, p. 67; 1908, p. 65; 1910, p. 51; 1911, p. 54; 1920, p. 37.
 insect pests, R 1906, p. 29; 1907, p. 43; 1908, p. 29; 1909, p. 18; PB 19, p. 6.
 manganese, effect, B 52, p. 12.
 nitrogen—
 assimilation, B 24.
 form, B 31, p. 15.
 phosphorus content, R 1914, p. 28; 1915, p. 31.
 products, feed value, B 13, p. 13; PB 53, pp. 11, 15, 22, 24.
 root rot. (See Rot, root.)
 soils. (See Soils.)
 sulphur content, R 1912, pp. 13, 64.
 varieties, Japanes, R 1910, pp. 12, 53; 1911, p. 54; 1912, p. 75; 1913, p. 35; 1914, pp. 17, 36.
 variety tests, R 1907, p. 69; 1908, pp. 67, 79; 1909, p. 68; 1917, p. 48.
Richardsonia scabra. (See Clover, Mexican.)
 Ricinus—
communis. (See Castor bean.)
lauricariensis, R 1906, p. 36.
 Rickets, of swine, B 48, p. 24.
 Ridge planting, B 50, p. 5.
 Ridging attachment for field work, R 1925, p. 19.
 Roads, care, EB 2, p. 1.
Romneya coulteri, R 1908, p. 26.
 Root rot. (See Rot.)
 Rose apple, composition, R 1914, p. 67.
 Roselle—
 composition, B 47, p. 17; R 1914, p. 67.
 culture, R 1906, p. 34; 1907, pp. 18, 56; 1914, pp. 11, 53; 1921, p. 23.
 marketing, PB 45, p. 26; R 1907, p. 57; 1909, p. 56; 1914, p. 52.
 products, B 47, p. 17; R 1907, p. 56; 1909, p. 55; 1913, p. 16; 1914, pp. 53, 65.
 Roses, insect pests, B 3, p. 7; R 1907, p. 46; 1908, p. 34.
 Rosette, potato, B 45, p. 24; R 1917, p. 38.
 Rot—
 base, pineapple cuttings, PB 36, p. 27.
 black—
 cabbage, R 1904, p. 380.
 sweet potato, B 50, p. 13.
 white potato, R 1902, p. 312.
 brown—
 limes, B 49, p. 12.
 pineapple, PB 36, p. 27.
 dry, sweet potato, B 50, p. 14.
 foot—
 citrus, B 9, p. 22.
 sweet potato, B 50, p. 14.
 ring, B 50, p. 14.
 root, Java, sweet potato, B 50, p. 14.
 root, miscellaneous, PB 54; R 1920, p. 38; B 2.
 root, Texas, sweet potato, B 50, p. 14.
 soft—
 pineapple. (See *Thielaviopsis paradoxa*.)
 sweet potato. (See Rot, ring.)
 stem, sweet potato, B 50, p. 13.

- Rotation—
 for alfalfa, B 23, p. 15.
 for canna, B 54, p. 5.
 for corn, PB 42, p. 11.
 for sweet potatoes, B 50, p. 2.
 leguminous classification, R 1913, p. 43.
 systematic, B 48, p. 34; R 1914, p. 8.
 value, B 40, p. 17; R 1907, p. 27.
 (See also Fertility-rotation.)
- Roughage. (See Feeding stuffs.)
- Round worms, R 1921, p. 35; PB 46, p. 49.
- Roup, poultry, B 1, p. 20; PB 46, p. 38.
- Rubber—
 African, PB 13, p. 6.
 American, PB 13, p. 2.
 Asiatic, PB 13, p. 8.
 Assam, R 1905, p. 22.
 black, PB 13, p. 4; R 1906, p. 36.
 Ceara, B 16; PB 13, p. 5; PB 44; R 1906, p. 12;
 1913, p. 9.
 Central American. (See Rubber, black.)
 composition, R 1912, p. 62.
 culture, B 16; B 19; PB 44; R 1905, p. 22; 1910,
 p. 17; 1914, pp. 11, 51.
Euphorbia lorifolia, PB 37; R 1913, p. 14.
 fertilizers, B 16, p. 12; R 1910, p. 45; 1914, pp.
 12, 55.
 industry, B 16, p. 28; B 19, p. 18; PB 13; PB 44;
 R 1912, p. 91.
 insect pests, R 1906, p. 29; 1907, p. 46; 1908, p.
 35; B 16, p. 30.
 latex, B 16, pp. 8, 17; B 19, pp. 8, 12, 13, 16.
 latex-bearing trees, PB 37, p. 2.
 Para, R 1908, p. 63; PB 13, p. 2.
 tapping, R 1907, p. 19; 1908, p. 11; 1912, p. 88;
 B 16, p. 14; B 19; PB 37, p. 14; PB 44, p. 7.
 varieties for Hawaii, B 19, p. 7; PB 13, p. 9.
- Rubbing posts, hog, B 48, p. 10.
- Rubus jamaicensis*. (See Hitchcock berry.)
- Rushes. (See Matting sedge and rush, experi-
 ments.)
- Russet scab. (See Rosette.)
- Rust-red flour beetles. (See Beetles.)
- Rye—
 grain variety tests, R 1915, p. 41; 1916, p. 28;
 1917, pp. 31, 45.
- grass—
 feeding value, R 1907, p. 63; B 36, p. 11;
 PB 53, pp. 6, 19.
 in Hawaii, B 36, pp. 19, 37.
- Saccaton. (See *Sporobolus* spp.)
- Saccharum*—
biflorus, R 1918, p. 47.
officinatum. (See Cane.)
- Sacqui. (See Sisal.)
- Sadleria cyatheoides*. (See Amau.)
- Sage—
 red, PB 30, p. 11; B 36, p. 33.
 sweet, B 36, p. 32.
- Sainfoin, R 1914, p. 41.
- St. Augustine grass, B 36, p. 13.
- St. John's bread. (See Carob.)
- St. Thomas' tree for vanilla plantations, PB 6,
 p. 4.
- Saissetia*—
hemisphaerica, R 1905, p. 48.
nigra, R 1906, p. 29.
olez. (See Scale, black.)
- Sake waste, feed value, PB 53, pp. 15, 24.
- Sal soda crystals, insecticidal value, B 3, p. 16.
- Salt—
 for weed destruction, PB 30, p. 5.
 in waters and soils, R 1907, p. 62.
 (See also Irrigation with brackish water.)
- Saltbush—
 all-fruited variety, notes, B 36, p. 32.
 Arizona, B 36, p. 32.
 Australian, R 1914, p. 39; 1921, p. 27.
 gray, R 1914, p. 39.
 half-berried variety, B 36, p. 32.
 round-leaved variety, R 1914, p. 39.
 slender variety, R 1914, p. 39.
- Salvia coccinea*. (See Sage, red.)
- Sandbur grass, B 36, pp. 13, 23.
- Sandalwood, white, R 1906, p. 36.
- Sand lucern. (See Alfalfa.)
- Sanguisorba minor*. (See Field burnet.)
- Sansevieria. (See Hemp, bow-string.)
- Santalum album*. (See Sandalwood, white.)
- San-U-Zay oil. (See Oil.)
- Sapium* spp. (See Rubber, American.)
- Sapodilla, R 1908, p. 48.
- Sapote, black, R 1921, p. 22.
- Saprolegniaceae, PB 54, p. 8.
- Sarcophaga* spp. (See Fly, flesh.)
- Sarcophylla gallinacea*. (See Hen flea.)
- Sargassum* spp. (See Seaweeds.)
- Sasagi. (See Bean, asparagus.)
- Scab—
 banana, R 1905, p. 65.
 lemon, B 9, p. 24.
 mango, B 12, p. 23.
 potato, R 1917, p. 39.
- Scale—
 black, on sisal, R 1905, p. 48.
 California red, on citrus, R 1903, p. 417; 1904,
 p. 375.
 citrus, B 49, p. 10.
 cottony cushion, B 11, p. 16; R 1904, p. 375;
 1914, p. 41.
 Florida red, on limes, B 49, p. 10.
 fluted. (See Scale, cottony cushion.)
 fruit tree injury, R 1902, p. 325.
 oleander, B 12, p. 24; R 1905, p. 46.
 parasites, R 1912, p. 26.
 peach, R 1908, p. 33.
 pineapple, PB 10; PB 36, p. 31.
 rose, R 1904, p. 377.
 San Jose, PB 8, p. 3.
 (See also specific kinds.)
- Scatella hawaiiensis serotata*, notes, R 1913, p. 18.
- Schinus molle*. (See Pepper tree.)
- Schizoneura lanigera*, description, R 1909, p. 44.
- School gardens. (See Gardens.)
- Scirpus Maritimus*. (See Sedge.)
- Scitamiaceae. (See Banana, botany.)
- Sclerotium rolfsii*, R 1913, p. 39; 1919, p. 50; B 45,
 p. 25; B 50, p. 14.
- Screen for strawberry culture, R 1922, p. 6.
- Screw worm, in sheep, R 1907, p. 47.
- Scurf, B 50, p. 13.
- Scutellista cyanea*, R 1910, p. 38.
- Scymnus*—
debilis, R 1913, p. 19.
discidens, R 1913, p. 19.
notescens, R 1912, p. 32.
ocellatus, R 1905, p. 48.
viduus, R 1905, p. 48.
- Seaweeds—
 collecting, R 1906, pp. 11, 63, 71.
 comparison of Japanese and Hawaiian, R 1906
 pp. 75, 82.
 cultivating, R 1906, pp. 73, 84.
 economic, Hawaiian, R 1906, p. 61.
 edible, composition, R 1906, pp. 77, 78, 86.
 industry, possibilities, R 1906, pp. 74, 84, 85.
 uses, R 1906, pp. 62, 65, 70, 76, 80, 82.
 varieties, popular, R 1906, p. 70.
- Sechium edule*. (See Chayote.)
- Sedge, B 36, pp. 32, 33.
 (See also Matting sedge.)
- Seed—
 certified, B 45, p. 4.
 distribution, R 1902, p. 326; 1912, p. 76; 1914,
 p. 42; 1915, pp. 26, 44; 1916, p. 31; 1917, p. 52;
 1919, p. 49; 1920, pp. 22, 68; 1921, p. 23; 1923,
 pp. 8, 13; 1924, pp. 12, 20; 1925, pp. 9, 11, 19.
 marketing, R 1921, p. 44.
 storage effect, PB 47, p. 9.
 testing, PB 42, p. 5.
- Self-feeders, hog, B 48, p. 11.
- Self-heal, B 36, p. 33.
- Senecio mikanioides*. (See German ivy.)
- Sensitive plants as forage, B 36, p. 30.
- Sensitive plants, nitrogen content, PB 52, p. 5.
- Septoglossum arachidis*, R 1918, p. 43.
- Septoria*—
petroselinii apii, R 1916, p. 42.
 spp., notes, R 1917, p. 42.
- Serpentine leaf miner. (See Leaf miner.)
- Sesbania zeytyica*, PB 52, p. 5; R 1913, p. 49.
- Sesuvium portulacastrum*, B 36, p. 33.
- Setamorphia* sp., B 27, p. 20; R 1910, p. 22.
- Setaria verticillata*, B 27, p. 12.
- Shaddock. (See Pomelo.)
- Shallot, EB 9, p. 21.
- Sheep—
 insect pests, R 1907, p. 47; 1908, p. 36.
 marketing, PB 45, p. 26.
 raising in the United States, SB Grazing, p. 73.

- Shipping. (See Market and Marketing.)
 Shocker for corn. (See Corn.)
Sida spp., feeding value, PB 53, pp. 8, 20; B 36, p. 33.
 Side oats grama—
 feeding value, R 1907, p. 63; PB 53, pp. 6, 19.
 notes, R 1915, p. 43; 1916, p. 30.
Sierola sp., R 1915, p. 28.
 Silage—
 crops for Hawaii, PB 40; R 1914, p. 10; 1915, p. 52.
 feeding value, PB 40, p. 2; PB 53, pp. 10, 20.
Silene struthioloides, B 36, p. 33.
 Silk—
 culture, R 1905, p. 41; 1906, p. 19; 1907, p. 41.
 rubber. (See Rubber, African.)
 oak. (See Silver oak.)
 Silos, PB 40; R 1914, p. 61.
Silvanus mercator, R 1907, p. 48.
 Silverfish, destruction due to, R 1904, p. 378.
 Silver oak, R 1918, p. 43; 1919, p. 33.
 Silver scurf, B 45, p. 39.
Simodactylus cinnamomeus, notes, R 1910, p. 22.
Sinapis cernua, R 1918, p. 43.
Sinoxylon conigerum, R 1905, p. 50.
Siphanta acuta, B 11, p. 16; B 12, p. 24; R 1903, p. 417; 1904, p. 375.
Siphonophora—
 circumflexa, R 1909, p. 26.
 rosæ, R 1909, p. 25.
 Sisal—
 botany and history, B 4, p. 8.
 culture, B 4.
 feeding value, PB 53, pp. 8, 13, 20, 23; R 1919, p. 43.
 fiber, B 4, pp. 15, 22, 24, 25.
 industry, R 1902, p. 314; 1903, p. 403; B 4, p. 31.
 insect pests, R 1905, p. 48; 1908, p. 30; B 4, p. 30.
 waste utilization, PB 35; PB 53, pp. 8, 13; R 1905, p. 27; 1912, pp. 12, 58.
Sitotroga cerealella. (See Angoumois grain moth.)
 Sled cutters. (See Corn.)
 Smut grass. (See *Sporobolus* spp.)
 Soap as insecticide, PB 27, p. 3; B 3, pp. 21, 23; B 5, p. 27; R 1907, p. 45.
 Soda arsenite of lime, insecticide, B 3, p. 16.
Sodium arsenite. (See Arsenite of soda.)
 Soils—
 aeration, B 33, p. 11; B 37, pp. 12, 14; PB 38, p. 1; PB 44, p. 6; R 1915, p. 39.
 ammonification and nitrification. (See Soils, biological conditions.)
 arsenite of soda, effect, PB 50; R 1915, p. 32.
 biological conditions, B 24, p. 7; B 26, p. 54; B 31, p. 18; B 37; B 39, p. 6; B 40, p. 14; PB 50, p. 10; R 1913, p. 31.
 composition, B 26, p. 42; B 40, p. 19; B 42; R 1905, p. 32; 1907, p. 61; 1908, p. 61; 1911, p. 45; 1912, p. 51; 1913, p. 30; 1915, p. 33.
 fertilizer salts absorption, B 35; R 1913, p. 32; 1915, p. 29.
 heat, effect, B 30.
 humus content, PB 33.
 lime-magnesia ratio, B 37, p. 35; B 40, p. 13; R 1912, p. 12; 1913, p. 33.
 management, B 40, p. 15; R 1910, p. 41; 1911, p. 43; 1912, p. 52; 1913, p. 32; 1918, p. 24; 1919, p. 44; 1920, p. 42.
 manganese, function and distribution, B 26.
 manganiferous, B 52, p. 7.
 nitrogen, organic, content, B 33; R 1906, p. 37; 1913, p. 32.
 nitrogenous substances, biochemical decomposition, B 39; R 1914, p. 25; 1915, p. 30.
 origin and formation, B 26, p. 42; B 40, p. 5; B 42, p. 3.
 phosphates, availability, B 41; R 1914, p. 27; 1915, p. 32; 1920, p. 48.
 properties—
 chemical, B 40, p. 10; R 1904, p. 370; 1905, p. 28; 1916, p. 22.
 fertilizer effect, B 38.
 physical, B 26, p. 54; B 40, p. 8; R 1910, pp. 11, 41; 1911, p. 44; 1912, p. 55; 1914, p. 26; 1915, p. 30.
 rice, B 31; R 1907, p. 68.
 sterilization, B 37, p. 20; R 1913, p. 31; 1914, p. 14.
 survey, R 1911, p. 50; 1912, p. 51; 1913, p. 29.
Solanum—
 melongena. (See Eggplants.)
 spp., B 10, p. 7.
 tuberosum. (See Potato.)
Sonchus oleraceus. (See Sow thistle.)
 Sooty mold, B 9, p. 23; B 12, p. 23.
Sophora chrysophylla. (See Mamani.)
 Sorehead of poultry, R 1902, p. 309; 1915, p. 54; 1919, p. 54; 1922, p. 12; B 1, p. 11; EB 1, p. 2; PB 46, p. 44.
 Sorghum—
 feeding value, PB 53, pp. 3, 10, 18, 20; B 13, p. 6.
 variety tests, R 1913, p. 38; 1914, pp. 37, 60; 1915, p. 41; 1916, p. 29; 1922, p. 10; 1925, p. 16.
 Sosquil. (See Sisal.)
Sotenus setiger on wattle, B 11, p. 16.
 Soursop, R 1908, p. 34; 1921, p. 22.
 Sow thistle, feeding value, B 13, p. 10; B 36, p. 11; PB 53, pp. 7, 19.
 Soy bean—
 cake, analysis, R 1912, pp. 15, 63.
 culture and uses, B 23, p. 23.
 nitrogen content, PB 52, p. 5; B 39, p. 19.
 saucé, manufacture, R 1913, p. 46.
 varieties for Hawaii, B 23, p. 25; R 1908, p. 83; 1913, p. 47; 1920, p. 61.
 waste, feeding value, PB 53, pp. 15, 24.
 Spanish needles, feeding value, PB 53, pp. 7, 19; B 36, p. 11.
 Spanish sulla, B 36, p. 29.
 Sparrow, English, enemy to crops, R 1921, p. 33.
 Spelt, in Hawaii, R 1917, p. 45.
Sphaeronema fimbriatum. (See Rot, black, sweet potato.)
Sphaerostilbe coccophila, R 1919, p. 53.
Sphaerotheca pannosa, R 1919, p. 54.
Sphenophorus obscurus. (See Cane, insect pests.)
 Spinz—
 celeus. (See *Protoparce* spp.)
 convolvuli, R 1907, p. 43; B 22, p. 11; B 50, p. 12.
Sphyrana snodgrassi, PB 20, p. 9.
 Spinach—
 composition, R 1906, p. 78.
 preparation for table, EB 9, p. 21.
Sprida spinella. (See Seaweeds.)
Spirogyra sp., R 1906, p. 68.
 Splitworm. (See Tuber moth.)
Spodoptera spp., R 1911, p. 17.
 Spondias—
 dulcis. (See Wi fruit.)
 lutea. (See Hog plum.)
Spondylocidium atrovirens. (See Silver scurf.)
Spongopora subterranea. (See Powdery scab.)
Sporobolus spp., B 36, p. 37.
 Sprays and spraying—
 appliances, PB 16, p. 11; PB 27, p. 6; PB 48, p. 6; PB 51, p. 5; B 3, p. 13; B 49, p. 13; B 52, p. 30; EB 4, p. 9; R 1912, p. 47; 1919, p. 52.
 avocados, PB 16, p. 10; B 25, p. 24.
 bananas, R 1919, p. 51; 1920, p. 40.
 beans, EB 3, p. 6; EB 8.
 citrus, B 9, p. 24; B 49, p. 10; R 1921, p. 24.
 coffee, PB 9, p. 4.
 costs, PB 51, p. 5; PB 48, p. 7; B 52, p. 31.
 demonstrations, R 1923, p. 14; 1924, p. 21.
 effective, B 3, p. 13; R 1920, p. 24.
 gardens, EB 4.
 mangoes, R 1911, p. 36; 1921, p. 24.
 mixtures, B 3, pp. 15, 20; B 45, p. 10; PB 27; R 1920, p. 24.
 pineapples, B 52, p. 27; PB 51; R 1916, p. 23; 1917, p. 25; 1918, p. 24; 1919, p. 44.
 potatoes, sweet, B 22; B 50.
 potatoes, white, B 45; R 1914, p. 40; 1917, p. 31.
 soils, PB 50.
 tobacco, B 10; B 34.
 weeds, PB 25; PB 27, p. 6; PB 30; PB 48; R 1909, p. 15.
 Spurge, PB 30, p. 8.
 Squabs, marketing, PB 45, p. 26.
 Squashes—
 cooking, EB 9, p. 21.
 notes, PB 45, p. 26; R 1925, p. 17.
 Squid, R 1906, p. 65.
 Stable fly. (See Fly.)
Stachytarpheta dichotoma. (See Oi.)
 Star apple—
 composition, R 1914, p. 67.
 notes, PB 47, p. 2; R 1907, p. 54; 1921, p. 21.

- Star-Bulletin school-garden contest. (See Gardens.)
- Starch—
analysis, R 1921, pp. 4, 38.
notes, R 1919, pp. 41, 67; 1921, pp. 7, 55.
(See also specific kinds.)
- Station—
buildings and grounds, R 1902, p. 309; 1904, p. 361; 1905, pp. 9, 25; 1906, p. 9; 1908, p. 9; 1910, p. 9; 1911, p. 7; 1912, pp. 7, 45; 1913, p. 27; 1914, p. 7; 1915, p. 9; 1916, p. 5; 1917, p. 6; 1921, p. 2; 1923, p. 12.
correspondence, R 1902, p. 326; 1904, p. 372; 1906, p. 18; 1907, p. 25; 1908, p. 10.
establishment, R 1901, p. 361.
equipment, R 1901, p. 363; 1903, p. 391; 1917, p. 25.
function, PB 1; PB 18, p. 2.
funds, PB 18, p. 1; R 1901, p. 361; 1903, p. 413; 1904, p. 362; 1905, p. 10; 1907, p. 11; 1909, p. 16; 1911, p. 8; 1913, p. 7; 1921, p. 41.
library, R 1902, p. 309; 1903, p. 391.
location, PB 18, p. 1; R 1901, p. 361.
needs, R 1907, p. 60; 1911, p. 42; 1914, p. 35; 1915, p. 18.
staff, changes, R 1907, p. 11; 1914, p. 9; 1915, p. 10; 1916, p. 5; 1919, p. 16; 1920, p. 9.
transfer of property, R 1901, p. 362; 1910, p. 9; 1925, p. 2.
travel, R 1903, pp. 413, 416; 1904, p. 381; 1906, p. 18; 1907, pp. 11, 25; 1912, p. 16; 1915, p. 16; 1917, p. 25; 1918, p. 8; 1919, pp. 10, 56; 1924, p. 10.
- Stegomyia* spp. (See Mosquitoes.)
- Stem—
borer. (See Borer, sweet potato.)
maggot, attacking cotton, B 18, p. 6.
rot. (See Rot.)
- Stenotaphrum* spp. (See St. Augustine grass.)
- Stephanoderes* spp. (See Beetles, bark.)
- Sterilization effect on plant growth, R 1915, p. 37.
- Stigeoclonium amœnum*. (See Seaweeds.)
- Stigmæus floridanus*, notes, R 1908, p. 32.
- Stizolobium*—
cinereum. (See Bean, ashy pod.)
hasjoo. (See Jack bean.)
spp. (See Velvet beans.)
- Stomoxys calcitrans*. (See Fly, stable.)
- Stored products, insect pests, R 1904, p. 378; 1905, p. 49; 1907, p. 48; 1908, p. 37.
- Storing—
beans, EB 3, p. 8.
effect on seed, PB 47, p. 9.
sweet potatoes, B 50, p. 10.
tropical fruits, PB 47; R 1905, p. 60.
white potatoes, B 45, p. 14; R 1917, p. 39.
- Straw—
board, for packing fruit, B 14, p. 34.
feeding value, PB 53, pp. 11, 22.
yield, B 21, p. 40.
- Strawberries—
guava. (See Guáva.)
insect pests, R 1908, p. 34.
marketing, PB 45, p. 14.
notes on growth, R 1920, p. 21; 1922, pp. 6, 23; 1925, p. 18.
- Streptocladia* sp. (See Seaweeds.)
- Streptizia reginæ*. (See Bird of Paradise flower.)
- Stripping, for leaf-hopper control, B 5, p. 26.
- Strongylus* spp., PB 43, p. 12.
- Strychnos nux vomica*, R 1906, p. 36.
- Subsoiling, for pineapples, R 1917, p. 31.
- Substations and homesteads—
Castner, R 1917, p. 52; 1918, pp. 11, 49; 1919, p. 47; 1920, p. 32.
Glenwood, R 1912, p. 84; 1913, pp. 9, 51; 1914, pp. 9, 58; 1915, pp. 17, 51; 1916, pp. 12, 39; 1917, pp. 9, 42; 1918, pp. 11, 51; 1919, pp. 15, 68; 1920, p. 71; 1921, p. 51; 1922, p. 19; 1923, p. 11; 1924, p. 18.
Hawaii, R 1920, pp. 16, 67; 1921, pp. 6, 47.
Haiku, PB 48, p. 1; R 1918, p. 9; 1919, p. 60; 1920, pp. 16, 33, 40, 64; 1921, pp. 7, 42, 52; 1922, p. 20.
Halekala, R 1919, p. 58; 1920, pp. 10, 34, 64; 1921, p. 62; 1922, p. 22; 1923, p. 14; 1924, pp. 8, 18; 1925, p. 16.
Hilo, R 1912, p. 83; 1913, pp. 9, 50; 1914, p. 57.
Homestead, R 1912, p. 9; 1913, p. 8.
- Substations and homesteads—Continued.
Kalaheo, R 1915, p. 17.
Kamuela, R 1915, p. 16; 1923, p. 12.
Kau, R 1922, p. 19.
Kohala, R 1921, p. 48; 1922, p. 19.
Kona, R 1922, p. 19.
Kula, R 1903, p. 392; 1913, p. 40; 1914, p. 41.
Nahiku, R 1912, p. 9; 1915, p. 46.
Tantalus, R 1915, p. 17; 1916, p. 20; 1920, p. 10; 1924, p. 3.
Waiahoa, R 1913, p. 10.
Waimea, R 1919, p. 16; 1920, p. 71; 1921, p. 48; 1922, p. 18.
Waipio, R 1912, p. 10; 1913, pp. 10, 40; 1914, p. 41.
- Sudan grass—
feeding value, B 36, p. 11; PB 53, pp. 11, 12, 22.
growth at station, B 36, p. 28; R 1914, p. 38; 1915, p. 42; 1922, p. 10.
- Sugar—
industry, R 1901, p. 378; 1903, p. 407.
of lead. (See Acetate of lead.)
- Sulphate of iron, effect on weeds, R 1910, p. 18.
- Sulphur—
as insecticide, PB 27, p. 4.
soda, as insecticide, B 9, p. 27.
- Sulphuric acid for weed destruction, PB 30, p. 5.
- Sunburn. (See Sunscald.)
- Sunflowers, for chicken feed, R 1917, p. 30.
- Sunlight studies of actinic rays, R 1912, pp. 13, 59.
- Sunscald, PB 36, p. 29; B 45, p. 34; R 1915, p. 61.
- Sunn hemp—
feeding value, PB 53, pp. 12, 22.
nitrogen content, PB 52, p. 5.
notes, R 1913, p. 45; 1917, p. 29; 1922, p. 11; 1923, p. 7; 1924, p. 12.
seed analysis, R 1913, p. 45.
- Surinam cherry, analysis, R 1914, p. 67.
- Sweat box for propagating purposes, R 1921, p. 25.
- Sweet potato—
botany, B 50, p. 2.
composition, B 13, pp. 17, 19; B 50, p. 15; EB 7, p. 22; PB 53, pp. 8, 10, 12, 13, 20.
cooking, EB 9, p. 21.
culture, B 50.
diseases, B 50, p. 13.
drying, EB 7, p. 21.
flour, EB 7, p. 30.
food value, EB 8, p. 4.
industry, R 1901, p. 375; 1910, pp. 16, 36; PB 45, p. 25; B 14, p. 39.
insects, R 1907, pp. 28, 43; 1908, pp. 31, 35; 1910, p. 24; B 50, p. 11; B 22.
recipes, B 50, p. 16.
salt content, R 1921, p. 27.
variety tests, EB 1, p. 7; B 50, p. 15; R 1911, p. 40; 1918, p. 55; 1919, p. 46; 1923, p. 6; 1924, p. 12; 1925, pp. 10, 17.
Sweet sop, R 1907, p. 54; 1914, pp. 64, 67; 1921, p. 22.
Sweet vernal grass, B 36, p. 13.
- Swine raising. (See Hog.)
- Swiss chard, preparation for table, EB 9, p. 17.
- Sword bean. (See Bean.)
- Sycos* sp., R 1907, p. 32.
- Syntherisma*—
helleri. (See Crab grass.)
sanguinalis. (See Crab grass.)
- Tacca pinnatifida*, feeding value, PB 53, pp. 10, 21.
- Tagosate. (See Tree lucern.)
- Tall fescue, R 1916, p. 30.
- Tall meadow oat grass for range improvement, B 36, p. 37.
- Tamarind—
composition, R 1914, pp. 65, 67.
in Hawaii, R 1921, p. 20.
- Tamarindus indica*. (See Tamarind.)
- Tanbark and tanning. (See Wattle.)
- Tangler pea, R 1908, p. 25.
- Tangle ferns. (See *Phopteris* spp.)
- Tangleroot, PB 36, p. 30.
- Tantalus substitution. (See Substations.)
- Tapinoma melanocephala*, R 1913, p. 19.
- Tapping rubber trees. (See Rubber.)
- Taraxacum officinale*. (See Dandelion.)
- Taro—
as food, B 2, p. 7; R 1902, p. 310.
composition, PB 53, pp. 8, 10, 12, 13; EB 7, p. 16; B 13, pp. 11, 17, 19; R 1906, p. 78.
cooking, EB 9, pp. 18, 21.
culture, B 2, pp. 8, 15; R 1925, p. 10.
digestible nutrients, PB 53, pp. 20, 21, 23.

- Taro**—Continued
 drying, EB 7, p. 15.
 fertilizer experiments, R 1910, p. 18; 1912, pp. 13, 56; 1917, p. 48; 1921, p. 28.
 flour, analysis, EB 7, p. 30.
 history, B 2, p. 7.
 industry, R 1901, p. 375; 1921, p. 28.
 insect pests, R 1905, p. 48; 1908, p. 30.
 marketing, PB 45, p. 26.
 poi. (See Poi.)
 rot, B 2; PB 4; PB 54; R 1901, p. 376; 1902, p. 310; 1903, p. 396; 1910, p. 64; 1919, p. 50; 1920, p. 39.
 soil aeration tests, R 1915, p. 39.
 variety tests, R 1914, p. 57; 1919, pp. 46, 69; 1925, pp. 10, 17.
- Tea**—
 Japanese. (See Partridge pea.)
 Paraguay, R 1918, p. 16; 1925, p. 8.
- Teff grass**, R 1914, p. 38.
- Temperature**. (See Hawaii.)
- Tenebroides mauritanicus**. (See Cadelle.)
- Teosinte**, composition, PB 40, p. 2.
- Tepary bean**. (See Bean.)
- Tephrosia purpurea**, B 36, pp. 30, 42.
- Terminalia catappa**. (See Kamani fruit.)
- Termitidae**. (See Ants, white.)
- Tetragnatha mandibulata**, B 5, p. 24.
- Tetramorium guineense**, R 1913, p. 19.
- Tetranychus** sp., R 1909, p. 18.
- Texas bluegrass**. (See *Poa arachnifera*.)
- Thespesia populnea**, PB 32, p. 2.
- Thevetia nerifolia**, R 1908, p. 26.
- Thielariopsis**—
ethaceticus attacking pineapples, B 14, p. 8.
 PB 21, p. 19; R 1907, p. 16.
paradoxa, PB 36, pp. 23, 27.
- Thimble berry**. (See Hitchcock berry.)
- Threshing**—
 legumes, R 1912, p. 48.
 pigeon peas, B 46, p. 14.
- Thrips**—
 cotton, B 18, p. 23.
 crucifer, R 1914, p. 49.
 mango, R 1907, p. 45.
 onion, R 1914, p. 49.
 red-banded, R 1910, p. 31.
- Thrips tabaci**. (See Thrips, onion.)
- Thysanotera agrostis**, R 1906, p. 35.
- Thysanoptera**. (See Insects, Laysan.)
- Thysanus** sp., R 1912, p. 30.
- Ti leaves**, feeding value, B 13, p. 11; B 36, pp. 11, 32; PB 53, pp. 8, 10, 20, 21.
- Tickle grass**, B 36, p. 37.
- Timothy**. (See *Phleum pratense*.)
- Tin cans v. pots for seedlings**, PB 41.
- Tipburn of leaves**, B 45, p. 34.
- Tobacco**—
 as insecticide, PB 27, p. 3.
 culture, B 15; PB 12; R 1904, p. 366; 1905, p. 13; 1906, p. 13.
 curing—
 barn, B 15, p. 8.
 methods, B 15, p. 20; PB 12, p. 14; R 1905, pp. 15, 18.
 fermenting, B 15, p. 22; PB 12, p. 16.
 insect pests, B 15, p. 16; B 10; B 34; R 1904, p. 377; 1905, pp. 16, 49; 1908, p. 30.
 marketing, B 15, p. 25.
 seed and seedlings, PB 12, pp. 5, 6; B 15, p. 14.
 soils, PB 12, p. 2; R 1905, p. 13.
 variety tests, R 1903, p. 402; 1904, p. 366; 1905, p. 18; 1906, p. 13; 1907, p. 13; PB 12.
- Tomato**—
 breeding, R 1903, p. 397; 1917, p. 7; 1918, p. 19; 1921, p. 33; 1922, pp. 7, 23; 1924, p. 9; 1925, pp. 8, 17.
 marketing, PB 45, p. 26.
 preparing for table, EB 9, p. 22.
- Tomocera** spp., R 1912, p. 31.
- Tonics**, for poultry, PB 46, p. 54.
- Toothed bent grass**, B 36, pp. 13, 19.
- Top-minnows**, for destruction of mosquito larvae, B 6, p. 24; PB 20; R 1905, p. 44; 1906, p. 25; 1907, p. 14.
- Torpedo bug**. (See *Siphanta acuta*.)
- Tortricid leaf roller**. (See *Amorbia emigratella*.)
- Touchardia latifolia**. (See Olona.)
- Tous-les-mois**. (See Cannas, edible.)
- Toxoptera** spp., description, R 1909, p. 31.
- Transportation**—
 cost, crops, PB 21, p. 6; R 1902, p. 313.
 land, fruit, PB 21, p. 3.
 sea, agricultural products, PB 21, p. 7; R 1924, p. 1.
- Traps for cotton bollworm**, PB 32, p. 7.
- Trachocorys nipex**, PB 16, p. 5.
- Tree fern**—
 botany, B 53, p. 2.
 composition, R 1912, pp. 15, 63; B 53, p. 10.
 culture, B 53.
 industry, B 53, p. 15.
 starch, B 53; R 1921, p. 39; 1922, p. 17; 1923, p. 9.
- Tree lucern**, R 1914, p. 41; B 36, p. 29.
- Tree rat attacking bananas**, B 55, p. 23.
- Tree tanglefoot**, R 1910, p. 39.
- Tree tomato**, R 1922, p. 7.
- Trefoil as green manure**, R 1914, p. 41.
- Trellising for grapes**, R 1917, p. 18.
- Tribolium ferrugineum**. (See Beetles, rust-red flour.)
- Tribulus cistoides**, B 18, p. 12.
- Trichogramma pretiosa**, R 1907, p. 50.
- Tricholena rosea**. (See Natal redtop.)
- Trichoptilus oxydactylus**, R 1913, p. 19.
- Trichosanthes anguina**. (See Gourd, snake.)
- Trichosphaeria sacchari**, B 5, p. 18.
- Trichotrips nigricans**, R 1911, p. 22.
- Trifolium**—
alexandrinum. (See Clover, Egyptian.)
dubium, R 1916, p. 28.
hybridum. (See Clover, alsike.)
incarnatum. (See Clover, crimson.)
pratense. (See Clover, red.)
procumbens. (See Clover, hop.)
repens. (See Clover, white.)
 spp., R 1915, p. 41; 1916, p. 28.
striatum, R 1916, p. 28.
- Trigonella fenum-graecum**. (See Fenugreek.)
- Trionymus americanus** attacking mango, R 1907, p. 45.
- Triphleps persequens**, R 1913, p. 18.
- Tripsacum laxum**. (See Guatemala grass.)
- Troctes divinatorius** attacking stored products, R 1908, p. 37.
- Tropidopria** sp., R 1913, p. 19.
- Tuber moth**, B 10, p. 7; B 34, p. 8; B 45, p. 29.
- Tuberculosis**—
 of poultry, PB 46, p. 44.
 of swine, B 48, p. 24.
- Tunis grass**—
 feeding value, B 36, p. 11; PB 53, pp. 11, 22.
 in Hawaii, R 1915, p. 42; 1922, p. 10.
- Turkey**—
 industry, R 1901, p. 377.
 insect pests, R 1908, p. 36.
 marketing, PB 45, p. 27; PB 46, p. 3.
 raising, PB 46, p. 29.
- Turnips**—
 table preparation, EB 9, p. 22.
 yields, R 1919, p. 46.
- Twisted beard grass**. (See Pili grass.)
- Uki**. (See Sedge.)
- Ulei** as forage plant, B 36, p. 32.
- Ulex europaeus**, B 36, p. 30.
- Uloperyz pinnatifida**. (See Seaweeds.)
- Utra** spp. (See Seaweeds.)
- Umeau**. (See Sandbur grass.)
- Uromyces appendiculatus**, R 1918, p. 43.
- Urosigalphus bruchiphagus**, R 1910, p. 20.
- Uscana semifumipennis**, R 1912, p. 26.
- Ustilago reitiana**, R 1918, p. 43.
- Uwiwi**. (See Fleabane.)
- Vaccinium reticulatum**, composition, R 1914, p. 68.
- Valonia utricularis**. (See Seaweeds.)
- Vanilla planifolia**—
 culture, PB 6; R 1903, p. 402.
 diseases, PB 6, p. 8.
- Vegetables**—
 composition, R 1923, p. 10; 1924, p. 17; 1925, p. 16.
 functions in the diet, EB 9.
 group divisions, EB 9, p. 6.
 how to use Hawaiian, EB 9, p. 13.
 insect pests, R 1904, p. 376; 1905, p. 48; 1913, p. 19.
 local production, R 1901, p. 366.
 preservation, R 1921, p. 40.
- Velucella obesa**. (See Fly, bottle.)

- Velvet bean—
meal, feeding value, PB 53, pp. 12, 15, 22, 24;
R 1919, p. 43.
nitrogen content, PB 52, p. 5.
varieties in Hawaii, B 23, p. 27; R 1910, p. 56;
1911, p. 17; 1913, p. 44; 1916, p. 27.
- Verbena bonariensis*, R 1908, p. 26.
- Vermion of poultry, B 1, p. 21; PB 46, p. 46.
- Verrucosis. (See Lemons, scab.)
- Verrucilium alboatrum* of potato, B 45, p. 39.
- Vesperugo, B 6, p. 25.
- Vetch—
in Hawaii, R 1910, p. 56; 1922, p. 22; 1925, p. 16.
nitrogen content, PB 52, p. 5.
- Vicia spp. (See Vetch.)
- Vigna—
catjang. (See Cowpeas.)
sauvichensis. (See Cowpeas, wild.)
sesquipedalis. (See Bean, asparagus.)
unquiculata, nitrogen content, B 43, p. 5.
- Vinegar. (See Pineapple juice.)
- Vinegar fly. (See Fly.)
- Virus for rat destruction, R 1914, p. 22.
- Vitamins, EB 9, p. 4.
- Vitis* spp. (See Grapes.)
- Volcanic ash, analysis, B 42, p. 4.
- Wagon—
for harvesting corn, PB 42, p. 17.
for hauling fodder, PB 40, p. 27.
for orchard work, R 1915, p. 68.
- Waiawi. (See Guava, wild.)
- Waimea. (See Substations.)
- Waipio substation. (See Substations.)
- Wall barley, in Hawaii, B. 36, pp. 13, 22.
- Wallaby grass, in Hawaii, R 1915, p. 43.
- Wallows, for hogs, B 48, p. 11.
- Waltheria americana*, R 1905, p. 49; B 26, p. 25.
- Wampee, R 1908, p. 49; 1914, p. 33.
- Wandering Jew. (See Honohono grass.)
- War, World, effect on agriculture, B 55, p. 1; R 1918,
p. 13; 1920, p. 15; 1921, pp. 9, 34.
- Warble fly. (See Fly.)
- Wart, black, of potato, B 45, p. 36.
- Water—
bags for washing rubber latex, B 19, p. 12.
extracts of soils, analysis, PB 50, p. 14.
grass. (See Australian water grass.)
irrigation, analysis, R 1908, p. 62.
meadow grass. (See *Poa aquatica*.)
salt content, R 1907, p. 62.
system, station, R 1901, p. 363; 1904, p. 361;
1905, p. 10; 1907, p. 9; 1908, p. 9.
- Watercress, EB 9, p. 22.
- Waterlemons—
as intercrop for avocados, B 51, p. 11.
storage effect, PB 47, p. 6.
- Watermelons, marketing, PB 45, p. 27; B 3, p. 7;
R 1925, p. 18.
- Watering devices for hogs, B 48, p. 12.
- Wattle—
as forage plant, B 36, p. 29.
bark, analysis, R 1905, p. 27.
culture, B 11.
industry, B 11, p. 7; R 1904, p. 365; 1905, p. 11.
insect pests, B 11, p. 16; R 1908, p. 35.
tannin content, B 11, p. 11; R 1905, p. 27.
- Wax—
grafting, R 1920, p. 23; B 9, p. 10.
honeydew, R 1907, p. 15.
- Webworm, R 1913, p. 19; 1914, p. 45.
- Weeding pineapple fields, PB 48, p. 1.
- Weeds—
arsenite of soda effect, R 1910, p. 18; 1914, p. 19;
PB 30; PB 48.
as source of honey, R 1908, p. 26.
destruction, PB 25; PB 30; PB 48.
effect on alfalfa, B 23, p. 10.
feeding value, B 13, p. 10; PB 53, pp. 7, 19.
salt effect, PB 30, p. 5.
- Weeds—Continued.
sulphate of iron effect, R 1910, p. 18.
sulphuric acid effect, PB 30, p. 5.
- Weevils—
bean, R 1912, p. 24.
corn, B 27, p. 18.
in stored products, EB 4, p. 7.
mango, PB 17; B 12, p. 24; R 1905, p. 47; 1906,
p. 33; 1919, p. 22.
parasites, R. 1909, p. 19; 1910, p. 17.
rice, R 1904, p. 378; B 27, p. 19.
sweet potato, B 22, p. 27; B 50, p. 13; R 1907,
p. 28.
- Wheal oil soap. (See Soap.)
- Wheat—
bread, composition, R 1906, p. 78.
flour, EB 7, p. 30.
food value in calories, EB 6, pp. 4, 7.
grass, R 1916, p. 31.
insect pests, R 1910, p. 22.
lime content, PB 15, p. 3.
variety tests, R 1908, p. 84; 1914, p. 37; 1915,
p. 41; 1917, p. 31.
- White rust, R 1918, p. 43.
- Whitewashes, for poultry, PB 46, p. 52.
- Wi fruit, R 1905, p. 63; 1914, p. 68.
- Wild oats for range improvement, B 36, p. 37.
- Wildler grass for pasture, R 1915, p. 42; 1916, p. 30;
1917, p. 50; 1922, p. 10.
- Williwill. (See *Erythrina monosperma*.)
- Wilt—
Southern bacterial, B 45, p. 39.
sweet potato. (See *Sclerotium rolfsii*.)
- Windbreaks—
avocado, B 25, p. 21; B 51, p. 8.
bananas, B 55, p. 17.
orchards, R 1909, p. 54.
planting, R 1923, p. 14; 1924, p. 21; 1925, pp. 18,
21.
- Winds. (See Hawaii.)
- Wire bunch grass. (See Gumbo grass.)
- Wireworms, crop injury, B 16, p. 30; B 18, p. 6;
B 27, p. 7; R 1907, p. 46.
- Wonder Forage grass, in Hawaii, R 1920, p. 30;
1922, p. 11.
- Wood meadow grass. (See *Poa nemoralis*.)
- Woolly top. (See *Andropogon saccharoides*.)
- Worms—
cabbage, R 1914, p. 44; 1921, p. 34.
poultry, PB 46, p. 49; B 1, p. 20.
swine, B 48, p. 26.
(See also specific kinds.)
- Xanthium strumarium*. (See Cocklebur.)
- Xanthogramma grandicornis*, R 1911, p. 18.
- Xiphidium varipenne*, attacking pineapples, PB 36,
p. 33; R 1910, p. 19.
- Xyleborus*—
affinis. (See Beetles, bark.)
immaturus. (See Beetles, wood-boring.)
- Xylocopa æneipennis*. (See Bees, carpenter.)
- Xylocopa globosa*, B 11, p. 16; R 1905, p. 49.
- Yam bean, R 1921, p. 32.
- Yams, R 1920, p. 61.
- Yard grass—
feeding value, B 13, p. 8; PB 53, pp. 5, 18
notes, B 36, pp. 13, 22.
- Yashqui. (See Sisal.)
- Yellow fever. (See Mosquitoes.)
- Yellow foxtail, B 36, pp. 13, 22.
- Yerba maté. (See Tea, Paraguay.)
- Zea amyloacea*. (See Corn.)
- Zea mays*, R 1909, p. 42.
- Zelus*—
peregrinus, B 5, p. 24.
renardii, B 18, p. 25; B 22, p. 31.
- Zenolium for chicken fleas, R 1914, p. 24.
- Zizyphus jujuba*. (See Jujube, Chinese.)
- Zoysia* spp., R 1918, p. 47.