



<b>Eucalyptus Woodlands</b>	
<b>Community 1t</b>	Low Open Woodland of <i>Eucalyptus</i> sp. over <i>Acacia coriacea</i> subsp. <i>sericophylla</i> , <i>Acacia trachycarpa</i> and <i>Wahlenbergia</i> sp. in sandy soils.
<b>Community 1u</b>	Low Open Woodland of <i>Corymbia zygophylla</i> over <i>Triodia pungens</i> , <i>Eriachne aristidea</i> and <i>Acacia ancistrocarpa</i> with <i>Eremophila ramiflora</i> over mixed shrub species in red silty soils with quartz pebbles.
<b>Community 1v</b>	Low Open Woodland of <i>Eucalyptus camaldulensis</i> , <i>Acacia aneura</i> var. <i>aneura</i> and <i>Acacia distans</i> along creek edges over <i>Eremophila fraseri</i> subsp. <i>galeata</i> (ms), <i>Eremophila minima</i> and <i>Eremophila clarkei</i> over <i>Cymbopogon ambiguus</i> on rocky riverbank sands in association with the Wooramel River.
<b>Community 1w</b>	Woodland of <i>Eucalyptus camaldulensis</i> and <i>Eucalyptus eudesmioides</i> over <i>Acacia beauverdiana</i> , <i>Acacia longispinea</i> , <i>Eremophila clarkei</i> , <i>Grevillea paradoxa</i> and <i>Rhagodia drummondii</i> over <i>Monachather paradoxus</i> on pale red sandy soils.
<b>Community 1x</b>	Low Open Woodland of <i>Eucalyptus</i> species over <i>Acacia</i> species, <i>Callitris glaucocephala</i> , <i>Thryptomene decussata</i> , <i>Grevillea paradoxa</i> and <i>Dianella revoluta</i> over <i>Monachather paradoxus</i> on pale red sandy soils.
<b>Community 1y</b>	Open Woodland of <i>Eucalyptus ewartiana</i> and <i>Eucalyptus camaldulensis</i> over <i>Acacia aneura</i> var. <i>intermedia</i> , <i>Hakea invaginata</i> , <i>Grevillea paradoxa</i> and <i>Eremophila clarkei</i> over <i>Ecdeiocolea monostachya</i> on pale red sandy soils.
<b>Community 1z</b>	Low Open Woodland of <i>Eucalyptus ewartiana</i> and <i>Eucalyptus camaldulensis</i> over <i>Acacia beauverdiana</i> , <i>Callitris glaucocephala</i> , <i>Thryptomene decussata</i> , <i>Grevillea paradoxa</i> and <i>Dianella revoluta</i> over <i>Monachather paradoxus</i> and <i>Lawrencella davenportii</i> on pale red sandy soils.
<b>Community 1aa</b>	Low Open Woodland of emergent <i>Eucalyptus camaldulensis</i> over <i>Acacia tetragonophylla</i> , <i>Melaleuca uncinata</i> and <i>Acacia acuminata</i> subsp. <i>acuminata</i> (ms) over <i>Senna artemisioides</i> subsp. <i>petiolaris</i> , <i>Hakea preissii</i> and <i>Eremophila platycalyx</i> subsp. <i>platycalyx</i> (ms) over sparse ephemerals on clay loam riverbank soils in association with the Murchison River.
<b>Community 1ab</b>	Low Open Woodland of <i>Eucalyptus eudesmioides</i> and <i>Eucalyptus oldfieldii</i> over <i>Verticordia interioris</i> , <i>Acacia acacia</i> and <i>Lamarchea hakeifolia</i> var. <i>brevifolia</i> over very occasional <i>Ptilotus schwartzii</i> var. <i>schwartzii</i> on pale red sandy soils.
<b>Community 1ac</b>	Low Woodland of <i>Eucalyptus foecunda</i> , <i>Eucalyptus eudesmioides</i> and <i>Banksia prionotes</i> over dense understorey of <i>Calothamnus gilesii</i> , <i>Allocasuarina huegeliana</i> , <i>Phebalium tuberculatum</i> , <i>Baeckea crispiflora</i> and <i>Acacia acacia</i> over <i>Jacksonia restioides</i> on pale orange sandy soils.
<b>Community 1ad</b>	Low Woodland of <i>Eucalyptus oldfieldii</i> and <i>Eucalyptus petraea</i> over dense understorey of <i>Acacia rhodophloia</i> , <i>Acacia aneura</i> var. <i>aneura</i> , <i>Acacia longispinea</i> , <i>Hakea preissii</i> , <i>Hakea kippistiana</i> , <i>Phebalium tuberculatum</i> and <i>Aluta maisonneuvei</i> subsp. <i>maisonneuvei</i> over occasional <i>Ecdeiocolea monostachya</i> and <i>Meeboldina scariosa</i> on yellow sands.
<b>Community 1ae</b>	Low Woodland of <i>Eucalyptus ?eudesmioides</i> and <i>Eucalyptus petraea</i> over <i>Acacia tetragonophylla</i> , <i>Acacia ramulosa</i> var. <i>ramulosa</i> , <i>Melaleuca eleuterostachya</i> and <i>Eremophila granitica</i> over <i>Ptilotus obovatus</i> var. <i>obovatus</i> and <i>Rhagodia</i> sp. on red sands.
<b>Community 1af</b>	Low Open Woodland of <i>Eucalyptus ?subangusta</i> subsp. <i>subangusta</i> , <i>Eucalyptus oldfieldii</i> and <i>Eucalyptus salmonophloia</i> over <i>Melaleuca eleuterostachya</i> and <i>Monotaxis luteiflora</i> over <i>Dianella revoluta</i> , <i>Conostylis prolifera</i> and <i>Asteraceae</i> spp. on yellow sands over laterite.
<b>Community 1ag</b>	Highly disturbed Woodland of <i>Eucalyptus camaldulensis</i> over scattered <i>Rhagodia baccata</i> subsp. <i>dioica</i> over pastoral weeds on red-brown loam soils in association with the Greenough River.
<b>Community 1ah</b>	Low Open Woodland of <i>Eucalyptus eudesmioides</i> over <i>Ecdeiocolea monostachya</i> , <i>Mesomelaena pseudostygia</i> and <i>Hibbertia glomerosa</i> in sands.
<b>Community 1ai</b>	Disturbed Low Woodland of <i>Eucalyptus</i> sp. over pastoral grasses in sands.
<b>Community 1aj</b>	Disturbed Low Woodland of <i>Eucalyptus todiana</i> over <i>Mesomelaena pseudostygia</i> with pastoral grasses in sands.
<b>Community 1ak</b>	Low Woodland of <i>Eucalyptus todiana</i> over <i>Leptospermum erubescens</i> , <i>Conospermum triplinervium</i> , <i>Dianella revoluta</i> , <i>Allocasuarina humilis</i> and <i>Banksia hookeriana</i> in sands.
<b>Banksia Woodlands</b>	
<b>Community 2k</b>	Open Woodland of <i>Banksia attenuata</i> over <i>Melaleuca systema</i> , <i>Allocasuarina humilis</i> , <i>Hibbertia glomerosa</i> , <i>?Daviesia divaricata</i> and <i>Eremaea beaufortioides</i> in sands.
<b>Community 2l</b>	Low Open Woodland of <i>Banksia menziesii</i> over <i>Banksia hookeriana</i> , <i>Calothamnus quadrifidus</i> , <i>Ecdeiocolea monostachya</i> , <i>Eremaea beaufortioides</i> and <i>Grevillea obliquistigma</i> subsp. <i>obliquistigma</i> in sands.
<b>Community 2m</b>	Low Open Woodland of <i>Banksia hookeriana</i> with scattered <i>Melaleuca huegelii</i> subsp. <i>huegelii</i> over <i>Banksia sphaeroarpa</i> , <i>Calothamnus sanguineus</i> , <i>Conospermum stoechadis</i> and <i>Cassytha</i> sp. in sands.
<b>Casuarina Woodlands and Shrublands</b>	
<b>Community 3b</b>	Remnant Woodland of <i>Allocasuarina campestris</i> with occasional <i>Eucalyptus eudesmioides</i> and <i>Acacia spathulifolia</i> over <i>Calothamnus sanguineus</i> and <i>Grevillea preissii</i> subsp. <i>glabrilimba</i> over <i>Mesomelaena pseudostygia</i> and <i>Ecdeiocolea monostachya</i> on pale yellow sand.
<b>Community 3c</b>	Tall Shrubland of <i>Allocasuarina campestris</i> and <i>Allocasuarina humilis</i> with <i>Grevillea obliquistigma</i> subsp. <i>obliquistigma</i> over <i>Mesomelaena pseudostygia</i> , <i>Baeckea ochropetala</i> and <i>Ecdeiocolea monostachya</i> in grey sands.
<b>Community 3d</b>	Tall Open Shrubland of <i>Allocasuarina campestris</i> with <i>Banksia attenuata</i> and <i>Calothamnus blepharospermus</i> over <i>?Daviesia divaricata</i> , <i>Lyginia barbata</i> , <i>Ecdeiocolea monostachya</i> and <i>Jacksonia furcellata</i> with pastoral grasses in sands.
<b>Community 3e</b>	Tall Open Shrubland of <i>Allocasuarina campestris</i> with <i>Xylocarpus angustifolium</i> and <i>Grevillea eriostachya</i> over <i>Banksia sphaeroarpa</i> , <i>Cassytha</i> sp. and <i>Eremaea beaufortioides</i> in sands.
<b>Community 3f</b>	Tall Open Shrubland of <i>Allocasuarina huegeliana</i> and <i>Eucalyptus</i> sp. over <i>Acacia murrayana</i> , <i>Dryandra sessilis</i> and pastoral grasses in sands.
<b>Community 3g</b>	Low Shrubland of <i>Allocasuarina humilis</i> with <i>Acacia coolgardiensis</i> subsp. <i>effusa</i> over <i>Dryandra carlinoides</i> , <i>Leptospermum erubescens</i> , <i>Nemcia pauciflora</i> and <i>Caladenia flava</i> in sands.
<b>Acacia Shrublands</b>	
<b>Community 4g</b>	Low Open Shrubland of <i>Acacia acradenia</i> , <i>Acacia ancistrocarpa</i> , <i>Acacia bivenosa</i> and <i>Acacia inaequilatera</i> over <i>Triodia pungens</i> , <i>*Cenchrus ciliaris</i> , <i>Salsola tragus</i> , <i>Corchorus carnarvoniensis</i> (ms), <i>Senna notabilis</i> and <i>*Aerva javanica</i> with occasionally emergent <i>Corymbia lenziana</i> and <i>Eucalyptus</i> sp. in sandy loam soils.
<b>Community 4h</b>	Open Scrub of <i>Acacia synchronicia</i> over <i>Aristida latifolia</i> , <i>Acacia trachycarpa</i> , <i>Senna artemisioides</i> subsp. <i>oligophylla</i> and <i>Cullen leucanthum</i> over <i>Eriachne flaccida</i> and <i>*Cenchrus ciliaris</i> in degraded silty soils.
<b>Community 4i</b>	Tall Open Shrubland of <i>Acacia ?validinervia</i> and <i>Acacia coriacea</i> subsp. <i>sericophylla</i> , <i>Acacia ancistrocarpa</i> , <i>Acacia translucens</i> over <i>Triodia pungens</i> , <i>Senna notabilis</i> and <i>Pterocaulon sphacelatum</i> in red sandy clay soils.
<b>Community 4j</b>	Low Shrubland of <i>Acacia ancistrocarpa</i> with <i>Corchorus lasiocarpus</i> subsp. <i>lasiocarpus</i> (ms), <i>Pterocaulon sphacelatum</i> , <i>Cullen martinii</i> over <i>Triodia pungens</i> with occasionally emergent <i>Corymbia deserticola</i> and <i>Acacia acradenia</i> in red sandy clay soils.
<b>Community 4k</b>	Tall Open Shrubland of <i>Acacia acradenia</i> over <i>Acacia synchronicia</i> , <i>Eremophila cuneifolia</i> and <i>Senna artemisioides</i> subsp. <i>oligophylla</i> over dead Poaceae spp. in red sandy clay soils.
<b>Community 4l</b>	Tall Open Shrubland of <i>Acacia synchronicia</i> , <i>Acacia acradenia</i> and <i>Hakea preissii</i> over <i>Eremophila cuneifolia</i> , <i>Senna artemisioides</i> subsp. <i>oligophylla</i> and <i>Streptoglossa decurrens</i> in red sandy clay soils.
<b>Community 4m</b>	Tall Open Shrubland of <i>Acacia cuspidifolia</i> over <i>Scaevola spinescens</i> over dead Poaceae spp. in sandy soils with mixed pebbles.
<b>Community 4n</b>	Tall Open Shrubland of <i>Acacia acradenia</i> over <i>Acacia ancistrocarpa</i> , <i>Senna artemisioides</i> subsp. <i>oligophylla</i> and <i>Eremophila cuneifolia</i> over <i>Streptoglossa decurrens</i> and <i>Cenchrus</i> sp. in sandy soils with quartz pebbles.
<b>Community 4o</b>	Tall Open Shrubland of <i>Acacia acradenia</i> and <i>Acacia synchronicia</i> over <i>Eremophila cuneifolia</i> , <i>Acacia ?sessilis</i> , <i>Senna artemisioides</i> subsp. <i>oligophylla</i> over <i>Sclerolaena cuneata</i> and <i>Cenchrus</i> sp. in red sandy clay soils with quartz pebbles.
<b>Community 4p</b>	Tall Open Shrubland of <i>Acacia acradenia</i> and <i>Hakea preissii</i> over <i>Ptilotus polakis</i> , <i>Frankenia cordata</i> , <i>Solanum lasiophyllum</i> and <i>Acacia ?sessilis</i> in sandy soils with quartz pebbles.
<b>Community 4q</b>	Tall Open Shrubland of <i>Acacia sclerosperma</i> subsp. <i>sclerosperma</i> and <i>Hakea preissii</i> over <i>Ptilotus obovatus</i> var. <i>obovatus</i> and <i>Cenchrus</i> sp. with occasionally emergent <i>Eucalyptus</i> sp. in sandy soils.
<b>Community 4r</b>	Tall Open Shrubland of <i>Acacia acradenia</i> and <i>Hakea preissii</i> over <i>Acacia synchronicia</i> and <i>Eremophila cuneifolia</i> over <i>Cenchrus</i> sp., <i>Ptilotus polakis</i> and <i>Solanum lasiophyllum</i> in sandy soils.
<b>Community 4s</b>	Low Open Shrubland of <i>Acacia heteroneura</i> var. <i>prolixa</i> , <i>Thryptomene decussata</i> and <i>Acacia aneura</i> var. <i>aneura</i> over <i>Mirbelia rhagodioides</i> , <i>Senna artemisioides</i> subsp. <i>helmsii</i> and <i>Rhagodia baccata</i> subsp. <i>diocia</i> over <i>Eriachne</i> sp. on red sandy loam.
<b>Community 4t</b>	Open Scrub of <i>Acacia wanyu</i> , <i>Acacia blakelyi</i> and <i>Acacia coolgardiensis</i> subsp. <i>coolgardiensis</i> over <i>Eremophila clarkei</i> , <i>Senna cardiosperma</i> , <i>Grevillea paradoxa</i> over <i>Sida cardiophylla</i> and <i>Eriachne</i> sp. on red sand.
<b>Community 4u</b>	Highly grazed Open Scrub of <i>Acacia acuminata</i> subsp. <i>acuminata</i> (ms), <i>Acacia grasbyi</i> and <i>Acacia beauverdiana</i> over infrequent scattered annuals on pale red sand.
<b>Community 4v</b>	Low Open Shrubland of <i>Acacia saligna</i> with <i>Hakea corymbosa</i> over <i>Melaleuca seriata</i> , <i>Eremaea beaufortioides</i> and <i>Allocasuarina humilis</i> with pastoral grasses in sands.
<b>Melaleuca Woodlands and Shrublands</b>	
<b>Community 6c</b>	Tall Open Shrubland of <i>Melaleuca glomerata</i> with occasionally emergent <i>Eucalyptus</i> sp. and <i>Acacia ancistrocarpa</i> over <i>Gomphrena canescens</i> subsp. <i>canescens</i> in association with the Fortescue River.
<b>Community 6d</b>	Low disturbed remnant Shrubland of <i>Melaleuca uncinata</i> and <i>Acacia australis</i> over <i>Baeckea aff. cryptandroides</i> over <i>Lepidosperma leptostachyum</i> and pastoral weeds on pale sands with sub-surface sandstone in association with watercourses.
<b>Heathlands</b>	
<b>Community 7p</b>	Open Heath of <i>Grevillea</i> sp., <i>Senna artemisioides</i> subsp. <i>artemisioides</i> , <i>Acacia ?tenuissima</i> , <i>Acacia coriacea</i> subsp. <i>coriacea</i> , <i>Acacia wanyu</i> and <i>Acacia kempeana</i> over <i>Senna artemisioides</i> subsp. <i>helmsii</i> and <i>Ptilotus obovatus</i> var. <i>obovatus</i> in sandy soils with quartz pebbles.
<b>Community 7q</b>	Open Heath of <i>Calothamnus sanguineus</i> and <i>Conospermum stoechadis</i> over <i>Scholtzia involucrata</i> , <i>Lachnostachys eriobotrys</i> , <i>Lechenaultia floribunda</i> , <i>Petrophile brevifolia</i> and <i>Jacksonia calcicola</i> (ms) on pale yellow undulating sands.
<b>Community 7r</b>	Open Heath of <i>Comesperma scoparium</i> and <i>Monachather paradoxus</i> on pale yellow undulating and unstable sands.
<b>Community 7s</b>	Remnant Open Heath of <i>Actinostrobus pyramidalis</i> and <i>Grevillea</i> sp. over <i>Grevillea annulifera</i> (P3), <i>Acacia cochlearis</i> , <i>Acacia blakelyi</i> and <i>?Baeckea</i> sp. over <i>Lepidobolus preissianus</i> with assorted annual Asteraceae spp. on yellow sand over laterite.
<b>Community 7t</b>	Open Heath of <i>Grevillea obliquistigma</i> subsp. <i>obliquistigma</i> over <i>Calothamnus sanguineus</i> , <i>Cassytha glabella</i> , <i>Calytrix brevifolia</i> and <i>Hibbertia glomerosa</i> in sands.
<b>Community 7u</b>	Open Heath of <i>Hakea preissii</i> , <i>Eremaea beaufortioides</i> , <i>Grevillea obliquistigma</i> subsp. <i>obliquistigma</i> and <i>Borya sphaerocephala</i> in sands.
<b>Community 7v</b>	Open Heath of <i>Conospermum stoechadis</i> , <i>Hibbertia glomerosa</i> , <i>Acacia blakelyi</i> , <i>Grevillea eriostachya</i> and <i>Dryandra sessilis</i> over <i>Mesomelaena pseudostygia</i> in sands.
<b>Community 7w</b>	Closed Heath of <i>Banksia candolleana</i> over <i>Hibbertia glomerosa</i> , <i>Ecdeiocolea monostachya</i> , <i>Calothamnus blepharospermus</i> , <i>Melaleuca systema</i> , <i>Dryandra kippistiana</i> and <i>Conospermum stoechadis</i> in sands.
<b>Community 7x</b>	Open Heath of <i>Conospermum triplinervium</i> , <i>Dryandra carlinoides</i> and <i>Leptospermum erubescens</i> in sands.
<b>Hummock Grasslands</b>	
<b>Community 8a</b>	Hummock Grassland of <i>Triodia pungens</i> with <i>Acacia ancistrocarpa</i> , <i>Acacia bivenosa</i> and <i>Acacia wanyu</i> over <i>Pluchea tenuiflora</i> with occasionally emergent <i>Eucalyptus</i> sp. in silty soils.
<b>Community 8b</b>	Hummock Grassland of <i>Triodia pungens</i> with <i>Acacia ?sessilis</i> , <i>Acacia synchronicia</i> and <i>Rhagodia latifolia</i> subsp. <i>latifolia</i> over <i>Salsola tragus</i> and <i>Trianthema turgidifolium</i> in silty clay soils.
<b>Cleared CL</b>	






**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**

For Full Vegetation Legend  
Refer to Figure 3.00



0 2km  
Scale 1:100 000

Notes:  
Horizontal Datum: MGA94 (Zone 50)


 Alinta

**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.01  
VEGETATION**

Author: L. Mattiske



September 2006




**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**

For Full Vegetation Legend  
Refer to Figure 3.00



0 2km  
Scale 1:100 000

**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 **Alinta**

**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.02  
VEGETATION**

Author: L. Mattiske



September 2006





**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**

For Full Vegetation Legend  
Refer to Figure 3.00



**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 Alinta


**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.03  
VEGETATION**

Author: L. Mattiske



September 2006







**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**  
For Full Vegetation Legend  
Refer to Figure 3.00



**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 Alinta

**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.05  
VEGETATION**

Author: L. Mattiske



September 2006




**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**

For Full Vegetation Legend  
Refer to Figure 3.00



0 2km  
Scale 1:100 000

**Notes:**  
Horizontal Datum: MGA94(Zone 50)

 **Alinta**

**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR**

**STAGE 5**


**Figure 3.06**

**VEGETATION**

Author: L. Mattiske





September 2006



**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**  
For Full Vegetation Legend  
Refer to Figure 3.00



**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 Alinta


**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.07  
VEGETATION**

Author: L. Mattiske



September 2006






**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**

For Full Vegetation Legend  
Refer to Figure 3.00



0  
Scale 1:100 000

**Notes:**  
Horizontal Datum: MGA94(Zone 50)

 **Alinta**

**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR**

**STAGE 5**


**Figure 3.09**

**VEGETATION**

Author: L. Mattiske





September 2006



**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**  
For Full Vegetation Legend  
Refer to Figure 3.00



**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 Alinta

**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.10  
VEGETATION**

Author: L. Mattiske



September 2006




**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**

For Full Vegetation Legend  
Refer to Figure 3.00



0  
Scale 1:100 000

**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 Alinta

**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.11  
VEGETATION**

Author: L. Mattiske



September 2006




**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**

For Full Vegetation Legend  
Refer to Figure 3.00



0  
Scale 1:100 000  
2km

**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 Alinta

**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.12  
VEGETATION**

Author: L. Mattiske





September 2006



**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**  
For Full Vegetation Legend  
Refer to Figure 3.00



**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 Alinta


**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.13  
VEGETATION**


Author: L. Mattiske





September 2006

























**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**  
For Full Vegetation Legend  
Refer to Figure 3.00



**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 Alinta


**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.22  
VEGETATION**


Author: L. Mattiske



September 2006









**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**  
For Full Vegetation Legend  
Refer to Figure 3.00



**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 Alinta

**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.25  
VEGETATION**





Author: L. Mattiske

September 2006



**LEGEND**  
— Stage 5 Route Alignment  
— Stage 4 Route Alignment

**NOTE**  
For Full Vegetation Legend  
Refer to Figure 3.00



**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 Alinta


**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.26  
VEGETATION**


Author: L. Mattiske



September 2006











**LEGEND**  
 — Stage 5 Route Alignment  
 — Stage 4 Route Alignment

**NOTE**  
 For Full Vegetation Legend  
 Refer to Figure 3.00



**Notes:**  
 Horizontal Datum: MGA94(Zone 50)


 Alinta

**DAMPIER TO BUNBURY  
 NATURAL GAS PIPELINE CORRIDOR  
 STAGE 5  
 Figure 3.30  
 VEGETATION**

Author: L. Mattiske



September 2006





**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**

For Full Vegetation Legend  
Refer to Figure 3.00



**Notes:**  
Horizontal Datum: MGA94(Zone 50)


 Alinta

**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR  
STAGE 5  
Figure 3.31  
VEGETATION**

Author: L. Mattiske



September 2006




**LEGEND**

- Stage 5 Route Alignment
- Stage 4 Route Alignment

**NOTE**

For Full Vegetation Legend  
Refer to Figure 3.00



0 2km  
Scale 1:100 000

**Notes:**  
Horizontal Datum: MGA94(Zone 50)

**Alinta**

**DAMPIER TO BUNBURY  
NATURAL GAS PIPELINE CORRIDOR**

**STAGE 5**

**Figure 3.32**

**VEGETATION**

Author: L. Mattiske



September 2006