

United States Department of Agriculture

BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE

SERVICE AND REGULATORY ANNOUNCEMENTS

LIST OF INTERCEPTED PLANT PESTS, 1935

**(List of Pests Recorded During the Period July 1, 1934, to June 30, 1935,
Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering
United States Territory)**

INTRODUCTION

This is the forty-first paper of a series issued under various names at more or less irregular intervals listing intercepted plant pests. The present list covers the twenty-second year of the period since the lists were started and includes intercepted plant pests for which determinations were received and indexed during the period specified. The sources from which the data were derived and the manner of preparation are discussed in previous lists.

Most of the insect determinations were made by specialists of the Bureau and many of the plant-disease and host determinations by specialists of the Bureau of Plant Industry. The States of California and Florida and the Territory of Hawaii maintain their own staffs of specialists and make many of their own determinations. Frequently the intercepted material is in a stage that is not determinable or is too badly damaged or is inadequate for determination. Many times the only organisms recognized are innocuous. Such interceptions, numbering some thousands, are omitted from the list.

As pointed out in previous lists of interceptions, statement as to the origin of fruits and vegetables carried as ships' stores, as well as of plants used for decorative purposes and of plant material carried by passengers, cannot always be verified, but every effort is made to give the origin of such plants and plant products as accurately as possible.

FRUIT FLIES

The following fruit flies were intercepted: Celery fly (*Acidia heraclei*) in celery from Italy;¹ West Indian fruit fly (*Anastrepha acidusa*) in mango from Puerto Rico; Mexican fruit fly (*A. ludens*) in grapefruit, mango, orange, and sour orange from Mexico; *A. obliqua* (adult) with banana debris from Panama; dark fruit fly (*A. serpentina*) in mamey and sapote from Mexico; Central American fruit fly (*A. striata*) in guava and in a bag with figs, guavas, peaches, and sweet limes from Mexico; *Anastrepha* sp. in orange and pumpkin from Brazil, mango from Cuba, Dominica, and Haiti, sapote from Guatemala, mango and star-apple from Honduras, guava and mango from Jamaica, avocado. *Crataegus mexicana*, grapefruit, guava, mamey, mango, orange, pear, and sapote from Mexico, in mango and (adults) with bananas and banana debris from Panama, in cherimoya, guava, mango, star-apple, and (pupae) in packing with mangoes from Puerto Rico, and in grapefruit, mango, and orange from Trinidad; melon fly (*Bactrocera cucurbitae*) in tomato from Hawaii; Mediterranean fruit fly (*Ceratitis capitata*) in tangerine from Algeria, apple, guava, loquat, orange, sorbe, and tangerine from the Azores, orange from Brazil, tangerine from France, apple, pricklypear, and quince from Greece, avocado, coffee, longan, mango, and star-apple from Hawaii, apple, grape, orange, peach, pear, persimmon, pricklypear, quince, tangerine, and (pupa and puparia) in a box of dried figs and nuts from Italy, grapefruit, orange, and (puparia) on packing around grapefruit from Palestine, apple, loquat, orange, quince, and *Sorbus* sp. from Portugal, apricot, grape, lemon, orange, and peach from Spain, and (adult) with sugarcane from Trinidad; olive fruit fly (*Dacus oleae*) in olives from Greece and Italy; apple maggot (*Rhagoletis pomonella*) in *Crataegus mexicana* from Mexico; *R. suavis* in black walnut from Mexico; *Rhagoletis* sp. in cherry from Bermuda, cherry and sour

¹ For details of interceptions mentioned in the text see lists under the countries named.

cherry from Italy, apple, *Crataegus mexicana*, *Crataegus* sp., and black walnut from Mexico, and sour cherry from Yugoslavia; *Tephritis* sp. (adult) with Paraguay tea from Argentina; papaya fruit fly (*Toxotrypana curvicauda*) in papaya from the Bahamas, Canal Zone, and Panama; *Trypanea* sp. (adults) with *Inula* sp. from Germany; and a trypetid in *Lonicera nitida* (seed and pulp) from Bulgaria, pepper from Italy, pear, plum, and poinsettia (seed) from Mexico, (pupae) in *Adansonia* sp. (seed) from the Union of South Africa, (pupa) with *Amygdalus* sp., (pupa) in *Juniperus foetidissima*, (pupa) with *Lonicera* sp., and (pupae and adult) with *Rosa* sp. from the Union of Soviet Socialist Republics, and (pupae) with *Lycoseris* sp. from Venezuela.

MISCELLANEOUS INSECTS

The potato weevil (*Epicaerus cognatus*) was intercepted in potatoes (*Solanum tuberosum*) from Mexico. An orchid from the Philippines was infested with *Tadius erirhinooides* (Curculionidae). *Capitophorus formosanus* (aphid) arrived with chrysanthemum from Japan. The Asiatic rice borer (*Chilo simplex*) was found in rice straw packing from China, Spain, and Syria, *Misanthus japonica* and rice straw from Japan, and wheat straw from France. A kumquat leaf from Japan was infested with the citrus leaf miner (*Phyllocnistis citrella*). Apricot scions from Tripoli were infested with *Lepidosaphes halli* (Coccidae). The durra stem borer (*Sesamia cretica*) was taken in broomcorn from Italy. *Acrolepia assectella* (Plutellidae) was intercepted in leaves of leeks from Belgium, Denmark, France, Italy, and Netherlands, mint from Belgium, and onion from Germany.

The pink bollworm (*Pectinophora gossypiella*) was intercepted in cottonseed and cotton samples from Brazil, cottonseed, cotton bolls, and cottonseed on cottonseed-cake bags from China, cottonseed, cotton waste used as packing, and cottonseed on bagging from Egypt, unginned seed cotton from Greece, cottonseed, seed cotton, cotton boll, and cotton used as packing from Mexico, cottonseed from the Netherlands, cottonseed and (pupa) with cotton fiber from Puerto Rico, and (larvae and pupa) with herbarium specimens of cotton from the West Indies. The citrus blackfly (*Aleurocanthus woglumi*) was taken on leaves of grapefruit and orange from the Bahamas, lime from Cuba, and orange from Jamaica. *Laspeyresia splendana* (Olethreutidae) arrived with chestnuts from France, Germany, Italy, Japan, Portugal, Spain, and Switzerland. Mahogany logs from the Philippines and wooden packing cases from India and the Philippines were infested with *Heterobostrychus aequalis* (Bostrichidae). *Phyllotreta cruciferae* (Chrysomelidae) was intercepted in cabbage from England and leek from France. The yam weevil (*Palaeopus costicollis*) was taken in yams from Jamaica and Nigeria. *Apion carduorum* (Curculionidae) infested globe artichoke from France. *Bruchophagus gibbus* (Eurytomidae) arrived with alfalfa from China and Manchuria, *Medicago falcata* from Rumania, alfalfa and clover from Turkey, and alfalfa, *Lotus* sp., *Medicago falcata*, and *Trigonella* sp. from the Union of Soviet Socialist Republics.

Collabismodes cubae (Curculionidae) arrived in pepper from Cuba. *Platyedra vilella* (Gelechiidae) was intercepted in seed of *Althaea nudiflora* from the Union of Soviet Socialist Republics. Witloof or chicory from Belgium was infested with *Agromyza pinguis* (Agromyzidae). *Baris laticollis* was intercepted in turnip from France. *Gryllus assimilis argentinus* (Gryllidae) arrived with grapes and melon from Argentina. The bean pod borer (*Maruca testulalis*) arrived in lima beans from Cuba and string beans from Hawaii, Mexico, and Puerto Rico. Licorice seed pods from Greece were infested with *Bruchidius halodendri* (Bruchidae). *Hylesinus fraxini* (Scolytidae) arrived in ash used for crating from England. *Conotrachelus aguacatae* was intercepted in avocado from Mexico. *Euspermophagus gossypii* (Bruchidae) arrived with morning-glory (*Ipomoea alba*) seed from Mozambique.

A nest containing immature larvae of the brown-tail moth (*Nygma phaeorrhoea*) was intercepted on a pear tree from Italy. *Taeniothrips ericae* (thrips) arrived on heather from England, Germany, Great Britain, Ireland, and Scotland. *Scolytus multistriatus* and *S. scolytus* (Scolytidae) infested elm logs from France. *Chlorophorus annularis* (Cerambycidae) was taken in bamboo poles from Japan. *Nysius huttoni* (Lygaeidae) was intercepted on apples from New Zealand. Cipollini from Morocco were infested with *Exosoma lusitanica* (Chrysomelidae). The coffee berry borer (*Stephanoderes hampei*) was intercepted in coffee from Tanganyika and Uganda. The tomato pinworm (*Gnorimoschema lycopersicella*) was taken in tomatoes from Cuba, Hawaii, and Mexico. *Psylliodes chrysocephala* (Chrysomelidae) was intercepted in turnips from Algeria, Argentina, England, and France, radishes from Denmark and Italy, and carrot from Italy.

MISCELLANEOUS PLANT DISEASES

An unusual number of pathogens new to our interception files were added during the year, several undescribed species were intercepted, other organisms were found on material from additional countries, and interceptions of important diseases such as citrus canker continued. For convenience some of the more important and interesting interceptions are briefly noted in alphabetical groups, fungi and bacteria determined to species in the first group, nemas in the second group, and new or apparently new species of fungi and nemas in a third group.

Arthrobotrys superba on *Ficus* sp. from Barbados; *Ascochyta heterophragmia* on *Camellia japonica* from France; *Bacterium citri* on *Citrus* spp. from China, India, and Japan; *Bacterium pisi* on peas from Mexico; *Botrytis allii* on onions from Japan; *Ceratostomella (Graphium) ulmi* on elm logs from France; *Cercospora destructiva* on *Euonymus japonica variegata* from Japan; *C. handelii* on azalea from Belgium; *C. neriella* on oleander from Bermuda; *C. odontoglossi* on *Odontoglossum* sp. from England; *Cerotelium desmum* on cotton leaf from Martinique; *Colletotrichum omnivorum* on aspidistra from Germany; *C. peregrinum* on *Fatsia japonica* from Japan; *C. truncatum* on lima beans from Cuba; *Dematium pullulans* on plum from Chile; *Diplodinia salicis* on willow from Union of Soviet Socialist Republics; *Discosia artocreas* on peony from Japan; *Discella carbonacea* on pussy willow from Germany; *Elsinoe phaseoli* on lima beans from Cuba and Puerto Rico; *Gloeosporium catechu* on betel palm from the Philippines; *G. elasticae* on *Ficus religiosa* from Mexico; *G. pelargonii* on geranium from Puerto Rico; *G. piperatum* on peppers from Java; *G. polymorphum* on dracaena from Japan; *G. rhododendri* on rhododendron from England; *Glomerella cincta* on orchid from Jamaica or Colombia; *Godronia cassandrae* on lingon berries from Newfoundland; *Helminthosporium allii* on garlic from Chile, France, Italy, and Mexico; *H. oryzae* on rice from the Orient; *H. ravenelii* on smut grass from Mexico; *H. sativum* on wheat straw packing from England and Japan; *Leptosphaeria circinans* on *Medicago* sp. from Turkey; *L. heterospora* on iris from Germany, France, Netherlands, and Turkey; *Leptothyrium macrothecium* on peony from Japan; *Microdiplodia wistariae* on wisteria from Japan; *Monochaetia paeoniae* on peony from Japan; *Mycosphaerella brassicicola* on cauliflower from Belgium, England, France, and Germany, on broccoli from Brazil, and on cabbage from England; *M. moutan* on peony from China and Japan; *M. musae* on banana leaf from Puerto Rico; *Nigrospora oryzae* on rice from French Morocco; *Ophiobolus graminis* on wheat from France; *Papulospora parasitica* on tulip bulbs from Netherlands; *Phenicostroma chamaedoreae* on palm leaves from Mexico; *Phoma camelliae* on camellias from Japan; *P. rostrupii* on carrot from England and France; *Phyllosticta betae* on chard from Italy; *P. cynarae* on globe artichokes from France; *P. divergens* on *Albizzia* seed pod from British West Indies; *P. globuli* on eucalyptus from Australia; *P. rabiei* on *Cicer* from Union of Soviet Socialist Republics; *Polythrincium trifolii* on clover from Turkey; *Puccinia allii* on garlic from Brazil and Egypt and on leek from France; *Pyrenophora ciliolata* on primrose from England; *Ramularia destructiva* on sweet gale from Scotland; *Scirrhia bambusae* on bamboo from Italy; *Sclerotium oryzae* in rice straw from Spain; *Septoria azaleae* on azaleas from Belgium; *S. castaneae* on chestnut from Italy; *S. citri* on lemons from Egypt, India, Italy, and Spain; *S. insularis* on ivy from England; *S. nigerrima* on pear from Italy; *Sporonema camelliae* on camellia from France; *Termitaria* n. sp. on *Reticulitermes speratus* Kolbe on an unidentified plant from Japan; *Thecopora padi* on spruce from Norway; *Urocystis colchici* on colchicums from Netherlands; *U. tritici* on seed wheat from Australia; *Uromyces glycyrrhizae* on licorice from Greece; *Ustilaginoidea virens* on rice from the Philippines; *Vermicularia cacti* on cactus from Puerto Rico; and *V. capsici* on pepper from Java.

Interceptions of nematodes included *Acrobeles glaphyrus* on tuberose from Mexico (not a plant parasite and hence not included in the list); *Anguillulina agrostis* on *Festuca* sp. from Union of Soviet Socialist Republics; *A. dipsaci* on various hosts from Belgium, England, Finland, France, Germany, Ireland, Italy, Netherlands, Poland, Union of Soviet Socialist Republics, and Wales; *A. pratensis* from Argentina and Germany; *A. gallica* in elm from France; *Anguillulina* sp. on potato from Cuba; *Aphelenchoides fragariae* on strawberry from France; *A. parietinus* from Argentina, Australia, Bermuda, China, Denmark, England, Germany, Greece, Ireland, Japan, Netherlands, Sweden, and Union of South Africa; *A. huntii* in tiger lily from Japan and *Physalis* from Mexico; *A. solani* in potato from Cuba; *Aphelenchus avenae* from Australia, Bermuda, England, Germany, Italy, Japan, Mexico, Netherlands, and Peru; *Cephalobus cubensis* in potato from Cuba; *Cephalobus* sp. (apparently new) in burdock from Japan;

Heterodera schachtii on beets from Mexico; *Hexamermis* (?) n. sp. (this genus parasitizes insects) in *Eugenia* sp. seed from the Canal Zone; *Hoplolaimus* n. sp. in yam from Nigeria; *Neotylenchus abulbosus* in *Tritonia* from Netherlands.

A number of organisms determined to genus only at the time of interception were of special interest because they were new species or belonged to genera not known to occur on their hosts or were unlike the species reported as occurring on the host or related plants. Among these were *Acrobales glaphyrus* (n. sp.) on tuberose from Mexico (not a plant parasite and hence not included in the list); *Anguillulina gallica* (n. sp.) in elm from France; *Aphelenchoides hunti* (n. sp.) in tiger lily from Japan and *Physalis* from Mexico; *A. solani* (n. sp.) in potato from Cuba; *Aplospora* sp. on lemon grass from Jamaica; *Ascochyta* sp. on rhododendron from England; *Brachysporium* sp. on melons from Argentina; *Cephalobus cubensis* (n. sp.) in potato from Cuba; *Cephalobus* sp. (apparently new) in burdock from Japan; *Gloeosporium* spp. on *Agapetes* from England, on *Aglaonema* from China, on areca nuts from the Philippines, on camellia and on *Daphne* from Japan; *Helminthosporium* sp. on tomatoes from Mexico; *Hendersonia* n. sp. on cactus from Mexico; *Hexamermis* (?) n. sp., insect host unknown, in *Eugenia* seed from the Canal Zone; *Leptosphaeria* sp. on wisteria from Japan; *Mycosphaerella* sp. (apparently new) on cactus from Mexico; *Pestalozzia* sp. on wisteria from Japan; *Phoma* sp. on lemon cutting from Italy; *Phomopsis* sp. on *Coelogyne* from Jamaica; *Phomopsis* sp. (probably new) on star-apple from Puerto Rico; *Phyllosticta* sp. on camellia from Japan; *Phymatotrichum* sp. on cabbage from Spain; *Physalospora* sp. on *Aglaonema* from China; *Septoria* sp. on *Acanthus* from the Dominican Republic; *Septoria* sp. on primrose from England; *Sphaeronema* spp. on carrot from England, on onion from Spain, and on narcissus from England and Netherlands; *Termitaria* n. sp. on termite from Japan; *Vermicularia* sp. on *Ophiopogon* from Turkey.

The interceptions of root-knot nematode (*Heterodera marioni*) are not shown in the main list but included the following new hosts: From Dominica, *Hedychium coronarium*; East Africa, *Stapelia* sp.; England, *Aconitum napellus roseus*, *Anemone hepatica*, *A. magellanica*, and *Thymus azoricus*; France, *Genista* sp., *Syringa sweginzowii*, and *Viburnum fragrans*; Germany, *Echinocactus lennin*; Japan, *Camellia japonica*; Netherlands, *Pyrethrum* sp.; Union of South Africa, *Euphorbia punctata*, *Haworthia blackbeardii* (?), and *Kalanchoe* sp.

AIRCRAFT INTERCEPTIONS

Two hundred and thirty-seven interceptions of insects were made. Among these were the following: Citrus blackfly (*Aleurocanthus woglumi*) on orange leaves from the Bahamas; *Anastrepha* sp. (Tryptidae) in sapote seed from Guatemala; *Bephrata cubensis* (Eurytomidae) in *Spondias dulcis* seed from Cuba; coffee leaf miner (*Leucoptera coffeella*) in coffee leaves from Puerto Rico; red-banded thrips (*Selenothrips rubrocinctus*) on guava fruit from Cuba; and *Vinsonia stellifera* on orchid from Panama.

Seven plant disease interceptions were made: *Cephaleuros virescens* (alga) on Cape-jasmine from Cuba (2) and on orchid from Costa Rica; *Colletotrichum gloesporioides* on tree seed from Haiti; *Penicillium digitatum* on orange and *P. italicum* on lime from Jamaica; and *Pestalozzia* sp. on star-apple from Cuba.

CORRECTION

Following is the correct spelling of *Epilachna borealis discincta* (Coccinellidae), appearing on pages 2 and 57 of the List of Intercepted Plant Pests, 1934. On pages 1 and 54 of the list for 1934 the host for the Mexican fruit fly (*Anastrepha ludens*) should be sweet lime (*Citrus limetta*) instead of lime (*Citrus aurantifolia*).

COMMON PESTS INTERCEPTED

In addition to the pests named in the itemized list which makes up the body of this report, there were numerous interceptions of cosmopolitan pests that are more or less prevalent in this country. While it is true that many of these interceptions may represent forms or strains not yet introduced and potentially dangerous, it is not believed essential to the purposes of this list to include the details of their interception. They are, however, included in brief form in this preliminary text. Following each pest name are two figures in parentheses and separated by a dash, the first indicating the number of countries from which the pest was intercepted and the second the total number of interceptions.

INSECTS

Ahasverus advena (31-130), *Aspidiotus camelliae* (8-11), *A. cyanophylli* (15-44), *A. hederae* (41-542), *A. lataniae* (23-99), *A. perniciosus* (5-16), *Aulacaspis pentagona* (11-41), *A. rosae* (2-4), *Carpocapsa pomonella* (18-72), *Carpophilus* sp. (33-111), *Cerataphis lataniae* (14-22), *Ceroptes floridensis* (2-18), *Chionaspis citri* (15-59), *C. euonymi* (3-12), *Chrysomphalus aonidum* (44-819), *C. aurantii* (45-580), *C. dictyospermi* (36-442), *Coccus elongatus* (2-38), *C. hesperidum* (20-76), *Diaspis boisduvalii* (22-78), *D. bromeliae* (8-220), *D. echinocacti* (4-15), *D. echinocacti opuntiae* (4-8) *Ephestia* sp. (45-237), *Etiella zinckenella* (5-33), *Gnorimoschema operculella* (26-143), *Heliothis obsoleta* (6-1,822), *H. virescens* (4-158), *Heliothrips hemorrhoidalis* (3-3), *Hemichionaspis aspidistrae* (19-91), *H. minor* (16-143), *Howardia biclavis* (8-80), *Ischnaspis longirostris* (16-57), *Lepidosaphes beckii* (72-3,350), *L. gloverii* (23-375), *L. ulmi* (15-37), *Oryzaephilus surinamensis* (34-103), *Parlatoria pergandii* (49-752), *P. proteus* (7-24), *Plodia interpunctella* (27-170), *Pseudococcus adonidum* (9-54), *P. brevipes* (22-512), *P. citri* (23-53), *P. maritimus* (8-13), *P. nipae* (7-9), *Rhizoglyphus hyacinthi* (20-99), *Saissetia hemisphaerica* (20-49), *S. nigra* (7-56), *S. oleae* (15-36), *Sitophilus oryzae* (36-253), *Tribolium confusum* (10-19), *T. ferrugineum* (28-99): Total of these insects interceptions, 12,287.

DISEASES

Actinomyces scabies (45-1,019), *Alternaria* sp. (38-260), *Aspergillus niger* (55-318), *Aspergillus* sp. (41-216), *Bacillus carotovorus* (28-100), *Bacteriaceae* (56-1,088), *Bacterium tumefaciens* (14-117), *Botrytis* sp. 30-239), *Cephalothecium roseum* (23-64), *Cladosporium herbarum* (4-7), *Cladosporium* sp. (45-485), *Colletotrichum gloeosporioides* (31-410), *C. lindemuthianum* (10-30), *Coniothyrium fuckelii* (4-9), *Diaporthe phaseolorum* (2-29), *Fusarium* sp. (87-2,040), *Heterodera marioni* (20-66), *Macrosporium* sp. (33-409), oil burning (7-9), oleocellosis (17-36), *Oospora pustulans* (11-41), *Penicillium digitatum* (29-138), *P. expansum* (20-50), *P. italicum* (23-69), *Penicillium* sp. (84-1,695), petrifaction (5-48), *Phomopsis citri* (39-258), *Phytophthora infestans* (16-156), *Rhizoctonia solani* (64-712), *Rhizopus nigricans* (41-209), *Rhizopus* sp. (8-117), *Spondylocladium atrovirens* (43-615), *Spongopora subterranea* (11-30), *Venturia inaequalis* (29-234), *Verticillium cinnabarinum* (24-111): Total of these disease interceptions, 11,434.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host ¹	Number of inter-ceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
AFRICA									
Insects:									
<i>Apion</i> sp. (Curculionidae)	<i>Crotalaria</i> sp.		1	—	—	—	D. C.		
Bruchid	<i>Indigofera</i> sp. (indigo)	1	—	—	—	—	Do.		
<i>Bruchidius</i> sp. (Bruchidae)	<i>Acacia</i> sp.		1	—	—	—	Do.		
Do	<i>Indigofera</i> sp. (indigo)	1	—	—	—	—	Do.		
Do	<i>Legume</i> seed	1	1	—	—	—	Do.		
<i>Caryedon</i> sp. (Bruchidae)	<i>Cassia</i> sp.		1	—	—	—	Do.		
<i>Corcyra cephalonica</i> (Pyralidae)	<i>Theobroma cacao</i> (cacao)	3	—	—	—	—	Calif.*		
<i>Iridomyrmex</i> sp. (ant)	<i>Amygdalus persica</i> (nectarine)		—	—	—	1	N. Y.		
<i>Pheidole</i> sp. (ant)	<i>Zea mays</i> (corn)	1	—	—	—	—	Tex.		
<i>Targionia hartii</i> (Coccidae)	<i>Zingiber officinale</i> (ginger)		—	—	—	1	Pa.		
ALGERIA									
Insects:									
<i>Anthomyiid</i>	<i>Brassica rapa</i> (turnip)		—	—	1	N. Y.			
<i>Baris laticollis</i> (Curculionidae)	do		—	—	1	Do.			
Do	do		—	—	1	Pa.			
<i>Ceratitis capitata</i> (Mediterranean fruit fly)	<i>Citrus nobilis</i> (tangerine)		—	—	1	N. Y.			

¹ The common names for the following have been omitted: *Ananas sativus* (pineapple), *Brassica oleracea capitata* (cabbage), *Capsicum annuum* (pepper), *Lycopersicum esculentum* (tomato), *Saccharum officinarum* (sugarcane), and *Solanum tuberosum* (potato). Where the same host occurs frequently the common name has been omitted part of the time. All horticultural variety names have been omitted

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ALGERIA—Continued							
Insects—Continued.							
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i> (turnip)						1 N. Y.
<i>Parlatoria oleae</i> (Coccidae)	<i>Prunus domestica</i> (plum)						1 Pa.
<i>Psila</i> sp. (Psilidae)	<i>Daucus carota</i> (carrot)						1 La.
<i>Psylliodes chrysocephala</i> (Chrysomelidae).	<i>Brassica rapa</i> (turnip)						1 N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)						1 Pa.
Diseases:							
<i>Alternaria solani</i>	<i>Lycopersicum esculentum</i>						1 N. Y.
<i>Capnodium citri</i>	<i>Citrus limonia</i> (lemon)						1 Ga.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)						1 N. Y.
AMERICAN SAMOA							
Insects:							
<i>Diocalandra taitensis</i> (Tahitian coconut weevil).	<i>Cocos nucifera</i> (coconut)					1	Hawaii.*
Noctuid	<i>Colocasia esculenta</i> (taro)					1	Do.*
AMERICAN VIRGIN ISLANDS							
Insects:							
<i>Bucculatrix</i> sp. (Lyonetiidae)	<i>Codiaeum</i> sp. (croton)				1		N. Y.
<i>Diatraea saccharalis</i> (sugarcane borer).	<i>Saccharum officinarum</i>				1		Va.
<i>Diatraea</i> sp. (Pyralidae)	do				1		Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)					1	N. Y.
Do	<i>Citrus sinensis</i> (orange)				1	1	Do.
Diseases:							
<i>Capnodium</i> sp.	<i>Saccharum officinarum</i>					3	Va.
<i>Phyllosticta</i> sp.	<i>Codiaeum</i> sp. (croton)				1		N. Y.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>				1	1	Do.
Do	do					3	Va.
ANTIGUA							
Insects:							
<i>Aspidiotus subsimilis</i> (Coccidae)	<i>Annona squamosa</i> (sweetsop)				1		Mass.
<i>Hemichionaspis minor strachani</i> (Coccidae).	do				1		Do.
<i>Prolabia arachidis</i> (earwig)	<i>Amaryllis</i> sp.				1		Do.
<i>Psalis</i> sp. (earwig)	Herb				1		N. Y.
Tineid	<i>Dioscorea</i> sp. (yam)				2		Mass.
Diseases: <i>Phoma destructiva</i>	<i>Capsicum annuum</i>				1		Do.
ARGENTINA							
Insects:							
<i>Acroleucus maurus</i> (Lygaeidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
<i>Aeolus</i> sp. (Elateridae)	In soil around roots of fern				1		Pa.
<i>Alphitophagus</i> sp. (Tenebrionidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
<i>Anthomyiid</i>	<i>Solanum tuberosum</i>					1	Ala.
<i>Anthrenus</i> sp. (Dermestidae)	<i>Holcus sorghum</i> var. (broomcorn).	1					N. Y.
<i>Aspidiotus</i> sp. (Coccidae)	<i>Prunus</i> sp. (cherry)			1			Do.
<i>Blastinus</i> sp. (Tenebrionidae)	<i>Vitis</i> sp. (grape)	7					Do.
<i>Bryobia</i> sp. (mite)	<i>Maius sylvestris</i> (apple)					1	Pa.
Do	<i>Pyrus communis</i> (pear)	2					N. Y.
<i>Camponotus</i> sp. (ant)	<i>Vitis</i> sp. (grape)	1					Do.
<i>Chaetopsis</i> sp. (Ortalidae)	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Desmometopa</i> sp. (Agromyzidae)	<i>Solanum tuberosum</i>					1	Mass.
<i>Diaphania</i> sp. (Pyralidae)	<i>Cucumis sativus</i> (cucumber)					1	La.
<i>Diatraea</i> sp. (Pyralidae)	<i>Holcus sorghum</i> var. (broomcorn).	1					D. C.
Do	do	10					N. Y.
Do	<i>Zea mays</i> (corn)	1					Do.
<i>Dichelops furcatus</i> (Pentatomidae)	In bag of Sudan grass seed	1					Do.
<i>Edessa affinis</i> (Pentatomidae)	In box of grapes	1					Do.
<i>Epitragus</i> sp. (Tenebrionidae)	<i>Vitis</i> sp. (grape)	1					Do.
<i>Eritarbes</i> sp. (Cosmopterygidae)	do	1					Do.
<i>Euxesta</i> sp. (Ortalidae)	<i>Cucumis melo</i> (melon)	1					Do.
Do	<i>Solanum tuberosum</i>					1	La.
Do	do					2	Wash.
Do	<i>Zea mays</i> (corn)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ARGENTINA—Continued.							
Insects—Continued.							
<i>Forcipomyia</i> sp. (Chironomidae)	<i>Brassica rapa</i> (turnip)					1	N. Y.
<i>Gargaphia torresi</i> (Tingitidae)	On box of grapes	1					Do.
<i>Glyphonyx</i> sp. (Elateridae)	In packing material for grapes	1					Do.
<i>Gnorimoschema</i> sp. (Gelechiidae)	<i>Vitis</i> sp. (grape)	1					Do.
<i>Gryllus assimilis argentinus</i> (Gryllidae).	<i>Cucumis melo</i> (melon)	1					Do.
Do	<i>Vitis</i> sp. (grape)	3					Do.
<i>Heteroderes laurenti</i> (Elateridae)	do	1					Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i> (turnip)					1	Tex.
Do	<i>Solanum tuberosum</i>					1	Mass.
<i>Listroderes</i> sp. (Curculionidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
<i>Marmara</i> sp. (Gracillariidae)	<i>Citrus grandis</i> (grapefruit)					1	Pa.
<i>Naupactus xanthographus</i> (Curculionidae).	<i>Vitis</i> sp. (grape)	2					N. Y.
<i>Naupactus</i> sp. (Curculionidae)	In packing material for grapes	1					Do.
<i>Nitidulid</i>	<i>Zea mays</i> (corn)	1					Ala.
<i>Nysius simulans</i> (Lygaeidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
Oecophorid	do	1					Do.
<i>Oiketicus</i> sp. (Psychidae)	<i>Holcus sorghum</i> var. (broom-corn).	1					Do.
Ortalid	<i>Apium graveolens</i> (celery)					1	Pa.
Ostomid	<i>Solanum tuberosum</i>					1	Do.
<i>Paraneura</i> sp. (Tineidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
Pentatomid	do	1					Do.
<i>Pheidole</i> sp. (ant)	<i>Cucumis melo</i> (melon)	1					Do.
Do	In case of grapes	1					Do.
<i>Psalis americana</i> (earwig)	<i>Solanum tuberosum</i>					1	La.
Psychid	<i>Prunus</i> sp. (cherry)			1			N. Y.
Do	<i>Vitis</i> sp. (grape)	1					Do.
<i>Psylliodes chrysocephala</i> (Chrysomelidae).	<i>Brassica rapa</i> (turnip)					1	Tex.
Pyralinae (Pyralidae)	<i>Holcus sorghum</i> var. (broom-corn).	1					N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Mass.
Do	do					1	Pa.
Do	<i>Solanum tuberosum</i>					2	Do.
Do	<i>Zea mays</i> (corn)	1					Wash.
<i>Salax lacordairei</i> (Tenebrionidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
<i>Sciara fenestralis</i> (Mycetophilidae)	<i>Solanum tuberosum</i>					1	Miss.
<i>Sciara</i> sp. (Mycetophilidae)	do					1	La.
Do	<i>Vitis</i> sp. (grape)	1					N. Y.
<i>Silvanus vulgaris</i> (Cucujidae)	<i>Solanum tuberosum</i>					1	Pa.
<i>Solenopsis</i> sp. (ant)	<i>Vitis</i> sp. (grape)	3					N. Y.
Tenebrionid	do	1					Do.
Do	<i>Zea mays</i> (corn)	1					La.
<i>Tephritis</i> sp. (Tryptidae)	<i>Ilex paraguariensis</i> (Paraguay tea).		1				D. C.
<i>Trogoderma</i> sp. (Dermestidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
Diseases:							
<i>Acrostalagmus cinnabarinus</i>	do	1					Do.
<i>Anguillulina pratensis</i>	<i>Solanum tuberosum</i>					1	Ala.
Do	do					2	La.
Do	do					2	N. Y.
Do	do					1	Tex.
<i>Aphelenchoides parietinus</i>	<i>Beta vulgaris</i> (beet)					1	La.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea capitata</i>					1	Do.
<i>Botrytis cinerea</i>	<i>Pyrus communis</i> (pear)	1					N. Y.
Do	<i>Vitis</i> sp. (grape)	2					Do.
<i>Brachysporium</i> sp.	<i>Cucumis melo</i> (melon)	1					Do.
<i>Cladosporium carpophilum</i>	<i>Amygdalus persica</i> (peach)	2					Do.
<i>Cladosporium fulvum</i>	<i>Lycopersicum esculentum</i>					1	Ala.
<i>Claviceps purpurea</i>	<i>Festuca ovina</i> (sheep fescue)	1					D. C.
<i>Colletotrichum atramentarium</i>	<i>Solanum melongena</i> (eggplant)					1	La.
<i>Colletotrichum lagenarium</i>	<i>Citrullus vulgaris</i> (watermelon)					1	N. Y.
Do	<i>Cucumis melo</i> (melon)	3					Do.
Do	<i>Cucurbita maxima</i> (squash)					1	La.
Do	<i>Cucurbita pepo</i> (pumpkin)					1	Do.
<i>Diplodia natalensis</i>	<i>Quebrachia lorentzii</i> (quebracho).	1					N. Y.
<i>Diplodia</i> sp.	<i>Prunus domestica</i> (plum)	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ARGENTINA—Continued.							
Diseases—Continued.							
<i>Eurotium</i> sp.	<i>Holcus sorghum</i> var. (broomcorn).		3				N. Y.
Do	<i>Zea mays</i> (corn)	1					Pa.
Do	do	1					Wash.
<i>Fusarium moniliforme</i>	do	2					Pa.
Do	do	1					Wash.
<i>Gloeosporium</i> sp.	<i>Lycopersicum esculentum</i>	1					N. Y.
Do	Orchid		1				Do.
<i>Leptothyrium pomi</i>	<i>Malus sylvestris</i> (apple)				1		Do.
<i>Macrosporium tomato</i>	<i>Capsicum annuum</i>				1		Pa.
<i>Monilia</i> sp.	<i>Amygdalus persica</i> (peach)	1					N. Y.
<i>Oospora lactis parasitica</i>	<i>Lycopersicum esculentum</i>				1		Ala.
<i>Oospora</i> sp.	<i>Cucurbita pepo</i> (squash)				1		Do.
Do	<i>Daucus carota</i> (carrot)				1		Do.
<i>Phomopsis vexans</i>	<i>Solanum melongena</i> (eggplant)				1		La.
<i>Phyllosticta</i> sp.	<i>Amygdalus persica</i>	1					N. Y.
<i>Plasmopara viticola</i>	<i>Vitis</i> sp. (grape)	4					Do.
<i>Pseudopeziza medicaginis</i>	<i>Medicago sativa</i> (alfalfa)	1					Do.
<i>Puccinia porri</i>	<i>Allium sativum</i> (garlic)				1		Do.
<i>Rhizoctonia</i> sp.	<i>Eryngium</i> sp. (eryngo)				1		Pa.
<i>Sclerotinia sclerotiorum</i>	<i>Brassica rapa</i> (turnip)				1		Do.
Do	<i>Daucus carota</i> (carrot)				1		Ala.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)				1		Do.
Do	<i>Daucus carota</i> (carrot)				2		Pa.
Do	<i>Solanum melongena</i> (eggplant)				1		La.
Do	<i>Brassica oleracea capitata</i>				1		Pa.
Do	<i>Daucus carota</i> (carrot)				1		La.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)				1		Pa.
<i>Sphaceloma fawcettii</i>	<i>Citrus sinensis</i> (orange)				1		Mass.
Do	do				1		Pa.
<i>Sphaceloma</i> sp.	do				1		N. Y.
<i>Sphacelotheca sorghi</i>	<i>Holcus sorghum</i> var. (broomcorn).	1	2				Do.
<i>Stysanus</i> sp.	<i>Solanum tuberosum</i>					1	La.
<i>Thielaviopsis</i> sp.	<i>Prunus domestica</i> (plum)	1					N. Y.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)	1					Do.
<i>Verticillium</i> sp.	<i>Zea mays</i> (corn)	1					Do.
ARUBA							
Insects:							
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)					1	Ala.
Diseases:							
<i>Diplodia tubericola</i>	do					1	Do.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Do.
AUSTRALIA							
Insects:							
<i>Anisolabis</i> sp. (earwig)	<i>Bowenia serrulata</i>	1					Calif.*
Blastobasid	<i>Macadamia</i> sp.		1				Do.*
<i>Brachypeplus</i> sp. (Nitidulidae)	<i>Juglans</i> sp. (walnut)	1					Md.
Do	do	1					Va.
Cecidomyiid	<i>Howea</i> sp.	1					N. Y.
Cerambycid	<i>Macrozamia</i> sp.	1					Calif.*
Chloropid	<i>Solanum tuberosum</i>				1		Mass.
Cucujid	<i>Bowenia serrulata</i>	1					Calif.*
<i>Desmometopa</i> sp. (Agromyzidae)	<i>Solanum tuberosum</i>				1		Mass.
<i>Diapus pusillimus</i> (Platypodidae)	<i>Acer</i> sp. (maple)	1					Md.
<i>Iridomyrmex</i> sp. (ant)	<i>Cymbidium albulaeflorum</i> (orchid)		1				Calif.*
Do	<i>Cymbidium</i> sp. (orchid)		1				Do.*
Do	<i>Phajus orchidifolius</i> (orchid)		1				Do.*
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Cymbidium albulaeflorum</i> (orchid)		1				Do.*
Mirid	<i>Dendrobium superbiens</i> (orchid)	1					Hawaii.*
<i>Monomorium</i> sp. (ant)	<i>Bowenia serrulata</i>	1					Calif.*
Do	<i>Dendrobium phalaenopsis schroederae</i> (orchid)		1				Hawaii.*
Do	<i>Phalaenopsis</i> sp. (orchid)				1		Calif.*
Nitidulid	<i>Juglans</i> sp. (walnut)	1					Va.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
A U S T R A L I A—Continued									
Insects—Continued.									
Noctuid	<i>Bowenia serrulata</i>	1					Calif.*		
Ortalid	<i>Solanum tuberosum</i>			1			Mass.		
<i>Pheidole</i> sp. (ant)	<i>Alcicornium</i> sp.						Calif.*		
Do	<i>Dendrobium falcorostrum</i> (orchid).		1				Hawaii.*		
Do	<i>Juglans</i> sp. (walnut)	1					N. Y.		
<i>Platypus australis</i> (Platypodidae)	<i>Acer</i> sp. (maple)	1					Md.		
Do	<i>Juglans</i> sp. (walnut)	1					Va.		
<i>Prenolepis</i> sp. (ant)	<i>Cymbidium</i> sp. (orchid)		1				Calif.*		
Do	<i>Macrozamia</i> sp.	1					Do.*		
<i>Pseudococcus</i> sp. (Coccidae)	<i>Bowenia serrulata</i>	1					Do.*		
Do	<i>Macrozamia</i> sp.	1					Do.*		
Do	Palm				2		Do.*		
Pyrophorinae (Elateridae)	<i>Macrozamia</i> sp.	1					Do.*		
<i>Rhizoglyphus</i> sp. (mite)	<i>Howea forsteriana</i> (palm)	2					N. Y.		
Do	<i>Solanum tuberosum</i>					1	Do.		
<i>Rhytidoponera</i> sp. (ant)	<i>Juglans</i> sp. (walnut)	1					La.		
<i>Sciara</i> sp. (Mycetophilidae)	<i>Cycaes media</i>	1					D. C.		
Do	<i>Howea forsteriana</i> (palm)	1					N. Y.		
Do	<i>Solanum tuberosum</i>					1	Do.		
<i>Stigmaeodes</i> sp. (mite)	<i>Dendrobium bigibbum</i> (orchid)		1				Hawaii.*		
<i>Tenebroides</i> sp. (Ostomidae)	<i>Holcus sorghum sudanensis</i> (Sudan grass).	1					Calif.*		
Tineid	<i>Alcicornium</i> sp.			1			Do.*		
Do	<i>Cymbidium albucaeflorum</i> (orchid)		1				Do.*		
Do	<i>Cymbidium</i> sp. (orchid)		1				Do.*		
<i>Uleiota australis</i> (Cucujidae)	<i>Juglans</i> sp. (walnut)	2					Va.		
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Howea</i> sp.	1					Calif.*		
<i>Xylosandrus</i> sp. (Scolytidae)	<i>Dendrobium phalaenopsis schroederiae</i> (orchid).		1				Hawaii.*		
Diseases:									
<i>Aphelenchoides parietinus</i>	<i>Allium cepa</i> (onion)					1	Pa.		
<i>Aphelenchus avenae</i>	<i>Ipomoea batatas</i> (sweetpotato)		1				D. C.		
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.		1				Do.		
Bitter pit	<i>Malus sylvestris</i> (apple)					2	Pa.		
<i>Colletotrichum</i> sp.	<i>Macrozamia migneli</i>	1					Calif.*		
<i>Epicoccum</i> sp.	<i>Oryza sativa</i> (rice)		1				Pa.		
<i>Fusarium oxysporum</i>	<i>Gladiolus</i> sp.		1				Calif.*		
<i>Macromphoma</i> sp.	<i>Macrozamia spiralis</i>	1					D. C.		
<i>Pestalozzia</i> sp.	<i>Macrozamia miqueli</i>	1					Do.		
Do	<i>Macrozamia spiralis</i>	1					Do.		
<i>Phoma citricarpa</i>	<i>Citrus limonia</i> (lemon)					1	Calif.*		
<i>Phomopsis</i> sp.	<i>Macrozamia miqueli</i>	1					D. C.		
<i>Phyllosticta globuli</i>	<i>Eucalyptus</i> sp.		1				Wash.		
<i>Physalospora malorum</i>	<i>Malus sylvestris</i> (apple)					1	Mass.		
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)		1				D. C.		
<i>Sclerotinia gladioli</i>	<i>Gladiolus</i> sp.		1				Do.		
<i>Tilletia laevis</i>	<i>Triticum aestivum</i>		1				Do.		
<i>Urocystis tritici</i>	do		1				Do.		
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)					1	Calif.*		
A U S T R I A									
Insects:									
<i>Anthonomus rectirostris</i> (Curculionidae)	<i>Prunus avium sylvestris</i>		1				D. C.		
<i>Bruchidius villosus</i> (Bruchidae)	<i>Laburnum vulgare</i> (golden-chain).		2				Do.		
<i>Diaspis carueli</i> (Coccidae)	<i>Juniperus sabina</i> (savin)		1				Do.		
Do	<i>Juniperus</i> sp. (juniper)		1				Calif.*		
Geometrid	<i>Prunus</i> sp.			1			N. Y.		
<i>Petrova</i> sp. (Olethreutidae)	<i>Pinus</i> sp. (pine)		1				Do.		
<i>Ponera</i> sp. (ant)	In soil around roots of plants		1				Pa.		
Diseases:									
<i>Ascochyta</i> sp.	<i>Fraxinus americana</i> (white ash).		1				D. C.		
<i>Helminthosporium</i> sp.	<i>Dahlia</i> sp.		1				Do.		
<i>Oidium</i> sp.	<i>Chrysanthemum</i> sp.			1			N. Y.		
<i>Phoma</i> sp.	<i>Fraxinus americana</i>		1				D. C.		

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
AZORES							
Insects:							
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Citrus nobilis deliciosa</i> (tangerine).			1			N. Y.
Do	<i>Citrus sinensis</i> (orange)			1			Do.
Do	<i>Eriobotrya japonica</i> (loquat)		2				Mass.
Do	<i>Malus sylvestris</i> (apple)			1			R. I.
Do	<i>Psidium guajava</i> (guava)		1				Mass.
Do	<i>Sorbus</i> sp. (sorbe)			1			N. Y.
<i>Curculio</i> sp. (Curculionidae)	<i>Quercus</i> sp. (acorn)		1				Calif.*
<i>Fiorinia fioriniae</i> (Coccidae)	<i>Ligustrum</i> sp. (privet)			1			Mass.
Mycetophilid	do			1			Do.
Noctuid	In basket of pumpkins and sorbe apples.			1			N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Colocasia esculenta</i> (dasheen)	1					Do.
<i>Sciara</i> sp. (Mycetophilidae)	do	1					R. I.
<i>Targionia bromeliae</i> (Coccidae)	<i>Ananas sativus</i>			1			Mass.
Do	do					1	N. Y.
Tineid	<i>Saccharum officinarum</i>			1			Do.
Diseases:							
<i>Eurotium</i> sp.	<i>Eriobotrya japonica</i> (loquat)		1				Mass.
<i>Sclerotium cepivorum</i>	<i>Allium sativum</i> (garlic)		1				Do.
<i>Thielaviopsis paradoxa</i>	<i>Ananas sativus</i>			1			R. I.
Do	<i>Saccharum officinarum</i>			1			N. Y.
BAHAMAS							
Insects:							
<i>Aleurocanthus woglumi</i> (citrus blackfly).	<i>Citrus grandis</i> (grapefruit)					1	Fla.*
Do	<i>Citrus sinensis</i> (orange)		1	1			Do.*
<i>Aphis</i> sp. (aphid)	<i>Bougainvillea</i> sp.			1			Do.*
Do	<i>Rosa</i> sp.			2			Do.*
<i>Aspidiotus cecotiphagus</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)	1	4	2			Do.*
Do	<i>Gardenia florida</i> (Cape-jasmine.)			1			Do.*
<i>Aspidiotus destructor</i> (Coccidae)	<i>Cocos nucifera</i>			2			Do.*
<i>Aspidiotus herculeanus</i> (Coccidae)	<i>Poinciana regia</i> (royal poinciana)		4				Do.*
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine.)			1			Do.*
<i>Aspidiotus</i> sp. (Coccidae)	<i>Rosa</i> sp.			2			Do.*
<i>Asterolecanium pustulans</i> (Coccidae).	<i>Achras sapota</i> (sapodilla)			1			Do.*
Do	<i>Gardenia florida</i> (Cape-jasmine.)			1			Do.*
Do	<i>Mammea americana</i> (mamey)		2				Do.*
<i>Coccus acuminatus</i> (Coccidae)	<i>Jasminum</i> sp.			1			Do.*
<i>Coccus viridis</i> (Coccidae)	<i>Achras sapota</i>			1			Do.*
Do	<i>Citrus sinensis</i> (orange)			1			Do.*
Do	<i>Stenolobium stans</i> (yellow elder.)			2			Do.*
<i>Comstockiella sabalis</i> (Coccidae)	Palm			1			Do.*
<i>Frankliniella cephalica melanomata</i> (thrips).	<i>Antirrhinum majus</i> (snap-dragon).			1			Do.*
Do	<i>Delphinium</i> sp.			1			Do.*
Do	<i>Gladiolus</i> sp.			1			Do.*
Do	<i>Rosa</i> sp.			1			Do.*
<i>Frankliniella cubensis</i> (thrips)	do			1			Do.*
<i>Frankliniella insularis</i> (thrips)	<i>Hibiscus</i> sp.			1			Do.*
Do	<i>Rosa</i> sp.			2			Do.*
<i>Frankliniella</i> sp. (thrips)	<i>Citrus sinensis</i> (orange)		1				Do.*
Geometrid	<i>Rosa</i> sp.			1			Do.*
<i>Haplothrips gowdeyi</i> (thrips)	<i>Citrus sinensis</i>			1			Do.*
<i>Icerya purchasi</i> (cottony-cushion scale).	<i>Chrysophyllum cainito</i> (star-apple).		1				Do.*
Do	<i>Rosa</i> sp.			1			Do.*
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Platanus occidentalis</i> (button-wood).		1				D. C.
<i>Lecanium</i> sp. (Coccidae)	<i>Antigonon leptopus</i> (rosa-de-montana).			1			Fla.*
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Codiaeum</i> sp. (croton)			1			Do.*
Olethreutid	<i>Sphaeralcea abutiloides</i>		1				D. C.
Otiorhynchinae (Curculionidae)	<i>Gardenia florida</i> (Cape-jasmine).				1		Fla.*

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter- ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BAHAMAS—Continued							
Insects—Continued.							
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus aurantifolia</i> (lime)			1			Fla.*
<i>Pseudaonidia articulatus</i> (rufous scale).	do			2			Do.*
Do	<i>Citrus grandis</i> (grapefruit)					1	Do.*
Do	<i>Citrus sinensis</i> (orange)			3			Do.*
Do	<i>Cordyline terminalis</i> (ti)			1			Do.*
Do	<i>Ilex glabra</i> (inkberry)				1		Do.*
Do	<i>Rosa</i> sp.				2		Do.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Artocarpus incisa</i> (breadfruit)			1			Do.*
Do	<i>Psidium guajava</i> (guava)			1			Do.*
Do	<i>Saccharum officinarum</i>				1		Do.*
<i>Pulvinaria pyriformis</i> (Coccidae)	<i>Ilex glabra</i>				1		Do.*
<i>Solenopsis</i> sp. (ant)	<i>Citrus sinensis</i> (orange)			1			Do.*
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Dolichos</i> sp.	1					D. C.
<i>Taeniothrips gladioli</i> (gladiolus thrips).	<i>Amaryllis</i> sp.				1		Fla.*
<i>Tapinoma</i> sp. (ant)	<i>Achras sapota</i> (sapodilla)					1	Do.*
<i>Targionia sacchari</i> (Coccidae)	<i>Saccharum officinarum</i>			1	1	1	Do.*
<i>Tetranychus</i> sp. (mite)	<i>Rosa</i> sp.				1		Do.*
<i>Toxotrypana curvicauda</i> (papaya fruit fly).	<i>Carica papaya</i> (papaya)			1			Do.*
Diseases:							
<i>Albugo</i> sp.	<i>Dianthus</i> sp. (carnation)				1		Do.*
<i>Colletotrichum falcatum</i>	<i>Saccharum officinarum</i>			2	1	1	Do.*
<i>Nectria diploa</i>	<i>Chrysomphalus dictyospermi</i> on orange.			1			Do.*
Do	<i>Lepidosaphes beckii</i> on orange			1			Do.*
<i>Sphaeloma fawcettii</i>	<i>Citrus grandis</i> (grapefruit)				1		N. Y.
<i>Sphaerotheca pannosa</i>	<i>Rosa</i> sp.				2		Fla.*
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>			1			N. Y.
BARBADOS							
Insects:							
<i>Chalcodermus</i> sp. (Curculionidae)	<i>Cajanus indicus</i> (pigeon pea)	1					N. Y.
<i>Galleriinae</i> (Pyralidae)	<i>Arachis hypogaea</i> (peanut)	1					Do.
<i>Lepidosaphes hawaiiensis</i> (Coccidae)	<i>Rosa</i> sp.	1					D. C.
Olethreutid	<i>Hibiscus esculentus</i> (okra)		1				N. Y.
<i>Phycitinae</i> (Pyralidae)	<i>Cicer arietinum</i> (chickpea)		1				Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)					1	Do.
Do	<i>Citrus grandis</i> (grapefruit)					1	Do.
Do	<i>Citrus sinensis</i> (orange)					1	Do.
<i>Pseudaonidia tesserata</i> (Coccidae)	<i>Rosa</i> sp.	1					D. C.
<i>Pseudischnaspis</i> sp. (Coccidae)	do	1					Do.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Zingiber officinale</i> (ginger)		1				Mass.
Pyralid	<i>Cactus</i>		1				Do.
Pyralinae (Pyralidae)	do		1				N. Y.
<i>Pyroderces</i> sp. (Cosmopterygidae)	<i>Hibiscus esculentus</i> (okra)		1				Do. *
<i>Stephanoderes buckii</i> (Scolytidae)	<i>Myristica fragrans</i> (nutmeg)		1				Do.
<i>Targionia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)	2	2				Mass.
Do	do	1	1				N. Y.
<i>Tinea</i> sp. (Tineidae)	Herb		1				Mass.
Diseases:							
<i>Arthrobotrys superba</i>	<i>Ficus</i> sp. (fig)		1				N. Y.
<i>Capnodium</i> sp.	<i>Laurus nobilis</i> (Grecian laurel)		1				Mass.
Erinose	Unknown leaf		1				N. Y.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>				1		Do.
BELGIAN CONGO							
Insects:							
<i>Apion</i> sp. (Curculionidae)	<i>Eriosema</i> sp.		1				D. C.
Do	Legume seed		1				Do.
<i>Bruchidius</i> sp. (Bruchidae)	<i>Indigofera</i> sp. (indigo)		1				Do.
Do	Legume seed		2				Do.
Do	<i>Pseudarthria hookeri</i>		1				Do.
<i>Callosobruchus</i> sp. (Bruchidae)	<i>Phaseolus</i> sp.		1				Do.
<i>Caryedon</i> sp. (Bruchidae)	Legume seed		1				Do.
Cicadellid	<i>Euphorbia</i> sp.		1				Do.
Gelechiid	Miscellaneous seeds		1				Do.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Euphorbia</i> sp.		1				Do.
<i>Tinea</i> sp. (Tineidae)	<i>Howea</i> sp.		1				Do.
Tineid	<i>Allamanda nerifolia</i>		1				Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BELGIUM							
Insects:							
<i>Acrolepia assectella</i> (Plutellidae)	<i>Allium porrum</i> (leek)				3		N. Y.
Do	do				1		Pa.
Do	<i>Mentha</i> sp. (mint)				1		N. Y.
<i>Agromyza pinguis</i> (Agromyzidae)	<i>Cichorium intybus</i> (witloof)	25					Do.
<i>Agromyza</i> sp. (Agromyzidae)	<i>Allium porrum</i> (leek)				1		Pa.
Do	<i>Brassica oleracea capitata</i>				1		N. Y.
Do	<i>Cichorium intybus</i>	1					Do.
Agromyzid	do	2					Do.
Anthomyiid	<i>Brassica oleracea capitata</i>				1		Pa.
Do	<i>Radicula armoracia</i> (horseradish).				1		N. Y.
<i>Aspidiotus britannicus</i> (Coccidae)	<i>Laurus nobilis</i> (Grecian laurel)				1		Do.
<i>Aspidiotus palmae</i> (Coccidae)	<i>Billbergia</i> sp.	1					D. C.
Do	<i>Nidularium scheremetiewii</i>	1					Do.
Do	<i>Tillandsia lubbensis</i>	1					Do.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Solanum tuberosum</i>				1		Ala.
<i>Autographa</i> sp. (Noctuidae)	<i>Brassica oleracea capitata</i>				1		Pa.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica oleracea botrytis</i> (cauliflower).				1		N. Y.
Chloropid	<i>Allium porrum</i> (leek)				1		Do.
Do	<i>Lactuca sativa</i> (lettuce)				1		Do.
<i>Eupteryx aurata</i> (Cicadellidae)	<i>Brassica oleracea botrytis</i> (cauliflower).				1		Do.
<i>Gracilaria azaleella</i> (azalea leaf miner).	<i>Azalea indica</i>	1					D. C.
Graciliariid	do	1					Do.
<i>Gymnaspis aechmeae</i> (Coccidae)	<i>Billbergia zebrina</i>	1					Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica oleracea capitata</i>				1		Ala.
Do	do				4		N. Y.
Do	do				1		Pa.
Do	<i>Brassica rapa</i> (turnip)				4		Ala.
Do	do				1		La.
Do	do				13		N. Y.
Do	do				1		Tex.
<i>Macrosiphum kaltenbachii</i> (aphis)	<i>Allium porrum</i> (leek)				1		N. Y.
Mycetophilid	<i>Daucus carota</i> (carrot)				1		Do.
Noctuid	<i>Brassica oleracea capitata</i>				1		Do.
Do	<i>Lactuca sativa</i> (lettuce)				1		Do.
Do	<i>Salix</i> sp. (willow)				1		Pa.
<i>Parlatoria oleae</i> (Coccidae)	<i>Prunus domestica</i> (plum)				1		N. Y.
<i>Phytomyza atricornis</i> (Agromyzidae)	<i>Cichorium intybus</i> (witloof)	51					Do.
<i>Phytomyza</i> sp. (Agromyzidae)	do	2					Do.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea botrytis</i> (cauliflower).				1		Do.
Do	do				2		Pa.
Do	<i>Brassica oleracea capitata</i>				1		Ala.
Do	do				1		N. Y.
<i>Pionea forficalis</i> (Pyralidae)	do				1		Do.
<i>Plusia</i> sp. (Noctuidae)	<i>Lactuca sativa</i> (lettuce)				1		Do.
<i>Psila rosae</i> (carrot rust fly)	<i>Daucus carota</i> (carrot)				1		Do.
Pyralid	<i>Brassica oleracea capitata</i>				1		Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)				1		Ala.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Apium graveolens</i> (celery)				1		Do.
Do	<i>Brassica oleracea capitata</i>				1		N. Y.
Do	<i>Brassica rapa</i> (turnip)				1		La.
Do	do				3		N. Y.
Do	<i>Cichorium intybus</i> (witloof)				1		Do.
Do	<i>Solanum tuberosum</i>				1		La.
Do	do				1		Tex.
<i>Thrips tabaci pullus</i> (thrips)	<i>Allium porrum</i> (leek)				1		Pa.
Tortricid	<i>Azalea indica</i>	1					D. C.
<i>Trichocera</i> sp. (Tipulidae)	<i>Brassica campestris</i> (rutabaga)				1		N. Y.
Do	<i>Lactuca sativa</i> (lettuce)				1		Do.
Diseases:							
<i>Albugo candida</i>	<i>Brassica oleracea capitata</i>				1		Do.
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (cauliflower).				1		Do.
Do	do				1		Pa.
<i>Anguillulina dipsaci</i>	<i>Solanum tuberosum</i>				1		Do.
<i>Bacillus</i> sp.	<i>Cichorium intybus</i> (witloof)	3					N. Y.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea botrytis</i>				1		Do.
<i>Cercospora handelii</i>	<i>Azalea</i> sp.				1		D. C.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BELGIUM—Continued							
Diseases—Continued.							
<i>Cytospora</i> sp.	<i>Salix</i> sp. (willow)	1					N. Y.
<i>Erobasidium vaccinii</i>	<i>Azalea</i> sp.	1					D. C.
<i>Erobasidium</i> sp.	do	1					Do.
<i>Mycosphaerella brassicicola</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
<i>Phomopsis</i> sp.	<i>Cichorium intybus</i> (witloof)	1					Do.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)				1		Ill.
<i>Ramularia</i> sp.	<i>Begonia</i> sp.			1			N. Y.
<i>Rhizoctonia</i> sp.	<i>Brassica rapa</i> (turnip)					1	S. C.
<i>Sclerotinia fructigena</i>	<i>Malus sylvestris</i> (apple)			1			N. Y.
Do	<i>Pyrus communis</i> (pear)			1			Do.
<i>Sclerotinia sclerotiorum</i>	<i>Brassica rapa</i> (turnip)					1	Ala.
Do	<i>Daucus carota</i> (carrot)					1	Do.
Do	do					2	N. Y.
Do	do					1	Pa.
Do	do					1	Tex.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)					1	Ala.
Do	<i>Cichorium intybus</i> (witloof)	1					N. Y.
<i>Sclerotium</i> sp.	<i>Phaseolus</i> sp. (string bean)					1	Mass.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					5	N. Y.
Do	do					1	Pa.
<i>Septoria azaleae</i>	<i>Azalea indica</i>	1					D. C.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)					1	N. Y.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)		2			2	Do.
BERMUDA							
Insects:							
<i>Agromyza</i> sp. (Agromyzidae)	<i>Brassica oleracea acephala</i> (kale).	1					N. Y.
Agromyzid	do	11					Do.
Do	<i>Radicula nasturtium-aquaticum</i> (watercress).					1	Mass.
Cecidomyiid	<i>Lilium longiflorum harrisii</i>	1					N. Y.
Do	<i>Lilium</i> sp.	1					Do.
Chloropid	<i>Lilium longiflorum harrisii</i>	2					Do.
<i>Comstockiella sabalis</i> (Coccidae)	Herbarium specimen		1				D. C.
<i>Empoasca</i> sp. (Cicadellidae)	<i>Bougainvillea</i> sp.			1			N. Y.
Do	<i>Tagetes</i> sp. (marigold)			1			Do.
<i>Epirititus</i> sp. (ant)	<i>Lilium longiflorum harrisii</i>	1					Do.
<i>Eucalymnatus tessellatus</i> (Coccidae)	<i>Roystonea regia</i> (royal palm)				1		Do.
<i>Frankliniella insularis</i> (thrips)	<i>Hibiscus</i> sp.						Do.
<i>Holcocera</i> sp. (Blastobasidae)	<i>Phoenix dactylifera</i> (date)		2				Do.
<i>Homoeosoma</i> sp. (Pyralidae)	<i>Chrysanthemum</i> sp.			1			Do.
<i>Hoplothrips</i> sp. (thrips)	<i>Lonicera</i> sp. (honeysuckle)			1			Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Lilium</i> sp.	1					Do.
<i>Lasioderma</i> sp. (Anobiidae)	<i>Carica papaya</i> (papaya)			1			Do.
<i>Morganella longispina</i> (Coccidae)	<i>Nerium oleander</i> (oleander)			1			Do.
Noctuid	<i>Brassica oleracea acephala</i> (kale).	1					Do.
Do	<i>Gossypium</i> sp. (cotton) (boll)				1		Do.
<i>Phenacoccus gossypii</i> (Coccidae)	<i>Coleus</i> sp.				1		Do.
Phycitinae (Pyralidae)	<i>Chrysanthemum</i> sp.				1		Do.
Do	<i>Nerium oleander</i> (oleander)				1		Do.
Do	<i>Phoenix dactylifera</i> (date)				1		Do.
Do	<i>Tagetes</i> sp. (marigold)				1		Do.
<i>Phytomyza</i> sp. (Agromyzidae)	<i>Brassica oleracea acephala</i> (kale).	1					Do.
<i>Pieris</i> sp. (Pieridae)	do	5					Do.
<i>Plusia</i> sp. (Noctuidae)	do	11					Do.
<i>Plutella maculipennis</i> (diamond-back moth)	do	5					Do.
Do	<i>Matthiola</i> sp.		1				Do..
<i>Pseudaonidia articulatus</i> (rusous scale).	<i>Crescentia cujete</i> (calabash)			1			Do.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Codiaeum</i> sp. (croton)				1		Do.
Do	<i>Hibiscus</i> sp.				1		Do.
Do	<i>Lilium</i> sp.	1					Do.
<i>Rhagoletis</i> sp. (Tryptidae)	<i>Prunus</i> sp. (cherry)				1		Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Lilium longiflorum harrisii</i>	1					Do.
Do	<i>Lilium</i> sp.	5					Do.
<i>Sitona</i> sp. (Curculionidae)	In sand packing around bulbs	1					Do.
Do	<i>Musa</i> sp.				1		Mass..

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BERMUDA—Continued							
Insects—Continued.							
<i>Tapinoma</i> sp. (ant)	<i>Hibiscus</i> sp.			1			N. Y.
<i>Tinea</i> sp. (Tineidae)	<i>Chrysanthemum</i> sp.			1			Do.
Do	<i>Phoenix dactylifera</i> (date)			1			Do.
Do	<i>Poinciana regia</i> (royal poinciana)			1			Do.
Tineid	<i>Musa</i> sp. (banana)			1			Mass.
<i>Trichothrips</i> sp. (thrips)	<i>Nerium oleander</i> (oleander)			1			N. Y.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea acephala</i> (kale)	1					Do.
<i>Aphelenchoides parietinus</i>	<i>Hyacinthus</i> sp.	1					Do.
<i>Aphelenchus avenae</i>	<i>Solanum tuberosum</i>	1					Do.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea acephala</i> (kale)	2					Do.
<i>Cercospora neriiella</i>	<i>Nerium oleander</i> (oleander)			3			Do.
<i>Colletotrichum</i> sp.	<i>Codiaeum</i> sp. (croton)			1			Do.
<i>Diplodia cacaoicola</i>	<i>Mangifera indica</i> (mango)			1			Do.
<i>Gloeosporium</i> sp.	<i>Agave americana</i> (century-plant)			1			Do.
Do	<i>Ixora</i> sp.			1			Do.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>			1			Do.
<i>Oidium</i> sp.	<i>Euonymus</i> sp.				1		Do.
Do	<i>Tagetes</i> sp. (marigold)			1			Do.
<i>Phyllosticta phaseolina</i>	<i>Phaseolus</i> sp. (string bean)			1			Do.
<i>Phyllosticta</i> sp.	<i>Codiaeum</i> sp. (croton)				1		Do.
Do	<i>Nerium oleander</i> (oleander)			2			Do.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					1	Do.
<i>Septoria oleandrina</i>	<i>Nerium oleander</i>		1				Pa.
<i>Verticillium</i> sp.	<i>Hyacinthus</i> sp.	1					N. Y.
BOLIVIA							
Insects:							
<i>Macrosiphum luteum</i> (aphid)	<i>Orchid</i>	1					D. C.
Tortricid	<i>Tree seed</i>		1				Calif.*
Diseases:							
<i>Colletotrichum</i> sp.	<i>Orchid</i>	1					D. C.
<i>Fusarium moniliforme</i> (?)	<i>Zea mays</i> (corn)		1				N. Y.
BORNEO							
Insects:							
<i>Acythopeus orchivora</i> (Curculionidae)	<i>Dendrobium spectabile</i> (orchid)	1					Calif.*
<i>Acythopeus</i> sp. (Curculionidae)	In packing around orchids	1					Do.*
<i>Araecerus fasciculatus</i> (coffee-bean weevil)	<i>Dendrobium macrophyllum</i> (orchid)	1					Do.*
Buprestid	In packing around orchids	1					Do.*
Curculionid	<i>Cypripedium lowii giganteum</i> (orchid)	1					Do.*
Elaterid	In packing around orchids	1					Do.*
<i>Nasutitermes</i> sp. (termite)	<i>Cypripedium lowii giganteum</i> (orchid)	1					Do.*
<i>Tetramorium</i> sp. (ant)	do		1				D. C.
<i>Vinsonia stellifera</i> (Coccidae)	<i>Eria floribunda</i> (orchid)	1					Calif.*
<i>Xylosandrus monigerus</i> (Scolytidae)	<i>Dendrobium phalaenopsis</i> (orchid)	1					Do.*
Diseases:							
<i>Pestalozzia</i> sp.	<i>Cypripedium lowii giganteum</i> (orchid)		1				D. C.
BRAZIL							
Insects:							
<i>Acrolophus</i> sp. (Acrolophidae)	In orchid root				1		La.
<i>Anastrepha</i> sp. (Tryptidae)	<i>Citrus sinensis</i> (orange)					1	Do.
Do	<i>Cucurbita pepo</i> (pumpkin)					1	Md.
Anthomyiid	<i>Allium cepa</i> (onion)					1	Pa.
Do	<i>Ananas sativus</i>					1	Do.
<i>Araecerus fasciculatus</i> (coffee-bean weevil)	<i>Enterolobium timbouva</i> (timbo)	1					N. Y.
Do	<i>Theobroma cacao</i> (cacao)	1					Calif.*
<i>Asterolecanium bambusae</i> (Coccoidea)	Bamboo					1	La.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BRAZIL—Continued							
Insects—Continued.							
<i>Brachymyrmex</i> sp. (ant)	<i>Achras sapota</i> (sapodilla)		1				N. Y.
<i>Bruchus</i> sp. (Bruchidae)	<i>Acacia</i> sp.		2				Fla.*
<i>Calendrinae</i> (Curculionidae)	Orchid		1				N. Y.
<i>Calandrini</i> (Curculionidae)	<i>Scirpus</i> sp. (bulrush)	1					La.
<i>Castnia</i> sp. (Castniidae)	<i>Oncidium varicosum</i> (orchid)	1					D. C.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Citrus sinensis</i> (orange)					2	N. Y.
<i>Chrysomphalus personatus</i> (Coccidae).	<i>Areca catechu</i> (betel palm)	1					Pa.
Do	<i>Citrus sinensis</i>				1		La.
Do	do					2	N. Y.
<i>Coccoptypes</i> sp. (Scolytidae)	Palm seed		1				D. C.
<i>Coccus</i> sp. (Coccidae)	<i>Lilium longiflorum</i> (Easter lily).		1				Fla.*
<i>Curculionid.</i>	<i>Achras sapota</i> (sapodilla)		1				N. Y.
Do	<i>Araucaria imbricata</i> (monkey-puzzle).		1				Do.
Do	<i>Couepia grandiflora</i>	1					Pa.
Do	<i>Enterolobium timbouva</i> (timbo)	1					N. Y.
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)				2		Md.
Do	do					1	N. Y.
<i>Cyllene cayennensis</i> (Cerambycidae).	<i>Serjania mexicana</i> (barbasco)	1					Do.
<i>Diaspis echinocacti cacti</i> (Coccidae)	Cactus		1				La.
<i>Dinoderus minutus</i> (Bostrichidae)	<i>Serjania mexicana</i>	2					N. Y.
Do	<i>Typha</i> sp. (cattail)	1					Do.
<i>Elaterinae</i> (Elateridae)	<i>Lilium</i> sp.		1				La.
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)				5		Do.
Do	do					2	N. Y.
<i>Euxesta</i> sp. (Ortalidae)	<i>Citrus sinensis</i> (orange)					2	Do.
Do	<i>Coffea</i> sp.			1			La.
Do	<i>Solanum tuberosum</i>				1		Do.
<i>Galeriinae</i> (Pyralidae)	<i>Licania rigidia</i> (oiticia)	1					N. Y.
<i>Gymnandrosoma</i> sp. (Olethreutidae).	<i>Citrus sinensis</i>					1	La.
Do	do					1	N. Y.
<i>Hemichionaspis</i> sp. (Coccidae)	<i>Citrus limonia</i> (lemon)					1	Do.
Do	<i>Citrus sinensis</i> (orange)					1	Do.
<i>Hippopsis</i> sp. (Cerambycidae)	<i>Melaleuca</i> sp. (tea weed)				1		La.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Solanum tuberosum</i>					1	Ala.
<i>Ibidion</i> sp. (Cerambycidae)	On wrapper around barbasco canes.	1					N. Y.
<i>Lasioderma</i> sp. (Anobiidae)	<i>Allium sativum</i> (garlic)					1	La.
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Cucumis melo</i> (melon)					1	N. Y.
Lyonetid.	<i>Areca catechu</i> (betel palm)	1					Pa.
<i>Monochamus</i> sp. (Cerambycidae)	<i>Pinus</i> sp. (pine)			1			N. Y.
<i>Monomorium</i> sp. (ant)	<i>Saccharum officinarum</i>			1			La.
<i>Mordellistena</i> sp. (Mordellidae)	Orchid			1			N. Y.
Olethreutid.	<i>Citrus sinensis</i> (orange)				1		Do.
Ortalid.	do					1	La.
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus limonia</i> (lemon)					1	N. Y.
Do	<i>Citrus sinensis</i>					2	Fla.*
Do	do					1	La.
Do	do					3	N. Y.
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cotton) (sample).	1					La.
Do	<i>Gossypium</i> sp. (cottonseed)		2				Do.
<i>Pheidole</i> sp. (ant)	Orchid		1				N. Y.
<i>Phycitinae</i> (Pyralidae)	<i>Couepia grandiflora</i>	1					Pa.
Do	<i>Theobroma cacao</i> (cacao)	1					N. Y.
<i>Pinnaspis buxi</i> (Coccidae)	Palm				1		La.
<i>Platypus rugulosus</i> (Platypodidae).	<i>Serjania mexicana</i> (barbasco)	1					N. Y.
<i>Prolabia arachidis</i> (earwig)	<i>Allium cepa</i> (onion)					1	Pa.
Do	<i>Citrus sinensis</i> (orange)					1	Tex.
<i>Pseudaonidia articulatus</i> (rufous scale).	do					2	N. Y.
<i>Pseudaonidia trilobitiformis</i> (Coccidae).	<i>Citrus limonia</i> (lemon)					1	Fla.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Citrus sinensis</i>					1	Calif.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935 inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection.]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BRAZIL—Continued							
Insects—Continued.							
Pyralid	<i>Scirpus</i> sp. (bulrush)	1					La.
<i>Pyralis</i> sp. (Pyralidae)	<i>Cucurbita pepo</i> (pumpkin)					1	Do.
<i>Pyroderces</i> sp. (Cosmopterygidae)	<i>Gossypium</i> sp. (cottonseed)			1			Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Enterolobium timbouva</i> (timbo)	1					N. Y.
Do	Palm seed	1					Do.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Ananas sativus</i>					1	Pa.
<i>Sysinas floridulus</i> (Miridae)	Orchid				1		La.
<i>Tenthecoris bicolor</i> (Miridae)	<i>Cattleya schilleriana</i> (orchid)	1					Hawaii.*
<i>Tetraneurodes</i> sp. (whitefly)	<i>Citrus sinensis</i>					1	La.
<i>Tinea</i> sp. (Tineidae)	<i>Cucurbita pepo</i> (pumpkin)					1	Do.
Do	<i>Swietenia</i> sp. (mahogany)	1					Do.
Tortricid	Orchid				1		Do.
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Solanum tuberosum</i>					1	Calif.*
<i>Wasemannia auropunctata</i> (ant)	Orchid			1			La.
<i>Xyleborus affinis</i> (Scolytidae)	<i>Enterolobium timbouva</i> (timbo)	1					N. Y.
<i>Xyleborus confusus</i> (Scolytidae)	Reed bags containing coffee	1					Wash.
<i>Xyleborus</i> sp. (Scolytidae)	<i>Enterolobium timbouva</i> (timbo)	1					N. Y.
<i>Zabrotes subfasciatus</i> (Bruchidae)	Bean					3	La.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Ascochyta</i> sp.	Cactus				1		Pa.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea capitata</i>					1	Do.
<i>Botrytis cinerea</i>	<i>Cucumis melo</i> (melon)					1	N. Y.
<i>Capnodium citri</i>	<i>Citrus sinensis</i>					1	Do.
<i>Cephaleuros virescens</i>	<i>Citrus sinensis</i> (orange)					1	La.
<i>Colletotrichum</i> sp.	<i>Cattleya labiata</i> (orchid)			1			N. Y.
Do	Orchid				2		La.
<i>Diplodia cacaoicola</i>	<i>Borassus flabellifer</i>	1					D. C.
<i>Diplodia natalensis</i>	<i>Cattleya labiata</i> (orchid)		1				N. Y.
Do	<i>Citrus limonia</i> (lemon)					1	Pa.
<i>Diplodia tubericola</i>	<i>Dioscorea</i> sp. (yam)					1	La.
Do	<i>Ipomoea batatas</i> (sweetpotato)					2	Do.
Do	do					1	Miss.
<i>Diplodia</i> sp.	<i>Cattleya labiata</i> (orchid)				1		La.
Do	Unidentified root	1					N. Y.
<i>Epicoccum</i> sp.	<i>Cattleya labiata</i>				1		La.
<i>Eurotium</i> sp.	<i>Bertholletia nobilis</i> (Brazil nut)	1					N. Y.
Do	Unidentified seed	1					Do.
<i>Gloeosporium</i> sp.	<i>Borassus flabellifer</i>		1				D. C.
Do	<i>Carica papaya</i> (papaya)					1	N. Y.
Do	<i>Cattleya labiata</i> (orchid)			1			Do.
Do	Orchid					3	D. C.
Do	do						La.
<i>Leprosis</i> (?)	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Mycosphaerella brassicicola</i>	<i>Brassica oleracea botrytis</i> (broccoli).					1	N. Y.
<i>Mycosphaerella pinodes</i>	<i>Pisum sativum</i> (pea)					1	Do.
<i>Pestalozzia</i> sp.	<i>Achras sapota</i> (sapodilla)			1			Do.
Do	<i>Licania rigidia</i> (oiticica)	1					Do.
<i>Phoma destructiva</i>	<i>Lycopersicum esculentum</i>					1	La.
Do	do					1	N. Y.
<i>Phoma</i> sp.	<i>Carica papaya</i> (papaya)					1	Do.
<i>Puccinia allii</i>	<i>Allium sativum</i> (garlic)					1	Pa.
<i>Puccinia porri</i>	do					1	N. Y.
Do	do					1	Pa.
<i>Puccinia</i> sp.	do					3	Md.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Ala.
<i>Sclerotinia</i> sp.	do					1	N. Y.
Do	<i>Ipomoea batatas</i> (sweetpotato)					1	Miss.
<i>Sclerotium</i> sp.	<i>Daucus carota</i>					1	La.
<i>Scoleconectria</i> sp.	<i>Citrus</i> sp.					1	N. Y.
<i>Septobasidium</i> sp.	do					1	Do.
<i>Sphaceloma fawcettii</i>	<i>Citrus aurantifolia</i> (lime)					1	Pa.
Do	<i>Citrus limonia</i> (lemon)					2	Fla.*
Do	do					2	La.
Do	do					2	Md.
Do	do					1	N. Y.
Do	<i>Citrus sinensis</i> (orange)				1		La.
Do	do				1	2	Md.
Do	do					3	N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BRAZIL—Continued							
Diseases—Continued.							
<i>Sphaceloma</i> sp.	<i>Citrus limonia</i> (lemon)				1		N. Y.
Do	do				1		Pa.
Do	<i>Citrus sinensis</i>				2	1	La.
Do	do					2	N. Y.
<i>Stilbum</i> sp.	Palm				1		Pa.
<i>Tetracium</i> sp.	<i>Citrus</i> sp.					1	N. Y.
BRITISH COLUMBIA							
Insects:							
<i>Agromyza</i> sp. (Agromyzidae)	<i>Ilex aquifolium</i> (English holly)		1				Calif.*
<i>Coccus</i> sp. (Coccidae)	<i>Ilex</i> sp. (holly)		1				Do.*
<i>Curculionid</i>	<i>Salix discolor</i> (pussy willow)		1				Do.*
<i>Merodon</i> sp. (Syrphidae)	<i>Narcissus</i> sp.	1					Wash.
<i>Myzus</i> sp. (aphid)	<i>Onosma</i> sp.	1					Do.
Sciariid	In soil around Scotch broom			1			Do.
<i>Tipula</i> sp. (Tipulidae)	<i>Erigeron</i> sp.		1				Calif.*
BRITISH GUIANA							
Insects:							
<i>Aegeriid</i>	<i>Gustavia</i> sp.		1				D. C.
<i>Amblycerus</i> sp. (Bruchidae)	<i>Combretum</i> sp.		1				Do.
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Ipomoea batatas</i> (sweetpotato)		1				Do.
Blastobasid	<i>Hippomane mancinella</i>		1				Do.
<i>Coccotrypes</i> sp. (Scolytidae)	<i>Dolichos</i> sp.		1				Do.
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)		1				Do.
<i>Hemiclioniaspis minor strachani</i> (Coccidae).	<i>Obignya speciosa</i>		1				Do.
<i>Lophocateres pusillus</i> (Siamese grain beetle).	Dry plant specimen	1					Do.
<i>Monopis</i> sp. (Tineidae)	do	1					Do.
<i>Protopulvinaria pyriformis</i> (Coccidae).	<i>Furcraea tuberosa</i>		1				Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus sinensis</i> (orange)				1		Tex.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium sativum</i> (garlic)	1					N. Y.
<i>Tinea</i> sp. (Tineidae)	Dry plant specimen	1					D. C.
Diseases:							
<i>Diplodia cacaoicola</i>	<i>Banisteriopsis</i> sp.		1				Do.
<i>Macrophoma</i> sp.	<i>Securidaca</i> sp.		1				Do.
BRITISH HONDURAS							
Insects:							
Blastobasid	<i>Annona muricata</i> (soursop)		1				La.
Do	<i>Persea americana</i> (avocado)		1				Do.
<i>Camponotus</i> sp. (ant)	Banana debris	6					S. C.
Do	<i>Musa</i> sp. (banana)	8					Do.
<i>Chrysomphalus personatus</i> (Coccidae).	Leaf		1				La.
<i>Coccotrypes</i> sp. (Scolytidae)	<i>Persea americana</i>		1				Do.
<i>Crematogaster</i> sp. (ant)	<i>Musa</i> sp. (banana)		1				S. C.
<i>Cycloptilum coniectum</i> (Gryllidae)	Banana debris	1					Pa.
<i>Cycloptilum</i> sp. (Gryllidae)	do	1					S. C.
<i>Dolichoderus</i> sp. (ant)	do	1					La.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Galgupha punctifer</i> (Cynidae)	Banana debris	1					Do.
<i>Lepidosaphes carinata</i> (Coccidae)	Leaf		1				La.
<i>Lorelus trapeziderus</i> (Tenebrionidae).	<i>Musa</i> sp. (banana)		1				S. C.
Lyonetiid	Banana debris	1					Pa.
<i>Prenolepis</i> sp. (ant)	<i>Musa</i> sp. (banana)	2					S. C.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus grandis</i> (grapefruit)			1			N. Y.
Sciariid	Packing around palm seed		1				Calif.*
<i>Telephanus setulosus</i> (Cucujidae)	Banana debris	1					S. C.
Do	<i>Musa</i> sp. (banana)	2					Do.
<i>Tinea</i> sp. (Tineidae)	do	1					La.
Tingitid	do	1					S. C.
<i>Tipula</i> sp. (Tipulidae)	Banana debris	1					La.
Zygapinae (Curculionidae)	Unidentified nut		1	1			Do.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BRITISH HONDURAS—Continued							
Diseases:							
<i>Acremoniella</i> sp.	<i>Holcus sorghum</i> var. (broom-corn).		1				Calif.*
<i>Diplodia natalensis</i>	<i>Citrus grandis</i> (grapefruit)			1			N. Y.
<i>Meliola</i> sp.	Rutaceae		1				La.
BRITISH WEST INDIES							
Insects:							
<i>Aspidirotus</i> sp. (Coccidae)	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
<i>Coccotrypes thrinacis</i> (Scolytidae)	<i>Sabal glaucescens</i> (palm)		1				D. C.
<i>Coccus viridis</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
Do	<i>Citrus</i> sp.					1	Do.
Galleriinae (Pyralidae)	<i>Cassia fistula</i> (golden-shower)				1		Do.
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus limonia</i> (lemon)					1	Do.
Do	<i>Citrus</i> sp.				1		Do.
<i>Prenolepis</i> sp. (ant)	<i>Izora coccinia</i>			1			Do.
<i>Pseudoaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i>	9					Do.
Do	<i>Citrus grandis</i> (grapefruit)				1		Ala.
Do	<i>Coffea</i> sp.				1		N. Y.
Do	<i>Theobroma cacao</i> (cacao)				1		Do.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Oncidium sprucei</i> (orchid)		1				Hawaii.*
<i>Targionia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)			1	1		N. Y.
Diseases:							
<i>Diplodia cacaoicola</i>	<i>Achras sapota</i> (sapodilla)				1		Do.
Do	<i>Saccharum officinarum</i>			1			Do.
<i>Diplodia tubericola</i>	<i>Dioscorea</i> sp. (yam)			1			Do.
<i>Gloeosporium</i> sp.	<i>Cactus</i>			1			Do.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>			3			Do.
<i>Oospora citri aurantii</i>	<i>Citrus aurantifolia</i>				1		Ala.
<i>Phoma</i> sp.	<i>Daucus carota</i> (carrot)					1	N. Y.
<i>Phyllosticta divergens</i>	<i>Albizia lebbek</i> (lebbek)				1		Do.
<i>Phyllosticta</i> sp.	<i>Annona</i> sp.				1		Do.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>			2			Do.
BULGARIA							
Insects: Trypetid	<i>Lonicera nitida</i>		1				
Diseases: <i>Coniothyrium</i> sp.	<i>Cornus mas</i> (cornelian-cherry).		1				D. C. Wash.
BURMA							
Diseases: <i>Eurotium</i> sp.	<i>Crinum</i> sp.	1					D. C.
CANADA							
Insects:							
<i>Brachyrhinus ovatus</i> (Curculionidae).	In packing around <i>Arnica</i> sp.		1				Do.
<i>Brachyrhinus sulcatus</i> (black vine weevil).	<i>Picea</i> sp. (spruce)			1			Mass.
Cecidomyiid	<i>Tamarix</i> sp. (estwater)	1					Hawaii.*
Cercopid	<i>Fragaria</i> sp. (strawberry)	2					Calif.*
<i>Chionaspis pinifoliae</i> (pine needle scale).	<i>Pinus strobus</i> (white pine)		1				Mich.
<i>Crophius</i> sp. (Lygaeidae)	<i>Aster</i> sp.		1				Calif.*
<i>Dialeurodes chittendeni</i> (rhododendron whitefly).	<i>Rhododendron</i> sp.	1					Wash.
<i>Gelechia</i> sp. (Gelechiidae)	<i>Salix discolor</i> (pussy willow)		1				Calif.*
Geometrid	In soil around roots of evergreen tree.			1			Mass.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i> (turnip)				2		La.
Do	do				1		Pa.
<i>Merodon</i> sp. (Syrphidae)	<i>Narcissus</i> sp.			1			Wash.
Noctuid	<i>Aster</i> sp.		1				Calif.*
Do	In soil around roots of evergreen tree.				1		Mass.
<i>Phytomyza</i> sp. (Agromyzidae)	<i>Ilex</i> sp. (holly)			1			Calif.*
Rhynchitini (Curculionidae)	<i>Rosa</i> sp.			1			D. C.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Aconitum fischeri wilsoni</i>						Hawaii.*
Do	<i>Gypsophila</i> sp. (Bristol fairy)	1					Do.*
Do	<i>Tritonia</i> sp.	1					Do.*
Scolytid	<i>Picea</i> sp. (spruce)				1		Mass.
Tetranychid	<i>Salix</i> sp.				1		Calif.*

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CANADA—Continued							
Insects—Continued.							
<i>Tipula</i> sp. (Tipulidae)	In packing around roots of ginseng and golden seal.		1				D. C.
Do.	Moss packing	1					Mich.
Tipulid	<i>Hypericum</i> sp. (St. Johnswort)	1					Hawaii.*
Diseases:							
<i>Chrysomyza piperiana</i>	<i>Rhododendron</i> sp.	1					Wash.
<i>Oospora</i> sp.	<i>Daucus carota</i> (carrot)					1	Ala.
<i>Puccinia graminis</i>	<i>Berberis</i> sp. (barberry)		1				Ill.
<i>Sclerotinia gladioli</i>	<i>Gladiolus</i> sp.		1				D. C.
<i>Sclerotinia sclerotiorum</i>	<i>Beta vulgaris</i> (beet)				1		Pa.
Do.	<i>Daucus carota</i>					1	La.
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.	46					D. C.
CANAL ZONE							
Insects:							
<i>Adetus</i> sp. (Euglenidae)	Banana debris	1					N. Y.
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Zingiber officinale</i> (ginger)	2					Do.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Chaetospermum glutinosum</i>	1					D. C.
<i>Aulacaspis major</i> (Coccidae)	<i>Dracontomelum sinense</i>	1					Do.
<i>Brachymyrmet</i> sp. (ant)	Banana debris	1					N. Y.
<i>Camponotus</i> sp. (ant)	do	2					Do.
Do.	<i>Musa</i> sp. (banana)	8					Calif.*
Do.	do	2					N. Y.
Chloropid	do	1					Do.
<i>Chrysomphalus perseae</i> (Coccidae)	do	1					Calif.*
Cicadellid	do	1					N. Y.
<i>Crematogaster</i> sp. (ant)	Banana debris	1					Do.
Do.	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Cyphomyrmex rimosus minutus</i> (ant).	<i>Anthurium holtonianum</i>	1					Hawaii.*
<i>Discocephala humilis</i> (Pentatomidae).	<i>Musa</i> sp. (banana)	3					Calif.*
<i>Dolichoderus debilis</i> (ant)	Banana debris	1					N. Y.
<i>Doliema</i> sp. (Tenebrionidae)	<i>Guaiacum officinale</i> (lignum-vitae).	1					Do.
Elaterid	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Euxesta</i> sp. (Ortalidae)	<i>Carica papaya</i> (papaya)					1	Pa.
<i>Furcaspis biformis</i> (Coccidae)	<i>Oncidium panamense</i> (orchid)	1					Hawaii.*
Gelechiid	<i>Stanhopea bucephalus</i> (orchid)	1					Do.*
<i>Lobiopa</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	1					N. Y.
Do.	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Monomorium carbonarium</i> var. (ant).	Banana debris	1					N. Y.
Noctuid	Fern			1			Do.
<i>Parallelodiplosis cattleyae</i> (cattleya midge).	<i>Cattleya deckeri</i> (orchid)	2					Hawaii.*
<i>Paratenetus</i> sp. (Tenebrionidae)	<i>Musa</i> sp. (banana)	1					N. Y.
Pentatomid	<i>Gongora maculata</i> (orchid)	1					Hawaii.*
<i>Phycitinae</i> (Pyralidae)	<i>Carum carvi</i> (caraway)	1					D. C.
<i>Prenolepis</i> sp. (ant)	<i>Peristeria elata</i> (Holy-ghost-flower).	1					Hawaii.*
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus grandis</i> (grapefruit)				2		N. Y.
Do.	<i>Citrus limonia</i> (lemon)			1			Calif.*
Do.	do				1		Fla.*
<i>Pseudischnaspis bowreyi</i> (Coccidae)	<i>Oncidium ampliatum</i> (orchid)	1					Hawaii.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Carica papaya</i> (papaya)				1		Calif.*
Do.	<i>Musa</i> sp. (banana)	1					Do.*
<i>Pseudomyrma gracilis</i> var. (ant)	<i>Oncidium ampliatum majus</i> (orchid).	1					Hawaii.*
<i>Soronia</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Stenispa</i> sp. (Chrysomelidae)	do	1					Do.*
<i>Stephanoderes guatemalensis</i> (Scolytidae).	do	1					La.
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Tectona grandis</i> (teak)		1				Hawaii.*
<i>Sternochetus mangiferae</i> (mango weevil).	<i>Mangifera indica</i> (mango)			1			La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
CANAL ZONE—Continued									
Insects—Continued.									
<i>Telephanus</i> sp. (Cucujidae).....	Banana debris.....	1					N. Y.		
Do.....	<i>Musa</i> sp. (banana).....	1					La.		
<i>Toxotrypana curvicauda</i> (papaya fruit fly).....	<i>Carica papaya</i> (papaya).....					1	N. Y.		
<i>Triglyphothrix</i> sp. (ant).....	<i>Epidendrum atropurpureum</i> (orchid).....	1					Hawaii.*		
<i>Vinsonia stellifera</i> (Coccidae).....	<i>Cinnamomum zeylanicum</i> (cinnamon).....		1				N. Y.		
Do.....	<i>Epidendrum stamfordianum</i> (orchid).....	1					Hawaii.*		
<i>Wasemannia auropunctata</i> (ant).....	<i>Anthurium holtonianum</i>	1					Do.*		
Do.....	Orchid (several genera).....	5					Do.*		
<i>Xestocoris collinus</i> (Lygaeidae).....	<i>Stanhopea bucephalus</i> (orchid).....	1					Do.*		
<i>Xyleborus</i> sp. (Scolytidae).....	<i>Musa</i> sp. (banana).....	1					Calif.*		
Diseases:									
<i>Capnodium citri</i>	<i>Citrus limonia</i> (lemon).....					1	Pa.		
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.....		1				N. Y.		
<i>Diplodia cacaoicola</i>	<i>Citrus sinensis</i> (orange).....			1			Pa.		
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantifolia</i> (lime).....				1		Fla.*		
<i>Hexameris</i> (?) sp.....	Unknown insect in Eugenia seed.....		1				D. C.		
<i>Pythium</i> sp.....	<i>Daucus carota</i> (carrot).....					1	Ala.		
<i>Sclerotinia sclerotiorum</i>	do.....					1	Do.		
<i>Sphaceloma fawcettii</i>	<i>Citrus sinensis</i> (orange).....		1				N. Y.		
<i>Sphaceloma</i> sp.....	<i>Citrus grandis</i> (grapefruit).....				1		Do.		
<i>Thielaviopsis paradoxa</i>	<i>Ananas sativus</i>					1	Pa.		
CANARY ISLANDS									
Insects:									
<i>Anthomyiid</i>	<i>Brassica rapa</i> (turnip).....				1		Do.		
<i>Chloropid</i>	do.....				1		Do.		
<i>Gnorimoschema</i> sp. (Gelechiidae).....	<i>Lycopersicum esculentum</i>	1					N. Y..		
<i>Targionia bromeliae</i> (Coccidae).....	<i>Ananas sativus</i>				2		Do.		
Diseases:									
<i>Bacterium vesicatorium</i>	<i>Lycopersicum esculentum</i>					1	Do.		
<i>Cladosporium fulvum</i>	do.....					1	Do.		
<i>Oospora lactis parasitica</i>	do.....					1	Do.		
<i>Phoma</i> sp.....	do.....	1					Do.		
<i>Sclerotinia</i> sp.....	<i>Phaseolus</i> sp. (string bean).....					1	Do.		
CENTRAL AMERICA									
Insects:									
<i>Aeolus pulchellus</i> (Elateridae).....	Banana debris.....	1					N. Y.		
<i>Camponotus angulatus</i> (ant).....	do.....	2					Do.		
<i>Camponotus</i> sp. (ant).....	do.....	6					Do.		
<i>Crematogaster</i> sp. (ant).....	do.....	1					Do.		
<i>Metamasius sericeus</i> (silky cane weevil).....	do.....	1					Do.		
<i>Paratenetus</i> sp. (Tenebrionidae).....	do.....	6					Do.		
<i>Platynota</i> sp. (Tortricidae).....	do.....	1					Do.		
<i>Psychid</i>	do.....	2					Do.		
<i>Telephanus setulosus</i> (Cucujidae).....	do.....	3					Do.		
<i>Tineid</i>	do.....	1					Do.		
<i>Urophorus humeralis</i> (Nitidulidae).....	<i>Capparis</i> sp.....	1					Hawaii.*		
Diseases: <i>Gloeosporium</i> sp.....									
CHILE									
Insects:									
<i>Blapstinus</i> sp. (Tenebrionidae).....	<i>Cucumis melo</i> (melon).....	2					Do.		
<i>Cathartus</i> sp. (Cucujidae).....	<i>Allium sativum</i> (garlic).....	1					Do.		
<i>Chaetopsis</i> sp. (Ortalidae).....	do.....	1					Do.		
<i>Curculionid</i>	<i>Juania australis</i>		1				D. C.		
<i>Grapholitha</i> sp. (Olethreutidae).....	<i>Amygdalus persica nectarina</i> (nectarine).....	1					N. Y.		
<i>Leptoglossus chilensis</i> (Coreidae).....	<i>Vitis</i> sp. (grape).....	1					Do.		
<i>Leucopis</i> sp. (Agromyzidae).....	<i>Amygdalus persica</i> (peach).....			1			Do.		
<i>Listroderes</i> sp. (Curculionidae).....	<i>Cucumis melo</i> (melon).....	2					Do.		
<i>Megalometis chiliensis</i> (Curculionidae).....	<i>Amygdalus persica nectarina</i> (nectarine).....	1					Do.		
<i>Microgyllus pallipes</i> (Gryllidae).....	<i>Cucumis melo</i>	1					.Do.		
<i>Myzus</i> sp. (aphid).....	<i>Mentha</i> sp. (mint).....					1	Do.		

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHILE—Continued							
Insects—Continued.							
Noctuid	<i>Asparagus</i> sp.	1					N. Y.
Do	<i>Mentha</i> sp. (mint)					1	Do.
Olethreutid	<i>Amygdalus persica nectarina</i>	2					Do.
Do	<i>Prunus domestica</i> (plum)	1					Do.
Do	<i>Vitis</i> sp. (grape)	1					Do.
Pentatomid	<i>Amygdalus persica</i> (peach)	1					Do.
<i>Prenolepis</i> sp. (ant)	do	1					Do.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Amygdalus persica nectarina</i>	1					Do.
Do	<i>Mentha</i> sp. (mint)					1	Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)	2					Do.
Do	<i>Allium sativum</i> (garlic)	2					Do.
Tenebrionid	<i>Cucumis melo</i> (melon)	1					Do.
Tetranychid	<i>Amygdalus persica nectarina</i> (nectarine)	1					Do.
<i>Tinea</i> sp. (Tineidae)	<i>Allium sativum</i> (garlic)	1					Do.
Tortricid	<i>Amygdalus persica nectarina</i>	2					Do.
<i>Tychius</i> sp. (Curculionidae)	<i>Amygdalus persica</i> (peach)	1					Do.
Do	<i>Amygdalus persica nectarina</i>	2					Do.
Diseases:							
<i>Bacterium maculicolum</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
<i>Botrytis cinerea</i>	<i>Amygdalus persica</i> (peach)	1					Do.
<i>Cladosporium aphidis</i>	Scale on nectarine	1					Do.
<i>Cladosporium carpophilum</i>	<i>Amygdalus persica</i>	1		1			Do.
Do	<i>Prunus armeniaca</i> (apricot)	4					Do.
<i>Dematium pullulans</i>	<i>Prunus communis</i> (plum)	1					Do.
Erinose	<i>Amygdalus persica nectarina</i> (nectarine).	4					Do.
<i>Heterosporium allii</i>	<i>Allium cepa</i> (onion)	1					Do.
Do	<i>Allium sativum</i> (garlic)	2					Do.
<i>Heterosporium</i> sp.	<i>Allium cepa</i> (onion)					1	Do.
Do	<i>Allium sativum</i> (garlic)	1					Do.
<i>Macrosporium cucumerinum</i>	<i>Cucumis melo</i> (melon)	4					Do.
<i>Mycosphaerella pinodes</i>	<i>Pisum sativum</i> (pea)	1					Do.
<i>Oidium</i> sp.	<i>Rosa</i> sp.			1			Do.
<i>Penicillium glaucum</i>	<i>Amygdalus persica nectarina</i> (nectarine).	1					Do.
<i>Phoma</i> sp.	<i>Prunus armeniaca</i> (apricot)	1					Do.
<i>Phragmidium</i> sp.	<i>Rosa</i> sp.		1				Do.
<i>Puccinia phragmitis</i>	<i>Phragmites communis</i> (reed-grass).	1					Do.
<i>Puccinia</i> sp.	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Sclerotium bataticola</i>	<i>Cucumis melo</i> (melon)	3					Do.
Do	<i>Cucumis melo</i> var. (honeydew) melon).	1					Do.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					1	Do.
<i>Thielavia</i> sp.	<i>Allium sativum</i> (garlic)	1					Do.
CHINA							
Insects:							
<i>Alphitobius</i> sp. (Tenebrionidae)	<i>Pueraria thunbergiana</i> (kudzu)	1					Mass.
Anthomyiid	<i>Eleocharis tuberosa</i> (waternut)	1					N. Y.
<i>Anthrenus</i> sp. (Dermestidae)	<i>Raphanus sativus</i> (radish)		1				Hawaii.*
<i>Aphomia gularis</i> (Pyralidae)	On bag of sesame seed	1					N. Y.
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Citrus sinensis</i> (orange)	1					Do.
Do	<i>Solanum tuberosum</i>			1			Calif.*
<i>Bruchidius</i> sp. (Bruchidae)	<i>Albizia julibrissin</i> (silktree)		1				D. C.
<i>Bruchophagus gibbus</i> (Eurytomidae).	<i>Medicago sativa</i> (alfalfa)	1					Do.
<i>Chilo simplex</i> (Asiatic rice borer)	Rice straw used as packing	1					Do.
Do	do	1					Md.
Do	do	3					N. Y.
Do	do		1				Pa.
Chloropid	<i>Lilium</i> sp.	1					Mass.
Do	<i>Pueraria thunbergiana</i> (kudzu)	1					Do.
<i>Chrysauginae</i> (Pyralidae)	<i>Ilex</i> sp.		1				Calif.*
<i>Coleophora</i> sp. (Coleophoridae)	<i>Boehmeria nivea</i> (Chinese silk- plant).		1				Do.*
Do	<i>Castanea mollissima</i> (chestnut)	1					D. C.
<i>Coptotermes</i> sp. (termite)	Bamboo	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued.							
Insects—Continued.							
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea henryi</i> (pearl chestnut).	1					D. C.
Do	<i>Castanea mollissima</i> (hairy chestnut).	1					Do.
Do	<i>Castanea seguinii</i> (wild chestnut).	1					Do.
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)			1			Wash.
<i>Desmometopa</i> sp. (Agromyzidae)	<i>Colocasia esculenta</i> (taro)	1					Mass.
Do	<i>Eleocharis tuberosa</i> (waternut)	1					Do.
Do	do	1					N. Y.
Do	<i>Lillium</i> sp.	1					Do.
Do	<i>Zingiber officinale</i> (ginger)	1					Do.
<i>Eriococcus kaki</i> (Coccidae)	<i>Diospyros kaki</i> (kaki persimmon).	2					D. C.
<i>Fiorinia fioriniae</i> (Coccidae)	Palm				1		Calif.*
<i>Gryllus</i> sp. (Gryllidae)	In case with <i>Aglaonema canes</i>	1					D. C.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Eleocharis tuberosa</i>	1					N. Y.
<i>Laemophloeus</i> sp. (Cucujidae)	<i>Collococcus</i> sp.		1				Calif.*
<i>Lophocnctres pusillus</i> (Siamese grain beetle).	<i>Oryza sativa</i> (paddy rice)	1					Pa.
<i>Monarthrum</i> sp. (Scolytidae)	<i>Collococcus</i> sp.		1				Calif.*
<i>Morganella maskelli</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)			1			Do.*
<i>Myrmecophila quadrispina</i> (Grylliidae).	In soil around plants			1			Wash.
Noctuid	<i>Aglaonema</i> sp.	1					Calif.*
Do	<i>Colocasia esculenta</i> (taro)	1					Do.*
Olethreutid	<i>Sapindus</i> sp.		1				D. C.
Ortalid	<i>Eleocharis tuberosa</i> (waternut)	1					Mass.
<i>Paratenodera sinensis</i> (Chinese mantis).	<i>Euonymus</i> sp.				1		Calif.*
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)		1	3		45	Do.*
Do	do					1	La.
Do	do					1	N. Y.
Do	<i>Citrus nobilis deliciosa</i> (Mandarin orange).					1	Calif.*
Do	<i>Citrus sinensis</i> (orange)			2			Do.*
Do	do			1			Wash.
<i>Parlatoria</i> sp. (Coccidae)	<i>Coelogyne flaccida</i> (orchid)					1	Hawaii.*
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cottonseed)		1				D. C.
Do	do						Md.
Do	do	1					N. Y.
Do	<i>Gossypium</i> sp. (cotton) (boll)		1				Pa.
<i>Phaulothrips</i> sp. (thrips)	<i>Aglaonema</i> sp.			1			Wash.
<i>Pheidole</i> sp. (ant)	<i>Eleocharis tuberosa</i> (waternut)	1					Mass.
<i>Phenacaspis</i> sp. (Coccidae)	Palm				1		Calif.*
<i>Phycitinae</i> (Pyralidae)	<i>Litchi chinensis</i> (lychee)	1					Hawaii.*
<i>Prolabia arachidis</i> (earwig)	<i>Eleocharis tuberosa</i>	2					N. Y.
<i>Pseudaonidia duplex</i> (camphor scale).	<i>Citrus grandis</i> (pomelo)					1	Calif.*
Do	<i>Citrus sinensis</i> (orange)					1	Do.*
<i>Pseudococcus comstocki</i> (Coccidae)	<i>Aglaonema</i> sp.	6					Do.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Aglaonema costatum</i>	1					D. C.
<i>Pyraustinae</i> (Pyralidae)	<i>Allium cepa</i> (onion)		1				Do.
Do	<i>Castanea mollissima</i> (hairy chestnut).	1					Do.
Do	<i>Castanea</i> sp. (chestnut)	2					Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Colocasia esculenta</i> (taro)	1					Mass.
Do	do	2					N. Y.
Do	<i>Eleocharis tuberosa</i> (waternut)	1					Calif.*
Do	do	5					Mass.
Do	do	12					N. Y.
Do	<i>Lilium</i> sp.	1					Mass.
Do	do	1					N. Y.
Do	<i>Pueraria thunbergiana</i> (kudzu)	1					Mass.
Do	do	1					N. Y.
Do	<i>Sagittaria sagittifolia</i> (old-world arrowhead).	1					Do.
Do	<i>Zingiber officinale</i> (ginger)	1					Do.
<i>Rhynchites</i> sp. (Curculionidae)	<i>Sorbus</i> sp.		1				D. C.
<i>Schoenobius bipunctifer</i> (Pyralidae)	<i>Oryza sativa</i> (rice)	1					Md.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued.							
Insects—Continued.							
<i>Sciara</i> sp. (Mycetophilidae)	<i>Castanea</i> sp. (chestnut)	1					D. C.
Do	<i>Colocasia esculenta</i> (taro)	1					N. Y.
Do	do	1					Wash.
Do	<i>Dendrobium</i> sp. (orchid)		1				Hawaii.*
Do	<i>Eleocharis tuberosa</i> (waternut)	1					N. Y.
Do	<i>Lilium</i> sp	2					Mass.
Do	do	3					N. Y.
Do	<i>Nymphaea</i> sp. (waterlily)	1					Oreg.
Do	<i>Trapa bicornis</i> (water caltrop)	1					Mass.
Do	<i>Zingiber officinale</i> (ginger)	2					N. Y.
	Medicinal herb		1				Hawaii.*
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Eleocharis tuberosa</i> (waternut)	1					N. Y.
Tetranychid	<i>Saccharum officinarum</i>		1				Wash.
Do	<i>Allium sativum</i> (garlic)					1	Do.
<i>Tinea</i> sp. (Tineidae)	<i>Eleocharis tuberosa</i> (waternut)	1					N. Y.
<i>Typhlodromus rufotestaceus</i> (Curculionidae).							
Diseases:							
<i>Acrosira mirabilis</i>	<i>Castanea mollissima</i> (hairy chestnut)	1					D. C.
Do	<i>Castanea</i> sp. (chestnut)	1					Do.
<i>Alternaria citri</i>	<i>Citrus grandis</i> (pomelo)					1	Calif.*
<i>Aphelenchoides parietinus</i>	<i>Aglaonema</i> sp	1					D. C.
Do	<i>Castanea henryi</i>	1					Do.
Do	<i>Castanea mollissima</i> (hairy chestnut)	1					Do.
Do	<i>Colocasia esculenta</i> (taro)	1					Mass.
Do	<i>Eleocharis tuberosa</i> (waternut)	1					N. Y.
Do	<i>Zingiber officinale</i> (ginger)	1					Mass.
Do	do	3					N. Y.
Do	do	1					Pa.
<i>Bacterium citri</i>	<i>Citrus grandis</i> (pomelo)					7	Calif.*
Do	<i>Citrus sinensis</i> (orange)		1			1	Do.*
<i>Bacterium maculicolum</i> (?)	<i>Brassica pekinensis</i> (Chinese cabbage)					1	Wash.
<i>Ceratostomella adiposum</i>	<i>Eleocharis tuberosa</i>	10					Mass.
Do	do	3					Mich.
Do	do	32					N. Y.
Do	do	1					Pa.
Do	do	1					Wash.
Do	<i>Pueraria thunbergiana</i> (kudzu)	2					N. Y.
<i>Coniothyrium</i> sp	<i>Castanea mollissima</i> (hairy chestnut)	1					D. C.
<i>Cryptostictis</i> sp	<i>Paeonia moutan</i> (peony)		1				Wash.
<i>Diplodia cacaoicola</i>	<i>Castanea henryi</i>	1					D. C.
Do	<i>Castanea mollissima</i> (hairy chestnut)	1					Do.
Do	<i>Castanea</i> sp. (chestnut)	1					Do.
<i>Diplodia tubericola</i>	<i>Colocasia esculenta</i> (taro)	1					Mich.
<i>Epicoccum</i> sp	<i>Eleocharis tuberosa</i> (waternut)	1					N. Y.
<i>Eurctium</i> sp	<i>Pueraria thunbergiana</i> (kudzu)	1					Mass.
<i>Gloeosporium</i> sp	<i>Aglaonema</i> sp		1				Wash.
<i>Helminthosporium</i> sp	<i>Oryza sativa</i> (paddy rice)	1					Pa.
<i>Leptothyrium pomi</i>	<i>Citrus grandis</i> (pomelo)					1	Md.
<i>Meliola</i> sp	do					1	Do.
<i>Mycosphaerella moutan</i>	<i>Paeonia moutan</i> (peony)		4				Wash.
<i>Phoma citricarpa</i>	<i>Citrus grandis</i> (pomelo)					1	Calif.*
Do	<i>Citrus nobilis</i>			2			Wash.
Do	<i>Citrus sinensis</i> (orange)			1			Do.
<i>Phyllosticta</i> sp	<i>Aspidistra</i> sp				1		Do.
Do	<i>Lilium</i> sp	1					Do.
<i>Physalospora</i> sp	<i>Aglaonema</i> sp			1			Do.
<i>Polyporaceae</i>	<i>Colocasia esculenta</i> (taro)	1					N. Y.
Do	<i>Eleocharis tuberosa</i> (waternut)	1					Mass.
<i>Pythium</i> sp	do	1					Mich.
Do	<i>Elettaria cardamomum</i> (cardamom)		1				Wash.
<i>Phytophthora colocasiae</i>	<i>Colocasia esculenta</i> (taro)	1					N. Y.
<i>Sclerotinia</i> sp	<i>Eleocharis tuberosa</i> (waternut)	1					Mich.
<i>Sclerotium rolfsii</i>	<i>Colocasia esculenta</i>	2					Do.
Do	do	5					N. Y.
<i>Sclerotium</i> sp	<i>Sagittaria sagittifolia</i> (old-world arrowhead)	3					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued							
Diseases—Continued.							
<i>Sphaceloma sarcettii</i>	<i>Citrus aurantifolia</i> (lime)					1	Calif.*
<i>Thielavia</i> sp.	<i>Pueraria thunbergiana</i> (kudzu)	2					N. Y.
<i>Thielaviopsis paradoxa</i>	<i>Colocasia esculenta</i>	1					Do.
Do	<i>Cyperus</i> sp. (sedge)	1					Do.
Do	<i>Eleocharis tuberosa</i>	3					Mass.
Do	do	2					Mich.
Do	<i>Eleocharis tuberosa</i> (waternut)	29					N. Y.
Do	do	1					Wash.
Do	<i>Pueraria thunbergiana</i> (kudzu)	1					N. Y.
<i>Verticillium</i> sp.	<i>Eleocharis tuberosa</i>	1					Do.
Do	<i>Zingiber officinale</i> (ginger)	1					Mass.
CHOSEN							
Diseases: <i>Phoma betae</i>	<i>Beta vulgaris</i> (beet)					1	Pa.
COLOMBIA							
Insects:							
<i>Acrolophus</i> sp. (Acrolophidae)	Banana debris	1					N. Y.
<i>Adetus</i> sp. (Euglenidae)	do	1					Pa.
<i>Alphitobius</i> sp. (Tenebrionidae)	<i>Elaeis melanococca</i>		1				N. Y.
<i>Anchastomorphus suturalis</i> (Elateridae)	Banana debris	1					Md.
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	do	2					N. Y.
Do	<i>Dipteryx odorata</i>		1				D. C.
<i>Aspidiotus destructor</i> (Coccidae)	Banana debris	3					N. Y.
<i>Aspidiotus diffinis</i> (Coccidae)	<i>Cattleya gigas sanderiana</i> (orchid)	1					D. C.
Do	Orchid	1					Do.
<i>Asterolecanium aureum</i> (Coccidae)	<i>Cattleya</i> sp. (orchid)	1					Do.
<i>Blastobasis</i> sp. (Blastobasidae)	Banana debris	1					N. Y.
<i>Camponotus biguttata</i> (ant)	do	1					Do.
Do	<i>Musa</i> sp. (banana)	2					S. C.
<i>Camponotus sexguttatus</i> (ant)	Banana debris	1					N. Y.
<i>Camponotus</i> sp. (ant)	do	1					S. C.
Do	do	24					N. Y.
Do	do	3					Pa..
Do	<i>Musa</i> sp. (banana)	2					S. C.
Do	do	11					N. Y.
Do	do	1					Pa.
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	3					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Chrysomphalus</i> sp. (Coccidae)	do	1					Do.
<i>Colaspis</i> sp. (Chrysomelidae)	Banana debris	1					Do.
<i>Conchaspis angraeci</i> (Coccidae)	<i>Oncidium ampliatum</i> (orchid)	1					D. C.
<i>Conotelus</i> sp. (Nitidulidae)	Banana debris	1					N. Y.
<i>Crematogaster brevispinosa</i> (ant)	<i>Musa</i> sp. (banana)	1					Do.
<i>Crematogaster brevispinosa</i> var. (ant).	Banana debris	2					Do.
<i>Crematogaster victimae</i> (ant)	<i>Musa</i> sp. (banana)	1					Do.
<i>Crematogaster</i> sp. (ant)	Banana debris	19					Do.
Do	do	4					Pa.
Do	<i>Musa</i> sp. (banana)	15					N. Y.
Do	do	2					Pa.
Do	do	4					S. C.
Do	<i>Zygopetalum</i> sp. (orchid)	1					D. C.
<i>Dermestes peruvianus</i> (Dermestidae)	<i>Theobroma cacao</i> (cacao)	1					Calif.*
<i>Dolichoderus</i> sp. (ant)	Banana debris	3					N. Y.
<i>Ephestioides</i> sp. (Pyralidae)	do	1					Do.
<i>Euxesta</i> sp. (Ortalidae)	do	1					Do.
<i>Furcaspis biformis</i> (Coccidae)	<i>Epidendrum</i> sp. (orchid)	1					D. C.
Do	Orchid		1				Do.
<i>Goniadera</i> sp. (Tenebrionidae)	do	1					Do.
<i>Hoplothrips</i> sp. (thrips)	Banana debris	1					Pa.
<i>Lophocateres</i> sp. (Ostomidae)	Orchid	1					D. C.
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	3					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Metamasius sericeus hemipterus</i> (Curculionidae).	Banana debris	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
COLOMBIA—Continued									
Insects—Continued.									
<i>Monanurus concinnulus</i> (Cucujidae)	Banana debris	1					Md.		
Do	do	4					N. Y.		
Do	<i>Musa</i> sp. (banana)	1					Do.		
Do	do	1					Pa.		
<i>Neoponera</i> sp. (ant)	Banana debris	1					N. Y.		
Noctuid	<i>Musa</i> sp. (banana)	1					Do.		
<i>Paratenetus</i> sp. (Tenebrionidae)	Banana debris	3					Do.		
Do	<i>Musa</i> sp. (banana)	1					Do.		
<i>Pheidole</i> sp. (ant)	do	3					Do.		
<i>Phlugis</i> sp. (Tettigoniidae)	Banana debris	1					Do.		
<i>Photinus</i> sp. (Lampyridae)	do	1					Do.		
<i>Phycitinae</i> (Pyralidae)	do	1					Do.		
Do	Cactus				1		Pa.		
<i>Piletocera</i> sp. (Pyralidae)	Banana debris	1					N. Y.		
<i>Platypus regularis</i> (Platypodidae)	do	1					Do.		
<i>Plutella maculipennis</i> (diamond-back moth).	<i>Brassica oleracea botrytis</i> (cauliflower).				1		Do.		
<i>Ponera</i> sp. (ant)	Banana debris	1					Do.		
<i>Psalis</i> sp. (earwig)	<i>Cocos nucifera</i> (coconut)	1					Do.		
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus sinensis</i> (orange)				1		Fla.*		
Do	do				1		Tex.		
<i>Pseudococcus</i> sp. (Coccidae)	<i>Cattleya gigas sanderiana</i> (orchid).	1					D. C.		
Do	<i>Musa paradisiaca</i> (plantain)	1					N. Y.		
Do	<i>Musa</i> sp. (banana)	1					Do.		
Psychid	Banana debris	1					Md.		
<i>Pterocalla quadrata</i> (Ortalidae)	do	1					N. Y.		
<i>Pyraustinae</i> (Pyralidae)	<i>Beta vulgaris</i> (beet)				1		Do.		
<i>Sciara</i> sp. (Mycetophilidae)	Banana debris	1					Do.		
<i>Silvanus vulgaris</i> (Cucujidae)	do	1					Do.		
<i>Solenopsis</i> sp. (ant)	do	1					Do.		
<i>Stephanoderes guatemalensis</i> (Scolytidae).	do	5					Do.		
<i>Stephanoderes</i> sp. (Scolytidae)	do	3					Do.		
Do	<i>Ceratonia siliqua</i> (algaroba)	1					Do.		
<i>Telephanus setulosus</i> (Cucujidae)	Banana debris	1					Do.		
Do	<i>Musa</i> sp. (banana)	1					Pa.		
Tineid	Banana debris	1					N. Y.		
Do	<i>Cattleya</i> sp. (orchid)	1					D. C.		
<i>Vinsonia stellifera</i> (Coccidae)	<i>Epidendrum atropurpureum</i> (orchid).	1					Do.		
<i>Xanthacrona bipustulata</i> (Ortaliidae).	Banana debris	1					N. Y.		
Diseases:									
<i>Capnodium</i> sp.	<i>Saccharum officinarum</i>				1		Pa.		
<i>Diplodia cacacicola</i>	<i>Musa</i> sp. (banana)	1					N. Y.		
<i>Gloeosporium musarum</i>	do	1					Do.		
<i>Gloeosporium</i> sp.	<i>Cattleya</i> sp. (orchid)	1					D. C.		
Do	Unidentified leaf				1		Md.		
<i>Pestalozzia quepini</i>	<i>Chrysophyllum cainito</i> (star-apple).				1		N. Y.		
<i>Phyllachora</i> sp.	<i>Bauhinia cumanensis</i>		1				La.		
<i>Puccinia graminis</i>	<i>Secale cereale</i> (rye)			1			N. Y.		
<i>Rhizoctonia</i> sp.	<i>Brassica rapa</i> (turnip)				1		Tex.		
Do	Root	1					N. Y.		
COSTA RICA									
Insects:									
<i>Aphodius</i> sp. (Scarabaeidae)	Banana debris	1					Do.		
<i>Aspidiota destructor</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Do.		
<i>Asterolecanium aureum</i> (Coccidae)	Orchid		1				D. C.		
<i>Axylophilus</i> sp. (Euglenidae)	<i>Musa</i> sp. (banana)	1					N. Y.		
<i>Camponotus</i> sp. (ant)	Banana debris	57					Do.		
Do	<i>Epidendrum</i> sp. (orchid)		1				D. C.		
Do	<i>Musa</i> sp. (banana)	17					Calif.*		
Do	do	8					N. Y.		
Do	Orchid	1					Fla.*		
Do	<i>Musa</i> sp. (banana)	1					Calif.*		
<i>Capaneus odiosus</i> (Coreidae)	Banana debris	1					N. Y.		
<i>Cephaloleia</i> sp. (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					Calif.*		
Do	<i>Musa</i> sp. (banana)	1							

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
COSTA RICA—Continued							
Insects—Continued.							
<i>Ceramidia musicola</i> (Syntomidae).....	Banana debris.....	1					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Ceramidia scintillocollaris</i> (Syntomidae).....	do.....	2					Calif.*
<i>Ceramidia</i> sp. (Syntomidae).....	Banana debris.....	2					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	2					La.
Do.....	do.....	1					N. Y.
<i>Cicadella</i> sp. (Cicadellidae).....	do.....	1					Calif.*
<i>Colaspis</i> sp. (Chrysomelidae).....	Banana debris.....	1					N. Y.
<i>Colopterus</i> sp. (Nitidulidae).....	do.....	1					Do.
<i>Conoderus</i> sp. (Elateridae).....	do.....	1					Do.
<i>Copiphora rhinoceros</i> (Tettigoniidae).....	do.....	1					Do.
<i>Crematogaster victimae</i> (ant).....	do.....	1					Do.
<i>Crematogaster</i> sp. (ant).....	do.....	6					Do.
Do.....	<i>Cattleya dowiana</i> (orchid).....		1				D. C.
Do.....	<i>Cattleya</i> sp. (orchid).....		1				Do.
Do.....	<i>Musa</i> sp. (banana).....	1					Calif.*
Do.....	do.....	3					N. Y.
<i>Cycloptilum</i> sp. (Gryllidae).....	Banana debris.....	2					Do.
<i>Delphacodes</i> sp. (Delphacidae).....	do.....	1					Do.
<i>Diabrotica</i> sp. (Chrysomelidae).....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Dinocoris tripterus</i> (Pentatomidae).....	do.....	3					Do.*
<i>Discocephala humilis</i> (Pentatomidae).....	do.....	2					Do.*
<i>Dolichoderus bispinosus</i> (ant).....	do.....	4					N. Y.
<i>Dolichoderus</i> sp. (ant).....	Banana debris.....	1					Do.
<i>Edessa</i> sp. (Pentatomidae).....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Fulvius anthocorides</i> (Miridae).....	Banana debris.....	1					N. Y.
<i>Ganaspis</i> sp. (Cynipidae).....	do.....	1					Do.
Geometrid.....	Orchid.....			1			Do.
Gracilariid.....	do.....		1				D. C.
<i>Homalodisca atra</i> (Cicadellidae).....	<i>Musa</i> sp. (banana).....	1					La.
Hypeninae (Noctuidae).....	Banana debris.....	1					N. Y.
<i>Lema</i> sp. (Chrysomelidae).....	do.....	1					Do.
Limacodid.....	<i>Musa</i> sp. (banana).....	1					La.
<i>Lyctus caribeanus</i> (Lyctidae).....	Banana debris.....	1					N. Y.
<i>Malacosoma encausticum</i> (Chrysomelidae).....	do.....	1					Do.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Metamasius sericeus</i> (silky cane weevil).....	Banana debris.....	2					La.
Do.....	do.....	15					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	3					Calif.*
Do.....	do.....	1					La.
Do.....	do.....	2					N. Y.
<i>Metamasius</i> sp. (Curculionidae).....	Banana debris.....	1					Do.
<i>Metriiona propinqua</i> (Chrysomelidae).....	do.....	1					Do.
<i>Monanus concinnulus</i> (Cucujidae).....	do.....	1					Do.
<i>Monocrepidius</i> sp. (Elateridae).....	do.....	1					Do.
<i>Monomorium carbonarium</i> var. (ant).....	<i>Oncidium phymatochilum</i> (orchid).....		1				D. C.
<i>Neoponera</i> sp. (ant).....	Banana debris.....	7					N. Y.
Noctuid.....	do.....	1					Do.
<i>Odontomachus hastatus</i> (ant).....	do.....	2					Do.
<i>Pachycondyla</i> sp. (ant).....	do.....	2					Do.
<i>Parlatoria crotonis</i> (Coccidae).....	<i>Codiaeum</i> sp. (croton).....			1			La.
<i>Pheidole</i> sp. (ant).....	Banana debris.....	4					N. Y.
Do.....	<i>Cattleya</i> sp. (orchid).....		1				D. C.
<i>Ponera</i> sp. (ant).....	Banana debris.....	1					N. Y.
<i>Prenolepis</i> sp. (ant).....	do.....	2					Do.
Do.....	<i>Musa</i> sp. (banana).....	1					Calif.*
<i>Priapismus maculatus</i> (Pentatomidae).....	Banana debris.....	1					La.
<i>Pseudaonidia articulatus</i> (rufous scale).....	<i>Citrus sinensis</i> (orange).....					1	N. Y.
Do.....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Pseudococcus</i> sp. (Coccidae).....	<i>Annona reticulata</i> (custard-apple).....			1			La.
Psychid.....	Banana debris.....	1					Do.
Do.....	do.....	5					N. Y.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
COSTA RICA—Continued							
Insects—Continued.							
Pyralid.	Cactus		1				Calif.*
Do.	<i>Musa</i> sp. (banana)	1					Do.*
Pyraustinae (Pyralidae)	Banana debris	1					N. Y.
Pyrophorinae (Elateridae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Sarcinatrix anomala</i> (earwig)	Banana debris	2					N. Y.
<i>Sciara</i> sp. (Mycetophilidae)	do	2					Do.
<i>Silvanus vulgaris</i> (Cucujidae)	do	1					Do.
<i>Soleonopsis</i> sp. (ant)	do	1					Do.
<i>Telephanus costaricensis</i> (Cucujidae)	do	1					Do.
<i>Telephanus dromioides</i> (Cucujidae)	do	1					Do.
<i>Telephanus setulosus</i> (Cucujidae)	do	2					Do.
<i>Telephanus</i> sp. (Cucujidae)	do	1					Do.
Tineid.	do	3					Do.
Do.	Orchid		1				D. C.
<i>Typhlomimus rufotestaceus</i> (Curculionidae).	Banana debris	7					N. Y.
<i>Urophorus humeralis</i> (Nitidulidae)	do	1					Do.
<i>Wasmannia auropunctata</i> (ant)	do	1					Do.
Do.	<i>Cattleya</i> sp. (orchid)		1				D. C.
<i>Zonarius jansoni</i> (Erotylidae)	Banana debris	1					N. Y.
iseases:							
<i>Aschersonia cubensis</i>	Coccid on orchid	1					Fla.*
<i>Cephaeluros virescens</i>	Orchid	1					Do.*
<i>Gloeosporium</i> sp.	Orchid (several genera)	1	2				D. C.
<i>Pestalozzia</i> sp.	<i>Chrysophyllum cainito</i> (star-apple).					1	N. Y.
<i>Physarum</i> sp.	<i>Musa</i> sp. (banana)	1					Do.
<i>Septobasidium</i> sp.	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Septoria thelymitrae</i> (?)	<i>Oncidium kramerianum</i> (orchid).		1				D. C.
CUBA							
Insects:							
<i>Adraneothrips</i> sp. (thrips)	Banana debris	2					Pa.
<i>Aeolothrips</i> sp. (thrips)	<i>Brassica</i> sp. (mustard)	2					N. Y.
Agromyzid.	<i>Brassica oleracea botrytis</i> (broccoli).	1					Do.
Do.	<i>Brassica</i> sp. (mustard)	6					Do.
<i>Aleurocanthus woglumi</i> (citrus blackfly).	<i>Citrus aurantifolia</i> (lime)		1				Fla.*
<i>Aleurothrixus howardi</i> (woolly whitefly).	<i>Citrus</i> sp.		1				Do.*
<i>Anastrepha</i> sp. (Tryptidae)	<i>Mangifera indica</i> (mango)				2		La.
Do.	do			1			Md.
Do.	do		1	1			N. Y.
<i>Anisolabis stali</i> (earwig)	<i>Lycopersicum esculentum</i>	1					La.
Anthomyiid.	<i>Raphanus sativus</i> (radish)					1	N. Y.
<i>Anthonomus grandis</i> (boll weevil)	<i>Gossypium</i> sp. (cottonseed)				1		Pa.
<i>Anthonomus varipes</i> (Curculionidae).	<i>Solanum melongena</i> (eggplant).	1					La.
<i>Anthonomus</i> sp. (Curculionidae)	do	1					Do.
<i>Aphis</i> sp. (aphid)	<i>Heliotropium</i> sp. (heliotrope)		1				Fla.*
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	Banana debris	1					Md.
Do.	<i>Gossypium</i> sp. (cotton)		1				Fla.*
<i>Aspidiotus cicotiphagus</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)		1				Calif.*
Do.	do		4				Fla.*
Do.	<i>Ficus indica</i>				1		N. Y.
Do.	<i>Musa</i> sp. (banana)				1		Do.
Do.	Palm		1				D. C.
Do.	do			1			N. Y.
Do.	<i>Poinciana regia</i> (royal poinciana).			1			Fla.*
<i>Aspidiotus destructor</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)		1	1			Do.*
Do.	do			1			Pa.
Do.	<i>Dictyosperma album aureum</i>		1				D. C.
Do.	<i>Heterospathe elata</i>		1				Do.
Do.	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
Do.	<i>Musa</i> sp. (banana)	7		1	1		Fla.*
Do.	do	7					Md.
Do.	<i>Persea americana</i> (avocado)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
<i>Aspidiotus herculeanus</i> (Coccidae)	<i>Mammea americana</i> (mamey)			1			Fla.*
<i>Aspidiotus palmae</i> (Coccidae)	<i>Banana</i> debris	1					Md.
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Mammea americana</i>	1		3	1		Fla.*
<i>Aspidiotus</i> sp. (Coccidae)	<i>Ficus indica</i>				1		N. Y.
<i>Asterolecanium miliaris</i> (Coccidae)	<i>Bamboo</i>		1				D. C.
<i>Asterolecanium pustulans</i> (Coccidae).	<i>Nerium oleander</i> (oleander)			1			Fla.*
<i>Asterolecanium</i> sp. (Coccidae)	<i>Mangifera indica</i> (mango)	1					D. C.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Capsicum annuum</i> (pepper)	1					N. Y.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Do	<i>Persea americana</i> (avocado)	1					La.
Do	<i>Solanus melongena</i> (eggplant)	1					N. Y.
<i>Atta insularis</i> (ant)	<i>Ananas sativus</i>	3					Do.
<i>Bephrata cubensis</i> (Eurytomidae)	<i>Annona cherimola</i> (Jamaica apple).			1			Fla.*
<i>Blapstinus punctatus</i> (Tenebrionidae).	<i>Ananas sativus</i>	1					La.
<i>Brontes</i> sp. (Cucujidae)	<i>Banana</i> debris	1					Pa.
Buprestid	<i>Adansonia digitata</i> (baobab)				1		Fla.*
<i>Camponotus angulatus</i> (ant)	<i>Banana</i> debris	1					Pa.
<i>Camponotus</i> sp. (ant)	<i>Ananas sativus</i>	2					La.
Do	<i>Banana</i> debris	1					Pa.
Do	<i>Saccharum officinarum</i>			1			N. Y.
<i>Caryobruchus</i> sp. (Bruchidae)	<i>Copernicia rigida</i>		1				D. C.
Do	<i>Copernicia</i> sp.		1				Do.
Cecidomyiid	<i>Ananas sativus</i>	7					La.
Do	do	3					N. Y.
Do	<i>Hibiscus esculentus</i> (okra)	1					La.
Do	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
<i>Centrinaspis picumnus</i> (Curculionidae).	<i>Musa</i> sp. (banana)	1					Md.
<i>Ceramidia</i> sp. (Syntomidae)	<i>Banana</i> debris	1					La.
<i>Cerotoma ruficornis</i> (Chrysomelidae).	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	2					N. Y.
Chloropid	<i>Zingiber officinale</i> (ginger)	1					Do.
<i>Chrysobothris</i> sp. (Burpestidae)	<i>Chloroxylon swietenia</i> (satinwood).	1					Do.
<i>Chrysomphalus personatus</i> (Coccidae).	<i>Citrus aurantifolia</i> (lime)				1		Do.
<i>Chrysomphalus</i> sp. (Coccidae)	do				1		Do.
Do	<i>Psidium guajava</i> (guava)			1			Fla.*
<i>Coccophyes</i> sp. (Scolytidae)	<i>Adansonia digitata</i> (baobab)			6			Do.*
<i>Coccus acuminatus</i> (Coccidae)	<i>Chalcas exotica</i> (orange-jasmine).			1			Do.*
Do	<i>Gardenia florida</i> (Cape-jasmine).			5	1		Do.*
<i>Coccus viridis</i> (Coccidae)	<i>Citrus</i> sp.			1			Do.*
Do	<i>Gardenia florida</i>			7	4		Do.*
Do	do			1			La.
<i>Coccus</i> sp. (Coccidae)	<i>Carcia papaya</i> (papaya)	2					Fla.*
Do	<i>Ficus</i> sp.	1					Do.*
Do	<i>Lilium</i> sp	1					Do.*
<i>Collabismodes cubae</i> (Curculionidae).	<i>Capsicum annuum</i> (pepper)	1					La.
<i>Conotelus</i> sp. (Nitidulidae)	<i>Ananas sativus</i>	1					Do.
<i>Conotrachelus</i> sp. (Curculionidae)	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
Coreid	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					Do.
<i>Crematogaster</i> sp. (ant)	<i>Ananas sativus</i>	1					La.
Do	do	2					N. Y.
Do	<i>Banana</i> debris	2					Pa.
Do	<i>Hibiscus esculentus</i> (okra)	1					N. Y.
<i>Crocidosema plebeiana</i> (Olethreutidae).	do	1					Do.
<i>Cryptotermes brevis</i> (termite)	<i>Ananas sativus</i>	3					La.
<i>Cryptotermes</i> sp. (termite)	do	2					Do.
Curculionid	<i>Erythroxylon coca</i> (cocaine-tree).		1				D. C.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	<i>Solanum melongena</i> (eggplant)	1					Do.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
<i>Cyclocephala cubana</i> (Scarabaeidae)	<i>Ananas sativus</i>	1					La.
<i>Cylas formicarius</i> (Sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)					1	Fla.*
Do	do					2	La.
Do	do					3	N. Y.
Do	do					3	Pa.
Do	do					1	Tex.
<i>Dialeurodes citrifolii</i> (cloudy-winged whitefly).	<i>Citrus sinensis</i> (orange)			1			Fla.*
Do	<i>Citrus</i> sp.			1			Do.*
<i>Diaphania</i> sp. (Pyralidae)	<i>Chayota edulis</i> (chayote)	1					La.
Do	<i>Cucumis sativus</i> (cucumber)	4				1	Do.
Do	do	10					N. Y.
Do	<i>Cucurbita maxima</i> (squash)	7					Do.
<i>Diatraea saccharalis</i> (sugarcane borer).	<i>Saccharum officinarum</i>			1			Calif.*
<i>Diatraea</i> sp. (Pyralidae)	<i>Ananas sativus</i>	1					La.
Do	<i>Saccharum officinarum</i>		2				Fla.*
Do	do			1			La.
Do	do		2				N. Y.
Do	<i>Zea mays</i> (corn)		1				D. C.
<i>Dolichoderus</i> sp. (ant)	Banana debris				1		Md.
<i>Doliema</i> sp. (Tenebrionidae)	<i>Chloroxylon swietenia</i> (satin-wood).	1					N. Y.
<i>Epilachna</i> sp. (Coccinellidae)	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	3					Do.
<i>Epipaschiinae</i> (Pyralidae)	<i>Ananas sativus</i>	1					La.
<i>Epuraea</i> sp. (Nitidulidae)	do	1					Do.
<i>Ereunetis minuscula</i> (Tineidae)	do	1					Do.
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)					1	Tex.
<i>Euxesta</i> sp. (Ortalidae)	<i>Gardenia florida</i> (Cape-jasmine).				1		N. Y.
Do	<i>Lycopersicum esculentum</i>	2					Do.
Do	<i>Zingiber officinale</i> (ginger)	1					Do.
<i>Frankliniella cubensis</i> (thrips)	<i>Rosa</i> sp.			2			Fla.*
<i>Frankliniella insularis</i> (thrips)	<i>Dahlia</i> sp.			1			Do.*
Do	<i>Dianthus</i> sp. (carnation)			1			Do.*
Do	<i>Gardenia florida</i> (Cape-jasmine).				1		Do.*
Do	<i>Rosa</i> sp.			1			Do.*
Fulgorid	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
Galleriinae (Pyralidae)	<i>Ananas sativus</i>					1	Do.
Gelechiid	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	4					Do.
Geometrid	<i>Capsicum annuum</i> (pepper)	1					Do.
<i>Gnorimoschema lycopersicella</i> (tomato pinworm).	<i>Lycopersicum esculentum</i>	1					La.
Do	do	4					N. Y.
<i>Gnorimoschema</i> sp. (Gelechiidae)	do	4					La.
<i>Gynaikothrips uzeli</i> (thrips)	<i>Solanum melongena</i> (eggplant)	1					Do.
<i>Haplorthrips gowdeyi</i> (thrips)	<i>Ficus indica</i>				24		N. Y.
<i>Haplorthrips</i> sp. (thrips)	<i>Dianthus</i> sp. (carnation)			1			Fla.*
<i>Heliothrips</i> sp. (thrips)	<i>Ananas sativus</i>	1					N. Y.
<i>Hellula</i> sp. (Pyralidae)	<i>Nicotiana tabacum</i> (tobacco)			1			Fla.*
<i>Holcocera</i> sp. (Blastobasidae)	<i>Brassica</i> sp. (mustard)	2					N. Y.
Do	Banana debris	1					La.
Do	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
<i>Hypothenemus</i> sp. (Scolytidae)	<i>Solanum melongena</i> (eggplant)	1					Do.
Do	Banana debris	1					Pa.
<i>Kalotermes schwarzi</i> (termite)	<i>Quisqualis indica</i> (Rangoon-creeper).		1				D. C.
<i>Kalotermes</i> sp. (termite)	<i>Lycopersicum esculentum</i>	1					La.
<i>Lachnopus</i> sp. (Curculionidae)	<i>Hibiscus esculentus</i> (okra)	1					N. Y.
<i>Laphygma frugiperda</i> (fall army-worm).	<i>Ananas sativus</i>	1					La.
Do	<i>Capsicum annuum</i>	3					Do.
Do	do	3					N. Y.
Do	<i>Solanum melongena</i> (eggplant)	1					Do.
Do	<i>Zea mays</i> (corn)					1	Do.
<i>Laphygma</i> sp. (Noctuidae)	<i>Capsicum annuum</i>	3					La.
Do	do	4					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Agave</i> sp.				1		Calif.*
<i>Leucaspis indica</i> (Coccidae)	<i>Mangifera indica</i> (mango)	1					D. C.
<i>Lineodes</i> sp. (Pyralidae)	<i>Lycopersicum esculentum</i>	1					La.
Do	do	3					N. Y.
<i>Lorelus</i> sp. (Tenebrionidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Lycaenid</i>	<i>Lycopersicum esculentum</i>	1					N. Y.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					Do.
<i>Maruca testulalis</i> (bean pod borer)	do	144					Do.
<i>Metamasius sericeus</i> (silky cane weevil).	<i>Ananas sativus</i>	1					La.
Do	do		1				N. Y.
Do	Banana debris	3					Pa.
Do	<i>Musa</i> sp. (banana)	1					Do.
Mirid	<i>Ananas sativus</i>	1					La.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Do	<i>Musa</i> sp. (banana)	1					Fla.*
Do	<i>Nicotiana tabacum</i> (tobacco)			1			Do.*
<i>Monanthia monotropidia</i> (Tingitidae).	<i>Musa</i> sp. (banana)	1					Md.
<i>Monanus concinnulus</i> (Cucujidae)	Banana debris	7					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					Pa.
<i>Monanus</i> sp. (Cucujidae)	Banana debris	1					Do.
<i>Monocrepidius</i> sp. (Elateridae)	<i>Solanum melongena</i> (eggplant)	1					N. Y.
<i>Myelois</i> sp. (Pyralidae)	<i>Tamarindus indica</i> (tamarind)	1					Do.
<i>Myzus</i> sp. (aphid)	<i>Rosa</i> sp.			1			Fla.*
<i>Neoconocephalus triops fuscostriatus</i> (Tettigoniidae).	<i>Solanum melongena</i>	1					La.
Noctuid	<i>Ananas sativus</i>	3					Do.
Do	<i>Capiscum annuum</i>	2					Do.
Do	do	3					N. Y.
Do	<i>Gossypium</i> sp. (cotton)			1			Fla.*
Do	<i>Lycopersicum esculentum</i>	1					La.
Do	<i>Rosa</i> sp.			1			Fla.*
Do	do			1			La.
Do	<i>Solanum melongena</i> (eggplant).	1					N. Y.
Olethreutid	<i>Aster</i> sp.			1			La.
Do	<i>Hibiscus esculentus</i> (okra)	1					Do.
Do	do	3					N. Y.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	8					Do.
Do	<i>Rosa</i> sp.			1			La.
<i>Opogona</i> sp. (Tineidae)	Banana debris	1					Pa.
Ortalid	<i>Mangifera indica</i> (mango)			1			Fla.*
<i>Oscinella</i> sp. (Chloropidae)	Banana debris	1					Pa.
<i>Pachnaeus</i> sp. (Curculionidae)	<i>Ananas sativus</i>	1					La.
<i>Pachyzancla periusalis</i> (Pyralidae)	<i>Solanum melongena</i> (eggplant)	1					N. Y.
<i>Pachyzancla</i> sp. (Pyralidae)	do	3					Do.
<i>Parlatoria crotonis</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)				1		Fla.*
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus nobilis</i> (King orange)				1		Do.*
Pentatomid	<i>Phaseolus lunatus macrocarpus</i>	1					N. Y.
<i>Pheidole</i> sp. (ant)	<i>Ananas sativus</i>	2					La.
Do	do	4					N. Y.
Do	do					1	Pa.
Do	<i>Ficus indica</i>						N. Y.
Do	<i>Hibiscus esculentus</i> (okra)	4					Do.
Phenacoccus	<i>Capsicum annuum</i>	2					Do.
sp. (Coccidae)	<i>Carica papaya</i> (papaya)				1		Do.
<i>Phlyctaenia rubigalis</i> (Pyralidae)	do					1	La.
Phycitinae (Pyralidae)	do						N. Y.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Do	<i>Ananas sativus</i>	1					La.
<i>Phyllotreta</i> sp. (Chrysomelidae)	<i>Brassica</i> sp. (mustard)	2					N. Y.
<i>Phytomyza</i> sp. (Agromyzidae)	do	1					Do.
<i>Pieris</i> sp. (Pieridae)	<i>Ananas sativus</i>	5					La.
<i>Platynota</i> sp. (Tortricidae)	<i>Capsicum annuum</i>	1					Do.
Do	<i>Citrus grandis</i> (grapefruit)	1					Do.
Do	<i>Dahlia</i> sp.			1			Do.
Do	<i>Hibiscus esculentus</i> (okra)	1					N. Y.
Do	<i>Lycopersicum esculentum</i>	3					La.

*List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
<i>Plutella maculipennis</i> (diamond-back moth).	<i>Brassica</i> sp. (mustard)	4					N. Y.
Do	<i>Gaultheria procumbens</i> (wintergreen)	1					Do.
<i>Prenolepis</i> sp. (ant)	<i>Agave</i> sp.					1	Calif.*
Do	<i>Ananas sativus</i>	1					Fla.*
Do	do	2					La.
Do	<i>Banana</i> debris	6					N. Y.
Do	<i>Hibiscus esculentus</i> (okra)	1					Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					Pa.
Do	<i>Capsicum annuum</i>	1					N. Y.
<i>Prodenia ornithogalli</i> (yellow-striped armyworm).	<i>Lycopersicum esculentum</i>	5					N. Y.
<i>Prodenia</i> sp. (Noctuidae)	<i>Ananas sativus</i>	1					La.
<i>Prolabia arachidis</i> (earwig)	<i>Lycopersicum esculentum</i>	1					N. Y.
<i>Psalis americana</i> (earwig)	<i>Chalcas exotica</i> (orange-jasmine).			1			Fla.*
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantiifolia</i> (lime)	3		1	1	1	N. Y.
Do	<i>Citrus grandis</i> (grapefruit)		1			1	Fla.*
Do	do	12	1			15	N. Y.
Do	<i>Citrus limetta</i> (sweet lime)					1	Fla.*
Do	<i>Citrus nobilis deliciosa</i> (tangerine).			1			Calif.*
Do	<i>Citrus sinensis</i> (orange)			1			Fla.*
Do	do					7	N. Y.
Do	<i>Ficus indica</i>				6		Do.
Do	<i>Phoenix canariensis</i> (palm)			1			Do.
<i>Pseudischnaspis alienus</i> (Coccidae)	<i>Annona cherimola</i> (Jamaica apple).			1			Fla.*
<i>Pseudischnaspis bowreyi</i> (Coccidae).	<i>Agave fourcroydes</i> (henequen)	2					N. Y.
Do	<i>Agave</i> sp.	1					Pa.
Do	<i>Psidium guajava</i> (guava)			1			N. Y.
<i>Pseudischnaspis</i> sp. (Coccidae)	<i>Agave</i> sp.				1		Pa.
<i>Pseudococcus comstocki</i> (Coccidae)	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Ananas sativus</i>	5					La.
Do	do	1					N. Y.
Do	<i>Hibiscus esculentus</i> (okra)	1					La.
Do	<i>Mangifera indica</i> (mango)	1					Do.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					N. Y.
Do	<i>Solanum melongena</i> (eggplant)	1					Do.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Agave</i> sp. (agave)				1		Pa.
Do	<i>Ananas sativus</i>					1	Mass.
Do	<i>Capsicum annuum</i>	1					La.
Do	<i>Citrus grandis</i> (grapefruit)	1					Do.
Do	<i>Hibiscus esculentus</i> (okra)	1					N. Y.
Do	<i>Lycopersicum esculentum</i>	2					Do.
Do	<i>Musa paradisiaca</i> (plantain)	5					Fla.*
Do	<i>Musa</i> sp. (banana)	1					Md.
Do	do	3					Fla.*
Do	<i>Solanum melongena</i> (eggplant)	1				1	Miss.
Do	do						N. Y.
Do	do	3					La.
<i>Pseudomyrma elongata cubensis</i>	<i>Ananas sativus</i>	1					Pa.
Psychid.	Banana debris	1					Va.
Do	<i>Musa</i> sp. (banana)	1					La.
Pterophorid.	<i>Ananas sativus</i>	1					N. Y.
Pyraustinae (Pyralidae)	<i>Capsicum annuum</i>	1					Do.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					La.
<i>Pyroderces</i> sp. (Cosmopterygidae)	<i>Ananas sativus</i>	34					La.
Do	do	3				1	N. Y.
Do	<i>Chayota edulis</i> (chayote)	1					La.
<i>Rhopalosiphum</i> sp. (aphid)	<i>Lilium</i> sp.				1		Fla.*
<i>Saperda</i> sp. (Cerambycidae)	<i>Chloroxylon swietenia</i> (satinwood).	1					N. Y.
<i>Sciara</i> sp. (Mycetophilidae)	Banana debris	1					Pa.
Do	<i>Cocos nucifera</i> (coconut)				1		La.
Do	<i>Musa paradisiaca</i> (plantain)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued							
Scolytid	<i>Gossypium</i> sp. (cotton)			1			Fla.*
Do	<i>Nicotiana tabacum</i> (tobacco)			1			Do.*
<i>Selenothrips rubrocinctus</i> (red-banded thrips).	<i>Psidium guajava</i> (guava)			1			Do.*
<i>Silvanus vulgaris</i> (Cucujidae)	<i>Solanum melongena</i> (eggplant)	1					La.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)	1					Do.
<i>Solenopsis</i> sp. (ant)	<i>Ananas sativus</i>	4					Fla.*
Do	do	1					La.
Steatoderini (Elateridae)	<i>Capsicum annuum</i>	1					Do.
<i>Stelidota</i> sp. (Nitidulidae)	<i>Ananas sativus</i>	1					N. Y.
<i>Stephanoderes guatemalensis</i> (Scolytidae).	Banana debris	1					Pa.
Do							La.
<i>Stephanoderes minutus</i> (Scolytidae)	<i>Musa</i> sp. (banana)	1					N. Y.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	2					
<i>Stephanoderes</i> sp. (Scolytidae)	Banana debris	1					Pa.
Do	do	1					Do.
<i>Systema basalis</i> (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Tapinoma</i> sp. (ant)	<i>Brassica</i> sp. (mustard)	1					N. Y.
<i>Targionia bromeliae</i> (Coccidae)	<i>Ananas sativus</i>	1					La.
<i>Targionia hartii</i> (Coccidae)	do	8				1	N. Y.
<i>Targionia sacchari</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)				1		Pa.
Do	<i>Succharum officinarum</i>			1		1	Fla.*
<i>Tarsonemus</i> sp. (mite)	do				1		Md.
	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					N. Y.
<i>Telephanus setulosus</i> (Cucujidae)	Banana debris	1					Pa.
<i>Telephanus</i> sp. (Cucujidae)	do	4				2	Do.
<i>Tenuipalpus</i> sp. (mite)	<i>Ananas sativus</i>						N. Y.
<i>Tetramorium</i> sp.	do	1					Do.
<i>Tinea</i> sp. (Tineidae)	do	1					La.
Do	Banana debris	3					Pa.
Do	do	2					N. Y.
Do	<i>Carica papaya</i> (papaya)					1	La.
Do	<i>Cocos nucifera</i> (coconut)				1		Do.
Do	<i>Musa</i> sp. (banana)	6					Pa.
Do	do	1					La.
Tineid	<i>Ananas sativus</i>	1					Do.
Do	Banana debris	1					Pa.
Do	do	1					La.
Do	<i>Musa paradisiaca</i> (plantain)				1		Do.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					N. Y.
Tortricid	<i>Ananas sativus</i>	3					La.
Do	<i>Capsicum annuum</i>	1					N. Y.
Do	<i>Cassia viminea</i>		1				D. C.
Do	<i>Phaseolus lunatus macrocarpus</i>	1					N. Y.
Do	<i>Solanum melongena</i> (eggplant)	1					La.
Do	do	1					N. Y.
<i>Trogoderma</i> sp. (Dermestidae)	<i>Ananas sativus</i>	1					La.
<i>Urophorus humeralis</i> (Nitidulidae)	do	1					Do.
<i>Vinsonia stellifera</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)				1		Fla.*
Do	<i>Musa</i> sp. (banana)					1	N. Y.
<i>Wasemannia auropunctata</i> (ant)	<i>Ananas sativus</i>	2					La.
Do	Banana debris	1					N. Y.
Do	do	4					Pa.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Xyleborus affinus</i> (Scolytidae)	<i>Citrus sinensis</i> (orange)			1			Do.
<i>Xyleborus confusus</i> (Scolytidae)	<i>Mangifera indica</i> (mango)			1			N. Y.
<i>Zophobas morio</i> (Tenebrionidae)	<i>Phaseolus lunatus macrocarpus</i>	1					Do.
Diseases:							
<i>Albugo candida</i>	<i>Brassica pekinensis</i> (Chinese cabbage).	3					Do.
Do	<i>Brassica</i> sp. (mustard)	15				1	Do.
Do	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Alternaria brassicaceae</i>	<i>Brassica oleracea botrytis</i> (broccoli).	1					Do.
Do	<i>Brassica</i> sp. mustard	7					Do.
<i>Alternaria herculea</i>	do	3					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases—Continued.							
<i>Anguillulina</i> sp.	<i>Solanum tuberosum</i>					1	La.
<i>Aphelenchoides solani</i>	do					1	Do.
<i>Aplanobacter michiganense</i>	<i>Lycopersicum esculentum</i>	2					N. Y.
<i>Aschersonia aleurodis</i>	<i>Citrus sinensis</i> (orange)					2	Do.
<i>Bacillus</i> sp.	<i>Cucumis sativus</i> (cucumber)	2					Do.
Do	<i>Nelumbium</i> sp. (lotus)	1					Do.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea alba</i> (white mustard)	1					Do.
<i>Bacterium phaseoli</i>	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	10					Do.
<i>Bacterium vesicatorium</i>	<i>Capsicum annuum</i>	1					La.
Do	do	29					N. Y.
Do	<i>Lycopersicum esculentum</i>	7					La.
Do	do	130				3	N. Y.
<i>Capnodium citri</i>	<i>Citrus grandis</i> (grapefruit)					1	La.
Do	do	1					N. Y.
Do	<i>Citrus sinensis</i> (orange)					1	Pa.
<i>Capnodium</i> sp.	<i>Musa</i> sp. (banana)					1	N. Y.
Do	<i>Saccharum officinarum</i>				2		Md.
Do	do				1		La.
Do	do			1			N. Y.
Do	do			3			Pa.
<i>Cephaeluros virescens</i>	<i>Codiaeum</i> sp. (croton)				1		La.
Do	<i>Gardenia florida</i> (Cape-jasmine)		2	1			Fla.*
<i>Cephalobus cubensis</i>	<i>Solanum tuberosum</i>					1	La.
<i>Cephalosporium lecanii</i>	<i>Coccus viridis</i> on Cape-jasmine			2			Fla.*
<i>Cercospora apii</i>	<i>Apium graveolens</i> (celery)	1					N. Y.
<i>Cercospora capsici</i>	<i>Capsicum annuum</i>	4					La.
Do	do	70					N. Y.
<i>Cercospora vaginæ</i>	<i>Saccharum officinarum</i>			1			Do.
<i>Cercospora</i> sp.	<i>Hibiscus esculentus</i> (okra)	1					Fla.*
Do	<i>Persea americana</i> (avocado)	2					N. Y.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	3					Do.
Do	<i>Radicula nasturtium-aquaticum</i> (watercress)					2	Do.
Do	<i>Saccharum officinarum</i>			1			Do.
<i>Cladosporium cucumerinum</i>	<i>Cucumis sativus</i> (cucumber)	6					Do.
<i>Cladosporium fulvum</i>	<i>Capsicum annuum</i>	1					La.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Do	do					1	Miss.
Do	do					1	N. Y.
Do	do					1	Pa.
<i>Colletotrichum falcatum</i>	<i>Saccharum officinarum</i>			1			Fla.*
Do	do			1			N. Y.
<i>Colletotrichum lagenarium</i>	<i>Benincasa hispida</i> (sanka gourd)	1					Do.
Do							
Do	<i>Citrullus vulgaris</i> (watermelon)	2					Do.
Do	<i>Citrullus</i> sp. (melon)				1		Do.
Do	<i>Cucumis sativus</i> (cucumber)				1		La.
Do	do	2					N. Y.
Do	<i>Cucurbita maxima</i> (hairy squash)	2					Do.
<i>Colletotrichum limetticolum</i>	<i>Citrus aurantifolia</i> (lime)	1					Fla.*
<i>Colletotrichum nigrum</i>	<i>Capsicum annuum</i>	1					La.
Do	do	1				1	N. Y.
<i>Colletotrichum phomoides</i>	<i>Lycopersicum esculentum</i>	1					La.
<i>Colletotrichum truncatum</i>	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	21				2	N. Y.
<i>Colletotrichum</i> sp.	<i>Citrus aurantifolia</i> (lime)	1					Do.
Do	<i>Ficus carica</i> (fig)			1			Fla.*
Do	<i>Mentha</i> sp. (mint)	1					N. Y.
Do	<i>Phaseolus lunatus macrocarpus</i>	1					Do.
<i>Cyclindrosporium</i> sp.	<i>Saccharum officinarum</i>			1			Do.
Do	Grass	1					Pa.
<i>Diaporthe phaseolorum</i>	<i>Persea americana</i> (avocado)	1					N. Y.
	<i>Phaseolus lunatus macrocarpus</i>	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases—Continued.							
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.			1			La.
Do	do			1			N. Y.
<i>Diplodia cacavicolae</i>	<i>Citrus aurantifolia</i> (lime)	1					Do.
Do	<i>Citrus grandis</i> (grapefruit)				1		Md.
Do	<i>Manihot esculenta</i> (cassava)	1					N. Y.
Do	<i>Persea americana</i> (avocado)	1					Do.
Do	<i>Phaseolus lunatus macrocarpus</i>	1					Do.
<i>Diplodia natalensis</i>	do	5					Do.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)					1	S. C.
<i>Diplodia</i> sp.	<i>Euphorbia canariensi</i>				1		Md.
Do	Palm		1				Fla.*
Dothidiaceae	Mixed grass	1					Pa.
<i>Elsinoe phaseoli</i>	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	448				3	N. Y.
<i>Epicoccum</i> sp.	<i>Chayota edulis</i> (chayote)	1					La.
Do	<i>Persea americana</i> (avocado)	1					Do.
Do	<i>Phaseolus</i> sp. (string bean)	2					N. Y.
<i>Erysiphe polygoni</i>	do	1					Do.
<i>Fusarium vasinfectum</i>	<i>Hibiscus esculentus</i> (okra)	1					Do.
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantifolia</i> (lime)	2		3		1	Fla.*
<i>Gloeosporium musarum</i>	<i>Musa</i> sp. (banana)			1			N. Y.
<i>Gloeosporium</i> sp.	<i>Adonidia merrillii</i>		1				D. C.
Do	<i>Phaseolus lunatus macrocarpus</i>	1					N. Y.
<i>Glomerella cingulata</i>	<i>Capsicum annuum</i>	2					Do.
Do	<i>Chayota edulis</i> (chayote)	1				1	La.
Do	<i>Persea americana</i> (avocado)					1	N. Y.
<i>Glomerella piperata</i>	<i>Capsicum annuum</i>	12				1	Do.
<i>Helminthosporium</i> sp.	<i>Phaseolus lunatus macrocarpus</i>	1					Do.
<i>Leptosphaeria pomi</i>	<i>Malus sylvestris</i> (apple)			1			Fla.*
<i>Leptosphaeria sacchari</i>	<i>Saccharum officinarum</i>			1			N. Y.
<i>Leptothyrium pomi</i> (?)	<i>Mangifera indica</i> (mango)			1			Do.
<i>Leptothyrium</i> sp.	do		1				Fla.*
<i>Macrophoma</i> sp.	<i>Adonidia merrillii</i>		1				D. C.
<i>Macrosporium solani</i>	<i>Capsicum annuum</i>	1					N. Y.
<i>Macrosporium tomato</i>	<i>Lycopersicum esculentum</i>	4					Do.
<i>Melaconium sacchari</i>	<i>Saccharum officinarum</i>			3			Do.
Do	do	1			1		Pa.
<i>Microcera</i> sp.	<i>Citrus grandis</i> (grapefruit)					1	N. Y.
Mosaic	<i>Capsicum annuum</i>	1					Do.
Do	<i>Phaseolus lunatus macrocarpus</i>	8					Do.
<i>Myriangium duriae</i>	<i>Citrus sinensis</i> (orange)					1	Do.
Oedema	<i>Brassica rapa</i> (turnip)					1	Miss.
<i>Oidium</i> sp.	<i>Daucus carota</i> (carrot)					1	N. Y.
Do	<i>Phaseolus lunatus macrocarpus</i>	1					Do.
<i>Oospora lactis parasitica</i>	<i>Lycopersicum esculentum</i>	3				2	Do.
<i>Oospora</i> sp.	<i>Musa paradisiaca</i> (plantain)					1	Va.
<i>Pestalozzia quepini</i>	<i>Persea americana</i> (avocado)	1					N. Y.
<i>Pestalozzia</i> sp.	<i>Adonidia merrillii</i>		1				D. C.
Do	<i>Chrysophyllum cainito</i> (star-apple)			1			Fla.*
Do	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
Do	<i>Mangifera indica</i> (mango)			1			Do.
Do	<i>Mentha</i> sp. (mint)	1					Do.
Do	<i>Persea americana</i> (avocado)	1					Do.
Do	<i>Solanum melongena</i> (eggplant)	1					Do.
<i>Phoma destructiva</i>	<i>Capsicum annuum</i>	1					La.
Do	do	4					N. Y.
Do	<i>Lycopersicum esculentum</i>	1					Calif.*
Do	do	1					Fla.*
Do	do	139				3	N. Y.
Do	do					2	Pa.
Do	do					1	Tex.
<i>Phoma</i> sp.	<i>Carica papaya</i> (papaya)	1				1	N. Y.
Do	<i>Hibiscus esculentus</i> (okra)	1					La.
Do	<i>Lycopersicum esculentum</i>	1					N. Y.
<i>Phomopsis vexans</i>	<i>Capsicum annuum</i>	1					Do.
Do	<i>Solanum melongena</i> (eggplant)					1	La.
Do	do	19				1	N. Y.
<i>Phyllosticta phaseolina</i>	<i>Phaseolus lunatus macrocarpus</i>	1					Do.
<i>Phyllosticta</i> sp.	<i>Cucumis sativus</i> (cucumber)	1					Do.
Do	<i>Hibiscus esculentus</i>	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases—Continued.							
<i>Phytophthora</i> sp.	<i>Cucumis sativus</i>	1					N. Y.
Do	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Saccharomyces</i> sp.	<i>Lycopersicum esculentum</i>	1					Do.
<i>Sclerotinia sclerotiorum</i>	<i>Cucumis sativus</i>	1					Fla.*
Do	<i>Hibiscus esculentus</i>	2					Do.*
<i>Sclerotinia</i> sp.	do	1					Do.*
Do	<i>Nymphaea</i> sp. (waterlily)	2					N. Y.
<i>Septobasidium</i> sp.	<i>Citrus sinensis</i> (orange)					1	La.
Do	do					1	N. Y.
Do	<i>Lepidosaphes beckii</i> on orange					1	Fla.*
<i>Sphaeloma fawcettii</i>	<i>Citrus aurantifolia</i> (lime)					1	Mass.
Do	do					1	N. Y.
Do	<i>Citrus aurantium</i> (sour orange)		1				Fla.*
Do	<i>Citrus grandis</i> (grapefruit)				1		Pa.
Do	<i>Citrus limonia</i> (lemon)		1				Fla.*
Do	<i>Citrus sinensis</i>					2	N. Y.
<i>Sphaerostilbe aurantiicola</i>	do	1					Do.
<i>Sphaerotheca pannosa</i>	<i>Rosa</i> sp.		2				Fla.*
<i>Stilbum</i> sp.	Unidentified cutting		1				La.
<i>Thielariopsis paradoxa</i>	<i>Manihot esculenta</i> (cassava)	1					N. Y.
Do	<i>Saccharum officinarum</i>		3				Do.
Do	do				1		Pa.
<i>Uromyces appendiculatus</i>	<i>Phaseolus lunatus macrocarpus</i>	4					N. Y.
Do	<i>Phaseolus</i> sp. (string bean)	3					Do.
CURACAO							
Insects:							
<i>Diaspis echinocacti cacti</i> (Coccidae)	<i>Cactus</i>		1				Do.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)			1			Do.
CYPRUS							
Insects: <i>Myelois</i> sp. (Pyralidae)	<i>Ceratonia siliqua</i> (St. Johns-bread)	6					Do.
CZECHOSLOVAKIA							
Diseases:							
<i>Dasyctypha</i> sp.	Wood	1					D. C.
<i>Rhizoctonia</i> sp.	<i>Begonia</i> sp.	1					Pa.
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.	1					D. C.
DANZIG							
Insects:							
<i>Eriophyes</i> sp. (mite)	<i>Betula</i> sp. (birch)	1					N. Y.
<i>Trichocera</i> sp. (Tipulidae)	<i>Beta vulgaris</i> (beet)					1	La.
Diseases:							
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Pa.
<i>Sclerotinia</i> sp.	<i>Beta vulgaris</i> (beet)					1	La.
<i>Sclerotium</i> sp.	<i>Brassica oleracea capitata</i>					1	Do.
DENMARK							
Insects:							
<i>Acrolepia assectella</i> (Plutellidae)	<i>Allium porrum</i> (leek)					1	N. Y.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)					1	Do.
Do	do					1	Pa.
<i>Histiostoma</i> sp. (mite)	<i>Apium graveolens</i> (celery)					1	La.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Allium porrum</i> (leek)	1					N. Y.
Do	<i>Brassica campestris</i> (rutabaga)					2	La.
Do	<i>Brassica rapa</i>					4	N. Y.
Do	do					4	Pa.
<i>Liothrips</i> sp. (thrips)	<i>Allium porrum</i> (leek)		1				Do.
Noctuid	<i>Lactuca sativa</i> (lettuce)					1	Do.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea capitata</i>					1	Ala.
Do	do					1	La.
<i>Psylliodes chrysocephala</i> (Chrysomelidae)	<i>Raphanus sativus</i> (radish)					1	N. Y.
Diseases:							
<i>Aphelenchoides parietinus</i>	<i>Daucus carota</i> (carrot)					3	Pa.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Chaetomium</i> sp.	<i>Scirpus</i> sp.			1			Ill.
<i>Epicoccum</i> sp.	<i>Daucus carota</i>					1	Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
DENMARK—Continued							
Diseases—Continued.							
<i>Leptosphaeria</i> sp.	<i>Ulmus campestris</i> (English elm).	—	1	—	—	—	Wash.
<i>Oospora</i> sp.	<i>Allium cepa</i> (onion)	—	—	—	—	1	La.
Do	<i>Cucumis sativus</i> (cucumber)	—	—	—	—	1	Ala.
Do	<i>Daucus carota</i>	—	—	—	—	1	La.
<i>Rhizoctonia</i> sp.	<i>Beta vulgaris</i> (beet)	—	—	—	—	1	Pa.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i>	—	—	—	—	1	Ala.
Do	do	—	—	—	—	2	Pa.
Do	do	—	—	—	—	4	Tex.
<i>Sclerotinia</i> sp.	<i>Beta vulgaris</i>	—	—	—	—	1	La.
Do	do	—	—	—	—	1	N. Y.
Do	do	—	—	—	—	1	Pa.
<i>Spondylocladium</i> sp.	<i>Allium porrum</i> (leek)	—	—	—	—	1	Do.
<i>Stysanus</i> sp.	<i>Rosa</i> sp.	—	1	—	—	—	D. C.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)	—	—	1	—	—	N. Y.
DOMINICA							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Mangifera indica</i> (mango)	—	—	1	—	—	Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae)	<i>Citrus aurantifolia</i> (lime)	1	—	—	—	—	Do.
<i>Chrysomphalus</i> sp. (Coccidae)	do	—	1	—	—	—	Do.
<i>Coccus viidis</i> (Coccidae)	do	2	—	—	—	—	Mass.
Do	do	1	—	—	—	—	N. Y.
<i>Eucalymnatus tessellatus</i> (Coccidae)	<i>Cinnamomum zeylanicum</i> (cinnamon).	—	1	—	—	—	Do.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus aurantifolia</i>	3	—	—	—	—	Do.
<i>Parlatoria</i> sp. (Coccidae)	do	2	—	—	—	—	Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	do	1	—	—	—	—	Mass.
Do	do	54	—	—	—	—	N. Y.
Do	<i>Citrus sinensis</i> (orange)	—	—	—	—	1	Mass.
<i>Pseudaonidia trilobitiformis</i> (Coccidae).	<i>Citrus aurantifolia</i>	1	—	—	—	—	N. Y.
Diseases:							
<i>Asterinella</i> sp. (?)	<i>Spondias cytherea</i> (golden apple).	—	—	1	—	—	Do.
<i>Capnodium citri</i>	<i>Citrus aurantifolia</i>	—	—	—	—	2	Mass.
Do	do	1	—	—	—	—	N. Y.
<i>Capnodium</i> sp.	<i>Cinnamomum zeylanicum</i> (cinnamon).	—	1	—	—	—	Do.
<i>Diplodia cacaoicola</i>	<i>Citrus aurantifolia</i> (lime)	1	—	—	—	—	Mass.
<i>Sphaceloma fawcettii</i>	do	—	—	—	—	1	Do.
Do	do	1	—	—	—	—	N. Y.
DOMINICAN REPUBLIC							
Insects:							
<i>Aspidiotus herculeanus</i> (Coccidae)	<i>Poinciana regia</i> (royal poinciana).	—	—	1	—	—	Do.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Xanthosoma</i> sp. (malanga)	1	—	—	—	—	Do.
Bostrichid	<i>Bulnesia arborea</i> (vera wood)	1	—	—	—	—	Do.
<i>Catonia</i> sp. (Fulgoridae)	<i>Guaiacum officinale</i> (lignum-vitae).	1	—	—	—	—	Do.
Cerambycid	<i>Bulnesia arborea</i>	2	—	—	—	—	Do.
<i>Ceroplastes</i> sp. (Coccidae)	<i>Epidendrum</i> sp. (orchid)	—	1	—	—	—	D. C.
<i>Chaetopsis</i> sp. (Ortalidae)	<i>Zea mays</i> (corn)	—	—	2	—	—	N. Y.
Chloropid	<i>Xanthosoma</i> sp. (malanga)	1	—	—	—	—	Do.
<i>Crematogaster</i> sp. (ant)	<i>Ananas sativus</i>	1	—	—	—	—	Do.
<i>Doliema</i> sp. (Tenebrionidae)	<i>Bulnesia arborea</i>	1	—	—	—	—	Do.
Do	<i>Guaiacum officinale</i> (lignum-vitae).	1	—	—	—	—	Do.
<i>Echinopsalis</i> sp. (earwig)	<i>Musa</i> sp. (banana)	1	—	—	—	—	Do.
<i>Elaphidion nanum</i> (Cerambycidae)	Fence post	1	—	—	—	—	P. R.
<i>Elaphidion</i> sp. (Cerambycidae)	<i>Guaiacum officinale</i> (lignum-vitae).	1	—	—	—	—	N. Y.
<i>Fundella</i> sp. (Pyralidae)	<i>Cajanus indicus</i> (gandule)	—	—	1	—	—	Do.
<i>Hemichionaspis minor strachani</i> (Coccidae)	<i>Cucurbita pepo</i> (pumpkin)	1	—	—	—	—	Do.
<i>Hypothenemus</i> sp. (Scolytidae)	<i>Poinciana regia</i> (royal poinciana).	—	—	1	—	—	Do.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
DOMINICAN REPUBLIC—Continued									
Insects—Continued.									
<i>Laemophloeus</i> sp. (Cucujidae)-----	<i>Bulnesia arborea</i> (vera wood)-----	1	-----	-----	-----	-----	N. Y.		
<i>Lorelus</i> sp. (Tenebrionidae)-----	<i>Musa</i> sp. (banana)-----	1	-----	-----	-----	-----	Do.		
<i>Prenolepis</i> sp. (ant)-----	<i>Orchid</i> -----	1	-----	-----	-----	-----	D. C.		
<i>Pseudaonidia articulatus</i> (rufous scale).-----	<i>Citrus aurantifolia</i> (lime)-----	4	-----	-----	-----	2	N. Y.		
<i>Pseudococcus</i> sp. (Coccidae)-----	<i>Brassia caudata</i> (orchid)-----	1	-----	-----	-----	-----	D. C.		
Do-----	<i>Musa paradisiaca</i> (plantain)-----	1	-----	-----	-----	-----	N. Y.		
<i>Tinea</i> sp. (Tineidae)-----	<i>Poinciana regia</i> (royal poinciana).-----	-----	-----	1	-----	-----	Do.		
Tipulid-----	<i>Calathea allouia</i> -----	-----	1	-----	-----	-----	Do.		
<i>Wasemannia auropunctata</i> (ant)-----	<i>Ananas sativus</i> -----	2	-----	-----	-----	-----	Do.		
Diseases:									
<i>Capnodium citri</i> -----	<i>Citrus aurantifolia</i> (lime)-----	-----	-----	-----	-----	1	Do.		
<i>Ceratostomella fimbriata</i> -----	<i>Xanthosoma sagittifolium</i> (yautia).-----	1	-----	-----	-----	-----	Do.		
<i>Ceratostomella</i> sp.-----	<i>Xanthosoma</i> sp. (malanga)-----	1	-----	-----	-----	-----	Do.		
<i>Colletotrichum cajani</i> -----	<i>Cajanus indicus</i> (gandule)-----	-----	-----	-----	1	-----	Do.		
<i>Colletotrichum orchidearum</i> -----	<i>Bletia</i> sp. (orchid)-----	-----	1	-----	-----	-----	D. C.		
Do-----	<i>Pleurothallis gelida</i> (orchid)-----	-----	1	-----	-----	-----	Do.		
<i>Diplodia cacaoicola</i> -----	<i>Artocarpus incisa</i> (breadfruit)-----	-----	1	-----	-----	-----	N. Y.		
Do-----	<i>Citrus aurantifolia</i> (lime)-----	1	-----	-----	-----	-----	Do.		
<i>Diplodia tubericola</i> -----	<i>Ipomoea batatas</i> (sweet potato)-----	-----	-----	-----	-----	1	Va.		
Do-----	<i>Xanthosoma sagittifolium</i> (yautia).-----	1	-----	-----	-----	-----	N. Y.		
<i>Gloeosporium</i> sp.-----	<i>Epidendrum</i> sp. (orchid)-----	1	-----	-----	-----	-----	D. C.		
Do-----	<i>Orchid</i> -----	-----	1	-----	-----	-----	Do.		
<i>Septoria</i> sp.-----	<i>Acanthus</i> sp.-----	-----	1	-----	-----	-----	Md.		
<i>Sphaceloma fawcettii</i> -----	<i>Citrus limonia</i> (lemon)-----	-----	-----	-----	-----	1	N. Y.		
DUTCH EAST INDIES									
Insects:									
<i>Araecerus fasciculatus</i> (coffee-bean weevil).-----	<i>Areca catechu</i> (betel palm)-----	2	-----	-----	-----	-----	Do.		
<i>Chelisoches morio</i> (earwig)-----	<i>Orchid</i> -----	-----	1	-----	-----	-----	Calif.*		
<i>Dinoderus minutus</i> (Bostrichidae)-----	<i>Bamboo</i> used as dunnage-----	1	-----	-----	-----	-----	N. Y.		
<i>Paralecanium</i> sp. (Coccidae)-----	<i>Orchid</i> -----	-----	1	-----	-----	-----	Calif.*		
<i>Sinorylon conigerum</i> (Bostrichidae).-----	<i>Derris</i> sp. (tuba)-----	1	-----	-----	-----	-----	N. Y.		
<i>Sitophilus linearis</i> (tamarind pod borer).-----	<i>Tamarindus indica</i> (tamarind)-----	-----	-----	-----	1	-----	Do.		
<i>Xylotrechus phidias</i> (Cerambycidae).-----	<i>Leguminosae</i> -----	1	-----	-----	-----	-----	Do.		
Diseases:									
<i>Cercospora</i> sp.-----	Unidentified leaf-----	-----	-----	-----	1	-----	Pa.		
<i>Phoma</i> sp.-----	<i>Calamus rotang</i> (rattan)-----	-----	1	-----	-----	-----	N. Y.		
DUTCH GUIANA									
Insects:									
<i>Aegeriid</i> -----	<i>Pentaclethra filamentosa</i> -----	1	-----	-----	-----	-----	D. C.		
<i>Ambylycerus</i> sp. (Bruchidae)-----	<i>Cassia</i> sp.-----	1	-----	-----	-----	-----	Do.		
<i>Bruchus</i> sp. (Bruchidae)-----	do-----	1	-----	-----	-----	-----	Do.		
<i>Caryedon fuscus</i> (Bruchidae)-----	do-----	1	-----	-----	-----	-----	Do.		
<i>Crematogaster</i> sp. (ant)-----	<i>Cucumis sativus</i> (cucumber)-----	1	-----	-----	-----	1	N. Y.		
Curculionid-----	<i>Copaeifera</i> sp.-----	1	-----	-----	-----	-----	D. C.		
<i>Furcaspis biformis</i> (Coccidae)-----	<i>Orchid</i> -----	1	-----	-----	-----	-----	Do.		
<i>Lasioderma</i> sp. (Anobiidae)-----	<i>Clibadium</i> sp.-----	-----	1	-----	-----	-----	Do.		
Oecophorid-----	<i>Byrsonima</i> sp.-----	1	-----	-----	-----	-----	Do.		
<i>Parlatoria</i> sp. (Coccidae)-----	<i>Citrus sinensis</i> (orange)-----	-----	1	-----	-----	-----	Ala.		
<i>Pseudaonidia articulatus</i> (rufous scale).-----	do-----	-----	1	-----	-----	-----	Do.		
Pyraustinae (Pyralidae)-----	<i>Cucumis sativus</i> -----	-----	-----	-----	1	-----	N. Y.		
<i>Solenopsis</i> sp. (ant)-----	<i>Orchid</i> -----	-----	1	-----	-----	-----	D. C.		
<i>Stephanoderes</i> sp. (Scolytidae)-----	<i>Centrosema</i> sp. (butterfly-pea)-----	1	-----	-----	-----	-----	Do.		
Diseases:									
<i>Diplodia cacaoicola</i> -----	<i>Euphorbia</i> sp.-----	1	-----	-----	-----	-----	Do.		
<i>Gloeosporium</i> sp.-----	<i>Orchid</i> -----	1	-----	-----	-----	-----	Do.		
<i>Isaria</i> sp.-----	<i>Citrus sinensis</i> -----	-----	-----	-----	1	-----	N. Y.		
<i>Sclerotinia</i> sp.-----	<i>Phaseolus</i> sp. (string bean)-----	-----	-----	-----	1	-----	Do.		
<i>Sphaceloma fawcettii</i> -----	<i>Citrus sinensis</i> -----	-----	-----	-----	1	-----	Do.		

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
DUTCH WEST INDIES							
Insects: <i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Tamarindus indica</i> (tamarind)				1		N. Y.
Diseases: <i>Microcera</i> sp.	<i>Citrus sinensis</i> (orange)				1		Md.
EAST AFRICA							
Insects: <i>Myelois</i> sp. (Pyralidae)	<i>Kigelia</i> sp.	1					D. C.
Diseases: <i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Tex.
ECUADOR							
Insects:							
<i>Aeolus</i> sp. (Elateridae)	Banana debris	1					N. Y.
<i>Camponotus</i> sp. (ant)	do	9					Do.
Do	<i>Musa</i> sp. (banana)	3					Calif.*
<i>Caryoborus chiriquensis</i> (Bruchidae).	<i>Phytelephas macrocarpa</i> (ivory nut).	1					N. Y.
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	2					Do.
<i>Chaetopsis</i> sp. (Ortalidae)	<i>Zea mays</i> (corn)					1	Wash.
<i>Colastus</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Crematogaster</i> sp. (ant)	Banana debris	1					N. Y.
Curculionid.	<i>Ceiba pentandra</i> (kapox)		1				D. C.
<i>Dermestes</i> sp. (Dermestidae)	<i>Ochroma lagopus</i> (balsa)	1					N. Y.
<i>Dysdercus peruvianus</i> (Pyrhocoridae)	<i>Gossypium</i> sp. (cotton)	1					Do.
<i>Eciton</i> sp. (ant)	<i>Gossypium</i> sp. (seed cotton)	1					Do.
<i>Euxesta</i> sp. (Ortalidae)	<i>Serjania mexicana</i> (barbasco)	1					Do.
<i>Forcipomyia</i> sp. (Chironomidae)	<i>Ochroma lagopus</i> (balsa)	1					Do.
Gelechiid.	<i>Serjania mexicana</i>		1				D. C.
<i>Holcocera</i> sp. (Blastobasidae)	<i>Gossypium</i> sp. (seed cotton)	1					N. Y.
<i>Homophoeta</i> sp. (Chrysomelidae)	Banana debris	1					Ala.
<i>Hypothenemus</i> sp. (Scolytidae)	do	1					Do.
<i>Lasioderma</i> sp. (Anobiidae)	<i>Gossypium</i> sp. (cotton)	1					N. Y.
<i>Macropygium reticulare</i> (Pentatomidae).	Banana debris	1					Do.
<i>Metamasius hemipterus</i> (West Indian cane weevil).	<i>Musa</i> sp. (banana)	1					Wash.
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	5					N. Y.
Do	<i>Musa</i> sp. (banana)	2					Calif.*
Do	do	1					N. Y.
<i>Monanus concinnulus</i> (Cucujidae)	Banana debris	1					Do.
<i>Mycetaea</i> sp. (Mycetaeidae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Nemobius</i> sp. (Gryllidae)	do	1					Calif.*
<i>Neocattarus vegetus</i> (Lygaeidae)	Banana debris	1					N. Y.
<i>Neoponera</i> sp. (ant)	<i>Musa</i> sp. (banana)	1					Do.
Noctuid	Banana debris	1					Do.
Do	<i>Ochroma lagopus</i> (balsa)	1					Do.
<i>Oecanthus</i> sp. (Gryllidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Pheidole</i> sp. (ant)	Banana debris	1					N. Y.
<i>Platypus dimidiatus</i> (Platypodidae)	<i>Ochroma lagopus</i>	1					Do.
<i>Ponera</i> sp. (ant)	Banana debris	1					Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus limonia</i> (lemon)				1		Do.
Do	<i>Citrus sinensis</i> (orange)					1	Calif.*
Do	do					5	N. Y.
Pyralid.	<i>Theobroma cacao</i> (cacao)	1					Calif.*
<i>Pyroderces</i> sp. (Cosmopterygidae)	<i>Gossypium</i> sp. (seed cotton)	1					N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)		1				Do.
<i>Silvanus vulgaris</i> (Cucujidae)	<i>Ochroma lagopus</i> (balsa)	1					Do.
<i>Stenoma</i> sp. (Stenomidae)	<i>Gossypium</i> sp. (seed cotton)	1					Do.
Do	<i>Persea americana</i> (avocado)			1			Do.
Stenomid.	<i>Gossypium</i> sp. (seed cotton)	2					Do.
Do	<i>Persea americana</i>					1	Do.
<i>Stephanoderes guatemalensis</i> (Scolytidae).	Banana debris	2					Do.
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Gossypium</i> sp. (seed cotton)	1					Do.
<i>Telephanus brontoides</i> (Cucujidae)	Banana debris	1					Do.
<i>Telephanus setulosus</i> (Cucujidae)	do	1					Do.
<i>Telephanus</i> sp. (Cucujidae)	do	3					Do.
Do	<i>Musa</i> sp. (banana)	1					Wash.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ECUADOR—Continued							
Insects—Continued.							
<i>Tinea</i> sp. (Tineidae)	Banana debris	1					N. Y.
<i>Tineid</i>	do	5					Do.
Do	<i>Musa</i> sp. (banana)	2					Do.
<i>Tyroglyphus</i> sp. (mite)	<i>Allium sativum</i> (garlic)	2	1				Do.
<i>Wasemannia auropunctata</i> (ant)	Banana debris	2					Do.
<i>Wasemannia</i> sp. (ant)	<i>Musa</i> sp. (banana)	1					Do.
<i>Xyleborus affinis</i> (Scolytidae)	<i>Ochroma lagopus</i> (balsa)	1					Do.
Diseases:							
<i>Bacterium maculicolum</i>	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Diplodia</i> sp.	<i>Persea americana</i> (avocado)					1	Calif.*
<i>Gloeosporium</i> sp.	<i>Odontoglossum</i> sp. (orchid)		1				D. C.
Do	<i>Oncidium</i> sp. (orchid)		1				Do.
<i>Pestalozzia</i> sp.	<i>Odontoglossum</i> sp. (orchid)		1				Do.
Do	<i>Oncidium</i> sp. (orchid)		1				Do.
<i>Sphaceloma fawcettii</i>	<i>Citrus aurantifolia</i> (lime)	1					Calif.*
<i>Tranzschelia pruni-spinosae</i>	<i>Amygdalus persica</i> (peach)					1	Md.
<i>Verticillium</i> sp.	<i>Carica papaya</i> (papaya)					1	N. Y.
EGYPT							
Insects:							
<i>Anisolabis</i> sp. (earwig)	<i>Beta vulgaris</i> (beet)					1	Pa.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Allium cepa</i> (onion)					1	N. Y.
<i>Chloropid</i>	<i>Brassica oleracea capitata</i>					1	Do.
<i>Desmometopa</i> sp. (Agromyzidae)	<i>Solanum tuberosum</i>					1	La.
<i>Eumerus tuberculatus</i> (lesser bulb fly).	<i>Allium cepa</i>					1	Pa.
<i>Eumerus</i> sp. (Syrphidae)	do					1	N. Y.
<i>Fulvius oxyacrenoides</i> (Miridae)	<i>Solanum tuberosum</i>					1	Do.
<i>Histiostoma</i> sp. (mite)	<i>Allium cepa</i>					1	Pa.
<i>Lasioderma</i> sp. (Anobiidae)	<i>Gossypium</i> sp. (cotton)	1					N. Y.
<i>Lixus</i> sp. (Curculionidae)	<i>Beta vulgaris</i> (beet)					1	Pa.
<i>Melasid</i>	<i>Apium graveolens</i> (celery)					1	N. Y.
Noctuid	<i>Brassica oleracea capitata</i>					1	Do.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)					1	Do.
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cottonseed)	10					Do.
Do	do		4				D. C.
Do	<i>Gossypium</i> sp. (cotton) (waste)		1				Pa.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Plutella maculipennis</i> (diamond-back moth).	do					3	Do.
<i>Pyralis</i> sp. (Pyralidae)	<i>Capsicum annuum</i>						
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Tex.
Do	<i>Solanum tuberosum</i>					1	N. Y.
<i>Thamnurgus</i> sp. (Scolytidae)	<i>Gossypium</i> sp. (cottonseed)	1					La.
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Solanum tuberosum</i>					1	N. Y.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					1	Mass.
<i>Alternaria solani</i>	<i>Lycopersicum esculentum</i>					1	Do.
Do	do					1	Do.
<i>Capnodium citri</i>	<i>Citrus limonia</i> (lemon)					1	N. Y.
Do	<i>Citrus sinensis</i> (orange)					1	Pa.
<i>Cladosporium fulvum</i>	<i>Lycopersicum esculentum</i>					1	La.
<i>Erotium</i> sp.	<i>Oryza sativa</i> (rice)			1			N. Y.
Do	<i>Solanum tuberosum</i>					1	Do.
<i>Macrosporium tomato</i>	<i>Lycopersicum esculentum</i>					1	La.
<i>Meliola</i> sp.	<i>Citrus aurantifolia</i>					2	N. Y.
<i>Penicillium glaucum</i>	<i>Phoenix dactylifera</i> (date)					1	Pa.
<i>Puccinia allii</i>	<i>Allium sativum</i> (garlic)					1	Tex.
<i>Puccinia</i> sp.	do					1	Pa.
<i>Rhizoctonia</i> sp.	<i>Daucus carota</i> (carrot)					1	N. Y.
<i>Sclerotinia sclerotiorum</i>	<i>Lycopersicum esculentum</i>					1	S. C.
<i>Sclerotinia</i> sp.	<i>Solanum tuberosum</i>					1	Md.
Do	<i>Citrus limonia</i> (lemon)					1	N. Y.
<i>Septoria citri</i>	<i>Citrus aurantifolia</i> (lime)					1	Pa.
<i>Sphaceloma fawcettii</i>	<i>Solanum tuberosum</i>					1	Mass.
<i>Stysanus</i> sp.						1	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND							
Insects:							
<i>Acalypta musci</i> (Tingitidae)	<i>Chrysanthemum</i> sp.	1					D. C.
<i>Agriotes</i> sp. (Elateridae)	In soil around aster plant	1					Do.
<i>Agromyza</i> sp. (Agromyzidae)	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do	<i>Brassica oleracea capitata</i>					1	Do.
Do	do					2	Pa.
Do	<i>Brassica rapa</i> (turnip)					1	Mass.
Do	do					1	Miss.
Do	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Agromyzid</i>	<i>Brassica oleracea capitata</i>					1	Mass.
Do	<i>Lactuca sativa</i> (lettuce)					1	N. Y.
Do	<i>Pastinaca sativa</i> (parsnip)					1	Mass.
Do	<i>Viola</i> sp.	1					Do.
<i>Anthomyiid</i>	<i>Brassica oleracea capitata</i>					1	N. Y.
Do	do					1	Pa.
Do	<i>Lactuca sativa</i> (lettuce)					1	Mass.
Do	<i>Solanum tuberosum</i>					2	La.
Do	In soil around horseradish					1	Mass.
<i>Aphis</i> sp. (aphid)	<i>Azorella pedunculata</i>	1					Calif.*
<i>Argyresthia</i> sp. (Yponomeutidae)	<i>Malus sylvestris</i> (apple)		1				N. Y.
<i>Aspidiotus britannicus</i> (Coccidae)	<i>Laurus nobilis</i> (Grecian laurel)				2		Mass.
Do	do				4		N. Y.
<i>Aspidiotus</i> sp. (Coccidae)	<i>Amygdalus persica</i> (peach)	1					D. C.
Do	<i>Camellia</i> sp.	1					Do.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	Pa.
Do	<i>Brassica rapa</i> (turnip)					1	La.
<i>Athous subfuscus</i> (Elateridae)	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Brachyrhinus</i> sp. (Curculionidae)	<i>Aethionema</i> sp.	1					Calif.*
Do	<i>Helianthemum alpestre</i> (alpine sunrose)	1					Do.*
<i>Bruchidius villosus</i> (Bruchidae)	<i>Cytisus scoparius</i> (Scotch broom).		1				D. C.
<i>Cecidomyiid</i>	<i>Amygdalus persica</i> (peach)	1					Do.
Do	<i>Amygdalus persica nectarina</i> (nectarine).	1					Do.
Do	<i>Fagus sylvatica</i> (European beech).	1					N. Y.
Do	<i>Hemerocallis</i> sp.		1				D. C.
Do	<i>Hydrangea</i> sp.				1		Mass.
Do	In soil around horseradish					1	Do.
Do	<i>Salix</i> sp. (willow)	1					N. Y.
<i>Cercopid</i>	<i>Buddleia globosa</i>		1				D. C.
<i>Ceutorhynchus ericae</i> (Curculionidae)	<i>Calluna vulgaris</i> (heather)		1				Pa.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica campestris</i> (rutabaga)					1	Ala.
Do	do					1	N. Y.
Do	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
Do	do					1	Pa.
Do	<i>Brassica oleracea capitata</i>					1	Do.
Do	<i>Brassica rapa</i> (turnip)					2	Ala.
Do	do					2	Md.
Do	do					2	Mass.
Do	do					7	La.
Do	do					13	N. Y.
Do	do					14	Pa.
Do	do					6	Tex.
Do	do					1	Va.
Do	In galls on rutabaga roots					1	Pa.
Do	In soil around horseradish					1	Mass.
Do	<i>Raphanus sativus</i> (radish)					1	Miss.
<i>Chionaspis salicis</i> (Coccidae)	<i>Fraxinus excelsior</i> (European ash).	1					N. Y.
<i>Coleophora</i> sp. (Coleophoridae)	<i>Malus sylvestris</i> (apple)		2				D. C.
Do	<i>Prunus domestica</i> (plum)		1				Do.
<i>Curculionid</i>	<i>Solanum tuberosum</i>					1	La.
<i>Denticollis linearis</i> (Elateridae)	<i>Dianthus</i> sp.	1					D. C.
<i>Desmometopa</i> sp. (Agromyzidae)	<i>Solanum tuberosum</i>					1	La.
<i>Dialeurodes chittendeni</i> (rhododendron whitefly).	<i>Rhododendron</i> sp.	3					D. C.
Do	do					3	Wash.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Insects—Continued.							
<i>Dicyphus stachydis</i> (Miridae)	<i>Primula</i> sp. (primrose)		1				N. Y.
<i>Drymus brunneus</i> (Lygaeidae)	<i>Chrysanthemum</i> sp.	1					D. C.
<i>Dryocoetes villosus</i> (Scolytidae)	<i>Quercus</i> sp. (oak)	1					Va.
<i>Eriophyes</i> sp. (mite)	<i>Morus</i> sp. (mulberry)				1		N. Y.
<i>Eucalymnatus tessellatus</i> (Coccidae).	<i>Camellia japonica</i> (camellia)	1					Calif.*
<i>Eumerus tuberculatus</i> (lesser bulb fly).	<i>Narcissus</i> sp.		1				Do.*
<i>Emerus</i> sp. (Syrphidae)	<i>Iris chamaeiris</i>		1				D. C.
<i>Eurytoma</i> sp. (Eurytomidae)	<i>Fagus sylvatica</i> (European beech).	1					N. Y.
Do.	<i>Fraxinus excelsior</i> (European ash).	6					Do.
<i>Euxesta</i> sp. (Ortalidae)	<i>Iris chamaeiris</i>		1				D. C.
Do.	In soil around horseradish					1	Mass.
Do.	<i>Solanum tuberosum</i>					1	Calif.*
<i>Forficula auricularia</i> (European earwig).	<i>Corylus avellana</i> (filbert)			1			N. Y.
Do.	<i>Taxus</i> sp. (yew)	1					Do.
Gelechiid	<i>Calluna vulgaris</i> (heather)		1				Pa.
<i>Gracilaria azaleella</i> (azalea leaf miner).	<i>Azalea</i> sp.	1					D. C.
<i>Helophorus</i> sp. (Hydrophilidae)	<i>Brassica rapa</i> (turnip)				1		La.
Do.	do				1		Tex.
<i>Histiostoma</i> sp. (mite)	<i>Allium cepa</i> (onion)				1		N. Y.
Do.	<i>Pastinaca sativa</i> (parsnip)				1		Wash.
Do.	<i>Solanum tuberosum</i>				1		La.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica campestris</i> (rutabaga)				1		N. Y.
Do.	<i>Brassica oleracea capitata</i>				1		Do.
Do.	<i>Brassica rapa</i> (turnip)				4		Ala.
Do.	do				1		La.
Do.	do				2		Md.
Do.	do				1		Miss.
Do.	do				9		N. Y.
Do.	do				10		Pa.
Do.	do				3		Tex.
Do.	<i>Daucus carota</i> (carrot)				1		N. Y.
Do.	<i>Dianthus</i> sp. (carnation)	1					D. C.
Do.	<i>Raphanus sativus</i> (radish)				1		Miss.
Do.	do				1		N. Y.
Do.	<i>Solanum tuberosum</i>				1		La.
<i>Hylesinus fraxini</i> (Scolytidae)	<i>Fraxinus excelsior</i> (European ash).	3					N. Y.
Do.	<i>Fraxinus</i> sp. (ash)	1					Pa.
<i>Lepidosaphes tuberculata</i> (Coccoidea).	<i>Cymbidium</i> sp. (orchid)	1					D. C.
<i>Leucopis</i> sp. (Agromyzidae)	<i>Rosa</i> sp.		1				Do.
<i>Limnophila</i> sp. (Tipulidae)	<i>Brassica oleracea capitata</i>				1		N. Y.
<i>Macrosiphum gei</i> (aphid)	<i>Lactuca sativa</i> (lettuce)				1		Fla.*
<i>Macrosiphum</i> sp. (aphid)	<i>Primula acaulis sulphurea</i>	1					Calif.*
Do.	<i>Primula</i> sp. (primrose)	1					Pa.
<i>Melanotus rufipes</i> (Elateridae)	In packing around <i>Helleborus</i> plant.	1					D. C.
<i>Melanotus</i> sp. Elateridae)	<i>Quercus</i> sp. (oak)	1					Va.
<i>Merodon</i> sp. (Syrphidae)	<i>Narcissus</i> sp.	2					D. C.
Do.	do	1					Ill.
Mirid	<i>Primula</i> sp. (primrose)			1			N. Y.
<i>Myrmica laevinodis</i> (ant)	In packing around plants	1					D. C.
<i>Myzus veronicae</i> (aphid)	<i>Bellis perennis</i> (English daisy)	1					Pa.
Do.	<i>Chrysanthemum</i> sp.				1		N. Y.
Do.	<i>Primula</i> sp. (primrose)	1					Pa.
Do.	<i>Valeriana supina</i>	1					Wash.
<i>Myzus</i> sp. (aphid)	<i>Loiseleuria procumbens</i> (Alpine-azalea).	1	1				D. C.
Noctuid	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do.	<i>Brassica oleracea capitata</i>					2	Do.
Olethreutid	<i>Amygdalus persica nectarina</i> (nectarine).	1					D. C.
Do.	<i>Malus sylvestris</i> (apple)		1				Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Insects—Continued.							
Ortalid	<i>Delphinium</i> sp.	1					D. C.
Do	<i>Erigeron</i> sp.	1					Do.
Do	<i>Solanum tuberosum</i>					1	Fla.*
Do	do					1	Tex.
Do	<i>Spartina townsendi</i>	1					Hawaii.*
<i>Orthotylus ericetorum</i> (Miridae)	<i>Calluna vulgaris</i> (heather)		1				Pa.
<i>Parthenothrips dracaenae</i> (thrips)	<i>Ricinus communis</i> (castor-bean).				1		N. Y.
<i>Phyllocoptes</i> sp. (mite)	<i>Malus sylvestris</i> (apple)		1				D. C.
<i>Phyllotreta cruciferae</i> (Chrysomelidae).	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Phytomyza atricornis</i> (Agromyzidae).	<i>Chrysanthemum</i> sp.				3		Do.
<i>Phytomyza</i> sp. (Agromyzidae)	<i>Ilex aquifolium</i>	1					D. C.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do	<i>Brassica oleracea capitata</i>					2	Do.
Do	do					2	Pa.
<i>Pinnaspis buxi</i> (Coccidae)	<i>Acanthophoenix rubra</i>				1		N. Y.
<i>Plusia ni</i> (Noctuidae)	<i>Brassica oleracea capitata</i>					1	La.
<i>Plutella maculipennis</i> (diamond-back moth).	<i>Brassica campestris</i> (rutabaga)					1	Pa.
Do	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Ponera coarctata</i> (ant)	In soil around plants			1			N. Y.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Laeliacattleya</i> sp. (orchid)	1					D. C.
<i>Pseudopeltaria parlatorioides</i> (Coccidae).	<i>Cypripedium</i> sp. (orchid)	1					Do.
<i>Psila rosae</i> (carrot rust fly)	<i>Daucus carota</i> (carrot)				3		N. Y.
Do	do					3	Pa.
Do	do					1	Va.
<i>Psyllodes chrysocephala</i> (Chrysomelidae).	<i>Brassica rapa</i> (turnip)					1	N. Y.
Do	do					1	Pa.
<i>Rhizoglyphus</i> sp. (mite)	<i>Lilium</i> sp.	1					N. Y.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Chrysanthemum</i> sp.				1		Mass.
Do	In soil around horseradish					1	Do.
Do	<i>Pastinaca sativa</i> (parsnip)					1	N. Y.
Do	<i>Solanum tuberosum</i>					1	La.
Do	do					1	N. Y.
Do	<i>Taxus</i> sp. (yew)	1					Do.
Scolytid	<i>Fraxinus excelsior</i> (European ash).	1					Do.
<i>Taeniothrips ericae</i> (thrips)	<i>Calluna vulgaris</i> (heather)		3				Pa.
Tetranychid	<i>Acer pseudoplatanus</i> (sycamore maple).					1	N. Y.
<i>Tetranychus</i> sp. (mite)	<i>Amygdalus persica</i> (peach)	1					D. C.
Do	<i>Amygdalus persica nectarina</i> (nectarine).	1					Do.
Do	<i>Azalea</i> sp.			1			N. Y.
Do	<i>Hydrangea</i> sp.				1		Mass.
<i>Thrips angusticeps</i> (thrips)	<i>Lactuca sativa</i> (lettuce)					1	Fla.*
<i>Thrips tabaci pullus</i> (thrips)	<i>Alium porrum</i> (leek)					1	N. Y.
Tingitid	<i>Ilex</i> sp. (holly)		1				Do.
Tipulid	In soil around <i>Asperula suberosa</i> .	1					Calif.*
Tortricid	<i>Asarum europaeum</i>		1				D. C.
Do	<i>Laurus nobilis</i> (Grecian laurel)				1		N. Y.
Do	<i>Rhododendron</i> sp.	1					Wash.
<i>Trichocera</i> sp. (Tipulidae)	<i>Brassica rapa</i> (turnip)					1	Md.
Do	<i>Daucus carota</i> (carrot)					1	Pa.
Do	<i>Quercus</i> sp. (English oak)	1					Va.
Do	<i>Raphanus sativus</i> (radish)					1	Miss.
Diseases:	<i>Alternaria brassicae</i>					2	N. Y.
Do	<i>Brassica oleracea botrytis</i> (cauliflower).					2	Pa.
Do	do					2	N. Y.
Do	<i>Brassica oleracea capitata</i>					6	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Diseases—Continued.							
<i>Alternaria dianthi</i>	<i>Dianthus</i> sp.	2					D. C.
<i>Alternaria fasciculata</i>	<i>Lycopersicum esculentum</i>					1	Fla.*
<i>Alternaria herculea</i>	<i>Brassica oleracea capitata</i>					1	Mass.
<i>Anguillulina dipsaci</i>	<i>Brassica rapa</i> (turnip)					1	Pa.
Do	<i>Daucus carota</i> (carrot)					1	La.
Do	<i>Iris</i> sp.	1					D. C.
Do	<i>Narcissus</i> sp.	1					Do.
Do	<i>Solanum tuberosum</i>					1	N. Y.
Do	do					2	Pa.
Do	do					2	Tex.
<i>Aphelenchoides parietinus</i>	<i>Beta vulgaris</i> (beet)					1	N. Y.
Do	<i>Daucus carota</i> (carrot)					1	Fla.*
<i>Aphelenchus avenae</i>	<i>Narcissus cyclamineus</i>	1					D. C.
<i>Ascochyta</i> sp.	<i>Rhododendron dichroanthum</i>	1					Wash.
<i>Bacillus</i> sp.	<i>Daucus carota</i> (carrot)					1	N. Y.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea botrytis</i> (cauli flower).					7	Do.
Do	<i>Brassica oleracea capitata</i>					1	Do.
Do	do					2	Pa.
<i>Botrytis cinerea</i>	<i>Rosa</i> sp.		1				N. Y.
<i>Botrytis tulipae</i>	<i>Tulipa</i> sp.	1					Pa.
<i>Cercospora odontoglossi</i>	<i>Odontoglossum</i> sp. (orchid)	2					D. C.
<i>Cercospora</i> sp.	<i>Brassica oleracea botrytis</i>					1	N. Y.
<i>Colletotrichum lagenarium</i>	<i>Cucumis sativus</i> (cucumber)					1	Pa.
<i>Coniothyrium hellebori</i>	<i>Helleborus niger</i> (Christmas rose).		1				N. Y.
<i>Coryneum</i> sp.	<i>Rhododendron</i> sp.	1					Wash.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)	1					D. C.
<i>Erysiphe cichoracearum</i>	<i>Chrysanthemum</i> sp.			1			Mass.
<i>Eurotium</i> sp.	<i>Paeonia</i> sp. (peony)			1			N. Y.
<i>Exosporium</i> sp.	Palm				1		Do.
<i>Fusarium oxysporum</i>	<i>Ipomoea batatas</i> (sweetpotato)	1					D. C.
<i>Gibberella saubinetii</i>	<i>Triticum aestivum</i> (wheat)			1			Ala.
<i>Gloeosporium rhododendri</i>	<i>Rhododendron nobleanum</i> venustum.	1					Wash.
<i>Gloeosporium</i> sp.	<i>Agapetes seligera</i>		1				D. C.
Do	<i>Agapetes speciosa</i>		1				Do.
Do	Orchid (several genera)	4	2				Do.
Do	Palm				1		N. Y.
<i>Glomerella cingulata</i>	<i>Malus sylvestris</i> (apple)					1	La.
<i>Helminthosporium sativum</i>	<i>Triticum aestivum</i> (wheat)	2					Pa.
<i>Helminthosporium</i> sp.	do	2					N. Y.
Do	do	1					Pa.
<i>Heterosporium</i> sp.	<i>Allium porrum</i> (leek)					1	Md.
Do	<i>Schizostylis</i> sp.	1					Wash.
<i>Monilia</i> sp.	<i>Prunus</i> sp. (cherry)					1	Mass.
Do	<i>Prunus domestica</i> (plum)					1	Do.
Do	<i>Quercus</i> sp. (oak)	1					Va.
<i>Mycosphaerella brassicicola</i>	<i>Brassica oleracea botrytis</i>					4	N. Y.
Do	<i>Brassica oleracea capitata</i>					2	Do.
Do	do					1	Pa.
<i>Mycosphaerella schoenoprasii</i>	<i>Allium porrum</i> (leek)					2	Md.
<i>Oospora</i> sp.	<i>Daucus carota</i> (carrot)					1	Tex.
Do	<i>Lycopersicum esculentum</i>					1	Ala.
<i>Pestalozzia guepini</i>	<i>Camellia</i> sp.	1					D. C.
<i>Phoma lingam</i>	<i>Brassica oleracea botrytis</i>					1	Md.
Do	do					5	N. Y.
<i>Phoma rostrupit</i>	<i>Daucus carota</i> (carrot)					1	Pa.
<i>Phyllosticta saccardoi</i>	<i>Rhododendron</i> sp.	1					Wash.
<i>Physalospora malorum</i>	<i>Malus sylvestris</i> (apple)					1	Fla.*
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	2					N. Y.
Do	do	1					Pa.
<i>Puccinia iridis</i>	<i>Allium porrum</i> (leek)						D. C.
<i>Puccinia menthae</i>	<i>Iris rubro-marginata</i>		1				N. Y.
<i>Puccinia</i> sp.	<i>Mentha</i> sp. (mint)					2	Do.
Do	do					2	Pa.
Do						2	Tex.
<i>Pyrenophora ciliolata</i>	<i>Triticum aestivum</i> (wheat)	1					Wash.
<i>Rhizoctonia</i> sp.	<i>Primula</i> sp. (magenta)	1					Pa.
<i>Rhytidisma acerinum</i>	<i>Brassica rapa</i> (turnip)					1	Pa.
	<i>Acer</i> sp. (maple)					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Diseases—Continued.							
<i>Sclerotinia sclerotiorum</i>	<i>Brassica rapa</i> (turnip)					1	Ala.
Do	<i>Daucus carota</i> (carrot)					7	Do.
Do	do					2	La.
Do	do					4	Miss.
Do	do					6	Pa.
Do	do					1	Tex.
Do	<i>Pastinaca sativa</i> (parsnip)					2	Pa.
<i>Sclerotinia</i> sp.	<i>Brassica oleracea capitata</i>					1	Do.
Do	<i>Brassica rapa</i> (turnip)					2	Do.
Do	<i>Lycopersicum esculentum</i>					1	Ala.
Do	<i>Solanum tuberosum</i>					1	Pa.
<i>Sclerotium</i> sp.	<i>Brassica campestris</i> (rutabaga)					1	Do.
Do	<i>Brassica rapa</i> (turnip)					1	Do.
Do	<i>Daucus carota</i> (carrot)					1	Tex.
Do	<i>Iris</i> sp.		1				D. C.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					1	N. Y.
Do	do					2	Pa.
<i>Septoria drummondii</i>	<i>Phlox</i> sp.	1					D. C.
<i>Septoria insularis</i>	<i>Hedera</i> sp.		1				Do.
<i>Septoria</i> sp.	<i>Primula facchinii</i>	1					Wash.
Do	<i>Primula floerkeana</i>	1					Do.
<i>Sphaeronema</i> sp.	<i>Daucus carota</i> (carrot)					1	Pa.
Do	<i>Narcissus</i> sp.		2				D. C.
<i>Uredo</i> sp.	<i>Allium porrum</i> (leek)					1	Md.
<i>Uromyces caryophyllinus</i>	<i>Dianthus</i> sp.	1	3				D. C.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)					3	N. Y.
<i>Vermicularia trichella</i>	<i>Hedera</i> sp. (ivy)						Pa.
<i>Verticillium</i> sp.	<i>Brassica rapa</i> (turnip)					1	S. C.
Do	<i>Tropaeolum speciosum</i> (vermilion nasturtium).		1				Pa.
<i>Volutella</i> sp.	<i>Delphinium</i> sp.	1					D. C.
ESTONIA							
Insects: <i>Sciara fenestralis</i> (Mycetophilidae).	<i>Solanum tuberosum</i>					1	Md.
FANNING ISLAND							
Insects: Tineid.	<i>Cocos nucifera</i> (coconut)					1	Hawaii.*
FIJI ISLANDS							
Insects:							
<i>Curculionid</i>	<i>Artocarpus incisa</i> (breadfruit)					2	Hawaii.*
<i>Euwallacea</i> sp. (Scolytidae)	do					1	Do.*
<i>Meracantha</i> sp. (Tenebrionidae)	<i>Dendrobium</i> sp. (orchid)	1					Do.*
FINLAND							
Insects:							
<i>Cecidomyiid</i>	<i>Lichen</i>	1					N. Y.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i> (turnip)		1				Do.
Diseases:							
<i>Anguillulina dipsaci</i>	<i>Solanum tuberosum</i>					1	Pa.
<i>Diplodia</i> sp.	<i>Pastinaca sativa</i> (parsnip)					1	N. Y.
<i>Lophodermium</i> sp.	<i>Pinus</i> sp. (pine)	1					Do.
<i>Sclerotinia</i> sp.	<i>Brassica rapa</i> (turnip)					1	La.
FRANCE							
Insects:							
<i>Acalypta parvula</i> (Tingitidae)	Rose cuttings and sphagnum moss.		1				D. C.
<i>Acrolepia assetella</i> (Plutellidae)	<i>Allium porrum</i> (leek)					1	N. Y.
Do	do					1	Pa.
<i>Aegeriid</i>	<i>Ulmus</i> sp. (elm)	1					Va.
<i>Agromyza</i> sp. (Agromyzidae)	<i>Brassica oleracea capitata</i>					1	N. Y.
Do	do					1	Pa.
<i>Agromyzid</i>	do					2	Do.
<i>Anisolabis moesta</i> (earwig)	<i>Lilium</i> sp.	2					N. Y.
<i>Anthomyiid</i>	<i>Brassica oleracea capitata</i>					1	Pa.
Do	<i>Ficus carica</i> (fig.)					1	N. Y.
<i>Anuraphis</i> sp. (aphid)	<i>Tragopogon porrifolius</i> (salsify)					1	Do.
<i>Aphis</i> sp. (aphid)	<i>Allium porrum</i> (leek)					1	Do.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued							
Insects—Continued.							
<i>Apion carduorum</i> (Curculionidae)	<i>Cynara scolymus</i> (globe artichoke)					1	N. Y.
<i>Aspidiotus ostreaeformis</i> (Coccidae)	<i>Syringa</i> sp.	1					D. C.
<i>Aspidiotus pyri</i> (Coccidae)	<i>Malus</i> sp.		1				Do.
<i>Athous villosus</i> (Elateridae)	<i>Ulmus</i> sp. (elm)	1					N. Y.
<i>Baris laticollis</i> (Curculionidae)	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Bruchidius lividimanus</i> (Bruchidae)	<i>Cytisus proliferus albus</i>		1				D. C.
<i>Bruchidius villosus</i> (Bruchidae)	<i>Laburnum vulgare</i>		1				Do.
<i>Bruchidius</i> sp. (Bruchidae)	<i>Cytisus</i> sp.		1				Do.
Do	<i>Trifolium alexandrinum</i> (Egyptian clover)		1				Do.
<i>Bruchus viciae</i> (Bruchidae)	<i>Lathyrus articulatus</i>		1				Do.
Cecidomyiid	<i>Hyacinthus</i> sp.	1					N. Y.
<i>Ceratitidis capitata</i> (Mediterranean fruit fly.)	<i>Citrus nobilis deliciosa</i> (tangerine)					1	Do.
<i>Ceroplastes</i> sp. (Coccidae)	<i>Citrus sinensis</i> (orange)		1				Do.
Do	<i>Citrus</i> sp.		1				Do.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Apium graveolens</i> (celery)					1	Pa.
Do	<i>Brassica rapa</i> (turnip)					4	N. Y.
Do	do					2	Pa.
Do	do					2	Tex.
Do	<i>Lactuca sativa</i> (lettuce)					1	N. Y.
<i>Chilo simplex</i> (Asiatic rice borer)	<i>Raphanus sativus</i> (radish)					1	Do.
Choropid	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae)	<i>Juglans</i> sp. (walnut)	1					Do.
Do	<i>Citrus sinensis</i> (orange)			1			Do.
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Citrus</i> sp.			2			Do.
<i>Contarinia torquens</i> (Cecidomyiidae)	<i>Citrus sinensis</i>		1				Do.
<i>Corymbites cinctus</i> (Elateridae)	<i>Brassica oleracea botrytis</i> (cauliflower)					1	Do.
Curculionid	<i>Pyrus communis</i> (pear)	1					Do.
<i>Cynips gallae-tinctoriae</i> (Cynipidae)	<i>Allium porrum</i> (leek)					1	Do.
<i>Dasyneura affinis</i> (Cecidomyiidae)	Gall		1				D. C.
<i>Desmometopa</i> sp. (Agromyzidae)	<i>Viola</i> sp.				1		Va.
Do	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Dryops auriculatus</i> (Dryopidae)	<i>Solanum tuberosum</i>				2		La.
<i>Etiella zinckenella</i> (lima bean pod borer)	<i>Ulmus</i> sp. (elm)	1					N. Y.
<i>Eumerus</i> sp. (Syrphidae)	<i>Spartium junceum</i> (weavers-broom)		1				D. C.
<i>Euxoa</i> sp. (Noctuidae)	<i>Lilium</i> sp.	4					Do.
<i>Forficula auricularia</i> (European earwig)	<i>Lactuca sativa</i>				1		Do.
<i>Forficula auricularia forcipata</i> (earwig)	<i>Lilium</i> sp.	1					Do.
<i>Frankliniella tenuicornis</i> (thrips)	do						Do.
<i>Hylemya</i> sp. (Anthomyiidae)	<i>Allium porrum</i> (leek)					1	Do.
Do	<i>Brassica rapa</i> (turnip)					10	Do.
Do	do					4	Pa.
Do	do					3	Tex.
<i>Hypera postica</i> (alfalfa weevil)	<i>Raphanus sativus</i> (radish)					4	N. Y.
<i>Lasius umbrata</i> (ant)	Rose scions and sphagnum moss		1				D. C.
<i>Laspeyresia splendana</i> (Olethreutidae)	<i>Fragaria</i> sp. (strawberry)		1				N. Y.
<i>Lilioceris lilii</i> (Chrysomelidae)	<i>Castanea</i> sp. (chestnut)			1			Do.
Lonchopterid	<i>Lilium</i> sp.	1					Do.
<i>Macrosiphum</i> sp. (aphid)	<i>Apium graveolens</i> (celery)					1	Do.
<i>Megasselia</i> sp. (Phoridae)	<i>Cichorium intybus</i> (witloof)					1	Do.
<i>Monanus concinnulus</i> (Cucujidae)	<i>Brassica oleracea capitata</i>					2	Pa.
<i>Monarthropalpus buxi</i> (boxwood leaf miner)	<i>Lilium</i> sp.	1					N. Y.
<i>Myzus primulae</i> (aphid)	Boxwood		1				Pa.
<i>Neosciara</i> sp. (Mycetophilidae)	<i>Primula</i> sp. (primrose)				1		N. Y.
Noctuid	<i>Cynara scolymus</i> (artichoke)					1	Pa.
Do	<i>Brassica oleracea botrytis</i> (cauliflower)					3	N. Y.
Do	<i>Cynara scolymus</i> (globe artichoke)					1	Do.
Do	<i>Lactuca sativa</i> (lettuce)					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued							
Insects—Continued.							
Ortalid	<i>Lilium</i> sp.	1					N. Y.
<i>Parlatoria oleae</i> (Coccidae)	<i>Prunus domestica</i> (plum)					1	Do.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus sinensis</i> (orange)					1	Calif.*
<i>Phelomerus germaini</i> (Bruchidae)	<i>Parkinsonia aculeata</i> (Jerusalem-thorn)		1				D. C.
Phycitinae (Pyralidae)	<i>Citrus sinensis</i>			1			N. Y.
<i>Phyllotreta atra</i> (Chrysomelidae)	<i>do</i>			1			Do.
<i>Phyllotreta cruciferae</i> (Chrysomelidae)	<i>Allium porrum</i> (leek)					1	Pa.
<i>Phyllotreta vittata sinuata</i> (Chrysomelidae)	<i>Brassica oleracea botrytis</i>					1	N. Y.
<i>Phyllotreta vittula</i> (Chrysomelidae)	<i>Brassica oleracea capitata</i>					1	Do.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea botrytis</i>					1	Do.
Do	<i>Brassica oleracea capitata</i>					1	Mass.
<i>Plutella maculipennis</i> (diamond-back moth)	<i>do</i>					1	Tex.
<i>Pnyxia scabiei</i> (potato scab gnat)	<i>Lilium</i> sp.	1					N. Y.
<i>Pseudococcus gahani</i> (citrophilus mealybug)	<i>Gunnera manicata</i>	1					D. C.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Citrus nobilis deliciosa</i> (tangerine)			1			N. Y.
Do	<i>Citrus sinensis</i> (orange)			1			Do.
<i>Psila rosae</i> (carrot rust fly)	<i>Daucus carota</i> (carrot)	1					Do.
<i>Psyllia buxi</i> (boxwood psyllid)	<i>Buxus</i> sp.		1				Pa.
<i>Psylliodes chrysocephala</i> (Chrysomelidae)	<i>Brassica rapa</i> (turnip)				6		N. Y.
Pterophorid	<i>Lactuca sativa</i> (lettuce)					1	Do.
<i>Pyratris</i> sp. (Pyralidae)	<i>Lilium</i> sp.	1					Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)				1		La.
Do	<i>do</i>				2		N. Y.
Do	<i>Lilium candidum</i> (Madonna lily)	1					Do.
Do	<i>Lilium</i> sp.	5					Do.
<i>Rhyncolus lignarius</i> (Curculionidae)	<i>Ulmus</i> sp. (elm)	1					Do.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Allium cepa</i> (onion)				1		Do.
Do	<i>do</i>				1		Pa.
Do	<i>Brassica oleracea capitata</i>				1		Tex.
Do	<i>Brassica rapa</i> (turnip)				1		N. Y.
Do	<i>Cichorium intybus</i> (witloof)				1		Do.
Do	<i>Lilium</i> sp.	1					Do.
Do	<i>Paeonia</i> sp. (peony)	1					Calif.*
Do	<i>Solanum tuberosum</i>				2		Pa.
Do	<i>Ulmus</i> sp. (elm)	1					N. Y.
<i>Scolytus multistriatus</i> (Scolytidae)	<i>do</i>	2					Md.
<i>Scolytus scolytus</i> (Scolytidae)	<i>do</i>	2					Do.
Do	<i>do</i>	1					N. Y.
Do	<i>do</i>	5					Va.
<i>Thrips</i> sp. (thrips)	<i>Brassica rapa</i> (turnip)					1	N. Y.
Tingitid	Rose cutting and sphagnum moss.		1				D. C.
Tortricid	<i>Citrus sinensis</i> (orange)			1			N. Y.
Do	<i>Cynara scolymus</i> (globe artichoke)					2	Do.
<i>Tribolium</i> sp. (Tenebrionidae)	<i>Spiraea</i> sp.		1				D. C.
<i>Trichocera</i> sp. (Tipulidae)	<i>Lactuca sativa</i> (lettuce)				2		N. Y.
Do	<i>Tragopogon porrifolius</i> (salsify)				1		Do.
<i>Tritogenaphis</i> sp. (aphid)	<i>Cichorium intybus</i> (witloof)				1		Do.
<i>Zabrotes subfasciatus</i> (Bruchidae)	Bean				1		La.
Diseases:							
<i>Albugo candida</i>	<i>Brassica oleracea botrytis</i> (cauliflower)					1	N. Y.
<i>Albugo tragopogonis</i>	<i>Tragopogon porrifolius</i> (salsify)					2	Do.
<i>Anguillulina dipsaci</i>	<i>Hyacinthus</i> sp.	1					Do.
Do	<i>Solanum tuberosum</i>				1		Ala.
<i>Anguillulina gallica</i>	<i>Ulmus</i> sp. (elm)	1					Md.
<i>Aphelenchoidea fragariae</i>	<i>Fragaria</i> sp.		1				D. C.
<i>Ascochyta heterophragmia</i>	<i>Camellia japonica</i> (camellia)	1					Do.
<i>Ascochyta pisi</i>	<i>Pisum sativum</i> (pea)					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued							
Diseases—Continued.							
<i>Bacterium maculicolum</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do	<i>Brassica oleracea capitata</i> —					1	Do.
Do	do					1	Pa.
Do	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	Do.
Do	<i>Brassica rapa</i> (turnip)...					1	N. Y.
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.	1					D. C.
<i>Botrytis cinerea</i>	<i>Cynara scolymus</i> (globe artichoke).					1	N. Y.
<i>Bremia lactucae</i>	<i>Lactuca sativa</i> (lettuce)					2	Do.
Do	<i>Lactuca sativa longifolia</i> (romaine lettuce).					1	Do.
<i>Capnodium citri</i>	<i>Citrus limonia</i> (lemon)					1	S. C.
<i>Ceratostomella ulmi</i>	<i>Ulmus</i> sp. (elm)	1					Md.
<i>Cladosporium fulvum</i>	<i>Lycopersicum esculentum</i>					1	N. Y.
<i>Colletotrichum circinans</i>	<i>Allium ascalonicum</i> (shallot)	1	1				Do.
<i>Colletotrichum graminicolum</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Colletotrichum nigrum</i>	<i>Capsicum annuum</i>					1	Do.
<i>Cumminsiella sanguinea</i>	<i>Berberis</i> sp.				1		Va.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)				1		Ala.
<i>Eurotium</i> sp.	<i>Lilium</i> sp.	1					N. Y.
<i>Helminthosporium allii</i>	<i>Allium sativum</i> (garlic)					1	Ala.
<i>Leptosphaeria heterospora</i>	<i>Iris</i> sp.		1				D. C.
Mosaic	<i>Euonymus</i> sp.				1		Wash.
<i>Mycosphaerella brassicicola</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					16	N. Y.
<i>Oidium</i> sp.	<i>Rosa</i> sp.			1			Do.
<i>Ophiobolus graminis</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Pestalozzia quepini</i>	<i>Comellia gordoni</i>	1					D. C.
<i>Pestalozzia</i> sp.	<i>Paeonia</i> sp. (peony)		1				Do.
<i>Phoma lingam</i>	<i>Brassica oleracea botrytis</i>					1	Pa.
<i>Phoma rostrupii</i>	<i>Daucus carota</i> (carrot)					1	Tex.
<i>Phyllosticta cynarae</i>	<i>Cynara scolymus</i> (globe artichoke).					2	N. Y.
<i>Phyllosticta pisi</i>	<i>Pisum sativum</i> (pea)					1	Do.
<i>Phyllosticta</i> sp.	<i>Viscum alba</i> (European mistletoe).		1				D. C.
<i>Puccinia allii</i>	<i>Allium porrum</i> (leek)					1	N. Y.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	6					Do.
<i>Puccinia hieracii</i>	<i>Cichorium intybus</i> (witloof)					5	Do.
<i>Puccinia</i> sp.	<i>Allium porrum</i> (leek)					1	Do.
Do	<i>Cichorium intybus</i> (witloof)					1	Do.
<i>Pythium</i> sp.	<i>Allium sativum</i> (garlic)					1	Do.
<i>Rhizoctonia</i> sp.	<i>Solanum tuberosum</i>					1	Calif.*
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					3	Ala.
Do	do					2	Tex.
<i>Sclerotinia</i> sp.	<i>Solanum tuberosum</i>					1	Ga.
Do	do					1	Tex.
<i>Sclerotium</i> sp.	<i>Tigridia conchiflora</i>		1				D. C.
Do	<i>Tragopogon porrifolius</i> (salsify)					1	La.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					2	N. Y.
Do	do					2	Pa.
<i>Sporonema camelliae</i>	<i>Camellia</i> sp.	1					D. C.
<i>Transchelia pruni-spinosae</i>	<i>Prunus</i> sp.					1	N. Y.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)				1		La.
Do	do				2	2	N. Y.
<i>Verticillium albo-atrum</i>	<i>Solanum tuberosum</i>					1	La.
GALAPAGOS ISLANDS							
Insects: <i>Pseudococcus galapagoensis</i> (Coccidae).	<i>Cereus thouarsii</i> (cactus)	1					Calif.*
GERMANY							
Insects:							
<i>Acrolepia assetella</i> (Plutellidae)	<i>Allium cepa</i> (onion)					1	Md.
<i>Agromyza</i> sp. (Agromyzidae)	<i>Brassica oleracea botrytis</i> (cauliflower)					1	N. Y.
Do	<i>Lactuca sativa</i> (lettuce)					1	Do.
Do	Soil around roots of leek					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Insects—Continued.							
Agromyzid.	<i>Brassica oleracea botrytis</i>					3	N. Y.
Do	<i>Brassica oleracea capitata</i>					1	Do.
Do	<i>Brassica oleracea caulo-rapa</i> (kohlrabi).					1	Do.
Do	<i>Chrysanthemum</i> sp.				1		Do.
Anthomyiid.	<i>Populus</i> sp.		1				Do.
<i>Anthonomus rectirostris</i> (Curculionidae).	<i>Prunus</i> sp. (cherry)	1					D. C.
<i>Anthrenus</i> sp. (Dermestidae).	<i>Sophora japonica</i> (Chinese scholartree).		1				Do.
<i>Aspidiotus</i> sp. (Coccidae).	<i>Malus sylvestris</i> (apple)		1				Fla.*
Do	do		2				N. Y.
<i>Asterolecanium variolosum</i> (Coccidae).	<i>Quercus argentata</i>	1					D. C.
<i>Asterolecanium</i> sp. (Coccidae).	<i>Quercus</i> sp. (oak)		1				Fla.*
<i>Blastodacna</i> sp. (Cosmopterygidae).	<i>Malus sylvestris</i>			1			N. Y.
<i>Bruchidius villosus</i> (Bruchidae).	<i>Spartium junceum</i> (weavers-broom).		1				D. C.
Cecidomyiid.	<i>Radicula armoracia</i> (horse-radish).					1	Mass.
<i>Ceutorhynchus</i> sp. (Curculionidae).	<i>Brassica oleracea capitata</i>					1	Pa.
Do	<i>Brassica rapa</i> (turnip)					5	N. Y.
Do	<i>Daucus carota</i> (carrot)					1	Tex.
<i>Chaetocnema concinna</i> (Chrysomelidae).	<i>Petunia</i> sp.				1		N. Y.
Chloropid.	<i>Solanum tuberosum</i>					1	Tex.
<i>Coleophora</i> sp. (Haploptiliidae).	<i>Salix</i> sp. (willow)		1				N. Y.
<i>Crematogaster</i> sp. (ant).	<i>Brassica oleracea botrytis</i>					1	Do.
<i>Curculio</i> sp. (Curculionidae).	<i>Quercus</i> sp. (acorn)		2				Pa.
<i>Desmometopa</i> sp. (Agromyzidae).	<i>Allium cepa</i> (onion)					1	Ala.
Do	<i>Solanum tuberosum</i>					1	La.
<i>Diaspis carueli</i> (Coccoidea).	<i>Juniperus pseudosabina</i> (juniper).	1					D. C.
<i>Ernobius abietis</i> (Anobiidae).	<i>Pinus</i> sp. (pine)			2			N. Y.
Geometrid.	<i>Salix</i> sp. (willow)		1				Do.
<i>Hylemyia brassicae</i> (cabbage maggot).	<i>Brassica caulo-rapa</i> (kohlrabi)					1	Fla.*
Do	<i>Brassica oleracea capitata</i>					1	Do.*
Do	<i>Raphanus sativus</i> (radish)					1	N. Y.
<i>Hylemyia</i> sp. (Anthomyiidae).	<i>Allium porrum</i> (leek)					1	Do.
Do	<i>Brassica campestris</i> (rutabaga)					1	Pa.
Do	<i>Brassica oleracea capitata</i>					1	Mass.
Do	do					1	N. Y.
Do	<i>Brassica rapa</i> (turnip)		1			4	Do.
Do	do					1	Pa.
Do	<i>Raphanus sativus</i> (radish)					7	N. Y.
Do	<i>Allium porrum</i> (leek)					1	Do.
<i>Illinoia</i> sp. (aphid).	<i>Inula</i> sp.				1		Pa.
<i>Johannsenomyia polita</i> (Ceratopogonidae).	<i>Populus</i> sp.			1			N. Y.
Lamiinae (Cerambycidae).	<i>Castanea</i> sp. (chestnut)		1				Do.
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Picea</i> sp. (spruce)		1				Do.
<i>Laspeyresia strobilella</i> (Olethreutidae).	<i>Abies</i> sp. (fir)			1			Fla.*
<i>Lepidosaphes</i> sp. (Coccidae).	<i>Pinus</i> sp. (pine)		1				N. Y.
<i>Leucaspis</i> sp. (Coccidae).	<i>Lactuca sativa longifolia</i> (romaine lettuce).					1	Do.
<i>Macrosiphum kaltenbachii</i> (aphid).	<i>Chrysanthemum</i> sp.				1		Do.
<i>Macrosiphum</i> sp. (aphid).	<i>Rosa</i> sp.			1			Do.
Do	<i>Chrysanthemum</i> sp.				1		Do.
<i>Napomyza chrysanthemi</i> (chrysanthemum leaf miner).	In soil around chrysanthemum roots.				1		Md.
<i>Neosciara</i> sp. (Mycetophilidae).	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Noctuid.	<i>Brassica oleracea capitata</i>					1	Md.
Do	do					1	N. Y.
Do	<i>Salix</i> sp. (willow)		1				Do.
Olethreutid.	<i>Fraxinus</i> sp. (ash)		1				Do.
Do	<i>Prunus</i> sp. (cherry)	1					D. C.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Insects—Continued.							
Phycitinae (Pyralidae)	<i>Fagus</i> sp. (beech)	1					Calif.*
<i>Phyllotreta undulata</i> (Chrysomelidae)	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Phyllotreta</i> sp. (Chrysomelidae)	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
Do	<i>Brassica oleracea capitata</i>					1	Do.
<i>Phytomyza</i> sp. (Agromyzidae)	<i>Chrysanthemum</i> sp				2		Do.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea botrytis</i>					3	Do.
Do	<i>Brassica oleracea capitata</i>					2	Do.
<i>Plutella maculipennis</i> (diamond-back moth).	<i>Brassica oleracea botrytis</i>					3	Do.
<i>Pseudococcus</i> sp. (Coccidae)	Cactus	1					D. C.
Do	do					1	N. Y.
Do	<i>Zygocactus</i> spp	1					D. C.
<i>Psiia rosae</i> (carrot rust fly)	<i>Petroselinum hortense</i> (parsley)					1	Pa.
<i>Pyraustinae</i> (Pyralidae)	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Tex.
Do	<i>Iris</i> sp	1					Mass.
Do	<i>Paeonia</i> sp. (peony)		1				N. Y.
Do	<i>Solanum tuberosum</i>					1	La.
Do	do					3	N. Y.
Do	do					1	Pa.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Allium cepa</i> (onion)					1	Do.
Do	<i>Brassica rapa</i> (turnip)					1	La.
Do	do					1	N. Y.
Do	<i>Chrysanthemum</i> sp				1		Do.
Do	Orchid	1					Do.
Do	<i>Raphanus sativus</i> (radish)					1	Do.
Do	<i>Solanum tuberosum</i>		1				Do.
<i>Taeniothrips ericae</i> (thrips)	<i>Calluna vulgaris</i> (heather)	2					Pa.
<i>Tetranychus</i> sp. (mite)	<i>Abies</i> sp. (fir)	1					Fla.*
Do	<i>Opuntia microdasys albida</i> (cactus).	1					D. C.
<i>Thrips tabaci atricornis</i> (thrips)	<i>Allium porrum</i> (leek)					1	N. Y.
<i>Thrips tabaci pullus</i> (thrips)	do					1	Do.
<i>Tinea cloacella</i> (Tineidae)	<i>Pyrus communis</i> (pear)	1					Do.
Tipulid	In soil around chrysanthemum			1			Md.
Do	<i>Radicula armoracia</i> (horseradish).	1					N. Y.
<i>Trichocera</i> sp. (Tipulidae)	<i>Cichorium intybus</i> (witloof)					1	Do.
Do	<i>Petroselinum hortense</i> (parsley)					1	Pa.
Do	<i>Radicula armoracia</i> (horseradish).	1					N. Y.
<i>Trypanea</i> sp. (Tryptidae)	<i>Inula</i> sp		1				Pa.
Diseases;							
<i>Alternaria brassicæ</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do	<i>Brassica oleracea capitata</i>						Pa.
Do	<i>Brassica rapa</i> (turnip)					1	S. C.
<i>Alternaria herculea</i>	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Anguillulina dipsaci</i>	<i>Allium cepa</i>					1	Tex.
Do	<i>Begonia</i> sp		1				Pa.
Do	<i>Convallaria majalis</i> (lily-of-the-valley).	12					N. Y.
Do	<i>Solanum tuberosum</i>					1	Ala.
Do	do					1	N. Y.
Do	do					3	Pa.
Do	do					4	Tex.
<i>Anguillulina pratensis</i>	<i>Convallaria majalis</i> (lily-of-the-valley).	9					N. Y.
<i>Aphelenchoides parietinus</i>	do	8					Do.
Do	<i>Daucus carota</i> (carrot)					1	Tex.
Do	<i>Solanum tuberosum</i>					1	Pa.
<i>Aphelenchus avenae</i>	<i>Convallaria majalis</i>	2					N. Y.
<i>Ascochyta</i> sp	<i>Mahonia</i> sp		1				Do.
<i>Bacillus</i> sp	<i>Phaseolus</i> sp. (string bean)					1	Do.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea botrytis</i>					1	Do.
Do	<i>Brassica oleracea caulo-rapa</i> (kohlrabi).					1	Do.
Do	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	Do.
Do	<i>Brassica rapa</i> (turnip)					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Diseases—Continued.							
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.		1				N. Y.
<i>Botrytis cinerea</i>	<i>Phaseolus</i> sp. (string bean)				1		Fla.*
Do	do				1		N. Y.
Do							Mich.
<i>Bremia lactucae</i>	<i>Rosa</i> sp.	1					N. Y.
<i>Capnodium</i> sp.	<i>Lactuca sativa</i> (lettuce)				1		Pa.
<i>Colletotrichum omnivorum</i>	<i>Sorbus</i> sp.	1					N. Y.
<i>Colletotrichum</i> sp.	<i>Aspidistra</i> sp.				1		Do.
<i>Cumminsiella sanguinea</i>	<i>Piper</i> sp.				1		Wash.
Do	<i>Berberis</i> sp. (barberry)	1					N. Y.
<i>Cytospora</i> sp.	<i>Mahonia</i> sp.	2					Do.
<i>Discella carbonacea</i>	<i>Salix</i> sp. (willow)	1					Pa.
<i>Discosia artocreas</i>	<i>Salix discolor</i> (pussy willow)	1					D. C.
<i>Erysiphe graminis</i>	<i>Rosa</i> sp.	1					Do.
<i>Eurotium</i> sp.	<i>Triticum aestivum</i> (wheat)	1					N. Y.
<i>Gloeodes pomigena</i>	<i>Mahonia</i> sp.	1					Do.
<i>Herpotricha</i> sp.	<i>Malus sylvestris</i> (apple)		1				Fla.*
<i>Leptosphaeria heterospora</i>	<i>Abies</i> sp.	1					D. C.
<i>Leptothyrium domi</i>	<i>Iris</i> sp.	1					N. Y.
<i>Mycosphaerella brassicicola</i>	<i>Malus sylvestris</i>		2		1		Do.
<i>Oidium</i> sp.	<i>Brassica oleracea botrytis</i> (cauliflower)				6		Tex.
<i>Oospora</i> sp.	<i>Chrysanthemum</i> sp.			1			Md.
<i>Penicillium gladioli</i>	<i>Daucus carota</i> (carrot)				1		Mich.
Do	<i>Gladiolus</i> sp.	1					N. Y.
<i>Phoma destructiva</i>	do	1					Do.
<i>Phoma lingam</i>	<i>Capsicum annuum</i>	1					La.
Do	<i>Brassica oleracea botrytis</i>				1		D. C.
<i>Phoma</i> sp.	<i>Brassica oleracea capitata</i>				1		Do.
Do	<i>Diervilla</i> sp.	1					Do.
Do	<i>Fraxinus ornus</i>		1				Do.
Do	<i>Lonicera</i> sp.	1					Do.
Do	<i>Rosa</i> sp.		1				Do.
<i>Puccinia chrysanthemi</i>	<i>Salvia officinalis</i> (sage)				1		N. Y.
<i>Puccinia graminis</i>	<i>Chrysanthemum</i> sp.				1		Do.
Do	<i>Secale cereale</i> (rye)	1					Do.
Do	do					1	Wash.
<i>Puccinia menthae</i>	<i>Triticum aestivum</i> (wheat)	1					Ill.
<i>Puccinia porri</i>	do	1					La.
<i>Puccinia</i> sp.	<i>Allium sativum</i> (garlic)	1					N. Y.
<i>Pythium hydnosporum</i>	<i>Secale cereale</i> (rye)				1		Pa.
<i>Pythium</i> sp.	<i>Dianthus</i> sp.			1			N. Y.
<i>Ramularia</i> sp.	<i>Brassica oleracea capitata</i>				1		Pa.
<i>Rhizoctonia</i> sp.	<i>Begonia</i> sp.				1		Do.
Do	<i>Brassica rapa</i> (turnip)				1		La.
Do	<i>Daucus carota</i> (carrot)				1		Pa.
<i>Sclerotinia fructigena</i>	<i>Solanum tuberosum</i>				1		Calif.*
<i>Sclerotinia sclerotiorum</i>	<i>Prunus domestica</i> (plum)			1			N. Y.
Do	<i>Apium graveolens rapaceum</i> (celeriac)				1		Pa.
Do	<i>Daucus carota</i> (carrot)				2		La.
Do	do				1		Ga.
Do	do				2		La.
Do	do				1		Md.
Do	do				2		N. Y.
Do	do				3		Pa.
Do	do				1		S. C.
Do	<i>Petroselinum hortense</i> (parsley)				1		Ala.
<i>Sclerotinia</i> sp.	<i>Beta vulgaris</i> (beet)				1		Pa.
Do	<i>Petroselinum hortense</i>				1		Ala.
Do	do				1		Pa.
Do	<i>Solanum tuberosum</i>				1		Ala.
<i>Sclerotium</i> sp.	<i>Brassica rapa</i> (turnip)				1		N. Y.
Do	<i>Phaseolus</i> sp. (string bean)				1		Do.
<i>Septoria chrysanthemella</i>	<i>Chrysanthemum</i> sp.				1		Do.
<i>Septoria gladioli</i>	<i>Gladiolus</i> sp.	1					Pa.
Do	do	1					Wash.
<i>Septoria petroselini</i>	<i>Apium graveolens</i> (celery)				1		N. Y.
<i>Septoria</i> sp.	<i>Dianthus</i> sp. (carnation)				1		Do.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Diseases—Continued.							
<i>Sphaeropsis malorum</i>	<i>Rosa</i> sp.		1				Pa.
<i>Uromyces appendiculatus</i>	<i>Phaseolus</i> sp. (string bean)					1	N. Y.
<i>Uromyces caryophyllinus</i>	<i>Dianthus</i> sp. (carnation)		1				Pa.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)		1				Mich.
Do	do			12		7	N. Y.
<i>Vermicularia varians</i>	<i>Solanum tuberosum</i>					1	La.
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.	2	2				D. C.
GOLD COAST							
Insects: <i>Corcyra cephalonica</i> (Pyralidae).	<i>Theobroma cacao</i> (cacao)		1				Calif.*
GRAND CAYMAN							
Insects:							
<i>Aspidiotus destructor</i> (Coccidae)	<i>Musa</i> sp. (banana)		1				Fla.*
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Codiaeum</i> sp. (croton)					1	Do.*
GREAT BRITAIN							
Insects:							
<i>Ceutorhynchus ericae</i> (Curculionidae).	<i>Calluna vulgaris</i> (heather)		1				Pa.
Chloropid	do			1			Do.
<i>Coleophora</i> sp. (Haploptiliidae)	do			1			Do.
Noctuid	do			2			Do.
<i>Taeniothrips ericae</i> (thrips)	do			8			Do.
<i>Thrips flavus</i> (thrips)	do			1			Do.
<i>Ulopa reticulata</i> (Cicadellidae)	do			1			Do.
GREECE							
Insects:							
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Ceratonia siliqua</i> (St. Johns-bread)	1					N. Y.
<i>Bruchidius halodendri</i> (Bruchidae)	<i>Glycyrrhiza glabra</i> (licorice)	1					Pa.
<i>Camponotus</i> sp. (ant)	<i>Cactus</i>			1			N. Y.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Cydonia oblonga</i> (quince)			1			Do.
Do	<i>Malus sylvestris</i> (apple)					1	Do.
Do	<i>Opuntia compressa</i> (prickly-pear)			1			Do.
<i>Crematogaster</i> sp. (ant)	<i>Cydonia oblonga</i> (quince)					1	Do.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)			1			Do.
Do	<i>Quercus</i> sp.		1				D. C.
<i>Dacus oleae</i> (olive fruit fly)	<i>Olea europaea</i> (olive)					1	Md.
<i>Myelois</i> sp. (Pyralidae)	<i>Cydonia oblonga</i> (quince)			1			N. Y.
Do	<i>Malus sylvestris</i> (apple)					1	Do.
Do	<i>Punica granatum</i> (pomegranate)			1			Do.
Olethreutid	<i>Citrus grandis</i> (grapefruit)					1	Do.
<i>Orycarealus hyalinipennis</i> (Lygaeidae).	<i>Gossypium</i> sp. (cottonseed)		1				D. C.
<i>Parlatoria oleae</i> (Coccidae)	<i>Malus sylvestris</i>					1	N. Y.
Do	<i>Pyrus communis</i> (pear)			1			Do.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus sinensis</i> (orange)					1	Do.
<i>Pectinophora gossypiella</i> (pink bollworm).	<i>Gossypium</i> sp. (seed cotton)		1				D. C.
<i>Phycitinae</i> (Pyralidae)	<i>Punica granatum</i> (pomegranate)				1		N. Y.
Do	<i>Vitis</i> sp. (grape)		1				Calif.*
<i>Sciara</i> sp. (Mycetophilidae)	<i>Dianthus</i> sp. (carnation)			1			N. Y.
Diseases:							
<i>Aphelenchoides parietinus</i>	<i>Solanum tuberosum</i>					1	Mass.
<i>Bacterium savastanoi</i>	<i>Olea europaea</i> (olive)					1	Pa.
<i>Colletotrichum circinans</i>	<i>Allium cepa</i> (onion)	7				1	N. Y.
<i>Eurotium</i> sp.	do	1					Do.
Do	<i>Pistacia lentiscus</i> (lentisk)			1			Do.
Do	<i>Punica granatum</i> (pomegranate)			1			Do.
<i>Gloeodes pomigena</i>	<i>Malus sylvestris</i> (apple)					1	Mass.
<i>Phoma</i> sp.	<i>Vitis</i> sp. (grape)			1			N. Y.
<i>Puccinia</i> sp.	<i>Allium sativum</i> (garlic)					1	Pa.
<i>Sclerotium cepivorum</i>	<i>Allium cepa</i> (onion)	1					N. Y.
<i>Sclerotium</i> sp.	do	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GREECE—Continued							
Diseases—Continued.							
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					1	N. Y.
<i>Uromyces glycyrrhizae</i>	<i>Glycyrrhiza glabra</i> (licorice)	1					Pa.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)			1			N. Y.
GRENADA							
Insects:							
<i>Callosobruchus phaseoli</i> (Bruchidae).	<i>Dolichos lablab</i> (hyacinth-bean)		1				N. Y.
<i>Hemichionaspis minor strachani</i> (Coccidae).	<i>Citrus aurantifolia</i> (lime)	1					Do.
Do	Palm				1		Pa.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i>	3					N. Y.
Scolytid.....	<i>Sabal glaucescens</i>			1			D. C.
Diseases: <i>Diplodia cacaoicola</i>	<i>Citrus aurantifolia</i>	1					N. Y.
GUATEMALA							
Insects:							
<i>Acanthocerus</i> sp. (Scarabaeidae).....	Banana debris	1					S. C.
<i>Adraneothrips</i> sp. (thrips).....	do	1					Pa.
<i>Aeolus pulchellus</i> (Elateridae).....	do	1					Ala.
<i>Alphitobius</i> sp. (Tenebrionidae).....	<i>Zea mays</i> (corn)		1				La.
<i>Anastrepha</i> sp. (Tryptidae).....	<i>Lucuma</i> sp. (sapote)	1					Calif.*
Do	Sapote			1			La.
<i>Anaxipha pulicaria vittata</i> (Gryllidae).....	Banana debris	1					Tex.
<i>Anaxipha</i> sp. (Gryllidae).....	do	1					Pa.
<i>Anochetus emarginatus</i> var. (ant).....	<i>Musa</i> sp. (banana)	1					S. C.
<i>Anochetus</i> sp. (ant).....	Banana debris	1					Tex.
Arctiid.....	do	1					La.
Do	do	1					Tex.
<i>Aspidiotus palmae</i> (Coccidae).....	<i>Musa</i> sp. (banana)	3					Md.
Do	do	1					S. C.
<i>Asterolecanium pustulans</i> (Coccoidea).....	<i>Rhipsalis</i> sp.			1			Calif.*
<i>Atherigona</i> sp. (Anthomyiidae).....	<i>Musa</i> sp. (banana)	1					Pa.
Buprestid.....	<i>Guaiacum officinale</i> (lignum-vitae)	1					Calif.*
<i>Calendra</i> sp. (Curculionidae).....	Banana debris	1					S. C.
<i>Camponotus angulatus</i> (ant).....	do	1					Md.
Do	do	2					Pa.
Do	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	5					Do.
<i>Camponotus sericeiventris rex</i> (ant).....	Banana debris	1					N. Y.
<i>Camponotus</i> sp. (ant).....	do	1					Ala.
Do	do	12					Md.
Do	do	13					N. Y.
Do	do	15					Pa.
Do	do	14					S. C.
Do	<i>Musa</i> sp. (banana)	2					Tex.
Do	do	3					Md.
Do	do	2					N. Y.
Do	do	14					Pa.
Do	do	1					S. C.
Do	do	1					Tex.
Do	Orchid	1					D. C.
<i>Capaneus odiosus</i> (Coreidae).....	Banana debris	1					Ala.
Do	do	1					Md.
Do	do	1					S. C.
<i>Capaneus vates</i> (Coreidae).....	do	1					Pa.
<i>Cenchrea</i> sp. (Fulgoridae).....	do	1					Md.
<i>Cephaloleia puncticollis</i> (Chrysomelidae).....	do	1					Ala.
Do	do	1					La.
<i>Ceramidia musicola</i> (Syntomidae).....	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	2					Ala.
Do	do	1					Tex.
<i>Ceramidia viridis</i> (Syntomidae).....	Banana debris	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					Ala.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter- ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Insects—Continued.							
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	5					Ala.
Do	do	4					La.
Do	do	1					N. Y.
Do	do	2					Pa.
Do	do	2					S. C.
Do	do	15					Tex.
Do	<i>Musa</i> sp. (banana)	6					Ala.
Do	do	2					Pa.
Do	do	1					S. C.
Do	do	1					Tex.
<i>Chaetopsis</i> sp. (Ortalidae)	Banana debris	1					Md.
<i>Chloropid</i>	do	1					Do.
Do	do	1					N. Y.
Do	do	1					Pa.
<i>Chrysauginae</i> (Pyralidae)	do	1					Do.
<i>Chrysomphalus alienus</i> (Coccidae)	Orchid		2				Calif.*
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Philodendron</i> sp.	1					Hawaii.*
<i>Cocconotus</i> sp. (Tettigoniidae)	Banana debris	1					Tex.
<i>Conotrachelus</i> sp. (Curculionidae)	<i>Persea americana</i> (avocado)	1					S. C.
<i>Crematogaster brevispinosa</i> var.	Banana debris			1			Pa.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Crematogaster</i> sp. (ant)	Banana debris	1					Md.
Do	do	2					N. Y.
Do	do	1					Tex.
Do	<i>Guaiacum officinale</i> (lignum-vitae)	1					Calif.*
Do	<i>Musa</i> sp. (banana)	1					Pa.
Do	do	7					S. C.
<i>Cryptarcha</i> sp. (Nitidulidae)	Banana debris	1					Ala.
<i>Ctenochira infantula</i> (Chrysomelidae)	do	1					Md.
Cucujid	<i>Guaiacum officinale</i> (lignum-vitae)	1					Calif.*
<i>Diabrotica tibialis</i> (Chrysomelidae)	Banana debris	1					Md.
<i>Dinex americana</i> (earwig)	do	1					S. C.
<i>Disonycha dorsata</i> (Chrysomelidae)	do	1					Tex.
<i>Dolichoderus bispinosus</i> (ant)	do	1					N. Y.
Do	do	1					S. C.
<i>Dolichoderus debilis</i> (ant)	do	1					Pa.
Do	do	1					Tex.
<i>Dolichoderus</i> sp. (ant)	do	1					Md.
Do	do	1					N. Y.
<i>Doliema plana</i> (Tenebrionidae)	<i>Guaiacum officinale</i> (lignum-vitae)	1					Calif.*
<i>Epilachna borealis discincta</i> (Coccinellidae)	Banana debris	1					Tex.
<i>Epipaschiinae</i> (Pyralidae)	do	1					La.
<i>Erana dispar</i> (Cerambycidae)	do	1					Ala.
<i>Euxesta</i> sp. (Ortalidae)	<i>Cucurbita pepo</i> var. (tropical cucurbit)		1				Calif.*
<i>Faula pilatei</i> (Scarabaeidae)	Banana debris	1					Ala.
<i>Galgupha punctifer</i> (Cydnidae)	do	3					Do.
Do	do	1					Md.
Do	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Genuchinus</i> sp. (Scarabaeidae)	Banana debris	1					Md.
Geometrid	do	1					N. Y.
<i>Gnorimoschema</i> sp. (Gelechiidae)	<i>Physalis</i> sp. (ground-cherry)		1				La.
<i>Hapithus</i> sp. (Gryllidae)	Banana debris	1					Ala.
<i>Homophoeta</i> sp. (Chrysomelidae)	do	1					Pa.
<i>Hydnocera</i> sp. (Cleridae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Hypothenemus</i> sp. (Scolytidae)	do	1					Do.
<i>Idiocerus</i> sp. (Cicadellidae)	Banana debris	1					Tex.
<i>Iridomyrmex</i> sp. (ant)	do	2					Pa.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Labia arcuata</i> (earwig)	Banana debris	1					Tex.
<i>Labia curvicauda</i> (earwig)	do	1					Do.
<i>Lapethus sharpi</i> (Murmidiidae)	<i>Tabebuia donnell-smithii</i> (pri- mavera)	1					La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Insects—Continued.							
<i>Lema</i> sp. (Chrysomelidae)	Banana debris	1					Ala.
<i>Lobiopa</i> sp. (Nitidulidae)	do	1					Tex.
<i>Lorelus trapeziderus</i> (Tenebrionidae).	do	1					Ala.
Do	do	1					S. C.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					Md.
Do	do	3					S. C.
<i>Lorelus</i> sp. (Tenebrionidae)	Banana debris	1					La.
Do	do	1					Pa.
Lygaeid	do	1					N. Y.
<i>Madarellus</i> sp. (Curculionidae)	do	1					Ala.
<i>Malacosoma encausticum</i> (Chrysomelidae).	do	1					Do.
<i>Mecistorhinus melanoleucus</i> (Pentatomidae).	<i>Musa</i> sp. (banana)	1					S. C.
<i>Mecistorhinus tripterus</i> (Pentatomidae).	Banana debris	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					Ala.
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	9					Do.
Do	do	2					La.
Do	do	4					Md.
Do	do	1					N. Y.
Do	do	2					Pa.
Do	do	2					S. C.
Do	do	3					Tex.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	1					Md.
Do	do	3					Pa.
<i>Metamasius sericeus carbonarius</i> (Curculionidae).	do	1					Do.
Do	do	1					S. C.
Do	do	1					Tex.
<i>Monanthia monotropidia</i> (Tingidae).	Banana debris	1					Md.
Do	do	2					Pa.
Do	<i>Musa</i> sp. (banana)	4					Do.
<i>Monanus concinnulus</i> (Cucujidae)	Banana debris	1					Md.
Do	do	1					Pa.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					Pa.
<i>Monomorium carbonarium</i> var. (ant)	do	1					S. C.
<i>Monomorium</i> sp. (ant)	In packing around orchids		1				Calif.*
Do	<i>Lycaste gigantea</i> (orchid)		1				Do.*
<i>Mordellistena</i> sp. (Mordellidae)	<i>Cattleya skinneri</i> (orchid)		1				Do.*
<i>Myochrous</i> sp. (Chrysomelidae)	Banana debris	1					Pa.
<i>Neoconocephalus</i> sp. (Tettigoniidae)	<i>Musa</i> sp. (banana)	1					S. C.
<i>Neoponera</i> sp. (ant)	Banana debris	1					Md.
Do	do	1					N. Y.
Do	do	4					Pa.
Do	do	1					S. C.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
Do	do	5					S. C.
<i>Neosciara coprophila</i> (Mycetophiliidae).	Banana debris	1					Pa.
Noctuid	do	2					Md.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Nymphalid	Banana debris	1					Pa.
<i>Ogdoecosta</i> sp. (Chrysomelidae)	do	2					S. C.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Pachycondyla</i> sp. (ant)	do	1					Do.
<i>Pangaeus rugifrons</i> (Cydnidae)	Banana debris	1					Tex.
<i>Parallelodiplosis cattleyae</i> (cattleya midge).	Orchid		1				D. C.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Insects—Continued.							
<i>Paratenetus</i> sp. (Tenebrionidae)	Banana debris	6					
Do	do	1					Ala.
Do	do	3					Md.
Do	do	1					N. Y.
Do	do	4					Pa.
Do	<i>Musa</i> sp. (banana)	1					Tex.
Do	do	7					N. Y.
Do	do	1					Pa.
Do	do	1					S. C.
<i>Paroecanthus mexicanus</i> (Gryllidae).	Banana debris	1					Md.
<i>Pheidole anastassii</i> (ant)	do	1					N. Y.
Do	do	2					Pa.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	do	1					S. C.
<i>Pheidole</i> sp. (ant)	Banana debris	1					Ala.
Do	do	2					Md.
Do	do	4					N. Y.
Do	do	5					Pa.
Do	do	1					S. C.
Do	Cactus			1			Calif.*
Do	<i>Musa</i> sp. (banana)	2					S. C.
Do	Orchid			1			Calif.*
Do	<i>Philodendron</i> sp.		1				Hawaii.*
<i>Phelypera distigma</i> (Curculionidae)	Banana debris	1					Ala.
<i>Phycitinae</i> (Pyralidae)	<i>Musa</i> sp. (banana)	1					Md.
<i>Physonota gigantea</i> (Chrysomelidae).	do	1					S. C.
<i>Platynota rostrana</i> (Tortricidae)	Banana debris	1					Md.
<i>Platynota</i> sp. (Tortricidae)	do	1					Ala.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	do	1					Pa.
<i>Platypus rugulosus</i> (Platypodidae)	<i>Guaiacum officinale</i> (lignum-vitae).	1					Calif.*
<i>Prenolepis</i> sp. (ant)	Banana debris	2					N. Y.
Do	<i>Musa</i> sp. (banana)	2					Pa.
Do	do	2					S. C.
<i>Prodenia ornithogalli</i> (yellow-striped armyworm).	Banana debris	1					Ala.
<i>Psalis americana</i> (earwig)	<i>Citrus grandis</i> (grapefruit)	1					La.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus nobilis deliciosa</i> (tangerine).			1			Calif.*
Do	<i>Mangifera indica</i> (mango)				1		Md.
<i>Pseudococcus virgatus</i> (Coccidae)	Cactus			1			Calif.*
<i>Pseudomyrma</i> sp. (ant)	Banana debris	1					Md.
Do	do	2					Tex.
<i>Psychid</i>	do	8					Ala.
Do	do	3					La.
Do	do	6					Md.
Do	do	3					N. Y.
Do	do	10					Pa.
Do	do	3					S. C.
Do	do	2					Tex.
Do	<i>Musa</i> sp. (banana)	13					Ala.
Do	do	2					Md.
Do	do	3					N. Y.
Do	do	9					Pa.
Do	do	2					S. C.
<i>Pulvinaria</i> sp. (Coccidae)	<i>Cereus</i> sp. (cactus)			1			Calif.*
Do	<i>Rhipsalis</i> sp.			1			Do.*
<i>Pyralid</i>	Banana debris	1					Pa.
Do	do	1					Ala.
<i>Rhizoglyphus</i> sp. (mite)	<i>Epidendrum radicans</i> (orchid)		1				Hawaii.*
<i>Rhynchosciara</i> sp. (Mycetophilidae).	Banana debris	1					Md.
<i>Saissetia</i> sp. (Coccidae)	Orchid			1			Calif.*
<i>Sciara</i> sp. (Mycetophilidae)	Banana debris	1					Pa.
<i>Silvanus vulgaris</i> (Cucujidae)	do	1					Md.
<i>Sitophagus</i> sp. (Tenebrionidae)	<i>Tabebuia donnell-smithii</i> (primavera).	1					La.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)			1			Md.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUATEMALA—Continued							
Insects—Continued.							
<i>Solenopsis</i> sp. (ant)	<i>Musa</i> sp. (banana)	2					S. C.
<i>Statira unidentata</i> (Lagriidae)	Banana debris	1					Md.
<i>Statira</i> sp. (Lagriidae)	do	1					Do.
Do	<i>Musa</i> sp. (banana)	1					Pa.
<i>Steatoderini</i> (Elateridae)	<i>Begonia</i> sp.		1				Hawaii.*
<i>Stelidota</i> sp. (Nitidulidae)	<i>Cucurbita pepo</i> var. (tropical cucurbit).			1			Calif.*
Stenomid	Orchid	1					D. C.
<i>Stephanodores brasiliensis</i> (Scolytidae)	Banana debris	1					Pa.
<i>Stephanoderes guatemalensis</i> (Scolytidae)	do		1				Do.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Syntomid	Banana debris	1					Do.
Do	do	1					Tex.
<i>Tapinoma</i> sp. (ant)	do	1					Md.
Do	<i>Musa</i> sp. (banana)	3					S. C.
<i>Telephanus brontoides</i> (Cucujidae)	Banana debris	2					Ala.
Do	do	2					Md.
Do	<i>Musa</i> sp. (banana)	1					Pa.
<i>Telephanus setulosus</i> (Cucujidae)	Banana debris	4					Ala.
Do	do	2					La.
Do	do	10					Md.
Do	do	4					N. Y.
Do	do	11					Pa.
Do	do	3					S. C.
Do	do	11					Tex.
Do	<i>Musa</i> sp. (banana)	13					S. C.
Do	do	4					Pa.
<i>Telephanus</i> sp. (Cucujidae)	Banana debris	1					Do.
Do	do	1					S. C.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Tetramorium</i> sp. (ant)	<i>Laelia rubescens</i> (orchid)		1				Hawaii.*
<i>Tettigidea chichimeca</i> (Tetrigidae)	Banana debris	1					S. C.
<i>Tinea</i> sp. (Tineidae)	do	1					La.
Tineid	<i>Musa</i> sp. (banana)	1					S. C.
Tortricid	Banana debris	2					Pa.
<i>Typhthomimus rufostestaceus</i> (Curculionidae)	do	1					N. Y.
Do	do	1					S. C.
<i>Wasmannia auropunctata</i> (ant)	do	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Xyleborus affinus</i> (Scolytidae)	Banana debris	1					Md.
<i>Xyleborus confusus</i> (Scolytidae)	<i>Musa</i> sp. (banana)	1					Do.
Diseases:	Miscellaneous leaves	1					Pa.
Dothideaceae	do	1					Md.
Erinose	do	2					Pa.
Do	do	1					Md.
<i>Gloeosporium</i> sp.	do	2	1				D. C.
Do	Orchid						
<i>Oospora citri-aurantii</i>	<i>Citrus aurantifolia</i> (lime)					1	Pa.
<i>Phyllachora</i> sp.	<i>Ficus</i> sp.	1					Md.
<i>Phyllosticta</i> sp.	Unknown leaf	1					Pa.
<i>Septoria</i> sp.	do	1					Do.
<i>Stilbum</i> sp.	<i>Musa</i> sp. (banana)	1					Md.
<i>Thielaviopsis paradoxa</i>	<i>Ananas sativus</i>		1				Pa.
HAITI							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Mangifera indica</i> (mango)			6		3	N. Y.
<i>Aspidiotus</i> sp. (Coccidae)	<i>Musa</i> sp. (banana)	2					Do.
<i>Atherigona</i> sp. (Anthomyiidae)	Plantain debris	1					Do.
<i>Bephrata cubensis</i> (Eurytomidae)	<i>Annona muricata</i> (soursop)				1		Do.
Blastobasid	<i>Musa</i> sp. (banana)	1					Do.
<i>Camponotus</i> sp. (ant)	Banana debris	1					Do.
Cecidomyiid	<i>Annona muricata</i>			1			Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae)	<i>Mangifera indica</i> (mango)			1			Do.
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Citrus grandis</i> (grapefruit)	1					Do.
Do	<i>Rosa</i> sp.			1			Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAITI—Continued							
Insects—Continued.							
<i>Curculionid</i>	<i>Dioscorea</i> sp. (yam)				1		N. Y.
<i>Eumecosomyia nubila</i> (Otitidae)	<i>Banana</i> debris	1					Do.
<i>Labia curvicauda</i> (earwig)	do	1					Do.
<i>Metriona propinquua</i> (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Microcentrum</i> sp. (Tettigoniidae)	Orchid				1		Pa.
<i>Polyancistrus serrulatus</i> (Tettigoniidae)	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)	2		1	1	3	Do.
Do	<i>Citrus grandis</i> (grapefruit)					9	Do.
Do	<i>Citrus sinensis</i> (orange)			1	1		Fla.*
Do	do			4	1	9	N. Y.
	Palm			1			Do.
<i>Psyllia</i> sp. (Chermidae)	<i>Banana</i> debris	1					Do.
<i>Pulvinaria</i> sp. (Coccidae)	<i>Mammea americana</i> (mamey)			1			Fla.*
Pyralid	<i>Musa</i> sp. (banana)	1					N. Y.
Pyralinae (Pyralidae)	<i>Banana</i> debris	1					Do.
<i>Targionia bromeliae</i> (Coccidae)	<i>Ananas sativus</i>	1					Do.
<i>Telephanus setulosus</i> (Cucujidae)	<i>Citrus aurantifolia</i> (lime)	1					Do.
Do	<i>Banana</i> debris	1					Do.
<i>Telephanus</i> sp. (Cucujidae)	do	1					Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Tinea</i> sp. (Tineidae)	<i>Banana</i> debris	2					Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Wasemannia auropunctata</i> (ant)	<i>Banana</i> debris	1					Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Xyleborus</i> sp. (Scolytidae)	<i>Mangifera indica</i> (mango)					1	Do.
Diseases:							
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)				1		Md.
<i>Colletotrichum</i> sp.	<i>Epidendrum</i> sp. (orchid)				1		Pa.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.			1			N. Y.
<i>Diplodia cacaoicola</i>	<i>Persea americana</i> (avocado)			1			Do.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)				1		Do.
<i>Gloeosporium musarum</i>	<i>Musa</i> sp. (banana)					1	Do.
Hemisphaeriaceae	Unidentified leaf	1					Do.
<i>Sclerotinia</i> sp.	<i>Annona muricata</i> (soursop)			1			Do.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>			4			Do.
HAWAII							
Insects:							
<i>Amorbia emigratella</i> (Tortricidae)	<i>Rosa</i> sp.			1			Calif.*
<i>Anisolabis</i> sp. (earwig)	<i>Ananas sativus</i>	1					Do.*
<i>Araecerus faseculatus</i> (coffee-bean weevil).	Palm			1			Do.*
Do							
<i>Asterolecanium pustulans</i> (Coccidae)	<i>Piper betle</i> (betel pepper)	1					Do.*
<i>Bactrocera cucurbitae</i> (melon fly)	<i>Hibiscus</i> sp.	4	3				Do.*
Bostrichid							
<i>Caryedon fuscus</i> (Bruchidae)	<i>Lycopersicum esculentum</i>					2	Do.*
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Carica papaya</i> (papaya)			1			Do.*
Do	<i>Cascara</i> sp.			2			Do.*
Do	<i>Chrysophyllum cainito</i> (star-apple).				1		Do.*
Do	<i>Coffea</i> sp.			1			Do.*
Do	<i>Mangifera indica</i> (mango)				1		Do.*
Do	<i>Nephelium longana</i> (longan)				1		Do.*
Do	<i>Persea americana</i> (avocado)			2		1	Do.*
<i>Chelisoches morio</i> (earwig)	<i>Ananas sativus</i>	2		1			Do.*
Do	<i>Antigonon leptopus</i> (rosa-de-montana).			1			Do.*
Do	<i>Musa</i> sp. (banana)	1					Do.*
Cicadellid	Flower lei			1			Do.*
<i>Coccus acuminatus</i> (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine)		6				Do.*
Do	Leaf lei			1			Do.*
Do	<i>Zantedeschia</i> sp. (calla)			1			Do.*
<i>Coccus viridis</i> (Coccidae)	<i>Coffea</i> sp.			1			Do.*
Do	<i>Gardenia florida</i> (Cape-jasmine)			10	3		Do.*
Do	Leaf lei			1			Do.*
Do	<i>Zingiber officinale</i> (ginger)			1			Do.*
<i>Conocephalus saltator</i> (Tettigonidae).	<i>Ananas sativus</i>	1					Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAWAII—Continued							
Insects—Continued.							
<i>Coptotermes formosanus</i> (termite)	Flower lei		1				Calif.*
<i>Crambinae</i> (Pyralidae)	do		1				Do.*
<i>Curculionid</i>	<i>Antigonon leptopus</i> (rosa-de-montana)		1				Do.*
Do	<i>Cocos nucifera</i> (coconut)		1				Do.*
<i>Diocalandra taitensis</i> (Tahitian coconut weevil).	<i>Cocos nucifera</i> (coconut)		1				Do.*
<i>Ereunetis flavistriata</i> (sugarcane bud worm).	<i>Ananas sativus</i>	5	3				Do.*
Do	<i>Cocos nucifera</i> (coconut)	6	23	8			Do.*
Do	<i>Musa</i> sp. (banana)	2					Do.*
<i>Ereunetis minuscula</i> (Tineidae)	<i>Ananas sativus</i>	10	2	1			Do.*
<i>Ereunetis</i> sp. (Tineidae)	<i>Musa</i> sp. (banana)	1					Do.*
Do	<i>Pandanus</i> sp. (screwpine)			1	1		Do.*
<i>Eucalymnatus tessellatus</i> (Coccidae)	<i>Anthurium andraeanum</i>	1					Do.*
Do	<i>Archontophoenix cunninghamii</i>	1					Do.*
Do	<i>Brassica</i> sp.			1			Do.*
Do	Palm				1		Do.*
Do	<i>Zingiber officinale</i> (ginger)			1			Do.*
<i>Fiorinia fioriniae</i> (Coccidae)	<i>Archontophoenix cunninghamii</i>	1					Do.*
Gelechiid	<i>Dianthus</i> sp. (carnation)			1			Do.*
<i>Gnorimoschema lycopersicella</i> (tomato pinworm).	<i>Lycopersicum esculentum</i>					1	Do.*
<i>Haplothrips gowdeyi</i> (thrips)	Flower lei		5				Do.*
<i>Kalotermes piceatus</i> (termite)	<i>Piper madagascariense</i>		1				Do.*
<i>Lepidosaphes auriculata</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)	2	4	13			Do.*
<i>Lepidosaphes</i> sp. (Coccidae)	Leaf lei		1				Do.*
Lycaenid	Flower lei		5				Do.*
Lygaeid	<i>Ananas sativus</i>	1					Do.*
<i>Macrosiphum</i> sp. (aphid)	<i>Gladiolus</i> sp.		1				Do.*
<i>Maruca testulalis</i> (bean pod borer)	<i>Phaseolus</i> sp. (string bean)					1	Do.*
<i>Monomorium</i> sp. (ant)	<i>Ananas sativus</i>			1			Do.*
Do	<i>Cocos nucifera</i> (coconut)			1			Do.*
Do	<i>Gladiolus</i> sp.			1			Do.*
Noctuid	<i>Ananas sativus</i>	1					Do.*
Do	<i>Dianthus</i> sp. (carnation)			1			Do.*
Do	Flower lei			2			Do.*
Do	<i>Zingiber officinale</i> (ginger)	1					Do.*
<i>Opogona omoscopa</i> (Tineidae)	<i>Ananas sativus</i>	1					Do.*
Ortalid	<i>Allium cepa</i> (onion)					1	Do.*
<i>Parlatoria crotonis</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)			1			Wash.
<i>Parlatoria mytilaspiformis</i> (Coccidae).	do		1	3	2		Calif.*
Do	<i>Hibiscus</i> sp.		1				Do.*
<i>Phenacaspis</i> sp. (Coccidae)	<i>Archontophoenix cunninghamii</i>	1					Do.*
Do	<i>Cocos nucifera</i> (coconut)	2		17	3		Do.*
Do	<i>Musa</i> sp. (banana)	2					Do.*
Do	Palm			2			Do.*
<i>Phlyctaenia</i> sp. (Pyralidae)	Flower lei			1			Do.*
<i>Phycitinae</i> (Pyralidae)	<i>Saccharum officinarum</i>				1		Do.*
<i>Pinnaspis buxi</i> (Coccidae)	Palm		1				Do.*
Do	<i>Smilax</i> sp. (greenbrier)			2			Do.*
<i>Plagiolepis mactavishi</i> (ant)	<i>Cocos nucifera</i> (coconut)			1			Do.*
Do	<i>Hibiscus</i> sp.			1			Do.*
<i>Protopulvinaria pyriformis</i> (Coccidae).	<i>Gardenia florida</i> (Cape-jasmine)			1			Do.*
<i>Psammoecus insularis</i> (Cucujidae)	<i>Musa</i> sp. (banana)	1					Do.*
<i>Pseudaonidia clavigera</i> (Coccidae)	<i>Acalypha wilkesiana</i>			1			Do.*
Do	<i>Eranthemum atropurpureum</i>			1			Do.*
Do	<i>Hibiscus</i> sp.		5	5			Do.*
<i>Pseudaonidia tesserata</i> (Coccidae)	do	1	2				Do.*
<i>Pseudococcus kraunhiae</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)					9	Do.*
Do	<i>Gardenia florida</i> (Cape-jasmine)			3			Do.*
Do	<i>Rosa</i> sp.			1			Do.*
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Areca catechu</i> (betel palm)	1					Do.*
Do	<i>Piper betle</i> (betel pepper)	2					Do.*
<i>Pulvinaria psidii</i> (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine)					1	Do.*
<i>Rhyncolus longulus</i> (Curculionidae)	<i>Cordyline terminalis</i> (dracena)		1				Do.*
<i>Ripersia palmarum</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)	10	1	33	10		Do.*
Do	do					1	
Do	Palm		1	2			La. Calif.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAWAII—Continued							
Insects—Continued.							
<i>Sitophilus rugicollis</i> (Curculionidae)	<i>Cocos nucifera</i> (coconut)		1				Calif.*
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Rosa woodsi</i> (Woods rose)		1				Do.*
<i>Sternocetus mangiferae</i> (mango weevil).	<i>Mangifera indica</i> (mango)		3	4			Do.*
<i>Taeniothrips gladioli</i> (gladiolus thrips).	<i>Gladiolus</i> sp.		3				Do.*
<i>Taeniothrips hawaiiensis</i> (thrips) Do	<i>Dianthus</i> sp. (carnation)		2				Do.*
Do	<i>Ficus carica</i> (fig)		1				Do.*
Do	Flower lei		6	1			Do.*
Do	<i>Gardenia florida</i> (Cape-jasmine)		3				Do.*
Do	<i>Gladiolus</i> sp.		1				Do.*
Tineid	<i>Bryophyllum</i> sp.		1				Do.*
Do	<i>Piper betle</i> (betel pepper)	1					Do.*
Do	<i>Saccharum officinarum</i>				1		Pa.
Tortricid	<i>Gladiolus</i> sp.		1				Calif.*
Do	<i>Zingiber officinale</i> (ginger)		1				Do.*
<i>Tribolium</i> sp. (Tenebrionidae)	<i>Piper betle</i> (betel pepper)	1					Do.*
<i>Tylococcus giffardi</i> (Coccidae)	<i>Pandanus</i> sp.		1				Do.*
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Alcicorium</i> sp. (staghorn fern)		1				Do.*
Do	<i>Ananas sativus</i>	3					Do.*
Do	<i>Lilium</i> sp.	1					Do.*
Do	<i>Musa</i> sp. (banana)	1					Do.*
Do	<i>Zea mays</i> (corn)		1				Do.*
Diseases:	<i>Saccharum officinarum</i>				1		Pa.
<i>Melaconium sacchari</i>	<i>Alyxia</i> sp.		3				Calif.*
<i>Uromyces alyiae</i>	Leaf lei		1				Do.*
HONDURAS							
Insects:							
<i>Acalles</i> sp. (Curculionidae)	Banana debris	1					La.
<i>Adetus</i> sp. (Euglenidae)	do	1					Do.
<i>Adraneothrips</i> sp. (thrips)	do	1		1			Pa.
<i>Aeolothrips</i> sp. (thrips)	<i>Gardenia florida</i> (Cape-jasmine)			1			Do.
<i>Aeolus facetus</i> (Elateridae)	Banana debris	1					Ala.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Aeolus facetus</i> var. (Elateridae)	Banana debris	1					La.
<i>Aeolus pulchellus</i> (Elateridae)	do	1					Ala.
<i>Alaus</i> sp. (Elateridae)	<i>Swietenia</i> sp. (mahogany)	1					La.
<i>Alphitobius</i> sp. (Tenebrionidae)	Banana debris	1					Tex.
Do	<i>Musa paradisiaca</i> (plantain)	1					La.
<i>Anasa costalis</i> (Coreidae)	Banana debris	1					N. Y.
<i>Anastrepha</i> sp. (Tryptidae)	<i>Chrysomphyllo cainito</i> (star-apple).			1			La.
Do	<i>Mangifera indica</i> (mango)		3	1			Do.
<i>Anaxipha</i> sp. (Gryllidae)	Banana debris	1					Pa.
<i>Anochetus</i> sp. (ant)	do	1					Do.
<i>Anomala attenuata</i> (Scarabaeidae)	do	1					Ala.
Anthomyiid	do	1					Tex.
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	do	1					Pa.
Arctiid	do	1					La.
<i>Aspidiotus cocomiphagus</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Md.
Do	do	1					N. Y.
<i>Aspidiotus destructor</i> (Coccidae)	<i>Amygdalus communis</i> (almond).			1			La.
Do	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
<i>Aspidiotus palmae</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	1					Md.
<i>Baris</i> sp. (Curculionidae)	Herbarium specimen		1				La.
<i>Blapstinus</i> sp. (Tenebrionidae)	Banana debris	1					Do.
Do	do	1					S. C.
<i>Bothriocera</i> sp. (Fulgoridae)	do	1					Ala.
<i>Brachypeplus</i> sp. (Nitidulidae)	do	1					Pa.
<i>Cacoscelis quinquelineata</i> (Chrysomelidae).	<i>Musa</i> sp. (banana)	1					Ala.
<i>Camponotus angulatus</i> (ant)	Banana debris	1					N. Y.
Do	do	4					Pa.
Do	do	2					S. C.
Do	<i>Musa</i> sp. (banana)	2					Md.
Do	do	2					N. Y.
Do	do	2					S. C.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
HONDURAS—Continued									
Insects—Continued.									
<i>Camponotus</i> sp. (ant)	Banana debris	1					Ala.		
Do	do	1					La.		
Do	do	1					Md.		
Do	do	2					Mass.		
Do	do	39					N. Y.		
Do	do	33					Pa.		
Do	do	3					S. C.		
Do	do	9					Tex.		
Do	<i>Musa</i> sp. (banana)	1					La.		
Do	do	2					Md.		
Do	do	7					N. Y.		
Do	do	1					Pa.		
Do	do	10					S. C.		
<i>Capaneus odiosus</i> (Coreidae)	Banana debris	1					Pa.		
Do	<i>Musa</i> sp. (banana)	1					Ala.		
Do	do	1					La.		
<i>Capaneus vates</i> (Coreidae)	Banana debris	1					Do.		
Do	do	1					Pa.		
Do	do	1					S. C.		
Do	<i>Musa</i> sp. (banana)	1					Ala.		
<i>Ceramidia musicola</i> (Syntomidae)	Banana debris	2					La.		
Do	do	1					Pa.		
Do	do	3					Tex.		
Do	<i>Musa</i> sp. (banana)	1					N. Y.		
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	1					Ala.		
Do	do	7					La.		
Do	do	2					N. Y.		
Do	do	1					Pa.		
Do	do	4					Tex.		
Do	<i>Musa</i> sp. (banana)	3					Ala.		
Do	do	3					N. Y.		
<i>Ceratopus</i> sp. (Curculionidae)	do	1					Ala.		
<i>Ceroplastes</i> sp. (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine).		1				Pa.		
<i>Chaetopsis fulvifrons</i> (Ortalidae)	<i>Musa</i> sp. (banana)	1					Ala.		
<i>Chaetopsis</i> sp. (Ortalidae)	<i>Citrus sinensis</i> (orange)					1	Pa.		
Do	<i>Musa</i> sp. (banana)					1	La.		
Do	do	1					Pa.		
<i>Chalcolepidius</i> sp. (Elateridae)	do	1					Tex.		
<i>Chloropid</i>	<i>Musa paradisiaca</i> (plantain)	3					La.		
Do	Banana debris	1					Pa.		
Do	<i>Musa</i> sp. (banana)	1					Ala.		
Do	do					1	La.		
Do	do	1					S. C.		
<i>Chrysomela depressa</i> (Chrysomelidae)	Banana debris	1					N. Y.		
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Musa</i> sp. (banana)	1					Md.		
<i>Coccus acuminatus</i> (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine).		2				Pa.		
<i>Colaspis lebasi</i> (Chrysomelidae)	Banana debris	1					Do.		
<i>Colaspis</i> sp. (Chrysomelidae)	do	1					N. Y.		
Do	<i>Musa</i> sp. (banana)	1					Ala.		
<i>Colopterus</i> sp. (Nitidulidae)	Banana debris	1					Do.		
<i>Conocephalus</i> sp. (Tettigoniidae)	do	1					Do.		
<i>Conotelus</i> sp. (Nitidulidae)	<i>Citrus sinensis</i> (orange)					1	La.		
<i>Cornops longipenne</i> (Acrididae)	Banana debris	1					Tex.		
<i>Crematogaster brevispinosa</i> (ant)	do	1					Pa.		
<i>Crematogaster brevispinosa</i> var. (ant)	do	2					N. Y.		
Do	<i>Musa</i> sp.	1					S. C.		
Do	Banana debris	1					Tex.		
<i>Crematogaster</i> sp. (ant)	do	5					N. Y.		
Do	do	3					Pa.		
Do	do	1					Tex.		
Do	<i>Musa</i> sp. (banana)	1					La.		
Do	do	1					Md.		
Do	do	4					N. Y.		
Do	do	4					S. C.		
Curculionid	Banana debris	1					La.		
Do	do	2					N. Y.		
Do	do	1					S. C.		
Do	<i>Musa paradisiaca</i> (plantain)	1					La.		

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS—Continued							
Insects—Continued.							
<i>Cycloptilum contectum</i> (Gryllidae)	Banana debris	1					N. Y.
<i>Cycloptilum</i> sp. (Gryllidae)	do	1					Do.
Do	do	1					Pa.
Do	do	1					Tex.
<i>Dactylosternum subdepressum</i> (Hydromorphidae)	do	1					La.
<i>Dialeurodes citri</i> (citrus whitefly)	<i>Gardenia florida</i> (Cape-jasmine)				1		Do.
<i>Diaspis</i> sp. (Coccidae)	<i>Cocos nucifera</i> (coconut)				1		Ala.
<i>Diatraea</i> sp. (Pyralidae)	<i>Saccharum officinarum</i> (sugarcane).				1		N. Y.
<i>Dictyophara</i> sp. (Fulgoridae)	Banana debris	1					Ala.
<i>Diedrocephala sanguinolenta</i> (Cicadellidae)	do	1					La.
<i>Diestostemma albipenne</i> (Cicadellidae)	<i>Musa</i> sp. (banana)	1					Ala.
<i>Dolichoderus</i> sp. (ant)	Banana debris	1					N. Y.
Do	do	2					Pa.
Do	Orchid				1		La.
<i>Doliema</i> sp. (Tenebrionidae)	<i>Bulnesia arborea</i> (vera wood)	2					N. Y.
<i>Doryphora princeps magnifica</i> (Chrysomelidae)	Banana debris	1					S. C.
<i>Draeculacephala lenticula</i> (Cicadellidae)	do	1					Ala.
<i>Drycothaea sallei</i> (Cerambycidae)	do	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Dysdercus mimulus</i> (Pyrrhocoridae)	Banana debris	1					La.
Do	do	1					N. Y.
<i>Dysdercus obscuratus</i> (Pyrrhocoridae)	do	1					Tex.
<i>Edessa cornuta</i> (Pentatomidae)	do	1					La.
<i>Elaphidion</i> sp. (Cerambycidae)	<i>Bulnesia arborea</i> (vera wood)	1					N. Y.
<i>Epiptera</i> sp. (Fulgoridae)	<i>Musa</i> sp. (banana)	1					La.
<i>Epuraea</i> sp. (Nitidulidae)	<i>Citrus sinensis</i> (orange)				1		Pa.
Do	<i>Hibiscus</i> sp.				1		La.
<i>Estola</i> sp. (Cerambycidae)	Banana debris	1					Do.
<i>Euschistus</i> sp. (Pentatomidae)	do	1					N. Y.
<i>Euxesta</i> sp. (Ortalidae)	do	1					Do.
Do	<i>Tabebuia donnell-smithii</i> (primavera).	1					La.
<i>Frankliniella insularis</i> (thrips)	<i>Gardenia florida</i> (Cape-jasmine)			1			Pa.
<i>Frankliniella</i> sp. (thrips)	Banana debris				1		Do.
Fulgorid	do	1					La.
Do	<i>Musa</i> sp. (banana)	1					Ala.
<i>Galupha punctifer</i> (Cydnidae)	Banana debris	3					La.
Do	do	1					Mass.
Do	do	5					N. Y.
Do	do	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					Tex.
Do	do	1					La.
Do	do	1					Md.
Do	do	1					N. Y.
Do	do	1					S. C.
<i>Glaphyria badierana</i> (Pyralidae)	Banana debris	1					Ala.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Glaphyria</i> sp. (Pyralidae)	Banana debris	1					Tex.
<i>Gonatas divergens</i> (Lygaeidae)	<i>Musa</i> sp. (banana)	1					S. C.
<i>Hapithus</i> sp. (Gryllidae)	Banana debris	1					Ala.
<i>Hemiclionaspis minor strachani</i> (Coccidae).	<i>Citrus aurantifolia</i> (lime)	2					N. Y.
Hesperiid	Banana debris	1					Do.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Holcocera</i> sp. (Blastobasidae)	do	1					N. Y.
<i>Hypothenemus</i> sp. (Scolytidae)	Banana debris	1					Do.
Do	do	2					Pa.
<i>Inusia chipmani</i> (Acridiidae)	do	1					Ala.
<i>Ischiodontus tuspanus</i> (Elateridae)	do	1					Pa.
<i>Ischnodemus sallaei</i> (Lygaeidae)	do	1					Tex.
Lamiinae (Cerambycidae)	<i>Tabebuia donnell-smithii</i> (primavera).	1					La.
<i>Liparoscelis nigrispinis</i> (Tettigonidae).	Banana debris	1					Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS—Continued							
Insects—Continued.							
<i>Lobiopa</i> sp. (Nitidulidae)	do	1					Tex.
<i>Lorelus trapeziderus</i> (Tenebrionidae)	do	3					La.
Do	do	1					S. C.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	3				1	La.
Do	do	1					S. C.
<i>Lorelus</i> sp. (Tenebrionidae)	Banana debris	1					La.
Do	<i>Musa</i> sp. (banana)	1					S. C.
<i>Macrodactylus suavis</i> (Scarabaeidae)	Banana debris	1					Mass.
<i>Madarus distigma</i> (Curculionidae)	do	1					Ala.
<i>Mecistorhinus tripterus</i> (Pentatomidae)	do	1					S. C.
<i>Metamasius sericeus</i> (silky cane weevil).	do	10					Ala.
Do	do	21					La.
Do	do	3					Mass.
Do	do	9					N. Y.
Do	do	2					Pa.
Do	do	2					S. C.
Do	do	12					Tex.
Do	<i>Musa</i> sp. (banana)	3					Ala.
Do	do	3					La.
Do	do	1					N. Y.
<i>Metriona propinqua</i> (Chrysomelidae)	do	1					Ala.
<i>Metriona</i> sp. (Chrysomelidae)	Banana debris	1					Do.
<i>Microhyus</i> sp. (Curculionidae)	do	1					Pa.
<i>Monanus concinnulus</i> (Cucujidae)	do	1					N. Y.
Do	do	3					Pa.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Monochamus</i> sp. (Cerambycidae)	Banana debris	1					Pa.
<i>Monomorium carbonarium</i> var. (ant).	do	4					N. Y.
Do	do	1					Tex.
<i>Monomorium minutum minima</i> (ant).	do	1					Pa.
<i>Monomorium</i> sp. (ant)	do	1					N. Y.
<i>Mormidea pictipes</i> (Pentatomidae)	do	1					Ala.
<i>Myochrous</i> sp. (Chrysomelidae)	do	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Mystrops</i> sp. (Nitidulidae)	<i>Kalmia latifolia</i> (mountain-laurel).		1				Do.
<i>Nasutitermes cornigera</i> (termite)	Banana debris	1					Do.
Do	do	2					Pa.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	5					N. Y.
<i>Nasutitermes</i> sp. (termite)	Banana debris	3					Ala.
Do	do	1					Md.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	1					La.
<i>Neocattarus vegetus</i> (Lygaeidae)	Banana debris	1					Pa.
<i>Neofurius</i> sp. (Miridae)	do	1					N. Y.
<i>Neoponera</i> sp. (ant)	do	1					Mass.
Do	do	1					N. Y.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					S. C.
Noctuid	Banana debris	1					Pa.
Do	<i>Cedrus</i> sp. (cedar)	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	1					La.
Do	do	1					N. Y.
Nymphalid	Banana debris	1					Tex.
Do	<i>Musc</i> sp. (banana)	1					Do.
<i>Nysius eremitus</i> (Lygaeidae)	do	1					La.
<i>Odontomachus haematodes</i> var. (ant).	<i>Cocos nucifera</i> (coconut)				1		Ala.
<i>Ogdoecosta biannularis</i> (Chrysomelidae).	Banana debris	1					La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS—Continued							
Insects—Continued.							
<i>Ogdoecosta</i> sp. (Chrysomelidae)	<i>Musa</i> sp. (banana)	2					Ala.
<i>Oncometopia</i> sp. (Cicadellidae)	Banana debris	1					Pa.
<i>Ormenis</i> sp. (Fulgoridae)	<i>Musa</i> sp. (banana)	1					N. Y.
Ortalid	<i>Cucurbita pepo</i> (calabash)			1			La.
Do	<i>Heliconia</i> sp. (wild plantain)				1		Do.
Do	<i>Musa</i> sp. (banana)				2		Do.
<i>Orthezia insignis</i> (greenhouse orthezia).	<i>Begonia</i> sp.			1			Do.
<i>Ozophora pallescens</i> (Lygaeidae)	Banana debris	1					Ala.
<i>Paratenetus</i> sp. (Tenebrionidae)	do	3					La.
Do	do	1					Md.
Do	do	9					N. Y.
Do	do	3					Pa.
Do	do	8					Tex.
Do	<i>Musa</i> sp. (banana)	1					Md.
Do	do	4					Pa.
<i>Parmenonta valida</i> (Cerambycidae)	Banana debris	1					Ala.
Do	do	1					La.
Do	do	2					N. Y.
<i>Paroecanthus olmecus</i> (Gryllidae)	<i>Musa</i> sp. (banana)	1					Ala.
Pentatomid	Banana debris	1					Pa.
<i>Phalnoma annulipes</i> (Tingitidae)	<i>Artocarpus incisa</i> (breadfruit)			1			La.
Do	Banana debris	1					Pa.
<i>Pheidole anastasii</i> (ant)	do	2					N. Y.
Do	do	3					Pa.
Do	<i>Musa</i> sp. (banana)	1					Md.
<i>Pheidole</i> sp. (ant)	Banana debris	1					La.
Do	do	2					Mass.
Do	do	4					N. Y.
Do	do	4					Pa.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	2					S. C.
<i>Phlugis</i> sp. (Tettigoniidae)	Banana debris	1					Pa.
<i>Physorrhinus frontalis</i> (Elateridae)	do	4					La.
Do	do	1					Md.
Do	do	1					N. Y.
Do	do	1					Pa.
Do	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	1					Ala.
<i>Platynota rostrana</i> (Tortricidae)	Banana debris	1					N. Y.
<i>Platynota</i> sp. (Tortricidae)	do	1					S. C.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Plusiinae</i> (Noctuidae)	do	1					Md.
<i>Prenolepis</i> sp. (ant)	Banana debris	2					N. Y.
Do	do	2					Pa.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	2					N. Y.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)	3		1			Do.
Do	<i>Citrus grandis</i> (grapefruit)	60				18	Do.
Do	<i>Citrus medica</i> (citron)					1	Fla.*
Do	<i>Citrus sinensis</i> (orange)	15				7	N. Y.
Do	<i>Gardenia florida</i> (Cape-jasmine)			1			Pa.
Do	<i>Musa</i> sp. (banana)	1					Ala.
<i>Pseudococcus virgatus</i> (Coccidae)	Banana debris	1					N. Y.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Musa</i> sp. (banana)	1					La.
Do	do	2					N. Y.
<i>Pseudomesomphalia punicea</i> (Chrysomelidae).	Banana debris	1					Tex.
<i>Pseudomyrma</i> sp. (ant)	do	1					Do.
<i>Pseudoparlatoria parlatorioides</i> (Coccidae).	<i>Musa</i> sp. (banana)	2					N. Y.
Psychid	Banana debris	14					Ala.
Do	do	46					La.
Do	do	22					N. Y.
Do	do	4					Md.
Do	do	1					Mass.
Do	do	18				1	Pa.
Do	do	9					S. C.
Do	do	11					Tex.
Do	<i>Musa paradisiaca</i> (plantain)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS—Continued							
Insects—Continued.							
Psychid	<i>Musa</i> sp. (banana)	14					Ala.
Do	do	10					La.
Do	do	2					Md.
Do	do	5					N. Y.
Do	do	2					Pa.
Do	do	4					S. C.
Do	do	3					Tex.
Pyralinae (Pyralidae)	do	1					S. C.
Pyraustinae (Pyralidae)	do	1					Ala.
<i>Pyroderces</i> sp. (Cosmopterygidae)	Banana debris	2					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Md.
<i>Rhizoglyphus</i> sp. (mite)	<i>Carica papaya</i> (papaya)		1				La.
Do	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Rhynchosciara</i> sp. (Mycetophilidae)	Banana debris	1					La.
<i>Schizoptera</i> sp. (Schizopteridae)	do	1					Pa.
<i>Sciara psychina</i> (Mycetophilidae)	do	1					La.
Do	<i>Musa</i> sp. (banana)	1					Ala.
<i>Sciara</i> sp. (Mycetophilidae)	Banana debris	1					Do.
Do	do	1					Mass.
Do	do	1					N. Y.
Do	<i>Cocos nucifera</i> (coconut)			1			Ala.
Do	<i>Musa</i> sp. (banana)	2					Do.
<i>Silvanus vulgaris</i> (Cucujidae)	Banana debris	1					Mass.
Do	do	1					Pa.
<i>Solenopsis</i> sp. (ant)	do	1					Mass.
Do	<i>Cocos nucifera</i> (coconut)			1			Ala.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					S. C.
<i>Stelidota</i> sp. (Nitidulidae)	Banana debris	1					Tex.
<i>Stenoma</i> sp. (Stenomidae)	<i>Persea americana</i> (avocado)		1				La.
<i>Stephanoderes ferrugineus</i> (Scolytidae)	Banana debris	1					N. Y.
<i>Stephanoderes guatemalensis</i> (Scolytidae)	do	1					Do.
Do	do	3					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Stephanoderes</i> sp. (Scolytidae)	Banana debris	1					N. Y.
Do	do	1					Pa.
Do	<i>Poinciana regia</i> (flamboyant)		1				La.
<i>Stilodes neptis</i> (Chrysomelidae)	Banana debris	1					Pa.
<i>Tapinoma</i> sp. (ant)	do	1					Do.
<i>Telephanus agilis</i> (Cucujidae)	<i>Musa</i> sp. (banana)	1					Md.
<i>Telephanus brontoides</i> (Cucujidae)	Banana debris	2					La.
Do	do	1					Mass.
Do	do	1					N. Y.
<i>Telephanus setulosus</i> (Cucujidae)	do	12					Ala.
Do	do	16					La.
Do	do	3					Md.
Do	do	4					Mass.
Do	do	15					N. Y.
Do	do	5					Pa.
Do	do	2					S. C.
Do	do	13					Tex.
Do	<i>Musa</i> sp. (banana)	6					La.
Do	do	1					Md.
Do	do	2					N. Y.
Do	do	1					Pa.
Do	do	6					S. C.
Do	<i>Swietenia</i> sp. (mahogany)	1					N. Y.
<i>Telephanus</i> sp. (Cucujidae)	Banana debris	1					Ala.
Do	do	2					Mass.
Do	do	4					N. Y.
Do	do	2					Pa.
Do	do	1					S. C.
Do	do	1					Tex.
<i>Tigadra</i> sp. (Tineidae)	do	1					S. C.
<i>Tinea</i> sp. (Tineidae)	<i>Heliconia</i> sp. (wild plantain)				1		La.
Do	<i>Musa paradisiaca</i> (plantain)	2			1		Do.
Do	<i>Musa</i> sp. (banana)	1					Ala.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
HONDURAS—Continued									
Insects—Continued.									
Tineid	<i>Musa paradisiaca</i> (plantain)	2					La.		
Do	<i>Musa</i> sp. (banana)	1					Do.		
Tortricid	Banana debris	1					Ala.		
Do	do	1					La.		
Do	do	1					N. Y.		
Do	<i>Musa</i> sp. (banana)	1					La.		
Do	do	1					N. Y.		
<i>Tridactylus minutus</i> (Gryllidae)	do	1					Ala.		
<i>Urophorus humeralis</i> (Nitidulidae)	Banana debris	2					N. Y.		
Do	do	1					Tex.		
Do	<i>Musa</i> sp. (banana)	1					N. Y.		
<i>Vinsonia stellifera</i> (Coccidae)	<i>Gardenia florida</i> (Cape-jasmine)		1				Pa.		
<i>Wasmannia auropunctata</i> (ant)	Banana debris	1					Mass.		
<i>Xyleborus affinus</i> (Scolytidae)	do	2					Pa.		
Do	<i>Swietenia</i> sp. (mahogany)	1					La.		
<i>Xyleborus confusus</i> (Scolytidae)	Banana debris	1					Do.		
Do	do	2					Pa.		
Do	<i>Swietenia</i> sp. (mahogany)	1					N. Y.		
Diseases:									
<i>Aschersonia</i> sp.	<i>Parlatoria pergandii</i> on orange					1	Do.		
<i>Capnodiaceae</i>	<i>Citrus sinensis</i> (orange)					1	Do.		
<i>Capnodium citri</i>	do					1	La.		
Do	do					1	N. Y.		
<i>Cercospora</i> sp.	Banana debris	1					Pa.		
<i>Diplodia cacaoicola</i>	<i>Cocos nucifera</i> (coconut)	1					N. Y.		
<i>Diplodia natalensis</i>	<i>Citrus grandis</i> (grapefruit)	18			3		Do.		
Do	<i>Citrus sinensis</i> (orange)	41			7		Do.		
Do	<i>Persea americana</i> (avocado)				1		La.		
<i>Diplodia tubericola</i>	<i>Ipomoea</i> sp.		1				Do.		
<i>Dothidiaceae</i>	Unknown leaf	1					Pa.		
Do	<i>Musa</i> sp. (banana)	1					Md.		
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantifolia</i> (lime)				1		Fla.*		
<i>Gloeosporium</i> sp.	<i>Oncidium splendidum</i> (orchid)		1				D. C.		
Do	<i>Sterculia</i> sp.			1			N. Y.		
<i>Microcera coccophila</i>	<i>Citrus sinensis</i> (orange)				1		Do.		
<i>Microcera</i> sp.	do				1		Do.		
Do	On scale on grapefruit				1		Do.		
Do	On scale on lime				1		La.		
<i>Myriangum</i> sp.	<i>Citrus sinensis</i> (orange)				1		Pa.		
<i>Phoma</i> sp.	<i>Cocos nucifera</i> (coconut)		1				N. Y.		
<i>Phoma</i> (?) sp.	<i>Musa</i> sp. (banana)	1					Do.		
<i>Phyllosticta</i> sp.	<i>Citrus grandis</i> (grapefruit)			1			Tex.		
Do	<i>Citrus</i> sp.				1		Pa.		
<i>Septoria</i> sp.	Banana debris	1					Do.		
Do	<i>Citrus</i> sp.				1		Do.		
Do	Unknown leaf	1					Do.		
<i>Sphaceloma sawcettii</i>	<i>Citrus grandis</i> (grapefruit)				1		N. Y.		
Do	<i>Citrus sinensis</i> (orange)				1		Pa.		
<i>Thielaviopsis paradoxa</i>	<i>Cocos nucifera</i> (coconut)	1					N. Y.		
<i>Verticillium</i> sp.	<i>Musa</i> sp. (banana)	1					Pa.		
HUNGARY									
Insects:									
<i>Byrrhus</i> sp. (Byrrhidae)	In packing around <i>Populus</i> sp. cutting.		1				D. C.		
Noctuid	<i>Holcus sorghum</i> var. (broomcorn).	2					N. Y.		
<i>Pyrausta nubilalis</i> (European corn borer).	do	54	2				Do.		
Diseases:									
<i>Capnodium</i> sp.	do	1					Do.		
<i>Epicoccum</i> sp.	do	2					Do.		
<i>Eurotium</i> sp.	do	1					Do.		
<i>Gonatobotrys flava</i>	<i>Isaria</i> sp. in broomeorn	1					Do.		
<i>Leptothyrium pomi</i>	<i>Malus sylvestris</i> (apple)			1			Do.		
<i>Pleospora</i> sp.	<i>Oryza sativa</i> (rice)	1					Do.		
<i>Verticillium</i> sp.	<i>Holcus sorghum</i> var. (broomcorn).	1					Do.		

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
INDIA							
Insects:							
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Tamarindus indica</i> (tamarind)					1	N. Y.
Bostrichid.	In case of wood	1					Do.
Do	do	2					Pa.
<i>Bruchidius</i> sp. (Bruchidae)	<i>Albizia gamblei</i>		1				D. C.
<i>Bruchus emarginatus</i> (Bruchidae)	Seed	3					N. Y.
<i>Bruchus</i> sp. (Bruchidae)	<i>Cyamopsis psoraloides</i>	1					Calif.*
<i>Callosobruchus analis</i> (Bruchidae)	<i>Cicer arietinum</i> (chickpea)	1					N. Y.
<i>Callosobruchus maculatus</i> (Bruchi-dae).	Unknown seed	1					Do.
<i>Callosobruchus</i> sp. (Bruchidae)	<i>Cicer arietinum</i>	1					Do.
<i>Caryedon fuscus</i> (Bruchidae)	<i>Tamarindus indica</i> (tamarind)				1		Do.
<i>Cnemeplatia</i> sp. (Tenebrionidae)	<i>Anacardium occidentale</i> (ca-shew).	1					Do.
<i>Coccotrypes dactyliperda</i> (Scolytidae).	<i>Phoenix dactylifera</i> (date)			1			D. C.
<i>Coccotrypes</i> sp. (Scolytidae)	<i>Curcuma longa</i> (tumeric)				1		N. Y.
<i>Coccus</i> sp. (Coccidae)	<i>Cypripedium hirsutissimum</i> (orchid)		1				Calif.*
<i>Corcyra cephalonica</i> (Pyralidae)	<i>Oryza sativa</i> (rice)	1					N. Y.
Cucujid	In case of wood	1					Pa.
Do	Wooden crate	1					Calif.*
<i>Dinoderus bifoveolatus</i> (Bostrichidae).	do	1					Do.*
<i>Dinoderus minutus</i> (Bostrichidae).	Bamboo	1			1		N. Y.
Do	In case of wood	1					Do.
<i>Dinoderus</i> sp. (Bostrichidae)	do	1					Pa.
Galleriinae (Pyralidae)	<i>Cassia fistula</i> (golden-shower)		1				N. Y.
Do	<i>Cassia</i> sp.	1					Do.
<i>Gonocephalum adpressum</i> (Tenebrionidae).	In packing around palm seed		1				D. C.
<i>Heterobostrychus aequalis</i> (Bostrichidae).	In case of wood	2					Calif.*
Do	do	3					N. Y.
<i>Kytorhinus</i> sp. (Bruchidae)	<i>Piptanthus nepalensis</i>		1				Calif.*
<i>Laemotmetus rhizophagoides</i> (Cu-cujidae).	Wooden crate	1					Do.*
<i>Lophocateres pusillus</i> (Siamese grain beetle).	<i>Gossypium</i> sp. (cottonseed)	1					Do.*
Do	<i>Gossypium</i> sp. (cotton)	1					Ga.
Do	Wooden crate	1					Calif.*
Lyctid	do	1					Pa.
<i>Lyctoxylon japonum</i> (Lyctidae)	In case of wood	3					Do.
<i>Megapenthes</i> sp. (Elateridae)	Moss packing around orchids		1				D. C.
<i>Minthea rugicollis</i> (Lyctidae)	In case of wood	2					Calif.*
Do	do	1					N. Y.
Do	do	2					Pa.
<i>Parlatoria oleae</i> (Coccidae)	<i>Amygdalus persica</i> (peach)	2					D. C.
Phycitinae (Pyralidae)	<i>Anacardium occidentale</i> (ca-shew).	1					N. Y.
Do	<i>Tamarindus indica</i> (tamarind)				1		Do.
Pyralid	<i>Juniperus</i> sp. (juniper)		1				Calif.*
<i>Rhizoglyphus</i> sp. (mite)	<i>Lilium</i> sp	1					N. Y.
<i>Saissetia</i> sp. (Coccidae)	<i>Cypripedium venustum</i> (or-chid).		1				D. C.
<i>Sinoxylon conigerum</i> (Bostrichidae)	In case of wood	1					Calif.*
Do	do	2					N. Y.
<i>Sinoxylon</i> sp. (Bostrichidae)	do	1					Pa.
Steatoderini (Elateridae)	<i>Dendrobium fimbriatum</i> (or-chid).		1				Hawaii.*
Tenebrionid	<i>Amygdalus persica</i> (peach)		1				D. C.
<i>Tenebroides</i> sp. (Ostomidae)	In case of wood	1					Pa.
Tineid	<i>Amygdalus persica</i> (peach)		1				D. C.
<i>Trogoderma</i> sp. (Dermestidae)	<i>Cicer arietinum</i> (chickpea)	2				1	N. Y.
Diseases:							
<i>Bacillus phytophthorus</i>	<i>Solanum tuberosum</i>					1	Do.
<i>Bacterium citri</i>	<i>Citrus aurantifolia</i> (lime)					2	Pa.
<i>Collectotrichum</i> sp.	<i>Cymbidium</i> sp. (orchid)		1				D. C.
<i>Erysiphe graminis</i>	<i>Triticum aestivum</i> (wheat)	1					N. Y.
<i>Eurotium</i> sp	<i>Allium sativum</i> (garlic)					1	Do.
Do	do					1	Pa.
Do	<i>Lilium</i> sp						N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
INDIA—Continued									
Diseases—Continued.									
<i>Gloeosporium</i> sp.	Orchid		1				D. C.		
Do	<i>Vanda coerulea</i> (orchid)		1				Do.		
<i>Helminthosporium</i> sp.	<i>Oryza sativa</i> (paddy rice)					1	Mass.		
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					N. Y.		
<i>Puccinia rubigo-vera</i>	do	1					Do.		
<i>Septoria citri</i>	<i>Citrus limonia</i>					1	Oreg.		
<i>Sclerotium rolfsii</i>	<i>Lilium</i> sp.	1					N. Y.		
IRAQ									
Insects: Phycitinae (Pyralidae)	<i>Phoenix dactylifera</i> (date)					1	Do.		
IRELAND									
Insects:									
<i>Anthomyiid</i>	In soil around shamrock		1				Do.		
<i>Argyresthia</i> sp. (Yponomeutidae)	<i>Malus sylvestris</i> (apple)			1			Do.		
<i>Byrrhus</i> sp. (Byrrhidae)	In soil around shamrock		1				Do.		
<i>Cecidomyiid</i>	<i>Trifolium repens</i> var. (sham-rock).		1				Do.		
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)					1	Do.		
<i>Chionaspis salicis</i> (Coccidae)	<i>Salix phylicifolia</i> (tealeaf willow).	1					D. C.		
<i>Coleophora</i> sp. (Coleophoridae)	In soil around shamrock		1				N. Y.		
<i>Crambus</i> sp. (Pyralidae)	do		2				Do.		
<i>Hypera</i> sp. (Curculionidae)	<i>Trifolium repens</i> var. (sham-rock).		1				Do.		
<i>Liosoma deflexum</i> (Curculionidae)	In soil around fern			1			Do.		
<i>Megophthalmus</i> sp. (Cicadellidae)	<i>Trifolium repens</i> var. (sham-rock).		1				Md.		
Do	do		1				N. Y.		
<i>Myzus veronicae</i> (aphid)	<i>Primula</i> sp. (primrose)		1				D. C.		
Do	<i>Trifolium repens</i> var. (sham-rock).		1				N. Y.		
<i>Myzus</i> sp. (aphid)	<i>Clematis florida</i>			1			D. C.		
Do	<i>Trifolium repens</i> var. (sham-rock).		1				N. Y.		
<i>Platynus quadripunctatus</i> (Carabidae)	<i>Rosa</i> sp.	1					D. C.		
<i>Psila rosae</i> (carrot rust fly)	<i>Daucus carota</i> (carrot)					1	Pa.		
<i>Pyraustinae</i> (Pyralidae)	<i>Rosa</i> sp.		1				D. C.		
<i>Sitona</i> sp. (Curculionidae)	In soil around shamrock		2				N. Y.		
Do	<i>Trifolium repens</i> var. (sham-rock).		1				Do.		
<i>Taeniothrips ericae</i> (thrips)	<i>Calluna vulgaris</i> (heather)		1				Pa.		
Diseases:									
<i>Anguillulina dipsaci</i>	<i>Iris</i> sp.		1				D. C.		
<i>Aphelenchoides parietinus</i>	<i>Narcissus</i> sp.		1				Do.		
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.		1				Do.		
<i>Eurotium</i> sp.	<i>Crataegus</i> sp. (hawthorn)			1			N. Y.		
<i>Leptothyrium pomi</i>	<i>Malus sylvestris</i> (apple)			1			Do.		
<i>Leptothyrium</i> sp.	<i>Rosa</i> sp.		1				D. C.		
<i>Pezizella lythri</i>	do		1				Do.		
<i>Phyllosticta</i> sp.	<i>Trifolium repens</i> var. (sham-rock).		1				Pa.		
<i>Pleurococcus</i> sp.	<i>Crataegus oxyacantha</i> (English hawthorn)			1			N. Y.		
<i>Pseudopeziza medicaginis</i>	<i>Trifolium repens</i> var. (sham-rock).		2				Do.		
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					Do.		
<i>Septoria</i> sp.	<i>Cydonia oblonga</i> (quince)			1			Do.		
ITALIAN SOMALILAND									
Insects: <i>Callosobruchus</i> sp. (Bruchidae)	Bean		1				D. C.		
ITALY									
Insects:									
<i>Acidia heraclei</i> (celery fly)	<i>Apium graveolens</i> (celery)					1	Pa.		
<i>Acrolepia assetella</i> (Plutellidae)	<i>Allium porrum</i> (leek)					3	N. Y.		
<i>Aegeriid</i>	<i>Malus sylvestris</i> (apple)	1					D. C.		

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
Agromyzid	<i>Allium porrum</i> (leek)					2	N. Y.
Do	<i>Brassica oleracea acephala</i> (kale)					1	Do.
Do	<i>Lactuca sativa longifolia</i> (romaine lettuce)					1	Do.
Do	<i>Opuntia compressa</i> (prickly-pear)			1			Do.
Do	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Anarsia lineatella</i> (peach twig borer).	<i>Amygdalus communis</i> (almond)		1	1			Do.
Do	<i>Amygdalus persica nectarina</i> (nectarine)			1			Do.
Do	<i>Prunus armeniaca</i> (apricot)			1			Do.
<i>Anarsia</i> sp. (Gelechiidae)	<i>Amygdalus persica</i> (peach)					1	Mass.
<i>Anisolabis</i> sp. (earwig)	<i>Punica granatum</i> (pomegranate)			1			N. Y.
Anthomyiid	<i>Brassica oleracea capitata</i>					1	Do.
Do	In soil around <i>Passiflora</i> sp.	1					Pa.
<i>Aonidia lauri</i> (Coccidae)	<i>Laurus nobilis</i> (Grecian laurel)	1		4			N. Y.
Do	<i>Laurus</i> sp.					1	Fla.*
<i>Aphis</i> sp. (aphid)	<i>Salvia officinalis</i> (sage)		1				Pa.
<i>Apion malvae</i> (Curculionidae)	Dry flower		1				Do.
<i>Argyresthia</i> sp. (Yponomeutidae)	<i>Malus sylvestris</i> (apple)			1			N. Y.
<i>Aspidiotus britannicus</i> (Coccidae)	<i>Laurus nobilis</i> (Grecian laurel)					1	Do.
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Diospyros</i> sp. (persimmon)			1			Do.
<i>Aspidiotus</i> sp. (Coccidae)	<i>Ilex</i> sp. (holly)	1					Pa.
Do	<i>Malus sylvestris</i> (apple)					1	Do.
<i>Brachycerus albidentatus</i> (Curculionidae)	<i>Allium sativum</i> (garlic)	1					N. Y.
Do	<i>Scilla</i> sp. (squill)		1				Do.
<i>Brachyrhinus</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)		1				Do.
<i>Bucculatrix</i> sp. (Lyonetiidae)	do		1				Pa.
<i>Callipterus</i> sp. (aphid)	<i>Corylus avellana</i> (filbert)				1		N. Y.
<i>Cameraria</i> sp. (Gracillariidae)	<i>Castanea</i> sp. (chestnut)	1					Pa.
Cecidomyiid	<i>Capparis spinosa</i> (caper-bush)		1				Do.
Do	In soil around grape and fig cuttings	1					Do.
Do	In soil around grass sod			1			N. Y.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Amygdalus persica</i> (peach)			2			Do.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)		1				Ill.
Do	do		1	5			N. Y.
Do	<i>Citrus sinensis</i> (orange)			4			Do.
Do	<i>Cydonia oblonga</i> (quince)			1			Do.
Do	<i>Diospyros</i> sp. (persimmon)			1			Do.
Do	<i>Malus sylvestris</i> (apple)			2			Do.
Do	<i>Opuntia compressa</i> (prickly-pear)			5			Do.
Do	<i>Pyrus communis</i> (pear)			1			Do.
Do	<i>Vitis</i> sp. (grape)			1			Do.
Do	In box of dry figs and nuts		1				Md.
<i>Ceroplastes rusci</i> (Coccidae)	<i>Ficus carica</i> (fig)		1				Calif.*
Do	do		1				N. Y.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica oleracea botrytis</i> (cauliflower)					1	Do.
Do	<i>Brassica rapa</i> (turnip)					3	Do.
Do	<i>Daucus carota</i> (carrot)					1	Do.
<i>Chionaspis</i> sp. (Coccidae)	<i>Citrus limonia</i> (lemon)					1	Mass.
<i>Chirothrips similis</i> (thrips)	<i>Brachypodium pinnatum</i>	1					D. C.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus limetta</i> (sweet lime)	1					Pa.
Do	<i>Citrus limonia</i> (lemon)	3		1		11	N. Y.
Do	do					1	Tex.
Do	<i>Citrus medica</i> (citron)			1			N. Y.
Do	<i>Laurus nobilis</i> (Grecian laurel)	1					Do.
Do	<i>Citrus sinensis</i> (orange)	1				2	Do.
Do	<i>Diospyros</i> sp. (persimmon)			1			Do.
Do	<i>Nerium oleander</i> (oleander)			2			Do.
Do	<i>Phoenix canariensis</i> (palm)					1	Do.
Do	<i>Phoenix dactylifera</i> (date)					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
Cicadellid	<i>Lactuca sativa</i> (lettuce)						Mass.
<i>Coccotrypes dactyliperda</i> (Scolytidae).	Palm seed	1					D. C.
Do	Tree seed	2					Fla.*
<i>Crematogaster</i> sp. (ant)	<i>Cydonia oblonga</i> (quince)		1				N. Y.
<i>Cryptoblabes</i> sp. (Pyralidae)	<i>Punica granatum</i> (pomegranate)		1				Do.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)	2					Calif.*
Do	do	1					Ill.
Do	do	5	7			1	N. Y.
Do	do	1					Pa.
Do	<i>Corylus avellana</i> (filbert)		1				N. Y.
Curculionid	<i>Lycopersicum esculentum</i>						Mass.
<i>Dacus oleae</i> (olive fruit fly)	<i>Olea europaea</i> (olive)	2	1	13			N. Y.
<i>Diaspis carueli</i> (Coccidae)	<i>Juniperus</i> sp. (juniper)		1				Calif.*
Do	do	2					D. C.
Do	do	1					Pa.
<i>Empoasca</i> sp. (Cicadellidae)	<i>Caladium</i> sp.				1		N. Y.
<i>Epicometis squalida</i> (Scarabaeidae)	In soil around fig tree		1				Do.
<i>Epidiaspis piricola</i> (Italian pear scale).	<i>Malus sylvestris</i> (apple)					1	Fla.*
Do	do	1					
Do	<i>Prunus domestica</i> (plum)	1	1			1	N. Y.
Do	<i>Pyrus communis</i> (pear)	1					Calif.*
<i>Eriococcus</i> sp. (Coccidae)	<i>Aucuba</i> sp.				1		D. C.
<i>Eumerus</i> sp. (Syrphidae)	<i>Muscari comosum</i> (cipollino)	2					Calif.*
<i>Fiorinia</i> sp. (Coccidae)	<i>Camellia</i> sp.			1			N. Y.
<i>Frankliniella tenuicornis</i> (thrips)	<i>Allium porrum</i> (leek)					1	Do.
Gelechiid	<i>Beta cicla</i> (Swiss chard)					1	Do.
Do	<i>Castanea</i> sp. (chestnut)	1					Do.
Geometrid	<i>Capiscum annuum</i>					1	Pa.
<i>Grapholita</i> sp. (Olethreutidae)	<i>Amygdalus persica nectarina</i> (nectarine)		1				N. Y.
Do	<i>Prunus armeniaca</i> (apricot)			1			Do.
Do	<i>Prunus domestica</i> (plum)	1	1			1	Do.
Do	<i>Pyrus communis</i> (pear)		1				Do.
<i>Helops</i> sp. (Tenebrionidae)	In packing around oleander plant.		1				Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i> (turnip)					2	Pa.
Do	do					1	N. Y.
<i>Icerya purchasi</i> (cottony-cushion scale.)	<i>Citrus sinensis</i> (orange)		1			1	Do.
Do	do						Pa.
<i>Icerya</i> sp. (Coccoidae)	<i>Laurus nobilis</i> (Grecian laurel)			1			N. Y.
<i>Lasioderma</i> sp. (Anobiidae)	<i>Allium sativum</i> (garlic)					1	La.
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea sativa</i> (chestnut)		1				D. C.
Do	<i>Castanea</i> sp. (chestnut)		1				Do.
Do	do	46	6			1	N. Y.
Do	do	2					Pa.
<i>Lepidosaphes conchiformis</i> (Coccidae)	<i>Ficus carica</i> (fig)		2				N. Y.
<i>Lepidosaphes ficus</i> (Coccidae)	do		2				Calif.*
Do	do		1				D. C.
Do	do	2	6				N. Y.
Do	<i>Ficus</i> sp.		1				D. C.
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Diospyros</i> sp. (persimmon)			1			N. Y.
Do	<i>Juglans regia</i> (English walnut)			1			Do.
Lycaenid	<i>Punica granatum</i> (pomegranate)			1			Do.
Lygaeid	In packing around oleander			1			Do.
<i>Macrosiphum</i> sp. (aphid)	<i>Lactuca sativa</i> (lettuce)					1	Do.
Do	<i>Lactuca sativa longifolia</i> (romaine lettuce)					1	Mass.
<i>Merodon equestris</i> (narcissus bulb fly).	<i>Muscaria comosum</i> (cipollino)	1					N. Y.
<i>Merodon</i> sp. (Syrphidae)	do	1					Do.
<i>Monanthia echii</i> (Tingitidae)	<i>Eucalyptus</i> sp.			1			Do.
<i>Myelois</i> sp. (Pyralidae)	<i>Ceratonia siliqua</i> (St. Johns-bread).	2					Do.
Do	do	1					Va.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
<i>Myelois</i> sp. (Pyralidae)	<i>Juglans regia</i> (English walnut)			1			N. Y.
Do	<i>Juglans</i> sp. (walnut)			1			Do.
Do	<i>Pyrus communis</i> (pear)			1			Do.
<i>Nepticula</i> sp. (Nepticulidae)	<i>Castanea</i> sp. (chestnut)	1					Pa.
Noctuid	Bean					1	La.
Do	<i>Cichorium intybus</i> (witloof)					1	N. Y.
<i>Nygma phaeorrhoea</i> (brown-tail moth).	<i>Pyrus communis</i> (pera)	1					D. C.
<i>Ochetostethus nanus</i> (Cydnidae)	In packing around oleander			1			N. Y.
Oecophorid	<i>Cynara scolymus</i> (globe artichoke)					1	Do.
Olethreutid	<i>Crataegus</i> sp. (thornapple)			1			Do.
Do	<i>Diospyros</i> sp. (persimmon)			1			Do.
Do	<i>Gentiana</i> sp. (gentian)	1					Pa.
Do	<i>Lactuca sativa</i> (lettuce)					1	N. Y.
Do	<i>Vitis</i> sp. (grape)			1			Do.
Ortalid	<i>Juglans regia</i> (English walnut)			1			Do.
Do	<i>Lactuca sativa longifolia</i> (romaine lettuce)					1	Do.
Do	<i>Solanum tuberosum</i>					1	Tex.
<i>Pachytychius</i> sp. (Curculionidae)	In moss packing around olive trees.			1			N. Y.
<i>Parlatoria oleae</i> (Coccidae)	<i>Diospyros</i> sp. (persimmon)			4			Do.
Do	<i>Eriobotrya japonica</i> (loquat)	1					D. C.
Do	<i>Malus sylvestris</i> (apple)	3		3			N. Y.
Do	<i>Mespilus germanica</i> (medlar)			1			Do.
Do	<i>Olea europaea</i> (olive)			1			Do.
Do	<i>Prunus armeniaca</i> (apricot)			1			Do.
Do	<i>Prunus domestica</i> (plum)			1			Do.
Do	<i>Prunus</i> sp. (prune)		1				Calif.*
Do	<i>Pyrus communis</i> (pear)	1	1	1			N. Y.
Do	<i>Sorbus</i> sp. (sorbe apple)			1			Do.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus limetta</i> (sweet lime)	1		3			Do.
Do	<i>Citrus limonia</i> (lemon)					7	Calif.*
Do	do					1	Fla.*
Do	do	19		7		38	N. Y.
Do	do				1		Pa.
Do	<i>Citrus medica</i> (citron)			3			N. Y.
Do	<i>Citrus nobilis deliciosa</i> (Mandarin orange).					1	Calif.*
Do	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Do.*
Do	do			8		3	N. Y.
Do	<i>Citrus sinensis</i> (orange)	1				1	Md.
Do	do	1		7		1	N. Y.
Do	<i>Citrus</i> sp.			1			Do.
<i>Pediculoides ventricosus</i> (mite)	<i>Vicia faba</i> (broadbean)	1					Calif.*
Pentatomid	<i>Castanea</i> sp. (chestnut)	1					Pa.
<i>Phycitinae</i> (Pyralidae)	<i>Brassica oleracea capitata</i>					1	N. Y.
Do	<i>Punica granatum</i> (pomegranate).	1		8			Do.
<i>Phytomyza</i> sp. (Agromyzidae)	<i>Beta vulgaris cicla</i> (chard)					1	Do.
Do	<i>Petroselinum hortense</i> (parsley)					1	Do.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea capitata</i>					4	Do.
<i>Plutella maculipennis</i> (diamond-back moth).	<i>Lactuca sativa longifolia</i> (romaine lettuce).					1	Do.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Malus sylvestris</i> (apple)			1			Do.
Do	<i>Pyrus communis</i> (pear)			1			Do.
<i>Psylliodes chrysocephala</i> (Chrysomelidae).	<i>Daucus carota</i> (carrot)					1	Do.
Do	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Pyrausta nubilalis</i> (European corn borer).	<i>Capsicum annuum</i>					1	Do.
Do	<i>Diospyros</i> sp. (persimmon)			1			Do.
Do	<i>Holcus sorghum</i> var. (broomcorn).	4					Do.
Do	do			1			Pa.
Do	<i>Lycopersicum esculentum</i>					1	N. Y.
<i>Rhagoletis</i> sp. (Tryptidae)	<i>Prunus cerasus</i> (sour cherry)	1					Pa.
Do	<i>Prunus</i> sp. (cherry)			2			N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Store	
ITALY—Continued							
Insects—Continued.							
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Mass.
Do	do	2					N. Y.
Do	do					1	Pa.
Do	<i>Citrus limonia</i> (lemon)					1	N. Y.
Do	<i>Dahlia</i> sp.			1			Do.
Do	<i>Lactuca sativa</i> (lettuce)					1	Mass.
Do	<i>Solanum tuberosum</i>				2		N. Y.
Do	do					1	Pa.
<i>Sciara fenestrata</i> (Mycetophilidae)	<i>Allium porrum</i> (leek)					1	N. Y.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Allium sativum</i> (garlic)	1					Mass.
Do	<i>Apium graveolens</i> (celery)					1	N. Y.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).	1					Do.
Do	<i>Muscari comosum</i> (cipollino)	1					Do.
Do	<i>Pelargonium</i> sp. (geranium)			1			Do.
<i>Sesamia cretica</i> (durra stem borer)	<i>Holcus sorghum</i> var. (broomcorn).	3					Do.
<i>Taphropeltus contractus</i> (Lygaeidae).	In moss packing around olive tree.			1			Do.
<i>Targionia bromeliae</i> (Coccidae)	<i>Ananas sativus</i>			1			Do.
<i>Targionia</i> sp. (Coccidae)	<i>Ficus carica</i> (fig)			1			Do.
<i>Tetranychus</i> sp. (mite)	<i>Citrus limonia</i> (lemon)					1	Do.
Do	<i>Ficus carica</i> (fig)			1			Do.
<i>Thrips tabaci pullus</i> (thrips)	<i>Allium porrum</i> (leek)					2	Do.
<i>Tipula</i> sp. (Tipulidae)	In moss packing around dahlia tubers.			1			Do.
Tortricid	<i>Ficus carica</i> (fig)			1			Do.
Do	<i>Malus sylvestris</i> (apple)	1					D. C.
Do	<i>Punica granatum</i> (pomegranate).		1	1			N. Y.
Trypetid	<i>Capsicum annuum</i>					1	Mass.
Yponomeutid	<i>Amygdalus persica</i> (peach)			1			N. Y.
<i>Zeuzera pyrina</i> (leopard moth)	<i>Pyrus communis</i> (pear)	1					D. C.
Diseases:							
<i>Acrostalagmus cinnabarinus</i>	<i>Solanum tuberosum</i>					1	N. Y.
<i>Albugo candida</i>	<i>Brassica rapa</i> (turnip)					3	Do.
Do	<i>Brassica</i> sp.					1	Do.
Do	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
Do	<i>Brassica oleracea capitata</i>					1	Ala.
Do	do					1	Mass.
Do	do					2	N. Y.
Do	do					1	Pa.
<i>Alternaria herculea</i>	<i>Brassica oleracea botrytis</i>					1	N. Y.
Do	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Alternaria solani</i>	<i>Brassica oleracea botrytis</i>					1	N. Y.
<i>Anguillulina dipsaci</i>	<i>Allium sativum</i> (garlic)					1	Pa.
<i>Aphelenchus avenae</i>	do					1	Do.
<i>Ascochyta pisi</i>	<i>Pisum sativum</i> (pea)					1	N. Y.
<i>Bacillus</i> sp.	<i>Citrus sinensis</i> (orange)		1				Do.
Do	<i>Cucurbita maxima</i> (squash)					1	Do.
<i>Bacterium campestre</i>	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea acephala</i> (kale).					1	Ala.
Do	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do	<i>Brassica oleracea capitata</i>					4	Do.
<i>Bacterium savastanoi</i>	<i>Olea europaea</i> (olive)		1				Do.
<i>Bacterium syringae</i>	<i>Citrus limonia</i> (lemon)			1			Do.
Bitter pit	<i>Malus sylvestris</i> (apple)					1	Md.
Do	do			2			N. Y.
<i>Capnodium citri</i>	<i>Citrus limonia</i>					2	Pa.
Do	<i>Citrus sinensis</i> (orange)			1			N. Y.
<i>Capnodium</i> sp.	<i>Bambusa</i> sp.	1					Do.
Do	<i>Castanea</i> sp. (chestnut)			1			Do.
Do	<i>Laurus nobilis</i> (Grecian laurel)			1			Do.
Do	<i>Vitis</i> sp. (grape)			1			Do.
<i>Cercospora beticola</i>	<i>Beta vulgaris cicla</i> (Swiss chard).					4	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Diseases—Continued.							
<i>Cercospora</i> sp.	<i>Prunus</i> sp. (cherry)	1					Pa.
<i>Cladosporium carpophilum</i>	<i>Amygdalus persica</i> (peach)					2	N. Y.
<i>Cladosporium fulvum</i>	<i>Lycopersicum esculentum</i>					1	Do.
<i>Colletotrichum atramentarium</i>	<i>Solanum tuberosum</i>					1	Miss.
<i>Colletotrichum circinans</i>	<i>Allium cepa</i> (onion)					2	Pa.
<i>Coryneum beijerinckii</i>	<i>Amygdalus persica</i>					1	N. Y.
<i>Diplodia natalensis</i>	<i>Citrus limonia</i> (lemon)	1					Do.
<i>Eurotium</i> sp.	<i>Arachis hypogaea</i> (peanut)	1					Pa.
Do	<i>Castanea</i> sp. (chestnut)		1				N. Y.
Do	<i>Gentiana</i> sp. (gentian)		1				Pa.
Do	<i>Ilex</i> sp. (holly)	1					Do.
Do	<i>Malus sylvestris</i> (apple)			1			N. Y.
Do	<i>Sorbus</i> sp. (sorbe apple)			1			Do.
<i>Fusarium moniliforme</i>	<i>Zea mays</i> (corn)		1				Pa.
<i>Fusicladium eriobotryae</i>	<i>Eriobotrya japonica</i> (loquat)			1		1	N. Y.
<i>Gloeosporium</i> sp.	<i>Pittosporium tobira</i>				1		Wash.
<i>Helminthosporium allii</i>	<i>Allium sativum</i> (garlic)					1	Ala.
<i>Helminthosporium</i> sp.	<i>Capriola dactylon</i> (Bermuda grass).			1			N. Y.
Do	<i>Triticum aestivum</i> (wheat)	1					Pa.
<i>Hendersonia</i> sp.	Bamboo		1				D. C.
<i>Heterosporium</i> sp.	<i>Allium sativum</i> (garlic)				1		Ala.
Do	do				1		Pa.
<i>Macrophoma</i> sp.	<i>Aucuba japonica variegata</i>				2		Wash.
Do	<i>Juglans</i> sp. (walnut)	1					N. Y.
<i>Macrosporium carotae</i>	<i>Daucus carota</i> (carrot)					1	Do.
<i>Macrosporium tomato</i>	<i>Lycopersicum esculentum</i>					1	Mass.
Do	do					1	N. Y.
<i>Mycosphaerella fragariae</i>	<i>Fragaria</i> sp. (strawberry)	1	1				Do.
<i>Oidium euonymi-japonici</i>	<i>Euonymus</i> sp.				2		Do.
<i>Oidium</i> sp.	<i>Vitis</i> sp. (grape)			1			Do.
<i>Oospora lactis parasitica</i>	<i>Capsicum annuum</i>				1		Do.
Do	<i>Lycopersicum esculentum</i>				1		Mass.
Do	do				1		N. Y.
<i>Oospora</i> sp.	<i>Opuntia compressa</i> (prickly-pear).			1			Do.
<i>Penicillium glaucum</i>	<i>Muscari comosum</i> (cipollino)	2					Do.
<i>Phoma</i> sp.	<i>Citrus limonia</i> (lemon)	2		1			Do.
Do	<i>Citrus</i> sp.					1	Do.
Do	<i>Ficus</i> sp. (fig)		1				Mass.
Do	<i>Laurus nobilis</i> (Grecian laurel)		1				Pa.
Do	<i>Vitis</i> sp. (grape)		1				N. Y.
<i>Phomopsis</i> sp.	<i>Ficus carica</i> (fig)				1		Do.
<i>Phyllosticta betae</i>	<i>Beta vulgaris cicla</i> (Swiss chard)					1	Pa.
<i>Phyllosticta ruscicola</i>	<i>Ruscus</i> sp. (butchersbroom)	1					Do.
<i>Phyllosticta</i> sp.	<i>Aucuba japonica</i> (Japanese aucuba).				1		Do.
Do	<i>Citrus limonia</i> (lemon)					1	N. Y.
Do	<i>Citrus sinensis</i> (orange)			1			Do.
Do	<i>Smilax</i> sp.				1		Do.
<i>Puccinia graminis</i>	<i>Hordeum vulgare</i> (barley)			1			Mass.
Do	<i>Triticum aestivum</i> (wheat)	1					Calif.*
Do	do	1					Mich.
Do	do	5	4				N. Y.
Do	do	2	1				Pa.
<i>Puccinia hieracii</i>	<i>Cichorium intybus</i> (witloof)					1	N. Y.
<i>Puccinia malvacearum</i>	<i>Malvaceae</i>	1					Mich.
Do	<i>Malva</i> sp.					1	N. Y.
<i>Puccinia porri</i>	<i>Allium sativum</i> (garlic)					1	Do.
Do	do					2	Pa.
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i>	1					Do.
<i>Puccinia</i> sp.	<i>Allium sativum</i>	1				5	N. Y.
Do	do					4	Pa.
<i>Ramularia</i> sp.	<i>Cichorium intybus</i>					1	N. Y.
Do	<i>Ficus</i> sp.	1					D. C.
<i>Scirrhia bambusae</i>	Bamboo			1			Do.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Pa.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)					1	Ala.
Do	<i>Foeniculum vulgare</i> (fennel)					1	Pa.
Do	<i>Solanum tuberosum</i>					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Diseases—Continued.							
<i>Sclerotium cepivorum</i>	<i>Allium cepa</i> (onion)					1	La.
Do	do					1	N. Y.
<i>Sclerotium</i> sp.	<i>Citrus limonia</i> (lemon)					1	La.
Do	<i>Phaseolus</i> sp. (string bean)					2	N. Y.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					6	Do.
<i>Septoria beticola</i>	<i>Beta vulgaris cicla</i> (Swiss chard)					1	Do.
<i>Septoria castaneae</i>	<i>Castanea</i> sp. (chestnut)	1					Pa.
<i>Septoria citri</i>	<i>Citrus limonia</i>					1	Md.
Do	do					3	N. Y.
Do	do					3	Pa.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)		1				N. Y.
Do	<i>Citrus sinensis</i> (orange)				1		Do.
<i>Septoria endiviae</i>	<i>Cichorium intybus</i> (witloof)					1	Do.
<i>Septoria nigerrima</i>	<i>Pyrus communis</i> (pear)				2		Do.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)					2	Do.
<i>Septoria</i> sp.	<i>Citrus sinensis</i> (orange)				1		Do.
<i>Sphaceloma fawcettii</i>	<i>Citrus limetta</i> (sweet lime)				1		Do.
Do	<i>Citrus limonia</i> (lemon)	1		3		5	Do.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)	1					Do.
Do	<i>Citrus sinensis</i> (orange)	4					Do.
<i>Sphaelotheca cruenta</i>	<i>Holcus sorghum</i> (sorghum)		1				Pa.
<i>Sphaeronema</i> sp.	<i>Ficus</i> sp.	1					D. C.
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>		1				Pa.
<i>Stysanus</i> sp.	do					1	Do.
<i>Thielavia</i> sp.	<i>Allium sativum</i> (garlic)	3					N. Y.
<i>Urocystis occulta</i>	<i>Secale cereale</i> (rye)	1					Pa.
<i>Uromyces caryophyllinus</i>	<i>Dianthus</i> sp. (carnation)			1			N. Y.
<i>Ustilago avenae</i>	<i>Avena sativa</i> (wild oats)		1				Pa.
<i>Ustilago tritici</i>	<i>Triticum aestivum</i> (wheat)			1			N. Y.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)	6	1	15		6	Do.
Do	do					1	Wash.
<i>Vermicularia</i> sp.	Undetermined	1					D. C.
JAMAICA							
Insects:							
<i>Aleurocanthus woglumi</i> (citrus blackfly).	<i>Citrus sinensis</i> (orange)					1	Pa.
<i>Anastrepha</i> sp. (Tryptidae)	<i>Mangifera indica</i> (mango)				10	1	N. Y.
Do	<i>Psidium guajava</i> (guava)				1		Do.
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Chayota edulis</i> (chayote)	1					Do.
<i>Aspidiotus herculeanus</i> (Coccidae)	<i>Poinciana regia</i> (royal poinciana)				1		Do.
Do	<i>Spondias dulcis</i> (golden apple)				1		Do.
<i>Callosobruchus phaseoli</i> (Bruchidae)	<i>Cicer arietinum</i> (chickpea)		1				Do.
<i>Callosobruchus</i> sp. (Bruchidae)	<i>Pisum sativum</i> (pea)		1				Do.
<i>Camponotus</i> sp. (ant)	<i>Musa</i> sp. (banana)	1					Do.
<i>Caryedon fuscus</i> (Bruchidae)	<i>Tamarindus indica</i> (tamarind)			1	1		Do.
Do	do			1			Pa.
<i>Catorama</i> sp. (Anobiidae)	<i>Gossypium</i> sp. (cotton)		1				N. Y.
Cecidomyiid.	<i>Capsicum annuum</i>		1				Do.
Do	<i>Dioscorea</i> sp. (yam)					1	Mass.
Do	<i>Oncidium luridum</i> (orchid)		1				D. C.
Do	<i>Saccharum officinarum</i>				1		N. Y.
Do	<i>Zizyphus jujuba</i> (jujube)			1			Do.
Chloropid.	<i>Dioscorea</i> sp. (yam)			1			Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Mangifera indica</i> (mango)			1			Do.
<i>Coccus mangiferae</i> (Coccidae)	<i>Adenium obesum</i>	1					D. C.
<i>Coccus viridis</i> (Coccidae)	<i>Coffea</i> sp. (coffee)			2			N. Y.
<i>Crematogaster victimae</i> (ant)	<i>Ananas sativus</i>			1			Miss.
<i>Diaspis echinocacti cacti</i> (Coccidae)	<i>Cactus</i>	1					N. Y.
<i>Diatraea</i> sp. (Pyralidae)	<i>Saccharum officinarum</i>			1			Do.
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)					1	Mass.
Do	do			1			N. Y.
<i>Euxesta</i> sp. (Ortalidae)	<i>Capsicum annuum</i>					1	Do.
<i>Forcipomyia</i> sp. (Chironomidae)	<i>Dioscorea</i> sp. (yam)				1		Mass.
Galleriinae (Pyralidae)	<i>Solanum</i> sp.				1		Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAMAICA—Continued							
Insects—Continued.							
<i>Helops</i> sp. (Tenebrionidae)	<i>Dioscorea</i> sp. (yam)		1				N. Y.
<i>Hemichionaspis minor strachani</i> (Coccidae).	<i>Annona muricata</i> (soursop)		1				Do.
Do.	<i>Eugenia</i> sp.			1			Do.
<i>Monanus concinnulus</i> (Cucujidae)	Banana debris	1					Pa.
<i>Myelois decolor</i> (Pyralidae)	<i>Hymenaea courbaril</i> (algaroba)			2			N. Y.
<i>Myelois</i> sp. (Pyralidae)	<i>Tamarindus indica</i> (tamarind)				1		Do.
<i>Nitidulid</i> .	<i>Dioscorea</i> sp. (yam)			1			Do.
Olethreutid.	<i>Capsicum annuum</i>				1		Mass.
<i>Palaeopus costicollis</i> (Curculionidae).	<i>Dioscorea</i> sp. (yam)			1			Do.
Do.	do.			1			N. Y.
<i>Parlatoria crotonis</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)		1				Do.
<i>Parlatoria</i> sp. (Coccidae)	do.		1				Do.
<i>Phycitinae</i> (Pyralidae)	<i>Carica papaya</i> (papaya)					1	Do.
Do.	<i>Tamarindus indica</i> (tamarind)	1					Pa.
<i>Prolabia jamaicensis</i> (earwig)	<i>Solanum</i> sp.			1			Mass.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Annona reticulata</i> (custard-apple).			1			N. Y.
Do.	<i>Annona squamosa</i> (sugar-apple).			1			Fla.*
Do.	<i>Artocarpus incisa</i> (bread fruit)			1			N. Y.
Do.	<i>Chrysophyllum cainito</i> (star-apple).			1			Do.
Do.	<i>Citrus aurantifolia</i> (lime)			1		1	Fla.*
Do.	do.	11			1	7	N. Y.
Do.	<i>Citrus grandis</i> (grapefruit)					1	Calif.*
Do.	do.					1	Fla.*
Do.	do.					5	N. Y.
Do.	<i>Citrus limonia</i> (lemon)			2			Do.
Do.	<i>Citrus nobilis deliciosa</i> (tangerine).				1		Fla.*
Do.	do.					1	N. Y.
Do.	<i>Citrus sinensis</i> (orange)			17	18	1	Fla.*
Do.	do.					1	Mass.
Do.	do.					7	N. Y.
Do.	do.					1	Pa.
Do.	<i>Mangifera indica</i> (mango)			1			Mass.
Do.	do.			3			N. Y.
Do.	<i>Musa</i> sp. (banana)	1					Mich.
Do.	<i>Spondias dulcis</i> (golden apple)			1			N. Y.
Do.	<i>Zizyphus jujuba</i> (jujube)			1			Do.
<i>Pseudococcus</i> sp. (Coccidae)	Palm					1	Do.
Do.	<i>Theobroma cacao</i> (cacao)			1			Fla.*
<i>Pseudopeltaria parlatoioides</i> (Coccidae).	<i>Carica papaya</i> (papaya)					1	Do.*
Psychid.	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Pyrophorus</i> sp. (Elateridae)	<i>Trichilia</i> sp. (bitterwood)	1					Ala.
Rhagionid.	<i>Heliconia</i> sp.			1			N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Dioscorea</i> sp. (yam)			1			Do.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Cycas revoluta</i> (sago cycas)			1			Do.
Scolytid.	Banana debris	1					Do.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)	1			1		Do.
<i>Stelidota</i> sp. (Nitidulidae)	<i>Xanthosoma</i> sp. (malanga)			1			Do.
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Myristica fragrans</i> (nutmeg)		1				D. C.
<i>Targonia hartii</i> (Coccidae)	<i>Zingiber officinale</i> (ginger)		1				Pa.
<i>Targonia sacchari</i> (Coccidae)	<i>Saccharum officinarum</i>					1	Fla.*
Do.	do.			1			N. Y.
<i>Telephanus</i> sp. (Cucujidae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Tetranychus</i> sp. (mite)	<i>Hedera</i> sp. (ivy)					1	Do.
<i>Thrips</i> sp. (thrips)	<i>Allium cepa</i> (onion)			1			Do.
<i>Tinea</i> sp. (Tineidae)	<i>Dioscorea</i> sp. (yam)				1		Do.
Do.	<i>Gossypium</i> sp. (cotton)			1			Do.
Do.	<i>Musa</i> sp. (banana)	1					Do.
Tineid.	do.			1			Do.
Tortricid.	Banana debris	1					Pa.
<i>Wasemannia auropunctata</i> (ant)	do.			1			N. Y.
Do.	<i>Musa</i> sp. (banana)	1					Do.
<i>Xyleborus confusus</i> (Scolytidae)	<i>Dioscorea</i> sp. (yam)				1		Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAMAICA—Continued							
Diseases:							
<i>Apiospora</i> sp.	<i>Andropogon citratus</i> (lemon grass).		1				N. Y.
<i>Capnodium citri</i>	<i>Citrus grandis</i> (grapefruit)				1		Tex.
Do	<i>Citrus sinensis</i> (orange)					1	Mass.
Do	do					1	Pa.
<i>Cercospora</i> sp.	<i>Waltheria</i> sp.		1				N. Y.
<i>Colletotrichum falcatum</i>	<i>Saccharum officinarum</i>					1	Fla.*
Do	do			1			N. Y.
<i>Colletotrichum nigrum</i>	<i>Capsicum annuum</i>		1				Do.
<i>Colletotrichum</i> sp.	<i>Broughtonia sanguinea</i>			1			Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	<i>Spondias dulcis</i> (golden apple)			1			Do.
<i>Diplodia cacaoicola</i>	<i>Annona</i> sp.				1		Mass.
Do	<i>Chayota edulis</i> (chayote)	1					N. Y.
Do	<i>Cocos nucifera</i> (coconut)			1			Do.
Do	<i>Musa</i> sp. (banana)				1		Do.
<i>Diplodia natalensis</i>	<i>Chrysophyllum cainito</i> (star-apple).				1		Mass.
Do	<i>Citrus aurantifolia</i> (lime)	3					N. Y.
<i>Diplodia tubericola</i>	<i>Dioscorea</i> sp. (yam)		3				Do.
Do	<i>Ipomoea batatas</i> (sweetpotato)	1					Do.
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantifolia</i>				1		Fla.*
<i>Gloeosporium musarum</i>	<i>Musa</i> sp. (banana)	2					N. Y.
<i>Gloeosporium</i> sp.	Orchid (several genera)	1		5			Do.
Do	Orchid	1					D. C.
<i>Glomerella cincta</i>	do	1					Do.
<i>Heterosporium</i> sp.	Banana debris	1					N. Y.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>			3			Do.
<i>Microcera coccophila</i>	<i>Citrus sinensis</i> (orange)				1		Do.
<i>Oospora</i> sp.	<i>Spondias mombin</i> (yellow mombin).			1			Do.
<i>Pestalozzia</i> sp.	<i>Chrysophyllum cainito</i> (star-apple).			2			Do.
Do	<i>Cinnamomum</i> sp. (cinnamon)		1				Do.
<i>Phoma</i> sp.	<i>Chayota edulis</i> (chayote)			1			Do.
<i>Phoma</i> (?) sp.	<i>Chrysophyllum cainito</i>				1		Mass.
<i>Phomopsis</i> sp.	<i>Coelogyne dayana</i> (necklace orchid).			1			N. Y.
<i>Phyllosticta</i> sp.	<i>Bradburya virginiana</i>		1				Do.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)				1		Ala.
<i>Sclerotinia</i> sp.	<i>Solanum</i> sp.			1			N. Y.
<i>Sclerotium bataticola</i>	<i>Ipomoea batatas</i> (sweetpotato)				1		Fla.*
<i>Sclerotium roflsii</i>	<i>Dioscorea</i> sp. (yam)			2			N. Y.
<i>Sclerotium</i> sp.	<i>Citrus aurantifolia</i> (lime)	1					Do.
<i>Septoria</i> sp.	Unknown leaf		1				Do.
<i>Sphaceloma fawcettii</i>	<i>Citrus grandis</i> (grapefruit)				1		Do.
Do	<i>Citrus aurantifolia</i>			1			Do.
<i>Stagonospora</i> sp.	<i>Oncidium sphacelatum</i> (orchid)	1					D. C.
Do	do	1					Do.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>			10	1		N. Y.
<i>Valsa</i> sp.	<i>Barringtonia spectabilis</i>		1				D. C.
<i>Verrucariaceae</i>	<i>Celastrus</i> sp. (bittersweet)	1					Wash.
<i>Verticillium</i> sp.	<i>Musa</i> sp. (banana)	1					N. Y.
JAPAN							
Insects:							
<i>Acrolepia</i> sp. (Plutellidae)	<i>Allium porrum</i> (leek)					1	Do.
Agromyzid	<i>Brassica pekinensis</i> (Chinese cabbage).					2	Do.
Do	do					1	Wash.
Do	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Amorbia emigratella</i> (Tortricidae)	<i>Rosa</i> sp.				1		Calif.*
<i>Anisolabis marginalis</i> (earwig)	<i>Lilium</i> sp.	1					Wash.
Do	<i>Lycoris squamigera</i>	1					Do.
Do	In soil around lily bulbs	1					Do.
<i>Anisolabis stoli</i> (earwig)	<i>Lilium</i> sp.	1					Do.
<i>Anomala</i> sp. (Scarabaeidae)	In soil			1			Calif.*
<i>Anomalini</i> (Scarabaeidae)	In soil around chrysanthemum			1			Do.*
<i>Anthrenus</i> sp. (Dermestidae)	<i>Oryza sativa</i> (rice)	1					La.
Do	do			1			Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
<i>Antonina crawi</i> (Coccidae)	Bamboo				2		Calif.*
Do	do				1		Wash.
<i>Aphis</i> sp. (aphid)	<i>Aralia cordata</i> (udo)	1				1	Do.
Do	Wheat straw used as packing						Pa.
<i>Aphodiinae</i> (Scarabaeidae)	In soil				1		Calif.*
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Citrus nobilis deliciosa</i> (Mandarin orange).			1			Wash.
Do	<i>Cucurbita pepo</i> (pumpkin)					1	N. Y.
Do	<i>Ipomoea batatas</i> (sweetpotato)			1			Calif.*
<i>Aspidiotus degeneratus</i> (Coccidae)	<i>Camellia japonica</i> (camellia)	1					Do.*
<i>Aspidiotus destructor</i> (Coccidae)	<i>Cycas revoluta</i> (sago cycas)	1					Pa.
<i>Aspidiotus transparens</i> (Coccidae)	<i>Areca catechu</i> (betel palm)				1		Calif.*
Do	<i>Aucuba</i> sp.				2		Do.*
<i>Aspidiotus tsugae</i> (Coccidae)	<i>Tsuga</i> sp.				1		Do.*
<i>Aspidiotus</i> sp. (Coccidae)	<i>Citrus sinensis</i> (orange)			1			Wash.
Do	<i>Malus sylvestris</i> (apple)					1	Md.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Colocasia esculenta</i> (taro)					1	La.
<i>Blastobasid</i>	<i>Wisteria praecox odorata alba</i>	1					Calif.*
<i>Bruchidius dorsalis</i> (Bruchidae)	<i>Gleditsia</i> sp. (honeylocust)	1					D. C.
<i>Bruchidius</i> sp. (Bruchidae)	<i>Albizia</i> sp.	1					Calif.*
<i>Bruchus</i> sp. (Bruchidae)	<i>Lathyrus grandiflorus</i> (sweet pea).	1					N. Y.
<i>Bucculatrix</i> sp. (Lyonetidae)	<i>Prunus domestica</i> (plum)				1		Do.
<i>Cacoecia</i> sp. (Tortricidae)	<i>Azalea</i> sp.				1		Calif.*
Do	<i>Chrysanthemum</i> sp.				1		Wash.
<i>Camponotus</i> sp. (ant)	In soil around chrysanthemum.		1				Calif.*
<i>Capitophorus formosanus</i> (aphid)	<i>Chrysanthemum</i> sp.				1		Wash.
<i>Carposina</i> sp. (Carposinidae)	<i>Malus sylvestris</i> (apple)					1	Pa.
<i>Caryobruchus gleditsiae</i> (Bruchidae)	<i>Gleditsia</i> sp. (honeylocust)	1					D. C.
Cecidomyiid	<i>Allium cepa</i> (onion)					1	N. Y.
Do	<i>Aucuba japonica</i> (Japanese aubera).				1		Wash.
Do	<i>Osmanthus</i> sp.	1					Calif.*
<i>Ceroplastes ceriferus</i> (Coccidae)	<i>Aralia</i> sp.				3		Do.*
Do	<i>Camellia japonica</i> (camellia)				6		Do.*
Do	<i>Euonymus</i> sp.				1		Do.*
<i>Ceroplastes rubens</i> (Coccidae)	<i>Aralia</i> sp.				4		Do.*
Do	<i>Berberis</i> sp. (barberry)				1		Do.*
Do	<i>Fatsia japonica</i> (fatsia)				1		La.
Do	<i>Gardenia florida</i> (Cape-jasmine).				1		Calif.*
<i>Chilo simplex</i> (Asiatic rice borer)	<i>Misanthus japonica</i> (eulalia)	1					N. Y.
Do	Rice matting				1		Md.
Do	Rice straw used as packing	1	2				Calif.*
Do	do	2					La.
Do	do	11	4	4			N. Y.
Do	do	5					Pa.
Do	do			1	1		Tex.
Do	do			1			Wash.
Do	Rice straw used as ties for chinaware.		1				Oreg.
Do	Rice straw used to cover bamboo poles.						Do.
<i>Chilo</i> sp. (Pyralidae)	<i>Misanthus japonica</i> (eulalia)	1					N. Y.
<i>Chionaspis yanonensis</i> (Coccidae)	<i>Citrus nobilis unshiu</i> (Satsuma orange).	1					Wash.
Do	<i>Citrus sinensis</i> (orange)				4		Calif.*
Do	do			1	1		Wash.
Do	<i>Citrus</i> sp.				1		Calif.*
<i>Chlorophorus annularis</i> (Cerambycidae)	Bamboo.	1					Fla.*
<i>Chloropid</i> .	<i>Brassica pekinensis</i> (Chinese cabbage).					1	N. Y.
Do	<i>Oryza sativa</i> (rice)	1					Pa.
<i>Chrysomphalus dictyospermi</i> var.	<i>Buxus</i> sp. (box)				1		Wash.
<i>Cleonus</i> sp. (Curculionidae)	<i>Arctium lappa</i> (gobo)					1	Do.
<i>Coccus pseudomagnolarum</i> (Coccoidea).	<i>Aralia</i> sp.				2		Calif.*
Do	<i>Aucuba</i> sp.				1		Do.*
Do	<i>Citrus</i> sp.				1		Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
<i>Coleophora</i> sp. (Coleophoridae)	<i>Chrysanthemum</i> sp.				1		Wash.
<i>Crambinae</i> (Pyralidae)	<i>Misanthus japonica</i>	1					N. Y.
Do	<i>Oryza sativa</i> (rice)	1					Do.
<i>Cryphalus</i> sp. (Scolytidae)	Pine dunnage	1					Wash.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)	18	2				Calif.*
Do	do		1	2			Hawaii.*
Do	do					1	Pa.
Do	<i>Quercus acuta</i> (Japanese evergreen oak).		1				Calif.*
Do	do		1				D. C.
Do	<i>Quercus glandulifera</i> (blue Japanese oak).		1				Do.
Do	do		1				Ill.
Do	<i>Quercus</i> sp. (acorn)		1				Calif.*
<i>Curculionid</i>	In soil around chrysanthemum.			1			Do.*
Do	<i>Oryza sativa</i> (rice)			1			Wash.
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)					1	Pa.
<i>Desmometopa</i> sp. (Agromyzidae)	<i>Arctium lappa</i> (gobo)					1	Tex.
<i>Dilachnus cupressi</i> (aphid)	<i>Cupressus</i> sp. (cypress)			1			Wash.
<i>Dinoderus minutus</i> (Bostrichidae)	Bamboo	2				1	Calif.*
Do	<i>Oryza sativa</i> (rice)				1		La.
<i>Elaterid</i>	<i>Cycas revoluta</i> (sago cycas)			1			Calif.*
<i>Eriococcus</i> sp. (Coccidae)	Cactus			1			Hawaii.*
Do	Cactus (several genera)		5				Calif.*
<i>Eucalymnatus tessellatus</i> (Coccidae).	Palm				1		Do.*
<i>Euponera solitaria</i> (ant)	In soil around lily bulb		1				Wash.
Do	<i>Pisum sativum</i> (pea)					1	Do.
<i>Eupteryginae</i> (Cicadellidae)	<i>Azalea</i> sp.			1			Do.
Do	<i>Chrysanthemum</i> sp.				1		Do.
<i>Fiorinia japonica</i> (Coccidae)	<i>Pinus</i> sp. (pine)				1		Pa.
<i>Fiorinia juniperi</i> (Coccidae)	<i>Euonymus</i> sp.				1		Calif.*
<i>Forficula auricularia</i> (European earwig).	<i>Brassica oleracea capitata</i>					1	Md.
<i>Fulgorid</i>	<i>Citrus sinensis</i> (orange)			1			Wash.
<i>Galleriinae</i> (Pyralidae)	<i>Brassica rapa</i> (turnip)			1			Hawaii.*
<i>Geisha distinctissima</i> (Fulgoridae)	<i>Aralia</i> sp.				1		Wash.
Do	<i>Euonymus</i> sp.				1		Do.
<i>Gelechiid</i>	<i>Misanthus japonica</i> (eulalia)	1					N. Y.
Do	<i>Oryza sativa</i> (rice)	1					Do.
Do	<i>Taxus cuspidata</i> (Japanese yew).				1		La.
<i>Gracilaria azaleella</i> (azalea leaf miner).	<i>Azalea</i> sp.				1		Hawaii.*
<i>Heliothis</i> sp. (Noctuidae)	do				1		Calif.*
<i>Hemiclionaspis</i> sp. (Coccidae)	Orchid				1		La.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Allium porrum</i> (leek)				1		Md.
Do	In soil around evergreen				1		Pa.
Do	<i>Raphanus sativus</i> (radish)				1		N. Y.
Do	<i>Solanum tuberosum</i>				1		Do.
<i>Hyponomeuta</i> sp. (Hyponomeutidae).	<i>Camellia</i> sp.				1		Calif.*
Do	<i>Euonymus</i> sp.				1		Do.*
Do	do				1		Wash.
<i>Icerya purchasi</i> (cottony-cushion scale).	<i>Citrus</i> sp.					1	Calif.*
<i>Kuwaniina parvus</i> (Coccidae)	<i>Prunus</i> sp. (cherry)	1					Hawaii.*
<i>Lasiocampid</i>	<i>Cupressus</i> sp. (cypress)			1			Wash.
Do	<i>Euonymus</i> sp.			1			Do.
<i>Lasius</i> sp. (ant)	<i>Camellia japonica</i> (camellia)	1					Calif.*
Do	<i>Lilium longiflorum</i> (Easter lily).	1					Wash.
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea</i> sp. (chestnut)	2					Calif.*
<i>Laspeyresia</i> sp. (Olethreutidae)	do		1	1			Hawaii.*
Do	do					1	Pa.
Do	<i>Quercus glandulifera</i> (blue Japanese oak).		1				D. C.
Do	do					1	Ill.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Quercus phillyraeoides</i>	1					Ill.
Do	<i>Quercus</i> sp.	1					Calif.*
<i>Lepidosaphes camelliae</i> (Coccidae)	<i>Camellia japonica</i> (camellia)			4			Do.*
<i>Lepidosaphes pallida</i> (Coccidae)	<i>Thuja orientalis</i> (oriental arborvitae)			1			Wash.
<i>Liparis</i> sp. (Liparidae)	<i>Thuya</i> sp.				1		Calif.*
<i>Liphoplus</i> sp. (Gryllidae)	<i>Pinus</i> sp. (pine)			1			Oreg.
<i>Luperodes nigrobilineatus</i> (Chrysomelidae).	Rice straw matting	1					Pa.
Lyonetiid	Palm					1	N. Y.
<i>Monomorium</i> sp. (ant)	<i>Lilium</i> sp. (lily)	1					Calif.*
<i>Naranga diffusa</i> (Noctuidae)	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Neosciara</i> sp. (Mycetophilidae)	<i>Primula</i> sp. (primrose)			1			Oreg.
<i>Neothomasia</i> sp. (aphid)	<i>Azalea</i> sp.				1		Wash.
Nitidulid	In soil around plant				1		Calif.*
Noctuid	<i>Aucuba japonica</i> (Japanese aucuba).				1		N. Y.
Do	<i>Beta vulgaris cicla</i> (Swiss chard).					1	Md.
Do	<i>Miscanthus japonica</i> (eulalia)	2					N. Y.
Olethreutid	<i>Citrus</i> sp.				1		Calif.*
<i>Paratetranychus</i> sp. (mite)	<i>Fortunella margarita</i> (kumquat).				1		Wash.
<i>Parlatoria pergandii camelliae</i> (Coccidae).	<i>Camellia japonica</i> .	2					Do.
<i>Parlatoria theae</i> (Coccidae)	<i>Acer</i> sp.		1				Calif.*
Do	do		1				Wash.
Do	<i>Camellia japonica</i>	1					Calif.*
Do	<i>Prunus</i> sp.				1		Do.*
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus grandis</i> (grapefruit)				1		Do.*
Do	do				1		Md.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Calif.*
Do	<i>Citrus sinensis</i> (orange)					1	Do.*
<i>Phenacaspis aucubae</i> (Coccidae)	<i>Aucuba japonica</i> (Japanese aucuba).				1		Do.*
Do	<i>Aucuba</i> sp.				1		Do.*
<i>Phenacaspis kentiae</i> (Coccidae)	Palm				1		Do.*
<i>Phenacaspis</i> sp. (Coccidae)	<i>Howea</i> sp.				2		Do.*
Do	Palm					11	Do.*
<i>Phenacoccus azaleae</i> (Coccidae)	<i>Azalea</i> sp.				1		Pa.
<i>Phenacoccus</i> sp. (Coccidae)	<i>Pinus densiflora</i>			1			Calif.*
Phycitinae (Pyralidae)	<i>Amygdalus</i> sp. (flowering peach).				2		Do.*
Do	<i>Azalea</i> sp.						Do.*
<i>Phyllocnistis citrella</i> (citrus leaf miner).	<i>Fortunella japonica</i> (kumquat)				1		Wash.
<i>Pinnaspis buxi</i> (Coccidae)	Palm					1	N. Y.
Plutellid	<i>Dioscorea</i> sp. (yam)					1	Pa.
<i>Pnyzia scabiei</i> (potato scab gnat)	<i>Colocasia esculenta</i> (taro)					1	S. C.
Do	<i>Lilium</i> sp.	1					Wash.
<i>Poliaspis pini</i> (Coccidae)	<i>Pinus</i> sp. (pine)				1		Calif.*
Do	do			2			Hawaii.*
Do	do				1		Pa.
<i>Ponera</i> sp. (ant)	<i>Lilium</i> sp.	1					Wash.
<i>Prenolepis</i> sp. (ant)	do	1					Do.
Do	Palm				1		Calif.*
Do	<i>Pinus</i> sp. (pine)						Hawaii.*
<i>Protopulvinaria japonica</i> (Coccidae)	<i>Fatsia japonica</i> (fatsia)				1		La.
<i>Pseudaonidia duplex</i> (camphor scale).	<i>Aucuba</i> sp.				1		Calif.*
Do	<i>Citrus aurantium</i> (sour orange)					1	Wash.
Do	<i>Citrus grandis</i> (grapefruit)				3		Calif.*
Do	do				1		Wash.
Do	<i>Citrus limonia</i> (lemon)				1		Calif.*
Do	do				1		N. Y.
Do	<i>Citrus nobilis deliciosa</i> (Mandarin orange).					2	Calif.*
Do	<i>Citrus nobilis deliciosa</i> (tangerine).					2	Do.*
Do	do					1	Md.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
<i>Pseudaonidia duplex</i> (camphor scale)	<i>Citrus sinensis</i> (orange)-----			1	5	25	Calif.*
Do	do-----	2		3		2	Wash.
Do	<i>Codiaeum</i> sp. (croton)-----				1		Tex.
Do	<i>Magnolia conspicua</i> (yulan)-----		1				Calif.*
Do	do-----		1				D. C.
Do	<i>Osmanthus</i> sp.-----				1		La.
<i>Pseudaonidia paeoniae</i> (Coccidae)	<i>Azalea</i> sp.-----				2		Calif.*
Do	<i>Camellia japonica</i> (camellia)-----	1	1		1		Do.*
<i>Pseudococcus azaleae</i> (Coccidae)	<i>Azalea</i> sp.-----		1				Do.*
<i>Pseudococcus comstocki</i> (Coccidae)	<i>Aralia</i> sp.-----				3		Do.*
Do	<i>Aucuba</i> sp.-----				1		Do.*
Do	<i>Howea</i> sp.-----				1		Do.*
<i>Pseudococcus kraunhiae</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)-----					1	Do.*
Do	<i>Citrus limonia</i> (lemon)-----					1	Do.*
Do	<i>Citrus sinensis</i> (orange)-----			1			Do.*
Do	<i>Codiaeum</i> sp. (croton)-----				1		Do.*
<i>Pseudococcus</i> sp. (Coccidae)	Palm-----				1		Do.*
Do	<i>Pinus densiflora</i> (Japanese red pine).-----		1				Hawaii.*
<i>Psyche</i> sp. (Psychidae)	<i>Euonymus</i> sp.-----				1		Calif.*
Psychid	Dwarfed evergreen-----				1		Pa.
Do	<i>Pinus</i> sp. (pine)-----				1		Calif.*
Do	<i>Tsuga</i> sp.-----				1		Do.*
Do	<i>Wisteria floribunda alba</i> -----		1				Do.*
<i>Pulvinaria</i> sp. (Coccidae)	<i>Aralia</i> sp.-----				4		Do.*
Do	<i>Daphne</i> sp.-----				1		Do.*
Pyralid	<i>Amygdalus</i> sp. (flowering peach).-----			1			Do.*
Do	Bamboo-----			1			Do.*
Do	<i>Pinus</i> sp. (pine)-----			1			Do.*
Do	do-----				1		Pa.
Pyralinae (Pyralidae)	<i>Hydrangea</i> sp.-----			1			Calif.*
<i>Pyrausta nubilalis</i> (European corn borer).	<i>Zea mays</i> (corn)-----					1	Wash.
Pyraustinae (Pyralidae)	<i>Buxus</i> sp. (box)-----				1		Do.
Do	<i>Oryza sativa</i> (rice)-----	1					N. Y.
Do	<i>Wisteria</i> sp.-----			1			Calif.*
<i>Reticulitermes speratus</i> (termite)	Undetermined plant-----			1			Do.*
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)-----					1	N. Y.
Do	<i>Colocasia esculenta</i> (taro)-----					1	La.
Do	<i>Lilium</i> sp.-----	2					Wash.
Do	<i>Lycoris</i> sp.-----		2				Do.
Do	<i>Solanum tuberosum</i> -----					1	Pa.
<i>Scelodonta lewisi</i> (Chrysomelidae)	Unknown plant-----				1		Do.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Brassica rapa</i> (turnip)-----					1	N. Y.
Do	<i>Colocasia esculenta</i> (dasheen)-----					1	Tex.
Do	<i>Colocasia esculenta</i> (taro)-----					2	La.
Do	do-----					2	Mass.
Do	<i>Dioscorea batatas</i> (cinnamon-vine).-----					1	La.
Do	<i>Iris</i> sp.-----		1				Wash.
Do	<i>Wisteria floribunda</i> (kyushaku)-----	1					Do.
Do	<i>Zingiber officinale</i> (ginger)-----					1	La.
<i>Sesamia</i> sp. (Noctuidae)	<i>Misanthus japonica</i> -----						N. Y.
<i>Susumia exigua</i> (Pyralidae)	<i>Oryza sativa</i> (rice)-----	2					Pa.
<i>Tarsonemus</i> sp. (mite)	<i>Citrus nobilis deliciosa</i> (Mandarin orange).-----	1					Wash.
Do	<i>Citrus sinensis</i> (orange)-----					1	N. Y.
<i>Tenuipalpus</i> sp.	<i>Aucuba</i> sp.-----				1		Wash.
Do	<i>Fatsia japonica</i> (fatsia)-----			2			Do.
<i>Tetramorium</i> sp. (ant)	<i>Lilium</i> sp.-----					1	La.
<i>Tetranychus</i> sp. (mite)	<i>Codiaeum</i> sp. (croton)-----				1		Calif.*
Tortricid	<i>Camellia japonica</i> (camellia)-----				2		Do.*
Do	<i>Pinus</i> sp. (pine)-----				1		Do.*
Do	<i>Sciadopitys verticillata</i> (umbrella-pine).-----				1		Do.*
Do	<i>Wisteria</i> sp.-----		1				Do.*
<i>Yponomeuta</i> sp.	<i>Euonymus</i> sp.-----				2		Do.*
Yponomeutid	do-----				1		Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					1	Pa.
Do	<i>Raphanus sativus</i> (radish)					1	La.
<i>Alternaria solani</i>	<i>Solanum tuberosum</i>					1	Calif.*
<i>Aphelenchoides huntii</i>	<i>Lilium tigrinum</i> (tiger lily)	1					Wash.
<i>Aphelenchoides parietinus</i>	<i>Colocasia esculenta</i> (taro)					1	Mass.
Do	do					1	N. Y.
Do	do					1	Pa.
Do	<i>Colocasia esculenta</i> (dasheen)					1	La.
Do	<i>Dioscorea</i> sp. (yam)					1	Pa.
Do	<i>Ipomoea batatas</i> (sweetpotato)					1	Wash.
Do	<i>Lilium</i> sp.	1					Pa.
<i>Aphelenchus avenae</i>	<i>Arctium lappa</i> (burdock)					1	La.
<i>Bacillus phytophthorus</i>	<i>Solanum tuberosum</i>					2	N. Y.
<i>Bacterium citri</i>	<i>Citrus aurantifolia</i> (lime)					1	Calif.*
Do	<i>Citrus nobilis deliciosa</i> (Mandarin orange)					1	Do.*
Do	<i>Citrus sinensis</i> (orange)		1			9	Do.*
Do	do					2	Wash.
Do	<i>Citrus</i> sp.				1		Calif.*
<i>Bacterium maculicolum</i>	<i>Brassica oleracea capitata</i>					1	La.
Do	do					1	Md.
Do	<i>Brassica pekinensis</i> (petsai cabbage)					1	Wash.
<i>Bacterium pisi</i>	<i>Phaseolus</i> sp. (string bean)					1	Pa.
Do	<i>Pisum sativum</i> (pea)					2	Calif.*
Do	do					1	Wash.
<i>Botrytis allii</i>	<i>Allium cepa</i> (onion)	1					Do.
<i>Botrytis cinerea</i>	<i>Ipomoea batatas</i> (sweetpotato)					1	Pa.
<i>Capnodium citri</i>	<i>Citrus sinensis junos</i>					1	Md.
Do	<i>Citrus sinensis</i> (orange)			1			Calif.*
Do	do			1			Wash.
<i>Capnodium</i> sp.	<i>Codiaeum</i> sp. (croton)					1	La.
<i>Cephalobus</i> n. sp.	<i>Arctium lappa</i> (burdock)					1	Do.
<i>Colletotrichum peregrinum</i>	<i>Fatsia japonica</i> (fatsia)					1	Wash.
<i>Cercospora destructiva</i>	<i>Euonymus japonica variegata</i>					1	Do.
<i>Cercospora</i> sp.	<i>Allium porrum</i> (leek)					1	Md.
Do	do					1	Pa.
<i>Colletotrichum</i> sp.	<i>Codiaeum</i> sp. (croton)					1	La.
<i>Coniothyrium</i> sp.	<i>Wisteria multijuga</i> (longcluster wisteria)	1					Wash.
Do	<i>Wisteria</i> sp.		1				Do.
<i>Corticium</i> sp.	Unidentified wood	1					N. Y.
<i>Cryptostictis</i> sp.	<i>Paeonia suffruticosa</i> (peony)	1					Wash.
Do	<i>Paeonia</i> sp.	1					Do.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)					1	Pa.
<i>Diplodia</i> sp.	<i>Wisteria</i> sp.		1				D. C.
<i>Discosia artocreas</i>	<i>Paeonia</i> sp. (peony)		1				Wash.
<i>Epicoccum</i> sp.	<i>Colocasia esculenta</i> (taro)					1	Pa.
<i>Erysiphe graminis</i>	<i>Triticum aestivum</i> (wheat)	2					N. Y.
Do	do	2					Pa.
<i>Eurotium</i> sp.	Bamboo	1					N. Y.
Do	<i>Oryza sativa</i> (rice)	1					Do.
Do	do		1				Pa.
<i>Fumago</i> sp.	do			1			Do.
<i>Fuscladium</i> sp.	<i>Diospyros</i> sp. (persimmon)					1	Calif.*
<i>Gloeosporium polymorphum</i>	<i>Dracaena</i> sp.					1	Pa.
<i>Gloeosporium</i> sp.	<i>Aspidistra</i> sp.					1	Do.
Do	do					1	Wash.
Do	<i>Aucuba japonica variegata</i>					1	Pa.
Do	<i>Camellia japonica</i>	2	1				Wash.
Do	<i>Codiaeum</i> sp. (croton)					1	Md.
Do	<i>Cymbidium</i> sp. (orchid)					1	Pa.
Do	<i>Daphne</i> sp. (?)	1					Wash.
Do	<i>Dracaena</i> sp.					1	Do.
Do	<i>Euonymus</i> sp.					1	Do.
Do	<i>Codiaeum</i> sp. (croton)					1	La.
<i>Glomerella cingulata</i>	<i>Malus sylvestris</i> (apple)					1	Wash.
Do	do					1	Tex.
Do	<i>Oryza sativa</i> (paddy rice)	1					N. Y.
<i>Helminthosporium oryzae</i>	<i>Triticum aestivum</i> (wheat)				3		Pa.
<i>Helminthosporium sativum</i>							

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
<i>Helminthosporium</i> sp.	<i>Echinochloa crusgalli edulis</i> (Japanese millet).	1					N. Y.
Do	<i>Echinochloa frumentaceum</i> (Japanese farm-yard millet).	1					Do.
Do	<i>Oryza sativa</i> (rice)					2	Md.
Do	do	1		1			N. Y.
Do	do						Wash.
Do	<i>Triticum aestivum</i> (wheat)	1					La.
Do	do	1					N. Y.
Do	do	5					Pa.
<i>Heterosporium</i> sp.	<i>Allium cepa</i> (onion)					1	N. Y.
Do	<i>Allium porrum</i> (leek)					1	Md.
Do	do					1	S. C.
<i>Hormodendrum</i> sp.	<i>Triticum aestivum</i> (wheat)	1					Pa.
<i>Leptosphaeria</i> sp.	<i>Nandina domestica</i> (nandina)		1				Calif.*
<i>Leptothyrium macrothecium</i>	<i>Wisteria multijuga</i>	2					Wash.
<i>Leptothyrium pomi</i>	<i>Paeonia</i> sp. (peony)		1				D. C.
<i>Lophodermium pinastri</i>	<i>Malus sylvestris</i> (apple)					1	La.
<i>Lophodermium</i> sp.	<i>Pinus</i> sp. (pine)		1				Wash.
<i>Marsonia potentillae fragariae</i>	do				1		Do.
<i>Metasphaeria</i> sp.	<i>Fragaria</i> sp.		1				Do.
<i>Microdiplodia wistariae</i>	<i>Paeonia</i> sp. (peony)		1				Do.
<i>Microsphaera euonymi</i>	<i>Wisteria multijuga</i>	3				1	Do.
Do	<i>Euonymus</i> sp.					1	Calif.*
<i>Monochaetia paeoniae</i>	do				1		Do.*
<i>Mycosphaerella moutan</i>	<i>Paeonia</i> sp. (peony)		1				Wash.
<i>Mycosphaerella pinodes</i>	<i>Paeonia suffruticosa</i> var. (peony).	1					Do.
<i>Mycosphaerella schoenoprasii</i>	<i>Pisum sativum</i> (pea)					1	Md.
Do	<i>Allium cepa</i> (onion)					1	Do.
	<i>Allium fistulosum</i> (Welsh onion).					9	Pa.
Do	<i>Allium porrum</i> (leek)					21	Md.
Do	do					1	N. Y.
Do	do					13	Pa.
<i>Myrosporium</i> sp.	<i>Paeonia suffruticosa</i> var. (peony).	1					Wash.
Do	<i>Paeonia</i> sp. (peony)		1				Do.
<i>Oidium euonymi-japonici</i>	<i>Euonymus</i> sp.				2		Do.
<i>Oospora</i> sp.	<i>Citrus sinensis</i> (orange)					1	Tex.
Do	<i>Daucus carota</i> (carrot)					1	N. Y.
<i>Peronospora schleideni</i>	<i>Allium porrum</i> (leek)					2	Md.
<i>Peronospora</i> sp.	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Pestalozzia guepini</i>	<i>Camellia japonica</i> (camellia)	1	3		1		Wash.
Do	<i>Camellia</i> sp.		1				D. C.
<i>Pestalozzia</i> sp.	<i>Codiaeum</i> sp. (croton)				1		La.
Do	<i>Paeonia suffruticosa</i> var. (peony).	4					Wash.
Do	<i>Paeonia</i> sp. (peony)	3	1				Do.
Do	<i>Wisteria multijuga praecox</i>	1					Do.
<i>Phoma camelliae</i>	<i>Camellia japonica</i>	1					Do.
<i>Phoma</i> sp.	do	1					Do.
Do	<i>Paeonia</i> sp. (peony)	1	1				Do.
<i>Phomatospora</i> sp.	<i>Euonymus</i> sp.				1		Do.
<i>Phyllachora</i> sp.	Bamboo				1		Md.
<i>Phyllosticta</i> sp.	<i>Aucuba japonica variegata</i>				1		Wash.
Do	<i>Camellia japonica</i>	2					Do.
Do	<i>Camellia</i> sp.				1		Do.
Do	<i>Codiaeum</i> sp. (croton)				2		La.
Do	Unknown leaf		1				Wash.
Do	Unidentified plant				1		La.
<i>Pleospora</i> sp.	<i>Allium porrum</i> (leek)					1	Md.
<i>Polyporus radiatus</i>	<i>Prunus domestica</i> (plum)					1	Calif.*
<i>Polyporus</i> sp.	<i>Ilex</i> sp.				1		Md.
<i>Puccinia graminis</i>	<i>Hordeum vulgare</i> (barley)		1				Wash.
Do	<i>Triticum aestivum</i> (wheat)	5					N. Y.
Do	do	2					Pa.
<i>Puccinia rubigo-vera tritici</i>	do	3					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
<i>Puccinia</i> sp.	<i>Allium fistulosum</i> (Welsh onion).	—	—	—	—	2	Pa.
Do	<i>Allium porrum</i> (leek)	—	—	—	—	2	Md.
Do	do	—	—	—	—	1	Pa.
Do	<i>Triticum aestivum</i> (wheat)	1	—	—	—	—	La.
Do	do	5	—	—	—	—	Pa.
<i>Pythium</i> sp.	<i>Castanea japonica</i> (Japanese chestnut).	1	—	—	—	—	D. C.
Do	<i>Colocasia esculenta</i> (taro)	—	—	—	—	2	La.
Do	do	—	—	—	—	1	Mass.
Do	do	—	—	—	—	1	Pa.
Do	<i>Daucus carota</i> (carrot)	—	—	—	—	1	Do.
Do	<i>Nymphaea</i> sp.	—	—	—	—	1	Do.
Do	<i>Zingiber officinale</i> (ginger)	—	—	—	—	1	Do.
<i>Ramularia</i> sp.	<i>Lilium auratum</i> (goldband lily).	1	—	—	—	—	Calif.*
<i>Rhizoctonia</i> sp.	<i>Solanum tuberosum</i>	—	—	—	—	3	Do.*
<i>Rhizopus</i> necans	<i>Lilium auratum</i>	1	—	—	—	—	Do.*
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)	—	—	—	—	1	Mass.
Do	do	—	—	—	—	3	Pa.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)	—	—	—	—	1	Do.
Do	<i>Arctium lappa</i> (gobo)	—	—	—	—	1	Do.
Do	<i>Daucus carota</i> (carrot)	—	—	—	—	1	Ga.
Do	do	—	—	—	—	1	Pa.
Do	<i>Radicula armoracia</i> (horseradish).	—	—	—	—	1	La.
Do	<i>Raphanus sativus</i> (radish)	—	—	—	—	2	Do.
<i>Sclerotopsis testudinea</i>	<i>Paeonia</i> sp. (peony)	—	1	—	—	—	Calif.*
Do	do	1	4	—	—	—	Wash.
<i>Sclerotium rolfsii</i>	<i>Dioscorea</i> sp. (yam)	—	—	—	—	1	Tex.
<i>Sclerotium</i> sp.	<i>Allium porrum</i> (leek)	—	—	—	—	1	N. Y.
Do	do	—	—	—	—	1	Pa.
Do	<i>Arctium lappa</i> (burdock)	—	—	—	—	2	La.
Do	<i>Daucus carota</i> (carrot)	—	—	—	—	1	Mass.
Do	<i>Radicula armoracia</i> (horseradish).	—	—	—	—	1	La.
Do	<i>Rumex</i> sp.	—	—	—	—	1	Mass.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)	—	—	—	—	1	Wash.
<i>Septoria chrysanthemella</i>	<i>Chrysanthemum</i> sp.	—	—	—	1	—	Do.
<i>Septoria</i> sp.	Unknown leaf	—	1	—	—	—	Do.
<i>Sphaeloma fawcettii</i>	<i>Citrus aurantifolia</i> (lime)	—	—	—	—	1	Calif.*
Do	<i>Citrus limonia</i> (lemon)	—	—	—	—	1	La.
Do	<i>Citrus nobilis</i> (king orange)	—	—	1	—	—	Wash.
Do	<i>Citrus sinensis</i> (orange)	—	—	2	—	—	Calif.*
Do	do	—	—	3	—	—	N. Y.
Do	do	—	—	2	—	—	Wash.
Do	<i>Citrus sinensis junos</i>	—	—	1	—	—	Md.
Do	do	—	—	2	—	—	Wash.
<i>Sphaerotheca mali</i>	<i>Malus sylvestris</i> (apple)	—	—	1	—	—	Do.
<i>Strigula</i> sp.	<i>Camellia japonica</i>	—	1	—	—	—	Do.
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>	—	—	—	—	1	Pa.
<i>Stysanus</i> sp.	<i>Dioscorea batatas</i> (cinnamon-vine).	—	—	—	—	1	La.
Do	<i>Dioscorea</i> sp. (yam)	—	—	—	—	1	Pa.
Do	<i>Lilium</i> sp.	1	—	—	—	—	Wash.
<i>Termitaria</i> n. sp.	<i>Reticulitermes speratus</i> on unidentified plant.	—	1	—	—	—	Calif.*
<i>Thielaviopsis</i> sp.	<i>Zingiber officinale</i> (ginger)	—	—	—	—	1	S. C.
<i>Uredo</i> sp.	<i>Allium fistulosum</i> (Welsh onion).	—	—	—	2	—	Pa.
Do	<i>Allium porrum</i> (leek)	—	—	—	2	—	Do.
Do	<i>Echinochloa frumentaceum</i> (Japanese farm-yard millet).	1	—	—	—	—	N. Y.
<i>Ustilago tritici</i>	<i>Triticum aestivum</i> (wheat)	2	—	—	—	—	Do.
Do	do	1	—	—	—	—	Pa.
<i>Ustilago</i> sp.	<i>Hordeum vulgare</i> (barley)	—	1	—	—	—	Wash.
<i>Vermicularia</i> sp.	Grass-like plant	—	—	1	—	—	Do.
<i>Verticillium</i> sp.	<i>Allium cepa</i> (onion)	—	—	—	—	1	S. C.
Do	<i>Lilium</i> sp.	—	—	—	—	—	N. Y.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAVA							
Insects:							
<i>Acanthocinus</i> sp. (Cerambycidae)	Root	1					N. Y.
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Myristica fragrans</i> (nutmeg)					1	La.
<i>Fiorinia theae</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)					1	Mass.
<i>Stigmaeodes</i> sp. (mite)	<i>Ananas</i> sp.		1				Hawaii.*
<i>Tenebroides</i> sp. (Ostomidae)	<i>Oryza sativa</i> (paddy rice)					1	Calif.*
Diseases:							
<i>Colletotrichum nigrum</i>	<i>Capsicum annuum</i>					1	Pa.
<i>Gloeosporium piperatum</i>	do					1	N. Y.
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>					1	Do.
<i>Vermicularia capsici</i>	<i>Capsicum annuum</i>					1	Pa.
KENYA							
Diseases: <i>Gloeosporium</i> sp.	<i>Caralluma</i> sp.		1				D. C.
LATVIA							
Insects: <i>Rhizoglyphus</i> sp. (mite)	<i>Solanum tuberosum</i>					1	N. Y.
LIBERIA							
Insects: <i>Pheidole flavens</i> var. (ant)	<i>Hevea brasiliensis</i> (Para rubbertree)	1					Do.
LITHUANIA							
Insects:							
<i>Anthomyiid</i>	<i>Solanum</i> sp.		1				D. C.
<i>Curculio nucum</i> (Curculionidae)	<i>Corylus</i> sp. (hazelnut)		1				Pa.
<i>Tipula</i> sp. (Tipulidae)	In soil around plant			1			N. Y.
Diseases:							
<i>Claviceps purpurea</i>	<i>Festuca</i> sp.		1				D. C.
<i>Puccinia graminis</i>	do		1				Do.
Do	Grass	1					N. Y.
<i>Septoria</i> sp.	<i>Menyanthes trifoliata</i>		1				Do.
MADAGASCAR							
Insects: <i>Silvanini</i> (Cucujidae)	<i>Ravenala madagascariensis</i>		1				D. C.
MADEIRA ISLANDS							
Insects:							
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Solanum tuberosum</i>					3	N. Y.
<i>Urophorus humeralis</i> (Nitidulidae)	do					1	Do.
Diseases: <i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>				1		Do.
MALTA							
Insects:							
<i>Geometrid</i>	<i>Olea europaea</i> (olive)		1				Mich.
<i>Pyralinae</i> (Pyralidae)	do		1				Do.
MANCHURIA							
Insects:							
<i>Anthonomus</i> sp. (Curculionidae)	<i>Prunus</i> sp.		1				D. C.
<i>Apion</i> sp. (Curculionidae)	<i>Astragalus</i> sp. (milkvetch)	1					Do.
Do	<i>Vicia amoena oblongifolia</i>	1					Do.
Do	<i>Vicia amoena</i>	1					Do.
<i>Bruchidius</i> sp. (Bruchidae)	<i>Sophora japonica</i> (Chinese scholartree)		1				Calif.*
<i>Bruchophagus gibbus</i> (Eurytomidae).	<i>Medicago sativa</i> (alfalfa)	1					D. C.
Cecidomyiid	<i>Astragalus adsurgens</i>	1					Do.
Chloropid	<i>Iris ensata chinensis</i>	1					Do.
<i>Coleophora</i> sp. (Coleophoridae)	<i>Astragalus adsurgens</i>	1					Do.
Do	<i>Caragana microphylla</i> (little-leaf pea-shrub)	1					Do.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanopsis cuspidata</i> (Japanese chinquapin).		1				Calif.*
<i>Jassinae</i> (Cicadellidae)	<i>Calamagrostis epigeios</i>		1				D. C.
<i>Meligethes</i> sp. (Nitidulidae)	do		1				Do.
<i>Mononychus vittatus</i> (Curculionidae).	<i>Iris ensata chinensis</i>		1				Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
MANCHURIA—Continued									
Insects—Continued.									
Noctuid	<i>Agrostis scabra</i>	1					D. C.		
Do	<i>Elymus dahuricus</i>	1					Do.		
Do	<i>Eragrostis major</i>	1					Do.		
Olethreutid	<i>Medicago falcata</i>	1					Do.		
Do	<i>Vicia amoena</i>	1					Do.		
Do	<i>Vicia amoena oblongifolia</i>	1					Do.		
Do	<i>Vicia pseudo-orobus</i>	1					Do.		
Psyllinae (Chermidae)	<i>Astragalus</i> sp.	1					Do.		
Diseases:									
<i>Claviceps purpurea</i>	<i>Agropyron pseudo-agropyron</i>		2				Do.		
Do	<i>Calamagrostis epigeios</i>	1					Do.		
MARSHALL ISLANDS									
Insects:									
<i>Cecidomyiid</i>	<i>Cocos nucifera</i> (coconut)	1					Hawaii.*		
<i>Furcaspis oceanica</i> (Coccidae)	do		1				Do.*		
MARTINIQUE									
Insects:									
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)		1				Calif.*		
<i>Pseudococcus</i> sp. (Coccidae)	<i>Coffea</i> sp.			1			N. Y.		
Diseases:									
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)				1		Do.		
<i>Capnodium</i> sp.	<i>Saccharum officinarum</i>				1		La.		
<i>Cerotelium desmum</i>	<i>Gossypium</i> sp. (cotton)				1		Do.		
MEXICO									
Insects:									
<i>Acanthoscelides</i> sp. (Bruchidae)	Bean			1			Calif.*		
Do	<i>Ceratonia siliqua</i> (carob)	1					Do.*		
<i>Aeolus pulchellus</i> (Elateridae)	<i>Ananas sativus</i>	1					Tex.		
Do	Banana debris	1					La.		
<i>Aeolus yucatanus</i> (Elateridae)	do	1					Pa.		
<i>Aeolus</i> sp. (Elateridae)	<i>Lycopersicum esculentum</i>	1					Ariz.		
<i>Agalliopsis</i> sp. (Cicadellidae)	<i>Solanum melongena</i> (eggplant)	1					Do.		
<i>Agromyza</i> sp. (Agromyzidae)	<i>Lycopersicum esculenium</i>	4					Do.		
Do	<i>Thamnosoma montana</i>			1			Do.		
Agromyzid	<i>Capsicum annuum</i>	3					Do.		
Do	<i>Lycopersicum esculentum</i>	3					Do.		
<i>Aleuroplatus</i> sp. (whitefly)	<i>Musa</i> sp. (banana)	1					La.		
<i>Alobates gigas</i> (Tenebrionidae)	Banana debris	1					Do.		
<i>Alphitobius</i> sp. (Tenebrionidae)	<i>Allium sativum</i> (garlic)			1			Tex.		
Do	<i>Tabebuia donnell-smithii</i> (pri-mavera)	1					N. Y.		
<i>Altica scutellaris</i> (Chrysomelidae)	<i>Capsicum annuum</i>	1					Tex.		
<i>Amphicerus</i> sp. (Bostrichidae)	<i>Lycopersicum esculentum</i>	1					Calif.*		
<i>Anaedus</i> sp. (Tenebrionidae)	Banana debris	1					Pa.		
<i>Anarsia lineatella</i> (peach twig borer).	<i>Pyrus communis</i> (pear)			1			Ariz.		
<i>Anastrepha ludens</i> (Mexican fruit fly).	<i>Citrus aurantium</i> (sour orange)			1			Tex.		
Do	<i>Citrus grandis</i> (grapefruit)				1		La.		
Do	do					1	Pa.		
Do	<i>Citrus sinensis</i> (orange)				1	1	La.		
Do	do				19	1	2		
Do	<i>Mangifera indica</i> (mango)				1		Tex.		
Do	do				11		Ariz.		
<i>Anastrepha serpentina</i> (Trypetidae)	<i>Mammea americana</i> (mamey)				1		Tex.		
Do	Sapote			2			Do..		
<i>Anastrepha striata</i> (Trypetidae)	<i>Psidium guajava</i> (guava)				1		La.		
Do	do			7	1		Tex.		
Do	In bag containing figs, guavas, peaches, and sweet limes.			1			Do.		
<i>Anastrepha</i> sp. (Trypetidae)	<i>Citrus grandis</i> (grapefruit)					1	Pa.		
Do	<i>Citrus sinensis</i> (orange)				1		La.		
Do	do				1		N. Y.		
Do	<i>Crataegus mexicana</i>			2			Tex.		
Do	<i>Mammea americana</i> (mamey)			1			Do.		
Do	<i>Magnifera indica</i> (mango)				8		Do.		

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Persea americana</i> (avocado)		1				Tex.
Do	<i>Psidium guajava</i> (guava)		1				Do.
Do	<i>Pyrus communis</i> (pear)		1				Do.
Do	Sapote		1				Do.
<i>Anisolabis</i> sp. (earwig)	Banana debris	1					Ala.
<i>Anthomyiid</i>	<i>Brassica oleracea capitata</i>					1	La.
Do	<i>Citrus aurantifolia</i> (lime)	1					Tex.
Do	<i>Physalis</i> sp. (husk tomato)		1				Do.
<i>Anthonomus eugenii</i> (pepper weevil).	<i>Capsicum annuum</i>		1				Calif.*
Do	do				1		La.
Do	do	18	15				Tex.
<i>Anthonomus</i> sp. (Curculionidae)	<i>Gossypium</i> sp. (cotton) (boll)		2				Do.
<i>Anthrenus</i> sp. (Dermestidae)	<i>Gardenia florida</i> (Cape-jasmine).		1				N. Y.
<i>Anuraphis</i> sp. (aphid)	Cactus	1					Ariz.
Do	do	1					Tex.
Do	<i>Coryphantha</i> sp. (cactus)	1					Ariz.
Do	In soil around parsnip			1			Tex.
Do	<i>Thelocactus bicolor</i> (cactus)	1					Ariz.
<i>Aphaenogaster</i> sp. (ant)	<i>Dolichothele uberiformis</i>		1				Calif.*
<i>Aphis</i> sp. (aphid)	<i>Gardenia florida</i> (Cape-jasmine).		1				N. Y.
<i>Apion</i> sp. (Curculionidae)	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	2					Ariz.
Do	<i>Phaseolus</i> sp. (string bean)		1				Do.
Do	do				1		La.
Do	do	1					Tex.
Aradid	Banana debris	1					Pa.
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Parathesis serrulata</i> (jalapon)	1					La.
Arctiid	Banana debris	1					Do.
Do	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Chrysanthemum</i> sp.			1			Do.
Do	Fern			1			Tex.
<i>Arthrocorynus dotatus</i> (Curculionidae).	Unidentified hardwood	1					La.
<i>Aspidiotus howardi</i> (Coccidae)	<i>Prunus domestica</i> (plum)		1				Tex.
<i>Aspidiotus juglans-regiae</i> (Coccidae).	<i>Pyrus communis</i> (pear)		1				Calif.*
<i>Aspidiotus</i> sp. (Coccoidea)	<i>Gardenia florida</i> (Cape-jasmine).		1				Fla.*
Do	<i>Malus sylvestris</i> (apple)		1				Ariz.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Atta insularis</i> (ant)	<i>Capsicum annuum</i>	1					Calif.*
<i>Atta</i> sp. (ant)	<i>Mammillaria sphaeracantha</i>		1				Do.
<i>Attagenus</i> sp. (Dermestidae)	<i>Lucuma mammosa</i> (sapote)				1		Pa.
<i>Autographa</i> sp. (Noctuidae)	<i>Brassica oleracea capitata</i>		1				Ariz.
Do	<i>Brassica</i> sp. (mustard)	1					Calif.
Do	<i>Lactuca sativa</i> (lettuce)		1				Tex.
<i>Automeris</i> sp. (Saturniidae)	<i>Zea mays</i> (corn)	1					Do.
<i>Azteca</i> sp. (ant)	Banana debris	1					N. Y.
Barini (Curculionidae)	<i>Zea mays</i> (corn)		1				Ariz.
<i>Blastostinlus</i> sp. (Tenebrionidae)	Cactus	1					Calif.
Blastobasid	<i>Ananas sativus</i>		2				Ariz.
Do	do	3					Tex.
Do	Banana debris	1					La.
Do	<i>Capsicum annuum</i>	1					Ariz.
Do	In soil around cactus	1					Do.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Bradythrips hesperis</i> (thrips)	Banana debris	1					Pa.
<i>Bruchus</i> sp. (Bruchidae)	<i>Prosopis juliflora</i>		1				Calif.*
<i>Bucculatrix</i> sp. (Lyonetiidae)	<i>Phaseolus</i> sp. (string bean)	1					Ariz.
<i>Calligrapha aeneopicta</i> (Chrysomelidae).	<i>Musa</i> sp. (banana)	1					La.
<i>Camponotus angulatus</i> (ant)	Banana debris	1					N. Y.
Do	do	3					Pa.
Do	<i>Musa</i> sp. (banana)	1					Tex.
<i>Camponotus</i> sp. (ant)	Banana debris	2					La.
Do	do	6					N. Y.
Do	do	15					Pa.
Do	do	6					Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Camponotus</i> sp. (ant)	<i>Citrus sinensis</i> (orange)				1		Tex.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	10					La.
Do	do	1					Pa.
<i>Capaneus odiosus</i> (Coreidae)	Banana debris	5					La.
Do	do	1					Tex.
<i>Capaneus tetricus</i> (Coreidae)	do	1					La.
<i>Capaneus vates</i> (Coreidae)	do	3					Do.
Do	do	2					Pa.
Do	do	1					Tex.
<i>Carpocapsa saltitans</i> (Olethreutidae)	<i>Sebastiania pavoniana</i> (Mexican jumping bean)		1				Ariz.
<i>Catolethrus longulus</i> (Curculionidae)	Banana debris	4					La.
Do	<i>Musa</i> sp. (banana)	3					Do.
Cecidomyiid	<i>Capsicum annuum</i>	1					Tex.
Do	<i>Cydonia oblonga</i> (quince)		1				Do.
Do	<i>Koeberlinia spinosa</i> (junco)		1				Do.
Do	<i>Lonicera</i> sp. (honeysuckle)		1				Ariz.
Do	<i>Lycopersicum esculentum</i>	5					Do.
Do	<i>Pinus</i> sp. (pine)		1				Tex.
Cerambycid	<i>Echinocactus ingens</i> (cactus)		1				Calif.*
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	6					La.
Do	<i>Musa</i> sp. (banana)	1					Do.
Cercopid	<i>Jasminum</i> sp.		1				Tex.
<i>Ceroputo</i> sp. (Coccidae)	<i>Opuntia invicta</i> (cactus)	1					Calif.
<i>Chaetopsis</i> sp. (Ortalidae)	<i>Saccharum officinarum</i>		1				Tex.
Do	<i>Zea mays</i> (corn)	2	4				Ariz.
Do	do		2				Tex.
<i>Chilo</i> sp. (Pyralidae)	<i>Saccharum officinarum</i>		1				Ariz.
<i>Chirida</i> sp. (Chrysomelidae)	Banana debris	1					La.
Chloropid	do	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	<i>Persea americana</i> (avocado)		1				Ariz.
Do	<i>Phaseolus lunatus macrocarpus</i>	1					Do.
Do	<i>Zea mays</i> (corn)		1				Do.
<i>Chrysobothris</i> sp. (Buprestidae)	<i>Tabebuia donnell-smithii</i> (primavera)	1					N. Y.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae)	<i>Citrus aurantifolia</i> (lime)	1					Tex.
Do	<i>Citrus sinensis</i> (orange)				2		La.
<i>Chrysomphalus personatus</i> (Coccidae)	<i>Citrus aurantifolia</i>	1					Calif.*
<i>Chrysomphalus scutiformis</i> (Coccidae)	do	7			1		Do.*
<i>Chrysomphalus</i> sp. (Coccidae)	do	1					Tex.
Do	<i>Dasyliuron</i> sp. (sotol)	2					Do.
<i>Cocconotus</i> sp. (Tettigoniidae)	Banana debris	1					Do.
<i>Coccophyes dactyliperda</i> (Seolytidae)	<i>Phoenix dactylifera</i> (date)		1				Do.
<i>Coccophyes rolliniae</i> (Scolytidae)	<i>Chamaedorea tepejilote</i>		1				D. C.
<i>Coccus mangiferae</i> (Coccidae)	<i>Mangifera</i> sp.	1					Do.
<i>Colopterus amputatus</i> (Nitidulidae)	<i>Ananas sativus</i>	1					La.
<i>Colopterus latus</i> (Nitidulidae)	Banana debris	1					N. Y.
<i>Colopterus</i> sp. (Nitidulidae)	<i>Annona cherimola</i> (cherimoya)	1					Tex.
Do	<i>Malus sylvestris</i> (apple)		1				Do.
<i>Conotelus mericanus</i> (fruit bud beetle)	<i>Allium sativum</i> (garlic)	1					La.
Do	<i>Gardenia florida</i> (Cape-jasmine)		1				Do.
Do	<i>Gladiolus</i> sp.	1					Tex.
Do	<i>Lycopersicum esculentum</i>	2					Ariz.
<i>Conotelus</i> sp. (Nitidulidae)	<i>Zea mays</i> (corn)			1			Do.
Do	<i>Allium sativum</i> (garlic)	1					La.
Do	Banana debris	1					Pa.
Do	<i>Zea mays</i> (corn)			1			Ariz.
<i>Conotrachelus aguacatae</i> (Curculionidae)	do				1		Tex.
	<i>Persea americana</i> (avocado)				1		Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Conotrachelus</i> sp. (Curculionidae)							
Do	<i>Amygdalus persica</i> (peach)			1			Tex.
Do	<i>Persea americana</i> (avocado)		3				Do.
Do	<i>Psidium guajava</i> (guava)		3	1			Do.
Do	<i>Quercus</i> sp. (acorn)		7				Ariz.
Do	do		13				Tex.
<i>Crambinae</i> (Pyralidae)	<i>Saccharum officinarum</i>			1			Ariz.
<i>Crematogaster brevispinosus</i> var. (ant).	Banana debris	1					Pa.
Do	<i>Tillandsia</i> sp.	1					D. C.
<i>Crematogaster steinheili</i> (ant)	Banana debris	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Crematogaster victimae</i> (ant)	Banana debris	3					Pa.
<i>Crematogaster</i> sp. (ant)	do	1					N. Y.
Do	do	3					Pa.
Do	Cactus	1					Calif.
Do	do	1					Tex.
Do	<i>Capsicum annuum</i>			1			Ariz.
Do	<i>Fragaria</i> sp. (strawberry)	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Crophius costatus</i> (Lygaeidae)	<i>Mammillaria perbella</i> (cactus)	1					Ariz.
<i>Cryptocerus</i> sp. (ant)	Banana debris	1					Tex.
<i>Ctenochira</i> sp. (Chrysomelidae)	do	4					La.
Curculionid	do	1					Do.
Do	do	1					Pa.
Do	<i>Hippeastrum</i> sp.			2			Calif.*
Do	<i>Holcus sorghum</i> (sorghum)			1			Ariz.
Do	<i>Psidium guajava</i> (guava)			2			Tex.
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)			51			Do.
<i>Diaphania</i> sp. (Pyralidae)	<i>Cucumis sativus</i> (cucumber)	2					Ariz.
Do	<i>Cucurbita maxima</i> (squash)			2			Do.
Do	do	6					Tex.
<i>Diaspis echinocacti cacti</i> (Coccidae)	Cactus			1			Ariz.
Do	do			1			Tex.
Do	<i>Cereus</i> sp. (cactus)	1					D. C.
<i>Diaspis toumeyi</i> (Coccidae)	Unknown leaf	1					Ariz.
<i>Diaspis</i> sp. (Coccidae)	<i>Persea americana</i> (avocado)				1		Tex.
<i>Diatraea saccharalis</i> (sugarcane borer).	<i>Holcus sorghum</i> var. (broomcorn).	2	1				Do.
<i>Diatraea</i> sp. (Pyralidae)	do			4			Do.
Do	<i>Holcus sorghum</i> (sorghum)			1			Do.
Do	<i>Saccharum officinarum</i>			5			Ariz.
Do	do			15			Tex.
Do	<i>Zea mays</i> (corn)			1			Ariz.
Do	do			1			Tex.
<i>Disholcaspis</i> sp. (Cynipidae)	<i>Quercus</i> sp. (oak)			1			Ariz.
<i>Disonycha dorsata</i> (Chrysomelidae)	Banana debris	1					La.
<i>Disonycha mexicana</i> (Chrysomelidae).	do	1					Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Dolichoderus</i> sp. (ant)	Banana debris	2					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Drasterius cibratus</i> (Elateridae)	<i>Cydonia oblonga</i> (quince)			1			Tex.
<i>Drymus</i> sp. (Lygaeidae)	Cactus		1				Calif.*
<i>Dysdercus mimulus</i> (Pyrrhocoridae).	Banana debris	1					La.
<i>Eccritotarsus perobscurus</i> (Miriidae).	<i>Neomammillaria compressa</i> (cactus).	1					Ariz.
<i>Edesse cornuta</i> (Pentatomidae)	Banana debris	2					La.
<i>Empoasca fabae</i> (Cicadellidae)	<i>Lycopersicum esculentum</i>	1					Ariz.
<i>Empoasca</i> sp. (Cicadellidae)	<i>Capsicum annuum</i>	1					Do.
Do	<i>Phaseolus</i> sp. (string bean)	1					Tex.
<i>Endalus</i> sp. (Curculionidae)	<i>Mangifera indica</i> (mango)			1			Do.
<i>Epicaerus cognatus</i> (Curculionidae).	<i>Solanum tuberosum</i>			41	1		Do.
<i>Epicaerus</i> sp. (Curculionidae)	do					1	Do.
<i>Epilachna corrupta</i> (Mexican bean beetle).	<i>Spiraea oleracea</i> (spinach)	1					Do.
<i>Epipaschiinae</i> (Pyralidae)	<i>Ananas sativus</i>	1					La.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Epuraea</i> sp. (Nitidulidae)	<i>Gardenia florida</i> (Cape-jasmine).				1		D. C.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	<i>Pyrus communis</i> (pear)		1				Ariz.
Do	<i>Zea mays</i> (corn)		1				Do.
Do	do		1				Tex.
<i>Eremocoris</i> sp. (Lygaeidae)	<i>Coryphantha ottonis</i>	1					Calif.*
<i>Eriococcus</i> sp. (Coccidae)	<i>Cactus</i> (several genera)	8	27				Do.*
<i>Eriophyes</i> sp. (mite)	<i>Salix</i> sp. (willow)	1					Ariz.
<i>Ernporides jalappae</i> (Scolytidae)	<i>Parathesis serrulata</i> (jalapon)	3					La.
<i>Eucalymnatus tessellatus</i> (Coccidae).	<i>Gardenia florida</i> (Cape-jasmine).			2			Fla.*
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)			2			Tex.
<i>Euxesta</i> sp. (Ortalidae)	Banana debris	1					La.
Do	<i>Brassica oleracea capitata</i>				1		Do.
Do	<i>Capsicum annuum</i>	1					Ariz.
Do	do	1					Tex.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).			1			Do.
Do	<i>Citrus sinensis</i> (orange)		3				Do.
Do	<i>Gardenia florida</i> (Cape-jasmine)			1			N. Y.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	<i>Persea americana</i> (avocado)			1			Ariz.
Do	do			1			La.
Do	do			3			Tex.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	2					Ariz.
Do	<i>Physalis</i> sp. (husk tomato)			1			Tex.
Do	<i>Saccharum officinarum</i>			1			Do.
Do	<i>Zea mays</i> (corn)	1					La.
<i>Frankliniella ameliae</i> (thrips)	<i>Lycopersicum esculentum</i>	1					Ariz.
<i>Frankliniella insularis</i> (thrips)	<i>Rosa</i> sp.				1		La.
<i>Frankliniella moultoni</i> (thrips)	<i>Dianthus</i> sp. (carnation)			1			Tex.
Do	<i>Zantedeschia aethiopica</i> (calla lily).	1					Do.
<i>Frankliniella williamsi</i> (thrips)	<i>Holcus sorghum</i> var. (broomcorn).	1					Do.
Do	<i>Saccharum officinarum</i>			1			Do.
<i>Frankliniella</i> sp. (thrips)	<i>Chrysanthemum</i> sp.			1			Ariz.
Do	<i>Gardenia florida</i> (Cape-jasmine)				1		La.
Do	<i>Phaseolus</i> sp. (string bean)	1					Tex.
<i>Galgupha punctifer</i> (Cydnidae.)	Banana debris	4					La.
Do	do	1					N. Y.
Do	<i>Musa</i> sp. (banana)	3					La.
<i>Galleriinae</i> (Pyralidae)	<i>Ananas sativus</i>	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					La.
Gelechiid.	<i>Agave</i> sp.	1					Ariz.
Do	<i>Musa</i> sp. (banana)	3					La.
Geometrid.	<i>Allium sativum</i> (garlic)	1					Ariz.
<i>Geraeus</i> sp. (Curculionidae)	<i>Zea mays</i> (corn)	1					La.
<i>Gerstaeckeria</i> sp. (Curculionidae)	<i>Echinofossulocactus</i> sp. (cactus)	1					Calif.*
Do	<i>Mammillaria glochidiata</i> (cactus).		1				Do.*
<i>Glyphonyx propinquus</i> (Elateridae).	Banana debris	1					Pa.
<i>Gnorimoschema gudmannella</i> (Gelichiidae).	<i>Capsicum annuum</i>	17					Ariz.
Do	<i>Lycopersicum esculentum</i>	2					Do.
<i>Gnorimoschema lycopersicella</i> (tomato pinworm).	do	1849		11		1	Do.
Do	do	19					Calif.*
Do	do	18		8			Tex.
<i>Gnorimoschema</i> sp. (Gelechiidae)	<i>Capsicum annuum</i>	9					Ariz.
Do	<i>Lycopersicum esculentum</i>	6					Do.
Do	do	1					Calif.*
<i>Goniomyia</i> sp. (Tipulidae)	<i>Musa</i> sp. (banana)	1					Pa.
Gracilariid.	<i>Capsicum annuum</i>	1					Ariz.
<i>Grapholitha</i> sp. (Olethreutidae)	<i>Amygdalus persica</i> (peach)			1			Tex.
Do	<i>Cydonia oblonga</i> (quince)			3			Do.
Do	<i>Pyrus communis</i> (pear)			1			Ariz.
Do	do			1			Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Gypona</i> sp. (Cicadellidae)	<i>Jasminum</i> sp.			1			Tex.
Do	<i>Lactuca sativa</i> (lettuce)			1			Ariz.
<i>Heliothis</i> sp. (Noctuidae)	Bean	1					Tex.
Do	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Do	<i>Zea mays</i> (corn)			1			Do.
<i>Hemichionaspis minor strachani</i> (Coccidae).	<i>Citrus aurantifolia</i> (lime)	3					Tex.
<i>Hemichionaspis</i> sp. (Coccidae)	do	2					Do.
<i>Hemileuca</i> sp. (Saturniidae)	do	1					Calif.*
Hesperiid	<i>Musa</i> sp. (banana)	1					Tex.
<i>Heterotermes</i> sp. (termite)	<i>Saccharum officinarum</i>			1			Ariz.
<i>Hippelates</i> sp. (Oscinidae)	<i>Ananas sativus</i>	1					La.
<i>Holcocera</i> sp. (Blastobasidae)	Banana debris	3					Do.
Do	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Malus sylvestris</i> (apple)			1			Tex.
Do	<i>Musa</i> sp. (banana)	4					La.
Do	<i>Psidium guajava</i> (guava)			1			Ariz.
Do	<i>Zea mays</i> (corn)	1					La.
<i>Hypeninae</i> (Noctuidae)	<i>Lycopersicum esculentum</i>	1					Ariz.
<i>Hypothenemus</i> sp. (Scolytidae)	Banana debris	2					Pa.
<i>Iridomyrmex</i> sp. (ant)	do	2					Tex.
Do	<i>Cordia</i> sp. (anacahuite)			1			Do.
<i>Isorrhinus undatus</i> (Curculionidae).	Banana debris	2					La.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Issinae</i> (Fulgoridae)	<i>Dudleya</i> sp.	1					Calif.
<i>Lactica</i> sp. (Chrysomelidae)	Banana debris	1					N. Y.
<i>Laemophloeus</i> sp. (Cucujidae)	<i>Tabebuia donnell-smithii</i> (primavera).	1					Do.
<i>Laphygma frugiperda</i> (fall army-worm).	<i>Capsicum annuum</i>	3					Ariz.
Do	<i>Lycopersicum esculentum</i>	11					Do.
Do	<i>Pisum sativum</i> (pea)	2					Do.
Do	<i>Zea mays</i> (corn)			1			Calif.
<i>Laphygma</i> sp. (Noctuidae)	<i>Beta vulgaris</i> (beet)	1					Tex.
Do	<i>Capsicum annuum</i>	6					Ariz.
Do	<i>Dianthus</i> sp. (carnation)	1					Tex.
Do	<i>Lycopersicum esculentum</i>	132					Ariz.
Do	<i>Phaseolus</i> sp. (string bean)			1			Do.
Do	<i>Pisum sativum</i> (pea)	2					Do.
Do	<i>Zea mays</i> (corn)			2			Do.
Lasiocampid	<i>Echinocereus subinermis</i> (cactus).	1					Do.
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Hicoria pecan</i> (pecan)			1			Tex.
<i>Lasioderma</i> sp. (Anobiidae)	<i>Holcus sorghum</i> var. (broomcorn).	1					Do.
<i>Lechriops psidii</i> (Curculionidae)	<i>Psidium guajava</i> (guava)			1			Do.
<i>Lepidosaphes philococcus</i> (Coccoidea).	<i>Agave</i> sp.			1			Do.
Do	<i>Aporocactus leptophis</i> (cactus)	1					Calif.*
Do	<i>Cereus</i> sp. (cactus)	2					Do.*
<i>Leptostylus</i> sp. (Cerambycidae)	<i>Cattleya citrina</i> (tulip orchid)	1					Do.*
<i>Ligyrocoris aurivillianus</i> (Lygaeidae).	<i>Capsicum annuum</i>	2					Ariz.
Do	<i>Lycopersicum esculentum</i>	2					Do.
Limacodid	<i>Hechtia</i> sp.	1					Do.
Do	<i>Hicoria pecan</i> (pecan)			1			Tex.
<i>Lineodes</i> sp. (Pyralidae)	<i>Lycopersicum esculentum</i>	4					Ariz.
<i>Lioligus</i> sp. (Byrrhidae)	<i>Capsicum annuum</i>	1					Calif.*
<i>Liothrips</i> sp. (thrips)	<i>Echeveria</i> sp.			1			Do.*
Do	<i>Ficus religiosa</i> (sacred bo tree)			1			Do.*
<i>Liparoscelis nigrospinis</i> (Tettigoniidae).	Banana debris	1					Pa.
<i>Lobiopa</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	1					La.
Do	<i>Opuntia compressa</i> (prickly pear).			1			Tex.
<i>Longitarsus</i> sp. (Chrysomelidae)	<i>Lycopersicum esculentum</i>	5					Ariz.
Do	<i>Solanum melongena</i> (eggplant)	1					Do.
<i>Lophocateres pusillus</i> (Siamese grain beetle).	<i>Oryza sativa</i> (rice)	1					D. C.
<i>Lorelus</i> sp. (Tenebrionidae)	<i>Musa</i> sp. (banana)	1					Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Lycaenid</i>	<i>Amygdalus persica</i> (peach)			1			
Do	<i>Ananas sativus</i>			1			
<i>Lygaeid</i>	<i>Cactus</i> (several genera)	2	1				
<i>Lygaeus pallidocinctus</i> (Lygaeidae)	<i>Dianthus</i> sp. (carnation)	1					
<i>Lygaeus teapensis</i> (Lygaeidae)	<i>Banana</i> debris	1					
<i>Lygus</i> sp. (Miridae)	<i>Mammillaria martiana</i> (cactus).		1				
<i>Macropygium parvum</i> (Pentatomidae)	<i>Banana</i> debris	1					
<i>Macropygium reticulare</i> (Pentatomidae)	do	1					
<i>Malezonotus</i> sp. (Lygaeidae)	<i>Mammillaria wildii</i> (cactus)		1				
<i>Marmara</i> sp. (Gracillariidae)	<i>Capsicum annuum</i>	5					
Do	<i>Citrullus vulgaris</i> (watermelon)	4					
Do	<i>Citrus aurantifolia</i> (lime)	4					
Do	<i>Citrus sinensis</i> (orange)			1			
Do	<i>Persea americana</i> (avocado)			33			
<i>Maruca testulalis</i> (bean pod borer)	<i>Phaseolus</i> sp. (string bean)	1					
<i>Mecistorhinus tripterus</i> (Pentatomidae)	<i>Banana</i> debris	1					
<i>Megalopyge</i> sp. (Megalopygidae)	<i>Morus</i> sp. (mulberry)			1			
<i>Melissopus latiferreanus</i> (Olethreutidae)	<i>Quercus</i> sp. (oak)			1			
Do	do			2			
<i>Melitara</i> sp. (Pyralidae)	<i>Cactus</i> (several genera)	4	3				
Do	<i>Neomammillaria sheldonii</i> (cactus)	1					
<i>Messor</i> sp. (ant)	<i>Mammillaria</i> sp. (cactus)		1				
<i>Metachroma</i> sp. (Chrysomelidae)	<i>Banana</i> debris	1					
<i>Metamasius sericeus</i> (silky cane weevil).	do	3					
Do	<i>Musa</i> sp. (banana)	1					
<i>Metamasius</i> sp. (Curculionidae)	<i>Ananas sativus</i>	1					
<i>Metriona</i> sp. (Chrysomelidae)	<i>Banana</i> debris	1					
<i>Mirid</i>	<i>Echeveria</i> sp.		1				
Do	<i>Echinocactus gracilis</i> (cactus)	1					
Do	<i>Zea mays</i> (corn)			1			
<i>Monanus concinnulus</i> (Cucujidae)	<i>Banana</i> debris	1					
Do	do	3					
Do	<i>Musa</i> sp. (banana)	1					
Do	do	2					
<i>Moneilema</i> sp. (Cerambycidae)	<i>Astrophytum ornatum</i> (cactus)	1					
<i>Monocrepidius</i> sp. (Elateridae)	<i>Lycopersicum esculentum</i>	1					
<i>Monomorium carbonarium</i> var. (ant).	<i>Banana</i> debris	2					
Do	<i>Mammillaria haageana</i> (cactus)		1				
<i>Monomorium</i> sp. (ant)	<i>Cactus</i> (several genera)		4				
<i>Mycetophilid</i>	<i>Bamboo</i>			1			
<i>Myrmecocystus</i> sp. (ant)	<i>Ananas sativus</i>	1					
Do	<i>Cactus</i>	1					
<i>Myzus</i> sp. (aphid)	<i>Sempervivum</i> sp.		1				
Do	<i>Verbena</i> sp.			1			
<i>Neoponera</i> sp. (ant)	<i>Banana</i> debris	1					
<i>Nitidulid</i>	<i>Allium sativum</i> (garlic)	1					
Do	<i>Musa</i> sp. (banana)	1					
<i>Noctuid</i>	<i>Ananas sativus</i>	1					
Do	<i>Banana</i> debris	2					
Do	<i>Capsicum annuum</i>	13					
Do	do	2					
Do	<i>Fragaria</i> sp. (strawberry)	1					
Do	<i>Lathyrus odoratus</i> (sweet pea)			1			
Do	<i>Lycopersicum esculentum</i>	70					
Do	do	1					
Do	do	1					
Do	<i>Mammillaria rhodantha</i> (cactus)	1					
Do	do		1				
Do	<i>Musa</i> sp. (banana)	2					
Do	<i>Opuntia cholla</i>			1			
Do	<i>Pisum sativum</i> (pea)	2					
Do	<i>Solanum melongena</i> (eggplant)	1					

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Odonaspis</i> sp. (Coccidae)	<i>Cotyledon coccinea</i>	1					Calif.*
<i>Ogdoecosta catenulata</i> (Chrysomelidae)	Banana debris	1					Ala.
Olethreutid							
Do	<i>Annona cherimola</i> (cherimoya)		2				Tex.
Do	<i>Capsicum annuum</i>	12					Ariz.
Do	<i>Citrus sinensis</i> (orange)			1			La.
Do	<i>Crataegus mexicana</i>		2				Tex.
Do	<i>Cydonia oblonga</i> (quince)		1				Do.
Do	<i>Hibiscus esculentus</i> (okra)	5					Do.
Do	<i>Holcus halepensis</i> (Johnson grass).		1				Do.
Do	<i>Koeberlinia spinosa</i> (junco)		1				Do.
Do	<i>Phaseolus</i> sp. (string bean)	1					Ariz.
Do	do	16	2				Tex.
Do	<i>Prosopis</i> sp. (mesquite)		1				Do.
Ortalid	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Musa</i> sp. (banana)		1				Tex.
Orthezia	<i>Gardenia florida</i> (Cape-jasmine)			1			La.
Do	do			1			N. Y.
Oscinid	<i>Mammillaria</i> sp. (cactus)	1					Calif.*
Pachycondyla	Banana debris	1					N. Y.
Papilio	<i>Musa</i> sp. (banana)	1					Tex.
Paratenetus	Banana debris	4					La.
Do	do	1					N. Y.
Do	do	2					Pa.
Do	<i>Musa</i> sp. (banana)	2					La.
Do	do	1					Pa.
Paratetranychus	<i>Camellia japonica</i> (camellia)		1				Tex.
Parlatoria	<i>Citrus aurantifolia</i> (lime)	8			1		Calif.*
Do	<i>Citrus sinensis</i> (orange)				1		Do.*
Parlatoria	<i>Citrus aurantifolia</i> (lime)	2					Tex.
Pectinophora	Cotton used as packing for rosary.		1				Do.
Do	<i>Gossypium</i> sp. (cotton) (boll)	1					Do.
Do	<i>Gossypium</i> sp. (cottonseed)	19	2				Do.
Do	<i>Gossypium</i> sp. (seed cotton)	13	2				Do.
Pentatomid	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Musa</i> sp. (banana)	1					La.
Do	do	1					N. Y.
Do	<i>Solanum melongena</i> (eggplant)	3					Ariz.
Phaloniid	<i>Capsicum annuum</i>	1					Do.
Pheidole anastasii	Banana debris	1					Tex.
Pheidole	do	3					Pa.
Do	<i>Citrus aurantifolia</i> (lime)	1					Calif.*
Do	<i>Laelia rubescens</i> (orchid)		1			1	Hawaii.*
Do	Sapote						Ala.
Phenacoccus gossypii	<i>Pelargonium</i> sp. (geranium)		3				Ariz.
Do	do		2				Tex.
Phenacoccus	<i>Echeveria</i> sp.		1				Calif.*
sp.	<i>Mammillaria pentacantha</i> (cactus).	1					Do.*
Do	<i>Mammillaria stella-aurata</i> (goldenstar cactus).	1					Do.*
Phycitinae	<i>Pelargonium</i> sp. (geranium)		1				Ariz.
(Pyralidae)	<i>Allium sativum</i> (garlic)		1				Tex.
Do	Cactus		1				Calif.*
Do	<i>Echinocactus gracilis</i> (cactus)	1					Calif.
Do	<i>Echinocereus scopulorum</i> (cactus).	1					Ariz.
Do	<i>Holcus sorghum</i> var. (broomcorn).		1				Tex.
Do	<i>Ipomoea batatas</i> (sweetpotato)		1				Do.
Do	<i>Neomammillaria johnstonii</i> (cactus).	1					Ariz.
Do	<i>Neomammillaria mainae</i> (cactus).	1					Do.
Do	<i>Neomammillaria standleyi</i> (cactus).	2					Do.
Do	<i>Pachycereus pringlei</i> (cactus)	1					Do.
Do	<i>Punica granatum</i> (pomegranate).		2				Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Phycitinae (Pyralidae)	<i>Quercus</i> sp. (oak)			1			
Do	<i>Zea mays</i> (corn)		1				Ariz. Calif.*
Do	do			2			Tex. Do.
<i>Phylloconistis</i> sp. (Lyonetiidae)	<i>Musa</i> sp. (banana)	1					Ariz. Do.
<i>Phyrdenus</i> sp. (Curculionidae)	<i>Solanum melongena</i> (eggplant)	4					Ariz. La.
<i>Physonota</i> sp. (Chrysomelidae)	Banana debris	1					Do. Do.
<i>Physorrhinus frontalis</i> (Elateridae)	do	1					Do. Do.
Do	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Phytomyza</i> sp. (Agromyzidae)	<i>Echeveria</i> sp.		1				Tex. Ariz.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica</i> sp. (mustard)	1					La.
<i>Platynota stultana</i> (Tortricidae)	<i>Capsicum annuum</i>	100		1			Ariz. Calif.*
Do	do	9					Tex. Calif.*
Do	do	1					Calif.* Ariz.
Do	<i>Lycopersicum esculentum</i>	1					Do. Ariz.
Do	<i>Punica granatum</i> (pomegranate)			1			La. Ariz.
<i>Platynota</i> sp. (Tortricidae)	Banana debris	1					Ariz. Calif.
Do	<i>Capsicum annuum</i>	104					Tex. La.
Do	do			1			Ariz. Do.
Do	<i>Codiaeum</i> sp. (croton)				1		La. Tex.
Do	<i>Dianthus</i> sp. (carnation)	1					Ariz. Tex.
Do	<i>Lycopersicum esculentum</i>	15					Do. Ala.
Do	<i>Musa</i> sp. (banana)	1					La. Pa.
Do	do	1					Calif. Ariz.
Do	<i>Rosa</i> sp.		1				Tex. Ariz.
<i>Plusia</i> sp. (Noctuidae)	<i>Beta vulgaris cicla</i> (Swiss chard)			1			Do. Calif.
Do	<i>Capsicum annuum</i>	1					Ariz. Do.
<i>Plutella maculipennis</i> (diamond-back moth).	<i>Brassica oleracea botrytis</i> (broccoli).			2			Tex. Ala.
Do	<i>Brassica oleracea capitata</i>					1	Calif. Do.
Do	<i>Brassica</i> sp. (mustard)	1		1			Calif.*
<i>Pogonomyrmex</i> sp. (ant)	<i>Mammillaria</i> sp. (cactus)	1					N. Y.
<i>Ponera</i> sp. (ant)	Banana debris	1					Pa.
<i>Prenolepis</i> sp. (ant)	do	6					La. Tex.
Do	<i>Musa</i> sp. (banana)	2					Ariz. Do.
<i>Prodenia ornithogalli</i> (yellow-striped armyworm).	<i>Lycopersicum esculentum</i>	1					Tex. Do.
<i>Prodenia</i> sp. (Noctuidae)	<i>Capsicum annuum</i>	1					La. Do.
Do	<i>Lycopersicum esculentum</i>	5					Ariz. Do.
<i>Prolabia</i> sp. (earwig)	Banana debris	1					La. Do.
<i>Psalis americana</i> (earwig)	Orchid				1		Tex. Do.
<i>Psalis</i> sp. (earwig)	<i>Punica granatum</i> (pomegranate)			1			Ariz. Do.
Do	<i>Saccharum officinarum</i>			1			La. Do.
Do	<i>Solanum tuberosum</i>		1				Ariz. Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)	4					Calif.*
Do	do	1					N. Y. Do.
<i>Pseudococcus boninsis</i> (Coccidae)	<i>Citrus sinensis</i> (orange)					2	Tex. Do.
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Saccharum officinarum</i>			2			Do.
Do	<i>Ananas sativus</i>	1					Calif.*
Do	Cactus (several genera)	4	1				Do.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Pachyphytum comactum</i>	1					Tex. La.
Do	<i>Ananas sativus</i>	1		1			Ariz. Do.
Do	Cactus				1		La. Ariz.
Do	<i>Machaerocereus gummosus</i> (cactus)	1					N. Y. Ariz.
<i>Pseudodiaspis yuccae</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Ariz. La.
<i>Pseudomesomphalia plagiata</i> (Chrysomelidae).	<i>Pedilanthus macrocarpus</i>	1					Do.
<i>Pseudomesomphalia punicea</i> (Chrysomelidae).	Banana debris	1					N. Y.
Do	do	1					Do.
<i>Pseudopeltaria parlatorioides</i> (Coccidae).	<i>Musa</i> sp. (banana)	1					N. Y.
Psychid	do	2					Tex. La.
Do	<i>Ananas sativus</i>			1			Pa.
Do	Banana debris	11					
	do	1					

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
Psychid	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	12					La.
Do	do	1					N. Y.
Do	do	2					Pa.
Do	do	2					Tex.
<i>Pulvinaria</i> sp. (Coccidae)	<i>Aporocactus conzattii</i> (cactus)		1				Calif.*
Do	<i>Cereus boeckmannii</i> (cactus)		1				Do.*
<i>Puto yuccae</i> (Coccidae)	Cactus (several genera)	1	5	1			Do.*
Do	<i>Oncidium</i> sp. (orchid)	1					Do.*
<i>Puto</i> sp. (Coccidae)	<i>Mammillaria</i> sp. (cactus)		1				Do.*
Pyralid	<i>Ananas sativus</i>	1					Tex.
Do	Cactus			1			Ariz.
Do	do		1				Calif.*
Do	<i>Echinocactus gracilis</i> (cactus)	1					Calif.
Do	<i>Mammillaria</i> sp. (cactus)	1					Calif.*
Do	<i>Musa</i> sp. (banana)	1					La.
Pyralinae (Pyralidae)	<i>Agave americana</i> (maguey)	1					Ariz.
Do	<i>Musa</i> sp. (banana)	1					La.
Pyraustinae (Pyralidae)	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Lycopersicum esculentum</i>	1					Do.
<i>Pyroderces</i> sp. (Cosmopterygidae)	<i>Ananas sativus</i>	1					Tex.
Do	Banana debris	1					Pa.
Do	<i>Holcus sorghum</i> var. (broomcorn).	1					Tex.
Do	<i>Solanum melongena</i> (eggplant)	1					Ariz.
Do	<i>Zea mays</i> (corn)	1					La.
<i>Rhagoletis pomonella</i> (Tryptidae)	<i>Crataegus mexicana</i>			1			Tex.
<i>Rhagoletis suavis</i> (Tryptidae)	<i>Juglans nigra</i> (black walnut)			1			Do.
<i>Rhagoletis</i> sp. (Tryptidae)	<i>Crataegus mexicana</i>			11			Do.
Do	<i>Crataegus</i> sp. (red haw)			1			Do.
Do	<i>Juglans nigra</i> (black walnut)			1			Do.
Do	<i>Malus sylvestris</i> (apple)			1			Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium sativum</i> (garlic)	1					N. Y.
Do	<i>Solanum tuberosum</i>	1		2			Ariz.
Do	do			1			Tex.
Do	<i>Zephyranthes</i> sp. (zephyrlily)	1					Calif.*
<i>Sissetsia</i> sp. (Coccidae)	<i>Mangifera</i> sp.	1					D. C.
<i>Scaptolenus</i> sp. (Cebrionidae)	<i>Lactuca sativa</i> (lettuce)			1			Tex.
<i>Schistoceros cornutus</i> (Bostrichidae)	Wood used in a crate	1					Wash.
<i>Sciara</i> sp. (Mycetophilidae)	Banana debris	1					La.
Do	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Lycopersicum esculentum</i>	5					Do.
Do	do	1					Calif.*
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Sciocoris longifrons</i> (Pentatomidae)	<i>Solanum melongena</i> (eggplant)	1					Ariz.
Scolytid	Orchid	1					D. C.
<i>Silvanus vulgaris</i> (Cucujidae)	<i>Parathesis serrulata</i> (japalon)	1					La.
<i>Solenopsis</i> sp. (ant)	Banana debris	1					N. Y.
Do	<i>Ananas sativus</i>	1					Tex.
Do	Banana debris	1					Pa.
<i>Stenoma</i> sp. (Stenomidae)	<i>Lycopersicum esculentum</i>	1					Ariz.
Stenomid	<i>Persea americana</i> (avocado)			1			Tex.
Do	do			1			La.
<i>Stephanoderes guatemalensis</i> (Scolytidae)	Banana debris	2			1		Pa.
Do	do						La.
Do	<i>Musa</i> sp. (banana)	2					N. Y.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	8					Pa.
Do	Banana debris	1					La.
<i>Sympylus deplanatus</i> (Pentatomidae)	<i>Lycopersicum esculentum</i>	2		1			Ariz.
Syntomid	<i>Fragaria</i> sp. (strawberry)	1					Do.
<i>Systema</i> sp. (Chrysomelidae)	<i>Ipomoea batatas</i> (sweetpotato)			1			Ariz.
Do	Banana debris	2					Pa.
<i>Tapinoma</i> sp. (ant)	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	1					La.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Telephanus setulosus</i> (Cucujidae)	Banana debris	8					La.
Do	do	1					N. Y.
Do	do	6					Pa.
Do	<i>Musa</i> sp. (banana)	7					La.
Do	do	2					Pa.
<i>Telephanus</i> sp. (Cucujidae)	Banana debris	5					La.
Do	do	4					Pa.
Do	<i>Musa</i> sp. (banana)	9					La.
Do	do	1					N. Y.
Do	do	1					Pa.
Tenebrionid	Banana debris	1					Tex.
Do	<i>Capsicum annuum</i>	1					Calif.*
Do	<i>Persea americana</i> (avocado)			1			Tex.
<i>Tenebroides</i> sp. (Ostomidae)	<i>Mammillaria magnimamma</i> (cactus)	1					Calif.*
<i>Tenuipalpus</i> sp. (mite)	<i>Ananas sativus</i>				1		Pa.
Do	<i>Yucca</i> sp.		1				Ariz.
<i>Tetraleurodes mori arizonensis</i> (whitefly)	<i>Citrus sinensis</i> (orange)		1				Tex.
Do	<i>Citrus</i> sp.			1			Do.
<i>Tetramorium</i> sp. (ant)	Cactus	1					Do.
Do	<i>Solanum tuberosum</i>					1	Do.
<i>Thamnotettix</i> sp. (Cicadellidae)	<i>Capsicum annuum</i>	1					Ariz.
<i>Tinea</i> sp. (Tineidae)	Banana debris	9					La.
Do	<i>Gossypium</i> sp. (seed cotton)	1					Tex.
Do	<i>Musa</i> sp. (banana)	5					La.
Do	<i>Solanum tuberosum</i>			1			Tex.
Do	<i>Tabebuia donnell-smithii</i> (primavera).	1					N. Y.
Tineid	Banana debris	1					La.
Do	<i>Musa</i> sp. (banana)	4					Do.
Tortricid	Cactus		1				Calif.*
Do	<i>Camellia</i> sp.	1					Do.*
Do	<i>Capsicum annuum</i>	2		1			Ariz.
Do	do	1		1			Tex.
Do	<i>Crataegus mexicana</i>			1			Do.
Do	<i>Echinofossulocactus anfractuosus</i> .	1					Calif.*
Do	<i>Gardenia florida</i> (Cape-jasmine).				1		La.
Do	<i>Malus sylvestris</i> (apple)			1			Tex.
Do	<i>Musa</i> sp. (banana)	2					La.
Do	<i>Rosa</i> sp.		1				Pa.
Do	<i>Solanum melongena</i> (eggplant)	1					Ariz.
<i>Trionymus</i> sp. (Coccidae)	Cactus (several genera)	4	19				Calif.*
Trypetid	<i>Poinsettia pulcherrima</i> (poinsettia).		1				D. C.
Do	<i>Prunus domestica</i> (plum)			1			Tex.
Do	<i>Prunus</i> sp. (wild plum)					1	Do.
Do	<i>Pyrus communis</i> (pear)			1			Do.
<i>Tytthomimus rufotestaceus</i> (Curculionidae).	Banana debris	1					La.
Do	do	1					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Urophorus humeralis</i> (Nitidulidae)	Banana debris	1					Ariz.
Do	<i>Zea mays</i> (corn)					1	La.
Do	do			2			Tex.
<i>Vilerna aeneo-oculata</i> (Acrididae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Wasmannia auropunctata</i> (ant)	Banana debris	1					Pa.
<i>Xyleborus grenadensis</i> (Scolytidae)	<i>Zea mays</i> (corn)	1					Ariz.
<i>Xyleborus torquatus</i> (Scolytidae)	<i>Lycopersicum esculentum</i>	1					Do.
<i>Xyleborus</i> sp. (Scolytidae)	<i>Citrus aurantifolia</i> (lime)	1					Tex.
Xylophilid	Banana debris	2					Pa.
Do	<i>Musa</i> sp. (banana)	1					La.
<i>Xylophilus</i> sp. (Euglenidae)	<i>Lycopersicum esculentum</i>	1					Ariz.
<i>Zabrotes subfasciatus</i> (Bruchidae)	Bean			1			Calif.
Do	do			3			Tex.
Do	<i>Phaseolus vulgaris</i> (bayo bean)					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases:							
<i>Alternaria solani</i>	<i>Lycopersicum esculentum</i>					1	Ariz.
<i>Aphelenchoides huntii</i>	<i>Physalis ixocarpa</i> (tomatillo)					1	Ala.
<i>Aphelenchus avenae</i>	<i>Solanum tuberosum</i>			1			Tex.
<i>Aplanobacter michiganense</i>	<i>Lycopersicum esculentum</i>			1			Do.
<i>Bacterium pisi</i>	<i>Pisum sativum</i> (pea)			2			Do.
<i>Bacterium vesicatorium</i>	<i>Lycopersicum esculentum</i>	2		1			Do.
<i>Brachysporium</i> sp.	<i>Phaseolus</i> sp. (string bean)	1					Ariz.
<i>Capnodium citri</i>	<i>Citrus aurantifolia</i> (lime)				1		Pa.
Do	do	1					Tex.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)			1			Do.
<i>Capnodium</i> sp.	<i>Dendrocalamus strictus</i> (bamboo)	1					Do.
Do	<i>Phoenix dactylifera</i> (date)			1			Ariz.
<i>Cephaeluros virescens</i>	<i>Citrus sinensis</i> (orange)				1		La.
Do	<i>Musa</i> sp. (banana)			1			Tex.
Do	Palm			1			Do.
<i>Cephalothecium</i> sp.	<i>Lycopersicum esculentum</i>	1					Ariz.
Do	<i>Neomammillaria carnea</i> (cactus)	1					Do.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean)	1					Do.
<i>Cercospora</i> sp.	Fabaceae	1					Pa.
Do	<i>Lycopersicum esculentum</i>			1			Ariz.
<i>Cladosporium cucumerinum</i>	<i>Cucumis melo</i> (cantaloupe)	1					Tex.
<i>Cladosporium fici</i>	<i>Ficus religiosa</i> (sacred bo tree)			1			Calif.*
<i>Cladosporium fulvum</i>	<i>Lycopersicum esculentum</i>	1			1		Tex.
<i>Colletotrichum nigrum</i>	<i>Capsicum annuum</i>				2		La.
<i>Colletotrichum pisi</i>	<i>Pisum sativum</i> (pea)			1			Tex.
<i>Colletotrichum</i> sp.	<i>Citrus aurantifolia</i> (lime)			1			Ariz.
Do	<i>Citrus sinensis</i> (orange)			1			Do.
Do	do			1			Tex.
Do	<i>Citrus</i> sp.		2				Do.
Do	<i>Colchicum</i> spp.	1					D. C.
Do	<i>Lycopersicum esculentum</i>	5					Ariz.
Do	<i>Mangifera indica</i> (mango)			1			Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	<i>Opuntia</i> sp.	1					D. C.
Do	<i>Phaseolus</i> sp. (string bean)			3			Ariz.
Do	<i>Psidium guajava</i> (guava)			1			Tex.
Do	<i>Punica granatum</i> (pomegranate)			1			Ariz.
<i>Corticium</i> sp.	<i>Lycopersicum esculentum</i>	59					Do.
Do	<i>Phaseolus</i> sp. (string bean)	5					Do.
Do	<i>Pisum sativum</i> (pea)	3					Do.
Do	<i>Tabebuia donnell-smithii</i> (pri-mavera)	1					N. Y.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.			1			Tex.
<i>Diplodia cacaoicola</i>	<i>Annona squamosa</i> (sugar-apple)				1		Ala.
Do	<i>Citrus aurantifolia</i> (lime)				1		La.
Do	<i>Poinsettia pulcherrima</i> (poinsettia)		1				D. C.
Do	<i>Lucuma</i> sp. (sapote)			1			Tex.
<i>Diplodia natalensis</i>	<i>Citrus aurantifolia</i>				1		Pa.
Do	<i>Punica granatum</i> (pomegranate)			1			Tex.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)					1	Ala.
<i>Diplodiella</i> sp.	<i>Capsicum annuum</i>	1					Ariz.
<i>Dothidiaceae</i>	Unknown leaf	1					Pa.
<i>Dothiorella</i> sp.	<i>Psidium guajara</i> (guava)			1			Tex.
<i>Endomyces</i> sp.	<i>Prunus domestica</i> (plum)			1			Ariz.
<i>Epicoccum</i> sp.	<i>Capsicum annuum</i>	2					Do.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Erinose	<i>Gardenia florida</i> (Cape-jasmine)			1			La.
<i>Erysiphe polygoni</i>	<i>Pisum sativum</i> (pea)			1			Tex.
<i>Erysiphe</i> sp.	do	4	2				Ariz.
<i>Eurotium</i> sp.	<i>Achras sapota</i> (sapodilla)			1			Do.
Do	<i>Lucuma</i> sp. (sapote)			1			Do.
<i>Fusarium moniliforme</i>	<i>Zea mays</i> (corn)			1			Calif.
<i>Gibberella</i> sp.	Wood	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
<i>Gloeosporium elasticae</i>	<i>Ficus religiosa</i> (sacred bo tree)			1			Calif.*
<i>Gloeosporium musarum</i>	<i>Musa</i> sp. (banana)	1					Ariz.
<i>Gloeosporium</i> sp.	<i>Chamaedorea</i> sp.			1			Tex.
Do	<i>Mangifera indica</i> (mango)			2			Ariz.
Do	<i>Musa</i> sp. (banana)			3			Do.
Do	Orchid		3				D. C.
Do	<i>Polyanthes tuberosa</i> (tuberose)			1			Ariz.
<i>Glomerella cingulata</i>	<i>Mangifera indica</i> (mango)			1			Do.
Do	<i>Persea americana</i> (avocado)			1			Do.
Do	<i>Spondias</i> sp.			1			Do.
<i>Glomerella</i> sp.	<i>Lycopersicum esculentum</i>	3					Do.
Do	<i>Mangifera indica</i> (mango)			2			Do.
Do	<i>Musa</i> sp. (banana)			1			Do.
Do	<i>Persea americana</i> (avocado)			1			Do.
<i>Helminthosporium allii</i>	<i>Allium sativum</i> (garlic)	3					Ia.
Do	do	1					N. Y.
Do	do	2					Tex.
<i>Helminthosporium ravenelii</i>	<i>Sporobolus poiretii</i> (smut grass).	1					N. Y.
<i>Helminthosporium</i> sp.	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Holcus halepensis</i> (Johnson grass).	1					Do.
Do	<i>Lycopersicum esculentum</i>	1					Do.
Do	<i>Oryza sativa</i> (paddy rice)	1					Do.
Do	<i>Zea mays</i> (corn)	1					N. Y.
<i>Hendersonia</i> n. sp.	<i>Opuntia</i> sp. (?)	1					D. C.
<i>Heterodera schachtii</i>	<i>Beta vulgaris</i> (beet)			1			Ariz.
Do	do	1					Tex.
Leprosis	<i>Citrus sinensis</i> (orange)			6			Do.
<i>Macrophoma</i> sp.	Orchid	1					D. C.
<i>Macrosporium tomato</i>	<i>Lycopersicum esculentum</i>			1			Ariz.
Do	do					1	N. Y.
<i>Monochaetia</i> sp.	<i>Psidium guajava</i> (guava)			1			Tex.
<i>Monilia</i> sp.	do			1			Do.
<i>Mycosphaerella</i> sp.	<i>Cactus</i>	1					D. C.
<i>Myriangium duriae</i>	On scale on orange					1	Tex.
<i>Myriangium</i> sp.	<i>Citrus limetta</i> (sweet lime)			1			Do.
<i>Oidium</i> sp.	<i>Gardenia florida</i> (Cape-jasmine).			1			La.
Do	<i>Pisum sativum</i> (pea)	8		3			Ariz.
Do	<i>Rosa</i> sp.			1			Tex.
Do	<i>Zea mays</i> (corn)	1					Ariz.
<i>Oospora citri aurantii</i>	<i>Citrus sinensis</i> (orange)			1			Do.
<i>Oospora lactis parasitica</i>	<i>Physalis ixocarpa</i> (tomatillo)					1	Ala.
<i>Oospora</i> sp.	<i>Capsicum annuum</i>	1					Ariz.
Do	<i>Citrus aurantifolia</i> (lime)	1					Do.
Do	<i>Lycopersicum esculentum</i>	8					Do.
<i>Penicillium gladioli</i>	<i>Gladiolus</i> sp.			1			Do.
<i>Periconia</i> sp.	<i>Capsicum annuum</i>	1					Do.
Do	<i>Phaseolus</i> sp. (string bean)	1					Do.
<i>Pestalozzia</i> n. sp.	<i>Psidium guajava</i> (guava)			1			Tex.
<i>Pestalozzia</i> sp.	do			4			Do.
<i>Phoenicostroma chamaedoreae</i>	Palm	1					Do.
<i>Phoma destructiva</i>	<i>Capsicum annuum</i>					1	La.
Do	<i>Lycopersicum esculentum</i>					1	N. Y.
Do	do				1		Tex.
<i>Phoma</i> sp.	<i>Physalis</i> sp. (husk tomato)			1			Do.
Do	<i>Citrus aurantifolia</i> (lime)	1					Do.
Do	<i>Echinocereus merkeri</i> (cactus)	1					Calif.*
Do	<i>Lycopersicum esculentum</i>	6					Ariz.
Do	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					Do.
Do	<i>Psidium guajava</i> (guava)			1			Tex.
<i>Physalospora malorum</i>	<i>Cydonia oblonga</i> (quince)			1			Ariz.
<i>Phyllosticta</i> sp.	<i>Gardneria florida</i> (Cape-jasmine).				1		La.
Do	<i>Pandanus utilis</i> (screwpine)			1			N. Y.
<i>Physarum</i> sp.	<i>Echinocactus teretispinus</i> (cactus).	1					Calif.
<i>Phytophthora phaseoli</i>	<i>Phaseolus</i> sp. (string bean)			1			Tex.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter- ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
<i>Phytophthora</i> sp.	<i>Capsicum annuum</i>	2					
Do	<i>Lycopersicum esculentum</i>	56					Ariz. Do.
Do	<i>Physalis</i> sp. (husk tomato)			1			Tex. Do.
<i>Puccinia coronata</i>	<i>Avena sativa</i> (oat)			1			Ariz. Calif. Ariz.
<i>Puccinia</i> sp.	Unknown grass	1					Ariz. Calif. Ariz.
Do	Unknown root			1			Do. Do.
<i>Rhizoctonia</i> sp.	<i>Lycopersicum esculentum</i>	3					Ariz. Do.
Do	<i>Phaseolus</i> sp. (string bean)	1					Do. Do.
Do	<i>Pisum sativum</i> (pea)	1					Do. Do.
Do	<i>Pyrus communis</i> (pear)			1			Do. Do.
Do	<i>Solanum tuberosum</i>			1			Do. La.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					2	La. Ala.
Do	<i>Lycopersicum esculentum</i>					1	Ariz. Do.
<i>Sclerotinia</i> sp.	<i>Phaseolus</i> sp. (string bean)	1					Do. Do.
<i>Septoria</i> sp.	<i>Oryza sativa</i> (paddy rice)	1					Do. Do.
<i>Sphaeloma fawcettii</i>	<i>Citrus aurantifolia</i> (lime)			1			Calif.* La. N. Y. Tex. N. Y. La. Ariz. Do.
Do	do	1					Calif.* La. N. Y. Tex. N. Y. La. Ariz. Do.
Do	do			1		1	N. Y. La. Ariz. Do.
Do	do					1	Do. Do.
Do	do						Tex.
<i>Sporotrichum</i> sp.	<i>Citrus sinensis</i> (orange)	1					N. Y.
<i>Sterigmatocystis</i> sp.	<i>Citrus</i> sp.					1	La.
Stilbaceae	<i>Citrus aurantifolia</i>				1		Ariz.
<i>Stilbum flavidum</i>	<i>Phoenix dactylifera</i> (date)			1			Do. Do.
<i>Thielaviopsis paradoxa</i>	<i>Lycopersicum esculentum</i>	1					Tex.
Do	<i>Gardenia florida</i> (Cape-jasmine).			1			N. Y.
<i>Uromyces appendiculatus</i>	<i>Musa</i> sp. (banana)				1		La.
Do	<i>Saccharum officinarum</i>				1		Ariz.
Do	<i>Phaseolus</i> sp. (string bean)	4		1			Calif.
Do	do	1		1			Tex.
Do	do			2			Ariz.
<i>Uromyces</i> sp.	do	1					Do.
<i>Ustilago hordei</i>	<i>Hordeum vulgare</i> (barley)	2					Do.
<i>Ustilago zeae</i>	<i>Zea mays</i> (corn)			1			Do.
<i>Verticillium</i> sp.	<i>Musa</i> sp. (banana)	1					Tex.
MONTSERRAT							
Insects:							
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
<i>Pseudaonidia articulatus</i> (rufous scale).	do	13					Do.
Diseases: <i>Diplodia cacaoicola</i>	do	2					Do.
MORAVIA							
Diseases: <i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.		1				D. C.
MOROCCO							
Insects:							
<i>Baris</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)					1	Pa.
<i>Ceutorhynchus</i> sp. (Curculionidae)	do					1	Do.
<i>Crematogaster</i> sp. (ant)	<i>Muscari comosum</i> (cipollino)	1					N. Y.
<i>Dinoderus minutus</i> (Bostrichidae)	<i>Serjania mexicana</i> (barbasco)	1					Do.
<i>Eriosoma lusitanica</i> (Chrysomelidae)	<i>Muscari comosum</i>	59					Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i>				1		Pa.
Do	<i>Muscari comosum</i>	1					N. Y.
<i>Merodon</i> sp. (Syrphidae)	do	32					Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Solanum tuberosum</i>					1	Pa.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Brassica rapa</i>					1	Do.
Diseases:							
<i>Cercospora</i> sp.	<i>Daucus carota</i> (carrot)					1	N. Y.
<i>Nigrospora oryzae</i>	<i>Oryza sativa</i> (rice)	1					Do.
<i>Phyllosticta</i> sp.	<i>Sabal</i> sp. (palmetto)	1					Do.
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)	2					Do.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)					1	Do.
Insects: MOZAMBIQUE							
<i>Euspermophagus gossypii</i> (Bruchidae)	<i>Ipomoea albivenia</i> (morning-glory).		1				D. C.
<i>Tinea</i> sp. (Tineidae)	<i>Agave sisalana</i> (sisal)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS							
Insects:							
<i>Acrolepia assetella</i> (Plutellidae)	<i>Allium porrum</i> (leek)					2	Pa.
<i>Acronycta</i> sp. (Noctuidae)	<i>Rosa chinensis manetti</i>	1					Md.*
Do	do	2					Pa.*
<i>Agromyza</i> sp. (Agromyzidae)	<i>Brassica rapa</i> (turnip)					1	La.
<i>Agromyzid</i>	<i>Allium porrum</i>					1	Pa.
Do	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
<i>Alphitobius</i> sp. (Tenebrionidae)	<i>Allium cepa</i> (onion)					1	Do.
<i>Anthomyiid</i>	do					1	La.
Do	<i>Apium graveolens</i> (celery)					1	Do.
<i>Anuraphis</i> sp. (aphid)	<i>Papaver</i> sp. (poppy)	1					D. C.
<i>Arctiid</i>	In soil around <i>Monarda</i> sp.	1					Do.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Allium cepa</i>					1	La.
Do	do					1	N. Y.
Do	<i>Brassica rapa</i>					1	Ala.
Do	<i>Solanum tuberosum</i>					2	La.
<i>Brachyrhinus sulcatus</i> (black vine weevil).	In soil around <i>Monarda</i> sp.	1					D. C.
<i>Cecidomyiid</i>	<i>Galanthus</i> sp.	1					Md.
Do	<i>Hyacinthus</i> sp.	1					N. Y.
Do	<i>Laburnum vossii</i>		1				D. C.
Do	<i>Scilla sibirica</i> (Siberian squill)	1					Pa.
Do	<i>Tulipa</i> sp.	1					Tex.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica campestris</i> (rutabaga)					1	N. Y.
<i>Curculionid</i>	<i>Narcissus</i> sp.	1					Va.
<i>Diaspis carueli</i> (Coccidae)	<i>Chamaecyparis nootkatensis ar-genteovariegata</i> .	1					D. C.
Do	<i>Juniperus</i> sp.		1				Calif.*
Do	<i>Thuya occidentalis plicata pyg-maea</i> .	1					D. C.
<i>Emphytus cinctus</i> (sawfly)	<i>Rosa chinensis manetti</i>	5					Conn.*
Do	do	8					Ill.*
Do	do	7					Pa.*
<i>Endrosis lacteella</i> (Oecophoridae)	<i>Scilla</i> sp.	1					N. Y.
<i>Eumerus strigatus</i> (Syrphidae)	<i>Narcissus triandrus</i>	1					Wash.
Do	<i>Narcissus</i> sp.	1					Do.
<i>Eumerus</i> sp. (Syrphidae)	<i>Allium cepa</i> (onion)	3				1	N. Y.
Do	<i>Hyacinthus</i> sp.	2					Do.
Do	<i>Lilium</i> sp.	7					Do.
Do	<i>Narcissus</i> sp.	1					D. C.
Do	do	2					N. Y.
Do	do	1					Va.
<i>Euresta</i> sp. (Ortalidae)	<i>Allium cepa</i> (onion)					1	La.
Do	<i>Apium graveolens</i> (celery)					1	N. Y.
<i>Forficula auricularia</i> (European earwig).	<i>Crocus</i> sp.	1					Do.
Do	<i>Eremurus</i> sp. (desertcandle)	1					D. C.
Do	<i>Lilium</i> sp.	1					Mich.
Do	<i>Tulipa</i> sp.	2					N. Y.
Do	do	1					Tex.
<i>Forficula auricularia forcipata</i> (ear-wig).	<i>Iris</i> sp.	1					D. C.
Do	<i>Lilium</i> sp.	1					N. Y.
<i>Frankliniella</i> sp. (thrips)	<i>Allium porrum</i> (leek)					1	Pa.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica oleracea capitata</i>					1	Do.
Do	<i>Brassica rapa</i> (turnip)					1	Ala.
Do	do					2	La.
Do	do					2	Pa.
Do	<i>Lilium</i> sp.	1					N. Y.
Do	<i>Raphanus sativus</i> (radish)					1	Md.
<i>Ischnodes</i> sp. (Elateridae)	In soil around <i>Cimicifuga sim-plex</i> .	1					D. C.
<i>Lecanium</i> sp. (Coccidae)	<i>Thuja occidentalis</i> (American arborvitae).	1					Do.
<i>Liosomaphis</i> sp. (aphid)	<i>Tulipa</i> sp.	3					N. Y.
Do	do	1					Pa.
<i>Liparid</i>	<i>Rosa chinensis manetti</i>	1					Pa.*
<i>Ludius</i> sp. (Elateridae)	do	1					N. Y.
<i>Macrosiphum kaltenbachii</i> (aphid)	<i>Lactuca sativa</i> (lettuce)					1	Do.
Do	do					1	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS—Continued							
Insects—Continued.							
<i>Merodon</i> sp. (Syrphidae)	<i>Galanthus</i> sp.	1					N. Y.
Do	<i>Narcissus</i> sp.	2	2				D. C.
Do	do	2					N. Y.
Do	do	8					Va.
Do	do	7					Wash.
Mycetophilid	<i>Lilium</i> sp.	1					N. Y.
<i>Myzus veronicae</i> (aphid)	<i>Helenium</i> sp.		1				D. C.
<i>Neosciara</i> sp. (Mycetophilidae)	<i>Hyacinthus</i> sp.	1					Mich.
Do	<i>Tulipa</i> sp.	1					N. Y.
Noctuid	<i>Astilbe</i> sp.	1					D. C.
Do	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do	<i>Lactuca sativa</i> (lettuce)					1	Do.
<i>Notolophus antiqua</i> (European tussock moth).	<i>Rosa chinensis manetti</i>	1					Pa.
<i>Pectinophora gossypiella</i> (pink bollworm).	<i>Gossypium</i> sp. (cottonseed)		1				D. C.
<i>Phyllotreta</i> sp. (Chrysomelidae)	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea botrytis</i>					1	Do.
Do	<i>Brassica oleracea capitata</i>					1	Do.
Do	do					1	Pa.
<i>Pnyxia scabiei</i> (potato scab gnat)	<i>Lilium</i> sp.	1					N. Y.
Do	<i>Delphinium</i> sp.	1					D. C.
<i>Pyralis</i> sp. (Pyralidae)	<i>Scilla</i> sp.	1					N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)	1				1	Do.
Do	do					1	Pa.
Do	<i>Chionodora</i> sp.	1					N. Y.
Do	<i>Crocus</i> sp.	3					Do.
Do	<i>Fritillaria imperialis</i> (crown-imperial).	1					Pa.
Do	<i>Fritillaria</i> sp.	1					Mass.
Do	do	1					N. Y.
Do	<i>Galanthus nivalis</i> (snowdrop)	1					Do.
Do	do	2					Pa.
Do	<i>Hyacinthus</i> sp.	1					N. Y.
Do	do	1					Pa.
Do	<i>Muscari botryoides</i> (grape-hyacinth).	2					N. Y.
Do	<i>Scilla</i> sp.	2					Do.
Do	<i>Solanum tuberosum</i>					1	La.
Do	<i>Tulipa</i> sp.	1					Mass.
Do	do	2					N. Y.
Do	do	2					Pa.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Allium cepa</i> (onion)	1					N. Y.
Do	do					1	Pa.
Do	do					1	Wash.
Do	<i>Apium graveolens</i> (celery)					1	N. Y.
Do	<i>Beta vulgaris</i> (beet)					1	Ala.
Do	<i>Fritillaria</i> sp.	1					N. Y.
Do	<i>Hyacinthus</i> sp.	2					Pa.
Do	<i>Lilium</i> sp.	2					N. Y.
Do	<i>Solanum tuberosum</i>					1	Fla.*
Do	do					2	La.
<i>Serica</i> sp. (Scarabaeidae)	In soil around <i>Monarda</i> sp.	1					D. C.
<i>Tetranychus</i> sp. (mite)	<i>Davidia</i> sp. (dovetree)	1					Do.
<i>Thrips tabaci pullus</i> (thrips)	<i>Allium porrum</i> (leek)					1	Pa.
<i>Tinea</i> sp. (Tineidae)	<i>Cichorium intybus</i> (witloof)	1					La.
Do	<i>Hyacinthus</i> sp.	1					Md.
Tortricid	<i>Crocus</i> sp.	1					N. Y.
Do	<i>Davidia</i> sp. (dovetree)	1					D. C.
<i>Trichocera</i> sp. (Tipulidae)	<i>Apium graveolens</i> (celery)					2	N. Y.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
Do	<i>Brassica oleracea capitata</i>					1	La.
Do	do		1				N. Y.
Do	do					3	Pa.
Do	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS—Continued							
Diseases—Continued.							
<i>Alternaria solani</i>	<i>Lycopersicum esculentum</i>						N. Y.
<i>Anguillulina dipsaci</i>	<i>Chionodoxa</i> sp.	3					Do.
Do	do	2					Pa.
Do	<i>Colchicum bornmuelleri</i>	1					D. C.
Do	<i>Colchicum speciosum album</i>	1					Do.
Do	<i>Colchicum speciosum</i>	1					Do.
Do	<i>Galanthus nivalis</i> (snowdrop)	1					Pa.
Do	<i>Hyacinthus</i> sp.	1					Mich.
Do	<i>Iris</i> sp. (bulbous)	11					D. C.
Do	do	3					Wash.
Do	<i>Muscari botryoides</i> (grape-hyacinth).	3					N. Y.
Do	<i>Scilla</i> sp.	1					Do.
Do	<i>Solanum tuberosum</i>					1	La.
Do	<i>Tigridia pavonia alba immaculata</i> .		1				D. C.
Do	<i>Tigridia</i> sp.		2				Do.
<i>Aphelenchoides parietinus</i>	<i>Daucus carota</i> (carrot)					1	Pa.
Do	<i>Hyacinthus</i> sp.	1					Md.
Do	<i>Iris</i> sp.		1				D. C.
Do	<i>Narcissus</i> sp.	1					Do.
<i>Aphelenchus avenae</i>	<i>Tritonia</i> sp.	1					Do.
Do	<i>Chionodoxa</i> sp.	1					Pa.
Do	<i>Galanthus nivalis</i> (snowdrop)	1					N. Y.
Do	<i>Narcissus minimus</i>		1				D. C.
Do	<i>Tritonia</i> sp.	1					Do.
<i>Bacterium campestre</i>	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea</i>					1	Do.
Do	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	N. Y.
Do	do					1	Pa.
<i>Bacterium marginatum</i>	<i>Crocus</i> sp.	1					D. C.
Do	<i>Gladiolus</i> sp.	1	3				Do.
Do	<i>Tritonia</i> sp.	2					Do.
<i>Botrytis galanthina</i>	<i>Galanthus flora plena</i>	1					Pa.
Do	<i>Galanthus nivalis</i> (snowdrop)	1					Mich.
Do	do	9					N. Y.
Do	do	2					Pa.
<i>Botrytis tulipae</i>	<i>Tulipa</i> sp.	1					Mass.
Do	do	1					N. Y.
Do	do	4					Pa.
<i>Cercospora</i> sp.	<i>Scilla sibirica</i> (Siberian squill)	1					Do.
<i>Cladosporium</i> sp.	<i>Phaseolus</i> sp. (string bean)					1	Md.
<i>Colletotrichum lindemuthianum</i>	do					1	Mass.
Do	do					1	N. Y.
Do	do					1	Pa.
<i>Coniothyrium hellebori</i>	<i>Helleborus niger</i> (Christmas rose).	3					D. C.
<i>Eurotium</i> sp.	<i>Rosa</i> sp.		1				N. Y.
Do	<i>Solanum tuberosum</i>					1	La.
Do	do					1	N. Y.
Do	<i>Tulipa</i> sp.	1					Pa.
<i>Gloeodes pomigena</i>	<i>Pyrus communis</i> (pear)					1	N. Y.
<i>Gloeosporium palmarum</i>	<i>Kentia</i> sp.				1		Wash.
<i>Leptosphaeria heterospora</i>	<i>Iris</i> sp.	1					D. C.
<i>Monilia</i> sp.	<i>Malus sylvestris</i> (apple)					1	Pa.
<i>Neotylenchus abulbosus</i>	<i>Tritonia</i> sp.	1					D. C.
<i>Oospora lactis parasitica</i>	<i>Lycopersicum esculentum</i>					1	Pa.
<i>Oospora</i> sp.	<i>Daucus carota</i> (carrot)					1	Ala.
<i>Papulospora parasitica</i>	<i>Tulipa</i> sp.	1					N. Y.
<i>Penicillium gladioli</i>	<i>Gladiolus</i> sp.		1				D. C.
Do	do			1			N. Y.
<i>Peronospora parasitica</i>	<i>Brassica oleracea</i>					1	Pa.
<i>Phoma lingam</i>	<i>Brassica oleracea capitata</i>					1	Md.
Do	do					1	Pa.
<i>Phoma</i> sp.	<i>Lycopersicum esculentum</i>					1	Do.
<i>Physarum</i> sp.	<i>Brassica oleracea capitata</i>					1	Md.
<i>Phytophthora</i> sp.	<i>Cichorium intybus</i> (witloof)					1	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS—Continued							
Diseases—Continued.							
<i>Pythium</i> sp.	<i>Beta vulgaris</i> (beet)					1	Md.
Do	<i>Daucus carota</i> (carrot)					1	Pa.
<i>Rhizoctonia</i> sp.	<i>Scilla sibirica</i> (Siberian squill)	1					Do.
Do	<i>Solanum tuberosum</i>					1	Calif.*
<i>Sclerotinia gladioli</i>	<i>Gladiolus</i> sp.		1				D. C.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Ala.
Do	do		1				Pa.
Do	do					3	Tex.
<i>Sclerotinia</i> sp.	<i>Beta vulgaris</i> (beet)					2	Pa.
Do	<i>Solanum tuberosum</i>					1	Do.
Do	<i>Tulipa</i> sp.	1					Do.
<i>Sclerotium</i> sp.	<i>Muscari botrytis</i> (grape-hyacinth).	1					N. Y.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					3	Do.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)					1	Do.
<i>Sphaerонema</i> sp.	<i>Narcissus</i> sp.	2	1				D. C.
<i>Sphaeropsis syringae</i>	<i>Syringa</i> sp.	1					Do.
<i>Urocystis colchici</i>	<i>Colchicum bornmuelleri</i>	1					Do.
Do	<i>Colchicum rosea alba</i>	1					Do.
Do	<i>Colchicum</i> spp.	1					Do.
<i>Uromyces appendiculatus</i>	<i>Phaseolus</i> sp. (string bean)					1	Md.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)					2	N. Y.
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.	2	4				D. C.
<i>Verticillium</i> sp.	<i>Allium cepa</i> (onion)					1	La.
Do	<i>Galanthus</i> sp. (snowdrop)	1					Pa.
Do	<i>Hyacinthus</i> sp.	1					Do.
Do	<i>Lilium</i> sp.	1					N. Y.
NEWFOUNDLAND							
Insects:							
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Solanum tuberosum</i>					1	Do.
Olethreutid	<i>Vaccinium vitis-idaea</i> (lingonberry).	1					Ill.
Do	do		5				Mich.
Do	do		5				N. Y.
Do	do	1					Wash.
Pyraustinae (Pyralidae)	<i>Satureja hortensis</i> (summer savory).			1			N. Y.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Vaccinium</i> sp. (blueberry)	1					Mich.
Diseases:							
<i>Glomerella cingulata vaccinii</i>	do		1				N. Y.
<i>Godronia cassandrae</i>	<i>Vaccinium vitis-idaea</i>	1					Do.
<i>Lophodermium</i> sp.	Conifer					1	Md.
<i>Monilia</i> sp.	<i>Vaccinium</i> sp. (blueberry)	1					N. Y.
NEW GUINEA							
Insects:							
<i>Chelisoches morio</i> (earwig)	Orchid		1				Calif.*
Diseases:							
<i>Diplodia cacaoicola</i>	<i>Crescentia cujete</i> (calabash)		1				N. Y.
NEW ZEALAND							
Insects:							
<i>Aspidiotus</i> sp. (Coccidae)	<i>Malus sylvestris</i> (apple)	1					Do.
<i>Forficula auricularia</i> (European earwig).	Packing around <i>gladiolus</i> corms.		1				Calif.*
<i>Nysius huttoni</i> (Lygaeidae)	<i>Malus sylvestris</i>	1					N. Y.
<i>Paratetranychus</i> sp. (mite)	do	1					Do.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus limonia</i> (lemon)					1	Do.
<i>Parlatoria</i> sp. (Coccidae)	<i>Malus sylvestris</i>	2					Do.
<i>Phenacaspis</i> sp. (Coccidae)	<i>Kentia</i> sp.				1		Calif.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Malus sylvestris</i>	2					N. Y.
<i>Taeniothrips gladioli</i> (gladiolus thrips).	<i>Gladiolus</i> sp.		1				Wash.
Tineid	<i>Malus sylvestris</i>	1					D. C.
Tortricid	do	1					La.
Do	do	2					N. Y.
<i>Urophorus humeralis</i> (Nitidulidae)	do					1	Md.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NEW ZEALAND—Continued							
Diseases:							
<i>Microsphaera</i> sp.	<i>Viburnum</i> sp.						Calif.*
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.	1					D. C.
NICARAGUA							
Insects:							
<i>Aeolus pulchellus</i> (Elateridae)	<i>Musa</i> sp. (banana)	1					La.
<i>Aeolus vermiculatus</i> (Elateridae)	Banana debris	1					Do.
<i>Alphitobius</i> sp. (Tenebrionidae)	do	1					Do.
<i>Anisolabis</i> sp. (earwig)	do	1					Do.
Anthomyiid	<i>Musa</i> sp. (banana)	1					Ala.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Capsicum annuum</i>		1				La.
Blastobasid	<i>Musa</i> sp. (banana)	1					Do.
<i>Camponotus</i> sp. (ant)	Banana debris	2					Do.
Do	<i>Guaiacum officinale</i> (lignum-vitae)	1					Calif.*
Do	<i>Musa</i> sp. (banana)	4					La.
<i>Capaneus tetricus</i> (Coreidae)	Banana debris	1					Do.
Cassidinae (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Catolethrus longulus</i> (Curculionidae)	Banana debris	4					Do.
Do	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	4					La.
<i>Ceramidia musicola</i> (Syntomidae)	do	1					Ala.
<i>Ceramidia</i> sp. (Syntomidae)	do	1					Do.
<i>Cheirispa distincta</i> (Chrysomelidae)	do	1					Do.
Chloropid	do	1					La.
<i>Chrysomela scripta</i> (Chrysomelidae)	Banana debris	2					Do.
<i>Cicadella pulchella</i> (Cicadellidae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Colopterus posticus</i> (Nitidulidae)	do	1					Ala.
<i>Crematogaster</i> sp. (ant)	Banana debris	1					La.
<i>Doliema plana</i> (Tenebrionidae)	<i>Guaincum officinale</i> (lignum-vitae)	3					Calif.*
<i>Edessa cornuta</i> (Pentatomidae)	Banana debris	1					La.
<i>Eristalis</i> sp. (Syrphidae)	<i>Heliconia</i> sp.		1				Do.
<i>Euxesta</i> sp. (Ortalidae)	<i>Musa</i> sp. (banana)	1					Do.
Gelechiid	do	3					Do.
<i>Hyperodes</i> sp. (Curculionidae)	do	1					Do.
<i>Icerya</i> sp. (Coccidae)	do	1					Ala.
<i>Lorelus trapeziderus</i> (Tenebrionidae)	do	1					La.
<i>Lorelus</i> sp. (Tenebrionidae)	Banana debris	2					Do.
Do	<i>Musa</i> sp. (banana)	2					Do.
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	1					Ala.
Do	do	3					La.
Do	<i>Musa</i> sp. (banana)	2					Ala.
<i>Monanus concinnulus</i> (Cucujidae)	do	1					La.
<i>Myochrous</i> sp. (Chrysomelidae)	do	1					Do.
<i>Nasutitermes cornigera</i> (termite)	Banana debris	1					Do.
Do	<i>Musa</i> sp. (banana)	2					Do.
Nitidulid	do	1					Do.
Noctuid	Banana debris	1					Ala.
Do	do	1					La.
Do	<i>Lilium</i> sp.		1				Do.
<i>Odontomachus haematoxides</i> var. (ant).	<i>Musa</i> sp. (banana)	1					Ala.
<i>Oncometopia</i> sp. (Cicadellidae)	do	1					Do.
Ortalid	<i>Heliconia</i> sp.		1				La.
<i>Parlatoria crotonis</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)	1					D. C.
<i>Paroecanthus annulatus</i> (Gryllidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Pheidole</i> sp. (ant)	do	1					Do.
<i>Phycitinae</i> (Pyralidae)	do	1					Ala.
<i>Physonota gigantea</i> (Chrysomelidae)	Log	1					Pa.
<i>Prenolepis</i> sp. (ant)	Banana debris	1					Ala.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus sinensis</i> (orange)		1				Calif.*
Do	do		1				La.
Psychid	Banana debris	6					Do.
Do	<i>Musa</i> sp. (banana)	2					Do.
Do	do	2					Tex.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NICARAGUA—Continued							
Insects—Continued.							
<i>Pyrausta</i> sp. (Pyralidae)	<i>Musa</i> sp. (banana)	1					La.
<i>Rhabdopterus fulvipes</i> (Chrysomelidae)	do	1					Ala.
<i>Rhinanisus</i> sp. (Curculionidae)	Banana debris	1					La.
<i>Solenopsis</i> sp. (ant)	<i>Musa</i> sp. (banana)	1					Do.
Syntomid	Log	1					Pa.
<i>Tinea</i> sp. (Tineidae)	Banana debris	1					La.
Tineid	<i>Musa</i> sp. (banana)	1					Ala.
<i>Tytthomimus rufotestaceus</i> (Curculionidae).	Banana debris	1					La.
Do	<i>Musa</i> sp. (banana)	3					Do.
<i>Urophorus humeralis</i> (Nitidulidae)	Banana debris	1					Ala.
Do	do	1					La.
<i>Wasmannia auropunctata</i> (ant)	<i>Ananas sativus</i>					1	Ala.
Diseases: <i>Aschersonia</i> sp.	Unknown leaf	1					La.
NIGERIA							
Insects:							
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	<i>Dioscorea</i> sp. (yam)			1			Mass.
<i>Corcyra cephalonica</i> (Pyralidae)	<i>Theobroma cacao</i> (cacao)	1					Calif.*
<i>Palaeopus costicollis</i> (yam weevil)	<i>Dioscorea</i> sp. (yam)				1		Mass.
Diseases: <i>Hoplolaimus</i> n. sp.	do					1	Do.
NORWAY							
Insects:							
<i>Argyresthia</i> sp. (Yponomeutidae)	<i>Malus sylvestris</i> (apple)			2			N. Y.
<i>Chionaspis salicis</i> (Coccidae)	<i>Populus</i> sp. (poplar)	1					Calif.*
<i>Gelechia</i> sp. (Gelechiidae)	In box of onions					1	Tex.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Allium cepa</i> (onion)			1			N. Y.
Do	<i>Brassica campestris</i> (rutabaga)					1	Pa.
Do	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
Do	<i>Brassica rapa</i> (turnip)					1	La.
<i>Ludius</i> sp. (Elateridae)	In soil around primrose plant		1				N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Solanum tuberosum</i>				1		Do.
Do	do				1		Pa.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Brassica rapa</i>					1	La.
Tipulid	do					1	Md.
Diseases:							
<i>Arthrobotrys superba</i>	<i>Solanum tuberosum</i>					1	Tex.
<i>Heterosporium echinulatum</i>	<i>Dianthus</i> sp. (carnation)			1			N. Y.
<i>Oospora</i> sp.	<i>Solanum tuberosum</i>					3	Mich.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)		1				Ill.
Do	do	1					N. Y.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	La.
Do	do					1	N. Y.
Do	do				2		Pa.
Do	do				2		Tex.
<i>Sclerotinia</i> sp.	<i>Pastinaca sativa</i> (parsnip)					1	N. Y.
Do	<i>Allium cepa</i> (onion)					1	Ala.
<i>Sclerotium</i> sp.	<i>Brassica campestris</i> (rutabaga)					1	Pa.
Do	<i>Allium cepa</i>					1	Tex.
<i>Septoria apii</i>	<i>Brassica oleracea capitata</i>	1					Pa.
<i>Thecopspora padi</i>	<i>Apium graveolens</i> (celery)					2	Do.
<i>Venturia pyrina</i>	<i>Picea excelsa</i> (Norway spruce)				1		Do.
	<i>Pyrus communis</i> (pear)		1				D. C.
NOVA SCOTIA							
Insects:							
<i>Corizus</i> sp. (Coreidae)	<i>Larix</i> sp. (larch)			1			Mass.
<i>Plusia</i> sp. (Noctuidae)	<i>Brassica oleracea capitata</i>					1	N. Y.
ONTARIO							
Diseases: <i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.	1					Vt.*
ORIENT							
Diseases: <i>Helminthosporium oryzae</i>	<i>Oryza sativa</i> (rice)			1			Calif.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PALESTINE							
Insects:							
<i>Aspidiotus</i> sp. (Coccidae)	<i>Citrus</i> sp.	1					Calif.*
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Citrus grandis</i> (grapefruit)					1	N. Y.
Do							Do.
Do						1	Do.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus sinensis</i> (orange)					1	Do.
Do	Packing and paper around grapefruit.					1	Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Citrus grandis</i>					1	Pa.
	<i>Citrus sinensis</i>					1	Mass.
	<i>Solanum tuberosum</i>					1	
Diseases:							
<i>Eurotium</i> sp.	<i>Citrus</i> sp.				1		N. Y.
<i>Oospora citri-aurantii</i>	<i>Citrus sinensis</i> (orange)				2		Pa.
Do	do					1	N. Y.
PANAMA							
Insects:							
<i>Acanthoscelides</i> sp. (Bruchidae)	<i>Cajanus indicus</i> (pigeon pea)		2				N. Y.
<i>Adetus muticus</i> (Euglenidae)	Banana debris	1					Calif.*
Do	<i>Musa</i> sp. (banana)	1					Do.*
<i>Anasa bellator</i> (Coreidae)	Banana debris	1					La.
<i>Anasa</i> sp. (Coreidae)	do	1					Calif.*
<i>Anastrepha obliqua</i> (Tryptidae)	do	1					Do.*
<i>Anastrepha</i> sp. (Tryptidae)	do	3					Do.*
Do	<i>Mangifera indica</i> (mango)			1			La.
Do	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Anthonomus</i> sp. (Curculionidae)	Banana debris	2					Do.*
Do	<i>Musa</i> sp. (banana)	3					Do.*
<i>Anthrenus</i> sp. (Dermestidae)	do	1					Do.*
<i>Aphodius</i> sp. (Scarabaeidae)	Banana debris	1					Do.*
Do	<i>Musa</i> sp. (banana)	9					Do.*
<i>Apion</i> sp. (Curculionidae)	Banana debris	4					Do.*
Do	<i>Musa</i> sp. (banana)	8					Do.*
<i>Araecerus fasciculatus</i> (coffee-bean weevil).	do	3					Do.*
Do	Palm seed		1				Do.*
Do	<i>Theobroma cacao</i> (cacao)	1					Do.*
<i>Aspidiotus cocotiphagus</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)				1		Do.*
<i>Aspidiotus destructor</i> (Coccidae)	do				1		Do.*
Do	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Bentinckia nicobarica</i>		1				Calif.*
<i>Atta</i> sp. (ant)	<i>Musa</i> sp. (banana)	1					Do.*
<i>Calligrapha fulvipes</i> (Chrysomelidae)	do	1					Do.*
<i>Calligrapha</i> sp. (Chrysomelidae)	do						Do.*
<i>Camponotus biguttata</i> (ant)	Banana debris	1					N. Y.
<i>Camponotus sexguttata</i> var. (ant)	do	1					Do.
<i>Camponotus</i> sp. (ant)	do	1					Calif.*
Do		27					N. Y.
Do	<i>Musa</i> sp. (banana)	75					Calif.*
Do	do	1					La.
Do	do	1					N. Y.
Do	do	1					Wash.
<i>Cardiophorus</i> sp. (Elateridae)	do						Calif.*
<i>Catolethrus</i> sp. (Curculionidae)	Banana debris	1					Do.*
<i>Caulophilus latinasus</i> (broad-nosed grain weevil).	do	1					Do.*
<i>Cenchræa</i> sp. (Fulgoridae)	do						N. Y.
<i>Cephaloleia pretiosa</i> (Chrysomelidae).	do						Do.
Do	<i>Musa</i> sp. (banana)	2					Calif.*
<i>Cephaloleia puncticollis</i> (Chrysomelidae).	do	4					Do.*
<i>Cephaloleia</i> sp. (Chrysomelidae)	Banana debris	4					Do.*
Do	<i>Musa</i> sp. (banana)	29					Do.*
<i>Ceramidia</i> sp. (Syntomidae)	Banana debris	1					Ala.
Do	do	1					La.
Do	do	7					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Mass.
<i>Chaetocnema</i> sp. (Chrysomelidae)	Banana debris	1					Calif.*
<i>Chirida</i> sp. (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					Do.*
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus sinensis</i> (orange)	1				1	Mass.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarantine	Stores	
PANAMA—Continued							
Insects—Continued.							
<i>Chrysomphalus perseae</i> (Coccidae)	<i>Musa</i> sp. (banana)					1	Calif.*
<i>Chrysomphalus</i> sp. (Coccidae)	do	1					N. Y.
<i>Cicadella pulchella</i> (Cicadellidae)	Banana debris	1					Calif.*
Do	<i>Musa</i> sp. (banana)	1					Do.*
<i>Cicadella rufoapicata</i> (Cicadellidae)	Banana debris	1					Do.*
<i>Cicadella</i> sp. (Cicadellidae)	<i>Musa</i> sp. (banana)	4					Do.*
Cicadellid	do	1					Do.*
<i>Clastoptera</i> sp. (Cercopidae)	Banana debris	5					Do.*
Do	<i>Musa</i> sp. (banana)	11					Do.*
<i>Cleozona pulchra</i> (Cerambycidae)	<i>Guaiacum officinale</i> (lignum-vitae)	1					N. Y.
<i>Cloeotus</i> sp. (Scarabaeidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Cocconotus</i> sp. (Tettigoniidae)	Banana debris	1					N. Y.
Do	<i>Musa</i> sp. (banana)	4					Calif.*
<i>Coccotrypes</i> sp. (Scolytidae)	Banana debris	1					Do.*
Do	Palm seed		1				Do.*
<i>Colastus</i> sp. (Nitidulidae)	Banana debris	1					Do.*
Do	<i>Musa</i> sp. (banana)	2					Do.*
<i>Conotelus</i> sp. (Nitidulidae)	Banana debris	2					Do.*
Do	<i>Musa</i> sp. (banana)	8					Do.*
<i>Copicerus irroratus</i> (Fulgoridae)	Banana debris	1					Do.*
<i>Corizus</i> sp. (Coreidae)	<i>Musa</i> sp. (banana)	1					Do.*
<i>Cremastocheilus</i> sp. (Scarabaeidae)	do	1					Do.*
<i>Crematogaster brevispinosa</i> var. (ant).	do	1					Wash.
<i>Crematogaster</i> sp. (ant)	Banana debris	2					Calif.*
Do	do	6					N. Y.
Do	<i>Musa</i> sp. (banana)	37					Calif.*
<i>Cryptorhopalum septemsignatum</i> (Dermestidae)	Orchid		1				N. Y.
<i>Cryptorhopalum</i> sp. (Dermestidae)	<i>Musa</i> sp. (banana)	6					Calif.*
Do	Banana debris	2					Do.*
Cucujid	<i>Musa</i> sp. (banana)	6					Do.*
<i>Cylindrocopturus</i> sp. (Curculionidae)	<i>Heliconia latispatha</i>		1				Do.*
<i>Cyrtoxiphia</i> sp. (Grylliidae)	<i>Musa</i> sp. (banana)	1					Do.*
<i>Derbe westwoodi</i> (Fulgoridae)	Banana debris	1					Do.*
<i>Dictyophara herbida</i> (Fulgoridae)	do	1					Do.*
Do	<i>Musa</i> sp. (banana)	2					Do.*
<i>Diestostemma rugicollis</i> (Cicadellidae)	do	1					Do.*
<i>Dinocoris tripterus</i> (Pentatomidae)	do	1					Do.*
<i>Dinoderus minutus</i> (Bostrichidae)	<i>Ochroma lagopus</i> (balsa)		1				La.
<i>Dinoderus</i> sp. (Bostrichidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Discocephala kumilis</i> (Pentatomidae)	do	43					Do.*
<i>Disonycha</i> sp. (Chrysomelidae)	Banana debris	3					Calif.*
Do	<i>Musa</i> sp. (banana)	9					Do.*
<i>Dolichoderus debilis</i> (ant)	Banana debris	1					N. Y.
<i>Draeculacephala</i> sp. (Cicadellidae)	do	1					Calif.*
Do	<i>Musa</i> sp. (banana)	3					Do.*
<i>Dysdercus ruficollis</i> (Pyrrhocoridae)	do	1					Do.*
<i>Edessa arietina</i> (Pentatomidae)	do	1					Do.*
<i>Edessa heymonsi</i> (Pentatomidae)	Banana debris	2					Do.*
Do	<i>Musa</i> sp. (banana)	1					Do.*
<i>Epuraea</i> sp. (Nitidulidae)	do	2					Do.*
<i>Eremocoris</i> sp. (Lygaeidae)	Banana debris	1					Do.*
<i>Eubulus</i> sp. (Curculionidae)	do	1					Do.*
<i>Euxesta thomae</i> (Ortalidae)	do	1					Do.*
<i>Euxesta</i> sp. (Ortalidae)	do	1					Do.*
Do	Hardwood log	1					Va.
Do	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Ganaspis</i> sp. (Cynipidae)	Banana debris	1					N. Y.
Gelechiid	<i>Musa</i> sp. (banana)	1					La.
<i>Genuchinus</i> sp. (Scarabaeidae)	Banana debris	1					Calif.*
Do	<i>Musa</i> sp. (banana)	1					Do.*
<i>Geocoris</i> sp. (Lygaeidae)	do	1					Do.*
<i>Gypona</i> sp. (Cicadellidae)	Banana debris	2					Do.*
Do	<i>Musa</i> sp. (banana)	4					Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Insects—Continued.							
<i>Haltica</i> sp. (Chrysomelidae)	Banana debris	1					Calif.*
Do	<i>Musa</i> sp. (banana)	3					Do.*
<i>Helicoptera longiceps</i> (Fulgoridae)	do	1					Do.*
<i>Ips</i> sp. (Scolytidae)	do	1					Do.*
<i>Kolla</i> sp. (Cicadellidae)	Banana debris	1					Do.*
Do	<i>Musa</i> sp. (banana)	2					Do.*
<i>Lactica mexicana</i> (Chrysomelidae)	do	2					Do.*
<i>Laemophloeus iteratus</i> (Cucujidae)	do	4					Do.*
<i>Laemophloeus</i> sp. (Cucujidae)	Banana debris	2					Do.*
Do	<i>Dimorphandra mora</i> (mora)	1					N. Y.
Do	<i>Musa</i> sp. (banana)	17		1			Calif.*
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Codiaeum</i> sp. (croton)						N. Y.
<i>Lepyronia</i> sp. (Cercopidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Ligyrocoris</i> sp. (Pyrrhocoridae)	do	8					Do.*
<i>Ligyrus</i> sp. (Scarabaeidae)	Banana debris	1					Do.*
<i>Lobiopa</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	1					Do.*
<i>Longitarsus</i> sp. (Chrysomelidae)	Banana debris	1					Do.*
<i>Lyctus caribeanus</i> (Lyctidae)	<i>Ochroma lagopus</i> (balsa)			1			La.
<i>Lygaeus variegatus</i> (Lygaeidae)	Banana debris	1					Calif.*
Do	<i>Musa</i> sp. (banana)	1					Do.*
<i>Lygus</i> sp. (Miridae)	Banana debris	2					Do.*
Do	<i>Musa</i> sp. (banana)	5					Do.*
<i>Macropygium reticulare</i> (Pentatomidae)	do	1					Do.*
<i>Megalopygid</i>	Banana debris	1					Ala.
<i>Metamasius sericeus</i> (silky cane weevil).	do	1					Calif.*
Do	do	1					N. Y.
Do	<i>Musa</i> sp. (banana)	35					Calif.*
<i>Metaxyonycha panamensis</i> (Chrysomelidae).	do	1					Do.*
<i>Metriiona trisignata</i> (Chrysomelidae).	Banana debris	1					N. Y.
<i>Monomorium carbonarium</i> var. (ant).	do	1					Do.
<i>Monomorium</i> sp. (ant)	<i>Musa</i> sp. (banana)	5					Calif.*
<i>Mordellistena</i> sp. (Mordellidae)	do	3					Do.*
<i>Myelois</i> sp. (Pyralidae)	<i>Tamarindus indica</i> (tamarind)			1			La.
<i>Myodocha</i> sp. (Lygaeidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Nasutitermes</i> sp. (termite)	Banana debris	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Neoponera crenata</i> (ant)	do	1					Do.*
<i>Neoponera</i> sp. (ant)	do	1					Do.*
<i>Nitidula</i> sp. (Nitidulidae)	do	1					Do.*
Noctuid	Banana debris	2					N. Y.
Do	<i>Musa</i> sp. (banana)	3					Calif.*
<i>Ochlerus marginatus</i> (Pentatomidae).	Banana debris	1					N. Y.
<i>Orthaea</i> sp. (Lygaeidae)	<i>Musa</i> sp. (banana)	3					Calif.*
<i>Orthezia</i> sp. (Coccidae)	<i>Codiaeum</i> sp. (croton)			1			N. Y.
<i>Pachybrachis</i> sp. (Chrysomelidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Pachylis hector</i> (Coreidae)	do	1					Do.*
<i>Peltopsilopa schwarzi</i> (Ephydriidae).	do	1					Do.*
<i>Parlatoria cinerea</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)				1		Do.*
<i>Pheidole</i> sp. (ant)	Banana debris	2					N. Y.
Do	<i>Musa</i> sp. (banana)	2					Calif.*
Do	do	1					S. C.
<i>Phileurus</i> sp. (Scarabaeidae)	do	2					Calif.*
<i>Phloeothonips</i> sp. (thrips)	Banana debris	5					Do.*
Do	<i>Musa</i> sp. (banana)	16					Do.*
<i>Phyllotreta</i> sp. (Chrysomelidae)	Banana debris	2					Do.*
<i>Pityophthorus</i> sp. (Scolytidae)	<i>Acacia melanoceras</i>			1			La.
<i>Platymetopius</i> sp. (Cicadellidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Platypus rugulosus</i> (Platypodidae)	<i>Dimorphandra mora</i> (mora)	1					N. Y.
Do	Zarote log	1					Do.
<i>Platypus</i> sp. (Platypodidae)	Banana debris	8					Calif.*
Do	<i>Musa</i> sp. (banana)	20					Do.*
<i>Platytyllus</i> sp. (Miridae)	Banana debris	1					Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Insects—Continued.							
<i>Pleurophorus</i> sp. (Scarabaeidae)	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Prenolepsis</i> sp. (ant)	Banana debris	1					Do.*
Do	do	2					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Psalis americana</i> (earwig)	do	1					Do.*
Do	<i>Dimorphandra mora</i> (mora)	1					N. Y.
<i>Psammoecus insularis</i> (Cucujidae)	<i>Musa</i> sp. (banana)	2					Calif.*
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)					1	Do.*
Do	do					1	N. Y.
Do	<i>Citrus grandis</i> (grapefruit)					2	Calif.*
Do	do					2	N. Y.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Do.
Do	<i>Citrus sinensis</i> (orange)		1				Calif.*
Do	do					3	N. Y.
Do	<i>Cocos nucifera</i> (coconut)				2		Calif.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Musa</i> sp. (banana)	1					Ala.
Do	do	1					Calif.*
<i>Pseudomyrma flavidula</i> (ant)	Zarote log	1					N. Y.
<i>Pseudopeltaria parlatorioides</i> (Coccidae).	<i>Musa</i> sp. (banana)	1					Do.
Psychid	Banana debris	1					La.
Do	do	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					La.
Pyralid	do	2					Calif.*
<i>Rivellia</i> sp. (Ortalidae)	Banana debris	1					Do.*
<i>Sciara</i> sp. (Mycetophilidae)	<i>Carica papaya</i> (papaya)					1	Md.
Do	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Sinorylon</i> sp. (Bostrichidae)	do	1					Do.*
<i>Sitona</i> sp. (Curculionidae)	do	1					Do.*
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)		1				Do.*
<i>Soronia</i> sp. (Nitidulidae)	<i>Musa</i> sp. (banana)	2					Do.
<i>Stenoma</i> sp. (Stenomidae)	<i>Persea americana</i> (avocado)					1	N. Y.
<i>Stephanoderes</i> sp. (Scolytidae)	Banana debris	8					Calif.*
Do	<i>Musa</i> sp. (banana)	16					Do.*
<i>Stictocephala</i> sp. (Membracidae)	do	2					Do.*
<i>Teleonemia</i> sp. (Tingitidae)	Banana debris	3					Do.*
Do	<i>Musa</i> sp. (banana)	2					Do.*
<i>Telephanus brontoides</i> (Cucujidae)	Banana debris	5					Do.*
Do	<i>Musa</i> sp. (banana)	19					Do.*
<i>Telephanus setulosus</i> (Cucujidae)	Banana debris	1					La.
<i>Telephanus</i> sp. (Cucujidae)	do	7					Calif.*
Do	<i>Musa</i> sp. (banana)	22					Do.*
<i>Temnochila</i> sp. (Ostomidae)	do	1					Do.*
Tenebrionid	Banana debris	1					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Calif.*
<i>Tenebroides</i> sp. (Ostomidae)	Banana debris	1					Do.*
Do	<i>Musa</i> sp. (banana)	1					Do.*
<i>Tetramorium</i> sp. (ant)	do	1					Do.*
Tettigoniid	do	1					Do.*
<i>Tinea</i> sp. (Tineidae)	do	1					N. Y.
Tineid	Banana debris	1					Ala.
Do	do	10					N. Y.
Do	<i>Desmoncus oxyacanthos</i>		1				Calif.*
Do	<i>Musa</i> sp. (banana)	1					Mass.
<i>Tomaspis lepidior</i> (Cercopidae)	Banana debris	2					Calif.*
Tortricid	<i>Musa</i> sp. (banana)	1					Do.*
<i>Toxotrypana curvicauda</i> (papaya fruit fly).	<i>Carica papaya</i> (papaya)					1	La.
Do	do					1	N. Y.
<i>Trogoderma</i> sp. (Dermestidae)	Banana debris	1					Calif.*
<i>Typhlomimus</i> sp. (Curculionidae)	do	3					Do.*
Do	<i>Musa</i> sp. (banana)	14					Do.*
<i>Vinsonia stellifera</i> (Coccidae)	Orchid	1					Fla.*
<i>Wasemannia auropunctata</i> (ant)	Banana debris	8					N. Y.
<i>Xyleborus</i> sp. (Scolytidae)	do	11					Calif.*
Do	<i>Musa</i> sp. (banana)	18					Do.*

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
PANAMA—Continued									
Diseases:									
<i>Aschersonia aleyrodis</i>	<i>Citrus sinensis</i> (orange)					1	Mass.		
<i>Cercospora</i> sp.	<i>Bryophyllum pinnatum</i>			1			La.		
<i>Diplodia natalensis</i>	<i>Citrus aurantifolia</i> (lime)				1		Fla.*		
Do	<i>Citrus sinensis</i> (orange)				1		N. Y.		
<i>Dothidiaceae</i>	<i>Musa</i> sp. (banana)	1					Mass.		
<i>Gloeosporium musarum</i>	do	2					Wash.		
<i>Glomerella cingulata</i>	<i>Carica papaya</i> (papaya)				1		N. Y.		
<i>Hypomyces</i> sp.	<i>Musa</i> sp. (banana)	1					Do.		
<i>Microcera</i> sp.	<i>Citrus limonia</i> (lemon)				1		Pa.		
<i>Myriangium duriae</i>	<i>Citrus sinensis</i> (orange)				1		Mass.		
Do	do			1			La.		
<i>Myriangium</i> sp.	<i>Citrus limonia</i>				1		Md.		
<i>Phoma destructiva</i>	<i>Lycopersicum esculentum</i>				1		N. Y.		
<i>Phyllosticta</i> sp.	<i>Lotus</i> sp.			1			Md.		
<i>Rosellinia</i> sp.	<i>Guaiacum officinale</i> (lignum-vitae)	1					N. Y.		
<i>Sphaceloma fawcettii</i>	<i>Citrus grandis</i> (grapefruit)				1		Do.		
Do	<i>Citrus sinensis</i> (orange)				2		Do.		
<i>Sphaceloma</i> sp.	<i>Citrus grandis</i>				1		Mass.		
<i>Verticicladium</i> sp.	<i>Musa</i> sp. (banana)	1					N. Y.		
PERU									
Insects:									
<i>Curculionid</i>	<i>Saccharum officinarum</i>			1			N. Y.		
<i>Dinoderus minutus</i> (Bostrichidae)	Bamboo	1					Do.		
Do	<i>Serjania mexicana</i> (barbasco)	2					Do.		
<i>Solenopsis</i> sp. (ant)	<i>Vitis</i> sp. (grape)			1			Do.		
Diseases:									
<i>Aphelenchus avenae</i>	<i>Solanum tuberosum</i>			1			Do.		
<i>Helminthosporium</i> sp.	<i>Typha</i> sp. (cattail)	1					Do.		
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					Do.		
PHILIPPINES									
Insects:									
<i>Acythopeus</i> sp. (Curculionidae)	Orchid	1					D. C.		
Do	Orchid (several genera)	3					Calif.*		
Do	do	2	6				Hawaii.*		
<i>Anisolabis</i> sp. (earwig)	<i>Phalaenopsis schilleriana</i> (orchid)	1					Calif.*		
<i>Aspidiotus destructor</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)				1		Ga.		
<i>Aspidiotus palmae</i> (Coccidae)	Palm				1		La.		
<i>Aspidiotus</i> sp. (Coccidae)	<i>Vanda caerulea</i> (orchid)	1					Calif.*		
<i>Asterolecanium pustulans</i> (Coccidae)	<i>Mangifera indica</i> (mango)			1			Do.*		
<i>Ceroplastes rubens</i> (Coccidae)	<i>Aglaonema</i> sp.				1		La.		
<i>Chelonarium</i> sp. (Chelonariidae)	<i>Phalaenopsis</i> sp. (orchid)	1					Calif.*		
Chloropid	<i>Phalaenopsis amabilis</i> (orchid)		1				Hawaii.*		
Do	<i>Vanda sanderiana</i> (orchid)	1					Do.*		
<i>Chrysomphalus rossi</i> (Coccidae)	Orchid (several genera)	5	2				Calif.*		
Do	<i>Renanthera storiei</i> (orchid)	1					Hawaii.*		
<i>Coccus viridis</i> (Coccidae)	<i>Mangifera indica</i> (mango)			1			Calif.*		
<i>Diaspis</i> sp. (Coccidae)	<i>Phalaenopsis sanderiana</i> (orchid)	1					Do.*		
<i>Dolichoderus bituberculatus</i> (ant)	<i>Dendrobium crumenatum</i> (orchid)			1			Hawaii.*		
<i>Hemichionaspis townsendi</i> (Coccidae)	Orchid (several genera)	2	1				Do.*		
<i>Heterobostrychus aequalis</i> (Bostrichidae)	<i>Swietenia mahogani</i> (mahogany)	1					Calif.*		
Do	Wooden crate		1				Do.*		
<i>Icerya seychellarum</i> (Coccidae)	<i>Arachnanthe</i> sp.			1			Hawaii.*		
<i>Laemophloeus</i> sp. (Cucujidae)	<i>Phalaenopsis sanderiana</i> (orchid)	1					Calif.*		
<i>Lepidosaphes auriculata</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)		1				Do.*		
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Aglaonema</i> sp.				1		La.		
Do	<i>Mangifera indica</i> (mango)			1			Calif.*		
<i>Liothrips</i> sp. (thrips)	<i>Phalaenopsis mariae</i> (orchid)			1			Hawaii.*		
<i>Lophocateres pusillus</i> (Siamese grain beetle)	<i>Oryza sativa</i> (rice)		1				Pa.		
<i>Lyphia</i> sp. (Tenebrionidae)	<i>Swietenia mahogani</i> (mahogany)	1					Calif.*		

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PHILIPPINES—Continued							
Insects—Continued.							
<i>Mertila malayensis</i> (Miridae)	<i>Aerides lawreniae</i> (orchid)			1			Hawaii.*
Do	<i>Trichoglossis brachiata</i>			1			Do.*
Mirid	<i>Vanda</i> sp. (orchid)	1					D. C.
Do	do			1			Hawaii.*
<i>Monomorium</i> sp. (ant)	<i>Dendrobium taurinum</i> (orchid)			1			Do.*
Mycetophilid	<i>Derris</i> sp.		1				Do.*
<i>Neophysopus</i> sp. (thrips)	<i>Aerides lawreniae</i> (orchid)			1			Do.*
Nitidulid	<i>Swietenia</i> sp. (mahogany)	1					Calif.*
<i>Parlatoria mytilaspiformis</i> (Coccidae)	<i>Aerides</i> sp. (orchid)			1			Do.*
<i>Parlatoria pseudaspidotus</i> (Coccidae)	<i>Vanda teres</i> (orchid)	1					Hawaii.*
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus aurantiifolia</i> (lime)					1	Calif.*
<i>Phaenomerus</i> sp. (Curculionidae)	<i>Swietenia mahogani</i> (mahogany)	1					Do.*
<i>Phenacaspis inday</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)	1					Do.*
<i>Phenacaspis</i> sp. (Coccidae)	<i>Chrysophyllum</i> sp.			1			Do.*
<i>Phloeothonips</i> sp. (thrips)	<i>Phalaenopsis sanderiana</i> (orchid)	1					Do.*
Do	<i>Phalaenopsis</i> sp. (orchid)		1				Do.*
<i>Platypus lucasi</i> (Platypodidae)	Log		1				Wash.
Do	<i>Swietenia</i> sp. (mahogany)		1				Calif.*
<i>Ponera</i> sp. (ant)	Orchid (several genera)	1		5			Hawaii.*
<i>Prays citri</i> (Philippine orange moth).	<i>Citrus aurantiifolia</i> (lime)					1	Calif.*
Do	<i>Citrus grandis</i> (grapefruit)					1	Do.*
Do	<i>Citrus limetta</i> (sweet lime)					2	Do.*
Do	<i>Citrus limonia</i> (lemon)					2	Do.*
<i>Prenolepis</i> sp. (ant)	<i>Arundina bambusaefolia</i> (orchid)	1					Hawaii.*
Do	<i>Cymbidium finlaysonianum</i> (orchid)			1			Do.*
Do	<i>Phalaenopsis sanderiana</i> (orchid)	1					Calif.*
<i>Proreus simulans</i> (earwig)	<i>Ananas sativus</i>		1				Hawaii.*
<i>Pseudococcus lilacinus</i> (Coccidae)	Orchid (several genera)	2	2				Calif.*
Do	<i>Vanda sanderiana</i> (orchid)	1					Hawaii.*
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Dendrobium crumenatum</i> (orchid)			1			Do.*
<i>Pseudococcus</i> sp. (Coccidae)	<i>Vanda luzonica</i> (orchid)	1					Do.*
<i>Solenopsis geminata rufa</i> (ant)	<i>Ananas sativus</i>		1				Do.*
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Swietenia</i> sp. (mahogany)	1					Calif.*
<i>Stigmeodes floridanus</i> (pineapple mite).	<i>Ananas sativus</i>	1					Hawaii.*
<i>Tadius erirhinooides</i> (Curculionidae)	<i>Dendrobium taurinum</i> (orchid)	1					Do.*
<i>Technomyrmex albipes</i> (ant)	do			1			Do.*
Do	<i>Mangifera indica</i> (mango)			1			Calif.*
<i>Tenuipalpus</i> sp. (mite)	<i>Dendrobium taurinum</i>			1			Hawaii.*
Do	<i>Saccolabium violaceum</i> (orchid)	1					Do.*
<i>Tetramorium</i> sp. (ant)	<i>Asplenium</i> sp.		1				Calif.*
Tettigoniid	<i>Phalaenopsis</i> sp. (orchid)	1					Do.*
<i>Trionymus sacchari</i> (Coccidae)	<i>Saccharum officinarum</i>		3				D. C.
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Swietenia</i> sp. (mahogany)	1					Calif.*
<i>Xyleborus</i> sp. (Scolytidae)	Hardwood log	1					Wash.
Do	<i>Swietenia</i> sp. (mahogany)	2					Calif.*
<i>Xylothrips flavipes</i> (Bostrichidae)	Log	1					Wash.
Do	<i>Swietenia</i> sp. (mahogany)	2					Calif.*
Diseases:							
<i>Diplodia cacaoicola</i>	<i>Chrysalidocarpus lutescens</i>				1		Pa.
Do	<i>Euphorbia</i> sp.		1				D. C.
<i>Gloeosporium arecearum</i>	<i>Caladium</i> sp.				1		Pa.
<i>Gloeosporium catechu</i>	<i>Areca catechu</i> (betel palm)			3			Wash.
<i>Gloeosporium</i> sp.	do			1			Do.
Do	<i>Chrysalidocarpus lutescens</i>				1		Pa.
Do	<i>Phalaenopsis grandiflora</i> (orchid)	1					Calif.*
<i>Macrophomella</i> sp.	<i>Areca catechu</i>			3			Wash.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>		1				N. Y.
<i>Sclerotium</i> sp.	Orchid	1					D. C.
<i>Ustilaginoidea virens</i>	<i>Oryza sativa</i>			1			Do.
Do	do			1			Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
POLAND							
Insects:							
<i>Atricholaelaps glasgowi</i> (mite)	<i>Secale cereale</i>	1					
<i>Blastodacna</i> sp. (Cosmopterygidae)	<i>Malus sylvestris</i> (apple)		1				
<i>Coleophora</i> sp. (Coleophoridae)	do		1				
<i>Forficula auricularia</i> (European earwig).	do			1			
<i>Glyciphagus</i> sp (mite)	<i>Secale cereale</i>	1					
Tineid.	<i>Agaricus campestris</i> (mushroom).	1					
Diseases:							
<i>Anguillulina dipsaci</i>	<i>Solanum tuberosum</i>					1	
<i>Claviceps purpurea</i>	<i>Secale cereale</i> (rye)	1					
<i>Leptothyrium pomi</i>	<i>Malus sylvestris</i> (apple)		1				
<i>Phoma</i> sp.	<i>Cydonia oblonga</i> (quince)		1				
<i>Puccinia graminis</i>	<i>Secale cereale</i>		1				
<i>Ramularia</i> sp.	<i>Malus</i> sp.		1				
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	
PORTUGAL							
Insects:							
<i>Aglossa</i> sp. (Pyralidae)	Herb	1					
<i>Agromyzid</i>	<i>Raphanus sativus</i> (radish)					1	
<i>Bruchidius</i> sp. (Bruchidae)	<i>Cytisus patens</i>		1				
<i>Callidium</i> sp. (Cerambycidae)	<i>Castanea sativa</i> (Spanish chestnut).	1					
Cerambycid.	do	1					
<i>Ceratitidis capitata</i> (Mediterranean fruit fly).	<i>Citrus sinensis</i> (orange)					2	
Do	<i>Cydonia oblonga</i> (quince)		1				
Do	<i>Eriobotrya japonica</i> (loquat)		1				
Do	<i>Malus sylvestris</i> (apple)		1				
Do	<i>Sorbus</i> sp.		1				
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus sinensis</i> (orange)					1	
Do	do					1	
<i>Crematogaster</i> sp. (ant)	<i>Quercus suber</i> (cork oak)	1					
Do	do	1					
<i>Crocidosema plebeiana</i> (Olethreutidae).	<i>Zea mays</i> (corn)			1			
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)	3					
Do	<i>Quercus suber</i> (cork oak)		1				
<i>Iridomyrmex</i> sp. (ant)	<i>Eriobotrya japonica</i> (loquat)		1				
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea</i> sp. (chestnut)	24					
<i>Liogryllus campestris</i> (Gryllidae)	In cage				1		
Noctuid	<i>Castanea</i> sp. (chestnut)			1			
Do	<i>Cucurbita pepo</i> (pumpkin)			1			
Do	<i>Zea mays</i> (corn)			1			
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus limonia</i> (lemon)			1			
Do	<i>Citrus nobilis deliciosa</i> (tangerine).					1	
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea capitata</i>					1	
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	
<i>Xestobium</i> sp. (Anobiidae)	<i>Pimpinella anisum</i> (anise)		1				Calif.*
Diseases:							
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)					2	
<i>Ceratostomella fimbriata</i>	<i>Ipomoea batatas</i> (sweetpotato)		1				
<i>Eurotium</i> sp.	<i>Citrus</i> sp.		1				
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)					1	
<i>Puccinia rubigo-vera tritici</i>	do	1					
<i>Puccinia sorghi</i>	<i>Zea mays</i> (corn)			1			
<i>Septoria</i> sp.	<i>Triticum aestivum</i>	1					
<i>Sphaceloma fawcettii</i>	<i>Citrus limonia</i> (lemon)			1			
PRETORIA							
Insects: <i>Antliarhinus zamiae</i> (Curculionidae).	<i>Encephalartos</i> sp.		1				
PUERTO RICO							
Insects:							
<i>Adaina bipunctata</i> (Pterophoridae).	<i>Musa</i> sp. (banana)			1			
<i>Adraneothrips</i> sp. (thrips)	Banana debris					1	
<i>Agromyzid</i>	<i>Musa paradisiaca</i> (plantain)					1	

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PUERTO RICO—Continued							
Insects—Continued.							
<i>Aleurothrixus floccosus</i> (whitefly)	<i>Citrus</i> sp.....	1					N. Y.
<i>Aleurothrixus howardii</i> (woolly whitefly)	<i>Citrus limonia</i> (lemon).....				1		Do.
<i>Anastrepha acidusa</i> (Tryptidae)	<i>Mangifera indica</i> (mango).....			1			Do.
<i>Anastrepha</i> sp. (Tryptidae)	<i>Annona cherimola</i> (cherimoya).....		1				Do.
Do.....	<i>Chrysophyllum cainito</i> (star-apple).....		1				Do.
Do.....	<i>Mangifera indica</i> (mango).....				1		La.
Do.....	do.....			5			N. Y.
Do.....	<i>Psidium guajava</i> (guava).....	1	5	1			Do.
Do.....	In packing around mangoes.....			1			Do.
Do.....	In container with mangoes.....			1			Do.
<i>Ancylostomia stercorea</i> (Pyralidae)	<i>Cajanus indicus</i> (pigeon pea).....			1			Do.
<i>Aphis</i> sp. (aphid)	<i>Polytrias amaura</i> (grass).....		1				D. C.
<i>Aspidiotus cocotiphagus</i> (Coccidae)	<i>Cocos nucifera</i> (coconut).....				1		Fla.*
Do.....	do.....				1		N. Y.
Do.....	<i>Mangifera indica</i> (mango).....			1			Do.
Do.....	Palm.....	1					Do.
Do.....	<i>Punica granatum</i> (pomegranate).....			1			Do.
<i>Aspidiotus destructor</i> (Coccidae)	<i>Musa</i> sp. (banana).....					1	Do.
<i>Aspidiotus herculeanus</i> (Coccidae)	<i>Spondias cytherea</i> (golden apple).....			1			Do.
Do.....	<i>Spondias mombin</i> (jobo).....			1			Do.
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Lippia citriodora</i> (lemon verbena).....			1			Pa.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Capsicum annuum</i>	1					N. Y.
Do.....	<i>Dioscorea</i> sp. (yam).....	1					Do.
Do.....	<i>Zea mays</i> (corn).....					3	Do.
Do.....	<i>Zingiber officinale</i> (ginger).....				1		Do.
<i>Attelabus sexmaculatus</i> (Curculionidae)	<i>Psidium guajava</i> (guava).....				1		Do.
<i>Bothriocera venosa</i> (Fulgoridae)	<i>Musa</i> sp. (banana).....				1		Do.
<i>Cecidomyiid</i>	<i>Coriandrum sativum</i> (coriander).....			1			Do.
Do.....	<i>Gardenia florida</i> (Cape-jasmine).....			1			Do.
Do.....	<i>Guzmania</i> sp.....					1	Do.
<i>Chaetopsis</i> sp. (Ortalidae)	<i>Zea mays</i> (corn).....					1	Ala.
Chloropid.....	<i>Musa</i> sp. (banana).....						N. Y.
<i>Coccus acuminatus</i> (Coccidae)	<i>Gardenia florida</i>			3			Do.
<i>Coccus viridis</i> (Coccidae)	<i>Achras sapota</i> (sapodilla).....			1			Do.
Do.....	<i>Coffea</i> sp.....					1	Fla.*
<i>Conotelus</i> sp. (Nitidulidae)	Banana debris.....						Pa.
Do.....	<i>Gardenia florida</i>					1	N. Y.
<i>Conotrachelus</i> sp. (Curculionidae)	<i>Ambrosia</i> sp. (ragweed).....						Do.
<i>Diaphania</i> sp. (Pyralidae)	<i>Chayota edulis</i> (chayote).....			1			Do.
<i>Diaspis echinocacti</i> cacti (Coccidae)	Cactus.....					1	Pa.
<i>Diatraea saccharalis</i> (sugarcane borer)	<i>Saccharum officinarum</i>					1	La.
Do.....	do.....					1	Pa.
<i>Diatraea</i> sp. (Pyralidae)	do.....			1			N. Y.
Do.....	do.....					2	Pa.
<i>Empoasca</i> sp. (Cicadellidae)	<i>Psidium guajava</i> (guava).....	1					N. Y.
<i>Epuraea</i> sp. (Nitidulidae)	<i>Zea mays</i> (corn).....					1	Do.
<i>Etiella zinckenella</i> (lima bean pod borer)	<i>Cajanus indicus</i> (pigeon pea).....	3		7			Do.
<i>Euscepes batatae</i> (West Indian sweetpotato weevil)	<i>Ipomoea batatas</i> (sweetpotato).....	1		2			Do.
Do.....	do.....						
<i>Euxesta</i> sp. (Ortalidae)	<i>Citrus sinensis</i> (orange).....					1	Pa.
Do.....	<i>Musa paradisiaca</i> (plantain).....					1	N. Y.
Do.....	<i>Zea mays</i> (corn).....					2	Tex.
<i>Frankliniella cephalica</i> (thrips)	<i>Gardenia florida</i> (Cape-jasmine).....					1	N. Y.
<i>Frankliniella insularis</i> (thrips)	On bouquet of roses, gardenias, tuberose, etc.					1	Do.
Do.....	<i>Rosa</i> sp.....					1	Pa.
<i>Frankliniella</i> sp. (thrips)	On bouquet of roses, gardenias, tuberose, etc.					1	Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PUERTO RICO—Continued							
Insects—Continued.							
Geometrid	<i>Psidium guajava</i> (guava)	1					N. Y.
<i>Glauraspidia</i> sp. (Cynipidae)	Banana debris					1	Pa.
<i>Haplothrips gowdeyi</i> (thrips)	On bouquet of roses, gardenias, tuberose, etc.				1		Do.
<i>Haplothrips</i> sp. (thrips)	<i>Gardenia florida</i> (Cape-jasmine).			1			N. Y.
<i>Hemichionaspis minor strachani</i> (Coccidae).	<i>Annona muricata</i> (soursop)			1			Do.
<i>Icerya</i> sp. (Coccidae)	<i>Rosa</i> sp.					1	Pa.
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Citrus</i> sp.			1			N. Y.
Do	<i>Codiaeum</i> sp. (croton)			1			Pa.
<i>Leucoptera coffeeella</i> (coffee leaf miner).	<i>Coffea</i> sp.				1		Fla.*
<i>Maruca testulalis</i> (bean pod borer)	<i>Phaseolus</i> sp. (string bean)					1	N. Y.
<i>Metamasius</i> sp. (Curculionidae)	<i>Saccharum officinarum</i>	1					Do.
<i>Monanus concinnulus</i> (Cucujidae)	Banana debris					1	Pa.
<i>Morganella longispina</i> (Coccidae)	<i>Citrus grandis</i> (grapefruit)					1	N. Y.
Do	do					1	Pa.
<i>Myeloidis</i> sp. (Pyralidae)	<i>Tamarindus indica</i> (tamarind)	1		1			N. Y.
Noctuid	<i>Citrus medica</i> (citron)	1					Do.
Do	<i>Psidium guajava</i> (guava)	2					Do.
Olethreuteid	do	2					Do.
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cottonseed)			1			Do.
Do	<i>Gossypium</i> sp. (cotton) (fiber)			1			Do.
<i>Phenacaspis</i> sp. (Coccidae)	<i>Hibiscus tiliaceus</i> (linden hibiscus).	1					Do.
<i>Platynota</i> sp. (Tortricidae)	<i>Gardenia florida</i> (Cape-jasmine).				1		Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)				1	1	Do.
Do	<i>Citrus grandis</i> (grapefruit)					11	Calif.*
Do	do					1	La.
Do	do					1	Mass.
Do	do	4		6	1	22	N. Y.
Do	do					1	Oreg.
Do	do					2	Pa.
Do	<i>Citrus sinensis</i> (orange)					1	Calif.*
Do	do					1	Fla.*
Do	do	1		4		16	N. Y.
Do	<i>Citrus</i> sp.			7			Do.
Do	<i>Coffea</i> sp.				1		Fla.*
Do	<i>Mangifera indica</i> (mango)			1			N. Y.
Do	<i>Musa paradisiaca</i> (plantain)			1			Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Musa paradisiaca</i>			1			Do.
<i>Pseudoparlatoria ostreata</i> (Coccidae).	<i>Carica papaya</i> (papaya)			2			Do.
Do	<i>Lippia citriodora</i> (lemon verbena).			1			Pa.
Pterophorid.	<i>Angelonia salicariaefolia</i>				1		Do.
<i>Pyrausta nubilalis</i> (European corn borer).	<i>Zea mays</i> (corn)					1	Calif.*
Pyraustinae (Pyralidae)	<i>Sambucus</i> sp. (elder)			1			N. Y.
<i>Rhizoglyphus</i> sp. (mite)	<i>Dioscorea</i> sp. (yam)			1			Do.
<i>Sciara</i> sp. (Mycetophilidae)	Banana debris					2	Pa.
<i>Selenothrips rubrocinctus</i> (red-banded thrips).	<i>Psidium guajava</i> (guava)	1					N. Y.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)				1		La.
Do	do	2					N. Y.
<i>Stenoma</i> sp. (Stenomidae)	<i>Persea americana</i> (avocado)				1		Do.
<i>Stephanoderes buscki</i> (Scolytidae)	<i>Hymenaea courbaril</i> (courbaril)			1			Pa.
<i>Stephanoderes minutus</i> (Scolytidae)	<i>Poinciana regia</i> (royal poinciana).				1		N. Y.
<i>Tapinoma</i> sp. (ant)	<i>Saccharum officinarum</i>					1	Pa.
<i>Tergionia bromeliae</i> (Coccidae)	<i>Ananas sativus</i>					1	N. Y.
<i>Telephanus pallidulus</i> (Cucujidae)	<i>Musa</i> sp. (banana)			1			Do.
<i>Tinea</i> sp. (Tineidae)	<i>Carica papaya</i> (papaya)	1					Do.
Do	<i>Saccharum officinarum</i>					1	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PUERTO RICO—Continued							
Insects—Continued.							
Tineid	<i>Citrus grandis</i> (grapefruit)		1				N. Y.
Do	<i>Musa</i> sp. (banana)	1					Do.
Do	<i>Poinciana regia</i> (royal poinciana)			1			Do.
<i>Vinsonia stellifera</i> (Coccidae)	<i>Citrus grandis</i> (grapefruit)	1					Do.
<i>Wasmannia auropunctata</i> (ant)	<i>Psidium guajava</i> (guava)	1					Do.
Diseases:							
<i>Capnodium citri</i>	<i>Citrus grandis</i> (grapefruit)				2		Do.
Do	do				1		Oreg.
Do	do				1		Pa.
Do	<i>Citrus sinensis</i> (orange)				2		Mass.
<i>Capnodium</i> sp	<i>Saccharum officinarum</i>					2	Pa.
<i>Cephaeluros virescens</i>	<i>Citrus grandis</i>					1	Oreg.
Do	<i>Citrus sinensis</i> (orange)	1					N. Y.
Do	<i>Gardenia florida</i> (Cape-jasmine).		1				Do.
<i>Cercospora capsici</i>	<i>Capsicum annuum</i>	1					Do.
<i>Cercospora vaginæ</i>	<i>Saccharum officinarum</i>		1				Do.
<i>Cercospora</i> sp	Unknown leaf		2				Do.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp			2			Pa.
<i>Diplodia cacaoicola</i>	<i>Citrus grandis</i> (grapefruit)				1		Do.
Do	<i>Cocos nucifera</i> (coconut)			1			Do.
Do	<i>Musa</i> sp. (banana)				1		Do.
Do	Unknown branch	1					N. Y.
<i>Diplodia natalensis</i>	<i>Chrysophyllum cainito</i> (star-apple).		1				Do.
Do	<i>Citrus sinensis</i> (orange)		1				Do.
<i>Diplodia</i> sp	do	1					Do.
<i>Elsinoe phaseoli</i>	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					Do.
<i>Epicoccum</i> sp	Unknown leaf	1					Do.
<i>Eurotium</i> sp	<i>Mangifera indica</i> (mango)		1				Do.
<i>Gloeosporium pelargonii</i>	<i>Pelargonium</i> sp. (geranium)	1					Do.
<i>Gloeosporium sansevieriae</i>	<i>Sansevieria</i> sp			2			Do.
<i>Gloeosporium</i> sp	<i>Capsicum annuum</i>	1					Do.
<i>Glomerella cingulata</i>	do			1			Do.
<i>Helminthosporium</i> sp	<i>Valota insularis</i>	1					Do.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>	1		1			Do.
<i>Microcera</i> sp	<i>Citrus grandis</i> (grapefruit)				1		Mass.
Do	do				1		N. Y.
Do	<i>Citrus sinensis</i> (orange)				1		Pa.
Do	<i>Lepidosaphes beckii</i> on grapefruit.	1					N. Y.
<i>Mycosphaerella musae</i>	<i>Musa</i> sp. (banana)			1			Do.
<i>Myriangium duriae</i>	<i>Citrus sinensis</i> (orange)				1		La.
Do	<i>Lepidosaphes beckii</i> on orange				1		Fla.*
Do	On scale on grapefruit				1		Pa.
<i>Nectria</i> sp	<i>Citrus sinensis</i>				1		Va.
Perisporiaceae	<i>Inga</i> sp				1		Pa.
<i>Pestalozzia funerea</i>	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Pestalozzia quepini</i>	do	1					Do.
<i>Pestalozzia</i> sp	<i>Citrus aurantifolia</i> (lime)	1			1		Do.
<i>Phoma destructiva</i>	<i>Lycopersicum esculentum</i>	1					Do.
<i>Phomopsis</i> sp	<i>Chrysophyllum cainito</i> (star-apple).		1				Do.
<i>Phyllosticta</i> sp	<i>Dracaena</i> sp			1			Do.
<i>Puccinia urbaniana</i>	<i>Valerianodes</i> sp		1				Do.
<i>Sclerotinia</i> sp	<i>Mangifera indica</i> (mango)				1		Pa.
<i>Septobasidium spongia</i>	<i>Citrus grandis</i> (grapefruit)		1				N. Y.
Do	<i>Lepidosaphes beckii</i> on orange				1		Va.
<i>Septobasidium</i> sp	<i>Citrus sinensis</i> (orange)				1		Pa.
<i>Sphaceloma fawcettii</i>	<i>Citrus aurantifolia</i> (lime)				11		N. Y.
Do	<i>Citrus grandis</i>				1		Calif.*
Do	do	2			6		N. Y.
Do	do				1		Oreg.
Do	do				6		Pa.
Do	<i>Citrus limetta</i> (sweet lime)		1				N. Y.
Do	<i>Citrus limonia</i> (lemon)				1		Md.
Do	do			1		13	N. Y.
Do	<i>Citrus sinensis</i> (orange)		1	1	1		Do.
Do	do				1		Pa.
Do	<i>Citrus</i> sp				1		N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PUERTO RICO—Continued							
Diseases—Continued.							
<i>Sphaelotheca panici-leucophaei</i>	<i>Valota insularis</i>	1					N. Y.
<i>Sphaeronema</i> sp.	<i>Colocasia esculenta</i> (dasheen)			1			Tex.
<i>Sphaerostilbe aurantiicola</i>	<i>Lepidosaphes beckii</i> on orange				1		Fla.*
<i>Stilbum</i> sp.	<i>Psidium guajava</i> (guava)	1					N. Y.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>	4	6	1			Do.
<i>Vermicularia cacti</i>	<i>Opuntia</i> sp.	1					Do.
<i>Verticillium</i> sp.	<i>Musa</i> sp. (banana)					1	Pa.
RHODESIA							
Insects: <i>Aspilocoryphus fasciventris</i> (Lygaeidae).	<i>Stapelia</i> sp.		1				D. C.
Diseases: <i>Cerebella</i> sp.	<i>Cynodon dactylon</i>		1				Do.
RUMANIA							
Insects:							
<i>Bruchophagus gibbus</i> (Eurytomidae).	<i>Medicago falcata</i>	1					Do.
<i>Elaterid</i>	<i>Solanum tuberosum</i>				1		Fla.*
<i>Epidiaspis piricola</i> (Italian pear scale).	<i>Malus sylvestris</i> (apple)			1			N. Y.
<i>Pnyxia scabiei</i> (potato scab gnat)	<i>Solanum tuberosum</i>					1	Fla.*
Tineid	<i>Agaricus campestris</i> (mushroom).	1					N. Y.
Diseases:							
<i>Claviceps microcephala</i>	<i>Briza media</i>		1				D. C.
<i>Claviceps purpurea</i>	<i>Bromus secalinus</i>		1				Do.
Do	<i>Bromus zenckeni</i>		1				Do.
Do	<i>Elymus sabulosus</i>		1				Do.
Do	<i>Festuca pallens</i>		1				Do.
Do	<i>Setaria argentea</i>		1				Do.
<i>Claviceps</i> sp.	<i>Setaria italica</i>		1				Do.
<i>Gloeodes pomigena</i>	<i>Malus sylvestris</i> (apple)			1			N. Y.
<i>Leptothyrium pomi</i>	do			1			Do.
<i>Puccinia graminis</i>	<i>Setaria argentea</i>		1				D. C.
<i>Puccinia</i> sp.	<i>Aegilops cicornia</i>		1				Do.
ST. EUSTATIUS							
Insects: <i>Targionia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)		1				N. Y.
ST. HELENA							
Insects: <i>Pseudaonidia trilobitiformis</i> (Coccidae).	<i>Canna</i> sp.			1			Do.
ST. KITTS							
Insects: <i>Coccus viridis</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)		1				Mass.
ST. LUCIA							
Insects:							
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus aurantifolia</i>		2				N. Y.
<i>Heliothis</i> sp. (Noctuidae)	<i>Rosa</i> sp.				1		Do.
<i>Hemiclionaspis minor strachani</i> (Coccidae).	<i>Citrus aurantifolia</i>	4					Do.
<i>Hemiclionaspis</i> sp. (Coccidae)	do		1				Do.
<i>Parlatoria ziziphus</i> (Coccidae)	do		1				Do.
<i>Parlatoria</i> sp. (Coccidae)	do		1				Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	do		1				Mass.
Do	do	69					N. Y.
Do	<i>Citrus sinesis</i> (orange)	1					Do.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)	1					Do.
<i>Urophorus humeralis</i> (Nitidulidae)	<i>Citrus aurantifolia</i> (lime)	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ST. LUCIA—Continued							
Diseases:							
<i>Diplodia cacaoicola</i>	do	2					N. Y.
<i>Diplodia natalensis</i>	do	3					Do.
<i>Diplodia</i> sp.	do	1					Do.
<i>Phyllosticta</i> sp.	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Sphaeloma fawcettii</i>	<i>Citrus aurantifolia</i>					1	N. Y.
Do	<i>Citrus sinensis</i>					1	Tex.
ST. MARTIN							
Diseases: <i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>		1				N. Y.
ST. VINCENT							
Insects:							
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)		1				Do.
<i>Pseudaonidla articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)					1	Do.
Do	<i>Citrus grandis</i> (grapefruit)					1	Do.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Do.
Do	<i>Citrus sinensis</i> (orange)					1	Do.
Diseases:							
<i>Capnodium citri</i>	<i>Citrus aurantifolia</i>					1	Mass.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)		1				N. Y.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>		1				Do.
SALVADOR							
Insects:							
<i>Chrysomphalus scutiformis</i> (Coccidae).	<i>Citrus aurantifolia</i>					1	Calif.*
<i>Crematogaster</i> sp. (ant)	<i>Swietenia</i> sp. (mahogany)	1					N. Y.
<i>Dinoderus minutus</i> (Bostrichidae).	Bamboo					1	Calif.*
<i>Euxesta</i> sp. (Ortalidae)	<i>Swietenia</i> sp. (mahogany)	1					N. Y.
<i>Platypus rugulosus</i> (Platypodidae)	<i>Tabebuia donnell-smithii</i> (primavera).	1					Do.
<i>Plocamus hispidulus</i> var. (Curculionidae).	<i>Swietenia</i> sp. (mahogany)	1					Do.
<i>Psalis americana</i> (earwig)	do	1					Do.
<i>Pseudaonidla articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)			1			Calif.*
Do	<i>Citrus sinensis</i> (orange)					1	Do.*
<i>Pyrophorus</i> sp. (Elateridae)	<i>Swietenia</i> sp. (mahogany)	1					N. Y.
<i>Rhizoglyphus</i> sp. (mite)	do	1					Do.
<i>Solenopsis</i> sp. (ant)	do	1					Do.
SAMOA							
Insects:							
<i>Aspidiotus destructor</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)		2				Calif.*
Cucujid	do	1					Do.*
<i>Tetramorium</i> sp. (ant)	do		1				Do.*
SCOTLAND							
Insects:							
<i>Argyresthia conjugella</i> (Yponomeutidae).	<i>Sorbus</i> sp. (mountain-ash)		5				Pa.
Cecidomyiid	<i>Calluna vulgaris</i> (heather)		1				Do.
<i>Ceutorhynchus ericae</i> (Curculionidae).	do		1				Md.
Do	do		3				Pa.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica oleracea capitata</i>					1	N. Y.
Do	<i>Brassica rapa</i> (turnip)					1	Ala.
Do	do					1	Md.
Gelechiid	<i>Calluna vulgaris</i>		1				Pa.
Geometrid	do		1				Md.
Do	do		3				Pa.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica rapa</i>					1	Ala.
Do	do					1	Md.
Do	do					1	Mass.
Do	do					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
SCOTLAND—Continued									
Insects—Continued.									
<i>Macrosiphum kaltenbachii</i> (aphid)	<i>Lactuca sativa</i> (lettuce)					1	N. Y.		
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Calluna vulgaris</i>	1					Pa.		
<i>Lycophotia</i> sp. (Noctuidae)	<i>Brassica oleracea capitata</i>					1	N. Y.		
Mirid	<i>Primula</i> sp. (primrose)		1				Do.		
<i>Myzus veronicae</i> (aphid)	<i>Hedera</i> sp.		1				Do.		
Do	<i>Primula</i> sp. (primrose)		1				Do.		
Noctuid	<i>Calluna vulgaris</i> (heather)	1					Pa.		
<i>Phyllotreta</i> sp. (Chrysomelidae)	<i>Brassica oleracea capitata</i>				1	N. Y.			
<i>Plutella maculipennis</i> (diamond-back moth)	do				1	Do.			
<i>Scolopostethus decoratus</i> (Lygaeidae)	<i>Calluna vulgaris</i>		1				Md.		
<i>Taeniothrips atratus</i> (thrips)	do		1				Do.		
Do	do		1				Pa.		
<i>Taeniothrips ericae</i> (thrips)	do		7				Md.		
Do	do		24				Pa.		
<i>Taeniothrips picipes</i> (thrips)	do		1				Do.		
<i>Thrips flavus</i> (thrips)	do		1				Do.		
Tortricid	do		3				Do.		
Diseases:									
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.		
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.	2					D. C.		
<i>Bacterium pruni</i>	<i>Sorbus aucuparia</i> (European mountain-ash).	1					Pa.		
<i>Lophodermium pinastri</i>	<i>Pinus sylvestris</i> (Scotch pine)	1					Md.		
<i>Phoma lingam</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.		
Do	do					1	Pa.		
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					N. Y.		
Do	do	1					Pa.		
<i>Ramularia destructiva</i>	<i>Myrica gale</i> (sweetgale)		1				Md.		
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)				1		Pa.		
<i>Sclerotium cepivorum</i>	<i>Allium cepa</i> (onion)				1		N. Y.		
<i>Sclerotium</i> sp.	<i>Brassica rapa</i> (turnip)				1		Pa.		
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)				1		N. Y.		
Do	do				1		Pa.		
<i>Uredo</i> sp.	<i>Allium porrum</i> (leek)				1		N. Y.		
<i>Verticillium</i> sp.	<i>Daucus carota</i>				1		Tex.		
SIAM									
Insects:									
<i>Amblythrips</i> sp. (thrips)	<i>Aerides falcatum</i> (orchid)		1				Hawaii.*		
Do	<i>Dendrobium dalhousieanum</i> (orchid).		1				Do.*		
Do	<i>Dendrobium formosum giganteum</i> (orchid).		1				Do.*		
<i>Aspidiotus</i> sp. (Coccidae)	<i>Vanda teres</i> (orchid)		1				Do.*		
<i>Frankliniella</i> sp. (thrips)	<i>Aerides falcatum</i> (orchid)		1				Do.*		
<i>Hemichionaspis townsendi</i> (Coccidae)	<i>Aerides odoratum</i> (orchid)		1				Do.*		
<i>Hindsiana</i> sp. (thrips)	<i>Dendrobium findlayanum</i> (orchid).		1				Do.*		
<i>Lophocateres pusillus</i> (Siamese grain beetle).	<i>Oryza sativa</i> (paddy rice)		1				Wash.		
<i>Parlatoria pseudaspidiotus</i> (Coccidae)	<i>Vanda teres</i> (orchid)		1				Hawaii.*		
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)					1	Pa.		
<i>Phenacaspis dendrobii</i> (Coccidae)	<i>Dendrobium draconis</i> (orchid)		1				Hawaii.*		
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Agekia</i> sp.			1			D. C.		
<i>Tenuipalpus</i> sp. (mite)	<i>Dendrobium dalhousieanum</i> (orchid).		1				Hawaii.*		
SIBERIA									
Insects:									
<i>Apion</i> sp. (Curculionidae)	<i>Vicia unijuga</i>		1				D. C.		
<i>Bruchus atomarius</i> (Bruchidae)	Legume	1					Do.		
Diseases:									
<i>Claviceps microcephala</i>	<i>Agrostis alba</i>		1				Do.		
<i>Claviceps purpurea</i>	<i>Alopecurus pratensis</i> (meadow foxtail).	1					Do.		
Do	<i>Alopecurus ventricosus</i>		1				Do.		
Do	<i>Bromus inermis</i>		1				Do.		

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SIERRA LEONE							
Diseases:							
<i>Verticillium</i> sp.	<i>Musa</i> sp. (banana)				1		Pa.
SPAIN							
Insects:							
Agromyzid	<i>Brassica oleracea capitata</i>				1		Pa.
<i>Anarsia lineatella</i> (peach twig borer).	<i>Amygdalus persica</i> (peach)				2		N. Y.
Do	do						Pa.
<i>Anthomyiid</i>	<i>Allium sativum</i> (garlic)				1		Md.
Do	<i>Beta vulgaris cicla</i> (Swiss chard).				1		N. Y.
<i>Aphaenogaster testaceopilosa</i> (ant)	<i>Quercus</i> sp.	1					Do.
<i>Callidium</i> sp. (Cerambycidae)	<i>Castanea</i> sp. (chestnut)	2					Do.
<i>Cecidomyiid</i>	<i>Cichorium intybus</i> (witloof)				1		Mass.
Do	<i>Cynara scolymus</i> (globe artichoke).				1		Do.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Amygdalus persica</i> (peach)				2		Do.
Do	do				4		N. Y.
Do	<i>Citrus limonia</i> (lemon)				1		Do.
Do	<i>Citrus sinensis</i> (orange)				1		Mass.
Do	do				2		N. Y.
Do	do				1		Pa.
Do	<i>Prunus armeniaca</i> (apricot)				1		Mass.
Do	<i>Vitis</i> sp. (grape)	1					Md.
Do	do				2		N. Y.
<i>Ceuthorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)				1		La.
<i>Chilo simplex</i> (Asiatic rice borer)	Rice straw packing	3					N. Y.
<i>Chloropid</i>	do	1					Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus limonia</i> (lemon)			1		1	Do.
Do	<i>Citrus sinensis</i> (orange)					2	Do.
Do	<i>Euonymus</i> sp.				1		Do.
<i>Coryza cephalonica</i> (Pyralidae)	<i>Pisum sativum</i> (pea)					1	La.
<i>Crambinae</i> (Pyralidae)	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Crematogaster</i> sp. (ant)	<i>Punica granatum</i> (pomegranate).			1			Do.
Do	<i>Quercus suber</i> (cork oak)	1					Do.
Do	<i>Quercus</i> sp. (oak)	1					Md.
<i>Cryptoblabes gnidiella</i> (Pyralidae)	<i>Punica granatum</i>					1	Pa.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)	3					N. Y.
Do	<i>Quercus suber</i> (cork oak)	1					Pa.
<i>Diatraea</i> sp. (Pyralidae)	Rice straw packing	1					N. Y.
<i>Dicyphus annulatus</i> (Miridae)	<i>Lactuca sativa</i> (lettuce)					1	Do.
<i>Epidiaspis piricola</i> (Italian pear scale).	<i>Pyrus communis</i> (pear)			1			Do.
Gelechiid	<i>Eriobotrya japonica</i> (loquat)				1		Do.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Brassica oleracea capitata</i>					1	Do.
Do	do					1	Pa.
Do	<i>Brassica rapa</i> (turnip)					1	La.
Do	<i>Daucus carota</i> (carrot)					1	N. Y.
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea</i> sp. (chestnut)	36		1			Do.
Liparid	<i>Quercus suber</i> (cork oak)	1					Do.
<i>Myeloid</i> sp. (Pyralidae)	<i>Citrus sinensis</i> (navel orange)					1	Do.
Do	<i>Malus sylvestris</i> (apple)					1	Pa.
Noctuid	<i>Capsicum annuum</i>					1	Do.
Do	<i>Vitis</i> sp. (grape)					1	Do.
Ortalid	<i>Solanum tuberosum</i>					1	Miss.
<i>Parlatoria oleae</i> (Coccidae)	<i>Eriobotrya japonica</i> (loquat)			1			N. Y.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus limonia</i> (lemon)					1	Calif.*
Do	do					2	N. Y.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).			1		4	Do.
Do	<i>Citrus sinensis</i> (orange)					1	Calif.*
Do	do				1	4	N. Y.
<i>Parlatoria</i> sp. (Coccidae)	<i>Citrus limonia</i> (lemon)					1	Do.
Phycitinae (Pyralidae)	<i>Citrus sinensis</i>					1	Do.
Do	<i>Oryza sativa</i> (rice)				1		Do.
Do	<i>Punica granatum</i> (pomegranate).			1			Do.
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea capitata</i>					2	Do.
Do	do					1	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SPAIN—Continued							
Insects—Continued.							
<i>Plusia</i> sp. (Noctuidae)	<i>Lactuca sativa</i> (lettuce)					1	N. Y.
<i>Pseudococcus boninsis</i> (Coccidae)	<i>Saccharum officinarum</i>	1					D. C.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Punica granatum</i> (pomegranate).		1				N. Y.
Psychid	<i>Quercus suber</i> (cork oak)	1					Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)	1			1		Do.
Do	<i>Solanum tuberosum</i>				1		Pa.
<i>Sciara fenestrata</i> (Mycetophilidae).	do				1		Do.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Allium cepa</i>				1		N. Y.
Do	<i>Citrus sinensis</i> (orange)				1		Pa.
Do	<i>Malus sylvestris</i> (apple)		1				N. Y.
<i>Tenuipalpus</i> sp. (mite)	<i>Eriobotrya japonica</i> (loquat)		1				Do.
<i>Tetramorium</i> sp. (ant)	<i>Cynara scolymus</i> (globe artichoke).				1		Do.
<i>Tetranychus</i> sp. (mite)	<i>Citrus sinensis</i> (orange)		1				Do.
<i>Tinea</i> sp. (Tineidae)	<i>Citrus nobilis deliciosa</i> (tangerine).				1		Do.
<i>Urophorus humeralis</i> (Nitidulidae).	<i>Solanum tuberosum</i>				1		Tex.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea</i>				1		Pa.
Do	<i>Brassica oleracea capitata</i>				3		Do.
Do	<i>Brassica rapa</i> (turnip)				1		Do.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea botrytis</i> (cauliflower).				1		Do.
<i>Bacterium syringae</i>	<i>Citrus limonia</i> (lemon)				2		La.
<i>Bacterium vesicatorium</i>	<i>Lycopersicum esculentum</i>				1		N. Y.
<i>Capnodium citri</i>	<i>Citrus limonia</i>				3		Pa.
Do	<i>Citrus sinensis</i> (orange)				1		Md.
<i>Cercospora apii</i>	<i>Petroselinum hortense</i> (parsley).				1		N. Y.
<i>Cercospora beticola</i>	<i>Beta vulgaris cicla</i> (Swiss chard).				1		Do.
<i>Colletotrichum circinans</i>	<i>Allium cepa</i> (onion)				1		Tex.
<i>Colletotrichum</i> sp.	<i>Citrus sinensis</i> (orange)				1		Pa.
<i>Epicoccum</i> sp.	<i>Castanea</i> sp. (chestnut)	1					N. Y.
<i>Eurotium</i> sp.	<i>Oryza sativa</i> (rice)	1					Do.
<i>Gloeodes pomigena</i>	<i>Malus sylvestris</i> (apple)				1		Pa.
<i>Helminthosporium</i> sp.	<i>Allium sativum</i> (garlic)				1		Ala.
Do	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Leptothyrium pomi</i>	<i>Malus sylvestris</i> (apple)				1		Pa.
<i>Mycosphaerella schoenoprasii</i>	<i>Allium porrum</i> (leek)				1		Do.
Oedema	<i>Brassica oleracea capitata</i>				1		Do.
<i>Oidium euonymi-japonici</i>	<i>Euonymus</i> sp.				1		N. Y.
<i>Oospora citri aurantii</i>	<i>Citrus limonia</i> (lemon)				1		Calif.*
<i>Phoma</i> sp.	<i>Solanum tuberosum</i>				1		Pa.
<i>Phytophthora</i> sp.	<i>Brassica oleracea capitata</i>				1		Do.
<i>Physalospora malorum</i>	<i>Malus sylvestris</i>				1		Do.
<i>Pleospora herbarum</i>	<i>Eriobotrya japonica</i> (loquat)				1		Do.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	4					N. Y.
<i>Puccinia rubigo-vera tritici</i>	do	1					Do.
<i>Puccinia</i> sp.	<i>Allium porrum</i> (leek)				1		Pa.
<i>Pythium</i> sp.	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Sclerotinia sclerotiorum</i>	<i>Brassica rapa</i> (turnip)				1		Pa.
Do	<i>Daucus carota</i> (carrot)				1		La.
<i>Sclerotinia</i> sp.	<i>Brassica rapa</i> (turnip)				1		Pa.
Do	<i>Vitis</i> sp. (grape)				1		Do.
<i>Sclerotium cepivorum</i>	<i>Allium sativum</i> (garlic)				1		Ala.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	10					N. Y.
<i>Sclerotium</i> sp.	<i>Brassica oleracea botrytis</i> (cauliflower).				1		Pa.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)				3		N. Y.
Do	do				2		Pa.
<i>Septoria citri</i>	<i>Citrus limonia</i> (lemon)				1		Wash.
<i>Sphaelomma fawcettii</i>	<i>Citrus sinensis</i> (orange)				1		N. Y.
<i>Sphaeronema</i> sp.	<i>Allium cepa</i> (onion)				1		S. C.
<i>Tilletia laevis</i>	<i>Triticum aestivum</i> (wheat)	1					D. C.
<i>Uredo</i> sp.	<i>Allium sativum</i> (garlic)				1		Pa.
<i>Uromyces betaee</i>	<i>Beta vulgaris cicla</i> (Swiss chard).				1		N. Y.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)		1				Do.
<i>Verticillium</i> sp.	<i>Allium porrum</i> (leek)				1		Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
Straits Settlements							
Insects:							
<i>Caryedon fuscus</i> (Bruchidae)	In bag containing tamarinds					1	N. Y.
<i>Siophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)					1	Do.
Diseases:							
<i>Capnodium citri</i>	<i>Citrus aurantifolia</i> (lime)					2	Do.
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>					1	Mass.
<i>Stysanus</i> sp.	do					1	Wash.
SUMATRA							
Diseases:							
<i>Diplodia</i> sp. (?)	<i>Zea mays</i> (corn)	1					Mich.
<i>Fumago</i> sp.	Unidentified plant	1					Do.
SWEDEN							
Insects:							
Anthomyiid.	<i>Apium graveolens rapaceum</i> (celeriac).					1	Pa.
Do	<i>Solanum tuberosum</i>					1	Do.
<i>Aspidiotus</i> sp. (Coccidae)	<i>Malus sylvestris</i> (apple)	1					D. C.
Do	<i>Pyrus communis</i> (pear)	1					Do.
<i>Blastodacna</i> sp. (Cosmopterygidae).	<i>Prunus</i> sp. (cherry)	1					Do.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)					1	Pa.
Chermid.	<i>Apium graveolens</i> (celery)					1	N. Y.
<i>Chionaspis salicis</i> (Coccidae)	<i>Fraxinus</i> sp. (ash)		1				Do.
Do	<i>Salix</i> sp. (willow)	1					D. C.
Do	<i>Vaccinium</i> sp.		1				N. Y.
<i>Coleophora</i> sp. (Coleophoridae)	<i>Malus sylvestris</i> (apple)	1					D. C.
<i>Euresta</i> sp. (Ortalidae)	<i>Solanum tuberosum</i>					1	La.
Gelechiid.	<i>Alnus</i> sp. (alder)		1				N. Y.
Geometrid.	In soil around plants	1					Wash.
<i>Hylemyia</i> sp. (Anthomyiidae)	<i>Allium cepa</i> (onion)					1	Fla.*
Do	<i>Brassica rapa</i> (turnip)					2	Pa.
<i>Hypera</i> sp. (Curculionidae)	<i>Lonicera</i> sp. (honeysuckle)		1				N. Y.
Otitid.	<i>Passiflora suberosa</i> (cork passion flower).	1					D. C.
	<i>Malus sylvestris</i> (apple)	1					Do.
<i>Phyllocoptes schlechtendali</i> (rusty leaf mite).							
<i>Pieris</i> sp. (Pieridae)	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
<i>Pityogenes chalcographus</i> (Scolytidae).	<i>Abies</i> sp. (fir)				1		Md.
<i>Plutella maculipennis</i> (diamond-back moth).	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do	<i>Brassica oleracea capitata</i>					1	Do.
<i>Psila rosae</i> (carrot rust fly)	<i>Apium graveolens rapaceum</i> (celeriac).					1	Pa.
Do	<i>Daucus carota</i> (carrot)					1	Md.
<i>Psila</i> sp. (Psilidae)	<i>Apium graveolens</i> (celery)					1	Do.
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)					1	Fla.*
Do	do					1	Pa.
Do	<i>Solanum tuberosum</i>					2	N. Y.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Allium cepa</i>					1	La.
Do	do					1	Mass.
Do	<i>Solanum tuberosum</i>					1	La.
<i>Tetramorium reginodis</i> (ant)	In soil around plant		1				N. Y.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					2	Pa.
<i>Aphelenchoides parietinus</i>	<i>Daucus carota</i> (carrot)					1	Do.
Do	<i>Solanum tuberosum</i>					1	Do.
<i>Bacterium maculicolum</i>	<i>Brassica oleracea capitata</i>					2	Do.
<i>Cytospora nivea</i>	<i>Populus tremula erecta</i>						D. C.
<i>Diplodia</i> sp.	<i>Daucus carota</i> (carrot)	1					Ga.
<i>Eurotium</i> sp.	<i>Solanum tuberosum</i>					1	Mass.
Do	do					1	Tex.
<i>Erobasidium vaccinii</i>	<i>Azalea</i> sp.					1	Pa.
<i>Helminthosporium</i> sp.	<i>Allium porrum</i> (leek)					1	Md.
<i>Monila</i> sp.	<i>Prunus</i> sp. (cherry)					1	N. Y.
<i>Mycosphaerella schoenoprasii</i>	<i>Allium porrum</i>					1	Md.
Do	do					1	Pa.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SWEDEN—Continued							
Diseases—Continued.							
<i>Oospora</i> sp.	<i>Brassica rapa</i> (turnip)					1	Ala.
<i>Papulospora sepedenioides</i>	<i>Daucus carota</i>					1	Do.
<i>Phoma lingam</i>	<i>Brassica oleracea capitata</i>					1	La.
Do	do					1	Pa.
<i>Puccinia graminis</i>	<i>Secale cereale</i> (rye)	1				1	Wash.
<i>Rhizoctonia</i> sp.	<i>Brassica rapa</i> (turnip)					1	Ala.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)				2	Do.	
Do	do					1	La.
Do	do					1	Miss.
Do	do				2	Pa.	
Do	do				2	Tex.	
Do	<i>Pastinaca sativa</i> (parsnip)				1	Miss.	
Do	do				1	N. Y.	
Do	<i>Petroselinum hortense</i> (parsley)				1	Ala.	
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)				1	Pa.	
Do	<i>Beta vulgaris</i> (beet)				1	Ala.	
Do	do				1	Pa.	
Do	<i>Daucus carota</i>				1	Do.	
Do	<i>Pastinaca sativa</i> (parsnip)				1	La.	
Do	<i>Solanum tuberosum</i>				1	Ala.	
<i>Sclerotium</i> sp.	<i>Brassica rapa</i>				1	Miss.	
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)	1					N. Y.
SWITZERLAND							
Insects:							
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea</i> sp. (chestnut)	1					Pa.
Olethreutid.	<i>Prunus</i> sp. (cherry)	1					D. C.
Diseases:							
<i>Leptothyrium pomi</i>	<i>Malus sylvestris</i> (apple)					1	Pa.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					N. Y.
SYRIA							
Insects:							
<i>Aspidiotus persearum</i> (Coccidae)	<i>Eriobotrya japonica</i> (loquat)	1					D. C.
<i>Chilo simplex</i> (Asiatic rice borer)	<i>Oryza sativa</i> (rice)		1				N. Y.
<i>Cryptoblabes</i> sp. (Pyralidae)	<i>Punica granatum</i> (pomegranate).		1				Do.
<i>Diatraea</i> sp. (Pyralidae)	<i>Saccharum officinarum</i>		1				Do.
Gometrid.	<i>Citrus limonia</i> (lemon)				1		Do.
<i>Nicobium castaneum</i> (Anobiidae)	Wood case	1					Do.
<i>Parlatoria oleae</i> (Coccidae)	<i>Olea europaea</i> (olive)	1					D. C.
Do	do	1					Mass.
<i>Pollinia pollini</i> (Coccidae)	do	1					D. C.
Diseases:							
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					N. Y.
<i>Venturia inaequalis</i>	<i>Malus sylvestris</i> (apple)		1				Do.
TAHITI							
Insects:							
<i>Aspidiotus destructor</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)		2				Calif.*
<i>Ereunetis</i> sp. (Tineidae)	do			1			Do.*
<i>Eupteryginae</i> (Cicadellidae)	do	1					Do.*
<i>Euwallacea</i> sp. (Scolytidae)	<i>Mangifera indica</i> (mango)		1				Hawaii.*
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Cocos nucifera</i> (coconut)	2	1				Calif.*
Noctuid	do	1					Do.*
Phycitinae (Pyralidae)	do	1					Do.*
<i>Pseudococcus</i> sp. (Coccidae)	do	1	2				Do.*
Do	<i>Durio zibethinus</i>		1				Do.*
Tineid	<i>Cocos nucifera</i>	1					Do.*
Do	<i>Colocasia</i> sp.		1				Hawaii.*
Do	<i>Cocos nucifera</i>			1			Do.*
Do	<i>Nephelium</i> sp.		1				Do.*
TAIWAN							
Diseases: <i>Sphaceloma fawcettii</i>	<i>Citrus sinensis</i> (orange)					1	Pa.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
TANGANYIKA							
Insects:							
<i>Stephanoderes hampei</i> (coffee berry borer).	<i>Coffea</i> sp.	1					N. Y.
<i>Xyleborus coffeeae</i> (Scolytidae)	do	1					Do.
TASMANIA							
Diseases: <i>Glomerella cingulata</i>	<i>Malus sylvestris</i> (apple)					1	Ala.
TRANSVAAL							
Insects							
<i>Gryllacris</i> sp. (Acrididae)	<i>Gossypium</i> sp. (cotton)	1					D. C.
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Copaisera mopane</i>	1					Do.
TRINIDAD							
Insects:							
<i>Aleurotulus nephrolepidis</i> (white-fly).	Fern			1			D. C.
<i>Anastrepha</i> sp. (Tryptidae)	<i>Citrus grandis</i> (grapefruit)				2		La.
Do	<i>Citrus sinensis</i> (orange)		1				N. Y.
Do	<i>Mangifera indica</i> (mango)		1				Do.
<i>Aspidiotus destructor</i> (Coccidae)	<i>Pandanus</i> sp. (screwpine)		1				Do.
<i>Atherigona</i> sp. (Anthomyiidae)	<i>Cucumis sativus</i> (cucumber)				1		Do.
<i>Catorama</i> sp. (Anobiidae)	<i>Theobroma cacao</i> (cacao)	1					Calif.*
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Saccharum officinarum</i>		1				Mass.
<i>Coccotrypes</i> sp. (Scolytidae)	<i>Areca madagascariensis</i>	1					D. C.
Do	<i>Hydriastele wendlandiana</i> (Wendland palm)	1					Do.
<i>Crematogaster brevispinosa</i> var. (ant).	<i>Myristica fragrans</i> (nutmeg)		1				N. Y.
<i>Cycloptilum antillarum</i> (Gryllidae)	<i>Dioscorea</i> sp. (yam)		1				Do.
<i>Dinoderus minutus</i> (Bostrichidae)	Wooden basket			1			Do.
<i>Eusceps batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)				1		Do.
<i>Euxesta</i> sp. (Ortalidae)	<i>Persea americana</i> (avocado)				1		Pa.
<i>Frankliniella ameliae</i> (thrips)	<i>Rosa</i> sp.		1				Fla.*
<i>Frankliniella insularis</i> (thrips)	do		1				Do.*
<i>Hemiclionaspis minor strachani</i> (Coccidae).	<i>Citrus aurantifolia</i> (lime)	2					N. Y.
<i>Hemiclionaspis</i> sp. (Coccidae)	do						Do.
<i>Marmara</i> sp. (Gracilariaidae)	<i>Citrus sinensis</i> (orange)				1		Calif.*
Do	do				1		N. Y.
Do	do				1		P. R.
Olethreutid	<i>Theobroma cacao</i> (cacao)			1			N. Y.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus limonia</i> (lemon)				1		Do.
<i>Pheidole</i> sp. (ant)	<i>Oncidium papilio</i> (orchid)	1					D. C.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)	4				1	N. Y.
Do	<i>Citrus grandis</i> (grapefruit)					2	Calif.*
Do	do	2				2	N. Y.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Do.
Do	do				1		Pa.
Do	<i>Citrus nobilis deliciosa</i> (Mandarin orange).					1	Calif.*
Do	<i>Citrus sinensis</i> (orange)		3		1		N. Y.
Do	do			1			Pa.
Do	<i>Citrus sp.</i>					1	La.
<i>Pseudococcus</i> sp. (Coccidae)	<i>Myristica fragrans</i> (nutmeg)		1				N. Y.
Do	<i>Theobroma cacao</i> (cacao)		1				Do.
<i>Stelidotata</i> sp. (Nitidulidae)	do		1				Do.
<i>Stenoma</i> sp. (Stenomidae)	<i>Persea americana</i> (avocado)				1		Md.
<i>Targionia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)	1	2				N. Y.
Diseases:	<i>Citrus sinensis</i> (orange)			1			Pa.
<i>Capnodium citri</i>	<i>Saccharum officinarum</i>		1				Mass.
<i>Capnodium</i> sp.	<i>Cucumis sativus</i> (cucumber)				1		N. Y.
<i>Cladosporium cucumerinum</i>	do				1		Pa.
Do	<i>Cucurbita maxima</i> (squash)				1		N. Y.
Do	<i>Catasetum tridentatum</i>	1					D. C.
<i>Colletotrichum</i> sp.	<i>Pandanus</i> sp. (screwpine)		1	1			N. Y.
Do							

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
TRINIDAD—Continued							
Diseases—Continued.							
<i>Diplodia cacaoicola</i>	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
Do	<i>Persea americana</i> (avocado)			1			Pa.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)		1				N. Y.
<i>Isaria</i> sp.	<i>Myristica fragrans</i> (nutmeg)		1				Do.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>		1	1			Do.
<i>Myriangium duriaeae</i>	On scale on grapefruit	1					Do.
<i>Oospora citri-aurantii</i>	<i>Citrus limonia</i> (lemon)				1		Pa.
<i>Pestalozzia</i> sp.	<i>Pandanus</i> sp. (screwpine)		1				N. Y.
<i>Phoma</i> sp.	<i>Lactuca sativa</i> (lettuce)				1		Do.
Do	<i>Vangueria infausta</i>		1				Do.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)				1		Do.
<i>Sphaceloma fawcettii</i>	<i>Citrus limonia</i> (lemon)				1		Do.
Do	<i>Citrus nobilis deliciosa</i> (tangerine).				1		Do.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>				1		Do.
TRIPOLI							
Insects:							
<i>Lepidosaphes halli</i> (Coccidae)	<i>Prunus armeniaca</i> (apricot)	1					D. C.
<i>Pseudaonidia articulatus</i> (rufous scale).	do	1					Do.
TUNIS							
Insects:							
<i>Aspidiottus lenticularis</i> (Coccidae)	<i>Olea europaea</i> (olive)	1					Do.
<i>Lepidosaphes conchiformis</i> (Coccidae).	do	1					Do.
<i>Phloeotribus scarabaeoides</i> (Scolytidae).	do	2					Do.
Diseases:							
<i>Phoma</i> sp.	<i>Brassica rapa</i> (turnip)				1		Pa.
<i>Ramularia</i> sp.	<i>Rosa</i> sp.	1					D. C.
<i>Sclerotinia</i> sp.	<i>Beta vulgaris</i> (beet)				1		Pa.
TURKEY							
Insects:							
<i>Acantholepis</i> sp. (ant)	<i>Melica</i> sp.	1					D. C.
<i>Agromyza</i> sp. (Agromyzidae)	<i>Iris reticulata</i>		1				Mass.
Do	<i>Iris</i> sp.		1				Do.
<i>Aphaenogaster</i> sp. (ant)	<i>Juglans</i> sp. (walnut)	1					Md.
<i>Apion</i> sp. (Curculionidae)	<i>Althaea</i> sp.	1					D. C.
Do	<i>Lathyrus</i> sp.	1					Do.
Do	<i>Olea europaea</i> (olive)	1					Do.
Do	<i>Vicia</i> sp. (vetch)	1					Do.
<i>Balclutha</i> sp. (Cicadellidae)	<i>Agrostis</i> sp.	1					Do.
Do	<i>Melica</i> sp.	2					Do.
<i>Blaps</i> sp. (Tenebrionidae)	<i>Quercus</i> sp. (acorn)	1					N. Y.
<i>Bruchidius</i> sp. (Bruchidae)	<i>Onobrychis</i> sp.	1					D. C.
<i>Bruchophagus gibbus</i> (Eurytomidae).	<i>Medicago sativa</i> (alfalfa)	2					Do.
Do	<i>Trifolium</i> sp. (clover)	1					Do.
<i>Callirhytis glandium</i> (Cynipidae)	<i>Quercus</i> sp. (valonia)	32					N. Y.
Do	<i>Quercus</i> sp.	2					Do.
<i>Cecidomyiid</i>	<i>Quercus</i> sp. (valonia)	1					Do.
<i>Chrysomelini</i> (Chrysomelidae)	do	1					Do.
<i>Crematogaster</i> sp. (ant)	<i>Valonia</i> debris	1					Do.
<i>Curculio</i> sp. (Curculionidae)	<i>Quercus</i> sp. (valonia)	15				1	Do.
Curculionid	do						Do.
<i>Dorcus</i> sp. (Lucanidae)	<i>Juglans</i> sp. (walnut)	1					Md.
Geometrid	<i>Iris reticulata</i>		1				Mass.
<i>Hemimene</i> sp. (Olethreutidae)	On bag of valonia nuts	1					N. Y.
<i>Laspeyresia</i> sp. (Olethreutidae)	<i>Quercus</i> sp. (valonia)	4					Do.
<i>Macroplax fasciatus</i> (Lygaeidae)	<i>Cistus</i> sp.		1				D. C.
<i>Messor</i> sp. (ant)	<i>Medicago</i> sp.	1					Do.
<i>Mycetobia</i> sp. (Rhypidae)	<i>Quercus</i> sp. (valonia)	1					N. Y.
Noctuid	<i>Agropyron</i> sp.	1					D. C.
Do	<i>Eremurus</i> sp.	1					Do.
Do	<i>Juglans</i> sp. (walnut)	1					Md.
Olethreutid	<i>Castanea</i> sp. (chestnut)	2					D. C.
Do	<i>Eremurus</i> sp.	1					Do.
	<i>Quercus</i> sp. (valonia)	6					N. Y.
	<i>Quercus</i> sp.	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
TURKEY—Continued									
Insects—Continued.									
<i>Pectinophora</i> sp. (Gelechiidae)	<i>Althaea</i> sp.	1					D. C.		
<i>Phenacoccus</i> sp. (Coccidae)	<i>Iris</i> sp.		1				Mass.		
<i>Phycitinae</i> (Pyralidae)	<i>Pinus</i> sp. (pine)	1					D. C.		
Do	<i>Scabiosa</i> sp.	1					Do.		
<i>Ptinus</i> sp. (Ptinidae)	<i>Daucus carota</i> (carrot)	1					Do.		
<i>Rhizoglyphus</i> sp. (mite)	<i>Allium cepa</i> (onion)	1					Do.		
Do	<i>Eremurus</i> sp.	1					Do.		
Tineid	<i>Juglans</i> sp. (walnut)	1					Md.		
	<i>Festuca</i> sp. (fescue)	1					D. C.		
Diseases:									
<i>Ascochyta pisi</i>	<i>Vicia</i> sp.	1					Do.		
<i>Claviceps purpurea</i>	<i>Agropyron</i> sp.	1					Do.		
Do	<i>Bromus</i> sp.	1					Do.		
<i>Eurotium</i> sp.	<i>Colchicum</i> sp.	1					Do.		
Do	Legume	1					Do.		
Do	<i>Pyrus</i> sp.	1					Do.		
Do	<i>Quercus</i> sp. (valonia)	5					N. Y.		
Do	<i>Quercus</i> sp.	1					D. C.		
<i>Hemitrichia vesparium</i>	<i>Juglans</i> sp. (walnut)	1					Md.		
<i>Leptosphaeria circinans</i>	<i>Medicago</i> sp. (medick)	1					D. C.		
<i>Leptosphaeria heterospora</i>	<i>Iris</i> sp.		3				Do.		
<i>Polythrincium trifolii</i>	<i>Trifolium agrarium</i> (clover)	1					Do.		
<i>Puccinia graminis</i>	<i>Aegilops</i> sp.	4					Do.		
<i>Schizophyllum commune</i>	<i>Juglans</i> sp. (walnut)	1					Md.		
<i>Sclerotinia sclerotiorum</i>	<i>Raphanus sativus</i> (radish)	1					D. C.		
<i>Vermicularia</i> sp.	<i>Iris</i> sp.		1				Do.		
Do	<i>Ophiopogon japonicus</i> (Japanese snakebread).		1				Do.		
UGANDA									
Insects:									
<i>Stephanoderes hampei</i> (coffee bean borer).	<i>Coffea</i> sp.	3					N. Y.		
<i>Xyleborus coffeeae</i> (Scolytidae)	do	1					Do.		
UNION OF SOUTH AFRICA									
Insects:									
<i>Aegerioid</i>	<i>Cotyledon</i> sp.		1				N. Y.		
<i>Aphis</i> sp. (aphid)	<i>Euphorbia punctata</i>		1				Do.		
<i>Aphodius</i> sp. (Scarabaeidae)	In soil around canna plant			1			Pa.		
<i>Aspidiotus</i> sp. (Coccidae)	<i>Haworthia asperiuscula</i>	1					D. C.		
<i>Barini</i> (Curculionidae)	<i>Gladiolus blandus</i>	1					Do.		
<i>Bruchidius</i> sp. (Bruchidae)	<i>Aloe</i> sp.	1					Do.		
<i>Bruchophagus</i> sp. (Eurytomidae)	<i>Aloe</i> spp.	1	5				Do.		
<i>Cecidomyiid</i>	<i>Ornithogalum</i> sp.		1				Pa.		
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus limonia</i> (lemon)				1		Mass.		
<i>Chrysomphalus</i> sp. (Coccidae)	<i>Citrus sinensis</i> (orange)					1	Do.		
<i>Crematogaster</i> sp. (ant)	<i>Aloe africana</i>	1					D. C.		
<i>Curculionid</i>	<i>Gladiolus grandis</i>	1					Do.		
Do	<i>Stapelia</i> sp.	1					Do.		
<i>Diaplochelus longipes</i> (Scarabaeidae).	<i>Gladiolus</i> sp.		1				N. Y.		
Do	<i>Protea</i> sp.		1				Do.		
<i>Endrosis lacteella</i> (Oecophoridae)	<i>Cycas revoluta</i> (sago cycas)	1					Do.		
<i>Eurytoma</i> sp. (Eurytomidae)	<i>Digitaria</i> sp.	1					D. C.		
<i>Geoica</i> sp. (aphid)	<i>Aloe brevifolia</i>		1				Do.		
Do	<i>Aloe plicatilis</i>			1			N. Y.		
<i>Mecidea prolixa</i> (Pentatomidae)	<i>Hyparrhenia hirta</i>		1				D. C.		
<i>Merodon</i> sp. (Syrphidae)	<i>Lachenalia unicolor</i>		1				Do.		
Do	<i>Lachenalia unifolia</i>		1				Do.		
<i>Microsiphum</i> sp. (aphid)	<i>Lactuca sativa</i> (lettuce)				1		Mass.		
<i>Mimaulus</i> sp. (Curculionidae)	<i>Digitaria</i> sp.		1				D. C.		
<i>Neosciara</i> sp. (Mycetophilidae)	<i>Protea</i> sp.				1		N. Y.		
Noctuid	<i>Ornithogalum thrysoides</i> (chinkericee).	1					Do.		
Do	<i>Ornithogalum</i> sp.		1				Do.		
Olethreutid	<i>Citrus sinensis</i> (orange)					1	Pa.		
Do	<i>Protea</i> sp.			1			N. Y.		
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus sinensis</i>					1	Do.		
Phycitinae (Pyralidae)	<i>Adansonia</i> sp.		1				Calif.*		

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNION OF SOUTH AFRICA—Contd.							
Insects—Continued.							
<i>Phyllotreta</i> sp. (Chrysomelidae)	<i>Aloe ferox</i>	1					D. C.
<i>Prociphilus</i> sp. (aphid)	<i>Haworthia</i> sp.	1					Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus nobilis deliciosa</i> (tangerine).				1		N. Y.
Do	<i>Citrus sinensis</i>					3	Do.
<i>Pseudaonidia trilobitiformis</i> (Coccidae).	<i>Canna</i> sp.				1		Pa.
Psychid	Orchid					1	Do.
Pyralid	<i>Conophytum wiggettae</i>			1			Hawaii.*
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Aloe africana</i>	1					D. C.
Tineid	<i>Solanum tuberosum</i>					1	Mass.
Trypetid	<i>Adansonia</i> sp.	1					Calif.*
Diseases:							
<i>Aphelenchus parietinus</i>	<i>Buphane vulgaris</i>	1					D. C.
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)				1		Md.
<i>Chaetomium</i> sp.	<i>Digitaria</i> sp.	2					D. C.
<i>Coniothyrium</i> sp.	<i>Stapelia</i> sp.		1				Do.
<i>Claviceps microcephala</i>	<i>Panicum ciliare</i>		1				Do.
<i>Colletotrichum</i> sp.	<i>Digitaria</i> spp		1				Do.
<i>Diplodia cacaoicola</i>	<i>Persea americana</i> (avocado)				1		N. Y.
<i>Diplodia natalensis</i>	<i>Citrus sinensis</i>				1		Md.
Do	do					1	N. Y.
<i>Diplodia</i> sp.	<i>Euphorbia ferox</i>		1				D. C.
<i>Eurotium</i> sp.	<i>Ornithogalum</i> sp.		1				N. Y.
<i>Gloeosporium</i> sp.	<i>Huernia</i> sp.		1				D. C.
<i>Heterosporium ornithogali</i>	<i>Ornithogalum thyrsoides</i> (chinkericee).	1					Ill.
Do	do	1					N. Y.
Do	<i>Ornithogalum</i> sp.	3					Do.
Do	do	4					Pa.
<i>Macrophoma</i> sp.	<i>Phoenix reclinata</i> (Senegal date palm).	1					D. C.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>		1				N. Y.
<i>Oospora</i> sp.	<i>Solanum tuberosum</i>				1		Pa.
<i>Pragmopara</i> sp.	<i>Cycas revoluta</i> (sago cycas)	1					N. Y.
<i>Puccinia ornithogali-thyrsoides</i>	<i>Ornithogalum thyrsoides</i> (chinkericee).		1				Ill.
Do	do		3				N. Y.
Do	do		1		1		Pa.
Do	<i>Ornithogalum</i> sp.		1				Mich.
Do	do		4				N. Y.
Do	do		5		1		Pa.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	N. Y.
<i>Sclerotinia</i> sp.	do					1	Mass.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					1	Pa.
<i>Septoria oxypetalii</i> (?)	<i>Ceropogia cristata</i>		1				D. C.
<i>Sphaceloma fawcettii</i>	<i>Citrus limonia</i> (lemon)					1	Md.
Do	<i>Citrus sinensis</i> (orange)					1	N. Y.
UNION OF SOVIET SOCIALIST REPUBLICS							
Insects:							
<i>Acantholepis</i> sp. (ant)	<i>Agropyron repens</i>	1					D. C.
Do	<i>Colutea</i> sp.	1					Do.
<i>Aegialia</i> sp. (Scarabaeidae)	<i>Aristida pennata minor</i>		1				Do.
<i>Aelia rostrata</i> (Pentatomidae)	<i>Agropyron cristatum</i>	1					Do.
Agromyzid	<i>Anemone narcissiflora</i>	1					Do.
Do	<i>Datura stramonium</i> (jimson weed).	1					N. Y.
Anthomyiid	<i>Stipa</i> sp. (feathergrass)	2					D. C.
<i>Anthrenus</i> (Dermestidae)	<i>Cucumis melo</i> (melon)		1				Do.
Do	<i>Iris</i> sp.		1				Do.
<i>Aphis</i> sp. (aphid)	<i>Trifolium pratense</i> (red clover)	1	1				Do.
<i>Apion cerdo</i> (Curculionidae)	<i>Vicia</i> sp.	1					Do.
<i>Apion</i> sp. (Curculionidae)	<i>Althaea nudiflora</i>	1					Do.
Do	<i>Ammodendron</i> sp.		1				Do.
Do	<i>Astragalus</i> sp. (milkvetch)	1					Do.
Do	<i>Calligonum pallasia</i>	1					Do.
Do	<i>Calligonum</i> sp.	1					Do.
Do	<i>Lathyrus</i> sp.	1					Do.
Do	<i>Trifolium repens</i> (white clover)	1					Do.
Do	<i>Trollius somcheticus</i>	1					Do.
Do	<i>Vicia</i> sp.	1					Do.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNION OF SOVIET SOCIALIST REPUBLICS—Continued							
Insects—Continued.							
<i>Attagenus</i> sp. (Dermestidae)	<i>Ferula jaeschkeana</i>	1					D. C.
<i>Aylax minor</i> (Cynipidae)	<i>Papaver pavoninum</i> (peacock poppy)	1					Do.
<i>Bruchidius gilvus</i> (Bruchidae)	<i>Onobrychis</i> sp.	2					Do.
<i>Bruchidius</i> sp. (Bruchidae)	<i>Ammodendron</i> sp.		1				Do.
Do	<i>Astragalus</i> spp.	8					Do.
Do	<i>Colutea persica</i>		1				Do.
Do	<i>Glycyrrhiza glabra</i> (licorice)	1					Do.
Do	<i>Onobrychis pulchella</i>	1	1				Do.
<i>Bruchophagus gibbus</i> (Eurytomidae)	<i>Lotus</i> sp.	1					Do.
Do	<i>Medicago falcata</i>	3					Do.
Do	<i>Medicago sativa</i> (alfalfa)	1					Do.
Do	<i>Trigonella</i> sp.	1					Do.
<i>Bruchophagus</i> sp. (Eurytomidae)	<i>Ammodendron</i> sp.		1				Do.
Do	<i>Astragalus</i> spp.	4	5				Do.
Do	<i>Colutea</i> sp.	1					Do.
Do	<i>Eremurus spectabilis</i>	1					Do.
Do	<i>Ferula</i> sp.	2					Do.
Do	<i>Iris</i> sp.		1				Do.
Do	<i>Onobrychis</i> sp.		1				Do.
Do	<i>Prangos</i> sp.	1					Do.
Do	<i>Salvia sclarea</i> (clary)	1					Do.
Do	<i>Smirnowia turkestanica</i>		1				Do.
Do	<i>Trifolium</i> spp.	6					Do.
<i>Bruchus atomarius</i> (Bruchidae)	<i>Orobus</i> sp.	1					Do.
Do	<i>Vicia specium</i>	1					Do.
<i>Bruchus dentipes ochraceosignatus</i> (Bruchidae)	<i>Vicia lutea</i>	1					Do.
<i>Bruchus loti</i>	<i>Lathyrus</i> sp. (pea)	2					Do.
<i>Bruchus rufipes</i> (Bruchidae)	<i>Vicia</i> sp. (vetch)	1					Do.
<i>Bruchus</i> sp. (Bruchidae)	<i>Cicer</i> sp.	1					Do.
Do	<i>Prangos</i> sp.	1					Do.
Do	<i>Vicia</i> sp.	1	1				Do.
<i>Carposina</i> sp. (Carposinidae)	<i>Prunus spinosa</i> (blackthorn)	1					N. Y.
<i>Cataglyphis</i> sp. (ant)	<i>Agropyron cristatum</i>	1					D. C.
Do	<i>Astragalus</i> sp. (milkvetch)		1				Do.
<i>Cecidomyiid</i>	<i>Codonopsis ovata</i>	1					Do.
<i>Chloropid</i>	<i>Juglans regia</i> (English walnut)		1				Do.
<i>Coleophora deauratella</i> (Coleophoridae)	<i>Trifolium repens</i>	1					Do.
<i>Coleophora</i> sp. (Coleophoridae)	<i>Trifolium pratense</i> (red clover)	1					Do.
<i>Curculio</i> sp. (Curculionidae)	<i>Castanea</i> sp. (chestnut)	1					N. Y.
<i>Curculionid</i>	<i>Prunus armeniaca</i> (apricot)	1	1				D. C.
<i>Etiella zinckenella</i> (lima bean pod borer).	<i>Ammodendron conollyi</i>		1				Do.
Do	<i>Astragalus</i> sp. (milkvetch)	1					Do.
<i>Eurytomid</i>	<i>Prangos uloptera</i>		1				Do.
<i>Formica</i> sp (ant)	<i>Astragalus</i> sp. (milkvetch)	2					Do.
<i>Gelechiid</i>	<i>Eremurus</i> sp.	1					Do.
<i>Geometrid</i>	<i>Clematis</i> sp.	1					Do.
<i>Lecanini</i> sp. (Coccidae)	<i>Prunus armeniaca</i> (apricot)		1				Calif.*
<i>Menaccarus arenicola</i> (Pentatomidae)	<i>Aristida pennata minor</i>		1				D. C.
<i>Miarus</i> sp. (Curculionidae)	<i>Codonopsis ovata</i>	1					Do.
<i>Miris dolobratus</i> (Miridae)	<i>Festuca</i> sp.	1					Do.
<i>Myzus</i> sp. (aphid)	<i>Primula</i> sp. (primrose)			1			N. Y.
Noctuid	<i>Agropyron cristatum</i>	1					D. C.
Do	<i>Agropyron</i> sp.	2					Do.
Do	<i>Avena fatua</i>	1					Do.
Do	<i>Elymus angustus</i>	1					Do.
Do	<i>Elymus giganteus</i> (Siberian wild rye).	1					Do.
Do	<i>Festuca</i> sp.		1				Do.
Olethreutid	<i>Berberis</i> sp.	1					Do.
Do	<i>Lathyrus</i> sp. (pea)	3					Do.
Do	<i>Orobus</i> sp.	1					Do.
Do	<i>Rosa</i> sp.	1					Do.
Do	<i>Tulipa</i> sp.	1					Do.
Do	<i>Vicia</i> sp.	1					Do.
<i>Platyedra vilella</i> (Gelechiidae)	<i>Althaea nudiflora</i>	1					Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNION OF SOVIET SOCIALIST REPUBLICS—Continued							
Insects—Continued.							
<i>Rhizoglyphus</i> sp. (mite)	<i>Iris</i> sp.	1					N. Y.
Do	<i>Malus sylvestris</i> (apple)		1				Do.
Do	<i>Solanum tuberosum</i>					1	Mass.
<i>Sciara</i> sp. (Mycetophilidae)	<i>Prunus armeniaca</i> (apricot)		1				Calif.*
<i>Stephanopachys</i> sp. (Bostrichidae)	<i>Pinus</i> sp. (pine)	1					N. Y.
<i>Tarsonemus</i> sp. (mite)	<i>Malus sylvestris</i>		1				D. C.
<i>Trogoderma</i> sp. (Dermestidae)	<i>Aristida pennata minor</i>		1				Do.
Do	<i>Senecio subdentatus</i> (groundsel)		1				Do.
Do	<i>Smirnowia turkestanus</i>		1				Do.
Trypetid	<i>Amygdalus</i> sp.	1					Do.
Do	<i>Juniperus foetidissima</i>		1				Do.
Do	<i>Lonicera</i> sp.	1					Do.
Do	<i>Rosa</i> sp.	2					Do.
<i>Tychius</i> sp. (Curculionidae)	<i>Medicago falcata</i>	1					Do.
Diseases:							
<i>Anguillulina agrostis</i>	<i>Festuca</i> sp.	1					Do.
<i>Anguillulina dipsaci</i>	<i>Solanum tuberosum</i>				1		Md.
Do	do				1		Mass.
Do	do				1		Pa.
<i>Ascochyta pisi</i>	<i>Vicia tenuifolia</i>	1					D. C.
Do	<i>Vicia</i> sp.	1					Do.
<i>Botrytis cinerea</i>	<i>Vitis</i> sp. (grape)		1				Calif.*
<i>Claviceps microcephala</i>	<i>Agrostis alba</i>	2					D. C.
Do	<i>Agrostis avenoides</i>	1					Do.
Do	<i>Dactylis glomerata</i> (orchard grass).		1				Do.
Do	<i>Festuca ovina</i> (sheep fescue)	3					Do.
Do	<i>Glyceria placata</i>	1					Do.
Do	<i>Koeleria gracilis</i>	1					Do.
Do	<i>Phleum pratense</i> (timothy)	1					Do.
Do	<i>Poa pratensis</i>	1					Do.
Do	<i>Poa tibetica</i>	1					Do.
Do	<i>Poa</i> sp.	1					Do.
<i>Clariceps purpurea</i>	<i>Agropyron</i> spp.	8					Do.
Do	<i>Alopecurus pratensis</i> (meadow foxtail).	3					Do.
Do	<i>Alopecurus</i> sp.		1				Do.
Do	<i>Avena flavescens</i>		1				Do.
Do	<i>Avena pubescens</i>	1					Do.
Do	<i>Avena</i> sp.	1					Do.
Do	<i>Bromus erectus</i>	1					Do.
Do	<i>Dactylis glomerata</i>		4				Do.
Do	<i>Festuca ovina</i> (sheep fescue)	2	1				Do.
Do	<i>Festuca rubra</i> (red fescue)		1				Do.
Do	<i>Festuca</i> sp.		1				Do.
Do	<i>Hordeum bulbosum</i>		2				Do.
Do	<i>Hordeum</i> sp.		1				Do.
Do	<i>Koeleria</i> sp.		1				Do.
Do	<i>Melica</i> sp.		2				Do.
Do	<i>Phleum</i> sp.		2				Do.
<i>Claviceps</i> sp.	<i>Agropyron cristatum</i>	1					Do.
Do	<i>Agropyron trichophorum</i>	1					Do.
Do	<i>Bromus tectorum</i>		1				Do.
Do	<i>Bromus</i> sp.	1					Do.
Do	<i>Festuca ovina</i> (sheep fescue)	2					Do.
Do	<i>Festuca</i> sp.	1					Do.
Do	<i>Phleum pratensis</i> (timothy)	2					Do.
Do	<i>Phleum</i> sp.	1					Do.
Do	<i>Allium caeruleum</i>	1					Do.
Do	<i>Iris alberti</i>	1					Do.
Do	<i>Salix</i> sp.	1					Do.
Do	<i>Poa bulbosa</i>	1	1				Do.
Do	<i>Astragalus marimoviczii</i>	1					Do.
Eurotium sp.	Reed	2					N. Y.
Do	<i>Tulipa chrysanthia</i>		1				D. C.
Gloeodes pomigena	<i>Malus sylvestris</i>					1	Pa.
Leptothyrium pomi	<i>Malus sylvestris</i> (apple)					1	Do.
Phyllosticta rabiei	<i>Cicer</i> sp.		1				D. C.
Puccinia aristidae	<i>Aristida pennata karelini</i>		1				Do.
Do	<i>Aristida pennata minor</i>		1				Do.

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNION OF SOVIET SOCIALIST REPUBLICS—Continued							
Diseases—Continued.							
<i>Puccinia aristidae</i>	<i>Aristida</i> sp.	1					D. C.
<i>Puccinia graminis</i>	<i>Agropyron trichophorum</i>	2					Do.
Do	<i>Agropyron</i> sp.	1					Do.
Do	<i>Bromus</i> spp.	3	1				Do.
Do	<i>Festuca</i> sp.	1					Do.
Do	Grass	2					Do.
Do	<i>Hordeum</i> sp.	1					Do.
<i>Puccinia iridis</i>	<i>Iris</i> sp.	1					Do.
<i>Puccinia phragmitis</i>	<i>Arundo donax</i>	1					N. Y.
<i>Puccinia</i> sp.	<i>Agropyron orientale</i>		1				D. C.
Do	<i>Bromus</i> spp.	3					Do.
Do	<i>Ferula assafoetida</i>	1					Do.
Do	<i>Poa</i> sp.	1					Do.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	N. Y.
URUGUAY							
Insects:							
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus limonia</i> (lemon)	1					N. Y.
Diseases:							
<i>Monilia</i> sp.	<i>Prunus domestica</i> (plum)	1					Do.
<i>Sclerotinia fructigena</i>	do	1					Do.
VENEZUELA							
Insects:							
<i>Acanthoscelides</i> sp. (Bruchidae)	<i>Desmanthus</i> sp.		2				D. C.
Do	<i>Indigofera</i> sp. (indigo)	2					Do.
<i>Acrolophus</i> sp. (Acrolophidae)	Orchid	1					Do.
<i>Aegerioid</i>	<i>Theobroma cacao</i> (cacao)			1			N. Y.
<i>Apion</i> sp. (Curculionidae)	<i>Ruprechtia</i> sp.	1					D. C.
<i>Bruchophagus</i> sp. (Eurytomidae)	<i>Cassia</i> sp.		1				Do.
Do	<i>Codiaeum</i> sp. (croton)		1				Do.
<i>Camponotus</i> sp. (ant)	In soil around orchid			1			N. Y.
<i>Chalcodermus aeneus</i> (Curculionidae).	Bean	1					D. C.
<i>Chrysauginae</i> (Pyralidae)	<i>Bignonia</i> sp.			1			N. Y.
<i>Curculionid</i>	<i>Indigofera</i> sp. (indigo)	1					D. C.
Do	<i>Nicotiana tabacum</i> (tobacco)		1				Do.
Do	Bean	1					Do.
<i>Cycloptilum</i> sp. (Gryllidae)	Orchid	1					Do.
<i>Eurycipitia vestitus</i> (Miridae)	do	1					Do.
<i>Euxesta</i> sp. (Ortalidae)	<i>Allium cepa</i> (onion)					1	La.
<i>Furcaspis biformis</i> (Coccidae)	<i>Cattleya</i> sp. (orchid)	1					D. C.
Do	do			1			P. R.
Do	Orchid	1					D. C.
<i>Ischnodemus collaris</i> (Lygaeidae)	<i>Solanum tuberosum</i>					1	La.
<i>Lophocateres pusillus</i> (Siamese grain beetle).	<i>Arachis hypogaea</i> (peanut)	1					D. C.
Olethreutid	<i>Melicocca bijuga</i>				1		N. Y.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus sinensis</i> (orange)					1	Fla.*
Do	do					2	N. Y.
<i>Pseudoepitrix</i> sp. (Chrysomelidae)	<i>Cleome</i> sp.		1				D. C.
<i>Pseudoparlatoria parlatorioides</i> (Coccidae).	<i>Cipura</i> sp.			1			N. Y.
<i>Stephanoderes</i> sp. (Scolytidae)	<i>Lycoseris</i> sp.			1			Do.
<i>Taeniothrips</i> sp. (thrips)	Orchid	1					D. C.
Trypetid	<i>Lycoseris</i> sp.				1		N. Y.
<i>Vinsonia stellifera</i> (Coccidae)	Orchid			1			D. C.
<i>Zabrotes subspectabilis</i> (Bruchidae)	<i>Phaseolus</i> sp. (bean)	1					Do.
Diseases:	Orchid		1				P. R.
<i>Cephaeluros virescens</i>	do	1					D. C.
<i>Colletotrichum orchidearum</i>	<i>Jacquina</i> sp.		1				Do.
<i>Diplodia cacaoicola</i>	<i>Mammea americana</i> (mamey)			1			N. Y.
Do	<i>Simaruba amara</i>	1					Do.
Do	<i>Cattleya mossiae</i> (orchid)	1					D. C.
<i>Gloeosporium</i> sp.	Orchid	2					Do.
Do	<i>Hura crepitans</i> (sandboxtree)	1					Do.
<i>Leptothyrium</i> sp.							

List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935, inclusive—Continued

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
VIRGIN ISLANDS							
Insects:							
<i>Coccus viridis</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)					1	N. Y.
<i>Gnorimoschema</i> sp. (Gelechiidae)	<i>Lycopersicum esculentum</i>	1					Do.
<i>Lepidosaphes</i> sp. (Coccidae)	<i>Codiaeum</i> sp. (eroton)			2			Do.
Pentatomid	<i>Coffea</i> sp. (coffee)				1		Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus grandis</i> (grapefruit)					1	Do.
Do	<i>Citrus sinensis</i> (orange)					1	Do.
<i>Vinsonia stellifera</i> (Coccidae)	<i>Laurus nobilis</i> (Grecian laurel)		1				Calif.*
Diseases:							
<i>Bacterium vesicatorium</i>	<i>Lycopersicum esculentum</i>	2					N. Y.
<i>Diplodia cacaoicola</i>	<i>Musa</i> sp. (banana)			1			Do.
<i>Phoma destructiva</i>	<i>Lycopersicum esculentum</i>	1					Do.
WALES							
Insects:							
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)					1	Md.
<i>Merodon</i> sp. (Syrphidae)	<i>Narcissus</i> sp.		1				D. C.
Diseases:							
<i>Anguillulina dipsaci</i>	do			1			Do.
WEST AFRICA							
Insects:							
<i>Phycitinae</i> (Pyralidae)	<i>Dioscorea</i> sp. (yam)					1	Pa.
<i>Prenolepis</i> sp. (ant)	do					1	Do.
<i>Targionia hartii</i> (Coccidae)	do					2	Do.
<i>Tinea</i> sp. (Tineidae)	do					2	Do.
Diseases: <i>Verticillium</i> sp.	do					1	Do.
WESTERN SAMOA							
Insects:							
<i>Aphanocorynes humeralis</i> (Curculionidae)	<i>Cocos nucifera</i> (coconut)			1			Calif.*
<i>Pheidole</i> sp. (ant)	do			1			Do.*
WEST INDIES							
Insects:							
<i>Anthomyiid</i>	<i>Heliconia</i> sp.			3			N. Y.
<i>Arescus</i> sp. (Chrysomelidae)	do			1			Do.
<i>Aspidiotus herculeanus</i> (Coccidae)	<i>Poinciana regia</i> (royal poinciana)			2			Do.
Cecidomyiid	<i>Saccharum officinarum</i>			1			Do.
<i>Diatraea</i> sp. (Pyralidae)	do			1			Do.
<i>Hemichionaspis</i> sp. (Coccidae)	<i>Poinciana regia</i> (royal poinciana)			1			Do.
<i>Holcocera</i> sp. (Blastobasidae)	<i>Gossypium</i> sp. (cotton)	1					D. C.
<i>Pectinophora gossypiella</i> (pink boll-worm).	do	1					Do.
<i>Pseudaonidia articulatus</i> (rufous scale).	<i>Citrus aurantifolia</i> (lime)				1		N. Y.
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Mammea americana</i> (mamey)						Do.
<i>Pyroderces</i> sp. (Cosmopterygidae)	<i>Gossypium</i> sp. (cotton)	1					D. C.
<i>Sitophilus linearis</i> (tamarind pod borer).	<i>Tamarindus indica</i> (tamarind)			1			N. Y.
Diseases: <i>Colletotrichum</i> sp.	<i>Poinciana regia</i> (royal poinciana)			1			Do.
YUGOSLAVIA							
Insects:							
<i>Apion</i> sp. (Curculionidae)	<i>Amygdalus persica</i> (peach)		1				D. C.
<i>Aspidiotus pyri</i> (Coccidae)	do		1				Do.
<i>Rhagoletis</i> sp. (Tryptidae)	<i>Prunus cerasus</i> (sour cherry)	7					N. Y.
Do	do		1				Pa.
<i>Telephanus</i> sp. (Cucujidae)	do		1				Do.
Tineid	<i>Agaricus campestris</i> (mushroom).		1				N. Y.
<i>Tipula</i> sp. (Tipulidae)	In packing around nursery stock.		1				D. C.

*List, by countries, of pests collected and reported from July 1, 1934, to June 30, 1935,
inclusive—Continued*

[All findings marked with an asterisk (*) indicate State inspection]

Country of origin and name of pest	Host	Number of inter-ceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNKNOWN ORIGIN							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)-----	<i>Mangifera indica</i> (mango)-----				1		N. Y.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).-----	<i>Citrus sinensis</i> (orange) (on dock).-----						Do.
<i>Ceutorhynchus</i> sp. (Curculionidae)	<i>Brassica rapa</i> (turnip)-----					2	Pa.
<i>Myelois</i> sp. (Pyralidae)-----	<i>Citrus sinensis</i> (orange)-----				1		N. Y.
<i>Myzus veronicae</i> (aphid)-----	<i>Chrysanthemum</i> sp.-----				1		Do.
Psychid-----	Banana debris-----	4					La.
Do-----	<i>Musa</i> sp. (banana)-----	1					Do.
<i>Tytthomimus rufotestaceus</i> (Curculionidae).-----	Banana debris-----	1					Do.
Diseases:							
<i>Albugo candida</i> -----	<i>Brassica pekinensis</i> (Chinese cabbage).-----					1	N. Y.
<i>Gloeosporium</i> sp.-----	<i>Cypripedium</i> sp. (orchid)-----		1				Do.
Do-----	<i>Miltonia</i> sp. (orchid)-----		1				Do.
Do-----	<i>Oncidium papilio</i> (butterfly orchid).-----	1					D. C.
<i>Glomerella cincta</i> -----	Orchid-----	1					Do.
<i>Helminthosporium</i> sp.-----	Bamboo-----			1			N. Y.
<i>Monilia</i> sp.-----	do-----			1			Do.
<i>Myriangium</i> sp.-----	<i>Citrus sinensis</i> (orange)-----			1			Do.
<i>Oidium</i> sp.-----	<i>Euonymus</i> sp.-----			1			Do.
<i>Oospora citri-aurantii</i> -----	<i>Citrus limonia</i> (lemon)-----				1		Calif.*
<i>Pestalozzia</i> sp.-----	<i>Sobralia</i> sp. (orchid)-----			1			Mass.
Do-----	Unknown leaf-----	1					Pa.
<i>Phyllosticta</i> sp.-----	<i>Aucuba japonica</i> (Japanese aucuba).-----			1			N. Y.
<i>Sphaceloma fawcettii</i> -----	<i>Citrus limonia</i> -----			1			Do.
<i>Thielaviopsis paradoxa</i> -----	<i>Saccharum officinarum</i> -----			1			Do.
<i>Uromyces caryophyllinus</i> -----	<i>Dianthus</i> sp. (carnation)-----			1			Do.

Summary of interceptions by continents and subdivisions

Country	Insects	Diseases	Country	Insects	Diseases
Number	Number	Number	Number	Number	Number
Africa:			Europe—Continued.		
Africa	13	0	Hungary	59	8
Algeria	9	3	Ireland	24	13
Belgian Congo	13	0	Italy	472	223
Canary Islands	5	5	Latvia	1	0
East Africa	1	1	Lithuania	3	4
Egypt	37	21	Malta	2	0
Gold Coast	1	0	Moravia	0	1
Italian Somaliland	1	0	Netherlands	184	147
Kenya	0	1	Norway	13	22
Liberia	1	0	Poland	6	7
Madagascar	1	0	Portugal	54	9
Madeira Islands	4	1	Rumania	5	11
Morocco	99	6	Scotland	70	17
Mozambique	2	0	Spain	135	67
Nigeria	3	1	Sweden	35	40
Pretoria	1	0	Switzerland	2	2
Rhodesia	1	1	Union of Soviet Socialist Republics	132	98
St. Helena	1	0	Wales	2	1
Sierra Leone	0	1	Yugoslavia	13	0
Tanganyika	2	0	North America:		
Transvaal	2	0	Bermuda	79	24
Tripoli	2	0	Canada	26	52
Tunis	4	3	British Columbia	7	0
Uganda	4	0	Nova Scotia	2	0
Union of South Africa	49	49	Ontario	0	1
West Africa	6	1	Central America	25	1
Asia:			British Honduras	38	3
Burma	0	1	Canal Zone	71	10
China	173	154	Costa Rica	234	9
Chosen	0	1	Guatemala	571	14
Cyprus	6	0	Honduras	990	98
India	66	15	Nicaragua	100	1
Iraq	0	1	Panama	823	21
Japan	399	301	Salvador	12	0
Manchuria	12	3	Mexico	3,755	350
Orient	0	1	Newfoundland	15	4
Palestine	7	4	West Indies	15	1
Siam	13	0	American Virgin Islands	6	9
Siberia	2	4	Antigua	6	1
Straits Settlements	2	4	Aruba	1	2
Syria	9	2	Bahamas	75	11
Turkey	100	26	Barbados	22	4
Australasia (including Pacific Islands):			British West Indies	23	13
American Samoa	2	0	Cuba	797	1,145
Australia	49	10	Curacao	2	0
Borneo	10	1	Dominica	69	8
Dutch East Indies	8	2	Dominican Republic	34	14
Fanning Island	1	0	Dutch West Indies	1	1
Fiji Islands	4	0	Grand Cayman	2	0
Hawaii	350	5	Grenada	7	1
Java	5	4	Haiti	73	12
Marshall Islands	2	0	Jamaica	177	73
New Guinea	1	1	Martinique	2	3
New Zealand	16	2	Montserrat	14	2
Philippines	106	16	Puerto Rico	425	122
Samoa	4	0	St. Eustatius	1	0
Sumatra	0	2	St. Kitts	1	0
Tahiti	18	0	St. Lucia	83	9
Taiwan	0	1	St. Martin	0	1
Tasmania	0	1	St. Vincent	5	3
Western Samoa	2	0	Trinidad	54	22
Europe:			Virgin Islands	8	4
Austria	8	4	South America:		
Azores	16	4	Argentina	89	71
Belgium	158	40	Bolivia	2	2
Bulgaria	1	1	Brazil	103	72
Czechoslovakia	0	3	British Guiana	13	2
Danzig	2	3	Chile	35	36
Denmark	20	24	Colombia	184	10
England	264	164	Dutch Guiana	14	5
Estonia	1	0	Ecuador	89	10
Finland	2	4	Galapagos Islands	1	0
France	168	94	Peru	5	3
Germany	125	164	Uruguay	1	2
Great Britain	15	0	Venezuela	35	9
Greece	22	21			

Summary of interceptions by continents and subdivisions—Continued

Country	Insects	Diseases	Country	Insects	Diseases
	Num- ber	Num- ber		Num- ber	Num- ber
Total:			Total.....	12,876	4,139
Africa.....	262	94	Total (common pests, p. 5).....	12,287	11,434
Asia.....	789	517	Total insects.....	25,163	-----
Australasia.....	578	45	Total diseases.....	-----	15,573
Europe.....	2,014	1,196	Grand total.....	40,736	-----
North America.....	8,651	2,049			
South America.....	571	222			
Unknown origin.....	11	16			

UNIVERSITY OF FLORIDA



3 1262 09082 5026