Bur. Ent. & P. Q.

Issued November 1939

### United States Department of Agriculture

BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE

SERVICE AND REGULATORY ANNOUNCEMENTS

### LIST OF INTERCEPTED PLANT PESTS, 1938

(List of Pests Recorded During the Period July 1, 1937, to June 30, 1938, Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory.)

#### INTRODUCTION

This paper covers the twenty-fifth year for which pest interception lists have been issued. The periods of time covered by the early mimeographed lists were variable. The first printed lists were issued quarterly beginning in 1915. A large part of the interceptions recorded in the early lists were made by State inspectors. After quarantine No. 37 became effective and most of the nursery stock inspection work was done by Federal inspectors, with a consequent increase in the proportion of interceptions by them, publication of the list was put on an annual basis. The first of the annual lists, however, covered 15 months, October 1, 1919, to December 31, 1920. Interceptions for the calendar years 1924 and 1925 were issued in one list, and the list was put on a fiscal-year basis again when interceptions for January 1, 1930, to June 30, 1931, were published in one list.

From the beginning interceptions have been made on a wide variety of hosts from all parts of the world. The number of interceptions made increased from less than 1,500 a year to more than 80,000 a year, even though many records formerly included were omitted from the later lists. During recent years it has been necessary to reduce drastically the recording of interceptions and to make brief summaries only for a large part of those recorded. It is believed that the records as a whole give a reasonably accurate idea of the pest status of the plant material inspected.

In the method of selecting and presenting data the present list is similar to the preceding one, but the total number of interceptions has been markedly reduced by eliminating many items formerly recorded, particularly at the port of New York. Information on which the list is based is on file in the Washington office. The bulk of this information is in the form of routine reports from regular employees and from State and customs officials who are collaborators of the Bureau.

While the States of California and Florida and the Territory of Hawaii have staffs of specialists to make their determinations, most of the insects intercepted elsewhere are determined by specialists of the Bureau, and many of the more difficult plant-disease interceptions are determined by specialists of the Bureau of Plant Industry.

Statements as to the origin of plant materials inspected cannot always be verified, but every reasonable effort is made to obtain the correct origin. Obviously doubtful items are omitted from the lists of interceptions under the countries of alleged origin.

#### NOTES ON INSECTS INTERCEPTED

#### FRUITFLIES

The following fruitflies were intercepted: Anastrepha distincta in Inga sp. from Mexico; A. grandis in pumpkin from Brazil; Mexican fruitfly (A. ludens) in apple, avocado, grapefruit, mango, orange, pomegranate, quince, sapote, sour orange, and sweet lime from Mexico; A. mombin praeoptans in mango and purple mombin from the Dominican Republic, mango from Haiti, and jobo de la India and mango from Puerto Rico; A. serpentina in mamey, sapote, and tangerine from Mexico; A. suspensa in guava from Puerto Rico; Anastrepha sp. in orange from Brazil, guava and mango from Costa Rica, almond, hog-plum, guava, and mango from Cuba; star-apple from Ecuador, mango from Haiti, Honduras, and Jamaica, apple, guava, mamey, mango, orange, peach, pear, pomegranate, quince, sapote,

sour orange, and white sapote from Mexico, mango from Panama, golden-apple, guava, and sapodilla from Puerto Rico, and mango from Trinidad; Mediterranean fruitfly (Ceratitis capitata) in apple from Australia, fig, loquat, pear, strawberry guava, sweet pepper, and tangerine from Azores, (pupae) in case of tangerines and oranges and (larva) on paper wrapper for tangerine from Cyprus, peach from France, pomegranate, quince (pupae) in basket of quinces and pomegranates, and (pupae) on paper wrapper for peaches from Greece, avocado, bell pepper, coffee berry, and mango from Hawaii, citron, hawthorn, orange, pear, persimmon, pomegranate, pricklypear, quince, tangerine, (pupae) in bag of oranges, (larvae and pupae) on peach and in container for peaches, (pupae) in box of tangerines, and (larvae, pupae, and adults) in trunk containing various fruits from Italy, loquat from Madeira Islands, orange and tangerine from Portugal, orange from Southeast Africa and Spain, and (larvae) among three pounds of oranges of unknown origin at a New York pier; Ceratitis sp. in red chili pepper from the Straits Settlements and apple and pear from the Union of South Africa; melon fly (Dacus cucurbitae) in cucumber from the Philippines; olive fruitfly (D. oleae) in olive and (adults) in package and trunk containing olives from Italy; Dacus sp. in pomelo from Ceylon; celery fly (Philophylla heraclei) in celery from England; apple maggot (Rhagoletis pomonella) in manzanita from Mexico; Rhagoletis sp. in black walnut and Crataegus from Mexico; papaya fruitfly (Toxotrypana curvicauda) in papaya from Bahamas and Cuba; trypetid in orange from Africa, Crassulaceae from Arabia, Acanthopanax sp. from China, and Heliconia sp. from unknown origin.

#### INSECTS OTHER THAN FRUITFLIES

Larvae of Acrolepia assectella (Plutellidae) were intercepted in leek leaves from The citrus blackfly (Aleurocanthus woglumi) arrived on leaves of Netherlands. Citrus sp. and sour lime from Cuba. Anuraphis cynariella was taken on globe artichokes from Algeria, France, and Italy. The weevil Apion carduorum infested globe artichokes from France, Italy, and Netherlands. A. craccae arrived with vetch from England and Scotland. Turnips in ships' stores from Algeria and Portugal were attacked by the weevil Baris laticollis. B. lepidii was found in horseradish from Czechoslovakia. The turnip gall weevil (Ceutorhynchus pleurostigma) was intercepted in rutabagas and turnips from England and turnips from Belgium, Denmark, France, Germany, and Scotland. The Asiatic rice borer (Chilo simplex) arrived with rice straw from China, France, Japan, and Manchuria and with a wisteria plant from Japan. Chionaspis wistariae (Coccidae) was found on wisteria from Japan. Conotrachelus aguacatae (Curculionidae) infested avocados from Mexico. The banana root borer (Cosmopolites sordidus) arrived with a banana root from Honduras. Crocidosema plebeiana (Olethreutidae) infested okra from Cuba and Mexico. Chestnuts from Italy were attacked by the weevil Curculio elephas. Potatoes from Mexico were infested with the potato weevil (Epicaerus cognatus). The West Indian sweetpotato weevil (Euscepes postfasciatus) was intercepted in sweetpotato from American Virgin Islands, Barbados, Brazil, Mexico, Puerto Rico, and St. Vincent. Exosoma lusitanica (Chrysomelidae) was found in cipollino from Morocco. Gnorimoschema gudmanella (Gelechiidae) infested peppers (Capsicum annuum) from Mexico. Larvae of the turnip mud beetle (Helophorus rugosus) were taken in turnips from stigma) was intercepted in rutabagas and turnips from England and turnips from Larvae of the turnip mud beetle (Helophorus rugosus) were taken in turnips from France. Hoplandrothrips reynei was found on orchids from Colombia. Laspeyresia splendana (Olethreutidae) was intercepted in chestnuts from Italy, Japan, Portugal, Switzerland, and Yugoslavia. Lepidosaphes camelliae (Coccidae) was found on Camellia from China and Japan. The bean pod borer (Maruca testulalis) was intercepted in lima beans from Cuba, string beans from Japan and Mexico, pigeon peas and string beans from Puerto Rico, and on leis from Hawaii. Megastigmus aculeatus (Callimomidae) infested rose seed from Austria and Union of Soviet Socialist Republics. Orchids from the Philippines were attacked by Mertila malayensis (Miridae). A larva of the pineapple weevil (Metamasius ritchiei) was found in a pineapple from Mexico. Micrelus ericae (Curculionidae) arrived with heather from England, Germany, and Scotland and with soil around heather from Ireland. Mordellistena cattleyana (Mordellidae) infested orchids from Colombia and Guatemala, and M. chapini was found in a Cattleya leaf from Colombia. Napomyza lateralis (Agromyzidae) was taken in witloof leaves from Belgium and France. Naupactus xanthographus (Curculionidae) arrived with grapes from Argentina. The yam weevil (Palaeopus costicollis) was found in sweetpotato from Jamaica and yams from China and Jamaica. The pink bollworm (Pectinophora gossypiella) was intercepted in cotton bolls from Dominican

Republic and Mexico, cottonseed from Bahamas, Brazil, Dominican Republic, Egypt, Grenada, Mexico, Montserrat, and Puerto Rico, seed cotton from Italy, Mexico, and Uganda, and seed cotton adhering to old bagging from Mexico. Poliaspis pini (Coccidae) was taken on pines from Japan. Larvae of the vine moth (Polychrosis botrana) were intercepted on a grape berry from Italy. A larva of the Japanese beetle (Popillia japonica) was taken in soil around a chrysanthemum root from Japan. Lemon and orange from the Philippines were infested with the Philippine orange moth (Prays citri). Psylliodes chrysocephala (Chrysomelidae) arrived with broccoli from Italy, radish from Portugal, and turnips from England, France, Italy, and Mexico. The pear tingid (Stephanitis pyri) was found on persimmon from Italy. The mango weevil (Sternochetus mangiferae) was taken in mangoes from Hawaii and New Zealand. Taeniothrips dianthi was found on a carnation leaf from Yugoslavia, and T. ericae infested aster from England and heather from Germany and Scotland. Tenthecoris bicolor (Miridae) was intercepted on orchids from Colombia and Venezuela.

#### NOTES ON PLANT DISEASES INTERCEPTED

Among the plant diseases intercepted during the fiscal year 1938 were several well known as being serious on important economic hosts. Among the diseases were citrus canker (Bacterium citri), banana leaf spot (Cercospora musae), cereal rusts and smuts, and citrus black spot (Phoma citricarpa). Other diseases were intercepted which might prove to be important if introduced but which were caused by new species or were on unreported hosts and their economic status not determinable.

For convenience some of the more interesting plant disease interception records are summarized by groups in alphabetical arrangements.

#### BACTERIAL DISEASES

Citrus canker (Bacterium citri) was intercepted on lemon from Straits Settlements, on lime from Egypt (2), the Philippines, and Straits Settlements, on orange from China (3) and Japan (9), on pomelo from China and Straits Settlements, on tangerine from Japan (2), and on lime and orange of unknown origin, the orange in baggage from Canada. B. hyacinthi was intercepted but once during the year, in a hyacinth bulb from Netherlands. Pumpkins from Japan and Straits Settlements were found with bacterial spots such as are produced by B. lachrymans on other cucurbits.

We have no adequate facilities available for the determination of bacterial

diseases, hence many bacterial infections are not determined.

#### **FUNGOUS DISEASES**

A considerable number of fungous diseases not heretofore represented in our interception records were added during the year. Some of these were intercepted prior to the beginning of this fiscal year but not determined in time to be included in the preceding list. Among the new entries for this year were Ascochyta achlydis on Achlys triphylla from British Columbia; Botrytis squamosa on garlic from Chile; Cercospora musae on banana from Guatemala, Honduras, and Java; Dendrodochium cattleyae on orchid from Colombia; Dicherinia guianensis on Lonchocarpus from British Guiana; Erysiphe umbellijerarum on parsnip from Germany and Netherlands: Fabraea maculata on quince from Union of South Africa; Gloeosporium bidgoodii on orchid from Colombia; G. dendrobii on orchid from Japan; G. leguminum on mesquite from Mexico; G. orchidearum on orchid from Brazil; Hemileia oncidi on orchid from Brazil; Hendersonia oryzae on rice straw mat from Japan; H. pecki on honeysuckle from Sweden; Heterosporium trillii on Trillium from British Columbia; Hormodendron cladosporioides on tomato from France; Leptothyrium castaneae var. quercus on oak from England; Lophodermium juniperinum on juniper from Sweden; Macrophoma hippoglossum on Ruscus from Italy; M. orchidicola on orchid from Guatemala; Marsonia juglandis on walnut from Italy; Microdiplodia passeriniana on palm from Morocco; Monochaetia compta var. ramulicola on rose stock from Netherlands; Mycosphaerella opuntiae on cactus from Mexico; Myrothecium verrucaria on tomato from Mexico; Oidium hortensiae on hydrangea from Scotland; Ovularia obliqua on Rumex from Mexico; Pestalozzia bicolor on willow ties from Argentina; Phaeochora chamaeropis on palm from Morocco; Phaeosphaerella ephedrae on Ephedra from China; Phoma hippoglossi on Ruscus from Italy; P. rimosa on Phragmites from Netherlands; Phomopsis aucubae on Aucuba from Italy, Japan, and Sweden; P. conorum var. naviculispora

on spruce cone from Germany; P. juglandina on walnut from Poland; P. magnoliicola on magnolia from Japan; P. seposita on wisteria from Japan; P. tinea on
viburnum from Italy; Phyllosticta auerswaldii on box from Germany; P. codiaeicola
on croton from Bermuda; P. danoes on Ruscus from Italy; P. hibisci on Hibiscus
from Bermuda; P. ruborum on raspberry from Switzerland; Phytophthora capsici
on tomato from Mexico; Puccinia angustata on Scirpus from Spain; P. incondita
on Solanum from Mexico; P. pimpinellae on anise from Mexico; P. tageticola on
Tagetes from Mexico; Rhabdospora ramealis on Rubus from England; Sclerophoma
(Phoma) strobiligena on pine from England and spruce from Germany; Septobasidium prunophilum on plum from Japan; Septoria alliorum on leek from France;
S. stellariae on chickweed from Italy; S. weissii on chervil from Italy; Sphaeronema
talcahuanense on Cryptocarya from Australia; Trematosphaeria cactorum on cactus
from Mexico; Uredo behnickianum on orchid from Panama; U. guacae on orchid
from Costa Rica; Uromyces commelinae on wandering jew from Mexico; U. limonii
on sea-lavender from Union of South Africa; U. loti on lotus from Turkey; Verticilliodochium tubercularioides on walnut from Poland; and Volutella albido-pila on

orchid from the Philippines.

A number of the fungi intercepted did not appear to belong in species described as occurring on the hosts affected and were determined tentatively if at all. Included in this group are Anthostomella sp. (unlike either of the two species described on orchids) on Oncidium speciosum from Mexico; Cladosporium sp. (undescribed) on croton leaf from Mexico; Collectotrichum sp. (no species reported on the host genus) on Stapelia sp. from Arabia and Uganda; Cytospora sp. (no species reported for host) on Macrozamia from Australia; Didymosphaeria sp. (no species reported on host) on freesia leaves from Netherlands; Gloeosporium sp. (probably undescribed) on Cattleya gigas from Colombia; Gloeosporium sp. (unlike described species) on globe artichoke from England; Helminthosporium sp. or spp. (unlike species reported on host) on tomatoes from Haiti and from Mexico; Macrophoma sp. (no species reported on host) on ismene lily from Azores; Macrophoma sp. (with spores smaller than those of M. paeoniae) on Paeonia suffruticosa from Japan; Ophiobolus sp. (no species reported on orchids) on Oncidium cavendishianum from Guatemala; Peridermium sp. (no species reported on host) on Pinus halepenis from Italy; Pestalozzia spp. (no species reported on hosts) on Limonium sp. from Union of South Africa and on Oncidium bicallosum and Stanhopea wardii from Guatemala; Phomatospora sp. (no species described on host) on Camellia japonica from Japan; Phyllosticta n. sp. on holly from Yugoslavia; Phyllosticta sp. (unlike species reported on orchids) on Laelia sp. from Mexico; Phyllosticta sp. (P. laeliae? with small spores) on Oncidium ornithorhynchum from Guatemala; Phyllosticta sp. (no species reported on host) on Schizocodon macrophyllum from Japan; Rhabdospora sp. (no species reported on host) on Paeonia moutan from Japan; Sclerotium spp. (undetermined, apparently not reported on hosts) on Camellia japonica from Japan, on Carum carri from Netherlands, on Lycoris radiata and Lycoris sp. from Japan, on mango seed from Sierra Leone, and on Nerine appendiculata and N. sarniensis from Union of South Africa; Sphaerulina sp. (apparently undescribed) on Paeonia moutan and P. suffruticosa from Japan; Uredo sp. (no rust reported on host) on Maxillaria sp. from Venezuela; and Ustilago sp. (unlike species on host) on Phalaris canariensis from Morocco.

Diseased seeds were found on a number of occasions, these interceptions including Erysiphe umbelliferarum on parsnip seed from Germany and Netherlands; Fusicladium depressum (with shorter spores than the description gives) on Foeniculum vulgare seed from India and F. depressum on Foeniculum sp. seed from Hungary and from Union of Soviet Socialist Republics; Gloeosporium ulmicolum on elm seed from Canada; Phoma samararum on Fraxinus excelsior seed from Italy; Phomopsis tinea on Viburnum tinus seed from Italy; Sclerotium spp. on Carum carri seed from Netherlands, on mango seed from Sierra Leone, Pyrethrum sp. seed from England, and on acorns from England; and Ustilago sp. (unlike species reported as affecting seed of host) in seeds of Phalaris canariensis from Morocco.

Among the important or unusual fungous disease interceptions not included in the foregoing paragraphs were Cephalosporium pammelii var. purpurascens on apple from Japan; Cercosporella albomaculans on cabbage from Japan; Diaporthe perniciosa on apple from Morocco; Elsinoe phaseoli on lima beans from Cuba; Macrophoma oncidii on orchids from Brazil, Canal Zone, and the Philippines; Phoma citricarpa on citrus from China and Japan; Phyllosticta laeliae on orchid from Mexico; Puccinia cannae on canna from Mexico; Pucciniastrum myrtilli on azalea from Switzerland; Tilletia horrida in rice hulls from Japan and from the Philippines; Uredo jatrophicola on Jatropha from Puerto Rico; and Verticillium

albo-airum on dahlia from Belgium, Germany, Italy, and Netherlands, on Ere-

murus from Netherlands, and on Ficus from Italy.

Numerous interceptions of cereal rusts and smuts were made which may represent strains not present in this country, but as their status could not be determined and the species are common no detailed record of them was prepared.

#### VIRUS DISEASES

Virus diseases constitute a serious quarantine problem because, though destructive, they cannot be detected, even when present, in most types of plant material offered for entry, and even if detected their specific identity could not be determined in many cases. Reports were received of heavy losses from virus diseases in imported lily bulbs, diseases which could not be detected in the bulbs at the time of entry and inspection.

Mosaic was intercepted in Gloriosa superba from the Virgin Islands and lilies

from Bermuda; spotted wilt of tomato, was intercepted from Mexico.

#### NEMATODE INTERCEPTIONS

Twenty interceptions of Anguina tritici were made in seed wheat from Afghanistan and three in wheat from Turkey. Aphelenchoides bicaudatus was intercepted in ginger from China; A. fragariae in lily-of-the-valley from Germany and lilies from Netherlands; A. limberi in dahlia from Germany; A. parietinus in various hosts from Azores, Belgium, China, Denmark, Dominican Republic, England, France, Germany, Italy, Jamaica, Japan, and Netherlands; Aphelenchus avenae on various hosts from Belgium, Denmark, France, Germany, Italy, Morocco, Netherlands, and Union of South Africa; Ditylenchus dipsaci in various hosts from Denmark, England, France, Germany, Guernsey, Netherlands, Norway, Poland, Sweden, and Uruguay; D. intermedius on yam from Puerto Rico; Heterodera marioni on new or unusual hosts for our interception files, including Adromischus trigynus from Germany, Anemone nemorosa and its variety robinsoniana from Canada, A. tessiri from Germany, Coptis quinquefolia from Japan, Convolvulus incanus from England, Echeveria spp. from Mexico, Hibiscus sp. from Mexico, Lobivia graulichi and L. schuldti from Japan, Melocactus matanzanus from Cuba; Pachyrhizus erosus from China, Pachysandra terminalis and Sarcocca ruscifolia from England, and Urbinia purpusii from Japan; Hexatylus n. sp. in ginger from China; Neotylenchus probably abulbosus in turnip from Wales; Pratylenchus pratensis in lily-of-the-valley from Germany, yam from Jamaica, and potato from Mexico; Rotylenchus bradys in vam from Puerto Rico; R. robustus in soil around roots of a century plant from Italy; and Tylenchus filiformis in Araucaria from Germany.

#### COMMON PESTS INTERCEPTED

Many pests commonly found on their hosts in the United States are intercepted more or less frequently. At times such interceptions have indicated the occurrence of some of these pests in countries from which they had not been reported. Some of these common pests intercepted may represent strains differing markedly in host reactions from the strains already established here. However, we have no ready means of determining the possible importance of common pests intercepted and no longer record most of them. It is believed that the interceptions listed in these paragraphs are sufficiently representative of this type of material. In addition to diseases common in this country, one disease (Elsinoe phaseoli) which occurs in Puerto Rico but is not known to occur in the continental United States has been intercepted so frequently on lima beans from Cuba that its interception has been recorded as though it were a common pest.

been recorded as though it were a common pest.

The two sets of figures in parentheses following each pest name indicate the number of countries from which the pest was intercepted and the total number

of interceptions.

INSECTS

Acanthoscelides obtectus (10—398), Ahasverus advena (21—109), Aonidiella aurantii (18—85), Aphis gossypii (15—297), A. rumicis (5—26), Araecerus fasciculatus (16—24), Aspidiotus camelliae (9—20), A. cyanophylli (11—47), A. hederae (16—92), A. lataniae (21—169), A. perniciosus (7—14), Aulacaspis pentagona (10—22), A. rosae (3—3), Brevicoryne brassicae (11—38), Carpocapsa pomonella (17—83), Cathartus quadricollis (4—86), Cavariella capreae (6—26), Cerataphis lataniae (13—61), Ceroplastes floridensis (5—30), Chionaspis citri (8—24), Chry-

somphalus aonidum (18—408), C. dictyospermi (20—176), Coccus elongatus (5—19), C. hesperidum (17—47), Diaspis boisduvalii (23—231), D. bromeliae (7—38), D. echinocacti (13—50), Ephestia cautella (19—80), Etiella zinckenella (5—28), Gnorimoschema operculella (25—189), Heliothis obsoleta (7—1,507), H. virescens (4—74), Heliothrips haemorrhoidalis (9—21), Howardia biclavis (8—75), Ischnaspis longirostris (10—23), Lasioderma serricorne (12—139), Lepidosaphes beckii (46—664), L. gloverii (13—136), L. ulmi (18—75), Macrosiphum solanifolii (9—144), Myzus persicae (14—158), Necrobia rufipes (10—18), Oryzaephilus surinamensis (14—127), Parlatoria pergandii (20—105), P. proteus (11—70), Pinnaspis aspidistrae (7—43), P. minor (10—104), Plodia interpunctella (16—294), Pseudaonidia distrae (7-43), P. minor (10-104), Plodia interpunctella (16-294), Pseudaonidia articulatus (20—88), Pseudococcus adonidum (19—44), P. brevipes (17—511), P. citri (26—124), P. maritimus (23—105), P. nipae (10—26), Rhizoglyphus hyacinthi (10—28), Rhizopertha dominica (3—30), Saissetia hemisphaerica (26—244), S. nigra (8—34), S. oleae (18—36), Sitophilus granarius (6—15), S. oryza (16—885), Sitotroga cerealella (9—45), Stegobium paniceum (11—49), Tenebroides mauritanicus (15—55), Thrips tabaci (22—201), Tribolium castaneum (19—121), T. confusum (3—57), Typhaea stercorea (13—52).

In addition to the listed species of common insects, there were 4,627 interceptions belonging to 569 different species which were not deemed to be of sufficient importance from the plant quarantine viewpoint to warrant listing them by species.

Total of insects included in this paragraph, 14,074.

#### DISEASES

Acrostalagmus cinnabarinus (1—1), Actinomyces scabies (31—213), Albugo candida (5—38), Alternaria brassicae (9—25), A. herculea (11—24), A. radicina (7—15), A. solani (2—5), Aspergillus niger (34—156), Bacillus carotovorus (21—52), Bacterium campestre (2—2), B. maculicola (13—32), B. marginatum (6—285), B. tumefaciens (7—25), B. vesicatorium (9—627), Botrytis cinerea (32—198), Bremia lactucae (4—12), Capnodium citri (15—21), Cephalothecium roseum (14—52), Ceratostomella adiposum (2—22), C. paradosa (13—169), Cercospora apii (3—3), C. beticola (2—7), C. capsici (4—117), C. neriella (1—8), C. rosicola (3—11), Cladosporium carpophilum (3—14), C. cumcumerinum (3—4), C. fulvum (4—10), C. herbarum (5—9), Colletotrichum circinans (4—17), C. lagenarium (8—13), C. lindemulhianum (11—22), Coniothyrium fuckelli (2—7), Corticium vagum (34—317), Diaporthe phaseolorum (1—73), Diplocarpon rosae (4—9), Diplodia (34-317), Diaporthe phaseolorum (1-73), Diplocarpon rosae (4-9), Diplodia natalensis (17-57), D. tubericola (7-9), D. zeae (3-6), Elsinoe fawcettii (16-45), natalensis (17—57), D. tubericola (7—9), D. zeae (3—6), Elsinoe fawcettii (16—45), E. phaseoli (1—550), Frysiphe graminis (4—29), Fusarium moniliforme (3—14), Gibberella saubinetti (1—1), Glocosporium limetticolum (14—240), G. musarum (4—7), Glomerella cingulatum (26—234), Graphiola phoenicis (5—12), Helminthosporium allii (12—100), H. oryzae (2—4), H. sativum (7—52), Heterodera marioni (21—81), Heterosporium allii (6—7), Leptothyrium pomi (10—12), Macrosporium solani (1—1), M. tomato (1—7), Melanconium sacchari (8—18), Mycosphaerella brassiciola (8—20), M. pinodes (7—8), Nigrospora sphaerica (3—4), Oospora citri-aurantii (2—6), O. lactis parasitica (7—15), O. pustulans (3—6), Penicillium digitatum (22—76), P. expansum (7—18), P. gladioli (7—19), P. italicum (17—37), Peronospora parasitica (4—10), Pestalozzia guepini (4—16), Phoma betae (1—1), P. destructor (4—475), P. lingam (3—4), Phomopsis citri (35—135), P. vexans (10—116), Phytophthora infestans (24—294), Puccinia antirrhini (1—2), P. chrysanthemi (2—2), P. coronata (3—5), P. glumarum (2—2), P. graminis (25—161), P. hieracii (2—2), P. malvacearum (3—5), P. menthae (2—9), P. porri (6—14), P. rubigo-vera (12—77), P. sorghi (1—4), Rhizopus nigricans (35—165), Sclerotinia sclerotiorum (24—134), Sclerotium oryzae (4—17), Septoria apii (18—40), S. petroselini (11—21), Sphaceloma perseae (2—9), Sphacelotheca sorghi (2—3), Spondylocladium arrovirens (51—967), Spongospora subterranza (14—43), Venturia inaequalis (26—141), V. pyrina (10—20), Verticillium cinnabarina (24—133). Total of these disease interceptions, 7,382.

#### INCOMPLETELY DETERMINED PESTS

Many intercepted insects and plant diseases cannot be determined with accuracy. Material may be scanty and in poor condition. The life histories of some insects are imperfectly known, or in the stage present two allied species may be almost indistinguishable, or the one or two specimens obtained may not be quite typical. In the case of plant pathogens the fruiting stages necessary for a determination may be lacking. While a few intercepted insects in immature stages have been reared at times and on rare occasions plant-disease organisms have been cultured and their identity established, there is no provision for the routine determination of immature insects by rearing or of plant diseases by culturing. While it is possible to determine many well-known pests in any stage of development, it would be highly desirable to make more comprehensive studies of unknown insects and diseases which cannot be determined by the means available and which may be potentially dangerous. This is especially true of plant pathogens, which are so often present in forms that are not detected by practicable general inspection methods.

#### INSECTS

Of the insect pests intercepted a total of 266 could be determined to family, subfamily, or tribe, only. A total of 6,092 other lots of insect pests, determined to genus only, were distributed among 667 genera. The largest number of interceptions included under any one of these 667 genera is 620 under Frankliniella, which arrived from 10 countries on 80 different hosts. Under Pseudococcus sp. there are records of 309 interceptions from a total of 41 countries and 104 hosts. Under Euxesta sp. there were 191 interceptions from 19 countries and associated with 42 different hosts. Ceutorhynchus sp. was intercepted 143 times from 14 countries on 10 hosts. Chrysomphalus sp. was taken 135 times from 21 countries on 31 hosts. Under Diaspis sp. there were 117 interceptions from 13 countries and 12 hosts. Curculio sp. arrived 97 times from 14 countries on 6 hosts. Diatraea sp. was intercepted 95 times from 5 countries on 4 hosts. Conotrachelus sp. arrived 90 times from 9 countries on 13 hosts. Under Haplothrips sp. there were 79 interceptions from 8 countries on 20 hosts. Empoasca sp. was taken 71 times from 6 countries on 26 hosts. Under Diaphania sp. there were 70 interceptions from 4 countries on 7 hosts.

#### DISEASES

While many of the common disease organisms are no longer reported in all cases, the total of interceptions of Fusarium sp. recorded was 2,060 from 79 countries or geographic subdivisions. Eighteen other genera were intercepted 25 or more times and not determined to species. Thirty-five genera were represented by one interception only, and 44 additional genera were represented by fewer than 10 interceptions each. Interceptions of Gloeosporium determined to genus only totaled 182 on 55 hosts belonging to 35 genera and on material from 31 countries or geographic subdivisions, including every continent. Undetermined interceptions of the closely related genus Colletotrichum totaled 32 on 15 hosts belonging to 12 genera and on material from 14 countries. There were 32 interceptions of Sclerotium sp. on 24 hosts belonging to 21 genera and on material from 13 countries. Phyllosticta sp. was intercepted 28 times on 24 hosts, all different genera, and from 18 countries. Undetermined interceptions of the related genus Phoma totaled 39 on 24 hosts belonging to 22 genera and on material from 18 countries. Fifty-two interceptions of "mosaic" were made on plant materials from Cuba and are included as determined to genus only.

One hundred and eight genera are represented in this group of incompletely determined pathogens. Total of these interceptions, 4,828.

#### **ENTOMOGENOUS FUNGI**

Some beneficial fungi, particularly those attacking insects, were found in the course of inspection of imported plants. These entomogenous fungi included Aegerita webberi on Dialeurodes citrifolii on citrus from Cuba; Aschersonia aleyrodis on Dialeurodes citri on citrus from Bahamas; A. cubensis on Coccus hesperidum on guava from Cuba; Cephalosporium lecanii on Coccus viridis on coffee from Cuba and Jamaica; Hirsutella sp. on leaf beetle on coffee from Jamaica; Myriangium duriaei on Lepidosaphes beckii on orange from Cuba and Jamaica; Nectria diploa on Aonidiella aurantii on orange from Cuba, on Chrysomphalus aonidum on orange from the Bahamas, on Ischnaspis longirostris on Ficus nitida from Cuba, on Lepidosaphes beckii on citrus from Costa Rica, Cuba, and Jamaica, and on Pseudaonidia articulatus on orange from Haiti; Ophionectria coccicola on undetermined host on citrus and on gardenia from Mexico; and Scoleconectria coccicola on undetermined host on citrus from Mexico.

Geographic summary of interceptions listed in main table and interception totals

Country	Insects	Diseases	Country	Insects	Diseases
Africa.	Number	Number	North America:	Number	Number
Africa	1	0	Bermuda	14	15
Algeria	3	Ö	Canada	12	6
Angola	1	0	British Columbia	0	2
Belgian Congo	2 8	0	Nova Scotia	Ö	i
Egypt	8	4	Central America:		-
EgyptEthiopia	ő	i	British Honduras	2	
Madeira Islands	6	ō	Canal Zone	9	5
Morocco	29	5	Costa Rica		1
Southeast Africa	1	0	Guatemala	45	12
Uganda	2	0	Honduras	12	12
Union of South Africa	68	92	Nicaragua	1	1
West Africa	1	1	Panama	24	3
Asia	1	1	Salvador	3	0
	0	01	Movies	4 140	
Afghanistan	0	21	Mexico		52
Arabia	1	0	Newfoundland	31	
China	35	28	West Indies:		}
Cyprus	2	0	American Virgin Is-	Table 1	
India	19	4	lands	2	1
Japan	212	80	Antigua	3	
Manchuria	2	0	Bahamas	23	(
Palestine	3	0	Barbados	16	(
Siam	1	5	Cuba	500	10
Straits Settlements	10	5	Curação	0	1
Svria	3	0	Dominica	3	(
Trans-Jordan	1	0	Dominican Republic Dutch West Indies	34	35
Turkey	9	4	Dutch West Indies	1	1
ustralasia.			Grenada	î	(
Australia	14	3	Guadeloupe	î	
Ceylon	4	Ö	Haiti		
Christmas Island	1	0	Jamaica		
Dutch East Indies		0	Montiniano		1
Datell East Indies	040		Martinique		
Hawaii	243	9 2	Montserrat	4	(
Java	4	2	Nevis	1	(
New Guinea	2	0	Puerto Rico		11
New Zealand	6	1	Saba	1	
Philippines	90	28	St. Kitts	2	
Pitcairn Island	2	0	St. Lucia	1	
Society Islands	1	0	St. Vincent	2	2
Sumatra	2	0	Trinidad	11	3
Europe Austria			Virgin Islands	1	
Austria	13	2	South America:		
Azores	9	2	Argentina	19	2
Belgium	189	9	Brazil	25	11
Bulgaria	2	0	British Guiana	2	1
Czechoslovakia	24	0	Chile	10	7
Denmark	12	2	Colombia	74	1 8
England	84	27	Dutch Guiana	i	1
Estonia	1	0	Ecuador	5	1
Finland	1	ő	Paraguay		1
France	144	49	Peru	2	
Germany	48	118			1
Germany	48		Uruguay Venezuela		
Greece .	20	1	Total	98	
Guernsey	0	5	Total:	100	100
Hungary	73	2	Africa	122	103
Ireland	13	2	Asia	298	14
Italy	198	62	Australasia	370	4:
Latvia	0	1	Europe	1,081	650
Lithuania	1	0	North America		170
Netherlands	54	324	South America.	178	35
Norway	4	5	Unknown origin	9	1
Poland	15	7		-	
Portugal	28	1	Total	7,064	1, 14
Scotland	123	5	Total (common pests,		
Spain	9	4	p. 5)	14,074	7, 38
Sweden	2	13	Total (incompletely de-		
Switzerland	6	5	termined pests, p. 6)	6, 358	4, 82
Union of Soviet Socialist	12	0	Total insects		-,
Republics.	1	1	Total diseases		13, 35
Wolce	1		Grand total		
Wales Yugoslavia	3	2	Grand total		10,000
1 ugosiavia	4	1		1	1

Note.—In addition to the countries named above, interceptions, including those of common pests (p. 5) and of incompletely determined pests (p. 6), were made from Albania, Aruba, Borneo, British East Africa, British Somaliland, British West Indies, Canary Islands, Cape Verde Islands, Cayman Islands, East Indies, Fiji Islands, French Indo-China, French West Africa, Gibraltar, Gold Coast, Guam, Iran, Iraq, Juan Fernandez, Liberia, Madagascar, Malta, Marquesas Islands, Monaco, Mozambique, Nigeria, Ontario, Orient, Palmyra Island, Penang, Queensland, Rumania, St. Martin (Dutch West Indies), Senegal, Sierra Leone, Southwest Africa, Taiwan, Tasmania, Turkestan, Wake Island, and West Indies.

		Nur	nber tion	of in	terce	ep-		
Country of origin and name of pest	Host 1		Mail	Baggage	Quarters	Stores	Collected in—	
AFGHANISTAN							1 1 1 1 1	
Diseases: Anguina tritici	Triticum aestivum (wheat)	20					District of Co-	
Diplodia viticola	Vitis sp. (grape)		1				lumbia. Do.	
AFRICA Insects: Trypetid	Citrus sinensis (orange)					1	Louisiana.	
ALGERIA Insects: Anuraphis cynariella (aphid)	Cynara scolymus (globe					1	New York.	
Baris laticollis (Curculioni-	artichoke).  Brassica rapa (turnip)						Texas.	
dae. Thrips angusticeps (thrips)	Cynara scolymus					1	New York.	
AMERICAN VIRGIN ISLANDS								
Insects:  Euscepes postfasciatus (West Indian sweetpotato weevil).	Ipomoea batatas (sweet-potato).	***************************************		2			Do.	
Diseases: Mosaic	Gloriosa su perba	,a		1			Puerto Rico.	
Insects:							10010	
Stephanoderes hampei (coffee berry borer).	Coffea sp. (coffee)	1					New York.	
Insects:		Para					11	
Asterolecanium miliaris longum (Coccidae).	Bamboo		1				Do.	
Myelois sp. (Pyralididae)  Targionia hartii (Coccidae)	Tamarindus indica (tama- rind). Pioscorea sp. (yam)			1			Do.	
ARABIA	Prosection Sp. (yam)		~ ~ ~ ~				10.	
Insects: Trypetid	Crassulaceae	~~~~	1	~~~			California.*	
ARGENTINA Insects:								
Deltocephalus venatus (Cica-dellidae).		1					New York.	
Diatraea sp. (Pyralididae)	Holcus sorghum var. (broomcorn).	1 4					Louisiana. New York.	
Edessa meditabunda (Penta-	do	1 1					Puerto Rico. New York.	
tomidae).  Euxesta sp. (Otitidae)  Naupactus xanthographus (Curculionidae).	Allium cepa (onion) Vitis sp. (grape)	1				1	Louisiana. Do.	
Parlatoria cinerea (Coccidae)	Citrus grandis (grapefruit) Citrus sinensis(orange)				1	1	Do. Florida.*	
Psychid Do	Packing for grapes Vitis sp. (grape)	1 2					New York.	
Rhizoecus sp. (Coccidae)	Echinopsis scheerii (cactus).	1					District of Co- lumbia.	
Salar lacordairei (Tenebrionidae).	Packing for grapes	1					New York.	

<sup>&</sup>lt;sup>1</sup> The common names for the following have been omitted: Ananas sativus (pineapple), Brassica oleracea capitata (cabbage), Capsicum annuum (pepper), Lycopersicum esculentum (tomato), Saccharum officinarum (sugarcane), and Solanum tuberosum (potato). Where the same host occurs frequently the common name has been omitted part of the time. All horticultural variety names have been omitted.

free manage	marked with an asterisk ind	1					
-spectral law		Nui	mber tion	of ir	terce	ep-	
Country of origin and name of pest	Host		Mail	Baggage	Quarters	Stores	Collected in—
ARGENTINA—Continued							
Insects—Continued. Saulaspis graphica (Chrysomelidae). Stenogeocoris horvathi (Lygaeidae).	Paper packing for grapes	1					New York. Do.
Diseases:  Pestalozzia bicolor  Uromyces striatus medicaginis	Salix sp. (willow) Medicago sativa (alfalfa)	1 1					Do. Do.
AUSTRALIA Insects:							
Bothrideres equinus (Colydiidae).	Cryptocarya palmerstoni (Queensland walnut) (log).	1					Do.
Ceratitis capitata (Mediter-ranean fruitfly).	Malus sylvestris (apple)					1	Massachusetts.
Chrysomphalus dictyospermi var. (Coccidae).	Mangifera indica (mango)	1					Hawaii.*
Chrysomphalus rossi (Coccidae).	Macrozamia peroffskyana		1				California.*
Do	Macrozamia sp		1 1				Do.* Do.*
Parlatoria niridis (Coccidae) Phenacaspis eugeniae (Cocci-	Palm Howea sp. (kentia palm)				1 1		Pennsylvania. Do.
dae).  Platypus australis (Platypodidae).	Cryptocarya palmerstoni (Queensland walnut) (log).	2					New York.
Uleiota australis (Cucujidae) Xyleborus kraatzi (Scolytidae). dae). Diseases:	do	3 1					Do. Do.
Septoria gladioli Sphaeronema talcahuanense (?).	Gladiolus sp. Cryptocarya palmerstoni (log).	1 1					Washington. New York.
Sterigmatocystis niger	Allium cepa (onion)	1					California.*
AUSTRIA Insects: Anthonomus rectirostris (Curculionidae).	Prunus avium (mazzard)		1				District of Co- lumbia.
Do	Cytisus scoparius (Scotch brocm).	1 1					New York. Do.
dae). Do	Laburnum alpinum (Scotch laburnum).	1	2				District of Co- lumbia. New York.
Do	Laburnum anagyroides	3					Do.
Do	(golden-chain).  Spartium junceum (Spanish broom).	1					Do.
Leucaspis loewi (Coccidae)	Pinus sp. (pine)	1		1			Do. Do.
Diseases: Thecopsora padi	Picea excelsa (Norway	1	w -				Do.
Vermicularia trichella	spruce).  Hedera helix (English ivy)			1	** ** ** **		Do.
AZORES Insects: Ceratitis capitata (Mediterranean fruitfly).	Capsicum annuum		1	***		n- to 10	Do.
Do	Citrus nobilis deliciosa (tangerine).			1			Do.
Do	Eriobotrya japonica (loquat).		1				Massachusetts.
Do	Ficus carica (fig)			2			New York. Do.
Do	Psidium cattleianum (strawberry guava).			î			Do.
Do	Pyrus communis (pear)			1			Do.

			Nur	nber tion	of in			
Country of origin and name of pest	Host		Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Azores—Continued								NAME OF THE OWNER O
Insects—Continued.  Targionia bromeliae (Coccidae).	Ananas sativus				1			New York.
Diseases: Aphelenchoides parietinus	Colocasia esculenta	(dash-	1					Do.
Ceratostomella fimbriata	een). Ipomoea batatas (s potato).	sweet-			1			Do.
Insects:	Cocos nucifera (cocon	1114			1			Florida.*
Aonidiella cocotiphagus (Coccidae).  Aspidiotus destructor (Cocci-	Artocarpus incisa (1		- 111-11					Do.*
dae). Do Do	fruit). Cocos nucifera Euphorbia pulcher	rima			1 1			Do.* Do.*
Do	(poinsettia). Terminalia catappa ( cal almond).	tropi-			1			Do.*
Aspidictus herculeanus (Coccidae).	Achras sapota (sapod							New York.
Cylas formicarius (sweetpo- tato weevil). Dialeurodes citri (citrus white-	Ipomoea batatas (swe tato). Citrus sp					1	1	Florida.*  Do.*
fly).  Frankliniella cephalica (thrips).	Antirrhinum mojus (dragon).	1						Do.*
Do	Rosa sp				1	1		Do.* Do.*
Do	Aster sp	ge)			1	1		Do.* Do.*
D <sub>0</sub>	Hibiscus sp				1	1 2		Do.* Do.*
Haplothrips gowdeyi (thrips)	Antirrhinum majus (dragon). Gossypium sp. (co			1	1	1		Do.*
Pectinophora gossypiella (pink bollworm).  Taeniothrips simplex (gladio-	seed).  Antirrhinum majus.				1	1		Do.*
lus thrips). Toxotrypana curvicauda (pa-	Carica papaya (papa				1			Do,*
paya fruitfly). Vinsonia stellifera (Coccidae).	Aspidistra sp				200 MM 600 ML	1		Do.*
BARBADOS Insects:								
Aspidiotus destructor (Coccidae).	Persea americana cado). Bamboo			1		H 40 (40 40		New York.
Asterolecanium miliaris lon- gum (Coccidae).  Do	Grass					p. in		Do.
Chrysomphalus personatus (Coccidae).	Dry herb			1				Massachusetts.
Euscepes postfasciatus (West Indian sweetpotato weevil).	Ipomoea batatas (s potato).							Louisiana.
Targionia hartii (Coccidae) Do	Dioscorea sp. (yam)	folium		1 2 1	2 3			Massachusetts. New York. Do.
BELGIAN CONGO	(yautia).							And a constant
Insects:  Leucaspis cockerelli (Coccidae).	Citrus sinensis (orang	ge)		1		- 3 - 3 - 1		District of Co-

		Nur	nber tion	of in	terce	p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in-	
BELGIUM Insects:								
Agromyza pinguis (Agro-	Cichorium intybus (wit-	.38	====				New York.	
myzidae). Anaphothrips orchidii (thrips)	loof). Anthurium sp		1			wh will have our	District of Co-	
Apion pomonae (Curculioni-	Vicia sp. (vetch)	2					Oregon.	
dae).  Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica rapa (turnip)					1	Pennsylvania.	
Endrosis lacteella (Oecophoridae).	Begonia sp		1				District of Co-	
Napomyza lateralis (Agromy- zidae). Diseases:	Cichorium intybus (wit-loof).	146					New York.	
Aphelenchoides parietinus	Apium graveolens (celery)					1	Do.	
Aphelenchus avenaeSclerotinia minor	Cichorium intybus (wit-loof).					1	Do. Do.	
Thielaviopsis basicola Verticillium alboatrum	Dahlia sp	2					Do. District of Co-	
BERMUDA	Dumm sp						lumbia.	
Insects: Aphis spiraecola (green citrus	Gerbera sp			1	~~~~		New York.	
aphid). Ceroplastes sinensis (Cocci-	Bignonia sp. (trumpet-			1			Do.	
dae). Frankliniella insularis	creeper). Codiaeum sp. (croton)				1		Do.	
(thrips). Do Do	Magnolia sp Nerium oleander (olean-			1 1			Do. Massachusetts.	
Do	der).  Passiflora spp. (passion-		1					
Haplothrips gowdeyi (thrips)	flower). Daisy							
Phenacoccus gossypii (Coccidae).			1					
D <sub>0</sub>	Daisy	1	1				Do. Do.	
Prodenia sp. (Noctuidae)	Amaryuus sp		1				Do.	
Do	Dianthus sp. (carnation)		1				Do.	
Vinsonia stellifera (Coccidae)	Lilium longiflorum (Easter lily).  Citrus sp					one and 100 ton	Massachusetts.  New York.	
Diseases: Fusicladium eriobotryae	Eriobotrya japonica (lo-							
Gloeasporium oleandri	quat). Nerium oleander (olean-				1		Massachusetts.	
Mosaic	der). Lilium longiflorum (East-		4	~ ~ ~ ~			New York.	
Do	/TD							
Phyllachora trifolii	Trifolium sp. (clover)	1	Vin 102 400 Am				Do.	
Phyllosticta codiaeicola	Codiaeum sp. (croton)			1			Do.	
Phyllosticta hibisci Septoria drummondi	Phlox drummondi (drum-		1	1			Do. Do.	
Septoria oleandrina	mond phlox).  Nerium oleander (oleander).				1		Virginia.	
Uromyces trifolii	Trifolium sp. (clover)	1					New York.	
BRAZIL								
Insects:  Anastrepha grandis (Trypetidae).	Cucurbita pepo (pumpkin)_					1	Louisiana.	
Anastrepha sp. (Trypetidae). Asterolecanium aureum (Coc-	Citrus sinensis (orange) Cattleya labiata (orchid)	1				1	Do. California.*	
cidae). Castnia sp. (Castniidae)	Cattleya sp. (orchid)	1					District of Co	

	STATE OF THE PARTY	Nur	nber	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
BRAZIL-Continued	representations and published productions and the control of the c						Hope II
Insects—Continued.  Chrysomphalus personatus (Coccidae).	Citrus grandis (grapefruit)					1	Maryland.
Dinoderus bifoveolatus (Bostrichidae).  Euscepes postfasciatus (West	Serjania mexicana (bar- basco). Ipomoea batatas (sweet-	1			1		New York. Louisiana.
Indian sweet potato weevil).	petata).					1	New York.
Gymnandrosoma sp. (Ole- threutidae). Mordellistena sp. (Mordelli-	Citrus grandis (grapefruit)_ Cattleya labiata (orchid)	1				1	Pennsylvania. California,*
dae).	Cattleya sp						District of Co-
NoctuidOrthezia praelonga (Coccidae)_	Cattleya labiata (orchid)	1			1		lumbia. Do. New York.
Orthia therapon (Castniidae).	Cattleya sp.	1					District of Co- lumbia.
Pachymerus nucleorum (Bru- chidae). Pachymerus sp. (Bruchidae)	Orbignya sp. (oil palm)						California.*  Do.*
Parlatoria cinerea (Coccidae)_	Citrus sp.	1					District of Co- lumbia.
Parlatoria fluggeae brasiliensis (Coccidae). Pectinophora gossypiella (pink	Citrus sinensis (orange)  Gossypium sp. (cotton-			1	1		Florida.*  New York.
bollworm).  Pseudaonidia trilobitiformis (Coccidae).	seed). Mangifera indica (mango).					1	Do.
Stephanoderes hampei (coffee berry borer).	Coffea sp. (coffee)						Do.
Tineid Do	Cattleya sp. (orchid)  Hura crepitans (sandbox-						District of Co- lumbia.
Xyleborus propinquus (Scoly-	tree)  Mangifera indica (mango)					1	Pennsylvania.  New York.
tidae). Diseases: Ascochyta lycopersici	Lycopersicum esculentum					1	New York.
Colletotrichum orchidearum	Cattleya labiata (orchid)	1					California.* New York.
Gloeosporium oncidii	Oncidium crispum (orchid).  Oncidium flexuosum (orchid).	1 1					California.* Do.*
Glomerella gossypii  Hemileia oncidi	Gossypium sp. (cotton) (boll).			1			New York.
Macrophoma oncidii	Orchid Oncidium longipes (or-	3				~~~	District of Co- lumbia. California.*
Plasmodiophora brassicae	chid).					1	New York.
BRITISH COLUMBIA		- PON					Marie Linear Lin
Diseases:  Ascochyta achlydis  Heterosporium trillii	Achlys triphylla (deer-foot) Trillium ovatum			1 1			Washington.
BRITISH GUIANA	Contractor of the Contractor	Paday				LEW	District Co.
Insects:  Aspidiotus destructor (Coccidae).	Nipa fruticans (palm)			1			Puerto Rico.
Furcaspis biformis (Coccidae)_ Diseases:	Schomburgkia lyonsi (or-chid).		1				District of Co- lumbia.
Dicherinia guianensis	Lonchocarpus sp	1					New York.

9 4191		Numb	oer of in	tercep-	
Country of origin and name of pest	Host	Cargo	Baggage	Quarters	Collected in—
BRITISH HONDURAS					
Insects:  Leucaspis cockerelli (Coccidae).  Parlatoria crotonis (Coccidae).	Attalea cohune (cohune palm). Codiaeum sp. (croton)		1		Louisiana. Florida.*
BULGARIA Insects: Anthonomus rectirostris (Curculionidae). Frankliniella intonsa (thrips)	Prunus avium (sweet cherry). Gladiolus sp		1 1		District of Co- lumbia. New York.
CANADA Insects: Agriotes sp. (Elateridae) Do	Soil around roots of larch tree.  Solanum tuberosum	~~~~	1		Massachusetts.
Anchylopera sp. (Olethreutidae).	Fragaria sp. (strawberry)		1	1	Maryland. Massachusetts.
Arctiid  Forficula auricularia (European earwig).  Furcaspis biformis (Coccidae)	Bale of bagging Ramondia heldreichii Cattleya schroederae (or-		1		New York. District of Co- lumbia. California.
PyralididStephanoderes hampei (coffee	chid). Aster sp Coffea sp. (coffee)		1		Washington. Minnesota.
berry borer).  Taeniothrips simplex (gladio-lus thrips).	Gladiolus sp				Hawaii.*
Tortricid	Rosa sp.	1	1 1		District of Co- lumbia. Washington.
Diseases:  Alternaria dianthi	Dianthus sp.	1			District of Co- lumbia.
Do			1		Do. New York. District of Co- lumbia.
Plasmodiophora brassicae	Brassica campestris (rutabaga).	100 the tar tar tar tar		1	Pennsylvania.
Insects: Acanthoscelides ar mit a gei (Bruchidae). Furcaspis bijormis (Coccidae)	Cajanus indicus (pigeon pea). Epidendrum atropurpu-	- I I I I			District of Co- lumbia. California.*
Do	reum (orchid).				District of Co- lumbia. California.*
Do	Oncidium confusum (or- chid). Oncidium sp				District of Co-
Hemichionaspis minor stra- chani (Coccidae).	Ceiba sp				lumbia. New York.
Phelomerus aherrans (Bruchidae). Stephanoderes guatemalensis	Cassia sp				Hawaii.* New York.
(Scolytidae). Vinsonia stellijera (Coccidae).	Orchid	-	1		District of Co- lumbia.
Diseases: Colletotrichum orchidearum	jus (orchid).				California.*
Gloeosporium affineGloeosporium cinctum	Schomburgkia luedeman- niana (orchid). Epidendrum stamfordia-		1		Do.* Do.*
CAN'T WA	num (orchid).				

		Nu	nber tion	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
CANAL ZONE—Continued							
Diseases—Continued.  Macrophoma oncidii  Do	Oncidium ampliatum ma- jus (orchid). Schomburgkia luedeman- niana (orchid).						
Insects:  Dacus sp. (Trypetidae)  Serica sp. (Scarabaeidae)	Citrus grandis (pomelo) Gossypium sp. (cotton) Oryza sativa (rice)	******	1			1	New York. Do.
Scotinophara lurida (Penta- tomidae). Vinsonia stellifera (Coccidae).	Oryza sativa (rice) Spathoglottis sp. (orchid)			1	1		Pennsylvania.  District of Co- lumbia.
CHILE Insects:	Vitie on (grapa)						New York.
Jalloides sanguineonotata (Pentatomidae). Leptoglossus chilensis (Corei-	Vitis sp. (grape) Packing for grapes	1					Do.
dae).  Lygaeus alboornatus (Lygaeidae).  Nabis punctipennis (Nabidae)	Excelsior packing for grapes.  Vitis sp. (grape)	1					Do.
Olethreutid	Amygdalus persica necta- rina (nectarine).	3					Do. Do.
Do Diseases:	Amygdalus persica (peach)_	1					Do.
Botrytis squamosa Rhizoctonia bataticola CHINA	Cucumis melo (melon)	6			1		Do.
Insects:  Aonidiella orientalis (Coccidae).	Litchi chinensis (lychee)			1			Hawaii.*
Bruchus chinensis (Bruchi- dae). Chilo simplex (Asiatic rice	Case of merchandise with	3		3			Do.* Washington.
borer). Do	rice straw packing.  Oryza sativa (rice) (straw packing).	1					Massachusetts. Texas.
Chionaspis yanonensis (Coccidae).  Cylas formicarius (sweetpo-	Citrus sinensis (orange) Ipomoea batatas (sweet-			1		1	Hawaii.*  Do.*
tato weevil).  Do  Fiorinia nephelii (Coccidae)	potato)do Litchi chinensis (lychee)	1		1 1			Washington. Hawaii.*
Fiorinia proboscidaria (Coccidae).  Fiorinia theae (Coccidae)	Citrus grandis (pomelo) Citrus grandis (grapefruit)_	1		1			California.* Washington.
Formosaspis formosanus (Coccidae). Do	Bamboodo	1					New York. Washington.
Lepidosaphes camelliae (Coccidae). Lepidosaphes tuberculata	Camellia sp			1			Do.  District of Co-
(Coccidae).  Morganella longispina (Coccidae).	Citrus grandis (pomelo)		~	1			lumbia. Washington.
Odonaspis secreta (Coccidae)  Palaeopus costicollis (yam weevil).	Bambusa sp. (bamboo) Dioscorea sp. (yam)			1			District of Co- lumbia. Washington.
Parlatoria camelliae (Coccidae).  Parlatoria ziziphus (Cocci	Camellia japonica (camellia). Citrus aurantifolia (lime)			1		1	Do. California.*
dae). Do	Citrus grandis (pomelo)					Section .	Do.* Massachusetts.
Do Do	doCitrus sinensis (orange)			2		1 1	Washington. California.*

List, by countries, of pests collected and reported from July 1, 1937, to June 30, 1938, inclusive—Continued

-12 - 111 - 12 		Nu	mber tion	of in	iterce	ep-	
Country of origin and name of pest	Host		Mail	Baggage	Quarters	Stores	Collected in—
CHINA—Continued					//		
Insects—Continued.  Pseudaonidia duplex (camphor scale).  Trypetid	Camellia sp			1			Washington. District of Co-
Diseases:  Aphelenchoides bicaudatus Aphelenchoides parietinus	Zingiber officinale (ginger)	1 1					lumbia.  New York.  Massachusetts.
Do	Citrus grandis (pomelo) Citrus sinensis (orange) do				1	1	New York. Washington. California.* Washington.
Hexatylus n. sp	Zingiber officinale (ginger) _ Ephedra sp. (Mexican-tea) _ Citrus sinensis (orange)do	1	1 				New York. Do. California.* New York.
Sclerotium rolfsii Do Do	Colocasia esculenta (taro) do Sagittaria sagittifolia (old-world arrowhead).	9 2 2					California.* Washington. California.*
Do Do Stilbum incarnatum	Trapa sp Eleocharis tuberosa (water-	1 1 1					New York. California.* Do.*
Do	nut).	1					New York.
CHRISTMAS ISLAND Insects:							
Odonaspis ruthae (Coceidae)	Lepturus repens		~~~	1			Hawaii.*
COLOMBIA Insects: Asterolecanium aureum (Coccidae).	Cattleya trianae (orchid)	1					California,*
Do	Cattleya sp. (orchid)	5					District of Co- lumbia.
Capaneus odiosus (Coreidae) Cholus cattleyarum (Curculionidae). Cholus sp. (Curculionidae)	Orchid	1 1					Do. California.*  District of Co-
Clerada apicornis (Lygaeidae) Conotrachelus sp. (Curcu-	Orchid debris	1 1					lumbia. Washington. Do.
lionidae). Curculionid	Cattleya spdo	1					District of Co- lumbia. Do.
lionidae).  Eucalandra setulosa (Cureulionidae).	Bamboo slats in case containing wild Cattleya sp.	1		7-00	~~~		Do.
Eurytoma orchidearum (Eurytomidae). Do Do	Cattleya gigas (orchid)  Cattleya trianae  Cattleya sp	1 1 3		on the second			California.*  Do.* District of Co-
Exptochiomera tumens (Lygaeidae).	do	1					lumbia. Do.
Furcaspis biformis (Coccidae)	Cattleya gigas (orchid) Cattleya spdo	1 3 1	00 00 00 00 00 00 00 00				California.* Do.* District of Columbia.
Do	Rodriguesia secunda (or- chid).	1	1				California.*
Hoplandrothrips reynei (thrips).  Iridomyrmex iniquus (ant)		3					Do.* District of Co-
	Orehid	1					lumbia. Do.

		Nur	nber tion	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Colombia—Continued							-13000 - 1500-1
Insects—Continued.  Iridomyrmex iniquus nigella	Cattleya trianae (orchid)	1					California.*
(ant).	Cattleya sp.	1				311	Do.*
Do	do	1					District of Co- lumbia.
D <sub>0</sub>	Orchid.	1 1					Washington. District of Co- lumbia.
Metamasius sericeus (silky cane weevil).	Musa sp. (banana)	1					Maryland.
Minthea rugicollis (Lyctidae) - Monanus concinnulus (Cucu-	Cattleya spdo	1 1					California.* Do.*
jidae).  Mordellistena cattleyana (Mordellidae).	do	1					District of Co-
Mordellistena chapini (Mordellidae).	do	1					Washington.
Mordellistena sp. (Mordellidae).	Cattleya dowiana (orchid)	1 5					California.*  District of Co-
Do	Cattleya spdo	6					lumbia. Washington.
Neella floridula (Miridae)	Cattleya sp. (orchid)	ĭ					District of Co- lumbia.
Pseudaonidia tesserata (Coccidae).	Mammea americana (mamey).  Miltonia sp. (orchid)	1		1			Florida.* Washington.
Sericus sp. (Elateridae) Silvanus vulgaris (Cucujidae). Telephanus grossicornis (Cu-	Cattleya sp.						California.* District of Co-
cujidae).  Tenthecoris bicolor (Miridae)  Do	Cattleya gigas (orchid)	1 2					lumbia. California.* District of Co-
Tineid	Cattleya trianae (orchid)	2					lumbia. Hawaii.* California.*
D <sub>0</sub>	do	1	1				District of Co-
Do	Miltonia debris	1					Washington. Do.
Do	Orchid.	1					Do. Do.
Diseases: Colletotrichum orchidearum	Packing around orchids		10				California.*  Do.*
Do	Orchiddo	1	1	1	1		Do.* District of Co-
Dendrodochium cattleyae	Cattleya sp	1					lumbia. California.* Do.*
Gloeosporium cattleyae	(orchid).		1				Do.*
COSTA RICA							
Insects:  Anastrepha sp. (Trypetidae)	Mangifera indica (mango) _ Psidium guajava (guava) _ Brassavola nodosa (orchid) _						South Carolina. Louisiana.
Asterolecanium aureum (Coccidae).						1	liimbia
Do	Oncidium sp. (orchid) Orchid		1 1				Do
Conotrachelus sp. (Curcu- lionidae). Furcaspis biformis (Coccidae).							Pennsylvania.  District of Co-
Iridomyrmex iniquus nigella	(orchid). Wild orchid					1	lumbia
(ant).  Leucaspis cockerelli (Cocci-	Epidendrum atropur-						
dae). Do	Dureum (orchid).			1			9

	lenis	Nw	nber	of in	terce	ep-		
Country of origin and name of pest	Host		Mail	Baggage	Quarters	Stores	Collected in—	
COSTA RICA—Continued								
Insects—Continued.  Macrosiphum luteum (aphid).	Orchid	1					District of Co-	
Metamasius sericeus (silky cane weevil).	Ananas sativus	1 10 10					lumbia. New York.	
Mordellistena sp. (Mordellidae).	Banana debris		1				Louisiana. District of Co- lumbia.	
Platynota sp. (Tortricidae) Pseudischnaspis bowreyi (Coccidae).	Dendrobium sp. (orchid) Cattleya skinneri (orchid)	1	1				Do. Do.	
Do	Epidendrum costaricensis (orchid). Herb		1				Do.	
Telephanus costaricensis (Cu- cujidae). Telephanus melanchlorus (Cu-					~~~		Texas.	
cujidae). Diseases: Uredo guacae	Epidendrum sp. (orchid)		1	unte			District of Co-	
CUBA							lumbia.	
Insects:  Aleurocanthus woglumi (cit- rus blackfly).	Citrus aurantifolia (lime)			1			Florida.*	
Aleurodicus cardini (white-fly).	Citrus sp Psidium guajava (guava)			1			Do.* Do.*	
Anastrepha sp. (Trypetidae)	Amygdalus communis (almond).  Mangifera indica (mango)			1 2 1			Do.*	
Do	Psidium guajava (guava) Spondias mombin (hog- plum).			1 2			Do.*	
Aonidiella cocotiphagus (Coccidae).	Annona squamosa (sugarapple).						Do.*	
Do Do	Cocos nucifera (coconut) Ficus sp Palm			4	1	1	Do.* Do.* Do.*	
Do	Phoenix dactylifera (date) Roystonea regia (royal palm).						Do.* Do.*	
Aspidiotus destructor (Coccidae).	Amygdalus communis (almond).  Annona muricata (soursop)			1 2			Do.* Do.*	
Do	Annona squamosa (sugarapple). Cocos nucifera (coconut)			1	2		Do.*	
Do	Musa sp. (banana)	2		1			Do.* Do.*	
Do	Persea americana (avo- cado). Psidium guajava (guava)			1			Louisiana. Florida.*	
Aspidiotus herculeanus (Coc-	Roystonea regia (royal palm). Acacia sp			11			Do.* Do.*	
cidae). Aspidiotus palmae (Coccidae).	Livistona chinensis (Chinese fan palm).			1			District of Co-	
Aspidiotus spinosus (Coccidae). Asterolecanium aureum (Coc-	Mammea americana (mamey).  Brassia caudata (orchid)			10			Florida.*  District of Co-	
cidae).  Do	Epidendrum plicatum (or-		1	11.17			lumbia. Do.	
Asterolecanium miliaris (Coccidae).	chid). Bamboo			1			Florida.*	
Bephrata cubensis (Eurytom- idae). Bruchus rufipes (Bruchidae).	Annona muricata (soursop)  Vetch pod with rye straw	1			1		Do.* Louisiana.	
Di words i wjipos (Di donidas).	jacket.				1			

			Nu	mber	of in	terce	p-		
Insects—Continued.   Ceutorhynchus sp. (Curculionidae).   Ceutorhynchus sp. (Curculionidae).   Chrysomphalus personatus (Coccidiae).   Citrus aurantifolae).   Coccus viridis (Coccidiae).   Citrus aurantifolae dilme).   1	Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
Ceutorhynchus sp. (Curcu-   Ionidae).   Chrysomphalus personatus (Coccidae).   Chrysomphalus personatus (Coccidae).   Coccus viridis (Coccidae).   Citrus aurantifolia (lime).   1	CUBA-Continued					1000	m I I	ATTENDED TO	
Coccus viridis (Coccidae)  Do.  Do.  Citrus avarantifolia (lime).  Do.  Coffea sp.  Do.  Gardenia florida (Cape- jasmine).  Do.  Do.  Cocidaerma plebiana (Ole- throutidae).  Do.  Do.  Coridaerma plebiana (Ole- throutidae).  Do.  Coridaerma plebiana (Ole- throutidae).  Do.  Do.  Coridaerma plebiana (Ole- throutidae).  Do.  Coridaerma plebiana (Daraica (Sweetpo- tato ol.  Do.  Coridaerma plebiana (Elateri- tato).  Do.  Coultaina satirus.  Do.  Prankliniella cephalica(thrips)  Coridaerma plebiana (Elateri- tale).  Do.  Coultaina satirus.  Do.  Prankliniella cubensis(thrips).  Coridaerma plebiana (Baraica (Indea).  Do.  Prankliniella insularis(thrips).  Coridaerma plebiana (Indea).  Do.  Prankliniella insularis(thrips).  Coridaer	Ceutorhynchus sp. (Curculionidae). Chrysomphalus personatus	nese cabbage).		1		7			
Do	Coccus viridis (Coccidae)	Citrus sp		1	1			Florida.*	
Do.   Crocidosema plebiana (Ole-threutidae).   Do.   Crytotermes brevis (termite).   Crytos formicarius (sweetpotato weevil)   Do.	Do	Gardenia florida (Cape-	as as 40 10 in to		13	2			
Topicate formicarius (sweetpotato) tato) weevil)	Do	Psidium guajava (guava) Hibiscus esculentus (okra)	4		1			Florida.* Louisiana.	
Do	Cryptotermes brevis (termite)	Ananas sativus						Do.	
Do	tato weevil)	tato).			- 3			New York.	
Do.		squash).							
Diatraea saccharalis (sugarcane borer).  Ephestia sp. (Pyralididae) Do	Do	ber). Cucurbita maxima (squash)				-			
Do.	Diatraea saccharalis (sugar- cane borer).	Saccharum officinarum	h = hr===					Pennsylvania.	
Do	Do	do	53					New York	
Do. Gardenia florida (Cape- jasmine).  Do. Frankliniella insularis(thrips) Do. Do. Mammea americana (ma- mey).  Do. Phaseolus lunatus macro- carpus (lima bean).  Granimoschema lycopersicella (tomato pinworm).  Gynaikothrips vesli (thrips) Do. Haplothrips gowdeyi (thrips) Do. Hellula sp. (Pyralididae) Do. Brassica chinensis (Chi- ness cabbage)  Marmara sp. (Gracilariidae) Marwara testulalis (bean pod borer).  Metamasius sericeus (silky cane weevil).  Metamasius sericeus (silky cane weevil).  Metamasius sericeus (silky cane weevil).  Parlatoria crotonis (Cocci- Codiaeum sp. (croton). 1  Do. District of Co- Do.	The same of the sa	dragon).							
Frankliniella insularis (thrips) Do. Mammea americana (mamey).  Do. Phaseolus lunatus macrocarpus (lima bean).  Rosa sp. Straiklin sp. (Carnation).  Do. Phaseolus lunatus macrocarpus (lima bean).  Guarikothrips vespiformis (thrips).  Guarikothrips uzeli (thrips).  Guarikothrips uzeli (thrips).  Ficus indica (fig).  Do. Haplothrips gowdeyi (thrips).  Do. Hellula sp. (Pyralididae).  Marmara sp. (Gracilariidae).  Marmara sp.	Do Do	Dahlia sp	100 (100 (100 (100 (100 (100 (100 (100		1	2		Do.* Do.*	
Carpus (lima bean).  Rosa sp. Glyphonyx fusculus (Elateridae). Gnorimoschema lycopersicella (tomato pinworm). Gynaikothrips uzeli (thrips). Do. Haplothrips gowdeyi (thrips). Do. Hellula sp. (Pyralididae).  Do. Hellula sp. (Pyralididae).  Marmara sp. (Gracilariidae). Marmara sp. (Gracilariidae). Marmara sp. (Gracilariidae). Marmara sp. (Gracilariidae). Marmasius sericeus (silky cane weevil). Parlatoria crotonis (Cocci-  Codiaeum sp. (croton).  I prassica chinensis (Chinese 1	Frankliniella insularis (thrips) Do	Dianthus sp. (carnation) Mammea americana (mamey).			1			Do.* Do.*	
(thrips). Glyphonyx fusculus (Elateridae). Gnorimoschema lycopersicella (tomato pinworm). Gynaikothrips uzeli (thrips) Do Haplothrips gowdeyi (thrips) Do Hellula sp. (Pyralididae) Do Marmara sp. (Gracilariidae). Marmara sp. (Gracilariidae). Marmara sp. (Gracilariidae). Marmara sp. (Gracilariidae). Metamasius sericeus (silky cane weevil). Parlatoria crotonis (Cocci-  Codiaeum sp. (croton)  Brassica chinensis (Chinese 1  Lycopersicum esculentum 2  Lycopersicum esculentum 2  Lycopersicum esculentum 2  New York. Florida.*  Florida.*  Florida.*  New York, Florida.*  New York,  Florida.*  New York,  Brassica chinensis (Chinese)  I Louisiana.  Florida.*  New York,  Brassica chinensis (Chinese)  I Louisiana.  Citrus grandis (Chinese)  I Louisiana.  Florida.*  New York,  Brassica chinensis (Chinese)  I Louisiana.  Florida.*  New York,  Do.  Brassica chinensis (Chinese)  I Louisiana.  Florida.*  New York,  Do.  Brassica chinensis (Chinese)  I Louisiana.  Florida.*  New York,  Do.  Brassica chinensis (Chinese)  I Louisiana.  Florida.*  New York,  Do.  Brassica chinensis (Chinese)  I Louisiana.  Florida.*  New York,  Do.  Brassica chinensis (Chinese)  I Louisiana.  Florida.*  New York,  Do.  Brassica chinensis (Chinese)  I Louisiana.  Florida.*  New York,  Do.  Brassica chinensis (Chinese)  I Louisiana.  Florida.*  New York,  Do.  Brassica chinensis (Chinese)  I Louisiana.  Florida.*  New York,  Do.  Brassica chinensis (Chinese)  I Louisiana.  I Louisiana.  Florida.*  New York,  Do.  Brassica chinensis (Chinese)  I Louisiana.  I Louisiana.  I Louisiana.  Florida.*  New York,  Do.  Brassica chinensis (Chinese)  I Louisiana.  Florida.*  New York,  I Louisiana.  Florida.*  New York,  I Louisiana.  Florida.*  New York,  I Louisiana.  I Lo		carpus (lima bean).						NAME OF TAXABLE PARTY.	
dae). Gnorimoschema lycopersicella (tomato pinworm). Gynaikothrips uzeli (thrips) Do. Haplothrips gowdeyi (thrips) Do. Hellula sp. (Pyralididae) Do. Brassica chinensis (Chinese cabbage) Do. Brassica juncea (mustard) Do. Brassica injuncea (mustard) Brassica nigra (black mustard) Brassica injuncea (mustard) Brassica nigra (black mustard) Do. Marmara sp. (Gracilariidae) Marmara sp. (Gracilariidae) More in expectation in the structure of the struct	Franklinothrips vespiformis (thrips).	Brassica chinensis (Chinese	1					New York.	
Gynaikothrips uzeli (thrips) Do Haplothrips gowdeyi (thrips) Do Hellula sp. (Pyralididae) Do Brassica chinensis (Chiness and a chiness and a chinensis (Chiness and a chiness an	dae). Gnorimoschema lycopersicella							lumbia.	
Hellula sp. (Pyralididae)  Do  Do  Brassica chinensis (Chinese cabbage).  Brassica juncea (mustard)  Brassica nigra (black mustard).  Marmara sp. (Gracilariidae).  Maruca testulalis (bean pod borer).  Metamasius sericeus (silky cane weevil).  Parlatoria crotonis (Cocci-Codiaeum sp. (croton).	Gynaikothrips uzeli (thrips) Do	Ficus Sp.			2			Florida.*	
Do  Brassica juncea (mustard)  Brassica nigra (black mustard)  Brassica nigra (black mustard)  Example 1	Do	Rosa sn				1		Florida.*	
Marmara sp. (Gracilariidae)  Maruca testulalis (bean pod borer).  Metamasius sericeus (silky cane weevil).  Parlatoria crotonis (Cocci- Codiaeum sp. (croton) 1	Do	Brassica juncea (mustard).	3					Do.	
Metamasius sericeus (silky Ananas sativus 1 Do. cane weevil).  Parlatoria crotonis (Cocci- Codiaeum sp. (croton) 1 District of Co-	Marmara sp. (Gracilariidae). Maruca testulalis (bean pod	tard). Citrus grandis (grapefruit)_ Phaseolus lunatus macro-	135		- 11			Do.	
Parlatoria crotonis (Cocci- Codiaeum sp. (croton) 1 District of Co-	Metamasius sericeus (silky cane weevil).	Ananas sativus					1	The same of the sa	
dae).  Parlatoria fluggeae brasiliensis   Citrus sinensis (orange) 1   lumbia.  Florida.*	Parlatoria crotonis (Coccidae).							lumbia.	
(Coccidae).  Parlatoria ziziphus (Coccidae)  Citrus nobilis deliciosa  1	(Coccidae).		1		-				

		Nui	mber tion	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
CUBA—Continued							
Insects—Continued.  Phenacoccus gossypii (Coccidae).	Capsicum annuum	1					New York.
Phyllophaga analis (Scarabae-	Ananas satirus	1					Do.
idae).  Pieris brassicae (Pieridae)	Brassica chinensis (Chi-	1					Do.
Platynota rostrana (Tortrici-	nese cabbage). Ananas sativus	3					Louisiana.
dae). Do	Cedrela sp. (log)	11					New York. Do.
podidae).  Prodenia sp. (Noctuidae)	Ananas sativus	1					Louisiana.
Do	Brassica chinensis (Chinese cabbage).	6					New York.
Do	Brassica oleracea capitata Lycopersicum esculentum	1 3					Do. Louisiana.
Do	Solanum melongena (egg-	1					New York. Do.
Pseudaonidia tesserata(Cocci-	plant). Chalcas sp			1			Florida.*
dae). Pseudococcus boninsis (Cocoi-	Saccharum officinarum (on						Do.*
dae). Do	top of box car). Saccharum officinarum Brassica chinensis (Chi-	1		1			Do.* New York.
(Curculionidae). Stephanoderes brasiliensis	nese cabbage).  Phaseolus lunatus macro-	1					Do.
(Scolytidae). Taeniothrips simplex (gladi-	carpus (lima bean). Gladiolus sp				1		Louisiana.
olus thrips). Targionia bromeliae (Cocci-	Ananas sativus	4					Florida.*
dae).	do	4					New York.
Targionia hartii (Coccidae) Do	Dioscorea sp. (yam)					1	Florida.* Pennsylvania.
Targionia sacchari (Coccidae)_ Tortricid	Saccharum officinarum Ananas sativus	6		5			Florida.* Louisiana.
Do	Capsicum annuum Hibiscus esculentus (okra)_	1 2					New York. Louisiana.
Toxotrypana curvicauda (pa- paya fruitfly).	Carica papaya (papaya)	~~~~		1			Florida.*
Xyleborus propinguus (Scolytidae).	Ananas satirus	1					Louisiana.
Diseases: Ceratostomella fimbriata	Xanthosoma sp. (malanga).	3					New York.
Colletotrichum falcatum	Saccharum officinarum Phaseolus lunatus macro-	3		3			Florida.* New York.
Vermicularia capsici	carpus. Capsicum annuum					1	Louisiana.
CURAÇÃO Diseases:							
Uromyces fabae	Vicia sp. (vetch)			1			New York.
Insects:							
Ceratitis capitata (Mediter-ranean fruitfly).	In case containing tan- erines and oranges.	1	~~~				Do.
D0	On paper wrapper of tangerine.	1					Do.
CZECHOSLOVAKIA Insects:				,			
Anthonomus rectirostris (Curculionidae).	Prunus avium (mazzard)		1				District of Co lumbia.
Baris lepidii (Curculionidae).	Radicula armoracia (horse-radish).	2	1				New York.

		Nu	mber	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Czechoslovakia-Continued							distriction of the
Insects—Continued.  Bruchus brachialis (vetch bruchid).	Vicia villosa (hairy vetch)						Alabama.
Do	do	3					Georgia. Maryland.
Do	do	1					Pennsylvania.
Do	do	Î					Virginia.
Do	Vicia sp. (vetch)	1					Alabama.
Do	do		1				District of Co-
Do	do	1					lumbia. Maryland.
Do	do	1					Virginia.
Bruchus rufipes (Bruchidae)	Vicia villosa (hairy vetch)	î					Alabama.
Do	Vicia sp. (vetch)		1				New York.
Do	do	1					Texas.
Liothrips vaneeckei (thrips)	Lilium sp. (lily) Holcus sorghum var.		1	1			New York.
Pyrausta nubilalis (European corn borer).	(broomcorn).		1				Do.
corn borery.	(broom orn).						Alamate Hall
DENMARK							1 0
Insects:	Davis - Jan / Farmer	-					De
Anthonomus rectirostris (Curculionidae).	Prunus padus (European bird cherry).	1					Do.
Bruchidius rillosus (Bruchi-	Cytisus sp.		1				District of Co-
dae).	Ogricus op.						lumbia.
Do	Laburnum alpinum	2					New York.
-	(Scotch laburnum).						De
Do Centorhynchus pleurostigma	Laburnum sp Brassica rapa (turnip)	1				1	Do. Pennsylvania.
(turnip gall weevil).						1	
Curculio nucum (Curculioni-	Corylus avellana (filbert)	2					New York.
dae). Eurydema oleraceum (Penta-	Amorpha fruticosa (bas-	1					Do.
tomidae).	tard indigo).	1					Do.
Lecanium coryli (Coccidae)	Acer pseudoplatanus (syca-		1				District of Co-
	more maple).						lumbia.
Do	Malus spectabilis		1				Do.
Do Diseases:	Populus yunnanensis		1				Do.
Aphelenchoides parietinus	Tuling sp. (tulin)			1			New York.
Aphelenchus avenae	Solanum tuberosum					1	Texas.
Description							
Insects: DOMINICA							
Coccus viridis (Coccidae)	Citrus aurantifolia (lime)	1				1	New York.
Xyleborus affinis (Scolytidae)	Mangifera indica (mango).			1			Massachusetts.
DOMINICAN REPUBLIC							
Insects:							
Anastrepha mombin praeop-	do	1		1			Puerto Rico.
tans (Trypetidae).							
Do	Spondias purpurea (purple			1			Do.
Apate monacha (Bostrichidae)	mombin). Swietenia mahogani (ma-	1					Do.
	hogany).	1					20.
Asterolecanium aureum (Coc-	Epidendrum truncatum	~	1				Hawaii.*
cidae).	(orchid).		-				District of Co
Do	Oncidium sp. (orchid)		1				District of Co- lumbia.
Chrysomphalus dictyospermi	Persea americana (avocado)			1			New York.
var. (Coccidae).							
Chrysomphalus rossi (Coc-	Ionopsis satyrioides (orchid)		1				Hawaii.*
cidae). Do	Oncidium luridum inter-		2				Do.*
D0	medium (orchid).		2				D0.
Do	Oncidium variegatum		1				Do.*
	(orchid)						37. 37. 1
Cylas formicarius (sweet- potato weevil).	Ipomoea batatas (sweet- potato).	2		4			New York.
Do.	potato).			1			Puerto Rico.
V	**************************************						I del to Itio.

-doomed have	Conserv	Nu	nber	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
DOMINICAN REPUBLIC-Contd.						1-1	_170.1010997FT
Insects—Continued.  Diaphania sp. (Pyralididae).  Furcaspis biformis (Coccidae).	Chayota edulis (chayote) Ionopsis utricularioides (orchid).	8	<u>i</u> -				New York. Hawaii.*
Galgupha guttiger (Cydnidae)	Oncidium luridum inter- medium.		1				Do.*
Leucaspis cockerelli (Coccidae).  Pectinophora gossypiella (pink bollworm).  Do	Persea americana (avocado) Gossypium sp. (cotton) (boll). Gossypium sp. (cottonseed)			1 1 1			New York, Do.
Pseudoparlatoria ostreata (Coccidae).	CactusSwietenia mahogani (ma-	1	1				District of Co- lumbia. New York.
Tenebroides transversicollis (Ostomidae).  Xyleborus confusus (Scolytidae).  Discases:	hogany) (log).  Mangifera indica (mango)			1			Do.
Aphelenchoides parietinus Ceratostomella fimòriata Colletotrichum cajani	Xanthosoma sp. (malanga). do Cajanus indicus (pigeon	1 32 1					Do. Do. Do.
Schizophyllum commune	pea). Swietenia sp. (mahogany)	1					Do.
DUTCH EAST INDIES	(log).				11		
Insects: Stephanoderes hampei (coffee berry borer).	Coffea sp. (coffee)	1					Do.
DUTCH GUIANA							
Insects: Aganectesis indecora (Pyralididae).	Cassia fistula (golden shower).			1			Louisiana.
DUTCH WEST INDIES				Cool			
Insects:  Bephrata maculicollis (Eurytomidae).	Annona muricata (sour-sop).			1			New York.
ECUADOR Insects:							
Anastrepha sp. (Trypetidae)	Chrysophyllum cainito (star-apple).			1			Do.
Coccus viridis (Coccidae)	Citrus limetta (sweet lime) Persea americana (avocado) Cedrela odorata (cigarbox- cedar).	1					Do. Washington. New York.
Diseases: Sclerolium rolfsii	Brassica rapa (turnip)	~====				1	Washington.
Insects: Chrysomphalus personatus	Palm				1		Maryland,
(Coccidae). Curculionid Pectinophora gossypiella (pink	Beta vulgaris (beet)	~~~~~			1	1	Georgia. Alabama.
bollworm). Do	dodo	1					Louisiana. New York.
Diseases:  Bacterium citri  Do	Citrus aurantifolia (lime)					1	Do. Pennsylvania.
Plasmodiophora brassicae Septoria citri	Brassica rapa (turnip)					1	Do. Do.
ENGLAND Insects: Agriotes sp. (Elateridae)	Brassica rapa (turnip)					1	Texas.
Do						1	

		Nu	mber	of in		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
England—Continued							- Arta Ima
Insects—Continued.  Anaphothrips orchidaceus (thrips).  Do	Miltonia sp. (orchid)  Phaius ashworthianus (orchid).	1					District of Co- lumbia. Hawaii.*
Apion craccae (Curculionidae) Breymatothrips iridis (thrips)		1 2	0				New York. District of Co- lumbia.
Bruchidius villosus (Bruchidae). Do	Cytisus scoparius (Scotch broom). Cytisus sp. (broom)		2	- 10			New York.  District of Co-
Do	Ulex europaeus (gorse) Vicia sp. (vetch)	1		~ ~ = -			New York.
Bruchus rufipes (Bruchidae). Ceutorhynchus pleurostigma (turnip gall weevil). Do	Brassica campestris (ruta- baga).						
Do Do	Brassica rapa (turnip)					1 1 3	Pennsylvania. Louisiana. Maryland. New York.
Do Do Curculio venosus (Curcu-	dodo					2 3	Pennsylvania. Texas. District of Co-
lionidae).  Dialeurodes chittendeni (rhododendron whitefly).  Diaspis zamiae (Coccidae)	Rhododendron sp.						
Do- Drymus sylvaticus (Ly- gaeidae).	Zamia integrisolia		1 1				Do. Do. Do.
Forficula auricularia (European earwig).	Package containing car- nations, asters, and heather.				-		
Hercinothrips errans (thrips) Leperisinus frazini (Scolyti-	Cypripedium sp. (orchid)Frazinus sp. (ash)	2					District of Co- lumbia. New York.
dae).  Lepidosaphes tuberculata (Coccidae).  Do	Cymbidium alexanderi (or-chid).	1				1	District of Co- lumbia.
Do	Cymbidium steffi (orchid)do	_					Do. Do. Do.
Ludius sp. (Elateridae)	Gardenia sp	1					District of Co-
Merodon sp. (Syrphidae) Micrelus ericae (Curculionidae).	Lycoris sanguineaCalluna vulgaris (heather)_		1				Do. New York.
Myzus ornatus (aphid)	Anacyclus sp						District of Co- lumbia.
D0 D0	DaisySenecio cruentus (cine-raria).						Do. New York. Do.
Do	Viola sp. (violet) Primula sp. (primrose) In case of liquor			1			Do.
Parthenothrips dracaenae (thrips).	Cypripedium sp. (orchid) Palm			110			District of Co- lumbia. New York.
Philophylla heraclei (celery fly).  Psylliodes chrysocephala	Palm Apium graveolens (celery) Brassica rapa (turnip)						Pennsylvania. Louisiana.
(Chrysomelidae).	do						New York. Pennsylvania.

		Nur	nber tion	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
England—Continued							
Insects—Continued.  Rhizophagus ferrugineus (Rhizophagidae). Sitona sp. (Curculionidae) Taeniothrips ericae (thrips) Thrips angusticeps (thrips)	Iris sp		1 1				District of Co- lumbia. Do. New York. Do.
Thrips flavus (thrips)	Papaver sp. (poppy)	1					District of Co- lumbia.
Thrips nigropilosus (thrips) Tipula sp. (Tipulidae) Tipulid Tortricid Do	Soil around plants Heliopsis sp Apium graveolens (celery) Heliopsis sp	1	1				Do. Do. Do. Pennsylvania. District of Co-
Do Do	Pittosporum sp Tsuga heterophylla (west-	1		1			lumbia. New York. District of Co-
Diseases:  Aphelenchoides parietinus  Coleosporium campanulae	paucus carota (carrot)Campanula sp. (bell-flower).	1				1	lumbia.  Pennsylvania.  District of Co- lumbia.
Colletotrichum orchidearum Coryneum microstictum Ditylenchus dipsaci Do	Orchid					1	Do. New York. Pennsylvania. Do.
Do	Helenium sp. (sneeze- weed). Iris sp Narcissus sp		1 1				District of Co- lumbia.  Do.  Do.
Do	Solanum tuberosum Quercus sp		1	2		1	New York. Massachusetts. District of Columbia.
Plasmodiophora brassicae	Brassica rapa (turnip)					1	Pennsylvania. District of Columbia. Do.
Rhytisma acerinum	Acer pseudoplatanus (syca- more maple). Pinus montana mughus					1	New York.
Sclerophoma strobiligena  Sclerotinia fructigena Sclerotinia gladioli	(mugho pine).  Malus sylvestris (apple)  Gladiolus sp					1	Pennsylvania. District of Co-
Sphaerotheca mors-uvae Uromyces fabae						1	lumbia. New York. Do.
Insects: Bolitophagus reticulatus (Tenebrionidae).	Wood		1				Do.
ETHIOPIA Diseases: Colletotrichum graminicolum FINLAND	Grass leaves used as packing.		1		on the day on		Do.
Insects:  Coleophora sp. (Coleophoridae).	Retu/a intermedia		1				District of Co- lumbia.
Insects: Anuraphis cynariella (aphid)	Cynara scolymus (globe artichoke).	****				2	New York.
Apion carduorum (Curculionidae).  Apion ochropus (Curculionidae).	Vicia spdo	1					Alabama. Illinois.

	and I	Nui	nber tion	of in	terce	ep-	
Country of origin and name of pest	Host		Mail	Ваддаде	Quarters	Stores	Collected in—
FRANCE—Continued					la ma	i n	
Insects—Continued.  Apion pomonae (Curculionidae).	Vicia sp	3		1			Alabama.
Do	do	1					Illinois.
Do	do	1 3					Louisiana. Massachusetts.
Do	do	6					New York.
Do	do	1					Pennsylvania.
Do	do	1					Puerto Rico.
Athous sp. (Elateridae)	Moss packing of orchid	1					Hawaii.*
Autographa sp. (Noctuidae)	plants.  Lactuca sativa longifolia (Romaine lettuce).					1	New York.
Baris sp. (Curculionidae) Bregmatothrips iridis (thrips)_	Brassica rapa (turnip)		<u>-</u> -			1	Do. District of Co-
Bruchidius lividimanus var. (Bruchidae).	Cytisus sp	4	1				lumbia. Do.
Bruchidius villosus (Bruchidae).	Spartium junceum (Spanish broom). Lathyrus tuberosus						Do.
Bruchus affinis (Bruchidae)	Vicia villosa (hairy vetch)		1				Do. Do.
Bruchus emarginatus (Bru-chidae).	Lathyrus ochrus						Do.
Bruchus laticollis (Bruchidae) Bruchus luteicornis (Bruchi-	Vicia peregrina Vicia sp. (vetch) Vicia angustifolia	1					Do. Louisiana. New York.
dae).							~~~
Do	Vicia sp. (vetch)dodo	3					Illinois. Massachusetts. New York.
DoBruchus rufipes (Bruchidae)	do	1					Pennsylvania. District of Co-
Do	do	1					lumbia. New York.
Do	Vinia ch (watch)	0					Alabama.
Do	do	1					Louisiana.
Do	do do do	56			1		New York.
Bruchus tristis (Bruchidae)	Lathyrus latifolius (ever- lasting pea).	1	1				Texas. District of Co- lumbia.
Ceratitis capitata (Mediter- ranean fruitfly).	In carton with peaches						New York.
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica rapa (turnip)					1	Do. Texas.
Chilo simplex (Asiatic rice borer).	Oryza sativa (rice)	1	1				Michigan.
Coleophora sp. (Coleophori- dae).  Depressaria sp. (Oecophori-	Rubus sp						New York. Do.
dae). Helophorus rugosus (Hydro-	artichoke).  Brassica rapa (turnip)						Do.
phylidae).  Iridomyrmex melleus (ant)  Do	Laeliocattleya hybrid Phalaenopsis sp. (orchid)	1				1	Hawaii.* Do.*
Liothrips vaneeckei (thrips)	donna lily),	1					New York.
Do Do Mesites pallidipennis (Cur-	Idlium sp. (lily)doJuglans sp. (walnut)	1					Do. Pennsylvania. Virginia.
culionidae).  Myzus ornatus (aphid)	Rosa sp						New York.
Napomyza lateralis (Agromyzidae.  Phyllotreta nigripes (Chryso-	Cichorium untybus (wit- loof).  Malus sylvestris (apple)						Do.  District of Co-
melidae).  Platypus australis (Platypodidae).	Log						lumbia. Virginia.

		Nui	nber	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Ваддаде	Quarters	Stores	Collected in—
FRANCE-Continued							I-E-XIF
Insects—Continued.  Psylliodes chrysocephala (Chrysomelidae).	Brassica rapa (turnip)						Louisiana.
Sciara fenestralis (Myceto-	do					1 1	Texas. New York.
philidae). Sitona sp. (Curculionidae)	Trifolium pratense (red clover).						Pennsylvania.
Thrips angusticeps (thrips) Do	Lactuca sativa (lettuce) Lactuca sativa longifolia (Romaine lettuce).					1	Do.
Tychius quinquepunctatus (Curculionidae).	(Romaine lettuce).  Vicia sp. (vetch)do						Do. Washington.
Diseases: Aphelenchoides parietinus Aphelenchus avenae Ditylenchus dipsaci							
Exodasidium vaccinii	Azalea indica (indica aza- lea).				1		Do.
Hormodendron cladosporioides. Kuehneola uredinis Leptosphaeria heterospora	Lycopersicum esculentum_ Rubus sp		1			1	Do. District of Co-
Phyllachora trifolii	Trifolium sp. (clover) Burus sp. (box)	1	1				lumbia. New York. Illinois.
Septoria alliorum	Vicia sp. (vetch)	35 1		1		1	I chinoprodula.
GERMANY	Iris sp		1	~			District of Co- lumbia.
Insects:  Anthonomus rectirostris (Curculionidae).	Prunus avium sylvestris		1				Do.
Apion pomonae (Curculionidae).	Vicia sp. (vetch)						Illinois. New York.
Do	do	1	1				Texas. District of Columbia.
Bruchus brachialis (vetch bruchid).	Vicia sp. (vetch)						Do.
Do	do		î				Pennsylvania.
Bruchus rufipes (Bruchidae) Ceutorhynchus pleurostigma	do	1					New York.
(turnip gall weevil).  Curculio nucum (Curculioni-	Brassica rapa (turnip) Corylus sp. (hazelnut)					1	Pennsylvania.  New York.
dae).  Ernobius abietis (Anobiidae)	Picea excelsa (Norway spruce).						Do.
D <sub>0</sub>	Picea sp. (spruce)		2				District of Co- lumbia. New York.
Do Do Frankliniella intonsa (thrips)	Pinus sp. (pine)		1 1 1				Pennsylvania. New York. Do.
Gastrodes abietum (Lygaeidae). Gastrodes ferrugineus (Lygae-	Picea sp. (spruce)						Do.
idae).  Hypera postica (alfalfa weevil)	Medicago sativa (alfalfa) Pinus sp Picea sp						
Ips typographus (Scolytidae)  Laspeyresia strobilella (Ole- threutidae).							
Lecanium coryli (Coccidae) Do	Alnus maritima (seaside alder). Cornus sanguinea mietzschi						District of Co- lumbia. Do.

	marked with an asterisk mu					•	
		Nui	nber	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
GERMANY—Continued					-		
Insects—Continued.					100	VAL.	(8.5)
Leucaspis loewi (Coccidae) Micrelus ericae (Curculionidae).	Pinus sp		1		1		Pennsylvania. New York.
Neuroterus albipes (Cynipidae).	Quercus sp. (oak)			1			Do.
Pityogenes chalcographus (Scolytidae).	Pire bark strips on peat	1					Virginia.
Plagiognathus chrysanthemi (Miridae).	Medicago sativa (alfalfa)			1			New York.
Serica brunnea (Scarabaeidae)	Soil around roots of rho- dodendron plants.	1					District of Co-
Sitona sp. (Curculionidae)	Daucus carota (carrot) Calluna vulgaris (heather) Soil around roots of edel-		1 2	1			Do. New York. Do.
Trionymus peregrinus (Coccidae).	weiss plants.  Haworthia fasciata		1				California.*
Diseases: Aphelenchoides fragariae	Convallaria majalis (lily-	42		2		1,5.1	New York.
Aphelenchoides limberi	of-the-valley).  Dahlia sp	1					District of Co-
Aphelenchoides parietinus	Araucaria excelsa (Norfolk-Island-pine).			1			lumbia. New York.
DoAphelenchus avenae	Convallaria majalis	1					Do. Do.
Cephalobus persegnis	do						Do. Do.
Ditylenchus dipsaci	Convallaria majalis	8					Do. Alabama.
Do Do Erysiphe umbelliferarum	do						Texas.
Closedes pomisena	Malue sulvestrie (2701e)		1			1	District of Co- lumbia.
Gloeodes pomigena Macrophoma candollei Pestalozzia funerea	Buxus sempervirens (box) Pseudotsuga taxifolia			1			New York.
Phomopsis conorum var. navi-	(douglas fir).  Picea excelsa (Norway)						
culispora.  Phragmotrichum chailletii	spruce).			4			
Phyllosticta auerswaldii	Buxus sempervirens (box) Convallaria majalis (lily-	97		i			Do.
Pratylenchus pratensis	of-the-valley).			6			
Puccinia phragmitis	Phragmites communis (reed grass).						
Ramularia tulasnei				1			Do. Do.
Sclerophoma strobiligena	maple).  Picea excelsa (Norway spruce).			1			Do.
Septoria citriSporonema oxycocci	Citrus sinensis (orange)				1		Pennsylvania.
Sporonema strobilinum Do Tylenchus filiformis	Picea excelsa		1	1			Do.
	folk-island-ninel.						
Uromyces fabae	Vicia sp. (vetch)	1					Do.
Verticillium albo-atrum	Dahlia sp	~~~~	1				District of Co-
Volutella buzi	Buxus sempercirens (box)			1			New York.
Insects: GREECE Ceratitis capitata (Mediter-	Cydonia oblonga (quince)			7			Do.
ranean fruitfly). Do	Punica granatum (pome-			1			Do.
Do	granate). In basket containing			1			Do.
	quinces and pomegran- ates.					1	
Do	On paper wrapper around peaches.			1			Do.

		Nur	nber tion	of in	terce	p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
Greece—Continued				10				
Insects—Continued.  Cryptoblabessp. (Pyralididae)  Elater sp. (Elateridae)  Myelois sp. (Pyralididae)  Olethreutid	Punica granatum Soil around iris rhizomes Punica granatum (pomegranate). Cupressus sp. (cypress)		1				Do,	
Parlatoria oleae (Coccidae)	Malus sylvestris (apple) Olea europaea (olive)		1				Do. District of Co- lumbia.	
Pollinia pollini (Coccidae)	Pyrus communis (pear) Olea europaea		1				New York. District of Co- lumbia.	
Pseudococcus boninsis (Coccidae).  Diseases:	Saccharum officinarum	TO THE					New York.	
Botrytis allii GRENADA	Allium cepa (onion)	1					Do.	
Insects:  Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton-seed).			1			Massachusetts.	
GUADELOUPE Insects: Vinsonia stellifera (Coccidae)	Mangifera indica (mango).			1		over that that	Puerto Rico.	
Insects:	Tabebuia donnell-smithii	1					New York.	
Acanthoderes circumftexa (Cerambycidae).  Aspidiotus destructor (Coccidae).	(primavera) (log).  Cocos nucifera (coconut)			1			Louisiana.	
Aspidiotus palmae (Coccidae) - Cyparium terminale (Scaphididae).	Oncidium cavendishianum (orchid).	1					California.*	
Eurycipitia vestitus (Miridae)	Oncidium splendidum (orchid).	1					Do.* Do.*	
Forficula auricularia (Euro- pean earwig). Furcaspis biformis (Coccidae).	Eugenia axiliaris (guaya- can) (log). Cattleya aurea (orchid)	171117		1			Do.*	
Do	Cattleya trianae (orchid) Statice sp. (thrift) Oncidium sp. (orchid)	1 1					Do.* Texas. District of Co- lumbia.	
Macrosiphum luteum (aphid)_ Do	Brassia verrucosa (orchid)_ Epidendrum vitellinum (orchid).	1					California.* Do.*	
Do	Oncidium cavendishianum (orchid).	2					Do.* District of Co-	
Metamasius sericeus (silky cane weevil).	Banana debris	1					lumbia. Louisiana.	
Do	Musa sp. (banana)	1 1 1			** ** ** **		Texas. Maryland. Texas.	
Do		1					District of Co- lumbia.	
Mordellistena sp. (Mordelli- dae). Platypus emarginosus (Platy-	Cattleya sp. (orchid)  Tabebuia donnell-smithii	1					Do. New York.	
podidae).  Platypus rugulosus (Platypodidae).	(primavera) (log).	5	yes any ine six				Do.	
Pycnarthrum lambottei (Scolytidae). Silvanus vulgaris (Cucujidae).		1					Do. *	

		Nur	nber tion	of in		p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
GUATEMALA—Continued								
Insects—Continued.  Stenoma sp. (Stenomidae)  Tineid.:	Persea americana (avocado) Odontoglossum grande (or- chid).	1		1			Pennsylvania. California.*	
Xenomyrmex stolli mexicanus (ant). Xestocoris collinus (Lygaei-	Oncidium cavendishianum (orchid). Oncidium sp. (orchid)	1					Do. District of Co-	
dae).  Xyleborus affinis (Scolytidae).  Xyleborus confusus (Scolyti-	Tabebuia donnell-smithii (primavera) (log).	1 4					lumbia. New York.	
dae).  Xyleborus propinquus (Scolytidae).  Diseases:							Do.	
Cercospora musae Colletotrichum orchidearum	(orchid).	1					Massachusetts. California.*	
Do	Oncidium splendidum (orchid). Orchid	1					Do.*  District of Co- lumbia.	
Do	Stanhopea wardii (orchid) Oncidium bicallosum (orchid). chid). Oncidium leucochilum (orchid)	1 1					California.* Do.*	
DoHeterosporium echinulatum	chid). Orchid						Do.* Texas.	
Macrophoma orchidicola Physalospora orchidearum	Stankopea wardii (orchid) Oncidium cavendishianum (orchid).	1					California.* Do.*	
GUERNSEY Diseases: Ditylenchus dipsaci	Narcissus sp	5					Massachusetts.	
HAITI Insects: Anastrepha mombin praeoptans	Mangifera indica (mango)				1		Maryland.	
(Trypetidae).  Anastrepha sp. (Trypetidae)  Frankliniella insularis (thrips)  Xyleborus affinis (Scolytidae).	Rosa sp Manyifera indica			1		1	Florida.* New York. Maryland.	
HAWAII Insects: Adoretus sinicus (Scarabaei-	Rosa sp	****		1			California.*	
dae).  Amorbia emigratella (Tortricidae).	do			1			Do.*	
Aonidiella inornata (Coccidae).	Piper betle (betel pepper)						Do.*	
Caryedon fuscus (Bruchidae)_ Do	Cascara sagrada (cascara)			1			Do.* Do.*	
Do	Cassia sp. Capsicum annuum (bell pepper).			1		1	Washington. California.* Guam.	
Do	Coffee sp. (coffee)					1	California.* Do.* Do.*	
Ceroplastes rubens (Coccidae). Chrysomyza demandata (Otitidae).	Alyxia olivaeformis (maile) Soil			6			Do.* Do.*	
Clerada apicicornis (Lygaeidae).	do			1			Do.*	

		Nun	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
HAWAII—Continued							411
In sects—Continued.  Coccus viridis (Coccidae)  Do  Dialeurodes kirkaldyi (white-	Coffea sp. (coffee)			1 23	1		California.* Do.*
Dialeurodes kirkaldyi (white-	jasmine).			4	1		Do.*
fly). Diocalandra taitensis (Tahi-	Cocos nucifera (coconut)			2			Do.*
tian coconut weevil).  Ereunetis flavistriata (sugar-	do	5		9			Do.*
cane bud worm)  Haplothrips gowdeyi (thrips)  Do	Calotropis gigantea			9			Do.*
Do Do	Canavalia sp. Dianthus sp. (carnation)			4 6			Do.* Do.*
$\mathbb{D}_0$	Dianthus sp. (carnation) Flower leis Gomphrena globosa (globe-			9			Do.*
<b>D</b> 0	Gomphrena globosa (globe-amaranth).		~ = = =	5			Do.*
<b>D</b> 0	Jasminum sambac (Arabian jasmine).	~~~~		1			Do.•
Do	Solidago sp. (goldenrod) Canavalia sp.			1 12			Do.* Do.*
dae).  Lepidosaphes lasianthi (Coc-	Codiaeum sp. (croton)	1000					Do.*
cidae). Lepidosaphes uniloba (Coc-	Alyxia olivaeformis (maile)						Do.*
cidae). Leucaspis cockerelli (Cocci-	Hylocereus undatus (cac-	11000					Do.*
dae).  Maruca testulalis (bean pod	tus). Canavalia sp			12	1		Do.
borer).	Dioclea violacea			1			Do.*
Phenacaspis eugeniae (Coccidae).	Cocos nucifera (coconut)						Do.*
Plagiolepis mactavishi (ant) Pseudaonidia clavigera (Coc- cidae).	Ornamental plant Bougainvillea sp			1			Do.* Do.*
Do	Hibiscus sp		2	3			Do.*
Pseudococcus kraunhiae (Coc-	Plumeria sp. (frangipani) Gardenia florida (Cape-jas-			3 2			Do.* Do.*
cidae).  Ripersia palmarum (Cocci-	mine). Cocos nucifera (coconut)				3		Do.*
dae). Sternochetus mangiferae (man-	Mangifera indica (mango)				2		Do.*
go weevil).	do			1			Washington.
Taeniothrips hawaiiensis (thrips).	Canavalia sp			1		in an and an	California.
D0	Dianthus sp. (carnation)			13 7	2		Do.• Do.•
Do	Gladiolus Sp			1			Do.*
Do	Gomphrena globosa (globe-			1			Do.*
Taeniothrips simplex (gladi- lus thrips).	Dianthus sp. (carnation)					1	Do.
lus thrips). Tineid Diseases:	Ananas sativus					1	Washington.
Uromyces alyxiae	Alyxia olivaeformis (maile)			9			California.*
HONDURAS Insects:							La la company
Anastrepha sp (Trypetidae) Do	do			1			New York.
Brentus anchorago (Brenti-	Tabebuia donnell-smithii (primavera) (log).		1				Do.
Brentus armiger (Brentidae) Brentus mexicanus (Brenti-		1					Do.
dae).  Cosmopolites sordidus (banana root borer).	Musa sp. (banana) (root)			1			Do.
Metamasius sp. (Curculionidae).	do			1			Do.

	Indiana with an asterior in	1	nber	of in	terce		
Country of origin and	Host		tion	ns in-	1	1	Collected in—
name of pest	11030	Cargo	Mail	Baggage	Quarters	Stores	Confected III—
HONDURAS-Continued							
Insects—Continued. Stenoma sp (Stenomidae)	Persea americana (avoca-			1			New York.
Targionia bromeliae (Coccidae).	do). Ananas sativus			1	- A A		Do.
Xyleborus confusus (Scolyti-	Saccharum officinarum Swietenia mahogani (ma- hogany) (log).	1		1			Louisiana. Do.
dae). Do	Tabebuia donnell-smithii (primavera) (log).	1					New York.
Diseases: Cercospora musae	Musa sp. (banana)	1					South Carolina.
HUNGARY Insects: Aelia acuminata (Pentatomi-	Vicia villosa (hairy vetch)	1				17.00	Louisiana.
dae).  Bruchus brachialis (vetch)	Vicia sativa (vetch)	the state of					Pennsylvania.
bruchid). Do Do	Vicia villosa	9	2				Alabama. District of Co-
Do	do	1					lumbia. Georgia.
Do	do	1	-		1		Maryland. New York.
Do	Vicia sp. (vetch)		4				Virginia. District of Columbia.
Do	do	1					Louisiana. Maryland.
Do	do	3 4	1				New York. Pennsylvania.
Do	do	3					South Carolina. Virginia.
Bruchus rufipes (Bruchidae) Do	Vicia villosa (hairy vetch).	1					New York. Alabama.
Do	Vicia sp. (vetch)	-	1				District of Co- lumbia.
Do	do	2					Louisiana. Maryland.
Do	do	5					Massachusetts. New York.
Do	Mespilus sp	1					Pennsylvania. District of Co-
Chaetopsis julvifrons (Ortali-	Vicia sp. (vetch)	1					lumbia. Louisiana.
Eurygaster hottentotus (Pentatomidae).	do	1					Do.
Pyrausta nubilalis (European corn borer).	Holcus sorghum var. (broomcorn).	2					New York.
Sitona sp. (Curculionidae) Diseases: Fusicladium depressum	Vicia villosa (hairy vetch)  Foeniculum sp. (fennel)	100					Do.
Gloeodes pomigena	Malus sylvestris (apple)						Do. Do.
Insects:							
Adiscodiaspis tamaricola (Coccidae).  Aonidiella orientalis (Coccidae)	Tamarix sp						District of Co- lumbia.
dae). Callosobruchus chinensis	Pisum sp						Do. Hawaii.*
(Bruchidae). Do Do	Mixed grain and paddy					1	Massachusetts.
Caryedon fuscus (Bruchidae)	rice.	0					New York.

		Number of interceptions in—			p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
INDIA—Continued							- the second
Insects—Continued.  Cylas formicarius (sweet- potato weevil).  Dialeurodes citri (citrus white- fly).  Dicrepidius sp. (Elateridae)	Ipomoea batatas (sweet- potato). Cinnamomum tamala Cymbidium lowianum (or-	2	1			1	Massachusetts.  District of Co- lumbia. California.*
Elaterid	chid). Cymbidium eburneum (or-	1					Do.*
Episcaphula elongata (Eroty-	chid). Cymbidium lowianum	1					Do.*
lidae).  Lophocateres pusillus (Siamese grain beetle).  Parlatoria cinerea (Coccidae).	Mixed grain and paddy rice. Citrus limonia (lemon)	1				2	Massachusetts.
Parlatoria oleae (Coccidae)	Eriobotrya japonica (lo-	1		nicht gaft befr. un-			District of Co- lumbia.
Parlatoria pseudaspidiotus	quat). Vanda teres andersonii (or-chid).		1				Do.
(Coccidae).  Pseudococcus theaecola (Coccidae).  Ptinus tectus (Ptinidae)	Hedychium gardenerianum (Indian ginger-lily). Cymbidium lowianum (or-	1	1				Do. California.*
Diseases: Fusicladium depressum	chid).  Foeniculum vulgare (fennel).	1					New York.
Mycosphaerella calceoli (?)	Cymbidium giganteum (or- chid).	1					California.*
Physalospora orchidearum	Cymbidium eburneum (or- chid).		1				Do.*
Rhizoctonia bataticola	Ipomoea sp		1				District of Co-
Insects: Acalypta parvula (Tingiti-	Calluna vulgaris (heather)			1			
dae).  Apion pomonae (Curculioni-	Vicia sp. (vetch)		1				Do.
dae).  Apion ulicis (Curculionidae)  Forficula auricularia (Euro-	Ulex sp. (furze)Calluna vulgaris			1 1			
pean earwig).  Laspeyresia sp. (Olethreuti-	Uler sp. (furze)			1			Do.
dae).  Lecanium coryli (Coccidae)	Populus vernirubens		1				District of Co-
Mecinus pyraster (Curculionidae).	Malus sylvestris (apple)			1			lumbia. New York.
Megophthalmus scanicus (Ci-cadellidae).	Trifolium repens var. (shamrock).		1				Massachusetts.
Micrelus ericae (Curculionidae).	Soil around heather			1			New York.
Orthezia cataphracta (Coccidae).	Soil and moss used as packing for shamrocks.						Pennsylvania.
Do	Trifolium repens var	1					District of Co-
Ulopa reticulata (Cicadellidae).	Soil around roots of rose bush.		1	1			New York. Massachusetts.
Diseases: Sclerotinia gladioli	Gladiolus sp		1				District of Co-
Vermicularia varians	Solanum tuberosum			1			Massachusetts.
Insects:		-					
Agallia venosa (Cicadellidae)	Mentha sp. (mint) Daucus carota (carrot)					1	New York. Do.
Anuraphis cynariella (aphid)	Cynara scolymus (globe artichoke).					4	Do.
Apion carduorum (Curculionidae).	do			1			Do.

		Number of interceptions in—			p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in-
ITALY—Continued							
nsects—Continued.  Apion pomonae (Curculioni-	Lathyrus sp						New York
dae). Do	Vicia sp. (vetch) Diospyros sp. (persimmon)	1		1			Do. Do.
dae).  Asterolecanium thesii (Coccidae).	Pittosporum sp				1		Do.
Brachycerus sp. (Curculionidae).	Allium sativum (garlic)		1				Pennsylvania.
Bruchidius lividimanus (Bruchidae). Bruchidius villosus (Bruchi-	Cytisus sp. (broom)  Spartium junceum (Span-	1	1				New York. Do.
dae).  Bruchus brachialis var. (Bru-	ish broom). Vicia sp. (vetch)	1					Do.
chidae).  Bruchus brachialis (vetch bruchid).	do	2					Pennsylvania.
Bruchus laticollis (Bruchidae) Bruchus luteicornis (Bruchi-	Vicia angustifolia (vetch)	3 1					New York. Do.
dae).  Bruchus rufipes (Bruchidae).  Bruchus signaticornis (Bruchidae).	Vicia sp. (vetch)  Lens esculenta (lentil)	6	3				Do. Do.
Bruchus tristiculus (Bruchi-	Lupinus albus (white lupine).						Massachusetts.
DoBruchus tristis (Bruchidae)	Vicia faba (fava bean)  Vicia sp. (vetch)  Lathyrus sativus (grass pea)	1					District of Co lumbia. New York. Illinois.
Do Do	Pisum sativum (pea) Vicia faba (fava bean)	1	1 1				New York. Massachusetts. District of Columbia.
Bruchus viciae (Bruchidae) Bucculatrix sp. (Lyonetiidae) _ Ceratitis capitata (Mediter-	Vicia sp. (vetch) Pinus sp. (pine) Amygdalus persica (peach)				2		Mr. W. W
ranean fruitfly). Do Do	Citrus medica (citron)	1				1	Do. Massachusetts.
Do	Citrus sinensis (orange)				1		New York. Texas.
Do Do Do	do		2	1			New York. Maryland. New York.
Do Do	Diospyros sp. (persimmon) In bag containing oranges			5			Do. Do. Pennsylvania.
Do	ines. In tray of trunk containing pricklypears and						New York.
Do	tangerines. In trunk containing olives, oranges, pomegranates, pricklypears, and			1			Do.
Do	quinces.  Opuntia compressa (prick- lypear).						Do.
Do	Punica granatum (pomegranate).						Do.
Ceroplastes rusci (Coccidae)	Pyrus communis (pear) Ficus sp. (fig.)		1				District of Co lumbia.
Ceutorhynchus quadridens	Brassica rapa (turnip)			1	78		New York. Do.

		Number of intercep- tions in—					
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
ITALY—Continued							
Insects—Continued.  Ceutorhynchus rapae (Curculionidae).  Chionaspis yanonensis (Coc-	Brassica oleracea capitata Citrus limonia (lemon)						New York.
cidae). Chrysomphalus dictyospermi	Cycas revoluta (sago cycas)						New York.
var. (Coccidae). Cleonus sp. (Curculionidae)	Radicula armoracia (horse-					1	Do.
Cryptoblabes sp. (Pyralididae).	radish).  Amygdalus communis (almond).			1			Do.
Do	Punica granatum (pomegranate).	~~~~	1	3			Do.
Curculio elephas (Curculionidae).	Castanea sp. (chestnut)						Illinois.
Do	do		1				Massachusetts. Pennsylvania.
Dacus oleae (olive fruitfly) Do Do	do		3	11			
.50	oranges, pomegranates, pricklypears, and quinces.	~~~~					100.
Do Dicyphus annulatus (Miridae).	Among bundle of olives Lactuca sativa (lettuce)			1		<u>i</u> -	Do. Do.
Gnorimoschema sp. (Gelechiidae).	Beta vulgaris cicla (Swiss chard).						Do.
Grapholitha sp. (Olethreutidae).	Cydonia oblonga (quince)  Malus sylvestris (apple)						Do.
Do Do Hypoborus ficus (Scolytidae)	Purus communis (pear)						New York.
Iridomyrmex humilis (Argentine ant).	Diospyros sp. (persimmon)						Do.
Laspeyresia splendana (Ole- threutidae).	Castanea sp. (chestnut)do		1				District of Co- lumbia. Illinois.
Do	do	1					Massachusetts.
Do	do.	3		2			New York. Pennsylvania.
Do	ao		6				District of Co-
Do	Pinus sp. (pine) Daucus carota (carrot)			4	3		New York. Do. Texas.
lionidae).  Ludius sp. (Elateridae)	Tragopogon porrifolius (sal-					1	New York.
Merodon sp. (Syrphidae)	Gladiolus sp				ł		lumbia.
Monosteira unicosta (Tingiti- dae). Myelois sp. (Pyralididae)	Castanea sp. (chestnut) Amygdalus communis (al-						
Do	mond). Ceratonia siliana (St.	1					Illinois.
T-	Johns-bread).						Manufacia
D0	do		1				Maryland. New York.
Do	gerine).				1		
Do	man Image!		1		1	1	
Do	Mespilus germanica (med- lar).						
Do	Punica granatum (pome-granate).			3			Do.

	Number of intercep tions in—						
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
ITALY—Continued							
Insects—Continued.  Myzus ornatus (aphid)	Bela vulgaris cicla (Swiss chard).					1	New York.
Olethreutid	Vicia sp. (vetch) Camellia japonica (camellia).	1					Do. District of Co lumbia.
Do	Citrus sinensis (orange) Diospyros sp. (persimmon)					1	New York. Pennsylvania. New York.
Do	Malus sylvestris (apple) Mespilus germanica (med- lar).			1			Do. Do.
Do	Prunus armeniaca (apricot). Prunus domestica (plum)			1			Do.
Do	Prunus sp. (cherry) Prunus sp.			î 			Do. District of Co- lumbia.
Do	Pyrus communis (pear) Rosa sp	1		3			New York. District of Co-
Parlatoria ziziphus (Coccidae)	Sorbus sp. (sorbe apple) Citrus limonia (lemon) do			1		5	New York. California.* Illinois.
Do Do Pectinophora gossypiella (pink	do			1		2	New York. Pennsylvania. Illinois.
bollworm). Picris brassicae (Pieridae)	ton).					1	New York.
Polychrosis botrana (vine moth).  Pseudaonidia paeoniae (Coc-	Vitis sp. (grape)			1			Do.
cidae).  Psylliodes chrysocephala (Chrysomelidae).	lia).  Brassica olerarea botrytis (broccoli).				1		District of Co- lumbia. New York.
Do	Brassica rapa (turnip) Capsicum annuum					1	Do. Do.
Do	Foeniculum sp. (fennel) Jug!ans regia (Persian wal- nut) (log).	1					Massachusetts. New York.
Stenocarus fuliginosus (Cur- culionidae). Stephanitis pyri (pear tingid).	Cichorium intybus (chicory).  Diospyros sp. (persimmon)			1			Do.
Taeniothrips atratus (thrips) Tortricid	Juniperus sp. (juniper) Dianthus sp. (carnation)		1				Do.
Do	thorn).			1			Do. Pennsylvania.
Uleiota planata (Cucujidae) Diseases:	Vitis sp. (grape)  Juglans regia (Persian walnut) (log).	1					New York.
Aphelenchoides parietinus	fuer plant		1			1	Do.
Botrytis allii (?) Cercospora foeniculi Coleosporium senecionis (?)	Foeniculum sp. (fennel)					1 1	Pennsylvania. Do. New York. Do.
Coryneum beyerincki	pine).  Prunus sp						District of Co-
Fusicladium depressum petro- selini. Fusicladium eriobotryae	Petroselinum hortense (parsley).		-				lumbia. New York.
	Eriobotrya japonica (lo- quat). Malus sylvestris (apple) Olea europaea (olive)						Do.

		Nui	Number of interceptions in—			ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
ITALY—Continued							
Diseases—Continued.  Herpotrichia nigra	Picea excelsa (Norway				1		New York.
Leptosphaeria rusci Macrophoma hippoglossum	spruce). Ruscus sp. Ruscus aculeatus (butchers	1			<u>ī</u> -		Pennsylvania. New York.
Marsonia juglandis Oidium euonymi	broom). Juglans sp. (walnut) Euonymus sp			1	1		Do. Do.
Peronospora parasitica	Brassica oleracea gemmifera (Brussels sprouts).					1	Pennsylvania.
Phoma hippoglossiPhoma samararum	Frazinus excelsior (European ash).	1			1		New York. Do.
Phomopsis aucubae Phomopsis tinea	Aucuba japonica (Japa- nese aucuba). Viburnum tinus (lauresti-	1			1		Do.
Phyllachora trifolii Phyllosticta danoes	nus). Trifolium sp. (clover) Ruscus sp	1		1			Do. Pennsylvania.
Phyllosticta ruscicola Do	do	6			1		New York. Pennsylvania.
Do	Ruscus aculeatus (butchers broom).	1			1		New York, Pennsylvania.
Puccinia allii Puccinia anomala Puccinia arenariae	Allium sativum (garlic) Hordeum rulgare (barley) Stellaria media (chickweed)		<u>i</u> -	 1		4	Do. New York, Do.
Rotylenchus robustus	Soil around roots of century plant.			1			Do.
Sclerotinia fructicola Sclerotinia gladioli	Cydonia oblonga (quince) Gladiolus sp						Do. District of Co- lumbia.
Sclerotium cepivorum Do Septoria anthrisci	Anthriscus cerefolium (cher-					1	Pennsylvania. Virginia. Pennsylvania.
Septoria citri	vil). Citrus limonia (lemon)					1	Texas. Do,
Septoria stellariae	Chaerophyllum bulbosum					1	Pennsylvania.
Sphaeropsis malorumUromyces fabae	Vicia sp. (vetch)	9					New York. Do. Texas.
Vermicularia varians Verticillium albo-atrum Do	Dahlia sp						New York. District of Co-
Insects: JAMAICA							lumbia.
Anastrepha sp. (Trypetidae) Aspidiotus herculeanus (Coccidae).	Mangifera indica (mango) Annona sp						
Caryedon fuscus (Bruchidae)	Tamarindus indica (tama- rind).		1	1			Do. Florida.*
Coccus viridis (Coccidae)  Do  Cylas formicarius (sweetpo-	rind). Ceffea sp do Ipomoea batatas (sweetpo-			1		1	New York. Alabama.
tato weevil). Do Frankliniella cephalica (thrips)	tato)do Rosa sp Antirrhinum majus (snap-			<u>i</u> -	2	2	New York. Florida.*
Frankliniella insularis (thrips)  Do	dragon). Rosa sp				1		Do.*
Myelois sp. (Pyralididae)  Palaeopus costicollis (yam	Punica granatum (pomegranate). Dioscorea sp. (yam)			1			New York.
weevil).	Ipomoea batatas (sweetpo-						Do.

		Nur	nber	of in	terc	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
JAMAICA—Continued							
Insects—Continued.  Parletoria crotonis (Coccidae)  Pinnaspis minor strachani  (Coccidae).	Codiaeum sp. (croton) Annona muricata (sour- sop).		~	1	1		New York. Do.
Do	Annona sp		1	1			Do. District of Co- lumbia. New York.
tidae).  Targionia sacchari (Coccidae).  Tineid.	rind). Saccharum officinarum Dioscorea sp. (yam)			1	1		Florida.* New York.
Vinsonia stellifera (Coccidae).  Diseases:	Broughtonia sanguinea (or- chid).	1					District of Co- lumbia.
Aphelenchoides parietinus Ceratostomella fimbriata	Colocasia sp					1	New York. Alabama.
Colletotrichum falcatum Pratylenchus pratensis	Saccharum officinarum Dioscorea sp. (yam)			1	1		Florida.* New York.
Insects:  Anaphothrips orchidii (thrips)  Anomala sp. (Scarabaeidae)	Anthurium spSoil around chrysanthemum roots.	1 1		~			Hawaii.* New York.
Do	Soil around Prunus sp. Prunus yedoensis.		1	1			Hawaii.* California.*
Antonina crawi (Coccidae) Do Aspidiotus degeneratus (Coc-	Bamboo plantdo						Massachusetts. Pennsylvania. California.*
cidae).  Aspidiotus transparens (Coccidae).	lia). Aucuba sp						
Autographa sp. (Noctuidae)	Brassica oleracea capitata Pueraria thunbergiana (kudzu)do	1				1	Do. District of Co- lumbia. Maryland.
Callosobruchus chinensis (Bruchidae). Do	BeanLeguminous seed					1	Pennsylvania. Do.
Do————————————————————————————————————	Oryza sativa (rice) Malus sylvestris (apple) Aralia sp Citrus nobilis deliciosa					1	California.* Do.* Do.*
Do	(Mandarin).					1	Washington. Penņsylvania.
Do Do Chilo simplex (Asiatic rice	Fatsia japonica (fatsia)				1		California.* Pennsylvania. California.*
borer).	do		9				Hawaii.* Illinois.
D0	do dodo			4		1	Maryland. Pennsylvania. Washington.
Do	Wisteria sp		1				California.* District of Co- lumbia. Do.
Do	Wisteria sp Citrus grandis (grapefruit)_	1		1			Washington. California.*
Do Do	Citrus nobilis deliciosa (tangerine).					1	Do.* Do.
Do	Citrus nobilis deliciosa (Mandarin). Citrus sinensis (orange)				1		Washington. California.*

		Nui	nber tion	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
JAPAN—Continued		'			-10	l Ins	
Insects—Continued.  Chrysomphalus dictyospermi var. (Coccidae).  Chrysomphalus rossi (Cocci-	Anthurium scherzerianum _						Hawaii.* Massachusetts.
dae).  Chrysomphalus taxus (Coccidae).	Podocarpus macrophylla			1	1		
Do	Taxus adpressa Citrus sinensis (orange)	1				1	Do. California.*
Conotrachelus sp. (Curculionidae).	Quercus sp. (acorn)			1			Hawaii.*
Dendrolimus sp. (Lasiocampidae).  Dermestes tessellatocollis (Der-	Pinus sp. (pine) Dried fungus in box of dry						Washington. New York.
mestidae). Fiorinia japonica (Coccidae)	vegetables.  Pinus thunbergi (Japanese	1					California.*
Frankliniella lilivora (thrips) Furcaspis biformis (Coccidae) Gastrodes japonicus (Lygaei-	black pine).  Lilium sp. Orchid				1		
dae). Gelechiid	Cupressus sp		1			1	California.* Do.*
dae). Do Do Gynaikothrips uzeli (thrips)	Malus sylvestris (apple) Pyrus communis (pear)			1		1	Maryland. Washington. Maryland.
Hyponomeuta sp. (Hyponomeutidae). Hyponomeutid	Lilium sp  Euonymus japonicus (evergreen burning-bush).  Cupressus sp.  Castanea crenata (Japanese chestnut).	1			1		California.*
Laspeyresia splendana (Ole-	Castanea crenata (Japan- ese chestnut).	1	1	1			Massachusetts.
Do	Castanea sp. (chestnut)do	)	1			1	HILIIIDIN.
cidae).  Lepidosaphes conchiformis  (Coccidae)	lia). Diospyros sp. (persimmon)		1				Hawaii.*
Do	Eriobotrya japonica (loquat).	1	1	1		1	
Do	Pyrus communis (pear)	1		1			Do. Hawaii.* Washington.
(Coccidae) Do Lepidosaphes tubulorum	chid). Cymbidium sp. (orchid) Castanea crenata		1	1	1		Do. District of Co-
(Coccidae).  Leucaspis japonica (Coccidae).	Alnus glabra (alder)		1				Do.
Do	Castanea crenata (Japa- nese chestnut). Wisteria sp						
Liothrips vaneeckei (thrips) Do	Citrus sinensis junos (Japanese orange). Lilium sp. (lily)					1	Pennsylvania.
Do	Phaseolus sp. (string bean)					1 1	Pennsylvania. California.*
Malamatan am (Tilatanian)	Lilium longiflorum multi- florum (lily).	1	1				Washington.
Nysius expressus (Lygaeidae). Olethreutid	florum (lily).  Chrysanthemum sp	1	1	****			Do.* Washington.
Do	Pisum satirum (pea) Podocarpus macrophylla (yew podocarpus)	2			~~~	1	Do. Do.

		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
JAPAN—Continued							
Insects—Continued.  Parlatoria camelliae (Coccidae).  Parlatoria theae (Coccidae)  Do  Parlatoria ziziphus (Cocci-	Camellia japonica (camellia). Acer sp. (maple) do Magnolia sp. Citrus grandis (pomelo)	2	1				Washington. California.* Washington. California.* Do.*
dae). Do Phytoecia rufiventris (Ceram-	Citrus limonia (lemon) Chrysanthemum sp					1	Pennsylvania. California.* Washington.
bycidae).  Poliaspis pini (Coccidae)  Do  Do  Popillia japonica (Japanese	dodo Soil around chrysanthe-						New York.
beetle).  Pseudaonidia duplex (camphor scale).  Do	mum root.  Alnus glabra (alder)  Castanea crenata (Japanese chestnut).		1				District of Co- lumbia. Do.
Do	Citrus aurantifolia (lime) Citrus grandis (grapefruit) Citrus limonia (lemon) Citrus medica (citron)					1 1 1	California.* Do.* Do.* Do.*
Do	Citrus nobilis deliciosa (tangerine).  do Citrus nobilis deliciosa					1	Do.*
Do	(Mandarin).  Citrus nobilis unshiu (Satsuma orange).					1	New York.
Do Do Do	Citrus sinensis (orange) do dodo					3 3	California.* Hawaii.* New York. Pennsylvania.
DoPseudaonidia paeoniae (Coc-	Citrus sinensis junos (Japanese orange). Citrus sp					2	Do. Do. District of Co-
cidae). Do Do	Azalea spdoCamellia japonica (camel-	2					lumbia. California.* Washington. California.*
Do	lia)do Paeonia moutan	1					Hawaii.* Washington. California.*
Pseudaonidia trilobitiformis (Coccidae).	Prunus sp. (flowering cherry).  Camellia japonica (camellia).	1		1			Hawaii.* Washington.
Pseudococcus kraunhiae (Coccidae). Do	Pedilanthus sp	1					New York. Hawaii.*
Do Psychid Do Do	Ilex sp. (holly) Acer sp. (maple) Azalea sp Juniperus sp. (juniper) do	1			1		New York. California.* Washington. California.* Washington.
Do	Magnolia sp Paeonia moutan Citrus sinensis (orange)	2			*	<u>i</u>	Do. California.* Hawaii.*
cidae).  Pyralis sp. (Pyralididae)	Cucurbita pepo (pump-kin).					1	Massachusetts.

		Nui	tion	of in-	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
JAPAN-Continued							
Insects—Continued.  Pyrausta nubilalis (European	Paeonia moutan	1					Washington.
anen horar)							
Do	Phaseolus sp. (string bean)					1 2	California.* Washington.
Do	Zea mays (corn)					1	California.*
Tineid	Agaricus campestris (mushroom).		5				Hawaii.*
Do	Cupressus sp	1					California.*
Do		1 1					Do.* Washington.
Tortricid	Camellia japonica (camel-	ī					Do.
Do	lia). Chrysanthemum sp		1				California.*
Do	Diospyros sp. (persimmon)						Hawaii.*
Do	nlont				1		New York.
Tsukushiaspis pseudoleucas-	Bamboo				1		Massachusetts.
pis (Coccidae).  Diseases:							
Alternaria citri	Citrus sp					1	Washington.
Aphelenchoides parietinus Do	Colocasia esculenta (taro)					1	Pennsylvania. Massachusetts.
Do	Lilium sp. (lily)	1					New York.
Do	Lycoris squamigera	1				1	Pennsylvania. California.*
Do Bacterium citri	Citrus nobilis deliciosa (tan-	1				1	Do.*
	gerine).						777 - 1-1
Do	Citrus nobilis (king orange) Citrus sinensis (orange)					7	Washington. California.*
Do	do					1	New York.
Botrytis paeoniae	00					1	Washington. California.*
Cephalosporium pammelii	Malus sylvestris (apple)					2	Pennsylvania.
purpurascens. Cercosporella albo-maculans	Brassica oleracea capitata					1	Washington.
Cronartium quercuum (?)	Pinus densiflora (Japanese						Massachusetts.
Discosia artocreas	red pine).				1		Pennsylvania.
Gloeosporium dendrobii	Vitis sp. (grape) Dendrobium nobile (orchid)	1					California.*
Gloeosporium euonymicolum Hendersonia oryzae	Euonymus sp. Oryza sativa (rice)				1		Washington. Pennsylvania.
Heterodera marioni	Lohinia araulichi				1		California.*
Do	Lobivia schuldti		1				Do.*
Do	Lobivia schuldti		2				District of Co
	Winterin Sp	1					lumbia. California.*
Microdiplodia wistariae	dodo	1					Washington.
Mycosphaerella moutan Mycosphaerella schoenoprasi	Wisteria sp do Paeonia moutan var Allium fistulosum (Welsh		1			13	California.* Pennsylvania.
Do	Allium porrum (leek)			~ ~		8	Maryland.
Do	do					5	Pennsylvania.
Peronospora effusa	Spinacia oleracea (spinach)	****				1 2	Washington. Pennsylvania.
Do	do					1	Washington.
Phoma citricarpa Phomopsis aucubae	Citrus aurantifolia (lime) Aucuba ja ponica (Japanese aucuba).				1	1	California.* New York.
Phomopsis magnoliicola	Magnolia sp	1					California.*
Phomopsis sepositaSclerotiopsis testudinea	Wisteria venusta alba Paeonia moutan (tree		2	1			California.* Do.* Do.*
	neony)						
DoSeptobasidium prunophilum	Prunys domestica (plum)	1	2	1			Do.*
Septoria secalis	Secale cereale (rve)	1					Illinois.
Sphaerulina oryzae	Oryza sativa (rice) Ipomoea batatas (sweetpo-					1	New York. Pennsylvania.
Thielaviopsis basicola							PODICULVANIA

		-			,		
		Nui		of in	terce	p-	
Country of origin and name of pest	Host			ge	ers		Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
	*		A				
Insects:					usain		
Parlatoria pergandii var. (Coccidae).	Citrus limonia (lemon)			-			Pennsylvania.
Parlatoria ziziphus (Coccidae).	Citrus grandis (pomelo)						Massachusetts.
Pinnaspis townsendi (Coccidae).	Citrus limonia (lemon) Rhynchostylis retusa (orchid)	1				1	Do. District of Co- lumbia.
Diseases:  Cercospora musae  Vermicularia capsici	Musa sp. (banana)					1	Pennsylvania. Do.
LATVIA							
Diseases: Gloeodes pomigena	Malus sylvestris (apple)			1			New York.
Lithuania							
Insects: Tischeria sp. (Tischeridae)	Quercus sp. (oak)			1			Do.
MADEIRA ISLANDS							
Insects:  Blastobasis sp. (Blastobasi-	Eriobotrya japonica	~ ~ ~ ~ ~		1			Do.
dae). Do Ceratitis capitata (Mediter-	(loquat). Vitis sp. (grape) Eriobotrya japonica			1 1			Do. Do.
ranean fruitfly). Chrysomphalus dictyospermi	Camellia japonica (camel-		1				Massachusetts.
var. (Coccidae). Iridomyrmex humilis (Argen-	lia). Chayota edulis (chayote)			1			New York.
tine ant). Tineid	Andropogon citratus (lemon grass).			1			Do.
Manchuria							
Insects:							
Callosobruchus chinensis (Bruchidae).	Soja max (soy bean)						Do.
Chilo simplex (Asiatic rice borer).	Oryza sativa (rice)	1					Washington.
MARTINIQUE			- 4				
Insects: Coccotrypes thrinacis (Scoly-	Coccothrinax argentea			1			Puerto Rico.
tidae). Do	Coccothrinax barbadensis			1			Do.
Pseudaonidia trilobitiformis (Coccidae).	Myristica fragrans (nut-meg).			1			Do.
Insects:				-			
Acanalonia laticosta (Fulgoridae).	Lantana sp			1			Texas.
Aceratagallia vulgaris (Cicadellidae).	Capsicum annuum						Arizona.
Aegeriid	Ananas sativus (pine-apple).						Texas.
Aeolus pulchellus (Elateridae).	cado).						D <sub>0</sub> .
Alpheias sp. (Pyralididae)	Zea mays (corn)Ananas sativus	1					Louisiana.
Anacentrinus sp. (Curculionidae).	Ananas sativus	1					Texas. Do.
Do.	Gladiolus spSaccharum officinarum	1			2		Do. Pennsylvania.

deposits	Nur	nber tion	of in	terce	p-	
Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Gardenia florida (Cape-	1					Texas.
Gypsophila paniculata (ba-	1					Do.
bysbreath).	9		-			California #
Orchid	11		1			California.* Texas.
Bromeliaceae			1			California.*
Inga sp	1					Texas.
Citrus aurantium (sour			7			Do.
	0		20		100	D-
Citrus limetta (sweet lime)			5			Do. Do.
Citrus sinensis (orange)			1		1	Louisiana.
do			265			South Carolina. Texas.
Cydonia oblonga (quince)			1			Do.
Malus sylvestris (apple)			3			Do.
Mangifera indica (mango)			34	-=		Do. Do.
do).			1			10.
Punica granatum (pomegranate).						Do.
Citrus mobilis deliciosa (ton-			3			Do. Do.
gerine).						DO.
Lucuma mammosa (sa-			2			Do.
Mammea americana (ma-			1			Arizona.
do			6			Texas.
Sapote			10			Do.
Casimiroa edulis (white-			1			Do. Do.
Citrus aurantium (sour orange).						Do. Do.
Cudonia oblonga (quince)			4			D <sub>0</sub> .
Malus sylvestris (apple)			1		1	Do.
			2			D <sub>0</sub> .
Mangifera indica (mango)			8			Do.
Psidium guajava (guava)			4			Do.
			3			Do.
Pyrus communis (pear)				11 9		Do.
Sapote			1			Do.
	2					Do.
Pinus sp. (five-leafed pine) Cedrela sp. (log)	1		1			Do. New York.
			2			Arizona.
do					1	Louisiana.
Cansicum annuum	9		5			Texas. Arizona.
Chrysanthemum maximum			ī			Texas.
(Shasta daisy).						Do
	1					Do.
Lactuca sativa (lettuce)			8			Do.
Lycopersicum esculentum	1					Arizona.
Detrocalinate between and	7		4			Toyon
Petroselinum hortense (parsley).			1			Texas.
	Gardenia florida (Cape- jasmine). Gypsophila paniculata (ba- bysbreath). Laelia sp. (orchid)	Gardenia florida (Cape- jasmine). Gypsophila paniculata (ba- bysbreath). Laelia sp. (orchid)	Host  Gardenia florida (Cape- jasmine).  Gypsophila paniculata (ba- bysbreath).  Laelia sp. (orchid) 3  Orchid 11  Bromeliaceae.  Inga sp. 1  Citrus aurantium (sour orange).  Citrus grandis (grapefruit).  Citrus limetta (sweet lime).  Citrus sinensis (orange).  do.  do.  Cydonia oblonga (quince).  Malus sylvestris (apple).  Manyifera indica (mango).  Persea americana (avocado).  Punica granatum (pomegranate).  Sapote.  Citrus nobilis deliciosa (tangerine).  Lucuma mammosa (sapote).  Lucuma mammosa (sapote).  Cutrus aurantium (sour orange).  Citrus aurantium (sour orange).  Citrus aurantium (sour orange).  Cydonia oblonga (quince).  Mammea americana (mamey).  Mammea aurantium (sour orange).  Cydonia oblonga (quince).  Malus sylvestris (apple).  Mammea americana (mamey).  Mangifera indica (mango).  Psidium guajava (guava).  Pyrus communis (pear).  Sapote.  Mammillaria karwinskiana (caetus).  Pyrus communis (pear).  Sapote.  Capsicum annuum 2  Capsicum annuum 2  Capsicum annuum 2  Capsicum annuum 3  Causash.	Host  Gardenia florida (Cape- jasmine).  Gypsophila paniculata (ba- bysbreath).  Laelia sp. (orchid) 3 Orchid 11 Bromeliaceae 1 Inga sp 1  Citrus aurantium (sour orange).  Citrus grandis (grapefruit) Citrus limetta (sweet lime). Citrus sinensis (orange) 1  -do. 265 Cydonia oblonga (quince).  Malus sylvestris (apple).  Mangifera indica (mango).  Persea americana (avocado).  Qunica granatum (pome- granate).  Sapote. 3  Citrus nobilis deliciosa (tangerine).  Mammea americana (mamo).  Amygdalus persica (peach).  Casimiroa edulis (white- sapote).  Mammea americana (mamo).  Citrus aurantium (sour orange).  Cydonia oblonga (quince).  Mammea americana (mame).  1  Casimiroa edulis (white- sapote).  Mangifera indica (mango).  Persea aurantium (sour orange).  Cydonia oblonga (quince).  Malus sylvestris (apple).  Mangifera indica (mango).  Psidium guajava (guava).  Punica granatum (pome- granate).  Sapote. 1  Mammillaria karwinskiana (cactus).  Pinus sp. (five-leafed pine).  Cerus sp. (five-leafed pine).  Ceru	Host   So	Host   Se

-quadra se		Nur	nber	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico-Continued					era la		1 11/1
Insects—Continued.  Berginus nigricolor (Lyctidae).	Chrysanthemum sp			1			Texas.
Bitoma intermedia (Colydii-dae).	Turraeanthus sp. (avodire) (log).	1					New York.
Blastobasis sp. (Blastobasi-dae).	Ananas sativus			1			Arizona.
Do Do	do do Jasminum sp	62		4			Louisiana. Texas. Do.
Do	Malus sylvestris (apple)			1			Do.
Callirhytis sp. (Cynipidae)	Punica granatum (pome- granate). Quercus sp. (acorn)	t .		1			Do. Arizona.
Capaneus odiosus (Coreidae)	00	I a transfer		1 3			
Do	Ananas sativus Laelia sp. (orchid) Musa sp. (banana)	1					California.* Texas.
Ceratocapsus apicalis (Miridae).	Musa sp. (banana) Gardenia florida (Cape-jas- mine).		1				Do.
Ceratocapsus punctulatus (Miridae). Ceratocombus areolatus (Cryp-	Chrysanthemum sp Lactuca satira (lettuce)			1-			Do. Do.
tostemmatidae).  Ceroputo mexicanus (Cocei-	Ambrosia sp. (ragweed)			7 30	1		Do.
dae). Do	Cactus	1					Do.
Chelinidea hunteri (Coreidae)_ Chilo sp. (Pyralididae)	tus).			1			Arizona.
Do	Zea mays (corn)		-		1		Do. Texas.
var. (Coccidae). Do	Epidendrum sp. (orchid)			1		1	District of Co-
Do	Persea americana (avo-						lumbia. Texas.
Chrysomphalus nigropuncta- tus (Coccidae).	Echeveria marginata				1		California.*
Chrysomphalus personatus (Coccidae).	Echeveria sp	2					Texas.
Do	Mangifera indica (mango)_ Persea americana (avocado)			1 2			Do. Do.
Do	Rosa sp. Gardenia florida (Cape- jasmine).	2		1			Do. Do.
Cicadula maidis (Cicadelli-	Euchlaena mexicana (teo-sinte).						District of Co-
Cionopsis palliatus (Curculionidae).	Cardiospermum sp. (heart-seed).						Do.
Clastoptera funesta (Cercopidae).  Clerada apicornis (Lygaei-	Gardenia florida (Cape-jas- mine). Citrus aurantifolia (lime)						Texas.
dae). Conotrachelus aguacatae (Cur-	Persea americana (avocado)						
culionidae). Conotrachelus dimidiatus (Cur-	A contract of the contract of			-			
culionidae).  Conotrachelus flavangulus  (Curculionidae).	Persea americana (avocado)						Do.
dae).	Chrysanthemum parthe- nium (feverfew).	1					Do.
Crocidosema plebeiana (Ole- threutidae).	nium (feverfew). Chrysanthemum sp Hibiscus esculentus (okra)_			1		1	
Cylas formicarius (sweet- potato weevil).	Ananas sativus						
D0	Ipomoea batatas (sweet- potato).						

		Nu	nber tion	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in-
Mexico—Continued				3			
Insects—Continued.  Cyllene antennatus (Ceram-	Prosopis sp. (mesquite)	2					Texas.
bycidae). Diaspis simmondsiae (Coc-	Simmondsia chinensis			1			Arizona.
cidae).  Diatraea saccharalis (sugar-	Saccharum officinarum			1			Texas.
cane borer).  Discoloma vestitum (Disco-	Tabebuia donnell-smithi	1					Louisiana.
lomidae).  Disonycha antennata (Chryso-	(primavera) (log).  Ananas sativus						Texas.
melidae).							Do.
Draeculacephala lenticula (Cicadellidae).	Brassica sp. (mustard)						
Empoasca solana (Cicadelli-dae).	Lactuca sativa (lettuce)			1			Do.
Epicaerus cognatus (Curcu- lionidae).	Solanum tuberosum			8			Do.
Epilachna mexicana (Coccinellidae).	Laelia sp. (orchid)	1					California.*
Epilachna varivestis (Mexican bean beetle).	Phaseolus sp. (string bean)			1			Texas.
Epinotia opposita (Olethreutidae).	do	1					Do.
Eriococcus araucariae (Coccidae).	Pinus sp. (trailing pine)			1			Do.
Ernoporides jalappae (Scoly-	Ipomoea purga	1					New York.
tidae).  Eurycipitia vestitus (Miridae).  Euscepes postfasciatus (West Indian sweetpotato wee-	Orchid	1		1			California.* Texas.
vil). Exitianus obscurinervis (Ci-	Tagetes sp. (marigold)	1					Do.
cadellidae). Exptochiomera minima (Ly-	Chrysanthemum sp	1		1			Do.
gaeidae). Do	Gardenia florida (Cape-	1		1			Do.
Do	jasmine). Hibiscus esculentus (okra)			1	~~~		Do.
Do	Laelia sp. (orchid)		1				California.* Do.*
Do	Rosa sp. Zea mays (corn)			2 2			Texas. Do.
Exptochiomera oblonga (Ly-	Anamas sativus	1					Do.
Do	Gardenia florida (Cape- jasmine).				1		Do.
Do	Latuca sativa (lettuce)			2			Do. Do.
Do	Rosa sp. Tagetes sp. (marigold)	1					Do.
Frankliniella ameliae (thrips).	Antirrhinum majus (snap-dragon).						Do.
Do	Chrysanthemum maximum (Shasta daisy).						Do.
Do	Dianthus sp. (carnation) Gladiolus sp.	1					Do. Do.
Do	Lactuca satira (lettuce) Lilium longiflorum (East-	2	00 da 10 00	2			Do. Do.
D <sub>0</sub>	er lily). Papaver sp. (poppy)						Do.
Do	Phlor sp.			1			Do.
Do	Phlor sp			8			Do. Do.
	tium).						Do.
Prankliniella cephalica (thrips)	Viola tricolor (pansy)			2			Do.
Do	dragon). Gardenia florida (Cape-	5					Do.
Do	jasmine). Rosa sp			1			Do.
Do	Zantedeschia aethiopica (calla lily).			1			Do.

The state of the s		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in-
MEXICO-Continued			9				
sects—Continued.							
Frankliniella difficilis (thrips) Frankliniella fortissima (thrips)	Gardenia florida	1		00			Texas. Do.
Do	Chrysanthemum maximum (Shasta daisy).						Do.
Do	Chrysanthemum sp			1			Do.
Do	Dahlia sp.			1 8			Do. Do.
Do	Daisy	1		0			Do.
Do	Gardenia florida	3		1		2	Do.
Do	Gladiolus SD	1		1			Do.
Do	Gypsophila paniculata (babysbreath).	1					Do.
Do	Lactuca sativa (lettuce) Lathyrus odoratus (sweet pea).	2		1			Do. Do.
Do	Lilium longiflorum (Easter lily).	2		3			Do.
Do	Lilium sp. (lily)	1					Do.
Do	Orchid	1					Do.
Do	Rosa sp. Viola sp. (violet)	1		16			Do.
Do	Zinnia sp.			1			Do. Do.
Frankliniella insularis (thrips)	Azalea sp.	1					Do.
Do	Daisy						Do.
Do	Gardenia florida (Cape- jasmine).	2					Do.
Do	Lilium longiflorum (Easter lily).			7		was some most gare	Do.
Do	Lilium sp. (lily)			12			Do. Do.
Frankliniella moultoni (thrips)	Rosa spdo			10			
Do	Viola sp. (violet)	1					Do.
Frankliniella parvula (thrips) Frankliniella williamsi (thrips)	Viola sp. (violet)	1		1			Do. Do.
Do	ley).			1			Do.
Do	Rosa spZea mays (corn)			52		1	Do. Do.
Fulvius anthocorides (Miridae).	Ananas sativus	1					Do.
Furcaspis biformis (Coccidae) - Gerstaeckeria mutillaria (Cur- culionidae).	Laelia sp. (orchid)	2					California.* Texas.
Do	Mammillaria depressa (cactus).		1				California.*
Gnorimoschema gudmanella (Gelechiidae).	Capsicum annuum			-			
Gnorimoschema lycopersicella (tomato pinworm).	Lycopersicum esculentum_	1, 803		415			Texas. Arizona.
Do	do	1					California.
Graphocephala rufimargo (Ci-	Chrusanthemum marimum	72		21			Texas.
cadellidae).	(Shasta daisy).  Gardenia florida (Cape-						
	jasmine).	1					and the same of th
cadellidae).	do	1					Do.
Grapholitha saltitans (Ole- threutidae). Gypona octolineata striata	Sebastiana sp. (Mexican jumping bean). Zinnia sp.						Arizona. Texas.
(Cicadellidae).	Zinna sp			1			Texas.
Haplothrips gowdeyi (thrips)	Chiococca sp. Gardenia florida (Cape-			1			Do.
Do	Gardenia florida (Cape-	2					Do.
Harmostes nebulosus (Coreidae).	Mammillaria melanocentra		1	~===	~		California.*
Heilipus sp. (Curculionidae)	Persea americana (avo-						Texas.

	Same S	Nui	mber	of in	terc	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico-Continued						e dina	
asects—Continued.	Fasture and the (lattered)						
Iridomyrmex humilis (Argentine ant).	Lactuca sativa (lettuce)			1	~		Arizona.
Isochaetothrips reticulatus (thrips).	Camellia japonica (camel-	1					Texas.
Do	Gardenia florida (Cape- jasmine).	4					Do.
Do	Lilium longistorum (Easter lily).			1			Do.
Jornandes intermedius (Miridae).	Gardenia florida (Cape- jasmine.	1					Do.
Lepidosaphes philococcus	Cactus		1				District of Co- lumbia.
(Coccidae). Do	Cereus sp. (cactus)	3			<b></b>		Texas. District of Co-
Do	Cephalocereus chrysacan-						lumbia. California.*
Do	thus (cactus).  Myrtillocactus geometri-						Do.*
	zans (cactus).		1				
Do	Pachycereus marginatus (organ-pipe cactus).						Do.*
Lithophorus ornatus (Colydii-	Diospyros ebenaster (ebony)_	1 1					Texas. Do.
dae). Do Lophocateres pusillus (Si-		3		1			Do. Do.
amese grain beetle).  Lygaeus pulchellus (Lygaei-	seed). Capsicum annuum	1					Arizona.
dae). Lygus cristatus (Miridae)	Chrysanthemum sp			1			Texas.
Macrosiphum luteum (aphid). Do	Epidendrum sp. (orchid) Laelia anceps (orchid)	1 1					California.* Do.*
Do	Laelia sp. (orchid) Odontoglossum citrosmum	1 1					Do.* Do.*
Do	(orchid). Odontoglossum sp. (orchid)	2					Do.
Do	Orchiddo	1	1				Do.* District of Co-
Do	do	2		7-11			lumbia. Texas.
Do	CactusCapsicum annuum	8		1 1			Do. Arizona.
Do	Citrullus vulgaris (water-melon).	3					Do.
Do	Citrus aurantifolia (lime)	1 1					Do. Texas.
Do	Citrus aurantium (sour orange).	1					Do.
Do	Persea americana (avo-	1		176	3		Do.
Do	Phaseolus lunatus macro- carpus (lima bean).	1			~~		Arizona.
Maruca testulalis (bean pod borer).	Phaseolus sp. (string bean).	6		~ ~ ~ ~		1	Texas.
Melanotus sp. (Elateridae)	Soil around Haworthia plant.		1				District of Co- lumbia.
Melitara sp. (Pyralididae)	Mammillaria mundtii (cactus).		1		~~~		California.*
Metamasiopsis decempuncta- tus (Curculionidae).	Bromeliaceae	1			~~~		Do.*
Metamasius ritchiei (pine- apple weevil).	Ananas sativus	1			~~~		Texas.
Metamasius sericeus (silky	Musa sp. (banana)	1					Do.
cane weevil).  Metamasius sericeus carbona-	Ananas sativus	2					Louisiana.
rius (Curculionidae). Micrapate scapularis (Bostri-	Wood stave used as pack- ing for Mexican pottery.	1					New York.

		Nur	nber	of in		p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico-Continued							
Insects—Continued.  Milichiella lacteipennis (Agro-	Lycopersicum esculentum	1					Texas.
myzidae).  Moodna bisinuella (Pyralididae).	Zea mays (corn)			7			Do.
Mordella sp. (Mordellidae)  Mordellistena sp. (Mordellidae).	Rosa sp	1					Do. Do.
Do	Laelia sp. (orchid) Lilium longiflorum (Easter	3					California.* Texas.
Myelois sp. (Pyralididae) Nabis alternata (Nabidae)	lily). Citrus sinensis (orange) Beta vulgaris (beet)	1					Do. Do.
Nesosteles neglectus (Cicadel- lidae).	Gardenia florida (Cape-jas- mine).	1					Do.
Oedionychis nigrosignata (Chrysomelidae). Ofatulena duodecemstriata	Antirrhinum majus (snap- dragon). Prosopis sp. (mesquite)	1					Do.
(Olethreutidae). Ogdoecosta catenulata	Odontoglossum (orchid)						
(Chrysomelidae). Olethreutid Do	Dry bean pod Capsicum annuum	72		1			Texas. Arizona.
Do	Chayota edulis (chayote) Chrysanthemum sp. (baby chrysanthemum).			1			Texas. Do.
Do	Diospyros ebenaster (ebony) Eugenia jambos (rose-			1			Do.
D0	Lycopersicum esculentum Phaseolus sp. (string bean)-	22					Texas.
Do Do Opsius stactogalus (Cicadel-	Prosopis sp. (mesquite)	1		1 3			Do. Do. Do.
lidae). Do Do	Daisy			1			Do. Do.
Parlatoria cinerea (Coccidae)	Citrus aurantifolia (lime)	1 11					California.* Texas.
Do	Gossypium sp. (cottonseed)			9			California.* Texas.
Do	Gossypium sp. (cottonseed) (in railway car) (5 interceptions).						Do.
Do	Gossypium sp. (seed cotton).						Do.
Perigenes dispositus (Lygaei-	Gossypium sp. (cotton) (boll).  Physalis sp. (husk tomato)-	~~~~		1			Do. Do.
dae).  Phyllotreta sp. (Chrysomelidae).	Lycopersicum esculentum	1					Arizona.
Phyllotrox sp. (Curculionidae) Physonota eucalypta (Chrysomelidae).	Amygdalus persica (peach). Laelia speciosa (orchid)	1					Texas. California.*
Do	Laelia sp. (orchid)		1				Do.*
Pinnaspis minor strachani (Coccidae). Platynota stultana (Tortri-	Citrus aurantifolia (lime) Capsicum annuum	1 186					Texas. Arizona.
cidae). DoPlatypus rugulosus (Platy-	Lycopersicum esculentum Cedrela sp. (log)	7					Do. New York.
podidae). Do	Turraeanthus sp. (avodire)						Do.

		Nui	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in-
Mexico-Continued							
sects—Continued.  Prodenia sp. (Noctuidae)	Antirrhinum majus (snap-			1			Texas.
D-	dragon).	1					
Do	Capsicum annuum Lycopersicum esculentum	1 2					Arizona. Do.
Do	do	2					Texas.
Do	Rosa sp			1			Do.
Psalidonota texana (Chryso-melidae).	Chrysanthemum sp			1			Do.
Psychid	Ananas sativus	2	-				Do.
Do	Chrysanthemum sp			1			Do.
Do	Rosa sp Brassica rapa (turnip)			1			Do.
Psylliodes chrysocephala (Chrysomelidae).	Brassica rapa (turmp)					1	Louisiana.
Pyralidid	Ananas sativus	29					Texas.
Rhagoletis pomonella (apple	Arctostaphylos sp. (manza-			1			Do.
maggot).  Rhagoletis sp. (Trypetidae)	nita). Crataegus sp			3			Do.
Do	Juglans nigra (black wal-			1			Do.
C.Listanova (D.	nut).		100				D.
Schistoceros cornutus (Bostrichidae).	Saccharum officinarum			1			Do.
Schizoptera caudata (Schizop-	Ananas sativus	1					Do.
teridae).	do						70
Sisamnes contractus (Lygaeidae).	QO	2					Do.
Do	Mammillaria karwinskiana	3		~ ~ ~			Do.
au (a )	(cactus).						
Sitona sp. (Curculionidae) Stenoma catenifer (Stenomi-	Ananas sativus Persea americana (avocado)_	1		1			Do. Do.
dae).	Fersea americana (avocado).			1			<b>D</b> 0.
Stenoma sp. (Stenomidae)	Annona muricata (soursop)		E			1	Alabama.
Taeniothrips simplex (gladio-	Persea americana Gladiolus sp	19		10			Louisiana. Texas.
lus thrips).	Giagiotas sp	15		10			1 caas.
Tesserocerus dejeani (Platy-	Turraeanthus sp. (avodire)	2					New York.
podidae). Thaumaphrastus karanisensis	(log). Oryza sativa (rice)			1		-	Texas.
(Colydiidae).	Oryza santou (rice)	1				1	
Tineid	Ananas sativus	7					Do.
Do	Dahlia sp. (cotton)			2			Do. Do.
Do	(boll)	1					10.
Do	Laelia sp. (orchid) Prosopis sp. (mesquite)		1				California.*
Do Tortricid	Prosopis sp. (mesquite) Antirrhinum majus (snap-			2			Texas.
1 Of tifetd	dragon).			1			Do.
Do	Capsicum annuum	15					Arizona.
Do	Citrus aurantifolia (lime) Crataegus sp. (red haw)	1					Texas. Do.
Do	Cydonia oblonga (quince)			2			Do.
Do	Cydonia oblonga (quince) Daisy	1		2			Do.
Do.	Fragaria sp. (strawberry) - Gardenia florida (Cape-jas-	1					Do. Do.
Do	mine).	11					Du.
Do	Gossypium sp. (cotton)			1			Do.
Do	(boll).	1					Do.
Do	Hibiscus esculentus (okra) Jasminum sp. (jasmine)	1		1			Do.
Do	Lucuma mammosa (sa-			1			Do.
Do	pote).  Malus sylvestris (apple)			1			Do.
Do	Persea americana (avo-			2			Do.
	cado).						
Trionymus sacchari (Coccidae).	Saccharum officinarum			2			Do.
Valtissius diversus (Lygae-	Andropogon citratus (lem-	***		1			Do.
idae).	on grass)						
Do	Gardenia florida (Cape- jasmine).						Do.
	Rosa sp.			1			Do.

		Nur	nber tion	of in		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico-Continued							
Insects—Continued.  Xyleborus affinis (Scolytidae)  Xyleborus confusus (Scolytidae).	Lilium sp. (lily) Turraeanthus sp. (avodire) (log).	1					Texas. New York.
Nyleborus propinguus (Scoly-	Zea mays (corn)Ananas satirus	-					Texas. Do.
tidae). Do Do	Cedrela sp. (log)	1 1					New York. Do.
Zabrotes subfasciatus (Bru-chidae).	(log). Ananas sativus						Texas.
Do	Bean Chrysanthemum sp			1			Do. Do.
Do	Daisy Persea americana (avocado).			2			Do. Do.
Do	Phaseolus vulgaris (bayo bean).			1			Do.
Diseases: Albugo ipomoeae-panduranae_ Aplanobacter michiganense	Ipomoea pescaprue Capsicum annuum						Do. Do.
Do	Lycopersicum esculentum Raphanus sa'ivus (radish)			12			Do. Do. Do.
Cercosporā atricincta Colletotrichum orchidearum Cylindrosporium chrysanthemi	Zinnia sp	1					Do. California.* Texas.
Erysiphe cichoracearum Gloeosporium leguminum	Cucurhita pepo (pumpkin) Prosopis sp. (mesquite)			3			Do.
Mycosphaerella opuntiae  Myrothecium verrucaria	Rosa sp. Mammillaria spp. (cactus) Lycopersicum esculentum	1					California.* Arizona.
Ovularia obliqua Phyllachora graminis Do	Chloris sp.	1					California. New York. Do.
Do Phyllosticta laeliae Physalospora orchidearum	Muhlenbergia utilis Laelia sp. (orchid)	1 2		-			Do. California.* Do.*
Phytophthora capsici (?) Pratylenchus pratensis	Lycopersicum esculentum Solanum tuberosum	2		2			Arizona. Texas. Do.
Pseudopeziza medicaginis Puccinia boutelouae Puccinia cannae	GrassCanna sp	1		1			New York. Texas.
Puccinia incondita Puccinia pimpinellae Puccinia tageticola	Pimpinella anisum (anise) Tagetes tenuifoliae (?)	1					Do. Do. New York.
Trematosphaeria cactorum Uromyces commelinae	Echinocactus macrodiscus (cactus).		1	1			California.* Texas.
Uromyces striatus medicaginis_ Virus spotted wilt	(wandering jew).  Medicago sativa (alfalfa)  Lycopersicum esculentum			1			Do. Arizona.
MONTSERRAT Insects:	Lycoperostans coementum	J	****				All izviia.
Asterolecanium miliaris lon- gum (Coccidae).	Bamboo		1			1	New York.
Chrysomphalus personatus (Coccidae). Pectinophora gossypiella (pink	Laurus nobilis (Grecian laurel).  Gossypium sp. (cotton-	1	1				Michigan. New York.
bollworm). Targionia hartii (Coccidae)	seed). Dioscorea sp. (yam)			1			Massachusetts.
MOROCCO Insects: Exosoma lusitanica (Chry-	Mareogri company (six-)	90					Now York
somelidae).  Parlatoria oleae (Coccidae)	Muscari comosum (cipol- lino). Amygdalus persica necta-	28					New York.  District of Co

		Nui		of in		ер-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected iu—	
Morocco-Continued								
Diseases: Aphelenchus avenae	Muscari comosum (cipol-	2					New York.	
Diaporthe perniciosa	lino).  Malus sylvestris (apple)	1					District of Co-	
		1			~		lumbia.	
Microdiplodia passeriniana Phaeochora chamaeropis	Palm leaf	1					New York. Do.	
NETHERLANDS								
Insects: Acrolepia assectella (Plutel-	Allium porrum (leek)					2	Maryland.	
lidae)4 pion carduorum (Curcu-	Cynara scolymus (globe					2	New York.	
lionidae). Apion pomonae (Curculio-	artichoke). Vicia sp. (vetch)	3					Do.	
nidae). Bruchus affinis (Bruchidae)	Lathyrus latifolius (peren-		2				District of Co-	
Bruchus brachialis (vetch	nial pea). Vicia sp. (vetch)		1				lumbia. Maryland.	
bruchid). Bruchus luteicornis (Bru-	do	1					New York.	
chidae). Bruchus rufipes (Bruchidae)	do	6	1				Do.	
Bruchus tristiculus (Bruchidae).	Lathyrus odoratus (sweet pea).	1					Do.	
Callosobruchus ademptus (Bruchidae).	Pueraria thunbergiana (kudzu).		1				Illinois.	
Dialeurodes chittendeni (rho- dodendron whitefly).	Rhododendron sp		1				District of Co lumbia.	
Emphytus cinctus (sawfly)	Rosa chinensis manetti						Connecticut.* New York.*	
Do	do	10					New York. Ohio.*	
Do	Rosa multiflora (Japanese rose).	i					New York.	
Eumerus sp. (Syrphidae)	Iris xiphioides	1					District of Co	
Do	Lilium sp. (lily)	1					New York.	
Do	Narcissus sp.						Illinois. Massachusetts.	
Liothrips vaneeckei (thrips)	do_ Lilium sp. (lily)	1	1				Pennsylvania. New York.	
Merodon sp. (Syrphidae)	Leucojum vernum (snow-flake).	1					District of Co lumbia.	
Do	Narcissus sp	1	1		1		Illinois. Massachusetts.	
Do	Sternbergia lutea (Fall-	3					Pennsylvania. District of Co-	
Do	daffodil).	1					lumbia.	
Rhopalosiphum nymphaeae (aphid).	Tulipa sp. (tulip)	1					Michigan.	
Diseases: A phelenchoides fragariae	Lilium regale (royal lily)_	2 1					New York.	
Do	Lilium tenuifolium (coral lily).						Do.	
A phelenchoides parietinus	Convallaria majalis (lily-of-the-valley).	1					Do.	
Do.	Lilium canadense coccineum Lilium sp. (lily)	1	1				Do. Do.	
Do	Lycoris squamigera	î					District of Co	
Aphelenchus avenae	Aster spColchicum autumnale yar.	1					Do. Do.	
	autumn queen.					10000	New York.	
Do Bacterium hyacinthi	Hyacinthus pdo	1					Virginia.	
Botrytis allii	.1llium pulchellum		1				District of Co	

		Nur	nber	of in		p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
NETHERLANDS—Continued							
Diseases—Continued.  Botrytis galanthina	Galanthus niralis (snow-	1					Massachusetts.
	drop).	4					Michigan.
Do	do	1					New York.
Do	do	1					Virginia.
Botrytis parasitica	Narcissus sp Allium cepu (onion)	1					Michigan. New York.
Ditylenchus dipsaci	Colchicum speciosum alhum	1					District of Co-
D0							lumbia.
Do	Galanthus sp	- 1		0-2-			New York.
Do	Hyacinthus sp	1					Do.
Do	Iris xiphioides (English iris).	1					District of Co-
Do	Iris sp	3		***			California.*
Do	do	41	2				District of Co-
	Taminara an Chamina	1					lumbia.
Do	Lupinus sp. (lupine) Narcissus sp.	1					Do. Illinois.
Do	Scilla sp. (squill)	1					Massachusetts.
Do	do	1					Pennsylvania.
Do	Solanum tuberosum					1	Do.
Do	Tigridia sp. (tigerflower)		1				District of Co- lumbia.
Erysiphe umbelliferarum	Pastinaca sativa (parsnip) . Rosa chinensis manetti	1	1	one was eight stip.			Pennsylvania. California.*
Papulospora parasitica Pestalozzia macrotrichum	Tulipa spRhododendron sp	1					Pennsylvania. District of Columbia.
Phoma oleraceaPhoma rimosa	Brassica oleracea capitata Phragmites communis (reed-	1					New York.
Sclerotinia gladioli	grass).  Gladiolus sp	227	2				District of Co-
Urocystis colchici	Colchicum sp	6					Do.
Uromyces fabae	Vicia sp. (vetch) Solanum tuberosum	3			1		New York.
Verticillium albo-atrum	Dahlia sp	1			1	1	Alabama. District of Co- lumbia.
Do	Eremurus sp	1					Do.
NEVIS Insects:							
Targionia hartii (Coccidae)	Dioscorea sp. (yam)	are red try and stal nor	1	1			Massachusetts.
NEWFOUNDLAND							
Insects:							
Olethreutid	Vaccinium vitis-idaea (lingonberry).	8					Illinois.
Do	do	9					
D0	Vaccinium sp. (blueberry)	2 2	1				Illinois. Michigan.
Do	do	1					New York.
Tortricid	Vaccinium vitis-idaea (lin-	î					Illinois.
	gonharry)						D
D0	Vaccinium sp. (blueberry)	3			1	1	Do. Massachusetts.
Do	do	1					Michigan.
Do	do	3			1		New York.
Diseases:	do	4					Illinois
Exobasidium vaccinii	do	1					Illinois. New York.
Sclerotinia oxycocci	do	1					Illinois.
Do	do	1					Michigan.
Sporonema oxycocci	Vaccinium vitis-idaea (lingonberry).	1					Do.

		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in-
NEW GUINEA							
Insects: Aspidiotus destructor (Cocci-	Cocos nucifera (coconut)	1					Hawaii.*
dae). Targionia sacchari (Coccidae).	Saccharum sp		1				District of Co-
NEW ZEALAND							lumbia.
Insects: Conotrachelus sp. (Curculion-	Olea cunninghamii		1				Do.
idae). Leucaspis podocarpi (Cocci-	Podocarpus nivalis	1					Hawaii.*
dae). Poliaspis gaultheriae (Cocci-	Gaultheria sp		1				District of Co-
dae). Sternochetus mangiferae (man-	Mangifera indica (mango)			1			lumbia. Washington.
go weevil). Tineid	Chrysanthemum maximum	1					Hawaii.*
Tortricid	(Shasta daisy).  Malus sylvestris (apple)					1	Pennsylvania.
Diseases: Sclerotinia gladioli	Gladiolus sp		1				District of Co-
NICARAGUA Insects:							idinoia.
Xyleborus propinquus (Scolytidae).	Swietenia mahogani (ma- hogany) (log).	1					Louisiana.
NORWAY Insects:							
Blastodacna sp. (Cosmoptervgidae).	Malus sp		1				District of Co-
Callidium sp. (Cerambycidae).							New York.
Ceutorhynchus sp. (Curcu-							Maryland.
Dispases:	do			1			Virginia.
Colletotrichum omnivorum Cumminsiella sanguinea Ditylenchus dipsaci Rhizoctonia crocorum	Aspidistra lurida Mahonia sp Solanum tuberosum do			1	1		New York. Do. Texas. Pennsylvania.
NOVA SCOTIA							
Diseases:							
Didymellina iridis	Iris sp			1			Massachusetts.
PALESTINE Insects:	4						111111111111111111111111111111111111111
Parlatoria cinerea (Coccidae)_	Citrus medica (citron)		ī			1	Washington. Illinois. Texas.
DoPANAMA	Curus sinensis (orange)					1	rexas.
Insects:  Anastrepha sp. (Trypetidae)	Mangifera indica (mango)_			,			Mourland
Anidiella cocotiphagus (Coccidae).	Cocos nucifera (coconut)			1			Maryland. California.*
Aspidiotus destructor (Coccidae).	do		1				Do.*
Fullius anthocorides (Miridae).	Tabebuia donnell-smithii (primavera) (log).	2					Louisiana.
Lepidosaphes lasianthi (Coccidae).	Codiaeum sp. (croton)			1			New York.
Leucaspis cockerelli (Coccidae).	Citrus limonia (lemon)					1	California.*
Metamasius sericeus (silky cane weevil).	Musa sp. (banana)	8					Do.*
Mirotermes panamaensis (termite).	Swietenia mahogani (ma- hogany) (log).	1		+			Louisiana.
Oedionychis panamensis (Chrysomelidae).	Musa sp. (banana)	1					California.*

		Nun	nber tion	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Panama—Continued							
Insects—Continued.  Parlatoria camelliae (Cocci-	Howea sp. (palm)				1		Pennsylvania.
dae).  Platypus rugulosus (Platypodidae).	Tabebuia donnetl-smithii (primavera) (log)	1					Louisiana.
Stenomid	Averrhoa carambola (kama-ranga).			1			Do.
Targionia hartii (Coccidae) Xyleborus confusus (Scolyti- dae).	Dioscorea sp. (yam) Tabebuia donnell-smithii (primavera) (log).	1		1			New York. Louisiana.
Xyleborus propinguus (Scolytidae). Do	Cedrus sp. (cedar)	1					New York.
Diseases:	Tabebuia donnell-smithii						Louisiana.
Pestalozzia palmarum Uredo behnickiana	Cocos nucifera (coconut) Oncidium sp. (orchid)	2					California.* District of Co- lumbia.
Insects:							,
Callosobruchus chinensis (Bru- chidae).			1		- E -		Do.
	do		1				New York.
Insects: Dinoderus bifoveolatus (Bostri-	Serjania mexicana (bar-	1					Do.
chidae).  Zabrotes subfasciatus (Bru- chidae).	basco). Bean		1				District of Co-
PHILIPPINES							W.
Insects:  Aspidiotus destructor (Coccidae).	Cocos nucifera (coconut)			1	1		California.*
Do Callosobruchus chinensis (Bru-	PalmLegume		<u>ī</u> -		1		Pennsylvania. Hawaii.*
chidae). Caryedon fuscus (Bruchidae)	Tamarindus indica (tama-			1			Do.*
Chrysomphalus rossi (Coccidae).	rind).  Phalaenopsis schilleriana (orchid).	1					Do.*
Coccus viridis (Coccidae) Dacus cucurbitae (melon fly)	Mitragyna rotundifolia Cucumis sativus (cucum-	1				1	New York. California.*
Dinoderus bifoveolatus (Bostrichidae).	ber).  Derris scandens (derris)	2					New York.
Furcaspis biformis (Coccidae)	Cymbidium finlaysonianum (orchid).		1				District of Co-
Lepidosaphes lasianthi (Coccidae).	Codiaeum sp. (croton)			1			Washington.
Lepidosaphes tubulorum (Coccidae).	Hibiscus sp.		1				District of Co- lumbia.
Mertila malayensis (Miridae)	Dendrobium taurinum (or- chid). Phalaenopsis amabilis (or-	1	1				California.* Do.*
Do	chid).  Renanthera storiei (orchid).	1	1				Do.*
Myelois sp. (Pyralididae)	Tamarindus indica (tama-rind).			1			Hawaii.*
Odonaspis secretus (Coccidae)	Dinochloa scandens	1		il m mi m		- 4	District of Co- lumbia.
Orchidophilus aterrimus (Curculionidae).	Aerides crassifolium (or- chid). Phalaenopsis amabilis (or-	1	1 1				Hawaii.*
Do	chid).  Rhynchostylis retusa (or-	1	1				California.* Hawaii.*
Orchidophilus peregrinator	chid).  Renanthera sp. (orchid)	1	1				California.*

		Nur	nber tion	of in is <b>in</b> -	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
PHILIPPINES—Continued						-	
Insects—Continued.  Orchidophilus sp. (Curculionidae).	Orchid (several genera)	3	6				California.
Orthaea pallicornis (Lygaei-	Vanda sanderiana (orchid)	1	10	1			Hawaii.* California.*
dae).  Parlatoria pseudaspidiotus (Coccidae).	Vanda joaquimiae (orchid)	1					Do.*
D <sub>0</sub>	Vanda teres (orchid)	1 1	<u>-</u> -				Hawaii.* California.*
Do	Vanda sp. (orchid)	2	2	-			Hawaii.*
Parlatoria ziziphus (Coccidae). Do Prays citri (Philippine orange	Citrus aurantifolia (lime) Citrus limonia (lemon) do					1 1 1	Washington. California.* Do.*
moth.)	Citrus sinensis (orange)					1	Do.*
Prays sp. (Hyponomeutidae) Pseudaonidia curculiginis (Coccidae).	Grammatophyllum specio- sum (orchid).	1				1	Do.* Do.*
Pseudobothrideres quadratifer (Colydiidae).	Dracontomelum dao (dao) (log).	1					Hawaii.* Virginia.
Pseudococcus lilacinus (Coccidae).	Citrus grandis (pomelo)  Dendrobium aggregatum		3	1			Hawaii.* Do.*
Do	Dendrobium aggregatum (orchid).  Dendrobium crumenatum		1				California.*
Do	(orchid).  Dendrobium dearei (or-						Do.*
Do	chid).  Dendrobium findlayanum						Hawaii.*
$D_0$	(orchid).						Do.*
Do	(orchid).  Dendrobium merrillii (or-		1				Do.*
Do	chid).  Dendrobium sanderae (or-	1					Do.*
Do	chid). Dendrobium sanderae par-		1				Do.*
Do	viflorum (orchid).  Dendrobium sp. (orchid)  Oncidium sphacelatum (or-		1				Do.* Do.*
Do	chid).  Phalaenopsis amabilis (or-	1					California.*
Do	chid). Rhynchostylis retusa (or-	1					Hawait.*
DoSinoxylon anale (Bostrichi-	chid).  Vanda sanderiana (orchid)  Derris scandens (derris)	1 3					California.* New York.
dae). Vinsonia stellifera (Coccidae)_	Phalaenopsis amabilis (or-		1				California.*
Do	chid).  Phalaenopsis grandiflora (orchid).	1					Do.*
Diseases:  Bacterium citri  Colletotrichum macrosporum	Citrus aurantifolia (lime) Cypripedium haynaldia-	1				1	Do.* Do.*
Colletotrichum orchidearum	num (orchid). Phalaenopsis amabilis (or-	1	4		***		Do.*
Do	chid).  Phalaenopsis aphrodite (or-	2	2				Do.*
Do	chid). Phalaenopsis schilleriana		2				Do.*
Gloeosporium affine	(orchid).  Phalaenopsis amabilis (or-	3	2				Do.*
Do	chid).  Phalaenopsis schilleriana (orchid).		2				Do.*
Do	Vanda sanderiana (orchid)	1					Do.*

1						-	
		Nu	mber tion	of in	terc	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Ваддаде	Quarters	Stores	Collected in—
PHILIPPINES—Continued							- 11 10
Diseases—Continued.							
Gloeosporium cinctum	Dendrobium taurinum (or-	1					California.
Macrophoma oncidii	Phalaenopsis schilleriana (orchid).		1				Do.*
Physalospora orchidearum	Phalaenopsis amabilis (or-	1	1				Do.*
Do	Phalaenopsis aphrodite (or-	1					Do.*
Tilletia horridaVolutella albido-pila	Oryza satīva (rice) Phalaenopsis sp. (orchid)	1	1				New York. California.*
PITCAIRN ISLAND		3-01					
Insects:	Citura Ilmania (laman)			1			New York.
Parlatoria cinerea (Coccidae)_ Do	Citrus limonia (lemon) Citrus sinensis (orange)			1			Do.
POLAND							
Insects:	2000						
Aelia rostrata (Pentatomidae)	With packing on grapes and Corylus.	1					District of Co- lumbia.
Aphanus lynceus (Lygaeidae).  Apion pomonae (Curculionidae).	Vicia sp. (vetch)	1		1			Do. New York.
Beosus maritimus (Lygaeidae)	With packing on grapes and Corylus.	1					District of Co- lumbia.
Calyptonotus rolandri (Lygae-idae).	do	1					Do.
Ceutorhynchus sp. (Curcu- lionidae).	Brassica oleracea capitata					1	New York.
Lecanium coryli (Coccidae)	Salix retusa		1				District of Co-
Do	Tilia cordata cordifolia	1					Do. Do.
dae).	Straw and moss packing around Corylus, grape,	1					10.
Palomena viridissima (Pentatomidae).	and Juglans cuttings. With packing on grape and Corylus cuttings.						Do.
Rhyparochromus chiragra (Lygaeidae).	do	1					Do.
Sciaphilus muricatus (Curculionidae).	Packing.						Do.
Scolopostethus affinis (Lygaeidae).	With packing on grape and Corylus cuttings.						Do.
Sehirus bicolor (Cydnidae) Sehirus morio (Cydnidae)	dodo	1					Do. Do.
Diseases: Ditylenchus dipsaci							Do.
Fusicladium depressum Hendersonia pecki	Anethum graveolens (dill) Lonicera sp					1	New York. District of Co-
Phomopsis juglandina	Juglans regia (English walnut).						lumbia. New York.
Urocystis occulata	Secale cereale (rye)	1					
Urocystis tritici	Triticum aestivum (wheat)  Juglans regia (English walnut).	1					Do. Do.
PORTUGAL							
Insects: Apion pomonae (Curculioni-	Vicia sp. (vetch)	3					Do.
dae).  Baris laticollis (Curculioni-	Brassica rapa (turnip)					1	Pennsylvania
dae). Bruchus rufipes (Bruchidae) Do	Vicia sp. (vetch)	1					Louisiana.
Do	do	4					New York.

		Nur	mber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in-
PORTUGAL—Continued							
Insects—Continued.  Ceratitis capitata (Mediterranean fruitfly).	Citrus nobilis deliciosa (tangerine).					1	Alabama.
Do	Citrus sinensis (orange)do Brassica rapa (turnip)			1	1	1	Do. New York. Do.
onidae). Do	Raphanus sativus (radish)	1	1			1	Do. California.*
Do Myelois sp. (Pyralididae)	Tamarindus indica (tama-	9		1			New York. Massachusetts
Psylliodes chrysocephala (Chrysomelidae).	rind. Raphanus sativus (radish).				** = = =	1	New York.
Diseases: Uromyces fabae	Vicia sp. (vetch)	1					Do.
PUERTO RICO Insects:  Anastrepha mombin praeop-	Mangifera indica (mango) _			1	1		Do.
tans (Trypetidae).	Spondias cytherea (jobo de			1			Do.
Anastrepha suspensa (Try-petidae).	la India).  Psidium guajava (guava)			1			Do.
Anastrepha sp. (Trypetidae) Do Do	Achras sapota (sapodilla) Psidium guajara (guava) Spondias cytherea (golden		1	1	1		Florida.* New York. Do.
Aonidiella cocotiphagus (Coccidae).	apple). Cocos nucifera (coconut)	2		400 May 600 May			Do.
Do Do	Mangifera indica (mango) Spondias cytherea (golden			1 1		1	Texas. New York Do.
Cylas formicarius (sweetpo- tato weevil).	apple). Ipomoea batatas (sweetpotato).					1	Louisiana.
Euscepes postfasciatus (West Indian sweetpotato wee-	do			2 2			New York. Do.
vil). Frankliniella insularis (thrips).	Gerbera sp				1		Pennsylvania.
Haplothrips gowdeyi (thrips) Do Do	Dahlia sp Gerbera sp Gladiolus sp				1		Do. Do. Do.
Lyctus caribeanus (Lyctidae) Do Maruca testulalis (bean pod	Cola acuminata (kola) Smilax sp. (greenbrier) Cajanus indicus (pigeon	1		2			New York. Do. Do.
borer). Do Morganella longispina (Cocci-	pea).  Phaseolus sp. (string bean)  Spondias cytherea (vi-apple)		1			1	Pennsylvania. New York.
dae).  Myelois sp. (Pyralididae)	Tamarindus indica (tama-rind).	2					Do.
Do	Gossypium sp. (cotton-			1 2			Pennsylvania. New York.
bollworm).  Pinnaspis minor strachani (Coccidae).	seed).  Annona muricata (soursop).			1			Do.
Pseudischnaspis boureyi (Coccidae). Stephanoderes guatemalensis	Annona cherimola (cherimoya).  Ochroma lagopus (balsa)			1			Do.
(Scolytidae). Stephanothrips occidentalis	Grias cauliflora			_			Do.
(thrips).  Taeniothrips simplex (gladio-lus thrips).	Gladiolus sp				1		Pennsylvania.

Country of origin and name of pest			tion	ns in			
name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
PUERTO RICO-Continued							
Insects—Continued.  Targionia sacchari (Coccidae)	(sugarcane).						New York.
Trionymus sacchari (Coccidae).  Vinsonia stellifera (Coccidae).	do						District of Co- lumbia. New York.
Diseases:  Ceratostomella fimbriata	Ipomoea batatas (sweetpo-						Do.
Colletotrichum cajani	tato). Cajanus indicus (pigeon pea).	1		1			Do.
Ditylenchus intermedius	Dioscorea sp. (yam) Stachytarpheta jamaicensis_	1		1			Do. Do. Do.
Septoria rosicola	Rosa sp			1			Do. Do.
Uredo jatrophicola	Jatropha sp		1				Do.
Insects:							
Targionia hartii (Coccidae)	Dioscorea sp (yam)		1				Do.
ST. KITTS Insects: Asterolecanium miliaris lon-	Bamboo		1				Do,
gum (Coccidae). Targionia hartii (Coccidae)							Do.
ST. LUCIA							
Insects:  Lepidosaphes lasianthi (Coccidae).	Codiaeum sp. (croton)				1		Pennsylvania.
St. VINCENT Insects:  Euscepes postfasciatus (West Indian sweetpotato weevil). Diseases:  Ceratostomella fimbriata	Ipomoea batatas (sweetpotato).					2	Massachusetts.
SALVADOR							20.
Insects:  Aspidiotus destructor (Coc-	Cocos nucifera (coconut)			1			California.*
cidae).  Heilipus sp. (Curculionidae)	Manihot esculenta (cas-sava).	4-		1			Do. *
Platynota rostrana (Tortricidae).	Grass	1					Texas.
SCOTLAND							
Insects: Agriotes sp. (Elateridae)	Radicula amoracia (horse-radish).					1	Massachusetts.
Apion craccae (Curculionidae).	Solanum tuberosum	1				1	Pennsylvania. Alabama.
Apion pomonae (Curculioni-							Do.
Bruchus luteicornis (Bruchi-	do	1 3		1			New York. Do.
dae) Bruchus rufipes (Bruchidae) Do	Vicia hirsuta (hairy vetch)	1 1					Louisiana. New York.
D <sub>0</sub>	Vicia sp. (vetch)	3					Alabama.
Do	do	21					
Bruchus sp. (Bruchidae) Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica rapa (turnin)	1					Alabama. New York.


	umit.	Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Ваддаде	Quarters	Stores	Collected in—
SCOTLAND—Continued				Test			
Insects—Continued.  Coleophora sp. (Coleophoridae).	Calluna vulgaris (heather)		4				New York.
Forficula auricularia (Euro-	do		1				Pennsylvania.
pean earwig). Gelechia ericetella (Gelechi-	do		6				New York.
idae). Do	do		5			J	Pennsylvania.
Lecanium coryli (Coccidae)	Populus balsamifera varie-		1		an pa 100 m		District of Co- lumbia.
Lochmaca suturalis (Chryso- melidae).  Micrelus ericae (Curculioni-			1				Do. New York. Maryland.
dae). Do	do		1				Michigan.
Do	do		20				New York. Pennsylvania.
Myzus ornatus (aphid)	Sedum sp. (stonecrop)				1		Massachusetts.
Orthotylus ericetorum (Miridae).		CHI CONTRACTOR					Pennsylvania.
Scolopostethus affinis (Lygaeidae).							New York.
Taeniothrips atratus (thrips)	do		1				Maryland. Massachusetts.
Do	do		10				New York. Pennsylvania.
Taeniothrips ericae (thrips)	do		1				Maryland.
Do	do		10				Michigan. New York.
Thrips flavus (thrips)	do		3				Do. Do.
dae). Diseases: Mycosphaerella fragariae	Fragaria sp. (strawberry)	2					District of Co-
Oidium hortensive	Hydrangea sp				1		lumbia. Massachusetts.
Uromyces fabae	Vicia sp. (vetch)	1					New York.
Vermicularia trichella	Hedera helix (English ivy)			1			Do.
Insects: Eurytoma sp. (Eurytomidae).	Vanda denisoniana (or- chid).	****	1				California.*
Diseases: Gloeosporium affine	Saccolabium giganteum il-		1				Do.*
Gloeosporium cinclum	Vanda caerulea (orchid) Cymbidium lowii (orchid)		1 1				Do.* Do.*
Glomerella cinctaPhysalospora orchidearum	Orchid.  Cymbidium lowianum (orchid).	1 1					New York. California.*
SOCIETY ISLANDS							
Insects: Tineid	Barringtonia speciosa		1				District of Co-
SOUTH EAST AFRICA		All I		10010			rumpyre.
Insects:  Ceratitis capitata (Mediter- ranean fruitfly).	Citrus sinensis (orange)				1		Texas.
Insects:	The second second						
Ceratitis capitata (Mediter-ranean fruitfly).  Do	do				3	2	Do. New York.

		Nu	mber tion	of ir	terc	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quartors	Stores	Collected in—
Spain—Continued							
Insects—Continued.  Chrysomphalus dictyospermi var. (Coccidae).	Citrus limonia (lemon)						Maryland.
Parlatoria ziziphus (Coccidae) Diseases:	Citrus sinensis Citrus limonia					1 1	Texas. California.*
Botrytis allii Puccinia allii Puccinia angustata	Allium cepa (onion) Allium sativum (garlic) Scirpus sp. (bulrush)	2				1	New York. Pennsylvania. Do.
STRAITS SETTLEMENTS							
Insects:  Aspidiotus palmae (Coccidae)  Ceratitis sp. (Trypetidae)  Parlatoria pergandii var.  (Coccidae).	Palm		1			1	Pennsylvania.
Parlatoria pseudaspidiotus (Coccidae).	Orchid.						
Do Do Parlatoria ziziphus (Coc-	Vanda cooperi (orchid) Vanda hookeriana (orchid) Vanda sp. (orchid) Citrus grandis (pomelo)			1 1 1			Hawaii.* Do.* Do.* Massachusetts.
cidae). Do  Prays sp. (Hyponomeutidae)_	Citrus limonia (lemon) Citrus grandis (pomelo)					1	California.* Pennsylvania.
Diseases:  Bacterium citri  Do  Do	Citrus aurantifolia (lime) Citrus grandis (pomelo) Citrus limonia (lemon)					1 1	Do. Do. Massachusatte
Bacterium lachrymans	Cucurbita pepo (pumpkin) Citrus limonia (lemon)					1	Maryland. New York.
SUMATRA Insects: Parlatoria pseudaspidiotus	Dendrohium an (anahid)	in his new	1				District of Co.
(Coccidae).  Stephanoderes hampei (coffee berry borer).	Dendrobium sp. (orchid)  Coffea sp						District of Co- lumbia. New York.
SWEDEN Insects:	David smeat and						- of allowing
Ernobius abietis (Anobiidae)	Picea excelsa (Norway spruce).						Do.
Leucaspis loewi (Coccidae) Diseases:	Pinus sp. (pine)		1				District of Co- lumbia.
Aphelenchoides parietinus Do Chrysomyxa pyrolae		1				1	Texas. Alabama. New York.
Ditulenchus dipsaci	Solanum tuberosum					1	California.* Pennsylvania.
Lophodermium juniperinum	Lonicera tatarica (Tatarian honeysuckle).  Juniperus sp. (juniper)		1				District of Co- lumbia. Massachusetts.
Phomopsis aucubae	Aucuoa sp				1		New York. Do.
	do	1					Do.
Insects:  Acalypta marginata (Tingitidae).	Packing for pear cuttings.						District of Co- lumbia.
Bruchus rufipes (Bruchidae) Frankliniella intonsa (thrips). Laspeyresia splendana (Olethreutidae).	Vicia sp. (vetch) Narcissus sp. Castanea sp. (chestnut)		1				California.*
Do	do		·	1			New York.

		Nur	nber tion	of in is in-	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
SWITZERLAND—Continued							
Diseases:  Phyllosticta ruborum  Pucciniastrum myrtilli  Sporonema strobilinum  Uromyces fabae	Azalea sp		1 1	1			Maryland. New York. Do. Do.
SYRIA							
Insects:  Bruchus dentipes (Bruchidae)  Lepidosaphes ficus (Coccidae)  Parlatoria oleae (Coccidae)	Vicia faba (broadbean) Ficus sp Malus sylvestris (apple)	1	1	1			Do. Washington. New York.
TRANS-JORDAN							
Insects:  **Phloeotribus scarabaeoides** (Scolytidae).	Olea europaea (olive)			1			Do.
TRINIDAD Insects:							
Anastrepha sp. (Trypetidae) - Asterolecanium aureum (Coc- cidae).	Mangifera indica (mango) Oncidium sp. (orchid)	1		1			Do. District of Co- lumbia.
Asterolecanium miliaris (Coccidae).  Asterolecanium miliaris lon-	Bamboododo		1				New York. Do.
gum (Coccidae). Ceroputo barberi (Coccidae)	Beaumontia randiflora			1			Do.
Furcaspis biformis (Coccidae)_	(heralds-trumpet).  Cattleya sp. (orchid)		1				District of Co-
Marmara sp. (Gracilariidae)	Citrus grandis (grapefruit).					1 1	lumbia. Texas. Pennsylvania.
Orthezia praelonga (Coccidae).  Pinnaspis minor strachani (Coccidae).	Citrus sinensis (orange) Bontia daphnoides Muntingia glabra		1	1			New York. Puerto Rico.
Do	Roystonea regia (royal palm).	1					District of Co- lumbia.
Diseases: Cerotelium desmium	Gossypium barbadense (Sea-			1			New York.
Colletotrichum truncatum Mycosphaerella citrul/ina	Island cotton).  Phaseolus sp. (string bean)  Cucumis sativus (cucum-						Texas. Pennsylvania.
TURKEY	ber).						
Insects:  Bostrichus capucinus (Bos-	Glycyrrhiza glabra (licorice)		1				New York.
trichidae). Bruchus rufipes (Bruchidae)	Legume seed						District of Co-
Callirhytis glandium (Cynip-	Quercus sp. (valonia)						lumbia. New York.
idae). Trogoxylon impressum (Lyctidae).	Glycyrrhiza glabra (licorice)						Do.
Diseases: Anguina tritici	Triticum aestivum (wheat)		3				District of Co lumbia.
Uromyces loti	Lotus sp			1			Do.
UGANDA Insects: Pectinophora gossypie'la (pink	Gossypium sp. (seed cot-			1			New York.
bollworm).  Stephanoderes hampei (coffee berry borer).	ton). Coffea sp. (coffee)						
Union of South Africa							
Insects:							
Cerotitis sp. (Trypetidae)	Malus sylvestris (apple) Pyrus communis (pear)			1	1		Do. Texas.

	Host	Nur	nber tion	of in			
Country of origin and name of pest		Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Union of South Africa-Con.							
Insects—Continued.  Chionaspis subnudata (Coccidae).  Do	Caralluma sp  Huernia kirkii Stapelia peglerae Ornithogalum thyrsoides			~~~			California.*  Do.*  Do.*  New York.
Haplothrips gowdeyi (thrips) Haplothrips nigricornis	(chinkerichee)do Erica sp. (heath)		1	1			Do. Do.
(thrips). Do	Ornithogalum thyrsoides		13				Do. Do.
Phlyctinus callosus (Curculionidae).  Taeniothrips fumosa (thrips)	Vitis sp. (grape) Ornithogalum thyrsoides		14				Do.
Tortricid	Prunus domestica (plum) Vitis sp. (grape)	1	15				Do. Do. Do.
	do		3 6	1			Do. Do. Maryland. Massachusetts.
Do	do dododo		3 4	1			Minnesota. New York. Pennsylvania. Maryland.
Do	do do		3 4 51				Massachusetts. Minnesota. New York. Pennsylvania.
Union of Soviet Socialist Republics	Limonium sp. (sea-laven-der).			1			New York.
Insects:  Megastigmus aculeatus (Callimonidae).	Rosa sp	~ ~ ~ ~ ~	1				District of Co- lumbia.
Diseases: Fusicladium depressum URUGUAY	Foeniculum sp. (fennel)	1					New York.
Diseases:  Ditylenchus dispaci	Allium satirum (garlic)	1					Do.
VENEZUELA Insects: Anchonus sp. (Curculionidae)							District of Co-
Do	Orchid Cattleya sp. (orchid)	4					Do. Do.
Do  Exptochiomera formosa (Lygaeidae).  Furcaspis biformis (Coccidae).		1					Do. Do. California. *
Do	Epidendrum sp. (orchid)Orchid	1					District of Co- lumbia. Hawaii.*
Iridomyrmex iniquus (ant)	Orchiddo	1					Puerto Rico. District of Columbia. New York.
Iridomyrmex iniquus nigella (ant).	Cattleya sp. (orchid)	1					California.*
	Orchid						lumbia. Puerto Rico.

	Host	Nu	mber tion	of in			
Country of origin and name of pest		Cargo	Mail	Baggage	Quarters	Stores	Collected in—
VENEZUELA—Continued							
Insects—Continued. Stephanoderes guatemalensis (Scolytidae). Tenthecoris bicolor (Miridae)	Poinciana regia (flamboy- ant). Cattleya sp. (orchid)						Pennsylvania.  District of Columbia.
Do Do Tineid Do Do	do	2 1					Do. Puerto Rico. California.* Do.* District of Co-
Diseases: Colletotrichum orchidearum	Cattleya sp. (orchid)	1					lumbia.  Do.
VIRGIN ISLANDS							Carlondon Control
Insects:  Targionia hartii (Coccidae)	Dioscorea sp. (yam)		1				New York.
WALES Insects: Ceutorhynchus sp. (Curculionidae). Do	Brassica campestris (ruta- baga).					1	Washington.
Do	do					1	New York. Texas.
Neotylenchus abulbosus Pratylenchus pratensis	Solanum tuberosum					1 1	Do. Pennsylvania.
WEST AFRICA Insects: Brachypeplus rubidus (Nitidulidae). Diseases: Schizophyllum commune	Lovea klaineana (African walnut (log).  Khaya worensis (African	1					NewlYork.
YUGOSLAVIA Insects:	mahogany) (log).	1			40 M ag +		100,
Chrysomphalus dictyospermi var. (Coccidae).	Nerium oleander (oleander)						Do.
Laspeyresia splendana (Ole- threutidae). Pyrausta nubilalis (European	Castanea sp. (chestnut)  Zea mays (corn)						Pennsylvania. Illinois.
corn borer).  Taeniothrips dianthi (thrips)  Diseases:	Dianthus sp. (carnation)						New York.
Gloeodes pomigenaUNKNOWN ORIGIN	Malus sylvestris (apple)			1			Do.
Insects:  Aonidiella cocotiphagus (Coc-	Cycad leaf						Do.
cidae).  Ceratitis capitata (Mediterranean fruitfly).	On pier among 3 pounds of						Do.
Dinoderus pilifrons (Bostri- chidae).	Bamboo cane						Washington.
Metamasius sericeus (silky cane weevil).  Myelois sp. (Pyralididae)	Banana debris  Punica granatum (pome-						Louisiana.  New York.
Perkinsiella saccharicida (su- garcane leafhopper).	granate). In quarters of Clipper						Hawaii,*
Trypetid Diseases:	Heliconia sp. (wild plantain).	*****			1		Louisiana.
Bacterium citri Do	Citrus aurantifolia (lime) Citrus sinensis (orange)			i		1	Washington. Do.



UNIVERSITY OF FLORIDA

3 1262 09082 4896