

RECENT ADDITIONS TO THE FUNGUS-FLORA OF THE NEW FOREST.

BY J. F. RAYNER, F.R.H.S.

Since the publication, in 1904, of the "List of the Fungi of the New Forest," the following additional species and varieties have been recorded. Some of them, it will be observed, are of considerable interest and importance.

FUNGI.

- | | |
|--|--|
| <p>CYATHUS STRIATUS. Hoffm. Near Brockenhurst.</p> <p>THELEBOLUS TERRESTRIS. A. and S. Ironshill Inclosure.</p> <p>LYCOPERDON ECHINATUM. Pers. Near Blackwater.</p> <p>ATROPURPUREUM. Vitt. Holmsley.</p> <p>EXCIPULIFORME. Scop. Denny Lodge Inclosure.</p> <p>CEPAEFORME. Bull. Near Blackwater.</p> <p>PILACRE PETERSII. B. and C. Woodfidley.</p> <p>TREMELLA FIMBRIATA. Pers. Denny Lodge Inclosure.</p> <p>FRONDOSA. Fr. Church Place Inclosure. Rhinefield.</p> <p>LUTESCENS. Pers. Holland Wood.</p> <p>SPARASSIS CRISPA <i>var.</i> LAMINOSA. Fr. Holmsley.</p> <p>CLAVARIA FORMOSA. Pers. Near Hangersley.</p> <p>ARGILLACEA. Fr. Denny Heath.</p> | <p>SOPPITIELLA SEBACEA. Mass. Hurst Hill.</p> <p>HYMENOCHAETE RUBIGINOSA. Lev. Busketts.</p> <p>CORRUGATA. Lev. Holmsley.</p> <p>CORTICIUM CAERULEUM. Fr. Bolderwood.</p> <p>STEREUM MULTIZONATUM. B. and Br. Denny Lodge Inclosure. Perry Wood Inclosure.</p> <p>SOLENIA ANOMALA. Fr. Ironshill.</p> <p>HYDNUM FERRUGINEUM. Fr. Burley New Inclosure.</p> <p>PHLEBIA RADIATA. Fr. Mallard Wood.</p> <p>DAEDALEA CONFRAGOSA. Pers. Holmsley.</p> <p>TRAMETES RUBESCENS. Fr. Denny Lodge Inclosure. Rhinefield. Nr. Beaulieu River.</p> <p>POLYSTICTUS PERENNIS. Fr. Wootton Inclosure. Holmsley.</p> <p>FOMES IGNIARIUS <i>var.</i> POMACEUS. Bratley Wood; etc.</p> |
|--|--|

FUNGI—Continued.

- POLYPORUS SQUAMOSUS. Fr.
Wootton.
- ELEGANS. Fr.
Pine-wood near Palmer's
Water.
- CRISPUS. Fr.
Near Blackwater.
- BOREALIS. Fr.
Mark Ash.
- ALUTACEUS. Fr.
Mallard Wood.
- BOLETUS FRAGRANS. Vitt.
Ironshill Inclosure.
- VERSIPILLIS. Fr.
Denny Lodge Inclosure.
Ironshill, etc.
- PSILOCYBE PHYSALOIDES. Bull.
Denny Lodge Inclosure.
- HYPHLOMA HYPOXANTHUS.
Phil. and Plow.
Denny Lodge Inclosure.
- STROPHARIA STERCORARIA. Fr.
Denny Lodge Inclosure.
- PAXILLUS PARADOXUS. Cke.
Denny Lodge Inclosure.
- CORTINARIUS (PHLEG.) TRIUM-
PHANS. Fr.
Denny Lodge Inclosure.
- DIBAPHUS var. XANTHOPHYL-
LUS. Cke.
Near Race Course.
- EMOLLITUS. Fr.
Nr. Lyndh'st Rd. Station.
- (DERMO.) SPILOMEUS. Fr.
Near Knightwood Oak.
- COTONEUS. Fr.
Denny Lodge Inclosure.
- (INO.) ARGENTATUS. Kromb.
Nr. Lyndh'st Rd. Station.
- PHOLIDEUS. Fr.
Near Burley.
- FLAMMULA SPUMOSA. Fr.
Holland Wood.
- GALERA LATERITIA. Fr.
Near Rhinefield.
- INOCYBE HYSTRIX. Fr.
Denny Lodge Inclosure.
- SCABER. Fr.
Burley.
- RIMOSA.
Rhinefield, Wootton, etc.
- EUTHELES. B. and Br.
Holland Wood, etc.
- PHOLIOTA MUTABILIS. Schaeff.
Denny Lodge Inclosure.
- LEPTONIA LAZULINA. Fr.
Balmer Lawn.
- PLUTEUS LEONINUS. Schaeff.
Mark Ash. Bratley Wood.
- PELLITUS var. PUNCTILLIFER.
Quel.
Denny Lodge Inclosure.
- LENZITES FLACCIDA. Fr.
Rhinefield.
- CANTHARELLUS ALBIDUS. Fr.
Hinchleslea.
- LUTESCENS.
Nr. Lyndh'st Rd. Station.
- CINEREUS. Fr.
Denny Lodge Inclosure.
- HYGROPHORUS UNGUINOSUS. Fr.
Denny Lodge Inclosure.
- LIVIDO-ALBUS. Fr.
Denny Lodge Inclosure.
- PLEUROTUS ACERINUS. Fr.
Denny Lodge Inclosure.
- ATROCAERULEUS. Fr.
Denny Lodge Inclosure.
- OMPHALIA RUSTICA. Fr.
Denny Wood.
- CLITOCYBE FUMOSA. Pers.
Ashurst Wood.
var. CAESPITOSA.
Church Place Inclosure.
- GILVA. Pers.
Church Place Inclosure.
- OBSOLETUS. Fr.
Ironshill.
- LACTARIUS VIETUS. Fr.
Near Burley.

FUNGI—Continued.

- RUSSULA ALUTACEA. Fr.
 Near Roman Arch.
 ARMENIACA. Cke.
 Denny Lodge Inclosure.
 LUTEA. Fr.
 Ashurst.
 Denny Lodge Inclosure.
 Queen's Bower.
 DENSIFOLIA. Secr.
 Denny Lodge Inclosure.
 CITRINA. Gillet.
 Denny Lodge Inclosure.
 OLIVASCENS. Fr.
 Denny Lodge Inclosure.
 SANGUINEA. Fr.
 Denny Lodge Inclosure.
 MYCENA TENERRIMA. Bert.
 Millyford Bridge.
 TINTINABULUM. Fr.
 Ironhill.
 FLAVOALBA. Fr.
 Denny Lodge Inclosure.
 COLLYBIA HARIOLORUM. Bull.
 Denny Lodge Inclosure.
 MARASMIUS CANDIDUS. Bolt.
 Church Place Inclosure.
 TRICHOLOMA EQUESTRE. Linn.
 Ironhill.
 SAPONACEUM. Fr. *var.*
 STIPITE SQUAMALOSO.
 Cke.
 Rhinefield, etc.
 LASCIVUM. Fr.
 Ironhill.
 CARNEUM. Bull.
 Denny Heath.
 ALBUM. Schaeff.
 Denny Wood.
 LEPIOTA RACHODES. Vitt.
 Denny Wood.
 GRACILENTA. Kromb.
 Denny Wood.
 CLYPEOLARIA *var.* PRATEN-
 SIS.
 Denny Lodge Inclosure.
 PHACIDIUM MULTIVALVE. Kze.
 and Schmidt.
 Ashurst Wood.
 Wootton Inclosure, etc.
 ORBILIA LEUCOSTIGMA. Fr.
var. XANTHOSTIGMA. Rehm.
 Mark Ash.
- HELOTIUM CLAROFLAVUM. Berk.
 Matley Wood.
 PEZIZA VESICULOSA. Bull.
 New Hangersley.
 AMPLIATA. Pers.
 Ironshill Inclosure.
 HYPOMYCES ROSELLUS. A.
 and S.
 Ashurst Wood. Burley.
 ACETABULA VULGARIS. Fckl.
 Near Brockenhurst.
 HELVELLA ELASTICA. Bull.
 Ironshill Inclosure.
 LACUNOSA. Afzel.
 Holmsley.
 GEOGLOSSUM GLABRUM. Pers.
 Ocknel Arch.
 GLUTINOSUM. Pers.
 Holmsley Inclosure.
 NECTRIA DITISSIMA. Tul.
 Woodfidley.
 AQUIFOLII. Berk.
 Holmsley.
 DIALONECTRIA PEZIZA. Tode.
 Woodice.
 CLAVICEPS PURPUREA. Fr.
 Denny, etc.
 CORDYCEPS ENTOMORHIZA. Fr.
 Near Brockenhurst.
 HYPOXYLON FUSCUM. PERS.
 Ashurst Wood, etc.
 XYLARIA POLYMORPHA. PERS.
 Vinney Ridge.
 RHYTISMA ACERINUM. Pers.
 Holmsley. Denny.
 DIATRYPE DISCIFORMIS. Fr.
 Mark Ash.
 QUERCINA. Fr.
 Buskett's Wood.
 Rhinefield, etc.
 PHYLLACTINIA, GUTTATA. Lev.
 Common.
 DICHAENA QUERCINA. Pers.
 Ashurst.
 FAGINEA. Fr.
 Near Buskett's Wood.
 AECIDIUM EUPHORBIAE. Pers.
 Rhinefield.

MYCETOZOA.

For the subjoined important additions to our hitherto scanty records of these remarkable organisms, we are largely indebted to the late Mr. Arthur Lister, F.R.S., Miss G. Lister, F.L.S., and Mr. J. Saunders, A.L.S.

| | |
|--|--|
| BADHAMIA UTRICULARIS. Bull. Mark Ash. | ENERTHENEMA ELEGANS. Bowm. |
| PHYSARUM COMPRESSUM. A. and S. Lyndhurst. | COMATRICHA OBTUSATA. Preuss. |
| STRAMINIPES. Lister. CONTEXTUM. Pers. | PERSONI. Rost. Near Lyndhurst. |
| FULIGO SEPTICA. Gmel. Near Lyndhurst. | TYPHOIDES. Rost. Vinney Ridge. |
| CRATERIUM LEUCOCEPHALUM. Ditm. Near Lyndhurst. | LAMPRODERMA IRIDEUM. Mass. Near Lyndhurst. |
| MUTABILE. Fr. Near Lyndhurst. | CRIBRARIA AURANTINCA. Schrad. Near Lyndhurst. |
| CHONDRIODERMA SPUMARIOIDES. Rost. Near Lyndhurst. | DICTYDIUM UMBILICATUM. Schrad. <i>var.</i> FUSCUM. Near Lyndhurst. |
| DIDYMIUM CLARUS. Rost. | RETICULARIA LYCOPERDON. Bull. Rhinefield. |
| EFFUSUM. Link. | ARCVRIA PUNICEA. Pers. |
| NIGRIPES. Fr. | ALBIDA. Pers. <i>var.</i> POMIFORMIS. |
| DIFFORME. Duby. | FLAVA. Pers. All near Lyndhurst. |
| FARINACEUM. Schrad. All near Lyndhurst. | LYCOGALA FLAVO-FUSCUM. Rost. Mark Ash. |
| STEMONITIS FUSCA. Roth. Near Lyndhurst. | |
| SPLENDENS. Rost. <i>var.</i> FLACCIDA. Bolderwood. | |

In addition to the above there is a large number of Fungi, for which only one or two localities had been recorded, that have since been noticed in other parts of the Forest, and some, indeed, found to be of very general distribution.

J. F. RAYNER.

October, 1910.