



Available online freely at www.isisn.org

Bioscience Research

Print ISSN: 1811-9506 Online ISSN: 2218-3973

Journal by Innovative Scientific Information & Services Network



RESEARCH ARTICLE

OPEN ACCESS

Supplementary Material

Botanicalname/Family/ VoucherNO	Local Pashtu Name	Parts used	Affects	Toxins	Toxic effect	UV	FL (%)	Reported from	M	F
<i>Nerium oleander</i> L. /Apocynaceae	Ganderay	Whole plant	Cattle, horse, goat, fowl, duck, gees	Oleandrin nerioside, oleandroside, saponins and cardiac glycosides	Breathing rapid, raise heart palpitation , mouth allergy, abortion, effect nervous system and cuse heart problem.	0.08	98.6	Mountainous area	+	+
<i>Tulipa clusiana</i> Redouté /Liliaceae	Ghantol	Whole plant	Cattle, goat, Cow and sheep	Tuliposide	Fever, stomach pain, vertigo and delirium.	0.07	89.3	Mountainous area	+	-
<i>Agave americana</i> L./ Asparagaceae	Patar chad	Juice	Cattle	Homo-iso-flavanoid	Dermatitis,and Constant itching	0.04	87	Plan area	+	-
<i>Calotropis procera</i> (Aiton) W.T.Aiton/Apocynaceae	Spalmai	Latex	Cattle, cow, goat, sheet	Calotropin, Resinol, cardiac poison	Digestive disorders, nausea . Inflammation of eye.	0.05	96.9	Mountainous area	+	+
<i>Dodonaea viscosa</i> Jacq. /Sapindaceae	Gholaskay	Leaves	Cattle, goat and sheep	Saponins	Nausea, vomiting, shivering, death	0.08	91.8	Mountainous area	-	+
<i>Aloe vera</i> (L.) Burm.f. /Asphodelaceae	Aloe vera	Leaves and stems contain the latex.	Horse, cat, dog	The sticky latex contains several glycosides, alkaloid-aloin, barbaloin	Excessive salivation, diarrhea, vomiting, loss of appetite, and manifestations	0.09	84.4	Plan area	+	-
<i>Euphorbia helioscopia</i> L. /Euphorbiaceae	Arabay	Latex	Livestock	Deoxypharbol, Diterpene 12-Deoxypharbol	Stomach pain, vomiting, convulsions, oedema of lung, death.	0.07	97.1	Mountainous area	+	+
<i>Citrus × limon</i> (L.) Osbeck /Rutaceae	Neembo	Fruits	Fruit	Aromatic oils and compounds of Psoralen	Diarrhea, vomiting, and \photosensitivity in dogs,	0.08	75.7	Plan area	+	-
<i>Phaseolus coccineus</i> L. / Fabaceae	Palee lobia	Fruits	Livestock	Lectin	Nausea, vomiting, and diarrhea	0.07	62.2	Plan area	+	-
<i>Vitis vinifera</i> L./Vitaceae	Kowar	Fruits	Fruit	Raisin	Gas, and bloating	0.06	54.6	Plan area	+	-
<i>Robinia pseudoacacia</i> L. /Fabaceae	Gulwana	Fruits, seeds, Flower, Bark	Domestic animal	Lectins	Nausea, vomiting, stomach upset, and diarrhea	0.09	93.2	Mountainous area	+	-
<i>Citrus × aurantium</i> L. /Rutaceae	Narange	Fruits		Aromatic oils and compounds of Psoralen	Vomiting, diarrhea	0.05	64.1	Plan area	+	-
<i>Lolium arundinaceum</i> (Schreb.) Darbysh. /Poaceae	Dadam	Whol plant	Grazing goat, cattle	Diaziphenanthrene, pyrrolizidine, and ergot	Lung damage, increased blood pressure, Heart harmfully affect	0.06	96.1	Mountainous area	-	+
<i>Pinus ponderosa</i> Douglas ex C.Lawson / Pinaceae	Nakhtar	Needles, young shoots	Domestic animal	Isocupressic acid (ICA), a labdane resin acid, and two ICA derivatives	Abortions, uterine infections, reduce milk production	0.06	91.5	Mountainous area	+	-
<i>Lysimachia arvensis</i> (L.) U.Manns & Anderb./ Primulaceae	Speen stargay	All parts	Cow, goat, Sheep	The toxin(s) remains unknown	Diarrhea, anorexia, crumbling liver, congestion of lungs, dermatitis	0.18	85	Mountainous area	+	-
<i>Justicia adhatoda</i> L. /Acanthaceae	Baikar	Fruits	Cattle	And essential oils pentacyclic	Increase heart beats ,Gastroenteritis	0.14	82.1	Plan area	-	+

					diarrhoea.					
<i>Avena sativa</i> L. /Poaceae	Jaodar	Leaves stems, Oat hay	Domestic animal	Nitrates	Weakness trembling, gait, staggering, cyanosis, death	0.25	40	Plan area	+	-
<i>Brassica oleracea</i> L. / Brassicaceae	Band gaopay	All parts flowers leaves	Cattle, goat	S-methyl-lcysteine sulfoxide (smco) glucosinolate erucic acid	Reduce weight gain, hemoglobinuria,	0.06	88.9	Plan area	+	-
<i>Chenopodium album</i> L. / Amaranthaceae	Mordar botay	Dried forages	Grazing livestock	Nitrate. Nitrite NO ₃ → NO ₂	Dyspnea, sudden death	0.04	91.7	Mountainous area	+	-
<i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants / Amaranthaceae	Sakha botay	Oil	Cow	Oil contains ascaridol	Dizziness, vomiting, nausea.	0.06	92.5	Mountainous area	+	-
<i>Chrysanthemum indicum</i> L. / Asteraceae	Tarkha	All	Cattle	Pyrethrins	Diarrhea, Gastrointestinal upset, drooling, and vomiting	0.07	90.9	Plan area	-	+
<i>Cuscuta reflexa</i> Roxb. /Convolvulaceae	Miacha	Whole	Sheep	A,α-trehalose	Vomiting, abortion	0.08	70.8	Plan area	+	-
<i>Datura stramonium</i> L. / Solanaceae	Batura	Leaves and. Seeds	Grazing livestock	Alkaloids scopolamine and atropine. Hyosayamine	Delirium,coma, incoherence,. Flushed skin, increase Heart beat with high temperature. Convulsions, and death.	0.11	96.7	Mountainous area	+	+
<i>Dryopteris filix-mas</i> (L.) Schott / Polypodiaceae	Wazar fern	Juice	Animal	Cleoresin. Albaspidin, filicic (filixic) acid, filicin, margaspidin, filmarone	Coma, nausea, diarrhea, vertigo, tremors, convulsions, cardiac and respiratory failure. And temporary or permanent blindness.	0.20	91.3	Mountainous area	+	-
<i>Equisetum arvense</i> L. / Equisetaceae	Bandakay	All parts, green and dried, can be toxic.	Cattle	Enzyme thiaminase	Apetite loss, Pulse rate increases, calm, comatose and death,	0.11	88.6	Mountainous area	+	-
<i>Helianthus annuus</i> L. /Asteraceae	Nawar parast	Hairs	Goat, cow and sheep	a nitrate toxicity	Congestion of lungs, collapse, agitation, sickness and death	0.10	85.4	Plan area	+	-
<i>Erigeron canadensis</i> L. /Asteraceae	Mordar botay	The leaves	Grazing livestock	An essential oil called oil of fleabane	Dermatitis on external contact; taken internally sore throat, aching of extremities and colic.	0.08	92.5	Mountainous area	+	-
<i>Lathyrus aphaca</i> L. / Fabaceae	Matar	Pea-like seed & foliage	Livestock	L-alpha, gammadi aminobutyri c acid	Loss of bladder or bowel control (paralysis) muscle tremors sensory disturbances, weak puls, convulsions and death.	0.15	55.6	Plan area	+	-
<i>Lathyrus odoratus</i> L. /Fabaceae	Khog matar	The pods and seeds	Livestock	Betaaminoproprio nitrile	Aneurysm, gait, rigid, aortic rupture. Abortion, aneurysm	0.16	81.1	Plan area	+	-
<i>Mangifera indica</i> L. / Anacardiaceae	Aam	Leaves stems	Horse	Urushiol, itaching	Dermatitis allergic reaction	0.06	80.6	Plan area	+	-
<i>Mirabilis jalapa</i> L. /Nyctaginaceae	Mazegar gulay	Roots seeds. Herbage suspect	Grazing livestock	Alkaloid trigonelline	Gastroenteritis, abdominal pain, vomiting and diarrhea	0.07	93.1	Mountainous area	-	+

Colchicum luteum Baker/Colchicaceae	Zeyar gulay	All parts, particularly the corm and seeds	Grazing livestock	Alkaloid colchicines	Burning of mouth and throat, abdominal pain, violent vomiting, diarrhoea, shock, collapse.	0.08	95	Mountainous area	+	-
Prunus persica (L.) Batsch /Rosaceae	Shaltalo	Newly sprouted leaves	Domestic animals	Hydrogen cyanide , \ cyanogenic glycosides	Affects the brain causing fits, convulsions, choking of throat, loss of consciousness and death within few hours.	0.08	92.5	Plan area	+	-
Narcissus tazetta L. /Amaryllidaceae	Guly nargas	Swollen underground stems bulbs leaves, berries, and roots	Grazing animal	An alkaloid (lycorine)	Nausea, vomiting, headaches and diarrhea, vomiting, irritant dermatitis, convulsions, death can result from bulb consumption.	0.12	97	Plan area	+	-
Papaver somniferum L. /Papaveraceae	Koknar	All parts immature fruit, plant juices	Cattle	Codine morphine protopine	Nervousness, ataxia, gastroenteritis, rapid breathing,	0.06	90.6	Mountainous area	+	-
Phaseolus vulgaris L./Fabaceae	Ogda lobia	Whole	Livestock	Phytohaem agglutinin, a lectin	Diarrhea, vomiting, nausea and effects on cell metabolism.	0.10	70.7	Plan area	+	-
Pteridium aquilinum (L.) Kuhn / Dennstaedtiaceae	Ubo da ghary botay	Bracken fern; brake fern	Cattle	Glycosides , enzyme thiaminase	Anorexia, swelling in the neck region, crouch with feet apart, death. Increase body temperature, mucous nasal and oral bloody discharges. In cattle difficult breathing and death.	0.10	90	Mountainous area	+	-
Quercus muehlenbergii Engelm ./Fagaceae	Serai	Leaves and acorns	Domestic animal	Tannic acid	Gastroenteritis, blood in urine, bloody diarrhea, constipation, colic, heart trouble, contact dermatitis and kidney damage.	0.19	85.7	Mountainous area	+	-
Raphanus raphanistrum subsp. sativus (L. Domin/Brassicaceae	Taper	Leaves seeds	Livestock	Glucosinol ates S-methyl- cysteine sulfoxide (SMCO)	Gastroenteritis, diarrhea, hemoglobinuria, congestion and edema of lungs.	0.15	42.3	Plan area	+	-
Ricinus communis L. /Euphorbiaceae	Randa	Broken seeds and foliage are toxic	Livestock	Glycoprotei n ricin (highly toxic protein) ricinine (an irritant oil)	Anorexia, nausea, vomiting, loss of appetite, weakness, muscle twitching, cramps, seizures, tremors, coma and death occur. Sweating, and incoordination, heart diseases.	0.20	97.1	Mountainous area	+	-
Solanum nigrum L. /Solanaceae	Kamacho	All parts especially unrip berry but not the ripe fruit	Sheep	Glycoalkaloid solanine	Severe intestinal lesions, paralysis, drowsiness, apathy, dyspnea, trembling inflammation of the mouth and esophagus in calves. Prostration, salivation and unconsciousness.	0.16	89.5	Mountainous area	+	-
Solanum tuberosum L. /Solanaceae	Alo	Whole	Cow, goat, Sheep.	Glycoalkaloid (solanine and chaconine)	Diarrhea, weakness, affect nervous system . Coma and death	0.14	69	Plan area	+	-

<i>Sorghum bicolor</i> (L.) Moench /Poaceae	Khanjaray	Aerial green parts, leaves and stems, cane	Livestock	Glycoside, nitrates	Convulsions, paralysis, prostration, dyspnea, gasping. Staggering, excitation, coma and death. Trembling, cyanosis and severe dyspnea	0.16	94.7	Mountainous area	-	+
<i>Taraxacum officinale</i> F.H.Wigg. /Asteraceae	Shodapai	All	Horse and goat	Flavonoid, cinnamic acids and coumarins glycosides	Diarrhea, heartburn, increased heart rate, excessive urination, death	0.11	60.7	Plan area	+	-
<i>Xanthium strumarium</i> subsp. <i>Strumarium</i> /Asteraceae	Mordar botay ghana	Seedlings and seeds	Grazing animal	Carboxyatraty loside	Vomiting, weakness, difficulty breathing, rapid pulse, and ultimately death.	0.10	87.8	Mountainous area	+	-
<i>Capsicum frutescens</i> L. /Solanaceae	Sheen marach	Fruits and seeds	Cattle	The pungent principle \capsaicin	Inflammation of the oesophagus and stomach, skin irritation.	0.06	48.8	Mountainous area	+	-
<i>Allium sativum</i> L. /Amaryllidaceae	Oga	Bulbs leaves	livestock, cattle	Thiosulphate. Npropyl disulphide oxalate, SMCO (S-methyl-cysteine sulfoxide)	Weight loss rapid breathing, anemia, icterus and death	0.09	66.7	Plan area	+	-
<i>Cestrum nocturnum</i> L. /Solanaceae	Rat ke Rani	Pulp of the fruit	Livestock	Resinous material elatrin, phytoserrol hentra aconit.	Violent gripping, prostration, death	0.04	91.7	Mountainous area	+	-
<i>Amaranthus retroflexus</i> L. /Amaranthaceae	Chalkhay	The foliage	Sheep	Oxalates, nitrates toxicity.	Kidneys inflammation, urinary stones	0.04	87	Mountainous area	-	+
<i>Melia azedarach</i> L. /Meliaceae	Tora bokayana	Whol	Cattle, goat	Alkaloid	Kill intestinal worm, lack of appetite, emaciation, reduce milk production and diarrhea	0.15	82.4	Mountainous area	+	-
<i>Oxalis corniculata</i> L. /Oxalidaceae	Shpashtaray	Whol	Cattle	Oxalic acid	Vomiting, convulsions, coma	0.10	73.3	Mountainous area	+	-
<i>Ipomoea tricolor</i> Cav. /Convolvulaceae	Pairwatai	Leaves stems seeds	Sheep, goat and cattle	Ergot alkaloids and D-lysergic acid amide (ergine)	Diarrhea, gastrointestinal distress. Depression, hallucination, dyspnea, anorexia, death	0.12	90.2	Mountainous area	+	-
<i>Oxalis pes-caprae</i> L. /Oxalidaceae	Garday tarokay	Latex from	Sheep, goat and cattle	Oxalates	Kidney inflammation and pain	0.08	83.3	Mountainous area	+	-
<i>Allium cepa</i> L. /Amaryllidaceae	Piaz	Bulbs leaves	Cattle	Thiosulphate. Npropyl disulphide oxalate, SMCO (S-methyl-cysteine sulfoxide)	Weight loss, rapid breathing, anemia, icterus and death	0.11	80	Plan area	+	-
<i>Eucalyptus globulus</i> Labill. /Myrtaceae	Lachee	Oil of the plant	Cattle, goat, cow and sheep	Eucalyptol	Epigastric burning, vomiting, dizziness, convulsions, can be fatal.	0.08	91.8	Mountainous area	+	-
<i>Brassica napus</i> L. /Brassicaceae	Sharshum	Leaves seeds	Livestock	S-methyl-Lcysteine sulfoxide (SMCO) Glucosinolate	Enlarged thyroid, congestion of liver, reduced weight gain,	0.15	35	Mountainous area	+	-

				erucic acid						
<i>Silybum marianum</i> (L.) Gaertn./Asteraceae	Kariza	Berries	Grazing animal	Alkaloid solanocapsine	Retardation of cardiac impulse and sinus arrhythmias	0.04	88.9	Mountainous area	+	-
<i>Solanum pseudocapsicum</i> L./Solanaceae	Mano	All parts,	Sheep	Alkaloids	Reduce heart rate, lung damage	0.05	90.7	Mountainous area	+	-
<i>Phlomis vicaryi</i> (Benth. ex Hook.f.) Kamelin & Makhm./Lamiaceae	Khardag	Leaves	Grazing animal	Vicarin, an isoflavone	Constipation, bloating and nausea. Skin allergy, rash, itching, lack of appetite	0.11	81.8	Mountainous area	+	-
<i>Solanum incanum</i> L. /Solanaceae	Markonday	Whol plant	Cate and livestock	It is reported to contain solanine and related glycoalkaloids.	Colic, coughing and shivering staggering gait.	0.09	90.9	Mountainous area	-	+
<i>Ajuga integrifolia</i> Buch.-Ham. ex D.Don /Lamiaceae	Gutee	Seeds	Goat , cow and sheep	Ricin	Vomiting and diarrhea, kill lice	0.06	87.5	Mountainous area	-	+
<i>Punica granatum</i> L. /Lythraceae	Anar	Newly sprouted leaves	Livestock	Pseudopelletierine, pelletierine and piperidine alkaoids	Nausea, vomiting, ulcers in mouth, dysphagia, diarrhoea, fever, death within 2-4 days.	0.12	90	Plan area	+	-
<i>Cannabis sativa</i> L. /Cannabaceae	Bang	Flowers leaves	Grazing animal	Tetrahydrocannabinol	Increased heart rate, diarrhea, vomiting, drooling, seizures, coma, staggering gait, drowsiness, agitation	0.22	92.7	Plan area	+	-
<i>Celtis australis</i> L. /Cannabaceae	Tagho	Leaves	Cattle	Apigenin, quercetin and its glucoside	Animal stops cuddling, becomes weak and body temperature rises	0.06	83.3	Mountainous area	+	-
<i>Malus domestica</i> (Suckow) /Rosaceae	Seb	Seeds	Sheep and goat	Amygdalin	Vomiting, liver damage, trouble walking due to damaged nerves, fever, and death.	0.15	78.8	Plan area	+	-
<i>Opuntia humifusa</i> (Raf.) Raf./Cactaceae	Zoqum	Fruit	Grazing animal	Betalains, betacyanins, and a flavonoid fraction	Diarrhoea, lack of appetite	0.08	30.8	Mountainous area	+	-

Table 3: Comparative description of factor informant consensus (Fic) and fidelity level (FI%) of important species.

Category of illness	Number of species	Fc	Fic	Name of species	FL(%)
Death	23	122	0.8	<i>Dodonaea viscosa</i> Jacq.	91.84
				<i>Ajuga integrifolia</i> Buch.-Ham. ex D.Don	87.5
				<i>Allium cepa</i> L.	80
				<i>Allium sativum</i> L.	66.67
				<i>Avena sativa</i> L.	40
				<i>Cestrum nocturnum</i> L.	66.67
				<i>Chenopodium album</i> L.	91.67
				<i>Datura stramonium</i> L.	96.72
				<i>Equisetum arvense</i> L.	88.64
				<i>Euphorbia helioscopia</i> L.	97.06
				<i>Helianthus annuus</i> L.	85.42
				<i>Ipomoea tricolor</i> Cav.	90.2
				<i>Lathyrus aphaca</i> L.	55.56
				<i>Lathyrus odoratus</i> L.	48.65
				<i>Malus domestica</i> (Suckow) Borkh.	78.79
				<i>Narcissus tazetta</i> L.	96.97
				<i>Prunus persica</i> (L.) Batsch	92.45
				<i>Pteridium aquilinum</i> (L.) Kuhn	90
				<i>Punica granatum</i> L.	90
				<i>Ricinus communis</i> L.	97.1
				<i>Solanum tuberosum</i> L.	68.97
				<i>Sorghum bicolor</i> (L.) Moench	94.74
				<i>Xanthium strumarium</i> subsp. <i>Strumarium</i>	87.76
Dermatological	16	76	0.80	<i>Nerium oleander</i> L.	98.61
				<i>Agave americana</i> L.	86.96
				<i>Allium cepa</i> L.	80
				<i>Allium sativum</i> L.	66.67
				<i>Avena sativa</i> L.	40
				<i>Calotropis procera</i> (Aiton) W.T.Aiton	96.88
				<i>Citrus × limon</i> (L.) Osbeck	75.68
				<i>Datura stramonium</i> L.	96.72
				<i>Dodonaea viscosa</i> Jacq.	91.84
				<i>Erigeron canadensis</i> L.	92.45
				<i>Lysimachia arvensis</i> (L.) U.Manns & Anderb.	85
				<i>Mangifera indica</i> L.	80.56
				<i>Narcissus tazetta</i> L.	96.97
				<i>Phlomis vicaryi</i> (Benth. ex Hook.f.) Kamelin & Makhm.	83.33
				<i>Quercus muehlenbergii</i> Engelm.	85.71
				<i>Solanum incanum</i> L.	90.91
Fever	5	24	0.8	<i>Tulipa clusiana</i> Redouté	89.29
				<i>Datura stramonium</i> L.	96.72
				<i>Pteridium aquilinum</i> (L.) Kuhn	90
				<i>Celtis australis</i> L.	83.33
				<i>Malus domestica</i> (Suckow) Borkh.	78.79
Gastrointestinal	48	220	0.8	<i>Dodonaea viscosa</i> Jacq.	91.84
				<i>Agave americana</i> L.	86.96
				<i>Ajuga integrifolia</i> Buch.-Ham. ex D.Don	87.5
				<i>Aloe vera</i> (L.) Burm.f.	90.48
				<i>Aloe vera</i> (L.) Burm.f.	90.48
				<i>Brassica napus</i> L.	35
				<i>Calotropis procera</i> (Aiton) W.T.Aiton	96.88
				<i>Cannabis sativa</i> L.	92.68
				<i>Capsicum frutescens</i> L.	48.39
				<i>Chrysanthemum indicum</i> L.	90.91
				<i>Citrus × aurantium</i> L.	64.1
				<i>Citrus × limon</i> (L.) Osbeck	75.68
				<i>Colchicum luteum</i> Baker	95
				<i>Cuscuta reflexa</i> Roxb.	70.83

				<i>Dodonaea viscosa</i> Jacq.	91.84
				<i>Dryopteris filix-mas</i> (L.) Schott	91.3
				<i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants	92.45
				<i>Equisetum arvense</i> L.	88.64
				<i>Erigeron canadensis</i> L.	92.45
				<i>Eucalyptus globulus</i> Labill.	91.84
				<i>Euphorbia helioscopia</i> L.	97.06
				<i>Ipomoea tricolor</i> Cav.	90.2
				<i>Justicia adhatoda</i> L.	82.14
				<i>Justicia adhatoda</i> L.	82.14
				<i>Lysimachia arvensis</i> (L.) U.Manns & Anderb.	85
				<i>Malus domestica</i> (Suckow) Borkh.	78.79
				<i>Melia azedarach</i> L.	82.35
				<i>Mirabilis jalapa</i> L.	93.1
				<i>Narcissus tazetta</i> L.	96.97
				<i>Opuntia humifusa</i> (Raf.) Raf.	30.77
				<i>Oxalis corniculata</i> L.	73.33
				<i>Papaver somniferum</i> L.	90.63
				<i>Phaseolus coccineus</i> L.	62.22
				<i>Phaseolus vulgaris</i> L.	70.73
				<i>Phlomisoides vicaryi</i> (Benth. ex Hook.f.) Kamelin & Makhm.	83.33
				<i>Pteridium aquilinum</i> (L.) Kuhn	90
				<i>Punica granatum</i> L.	90
				<i>Quercus muehlenbergii</i> Engelm.	85.71
				<i>Raphanus raphanistrum</i> subsp. sativus (L.) Domin	42.31
				<i>Ricinus communis</i> L.	97.1
				<i>Robinia pseudoacacia</i> L.	93.18
				<i>Solanum incanum</i> L.	90.91
				<i>Solanum nigrum</i> L.	88.24
				<i>Solanum tuberosum</i> L.	68.97
				<i>Taraxacum officinale</i> F.H.Wigg.	60.71
				<i>Tulipa clusiana</i> Redouté	89.29
				<i>Vitis vinifera</i> L.	54.55
				<i>Xanthium strumarium</i> subsp. Strumarium	87.76
Respiratory disorders	17	79	0.70	<i>Euphorbia helioscopia</i> L.	97.06
				<i>Allium cepa</i> L.	80
				<i>Allium sativum</i> L.	66.67
				<i>Colchicum luteum</i> Baker	95
				<i>Dryopteris filix-mas</i> (L.) Schott	91.3
				<i>Erigeron canadensis</i> L.	92.45
				<i>Helianthus annuus</i> L.	85.42
				<i>Lolium arundinaceum</i> (Schreb.) Darbysh.	96.08
				<i>Lysimachia arvensis</i> (L.) U.Manns & Anderb.	85
				<i>Nerium oleander</i> L.	98.61
				<i>Papaver somniferum</i> L.	90.63
				<i>Prunus persica</i> (L.) Batsch	92.45
				<i>Pteridium aquilinum</i> (L.) Kuhn	90
				<i>Raphanus raphanistrum</i> subsp. sativus (L.) Domin	42.31
				<i>Solanum incanum</i> L.	90.91
				<i>Solanum pseudocapsicum</i> L.	90.7
				<i>Xanthium strumarium</i> subsp. Strumarium	87.76
Galactagogue	2	8	0.9	<i>Pinus ponderosa</i> Douglas ex C.Lawson	91.49
				<i>Melia azedarach</i> L.	82.35
Abortion	3	11	0.80	<i>Nerium oleander</i> L.	98.61
				<i>Pinus ponderosa</i> Douglas ex C.Lawson	91.49
				<i>Cuscuta reflexa</i> Roxb.	70.83
Nervous disease	17	109	0.9	<i>Nerium oleander</i> L.	98.61
				<i>Datura stramonium</i> L.	96.72
				<i>Dryopteris filix-mas</i> (L.) Schott	91.3
				<i>Eucalyptus globulus</i> Labill.	91.84
				<i>Euphorbia helioscopia</i> L.	97.06
				<i>Ipomoea tricolor</i> Cav.	90.2
				<i>Lathyrus aphaca</i> L.	55.56
				<i>Malus domestica</i> (Suckow) Borkh.	78.79
				<i>Narcissus tazetta</i> L.	96.97

	Oxalis corniculata L.	73.33
	Papaver somniferum L.	90.63
	Prunus persica (L.) Batsch	92.45
	Ricinus communis L.	97.1
	Silybum marianum (L.) Gaertn.	88.89
	Solanum nigrum L.	88.24
	Solanum tuberosum L.	68.97
	Sorghum bicolor (L.) Moench	94.74