

Checklist of the Argentine *Agaricales* 3. *Bolbitiaceae* and *Crepidotaceae*

N. NIVEIRO¹ & E. ALBERTÓ^{2*}

¹*Instituto de Botánica del Nordeste (UNNE-CONICET)*.

Sargento Cabral 2131, CC 209 Corrientes Capital, CP 3400, Argentina

²*Instituto de Investigaciones Biotecnológicas (UNSAM-CONICET)*

Intendente Marino Km 8.200, Chascomús, Buenos Aires, CP 7130, Argentina

*CORRESPONDENCE TO: *ealberto@intech.gov.ar*

ABSTRACT—A checklist of *Agaricales* species belonging to *Bolbitiaceae* and *Crepidotaceae* has been made for Argentina. The list included all species published until 2011. Fourteen genera and 187 species are recorded, 94 species from the *Bolbitiaceae* and 93 from *Crepidotaceae*.

KEY WORDS—*Agaricomycetes, Conocybe, Agrocybe, Crepidotus, Simocybe*

Introduction

The aim of the Checklist of the Argentinean *Agaricales* is to establish a baseline of knowledge about the diversity of the *Agaricales* described from Argentina by 2011. The *Amanitaceae*, *Pluteaceae*, *Hygrophoraceae*, *Coprinaceae* and *Strophariaceae* have been previously presented (Niveiro & Albertó 2012a, 2012b). In this contribution, the families *Bolbitiaceae* and *Crepidotaceae* are presented.

Materials & Methods

Nomenclature and classification systems

This checklist is based on all publications for Argentina until 2011. Nomenclature and classification systems follow Singer (1986) for families, and Kirk et al. (2008), Index Fungorum (<http://www.indexfungorum.org>) and Mycobank (<http://www.mycobank.org>) for genera and species. There have been important rearrangements in the *Bolbitiaceae* and *Crepidotaceae* since Singer (1986). These taxonomic changes are summarized in Table 1.

Synonyms have been simplified and only the basionym and the synonyms of each species recorded for Argentina are included. Index Fungorum was consulted for current names of species and synonyms. The synonyms considered by other authors not included in the Index Fungorum and Mycobank by June 2012, are cited with their respective references.

For journal abbreviations, the Botanico Periodico Huntianum (http://fmhibd.library.cmu.edu/fmi/iwp/cgi?db=BPH_Online&loadframes) web site was used. For authors abbreviations, the International Plant Names Index (IPNI) (<http://www.ipni.org>) and Authors of Fungal Names (<http://www.indexfungorum.org/names/AuthorsOfFungalNames.asp>) were used. References cited for each species were ordered firstly by author in alphabetical order and secondly by year of publication.

We have found genera that are not considered valid (Kirk et al., 2008) and species that have been transferred to other genera (such as *Galerella*, at present *Conocybe*). However, not all species of these genera have been transferred to a current genus. As the type material was not studied, we cite them as they

Table 1: Position of the genera treated in this paper according to different classification systems (Bolb.: Bolbitiaceae, Crep.: Crepidotaceae, Cort.: Cortinariaceae, Inocyb.: Inocybaceae, Stroph.: Strophariaceae, Trich.: Tricholomataceae, n/d: no data).

	Singer (1986)	Kirk et al. (2001)	Mathney et al. (2006)	Kirk et al. (2008)	Mycobank (2012)	Index Fungorum (2012)
BOLBITACEAE	<i>Agrocybe</i>	Bolb.	Bolb.	Stroph.	Stroph.	Stroph.
	<i>Bolbitius</i>	Bolb.	Bolb.	Bolb.	Bolb.	Bolb.
	<i>Conocybe</i>	Bolb.	Bolb.	Bolb.	Bolb.	Bolb.
	<i>Descolea</i>	Bolb.	Cort.	Bolb.	Cort.	Cort.
	<i>Galerella</i>	Bolb.	Bolb.	n/d	Bolb.	Bolb.
	<i>Pholiotina</i>	Bolb.	Bolb.	Bolb.	Bolb.	Bolb.
	<i>Pluteolus</i>	Bolb.	Bolb.	n/d	Bolb.	Bolb.
CREPIDOTACEAE	<i>Pseudododescolea</i>	n/d	Cort.	n/d	Cort.	Cort.
	<i>Crepidotus</i>	Crep.	Cort.	Crep.	Inocyb.	Inocyb.
	<i>Melanomphalia</i>	Crep.	Cort.	n/d	Trich.	Cort.
		Nomen dubium between Cort. and Crep.	Bolb.	Tubariaceae (<i>Naucoria vinicolor</i>) Hymenogastraceae (<i>Alnicola escharioides</i>)	Stroph.	Stroph.
	<i>Naucoria</i>					Stroph.
	<i>Pleurotellus</i>	Crep.	Cort.	n/d	Inocyb.	Inocyb.
	<i>Simocybe</i>	Crep.	Cort.	Crep.	Inocyb.	Inocyb.
	<i>Tubaria</i>	Crep.	Cort.	Tubariae	Inocyb.	Inocyb.

were originally published. The valid genus according to Kirk et al. (2008) is given between brackets followed by the symbol =.

Remarks are only added to those taxa where a conflict was found, e.g. species not validly published (NVP), synonyms, unpublished transfer to genus and where the distribution of the species was not completely clear.

Books are cited by the year in which they were published and not the year in which they were printed. This is the case, for example, for “Pródromo de la flora Agaricina” which is cited as Singer & Díligio (1952). In this case, two years are provided for species citation in the “literature citation” section with the real year of publication between parenthesis and the year printed in the book between brackets.

Distribution

Species distribution was cited according to the Province (State) where it was collected using the abbreviations adopted by Niveiro & Albertó (2012a). A map of the political divisions of Argentina and the abbreviations for each state can be seen in Niveiro & Albertó (2012a).

Occasionally, the literature only refers to a place or an area to indicate the distribution; in this case we reproduced the author’s comments between quotations marks; for example “northwest of Argentina”.

It should be taken into account that although many species were recorded in the provinces of Patagonia Argentina (Neuquén, Río Negro, Chubut, Santa Cruz, Tierra del Fuego), most of them were found in the Patagonian Andes forest which is located in a narrow strip to the west of the southern provinces.

CHECKLIST OF *BOLBITIACEAE* AND *CREPIDOTACEAE* FROM ARGENTINA

One hundred eighty-eight species belonging to *Bolbitiaceae* and *Crepidotaceae* have been recorded so far in Argentina. All of them are distributed in 14 genera: *Agrocybe* (23 species), *Bolbitius* (9), *Conocybe* (52), *Descolea* (4), *Galerella* (1), *Pholiotina* (3), *Pluteolus* (1), *Pseudodescolea* (1), *Crepidotus* (51), *Melanomphalia* (9), *Naucoria* (10), *Pleurotellus* (2), *Simocybe* (14), and *Tubaria* (13) listed below.

BOLBITIACEAE

Agrocybe Fayod

Agrocybe aegerita var. **rugosovenosa** Singer, *Rev. Mycol. (Paris)* **18**: 19, 1953.

Dist: T

Ref: Singer (1953c).

Obs: NVP. *Agrocybe aegerita* (V. Brig.) Singer is considered as synonym of *Agrocybe cylindracea* (DC.) Maire.

Agrocybe allocystis Singer, *Beih. Nova Hedwigia* **29**: 255, 1969.

Dist: T, CBA, BA

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969), Wright & Albertó (2002).

Agrocybe broadwayi (Murrill) Dennis, *Bull. Trimestriel Soc. Mycol. France* **69**(2): 179, 1953.
≡ *Hebeloma broadwayi* Murrill, 1912.

Dist: TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004).

Agrocybe cylindracea (DC.) Maire, *Mém. Soc. Sci. Nat. Maroc.* **45**: 106, 1938.
≡ *Agaricus cylindraceus* DC., 1815.

= *Agaricus (Pholiota) crassivelus* Speg., 1880, fide Singer (1950a).

≡ *Pholiota crassivela* (Speg.) Speg., 1887, fide Singer (1950a).

= *Pholiota impudica* Speg., 1889, fide Singer (1950a).

= *Agrocybe aegerita* (V. Brig.) Singer, 1951 [1949].

Dist: T, S, CBA, BA, N

Ref: Farr (1973), Raithelhuber (1974, 1977, 1988, 1991, 2004), Singer (1950a, 1951, 1969),
Singer & Digilio (1952), Spegazzini (1880b, 1880c, 1926b), Watling (1992), Wright & Albertó
(2002).

Agrocybe elatella (P. Karst.) Vesterh., *Nordic J. Bot.* **9**(3): 317, 1989.

≡ *Roumeguerites elatellus* P. Karst. 1882.

= *Agrocybe paludosa* (J.E. Lange) Kühner & Romagn., 1987.

Dist: RN

Ref: Raithelhuber (1977, 1988, 1991, 2004).

Agrocybe fimicola (Speg.) Singer, *Lilloa* **23**: 209, 1950.

≡ *Naucoria fimicola* Speg., 1899 [1898].

= *Agaricus cisneroi* Speg., 1880, fide Singer (1950a).

≡ *Naucoria cisneroi* (Speg.) Speg., 1887, fide Singer (1950a).

= *Agrocybe coprophila* Katajев, 1951, fide Watling (1992).

= *Agrocybe neocoprophila* Singer, 1953, fide Watling (1992).

Dist: T, CAT, CBA, BA, IM

Ref: Farr (1973), Raithelhuber (1974, 1988, 2004), Singer (1950a, 1953a, 1969), Singer & Digilio (1952), Spegazzini (1880c, 1899), Watling (1992), Watling & Richardson (2010).

Agrocybe irritans Raithelh., *Metrodiana* **11**(1): 25, 1984.

Dist: AP

Ref: Raithelhuber (1988, 1991, 2004).

Agrocybe paradoxa Singer, *Beih. Sydowia* **7**: 76, 1973.

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1973b).

Agrocybe pediades (Fr.) Fayod, *Ann. Sci. Nat., Bot., sér. 7* **9**: 358, 1889.

≡ *Agaricus pediades* Fr., 1821.

= *Naucoria arenicola* Berk., 1887.

≡ *Agrocybe arenicola* (Berk.) Singer, 1936.

= *Agrocybe arenaria* (Peck) Singer, 1978 [1977].

= *Naucoria semiorbicularis* (Bull.) Quél., 1875.

≡ *Agrocybe semiorbicularis* (Bull.) Fayod, 1889.

= *Naucoria temulenta* (Fr.) P. Kumm., 1871.

Dist: S, T, MNES, ER, CBA, MZA, BA, N

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969), Spegazzini (1881, 1899, 1912, 1926a, 1926b), Wright & Albertó (2002).

Agrocybe perfecta (Rick) Singer, *Lilloa* **3**: 402, 1938.

≡ *Pholiota platensis* var. *perfecta* Rick, 1907.

Dist: T, MZA

Ref: Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952), Watling (1992).

Agrocybe perfecta f. **angustisperma** Singer, *Lilloa* **25**: 325, 1952 [1951].

Dist: T

Ref: Singer & Digilio (1952).

Obs: NVP

Agrocybe perfecta f. levis Singer, *Lilloa* **25**: 325, 1952 [1951].

Dist: T

Ref: Singer & Digilio (1952).

Obs: NVP

Agrocybe platensis (Speg.) Singer, *Beih. Bot. Centralbl., Abt. 2.* **56**:179, 1938.

≡ *Pholiota platensis* Speg., 1899 [1898].

Dist: T, BA

Ref: Farr (1973), Raithelhuber (1974, 1988, 1991, 2004), Singer (1950a, 1951, 1969), Singer & Digilio (1952), Spegazzini (1899, 1926b).

Agrocybe praecox (Pers.) Fayod, *Ann. Sci. Nat., Bot., sér. 7* **9**: 358, 1889.

≡ *Agaricus praecox* Pers., 1800.

Dist: BA, RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Ramarodi (1992), Singer (1969).

Agrocybe praecox var. **cutefracta** (J.E. Lange) Singer, *Sydotia* **7**: 214, 1953.

≡ *Pholiota praecox* var. *cutefracta* J.E. Lange, 1921.

Dist: RN, N, TF

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1954), Singer & Digilio (1952).

Agrocybe procera Singer, *Beih. Nova Hedwigia* **29**: 225, 1969.

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Agrocybe procera f. **andina** Raithelh., *Hong. Argentin.* **2**: 100, 1977.

Dist: RN

Ref: Raithelhuber (1977).

Agrocybe procera var. **andinopatagonica** Raithelh., *Metrodiana* **11**(1): 25, 1984.

Dist: AP

Ref: Raithelhuber (1988, 1991, 2004).

Agrocybe puiggarii (Speg.) Singer, *Lilloa* **22**: 492, 1949.

≡ *Pholiota puiggarii* Speg., 1889.

Dist: T, MNES

Ref: Farr (1973), Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952).

Agrocybe retigera (Speg.) Singer, *Lilloa* **22**: 493, 1949.

≡ *Naucoria retigera* Speg., 1922.

Dist: T, MNES

Ref: Farr (1973), Singer (1950a), Singer & Digilio (1952).

Agrocybe tucumana (Singer) Watling, *Biblioth. Mycol.* **82**: 63, 1981.

≡ *Agrocybe firma* var. *tucumana* Singer, 1959.

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1959, 1973b)

Agrocybe vervacti (Fr.) Singer, *Beih. Bot. Zbl.* **56**: 167, 1936.

≡ *Agaricus vervacti* Fr., 1821.

≡ *Naucoria vervacti* (Fr.) Quél., 1872.

Dist: CBA, BA

Ref: Spegazzini (1899, 1926b).

Agrocybe xerophytica Singer, *Mycologia* **51**: 399, 1959.

Dist: T

Ref: Singer (1959).

Bolbitius Fr.

Bolbitius albiceps Speg., *Anales Mus. Nac. Buenos Aires* **6**: 141, 1899 [1898].

Dist: BA

Ref: Farr (1973), Raithelhuber (1988, 1991), Singer (1950a), Singer & Digilio (1952), Spegazzini (1899).

Bolbitius ameghinii Speg., *Anales Mus. Nac. Buenos Aires* **6**: 140, 1899 [1898].

Dist: N, RN, TF

Ref: Farr (1973), Singer (1950a), Spegazzini (1899).

Bolbitius bruchii Speg., *Bol. Acad. Ci. (Córdoba)* **29**(2-3): 130, 1926.

Dist: CBA

Ref: Farr (1973), Singer (1950a), Spegazzini (1926a).

Bolbitius coprophilus (Peck) Hongo, *Mem. Fac. Educ. Shiga Univ., Nat. Sci.* **9**: 82, 1959.

≡ *Pluteolus coprophilus* Peck, 1893.

Dist: BA

Ref: Raithelhuber (2004).

Bolbitius demangei (Quél.) Sacc. & D. Sacc., *Syll. fung.* **17**: 74, 1905.

≡ *Pluteolus demangei* Quél., 1901.

Dist: BA

Ref: Albertó et al. (1996), Raithelhuber (2004), Wright & Albertó (2002).

Bolbitius reticulatus (Pers.) Ricken, *Die Blätterpilze* **1**: 68, 1915.

≡ *Agaricus reticulatus* Pers., 1798.

= *Bolbitius aleuriatus* (Fr.) Singer, 1951 [1949].

Dist: N, RN, TF

Ref: Raithelhuber (1988, 1991, 2004), Singer (1953b, 1954, 1969), Singer & Digilio (1952).

Bolbitius reticulatus var. **australis** (E. Horak) Garrido, *Biblioth. Mycol.* **99**: 27, 1985.

≡ *Pluteolus reticulatus* var. *australis* E. Horak, 1980 [1979].

Dist: TF, AP, “Septentrional provinces from Argentina”.

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004).

Bolbitius titubans (Bull.) Fr., *Epicr. syst. mycol.* (Upsaliae): 254, 1838.

≡ *Agaricus titubans* Bull., 1789.

= *Bolbitius fragilis* (L.) Fr., 1838 [1836].

= *Bolbitius vitellinus* (Pers.) Fr., 1838 [1836].

Dist: T, CBA, BA, IM

Ref: Raithelhuber (1974, 1988, 1991, 2004), Singer (1969), Singer & Digilio (1952), Spegazzini (1899, 1926a), Watling & Richardson (2010), Wright & Albertó (2002).

Bolbitius tucumanensis Singer, *Mycologia* **51**(3): 398, 1959.

Dist: T

Ref: Raithelhuber (1991, 2004), Singer (1959, 1961).

Conocybe Fayod

Conocybe affinis Singer, *Beih. Nova Hedwigia* **29**: 207, 1969.

Dist: T, MZA

Ref: Raithelhuber (1988, 1991), Singer (1969).

Conocybe alba Singer, *Lilloa* **25**: 295, 1952 [1951].

Dist: T, CH

Ref: Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952).

Conocybe apala (Fr.) Arnolds, *Persoonia* **18**(2): 225, 2003.

≡ *Agaricus apalus* Fr., 1818.

= *Conocybe lactea* (J.E. Lange) Métrod, 1940.

Dist: S, MZA, BA

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969), Singer & Digilio (1952), Wright & Albertó (2002).

Conocybe aurea (Jul. Schäff.) Hongo, *J. Jap. Bot.* **38**: 236, 1963.

≡ *Galera aurea* Jul. Schäff., 1930.

= *Conocybe tenera* var. *aurea* (Jul. Schäff.) Kühner, 1935.

Dist: T

Ref: Raithelhuber (1988, 2004), Singer & Digilio (1952).

Conocybe australis (Singer) Watling, *Biblioth. Mycol.* **82**: 96, 1981.
≡ *Pholiotina australis* Singer, 1969.

Dist: RN

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Conocybe austrofilaris (Singer) Watling, *Biblioth. Mycol.* **82**: 96, 1981.
≡ *Pholiotina austrofilaris* Singer, 1969.

Dist: N, RN, TF

Ref: Horak (1980), Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Conocybe blattaria (Fr.) Kühner, *Encycl. Mycol.* **7**: 150, 1935.
≡ *Agaricus blattarius* Fr., 1821.

= *Pholiotina teneroides* (J.E. Lange) Singer, 1969.

Dist: N

Ref: Singer (1969).

Conocybe coprophila (Kühner) Kühner, *Encycl. Mycol.* **7**: 125, 1935.
≡ *Galera coprophila* Kühner, 1926.
≡ *Pholiotina coprophila* (Kühner) Singer, 1950.

Dist: T, BA, N, RN, TF

Ref: Raithelhuber (1974, 1977, 1988, 1991, 2004), Singer (1950c, 1953b, 1954, 1969), Singer & Digilio (1952), Wright & Albertó (2002).

Conocybe crispella (Murrill) Singer, *Sydowia* **4**: 132, 1950.
≡ *Galerula crispella* Murrill, 1942.

Dist: T, CBA, BA

Ref: Raithelhuber (1988, 1991, 2004), Singer (1950c), Singer & Digilio (1952).

Conocybe diemii Singer, *Beih. Nova Hedwigia* **29**: 212, 1969.

Dist: N

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Conocybe filaris (Fr.) Kühner, *Encycl. Mycol.* **7**: 159, 1935.
≡ *Agaricus togularis* var. *filaris* Fr., 1884.
≡ *Pholiotina filaris* (Fr.) Singer, 1936.

Dist: T, BA

Ref: Raithelhuber (2004), Singer (1950c), Singer & Digilio (1952), Wright & Albertó (2002).

Conocybe fuscimarginata (Murrill) Singer, *Beih. Nova Hedwigia* **29**: 210, 1969.
Dist: BA, N

Ref: Ramarodi (1992), Raithelhuber (1988, 1991, 2004), Singer (1969).

Conocybe intrusa (Peck) Singer, *Sydotwia* **4**: 133, 1950.
 ≡ *Cortinarius intrusus* Peck, 1896.

Dist: T

Ref: Singer (1953c).

Conocybe lentispora Singer, *Sydotwia* **4**: 134, 1950.

Dist: T

Ref: Raithelhuber (1991, 2004), Singer (1950c), Singer & Digilio (1952), Watling (1992).

Conocybe macrorhina (Speg.) Singer, *Lilloa* **22**: 485, 1950 [1949].
 ≡ *Galera macrorhina* Speg., 1889.

Dist: BA

Ref: Farr (1973), Horak (1967), Raithelhuber (1991), Singer (1950a, 1968, 1969), Singer & Digilio (1952).

Conocybe macrorhiza (Speg.) Singer, *Lilloa* **23**: 205, 1950.
 ≡ *Naucoria macrorhiza* Speg., 1899.

Dist: BA

Ref: Farr (1973), Singer (1950a), Spegazzini (1899).

Conocybe magnispora (Murrill) Singer, *Sydotwia* **4**: 135, 1950.
 ≡ *Galerula magnispora* Murrill, 1943.

Dist: T, BA, N, RN, IM

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1950c, 1969), Watling & Richardson (2010).

Conocybe magnispora var. **levis** Singer, *Lilloa* **25**: 306, 1952 [1951].

Dist: T, S, BA

Ref: Raithelhuber (1974, 1988, 1991), Singer & Digilio (1952).

Conocybe magnispora var. **striatella** Singer, *Lilloa* **25**: 305, 1952 [1951].

Dist: T, MNES

Ref: Singer & Digilio (1952).

Conocybe megalospora (Jul. Schäff.) Singer, *Lilloa* **22**: 485, 1951 [1949].
 ≡ *Galera megalospora* Jul. Schäff., 1930.

Dist: TF

Ref: Horak (1967), Singer (1953b), Singer & Digilio (1952), Spegazzini (1922, 1925).

Conocybe megalospora subsp. **nivalis** Singer, *Rev. Mycol. (Paris)* **18**: 18, 1953.

Dist: CAT

Ref: Singer (1953c).

Conocybe missionum Singer, *Lilloa* **25**: 308, 1952 [1951].

Dist: MNES

Ref: Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952), Wright & Wright (2005).

Conocybe mixta Singer, *Lilloa* **25**: 296, 1952 [1951].

Dist: T

Ref: Raithelhuber (1988, 1991), Singer & Digilio (1952).

Conocybe morenoi Raithelh., *Metrodiana, Sonderh.* **4**: 7, 1990.

= *Conocybe siliginea* (Fr.) Kühner sensu Singer & Digilio, 1952.

Dist: BA

Ref: Raithelhuber (1974, 1990, 1991, 2004), Singer (1950c), Singer & Digilio (1952).

Conocybe pilosella (Pers.) Kühner, *Encycl. Mycol.* **7**: 92, 1935.

≡ *Agaricus pilosellus* Pers., 1801.

Dist: N, RN

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Conocybe proxima Singer, *Lilloa* **25**: 298, 1952 [1951].

Dist: T

Ref: Singer & Digilio (1952).

Conocybe pubescens (Gillet) Kühner, *Encycl. Mycol.* **7**: 85, 1935.

≡ *Galera pubescens* Gillet, 1876.

= *Conocybe cryptocystis* (G.F. Atk.) Singer, 1954.

Dist: CAT, BA, N, RN, TF, IM

Ref: Ramarodi (1995), Raithelhuber (1974, 1979, 1988, 1991, 2004), Singer (1953b, 1954, 1969),
Singer & Digilio (1952), Watling & Richardson (2010).

Conocybe pubescens var. **gilletii** Raithelh., *Fl. Mycol. Argentina, Hongos III* (Stuttgart): 215,
1991.

Dist: TF

Ref: Raithelhuber (1991).

Conocybe pulchella (Velen.) Hauskn. & Svrček, *Czech Mycol.* **51**(1): 58, 1999.

≡ *Galera pulchella* Velen., 1921.

= *Conocybe digitalina* (Velen.) Singer, 1989.

Dist: IM

Ref: Watling & Richardson (2010).

Conocybe pygmaeoaffinis (Fr.) Kühner, *Encycl. Mycol.* **7**: 133, 1935.

≡ *Agaricus pygmaeoaffinis* Fr., 1857.

≡ *Galera pygmaeoaffinis* (Fr.) Quél., 1872.

Dist: BA

Ref: Spegazzini (1899).

Conocybe radicata Singer, *Rev. Mycol. (Paris)* **18**: 18, 1953.

Dist: T

Ref: Singer (1953c).

Conocybe reticulatorugosa Singer, *Lilloa* **25**: 299, 1952 [1951].

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952).

Conocybe rickeniana P.D. Orton, *Trans. Brit. Mycol. Soc.* **43**: 195, 1960.

Dist: T

Ref: Singer & Digilio (1952).

Conocybe rickenii (Jul. Schäff.) Kühner, *Encycl. Mycol.* **7**: 115, 1935.

≡ *Galera rickenii* Jul. Schäff., 1930.

Dist: MZA, BA

Ref: Raithelhuber (1991, 2004), Singer (1969).

Conocybe rugosa (Peck) Watling, *Biblioth. Mycol.* **82**: 133, 1981.

≡ *Pholiota rugosa* Peck, 1898 [1897].

≡ *Pholiotina rugosa* (Peck) Singer, 1946.

Dist: T

Ref: Singer & Digilio (1952).

Conocybe ruizlealii (Singer) Watling, *Biblioth. Mycol.* **82**: 134, 1981.

≡ *Pholiotina ruizlealii* Singer, 1969.

Dist: MZA

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Conocybe semiglobata Kühner & Watling, *Notes Roy. Bot. Gard. Edinburgh* **38**(2): 337, 1980.

≡ *Conocybe tenera* f. *semiglobata* Kühner, 1935.

Dist: S, BA, SC

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969), Singer & Digilio (1952).

Conocybe siennophylla (Berk. & Broome) Singer, *Sydowia* **9**: 402, 1955.

≡ *Agaricus siennophyllus* Berk. & Broome, 1871.

Dist: TF, "Northwest of Argentina"

Ref: Raithelhuber (1991, 2004), Singer (1969).

Conocybe striatipes (Speg.) Singer, *Lilloa* **23**: 205, 1950.

≡ *Galera striatipes* Speg., 1899 [1898].

Dist: S, T, BA

Ref: Farr (1973), Ramarodi (1992), Raithelhuber (1988, 1991, 2004), Singer (1950a, 1969), Singer & Digilio (1952), Spegazzini (1899, 1919).

Conocybe striatipes f. bispora Singer, *Lilloa* **25**: 288, 1952 [1951].

Dist: T

Ref: Singer & Digilio (1952).

Obs: NVP

Conocybe striatipes f. mixta Singer, *Lilloa* **25**: 289, 1952 [1951].

Dist: T

Ref: Singer & Digilio (1952).

Obs: NVP

Conocybe subpubescens P.D. Orton, *Trans. Brit. Mycol. Soc.* **43**: 195, 1960.

Dist: BA

Ref: Raithelhuber (2004), Wright & Albertó (2002).

Conocybe subvelata Singer, *Sydowia* **4**:139, 1950.

Dist: T

Ref: Raithelhuber (1988, 1991), Singer (1950c), Singer & Digilio (1952).

Conocybe tenera (Schaeff.) Fayod, *Ann. Sci. Nat., Bot.*, sér. 7 **9**: 357, 1889.

≡ *Agaricus tener* Schaeff., 1774.

≡ *Galera tenera* (Schaeff.) P. Kumm., 1871.

Dist: CBA, RN, TF

Ref: Horak (1967), Spegazzini (1880c, 1887a, 1887b, 1925, 1926a).

Conocybe tenera f. excentrica Singer, *Sydowia* **4**: 140, 1950.

Dist: BA

Ref: Singer (1950c), Singer & Digilio (1952).

Conocybe tenerrima Singer, *Lilloa* **25**: 292, 1952 [1951].

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969), Singer & Digilio (1952).

Conocybe tenerrima var. **monticola** Singer, *Beih. Nova Hedwigia* **29**: 206, 1969.

Dist: T

Ref: Singer (1969).

Conocybe tetraspora Singer, *Beih. Nova Hedwigia* **29**: 209, 1969.

Dist: BA, RN

Ref: Raithelhuber (1974, 1977, 1988, 1991), Singer (1969).

Conocybe tucumana (Singer) Watling, *Biblioth. Mycol.* **82**: 147, 1981.

≡ *Pholiotina tucumana* Singer, 1973.

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1973b).

Conocybe velutipes (Velen.) Hauskn. & Svrček, *Czech Mycol.* **51**(1): 68, 1999.

≡ *Galera velutipes* Velen., 1939.

= *Conocybe kuehneriana* Singer, 1969.

Dist: T, BA

Ref: Raithelhuber (1988, 1991), Singer (1969).

Conocybe verrucispora (Singer) Watling, *Biblioth. Mycol.* **82**: 148, 1981.

≡ *Pholiotina verrucispora* Singer, 1969.

Dist: N

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Conocybe xerophytica Singer, *Lilloa* **25**: 294, 1952 [1951].

Dist: T

Ref: Raithelhuber (1988, 1991), Singer & Digilio (1952).

Descolea Singer

Descolea antarctica Singer, *Lilloa* **23**, 257, 1950.

Dist: N, RN, TF

Ref: Gamundí & Horak (2002), Horak (1980), Raithelhuber (1988, 1991), Singer (1950b, 1953b, 1954), Singer & Digilio (1952).

Descolea lepiotiformis Raithelh., *Hong. Argentin.* **2**: 128, 1977.

≡ *Pseudodescolea lepiotiformis* (Raithelh.) Raithelh., 1980.

Dist: N, RN

Ref: Raithelhuber (1977, 1988, 1991, 2004).

Descolea pallida E. Horak, *Persoonia* **6**(2): 237, 1971.

Dist: RN, TF

Ref: Raithelhuber (1991, 2004).

Descolea recedens (Cooke & Massee) Singer, *Sydotzia* **9**: 407, 1955.

≡ *Agaricus recedens* Cooke & Massee, 1889.

Dist: N, RN, TF

Ref: Raithelhuber (1977, 2004), Singer (1969).

Galerella Earle (= **Conocybe** Fayod)

Galerella plicatella (Peck) Singer, *Lilloa* **22**: 490, 1951 [1949].

≡ *Agaricus plicatellus* Peck, 1878 [1876].

Dist: T

Ref: Raithelhuber (1988, 2004), Singer & Digilio (1952).

Pholiotina Fayod

Pholiotina altoandina Singer, *Fieldiana, Bot.* **21**: 105, 1989.

Dist: T

Ref: Singer (1989).

Pholiotina plumbeitincta (G.F. Atk.) Hauskn., Krisai & Voglmayr, *Österr. Z. Pilzk.*, N.S. **13**: 212, 2004.

≡ *Galerula plumbeitincta* G.F. Atk., 1918.

≡ *Conocybe plumbeitincta* (G.F. Atk.) Singer, 1950.

Dist: T

Ref: Raithelhuber (1988, 1991), Singer (1950c), Singer & Digilio (1952).

Pholiotina septentrionalis (A.H. Sm.) Singer, *Sydowia* **4**: 143, 1950.

≡ *Pholiota septentrionalis* A.H. Sm., 1935.

Dist: MNES

Ref: Wright & Wright (2005).

Pluteolus (Fr.) Gillet (= **Bolbitus** Fr.)

Pluteolus argentinus Speg., *Anales Mus. Nac. Buenos Aires* **6**:121, 1899.

Dist: BA

Ref: Farr (1973), Spegazzini (1899).

Pseudodescolea Raithel. (= **Descolea** Singer)

Pseudodescolea brunneosperma (Singer) Raithelh., *Metrodiana* **11**(2): 51, 1985.

≡ *Lepiota brunneosperma* Singer, 1952 [1951].

Dist: T

Ref: Raithelhuber (1985, 1988, 1991, 2004), Singer & Digilio (1952).

CREPIDOTACEAE

Crepidotus (Fr.) Staude

Crepidotus acanthosyrinus Singer, *Lilloa* **25**: 411, 1952 [1951].

Dist: T, BA

Ref: Raithelhuber (1974, 1988, 1991, 2004), Singer (1973a), Singer & Digilio (1952).

Crepidotus albidus var. **boliviæ** Singer, *Beih. Nova Hedwigia* **44**: 478, 1973.

Dist: J

Ref: Raithelhuber (2004), Singer (1973a).

Crepidotus appланatus (Pers.) P. Kumm., *Führ. Pilzk. (Zwickau)*: 74, 1871.

≡ *Agaricus appланatus* Pers., 1796.

Dist: J, T, BA, N, RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991), Singer (1953c, 1954, 1969), Singer & Digilio (1952), Spegazzini (1880a).

Crepidotus appланatus var. **subglobiger** Singer, *Beih. Nova Hedwigia* **44**: 478, 1973.

Dist: T

Ref: Raithelhuber (2004), Singer (1973a).

Crepidotus australis Singer, *Beih. Nova Hedwigia* **44**: 478, 1973.

= *Crepidotus martinii* ssp. *australis* Singer sensu Wright & Wright, 2005.

Dist: MNES

Ref: Raithelhuber (2004), Singer (1973a), Wright & Wright (2005).

Crepidotus austroandinus Singer, *Beih. Nova Hedwigia* **29**: 327, 1969.

Dist: N

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Crepidotus brunswickianus (Speg.) Speg., *Syll. fung.* **9**: 116, 1891.

≡ *Agaricus (Crepidotus) brunswickianus* Speg., 1887.

Dist: T, N, RN, TF

Ref: Farr (1973), Horak (1964a, 1967, 1980), Raithelhuber (1988, 1991, 2004), Singer (1947, 1950a, 1953b, 1954, 1969, 1973a), Singer & Digilio (1952), Spegazzini (1887a, 1887b).

Crepidotus calolepis subsp. **tigrensis** (Speg.) Singer, *Beih. Nova Hedwigia* **44**: 471, 1973.

≡ *Agaricus (Crepidotus) tigrensis* Speg., 1881.

≡ *Crepidotus tigrensis* (Speg.) Speg., 1887.

Dist: MNES, BA, CBA

Ref: Farr (1973), Niveiro et al. (2010), Raithelhuber (1974, 1988, 1991, 2004), Singer (1947, 1950a, 1973a), Singer & Digilio (1952), Spegazzini (1881, 1926a, 1926b), Wright & Albertó (2002).

Crepidotus calolepis var. **januarius** Singer, *Beih. Nova Hedwigia* **44**: 478, 1973.

Dist: T

Ref: Singer (1973a).

Crepidotus caspari Velen, *Hyphomycetes* 3(5-6): 70, 1926.

= *Crepidotus amygdalosporus* Kühner, 1954.

Dist: T

Ref: Raithelhuber (2004), Singer (1973a).

Crepidotus catamarcae Singer, *Beih. Nova Hedwigia* 44: 478, 1973.

Dist: CAT

Ref: Raithelhuber (2004), Singer (1973a).

Crepidotus cesatii (Rabenh.) Sacc., *Michelia* 1(1): 2, 1877.

≡ *Agaricus cesatii* Rabenh., 1851.

= *Crepidotus sphaerosporus* (Pat.) J.E. Lange, 1938.

Dist: RN

Ref: Raithelhuber (1977, 1988, 1991), Singer (1953c, 1954, 1969).

Crepidotus citricolor Singer, *Lilloa* 25: 411, 1952 [1951].

Dist: T

Ref: Raithelhuber (1991, 2004), Singer (1973a), Singer & Digilio (1952).

Crepidotus citrinus Petch, *Ann. Roy. Bot. Gard. Peradeniya* 9: 225, 1924.

Dist: T

Ref: Raithelhuber (2004), Singer (1953c).

Crepidotus croceotinctus Peck, *Rep. (Annual) New York State Mus. Nat. Hist.* 39: 72, 1887
[1886].

Dist: T

Ref: Raithelhuber (1991, 2004), Singer (1973a).

Crepidotus crocophyllus Berk., *Syll. fung.* 5: 886, 1887.

Dist: T, BA

Ref: Horak (1964a), Raithelhuber (1988, 1991, 2004), Singer (1969, 1973a), Singer & Digilio (1952), Wright & Albertó (2002).

Crepidotus cystidiosus Hesler & A.H. Sm., *North American species of Crepidotus*: 43, 1965.

Dist: T, N

Ref: Singer (1973a).

Crepidotus defibulatus Singer, *Lilloa* 25: 410, 1952 [1951].

Dist: BA

Ref: Raithelhuber (1974, 1988, 1991, 2004), Singer (1973a), Singer & Digilio (1952).

Crepidotus epibryus (Fr.) Quél., *Fl. Mycol. France* (Paris): 107, 1888.

≡ *Agaricus epibryus* Fr., 1821.
 = *Agaricus perpusillus* Lumn., 1791.
 ≡ *Pleurotus perpusillus* (Lumn.) Gillet, 1876.
 = *Pleurotus septicus* (Fr.) P. Kumm., 1871.
 = *Pleurotelius hypnophilus* (Pers.) Fayod, 1889.
 = *Pleurotelius herbarum* (Peck) Singer, 1947.

Dist: BA, N, RN

Ref: Horak (1980), Lechner et al. (2004), Raithelhuber (1988, 1991, 2004), Singer (1954, 1969),
 Singer & Digilio (1952), Spegazzini (1880b, 1881, 1926b).

Crepidotus forsteri (Speg.) Speg., *Syll. fung.* **9**: 115, 1891.
 ≡ *Agaricus (Crepidotus) forsteri* Speg., 1888.

Dist: TF

Ref: Farr (1973), Horak (1967), Singer (1947, 1950a), Spegazzini (1887b).

Crepidotus fulvifibrillosus Murrill, *N. Amer. Fl.* (New York) **10**(3): 153, 1917.

Dist: T, CAT

Ref: Raithelhuber (2004), Singer (1953c, 1973a).

Crepidotus fulvifibrillosus var. **meristocystis** (Singer) E. Horak, *Fl. criptog. Tierra del Fuego*
11(6): 326, 1980 [1979].
 Dist: TF, N
 Ref: Horak (1980), Raithelhuber (1988, 1991).

Crepidotus icterinus Singer, *Beih. Nova Hedwigia* **44**: 479, 1973.
 Dist: S, T
 Ref: Raithelhuber (2004), Singer (1973a).

Crepidotus leptomorphus (Berk.) Sacc., *Syll. fung.* **5**: 889, 1887.
 Dist: N, RN
 Ref: Raithelhuber (1991, 2004), Singer (1969).

Crepidotus latifolius var. **appendiculatus** Singer, *Beih. Nova Hedwigia* **44**: 480, 1973.
 Dist: T
 Ref: Raithelhuber (2004).

Crepidotus molfinoi Speg., *Bol. Acad. Ci. (Córdoba)* **29**(2-3): 129, 1926.
 Dist: CBA
 Ref: Farr (1973), Singer (1947, 1950a), Spegazzini (1926a).

Crepidotus mollis (Schaeff.) Staude, *Schwämme Mitteldeutschl.* **25**: 71, 1857.
 ≡ *Agaricus mollis* Schaeff., 1774.

Dist: BA

Ref: Ramarodi (1992).

Crepidotus nephrodes (Berk. & M.A. Curtis) Sacc., *Syll. fung.* **5**: 882, 1887.

Dist: T, MNES, ER, N, RN, TF

Ref: Horak (1964a), Raithelhuber (1988, 1991, 2004), Singer (1953b, 1954, 1973a), Singer & Digilio (1952), Wright & Albertó (2002), Wright et al. (2008), Wright & Wright (2005).

Crepidotus nephrodes var. **meristocystis** Singer, *Sydotia* **8**: 146, 1954.

Dist: N

Ref: Singer (1954, 1969).

Crepidotus nephrodes var. **minimus** Singer, *Sydotia* **8**: 147, 1954.

Dist: N

Ref: Raithelhuber (1988), Singer (1954, 1969).

Crepidotus palmarum Singer, *Lilloa* **25**: 406, 1952 [1951].

Dist: MNES

Ref: Raithelhuber (1988, 1991, 2004), Singer (1953a, 1973a), Singer & Digilio (1952), Wright & Wright (2005).

Crepidotus parlatorei Singer, *Lilloa* **25**: 412, 1952 [1951].

Dist: J, T

Ref: Horak (1964a), Raithelhuber (1988, 1991, 2004), Singer (1973a), Singer & Digilio (1952).

Crepidotus pilatii Raithelh., *Hong. Argentin.* **2**: 129, 1977.

Dist: RN

Ref: Raithelhuber (1977, 1988, 1991, 2004).

Crepidotus podocarpi Singer, *Lilloa* **25**: 413, 1952 [1951].

Dist: T, CAT

Ref: Raithelhuber (1991, 2004), Singer (1973a), Singer & Digilio (1952).

Crepidotus quitensis Pat., *Syll. fung.* **11**: 63, 1895.

Dist: S, T, MNES

Ref: Horak (1964a), Raithelhuber (1988, 1991, 2004), Singer (1953a, 1973a), Singer & Digilio (1952), Wright & Wright (2005).

Crepidotus quitensis f. **mixta** Singer, *Lilloa* **25**: 408, 1952 [1951].

Dist: MNES

Ref: Singer & Digilio (1952), Wright & Wright (2005).

Obs: NVP

Crepidotus quitensis f. **wakefiediae** Singer, *Lilloa* **25**: 408, 1952 [1951].

Dist: T

Ref: Singer & Digilio (1952).

Obs: NVP

Crepidotus quitensis var. **basicrinitus** Singer, *Beih. Nova Hedwigia* **44**: 480, 1973.

Dist: T

Ref: Raithelhuber (2004), Singer (1973a).

Crepidotus reniformis Velen., *České Houby* **3**: 556, 1921.

Dist: T

Ref: Singer & Digilio (1952).

Crepidotus roseolus Singer, *Beih. Nova Hedwigia* **44**: 480, 1974.

Dist: T

Ref: Raithelhuber (2004), Singer (1973a).

Crepidotus serotinus Singer, *Sydowia* **15**: 79, 1962 [1961].

Dist: T

Ref: Raithelhuber (1991, 2004), Singer (1961, 1973a).

Crepidotus sphaerosporus var. **austrocedri** Singer, *Beih. Nova Hedwigia* **29**: 325, 1969.

Dist: N

Ref: Raithelhuber (1988, 1991), Singer (1969).

Obs: *Crepidotus sphaerosporus* (Pat.) J. E. Lange is a synonym of *Crepidotus cesatii* (Rabenh.) Sacc. (see below).

Crepidotus stercorarius Singer, *Lilloa* **25**: 409, 1952 [1951].

Dist: N, RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991), Singer (1953b, 1954, 1969), Singer & Digilio (1952).

Crepidotus subcroceitinctus Hesler & A.H. Sm., *North American species of Crepidotus*: 139, 1965.

Dist: N

Ref: Raithelhuber (2004), Singer (1973a).

Crepidotus sublevisporus Singer, *Lilloa* **25**: 410, 1952 [1951].

Dist: T

Ref: Horak (1964a), Raithelhuber (1988, 1991, 2004), Singer (1973a), Singer & Digilio (1952).

Crepidotus tucumanus E. Horak, *Nova Hedwigia* **8**: 338, 1964.

Dist: T

Ref: Horak (1964a).

Crepidotus truncatus var. **microcarpus** Singer, *Nova Hedwigia Beih.* **44**: 480, 1973.

Dist: T

Ref: Raithelhuber (2004).

Crepidotus über (Berk. & M.A. Curtis) Sacc., *Syll. fung.* **5**: 878, 1887.

Dist: BA

Ref: Raithelhuber (1991, 2000, 2004), Singer (1953a, 1973a).

Crepidotus variabilis (Pers.) P. Kumm., *Führ. Pilzk.* (Zwickau): 74, 1871.

≡ *Agaricus variabilis* Pers., 1800 [1799].

≡ *Claudopus variabilis* (Pers.) Fr., 1874.

Dist: BA

Ref: Horak (1967), Ramarodi (1992), Spegazzini (1881, 1887a).

Crepidotus variisporus Singer, *Lilloa* **25**: 413, 1952 [1951].

Dist: S, T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1973a), Singer & Digilio (1952).

Crepidotus xanthocephalus Singer, *Beih. Nova Hedwigia* **44**: 480, 1973.

Dist: T

Ref: Raithelhuber (2004), Singer (1973a).

Melanomphalia M. P. Crist.

Melanomphalia cortinarioides Singer, *Evolution in the higher Basidiomycetes (International Symposium)*: 450, 1971.

Dist: N

Ref: Singer (1969, 1971).

Melanomphalia crocea (Speg.) Singer, *Evolution in the higher Basidiomycetes (International Symposium)*: 454, 1971.

≡ *Cantharellus croceus* Speg., 1909.

Dist: J, S

Ref: Farr (1973), Singer (1971), Spegazzini (1909).

Melanomphalia inocyboides Singer, *Evolution in the higher Basidiomycetes (International Symposium)*: 461, 1971.

≡ *Horakomyces inocyboides* (Singer) Raithelh., 1983.

Dist: TF

Ref: Horak (1980), Raithelhuber (1983, 1991, 2004).

Melanomphalia omphaliopsis (Singer) Singer, *Evolution in the higher Basidiomycetes (International Symposium)*: 459, 1971.

≡ *Tubaria omphaliopsis* Singer, 1952 [1951].

Dist: T, CAT, MZA

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969, 1971), Singer & Digilio (1952).

Melanomphalia pacifica Singer, *Evolution in the higher Basidiomycetes (International Symposium)*: 463, 1971.

Dist: ND

Ref: Singer (1969).

Obs: Singer (1969) cited this species as recorded in southern South America.

Melanomphalia platyphylla Singer, *Evolution in the higher Basidiomycetes (International Symposium)*: 454, 1971.

Dist: ND

Ref: Singer (1969).

Obs: Singer (1969) cited this species as recorded in southern South America.

Melanomphalia platensis (Speg.) Singer, *Rev. Mycol. (Paris)* **20**: 16, 1955.

≡ *Inocybe platensis* Speg., 1899 [1898].

Dist: BA

Ref: Farr (1973), Singer (1951, 1955, 1971), Spegazzini (1899).

Melanomphalia vernifera Singer, *Evolution in the higher Basidiomycetes (International Symposium)*: 449, 1971.

Dist: ND

Ref: Singer (1969).

Obs: Singer (1969) cited this species as recorded in southern South America.

Melanomphalia viscosa Singer, *Evolution in the higher Basidiomycetes (International Symposium)*: 447, 1971.

≡ *Horakomyces viscosus* (Singer) Raithelh., 1983.

Dist: TF

Ref: Horak (1980), Raithelhuber (1983, 1991, 2004), Singer (1969).

Naucoria (Fr.) P. Kumm.

Naucoria amarescens Quél., *Compt. Rend. Assoc. Franç. Avancem. Sci.* **11**: 393, 1883 [1882].

≡ *Alnicola amarescens* (Quél.) Singer, 1934.

Dist: N

Ref: Singer (1969).

Naucoria brachypus Speg., *Anales Mus. Nac. Buenos Aires* **6**: 133, 1899 [1898].

Dist: BA

Ref: Farr (1973), Spegazzini (1899).

Naucoria cerodes (Fr.) P. Kumm., *Mém. Soc. Émul. Montbéliard*, Sér. 2 **5**: 252, 1872.

≡ *Agaricus cerodes* Fr., 1838 [1836-1838]

Dist: CBA, TF

Ref: Spegazzini (1925, 1926a).

Naucoria devia (Singer) Raithelh., *Fl. Mycol. Argentina, Hongos II* (Stuttgart): 71, 1988.

≡ *Alnicola devia* Singer, 1950.

Dist: BA

Ref: Raithelhuber (1988, 1991, 2004), Singer (1950c), Singer & Digilio (1952).

Naucoria diplocystis (Singer) Raithelh., *Fl. Mycol. Argentina, Hongos III* (Stuttgart): 120, 1988.

≡ *Alnicola diplocystis* Singer, 1950.

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1950c), Singer & Digilio (1952).

Naucoria escharioides (Fr.) P. Kumm., *Führ. Pilzk. (Zwickau)* **22**: 76, 1871.

≡ *Agaricus escharioides* Fr., 1818.

≡ *Alnicola escharioides* (Fr.) Romagn., 1942.

Dist: T, CAT

Ref: Becerra et al. (2002).

Naucoria melinoides (Bull.) P. Kumm., *Führ. Pilzk. (Zwickau)*: 77, 1871.

≡ *Agaricus melinoides* Bull., 1793 [1792-93].

≡ *Alnicola melinoides* (Bull.) Kühner, 1926.

Dist: T, CAT, BA

Ref: Horak (1967), Singer (1969), Spegazzini (1887a, 1899, 1912, 1919)

Naucoria microsperma Speg., *Bol. Acad. Ci. (Córdoba)* **28**: 322, 1926.

Dist: MNES

Ref: Farr (1973), Spegazzini (1926b).

Naucoria pusillima Speg., *Bol. Acad. Nac. Ci. Republ. Argent.* **11**(4): 425, 1889.

Dist: BA

Ref: Farr (1973), Spegazzini (1899)

Naucoria scolecina (Fr.) Quél., *Mém. Soc. Émul. Montbéliard*, Sér. 2 **5**: 438, 1875.

≡ *Agaricus scolecinus* Fr., 1838 [1836-1838].
 ≡ *Alnicola scolecina* (Fr.) Romagn., 1944 [1942].

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1950c), Singer & Digilio (1952).

Pleurotellus Fayod [= **Crepidotus** (Fr.) Staude]

Pleurotellus chioneus (Pers.) Kühner, *Botaniste* **17**: 114, 1926.
 ≡ *Agaricus variabilis* var. *chioneus* Pers., 1828.

Dist: BA

Ref: Raithelhuber (1974, 1988), Singer & Digilio (1952).

Pleurotellus chioneus var. **friesii** Raithelh., *Hong. Argentin.* **1**: 145, 1974.

Dist: BA

Ref: Raithelhuber (1974, 1988, 1991, 2004).

Simocybe P. Karst.

Simocybe curvipes (Singer) Singer, *Sydowia* **15**: 73, 1962 [1961].
 ≡ *Naucoria curvipes* Singer, 1954.

Dist: N, RN

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1954, 1969).

Simocybe disseminata var. **alneti** (Singer) Raithelh., *Fl. Mycol. Argentina, Hongos III* (Stuttgart): 244, 1991.

≡ *Simocybe alneti* Singer, 1989.

Dist: J

Ref: Singer (1989), Raithelhuber (1991, 2004).

Simocybe drimydis E. Horak, *Fl. criptog. Tierra del Fuego* **11**(6): 310, 1980 [1979].

Dist: TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004).

Simocybe junquillea Singer, *Sydowia* **15**: 72, 1962 [1961].

Dist: J, T

Ref: Raithelhuber (1991, 2004), Singer (1961, 1973a).

Simocybe junquillea var. **tucumana** (Singer) Raithelh., *Nueva Flora Micológica Argentina* (Stuttgart): 269, 2004.

≡ *Simocybe tucumana* Singer, 1962 [1961].

Dist: T

Ref: Raithelhuber (1991, 2004), Singer (1961, 1973a).

Simocybe olivaceiceps (Singer) Singer, *Sydowia* **15**: 74, 1962 [1961].

≡ *Naucoria olivaceiceps* Singer, 1954.

Dist: N, RN

Ref: Raithelhuber (1988, 1991, 2004), Singer (1954, 1969).

Simocybe olivaceonana (Singer) Singer, *Sydowia* **15**: 74, 1962 [1961].

≡ *Naucoria olivaceonana* Singer, 1954.

Dist: N, RN

Ref: Raithelhuber (1988, 1991, 2004), Singer (1954, 1969).

Simocybe pallidissima (Singer) Singer, *Metrodiana, Sonderh.* **2**: 19, 1962.

≡ *Naucoria pallidissima* Singer, 1952 [1951].

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1973a), Singer & Digilio (1952).

Simocybe pantelaeodes (Singer) Singer, *Sydowia* **15**: 74, 1962 [1961].

≡ *Naucoria pantelaeodes* Singer, 1954.

Dist: N, RN

Ref: Raithelhuber (1988, 1991, 2004), Singer (1954, 1969).

Simocybe peullensis Singer, *Beih. Nova Hedwigia* **29**: 290, 1969.

Dist: TF

Ref: Raithelhuber (1988, 1991, 2004), Horak (1980).

Simocybe polytropa (Singer) Singer, *Sydowia* **15**: 74, 1962 [1961].

≡ *Naucoria polytropa* Singer, 1953.

Dist: T, N, RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1953b, 1954, 1969), Singer & Digilio (1952).

Simocybe polytropoides Singer, *Sydowia* **15**: 74, 1962 [1961].

Dist: T

Ref: Singer (1961, 1973a).

Simocybe praecandina (Singer) Singer, *Sydowia* **15**: 74, 1962 [1961].

≡ *Naucoria praeandina* Singer, 1950.

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1973a), Singer & Digilio (1952).

Simocybe urosphaera Singer, *Beih. Nova Hedwigia* **29**: 289, 1969.

Dist: N

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Tubaria (W. G. Sm.) Gillet**Tubaria cisneroana** Speg., *Anales Mus. Nac. Buenos Aires* **6**: 137, 1899 [1898].

Dist: CTES

Ref: Farr (1973), Singer (1951), Spegazzini (1899).

Tubaria confragosula (Singer) Contu, *Bollettino dell'Associazione Micológica ed Ecologica Romana* **15**(48): 13, 2000.≡ *Phaeomarasmius confragosulus* Singer, 1953.

Dist: T

Ref: Singer (1953c).

Tubaria fimiseda Speg., *Anales Mus. Nac. Buenos Aires* **6**: 137, 1899 [1898].

Dist: BA

Ref: Farr (1973), Singer (1951), Spegazzini (1899).

Tubaria furfuracea (Pers.) Gillet, *Hyménomycètes* (Alençon): 537, 1876.≡ *Agaricus furfuraceus* Pers., 1801.= *Psilocybe heterosticha* (Fr.) Singer, 1969.= *Tubaria hiemalis* Romagn. ex Bon, 1973.

Dist: BA, RN

Ref: Moreno & Albertó (1996), Raithelhuber (1988, 1991, 2004), Singer (1969), Wright & Albertó (2002).

Tubaria furfuracea var. **anthracophila** (P. Karst.) Singer, *Beih. Nova Hedwigia* **29**: 321, 1969.≡ *Tubaria anthracophila* P. Karst., 1881.

Dist: N, RN

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Tubaria furfuracea var. **novembris** Singer, *Beih. Nova Hedwigia* **29**: 322, 1969.

Dist: N, RN

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Tubaria gregoriana (Speg.) Sacc., *Syll. fung.* **9**: 111, 1891.≡ *Agaricus (Naucoria) gregoriana* Speg., 1887.≡ *Naucoria gregoriana* (Speg.) Speg., 1891.

Dist: N, RN, TF

Ref: Farr (1973), Horak (1967), Raithelhuber (1988, 1991, 2004) Singer (1954), Spegazzini (1887a).

Tubaria hookeri (Speg.) E. Horak, *Fl. criptog. Tierra del Fuego* **11**(6): 314, 1980 [1979].≡ *Cortinarius hookeri* Speg., 1887.

≡ *Phaeomarasmius hookeri* (Speg.) E. Horak, 1967.

Dist: N, RN, TF

Ref: Farr (1973), Horak (1967, 1980), Raithelhuber (1988, 1991, 2004), Spegazzini (1887a, 1887b).

Tubaria jaffuelii (Speg.) Singer, *Beih. Nova Hedwigia* **29**: 323, 1969.

≡ *Mycena jaffuelii* Speg., 1917.

≡ *Pluteus jaffuelii* (Speg.) Singer, 1954.

Dist: BA, N, RN, TF

Ref: Farr (1973), Horak (1964b, 1980), Raithelhuber (1977, 1988, 1991, 2004), Singer (1954, 1958, 1969).

Tubaria moseri Raithelh., *Hong. Argentin.* **1**: 148, 1974.

Dist: BA

Ref: Raithelhuber (1974, 1988, 1991, 2004).

Tubaria platensis Speg., *Anales Mus. Nac. Buenos Aires* **6**: 138, 1899 [1898].

Dist: BA

Ref: Farr (1973), Singer (1951), Spegazzini (1899).

Tubaria pseudoripartites Singer, *Lilloa* **25**: 396, 1952 [1951].

Dist: S

Ref: Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952).

Tubaria strophosa Singer, *Beih. Nova Hedwigia* **29**: 319, 1969.

Dist: N, RN

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Acknowledgments

The authors wish to thank A. Hladki, G. Robledo and R. Watling for the critical revision of the manuscript. We also thank authorities of PROPLAME-PRHIDEIB (CONICET) to allow us to work in the library of mycology of The Facultad de Ciencias Exactas y Naturales, University of Buenos Aires. We also want to express our gratitude to Laura del Busto who helped us with books and Journals search. This research was made possible by the support of the Argentine Nat'l Research Council (CONICET).

Literature cited

- Albertó E, Wright JE & Fazio A. 1996. Agaricales nuevos para la Argentina. *Bol. Soc. Argent. Bot.* 31(3–4): 235–244.
 Becerra A, Daniele G, Domínguez L, Nouhra E & Horton T. 2002. Ectomycorrhizae between *Alnus acuminata* H.B.K. and *Naucoria escharoides* (Fr.:Fr.) Kummer from Argentina. *Mycorrhiza* 12: 61–66.
 Farr M.L. 1973. An annotated list of Spegazzini's fungus taxa. *Biblioth Mycol.* 35(2): 1–1620.
 Gamundi I & Horak E. 2002. Hongos de los bosques Andino-patagónicos. Guía para el reconocimiento de las especies más comunes y atractivas. Buenos Aires, Vazquez Mazzini Editores.
 Horak E. 1964a. Fungi austroamericanici XI. *Crepidotus* Kumm. *Beih. Nova Hedwigia* 8 (3–4): 333–346.

- Horak E. 1964b. Fungi austroamericanii II. *Pluteus* Fr. Beih. Nova Hedwigia 8 (1–2): 163–199.
- Horak E. 1967. Fungi austroamericanii IV. Revisión de los hongos superiores de Tierra del Fuego o Patagonia en el Herbario de C. Spegazzini en La Plata. Darwiniana 14 (2–3): 355–385.
- Horak E. 1980 [1979]. Fungi Basidiomycetes. Agaricales y Gasteromycetes secotioides. Flora Criptogámica de Tierra del Fuego 11(6): 1–528.
- Kirk PM, Cannon PF, David JC. 2001. Ainsworth & Bisby's Dictionary of the fungi. 9th edition. Wallingford. CABI Publishing.
- Kirk PM, Cannon PF, Minter DW, Stalpers JA (eds). 2008. Ainsworth & Bisby's. Dictionary of the fungi. 10th edition. Wallingford. CABI Publishing.
- Lechner BE, Wright JE & Albertó E. 2004. The genus *Pleurotus* in Argentina. Mycologia 96(4): 845–858.
- Matheny PB, Curtis JM, Hofstetter V, Aime MC, Moncalvo JM, Ge ZW, Yang ZL, Slot JC, Ammirati JF, Baroni TJ, Boughey NL, Hughes KW, Lodge DJ, Kerrigan RW, Seidl MT, Aanen DK, DeNitis M, Daniele GM, Desjardin DE, Kropp BR, Norvell LL, Parker A, Vellinga EC, Vilgalys R, Hibbett DS. 2006. Major clades of Agaricales: a multilocus phylogenetic overview. Mycologia 98(6): 982–995.
- Moreno G. & Albertó E. 1996. Agaricales sensu lato de Argentina. I. Cryptog. Mycol. 17(2): 61–84.
- Niveiro N, Popoff OF & Albertó EO. 2010. Contribución al conocimiento de los Agaricales s.l. de la Selva Paranaense argentina. Bol. Soc. Argent. Bot. 45(1–2): 17–27.
- Niveiro, N & Albertó EO. 2012a. Checklist of the argentine Agaricales I. Amanitaceae, Pluteaceae and Hygrophoraceae. Mycotaxon 119: 49. <http://dx.doi.org/10.5248/119.493> (abstract); <http://www.mycotaxon.com/resources/checklists/NiveiroAlberto-v119-checklist.pdf> (complete paper, 24 p.).
- Niveiro N & Albertó EO. 2012b. Checklist of the argentine Agaricales 2. Coprinaceae and Strophariaceae. Mycotaxon (in press).
- Raithelhuber J. 1974. Hongos argentinos I. Buenos Aires, Compañía Impresora Argentina.
- Raithelhuber J. 1977. Hongos argentinos II. Buenos Aires, Compañía Impresora Argentina.
- Raithelhuber J. 1979. Die gattung *Oudemansiella* Speg. Metrodiana 8(2–3): 40–51.
- Raithelhuber J. 1983. Über die nomenklatur einiger argentinischer blätterpilze. Metrodiana, Sonderh. 2: 1–24.
- Raithelhuber J. 1985. Spec. nov., comb. nov., nom. nov. et stat. nov. Metrodiana 11(2): 50–51.
- Raithelhuber J. 1988. Flora mycologica argentina. Hongos II. Stuttgart, Mycosur.
- Raithelhuber J. 1990. Diagnoses fungorum et combinationes novae. Metrodiana, Sonderh. 4: 5–22.
- Raithelhuber J. 1991. Flora mycologica argentina. Hongos III. Stuttgart, Mycosur.
- Raithelhuber J. 2000. Refugio natural educativo de la ribera norte. Acassuso/San Isidro –Provincia de Buenos Aires. Observaciones sobre hongos. Stuttgart. Publ. by author.
- Raithelhuber, J. 2004. Nueva flora micológica Argentina. Stuttgart, Mycosur.
- Ramarodi EA. 1992. Fungus flora de Sierra de la Ventana. Metrodiana 20(3): 111–138.
- Ramarodi EA. 1995. Flora micológica de Bahía Blanca. Nueva aportación. Metrodiana 22(1): 26–30.
- Singer R. 1947. Contributions towards a monographs of the genus *Crepidotus*. Lilloa 13: 59–95.
- Singer R. 1950a. Type studies on Basidiomycetes IV. Lilloa 23: 147–246.
- Singer R. 1950b. *Descolea antartica*, género y especies nuevas de Tierra del Fuego. Lilloa 23: 255–258.
- Singer R. 1950c. New and interesting species of Basidiomycetes III. Sydowia 4: 130–157.
- Singer R. 1951. Type studies on Agarics III. Lilloa 25: 463–514.
- Singer R. 1953a. Type studies on Basidiomycetes VI. Lilloa 26: 57–159.
- Singer R. 1953b. Four years of mycological work in southern South America. Mycologia 45(6): 865–891.
- Singer R. 1953c. Quelques agarics nouveaux de l'Argentine. Rev. Mycol. (Paris) 18(1): 3–23.
- Singer R. 1954. Agaricales von Nahuel Huapi. Sydowia 8: 100–157.
- Singer R. 1955. Le Genre *Melanophalia* Christiansen. Rev. Mycol. (Paris) 20(1): 12–17.
- Singer R. 1958. Monographs of south american Basidiomycetes, especially those of the east slope of the Andes and Brazil. I. The genus *Pluteus* in South America. Lloydia 21(4): 195–302.
- Singer R. 1959. New and interesting species of Basidiomycetes VI. Mycologia 51(3): 375–400.
- Singer R. 1961. Diagnoses fungorum novorum Agaricalium II. Sydowia 15: 45–83.

- Singer R. 1968. Sand dune inhabiting fungi of the south atlantic coast from Uruguay to Bahia Blanca. *Micopathol. Mycol. Appl.* 34(2): 129–143.
- Singer R. 1969. Mycoflora australis. *Beih. Nova Hedwigia* 29: 1–405.
- Singer R. 1971. A revisión of the genus *Melanomphalia* as a basis of the phylogeny of the *Crepidotaceae* pp: 441–480, in Petersen ed. *Evolution in the higher Basidiomycetes. An international symposium*. Knoxville, The university of Tennessee Press.
- Singer R. 1973a. The genera *Marasmiellus*, *Crepidotus*, and *Simocybe* in the Neotropics. *Beih. Nova Hedwigia* 44: 1–517.
- Singer R. 1973b. Diagnoses fungorum novorum agaricalium III. *Beih. Sydowia* 7: 1–106
- Singer R. 1986. The *Agaricales* in modern taxonomy. 4th ed. Koenigstein. Koeltz Scientific Books.
- Singer R. 1989. New taxa and new combinations of *Agaricales* (Diagnoses fungorum novorum agaricalium IV). *Fieldiana, Bot.* 21: 1–133.
- Singer R & Digilio APL. 1952 [1951]. Pródromo de la flora agaricina Argentina. *Lilloa* 25: 6–461.
- Spegazzini C. 1880a. Fungi argentini. *Pugillus primus*. *Anales Soc. Ci. Argent.* 9(4): 158–192.
- Spegazzini C. 1880b. Fungi argentini. *Pugillus secundus*. *Anales Soc. Ci. Argent.* 9(6): 278–285.
- Spegazzini C. 1880c. Fungi argentini. *Pugillus tertius*. *Anales Soc. Ci. Argent.* 10(4): 122–142.
- Spegazzini C. 1881. Fungi argentini, additis nonnullis Brasilien sibus Montevideensibusque. *Pugillus IV. Anales Soc. Ci. Argent.* 12: 13–30.
- Spegazzini C. 1887a. Fungi patagonici. *Bol. Acad. Nac. Ci. Republ. Argent.* 11: 5–64.
- Spegazzini C. 1887b. Fungi fuegiani. *Bol. Acad. Nac. Ci. Republ. Argent.* 11: 135–308.
- Spegazzini C. 1899 [1898]. Fungi argentini novi v. critici. *Anales Mus. Nac. Buenos Aires* 6: 6–365.
- Spegazzini C. 1909. Mycetes argentinenses. IV. *Anales Mus. Nac. Buenos Aires* 19: 257–458.
- Spegazzini C. 1912. Mycetes argentinenses VI. *Anales Mus. Nac. Buenos Aires* 23: 167–244.
- Spegazzini C. 1919. Los hongos del Tucumán. Primera Reunión Nacional de la Soc. Arg. de Cs. Naturales: Tucumán, 254–274.
- Spegazzini C. 1922. Cryptogamae nonnullae Fuegianae. *Anales Soc. Ci. Argent.* 94: 59–85.
- Spegazzini C. 1925. Relación de un paseo hasta el Cabo de Hornos. *Bol. Acad. Ci. (Córdoba)* 27: 321–404.
- Spegazzini C. 1926a. Contribución al conocimiento de la flora micológica de las Sierras de Córdoba. *Bol. Acad. Ci. (Córdoba)* 29: 113–190.
- Spegazzini C. 1926b. Observaciones y adiciones a la micología argentina. *Bol. Acad. Ci. (Córdoba)* 28(3/4): 267–351.
- Watling R. 1992. Observation on the *Bolbitaceae* 30. Some brazilian taxa. *Bol. Soc. Argent. Bot.* 28(1–4): 77–103.
- Watling R, Richardson MJ. 2010. Coprophilous fungi of the Falkland Islands. *Edinburgh J. Bot.* 67(3): 399–423.
- Wright JE, Albertó E. 2002. Guía de los hongos de la región Pampeana. I. Hongos con laminillas. Buenos Aires, L.O.L.A.
- Wright JE, Lechner BE & Popoff OF. 2008. Hongos. Atlas pictórico del Parque Nacional Iguazú. Buenos Aires, L.O.L.A.
- Wright JE & Wright E. 2005. Checklist of the mycobiota of Iguazu National Park (Misiones, Argentina). *Bol. Soc. Argent. Bot.* 40(1–2): 23–44.