

## **Persoonia 1 (1), 1959**

- Lam, H.J. Preface.  
Arx, J.A. von Über die Ascomycetengattung Plochmopeltis Theiss. 1-5.  
Boedijn, K.B. Notes on the genus Sarcosoma. 7-9.  
Boedijn, K.B. The genus Actiniceps Berk. & Br. 11-14.  
Boedijn, K.B. On a new family of the Sphaeriales. 15-19.  
Boedijn, K.B. A species of Septobasidium shedding its immature basidia. 21-23.  
Donk, M.A. Notes on 'Cyphellaceae'. - 1. 25-110.  
Maas Geesteranus, R.A. Sur un Hydnellusm méconnu. 111-114.  
Maas Geesteranus, R.A. The stipitate hydnoms of the Netherlands - IV. Auriscalpium S.F. Gray,  
Hericium Pers. ex S.F. Gray, Hydnnum L. ex Fr., and Sistotrema Fr. em Donk. 115-147.  
Palmer, J.T. Observations on Gasteromycetes - VIII. Persoon's specimens of Geastrum  
pectinatum Pers. and a reassessment of Geastrum plicatum Berk. and G. tenuipes Berk. 149-164.  
Reijnders, W.J. On a vernal marsh Galerina. 165-168.  
Anon. Reviews. 169-171.

## **Persoonia 1 (2), 1960**

- Donk, M.A. The generic names proposed for Polyporaceae. 173-302.

## **Persoonia 1 (3), 1960**

- Bas, C. Notes on Agaricales - II. 303-314.  
Boedijn, K.B. The Strobilomycetaceae of Indonesia. 315-318.  
Boedijn, K.B. A new Sclerographium from Indonesia. 319-320.  
Huijsman, H.S.C. Notes sur le genre Agaricus. 321-324.  
Huijsman, H.S.C. Observations sur les Lepioiteae Fayod. 325-329.  
Huijsman, H.S.C. Mycena miserior spec.nov. et Mycena pseudo-picta. 331-334.  
Huijsman, H.S.C. Observations sur le genre Ripartites. 335-339.  
Maas Geesteranus, R.A. Notes on hydnoms. 341-384.  
Singer, R. Three new species of Secotiaceae from Patagonia. 385-391.

## **Persoonia 1 (4), 1961**

- Boedijn, K.B. Notes on the Meliolales. 393-404.  
Donk, M.A. Four new families of Hymenomycetes. 405-407.  
Maas Geesteranus, R.A. A Hydnum from Kashmir. 409-413.  
Motyka, J. Usneae a R.A. Maas Geesteranus in Africa orientali et australi anno 1949 collectae.  
415-431.  
Palmer, J.T. Observations on Gasteromycetes - X. The Nidulariaceae in Persoon's herbarium.  
433-451.

## **Persoonia 2 (1), 1961**

- Anon. H.J. Lam. portrait, dedication.  
Singer, R. Type studies on basidiomycetes. X. 1-62.  
Boedijn, K.B. Myriangiales from Indonesia. 63-75.  
Bas, C. The genus Gloiocephala Massee in Europe. 77-89.  
Huijsman, H.S.C. Sur trois Psilocybe. 91-95.  
Huijsman, H.S.C. Deux Hebeloma nouveaux. 97-99.  
Huijsman, H.S.C. Observations sur le genre Hohenbuehelia. 101-107.

## **Persoonia 2 (2), 1962**

- Reid, D.A. Notes on fungi which have been referred to the Thelephoraceae sensu lato. 109-170.  
Dennis, R.W.G. A reassessment of Belonidium Mont. & Dur. 171-191.  
Boedijn, K.B. On Xylaria spathulata Berk. & Br. 193-194.  
Boedijn, K.B. Correction. 194.  
Brummelen, J. van Studies on discomycetes - I. Types of species of Ascobolus and Saccobolus in  
Spegazzini's herbarium. 195-199.

- Donk, M.A. The generic names proposed for Polyporaceae. 201-210.  
 Donk, M.A. Notes on the basidium - II. 211-216.  
 Donk, M.A. Notes on resupinate hymenomycetes - VI. 217-238.  
 Anon. Review. 239-240.

### **Persoonia 2 (3), 1962**

- Corner, E.J.H.; Bas, C. The genus Amanita in Singapore and Malaya. 241-304.  
 Boedijn, K.B. The Sordariaceae of Indonesia. 305-320.  
 Brummelen, J. van Studies on discomycetes - II. On four species of Fimaria. 321-330.  
 Donk, M.A. Notes on 'Cyphellaceae' - II. 331-348.  
 Groenhart, P. Aglaothecium Groen., a new lichen genus from Malaysia. 349-353.  
 Huijsman, H.S.C. Sur le probl?me Lepiota helveola Bres. 355-370.  
 Maas Geesteranus, R.A. The identity of Hydnus versipelle Fr. 371-375.  
 Maas Geesteranus, R.A. Hyphal structures in hydnus. 377-405.  
 Singer, R. New genera of fungi - VIII. 407-415.  
 Anon. Reviews. 417-420.

### **Persoonia 2 (4), 1963**

- Arx, J.A. von Die Gattungen der Myriangiales. 421-475.  
 Maas Geesteranus, R.A. A correction. 476.  
 Maas Geesteranus, R.A. On 'Cordyceps capitata'. 477-482.

### **Persoonia 3 (1), 1964**

- Boedijn, K.B. The genus Thuemenella with remarks on Hypocreaceae and Nectriaceae. 1-7.  
 Boerema, G.H. Phoma herbarum Westend., the type-species of the form-genus Phoma Sacc. 9-16.  
 Boerema, G.H.; Kesteren, H.A. van The nomenclature of two fungi parasitizing Brassica. 17-28.  
 Dennis, R.W.G. Remarks on the genus Hymenoscyphus S.F. Gray, with observations on sundry species referred by Saccardo and others to the genera Helotium, Pezizella or Phialea. 29-80.  
 Maas Geesteranus, R.A. On some white-spored Geoglossaceae. 81-96.  
 Reid, D.A. Notes on some fungi of Michigan - I. 'Cyphellaceae'. 97-154.

### **Persoonia 3 (2), 1964**

- Maas Geesteranus, R.A. Notes on hydnus - II. 155-192.  
 Sutton, B.C. Melanconium Link ex Fries. 193-198.  
 Donk, M.A. A conspectus of the families of Aphyllophorales. 199-324.

### **Persoonia 3 (3), 1965**

- Donk, M.A. The mycological publications of K.B. Boedijn. 325-330.  
 Bas, C. The genus Squamanita. 331-359.  
 Bas, C. A new Galerina from peat-bogs. 360-364.  
 Lemke, P.A. Dendrothele (1907) vs. Aleurocorticium (1963). 365-367.  
 Anon. Reviews. 368-370.

### **Persoonia 3 (4), 1965**

- Talbot, P.H.B. Studies of 'Pellicularia' and associated genera of hymenomycetes. 371-406.  
 Rifai, M.A. On Sporidesmium trigonellum Sacc. 407-411.  
 Boerema, G.H. Spore development in the form-genus Phoma. 413-417.  
 Anon. Review. 418.

### **Persoonia 4 (1), 1965**

- Groenhart, P. Studies in ascostromatic lichen-fungi - I. 1-7.  
 Groenhart, P. Studies in ascostromatic lichen-fungi - II. 9-13.  
 Hartog, C. den Some notes on the distribution of Plasmodiophora diplantherae, a parasitic fungus on species of Halodule. 15-18.  
 Maas Geesteranus, R.A. Geoglossaceae of India and adjacent countries. 19-46.

Boerema, G.H.; Dorenbosch, M.M.; Kesteren, H.A. van Remarks on species of Phoma referred to Peyronellaea. 47-68.

### **Persoonia 4 (2), 1966**

- Maas Geesteranus, R.A. Obituary. Pieter Groenhart (1894-1965). 69-71.  
Pegler, D.N. Tropical African Agaricales. 73-124.  
Furtado, J.S. Significance of the clamp-connection in the Basidiomycetes. 125-144.  
Donk, M.A. Check list of European hymenomycetous Heterobasidiae. 145-335.

### **Persoonia 4 (3), 1966**

- Donk, M.A. Notes on European polypores - I. 337-343.  
Corner, E.J.H. Paraphelia, a new genus of Auriculariaceae (Basidiomycetes). 345-350.  
Anon. Reviews. 351-354.

### **Persoonia 4 (4), 1967**

- Singer, R.; Grinling, K. Some Agaricales from the Congo. 355-377.  
Furtado, J.S. Some tropical species of Ganoderma (Polyporaceae) with pale context. 379-388.  
Stolk, A.C.; Scott, B. Studies on the genus Eupenicillium Ludwig. 390-405.  
Arx, J.A. von; Storm, P.K. Über einige aus dem Erdboden isolierte, zu Sporormia, Preussia und Westerdykella gehörende Ascomyceten. 407-415.  
Maas Geesteranus, R.A. Studies in cup-fungi - I. 417-425.  
Hennipman, E. Notes on some Dutch Cladoniae (Lichenes). 427-428.  
Wilde-Duyfjes, B.E.E. de On the growth rate of the foliicolous lichen Strigula elegans. 429-432.  
Anon. Reviews. 433-434.

### **Persoonia 5 (1), 1967**

- Maas Geesteranus, R.A. Notes on hydnoms - VII. 1-13.  
Boerema, G.H.; Höweler, L.H. Phoma exigua Desm. and its varieties. 1528.  
Marvanová, L.; Marvan, P.; Ružicka, J. Gyoerfyella Kol 1928, a genus of the Hyphomycetes. 29-44.  
Aa, H.A. van der A new species of Curvularia. 45-46.  
Donk, M.A. Notes on European polypores - II. 47-130.

### **Persoonia 5 (2), 1968**

- Kits van Waveren, E. The 'stercorarius' group of the genus Coprinus. 131-176.  
Gams, W.; Gerlagh, M. Beiträge zur Systematik und Biologie von Plectosphaerella cucumeris und der zugehörigen Konidienform. 177-188.  
Stolk, A.C.; Hennebert, G.L. New species of Thysanophora and Custingophora gen.nov. 189-199.  
Boerema, G.H.; Dorenbosch, M.M.J.; Kesteren, H.A. van Remarks on species of Phoma referred to Peyronellaea - II. 201-205.  
Anon. Reviews. 207-209.

### **Persoonia 5 (3), 1969**

- Petersen, R.H. Notes on cantharelloid fungi - II. Some new taxa & notes on Pseudocraterellus. 211-223.  
Brummelen, J. van Studies on discomycetes - III. 225-231.  
Brummelen, J. van Clues for the determination of the spore-sizes in Boudier's illustrated publications. 233-236.  
Donk, M.A. Notes on European polypores - III. Notes on species with stalked fruitbody. 237-263.  
Donk, M.A. Notes on Cantharellus sect. Leptocantharellus. 265-284.

### **Persoonia 5 (4), 1969**

- Bas, C. Morphology and subdivision of Amanita and a monograph of its section Lepidella. 285-579.

## **Persoonia 6 (1), 1970**

- Dorenbosch, M.M.J. Key to nine ubiquitous soil-borne Phoma-like fungi. 1-14.  
Boerema, G.H. Additional notes on Phoma herbarum. 15-48.  
Boerema, G.H.; Dorenbosch, M.M.J. On Phoma macrostomum Mont., a ubiquitous species on woody plants. 49-58.  
Schol-Schwarz, M.B. Revision of the genus Phialophora (Moniliales). 59-94.  
Gams, W.; Hoozemans, A.C.M. Cladobotryum-Konidienformen von Hypomyces-Arten. 95-110.  
Upadhyay, H.P. Soil fungi from north-east and north Brazil - VIII. 111-117.  
Kits van Waveren, E. The genus Conocybe subgen. Pholiotina. 119-165.  
Anon. Reviews. 167-169.

## **Persoonia 6 (2), 1971**

- Boerema, G.H.; Dorenbosch, M.M.J.; Kesteren, H.A. van Remarks on species of Phoma referred to Peyronellaea - III. 171-177.  
Arx, J.A. von Über die Typusart, zwei neue und einige weitere Arten der Gattung Sporotrichum. 179-184.  
Gams, W. Tolypocladium, eine Hyphomycetengattung mit geschwollenen Phialiden. 185-191.  
Malla, D.S.; Gams, W. Dactylaria lanosa, a new species from the root surface of Picea abies. 193-196.  
Stolk, A.C.; Malla, D.S. Penicillium inflatum sp.nov. 197-200.  
Donk, M.A. Notes on European polypores - VIII. 201-218.  
Petersen, R.H. Notes on clavarioid fungi - IX. Addendum to Clavulinopsis in North America. 219-229.  
Horak, E. Studies on the genus Descolea Sing. 231-248.  
Kits van Waveren, E. Notes on the genus Psathyrella - I. Psathyrella gracilis & P. microrhiza. 249-280.  
Watling, R. Observations on the Bolbitiaceae - IV. Developmental studies on Conocybe with particular reference to the annulate species. 281-289.  
Anon. Reviews. 291-294.

## **Persoonia 6 (3), 1971**

- Kits van Waveren, E. Notes on the genus Psathyrella - II. Three new species of Psathyrella. 295-312.  
Watling, R. The genus Conocybe subgenus Pholiotina II. Some European exannulate species and North American annulate species 313-339.  
Stolk, A.C.; Samson, R.A. Studies on Talaromyces and related genera I. Hamigera gen.nov. and Byssochlamys. 341-357.  
Aa, H.A. van der Macroventuria, a new genus of the Venturiaceae. 359-364.  
Arx, J.A. von Testudinaceae, a new family of ascomycetes. 365-369.  
Arx, J.A. von On Arachniotus and related genera of the Gymnoascaceae. 371-380.  
Anon. Reviews. 381-382.

## **Persoonia 6 (4), 1972**

- Nannfeldt, J.A. Taxonomy of operculate discomycetes. 383.  
Nannfeldt, J.A. Introductory remarks by the chairman. 385-387.  
Brummelen, J. van Ascocarp ontogeny and a natural classification of the Ascobolaceae. 389-394.  
Kimbrough, J.W. Ascal structure, ascocarp ontogeny, and a natural classification of the Thelebolaceae. 395-404.  
Paden, J.W. Imperfect states and the taxonomy of the Pezizales. 405-414.  
Raitvii, A. Statistical methods and species delimitation in the genus Otidea. 415-423.  
Dissing, H. Specific and generic delimitation in the Helvellaceae. 425-432.  
Dennison, W.C. Differentiation of tribes and genera in the family Sarcoscyphaceae. 433-438.  
Eckblad, F.-E. The suboperculate ascus - a review. 439-443.  
Korf, R.P. Taxonomy of operculate discomycetes: synthesis. 445-449.

## **Persoonia 7 (1), 1972**

- Oberwinkler, F. The relationships between the Tremellales and the Aphylophorales. 1-16.  
Ryvarden, L. A note on the genus Junghuhnia. 17-21.  
Kits van Waveren, E. Notes on the genus Psathyrella - III. Unorthodox approach and key to section Atomatae. 23-54.  
Stayaert, R.L. Species of Ganoderma and related genera mainly of the Bogor & Leiden herbaria. 55-118.

## **Persoonia 7 (2), 1973**

- Maas Geesteranus, R.A. Dr. M.A. Donk, his life and work. 119-126.  
Arx, J.A. von Further observations on Sporotrichum and some similar fungi. 127-130.  
Boerema, G.H.; Dorenbosch, M.M.J.; Kesteren, H.A. van Remarks on species of Phoma referred to Peyronellaea - IV. 131-139.  
Boidin, J.; Lanquetin, P. Podoscypha involuta (Klotzsch) Imaz. est une espèce composite (Basidiomycetes, Podoscyphaceae). 141-150.  
Demoulin, V. Definition and typification of the genus Lycoperdon Tourn. per Pers. (Gasteromycetes). 151-154.  
Domanski, S. Poria elongata Overh. in Poland. 155-160.  
Gams, W. Phialides with solitary conidia? 161-169.  
Gilbertson, R.L. Notes on some corticioid lignicolous fungi associated with snowbanks in southern Arizona. 171-182.  
Hennebert, G.L. Botrytis and Botrytis-like genera. 183-204.  
Korf, R.P. On Boudier's genus Lepidotia (Pezizaceae). 205-212.  
Kotlaba, F.; Pouzar, Z. Donkioporia Kotl. & Pouz., a new genus for Poria megalopora (Pers.) Cooke. 213-216.  
Kühner, R. Architecture de la paroi sporique des hyménomycètes et de ses différenciations. 217-248.  
Lemke, P.A. Isolating mechanisms in fungi - prezygotic, postzygotic, and azygotic. 249-260.  
Malençon, G. Champignons hypogés du nord de l'Afrique - I Ascomycètes. 261-279.  
Moser, M. Die Arten um Rhodoophyllus dysthales (Peck) Romagn. 281-288.  
Petersen, R.H.; Pearman, R.W. Spore ornamentation in Ramaria as depicted by scanning electron micrographs. 289-292.  
Reid, D.A. New or interesting records of British hymenomycetes - V. 293-303.  
Ryvarden, L. Type-studies in the Polyporaceae - I Tropical species described by C.H. Persoon. 305-312.  
Singer, R. Notes on bolete taxonomy. 313-320.  
Smith, A.H. Notes on Michigan Boletaceae. 321-331.  
Stolk, A.C. Penicillium donkii sp.nov. and some observations on sclerotial strains of Penicillium funiculosum. 333-337.  
Talbot, P.H.B. Basidial morphology and hymenophoral development in Rhizopogon. 339-350.

## **Persoonia 7 (3), 1973**

- Merkus, E. Ultrastructure of the ascospore wall in Pezizales (Ascomycetes) - I Ascodesmis microscopica (Crouan) Seaver and A. nigricans van Tiegh. 351-366.  
Arx, J.A. von The genera Petriellidium and Pithoascus (Microascaceae). 367-375.  
Arx, J.A. von; Samson, R.A. Two new genera of the Eurotiales. 377-380.  
Jülich, W. Studien in resupinaten Basidiomyceten - II. 381-388.  
Agerer, R. Rectipilus, eine neue Gattung cyphelloider Pilze. 389-436.  
Hoog, G.S. de Additional notes on Tritirachium. 437-441.

## **Persoonia 7 (4), 1974**

- Maas Geesteranus, R.A. Studies in the genera Irpex and Steccherinum. 443-591.

## **Persoonia 8 (1), 1974**

- Merkus, E. Ultrastructure of the ascospore wall in Pezizales (Ascomycetes) - II. Pyronemataceae sensu Eckblad. 1-22.
- Brummelen, J. van Light and electron microscopic studies of the ascus top in Ascozonus woolhopensis. 23-32.
- Donk, M.A. Check list of European hymenomycetous Heterobasidiae. 33-50.
- Jülich, W. Notes on the cyanophily of spores, with a discussion of the genus Leucogyrophana (Corticiaceae). 51-58.
- Jülich, W. The genera of the Hyphodermoideae (Corticiaceae). 59-97.
- Arnolds, E. Notes on Hygrophorus - I. 99-104.
- Kreger-van Rij, N.J.W. The species Dipodascopsis uninucleata (Biggs) Batra & Millner. 105-109.

## **Persoonia 8 (2), 1975**

- Boerema, G.H.; Bollen, G.J. Conidiogenesis and conidial septation as differentiating criteria between Phoma and Ascochyta. 111-144.
- Maas Geesteranus, R.A.; Lanquetin, P. Observations sur quelques champignons hydnoides de l'Afrique. 145-165.
- Maas Geesteranus, R.A. Corrections. 166.
- Hawksworth, D.L. Farrowia, a new genus in the Chaetomiaceae. 167-185.
- Jülich, W. Studien an cystidien - I Subulicystidium Parm. 187-190.
- Arx, J.A. von Revision of Microascus with the description of a new species. 191-197.
- Rao, V.; Hoog, G.S. de Some notes on Torula. 199-206.
- Hoog, G.S. de; Rao, V. Some new Hyphomycetes. 207-212.
- Maas Geesteranus, R.A. A new Clavicorona. 213-215.
- Maas Geesteranus, R.A. Melastiza flavorubens found in The Netherlands. 215-217.
- Jülich, W. On Cerocorticium P. Henn., a genus described from Java. 217-220.
- Loerakker, W.M. A new species of Corynespora. 220-222.
- Noordeloos, M.A. Marasmillus caespitosus (Pat.) Sing. in The Netherlands. 223-226.

## **Persoonia 8 (3), 1975**

- Merkus, E. Ultrastructure of the ascospore wall in Pezizales (Ascomycetes) - III Otideaceae and Pezizaceae. 227-247.
- Tortic, M. On the identity of Polyporus schulzeri Fr. 249-258.
- Brummelen, J. van Light and electron microscopic studies of the ascus top in Sarcoscypha coccinea. 259-271.
- Donk, M.A. Racodium Pers. not a genus of Lichenes. 273-276.
- Donk, M.A. Maratti's generic names for fungi. 277-282.
- Aa, H.A. van der The perfect state of Sarcophoma miribelii. 283-289.
- Jülich, W. Studies in resupinate basidiomycetes - III. 291-305.
- Reijnders, A.F.M. The development of three species of the Agaricaceae and the ontogenetic pattern of this family as a whole. 307-319.
- Schipper, M.A.A.; Samson, R.A.; Stalpers, J.A. Zygospor ornamentation in the genera Mucor and Zygorhynchus. 321-328.
- Gams, W. The perfect state of Tilachlidium brachiatum. 329-331.
- Laan, H.F. van der Poria lindbladii found in The Netherlands. 331-332.
- Moustafa, A.F. A new species of Gilmaniella from the soil of Kuwait. 332-333.

## **Persoonia 8 (4), 1976**

- Brummelen, J. van; Bas, C. Retirement of Dr R.A. Maas Geesteranus. 335-343.
- Kits van Waveren, E. Notes on the genus Psathyrella - IV. Description of and key to the European species of section Psathyrella. 345-405.
- Hoog, G.S. de; Papendorf, M.C. The genus Phaeoisaria. 407-414.
- Keller, J. Ultrastructure des parois sporiques des Aphylophorales - I Les bankéracées. 415-420.
- Brummelen, J. van Some new species of Saccobolus. 421-430.
- Jülich, W. Studies in resupinate basidiomycetes - IV. 431-442.

- Geesink, J. *Cortinarius contrarius*, a new species identical with *C. sertipes* Kühn. sensu Svrcek. 443-445.  
 Jülich, W. Studies in hydnoid fungi - I. On some genera with hyphal pegs. 447-458.  
 Kits van Waveren, E. Redescription of *Rhodophyllus scabiosus* (Fr.) Quél. 459-467.  
 Anon. Received by the Rijksherbarium Library. 469.

## **Persoonia 9 (1), 1976**

- Merkus, E. Ultrastructure of the ascospore wall in Pezizales (Ascomycetes) - IV. Morchellaceae, Helvellaceae, Rhizinaceae, Thelebolaceae, and Sarcoscyphaceae. General discussion. 1-38.  
 Jülich, U. Zur morphologie von *Saccoblastia pinicola* und *S. sebacea*. 39-48.  
 Jülich, W.; Jülich, U. A contribution towards a revision of the genus *Tulasnella*. 49-64.  
 Reijnders, A.F.M. Recherches sur le développement et l'histogenèse dans les astérosporales. 65-83.  
 Plaats-Niterink, A.J. van der; Samson, R.A.; Stalpers, J.A.; Weijman, A.C.M. Some Oomycetes and Zygomycetes with asexual echinulate reproductive structures. 85-93.  
 Arx, J.A. von Franz Petrak, 1886-1973. 95-96.  
 Laan, H.F. van der The distribution pattern of *Hirneola auricula-judae* in The Netherlands. 97-110.  
 Gams, W. Some new or noteworthy species of *Mortierella*. 111-140.  
 Gams, W.; Hooghiemstra, H. *Mortierella turficola* Ling Yong. 141-144.  
 Stalpers, J. Notes on *Mycoacia* - I. 145-148.  
 Corner, E.J.H. On the clavarioid *Ramaria stricta* (Fr.) Quél. in Borneo. 149-150.  
 Jülich, W. On *Corticium udicola* Bourd. 151-154.  
 Laan, H.F. van der *Schizophora phellinoides* in The Netherlands. 155-156.  
 Anon. Books received by the Rijksherbarium Library. 157.

## **Persoonia 9 (2), 1977**

- Hawksworth, D.L. Taxonomic and biological observations on the genus *Lichenoconium* (Sphaeropsidales). 159-198.  
 Kits van Waveren, E. Notes on the genus *Psathyrella* - V. The sections *Ammophilae*, *Bipellis* and *Subatratae*. 199-231.  
 Guzmán, G. Bas, C. A new bluing species of *Psilocybe* from Europe. 233-238.  
 Arnolds, E. Notes on *Hygrophorus* - II. 239-256.  
 Reisinger, O.; Morelet, M.; Kiffer, E. Electron microscopic study of conidium ontogeny in *Coniothyrium cupressacearum* (Coelomycetes). 257-264.  
 Anon. Books received by the Rijksherbarium Library. 265.  
 Maas Geesteranus, R.A. *Mycena galericulata* - usually 2-spored? 267-270.  
 Maas Geesteranus, R.A. Problems around a new *Mucronella*. 271-274.  
 Noordeloos, M.E. A new species of *Marasmiellus* from The Netherlands. 275-277.  
 Laan, H.F. van der Newly recorded in The Netherlands - III. *Tyromyces semisupinus*. 279-280.

## **Persoonia 9 (3), 1977**

- Kits van Waveren, E. Notes on the genus *Psathyrella* - VI. Four controversial species of *Psathyrella*: *P. fibrillosa*, *P. frustulenta*, *P. clivensis*, and *P. obtusata*. 281-304.  
 Horak, E. The genus *Melanotus* Pat. 305-327.  
 Reijnders, A.F.M. The histogenesis of bulb and trama tissue of the higher basidiomycetes and its phylogenetic implications. 329-361.  
 Clémenton, H. Die Strukturen der Basidiosporenwand und des Apikulus, und deren Beziehung zur Exogenisation der Spore. 363-380.  
 Gams, W. A key to the species of *Mortierella*. 381-391.  
 Arx, J.A. von Notes on *Gymnoascaceae*. 393-400.  
 Oorschot, C.A.N. van The genus *Myceliophthora*. 401-408.  
 Schild, E. *Clavaria lutea* Vitt., eine eigene Art. 409-416.  
 Jülich, W. On two species of the genus *Trechispora* (Corticiaceae). 417-418.  
 Anon. Books received by the Rijksherbarium Library. 419.

## **Persoonia 9 (4), 1978**

- Singer, R. Notes on bolete taxonomy - II. 421-438.  
Horak, E. Pleuroflammula. 439-451.  
Jülich, W. On some Aphyllophorales from Australia. 453-472.  
Huijsman, H.S.C. Notes on Inocybe. 473-484.  
Huijsman, H.S.C. Hebelomina microspora Huijsm. and reflexions on Hebelomina R. Maire as a genus. 485-490.  
Maas Geesteranus, R.A. Notes on hydnoms - XI. 491-500.  
Samson, R.A.; Abdel-Fattah, H.M. A new species of Talaromyces and a discussion of some recently described taxa. 501-504.  
Samson, R.A.; Polonelli, L. Myriodontium keratinophilum, gen. et sp.nov. 505-509.  
Capellano, A.; Keller, J. Architecture de la paroi sporique des auriscalpiacées et des hériciacées. 511-514.  
Laan, H.F. van der Newly recorded in The Netherlands - IV Poria xantha. 515-517.  
Laan, H.F. van der Newly recorded in The Netherlands - V Poria sericeo-mollis. 517-519.

## **Persoonia 10 (1), 1978**

- Bas, C. Studies in Amanita - I. 1-22.  
Arx, J.A. von Notes on Microascaceae with the description of two new species. 23-31.  
Hoog, G.S. de Notes on some fungicolous hyphomycetes and their relatives. 33-81.  
Clémenton, H. Siderophilous granules in the basidia of hymenomycetes. 83-96.  
Gams, W. Connected and disconnected chains of phialoconidia and Sagenomella gen.nov. segregated from Acremonium. 97-112.  
Brummelen, J. van The operculate ascus and allied forms. 113-128.  
Maas Geesteranus, R.A. Clamp connections at the cheilocystidia in Mycena. 129-135.  
Jülich, W. Studies in resupinate basidiomycetes - V. 137-140.  
Arx, J.A. von; Mukerji, K.G.; Singh, N. Leucosphaera, a new genus of the Pseudeurotiaceae. 141-143.  
Arx, J.A. von; Mukerji, K.G.; Singh, N. A new coprophilous ascomycete from India. 144-146.  
Walt, J.P. van der; Johannsen, E. The genus Debaryozyma van der Walt & Johannsen, nom.nov. 146-148.  
Jülich, W. A new lichenized Athelia from Florida. 149-151.  
Anon. Books received by the Rijksherbarium Library. 153.  
Anon. The Rijksherbarium, 150 years old. 155.

## **Persoonia 10 (2), 1979**

- Horak, E. Astrosporina (Agaricales) in Indomalaya and Australasia. 157-205.  
Noordeloos, M.E. Entoloma subgenus Pouzaromyces emend. in Europe. 207-243.  
Noordeloos, M.E. Type studies on entolomatoid species in the Velenovský herbarium - I. Species described in the genera Nolanea, Leptonia and Telamonia. 245-265.  
Aa, H.A. van der; Kesteren, H.A. van Some pycnidial fungi occurring on Atriplex and Chenopodium. 267-276.  
Maas Geesteranus, R.A. Three mycenae revised. 277-282.  
Arnolds, E.J.M.; Noordeloos, M.E. New taxa of Entoloma from grasslands in Drenthe, The Netherlands. 283-300.  
Reijnders, A.F.M. Le développement de Limacella glioderma (Fr.) R. Maire. 301-308.  
Anon. Books received by the Rijksherbarium Library. 309.

## **Persoonia 10 (3), 1979**

- Boidin, J.; Parmasto, E.; Dhingra, G.S.; Lanquetin, P. Stereums with acanthophyses, their position and affinities. 311-324.  
Jülich, W. Studies in resupinate basidiomycetes - VI. On some new taxa. 325-336.  
Agerer, R. Flagelloscypha sect. Lachnelloscypha a link between the genera Lachnella and Flagelloscypha. 337-346.

- Keller, J. Ultrastructure des hyphes incrustées dans le genre *Skeletocutis*. 347-355.  
 Arnolds, E. Notes on *Hygrophorus* - III. The group of *Hygrophorus olivaceoalbus* (*Hygrophorus* subsect. *Olivaceoumbrini* Bat.) in north-western Europe. 356-382.  
 Reijnders, A.F.M. Developmental anatomy of *Coprinus*. 383-424.  
 Anon. Books received by the Rijksherbarium Library. 425.

## **Persoonia 10 (4), 1980**

- Noordeloos, M.E. Entoloma subgenus *Nolanea* in The Netherlands and adjacent regions with a reconnaissance of its remaining taxa in Europe. 427-534.  
 Jülich, W. On *Mucronella rickii* and *Pterula gracilis*. 535-539.  
 Jülich, W. A new species of *Paraphelaria* (Auriculariales) from Borneo. 539-540.  
 Jülich, W. An unusual form of *Trechispora vaga*. 540-541.  
 AA, H.A. van der; Kesteren, H.A. van Phoma heteromorphospora nom.nov. 542.  
 Gams, W.; Arx, J.A. von Validation of *Symbiotaphrina* (imperfect yeasts). 542-543.  
 Anon. Books received by the Rijksherbarium Library. 545.

## **Persoonia 11 (1), 1980 [publ. 1979]**

- Horak, E. *Inocybe* (Agaricales) in Indomalaya and Australasia. 1-37.  
 Stalpers, J.A.; Schipper, M.A.A. Comparison of zygosporous ornamentation in intra- and interspecific matings in some related species of *Mucor* and *Backusella*. 39-52.  
 Schipper, M.A.A.; Stalpers, J.A. Various aspects of the mating system in *Mucorales*. 53-63.  
 Samson, R.A.; Gams, W.; Evans, H.C. Pleurodesmospora, a new genus for the entomogenous hyphomycete *Gonatorrhodiella coccorum*. 65-69.  
 Gams, W. *Cladobotryum penicillatum* sp.nov. 71-74.  
 Gams, W. *Chaunopycnis alba*, gen. et sp.nov., a soil fungus intermediate between *Moniliales* and *Sphaeropsidales*. 75-79.  
 Noordeloos, M.E. Type studies on entolomatoid species in the Velenovsky herbarium - II. Species described in the genera *Entoloma*, *Eccilia*, and *Clitocybe*. 81-86.  
 Brummelen, J. van Two species of *Ascobolus* new to Britain. 87-92.  
 Maas Geesteranus, R.A. Studies in mycenae - 15. A tentative subdivision of the genus *Mycena* in the northern hemisphere. 93-120.

## **Persoonia 11 (2), 1981**

- Noordeloos, M.E. Introduction to the taxonomy of the genus *Entoloma* sensu lato (Agaricales). 121-151.  
 Noordeloos, M.E. Entoloma subgenera *Entoloma* and *Allocybe* in the Netherlands and adjacent regions with a reconnaissance of their remaining taxa in Europe. 153-256.  
 Noordeloos, M.E. Entoloma subgenus *Nolanea* - additions. 257.  
 Anon. Index [to taxa covered in this issue]. 258-263.  
 Anon. Books received by the Rijksherbarium Library. 265-268.

## **Persoonia 11 (3), 1981**

- Singer, R. Notes on bolete taxonomy - III. 269-302.  
 Horak, E. On Himalayan species of *Astrosporina* and *Inocybe* (Agaricales). 303-310.  
 Boerema, G.H.; Loerakker, W.M. Phoma piskorpii (Petrak) comb.nov., the anamorph of *Leptosphaeria acuta* (Fuckel) P. Karst. 311-315.  
 Boerema, G.H.; Kesteren, H.A. van Nomenclatural notes on some species of *Phoma* sect. *Plenodomus*. 317-331.  
 Brummelen, J. van The genus *Ascodesmis* (Pezizales, Ascomycetes). 333-358.  
 Kits van Waveren, E. Notes on the genus *Psathyrella* - VII. *Psathyrella longicauda* versus *Psathyrella atrolaminata* (= *P. melanophylla* pr.p.maj., excl. type). 359-368.  
 Ryvarden, L. Type studies in the Polyporaceae - 12. Species described by F.W. Junghuhn. 369-372.  
 Noordeloos, M.E. Notes on *Marasmius* - I. *Marasmius pseudocaricis* spec.nov. and the status of *Gliocephala* Mass. 373-376.

Brummelen, J. van; Candoussau, F. *Ascobolus xylophilus* redescribed from France with remarks on its taxonomic position. 377-380.

Vries, G.A. de *Hydnangium nigricans* var. *longispinosum*, a new hypogeous fungus from Madagascar. 381-384.

Kuyper, T.W. Notes on *Clitocybe* - I. 385-386.

Arx, J.A. von; Aa, H.A. van der *Pithosira* and *Xenoplaca*, two dematiaceous hyphomycete genera from South America. 387-389.

Arx, J.A. von *Acrocladium*, a synonym of *Periconiella*. 389-391.

Arx, J.A. von *Xenostilbum*, a synonym of *Calostilbella*. 391.

Moustafa, A.F. A new species of *Sporothrix* from Kuwait. 392-394.

Anon. Books received by the Rijksherbarium Library. 395.

## **Persoonia 11 (4), 1982**

Jülich, W. Basidiomycetes of south-east Asia. 1. The genus *Paraphelaria* (Auriculariales). 397-406.

Jülich, W.; Vries, B. de On the genera *Ascocorticium* and *Ascosorus* (Ascocorticiaceae). 407-420.

Jülich, W. Notes on some basidiomycetes (Aphyllophorales and Heterobasidiomycetes). 421-428.

Bas, C. Studies in *Amanita* - II. Miscellaneous notes. 429-442.

Arx, J.A. von A key to the species of *Gelasinospora*. 443-449.

Noordeloos, M.E. Entoloma subgenus *Leptonia* in northwestern Europe - I. Introduction and a revision of its section *Leptonia*. 451-471.

Kits van Waveren, E. Notes on the genus *Psathyrella* - VIII. Description of and key to the European species of section *Hydrophilae*. 473-508.

Geesink, J. A new species of *Arpinia*. 509-510.

Bas, C.; Honrubia, M. Validation of *Amanita gracilior*, a mediterranean species resembling *A. boudieri*. 511-514.

Schalkwijk, J.; Jansen, G.M. A new *Amanita* from Chile. 515-518.

Anon. Books received by the Rijksherbarium Library. 519.

## **Persoonia 12 (1), 1983**

Reijnders, A.F.M. Supplementary notes on basidiocarp ontogeny in Agarics. 1-20.

Corner, E.J.H. The clavarioid *Ramaria* subgen. *Echinoramaria*. 21-28.

Bas, C. Notulae ad floram agaricinam Neerlandicam. Introduction. 29-30.

Noordeloos, M.E. Notulae ad floram agaricinum Neerlandicam - I-III *Marasmiellus*, *Macrocytidia* and *Rhodocybe*. 31-49.

Bas, C. *Flammulina* in western Europe. 51-66.

Jülich, W.; Star, W. Ultrastructure of basidiospores. 67-74.

Noordeloos, M.E. Studies in *Entoloma* - 7. *Entoloma* sect. *Phlebophora* sect.nov. 75-79.

Schipper, M.A.A.; Stalpers, J.A. Spore ornamentation and species concept in *Syncephalastrum*. 81-85.

Leger, J.C.; Lanquetin, P. Description of morphology, anatomy, and cultural characters of *Hymenochaete paucisetosa* spec.nov. 87-94.

Arx, J.A. von; Constantinescu, O. *Callistospora* and *creodiplodina*, two coelomycetous genera from Australia. 95-97.

Rao, V.; Hoog, G.S. de A new species of *Mycothecium*. 99-101.

Bas, C. On the application of the name *Agaricus lacrymabundus* Bull.: Fr. 103-106.

## **Persoonia 12 (2), 1984**

Jülich, W. Basidiomycetes of south-east Asia. 107-117.

Bas, C.; Weholt, Ø. *Hydropus conicus*, a new species from Norway. 119-122.

Samson, R.A.; Rombach, M.C.; Seifert, K.A. *Hirsutella guignardii* and *Stilbella kervillei*, two troglobiotic entomogenous hyphomycetes. 123-134.

Gams, W.; Hoog, G.S. de; Samson, R.A. The hyphomycete genus *Engyodontium*, a link between *Verticillium* and *Aphanocladium*. 135-147.

Brummelen, J. van Notes on cup-fungi - I. 149-154.

- Noordeloos, M.E. Notulae ad floram agaricinam Neerlandicam - IV-V Clitopilus & Leucopaxillus. 155-167.
- Arx, J.A. von; Dreyfuss, M.; Müller, E. A revaluation of Chaetomium and the Chaetomiaceae. 169-179.
- Guarro, J.; Martínez, A.T.; Arx, J.A. von A new Apiosordaria from soil. 181-184.
- Arx, J.A. von Canariomyces notabilis, a peculiar ascomycete from the Canary Islands. 185-187.
- Kuyper, T.W. Notulae ad floram agaricinam Neerlandicam - VI-VII Rickenella and Omphalina. 188.
- Jülich, W. Galzinia geminospora Olive new to Europe. 189-191.
- Bas, C. On the correct name of 'Amanita inaurata Secr.' 192-193.
- Anon. Books received by the Rijksherbarium Library. 194.

### **Persoonia 12 (3), 1984**

- Noordeloos, M.E. Studies in Entoloma - 10-13. 195-223.
- Petersen, R.H. Type studies in the clavarioid fungi - VIII. 225-237.
- Rao, V.; Reddy, K.A.; Hoog, G.S. de Heliocephala, a new genus of dematiaceous hyphomycetes. 239-242.
- Boidin, J.; Lanquetin, P. Complements au genre Vararia P. Karst. (Basidiomycetes). 243-262.
- Noordeloos, M.E. Entolomataceae (Agaricales, Basidiomycetes) in Greenland - I. The genus Entoloma. 263-305.
- Jülich, W. Neotyphification of Hydnus barba-jovis Bull.: Fr. 307-315.
- Jülich, W. On Tulasnella cystidiophora. 317-320.
- Bas, C.; Hatanaka, S.-I. An undescribed species of Amanita section Lepidella from Japan. 321-325.
- Brummelen, J. van Notes on cup-fungi - 2. 327-334.
- Anon. Books received by the Rijksherbarium Library. 335- 336.

### **Persoonia 12 (4), 1985**

- Vellinga, E.C.; Schreurs, J. Notulae ad floram agaricinam Neerlandicam - VII. Pluteus Fr. in West-Europe. 337-373.
- Kuyper, T.W. Studies in Inocybe - I. Revision of the new taxa of Inocybe described by Velenovský. 375- 400.
- Petersen, R.H. Type studies in the clavarioid fungi - IX. Miscellaneous taxa, with a section on Tremellodendropsis. 401-413.
- Aa, H.A. van der; Oorschot, C.A.N. van A redescription of some genera with stauros pores. 415-425.
- Boekhout, T. Notulae ad floram agaricinam Neerlandicam - IX Mycenella. 427-440.
- Mouchacca, J. Redécouverte du Thielavia coactilis Nicot, un ascomycète observé sur des feuilles mortes de Carpinus, et ses rapports avec certaines espèces de ce genre. 441-446.
- Kuyper, T.W.; Vuure, M. van Nomenclatural notes on Russula. 447-455.
- Noordeloos, M.E. Notulae ad floram agaricinam Neerlandicam - X-XI Entoloma. 457-462.
- Vries, G.A. de First record of Stephensia crocea Quél. in the Netherlands. 463-468.
- Stuve, T.; Klan, J.; Kuyper, T.W. Occurrence of psilocybin and baeocystin in the genus Inocybe (Fr.) Fr. 469-473.
- Arnolds, E. Notes on Hygrophorus - IV. New species and new combinations in Hygrophoraceae. 475-478.
- Kuyper, T.W. Studies in Inocybe - II. 479-482.
- Uljé, C.B.; Bas, C. Coprinus hercules spec.nov. 483-486.
- Oorschot, C.A.N. van; Piontelli, E. Chrysosporium vallenarense spec.nov. 487-488.
- Hengstmengel, J. Notes on Hymenoscypheus. 489-490.
- Anon. Books received by the Rijksherbarium Library. 491-493.

### **Persoonia 13 (1), 1986**

- Vellinga, E.C. The genus Flammulaster (Agaricales) in the Netherlands and adjacent regions. 1-26.

- Mueller, G.M.; Vellinga, E.C. Taxonomic and nomenclatural notes on *Laccaria* B. & Br. *Laccaria amethystea*, L. *fraterna*, L. *laccata*, L. *pumila*, and their synonyms. 27-43.
- Boekhout, T.; Bas, C. *Notulae ad floram agaricinam Neerlandicam* – XII. 45-56.
- Arnolds, E. Notes on *Hygrophoraceae* - VI. Observations on some new taxa in *Hygrocybe*. 57-68.
- Arnolds, E. Notes on *Hygrophoraceae* - VII. On the taxonomy and nomenclature of some species of *Hygrophorus*. 69-76.
- Kuyper, T.W.; Tjallingii-Beukers, G. Notes on *Pholiota*. 77-82.
- Barrasa, J.M.; Lundqvist, N.; Moreno, G. Notes on the genus *Sordaria* in Spain. *Sordaria elongatispora*, a new coprophilous species (Pyrenomycetes). 83-88.
- Brummelen, J. van Notes on cup-fungi - 3. On three species of *Cheilymenia*. 89-96.
- Schipper, M.A.A. Notes on *Zygorhynchus* species. 97-105.
- Mouchacca, J.. *Podospora carpinicola* spec.nov., un ascomycète isolé de feuilles mortes de *Carpinus*, et deux autres espèces du même genre. 107-112.
- Bas, C. *Agaricus geesterani*, spec.nov. A very remarkable agaric discovered in the Netherlands. 113-121.
- Barkman, J.J.; Noordeloos, M.E. *Entoloma juniperinum*: a new species from Juniperus heaths in north-western Europe. 123-125.
- Aa, H.A. van der; Arx, J.A. von On *Vonarxia*, *Kazulia* and other fungi with stauroconidia. 127-128.
- Waveren, E.K. van; Örstadius, L. *Psathyrella subumbrina* a new species of *Psathyrella* section *Hydrophilae* from Sweden. 129-131.
- Anon. Books received by the Rijksherbarium Library. 133-136.

## **Persoonia 13 (2), 1986**

- Arnolds, E. Notes on *Hygrophoraceae* - VIII. Taxonomic and nomenclatural notes on some taxa of *Hygrocybe*. 137-160.
- Arx, J.A. von; Walt, J.P. van der Are yeast cells of Endomycetales homologues of conidia of Eurotiales. 161-171.
- Arx, J.A. von The ascomycete genus *Gymnoascus*. 173-183.
- Arx, J.A. von; Samson, R.A. *Mallochia*, a new genus of the Eurotiales. 185-188.
- Singer, R.; Machol, R. The nomenclature of *Russula* species and the Sydney rules. 189-192.
- Holm, L. On the typification of some Persoonian pyrenomycete names. 193-196.
- Boekhout, T. *Notulae ad floram agaricinam Neerlandicam* - XII. 197-211.
- Brummelen, J. van Ultrastructure of the ascus top and the ascospore wall in *Fimaria* and *Pseudombrophila* (Pezizales, Ascomycotina). 213-230.
- Anon. Books received by the Rijksherbarium Library. 231.

## **Persoonia 13 (3), 1987**

- Bas, C. Drs. H.S.C. Huijsman (1900-1986). 233-235.
- Noordeloos, M.E. *Notulae ad floram agaricinam Neerlandicam* - XV. *Marasmius*, *Marasmiellus*, *Micromphale*, and *Hohenbuehelia*. 237-262.
- Arx, J.A. von; Guarro, J.; Aa, H.A. van der *Asordaria*, a new genus of the Sordariaceae, and a new species of *Melanocarpus*. 263-272.
- Arx, J.A. von A re-evaluation of the Eurotiales. 273-300.
- Guarro, J.; Arx, J.A. von The ascomycete genus *Sordaria*. 301-313.
- Kuyper, T.W.; Vuure, M. van Reply to Singer & Machol. 315-319.
- Vellinga, E.C. Notes on *Cystolepiota seminuda*. 321-325.
- Waveren, E.K. van Additions to our monograph on *Psathyrella*. Thirteen new species, some revised keys, comments on other recently described species, and corrections and additions to our monograph. 327-368.
- Brummelen, J. van Ultrastructure of the ascus and the ascospores in *Pseudascozonus* (Pezizales, Ascomycotina). 369-377.
- Noordeloos, M.E.; Kuyper, T.W. *Notulae ad floram agaricinam Neerlandicam* XIV. A nomenclatural note on *Rhodocybe truncata*. 378-380.
- Tan, C.S.; Hoog, G.S. de On the identity of *Curvularia subulata*. 381-382.

- Vellinga, E.C. Taxonomic and nomenclatural notes on *Laccaria* B. & Br. - II. *Laccaria bicolor*, L. *fraterna*, and *L. laccata* var. *pallidifolia*. 383-385.
- Arnolds, E. Notes on Hygrophoraceae - X. Three new combinations in Hygrophoraceae. 386.
- Guarro, J.; Puntsola, L.; Figueras, M.J. *Brunneospora reticulata*, gen. et spec.nov., a keratinophilic ascomycete from Spain. 387-390.
- Anon. Books received by the Rijksherbarium Library. 391-395.

### **Persoonia 13 (4), 1988**

- Boekhout, T. Notulae ad floram agaricinam Nederlandicam - XVI. New taxa, new combinations in *Melanoleuca* Pat. and notes on rare species in the Netherlands. 397-431.
- Uljé, C.B.; Bas, C. Studies in *Coprinus* - I. Subsections *Auricomi* and *Glabri* of *Coprinus* section *Pseudocoprinus*. 433-448.
- Uhl, M. Studies on ectomycorrhizae - XV. Mycorrhizae formed by *Rhizophagus luteolus* on *Pinus silvestris*. 449-458.
- Ridley, G.S. *Squamanita squarrulosa*, a new species from New Zealand. 459-462.
- Stijve, T.; Kuyper, T.W. Absence of psilocybin in species of fungi previously reported to contain psilocybin and related tryptamine derivatives. 463-465.
- Arx, J.A. von Notes on *Beauveria*. 467-469.
- Geesteranus, R.A. *Mycena tristis*, a new European species of section *Fragilipedes*. 471-473.
- Waveren, E.K. van Notes on the genus *Psathyrella* - IX. *Psathyrella umbrina* Kits van Wav. and P. *galerooides* Romagn. 475-478.
- Uljé, C.B. Four new species of *Coprinus* from the Netherlands. 479-488.
- Bas, C.; Robich, G. On a false *Hydroporus*, *Flammulina mediterranea*, comb.nov. 489-494.
- Stalpers, J.A. *Auricolariopsis* and the *Schizophyllales*. 495-504.
- Anon. Books received by the Rijksherbarium Library. 505-508.
- Anon. Index. 509-520.

### **Persoonia 14 (1), 1989**

- Brummelen, J. van Ultrastructure of the ascus and the ascospore wall in *Eleutherascus* and *Ascodesmis* (Ascomycotina). 1-17.
- Gartz, J. Occurrence of psilocybin, psilocin and baeocystin in *Gymnopilus purpuratus*. 19-22.
- Petersen, R.H. Contributions toward a monograph of *Ramaria* - VIII. Some taxa sheltered under the name *Ramaria flava*. 23-42.
- Arnolds, E. Notes on Hygrophoraceae - XI. Observations on some species of *Hygrocybe* subgenus *Cuphophyllus*. 43-46.
- Noordeloos, M.E.; Kesteren, H.A. van; Veenbaas-Rijks, J.W. Studies in plant pathogenic fungi - I. *Gnomonia radicicola* spec.nov., a new pathogen of roses. 47-49.
- Noordeloos, M.E.; Loerakker, W.M. Studies in plant pathogenic fungi - II. On some powdery mildews (Erysiphales) recently recorded from the Netherlands. 51-60.
- Aronsen, A.; Geesteranus, R.A. *Mycena ustalis* a new species from southern Norway. 61-64.
- Geesteranus, R.A. *Mycena tephrophylla*, eine neue Art aus Baden-Württemberg. 65-67
- Al-Musallam, A.; Tan, C.S. *Chrysosporium zonatum*, a new keratinophilic fungus. 69-71.
- Geesink, J. On a very rare coral fungus. 73-75.
- Arnolds, E. A preliminary red data list of macrofungi in the Netherlands. 77-125.
- Anon. Books received by the Rijksherbarium. 127-132.

### **Persoonia 14 (2), 1990**

- Schipper, M.A.A. Notes on Mucorales - I. 133-149.
- Mouchacca, J. Champignons de Nouvelle-Calédonie - I. Quelques dématiéées intéressantes de litière forestière. 151-160.
- Stijve, T.; Vellinga, E.C.; Herrmann, A. Arsenic accumulation in some higher fungi. 161-166.
- Keizer, P.J. The expansion of *Schizophora carneolutea* (Basidiomycetes) in Europe, in particular in the Netherlands. 167-171.

Moustafa, A.F.; Abdul-Wahid, O.A. *Thielavia aegyptiaca*, a new thermotolerant ascomycete from Egyptian soils. 173-175.

Frisvad, J.C.; Samson, R.A.; Stolk, A.C. A new species of *Penicillium*, *P. scabrosum*. 177-182.

Aronsen, A.; Geesteranus, R.A. *Maas Mycena oligophylla*, another new species from southern Norway. 183-188.

Kuyper, T.W.; Vesterholt, J. The typification of *Agaricus fastibilis* Pers.: Fr., the type species of the genus *Hebeloma* (Fr.) Kumm. 189-192.

Frisvad, J.C.; Samson, R.A.; Stolk, A.C. Notes on the typification of some species of *Penicillium*. 193-202.

Brummelen, J. van Notes on cup-fungi - 4. On two rare species of *Ascobolus*. 203-207.

Frisvad, J.C.; Samson, R.A.; Stolk, A.C. Disposition of recently described species of *Penicillium*. 209-232.

Bas, C. *Notulae ad floram agaricinam Neerlandicam* - XVII. 233-235.

Anon. Books received by the Rijksherbarium. 237-244.

## **Persoonia 14 (3), 1991**

Oolbekkink, G.T. The taxonomic value of the ornamentation of spores in 'the Xerocomus group' of *Boletus*. 245-273.

Uljé, C.B.; Bas, C. Studies in *Coprinus* - II. Subsection *Setulosi* of section *Pseudocoprinus*. 275-339.

Schubert, M.; Kreisel, H. Ubiquinones in selected species of *Penicillium* and related teleomorph genera. 341-346.

Anon. Books received by the Rijksherbarium Library. 347-352.

## **Persoonia 14 (4), 1992**

Bas, C. Dr. R.A. Maas Geesteranus 80 years. 353-356.

Romagnesi, H. Sur l'ordre des Pluteales Kühner. 357-359.

Baroni, T.J. *Clitopilus argentinus* in North America. 361-368.

Léger, J.C.; Lanquetin, P. *Hymenochaete denticulata*, spec.nov. description et caractères culturaux. 369-375.

Keller, J. Ultrastructure de la paroi sporique des Heterobasidiomycetes - I. 377-387.

Dissing, H. Notes on the coprophilous pyrenomycte *Sporormia fimetaria*. 389-394.

Corner, E.J.H. The development of the fruit-body of *Marasmius cornelii* (Agaricales) and of a new species of *Marasmius* sect. *Gloiocephala*. 395-405.

Vellinga, E.C. *Notulae ad floram agaricinam Neerlandicam* - XVIII. Some notes on *Cystolepiota* and *Lepiota*. 407-415.

Lundqvist, N. *Wawelia effusa* Lundqvist, spec.nov. (Xylariaceae). 417-423.

Aronsen, A. *Hemimycena subglobispora*, spec.nov., and *Arrhenia acerosa* var. *tenella*, comb.nov., from wetlands in southern Norway. 425-429.

Kreisel, H. An emendation and preliminary survey of the genus *Calvatia* (Gasteromycetidae). 431-439.

Kuyper, T.W.; Keizer, P.J. Studies in *Inocybe* - VI. 441-443.

Kalamees, K. *Tricholomella*, a new genus, with the distribution data of *Tricholomella constrictum*, comb.nov. in east Europe and Asia. 445-447.

Lange, M. Sequence of macromycetes on decaying beech logs. 449-456.

Petersen, R.H.; Bermudes, D. Intercontinental compatibility in *Panellus stypticus* with a note on bioluminescence. 457-463.

Reid, D.A. The genus *Elmerina* (Tremellales), with accounts of two species from Queensland, Australia. 465-474.

Palmer, J.T. The rehabilitation of *Sclerotinia bresadolae*. 475-481.

Watling, R. *Armillaria Staude* in the Cameroon Republic. 483-491.

Dennis, R.W.G.; Spooner, B.M. The fungi of north Hoy, Orkney - I. 493-507.

Knudsen, H.; Borgen, T. New and rare taxa of *Russula* from Greenland. 509-517.

Arnolds, E. *Notulae ad floram agaricinam Neerlandicam* - XIX. A revision of *Dermoloma* (J. Lange) Sing. - 1. 519-532.

- Cléménçon, H.; Winterhoff, W. *Lyophyllum maas-geesterani* ein neuer schwärzender Rasling. 533-546.
- Stalpers, J.A. *Albatrellus* and the Hericiaceae. 537-541.
- Örstadius, L. On the interpretation of *Psathyrella murcida* and *P. fusca*. 543-546.
- Gams, W.; Philippi, S. A study of *Cyathicula strobilina* and its Chalara anamorph in vitro. 547-552.
- Weber, E.; Bresinsky, A. Polyploidy in discomycetes. 553-563.
- Uljé, C.B. A new species of *Coprinus* from the Netherlands. 565-569.
- Moser, M. On two interesting species of *Inocybe* from Sweden. 571-576.
- Brummelen, J. van Ramea, a new genus of Pezizales from the Netherlands. 577-582.
- Bendiksen, E.; Bendiksen, K.; Brandrud, T.E. What is *Cortinarius cylindripes* Kauffman? 583-585.
- Heinemann, P.; Rammeloo, J. Two confused boletes in the Benelux. *Boletus impolitus* Fries and *Boletus depilatus* Redeuilh. 587-596.
- Häffner, J. Rezente Ascomycetenfunde - XI. Sterigmate Formen in der Gattung *Peziza* (1. Teil). 597-602.
- Læssøe, T. *Xylaria digitata* and its allies - delimitation and typification - I. 603-613.
- Senn-Irlet, B. Type studies in *Crepidotus* - I. 615-623.
- Noordeloos, M.E.; Gulden, G. Studies in the genus *Galerina* from the Shefferville area of the Québec-Labrador peninsula, Canada. 625-639.
- Robich, G. On two interesting agarics from an artificial island in the lagoon of Venice (Italy). 641-645.
- Honrubia, M.; Cano, A.; Molina-Niñirola, C. Hypogeous fungi from southern Spanish semi-arid lands. 647-653.
- Hausknecht, A.; Krisai, I. Schwarzhütige Conocybe-Arten. 655-661.
- Waveren, E.K. van On five species of *Psathyrella* with lageniform pleurocystidia including variants with utriform pleurocystidia. 663-670.
- Geesink, J.; Bas, C. *Clavaria stellifera*, spec.nov. 671-673.
- Anon. Books received by the Rijksherbarium Library. 675-678.
- Anon. Index. 679-689.

## **Persoonia 15 (1), 1994**

- Brummelen, J. van; Noordeloos, M.E. Editorial. 1.
- Verkeley, G.J.M. Ultrastructure of the apical apparatus of ascospores in *Ombrophila violacea*, *Neobulgaria pura* and *Bulgaria inquinans* (Leotiales). 3-22.
- Noordeloos, M.E.; Liiv, V. New taxa of *Entoloma* (Basidiomycetes, Agaricales) from Estonia and Karelia. 23-31.
- Geesteranus, R.A. Maas Some Myceneae of the Himalayan foothills. 33-53.
- Billekens, P. *Octospora rubens* and *Octospora rustica* in the Netherlands (Pyronemataceae, Ascomycetes). 55-62.
- Hoog, G.S. de Some Ramularia-like fungi on Malvaceae. 63-70.
- Gruyter, J. de; Noordeloos, M.E. Contributions towards a monograph of *Phoma* (Coelomycetes) - I. 1. Section *Phoma*: taxa with very small conidia in vitro. 71-92.
- Kullman, B.; Brummelen, J. van Studies on the character variability in the *Ramsbottomia crec'hqueraultii* complex (Pezizales). 93-99.
- Geesteranus, R.A. Maas; Læssøe, T. *Mycena dasypus*, a new member of section *Polyadelphia*. 101-103.
- Aronsen, A.; Geesteranus, R.A. Maas *Mycena terena*, a new member of section *Polyadelphia* from southern Norway. 105-107.
- Schild, E. Erläuterungen zu *Ramaria obtusissima* und zu *Ramaria schildii*. 109-115.
- Stijve, T. Psilocin, psilocybin, serotonin and urea in *Panaeolus cyanescens* from various origin. 117-121.
- Noordeloos, M.E.; Tabarés, M.; Rocabruna, A. A new species of *Entoloma* subgenus *Pouzarella* from Spain. 123-125.
- Anon. Books received by the Rijksherbarium Library. 126-128.

## **Persoonia 15 (2), 1993**

Brummelen, J. van Ultrastructure of the ascus and the ascospore wall in Scutellinia (Pezizales, Ascomycotina). 129-148.

Læssøe, T. Xylaria digitata and its allies - delimitation and typification - II. 149-153.

Senn-Irlet, B. Type studies in Crepidotus - II. 155-167.

Dennis, R.W.G.; Spooner, B.M. The fungi of north Hoy, Orkney - II. 169-177.

Häffner, J. Rezente Ascomycetenfunde - XI. Sterigmate Formen in der Gattung Peziza (2. Teil). 179-185.

Arnolds, E. Notulae ad floram agaricinam Neerlandicam \_ XX. A revision of Dermoloma (J. Lange) Sing. - 2. 187-196.

Boerema, G.H. Contributions towards a monograph of Phoma (Coelomycetes) - II. Section Peyronellaea. 197-221.

Vellinga, E.C.; Huijser, H.A. Notulae ad floram agaricinam Neerlandicam - XXI. Lepiota section Stenosporae. 223-240.

Noordeloos, M.E. Studies in Clitopilus (Basidiomycetes, Agaricales) in Europe. 241- 248.

Marchetti, M. A new species in section Hydrophilae of the genus Psathyrella. 249-251.

Anon. Books received by the Rijksherbarium Library. 252-256.

## **Persoonia 15 (3), 1993**

Uljé, C.B.; Noordeloos, M.E. Studies in Coprinus III - Coprinus section Veliformes. Subdivision and revision of subsection Nivei emend. 257- 301.

Verkley, G.J.M. Ultrastructure of the ascus apical apparatus in Hymenoscypus and other genera of the Hymenoscypoideae (Leotiales, Ascomycotina). 303-340.

Geesteranus, R.A. Maas; Horak, E. Mycena acrocephala, a new member of section Adonideae from Sikkim. 341-343.

Bas, C.; Meijer, A.A.R. de Amanita grallipes, a new species in Amanita subsection Vittadiniae from southern Brazil. 345-350.

Bas, C.; Noordeloos, M.E. Notulae ad floram agaricinam Neerlandicam - XXII. New taxa in Marasmiellus. 351-355.

Uljé, C.B.; Bas, C. Some new species of Coprinus from the Netherlands. 357-368.

Gruyter, J. de; Noordeloos, M.E.; Boerema, G.H. Contributions towards a monograph of Phoma (Coelomycetes) - I. 2. Section Phoma: additional taxa with very small conidia and taxa with conidia up to 7 µm long. 369-400.

Anon. Books received by the Rijksherbarium Library. 401-404.

## **Persoonia 15 (4), 1994**

Verkley, G.J.M. Ultrastructure of the ascus apical apparatus in Leotia lubrica and some Geoglossaceae (Leotiales, Ascomycotina). 405-430.

Boerema, G.H.; Gruyter, J. de; Kesteren, H.A. van Contributions towards a monograph of Phoma (Coelomycetes) - III. 1. Section Plenodomus: taxa often with a Leptosphaeria anamorph. 431-487.

Keizer, P.-J.; Arnolds, E. Taxonomical notes on macrofungi in roadside verges planted with trees in Drenthe (the Netherlands) - I. 489-524.

Stijve, T.; Blake, C. Bioconcentration of manganese and iron in Panaeoloideae Sing. 525-529.

Aronsen, A. Two new mycenes of section Fragilipedes from southern Norway. 531-535.

Kelderman, P.H. Lepiota cingulum spec.nov., a new species in section Stenosporae. 537-540.

Anon. Books received by the Rijksherbarium Library. 541-544.

Anon. Index. 545-550.

## **Persoonia 16 (1), 1995**

Senn-Irlet, B. The genus Crepidotus (Fr.) Staude in Europe. 1-80.

Keizer, P.-J.; Arnolds, E. Taxonomical notes on macrofungi in roadside verges planted with trees in Drenthe (the Netherlands) - II. 81-122.

Castro, M.L.; Freire, L. Gyroporus ammophilus, a new poisonous bolete from the Iberian peninsula. 123-126.

Noordeloos, M.E. Notulae ad floram agaricinam Neerlandicam - XXIII. Psilocybe and Pholiota. 127-129.

Boerema, G.H.; Gruyter, J. de; Noordeloos, M.E. 131.

Anon. Books received by the Rijksherbarium Library. 133-136.

## Persoonia 16 (2), 1996

Bas, C. Dr. E. Kits van Waveren. 137-140.

Boerema, G.H.; Loerakker, W.M.; Hamers, M.E.C. Contributions towards a monograph of Phoma (Coelomycetes) - III. 2. Misapplications of the type species name and the generic synonyms of section Plenodomus (excluded species). 141-190.

Hengstemengel, J. Notes on Hymenoscyphus - II. On three non-fructicolous species of the 'fructigenus-group' with croziers. 191-207.

Verbeken, A. Studies in tropical African Lactarius species. 3. Lactarius melanogalus R. Heim and related species. 209-223.

Kuyper, T.W. Notulae ad floram agaricinam Neerlandicam XXIV-XXVIII. Some taxonomic and nomenclatural changes in the Tricholomataceae, tribus Clitocybeae. 225-232.

Kotlaba, F.; Pouzar, Z. The identity of Agaricus cyathiformis Schaeff. 233-238.

Bas, C.; Noordeloos, M.E. Notulae ad floram agaricinam Neerlandicam XXIX. Two new species of Psilocybe. 239-244.

Robich, G. On a new species of Mycena from Spain. 245-248.

Boekhout, T.; Enderle, M. Typification of Volvariella gloiocephala (DC.: Fr.) Boekhout & Enderle. 249-251.

Boekhout, T.; Kuyper, T.W. Notulae ad floram agaricinam Neerlandicam XXX. Melanoleuca polioleuca forma pusilla Boekhout & Kuyper. A new name for Melanoleuca polioleuca forma oreina (Fr.: Fr.) Boekhout. 253-254.

Bas, C. Notulae ad floram agaricinam Neerlandicam XXXI. Latin diagnoses of two new species in Pseudobaeospora. 255.

Aronsen, A. Mycena juniperina, a new member of section Supinae from Norway. 257-263.

## Persoonia 16 (3), 1997

Uljé, C.B.; Noordeloos, M.E. Studies in Coprinus IV - Coprinus section Coprinus. Subdivision and revision of subsection Alachuani. 265-333.

Boerema, G.H.; Gruyter, J. de; Noordeloos, M.E. Contributions towards a monograph of Phoma (Coelomycetes) - IV. Section Heterospora: taxa with large sized conidial dimorphs, in vivo sometimes as Stagonosporopsis synanamorphs. 335-371.

Uljé, C.B.; Bender, H. Additional studies in Coprinus subsection Glabri. 373-381.

Verkley, G.J.M.; Aa, H.A. van der; Cock, G.W. de Bryoscyphus atromarginatus spec.nov. (Leotiaceae), a new ascomycete parasitizing the thallus of Marchantia polymorpha. 383-387.

Keizer, P.J. Coltricia confluens: a new polypore from the Netherlands. 389-391.

Geesteranus, R.A. Maas; Ovrebo, C.L. A new species and new section of Mycena from Costa Rica. 393-395.

Aronsen, A.; Geesteranus, R.A. Maas Mycena agrestis, a new species of section Fuliginellae from southern Norway. 397-400.

Esteve-Raventós, F.; Cruz, M. de la Coprinus idae Uljé (Coprinaceae, Agaricales) found in Spain. 401-403.

Moreno, G.; Heykoop, M.; Esteve-Raventós, F.; Horak, E. Marasmiellus phaeomarasmoides spec.nov. (Tricholomataceae, Agaricales) from Spain. 405-411.

Geesteranus, R.A. Maas Mycena schildiana, a new species from Italy. 412-414.

Geesteranus, R.A. Maas; Münzmay, T. Mycena valida, a new member of section Fragilipedes from Germany. 415-417.

Anon. Books received by the Rijksherbarium Library. 418-424.

## Persoonia 16 (4), 1998

- Brummelen, J. van Reconsideration of relationships within the Thelebolaceae based on ascus ultrastructure. 425-469.
- Gruyter, J. de; Noordeloos, M.E.; Boerema, G.H. Contributions towards a monograph of Phoma (Coelomycetes) - I. 3. Section Phoma: taxa with conidia longer than 7 µm. 471-490.
- Paal, J.; Kullman, B.; Huijser, H.A. Multivariate analysis of the *Scutellinia umbrorum* complex (Pezizales, Ascomycetes) from five ecotopes in the Netherlands. 491-512.
- Vellinga, E.C.; Huijser, H.A. Notes on Cystolepiota: sections Cystolepiota and Pulverolepiota. 513-526.
- Villareal, M.; Heykoop, M.; Esteve-Raventós, F.; Geesteranus, R.A. Maas Further new species of Mycena and a new section from Spain. 527-535.
- Uljé, C.B.; Gennari, A.; Doveri, F.; Cacialli, G.; Caroti, V. First report of *Coprinus spadiceisporus* in Europe. 537-540.
- Moreno, G.; Raitviir, A. *Marasmius celtibericus* (Tricholomataceae, Agaricales) a new species from Spain. 541-544.
- Antonín, V.; Geesteranus, R.A. Maas *Mycena cupressina*, a new species of section Supinae from Italy. 545-547.
- Uljé, C.B.; Aptroot, A.; Iperen, A. van A new *Coprinus* from Papua New Guinea sporulating in pure culture. 549-551.
- Anon. Books received by the Rijksherbarium Library. 552- 553.
- Anon. Index. 554-560.

## **Persoonia 17 (1), 1998**

- Arnolds, E.; Vries, B. de On the identity of the new taxa of Galerina (Agaricales), provisionally described by J.J. Barkman. 1-28.
- Maas Geesteranus, R.A.; Meijer, A.A.R. de Further mycenas from the state of Paraná, Brazil. 29-46.
- Vanev, S.G.; Aa, H.A. van der An annotated list of the published names in Asteromella. 47-67.
- Kok, R.P.J. de; Vellinga, E.C. Notulae ad floram agaricinam Neerlandicam - XXXII. Macrolepiota. 69-79.
- Boerema, G.H.; Gruyter, J. de Contributions towards a monograph of Phoma (coelomycetes) - VII. Section Sclerophomella: taxa with thick-walled pseudoparenchymatous pycnidia. 81-95.
- Moreno, G.; Heykoop, M. Type studies in the genus *Coprinus* (Coprinaceae, Agaricales) *Coprinus xerophilus* a new record in Europe. 97-111.
- Reijnders, A.F.M. *Pholiota gymnopodia*, comb.nov. A redescription of a forgotten species. 113-118.
- Brummelen, J. van; Kristiansen, R. Two rare coprophilous ascomycetes from Norway. 119-125.
- Montoya, L.; Bandala, V.M.; Moreno, G. Studies of *Lactarius* from Mexico: a new species in subgenus *Piperites*. 127-134.
- Bas, C.; Thoen, D. *Squamanita citricolor*, a new species from central Africa. 135-139.
- Bas, C. Validation of *Hydropus scabripes* var. *quadrisporus* and *Pseudobaeospora frieslandica*. 140.
- Esteve-Raventós, F.; Cruz, M. de la *Entoloma exiguum*, a new species of subgenus *Claudopus* (Entolomataceae, Agaricales) from Spain. 141-144.
- Maas Geesteranus, R.A. *Mycena verna*, a new springtime species of section *Fragilipedes* from Germany. 145-147.
- Manimohan, P.; Arnolds, E. *Dermoloma cystidiatum*, a new species of *Dermoloma* (Agaricales) from India. 149-152.
- Anon. Books received by the Rijksherbarium Library. 153-162.

## **Persoonia 17 (2), 1999**

- Bas, C. Dr. A.F.M. Reijnders, centenarian. 163-164.
- Uljé, C.B.; Noordeloos, M.E. Studies in *Coprinus* V - *Coprinus* section *Coprinus*. Revision of subsection *Lanatuli* Sing. 165-199.
- Petersen, R.H.; Krisai-Greilhuber, I. Type specimen studies in *Pleurotus*. 201-219.
- Nauta, M.M. Notulae ad floram agaricinam Neerlandicam - XXXIII. Notes on *Agaricus* section *Spissicaules*. 221-233.

Villarreal, M.; Heykoop, M.; Maas Geesteranus, R.A. Further new species of Mycena from Spain - II. 235-244.

Noordeloos, M.E. Notulae ad floram agaricinam Neerlandicam - XXXIV. Further notes on Psilocybe. 245-257.

Altés, A.; Moreno, G. Notes on type materials of Tulostoma (Tulostomataceae). T. macrosporum, T. meridionale and T. utahense. 259-264.

Brummelen, J. van; Kristiansen, R. A new species of Boubovia (Pezizales) from the Hvaler Archipelago in Norway. 265-271.

Boerema, G.H.; Gruyter, J. de Contributions towards a monograph of Phoma (coelomycetes) III - Supplement. Additional species of section Plenodomus. 273-280.

Boerema, G.H.; Gruyter, J. de; Graaf, P. van de Contributions towards a monograph of Phoma (coelomycetes) IV - supplement. An addition to section Heterospora: Phoma schneiderae spec.nov., synanamorph Stagonosporopsis lupini (Boerema & R. Schneid.) comb.nov. 281-285.

Consiglio, G.; Contu, M. Amanita dryophila (Amanitaceae) spec.nov. and the species of the section Vaginatae with a semifriable universal veil and ellipsoid spores. 287-290.

Noordeloos, M.E.; Kuyper, T.W. Notulae ad floram agaricinam Neerlandicam - XXXV. On the typification of Lactarius necator. 291-294.

Christensen, M.; Noordeloos, M.E. Notulae ad floram agaricinam Neerlandicam - XXXVI. Tricholoma. 295-317.

Anon. Books received by the Rijksherbarium Library. 319-322.

Anon. Plates: 1-16.

## Persoonia 17 (3), 2000

Uljé, C.B.; Noordeloos, M.E. Type studies in Coprinus subsection Lanatuli. 339-375.

Verbeken, A. Studies in tropical African Lactarius species. 8. A synopsis of the subgenus Plinthogali. 377-406.

Cléménçon, H. Mycelial morphology, mitospores and primordium formation of Simocybe sumptuosa in laboratory cultures. 407-433.

Aa, H.A. van der; Boerema, G.H.; Gruyter, J. de Contributions towards a monograph of Phoma (coelomycetes) VI - 1. Section Phyllostictoides: characteristics and nomenclature of its type species Phoma exigua. 435-456.

Nauta, M.M. Notulae ad floram agaricinam Neerlandicam - XXXVII. Notes on Agaricus section Arvenses. 457-463.

Uljé, C.B.; Doveri, F.; Noordeloos, M.E. Additions to Coprinus subsection Lanatuli. 465-471.

Vellinga, E.C. Notulae ad floram agaricinam Neerlandicam - XXXVIII. Leucoagaricus subgenus Sericeomyces. 473-480.

Berg, A.P. van den; Berk-Blok, A.E. van den; Noordeloos, M.E.; Uljé, C.B. A new species and a new section of the genus Mycena from the Netherlands. 481-485.

Brummelen, J. van; Richardson, M.J. Ascozonus monascus, a new species of ascomycetes from Great Britain. 487-490.

Roberts, P. Aphelariopsis kupemontis: a new auricularioid species from Cameroon. 491-493.

Vrinda, K.B.; Pradeep, C.K.; Sibi Mathew; Abraham, T.K. Catatrama (Tricholomataceae), a genus new to India. 495-496.

Anon. Books received by the Rijksherbarium Library. 497-501.

Anon. Plates: 1-11.

## Persoonia 17 (4), 2002

Krisai-Greilhuber, I.; Senn-Irlet, B.; Voglmayr, H. Notes on Crepidotus from Mexico and the south-eastern USA. 515-539.

Gruyter, J. de; Boerema, G.H. Contributions towards a monograph of Phoma (coelomycetes) VIII. Section Paraphoma: taxa with setose pycnidia. 541-561.

Simmons, C.; Henkel, T.; Bas, C. The genus Amanita in the Pakaraima Mountains of Guyana. 563-582.

Kirchmair, M.; Pöder, R.; Huber, C.G.; Miller Jr, O.K. Chemotaxonomical and morphological observations in the genus Omphalotus (Omphalotaceae). 583-600.

- González, V.; Salazar, O.; Julián, M.C.; Acero, J.; Portal, M.A.; Muñoz, R.; López-Córcoles, H.; Gómez-Acebo, E.; López-Fuster, P.; Rubio, V. *Ceratobasidium albasitensis*. A new Rhizoctonia-like fungus isolated in Spain. 601-614.
- Horak, E.; Moreno, G.; Ortega, A.; Esteve-Raventós, F. *Bolbitius elegans*, a striking new species from southern Spain. 615-623.
- Manimohan, P.; Leelavathy, K.M.; Noordeloos, M.E. Three new species of *Entoloma* from Kerala State, India. 625-630.
- Esteve-Raventós, F.; Villarreal, M.; Heykoop, M. *Hydropus paradoxus* var. *xerophyticus* and a key to the taxa known from Europe. 631-635.
- Moreno, G.; Díez, J.; Manjón, J.L. *Terfezia boudieri*. first records from Europe of a rare vernal hypogeous mycorrhizal fungus. 637-641.
- Sánchez, A.; Moreno, G.; Illana, C. *Diderma cristatosporium*, a nivicolous myxomycete from Spain. 643-647.
- Sloover, J.R. *de Coprotus arduennensis*, a new species of coprophilous discomycetes (Pezizales, Ascomycota). 649-656.
- Mahiques, R.; Ortega, A. *Cortinarius erythrocuscus* (subgenus *Telamonia*, section *Firmiores*), a new species from Spain. 657-660.
- Villarreal, M.; Heykoop, M.; Esteve-Raventós, F. *Gymnopus castaneus*, a new Mediterranean species from Spain. 661-664.
- Arnolds, E. *Dermoloma magicum* spec.nov., a grassland fungus mimicking *Porpoloma metapodium*. 665-668.
- Anon. Books received by the Nationaal Herbarium Nederland Library. 669-674.
- Anon. Plates: 1-7.
- Anon. Index Persoonia volume 17. 683-690.

## **Persoonia 18 (1), 2002**

- Gruyter, J. de; Boerema, G.H.; Aa, H.A. van der Contributions towards a monograph of *Phoma* (coelomycetes) VI - 2. Section *Phyllostictoides*: outline of its taxa. 1-53.
- Anon. Book reviews. 54.
- Alberto, E.O.; Petersen, R.H.; Hughes, K.W.; Lechner, B. Miscellaneous notes on *Pleurotus*. 55-69.
- Anon. Book reviews. 70.
- Sánchez, A.; Moreno, G.; Illana, C.; Singer, H. A study of nivicolous myxomycetes in southern Europe, Sierra de Guadarrama, Spain. 71-84.
- Gruyter, J. de Contributions towards a monograph of *Phoma* (coelomycetes) - IX. Section *Macrospora*. 85-102.
- Kullman, B. Nuclear DNA content, life cycle and ploidy in two *Neotiella* species (Pezizales, Ascomycota). 103-114.
- Bas, C. A reconnaissance of the genus *Pseudobaeospora* in Europe I. 115-122.
- Hosagoudar, V.B. Studies on foliicolous fungi VI. 123-127.
- Anon. Book reviews. 128.
- Vrinda, K.B.; Pradeep, C.K.; Sibi Mathew; Abraham, T.K. *Lactarius ignifluus* (Russulaceae), a new species from India. 129-133.
- Anon. Book reviews. 134.
- Bañares, Á; Arnolds, E. *Hygrocybe monteverdae*. A new species of subgenus *Cuphophyllus* (Agaricales) from the Canary Islands (Spain). 135-138.
- Ranković, B. *Erysiphe hellebori*, a new agent of powdery mildew in Yugoslavia. 139-142.
- Uljé, C.B.; Verbeken, A. A new species in *Coprinus* subsection *Setulosi*. 143-145.
- Anon. Book reviews. 146-147.

## **Persoonia 18 (2), 2003**

- Anon. In memoriam Rudolf Arnold Maas Geesteranus. Den Haag, 20 January 1911 - Oegstgeest, 18 May 2003. 149-150.
- Anon. In memoriam Kees (C.B.) Uljé (1939-2003). 151-152.

- Boerema, G.H. Contributions towards a monograph of *Phoma* (coelomycetes) - X. Section Pilosa (taxa with a *Pleospora* teleomorph) and nomenclatural notes on some other taxa. 153-161.
- Anon. Book reviews. 162.
- Bas, C. A reconnaissance of the genus *Pseudobaeospora* in Europe II. 163-199.
- Anon. Book reviews. 200.
- Arnolds, E. Notulae ad floram agaricinam Neerlandicam - XXXIX. *Bolbitius*. 201-214.
- Moreno, G.; Altés, A.; Ochoa, C. Notes on some type materials of *Disciseda* (Lycoperdaceae). 215-223.
- Anon. Book review. 224.
- Arnolds, E. Notulae ad floram agaricinam Neerlandicam - XL. New combinations in *Conocybe* and *Pholiotina*. 225-230.
- Senn-Irlet, B.; Immerzeel, G. *Crepidotus cristatus*, a new yellow species from the Netherlands. 231-237.
- Anon. Book reviews. 238.
- Arnolds, E.; Hausknecht, A. Notulae ad floram agaricinam Neerlandicam - XLI. *Conocybe* and *Pholiotina*. 239-252.
- Romero, A.I.; Carmarán, C.C. *Phaeotrichosphaeria minor* spec.nov. from Argentina. 253-257.
- Anon. Book review. 258.
- Uljé, C.B.; Noordeloos, M.E. Notulae ad floram agaricinam Neerlandicam - XLII. Additions to *Coprinus* subsection *Setulosi*. 259-264.
- Tang, A.M.C.; Hyde, K.D.; Tsui, K.M.; Corlett, R.T. A new species of *Lophiotrema* from wild fruit in Hong Kong. 265-269.
- Anon. Book review. 270.
- Nauta, M.M. A new *Agrocybe* on woodchips in northwestern Europe. 271-274.
- Hosagoudar, V.B. Meliolaceae of Kerala, India - XII. The genus *Meliola* on Lecythidaceae members in India. 275-279.
- Anon. Book review. 280.
- Uljé, C.B.; Keizer, P.-J. *Coprinus parvulus*, a new *Coprinus* from the Netherlands. 281-283.

## **Persoonia 18 (3), 2004**

- Aanen, D.K.; Kuyper, T.W. A comparison of the application of a biological and phenetic species concept in the *Hebeloma crustuliniforme* complex within a phylogenetic framework. 285-316.
- Clémençon, H. Primordium formation in *Hydropus subalpinus* (Tricholomatales, Basidiomycetes). 317-340.
- Antonín, V. Notes on the genus *Fayodia* s.l. (Tricholomataceae) - II. Type studies of European species described in the genera *Fayodia* and *Gamundia*. 341-364.
- Bandala, V.M.; Montoya, L.; Jarvio, D. Two interesting records of boletes found in coffee plantations in eastern Mexico. 365-380.
- Benkert, D.; Brouwer, E. New species of *Octospora* and some further remarkable bryoparasitic Pezizales from the Netherlands. 381-391.
- Anon. Book review. 392.
- Adamčík, S. Studies on *Russula clavipes* and related taxa of *Russula* sectin Xerampeliniae with a predominantly olivaceous pileus. 393-409.
- Anon. Book review. 410.
- Clémençon, H. Basidiome development of *Baeospora myosura* (Tricholomatales, Basidiomycetes). 411-419.
- Anon. Book reviews. 420.
- Læssøe, T.; Jalink, L.M. *Chlorogaster dipterocarpi*. A new peristomate gasteroid taxon of the Sclerotermataceae. 421-428.
- Nauta, M.M. Notulae ad floram agaricinam Neerlandicam - XLIII. Notes on *Agrocybe*. 429-433.
- Anon. Book reviews. 434.
- Arnolds, E.J.M.; Leelavathy, K.M.; Manimohan, P. *Pseudobaeospora lavendulamellata*. A new species from Kerala, India. 435-438.
- Anon. Book reviews. 439-443.
- Anon. Plates: 1-4.

## **Persoonia 18 (4), 2005**

- Clémençon, H. Basidiome development of *Xeromphalina campanella* (Tricholomatales, Basidiomycetes). 449-470.
- Montoya, L.; Bandala, V.M. Revision of *Lactarius* from Mexico. 471-483.
- Anon. Book review. 484.
- Singer, H.; Moreno, G.; Illana, C. Revision of type material of nivicolous species of Stemonitales. 485-497.
- Anon. Book review. 498.
- Clémençon, H. New observations on the basidiome ontogeny of *Chamonixia caespitosa* (sequestrate Boletaceae). 499-504.
- Ortega, A.; Esteve-Raventós, F. A new species of *Gymnopilus* (Cortinariaceae) from sandy soils in *Pinus* forests. 505-510.
- Bakker, H.C. den; Noordeloos, M.E. A revision of European species of *Leccinum* Gray and notes on extrazonal species. 511-587.
- Anon. Book reviews. 588-590.
- Anon. Index. 591-596.

## **Persoonia 19 (1), 2006**

- Robich, G. A revised key to the species of *Mycena* section *Fragilipedes* of the northern hemisphere. 1-43.
- Manimohan, P.; Noordeloos, M.E.; Dhanya, A.M. Studies on the genus *Entoloma* (Basidiomycetes, Agaricales) in Kerala State, India. 45-93.
- Pradeep, C.K.; Vrinda, K.B. New and noteworthy species of *Pluteus* (Pluteaceae, Agaricales) from Kerala State, India. 95-99.
- Leelavathy, K.M.; Manimohan, P.; Arnolds, E.J.M. *Hygrocybe* in Kerala State, India. 101-151.
- Anon. Book reviews. 152-156.

## **Persoonia 19 (2), 2007**

- Gates, G.M.; Noordeloos, M. Preliminary studies in the genus *Entoloma* in Tasmania - I. 157-226.
- Moreno, G.; Esteve-Raventós, F. A new corticolous species of the genus *Tubulicium* (Polyporales) from southern Spain. 227-232.
- Corriol, G.; Moreau, P.-A. *Agaricus* (*Annularia*) *fenzlii* redécouvert dans les Pyrénées. Notes sur le genre *Chamaeota* en Europe. 233-250.
- Bas, C.; Arnolds, E.J.M. *Hygrocybe comosa*, a remarkable new agaric from the French Jura. 251-254.
- Bañares, Á.; Antonín, V.; Moreno, G. *Gymnopus beltraniae*, a new species of the section *Vestipedes* (Agaricales) from the Canary Islands (Spain). 255-259.
- Spooren, M. *Massariosphaeria fridae*. 261-263.
- Moreno, G.; Esqueda, M.; Pérez-Silva, E.; Herrera, T.; Altés, A. Some interesting gasteroid and secotioid fungi from Sonora, Mexico. 265-280.
- Clémençon, H.; Ayer, F. *Pseudobaeospora calcarea*, a new species of agaricoid hymenomycetes. 281-287.
- Anon. Book reviews. 289-295.