

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| | | |
|--------------------------|--|-----------------|
| White Willow | <i>Salix alba</i> | flowering plant |
| Whorl-grass | <i>Catabrosa aquatica</i> | flowering plant |
| Wild Angelica | <i>Angelica sylvestris</i> | flowering plant |
| Wild Basil | <i>Clinopodium vulgare</i> | flowering plant |
| Wild Candytuft | <i>Iberis amara</i> | flowering plant |
| Wild Cherry | <i>Prunus avium</i> | flowering plant |
| Wild Liquorice | <i>Astragalus glycyphyllos</i> | flowering plant |
| Wild Marjoram | <i>Origanum vulgare</i> | flowering plant |
| Wild Mignonette | <i>Reseda lutea</i> | flowering plant |
| Wild Onion | <i>Allium vineale</i> | flowering plant |
| Wild Parsnip | <i>Pastinaca sativa</i> | flowering plant |
| Wild Plum | <i>Prunus domestica</i> | flowering plant |
| Wild Privet | <i>Ligustrum vulgare</i> | flowering plant |
| Wild Strawberry | <i>Fragaria vesca</i> | flowering plant |
| Wild Teasel | <i>Dipsacus fullonum</i> | flowering plant |
| Wild-oat | <i>Avena fatua</i> | flowering plant |
| Winter Wild-oat | <i>Avena sterilis</i> subsp. <i>ludoviciana</i> | flowering plant |
| Winter-cress | <i>Barbarea vulgaris</i> | flowering plant |
| Wood Anemone | <i>Anemone nemorosa</i> | flowering plant |
| Wood Avens | <i>Geum urbanum</i> | flowering plant |
| Wood Dock | <i>Rumex sanguineus</i> | flowering plant |
| Wood Meadow-grass | <i>Poa nemoralis</i> | flowering plant |
| Wood Millet | <i>Milium effusum</i> | flowering plant |
| Wood-sedge | <i>Carex sylvatica</i> | flowering plant |
| Wormwood | <i>Artemisia absinthium</i> | flowering plant |
| Wych Elm | <i>Ulmus glabra</i> | flowering plant |
| Yarrow | <i>Achillea millefolium</i> | flowering plant |
| Yellow Archangel | <i>Lamium galeobdolon</i> | flowering plant |
| Yellow Archangel subsp. | <i>Lamium galeobdolon</i> subsp. <i>montanum</i> | flowering plant |
| Yellow Iris | <i>Iris pseudacorus</i> | flowering plant |
| Yellow Oat-grass | <i>Trisetum flavescens</i> | flowering plant |
| Yellow-Cress | <i>Rorippa</i> | flowering plant |
| Yellow-juiced Poppy | <i>Papaver dubium</i> subsp. <i>lecoqii</i> | flowering plant |
| Yellow-rattle | <i>Rhinanthus minor</i> | flowering plant |
| Yellow-wort | <i>Blackstonia perfoliata</i> | flowering plant |
| Yorkshire-fog | <i>Holcus lanatus</i> | flowering plant |
| Alder Bracket | <i>Inonotus radiatus</i> | fungus |
| Aniseed Funnel | <i>Clitocybe odora</i> | fungus |
| Artist's Bracket | <i>Ganoderma applanatum</i> | fungus |
| Bay Cup | <i>Peziza badia</i> | fungus |
| Beech Woodwart | <i>Hypoxylon fragiforme</i> | fungus |
| Birch Milkcap | <i>Lactarius tabidus</i> | fungus |
| Birch Polypore | <i>Piptoporus betulinus</i> | fungus |
| Blackfoot Polypore | <i>Polyporus leptcephalus</i> | fungus |
| Bleeding Bonnet | <i>Mycena sanguinolenta</i> | fungus |
| Bleeding Broadleaf Crust | <i>Stereum rugosum</i> | fungus |
| Blushing Bracket | <i>Daedaleopsis confragosa</i> | fungus |
| Blushing Wood Mushroom | <i>Agaricus silvaticus</i> | fungus |
| Brick Tuft | <i>Hypholoma lateritium</i> | fungus |
| Brown Birch Bolete | <i>Leccinum scabrum</i> | fungus |
| Brown Rollrim | <i>Paxillus involutus</i> | fungus |
| Bulbous Fibrecap | <i>Inocybe napipes</i> | fungus |
| Candlesnuff Fungus | <i>Xylaria hypoxylon</i> | fungus |

| | | |
|---------------------------------------|---|--------|
| Celandine Clustercup Rust | <i>Uromyces dactylidis</i> | fungus |
| Clouded Funnel | <i>Clitocybe nebularis</i> | fungus |
| Coconut Milkcap | <i>Lactarius glycosmus</i> | fungus |
| Common Bonnet | <i>Mycena galericulata</i> | fungus |
| Common Inkcap | <i>Coprinopsis atramentaria</i> | fungus |
| Common Stump Brittlestem | <i>Psathyrella piluliformis</i> | fungus |
| Conical Brittlestem | <i>Psathyrella conopilus</i> | fungus |
| Coprinellus truncorum | <i>Coprinellus truncorum</i> | fungus |
| Coral Spot | <i>Nectria cinnabarina</i> | fungus |
| Cortinarius brunneus var. glandicolor | <i>Cortinarius brunneus</i> var. <i>glandicolor</i> | fungus |
| Deceiver | <i>Laccaria laccata</i> | fungus |
| Entoloma nitidum | <i>Entoloma nitidum</i> | fungus |
| Entoloma sericeonitens | <i>Entoloma sericeonitens</i> | fungus |
| Entoloma undatum | <i>Entoloma undatum</i> | fungus |
| Exidia recisa | <i>Exidia recisa</i> | fungus |
| Fairy Inkcap | <i>Coprinellus disseminatus</i> | fungus |
| Fragrant Funnel | <i>Clitocybe fragrans</i> | fungus |
| Glistening Inkcap | <i>Coprinellus micaceus</i> | fungus |
| Grooved Bonnet | <i>Mycena polygramma</i> | fungus |
| Hairy Curtain Crust | <i>Stereum hirsutum</i> | fungus |
| Hare'sfoot Inkcap | <i>Coprinopsis lagopus</i> | fungus |
| Hollyhock Rust | <i>Puccinia malvacearum</i> | fungus |
| Honey Fungus | <i>Armillaria mellea</i> | fungus |
| Jelly Ear | <i>Auricularia auricula-judae</i> | fungus |
| King Alfred's Cakes | <i>Daldinia concentrica</i> | fungus |
| Lumpy Bracket | <i>Trametes gibbosa</i> | fungus |
| Marasmius lupuletorum | <i>Marasmius lupuletorum</i> | fungus |
| Melanocarpus albomyces | <i>Melanocarpus albomyces</i> | fungus |
| Melanoleuca melaleuca | <i>Melanoleuca melaleuca</i> | fungus |
| Milking Bonnet | <i>Mycena galopus</i> var. <i>galopus</i> | fungus |
| Morchella vulgaris | <i>Morchella vulgaris</i> | fungus |
| Morel | <i>Morchella esculenta</i> | fungus |
| Moss Bell | <i>Galerina hypnorum</i> | fungus |
| Orange Bonnet | <i>Mycena acicula</i> | fungus |
| Orange Peel Fungus | <i>Aleuria aurantia</i> | fungus |
| Palamino Cup | <i>Peziza repanda</i> | fungus |
| Pale Brittlestem | <i>Psathyrella candolleana</i> | fungus |
| Phragmidium sanguisorbae | <i>Phragmidium sanguisorbae</i> | fungus |
| Poisonpie | <i>Hebeloma crustuliniforme</i> | fungus |
| Puccinia galii-cruciatae | <i>Puccinia galii-cruciatae</i> | fungus |
| Puccinia menthae | <i>Puccinia menthae</i> | fungus |
| Puccinia poarum | <i>Puccinia poarum</i> | fungus |
| Puccinia pulverulenta | <i>Puccinia pulverulenta</i> | fungus |
| Puccinia punctiformis | <i>Puccinia punctiformis</i> | fungus |
| Purple Jellydisc | <i>Ascocoryne sarcoides</i> | fungus |
| Scarlet Elf Cup | <i>Sarcosypha coccinea</i> | fungus |
| Scurfy Twiglet | <i>Tubaria furfuracea</i> var. <i>furfuracea</i> | fungus |
| Shaggy Bracket | <i>Inonotus hispidus</i> | fungus |
| Shaggy Scalycap | <i>Pholiota squarrosa</i> | fungus |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| | | |
|----------------------------------|--|----------------------------|
| Sheathed Woodtuft | Kuehneromyces mutabilis | fungus |
| Snapping Bonnet | Mycena vitilis | fungus |
| Split Porecrust | Schizopora paradoxa | fungus |
| Star Pinkgill | Entoloma conferendum var. conferendum | fungus |
| Sulphur Tuft | Hypholoma fasciculare var. fasciculare | fungus |
| Sweet Poisonpie | Hebeloma sacchariolens | fungus |
| Tawny Funnel | Lepista flaccida | fungus |
| Tawny Grisette | Amanita fulva | fungus |
| Tinder Bracket | Fomes fomentarius | fungus |
| Trooping Funnel | Clitocybe geotropa | fungus |
| Turkeytail | Trametes versicolor | fungus |
| Upright Coral | Ramaria stricta | fungus |
| Uromyces acetosae | Uromyces acetosae | fungus |
| Uromyces trifolii | Uromyces trifolii | fungus |
| Variable Brittlegill | Russula versicolor | fungus |
| Velvet Shank | Flammulina velutipes var. velutipes | fungus |
| Verdigris Agaric | Stropharia aeruginosa | fungus |
| White Fibrecap | Inocybe geophylla var. geophylla | fungus |
| White Knight | Tricholoma album | fungus |
| Witches' Butter | Exidia glandulosa | fungus |
| Wrinkled Club | Clavulina rugosa | fungus |
| Wrinkled Crust | Phlebia radiata | fungus |
| Xeromphalina campanella | Xeromphalina campanella | fungus |
| Yellow Brain | Tremella mesenterica | fungus |
| Yellowing Cup | Peziza succosa | fungus |
| Field Horsetail | Equisetum arvense | horsetail |
| Great Horsetail | Equisetum telmateia | horsetail |
| Marsh Horsetail | Equisetum palustre | horsetail |
| Water Horsetail | Equisetum fluviatile | horsetail |
| Acilius sulcatus | Acilius sulcatus | insect-beetle (Coleoptera) |
| Agabus (Acatodes) sturmii | Agabus (Acatodes) sturmii | insect-beetle (Coleoptera) |
| Agabus (Gaurodytes) bipustulatus | Agabus (Gaurodytes) bipustulatus | insect-beetle (Coleoptera) |
| Agabus (Gaurodytes) nebulosus | Agabus (Gaurodytes) nebulosus | insect-beetle (Coleoptera) |
| Anacaena globulus | Anacaena globulus | insect-beetle (Coleoptera) |
| Anacaena limbata | Anacaena limbata | insect-beetle (Coleoptera) |
| Anacaena lutescens | Anacaena lutescens | insect-beetle (Coleoptera) |
| Cercyon (Cercyon) marinus | Cercyon (Cercyon) marinus | insect-beetle (Coleoptera) |
| Cercyon (Cercyon) unipunctatus | Cercyon (Cercyon) unipunctatus | insect-beetle (Coleoptera) |
| Cymbiodyta marginellus | Cymbiodyta marginellus | insect-beetle (Coleoptera) |
| Enochrus testaceus | Enochrus testaceus | insect-beetle (Coleoptera) |
| Great Diving Beetle | Dytiscus marginalis | insect-beetle (Coleoptera) |
| Gyrinus substriatus | Gyrinus substriatus | insect-beetle (Coleoptera) |
| Hairy Whirligig Beetle | Orectochilus villosus | insect-beetle (Coleoptera) |
| Haliplus (Haliplus) heydeni | Haliplus (Haliplus) heydeni | insect-beetle (Coleoptera) |

| | | |
|---|---|----------------------------|
| Haliplus (Neohaliplus) lineatocollis | Haliplus (Neohaliplus) lineatocollis | insect-beetle (Coleoptera) |
| Helochaeres lividus | Helochaeres lividus | insect-beetle (Coleoptera) |
| Helophorus (Atracthelophorus) brevipalpis | Helophorus (Atracthelophorus) brevipalpis | insect-beetle (Coleoptera) |
| Helophorus (Helophorus) minutus | Helophorus (Helophorus) minutus | insect-beetle (Coleoptera) |
| Heterocerus fenestratus | Heterocerus fenestratus | insect-beetle (Coleoptera) |
| Hydrobius fuscipes | Hydrobius fuscipes | insect-beetle (Coleoptera) |
| Hydroporus discretus | Hydroporus discretus | insect-beetle (Coleoptera) |
| Hydroporus incognitus | Hydroporus incognitus | insect-beetle (Coleoptera) |
| Hydroporus memnonius | Hydroporus memnonius | insect-beetle (Coleoptera) |
| Hydroporus nigrita | Hydroporus nigrita | insect-beetle (Coleoptera) |
| Hydroporus palustris | Hydroporus palustris | insect-beetle (Coleoptera) |
| Hydroporus planus | Hydroporus planus | insect-beetle (Coleoptera) |
| Hygrotus (Coelambus) impressopunctatus | Hygrotus (Coelambus) impressopunctatus | insect-beetle (Coleoptera) |
| Hygrotus (Hygrotus) inaequalis | Hygrotus (Hygrotus) inaequalis | insect-beetle (Coleoptera) |
| Hyphydrus ovatus | Hyphydrus ovatus | insect-beetle (Coleoptera) |
| Ilybius ater | Ilybius ater | insect-beetle (Coleoptera) |
| Ilybius fuliginosus | Ilybius fuliginosus | insect-beetle (Coleoptera) |
| Laccobius bipunctatus | Laccobius bipunctatus | insect-beetle (Coleoptera) |
| Laccobius sinuatus | Laccobius sinuatus | insect-beetle (Coleoptera) |
| Laccobius striatulus | Laccobius striatulus | insect-beetle (Coleoptera) |
| Larger Noterus | Noterus clavicornis | insect-beetle (Coleoptera) |
| Liopterus haemorrhoidalis | Liopterus haemorrhoidalis | insect-beetle (Coleoptera) |
| Nebrioporus (Nebrioporus) elegans | Nebrioporus (Nebrioporus) elegans | insect-beetle (Coleoptera) |
| Oreodytes sanmarkii | Oreodytes sanmarkii | insect-beetle (Coleoptera) |
| Phyllotreta nodicornis | Phyllotreta nodicornis | insect-beetle (Coleoptera) |
| Platambus maculatus | Platambus maculatus | insect-beetle (Coleoptera) |
| Brimstone | Gonepteryx rhamni | insect-butterfly |
| Brown Argus | Aricia agestis | insect-butterfly |
| Brown Hairstreak | Thecla betulae | insect-butterfly |
| Chalk Hill Blue | Polyommatus (Lysandra) coridon | insect-butterfly |
| Comma | Polygonia c-album | insect-butterfly |
| Common Blue | Polyommatus icarus | insect-butterfly |
| Dark Green Fritillary | Argynnis aglaja | insect-butterfly |
| Dingy Skipper | Erynnis tages | insect-butterfly |
| Essex Skipper | Thymelicus lineola | insect-butterfly |
| Green Hairstreak | Callophrys rubi | insect-butterfly |
| Green-veined White | Pieris napi | insect-butterfly |
| Grizzled Skipper | Pyrgus malvae | insect-butterfly |
| Hedge Brown | Pyronia tithonus | insect-butterfly |
| High Brown Fritillary | Argynnis adippe | insect-butterfly |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| | | |
|---------------------------|-----------------------------------|----------------------------|
| Holly Blue | <i>Celastrina argiolus</i> | insect-butterfly |
| Large Skipper | <i>Ochlodes sylvanus</i> | insect-butterfly |
| Large Tortoiseshell | <i>Nymphalis polychloros</i> | insect-butterfly |
| Large White | <i>Pieris brassicae</i> | insect-butterfly |
| Marbled White | <i>Melanargia galathea</i> | insect-butterfly |
| Meadow Brown | <i>Maniola jurtina</i> | insect-butterfly |
| Orange-tip | <i>Anthocharis cardamines</i> | insect-butterfly |
| Painted Lady | <i>Vanessa cardui</i> | insect-butterfly |
| Peacock | <i>Inachis io</i> | insect-butterfly |
| Pearl-bordered Fritillary | <i>Boloria euphrosyne</i> | insect-butterfly |
| Purple Emperor | <i>Apatura iris</i> | insect-butterfly |
| Purple Hairstreak | <i>Favonius quercus</i> | insect-butterfly |
| Red Admiral | <i>Vanessa atalanta</i> | insect-butterfly |
| Ringlet | <i>Aphantopus hyperantus</i> | insect-butterfly |
| Silver-spotted Skipper | <i>Hesperia comma</i> | insect-butterfly |
| Silver-washed Fritillary | <i>Argynnis paphia</i> | insect-butterfly |
| Small Blue | <i>Cupido minimus</i> | insect - butterfly |
| Small Copper | <i>Lycaena phlaeas</i> | insect-butterfly |
| Small Heath | <i>Coenonympha pamphilus</i> | insect-butterfly |
| Small Skipper | <i>Thymelicus sylvestris</i> | insect-butterfly |
| Small Tortoiseshell | <i>Aglais urticae</i> | insect-butterfly |
| Small White | <i>Pieris rapae</i> | insect-butterfly |
| Speckled Wood | <i>Pararge aegeria</i> | insect-butterfly |
| Wall | <i>Lasiommata megera</i> | insect-butterfly |
| White-letter Hairstreak | <i>Satyrion w-album</i> | insect-butterfly |
| Wood White | <i>Leptidea sinapis</i> | insect-butterfly |
| Azure Damselfly | <i>Coenagrion puella</i> | insect-dragonfly (Odonata) |
| Banded Demoiselle | <i>Calopteryx splendens</i> | insect-dragonfly (Odonata) |
| Black-tailed Skimmer | <i>Orthetrum cancellatum</i> | insect-dragonfly (Odonata) |
| Blue-tailed Damselfly | <i>Ischnura elegans</i> | insect-dragonfly (Odonata) |
| Broad-bodied Chaser | <i>Libellula depressa</i> | insect-dragonfly (Odonata) |
| Brown Hawker | <i>Aeshna grandis</i> | insect-dragonfly (Odonata) |
| Common Blue Damselfly | <i>Enallagma cyathigerum</i> | insect-dragonfly (Odonata) |
| Common Darter | <i>Sympetrum striolatum</i> | insect-dragonfly (Odonata) |
| Emerald Damselfly | <i>Lestes sponsa</i> | insect-dragonfly (Odonata) |
| Emperor Dragonfly | <i>Anax imperator</i> | insect-dragonfly (Odonata) |
| Large Red Damselfly | <i>Pyrrhosoma nymphula</i> | insect-dragonfly (Odonata) |
| Migrant Hawker | <i>Aeshna mixta</i> | insect-dragonfly (Odonata) |
| Ruddy Darter | <i>Sympetrum sanguineum</i> | insect-dragonfly (Odonata) |
| Southern Hawker | <i>Aeshna cyanea</i> | insect-dragonfly (Odonata) |
| Yellow-winged Darter | <i>Sympetrum flaveolum</i> | insect-dragonfly (Odonata) |
| Common Earwig | <i>Forficula auricularia</i> | insect-earwig (Dermaptera) |
| Buff-Tailed Bumble Bee | <i>Bombus (Bombus) terrestris</i> | insect-hymenopteran |

| | | |
|---------------------------------|---|---------------------|
| White-Tailed Bumble Bee | <i>Bombus (Bombus) lucorum</i> | insect-hymenopteran |
| Alder Moth | <i>Acronicta alni</i> | insect-moth |
| Angle Shades | <i>Phlogophora meticulosa</i> | insect-moth |
| Antler Moth | <i>Cerapteryx graminis</i> | insect-moth |
| Ash Bud Moth | <i>Prays fraxinella</i> | insect-moth |
| Barred Fruit-tree Tortrix | <i>Pandemis cerasana</i> | insect-moth |
| Barred Hook-tip | <i>Watsonalla cultraria</i> | insect-moth |
| Barred Sallow | <i>Xanthia aurago</i> | insect-moth |
| Barred Straw | <i>Eulithis pyraliata</i> | insect-moth |
| Barred Yellow | <i>Cidaria fulvata</i> | insect-moth |
| Beaded Chestnut | <i>Agrochola lychnidis</i> | insect-moth |
| Beautiful Golden Y | <i>Autographa pulchrina</i> | insect-moth |
| Beautiful Plume | <i>Amblyptilia acanthadactyla</i> | insect-moth |
| Bedstraw Hawk-moth | <i>Hyles gallii</i> | insect-moth |
| Birch Bell | <i>Epinotia demarniana</i> | insect-moth |
| Black Arches | <i>Lymantria monacha</i> | insect-moth |
| Black Rustic | <i>Aporophyla nigra</i> | insect-moth |
| Black-dotted Groundling | <i>Stenolechia gemmella</i> | insect-moth |
| Blackneck | <i>Lygephila pastinum</i> | insect-moth |
| Blair's Shoulder-knot | <i>Lithophane leautieri</i> subsp. <i>hesperica</i> | insect-moth |
| Blood-Vein | <i>Timandra comae</i> | insect-moth |
| Bordered Pug | <i>Eupithecia succenturiata</i> | insect-moth |
| Bordered Sallow | <i>Pyrrhia umbra</i> | insect-moth |
| Brassy Long-horn | <i>Nemophora metallica</i> | insect-moth |
| Brick | <i>Agrochola circellaris</i> | insect-moth |
| Bright-Line Brown-Eye | <i>Lacanobia oleracea</i> | insect-moth |
| Brimstone Moth | <i>Opisthoptera luteolata</i> | insect-moth |
| Broad-barred White | <i>Hecatera bicolorata</i> | insect-moth |
| Broad-bordered Yellow Underwing | <i>Noctua fimbriata</i> | insect-moth |
| Broken-barred Carpet | <i>Electrophaes corylata</i> | insect-moth |
| Brown Cosmet | <i>Mompha miscella</i> | insect-moth |
| Brown Rustic | <i>Rusina ferruginea</i> | insect-moth |
| Brown Silver-line | <i>Petrophora chlorosata</i> | insect-moth |
| Brown-line Bright-eye | <i>Mythimna conigera</i> | insect-moth |
| Brown-spot Pinion | <i>Agrochola litura</i> | insect-moth |
| Brown-tail | <i>Euproctis chrysorrhoea</i> | insect-moth |
| Buff Arches | <i>Habrosyne pyritoides</i> | insect-moth |
| Buff Ermine | <i>Spilosoma luteum</i> | insect-moth |
| Buff-tip | <i>Phalera bucephala</i> | insect-moth |
| Bulrush Cosmet | <i>Limnaecia phragmitella</i> | insect-moth |
| Bulrush Veneer | <i>Calamotropha paludella</i> | insect-moth |
| Burdock Conch | <i>Aethes rubigana</i> | insect-moth |
| Burnished Brass | <i>Diachrysis chrysitis</i> | insect-moth |
| Cabbage Moth | <i>Mamestra brassicae</i> | insect-moth |
| Campion | <i>Hadena rivularis</i> | insect-moth |
| Canary-shouldered Thorn | <i>Ennomos alniaria</i> | insect-moth |
| Centre-barred Sallow | <i>Atethmia centrigo</i> | insect-moth |
| Chalk Carpet | <i>Scotopteryx bipunctaria</i> | insect-moth |
| Chequered Pearl | <i>Evergestis pallidata</i> | insect-moth |
| Chestnut | <i>Conistra vaccinii</i> | insect-moth |
| Chinese Character | <i>Cilix glaucata</i> | insect-moth |
| Cinnabar | <i>Tyria jacobaeae</i> | insect-moth |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| | | |
|------------------------------|-----------------------------------|---------------|
| Clay | <i>Mythimna ferrago</i> | insect - moth |
| Cloaked Minor | <i>Mesoligia furuncula</i> | insect - moth |
| Clouded Border | <i>Lomaspilis marginata</i> | insect-moth |
| Clouded Drab | <i>Orthosia incerta</i> | insect-moth |
| Clouded Silver | <i>Lomographa temerata</i> | insect-moth |
| Clouded-bordered Brindle | <i>Apamea crenata</i> | insect-moth |
| Cocksfoot Moth | <i>Glyphipterix simplicella</i> | insect-moth |
| Coleophora | <i>Coleophora</i> | insect-moth |
| Common Carpet | <i>Epirrhoe alternata</i> | insect-moth |
| Common Cloaked Shoot | <i>Gypsonoma dealbana</i> | insect-moth |
| Common Emerald | <i>Hemithea aestivaria</i> | insect - moth |
| Common Footman | <i>Eilema lurideola</i> | insect-moth |
| Common Grey | <i>Scoparia ambigualis</i> | insect-moth |
| Common Heath | <i>Ematurga atomaria</i> | insect-moth |
| Common Marbled Carpet | <i>Chloroclysta truncata</i> | insect-moth |
| Common Nettle-tap | <i>Anthophila fabriciana</i> | insect-moth |
| Common Pug | <i>Eupithecia vulgata</i> | insect-moth |
| Common Quaker | <i>Orthosia cerasi</i> | insect-moth |
| Common Rustic | <i>Mesapamea secalis</i> | insect-moth |
| Common Spruce Bell | <i>Epinotia tedella</i> | insect-moth |
| Common Swift | <i>Hepialus lupulinus</i> | insect-moth |
| Common Wainscot | <i>Mythimna pallens</i> | insect-moth |
| Common Wave | <i>Cabera exanthemata</i> | insect-moth |
| Common White Wave | <i>Cabera pusaria</i> | insect-moth |
| Common Yellow Conch | <i>Agapeta hamana</i> | insect-moth |
| Copper Owlet | <i>Scythris crassiuscula</i> | insect-moth |
| Copper Underwing | <i>Amphipyra pyramidea</i> | insect-moth |
| Coxcomb Prominent | <i>Ptilodon capucina</i> | insect-moth |
| Cream-bordered Green Pea | <i>Earias clorana</i> | insect-moth |
| Crescent Plume | <i>Marasmarcha lunaedactyla</i> | insect-moth |
| Cyclamen Tortrix | <i>Clepsis spectrana</i> | insect-moth |
| Dark Arches | <i>Apamea monoglypha</i> | insect-moth |
| Dark Brocade | <i>Blepharita adusta</i> | insect-moth |
| Dark Dagger | <i>Acronicta tridens</i> | insect-moth |
| Dark Fruit-tree Tortrix | <i>Pandemis heparana</i> | insect-moth |
| Dark Spectacle | <i>Abrostola triplasia</i> | insect-moth |
| Dark Sword-grass | <i>Agrotis ipsilon</i> | insect-moth |
| Dark Umber | <i>Philereme transversata</i> | insect-moth |
| Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | insect-moth |
| December Moth | <i>Poecilocampa populi</i> | insect-moth |
| Diamond-back Moth | <i>Plutella xylostella</i> | insect-moth |
| Dingy Footman | <i>Eilema griseola</i> | insect-moth |
| Dingy Shell | <i>Euchoeca nebulata</i> | insect-moth |
| Dingy White Plume | <i>Merrifieldia baliodactylus</i> | insect-moth |
| Dot Moth | <i>Melanchra persicariae</i> | insect-moth |
| Double Lobed | <i>Apamea ophiogramma</i> | insect-moth |
| Double-square Spot | <i>Xestia triangulum</i> | insect-moth |
| Double-striped Knot-horn | <i>Cryptoblabes bistriga</i> | insect-moth |
| Double-striped Pug | <i>Gymnoscelis rufifasciata</i> | insect-moth |
| Double-striped Tabby | <i>Orthopygia glaucinalis</i> | insect-moth |
| Drinker | <i>Euthrix potatoria</i> | insect-moth |
| Dun-bar | <i>Cosmia trapezina</i> | insect-moth |

| | | |
|---------------------------|--|---------------|
| Dusky Sallow | <i>Eremobia ochroleuca</i> | insect-moth |
| Dusky-lemon Sallow | <i>Xanthia gilvago</i> | insect-moth |
| Early Grey | <i>Xylocampa areola</i> | insect-moth |
| Early Moth | <i>Theria primaria</i> | insect-moth |
| Early Thorn | <i>Selenia dentaria</i> | insect-moth |
| Elder Pearl | <i>Phlyctaenia coronata</i> | insect-moth |
| Elephant Hawk-moth | <i>Deilephila elpenor</i> | insect-moth |
| Emperor Moth | <i>Saturnia pavonia</i> | insect-moth |
| Engrailed | <i>Ectropis bistortata</i> | insect-moth |
| Epermenia illigerella | <i>Epermenia illigerella</i> | insect-moth |
| Eyed Hawk-moth | <i>Smerinthus ocellata</i> | insect-moth |
| False Cacao Moth | <i>Ephestia parasitella</i> | insect-moth |
| Fan-foot | <i>Zanclognatha tarsipennalis</i> | insect-moth |
| Feathered Gothic | <i>Tholera decimalis</i> | insect-moth |
| Feathered Thorn | <i>Colotois pennaria</i> | insect-moth |
| Fenland Pearl | <i>Phlyctaenia perlucidalis</i> | insect-moth |
| Figure of Eight | <i>Diloba caeruleocephala</i> | insect-moth |
| Figure of Eighty | <i>Tethea ocularis</i> subsp. <i>octogesimea</i> | insect-moth |
| Flame | <i>Axylia putris</i> | insect-moth |
| Flame Shoulder | <i>Ochropleura plecta</i> | insect-moth |
| Four-spotted | <i>Tyta luctuosa</i> | insect-moth |
| Fox Moth | <i>Macrothylacia rubi</i> | insect-moth |
| Freyer's Pug | <i>Eupithecia intricata</i> subsp. <i>arceuthata</i> | insect-moth |
| Frosted Orange | <i>Gortyna flavago</i> | insect-moth |
| Garden Carpet | <i>Xanthorhoe fluctuata</i> | insect-moth |
| Garden Grass-veneer | <i>Chrysoteuchia culmella</i> | insect-moth |
| Garden Pebble | <i>Evergestis forficalis</i> | insect-moth |
| Garden Tiger | <i>Arctia caja</i> | insect-moth |
| Ghost Moth | <i>Hepialus humuli</i> | insect-moth |
| Golden Argent | <i>Argyresthia goedartella</i> | insect-moth |
| Golden Plusia | <i>Polychrysia moneta</i> | insect-moth |
| Gothic | <i>Naenia typica</i> | insect - moth |
| Green Carpet | <i>Colostygia pectinataria</i> | insect-moth |
| Green Pug | <i>Pasiphila rectangulata</i> | insect-moth |
| Green Silver-lines | <i>Pseudoips prasinana</i> subsp. <i>britannica</i> | insect-moth |
| Green-brindled Crescent | <i>Allophyes oxyacanthae</i> | insect-moth |
| Grey Dagger | <i>Acronicta psi</i> | insect-moth |
| Grey Pine Carpet | <i>Thera obeliscata</i> | insect-moth |
| Grey Pug | <i>Eupithecia subfuscata</i> | insect-moth |
| Hawthorn Cosmet | <i>Blastodacna hellerella</i> | insect-moth |
| Heart & Club | <i>Agrotis clavis</i> | insect-moth |
| Heart & Dart | <i>Agrotis exclamationis</i> | insect-moth |
| Hebrew Character | <i>Orthosia gothica</i> | insect-moth |
| Hemp-agrimony Plume | <i>Adaina microdactyla</i> | insect-moth |
| Herald | <i>Scoliopteryx libatrix</i> | insect-moth |
| Hoary Belle | <i>Eucosma cana</i> | insect-moth |
| Hook-streak Grass-veneer | <i>Crambus lathoniellus</i> | insect-moth |
| Hornet Moth | <i>Sesia apiformis</i> | insect-moth |
| Horse-Chestnut Leaf-miner | <i>Cameraria ohridella</i> | insect-moth |
| Humming-bird Hawk-moth | <i>Macroglossum stellatarum</i> | insect-moth |
| Ingrailed Clay | <i>Diarsia mendica</i> | insect-moth |
| Inlaid Grass-veneer | <i>Crambus pascuella</i> | insect-moth |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| | | |
|--|-------------------------------------|-------------|
| Iron Prominent | Notodonta dromedarius | insect-moth |
| July Highflyer | Hydriomena furcata | insect-moth |
| Knapweed Conch | Agapeta zoegana | insect-moth |
| Knot Grass | Acronicta rumicis | insect-moth |
| Lappet | Gastropacha quercifolia | insect-moth |
| Large Emerald | Geometra papilionaria | insect-moth |
| Large Fruit-tree Tortrix | Archips podana | insect-moth |
| Large Long-horn | Nematopogon swammerdamella | insect-moth |
| Large Nutmeg | Apamea anceps | insect-moth |
| Large Twin-spot Carpet | Xanthorhoe quadrifasiata | insect-moth |
| Large Wainscot | Rhizedra lutosa | insect-moth |
| Large Yellow Underwing | Noctua pronuba | insect-moth |
| Latticed Heath | Chiasmia clathrata | insect-moth |
| Least Yellow Underwing | Noctua interjecta subsp. caliginosa | insect-moth |
| Leopard Moth | Zeuzera pyrina | insect-moth |
| Lesser Broad-bordered Yellow Underwing | Noctua janthe | insect-moth |
| Lesser Pearl | Sitochroa verticalis | insect-moth |
| Lesser Yellow Underwing | Noctua comes | insect-moth |
| Lesser-spotted Pinion | Cosmia affinis | insect-moth |
| Light Arches | Apamea lithoxylaea | insect-moth |
| Light Brocade | Lacanobia w-latinum | insect-moth |
| Light Emerald | Campaea margaritata | insect-moth |
| Light Feathered Rustic | Agrotis cinerea | insect-moth |
| Lilac Beauty | Apeira syringaria | insect-moth |
| Lime Hawk-moth | Mimas tiliae | insect-moth |
| Lime-speck Pug | Eupithecia centaureata | insect-moth |
| Little Emerald | Jodis lactearia | insect-moth |
| Lobster Moth | Stauropus fagi | insect-moth |
| Lunar Thorn | Selenia lunularia | insect-moth |
| Lunar Underwing | Omphaloscelis lunosa | insect-moth |
| Lunar-spotted Pinion | Cosmia pyralina | insect-moth |
| Lychnis | Hadena bicruris | insect-moth |
| Magpie | Abraxas grossulariata | insect-moth |
| Maiden's Blush | Cyclophora punctaria | insect-moth |
| Mallow | Larentia clavaria | insect-moth |
| Maple Prominent | Ptilodon cucullina | insect-moth |
| Marbled Beauty | Cryphia domestica | insect-moth |
| Marbled Clover | Heliothis virescens | insect-moth |
| Marbled Coronet | Hadena confusa | insect-moth |
| Marbled Minor | Oligia strigilis | insect-moth |
| Marbled White Spot | Protodeltote pygarga | insect-moth |
| May Highflyer | Hydriomena impluviata | insect-moth |
| Meadow Grey | Scoparia pyralella | insect-moth |
| Meadow Long-horn | Adela rufimitrella | insect-moth |
| Merveille Du Jour | Dichonia aprilina | insect-moth |
| Mesapamea | Mesapamea | insect-moth |
| Middle-barred Minor | Oligia fasciuncula | insect-moth |
| Miller | Acronicta leporina | insect-moth |
| Mother of Pearl | Pleuroptya ruralis | insect-moth |
| Mottled Beauty | Alcis repandata | insect-moth |
| Mottled Pug | Eupithecia exiguata | insect-moth |
| Mottled Rustic | Caradrina morpheus | insect-moth |
| Mottled Umber | Erannis defoliaria | insect-moth |

| | | |
|----------------------------------|----------------------------|-------------|
| Mouse Moth | Amphipyra tragopoginis | insect-moth |
| Mullein | Shargacucullia verbasci | insect-moth |
| Muslin Moth | Diaphora mendica | insect-moth |
| Narrow-bordered Five-spot Burnet | Zygaena loniceriae | insect-moth |
| November Moth | Epirrita dilutata | insect-moth |
| Nutmeg | Discestra trifolii | insect-moth |
| Nut-tree Tussock | Colocasia coryli | insect-moth |
| Oak Eggar | Lasiocampa quercus | insect-moth |
| Oak Hook-tip | Watsonalla binaria | insect-moth |
| Oligia | Oligia | insect-moth |
| Olive Pearl | Udea olivalis | insect-moth |
| Orange Footman | Eilema sororcula | insect-moth |
| Orange Swift | Hepialus sylvina | insect-moth |
| Orange-tailed Clearwing | Synanthedon andrenaeformis | insect-moth |
| Pale Brindled Beauty | Phigalia pilosaria | insect-moth |
| Pale Oak Beauty | Hypomecis punctinalis | insect-moth |
| Pale Prominent | Pterostoma palpina | insect-moth |
| Pale Tussock | Calliteara pudibunda | insect-moth |
| Peach Blossom | Thyatira batis | insect-moth |
| Pearly Underwing | Peridroma saucia | insect-moth |
| Pebble Hook-tip | Drepana falcataria | insect-moth |
| Pebble Prominent | Notodonta ziczac | insect-moth |
| Peppered Moth | Biston betularia | insect-moth |
| Phoenix | Eulithis prunata | insect-moth |
| Phtheochroa | Phtheochroa | insect-moth |
| Pine Beauty | Panolis flammea | insect-moth |
| Pine Hawk-moth | Hyloicus pinastri | insect-moth |
| Plain Golden Y | Autographa jota | insect-moth |
| Plum Tortrix | Hedya pruniana | insect-moth |
| Poplar Grey | Acronicta megacephala | insect-moth |
| Poplar Hawk-moth | Laothoe populi | insect-moth |
| Powdered Quaker | Orthosia gracilis | insect-moth |
| Pretty Chalk Carpet | Melanthia procellata | insect-moth |
| Privet Hawk-moth | Sphinx ligustri | insect-moth |
| Privet Twist | Clepsis consimilana | insect-moth |
| Purple Bar | Cosmorhoe ocellata | insect-moth |
| Purple Thorn | Selenia tetralunaria | insect-moth |
| Puss Moth | Cerura vinula | insect-moth |
| Red Twin-spot Carpet | Xanthorhoe spadicearia | insect-moth |
| Red Underwing | Catocala nupta | insect-moth |
| Riband Wave | Idaea aversata | insect-moth |
| Rosy Cloaked Shoot | Gypsonoma aceriana | insect-moth |
| Rosy Minor | Mesoligia literosa | insect-moth |
| Rosy Rustic | Hydraecia micacea | insect-moth |
| Rosy Tabby | Endotricha flammealis | insect-moth |
| Round-winged Muslin | Thumatha senex | insect-moth |
| Ruby Tiger | Phragmatobia fuliginosa | insect-moth |
| Rustic | Hoplodrina blanda | insect-moth |
| Rustic Shoulder-knot | Apamea sordens | insect-moth |
| Sallow Kitten | Furcula furcula | insect-moth |
| Sandy Carpet | Perizoma flavofasciata | insect-moth |
| Satellite | Eupsilia transversa | insect-moth |
| Satin Grass-veneer | Crambus perlella | insect-moth |
| Scalloped Hazel | Odontopera bidentata | insect-moth |
| Scalloped Oak | Crocallis elinguaris | insect-moth |
| Scarce Footman | Eilema complana | insect-moth |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| | | |
|----------------------------|---------------------------|-------------|
| Scarce Tissue | Rheumaptera cervicalis | insect-moth |
| Scarce Umber | Agriopis aurantiaria | insect-moth |
| Scorched Carpet | Ligdia adustata | insect-moth |
| Scorched Wing | Plagodis dolabraria | insect-moth |
| Setaceous Hebrew Character | Xestia c-nigrum | insect-moth |
| Shaded Broad-bar | Scotopteryx chenopodiata | insect-moth |
| Shaded Pug | Eupithecia subumbrata | insect-moth |
| Shark | Cucullia umbratica | insect-moth |
| Shears | Hada plebeja | insect-moth |
| Short-cloaked Moth | Nola cucullatella | insect-moth |
| Shoulder Stripe | Anticlea badiata | insect-moth |
| Shoulder-striped Wainscot | Mythimna comma | insect-moth |
| Shuttle-shaped Dart | Agrotis puta | insect-moth |
| Silver Y | Autographa gamma | insect-moth |
| Silver-ground Carpet | Xanthorhoe montanata | insect-moth |
| Single-dotted Wave | Idaea dimidiata | insect-moth |
| Six-spot Burnet | Zygaena filipendulae | insect-moth |
| Six-striped Rustic | Xestia sexstrigata | insect-moth |
| Small Angle Shades | Euplexia lucipara | insect-moth |
| Small Birch Bell | Epinotia ramella | insect-moth |
| Small Blood-vein | Scopula imitaria | insect-moth |
| Small Brindled Beauty | Apocheima hispidaria | insect-moth |
| Small Clouded Brindle | Apamea unanimitis | insect-moth |
| Small Dotted Buff | Photodes minima | insect-moth |
| Small Elephant Hawk-moth | Deilephila porcellus | insect-moth |
| Small Emerald | Hemistola chrysoprasaria | insect-moth |
| Small Engrailed | Ectopis crepuscularia | insect-moth |
| Small Fan-foot | Herminia grisealis | insect-moth |
| Small Fan-footed Wave | Idaea biselata | insect-moth |
| Small Grey | Eudonia mercurella | insect-moth |
| Small Magpie | Eurrhpara hortulata | insect-moth |
| Small Phoenix | Ecliptopera silaceata | insect-moth |
| Small Purple-barred | Phytometra viridaria | insect-moth |
| Small Rufous | Coenobia rufa | insect-moth |
| Small Scallop | Idaea emarginata | insect-moth |
| Small Seraphim | Pterapherapteryx sexalata | insect-moth |
| Small Square-spot | Diarsia rubi | insect-moth |
| Small Waved Umber | Horisme vitalbata | insect-moth |
| Small Yellow Underwing | Panemeria tenebrata | insect-moth |
| Small Yellow Wave | Hydrelia flammeolaria | insect-moth |
| Smoky Wainscot | Mythimna impura | insect-moth |
| Snout | Hypena proboscidalis | insect-moth |
| Southern Wainscot | Mythimna straminea | insect-moth |
| Spectacle | Abrostola tripartita | insect-moth |
| Spotted Shoot Moth | Rhyacionia pinivorana | insect-moth |
| Sprawler | Asteroscopus sphinx | insect-moth |
| Spring Usher | Agriopis leucophaearia | insect-moth |
| Straw Conch | Cochylimorpha straminea | insect-moth |
| Straw Dot | Rivula sericealis | insect-moth |
| Straw Grass-veneer | Agriphila straminella | insect-moth |
| Straw Underwing | Thalophila matura | insect-moth |
| Streamer | Anticlea derivata | insect-moth |

| | | |
|---------------------------|---|--------------------|
| Swallow Prominent | Pheosia tremula | insect-moth |
| Swallow-tailed Moth | Ourapteryx sambucaria | insect-moth |
| Tawny Marbled Minor | Oligia latruncula | insect-moth |
| Tawny Shears | Hadena perplexa | insect-moth |
| Tawny Speckled Pug | Eupithecia icterata | insect-moth |
| Tawny-barred Angle | Macaria liturata | insect-moth |
| Thistle Conch | Aethes cnicana | insect-moth |
| Timothy Tortrix | Aphelia paleana | insect-moth |
| Toadflax Pug | Eupithecia linariata | insect-moth |
| Treble Lines | Charanyca trigrammica | insect-moth |
| Treble-bar | Aplocera plagiata | insect-moth |
| Triangle Plume | Platyptilia gonodactyla | insect-moth |
| Triple-blotched Bell | Epiblema trimaculana | insect-moth |
| Triple-spot Dwarf | Elachista maculicerusella | insect-moth |
| Triple-spotted Clay | Xestia ditrapezium | insect-moth |
| Turnip Moth | Agrotis segetum | insect-moth |
| Uncertain | Hoplodrina alsines | insect-moth |
| Vapourer | Orgyia antiqua | insect-moth |
| Varied Coronet | Hadena compta | insect-moth |
| Variagated Golden Tortrix | Archips xylostearia | insect-moth |
| Vine's Rustic | Hoplodrina ambigua | insect-moth |
| Violet Cosmet | Panalia leuwenhoekella | insect-moth |
| V-pug | Chloroclystis v-ata | insect-moth |
| Wakely's Dowd | Blastobasis lacticolella | insect-moth |
| Waved Umber | Menophra abruptaria | insect-moth |
| White Ermine | Spilosoma lubricipeda | insect-moth |
| White Plume Moth | Pterophorus pentadactyla | insect-moth |
| White-pinion Spotted | Lomographa bimaculata | insect-moth |
| White-shouldered Marble | Apotomis turbidana | insect-moth |
| Willow Beauty | Peribatodes rhomboidaria | insect-moth |
| Willow Tortrix | Epinotia cruciana | insect-moth |
| Wormwood Pug | Eupithecia absinthiata | insect-moth |
| Yellow Oak Button | Aleimma loeflingiana | insect-moth |
| Yellow Shell | Camptogramma bilineata | insect-moth |
| Yellow-barred Long-horn | Nemophora degeerella | insect-moth |
| Yellow-faced Bell | Epiblema cynosbatella | insect-moth |
| Yellow-line Quaker | Agrochola macilentata | insect-moth |
| Yellow-spot Twist | Pseudargyrotoza conwagana | insect-moth |
| Yellow-tail | Euproctis similis | insect-moth |
| | Timandra griseata | insect-moth |
| | Diarsia mendica subsp. mendica | insect-moth |
| | Alcis repandata subsp. repandata | insect-moth |
| | Lasiocampa quercus subsp. quercus | insect-moth |
| | Acronicta aceris | insect-moth |
| | Cucullia absinthii | insect-moth |
| | Camptogramma bilineata subsp. bilineata | insect-moth |
| Common Green Grasshopper | Omocestus viridulus | insect-orthopteran |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| | | | | | |
|-----------------------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|---------------------------|
| Dark Bush-cricket | Pholidoptera griseoptera | insect-orthopteran | Cheilosia impressa | Cheilosia impressa | insect-true fly (Diptera) |
| Lesser Marsh Grasshopper | Chorthippus albomarginatus | insect-orthopteran | Cheilosia variabilis | Cheilosia variabilis | insect-true fly (Diptera) |
| Long-winged Cone-head | Conocephalus fuscus | insect-orthopteran | Chironomus plumosus | Chironomus plumosus | insect-true fly (Diptera) |
| Roesel's Bush-cricket | Metrioptera roeselii | insect-orthopteran | Chrysogaster solstitialis | Chrysogaster solstitialis | insect-true fly (Diptera) |
| Speckled Bush-cricket | Leptophyes punctatissima | insect-orthopteran | Eristalinus sepulchralis | Eristalinus sepulchralis | insect-true fly (Diptera) |
| Aphrophora alni | Aphrophora alni | insect-true bug (Hemiptera) | Eristalis arbustorum | Eristalis arbustorum | insect-true fly (Diptera) |
| Baeopelma foersteri | Baeopelma foersteri | insect-true bug (Hemiptera) | Eristalis intricarius | Eristalis intricarius | insect-true fly (Diptera) |
| Birch Shieldbug | Elasmothethus interstinctus | insect-true bug (Hemiptera) | Eristalis nemorum | Eristalis nemorum | insect-true fly (Diptera) |
| Black-Kneed Apple Capsid | Blepharidopterus angulatus | insect-true bug (Hemiptera) | Eristalis pertinax | Eristalis pertinax | insect-true fly (Diptera) |
| Bronze Shieldbug | Troilus luridus | insect-true bug (Hemiptera) | Eristalis tenax | Eristalis tenax | insect-true fly (Diptera) |
| Callicorixa praeusta | Callicorixa praeusta | insect-true bug (Hemiptera) | Greater Bulb-Fly | Merodon equestris | insect-true fly (Diptera) |
| Common Backswimmer | Notonecta (Notonecta) glauca | insect-true bug (Hemiptera) | Helophilus hybridus | Helophilus hybridus | insect-true fly (Diptera) |
| Common Flower Bug | Anthocoris nemorum | insect-true bug (Hemiptera) | Helophilus pendulus | Helophilus pendulus | insect-true fly (Diptera) |
| Common Pondskater | Gerris (Gerris) lacustris | insect-true bug (Hemiptera) | Marmalade Hoverfly | Episyrphus balteatus | insect-true fly (Diptera) |
| Gerris (Gerris) thoracicus | Gerris (Gerris) thoracicus | insect-true bug (Hemiptera) | Melanostoma mellinum | Melanostoma mellinum | insect-true fly (Diptera) |
| Green Shieldbug | Palomena prasina | insect-true bug (Hemiptera) | Melanostoma scalare | Melanostoma scalare | insect-true fly (Diptera) |
| Hesperocorixa moesta | Hesperocorixa moesta | insect-true bug (Hemiptera) | Metasyrphus latifasciatus | Metasyrphus latifasciatus | insect-true fly (Diptera) |
| Hesperocorixa sahlbergi | Hesperocorixa sahlbergi | insect-true bug (Hemiptera) | Myathropa florea | Myathropa florea | insect-true fly (Diptera) |
| Himacerus (Anaptus) major | Himacerus (Anaptus) major | insect-true bug (Hemiptera) | Neoascia podagrica | Neoascia podagrica | insect-true fly (Diptera) |
| Notonecta (Notonecta) maculata | Notonecta (Notonecta) maculata | insect-true bug (Hemiptera) | Neoascia tenur | Neoascia tenur | insect-true fly (Diptera) |
| Notonecta (Notonecta) viridis | Notonecta (Notonecta) viridis | insect-true bug (Hemiptera) | Neocnemodon | Neocnemodon | insect-true fly (Diptera) |
| Notonecta marmorea | Notonecta marmorea | insect-true bug (Hemiptera) | Parhelophilus versicolor | Parhelophilus versicolor | insect-true fly (Diptera) |
| Pantilius (Pantilius) tunicatus | Pantilius (Pantilius) tunicatus | insect-true bug (Hemiptera) | Pipizella virens | Pipizella virens | insect-true fly (Diptera) |
| Parent Bug | Elasmucha grisea | insect-true bug (Hemiptera) | Platycheirus albimanus | Platycheirus albimanus | insect-true fly (Diptera) |
| Psylla alni | Psylla alni | insect-true bug (Hemiptera) | Platycheirus angustatus | Platycheirus angustatus | insect-true fly (Diptera) |
| Punctate Corixa | Corixa punctata | insect-true bug (Hemiptera) | Platycheirus clypeatus | Platycheirus clypeatus | insect-true fly (Diptera) |
| Saucer Bug | Ilyocoris cimicoides | insect-true bug (Hemiptera) | Platycheirus manicatus | Platycheirus manicatus | insect-true fly (Diptera) |
| Sigara (Sigara) dorsalis | Sigara (Sigara) dorsalis | insect-true bug (Hemiptera) | Platycheirus peltatus agg. | Platycheirus peltatus agg. | insect-true fly (Diptera) |
| Sigara (Vermicorixa) lateralis | Sigara (Vermicorixa) lateralis | insect-true bug (Hemiptera) | Platycheirus scutatus | Platycheirus scutatus | insect-true fly (Diptera) |
| Stenodema (Brachystira) calcarata | Stenodema (Brachystira) calcarata | insect-true bug (Hemiptera) | Rhingia campestris | Rhingia campestris | insect-true fly (Diptera) |
| Trichohermes walkeri | Trichohermes walkeri | insect-true bug (Hemiptera) | Simulium equinum | Simulium equinum | insect-true fly (Diptera) |
| Water Cricket | Velia (Plesiovelia) caprai | insect-true bug (Hemiptera) | Sphaerophoria rueppellii | Sphaerophoria rueppellii | insect-true fly (Diptera) |
| Water Measurer | Hydrometra stagnorum | insect-true bug (Hemiptera) | Sphaerophoria scripta | Sphaerophoria scripta | insect-true fly (Diptera) |
| Woundwort Shieldbug | Eysarcoris venustissimus | insect-true bug (Hemiptera) | Syrirta pipiens | Syrirta pipiens | insect-true fly (Diptera) |
| Cheilosia albitarsis | Cheilosia albitarsis | insect-true fly (Diptera) | Syrphus ribesii | Syrphus ribesii | insect-true fly (Diptera) |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| | | |
|--------------------------------------|--------------------------------------|---------------------------|
| Syrphus vitripennis | Syrphus vitripennis | insect-true fly (Diptera) |
| Tropidia scita | Tropidia scita | insect-true fly (Diptera) |
| Volucella bombylans | Volucella bombylans | insect-true fly (Diptera) |
| Xanthogramma pedissequum | Xanthogramma pedissequum | insect-true fly (Diptera) |
| Xylota segnis | Xylota segnis | insect-true fly (Diptera) |
| Heath Navel | Lichenomphalia umbellifera | lichen |
| Crescent-cup Liverwort | Lunularia cruciata | liverwort |
| Dilated Scalewort | Frullania dilatata | liverwort |
| Endive Peltia | Peltia endiviifolia | liverwort |
| Great Scented Liverwort | Conocephalum conicum | liverwort |
| Greater Featherwort | Plagiochila asplenioides | liverwort |
| Lophocolea bidentata var. bidentata | Lophocolea bidentata var. bidentata | liverwort |
| Variable-leaved Crestwort | Lophocolea heterophylla | liverwort |
| Wall Scalewort | Porella platyphylla | liverwort |
| Amblystegium serpens var. serpens | Amblystegium serpens var. serpens | moss |
| Big Shaggy-moss | Rhytidiadelphus triquetrus | moss |
| Bird's-claw Beard-moss | Barbula unguiculata | moss |
| Bryum bicolor | Bryum bicolor | moss |
| Bryum capillare var. capillare | Bryum capillare var. capillare | moss |
| Bud-headed Groove-moss | Aulacomnium androgynum | moss |
| Cape Thread-moss | Orthodontium lineare | moss |
| Capillary Thread-moss | Bryum capillare | moss |
| Chalk Comb-moss | Ctenidium molluscum | moss |
| Clustered Feather-moss | Rhynchostegium confertum | moss |
| Common Bladder-moss | Physcomitrium pyriforme | moss |
| Common Cord-moss | Funaria hygrometrica | moss |
| Common Feather-moss | Eurhynchium praelongum | moss |
| Common Pincushion | Dicranoweisia cirrata | moss |
| Cratoneuron filicinum var. filicinum | Cratoneuron filicinum var. filicinum | moss |
| Creeping Feather-moss | Amblystegium serpens | moss |
| Curved Silk-moss | Plagiothecium curvifolium | moss |
| Cuspidate Earth-moss | Phascum cuspidatum | moss |
| Cypress-leaved Plait-moss | Hypnum cupressiforme | moss |
| Dotted Thyme-moss | Rhizomnium punctatum | moss |
| Dusky Beard-moss | Didymodon luridus | moss |
| Fern-leaved Hook-moss | Cratoneuron filicinum | moss |
| Flat Neckera | Neckera complanata | moss |
| Fountain Feather-moss | Amblystegium tenax | moss |
| Golden Feather-moss | Campyliadelphus chrysophyllus | moss |
| Hair-pointed Feather-moss | Cirriphyllum piliferum | moss |

| | | |
|---|---|------------------|
| Hart's-tongue Thyme-moss | Plagiomnium undulatum | moss |
| Heath Star Moss | Campylopus introflexus | moss |
| Hypnum cupressiforme var. cupressiforme | Hypnum cupressiforme var. cupressiforme | moss |
| Kneiff's Feather-moss | Leptodictyum riparium | moss |
| Lesser Bird's-claw Beard-moss | Barbula convoluta | moss |
| Long-beaked Water Feather-moss | Rhynchostegium riparioides | moss |
| Maidenhair Pocket-moss | Fissidens adianthoides | moss |
| Neat Feather-moss | Scleropodium purum | moss |
| Philibert's Tamarisk-moss | Thuidium assimile | moss |
| Pointed Beard-moss | Didymodon acutus | moss |
| Pointed Spear-moss | Calliergonella cuspidata | moss |
| Rambling Tail-moss | Anomodon viticulosus | moss |
| River Feather-moss | Brachythecium rivulare | moss |
| Rough-stalked Feather-moss | Brachythecium rutabulum | moss |
| Sessile Grimmia | Schistidium apocarpum | moss |
| Silky Forklet-moss | Dicranella heteromalla | moss |
| Silky Wall Feather-moss | Homalothecium sericeum | moss |
| Silver-moss | Bryum argenteum | moss |
| Slender Mouse-tail Moss | Isoetecium myosuroides | moss |
| Soft-tufted Beard-moss | Didymodon vinealis | moss |
| Springy Turf-moss | Rhytidiadelphus squarrosus | moss |
| Supine Plait-moss | Hypnum cupressiforme var. resupinatum | moss |
| Swan's-neck Thyme-moss | Mnium hornum | moss |
| Tortula muralis var. muralis | Tortula muralis var. muralis | moss |
| Ulotia crispa | Ulotia crispa | moss |
| Wall Screw-moss | Tortula muralis | moss |
| White-tipped Bristle-moss | Orthotrichum diaphanum | moss |
| Wood Bristle-moss | Orthotrichum affine | moss |
| Yellow Feather-moss | Homalothecium lutescens | moss |
| Grass Snake | Natrix natrix | reptile |
| Red-eared Terrapin | Trachemys scripta subsp. elegans | reptile |
| Fuligo septica | Fuligo septica var. septica | slime mould |
| Reticularia lycoperdon | Reticularia lycoperdon | slime mould |
| Bathyphantes gracilis | Bathyphantes gracilis | spider (Araneae) |
| Bathyphantes nigrinus | Bathyphantes nigrinus | spider (Araneae) |
| Bathyphantes parvulus | Bathyphantes parvulus | spider (Araneae) |
| Cave Spider | Meta menardi | spider (Araneae) |
| Clubiona lutescens | Clubiona lutescens | spider (Araneae) |
| Clubiona phragmitis | Clubiona phragmitis | spider (Araneae) |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| | | |
|-------------------------------|-------------------------------|--------------------|
| Clubiona terrestris | Clubiona terrestris | spider (Araneae) |
| Diplostyla concolor | Diplostyla concolor | spider (Araneae) |
| Dismodicus bifrons | Dismodicus bifrons | spider (Araneae) |
| Enoplognatha ovata | Enoplognatha ovata | spider (Araneae) |
| Erigone atra | Erigone atra | spider (Araneae) |
| Erigone dentipalpis | Erigone dentipalpis | spider (Araneae) |
| Ero cambridgei | Ero cambridgei | spider (Araneae) |
| Gongylidiellum vivum | Gongylidiellum vivum | spider (Araneae) |
| Gongylidium rufipes | Gongylidium rufipes | spider (Araneae) |
| Hypomma bituberculatum | Hypomma bituberculatum | spider (Araneae) |
| Kaestneria pullata | Kaestneria pullata | spider (Araneae) |
| Linyphia hortensis | Linyphia hortensis | spider (Araneae) |
| Maso sundevalli | Maso sundevalli | spider (Araneae) |
| Meioneta saxatilis | Meioneta saxatilis | spider (Araneae) |
| Micrargus herbigradus | Micrargus herbigradus | spider (Araneae) |
| Misumena vatia | Misumena vatia | spider (Araneae) |
| Monocephalus fuscipes | Monocephalus fuscipes | spider (Araneae) |
| Neriere montana | Neriere montana | spider (Araneae) |
| Neriere peltata | Neriere peltata | spider (Araneae) |
| Oedothorax gibbosus | Oedothorax gibbosus | spider (Araneae) |
| Oedothorax retusus | Oedothorax retusus | spider (Araneae) |
| Pachygnatha clercki | Pachygnatha clercki | spider (Araneae) |
| Palliduphantes ericaeus | Palliduphantes ericaeus | spider (Araneae) |
| Pardosa prativaga | Pardosa prativaga | spider (Araneae) |
| Philodromus dispar | Philodromus dispar | spider (Araneae) |
| Pirata hygrophilus | Pirata hygrophilus | spider (Araneae) |
| Pocadicnemis juncea | Pocadicnemis juncea | spider (Araneae) |
| Saaristoa abnormis | Saaristoa abnormis | spider (Araneae) |
| Tenuiphantes tenuis | Tenuiphantes tenuis | spider (Araneae) |
| Tenuiphantes zimmermanni | Tenuiphantes zimmermanni | spider (Araneae) |
| Tetragnatha extensa | Tetragnatha extensa | spider (Araneae) |
| Tetragnatha montana | Tetragnatha montana | spider (Araneae) |
| Theridion varians | Theridion varians | spider (Araneae) |
| Walckenaeria unicornis | Walckenaeria unicornis | spider (Araneae) |
| Xysticus ulmi | Xysticus ulmi | spider (Araneae) |
| Chara vulgaris var. papillata | Chara vulgaris var. papillata | stonewort |
| a Bat | Chiroptera | terrestrial mammal |
| a Long-eared Bat | Plecotus | terrestrial mammal |
| American Mink | Neovison vison | terrestrial mammal |
| Bank Vole | Myodes glareolus | terrestrial mammal |
| Brown Hare | Lepus europaeus | terrestrial mammal |
| Brown Long-eared Bat | Plecotus auritus | terrestrial mammal |

| | | |
|-----------------------|---------------------------|--------------------|
| Brown Rat | Rattus norvegicus | terrestrial mammal |
| Chinese Muntjac | Muntiacus reevesi | terrestrial mammal |
| Common Pipistrelle | Pipistrellus pipistrellus | terrestrial mammal |
| Eastern Grey Squirrel | Sciurus carolinensis | terrestrial mammal |
| Eurasian Badger | Meles meles | terrestrial mammal |
| Eurasian Common Shrew | Sorex araneus | terrestrial mammal |
| Eurasian Pygmy Shrew | Sorex minutus | terrestrial mammal |
| Eurasian Water Shrew | Neomys fodiens | terrestrial mammal |
| European Mole | Talpa europaea | terrestrial mammal |
| European Otter | Lutra lutra | terrestrial mammal |
| European Rabbit | Oryctolagus cuniculus | terrestrial mammal |
| European Water Vole | Arvicola amphibius | terrestrial mammal |
| Fallow Deer | Dama dama | terrestrial mammal |
| Field Vole | Microtus agrestis | terrestrial mammal |
| Harvest Mouse | Micromys minutus | terrestrial mammal |
| Hazel Dormouse | Muscardinus avellanarius | terrestrial mammal |
| House Mouse | Mus musculus | terrestrial mammal |
| Natterer's Bat | Myotis nattereri | terrestrial mammal |
| Pipistrelle | Pipistrellus pipistrellus | terrestrial mammal |
| Polecat | Mustela putorius | terrestrial mammal |
| Polecat-Ferret | Mustela furo x putorius | terrestrial mammal |
| Red Fox | Vulpes vulpes | terrestrial mammal |
| Serotine | Eptesicus serotinus | terrestrial mammal |
| Soprano Pipistrelle | Pipistrellus pygmaeus | terrestrial mammal |
| Stoat | Mustela erminea | terrestrial mammal |
| Weasel | Mustela nivalis | terrestrial mammal |
| Hedgehog | Erinaceus europaeus | terrestrial mammal |
| Western Barbastelle | Barbastella barbastellus | terrestrial mammal |

10.5 Wildlife Policies and Legislation

- National Planning Policy Framework, Conserving and enhancing the natural environment, paragraphs 109-125.
- NHDC Saved Policy 14: Nature Conservation
- Wildlife and Countryside Act 1981
- Protection of Badgers Act 1992
- Town and Country Planning Act 1990
- Hedgerow Regulations 1997

11.APPENDIX 5: BUILDINGS AND DESIGN

Pirton has a considerable diversity of dwellings, which range in age from medieval to modern, with sizes varying from large detached houses to small terraced cottages.

Of the more than 470 dwellings, 84% are privately owned with approximately 50% having been built in the past 50 years. Of these (470+ dwellings), 36% are detached houses, 12% bungalows, 28% semi-detached houses and 24% terraced.

The surviving historic original houses are typically thatched, with exposed timber frames, or clay tiled with hand-made brick or rendered walls. During the Victorian period, development was typified by the use of Arleseay white brickwork with soft red brick feature banding and arched lintels. A common feature of this period was the terrace of cottages with several examples being seen in the High Street and West Lane.



Fig. 70: Hammond's Farmhouse, Burge End



Fig. 71: 53-63 High Street

The grouping of houses into "estates" is another feature of the village. This commenced during the 1920s and 1930s and included two council house estates of semi-detached and terraced houses. This continued in the 1960s and 1970s with a large estate of private housing (Bunyan Close) culminating in recent years with small modern estates such as Docklands, St. Mary's Close and, most recently, Coleman's Close.



Fig. 72: Baulk Gardens



Fig. 73: Bunyan Close

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT



The single storey bungalow form of housing was popular throughout the country in the middle part of the twentieth century and many examples of this house type are represented in the village, for instance in Royal Oak Lane.

Since then, the development of individual houses, or small groups of houses, has taken place continuously on infill sites throughout the village. These generally respect the village scale and character with common materials being red facing brick or rendering.

The extension of existing buildings is another common feature of the village. The best of these respect the scale and design of the original house, using similar or compatible materials.

A small number of successful conversions, at Maltings Orchard and Rectory Manor, of existing barn buildings to houses, forms a relatively new building type in the village, adding to its diversity.

In common with most villages, Pirton contains a number of community buildings although these are, generally, of modest scale, including the two churches, the village hall, the sports and social club, the school and the two remaining public houses.

Historically, the village would have been a very low-density environment. Over the years, however, densities have increased due to construction on open sites and infill developments. Notwithstanding this, the design of individual developments seems to have been, on the whole, successful in retaining a village character. One feature of this character is that all of the housing, traditional and modern, is of a maximum of two storeys in height. The only exceptions to this are a traditional cottage and a house extension, both of which, although of three storeys, have the height of a typical two-storey building.



Many traditional housing styles and materials are represented in the village giving a large palette of opportunity for future design. Integrity of design should be the watchword with “mock” features being avoided. Designers could grasp the opportunity, for instance, to introduce interesting roof shapes and juxtapositions, while respecting the mix of housing styles within the village.

Successful elements of traditional building styles could be incorporated into new housing design. The design of any new development should adequately reflect the wide and varied nature of the siting and styles of existing buildings within Pirton. Good quality, innovative modern design would not, however, be discouraged.

Roofs



Roof finishes range from traditional thatch, clay tile, pantile and slate to modern, factory tile. The variety in the form of roof styles e.g. pitched, gables and hipped roofs creates interest and diversity in the village scene. A feature, however, is the simplicity of the detailing of eaves and verges. There are very few examples of these elements being used as decorative features.

Walls

Many forms of wall construction exist in the village including half-timber, original red brick, rendering, Arlesey white brick, modern facing brickwork and combinations of these.

Common features of the Victorian brick buildings, however, are a shallow arch above the windows, usually in contrasting coloured brickwork, as well as brick banding.

Brickwork details can also add interest. The feature banding and arched lintels of the many Victorian buildings in the village would make an appropriate model.



Fig. 77: Houses with brickwork design

Windows



Fig. 78: Dormer window

Traditionally, windows appear to be small in size relative to the proportion of wall. They are mainly casements and of a vertical proportion. Many modern houses in the village have respected these principles.

Bay windows are also a feature of many housing styles in the village, both traditional and modern.

Dormer windows were a common feature of many of the original village dwellings where the roof space was used as living accommodation. Again, this feature has been used in many modern houses adding visual interest to the rooflines.

Doors

There is an enormous variety of door styles in evidence in the village mirroring the current availability of these products at a reasonable price. Many of the traditional village cottages have small porches offering shelter to the front door. Some consist of a walled structure whilst some are simply a small roof. Many of the modern houses in the village have incorporated this feature into their design.

Chimneys

Traditionally, houses were heated by open fires and so this has led to a proliferation of chimney styles over the centuries. These range from plain brick structures to those with ornamental features including mock-tudor designs.

Fencing and Hedging

Many properties in the village are enclosed by fences, the more modern reflecting the large variety of designs now available commercially. Traditional styles of fencing, however, seem to be simple, low height, vertical paling or close boarding. Alternatively, many varieties of hedge can be seen in the village, often used in preference to fencing to enclose properties and afford privacy.



Fig. 79: Chimneys

Care should always be exercised in the choice and siting of trees, shrubs and hedging, taking future size into account. First, there is the possible threat to the stability of buildings. Secondly, over-large trees, etc. can be out of scale with the garden surroundings, and intrude on neighbours.

Garaging and Parking

Car parking is a problem on narrow streets and blind corners, such as the junction of High Street with West Lane, and Great Green with Crabtree Lane. Many houses built before the 1960s do not have a garage or in some cases, a parking space. This leads to overcrowding of the streets, and in some cases to the conversion of open space (garden) to car parking. More recent development has placed an emphasis on off-street parking, which can also help to give a feeling of spaciousness to a development.



Fig. 80: Houses in Baulk Gardens

11.1 Design that Supports Pirton Character

- *The detail of hard and soft landscaping and open space must reflect the rural setting and avoid an urban appearance.*
- *New buildings should not be more than two storeys in height and should not dominate other buildings or the skyline.*
- *New development should make provision for a variety of skylines with trees, vegetation and space. A mix of roofing and roof styles, where appropriate, should be retained in any new development.*
- *Account should be taken of traditional mixes of roof and wall materials e.g. slate with Arlesey white brick walls, clay tiles with red brick.*
- *Simple detailing is to be encouraged, with unnecessary features such as scalloped barge boards and finials being regarded as inappropriate.*
- *Unrelieved Flat roofed extensions should be discouraged.*
- *The use of brickwork should be restricted to colours traditionally used in the village. Walls of red brickwork or the traditional “Arlesey white” brick would blend in well. Rendered wall finishes would be in character, either painted white or pastel colours.*
- *The area of wall should predominate over that of window.*
- *Vertical proportions of individual windows are desirable in keeping with the traditional styles within the village.*
- *Timber framed windows are preferred, especially in the Conservation Area and adjacent to listed buildings.*
- *Quality uPvc windows would be acceptable in appropriate areas such as new developments outside the Conservation Area.*
- *The incorporation of bay windows is to be encouraged.*
- *The use of dormer windows is to be encouraged since they are characteristic features of the village and add interest to roofscapes. Flat-roofed dormers and flush roof lights are to be discouraged, with a preference for more traditional pitched roofs.*
- *Doors should be kept simple in design.*
- *Porches should enhance a building but should not dominate.*
- *The continuation of the variety of chimney styles is to be encouraged where possible.*
- *Fencing should be low height vertical paling or close boarded in keeping with existing styles and allowing for more open vistas.*
- *The use of hedging is also encouraged, with traditional species, such as beech or hawthorn, being preferred.*
- *New developments should be self - sufficient in providing parking on plot to meet its needs in accordance with NHDC Residential Parking Standards, save for larger houses (3 bedrooms or more) when at least 3 car parking spaces will be required. All proposals for parking must demonstrate that the needs of those with mobility impairment have been taken into account.*
- *Where provided, garages should be of modest proportions relative to the house.*
- *Garages should be in scale with houses.*
- *Garages should not be converted to living accommodation where there is inadequate off-street parking available on the premises.*

12.APPENDIX 6: PIRTON STREET CHARACTER

The following tables describe the varied character of the roads in the village – not every Close is included.

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| Name | Buildings | Green Spaces | Streetscape | Layout | Routes | Comments |
|----------------|--|--|---|---|--|-----------------------------------|
| Royal Oak Lane | Mix of detached, semis, and bungalows. Various building dates; 3 timber framed some in conservation area. Mix materials e.g. rendering, pebbledash, brick, Arlesey brick, tile, slate, | Hedges, trees, shrubs. | Former Royal Oak Pub Very little pavement. Bus route | Mostly well set back, open front garden, save for a few older houses that more closely cling to side of the road. | Link centre of village with route to Holwell and Shillington. Footpaths to other parts of village. | Part within the Conservation Area |
| Holwell Road | Mostly 19 th century, former farmhouse, former bakery, and 12 artisan terraced cottages. Arlesey brick Newer brick towards west lane as infill. | No other green space | No pavement. | Mostly on or close to road | Main route out to Holwell. Junction for west land (to village and Shillington, and to Royal Oak Lane | |
| West Lane | Much of eastern end former council housing pre second world war. At western end a block of mainly modern detached (one and two storey) with Victorian Terraced artisans cottages as road rises closer to village centre. Semi-detached (some arts and crafts style) and terracing. | Looks out over agricultural valley, great view across North Herts plain to Stondon, Shillington etc. | Pavement one side only Very little street lighting | Mostly set back and on a steep rise from the road, natural rise up from valley floor. | Main route along northern edge of village to Shillington, and Holwell, | |
| Davis Crescent | Typical post 1st world war “arts and crafts” style former council housing. Semis, red brick, set on large plots. | Central “green” now slightly diminished to accommodate parking. | No pavement, only green verges. Little street lighting. | Mostly well set back from street. Large plots. | Cul-de-sac, but linked by footpaths to Bunyan and High Street and so to village centre. | |
| Little Lane | All new, red brick infill housing apart from one older one story house. | Allotments on one side | No pavement; road narrows to become footpath to village centre. | Infill. Small gardens front and rear (bar the one older house). | Footpath to village centre | |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| Name | Buildings | Green Spaces | Streetscape | Layout | Routes | Comments |
|-----------------|--|--|---|---|---|---------------------------------------|
| High Street | Very mixed. At northern end, terrace cottages in Arlesey brick, some Edwardian and two older timber framed. On eastern side close to road then road rises steeply so houses set further back. On west side newer infill, mainly detached, set up high and well back from the road in modern brick. Closer to village centre the west side contains village hall and school; east side hosts some small modern infill, plus older properties, some very close to road and some well back. At crossroads with Crabtree Lane, The Fox Pub is older timber framed, together with a collection of timber framed houses around the junction; then eastern side Arlesey Brick terracing to end of the road. Western side houses modern detached and Victorian extended, plus the village pond | School playground and village pond. Small green before junction with Walnut Tree Road. | Limited pavement. Mix of open front gardens, small low walled garden and no garden. Nearer pond, 3 benches. Limited street lighting. Unusual two sided post box. Village pond, village hall and public house. | Serpentine, long road. At points open, at others treed. Mix of plot sizes and types. At northern end rises sharply from West Lane. Levels off however as its former "hollow way" construct leads to houses higher up from road and set back until nearer village centre | Links centre of village with west, north and south ends. Footpath links to Little Lane and Davis crescent, and to southern area of village. | All within the Conservation Area |
| Coleman's Close | 1990's infill development of detached and semis. Modern brick. . | Set around large green space with children's play area. | Paved. More street lighting than in other parts of village. | Buildings set well back from main High Street. Cul-de-sac, with other cul-de-sacs running off. Small plots | Egress onto High Street, with footpath link to Little Lane | Entry is within the Conservation Area |
| Franklins Close | Small estate of detached modern red brick off the High Street. | None | No pavement. | Small plots. Buildings close together. | Cul-de-sac | All within the Conservation Area |
| Crabtree Lane | Mostly modern save for one former farm and cluster near junction with High Street, mix of modern brick, render over timber frame, slightly older alms-houses | West side taken with St Mary's Church, plus vicarage and nature area through to SM Toot Hill and the Bury. | Narrow pavement on one side only. War memorial. Trees/shrubs on west side. | Mostly buildings close to narrow and slightly winding street. Variety of plot sizes | Footpath to Bury and Toot Hill | Within Conservation Area |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| Name | Buildings | Green Spaces | Streetscape | Layout | Routes | Comments |
|-----------------------------|---|-------------------------------------|---|---|--|---|
| St Mary's Close | Small estate of detached modern red brick off Crabtree Lane. | None | No pavement. | Small plots. Buildings close together. | Cul-de-sac | |
| Docklands | Small development of 1950s small bungalows and more modern detached | None | Fairly open gardens, spacious, few trees | Medium size plots. Cul-de-sac, footpaths link to Shillington road and High Street and Pollards Way Straight, open road. | Cul-de-sac | |
| Pollards Way & Three Closes | Three Closes comprises discrete development of elderly persons bungalows, set back from Great Green. Pollards Way post war development of semi-detached. Brick and rendering, , | 3 Closes faces on to Great Green | Pollards Way medium gardens, houses set back. Little street lighting. Pavements | Houses set back in Pollards Way. Medium size plots. | Straight road providing access to Baulk Gardens. Footpaths to Shillington Road, High Street, Priors Hill and immediately off Great Green | Southwest end is within the conservation area |
| Danefield Road | Archetypal late 40's post war estate of council housing. Red Brick semis. | None. | Straight road. Pleasantly treed at south end. North end views over Chilterns AONB. Limited street lighting | Good size gardens front and back. Straight road. | Straight road leading view of AONB Links Pollards way with southern edge of Pirton via Priors Hill. | |
| Hitchin Road | Mix; older from 18/19 century , then infill mainly detached | One side AONB save for Pirton Court | Busy road on western edge of village; narrow no pavement, little street lighting and all off street parking | Most houses close to road to align with older houses, after junction with Great Green, newer detached infill set further back from AONB in line with the listed mediaeval Docwra Manor. | Main route to Hitchin Road. Footpaths into AONB. | |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| Name | Buildings | Green Spaces | Streetscape | Layout | Routes | Comments |
|------------------|---|--|--|---|---|--|
| Walnut Tree Lane | Very varied type and date of housing. Maltings Orchard (this century), barn conversions and infill; wood and brick; older properties timber frame and brick farmhouses; detached, bungalow, semi-detached, small Victorian/Edwardian Terrace Arleseey Brick close to High Street. Timber Frame thatched former barn now a dwelling and Walnut Tree Farm at crossroads | One side entirely scheduled monument of the Bury and Toot Hill | Very little paved; little street lighting. Very green with proximity to The Bury, some trees overhanging from gardens. | Small front gardens for more modern houses, larger plots for older houses. Very serpentine. | Links village centre with Hitchin Road and out to Hitchin. Several public footpaths across the Bury to St Mary's Church, Great Green and Crabtree Lane, and to the Recreation Ground, and out towards Ickleford, and Hitchin via Hambridge Way. | All within conservation area |
| Hambridge Way | Currently cul-de-sac leading to BOAT with mainly infill development around Elm Tree Farm, red brick. Some independent infill. and old cottages | None | No pavement, narrow road leading to footpath. No street lighting. | Mostly off road small development from two to 7 houses. | Footpath (Hambridge Way) to Ickleford and Hitchin | Part within the conservation area. |
| Great Green | Remains of a historic village green i.e. vestiges of an ancient green. Centre of the village and focal point for village activities e.g. the annual maypole dancing. | Most important green space in Pirton, and has additionally Chipping Green within its environs. | No pavement throughout | Rhomboid shaped green with some trees and two bench seats. Contains some of the oldest houses in the village, two houses built early 1980's, with the Motte & Bailey PH at the north-east end. All properties set back off the road, or as at the west end, fronted by the expanse Great Green. | Roads off lead to Bury End (cul-de-sac leading to The Bury, with again mostly older houses), Crabtree Lane, Pollards Way, Priors Hill (to Shillington) and Hitchin Road (to Hitchin). | All buildings within the Conservation Area |

PIRTON NEIGHBOURHOOD DEVELOPMENT PLAN: CHARACTER ASSESSMENT

| Name | Buildings | Green Spaces | Streetscape | Layout | Routes | Comments |
|------------------|---|---|--|--|---|--|
| Shillington Road | Mixed housing. At junction with West Lane/High Street some Victorian Terraces, and Victorian former bakery. Infill on both sides of various dates, some single, some multiple cul-de-sac. Mostly detached. 17 th century cottages and former bakery; all listed buildings. . At Priors Hill end, there is access to the north end of the recently Scheduled Monument and the listed buildings of Rectory Manor, with barn conversions. Wide variety of building materials from timber frame and thatching to modern red brick, Arlesey White and rendered. | No formal open space. On north side views through to open countryside. On south side at Priors Hill end, large open fields. | Narrow pavement on one side of street only. Very little street lighting. | Serpentine road; mix of frontages from very small, to well laid back. On the south side there are a number of houses built at various times (mostly 20 th century) on land behind the house on the street frontage. Front gardens vary in size The street on its north side borders the lower lying Pirton Lowlands; the south side utilises the steep rise from lowland to Pirton plateau | Main road from village to Shillington. Several footpaths provide links to village centre and the recent Scheduled Monument, out to open countryside/AONB and on to Shillington. | All buildings within the Conservation Area |
| Baulk Gardens | Modern (2015) built affordable housing providing 11 dwellings arising from a Housing Needs Survey conducted by PPC in 2010 | Very spacious feel with more than adequate off-road parking | Pavement throughout, with modern street lighting | Cul-de-sac bordering the recently designated Scheduled Monument off Priors Hill | Has several footpaths providing access to the Primary school, Docklands, Little Lane, High Street, and to the north to Shillington Road, adjacent to the SM | |

