

## Species Diversity and Utilization of Medicinal Mushrooms and Fungi in China (Review)

*Yu-Cheng Dai,<sup>1,\*</sup> Zhu-Liang Yang,<sup>2</sup> Bao-Kai Cui,<sup>1</sup> Chang-Jun Yu,<sup>3</sup> & Li-Wei Zhou<sup>3</sup>*

<sup>1</sup>Institute of Microbiology, P.O. Box 61, Beijing Forestry University, Beijing 100083, China; <sup>2</sup>Kunming Institute of Botany, Chinese Academy of Sciences, Kunming 650204, China; <sup>3</sup>Institute of Applied Ecology, Chinese Academy of Sciences, Shenyang 110016, China

\* Address all correspondence to Yu-Cheng Dai, Institute of Microbiology, P.O. Box 61, Beijing Forestry University, Beijing 100083, China; *yucheng dai <yuchengd@yahoo.com>*

**ABSTRACT:** The investigation and utilization of medicinal fungi in China has received considerable attention in recent years. However, information on medicinal fungi is scattered throughout the literature, and many nomenclatural inconsistencies have been found in the Chinese reports. The publications on Chinese medicinal fungi have been critically checked; as a result, 540 medicinal mushrooms and fungi from China were enumerated in the present checklist. All names have been checked or revised in accordance with contemporary taxonomy and the latest version of the International Code of Botanical Nomenclature (Vienna Code). The “out-of-date” names, illegitimate names, nonexistent names, and misapplied names in previous reports were revised. The common synonyms are listed after their valid names. The main medicinal functions of each species, together with the original or important references, are provided. The 540 species belonging to 10 classes, 26 orders, 76 families, and 199 genera of Ascomycota and Basidiomycota have been recorded with medicinal values. Most are the higher Basidiomycetes (482 species), which comprise approximately 89% of all the Chinese medicinal species. In total, 126 medicinal functions are thought to be provided by Chinese medicinal fungi, and 331 (61% of the total medicinal fungi) can be used as antitumor agents. Other common functions are hemostasis, antibacterial, improving immunity, detoxication, and anti-inflammatory. Fifteen species, including *Ganoderma lucidum*, are the most important or commonly used medicinal fungi, and 26 species, including *Agaricus bisporus*, are commonly cultivated in China as food or for medicinal products.

**KEY WORDS:** medicinal mushrooms and fungi species diversity, hemostasis, antibacterial, immuno-modulating, anti-inflammatory, antitumor activity, detoxication, hepatoprotective, cholesterol-lowering activity, antidiabetic, China

### I. INTRODUCTION

Medicinal mushrooms and fungi are some of the important resources of Chinese medicine. Medicinal mushrooms and fungi were used as medicine by Chinese ancestors long ago. Some species have been used as Chinese medicine for more than 2000 years, for example, *Auricularia auricula* (wood ear), *Ganoderma* sp. (Ling Zhi), *Mylitta lapidescens* (Leiwan),

*Wolfiporia cocos* (China root), and *Polyporus umbellatus* (Zhuling) were recorded in “Shen Nong Materia Medica,” which was published around 102–200 AD.<sup>1</sup> A more comprehensive Chinese medicinal book, “Compendium Materia Medica,” was written by the famous Chinese doctor Li,<sup>2</sup> and many species of mushrooms and fungi were included as medicine in this book. However, systematic studies on Chinese medicinal mushrooms and fungi just

began during the 1980s. Liu<sup>3</sup> wrote the first book on Chinese medicinal fungi, which included 121 species, and Ying et al.<sup>4</sup> produced illustrations on 272 Chinese medicinal mushrooms and fungi. Mao<sup>5,6</sup> mentioned 387 and 406 fungi, respectively, which have medicinal functions. Additionally, more than 200 species mentioned as medicinal mushrooms and fungi have been recorded in many kinds of literatures, and recently, Dai and Yang<sup>7</sup> made a list of Chinese medicinal fungi, including 473 species. However, almost all these publications dealing with medicinal fungi were in Chinese, and most of them are unknown outside China. We feel, therefore, that it is necessary to compile a list of Chinese medicinal mushrooms and fungi in English.

The investigation and utilization of medicinal mushrooms and fungi in China and many other countries are getting more attention in recent years; for example, many papers involved in medicinal resources, medicinal values, and the chemistry of fungi have been published, but several nomenclatural inconsistencies were found in these reports, for example, "out-of-date" names, illegitimate names, nonexistent names, and misapplied names appeared frequently in these publications. The publications on Chinese medicinal mushrooms and fungi were critically checked. As a result, 540 species have been recorded with medicinal values. All of the names were checked or revised in accordance with contemporary taxonomy and the latest version of the International Code of Botanical Nomenclature (Vienna Code). The taxonomic system mostly follows the latest version (10th) of the Dictionary of the Fungi.<sup>8</sup> However, some cases, for example, *Fomitiporia*, which is a distinct genus separate from *Phellinus*, are treated independently in the present list.

In addition, the species of *Amanita*, *Lactarius*, *Ramaria*, *Russula*, and Polyporaceae s. l. were revised according to our own studies of materials collected from various parts of China. Around 60 species in these groups were mentioned as medicinal mushrooms, but based on our study, some don't exist in China and, hence, are excluded from the present list. In fact, more than 40 names represent other species, and these names were treated as synonyms after the valid names.

The medicinal functions or therapeutic properties of each species are based on Chinese references,

and they are listed after each name. The main functions are provided if species have multiple functions. The present article is dedicated to Chinese medicinal fungi, and the cited references are dedicated to Chinese therapeutic data, although more therapeutic properties for some important species have been found, according to recent studies.<sup>9–12</sup> Concerning the cited Chinese references, most of these have been published during the last 20 years, but a few important books, for example, "The Chinese Medical Fungi"<sup>9</sup> and "Icons of Medicinal Fungi from China,"<sup>14</sup> are included in the references.

## II. RESULTS

Below is a critical alphabetical list of all known medicinal mushrooms and fungi of China with indications of their therapeutic effects according to the practice of Traditional Chinese Medicine, as well as in Chinese scientific publications up until 2009.

1. *Abortiporus biennis* (Bull.) Singer [=*Daedalea biennis* (Bull.) Fr.]: antitumor<sup>4,13</sup>
2. *Agaricus arvensis* Schaeff.: treating lumbago and skelalgia, limb numbness<sup>3</sup>
3. *Agaricus bisporus* (J.E. Lange) Imbach: promoting digestion, lowering blood pressure, antibacterial, antitumor<sup>13</sup>
4. *Agaricus brasiliensis* Wasser et al. [=*A. blazei* Murrill sensu Heinem.]: lowering blood pressure, antitumor<sup>14,15</sup>
5. *Agaricus campestris* L.: treating anemia, dermatophytosis and hypopepsia, antibacterial, antitumor<sup>4,13</sup>
6. *Agaricus dulcidulus* Schulzer [=“*Agaricus rubellus* (Gillet) Sacc.”]: antitumor, promoting digestion<sup>16</sup>
7. *Agaricus micromegethus* Peck: antitumor, promoting digestion<sup>13,16</sup>
8. *Agaricus placomyces* Peck: antitumor<sup>4,13</sup>
9. *Agaricus subrufescens* Peck: antitumor<sup>6,13</sup>
10. *Agaricus subrutilescens* (Kauffman) Hotson et D.E. Stuntz: antitumor<sup>4,13</sup>
11. *Agrocybe cylindracea* (DC.) Gillet [=*A. aegerita* (V. Brig.) Singer]: inducing diuresis, invigorating the spleen, improving immunity, antitumor, antidiarrheal, antifungal<sup>4,6,16,17</sup>
12. *Agrocybe dura* (Bolton) Singer: antibacterial, antifungal<sup>4</sup>

SPECIES DIVERSITY AND UTILIZATION OF MEDICINAL MUSHROOMS AND FUNGI IN CHINA (REVIEW)

13. *Agrocybe erebia* (Fr.) Kühner ex Singer: antitumor<sup>6</sup>
14. *Agrocybe paludosa* (J.E. Lange) Kühner et Romagn.: antitumor<sup>4</sup>
15. *Agrocybe pediades* (Fr.) Fayod: antitumor<sup>6</sup>
16. *Agrocybe praecox* (Pers.) Fayod: antitumor<sup>4</sup>
17. *Albatrellus confluens* (Alb. et Schwein.) Kotl. et Pouzar: lowering cholesterol<sup>16</sup>
18. *Albatrellus ovinus* (Schaeff.) Kotl. et Pouzar: reducing effects of Alzheimer's Disease<sup>16</sup>
19. *Aleurodiscus amorphus* Rabenh.: antitumor<sup>6</sup>
20. *Aleurodiscus mirabilis* (Berk. et M.A. Curtis) Höhn.: antibacterial<sup>18</sup>
21. *Amanita avellaneosquamosa* (S. Imai) S. Imai: treating lumbago and skelalgia, limb numbness (under the name of *A. agglutinata* (Berk. et M.A. Curtis) Lloyd and *Amanitopsis volvata* (Peck) Sacc.)<sup>3,19</sup>
22. *Amanita griseofolia* Zhu L. Yang: antieczematic (under the name of *A. inaurata* Secr. ex Gillet)<sup>4</sup>
23. *Amanita hemibapha* (Berk. et Broome) Sacc.: antitumor (under the name of "*A. caesarea* (Scop.) Pers.")<sup>4,13</sup>
24. *Amanita manginiana* sensu W.F. Chiu: antitumor (under the name of *A. phalloides* (Fr.) Link)<sup>4</sup>
25. *Amanita muscaria* (L.) Lam.: antitumor, treating insomnia<sup>4</sup>
26. *Amauroderma rude* (Berk.) Torrend: anti-inflammatory, eliminating blood stasis<sup>3</sup>
27. *Amauroderma rugosum* (Blume et T. Nees) Torrend: anti-inflammatory, inducing diuresis, improving the stomach function, antitumor<sup>17</sup>
28. *Ampulloclitocybe clavipes* (Pers.) Redhead et al. [= *Clitocybe clavipes* (Pers.) P. Kumm.]: antitumor<sup>6</sup>
29. *Antrodia albida* (Fr.) Donk: antitumor<sup>13</sup>
30. *Antrodia xantha* (Fr.) Ryvarden [= *Poria xantha* (Fr.) Cooke]: antibacterial, antitumor<sup>6</sup>
31. *Antrodiella zonata* (Berk.) Ryvarden [= *Coriolus consors* (Berk.) Imazeki; the materials of this name mentioned in the Chinese publications were examined, and they in fact represent *A. zonata*]: antibacterial, antitumor<sup>4,13</sup>
32. *Armillaria borealis* Marxm. et Korhonen [= *Armillariella mellea* (Vahl) P. Karst. s.l.; materials of this name in the Chinese reports were examined, and, according to our study, they in fact represent four species of *Armillaria*. Therefore, we treat them as *A. borealis* and the following three species]: tranquilizing, improving immunity, treating neurasthenia, insomnia, limb numbness<sup>3,4</sup>
33. *Armillaria gallica* Marxm. et Romagn [= *Armillariella mellea* s.l.]: treating neurasthenia, insomnia, limb numbness<sup>20-22</sup>
34. *Armillaria mellea* (Vahl) P. Kumm. s. str.: improving immunity, treating insomnia, antitumor<sup>4</sup>
35. *Armillaria ostoyae* (Romagn.) Herink [= *Armillariella mellea* s.l.]: tranquilizing, improving immunity, treating neurasthenia, insomnia, limb numbness<sup>23</sup>
36. *Armillaria sinapina* Bérubé et Dessur. [= *Armillariella mellea* s.l.]: tranquilizing, improving immunity, treating neurasthenia, insomnia, limb numbness<sup>23</sup>
37. *Armillaria tabescens* (Scop.) Emel [= *Armillariella tabescens* (Scop.) Singer]: treating hepatopathy, antitumor<sup>3,4</sup>
38. *Astraeus hygrometricus* (Pers.) Morgan [= *Gastrum hygrometricum* Pers.]: hemostasis, treating chilblain<sup>3</sup>
39. *Auricularia auricula-judae* (Bull.) Quél. [= *A. auricula* (L. ex Hook.) Underw.]: antiulcer, replenishing the blood, moistening the lung, hemostasis, lowering blood glucose<sup>3,24,25</sup>
40. *Auricularia delicata* (Fr.) Henn.: replenishing the blood, moistening the lung, hemostasis<sup>4,23</sup>
41. *Auricularia mesenterica* (Dicks.) Pers.: antitumor<sup>4</sup>
42. *Auricularia polytricha* (Mont.) Sacc.: promoting blood circulation, treating hemorrhoids, analgesic, antitumor<sup>3,4</sup>
43. *Bankera fuligineoalba* (J.C. Schmidt) Coker et Beers ex Pouzar [= *Sarcodon fuligineoalbus* (J.C. Schmidt) Quél.]: anti-inflammatory, antitumor<sup>3,6</sup>
44. *Battarrea phalloides* (Dicks.) Pers.: detumescence, hemostasis, clearing the lung, relieving sore throat, detoxication<sup>3</sup>
45. *Battarrea stevenii* (Libosch.) Fr.: detumescence, hemostasis, clearing the lung, relieving sore throat, detoxication<sup>3</sup>
46. *Beauveria bassiana* (Bals.-Criv.) Vuill.: antifungal, treating diabetes<sup>4</sup>
47. *Bjerkandera adusta* (Willd.) P. Karst.: antitumor<sup>6</sup>
48. *Bjerkandera fumosa* (Pers.) P. Karst.: antitumor<sup>3</sup>
49. *Boletinus cavipes* (Klotzsch) Kalchbr.: treating lumbago and skelalgia, deadlimb<sup>3</sup>
50. *Boletopsis leucomelaena* (Pers.) Fayod: treating asthma, rheumatism, psoriasis<sup>21</sup>
51. *Boletus aereus* Bull.: invigorating spleen and resolving food stagnation, invigorating the kidney<sup>16</sup>
52. *Boletus appendiculatus* Schaeff.: treating lumbago and skelalgia, limb numbness<sup>26</sup>

53. *Boletus brunneissimus* W.F. Chiu: relieving fever<sup>16</sup>
54. *Boletus edulis* Bull.: treating lumbago and skelalgia, deadlimb, antitumor<sup>27,28</sup>
55. *Boletus erythropus* Pers.: antitumor<sup>4</sup>
56. *Boletus impolitus* Fr.: treating limb numbness, antitumor<sup>29</sup>
57. *Boletus pulverulentus* Opat.: antitumor<sup>4</sup>
58. *Boletus regius* Krombh.: antitumor<sup>4</sup>
59. *Boletus rubellus* Krombh.: antitumor<sup>4</sup>
60. *Boletus satanas* Lenz: antitumor<sup>4</sup>
61. *Boletus speciosus* Frost: promoting digestion, antitumor<sup>3,30</sup>
62. *Boletus violaceofuscus* W.F. Chiu: antitumor<sup>4</sup>
63. *Bondarzewia berkeleyi* (Fr.) Bondartsev et Singer: detoxication<sup>14</sup>
64. *Bondarzewia montana* (Quél.) Singer: detoxication<sup>4</sup>
65. *Bovista nigrescens* Pers.: hemostasis<sup>14</sup>
66. *Bovista plumbea* Pers.: hemostasis, detumescence, detoxication<sup>3</sup>
67. *Bovista pusilla* (Batsch) Pers. [= *Lycoperdon pusillum* Batsch]: detumescence, hemostasis, detoxification, clearing the lung, relieving sore throat<sup>3</sup>
68. *Bovistella radicata* (Durieu et Mont.) Pat.: hemostasis, detumescence<sup>3</sup>
69. *Bovistella sinensis* Lloyd: hemostasis, detumescence, disinfecting, clearing the lung<sup>3</sup>
70. *Bulgaria inquinans* (Pers.) Fr.: reducing blood viscosity, antitumor<sup>31,32</sup>
71. *Calocybe gambosa* (Fr.) Donk [= *Tricholoma gambosum* (Fr.) Gillet]: invigorating qi, thermolysis<sup>3</sup>
72. *Calostoma japonica* Henn.: antitumor<sup>4</sup>
73. *Calvatia candida* (Rostk.) Hollós: relieving fever, hemostasis<sup>4</sup>
74. *Calvatia craniiformis* (Schwein.) Fr.: anti-inflammatory, detumescence, analgesic<sup>3</sup>
75. *Calvatia cyathiformis* (Bosc) Morgan: detumescence, hemostasis, detoxication<sup>6</sup>
76. *Calvatia gigantea* (Batsch) Lloyd: antitumor, detumescence, analgesic, clearing the lung, detoxification, treating dermatomycosis<sup>3,20</sup>
77. *Calvatia lilacina* (Berk. et Mont.) Lloyd: hemostasis, detumescence, detoxication<sup>3</sup>
78. *Calvatia tatreensis* Hollós: hemostasis, anti-inflammatory<sup>6</sup>
79. *Cantharellula umbonata* (J.F. Gmel.) Singer: antitumor<sup>6</sup>
80. *Cantharellus cibarius* Fr.: improving eyesight, promoting digestion, treating respiratory and gastrointestinal tract infections, antitumor<sup>33</sup>
81. *Cantharellus minor* Peck: improving eyesight, improving the lung, invigorating the stomach<sup>4,13</sup>
82. *Cantharellus tubaeformis* Fr.: antibacterial<sup>4</sup>
83. *Castanoporus castaneus* (Lloyd) Ryvarden: antitumor<sup>6</sup>
84. *Cerrena unicolor* (Bull.) Murrill: treating chronic bronchitis, antitumor<sup>3,4</sup>
85. *Chlorophyllum agaricoides* (Czern.) Vellinga [= *Secotium agaricoides* (Czern.) Hollós]: detumescence, hemostasis, clearing the lung, relieving sore throat, detoxication<sup>3</sup>
86. *Chroogomphus rutilus* (Schaeff.) O.K. Miller: treating neurodermatitis<sup>6</sup>
87. *Clavaria zollingeri* Lév.: antitumor<sup>4</sup>
88. *Claviceps purpurea* (Fr.) Tul.: treating postpartum hemorrhage, migraine<sup>3,34</sup>
89. *Clitocybe candicans* (Pers.) P. Kumm: antibacterial<sup>16</sup>
90. *Clitocybe candida* Bres. [= *Leucopaxillus candidus* (Bres.) Singer]: antibacterial<sup>4</sup>
91. *Clitocybe eucalyptorum* Cleland: antifungal<sup>21</sup>
92. *Clitocybe fragrans* Sowerby: antitumor<sup>4</sup>
93. *Clitocybe geotropa* (Bull.) Quél.: antitumor<sup>4</sup>
94. *Clitocybe hydrogramma* (Bull. et A. Venturi) P. Kumm.: antibiotics<sup>21</sup>
95. *Clitocybe infundibuliformis* (Schaeff.) Fr.: antitumor<sup>4</sup>
96. *Clitocybe nebularis* (Batsch) P. Kumm.: antibacterial, antitumor<sup>4,35</sup>
97. *Clitocybe odora* (Bull.) P. Kumm.: antitumor<sup>4</sup>
98. *Collybia maculata* (Alb. et Schwein.) P. Kumm.: antifungal, antiviral<sup>16</sup>
99. *Coprinus micaceus* (Bull.) Fr.: [= *Coprinellus micaceus* (Bull.) Vilgalys et al.]: antitumor<sup>4</sup>
100. *Coprinus radians* (Desm.) Fr. [= *Coprinellus radians* (Desm.) Vilgalys et al.]: antitumor<sup>4</sup>
101. *Coprinus atramentarius* (Bull.) Fr. [= *Coprinopsis atramentaria* (Bull.) Redhead et al.]: promoting digestion, eliminating phlegm, detoxification, detumescence, antitumor<sup>3,4</sup>
102. *Coprinus macrorhizus* (Pers.) Rea [= *Coprinopsis cinerea* (Schaeff.) Redhead et al.]: antitumor<sup>6</sup>
103. *Coprinus friesii* Quél. [= *Coprinopsis friesii* (Quél.) Redhead et al.]: antitumor<sup>4</sup>
104. *Coprinus insignis* Peck [= *Coprinopsis insignis* (Peck) Redhead et al.]: antitumor<sup>6</sup>
105. *Coprinus lagopus* (Fr.) Fr. [= *Coprinopsis lagopus* (Fr.) Redhead et al.]: antitumor<sup>6</sup>
106. *Coprinus comatus* (O.F. Müll.) Pers.: promoting digestion, treating hemorrhoids and diabetes, antitumor, antifungal<sup>3,36,37</sup>
107. *Coprinus sterquilinus* (Fr.) Fr.: promoting diges-

SPECIES DIVERSITY AND UTILIZATION OF MEDICINAL MUSHROOMS AND FUNGI IN CHINA (REVIEW)

- tion, eliminating phlegm, detoxification, detumescence, antitumor<sup>3,4</sup>
108. *Cordyceps brasiliensis* Henn.: improving immunity<sup>38</sup>
109. *Cordyceps crassispore* M. Zang et al.: tranquilizing<sup>14</sup>
110. *Cordyceps forquignonii* Quél. [= *Cordyceps myrmecophila* Ces.]: reinforcing insufficiency, improving the lung and invigorating the kidney, treating hepatitis<sup>39</sup>
111. *Cordyceps gracilis* (Grev.) Durieu et Mont.: tranquilizing, invigorating the kidney, treating pulmonary diseases, antitumor<sup>38</sup>
112. *Cordyceps gunnii* (Berk.) Berk.: analgesic, lowering blood pressure, improving immunity<sup>40</sup>
113. *Cordyceps hawkesii* Gray: invigorating the kidney, hemostasis, resolving phlegm<sup>4,40</sup>
114. *Cordyceps kyusyuensis* A. Kawam.: invigorating the kidney, moistening the lung<sup>41</sup>
115. *Cordyceps liangshanensis* M. Zang, D. Liu et R. Hu: tranquilizing, invigorating the kidney, treating pulmonary diseases, antitumor<sup>38</sup>
116. *Cordyceps martialis* Speg.: invigorating the kidney and lung<sup>6</sup>
117. *Cordyceps memorabilis* (Ces.) Ces.: inhibiting the coagulation of platelets<sup>38</sup>
118. *Cordyceps militaris* (Fr.) Link: hemostasis and resolving phlegm, antitumor, antibacterial, invigorating the kidney, treating bronchitis<sup>34,42,43</sup>
119. *Cordyceps nutans* Pat.: invigorating the lung and kidney<sup>6,39</sup>
120. *Cordyceps ophioglossoides* (Ehrh.) Link: promoting blood circulation, regulating menstruation<sup>3,4</sup>
121. *Cordyceps oxycephala* Penz. et Sacc.: antitumor<sup>38</sup>
122. *Cordyceps polyarthra* Möller: reinforcing insufficiency, invigorating the lung and kidney<sup>39</sup>
123. *Cordyceps pruinosa* Petch: treating cardiovascular diseases<sup>38</sup>
124. *Cordyceps sinensis* (Berk.) Sacc.: tranquilizing, invigorating the kidney, treating pulmonary diseases, antitumor<sup>3,4,34</sup>
125. *Cordyceps sobolifera* (Hill ex Watson) Berk. et Broome: relieving fever, detoxification, treating diabetes<sup>3,39</sup>
126. *Cordyceps sphacocephala* (Klotzsch ex Berk.) Berk. et M.A. Curtis: reinforcing insufficiency, improving the lung and invigorating the kidney, hemostasis, resolving phlegm<sup>39</sup>
127. *Cordyceps taii* Z.Q. Liang et A.Y. Liu: antitumor<sup>38</sup>
128. *Cordyceps takaomontana* Yakush. et Kumaz.: antitumor and improving immunity<sup>38</sup>
129. *Cortinarius bovinus* Fr.: antitumor<sup>4</sup>
130. *Cortinarius cinnamomeus* (L.) Fr.: antitumor<sup>4</sup>
131. *Cortinarius collinitus* (Pers.) Fr.: antitumor<sup>4</sup>
132. *Cortinarius glutinosus* Peck: antitumor<sup>14</sup>
133. *Cortinarius hemitrichus* (Pers.) Fr.: antitumor<sup>4</sup>
134. *Cortinarius latus* (Pers.) Fr.: antitumor<sup>4</sup>
135. *Cortinarius lividoochraceus* (Berk.) Berk. [= *Cortinarius elatior* Fr.]: antitumor<sup>4</sup>
136. *Cortinarius mucifluus* Fr.: antitumor<sup>6</sup>
137. *Cortinarius pholidaeus* (Fr.) Fr.: antitumor<sup>4</sup>
138. *Cortinarius salor* Fr.: antitumor<sup>4</sup>
139. *Cortinarius sanguineus* (Wulfen) Fr.: antitumor<sup>4</sup>
140. *Cortinarius torvus* (Fr.) Fr.: antitumor<sup>6</sup>
141. *Cortinarius turmalis* Fr.: antitumor<sup>4</sup>
142. *Cortinarius vibratilis* (Fr.) Fr.: antitumor<sup>6</sup>
143. *Cortinarius violaceus* (L.) Gray: antitumor<sup>4</sup>
144. *Cryptoporus sinensis* Sheng H. Wu et M. Zang: treating asthma and tracheitis, antibacterial, anti-inflammatory<sup>44</sup>
145. *Cryptoporus volvatus* (Peck) Shear: treating asthma and tracheitis, antibacterial, anti-inflammatory<sup>3,20</sup>
146. *Cyathus heleneae* H.J. Brodie: antibacterial, antifungal<sup>21</sup>
147. *Cyathus stercoreus* (Schwein.) De Toni: treating gastropathy<sup>3</sup>
148. *Cyathus striatus* (Huds.) Willd.: antibacterial, treating gastropathy<sup>3</sup>
149. *Cyclomycetes tabacinus* (Mont.) Pat. [= *Inonotus tabacinus* (Mont.) G. Cunn.]: antitumor<sup>4</sup>
150. *Dacrymyces palmatus* (Schwein.) Burt: antitumor<sup>6</sup>
151. *Daedalea dickinsii* Yasuda [= *Trametes dickinsii* Berk. ex Cooke]: antitumor<sup>4</sup>
152. *Daedaleopsis tricolor* (Bull.) Bondartsev et Singer: antitumor<sup>13</sup>
153. *Daldinia concentrica* (Bolton) Ces. et De Not.: treating infantile convulsion<sup>16</sup>
154. *Dictyophora duplicata* (Bosc) E. Fisch.: treating dysentery, improving immunity, antiaging, bacteriostasis<sup>4,45</sup>
155. *Dictyophora indusiata* (Vent.) Desv. [= *Phallus indusiatus* Vent.]: treating dysentery, lowering cholesterol, antitumor<sup>4,34,46</sup>
156. *Dictyophora multicolor* Berk. et Broome: treating dermatophytosis, improving immunity, antiaging, bacteriostasis<sup>4,45</sup>
157. *Disciseda cervina* (Berk.) Hollós: anti-inflammatory hemostasis<sup>6</sup>
158. *Earliella scabrosa* (Pers.) Gilb. et Ryvarden [= *Trametes corrugata* (Pers.) Bres.]: promoting blood circulation, relieving itching<sup>4</sup>
159. *Engleromyces goetzei* Henn.: anti-inflammatory and antibacterial<sup>3</sup>
160. *Entoloma abortivum* (Berk. et M.A. Curtis)

- Donk [=*Rhodophylloides abortivum* (Berk. et M.A. Curtis) Singer]: antitumor<sup>4</sup>
161. *Entoloma clypeatum* (L.) P. Kumm.: antitumor<sup>4</sup>
162. *Entoloma sinuatum* (Bull.) P. Kumm.: antitumor<sup>4,13</sup>
163. *Fistulina hepatica* (Schaeff.) With.: antitumor and treating gastrointestinal diseases<sup>6,13</sup>
164. *Flammulina velutipes* (Curtis) Singer: lowering blood pressure, lowering cholesterol, antitumor<sup>20,47,48</sup>
165. *Flavodon flavus* (Klotzsch) Ryvarden [= *Hirschioporus flavus* (Klotzsch) Teng]: antitumor<sup>4</sup>
166. *Fomes fomentarius* (L.) J.J. Kickx [= *Pyropolyphorus fomentarius* (L.) Teng]: eliminating blood stasis, antitumor<sup>3,21,23</sup>
167. *Fomitiporia hartigii* (Allesch. et Schnabl) Fiasson et Niemelä [= *Phellinus hartigii* (Allesch. et Schnabl) Pat.]: antitumor<sup>4,49</sup>
168. *Fomitiporia punctata* (Fr.) Murrill [= *Fuscoporia punctata* (Fr.) G. Cunn.]: treating coronary artery diseases<sup>4</sup>
169. *Fomitiporia robusta* (P. Karst.) Fiasson et Niemelä [= *Phellinus robustus* (P. Karst.) Bourdot et Galzin]: antitumor<sup>6</sup>
170. *Fomitopsis officinalis* (Vill.) Bondartsev et Singer: inducing diuresis, treating gastropathy, detumescence, antitumor<sup>3,23</sup>
171. *Fomitopsis pinicola* (Sw.) P. Karst.: dispelling wind-evil, eliminating dampness, antitumor<sup>3,23</sup>
172. *Fomitopsis rosea* (Alb. et Schwein.) P. Karst.: antitumor<sup>6</sup>
173. *Ganoderma applanatum* (Pers.) Pat.: antitumor, antiviral, lowering blood glucose, improving immunity<sup>23,50</sup>
174. *Ganoderma australe* (Fr.) Pat. [= "Ganoderma tornatum" (Pers.) Bres.]: antitumor<sup>16</sup>
175. *Ganoderma boninense* Pat.: antitumor<sup>16</sup>
176. *Ganoderma capense* (Lloyd) Teng: relieving cough<sup>16</sup>
177. *Ganoderma formosanum* T.T. Chang et T. Chen: invigorating liver<sup>21</sup>
178. *Ganoderma lobatum* (Schwein.) G.F. Atk.: antitumor<sup>16</sup>
179. *Ganoderma lucidum* (Curtis.) P. Karst.: antitumor, lowering blood pressure, improving immunity, antithrombotic<sup>3,23</sup>
180. *Ganoderma multipileum* Ding Hou: antitumor<sup>51</sup>
181. *Ganoderma resinaceum* Boud. [= "Ganoderma sessile" Murrill]: antitumor<sup>16</sup>
182. *Ganoderma sinense* J.D. Zhao, L.W. Hsu et X.Q. Zhang: antitumor, anti-inflammatory, inducing diuresis, invigorating the stomach<sup>3</sup>
183. *Ganoderma tenuie* J.D. Zhao et al.: tranquilizing, treating hepatitis<sup>6</sup>
184. *Ganoderma tropicum* (Jungh.) Bres.: treating coronary artery disease<sup>6</sup>
185. *Ganoderma tsugae* Murrill: calming nerves and invigorating the liver, antitumor<sup>6,52,53</sup>
186. *Geastrum fimbriatum* Fr.: anti-inflammatory, hemostasis, detoxication<sup>6</sup>
187. *Geastrum rufescens* Pers.: hemostasis<sup>54</sup>
188. *Geastrum saccatum* Fr.: hemostasis<sup>54</sup>
189. *Geastrum triplex* Jungh.: hemostasis, disinfecting, clearing the lung, relieving sore throat, detoxication<sup>3</sup>
190. *Geastrum velutinum* Morgan: hemostasis, detoxication<sup>14</sup>
191. *Gibberella fujikuroi* (Sawada) Wollenw.: relieving itching, treating dermatosis<sup>55</sup>
192. *Gloeophyllum sepiarium* (Wulfen) P. Karst.: antitumor<sup>23</sup>
193. *Gloeophyllum subferrugineum* (Berk.) Bondartsev et Singer: eliminating dampness<sup>4</sup>
194. *Gloeophyllum trabeum* (Pers.) Murrill: antitumor<sup>4</sup>
195. *Gloeostereum incarnatum* S. Ito et S. Iami: improving immunity, antibacterial, antitumor<sup>34,56,57</sup>
196. *Grifola frondosa* (Dicks.) Gray [= *Polyporus frondosus* (Dicks.) Fr.]: treating hepatopathy and diabetes, antihypertensive, antitumor<sup>58-60</sup>
197. *Gymnopilus aeruginosus* (Peck) Singer: antitumor<sup>4</sup>
198. *Gymnopilus liquiritiae* (Pers.) P. Karst.: antitumor<sup>4</sup>
199. *Gymnopilus spectabilis* (Fr.) Singer: antitumor<sup>61</sup>
200. *Gymnopus confluens* (Pers.) Antonín, Halling et Noordel.: antibacterial, antifungal<sup>21</sup>
201. *Gyroporus castaneus* (Bull.) Quél.: antitumor<sup>4</sup>
202. *Halorosellinia oceanica* (S. Schatz) Whalley et al.: antifungal<sup>21</sup>
203. *Hebeloma laterinum* (Batsch) Vesterh. [= *Hebeloma senescens* (Batsch) Berk. et Broome]: antibacterial<sup>21</sup>
204. *Hericium coralloides* (Scop.) Pers.: treating gastric ulcer and neurasthenia, promoting digestion<sup>3,20,23</sup>
205. *Hericium erinaceus* (Bull.) Pers.: antitumor, antithrombotic, antiaging, lowering blood glucose and cholesterol, improving immunity<sup>20,62-64</sup>
206. *Heterobasidion parviporum* Niemelä et Korhonen [= *Fomitopsis annosa* (Fr.) P. Karst.]: antibacterial<sup>4</sup>
207. *Hexagonia apiaria* (Pers.) Fr.: tonifying intestines, promoting digestion<sup>3,4</sup>
208. *Hohenbuehelia grisea* (Peck) Singer [= *Pleurotus griseus* Peck]: antibacterial, antitumor<sup>21</sup>
209. *Hohenbuehelia petaloides* (Bull.) Schulzer

SPECIES DIVERSITY AND UTILIZATION OF MEDICINAL MUSHROOMS AND FUNGI IN CHINA (REVIEW)

- [=*Hohenbuehelia geogenia* (DC.) Singer]: antitumor<sup>6</sup>
210. *Hydnus repandum* L.: antitumor<sup>21</sup>
211. *Hypholoma fasciculare* (Fr.) P. Kumm. [= *Naematoloma fasciculare* (Fr.) P. Karst.]: antitumor<sup>4</sup>
212. *Hypholoma sublateritium* (Schaeff.) Quél. [= *Naematoloma sublateritium* (Schaeff.) P. Karst.]: antitumor<sup>4</sup>
213. *Hypocreopsis peltata* (Jungh.) Sacc.: antibacterial, antifungal<sup>21</sup>
214. *Hypocrella bambusae* (Berk. et Broome) Sacc.: treating gastropathy, arthritis, psoriasis, vitiligo<sup>3,4,63</sup>
215. *Hypomyces chrysospermus* Tul. et C. Tul.: hemostasis<sup>3</sup>
216. *Hypomyces hyalinus* (Schwein.) Tul. et C. Tul.: detoxifying mycetism<sup>6</sup>
217. *Hypoxyylon fragiforme* (Pers.) J.J. Kickx: anti-HIV<sup>3</sup>
218. *Hypsizygus marmoreus* (Peck) H.E. Bigelow: hemagglutination inhibition<sup>66</sup>
219. *Hypsizygus ulmarius* (Bull.) Redhead [= *Lyophyllum ulmarius* (Bull.) Kühner]: antitumor<sup>35</sup>
220. *Inocutis levis* (P. Karst.) Y.C. Dai et Niemelä: antitumor, treating diabetes<sup>67</sup>
221. *Inocutis rheades* (Pers.) Fiasson et Niemelä [= *Xanthochrous rheades* (Pers.) Pat.]: hemostasis, analgesic, treating hemorrhoids<sup>4</sup>
222. *Inocutis tamaricis* (Pat.) Fiasson et Niemelä: hemostasis, analgesic, treating hemorrhoids<sup>4</sup>
223. *Inocybe rimosa* (Bull.) P. Kumm. [= *Inocybe fastigiata* (Schaeff.) Quél.]: antitumor, antieczematic<sup>4,16</sup>
224. *Inonotus cuticularis* (Bull.: Fr.) P. Karst.: hemostasis, antitumor<sup>4,49</sup>
225. *Inonotus hispidus* (Bull.) P. Karst. [= *Xanthochrous hispidus* (Bull.) Pat.]: improving digestion, hemostasis, antitumor<sup>4,23</sup>
226. *Inonotus obliquus* (Ach. ex Pers.) Pilát: improving immunity, lowering blood glucose, antitumor<sup>23</sup>
227. *Inonotus radiatus* (Sowerby) P. Karst.: antitumor<sup>21</sup>
228. *Irpea lactea* (Fr.) Fr. s.l.: treating oliguria, edema, and lumbago, lowering blood pressure<sup>23,68,69</sup>
229. *Ischnoderma resinosum* (Fr.) P. Karst.: antitumor<sup>4</sup>
230. *Laccaria amethystea* (Bull.) Murrill: antitumor<sup>4,6</sup>
231. *Laccaria laccata* (Scop.) Cooke: antitumor<sup>4,6</sup>
232. *Laccaria proxima* (Boud.) Pat.: antitumor<sup>4,6</sup>
233. *Laccaria tortilis* (Bolton) Cooke: antitumor<sup>6</sup>
234. *Lactarius chihuensis* W.F. Chiu: antitumor<sup>4</sup>
235. *Lactarius deliciosus* (L.) Gray: antitumor<sup>70</sup>
236. *Lactarius hatsudake* Tanaka: antitumor<sup>4,6</sup>
237. *Lactarius hygrophoroides* Berk. et M.A. Curtis: antitumor<sup>4</sup>
238. *Lactarius lignyotus* Fr.: antitumor<sup>21</sup>
239. *Lactarius pallidus* Pers.: antitumor<sup>6</sup>
240. *Lactarius picinus* Fr.: treating lumbago and skelalgia, limb numbness<sup>3</sup>
241. *Lactarius piperatus* (L.) Pers.: treating lumbago and skelalgia, limb numbness, antitumor<sup>3,4</sup>
242. *Lactarius subvellereus* Peck var. *subdistans* Hesler et A.H. Sm.: antitumor<sup>4</sup>
243. *Lactarius subvellereus* var. *subvellereus*: tonifying meridians and collaterals, antitumor<sup>3,4</sup>
244. *Lactarius subzonarius* Hongo: antitumor<sup>4</sup>
245. *Lactarius vellereus* (Fr.) Fr.: treating lumbago and skelalgia, limb numbness, antitumor<sup>3,4</sup>
246. *Lactarius volvulus* (Fr.) Fr.: antitumor<sup>4</sup>
247. *Lactarius zonarius* (Bull.) Fr. [= *Lactarius insulsus* (Fr.) Fr.]: treating lumbago and skelalgia, limb numbness<sup>3</sup>
248. *Laeticisticum roseum* (Pers.) Donk [= *Aleurodiscus roseus* (Pers.) Höhn. et Litsch.]: antibiotics<sup>21</sup>
249. *Laetiporus sulphureus* (Bull.) Murrill: invigorating qi and replenishing blood, antitumor<sup>13</sup>
250. *Lampteromyces japonicus* (Kawam.) Singer: antitumor<sup>4,6</sup>
251. *Lasiosphaeria fenzlii* Rchb.: hemostasis, detumescence, clearing the lung, detoxification, relieving sore throat<sup>3,34</sup>
252. *Lentinellus cochleatus* (Pers.) P. Karst.: antitumor<sup>6</sup>
253. *Lentinellus micheneri* (Berk. et M.A. Curtis) Pegler [= *Lentinus omphalodes* (Fr.) Fr.]: antibacterial<sup>21</sup>
254. *Lentinellus ursinus* (Fr.) Kühner [= *Lentinus ursinus* (Fr.) Fr.]: antifungal<sup>21</sup>
255. *Lentinula edodes* (Berk.) Pegler: improving immunity, lowering cholesterol and blood pressure, antitumor<sup>71-73</sup>
256. *Lentinus crinitus* (L.) Fr.: antibacterial, antifungal<sup>21</sup>
257. *Lentinus strigosus* (Schwein.) Fr. [= *Panus rufid* Fr.]: treating scabs, antitumor<sup>4,6</sup>
258. *Lentinus tigrinus* (Bull.) Fr.: lowering blood glucose<sup>21</sup>
259. *Lentinus tuberregium* (Fr.) Fr. [= *Pleurotus tuberregium* (Rumph. : Fr.) Singer]: antitumor, antibacterial, treating cardiovascular and neurological diseases<sup>6,74,75</sup>
260. *Lenzites betulina* (L.) Fr.: dispelling cold, relaxing tendons<sup>3,4</sup>
261. *Lepista irina* (Fr.) H.E. Bigelow: antitumor<sup>6</sup>
262. *Lepista luscina* (Fr.) Singer: antitumor<sup>4</sup>
263. *Lepista nuda* (Bull.) Cooke: antibacterial, antitumor<sup>4,76</sup>
264. *Lepista sordida* (Fr.) Singer: calming nerves, invigorating the liver<sup>77</sup>

265. *Leucoagaricus carneifolius* (Gillet) Wasser: antibiotics<sup>21</sup>
266. *Leucopaxillus giganteus* (Sowerby) Singer: invigorating qi, relieving fever, treating colds and flu, tuberculosis<sup>3,17</sup>
267. *Lycoperdon asperum* (Lév.) Speg.: hemostasis, antibacterial<sup>6,78</sup>
268. *Lycoperdon fuscum* Bonord.: hemostasis<sup>16</sup>
269. *Lycoperdon mammiforme* Pers.: hemostasis, antibacterial<sup>6,78</sup>
270. *Lycoperdon perlatum* Pers.: detumescence, hemostasis, antibacterial, clearing the lung, relieving sore throat, detoxication<sup>78</sup>
271. *Lycoperdon pyriforme* Schaeff.: antitumor, antibacterial, hemostasis, clearing the lung, relieving sore throat, detoxication<sup>78</sup>
272. *Lycoperdon umbrinum* Pers.: anti-inflammatory, hemostasis, antibacterial<sup>6,78</sup>
273. *Lycoperdon utriforme* Bull. [= *Calvatia caelata* (Bull.) Morgan]: anti-inflammatory, hemostasis, antibacterial, detoxication<sup>6,78</sup>
274. *Lycoperdon wrightii* Berk. et M.A. Curtis: hemostasis, anti-inflammatory, antibacterial, detoxication<sup>78</sup>
275. *Lyophyllum decastes* (Fr.) Singer [= *Lyophyllum aggregatum* (Schaeff.) Kühner]: antitumor<sup>6</sup>
276. *Lyophyllum semitale* (Fr.) Kühner ex Kalamees: antitumor<sup>35</sup>
277. *Lyophyllum transforme* (Britzelm.) Singer: antitumor<sup>6</sup>
278. *Lysurus mokusin* (L.) Fr.: antitumor<sup>4</sup>
279. *Macrocybe gigantea* (Massee) Pegler et Lodge [= *Tricholoma giganteum* Massee]: antitumor<sup>21</sup>
280. *Macrocybe lobayensis* (R. Heim) Pegler et Lodge [= *Tricholoma lobayense* R. Heim]: improving immunity, antitumor<sup>21</sup>
281. *Macrolepiota procera* (Scop.) Singer [= *Lepiota procera* (Scop.) Gray]: promoting digestion<sup>24</sup>
282. *Marasmiellus ramealis* (Bull.) Singer: antibacterial, antitumor<sup>13</sup>
283. *Marasmius androsaceus* (L.) Fr.: treating arthritis, antitumor<sup>3,4</sup>
284. *Marasmius conigenus* (Pers.) P. Karst.: antibacterial<sup>21</sup>
285. *Marasmius oreades* (Bolton) Fr.: treating lumbago and skelalgia, limb numbness, antitumor<sup>3</sup>
286. *Megacollybia platyphylla* (Pers.) Kotl. et Pouzar [= *Tricholomopsis platyphylla* (Pers.) Singer]: antitumor<sup>4,6</sup>
287. *Meripilus giganteus* (Pers.) P. Karst. [= *Polyporus giganteus* (Pers.) Fr.]: antitumor<sup>4,6</sup>
288. *Monascus purpureus* Went.: relieving dyspepsia, promoting blood circulation, invigorating the spleen, analgesic<sup>3</sup>
289. *Monascus ruber* Tiegh.: lowering serum lipids<sup>21</sup>
290. *Montagnea arenaria* (DC.) Zeller: anti-inflammatory, hemostasis<sup>6</sup>
291. *Montagnea tenuis* (Pat.) Teng: anti-inflammatory, hemostasis<sup>6</sup>
292. *Morchella angusticeps* Peck: treating gastrointestinal disease<sup>13</sup>
293. *Morchella crassipes* (Vent.) Pers.: improving digestion, dissipating phlegm<sup>3,13</sup>
294. *Morchella deliciosa* Fr.: improving digestion, dissipating phlegm<sup>3,13</sup>
295. *Morchella esculenta* (L.) Pers.: tonifying intestines, dissipating phlegm, invigorating the kidney, antitumor<sup>34,79</sup>
296. *Morchella hortensis* Boud.: antitumor<sup>80</sup>
297. *Morchella vulgaris* (Pers.) Boud. [= *M. conica* Pers.]: tonifying intestines, dissipating phlegm<sup>3</sup>
298. *Mycena alcalina* (Fr.) P. Kumm.: antitumor<sup>6</sup>
299. *Mycena galericulata* (Scop.) Gray: antitumor<sup>6</sup>
300. *Mycena haematopus* (Pers.) P. Kumm.: antitumor<sup>6</sup>
301. *Mycena pura* (Pers.) P. Kumm.: antitumor<sup>6</sup>
302. *Mycena roseomarginata* Hongo: antitumor<sup>6</sup>
303. *Mycena subaquosa* A.H. Sm.: antitumor<sup>6</sup>
304. *Mycena viridimarginata* P. Karst.: antibiotics<sup>21</sup>
305. *Mycenastrum corium* (Guers.) Desv.: detumescence, hemostasis, detoxification, relieving sore throat<sup>3</sup>
306. *Mycetinis scorodonius* (Fr.) A.W. Wilson [= *Marasmius scorodonius* (Fr.) Fr.]: antibacterial, antifungal<sup>21</sup>
307. *Neobulgaria pura* (Pers.) Petr.: antibiotics<sup>21</sup>
308. *Neolentinus adhaerens* (Alb. et Schwein.) Redhead et Ginns [= *Lentinus adhaerens* (Alb. et Schwein.) Fr.]: antitumor<sup>6</sup>
309. *Neolentinus lepideus* (Fr.) Redhead et Ginns [= *Lentinus lepideus* (Fr.) Fr.]: antitumor<sup>4</sup>
310. *Nidula niveotomentosa* (Henn.) Lloyd: antifungal<sup>16</sup>
311. *Oligoporus obductus* (Berk.) Gilb. & Ryvarden [= " *Polyporus albicans* (Imazeki) Teng "]: antitumor<sup>4</sup>
312. *Omphalia lapidescens* (Horan.) Cohn et J. Schröd.: antitumor, anthelmintic action, improving immunity, relieving fever<sup>3,4,21,34</sup>
313. *Omphalina mutila* (Fr.) P.D. Orton [= *Pleurotus mutilus* (Fr.) Gillet]: antibacterial<sup>21</sup>
314. *Omphalotus illudens* (Schwein.) Bresinsky et Besl: antitumor<sup>21</sup>
315. *Omphalotus japonicus* (Kawam.) Kirchm. et

SPECIES DIVERSITY AND UTILIZATION OF MEDICINAL MUSHROOMS AND FUNGI IN CHINA (REVIEW)

- O.K. Mill. [=*Pleurotus japonicus* Kawam.]: antitumor<sup>21</sup>
316. *Omphalotus olearius* (DC.) Singer: antibiotics<sup>21</sup>
317. *Onnia flava* (Berk.) Y.C. Dai [=“*Inonotus sciurinus* Imazeki”]: antitumor<sup>4</sup>
318. *Onnia vallata* (Berk.) Y.C. Dai et Niemelä [=“*Inonotus orientalis* (Lloyd) Teng”]: antitumor<sup>4</sup>
319. *Oudemansiella mucida* (Schrad.) Höhn.: antifungal, antitumor<sup>6</sup>
320. *Oudemansiella radicata* (Relhan) Singer: lowering blood pressure, antitumor<sup>6,13</sup>
321. *Oxyporus corticola* (Fr.) Ryvarden [=*Poria corticola* (Fr.) Sacc.]: antibacterial, antitumor<sup>4</sup>
322. *Panellus serotinus* (Schrad.) Kühner [=*Panellus edulis* Y.C. Dai et al.]: improving immunity, antitumor<sup>31,42</sup>
323. *Panellus stipticus* (Bull.) P. Karst.: hemostasis, antitumor<sup>3,4</sup>
324. *Panus conchatus* (Bull.) Fr.: treating lumbago and skelalgia, limb numbness, antitumor<sup>3,4</sup>
325. *Parasola plicatilis* (Curtis) Redhead et al. [=*Coprinus plicatilis* (Curtis) Fr.]: antitumor<sup>4</sup>
326. *Paxillus involutus* (Batsch) Fr.: treating lumbago and skelalgia, limb numbness<sup>3</sup>
327. *Penicillium notatum* Westling: antibacterial<sup>55</sup>
328. *Penicillium solitum* Westling: treating dermatosis and onychomycosis<sup>55</sup>
329. *Perenniporia fraxinea* (Bull.: Fr) Ryvarden [=*Fomitopsis cytisina* (Berk.) Bondartsev et Singer]: antitumor<sup>4</sup>
330. *Perenniporia martii* (Berk.) Ryvarden [=*Fomes hornodemus* (Mont.) Cooke]: hemostasis, relieving itching<sup>4</sup>
331. *Perenniporia robbiniphila* (Murrill) Rvarden: improving immunity, antitumor<sup>23,83,84</sup>
332. *Perenniporia subacida* (Peck) Donk [=*Poria subacida* (Peck) Sacc.]: antitumor<sup>4</sup>
333. *Phaeolepiota aurea* (Matt.) Maire [=*Pholiota aurea* (Matt.) Pers.]: antitumor<sup>4</sup>
334. *Phaeolus schweinitzii* (Fr.) Pat. [=*Coltricia schweinitzii* (Fr.) G. Cunn.]: antitumor<sup>4,35</sup>
335. *Phallus impudicus* L.: analgesic, promoting blood circulation, treating rheumatism, clearing the lung<sup>3,13</sup>
336. *Phallus rubicundus* (Bosc) Fr.: detumescence<sup>3</sup>
337. *Phallus tenuis* (Fisch.) Kuntze: relieving fever, detoxification, detumescence<sup>16</sup>
338. *Phellinidium lamaense* (Murrill) Y.C. Dai [=*Phellinus lamaensis* (Murrill) Sacc. et Trotter]: antitumor<sup>4</sup>
339. *Phellinus baumii* Pilát [=“*P. linteus* (Berk. et M.A. Curtis) Teng”]: antitumor, lowering serum lipids, treating pneumonia<sup>23,85,86</sup>
340. *Phellinus conchatus* (Pers.) Quél.: promoting blood circulation, detoxification, improving immunity, antitumor<sup>4,87</sup>
341. *Phellinus fastuosus* (Lév.) Ryvarden: antibiotics<sup>21</sup>
342. *Phellinus gilvus* (Schwein.) Pat.: reinforcing the spleen, eliminating dampness, promoting digestion, antitumor, improving immunity<sup>4,87</sup>
343. *Phellinus himalayensis* Y.C. Dai [=“*P. pini* (Brot.) A. Ames”]: antitumor, improving immunity<sup>4</sup>
344. *Phellinus igniarius* (L.) Quél. s.l.: hemostasis, antitumor<sup>23,88,89</sup>
345. *Phellinus laevigatus* (Fr.) Bourdot et Galzin: antitumor, improving immunity<sup>23,87</sup>
346. *Phellinus laricis* (Jaczewski in Pilát) Pilát: antitumor, improving immunity<sup>23,87</sup>
347. *Phellinus lonicericola* Parmasto: antitumor, improving immunity<sup>23,87</sup>
348. *Phellinus lundellii* Niemelä: antitumor, improving immunity<sup>23,87</sup>
349. *Phellinus macgregorii* (Bres.) Ryvarden [=*Pyropolyporus macgregorii* (Bres.) Teng]: antitumor, improving immunity<sup>4,87</sup>
350. *Phellinus pini* (Brot.) A. Ames: antitumor, improving immunity<sup>4</sup>
351. *Phellinus rimosus* (Berk.) Pilát [=*Pyropolyporus rimosus* (Berk.) Teng]: invigorating qi, replenishing the blood, improving immunity, antitumor<sup>4,87</sup>
352. *Phellinus setulosus* (Lloyd) Imazeki: antitumor, improving immunity<sup>4</sup>
353. *Phellinus torulosus* (Pers.) Bourdot et Galzin: detoxification, treating anemia<sup>4</sup>
354. *Phellinus tremulae* (Bondartsev) Bondartsev et Borisov: antitumor, improving immunity<sup>23</sup>
355. *Phellinus tuberculosus* (Baumg.) Niemelä: antitumor, improving immunity<sup>23</sup>
356. *Phellinus vaninii* Ljub.: antitumor, improving immunity<sup>23,87</sup>
357. *Phellinus yamanoi* (Imazeki) Parmasto: antitumor, improving immunity<sup>23</sup>
358. *Phellorinia inquinans* Berk. [=*P. herculeana* (Pers.) Kreisel]: hemostasis, detumescence<sup>3</sup>
359. *Phlebia tremellosa* (Schrad.) Nakasone et Burds. [=*Merulius tremellosus* Schrad.]: antitumor, antibacterial<sup>4,21</sup>
360. *Pholiota adiposa* (Batsch) P. Kumm.: antibacterial, improving immunity<sup>4,90</sup>
361. *Pholiota flammans* (Batsch) P. Kumm.: antitumor<sup>4</sup>
362. *Pholiota highlandensis* (Peck) A.H. Sm. et Hesler [=*P. carbonaria* (Fr.) Singer]: antitumor<sup>6</sup>
363. *Pholiota lenta* (Pers.) Singer: antitumor<sup>6</sup>

364. *Pholiota lubrica* (Pers.) Singer: antitumor<sup>4</sup>
365. *Pholiota microspora* (Berk.) Sacc. [= *Ph. nameko* (T. Ito) S. Ito et S. Imai]: antibacterial, antitumor<sup>4,91</sup>
366. *Pholiota populnea* (Pers.) Kuyper et Tjall.-Beuk. [= *Ph. destruens* (Brond.) Gillet]: antitumor<sup>6</sup>
367. *Pholiota spumosa* (Fr.) Singer: antitumor<sup>6</sup>
368. *Pholiota terrestris* Overh.: antitumor<sup>6</sup>
369. *Phylloporia ribis* (Schumach.) Ryvarden: antitumor<sup>23</sup>
370. *Piptoporus betulinus* (Bull.) P. Karst.: antibacterial, antitumor<sup>92</sup>
371. *Pisolithus arhizus* (Scop.) Rauschert: antifungal<sup>21</sup>
372. *Pisolithus tinctorius* (Pers.) Coker et Couch: detumescence, hemostasis<sup>3</sup>
373. *Pleurotus citrinopileatus* Singer: improving immunity, lowering serum lipids, antitumor<sup>93-96</sup>
374. *Pleurotus cornucopiae* (Poulet) Rolland: antitumor<sup>4</sup>
375. *Pleurotus dryinus* (Pers.) P. Kumm. [= *Pleurotus corticatus* (Fr.) P. Kumm.]: treating emphysema<sup>6</sup>
376. *Pleurotus dryinus* var. *ferulaceae* Lanzi [= "Pleurotus ferulaceae Lanzi"]: treating gastropathy<sup>4</sup>
377. *Pleurotus ostreatus* (Jacq.) P. Kumm.: treating lumbago and skelalgia, limb numbness, improving the system of meridians and collaterals, antitumor<sup>3,4,20</sup>
378. *Pleurotus pulmonarius* (Fr.) Quél.: antitumor<sup>23</sup>
379. *Pleurotus spodoleucus* (Fr.) Quél.: antitumor<sup>4</sup>
380. *Podaxis pistillaris* (L.) Fr.: disinfecting, clearing the lung, relieving sore throat, detoxification, hemostasis<sup>3</sup>
381. *Podosstroma yunnanensis* M. Zang: hemostasis<sup>3</sup>
382. *Polyporus arcularius* (Batsch) Fr.: antitumor<sup>6,13</sup>
383. *Polyporus elegans* Bull.: tonifying meridians and collaterals<sup>3</sup>
384. *Polyporus melanopus* (Pers.) Fr. [= *Polyporellus melanopus* (Pers.) P. Karst.]: antitumor<sup>6</sup>
385. *Polyporus mori* (Pollini) Fr. [= *Favolus alveolaris* (DC.) Quél.]: antitumor<sup>4,13</sup>
386. *Polyporus rhinocerus* Cooke: treating hepatopathy and gastropathy<sup>97</sup>
387. *Polyporus squamosus* (Huds.) Fr.: improving immunity, antitumor<sup>6,13,21</sup>
388. *Polyporus umbellatus* (Pers.) Fr.: inducing diuresis, treating hepatopathy, antitumor<sup>3,23</sup>
389. *Polyporus varius* (Pers.) Fr.: dispelling wind-evil, tonifying meridians and collaterals<sup>6</sup>
390. *Postia guttulata* (Peck) Jülich [= *Tyromyces guttulatus* (Peck) Murrill]: antitumor<sup>6</sup>
391. *Postia lactea* (Fr.) P. Karst. [= *Tyromyces lacteus* (Fr.) Murrill]: antitumor<sup>6</sup>
392. *Pseudoclitocybe cyathiformis* (Bull.) Singer: antitumor<sup>6</sup>
393. *Pseudohydnum gelatinosum* (Scop.) P. Karst.: antitumor<sup>6</sup>
394. *Pseudomerulius aureus* (Fr.) Jülich [= *Merulius aureus* Fr.]: antitumor<sup>4</sup>
395. *Pulveroboletus ravenelii* (Berk. et M.A. Curtis) Murrill: treating lumbago and skelalgia, limb numbness, improving the system of meridians and collaterals<sup>3</sup>
396. *Pycnoporus cinnabarinus* (Jacq.) P. Karst. [= *Trametes cinnabarina* (Jacq.) Fr.]: relieving fever, anti-inflammatory, antitumor<sup>3,23</sup>
397. *Pycnoporus sanguineus* (L.) Murrill: antibacterial, antitumor, hemostasis, treating rheumatism, relieving itching<sup>4</sup>
398. *Pyrrhoderma adamantinum* (Berk.) Imazeki [= *Pyropolyphorus adamantinus* (Berk.) Teng.]: treating gastropathy<sup>4</sup>
399. *Ramaria apiculata* (Fr.) Donk: antitumor<sup>4</sup>
400. *Ramaria aurea* (Schaeff.) Quél.: antitumor<sup>6</sup>
401. *Ramaria flava* (Schaeff.) Quél.: antitumor<sup>4</sup>
402. *Ramaria formosa* (Pers.) Quél.: antitumor<sup>4</sup>
403. *Ramaria hemirubella* R.H. Petersen et M. Zang [= *R. botrytis* (Pers.) Ricken]: antitumor<sup>4</sup>
404. *Rhizopogon piceus* Berk. et M.A. Curtis: hemostasis<sup>3</sup>
405. *Rhizopogon roseolus* (Corda) Th. Fr. [= "*R. rubescens* (Tul. et C. Tul.) Tul. et C. Tul."]: antitumor<sup>6</sup>
406. *Rhodophyllus ater* Hongo: antitumor<sup>6</sup>
407. *Rhodophyllus murrayi* (Berk. et M.A. Curtis) Singer: antitumor<sup>6</sup>
408. *Rhodophyllus nidorosus* (Fr.) Quél.: antitumor<sup>6</sup>
409. *Rhodophyllus salmoneus* (Peck) Singer: antitumor<sup>6</sup>
410. *Rigidoporus ulmarius* (Sowerby) Imazeki [= *Fomitopsis ulmaria* (Sowerby) Bondartsev et Singer]: antitumor<sup>4</sup>
411. *Rozites caperatus* (Pers.) P. Karst.: antitumor<sup>4</sup>
412. *Russula adusta* (Pers.) Fr.: antitumor<sup>4</sup>
413. *Russula alutacea* (Fr.) Fr.: tonifying meridians and collaterals, antitumor<sup>3,4</sup>
414. *Russula aurea* Pers.: antitumor<sup>4</sup>
415. *Russula crustosa* Peck: antitumor<sup>4</sup>
416. *Russula cyanoxantha* (Schaeff.) Fr.: antitumor<sup>4</sup>
417. *Russula delica* Fr.: antitumor<sup>4</sup>
418. *Russula densifolia* Secr. ex Gillet: treating lumbago and skelalgia, deadlimb, antitumor<sup>4</sup>
419. *Russula emetica* (Schaeff.) Pers.: antitumor<sup>4</sup>
420. *Russula foetens* (Pers.) Pers.: treating lumbago and skelalgia, limb numbness, antitumor<sup>4</sup>
421. *Russula grata* Britzelm. [= *R. laurocerasi* Melzer]: antitumor<sup>4</sup>

422. *Russula integra* (L.) Fr.: treating lumbago and skelalgia, limb numbness<sup>3</sup>
423. *Russula lilacea* Quél.: antitumor<sup>4</sup>
424. *Russula nigricans* (Bull.) Fr.: treating lumbago and skelalgia, limb numbness, antitumor<sup>4</sup>
425. *Russula pseudodelica* J.E. Lange: antitumor<sup>4</sup>
426. *Russula queletii* Fr.: antibacterial<sup>21</sup>
427. *Russula rosea* Pers. [= *R. lepida* Fr.]: antitumor<sup>4</sup>
428. *Russula rubescens* Beardslee: antitumor<sup>4</sup>
429. *Russula sanguinea* (Bull.) Fr.: antitumor<sup>4</sup>
430. *Russula senecis* S. Imai: antitumor<sup>4</sup>
431. *Russula sororia* Fr.: antitumor<sup>4</sup>
432. *Russula subnigricans* Hongo: antitumor<sup>16</sup>
433. *Russula vesca* Fr.: promoting digestion, antitumor<sup>4</sup>
434. *Russula vinosa* Lindblad: treating anemia<sup>17</sup>
435. *Russula virescens* (Schaeff.) Fr.: improving eyesight, antitumor<sup>3,98</sup>
436. *Russula xerampelina* (Schaeff.) Fr.: antitumor<sup>4</sup>
437. *Saccharomyces cerevisiae* Meyen: improving digestion<sup>55</sup>
438. *Saccobolus violascens* Boud.: relieving fever<sup>16</sup>
439. *Sarcodon imbricatus* (L.) P. Karst.: lowering cholesterol<sup>6,98</sup>
440. *Sarcodon scabrosus* (Fr.) P. Karst.: antibacterial<sup>21</sup>
441. *Schizophyllum commune* Fr.: Fr.: treating neurasthenia, anti-inflammatory, antitumor<sup>3,20,99,100</sup>
442. *Schizostoma bailingshaoense* B. Liu et al.: hemostasis<sup>3</sup>
443. *Schizostoma dengkouense* B. Liu et al.: hemostasis<sup>3</sup>
444. *Schizostoma laceratum* Ehrenb. [= *Tulostoma laceratum* (Ehrenb.) Fr.]: disinfecting, hemostasis, detoxication<sup>3</sup>
445. *Schizostoma ulanbuhense* B. Liu et al.: hemostasis<sup>3</sup>
446. *Scleroderma areolatum* Ehrenb.: anti-inflammatory, hemostasis<sup>6</sup>
447. *Scleroderma bovista* Fr.: anti-inflammatory, hemostasis<sup>3</sup>
448. *Scleroderma cepa* Pers.: detoxification, detumescence, hemostasis<sup>4</sup>
449. *Scleroderma citrinum* Pers.: anti-inflammatory<sup>6</sup>
450. *Scleroderma flavidum* Ellis et Everh.: anti-inflammatory<sup>6</sup>
451. *Scleroderma polyrhizum* (J.F. Gmel.) Pers.: detumescence, hemostasis<sup>3</sup>
452. *Scleroderma verrucosum* (Bull.) Pers.: hemostasis<sup>6</sup>
453. *Sclerotinia sclerotiorum* (Lib.) de Bary: antitumor<sup>4,80</sup>
454. *Sepedonium ampullosporum* Damon: improving immunity<sup>21</sup>
455. *Serpula lacrymans* (Wulfen) P. Karst.: antitumor<sup>4,80</sup>
456. *Shiraia bambusicola* Henn.: relieving cough, tonifying meridians and collaterals, invigorating qi, replenishing the blood, promoting menstruation<sup>101</sup>
457. *Simblum gracile* Berk.: antitumor<sup>4</sup>
458. *Sparassis latifolia* Y.C. Dai et Zheng Wang: antibacterial<sup>23</sup>
459. *Sphaerulina oryzina* Hara [= *Cercospora oryzae* T. Miyake]: antitumor<sup>4</sup>
460. *Sporisorium sorghi* Ehrenb. ex Link: treating dysmenorrhea<sup>4</sup>
461. *Stereum gausapatum* (Fr.) Fr.: antitumor<sup>4</sup>
462. *Stereum hirsutum* (Wiilld.) Pers.: antitumor<sup>4,35</sup>
463. *Strobilomyces strobilaceus* (Scop.) Berk.: antitumor<sup>4,6</sup>
464. *Stropharia rugosoannulata* Farl. ex Murrill: antitumor<sup>16</sup>
465. *Stropharia squamosa* (Pers.) Quél.: antitumor<sup>4</sup>
466. *Suillus bovinus* (L.) Roussel: antitumor<sup>4,13</sup>
467. *Suillus granulatus* (L.) Roussel: treating Kaschin-Beck's disease, antitumor<sup>3,4</sup>
468. *Suillus grevillei* (Klotzsch) Singer: treating lumbago and skelalgia, limb numbness, antitumor<sup>3</sup>
469. *Suillus luteus* (L.) Roussel: treating Kaschin-Beck's disease, antitumor<sup>3,4</sup>
470. *Suillus viscidus* (L.) Fr. [= *Suillus aeruginascens* Secr. ex Snell = *S. laricinus* (Berk.) Kuntze]: antitumor<sup>4,49</sup>
471. *Taiwanofungus camphoratus* (M. Zang et C.H. Su) Sheng H. Wu et al.: antitumor<sup>102,103</sup>
472. *Tephrocybe anthracophila* (Lasch) P.D. Orton [= *Lyophyllum carbonarium* (Velen.) M.M. Moser]: antitumor<sup>6</sup>
473. *Terfezia arenaria* (Moris) Trappe [= *T. leonis* (Tul. et C. Tul.) Tul.]: antitumor<sup>4</sup>
474. *Termitomyces eurhizus* (Berk.) R. Heim: improving the stomach, treating hemorrhoids, antitumor<sup>3,14</sup>
475. *Thelephora vialis* Schwein.: treating lumbago and skelalgia, limb numbness<sup>3</sup>
476. *Trametes elegans* (Spreng.) Fr. [= *T. palisotii* (Fr.) Imazeki]: dispelling pathogenic wind, relieving itching<sup>4</sup>
477. *Trametes gibbosa* (Pers.) Fr.: antitumor<sup>4,35</sup>
478. *Trametes hirsuta* (Wulfen) Pilát [= *Coriolus hirsutus* (Wulfen) Pat.]: treating rheumatism, relieving cough, antitumor<sup>4,35</sup>
479. *Trametes orientalis* (Yasuda) Imazeki [= *Coriolopsis occidentalis* (Klotzsch) Murrill]: treating pulmonary diseases, antitumor<sup>4</sup>
480. *Trametes pubescens* (Schumach.) Pilát [= *Tyromyces pubescens* (Schumach.) Imazeki]: antitumor<sup>4</sup>
481. *Trametes versicolor* (L.) Lloyd [= *Coriolus versicolor* (L.) Quél.]: relieving fever, treating hepatopathy, anti-inflammatory, antitumor<sup>104,105</sup>

482. *Tremella aurantia* Schwein.: dissipating phlegm, relieving cough, lowering blood pressure, antitumor<sup>3,4</sup>
483. *Tremella aurantialba* Bandoni et M. Zang: treating breathlessness, dissipating phlegm, treating tracheitis, antihypertensive<sup>17,34,106</sup>
484. *Tremella foliacea* Pers.: treating gynecopathy<sup>6</sup>
485. *Tremella fuciformis* Berk.: invigorating the kidney, moistening the lung, relieving fever<sup>1,107</sup>
486. *Tremella mesenterica* Retz.: Fr. [= *T. lutescens* Pers.]: treating neurasthenia and breathlessness, antihypertensive<sup>17</sup>
487. *Tremella samoensis* Lloyd [= *T. cinnabarina* (Mont.) Pat.]: invigorating qi<sup>4</sup>
488. *Tremella sanguinea* Y.B. Peng: treating gynecopathy<sup>6</sup>
489. *Tremiscus helvelloides* (DC.) Donk [= *Phlogiotis helvelloides* (DC.) G.W. Martin]: antitumor<sup>6</sup>
490. *Trichaptum abietinum* (Pers.) Ryvarden [= *Hirschioporus abietimus* (Pers.) Donk]: antitumor<sup>6,13</sup>
491. *Trichaptum biforme* (Fr.) Ryvarden [= *Coriolus biformis* (Fr.) Pat.]: antibacterial, antifungal, antitumor<sup>4,13</sup>
492. *Trichaptum byssogenum* (Jungh.) Ryvarden [= *Hirschioporus versatilis* (Berk.) Imazeki]: antitumor<sup>6,13</sup>
493. *Trichaptum fuscoviolaceum* (Ehrenb.) Ryvarden [= *Hirschioporus fuscoviolaceus* (Ehrenb.) Donk]: antitumor<sup>4</sup>
494. *Tricholoma acerbum* (Bull.) Vent.: antitumor<sup>4</sup>
495. *Tricholoma albobrunneum* (Pers.) P. Kumm.: antitumor<sup>4</sup>
496. *Tricholoma album* (Schaeff.) P. Kumm.: antitumor<sup>4</sup>
497. *Tricholoma bakamatsutake* Hongo: antitumor<sup>6</sup>
498. *Tricholoma flavovirens* (Pers.) S. Lundell: antitumor<sup>6</sup>
499. *Tricholoma fulvum* (Bull.) Sacc.: antitumor<sup>4</sup>
500. *Tricholoma matsutake* (S. Ito et S. Imai) Singer: invigorating the stomach, treating bronchitis, antitumor<sup>3,4,108</sup>
501. *Tricholoma mongolicum* S. Imai: relieving fever, treating measles<sup>3</sup>
502. *Tricholoma muscarium* A. Kawam: antitumor<sup>4,6</sup>
503. *Tricholoma orirubens* Quél.: antitumor<sup>6</sup>
504. *Tricholoma populinum* J.E. Lange: treating hypersensitivity vasculitis<sup>6</sup>
505. *Tricholoma portentosum* (Fr.) Quél.: antitumor<sup>6</sup>
506. *Tricholoma robustum* (Alb. et Schwein.) Ricken: antitumor<sup>4,65</sup>
507. *Tricholoma saponaceum* (Fr.) P. Kumm.: antibacterial<sup>6</sup>
508. *Tricholoma sejunctum* (Sowerby) Quél.: antitumor<sup>6</sup>
509. *Tricholoma sulphureum* (Bull.) P. Kumm.: antitumor<sup>6</sup>
510. *Tricholoma ustale* (Fr.) P. Kumm.: antitumor<sup>4</sup>
511. *Tricholoma vaccinum* (Schaeff.) P. Kumm.: antitumor<sup>4</sup>
512. *Tricholoma virgatum* (Fr.) P. Kumm.: antitumor<sup>4</sup>
513. *Tricholomopsis bambusina* Hongo: antitumor<sup>6</sup>
514. *Tuber indicum* Cooke et Massee: antitumor<sup>16</sup>
515. *Tulostoma brevistipitatum* B. Liu et al.: hemostasis<sup>3</sup>
516. *Tulostoma brumale* Pers.: hemostasis<sup>3</sup>
517. *Tulostoma cretaceum* Long: hemostasis<sup>3,109</sup>
518. *Tulostoma helarishanense* B. Liu et al.: hemostasis<sup>3</sup>
519. *Tulostoma jourdanii* Pat.: detumescence, hemostasis, clearing the lung, relieving sore throat, detoxication<sup>3</sup>
520. *Tulostoma kotlabae* Pouzar: hemostasis, anti-inflammatory<sup>6</sup>
521. *Tulostoma lloydii* Bres.: hemostasis<sup>3,109</sup>
522. *Tulostoma sabulosum* B. Liu et al.: hemostasis<sup>3</sup>
523. *Tulostoma verrucosum* Morgan: hemostasis<sup>3,109</sup>
524. *Tylopilus felleus* (Bull.) P. Karst.: anti-inflammatory, treating hepatopathy<sup>16</sup>
525. *Ustilaginoidea virens* (Cooke) Takah.: anti-inflammatory<sup>3</sup>
526. *Ustilago crameri* Körn.: improving digestion<sup>3,4</sup>
527. *Ustilago esculenta* Henn.: treating red eyes due to wind-heat<sup>4</sup>
528. *Ustilago maydis* (DC.) Corda: treating hepatopathy and neurasthenia<sup>3,4</sup>
529. *Ustilago nuda* (C.N. Jensen) Rostr.: diaphoresis, analgesic<sup>3,4</sup>
530. *Ustilago tritici* C. Bauhin: diaphoresis, analgesic<sup>4</sup>
531. *Volvariella volvacea* (Bull.) Singer: treating scurvy, antitumor<sup>3</sup>
532. *Wolfiporia cocos* (Schwein.) Ryvarden et Gilb. [= *Poria cocos* (Schwein.) F.A. Wolf]: relieving cough, inducing diuresis, calming nerves, relieving fever, antitumor<sup>3,4,34</sup>
533. *Xerocomus nigromaculatus* Hongo: antitumor<sup>3</sup>
534. *Xeromphalina campanella* (Batsch) Maire: antitumor<sup>13,14</sup>
535. *Xylaria longipes* Nitschke: antifungal<sup>16</sup>
536. *Xylaria nigripes* (Klotzsch) Sacc.: inducing diuresis, invigorating the kidney, improving immunity<sup>3,110</sup>
537. *Xylaria sanctezi* Lloyd: inducing diuresis<sup>6</sup>
538. *Xylobolus annosus* (Berk. et Broome) Boidin [= *Stereum annosum* Berk. et Broome]: antitumor<sup>6</sup>
539. *Xylobolus frustulatus* (Pers.) Boidin [= *Stereum frustulatum* (Pers.) Fr.]: antitumor<sup>6</sup>
540. *Xylobolus subpileatus* (Berk. et M.A. Curtis) Boidin [= *Lloydella subpileata* (Berk. et M.A. Curtis) Höhn. et Litsch.]: antitumor<sup>4</sup>

### III. DISCUSSION

#### A. Diversity of Medicinal Mushrooms and Fungi

Five hundred-forty species belonging to 10 classes, 26 orders, 76 families, and 199 genera of two phyla (Ascomycota, Basidiomycota) have been recorded with medicinal values in China. Most are Basidiomycetes (482 species), which comprise approximately 89% of all the Chinese medicinal fungi, and 11% are Ascomycetes (58 species). Ninety-seven percent of the Basidiomycetes are in the class Agaricomycetes (468 species), and 89% are in the five orders of Agaricales (217 species), Polyporales (82 species), Russulales (55 species), Boletales (40 species), and Hymenochaetales (36 species). Among the Ascomycetes, 67% are in the class Sordariomycetes (39 species), and 53% are in the order Hypocreales (31 species).

According to our analyses, there are 540 species reported by Chinese scientists as medicinal. It was also found that Mexico has more than 70 mushroom species that are used for medicinal purposes<sup>11</sup>; around 150 fungi taxa belonging to 87 genera have been reported as medicinal fungi from western Canada,<sup>12</sup> and 404 fungal species from 160 genera were listed as medicinal fungi in South Korea.<sup>35</sup> Therefore, in comparison, China has the richest diversity of medicinal fungi, so far.

#### B. Diversity of Medicinal Functions

One hundred twenty-six medicinal functions are thought to be provided by 540 medicinal fungi, among them the most common function is antitumor: 331 (61% of the total medicinal species) can be used as antitumor agents. Other common functions are hemostasis, antibacterial, improving immunity, detoxication, and anti-inflammatory, produced by 65, 50, 40, 29, and 27 species, respectively.

#### C. The Most Important or Commonly Used Medicinal Mushrooms and Fungi

The most important or commonly used medicinal fungi are *Armillaria tabescens*, *Cordyceps militaris*,

*C. sinensis*, *Ganoderma lucidum*, *Ganoderma multipileum*, *Grifola frondosa*, *Hericium erinaceus*, *Polyporus umbellatus*, *Marasmius androsaceus*, *Schizophyllum commune*, *Shiraia bambusicola*, *Taiwanofungus camphoratus*, *Trametes versicolor*, *Tremella fuciformis* and *Wolfiporia cocos*. The price for the wild fruitbody of *Taiwanofungus camphoratus* is up to \$3000 USD/kg. Many products from *Ganoderma lucidum*, *Hericium erinaceus*, and *Trametes versicolor* are available in the Chinese pharmacy.

#### D. The Cultivated Medicinal Mushrooms and Fungi

Twenty-six medicinal fungi are commonly cultivated in China as food or for medicinal products. The commonly cultivated species are *Agaricus bisporus*, *A. brasiliensis*, *Agrocybe cylindracea*, *Auricularia auricula-judae*, *A. polytricha*, *Coprinus comatus*, *Cordyceps militaris*, *Dictyophora indusiata*, *Flammulina velutipes*, *Ganoderma lucidum*, *Gloeostereum incarnatum*, *Grifola frondosa*, *Hericium erinaceus*, *Hypsizygus marmoreus*, *Lentinus edodes*, *Morchella esculenta*, *Panellus serotinus*, *Phellinus vaninii*, *Pholiota adiposa*, *Ph. microspora*, *Pleurotus citrinopileatus*, *P. ostreatus*, *P. ferulæ*, *Stropharia rugosoannulata*, *Tremella fuciformis*, and *Volvariella volvacea*.

### ACKNOWLEDGMENTS

We express our gratitude to Drs. Ping Zhu (Beijing, China), Hong Wei (Helsinki, Finland), Hai-Yan Tong (Chapel Hill, USA), and Prof. Kevin D. Hyde (Chiang Rai, Thailand) for improving the manuscript. The research was supported by the National Natural Science Foundation of China (Project No. 30771730) and the Ministry of Science and Technology of China (Project No. 2007AA021506).

### REFERENCES

1. Anonymous. *Shen Nong materia medica*, 102–200 A.D (E. Han). Reprinted. Beijing: People's Hygiene Press; 1955.

2. Li SZ. *Compendium materia medica*, 1578. Reprinted. Beijing: Commercial Press; 1957.
3. Liu B. *The Chinese medical fungi*. Taiyuan: Shanxi People's Press; 1984.
4. Ying J, Mao X, Ma Q. *Icons of medicinal fungi from China*. Beijing: Science Press; 1987.
5. Mao XL. *The edible and medicinal macrofungi in China*. Microbiology. 1989;16:290–7.
6. Mao XL. *Economic fungi of China*. Beijing: Science Press; 1998.
7. Dai YC, Yang ZL. A revised checklist of medicinal fungi in China. *Mycosistema*. 2008;27:801–24.
8. Kirk PM, Cannon PF, Minter DW, Stalpers JA. *Dictionary of the fungi*. 10th ed. Oxon: CAB International; 2008.
9. Wasser SP, Didukh MY. Medicinal value of species of the family Agaricaceae Cohn (higher Basidiomycetes): current stage of knowledge and future perspectives. *Int J Med Mushr*. 2003;5:141–60.
10. Stanikunaite R, Trappe JM, Khan SI, Ross SA. Evaluation of therapeutic activity of hypogeous Ascomycetes and Basidiomycetes from North America. *Int J Med Mushr*. 2007;9:7–14.
11. Wasser SP. A book review: The fungal pharmacy, medicinal mushrooms of western Canada. *Int J Med Mushr*. 2008;10:97–100.
12. Rogers RD. *The fungal pharmacy: medicinal mushrooms of western Canada*. Edmonton Alberta: Prairie Deva Press; 2008.
13. Yang XP, Li FQ, Han SL. Study on the resources of medicinal macrofungi in the Dabie Mountain of Henan. *J Wuhan Bot Res*. 2005;23:393–7.
14. Mao XL. *The macrofungi in China*. Zhengzhou: Henan Science and Technology Press; 2000.
15. Wasser SP, Didukh MY, Amazonas MAL, Nevo E, Starnes PE, Eira AF. Is a widely cultivated culinary-medicinal Royal Sun Agaricus (the Himematsutake mushroom) indeed Agaricus blazei Murrill? *Int J Med Mushr*. 2002;4:267–90.
16. Yuan MS, Sun PQ. *The pictorial book of mushrooms of China*. Chengdu: Sichuan Science and Technology Press; 2007.
17. Anonymous. *Edible fungal flora of China*. Beijing: China Forestry Press; 1991.
18. Wu SH, Chou WN, Wang YZ, Wang BC. *The cultural atlas of potentially edible and medicinal fungi in Taiwan*. Taizhong: Natural Science Museum; 2000.
19. Yang ZL. *Flora fungorum sinicum 27, Amanitaceae*. Beijing: Science Press; 2005.
20. Xu JT. *Chinese medicinal mycology*. Beijing: Chinese Medical University Press; 1997.
21. Liu JK. *Mycochemistry*. Beijing: China Science and Technology Press; 2004.
22. Yang SY, Lin YC, Yi H. Research progress of *Armillaria mellea*, a rare edible and medicinal fungus. *J Biol*. 2007;24:52–4.
23. Dai YC, Tolgor R. *Illustrations of edible and medicinal fungi in northeastern China*. Beijing: Science Press; 2007.
24. Zhang XJ, Ji YB, Qu ZY. The progress of polysaccharide pharmacology of *Auricularia auricula*. *Chin J Microecol*. 2003;15:373–4.
25. Huang BN. Study on anti-tumor effects of *Auricularia auricular-judae* polysaccharide. *Journal of Harbin University of Commerce (Natural Sciences Edition)*. 2004;20:650–1.
26. Wu XQ, Li HB, Wu QQ. Determination and evaluation of nutritive components of *Boletus appendiculatus* fruitbody. *Acta Edulis Fungi*. 2005;12:19–23.
27. Ying JZ, Zang M. *Economic macrofungi in southwestern China*. Beijing: Science Press; 1994.
28. Tang W, Lu XC. Study of biological activity and the antitumor activity against sarcoma-180 of *Boletus edulis*. *Journal of Southwest China Normal University (Natural Science)*. 1999;24:478–81.
29. Li T, Wang YZ, Yu H. Major nutritional components of *Boletus impolitus* fruit bodies. *Acta Edulis Fungi*. 2006;13:55–7.
30. Wang YZ, Li XK, Yu H. Determination of main nutrition components in the fruitbodies of *Boletus speciosus*. *Acta Edulis Fungi*. 2005;12:5–8.
31. Yang XJ, Zhang HW, Sun H. The antitumor study of *Bulgaria inquinans*. *Special Wild Economic Animal and Plant Research*. 1993;2:9–11.
32. Yang XJ, Zhang HW, Zhang DW. The effect on animal blood viscosity by *Bulgaria inquinans*. *Chin Trad Herbal Drugs*. 1996;27:358–9.
33. Wei YL, Wang MS, Lian B. Review of studies on *Cantharellus cibarius*. *Edible Fungi*. 2006;28:1–3.
34. Li QD. *The cultivation on medicinal fungi*. Beijing: Chinese Agricultural Press; 2006.
35. Park WH, Lee HD. *Illustrated book of Korean medicinal mushrooms*. Seoul (South Korea): Kyo-Hak Publishing Co Ltd; 1999.
36. Xu WX, Guo BR, Xu CS. The antibacterial study of *Coprinus comatus*. *Edible Fungi*. 1997;19:15–6.
37. Wang YP, Li XT, Yin J. Fermented mash of *Coprinus comatus* rich in chromium (FCRC) can bring down high level of blood glucose. *Journal of Shandong University (Natural Science Edition)*. 2000;35:117–20.
38. Liang ZQ. *Flora fungorum sinicum 32, Cordyceps*. Beijing: Science Press; 2000.
39. Li NS, Shen YS, Wang JQ. The resources of the wild edible and medical fungi from Anhui. *Journal of Anhui University (Natural)*. 2002;26:100–6.
40. Lan J, Xu JT. The resources and application of medicinal Ascomycetes in China. *J Chin Med Mater*. 1996;19:11–3.
41. Xu LC, Zhang H, Lu Y. New distribution records of wild medicinal fungi in Shandong. *Chin Wild Plant Resour*. 2002;21:32–3.
42. Wang JF, Yang CQ. Summary on effective constituent

- and pharmacological action of *Cordyceps cicadae*. *Info Trad Chin Med.* 2005;22:30–2.
43. Lin QY, Song B, Li TH. Advances in the studies on *Cordyceps militaris*. *Microbiology.* 2006;33:154–7.
  44. Wu SH, Zang M. *Cryptoporus sinensis* sp. nov., a new polypore found in China. *Mycotaxon.* 2000;74:415–22.
  45. Guo YN, Liu XL, Fan J. The nutritional and medicinal values of Dictyophora. *Edible Fungi.* 2004;4:44–5.
  46. Li TH, Deng WQ, Song B, Yang ZL, Cao H, Chen XB, Liang SH. Edible, medicinal and poisonous fungi known from Diaoluoshan Mountain of Hainan Province. *Edible Fungi of China.* 2003;22(1):6–7.
  47. Ohkuma T, Tanaka S, Ikekawa T. Augmentation of host's immunity by combined cryodestruction of sarcoma 180 and administration of protein-bound polysaccharide, EA6, isolated from *Flammulina velutipes* (Curt. ex Fr.) Sing. in ICR mice. *J Pharmacobiodyn.* 1983;6:88–95.
  48. Zeng QT, Zhao JN, Deng ZW. Antitumor activity of *Flammulina velutipes* polysaccharide (FVP). *Edible Fungi of China.* 1991;10:11–3.
  49. Zhao JZ. The resources and application of medicinal fungi from forests. *Forest Sci Technol.* 1996;5:40–1.
  50. Zhou ZB, Ma HX, Tolgor R. A review of researches on chemical composition and pharmacology of *Ganoderma lucidum* (Batsch) G. F. Atk. *J Fungal Res.* 2005;3:35–42.
  51. Wang DM, Wu SH. Two species of *Ganoderma* new to Taiwan. *Mycotaxon.* 2007;102:373–8.
  52. Mau JL, Tsai SY, Tseng YH, Huang SH. Antioxidant properties of hot water extracts from *Ganoderma tsugae* Murrill. *Lebenson Wiss Technol.* 2005;38:589–97.
  53. Zheng KY, Zhang Y, Lin XY. Anti-mutagenic effects of polysaccharides from *Ganoderma tsugae*. *Journal of Jilin University (Science Edition).* 2005;43:235–7.
  54. Zhou TX. *Flora fungorum sinicum* 36. *Gastraceae, Nidulariaceae.* Beijing: Science Press; 2007.
  55. Yang YP, Yue DC. The medicinal fungi in China. Harbin: Heilongjiang Science and Technology Press; 1981.
  56. Liu RJ, Li FZ. Antibacterial component of fermentation broth of *Gloeostereum incarnatum* S. Ito et Imai. *J Microbiol.* 1992;12:17–22.
  57. Song H, Yao FJ, Tang J. Review of studies on *Gloeostereum incarnatum*. *Edible Fungi of China.* 2008;27:3–4.
  58. Liu ZW, Shi XJ. Present situations of research on *Grifola frondosa*. *Edible Fungi.* 2001;23:4–6.
  59. Bian S, Ye BP. Progress on the studies of grifolan from *Grifola frondosa*. *Pharm Biotechnol.* 2004;11:60–3.
  60. Yu RL, Zhang GL. Advances in study on *Grifola frondosa*. *Acta Agric Shanghai.* 2005;21:101–5.
  61. Bao HY, Li Y. Studies on inhibition of the extract from *Gymnopilus spectabilis* to MCF-7. *J Jilin Agricultural University.* 2002;24:56–8.
  62. Liu MS, Sun HB. The medicinal values of *Hericium erinaceus*. *Edible Fungi of China.* 1998;18:24–5.
  63. Yang Y, Zhou CY, Wang CG. Studies on immunoregulatory function of *Hericium erinaceus* polysaccharide. *Acta Edulis Fungi.* 2000;7:19–22.
  64. Zhang TY, Pan JH, Zhu SX. A study on the antimicrobial activities of *Hericium erinaceus* preparations. *J Anhui Normal University (Natural Science Edition).* 2003;26:159–60.
  65. Zhao Q, Zhang Y, Yuan LC. Study on the resources and utilization of medical fungi in Laojun Mountain. *J Microbiol.* 2006;26:85–8.
  66. Lin YM, Su AH. Partial properties and haemagglutination activity analysis of the lectin from *Hypsizygus marmoreus*. *Mycosistema.* 2006;25:284–91.
  67. Dai YC. Notes on medicinal wood-inhabiting fungi on *Populus* in China. *Mycosistema.* 2007;26(Suppl):1–6.
  68. Yang ZW, Jiang RZ, Chen YH. The extraction, isolation, physicochemical properties and anti-inflammation activity of *Irpea lactea* Fr. *Nat Prod Res Dev.* 2005;17:280–2.
  69. Yang ZW, Jiang RZ, Chen YH. Glycoprotein II-2-1 from *Irpea lactea*. *Chin Trad Herbal Drugs.* 2005;36:1130–2.
  70. Ke LX. The antimicrobial activity study of *Lactarius deliciosus* (L.) Gray. *Journal of Anhui Normal University (Natural Science).* 2002;25:63–4.
  71. Song BS, Yang YL. Review of studies on antitumor of polysaccharide from *Lentinula edodes*. *Chinese Traditional and Herbal Drugs.* 1998;29:492–5.
  72. Li YM. Research status and prospect of *Lentinula edodes*. *Microbiology.* 2005;32:149–51.
  73. Dong XY, An H, Cao J. On progress of the research on *Lentinus edodes* (Berk) Sing. and the pharmacological effect. *Journal of Dalian University.* 2005;2:13–5.
  74. Lin CQ, Lin RB, Cai HS. Anti-microbial activity of *Pleurotus tuber-regium* ethyl acetate extracts of spent culture liquid. *Acta Edulis Fungi.* 2007;14:62–6.
  75. Zeng XL, Hu GM. Research on chemical elements and medical effects of *Pleurotus tuber-regium* (Fr.) Sing. *Edible Fungi of China.* 2007;26:3–7.
  76. Gao JM, Dong ZJ, Yang X. Chemical constituents of *Lepista nuda*. *Chinese Traditional and Herbal Drugs.* 2002;33:398–401.
  77. Xie FQ, Hu QJ. Advances of the study on valuable wild *Lepista sordida*. *J Fungal Res.* 2005;3:52–6.
  78. Zhao HZ, Xu YY, Fu XY. The progress of food and medical on values of puff-balls. *Microbiology.* 2007;34:367–9.
  79. Li H, Bao HY, Li Y. Advances of researches on the *Morchella*. *J Fungal Res.* 2004;2:53–6.
  80. Lan J, Yang JS, Xu JT. The resources and application of antitumor fungi. *J Chin Med Mater.* 1999;22:614–8.
  81. Ma Y, Mizuno T, Ito H. Antitumor activity of some polysaccharides isolated from the wild mushroom "Huangmo" from MT. Changbai. *Journal of Norman Bethune University of Medical Science.* 1992;18:220–5.
  82. Ma Y, Zhang R, Yu XF. Anti-liver cancer effect of Huangmo polysaccharides extracts and its mechanism.

- Journal of Jilin University (Medical Edition). 2005;31:886–9.
83. Fan Y, Zhou QH, Wang YP. Effects of polysaccharide on expression of angiogenic-related genes in human high-metastatic large cell lung cancer cell line L9981. Chin J Lung Cancer. 2006;9:137–9.
  84. Li XB. Effects of Jinke Huaier granule on immune cell activity in patients with Stage III non-small cell lung cancer. J Clin Pulmonary Med. 2006;11:472–3.
  85. Zhang M, Ji XG, Bei ZC. Studies on the anti-tumor activity of *Phellinus linteus*. Pharmacol Clin Chin Mater Med. 2006;22:56–8.
  86. Sun PL, Xu SY, Yang K. Advance of researches on *Phellinus* spp. A rare and precious medicinal fungus. Microbiology. 2006;33:119–23.
  87. Tao MH, Zhang WM, Zhong H. Review on the research of medicinal fungi in the genus *Phellinus*. Acta Edulis Fungi. 2005;12:65–72.
  88. Zhang WG, Hu JH, Cai Z. Anti-hepatic fibrosis and anti-lipid peroxidation effects of *Phellinus igniarius* on rat liver. Chin Trad Patent Medicine. 2002;24:281–3.
  89. Mo SY, Yang YC, Shi JG. The analysis on mycochemistry of *Phellinus igniarius*. Chin Trad Herbal Drugs. 2004;35:1095–7.
  90. Su YY, Kang L, Yang ZX. The extraction and dominant activation effect of *Pholiota adiposa* polysaccharose on peritoneal macrophages in rats. Journal of Taishan Medical College. 2004;25:9–11.
  91. Ned H. Correct name for “nameko.” Mycoscience. 2008;49:88–91.
  92. Pu ZH. The new antibiotics from mushrooms. Capital Med. 2004;19:37–41.
  93. Wang P, Song QY. Immune systematic effect of *Pleurotus citrinopileatus* on animals. Edible Fungi of China. 1993;12:25–6.
  94. Zhang Y, Bao HY, Li Y. Present situations of research on rare fungi *Pleurotus citrinopileatus*. Journal of Jilin Agricultural University. 2003;25:54–7.
  95. Bao HY, Zang Y, Tolgor R, Li Y. Chemical components of *Pleurotus citrinopileatus* Singer. Mycosystema. 2004;23:262–9.
  96. Wang XJ, Cai DH, Yang LH. A study on the inhibition effect of polysaccharides extracted from *Pleurotus citrinopileatus* on tumor cells in vitro. Acta Edulis Fungi. 2005;12:9–13.
  97. Huang NL. Identification of the scientific name of *Hurulingzhi*. Acta Edulis Fungi. 1999;6:30–2.
  98. Xu ZZ, Zhao Q, Qi SW. Preliminary reports on the resources survey of economic fungi in Lijiang. Edible Fungi of China. 2007;26:10–2.
  99. Zhao Q, Yuan LC, Li RC. Advances in the research of *Schizophyllum commune*. Acta Edulis Fungi. 2004;11:59–63.
  100. Wang ZH, Huo YF. Advanced in *Schizophyllum commune* and schizophyllian polysaccharose. J Microbiol. 2006;26:73–6.
  101. Jia XM, Xu XH, Zhuang BC. The progress of biological research of medicinal fungus *Shiraia bambusicola*. Microbiology. 2006;33:147–50.
  102. Wu SH, Ryvarden L, Chang TT. *Antrodia camphorata* (“niu-chang-chih”) new combination of a medicinal fungus in Taiwan. Bot Bull Acad Sinica (Taiwan). 1997;38:273–5.
  103. Hu O, Lian ZF, Zhang JY. A review of the medicinal and health-care value, development and utilization of *Antrodia camphorata*. Subtropical Plant Sci. 2006;35:75–8.
  104. Li JF. Biological character, function and application prospect of *Coriolus versicolor*. Journal of Anhui Agricultural Sciences. 2003;31:509–10.
  105. Zhang YY, Gong S, Zhang HQ. The study on analgesic and anti-inflammatory of *Trametes versicolor*. Suzhou University Journal of Medical Science. 2004;24:652–3.
  106. Wang H. Advances in the study on the pharmacology and structure analysis of polysaccharide of *Tremella aurantialba*. Acta Edulis Fungi. 2005;12:53–6.
  107. Nie W, Zhang YX, Zhou JH. Review of studies on polysaccharide of *Tremella fuciformis*. Pharmacology and Clinics of Chinese Materia Medica. 2000;16:44–6.
  108. Wu YM, Chen AK, Zeng XL. *Tricholoma matsutake* (S. Ito et Imai) Singer effect on the eliminating cough, sputum and stridor. Edible Fungi of China. 2003;22:37–40.
  109. Liu B. Flora fungorum sinicorum 23, Sclerodermatales, Tulostomatales, Phallales et Podaxales. Beijing: Science Press; 2005.
  110. Hua WW. A preliminary study on the fermentation of *Xylaria nigripes*. Edible Fungi. 1996;18:10–14.
  111. Guzmán G. Diversity and use of traditional Mexican medicinal fungi. A review. Int J Med Mushr. 2008;10:209–17.