

ROCES[®]
SPIRIT AND SOUL OF SKATING

Inline, roller skate & fun sport
GREEN CORE COLLECTION



2020

SKATING

is more than action, tricks, art, performance and entertainment. It's a **global culture** that connects people from all over the world. It has the core values of community, respect, support and the recognition of excellence.

Sometimes it's an urban rebellion but is always aware of the sports evolution and **committed to respect the environment**.

The **ROCES skater community** deserves all our commitment, aimed at improving and supporting this sustainable development.

SO, WHAT ARE WE DOING?

Pattinare

è molto più che azione, tricks, arte, performance e intrattenimento. È una **cultura globale** che collega persone da tutto il mondo e include valori come il rispetto, unione, sostegno e riconoscimento dell'eccellenza.

A volte è una ribellione urbana, ma sempre consapevole dell'evoluzione dello sport e **impegnata a rispettare l'ambiente**.

La **comunità skater di Roces** merita tutto il nostro impegno, volto al miglioramento e al supporto di questo sviluppo sostenibile.
ALLORA, COME CI STIAMO MUOVENDO?



GREEN CORE COLLECTION

A speed change.

We have always been driven by a constant attention to the choice of materials and our sensitivity to environmental impact. Now more than ever this is engine that drives our strategy: combining innovation with eco-sustainability, without sacrificing design and high performance.

The issue about plastic, once the embodiment of modernity, innovation, safety and design, involves packaging and product life cycle, which are our strengths. In fact, when Roces invented the extendable skate in 1994 or the extendable ski boot in 2006, it had in mind a longer life cycle and a lower environmental impact. Just think of all customers, who with the longer life span of their skates, only occasionally needing to replace some parts, and of the reduction of carton packaging



Ranked by Nature.

With this catalogue we aim to offer a clear idea of two parameters: the level of recyclability of our in-line skates and the level of recycled materials used to build each model.


In the history of Roces there are fundamental skates that represent our green mission. This is the case of M12 in the classic black colour, which has always been made with 97% recycled plastic materials.



Every day ends with our footprints.

"Every new day starts with one step...And every day ends with our footprints."

From Bangkok through the lush Thai jungles to the southern beaches of Krabi. With "Mind your Step" Nils Jansons, an icon of the aggressive international scene, guides us along his journey to Thailand. To live and promote a conscious approach with nature. Sensitivity, attention and ethical commitment are the basis of this project that Nils supports. A project that encourages us to make sustainable choices for our planet and for the future. Make the difference... Mind your step!



2020 Hologram



Our hologram: the Roces ID.

Our New hologram is a new identification element and tool in the fights against counterfeiting.

Starting with the next production, Roces products will travel in company of an "Original Product" hologram that attests their authenticity. In a dedicated area of our roces.com website it will be possible to verify the authenticity of the products purchased by entering the serial number shown in the hologram.

L'oggetto è un nuovo elemento d'identificazione e strumento nella lotta alla contraffazione. Dalle prossime produzioni, i prodotti Roces viaggeranno accompagnati da un oggetto "Original Product" che ne attesterà la genuinità. Attraverso un'area dedicata del sito roces.com sarà possibile verificare l'autenticità del prodotto acquistato digitando il numero di serie riportato nell'oggetto.



FIFTH ELEMENT UFS

By popular demand, but also our own long-time desire: the re-launch of FIFTH ELEMENT, an aggressive world icon and, according to the fan community, the best skate ever designed.



**FIFTH
element**

In a future skating museum, Roces aggressive models would occupy a prominent place. The list of names brings goose bumps to all fans: MOSCOW RAMP, LOWRIDER, STREET, IMPALA, M12, FIFTH ELEMENT, KHUTI, GRAAL, are all main players of a market worthy of collectors. To celebrate the twentieth anniversary of FIFTH ELEMENT, we relaunch it in the original colours with UFS. Enjoy it!

A gran richiesta, ma anche un nostro vecchio desiderio: il rilancio di FIFTH ELEMENT, icona del mondo aggressivo e, a detta della fan community, il miglior pattino mai progettato. In un futuro museo del pattinaggio, i modelli aggressivi di Roces occuperebbero un posto di rilievo. Solo la lista dei nomi fa venire la pelle d'oca a tutti gli appassionati: MOSCOW RAMP, LOWRIDER, STREET, IMPALA, M12, FIFTH ELEMENT, KHUTI, GRAAL, protagonisti di un mercato degno dei collezionisti.

Per celebrare il ventesimo anniversario di FIFTH ELEMENT, eccolo nei colori originali dotato di UFS. Adesso godetevolo!

ROCES®
Spirit and Soul of Skating

INLINE SKATES



URBAN
FITNESS
KIDS

X35 3x110 TIF

sizes EU 36-49; UK 3-14; US 4-15; MP 235-315


TIF
THE INVISIBLE FRAME

 FROM RECYCLED RECYCLABLE
code 400794 002
frame printing on
BOTH SIDES

Total ventilation. Shock Absorber. Asymmetrical design. The invisible frame. 110mm wheels.

ENG

| | |
|-----------------------|---|
| Shell and cuff | High Quality polypropylene, Asymmetrical streamline, Total ventilation |
| Closure | Aluminium upper micrometric buckle, Instep micrometric buckle, Asymmetrical fast flowing lacing |
| Cushioning | Integrated shock absorber device |
| Boot | ECOleather lining, Anatomical padding, Malleolus comfort area |
| Footbed | Anatomical |
| Frame | Extruded aluminium, 3 arch design |
| Wheels | Roces 110mm 85A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Rocker Washers | Aluminium |
| Axes | Zero Clearance |
| Stopper | Supplied with brake |

ITA

| | |
|-------------------|--|
| Scafo | Polipropilene High Quality, Asymmetrical streamline, |
| Closure | Aluminium upper micrometric buckle, Instep micrometric buckle, Asymmetrical fast flowing lacing |
| Chiusura | Leva micrometrica superiore in alluminio, Leva micrometrica Instep, Asymmetrical fast flowing lacing |
| Cushioning | Dispositivo shock absorber integrato |
| Boot | ECOleather lining, Anatomical padding, Malleolus comfort area |
| Footbed | Anatomico |
| Frame | Rivestimento in ecopelle, Imbottitura anatomica, Area comfort zona malleoli |
| Wheels | Roces 110 mm 85A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Axes | Zero Clearance |
| Stopper | Fornito con freno |

X35 TIF

sizes EU 36-49; UK 3-14; US 4-15; MP 235-315


TIF
THE INVISIBLE FRAME

 FROM RECYCLED RECYCLABLE
code 400849 001
NEWframe printing on
BOTH SIDES**ENG**

| | |
|-----------------------|---|
| Shell and cuff | High Quality polypropylene, Asymmetrical streamline, Total ventilation, Replaceable slider |
| Closure | Aluminium upper micrometric buckle, Instep micrometric buckle, Asymmetrical fast flowing lacing |
| Cushioning | Integrated shock absorber device |
| Boot | Anatomical padding, Heel comfort area, Heel lock microfiber lining |
| Footbed | Anatomical |
| Frame | Extruded aluminium, 3 arch design, Max. wheel base 243mm |
| Wheels | Roces 80mm 84A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Axes | Zero Clearance |
| Stopper | Supplied with brake |

ITA

| | |
|------------------------|--|
| Scafo | Polipropilene High Quality, Asymmetrical streamline, Ventilazione totale |
| Chiusura | Leva micrometrica superiore in alluminio, Leva micrometrica Instep, Asymmetrical fast flowing lacing |
| Ammortizzazione | Dispositivo shock absorber integrato |
| Scarpetta | Rivestimento in ecopelle, Imbottitura anatomica, Area comfort zona tallone, Heel lock in microfibra |
| Plantare | Anatomico |
| Telaio | Alluminio estruso, 3 arch design, Max. wheel base 243mm |
| Ruote | Roces 80mm 84A |
| Cuscinetti | ABEC 7 |
| Distanziatori | Aluminio |
| Viti | Zero Clearance |
| Freno | Fornito con freno |



Total ventilation. Shock Absorber. Asymmetrical design. The invisible frame. 80 mm wheels.

EGO 3x110 TIF

sizes EU 36-44; UK 3-9,5; US 4-10,5; MP 230-285



NEW



Total ventilation.

Micrometrical buckles.

The invisible frame. 110mm wheels.

ENG

| | |
|----------------|---|
| Shell and cuff | High Quality polypropylene, Total ventilation, Replaceable slider |
| Closure | Two micrometric buckles, Laces |
| Cushioning | Integrated shock absorber device |
| Boot | EES Easy Entry System, Anatomical padding, Mesh |
| Footbed | Anatomical |
| Frame | Extruded aluminium, 2 arch design |
| Wheels | Roces 110mm 85A |
| Bearings | ABEC 11 |
| Spacers | Aluminium |
| Axes | Zero Clearance |
| Stopper | Supplied with brake |

ITA


| | |
|----------------|--|
| Scafo | Polipropilene High Quality, Ventilazione totale, Slider sostituibile |
| Chiusura | Due leve microregolabili, Lacci |
| Ammorizzazione | Dispositivo shock absorber integrato |
| Scarpetta | Entrata EES Easy Entry System, Imbottitura anatomica, Mesh |
| Plantare | Anatomico |
| Telaio | Alluminio estruso, 2 arch design |
| Ruote | Roces 110mm 85A |
| Cuscinetti | ABEC 11 |
| Distanziatori | Alluminio |
| Viti | Zero Clearance |
| Freno | Fornito con freno |

EGO TIF

sizes EU 36-44; UK 3-9,5; US 4-10,5; MP 230-285



NEW



Total ventilation.

Micrometrical buckles.

The invisible frame. 80 mm wheels.



YEP 3x90 TIF

TIF
THE INVISIBLE FRAME

sizes
 EU [27-30] [31-34] [35-38];
 UK [10jr-12jr] [12½jr-1½] [2-4];
 US [11jr-13jr] [13½jr-2½] [3-5];
 MP [175-190] [200-215] [220-245]



NEW

FOR KIDS
ADJU STABLEframe printing on
BOTH SIDES

FROM RECYCLED
RECYCLABLE
code 400853 001



Total ventilation.

Adjustable
push and pull.

The invisible frame. 90mm wheels.

ENG

| | |
|----------------|---|
| Shell and cuff | High Quality polypropylene, Total ventilation |
| Closure | Two micrometric buckles, Laces |
| Boot | EES Easy Entry System, Mesh |
| Footbed | Anatomical |
| Frame | Extruded aluminium |
| Wheels | Roces 90mm 85A |
| Bearings | ABEC 9 |
| Spacers | Aluminium |
| Axes | Zero Clearance |
| Stopper | Supplied with brake |

ITA

| | |
|---------------|--|
| Scafo | Polipropilene High Quality, Ventilazione totale |
| Chiusura | Due leve micrometriche, Lacci |
| Scarpetta | Entrata EES Easy Entry System, Mesh |
| Plantare | Anatomico |
| Telaio | Alluminio estruso |
| Ruote | Roces 64mm, 70mm, 72mm 85A |
| Cuscinetti | ABEC 9 |
| Distanziatori | Alluminio |
| Viti | Zero Clearance |
| Freno | Fornito con freno |



DEU



ESP



FRA

YEP TIF

TIF
THE INVISIBLE FRAME

sizes
 EU [27-30] [31-34] [35-38];
 UK [10jr-12jr] [12½jr-1½] [2-4];
 US [11jr-13jr] [13½jr-2½] [3-5];
 MP [175-190] [200-215] [220-245]



FROM RECYCLED
RECYCLABLE
code 400854 001

NEW

frame printing on
BOTH SIDES

ENG

| | |
|----------------|---|
| Shell and cuff | High Quality polypropylene, Total ventilation |
| Closure | Two micrometric buckles, Laces |
| Boot | EES Easy Entry System, Mesh |
| Footbed | Anatomical |
| Frame | Extruded aluminium |
| Wheels | Roces 64mm, 70mm, 72mm 85A |
| Bearings | ABEC 9 |
| Spacers | Aluminium |
| Axes | Zero Clearance |
| Stopper | Supplied with brake |

ITA

| | |
|---------------|--|
| Scafo | Polipropilene High Quality, Ventilazione totale |
| Chiusura | Due leve micrometriche, Lacci |
| Scarpetta | Entrata EES Easy Entry System, Mesh |
| Plantare | Anatomico |
| Telaio | Alluminio estruso |
| Ruote | Roces 64mm, 70mm, 72mm 85A |
| Cuscinetti | ABEC 9 |
| Distanziatori | Alluminio |
| Viti | Zero Clearance |
| Freno | Fornito con freno |



Total ventilation.

Adjustable
push and pull.

The invisible frame. 70mm wheels.

FITNESS TRAINING

LAB 3x110 TIF



sizes EU 36-48; UK 3-13; US 4-14; MP 235-310



ENG

| | |
|-----------------------|---|
| Shell and cuff | Carbon fiber shell, High Quality Polypropylene cuff |
| Closure | Two micrometric buckles, Power strap, Laces |
| Boot | PAP Progressive Anatomical Padding, Special Wrap Lining |
| Footbed | Anatomical |
| Frame | Extruded aluminum, 3 arch design |
| Wheels | Roces 110 85A |
| Bearings | ABEC 9 |
| Spacers | Aluminum |
| Axes | Zero Clearance |
| Stopper | Supplied with brake |



ITA

| | |
|----------------------|---|
| Scafo | Scafo in fibra di carbonio, Gambetto in polipropilene High Quality |
| Chiusura | Due leve micoregolabili, Power strap, Lacci |
| Scarpetta | Imbottitura PAP Progressive Anatomical Padding, Rivestimento Special Wrap |
| Plantare | Anatomico |
| Telaio | Alluminio estruso, 3 arch design |
| Ruote | Roces 110 85A |
| Cuscinetti | ABEC 9 |
| Distanziatori | Alluminio |
| Viti | Zero Clearance |
| Freno | Fornito con freno |



also available with 4 wheels:

sizes EU 36-48; UK 3-13; US 4-14; MP 235-310

ENG

| | |
|-----------------------|---|
| Shell and cuff | Carbon fiber shell, Polypropylene cuff |
| Closure | Two micrometric buckles, Power strap, Laces |
| Boot | PAP Progressive Anatomical Padding, Special Wrap Lining |
| Footbed | Anatomical |
| Frame | Extruded Aluminum, 3 arch design |
| Wheels | Roces 100mm 84A |
| Bearings | ABEC 9 |
| Spacers | Aluminium |
| Axes | Zero Clearance |
| Stopper | Supplied with brake |

ITA



Carbon fiber.

Heel lock.

Micrometric buckle.

ABEC 9.

Extruded alu frame.



GYMNASIUM 2.0 TIF



sizes M EU 36-49; UK 3-14; US 4-15; MP 235-315

sizes W EU 36-43; UK 3-9; US 4-10; MP 235-280



ENG

| | |
|-----------------------|--|
| Shell and cuff | Glass fiber reinforced High Quality polypropylene |
| Closure | Fast fastening system, Memory buckle |
| Boot | EES Easy Entry System, PAP Progressive anatomical padding, Cool Breathe mesh |
| Footbed | Anatomical |
| Frame | Magnesium |
| Wheels | Roces 90mm 82A |
| Bearings | ABEC 9 |
| Spacers | Aluminum |
| Rocker Washers | Aluminum |
| Axes | Hot Rod F |
| Stopper | Supplied with brake |

ITA

| | |
|-----------------------|---|
| Scafo | Polipropilene High Quality rinforzato con fibra di vetro |
| Chiusura | Fast fastening system, Leva Memory |
| Scarpetta | Entrata EES Easy Entry System, Imbottitura PAP Progressive Anatomical Padding, Rete Cool Breath |
| Plantare | Anatomico |
| Telaio | Magnesio, Litedesign |
| Ruote | Roces 90mm 82A |
| Cuscinetti | ABEC 9 |
| Distanziatori | Alluminio |
| Rocker Washers | Aluminio |
| Viti | Hot Rod F |
| Freno | Fornito con freno |



Fast fastening.

Memory buckle.

ABEC 9.

Magnesium frame.

RADON TIF



sizes M EU 36-49; UK 3-14; US 4-15; MP 235-315



FROM RECYCLED
RECYCLABLE
code 400842 001



PAP. Memory buckle. Extruded frame. Cool breath. Fast lacing system B.

| ENG | ITA |
|----------------|--|
| Shell and cuff | Glass fiber reinforced High Quality polypropylene |
| Closure | Memory buckle, Power strap, Fast lacing system |
| Boot | EES Easy Entry System, PAP Progressive anatomical padding, Cool breath mesh, Jet air intakes |
| Footbed | Anatomical |
| Frame | Extruded aluminium, 2 arch design |
| Wheels | Roces 90mm 82A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Rocker Washers | Aluminium |
| Distanziatori | Aluminium |
| Axes | Hot Rod F |
| Stopper | Supplied with brake |



RADON W TIF



sizes W EU 36-43; UK 3-9; US 4-10; MP 235-280



FROM RECYCLED
RECYCLABLE
code 400843 001



PAP. Memory buckle. Extruded frame. Cool breath. Fast lacing system B.

| ENG | ITA |
|----------------|--|
| Shell and cuff | Glass fiber reinforced High Quality polypropylene |
| Closure | Memory buckle, Power strap, Fast lacing system |
| Boot | EES Easy Entry System, PAP Progressive anatomical padding, Cool breath mesh, Jet air intakes |
| Footbed | Anatomical |
| Frame | Extruded aluminium, 2 arch design |
| Wheels | Roces 90mm 82A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Rocker Washers | Aluminium |
| Distanziatori | Aluminium |
| Axes | Hot Rod F |
| Stopper | Supplied with brake |



HELIUM TIF

TIF
THE INVISIBLE FRAME



sizes EU 36-49; UK 3-14; US 4-15; MP 235-315



FROM RECYCLED
RECYCLABLE
code 400839 001

frame printing on
BOTH SIDES

Memory buckle.

PAP.

Cool breathe.

Fast lacing system B.

ENG

| | |
|----------------|--|
| Shell and cuff | Glass fiber reinforced High Quality polypropylene |
| Closure | Memory buckle, Power strap, Fast lacing system |
| Boot | EES Easy Entry System, PAP Progressive anatomical padding, Cool breath mesh, Jet air intakes |
| Footbed | Anatomical |
| Frame | Extruded aluminium |
| Wheels | Ročes 84mm 82A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Rocker Washers | Aluminium |
| Axes | Hot Rod F |
| Stopper | Supplied with brake |

ITA

| | |
|----------------|---|
| Scafo | Polipropilene High Quality rinforzato con fibra di vetro |
| Chiusura | Leva Memory, Power strap, Fast lacing system |
| Scarpetta | Entrata EES Easy Entry System, Imbottitura PAP Progressive Anatomical Padding, Rete Cool Breath, Prese d'aria Jet |
| Plantare | Anatomico |
| Telaio | Alluminio estruso |
| Ruote | Ročes 84mm 82A |
| Cuscinetti | ABEC 7 |
| Rocker Washers | Alluminio |
| Distanziatori | Alluminio |
| Viti | Hot Rod F |
| Freno | Fornito con freno |


HELIUM W TIF

TIF
THE INVISIBLE FRAME

sizes EU 36-43; UK 3-9; US 4-10; MP 235-280



FROM RECYCLED
RECYCLABLE
code 400841 001

frame printing on
BOTH SIDES**ENG**

| | |
|----------------|--|
| Shell and cuff | Glass fiber reinforced High Quality polypropylene |
| Closure | Memory buckle, Power strap, Fast lacing system |
| Boot | EES Easy Entry System, PAP Progressive anatomical padding, Cool breath mesh, Jet air intakes |
| Footbed | Anatomical |
| Frame | Extruded aluminium |
| Wheels | Ročes 84mm 82A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Rocker Washers | Aluminium |
| Axes | Hot Rod F |
| Stopper | Supplied with brake |

ITA

| | |
|----------------|---|
| Scafo | Polipropilene High Quality rinforzato con fibra di vetro |
| Chiusura | Leva Memory, Power strap, Fast lacing system |
| Scarpetta | Entrata EES Easy Entry System, Imbottitura PAP Progressive Anatomical Padding, Rete Cool Breath, Prese d'aria Jet |
| Plantare | Anatomico |
| Telaio | Alluminio estruso |
| Ruote | Ročes 84mm 82A |
| Cuscinetti | ABEC 7 |
| Rocker Washers | Alluminio |
| Distanziatori | Alluminio |
| Viti | Hot Rod F |
| Freno | Fornito con freno |



Memory buckle.

PAP.

Cool breathe.

Fast lacing system B.



DEU



ESP



FRA

WHAT IS THE COMFORT CONSTRUCTION?

PIC & ICON ANATOMY OF THE UPPER



LAMINATION OF
COMFORTABLE AND
SUPPORTIVE LAYERS

ESSENTIAL
REINFORCEMENTS
ONLY WHERE
REALLY NEEDED

COMFOOTBED,
THE BRAND NEW
FOOTBED

360°
COMFORT
FEELING



PIC - PIC W

sizes **M** EU 36-49; UK 3-14; US 4-15; MP 235-315
sizes **W** EU 36-43; UK 3-9; US 4-10; MP 235-280



FROM RECYCLED RECYCLABLE
code M 400795 002



FROM RECYCLED RECYCLABLE
code W 400796 001



FROM RECYCLED RECYCLABLE
code W 400796 002

ENG

| | |
|----------------|---|
| Shell and cuff | Glass fiber reinforced High Quality polypropylene |
| Closure | Memory buckle, Power strap, Fast lacing system |
| Boot | EES Easy Entry System, PAP Progressive anatomical padding, Cool breath mesh |
| Footbed | Anatomical, Comfootbed |
| Frame | Extruded aluminium |
| Wheels | Ročes 80mm 82A |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Rocker Washers | Aluminium |
| Axes | Hot Rod F |
| Stopper | Supplied with brake |

ITA

| | |
|----------------|---|
| Scafo | Entrata EES Easy Entry System, Imbottitura PAP Progressive Anatomical Padding, Rete Cool Breath |
| Chiusura | Leva Memory, Power strap, Fast lacing system |
| Scarpetta | Entrata EES Easy Entry System, Imbottitura PAP Progressive Anatomical Padding, Rete Cool Breath |
| Plantare | Anatomico, Comfootbed |
| Telaio | Alluminio estruso |
| Ruote | Ročes 80mm 82A |
| Cuscinetti | ABEC 5 |
| Distanziatori | Alluminio |
| Rocker Washers | Alluminio |
| Viti | Hot Rod F |
| Freno | Fornito con freno |



Memory buckle. Fast lacing system B. Cool Breath. Comfort Construction.

Extruded Aluminium Frame



ICON - ICON W

sizes M EU 36-49; UK 3-14; US 4-15; MP 235-315
 sizes W EU 36-43; UK 3-9; US 4-10; MP 235-280



FROM RECYCLED | RECYCLABLE
code M 400821 002

FROM RECYCLED | RECYCLABLE
code M 400821 003



FROM RECYCLED | RECYCLABLE
code W 400822 001

FROM RECYCLED | RECYCLABLE
code W 400822 002

ENG

| | |
|----------------|---|
| Shell and cuff | Glass fiber reinforced High Quality polypropylene |
| Closure | Memory buckle, Power strap, Fast lacing system |
| Boot | EES Easy Entry System, PAP Progressive anatomical padding, Cool breath mesh |
| Footbed | Anatomical, Comfortfootbed |
| Frame | Glass fiber reinforced HQ polypropylene |
| Wheels | Ročes 80mm 82A |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Rocker Washers | Aluminium |
| Axes | Hot Rod F |
| Stopper | Supplied with brake |

ITA

| | |
|----------------|---|
| Scafo | Polipropilene High Quality rinforzato con fibra di vetro |
| Chiusura | Leva Memory, Power strap, Fast lacing system |
| Scarpetta | Entrata EES Easy Entry System, Imbottitura PAP Progressive Anatomical Padding, Rete Cool Breath |
| Plantare | Anatomico, Comfortfootbed |
| Telaio | Polipropilene HQ rinforzato con fibra di vetro |
| Ruote | Ročes 80mm 82A |
| Cuscinetti | ABEC 5 |
| Distanziatori | Alluminio |
| Rocker Washers | Alluminio |
| Viti | Hot Rod F |
| Freno | Fornito con freno |



Memory buckle.

Fast lacing system B. Cool Breath.

Comfort Construction.



BIG ZYX

sizes EU 50-52; UK 15-17; US 16-18; MP 325-345



FROM RECYCLED | RECYCLABLE
code 400812 001



Cool breath.

Fast lacing system B.

ENG

| | |
|----------------|---|
| Shell and cuff | Glass fiber reinforced High Quality polypropylene |
| Closure | Memory buckle, Power strap, Fast lacing system |
| Boot | EES Easy Entry System, PAP Progressive anatomical padding, Cool breath mesh |
| Footbed | Anatomical |
| Frame | Glass fiber reinforced HQ polypropylene |
| Wheels | Ročes 90mm 82A |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Rocker Washers | Aluminium |
| Axes | Hot Rod F |
| Stopper | Supplied with brake |

ITA

| | |
|----------------|---|
| Scafo | Polipropilene High Quality rinforzato con fibra di vetro |
| Chiusura | Leva Memory, Power strap, Fast lacing system |
| Scarpetta | Entrata EES Easy Entry System, Imbottitura PAP Progressive Anatomical Padding, Rete Cool Breath |
| Plantare | Anatomico |
| Telaio | Polipropilene HQ rinforzato con fibra di vetro |
| Ruote | Ročes 90mm 82A |
| Cuscinetti | ABEC 5 |
| Distanziatori | Alluminio |
| Rocker Washers | Alluminio |
| Viti | Hot Rod F |
| Freno | Fornito con freno |

KIDS

MOODY BOY TIF

TIF
THE INVISIBLE FRAME

NEW



sizes
EU [30-35] [36-40]; UK [12jr-2] [3-6];
US [13jr-3] [4-7]; MP [190-220] [230-255]



ENG

| | |
|----------------|--|
| Shell and cuff | High Quality polypropylene |
| Closure | Memory buckle, Power strap, Laces |
| Boot | Anatomical padding, EES Easy Entry System |
| Footbed | Anatomical |
| Frame | Molded aluminium |
| Wheels | Roces 72mm 82A UK [12jr-2]; Roces 76mm 82A UK [3-6] |
| Bearings | ABEC 3 |
| Spacers | Aluminium |
| Axes | Hot Rod |
| Stopper | Supplied with brake |

ITA

| | |
|---------------|--|
| Scofo | Polipropilene High Quality |
| Chiusura | Leva Memory, Power strap, Lacci |
| Scarpella | Imbotititura anatomica, Entrata EES Easy Entry System |
| Plantare | Anatomico |
| Telaio | Alluminio stampato |
| Ruote | Roces 72mm 82A UK [12jr-2]; Roces 76mm 82A UK [3-6] |
| Cuscinetti | ABEC 3 |
| Distanziatori | Alluminio |
| Viti | Hot Rod |
| Freno | Fornito con freno |



Size adjustable.

Memory buckle.

ABEC 3.

KIDS

MOODY GIRL TIF

TIF
THE INVISIBLE FRAME

NEW



code 400856 001

frame printing on
BOTH SIDES

sizes
EU [30-35] [36-40]; UK [12jr-2] [3-6];
US [13jr-3] [4-7]; MP [190-220] [230-255]



ENG

| | |
|----------------|--|
| Shell and cuff | High Quality polypropylene |
| Closure | Memory buckle, Power strap, Laces |
| Boot | Anatomical padding, EES Easy Entry System |
| Footbed | Anatomical |
| Frame | Molded aluminium |
| Wheels | Roces 72mm 82A UK [12jr-2]; Roces 76mm 82A UK [3-6] |
| Bearings | ABEC 3 |
| Spacers | Aluminium |
| Axes | Hot Rod |
| Stopper | Supplied with brake |

ITA

| | |
|---------------|--|
| Scofo | Polipropilene High Quality |
| Chiusura | Leva Memory, Power strap, Lacci |
| Scarpella | Imbotititura anatomica, Entrata EES Easy Entry System |
| Plantare | Anatomico |
| Telaio | Alluminio stampato |
| Ruote | Roces 72mm 82A UK [12jr-2]; Roces 76mm 82A UK [3-6] |
| Cuscinetti | ABEC 3 |
| Distanziatori | Alluminio |
| Viti | Hot Rod |
| Freno | Fornito con freno |

MICROMETRIC GROWTH COMPENSATOR



code 400856 002



Size adjustable.

Memory buckle.

ABEC 3.

KIDS



DEU



ESP



FRA

JOKEY 3.0 BOY

sizes EU [26-29] [30-33] [34-37] [38-41];
UK [9jr-11jr] [12jr-1] [1,5-3,5] [4-7];
US [10jr-12jr] [13jr-2] [2,5-4,5] [5-8];
MP [170-185] [190-210] [215-235] [245-260]



NEW



FROM RECYCLED
RECYCLABLE
code 400845 001

FROM RECYCLED
RECYCLABLE
code 400845 002

FROM RECYCLED
RECYCLABLE
code 400845 003

400857 SET JOKEY 3.0 BOY (WITH PROTECTIVE SET)
400858 SET JOKEY 3.0 GIRL (WITH PROTECTIVE SET)



Kneeguards.
Elbowguards.
Wristguards.

JOKEY 3.0 GIRL



FROM RECYCLED
RECYCLABLE
code 400846 001

FROM RECYCLED
RECYCLABLE
code 400846 002

E GROWTH - GROWTH COMPENSATOR



1. PUSH 2. PULL 3. RELEASE

ENG

| | |
|----------------|--|
| Shell and cuff | High Quality polypropylene |
| Closure | Micrometric buckle, Power strap, Laces |
| Boot | Anatomical padding, Kid fitting |
| Footbed | Anatomical |
| Frame | HQ polypropylene |
| Wheels | Ročes 64mm 82A UK [9jr-11jr]; Ročes 70mm 82A UK [12jr-1]; Ročes 70mm 82A UK [1,5-3,5]; Ročes 72mm 82A UK [4-7]; |
| Bearings | ABEC 3 |
| Spacers | POM |
| Rocker Washers | POM |
| Axes | Hot Rod |
| Stopper | Supplied with brake |

ITA

| | |
|----------------|--|
| Scafo | Polipropilene High Quality |
| Chiusura | Leva microregolabile, Power strap, Lacci |
| Scarpetta | Imbottitura anatomica, Calzata bambino |
| Plantare | Anatomico |
| Telaio | Polipropilene HQ |
| Ruote | Ročes 64mm 82A UK [9jr-11jr]; Ročes 70mm 82A UK [12jr-1]; Ročes 70mm 82A UK [1,5-3,5]; Ročes 72mm 82A UK [4-7]; |
| Cuscinetti | ABEC 3 |
| Rocker Washers | POM |
| Distanziatori | POM |
| Viti | Hot Rod |
| Freno | Fornito con freno |



DEU

COMPY 6.0 BOY

size EU [26-29] [30-33] [34-37] [38-41];
UK [9jr-11jr] [12jr-1] [1,5-3,5] [4-7];
US [10jr-12jr] [13jr-2] [2,5-4,5] [5-8];
MP [170-185] [190-210] [215-235] [245-260]



FROM RECYCLED
RECYCLABLE
code 400808 001

FROM RECYCLED
RECYCLABLE
code 400808 002

400915 SET COMPY 6.0 BOY (WITH PROTECTIVE SET)
400816 SET COMPY 8.0 GIRL (WITH PROTECTIVE SET)



Kneeguards.
Elbowguards.
Wristguards.

COMPY 8.0 GIRL



FROM RECYCLED
RECYCLABLE
code 400809 001

E GROWTH - GROWTH COMPENSATOR



1. PUSH 2. PULL 3. RELEASE

ENG

| | |
|----------------|--|
| Shell and cuff | High Quality polypropylene |
| Closure | Micrometric buckle, Power strap, Laces |
| Boot | Anatomical padding, Kid fitting |
| Footbed | Anatomical |
| Frame | HQ polypropylene |
| Wheels | Ročes 64mm 82A UK [9jr-11jr]; Ročes 70mm 82A UK [12jr-1]; Ročes 70mm 82A UK [1,5-3,5]; Ročes 72mm 82A UK [4-7]; |
| Bearings | ABEC 3 |
| Spacers | POM |
| Rocker Washers | POM |
| Axes | Hot Rod |
| Stopper | Supplied with brake |

ITA

| | |
|----------------|--|
| Scafo | Polipropilene High Quality |
| Chiusura | Leva microregolabile, Power strap, Lacci |
| Scarpetta | Imbottitura anatomica, Calzata bambino |
| Plantare | Anatomico |
| Telaio | Polipropilene HQ |
| Ruote | Ročes 64mm 82A UK [9jr-11jr]; Ročes 70mm 82A UK [12jr-1]; Ročes 70mm 82A UK [1,5-3,5]; Ročes 72mm 82A UK [4-7]; |
| Cuscinetti | ABEC 3 |
| Rocker Washers | POM |
| Distanziatori | POM |
| Viti | Hot Rod |
| Freno | Fornito con freno |



ESP



FRA

ORLANDO III

size EU [25-29] [30-35] [36-40];
 UK [8jr-11jr] [12jr-2] [3-6];
 US [9jr-12jr] [13jr-3] [4-7];
 MP [165-185] [190-220] [230-255]



FROM RECYCLED
RECYCLABLE
code 400687 010

FROM RECYCLED
RECYCLABLE
code 400687 007

FROM RECYCLED
RECYCLABLE
code 400687 008



FROM RECYCLED
RECYCLABLE
code 400687 009

FROM RECYCLED
RECYCLABLE
code 400687 004

FROM RECYCLED
RECYCLABLE
code 400687 002

FROM RECYCLED
RECYCLABLE
code 400687 006

E GROWTH - GROWTH COMPENSATOR



ENG

| | |
|----------------|---|
| Shell and cuff | High Quality polypropylene, Total ventilation |
| Closure | Two Memory buckles |
| Boot | Adjustable and ventilated, Kid fitting |
| Frame | HQ polypropylene, UniTech |
| Wheels | Roces 64mm 80A UK [8jr-11jr]; Roces 72mm 80A UK [12jr-2] [3-6] |
| Bearings | ABEC 3 |
| Spacers | Aluminum |
| Axes | Hot Rod |
| Stopper | Supplied with brake |

ITA

| | |
|---------------|---|
| Scafo | Polipropilene High Quality, Ventilazione totale |
| Chiusura | Due leve Memory |
| Scarpette | Regolabile e ventilato, Calzata bambino |
| Telaio | Polipropilene HQ, UniTech |
| Ruote | Roces 64mm 80A UK [8jr-11jr]; Roces 72mm 80A UK [12jr-2] [3-6] |
| Cuscinetti | ABEC 3 |
| Distanziatori | Alluminio |
| Viti | Hot Rod |
| Freno | Fornito con freno |



Skater: Grant Hazelton
Photo: David Dodge



FIFTH ELEMENT UFS

sizes EU 39-44; UK 5-9,5;
US 6-10,5; MP 250-285

A historic skate and the best model ever designed.

Now all the passionate fans of the aggressive world will rediscover the benefits of this timeless Roces model. Twenty years ago, in a revolutionary concept for that time, double injection technology was first used in this skate.

Un pattino storico e il migliore mai progettato.

Ora tutti gli appassionati del mondo aggressive potranno riscoprire i benefici dell'intramontabile modello Roces al quale fu applicata vent'anni fa, in modo rivoluzionario per l'epoca, la tecnologia della doppia iniezione.



Stefan Brandow with Fifth Element UFS
Photo: Joe Austin



FIFTH
element




FROM RECYCLED RECYCLABLE
code 101273 001
101274 BOOT ONLY

ENG

| | |
|----------------|---|
| Shell and cuff | Bimaterial, Hard PU for excellent support and durability and soft PU for wraparound fastening |
| Closure | Aluminum Memory buckle, Laces |
| Boot | Comfort fit liner, Memory foam, ECOleather top lining, Heel lock |
| Footbed | Dual shock absorber footbed |
| Frame | Glass fiber reinforced polyamide, 2 pieces soulplates |
| Wheels | 60mm 93A HQ compound wheels + 2 grind wheels |
| Bearings | ABEC 5 |
| Spacers | Aluminum |
| Rocker Washers | Aluminum |
| Axes | Hot Rod S |
| Stopper | Supplied without brake |

ITA

| | |
|----------------|---|
| Scafo | Bimateriale, PU rigido per supporto eccellente e durata, PU morbido per migliore allacciatura |
| Chiusura | Leva Memory in alluminio, Lacci |
| Scarpetta | Comfort fit, Memory foam, Rivestimento in ecopelle, Heel lock |
| Plantare | Dual shock absorber |
| Telaio | Poliammide rinforzata a fibra di vetro, Soulplate 2 pezzi |
| Ruote | 2 pcs 60mm 93A HQ compound + 2 pcs ruote centrali per grind |
| Cuscinetti | ABEC 5 |
| Rocker Washers | Alluminio |
| Distanziatori | Alluminio |
| Viti | Hot Rod S |
| Freno | Fornito senza freno |



Bimaterial.

Soft PU.

Hard PU.



AGGRESSIVE

M12 LO TEAM UFS

sizes EU 36-49; UK 3-14;
US 4-15; MP 235-315



NEW



FROM RECYCLED RECYCLABLE
code 101275 001
101276 BOOT ONLY



Low cuff. Harder PU. Comfort liner. Aluminium Memory Buckle. Central Grinding Wheels

ENG

| | |
|----------------|---|
| Shell and cuff | High Grade Polyurethane, Low cuff |
| Closure | Aluminium Memory buckle, Laces |
| Boot | Anatomical padding, Slo Memory foam |
| Footbed | Anatomical |
| Frame | UFS, Glass fiber reinforced polyamide |
| Wheels | 2 pcs Roces 58mm 88A, 2 pcs central grinding wheels |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Axes | Hot Rod S |
| Stopper | Supplied without brake |

ITA

| | |
|---------------|---|
| Scafo | Poliuretano High Grade |
| Chiusura | Leva Memory in alluminio, Lacci |
| Scarpetta | Imbottitura anatomica, Slo Memory foam |
| Plantare | Anatomico |
| Telaio | UFS, Poliammide rinforzata con fibra di vetro |
| Ruote | 2 pcs Roces 58mm 88A, 2 pcs central grinding wheels |
| Cuscinetti | ABEC 5 |
| Distanziatori | Alluminio |
| Viti | Hot Rod S |
| Freno | Fornito senza freno |

AGGRESSIVE

M12 UFS

sizes EU 36-49; UK 3-14; US 4-15; MP 235-315



ENG

| | |
|----------------|---|
| Shell and cuff | High Grade Polyurethane |
| Closure | Aluminium Memory buckle, Laces |
| Boot | Anatomical padding, Slo Memory foam |
| Footbed | Anatomical |
| Frame | UFS, Glass fiber reinforced polyamide |
| Wheels | 2 pcs Roces 58mm 88A, 2 pcs central grinding wheels |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Axes | Hot Rod S |
| Stopper | Supplied without brake |

MADE IN ITALY

ITA

| | |
|---------------|---|
| Scafo | Poliuretano High Grade |
| Chiusura | Leva Memory in alluminio, Lacci |
| Scarpetta | Imbottitura anatomica, Slo Memory foam |
| Plantare | Anatomico |
| Telaio | UFS, Poliammide rinforzata con fibra di vetro |
| Ruote | 2 pcs Roces 58mm 88A, 2 pcs central grinding wheels |
| Cuscinetti | ABEC 5 |
| Distanziatori | Alluminio |
| Viti | Hot Rod S |
| Freno | Fornito senza freno |

MADE IN ITALY



Aluminium Memory Buckle Central Grinding Wheels



RENTAL



FCO


sizes EU 35-49; UK 2-14; US 3-15; MP 220-315

ENG

| | |
|----------------|-------------------------------------|
| Shell and cuff | High Grade Polyurethane |
| Closure | Micrometric buckle, Laces |
| Boot | Anatomical padding, Slo Memory foam |
| Footbed | Talatrimed |
| Frame | Glass fiber reinforced polyamide |
| Wheels | Roces 76mm 82A |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Rocker Washers | Aluminium |
| Axles | Hot Rod |
| Stopper | No marking brake pad |

ITA

| | |
|----------------|---|
| Scofo | Poliuretano High Grade |
| Chiusura | Leva microregolabile, Lacci |
| Scarpella | Imbotititura anatomica, Slo Memory foam |
| Plantare | Poliammide rinforzata con fibra di vetro |
| Telaio | UFS, Poliammide rinforzata con fibra di vetro |
| Ruote | Roces 76mm 82A |
| Cuscinetti | ABEC 5 |
| Distanziatori | Alluminio |
| Rocker Washers | Alluminio |
| Viti | Hot Rod |
| Freno | Tampone non marcante |



No Marking
Brake Pad.

ORLANDO III

sizes EU [25-29] [30-35] [36-40];
UK [8jr-11jr] [12jr-2] [3-6];
US [9jr-12jr] [13jr-3] [4-7];
MP [165-185] [190-220] [230-255]

ENG

| | |
|----------------|---|
| Shell and cuff | High Quality polypropylene, Total ventilation |
| Closure | Two Memory buckles |
| Boot | Adjustable and ventilated, Kid fitting |
| Footbed | Satryemal |
| Frame | HQ polypropylene, UniTech |
| Wheels | Roces 64mm 80A UK [8jr-11jr]; Roces 72mm 80A UK [12jr-2] [3-6] |
| Bearings | ABEC 3 |
| Spacers | Aluminium |
| Axles | Hot Rod |
| Stopper | Supplied with brake |

ITA

| | |
|----------------|---|
| Scofo | Polipropilene High Quality, Ventilazione totale |
| Chiusura | Due leve Memory |
| Scarpella | Regolabile e ventilato, Calzata bambino |
| Telaio | Polipropilene HQ, UniTech |
| Ruote | Roces 64mm 80A UK [8jr-11jr] Roces 72mm 80A UK [12jr-2] [3-6]; |
| Cuscinetti | ABEC 3 |
| Rocker Washers | Alluminio |
| Viti | Hot Rod |
| Freno | Fornito con freno |



FROM RECYCLED | RECYCLABLE
code 400687 009





DISCO PALACE

ROLLER SKATES | STREET

sizes EU 32-45; UK 13jr-10;
US 1-11; MP 205-290

| | |
|----------|-------------------------------|
| Closure | Tubular laces |
| Boot | ECOleather and mesh, PVC sole |
| Footbed | Anatomical |
| Frame | PP |
| Truck | Aluminium |
| Wheels | PU, 58x32mm 80A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Axles | Self locking nut |
| Stopper | PU |



code 550039 004



code 550039 007 glitter

KOLOSSAL

ROLLER SKATES | STREET

sizes EU 32-45; UK 13jr-10;
US 1-11; MP 205-290

| | |
|----------|-------------------------------|
| Closure | Tubular laces |
| Boot | ECOleather and mesh, PVC sole |
| Footbed | Anatomical |
| Frame | PU |
| Truck | Aluminium |
| Wheels | PU, 58x32mm 80A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Axles | Self locking nut |
| Stopper | PU |



code 550041 003



code 550041 004



code 550041 008



code 550041 007 glitter



code 550041 011

MOVIDA UP

ROLLER SKATES | STREET

sizes EU 32-43; UK 13jr-9;
US 1-10; MP 205-280



code 550071 001

| | |
|----------|----------------------------|
| Closure | Tubular laces, Power strap |
| Boot | ECOleather, PVC sole |
| Footbed | Anatomical |
| Frame | PP |
| Truck | Aluminium |
| Wheels | PU, 54x32mm 85A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |

ACE

sizes EU 30-45; UK 12jr-10;
US 13jr-11; MP 190-290



code 550052 001

| | |
|----------|------------------------|
| Boot | ECOcanvas, Rubber sole |
| Footbed | Anatomical |
| Frame | PP |
| Truck | PP |
| Wheels | PVC, 54x32mm 85A |
| Bearings | ABEC 1 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |

MOVIDA ART

ROLLER SKATES | STREET

sizes EU 32-43; UK 13jr-9;
US 1-10; MP 205-280



code 550069 001

code 550069 002

| | |
|----------|----------------------------|
| Closure | Tubular laces, Power strap |
| Boot | ECOleather, PVC sole |
| Footbed | Anatomical |
| Frame | PP |
| Truck | PP |
| Wheels | PU, 54x32mm 85A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |

OLLIE

sizes EU 30-45; UK 12jr-10;
US 13jr-11; MP 190-290



code 550054 003

code 550054 004

CHUCK PLAIN

ROLLER SKATES | STREET

sizes EU 30-45; UK 12jr-10;
US 13jr-11; MP 190-290



code 550030 001

code 550030 005

code 550030 007

| | |
|----------|------------------------|
| Closure | Flat laces |
| Boot | ECOcanvas, Rubber sole |
| Footbed | Anatomical |
| Frame | PP |
| Truck | PP |
| Wheels | PVC, 54x32mm 85A |
| Bearings | ABEC 1 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |

52 STAR

sizes EU 30-42; UK 12jr-8;
US 13jr-9; MP 190-270



code 550062 003

code 550062 004

code 550062 001

sizes EU 30-42; UK 12jr-8;
US 13jr-9; MP 190-270

| | |
|----------|-------------------------|
| Closure | Flat laces, Upper hooks |
| Boot | ECOmesh, PVC sole |
| Footbed | Anatomical |
| Frame | PP |
| Truck | PP |
| Wheels | PVC, 54x32mm 85A |
| Bearings | ABEC 1 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |



code 550060 001

sizes EU 26-46; UK 9jr-11;
US 10jr-12; MP 170-295

| | |
|----------|-------------------------|
| Closure | Flat laces, Upper hooks |
| Boot | ECOleather, PVC sole |
| Footbed | Anatomical |
| Frame | Aluminium |
| Truck | Aluminium |
| Wheels | PU, 54x32mm 85A |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |



code 550035 001



code 550035 002

sizes EU 26-46; UK 9jr-11;
US 10jr-12; MP 170-295

| | |
|----------|-------------------------|
| Closure | Flat laces, Upper hooks |
| Boot | ECOleather, PVC sole |
| Footbed | Anatomical |
| Frame | PP |
| Truck | PP |
| Wheels | PU, 54x32mm 85A |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |



code 550025 004 suede

code 550025 001

code 550025 002

sizes EU 30-46; UK 12jr-11;
US 13jr-12; MP 190-295

| | |
|----------|-------------------------|
| Closure | Flat laces, Upper hooks |
| Boot | ECOleather, PVC sole |
| Footbed | Anatomical |
| Frame | PP |
| Truck | PP |
| Wheels | PU, 54x32mm 85A |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |



code 550064 005 denim*



code 550025 005

code 550025 006

code 550025 007

sizes EU 30-46; UK 12jr-11;
US 13jr-12; MP 190-295

| | |
|----------|-------------------------|
| Closure | Flat laces, Upper hooks |
| Boot | ECOleather, PVC sole |
| Footbed | Anatomical |
| Frame | PP |
| Truck | PP |
| Wheels | PU, 54x32mm 85A |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |



code 550059 001

code 550059 002

QUADDY 3.0 GIRL

ROLLER SKATES | KIDS

sizes EU [26-29] [30-33] [34-37] [38-41];
UK [9jr-11jr] [12jr-1] [1,5-3,5] [4-7];
US [10jr-12jr] [13jr-2] [2,5-4,5] [5-8];
MP [170-185] [190-210] [215-235] [245-260]

| | |
|----------------|--|
| Shell and cuff | Polypropylene |
| Closure | Micrometric buckle, Power strap, Laces |
| Boot | ECOmesh, PVC |
| Footbed | Anatomical |
| Frame | PP |
| Truck | PP |
| Wheels | PVC, 54x32mm 85A |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |



code 550095 001

ADJUSTABLE



Push
to adjust
size

QUADDY 3.0 BOY



code 550094 001

LOGOMANIA

ROLLER SKATES | KIDS

sizes EU [32-35] [36-39] [40-43];
UK [13jr-2] [3-5] [6-9];
US [1-3] [4-6] [8-10];
MP [205-220] [230-250] [255-280]

| | |
|----------|-------------------------|
| Closure | Flat laces, Upper hooks |
| Boot | ECOmesh, PVC |
| Footbed | Anatomical |
| Frame | PP |
| Truck | PP |
| Wheels | PVC, 54x32mm 85A |
| Bearings | ABEC 1 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |



code 550093 001

ADJUSTABLE



PRO4

sizes EU 36-49 UK 3-14;
US 4-15; MP 235-315

| | |
|----------------|-------------------------------------|
| Shell and cuff | High Grade Polyurethane |
| Closure | Aluminum Memory buckle, Laces |
| Boot | Anatomical padding, Slo Memory foam |
| Footbed | Anatomical |
| Frame | Aluminum |
| Truck | Aluminum |
| Wheels | PU, 56x31mm 98A |
| Bearings | ABEC 5 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |

BOOT MADE IN ITALY



code 550073 001

PRO '80

sizes EU 36-49; UK 3-14;
US 4-15; MP 235-315

| | |
|----------------|-------------------------------------|
| Shell and cuff | High Grade Polyurethane |
| Closure | Laces |
| Boot | Anatomical padding, Slo Memory foam |
| Footbed | Anatomical |
| Frame | PP |
| Truck | Aluminium |
| Wheels | PU, 58x32mm 80A |
| Bearings | ABEC 7 |
| Spacers | Aluminium |
| Axes | Self locking nut |
| Stopper | PU |

BOOT MADE IN ITALY



code 550096 001

ROLLER SKATES | AGGRESSIVE

FUN SPORTS

SKATEBOARDS,
MINI SKATEBOARDS,
MINI CRUISERS,
LONGBOARDS,
CRUISER BOARDS




MEGAN
code 30731

| | |
|-------------------------|--|
| Deck | 31"x7.5"x11mm 9-Ply China Maple, concave double kicktail |
| Top Grip Tape | Black 80AB |
| Bearings | ABEC-5 Chrome |
| Wheels | 52x36mm 85A, PU casted white color wheel with printing |
| Truck | 5" heavy duty truck, sandy finish hanger and baseplate |
| Cushion | PU Injected 90-94A, black |
| Riserpad | PE 4mm black |
| EN 13613 Class A | |



DEVILANGEL
code 30732

| | |
|-------------------------|---|
| Deck | 31"x7.5"x11mm 9-Ply China Maple, round edge no2 |
| Top Grip Tape | Black medium |
| Bearings | ABEC-3 Chrome |
| Wheels | 50x36mm 85A PU injection, white color with printing |
| Truck | Alu heavy duty, stone finish |
| Cushion | PU Injected 90-94A, black |
| Riserpad | PE 4mm |
| EN 13613 Class A | |




SKULL 80
code 30626

| | |
|-------------------------|--|
| Deck | 31"x8"x11mm 9-Ply China Maple, double kick concave |
| Top Grip Tape | Normal, black |
| Bearings | ABEC-3 Chrome |
| Wheels | 50x36mm 95A PU injected, white color with printing |
| Truck | Alu heavy duty, sandy |
| Cushion | PVC 90-94A, black |
| Riserpad | PE 6mm black |
| EN 13613 Class A | |



MATRIOSKULL
code 30627

| | |
|-------------------------|--|
| Deck | 31"x8"x11mm 9-Ply China Maple, double kick concave |
| Top Grip Tape | Normal, black |
| Bearings | ABEC-3 Chrome |
| Wheels | 50x36mm 95A PU injected, white color with printing |
| Truck | Alu heavy duty, sandy |
| Cushion | PVC 90-94A, black |
| Riserpad | PE 6mm black |
| EN 13613 Class A | |



INDIAN
code 30515



COWBOY
code 30516



CALAVERA
code 30636



CHEERS
code 30637



PARTYBOY
code 30730

| | |
|-------------------------|--|
| Deck | 31"x8"x11mm 9-Ply China Maple, concave double kicktail |
| Top Grip Tape | 80A full coverage |
| Bearings | ABEC-3 carbon |
| Wheels | 50x36mm PVC injected, white color with printing |
| Truck | 5" heavy duty, raw finish |
| Cushion | PVC Injected, black color |
| Riserpad | PE 4mm |
| EN 13613 Class A | |



SNAKE&SKULL
code 30672

GUNSIGHT
code 30673

| | |
|------------------|--|
| Deck | 31"x8"x11", 9 plies china maple, concave double kicktail |
| Top Grip Tape | 80A full coverage |
| Bearings | ABEC-3 carbon |
| Wheels | 50x36mm PVC injected, white color with printing |
| Truck | 5" heavy duty, raw finish |
| Cushion | PVC Injected, black color |
| Riserpad | PE 4mm |
| EN 13613 Class A | |



SKULL BOY MINI
code 30663

BUSINESSKULL
code 30733

WPS 2-22,5"
code 30675

MC1-22,5"
code 30604 001

| | |
|------------------|-----------------------------|
| Deck | 24" China maple 61cm |
| Bearings | ABEC-1 |
| Wheels | PVC 54x36mm |
| Truck | 3.25" alu truck, raw finish |
| Riserpad | 4mm black |
| EN 13613 Class B | |

| | |
|------------------|-----------------------------|
| Deck | 24" China maple 61cm |
| Bearings | ABEC-1 |
| Wheels | PVC 54x36mm |
| Truck | 3.25" alu truck, raw finish |
| Riserpad | 4mm black |
| EN 13613 Class B | |

| | |
|------------------|-----------------------------------|
| Colors | 001 natural |
| Deck | 22,5"x6", 7 plies China maple |
| Shape | Flat/kicktail |
| Wheels | 60x45mm PU casted, 78A |
| Truck | 3.25" aluminium truck, raw finish |
| Bearing | ABEC 5 chrome |
| Riserpad | PE 6mm |
| EN 13613 Class A | |

| | |
|------------------|--|
| Colors | 1 light blue/yellow - 2 yellow/light blue - 3 red/yellow |
| Deck | 22,5"x6" plastic board, high quality PP |
| Shape | Flat/kicktail |
| Wheels | 60x45mm PU casted, 78A |
| Truck | 3.25" Heavy duty aluminium truck, raw finish |
| Bearing | ABEC 7 chrome |
| Riserpad | PE 6mm |
| EN 13613 Class A | |



SKULL 2200
code 30570

TRICK 400
code 30851

TRICK 500
code 30712

SEXY PARK
code 31036

TRICKFOOD
code 30734



W1 (42")
code 30685

W2 (39,5")
code 30686

CRUISER W (29")
code 30687

LONGBOARDS & CRUISER BOARDS

FUN SPORTS

LONGBOARD 42"

| | |
|------------------|---|
| Deck | 42"x9,25", 8 Plys Birch |
| Shape | Concave, Pin tail |
| Graphic | Heat transfer |
| Grip Tape | 80AB full coverage |
| Truck | 6" Heavy duty truck, raw finish |
| Wheel | 70x51mm, PU casted wheel, lower rebound |
| Bearing | ABEC 7 Carbon Steel |
| Riserpad | 8mm/14mm wedge, black |
| EN 13613 Class A | |

LONGBOARD 39,5"

| | |
|------------------|---|
| Deck | 39,5"x10", 9Plys Birch |
| Shape | Concave, Drop through |
| Graphic | Heat transfer |
| Grip Tape | 80AB full coverage |
| Truck | 7" Aluminum truck, Randal shape, raw finish |
| Wheel | 70x51mm, PU casted wheel, lower rebound |
| Bearing | ABEC 7 Carbon Steel |
| Riserpad | None |
| EN 13613 Class A | |

CRUISER 29"

| | |
|------------------|---------------------------------|
| Deck | 29"x8", 9Plys China Maple |
| Shape | Flat, Single kicktail |
| Graphic | Heat transfer on top and bottom |
| Grip Tape | Clear spray |
| Truck | 6" Heavy duty truck, raw finish |
| Wheel | 60x44mm, PU casted wheel |
| Bearing | ABEC 5 carbon |
| Riserpad | 12mm, black |
| EN 13613 Class A | |


250/215mm MOBY
 code 30963 001 Black Red

| | |
|------------------------|--|
| Frame | Aluminium |
| Bearings | Abec 7 chrome |
| Wheels | 250 mm PU + 215 mm PU rear |
| Brake | Extruded aluminium brake with locking system |
| Stickers | UV on front tube |
| With self-stood system | |
| Max Weight | 100 kg |
| Age | +8 |
| EN 14619 Class A | |



Kickstand and folding device


205mm VOOV 2.0
 code 30558 002 003


| | |
|---------------------------|---------------|
| Frame | Aluminium |
| Bearings | ABEC 7 carbon |
| Wheels | 205 mm PU |
| Max Weight | 100 kg |
| Age | +8 |
| With comfortable shoulder | |
| EN 14619 Class A | |

| | |
|------------------|-------------------------------------|
| Bearings | ABEC 7 carbon |
| Wheels | 230 mm PU front + 180 mm PU rear |
| Max Weight | 120 kg |
| Age | +8 |
| EN 14619 Class A | |

230/180mm CITIZEN
 code 30562 001 (with front Shock Absorber)
 code 30563 001 (without front Shock Absorber)

145mm RANGER
 code 30544 001


125mm
code 30612 005 006



code 30612 005

| | |
|------------------|---------------|
| Frame | Aluminium |
| Bearings | ABEC 5 carbon |
| Wheels | 125 mm PVC |
| Max Weight | 100 kg |
| Age | +8 |
| EN 14619 Class A | |



code 30612 006

100mm KOOK
code 30498 001



| | |
|------------------|------------------|
| Bearings | ABEC 7 chrome |
| Wheels | 100 mm PU wheels |
| T-Bar | 57x43 cm |
| Max Weight | 100 kg |
| Age | +8 |
| EN 14619 Class A | |

100mm BLAST
code 30559 001



| | |
|------------------|------------------|
| Bearings | ABEC 7 chrome |
| Wheels | 100 mm PU wheels |
| T-Bar | 57x43 cm |
| Max Weight | 100 kg |
| Age | +8 |
| EN 14619 Class A | |

150mm
code 31058 008 009 010 011



| | |
|------------------|---------------|
| Frame | Aluminium |
| Bearings | ABEC 5 carbon |
| Wheels | 150 mm PU |
| Max Weight | 100 kg |
| Age | +8 |
| EN 14619 Class A | |

code 31058 008

code 31058 009

code 31058 010

code 31058 011

110mm JUICE
code 30958 001



| | |
|------------------|---|
| Bearings | ABEC 9 chrome |
| Wheels | 110 mm PU |
| T-Bar | 52x57 cm urban shape steel |
| Brake | 100 mm flexi carbon in manganese carbon |
| Stickers | UV |
| Max Weight | 100 kg |
| Age | +8 |
| EN 14619 Class A | |



PRO- TECTIONS

VENTILATED PACK
301332 Ventilated 3 Pack Size: S-XL - 1 Black



301333 Ventilated knee pads 301334 Ventilated elbow pads 301335 Ventilated wristguards

JR VENTILATED PACK
301352 junior ventilated 3 pack Size: SJR MJR - 1 Black 2 Red/Black - 3 White/Pink



301353 Junior ventilated knee pads 301354 Junior ventilated elbow pads 301355 Junior ventilated wristguards

ADULT EXTRA PACK
301366 Extra 3 pack Size: S-L - 1 Black/Grey



301368 Extra knee pads 301369 Extra elbow pads 301370 Extra wristguards

JUNIOR EXTRA PACK
301377 Junior Extra 3 pack Size: SJR MJR - 1 Black/Grey



301378 Junior Extra knee pads 301379 Junior Extra elbow pads 301380 Junior Extra wristguards

ADULT SUPER PACK
301275 Sizes: S-L - 1 Black



ADULT RENTAL 3-PACK
301488 Sizes: S-M-L - 1 Black



RAMP PACK
Sizes: M-L - 1 Black



300935-300936
Ramp knee pads / elbow pads

JUNIOR SUPER PACK
301276 Junior super 3pack Size: SJR MJR - 1 Black



WSAFE PIVOTING WRISTGUARDS
designed according to biomechanical principles. Size S-L - 1 Black



301463 WSafe 3 PACK + 301333 + 301334 301462 WSafe wristguards

JUNIOR RENTAL 3-PACK
301492 Sizes: JR - 1 Black



AGGRESSIVE GLOVES
300701 Sizes: S-XL - 1 Black
Also for winter sports



AGGRESSIVE WRISTGUARDS
300702 Sizes: S-XL - 1 Black
Also for winter sports



ADJUSTABLE RING SYSTEM ON ALL HELMETS



SYMBOL KID HELMET

301485
Sizes: JRS 46-52 / JRM 52-57 | 1 Light Blue - 2 Pink

FITNESS KID HELMET
301421

Sizes: Jr - S | 52-54 Jr - M | 54-58 1 Red - 3 Pink



FITNESS ADULT HELMET

301420
Sizes: M | 54-58 L | 58-62 | 1 Black - 2 Light Blue



FLAMES 5.0 BOY HELMET

301415
Sizes: JRS 52-54 / JRM 54-58 | 1 Black



SKULL 800 AGGRESSIVE HELMET

301351
Sizes: S 48-52 / M 54-56 / L 58-60 | 2 Mat White/Red

TATTOO AGGRESSIVE HELMET
301418

Sizes: S 48-52 / M 54-56 / L 58-60 | 2 Mat White/Violet



AGGRESSIVE HELMET

300756
Sizes: S 48-52 / M 54-56 / L 58-60
1 Mat Red - 2 Mat White - 5 Mat Black - 8 Mat Deep Pink - 10 Mat Blue



M12 AGGRESSIVE HELMET

301178
Sizes: S 48-52 / M 54-56 / L 58-60 | 1 Mat Black

BULLET HELMET
301465 002

Sizes: S 48-52 / M 54-56 / L 58-60 | 2 Green Black



CALAVERA HELMET

301486
Sizes: S 48-52 / M 54-56 / L 58-60 | 1

R WHEEL KIT
20550 60mm 88A (4 PCS)INLINE HOCKEY PUCK
30354JR BLADE REPLACEMENT
30780SPINNER
30596
1 Red White - 2 Black Red - 3 Yellow Black - 4 Blue GreenSR BLADE REPLACEMENT
30781JUNIOR FIGHTER WITH ABS BLADE
30766 125cm
30% MORE IMPACT DURABILITYHOCKEY BALL
30773SENIOR FIGHTER WITH ABS BLADE
30767 152cm right / left
30% MORE IMPACT DURABILITYTHREE WAY TOOL
650SKATE HOLDER
30100 6000 Black - 3 smokeJUNIOR HOCKEY FIREPUCK
31022 125cmANTISHOCK GEL INSERT
20397SENIOR HOCKEY FIREPUCK
31023 152cm right / leftFIGHTER GOALKEEPER
30763

FIGHTER-II



PROMO T-SHIRT
300921 001 Black



ROCES TSHIRT M12
301209 001 Black - 002 White



ALU WATER BOTTLE 0.75 lt
30736



CARDBOARD DESK DISPLAY
31055 size 47x50x14



INLINE SKATES RUCKSACK 1
30254 3 Red/Grey



TROLLEY BAG TO CARRY SAMPLES
30611 L 85 x H 36 x D 50 cm



BAG TO CARRY SAMPLES
30131



CARDBOARD DISPLAY
FOR 6 SKATEBOARDS AND 2 SKATES
30580 Easy and quick set-up, Recyclable,
71x114cm



XANDO BAG
30736 001 blue 002 pink



R-BAG
30715 001 Red - 002 Pink



QUADYOURLIFE BAG
30716 001



FIREICE BASIC BAG
30610 Sizes : M (8 UK) | L (12UK) | 1 Black




LAUNCH RAMP
30690 150x65x70cm



FLAMES 5.0 BAG
30581 Sizes: M (8 UK)



BUTTERFLY BAG
30620 Sizes : M (8 UK) | 1 White/Pink



APPAREL

NILS JANSONS

FIFTH ELEMENT



Fifth Element Sweatshirt
code 300200 001

Fifth Element Tshirt
code 300634 001



TIF



TIF Black Tshirt
code 301431 001

TIF White Tshirt
code 301431 002



Nils Jansons Charcoal Tshirt
code 301290 001

LOGO COLLECTION



Logo Collection
Sweatshirt
code 300591 002



Logo Collection
Polo
code 300197 001



Logo Collection
Black Tshirt
code 300635 001

Logo Collection
Melange Tshirt
code 300635 002

Logo Collection
White Tshirt
code 300635 003

TECHNICAL DATA OVERVIEW

INLINE SKATES

ROCES®
SPIRIT AND SOUL OF SKATING

| | | UK SIZES | SHELL | CLOSURE | BOOT | FOOTBED | LAST | SHOCK ABSORBING | | FRAME | WHEEL BASE | MAX DIAMETER | AXLES | ROCKER WASHER | WHEELS | BEARING SPACER | BEARINGS | GROWTH COMPENSATOR |
|------------|--|------------------------------|-----------------|---|---|---------------------|-------------|-----------------|--|------------------------------|---|---|----------------|---------------|---|----------------|----------|--------------------|
| URBAN | X35 3x110 TIF | 3-14 (3-9) | HQPP | Die-cast alu upper buckle & Instep micrometric buckles, Asymmetrical fast flowing lacing wrap | Pap, Total Ventilation Intakes, Extra Heel Lock Microfiber Lining | Anatomical | man & woman | Y | | Extruded Alu - 3 Arch Design | UK 3-14 243mm | 110mm | Zero Clearance | Alu | 3x110mm 85A | Alu | ABEC 7 | - |
| | X35 TIF | 3-14 (3-9) | HQPP | Die-cast alu upper buckle & Instep micrometric buckles, Asymmetrical fast flowing lacing wrap | Pap, Total Ventilation Intakes, Extra Heel Lock Microfiber Lining | Anatomical | man & woman | Y | | Extruded Alu - 3 Arch Design | UK 3-14 243mm | 80mm | Zero Clearance | Alu | 4X80mm 84A | Alu | ABEC 7 | - |
| | EGO 3X110 TIF | 3-9,5 (3-9) | HQPP | Micrometric upper buckle & Instep micrometric buckle, laces | EES Easy Entry System, Anatomical padding, Mesh | Anatomical | man & woman | Y | | Extruded Alu - 2 Arch Design | UK 3-9,5 243mm | 110mm | Zero Clearance | Alu | 3x110mm 85A | Alu | ABEC 11 | - |
| | EGO TIF | 3-9,5 (3-9) | HQPP | Micrometric upper buckle & Instep micrometric buckle, laces | EES Easy Entry System, Anatomical padding, Mesh | Anatomical | man & woman | Y | | Extruded Alu - 2 Arch Design | UK 3-9,5 243mm | 80mm | Zero Clearance | Alu | 4X80mm 85A | Alu | ABEC 9 | - |
| URBAN KIDS | YEP 3X90 TIF | 10-12jr; 12,5jr - 1,5; 2-4 | HQPP | Micrometric upper buckle & Instep micrometric buckle, laces | EES Easy Entry System, Mesh | Anatomical | kid | - | | Extruded Alu | UK 10jr-4 230 mm | 90mm | Zero Clearance | Alu | 3x90mm 85 A | Alu | ABEC 9 | E |
| | YEP TIF | 10-12jr; 12,5jr - 1,5; 2-4 | HQPP | Micrometric upper buckle & Instep micrometric buckle, laces | EES Easy Entry System, Mesh | Anatomical | kid | - | | Extruded Alu | UK 10jr-4 213 mm | 72mm | Zero Clearance | Alu | 4x70mm 85 A | Alu | ABEC 9 | E |
| TRAINING | LAB 3x110 TIF | 3-13 | Carbon fiber | Laces, Microadjustable Buckle, Power Strap | Pap, Special Wrap Lining | - | man | - | | Extruded Alu - 3 Arch Design | UK 3-13 243mm | 110mm | Zero Clearance | Alu | 3x110mm 85A | Alu | ABEC 7 | - |
| | GYMNASIUM 2.0 TIF GYMNASIUM 2.0 W TIF | 3-14 (3-9) | HQPP + Gf | Fast Fastening, Memory Buckle | Pap, Ees, Cool Breath Mesh | Anatomical | man & woman | - | | Magnesium | UK 3-8 279mm; UK 8,5-14 317mm | UK 3-14 90mm | Hot Rod F | Alu | 4x90mm 82A | Alu | ABEC 9 | - |
| FITNESS | RADON TIF RADON W TIF | 3-14 (3-9) | HQPP + GF | Fast Lacing System B, Memory Buckle, Power Strap | Pap, Ees, Jet Air Intake | Anatomical | man & woman | - | | Extruded Alu - 2 Arch Design | UK 3-8 279mm; UK 8,5-14 307mm | UK 3-14 90mm | Hot Rod F | Alu | 4x90mm 82A | Alu | ABEC 7 | - |
| | HELIUM TIF HELIUM W TIF | 3-14 (3-9) | HQPP + GF | Fast Lacing System B, Memory Buckle, Power Strap | Pap, Ees, Jet Air Intake | Anatomical | man & woman | - | | Extruded Alu | UK 3-8 264mm; UK 8,5-14 289mm | 84mm | Hot Rod F | Alu | 4x84mm 82A | Alu | ABEC 7 | - |
| SPORTY | PIC | 3-14 (3-9) | HQPP + GF | Memory Buckle, Power Strap, Fast Lacing System B | Comfort Construction Pap, Ees, Cool Breath | Comfootbed | man & woman | - | | Extruded Alu | UK 3-8 264mm; UK 8,5-14 289mm | 84mm | Hot Rod F | Alu | 4X80mm 82A | Alu | ABEC 5 | - |
| | ICON | 3-14 (3-9) | HQPP + GF | Memory Buckle, Power Strap, Fast Lacing System B | Comfort Construction Pap, Ees, Cool Breath | Comfootbed | man & woman | - | | PP + GFT | UK 3-8 264mm; UK 8,5-14 289mm | 84mm | Hot Rod F | Alu | 4X80mm 82A | Alu | ABEC 5 | - |
| BIG SIZE | BIG ZYX | 15-17 | HQPP + GF | Memory Buckle, Power Strap, Fast Lacing System B | Pap, Ees, Cool Breath | Anatomical | man & woman | - | | PP + GFT | 315mm | 90mm | Hot Rod F | Alu | 4X90mm 82A | Alu | ABEC 5 | - |
| KIDS | MOODY TIF | 12jr-2; 3-6 | HQPP + Gf | Laces, Memory Buckle, Power Strap | Ees, Cool Breath | Kid Footbed | kid | - | | Molded Alu | UK 12jr-2 225mm; UK 3-6 263mm | UK 12jr-2 72mm; UK 3-6 76mm | Hot Rod | - | 72mm 82A (UK 12jr-2); 76mm 82A (UK 3-6) | Alu | ABEC 3 | D |
| | JOKEY 3.0 | 9-11jr; 12jr-1; 1,5-3,5; 4-7 | HQPP | Laces, Micrometric Buckle, Power Strap | Mesh | Kid Footbed | kid | - | | PP | UK 9-11jr 195mm; 12jr-1 219mm; 1,5-3,5 234mm; 4-7 253,5mm | UK 9-11jr 64mm; 12jr-1 70mm; 1,5-3,5 72mm; 4-7 72mm | Hot Rod | POM | 64mm 82A (9jr-11jr); 70mm 82A (UK 12jr-1); 70mm 82A (UK 1,5-3,5); 72mm 82A (UK 4-7) | POM | ABEC 3 | E |
| | COMPY 6.0 B COMPY 8.0 G | 9-11jr; 12jr-1; 1,5-3,5; 4-7 | HQPP | Laces, Micrometric Buckle, Power Strap | Mesh | Kid Footbed | kid | - | | PP | UK 9-11jr 195mm; 12jr-1 219mm; 1,5-3,5 234mm; 4-7 253,5mm | UK 9-11jr 64mm; 12jr-1 70mm; 1,5-3,5 72mm; 4-7 72mm | Hot Rod | POM | 64mm 82A (9jr-11jr); 70mm 82A (UK 12jr-1); 70mm 82A (UK 1,5-3,5); 72mm 82A (UK 4-7) | POM | ABEC 3 | E |
| | ORLANDO III* | 8jr-11jr; 12jr-2; 3-6 | HQPP | 2 Memory Buckles | Av (Adjustable-Ventilated) | Kid Footbed | kid | - | | Unitech PP | UK 8jr-11jr 197mm; UK 12jr-2 224mm; UK 3-6 269mm | UK 8jr-11jr 64mm; UK 12jr-2 & 3-6 72mm | Hot Rod | - | 64mm 80A (UK 8jr-11jr); 72mm 80A (UK 12jr-6) | Alu | ABEC 3 | B |
| AGGRESSIVE | FIFTH ELEMENT UFS | 5-9,5 | Bimaterial HQPU | Laces, Alu Memory Buckle | Comfort fit liner, Memory foam, ECO leather top lining, Heel lock | Dual shock absorber | man | Y | | UFS - PA + GFT | UK 5-6 250mm UK 6,5-9,5 269mm | 60mm | Hot Rod S | Alu | 2x60mm 93A+ 2xpvc grinding wheels | Alu | ABEC 5 | - |
| | M12 LO TEAM UFS | 3-14 | HGPU | Laces, Alu Memory Buckle | Anatomically Padded, Slo-Memory | Aggr. Footbed | man | Y | | UFS - PA + GFT | UK 4-8 250mm UK 8,5-14 269mm | 60mm | Hot Rod S | Alu | 2x58mm 88A+ 2xpvc grinding wheels | Alu | ABEC 5 | - |
| | M12 UFS | 3-14 | HGPU | Laces, Alu Memory Buckle | Anatomically Padded, Slo-Memory | Aggr. Footbed | man | Y | | UFS - PA + GFT | UK 3-6 235mm; UK 6,5-9,5 252mm; UK 10-14 270mm | 62mm | Hot Rod S | - | 2x56mm 88A+ 2xpvc grinding wheels | Alu | ABEC 5 | - |
| RENTAL | FCO | 3-14 | PU | Laces + plastic buckles | Anatomically Padded, Slo-Memory | Anatomical | man | - | | PA + GFT | UK 3-6 235mm; UK 6,5-9,5 245mm; UK 10-14 270mm | 76mm | Hot Rod | Alu | 76mm 82A | Alu | ABEC 5 | - |

We reserve the right to change our product specifications without prior notice at any time, in order to supply the best product possible.
ATOP fast lacing system is a brand, a patent and property of YU-CHEN PLASTIC ENT. CO., LTD.

* ORLANDO III is available also in the Rental line.

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|-------|-------|-------|---------|-------|-------|---------|-------|-----|-----|-----|-----|-----|-----|------|-----|------|-----|------|-----|------|-----|------|-----|------|-----|------|-----|------|-----|------|-----|------|-----|----|----|
| MP | 165 | 170 | 175 | 180 | 185 | 190 | 200 | 205 | 210 | 215 | 220 | 230 | 235 | 245 | — | 250 | — | 255 | — | 260 | 265 | 270 | 275 | 280 | 285 | 290 | — | 295 | 300 | 305 | — | 310 | 315 | 325 | | |
| EU | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 38,5 | 39 | 39,5 | 40 | 40,5 | 41 | 41,5 | 42 | 42,5 | 43 | 44 | 45 | 45,5 | 46 | 46,5 | 47 | 47,5 | 48 | 49 | 50 | | |
| UK | 8 jr | 9 jr | 10 jr | 10,5 jr | 11 jr | 12 jr | 12,5 jr | 13 jr | 1 | 1,5 | 2 | 3 | 3,5 | 4 | 4,5 | 5 | 5,5 | 6 | 5,5 | 6 | 6,5 | 7 | 7,5 | 8 | 8,5 | 9 | 9,5 | 10 | 10,5 | 11 | 11,5 | 12 | 12,5 | 13 | 14 | 15 |
| US | 9 jr | 10 jr | 11 jr | 11,5 jr | 12 jr | 13 jr | 13,5 jr | 1 | 2 | 2,5 | 3 | 4 | 4,5 | 5 | 5,5 | 6 | 6,5 | 7 | 7,5 | 8 | 8,5 | 9 | 9,5 | 10 | 10,5 | 11 | 11,5 | 12 | 12,5 | 13 | 13,5 | 14 | 15 | 16 | | |
| US W | 11 jr | 12 jr | 13 jr | 13,5 jr | 1 | 2 | 2,5 1/2 | 3 | 4 | 4,5 | 5 | 6 | 6,5 | 7 | 7,5 | 8 | 8,5 | 9 | 9,5 | 10 | 10,5 | 11 | 11,5 | 12 | 12,5 | 13 | 13,5 | 14 | — | — | — | — | — | — | — | |

TECHNICAL DATA OVERVIEW

QUAD SKATES

ROCES®
SPIRIT AND SOUL OF SKATING

| | UK SIZES | SHELL | CLOSURE | BOOT | FOOTBED | LAST | SHOCK ABSORBING | FRAME- TRUCK | STOPPER | AXLES | WHEELS | BEARING SPACER | BEARINGS | GROWTH COMPENSATOR | |
|-----------------|--------------|---------------------------------|---------|---|---|-------------|-----------------|--------------|-------------------------------|-------|------------------|---|----------|--------------------|---|
| STREET | DISCO PALACE | 13jr - 10 | - | Tubular laces | ECOleather and mesh upper, PVC sole | Anatomical | man & woman | - | Polypropylene - Aluminum | PU | Self locking nut | PU - 58x32mm - 80A | Alu | ABEC 7 | - |
| | KOLOSSAL | 13jr - 10 | - | Tubular laces | ECOleather and mesh upper, PVC sole | Anatomical | man & woman | - | Polypropylene - Aluminum | PU | Self locking nut | PU - 58x32mm - 80A | Alu | ABEC 7 | - |
| | MOVIDA ART | 13jr - 9 | - | Tubular laces, Power Strap | ECOleather upper, PVC sole | Anatomical | man & woman | - | Polypropylene - Polypropylene | PU | Self locking nut | PU - 54x32mm - 85A | Alu | ABEC 7 | - |
| | MOVIDA UP | 13jr - 9 | - | Tubular laces, Power Strap | ECOleather upper, PVC sole | Anatomical | man & woman | - | Polypropylene - Aluminum | PU | Self locking nut | PU - 54x32mm - 85A | Alu | ABEC 7 | - |
| | CHUCK PLAIN | 12jr - 10 | - | Flat laces | ECOcanvas upper, Rubber sole | Anatomical | man & woman | - | Polypropylene - Polypropylene | PU | Self locking nut | PVC - 54x32mm - 85A (PU - 54x32mm - 85A) | Alu | ABEC 1 | - |
| | ACE | 12jr - 10 | - | Flat laces | ECOleather upper, Rubber sole | Anatomical | man & woman | - | Polypropylene - Polypropylene | PU | Self locking nut | PVC - 54x32mm - 85A | Alu | ABEC 1 | - |
| | OLLIE | 12jr - 10 | - | Flat laces | ECOcanvas upper, Rubber sole | Anatomical | man | - | Polypropylene - Polypropylene | PU | Self locking nut | PVC - 54x32mm - 85A | Alu | ABEC 1 | - |
| | 52 STAR | 12jr - 8 | - | Flat laces, upper hooks | ECOmesh upper, PVC sole | Anatomical | man & woman | - | Polypropylene - Polypropylene | PU | Self locking nut | PVC - 54x32mm - 85A | Alu | ABEC 1 | - |
| | MANIA | 12jr - 8 | - | Flat laces, upper hooks | ECOmash upper, PVC sole | Anatomical | man & woman | - | Polypropylene - Polypropylene | PU | Self locking nut | PVC - 54x32mm - 85A | Alu | ABEC 1 | - |
| ARTISTIC | RC1 | 9jr - 11 | - | Flat laces, upper hooks | ECOleather upper, PVC sole | Anatomical | man & woman | - | Polypropylene - Polypropylene | PU | Self locking nut | PU - 54x32mm - 85A | Alu | ABEC 5 | - |
| | RC2 | 9jr - 11 | - | Flat laces, upper hooks | ECOleather upper, PVC sole | Anatomical | man & woman | - | Aluminum - Aluminum | PU | Self locking nut | PU - 54x32mm - 85A | Alu | ABEC 5 | - |
| | MAZOOM | 12jr - 11 | - | Flat laces, upper hooks | ECOleather upper, PVC sole | Anatomical | man & woman | - | Polypropylene - Polypropylene | PU | Self locking nut | PU - 54x32mm - 85A | Alu | ABEC 5 | - |
| | LE PLAISIR | 12jr - 11 | - | Flat laces, upper hooks | ECOleather upper, PVC sole | Anatomical | man & woman | - | Polypropylene - Polypropylene | PU | Self locking nut | PU - 54x32mm - 85A | Alu | ABEC 5 | - |
| KIDS ADJUSTABLE | QUADDY 3.0 | 9-11jr; 12jr-1; 1,5-3,5; 4-7 | HQPP | Laces, Micrometric Buckle, Power Strap | ECOmash | Kid Footbed | kid | - | Polypropylene - Polypropylene | PU | Self locking nut | PVC - 54x32mm - 85A | Alu | ABEC 5 | E |
| | LOGOMANIA | 13jr-2; 3-5; 6-9 | - | Flat laces, upper hooks | ECOleather upper, PVC sole | Anatomical | man & woman | - | Polypropylene - Polypropylene | PU | Self locking nut | PU - 54x32mm - 85A | Alu | ABEC 1 | - |
| AGGRESSIVE | PRO4 | 3-14 | PU | Laces, Alu Memory Buckle | Anatomically Padded, Slo-Memory | Anatomical | man | Y | Aluminum - Aluminum | PU | Self locking nut | PU - 56x31mm - 98A | Alu | ABEC 5 | - |
| | PRO '80 | 3-14 | PU | Laces | Anatomical padding, Slo Memory foam, Heat preserving | Anatomical | | | PP - Aluminum | PU | Self locking nut | PU - 58x32mm 80A | Alu | ABEC 7 | - |

We reserve the right to change our product specifications without prior notice at any time, in order to supply the best product possible.

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|-------|-------|-------|----------|-------|-------|---------|-------|-----|-----|-----|-----|-----|-----|------|-----|------|-----|------|-----|------|-----|------|-----|------|-----|------|-----|------|-----|------|-----|-----|-----|
| MP | 165 | 170 | 175 | 180 | 185 | 190 | 200 | 205 | 210 | 215 | 220 | 230 | 235 | 245 | — | 250 | — | 255 | — | 260 | 265 | 270 | 275 | 280 | 285 | 290 | — | 295 | 300 | 305 | — | 310 | 315 | 325 |
| EU | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 38,5 | 39 | 39,5 | 40 | 40,5 | 41 | 41,5 | 42 | 42,5 | 43 | 44 | 45 | 45,5 | 46 | 46,5 | 47 | 47,5 | 48 | 49 | 50 |
| UK | 8 jr | 9 jr | 10 jr | 10,5 jr | 11 jr | 12 jr | 12,5 jr | 13 jr | 1 | 1,5 | 2 | 3 | 3,5 | 4 | 4,5 | 5 | 5,5 | 6 | 6,5 | 7 | 7,5 | 8 | 8,5 | 9 | 9,5 | 10 | 10,5 | 11 | 11,5 | 12 | 12,5 | 13 | 14 | 15 |
| US | 9 jr | 10 jr | 11 jr | 11,5 jr | 12 jr | 13 jr | 13,5 jr | 1 | 2 | 2,5 | 3 | 4 | 4,5 | 5 | 5,5 | 6 | 6,5 | 7 | 7,5 | 8 | 8,5 | 9 | 9,5 | 10 | 10,5 | 11 | 11,5 | 12 | 12,5 | 13 | 13,5 | 14 | 15 | 16 |
| US W | 11 jr | 12 jr | 13 jr | 13,5½ jr | 1 | 2 | 2,5½ | 3 | 4 | 4,5 | 5 | 6 | 6,5 | 7 | 7,5 | 8 | 8,5 | 9 | 9,5 | 10 | 10,5 | 11 | 11,5 | 12 | 12,5 | 13 | 13,5 | 14 | — | — | — | — | — | |

ROCES HEADQUARTERS

ROCES S.R.L.

Via Galileo Ferraris, 36, I - 31044 Montebelluna - TV
(T) 0039 0423 287 6 - (F) 0039 0423 287 799
(E) info@roces.it

ROCES USA, INC

10 Technology Drive Unit 1B, West Lebanon, NH 03784
(T) 603 298 21 37 - (F) 603 298 21 39
(E) customerservice@rocesusa.com

DEUTSCHLAND

Wieder Consulting - Roces Deutschland
Postfach 13 21, 82142 Planegg
(T) 089 864 666 80 - (F) 089 864 666 81
(E) kontakt@roces-schuh.de



© ROCES 2019 This publication may not be reproduced in any form without written permission from ROCES s.r.l.
The trademark “乐喜士” (China trademark) is property of Roces S.r.l.

roces.com

Product photography:
Carlo Bazan - Marco Valera

Color Separation:
Grafiche Antiga

Printed in Italy by Grafiche Antiga
[LOGO “STAMPATO CON IL SOLE”]

[LOGO CARTE “FSC”]