


TRYSSOME

Starter, Alternator & Components Catalogue



 HEAVY-DUTY
AUTO ELECTRICAL



 COLLISION
AVOIDANCE

 SERVICE AND
INSTALLATION

 UNDERGROUND
AUTO ELECTRICAL

 BATTERY
BATTERIES &
ACCESSORIES

 LIGHT-DUTY
AUTO ELECTRICAL



Starter, Alternator & Components Catalogue

Welcome to our latest Starters and Alternators Catalogue expanded to include new models, brands and now rotating equipment components too.

How to use this catalogue

• Category & Sub-Category Indexes

The product in this catalogue is arranged alphabetically according to manufacturing system in homogeneous product categories. At the beginning of the Starter, Alternator and Components sections, you will find the quick-find indexes with their respective sub-categories listed. All sub-categories will be listed by page number.

• Cross Reference Index

You will find a cross reference index ordered numerically by Electrolog number on pages 252-275. This cross reference is grouped by product category then by manufacturer/system.

Warranty Statement

Trysome warrants that all products will be covered for manufacturing faults. Trysome's warranty does not, however, extend to rectifiers, regulators, globes, fuses or diodes.

All products supplied by Trysome, are supplied and provided on the condition that we cannot be held responsible in the event that they are used for any other purpose than that specified by the manufacturer. Trysome's warranty, therefore, does not cover misuse, abuse, incorrect fitment and applications.

The customer or purchaser accepts that it is their responsibility to ensure that the product is used in accordance with the manufacturer's instructions.

The commencement date of all warranties is the date of invoice to the purchaser unless otherwise agreed by Trysome in writing.

Service

Trysome has its own service department with qualified technicians so that, unlike many wholesalers, we are able to provide you, our Customer, with a complete after-sales service.

Disclaimer:

- The illustrations and descriptions of parts displayed in this catalogue are intended as a guide to buyers only. You are hereby notified that, whilst this company will take all reasonable care, the company will not be liable for reliance by you on any illustrations and/or descriptions of parts displayed in this catalogue.
 - Trysome Auto Electrical (PTY) LTD reserves the right to change terms, conditions and specifications shown in this catalogue at any time.
 - Some names and part numbers are used for reference purposes only.
 - Some of our products are manufactured to order so please allow for lead times.
 - The information contained herein is deemed to be correct at the time of going to print, but Trysome assumes no liability for typographical errors or omissions - E&OE.
 - Copyright 2015 by Trysome Auto Electrical (PTY) LTD. All rights reserved.
-

Your feedback is important

In a continuous effort to bring you a catalogue of the highest standard and accuracy, we would appreciate your feedback.

Should you notice any mistakes in terms of information, spelling or incorrect images please let us know. Further, if there is additional information you would like us to portray, let us know.

Please email your comments to lesley@trysome.cc.

Trysome Auto Electrical (PTY) LTD is the authorised distributor of the brands that it markets.

Our Corporate...

Promise

Keeping Africa's Resources Moving

Vision

Our vision is nothing less than realising the full potential of our product and service offering throughout Africa and to drive a new era of inspiring leadership, development, growth, productivity and profitability for all stakeholders.

Mission Statement

To be recognised as the market leader in heavy-duty auto electrical products, associated technical services and related safety products throughout Sub-Saharan Africa along with being a major player in light-duty auto electrical in South Africa.

We are committed to providing state-of-the-art technology, quality products and service excellence.

Company Profile

Trysome Auto-Electrical (PTY) LTD, is the largest, single-source supplier of auto-electrical, heavy-duty components and collision avoidance systems in Southern Africa.

Established in 1991 by Edwin William Smith, Trysome is well represented country-wide with its head office in Jet Park, Boksburg and branches in Cape Town, Durban, Kathu, Rustenburg and Witbank. Across the border, Trysome operates branches in Mozambique and Zambia and has recently appointed an Authorised Distributor in Namibia.

Trysome is focused on sourcing OEM and specialised auto-electrical, replacement components and collision avoidance systems for operators of heavy-duty automotive, earth-moving, construction, agricultural, transport and mining machinery.

In addition to sourcing, Trysome is committed to the development and innovation of auto-electrical and safety products. The Company's state-of-the-art technology in collision avoidance and safety systems has already been adopted by, and is operational in, many of South Africa's mines.

Key Supplier

As a Key Supplier to major heavy-duty, original manufacturers, Trysome is backed by a technical support system with experienced personnel on hand to assist with the correct and appropriate selection of auto-electrical components.

Creating Solutions

At Trysome, our products are often the solution for the industry segments that we serve.

If an 'off-the-shelf' product isn't perfect for our customer then we either refine it or engineer a new, customised product.

Examples of products that we have refined or engineered:

- Battery Power Packs
- Power Distributions Units (PDU)
- Aluminium and Steel-housing Mine Spec. Light Bars
- Lock-out Boxes
- Test Stations for Collision Avoidance Technology
- Audible Park Brake Alarms
- Lighting Plants
- Battery Charging Bays
- Isolation Units

Starter, Alternator & Components Catalogue

Product Range

Trysome boasts a broad and deep auto-electrical and collision avoidance product range.



- HD Rotating Equipment (Starters & Alternators)
- Work Lights
- Engine Protection
- Safety Lighting
- Forward Lighting
- Intrinsically Safe LED Lights for mining applications



- Re-manufactured Starters & Alternators
- Fitments
- Servicing & Maintenance
- Man-on-Site



- Battery Power Packs
- Machine Maintenance
- Collision Avoidance
- Communication Systems
- Instrument Panels
- Battery Charging Bays
- PDU (Power Distribution Units)
- Isolation Units
- Harnesses



- Light & Heavy-duty Conventional Batteries
- Sealed Maintenance-Free Batteries
- Battery Chargers
- Accessories



- Radar Systems
- GPS Traffic Awareness
- Rear Vision Cameras
- Wheel Chocks
- Fatigue Monitoring Systems
- Personnel & Asset Management Systems
- Tyre Pressure Monitoring Systems



- Starters
- Alternators
- Drives
- Pulleys
- Globes
- Regulators
- Diodes
- Rectifiers
- Relays
- Fuses
- Terminals
- Automotive Lighting

Trysome has a global reach, importing quality products from: Australia, Canada, China, Finland, France, Germany, Holland, Hungary, India, Italy, Korea, Slovenia, Spain, Switzerland, Taiwan, Turkey, UK and USA.

Supplier Profile

Trysome has developed strong partnerships with world-renowned brands to bring to the market only the highest quality products. These partnerships include Remy Inc (Delco Remy brand), the world's largest manufacturer of starters, alternators and their components as well as Nordic Lights, manufacturer of a vast range of original equipment and after-market, work-light units used extensively in underground, construction and mining equipment.

On the collision avoidance side Trysome partners with Preco, PreView, Q2 and Swiss-based SAFEmine to make visible all those obstacles in traditional blind spots.



ADE (Australian Diversified Engineering) Access Systems provide operators and maintenance personnel a safer method of accessing operator cabs and service points on high standing equipment. ADE offers solutions for a wide range of equipment and their products are designed to meet the relevant Australian Standards.



The AlfaTRONIX voltage converter range is designed to supply power to electronic equipment fitted to vehicles, vessels and aircraft as well as a variety of applications.



Cole Hersee is a leading manufacturer of electromechanical, electronic and digital switches and connectors, designing dependable products for a broad range of vehicles since 1924.



Delco Remy's worldwide facilities manufacture an extensive range of heavy-duty products for both OE and aftermarket customers. The range includes starters, alternators and components used in a variety of applications including Caterpillar, Cummins, Daewoo, ERF, Fiat, Freightliner, GM, John Deere, Mack, Mercedes, Renault and Volvo.



Deutsch offers unrivalled expertise in the design and manufacture of electrical connectors and fibre optic connectors, specialised electronics and associated components.



Energizer manufactures and supplies filled, charged and ready-to-use maintenance-free batteries for both car and commercial vehicle applications. Energizer utilises both CA100 and PowerFrame Grid technologies for more consistent power.



Fabbro is a supplier of high quality starters, alternators and components engineered for performance.



Flir's PathFindIR is a compact thermal imaging camera that significantly reduces the hazards of night-time driving.



Flösser is a supplier of automotive lighting products. This includes globes for cars, motorcycles, trucks and buses.



Gys, founded in 1964, is located in Laval, France. The company engineers and manufactures 3 product lines, Arc Welding Machines, Car Body Shop Equipment & Battery Chargers. Trysome currently stocks only the battery charger range.



Hawkins is the leading South African battery charger manufacturer and has since 1961 offered a wide range of general purpose,

domestic, leisure, professional and industrial battery charger products.



The Iconiq brand boasts a wide range of LED lighting options. These include LED work lights, torches and safety lights.



iVolve technology solutions for mining focuses on delivering process and efficiency improvements directly relating to production, asset, maintenance and safety management.



Letrika (previously Iskra) is a global manufacturer of starter motors, generators, electric drive systems, mechatronic systems as well as parts for automotive material handling and other industries.



Littelfuse is committed to providing the right solutions to meet all your circuit protection needs.



Lucas-TVS is the leader in Auto Electrical in India today with 50 years' experience in the design and manufacture of rotating equipment.



National Plastics & Rubber is a preferred supplier/vendor of wheel chocks, workshop products (Dozer Maintenance Mats, Blade Rest Pads, etc.) as well as other associated polyurethane, industrial plastic and rubber products to world-leading mining organisations.



Nikko supplies the original equipment requirements of leading motor, construction and industrial vehicles. This includes oil hydraulic power units and electronic products.



Nordic Lights supplies a wide range of work lights suitable for the mining, construction and transport industries.



OSRAM offers a complete range of innovative and reliable high-performance headlamp bulbs, designed with quality and safety in mind. The OSRAM brand stands for OEM-quality spare parts according to regulation (EC) No 1400/2002 – always playing safe with the right light.



Phillips, North America's #1 brand of electrical cables, sockets and wiring harnesses.



Preco offers a wide range of back-up alarms and safety lights. A complete range of alarms with various sound levels are available. The innovative strobe combines hi-tech design with state-of-the-art engineering technology.



Whether you have one piece of heavy-duty equipment or an entire fleet, the Prelub

Starter, Alternator & Components Catalogue

QuickEvac system delivers engine-saving and money-saving technology that can pay for itself in less than 12 months. This system allows technicians to perform oil and filter changes in less than 20 minutes.



Prestolite Electric Inc. manufactures alternators and starter motors used for original equipment and after-market applications. Primarily designed for the heavy-duty marketplace.



PreView Collision Avoidance Systems are designed to detect objects in zones obscured from the operator's view. The patented pulse timed-domain radar detects stationary as well as moving objects.



Q2's rear-vision camera system is suitable for mining, construction, buses, trucks, container handlers and forklifts. The system supports up to 4 camera inputs and the 7 inch flat screen offers various connection possibilities.



Safety Solutions helps increase safety across the whole automotive value chain. This range includes safety belts, strobe lights and wheel chocks.



SAFEmine is a compact GPS/RF traffic alert and collision avoidance warning system suitable for all vehicles in open-pit mines.



JW Speaker develops innovative automotive lighting solutions for agriculture, construction, heavy commercial, material handling, mining,

motorcycle, recreation, marine, aviation, railroad and aftermarket applications.



T-Flex is a brand of high quality insulated and non-insulated cable terminals, disconnects, splices, wire joints and ferrules as well as battery connectors.



TrylechHD Maintenance-Free Batteries help avoid unnecessary downtime. Install and forget.



The highly adaptable TYRECOP system, records pressure, internal tyre temperature and road impacts 24/7 giving you complete peace of mind in knowing that one of your most important assets is in safe hands.



UNI-T - Uni-Trend Group Limited is one of the leading testing meters and instruments companies in Asia. The group has developed and manufactured the most creative, reliable, high quality and safe-to-use technology products and provide a wide range of products and related services to the global markets.



Woodward is a leading supplier of solenoids, solenoid accessories, solenoid shutdown kits, electronic speed switches, speed sensors, apec basic & controllers, apec proportional actuators, apec actuator kits and apec actuator accessories.

Customer Portfolio

Trysome caters to a diverse customer base ranging from Mining and Construction to Auto-Electrical Workshops and Parts Resellers



Staff Assets

Trysome is driven by people and passion, ensuring a commitment to service, offering solutions and services beyond the norm. The pivot for all activities hinges around the directors, supported by a dedicated, hand-picked management team, providing a blend of youth and experience, enthusiasm and pragmatism.

Accreditations

Trysome Auto Electrical (PTY) LTD is a Level 4 contributor conforming to all aspects of broad-based black economic empowerment.

Trysome's growth has been underpinned by its BBBEE Code of Good Practice, with employment opportunities for previously disadvantaged groups being its top priority.

Trysome also follows BBBEE guidelines for procurement and sourcing, which it sees as a business imperative, essential for the success of business and the continued growth of the South African economy.

Trysome has achieved the highest level of excellence by being awarded the ISO9001:2008 accreditation.



Health & Safety Environment

Our Goal: "No one gets hurt"

Trysome Management is committed to the health and safety of its employees and for all who are involved in our projects. Protection of employees from injury or occupational disease is a major continuing objective. We are committed to continuing improvement toward an accident-free workplace through effective administration, education and training.



Quality Policy

In accordance with the ISO 9001 Quality Management System as well as regulatory and statutory requirements, it is the policy of this company to provide sustainable product and service excellence to our customers while meeting shareholder expectations.

We are committed to meeting the expectations of all stakeholders, all of the time by teamwork, innovation and competence, exhibiting high ethical standards, a sense of urgency and respect for the individual. We expect no less from our suppliers.

It is the policy of Trysome to source, develop, produce and deliver on time, products and services that conform to customers' requirements and to maintain quality leadership in the markets we serve.

Management is dedicated to creating conditions which will allow achievement of these objectives.

We are committed to continual improvement of our quality management system and our products and services. We undertake to monitor and measure critical indicators within the business and to set objectives for improvement based on the analysis of such measured and monitored data.

The Trysome Quality Policy framework is based on:

- Customer Value and Partnerships
- Management of Manufacturing Processes
- Quality Systems and Standards
- Measurable Objectives
- People Development
- Quality Procurement
- Ethical Leadership

Trysome management understands that without the commitment of our people the purpose and intent of this Quality Management System cannot be achieved. We therefore undertake to proactively determine and fulfil the training needs of all personnel in order to empower each individual to actively contribute to the success of our business.

Starter, Alternator & Components Catalogue

In order to foster an atmosphere of contribution, it is Trysome Management's philosophy to recognise and reward excellent performance.

Trysome management commits to providing a safe and healthy working environment that will foster teamwork, involve a process of continuous improvement and encourage a collective attitude of "do the right thing the first time."

We are committed to this quest for excellence which we recognise and accept as essential to our continued success.

To ensure that it is understood by all, the Trysome Quality Policy shall be communicated to all employees, visitors and contractors by means of induction, training and displaying of the policy on notice boards for visibility throughout the site. The policy shall be reviewed annually at the management review meeting to ensure it reflects the aims and objectives of the company.

Services

Trysome's field service division plays a vital role in customer service, offering technical back-up to our customers no matter where they are situated within Southern Africa.

Field Service

The Company has attracted a great many high-calibre talents, thus enjoying powerful technical strength.

The Field Service Division is manned by skilled, Olifantsfontein-certified technicians, providing on-site repair services to customers, thereby assisting them in keeping their downtime to an absolute minimum.

This division boasts a fleet of retrofitted vehicles enabling 'service on demand' anywhere in the country. Each vehicle is installed with an inverter for 220-volt power supply, a fully equipped tool box canopy, bench vice and water tank.

Where there is demand, a 'man-on-site' can be assigned to cater specifically to the needs of any given customer.

Trysome's Field Service unit stays ahead of the game with the latest in diagnostic equipment catering for Caterpillar, Hitachi, Bell and Komatsu.



Reman Workshop

Trysome has a well-equipped Remanufacturing Centre catering to the remanufacture and repair of rotating electrical equipment – starters, alternators, Prelubs and steering motors. Parts are refurbished to OEM specifications through a full spectrum of meticulous work standards and quality-control disciplines.

Trysome ensures that they have a broad range of Exchange Units available at all times in order to minimise the customer's downtime. Each Exchange Unit is supplied with a full print out of the test results.

Trysome has invested over R3 million to ensure that their Reman Workshop is equipped with the latest, state-of-the-art technology – D & V Electronics test benches, regulator testers catering to various makes and models of vehicle, Electronic Rectifier Testers and basic testing and assembly equipment.



Fitment Division - Collision Avoidance Systems (CAS)

Trysome has developed the 'All-in-One' Collision Avoidance System in response to the mining and construction industry's request for a safer, more productive and harmonious working environment.

The 'All-in-One' CAS transmits visual and audible warnings of impending collisions and dangerous movements in the event of tagged and untagged units entering the designated "At Risk" zones associated with any heavy-mining or construction machinery.

Trysome boasts a team of technicians dedicated to the fitment, programming and maintenance of all elements of the system, including:

- The Safemine Traffic Awareness System
- The Q2, High-Resolution, Colour Camera System
- The Preview Radar System
- The FLIR Thermal Imaging System
- Q2 Rearview and Mobile Digital Recording



Trysome.TMT (Trackless Mining Technologies)

At Trysome.TMT our products are often the solution for the industry segments that we serve!

In line with our philosophy – 'If an off-the-shelf product isn't perfect for our customer then we either refine it or engineer a new, customised product' – Trysome identified the need for a dedicated Manufacturing Department.

This department researches, designs, prototypes, tests and finally manufactures new products, in line with industry demand. They also customise and modify existing products to satisfy the specific needs of each customer.

Each product development or customisation adheres to proven working practices and strict quality controls.

Instrument Panels, Harnesses, Battery Charging Bays, Battery Packs, Fatigue Warning Systems, PDUs, Isolation Units and Audible Park Brake Alarms are just a few of the outputs of this department.

Currently we are the only company that manufactures enclosures and harnesses to OEM standard and have been manufacturing control boxes for Sandvik's Rebuilt Department.



Starter, Alternator & Components Table of Contents

Alternators & Components

Category	Page No.
Complete Alternators	01 – 49
Brackets	51 – 55
Brush Holders	57 – 58
Diodes & Diode Plates	59 – 60
Miscellaneous Parts	61 – 63
Pulleys	65 – 70
Rectifiers	71 – 78
Regulators	79 – 96
Rotors	97 – 98
Stators	99 – 102

Starter & Alternator Bearings

103 – 105

Starters & Components

Category	Page No.
Complete Starters	106 – 181
Armatures	182 – 191
Bendix Drives	192 – 215
Brackets	216 – 220
Brush Holders	221 – 226
Field Coils	227 – 231
Miscellaneous Parts	232 – 235
Starter Solenoids	236 – 247

Auxiliary/Cut-Off Solenoids

248 – 251

Alternators & Components

Alternator|ˈɒltər,nəʊtər|

Noun

- An alternator charges the battery to power a car's electric system when the engine is running.
- An alternator is part of the charging system of your car that produces electricity for many devices.

Component|kəmˈpəʊnənt|

Noun

- A part or element of a larger whole, especially a part of a machine or vehicle.



Alternators & Components Table of Contents

Complete Alternators

Manufacturer/System	Page No.
Bosch	1-12
CAV (TVS) - India	13
Chana	13
Delco	13-20
Dongfeng	20
Ford	20
Hitachi	21-24
Iskra	24-26
Jheco	26
Lucas	26-29
Magneti-Marelli	29-30
Mando	30-32
Mitsubishi	32-37
Motorola	37
Niehoff	38
Nikko	38
Nippon Denso	39-44
Poong Sung	44
Prestolite	44-46
Sawafuji	46-47
Valeo	47-49

Alternator Components

Brackets

Manufacturer/System	Page No.
Bosch - Pulley End/De	51
Delco - Pulley End/De	51-52
Iskra - Pulley End/De	52
Niehoff - Pulley End/De	52
Prestolite - Pulley End/De	52
Bosch - Bracket SRE/CE	52
Delco - Bracket SRE/CE	53
Niehoff - Bracket SRE/CE	53-54
Prestolite - Bracket SRE/CE	54
Valeo - Bracket SRE/CE	54
Delco - Cover	54
Iskra - Cover	55
Nippon Denso - Cover	55
Prestolite - Cover	55

Brush Holders

Manufacturer/System	Page No.
CAV	57
Delco	57
Hitachi	57
Lucas	57
Motorola	57
Nikko	58
Nippon Denso	58
Prestolite	58

Diodes & Diode Plates

Manufacturer/System	Page No.
Diode Excitation	59
Diode Negative	59
Diode Positive	59
Bosch - Diode Positive	59
CAV - Diode Kit	59
Delco - Diode Positive	59
Delco - Diode Trio	59-60
Motorola - Diode Plate - Positive	60
Motorola - Diode Isolation	60
Nippon Denso - Diode Positive	60
Prestolite - Diode Plate - Positive	60
Sawafuji - Diode Plate- Negative	60

Miscellaneous Parts

Manufacturer/System	Part No.
Iskra - Kit	61
Bosch - Retainer	61
Delco - Retainer	61
Delco - Rotor Coil	61
Niehoff - Rotor Coil	61
Nikko - Rotor Coil	61
Bosch - Slip Ring	62
Delco - Slip Ring	62
Leece Neville - Slip Ring	62
Lucas - Slip Ring	62
Motorola - Slip Ring	62
Bosch - Through Bolt	62
Delco - Through Bolt	63
Iskra - Through Bolt	63
Niehoff - Through Bolt	63

Pulleys

Manufacturer/System	Page No.
Bosch	65-67
Daewoo	67
Delco	67-68
Ford	68
Hitachi	68
Mitsubishi	69
Nippon Denso	69-70
Valeo	70

Rectifiers

Manufacturer/System	Page No.
Bosch	71-72
Delco	73
Hitachi	73-74
Iskra	74-75
Leece Neville	75
Lucas	75
Mitsubishi	75-76
Nikko	76-77
Nippon Denso	77
Prestolite	78
Valeo	78

Regulators

Manufacturer/System	Page No.
Bosch	79-82
CAV	82
Delco	82-83
Hitachi	84-85
Iskra	85
Leece Neville	85-86
Lucas	86
Magneti-Marelli	87
Mando	87
Mitsubishi	87-89
Motorola	89-90
Niehoff	90
Nikko	90-91
Nippon Denso	91-94
Paris-Rhone	94
Prestolite	94
Sawafuji	94-95
Valeo	95-96
Visteon	96

Rotors






Manufacturer/Systems	Page No.
Bosch	97
CAV	97
Delco	98
Niehoff	98
Nikko	98

Stators

Manufacturer/System	Page No.
Bosch	99
Delco	99-101
Iskra	101
Lucas	101
Motorola	101
Niehoff	101-102
Nikko	102
Nippon Denso	102
Prestolite	102







Types of Alternators

There are many different types of alternators but most fall into one of the following categories:







<ul style="list-style-type: none"> • ER/EF External Regulator - External Fan 	
<ul style="list-style-type: none"> • IR/EF Internal Regulator - External Fan 	
<ul style="list-style-type: none"> • IR/IF Internal Regulator - Internal Fan 	
<ul style="list-style-type: none"> • ER/IF External Regulator - Internal Fan 	
<ul style="list-style-type: none"> • ED/IF External Driver - Internal Fan 	

Note: The components differ for each alternator type.
 Refer to Electrolog - Getting to know Starters and Alternators

Complete Alternators







Manuf/Sys: BOSCH 	Volts 12V	Amps 33A	Grooves 1	Mounting 55.3mm	TRYSOME: T020409244B Electrolog: ALT1270 Replacing: 0120339531, 0986030130
	Desc/Notes: G1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: - ENGINE: BF4L, BF6L, F2L, F4L, F5L, F6L. CASE - AGRICULTURAL. DEUTZ - AGRICULTURAL. - INDUSTRIAL. INTERNATIONAL HARVESTER - AGRICULTURAL. JOHN DEERE - AGRICULTURAL. KHD - INDUSTRIAL. MASSEY FERGUSON - AGRICULTURAL. RUGGERINI - INDUSTRIAL.				
Manuf/Sys: BOSCH 	Volts 12V	Amps 45A	Grooves 4	Mounting 84mm	TRYSOME: T020403647 Electrolog: ALT1054 Replacing: 9120690132, 9120690377, 9120690279, 9120690239
	Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: - ENGINE: 18R, 2Y, 3Y, 4Y. TOYOTA CRESSIDA 1.8L/2.0L, DYNA, HIACE 1.8L/2.0L/2.2L, HILUX 1.6L/1.8L, STALLION, VENTURE				
Manuf/Sys: BOSCH 	Volts 12V	Amps 55A	Grooves 1	Mounting 27mm	TRYSOME: T020403669 Electrolog: ALT1281 Replacing: 9120690167
	Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). SINGLE FOOT (26mm) Vehicle Apps: UNIVERSAL - 12V				
Manuf/Sys: BOSCH 	Volts 12V	Amps 55A	Grooves 1	Mounting 55mm	TRYSOME: T022509203 Electrolog: ALT1057 Replacing: 9120690207, 9120690206
	Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). NARROW BOTTOM MOUNTING FEET - NO RK2 REGULATOR FITTING, TAKES EYE TERMINALS Vehicle Apps: FORD HUSKY. MITSUBISHI COLT, L300, STARWAGON				
Manuf/Sys: BOSCH 	Volts 12V	Amps 55A	Grooves 1	Mounting 56mm	TRYSOME: T020403603, T020403660, T020409204 Electrolog: ALT1036 Replacing: 0120489710
	Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 55MM BOTTOM MOUNTING FOOT - NO RK2 PLUG FITTING, TAKES EYE TERMINALS Vehicle Apps: - ENGINE: OM353. BELL - EARTHMOVING. CASE - AGRICULTURAL. CLAAS - INDUSTRIAL. DEUTZ - INDUSTRIAL. FENDT - AGRICULTURAL. FORD - AGRICULTURAL. IVECO - TRUCK/BUS. LINDE - FORKLIFTS. NEW HOLLAND - AGRICULTURAL. STEYR - AGRICULTURAL.				
Manuf/Sys: BOSCH 	Volts 12V	Amps 55A	Grooves 1	Mounting 56mm	TRYSOME: T022703607 Electrolog: ALT1040 Replacing: 9120690233
	Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). NO RK2 REGULATOR FITTING, TAKES EYE TERMINALS Vehicle Apps: - ENGINE: 4G54, B6, ESSEX, F2, F6, F8, FE, ROCAM. FORD BANTAM 1.3L/1.3i/1.6L/1.6i, COURIER 1.6L/2.0L, SPECTRON 2.2 L. MAZDA B1600, B1800, B2000, B2600i HI-RIDER, B3000 MAGNUM, MARATHON 2.2L. MITSUBISHI L300				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T020403696 Electrolog: ALT1170 Replacing: 0120488185, G205900010011, 1178521, 20030014
	12V	55A	None	56mm	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: W-TERM. HAS NO RK2 PLUG FITTING					
Vehicle Apps: ADE - INDUSTRIAL . BELL - EARTHMOVING . DEUTZ - EARTHMOVING , - INDUSTRIAL . VM - INDUSTRIAL					
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T020403623B Electrolog: ALT1080 Replacing: 0120489315, 0120489032
	12V	55A	None	80mm	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). HAS REVOLUTION COUNTER TERMINAL - HAS NO RK2 PLUG FITTING TAKES EYE TERMINALS					
Vehicle Apps: - ENGINE: OM352 , OM366 . ADE - TRUCK/BUS . BELL - EARTHMOVING . MAN - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS . SCANIA - TRUCK/BUS . VOLVO - TRUCK/BUS					
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T020403601B Electrolog: ALT1253 Replacing: 0120489185, 0120489364, 0120489365, 0120489499, 0120489370
	12V	65A	1	55.4mm	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
Vehicle Apps: AUDI 100, 80, 90. VOLKSWAGEN GOLF I 1.5L/I 1.6L/I 1.8 L/II 1.6L/II 1.8L. JETTA II 1.8L. KOMBI, PASSAT, TRANSPORTER					
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T020403698 Electrolog: ALT1046 Replacing: 9120690498, 9120690508, 9360185500, R120690508
	12V	70A	1	55mm	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
Vehicle Apps: - ENGINE: C20LE , C20NE , C22NE . BELL B20B. ISUZU KB 2.0i/2.2i/PETROL, KB200 PETROL, KB220 PETROL					
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T020409206 Electrolog: ALT1095 Replacing: 9120690434
	12V	70A	5	55mm	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). ADJUSTMENT 1PM -HAS NO RK2 PLUG FITTING USES EYE TERMINALS					
Vehicle Apps: - ENGINE: 3SFE , 4AGE , 5SFE . TOYOTA CAMRY 200i/220i, COROLLA 1.6i, RAV4 2.0L					
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T020403672 Electrolog: ALT1073 Replacing: 0120489326, 0120489324, 0120489325, 0120489323, 0071545802
	12V	70A	6	56mm (X2)	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 3P D+ B+ B+. HAS 3-PIN RK2 PLUG - DOUBLE THICK FOOT					
Vehicle Apps: - ENGINE: M102 , M103 , OM601 , OM602 , OM603 . KHD - EARTHMOVING . MERCEDES-BENZ 190E, 200E, 230E, 250D, 300D, 300E					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators






Manuf/Sys: BOSCH 	Volts 12V	Amps 70A	Grooves 6	Mounting 59.1mm	TRYSOME: T020409217 Electrolog: ALT1121 Replacing: 0124225028, 93603241
	Desc/Notes: GCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: B+ D+. Vehicle Apps: - ENGINE: 14NE, 16SE, 178. FIAT PALIO 1.4L/1.5L/1.6L, SIENA 1.4L/1.6L, STRADA 1.6L. OPEL ASTRA 1.6L, CORSA 1.4L				
Manuf/Sys: BOSCH 	Volts 12V	Amps 70A	Grooves 7	Mounting 55mm	TRYSOME: T020409208, T020409208A Electrolog: ALT1282 Replacing: 0124315034, 270600L030
	Desc/Notes: KCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 4P IG-S-L-DFM. Vehicle Apps: - ENGINE: 1KD, 2KD. TOYOTA FORTUNER 3.0L DIESEL, HILUX 3.0L DIESEL, QUANTUM 2.5L				
Manuf/Sys: BOSCH 	Volts 12V	Amps 80A	Grooves 5	Mounting 44mm	TRYSOME: T022809203 Electrolog: ALT1025 Replacing: 9123325002, 0123325002, 2706002060
	Desc/Notes: KC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P S-IG-L. Vehicle Apps: - ENGINE: 4AFE, 7AFE. TOYOTA AVENSIS, CONQUEST 1.6i, COROLLA 1.6L/1.8L/180i				
Manuf/Sys: BOSCH 	Volts 12V	Amps 80A	Grooves 6	Mounting 40.4mm	TRYSOME: T020409251 Electrolog: ALT1229 Replacing: 0124315029, 270600D130
	Desc/Notes: KCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 4P S-IG-DF-L. SQUARE PLUG Vehicle Apps: - ENGINE: 1ZZFE, 3ZZFE, 4ZZFE. TOYOTA AVENSIS 1.6i 16V/1.8i 16V, COROLLA 1.4i/1.6i				
Manuf/Sys: BOSCH 	Volts 12V	Amps 80A	Grooves 7	Mounting 55mm	TRYSOME: T020409218 Electrolog: ALT1287 Replacing: 0124315033, 270600L040
	Desc/Notes: KCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 4P IG-S-L-DFM. Vehicle Apps: - ENGINE: 1KD, 2KD. TOYOTA FORTUNER 3.0L TDi, HILUX 2.5L DIESEL/3.0L DIESEL, QUANTUM 2.5L D4D				
Manuf/Sys: BOSCH 	Volts 12V	Amps 90A	Grooves 1	Mounting 56mm	TRYSOME: T020409214 Electrolog: ALT1059 Replacing: 0120469729, 0120469732, 0120469863, R120469729
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). FOR AIRCON APPLICATIONS - LONG PULLEY - NO RK2 PLUG FITTING Vehicle Apps: - ENGINE: 2E, AAL, DJ, DX, EV, HM, HV, KR. AUDI 100 1.8L, 80 1.8L. VOLKSWAGEN GOLF I 1.8L/II 1.8L, JETTA II 1.8L CL/II 2.0L/II 2.0L CLi				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.













Manuf/Sys: BOSCH 	Volts 12V	Amps 90A	Grooves 1	Mounting 85mm	TRY SOME: T020409239 Electrolog: ALT1206 Replacing: 66021155B
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: FORD - AGRICULTURAL , - LDV/VAN/MPV/4X4/PICK-UP , - PASSENGER . HYSTER - FORKLIFTS . MASSEY FERGUSON - AGRICULTURAL . NISSAN - LDV/VAN/MPV/4X4/PICK-UP , - MINI-BUSES , - PASSENGER , 1200, 1400, 1600, 1800, E20. TOYOTA - FORKLIFTS , - LDV/VAN/MPV/4X4/PICK-UP , - MINI-BUSES , - PASSENGER . UNIVERSAL - 12V				
Manuf/Sys: BOSCH 	Volts 12V	Amps 90A	Grooves 6	Mounting 56mm (x2)	TRY SOME: T020409207B Electrolog: ALT1104 Replacing: 9123335002, 0123335002, 0091540202
	Desc/Notes: KC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: B+ D+ W-TERM. HAS NO RK2 PLUG FITTING TAKES EYE TERMINALS Vehicle Apps: - ENGINE: M103 , M104 , M111 . MERCEDES-BENZ 200CE, 200E, 220E, 230E, 280E, C180, C200, C220, C280, E200, E220, E320, ML230, SLK200				
Manuf/Sys: BOSCH 	Volts 12V	Amps 90A	Grooves 6	Mounting 56mm (x2)	TRY SOME: T020409207B, T020409233B, T025509200 Electrolog: ALT1230 Replacing: 0123320044, 9123369044, 0101544602
	Desc/Notes: KCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: B+ D+ W-TERM. Vehicle Apps: - ENGINE: M104 , M111 . MERCEDES-BENZ C180 T-MODELL, C200 T-MODELL, C220, C230 T-MODELL, CLK200, E230, E280, G320				
Manuf/Sys: BOSCH 	Volts 12V	Amps 90A	Grooves 6	Mounting 60.4mm (X2)	TRY SOME: T020009246B Electrolog: ALT1882 Replacing: 0124325013, 0124325032, 037903025M, 038903018A, 037903025T
	Desc/Notes: KCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: AUDI A3 1.6L/1 8L, S3. SEAT IBIZA 1.4L/1.6L. VOLKSWAGEN CADDY 1.4L, GOLF IV 1.6L, JETTA IV 1.6L, POLO 1.4L/1.6L, SHARAN 2.0L				
Manuf/Sys: BOSCH 	Volts 12V	Amps 90A	Grooves 6	Mounting 60mm (x2)	TRY SOME: T098604203R Electrolog: ALT1105 Replacing: 0124325003, 028903028D
	Desc/Notes: KCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-DFM. 2X DOUBLE FOOT MOUNTING Vehicle Apps: AUDI A3 1.6L/1 8L, S3, TT COUPE 1.8L T/ROADSTER 1.8 L T. VOLKSWAGEN GOLF IV 1.4L/IV 1.6L/IV 1.8L/IV 2.0L, JETTA IV 1.6L, NEW BEETLE 1.8L/2.0L, POLO 1.6L/1.8L/2.0L				
Manuf/Sys: BOSCH 	Volts 12V	Amps 90A	Grooves 6	Mounting 61.5mm	TRY SOME: T0210409213 Electrolog: ALT1163 Replacing: 0124325001, 038903023L
	Desc/Notes: KCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN. 2X DOUBLE MOUNTING BRACKETS - HAS FREE RUNNING CLUTCH PULLEY Vehicle Apps: - ENGINE: ASZ , ATD . AUDI A3 1.9L TDI. VOLKSWAGEN BEETLE 1 9L TDI, GOLF IV 1.9L TDI, POLO 1 9L COUPE TDI/1.9L TDI/1.9L TDI CLASSIC, SHARAN 1.9L TDI, TRANSPORTER 1.9L TDI				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: BOSCH 	Volts 12V	Amps 90A	Grooves 6	Mounting 61mm Both	TRYSOME: T020409252R Electrolog: ALT1127 Replacing: 9123320007, 0123320007, 028903025Q, 95VW10300NA
	Desc/Notes: KC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 2X DOUBLE MOUNTING FEET - HAS NO RK2 PLUG FITTING Vehicle Apps: - ENGINE: ACH, AFV, AFW, AFX, AGY, BBV, BSC. VOLKSWAGEN GOLF I 1.4L/1.4i/1.6i/III 1.6L/III 1.6i/III 1.8L/III 1.8i/III 2.0i, JETTA III 1.6/III 1.8/III 2.0i, POLO 1.4i CLASSIC/1.6i CLASSIC/1.6i PLAYA/1.8i CLASSIC/1.8i PLAYA				
Manuf/Sys: BOSCH 	Volts 12V	Amps 90A	Grooves 6	Mounting 75.2mm	TRYSOME: T028909201B Electrolog: ALT1065 Replacing: 0123320065, 0111540602
	Desc/Notes: KC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: B+ D+ W-TERM. FREE RUNNING CLUTCH PULLEY - SIDE-MOUNT Vehicle Apps: - ENGINE: OM611, OM612. MERCEDES-BENZ SPRINTER				
Manuf/Sys: BOSCH 	Volts 12V	Amps 90A	Grooves 7	Mounting 30mm	TRYSOME: T020409260, T020409260B Electrolog: ALT1207 Replacing: 0124325165, 270600P120
	Desc/Notes: KCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: 1GRFE, 2TRFE. TOYOTA HILUX 2.7L PETROL/4.0L 16V 4X4, QUANTUM 2.7L PETROL				
Manuf/Sys: BOSCH 	Volts 12V	Amps 98A	Grooves 6	Mounting 58mm	TRYSOME: T0204036105 Electrolog: ALT1203 Replacing: 0124415013, 7700434900
	Desc/Notes: KCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: K4J, K4M, K7J, K7M. RENAULT CLIO 1.4L 16V/1.6L 16V, KANGOO 1.6L 16V, LAGUNA 1.6L 16V, LOGAN, MEGANE 1.4L 16V/1.6L 16V, SCENIC 1.4L 16V/1.6L 16V, THALIA 1.4L 16V/1.6L 16V				
Manuf/Sys: BOSCH 	Volts 12V	Amps 100A	Grooves 5	Mounting 59mm	TRYSOME: T020009234B Electrolog: ALT1191 Replacing: 0124415002, 90561971, 9195753
	Desc/Notes: KCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). NB!!!: THIS UNIT HAS NO FIELD DIODES. Vehicle Apps: - ENGINE: 14NE, C16SE, C16SEL, C18XE, X18XE, Y17DTL, Z16XE, Z18XE. OPEL ASTRA 1.4i/1.6i/1.8i/2.0i, CORSA 1.4i/1.6i/1.7L DT/1.8i, MERIVA, TIGRA, VECTRA, ZAFIRA				
Manuf/Sys: BOSCH 	Volts 12V	Amps 100A	Grooves 5	Mounting 90mm	TRYSOME: T098604206R Electrolog: ALT1148 Replacing: 0124415009, 0124415025
	Desc/Notes: KCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-DFM. Vehicle Apps: - ENGINE: Z20NET, Z22SE. OPEL ASTRA 2.2L, VECTRA 2.0L/2.2L, ZAFIRA 2.2L				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.


Manuf/Sys: BOSCH  	Volts	Amps	Grooves	Mounting	TRY SOME: T098604208 Electrolog: ALT1342 Replacing: 0124515085, 24437121
	12V	120A	5	59.5mm (X2)	
	Desc/Notes: NCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: X20XE, Z12XE . OPEL ASTRA 1.2i/2.0i, CORSA 1.4L 16V, TIGRA 1.4L 16V				
Manuf/Sys: BOSCH  	Volts	Amps	Grooves	Mounting	TRY SOME: T098604205 Electrolog: ALT1149 Replacing: 0124515032
	12V	120A	6	60mm (x2)	
	Desc/Notes: NCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-DFM. Vehicle Apps: OPEL ASTRA 2.0L D/2.0L DT/2.0L DTi, ZAFIRA 2.0L D/2.0L Di				
Manuf/Sys: BOSCH  	Volts	Amps	Grooves	Mounting	TRY SOME: T020009203 Electrolog: ALT1187 Replacing: 0123510095, 60655296
	12V	120A	6	61mm	
	Desc/Notes: NC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: AR16102, AR32401, AR34102 . ALFA ROMEO 156 2.5L 24V, 166 2.0L/2.5L/3.0L V6 24V, GTV 3.0L V6 24V, SPIDER 3.0L V6 24V				
Manuf/Sys: BOSCH  	Volts	Amps	Grooves	Mounting	TRY SOME: T020409249, T020409310 Electrolog: ALT1239 Replacing: 0124515050, 0986041810, 12317501599, 12317501690, 12317501597
	12V	120A	6	77mm	
	Desc/Notes: NCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-15. Vehicle Apps: - ENGINE: 226S1, 256S5, 306S3 . BMW 320i, 325Ci, 325i, 330Ci, 330i, 520i, 525i, 530i, X5 3.0i, Z3				
Manuf/Sys: BOSCH  	Volts	Amps	Grooves	Mounting	TRY SOME: T020409258B Electrolog: ALT1208 Replacing: 0124515044, 0986042820, 500335719
	12V	120A	6	80mm	
	Desc/Notes: NCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PINS. Vehicle Apps: - ENGINE: 8140 . IVECO DAILY 29L/35C/50C				
Manuf/Sys: BOSCH  	Volts	Amps	Grooves	Mounting	TRY SOME: T020409247 Electrolog: ALT1106 Replacing: 0123510053, 0123510007, 95VW10300KB
	12V	120A	7	60mm (X2)	
	Desc/Notes: NC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). DOUBLE-DOUBLE FOOT MOUNTING Vehicle Apps: - ENGINE: AAA . VOLKSWAGEN CARAVELLE 2.8L T4, GOLF III 2.8L/III 2.8i VR6, JETTA 2.8L VR6, MULTIVAN 2.8L, PASSAT 2.8L VR6, SHARAN 2.8L, TRANSPORTER 2.8L, VENTO 2.8L				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T020409219 Electrolog: ALT1266 Replacing: 0120484027, AH165975
	12V	120A	8	50mm	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: B+ D+ W. Vehicle Apps: JOHN DEERE - AGRICULTURAL					
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T020009223A Electrolog: ALT1242 Replacing: 0124525091, 06F903023F
	12V	140A	6	61.7mm (X2)	
Desc/Notes: E8. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-DFM. Vehicle Apps: AUDI A3, A4 1.9L TDi, S3. SEAT - PASSENGER . VOLKSWAGEN CADDY 1.9L TDi, GOLF V 1.9L TDi/V 2.0L TDi, JETTA V 1.9L TDi, PASSAT 1.9L TDi, TOURAN 1.9L TDi					
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T020409227 Electrolog: ALT1190 Replacing: 0124525045, 12317521490
	12V	145A	6	60mm	
Desc/Notes: E8. IR/IF (INTERNAL REGULATOR - INTERNAL FAN), E46 TYPE Vehicle Apps: - ENGINE: N40 , N42 , N45 , N46 . BMW 316Ci COUPE, 316i, 318Ci COUPE, 318i TOURING					
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T010409203B Electrolog: ALT1306 Replacing: 0124525035, 0986046240, 5705AS
	12V	150A	6	45.5mm (x2)	
Desc/Notes: E8. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-DF. Vehicle Apps: CITROEN C2, C3, C4, C5, C8, JUMPER, JUMPY. FIAT DUCATO, SCUDO, ULYSSE. PEUGEOT 1007 1.4L HDi/1.6L HDi, 206 1.4L HDi/1.6L HDi/2.0L HDi, 207 1.4L HDi/1.6L HDi, 3008 1.6L HDi, 307 1.6L HDi/2.0L HDi, 308 1.6L HDi/2.0L HDi, 406 2.0L HDi, 607 2.0L HDi/2.2L HDi, 807 2.0L HDi/2.2L HDi, BOXER, EXPERT, PARTNER					
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T020409234B Electrolog: ALT1265 Replacing: 0123520006, 0101542902
	12V	150A	6	55mm (x2)	
Desc/Notes: NC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: MERCEDES-BENZ CLK430, CLK55, E280, E320, E430, ML430, SPRINTER, VITO					
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T028909247B Electrolog: ALT1284 Replacing: 0124615009, 06B903016Q
	12V	150A	6	76mm	
Desc/Notes: NCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: AUDI A4 1.6L/1.6L AVANT/1.8L/1.8L T/1.8L T AVANT/2.0L/2.0L AVANT, A6 2.0L/2.0L AVANT					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: BOSCH 	Volts 12V	Amps 150A	Grooves 7	Mounting 	TRY SOME: T020409245B Electrolog: ALT1029 Replacing: 01220AA1J0, 12317508052, 0986041750, YLE000040
	Desc/Notes: NFB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN. TOTALLY ENCLOSED UNIT; WATER COOLED. VERY NB!!! ON REPLACING THE ALTERNATOR, ON THESE VEHICLES, BOTH (2) BATTERIES OF THE VEHICLE NEED TO BE REPLACED!!! Vehicle Apps: - ENGINE: 398D1 , M62B44 . BMW 535i, 540i, 735i, 740i, X5 4.4i/4.6is. LAND ROVER RANGE ROVER 4.4L V8				
Manuf/Sys: BOSCH 	Volts 12V	Amps 150A	Grooves 8	Mounting 56mm (X2)	TRY SOME: T020409256B Electrolog: ALT1240 Replacing: 0123515502, RE185213
	Desc/Notes: NC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: JOHN DEERE - AGRICULTURAL , TRACTORS				
Manuf/Sys: BOSCH 	Volts 24V	Amps 30A	Grooves None	Mounting 80mm	TRY SOME: T020403652 Electrolog: ALT1135 Replacing: 0120489316, 0120488277, 0120488256
	Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: B+ D+ W. HAS REVOLUTION COUNTER TERMINAL - NO PULLEY Vehicle Apps: - ENGINE: ADE , OM366 , OM422 , OM441 , OM442 . ADE - TRUCK/BUS , 352. BELL - EARTHMOVING . HINO - TRUCK/BUS , FF13 5.7L. ISUZU - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS . MITSUBISHI - TRUCK/BUS . TOYOTA - TRUCK/BUS				
Manuf/Sys: BOSCH 	Volts 24V	Amps 45A	Grooves 8	Mounting 51mm	TRY SOME: T010409201B Electrolog: ALT1554 Replacing: 0120488294, 0120488206, 3284392
	Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 1P W (B+ D+). ISUZU/CUMMINS ENGINE - NORMALLY SUPPLIED WITHOUT PULLEY Vehicle Apps: - ENGINE: S6D . CUMMINS - EARTHMOVING . KOMATSU D41A, D41E, D41P				
Manuf/Sys: BOSCH 	Volts 24V	Amps 55A	Grooves 1	Mounting 64mm	TRY SOME: T020403611 Electrolog: ALT1137 Replacing: 0120469679, 0120469978, 98419031, 0120469849, 0120469549
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). HAS NO RK2 PLUG FITTING - TAKES EYE TERMINALS Vehicle Apps: - ENGINE: 8040 , 8060 , 8210 . DETROIT - TRUCK/BUS . IVECO EUROARGO, EUROTECH, EUROTRAKKER, TURBOSTAR. TAMROCK 1250				
Manuf/Sys: BOSCH 	Volts 24V	Amps 55A	Grooves 2	Mounting 80mm	TRY SOME: T020403693 Electrolog: ALT1251 Replacing: 0120469038, 0120469562, 0120469527
	Desc/Notes: N1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: CUMMINS - TRUCK/BUS . DAF - TRUCK/BUS . MAN - TRUCK/BUS . PERKINS - TRUCK/BUS . SAMIL - TRUCK/BUS				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: BOSCH 	Volts 24V	Amps 55A	Grooves None	Mounting 56mm	TRYSOME: T020409209 Electrolog: ALT1173 Replacing: 0120469585, 0120469008, 0120469030, 0120469773
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). HAS NO RK2 PLUG FITTING, TAKES EYE TERMINALS - DOUBLE 55MM MOUNTING Vehicle Apps: DEUTZ - INDUSTRIAL . IVECO - TRUCK/BUS . LIEBHERR - EARTHMOVING . POWERSTAR - TRUCK/BUS				
Manuf/Sys: BOSCH 	Volts 24V	Amps 55A	Grooves None	Mounting 80mm	TRYSOME: T020009242, T020403653, T020409211, T020409223, T028809207 Electrolog: ALT1086 Replacing: 0120469686, 0120469982, 0091540702, 0071542702, 51261017185
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). HAS NO RK2 PLUG - TAKES EYE TERMINALS - NORMALLY COMES WITH NO PULLEY Vehicle Apps: - ENGINE: D2866 , OM356 , OM357 , OM366 , OM422 , OM442 , WS268M . ADE - TRUCK/BUS , 352, 407, 409, 422, 447. DAF - TRUCK/BUS . DEUTZ - EARTHMOVING . ERF - TRUCK/BUS . HINO - TRUCK/BUS . LEYLAND - TRUCK/BUS . LIEBHERR - EARTHMOVING . MAN - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS . SCANIA - TRUCK/BUS				
Manuf/Sys: BOSCH 	Volts 24V	Amps 55A	Grooves None	Mounting 80mm	TRYSOME: T021009208B, T20101062 Electrolog: ALT1285 Replacing: 0120469569, 0120469643
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: SCANIA 111, 112, 113, 140, 81, 82, 86, 92, 93, K-SERIES, P-SERIES, R-SERIES				
Manuf/Sys: BOSCH 	Volts 24V	Amps 65A	Grooves None	Mounting 71mm	TRYSOME: T020009208, T020409221B, T021009201B, T021009203 Electrolog: ALT1048 Replacing: 0120468131, 1394969
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: - ENGINE: DSC11 , DSC12 , DSC14 , DSC9 . SCANIA K-SERIES, P-SERIES, R-SERIES, T-SERIES				
Manuf/Sys: BOSCH 	Volts 24V	Amps 80A	Grooves 1	Mounting 72mm	TRYSOME: T020003603, T021009207 Electrolog: ALT1047 Replacing: 0120468116, 98424748, 0120468094, 0120468124, 0120468129
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: - ENGINE: 8040 , 8060 , 8210 , 8360 . IVECO EUROARGO, EUROTECH, EUROTRAKKER. SCANIA B-SERIES, K-SERIES, R-SERIES, T-SERIES				
Manuf/Sys: BOSCH 	Volts 24V	Amps 80A	Grooves 2	Mounting 50mm	TRYSOME: T020403655B Electrolog: ALT1114 Replacing: 0120468114, 1089862
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). SINGLE FOOT - MANY AFTERMARKET SUPPLIERS HAVE THIS UNIT WITH NO PULLEY, MAKE SURE WHEN YOU ORDER IF YOU NEED THE PULLEY. Vehicle Apps: - ENGINE: D6A , D7A , D7B , D7C , DH10A . VOLVO A35, B10B, B10M, B7R, F, FL, FS, MARCOPOLO, NL				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T021009206, T021009206B Electrolog: ALT1199 Replacing: 0120468107, 0120468053, 0120468113
	24V	80A	2	80mm	
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: - ENGINE: DNS620, OM356, OM366, OM422, OM423, OM446, WS242. DAF - TRUCK/BUS, 85, 95. IVECO - TRUCK/BUS. MAN E2000, F2000, F90, L2000, M2000. MERCEDES-BENZ - TRUCK/BUS				
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T0210409208 Electrolog: ALT1321 Replacing: 0124555018, 1626130
	24V	80A	7	60.6mm	
	Desc/Notes: HD8L. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 5P W-L-15-S-DFM. Vehicle Apps: - ENGINE: MX265, MX300, MX340, MX410. DAF CF85, XF105, XF95				
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T020409231 Electrolog: ALT1183 Replacing: 0124555017, 20466315
	24V	80A	8	106mm	
	Desc/Notes: NCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 5P W-L-15-S-DFM. Vehicle Apps: - ENGINE: D13A, D16C, D9A. VOLVO FH, FH12, FH16, FM, FM9				
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T028809203B Electrolog: ALT1224 Replacing: 0124555002, 0124555022, A0121541002, A0131544002, A0121546802
	24V	80A	8	80mm	
	Desc/Notes: NCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 5P W-L-15-S-DFM. Vehicle Apps: - ENGINE: OM366, OM904, OM906, OM924, OM926. MERCEDES-BENZ ACCELO, ATEGO, CITARO, UNIMOG				
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T020409210B, T0986042360R Electrolog: ALT1192 Replacing: 0124555001, 0124555032, 0131542902
	24V	80A	9	80mm	
	Desc/Notes: NCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 5P W-L-15-S-DFM. Vehicle Apps: - ENGINE: OM541, OM542. MERCEDES-BENZ ACTROS				
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRY SOME: T020409225, T020409254B, T021009218, T021009223 Electrolog: ALT1269 Replacing: 0120469116, 6033GB3019
	24V	80A	9	80mm	
	Desc/Notes: NL1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 1P W (B+ D+). Vehicle Apps: - ENGINE: OM541, OM542. MAN - TRUCK/BUS. MERCEDES-BENZ ACTROS				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T020403651, T020409229 Electrolog: ALT1084 Replacing: 0120468093, 0120468135, 1096758, 8156817
	24V	80A	None	105mm	
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). DOUBLE FOOT Vehicle Apps: - ENGINE: D12A , D16A . VOLVO FH, FH12, FH16, FL				
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T021009213 Electrolog: ALT1153 Replacing: 6033GB3054, 0120468137
	24V	80A	None	80mm	
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: DAF - TRUCK/BUS				
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T021009226B Electrolog: ALT1142 Replacing: 0120689512, 0120689513, 0120689503, 0120689508
	24V	95A	2	180mm	
	Desc/Notes: T1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: W B- D+ B+. T1. 28V 95A 16 - OLDER TYPE - EXPOSED STATOR - 95AMPS - HAS NO RK2 PLUG FITTING - USES TERMINALS. Vehicle Apps: MAN - TRUCK/BUS . MARCOPOLO - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS				
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T020409212B, T098604202B Electrolog: ALT1247 Replacing: 0124655007, 1475569
	24V	100A	8	62mm	
	Desc/Notes: NCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 5P W-L-15-S-DFM. Vehicle Apps: - ENGINE: DC11 , DC12 , DC16 , DC9 . SCANIA K- SERIES, L-SERIES, P-SERIES, R-SERIES, T-SERIES				
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T021009217B Electrolog: ALT1030 Replacing: 0120468143, 0091549902, 081768143
	24V	100A	9	80mm	
	Desc/Notes: NL1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: B+ D+ W. Vehicle Apps: - ENGINE: OM541 , OM542 . MERCEDES-BENZ ACTROS, ATEGO, CITARO				
Manuf/Sys: BOSCH 	Volts	Amps	Grooves	Mounting	TRYSOME: T020409220B, T020409220IM Electrolog: ALT1145 Replacing: 0124655001, A0111548702, 0111548702, DC221717
	24V	100A	9	80mm	
	Desc/Notes: NCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 5P W-L-15-S-DFM. Vehicle Apps: - ENGINE: OM457 , OM541 , OM542 . BELL B40. MERCEDES-BENZ ACTROS, AXOR				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH 	Volts 24V	Amps 100A	Grooves None	Mounting 78mm	TRY SOME: T020009222B Electrolog: ALT1881 Replacing: 0123525501, 51261017232, 51261017234, 51261017242, 51261017247
	Desc/Notes: NC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 5P W-L-15-S-DUMMY. Vehicle Apps: - ENGINE: D2866 . MAN E2000, F2000, L2000, M2000, NG-NL, TGA				
Manuf/Sys: BOSCH 	Volts 24V	Amps 110A	Grooves 8	Mounting 105.6mm	TRY SOME: T020409237, T098604201B Electrolog: ALT1277 Replacing: 0124655008, 20409240
	Desc/Notes: NCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: D12D , DH12 . RENAULT - INDUSTRIAL . VOLVO B12B, FH12, FM12, FM9				
Manuf/Sys: BOSCH 	Volts 24V	Amps 120A	Grooves 2	Mounting 180mm	TRY SOME: T020403658 Electrolog: ALT1130 Replacing: 0120689545, 0120689533, 0120689520
	Desc/Notes: T1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). TOTALLY ENCLOSED ALTERNATOR -17 DIODE RECTIFIER -HAS REVOLUTION COUNTER TERMINAL Vehicle Apps: CUMMINS - TRUCK/BUS . IVECO - TRUCK/BUS . MAN - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS				
Manuf/Sys: BOSCH 	Volts 24V	Amps 140A	Grooves None	Mounting 180mm	TRY SOME: T020403656, T021009226B Electrolog: ALT1144 Replacing: 0120689535, 0120689571, 0081547802, 0111545002
	Desc/Notes: T1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). TOTALLY ENCLOSED STATOR - 17 DIODE RECTIFIER - HAS NO RK2 PLUG FITTING, TAKES EYE TERMINALS Vehicle Apps: MAN - TRUCK/BUS . MERCEDES-BENZ AXOR, BUS, CITARO, CONECTO, INTEGRO, TRAVEGO. SCANIA - TRUCK/BUS				
Manuf/Sys: BOSCH 	Volts 24V	Amps 140A	Grooves None	Mounting 182mm	TRY SOME: T020409230B Electrolog: ALT1152 Replacing: 0120689527, 0120689541
	Desc/Notes: T1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: W B- D+ B+. Vehicle Apps: MAN - TRUCK/BUS . VOLVO - TRUCK/BUS				
Manuf/Sys: BOSCH 	Volts 24V	Amps 140A	Grooves None	Mounting 182mm	TRY SOME: T021009231 Electrolog: ALT1250 Replacing: 0120689562, 0986044060, 475885
	Desc/Notes: T1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: SCANIA K-SERIES, L-SERIES, N-SERIES				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: CAV (TVS) - INDIA 	Volts	Amps	Grooves	Mounting	TRYSOME: T022303602 Electrolog: ALT4033 Replacing: 260015240101, AC5R24523
	24V	29A	2	76mm	
	Desc/Notes: GAC5R. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: TATA BUS				
Manuf/Sys: CHANA 	Volts	Amps	Grooves	Mounting	TRYSOME: T020019200 Electrolog: ALT5801 Replacing: 3701010AB
	12V	70A	4	67.5mm	
	Desc/Notes: JL465Q. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: CHANA 1000CC				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021103642DR Electrolog: ALT2612 Replacing: 1117618, 321666, 2S7029, 586986C91, 20SI12V
	12V	60A	None	100mm	
	Desc/Notes: 20SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . INGERSOLL RAND - INDUSTRIAL . INTERNATIONAL - TRUCK/BUS . INTERNATIONAL HARVESTER - AGRICULTURAL . KOMATSU - EARTHMOVING . MACK - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021103601B Electrolog: ALT2018 Replacing: 1102922, 1105178, 1103035, 1103165
	12V	72A	1	51mm	
	Desc/Notes: 10SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CASE - AGRICULTURAL . JOHN DEERE - AGRICULTURAL				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021109233 Electrolog: ALT2017 Replacing: 10490000, 10490073, 96252551
	12V	75A	5	82mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 4P P-L-I-S. Vehicle Apps: DAEWOO ESPERO 1.5L, LANOS 1.5L, NEXIA 1.5L				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021103602 Electrolog: ALT2602 Replacing: 1100080, 1100073, 1100083
	12V	80A	None	101mm	
	Desc/Notes: 27SI 200. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . INTERNATIONAL EAGLE. KOMATSU - EARTHMOVING . MACK - TRUCK/BUS				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.



Manuf/Sys: DELCO 	Volts 12V	Amps 85A	Grooves 5	Mounting 50.5mm	TRY SOME: T020009273 Electrolog: ALT2012 Replacing: 219091, DRA3593, 96224432
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 4P P-L-S. Vehicle Apps: DAEWOO ESPERO 1.8L/2.0L				
Manuf/Sys: DELCO 	Volts 12V	Amps 95A	Grooves 8	Mounting 50.8mm	TRY SOME: T021009235, T021009285 Electrolog: ALT2046 Replacing: 8600000
	Desc/Notes: 11SI. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: CASE 430 SKID STEER, 450 SKID STEER. NEW HOLLAND SKID STEER				
Manuf/Sys: DELCO 	Volts 12V	Amps 100A;85A	Grooves 1	Mounting 50mm	TRY SOME: T021103676B Electrolog: ALT2002 Replacing:
	Desc/Notes: 10SI;10SI - TYPE 100. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 1-WIRE SELF EXCITING. FOR TRUCKS ONLY Vehicle Apps: CASE - AGRICULTURAL . INTERNATIONAL - AGRICULTURAL . JOHN DEERE - AGRICULTURAL . MASSEY FERGUSON - AGRICULTURAL				
Manuf/Sys: DELCO 	Volts 12V	Amps 100A;130A	Grooves None	Mounting 101mm	TRY SOME: T021103640DR Electrolog: ALT2621 Replacing: 1117950, 1117880, 1117894, 1117905
	Desc/Notes: 21SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: I B+ R. Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . INTERNATIONAL EAGLE. MACK - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 12V	Amps 105A	Grooves 6	Mounting 51mm (x2)	TRY SOME: T024009203 Electrolog: ALT2654 Replacing: 10480167, 10480168, 10480198, 10463651, 8104636510
	Desc/Notes: CS130D. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 4P S-I-G-L-P. Vehicle Apps: - ENGINE: 262 . CHEVROLET V6, V8				
Manuf/Sys: DELCO 	Volts 12V	Amps 108A	Grooves 1	Mounting 51mm	TRY SOME: T021103617B Electrolog: ALT2007 Replacing: 1105451, 1101164, 1101236, 1101113, CA5202
	Desc/Notes: 17SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CHEVROLET - PASSENGER . INTERNATIONAL HARVESTER - AGRICULTURAL . JOHN DEERE - AGRICULTURAL				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T028909213 Electrolog: ALT2027 Replacing: 0K43A18300A, 373004X001, 373004X000
	12V	110A	5	80.7mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P S-L. S-L TERMINALS - S=SENSE/L=TRIO (LIGHT) - WITH PUMP Vehicle Apps: KIA 2.7L DIESEL, K3000				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021009232A Electrolog: ALT2616 Replacing: 19011157
	12V	110A	None	100mm	
	Desc/Notes: 34SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: FORD - TRUCK/BUS . KENWORTH - TRUCK/BUS . VOLVO - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021103621B Electrolog: ALT2019 Replacing: 10459028, 1117896, 1117904, 1117908, 1117928
	12V	130A	None	101mm	
	Desc/Notes: 21SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021103628B Electrolog: ALT2615 Replacing: 19020302
	12V	130A	None	101mm	
	Desc/Notes: 22SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - TRUCK/BUS . CUMMINS - TRUCK/BUS . VOLVO - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021103605 Electrolog: ALT2021 Replacing: 19011167
	12V	135A	None	101mm	
	Desc/Notes: 34SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). QUAD-MOUNT Vehicle Apps: CATERPILLAR - EARTHMOVING . FREIGHTLINER - TRUCK/BUS . MACK - TRUCK/BUS . VOLVO - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021009234, T028809204 Electrolog: ALT2656 Replacing: 10459142, 10459181, 19011152, 19011161, 19011173
	12V	135A	None	101mm	
	Desc/Notes: 33SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . INTERNATIONAL HARVESTER - AGRICULTURAL . VOLVO - TRUCK/BUS				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: DELCO 	Volts 12V	Amps 135A	Grooves None	Mounting 151mm	TRY SOME: T021009233B Electrolog: ALT2750 Replacing: 19011177
	Desc/Notes: 34SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). PAD-MOUNT Vehicle Apps: FREIGHTLINER - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 12V	Amps 140A	Grooves None	Mounting 102mm	TRY SOME: T021103627 Electrolog: ALT2619 Replacing: 8600064
	Desc/Notes: 35SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CUMMINS - TRUCK/BUS . FREIGHTLINER - TRUCK/BUS . INTERNATIONAL - TRUCK/BUS . KENWORTH - TRUCK/BUS . PETERBILT - TRUCK/BUS . VOLVO - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 12V	Amps 145A	Grooves None	Mounting 101mm	TRY SOME: T021014712 Electrolog: ALT2627 Replacing: 1117916, 1117924, 1117917, 1117921
	Desc/Notes: 21SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . FORD NAVISTAR. INTERNATIONAL EAGLE. MACK - TRUCK/BUS . VOLVO - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 12V	Amps 160A	Grooves None	Mounting 101.4mm	TRY SOME: T19011101 Electrolog: ALT2618 Replacing: 19011101
	Desc/Notes: 31SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: FREIGHTLINER - TRUCK/BUS . INTERNATIONAL - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 12V	Amps 160A	Grooves None	Mounting 101mm	TRY SOME: T021103616B, T021103645DR, T028809201B Electrolog: ALT2627A Replacing: 19010126
	Desc/Notes: 21SI 355. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . FORD NAVISTAR. INTERNATIONAL EAGLE. MACK - TRUCK/BUS . VOLVO - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 12V	Amps 160A	Grooves None	Mounting 102mm	TRY SOME: T021103621 Electrolog: ALT2699A Replacing: 8600142
	Desc/Notes: 24SI. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). J180 HINGE MOUNT - NEGATIVE EARTH - BATTERY TERM=5/16 - WITH GROUND TERMINAL Vehicle Apps: CUMMINS - TRUCK/BUS . MACK - TRUCK/BUS . VOLVO - TRUCK/BUS				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators




Manuf/Sys: DELCO 	Volts 12V	Amps 160A	Grooves None	Mounting 82.6mm	TRYSOME: T021103682 Electrolog: ALT2632 Replacing: 8600315
	Desc/Notes: 28SI. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: INTERNATIONAL HARVESTER - AGRICULTURAL				
Manuf/Sys: DELCO 	Volts 12V	Amps 160A	Grooves None	Mounting 83mm	TRYSOME: T021103687B Electrolog: ALT2659A Replacing: 8600889
	Desc/Notes: 24SI. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 4P S-F-L-P. DOUBLE INTERNAL FAN - PAD-MOUNT Vehicle Apps: FREIGHTLINER - TRUCK/BUS . INTERNATIONAL - TRUCK/BUS . KENWORTH - TRUCK/BUS . MACK - TRUCK/BUS . STERLING - TRUCK/BUS . VOLVO - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 12V	Amps 170A	Grooves None	Mounting 101mm	TRYSOME: T021103678 Electrolog: ALT2628 Replacing: 8600125, 8700045
	Desc/Notes: 36SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). BRUSHLESS Vehicle Apps: KENWORTH - TRUCK/BUS . PETERBILT - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 24V	Amps 45A	Grooves None	Mounting 100mm	TRYSOME: T020009276, T021103620R, T028809206B Electrolog: ALT2620 Replacing: 1117042, 1117645, 1117650, 1117642
	Desc/Notes: 20SI 300. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: B+ D+. Vehicle Apps: CATERPILLAR - EARTHMOVING . INTERNATIONAL EAGLE. KOMATSU - EARTHMOVING . MACK - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 24V	Amps 65A	Grooves None	Mounting 102mm	TRYSOME: T021009283, T0210409211 Electrolog: ALT2603 Replacing: 1100077, C5107, 211129
	Desc/Notes: 27SI 200. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . INTERNATIONAL EAGLE. MACK - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 24V	Amps 70A	Grooves 8	Mounting 101mm	TRYSOME: T021103622B, T021103648DR Electrolog: ALT2629 Replacing: 19020382, 19020307, 10459333, 3935530
	Desc/Notes: 22SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CUMMINS - AGRICULTURAL , - EARTHMOVING , - INDUSTRIAL . JOHN DEERE - AGRICULTURAL				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.













Manuf/Sys: DELCO 	Volts 24V	Amps 70A	Grooves None	Mounting 100mm	TRY SOME: T020009214B, T021103646R, T028809202 Electrolog: ALT2624 Replacing: 1117900, 1117915, 1117944, 19010108, 1117897
	Desc/Notes: 21SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . EUCLID - EARTHMOVING . INTERNATIONAL EAGLE . MACK - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 24V	Amps 70A;75A	Grooves None	Mounting 101mm	TRY SOME: T021103624B Electrolog: ALT2645 Replacing: 19011019
	Desc/Notes: 23SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . KOMATSU HD785				
Manuf/Sys: DELCO 	Volts 24V	Amps 70A	Grooves None	Mounting 101mm	TRY SOME: T021103623R Electrolog: ALT2698 Replacing: 8600017, 8600019, 8600020, 8600360, 8600407
	Desc/Notes: 24SI. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 4P NF-F-L-P. Vehicle Apps: CUMMINS - EARTHMOVING . TEREX - EARTHMOVING				
Manuf/Sys: DELCO 	Volts 24V	Amps 75A	Grooves None	Mounting 100mm	TRY SOME: T021103625R, T028809205B Electrolog: ALT2650 Replacing: 19010000, 19010008, 10459071, 10459076
	Desc/Notes: 26SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . EUCLID - EARTHMOVING . INTERNATIONAL EAGLE . KOMATSU - EARTHMOVING . MACK - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 24V	Amps 75A	Grooves None	Mounting 101mm	TRY SOME: T020009277, T021103630B Electrolog: ALT2631 Replacing: 1117805, 900113097, 20132, 321671
	Desc/Notes: 30SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). INTERNAL REGULATOR - BRUSHLESS - HAS SEALS FOR ADDED DUST PROTECTION - HAS NO TRANSFORMER Vehicle Apps: CATERPILLAR - EARTHMOVING . EUCLID - EARTHMOVING . INTERNATIONAL EAGLE . KOMATSU - EARTHMOVING . MACK - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts 24V	Amps 75A	Grooves None	Mounting 101mm	TRY SOME: T021009282 Electrolog: ALT2671 Replacing:
	Desc/Notes: 33SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021103626B Electrolog: ALT2625 Replacing: 1117069, 1117238, 1117239, 1117256
	24V	75A	None	102mm	
	Desc/Notes: 25SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: B+ B-. Vehicle Apps: CATERPILLAR - EARTHMOVING . EUCLID - EARTHMOVING . FORD 5000. INTERNATIONAL EAGLE. KOMATSU - EARTHMOVING . MACK - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021009286R Electrolog: ALT2670 Replacing: 19011207, 10459354, 1694319, 2002232
	24V	75A	None	150mm	
	Desc/Notes: 34SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). PAD-MOUNT Vehicle Apps: CATERPILLAR - EARTHMOVING				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T022309210 Electrolog: ALT2013 Replacing: 65261017157A
	24V	80A	2	103.3mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: - ENGINE: DE12TIS . DAEWOO - EARTHMOVING . TATA NOVUS 3434/3439/5542				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021009280 Electrolog: ALT2680 Replacing: 19010024
	24V	80A	None	102mm	
	Desc/Notes: 26SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . EUCLID - EARTHMOVING . FORD 5000. INTERNATIONAL EAGLE. KOMATSU - EARTHMOVING . MACK - TRUCK/BUS				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021103635A Electrolog: ALT2022 Replacing: 10459199, 19011168
	24V	100A	None	101mm	
	Desc/Notes: 34SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). QUAD-MOUNT Vehicle Apps: CATERPILLAR - EARTHMOVING , - INDUSTRIAL . CUMMINS - EARTHMOVING , - INDUSTRIAL				
Manuf/Sys: DELCO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021103633B, T021103652DR Electrolog: ALT2655 Replacing: 19011180, 19011175, 10459196, 10459251, 3675235RX
	24V	100A	None	102mm	
	Desc/Notes: 33SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: DELCO  	Volts 24V	Amps 100A	Grooves None	Mounting 102mm	TRY SOME: T021109230, T021109230DR, T021109230R Electrolog: ALT2658 Replacing: 10459590, 1117817, 1117828, 1117838
	Desc/Notes: 30SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING				
Manuf/Sys: DELCO  	Volts 32V	Amps 60A	Grooves None	Mounting 101mm	TRY SOME: T1117733 Electrolog: ALT2673 Replacing: 1117733, 1117747, 3604679RX
	Desc/Notes: 30SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING				
Manuf/Sys: DONGFENG  	Volts 24V	Amps 70A	Grooves 8	Mounting 70.7mm	TRY SOME: T020009252 Electrolog: ALT5804 Replacing: C3415691
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: CUMMINS - INDUSTRIAL				
Manuf/Sys: FORD  	Volts 12V	Amps 90A	Grooves 6	Mounting 98mm	TRY SOME: T020009261 Electrolog: ALT8908 Replacing: 2015001001, 4063782, 2S6T10300FB
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: ROCAM . FORD FIESTA 1.3L, KA 1.3/1.6i				
Manuf/Sys: FORD  	Volts 12V	Amps 100A	Grooves 5	Mounting 56.5mm	TRY SOME: T020009218 Electrolog: ALT8901 Replacing: XS6110300CA, XS61CA
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: ROCAM . FORD BANTAM 1.3L/1.6L/1.8L, FIESTA 1.3L/1.6L, IKON 1.3L/1.6L				
Manuf/Sys: FORD  	Volts 12V	Amps 100A	Grooves 6	Mounting 97mm	TRY SOME: T020009204B Electrolog: ALT8902 Replacing: XS6110300BD, XS61BD, XS6110300BE, XS61BE
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: ROCAM . FORD BANTAM 1.3L A/C/1.6L A/C, FIESTA 1.3L A/C/1.6L A/C, IKON 1.3L A/C/1.6L A/C				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T021909206 Electrolog: ALT3011 Replacing: LR150453B, 8971876540
	12V	50A	1	85mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH PUMP Vehicle Apps: ISUZU 2.5L DIESEL, KB250 DT				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T022803607, T022803607B Electrolog: ALT3032 Replacing: LT150421, 8944017933, LR150442, 894382600, 8-94401-793-3
	12V	50A	1	85mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH PUMP - RIGHT HAND FIT Vehicle Apps: - ENGINE: 4JA1 . ISUZU KB250 D, KB280 D/DT				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T021909212, T025603601, T05010500001 Electrolog: ALT3021 Replacing: 8944017932, LR150155B 8-94401-793-2
	12V	50A	1	98mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 3P IG-S-L. LEFT HAND FIT ONLY, ON ISUZU 2.8 DIESEL - EXTERNAL REGULATOR - WITH VACUUM PUMP Vehicle Apps: - ENGINE: 4FB1 , 4FC1 , 4FD60 , 4JB1 . ISUZU KB280 DT, WFR50				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T021103604 Electrolog: ALT3097 Replacing: 2704054060A
	12V	55A	2	98mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH PUMP Vehicle Apps: TOYOTA HILUX 2.2L DIESEL/2.4L DIESEL				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T020009278 Electrolog: ALT3091 Replacing: 231000S300, LR160727, LR1607270, 23100-0S300
	12V	60A	1	81.4mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P S-L. Vehicle Apps: - ENGINE: KA24E . NISSAN HARDBODY 2.4i, TERRANO 2.4L				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T021209204B Electrolog: ALT3028 Replacing: 23100VJ210, 23100-VJ210
	12V	70A	1	81.4mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: KA20 , KA24 . NISSAN HARDBODY 2.0L/2.4L				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T028909203B Electrolog: ALT3052 Replacing: LR170505, 8972410210, LR170511, 8971502000, 8971502001
	12V	70A	1	81mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 2P W-L. WITH PUMP Vehicle Apps: OPEL ASTRA 1.7L DIESEL, CORSA 1.7L DIESEL				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T020009244 Electrolog: ALT3008 Replacing: 231007T403REPL, LR160728EREPL, 23100-7T403
	12V	70A	2	81mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-S. Vehicle Apps: - ENGINE: TD27 . NISSAN 2 5L DIESEL, 2.7L DIESEL, 3.3 L DIESEL				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T022803609, T022803609B Electrolog: ALT3020 Replacing: 2310043G08, 2310054G01, LR150428S, 2310002N18, 23100-54G01
	12V	70A	2	81mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 2P L-S. HAS VACUUM PUMP Vehicle Apps: - ENGINE: TD25 , TD27 . KIA K2700. NISSAN 1-TONNER 2.2L DIESEL/2.3L DIESEL, 2.5L DIESEL, 2.7L DIESEL				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T021909207B Electrolog: ALT3038 Replacing: LR180513B, 8973272181
	12V	80A	1	83mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P S-L. WITH PUMP Vehicle Apps: ISUZU KB250 D, KB300 D				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T021909209R Electrolog: ALT3072 Replacing: LR180761, 23100VH300, 23100-VH300
	12V	80A	4	81mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: KA20DE . NISSAN HARDBODY 2 0L				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T021909213B Electrolog: ALT3039 Replacing: LR190729, 231000W000
	12V	90A	6	80.7mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: VG33E . NISSAN PATHFINDER 3.3L V6 PETROL, TERRANO 3.0L DIESEL				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators

Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T021909214B Electrolog: ALT3068 Replacing: LR190763
	12V	90A	7	82.3mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: 4JX1 . ISUZU D-MAX 3.0L DIESEL, KB300 D				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T020009212B Electrolog: ALT3036 Replacing: LR1100502, LR1100502B, LR1100502E, LR1100502F, LR1100502G
	12V	100A	6	70mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN. WITH PUMP Vehicle Apps: - ENGINE: Y17DT . OPEL ASTRA 1.7L D, CORSA 1.7L D				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T021903636 Electrolog: ALT3089 Replacing: LR22580B, 23100S9000, 23100-S9000
	24V	25A	2	80mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 3-PIN. WITH VACUUM PUMP Vehicle Apps: - ENGINE: ED33 . NISSAN CABSTAR 35, ED33				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T024009201R Electrolog: ALT3090 Replacing: 231000T002, LR235502B 23100-0T002
	24V	35A	1	83mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 2-PIN. WITH PUMP Vehicle Apps: NISSAN 3.5L, CABSTAR DIESEL				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T020009220, T023809201B Electrolog: ALT3098 Replacing: 2310004D00
	24V	40A	2	83mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: T-Conn. WITH BIG PUMP Vehicle Apps: - ENGINE: FE6 . NISSAN UD290				
Manuf/Sys: HITACHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T022803610B Electrolog: ALT3034 Replacing: 270402191HIT, 27040-2191
	24V	50A	2	88mm	
	Desc/Notes: ER/EF (EXTERNAL REGULATOR - EXTERNAL FAN);IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 3-PIN. Vehicle Apps: - ENGINE: J07 , J08 . HINO - TRUCK/BUS , 5-TON, 6-TON				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: HITACHI 	Volts 24V	Amps 50A	Grooves 3	Mounting 79mm	TRY SOME: T028709201 Electrolog: ALT3035 Replacing: LR250517, 8971865510, 8971443921, 8-97186-551-0, 8-97144-392-1
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 1P L (L/Trio). WITH PUMP				
	Vehicle Apps: - ENGINE: 4HJ1 . ISUZU FTR, NCR500, NPR300, NPR400				
Manuf/Sys: HITACHI 	Volts 24V	Amps 50A	Grooves 7	Mounting 79.5mm	TRY SOME: T021909215B Electrolog: ALT3122 Replacing: LR250708E, 8980750260
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-DUMMY.				
	Vehicle Apps: - ENGINE: 4HK1 . ISUZU NPR300				
Manuf/Sys: HITACHI (SAWAFUJI) 	Volts 24V	Amps 50A	Grooves 2	Mounting 74mm	TRY SOME: T020009206 Electrolog: ALT3033 Replacing: 23100Z5702HIT, 02011520420HIT, 02011520422HIT, 23100-Z5702
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 4-PIN. HAS A SMALL WHITE PLUG WITH THREE ROUND PIN TERMINALS IN IT - SAWAFUJI REPLACEMENT				
	Vehicle Apps: NISSAN UD80				
Manuf/Sys: ISKRA 	Volts 12V	Amps 33A	Grooves 1	Mounting 26.7mm	TRY SOME: T027909201 Electrolog: ALT7907 Replacing: 11201095, AAG1310, IA0095
	Desc/Notes: AAG. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
	Vehicle Apps: MASSEY FERGUSON - AGRICULTURAL . PERKINS - AGRICULTURAL				
Manuf/Sys: ISKRA 	Volts 12V	Amps 33A	Grooves 1	Mounting 56mm	TRY SOME: T027909208 Electrolog: ALT7914 Replacing: 11201096, AAG1311, IA0096
	Desc/Notes: AAG. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
	Vehicle Apps: - ENGINE: BF4L, F2L, F4L, F5L, F6L . CASE - AGRICULTURAL . DEUTZ - INDUSTRIAL . LIEBHERR - INDUSTRIAL . PERKINS - AGRICULTURAL . VM - INDUSTRIAL				
Manuf/Sys: ISKRA 	Volts 12V	Amps 55A	Grooves None	Mounting 80mm	TRY SOME: T027909204 Electrolog: ALT7910 Replacing: 11201097, AAK1130, IA0097
	Desc/Notes: AAK. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
	Vehicle Apps: MAN - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: ISKRA 	Volts	Amps	Grooves	Mounting	TRYSOME: T027909210 Electrolog: ALT7941 Replacing: 11201463, AAK3563, IA0463
	12V	65A	None	67.2mm	
	Desc/Notes: AAK. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: AGCO - AGRICULTURAL . DEUTZ - AGRICULTURAL . MASSEY FERGUSON - AGRICULTURAL . WACO - AGRICULTURAL					
Manuf/Sys: ISKRA 	Volts	Amps	Grooves	Mounting	TRYSOME: T027909220 Electrolog: ALT7955 Replacing: 11204138, AAK5813, IA0908
	12V	95A	8	80.3mm	
	Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: JCB 2CX BACKHOE LOADER, 3CX BACKHOE LOADER, DIESELMAX, GENERATOR					
Manuf/Sys: ISKRA 	Volts	Amps	Grooves	Mounting	TRYSOME: T027909222 Electrolog: ALT7952 Replacing: 11201875, AAK5165, IA0875
	12V	95A	None	50.5mm	
	Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: - ENGINE: 4045D , 6068S , 6068T . JOHN DEERE - AGRICULTURAL					
Manuf/Sys: ISKRA 	Volts	Amps	Grooves	Mounting	TRYSOME: T027909203 Electrolog: ALT7909 Replacing: 11203398, AAK5567, IA1023
	12V	95A	None	56mm	
	Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: DEUTZ - AGRICULTURAL . KHD - INDUSTRIAL					
Manuf/Sys: ISKRA 	Volts	Amps	Grooves	Mounting	TRYSOME: T027909218 Electrolog: ALT7975 Replacing: IA1225, 11.203.823, AAK5760
	12V	120A	8	83mm	
	Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: CASE - AGRICULTURAL , MXM-SERIES. NEW HOLLAND - AGRICULTURAL , TM-SERIES					
Manuf/Sys: ISKRA 	Volts	Amps	Grooves	Mounting	TRYSOME: T027909206 Electrolog: ALT7912 Replacing: 11201708, AAK5120, IA0708
	24V	50A	2	101.7mm	
	Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: DAEWOO - EARTHMOVING , EXCAVATOR					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: ISKRA 	Volts 24V	Amps 55A	Grooves None	Mounting 56mm (x2)	TRY SOME: T027909213 Electrolog: ALT7904 Replacing: 11203399, AAK5568, IA1026
	Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
	Vehicle Apps: - ENGINE: BF6L . DEUTZ - AGRICULTURAL . KHD - AGRICULTURAL . LIEBHERR - EARTHMOVING				
Manuf/Sys: ISKRA 	Volts 24V	Amps 55A	Grooves None	Mounting 56mm (x2)	TRY SOME: T027909215, T027909215B Electrolog: ALT7916 Replacing: 11203396, IA1076, AAK5565
	Desc/Notes: AAK. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
	Vehicle Apps: DEUTZ - INDUSTRIAL . KHD - INDUSTRIAL				
Manuf/Sys: ISKRA 	Volts 24V	Amps 80A	Grooves None	Mounting 56mm (X2)	TRY SOME: T027909211B Electrolog: ALT7969 Replacing: IA1031, 11.204.409, AAN5836
	Desc/Notes: AAN. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
	Vehicle Apps: DEUTZ - AGRICULTURAL , - INDUSTRIAL . KHD - AGRICULTURAL , - INDUSTRIAL				
Manuf/Sys: ISKRA 	Volts 24V	Amps 100A	Grooves 9	Mounting 80mm	TRY SOME: T027909212 Electrolog: ALT7930 Replacing: 11209422, AAN3112, IA9413
	Desc/Notes: AAN. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
	Vehicle Apps: MERCEDES-BENZ ACTROS, ATEGO, CITARO				
Manuf/Sys: JHECO 	Volts 12V	Amps 90A	Grooves 4	Mounting 75.2mm	TRY SOME: T020009263 Electrolog: ALT5800 Replacing: JFZ19273
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
	Vehicle Apps: CAM INVYATHI 2.2L TAXI				
Manuf/Sys: LUCAS 	Volts 12V	Amps 45A	Grooves None	Mounting 83mm	TRY SOME: T028909205 Electrolog: ALT4003 Replacing: 92018
	Desc/Notes: 17ACR;21ACR. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). PLASTIC COVER				
	Vehicle Apps: FORD CORTINA 1.3L/1.6L, ESCORT 1.3L/1.6L. PERKINS - INDUSTRIAL				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators

Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRYSOME: T022303606IM, T260009202 Electrolog: ALT4004 Replacing: 66021155, 66022265, EL21155, EL22265
	12V	55A	1	85mm	
	Desc/Notes: AS123. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: UNIVERSAL - 12V					
Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRYSOME: T022303605 Electrolog: ALT4032 Replacing: 26021253, 393668000, 275415400101
	12V	55A	8	51mm	
	Desc/Notes: HA15. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: - ENGINE: 6BTA . TATA 713C, 713C 4X4, BUS/LCV					
Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRYSOME: T022303616 Electrolog: ALT4014 Replacing: 66021113, 86BC10300BA, EL21113
	12V	60A	1	85mm	
	Desc/Notes: AS123. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). LEFT HAND MOUNT				
Vehicle Apps: - ENGINE: KENT . FORD 1.6L, 2.0L, CORTINA, ESCORT, SIERRA, XR3. MASSEY FERGUSON TRACTORS. PERKINS - INDUSTRIAL					
Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRYSOME: T022309203, T022309203B Electrolog: ALT4015 Replacing: 66021115, 86BC10300AA, EL21115
	12V	60A	1	86mm	
	Desc/Notes: AS123. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). RIGHT HAND MOUNT				
Vehicle Apps: - ENGINE: ESSEX . FORD 2.0L, 3.0L V6, CORTINA, GRANADA, SAPHIRE, SIERRA. MAZDA 3.0L V6					
Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRYSOME: T022309206 Electrolog: ALT4037 Replacing: 66021205, 23300ES003, EL21205
	12V	60A	4	82mm	
	Desc/Notes: AS123. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). L-TERMINAL				
Vehicle Apps: - ENGINE: GA14 , GA16 . NISSAN PRIMERA 1.6L, SENTRA 140/160					
Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRYSOME: T022303603B Electrolog: ALT4022A Replacing: 26021081, 257315100108
	12V	65A	2	82mm	
	Desc/Notes: 2SA23. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH POWER STEERING				
Vehicle Apps: TATA 497, 509M, 709, 712, 713S					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRY SOME: T022303604 Electrolog: ALT4041 Replacing: 26021117, 265415400129
	12V	65A	4	81mm	
Desc/Notes: 3SA23. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH PUMP					
Vehicle Apps: TATA 207 TELCOLINE 1.9L DIESEL					
Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRY SOME: T022309211 Electrolog: ALT4017 Replacing: 66021101, 66021099, 93584704, 93580698, 66011103
	12V	70A	1	55.6mm	
Desc/Notes: AS123. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
Vehicle Apps: ISUZU KB220 PETROL. OPEL ASCONA 1.8L/2.0L, CUB 140, KADETT 1.8L/2.0L, MONZA 1.8L/2.0L, RECORD 2.0L					
Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRY SOME: T022303674 Electrolog: ALT4052 Replacing: 26021326, 284315400101
	12V	75A	4	81mm	
Desc/Notes: SA28. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
Vehicle Apps: TATA INDICA LE/LS/LX/LXI					
Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRY SOME: T022503602 Electrolog: ALT4110 Replacing: 66021306, BW920008, EL21306
	12V	90A	5	55mm	
Desc/Notes: AS128i. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). MITSUBISHI REPL: A3T00792					
Vehicle Apps: HYUNDAI SONATA. MITSUBISHI COLT 3.0L V6					
Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRY SOME: T022309201, T023103621 Electrolog: ALT4036 Replacing: 66021174, EL21174
	24V	55A	1	86mm	
Desc/Notes: AS123. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
Vehicle Apps: UNIVERSAL - 24V					
Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRY SOME: T0120469001 Electrolog: ALT4034 Replacing: 66021134, EL21134
	24V	55A	2	80mm	
Desc/Notes: AS123. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). "MISS PIGGY" - 3X ADJUSTMENT EARS - DOUBLE PULLEY					
Vehicle Apps: ADE - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS . SCANIA - TRUCK/BUS . UNIVERSAL - 24V					

Although we have gone to great lengths to ensure all data is correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRYSOME: T022309204R Electrolog: ALT4029 Replacing: 26021309, 050404651, 278615999971, 26021309A
	24V	75A	8	84mm	
Desc/Notes: SA45. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
Vehicle Apps: TATA 1518					
Manuf/Sys: LUCAS 	Volts	Amps	Grooves	Mounting	TRYSOME: T020009228B Electrolog: ALT4107 Replacing: ALTO001LUC
	24V	80A	1	50.3mm	
Desc/Notes: AS123. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
Vehicle Apps: VOLVO - EARTHMOVING , B35					
Manuf/Sys: MAGNETI-MARELLI 	Volts	Amps	Grooves	Mounting	TRYSOME: T022403602 Electrolog: ALT9020 Replacing: 63320021, 63305206, 63305236
	12V	45A	1	65.4mm	
Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
Vehicle Apps: FIAT - AGRICULTURAL . IVECO - AGRICULTURAL . SAME - AGRICULTURAL					
Manuf/Sys: MAGNETI-MARELLI 	Volts	Amps	Grooves	Mounting	TRYSOME: T028909206B Electrolog: ALT9017 Replacing: 63320200, 63320219
	12V	65A	4	83.8mm	
Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: B+ D+.					
Vehicle Apps: - ENGINE: 176A , 176B , 178B . FIAT PALIO 1.2L, PUNTO 1.1L/1.2L/1.3L, SEICENTO, STRADA 1.2L					
Manuf/Sys: MAGNETI-MARELLI 	Volts	Amps	Grooves	Mounting	TRYSOME: T020009238 Electrolog: ALT9022 Replacing: 63321244, 96FF10300DC
	12V	70A	5	64.5mm	
Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
Vehicle Apps: FORD COURIER 1.8L DIESEL, ESCORT 1.6i/1.8i 16V, FIESTA 1.8L DIESEL					
Manuf/Sys: MAGNETI-MARELLI 	Volts	Amps	Grooves	Mounting	TRYSOME: T020009240 Electrolog: ALT9011 Replacing: TPN758, 12041
	12V	85A	1	83mm	
Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
Vehicle Apps: CATERPILLAR - EARTHMOVING . MANITOU - FORKLIFTS . PERKINS - EARTHMOVING					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: MAGNETI-MARELLI 	Volts	Amps	Grooves	Mounting	TRY SOME: T022409205 Electrolog: ALT9016 Replacing: 63321715, 46516740
	12V	90A	4	83.1mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). FOR VEHICLES WITH AIR CONDITIONING Vehicle Apps: - ENGINE: 176B9 , 182B2 . FIAT BRAVA 1.2L 16V, MAREA 1.2L 16V, PUNTO 1.2L				
Manuf/Sys: MAGNETI-MARELLI 	Volts	Amps	Grooves	Mounting	TRY SOME: T020009226, T022409201 Electrolog: ALT9001 Replacing: 63321243, AMR3107, AMR3107E
	12V	100A	7	68mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). DOUBLE DOUBLE MOUNTING BRACKETS - HAS NO RK2 PLUG FITTING, TAKES EYE TERMINALS Vehicle Apps: LAND ROVER DISCOVERY				
Manuf/Sys: MAGNETI-MARELLI 	Volts	Amps	Grooves	Mounting	TRY SOME: T028909211B Electrolog: ALT9015 Replacing: 63321358, AMR4248
	12V	100A	7	83mm	
	Desc/Notes: A127I. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P W D+ B+. Vehicle Apps: - ENGINE: 12L , 14L , 256T . LAND ROVER DEFENDER 2.5L DIESEL TURBO, DISCOVERY 2.0L DIESEL/2.5L TDi/200 TDi/300 TDi, RANGE ROVER 2.5L DIESEL				
Manuf/Sys: MAGNETI-MARELLI 	Volts	Amps	Grooves	Mounting	TRY SOME: T022409202B Electrolog: ALT9054 Replacing: 63377464, 3469825
	12V	120A	None	83mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: CATERPILLAR 420D. JCB 411, 530, 580				
Manuf/Sys: MAGNETI-MARELLI 	Volts	Amps	Grooves	Mounting	TRY SOME: T020009213B Electrolog: ALT9052 Replacing: 63321678, 98AB10300DG
	12V	80A	6	70mm	
	Desc/Notes: A115I. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P FR-SIG-A. Vehicle Apps: - ENGINE: V-TEC . FORD FOCUS 1.6L/2.0L				
Manuf/Sys: MANDO 	Volts	Amps	Grooves	Mounting	TRY SOME: T020009224, T028909209B Electrolog: ALT8717 Replacing: AD165432, OK65A18300A, 021219012, 373004Z500
	12V	60A	1	80mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH PUMP Vehicle Apps: KIA K2700				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: MANDO 	Volts 12V	Amps 60A	Grooves 4	Mounting 48.4mm	TRYSOME: T022509225, T025409202R Electrolog: ALT8731 Replacing: 3730002550, TA000A55601, AB160108, 37300-02550
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P S-L.				
	Vehicle Apps: HYUNDAI ATOS 1.0L, GETZ 1.1L, KIA PICANTO 1.1L				
Manuf/Sys: MANDO 	Volts 12V	Amps 65A	Grooves 1	Mounting 65mm	TRYSOME: T026009200 Electrolog: ALT8712 Replacing: AB165104, 96314258
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-G.				
	Vehicle Apps: CHEVROLET SPARK, DAEWOO KALOS 1.2L, MATIZ 0.8 L/0.8/1.0L/1.0i				
Manuf/Sys: MANDO 	Volts 12V	Amps 65A	Grooves 2	Mounting 54mm	TRYSOME: T028909208 Electrolog: ALT8706 Replacing: 3730042620, AD165454, 37300-42620
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 2P S-L. WITH PUMP				
	Vehicle Apps: HYUNDAI 2.6L DIESEL				
Manuf/Sys: MANDO 	Volts 12V	Amps 75A	Grooves 1	Mounting 80mm	TRYSOME: T021609202 Electrolog: ALT8720 Replacing: AF175353, OK72B18300
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). WITH PUMP				
	Vehicle Apps: KIA 2700 DIESEL, PREGIO 2.7L DIESEL				
Manuf/Sys: MANDO 	Volts 12V	Amps 75A	Grooves 2	Mounting 55mm	TRYSOME: T020003600 Electrolog: ALT8716 Replacing: TA000A64201, 3730042711, 37300-42711
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). WITH PUMP				
	Vehicle Apps: HYUNDAI H100 2.6L DIESEL, MITSUBISHI PAJERO 2.5L TD				
Manuf/Sys: MANDO 	Volts 12V	Amps 75A	Grooves 4	Mounting 55mm	TRYSOME: T020009211 Electrolog: ALT8704 Replacing: 3730022020, 3730022011, AB175019, AB175054, 203303A
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN.				
	Vehicle Apps: HYUNDAI ACCENT 1.5L, SCOUPE 1.5L				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: MANDO 	Volts	Amps	Grooves	Mounting	TRY SOME: T020009229B Electrolog: ALT8703 Replacing: 3730033013, 3730033010, A3T03392ZC, A3T03391, A3T03392
	12V	75A	4	78mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P S-L. Vehicle Apps: - ENGINE: J1 , J2 . HYUNDAI ELANTRA 1.6L/1.8L, SONATA 2.0L. MITSUBISHI COLT GALANT 2.0L				
Manuf/Sys: MANDO 	Volts	Amps	Grooves	Mounting	TRY SOME: T028909254B Electrolog: ALT8709 Replacing: TA000A48401, TA000A48402, 6675292, 6678205
	12V	90A	1	58.3mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P S-L. Vehicle Apps: BOBCAT SKID STEER				
Manuf/Sys: MANDO 	Volts	Amps	Grooves	Mounting	TRY SOME: T025409201 Electrolog: ALT8702 Replacing: 3730022200, AB190058, 37300-22200
	12V	90A	4	55mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN. Vehicle Apps: - ENGINE: J2 , J3 . HYUNDAI ACCENT 1.5L, ELANTRA 1.6 L/1.8L/2.0L, GETZ, TIBURON 1.8L/2.0L. PROTON 1.6L				
Manuf/Sys: MANDO 	Volts	Amps	Grooves	Mounting	TRY SOME: T020009233 Electrolog: ALT8707 Replacing: 3730033103, 3730033101, 3730033100, AB190025, 37300-33103
	12V	90A	4	78.5mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-S. Vehicle Apps: - ENGINE: J1 , J2 . HYUNDAI ELANTRA 1.6L/1.8L, SONATA 2.0L/2.0i/2.4i/3.0L/3.0i. MITSUBISHI COLT GALANT 1.8 i/GALANT 2.0L, LANCER 1.8i				
Manuf/Sys: MANDO 	Volts	Amps	Grooves	Mounting	TRY SOME: T025409208 Electrolog: ALT8718 Replacing: AB112112, 3730039010, 37300-39010
	12V	120A	6	28.5mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: 6GCU . HYUNDAI OPIRUS 3.5L, TERRACAN 3.5L, XG300 3.0L, XG350 3.5L				
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T022509223 Electrolog: ALT5099 Replacing: A7T02071C, 31A6800402
	12V	50A	1	21mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P R-L. Vehicle Apps: CATERPILLAR - EARTHMOVING . LANDINI - AGRICULTURAL . MITSUBISHI - FORKLIFTS				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators

Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T022509201R Electrolog: ALT5025 Replacing: A5T20484, MD013740, LMD013740
	12V	50A	1	55mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 2P R-L. WITH PUMP Vehicle Apps: - ENGINE: 4D55 . HYUNDAI 2.5L DIESEL, 2.6L DIESEL. MITSUBISHI COLT 2.5L/2.5L DIESEL, PAJERO 2.3L DIESEL/2.5L DIESEL				
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T020009256 Electrolog: ALT5015 Replacing: A7TA0477A, 32A6810201
	12V	50A	1	81mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P R-L. Vehicle Apps: CLARK - FORKLIFTS . LISTER-PETTER - INDUSTRIAL . NISSAN - FORKLIFTS . YALE - FORKLIFTS				
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T022509212 Electrolog: ALT5137 Replacing: A2T12771, A2T12978, A2T13278, A5T22583
	12V	55A	1	79.7mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH PUMP Vehicle Apps: - ENGINE: 4DR5 . MITSUBISHI CANTER 2.7L TD/2.8L TD				
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T0210409209 Electrolog: ALT5012 Replacing: A1T03191, A1T03191ZC, 3140060A20, 96058486, 96069102
	12V	55A	4	67mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3-PIN. Vehicle Apps: SUZUKI SIDEKICK 1.6L, SWIFT 1.3L, VITARA 1.3L				
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T020009267 Electrolog: ALT5126 Replacing: A3T09799A, ME200697
	12V	65A	2	55mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-S. Vehicle Apps: MITSUBISHI COLT 3.0L, PAJERO 3.0L				
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T020003605, T021609201, T021609201B Electrolog: ALT5999 Replacing: A2TA6099, A2TA6924
	12V	70A	2	66mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN. Vehicle Apps: FORD RANGER 2.5L DIESEL. MAZDA 626, DRIFTER 2.5L DIESEL				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: MITSUBISHI 	Volts 12V	Amps 70A	Grooves 6	Mounting 74mm	TRY SOME: T022509220 Electrolog: ALT5072 Replacing: A5TA7692, A005TA7692, 2S6T10300CB
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3-PIN. Vehicle Apps: FORD FIESTA 1.6L/1.6L 16V, FOCUS 1.4L 16V/1.6L/2.0L				
Manuf/Sys: MITSUBISHI 	Volts 12V	Amps 80A	Grooves 4	Mounting 66mm	TRY SOME: T022509207R Electrolog: ALT5027 Replacing: A2TB0191, A2TB0191A, A2TB0191B, FP3418300, FP3418300A
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P P-D. ONLY BOTTOM FRONT HOLE THREADED - 2-PIN PLUG RECESSED INTO THE SIDE OF THE REAR BRACKET Vehicle Apps: - ENGINE: FP, FS, ZM. MAZDA ASTINA				
Manuf/Sys: MITSUBISHI 	Volts 12V	Amps 80A	Grooves 4	Mounting 67mm	TRY SOME: T020403606R Electrolog: ALT5098 Replacing: A2T33191, FS0518300, FS6418300, GL445
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-S. Vehicle Apps: - ENGINE: FE. FORD TELSTAR 2.0L. MAZDA 626 2.0L, MX6 2.5L				
Manuf/Sys: MITSUBISHI 	Volts 12V	Amps 80A	Grooves 5	Mounting 81.3mm	TRY SOME: T022509210 Electrolog: ALT5037 Replacing: LR180761, 23100VH300, 23100-VH300
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN. Vehicle Apps: NISSAN HARDBODY 2.0L				
Manuf/Sys: MITSUBISHI 	Volts 12V	Amps 80A	Grooves 6	Mounting 80mm	TRY SOME: T020009209B Electrolog: ALT5017 Replacing: A2TB3191A, A2TB3191, 231004M510
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-S. Vehicle Apps: - ENGINE: QG15, QG18. NISSAN ALMERA 1.6L/1.8L, PRIMERA 1.6L/1.8L, SENTRA				
Manuf/Sys: MITSUBISHI 	Volts 12V	Amps 90A	Grooves 2	Mounting 54.3mm	TRY SOME: T022509206 Electrolog: ALT5128 Replacing: A3T07399, MD167060
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-S. Vehicle Apps: - ENGINE: 4D56. MITSUBISHI L300 2.5L DIESEL, PAJERO 2.5L				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T022503621 Electrolog: ALT5097 Replacing: A3TA3098A, ME202755
	12V	90A	2	55mm	
Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN.					
Vehicle Apps: MITSUBISHI COLT 2.8L DIESEL, PAJERO 2.8L DIESEL					
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T021909208B Electrolog: ALT5130 Replacing: A3TB5099, 23100VK010
	12V	90A	2	81mm	
Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN.					
Vehicle Apps: - ENGINE: YD25D . NISSAN HARDBODY 2.5L DIESEL, NAVARA 2.5L DIESEL					
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T022509200 Electrolog: ALT5073 Replacing: A3T08293, A003T08293, MD168989
	12V	90A	5	55mm	
Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P S-L.					
Vehicle Apps: MITSUBISHI PAJERO 3.0L					
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T012309202 Electrolog: ALT5049 Replacing: 26021338
	12V	90A	5	81.6mm	
Desc/Notes: A128. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P IC-W-WL.					
Vehicle Apps: TATA INDICA					
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T0210409202 Electrolog: ALT5071 Replacing: A3TG0081, LF1818300
	12V	90A	6	102mm	
Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P P-D.					
Vehicle Apps: MAZDA 6 2.3L/3.0L					
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRYSOME: T022509218 Electrolog: ALT5076 Replacing: A3TG0091, LB1318300
	12V	90A	6	52.2mm	
Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P P-D.					
Vehicle Apps: MAZDA 6 1.8L/2.0L/2.3L					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T020009205 Electrolog: ALT5121 Replacing: A3TA1191A, MD350609
	12V	100A	5	54mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-S. Vehicle Apps: MITSUBISHI PAJERO 3.0L V6/3 5L V6				
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T0210409203 Electrolog: ALT5158 Replacing: A2TB6481, 2310000QA1, 7711134728
	12V	110A	5	61.7mm x2	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN. Vehicle Apps: NISSAN MICRA 1.5L DCI, QASHQAI 1.5L DCI, RENAULT CLIO 1.5L DCI, KANGOO 1 5L DCI, MEGANE 1 5L DCI/1.6L 16V, SANDERO 1.5L DCI				
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T022509216 Electrolog: ALT5020 Replacing: ME017509, A2T70571, A2T61471, ME017507, A2T61871
	24V	25A	1	81mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 2-PIN. Vehicle Apps: - ENGINE: 4D30 . MITSUBISHI CANTER 3.3L DIESEL/DIESEL				
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T022515601 Electrolog: ALT5081 Replacing: A2T71583, ME017550
	24V	25A	1	81mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: MITSUBISHI CANTER				
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T022509204B Electrolog: ALT5038 Replacing: A3TN5387, ME049281
	24V	35A	2	81mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P R-L. Vehicle Apps: BELL - EARTHMOVING . HITACHI - EARTHMOVING . MITSUBISHI CANTER				
Manuf/Sys: MITSUBISHI 	Volts	Amps	Grooves	Mounting	TRY SOME: T021209203 Electrolog: ALT5120 Replacing: A3TN5082, 231000T060, A003TN5082
	24V	35A	2	82mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P S-L. TAKES PUMP Vehicle Apps: - ENGINE: FD46 . NISSAN UD-SERIES, UD35, UD40				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: MITSUBISHI 	Volts 24V	Amps 50A	Grooves 1	Mounting 74mm	TRYSOME: T021909203 Electrolog: ALT5053 Replacing: A4TU5485, 1812005902
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: HITACHI EX670, EX850. MITSUBISHI - EARTHMOVING				
Manuf/Sys: MITSUBISHI 	Volts 24V	Amps 50A	Grooves 3	Mounting 74mm	TRYSOME: T022509214 Electrolog: ALT5053TP Replacing: A4TU5485, 1812005902
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: HITACHI - EARTHMOVING . MITSUBISHI - EARTHMOVING				
Manuf/Sys: MOTOROLA 	Volts 12V	Amps 60A	Grooves 1	Mounting 56mm	TRYSOME: T022602681R Electrolog: ALT0517 Replacing: A00002, 2M021, A00-002
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: MERCEDES-BENZ 200, 220, 230.4, 240D, 280SE, 350SE				
Manuf/Sys: MOTOROLA 	Volts 12V	Amps 65A	Grooves None	Mounting 27mm	TRYSOME: T022303629B Electrolog: ALT0589 Replacing: 8EK2010NA, 110400, 8MR2185L, 2D72787G01, 447156
	Desc/Notes: 8EK;8MR. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: THERMO KING - INDUSTRIAL				
Manuf/Sys: MOTOROLA 	Volts 24V	Amps 60A	Grooves 1	Mounting 27mm	TRYSOME: T022609201 Electrolog: ALT0530 Replacing: A00160, HA60241, A00-160
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: UNIVERSAL - 24V				
Manuf/Sys: MOTOROLA 	Volts 24V	Amps 175A	Grooves None	Mounting 102mm	TRYSOME: T022303625B Electrolog: ALT0583 Replacing: 8SC3009ZA, SC175, 110298, 110258, 8SC3009Z
	Desc/Notes: 8SC;SC175. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). UNIVERSAL FITTING - NO PLUG FITTINGS - BRUSHES ARE SEALED FROM DUST - FOR HIGH OUTPUT REQUIREMNTS AT LOW RPM'S - EMERGENCY VEHICLES, LUXURY Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . KOMATSU - EARTHMOVING . VOLVO - TRUCK/BUS				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: NIEHOFF 	Volts	Amps	Grooves	Mounting	TRY SOME: T024103601R Electrolog: ALT2900 Replacing: C612
	24V	240A	None	101.3mm	
Desc/Notes: C600-SERIES. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). J180 MOUNT - BRUSHLESS Vehicle Apps: UNIVERSAL 24V INDUSTRIAL/RAIL					
Manuf/Sys: NIKKO 	Volts	Amps	Grooves	Mounting	TRY SOME: T022903605 Electrolog: ALT8810 Replacing: 0330005860, 6008216120
	24V	25A	9	70.7mm	
Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). PULLEY WILL DIFFER DEPENDING ON THE APPLICATION Vehicle Apps: - ENGINE: 4D105, 4D95, 6D105, 6D108, 6D95. KOMATSU - EARTHMOVING					
Manuf/Sys: NIKKO 	Volts	Amps	Grooves	Mounting	TRY SOME: T021909800 Electrolog: ALT8815 Replacing: 0330006550, 0330006551, 0330006552, 1812004400, 1812004401
	24V	30A	2	71.1mm	
Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: HITACHI - EARTHMOVING. ISUZU - TRUCK/BUS					
Manuf/Sys: NIKKO 	Volts	Amps	Grooves	Mounting	TRY SOME: T0210409206 Electrolog: ALT8812DP Replacing: 0350000390, 0350000391, 0350000392, 6008253120
	24V	35A	2 (Normally)	102.7mm	
Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: - ENGINE: 6D125. KOMATSU - EARTHMOVING					
Manuf/Sys: NIKKO 	Volts	Amps	Grooves	Mounting	TRY SOME: T022903624 Electrolog: ALT8817 Replacing: 0350000462, 6008613111
	24V	35A	8	104mm	
Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: - ENGINE: SA6D108. KOMATSU - EARTHMOVING					
Manuf/Sys: NIKKO 	Volts	Amps	Grooves	Mounting	TRY SOME: T022909201B Electrolog: ALT8814 Replacing: 0350004000, 1812004164
	24V	40A	2	70mm	
Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: - ENGINE: 6BG1, 6HE1. HINO - TRUCK/BUS. ISUZU CXZ, FRR, FSR, FTR, SKW					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







	Manuf/Sys: NIPPON DENSO	Volts 12V	Amps 30A;35A	Grooves 1	Mounting 67mm	TRYSOME: T022809227
	Desc/Notes: ER/EF (EXTERNAL REGULATOR - EXTERNAL FAN). Pins: 3P E-F-N. OLD SMALL TYPE					Electrolog: ALT6001
	Vehicle Apps: - ENGINE: 12R . TOYOTA 1600, COROLLA, HIACE 1.6L, HILUX 1.6L					Replacing: 2702031031, 0210001084, 2702031030, 2702031033, 2702031032
	Manuf/Sys: NIPPON DENSO	Volts 12V	Amps 35A	Grooves 1	Mounting 24mm	TRYSOME: T022803603
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P S-IG-L.					Electrolog: ALT6021
	Vehicle Apps: BOBCAT - EARTHMOVING . KUBOTA - INDUSTRIAL . TOYOTA 6-SERIES FORKLIFTS					Replacing: 1002114540, 2706078003
	Manuf/Sys: NIPPON DENSO	Volts 12V	Amps 40A	Grooves 1	Mounting 67mm	TRYSOME: T022809253
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3-PIN.					Electrolog: ALT6056
	Vehicle Apps: TOYOTA 6-SERIES FORKLIFTS					Replacing: 270607830571, 2706078305, 27060-78305-71, 27060-78305
	Manuf/Sys: NIPPON DENSO	Volts 12V	Amps 45A	Grooves 1	Mounting 24mm	TRYSOME: T020003602, T020003602B, T022803601R
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: T-Conn.					Electrolog: ALT6550
	Vehicle Apps: BOBCAT - EARTHMOVING . DAIHATSU CUORE. KOMATSU - EARTHMOVING . MITSUBISHI - INDUSTRIAL . TOYOTA - FORKLIFTS					Replacing: 1002111660, 1002111610, 1002111611
	Manuf/Sys: NIPPON DENSO	Volts 12V	Amps 50A	Grooves 1	Mounting 58mm	TRYSOME: T022809202, T022809202B
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3-PIN.					Electrolog: ALT6055
	Vehicle Apps: TOYOTA 7-SERIES FORKLIFTS					Replacing: 270607870071, 270607820271, 1022115190, 1012113730, 27060-78700
	Manuf/Sys: NIPPON DENSO	Volts 12V	Amps 50A	Grooves 1	Mounting 67mm	TRYSOME: T022809241
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). T-TYPE 2-PIN REGULATOR CONNECTION					Electrolog: ALT6049
	Vehicle Apps: TOYOTA - FORKLIFTS					Replacing: 2706078301, 1002114003

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T022803608 Electrolog: ALT6020 Replacing: 2704054060, 2702054190, 1002130290, 1210001160, 1210001163
	12V	50A;55A	2	98mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 3P L-S-IG. GREEN PLUG - WITH VACUUM PUMP Vehicle Apps: - ENGINE: 2L . TOYOTA HILUX 2.4L DIESEL				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T022809235, T022809239 Electrolog: ALT6058 Replacing: 1012112770, 1012112780, 1449954, 1449952
	12V	55A	1	75mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P P-IG-L. Vehicle Apps: CATERPILLAR - EARTHMOVING				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T022803616, T022809236B Electrolog: ALT6081 Replacing: 1012112310, 1012112240, 1052811, 1052812
	12V	55A	2	58mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3-PIN. Vehicle Apps: CATERPILLAR 416B, 416C, 426B, 426C, 436B, 436C, 906, D4C				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T023403630 Electrolog: ALT6053 Replacing: 2704054210, 1002115090, 1002130941, 1002131130, 27040-54210
	12V	70A	2	70mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P S-IG-L. WITH VACUUM PUMP MOUNTED ON THE PULLEY END OF ALTERNATOR Vehicle Apps: - ENGINE: 2L . TOYOTA HILUX 2.4L DIESEL/2 8L DIESEL				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T0210409204 Electrolog: ALT6087 Replacing: 2706015080, 1012110060, 270601508084
	12V	70A	5	44mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P S-IG-L. Vehicle Apps: - ENGINE: 4AFE , 7AFE . TOYOTA CONQUEST 160i/180i, COROLLA 160i/180i				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T022809201, T023409205 Electrolog: ALT6052 Replacing: 2706075150, 1022115050, 27060-75150
	12V	70A	5	58mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P S-IG-L. Vehicle Apps: - ENGINE: 1RZ , 3RZ . TOYOTA HILUX 2.0L/2.7i				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T020009275 Electrolog: ALT6010 Replacing: 2706062011, 2706062012, 1002113320, 1002113321, 1002117460
	12V	70A	6	57.3mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P S-IG-L. Vehicle Apps: TOYOTA CAMRY 200/220				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T022803611 Electrolog: ALT6119 Replacing: 27060-0C020, 1042109000, 270600C020
	12V	75A	7	44mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: 1TRFE , 2TRFE . TOYOTA FORTUNER 2.7L VVTi, HILUX 2.7L VVTi, QUANTUM 2.7L VVTi				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T022809250 Electrolog: ALT6155 Replacing: 1022111480, 270600D020, 270600D030, 2706022010
	12V	80A	6	41mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 4P S-IG-DF-L. Vehicle Apps: - ENGINE: 1ZZFE , 3ZZFE , 4ZZFE . TOYOTA AVENSIS 1.6i VVTi/1.8i VVTi/2.0i VVTi, COROLLA 1.4i VVTi/1.6i VVTi, RAV4 2.0L VVTi				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T022409203 Electrolog: ALT6154 Replacing: 1002118040, 63341679, 98AB10300GK, 98AB10300GF, 98AB10300GE
	12V	80A	6	75mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P LI-RC-AS. Vehicle Apps: FORD FIESTA 1.6L 16V, FOCUS 1.4L 16V/1.6L/2.0L				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T020409208A Electrolog: ALT6037 Replacing: 27060-30040, 2706030040
	12V	85A	7	58mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 4P IG-S-L-M. Vehicle Apps: - ENGINE: 1KD , 2KD . TOYOTA FORTUNER 3.0L DIESEL, HIACE 2.5L DIESEL, HILUX 2.5L DIESEL/3.0L DIESEL, LAND CRUISER 3.0L DIESEL, QUANTUM 2.5L DIESEL				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T020009271 , T022809243 Electrolog: ALT6151 Replacing: 270600T010
	12V	90A	6	51.8mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: TOYOTA AURIS 1.6L VVTi				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T0200092010 Electrolog: ALT6132 Replacing: 1042103291, 1042103292
	12V	100A	7	26.4mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 4P L-IG-FR-C. Vehicle Apps: HONDA ACCORD 2.0L/2.4L, CRV 2.4i				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T022809231 Electrolog: ALT6097 Replacing: 1042104460, 2706030080
	12V	100A	7	58.6mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 4P IG-S-L-M. Vehicle Apps: - ENGINE: 2KD . TOYOTA LAND CRUISER 2.5L DIESEL, QUANTUM 2.5L DIESEL				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T022809244B Electrolog: ALT6121 Replacing: 1022118640
	12V	105A	6	60.5mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: OPEL ASTRA 1.9L CDTi, ZAFIRA 1.9L CDTi				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T020009215 Electrolog: ALT6068 Replacing: 2706067070, 1012110970
	12V	120A	2	58mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: 1KZ . TOYOTA HILUX 3.0L, LAND CRUISER 3.0L				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T022809207B Electrolog: ALT6098 Replacing: 1042103762, 3M5T10300VC, 30667071
	12V	120A	6	46.9mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: FORD FOCUS 1.8L/2.0L. VOLVO V50 1.8L				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRY SOME: T022809229B Electrolog: ALT6096 Replacing: 1002132530, ERR6999
	12V	120A	7	70mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: LAND ROVER DEFENDER 2.5L, DISCOVERY 2.5L				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T022803617 Electrolog: ALT6118 Replacing: 1022118660, 1022118661, 13153236, 13117236
	12V	130A	6	61.1mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: OPEL ASTRA 1.9L CDTi, VECTRA 1.9L CDTi, ZAFIRA 1.9L CDTi				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T022809248 Electrolog: ALT6160 Replacing: 2706031100, 2706031101, 2706031102
	12V	130A	7	36mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 4P IG-S-L-M. Vehicle Apps: TOYOTA RAV4 3.5L				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T022803615 Electrolog: ALT6156 Replacing: 1042104281, 2706075350
	12V	130A	7	43.3mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: TOYOTA QUANTUM 2.7L VVTi				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T020003606 Electrolog: ALT6130 Replacing: 1042103710, 1042103711, YLE500200, YLE500400
	12V	150A	8	24mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 3P LI-RC-BVS. Vehicle Apps: LAND ROVER DISCOVERY 2.7L TDV6/3.0L TD, RANGE ROVER SPORT 2.7L TDVM				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T022803605 Electrolog: ALT6039 Replacing: 1002114100, 1002114101, 1002114103, 1002114104, 270607830071
	24V	20A	1	68mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: TOYOTA 5-SERIES FORKLIFTS				
Manuf/Sys: NIPPON DENSO 	Volts	Amps	Grooves	Mounting	TRYSOME: T021909201 Electrolog: ALT6106 Replacing: 8943991571
	24V	40A	2	72mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: ISUZU FVR, FVR900				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.



Manuf/Sys: NIPPON DENSO  	Volts	Amps	Grooves	Mounting	TRY SOME: T022809233 Electrolog: ALT6120 Replacing: 23100Z5672
	24V	40A	2	85.6mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). REPLACES SAWAFUJI 02011022974 Vehicle Apps: NISSAN - FORKLIFTS				
Manuf/Sys: NIPPON DENSO  	Volts	Amps	Grooves	Mounting	TRY SOME: T022809206, T022809206B Electrolog: ALT6042 Replacing: 270402220B, 1022110430
	24V	50A	2	58mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: J05ED . CATERPILLAR 914G. TOYOTA DYNA				
Manuf/Sys: NIPPON DENSO  	Volts	Amps	Grooves	Mounting	TRY SOME: T022809246, T022809246B, T024703618R Electrolog: ALT6078 Replacing: 1012118340, 1978820
	24V	95A	1	101.2mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR D10R				
Manuf/Sys: NIPPON DENSO  	Volts	Amps	Grooves	Mounting	TRY SOME: T020009269 Electrolog: ALT6063 Replacing: 1012118400, 2871A703, 2267683
	24V	95A	None	102mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . PERKINS - AGRICULTURAL				
Manuf/Sys: POONG SUNG  	Volts	Amps	Grooves	Mounting	TRY SOME: T025409206 Electrolog: ALT6901 Replacing: 021319271, 373003E100
	12V	130A	6	56.4mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2- PIN. Vehicle Apps: HYUNDAI SANTA FE 2.7L. KIA OPTIMA 2.7L				
Manuf/Sys: PRESTOLITE  	Volts	Amps	Grooves	Mounting	TRY SOME: T022303626 Electrolog: ALT9715 Replacing: 8TA2031G, 110475
	12V	65A	1	51mm	
	Desc/Notes: 8TA. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 2" SPOOL MOUNT - SELF EXCITE Vehicle Apps: CLARK - AGRICULTURAL . JOHN DEERE - AGRICULTURAL . MERCEDES-BENZ - TRUCK/BUS				

Although we have gone to great lengths to ensure all data was accurate at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators













	Manuf/Sys: PRESTOLITE	Volts 12V	Amps 130A	Grooves None	Mounting 102mm	TRYSOME: T022303633B
	Desc/Notes: 8HLA. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
	Vehicle Apps: INTERNATIONAL - TRUCK/BUS . MACK - TRUCK/BUS					
						Electrolog: ALT9726
						Replacing: 8LHA2071V, 110555I
	Manuf/Sys: PRESTOLITE	Volts 12V	Amps 160A	Grooves None	Mounting 101mm	TRYSOME: T022303630R
	Desc/Notes: BLD/P. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
	Vehicle Apps: CUMMINS - TRUCK/BUS . INTERNATIONAL - TRUCK/BUS . MACK - TRUCK/BUS . VOLVO - TRUCK/BUS					
						Electrolog: ALT9727
						Replacing: BLD2308, 110804
	Manuf/Sys: PRESTOLITE	Volts 12V	Amps 270A	Grooves None	Mounting 101mm	TRYSOME: T022303632
	Desc/Notes: 4800-4900. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). SELF EXCITE 270 AMP - REPLACES A0014864JB - CAN OPERATE FROM: -40C TO +110C					
	Vehicle Apps: INTERNATIONAL - TRUCK/BUS . MACK - TRUCK/BUS . VOLVO - TRUCK/BUS					
						Electrolog: ALT9714
						Replacing: A0014867JB, 4867JB, A0014869JB
	Manuf/Sys: PRESTOLITE	Volts 12V	Amps 270A	Grooves None	Mounting 156mm	TRYSOME: T022303628
	Desc/Notes: 4800-4900. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). PAD MOUNT - SELF EXCITE					
	Vehicle Apps: INTERNATIONAL - TRUCK/BUS . MACK - TRUCK/BUS . VOLVO - TRUCK/BUS					
						Electrolog: ALT9716
						Replacing: A0014949PA, 4949PA
	Manuf/Sys: PRESTOLITE	Volts 24V	Amps 110A	Grooves 8	Mounting 105.8mm	TRYSOME: T020009272
	Desc/Notes: NCB1;NCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Vehicle Apps: - ENGINE: D13A . VOLVO FH, FM					
						Electrolog: ALTI260P
						Replacing: 860804GB
	Manuf/Sys: PRESTOLITE	Volts 24V	Amps 120A	Grooves 8	Mounting 80.7mm	TRYSOME: T023109204
	Desc/Notes: AV1147. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Vehicle Apps: IVECO EUROARGO					
						Electrolog: ALT9740
						Replacing: AV1147S3008HD

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.













Manuf/Sys: PRESTOLITE 	Volts 24V	Amps 140A	Grooves None	Mounting 102mm	TRY SOME: T022303633R Electrolog: ALT9705 Replacing: BLD3314GH, 110806, 8RG3078
	Desc/Notes: 8RG. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). J180-MOUNTING				
	Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING				
Manuf/Sys: SAWAFUJI 	Volts 24V	Amps 30A	Grooves 1	Mounting 96mm	TRY SOME: T023409203, T023809203 Electrolog: ALT9811 Replacing: 02148510013, 270501112A
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 3P DUMMY-WL-IG.				
	Vehicle Apps: - ENGINE: W04D . HINO - TRUCK/BUS . TOYOTA DYNA 5-103/6-104/6-105/7-105				
Manuf/Sys: SAWAFUJI 	Volts 24V	Amps 50A	Grooves 1	Mounting 102mm	TRY SOME: T0238036001 Electrolog: ALT9801 Replacing: 6008219321, 6008219381, 02141520411, 02141520271
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
	Vehicle Apps: CATERPILLAR - EARTHMOVING . KOMATSU - EARTHMOVING , HD375, HD465, HD785				
Manuf/Sys: SAWAFUJI 	Volts 24V	Amps 50A	Grooves 2	Mounting 86mm	TRY SOME: T021909204B Electrolog: ALT9810 Replacing: 02011520422, 2310025702, 23100-Z5702
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
	Vehicle Apps: NISSAN UD-SERIES, UD80, UD85				
Manuf/Sys: SAWAFUJI 	Volts 24V	Amps 50A	Grooves 2	Mounting 86mm	TRY SOME: T023803605, T023809204B Electrolog: ALT9812 Replacing: 270402192A, 02011521013
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
	Vehicle Apps: - ENGINE: J07 , J08 . HINO - TRUCK/BUS , 16-237				
Manuf/Sys: SAWAFUJI 	Volts 24V	Amps 50A	Grooves 2	Mounting 86mm	TRY SOME: T023809206 Electrolog: ALT9813 Replacing: 02011023012, 02011023013
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 2P W-L.				
	Vehicle Apps: TOYOTA HINO				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators







Manuf/Sys: SAWAFUJI  	Volts	Amps	Grooves	Mounting	TRYSOME: T020009219 Electrolog: ALT9816 Replacing: 2310000Z0A, 02011720920
	24V	60A	5	86mm	
Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 4-PIN. Vehicle Apps: NISSAN UD440					
Manuf/Sys: SAWAFUJI  	Volts	Amps	Grooves	Mounting	TRYSOME: T021105301 Electrolog: ALT9801A Replacing: 6008219550, 6008219560, 02142020321, 02142020320
	24V	75A	1	102mm	
Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: CATERPILLAR - EARTHMOVING . KOMATSU - EARTHMOVING , HD375, HD465, HD785					
Manuf/Sys: VALEO  	Volts	Amps	Grooves	Mounting	TRYSOME: T028909210 Electrolog: ALT0003 Replacing: A13N271, 01180648KZ, 14760, 439190
	12V	60A	None	None	
Desc/Notes: A13N271 - AS90. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Pins: 1P L. TOTALLY ROUND - 4-BOLT MOUNT Vehicle Apps: - ENGINE: FL1011F . DEUTZ - EARTHMOVING . KHD - EARTHMOVING . MANITOU - EARTHMOVING					
Manuf/Sys: VALEO  	Volts	Amps	Grooves	Mounting	TRYSOME: T0210409212 Electrolog: ALT0076 Replacing: A13VI51, 96122648, 96122643, 96122561
	12V	80A	6	67mm	
Desc/Notes: A13VI. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: CITROEN BERLINGO 1.9L DIESEL, JUMPY 1.9L TURBO DIESEL, XSARA 1.9L DIESEL, PEUGEOT 306 1.8i/1.9L DIESEL/1.9L TURBO DIESEL/2.0i, 405 1.6L					
Manuf/Sys: VALEO  	Volts	Amps	Grooves	Mounting	TRYSOME: T028909243B Electrolog: ALT0017 Replacing: SG9B037, 2542412A, A0121544502
	12V	90A	5	60.5mm	
Desc/Notes: SG9B. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: M166 . MERCEDES-BENZ A140, A160					
Manuf/Sys: VALEO  	Volts	Amps	Grooves	Mounting	TRYSOME: T010409202B Electrolog: ALT0028 Replacing: 2542397, 2542490, A13VI277, SG10B022, 437193
	12V	90A	6	46mm (x2)	
Desc/Notes: A13VI;SG10B. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-Dummy (B+ Bolt). Vehicle Apps: CITROEN BERLINGO 1.4L/1.6L/1.9L, C5 1.8L/2.0L, C8 2.0L/2.2L, XSARA 1.4L/1.6L/1.8L, FIAT ULYSSE 2.0L, PEUGEOT 206 1.4L/1.6L, 307 2.0L, 406 2.0L/2.2L, 407 1.8L/2.2L, 607 2.0L/2.2L, 807 2.0L/2.2L, PARTNER 1.4L/1.6L/1.9L					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: VALEO  	Volts 12V	Amps 110A	Grooves None	Mounting 61mm (x2)	TRY SOME: T028909244B, T028909249 Electrolog: ALT0067 Replacing: TG11C062, 2310000QBA
	Desc/Notes: TG11C. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2 L-DF. Vehicle Apps: NISSAN MICRA 1.5L DCI. RENAULT CLIO 1.5L DCI, KANGOO 1.5L DCI, MEGANE 1.4L/1.5L DCI/1.6L 16V, SCENIC 1.4L/1.5L/1.6L				
Manuf/Sys: VALEO  	Volts 12V	Amps 120A	Grooves 5	Mounting 75.6mm	TRY SOME: T020009259 Electrolog: ALT0083 Replacing: A14VI28, 2542251B, 12312247389
	Desc/Notes: A14VI. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: M47D, M57D. BMW 320d, 330d, 520d, 525d, 530d, 730d, X5 3.0L D				
Manuf/Sys: VALEO  	Volts 12V	Amps 120A	Grooves 6	Mounting 56mm (X2)	TRY SOME: T028909246 Electrolog: ALT0065 Replacing: SG12B023
	Desc/Notes: SG12B. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: - ENGINE: M112. MERCEDES-BENZ C240, C320, E240, E280, E320, ML320, ML350, VITO				
Manuf/Sys: VALEO  	Volts 12V	Amps 125A	Grooves 7	Mounting 60.8mm (X2)	TRY SOME: T028909253B Electrolog: ALT0005 Replacing: SG12B098, SG12B052, 23100AW300, 7711135333
	Desc/Notes: SG12B. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-DF. Vehicle Apps: NISSAN 1.9L DIESEL, PRIMERA 1.9L dCi. RENAULT 1.9L DIESEL, MEGANE 1.9L dCi				
Manuf/Sys: VALEO  	Volts 12V	Amps 150A	Grooves 6	Mounting 76mm	TRY SOME: T028909251B Electrolog: ALT0046 Replacing: TG15C093, 12317790548, 12317795620
	Desc/Notes: TG15C. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 1P COM. Vehicle Apps: - ENGINE: M47D20, M47D20TU2, M57D30TU2. BMW 118d, 120d, 318d, 320d, 325d, 330d, 330xd, 335d				
Manuf/Sys: VALEO  	Volts 12V	Amps 170A	Grooves 6	Mounting 59.4mm	TRY SOME: T0210409210 Electrolog: ALT0048 Replacing: TG17C015, 2542720D, 2542720, 12317521178, 12317525376
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 1P COM. Vehicle Apps: - ENGINE: M47D20TU2, N52B250L, N52B30A, N52B30B. BMW 130i, 318d, 320d, 325i, 325xi, 330i, 523i, 525i, 525xi, 530i, 530xi, 630i, 730i, 730ii				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Alternators

Manuf/Sys: VALEO 	Volts	Amps	Grooves	Mounting	TRYSOME: T020409242 Electrolog: ALTO019 Replacing: 2542611B, TG17C010, 7789981A103
	12V	170A	6	75.7mm	
	Desc/Notes: TG17. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN. Vehicle Apps: BMW 520d, 525d, 530d, 535d, 635d, 730d				
Manuf/Sys: VALEO 	Volts	Amps	Grooves	Mounting	TRYSOME: T028909256 Electrolog: ALTO044 Replacing: TG17C027, 2542918A, 12317537959, 12317537962, 12317540993
	12V	180A	6	76.2mm	
	Desc/Notes: TG17. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: BMW X5 4.4i/4.8iS				
Manuf/Sys: VALEO 	Volts	Amps	Grooves	Mounting	TRYSOME: T028909204 Electrolog: ALTO086 Replacing: TG17C028, TG17C030, 6421540202
	12V	180A	7	76mm	
	Desc/Notes: TG17. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2-PIN. Vehicle Apps: - ENGINE: 272.979 , 642 . CHRYSLER JEEP COMMANDER 3.0L CRD/GRAND CHEROKEE 3.0L CRD. MERCEDES- BENZ CLK320CDi, E280CDi, E320CDi, GL320CDi, GL420CDi, R280CDi, SPRINTER 209 CDI/211 CDI/213 CDI/215 CDI/218 CDI/224 CDI/309 CDi/311 CDI/315 CDI/318 CDI/324 CDI/509 CDI/511 CDI/515 CDI/518 CDI, VITO 120 CDI/123 CDI				
Manuf/Sys: VALEO 	Volts	Amps	Grooves	Mounting	TRYSOME: T0210409205 Electrolog: ALTO018 Replacing: A13N272, 2541708, 1180650
	24V	40A	None	None	
	Desc/Notes: A13N. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: - ENGINE: FL1011F . DEUTZ - EARTHMOVING . KHD - EARTHMOVING				
Manuf/Sys: VALEO 	Volts	Amps	Grooves	Mounting	TRYSOME: T025409210 Electrolog: ALTO049 Replacing: 2655633, 3730003100
	12V	70A	5	46mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-R. Vehicle Apps: HYUNDAI i10 1.2L, i20 1.2L				
Manuf/Sys: VALEO 	Volts	Amps	Grooves	Mounting	TRYSOME: T010019644 Electrolog: ALTO098 Replacing: 2655447, 373002B101
	12V	90A	6	50.8mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Pins: 2P L-FR. Vehicle Apps: HYUNDAI i30 1.4L/1.6L. KIA SOUL 1.6L				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Why Take Chances?

Trust the Brand that's kept more vehicles running longer than any other brand on & off road.



Delco Remy

Delco Remy high performance starters and alternators are the preferred choice for medium and heavy duty truck, bus and off-road vehicles.

Our high output alternators offer:


- ▣ Measurable fuel saving for fleets due to enhanced efficiency ratings
- ▣ Durable brushless design with fewer moving parts = less wear on the alternator
- ▣ The best warranty in the industry
- ▣ Remote sense technology reducing battery charge time by up to 50%
- ▣ Long Life

Our starters are designed to crank even in the toughest applications:

- ▣ Over Crank Protection (OCP) technology protects fleets from thermal damage
- ▣ OCP protects the starter in adverse starting conditions such as...
 - > Cold weather cranking
 - > Low battery capacity
 - > High-starting circuit resistance
 - > Operator misuse
- ▣ Our patented internal magnetic solenoid switch (IMSS) enhances starter reliability

We work closely with the OEMs to provide the highest performing, premium quality product for new vehicles. This translates into the same level of performance and quality with Delco Remy aftermarket starters and alternators, and the support to back it.

Trysome Auto Electrical is a MASTER WAREHOUSE DISTRIBUTOR in Southern Africa.



COMPONENTS

ALTERNATORS

STARTERS

Brackets



Manuf/Sys: BOSCH 	Category: BRACKET PULLEY END/DE Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 9120690... SERIES	TRYSOME: T020413201
	Vehicle Apps: . FORD TRACTORS. HYSTER. MASSEY FERGUSON TRACTORS. NISSAN 1200, 1400, 1800, E20. TOYOTA COROLLA, HIACE, HILUX. VARIOUS UNIVERSAL APPLICATIONS	Electrolog: BDEA1001 Replacing: 9121691017, 9121691292
Manuf/Sys: BOSCH 	Category: BRACKET PULLEY END/DE Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 9120690... SERIES	TRYSOME: T020400506
	Vehicle Apps: . FORD HUSKY. MAZDA B-SERIES. MITSUBISHI CANTER, L300	Electrolog: BDEA1003 Replacing: 9121691037, 9121691036
Manuf/Sys: BOSCH 	Category: BRACKET PULLEY END/DE Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120489... SERIES	TRYSOME: T020400525
	Vehicle Apps: . ADE. MAN. MERCEDES-BENZ	Electrolog: BDEA1094 Replacing: 1125824432, 51261110001
Manuf/Sys: DELCO 	Category: BRACKET PULLEY END/DE Desc/Notes: 27SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 200 SERIES	TRYSOME: T021100504B
	Vehicle Apps: . CATERPILLAR. EARTHMOVING. EUCLID. INTERNATIONAL EAGLE, HARVESTER. KOMATSU. MACK. OSHKOSH. VOLVO	Electrolog: BDEA2604 Replacing: 1852038, 1985700, 9L6781
Manuf/Sys: DELCO 	Category: BRACKET PULLEY END/DE Desc/Notes: 21SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).	TRYSOME: T021100538B
	Vehicle Apps: . CASE. CATERPILLAR. CHEVROLET. CLARK. CUMMINS. EUCLID. FIAT. FORD. INTERNATIONAL EAGLE, HARVESTER. JOHN DEERE. KOMATSU. MACK. MASSEY FERGUSON. NEW HOLLAND. VOLVO	Electrolog: BDEA2607 Replacing: 10467267, D3461
Manuf/Sys: DELCO 	Category: BRACKET PULLEY END/DE Desc/Notes: 20SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).	TRYSOME: T021100509R
	Vehicle Apps: . CATERPILLAR. EUCLID. FIAT. INTERNATIONAL EAGLE, HARVESTER. KOMATSU. MACK. VOLVO	Electrolog: BDEA2608 Replacing: 1894483, 7N7810, 73117748
Manuf/Sys: DELCO 	Category: BRACKET PULLEY END/DE Desc/Notes: 26SI;25SI;30SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).	TRYSOME: T021100530, T1852726
	Vehicle Apps: . CATERPILLAR. EUCLID. FORD. INTERNATIONAL EAGLE. KOMATSU. MACK. VOLVO	Electrolog: BDEA2609 Replacing: 1852726, 2P5616, D8HZ10333B, GD356

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: DELCO 	Category: BRACKET PULLEY END/DE Desc/Notes: 33SI;34SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. FORD. FREIGHTLINER. INTERNATIONAL HARVESTER. KENWORTH. MACK. VOLVO	TRY SOME: T021100532B Electrolog: BDEA2610 Replacing: 10491185, 10491186
Manuf/Sys: DELCO 	Category: BRACKET PULLEY END/DE Desc/Notes: 34SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). PAD-MOUNT Vehicle Apps: . DETROIT DIESEL. FREIGHTLINER	TRY SOME: T021103334B Electrolog: BDEA2611 Replacing: 10483415
Manuf/Sys: ISKRA 	Category: BRACKET PULLEY END/DE Desc/Notes: AAK. IR/EF (INTERNAL REGULATOR - INTERNAL FAN). CASTING NUMBER: D3573 Vehicle Apps: . DEUTZ. KHD	TRY SOME: T027900501 Electrolog: BDEA7900 Replacing: 16.908.831
Manuf/Sys: NIEHOFF 	Category: BRACKET PULLEY END/DE Desc/Notes: C600-SERIES. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . INDUSTRIAL, EARTHMOVING, RAIL, TRUCK AND BUS APPLICATIONS	TRY SOME: T024103112 Electrolog: BDEA2900 Replacing: A5547
Manuf/Sys: PRESTOLITE 	Category: BRACKET PULLEY END/DE Desc/Notes: 8SC. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. INTERNATIONAL. KOMATSU. VOLVO	TRY SOME: T022600510 Electrolog: BDEA9701 Replacing: A015102959S
Manuf/Sys: BOSCH 	Category: BRACKET SRE/CE Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120489... SERIES Vehicle Apps: . ADE. MAN. MERCEDES-BENZ. UNIMOG	TRY SOME: T010400601 Electrolog: BCEA1003 Replacing: 1125884484, 1125884477
Manuf/Sys: BOSCH 	Category: BRACKET SRE/CE Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 9120690... 0120489... SERIES Vehicle Apps: . AUDI. MERCEDES-BENZ. VOLKSWAGEN	TRY SOME: T020400604 Electrolog: BCEA1004 Replacing: 9121691204, 9121690001, 9121691205, 1125884393

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Brackets




Manuf/Sys: DELCO 	Category: BRACKET SRE/CE Desc/Notes: 33SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . FORD TRUCK. FREIGHTLINER. INTERNATIONAL. KENWORTH. MACK. VOLVO TRUCK	TRYSOME: T021100533R Electrolog: BCEA2001 Replacing: 10491175
Manuf/Sys: DELCO 	Category: BRACKET SRE/CE Desc/Notes: 20SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. EUCLID. FIAT. INTERNATIONAL EAGLE, HARVESTER. KOMATSU. MACK. VOLVO	TRYSOME: T021100536B Electrolog: BCEA2600 Replacing: 1894465
Manuf/Sys: DELCO 	Category: BRACKET SRE/CE Desc/Notes: 21SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CASE. CATERPILLAR. CHEVROLET. CLARK. CUMMINS. EUCLID. FORD. INTERNATIONAL EAGLE, HARVESTER. JOHN DEERE. KOMATSU. MACK. MASSEY FERGUSON. NEW HOLLAND	TRYSOME: T021100537B Electrolog: BCEA2602 Replacing: 10467269
Manuf/Sys: DELCO 	Category: BRACKET SRE/CE Desc/Notes: 27SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 200-SERIES Vehicle Apps: . CATERPILLAR. EUCLID. INTERNATIONAL EAGLE, HARVESTER. KOMATSU. MACK. OSHKOSH. VOLVO	TRYSOME: T021100603B Electrolog: BCEA2603 Replacing: 1852630, 1988072, 9L6778
Manuf/Sys: DELCO 	Category: BRACKET SRE/CE Desc/Notes: 30SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. EUCLID. FORD. INGERSOLL RAND. INTERNATIONAL EAGLE. KOMATSU. MACK. VOLVO	TRYSOME: T021100539R Electrolog: BCEA2605 Replacing: 1876762
Manuf/Sys: DELCO 	Category: BRACKET SRE/CE Desc/Notes: 34SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). PAD-MOUNT Vehicle Apps: . DETROIT DIESEL. FREIGHTLINER	TRYSOME: T021101111B Electrolog: BCEA2656 Replacing: 10483417
Manuf/Sys: NIEHOFF 	Category: BRACKET SRE/CE Desc/Notes: C600-SERIES. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . INDUSTRIAL, EARTHMOVING, RAIL, TRUCK AND BUS APPLICATIONS	TRYSOME: T024103118 Electrolog: BCEA2900 Replacing: A5319

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: NIEHOFF 	Category: BRACKET SRE/CE Desc/Notes: C600-SERIES. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . INDUSTRIAL, EARTHMOVING, RAIL, TRUCK AND BUS APPLICATIONS	TRY SOME: T024103104 Electrolog: BCEA2901 Replacing: A5339
Manuf/Sys: PRESTOLITE 	Category: BRACKET SRE/CE Desc/Notes: BLP. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH RECTIFIER Vehicle Apps: . CATERPILLAR. VOLVO	TRY SOME: T025002506 Electrolog: RCT9713 Replacing: A011105567S
Manuf/Sys: VALEO 	Category: BRACKET SRE/CE Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . VOLVO	TRY SOME: T1696942 Electrolog: BCEA0001 Replacing: 1696942
Manuf/Sys: DELCO 	Category: COVER Desc/Notes: 30SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. MACK	TRY SOME: T021110730B Electrolog: COA2602 Replacing: 1876814
Manuf/Sys: DELCO 	Category: COVER Desc/Notes: 25SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. FREIGHTLINER. MACK	TRY SOME: T021110702 Electrolog: COA2603 Replacing: 1969001
Manuf/Sys: DELCO 	Category: COVER Desc/Notes: 25SI;26SI;30SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). DUST COVER - COMM END BEARING Vehicle Apps: . CATERPILLAR. CUMMINS. FREIGHTLINER. MACK	TRY SOME: T021108725B Electrolog: COA2604 Replacing: 1876813, 9N0943
Manuf/Sys: DELCO 	Category: COVER Desc/Notes: 20SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. FREIGHTLINER. MACK	TRY SOME: T1894444 Electrolog: COA2611 Replacing: 1894444

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Brackets

Manuf/Sys: ISKRA 	Category: COVER Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . DEUTZ. KHD. LIEBHERR	TRYSOME: T027911202 Electrolog: COA9701 Replacing: 15421538
Manuf/Sys: NIPPON DENSO 	Category: COVER Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. KOMATSU	TRYSOME: T024703603 Electrolog: COA6036 Replacing: 0215510940
Manuf/Sys: PRESTOLITE 	Category: COVER Desc/Notes: 8SC. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. KOMATSU	TRYSOME: T027308702 Electrolog: COA9700 Replacing: K185103973S



KEEPING YOU MOVING IS OUR BUSINESS

Trysome boasts a broad auto-electrical product range which includes the **TryleCHD Premium Battery Range**.

When reliability is everything you need to get going quickly our batteries are perfect. Whether it's for trucks, buses or construction vehicles the ultra stable impact-proof polypropylene casing and high performance specifications are specially designed to meet high endurance demands.

Maximum power, every time!




Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.



KEEPING YOU MOVING IS OUR BUSINESS

"Trysome is the largest importer and distributor of auto-electrical equipment in Southern Africa"

Trysome boasts a broad auto-electrical product range which includes light and heavy-duty rotating equipment and components, as well as batteries, work and safety lights, engine protection and consumables.



HEAVY-DUTY
AUTO ELECTRICAL



COLLISION
AVOIDANCE



SERVICE AND
INSTALLATION



UNDERGROUND
AUTO ELECTRICAL



BATTERIES &
ACCESSORIES



LIGHT-DUTY
AUTO ELECTRICAL











Quality, Range & Innovative Solutions...

That's our promise to the transport, agriculture, construction, earth moving and mining sectors as well as the light and heavy duty wholesale sector.





In addition to a wide and deep product range, Trysome boasts a field service and fitment division providing professional, on-site repair services - keeping downtime to an absolute minimum!

We stock a range of products for John Deere, Massey Ferguson, CASE, Landini, Fiat and Ford.

Brush Holders

Manuf/Sys: CAV		TRYSONE: T023100802		Manuf/Sys: DELCO		TRYSONE: T021000901	
		Electrolog: BHA7302				Electrolog: BHA2001	
		Replacing: 6270495				Replacing: 1964682, 1965276	
Volts		24V		Volts		12V;24V	
Desc/ Notes	AC203R;AC203RA, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),			Desc/ Notes	10DN, ER/EF (EXTERNAL REGULATOR - EXTERNAL FAN),		
Veh Apps	. VOLVO BUS			Veh Apps	. CASE. CATERPILLAR. CLARK. HYSTER. INTERNATIONAL HARVESTER		
Manuf/Sys: DELCO		TRYSONE: T021100906B		Manuf/Sys: DELCO		TRYSONE: T021100908	
		Electrolog: BHA2002				Electrolog: BHA2601	
		Replacing: 1971521, 801466, 1852002, 8125179				Replacing: 10492749	
Volts		12V		Volts		12V;24V	
Desc/ Notes	10SI;12SI;27SI, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),			Desc/ Notes	22SI, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),		
Veh Apps	. CASE. CATERPILLAR. CHEVROLET. CLARK. CUMMINS. HYSTER. INTERNATIONAL HARVESTER. JOHN DEERE. MASSEY FERGUSON			Veh Apps	. CUMMINS. FREIGHTLINER. INTERNATIONAL HARVESTER. VOLVO		
Manuf/Sys: DELCO		TRYSONE: T011000909, T021100904		Manuf/Sys: DELCO		TRYSONE: T021100931	
		Electrolog: BHA2610				Electrolog: BRA2600	
		Replacing: 10503492, 10521657				Replacing: 10500024	
Volts		12V;24V		Volts		12V	
Desc/ Notes	24SI, IR/IF (INTERNAL REGULATOR - INTERNAL FAN),			Desc/ Notes	31SI, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),		
Veh Apps	. CUMMINS. FREIGHTLINER. INTERNATIONAL. KENWORTH. MACK. VOLVO			Veh Apps	. CUMMINS		
Manuf/Sys: HITACHI		TRYSONE: T010000911		Manuf/Sys: LUCAS		TRYSONE: T022300901	
		Electrolog: BHA3008				Electrolog: BHA4001	
		Replacing: L170G4330				Replacing: 54200349, 66200084	
Volts		12V		Volts		12V	
Desc/ Notes	IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),			Desc/ Notes	21ACR;17ACR, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),		
Veh Apps	. OPEL 1.7L DIESEL			Veh Apps	. VARIOUS APPLICATIONS WITH 17ACR / 21ACR TYPE ALTERNATORS		
Manuf/Sys: MOTOROLA		TRYSONE: T092600901		Manuf/Sys: MOTOROLA		TRYSONE: T022300805	
		Electrolog: BHA0501				Electrolog: BHA0509	
		Replacing: 31, 3204152, 3-1				Replacing: 3-16, 3-46, 103-16, 103-46	
Volts		12V;24V		Volts		12V	
Desc/ Notes	IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),			Desc/ Notes	8LHA/P;8LHA, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),		
Veh Apps	. ADE. ALFA ROMEO. AUDI. BELL. CASE. CHEVROLET. DEUTZ. FORD. HYSTER. ISUZU. JOHN DEERE. MAN. MASSEY FERGUSON. MERCEDES-BENZ. NISSAN. OPEL. PEUGEOT. SAMIL. TOYOTA.			Veh Apps	. CATERPILLAR. CUMMINS. KENWORTH. MACK		

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: NIKKO 		TRY SOME: T1-33720-0792 Electrolog: BHA8803 Replacing: 1337200792		Manuf/Sys: NIPPON DENSO 		TRY SOME: T018809200, T022800900 Electrolog: BHA6008 Replacing: 0216203020	
Volts 24V				Volts 12V			
Desc/Notes		IR/EF (INTERNAL REGULATOR - EXTERNAL FAN), ISUZU ENGINES. KOMATSU		Desc/Notes		IR/IF (INTERNAL REGULATOR - INTERNAL FAN), FORD. HONDA. TOYOTA QUANTUM. VOLVO	
Veh Apps				Veh Apps			
Manuf/Sys: PRESTOLITE 		TRY SOME: T025000901 Electrolog: BHA8501 Replacing: A009101716, 101716					
Volts 12V							
Desc/Notes		IR/EF (INTERNAL REGULATOR - EXTERNAL FAN), 4864-SERIES					
Veh Apps		VOLVO TRUCK/INDUSTRIAL/EARTHMOVING VARIOUS					



Classic Engineering

Need we say more!














LED AUTOMOTIVE LIGHTING SOLUTIONS

- Long, maintenance-free service life
- Fixed and pencil beam
- Low amp draw
- Up to 50,000 hours lifespan
- Resistance to temperature extremes






• WORK LAMPS • FOG LAMPS • MARKER LAMPS • LED STRIPS • TORCHES • MINE LIGHT BARS •

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Diodes & Diode Plates

Manuf/Sys:		DIODE - EXCITATION		Manuf/Sys:		DIODE - EXCITATION	
		TRY SOME: T020002601				TRY SOME: T260010401	
		Electrolog: DEXX001				Electrolog: DEXX004	
		Replacing: AC4, 1N5408				Replacing: 1N5404	
Volts				Volts			
Desc/ Notes	IN-LINE	Desc/ Notes	IN-LINE	Desc/ Notes	IN-LINE	Desc/ Notes	IN-LINE
Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS
Manuf/Sys:		DIODE - NEGATIVE		Manuf/Sys:		DIODE - NEGATIVE	
		TRY SOME: T020002004				TRY SOME: T028002001	
		Electrolog: DNEX000				Electrolog: DNEX002	
		Replacing: 2095332, 2098287, 1958826, AC2N				Replacing: 2098287, 1958826, 2095332, AC1N	
Volts				Volts			
Desc/ Notes	PRESS-FIT - STRAIGHT	Desc/ Notes	PRESS-FIT - HOOK TYPE	Desc/ Notes	PRESS-FIT - HOOK TYPE	Desc/ Notes	PRESS-FIT - HOOK TYPE
Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS
Manuf/Sys:		DIODE - POSITIVE		Manuf/Sys:		DIODE - POSITIVE	
		TRY SOME: T020002101				TRY SOME: T020002105, T021002107	
		Electrolog: DPOX001				Electrolog: DPOX004	
		Replacing: 2095331, 1852931, 1958825, 6L7646, AC1P				Replacing: 1959829, 1852929, 328925, D3911, AC2P	
Volts				Volts			
Desc/ Notes	PRESS-FIT - STRAIGHT	Desc/ Notes	PRESS-FIT - WITH EYE TERMINAL	Desc/ Notes	PRESS-FIT - WITH EYE TERMINAL	Desc/ Notes	PRESS-FIT - WITH EYE TERMINAL
Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS
Manuf/Sys: BOSCH		DIODE - POSITIVE		Manuf/Sys: CAV		DIODE - KIT;ALTERNATOR	
		TRY SOME: T020002107, T020402101				TRY SOME: T023103804	
		Electrolog: DPO1001				Electrolog: DKT7300	
		Replacing: 0270100405, 0270100333				Replacing: 6010239	
Volts				Volts			
Desc/ Notes	PRESS-FIT - STRAIGHT	Desc/ Notes	SCREW-IN	Desc/ Notes	SCREW-IN	Desc/ Notes	SCREW-IN
Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS	Veh Apps	. VARIOUS APPLICATIONS
Manuf/Sys: DELCO		DIODE PLATE - POSITIVE		Manuf/Sys: DELCO		DIODE - TRIO	
		TRY SOME: T021002108, T021100025B				TRY SOME: T0211024001, T021102627B	
		Electrolog: DPP2601				Electrolog: DTR2601	
		Replacing: 1971670				Replacing: 830891, 1977064, 9L6767, 801817, D3918	
Volts		12V;24V		Volts		12V;24V	
Desc/ Notes	25SI;26SI, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),	Desc/ Notes	27SI;30SI, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),	Desc/ Notes	27SI;30SI, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),	Desc/ Notes	27SI;30SI, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),
Veh Apps	. CATERPILLAR. CUMMINS. INTERNATIONAL HARVESTER. JOHN DEERE	Veh Apps	. INTERNATIONAL. MACK. OSHKOSH	Veh Apps	. INTERNATIONAL. MACK. OSHKOSH	Veh Apps	. INTERNATIONAL. MACK. OSHKOSH

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: DELCO 		DIODE - TRIO TRY SOME: T021102435 Electrolog: DTR2604 Replacing: 10491182		Manuf/Sys: DELCO 		DIODE - TRIO TRY SOME: T10472644 Electrolog: DTR2606 Replacing: 10472644, 10475293	
Volts 12V;24V				Volts 12V;24V			
Desc/Notes 33SI;34SI, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),				Desc/Notes 26SI, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),			
Veh Apps . CATERPILLAR. CUMMINS. FORD. INTERNATIONAL HARVESTER. MACK. VOLVO				Veh Apps . CATERPILLAR. CUMMINS. INTERNATIONAL. MACK			
Manuf/Sys: MOTOROLA 		DIODE PLATE - POSITIVE TRY SOME: T022602101 Electrolog: DPP0505 Replacing: 1A145, A01234, A01-234		Manuf/Sys: MOTOROLA 		DIODE - ISOLATION TRY SOME: T022602601 Electrolog: DIS0501 Replacing: 1A209	
Volts 12V;24V				Volts			
Desc/Notes IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),				Desc/Notes IR/EF (INTERNAL REGULATOR - EXTERNAL FAN), ISOLATION			
Veh Apps . ADE. FORD. ISUZU. JOHN DEERE. MAZDA. MERCEDES-BENZ. NISSAN. OPEL. PEUGEOT. SAMIL. TOYOTA. VOLKSWAGEN				Veh Apps . VARIOUS APPLICATIONS			
Manuf/Sys: NIPPON DENSO 		DIODE - POSITIVE TRY SOME: T020002103 Electrolog: DPOX005 Replacing: C5AF10374B, AC3P		Manuf/Sys: PRESTOLITE 		DIODE PLATE - POSITIVE TRY SOME: T022308425 Electrolog: DPP9700 Replacing: 10182	
Volts				Volts 24V			
Desc/Notes TO REPLACE THE DIODES OF VARIOUS RECTIFIERS.				Desc/Notes 8SC, IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),			
Veh Apps . VARIOUS APPLICATIONS				Veh Apps . VARIOUS APPLICATIONS			
Manuf/Sys: SAWAFUJI 		DIODE PLATE - NEGATIVE TRY SOME: T0238025002 Electrolog: DPN9801 Replacing: SD123506410X0, 123506410X0		<div data-bbox="837 1265 1492 1948" data-label="Complex-Block">  <p>Master Warehouse Distributor</p> <p><i>There's no match for an original!</i></p> </div>			
Volts 24V							
Desc/Notes IR/EF (INTERNAL REGULATOR - EXTERNAL FAN),							
Veh Apps . KOMATSU							





- Terminals
- Battery Connectors
- Cable Ties



Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Miscellaneous Parts

Manuf/Sys: ISKRA 	Category: KIT Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). BEARING: 17MM X 52MM X 17MM Vehicle Apps: . DEUTZ. KHD	TRYSOME: T027905301 Electrolog: KST7902 Replacing: 16.906.722
Manuf/Sys: BOSCH 	Category: RETAINER Desc/Notes: GCB2;NC;KCB1;KCB2;K1;KCB2;N1;E6. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN);IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . VARIOUS APPLICATIONS	TRYSOME: T01111505005 Electrolog: RETA1013 Replacing: 1121038019, 1121038500, F00M146801, F00M146802
Manuf/Sys: DELCO 	Category: RETAINER Desc/Notes: 25SI;30SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. FORD. KENWORTH. KOMATSU. MACK. VOLVO	TRYSOME: T021010701 Electrolog: RETA2601 Replacing: 1970407
Manuf/Sys: DELCO 	Category: ROTOR COIL Desc/Notes: 23SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS	TRYSOME: T021115006B Electrolog: ROC2633 Replacing: 10493059
Manuf/Sys: DELCO 	Category: ROTOR COIL Desc/Notes: 33SI;34SI. 12V 110A/135A ALTERNATOR Vehicle Apps: . CATERPILLAR. CUMMINS. DETROIT. FORD. FREIGHTLINER. INTERNATIONAL HARVESTER. KENWORTH. MACK. VOLVO	TRYSOME: T021115001R Electrolog: ROC2639 Replacing: 10491238
Manuf/Sys: NIEHOFF 	Category: ROTOR COIL Desc/Notes: C600-SERIES. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . INDUSTRIAL. EARTHMOVING. RAIL. TRUCK AND BUS APPLICATIONS	TRYSOME: T024103107 Electrolog: ROC2900 Replacing: A7229
Manuf/Sys: NIKKO 	Category: ROTOR COIL Desc/Notes: 24V - "LARGE UNIT" FOR KOMATSU PC1100 Vehicle Apps: . KOMATSU	TRYSOME: T022900203 Electrolog: ROC8805 Replacing:

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH 	Category: SLIP RING Desc/Notes: K1;G1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120300...; 0120339...; 0120400...; 0120450...; 0120468...; 0120469...; 0120484...; 0120489...; 6033GB3...; 9120080...; 9120143...; 9120144...; 9120334... SERIES - OD=28mm, ID=17mm, HEIGHT=22mm Vehicle Apps: . AUDI. BELL. BMW. CUMMINS. DAF. DEUTZ. FIAT. FORD. INTERNATIONAL HARVESTER. IVECO. KHD. LANCIA. LIEBHERR. MAN. MERCEDES-BENZ. PERKINS. SAME. STEYR. VOLKSWAGEN	TRY SOME: T020403201 Electrolog: SRG1002 Replacing: 1124303001
Manuf/Sys: DELCO 	Category: SLIP RING Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 17MM ID / 30MM OD Vehicle Apps: . VARIOUS APPLICATIONS	TRY SOME: T021003201 Electrolog: SRG2601 Replacing: 10472180, 1975346
Manuf/Sys: LEECE NEVILLE 	Category: SLIP RING Desc/Notes: 4864-SERIES - 16.7mm ID / 28.5mm OD Vehicle Apps: . VARIOUS APPLICATIONS	TRY SOME: T025003201 Electrolog: SRG8511 Replacing: 71189
Manuf/Sys: LUCAS 	Category: SLIP RING Desc/Notes: AS123. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH PLASTIC RIM Vehicle Apps: . 12V LUCAS AS123 SERIES ALTERNATOR APPLICATIONS	TRY SOME: T020003203 Electrolog: SRG4004 Replacing:
Manuf/Sys: MOTOROLA 	Category: SLIP RING Desc/Notes: SC175. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). ID=10mm / OD=25.5mm Vehicle Apps: . VARIOUS APPLICATIONS	TRY SOME: T022300802 Electrolog: SRG0510 Replacing: 112-22
Manuf/Sys: BOSCH 	Category: THROUGH BOLT Desc/Notes: K1;N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120400...; 0120468...; 0120489...; 9120144... SERIES Vehicle Apps: . VARIOUS APPLICATIONS	TRY SOME: T020401104 Electrolog: BTA1001 Replacing: 1123410047, 1123429101, 1123429201
Manuf/Sys: BOSCH 	Category: THROUGH BOLT Desc/Notes: N1;K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120468...; 0120469... SERIES Vehicle Apps: . ADE. BELL. CASE. DAF. DEUTZ. ERF. INTERNATIONAL. LEYLAND. MAN. MERCEDES-BENZ. SCANIA. VOLVO	TRY SOME: T436400101 Electrolog: BTA1002 Replacing: 1123429203

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Miscellaneous Parts

Manuf/Sys: DELCO 	Category: THROUGH BOLT Desc/Notes: 10SI;27SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).	TRYSOME: T021101110
	Vehicle Apps: . CATERPILLAR. CHEVROLET. CUMMINS. JOHN DEERE	Electrolog: BTA2610 Replacing: 801810
Manuf/Sys: DELCO 	Category: THROUGH BOLT Desc/Notes: 20SI;CS144;29SI;21SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).	TRYSOME: T021101101
	Vehicle Apps: . CATERPILLAR. CUMMINS. FORD. INTERNATIONAL. MACK	Electrolog: BTA2612 Replacing: 1894445, 1989690, 7N9024
Manuf/Sys: ISKRA 	Category: THROUGH BOLT Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).	TRYSOME: T027901101
	Vehicle Apps: . CASE. DEUTZ. JOHN DEERE. KHD. NEW HOLLAND	Electrolog: BTA7900 Replacing: 15.300.696
Manuf/Sys: NIEHOFF 	Category: THROUGH BOLT Desc/Notes: C600-SERIES. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).	TRYSOME: T430001101
	Vehicle Apps: . TRUCK AND INDUSTRIAL APPLICATIONS	Electrolog: BTA2900 Replacing: A9813

MOBILETRON



Voltage Regulators

As a world leader in electronics manufacturing, Mobiletron produces over 1,800 premium quality items of advanced design and construction, specialising in components for the automotive industry, and exporting to over 100 countries worldwide. With their headquarters in Taiwan, they have an international network of offices so that they can serve their global client base effectively, efficiently and with the highest standards of service.

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.




Largest importer & distributor of rotating equipment



Keeping you moving is our business!

Starters, alternators and components for light and heavy-duty vehicles.

We stock your preferred choice of aftermarket rotating equipment.



COMPONENTS

ALTERNATORS

STARTERS

The leading supplier of these trusted brands...



Pulleys








Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T020401412, T027001428 Electrolog: PUL1018 Replacing: F00M991002, F00M991122
	6	17mm	61mm	40.7mm	E4,E8,KCB1,NCB1,	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124315..., 0124325..., 0124515..., 0124525..., 0124615... SERIES					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . AUDI. FORD. KARMANN. SEAT. VOLKSWAGEN					
Manuf/Sys: BOSCH Photo Not Available 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T027001449 Electrolog: PUL1119 Replacing: F00M991139
	5	17mm	57mm	42.3mm	E6,E8,KCB2,NCB1	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . OPEL ASTRA 2 0L, 2.2L, VECTRA 2.0L, 2.2L, ZAFIRA 2.2L					
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T027001422 Electrolog: PUL1065 Replacing: 1126601556, 1126601557, 0289031195
	5	17mm	61mm	37mm	E8,KC,NC	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0123510..., 0124325..., 0124515..., 0124525..., 0124615... SERIES					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . VOLKSWAGEN POLO					
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T027001434 Electrolog: PUL1121 Replacing: F00M147732, F00M991108, 2549858
	6	17mm	61mm	35.8mm	E8,NCB1,NCB2	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124515..., 0124525..., 0124615... SERIES - CLUTCH/FREE WHEEL					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . AUDI A4 1.6L, 1.8L, 2.0L, A6 2 0L. SEAT. VOLKSWAGEN					
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T027001436 Electrolog: PUL1074 Replacing: F00M147764, F00M991171, F00M991271, F00M991907
	6	17mm	60mm	36.3mm	H7P,KCB2,E8,KCB1	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124325..., 0124415..., 0124525..., 0121615... SERIES					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . CITROEN. FIAT. PEUGEOT. VOLVO					
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T020401407 Electrolog: PUL1016 Replacing: 6033GC5059, 9121692238, 1126600487
	1	17mm	67mm	47.6mm	K1	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 9120690291, 9120690460, 9120690... SERIES					
	Rotation: CW/CCW (BI-DIRECTIONAL) Vehicle Apps: . VOLKSWAGEN GOLF I, II, JETTA					
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T020401405 Electrolog: PUL1031 Replacing: 9121690031
	1	17mm	73mm	17.7mm	K1	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120489..., 9120690... SERIES					
	Rotation: CW/CCW (BI-DIRECTIONAL) Vehicle Apps: . ALFA ROMEO. AUDI. BELL. DEUTZ. FORD. HYSTER. MASSEY FERGUSON. MAZDA. MERCEDES-BENZ. NISSAN. TOYOTA.					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.








Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T027001417 Electrolog: PUL1072 Replacing: F00M991125, F00M991099, F00M991190, F00M991303
	5	17mm	55mm	39mm	KCB1,NCB1	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124325..., 0124625... SERIES					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . MERCEDES-BENZ C200, C220, SPRINTER, VITO					
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T020401410, T027001420R Electrolog: PUL1063 Replacing: 1126601568, 6033GD5036, 6021500060
	6	17mm	61mm	42.8mm	KC,NC	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0123320..., 0124325..., 0124415... SERIES					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . MERCEDES-BENZ SPRINTER, VARIO. RENAULT CLIO, KANGOO, MEGANE, SCENIC. UNIMOG					
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T027001430 Electrolog: PUL1064 Replacing: 1126601559, 038903119, 038903165
	6	17mm	61mm	41mm	KC,NC	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0123310..., 0123320..., 0123510..., 0123515... SERIES					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . AUDI A3, A4. PORSCHE 911. VOLKSWAGEN GOLF IV, NEW BEETLE, SHARAN					
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T027001419 Electrolog: PUL1070 Replacing: 1126601572, 1126601549, F00M991392
	6	17mm	61mm	35mm	KC,NC	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0123320..., 0123510... SERIES					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . MERCEDES-BENZ VITO. SSANGYONG KORANDO, MUSSO					
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T020401409 Electrolog: PUL1001 Replacing: 0001557318, A0001557318
	2	17mm	98mm	39mm	N1	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . ADE. DEUTZ. INTERNATIONAL HARVESTER. LIEBHERR. MAN. MERCEDES-BENZ. SCANIA. SSANGYONG. VOLVO					
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T022801408 Electrolog: PUL1132 Replacing: 1126600154, 1126600222, 1126600262, 1126600265, 1126600308
	1	17mm	73.8mm	42.5mm	N1	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
	Rotation: CW/CCW (BI-DIRECTIONAL) Vehicle Apps: . AUDI. VOLKSWAGEN					
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T027001424 Electrolog: PUL1100 Replacing: F00M147722, F00M991042
	5	17mm	61mm	36mm	NCB1	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124515... SERIES					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . AUDI A4, A6. VOLKSWAGEN					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Pulleys

Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T028901401 Electrolog: PUL1061 Replacing: F00M991061, F00M991156, F00M991232, F00M147760
	6	17mm	61mm	36mm	NCB1,E8	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Rotation: CCW (ANTI-CLOCK)					
Vehicle Apps: . VOLVO						
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T023101402 Electrolog: PUL1125 Replacing: F00M147743
	11	17mm	84mm	49.2mm	NCB1,NCB2	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124555... SERIES					
	Rotation: CW/CCW (BI-DIRECTIONAL)					
Vehicle Apps: . MERCEDES-BENZ						
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T020001421 Electrolog: PUL1007 Replacing: F00M147741, F00M991118
	9	17mm	83.8mm	42.2mm	NCB2	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124555..., 0124655... SERIES					
	Rotation: CW/CCW (BI-DIRECTIONAL)					
Vehicle Apps: . BELL. DAF. MERCEDES-BENZ						
Manuf/Sys: BOSCH 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T028901407 Electrolog: PUL1126 Replacing: 1126601102, 0011552115
	8	17mm	79mm	40mm	NL1	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120469... SERIES					
	Rotation: CW (CLOCK-WISE)					
Vehicle Apps: . MERCEDES-BENZ						
Manuf/Sys: DAEWOO 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T020001402 Electrolog: PULX014 Replacing:
	5	22mm	101.7	30mm		
	Desc/Notes:					
	Rotation: CW/CCW (BI-DIRECTIONAL)					
Vehicle Apps: . DAEWOO						
Manuf/Sys: DELCO 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T020001410 Electrolog: PUL2644 Replacing: 1687644CL
	2	22.3mm	89mm	39.6mm		
	Desc/Notes:					
	Rotation: CW/CCW (BI-DIRECTIONAL)					
Vehicle Apps: . VARIOUS EARTHMOVING AND INDUSTRIAL APPLICATIONS						
Manuf/Sys: DELCO 	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T020001412 Electrolog: PUL2646 Replacing:
	3	22.2mm	88.6mm	49mm		
	Desc/Notes:					
	Rotation: CW/CCW (BI-DIRECTIONAL)					
Vehicle Apps: . CATERPILLAR D300E						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: DELCO 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T020001404 Electrolog: PUL2002 Replacing:
	2	22mm	94mm	61.5mm	21Sl	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH KEYWAY; ALSO FOR BOSCH AND NIKKO UNIT APPLICATIONS WITH 22mm ROTOR ID.					
	Rotation: CW/CCW (BI-DIRECTIONAL) Vehicle Apps: . VARIOUS EARTHMOVING AND INDUSTRIAL APPLICATIONS					
Manuf/Sys: DELCO 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T022801405 Electrolog: PUL2003 Replacing:
	8	22mm	75mm	41.5mm	21Sl	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
	Rotation: CW/CCW (BI-DIRECTIONAL) Vehicle Apps: . VARIOUS APPLICATIONS					
Manuf/Sys: DELCO 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T022801401 Electrolog: PUL2006 Replacing: 4N8090, 4N8225
	1	22.3mm	105mm	33.3mm	25Sl	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
	Rotation: CW/CCW (BI-DIRECTIONAL) Vehicle Apps: . CATERPILLAR. CLARK. CUMMINS. FIAT. JOHN DEERE					
Manuf/Sys: DELCO 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T020001408 Electrolog: PUL9810 Replacing:
	8	22.3mm	81.4mm	53.4mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
	Rotation: CW/CCW (BI-DIRECTIONAL) Vehicle Apps: . VARIOUS EARTHMOVING AND INDUSTRIAL APPLICATIONS					
Manuf/Sys: FORD 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T028901405 Electrolog: PUL8997 Replacing:
	6	17mm	59mm	37mm		
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Rotation: CW (CLOCK-WISE) Vehicle Apps: . CITROEN. FORD. MITSUBISHI. PEUGEOT					
Manuf/Sys: FORD 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T027001415 Electrolog: PUL8989 Replacing: F81U10A352CA
	8	17mm	73.8mm	39.3mm	6G	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Rotation: CW/CCW (BI-DIRECTIONAL) Vehicle Apps: . FORD					
Manuf/Sys: HITACHI 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T027001413 Electrolog: PUL3041 Replacing:
	1	17mm	82mm	31.4mm		
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Rotation: CW/CCW (BI-DIRECTIONAL) Vehicle Apps: . KOMATSU WB93R					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Pulleys

Manuf/Sys: MITSUBISHI	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T020001425
	9	22mm	53mm	40mm		Electrolog: PULX015
	Desc/Notes:					Replacing:
	Rotation: CW/CCW (BI-DIRECTIONAL)					
	Vehicle Apps: . BELL B30					
Manuf/Sys: NIPPON DENSO	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T028901412
	6	17mm	62.7mm	52mm		Electrolog: PUL6004
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN), CLUTCH/FREE WHEEL - WITH DAMPER					Replacing: 0210401170, 0210401320, 0210401130
	Rotation: CW (CLOCK-WISE)					
	Vehicle Apps: . CHRYSLER JEEP CHEROKEE 2.5L CRD (DIESEL), 2.8L CRD (DIESEL), DODGE					
Manuf/Sys: NIPPON DENSO	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T210412100
	1	15mm	72mm	24.2mm		Electrolog: PUL6006
	Desc/Notes: ER/EF (EXTERNAL REGULATOR - EXTERNAL FAN).					Replacing: 0210412100
	Rotation: CW/CCW (BI-DIRECTIONAL)					
	Vehicle Apps: . JOHN DEERE, KOMATSU, YANMAR					
Manuf/Sys: NIPPON DENSO	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T028901411
	6	17mm	58mm	41.2mm		Electrolog: PUL6067
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					Replacing: 1210411140, 77363948
	Rotation: CW (CLOCK-WISE)					
	Vehicle Apps: . ALFA ROMEO, FIAT					
Manuf/Sys: NIPPON DENSO	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T027001442
	7	15mm	63mm	41mm		Electrolog: PUL6104
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					Replacing: 0210401070, 274150L030
	Rotation: CW (CLOCK-WISE)					
	Vehicle Apps: . TOYOTA HIACE, HILUX, LAND CRUISER					
Manuf/Sys: NIPPON DENSO	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T027001446
	6	17mm	64mm	35.4mm		Electrolog: PUL6106
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					Replacing: 720110750
	Rotation: CW (CLOCK-WISE)					
	Vehicle Apps: . HYUNDAI SANTA FE, SONATA, TUCSON, KIA CARENS, CERATO, SPORTAGE					
Manuf/Sys: NIPPON DENSO	Grooves	ID	OD	Width/Height	Fitting Models	TRYSOME: T028901409
	6	17mm	54mm	40mm		Electrolog: PUL6110
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					Replacing: 1042103761
	Rotation: CW (CLOCK-WISE)					
	Vehicle Apps: . FORD					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: NIPPON DENSO 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T027001444 Electrolog: PUL6111 Replacing: 274150W010, 27415W0130
	7	17mm	59mm	42mm		
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Rotation: CW (CLOCK-WISE)					
Vehicle Apps: . LEXUS. TOYOTA						
Manuf/Sys: VALEO 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T027001426 Electrolog: PUL0007 Replacing: 2547917, 593521, 593527
	6	17mm	54.5mm	35mm		
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Rotation: CW (CLOCK-WISE)					
Vehicle Apps: . CITROEN. FIAT. FORD. LANCIA. MAZDA. PEUGEOT. VOLVO						
Manuf/Sys: VALEO 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T027001440 Electrolog: PUL0009 Replacing: 2655703
	7	17mm	73mm	45mm		
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Rotation: CW (CLOCK-WISE)					
Vehicle Apps: . FORD. HYUNDAI. KIA						
Manuf/Sys: VALEO 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T027001438 Electrolog: PUL0102 Replacing: 2546999, 2548621, 2601992
	5	17mm	54mm	37.4mm		
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Rotation: CW (CLOCK-WISE)					
Vehicle Apps: . MERCEDES-BENZ. MITSUBISHI. NISSAN. OPEL. RENAULT. VOLVO						
Manuf/Sys: VALEO 	Grooves	ID	OD	Width/Height	Fitting Models	TRY SOME: T027001448 Electrolog: PUL0107 Replacing: 2602881, 595210
	6	17mm	58.8mm	43mm		
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Rotation: CW (CLOCK-WISE)					
Vehicle Apps: . NISSAN. RENAULT						



Classic round instruments using state-of-the-art technology

The cockpits of trucks, construction and agricultural machinery or stationary machine panels can no longer be imagined without the classic VDO round instruments.

The wide range, robust design and extensive years of experience are what makes these instruments "classic".

VDO | Handling a complex world

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Rectifiers

	Manuf/Sys: BOSCH			TRYSOME: T029102501
	Diodes:	6	Leng h/OD:	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). M6+M4+M5 BOLTS - WITH DIODE TRIO; 0120489...SERIES				
Vehicle Apps: . ADE. BELL. CASE. ERF. FORD. INTERNATIONAL HARVESTER. ISUZU. IVECO. KHD. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. MITSUBISHI. NEW HOLLAND. RENAULT. SCANIA. STEYR. TOYOTA HINO. VOLVO			Electrolog: RCT1004	
		Replacing: 1127011098, 1127320599, 1127320546, 1127320598, 1127320991		
	Manuf/Sys: BOSCH			TRYSOME: T020402522
	Diodes:	6	Leng h/OD:	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH DIODE TRIO - WITH W-TERMINAL				
Vehicle Apps: . FORD. MAZDA			Electrolog: RCT1011	
		Replacing: 1127320652, 1127320580, 1127011139, 81AB10304DA		
	Manuf/Sys: BOSCH			TRYSOME: T020002508
	Diodes:	6	Leng h/OD:	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . MERCEDES-BENZ			Electrolog: RCT1015	
		Replacing: 1127320992		
	Manuf/Sys: BOSCH			TRYSOME: T020402509, T020402519
	Diodes:	6	Leng h/OD:	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH DIODE TRIO - WITH W-TERMINAL - M8 X 30MM BATTERY POST - M5 X 20MM TRIO POST; 0120489...; 0120488...SERIES				
Vehicle Apps: . AUDI. BOBCAT. CASE. CATERPILLAR. DEUTZ. INTERNATIONAL HARVESTER. KOMATSU. MAN. VOLKSWAGEN			Electrolog: RCT1067	
		Replacing: 1127320665, 1127320664, 1127320666, 068903359B, A187917		
	Manuf/Sys: BOSCH			TRYSOME: T020402517
	Diodes:	6	Leng h/OD:	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH "W" TERMINAL				
Vehicle Apps: . JOHN DEERE. THERMO KING			Electrolog: RCT1096	
		Replacing: 9121067385		
	Manuf/Sys: BOSCH			TRYSOME: T020002506, T020402507, T020402508
	Diodes:	6;8	Leng h/OD:	
Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH DIODE TRIO - WITHOUT W-TERMINAL; 0120400...; 0120489...SERIES				
Vehicle Apps: . ALFA ROMEO. AUDI. BELL. BMW. DAF. FIAT. FORD. HYSTER. ISUZU. IVECO. KHD. MAN. MAZDA. MERCEDES-BENZ. MITSUBISHI. NISSAN. OPEL. PEUGEOT. RENAULT. TOYOTA. VOLKSWAGEN			Electrolog: RCT1007	
		Replacing: 1127320326, 1127320501, 1127320624, 1127011125, 088375501		
	Manuf/Sys: BOSCH			TRYSOME: T260002500
	Diodes:	8	Leng h/OD:	
Desc/Notes: N1;N1.1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . MERCEDES-BENZ ACTROS			Electrolog: RCT1177	
		Replacing: 1127320753		

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.


	Manuf/Sys: BOSCH Diodes: 6 Leng h/OD: 121mm	TRY SOME: T020402501
	Desc/Notes: NCB1;NCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124555... AND 0124655... SERIES Vehicle Apps: . BELL. MERCEDES-BENZ ACTROS, ATEGO, AXOR, CITARO, UNIMOG. SCANIA	Electrolog: RCT1050 Replacing: F00M133224, 0011543616, 2TB903357A, F00M133286
	Manuf/Sys: BOSCH Diodes: 8 Leng h/OD: 121mm	TRY SOME: T020402513
	Desc/Notes: N1;NL1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120469... SERIES Vehicle Apps: . DAF. IVECO	Electrolog: RCT1143 Replacing: 1127319110, 1127320750
	Manuf/Sys: BOSCH Diodes: 11 Leng h/OD: 124mm	TRY SOME: T020402516A
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 8-DIODES WITH 3X25A DIODE TRIO DIODES - WITH DIODE TRIO - WITH W-TERMINALS; 0120468... SERIES Vehicle Apps: . ADE. BELL. CUMMINS. DAF. ERF. FIAT. FORD. INTERNATIONAL HARVESTER. ISUZU. IVECO. KHD. MAN. MERCEDES-BENZ. NISSAN. PERKINS. SCANIA. TOYOTA. VOLVO	Electrolog: RCT1010 Replacing: 1127320946, 1127320995, 1127320928, 0011542116
Photo Not Available 	Manuf/Sys: BOSCH Diodes: 12 Leng h/OD: 126mm	TRY SOME: T020402503
	Desc/Notes: NC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . BMW	Electrolog: RCT1023 Replacing: 1127319690, 1127320860
	Manuf/Sys: BOSCH Diodes: 17 Leng h/OD: 148mm	TRY SOME: T024002502
	Desc/Notes: T1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH W-TERMINAL - WITH DIODE TRIO; 0120600... SERIES Vehicle Apps: . CUMMINS. DEUTZ. IVECO. KHD. MAN. MERCEDES-BENZ. SCANIA. SONACOME	Electrolog: RCT1043 Replacing: 1127320571, 1127320547, 0001545116, 0001545416, 8122274
	Manuf/Sys: BOSCH Diodes: 6 Leng h/OD: 90mm	TRY SOME: T020402505
	Desc/Notes: K1. ER/EF (EXTERNAL REGULATOR - EXTERNAL FAN). WITH DIODE TRIO Vehicle Apps: . VOLKSWAGEN BEETLE 1300 1600 OLD (1.6L), KOMBI 1300 1600 OLD (1.6L)	Electrolog: RCT1005 Replacing: 1127320164, 1127320162
	Manuf/Sys: BOSCH Diodes: 6 Leng h/OD: 90mm	TRY SOME: T020402511
	Desc/Notes: G1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH DIODE TRIO 0120300...; 0120339...; 9120143... SERIES Vehicle Apps: . CASE. DEUTZ. INTERNATIONAL HARVESTER. JOHN DEERE. KHD. LAMBORGHINI. MASSEY FERGUSON. OPEL. VOLKSWAGEN	Electrolog: RCT1095 Replacing: 1127320569, 1127320316, 1127320142, 1127320317, 1127320115

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Rectifiers








	Manuf/Sys: DELCO			TRYSOME: T021102521	
	Diodes:	6	Leng h/OD:		104mm
	Desc/Notes: 17SI;21SI;22SI;23SI;33SI;34SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . CASE. CATERPILLAR. CLARK. CUMMINS. FREIGHTLINER. INTERNATIONAL EAGLE, HARVESTER. JOHN DEERE. KOMATSU. MACK. VOLVO				Electrolog: RCT2606 Replacing: 1988976	
	Manuf/Sys: DELCO			TRYSOME: T020003102, T021102504B	
	Diodes:	6	Leng h/OD:		112mm
	Desc/Notes: 27SI;29SI;30SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . CATERPILLAR. CHEVROLET. CLARK. CUMMINS. FORD. HYSTER. INTERNATIONAL EAGLE, HARVESTER. JOHN DEERE. KOMATSU. MACK. VOLVO				Electrolog: RCT2604 Replacing: 801816, 1875645, 1892914, 9L6776	
	Manuf/Sys: DELCO			TRYSOME: T021102534B	
	Diodes:	6	Leng h/OD:		58.1mm
	Desc/Notes: 21SI;22SI;23SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . CASE. CATERPILLAR. CUMMINS. FIAT. FORD. FREIGHTLINER. INTERNATIONAL EAGLE, HARVESTER. JOHN DEERE. KOMATSU. MACK. MASSEY FERGUSON. NEW HOLLAND. VOLVO				Electrolog: RCT2611 Replacing: 10470609, 10501634, 10501636, D3992, D3990	
	Manuf/Sys: DELCO			TRYSOME: T021002504	
	Diodes:	9	Leng h/OD:		94mm
	Desc/Notes: 17SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . HYSTER. INTERNATIONAL HARVESTER. JOHN DEERE				Electrolog: RCT2617 Replacing: 1985801, D3985	
	Manuf/Sys: DELCO			TRYSOME: T0211002506	
	Diodes:	6	Leng h/OD:		166.7mm
	Desc/Notes: 24SI. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). HP-SERIES				
Vehicle Apps: . CUMMINS				Electrolog: RCT2643 Replacing: 10510456	
	Manuf/Sys: DELCO			TRYSOME: T021002502	
	Diodes:	6	Leng h/OD:		96.3mm
	Desc/Notes: CS130D. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). CS130D - WITH DIODE TRIO - FRENCH DELCO				
Vehicle Apps: . OPEL ASTRA, CORSA				Electrolog: RCT2034 Replacing: 10475034	
	Manuf/Sys: HITACHI			TRYSOME: T23232N3300	
	Diodes:	6	Leng h/OD:		70mm
	Desc/Notes: ER/EF (EXTERNAL REGULATOR - EXTERNAL FAN). POST = M5 x 13MM				
Vehicle Apps: . DATSUN/NISSAN 120Y/1200/1300/1400/1500/1600 LDV AND CARS. NISSAN 1-TONNER, 1500, 1600, 1800, CABALL 2-TON TRUCK, E20, SKYLINE, STANZA				Electrolog: RCT3002 Replacing: 23230H0300, 23230U0100, L1407320, 3144100808, XL125832000	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: HITACHI	Diodes: 6		Leng h/OD: 100mm		TRYSOME: T021902501 Electrolog: RCT3001 Replacing: 5812180290, L130M1330 L14023201, 145624510, 23137J5300
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
	Vehicle Apps: . ISUZU KB20 DIESEL, KB21 DIESEL, KB25 DIESEL, KB26 DIESEL, KB41 DIESEL, KB42 DIESEL					
	Manuf/Sys: HITACHI	Diodes: 6		Leng h/OD: 100mm		TRYSOME: T021902503 Electrolog: RCT3003 Replacing: 5812180330, L14053201, 8942469570, 8942469571
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					
	Vehicle Apps: . ISUZU KB20, KB23, KB25					
	Manuf/Sys: HITACHI	Diodes: 6		Leng h/OD: 103mm		TRYSOME: T021902509 Electrolog: RCT3030 Replacing: L18013202, 2323064J00
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Vehicle Apps: . NISSAN PR MERA, SENTRA					
	Manuf/Sys: HITACHI	Diodes: 6		Leng h/OD: 111mm		TRYSOME: T021902505, T021902507 Electrolog: RCT3006 Replacing: 23232W1700, 8942377290, L15013204
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH DIODE TRIO					
	Vehicle Apps: . ISUZU KB280DT, WFR50. NISSAN 2.2L DIESEL, FORKLIFTS, PICK-UPS					
	Manuf/Sys: HITACHI	Diodes: 8		Leng h/OD: 113mm		TRYSOME: T0200031001 Electrolog: RCT4100 Replacing: 8971481691
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). FOR ALT.: 897170-1602/897186-5511 DIESEL, WITH PUMP					
	Vehicle Apps: . ISUZU					
	Manuf/Sys: HITACHI	Diodes: 6		Leng h/OD: 115mm		TRYSOME: T020003134 Electrolog: RCT3012 Replacing: L170G23203, 6205428
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITHOUT DIODE TRIO					
	Vehicle Apps: . ISUZU. OPEL CORSA 1.7D					
	Manuf/Sys: ISKRA	Diodes: 8		Leng h/OD: 111.2mm		TRYSOME: T027902505 Electrolog: RCT7905 Replacing: 16902659
	Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					
	Vehicle Apps: . DEUTZ. KHD					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Rectifiers








	Manuf/Sys: ISKRA			TRY SOME:
	Diodes:	8	Leng h/OD:	111mm
	Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).			
Vehicle Apps: . DEUTZ. JOHN DEERE. KHD. MASSEY FERGUSON				Electrolog: RCT7901
				Replacing: 16902097
	Manuf/Sys: LEECE NEVILLE			TRY SOME:
	Diodes:	3	Leng h/OD:	131.4mm
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).			
Vehicle Apps: . FREIGHTLINER. INTERNATIONAL				Electrolog: RCT8503
				Replacing: 101411, 101441
	Manuf/Sys: LUCAS			TRY SOME:
	Diodes:	9	Leng h/OD:	48.5mm
	Desc/Notes: 21ACR; 17ACR. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). FOR ALL 17ACR/21ACR ALTERNATORS			
Vehicle Apps: . FORD ANGLIA. CORTINA. ESCORT. TRACTORS. HYSTER. MASSEY FERGUSON. MAZDA. MINI COOPER. NISSAN 1200, 1400, 1600, 1800, E20. PERKINS. TOYOTA COROLLA. HIACE. HILUX				Electrolog: RCT4003
				Replacing: 83166, UBB110, 84443, 83520, 83844
	Manuf/Sys: LUCAS			TRY SOME:
	Diodes:	6	Leng h/OD:	111.4mm
	Desc/Notes: 3SA23. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). INCLUDING DIODE TRIO (3 IN-LINE DIODES)			
Vehicle Apps: . TATA TELCOLINE				Electrolog: RCT4048
				Replacing: 26948040A, 26991540
	Manuf/Sys: LUCAS			TRY SOME:
	Diodes:	6	Leng h/OD:	114mm
	Desc/Notes: AS123. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). M6 POST 42MM LONG (MIDDLE) - M5 POST 30MM LONG (LEFT ON END)			
Vehicle Apps: . BELL. CASE. CHEVROLET. DAF. FORD. HYSTER. ISUZU. JCB. JOHN DEERE. MASSEY FERGUSON. MAZDA. NISSAN. OPEL. PERKINS. SCANIA. TOYOTA. VOLKSWAGEN. VOLVO				Electrolog: RCT4015
				Replacing: 66201570, 84499
	Manuf/Sys: MITSUBISHI			TRY SOME:
	Diodes:	6	Leng h/OD:	106mm
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). WITH DIODE TRIO			
Vehicle Apps: . MAZDA. MITSUBISHI				Electrolog: RCT5078
				Replacing: A860T39070, FS1118W60
	Manuf/Sys: MITSUBISHI			TRY SOME:
	Diodes:	8	Leng h/OD:	115.7mm
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). WITH DIODE TRIO			
Vehicle Apps: . HYUNDAI. MITSUBISHI PAJERO				Electrolog: RCT5002
				Replacing: A860T23070, A860T28070, MD611564, MD611768

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: MITSUBISHI Diodes: 8 Leng h/OD: 122mm	TRY SOME: T024802501
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . FORD TELSTAR 2.5L V6. MAZDA 626 2.5L V6, MX6 2.5L V6	Electrolog: RCT5025 Replacing: A860T38670, A860T40270, K80118W60, F32Z10304B
	Manuf/Sys: MITSUBISHI Diodes: 8 Leng h/OD: 122mm	TRY SOME: T2J23051H00
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). WITH CAPACITOR AND M8 BATTERY POST Vehicle Apps: . BELL. HITACHI EXCAVATOR. ISUZU DIESEL ENGINES. MITSUBISHI CANTER	Electrolog: RCT5071 Replacing: A860X52570, ME701439, ME701569
	Manuf/Sys: MITSUBISHI Diodes: 6 Leng h/OD: 96mm	TRY SOME: T020003132
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . HYUNDAI. MAZDA	Electrolog: RCT5070 Replacing: A860T27170, A860T25870, MD611778, MD611688
	Manuf/Sys: MITSUBISHI Diodes: 6 Leng h/OD: 99mm	TRY SOME: T022502510
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). M5 X 38MM TERMINAL POST - WITH DIODE TRIO Vehicle Apps: . FORD. MAZDA. MITSUBISHI	Electrolog: RCT5016 Replacing: A860T08770, A860T15170, RF0318300C, 2323004D00, MD607680
	Manuf/Sys: NIKKO Diodes: 8 Leng h/OD: 110mm	TRY SOME: T0-35730-0510B
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . KOMATSU D65E, PC300, PC4000	Electrolog: RCT8805 Replacing: 0357300510
	Manuf/Sys: NIKKO Diodes: 6 Leng h/OD: 111.3mm	TRY SOME: T0-33730-2560
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH RECTIFIER Vehicle Apps: . KOMATSU	Electrolog: REG8812 Replacing: 0337302560
	Manuf/Sys: NIKKO Diodes: 6 Leng h/OD: 111mm	TRY SOME: T0-33730-1800
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . ISUZU. KOMATSU. TCM	Electrolog: RCT8803 Replacing: 0337301800

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Rectifiers

	Manuf/Sys: NIKKO			TRYSOME: T0-35730-0080	
	Diodes:	6	Leng h/OD:		119.7mm
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . KOMATSU				Electrolog: RCT8812	
				Replacing: 0357300080	
	Manuf/Sys: NIKKO			TRYSOME: T0-35730-0270	
	Diodes:	8	Leng h/OD:		130mm
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . ISUZU. TOYOTA HINO				Electrolog: RCT8806	
				Replacing: 0357300270, 0357300300, 0357300460, 1812191070	
	Manuf/Sys: NIPPON DENSO			TRYSOME: T022802523	
	Diodes:	8	Leng h/OD:		100mm
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). USED ON ALTERNATOR WITH 118MM OUTSIDE DIAMETER STATOR				
Vehicle Apps: . HONDA. KUBOTA. THERMO KING. TOYOTA CAMRY, CONQUEST, COROLLA, HIACE, HILUX, RAV4				Electrolog: RCT6015	
				Replacing: 2735763020, 0215802160, 0215802230	
	Manuf/Sys: NIPPON DENSO			TRYSOME: T022802525	
	Diodes:	8	Leng h/OD:		102mm
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). FITS ALT: 27060-17220 102211-1360 - ALTERNATORS WITH 118MM STATOR OD				
Vehicle Apps: . HONDA. TOYOTA CELICA, LEXUS				Electrolog: RCT6018	
				Replacing: 0215803830, 0215804030, 2735755080, 2735762040, 31127PT0003	
	Manuf/Sys: NIPPON DENSO			TRYSOME: T022802521	
	Diodes:	8	Leng h/OD:		102mm
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). USED ON ALTERNATOR WITH 118MM OUTSIDE DIAMETER STATOR - M6 X 25MM VERTICAL TERMINAL POST				
Vehicle Apps: . CHRYSLER VOYAGER. JEEP CHEROKEE, WRANGLER				Electrolog: RCT6027	
				Replacing: 0215803640, 0215804840, 8970708080	
	Manuf/Sys: NIPPON DENSO			TRYSOME: T022802527	
	Diodes:	8	Leng h/OD:		138mm
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . CATERPILLAR				Electrolog: RCT6019	
				Replacing: 0215805350	
	Manuf/Sys: NIPPON DENSO			TRYSOME: T260002502	
	Diodes:	8	Leng h/OD:		88mm
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . BOBCAT. CATERPILLAR. CHEVROLET. DAIHATSU. ISUZU. OPEL. PERKINS. SUZUKI. TOYOTA				Electrolog: RCT6002	
				Replacing: 0215803130, 2735772150	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: PRESTOLITE		TRY SOME:	
	Diodes:	12	Leng h/OD:	152mm
	Desc/Notes: SCJ;8SC. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).			
Vehicle Apps: . CATERPILLAR. CUMMINS. KOMATSU. VOLVO			Electrolog: RCT9700	
			Replacing: A051104922S	
	Manuf/Sys: PRESTOLITE		TRY SOME:	
	Diodes:	6	Leng h/OD:	153.7mm
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).			
Vehicle Apps: . FREIGHTLINER. KENWORTH. VOLVO PENTA			Electrolog: RCT9704	
			Replacing:	
	Manuf/Sys: PRESTOLITE		TRY SOME:	
	Diodes:	3	Leng h/OD:	89mm
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).			
Vehicle Apps: . CASE. CATERPILLAR. HYSTER. JOHN DEERE. MASSEY FERGUSON. NEW HOLLAND. THERMO KING			Electrolog: RCT9712	
			Replacing: 101-193	
	Manuf/Sys: VALEO		TRY SOME:	
	Diodes:	8	Leng h/OD:	108mm
	Desc/Notes: A13VI. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). TERMINAL=25MM LONG (B+) M8 TERMINAL - WITHOUT TRIO			
Vehicle Apps: . BMW. RENAULT. VOLVO			Electrolog: RCT9503	
			Replacing: 593174, 593204, 593306, 593329, 7701045154	
	Manuf/Sys: VALEO		TRY SOME:	
	Diodes:	6	Leng h/OD:	114.4mm
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 40A WITH DIODE TRIO/WITH CAPACITOR			
Vehicle Apps: . DEUTZ. KHD. MANITOU. MASSEY FERGUSON. NIERMANN. VOLVO			Electrolog: RCT9501	
			Replacing: 103551, 139672, 873817, 11994491, 940038305	



Speaker®

Engineered Lighting Solutions

Rugged • Extreme • Powerful








Superior visibility has never looked this good...



...the perfect balance of form & function!

Although we have gone to great lengths to ensure all data is correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Regulators

	Manuf/Sys: BOSCH				TRYSOME: T1197-311-022
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.1V	65mm		
	Desc/Notes: K1;N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 28/32MM SLIP RING; 0120468...; 0120469...; 0120488...; 0120489...; 9120144...SERIES				
Vehicle Apps: . ALFA ROMEO. AUDI. BELL. BMW. DEUTZ. HONDA. ISUZU. MAZDA. MERCEDES-BENZ. OPEL. PEUGEOT. TOYOTA. VOLKSWAGEN				Electrolog: REG1003	
Replacing: 1197311003, 1197311007, 1197311008, 1197311009, 1197311022					
	Manuf/Sys: BOSCH				TRYSOME: T02040251A, T020403103B
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	65mm		
	Desc/Notes: K1;G1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 32MM SLIP RING; 0120339...; 0120469...; 0120489...; 9120143...; 9120144...; 9120690... SERIES				
Vehicle Apps: . AUDI. BELL. BMW. DEUTZ. FIAT. FORD. IVECO. MASSEY FERGUSON. MAZDA. MERCEDES-BENZ. MITSUBISHI. PERKINS. PEUGEOT. RENAULT. TOYOTA. VOLKSWAGEN				Electrolog: REG1006	
Replacing: 1197311090, 0192052001, 0192052005, 1197311001, 1197311000					
	Manuf/Sys: BOSCH				TRYSOME: T020403131
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	55mm	3P S-IG-L	
	Desc/Notes: KC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). WITH RESISTOR - 14MM OD SLIP RING				
Vehicle Apps: . TOYOTA CONQUEST 160i RS/RSE/SPORT. COROLLA 160i A/T 180i GSE GLE GSX				Electrolog: REG1008	
Replacing: 1197311510					
	Manuf/Sys: BOSCH				TRYSOME: T020003155, T020403111B
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	55mm		
	Desc/Notes: GC;KC;NC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 14.5 V - 14MM SLIP-RING - NO RESISTOR; 0120465...; 0120485...; 0123310...; 0123315...; 0123320...; 0123510...; 0986038...SERIES				
Vehicle Apps: . AUDI. BMW. FORD. IVECO. MERCEDES-BENZ. OPEL. VOLKSWAGEN				Electrolog: REG1013	
Replacing: 1197311212, 1197311214, 1197311220, 1197311221, 1197311228					
	Manuf/Sys: BOSCH				TRYSOME: T020403102
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	95mm		
	Desc/Notes: ER/EF (EXTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . VOLKSWAGEN				Electrolog: REG1019	
Replacing: 0190350068, 0190350069, 0190350079, 0190350084					
	Manuf/Sys: BOSCH				TRYSOME: T020403113
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.2V	78.8mm	2P L-FR	
	Desc/Notes: E10. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124625... SERIES				
Vehicle Apps: . MERCEDES-BENZ				Electrolog: REG1027	
Replacing: F00M145883, F00M145483, F00M144155, F00M145266, F00M145365					
	Manuf/Sys: BOSCH				TRYSOME: T020003157
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.4V	65mm	2P L-S	
	Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). (S AND L) LEAD FOR FIELD/COMPUTER - AUSTRALIAN BOSCH - 28MM SLIP RING				
Vehicle Apps: . THERMO KING				Electrolog: REG1036	
Replacing: 9190067018					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.








	Manuf/Sys: BOSCH				TRY SOME: T020003104, T020003153, T020003186
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	78.6mm	2P L-FR	
	Desc/Notes: GCB2;KCB1;NCB1;NCB2;LI-E. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 14MM SLIP-RING				
Vehicle Apps: . AUDI A3, S3, TT. MERCEDES-BENZ C200 KOMPRESSOR, VITO 112 CDI. VOLKSWAGEN GOLF IV 1.4L, 1.6L, 1.8L, 1.9L SDI, TDI, 2.0L, 2.3 L, JETTA, POLO, SHARAN				Electrolog: REG1071	
Replacing: F00M145225, F00M145200, F00M145237, F00M145218, 038903803					
	Manuf/Sys: BOSCH				TRY SOME: T020403133
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	78.8mm	M5 BOLT (D+)	
	Desc/Notes: GCB2;KCB1;KCB2;NCB1;E6;LI-E;LI-E6. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 14MM SLIP-RING				
Vehicle Apps: . FIAT PALIO, SIENA, STRADA. MERCEDES-BENZ. NEW HOLLAND. OPEL ASTRA, CORSA, MERIVA, TIGRA, VECTRA, ZAFIRA				Electrolog: REG1073	
Replacing: F00M145231, F00M145282, F00M145201, 93176380, 9117942					
	Manuf/Sys: BOSCH				TRY SOME: T020403106
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	78.5mm	4P IG-S-L-DFM	
	Desc/Notes: KCB1;E4. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 14MM SLIP-RING - IG= IGNITION / S= +BATTERY SENSE / L= LIGHT / DF= FIELD SIGNAL FROM CPU				
Vehicle Apps: . TOYOTA AVENSIS, CAMRY, COROLLA, FORTUNER, HIACE, HILUX, LAND CRUISER, PRADO, QUANTUM				Electrolog: REG1075	
Replacing: F00M145305, F00M145236, F00M145873					
	Manuf/Sys: BOSCH				TRY SOME: T020003113
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	79mm,87mm	1-PIN (M5)	
	Desc/Notes: KCB1;KCB2;GCB2;E4. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 14MM SLIP-RING - M5-TERMINAL = D+ (L)				
Vehicle Apps: . ALFA ROMEO. FIAT. VOLKSWAGEN GOLF I 1.3L, 1.4L, 1.6L, 1.8L, JETTA I 1.3L, 1.6L, 1.8L, II 1.6L, 1.8L				Electrolog: REG1101	
Replacing: F00M145220, F00M145349					
	Manuf/Sys: BOSCH				TRY SOME: T020003111
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.4V	55mm	3P IG-L-FR	
	Desc/Notes: KC;NC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). DISCONTINUED - REPLACED BY REG1102A - 14MM SLIP RING				
Vehicle Apps: . BMW 316i, 318i, 320i, 323i, 328i, 520i, 523i, 528i, Z3				Electrolog: REG1102	
Replacing: 1197311506, 12311702927					
	Manuf/Sys: BOSCH				TRY SOME: T020403129
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	78.3mm	2P L-FR	
	Desc/Notes: KCB1;KCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . RENAULT CLIO, KANGOO, LAGUNA, LOGAN, MEGANE, SCENIC, THALIA				Electrolog: REG1103	
Replacing: F00M145239, F00M145387, 7701048230					
	Manuf/Sys: BOSCH				TRY SOME: T020003105
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.3V	78.3mm	2P IG-L	
	Desc/Notes: NCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124515... SERIES - NO TEMPERATURE COMPENSATION - SLIPRING OD=14MM				
Vehicle Apps: . BMW 320i, 325i, 330i, 520i, 525i, 530i, X5, Z3				Electrolog: REG1108	
Replacing: F00M145236, F00M145245, F00M145360, F00M145251, 7501752					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Regulators

	Manuf/Sys: BOSCH				TRYSOME: TFOOM145214
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	79mm,87mm	3P S-DFM-L	
	Desc/Notes: KCB1.KCB2. BR14-M2 SLIPRING OD=14MM WITH EXTERNAL SENSE CIRCUIT PROTECTED AGAINST SHORTED LAMP, SHORTED FIELD, BATTERY DISCONNECT				Electrolog: REG1109
	Vehicle Apps: . FORD F250 4.2L, MONDEO 1.6i, 1.8i, 2.0i, RANGER				Replacing: FOOM145214, FOOM145348
	Manuf/Sys: BOSCH				TRYSOME: T020403107
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.3V	79.1mm	2P IG-L	
	Desc/Notes: NFB2. BRF14-M0 FOR WATER COOLED ALTERNATORS				Electrolog: REG1111
	Vehicle Apps: . BMW. LAND ROVER. RANGE ROVER				Replacing: FOOM255200, FOOM255201, FOOM255202
	Manuf/Sys: BOSCH				TRYSOME: T020403104
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	79mm	2P L-DFM	
	Desc/Notes: KCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				Electrolog: REG1117
	Vehicle Apps: . OPEL ASTRA, ZAFIRA				Replacing: FOOM145228, FOOM145265, FOOM145283, FOOM145364, FOOM145371
	Manuf/Sys: BOSCH				TRYSOME: T020003151, T020403127B, T020403135
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.0V	64mm		
	Desc/Notes: K1:N1;NL1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 28MM SLIP RING				Electrolog: REG1012
	Vehicle Apps: . ADE. BELL. DAF. FIAT. FORD. INTERNATIONAL HARVESTER. ISUZU. KHD. KOMATSU. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. PERKINS. SCANIA. TOYOTA HINO. VOLVO				Replacing: 1197311300, 1197311301, 1197311304, 1197311314, 6033RD0002
	Manuf/Sys: BOSCH				TRYSOME: T020003124, T020403109
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.8V	65mm,43mm,43mm		
	Desc/Notes: T1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 28MM S-RING/A-CIRCUIT				Electrolog: REG1025
	Vehicle Apps: . CUMMINS. DEUTZ. IVECO. KHD. MAN. MERCEDES-BENZ. SCANIA. VOLVO				Replacing: 0192053025, 1197311315, 0192053003, 0192053009, 0192053012
	Manuf/Sys: BOSCH				TRYSOME: T025103101
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	25.5V	54.7mm	5-PIN	
	Desc/Notes: KC;NC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0123525... SERIES				Electrolog: REG1033
	Vehicle Apps: . MAN E2000, F2000, L2000, M2000				Replacing: 1197311554, 1197311558, 0272220217
	Manuf/Sys: BOSCH				TRYSOME: T020403126
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.0V	65mm		
	Desc/Notes: T1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				Electrolog: REG1035
	Vehicle Apps: . CATERPILLAR				Replacing: 1197011000, 0192053010, 1197311318

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	<p>Manuf/Sys: BOSCH</p> <table border="1"> <thead> <tr> <th>Volts</th> <th>Voltage Set</th> <th>Mounting Holes</th> <th>Pins</th> </tr> </thead> <tbody> <tr> <td>24V</td> <td>28.3V</td> <td>79mm,87mm</td> <td>5P W-L-15-S-DFM</td> </tr> </tbody> </table> <p>Desc/Notes: NCB1;NCB2. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124555... AND 0124655... SERIES</p> <p>Vehicle Apps: OM541, OM542-Engine. BELL. MERCEDES-BENZ ACCELO, ACTROS, ATEGO, AXOR, CITARO. SCANIA</p>	Volts	Voltage Set	Mounting Holes	Pins	24V	28.3V	79mm,87mm	5P W-L-15-S-DFM	<p>TRY SOME: T020003116</p> <hr/> <p>Electrolog: REG1050</p> <p>Replacing: F00M145256, F00M145302, F00M145298, A000154240426, 000154240426</p>
Volts	Voltage Set	Mounting Holes	Pins							
24V	28.3V	79mm,87mm	5P W-L-15-S-DFM							
<p>Photo Not Available</p> 	<p>Manuf/Sys: BOSCH</p> <table border="1"> <thead> <tr> <th>Volts</th> <th>Voltage Set</th> <th>Mounting Holes</th> <th>Pins</th> </tr> </thead> <tbody> <tr> <td>24V</td> <td>28.5V</td> <td>65mm</td> <td></td> </tr> </tbody> </table> <p>Desc/Notes: NL1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).</p> <p>Vehicle Apps: . MERCEDES-BENZ AXOR, CITARO</p>	Volts	Voltage Set	Mounting Holes	Pins	24V	28.5V	65mm		<p>TRY SOME: T026403101</p> <hr/> <p>Electrolog: REG1195</p> <p>Replacing: 1197311323</p>
Volts	Voltage Set	Mounting Holes	Pins							
24V	28.5V	65mm								
	<p>Manuf/Sys: CAV</p> <table border="1"> <thead> <tr> <th>Volts</th> <th>Voltage Set</th> <th>Mounting Holes</th> <th>Pins</th> </tr> </thead> <tbody> <tr> <td>24V</td> <td>27.5V</td> <td>105mm</td> <td>7-PIN</td> </tr> </tbody> </table> <p>Desc/Notes: AC7;AC5. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). NEG-A-WL-F-HI-MED-LOW</p> <p>Vehicle Apps: . ERF. LEYLAND</p>	Volts	Voltage Set	Mounting Holes	Pins	24V	27.5V	105mm	7-PIN	<p>TRY SOME: T020003146, T020703105</p> <hr/> <p>Electrolog: REG7301</p> <p>Replacing: 1697D520</p>
Volts	Voltage Set	Mounting Holes	Pins							
24V	27.5V	105mm	7-PIN							
	<p>Manuf/Sys: CAV</p> <table border="1"> <thead> <tr> <th>Volts</th> <th>Voltage Set</th> <th>Mounting Holes</th> <th>Pins</th> </tr> </thead> <tbody> <tr> <td>24V</td> <td>28.5V</td> <td>75mm x2,64mm</td> <td></td> </tr> </tbody> </table> <p>Desc/Notes: AC5RS;AC172R;AC203. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).</p> <p>Vehicle Apps: . VOLVO BUS</p>	Volts	Voltage Set	Mounting Holes	Pins	24V	28.5V	75mm x2,64mm		<p>TRY SOME: T020003182</p> <hr/> <p>Electrolog: REG7303</p> <p>Replacing: 631731A, 546R529, 1830029</p>
Volts	Voltage Set	Mounting Holes	Pins							
24V	28.5V	75mm x2,64mm								
	<p>Manuf/Sys: CAV</p> <table border="1"> <thead> <tr> <th>Volts</th> <th>Voltage Set</th> <th>Mounting Holes</th> <th>Pins</th> </tr> </thead> <tbody> <tr> <td>24V</td> <td>28.5V</td> <td>75mm x2,64mm</td> <td></td> </tr> </tbody> </table> <p>Desc/Notes: AC203. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).</p> <p>Vehicle Apps: . BUSES</p>	Volts	Voltage Set	Mounting Holes	Pins	24V	28.5V	75mm x2,64mm		<p>TRY SOME: T023109201</p> <hr/> <p>Electrolog: REG7306</p> <p>Replacing: 1861A726, CAV1861A726</p>
Volts	Voltage Set	Mounting Holes	Pins							
24V	28.5V	75mm x2,64mm								
	<p>Manuf/Sys: DELCO</p> <table border="1"> <thead> <tr> <th>Volts</th> <th>Voltage Set</th> <th>Mounting Holes</th> <th>Pins</th> </tr> </thead> <tbody> <tr> <td>12V</td> <td>14.8V</td> <td>32mm,36.5mm</td> <td>2-PIN</td> </tr> </tbody> </table> <p>Desc/Notes: 15SI;10SI;27SI;17SI;12SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).</p> <p>Vehicle Apps: . CASE. CATERPILLAR. CHEVROLET. CLARK. CUMMINS. HYSTER. INTERNATIONAL HARVESTER. JOHN DEERE. MASSEY FERGUSON</p>	Volts	Voltage Set	Mounting Holes	Pins	12V	14.8V	32mm,36.5mm	2-PIN	<p>TRY SOME: T021003104</p> <hr/> <p>Electrolog: REG2004</p> <p>Replacing: 1116387, 1116423, 1116380, 1116392, 3N3754</p>
Volts	Voltage Set	Mounting Holes	Pins							
12V	14.8V	32mm,36.5mm	2-PIN							
	<p>Manuf/Sys: DELCO</p> <table border="1"> <thead> <tr> <th>Volts</th> <th>Voltage Set</th> <th>Mounting Holes</th> <th>Pins</th> </tr> </thead> <tbody> <tr> <td>12V</td> <td>14.7V</td> <td>67mm</td> <td></td> </tr> </tbody> </table> <p>Desc/Notes: CS130D. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).</p> <p>Vehicle Apps: . OPEL ASTRA, CALIBRA, CORSA, OMEGA, VECTRA. SAAB</p>	Volts	Voltage Set	Mounting Holes	Pins	12V	14.7V	67mm		<p>TRY SOME: T020003176</p> <hr/> <p>Electrolog: REG2600</p> <p>Replacing: 19009701, 10479914, 10479947, 940038030, 1204270</p>
Volts	Voltage Set	Mounting Holes	Pins							
12V	14.7V	67mm								

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Regulators








	Manuf/Sys: DELCO				TRYSOME: T021103112B
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	13.9V	32mm,36mm	2-PIN	
Desc/Notes: 10SI;27SI;30SI;40SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					Electrolog: REG2612
Vehicle Apps: . CATERPILLAR. CUMMINS. EUCLID. FORD. FREIGHTLINER. INTERNATIONAL EAGLE, HARVESTER. KENWORTH. KOMATSU. MACK. VOLVO					Replacing: 1116389, 1116383, 1876388, 1988949, 9L6774
	Manuf/Sys: DELCO				TRYSOME: T1116433
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.0V	32mm,36mm	2-PIN	
Desc/Notes: 21SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					Electrolog: REG2613
Vehicle Apps: . CATERPILLAR. FREIGHTLINER. INTERNATIONAL HARVESTER. JOHN DEERE. KOMATSU. MASSEY FERGUSON. NEW HOLLAND. VOLVO					Replacing: 35126
	Manuf/Sys: DELCO				TRYSOME: T0211031406
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.8V	38mm (x2),76mm (x2)		
Desc/Notes: 31SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					Electrolog: REG2614
Vehicle Apps: . CATERPILLAR. CUMMINS					Replacing: 19020401
	Manuf/Sys: DELCO				TRYSOME: T021003197B
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.7V	67mm	4P P-L-I-S	
Desc/Notes: CS121;CS130;CS144. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 2.5 SECOND LOAD RESPONSE TIME					Electrolog: REG2634
Vehicle Apps: . CHEVROLET. DAEWOO ESPERO, FORKLIFT, LANOS, NEXIA					Replacing: 1116411, 1116436, 1116437, 1116429
	Manuf/Sys: DELCO				TRYSOME: T021103122
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.2V	40mm,81mm (TO)	4P S-F-L-P	
Desc/Notes: 24SI. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).					Electrolog: REG2650
Vehicle Apps: . FREIGHTLINER. INTERNATIONAL. KENWORTH. MACK. STERLING. VOLVO					Replacing: 10514474
	Manuf/Sys: DELCO				TRYSOME: T0200031003, T021003103, T021103120B
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	27.5V	32mm,37mm	2-PIN	
Desc/Notes: 20SI;27SI;30SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). TERMINALS LINKED BY WEB/BIDGE					Electrolog: REG2624
Vehicle Apps: . CASE. CATERPILLAR. CLARK. CUMMINS. EUCLID. FIAT. INTERNATIONAL EAGLE, HARVESTER. KOMATSU. MACK. OSHKOSH. VOLVO					Replacing: 1894460, 1116388, 2S0857, 3T6354
	Manuf/Sys: DELCO				TRYSOME: T021103130
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	27.5V	49mm		
Desc/Notes: 25SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).					Electrolog: REG2630
Vehicle Apps: . CATERPILLAR. EUCLID. INGERSOLL RAND. INTERNATIONAL EAGLE. KOMATSU. MACK. VOLVO					Replacing: 1969110, 10498824, 1892824

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: HITACHI			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.3V	116mm	6P N-IG-L-E-F-B
	Desc/Notes: ER/EF (EXTERNAL REGULATOR - EXTERNAL FAN). MECHANICAL			
Vehicle Apps: . CHEVROLET. ISUZU. OPEL. TOYOTA				Electrolog: REG3002 Replacing: 8942025810, 8942059560, 94021596, 94021595, 0260002510
	Manuf/Sys: HITACHI			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.3V	50mm	5P B-S-L-F-E
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).			
Vehicle Apps: . ISUZU. NISSAN 1200, 1400, 1500, 1600, CABSTAR 2.0L, FORKLIFTS, HARDBODY 2.4i, LAUREL 2.8L, PATHFINDER 2.4L 4WD, PULSAR, SENTRA, TERRANO 2.4i				Electrolog: REG3003 Replacing: 23215B8900, 23215Q4601, 23215B9800, 23215P2500, 429907110
	Manuf/Sys: HITACHI			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.3V	50mm	6P B-S-R-L-F-E
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).			
Vehicle Apps: . ISUZU KB250D, KB250DT, KB280DT. KIA. NISSAN 1-TONNER, 2.5L DIESEL, 2.7L DIESEL, ALMERA, FORKLIFTS, PRIMERA, SENTRA				Electrolog: REG3010 Replacing: 23215W1700, S20824520, 23125W1701, 8942377280, 8942509640
	Manuf/Sys: HITACHI			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.3V	50mm	3P S-IG-L
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).			
Vehicle Apps: . ISUZU 2.0L DIESEL, 2.2L DIESEL, KB250 DIESEL				Electrolog: REG3015 Replacing: 8941674100, L15033155, 94167410, A556536A
	Manuf/Sys: HITACHI			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.5V	54mm	2P S-L
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).			
Vehicle Apps: . HONDA. ISUZU 3.2L				Electrolog: REG3021 Replacing: TR1Z127
	Manuf/Sys: HITACHI			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.5V	50mm	2P S-L
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). COMPLETE WITH BRUSH HOLDER AND PLUG			
Vehicle Apps: . ISUZU. NISSAN 2.7L DIESEL				Electrolog: REG3028 Replacing: L15093155, L16063153, L15063601, 2352818G01, 23528V7200
	Manuf/Sys: HITACHI			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	24V	28.5V	50mm	5P R-R-L-F-E
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).			
Vehicle Apps: . ISUZU. NISSAN. TCM. YANMAR				Electrolog: REG3005 Replacing: 2350099008, 11912977820, 5812510160

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Regulators

	Manuf/Sys: HITACHI				TRYSOME: T020003166
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.0V	115mm	5P N-IG-L-E-F	
	Desc/Notes: ER/EF (EXTERNAL REGULATOR - EXTERNAL FAN). MECHANICAL - WIRE TERMINAL IS "IG"				
Vehicle Apps: . ISUZU				Electrolog: REG3024	Replacing: 82250134, 9822501120, 9822501340, 82211520
	Manuf/Sys: HITACHI				TRYSOME: T020003169
	Volts	Voltage Set	Mounting Holes	Pins	
	24V			3-PIN	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). ROUND PLUG				
Vehicle Apps: . ISUZU				Electrolog: REG3093	Replacing:
	Manuf/Sys: HITACHI				TRYSOME: T0200031200
	Volts	Voltage Set	Mounting Holes	Pins	
	24V			2-PIN	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . NISSAN CABSTAR				Electrolog: REG3094	Replacing:
	Manuf/Sys: ISKRA				TRYSOME: T027903103
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.4V	65mm		
	Desc/Notes: AAK. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . DEUTZ. KHD. LINDE. MANITOU. VM. VOLKSWAGEN				Electrolog: REG7903	Replacing: 11125122, 11125149, AER1528, AER1543
	Manuf/Sys: ISKRA				TRYSOME: T027903101B
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.0V	55mm		
	Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . DEUTZ. KHD. MASSEY FERGUSON				Electrolog: REG7904	Replacing: 16908850, 16908833
	Manuf/Sys: ISKRA				TRYSOME: T027903100
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.6V	55.5mm		
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . JOHN DEERE. LANDINI. NEW HOLLAND. PERKINS				Electrolog: REG7907	Replacing: 11125124, 11125188, 11125208, 16906352, AER1603
	Manuf/Sys: LEECE NEVILLE				TRYSOME: T022303101
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.2V	50.6mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). SEALS OFF BRUSH HOLDER				
Vehicle Apps: . THERMO KING				Electrolog: REG9704	Replacing: 411740, 8RG2060A, 200025, 105335, 5335

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: LEECE NEVILLE				TRY SOME: T022603192
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.4V	75mm,51mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). RED - POSITIVE BLACK - EARTH GREEN - FIELD YELLOW - STATOR - ADJUSTABLE VOLTAGE SET				
Vehicle Apps: . CATERPILLAR. CUMMINS. KENWORTH. MACK				Electrolog: REG9705	Replacing: 5329, 105329, 8RG2101A, 8RG2112
	Manuf/Sys: LEECE NEVILLE				TRY SOME: T022603194
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.3V	147mm,127mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . CASE. NEW HOLLAND. THERMO KING				Electrolog: REG8500	Replacing: 8RL3013, 105251, 446390, 5251
	Manuf/Sys: LEECE NEVILLE				TRY SOME: T022603196
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.0V	76.3mm,50.7mm		
	Desc/Notes: 8RG. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . CATERPILLAR. CUMMINS				Electrolog: REG9706	Replacing: 8RG3078, 105353
	Manuf/Sys: LEECE NEVILLE				TRY SOME: T022303190
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	27.6V	75.4mm,50.7mm		
	Desc/Notes: ADJUSTABLE VOLTAGE RED=POSITIVE(+) BLACK=GROUND GREEN=FIELD YELLOW=STATOR				
Vehicle Apps: . CATERPILLAR				Electrolog: REG9707	Replacing: 105247, 8RG3029
	Manuf/Sys: LUCAS				TRY SOME: T022303110
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.4V	30mm,49mm,51mm		
	Desc/Notes: AS123. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . BELL. CHEVROLET. FORD. HYSTER. ISUZU. JOHN DEERE. LAND ROVER. LEYLAND MINI. MASSEY FERGUSON. MAZDA. NISSAN. OPEL. PERKINS. SCANIA. TOYOTA. VOLKSWAGEN. VOLVO				Electrolog: REG4010	Replacing: 66201555, UCB150, 54048473, 37707
	Manuf/Sys: LUCAS				TRY SOME: T022303103
	Volts	Voltage Set	Mounting Holes	Pins	
	12V		26mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). LUCAS-TVS INDIA				
Vehicle Apps: . TATA 509M, 713S				Electrolog: REG4014	Replacing: 9999TV659009, TV659009, 26938180A
	Manuf/Sys: LUCAS				TRY SOME: T022303105
	Volts	Voltage Set	Mounting Holes	Pins	
	12V		26mm		
	Desc/Notes: 3SA23;2SA23. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . TATA				Electrolog: REG4051	Replacing: 26215686

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Regulators








	Manuf/Sys: MAGNETI-MARELLI				TRYSONE: T0200031146
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.0V	76mm;74mm	3P LI-RC-AS	
	Desc/Notes: A115i. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). COMPUTER CONTROLLED VOLTAGE REGULATION				
Vehicle Apps: . FORD FOCUS				Electrolog: REG9007	Replacing: 85562541, 85562801
	Manuf/Sys: MANDO				TRYSONE: T028903100
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	49.8mm	2P L-S	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . HYUNDAI H100, SONATA, STAREX CRDI, TERRACAN 2.5L, 2.9 L. KIA CARNIVAL DIESEL, SORENTO				Electrolog: REG5056	Replacing: 3737042300
	Manuf/Sys: MANDO				TRYSONE: T025403100
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	52mm	2P S-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . BOBCAT. HYUNDAI ACCENT 1.5L, 1.6L, ELANTRA 2.0L				Electrolog: REG8706	Replacing: TA500C09001, 3737022600
	Manuf/Sys: MITSUBISHI				TRYSONE: T020003148
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.6V	50mm	2P R-L	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . FORD. HYUNDAI. MAZDA B2200 DIESEL, E-SERIES 2.2L DIESEL. MITSUBISHI COLT 2.5L DIESEL				Electrolog: REG5003	Replacing: A866T03470, SE2124520, A866T03070, MD607619, MD618302
	Manuf/Sys: MITSUBISHI				TRYSONE: T022503105
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.4V	30mm	2P R-L	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . MAZDA E3000 DIESEL, T3000 AND TRADER				Electrolog: REG5005	Replacing: A866X02470, S50918300C, S50124520, S20218300A, S50218300C
	Manuf/Sys: MITSUBISHI				TRYSONE: T020003136
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.6V	50mm	2P R-L	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . FORD. HYUNDAI. MAZDA. MITSUBISHI				Electrolog: REG5006	Replacing: A866T00470, 550124520, A866T00670, N22124520, MD607570
	Manuf/Sys: MITSUBISHI				TRYSONE: T022503131
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	50mm	2P S-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . NISSAN ALMERA 1.6L, 1.8L, PRIMERA 1.6L, 1.8L				Electrolog: REG5009	Replacing: A866X36272, A866X42672

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: mitsubishi				TRY SOME: T024003101 Electrolog: REG5012 Replacing: A866X04872, E35618W70, 3737021200, E8GY10316, FE6524520
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	40mm	2P R-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . FORD. HYUNDAI. MAZDA. MITSUBISHI. NISSAN				
	Manuf/Sys: mitsubishi				TRY SOME: T020003122 Electrolog: REG5018 Replacing: A866X09171, MD611481, 940038082
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	40mm	2P S-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . HYUNDAI. MITSUBISHI PAJERO 2.5L, 3.0L				
	Manuf/Sys: mitsubishi				TRY SOME: T020003163 Electrolog: REG5021 Replacing: 3737022200
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	50mm	2P S-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . HYUNDAI ACCENT, ELANTRA, TIBURON. PROTON				
	Manuf/Sys: mitsubishi				TRY SOME: T020003120 Electrolog: REG5022 Replacing: A866X25572, MD618735, MD619167
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.4V	50mm	2P S-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . FORD 2.0L DIESEL. MAZDA 2.0L DIESEL				
	Manuf/Sys: mitsubishi				TRY SOME: T020003137B Electrolog: REG5026 Replacing: A866X05272, MD611432, 2312504P10, 940038088, MD611710
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	40mm	2P S-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . FORD. HYUNDAI. MAZDA. MITSUBISHI. VOLVO				
	Manuf/Sys: mitsubishi				TRY SOME: T021602501 Electrolog: REG5027 Replacing: MD618957, 2857226A, 2857328D, A866X28572
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.4V	50mm	4P C-S-L-FR	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . EAGLE. MITSUBISHI				
	Manuf/Sys: mitsubishi				TRY SOME: T020003106, TYV1906 Electrolog: REG5030 Replacing: A866X20472, JE4818W70, F1CZ10316A, 2044208J, B64J18300B
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	50mm	2P S-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . FORD RANGER 2.5L DIESEL, TELSTAR 2.0L, 2.5L V6. MAZDA 2.5L DIESEL BAKKIE, 626 2.0L, MX6 2.5L				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Regulators

	Manuf/Sys: mitsubishi				TRYSOME: T020003180
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.6V	40mm	2P R-L	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . HYUNDAI 2.6L DIESEL LDV H100. MITSUBISHI 2.5L COLT DIESEL					Electrolog: REG5034
					Replacing: 3737042540, 3737042500
	Manuf/Sys: mitsubishi				TRYSOME: T022503133
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	50mm	3P D-IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . SUZUKI					Electrolog: REG5042
					Replacing: A866X23772, A866X23773, 3250060A21
	Manuf/Sys: mitsubishi				TRYSOME: T022703101
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.3V	50mm	2P P-D	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). WARNING: P-D TERMINAL TYPE CONNECTION, NEEDS SPECIAL TESTING EQUIPMENT TO TEST REGULATOR AND ALTERNATOR.				
Vehicle Apps: . MAZDA 6, MPV					Electrolog: REG5053
					Replacing: A866X46572, GY0118W70
	Manuf/Sys: mitsubishi				TRYSOME: T020003130
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.4V	49.9mm	3P DUMMY-D-P	
	Desc/Notes: WARNING: P-D TERMINAL TYPE CONNECTION, NEEDS SPECIAL TESTING EQUIPMENT TO TEST REGULATOR AND ALTERNATOR.				
Vehicle Apps: . MAZDA 3, 6					Electrolog: REG5103
					Replacing: A866X50572
	Manuf/Sys: mitsubishi				TRYSOME: T0225031001, T022503129, T028003101
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.6V	50mm	2P R-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . BELL. HITACHI. ISUZU. MITSUBISHI TRUCK AND INDUSTRIAL					Electrolog: REG5019
					Replacing: A866X28372, ME701399
	Manuf/Sys: mitsubishi				TRYSOME: T020003159
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.5V	50mm,112mm	2P S-L	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . FURUKAWA. MITSUBISHI INDUSTRIAL, TRUCK					Electrolog: REG5033
					Replacing: A866X26070, A866X26072, ME701302
	Manuf/Sys: MOTOROLA				TRYSOME: T022603199
	Volts	Voltage Set	Mounting Holes	Pins	
	12V		79mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . ADE. BELL. CASE. CHEVROLET. DEUTZ. FORD. HYSTER. JOHN DEERE. MAN. MERCEDES-BENZ. NISSAN. SAMIL. TOYOTA. VOLKSWAGEN					Electrolog: REG0555
					Replacing: 5MSA125

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: MOTOROLA				TRY SOME: T022603197 Electrolog: REG9703 Replacing: 8RG2122, 105363
	Volts	Voltage Set	Mounting Holes	Pins	
	12V		76.2mm, 50.7mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . VARIOUS APPLICATIONS				
	Manuf/Sys: MOTOROLA				TRY SOME: T022603101 Electrolog: REG0542 Replacing: 105396, 8RL3024
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.0V	127mm, 147mm		
	Desc/Notes: SC175. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS				
	Manuf/Sys: MOTOROLA				TRY SOME: T022603156 Electrolog: REG0585 Replacing: 5185, 8RH3018A, 5-185
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	29.2V	66mm x2,40mm		
	Desc/Notes: ER/EF (EXTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . VARIOUS APPLICATIONS				
	Manuf/Sys: NIEHOFF				TRY SOME: T024103113 Electrolog: REG2900 Replacing: A2126
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.0V	90.7mm	5-PIN	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . INDUSTRIAL, EARTHMOVING, RAIL, TRUCK AND BUS APPLICATIONS				
	Manuf/Sys: NIEHOFF				TRY SOME: T0249031001 Electrolog: REG2901 Replacing: A2111
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	27.6V	90.5mm	4-PIN	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . INDUSTRIAL, EARTHMOVING, RAIL, TRUCK AND BUS APPLICATIONS				
	Manuf/Sys: NIEHOFF				TRY SOME: T024103101 Electrolog: REG2902 Replacing: A2146
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	Selectable	88.8mm	6-PIN	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). SELECTABLE VOLTAGE SETS: POSITION-1: 27.5V; POSITION-2: 28.0V; POSITION-3: 28.5V; POSITION-4: 29.0V Vehicle Apps: . INDUSTRIAL, EARTHMOVING, RAIL, TRUCK AND BUS APPLICATIONS				
	Manuf/Sys: NIKKO				TRY SOME: T022903101 Electrolog: REG8801 Replacing: 1440000580, 1440000730, 1812510040, 1812510240, 5812510120
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	27.5V	73mm	2P FLD-B+	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . ISUZU. KOMATSU				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Regulators








	Manuf/Sys: NIKKO				TRYSOME: T022903104
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.3V	50mm	5P S-B-R(L)-F-E	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . ISUZU. KOMATSU. NISSAN					Electrolog: REG8803
Replacing: 0337190030, 1812600050, 0337190100, 8941730520, 1440000900					
	Manuf/Sys: NIKKO				TRYSOME: T0-35719-0151, T0229031106
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.5V	50mm	5P S-B-R(L)-F-E	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . KOMATSU PC300, PC400					Electrolog: REG8804
Replacing: 0357190151, 7440000901					
	Manuf/Sys: NIKKO				TRYSOME: T0-33730-2560
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.0V	50mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WITH RECTIFIER				
Vehicle Apps: . KOMATSU					Electrolog: REG8812
Replacing: 0337302560					
	Manuf/Sys: NIKKO				TRYSOME: T0-35719-0180
	Volts	Voltage Set	Mounting Holes	Pins	
	24V		50mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). FITS ALT: 600-825-9310				
Vehicle Apps: . KOMATSU					Electrolog: REG9805G
Replacing: 0357190180, KD0357190180					
	Manuf/Sys: NIPPON DENSO				TRYSOME: T022803105
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	64mm	3P S-IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). "L" TERMINAL DRIVES CHOKE				
Vehicle Apps: . HONDA. TOYOTA CAMRY, CONQUEST, COROLLA, HIACE, HILUX					Electrolog: REG6005
Replacing: 2770063021, 2770072070, 1260000340, 2770063020, 31150PD2004					
	Manuf/Sys: NIPPON DENSO				TRYSOME: T022803152
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.3V	116mm	6P B-L-E-F-N-IG	
	Desc/Notes: ER/EF (EXTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . TOYOTA					Electrolog: REG6007
Replacing: 2770063010, 2770072030, 0260004300, 2770013090, 2770063040					
	Manuf/Sys: NIPPON DENSO				TRYSOME: T022803158
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.2V	44mm	3P S-G-F	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . TOYOTA DYNA 2.2L/2.4L DIESEL, HIACE 2.2L/2.4L DIESEL, HILUX 2.2L/2.4L DIESEL, LAND CRUISER					Electrolog: REG6009
Replacing: 2770057060, 1260000180, 1260000770, 1260000820					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







	Manuf/Sys: NIPPO DENSO				TRY SOME: TIN921 Electrolog: REG6011 Replacing: 1260000920, 1260001460, 2700064040, 126000-0920
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.0V	43mm	3P S-L-IG	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). ROUND PLUG - 3-PIN Vehicle Apps: . ISUZU KB250D, KB280D. TOYOTA INDUSTRIAL				
	Manuf/Sys: NIPPO DENSO				TRY SOME: T020003100 Electrolog: REG6011B Replacing: 1260000920, 126000-0920
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.3V	43mm	3P L-S-IG	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). SQUARE (GREEN) PLUG - 3-PIN Vehicle Apps: . ISUZU KB250D, KB280D. TOYOTA 2.4L DIESEL, INDUSTRIAL				
	Manuf/Sys: NIPPO DENSO				TRY SOME: T778236005 Electrolog: REG6019 Replacing: 2770087207, 1260001160, 1260000600, 2770096301
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	57.5mm	2P IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). L-TERMINAL DOES NOT DRIVE CHOKE Vehicle Apps: . BOBCAT. DAIHATSU. KUBOTA. TOYOTA FORKLIFT. YANMAR				
	Manuf/Sys: NIPPO DENSO				TRY SOME: TIN255 Electrolog: REG6019D Replacing: 1260000970
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	57.5mm	2P IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). L-TERMINAL DRIVES CHOKE Vehicle Apps: . DAIHATSU. GEHL. KUBOTA. TOYOTA FORKLIFT, INDUSTRIAL				
	Manuf/Sys: NIPPO DENSO				TRY SOME: T020003107, T020003161 Electrolog: REG6022 Replacing: 1260007040
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.0V	57.5mm	3P S-IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). L-TERMINAL DRIVES CHOKE Vehicle Apps: . TOYOTA 5 AND 6 SERIES FORKLIFT - DIESEL/PETROL				
	Manuf/Sys: NIPPO DENSO				TRY SOME: T022803156 Electrolog: REG6032 Replacing: 1260000410, 1260000470, 31500PE0003
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	51.4mm	3P D-IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . HONDA. SUZUKI				
	Manuf/Sys: NIPPO DENSO				TRY SOME: T020003126 Electrolog: REG6041 Replacing: 1260002190, 1260002450, 31150P5G003
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	51.8mm	4P S-FR-IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . TOYOTA QUANTUM 2.5L DIESEL (2.5D)				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Regulators







	Manuf/Sys: NIPPON DENSO				TRY SOME: T022803112
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	64mm	2P IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). L TERMINAL DOES NOT DRIVE CHOKE				
Vehicle Apps: . DAIHATSU CHARADE. TOYOTA FORKLIFT				Electrolog: REG6057	
				Replacing: 1260000371	
	Manuf/Sys: NIPPON DENSO				TRY SOME: T020003109, T022803107
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.5V	57.5mm	3P P-IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). WITH LOAD RESPONSE CONTROL				
Vehicle Apps: . CATERPILLAR				Electrolog: REG6058	
				Replacing: 1260001800	
	Manuf/Sys: NIPPON DENSO				TRY SOME: T022803160
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.6V	64mm	3P S-IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). LOAD RESPONSE CONTROL				
Vehicle Apps: . DODGE. LEXUS. TOYOTA COROLLA, CELICA AND MR2				Electrolog: REG6069	
				Replacing: 1260000610, 1260001440, 2770050010, 2770074010	
	Manuf/Sys: NIPPON DENSO				TRY SOME: T020003139
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.6V	64mm	3P S-IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). L-TERMINAL DRIVES CHOKE				
Vehicle Apps: . LEXUS. TOYOTA CAMRY 2.2L, HILUX 2.2L, LAND CRUISER 4.5L				Electrolog: REG6098	
				Replacing: 1260001730, 1260001930, 2770066040, 2770011070	
	Manuf/Sys: NIPPON DENSO				TRY SOME: T022803154
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.2V	42.9mm	4P IG-S-L-M	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). STANDARD LAMP FUNCTION - NO OUTPUT				
Vehicle Apps: . LEXUS. TOYOTA QUANTUM				Electrolog: REG6107	
				Replacing: 1266000150	
	Manuf/Sys: NIPPON DENSO				TRY SOME: T0260007000
	Volts	Voltage Set	Mounting Holes	Pins	
	12V			2-PIN	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . JOHN DEERE. KOMATSU				Electrolog: REG6130	
				Replacing: 0260007000	
	Manuf/Sys: NIPPON DENSO				TRY SOME: T020003164B, T022803102
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.7V	49mm	2P L-R	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . KIA SPORTAGE 2.0L				Electrolog: REG6901	
				Replacing: 1215000011	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: NIPPO DENSO				TRY SOME: T022803103
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.0V	56mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . CATERPILLAR. INTERNATIONAL EAGLE. KOMATSU. MACK. TOYOTA. VOLVO				Electrolog: REG6015	
				Replacing: 1260000380, 7T2798, 126000-0380	
	Manuf/Sys: NIPPO DENSO				TRY SOME: T022803110
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.0V	64mm	3P S-IG-L	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . TOYOTA BUS, DYNA 200, LAND CRUISER				Electrolog: REG6059	
				Replacing: 1260007010	
	Manuf/Sys: NIPPO DENSO				TRY SOME: T024703101B
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	27.9V	60mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). ALT.: 197-8820				
Vehicle Apps: . CATERPILLAR				Electrolog: REG6065	
				Replacing: 1260002540	
	Manuf/Sys: NIPPO DENSO				TRY SOME: T020003128
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.5V	59mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). R-L-F-E-L-A-N				
Vehicle Apps: . NISSAN. TOYOTA HINO				Electrolog: REG9808	
				Replacing: 129100800X0, 277001700, 23500Z9007, 121900800X0SF	
	Manuf/Sys: PARIS-RHONE				TRY SOME: T028903114
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.3V	64mm,39mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . VOLVO PENTA MARINE				Electrolog: REG9515	
				Replacing: 92966, YL135	
	Manuf/Sys: PRESTOLITE				TRY SOME: T022603190
	Volts	Voltage Set	Mounting Holes	Pins	
	24V		146.7mm,127mm	4-PIN	
	Desc/Notes: SCJ;8SC. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . VARIOUS EARTHMOVING AND INDUSTRIAL APPLICATIONS				Electrolog: REG9708	
				Replacing: 8RL3028S	
	Manuf/Sys: SAWAFUJI				TRY SOME: T023803101
	Volts	Voltage Set	Mounting Holes	Pins	
	24V		59mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). ALT.: 2310097702 02011720221				
Vehicle Apps: . HINO. NISSAN. TOYOTA				Electrolog: REG6064	
				Replacing: 1260003270, 2350029014	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Regulators








	Manuf/Sys: SAWAFUJI				TRYSOME: T151002910X0
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.7V	60mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 5P R-L-F-C-E (ON REGULATOR ITSELF - WITHOUT WIRES)				
Vehicle Apps: . KOMATSU				Electrolog: REG9804	Replacing: SD151002910X0, 151002910X0
	Manuf/Sys: SAWAFUJI				TRYSOME: T17010008000
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.7V	59mm	5P R-L-F-C-E	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN).				
Vehicle Apps: . KOMATSU D785. NISSAN BUS. TOYOTA HINO BUS				Electrolog: REG9804B	Replacing: 277001510, 121900400, 2350099005, SD151002910X0, 151002910X0
	Manuf/Sys: SAWAFUJI				TRYSOME: T020003118
	Volts	Voltage Set	Mounting Holes	Pins	
	24V	28.3V	66mm		
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). FITS: 02011520422				
Vehicle Apps: . NISSAN UD80, UD90				Electrolog: REG9809	Replacing: 129101000X0, 2350099109, 277001810
	Manuf/Sys: VALEO				TRYSOME: T028903116
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.6V	64mm	2P L-IG	
	Desc/Notes: A11V/A13V. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . BMW. RENAULT				Electrolog: REG0012	Replacing: 592802, YV1668H, 2541407, 940038185
	Manuf/Sys: VALEO				TRYSOME: T028903120
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.4V	53mm,61mm	2P L-DUMMY	
	Desc/Notes: SG9B;SG10B;SG12B. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . RENAULT CLIO, ESPACE, KANGOO, LAGUNA, MEGANE, SCENIC				Electrolog: REG0016	Replacing: 593384, 593396, YM1636P1
	Manuf/Sys: VALEO				TRYSOME: T020003149B, T028903102
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.7V	53mm,61mm	2P L-FR	
	Desc/Notes: SG14B. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . AUDI A4, A6, A8. VOLKSWAGEN PASSAT				Electrolog: REG0020	Replacing: 593455
	Manuf/Sys: VALEO				TRYSOME: T020003184
	Volts	Voltage Set	Mounting Holes	Pins	
	12V	14.6V	61.3mm,53.2mm	1P L (M5 POST)	
	Desc/Notes: SG9B. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).				
Vehicle Apps: . MERCEDES-BENZ A140, A160				Electrolog: REG0021	Replacing: 593454, YM1666FP5

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: VALEO			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.6V	64mm	3P L-IG-DUMMY
	Desc/Notes: A13V1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).			
Vehicle Apps: . BMW 316i, 318i				Electrolog: REG0022 Replacing: 593353, 2542207B
	Manuf/Sys: VALEO			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.6V	61.5mm, 20.7mm, 53mm	
	Desc/Notes: A13V1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).			
Vehicle Apps: . CITROEN. PEUGEOT				Electrolog: REG0024 Replacing: 593529
	Manuf/Sys: VALEO			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.6V	61mm, 53.2mm, 20.5mm	2P L-IG
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN).			
Vehicle Apps: . BMW. LAND ROVER				Electrolog: REG0025 Replacing: 2543327B
	Manuf/Sys: VALEO			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.6V	61mm, 53mm, 20mm	2P L-DFM
	Desc/Notes: SG12B; TG11C. IR/IF (INTERNAL REGULATOR - INTERNAL FAN).			
Vehicle Apps: . NISSAN. RENAULT				Electrolog: REG0061 Replacing: 593689
	Manuf/Sys: VALEO			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	24V	27.5V	64mm, 35mm	
	Desc/Notes: A13N; A14N. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). WIRES: YELLOW=B+ BROWN=D+ BLACK=B-			
Vehicle Apps: . VOLVO				Electrolog: REG0001 Replacing: 872368, 6009116099797, 590536, ZV3729
	Manuf/Sys: VISTEON			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.0V	46mm	3P S-DUMMY-L
	Desc/Notes: RC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). SOFT START - WITH CIRCUIT PROTECTION			
Vehicle Apps: ROCAM-Engine. FORD BANTAM, FIESTA, FOCUS 2.3L, MONDEO III 2.0L TDDi. MAZDA				Electrolog: REG8901 Replacing: BFOA10376AA
	Manuf/Sys: VISTEON			TRY SOME:
	Volts	Voltage Set	Mounting Holes	Pins
	12V	14.4V	45.5mm	3P AS-FR-IL
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). SOFT START 8.5 SECOND LRC SHORT CIRCUIT PROTECTED			
Vehicle Apps: . FORD FOCUS 1.8L				Electrolog: REG8902 Replacing:

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Rotors

Manuf/Sys: BOSCH 	Volts	OD	Length	S/Ring OD	Splines	TRYSOME: T020400211R Electrolog: ROT1024 Replacing: 1124035094, 1124035198, 1124035199, 1124035231
	12V	103.3mm	161mm	27.9mm	None	
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120468... SERIES Vehicle Apps: . BMW. FIAT					
Manuf/Sys: BOSCH 	Volts	OD	Length	S/Ring OD	Splines	TRYSOME: T020403681R Electrolog: ROT1055 Replacing: 1124035168, 1124035077, 1124035258, R955N
	24V	100.5mm	171.5mm	28mm	None	
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120469... & 6033GB3... SERIES ALTERNATORS Vehicle Apps: . DAF. DRESSER. KASSBOHRER. MAN. MERCEDES-BENZ. SSANGYONG. VOLVO					
Manuf/Sys: BOSCH 	Volts	OD	Length	S/Ring OD	Splines	TRYSOME: T020403682R Electrolog: ROT1061 Replacing: 1124034644
	24V	100mm	174mm	27mm	None	
	Desc/Notes: K1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . ADE. HINO. MERCEDES-BENZ					
Manuf/Sys: BOSCH 	Volts	OD	Length	S/Ring OD	Splines	TRYSOME: TF00M131616R Electrolog: ROT1045 Replacing: F00M131645, R945N
	24V	102.6mm	159.6mm	15.5mm	None	
	Desc/Notes: NCB1. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). 0124555... SERIES ALTERNATORS Vehicle Apps: . MERCEDES-BENZ					
Manuf/Sys: BOSCH 	Volts	OD	Length	S/Ring OD	Splines	TRYSOME: T020400205 Electrolog: ROT1211 Replacing: 1124035261
	24V	103.4mm	167.6mm	27.5mm	None	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120469... SERIES: 6033GB3... SERIES Vehicle Apps: . MERCEDES-BENZ ACTROS, ATEGO, VARIO					
Manuf/Sys: BOSCH 	Volts	OD	Length	S/Ring OD	Splines	TRYSOME: T020400209R Electrolog: ROT1087 Replacing: 1124037001, 1124037002, 1127037003, 1127037004, R9T1N
	24V	125mm	248mm	32mm	None	
	Desc/Notes: T1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). ENCLOSED STATOR - SLOT ON DRIVE/PULLEY END SHAFT Vehicle Apps: . MARCOPOLO. MERCEDES-BENZ. SCANIA					
Manuf/Sys: CAV 	Volts	OD	Length	S/Ring OD	Splines	TRYSOME: T023100201 Electrolog: ROT7308 Replacing: A1388, 6332A1433, 6332A1388, R720N
	24V	145.3mm	288mm	23mm	None	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . VOLVO					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: DELCO 	Volts	OD	Length	S/Ring OD	Splines	TRY SOME: T021100210 Electrolog: ROT2610 Replacing: 1852040, 1978872, 9L6784, R210N
	12V	116.4mm	219mm	29.4mm	None	
	Desc/Notes: 27SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. INTERNATIONAL. KOMATSU					
Manuf/Sys: DELCO 	Volts	OD	Length	S/Ring OD	Splines	TRY SOME: T021100216R Electrolog: ROT2609 Replacing: 10510452
	24V	107mm	208mm	14.5mm	None	
	Desc/Notes: 24SI. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . CUMMINS. TEREX					
Manuf/Sys: DELCO 	Volts	OD	Length	S/Ring OD	Splines	TRY SOME: T021100213B Electrolog: ROT2613 Replacing: 1978873, 1944881, 1870542
	24V	116mm	219mm	30mm	None	
	Desc/Notes: 27SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 200 SERIES Vehicle Apps: . CATERPILLAR. EUCLID. INTERNATIONAL EAGLE, HARVESTER. KOMATSU. MACK. VOLVO					
Manuf/Sys: NIEHOFF 	Volts	OD	Length	S/Ring OD	Splines	TRY SOME: T024103108 Electrolog: ROT2900 Replacing: A7320
	24V	136mm	46.5mm		None	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . INDUSTRIAL, EARTHMOVING, RAIL, TRUCK AND BUS APPLICATIONS					
Manuf/Sys: NIKKO 	Volts	OD	Length	S/Ring OD	Splines	TRY SOME: T020400403R Electrolog: ROT8805 Replacing: 7331000120, 7331000121
	24V	92mm	183mm	31.4mm	None	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . KOMATSU					

Now there is a convenient way...

to operate 12 Vdc equipment such as cellphones, in-car entertainment equipment, professional communication equipment, refrigerators, televisions etc. from 24 Vdc mobile electrical systems.

- Outstanding quality
- Manufactured in the European Union
- Guaranteed for life








Converters and Power Supplies for the Communications, Automotive and Marine Industries.

AlfaTRONIX
Fit it! Forget it!



Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Stators

Manuf/Sys: BOSCH 	Volts	Amps	ID	OD	Height	TRYSOME: T020400418R Electrolog: STA1016 Replacing: 1125045012, 9121690003
	12V	55A	89.2mm	124.9mm	23.4mm	
	Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 9120690..., 0120489... SERIES Vehicle Apps: . ADE. AUDI. BELL. BMW. CASE. CATERPILLAR. FIAT. FORD. ISUZU. IVECO. KHD. MAN. MASSEY FERGUSON. MAZDA. MERCEDES-BENZ. NEW HOLLAND. OPEL. PERKINS. TOYOTA. UNIVERSAL K1 ALTERNATOR. VOLKSWAGEN					
Manuf/Sys: BOSCH 	Volts	Amps	ID	OD	Height	TRYSOME: T020400436 Electrolog: STA1022 Replacing: 1125045021, 1125045034, S905N
	12V	55A	89mm	124mm	22mm	
	Desc/Notes: K1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . FORD TRACTOR. MASSEY FERGUSON. MAZDA. NISSAN. TOYOTA					
Manuf/Sys: BOSCH 	Volts	Amps	ID	OD	Height	TRYSOME: T021900402R Electrolog: STA1081 Replacing: 1125045212, 1125045233, 1125045234, 1125045537, S917N
	12V	90A	94mm	125mm	32mm	
	Desc/Notes: KC. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . MERCEDES-BENZ. OPEL. VOLKSWAGEN					
Manuf/Sys: BOSCH 	Volts	Amps	ID	OD	Height	TRYSOME: T020400415B, T020400416R, T020400425 Electrolog: STA1099 Replacing: 1125045128, 1125045132, 1125045203
	24V	55A	101mm	138mm	24mm	
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120469..., 6033GB3... SERIES Vehicle Apps: . ADE. BELL. CUMMINS. DAF. FIAT. FORD. INTERNATIONAL. KHD. MAN. MERCEDES-BENZ. PERKINS. SCANIA					
Manuf/Sys: BOSCH 	Volts	Amps	ID	OD	Height	TRYSOME: T020400426 Electrolog: STA1091 Replacing: 1125045167, 1125045165, 1125045152, 1125045197, S991N
	24V	75A, 80A	104mm	142mm	28.8mm	
	Desc/Notes: N1. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 0120468..., 0120469..., 6033G30..., 6033GB3... SERIES Vehicle Apps: . DEUTZ. IVECO. KHD. MERCEDES-BENZ. RENAULT. SCANIA. UNIMOG. VOLVO					
Manuf/Sys: DELCO 	Volts	Amps	ID	OD	Height	TRYSOME: T1894490B Electrolog: STA2645 Replacing: 1894490
	12V	60A	105mm	135mm	23.6mm	
	Desc/Notes: 20SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. INGERSOLL RAND. INTERNATIONAL. KOMATSU. VOLVO					
Manuf/Sys: DELCO 	Volts	Amps	ID	OD	Height	TRYSOME: T10468714 Electrolog: STA2604 Replacing: 10468714, 10467263, 10472540, 10472882, 10494279
	12V	90A, 100A	108mm	144mm	29mm	
	Desc/Notes: 21SI;22SI;CS144. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. EUCLID. FREIGHTLINER. JOHN DEERE. KOMATSU. MACK. VOLVO					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.


Manuf/Sys: DELCO 	Volts	Amps	ID	OD	Height	TRY SOME: T021100433 Electrolog: STA2643 Replacing: 10497825, D8HZ10336B, 1876804
	12V;24V	105A	116mm	151.5mm	26mm	
	Desc/Notes: 30SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). HAS 2ND FINE COIL FOR 24V Vehicle Apps: . CATERPILLAR. CUMMINS. FORD. INTERNATIONAL EAGLE. KOMATSU. MACK. VOLVO					
Manuf/Sys: DELCO 	Volts	Amps	ID	OD	Height	TRY SOME: T021100432B Electrolog: STA2010 Replacing: 10491242
	12V	135A	116mm	152mm	24.8mm	
	Desc/Notes: 33SI;34SI;35SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. FREIGHTLINER. VOLVO					
Manuf/Sys: DELCO 	Volts	Amps	ID	OD	Height	TRY SOME: T021100424B Electrolog: STA2603 Replacing: 1968892, 1971465, S207N
	12V;24V	75A	116mm	152mm	25.5mm	
	Desc/Notes: 26SI;25SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. EUCLID. INTERNATIONAL EAGLE. KOMATSU. MACK. VOLVO					
Manuf/Sys: DELCO 	Volts	Amps	ID	OD	Height	TRY SOME: T021100434B Electrolog: STA2610 Replacing: 10492139
	12V	110A	116mm	152mm	24.8mm	
	Desc/Notes: 33SI;34SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CUMMINS. DETROIT. FORD. FREIGHTLINER. INTERNATIONAL HARVESTER. KENWORTH. MACK. VOLVO					
Manuf/Sys: DELCO 	Volts	Amps	ID	OD	Height	TRY SOME: T021100435B Electrolog: STA2694 Replacing: 10493268
	12V	160A	121.5mm	168mm	34.5mm	
	Desc/Notes: 31SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . VARIOUS APPLICATIONS					
Manuf/Sys: DELCO 	Volts	Amps	ID	OD	Height	TRY SOME: T021100421R Electrolog: STA2677 Replacing: 1874548, 1974548, 67013361, 1894467, 7N7804
	24V	45A	105mm	135mm	20.8mm	
	Desc/Notes: 20SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . ALLIS-CHALMERS. CATERPILLAR. EUCLID. INGERSOLL RAND. INTERNATIONAL EAGLE. KOMATSU. MACK. VOLVO					
Manuf/Sys: DELCO 	Volts	Amps	ID	OD	Height	TRY SOME: T021100422R Electrolog: STA2678 Replacing: 10470688, 10470875, S213N
	24V	50A, 70A	108.3mm	144.5mm	28.2mm	
	Desc/Notes: 21SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. CLARK. CUMMINS. EUCLID. INGERSOLL RAND. INTERNATIONAL EAGLE. HARVESTER. KOMATSU. MACK. VOLVO					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Stators

Manuf/Sys: DELCO 	Volts	Amps	ID	OD	Height	TRYSOME: T021100427B Electrolog: STA2619 Replacing: 801818, 1852033, 98818, 9L6775
	24V;12V	65A, 80A	117.5mm	161.5mm	21.3mm	
	Desc/Notes: 27SI. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). 12V 65A-80A;24V 65A Vehicle Apps: . CATERPILLAR. CHEVROLET. CLARK. EUCLID. HYSTER. INTERNATIONAL EAGLE, HARVESTER. JOHN DEERE. KOMATSU. MACK. VOLVO					
Manuf/Sys: ISKRA 	Volts	Amps	ID	OD	Height	TRYSOME: T027900401 Electrolog: STA7902 Replacing: 16350129
	12V	95A	94mm	125mm	31mm	
	Desc/Notes: AAK. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . DEUTZ. JOHN DEERE. MASSEY FERGUSON. NEW HOLLAND					
Manuf/Sys: ISKRA 	Volts	Amps	ID	OD	Height	TRYSOME: T027900402 Electrolog: STA7905 Replacing: 16350137
	24V	55A	93.8mm	124.6mm	30.7mm	
	Desc/Notes: IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . DEUTZ. KHD					
Manuf/Sys: LUCAS 	Volts	Amps	ID	OD	Height	TRYSOME: T022300408P Electrolog: STA4008 Replacing: 66200364, S21N
	12V	30A, 35A	84mm	114mm	24mm	
	Desc/Notes: 17ACR;21ACR. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . FORD TRACTOR. MASSEY FERGUSON. NISSAN. TOYOTA					
Manuf/Sys: LUCAS 	Volts	Amps	ID	OD	Height	TRYSOME: T022300403R Electrolog: STA4020 Replacing: 66201619
	12V	90A	90mm	128mm	25mm	
	Desc/Notes: AS128i;AS128. IR/IF (INTERNAL REGULATOR - INTERNAL FAN). Vehicle Apps: . FORD. MAZDA. NISSAN					
Manuf/Sys: MOTOROLA 	Volts	Amps	ID	OD	Height	TRYSOME: T022300402 Electrolog: STA0513 Replacing: 113-71
	12V	65A	89mm	127mm	26mm	
	Desc/Notes: 8EK;8MR. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . THERMO KING					
Manuf/Sys: NIEHOFF 	Volts	Amps	ID	OD	Height	TRYSOME: T024103105 Electrolog: STA2901 Replacing: A7054
	24V	260A	135.8mm	181mm	43mm	
	Desc/Notes: C600-SERIES. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . INDUSTRIAL. EARTHMOVING, RAIL, TRUCK AND BUS APPLICATIONS					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: NIEHOFF 	Volts	Amps	ID	OD	Height	TRYSOME: T024103115 Electrolog: STA2900 Replacing: A7192
	24V		136mm	181mm	43mm	
	Desc/Notes: C600-SERIES. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . INDUSTRIAL, EARTHMOVING, RAIL, TRUCK AND BUS APPLICATIONS					
Manuf/Sys: NIKKO 	Volts	Amps	ID	OD	Height	TRYSOME: T020400404R Electrolog: STA8802 Replacing: 1332001230
	24V	35A	107mm	145mm	28.3mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . KOMATSU					
Manuf/Sys: NIKKO 	Volts	Amps	ID	OD	Height	TRYSOME: T022900402R Electrolog: STA8807 Replacing: 0352000320
	24V	90A	151.7mm	200mm	30mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . KOMATSU					
Manuf/Sys: NIPPON DENSO 	Volts	Amps	ID	OD	Height	TRYSOME: T7T6418 Electrolog: STA6004 Replacing: 0211002690, 7T6418
	24V	50A	104mm	143mm	21mm	
	Desc/Notes: IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). Vehicle Apps: . CATERPILLAR. KOMATSU					
Manuf/Sys: PRESTOLITE 	Volts	Amps	ID	OD	Height	TRYSOME: T025000401 Electrolog: STA9749 Replacing: A022101888S, 101888
	12V	270A	121.6mm	168.6mm	52.6mm	
	Desc/Notes: 4800-4900. IR/EF (INTERNAL REGULATOR - EXTERNAL FAN). FITS ALTERNATOR: A0014970JB Vehicle Apps: . INDUSTRIAL, EARTHMOVING, RAIL, TRUCK AND BUS APPLICATIONS					

Shift workers are 6 times more likely to cause a fatality.

Fatigue! The Hidden Killer.

S ▲ FEmine's Fatigue Monitoring System limits your risk!



Call us today for a full demonstration of the world's first situation-specific fatigue monitoring system, integrated with 360° Collision Avoidance.

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.



KEEPING YOU MOVING IS OUR BUSINESS

"Trysome is the largest importer and distributor of auto-electrical equipment in Southern Africa"

Trysome boasts a broad auto-electrical product range of leading brands which includes consumables: cabling and wire, fuses, globes, bearings, bushes and terminals.



Trysome is the authorised distributor of the brands it markets.

Million

Littelfuse®



OSRAM



APP
Anderson Power Products

T Flex

Available at Trysome Auto Electrical branches across Southern Africa



Starter & Alternator Bearings

Bearing | ˈbɛɪərɪŋ |

Noun

- *A part of a machine that allows one part to rotate or move in contact with another part with as little friction as possible.*



Starter & Alternator Bearings

	ID	10mm	TRYSOME: TBRG6000		ID	10mm	TRYSOME: T020005301, T108805300
	OD	26mm			OD	27mm	
	W	8mm	Electrolog: BEA6000		W	11mm	Electrolog: BEA1050
	ID	10mm	TRYSOME: TBRG6200		ID	12mm	TRYSOME: T010005306
	OD	30mm			OD	16mm	
	W	9mm	Electrolog: BEA6200		W	10mm	Electrolog: BEA6384NB
	ID	12mm	TRYSOME: TBRG63001		ID	12mm	TRYSOME: TBRG6201B
	OD	28mm			OD	32mm	
	W	12mm	Electrolog: BEA3001		W	10mm	Electrolog: BEA6201
	ID	12mm	TRYSOME: T108805302		ID	12mm	TRYSOME: TBRG62201B
	OD	32mm			OD	32mm	
	W	13mm	Electrolog: BEA4969		W	14mm	Electrolog: BEA2201
	ID	12mm	TRYSOME: TBRG6301		ID	15mm	TRYSOME: T100029040
	OD	37mm			OD	24mm	
	W	12mm	Electrolog: BEA6301		W	18.3mm	Electrolog: BEA9040
	ID	15mm	TRYSOME: TBRG6002		ID	15mm	TRYSOME: TBRG902
	OD	32mm			OD	35mm	
	W	9mm	Electrolog: BEA6002		W	11mm	Electrolog: BEA0113
	ID	15mm	TRYSOME: TBRG6202		ID	15mm	TRYSOME: T100005314
	OD	35mm			OD	35mm	
	W	11mm	Electrolog: BEA6202		W	13mm	Electrolog: BEA1569
	ID	15mm	TRYSOME: TBRG15-69		ID	15mm	TRYSOME: TBRG336
	OD	35mm			OD	46mm	
	W	13mm	Electrolog: BEA2790		W	14mm	Electrolog: BEA3360
	ID	15mm	TRYSOME: T100005309		ID	16.9mm	TRYSOME: TBRGAAK
	OD	47mm			OD	34.9mm	
	W	14mm	Electrolog: BEA1586		W	9.9mm	Electrolog: BEA6003DW
	ID	16mm	TRYSOME: T2000910015		ID	17mm	TRYSOME: T1000A2436
	OD	24mm			OD	22.2mm	
	W	19mm	Electrolog: BEA2217		W	25.5mm	Electrolog: BEA2436
	ID	17mm	TRYSOME: T021105301B, T1000A2431		ID	17mm	TRYSOME: T100018038
	OD	23.8mm			OD	24mm	
	W	31.5mm	Electrolog: BEA2431		W	17.5mm	Electrolog: BEA8038
	ID	17mm	TRYSOME: TBRG6903		ID	17mm	TRYSOME: TBRG6003
	OD	30mm			OD	35mm	
	W	7mm	Electrolog: BEA6903		W	10mm	Electrolog: BEA6003

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	ID	17mm	TRYSOME: TBRG6203-2RS		ID	17mm	TRYSOME: T106405301, TBRG6303
	OD	40mm			OD	47mm	
	W	12mm	Electrolog: BEA6203		W	14mm	Electrolog: BEA6303
	ID	17mm	TRYSOME: TBRG1799		ID	17mm	TRYSOME: T100005311
	OD	52mm			OD	52mm	
	W	17mm	Electrolog: BEA2268		W	18mm	Electrolog: BEA0102
	ID	17mm	TRYSOME: T62304-17, TBRG62301		ID	17mm	TRYSOME: TBRG6403
	OD	52mm			OD	62mm	
	W	21mm	Electrolog: BEA5005		W	17mm	Electrolog: BEA6403A
	ID	17mm	TRYSOME: TBRG17127		ID	18.6mm	TRYSOME: TBRG6004B-2RS
	OD	62mm			OD	42mm	
	W	20mm	Electrolog: BEA7127		W	12mm	Electrolog: BEA1004
	ID	20mm	TRYSOME: T022305326		ID	20mm	TRYSOME: TBRG6304
	OD	47mm			OD	52mm	
	W	14mm	Electrolog: BEA1144		W	15mm	Electrolog: BEA6304
	ID	20mm	TRYSOME: TBRG62304		ID	22mm	TRYSOME: TBRGHK2216
	OD	52mm			OD	28mm	
	W	21mm	Electrolog: BEA0100		W	16mm	Electrolog: BEA2216
	ID	22mm	TRYSOME: T100005301		ID	25mm	TRYSOME: TBRG6905
	OD	35mm			OD	42mm	
	W	19mm	Electrolog: BEA9043		W	9mm	Electrolog: BEA6905
	ID	25mm	TRYSOME: TBRG6005		ID	25mm	TRYSOME: TBRG6205
	OD	47mm			OD	52mm	
	W	12mm	Electrolog: BEA6005		W	15mm	Electrolog: BEA6205
	ID	25mm	TRYSOME: T022305324		ID	25mm	TRYSOME: T025005301
	OD	62mm			OD	62mm	
	W	17mm	Electrolog: BEA6305		W	25.4mm	Electrolog: BEA5305
	ID	25mm	TRYSOME: TBRG-NU305		ID	28.1mm	TRYSOME: T100405302
	OD	62mm			OD	35.2mm	
	W	17mm	Electrolog: BEA4012		W	14.6mm	Electrolog: BEA1155
	ID	28mm	TRYSOME: TBRG62/28		ID	30.6mm	TRYSOME: TBRG3012
	OD	58mm			OD	37mm	
	W	16mm	Electrolog: BEA5381		W	12mm	Electrolog: BEA3012
	ID	30mm	TRYSOME: TBRG6306		ID	30mm	TRYSOME: T100005306, TBRG62306
	OD	72mm			OD	72mm	
	W	19mm	Electrolog: BEA6306C3		W	27mm	Electrolog: BEA62306

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Starter & Alternator Bearings

	ID	34mm	TRYSOME: T100020664		ID	35mm	TRYSOME: TBRG6007
	OD	48mm			OD	62mm	
	W	15mm	Electrolog: BEA0664		W	14mm	Electrolog: BEA6007
	ID	35mm	TRYSOME: TBRG6307		ID	45mm	TRYSOME: TBRG16009
	OD	80mm			OD	75mm	
	W	21mm	Electrolog: BEA6307		W	10mm	Electrolog: BEA6009
	ID	8mm	TRYSOME: TBRG608		ID	8mm	TRYSOME: TB885
	OD	22mm			OD	23mm	
	W	7mm	Electrolog: BEA06082RS		W	14mm	Electrolog: BEA1885



Energy efficient deep groove ball bearings are optimised for the job.

Optimised to increase service life and reduce energy use!

SKF ball bearings come in a wide variety of types, designs, series, sizes, variants and materials. Depending on the bearing design, SKF ball bearings are available in four performance classes.



For automotive, heavy truck, and agricultural bearings includes ball, cylindrical, needle, tapered, special bearings and hub assemblies.

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Starters & Components

Starter | 'stɑ:ter |


Noun

- A Starter (also starting motor, or starter motor) is an electric motor that rotates an internal combustion engine to cause the engine to begin powering itself.
- A starter is an electric motor needed to turn over the engine to start it.

Component | kəm'pəʊnənt |

Noun

- A part or element of a larger whole, especially a part of a machine or vehicle.



Starters & Components Table of Contents

Complete Starters

Manufacturer/System	Page No.
Bosch	106-127
Chinese Manufacturer	128
Daewoo	128
Delco	128-136
Ford	137
Hitachi	137-142
Iskra	142-145
Lucas	145-149
Magneti-Marelli	149-150
Mando	150
Mitsuba	151
Mitsubishi	151-161
Nikko	161-163
Nippon Denso	163-175
Prestolite	175-176
Sawafuji	176-177
Valeo	177-181

Starter Components

Armatures

Manufacturer/System	Page No.
Bosch	182-184
Delco	184-187
Hitachi	187
Iskra	187
Lucas	187-188
Lucas (TVS)	188
Mitsubishi	188-189
Nikko	189-190
Nippon Denso	190
Prestolite	190
Sawafuji	191
Valeo	191

Bendix Drives

Manufacturer/System	Page No.
Bosch	192-200
Butec	200
CAV	200
Delco	201-203
Hitachi	203-205
Iskra	205-206
Lucas	206-208
Magneti-Marelli	208-209
Mitsubishi	209-211
Nikko	211-213
Nippon Denso	213-214
Sawafuji	214
Valeo	214-215

Brackets

Manufacturer/System	Page No.
Bosch - Bracket CE	216
Delco - Bracket CE	216
Lucas - Bracket CE	216
Nikko - Bracket CE	216
Bosch - Bracket CE, Brush Holder	217
Bosch - Bracket DE	217-218
Delco - Bracket DE	218-219
Nikko - Bracket DE	219-220
Nippon Denso - Bracket DE	220
Prestolite - Bracket DE	220
Delco - Bracket Intermediate	220
Nikko - Bracket Intermediate	220
Sawafuji - Bracket Intermediate	220

Brush Holders

Manufacturer/System	Page No.
Bosch	221-222
Delco	222-223
Hitachi	223
Iskra	223
Lucas	223
Magneti-Marelli	224
Mitsubishi	224
Nikko	224-225
Nippon Denso	225
Sawafuji	225-226

Field Coils

Manufacturer/System	Page No.
Bosch	227-228
Delco	228-229
Lucas	229-230
Magneti-Marelli	230
Mitsubishi	230
Nikko	230-231
Nippon Denso	231
Prestolite	231
Sawafuji	231

Miscellaneous Parts





Manufacturer/Systems	Page No.
Bosch - Bolt	232
Delco - Bolt	232
Bosch - Clutch, Cover/Cap	232
Bosch - Fork	232-233
Delco - Fork	233
Lucas - Fork	233
Nikko - Fork	233
Sawafuji - Fork	233
Hitachi - Gear	234
Bosch - Plunger	234
Delco - Plunger	234
Mitsubishi - Plunger	234
Nippon Denso - Plunger	235
Bosch - Sleeve	235
Lucas - Through Bolt	235

Starter Solenoids

Manufacturer/System	Page No.
Bosch	236-239
Butec	239
Delco	239-241
Ford	241
Hitachi	241-242
Iskra	242
Lucas	242-243
Lucas (TVS) - India	244
Magneti-Marelli	244
Mitsubishi	244-245
Nikko	245
Nippon Denso	246
Sawafuji	246-247
Valeo	247







Types of Starters

There are many different types of starters but most fall into one of the following categories:






<ul style="list-style-type: none"> • DD Direct Drive 	
<ul style="list-style-type: none"> • PLGR Planetary Gear 	
<ul style="list-style-type: none"> • PMGR Permanent Magnet - Gear Reduction 	
<ul style="list-style-type: none"> • PMDD Permanent Magnet - Direct Drive 	
<ul style="list-style-type: none"> • OSGR Off-Set Gear Reduction 	

Note: The components differ for each starter type.
 Refer to Electrolog - Getting to know Starters and Alternators

Complete Starters

Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	8	74mm	1.1KW	9.2mm	CW	TRY SOME:	T010819601
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1237 Replacing: 6004AA0003, 04793493, 4793493
	Vehicle Apps: - ENGINE: 122 . CHRYSLER NEON 1.8L/2.0L							
	12V	9	62mm	0.9KW	-5.5mm	CW	TRY SOME:	T018903610
	Desc/Notes: DM. PMDD (PERMANENT MAGNET - DIRECT DRIVE).							Electrolog: STR1239 Replacing: 0001112007, 0001112019, 0001112029, 0001112041
	Vehicle Apps: - ENGINE: C1A, C1B, H1A, H1B, H3A, K2D, K3A, K5A, K6B, K6C, K6D . CITROEN AX, BERLINGO, C2, C3, XSARA 1.6L. PEUGEOT 106, 205, 206, 207, 306, 307 1.4i/1.6i. PARTNER. TATA INDICA							
	12V	9	67.7mm	1.1KW	17.9mm	CW	TRY SOME:	T0104036142
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1293 Replacing: 0001107077, 0001107098
	Vehicle Apps: OPEL ASTRA 1.8i 16V, VECTRA 1.8i 16V, ZAFIRA 1.8i 16V							
	12V	9	68mm	0.9KW	19mm	CW	TRY SOME:	T018703601R
	Desc/Notes: DM. PMDD (PERMANENT MAGNET - DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID							Electrolog: STR1087 Replacing: 0001112035, 93599000, 90508036, F000AL0304, 93288991
	Vehicle Apps: - ENGINE: 13NE, C14SE . OPEL ASTRA 140i/160i, CORSA 1.3L/130i/130i UTILITY/140i							
	12V	9	69.8mm	1.1KW	27mm	CW	TRY SOME:	T010419610
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1280 Replacing: 0001107406, 0051513901
	Vehicle Apps: MERCEDES-BENZ C180 KOMPRESSOR, C200 KOMPRESSOR, C230 KOMPRESSOR, E200 KOMPRESSOR							
	12V	9	72mm	1.4KW	46mm	CCW	TRY SOME:	T0104036144
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID							Electrolog: STR1118 Replacing: 9000694021
	Vehicle Apps: - ENGINE: KF, KL . FORD TELSTAR 2.0L GLi V6 24V/2.5L V6 TX5. MAZDA 626 2.0i V6 24V/2.5i V6 24V, MX6 2.5L/2.5L V6							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T018903606B Electrolog: STR1126 Replacing: 0001107030, 2810002040, 2810016180
	12V	9	73.8mm	1.1KW	9mm	CW	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 4AFE , 7AFE . TOYOTA COROLLA 160i/180i						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010419603, T012303665 Electrolog: STR1166 Replacing: 0001110120, 0001109040
	12V	9	73mm	1.7KW;1.8	38.4mm	CW	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: LAND ROVER 3.5L V8, 3.9L V8, 4.0L V8, 4.5L V8						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036174B Electrolog: STR1351 Replacing: F004A94007, 281000C040
	12V	9	73.7mm	1.4KW	20.5mm	CW	
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 1TRFE , 2TRFE . TOYOTA FORTUNER 2.7i, HILUX 2.0L VVTi/2.0i/2.7L VVTi/2.7i						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036159 Electrolog: STR1353 Replacing: F004A94012
	12V	9	73.6mm		19.9mm	CW	
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 1RZ , 2RZ , 3RZ . TOYOTA QUANTUM 2.7i						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010419617 Electrolog: STR1355 Replacing: F004A94434
	12V	9	73.6mm		15.3mm	CW	
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 1ZZFE , 2ZZGE , 3ZZFE , 4ZZFE . TOYOTA COROLLA 1.4i/1.6i/1.8i, RUNX 1.4i/1.6i/1.8i						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T018903602B Electrolog: STR1085 Replacing: 9000694007
	12V	9	74.8mm	1.1KW	32mm	CW	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: B16A6 , D15B3 , D15B7 , D15ZA , D16A6 , D16A7 , D16A9 , D16Y9 . HONDA BALLADE 130/150i/160i, CRX 160i						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	74mm	1.1KW	14mm	CW	TRY SOME:	T0104036128B, TT9200
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). ONE SMALL AND ONE LARGER EYE TERMINAL FOR SOLENOID							Electrolog: STR1102 Replacing: 9000694022, 95NX11000AA
	Vehicle Apps: - ENGINE: FS . FORD 2000, BANTAM, COURIER, LASER, TELSTAR 2.0L. MAZDA 323, 626 2.0L, B2000							
	12V	9	74mm	1.4KW	21mm	CW	TRY SOME:	T0104036139B
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1213 Replacing: 0001108181, 18508662
	Vehicle Apps: LOMBARDINI - INDUSTRIAL . PERKINS - INDUSTRIAL							
	12V	9	74mm	2.0KW	20.5mm	CW	TRY SOME:	T010403694
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1218 Replacing: 0001109035, 1850866
	Vehicle Apps: BOBCAT - EARTHMOVING . CATERPILLAR - EARTHMOVING . JCB - EARTHMOVING . PERKINS - AGRICULTURAL , - INDUSTRIAL							
	12V	9	74mm	1.1KW	19mm	CW	TRY SOME:	T0104036169
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1292 Replacing: 9000694017, R000694017
	Vehicle Apps: - ENGINE: 2Y , 4Y . TOYOTA CONDOR 1.8L, HIACE 2 2 L/2.2L VAN, HILUX 1.8L/2.0L/2.2L, STALLION 1.8L, VENTURE 1.8L/2.0L/2.2L							
	12V	9	75.8mm	0.9KW	34.5mm	CCW	TRY SOME:	T018703605R
	Desc/Notes: DM. PMDD (PERMANENT MAGNET - DIRECT DRIVE). ONE VERY SMALL AND ONE MEDIUM PUSH ON TERMINAL FOR SOLENOID							Electrolog: STR1018 Replacing: 9000695006, 0001114006, 0001114005, 1HS911023B, 1HS911023A
	Vehicle Apps: - ENGINE: AFV , AFW , AFX , AGY , AJD . VOLKSWAGEN FOX 1.3L/1.6L/1.8L, GOLF 1 1.3L/1.6L/1.8L/II 1.8L/III 2.0L/III 1.6L/III 1.8L/III 2.0L, JETTA, POLO 1.4L/1.6L/1.8L/PLAYA							
	12V	9	75.9mm		31.3mm	CCW	TRY SOME:	T010019637
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1326 Replacing: F004A94403, R004A94403
	Vehicle Apps: VOLKSWAGEN GOLF 1 1.8L/II 1.8L/III 2.0L/III 1.8L/III 2.0L, JETTA 1 1.8L/II 1.8L/II 2.0L							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T018903603B Electrolog: STR1005 Replacing: 0001108065, 0001108115, 0001108054
	12V	9	76mm	1.4KW	22mm	CW	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). ONE PUSH ON TERMINAL AND ONE EYE TERMINAL FOR SOLENOID Vehicle Apps: - ENGINE: 184E2 , 184S1 , 194E1 , 194S1 , 206S1/2 , 256S3 , 286S1 , 286S2 . BMW 316i, 318i, 318is, 320i, 323i, 325i, 328i, 518i, 520i, 523i, 525i, 528i, M3 3.2L, Z3							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010019619 Electrolog: STR1015 Replacing: 9000692068, 9000692067
	12V	9	76mm	0.8KW	30mm	CW	
Desc/Notes: EF. DD (DIRECT DRIVE). TWO EYE TERMINALS FOR SOLENOID Vehicle Apps: - ENGINE: M20 . BMW 320, 320i, 325i, 520, 520i, 525e, 525i							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T018903605B Electrolog: STR1017 Replacing: 9000692070, BCA911023A
	12V	9	76.5mm	0.85KW	33mm	CCW	
Desc/Notes: EF. DD (DIRECT DRIVE). ONE VERY SMALL AND ONE MEDIUM PUSH ON TERMINAL FOR SOLENOID Vehicle Apps: VOLKSWAGEN GOLF 1.8L Cti/1.8L GTi/1.8L GTi 16V, JETTA 1.8L Cli/1.8L Cli 16V							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012515003 Electrolog: STR1022 Replacing: 9000692009, R000692009
	12V	9	76.9mm	0.85KW	19mm	CW	
Desc/Notes: EF. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 4G12 , 4G32 , 4G54 , 4G62 , 4G63 . FORD HUSKY 1.8L/2.0L, MAZDA 323 1.6L, MITSUBISHI COLT GALANT 1.6 L/GALANT 2.0L, L300, STARWAGON, TREDIA 1.4L/1.6L							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036156 Electrolog: STR1072 Replacing: 0001110041
	12V	9	76.5mm	1.7KW	29mm	CW	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). 2 x EYE TERMINALS FOR SOLENOID Vehicle Apps: BMW 530i, 535i, 730i, 735i							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036123B Electrolog: STR1104 Replacing: 0001121006, 020911023F
	12V	9	76mm	1.1KW	32mm	CCW	
Desc/Notes: DB. PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: AEH , AKL . AUDI A3 1.6L/1.8L, VOLKSWAGEN BEETLE 2.0L, GOLF IV 1.4L/IV 1.6L/IV 2.0L, POLO CLASSIC							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	76mm	1.4KW	27.5mm	CW	TRY SOME: T010003692	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). TWO PUSH ON TERMINALS FOR SOLENOID							
	Vehicle Apps: - ENGINE: AAH , ABC , ACK . AUDI 500, A4 2.4L/2.6L/2.8L, A6 2.6L/2.8L, A8 2.8L, S2 2.6L/2.8L. VOLKSWAGEN PASSAT 2.8L V6							
							Electrolog: STR1144	
							Replacing: 0001108114, 0001108113, 078911023	
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	76mm	1.4KW	22mm	CW	TRY SOME: T018703604R	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). TWO EYE TERMINALS FOR SOLENOID; THIS STARTER HAS THICK MOUNTING EARS AND THE MOUNTING HOLES ARE BOTH THREADED							
	Vehicle Apps: - ENGINE: 184E2 , 184S1 , 194E1 , 194S1 , 206S1/2 , 256S3 , 286S1 , 286S2 . BMW 316i, 318i, 320i, 323i, 325i, 328i, 330i, 518i, 520i, 528i TOURING, 530i, 728i, M3 3.2L, Z3							
							Electrolog: STR1145	
							Replacing: 0001108157, 143869601	
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	76mm	1.8kW	33.5mm	CCW	TRY SOME: T0110419606	
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). LONG PERMANENT MAGNET/YOKE HOUSING (135MM)							
	Vehicle Apps: SEAT - PASSENGER . VOLKSWAGEN GOLF III 1.9L/III 2.8 i VR6, PASSAT 1.9L TD/1.9L TDI/2.8L VR6, VENTO 1.9L SDI/1.9L TD/1.9L TDI/2.8L							
							Electrolog: STR1186	
							Replacing: 0001110076	
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	76mm	1.4KW	0mm	CW	TRY SOME: T0104036158B	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: B52 . VOLVO C70 2.0L/2.3L/2.5L, S70 2.0L/2.3L/2.5L, S70R 2.3L, V70							
							Electrolog: STR1258	
							Replacing: 0001108166, 7700103386	
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	76mm	2.0KW	22mm	CW	TRY SOME: T0104036163B	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							
	Vehicle Apps: BMW 318d, 320d, 325d, 330d, 520d, 525d, 530d, 730d, X3 3.0d, X5 3.0d. OPEL OMEGA 2 5L TD							
							Electrolog: STR1340	
							Replacing: 0001109025, 12412246570, 12412242703, 12412446570	
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	76.1mm	1.7KW	22mm	CW	TRY SOME: T010019660	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							
	Vehicle Apps: BMW 530i, 540i, 730i, 740i, X5 4.4i/4.6iS							
							Electrolog: STR1357	
							Replacing: 0001110072, 0986016920, 12411729981, 12411736921	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.


Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	76.3mm	1.2KW	25mm	CW	TRY SOME: T010419612	
	Desc/Notes: R70-M20. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							
	Vehicle Apps: BMW 116i, 118i, 120i, 316i, 318i, 320Si, 320i, X3 2.0i, Z4 2.0i							
								Electrolog: STR1373 Replacing: 0001107426
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	77mm	1.4KW	18mm	CW	TRY SOME: T0104036126, T012503604	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID - CAN BE USED TO REPLACE 8T HYUNDAI ELANTRA STARTER							
	Vehicle Apps: - ENGINE: 4G63 . HYUNDAI SONATA 2.0L. MAZDA 626, B1600, B2600. MITSUBISHI COLT 2.0L/2.4L/2.6L							
								Electrolog: STR1107 Replacing: F004A94009, 9000694010, BW920253, BW920009
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	81.5mm	2.3KW	28mm	CW	TRY SOME: T018903610BR	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 8140 . FIAT E . FIAT C E . IVECO DAILY 2.3L/2.8L/35/40/45/50/65							
								Electrolog: STR1209 Replacing: 0001223003
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	81.4mm	2.3KW	24mm	CW	TRY SOME: T010019613	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 814043 . FIAT E . CITROEN JUMPER 2.8L HDi. FIAT DUCATO 2.3L JTD/2.8L JTD/2.8L TD. PEUGEOT BOXER 2.8L HDi							
								Electrolog: STR1247 Replacing: 0001223013
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	81mm	2.2KW	24mm	CW	TRY SOME: T010019650	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 8140 . CITROEN JUMPER 2.8L DIESEL/2.8L TD. FIAT DUCATO 2.5L DIESEL. PEUGEOT BOXER 2.5L DIESEL/2.8L DIESEL							
								Electrolog: STR1319 Replacing: 0001218159
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	82mm	0.95KW	20mm	CW	TRY SOME: T010403688	
	Desc/Notes: EB. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: VOLKSWAGEN GOLF 1 1.8L/II 1 8L/III 1.8L, JETTA 1 1.6L							
								Electrolog: STR1000 Replacing: 0001212401, 0001212400, 027911023

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T018903616 Electrolog: STR1036 Replacing: 9000692036
	12V	9	82mm	0.8KW	16mm	CW	
Desc/Notes: EF. DD (DIRECT DRIVE). ONE VERY SMALL AND ONE MEDIUM PUSH ON TERMINAL FOR SOLENOID Vehicle Apps: AUDI 100, 80. VOLKSWAGEN PASSAT 1.3L/1.5L/1.6L							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T014003601B Electrolog: STR1124 Replacing: 9000695002
	12V	9	82mm	1.0KW	40mm	CCW	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: VOLKSWAGEN JETTA 1.8L, KOMBI 1.8L, MICROBUS 1.8L VOLKSIEBUS							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T018803605R Electrolog: STR1130 Replacing: 0001107045, F005M00024, 90512189, 90518627, 92066449
	12V	9	82mm	1.1KW	19mm	CW	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 18SE, 20SEL, C18XEL, X18XE, X20XEV. DAEWOO NUBIRA 1.4L/1.8L/2.0L. ISUZU KB200 PETROL, KB230 PETROL. OPEL ASTRA 180i, CALIBRA 2.0i							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T010415004 Electrolog: STR1135 Replacing: 0001108079, 0001107015, 99336462
	12V	9	82mm	1.4KW	20mm	CW	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 18SE, 20SE, 20XE, 22NE. OPEL ASTRA 1.8L/2.0L, CALIBRA 2.0L, KADETT 1.8L/2.0L, MONZA 1.8L/2.0L, REKORD 2.0L/2.2L/200i							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T018703603 Electrolog: STR1140 Replacing: 0001107037, 0001107072, 0001107096, R001107096
	12V	9	82mm	1.1KW	26mm	CW	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: M102, M111, M161. MERCEDES-BENZ C180, C220, C230, E200, E220, E230, ML230, SPRINTER 2.3L. SSANGYONG KORANDO 2.3L, MUSSO 2.3L							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T0104036122B, T015515001 Electrolog: STR1178 Replacing: 0001110128, 0001110136, 068911024G, 0001110129
	12V	9	82.5mm	1.8KW	17.5mm	CW	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: AUDI A4 3.0L, A6 1.9L TDI. LINDE - FORKLIFTS. VOLKSWAGEN PASSAT 1.9L							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010403623, T010403696 Electrolog: STR1206 Replacing: 0001223016, 1181751
	12V	9	82mm	2.3KW	22mm	CW	
	Desc/Notes: EV. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: B2L, B2M, BF3L, BF3M, BF4L, BF4M, D2011, F2L, F2M, F3L, F3M, F4L, F4M, TD2011, BOMAG - INDUSTRIAL. DEUTZ - INDUSTRIAL, - TRUCK/BUS. HAMM - INDUSTRIAL. JCB - FORKLIFTS, - INDUSTRIAL. KHD - INDUSTRIAL, - TRUCK/BUS. VOLVO - EARTHMOVING						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036101 Electrolog: STR1246 Replacing: F004A94008, 281000L080, 281000L081
	12V	9	82mm	2.0KW	18mm	CW	
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). CANNOT BE USED TO REPLACE NIPPON DENSO TYPE THAT HAS NO NOSE. Vehicle Apps: - ENGINE: 1KD, 2KD. TOYOTA FORTUNER 3.0L DIESEL, HIACE 2.5L DIESEL, HILUX 2.5L D4D/3.0L D4D, LAND CRUISER						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010419619 Electrolog: STR1341 Replacing: 0001107427, 0001107428, 0986021210, 06B911023A
	12V	9	82.7mm	1.2KW	15.8mm	CW	
	Desc/Notes: R70-M10. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: AUDI A4 1.6L/1.8L T/2.0L/2.0L FSI/2.0L T FSI, A6 1.8L VOLKSWAGEN PASSAT 1.6L/1.8L/2.0L						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010419604R Electrolog: STR1342 Replacing: 0001109300, 5820AQ, 1347058080
	12V	9	82mm	2.5KW	2.3mm	CW	
	Desc/Notes: R78M55. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 8140, F1AE. CITROEN JUMPER 2.8L HDI. FIAT DUCATO 2.3L JTD/2.8L JTD. PEUGEOT BOXER 2.8L HDI						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010019643 Electrolog: STR1381 Replacing: 0001362021, 0001354067
	12V	9	82.3mm	2.7KW	20mm	CW	
	Desc/Notes: JF. DD (DIRECT DRIVE). Vehicle Apps: AGRIFULL 235, 345						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T017919606B Electrolog: STR1513 Replacing: 0001109043, 50353511
	12V	9	82.4mm	1.6KW	41.4mm	CW	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 1D20, 1D30, 1D40. BOMAG - AGRICULTURAL. HATZ - AGRICULTURAL						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters







Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
		12V	9	89mm	3.7KW	28mm	CW	T0110419607
Desc/Notes: ID. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID								
Vehicle Apps: BELL - EARTHMOVING . DEUTZ - INDUSTRIAL , - TRUCK/BUS								Electrolog: STR1152
								Replacing: 0001365004
		12V	9	96.5mm	1.0KW	14.5mm	CW	T0104036119B
Desc/Notes: GF. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID								
Vehicle Apps: FORD CAPRI, GRANADA 3.0L TURNIER, V6 3.0L ESSEX. MAZDA V6 3.0L								Electrolog: STR1026
								Replacing: 0001311047, 73GB11000AA, 73GX11000AA
		12V	9	99mm		19mm	CW	T010419635, T0198019601
Desc/Notes: R78-M10. PMGR (PERMANENT MAGNET - GEAR REDUCTION).								
Vehicle Apps: TATA XENON 3.0L DIESEL								Electrolog: STR1429
								Replacing: F002G20550
		12V	9	109.5mm	3.5KW	26mm	CW	T015115002
Desc/Notes: JD. DD (DIRECT DRIVE).								
Vehicle Apps: FIAT - AGRICULTURAL . IVECO - TRUCK/BUS								Electrolog: STR1269
								Replacing: 0001359102, 4703751, 4169096
		12V	9	110mm	2.2KW	28mm	CW	T0104036112B, T010403625R
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION).								
Vehicle Apps: - ENGINE: 8140 , 8149 . IVECO DAILY 2.4L/2.5L/2.8L								Electrolog: STR1143
								Replacing: 0001218174, 99451753
		12V	10	59.8mm	1.7KW	26mm	CW	T0104036167B
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).								
Vehicle Apps: MERCEDES-BENZ C43 AMG, CL600, CL65, CLK430, CLK500, SL55, SL65, SLK55 AMG. STEYR - LDV/VAN/MPV/4X4/PICK-UP								Electrolog: STR1310
								Replacing: 0001115005, 1121510001

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.



Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T015519601 Electrolog: STR1680 Replacing: 0001362029, 0001362030
	12V	9	82.4mm	2.0KW	20.7mm	CW	
Desc/Notes: JF. DD (DIRECT DRIVE). Vehicle Apps: - ENGINE: OM615 , OM616 , OM617 . MERCEDES-BENZ 200D, 220D, 240D, 300D, UNIMOG							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012819622 Electrolog: STR1192 Replacing: 0001367039, 12270774, 0031511401
	12V	9	88.8mm	3.0KW	49mm	CW	
Desc/Notes: IF. DD (DIRECT DRIVE). Vehicle Apps: ADE - TRUCK/BUS . DEUTZ - TRUCK/BUS . KHD - INDUSTRIAL . MERCEDES-BENZ 5.7L TRUCK/AGRICULTURAL, UNIMOG. SAMIL 50							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010403612, T010403612B, T018803604 Electrolog: STR1020 Replacing: 0001362305, 081382305
	12V	9	89mm	2.7KW	28mm	CW	
Desc/Notes: IF. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: BF4L , BF6L , F3L , F4L , F5L , F6L . ADE - TRUCK/BUS . DEUTZ - TRUCK/BUS . INTERNATIONAL HARVESTER - AGRICULTURAL . IVECO - TRUCK/BUS . MASSEY FERGUSON - AGRICULTURAL . MERCEDES-BENZ - TRUCK/BUS							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036102 Electrolog: STR1060 Replacing: 0001401049, BNG412V, 0001401011, 081490034
	12V	9	89mm	3.0KW	48mm	CW	
Desc/Notes: KG:BNG. DD (DIRECT DRIVE). Vehicle Apps: - ENGINE: MB852 , MB853 , MB862 , MB863 , OM352 , OM353 . DEUTZ - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010403668 Electrolog: STR1068 Replacing: 0001367059, 0001367034, 0001367303, 081387034
	12V	9	89mm	3.0KW	48mm	CW	
Desc/Notes: JF. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 352 , ADE , OM314 , OM352 , OM366 . ADE - TRUCK/BUS . HINO - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS . TOYOTA - TRUCK/BUS							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010003652BR, T010415008B Electrolog: STR1110 Replacing: 0001230006, 1180928
	12V	9	89mm	3.0KW	27mm	CW	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: BF3L , BF4L , BF4M , BF6L , BF6M , D914 , F5L , TCD914 . ADE - TRUCK/BUS . BELL - EARTHMOVING , B20B. DEUTZ - INDUSTRIAL							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters




Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	10	60mm	1.7KW	28mm	CW	TRY SOME:	T0104036151
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH-ON AND EYE TERMINAL CONNECTION FOR SOLENOID							Electrolog: STR1182 Replacing: 0001115006, 0051510101
	Vehicle Apps: MERCEDES-BENZ C240, C280, C320, CLK320, CLK430, E280, E320, SLK320							
	12V	10	65.7mm	1.4KW	-4mm	CW	TRY SOME:	T010019658
	Desc/Notes: R70L25. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1242 Replacing: 0001108400, 96253825, 1342792080
	Vehicle Apps: CITROEN BERLINGO 1.9L DIESEL/2.0L HDi, JUMPY 1.9L DIESEL, XSARA 2.0L HDi. PEUGEOT 206 1.9L DIESEL, 306 1.9L DIESEL, EXPERT 1.9L DIESEL, PARTNER 1.9L DIESEL. SUZUKI GRAND VITARA 2.0L TD							
	12V	10	75.8mm	1.1KW	63.7mm	CCW	TRY SOME:	T010419623
	Desc/Notes: RF70-M25 12V. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1245 Replacing: 0001121402, 02M911023G
	Vehicle Apps: AUDI A3 1.6L/2.0L, S3 2.0L. VOLKSWAGEN GOLF V 1.6 LV 2.0L, JETTA 1.6L/2.0L, PASSAT 1.6L/2.0L, TOURAN 1.6L/2.0L							
	12V	10	75.9mm	2.0KW	29.4mm	CW	TRY SOME:	T010019621
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1249 Replacing: 0001109021, 059911023H
	Vehicle Apps: AUDI A4 2.5L TDi, A6 2.5L TDi, A8 2.5L TDi. VOLKSWAGEN PASSAT 2.5L TDi							
	12V	10	75.8mm	1.1KW	53.7mm	CCW	TRY SOME:	T010419608R
	Desc/Notes: RF70-M25 12V. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1366 Replacing: 0001121408, 0001121409, 02Z911023E, 02Z911023G
	Vehicle Apps: - ENGINE: BHY, BJX, CLNA. AUDI A3 1.8L TFSI/2.0L TFSI. VOLKSWAGEN GOLF V 2.0L FSI, POLO 1.6L TDI/1.8i, TOURAN 1.4 L TSI/2.0L FSI, TRANSPORTER T5 2.0L							
	12V	10	76mm	1.1KW	15mm	CW	TRY SOME:	T010419606, T010419615
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID							Electrolog: STR1090 Replacing: 0001107016, 93BB11000CB, 93BB11000CA
	Vehicle Apps: - ENGINE: CHV, PTE, ZETEC. FORD ESCORT 1.4L/1.6L/1.8L, MONDEO 1.6L/1.8L/2.0L							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010003685B Electrolog: STR1099 Replacing: 0001125012, 0001125013, 02A911023R, 0001125042
	12V	10	76mm	2.0KW	52mm	CCW	
	Desc/Notes: DB. PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: AUDI A3 1.9L TDi, VOLKSWAGEN BEETLE 1.9L TDi, GOLF III/IV 1.9L TDi, JETTA 1.9L TDi, PASSAT 1.9L TDi, POLO 1.9L TDi						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036137B Electrolog: STR1137 Replacing: 0001110086, 0001110087, 024911023H
	12V	10	76mm	1.7KW	55mm	CCW	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: VOLKSWAGEN GOLF III 2.8i VR6, JETTA 2.8L VR6, PASSAT 2.8L VR6, SHARAN 2.8L VR6						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010419602 Electrolog: STR1233 Replacing: 0001120406, 0001120407, 02T911023R
	12V	10	76mm	1.0KW	52.8mm	CCW	
	Desc/Notes: RF70-S25 12V. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: AUDI A3 1.6L. VOLKSWAGEN GOLF V 1.4L/V 1.6L/V 1.4 L, JETTA 1.6L FSi, POLO 1.4L/1.6L						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T018903608B Electrolog: STR1254 Replacing: 0001125018, 0001125019, 0001125048, 02M911023A
	12V	10	76mm	2.0KW	65mm	CCW	
	Desc/Notes: DB. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: AUDI S3 1.8L/1.8L QUATTRO. VOLKSWAGEN GOLF IV 1.8L/IV 1.9L TDi/IV 2.3L/IV 2.8L/IV 3.2L, SHARAN 1.9L TDi						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036116 Electrolog: STR1275 Replacing: 0001107410, 2S6U11000DA, 4S6911000AA, 0001107418, F004A94418
	12V	10	76mm	1.1KW	14mm	CW	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). FOR FORD ROTARY CAM VEHICLES (ROCAM) Vehicle Apps: - ENGINE: ROCAM . FORD BANTAM, FIESTA 1.3L, IKON, KA 1.3L/1.6L						
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T018903620, T018903620B Electrolog: STR1290 Replacing: F004A94001, 3M3411000BB
	12V	10	76mm	1.4KW	18mm	CCW	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: KOELN . FORD RANGER 4.0L V6						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	10	76mm	1.7KW	62.2mm	CCW	TRY SOME: T0104036130B	
	Desc/Notes: RF74-E25. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1307 Replacing: 0001123014, 0001123015
	12V	10	76mm	1.7KW	55mm	CCW	TRY SOME: T010003689B	
	Desc/Notes: RF74-E25. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1329 Replacing: 0001123012, 0001123013, 02Z911023F, 02Z911023FX
	12V	10	76mm	1.1KW	4mm	CW	TRY SOME: T0104036121	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR1384 Replacing: F004A94000, 3M3411000AB
	12V	10	82mm	3.1KW	36mm	CW	TRY SOME: T0104036105	
	Desc/Notes: JF. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID							Electrolog: STR1053 Replacing: 0001369001
	12V	10	82mm	1.5KW	41mm	CW	TRY SOME: T0104036144B	
	Desc/Notes: GF. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID - 10T "BIG"							Electrolog: STR1150 Replacing: 0001314047
	12V	10	82mm	2.0KW	26mm	CW	TRY SOME: T0104036107, T010403698	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). TWO PUSH ON TERMINALS FOR SOLENOID - BOTH MOUNTING HOLES THREADED							Electrolog: STR1295 Replacing: 0001109014, 0001109036, 0041519201
Vehicle Apps: - ENGINE: M104 . MERCEDES-BENZ 280E, 300SEL, 320E, C280, E280, E320, S280, SL280, SL320, SPRINTER 2.9L DIESEL								

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010003658, T010403695 Electrolog: STR1354 Replacing: 0001109250, 0051516601
	12V	10	82mm	2.2KW	26.5mm	CW	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: OM611 , OM612 , OM613 , OM646 , OM647 , OM648 . MERCEDES-BENZ C200CDi, C220CDi, C270CDi, E220CDi, E270CDi, E280CDi, E320CDi, ML270CDi, SPRINTER 2.1L/2.2L/2.3L/2.9L							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036149B Electrolog: STR1367 Replacing: 0001109018, 0001110025, 0001110092, 0001110102, 0001110124
	12V	10	82mm	1.8KW	23.4mm	CW	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: FIAT PALIO 1.7L TD/1.7L TDS, PUNTO 1.7L TD, SIENA 1.7L TD, STRADA 1.7L TD, UNO 1.7D							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036132B, T0110419603 Electrolog: STR1164 Replacing: 0001369023, 82005342, 82013922
	12V	10	92mm	3.1KW	21mm	CW	
Desc/Notes: IF. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: FORD - AGRICULTURAL , 5000, 6600							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036161 Electrolog: STR1105 Replacing: 0001211246, 44703770
	12V	11	64mm	0.8KW	10mm	CW	
Desc/Notes: EF. DD (DIRECT DRIVE). ONE PUSH ONE TERMINAL AND ONE EYE TERMINAL FOR SOLENOID Vehicle Apps: - ENGINE: 146A , 146C . FIAT UNO 1.4L TURBO/1400/BEAT/PACER/TEMPO/TURBO							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036165B Electrolog: STR1188 Replacing: 9001107088, 281000D110, 0001107088, 281000D030
	12V	11	73.9mm	1.1KW	16.8mm	CW	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 1ZZFE , 3ZZFE , 4ZZFE . TOYOTA AVENSIS 1.6i 16V/1.8i 16V, COROLLA 1.4L 16V/1.6L 16V, RUNX							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010019627 Electrolog: STR1430 Replacing: 0001108236, 93175890
	12V	11	75mm	1.4kW	28mm	CW	
Desc/Notes: R74L45. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: Z22SE . OPEL ASTRA 2 2L 16V, VECTRA 2.2i 16V, ZAFIRA 2.2i 16V							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	11	81.4mm			16.3mm	CW	TO12503601
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).								
Vehicle Apps: - ENGINE: WL-T . FORD RANGER 2.5L TD 4X4. MAZDA DRIFTER 2.5L TD								Electrolog: STR1241 Replacing: F004A94002, 4M3411000CA, R004A94002
	12V	11	82mm	2.2KW		23mm	CW	TO10403693
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID								
Vehicle Apps: - ENGINE: BF4L , F2L , F3L , F4L . DEUTZ - EARTHMOVING , - INDUSTRIAL . KHD - EARTHMOVING , - INDUSTRIAL . MANITOU AS90								Electrolog: STR1162 Replacing: 0001218172, 1180180, 069911023F
	12V	11	82mm	2.3KW		23.5mm	CW	TO104036141
Desc/Notes: EV. PMGR (PERMANENT MAGNET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID								
Vehicle Apps: - ENGINE: BF4L , F2L , F3L , F4L . DEUTZ - INDUSTRIAL . KHD - INDUSTRIAL . MANITOU - EARTHMOVING								Electrolog: STR1181 Replacing: 0001223002, 01180995KZ, 1180995, 01180995
	12V	11	82.4mm	1.8KW		18mm	CW	TO104036173B
Desc/Notes: JD. DD (DIRECT DRIVE).								
Vehicle Apps: CLARK - FORKLIFTS . HATZ - INDUSTRIAL . KHD - INDUSTRIAL . LOMBARDINI - INDUSTRIAL								Electrolog: STR1267 Replacing: 0001354108, 40000700
	12V	11	82.4mm	3.0KW		21.4mm	CW	TO104036143B
Desc/Notes: JD. DD (DIRECT DRIVE).								
Vehicle Apps: LAMBORGHINI - AGRICULTURAL . PALMIERI - AGRICULTURAL . SAME - AGRICULTURAL . STEYR - AGRICULTURAL								Electrolog: STR1331 Replacing: 0001359108, 0001362035, 0001362022
	12V	11	89mm	3.0KW		48mm	CW	TO104036117B
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION).								
Vehicle Apps: JOHN DEERE - AGRICULTURAL , TRACTORS								Electrolog: STR1263 Replacing: 0001230002, RE503226

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T015519600 Electrolog: STR1313 Replacing: 0001115047, 0001115048
	12V	12	82.4mm	1.7KW	25.4mm	CW	
Desc/Notes: R74-E25. PMGR (PERMANENT MAGNET - GEAR REDUCTION);PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: OM646 . MERCEDES-BENZ 220CDi, C200CDi, C220CDi, CLC200CDi, CLC220CDi, E200CDi, E220CDi, E220TCDi, SPRINTER							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010419627 Electrolog: STR1386 Replacing: 0001109205, 0001109324
	12V	12	88.9mm	2.0KW	19.6mm	CW	
Desc/Notes: R78M28. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 4HU , 4HV , QVFA , TD4 . CITROEN JUMPER 2.2L HDi. FIAT DUCATO 2.2L JD. FORD TRANSIT 2.2L TDCi/2.4L TDCi. LAND ROVER DEFENDER 110 2.2L TD/110 2.4L TD/130 2.2L TD/130 2.4L TD/90 2.2L TD/90 2.4L TD. PEUGEOT BOXER 2.2L HDi							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010403658B Electrolog: STR1052 Replacing: 0001410041
	24V	9	74mm	5.5KW	36mm	CW	
Desc/Notes: KB. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: MAN - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010403655 Electrolog: STR1174 Replacing: 0001231005, 01180999KZ
	24V	9	88.8mm	4.0KW	29mm	CW	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: DEUTZ - INDUSTRIAL . KHD - INDUSTRIAL . MANITOU - EARTHMOVING							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036148 Electrolog: STR1175 Replacing: 0001231003, A0041518601, 0041518601
	24V	9	88.8mm	4.0KW	49mm	CW	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: OM356 , OM357 , OM366 . MERCEDES-BENZ - TRUCK/BUS , UNIMOG							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010403607B, T010403699B Electrolog: STR1205 Replacing: 0001231002, 0051512001, 0041518401, 081495002
	24V	9	88.8mm	4.0KW	48mm	CW	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: OM906 , OM909 , OM924 , OM926 . BELL 906. MERCEDES-BENZ ATEGO, CITARO, CITO							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	9	88.8mm	6.6KW	48mm	CW	TRY SOME: T010003604	
Desc/Notes: KB. DD (DIRECT DRIVE).								Electrolog: STR1360
Vehicle Apps: SAMIL 100. VOLVO - TRUCK/BUS								Replacing: 0001417002, 4778060
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	9	89mm	4.0KW	48mm	CW	TRY SOME: T010403669, T010403669B, T018803602R	
Desc/Notes: JF. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID								Electrolog: STR1055
Vehicle Apps: - ENGINE: 352, 352T, 366, ADE, OM357, OM366. ADE - TRUCK/BUS. HINO - TRUCK/BUS. ISUZU - TRUCK/BUS. MAN - TRUCK/BUS. MERCEDES-BENZ - TRUCK/BUS. MITSUBISHI - TRUCK/BUS. TOYOTA - TRUCK/BUS								Replacing: 0001368055, 0001368309
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	9	89mm	4.0KW	28mm	CW	TRY SOME: T010403624R, T018803603R	
Desc/Notes: IF. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID								Electrolog: STR1070
Vehicle Apps: - ENGINE: BF4L, BF6L, F3L, F4L, F5L, F6L. ADE - TRUCK/BUS. BELL - EARTHMOVING. DEUTZ - TRUCK/BUS								Replacing: 0001368001, 081388001
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	9	89mm	4.0KW	38mm	CW	TRY SOME: T011003667	
Desc/Notes: IF. DD (DIRECT DRIVE).								Electrolog: STR1363
Vehicle Apps: DAF - TRUCK/BUS, 45.130								Replacing: 0001368083, 1201327
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	9	92mm	5.4KW	48mm	CW	TRY SOME: T0104036113, T010403649R, T018803601	
Desc/Notes: KB. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - KB SHORT								Electrolog: STR1047
Vehicle Apps: - ENGINE: 352, ADE, OM422, OM441, OM442. ADE - TRUCK/BUS, 407, 422. DEUTZ - EARTHMOVING. HINO - TRUCK/BUS. ISUZU - TRUCK/BUS. MAN - TRUCK/BUS. MERCEDES-BENZ - TRUCK/BUS. NISSAN - TRUCK/BUS. TOYOTA - TRUCK/BUS								Replacing: 0001416002, 0001415001, 081466002
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	9	92mm	6.6KW	48mm	CW	TRY SOME: T010403652B	
Desc/Notes: KB. DD (DIRECT DRIVE). KB MEDIUM								Electrolog: STR1271
Vehicle Apps: - ENGINE: ADE442T, D2566, D2840, D2865, D2866, OM407, OM421, OM422, OM423. ADE - TRUCK/BUS. HINO - TRUCK/BUS, SS55-330 15.0L. SS55-350 15.0L. MAN - TRUCK/BUS. MERCEDES-BENZ - TRUCK/BUS. RENAULT - TRUCK/BUS								Replacing: 0001417001, 51262017110, 0031514601, 0041516101, 5000816041

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036146 Electrolog: STR1238 Replacing: 0001231016, 4892338
	24V	10	88.8mm	4.0KW	49mm	CW	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: IVECO EUROCARGO							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036124 Electrolog: STR1311 Replacing: 0001231008
	24V	10	88.6mm	4.0KW	28mm	CW	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: MAN - TRUCK/BUS , L2000, M2000							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010019617 Electrolog: STR1312 Replacing: 0001368026, 0001368040, 0001368051, 0001368065, 0001368085
	24V	10	88.5mm	4.0KW	28.6mm	CW	
Desc/Notes: IF. DD (DIRECT DRIVE). Vehicle Apps: - ENGINE: 4248 , 6354 , DF615 . DAF - TRUCK/BUS . HANOMAG - EARTHMOVING . IVECO - TRUCK/BUS . MASSEY FERGUSON - AGRICULTURAL . PERKINS - AGRICULTURAL , - EARTHMOVING							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T011003669 Electrolog: STR1333 Replacing: 0001368081, 0001368016
	24V	10	88.8mm	4.0KW	28.4mm	CW	
Desc/Notes: IF. DD (DIRECT DRIVE). Vehicle Apps: - ENGINE: D0226 , D0824 , D0826 . MAN - TRUCK/BUS , L2000, M2000							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010419621 Electrolog: STR1348 Replacing: 0001231017, 1387383, AELD021
	24V	10	88.4mm	4.0KW	25mm	CW	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: CE136C , CE162C , CE184C , GR165 , GR184 , GR210 . DAF CF65							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T0104036157B Electrolog: STR1334 Replacing: 0001231006, 1181101
	24V	11	82mm	4.0KW	23mm	CW	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: BF4L , F2L , F3L , F4L . DEUTZ - INDUSTRIAL . KHD - INDUSTRIAL							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	11	88.6mm	6.6KW	48mm	CW	TRY SOME: T010419600	
Desc/Notes: KB. DD (DIRECT DRIVE).								Electrolog: STR1100
Vehicle Apps: - ENGINE: F6L . DEUTZ - INDUSTRIAL , - TRUCK/BUS . FORD CARGO								Replacing: 0001417025, 6114855, 82DB10300BB, 82DB11000BB, 1174649
	24V	11	88.6mm	4.0KW	28mm	CCW	TRY SOME: T0104036106B, T010436106B	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION).								Electrolog: STR1216
Vehicle Apps: - ENGINE: D0824 , D0826 , D0836 . MAN - TRUCK/BUS , L2000, M2000								Replacing: 0001231007, 51262017157
	24V	11	88.8mm	5.5KW	48mm	CW	TRY SOME: T010003648R, T0104036104B	
Desc/Notes: HEF95-L. PLGR (PLANETARY GEAR REDUCTION).								Electrolog: STR1260
Vehicle Apps: POWERSTAR - TRUCK/BUS , 26-280. WEICHA1 POWERSTAR 26-280								Replacing: 0001241008, 612600090293, D612600090293, WD61509QD
	24V	11	88.8mm	4.0KW	49.8mm	CW	TRY SOME: T010419625	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION).								Electrolog: STR1359
Vehicle Apps: - ENGINE: D6B . VOLVO FL6								Replacing: 0001231014
	24V	11	88.7mm	6.0KW	48mm	CW	TRY SOME: T016003601	
Desc/Notes: HEF95L. PLGR (PLANETARY GEAR REDUCTION).								Electrolog: STR1411
Vehicle Apps: - ENGINE: DE12T . TATA NOVUS 3434 V6 DIESEL								Replacing:
	24V	11	89mm	5.4KW	48mm	CW	TRY SOME: T010403611, T010403648	
Desc/Notes: KB. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - KB SHORT								Electrolog: STR1077
Vehicle Apps: - ENGINE: DH10A . DEUTZ - TRUCK/BUS . MAN - TRUCK/BUS . SCANIA - TRUCK/BUS . VOLVO - TRUCK/BUS , A35, B10M, B10R, FH12								Replacing: 0001416009, 081466009

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	89mm	9.0KW	48mm	CW	TRYSOME: T010403650B	
	Desc/Notes: QB, DD (DIRECT DRIVE). DRIVE END BRACKET CAN BE ROTATED TO SUIT APPLICATION							
	Vehicle Apps: DEUTZ - TRUCK/BUS . LIEBHERR 974. SAMIL - TRUCK/BUS . VOLVO - TRUCK/BUS							
								Electrolog: STR1111 Replacing: 0001510017
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	89mm	5.5KW	48mm	CW	TRYSOME: T010419613	
	Desc/Notes: KB, DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: BELL 513. DEUTZ - INDUSTRIAL , - TRUCK/BUS . SAMIL 100, 50							
								Electrolog: STR1151 Replacing: 0001410109, 0001416035
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	89mm	4.0KW	28.8mm	CW	TRYSOME: T010436107, T010436107B	
	Desc/Notes: HE95M, PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: MAN TGA, TGL, TGM							
								Electrolog: STR1419 Replacing: 0001231034, 51262017222
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	91.6mm	6.2KW	48mm	CW	TRYSOME: T011003659B	
	Desc/Notes: IE, DD (DIRECT DRIVE). CANNOT BE USED TO REPLACE 0001372001 (STR1191)							
	Vehicle Apps: - ENGINE: OM541 , OM542 . MERCEDES-BENZ ACTROS, AXOR, TRAVEGO							
								Electrolog: STR1251 Replacing: 0001372006, A0051515001, 0051515001
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	91.5mm	6.7kw	36mm	CW	TRYSOME: T011003660B, T011003660R	
	Desc/Notes: IE, DD (DIRECT DRIVE).							
	Vehicle Apps: SCANIA P-SERIES, R-SERIES, T-SERIES							
								Electrolog: STR1346 Replacing: 0001371008, 1382290, 571464
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	92mm	6.2KW	48mm	CW	TRYSOME: T010403601, T010403605	
	Desc/Notes: JE, DD (DIRECT DRIVE). CANNOT BE USED TO REPLACE 0001372006 (STR1251)							
	Vehicle Apps: - ENGINE: OM541 , OM542 . BELL B40. MERCEDES-BENZ ACTROS, TRAVEGO							
								Electrolog: STR1191 Replacing: 0001372001, A0031519401, 0041519401, 0041518801, 081392001

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters







Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T011003662B Electrolog: STR1208 Replacing: 0001371006, 1357709, 081391006
	24V	11	92mm	6.7KW	48mm	CW	
Desc/Notes: IE. DD (DIRECT DRIVE). Vehicle Apps: - ENGINE: DC11 , DC12 , DC16 , DT12 , DSC12 , DSC9 , DSI12 , DT12 . SCANIA - TRUCK/BUS , K-SERIES, P-SERIES, R-SERIES, T-SERIES							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T010419631 Electrolog: STR1403 Replacing: 0001340501
	24V	11	92mm	8.4KW	47.4mm	CW	
Desc/Notes: HEP109MP. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: MTU - INDUSTRIAL							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T010419629B, T015919600 Electrolog: STR1532 Replacing: 0001330013
	24V	11	92mm	6.0KW	43mm	CW	
Desc/Notes: HEP109M. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: LIEBHERR R964C, R974C, R984C							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T0104036135B Electrolog: STR1244 Replacing: 0001231013, 1346162
	24V	11	109.5mm	4.0KW	48mm	CW	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: PE183 , PE228 , PE265 . DAF - TRUCK/BUS , 45, 75							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T010019639 Electrolog: STR1347 Replacing: 0001371010, 0001372002, 0001372007, 1317220, 1318615
	24V	11	109.8mm	6.2KW	48mm	CW	
Desc/Notes: IE. DD (DIRECT DRIVE). Vehicle Apps: - ENGINE: XF355M . DAF - TRUCK/BUS , 95XF, CF85							
Manuf/Sys: BOSCH 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T011003656 Electrolog: STR1362 Replacing: 0001372003, 0001372008, 1284775
	24V	11	109.8mm	6.2KW	48mm	CW	
Desc/Notes: IE. DD (DIRECT DRIVE). Vehicle Apps: DAF - TRUCK/BUS , CF85							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	115mm	5.5KW	41mm	CW	TRY SOME: T010403644R	
	Desc/Notes: KB. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: 6BB1 . ISUZU JCR, SBR, SCR							
								Electrolog: STR1061 Replacing: 1811001891R, 0230001030R, 0230001301R, 0230003010R
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	12	91.5mm	6.6KW	48mm	CW	TRY SOME: T010003613	
	Desc/Notes: KB. DD (DIRECT DRIVE).							
	Vehicle Apps: - ENGINE: D12A , D12B , D12C , D12D . VOLVO - TRUCK/BUS , B12, FH12, FM12, NH12							
								Electrolog: STR1314 Replacing: 0001417075, 1547049, 3095060, 3964839
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	12	91.6mm	5.5KW	48mm	CW	TRY SOME: T010003681, T0104036151BR	
	Desc/Notes: HEF95L24. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: D2876 . MAN TGA							
								Electrolog: STR1343 Replacing: 0001241005, 0001241009, 0001241021, 51261017220, 51262017220
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	12	91.5mm	5.5KW	47.3mm	CW	TRY SOME: T0104036162B	
	Desc/Notes: HEF95L24. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: SCANIA - TRUCK/BUS , P-SERIES, R-SERIES, T-SERIES							
								Electrolog: STR1345 Replacing: 0001241001, 1447911
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	12	91.8mm	6.0KW	48mm	CW	TRY SOME: T010019602	
	Desc/Notes: GVB. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: DC16 . SCANIA - TRUCK/BUS							
								Electrolog: STR1615 Replacing: 0001330008, 1447912
Manuf/Sys:	BOSCH	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	12	110mm	5.5KW	47.5mm	CW	TRY SOME: T011003683	
	Desc/Notes: HEF95L. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: XE280C , XE315C , XE355C . DAF - TRUCK/BUS							
								Electrolog: STR1236 Replacing: 0001241003, 1604246

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
CHINESE MANUF 	24V	11	81.5mm	4.5KW	24mm	CW	TO10019653
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: CHINESE MACHINES - INDUSTRIAL						Electrolog: STRX002 Replacing: CA0233708010
DAEWOO 	12V	20	None	1.4KW	65mm	CCW	TO10019600, TO15419603
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: KIA CARNIVAL 2.5L						Electrolog: STR2614 Replacing: 111916, OK9BV18400A
DELCO 	12V	9	76mm		3mm	CW	TO11003685
	Desc/Notes: 10MT/SD300. DD (DIRECT DRIVE). SMALL NOSE/3-HOLE/CW-ROTATION Vehicle Apps: - ENGINE: 283 , 292 , 307 . CHEVROLET V8						Electrolog: STR2002 Replacing: 410011, 1107233, 1108385
DELCO 	12V	9	80.8mm		5.34mm	CW	TO11019601
	Desc/Notes: 10MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - GENERALLY FOUND ON 6-CYLINDERS IN SOUTH AFRICAN MARKET Vehicle Apps: - ENGINE: 153 , 194 , 230 . CHEVROLET V6, V8. CHRYSLER JEEP 2.5L/2.5L CJ/2.5L SCRAMBLER						Electrolog: STR2001 Replacing: 410013, 2A0003A, 1107237, 1107248, 1107259
DELCO 	12V	9	82.5mm		7mm	CW	TO14003604
	Desc/Notes: 5MT/SD200. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 305 . CHEVROLET V8						Electrolog: STR2003 Replacing: 410014, 1109528, 1985737
DELCO 	12V	9	89mm	0.8KW	24.8mm	CW	TO15619600
	Desc/Notes: DD (DIRECT DRIVE). KOREAN DELCO REPLACES HITACHI S114202, S114202A Vehicle Apps: - ENGINE: G161 , G180 , G180Z . CHEVROLET LUV. ISUZU KB230 PETROL						Electrolog: STR2016 Replacing: 12321234, 94204438, 94241705, 8942044381, 8942417050

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	10	82mm	2.9KW	33mm	CW	TRYSOME: T011003693B	
	Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION).							
	Vehicle Apps: BOBCAT - EARTHMOVING . CLARK - AGRICULTURAL . JOHN DEERE - AGRICULTURAL							
								Electrolog: STR2625 Replacing: 10461443, 10461473, 10479628, 10479630, 1113271
Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	10	88.7mm	2.9KW	46.8mm	CW	TRYSOME: T011103620	
	Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION).							
	Vehicle Apps: HYSTER - FORKLIFTS							
								Electrolog: STR2025 Replacing: 10465045, 10465046, 1113275, 1113278
Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	10	88.8mm		48mm	CW	TRYSOME: T011115001B	
	Desc/Notes: 22MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - WET CLUTCH APPLICATIONS							
	Vehicle Apps: CLARK - FORKLIFTS . HYSTER - FORKLIFTS , TK-SERIES FORKLIFTS							
								Electrolog: STR2610 Replacing: 1107582, 71490, 1107557
Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	10	88.8mm	2.9KW	20mm	CW	TRYSOME: T011103602B	
	Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION). WET CLUTCH							
	Vehicle Apps: BOBCAT - EARTHMOVING . CLARK - FORKLIFTS . HYSTER - FORKLIFTS . PERKINS - INDUSTRIAL							
								Electrolog: STR2665 Replacing: 1113288, 10461484, 0230002000, 1109540
Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	10	88.8mm	2.9KW	46mm	CW	TRYSOME: T011103617B	
	Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID - WET CLUTCH APPLICATIONS							
	Vehicle Apps: - ENGINE: 6BT . CUMMINS - EARTHMOVING , - INDUSTRIAL , - TRUCK/BUS							
								Electrolog: STR2666W Replacing: 10461285, 10465211, 1113292, 3604654RX
Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	10	88.5mm	3.3KW	46.5mm	CW	TRYSOME: T011003690	
	Desc/Notes: 29MT. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: CUMMINS - TRUCK/BUS							
								Electrolog: STR2672 Replacing: 10461770, 19011400

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters







Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
DELCO 	12V	10	89mm	2.9KW	46mm	CW	TRY SOME: T011103621 Electrolog: STR2670 Replacing: 1113290, 0230002010
Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID - WITH SEAL FOR WET CLUTCH APPLICATIONS Vehicle Apps: - ENGINE: 6354 . BOBCAT - EARTHMOVING . CLARK - FORKLIFTS . HYSTER - FORKLIFTS . INTERNATIONAL HARVESTER - AGRICULTURAL . MASSEY FERGUSON - AGRICULTURAL . NEW HOLLAND - EARTHMOVING . PERKINS - AGRICULTURAL							
DELCO 	12V	10	92mm	4.6KW	49mm	CW	TRY SOME: T19903088 Electrolog: STR2690 Replacing: 10461044, 1993738, 323818, 1993759, 1993850
Desc/Notes: 37MT. DD (DIRECT DRIVE). NORMALLY HAS GROUND STUD ON FIELD COIL HOUSING - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CHEVROLET - TRUCK/BUS . FORD - TRUCK/BUS . GM - TRUCK/BUS							
DELCO 	12V	10	92mm	4.6KW	48mm	CW	TRY SOME: T19903088 Electrolog: STR2690A Replacing: 1990308, 10461044, 1993738, 323818, 1993759
Desc/Notes: 37MT. DD (DIRECT DRIVE). NORMALLY HAS GROUND STUD ON FIELD COIL HOUSING - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CHEVROLET - TRUCK/BUS . FORD - TRUCK/BUS . GM - TRUCK/BUS							
DELCO 	12V	11	68mm	1.4KW	9.8mm	CW	TRY SOME: T010019605 Electrolog: STR2034 Replacing: 9000762, 9000768, 9000789, 9000819, 9000821
Desc/Notes: PG260L. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: COBRA - MARINE . MERCURY - MARINE . VOLVO - MARINE . YAMAHA - MARINE							
DELCO 	12V	11	90mm	7.3KW	48mm	CW	TRY SOME: T011003689 Electrolog: STR2607 Replacing: 8200050, 8200090
Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). WITH OCP (OVER-CRANK PROTECTION) AND IMS (INTEGRAL MAGNETIC SWITCH) Vehicle Apps: - ENGINE: ISM , ISX . CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . KENWORTH - TRUCK/BUS . PETERBILT - TRUCK/BUS							
DELCO 	12V	11	91.8mm		48mm	CW	TRY SOME: T011103612B Electrolog: STR2613 Replacing: 1114055, 1114098, 1114119, 1114889
Desc/Notes: 40MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: INGERSOLL RAND - INDUSTRIAL . INTERNATIONAL EAGLE							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
		12V	11	91.6mm	7.3KW	48mm	CW	T010003656BR, T011103604R
Desc/Notes: 42MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . FORD - TRUCK/BUS . INGERSOLL RAND - INDUSTRIAL . INTERNATIONAL EAGLE. MACK - TRUCK/BUS								Electrolog: STR2617 Replacing: 10478809, 1990396, 1990450, 1990458, F1HT11001AA
Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
		12V	11	91.8mm	7.3KW	47.5mm	CW	T011103654, T011103654B
Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: FREIGHTLINER - TRUCK/BUS . VOLVO - TRUCK/BUS								Electrolog: STR2629 Replacing: 8200033, 8200040, 10461753, 19011506, 19011518
Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
		12V	11	92mm	7.3KW	46mm	CW	T011103614B
Desc/Notes: 42MT. DD (DIRECT DRIVE). WITH OCP (OVER-CRANK PROTECTION) - DRIVE END BRACKET CAN BE ROTATED TO SUIT DIFFERENT APPLICATIONS Vehicle Apps: INTERNATIONAL - TRUCK/BUS . MACK - TRUCK/BUS								Electrolog: STR2023 Replacing: 10461055
Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
		12V	11	92mm	7.3KW	48mm	CW	T011103611
Desc/Notes: 42MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . FORD - TRUCK/BUS . INGERSOLL RAND - INDUSTRIAL . INTERNATIONAL EAGLE. MACK - TRUCK/BUS								Electrolog: STR2617A Replacing: 10461052, 1990337, 1990420, 10461038, 8L8206
Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
		12V	11	92mm	7.3KW	48mm	CW	T010003682, T012503641B
Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: FREIGHTLINER - TRUCK/BUS . MACK - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS . VOLVO - TRUCK/BUS								Electrolog: STR2688 Replacing: 19011500, 10461334, M9T70379, M009T70379
Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
		12V	12	89mm	2.9KW	46mm	CW	T011103659
Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION). DRY CLUTCH - EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: BOBCAT - EARTHMOVING . FORD - AGRICULTURAL . HYSTER - FORKLIFTS . LISTER-PETTER - EARTHMOVING . NEW HOLLAND - AGRICULTURAL . PERKINS - AGRICULTURAL								Electrolog: STR2680 Replacing: 1113273, 10465058, 323451

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
DELCO 	12V	12	91.8mm	4.6KW	48mm	CW	TO11103609DR
Desc/Notes: 37MT. DD (DIRECT DRIVE). DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CUMMINS - EARTHMOVING							Electrolog: STR2021 Replacing: 10461719
DELCO 	12V	12	92mm	7.3KW	48mm	CW	TO11103665DR
Desc/Notes: 42MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: INTERNATIONAL EAGLE							Electrolog: STR2604 Replacing: 1990379, 1993795, 1993806, 19933795
DELCO 	12V	12	92mm	7.3KW	46mm	CW	TO11003688B
Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CUMMINS - TRUCK/BUS							Electrolog: STR2671 Replacing: 8200433
DELCO 	24V	9	89mm	4.5KW	47mm	CW	TO12903626
Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: - ENGINE: OM357, OM900, OM902, OM904, OM906, OM907, OM909, OM924, OM926. BELL - EARTHMOVING. MERCEDES-BENZ ATEGO, CITARO, ECONIC, VARIO							Electrolog: STR2017 Replacing: 10479626, 10461470, 0041518401, 0051512001
DELCO 	24V	9	89mm	4.0KW	48mm	CW	TO11015001
Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: MERCEDES-BENZ - TRUCK/BUS							Electrolog: STR2655 Replacing: 10479662, 10479652, A0051518501, 0051518501
DELCO 	24V	10	89mm	4.0KW	45.2mm	CW	TO18903619B
Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION). DRY CLUTCH (NOT OIL SEALED) Vehicle Apps: - ENGINE: 4B, 6B, 6BT. CONSOLIDATED DIESEL - INDUSTRIAL. CUMMINS - INDUSTRIAL, - MARINE, - TRUCK/BUS. MACK - TRUCK/BUS. SAMSUNG - EARTHMOVING							Electrolog: STR2682 Replacing: 1113277, 10461468, 0230002030, 0230002470

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	10	89mm	4.0KW	45.2mm	CW	TRY SOME:	T011103628B, T018903619
	Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION). WET CLUTCH (OIL SEALED)							Electrolog: STR2682W Replacing: 10461469, 10461486, 10479623
	Vehicle Apps: - ENGINE: 4B , 6B , 6BT . CONSOLIDATED DIESEL - INDUSTRIAL . CUMMINS - INDUSTRIAL , - MARINE , - TRUCK/BUS . MACK - TRUCK/BUS . SAMSUNG - EARTHMOVING							
	24V	11	88.8mm	4.0KW	47mm	CW	TRY SOME:	T011119600B
	Desc/Notes: 29MT. PLGR (PLANETARY GEAR REDUCTION).							Electrolog: STR2674 Replacing: 8200138, A0061512101
	Vehicle Apps: BELL B25. MERCEDES-BENZ ATEGO, AXOR, CITARO, CITO, CONECTO, ECONIC, UNIMOG, VARIO							
	24V	11	91.8mm	8.2KW	47.5mm	CW	TRY SOME:	T011003651B
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION).							Electrolog: STR2624 Replacing: 19011522
	Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . VOLVO - EARTHMOVING							
	24V	11	91.8mm	8.0KW	47.5mm	CW	TRY SOME:	T010003615, T011003691
	Desc/Notes: 42MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE							Electrolog: STR2642A Replacing: 10478998, 10461068, 1990344, 1990367, 4N0957
	Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . INGERSOLL RAND - INDUSTRIAL . MACK - TRUCK/BUS							
	24V	11	91.8mm	9.0KW	47.5mm	CW	TRY SOME:	T011003650, T011003650A, T011003650DR, T011103650R
	Desc/Notes: 50MT. DD (DIRECT DRIVE). DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE							Electrolog: STR2652 Replacing: 10479339, 10478911, 10461739
	Vehicle Apps: CATERPILLAR - EARTHMOVING							
	24V	11	91.6mm	9.0KW	47.4mm	CW	TRY SOME:	T011003696B
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION).							Electrolog: STR2675 Replacing: 10461756, 19011509, 19011523
	Vehicle Apps: - ENGINE: ISM , ISX . CUMMINS - EARTHMOVING , - TRUCK/BUS							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys: DELCO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T010019652 Electrolog: STR2043 Replacing: 8200761
	24V	11	92mm	9.0KW	47.7mm	CW	
Desc/Notes: IMT. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: CUMMINS - EARTHMOVING , - INDUSTRIAL							
Manuf/Sys: DELCO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T011103601R, T011103646B Electrolog: STR2601 Replacing: 1113842, 1114710, 1113814, 2A0051
	24V	11	92mm		48mm	CW	
Desc/Notes: 40MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CUMMINS - EARTHMOVING . INGERSOLL RAND - INDUSTRIAL . MACK - TRUCK/BUS							
Manuf/Sys: DELCO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T011003650BCON Electrolog: STR2611 Replacing: 1109642, 1109836, 1109979, 3T8967
	24V	11	92mm	9.0KW	47mm	CW	
Desc/Notes: 50MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: - ENGINE: K1150 . CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . KOMATSU HD735, HD785, PC1000							
Manuf/Sys: DELCO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T100383 Electrolog: STR2611PL Replacing: 3603868PL
	24V	11	92mm	9.0KW	47mm	CW	
Desc/Notes: 50MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING , - INDUSTRIAL . KOMATSU - EARTHMOVING , - INDUSTRIAL							
Manuf/Sys: DELCO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T012303672B Electrolog: STR2621 Replacing: 65262017074A
	24V	11	92mm	7.0KW	48mm	CW	
Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: DAEWOO - EARTHMOVING . TATA NOVUS 5542							
Manuf/Sys: DELCO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T011103646R Electrolog: STR2642 Replacing: 10478998, 10461068, 1990344, 1990367, 4N0957
	24V	11	92mm	8.0KW	48mm	CW	
Desc/Notes: 42MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . INGERSOLL RAND - INDUSTRIAL . MACK - TRUCK/BUS							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys:	DELCO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	92mm	9.0KW	47.4mm	CW	TRY SOME: T011003687, T011003687B	
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). DRY CLUTCH; OCP (OVER CRANK PROTECTION) - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING							Electrolog: STR2696 Replacing: 8200321
	24V	12	89mm	4.5KW	47mm	CW	TRY SOME: T011103641B	
	Desc/Notes: 37MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: CATERPILLAR - EARTHMOVING . INTERNATIONAL - TRUCK/BUS . MACK - TRUCK/BUS							Electrolog: STR2637NH Replacing: 10478811, 1993918, 8C4774
	24V	12	89mm	7.0KW	47mm	CW	TRY SOME: T011103645B	
	Desc/Notes: 41MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING							Electrolog: STR2676 Replacing: 10461395, 10478961, 10479013, 0R4263
	24V	12	91.8mm	5.3KW	47mm	CW	TRY SOME: T011003652	
	Desc/Notes: 38MT. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: CUMMINS - TRUCK/BUS . ERF - TRUCK/BUS							Electrolog: STR2653 Replacing: 19026030, 19026026, 8200000, 8200072, 8300025
	24V	12	91.8mm	9.0KW	47.5mm	CW	TRY SOME: T010019649	
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). WITH OCP; WET CLUTCH - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING							Electrolog: STR2654 Replacing: 8200435
	24V	12	91.5mm	9.0KW	47.5mm	CW	TRY SOME: T011103656B	
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: CATERPILLAR - EARTHMOVING . MITSUBISHI - EARTHMOVING							Electrolog: STR2689 Replacing: 19011524

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
DELCO 	24V	12	92mm	9.0KW	48mm	CW	TRYSUME: T010003654, T010003654IM Electrolog: STR2013 Replacing: 19011501, A0051513401
Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: MERCEDES-BENZ ACTROS, TRAVEGO							
DELCO 	24V	12	92mm		48mm	CW	TRYSUME: T011103613DR Electrolog: STR2022 Replacing: 10461720
Desc/Notes: 40MT. DD (DIRECT DRIVE). DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING							
DELCO 	24V	12	92mm		48mm	CW	TRYSUME: T011103601B Electrolog: STR2603 Replacing: 1113923, 1114805, 1113934, 1113959
Desc/Notes: 40MT. DD (DIRECT DRIVE). DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . INGERSOLL RAND - INDUSTRIAL							
DELCO 	24V	12	92mm	8.0KW	48mm	CW	TRYSUME: T011003635, T011003642B, T011103666R Electrolog: STR2605 Replacing: 1990357, 1990413, 4N3182
Desc/Notes: 42MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . INGERSOLL RAND - INDUSTRIAL							
DELCO 	24V	12	92mm	7.0KW	48mm	CW	TRYSUME: T011103664DR, T10479205 Electrolog: STR2686 Replacing: 10478817, 10461239, 3921403, 9Y1945, 3E2298
Desc/Notes: 41MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING							
DELCO 	24V	12	101mm	9.0KW	95mm	CW	TRYSUME: T011003653DR Electrolog: STR2600 Replacing: 1109757, 3T3430, 7N8604, 3T2781
Desc/Notes: 50MT. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CATERPILLAR - EARTHMOVING . KOMATSU - EARTHMOVING . BULLDOZER D9G, HAULPAK							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.




Manuf/Sys: FORD 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010219601 Electrolog: STR8001 Replacing: SA661A, D4TZ11002D, D5TF11001AA, D5TF11001DA, D6TF11001DA
	12V	9	105mm	1.4KW	6mm	CW	
Desc/Notes: DD (DIRECT DRIVE). BATTERY CABLE LUG CONNECTION Vehicle Apps: FORD F100, F250							
Manuf/Sys: FORD 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T011103660 Electrolog: STR8900 Replacing: F17U11000AB, F1TZ11002A, SA785
	12V	10	103.7mm	1.4KW	15.7mm	CW	
Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: FORD MUSTANG 2.3L, RANGER 2.3L. MAZDA 2.3L							
Manuf/Sys: HITACHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010003657 Electrolog: STR3047 Replacing: S114650A, S114650D, 11435177011, 41435177011
	12V	8	65.8mm	0.8KW	14.8mm	CW	
Desc/Notes: PMDD (PERMANENT MAGNET - DIRECT DRIVE). Vehicle Apps: - ENGINE: L100 . YANMAR - INDUSTRIAL							
Manuf/Sys: HITACHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T017915001B Electrolog: STR3129 Replacing: S114414, S114414A, S114651, S114651A, 11436177011
	12V	8	65.6mm	0.8KW	13mm	CCW	
Desc/Notes: PMDD (PERMANENT MAGNET - DIRECT DRIVE). Vehicle Apps: YANMAR - MARINE							
Manuf/Sys: HITACHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T011903605BR Electrolog: STR3096 Replacing: S114651A, 11436277011
	12V	8	66mm	0.8KW	15mm	CCW	
Desc/Notes: PMDD (PERMANENT MAGNET - DIRECT DRIVE). Vehicle Apps: YANMAR - AGRICULTURAL , - INDUSTRIAL							
Manuf/Sys: HITACHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010003619 Electrolog: STR3054 Replacing: S114570, S114570A, S114570B, 2330073Y00, 2330073Y01
	12V	8	69.6mm	0.8KW	11.8mm	CW	
Desc/Notes: PMDD (PERMANENT MAGNET - DIRECT DRIVE). Vehicle Apps: NISSAN ALMERA 1.6L 16V, MICRA, PRIMERA 1.6L 16V							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters





Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	8	70mm	0.8KW	43mm	CCW		T010003621
	Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: E13 , E15 , E16 . NISSAN LANGLEY 1.3L/1.5L, SENTRA 130/140/160							Electrolog: STR3007 Replacing: S114315, 23300M8000, 23300M8200, 23300M8010, 23300-M8000
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	8	70mm	1.2KW	10.6mm	CW		T011903608B
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: GA14 , GA16 , NISSAN ALMERA 1.6L, PRIMERA 1.6L, SABER 1.4L/1.6L, SENTRA 1.4L/1.6L							Electrolog: STR3030 Replacing: S114758, 2330050Y02
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	8	79.8mm	0.9KW	14.5mm	CW		T011903631
	Desc/Notes: DD (DIRECT DRIVE).							
	Vehicle Apps: JOHN DEERE - AGRICULTURAL . YANMAR - AGRICULTURAL							Electrolog: STR3120 Replacing: S114443, S114443A, S114653, S114653A, S114653B
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	8	83.4mm	0.8KW	8.3mm	CW		T011219600, T013415004
	Desc/Notes: DD (DIRECT DRIVE).							
	Vehicle Apps: NISSAN HARDBODY 2.4L							Electrolog: STR3065 Replacing: S114306, S114309
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	69.5mm	1.0KW	22mm	CW		T010003617
	Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: A15 , J15 . NISSAN 1300, 1500							Electrolog: STR3001 Replacing: 2330010605, 2330010600, S11492K, 23300-10605
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	70mm	0.8KW	10.1mm	CW		T010003602R
	Desc/Notes: DD (DIRECT DRIVE).							
	Vehicle Apps: NISSAN 1200, 1400							Electrolog: STR3011 Replacing: S11455, S11487, S11487K, S11487L, S11487M

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	78mm	1.4KW	18mm	CW	TRY SOME: T010003643R, T8971333691	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: OPEL ASTRA 1.5L DIESEL/1.7L DIESEL, CORSA 1.5L DIESEL/1.7L DIESEL							
								Electrolog: STR3040 Replacing: 8971333691, S114850, S114850A, 8-971333-691
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	82.5mm	1.0KW	7mm	CW	TRY SOME: T011203611B	
	Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: L16, L18. NISSAN 1500, 1600, 1800, E20, SSS, STANZA							
								Electrolog: STR3003 Replacing: 2330021006, 2330021009, 23300U6000, 2330021005, 23300U0102
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	82.5mm	0.7KW	9mm	CW	TRY SOME: T011903604B	
	Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: H20. NISSAN CABALL, E20							
								Electrolog: STR3004 Replacing: 2330015815, 23300P5110, M3T06473, 23300-15815
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	82mm	1.6KW	11mm	CW	TRY SOME: T011203632	
	Desc/Notes: DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: SD22, SD23. NISSAN - FORKLIFTS, - LDV/VAN/MPV/4X4/PICK-UP, 2.2L DIESEL, 680							
								Electrolog: STR3012 Replacing: 2330031W02, 23300G7002, S1268B, 23300-31W02
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	82.5mm	1.0KW	10mm	CW	TRY SOME: T010003623	
	Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID - SOLENOID WITH 3-HOLE MOUNT							
	Vehicle Apps: - ENGINE: L24E. NISSAN 1800, 260C, 4X4 TRACKER, SAFARI 2.4L/3.0L							
								Electrolog: STR3022 Replacing: 23300Y0501, 23300Y0701, S114172E, S114172D, 23300-Y0501
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	82mm	1.2KW	14mm	CW	TRY SOME: T011903629, T018703618B	
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: VG30E. NISSAN PATROL 3.0L, SANI 3.0L							
								Electrolog: STR3026 Replacing: 2330088G00, 2330088G01, S114528, 23300-88G00, 23300-88G01

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters







Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	82.5mm	1.4KW	-2.5mm	CW	TRY SOME: T011919606	
	Desc/Notes: PMDD (PERMANENT MAGNET - DIRECT DRIVE).							
	Vehicle Apps: - ENGINE: SR20DE , SR20DET . NISSAN 200SX 2.0i 16V TURBO, SERENA 2.0L							
								Electrolog: STR3151
								Replacing: S114705A, 2330052F00
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	88.7mm	0.8KW	14.5mm	CW	TRY SOME: T011903634B	
	Desc/Notes: DD (DIRECT DRIVE).							
	Vehicle Apps: - ENGINE: KE3 . YANMAR - AGRICULTURAL							
								Electrolog: STR3045
								Replacing: S114625, 11986577011
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	89mm	1.2KW	23mm	CW	TRY SOME: T010003645	
	Desc/Notes: DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: 4ZD1 , G161Z , G180 , G180Z . ISUZU KB230 PETROL, KB260 PETROL, WFR							
								Electrolog: STR3009
								Replacing: 94022494, 9821006350, 9821006060, S114247A, 9402-2494
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	94.8mm	2.5KW	10.5mm	CW	TRY SOME: T011903611B	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
	Vehicle Apps: NISSAN HARDBODY 3.0L TDI, TERRANO 3.0L DIESEL							
								Electrolog: STR3038
								Replacing: S13527B, 233002W200, 23300DB000
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	94mm	2.3KW	21mm	CW	TRY SOME: T010003683, T018703600, T018703600B	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 4D94E , 4TNE . KOMATSU - FORKLIFTS . LINDE - FORKLIFTS . YANMAR - FORKLIFTS , FD25							
								Electrolog: STR3114
								Replacing: S13204, 12990077010
Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	94.9mm	2.3KW	11mm	CW	TRY SOME: T011919601B	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 4JA1 , 4JJ1 . ISUZU D-MAX 2.5L DIESEL/3.0L DIESEL, KB250 D, KB300 D							
								Electrolog: STR3152
								Replacing: S13555A, 8973658240

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	95mm	2.2KW	12mm	CW	TRY SOME:	T015615001R, T018703608R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID							Electrolog: STR3018 Replacing: S13114A, 8944604010, 8-94460-417-1, 8-97112-549-0
	Vehicle Apps: - ENGINE: 4JA1 , 4JB1 , FD . HYSTER - FORKLIFTS . ISUZU KB250 DT, KB280 DT. KOMATSU - FORKLIFTS							
	12V	9	95mm	2.0KW	12mm	CW	TRY SOME:	T011203627, T018703614B, T018703614R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID							Electrolog: STR3023 Replacing: S13107, 2330010T02, 2330010T01, 2330031700, 2330080G00
	Vehicle Apps: - ENGINE: TD23 , TD25 , TD27 . NISSAN 1-TONNER, 2.3L DIESEL, 2.5L DIESEL, 2.7L DIESEL, CABSTAR, HARDBODY 2.7L, TERRANO 2.7L							
	12V	10	75mm	1.4KW	56mm	CCW	TRY SOME:	T011903610
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). VERY LONG NOSE - CAN BE USED TO REPLACE THE 8-TOOTH THAT LOOKS LIKE THIS, BUT THE 8-TOOTH CANNOT BE USED TO REPLACE THE 10-TOOTH							Electrolog: STR3103 Replacing: S114801B, S114801C, 2330031U01, 2330031U02, 23300-31U01
	Vehicle Apps: - ENGINE: VQ30 . NISSAN INFINITI 3 0L, MAXIMA 3.0L V6							
	12V	11	78mm	1.4KW	19mm	CW	TRY SOME:	T011919604
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR3049 Replacing: S114808, S114808A
	Vehicle Apps: - ENGINE: TC4EE1 , X17DT . OPEL ASTRA 1.7L DT, VECTRA 1.7L DT							
	12V	13	78mm	1.4KW	19mm	CW	TRY SOME:	T010003646B, T010019635
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). K/T/S/							Electrolog: STR3039 Replacing: S114829, S114829A, 8971891181, 6202000, 97189118
	Vehicle Apps: - ENGINE: Y17DT , Y17DTL , Z17DTH , Z17DTL . OPEL ASTRA 1.7L DIESEL, CORSA 1.7L CDTi/1.7L DIESEL							
	12V	15	95mm	1.4KW	19mm	CW	TRY SOME:	T018719603R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							Electrolog: STR3109 Replacing: S114257G, S114483, S114483A, 12957377010
	Vehicle Apps: - ENGINE: 3HJ2 , 4JH2 , YH2 . YANMAR - AGRICULTURAL , - MARINE							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	HITACHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	9	95mm	3.2KW	21mm	CW	TRY SOME:	T014803602B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID							Electrolog: STR3031 Replacing: 8943334380, 5811001280, 5811001282, 8942549221, S2403C
	Vehicle Apps: - ENGINE: 4BC1, 4BC2, 4BD1, 4BE1, C330. ISUZU ELF, KS, KT, NKR, NPR, TLD. KOMATSU EXCAVATOR							
	24V	10	105mm	3.2KW	12mm	CW	TRY SOME:	T011203603R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID							Electrolog: STR3024 Replacing: 23300T9008, S2401D
	Vehicle Apps: NISSAN CABSTAR							
	24V	11	93.8mm	4.0KW	45mm	CCW	TRY SOME:	T018703619B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							Electrolog: STR3019 Replacing: S25501, S25501A, 8971722110
	Vehicle Apps: - ENGINE: 4HF1, 4HJ1. DMA - TRUCK/BUS. ISUZU FTR, NPR, NPR300, NPR400, NQR							
	24V	11	104.8mm	5.0KW	33mm	CW	TRY SOME:	T011203601, T011203630
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							Electrolog: STR3052 Replacing: 23300Z5512, 23300-Z5512
	Vehicle Apps: - ENGINE: FE6. NISSAN UD50, UD60, UD70, UD80, UD85, UD90, UD95							
	24V	11	105mm	4.5KW	32mm	CW	TRY SOME:	T018703611B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							Electrolog: STR3092 Replacing: 23300Z5515, S25164A
	Vehicle Apps: NISSAN UD50, UD60, UD70, UD80, UD90, UD95							
	12V	8	65.8mm	1.0KW	15mm	CCW	TRY SOME:	T017915001, T017915007
	Desc/Notes: AZE. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR7905 Replacing: 11131186, AZE1230, IS1066, 11439977010, 11436277011
	Vehicle Apps: YANMAR 0.2L, 0.3L, 0.4L							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	ISKRA	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	82.4mm	2.7KW	21mm	CW	TRY SOME: T017915005	
	Desc/Notes: AZJ. DD (DIRECT DRIVE).							
	Vehicle Apps: DEUTZ - AGRICULTURAL . KHD - AGRICULTURAL . LOMBARDINI - AGRICULTURAL							
								Electrolog: STR7924 Replacing: 11130432, IS0432, AZJ3123
	12V	9	89.9mm	3.0KW	47.8mm	CW	TRY SOME: T017915015	
	Desc/Notes: AZJ. DD (DIRECT DRIVE).							
	Vehicle Apps: MERCEDES-BENZ - TRUCK/BUS , LP608, LP709, LP808, LP813, LP911, LP913, NG1013							
								Electrolog: STR7929 Replacing: 11130412, IS0412, AZJ3118
	12V	9	109.9mm	3.0KW	27.5mm	CW	TRY SOME: T017915003	
	Desc/Notes: AZJ. DD (DIRECT DRIVE).							
	Vehicle Apps: - ENGINE: 160PS , 175PS , 8055 , 8065 , 8365 . FIAT - AGRICULTURAL . FORD - AGRICULTURAL . IVECO - AGRICULTURAL . NEW HOLLAND - AGRICULTURAL							
								Electrolog: STR7917 Replacing: 11130697, AZJ3237, IS0366
	12V	9	109.5mm	3.0KW	26mm	CW	TRY SOME: T017915025	
	Desc/Notes: AZJ. DD (DIRECT DRIVE).							
	Vehicle Apps: - ENGINE: 8031 , 8035 , 8041 , 8045 , 8055 , 8061 , 8065 . AGRIFULL - AGRICULTURAL . FIAT - AGRICULTURAL . FIAT ALLIS - EARTHMOVING . IVECO - TRUCK/BUS . NEW HOLLAND - AGRICULTURAL							
								Electrolog: STR7940 Replacing: 11130403, AZJ3110, IS0403
	12V	9	110mm	2.7KW	27mm	CW	TRY SOME: T017915011	
	Desc/Notes: AZJ. DD (DIRECT DRIVE).							
	Vehicle Apps: FIAT - AGRICULTURAL . IVECO - AGRICULTURAL							
								Electrolog: STR7927 Replacing: 11130532, IS0532, AZJ3156
	12V	10	82mm	3.4KW	32mm	CW	TRY SOME: T017903602, T017915027	
	Desc/Notes: AZF. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: INGERSOLL RAND P185, P250. JOHN DEERE 270, 280, 4045, 6068, LOADER, SKID STEER							
								Electrolog: STR7915 Replacing: 11130793, RE505745

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	ISKRA	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	10	91.5mm	3.1KW	20mm	CW	TRY SOME:	T017915016
	Desc/Notes: AZJ. DD (DIRECT DRIVE).							Electrolog: STR7902 Replacing: 11130627, AZJ3201, ISO627
	Vehicle Apps: FORD 5000, 6000, 6600. NEW HOLLAND - AGRICULTURAL							
	24V	9	74mm	2.5KW	20.5mm	CW	TRY SOME:	T017915020
	Desc/Notes: AZE. PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR7914 Replacing: 11131419, AZE2178, 2834752
	Vehicle Apps: CATERPILLAR 326B. PERKINS 403, 404							
	24V	9	82.5mm	2.8KW	21mm	CW	TRY SOME:	T017915022
	Desc/Notes: AZJ. DD (DIRECT DRIVE).							Electrolog: STR7903 Replacing: 11130645, AZJ3211, ISO645, 35532040F
	Vehicle Apps: VM - INDUSTRIAL , D702, D703							
	24V	9	88.4mm	4.0KW	28mm	CW	TRY SOME:	T017919608, T017919608B
	Desc/Notes: AZF. PLGR (PLANETARY GEAR REDUCTION).							Electrolog: STR7934 Replacing: 11.130.842, AZF4515, ISO842
	Vehicle Apps: - ENGINE: BF3L , BF4L , BF6L , F3L , F4L , F5L , F6L . DEUTZ - AGRICULTURAL , TCD 2015 V08							
	24V	9	91.5mm	5.4KW	47mm	CW	TRY SOME:	T017915013
	Desc/Notes: AZK. DD (DIRECT DRIVE).							Electrolog: STR7928 Replacing: 11139506, IS9035, AZK5545
	Vehicle Apps: ADE - TRUCK/BUS . MAN - TRUCK/BUS . MERCEDES-BENZ - TRUCK/BUS							
	24V	10	88.9mm	4.0KW	28mm	CW	TRY SOME:	T017915009
	Desc/Notes: AZJ. DD (DIRECT DRIVE).							Electrolog: STR7926 Replacing: 11131143, IS1057, AZJ3387
	Vehicle Apps: MAN - TRUCK/BUS							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	ISKRA	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	10	88.5mm	4.0KW	28.6mm	CW	TRYSOME: T017915018	
	Desc/Notes: AZF. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: PERKINS - AGRICULTURAL , - INDUSTRIAL , - MARINE							
								Electrolog: STR7931 Replacing: 11131399, IS1130, AZF4104
Manuf/Sys:	ISKRA	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	10	89mm	4.0KW	29.8mm	CW	TRYSOME: T017917201	
	Desc/Notes: AZJ. DD (DIRECT DRIVE).							
	Vehicle Apps: MASSEY FERGUSON - AGRICULTURAL							
								Electrolog: STR7817 Replacing: IS0367, 11130367
Manuf/Sys:	ISKRA	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	12	89mm	6.5KW	47.4mm	CW	TRYSOME: T017919605	
	Desc/Notes: AZG. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: DEUTZ - AGRICULTURAL , - INDUSTRIAL							
								Electrolog: STR7921 Replacing: AZG4654, 11131587, 01183039
Manuf/Sys:	ISKRA	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	12	91.6mm	9.0KW	47mm	CW	TRYSOME: T017919603	
	Desc/Notes: AZG. PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING . JOHN DEERE - EARTHMOVING							
								Electrolog: STR7971 Replacing: 11131905, AZG4687, IS1179
Manuf/Sys:	LUCAS	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	8	74mm	1.4KW	19mm	CW	TRYSOME: T012319604	
	Desc/Notes: S90. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: 2Y , 3Y , 4Y . TOYOTA 6-SERIES FORKLIFTS, 7-SERIES FORKLIFTS, CRESSIDA 2.0L, DYNA 1.8L, HIACE 1 8L/2.0L/2.2L, HILUX 1.8L/2.0L/2.2L, VENTURE 1.8L							
								Electrolog: STR4078 Replacing: 66925148, NX1200A, EL25148
Manuf/Sys:	LUCAS	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	8	74mm	0.9KW	19mm	CW	TRYSOME: T012303677B	
	Desc/Notes: S80S. DD (DIRECT DRIVE).							
	Vehicle Apps: - ENGINE: P3 . FORD LASER 1 3L/1 .6L. MAZDA MIDGE 1.3L/1.6L							
								Electrolog: STR4094 Replacing: 66925225, EL25225

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
LUCAS 	12V	8	82.5mm	1.4KW	6mm	CW	T010015004
	Desc/Notes: S90. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID - CAN ALSO HAVE 9T DRIVE WITH GEAR OD OF 29MM Vehicle Apps: - ENGINE: H20 . NISSAN 1-TONNER, CABALL 2.0L, CABSTAR 2.0L, SKYLINE 1.8L/2.0L. TCM FORKLIFTS						
						Electrolog: STR4067	
						Replacing: 66925169, EL25169	
LUCAS 	12V	9	64mm	1.4KW	12mm	CW	T012303668
	Desc/Notes: S90. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: FIAT UNO 1100/CENTO/ESPRESSO/FIRE/MIA/RIO/TEMPO						
						Electrolog: STR4053	
						Replacing: 66925111, EL25111	
LUCAS 	12V	9	67mm	1.7KW	-5.2mm	CW	T012303663R
	Desc/Notes: 2M14. DD (DIRECT DRIVE). Vehicle Apps: TATA 207 1.9L TELCOLINE, SAFARI 4X4						
						Electrolog: STR4135	
						Replacing: 26925121H, 26925121A, 26925121E, 265415109902	
LUCAS 	12V	9	74mm	1.4KW	19mm	CW	T012303660, TEL25195
	Desc/Notes: S90. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 18R , 21R , 22R . TOYOTA CRESSIDA 2.4L, DYNA, HILUX, STOUT						
						Electrolog: STR4009	
						Replacing: 66925095, 66925195, EX1200B, EL25195	
LUCAS 	12V	9	74mm	1.4KW	10mm	CW	T012303601
	Desc/Notes: S90. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 4AFE , 7AFE . TOYOTA CONQUEST 1.6L, COROLLA 1.6L						
						Electrolog: STR4022	
						Replacing: 66925149, 66925109, FNA1200A, EL25149	
LUCAS 	12V	9	82.4mm	1.4KW	14.5mm	CW	T012319603
	Desc/Notes: S90. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: AUDI 1100. VOLKSWAGEN GOLF I 1100/1300, JETTA I 1100/1300						
						Electrolog: STR4071	
						Replacing: 66925137, 027911023, EL25137	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	LUCAS	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	87.5mm	1.4KW	20mm	CW	TRY SOME: T012303666	
	Desc/Notes: S90. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: DAEWOO ESPERO 2.0L. OPEL ASCONA 1.8L/2.0L. ASTRA 1.8L/2.0L. KADETT 1.8L/2.0L. MONZA 1.8L/2.0L. REKORD 1.8L/2.0L							Electrolog: STR4008 Replacing: 66925094, 66925194, EL25194
	12V	9	89mm	1.4KW	21mm	CW	TRY SOME: T010403660	
	Desc/Notes: S90. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: ISUZU KB200 PETROL, KB230 PETROL, KB260 PETROL, RELAY, WFR							Electrolog: STR4029 Replacing: 66925196, 66925096, 93586274, EL25196
	12V	9	89mm	2.4KW	18mm	CW	TRY SOME: T012303662	
	Desc/Notes: ER;M45G TVS;5M14;6M14. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: TATA 509M							Electrolog: STR4122G Replacing: 26925113S, 26925113F, 26925113
	12V	9	99mm	2.8KW	15.5mm	CW	TRY SOME: T012303673B	
	Desc/Notes: M50G. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: TATA 713S							Electrolog: STR4127 Replacing: 26925127A, 257415100106
	12V	9	99mm	2.8KW	15.5mm	CW	TRY SOME: T012303673	
	Desc/Notes: 3SM127. DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - EXTRA BOLT ON DE BRACKET FOR EARTH Vehicle Apps: TATA 713S							Electrolog: STR4127G Replacing: 26925127A, 257415100106
	12V	10	76mm	1.4KW	14mm	CW	TRY SOME: T011615001	
	Desc/Notes: S90. DD (DIRECT DRIVE). ONE PUSH ON TERMINAL AND ONE EYE TERMINAL FOR SOLENOID Vehicle Apps: - ENGINE: CVH . FORD BANTAM 1.6L, FIESTA 1.4L, XR3. MAZDA RUSTLER							Electrolog: STR4040 Replacing: 66925093, 66925193, 88AC11000B1A, 88AC11000AA, EL25193

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
LUCAS 	12V	10	88.8mm	2.8KW	28mm	CW	T012303656, T012303656B
	Desc/Notes: M127;M50G. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID						Electrolog: STR4031 Replacing: 66925090, TC27433
	Vehicle Apps: ADE - TRUCK/BUS . CASE - AGRICULTURAL . FORD - AGRICULTURAL . 5000, 6000, 6600. HYSTER - INDUSTRIAL . LANDINI - AGRICULTURAL . MASSEY FERGUSON - AGRICULTURAL . PERKINS - AGRICULTURAL						
LUCAS 	12V	10	88.5mm	2.8KW	30.5mm	CW	T012303657, T012303657B
	Desc/Notes: M127;M50G. DD (DIRECT DRIVE).						Electrolog: STR4105 Replacing: 66925089, 26357, LRS161, 3581576, 2873B071
	Vehicle Apps: ADE - TRUCK/BUS . FORD - AGRICULTURAL . INTERNATIONAL HARVESTER - AGRICULTURAL . LANDINI - AGRICULTURAL . LEYLAND - TRUCK/BUS . LINDE - INDUSTRIAL . MASSEY FERGUSON - AGRICULTURAL . PERKINS - AGRICULTURAL . - INDUSTRIAL						
LUCAS 	12V	10	89mm	2.4KW	29mm	CW	T012303675
	Desc/Notes: M45G;2M113. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID						Electrolog: STR4061 Replacing: 27433, 66925051
	Vehicle Apps: ADE - AGRICULTURAL . - TRUCK/BUS . FORD 5000, 6000, 6600, 6610. HYSTER - FORKLIFTS . LANDINI - AGRICULTURAL . MASSEY FERGUSON - AGRICULTURAL						
LUCAS 	12V	10	89mm	1.4KW	28mm	CW	T012319601, T013103602
	Desc/Notes: S90. DD (DIRECT DRIVE). ONE PUSH ON TERMINAL AND ONE EYE TERMINAL FOR SOLENOID						Electrolog: STR4099 Replacing: 66925092, 66925192, 88AC11000B1A, EL25192
	Vehicle Apps: - ENGINE: CHV-LUC , CHV14 , CVH , F6 , F6 EGI . FORD BANTAM 1.4L/1.6L/1.6i, SAPPHIRE 2.0L, SIERRA 2.0L. MAZDA RUSTLER 1.4L/1.6L						
LUCAS 	12V	10	92mm	2.9KW	23mm	CW	T012303650B
	Desc/Notes: M50G. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID						Electrolog: STR4050 Replacing: 66925170, 27500, 26339
	Vehicle Apps: ADE - TRUCK/BUS . CASE - AGRICULTURAL . FORD - AGRICULTURAL . 5000, 6000, 6600. HYSTER - INDUSTRIAL . LANDINI - AGRICULTURAL . MASSEY FERGUSON - AGRICULTURAL . NEW HOLLAND - AGRICULTURAL . PERKINS - AGRICULTURAL						
LUCAS 	12V	10	92mm	2.8KW	23mm	CW	T010019648
	Desc/Notes: M50G. DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID						Electrolog: STR4052 Replacing: 26341
	Vehicle Apps: FORD - AGRICULTURAL . - TRUCK/BUS , 7610, 8000, CARGO						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
LUCAS 	24V	10	88.5mm	4.5KW	45.5mm	CW	TR012303664B
Desc/Notes: 7M14. DD (DIRECT DRIVE). Vehicle Apps: TATA 1518							Electrolog: STR4043 Replacing: 26024055A, 4093888, 278615999970
MAGNETI-MARELLI 	12V	9	109.6mm	2.7KW	27.5mm	CW	TR0104036111
Desc/Notes: MT71AB. DD (DIRECT DRIVE). Vehicle Apps: FIAT - AGRICULTURAL . IVECO - AGRICULTURAL							Electrolog: STR9070 Replacing: 63217126
MAGNETI-MARELLI 	12V	9	110mm	3.5KW	26mm	CW	TR0110419605
Desc/Notes: DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: FIAT - AGRICULTURAL , TRACTORS							Electrolog: STR9066 Replacing: 63216827, MT68AC, MT71Z
MAGNETI-MARELLI 	12V	9	110mm	3.5KW	26mm	CW	TR012419600
Desc/Notes: MT68AD. DD (DIRECT DRIVE). Vehicle Apps: FIAT - AGRICULTURAL . IVECO - AGRICULTURAL							Electrolog: STR9068 Replacing: 63216831
MAGNETI-MARELLI 	12V	10	88.6mm	3.0KW	33mm	CW	TR010019604, T013119601
Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: JCB - EARTHMOVING . MASSEY FERGUSON MFT200, MF3120, MF6270, MF8120. PERKINS - AGRICULTURAL							Electrolog: STR9017 Replacing: 63280040, MSN8040, 2873K404
MAGNETI-MARELLI 	12V	10	89mm	3.0KW	30mm	CW	TR010003616B, T010003632, T017915010BR
Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: JCB - EARTHMOVING . PERKINS - AGRICULTURAL							Electrolog: STR9009 Replacing: 4280001290, 63280041, MSN8041, 2873K405

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
MAGNETI-MARELLI 	12V	11	76.2mm	2.0KW	22mm	CW	TRY SOME: T010419607B Electrolog: STR9016 Replacing: 7788680, 4280000660, MS4280000660, 280000660
MAGNETI-MARELLI 	12V	8	64mm	0.9KW	11.4mm	CW	TRY SOME: T012819609B Electrolog: STR9072 Replacing: 63101018, 63101015
MANDO 	12V	8	70mm	1.2KW	8.3mm	CW	TRY SOME: T012519628B Electrolog: STR8708 Replacing: M62957, 3610037210
MANDO 	12V	8	76.8mm	1.2KW	18mm	CW	TRY SOME: T010003641, T010003641B Electrolog: STR8702 Replacing: M53436, 3610023100, 438017, D6RA78, 36100-23100
MANDO 	12V	8	77.5mm	0.7KW	18mm	CW	TRY SOME: T010003640 Electrolog: STR8701 Replacing: 3610011130, 3610021740, 3610022000, MC107012, MC109025
MANDO 	12V	10	78.3mm	2.2KW	19.6mm	CW	TRY SOME: T015419601 Electrolog: STR8715 Replacing: TM000A23601, 361004A000

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
MITSUBA 	12V	9	74.9mm	1.2KW	33mm	CW	TRYSOME: T012503646B Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: HONDA ACURA 2.0L, CRV Electrolog: STR5998 Replacing: SM61205, 31200PNDAA01, PND3J, 31200PNDAA02
MITSUBISHI 	12V	8	65.8mm	1.4KW	4mm	CW	TRYSOME: T012519606 Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: H20A , H25A . SUZUKI VITARA 2.0L/2.5L/V6 Electrolog: STR5141 Replacing: M001T79581, 3110077E20, M1T79581
MITSUBISHI 	12V	8	66mm	0.8KW	4.5mm	CW	TRYSOME: T018903621 Desc/Notes: DD (DIRECT DRIVE). Vehicle Apps: SUZUKI SAMURAI 1.3L, VITARA 1.6L Electrolog: STR5059 Replacing: M3T41781, M003T41781, 3110083030, 3110083031
MITSUBISHI 	12V	8	66mm	0.8KW	17.2mm	CW	TRYSOME: T010019609 Desc/Notes: DD (DIRECT DRIVE). Vehicle Apps: SUZUKI SAMURAI, VITARA 1.6L Electrolog: STR5145 Replacing: M2T30581, 3110073031, 31100-73031
MITSUBISHI 	12V	8	70mm	1.4KW	29.8mm	CW	TRYSOME: T012519621 Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: SUZUKI GRAND VITARA 2.4L, KIZASHI 2.4L, SWIFT, SX4 Electrolog: STR5193 Replacing: M000T23171, 3110078K00
MITSUBISHI 	12V	8	72.9mm	1.2KW	17mm	CW	TRYSOME: T012503612B Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID - BOTH HOLES THREADED Vehicle Apps: - ENGINE: 6G72 . HYUNDAI SONATA 3.0L/3.0L V6. MITSUBISHI COLT 2.8L V6/3.0L V6, PAJERO 2.8L V6/3.0L V6 Electrolog: STR5033 Replacing: M1T72583, MD172863, 3610035020

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T012519630 Electrolog: STR5161 Replacing: MOT20471, MOT20472, MD362207
	12V	8	72.6mm	1.2KW	8.3mm	CW	
Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: MITSUBISHI PAJERO 3.0L/3.5L/3.8L							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T010003639B Electrolog: STR5015 Replacing: 30118400, M3T38882, MAZS111C36, M3T30281, 301-18-400
	12V	8	74mm	0.8KW	16mm	CW	
Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: E3 . FORD BANTAM 1.3L/1.6L, LASER 1.6L, METEOR 1.6L, SPECTRON 2.0L. KIA RIO 1.3L/1.5L, SEPHIA 1.6L, SPORTAGE 2.0L. MAZDA 323 1.3L/1.5L, 626 1.6L, B1600, MX3 1.6L/1.8L, RUSTLER 1.6L							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T012519613 Electrolog: STR5072 Replacing: M1T70281, M1T70283, M1T75283
	12V	8	74.6mm	1.2KW	7mm	CW	
Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: G10B , G13A , G13B , G16B . SUZUKI ALTO 1.0 L, BALENO 1.6i 16V/1.8L GT/1.9L TD, SWIFT 1.3L/1.6L, WAGON 1.3L							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T012519617 Electrolog: STR5089 Replacing: MOT80581, MOT81281, MD332022
	12V	8	76.8mm	1.2KW	9mm	CW	
Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 4G92 , 4G93 , 4G94 . MITSUBISHI COLT 1.6L, PAJERO 1.8L/2.0L							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T010003644R Electrolog: STR5006 Replacing: M3T22581, M3T22582, MD034120, MD034121, 808818400
	12V	8	77mm	0.9KW	18mm	CW	
Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID - THREADED HOLES Vehicle Apps: - ENGINE: 4G32 , 4G33 , 4G52 , 4G54 , G15B , G62B . HYUNDAI ELANTRA 1.5L, SONATA 1.8L/2.0L. MITSUBISHI GALANT 1.6 L/2.0L, L300 PETROL, TREDIA 1.8L							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T011903632R Electrolog: STR5010 Replacing: 23300P5112, M3T21281
	12V	8	82mm	0.8KW	8mm	CW	
Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: NISSAN 1-TONNER, CABSTAR, E20							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	8	82.2mm	0.9KW	8mm	CW	TRYSOME: T011903632R	
	Desc/Notes: DD (DIRECT DRIVE).							
	Vehicle Apps: - ENGINE: H20 . NISSAN - FORKLIFTS , 1-TONNER, CABSTAR, E20, SKYLINE 1.8L/2.0L							
								Electrolog: STR5131 Replacing: M3T21882D, M3T21882, 233000H10, 23300L1110, 23300L1111
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	73.7mm	1.2KW	18mm	CW	TRYSOME: T012703601	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
	Vehicle Apps: MAZDA B2600							
								Electrolog: STR5151 Replacing: M1T50471, G60118400B, G60118400A
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	73.8mm	1.2KW	9mm	CW	TRYSOME: T012519604	
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).							
	Vehicle Apps: CHRYSLER PT CRUISER 2.0L/2.4L							
								Electrolog: STR5163 Replacing: M000T84881, M000T84881ZC, MOT84881, MOT84881ZC, 5033067AA
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	74mm	0.8KW	20mm	CW	TRYSOME: T015119600	
	Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: E , NA , VC . MAZDA B1500, B1600, B1800, E2000. MITSUBISHI CANTER, L300							
								Electrolog: STR5002 Replacing: 042618400A, 022218400A, 0426-18-400, 0426-18-400A
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	74mm	0.9KW;1.0	21mm	CW	TRYSOME: T015119600	
	Desc/Notes: DD (DIRECT DRIVE). TWO PUSH ON TERMINALS							
	Vehicle Apps: - ENGINE: 4G52 , 4G54B . MITSUBISHI COLT 2000/2600/GALANT 1600/GALANT 2000, L300							
								Electrolog: STR5005 Replacing: M3T15772, MD021665, MD001550, MD003551, M3T15072
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	82.5mm	1.2KW	8.7mm	CW	TRYSOME: T018903614	
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: KA20 , KA24 , KA24E . NISSAN - FORKLIFTS , HARDBODY 2.0L/2.4L, TERRANO 2.0i/2.4L/2.4i							
								Electrolog: STR5035 Replacing: M1T60081, M1T60381, 23300W9810, 23300K9160

Although we have gone to great lengths to ensure all data are correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters







Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
MITSUBISHI  	12V	10	69.8mm	1.0KW	19.5mm	CW	TO11903607B
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: HR15DE . NISSAN TIIDA 1.5L/1.6L						Electrolog: STR5157 Replacing: M000T32171, 23300BC20A, MOT32171
MITSUBISHI  	12V	10	73.8mm	1.4KW	14mm	CW	TO18903618
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: FORD TELSTAR 2.0L. MAZDA 626 1.8L/2.0L, MX6 2.0L						Electrolog: STR5122 Replacing: M1T77381, FS0518400, FS1118400, FS1118400A, F32Z11002A
MITSUBISHI  	12V	10	76.8mm	1.2KW	18mm	CW	TO18903622B, TO18903622R
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: MITSUBISHI - FORKLIFTS , FG20, FG25, FG30, FG35						Electrolog: STR5071 Replacing: M1T79781, MD318086, MD320618
MITSUBISHI  	12V	10	76.8mm	2.2KW	4mm	CW	TO12503618
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: 4D55 . HYUNDAI H1, H100 2.5L DIESEL, H150, H200. MITSUBISHI COLT 2.5L DIESEL/2.8L DIESEL, L200 2.5L DIESEL, L300 2.3L DIESEL/2.5L DIESEL, PAJERO 2.3L DIESEL/2.5L DIESEL, SPACE WAGON 2.0L TD						Electrolog: STR5117 Replacing: M2T87071, M2T84071, MD312857, MD312858
MITSUBISHI  	12V	10	77mm	2.0KW	4mm	CW	TO10003642R, TO12503610
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID - MOUNTING HOLES THREADED Vehicle Apps: - ENGINE: 4D55 . HYUNDAI 2.6L DIESEL, H1, H100, H150, H200. MITSUBISHI COLT 2.3L DIESEL/2.5L DIESEL/2.8L DIESEL, L200 2.5L DIESEL, L300 2.3L DIESEL/2.5L DIESEL, PAJERO 2.3L DIESEL/2.5L DIESEL, SPACE WAGON 2.0L TD						Electrolog: STR5028 Replacing: M2T56182, MD164975, MG120413, 3610042011, M2T56181
MITSUBISHI  	12V	10	77mm	2.2KW	9mm	CW	TO12503635
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: MITSUBISHI COLT 2.8L DIESEL, PAJERO 2.8L DIESEL						Electrolog: STR5048 Replacing: M2T63271, ME200206, M00263271

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
 	12V	10	77mm	2.2KW	10mm	CW	TRY SOME: T012503603B, T260015210	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 4M40 . MITSUBISHI CANTER 2.8L TD, COLT 2.8L DIESEL/2.8L TD, PAJERO 2.5L TD/2.8L DIESEL/2.8L TD/3.2L DIESEL							
							Electrolog: STR5118 Replacing: M8T75071, ME201650	
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
 	12V	10	81.5mm	2.2KW	18mm	CW	TRY SOME: TWL9118400	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: WLT . FORD COURIER 2.5L DIESEL, RANGER 2.5L DIESEL. MAZDA B2200 DIESEL, B2500 DIESEL/DT, DRIFTER 2.5L DIESEL, MPV 2.5L TD							
							Electrolog: STR5042 Replacing: WL9118400, M2T87271, M002T87271, M002T87271ZT, WL0218400A	
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
 	12V	10	82.5mm	2.2KW	23.8mm	CW	TRY SOME: T015103602	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 4DQ , S4S . CLARK - FORKLIFTS . MITSUBISHI - FORKLIFTS							
							Electrolog: STR5040 Replacing: M2T62271, 32A6600101, 920670, M002T52271, 32A66-00101	
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
 	12V	10	82.5mm	2.2KW	23mm	CW	TRY SOME: T010003655R, T012503633	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 4DQ , S4S . CLARK - FORKLIFTS . HYSTER - FORKLIFTS . MITSUBISHI - FORKLIFTS							
							Electrolog: STR5114 Replacing: M8T75171, 32A6610100, 32A6610101	
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
 	12V	10	82.4mm	1.7KW	8mm	CW	TRY SOME: T012519608	
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). ALSO COME OUT WITH A VERSION WITHOUT THE FLAT PIECE PROTRUDING FROM THE DRIVE-END BRACKET - THE TWO UNITS ARE 100% INTERCHANGEABLE							
	Vehicle Apps: CHRYSLER JEEP CHEROKEE 4.0L/GRAND CHEROKEE 4.0L/WRANGLER 4.0L							
							Electrolog: STR5152 Replacing: M1T74287ZC, 56041014, M1T74281, M1T74286, M1T74287	
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
 	12V	11	69.6mm	2.2KW	32mm	CW	TRY SOME: T012519610B	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: YD25 , YD25DDTi . NISSAN CABSTAR, CABSTER 2.5L TD, NAVARA 2.5L DIESEL, PATHFINDER 2.5L DCi							
							Electrolog: STR5169 Replacing: M8T76071, 23300EB30A	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T010019633 Electrolog: STR5050 Replacing: M3T10473, M3T10475, M3T10476, 220052112, 489318400B
	12V	11	74mm	0.8KW	17mm	CW	
Desc/Notes: DD (DIRECT DRIVE). EYE TERMINAL CONNECTION FOR SOLENOID - THERE IS ALSO A 8T INTERCHANGEABLE UNIT.							
Vehicle Apps: - ENGINE: FE , FS2M , M412TG , VA . HYSTER - FORKLIFTS . MAZDA - INDUSTRIAL . MITSUBISHI - FORKLIFTS . TCM - FORKLIFTS . YALE - FORKLIFTS							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T010019659 Electrolog: STR5084 Replacing: M000T87881, 8200584675
	12V	12	62.9mm	1.4KW	7.5mm	CW	
Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).							
Vehicle Apps: - ENGINE: K9K . NISSAN JUKE 1.5L dCi, NP200 1.6L 16V, TIIDA 1.5L dCi. RENAULT CLIO 1.5L DCI, KANGOO 1.5L DCI, LAGUNA 1.5L DCI, MEGANE 1.5L DCI, MODUS 1.5L dCi, TWINGO 1.5L DCI							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T012503637 Electrolog: STR5039 Replacing: MOT81291, MOT86181, MOT91581, 2330000QAW, 2330000QUA
	12V	12	64.7mm	1.4KW	-2.3mm	CW	
Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).							
Vehicle Apps: NISSAN MICRA 1.5L DCI. RENAULT CLIO 1.5L DCI, KANGOO 1.5L DCI, MEGANE 1.5L DCI, SCENIC 1.5L DCI							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T012519623 Electrolog: STR5191 Replacing: M000T82081, M000T85381
	12V	12	64mm	1.4KW	-5.7mm	CW	
Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).							
Vehicle Apps: CITROEN C4 2.0L 16V, C5 2.0L 16V, C8 2.0L 16V, JUMPY 2.0i 16V, XSARA 1.8L 16V PICASSO/2.0L 16V. PEUGEOT 206 2.0L 16V, 406 1.6i 16V/1.8L 16V/1.8i 16V/2.0L 16V							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T011919600 Electrolog: STR5171 Replacing: M002TS0571, M002TS0575, M2TS0571, M2TS0575, 23300VK500
	12V	12	70mm	2.2KW	32.4mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
Vehicle Apps: - ENGINE: TD25Ti , YD25DDTi . NISSAN HARDBODY 2.5L DIESEL/2.5L TDI, HI-RIDER 2.5L TDI, NP300 HARDBODY 2.5L TDI/HI-RIDER 2.5L TDI							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T012503614 Electrolog: STR5129 Replacing: M2T50981, G60218400, G60218400A, G60218400B
	12V	12	73.9mm	1.4KW	16mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
Vehicle Apps: - ENGINE: G6 . FORD 2.6L. MAZDA B2200 PETROL, B2600 PETROL, MPV 2.6L							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012503639B Electrolog: STR5085 Replacing: M008T50071, M8T50071, F4TZ11002A, F5TU11000AA, F5TU11000AB
	12V	12	89.8mm	3.6KW	33mm	CW	
Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: FORD - TRUCK/BUS							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012503629B Electrolog: STR5007 Replacing: M2T61071, MD164977, M002T61071
	12V	13	77mm	2.2KW	5mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: HYUNDAI H100 2.3L DIESEL. MITSUBISHI COLT 2.5L DIESEL, PAJERO 2.3L DIESEL/2.5L DIESEL							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012503645IMP Electrolog: STR5083 Replacing: M0T87081, 233008H500
	12V	13	82mm	1.4KW	56.3mm	CCW	
Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: NISSAN XTRAIL 2.0L/2.5L							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012503648B Electrolog: STR5056 Replacing: MM409410, M2T50381
	12V	15	77mm	1.6KW	30mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: MITSUBISHI - AGRICULTURAL							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012503606 Electrolog: STR5027 Replacing: ME017034, M2T66871
	24V	9	60mm	3.2KW	20mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 4D30, 4D31, 4DR5, 4DR7, FD30, FD31, FE100. MITSUBISHI CANTER							
Manuf/Sys: MITSUBISHI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012503602R Electrolog: STR5041 Replacing: M008T80071, M8T80071, ME014418, ME013008
	24V	9	60mm	3.2KW	20mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: AMC 3.5L DIESEL, 3.5L TD. MITSUBISHI CANTER 3.3L TD/3.5L TD/3.9L DIESEL/3.9L TD, FUSO 3.5L TD							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters







Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
MITSUBISHI 	24V	9	100mm	3.2KW	24mm	CW	T012503625, T018703615R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 4D30, 4DR5, FB100. MITSUBISHI CANTER 3.3L TD						Electrolog: STR5025 Replacing: M2T64271, M2T64272, ME017004, ME017001, 8S9096
MITSUBISHI 	24V	10	82.3mm	4.5KW	23mm	CW	T012503636B
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: S6S. CATERPILLAR - FORKLIFTS, DP40. MITSUBISHI - FORKLIFTS						Electrolog: STR5051 Replacing: M8T60372, M8T60371, M8T60771, M008T60371, 32B6600202
MITSUBISHI 	24V	10	82.3mm	5.0KW	22mm	CW	T012519619
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: CATERPILLAR 318, 320B						Electrolog: STR5192 Replacing: M8T60871, M8T60872, 32B6602102
MITSUBISHI 	24V	10	104.8mm	7.0KW	40mm	CW	T012503630A, T012503630BR
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: NISSAN UD-SERIES, UD440						Electrolog: STR5047 Replacing: M9T82571, 2330000Z05
MITSUBISHI 	24V	11	83mm	3.5KW	24mm	CW	T010003601B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID - RUNS IN OIL - TAKES SEAL Vehicle Apps: - ENGINE: S4E, S4S. FURUKAWA - EARTHMOVING. MITSUBISHI - FORKLIFTS, FD25, FD30, S4E. TCM - FORKLIFTS						Electrolog: STR5031 Replacing: M2T65271, 3446620102
MITSUBISHI 	24V	11	91.9mm	5.5KW	47.5mm	CW	T012519611B
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: RENAULT KERAX TRUCK/BUS						Electrolog: STR5172 Replacing: M9T60471, M9T61571, 5001853713, 5010306592, 5010480196

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	95mm	5.0KW	43.6mm	CW	TRY SOME: T012503631B	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 6HK . HITACHI ZX270 EXCAVATOR, ZX330 EXCAVATOR. ISUZU FTM							
								Electrolog: STR5158 Replacing: M008T60972, 8980608540
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	99.8mm	5.5KW	23mm	CW	TRY SOME: T012503608	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 4D333 , 4D342 , 6D311 , 6D340 . BELL KATO 820E. MITSUBISHI - FORKLIFTS							
								Electrolog: STR5038 Replacing: M008T87171M, ME049303M, M8T87171M, ME080740M
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	99.6mm	4.5KW	70mm	CW	TRY SOME: T012503616B	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). DRY CLUTCH; NO SEAL; OFF-SET GEAR							
	Vehicle Apps: - ENGINE: 6D20 , 6D22 . FURUKAWA - EARTHMOVING . HYUNDAI - EARTHMOVING . KOBELCO - EARTHMOVING . MITSUBISHI - EARTHMOVING , FUSO, KATO. SUMITOMO - EARTHMOVING , - INDUSTRIAL							
								Electrolog: STR5119 Replacing: M9T60171, M009T60171, ME152487J, ME152487, 031227069
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	104.9mm	7.0KW	42.1mm	CW	TRY SOME: T010019654	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 6WA1 , 6WF1 . ISUZU - EARTHMOVING , - TRUCK/BUS							
								Electrolog: STR5159 Replacing: M009T80971, 1811003413
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	105mm	5.0KW	11mm	CW	TRY SOME: T010003622, T018703622B, T018703622R	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: FD42 , FD46 . NISSAN CABSTAR 4.2L DIESEL/4.6L DIESEL, UD-SERIES, UD35, UD40							
								Electrolog: STR5100 Replacing: M002T78681, 233000T005, 233000T003, M2T78681
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	11	109.8mm	4.5KW	66mm	CW	TRY SOME: T010003605B	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID							
	Vehicle Apps: - ENGINE: 6D10 , 6D14 , 6D15 , 6D16T . FAW - TRUCK/BUS . FURUKAWA - INDUSTRIAL . MITSUBISHI FK115, FM104, FM215, FUSO							
								Electrolog: STR5029 Replacing: M3T56071, M3T56074, ME037636, ME037330, M000A0291

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
MITSUBISHI 	24V	11	110mm	5.0KW	65.5mm	CW	TO18703617
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). BOTH HOLES NOT THREADED (13.5MM) Vehicle Apps: - ENGINE: 6D17 . BELL - EARTHMOVING . CATERPILLAR - EARTHMOVING . MITSUBISHI FM215, FUSO						Electrolog: STR5012 Replacing: M8T60071A, M008T60071A, ME077796, M8T60071, 1149831
MITSUBISHI 	24V	12	89mm	5.5KW	40mm	CW	TO12503642B
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: DX111 . RENAULT KERAX 3500						Electrolog: STR5087 Replacing: M9T60672, M009T60672, 5010508379
MITSUBISHI 	24V	12	91.8mm	5.5KW	49mm	CW	TO11103655B, TO12503644
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). WITH OVERHEATING PROTECTION TIMER IN SOLENOID Vehicle Apps: VOLVO A40D, FH12, FM12, NH12						Electrolog: STR5044 Replacing: M009T61171, M9T61171, 20430564
MITSUBISHI 	24V	12	92mm	7.0KW	48mm	CW	TO11103655, TO11103655IM
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: VOLVO - TRUCK/BUS , A40, A40D, FH12, FM12, NH12						Electrolog: STR5123 Replacing: M9T82171, M009T82171, 11127679
MITSUBISHI 	24V	12	92mm	9.0KW	48mm	CW	TO10003654, TO10003654IM, TO10403608B
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: OM457 , OM502 , OM541 , OM542 . MERCEDES-BENZ ACTROS, AXOR, CITARO, TRAVEGO						Electrolog: STR5127 Replacing: 19011501, 0051516401, A0051516401
MITSUBISHI 	24V	12	109mm	4.5KW	66mm	CW	TO12519602
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: MITSUBISHI FM215, FUSO						Electrolog: STR5030 Replacing: M4T50073

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	13	88.9mm	5.5KW	48.3mm	CW	TRYSOME: T010019641, T012519625	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).							
	Vehicle Apps: MERCEDES-BENZ AXOR							
								Electrolog: STR5162 Replacing: M009T64371, A0061514801
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	13	100mm	5.5KW	70mm	CW	TRYSOME: T0104036108	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID - ALUMINIUM BRACKET, EXTERNAL THROUGH BOLTS, NO SEAL ON DE BRACKET							
	Vehicle Apps: FURUKAWA FL330I. MITSUBISHI FUSO, KATO. SUMITOMO SH300, SH400, SH450							
								Electrolog: STR5045 Replacing: M3T95082, M3T95071, ME057990, ME057350, 3610083010
Manuf/Sys:	MITSUBISHI	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	13	100mm	5.5KW	52.8mm	CW	TRYSOME: T012903675B	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
	Vehicle Apps: KOMATSU - EARTHMOVING , PC200, WA320							
								Electrolog: STR5104 Replacing: 6008133650, 6008133651, 6008133660
Manuf/Sys:	NIKKO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	95mm	2.2KW	19mm	CW	TRYSOME: T012903681B	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
	Vehicle Apps: KOMATSU FD25							
								Electrolog: STR8831 Replacing: 0230000260, 0230000261, 0230000262, 6008131721
Manuf/Sys:	NIKKO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	11	105mm	3.0KW	41mm	CW	TRYSOME: T012903686B	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
	Vehicle Apps: - ENGINE: 2PE , 4BC , 4BD1 , 6BD1 . ISUZU - FORKLIFTS , - INDUSTRIAL . TCM - FORKLIFTS , FHD25-Z3							
								Electrolog: STR8830 Replacing: 0230001980, 8943675660
Manuf/Sys:	NIKKO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	10	88.8mm	4.5KW	49mm	CW	TRYSOME: T012903621B	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). WET CLUTCH - OIL SEALED							
	Vehicle Apps: - ENGINE: S4D , S6D . CUMMINS - EARTHMOVING . KOMATSU WA120							
								Electrolog: STR8832 Replacing: 0240003060, 0240003240, 6008634510, 6008634410

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters







Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	24V	11	91.8mm	7.5KW	45.8mm	CW	T012903622R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						
	Vehicle Apps: KOMATSU - EARTHMOVING						Electrolog: STR8835 Replacing: 0230007861, 6008134933
	24V	11	92mm	7.5KW	46mm	CW	T012903623R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID - OIL SEALED						
	Vehicle Apps: - ENGINE: K1150 . CATERPILLAR - EARTHMOVING . CUMMINS - TRUCK/BUS . KOMATSU HD375, HD465, HD785						Electrolog: STR8806 Replacing: 0230007161, 0230007160, 0230007770, 6008137110, 6008137112
	24V	11	100mm	7.5KW	50mm	CW	T012903679
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						
	Vehicle Apps: - ENGINE: S6R . HITACHI EX1200						Electrolog: STR8818 Replacing: 0230007742, 3756620501
	24V	11	104.5mm	4.5KW	40.5mm	CW	T010003610, T012919602
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID - WITHOUT O-RING ON DRIVE END BRACKET AND SEAL - FOR APPLICATIONS THAT DO NOT RUN IN OIL (DRY-CLUTCH)						
	Vehicle Apps: - ENGINE: 6BB1 , 6BD1 , 6BF1 , 6BG1 . FURUKAWA FL200i. ISUZU DA, FSR, JCM, JCR, SBR, SCR, SMXB, SPZ, TXD, VPZ						Electrolog: STR8801 Replacing: 0230001030, 0230001031, 0230001032, 1811002640, 1811002641
	24V	11	104.9mm	7.5KW	56.2mm	CW	T011903602
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						
	Vehicle Apps: HITACHI - EARTHMOVING , EX300. ISUZU - INDUSTRIAL						Electrolog: STR8836 Replacing: 0230006220, 0230006221, 0230006222, 0230007292, 1811002141
	24V	11	105mm	5.5KW	16mm	CW	T012903678B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						
	Vehicle Apps: - ENGINE: 6D95L . KOMATSU PC100, PC120, PC150, PC200						Electrolog: STR8829 Replacing: 0230001750, 0230001752, 6008134422, 6008134420, 023000-1750

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.


Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
NIKKO 	24V	13	89.7mm	5.0KW	11mm	CW	TRYSOME: T021503642B Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: 4HK1 . CASE - EARTHMOVING . ISUZU - EARTHMOVING Electrolog: STR8837 Replacing: 0240000178, 8980703211
NIKKO 	24V	13	100mm	5.5KW	52mm	CW	TRYSOME: T012919604, T012919604B Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 6D95 . KOMATSU PC200, PW100, PW150, PW200, WA320 Electrolog: STR8820 Replacing: 0230001231, 6008134120, 0230001270, 6008133390, 0230001230
NIPPON DENSO 	12V	8	64.7mm	0.6KW	26mm	CCW	TRYSOME: T010019623, T014003602B Desc/Notes: DD (DIRECT DRIVE). CAN ALSO BE 9T WITH 29MM OD Vehicle Apps: CHANA 1000CC. SUZUKI 800, ST80, ST90 Electrolog: STR6402 Replacing: 1280003641, 3110085291
NIPPON DENSO 	12V	8	70mm	1.0KW	28mm	CW	TRYSOME: T012519615 Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: SUZUKI JIMNY 1.3L, SWIFT 1.3L Electrolog: STR6179 Replacing: 2280008930, 3110080G00
NIPPON DENSO 	12V	8	74mm	0.8KW	4mm	CW	TRYSOME: T010003624B Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 2E . TOYOTA CONQUEST 1.3L/1300, COROLLA 1.3L/1300 Electrolog: STR6009 Replacing: 2810010030, 1280001620, 1280001621, 28100-10030
NIPPON DENSO 	12V	8	74mm	0.8KW	10.6mm	CW	TRYSOME: T012819632 Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: HCEJ , K3VE . DAIHATSU SIRION 1.3L, TERIOS 1.3i Electrolog: STR6191 Replacing: 2280009252, 2810097401

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	9	54.7mm	1.4KW	16.9mm	CW	TO10003637
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						Electrolog: STR6117
	Vehicle Apps: - ENGINE: 5VZFE . TOYOTA HILUX 3.0L, LAND CRUISER 3.4L, PRADO 3.4L						Replacing: 2280005302, 2810062050
	12V	9	65.6mm	0.6KW	18.5mm	CW	TO10003680, TO12803669
	Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID						Electrolog: STR6007
	Vehicle Apps: - ENGINE: 3K , 4K . TOYOTA 1200, 1300, COROLLA 1.3L RWD, TUV						Replacing: 2810024031, 2810024070, 2810024030, 0280004650, 0280004680
	12V	9	66mm	1.0KW	18mm	CW	TO12803618
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID						Electrolog: STR6002
	Vehicle Apps: - ENGINE: 5K . KUBOTA - INDUSTRIAL . TOYOTA COROLLA, STALLION						Replacing: 0280005910, 0280005912, 2810013010, 0280008440
	12V	9	66mm	2.0KW	23mm	CW	TO12803679B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						Electrolog: STR6108
	Vehicle Apps: LAND ROVER DEFENDER 2.5L TD5 DIESEL, DISCOVERY 2.5L TD5 DIESEL						Replacing: 2280007220, NAD101240
	12V	9	73.7mm	1.0KW	20mm	CW	TO12803691
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						Electrolog: STR6040
	Vehicle Apps: - ENGINE: 4M . TOYOTA CRESSIDA 2.6L/2.8L, SUPRA 2.8L						Replacing: 0280007620, 2810041060, 2810041030
	12V	9	73.8mm	1.0KW	20mm	CW	TO10003638R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						Electrolog: STR6132
	Vehicle Apps: - ENGINE: 1RZ , 1ZZFE , 2RZE . TOYOTA HIACE 2.0L PETROL/2.4L PETROL, HILUX 2.0L PETROL/2.7L PETROL/2.7L VVTi/2.8L, QUANTUM 2.0L/2.7L PETROL						Replacing: 1280005840, 1280007680, 2810042040, 2810075010, 28100-75010

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
NIPPON DENSO 	12V	9	73.4mm	1.0KW	13.7mm	CW	TRYSOME: T012819605B Electrolog: STR6164 Replacing: 2280008540, 2810021020, 2810021030
Desc/Notes: PMDD (PERMANENT MAGNET - DIRECT DRIVE). Vehicle Apps: - ENGINE: 1NZFE , 2NZFE . TOYOTA YARIS 1.3L/1.3L 1.6V/1.3L VVTi/1.5L							
NIPPON DENSO 	12V	9	74mm	1.0KW	7mm	CW	TRYSOME: T010003625 Electrolog: STR6008 Replacing: 2810015060, 0280007981, 28100-15060
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 3A , 4A . TOYOTA CONQUEST 1.6L 16V, COROLLA 1.6L 16V							
NIPPON DENSO 	12V	9	74mm	0.8KW	21mm	CW	TRYSOME: T010003628 Electrolog: STR6010 Replacing: 2810026080, 28100- 26080
Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 2T , 3T . TOYOTA COROLLA 1.3L/1.6L RWD/1. 8L RWD, CRESSIDA 1.8L							
NIPPON DENSO 	12V	9	74mm	1.0KW	19mm	CW	TRYSOME: T010003630 Electrolog: STR6014 Replacing: 2810034010, 2810036040, 2810040041, 28100- 40041
Desc/Notes: DD (DIRECT DRIVE). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 18R , 5R , 8R . TOYOTA 1800, 2000, CORONA, CRESSIDA, DYNA, HIACE, HILUX, STOUT							
NIPPON DENSO 	12V	9	74mm	2.0KW	4mm	CW	TRYSOME: T012803686 Electrolog: STR6026 Replacing: 2810064020, 2810064050, 0280008370, 0280008371, 0280009670
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: TOYOTA CAMRY 1.8L/2.0L, COROLLA 1.8L, HIACE 1.8 L/2.0L, HILUX 1.8L/2.0L							
NIPPON DENSO 	12V	9	74mm	1.0KW	21mm	CW	TRYSOME: T018703610 Electrolog: STR6047 Replacing: 2810072010, 0280009260, 2810072080, 28100- 72010, 28100-72080
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 1Y , 2Y , 3Y , 4Y . TOYOTA - FORKLIFTS , COROLLA, CRESSIDA, DYNA, HIACE 1800/2000/2200, HILUX 1.8L/2. 0L/2.2L, VENTURE 1.8L							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters







Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
NIPPON DENSO 	12V	9	74mm	0.8KW	8mm	CW	TO10003626B
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: 4AFE , 7AFE . TOYOTA CONQUEST 1.6L 16V, COROLLA 1.6L 16V EXECUTIVE/1.6L GL 16V/1.6L GLS 16V/1.6L GLX AUTOMATIC						Electrolog: STR6088 Replacing: 2810016071, 1280005680, 2810016070, 2810016041, 1280006422
NIPPON DENSO 	12V	9	74mm	1.0KW	9.3mm	CW	TO12819626
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: TOYOTA CAMRY						Electrolog: STR6121 Replacing: 1280007330, 2810074040, 28100-74040
NIPPON DENSO 	12V	9	74mm		13.8mm	CW	TO12819630
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 1ZRFE , 2ZRFE , 3ZRFE . TOYOTA AURIS 1.6 L/1.8L, AVENSIS 1.6L/1.8L/2.0L, COROLLA 1.6L VVTi/1.8L VVTi, VERSO 1.6L/1.8L						Electrolog: STR6156 Replacing: 4280004111, 4280004113, 28100T030
NIPPON DENSO 	12V	9	81.5mm	2.0KW	20mm	CW	TO10015002
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: WLT . FORD COURIER 2.5L DIESEL, RANGER 2.5L DIESEL, MAZDA B2200 DIESEL, B2500 DIESEL/DT, DRIFTER 2.5L DIESEL, MPV 2.5L TD						Electrolog: STR6037 Replacing: 2280006482, 228000-6482, WL6118400A
NIPPON DENSO 	12V	9	82mm	1.0KW	20mm	CW	TO10003636
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 2F , 3F . TOYOTA CAMRY 2.0L 16V, LAND CRUISER 3.8L/4.0L/4.2L/PETROL						Electrolog: STR3081 Replacing: 2810060070, 0280008220, 28100-60070
NIPPON DENSO 	12V	9	87.5mm	2.0KW	7.5mm	CW	TO127150001
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: R2 , RF . FORD COURIER 2.2L DIESEL. KIA BESTA 2.2L DIESEL, SPORTAGE 2.0L TD. MAZDA B2200 DIESEL, DRIFTER 2.2L DIESEL. SUZUKI GRAND VITARA 2.0L TD						Electrolog: STR6019 Replacing: 1280000040, RF0118400, RF01-18-400

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys:	NIPPON DENSO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	89mm	1.2KW	22mm	CW	TRYSOME:	T010003645B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID							Electrolog: STR6067 Replacing: 8944692460, 8943718330, 8941566710, 1280002040, 1280007560
	Vehicle Apps: ISUZU KB230 PETROL, KB260 PETROL							
	12V	9	94.8mm	2.2KW	10.7mm	CW	TRYSOME:	T015603601, T015603601R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							Electrolog: STR6118G Replacing: 1280000830, 1280000831, 1280000832, 8941337583, 8941337584
	Vehicle Apps: ISUZU KB280 D/DT, KB300 D							
	12V	9	95mm	2.0KW	21mm	CW	TRYSOME:	T012803616A, T018703607R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID							Electrolog: STR6016 Replacing: 5811001830, 0280007791, 8941364001, 60081231721, 1280004662
	Vehicle Apps: - ENGINE: 4JA1 . ISUZU KB20, KB21, KB22, KB24, KB250 D/TD, KB26, KB27, KB28, KB280 TD, KB41, KB42. KOMATSU - FORKLIFTS . TCM - FORKLIFTS . THERMO KING - INDUSTRIAL . YALE - FORKLIFTS							
	12V	10	54.8mm	2.0KW	33mm	CW	TRYSOME:	T012819624
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							Electrolog: STR6407 Replacing: 2280003260, 2810066060
	Vehicle Apps: TOYOTA LAND CRUISER 4.5L							
	12V	10	73.8mm	1.6KW	23mm	CW	TRYSOME:	T012819618
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).							Electrolog: STR6152 Replacing: 4280001241, 4280001242, 2810031040, 2810031041
	Vehicle Apps: TOYOTA FORTUNER 4.0L V6 VVTI, HILUX 4.0L V6 PETROL							
	12V	10	82.2mm	2.2KW	20mm	CW	TRYSOME:	T012819604, T013415001B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). CANNOT BE REPLACED BY BOSCH TYPE UNIT WITH NOSE							Electrolog: STR6032 Replacing: 2280005021, 2810067050, 28100-67050
	Vehicle Apps: - ENGINE: 1KD , 1KZ , 1KZTE , 2KD . TOYOTA HIACE 2.5 L D4D, HILUX 2.5L D4D/2.5L DIESEL/3.0L D4D/3.0L DIESEL, PRADO 3 0 L DIESEL, QUANTUM 2.5L D4D/2.5L DIESEL/2.7L D4D/2.7L DIESEL							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
NIPPON DENSO 	12V	10	82mm	2.0KW	15mm	CW	T010003634
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 3L . TOYOTA DYNA 2.4L DIESEL, HIACE 2.2L DIESEL/2.4L DIESEL, HILUX 2.2L DIESEL/2.4L DIESEL/2.8L DIESEL/3.0L DIESEL, LAND CRUISER 2.4L DIESEL/2.8L DIESEL						Electrolog: STR6055 Replacing: 2810054380REPL, 2810014070REPL, 2280002120REPL, 28100-54380
NIPPON DENSO 	12V	10	82.3mm	2.2KW	15.5mm	CW	T010003633, T2810054270
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: TOYOTA HILUX 2.8L DIESEL/3.0L DIESEL						Electrolog: STR6085 Replacing: 2810054270, 2280006614, 28100-54270
NIPPON DENSO 	12V	10	88.5mm		29mm	CW	T012803692R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: CATERPILLAR - EARTHMOVING						Electrolog: STR6130 Replacing:
NIPPON DENSO 	12V	10	88.5mm	2.5KW	28mm	CW	T010003687B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: CATERPILLAR - FORKLIFTS . HYSTER - FORKLIFTS						Electrolog: STR6151 Replacing: 1280001060
NIPPON DENSO 	12V	10	89mm	3.0KW	48mm	CW	T010003609
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID - SEALED FOR WET CLUTCH (RUNS IN OIL) Vehicle Apps: - ENGINE: 3114 , 3116 . BOBCAT - EARTHMOVING . CATERPILLAR - EARTHMOVING , 424C, 910, TRACTORS						Electrolog: STR6056 Replacing: 1280005720, 1280005721, 1280005722, 1280005723, 3E5382
NIPPON DENSO 	12V	10	89mm	1.4KW	47.6mm	CW	T012819612
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: CATERPILLAR - EARTHMOVING , - FORKLIFTS						Electrolog: STR6404 Replacing: 1280006870, 2280005740, 7X1057, 6669633, 6667987

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.



Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
NIPPON DENSO 	12V	11	74.7mm	1.7KW	52mm	CCW	TRYSOME: T012819607 Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: LAND ROVER FREELANDER 2.0L TURBO DIESEL. ROVER 200, 400, 600 Electrolog: STR6066 Replacing: 2280003980, 2280003981, NAD100580
NIPPON DENSO 	12V	11	75mm	1.7KW	40.6mm	CCW	TRYSOME: T010019625B Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: HONDA ACCORD 2.0L TDi, CIVIC 2.0L TD. LAND ROVER 2.0L DIESEL, FREELANDER 2.0L DIESEL. ROVER 420 2.0L, 620 2.0L, 820 2.0L Electrolog: STR6149 Replacing: 2280004960, 2280004961, 31200P9ME00
NIPPON DENSO 	12V	11	81.7mm	2.5KW	16mm	CW	TRYSOME: T012803656 Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 2L , L . TOYOTA HIACE 2.2L DIESEL/2.4L DIESEL, HILUX 2.2L DIESEL/2.4L DIESEL, LAND CRUISER 2.4L DIESEL Electrolog: STR6087 Replacing: 2810054090, 2810054061, 0280005580, 0280006860, 0280006880
NIPPON DENSO 	12V	11	82.5mm	2.0KW	16mm	CW	TRYSOME: T012803650, T018703606R Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 2L , 3L . TOYOTA HIACE 2.2L DIESEL/2.4L DIESEL, HILUX 2.2L DIESEL/2.4L DIESEL, VENTURE 2.4L Electrolog: STR6050 Replacing: 2810054070, 0280007370, 0280007372, 0280007373, 28100-54070
NIPPON DENSO 	12V	11	82.5mm	1.4KW	25mm	CW	TRYSOME: T012819620 Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: - ENGINE: V1902 , V2202 . BOBCAT - EARTHMOVING . KUBOTA - AGRICULTURAL , - EARTHMOVING , - INDUSTRIAL . NEW HOLLAND - AGRICULTURAL , - EARTHMOVING Electrolog: STR6124 Replacing: 1280006280, 1901363011
NIPPON DENSO 	12V	11	87.8mm	2.2KW	42mm	CCW	TRYSOME: T018703620 Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: KIA K2700, K2700 DIESEL, PREGIO 2.7L DIESEL Electrolog: STR6039 Replacing: OK60A18400, 031114200

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters







Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
NIPPON DENSO 	12V	11	89.8mm	2.7KW	16.5mm	CW	T012803615B, T012819616B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID; WET CLUTCH Vehicle Apps: - ENGINE: 11DZ . HYSTER - FORKLIFTS . TOYOTA 6-SERIES FORKLIFTS, 7-SERIES FORKLIFTS						Electrolog: STR6035 Replacing: 281002366071, 2280003710, 2280003711, 28100-40291
NIPPON DENSO 	12V	11	89mm	4.8KW	49mm	CW	T012803673B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). WET CLUTCH - STARTER RUNS IN OIL Vehicle Apps: JOHN DEERE - AGRICULTURAL						Electrolog: STR6053 Replacing: 2280009140, RE504244
NIPPON DENSO 	12V	11	95mm	2.8KW	20.6mm	CW	T1826000001
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: ISUZU - EARTHMOVING . KOMATSU - EARTHMOVING						Electrolog: STR6154 Replacing: 1280009970, 228000144, 8944532111, 6008131420, 6008131721
NIPPON DENSO 	12V	11	104.8mm	2.5KW	15mm	CW	T010003635B, T012819600R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 13B , 14B . DAIHATSU - TRUCK/BUS . HINO - TRUCK/BUS . TOYOTA - TRUCK/BUS						Electrolog: STR6069 Replacing: 2810056310, 2810056311, 2280003070, 28100-56311, 28100-56310
NIPPON DENSO 	12V	11	105mm	2.5KW	16mm	CW	T012803659B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 3B , B , B2 . TOYOTA DYNA 2.2L DIESEL/2.4L DIESEL						Electrolog: STR6024 Replacing: 2810056040, 2810056050, 0280005520, 28100-56040
NIPPON DENSO 	12V	12	90.4mm	2.5KW	16mm	CW	T012803647, T012803677B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 1HZ . TOYOTA LAND CRUISER 4.1L DIESEL/4.2L DIESEL						Electrolog: STR6072 Replacing: 2810017010, 2810017040, 1280008640, 1280008641, 2280001610

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
NIPPON DENSO 	12V	12	90.4mm	2.5KW	16mm	CW	T012803647
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 1HZ . TOYOTA LAND CRUISER 4.1L DIESEL/4.2L DIESEL						Electrolog: STR6075 Replacing: 2810017060, 2280005992
NIPPON DENSO 	12V	13	55mm	1.2KW	66mm	CCW	T012803665
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). PUSH ON TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: TOYOTA CAMRY 2.0L/2.2L/3.0L, RAV4 2.0L						Electrolog: STR6048 Replacing: 2810074120, 2810074130, 28100-74120, 28100-74130
NIPPON DENSO 	12V	13	65.9mm	1.4KW	18mm	CW	T012819628
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). THIS UNIT SEEMS TO BE AVAILABLE IN AN INTERCHANGEABLE 9T VERSION Vehicle Apps: KUBOTA - INDUSTRIAL						Electrolog: STR6112 Replacing: 2280006320, 2280006321
NIPPON DENSO 	12V	13	82mm	2.7KW	35mm	CW	T012819610, T012819610B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: - ENGINE: 4239 , 4276 . BOBCAT 1075, 1080, 975, SKID STEER. CLARK SKID STEER. JOHN DEERE - EARTHMOVING						Electrolog: STR6081 Replacing: 2280006470, 2280006471, RE68470, TY24438
NIPPON DENSO 	12V	13	90mm	2.5KW	48mm	CW	T012803674B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: BOBCAT SKID STEER. CASE 1830, 1840. CUMMINS - EARTHMOVING						Electrolog: STR6058 Replacing: 128000-054, 128000054, 128000-0540, 1280000540, 228000-195
NIPPON DENSO 	12V	15	94.8mm	1.4KW	21mm	CW	T012619600, T018719601
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: JOHN DEERE - AGRICULTURAL . THERMO KING - INDUSTRIAL . YANMAR - AGRICULTURAL						Electrolog: STR6070 Replacing: 12112077011, 1280000710, 5712800071, 451718

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	24V	10	88.2mm	5.5KW	47mm	CW	TO12803653, TO12803653R
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						Electrolog: STR6031
	Vehicle Apps: - ENGINE: 3114 , 3116 , 3176 . CATERPILLAR - EARTHMOVING , 120H, 924F, EL240B, IT12B, IT24B						Replacing: 1280005730, 1280005733, 1280005732, 3E5381, 8C4774
	24V	10	88.5mm	4.5KW	44.7mm	CW	TO210409207
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						Electrolog: STR8832ND
	Vehicle Apps: - ENGINE: S4D102E . KOMATSU - EARTHMOVING						Replacing: 0240003060ND, 0240003240ND
	24V	10	92mm	7.5KW	47.5mm	CW	TO100150002B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						Electrolog: STR6052
	Vehicle Apps: CASE - EARTHMOVING , 821C. CUMMINS - EARTHMOVING , - INDUSTRIAL						Replacing: 2280007380, 2280007381, 2280005630, 2280005631, 10465538
	24V	10	92mm	5.5KW	46.8mm	CW	TO10003684
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						Electrolog: STR6160
	Vehicle Apps: CASE - AGRICULTURAL . IVECO CURSOR, STRALIS. NEW HOLLAND - AGRICULTURAL						Replacing: 2280007550, 42498115, 99486046
	24V	11	88.6mm	7.5KW	48mm	CW	TO12803671B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						Electrolog: STR6089
	Vehicle Apps: JOHN DEERE - AGRICULTURAL , 648						Replacing: 2280006572, RE70475
	24V	11	94.7mm	4.5KW	43.5mm	CW	TO12803688B
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).						Electrolog: STR6158
	Vehicle Apps: - ENGINE: 6HK . HITACHI - EARTHMOVING . ISUZU - TRUCK/BUS						Replacing: 1811003241, 8980608540

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: NIPPON DENSO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012803683B Electrolog: STR6851 Replacing: 6301300041 NIPPON DENSO REPLACEMENT, 281001090 NIPPON DENSO
	24V	11	99.5mm	4.5KW	26.8mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID							
Vehicle Apps: - ENGINE: EC100 , EH100 , H06C , H07D . HINO FD, FF, FG, KL, KR							
Manuf/Sys: NIPPON DENSO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T011115011 Electrolog: STR6137 Replacing: 1280001000, 1280001001, 1280001002
	24V	11	104.6mm	4.5KW	13.8mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
Vehicle Apps: - ENGINE: 4D52 . KOMATSU - FORKLIFTS , FD40W							
Manuf/Sys: NIPPON DENSO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012803678B Electrolog: STR6403 Replacing: 0280006202, 1811001411
	24V	11	104.6mm	4.5KW	41mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID							
Vehicle Apps: - ENGINE: 6BB1 , 6BD1 , 6BG1 . ISUZU JCM, JCR, SBR, SCR							
Manuf/Sys: NIPPON DENSO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T010003651, T012803667R, T012803672BR, T021103621R Electrolog: STR6550 Replacing: 1280002450, 1280002451, 1811002301
	24V	11	104.9mm	5.5KW	58mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
Vehicle Apps: - ENGINE: 6A51 , 6SD1 . ISUZU FTR, FTR13, FTR800, FVR, FVR900							
Manuf/Sys: NIPPON DENSO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012803681 Electrolog: STR6025 Replacing: 2810056030, 0280005530, 2810056100, 28100-56030
	24V	11	105mm	4.5KW	16mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID							
Vehicle Apps: - ENGINE: 3B . TOYOTA DYNA 2.2L DIESEL/2.4L DIESEL/3.0L DIESEL/3.4L DIESEL							
Manuf/Sys: NIPPON DENSO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME: T012815001 Electrolog: STR6030 Replacing: 2810077090, 0280005300, 1811001620, 1811001890, 0280005481
	24V	11	105mm	4.5KW	55mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID							
Vehicle Apps: - ENGINE: 2D . TOYOTA DA110, DA115, DA116, DA6000, FD100, FD150							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters







Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
NIPPON DENSO 	24V	11	105mm	4.5KW	35.5mm	CW	TO10403656B Electrolog: STR6076 Replacing: 2330095000ND, 2330096060ND, 2330096106ND
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID - NIPPON DENSO REPLACEMENT UNIT FOR ORIGINAL HITACHI STARTER Vehicle Apps: - ENGINE: ND6 . NISSAN CK40, CW40, UG780						
NIPPON DENSO 	24V	11	105mm	4.5KW	27.7mm	CW	TO12819634, T0133803606 Electrolog: STR6408 Replacing: 281002623AND, 03555020015ND
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). NIPPON DENSO REPLACEMENT STARTER FOR ORIGINAL SAWAFUJI UNIT Vehicle Apps: HINO - TRUCK/BUS						
NIPPON DENSO Photo Not Available 	24V	11		7.5KW		CW	TO12803685 Electrolog: STR6188 Replacing: 2280007411, 2280007410, RE501060
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: JOHN DEERE - AGRICULTURAL , - EARTHMOVING						
NIPPON DENSO 	24V	12	90.7mm	4.5KW	17mm	CW	TO12819614 Electrolog: STR6046 Replacing: 2280005980, 2810017080
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: TOYOTA LAND CRUISER 4.2L						
NIPPON DENSO 	24V	13	91mm	8.0KW	46mm	CW	TO10003611 Electrolog: STR6161 Replacing: 4280000131, RE522852
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: BELL - EARTHMOVING . JOHN DEERE - EARTHMOVING , - INDUSTRIAL						
NIPPON DENSO 	24V	11	105mm	4.5KW	32mm	CW	TO12803676 Electrolog: STR3092ND Replacing: 23300Z5515ND, S25164AND
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: NISSAN UD50, UD60, UD70, UD80, UD90, UD95						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.




Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
NIPPON DENSO 	24V	11	104.8mm	5.0KW	9.8mm	CW	TRY SOME: T010003622B Electrolog: STR5100ND Replacing: M002T78681ND, 233000T005ND, 233000T003ND, M2T78681ND
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID - REPLACES ORIGINAL MITSUBISHI TYPE STARTER Vehicle Apps: - ENGINE: FD42 , FD46 . NISSAN CABSTAR 4.2L DIESEL/4.6L DIESEL, UD-SERIES, UD35, UD40							
NIPPON DENSO 	24V	11	105mm	4.5KW	30.4mm	CW	TRY SOME: T012515002BR Electrolog: STR5102ND Replacing: 281002624AND, 281002624ND, 03555020017ND
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). NIPPON DENSO REPLACEMENT FOR ORIGINAL MITSUBISHI AND SAWAFUJI TYPE STARTERS - THIS NIPPON DENSO UNIT CANNOT BE USED ON TOYOTA DYNA APPLICATIONS, ONLY HINO. Vehicle Apps: - ENGINE: J05ED , J08C , J4 , J6 . HINO - TRUCK/BUS , 500							
NIPPON DENSO 	24V	11	104.6mm	4.5KW	44mm	CW	TRY SOME: T012919600B Electrolog: STR8826ND Replacing: 0240003001ND, 0240003020ND, 0240003030ND, 0240003031ND, 0240003041ND
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: - ENGINE: 6H1 . ISUZU FRR, FSR, FSR700, FTR, FTR800							
PRESTOLITE 	12V	10	88.4mm	4.0KW	20mm	CW	TRY SOME: T0110419602 Electrolog: STR9727 Replacing: M100R2004SE, 12187645
Desc/Notes: M100;M100R. Vehicle Apps: - ENGINE: TBP226B . DEUTZ - AGRICULTURAL , - EARTHMOVING							
PRESTOLITE 	24V	10	89.3mm	4.0KW	19.7mm	CW	TRY SOME: T010019615 Electrolog: STR9706B Replacing:
Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). NO SEAL IN DE BRACKET SPIGOT Vehicle Apps: LIUGONG - EARTHMOVING							
PRESTOLITE 	24V	11	92mm	9.0KW	48mm	CW	TRY SOME: T013119603 Electrolog: STR9720 Replacing: M125R3001SE, M125R3001SEP, M125701
Desc/Notes: M125. PLGR (PLANETARY GEAR REDUCTION). DE BRACKET CAN BE ROTATED TO CHANGE OPENING TO EITHER SIDE Vehicle Apps: CASE - EARTHMOVING . CATERPILLAR - EARTHMOVING . CUMMINS - EARTHMOVING							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters







Manuf/Sys: PRESTOLITE 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T011003658, T011003658B
	24V	12	92mm	7.5KW	49mm	CW/	
Desc/Notes: M105. PLGR (PLANETARY GEAR REDUCTION).							
Vehicle Apps: BELL - EARTHMOVING . MERCEDES-BENZ ACTROS, AXOR							
							Electrolog: STR9710
							Replacing: M105R3031SE, M105431
Manuf/Sys: SAWAFUJI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T011203602B, T013803604, T018703612
	24V	11	104.5mm	5.5KW	36mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
Vehicle Apps: - ENGINE: PE6 , PF6 . NISSAN - TRUCK/BUS , CK10, CK20, CK40, CK41, CW40, CW50, UD290, UG780							
							Electrolog: STR9854
							Replacing: 2330096509, 03506020331, 23300-96509
Manuf/Sys: SAWAFUJI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T012515002, T0133803606R
	24V	11	105mm	4.5KW	30mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
Vehicle Apps: - ENGINE: J05ED , J08C , J4 , J6 . HINO - TRUCK/BUS , 500. TOYOTA DYNA							
							Electrolog: STR9805
							Replacing: 03555020050, 2810078063
Manuf/Sys: SAWAFUJI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T0110419601
	24V	11	105mm	5.5KW	33mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID							
Vehicle Apps: - ENGINE: FE6 . NISSAN UD50, UD60, UD70, UD80, UD85, UD90, UD95							
							Electrolog: STR9852
							Replacing: 23300Z5572, 03505020321, 23300-25572
Manuf/Sys: SAWAFUJI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T013803603B
	24V	11	105mm	4.5KW	30.6mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
Vehicle Apps: - ENGINE: W04D , WU420 . TOYOTA DYNA 7-105							
							Electrolog: STR9859
							Replacing: 03555020211, 2810078090B, 2810078090, 28100-78090, 03555020212
Manuf/Sys: SAWAFUJI 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T013803607
	24V	11	105mm	4.5KW	33.3mm	CW	
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).							
Vehicle Apps: - ENGINE: FD6 , FE6 , FE6F , FE6T . NISSAN UD50, UD60, UD70, UD80, UD85, UD90, UD95							
							Electrolog: STR9870
							Replacing: 03555020110, 23300Z5578

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.







Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
SAWAFUJI 	24V	11	121.5mm	6.0KW	48mm	CW	T013803605
Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: E13C . HINO 700 PROFIA							Electrolog: STR9810 Replacing: 03656020018, 281002865C
SAWAFUJI 	24V	11	122mm	6.5KW	39mm	CW	T018703613
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: - ENGINE: RF8 , RG8 . NISSAN UD430							Electrolog: STR9853 Replacing: 2330097510, 03507020612, 03507020610, 03507020611, 2330097517
VALEO 	12V	8	63mm	0.85KW	-1.4mm	CW	T018919626
Desc/Notes: D7E. Vehicle Apps: RENAULT GRAND SCENIC 1.6L, LAGUNA 1.6L 16V, MEGANE 1.4L 16V/1.6L 16V, SCENIC							Electrolog: STR0030 Replacing: D7E27, D7E47, TS10E3
VALEO 	12V	8	64.5mm	0.85KW	-2.5mm	CW	T018919619B
Desc/Notes: D7E. DD (DIRECT DRIVE). Vehicle Apps: - ENGINE: E7J , K4J , K7M . RENAULT CLIO 1.4L 16V, KANGOO 1.4L, MEGANE 1.4L, NP200 1.6L 8V, THALIA 1.4L							Electrolog: STR0051 Replacing: D7E15, 7700274303, 274303
VALEO 	12V	8	69.7mm	0.8KW	14.7mm	CW	T0100036185B
Desc/Notes: D7ED. DD (DIRECT DRIVE). IMPORTANT NOTE: HAS A CIRCUIT BOARD/CHIP IN THE SOLENOID THAT FORMS PART OF THE IMMOBILIZER SYSTEM OF THE VEHICLE. Vehicle Apps: MERCEDES-BENZ A140, A160, Vaneo 1.6L							Electrolog: STR0067 Replacing: D7ED281, 1661510001
VALEO 	12V	8	70mm	0.7KW	11mm	CW	T010003669B
Desc/Notes: D7E. DD (DIRECT DRIVE). Vehicle Apps: - ENGINE: CG10DE , CG12DE , CGA3 , CGA3DE . NISSAN MICRA 1.0L 16V/1.0V/1.2L 16V/1.4L 16V							Electrolog: STR0019 Replacing: D7E40, 455985, 233001F772

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys: VALEO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T018919625 Electrolog: STRO078 Replacing: 281000Q012, TS10E1
	12V	8	74.7mm	1.0KW	25.6mm	CW	
Desc/Notes: TS10E. DD (DIRECT DRIVE). Vehicle Apps: - ENGINE: 1KRFE . CITROEN C1 1.0L. PEUGEOT 107 1.0 L. TOYOTA AYGO 1.0L							
Manuf/Sys: VALEO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T018919621 Electrolog: STRO039 Replacing: D7E2, D7E5, D7E7, 190263, 455748
	12V	9	57.3	0.85KW	-6.3mm	CW	
Desc/Notes: D7E. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: CITROEN AX, BERLINGO 1.1L/1.4L/1.6L, BX, C15 1.1L/1.4L, C2, C3 1.1L/1.4L/1.6L, SAXO, XSARA. PEUGEOT 106, 205, 206, 306, 307, PARTNER 1.1L/1.4L. TATA INDICA 1.4L							
Manuf/Sys: VALEO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T018919606 Electrolog: STRO033 Replacing: D6RA661
	12V	9	60mm	1.0KW	-4.6mm	CW	
Desc/Notes: D6RA. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: B1A , B1E , B6D , D2A , D6A , D6B . CITROEN BERLINGO 1.8L, BX, XANTIA 1.6L/1.8L/2.0L, XM, XSARA 1.8i 16V/2.0L 16V, ZX 1.8i 16V/2.0i 16V. PEUGEOT 205 1.6L, 305 1.6L/1.9L, 405 1.6L/1.8L/1.9L, BOXER 2.0L, PARTNER 1.8L							
Manuf/Sys: VALEO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T018903625 Electrolog: STRO038 Replacing: D6RA63, D6RA063, 7700865985, 8111635, 455693
	12V	9	61.2mm	1.1KW	-2.5mm	CW	
Desc/Notes: D6RA. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: RENAULT LAGUNA 2.0L. VOLVO S40 1.6L/1.8L/2.0L, V40 1.6L/1.8L/2.0L							
Manuf/Sys: VALEO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T0210419600 Electrolog: STRO002 Replacing: D6RA19, 19F90214
	12V	9	76mm	1.2KW	29mm	CCW	
Desc/Notes: D6RA. PMGR (PERMANENT MAGNET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID Vehicle Apps: HATZ - INDUSTRIAL . LOMBARDINI - INDUSTRIAL . RUGGERINI - INDUSTRIAL							
Manuf/Sys: VALEO 	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME: T018903612 Electrolog: STRO003 Replacing: D9R91, 432539, ERR5009, PRC5109
	12V	9	91.8mm	3.1KW	20mm	CW	
Desc/Notes: D9R. OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: LAND ROVER 2.5L DIESEL/TURBO DIESEL, DEFENDER 2.5L TD/2.5L TDI, DISCOVERY 200TD, RANGE ROVER 2.5L DIESEL. MERCEDES-BENZ SPRINTER							

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: VALEO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRYSOME:
	12V	9	None	1.0KW	-3mm	CW	TRYSOME: T013203601
	Desc/Notes: D6G. PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: STRO060
	Vehicle Apps: CITROEN BERLINGO 1.6L 16V, C2 1.6L VTS, C3 1.4L 16V/1.6L 16V, C4 1.4L 16V, XSARA 1.4/1.6L 16V/1.6L, PEUGEOT 106 1.1L/1.3L/1.4L/1.6L, 205 1.4L, 206 1.1L/1.4L/1.6L 16V, 306 1.1L/1.6L, 307 1.4L/1.6L 16V, 309 1.1L/1.4L, PARTNER 1.1L/1.4L						Replacing: D6G3, 9648644680
	12V	10	65.5mm	1.1KW	-1mm	CW	TRYSOME: T018919616
	Desc/Notes: D6RA. PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: STRO014
	Vehicle Apps: - ENGINE: 353A, 357F, 453A, 453F, 553A, 557J, 853A, B400, B40J, B535, B53Y, B56B, B57A. RENAULT CLIO 1.2L/1.4L/1.6L/1.6L 16V, ESPACE 2.0L, KANGOO 1.4L, LAGUNA 1.8L/2.0L, MEGANE 1.4L/1.6L/2.0L/2.0L 16V, VOLVO 440 1.8L/2.0L, 460 1.8L/2.0L, 480 2.0L						Replacing: D6RA73, 455738, 438016, 7700100647
	12V	10	67mm	1.4KW	-4.5mm	CW	TRYSOME: T012315002
	Desc/Notes: D7R. PLGR (PLANETARY GEAR REDUCTION).						Electrolog: STRO016
	Vehicle Apps: CITROEN DISPATCH, RELAY, XANTIA, XSARA, ZX 1.9L DIESEL. FIAT SCUDO, ULYSSE. PEUGEOT 205, 206, 306, 309, 405, 406 1.9L DIESEL, 607 2.2L HDi, BOXER, EXPERT, PARTNER 1.9L DIESEL. TATA 207 1.9L TELCOLINE						Replacing: D7R24, 438013
	12V	10	68mm	1.1KW	19mm	CW	TRYSOME: T018919618
	Desc/Notes: D6RA. PMGR (PERMANENT MAGNET - GEAR REDUCTION). EYE TERMINAL CONNECTION FOR SOLENOID						Electrolog: STRO001
	Vehicle Apps: - ENGINE: 14NV, 16NV, 18SEH, X18XE1. DAEWOO ESPERO 1.5L/1.8L/2.0L, LANOS 1.4L/1.5L, NEXIA 1.5L, NUBIRA 1.6L/2.0L. OPEL ASCONA, ASTRA 1.4/1.6/1.8L/180i/2.0L/200i, CORSA 1.30i/1.40i/1.60i, KADETT, MONZA 1.3L/1.4L/1.6L/1.8L, TIGRA, VECTRA, ZAFIRA						Replacing: D6RA32, 25A32136, 455699, 455973, 432632
	12V	10	70mm	1.25KW	13.8mm	CW	TRYSOME: T018919614
	Desc/Notes: D6RA. PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: STRO055
	Vehicle Apps: MERCEDES-BENZ A150, A170, A190						Replacing: D6RA83, 438079
	12V	10	73mm	1.6KW	21.3mm	CW	TRYSOME: T010019611, T018903628B
	Desc/Notes: D7G. PLGR (PLANETARY GEAR REDUCTION).						Electrolog: STRO076
	Vehicle Apps: - ENGINE: M47D, M47N, N47D. BMW 118d, 120d, 318d, 320d, 520d, X3 2.0L D						Replacing: D7G4, 12417787354, 12417787356

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Complete Starters

Manuf/Sys:	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
VALEO 	12V	10	76mm	1.0KW	54mm	CCW	TRYSOME: T018919623
	Desc/Notes: D6GS. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: AZL , BBX , BGU , BSE , BSF , CCSA . AUDI A3 1.6L. SEAT ALTEA 1.6L, IBIZA 2.0L, LEON 1.6L. VOLKSWAGEN GOLF V 1.6L, JETTA 1.6L						Electrolog: STRO065 Replacing: D6GS13, 438173, 02T911023M, 02T911023T
VALEO 	12V	10	76mm	1.1KW	14mm	CW	TRYSOME: T0110419604
	Desc/Notes: D7E. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: A9A , A9B , A9JA , A9JB , ROCAM . FORD FIESTA 1.3L, KA 1.3L/1.6L						Electrolog: STRO275 Replacing: D7E33
VALEO 	12V	10	77mm	2.2KW	9.8mm	CW	TRYSOME: T018703621B, T018703621R, T018903623R
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: - ENGINE: 4D56 . HYUNDAI H100 DIESEL. KIA PREGIO 2.5L TC/D. MITSUBISHI PAJERO 2.5L TURBO DIESEL						Electrolog: STRO012 Replacing: TM000A36101, 3610042350, 36100-42350
VALEO 	12V	10	82.5mm	2.5KW	36.5mm	CW	TRYSOME: T018919601
	Desc/Notes: D7R. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: JOHN DEERE - AGRICULTURAL , 5200, 5300, 5400						Electrolog: STRO034 Replacing: D7R14, 438012, RE60641
VALEO 	12V	10	None	1.3KW	-1.5mm	CW	TRYSOME: T0110419600
	Desc/Notes: D6RA. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: - ENGINE: ES9 , L7X7 . CITROEN C5 3.0L, C8 3.0L. FIAT ULYSSE 3.0L. PEUGEOT 406 3.0L, 407 3.0L, 607 2.9L/3.0L, 807 3.0L. RENAULT AVANTIME 3.0L, CLIO 3.0L, LAGUNA 3.0L						Electrolog: STRO025 Replacing: D6RA107, 455956, 438087
VALEO 	12V	11	64.6mm	2.1KW	-1mm	CW	TRYSOME: T018919604, T018919604B
	Desc/Notes: D7G;D7R. PMGR (PERMANENT MAGNET - GEAR REDUCTION). Vehicle Apps: NISSAN INTERSTAR 1.9L DCI, PRIMASTAR 1.9L DCI, PRIMERA 1.9L DCI. RENAULT ESPACE 1.9L DCI, LAGUNA 1.9L DCI, SCENIC 1.9L DCI						Electrolog: STRO069 Replacing: D7G5, D7R44, D7R47, D7R49

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: VALEO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	11	82.4mm	2.2KW	25.6mm	CW	T010003608B
	Desc/Notes: D7R. PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: STRO027 Replacing: D7R43, 0051511301, 455720
Vehicle Apps: MERCEDES-BENZ C220CDi, C250 DIESEL, C270CDi, E200CDi, E220CDi, E250D, E270CDi, E280CDi, E300TD, SPRINTER DIESEL, VARIO 2.9L DIESEL, VIANO, VITO 2.3L DIESEL. SSANGYONG - LDV/VAN/MPV/4X4/PICK-UP							
Manuf/Sys: VALEO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	11	89mm	2.7KW	49mm	CW	T018919603
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). GEAR IS OFF-SET RELATIVE TO MOUNTING HOLES - MANDO-VALEO UNIT						Electrolog: STRO018 Replacing: TM000A28901, 6685190, 6676957, DSL6685190, DSL6676957
Vehicle Apps: BOBCAT - EARTHMOVING , SKID STEER. INGERSOLL RAND BOBCAT 573							
Manuf/Sys: VALEO	Volts	Teeth	Spigot	Kilowatts	Drv/Rest	Rotation	TRY SOME:
	12V	11	None	1.4KW	13.7mm	CW	T018903627B
	Desc/Notes: D6RA. PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: STRO064 Replacing: D6RA110, 455982, 966401698001, 9664016980, 9646679980
Vehicle Apps: CITROEN BERLINGO 1.6L HDi, C1 1.4L HDi, C2 1.4L HDi, C3 1.4L HDi/1.6L HDi, C4 1.6L HDi, C5 1.6L HDi, XSARA 1.4L HDi/1.6L HDi. PEUGEOT 1007 1.4L HDi/1.6L HDi, 206, 207, 307, 308, 407, EXPERT, PARTNER							



With **TYRECOP**

your most important
asset is in safe hands!

Adaptable • Safe • Reliable

Poor tyre pressure maintenance and severe underfoot conditions are the primary killers of tyres.








The highly adaptable **TYRECOP** system, records pressure, internal tyre temperature and road impacts 24/7 giving you complete peace of mind in knowing that one of your most important assets is in safe hands!

Benefits








- Enhanced safety on your mine
- Maximising your tyre life
- Reducing premature tyre failures
- Reducing down-time / increasing machine
- road-maintenance crews
- Customised reporting allows management to act quickly and implement corrective actions
- Identify operational

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Armatures








	Manuf/Sys: BOSCH				TRYSOME: TO10400100
	Volts	Length	OD	13 Splines	
	12V	148.8mm	58.8mm	23 Segments	
	Desc/Notes: DB;DW;R78-M25. PMGR (PERMANENT MAGNET - GEAR REDUCTION). 0001109...., 0001125... SERIES				
Vehicle Apps: . LOMBARDINI. MERCEDES-BENZ. VOLVO					Electrolog: ARM1094
Replacing: 1004011088, 1004011072, 9948377, 9947827, 281600B020					
	Manuf/Sys: BOSCH				TRYSOME: TO10400103
	Volts	Length	OD	10 Splines	
	12V	207mm	60mm	23 Segments	
	Desc/Notes: EF. DD (DIRECT DRIVE). 0001211... AND 9000333... SERIES				
Vehicle Apps: . AUDI. FIAT. FORD. HONDA. MAZDA. NISSAN. OPEL. TOYOTA. VOLKSWAGEN					Electrolog: ARM1017
Replacing: 1004012420, 1004012446, 1004012912, 1004012400, SA9303N					
	Manuf/Sys: BOSCH				TRYSOME: TO30400124
	Volts	Length	OD	10 Splines	
	12V	217mm	60mm	23 Segments	
	Desc/Notes: EF. DD (DIRECT DRIVE). 9000692... 0001211... SERIES				
Vehicle Apps: . PORSCHE 914. VOLKSWAGEN BEETLE, FOX 1.3L, 1.6 L, 1.8L, GOLF CITI 1.3L, 1.6L, 1.8L, I BAKKIE 1.8L, II 1.8L, III 1.6L, 1.8L, JETTA, KOMBI, STATION WAGON					Electrolog: ARM1019
Replacing: 1004012413, 1004012913, 1004012915, 055911311B, SA9310N					
	Manuf/Sys: BOSCH				TRYSOME: TO10400124
	Volts	Length	OD	10 Splines	
	12V	290mm	75mm	21 Segments	
	Desc/Notes: IF;JF. DD (DIRECT DRIVE). 0001362... 0001366... AND 9000143... SERIES				
Vehicle Apps: . ADE. BELL. BOMAG. DEUTZ. FAHR. FENDT. FIAT TRACTORS. GOLDONI. INGERSOLL RAND. KHD. LINDE. MAGIRUS-DEUTZ. MERCEDES-BENZ. SAME. STEYR					Electrolog: ARM1024
Replacing: 2004004074, SA927N					
	Manuf/Sys: BOSCH				TRYSOME: TO10400161J
	Volts	Length	OD	10 Splines	
	12V	290mm	75mm	21 Segments	
	Desc/Notes: IF;JF. DD (DIRECT DRIVE). 0001362... SERIES				
Vehicle Apps: . ADE. BELL. BOMAG. DEUTZ. FENDT. FIAT TRACTORS. INTERNATIONAL HARVESTER. IVECO. KHD. LINDE. LOMBARDINI. MAGIRUS-DEUTZ. MERCEDES-BENZ. SAME. STEYR. TOYOTA HINO					Electrolog: ARM1085
Replacing: 2004004092, 2004014952, SA9285N					
	Manuf/Sys: BOSCH				TRYSOME: TO10400171
	Volts	Length	OD	10 Splines	
	12V	312mm	74.9mm	21 Segments	
	Desc/Notes: IF;JF. DD (DIRECT DRIVE). 0001362..., 0001366... SERIES				
Vehicle Apps: . CASE. DEUTZ. FENDT. INTERNATIONAL HARVESTER. KHD. MERCEDES-BENZ					Electrolog: ARM1046
Replacing: 2004004076, 2004004091, 2004004094, 2004014953					
	Manuf/Sys: BOSCH				TRYSOME: TO10000109
	Volts	Length	OD	3 Splines	
	12V	334mm	72.5mm	21 Segments	
	Desc/Notes: JD. DD (DIRECT DRIVE). 0001358... SERIES				
Vehicle Apps: . BOMAG. DEUTZ. FIAT TRACTORS. IVECO. JOHN DEERE. KHD. MAGIRUS-DEUTZ. SAME. SAVIEM. STEYR					Electrolog: ARM1029
Replacing: 2004004081, AL19229, 1299235, 8122135, SA9201N					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.








	Manuf/Sys: BOSCH				TRY SOME: T010400143
	Volts	Length	OD	10 Splines	
	12V	334mm	75mm	33 Segments	
	Desc/Notes: ID;JD. DD (DIRECT DRIVE). 0001359..., 9000143... SERIES - NO BAKELITE				
Vehicle Apps: . ADE. DEUTZ. FIAT TRACTORS. FORD CARGO TRUCK, TRACTORS. JOHN DEERE. KHD. LEYLAND. MACK. MAN. MASSEY FERGUSON. MERCEDES-BENZ. PERKINS. SAME. STEYR. TOYOTA HINO				Electrolog: ARM1043	
Replacing: 2004004112, 2004004061, SA9204N, 084059112					
	Manuf/Sys: BOSCH				TRY SOME: T010400136
	Volts	Length	OD	10 Splines	
	12V	337mm	75mm	21 Segments	
	Desc/Notes: IF;JF. DD (DIRECT DRIVE). 0001367... AND 9000143 SERIES				
Vehicle Apps: . ADE. BELL. CASE. CATERPILLAR. CLAAS. DEUTZ. FIAT TRACTORS. FORD. JOHN DEERE. MAGIRUS-DEUTZ. MERCEDES-BENZ. NEW HOLLAND. PERKINS. SAME. SAMIL. TOYOTA HINO				Electrolog: ARM1036	
Replacing: 2004004003, 2004014960, 2004004006, SA9212N, 084059003					
	Manuf/Sys: BOSCH				TRY SOME: T010400137
	Volts	Length	OD	37 Segments	
	12V	367mm	82.8mm		
	Desc/Notes: BNG. DD (DIRECT DRIVE). 0001401... SERIES				
Vehicle Apps: . BEDFORD. CLAAS. DEUTZ. LIEBHERR. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. VOLVO				Electrolog: ARM1053	
Replacing: 2004005051, 2004005917, SA9100N					
	Manuf/Sys: BOSCH				TRY SOME: T010400169R
	Volts	Length	OD	16 Splines	
	24V	169mm	60mm	23 Segments	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001231... SERIES				
Vehicle Apps: . BELL. DAF. DEUTZ. IVECO. KHD. MAN. MANITOU. MERCEDES-BENZ ATEGO, CITARO, CITO, CONECTO, ECONIC, INTEGRO, VARIO. RENAULT MIDLINER. VOLVO TRUCK AND BUS				Electrolog: ARM1108	
Replacing: 9003334039, 6033AD0285, 6033AD4013, 6033AD4080, SA9453N					
	Manuf/Sys: BOSCH				TRY SOME: T010400101
	Volts	Length	OD	13 Splines	
	24V	173.9mm	60mm	23 Segments	
	Desc/Notes: HEF95L. PLGR (PLANETARY GEAR REDUCTION). 0001241... SERIES				
Vehicle Apps: . DAF. MAN. MERCEDES-BENZ				Electrolog: ARM1073	
Replacing: 6033AD5148					
	Manuf/Sys: BOSCH				TRY SOME: T010400160B
	Volts	Length	OD	29 Segments	
	24V	235mm	83mm		
	Desc/Notes: KB. DD (DIRECT DRIVE). 0001414..., 0001415..., 0001416... SERIES - SHORT				
Vehicle Apps: . ADE. BELL. DEUTZ. ERF. INTERNATIONAL. ISUZU. IVECO. KHD. LIEBHERR. MAN. MERCEDES-BENZ. NISSAN. SAMIL. SCANIA. TOYOTA HINO. VOLVO				Electrolog: ARM1060	
Replacing: 2004005153, 2004005022, 2004005046, 2004005037, SA9105N					
	Manuf/Sys: BOSCH				TRY SOME: T010400157
	Volts	Length	OD	29 Segments	
	24V	270mm	83mm		
	Desc/Notes: KB. DD (DIRECT DRIVE). 0001410... AND 9000084... SERIES - LONG				
Vehicle Apps: . ADE. BEDFORD. BELL. DEUTZ. ERF. INTERNATIONAL HARVESTER. ISUZU. IVECO. KHD. MAN. MERCEDES-BENZ. SAMIL. SCANIA. TOYOTA HINO. VOLVO				Electrolog: ARM1057	
Replacing: 2004005025, SA9104N, 084060025					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Armatures








	Manuf/Sys: BOSCH				TRYSOME: T010000112
	Volts	Length	OD	21 Segments	
	24V	298mm	80mm		
	Desc/Notes:				
Vehicle Apps: . TRUCK AND BUS				Replacing: 2134015050	
	Manuf/Sys: BOSCH				TRYSOME: T010400154
	Volts	Length	OD	38 Segments	
	24V	314mm	100mm		
	Desc/Notes: QB, DD (DIRECT DRIVE), 0001510... SERIES - ROUND CLUTCH HOUSING - STARTER LOOKS LIKE KB BUT IS MUCH BIGGER				
Vehicle Apps: . DEUTZ, IVECO, KHD, LIEBHERR, MERCEDES-BENZ, SAMIL				Replacing: 2004006101, 2004006102, 2004006091, 1290084, SA9QBN	
	Manuf/Sys: BOSCH				TRYSOME: T010400168
	Volts	Length	OD	10 Splines 33 Segments	
	24V	337mm	75mm		
	Desc/Notes: IF;JF, DD (DIRECT DRIVE), 0001368..., 9000143... SERIES				
Vehicle Apps: . ADE, BELL, DAF, DEUTZ, FORD TRACTORS AND TRUCKS, INTERNATIONAL, ISUZU, IVECO, JOHN DEERE, KHD, MAN, MASSEY FERGUSON, MERCEDES-BENZ, MITSUBISHI, NISSAN, PERKINS, TOYOTA HINO				Replacing: 2004004033, 2004014975, 2004004032, 2004004035, SA9213N	
	Manuf/Sys: BOSCH				TRYSOME: T010400173
	Volts	Length	OD	19 Splines 29 Segments	
	24V	370mm	75mm		
	Desc/Notes: IE;JE, DD (DIRECT DRIVE), 0001372... SERIES				
Vehicle Apps: . BELL, DAF 95XF, CF85, MERCEDES-BENZ ACTROS, AXOR, TRAVEGO				Replacing: 2004014034, SA9221N, CS165, 084014034	
	Manuf/Sys: BOSCH				TRYSOME: T011000102
	Volts	Length	OD	19 Splines 21 Segments	
	24V	393mm	74.9mm		
	Desc/Notes: IE, DD (DIRECT DRIVE), 0001370..., 0001371... SERIES				
Vehicle Apps: . DAF, LEYLAND, MAN, MERCEDES-BENZ, SCANIA				Replacing: 2004014028, 2004014029, SA9290N	
	Manuf/Sys: DELCO				TRYSOME: T011000108
	Volts	Length	OD	12 Splines 23 Segments	
	12V	161.8mm	60.2mm		
	Desc/Notes: 29MT, PLGR (PLANETARY GEAR REDUCTION).				
Vehicle Apps: . CASE, CUMMINS				Replacing: 10515833	
	Manuf/Sys: DELCO				TRYSOME: T011100127B
	Volts	Length	OD	8 Splines 23 Segments	
	12V	177mm	60mm		
	Desc/Notes: 28MT, OSGR (OFFSET - GEAR REDUCTION), CE BEARING: BEA6200 - DE BEARING: BEA6003				
Vehicle Apps: . ALLIS CHALMERS, BOBCAT, CASE, CATERPILLAR, CLARK, CUMMINS, DEUTZ, FORD, HYSTER, INGERSOLL RAND, JOHN DEERE, MASSEY FERGUSON, MELROE BOBCAT, MERCEDES-BENZ, NEW HOLLAND, PERKINS, THERMO KING				Replacing: 10456466, 10457618, 0231000311, 0231000316, SA220N	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: DELCO				TRY SOME: T011100103B, T021003804
	Volts	Length	OD	20 Splines	
	12V	196.6mm	76.2mm	21 Segments	
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION).				
Vehicle Apps: . CATERPILLAR. CUMMINS. FREIGHTLINER. VOLVO				Electrolog: ARM2655	
Replacing: 10516266, 10511758, 0282008330					
	Manuf/Sys: DELCO				TRY SOME: T011100101
	Volts	Length	OD	6 Splines	
	12V	335mm	74.3mm	23 Segments	
	Desc/Notes: 20MT;22MT;25MT;27MT. DD (DIRECT DRIVE).				
Vehicle Apps: . ALLIS CHALMERS. BOBCAT. CLARK FORKLIFT. HYSTER. JOHN DEERE. PERKINS. YALE				Electrolog: ARM2606	
Replacing: 1950417, 1969375, 1949190, SA211N, CS89					
	Manuf/Sys: DELCO				TRY SOME: T011100105R
	Volts	Length	OD	6 Splines	
	12V	355mm	86mm	25 Segments	
	Desc/Notes: 30MT. DD (DIRECT DRIVE).				
Vehicle Apps: . HYSTER FORKLIFT				Electrolog: ARM2610	
Replacing: 1967042, 1942244, 1932872, SA202N					
	Manuf/Sys: DELCO				TRY SOME: T1985249
	Volts	Length	OD	3 Splines	
	12V	390.9mm	84.5mm	29 Segments	
	Desc/Notes: 37MT. DD (DIRECT DRIVE).				
Vehicle Apps: . CATERPILLAR. CUMMINS. DRESSER. FORD. INTERNATIONAL HARVESTER. JOHN DEERE. KENWORTH				Electrolog: ARM2637	
Replacing: 1985249, 1987175, SA237N, CS49					
	Manuf/Sys: DELCO				TRY SOME: T10473852
	Volts	Length	OD	19 Splines	
	12V	390.5mm	84mm	29 Segments	
	Desc/Notes: 41MT. DD (DIRECT DRIVE).				
Vehicle Apps: . CHEVROLET. FORD. FREIGHTLINER. INTERNATIONAL. JOHN DEERE. KENWORTH. MACK. PETERBILT				Electrolog: ARM2672	
Replacing: 10473852					
	Manuf/Sys: DELCO				TRY SOME: T011000106
	Volts	Length	OD	3 Splines	
	12V	393mm	85mm	25 Segments	
	Desc/Notes: 35MT. DD (DIRECT DRIVE).				
Vehicle Apps: . CASE. CATERPILLAR. HYSTER. JOHN DEERE				Electrolog: ARM2613	
Replacing: 1967045, 1948999, 1946391, 665389, SA216N					
	Manuf/Sys: DELCO				TRY SOME: T011100141B
	Volts	Length	OD	19 Splines	
	12V	451mm	84.5mm	25 Segments	
	Desc/Notes: 42MT. DD (DIRECT DRIVE).				
Vehicle Apps: . CASE. CATERPILLAR. FORD. INGERSOLL RAND. INTERNATIONAL EAGLE. JOHN DEERE. MACK. VOLVO				Electrolog: ARM2641	
Replacing: 1987989, SA241N					

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Armatures








	Manuf/Sys: DELCO				TRYSOME:
	Volts	Length	OD	8 Splines	T011100128B
	24V	177mm	60mm	23 Segments	
	Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION). CE BEARING: BEA6200 - DE BEARING: BEA6003				Electrolog: ARM2620
Vehicle Apps: . BELL. CLARK FORKLIFT. CUMMINS. MACK. MERCEDES-BENZ ATEGO, CITARO, ECONIC, VARIO. PERKINS				Replacing: 10457117, 10457622, SA222N	
	Manuf/Sys: DELCO				TRYSOME:
	Volts	Length	OD	20 Splines	T011100102B
	24V	198mm	75.5mm	21 Segments	
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION).				Electrolog: ARM5003
Vehicle Apps: . ALLIS CHALMERS. CASE. CATERPILLAR. CLARK. CUMMINS. FIAT-ALLIS. FREIGHTLINER. HYUNDAI. INTERNATIONAL. KENWORTH. VOLVO				Replacing: 10511750	
	Manuf/Sys: DELCO				TRYSOME:
	Volts	Length	OD	3 Splines	T1988322B
	24V	390.9mm	84.5mm	29 Segments	
	Desc/Notes: 37MT. DD (DIRECT DRIVE).				Electrolog: ARM2638
Vehicle Apps: . CATERPILLAR. CUMMINS. INGERSOLL RAND. INTERNATIONAL. MACK				Replacing: 1988322	
	Manuf/Sys: DELCO				TRYSOME:
	Volts	Length	OD	19 Splines	T011100154B
	24V	392mm	84.5mm	29 Segments	
	Desc/Notes: 41MT. DD (DIRECT DRIVE).				Electrolog: ARM2643
Vehicle Apps: . BOBCAT. CATERPILLAR. CUMMINS. DETROIT DSL. ERF. INGERSOLL RAND. MACK. PERKINS				Replacing: 10472559, 9X3412, 3E7855, SA243N	
	Manuf/Sys: DELCO				TRYSOME:
	Volts	Length	OD	19 Splines	T011100153, T011100153B, T011100153V
	24V	451mm	84.5mm	25 Segments	
	Desc/Notes: 42MT. DD (DIRECT DRIVE).				Electrolog: ARM2642
Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. FODEN. INGERSOLL RAND. INTERNATIONAL. MACK				Replacing: 1988435, 7T3276, SA242N	
	Manuf/Sys: DELCO				TRYSOME:
	Volts	Length	OD	19 Splines	T011100152B
	24V	483mm	95.8mm	25 Segments	
	Desc/Notes: 50MT. DD (DIRECT DRIVE). 6-POLE STARTER - SHORT				Electrolog: ARM2652
Vehicle Apps: . CATERPILLAR. CUMMINS. DRILLTECH. ERF. EUCLID. KENWORTH. KOMATSU. LOCOMOTIVE. OSHKOSH				Replacing: 1945840, 1953233, 7M8651, 1211396H1, SA212N	
	Manuf/Sys: DELCO				TRYSOME:
	Volts	Length	OD	19 Splines	T011100151B
	24V	530mm	96mm	25 Segments	
	Desc/Notes: 50MT. DD (DIRECT DRIVE). LONG				Electrolog: ARM2651
Vehicle Apps: . CATERPILLAR. CUMMINS. DRILLTECH. ERF. EUCLID. KENWORTH. KOMATSU. LOCOMOTIVE. OSHKOSH				Replacing: 1951254, 3T5425, 7M0323, SA213N	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.








	Manuf/Sys: DELCO				TRY SOME: T011100124, T011100124L
	Volts	Length	OD	19 Splines	
	32V;24V	467mm	84.2mm	25 Segments	
	Desc/Notes: 40MT. DD (DIRECT DRIVE).				
Vehicle Apps: . CUMMINS. ERF. FODEN. INGERSOLL RAND. MACK				Electrolog: ARM2624	
	Manuf/Sys: HITACHI				TRY SOME: TYM121254-77402
	Volts	Length	OD	11 Splines	
	12V	166.5mm	60mm	25 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . KOMATSU. YANMAR				Electrolog: ARM3066	
				Replacing: YM12125477402	
	Manuf/Sys: HITACHI				TRY SOME: T011900100
	Volts	Length	OD	11 Splines	
	12V	180mm	53mm	27 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). TAKES BEARINGS: BEA6903 OR BEA6903ZZ (SPLINES END) AND BEA0608 (COMM END)				
Vehicle Apps: . HYSTER. ISUZU 2.5L AND 2.8L DIESEL. KOMATSU. LINDE. NISSAN 1-TONNER 2.5L DIESEL, 2.7L DIESEL BAKKIE, CABSTAR 2.7L, HARDBODY 2.7L, TERRANO 2.7L DIESEL. THERMO KING. YANMAR				Electrolog: ARM3003	
				Replacing: 213061004, 213081004, 233100Y000, 8944355610, SA871N	
	Manuf/Sys: ISKRA				TRY SOME: T017900101
	Volts	Length	OD	15 Splines	
	12V	176mm	62.6mm	23 Segments	
	Desc/Notes: AZF. PLGR (PLANETARY GEAR REDUCTION).				
Vehicle Apps: . JOHN DEERE				Electrolog: ARM7917	
				Replacing: 16.908.339	
	Manuf/Sys: ISKRA				TRY SOME: T017900103
	Volts	Length	OD	10 Splines	
	12V	307.2mm	75.2mm	21 Segments	
	Desc/Notes: AZJ. DD (DIRECT DRIVE).				
Vehicle Apps: . CASE. DEUTZ. IVECO. JCB. MASSEY FERGUSON. NEW HOLLAND				Electrolog: ARM7901	
				Replacing: 16.360.524	
	Manuf/Sys: LUCAS				TRY SOME: T012300183
	Volts	Length	OD	12 Splines	
	12V	238mm	54mm	29 Segments	
	Desc/Notes: M83. DD (DIRECT DRIVE).				
Vehicle Apps: . DAEWOO ESPERO, LANOS, NEXIA, NUBIRA. OPEL AGILA, ASCONA, ASTRA, COMBO, CORSA, KADETT, MONZA, TIGRA, VECTRA, ZAFIRA				Electrolog: ARM4015	
				Replacing: 66240713, CS27, SA14N	
	Manuf/Sys: LUCAS				TRY SOME: T012300133
	Volts	Length	OD	12 Splines	
	12V	302.5mm	74.5mm	23 Segments	
	Desc/Notes: 2M113;M45G;3SM114. DD (DIRECT DRIVE).				
Vehicle Apps: . FIAT. IVECO. MASSEY FERGUSON. NEW HOLLAND				Electrolog: ARM4057	
				Replacing: 54248609, TIB107	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Armatures








	Manuf/Sys: LUCAS				TRYSOME: T012300181
	Volts	Length	OD	12 Splines	
	12V	302mm	74.5mm	23 Segments	
	Desc/Notes: 2M113;M45G. DD (DIRECT DRIVE). FAST				
Vehicle Apps: . ADE. BELL. CASE. FORD TRACTORS. HYSTER. LANDINI. MASSEY FERGUSON. PERKINS					Electrolog: ARM4062
					Replacing: 54247379, TIB108, CS28, SA5N
	Manuf/Sys: LUCAS				TRYSOME: T012300176
	Volts	Length	OD	12 Splines	
	12V	302mm	84mm	21 Segments	
	Desc/Notes: M50;M127. DD (DIRECT DRIVE). SLOW				
Vehicle Apps: . ADE. CASE. DEUTZ. FORD TRACTOR, TRUCKS. FORDSON TRACTORS. HYSTER. INTERNATIONAL HARVESTER. JCB. KHD. LANDINI. LEYLAND. MASSEY FERGUSON. NEW HOLLAND. PERKINS					Electrolog: ARM4076
					Replacing: 54243590, TJB103, CS26
	Manuf/Sys: LUCAS				TRYSOME: T012300131
	Volts	Length	OD	4 Splines	
	12V	310mm	53.7mm	29 Segments	
	Desc/Notes: M35G. INERTIA.				
Vehicle Apps: . AUSTIN. FORD CORTINA, ESCORT					Electrolog: ARM4003
					Replacing: 54254042, TBG104, CS1C, SA1CN
	Manuf/Sys: LUCAS				TRYSOME: T012300180
	Volts	Length	OD	12 Splines	
	12V	329mm	83.9mm	21 Segments	
	Desc/Notes: M50. DD (DIRECT DRIVE).				
Vehicle Apps: . CASE. INTERNATIONAL HARVESTER. PERKINS					Electrolog: ARM4081
					Replacing: 54243592, 60251459, TJB104, CS29, SA29N
	Manuf/Sys: LUCAS				TRYSOME: T012300179
	Volts	Length	OD	6 Splines	
	12V	338mm	74mm	23 Segments	
	Desc/Notes: M45G. DD (DIRECT DRIVE). STRAIGHT SPLINE				
Vehicle Apps: . ADE. CASE. FORD TRACTORS. HYSTER. LANDINI. MASSEY FERGUSON. PERKINS					Electrolog: ARM4040
					Replacing: 54251818, TIB113, CS15B, SA7N
	Manuf/Sys: LUCAS(TVS)				TRYSOME: T012300135
	Volts	Length	OD	12 Splines	
	12V	247.5mm	74.4mm	23 Segments	
	Desc/Notes: 2M14. DD (DIRECT DRIVE).				
Vehicle Apps: . TATA TELCOLINE					Electrolog: ARM4124
					Replacing: 26253642
	Manuf/Sys: MITSUBISHI				TRYSOME: T010000105
	Volts	Length	OD	9 Splines	
	24V	152mm	53.5mm	25 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . CATERPILLAR. FURUKAWA. MITSUBISHI CANTER. NISSAN CABALL, CABSTAR, UD					Electrolog: ARM5025
					Replacing: M106X29371, ME700136, 233100T003, M106X56471, SA136N

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: MITSUBISHI				TRYSOME: T012500101
	Volts	Length	OD	13 Splines	
	24V	170.2mm	53.8mm	23 Segments	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).				
Vehicle Apps: . BELL. CATERPILLAR. MITSUBISHI FUSO					Electrolog: ARM5038
					Replacing: M105X43671, ME701446, M106X43672
	Manuf/Sys: MITSUBISHI				TRYSOME: T012500103
	Volts	Length	OD	13 Splines	
	24V	177mm	60.4mm	23 Segments	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). FITS M9T60371				
Vehicle Apps: . RENAULT KERAX					Electrolog: ARM5034
					Replacing:
	Manuf/Sys: MITSUBISHI				TRYSOME: T012500122R
	Volts	Length	OD	14 Splines	
	24V	195.7mm	68mm	21 Segments	
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION).				
Vehicle Apps: . HITACHI INDUSTRIAL. MERCEDES-BENZ. MITSUBISHI. NISSAN TRUCK. VOLVO					Electrolog: ARM5036
					Replacing: M106X45071, SA5036N
	Manuf/Sys: NIKKO				TRYSOME: T0-23100-0201
	Volts	Length	OD	8 Splines	
	12V	174mm	48.5mm	21 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). FITS STARTER: STR8831				
Vehicle Apps: . KOMATSU FORKLIFT					Electrolog: ARM8853
					Replacing: 0231000200, 0231000201, 7231000160, 7231000240, 7231000330
	Manuf/Sys: NIKKO				TRYSOME: T012900108
	Volts	Length	OD	9 Splines	
	24V	187mm	60mm	23 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). FITS STARTER NUMBER: 0240003060, 6008634410				
Vehicle Apps: . JOHN DEERE. KOMATSU					Electrolog: ARM8852
					Replacing: 0241000030
	Manuf/Sys: NIKKO				TRYSOME: T012900122
	Volts	Length	OD	11 Splines	
	24V	191mm	59.5mm	23 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). SMALL NOSE STARTER OSGR				
Vehicle Apps: . KOMATSU WA150, WA180					Electrolog: ARM8822
					Replacing: 0231000161, 1231000160, 7231000220, 7231000190
	Manuf/Sys: NIKKO				TRYSOME: T01200114B, T012900114R
	Volts	Length	OD	9 Splines	
	24V	209mm	74.5mm	21 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . KOMATSU					Electrolog: ARM8805
					Replacing: 0231000231, 0231000230, KD0231000230, 0-23100-0230, SA750N

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Armatures

	Manuf/Sys: NIKKO				TRYSOME:
	Volts	Length	OD	10 Splines	T012900115, T012900115R
	24V	211.7mm	74.5mm	21 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				Electrolog: ARM8812
Vehicle Apps: . KOMATSU				Replacing: 0231000430	
	Manuf/Sys: NIKKO				TRYSOME:
	Volts	Length	OD	9 Splines	T012900113B, T012900113R
	24V	214mm	64.6mm	21 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				Electrolog: ARM8846
Vehicle Apps: . KOMATSU EARTHMOVING AND INDUSTRIAL				Replacing: 0231000251, 7231000310	
	Manuf/Sys: NIKKO				TRYSOME:
	Volts	Length	OD	9 Splines	T012900112
	24V	219.4mm	74.6mm	21 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				Electrolog: ARM8803
Vehicle Apps: . ISUZU. KOMATSU EARTHMOVING AND INDUSTRIAL				Replacing: 0231000121, 1231000120, 1811210330, 7231000040	
	Manuf/Sys: NIKKO				TRYSOME:
	Volts	Length	OD	11 Splines	T012900125, T144815261B
	24V	226.6mm	74.5mm	21 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				Electrolog: ARM8806
Vehicle Apps: . ISUZU				Replacing: 0231000261, 0510001910	
	Manuf/Sys: NIPPON DENSO				TRYSOME:
	Volts	Length	OD	9 Splines	T012800101, T012800103
	12V	187mm	60mm	23 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				Electrolog: ARM6012
Vehicle Apps: . BOBCAT. CASE. CLARK. CUMMINS. FORD. ISUZU. JOHN DEERE. KUBOTA. TOYOTA CRESSIDA 2.2L DIESEL, DYNA, HIACE 2.2L DIESEL, TD, 2.4L DIESEL, HILUX 2.4L DIESEL, TD, LAND CRUISER 2.4L DIESEL, TD				Replacing: 2816047040, 0282001780, 28160-47040, SA360N	
	Manuf/Sys: PRESTOLITE				TRYSOME:
	Volts	Length	OD	9 Splines	T1431001003
	24V	238mm	79.5mm	29 Segments	
	Desc/Notes: STEERING MOTOR				Electrolog: ARM9710
Vehicle Apps: . CATERPILLAR				Replacing:	
	Manuf/Sys: PRESTOLITE				TRYSOME:
	Volts	Length	OD	9 Splines	T1431001002
	24V	245mm	79.8mm	29 Segments	
	Desc/Notes: DD (DIRECT DRIVE). 143103602 MOTOR				Electrolog: ARM9701
Vehicle Apps: . CATERPILLAR				Replacing: MBD2506B, MBD2556A, 1431001002, MBD3556A, 16914	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: SAWAFUJI				TRY SOME: T013802705
	Volts	Length	OD	8 Splines	
	24V	170mm	58mm	25 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . HINO					Electrolog: ARM9863
					Replacing: 132009801X0
	Manuf/Sys: SAWAFUJI				TRY SOME: T0138001002
	Volts	Length	OD	8 Splines	
	24V	170mm	59.4mm	25 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . HINO					Electrolog: ARM9812
					Replacing: 132007710X0
	Manuf/Sys: SAWAFUJI				TRY SOME: T0138001001
	Volts	Length	OD	12 Splines	
	24V	218mm	74.8mm	21 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . KOMATSU. TOYOTA HINO					Electrolog: ARM9861
					Replacing: 132007800X0, 281601460
	Manuf/Sys: SAWAFUJI				TRY SOME: T012900123
	Volts	Length	OD	14 Splines	
	24V	238.7mm	75mm	21 Segments	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . KOMATSU EARTHMOVING AND INDUSTRIAL					Electrolog: ARM9866
					Replacing: 132006340X0
	Manuf/Sys: VALEO				TRY SOME: T010000111
	Volts	Length	OD	16 Splines	
	12V	141mm	50mm	19 Segments	
	Desc/Notes: D7R. PMGR (PERMANENT MAGNET - GEAR REDUCTION).				
Vehicle Apps: . FIAT. JOHN DEERE. MERCEDES-BENZ. PEUGEOT. RENAULT. VOLVO					Electrolog: ARM0006
					Replacing: 594112, 182591, NE824, 594278

Each fuse is factory tested which ensures a top quality product

Littelfuse® ...the Safer Choice!

- Prevents problems and high costs (when the incorrect fuse is used, there is a danger of burn out)
- Self-Extinguishing Housing (prevents a fire from starting)
- Single-piece element (constant quality and no weld connections)
- Test contacts on fuse (fuses can be tested while mounted)
- Protects people and vehicles


Trysome is a leading importer & distributor of Littelfuse®

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives




	Manuf/Sys: BOSCH					TRYSOME: T010402838B
	Teeth	Gear OD	Length	Splines	Rotation	
	8	26mm	58.5mm	10 Spline	Clock	
Desc/Notes: EF, DD (DIRECT DRIVE), 9000692...SERIES						Electrolog: DRV1037
Vehicle Apps: . FORD BANTAM, COURIER, LASER. MAZDA 323, ASTINA, B1600, B1800, B2000, B2200, DRIFTER, ETUDE, RUSTLER. TOYOTA CONQUEST 1.3L, COROLLA 1.3L						Replacing: 9001690067
	Manuf/Sys: BOSCH					TRYSOME: T010402801R, T0104028134, T0104028998
	Teeth	Gear OD	Length	Splines	Rotation	
	9	25mm	47.6mm	10 Splines	Clock	
Desc/Notes: DM, PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: DRV1053
Vehicle Apps: . CITROEN BERLINGO, C2, C3, XSARA. MERCEDES-BENZ C240, C280, C320, CLK320, SL500. OPEL ASTRA, CORSA, VECTRA, ZAFIRA. PEUGEOT 1007, 106, 206, 207, 306, 307, PARTNER. TATA INDICA						Replacing: 1006209633, 1006209715, 1006209706, F000AL1324, 5835C7
	Manuf/Sys: BOSCH					TRYSOME: T010402894
	Teeth	Gear OD	Length	Splines	Rotation	
	9	25.8mm	50mm	10 Spline	Clock	
Desc/Notes: DW, PMGR (PERMANENT MAGNET - GEAR REDUCTION), 0001107... SERIES; 0001108... SERIES						Electrolog: DRV1134
Vehicle Apps: . AUDI. CITROEN. FIAT. MERCEDES-BENZ. PEUGEOT. VOLKSWAGEN. VOLVO						Replacing: 1006209618, 1006209677, 1006209638, 1006209690, 9947831
	Manuf/Sys: BOSCH					TRYSOME: T010402808Z
	Teeth	Gear OD	Length	Splines	Rotation	
	9	25mm	56.5mm	10 Spline	Anti-Clock	
Desc/Notes: DW, PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: DRV1056
Vehicle Apps: . SEAT. VOLKSWAGEN FOX, GOLF I, II, III, JETTA I, II, PASSAT, POLO CLASSIC, PLAYA, TRANSPORTER						Replacing: 1006209585, 1006209916, 020911335A
	Manuf/Sys: BOSCH					TRYSOME: T010402816, T010402837
	Teeth	Gear OD	Length	Splines	Rotation	
	9	25.5mm	58.5mm	10 Spline	Anti-Clock	
Desc/Notes: DM, PMDD (PERMANENT MAGNET - DIRECT DRIVE); PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: DRV1026
Vehicle Apps: . VOLKSWAGEN FOX 1.3L, 1.6L, 1.8L, GOLF I 1.3L, 1.6L, 1.8L, II 1.8L, III 1.6L, 1.8L, 1.9L DIESEL, 2.8I VR6, JETTA, PASSAT 2.8L VR6, POLO 1.4i, 1.6i, 1.8i, VENTO 1.9L DIESEL, 2.8L VR6						Replacing: 1006209921, 1006209544, 1006209543, F000AL1520
	Manuf/Sys: BOSCH					TRYSOME: T010402805, T010402831R
	Teeth	Gear OD	Length	Splines	Rotation	
	9	25mm	58.5mm	10 Spline	Clock	
Desc/Notes: DW; DM; EF, DD (DIRECT DRIVE); PMDD (PERMANENT MAGNET - DIRECT DRIVE); PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: DRV1031
Vehicle Apps: . ALFA ROMEO. AUDI. BMW. CITROEN. FIAT. MERCEDES-BENZ. OPEL. SSANGYONG. VOLKSWAGEN. VOLVO						Replacing: 1006209526, 1006209506, 1006209536, 049911335A, 9941314
	Manuf/Sys: BOSCH					TRYSOME: T0104028150
	Teeth	Gear OD	Length	Splines	Rotation	
	9	25mm	58.5mm	10 Spline	Clock	
Desc/Notes: DW; EF, DD (DIRECT DRIVE); PMDD (PERMANENT MAGNET - DIRECT DRIVE); PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: DRV1032
Vehicle Apps: . BMW. CITROEN. OPEL. PEUGEOT. VOLKSWAGEN						Replacing: 1006209536, 1006209563

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: BOSCH					TRY SOME: T0104028117B
	Teeth	Gear OD	Length	Splines	Rotation	
	9	25mm	64mm	10 Spline	Clock	
	Desc/Notes: EF;GF. DD (DIRECT DRIVE). 0001208..., 0001211..., 0001311..., 0001316..., 9000142..., 9000333... SERIES					
Vehicle Apps: . ALFA ROMEO. AUDI. FIAT. MAZDA. MERCEDES-BENZ. PEUGEOT. PORSCHE. RENAULT. VOLKSWAGEN					Electrolog: DRV1010	
Replacing: 1006209404, 1006209470, 1006209414, 1006209447, 1006209410						
	Manuf/Sys: BOSCH					TRY SOME: T010402845
	Teeth	Gear OD	Length	Splines	Rotation	
	9	25mm	64mm	10 Spline	Clock	
	Desc/Notes: EF;GF. DD (DIRECT DRIVE).					
Vehicle Apps: . AUDI 100, 200, 500, 80. BMW 320, 320i, 325i, 520, 520i, 525, 525i. PORSCHE 924. VOLKSWAGEN GOLF 1.1L LS AND GL, 1.3L LS AND GL, 1500 DIESEL, PASSAT 1.3L, 1.5L DIESEL, 1.6L GLS DIESEL SEDAN AND STATION WAGON, 1600 GLS, LS, SE					Electrolog: DRV1021	
Replacing: 1006209412, 1006209439						
	Manuf/Sys: BOSCH					TRY SOME: T0104028991
	Teeth	Gear OD	Length	Splines	Rotation	
	9	25mm	66mm	10 Spline	Anti-Clock	
	Desc/Notes: EF. DD (DIRECT DRIVE).					
Vehicle Apps: . PORSCHE 914 1.7L, 1.8L. VOLKSWAGEN 2.0i MICROBUS, BEACH BUGGY, BEETLE 1.3L/1300, 1.5L/1500, 1.6 L/1600/1600S SUPER BUG, KOMBI, STATION WAGON 1.6L, 1.7L, 1.8L					Electrolog: DRV1016	
Replacing: 1006209061, 1006209104, 1006209233, 1006209339, 2006209161						
	Manuf/Sys: BOSCH					TRY SOME: T010402826
	Teeth	Gear OD	Length	Splines	Rotation	
	9	28.6mm	48.3mm	16 Splines	Clock	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). FITS STARTER: 0001108401					
Vehicle Apps: . BMW 316i, 318i, 318is, 320i, 323i, 325i, 328i, 330i, 520i, 525i, 528i, 530i, M3, Z3. NISSAN HARDBODY 2.0L, 2.4L, TERRANO 2.4L					Electrolog: DRV1206	
Replacing: 1006209808						
	Manuf/Sys: BOSCH					TRY SOME: T010402813, T010402813R, T010402830
	Teeth	Gear OD	Length	Splines	Rotation	
	9	28.6mm	49mm	10 Splines	Clock	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). 0001106..., 0001107... & 0001108... SERIES					
Vehicle Apps: . CHRYSLER. MINI COOPER 1.6L. TOYOTA CONQUEST 160i, 180i, COROLLA 160i, 180i, FORTUNER 2.7i, HILUX 2.0L VVTi, 2.7L VVTi 4X4 (RAIDER), 2.7i					Electrolog: DRV1207	
Replacing: 1006209675, 1006209607, 9947838, 2801102010, 28730312						
	Manuf/Sys: BOSCH					TRY SOME: T0104028993
	Teeth	Gear OD	Length	Splines	Rotation	
	9	28.8mm	49mm	10 Spline	Clock	
	Desc/Notes: R70-M20;R70-M25. 0001107..., 9001107... AND F004A94... SERIES					
Vehicle Apps: . TOYOTA COROLLA, RUNX					Electrolog: DRV1222	
Replacing: 1006209799, 1006209981, 280110D130						
	Manuf/Sys: BOSCH					TRY SOME: T010402803R
	Teeth	Gear OD	Length	Splines	Rotation	
	9	28.5mm;	50.2mm	10 Spline	Clock	
	Desc/Notes: DW;R78M43. PMGR (PERMANENT MAGNET - GEAR REDUCTION). 0001109... SERIES					
Vehicle Apps: . ALFA ROMEO. BMW. FIAT. OPEL					Electrolog: DRV1384	
Replacing: 1006209645, 1006209802, 1006209950						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives

	Manuf/Sys: BOSCH					TRYSOME: T010402836
	Teeth	Gear OD	Length	Splines	Rotation	
	9	28.8mm	58.5mm	10 Spline	Clock	
Desc/Notes: DW;EF. DD (DIRECT DRIVE).						Electrolog: DRV1036
Vehicle Apps: . BMW. FORD. HONDA. ISUZU. LOMBARDINI. MAZDA. MITSUBISHI. NISSAN. TOYOTA						Replacing: 9001690111, 1006209592, 1006209554
	Manuf/Sys: BOSCH					TRYSOME: T0104028164
	Teeth	Gear OD	Length	Splines	Rotation	
	9	28.6mm	62mm	10 Splines	Clock	
Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001218... SERIES						Electrolog: DRV1202
Vehicle Apps: . BMW. CHRYSLER CHEROKEE, JEEP CHEROKEE. OPEL						Replacing: 6033AD0044, 1006209524, 9003336280, 9002336209, 9002336224
	Manuf/Sys: BOSCH					TRYSOME: T0104028103
	Teeth	Gear OD	Length	Splines	Rotation	
	9	28.8mm	64mm	10 Spline	Clock	
Desc/Notes: GF;EF. DD (DIRECT DRIVE). 0001208... 0001211... 0001311... SERIES						Electrolog: DRV1027
Vehicle Apps: . BMW 1500, 2000. FORD CAPRI, CONSUL, CORTINA V6, COURIER V6 3.0L, GRANADA, HUSKY 1.8L, 2.0L, SAPPHIRE 3.0L. HYUNDAI. MAZDA B3000. MITSUBISHI CANTER, L300, TREDIA. PEUGEOT 404 DIESEL, 504 GL						Replacing: 1006209449, 1006209406, 9001692096
	Manuf/Sys: BOSCH					TRYSOME: T0104028146, T0104028156
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29.6mm	51mm	10 Spline	Clock	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: DRV1123
Vehicle Apps: . BMW 316i, 318d, 318i, 318is, 320d, 320i, 323i, 325d, 325i, 328i, 330d, 330i, 520d, 520i, 523i, 525d, 525i, 530d, 530i, 728i,iL, M3, X3, Z3						Replacing: 1006209634, 1006209983
	Manuf/Sys: BOSCH					TRYSOME: T0104028165R
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29mm	51mm	10 Splines	Anti-Clock	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). 0001109... SERIES						Electrolog: DRV1145
Vehicle Apps: . HATZ. LOMBARDINI						Replacing: 1006209650, 1006209850, 49071200
	Manuf/Sys: BOSCH					TRYSOME: T010002805, T0104028104R, T0104028148
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29mm	53.5mm	10 Spline	Clock	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: DRV1017
Vehicle Apps: . FORD 1600, 1800, 2000, 2200. MAZDA 323, 626, B1600, B1800, B2000, B2200, RUSTLER. TOYOTA CONDOR 2.4L, HILUX 2.0L, RAV4						Replacing: 9001690446
	Manuf/Sys: BOSCH					TRYSOME: T0104028155, T010402822
	Teeth	Gear OD	Length	Splines	Rotation	
	9	33.9mm	60.4mm	10 Spline	Clock	
Desc/Notes: R78M55. PMGR (PERMANENT MAGNET - GEAR REDUCTION).						Electrolog: DRV1148
Vehicle Apps: . TOYOTA FORTUNER 3.0L DIESEL, HIACE 2.5L DIESEL, HILUX 2.5L DIESEL, 3.0L DIESEL, LAND CRUISER 3.0L DIESEL, QUANTUM 2.5L DIESEL, 3.0L DIESEL						Replacing: 1006209821

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: BOSCH					TRY SOME: T0104028108
	Teeth	Gear OD	Length	Splines	Rotation	
	9	33.8mm	61.5mm	10 Spline	Clock	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001218... SERIES					
Vehicle Apps: . CITROEN. FIAT. IVECO. PEUGEOT. RENAULT					Electrolog: DRV1293	
					Replacing: 9003336283, F000AL1881	
	Manuf/Sys: BOSCH					TRY SOME: T0104028153
	Teeth	Gear OD	Length	Splines	Rotation	
	9	33.7mm	62mm	10 Splines	Clock	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001219... SERIES					
Vehicle Apps: . EJC					Electrolog: DRV1138	
					Replacing: 9002336238	
	Manuf/Sys: BOSCH					TRY SOME: T010402818
	Teeth	Gear OD	Length	Splines	Rotation	
	9	33.8mm	64.2mm	16 Splines	Clock	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). FITS STARTER: 0001223016					
Vehicle Apps: . BOMAG. DEUTZ. HAMM. JCB. KHD. VOLVO					Electrolog: DRV1204	
					Replacing: 6033AD1062, 1340070	
	Manuf/Sys: BOSCH					TRY SOME: T010402861
	Teeth	Gear OD	Length	Splines	Rotation	
	9	33.7mm	74.3mm	10 Spline	Clock	
	Desc/Notes: IF,JF. DD (DIRECT DRIVE).					
Vehicle Apps: . ADE. BELL. FIAT TRACTORS. ISUZU. IVECO. KHD. LOMBARDINI. MAGIRUS-DEUTZ. MERCEDES-BENZ. RENAULT. TOYOTA HINO					Electrolog: DRV1061	
					Replacing: 2006209476, 2006209469, 2006209336, 12155224, 1308144	
	Manuf/Sys: BOSCH					TRY SOME: T010402868, T011003672
	Teeth	Gear OD	Length	Splines	Rotation	
	9	33.9mm	83.4mm	10 Splines	Clock	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001231... SERIES					
Vehicle Apps: . DEUTZ. KHD. MERCEDES-BENZ					Electrolog: DRV1143	
					Replacing: 6033AD4034, 1340081, 6033AD4148	
	Manuf/Sys: BOSCH					TRY SOME: T010402802R
	Teeth	Gear OD	Length	Splines	Rotation	
	9	33.7mm	83.2mm	10 Splines	Clock	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001230... SERIES 3KW					
Vehicle Apps: . ADE. BELL. KHD. MERCEDES-BENZ ATEGO, CITARO, CITO, CONECTO, ECONIC, UNIMOG, VARIO					Electrolog: DRV1200	
					Replacing: 6033AD3108, 6033AD3006, 0011514113, 1319806, 086289006	
	Manuf/Sys: BOSCH					TRY SOME: T010402891
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34.5mm	61mm	0 Spline	Clock	
	Desc/Notes: KB. DD (DIRECT DRIVE). STEEL					
Vehicle Apps: . ADE. ERF. INTERNATIONAL HARVESTER. KHD. LIEBHERR. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. NISSAN. RENAULT. TOYOTA HINO					Electrolog: DRV1091	
					Replacing: 2006382176, 2006382150, 1290195, 8122128, 81262090015	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives








	Manuf/Sys: BOSCH					TRYSOME: T0104028100R
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34.8mm	63.4mm	16 Spline	Clock	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001223... SERIES					
Vehicle Apps: . FIAT. IVECO DAILY 29, 35, 40, 45, 50, 65					Electrolog: DRV1155	
					Replacing: 6033AD1002, 6033AD0077	
	Manuf/Sys: BOSCH					TRYSOME: T0104028131
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34mm	74mm	10 Spline	Clock	
	Desc/Notes: IF;JF. DD (DIRECT DRIVE).					
Vehicle Apps: . ALFA ROMEO. FIAT. IVECO. SEAT					Electrolog: DRV1003	
					Replacing: 2006209470, 2006209483, 9001451343, 79026090, 9936730	
Photo Not Available 	Manuf/Sys: BOSCH					TRYSOME: T6382060
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34.5mm	75mm	0 Spline	Clock	
	Desc/Notes: QB. 0001510... SERIES					
Vehicle Apps: . MERCEDES BENZ INDUSTRIAL. MWM					Electrolog: DRV1343	
					Replacing: 2006382060	
	Manuf/Sys: BOSCH					TRYSOME: T010402835B
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34mm	91mm	10 Spline	Clock	
	Desc/Notes: IF;JF. DD (DIRECT DRIVE). 0001362... 0001363... 0001364... 0001366... 0001367... 0001368... 0001369... SERIES					
Vehicle Apps: . ADE. BELL. DEUTZ. ISUZU. IVECO. JOHN DEERE. KHD. MERCEDES-BENZ. MITSUBISHI. RENAULT. SAME. SAMIL. TOYOTA HINO					Electrolog: DRV1035	
					Replacing: 2006209492, 2006209000, 2006209536, 1308742, 42487785	
	Manuf/Sys: BOSCH					TRYSOME: T0104028109
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34mm	91mm	10 Spline -	Clock	
	Desc/Notes: JD. DD (DIRECT DRIVE).					
Vehicle Apps: . CASE. CLAAS. DEUTZ. INTERNATIONAL HARVESTER. JOHN DEERE. KHD. NEW HOLLAND					Electrolog: DRV1062	
					Replacing: 2006209301, 2006209107, 2006209341	
	Manuf/Sys: BOSCH					TRYSOME: T0104028116
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34mm	91mm	10 Spline -	Clock	
	Desc/Notes: JD;JF;ID. DD (DIRECT DRIVE).					
Vehicle Apps: . ADE. BELL. CLAAS. DEUTZ. INTERNATIONAL HARVESTER. ISUZU. IVECO. JOHN DEERE. KHD. MAGIRUS-DEUTZ. MERCEDES-BENZ. NEW HOLLAND. TOYOTA HINO					Electrolog: DRV1063	
					Replacing: 2006209422, 2006209406, 2006209436, 9001083436, 086264436	
	Manuf/Sys: BOSCH					TRYSOME: T0104028101R, T0104028161, T010402872
	Teeth	Gear OD	Length	Splines	Rotation	
	10	25.5mm	48.2mm	16 Splines	Clock	
	Desc/Notes: DW;R70-M15. PMGR (PERMANENT MAGNET - GEAR REDUCTION). 0001107... SERIES					
Vehicle Apps: . FORD BANTAM 1.3L, 1.6L, FIESTA 1.3i, 1.4i, 1.6i, FOCUS 1.4i, 1.6i, IKON, KA 1.3i, RANGER 4.0L V6 MANUAL, ROCAM ENGINES. VOLVO C30 1.6L, S40 1.6L, V50 1.6L					Electrolog: DRV1208	
					Replacing: 1006209804	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: BOSCH					TRY SOME: T010420100 Electrolog: DRV1079 Replacing: 1006209516, 1006209510, 1006209566, 1006209318
	Teeth	Gear OD	Length	Splines	Rotation	
	10	26.5mm	58.5mm	10 Splines	Clock	
Desc/Notes: EF;DW;DM. DD (DIRECT DRIVE);PLGR (PLANETARY GEAR REDUCTION).						
Vehicle Apps: . FORD BANTAM, ESCORT, FIESTA, GRANADA, IKON, MONDEO, SAPPHIRE, SIERRA. MAZDA B1800, B2200, RUSTLER, SOHO						
	Manuf/Sys: BOSCH					TRY SOME: T010402825 Electrolog: DRV1118 Replacing: 1006209558, 1006209565, 1006209910, 1006209553, 1006209583
	Teeth	Gear OD	Length	Splines	Rotation	
	10	26.5mm	79.5mm	10 Spline	Anti-Clock	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).						
Vehicle Apps: . VOLKSWAGEN GOLF III 2.8i VR6, JETTA 1.8L, 2.8i VR6, PASSAT 1.8L, 2.0L, 2.8L VR6, POLO CLASSIC 1.9L, VR6, SHARAN 2.8i VR6						
	Manuf/Sys: BOSCH					TRY SOME: T0104028136 Electrolog: DRV1136 Replacing: 1006209680, 1006209880, F000AL11000, 1006209621, 1006209648
	Teeth	Gear OD	Length	Splines	Rotation	
	10	26.5mm	80mm	16 Spline	Anti-Clock	
Desc/Notes: DB. PMGR (PERMANENT MAGNET - GEAR REDUCTION).						
Vehicle Apps: . AUDI A2, A3, TT. VOLKSWAGEN BEETLE (NEW), CADDY 1.8L, 1.9D, GOLF III 1.8L, 1.9 TDI, 2.0L, IV 1.8L, 1.9L TDI, 2.0L, JETTA 1.9L TDI, MULTIVAN 1.9L DIESEL, TURBO DIESEL, POLO, SHARAN, TRANSPORTER						
Photo Not Available 	Manuf/Sys: BOSCH					TRY SOME: T0104028128 Electrolog: DRV1059 Replacing: 1006209539, 1006209538, 9940740
	Teeth	Gear OD	Length	Splines	Rotation	
	10	27.9mm	59mm	10 Spline	Clock	
Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION).						
Vehicle Apps: . FIAT. MERCEDES-BENZ. OPEL. PEUGEOT. RENAULT. VOLVO						
	Manuf/Sys: BOSCH					TRY SOME: T0104028132, T010402867 Electrolog: DRV1106 Replacing: 2006209457, 2006209459, 2006209427, 2006209551, A187777
	Teeth	Gear OD	Length	Splines	Rotation	
	10	32mm	91mm	10 Spline	Clock	
Desc/Notes: IF;JF. DD (DIRECT DRIVE).						
Vehicle Apps: . JOHN DEERE. MERCEDES-BENZ. VOLVO						
	Manuf/Sys: BOSCH					TRY SOME: T010002820 Electrolog: DRV1135 Replacing: 2006382188, 79052234, 93191516
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38.5mm	61.5mm	0 Spline	Clock	
Desc/Notes: KB. DD (DIRECT DRIVE).						
Vehicle Apps: . FIAT. IVECO						
	Manuf/Sys: BOSCH					TRY SOME: T0104028126, T010402875R, T1006209566 Electrolog: DRV1075 Replacing: 2006209499, 2006209495, 2006209462, 82DB11350AA, 3079360R91
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38.5mm	91mm	10 Spline	Clock	
Desc/Notes: IF;JF. DD (DIRECT DRIVE).						
Vehicle Apps: . ADE. CATERPILLAR. DAF. DEUTZ. FORD TRACTORS AND TRUCKS. INTERNATIONAL HARVESTER. IVECO. JOHN DEERE. KHD. LINDE. MASSEY FERGUSON. MITSUBISHI CANTER. NISSAN. PERKINS						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives


	Manuf/Sys: BOSCH					TRYSOME: T010002807R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	34.4mm	49mm	10 Splines	Clock	
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). 9001107... AND 0001107... SERIES					
Vehicle Apps: . FORD RANGER 2.5L TURBO DIESEL. MAZDA DRIFTER 2.5L TURBO DIESEL. TOYOTA AVENSIS 1.6i/1.8i 16V, COROLLA 1.4i/1.6i 16V, RUNX					Electrolog: DRV1140	
Replacing: 1006209695, 280110D030						
	Manuf/Sys: BOSCH					TRYSOME: T0104028158
	Teeth	Gear OD	Length	Splines	Rotation	
	11	34.6mm	64mm	10 Spline	Clock	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001218... SERIES					
Vehicle Apps: . DEUTZ. KHD. MANITOU. VOLKSWAGEN					Electrolog: DRV1023	
Replacing: 9002336230						
	Manuf/Sys: BOSCH					TRYSOME: T010403613
	Teeth	Gear OD	Length	Splines	Rotation	
	11	35mm	64mm	16 Spline	Clock	
	Desc/Notes: EV. PMGR (PERMANENT MAGNET - GEAR REDUCTION). 0001223... SERIES - FITS: STR1181					
Vehicle Apps: . DEUTZ. KHD. VOLVO					Electrolog: DRV1013	
Replacing: 6033AD0061, 1319754						
	Manuf/Sys: BOSCH					TRYSOME: T0104028106R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	39.5mm	82mm	10 Splines	Clock	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001231... SERIES					
Vehicle Apps: . MAN L2000, M2000. VOLVO FL6					Electrolog: DRV1295	
Replacing: 6033AD0467, 6033AD4232, 6033AD0304, 6033AD0242						
	Manuf/Sys: BOSCH					TRYSOME: T010402895
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40.3mm	61mm	0 Spline	Clock	
	Desc/Notes: KB. DD (DIRECT DRIVE). BRASS					
Vehicle Apps: . ADE. BELL. FORD CARGO. INTERNATIONAL HARVESTER. IVECO. KHD. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. MITSUBISHI FM215. SAMIL. TOYOTA HINO. VOLVO					Electrolog: DRV1092	
Replacing: 2006383152						
	Manuf/Sys: BOSCH					TRYSOME: T010402807, T0104028138
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40.5mm	61mm	0 Spline	Clock	
	Desc/Notes: KB. DD (DIRECT DRIVE). FOR KB CONVERSIONS - STEEL					
Vehicle Apps: . ADE. BELL. DEUTZ. FORD CARGO. INTERNATIONAL HARVESTER. KHD. MAGIRUS-DEUTZ. MERCEDES-BENZ. MITSUBISHI FM215. SAMIL. SCANIA. TOYOTA HINO. VOLVO					Electrolog: DRV1095	
Replacing: 2006382018, 2006382156, 086437156						
	Manuf/Sys: BOSCH					TRYSOME: T010402820, T010402820R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40mm	74mm	10 Spline	Clock	
	Desc/Notes: IF;JF. DD (DIRECT DRIVE). 0001362... 0001363... AND 0001366... SERIES					
Vehicle Apps: . BOMAG. HATZ					Electrolog: DRV1006	
Replacing: 2006209475, 11540050300018, 49049900, 1530394C1, 1320117						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: BOSCH					TRYSOME: T0104028111
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40mm	84mm	10 Spline	Clock	
	Desc/Notes: EV, PLGR (PLANETARY GEAR REDUCTION).					
Vehicle Apps: . MAN					Electrolog: DRV1161	
					Replacing: 6033AD4052	
	Manuf/Sys: BOSCH					TRYSOME: T010402873R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40mm	91.2mm	10 Spline	Clock	
	Desc/Notes: IF,JF, DD (DIRECT DRIVE).					
Vehicle Apps: . BMW. CASE. HATZ. INTERNATIONAL HARVESTER. MAN. MASSEY FERGUSON. SAME. VOLKSWAGEN					Electrolog: DRV1070	
					Replacing: 2006209425, 2006209491, 2006209494, 2006209535, 3079550R91	
	Manuf/Sys: BOSCH					TRYSOME: T010402870
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40mm	91mm	10 Splines	Clock	
	Desc/Notes: JD,ID,JF, DD (DIRECT DRIVE).					
Vehicle Apps: . BELL. BOMAG. DEUTZ. KHD. SAME. STEYR					Electrolog: DRV1078	
					Replacing: 2006209438, 2006209342, 3078979R91, 1320455	
	Manuf/Sys: BOSCH					TRYSOME: T010402810
	Teeth	Gear OD	Length	Splines	Rotation	
	11	41mm	75mm	0 Spline	Clock	
	Desc/Notes: QB, DD (DIRECT DRIVE).					
Vehicle Apps: . DEUTZ. FIAT IVECO. KHD. MAGIRUS-DEUTZ. SAMIL. VOLVO					Electrolog: DRV1121	
					Replacing: 2006382062, 1301161	
	Manuf/Sys: BOSCH					TRYSOME: T011002801
	Teeth	Gear OD	Length	Splines	Rotation	
	11	41mm	118mm	19 Splines	Clock	
	Desc/Notes: IE,JE, DD (DIRECT DRIVE). 0001370... 0001371... AND 0001372... SERIES					
Vehicle Apps: . BELL. DAF. MERCEDES-BENZ ACTROS, AXOR, TRAVEGO. SCANIA					Electrolog: DRV1144	
					Replacing: 2006202010, 2006202011, 1337448, 0001501031	
	Manuf/Sys: BOSCH					TRYSOME: T0104028120, T010402897
	Teeth	Gear OD	Length	Splines	Rotation	
	11	45.5mm	60mm	0 Spline	Clock	
	Desc/Notes: KB, DD (DIRECT DRIVE). KB CONVERSION					
Vehicle Apps: . HINO. ISUZU. NISSAN. TOYOTA					Electrolog: DRV1097	
					Replacing:	
	Manuf/Sys: BOSCH					TRYSOME: T010402893
	Teeth	Gear OD	Length	Splines	Rotation	
	12	44.4mm	61mm	0 Spline	Clock	
	Desc/Notes: KB, DD (DIRECT DRIVE).					
Vehicle Apps: . CASE. FIAT. RENAULT					Electrolog: DRV1093	
					Replacing: 2006382162, 9920368, 50000809447, 5100140386	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives


	Manuf/Sys: BOSCH					TRYSOME: TO104028996
	Teeth	Gear OD	Length	Splines	Rotation	
	12	45.3mm	83.3mm	10 Spline	Clock	
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001231... SERIES - SUPPLIED WITHOUT FORK					
Vehicle Apps: . VOLVO B7/FM7 SERIES					Electrolog: DRV1201	
					Replacing: 6033AD0129, 6033AD4243, 33099583	
	Manuf/Sys: BOSCH					TRYSOME: TO10002801
	Teeth	Gear OD	Length	Splines	Rotation	
	13	46mm	74mm	10	Anti-Clock	
	Desc/Notes: IF. DD (DIRECT DRIVE).					
Vehicle Apps: . BOMAG. HATZ					Electrolog: DRV1076	
					Replacing: 2006209329, 05726971, 49048300	
	Manuf/Sys: BOSCH					TRYSOME: TO104028124R
	Teeth	Gear OD	Length	Splines	Rotation	
	19 Splines	N/A	127.5mm	7 Spline	Clock	
	Desc/Notes: HEF95L. PLGR (PLANETARY GEAR REDUCTION). 0001241... SERIES					
Vehicle Apps: . DAF. MAN. MERCEDES-BENZ. SCANIA					Electrolog: DRV1151C	
					Replacing: 6033AD5078	
	Manuf/Sys: BUTEC					TRYSOME: TO10502801R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	56mm	118mm	19 Spline	Clock	
	Desc/Notes: BOSCH KE/JE 420 SERIES; DELCO 40MT SERIES (NEEDS BUSH); LEECE NEVILLE; PRESTOLITE MES. MFJ, MFY M51, M57. DD (DIRECT DRIVE).					
Vehicle Apps: . CATERPILLAR. CUMMINS. INTERNATIONAL EAGLE. MACK					Electrolog: DRV0402	
					Replacing: 850629, 850173, 850760, 852959, 858394	
	Manuf/Sys: BUTEC					TRYSOME: TO12902812R
	Teeth	Gear OD	Length	Splines	Rotation	
	12	45mm	118mm	19 Spline	Clock	
	Desc/Notes: BOSCH KE/JE 420 SERIES; DELCO 40MT SERIES (NEEDS BUSH); LEECE NEVILLE; PRESTOLITE MES. MFJ, MFY M51, M57. DD (DIRECT DRIVE).					
Vehicle Apps: . CATERPILLAR. CUMMINS. INTERNATIONAL. MACK					Electrolog: DRV0401	
					Replacing: 850363, 852758, 850758, 852957	
	Manuf/Sys: CAV					TRYSOME: TO10402885
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38mm	120mm	3 Spline	Clock	
	Desc/Notes: BS5; SL5; BNG. DD (DIRECT DRIVE).					
Vehicle Apps: . BEDFORD. ERF					Electrolog: DRV7302	
					Replacing: 2006380500, 5549306CH, 18100104, 9001084045	
	Manuf/Sys: CAV					TRYSOME: TO10702801
	Teeth	Gear OD	Length	Splines	Rotation	
	13	45mm	117mm	3 Spline	Clock	
	Desc/Notes: BS5; SL5; BNG. DD (DIRECT DRIVE).					
Vehicle Apps: . VARIOUS INDUSTRIAL APPLICATIONS					Electrolog: DRV7335	
					Replacing: 5549306AH, 5549306AJ, 5549306T	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: DELCO					TRY SOME: T014002802
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29mm	95mm	3 Spline;6	Clock	
	Desc/Notes: 10MT;20MT;25MT;30MT;SD300. DD (DIRECT DRIVE). CAN ALSO REPLACE OR BE: 6-SPLINE					
Vehicle Apps: . CHEVROLET 4-CYLINDER 2.5L, 6-CYLINDER 3.2L, 3.8 L, 4.1L, 4.8L, V6 3.2L, 3.7L, 3.8L, V8 4.3L, 4.6L, 4.9L, 5.0L, 5.3L, 5.4L, 5.6 L, 5.7L. GENERAL MOTORS. HYSTER. JEEP 2.5L 4-CYLINDER. MASSEY FERGUSON					Electrolog: DRV2601	
					Replacing: 800026, 1892899	
	Manuf/Sys: DELCO					TRY SOME: T011102806
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29mm	95mm	3 Spline;6	Clock	
	Desc/Notes: 10MT;10MT;20MT;25MT;30MT;SD300;20MT;25MT;30MT;SD300. DD (DIRECT DRIVE).					
Vehicle Apps: . CASE. JOHN DEERE					Electrolog: DRV2602	
					Replacing: 1952410, 1932188, 1939506	
	Manuf/Sys: DELCO					TRY SOME: T011102802R
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34mm	85.5mm	12 Spline	Clock	
	Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . DEUTZ					Electrolog: DRV2607	
					Replacing: 10457059	
	Manuf/Sys: DELCO					TRY SOME: T011002804R, T011102832B
	Teeth	Gear OD	Length	Splines	Rotation	
	10	31mm	85mm	12 Spline	Clock	
	Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION), WET+DRY CLUTCH					
Vehicle Apps: . BOBCAT. CATERPILLAR. CHAMPION. CLARK. CUMMINS. FORD. HYSTER. INGERSOLL RAND. JOHN DEERE. KENWORTH. MERCEDES-BENZ. PERKINS					Electrolog: DRV2633	
					Replacing: 10456455, 10457056, 10457167	
	Manuf/Sys: DELCO					TRY SOME: T011002805R
	Teeth	Gear OD	Length	Splines	Rotation	
	10	32mm	97mm	3 Spline	Clock	
	Desc/Notes: 10MT;20MT;22MT;25MT;27MT;30MT;35MT;SD300. DD (DIRECT DRIVE).					
Vehicle Apps: . CASE. HYSTER					Electrolog: DRV2613	
					Replacing: 1943818, 1968131, 10497522, 1877345, 1947912	
	Manuf/Sys: DELCO					TRY SOME: T011102811
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38mm	96mm	3 Spline	Clock	
	Desc/Notes: 10MT;20MT;22MT;25MT;27MT;30MT;35MT;SD300. DD (DIRECT DRIVE).					
Vehicle Apps: . BOBCAT. CASE. CATERPILLAR. CLARK. HYSTER. INTERNATIONAL HARVESTER. JOHN DEERE. PERKINS. YALE					Electrolog: DRV2610	
					Replacing: 1941157, 1971707, 21939608	
	Manuf/Sys: DELCO					TRY SOME: T011102837R, T021102837B
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38mm	100mm	3 Spline	Clock	
	Desc/Notes: 37MT. DD (DIRECT DRIVE).					
Vehicle Apps: . CATERPILLAR. CUMMINS. FORD TRUCKS. GENERAL MOTORS TRUCKS. INTERNATIONAL HARVESTER. JOHN DEERE					Electrolog: DRV2618	
					Replacing: 1986244, E6HZ11350A	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives








	Manuf/Sys: DELCO					TRYSOME: T011002807
	Teeth	Gear OD	Length	Splines	Rotation	
	10	40mm	85.5mm	12 Spline	Clock	
Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION). WITH RUBBER FOR WET+DRY CLUTCH						Electrolog: DRV2605
Vehicle Apps: . BOBCAT. CASE. CLARK. DEUTZ. FORD. HYSTER. INTERNATIONAL HARVESTER. MASSEY FERGUSON. NEW HOLLAND. PERKINS						Replacing: 10457057, D2054
	Manuf/Sys: DELCO					TRYSOME: T10476528R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	55mm	102mm	19 Spline	Clock	
Desc/Notes: 41MT. DD (DIRECT DRIVE).						Electrolog: DRV2652
Vehicle Apps: . VARIOUS EARTHMOVING AND INDUSTRIAL APPLICATIONS						Replacing: 10476528, 270999
	Manuf/Sys: DELCO					TRYSOME: T011102823B
	Teeth	Gear OD	Length	Splines	Rotation	
	11	56.5mm	120mm	19 Spline	Clock	
Desc/Notes: 35MT;35MT;40MT;42MT;50MT;40MT;42MT;50MT. DD (DIRECT DRIVE).						Electrolog: DRV2623
Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. EUCLID. FODEN. INTERNATIONAL EAGLE. KENWORTH. KOMATSU. MACK. OSHKOSH						Replacing: 1967779, 800066, 1976884
	Manuf/Sys: DELCO					TRYSOME: T1979836R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	56mm	170mm	19 Spline	Clock	
Desc/Notes: 50MT. DD (DIRECT DRIVE).						Electrolog: DRV2630
Vehicle Apps: . CATERPILLAR						Replacing: 1894220, 1977012, 1979836, 1946174, 800075
	Manuf/Sys: DELCO					TRYSOME: T011102804
	Teeth	Gear OD	Length	Splines	Rotation	
	12	45mm	85.5mm	12 Spline	Clock	
Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION).						Electrolog: DRV2606
Vehicle Apps: . ALLIS-CHALMERS. CLARK. FORD NEW HOLLAND. HYSTER. PERKINS						Replacing: 10457058, 10457168
	Manuf/Sys: DELCO					TRYSOME: T011102815R
	Teeth	Gear OD	Length	Splines	Rotation	
	12	45mm	96mm	3 Spline	Clock	
Desc/Notes: 10MT;20MT;22MT;25MT;27MT;30MT;35MT;SD300. DD (DIRECT DRIVE).						Electrolog: DRV2615
Vehicle Apps: . CASE. CATERPILLAR. CLARK. HYSTER. INTERNATIONAL. JOHN DEERE. PERKINS						Replacing: 1875852, 1934488, 1940134, 1940138
	Manuf/Sys: DELCO					TRYSOME: T1979835R
	Teeth	Gear OD	Length	Splines	Rotation	
	12	45.5mm	170mm	19 Spline	Clock	
Desc/Notes: 50MT. DD (DIRECT DRIVE).						Electrolog: DRV2631
Vehicle Apps: . CATERPILLAR. CUMMINS. EUCLID. KENWORTH. KOMATSU. OSHKOSH						Replacing: 1894221, 1949450, 800077, 1979835, 1967952

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: DELCO					TRY SOME: T021102836B, T021102838B Electrolog: DRV2617 Replacing: 1985262, 1985626
	Teeth	Gear OD	Length	Splines	Rotation	
	12	46mm	98mm	3 Spline	Clock	
	Desc/Notes: 37MT. DD (DIRECT DRIVE).					
Vehicle Apps: . CATERPILLAR. CUMMINS. FORD. INGERSOLL RAND. INTERNATIONAL HARVESTER. JOHN DEERE. KENWORTH. MACK						
	Manuf/Sys: DELCO					TRY SOME: T10472565R Electrolog: DRV2621 Replacing: 10472565
	Teeth	Gear OD	Length	Splines	Rotation	
	12	46mm	102mm	19 Spline	Clock	
	Desc/Notes: 41MT. DD (DIRECT DRIVE).					
Vehicle Apps: . BOBCAT. CATERPILLAR. CUMMINS. INTERNATIONAL. MACK. PERKINS						
	Manuf/Sys: DELCO					TRY SOME: T011002811, T011102824, T011102824J Electrolog: DRV2624 Replacing: 1970711, 1114087, 1893560, 1894213, 1946957
	Teeth	Gear OD	Length	Splines	Rotation	
	12	46mm	120mm	19 Spline	Clock	
	Desc/Notes: 35MT;35MT;40MT;42MT;50MT;40MT;42MT;50MT. DD (DIRECT DRIVE). D-SERIES CATERPILLARS					
Vehicle Apps: . CASE. CATERPILLAR. CUMMINS. ERF. GENERAL MOTORS. HYSTER. INTERNATIONAL EAGLE, HARVESTER. JOHN DEERE. MACK. VOLVO						
	Manuf/Sys: DELCO					TRY SOME: T011002814, T011102825B Electrolog: DRV2626 Replacing: 1977006, 1893562, 1894214, 1947520, 800069
	Teeth	Gear OD	Length	Splines	Rotation	
	13	49.5mm	120mm	19 Spline	Clock	
	Desc/Notes: 40MT;42MT;50MT. DD (DIRECT DRIVE).					
Vehicle Apps: . CHAMPION. CHEVROLET. CLARK FORKLIFT. CUMMINS V SERIES. FORD TRACTOR. FREIGHTLINER. INTERNATIONAL HARVESTER. JOHN DEERE						
Photo Not Available 	Manuf/Sys: DELCO					TRY SOME: T011103901R Electrolog: DRV5114 Replacing: 10511410
	Teeth	Gear OD	Length	Splines	Rotation	
				23 Spline		
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION).					
Vehicle Apps: . FREIGHTLINER. MERCEDES-BENZ. VOLVO						
	Manuf/Sys: HITACHI					TRY SOME: T011902813 Electrolog: DRV3142 Replacing: 211465004, 211495002, TMJ102, 23312M1500, 23312M1501
	Teeth	Gear OD	Length	Splines	Rotation	
	8	26mm	74.7mm	8 Spline	Anti-Clock	
	Desc/Notes: DD (DIRECT DRIVE).					
Vehicle Apps: . NISSAN 310, PULSAR						
	Manuf/Sys: HITACHI					TRY SOME: T0104028149, T011902808 Electrolog: DRV3056 Replacing: 213025005, 214015003, 21401500, 8970475480, 8944355630
	Teeth	Gear OD	Length	Splines	Rotation	
	9	32.2mm	94.7mm	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . HYSTER. ISUZU KB250 DT, KB280DT DIESEL TURBO. KOMATSU						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives







	Manuf/Sys: HITACHI					TRYSOME: T0104028143
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34.7mm	94.8mm		Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . NISSAN 1-TONNER 2.5L DIESEL, 2.7L DIESEL BAKKIE, CABSTAR 2.7L, TERRANO 2.7L DIESEL, TURBO DIESEL					Electrolog: DRV3088	
Replacing: 2331243G00, 213015005, 213015505, 213095007, 23312-43G00						
	Manuf/Sys: HITACHI					TRYSOME: T23312T5601, TYM129953-77660
	Teeth	Gear OD	Length	Splines	Rotation	
	9	35.5mm	69mm	12 Spline	Clock	
	Desc/Notes: DD (DIRECT DRIVE);OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . NISSAN 2.2L DIESEL, 2.3L DIESEL, CABALL DIESEL					Electrolog: DRV3006	
Replacing: 9821212340, 2331276201, 212025001, 2331237502						
	Manuf/Sys: HITACHI					TRYSOME: T014002801
	Teeth	Gear OD	Length	Splines	Rotation	
	9	35.5mm	87mm	10 Splines	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . NISSAN DIESEL, FORKLIFT					Electrolog: DRV3032	
Replacing: 211415507, 2331203J00						
Photo Not Available 	Manuf/Sys: HITACHI					TRYSOME: T011902812
	Teeth	Gear OD	Length	Splines	Rotation	
	9	35mm	100.3mm	11 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . NISSAN 1-TONNER, CABSTAR 2.7L, HARDBODY, TERRANO					Electrolog: DRV3121	
Replacing: 22404500, 22407500, 2331202N00						
Photo Not Available 	Manuf/Sys: HITACHI					TRYSOME: T011902804
	Teeth	Gear OD	Length	Splines	Rotation	
	9	35.3mm	100.3mm		Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . ISUZU 350, ELF, NKR, NPR, TLD. KOMATSU					Electrolog: DRV3128	
Replacing: 22402500, 22408500, 22409500						
	Manuf/Sys: HITACHI					TRYSOME: T0104028151R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	39.8mm	103.5mm	11 Splines	Anti-Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). FITS STARTER STR3041					
Vehicle Apps: . DMA. ISUZU NPR300, NPR400					Electrolog: DRV3053	
Replacing: 8972305640						
	Manuf/Sys: HITACHI					TRYSOME: T011902820
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40mm	69.5mm	12 Spline	Clock	
	Desc/Notes: DD (DIRECT DRIVE).					
Vehicle Apps: . NISSAN CABALL DIESEL ED30					Electrolog: DRV3008	
Replacing: 23312J2003, 21305500, 21307500, 23312C6800, 225045003						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.








	Manuf/Sys: HITACHI					TRYSOME: T011902807
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40mm	77mm	12 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). FITS STARTER: STR3052					
Vehicle Apps: . NISSAN UD70, UD80					Electrolog: DRV3013	
					Replacing: 225085005, 23314Z9002, 23312T9003, 225045004, 22708500	
	Manuf/Sys: HITACHI					TRYSOME: T011902816R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40mm	106mm	4 Spline	Clock	
	Desc/Notes: DD (DIRECT DRIVE).					
Vehicle Apps: . NISSAN CK40, UG780 ND6 ENGINE. YANMAR					Electrolog: DRV3015	
					Replacing: 2331390005, 22505500, 22506500, 23313-90005	
	Manuf/Sys: HITACHI					TRYSOME: T011902819
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40mm	115.5mm	11 Spline	Anti-Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . ISUZU ELF					Electrolog: DRV3093	
					Replacing: 22406501, 22402501, 8970256710	
	Manuf/Sys: ISKRA					TRYSOME: T017902801
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29.4mm	52.3mm	14 Spline	Clock	
	Desc/Notes: AZE. PMGR (PERMANENT MAGNET - GEAR REDUCTION).					
Vehicle Apps: . JCB					Electrolog: DRV7915	
					Replacing: 16907267	
	Manuf/Sys: ISKRA					TRYSOME: T017902803
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29mm	86mm	14 Spline	Clock	
	Desc/Notes: AZE. PMGR (PERMANENT MAGNET - GEAR REDUCTION).					
Vehicle Apps: . DEUTZ. RUGGERINI					Electrolog: DRV7906	
					Replacing: 16908352	
	Manuf/Sys: ISKRA					TRYSOME: T017902810
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34.5mm	82.5mm	10 Spline	Clock	
	Desc/Notes: AZJ. DD (DIRECT DRIVE).					
Vehicle Apps: . CASE. DEUTZ. FIAT. INTERNATIONAL HARVESTER. IVECO. KHD. MERCEDES-BENZ. VOLVO					Electrolog: DRV7909	
					Replacing: 16901658	
	Manuf/Sys: ISKRA					TRYSOME: T017902805
	Teeth	Gear OD	Length	Splines	Rotation	
	10	30mm	82.6mm	10 Spline	Clock	
	Desc/Notes: AZJ. DD (DIRECT DRIVE).					
Vehicle Apps: . CUMMINS. FORD. JOHN DEERE. MERCEDES-BENZ					Electrolog: DRV7908	
					Replacing: 16903166	

Although we have gone to great lengths to ensure all data is correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives






	Manuf/Sys: ISKRA					TRYSOME: T017902806R, T017902812
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40.4mm	81.5mm	10 Spline	Clock	
	Desc/Notes: AZJ. DD (DIRECT DRIVE).					
Vehicle Apps: . CASE. MAN					Electrolog: DRV7904	
					Replacing: 16901752	
	Manuf/Sys: LUCAS					TRYSOME: T0104028140
	Teeth	Gear OD	Length	Splines	Rotation	
	8	25.5mm	48.6mm	3 Spline;9	Clock	
	Desc/Notes: S90. DD (DIRECT DRIVE).					
Vehicle Apps: . DAEWOO. FORD. HYUNDAI. MAZDA. MITSUBISHI. OPEL. TOYOTA					Electrolog: DRV4021	
					Replacing: 66241709	
	Manuf/Sys: LUCAS					TRYSOME: T013102800
	Teeth	Gear OD	Length	Splines	Rotation	
	8	26mm	66mm	9 Spline	Anti-Clock	
	Desc/Notes: S90. DD (DIRECT DRIVE).					
Vehicle Apps: . NISSAN LANGLEY 1.3L GL AND 1.5L GL EXA, SENTRA 1.3L/130 GL, 1.4L/140 GX, 1.6L/160 GL, GSi GXE					Electrolog: DRV4086	
					Replacing: 66242137, 66241323	
	Manuf/Sys: LUCAS					TRYSOME: T012302884
	Teeth	Gear OD	Length	Splines	Rotation	
	8	26mm	77mm	12 Spline	Anti-Clock	
	Desc/Notes: 9M90. DD (DIRECT DRIVE).					
Vehicle Apps: . NISSAN LANGLEY, SENTRA					Electrolog: DRV4020	
					Replacing: 54269360	
	Manuf/Sys: LUCAS					TRYSOME: T012302740
	Teeth	Gear OD	Length	Splines	Rotation	
	9	24.6mm	56.3mm	9 Spline	Anti-Clock	
	Desc/Notes: S90. DD (DIRECT DRIVE).					
Vehicle Apps: . VOLKSWAGEN GOLF 1.3L, 1.6L, 1.8L, JETTA 1.3L, 1.6L, 1.8L					Electrolog: DRV4013	
					Replacing: 66241919	
	Manuf/Sys: LUCAS					TRYSOME: T012302882
	Teeth	Gear OD	Length	Splines	Rotation	
	9	28.5mm	58mm	4 Spline	Anti-Clock	
	Desc/Notes: M35. DD (DIRECT DRIVE).					
Vehicle Apps: . AUSTIN. FORD ESCORT AND CORTINA					Electrolog: DRV4035	
					Replacing: 66240367, 54252212, TLB112	
	Manuf/Sys: LUCAS					TRYSOME: T012302839
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29mm	48.3mm	9 Spline;3	Clock	
	Desc/Notes: S90. DD (DIRECT DRIVE). SMALL HUB/HOUSING					
Vehicle Apps: . FORD CORTINA 3.0L, COURIER 3.0L. LAND ROVER 2.5 L PETROL. MAZDA B3000. NISSAN 120, 120V, 1200, 1400, B140. TOYOTA CONQUEST 1.6L, COROLLA 1.6L 16V, CRESSIDA 2.0L, 2.8L					Electrolog: DRV4042	
					Replacing: 66241622, 66242134	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: LUCAS					TRY SOME: T012302801 Electrolog: DRV4002 Replacing: 54247077, 54247076, TNB137, 54247181, 54244686
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29mm	68mm	12 Spline	Clock	
Desc/Notes: M35; DD (DIRECT DRIVE).						
Vehicle Apps: . DATSUN/NISSAN 1300/1500/620 1.5L. FORD CORTINA, SAPPHIRE. ISUZU KB160 PETROL, KB200 PETROL, WFR, RELAY, KB20, KB21, PETROL. NISSAN 120, 120Y, 1200, 1400, B140, 1600, 1800, STANZA. ROVER 2.6L. TOYOTA COROLLA RWD						
	Manuf/Sys: LUCAS					TRY SOME: T012302804R Electrolog: DRV4104 Replacing: 26253397
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34.2mm	71.6mm	10 Spline	Clock	
Desc/Notes: DD (DIRECT DRIVE).						
Vehicle Apps: . MAHINDRA. TATA						
	Manuf/Sys: LUCAS					TRY SOME: T012302881 Electrolog: DRV4080 Replacing: 54269213, 54263748, 54268928, TMB166
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34mm	73.5mm	12 Spline	Clock	
Desc/Notes: M45;M50; DD (DIRECT DRIVE).						
Vehicle Apps: . ADE. KHD. MAGIRUS-DEUTZ						
	Manuf/Sys: LUCAS					TRY SOME: T012302741R Electrolog: DRV4018 Replacing: 66241322
	Teeth	Gear OD	Length	Splines	Rotation	
	10	26mm	48mm	9 Spline	Clock	
Desc/Notes: S90; DD (DIRECT DRIVE).						
Vehicle Apps: . FORD 2.0L AUTOMATIC, BANTAM 1.6L, CAPRI 1.3L, 1.6 L, 2.0L, CORTINA 1300, 2.0L, ESCORT 1.1L, 1.3L, FIESTA 1.4L, SAPPHIRE 2.0L, SIERRA 2.0L MANUAL, XR3						
	Manuf/Sys: LUCAS					TRY SOME: T012302803 Electrolog: DRV4075 Replacing: 54290474, 54294338, TNB173
	Teeth	Gear OD	Length	Splines	Rotation	
	10	30.8mm	100.2mm	12 Spline	Clock	
Desc/Notes: M45;M50;M127; DD (DIRECT DRIVE).						
Vehicle Apps: . DAF						
	Manuf/Sys: LUCAS					TRY SOME: T012302843, T019902801B Electrolog: DRV4120 Replacing: 26241399
	Teeth	Gear OD	Length	Splines	Rotation	
	10	37.6mm	90.4mm	12 Spline	Clock	
Desc/Notes: 7M14; DD (DIRECT DRIVE).						
Vehicle Apps: . CUMMINS ENGINES. TATA						
	Manuf/Sys: LUCAS					TRY SOME: T0104028115, T012302873B, T012302873R Electrolog: DRV4073 Replacing: 54247187, 54243783, 54246738, 54246896, TMB115
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38mm	70mm	12 Spline	Clock	
Desc/Notes: M45;M50; DD (DIRECT DRIVE).						
Vehicle Apps: . ADE. CASE. FORD CARGO, TRACTOR. HYSTER. JCB. LEYLAND. NEW HOLLAND. PERKINS						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives

	Manuf/Sys: LUCAS					TRYSOME: T012302863B
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38mm	73.5mm	12 Spline	Clock	
Desc/Notes: M45;M50. DD (DIRECT DRIVE).						Electrolog: DRV4063
Vehicle Apps: . ADE. BELL. CASE. FORD TRACTORS, TRUCKS. HYSTER. INTERNATIONAL HARVESTER. KHD. LAND ROVER. LANDINI. LEYLAND. MASSEY FERGUSON. PERKINS						Replacing: 60600024, 54247034, TMB120, TNB108
	Manuf/Sys: LUCAS					TRYSOME: T012302841
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38mm	73.5mm	12 Spline	Clock	
Desc/Notes: 3SM114. DD (DIRECT DRIVE).						Electrolog: DRV4164
Vehicle Apps: . FORD TRACTOR. MASSEY FURGESON						Replacing: 26255474
	Manuf/Sys: LUCAS					TRYSOME: T012302864R
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38mm	101mm	12 Spline	Clock	
Desc/Notes: M50;M127;3M127. DD (DIRECT DRIVE).						Electrolog: DRV4067
Vehicle Apps: . CASE. INTERNATIONAL HARVESTER. PERKINS						Replacing: 54243781, 54246662, 60600050, TMB102
	Manuf/Sys: LUCAS					TRYSOME: T012302874R
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38mm	101mm	12 Spline	Clock	
Desc/Notes: M45;M50. DD (DIRECT DRIVE).						Electrolog: DRV4069
Vehicle Apps: . BEDFORD. LEYLAND						Replacing: 54247389, 60600038, 54268142, TMB121, TNB169
	Manuf/Sys: LUCAS					TRYSOME: T0104028113
	Teeth	Gear OD	Length	Splines	Rotation	
	11	39.5mm	107mm	6 Spline	Clock	
Desc/Notes: M45;M50. DD (DIRECT DRIVE).						Electrolog: DRV4054
Vehicle Apps: . ALLIS CHALMERS. LEYLAND						Replacing: 60600341, 291875, 54255889, TLB117, 292130
	Manuf/Sys: MAGNETI-MARELLI					TRYSOME: T012402802
	Teeth	Gear OD	Length	Splines	Rotation	
	9	33.9mm	77mm	6 Spline	Clock	
Desc/Notes: MT67;MT68;MT71;MT74. DD (DIRECT DRIVE).						Electrolog: DRV9010
Vehicle Apps: . FIAT						Replacing: 72138801
	Manuf/Sys: MAGNETI-MARELLI					TRYSOME: T0104028119
	Teeth	Gear OD	Length	Splines	Rotation	
	9	34mm	77.5mm	6 Spline;	Clock	
Desc/Notes: MT67. DD (DIRECT DRIVE). CAN BE 6-SPLINE OR 12-SPLINE						Electrolog: DRV9004
Vehicle Apps: . ALFA ROMEO. FIAT TRACTORS. IVECO. LANCIA. NEW HOLLAND. RENAULT						Replacing: 9929081, 79023774, 9000862, 72139007, 72363401

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.








	Manuf/Sys: MAGNETI-MARELLI					TRY SOME: T012402800
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38.7mm	72.7mm	10 Spline	Clock	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).					
Vehicle Apps: . JCB. MASSEY FERGUSON. PERKINS					Electrolog: DRV9016	
Replacing:						
	Manuf/Sys: MITSUBISHI					TRY SOME: T0125028018
	Teeth	Gear OD	Length	Splines	Rotation	
	0		139mm/15	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . MITSUBISHI FM215. NISSAN FORKLIFT					Electrolog: DRV5002	
Replacing: M357X73571, ME700042, ME700041, M231X00684						
	Manuf/Sys: MITSUBISHI					TRY SOME: T0125028014, T0125028021B
	Teeth	Gear OD	Length	Splines	Rotation	
	8	25.5mm	56mm	8 Spline;4	Clock	
	Desc/Notes: DD (DIRECT DRIVE);PMDD (PERMANENT MAGNET - DIRECT DRIVE).					
Vehicle Apps: . FORD. HYUNDAI. KIA. KUBOTA. MAZDA. MITSUBISHI. NISSAN. SUZUKI					Electrolog: DRV5087	
Replacing: M191T22071, M191T23071, E7GZ11350A, 2335442L11, 3132079030						
	Manuf/Sys: MITSUBISHI					TRY SOME: T012028005
	Teeth	Gear OD	Length	Splines	Rotation	
	8	26mm	61mm	8 Spline;4	Clock	
	Desc/Notes: DD (DIRECT DRIVE).					
Vehicle Apps: . FORD BANTAM, COURIER, LASER, METEOR. HYUNDAI. KIA. MAZDA 323, 626, DRIFTER, ETUDE, RUSTLER. MITSUBISHI CANTER, L300. NISSAN 1200, 1400, E20					Electrolog: DRV5003	
Replacing: 808824722, MD607283, 23312Y5011						
	Manuf/Sys: MITSUBISHI					TRY SOME: T0125028025
	Teeth	Gear OD	Length	Splines	Rotation	
	9	28.8mm	55.6mm	8 Spline	Clock	
	Desc/Notes: DD (DIRECT DRIVE).					
Vehicle Apps: . KUBOTA. MAZDA. YANMAR					Electrolog: DRV5089	
Replacing: M191T22271, M191T22871, M191T23171						
	Manuf/Sys: MITSUBISHI					TRY SOME: T0104028142
	Teeth	Gear OD	Length	Splines	Rotation	
	10	31.5mm	51mm	8 Spline	Clock	
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).					
Vehicle Apps: . FORD 2.0L, 2.2L. KIA SEPHIA, SHUMA, SPORTAGE. MAZDA 323 1.8L, 626 1.8L/2.0L, MX6 2.0L, 929 2.0L, MX6 2.2I TURBO. MITSUBISHI FORKLIFT. NISSAN SENTRA					Electrolog: DRV5082	
Replacing: M191T12171, 2335420R10, E92Z11350B, M191T13271, SDE336						
	Manuf/Sys: MITSUBISHI					TRY SOME: T012502833B
	Teeth	Gear OD	Length	Splines	Rotation	
	10	31.2mm	51mm	8 Splines	Clock	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).					
Vehicle Apps: . FORD RANGER 2.5L DIESEL. MAZDA					Electrolog: DRV5104	
Replacing: M191X68071, M191T15071, MD618963, WL0218X25						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives








	Manuf/Sys: MITSUBISHI					TRYSOME: T012503902R Electrolog: DRV5007 Replacing: M191T68471
	Teeth	Gear OD	Length	Splines	Rotation	
	10	31mm	127.8	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . MITSUBISHI COLT 2.5L DIESEL						
	Manuf/Sys: MITSUBISHI					TRYSOME: T0125028019 Electrolog: DRV5011 Replacing: 57471
	Teeth	Gear OD	Length	Splines	Rotation	
	11	39.3mm	138/158m	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . MITSUBISHI. YALE						
	Manuf/Sys: MITSUBISHI					TRYSOME: T0125028010 Electrolog: DRV5118 Replacing: M191T61771
	Teeth	Gear OD	Length	Splines	Rotation	
	11	47mm	112.6mm	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . MITSUBISHI FUSO						
	Manuf/Sys: MITSUBISHI					TRYSOME: T0125028015, T0125028017R Electrolog: DRV5099 Replacing: M191T63371, M191T65671, ME700401, ME700681
	Teeth	Gear OD	Length	Splines	Rotation	
	11	47.5mm	116mm	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . FURUKAWA. MITSUBISHI KATO						
	Manuf/Sys: MITSUBISHI					TRYSOME: T012502809R Electrolog: DRV5023 Replacing: ME700040, M357X84571
	Teeth	Gear OD	Length	Splines	Rotation	
	11		140mm/15	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . MITSUBISHI FUSO FK						
	Manuf/Sys: MITSUBISHI					TRYSOME: T012520100 Electrolog: DRV5026 Replacing: M191T13671, M191T14671
	Teeth	Gear OD	Length	Splines	Rotation	
	12	31.2mm	51mm	8 Spline	Clock	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). FITS: M1T90281					
Vehicle Apps: . CITROEN. HYUNDAI. PEUGEOT						
	Manuf/Sys: MITSUBISHI					TRYSOME: T0125028020 Electrolog: DRV5098 Replacing: M191T63271
	Teeth	Gear OD	Length	Splines	Rotation	
	12	44mm	112mm	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . FAW. MITSUBISHI FM104, FM215, FUSO						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.


	Manuf/Sys: MITSUBISHI					TRY SOME: T0125028016R
	Teeth	Gear OD	Length	Splines	Rotation	
	13	54.5mm	116.2mm	10 Splines	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . FURUKAWA					Electrolog: DRV5046	
Replacing:						
	Manuf/Sys: MITSUBISHI					TRY SOME: T0125028023
	Teeth	Gear OD	Length	Splines	Rotation	
	13	55.7mm	111mm	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . KOBELCO. MITSUBISHI GRADER					Electrolog: DRV5041	
Replacing: M191T72672, ME701209						
	Manuf/Sys: MITSUBISHI					TRY SOME: T0125028012
	Teeth	Gear OD	Length	Splines	Rotation	
	13	55.6mm	117.6mm	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . MITSUBISHI FUSO					Electrolog: DRV5117	
Replacing: M191T72971, M191T73471						
	Manuf/Sys: MITSUBISHI					TRY SOME: T011902802
	Teeth	Gear OD	Length	Splines	Rotation	
	20	14.5mm	111mm	5 Splines	Clock	
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). FITS STARTERS: M8T50071 M8T50171 M8T80071 M8T87171 & M8T80671					
Vehicle Apps: . MITSUBISHI CANTER, FUSO					Electrolog: DRV5103	
Replacing: M191X67585, M191X67571						
	Manuf/Sys: MITSUBISHI					TRY SOME: T2600156459
	Teeth	Gear OD	Length	Splines	Rotation	
	20	N/A	126/144m	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). CAN BE USED FOR DRV5005 AND DRV5090					
Vehicle Apps: . AMC. CASE. FORD. MAZDA. MITSUBISHI. NISSAN. YALE					Electrolog: DRV5005C	
Replacing:						
	Manuf/Sys: MITSUBISHI					TRY SOME: T012503904R
	Teeth	Gear OD	Length	Splines	Rotation	
	26	18.7mm	140mm	6 Splines	Clock	
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). FITS STARTER NUMBER: M9T82171					
Vehicle Apps: . ISUZU. NISSAN UD440					Electrolog: DRV5107	
Replacing: M191X90171, 10511410						
	Manuf/Sys: NIKKO					TRY SOME: T012902804
	Teeth	Gear OD	Length	Splines	Rotation	
	10	38.4mm	149.5mm	10 Splines	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). FITS STARTER: 0240003060 6008634410					
Vehicle Apps: . ISUZU. JOHN DEERE. KOMATSU					Electrolog: DRV8818	
Replacing: 0245110040						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives


	Manuf/Sys: NIKKO					TRYSOME: T0-23500-0392
	Teeth	Gear OD	Length	Splines	Rotation	
	11	39.8mm	91.2mm	12 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . KOMATSU PC200, PC200-5					Electrolog: DRV8816	
					Replacing: 0235000392	
	Manuf/Sys: NIKKO					TRYSOME: T012902820R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40mm	91.7mm	12 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . KOMATSU PC200, PC200-5					Electrolog: DRV8809	
					Replacing: 0235000390	
	Manuf/Sys: NIKKO					TRYSOME: T011902806
	Teeth	Gear OD	Length	Splines	Rotation	
	11	40mm	102mm	15 Spline	Clock	
	Desc/Notes: DD (DIRECT DRIVE).					
Vehicle Apps: . ISUZU SMXB					Electrolog: DRV8810	
					Replacing: 1811220040, 82121220, 181122004, 1215000650, 1215001590	
	Manuf/Sys: NIKKO					TRYSOME: T012902806R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	47.8mm	97mm	15 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . HITACHI CRANES. ISUZU VPZ					Electrolog: DRV8815	
					Replacing: 1811220390, 1235000990, 1811220400	
	Manuf/Sys: NIKKO					TRYSOME: T012902802R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	56.5mm	97mm	15 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . KOMATSU					Electrolog: DRV8804	
					Replacing: 1235000160	
	Manuf/Sys: NIKKO					TRYSOME: T012902803R
	Teeth	Gear OD	Length	Splines	Rotation	
	12	45mm	97mm	15 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . KOMATSU					Electrolog: DRV8803	
					Replacing: 1235000170	
	Manuf/Sys: NIKKO					TRYSOME: T012902801
	Teeth	Gear OD	Length	Splines	Rotation	
	13	45.5mm	89.4mm	12 Splines	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . KOMATSU					Electrolog: DRV8819	
					Replacing: 0235000250, 0235000251, 1235000250	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: NIKKO					TRY SOME: T012902805R, T1-23500-0190
	Teeth	Gear OD	Length	Splines	Rotation	
	13	46mm	98mm	15 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . KOMATSU					Electrolog: DRV8808	
Replacing:						
	Manuf/Sys: NIPPON DENSO					TRY SOME: T0128028013
	Teeth	Gear OD	Length	Splines	Rotation	
	8	26.2mm	60mm	5 Spline;	Clock	
	Desc/Notes: DD (DIRECT DRIVE). NUMBER OF SPLINES MAY VARY DEPENDING ON MANUFACTURER					
Vehicle Apps: . ISUZU. MAZDA. SUZUKI					Electrolog: DRV6154	
Replacing: 0283004390, 0283005850						
	Manuf/Sys: NIPPON DENSO					TRY SOME: T0128028012
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29mm	54mm	5 Spline	Clock	
	Desc/Notes: DD (DIRECT DRIVE).					
Vehicle Apps: . DAIHATSU. TOYOTA					Electrolog: DRV6027	
Replacing: 2801113060, 0283005400						
	Manuf/Sys: NIPPON DENSO					TRY SOME: T0128028004
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29mm	64mm	10 Spline	Clock	
	Desc/Notes: DD (DIRECT DRIVE).					
Vehicle Apps: . TOYOTA COROLLA 1.3L, 1.6L, 1.8L REAR WHEEL DRIVE (1300, 1600, 1800), CRESSIDA 1.8. DX/L/LS, HILUX 1600/1.6L PETROL					Electrolog: DRV6004	
Replacing: 0283000851, 2801122020, 2811013033, 0283001020, 3132063210						
	Manuf/Sys: NIPPON DENSO					TRY SOME: T0104028144, T0128028011
	Teeth	Gear OD	Length	Splines	Rotation	
	9	29mm	102mm	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . CASE. CHEVROLET. HONDA. HYSTER. ISUZU. KUBOTA. TCM. TOYOTA. YALE					Electrolog: DRV6009	
Replacing: 0283001791, 2801126042, 2801126040, 0283001602, 0283001603						
	Manuf/Sys: NIPPON DENSO					TRY SOME: T0101001
	Teeth	Gear OD	Length	Splines	Rotation	
	9	32mm	102.5mm	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . HYSTER. ISUZU KB250 TD, KB280D, KB280DT, TLD 532. KOMATSU. TCM. THERMO KING. YALE					Electrolog: DRV6007	
Replacing: 5811240060, 0283001841, 581124006, 5-81124-006-0						
	Manuf/Sys: NIPPON DENSO					TRY SOME: T012802803
	Teeth	Gear OD	Length	Splines	Rotation	
	10	30.7mm	43.5mm	10 Spline	Clock	
	Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).					
Vehicle Apps: . TOYOTA 4RUNNER 4.0L V6, FORTUNER 4.0L V6, HILUX 4.0L V6					Electrolog: DRV6089	
Replacing: 0283009541						

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Bendix Drives

	Manuf/Sys: NIPPON DENSU					TRYSOME: T0104028110B
	Teeth	Gear OD	Length	Splines	Rotation	
	10	36.5mm	83mm	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . TOYOTA HILUX 2.8L DIESEL					Electrolog: DRV6065	
					Replacing: 2801154380, 28011-54380	
	Manuf/Sys: NIPPON DENSU					TRYSOME: T012802856
	Teeth	Gear OD	Length	Splines	Rotation	
	10	37.6mm	147mm	10 Splines	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . ALLIS CHALMERS. CATERPILLAR. JOHN DEERE					Electrolog: DRV6026	
					Replacing: 0283003690, 0283006550, 0283006610, RE47369, 7T6093	
	Manuf/Sys: NIPPON DENSU					TRYSOME: T012802808
	Teeth	Gear OD	Length	Splines	Rotation	
	11	39.8mm	101mm	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . TOYOTA HILUX 2.2L DIESEL, 2.4L DIESEL, 2.8L DIESEL, VENTURE 2.4L DIESEL					Electrolog: DRV6008	
					Replacing: 2801154070, 0280992700, 2810054310, 28011-54070	
	Manuf/Sys: NIPPON DENSU					TRYSOME: T0128028007B, T012802820R
	Teeth	Gear OD	Length	Splines	Rotation	
	11	39.7mm	146.5mm	10 Spline	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					
Vehicle Apps: . BOBCAT. CASE. CLARK. CUMMINS. DAIHATSU COMMERCIAL. FORD. ISUZU FTR. JCM. JCR. SBR. SCR. KUBOTA. TOYOTA DA110, DYNA, FORKLIFTS, LAND CRUISER					Electrolog: DRV6020	
					Replacing: 2801154010, 0283002011, 2801177090, 280111260, 1811220490	
	Manuf/Sys: SAWAFUJI					TRYSOME: T013802804
	Teeth	Gear OD	Length	Splines	Rotation	
	11	39.8mm	104mm	12 Spline;	Clock	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). FITS: 03555020017					
Vehicle Apps: . NISSAN. TOYOTA					Electrolog: DRV9808	
					Replacing:	
	Manuf/Sys: VALEO					TRYSOME: T010020100
	Teeth	Gear OD	Length	Splines	Rotation	
	10	26mm	51mm	10 Spline	Clock	
	Desc/Notes: D6RA. PMGR (PERMANENT MAGNET - GEAR REDUCTION).					
Vehicle Apps: . OPEL ASTRA. RENAULT CLIO					Electrolog: DRV0010	
					Replacing: 594252, 594177, NE877	
	Manuf/Sys: VALEO					TRYSOME: T010002811
	Teeth	Gear OD	Length	Splines	Rotation	
	10	31.4mm	54.7mm	9 Spline	Clock	
	Desc/Notes: D7R;D8R. PLGR (PLANETARY GEAR REDUCTION).					
Vehicle Apps: . NISSAN. RENAULT					Electrolog: DRV0004	
					Replacing: 594410, 188993	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: VALEO					TRYSOME: T010002810
	Teeth	Gear OD	Length	Splines	Rotation	
	10	31.3mm	69.7mm	10 Spline	Clock	
	Desc/Notes: D7R. PLGR (PLANETARY GEAR REDUCTION).					
Vehicle Apps: . JOHN DEERE						Electrolog: DRV0006
						Replacing: 187084, 594308
	Manuf/Sys: VALEO					TRYSOME: T018902800
	Teeth	Gear OD	Length	Splines	Rotation	
	11	28.8mm	54.5mm	9 Spline	Clock	
	Desc/Notes: D7R. PMGR (PERMANENT MAGNET - GEAR REDUCTION).					
Vehicle Apps: . CITROEN. JEEP. MERCEDES-BENZ. PEUGEOT. RENAULT. TATA. VOLVO						Electrolog: DRV7826
						Replacing: 584185, 185915, 549185, 594185, NE834



NATIONAL
PLASTICS & RUBBER

**The lightest wheel chocks
 on the market, that
 actually work!**

Extensively tested on
 site under extreme
 operating conditions.

Trysome stocks a wide range of tough and impact resistant Polyurethane wheel chocks in a versatile design that can be used on a wide range of vehicles from light vehicles to the largest haul trucks.

Our unique design has a "toe" at the leading edge of the chock which creates a vertical load eliminating any horizontal forces. This locks the chock in position and prevents the chock from moving or being squeezed out and becoming a deadly missile. The outer skin provides grip onto surfaces so that the chock doesn't need "bolt on" rubber strips.

If the safety of your staff & equipment is your first priority, contact your nearest Trysome branch today!

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Brackets

Manuf/Sys: BOSCH 	Category: BRACKET CE Desc/Notes: IF;JF;ID;IE. DD (DIRECT DRIVE). 0001362... 0001363... 0001364... 0001366... 0001367... 0001368... 0001369... 0001372... AND 9000143... SERIES	TRYSOME: T010400621B
	Vehicle Apps: . DAF. DEUTZ. FIAT. FORD. INTERNATIONAL HARVESTER. IVECO. KHD. MAN. MERCEDES-BENZ. RENAULT. SAME. SCANIA. VOLVO	Electrolog: BCES1077 Replacing: 2005854094
Manuf/Sys: DELCO 	Category: BRACKET CE Desc/Notes: 37MT;41MT. DD (DIRECT DRIVE).	TRYSOME: T010468709, T10468709
	Vehicle Apps: . BOBCAT. CATERPILLAR. CHEVROLET TRUCKS. CUMMINS. FORD. INGERSOLL RAND. INTERNATIONAL HARVESTER. JOHN DEERE. MACK. PERKINS	Electrolog: BCES2601 Replacing: 10468709, 10469809, D3339
Manuf/Sys: DELCO 	Category: BRACKET CE Desc/Notes: 50MT. DD (DIRECT DRIVE).	TRYSOME: T1945848
	Vehicle Apps: . CATERPILLAR. CUMMINS. FREIGHTLINER. JOHN DEERE. KOMATSU. VOLVO	Electrolog: BCES2666 Replacing: 1945847, 1945848, 1953227
Manuf/Sys: DELCO 	Category: BRACKET CE Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). SECOND GENERATION	TRYSOME: T532500602R
	Vehicle Apps: . CATERPILLAR. CUMMINS. FREIGHTLINER. VOLVO	Electrolog: BCES2670 Replacing: 10511780
Manuf/Sys: LUCAS 	Category: BRACKET CE Desc/Notes: M50;M127. DD (DIRECT DRIVE).	TRYSOME: T012300650R
	Vehicle Apps: . ADE. CASE. DEUTZ. FORD. HYSTER. KHD. LANDINI. LEYLAND. LINDE. MASSEY FERGUSON. NEW HOLLAND. PERKINS	Electrolog: BCES4027 Replacing: 54246328
Manuf/Sys: NIKKO 	Category: BRACKET CE Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	TRYSOME: T0-23711-0221
	Vehicle Apps: . CATERPILLAR. CUMMINS. KOMATSU	Electrolog: BCES8800 Replacing: 0237110221
Manuf/Sys: NIKKO 	Category: BRACKET CE Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	TRYSOME: T012900602
	Vehicle Apps: . KOMATSU	Electrolog: BCES8801 Replacing: 0237100221

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH 	Category: BRACKET CE, BRUSH HOLDER Desc/Notes: QB. DD (DIRECT DRIVE). 0001510... SERIES Vehicle Apps: . DAF. DEUTZ. FIAT. KHD. SAMIL. VOLVO	TRYSOME: T010400626 Electrolog: BCES1012 Replacing: 2005856050, 2005856104, 4797265, 693030, 9925344
Manuf/Sys: BOSCH 	Category: BRACKET DE Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001230..., 0001231... SERIES Vehicle Apps: . ADE. BELL B20B. DEUTZ. KHD. SAME. TOYOTA	TRYSOME: T010400568R Electrolog: BDES1015 Replacing: 6033AD0082, 6033AD0448
Manuf/Sys: BOSCH 	Category: BRACKET DE Desc/Notes: KB. DD (DIRECT DRIVE). KB CONVERSION BRACKET Vehicle Apps: . MITSUBISHI FUSO	TRYSOME: T010400525 Electrolog: BDES1025 Replacing:
Manuf/Sys: BOSCH 	Category: BRACKET DE Desc/Notes: KB. DD (DIRECT DRIVE). KB CONVERSION BRACKET Vehicle Apps: . TOYOTA DA110, DA6000	TRYSOME: T020400509 Electrolog: BDES1028 Replacing:
Manuf/Sys: BOSCH 	Category: BRACKET DE Desc/Notes: KB. DD (DIRECT DRIVE). 0001410...; 0001411...; 0001413...; 0001414...; 0001416...; 0001417... SERIES Vehicle Apps: . DAF. FIAT. KHD. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. RENAULT. VOLVO	TRYSOME: T010400536 Electrolog: BDES1036 Replacing: 2005825083, 2005825186, 2005825081, 240740, 697879
Manuf/Sys: BOSCH 	Category: BRACKET DE Desc/Notes: KB. DD (DIRECT DRIVE). KB CONVERSION BRACKET Vehicle Apps: . TOYOTA HINO	TRYSOME: T530013247 Electrolog: BDES1038 Replacing:
Manuf/Sys: BOSCH 	Category: BRACKET DE Desc/Notes: KB. DD (DIRECT DRIVE). KB CONVERSION BRACKET Vehicle Apps: . NISSAN CW50	TRYSOME: T010400549 Electrolog: BDES1050 Replacing:

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Brackets

Manuf/Sys: BOSCH 	Category: BRACKET DE Desc/Notes: KB. DD (DIRECT DRIVE). CRADLE MOUNT Vehicle Apps: . MERCEDES-BENZ. SCANIA	TRYSOME: T010400558 Electrolog: BDES1060 Replacing: 2005825071
Manuf/Sys: BOSCH 	Category: BRACKET DE Desc/Notes: KB. DD (DIRECT DRIVE). Vehicle Apps: . BELL. DEUTZ. KHD. SAMIL 100, 50	TRYSOME: T530013269 Electrolog: BDES1070 Replacing: 2005825316
Manuf/Sys: BOSCH 	Category: BRACKET DE Desc/Notes: JD. DD (DIRECT DRIVE). Vehicle Apps: . ADE. BELL. BOMAG. DEUTZ. IVECO. KHD. TOYOTA HINO	TRYSOME: T010400511 Electrolog: BDES1099 Replacing: 2005824916, 2004824692
Manuf/Sys: BOSCH 	Category: BRACKET DE Desc/Notes: KB. DD (DIRECT DRIVE). KB CONVERSION BRACKET Vehicle Apps: . RENAULT TRUCK T2.0L	TRYSOME: T010400514 Electrolog: BDES1250 Replacing:
Manuf/Sys: BOSCH 	Category: BRACKET DE Desc/Notes: KB. DD (DIRECT DRIVE). KB CONVERSION BRACKET Vehicle Apps: . HINO 700	TRYSOME: T010400570 Electrolog: BDES1263 Replacing:
Manuf/Sys: DELCO 	Category: BRACKET DE Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: . MERCEDES-BENZ	TRYSOME: T022500600 Electrolog: BDES2013 Replacing:
Manuf/Sys: DELCO 	Category: BRACKET DE Desc/Notes: 40MT;50MT. DD (DIRECT DRIVE). Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. INGERSOLL RAND. INTERNATIONAL	TRYSOME: T011100505B Electrolog: BDES2605 Replacing: 1949606, 1945506, 1957846, 8L5265, 9M7202

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: DELCO 	Category: BRACKET DE Desc/Notes: 50MT. DD (DIRECT DRIVE). Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. KOMATSU	TRYSOME: T1951258 Electrolog: BDES2606 Replacing: 1109781, 1951257, 1951258, 7M0334
Manuf/Sys: DELCO 	Category: BRACKET DE Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). Vehicle Apps: . CATERPILLAR. CUMMINS. VOLVO	TRYSOME: T011100554B Electrolog: BDES2608 Replacing: 10512027
Manuf/Sys: DELCO 	Category: BRACKET DE Desc/Notes: 42MT. DD (DIRECT DRIVE). Vehicle Apps: . CATERPILLAR. CUMMINS	TRYSOME: T011000508 Electrolog: BDES2609 Replacing: 1988748
Manuf/Sys: DELCO 	Category: BRACKET DE Desc/Notes: 42MT. DD (DIRECT DRIVE). Vehicle Apps: . CASE. CATERPILLAR. CUMMINS. ERF. FORD. INTERNATIONAL EAGLE. JOHN DEERE. MACK. VOLVO	TRYSOME: T011100542, T011100542R Electrolog: BDES2642 Replacing: 1988779, 1988137, 1988438
Manuf/Sys: DELCO 	Category: BRACKET DE Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: . BOBCAT. CLARK. HYSTER. PERKINS	TRYSOME: T011100521 Electrolog: BDES2665 Replacing: 10457052, 0233101380
Manuf/Sys: DELCO 	Category: BRACKET DE Desc/Notes: 37MT. DD (DIRECT DRIVE). Vehicle Apps: . CUMMINS. INGERSOLL RAND. JOHN DEERE	TRYSOME: T1986351 Electrolog: BDES2704 Replacing: 1986351
Manuf/Sys: NIKKO 	Category: BRACKET DE Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). Vehicle Apps: . KOMATSU	TRYSOME: T0-23310-1580 Electrolog: BDES8802 Replacing: 0233101580

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Brackets



Manuf/Sys: NIKKO 	Category: BRACKET DE Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	TRYSOME: TO-23300-0270
	Vehicle Apps: . KOMATSU	Electrolog: BDES8803 Replacing: 0233000270
Manuf/Sys: NIPPON DENSO 	Category: BRACKET DE Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	TRYSOME: T534700501
	Vehicle Apps: . CATERPILLAR	Electrolog: BDES6084 Replacing:
Manuf/Sys: PRESTOLITE 	Category: BRACKET DE Desc/Notes: MFY. STEERING MOTOR	TRYSOME: T143100501
	Vehicle Apps: . VARIOUS EARTHMOVING AND INDUSTRIAL APPLICATIONS	Electrolog: BDESM9700 Replacing: MBD523, 22515
Manuf/Sys: DELCO 	Category: BRACKET INTERMEDIATE Desc/Notes: 50MT. DD (DIRECT DRIVE).	TRYSOME: T1979870
	Vehicle Apps: . CATERPILLAR. CUMMINS. DRILLTECH. ERF. EUCLID. GENERAL MOTORS. HAULPAK. INGERSOLL RAND. KENWORTH. KOMATSU. OSHKOSH	Electrolog: BINS2677 Replacing: 1979870, 7M0333, 1953223, 1945857, 1979598
Manuf/Sys: NIKKO 	Category: BRACKET INTERMEDIATE Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	TRYSOME: T1-23600-0080
	Vehicle Apps: . CATERPILLAR. CUMMINS. KENWORTH. KOMATSU	Electrolog: BINS8800 Replacing: 1236000080
Manuf/Sys: SAWAFUJI 	Category: BRACKET INTERMEDIATE Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	TRYSOME: TO13810801
	Vehicle Apps: . KOMATSU	Electrolog: BINS9800 Replacing: 224406821X0



AUTOMOTIVE LIGHTING

High quality bulbs for cars, motorcycles, trucks and busses.

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: BOSCH				Mounting Holes: A=43mm	TRYSOME: T010014207B, T0104000908
	Volts 12V	OD 67mm	ID 35mm			
	Manuf/Sys: BOSCH				Mounting Holes: A=46mm	TRYSOME: T010014205B
	Volts 12V	OD 73mm	ID 37mm			
	Manuf/Sys: BOSCH				Mounting Holes: A=53mm	TRYSOME: T010400902
	Volts 12V	OD 73mm	ID			
	Manuf/Sys: BOSCH				Mounting Holes: A=53mm	TRYSOME: T01110104004
	Volts 12V	OD 87mm	ID 23mm			
	Manuf/Sys: BOSCH				Mounting Holes: A=53mm	TRYSOME: T010400904
	Volts 12V	OD 87mm	ID 23mm			
	Manuf/Sys: BOSCH				Mounting Holes: A=75mm, B=55mm	TRYSOME: T010400922
	Volts 12V	OD 90mm	ID 60mm			
	Manuf/Sys: BOSCH				Mounting Holes: A=74mm	TRYSOME: T010400926
	Volts 12V	OD 90.9mm	ID 33.2mm			

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Brush Holders

	Manuf/Sys: BOSCH				Mounting Holes: A=52.6mm	TRYSOME: T010400906
	Volts	OD	ID			
	12V	93.2mm	23mm		Desc/Notes: IF;JF. DD (DIRECT DRIVE). 0001367...; 9000143... SERIES	Electrolog: BHS1006
Vehicle Apps: . ADE. BELL. CASE. CATERPILLAR. CLAAS. DEUTZ. FIAT TRACTORS. INTERNATIONAL HARVESTER. IVECO. JOHN DEERE. KHD. LANCIA. MAGIRUS-DEUTZ. MERCEDES-BENZ. NEW HOLLAND. SAME. SAMIL. TOYOTA HINO					Replacing: 2004336028, 2004336044, 085836028	
	Manuf/Sys: BOSCH				Mounting Holes: A=53mm	TRYSOME: T018300901
	Volts	OD	ID			
	24V	87mm	23mm		Desc/Notes: IF;JF. DD (DIRECT DRIVE). 0001368...; 9000143... SERIES	Electrolog: BHS1003
Vehicle Apps: . ADE. BELL. CLAAS. DEUTZ. FORD TRACTORS AND TRUCKS. INTERNATIONAL. ISUZU. IVECO. JOHN DEERE. KHD. LEYLAND. MAN. MERCEDES-BENZ. MITSUBISHI. NISSAN. PERKINS. TOYOTA HINO					Replacing: 2004336031, 2004336046, 085836031	
	Manuf/Sys: BOSCH				Mounting Holes: A=53mm, B=53mm	TRYSOME: T011000902
	Volts	OD	ID			
	24V	96mm	23mm		Desc/Notes: JE. DD (DIRECT DRIVE). 0001372... SERIES	Electrolog: BHS1033
Vehicle Apps: . BELL. MERCEDES-BENZ ACTROS, TRAVEGO					Replacing: 2004336085, 085836085	
	Manuf/Sys: BOSCH				Mounting Holes: A=88mm x2, B=70mm	TRYSOME: T011000904
	Volts	OD	ID			
	24V	111.5mm	48mm		Desc/Notes: IE. DD (DIRECT DRIVE). 0001371... SERIES	Electrolog: BHS1021
Vehicle Apps: . DAF. MAN. MERCEDES-BENZ. SCANIA					Replacing: 2004336078	
	Manuf/Sys: DELCO				Mounting Holes: A=88mm x2, B=70mm	TRYSOME: T011100911B
	Volts	OD	ID			
	12V;24V	106.5mm	55mm		Desc/Notes: 40MT. DD (DIRECT DRIVE). 8-BRUSH	Electrolog: BHS2611
Vehicle Apps: . CASE. CATERPILLAR. CUMMINS. ERF. INTERNATIONAL EAGLE, HARVESTER. MACK					Replacing: 1948515, 1945517, 4M1846, 9M7623	
	Manuf/Sys: DELCO				Mounting Holes: A=87mm x2, B=69mm	TRYSOME: T011100913B
	Volts	OD	ID			
	12V;24V	108mm	54mm		Desc/Notes: 40MT. DD (DIRECT DRIVE). 4-BRUSH	Electrolog: BHS2612
Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. INGERSOLL RAND					Replacing: 1979387, 1979494	
	Manuf/Sys: DELCO				Mounting Holes: A=93mm x3	TRYSOME: T011100916
	Volts	OD	ID			
	12V;24V	118mm	60mm		Desc/Notes: 50MT. DD (DIRECT DRIVE). 12-BRUSH	Electrolog: BHS2616
Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. EUCLID. KENWORTH. KOMATSU. OSHKOSH					Replacing: 1945849, 1953229, 1967354, 3T9525, 7M0330	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.








	Manuf/Sys: DELCO				TRY SOME: T011100901B
	Volts	OD	ID	Mounting Holes: A=93mm x3	
	24V	118mm	52mm		
	Desc/Notes: 50MT. DD (DIRECT DRIVE). 6-BRUSH				
Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. EUCLID. KENWORTH. KOMATSU. OSHKOSH				Electrolog: BHS2617	Replacing: 1984974, 1985065
	Manuf/Sys: DELCO				TRY SOME: T011100941B
	Volts	OD	ID		
	24V	127mm	60mm		
	Desc/Notes: 42MT. DD (DIRECT DRIVE).				
Vehicle Apps: . CASE. CATERPILLAR. CUMMINS. ERF. FORD. INTERNATIONAL EAGLE. JOHN DEERE. MACK. VOLVO				Electrolog: BHS2642	Replacing: 1988121, 1988122, 8T8570
	Manuf/Sys: HITACHI				TRY SOME: T010000913
	Volts	OD	ID	Mounting Holes: A=63.5mm	
	12V	72.4mm	38.8mm		
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . ISUZU. NISSAN. YANMAR				Electrolog: BHS3027	Replacing: 213063022, 22403310, 233781W400, 8944788630, 213053021
	Manuf/Sys: HITACHI				TRY SOME: TYM121254-77571
	Volts	OD	ID	Mounting Holes: A=71mm	
	12V	80mm	44.3mm		
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . KOMATSU. YANMAR				Electrolog: BHS3035	Replacing: 213033021
	Manuf/Sys: ISKRA				TRY SOME: T017900902
	Volts	OD	ID	Mounting Holes: A=70mm	
	12V	82mm	49mm		
	Desc/Notes: AZJ. DD (DIRECT DRIVE).				
Vehicle Apps: . JOHN DEERE				Electrolog: BHS7900	Replacing: 16905687
	Manuf/Sys: LUCAS				TRY SOME: T012300906
	Volts	OD	ID	Mounting Holes: A=42mm	
	12V	54.5mm	20.5mm		
	Desc/Notes: M35J;M35;M35K. INERTIA;DD (DIRECT DRIVE).				
Vehicle Apps: . CHEVROLET. FORD ANGLIA, BANTAM, CORTINA. ISUZU WFR, RELAY, KB20, KB21, PETROL. LEYLAND MINI. OPEL. TOYOTA				Electrolog: BHS4001	Replacing: 66240004, 66740126
	Manuf/Sys: LUCAS				TRY SOME: T012300904J
	Volts	OD	ID	Mounting Holes: A=72.5mm	
	12V	89mm	47.7mm		
	Desc/Notes: M45G. DD (DIRECT DRIVE).				
Vehicle Apps: . HYSTER. MASSEY FERGUSON. PERKINS				Electrolog: BHS4004	Replacing: 54266043

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Brush Holders


	Manuf/Sys: MAGNETI-MARELLI				TRYSOME: T580000806
	Volts	OD	ID	Mounting Holes: A=46.1mm	
	12V	73.1mm	11mm		
Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).					Electrolog: BHS9006
Vehicle Apps: . IVECO. JCB. MASSEY FERGUSON. PERKINS					Replacing: 83226336
	Manuf/Sys: MITSUBISHI				TRYSOME: T010000909, T012600901, T2337842L70
	Volts	OD	ID	Mounting Holes: A=57mm	
	12V	68mm	31mm		
Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).					Electrolog: BHS5005
Vehicle Apps: . CHRYSLER. FORD. HYUNDAI. KIA. MAZDA. MITSUBISHI. NISSAN. SUBARU. SUZUKI					Replacing: M649T01271, MD611217, M649T01272, M649T01273
	Manuf/Sys: MITSUBISHI				TRYSOME: TM649X20471
	Volts	OD	ID	Mounting Holes: A=63mm	
	12V	72mm	34mm		
Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).					Electrolog: BHS5013
Vehicle Apps: . MITSUBISHI CANTER, FUSO					Replacing: M649X20471, ME701467
	Manuf/Sys: MITSUBISHI				TRYSOME: T010000906
	Volts	OD	ID	Mounting Holes: A=63mm	
	24V	73mm	34mm		
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					Electrolog: BHS5001
Vehicle Apps: . AMC. CASE. CLARK. FORD. HYUNDAI. INTERNATIONAL HARVESTER. KIA. MAZDA. MITSUBISHI. NISSAN. SAME. SUMITOMO. YALE					Replacing: M649T05072, ME700140
	Manuf/Sys: MITSUBISHI				TRYSOME: T012500901
	Volts	OD	ID	Mounting Holes: A=67mm	
	24V	75mm	42mm		
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					Electrolog: BHS5002
Vehicle Apps: . FURUKAWA. MITSUBISHI FUSO					Replacing: M649T04971, M649T07371
	Manuf/Sys: NIKKO				TRYSOME: T0-23750-0220
	Volts	OD	ID	Mounting Holes: A=46mm	
	12V	62mm	33mm		
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					Electrolog: BHS8815
Vehicle Apps: . KOMATSU					Replacing: 0237500220
	Manuf/Sys: NIKKO				TRYSOME: T0-23750-0050, T7-23750-0120
	Volts	OD	ID	Mounting Holes: A=62mm	
	24V	79mm	46mm		
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).					Electrolog: BHS8804
Vehicle Apps: . HITACHI EXCAVATOR EX30, EX300. ISUZU. KOMATSU					Replacing: 1811180320, 0237500050, 0237500250, 7237500120

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: NIKKO				TRY SOME: T012900902
	Volts	OD	ID	Mounting Holes: A=67.7mm	
	24V	79.8mm	38.3mm		
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . KOMATSU				Electrolog: BHS8809	
				Replacing: 0247500030	
	Manuf/Sys: NIKKO				TRY SOME: T0-21750-1432
	Volts	OD	ID		
	24V	92mm	59mm		
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . ISUZU				Electrolog: BHS8801	
				Replacing: 1811180180, 0217501432	
	Manuf/Sys: NIPPON DENSO				TRY SOME: T012800953
	Volts	OD	ID	Mounting Holes: A=53.5mm, B=53.5mm	
	12V	58.5mm;	12mm		
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). FITS: STR6421				
Vehicle Apps: . TOYOTA LAND CRUISER PRADO 2.7L, QUANTUM				Electrolog: BHS6421	
				Replacing:	
	Manuf/Sys: NIPPON DENSO				TRY SOME: T012800920
	Volts	OD	ID	Mounting Holes: A=67mm	
	12V;24V	82mm	41mm		
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . BOBCAT. CASE. CLARK. CUMMINS. DAIHATSU. FORD. ISUZU JCM. JCR. SBR. SCR. JOHN DEERE. KUBOTA. TOYOTA DYNA. FORKLIFTS, HINO				Electrolog: BHS6020	
				Replacing: 2814077090, 0285100500	
	Manuf/Sys: SAWAFUJI				TRY SOME: T013800902
	Volts	OD	ID	Mounting Holes: A=54mm	
	24V	70mm	39mm		
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . TOYOTA HINO				Electrolog: BHS9807	
				Replacing: 133107100X0	
	Manuf/Sys: SAWAFUJI				TRY SOME: T263800001
	Volts	OD	ID	Mounting Holes: A=57mm	
	24V	75mm	42mm		
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . TOYOTA HINO				Electrolog: BHS9804	
				Replacing: 281401280, 2333099202, 133103900X0	
	Manuf/Sys: SAWAFUJI				TRY SOME: T133103410X9
	Volts	OD	ID	Mounting Holes: A=46.3mm	
	24V	81.7mm	45.2mm		
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . NISSAN. TOYOTA HINO				Electrolog: BHS9816	
				Replacing: 133103410X9	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Brush Holders

	Manuf/Sys: SAWAFUJI			Mounting Holes: A=64.3mm	TRYSOME: T013800803
	Volts	OD	ID		
	24V	86mm	46mm		
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).				
Vehicle Apps: . KOMATSU					Electrolog: BHS9820
					Replacing: 281401290, 133104300X0, 133104600X0

Technology has evolved. And so have we!



Fire torch
790,000 B.C.



Oil Lamp
10,000 B.C.



Candles
300 B.C.



Bulb
1879 A.D.



Halogen
1964 A.D.



HID
1991 A.D.



High Power LED
1996 A.D.

NORDICLIGHTS

A Powerful Machine Requires Powerful Lights!

Designed for extremely tough conditions, where high service life and durability is important.








LED technology creates more value through:

- ⌚ Long Lifetime
- ⌚ High operational safety
- ⌚ Minimum power consumption, thus saving energy
- ⌚ Wear and maintenance free
- ⌚ Increased safety through quick switch-on behaviour










Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Field Coils



	Manuf/Sys: BOSCH		TRYSOME:
	Volts	Inside Length	Inside Width
	12V	47mm	25mm
	Desc/Notes: EF, DD (DIRECT DRIVE). FOR ANTI-CLOCK ROTATION STARTERS. CCW (ANTI-CLOCK)		Electrolog: FCS1005
Vehicle Apps: . DAIHATSU CHARADE. PEUGEOT 305. PORSCHE 914. VOLKSWAGEN FOX 1.3L, 1.6L, 1.8L, GOLF I 1.3L, 1.6L, 1.8L, II 1.8L, III 1.6L, 1.8L, JETTA 1.3L, 1.5L, 1.6L, 1.8L, KOMBI, MICROBUS, POLO, TRANSPORTER		Replacing: 9001692019, 1004112553, 1004112564, 582069	
	Manuf/Sys: BOSCH		TRYSOME:
	Volts	Inside Length	Inside Width
	12V	88mm	32mm
	Desc/Notes: IF, JF, DD (DIRECT DRIVE). LONG.		Electrolog: FCS1025
Vehicle Apps: . ADE. BELL. CASE. CATERPILLAR. DEUTZ. FIAT TRACTORS. INTERNATIONAL HARVESTER. IVECO. JOHN DEERE. KHD. MAGIRUS-DEUTZ. MASSEY FERGUSON. MERCEDES-BENZ. NEW HOLLAND. SAMIL. TOYOTA HINO		Replacing: 2004114060, 2004114291, 2004114061, 2004114297, 2004114137	
	Manuf/Sys: BOSCH		TRYSOME:
	Volts	Inside Length	Inside Width
	12V	73mm	32mm
	Desc/Notes: BNG, DD (DIRECT DRIVE).		Electrolog: FCS1040
Vehicle Apps: . BEDFORD. CLAAS. DEUTZ. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. VOLVO		Replacing: 2004105017, 2004105012, 2004105015	
	Manuf/Sys: BOSCH		TRYSOME:
	Volts	Inside Length	Inside Width
	12V	65.5mm	28mm
	Desc/Notes: KB, DD (DIRECT DRIVE).		Electrolog: FCS1077
Vehicle Apps: . DAF. MAN. VOLVO		Replacing: 2004125089	
	Manuf/Sys: BOSCH		TRYSOME:
	Volts	Inside Length	Inside Width
	24V	88mm	33mm
	Desc/Notes: IF, JF, DD (DIRECT DRIVE). LONG.		Electrolog: FCS1034
Vehicle Apps: . ADE. BELL. DAF. FORD TRACTORS AND TRUCKS. INTERNATIONAL. ISUZU. IVECO. JOHN DEERE. KHD. MAN. MASSEY FERGUSON. MERCEDES-BENZ. PERKINS. TOYOTA HINO		Replacing: 2004114065, 2004114295, 2004114135, 2004114066, 2004114067	
	Manuf/Sys: BOSCH		TRYSOME:
	Volts	Inside Length	Inside Width
	24V	100.4mm;99.3mm	32.3mm;30.2mm
	Desc/Notes: QB, DD (DIRECT DRIVE). MAINS AND AUXILIARY SEPARATE.		Electrolog: FCS1043
Vehicle Apps: . DEUTZ. INTERNATIONAL HARVESTER. KHD. MERCEDES-BENZ. SAMIL		Replacing: 2004116099	
	Manuf/Sys: BOSCH		TRYSOME:
	Volts	Inside Length	Inside Width
	24V	N/A	N/A
	Desc/Notes: EV, PLGR (PLANETARY GEAR REDUCTION). 0001231... SERIES.		Electrolog: FCS1045
Vehicle Apps: . DAF. DEUTZ. IVECO. KHD. MAN. MERCEDES-BENZ. RENAULT. VOLVO		Replacing: 6033AD0151, 6033AD4098, 6033AD4108	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Field Coils

	Manuf/Sys: BOSCH		TRYSOME:
	Volts	Inside Length	Inside Width
	24V	84.5mm	28.5mm
Desc/Notes: KB. DD (DIRECT DRIVE).			TRYHOME: TO10400351
Vehicle Apps: . INTERNATIONAL HARVESTER. KHD. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. RENAULT. TOYOTA HINO			Electrolog: FCS1051
Replacing: 2004125083, 2004125076, 084180083			
	Manuf/Sys: BOSCH		TRYSOME:
	Volts	Inside Length	Inside Width
	24V	85mm	30mm
Desc/Notes: JE/IE. DD (DIRECT DRIVE). 0001371 AND 0001372 SERIES. CW (CLOCK-WISE)			TRYHOME: TO11000301
Vehicle Apps: OM541, OM542, XF355M-Engine. BELL. DAF 95XF, CF85. MERCEDES-BENZ ACTROS, AXOR, TRAVEGO			Electrolog: FCS1083
Replacing: 2004124005, 1337451, 0001519655, 084179005			
	Manuf/Sys: DELCO		TRYSOME:
	Volts	Inside Length	Inside Width
	12V	102mm	32mm
Desc/Notes: 20MT;27MT;25MT. DD (DIRECT DRIVE).			TRYHOME: TO11100302
Vehicle Apps: . CLARK. HYSTER. JOHN DEERE. PERKINS. YALE			Electrolog: FCS2602
Replacing: 1956384, 1891918, 3M5833, 8M5833			
	Manuf/Sys: DELCO		TRYSOME:
	Volts	Inside Length	Inside Width
	12V	53mm	21mm
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).			TRYHOME: TO11100328
Vehicle Apps: . BOBCAT. CASE. CHEVROLET 6.2L, 6.5L. CLARK. CUMMINS. FORD. HYSTER. JOHN DEERE. MASSEY FERGUSON. NEW HOLLAND. PERKINS			Electrolog: FCS2603
Replacing: 10456473, 10483822			
	Manuf/Sys: DELCO		TRYSOME:
	Volts	Inside Length	Inside Width
	12V	88mm	33mm
Desc/Notes: 37MT. DD (DIRECT DRIVE).			TRYHOME: TO11100337
Vehicle Apps: . CATERPILLAR. CUMMINS. JOHN DEERE			Electrolog: FCS2619
Replacing: 1985324			
	Manuf/Sys: DELCO		TRYSOME:
	Volts	Inside Length	Inside Width
	12V	66mm	27mm
Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION).			TRYHOME: TO11100303B
Vehicle Apps: . CATERPILLAR. FREIGHTLINER. MACK. MERCEDES-BENZ			Electrolog: FCS2703
Replacing: 10511404			
	Manuf/Sys: DELCO		TRYSOME:
	Volts	Inside Length	Inside Width
	12V	N/A	N/A
Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION).			TRYHOME: TO21000801
Vehicle Apps: . CATERPILLAR. FREIGHTLINER. MERCEDES-BENZ			Electrolog: FCS5010Y
Replacing: 10511404			

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.


	Manuf/Sys: DELCO			TRY SOME: T011100340B Electrolog: FCS2607 Replacing: 10472563, 3E7852, 9X0288
	Volts	Inside Length	Inside Width	
	24V	90mm	34mm	
	Desc/Notes: 41MT. DD (DIRECT DRIVE).			
Vehicle Apps: . BOBCAT. CATERPILLAR. CUMMINS. ERF. MACK. PERKINS				
	Manuf/Sys: DELCO			TRY SOME: T011100316B Electrolog: FCS2616 Replacing: 1945496, 1846926, 1974929, 4M1839, 7N1283
	Volts	Inside Length	Inside Width	
	24V	111mm	33mm	
	Desc/Notes: 40MT. DD (DIRECT DRIVE).			
Vehicle Apps: . CASE. CATERPILLAR. CUMMINS. ERF. GENERAL MOTORS. INTERNATIONAL EAGLE, HARVESTER. MACK				
	Manuf/Sys: DELCO			TRY SOME: T011013801 Electrolog: FCS2621Y Replacing: 10515832
	Volts	Inside Length	Inside Width	
	24V	N/A	N/A	
	Desc/Notes: 29MT. PLGR (PLANETARY GEAR REDUCTION).			
Vehicle Apps: . BELL. MERCEDES-BENZ				
	Manuf/Sys: DELCO			TRY SOME: T011100342B Electrolog: FCS2699 Replacing: 1988442, 7T3277
	Volts	Inside Length	Inside Width	
	24V	109mm	33mm	
	Desc/Notes: 42MT. DD (DIRECT DRIVE).			
Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. INTERNATIONAL. MACK				
	Manuf/Sys: DELCO			TRY SOME: T011000305 Electrolog: FCS2702 Replacing: 1951857
	Volts	Inside Length	Inside Width	
	24V	77mm	36mm	
	Desc/Notes: 30MT. DD (DIRECT DRIVE).			
Vehicle Apps: . CATERPILLAR. JOHN DEERE				
	Manuf/Sys: DELCO			TRY SOME: T012500302 Electrolog: FCS5013Y Replacing:
	Volts	Inside Length	Inside Width	
	24V	N/A	N/A	
	Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION).			
Vehicle Apps: . VARIOUS APPLICATIONS				
	Manuf/Sys: LUCAS			TRY SOME: T012300316 Electrolog: FCS4016 Replacing: 272394, TEB132, 60600054, CF4
	Volts	Inside Length	Inside Width	
	12V	76mm	29mm	
	Desc/Notes: M45G. DD (DIRECT DRIVE).			
Vehicle Apps: . ADE. BELL. CASE. FORD TRACTORS. LAND ROVER. LANDINI. MASSEY FERGUSON. PERKINS				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Field Coils

	Manuf/Sys: LUCAS		TRYSOME: T012300324	
	Volts	Inside Length		Inside Width
	12V	75mm		30mm
Desc/Notes: M50G. DD (DIRECT DRIVE).			Electrolog: FCS4024	
Vehicle Apps: . ADE. CASE. FORD TRACTOR. HYSTER. MASSEY FERGUSON. NEW HOLLAND. PERKINS			Replacing: 54267617, 54243851, 60251471, 60600018, TEB105	
	Manuf/Sys: MAGNETI-MARELLI		TRYSOME: T010000306	
	Volts	Inside Length		Inside Width
	12V	39mm		17mm
Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).			Electrolog: FCS9009	
Vehicle Apps: . JCB. PERKINS			Replacing:	
	Manuf/Sys: MITSUBISHI		TRYSOME: T010000302	
	Volts	Inside Length		Inside Width
	24V	55mm		21.8mm
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).			Electrolog: FCS5005	
Vehicle Apps: . MITSUBISHI FUSO			Replacing: M800T43171, ME700046	
	Manuf/Sys: NIKKO		TRYSOME: T012900303	
	Volts	Inside Length		Inside Width
	24V	61mm		25mm
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).			Electrolog: FCS8801	
Vehicle Apps: . CATERPILLAR. CUMMINS. KOMATSU			Replacing: 0232300150	
	Manuf/Sys: NIKKO		TRYSOME: T012900301, TF/COIL01	
	Volts	Inside Length		Inside Width
	24V	63mm		24mm
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). FITS STR8801.			Electrolog: FCS8802	
Vehicle Apps: . FURUKAWA. ISUZU JCR360, JCR500			Replacing: 5811120190, 1811293960, 0232300110	
	Manuf/Sys: NIKKO		TRYSOME: T012900307	
	Volts	Inside Length		Inside Width
	24V	N/A		N/A
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).			Electrolog: FCS8802Y	
Vehicle Apps: . ISUZU JCR360, JCR500			Replacing: 0232000120	
	Manuf/Sys: NIKKO		TRYSOME: T012900305	
	Volts	Inside Length		Inside Width
	24V	82mm		23mm
Desc/Notes: STEERING MOTOR.			Electrolog: FCS8806	
Vehicle Apps: . VARIOUS EARTHMOVING AND INDUSTRIAL APPLICATIONS			Replacing: 202900301, 0232000342	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.


	Manuf/Sys: NIKKO			TRY SOME: T012900309 Electrolog: FCS8811 Replacing: 0242000040
	Volts	Inside Length	Inside Width	
	24V	62mm	25mm	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).			
Vehicle Apps: . ISUZU, KOMATSU				
	Manuf/Sys: NIPPON DENSO			TRY SOME: T012800320 Electrolog: FCS6020 Replacing: 2812047040
	Volts	Inside Length	Inside Width	
	12V	N/A	N/A	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).			
Vehicle Apps: . TOYOTA DYNA				
	Manuf/Sys: NIPPON DENSO			TRY SOME: T0501000 Electrolog: FCS6001 Replacing:
	Volts	Inside Length	Inside Width	
	24V	86.6mm	37.3mm	
	Desc/Notes:			
Vehicle Apps: . HYUNDAI				
	Manuf/Sys: NIPPON DENSO			TRY SOME: T012800323 Electrolog: FCS6002 Replacing: 2812166010, 0281100870
	Volts	Inside Length	Inside Width	
	24V	72mm	30mm	
	Desc/Notes: DD (DIRECT DRIVE).			
Vehicle Apps: . TOYOTA DA6000, FORKLIFT				
	Manuf/Sys: PRESTOLITE			TRY SOME: T1431003001 Electrolog: FCS9704 Replacing:
	Volts	Inside Length	Inside Width	
	24V	120mm	32mm	
	Desc/Notes: MFY. STEERING MOTOR.			
Vehicle Apps: . VARIOUS EARTHMOVING AND INDUSTRIAL APPLICATIONS				
	Manuf/Sys: SAWAFUJI			TRY SOME: T013800302 Electrolog: FCS9816Y Replacing: 131010030X0
	Volts	Inside Length	Inside Width	
	24V	N/A	N/A	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).			
Vehicle Apps: . KOMATSU				
	Manuf/Sys: SAWAFUJI			TRY SOME: T013800308 Electrolog: FCS9817Y Replacing: 131013401X0
	Volts	Inside Length	Inside Width	
	24V	N/A	N/A	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).			
Vehicle Apps: . TOYOTA DYNA, HINO				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Miscellaneous Parts



Manuf/Sys: BOSCH	Category: BOLT Desc/Notes: JD;JF;IF; DD (DIRECT DRIVE)	TRYSOME: T2003429063
	Vehicle Apps: . FIAT. IVECO. JOHN DEERE. MERCEDES-BENZ. NEW HOLLAND. VOLVO	Electrolog: BOS1002 Replacing: 2003429067, 2003429066
Manuf/Sys: DELCO	Category: BOLT Desc/Notes: 40MT;50MT;42MT; DD (DIRECT DRIVE)	TRYSOME: T011104002
	Vehicle Apps: . ALLIS CHALMERS. BELL. BOBCAT. CATERPILLAR. HYSTER. JOHN DEERE. KOMATSU. MASSEY FERGUSON. NEW HOLLAND. VOLVO	Electrolog: BOS2603 Replacing: 1914869
Manuf/Sys: BOSCH	Category: CLUTCH Desc/Notes: BNG; DD (DIRECT DRIVE); FOR BNG LARGE CLUTCH ONLY - 90mm MAX OD	TRYSOME: T2600156209
	Vehicle Apps: . CLAAS. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. VOLVO	Electrolog: CLU1020 Replacing: 2006401904, 5586517, 086456904
Manuf/Sys: BOSCH	Category: CLUTCH Desc/Notes: KB; DD (DIRECT DRIVE)	TRYSOME: T010403940
	Vehicle Apps: . ADE. CLAAS. FORD CARGO. INTERNATIONAL HARVESTER. ISUZU. IVECO. KHD. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. SAMIL. TOYOTA HINO. VOLVO	Electrolog: CLU1040 Replacing: 2006401527, 2003162005, 2003162006, 2003162016, 76431527
Manuf/Sys: BOSCH	Category: CLUTCH Desc/Notes: QB; DD (DIRECT DRIVE); ROUND CLUTCH, NOT SQUARE LIKE KB - 176mm LONG	TRYSOME: T010403941R
	Vehicle Apps: . DEUTZ. KHD. MWM. SAMIL. VOLVO	Electrolog: CLU1066 Replacing: 2000780133
Manuf/Sys: BOSCH	Category: COVER/CAP Desc/Notes: KB; DD (DIRECT DRIVE); COMM END COVER	TRYSOME: T010410712
	Vehicle Apps: . ADE. MAN. MERCEDES-BENZ. VOLVO	Electrolog: COS1012 Replacing: 2000580121, 2000580127, 085580127
Manuf/Sys: BOSCH	Category: FORK Desc/Notes: EF;EV; DD (DIRECT DRIVE); 93mm LONG - PLASTIC	TRYSOME: T010403002
	Vehicle Apps: . AUDI. CHRYSLER. CITROEN. DAF. DAIHATSU. FORD. HONDA. IVECO. KHD. LAND ROVER. MAZDA. MERCEDES-BENZ. NISSAN. OPEL. PEUGEOT. SSANGYONG. TOYOTA. VOLKSWAGEN. VOLVO	Electrolog: FRK1002 Replacing: 1001933101, 82GB11067AA

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: BOSCH	Category: FORK Desc/Notes: IF;JD;JF; DD (DIRECT DRIVE); 0001359...; 0001360...; 0001362...; 0001363...; 0001367...; 0001368...; 0001369...; 9000143... SERIES	TRY SOME: T010403005J
	Vehicle Apps: . ADE. BELL. CASE. CLAAS. DAF. FIAT TRACTORS. FORD TRACTORS AND TRUCKS. INTERNATIONAL HARVESTER. KHD. MACK. MAGIRUS-DEUTZ. MAN. MASSEY FERGUSON. MERCEDES-BENZ. NEW HOLLAND. PERKINS. SAME. SAMIL	Electrolog: FRK1005 Replacing: 2001933149, 2001933148, 2001933175, 83BB11067AA, 085988175
Manuf/Sys: DELCO	Category: FORK Desc/Notes: 50MT;40MT; DD (DIRECT DRIVE);DD (DIRECT DRIVE)	TRY SOME: T011103040B
	Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. KOMATSU. MACK	Electrolog: FRK2608 Replacing: 1945484, 4M1853
Manuf/Sys: LUCAS	Category: FORK Desc/Notes: M50G; WITH PIN/PIVOT - THREADED	TRY SOME: T012303005
	Vehicle Apps: . FORD TRACTOR. HYSTER. MASSEY FERGUSON. NEW HOLLAND. PERKINS	Electrolog: FRK4005A Replacing: 54267369, 60600649
Manuf/Sys: NIKKO	Category: FORK Desc/Notes: OSGR (OFFSET - GEAR REDUCTION)	TRY SOME: T7233200060
	Vehicle Apps: . KOMATSU	Electrolog: FRK8801 Replacing: 7233200060
Manuf/Sys: NIKKO	Category: FORK Desc/Notes: OSGR (OFFSET - GEAR REDUCTION)	TRY SOME: T01290301
	Vehicle Apps: . ISUZU. KOMATSU	Electrolog: FRK8802 Replacing: 7233200040
Manuf/Sys: NIKKO	Category: FORK Desc/Notes: OSGR (OFFSET - GEAR REDUCTION)	TRY SOME: T012903001
	Vehicle Apps: . ISUZU	Electrolog: FRK8803 Replacing: 7233200010
Manuf/Sys: SAWAFUJI	Category: FORK Desc/Notes: OSGR (OFFSET - GEAR REDUCTION)	TRY SOME: T013803004
	Vehicle Apps: . KOMATSU	Electrolog: FRK9800 Replacing: 137204200X0

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Miscellaneous Parts

Manuf/Sys: HITACHI 	Category: GEAR Desc/Notes: OSGR (OFFSET - GEAR REDUCTION)	TRYSOME: T23312Z9000
	Vehicle Apps: . NISSAN FORKLIFT	Electrolog: GEAR3005 Replacing: 22503113
Manuf/Sys: BOSCH 	Category: PLUNGER Desc/Notes: KB; DD (DIRECT DRIVE); SHORT	TRYSOME: T010411103
	Vehicle Apps: . ADE. DEUTZ. KHD. MAN. MERCEDES-BENZ. SCANIA. VOLVO	Electrolog: PLU1003 Replacing: 2003050076, 2007010047, 087065047
Manuf/Sys: BOSCH 	Category: PLUNGER Desc/Notes: QB; DD (DIRECT DRIVE)	TRYSOME: T010411101
	Vehicle Apps: . DEUTZ. KHD. MWM. SAMIL. VOLVO	Electrolog: PLU1007 Replacing: 2007010049, 2003050077, 2007010048
Manuf/Sys: BOSCH 	Category: PLUNGER Desc/Notes: KB; DD (DIRECT DRIVE); LONG	TRYSOME: T010411110
	Vehicle Apps: . ADE. DEUTZ. KHD. MAN. MERCEDES-BENZ. SCANIA. VOLVO	Electrolog: PLU1009 Replacing: 2007010045, 2003010075, 2003050075, 087065045
Manuf/Sys: DELCO 	Category: PLUNGER Desc/Notes: 50MT;40MT; DD (DIRECT DRIVE)	TRYSOME: T011111140
	Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. EUCLID. GENERAL MOTORS. HAULPAK. INGERSOLL RAND. KENWORTH. KOMATSU. LOCOMOTIVE. OSHKOSH	Electrolog: PLU2612 Replacing: 1948522
Manuf/Sys: DELCO 	Category: PLUNGER Desc/Notes: 42MT;41MT;37MT; DD (DIRECT DRIVE)	TRYSOME: T01111111B
	Vehicle Apps: . BOBCAT. CATERPILLAR. CLARK. CUMMINS. FORD. GENERAL MOTORS. HYSTER. INGERSOLL RAND. JOHN DEERE. KENWORTH. KOMATSU. LISTER-PETTER. MASSEY FERGUSON. MELROE. MERCEDES-BENZ. NEW HOLLAND. PERKINS	Electrolog: PLU2613 Replacing: 1988775, 1988139
Manuf/Sys: MITSUBISHI 	Category: PLUNGER Desc/Notes:	TRYSOME: T260015610023
	Vehicle Apps: . FORD. HYUNDAI. KIA. MITSUBISHI	Electrolog: PLU5000 Replacing:

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.


Manuf/Sys: NIPPON DENSO 	Category: PLUNGER Desc/Notes: OSGR (OFFSET - GEAR REDUCTION); SMALLER PLUNGER	TRY SOME: T012811101
	Vehicle Apps: . ISUZU KB DIESEL. TOYOTA HILUX 2.2L/2.4L DIESEL	Electrolog: PLU6002 Replacing: 0536607120, 0536807120, NP130
Manuf/Sys: NIPPON DENSO 	Category: PLUNGER Desc/Notes: OSGR (OFFSET - GEAR REDUCTION); SMALLER PLUNGER	TRY SOME: T010011102
	Vehicle Apps: . HONDA. ISUZU. KUBOTA. TOYOTA	Electrolog: PLU6003 Replacing: 0536600401, 0536607250, 2823554070
Manuf/Sys: BOSCH 	Category: SLEEVE Desc/Notes: KB; DD (DIRECT DRIVE); BEARING COVER/PLATE	TRY SOME: T010410606
	Vehicle Apps: . ADE. BEDFORD. BELL. CLAAS. DEUTZ. ERF. FORD. INTERNATIONAL. IVECO. KHD. LEYLAND. LIEBHERR. MAN. MERCEDES-BENZ. SAMIL. SCANIA. VOLVO	Electrolog: SLES1006 Replacing: 2005825077
Manuf/Sys: LUCAS 	Category: THROUGH BOLT Desc/Notes: M50; DD (DIRECT DRIVE)	TRY SOME: T012301110
	Vehicle Apps: . DEUTZ. FORD TRACTOR. HYSTER. MASSEY FERGUSON. PERKINS	Electrolog: BTS4010 Replacing: 54247722



Letrika
 Driving innovation








ENGINE ROTATING ELECTRICS

Designed for long life and maintenance free operation under heavy duty conditions.





Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Starter Solenoids






	Manuf/Sys: BOSCH	TRY SOME: T010002720
	Volts: 12V Mounting Holes: A=37.3mm, B=37.3mm, C=37.3mm Desc/Notes: EV. 0001218... SERIES	Electrolog: SOL1004
Vehicle Apps: . LAND ROVER. MERCEDES-BENZ. RANGE ROVER	Replacing: 9330331006, A0011521310, BF6T11390A, 93278025, 2339303858	
	Manuf/Sys: BOSCH	TRY SOME: T010402773
	Volts: 12V Mounting Holes: A=35.5mm, B=35.5mm, C=35.5mm Desc/Notes: EF. DD (DIRECT DRIVE). 0001211... SERIES	Electrolog: SOL1020
Vehicle Apps: . BMW. FIAT. FORD. HONDA BALLADE. LANCIA. MAZDA. TOYOTA. VOLKSWAGEN	Replacing: 0331303006, 0331303002, 9330693019, 9330693020, 2339303293	
	Manuf/Sys: BOSCH	TRY SOME: T010402722
	Volts: 12V Mounting Holes: A=34mm Desc/Notes: EF. DD (DIRECT DRIVE). 0001211... SERIES	Electrolog: SOL1022
Vehicle Apps: . ALFA ROMEO. AUDI. FIAT. FORD. HYUNDAI. MAZDA. MITSUBISHI. NISSAN. PEUGEOT. TOYOTA. VOLKSWAGEN	Replacing: 0331302064, 0331302040, 933061028, 9330691001, 9330691089	
	Manuf/Sys: BOSCH	TRY SOME: T550002712
	Volts: 12V Mounting Holes: A=34mm Desc/Notes: GF;EF. DD (DIRECT DRIVE). 9000692...; 0001157...; 0001311... SERIES	Electrolog: SOL1031
Vehicle Apps: . AUDI. BMW. DAIHATSU. FIAT. FORD. HONDA. MAZDA. MITSUBISHI. NISSAN. PEUGEOT. TOYOTA. VOLKSWAGEN	Replacing: 9330691007, 0331302044, 0331302045, 9330691001, 9330691013	
	Manuf/Sys: BOSCH	TRY SOME: T010002745
	Volts: 12V Mounting Holes: A=35.5mm, B=35.5mm, C=35.5mm Desc/Notes: EF;DW;GF. DD (DIRECT DRIVE);PMGR (PERMANENT MAGNET - GEAR REDUCTION). 0001208...; 0001211...; 0001311...; 9000333... SERIES	Electrolog: SOL1043
Vehicle Apps: . BMW. FIAT. FORD. LANCIA	Replacing: 0331303005, 0331303016, 77EB11390BA, 083303005	
	Manuf/Sys: BOSCH	TRY SOME: T010402752, T010402752B
	Volts: 12V Mounting Holes: A=39.7mm, B=39.7mm, C=39.7mm Desc/Notes: JD;IF;JF. DD (DIRECT DRIVE). 0001358...; 0001359...; 0001362...; 0001366...; 0001367... SERIES	Electrolog: SOL1052
Vehicle Apps: . ADE. BELL. CASE. CATERPILLAR. DEUTZ. FIAT TRACTORS. FORD TRACTORS. INTERNATIONAL HARVESTER. IVECO. JOHN DEERE. KHD. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. NEW HOLLAND. SAMIL	Replacing: 0331402001, 0331402004, 0331402700, 0331402035, 0331402513	
	Manuf/Sys: BOSCH	TRY SOME: T010402793
	Volts: 12V Mounting Holes: A=40mm Desc/Notes: JD. DD (DIRECT DRIVE). 0001359... SERIES - 2-HOLE MOUNTING	Electrolog: SOL1054
Vehicle Apps: . CLAAS. DEUTZ. HATZ. INTERNATIONAL HARVESTER. KHD. LINDE. MASSEY FERGUSON. SAME. STEYR	Replacing: 0331401001, 083402073	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: BOSCH	TRY SOME: T010402774B
	Volts 12V	Mounting Holes: A=35mm, B=35mm, C=35mm
	Desc/Notes: DW;EF;DM. PLGR (PLANETARY GEAR REDUCTION). 0001109... SERIES; 0001211... SERIES; 0001107... SERIES; 0001110... SERIES	
Vehicle Apps: . VOLKSWAGEN GOLF, JETTA, POLO		Electrolog: SOL1065 Replacing: 0331303147, 0331303647, 2339303222, 2339303412
	Manuf/Sys: BOSCH	TRY SOME: T010402779
	Volts 12V	Mounting Holes: A=68mm
	Desc/Notes: KB. DD (DIRECT DRIVE).	
Vehicle Apps: . ADE. CLAAS. LEYLAND. MERCEDES-BENZ. VOLVO		Electrolog: SOL1079 Replacing: 0331101011, 083106011
	Manuf/Sys: BOSCH	TRY SOME: T010402795
	Volts 12V	Mounting Holes: A=35mm, B=35mm, C=35mm
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). 2339304... SERIES	
Vehicle Apps: . BMW		Electrolog: SOL1092 Replacing: 2339304009, 2339304005, 2339304013, 2339304040
	Manuf/Sys: BOSCH	TRY SOME: T010002703
	Volts 12V	Mounting Holes: A=39.8mm, B=39.8mm, C=39.8mm
	Desc/Notes: IF. DD (DIRECT DRIVE). 0001367... AND 0001369... SERIES	
Vehicle Apps: . DAF. DEUTZ. FIAT TRACTORS. IVECO. KHD		Electrolog: SOL1095 Replacing: 0331402068, 0331402006, 0331402042, 0331402530, 0331402705
	Manuf/Sys: BOSCH	TRY SOME: T010402797
	Volts 12V	Mounting Holes: A=38mm, B=38mm, C=38mm
	Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION);PMGR (PERMANENT MAGNET - GEAR REDUCTION). 0001218... & 0001223... SERIES	
Vehicle Apps: . DEUTZ. KHD. VOLVO		Electrolog: SOL1098 Replacing: 9330331010, 1319265
	Manuf/Sys: BOSCH	TRY SOME: T010402708
	Volts 12V	Mounting Holes: A=35.5mm, B=35.5mm, C=35.5mm
	Desc/Notes: DW. PMGR (PERMANENT MAGNET - GEAR REDUCTION). 0001107..., 0001108..., 0001109..., 0001115... SERIES	
Vehicle Apps: . CATERPILLAR. FORD RANGER. HATZ. IVECO. JCB. LOMBARDINI. MERCEDES-BENZ. NISSAN. OPEL. PERKINS. RENAULT. VOLVO		Electrolog: SOL1100 Replacing: 2339304023, 2339304006, 2339304007, 2339304019, 2339304068
	Manuf/Sys: BOSCH	TRY SOME: T011009502
	Volts 24V	Mounting Holes: A=58mm, B=58mm, C=58mm, D=58mm
	Desc/Notes: IE. DD (DIRECT DRIVE). 0001371... SERIES - 4-HOLE MOUNT	
Vehicle Apps: . MERCEDES-BENZ. SCANIA		Electrolog: SOL1011 Replacing: 2339403006, 1405979, 0011526310

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Starter Solenoids








	Manuf/Sys: BOSCH	TRYSUME: T010402702B
	Volts: 24V Mounting Holes: A=39.8mm, B=39.8mm, C=39.8mm Desc/Notes: JD,JF. DD (DIRECT DRIVE). 0001363...; 0001368... SERIES	Electrolog: SOL1015
Vehicle Apps: . ADE. BELL. DAF. INTERNATIONAL HARVESTER. IVECO. KHD. MAN. MASSEY FERGUSON. MERCEDES-BENZ. PERKINS	Replacing: 0331402015, 0331402007, 0331402054, 0331402051, 0331402507	
	Manuf/Sys: BOSCH	TRYSUME: T010402785
	Volts: 24V Mounting Holes: A=68.2mm Desc/Notes: QB. DD (DIRECT DRIVE).	Electrolog: SOL1032
Vehicle Apps: . DEUTZ. KHD. MWM. SAMIL. VOLVO	Replacing: 0331100023, 0331100022	
	Manuf/Sys: BOSCH	TRYSUME: T550402702
	Volts: 24V Mounting Holes: A=40mm, B=40mm, C=40mm Desc/Notes: JF;JD. DD (DIRECT DRIVE).	Electrolog: SOL1058
Vehicle Apps: . BELL. DEUTZ. IVECO. KHD	Replacing: 0331402008	
	Manuf/Sys: BOSCH	TRYSUME: T010402763A
	Volts: 24V Mounting Holes: A=40mm, B=40mm, C=40mm Desc/Notes: IF;JD;JF. DD (DIRECT DRIVE). 0001360...; 0001368... SERIES	Electrolog: SOL1063
Vehicle Apps: . ADE. INTERNATIONAL HARVESTER. JOHN DEERE. LEYLAND. MAN. MERCEDES-BENZ. MITSUBISHI. SCANIA	Replacing: 0331402010, 0331402037, 0331402537, 0331402615, 0331402201	
	Manuf/Sys: BOSCH	TRYSUME: T010402777
	Volts: 24V Mounting Holes: A=68mm;61mm (Smaller Holes CTC) Desc/Notes: BNG. DD (DIRECT DRIVE).	Electrolog: SOL1077
Vehicle Apps: . ADE. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ	Replacing: 0331101002, 0331101004, 083101004	
	Manuf/Sys: BOSCH	TRYSUME: T010402780B, T010402799
	Volts: 24V Mounting Holes: A=68mm Desc/Notes: KB. DD (DIRECT DRIVE). 0001410...; 0001415...; 0001416...; 0001417... SERIES	Electrolog: SOL1080
Vehicle Apps: . ADE. BELL. ERF. FORD CARGO, TRUCKS. INTERNATIONAL HARVESTER. IVECO. KHD. MAGIRUS-DEUTZ. MAN. MERCEDES-BENZ. SAMIL. SCANIA. TOYOTA HINO. VOLVO	Replacing: 0331101006, 0331101005, 083106006	
	Manuf/Sys: BOSCH	TRYSUME: T010402704
	Volts: 24V Mounting Holes: A=38.8mm, B=38.8mm, C=38.8mm Desc/Notes: HEF95-L. PLGR (PLANETARY GEAR REDUCTION). 0001241... SERIES	Electrolog: SOL1081
Vehicle Apps: . DAF. SCANIA	Replacing: 2339402220, 1658730	

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: BOSCH	TRY SOME: T010402753B, T2339403010
	Volts 24V Mounting Holes: A=58mm, B=58mm, C=58mm, D=58mm Desc/Notes: IE;JE. DD (DIRECT DRIVE). 0001371 AND 0001372 SERIES	Electrolog: SOL1094 Replacing: 2339403010, 0011523210, 083413010
	Manuf/Sys: BOSCH	TRY SOME: T011009505
	Volts 24V Mounting Holes: A=39.5mm, B=39.5mm, C=39.5mm Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001231... SERIES	Electrolog: SOL1107 Replacing: 2339402156, 2339402180, 2339402117, 0011524810
	Manuf/Sys: BOSCH	TRY SOME: T010402701
	Volts 24V Mounting Holes: A=39.8mm, B=39.8mm, C=39.8mm Desc/Notes: EV. PLGR (PLANETARY GEAR REDUCTION). 0001231... SERIES	Electrolog: SOL1397 Replacing: 2339402133, 2339402168
	Manuf/Sys: BUTEC	TRY SOME: T550502701
	Volts 24V Mounting Holes: A=82mm Desc/Notes: MS1;MS3. DD (DIRECT DRIVE).	Electrolog: SOL0401 Replacing: 850686
	Manuf/Sys: DELCO	TRY SOME: T011102701, TESOL356
	Volts 12V Mounting Holes: A=74mm Desc/Notes: 5MT;8MT;10MT;20MT;25MT;27MT;SD200;SD300. DD (DIRECT DRIVE).	Electrolog: SOL2601 Replacing: 1114356, 1114251, 1114379, 83091, 3204349
	Manuf/Sys: DELCO	TRY SOME: T011102706, T011102706R, T011102781B
	Volts 12V Mounting Holes: A=77.5mm, B=77.5mm, C=77.5mm Desc/Notes: 42MT. DD (DIRECT DRIVE). WITH PLUNGER	Electrolog: SOL2609 Replacing: 1115701, 1115664, 1115712
	Manuf/Sys: DELCO	TRY SOME: T1115556
	Volts 12V Mounting Holes: A=71mm, B=45mm, C=71mm, D=45mm Desc/Notes: 50MT;40MT. DD (DIRECT DRIVE). SQUARE CONTACT PLATE	Electrolog: SOL2615 Replacing: 1115556, 10456390, 3T5045, E1HZ11390A
	Manuf/Sys: DELCO	TRY SOME: T1115556
	Volts 12V Mounting Holes: A=71mm, B=45mm, C=71mm, D=45mm Desc/Notes: 50MT;40MT. DD (DIRECT DRIVE). SQUARE CONTACT PLATE	Electrolog: SOL2615 Replacing: 1115556, 10456390, 3T5045, E1HZ11390A

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Starter Solenoids








	Manuf/Sys: DELCO	TRYSOME: T011102722, T011102741B
	Volts 12V	Mounting Holes: A=78mm, B=78mm, C=78mm
Desc/Notes: 37MT;42MT. DD (DIRECT DRIVE).		Electrolog: SOL2643
Vehicle Apps: . CASE. CATERPILLAR. FORD. INTERNATIONAL EAGLE. JOHN DEERE. MACK. VOLVO		Replacing: 1115593, 1115645, 10456393
	Manuf/Sys: DELCO	TRYSOME: T011002707
	Volts 12V	Mounting Holes: A=75mm
Desc/Notes: 29MT. PLGR (PLANETARY GEAR REDUCTION).		Electrolog: SOL2651
Vehicle Apps: . CASE. CUMMINS		Replacing: 10515838
	Manuf/Sys: DELCO	TRYSOME: T0111002705, T011102728
	Volts 12V	Mounting Holes: A=75mm
Desc/Notes: 28MT. OSGR (OFFSET - GEAR REDUCTION).		Electrolog: SOL2677
Vehicle Apps: . BOBCAT. CASE. CLARK. CUMMINS. DEUTZ. FORD. HYSTER. MASSEY FERGUSON. MERCEDES-BENZ. OSHKOSH. PERKINS		Replacing: 10457055, D930A
	Manuf/Sys: DELCO	TRYSOME: T011002705
	Volts 12V	Mounting Holes: A=35.8mm, B=35.8mm, C=35.8mm
Desc/Notes: PG260D;PG260F1;PG260F2;PG260G;PG260L;PG260M. PMGR (PERMANENT MAGNET - GEAR REDUCTION).		Electrolog: SOL2701
Vehicle Apps: . DAEWOO. HYUNDAI. JOHN DEERE. KOHLER. VOLVO-PENTA		Replacing: 10475646
	Manuf/Sys: DELCO	TRYSOME: T011102719
	Volts 24V	Mounting Holes: A=71mm, B=45.5mm;35.4mm, C=71mm, D=45.5mm;35.4mm
Desc/Notes: 30MT;35MT. DD (DIRECT DRIVE).		Electrolog: SOL2607
Vehicle Apps: . CATERPILLAR. INGERSOLL RAND. JOHN DEERE		Replacing: 1115513, 1115543, 1115512, 1115536
	Manuf/Sys: DELCO	TRYSOME: T011102707B
	Volts 24V	Mounting Holes: A=77.5mm, B=77.5mm, C=77.5mm
Desc/Notes: 42MT. DD (DIRECT DRIVE). WITH PLUNGER		Electrolog: SOL2610
Vehicle Apps: . CASE. CATERPILLAR. CUMMINS. FORD. GENERAL MOTORS. INGERSOLL RAND. INTERNATIONAL. JOHN DEERE. MACK. VOLVO		Replacing: 1115667
	Manuf/Sys: DELCO	TRYSOME: T011102716B, T011102724
	Volts 24V	Mounting Holes: A=76mm, B=45mm, C=76mm, D=45mm
Desc/Notes: 40MT;50MT. DD (DIRECT DRIVE). SQUARE CONTACT PLATE		Electrolog: SOL2616
Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. EUCLID. GENERAL MOTORS. INTERNATIONAL. KOMATSU. MACK. OSHKOSH		Replacing: 1119848, 1119832, 10456391, 3T4704, 4N3890

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.








	Manuf/Sys: DELCO	TRY SOME:
	Volts 24V	Mounting Holes: A=71mm, B=45mm, C=71mm, D=45mm
Desc/Notes: 40MT;50MT. DD (DIRECT DRIVE). ROUND CONTACT PLATE		Electrolog: SOL2617
Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. INTERNATIONAL. KOMATSU. MACK		Replacing: 1119848, 1119832
	Manuf/Sys: DELCO	TRY SOME:
	Volts 24V	Mounting Holes: A=75mm
Desc/Notes: 29MT. PLGR (PLANETARY GEAR REDUCTION).		Electrolog: SOL2624
Vehicle Apps: . MERCEDES-BENZ		Replacing: 10518782
	Manuf/Sys: DELCO	TRY SOME:
	Volts 24V	Mounting Holes: A=78mm, B=78mm, C=78mm
Desc/Notes: 37MT;42MT. DD (DIRECT DRIVE).		Electrolog: SOL2642
Vehicle Apps: . CATERPILLAR. CUMMINS. ERF. INTERNATIONAL. MACK		Replacing: 1115595, 1115608, 10456394, 9X9511, 7T0258
	Manuf/Sys: DELCO	TRY SOME:
	Volts 32-64V	Mounting Holes: A=70mm, B=44mm, C=70mm, D=44mm
Desc/Notes: 50MT. DD (DIRECT DRIVE). 32V - 48V - 64V		Electrolog: SOL2618
Vehicle Apps: . CATERPILLAR. CUMMINS		Replacing: 1115515, 1115567, 1115568
	Manuf/Sys: FORD	TRY SOME:
	Volts 12V	Mounting Holes: A=38mm
Desc/Notes: PMGR (PERMANENT MAGNET - GEAR REDUCTION).		Electrolog: SOL5074
Vehicle Apps: . FORD FIESTA, RANGER		Replacing: E90Z11390A, F02Z11390A, F3VY11390B, F4DZ11390A
	Manuf/Sys: HITACHI	TRY SOME:
	Volts 12V	Mounting Holes: A=38mm
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).		Electrolog: SOL3001
Vehicle Apps: . NISSAN 2.5L DIESEL BAKKIE, 2.7L DIESEL BAKKIE, TERRANO 2.7L DIESEL		Replacing: 2334343G00, 2334302N00, 213067005, 23343-43G00
	Manuf/Sys: HITACHI	TRY SOME:
	Volts 12V	Mounting Holes: A=38mm
Desc/Notes: OSGR (OFFSET - GEAR REDUCTION);DD (DIRECT DRIVE).		Electrolog: SOL3009
Vehicle Apps: . MASSEY FERGUSON. NISSAN. PERKINS. TCM. YANMAR		Replacing: 23343H5000, 23343H5001

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Starter Solenoids









	Manuf/Sys: HITACHI	TRY SOME: T550002701
	Volts 12V	Mounting Holes: A=38mm
	Desc/Notes: DD (DIRECT DRIVE).	Electrolog: SOL3010
	Vehicle Apps: . ISUZU. NISSAN. TCM. THERMOKING. YALE	Replacing: 5811510150, 2334361504, 23343G7001, 2334331W00, 5811510290
	Manuf/Sys: HITACHI	TRY SOME: T015102701
	Volts 12V	Mounting Holes: A=38.3mm
	Desc/Notes: DD (DIRECT DRIVE).	Electrolog: SOL3014
	Vehicle Apps: . DATSUN 2200 DIESEL, 680 DIESEL	Replacing: 23343G7002, 2334337506
	Manuf/Sys: HITACHI	TRY SOME: T011902704
	Volts 24V	Mounting Holes: A=37.7mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL3000
	Vehicle Apps: . ISUZU ELF	Replacing: 5811510080
	Manuf/Sys: HITACHI	TRY SOME: T011202704
	Volts 24V	Mounting Holes: A=70.5mm
	Desc/Notes: DD (DIRECT DRIVE). SMALL POST	Electrolog: SOL3030
	Vehicle Apps: . NISSAN TRUCK, UG780	Replacing: 2334390008, 2334399007, 2334399008, 2334399010, 225011700Y
	Manuf/Sys: ISKRA	TRY SOME: T050009528
	Volts 12V	Mounting Holes:
	Desc/Notes: AZJ. DD (DIRECT DRIVE).	Electrolog: SOL7903
	Vehicle Apps: . JOHN DEERE. SAME	Replacing: 16905754
	Manuf/Sys: ISKRA	TRY SOME: T017902701
	Volts 24V	Mounting Holes: A=40mm
	Desc/Notes: AZE. PMGR (PERMANENT MAGNET - GEAR REDUCTION).	Electrolog: SOL7908
	Vehicle Apps: . CATERPILLAR. JCB. PERKINS	Replacing: 16.907.266
	Manuf/Sys: LUCAS	TRY SOME: T012302703
	Volts 12V	Mounting Holes: A=42mm
	Desc/Notes: INERTIA;DD (DIRECT DRIVE). BODY MOUNT	Electrolog: SOL4001
	Vehicle Apps: . FORD BANTAM, ESCORT AND CORTINA	Replacing: SS703, 76415, 76417, 76425, 76426

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.








	Manuf/Sys: LUCAS	TRY SOME: T012302715
	Volts 12V	Mounting Holes: A=30.5mm, B=43mm, C=30.5mm
	Desc/Notes: 6M14. DD (DIRECT DRIVE).	
	Vehicle Apps: . FIAT AGRICULTURAL. TATA	Electrolog: SOL4012
		Replacing: 26964022A, 265115104902
	Manuf/Sys: LUCAS	TRY SOME: T015615004
	Volts 12V	Mounting Holes: A=67mm
	Desc/Notes: 3M100;2M100. DD (DIRECT DRIVE).	
	Vehicle Apps: . CHEVROLET. FORD V6. LAND ROVER. MAZDA. ROVER	Electrolog: SOL4020
		Replacing: 96403, 96405, 66964105
	Manuf/Sys: LUCAS	TRY SOME: T012302760
	Volts 12V	Mounting Holes: A=52.4mm
	Desc/Notes: 9M90. DD (DIRECT DRIVE).	
	Vehicle Apps: . FORD. NISSAN. OPEL. RANGE ROVER. RENAULT. TOYOTA	Electrolog: SOL4035
		Replacing: 66964109, 66964032, 66964035
	Manuf/Sys: LUCAS	TRY SOME: T012302750, T012302758
	Volts 12V	Mounting Holes: A=40mm
	Desc/Notes: M45G. DD (DIRECT DRIVE).	
	Vehicle Apps: . ADE. CASE. FORD TRACTORS. HYSTER. LAND ROVER. MASSEY FERGUSON. PERKINS	Electrolog: SOL4050
		Replacing: 76796, 76908, 76755, TOB162, TOB113
	Manuf/Sys: LUCAS	TRY SOME: T012302753
	Volts 12V	Mounting Holes: A=67mm
	Desc/Notes: M50G. DD (DIRECT DRIVE).	
	Vehicle Apps: . ADE. KHD. MAGIRUS-DEUTZ	Electrolog: SOL4053
		Replacing: 66964044, 76901, 77054A
	Manuf/Sys: LUCAS	TRY SOME: T012302754B
	Volts 12V	Mounting Holes: A=39mm
	Desc/Notes: M127;M50. DD (DIRECT DRIVE).	
	Vehicle Apps: . ADE. CASE. FORD CARGO, TRACTOR. HYSTER. MASSEY FERGUSON. NEW HOLLAND. PERKINS	Electrolog: SOL4054
		Replacing: 60933111, 66925090S, 77131, 77132, TPB111
	Manuf/Sys: LUCAS	TRY SOME: T012302756
	Volts 12V	Mounting Holes: A=66.8mm
	Desc/Notes: 2M113;M45G. DD (DIRECT DRIVE).	
	Vehicle Apps: . ADE. BELL. CASE. FORD TRACTORS. HYSTER. MASSEY FERGUSON. PERKINS	Electrolog: SOL4056
		Replacing: 66964045

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Starter Solenoids

	Manuf/Sys: LUCAS (TVS) - INDIA	TRYSOME: T012302717
	Volts 24V Mounting Holes: A=66.6mm Desc/Notes: 7M14. DD (DIRECT DRIVE).	Electrolog: SOL4030 Replacing: 26240792
	Manuf/Sys: MAGNETI-MARELLI	TRYSOME: T010002735
	Volts 12V Mounting Holes: A=40mm, B=40mm, C=40mm Desc/Notes: DD (DIRECT DRIVE).	Electrolog: SOL9009 Replacing: 63633801, 63633825, 79036683, 7980335, 669302
	Manuf/Sys: MAGNETI-MARELLI	TRYSOME: T010002718
	Volts 12V Mounting Holes: A=34.5mm, B=34.5mm, C=34.5mm Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).	Electrolog: SOL9011 Replacing: 63602109, 63602404, 63602502
	Manuf/Sys: MITSUBISHI	TRYSOME: T550002708
	Volts 12V Mounting Holes: A=37mm Desc/Notes: PLGR (PLANETARY GEAR REDUCTION).	Electrolog: SOL5002 Replacing: M371X60171, M371X62871, M371X62271, MD607889, M371X60371
	Manuf/Sys: MITSUBISHI	TRYSOME: T010002743
	Volts 12V Mounting Holes: A=27mm, B=27mm, C=27mm, D=27mm Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL5003 Replacing: MD034120, MD607549, M371X50671, 23343R9000, MD607547
	Manuf/Sys: MITSUBISHI	TRYSOME: T011102726
	Volts 12V Mounting Holes: A=84.5mm Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). WITH LEAD	Electrolog: SOL5023 Replacing: 10511408, 10511807
	Manuf/Sys: MITSUBISHI	TRYSOME: T011002701, T011102725
	Volts 24V Mounting Holes: A=85mm Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). WITH LEAD	Electrolog: SOL5013 Replacing: 10511409, 10511799
	Manuf/Sys: MITSUBISHI	TRYSOME: T011002701, T011102725
	Volts 24V Mounting Holes: A=85mm Desc/Notes: 39MT. PLGR (PLANETARY GEAR REDUCTION). WITH LEAD	Electrolog: SOL5013 Replacing: 10511409, 10511799

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: MITSUBISHI	TRY SOME: T011902702, T012502701
	Volts 24V	Mounting Holes: A=38mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL5015
	Vehicle Apps: . CATERPILLAR EXCAVATOR. MITSUBISHI CANTER, FORKLIFT. NISSAN CABALL, CABSTAR	Replacing: M372X10171, M372X10371, ME700119, ME700316, M372X10271
	Manuf/Sys: MITSUBISHI	TRY SOME: T012502711
	Volts 24V	Mounting Holes: A=48.5mm
	Desc/Notes: PLGR (PLANETARY GEAR REDUCTION). M9T STARTERS TYPE	Electrolog: SOL5024
	Vehicle Apps: . VARIOUS APPLICATIONS	Replacing:
	Manuf/Sys: MITSUBISHI	TRY SOME: T011002702, T012502705, T012502707
	Volts 24V	Mounting Holes: A=36mm, B=36mm, C=36mm, D=36mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL5069
	Vehicle Apps: . VARIOUS TRUCK AND INDUSTRIAL APPLICATIONS	Replacing: M373X04571, ME700174
	Manuf/Sys: NIKKO	TRY SOME: T012902709B
	Volts 24V	Mounting Holes: A=72.2mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL8800
	Vehicle Apps: . KOMATSU	Replacing: 0471003510, 2334399207
	Manuf/Sys: NIKKO	TRY SOME: T012902708B
	Volts 24V	Mounting Holes: A=70mm, B=70mm, C=70mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL8808
	Vehicle Apps: . FURUKAWA. ISUZU SBR. KOMATSU. MITSUBISHI. SUMITOMO. TCM FORKLIFT. TOYOTA DA110/DA6000/DA116	Replacing: 1811510470, 0471002690, 1811510300, 1811510080, 0471003040
	Manuf/Sys: NIKKO	TRY SOME: T012902722B
	Volts 24V	Mounting Holes: A=68mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL8822
	Vehicle Apps: . FURUKAWA. ISUZU JCR, SBR, SCR. KOMATSU. MITSUBISHI. TCM FORKLIFT. TOYOTA DA110, DA6000, FORKLIFTS	Replacing: 5811510360, 0471003110, 0471003100, 2334399211, 5-81151-036-0
	Manuf/Sys: NIKKO	TRY SOME: T012902710B, T01292710B
	Volts 24V	Mounting Holes: A=80.5mm, B=80.5mm, C=80.5mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL8825
	Vehicle Apps: . CATERPILLAR. CUMMINS. HITACHI. KENWORTH. KOMATSU	Replacing: 0471003420, ZZ0011607, KD0471003420

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Starter Solenoids

	Manuf/Sys: NIPPON DENSO	TRYSOME: T012800301
	Volts 12V	Mounting Holes: A=44mm
	Desc/Notes: DD (DIRECT DRIVE).	Electrolog: SOL6003
	Vehicle Apps: . FORD. MAZDA. ONAN. SUZUKI. TOYOTA	Replacing: 2815015011, 2815015012, 2815015010, 2815087704, 492105602
	Manuf/Sys: NIPPON DENSO	TRYSOME: T013402701
	Volts 12V	Mounting Holes: A=60.5mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL6014
	Vehicle Apps: . TOYOTA HILUX 2.2L DIESEL, 2.4L DIESEL	Replacing: 2815054070, 28150-54070
	Manuf/Sys: NIPPON DENSO	TRYSOME: T012802702
	Volts 12V	Mounting Holes: A=71mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL6020
	Vehicle Apps: . HYSTER FORKLIFTS. TOYOTA DYNA DIESEL, HIACE 2.2L DIESEL, 2.4L DIESEL, HILUX 2.2L DIESEL, 2.4L DIESEL, LAND CRUISER 2.4L DIESEL	Replacing: 2815056040, 0534004720, 0534003080, 0534003081, ME2815054031
	Manuf/Sys: NIPPON DENSO	TRYSOME: T012802703B
	Volts 24V	Mounting Holes:
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL6006
	Vehicle Apps: . ISUZU JCR, SBR. KOMATSU. TOYOTA DYNA	Replacing: 2815077090, 0534004700, 0534003940, 28150-77090
	Manuf/Sys: SAWAFUJI	TRYSOME: T013802704B
	Volts 24V	Mounting Holes: A=85mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL9804
	Vehicle Apps: . NISSAN TRUCKS	Replacing: 135012100X9, 2330899007, SS2719
	Manuf/Sys: SAWAFUJI	TRYSOME: T010002741
	Volts 24V	Mounting Holes: A=85mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL9809
	Vehicle Apps: . NISSAN UD SERIES STARTERS. TOYOTA HINO	Replacing: 281801260, 135010100X9, 135010100XA
	Manuf/Sys: SAWAFUJI	TRYSOME: T013802708
	Volts 24V	Mounting Holes: A=85mm
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL9814
	Vehicle Apps: . TOYOTA HINO	Replacing: 281801240, 135009700X9

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

	Manuf/Sys: SAWAFUJI	TRY SOME: T013802707, T013802708B
	Volts 24V Mounting Holes: A=74mm	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION). FITS STARTER: 03555020050	Electrolog: SOL9819
	Vehicle Apps: . TOYOTA HINO	Replacing:
	Manuf/Sys: SAWAFUJI	TRY SOME: T013802701
	Volts 24V Mounting Holes: A=90.4mm	
	Desc/Notes: OSGR (OFFSET - GEAR REDUCTION).	Electrolog: SOL9826
	Vehicle Apps: . KOMATSU	Replacing: 135010911X9
	Manuf/Sys: VALEO	TRY SOME: T010002730
	Volts 12V Mounting Holes: A=33mm, B=33mm, C=33mm	
	Desc/Notes: D7R. PLGR (PLANETARY GEAR REDUCTION).	Electrolog: SOL0013
	Vehicle Apps: . JOHN DEERE	Replacing: 594309, CED5022
	Manuf/Sys: VALEO	TRY SOME: T010002713
	Volts 12V Mounting Holes: A=39mm	
	Desc/Notes: D9E;D9E;D6RA;D7E. DD (DIRECT DRIVE).	Electrolog: SOL0014
	Vehicle Apps: . CITROEN. FIAT. PEUGEOT	Replacing: 182464, 594155, CED518

PHILIPS
WE MAKE PRODUCTS THAT MAKE A DIFFERENCE™

**Electrical Cables, Sockets and
Trailer Harnesses**

North America's # 1 brand of electrical cables, sockets and trailer harnesses now available in Southern Africa!

Save time, lower fleet maintenance costs & increase safety!

Color by Function™



Award-winning innovation that facilitates faster hook-ups and repairs by drivers and mechanics. The colours also help reduce inventories at distributors and fleets and decrease order errors.

- Since 1928, Phillips has been a leader in the transportation industry
- Phillips is a major international supplier and development partner to global OEMs
- Award winning innovations such as COLOUR BY FUNCTION™, WEATHER-TITE™, PERMAPLUG™ and QCS™ Quick-Connect Sockets are now available for 24V vehicles
- ISO 9001 & TS 16949 certifications at all Phillips locations around the world
- All top fleets in North America use Phillips

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

fabbro

engineered for performance

*Make fabbro your preferred choice
in rotating equipment!*



COMPONENTS

ALTERNATORS

STARTERS



Keeping you moving is our business!

Fabbro starters, alternators and
components for light and medium-duty
vehicles.

We provide an extensive range of
performance aftermarket rotating
equipment.



*Exclusive to Trysome Auto Electrical and a select few auto-
electrical retailers countrywide.*

Solenoid | solenoid |
Noun

• A cylindrical coil of wire acting as an magnet when carrying electric current.

Index








Manufacturer/System	Page No.
Miscellaneous - Cut-Off	248
Miscellaneous - Continuous	248
Miscellaneous - 2 x Solenoids	248
Miscellaneous - Valve	248
Akel - Cut-Off	248-249
Bosch - Cut-Off	249
Cole Hersee - Continuous	249
Murphy - Cut-Off	249
Warn - Winch	249
Wingate - Cut-Off	250
Woodward - Cut-Off & Shutdown	250-251

 **TRY SOME**

Auxiliary/Cut-Off Solenoids



Auxiliary/Cut-Off Solenoids











Manuf/Sys:		TRYSOME: T010002728		Manuf/Sys:		TRYSOME: T011102792	
		Electrolog: SOLX043T				Electrolog: SOLX059	
		Replacing:				Replacing: 19112111	
Desc/Notes	12V. CUT-OFF	Desc/Notes	12V. RSV CUT-OFF KIT - RH 3-WIRE				
Veh Apps	TATA 713S	Veh Apps	DEUTZ				
Manuf/Sys:		TRYSOME: T011102794		Manuf/Sys:		TRYSOME: T550002710B	
		Electrolog: SOLX061				Electrolog: SOLX003	
		Replacing: 2003ES				Replacing: 24063B	
Desc/Notes	12V. CUT-OFF	Desc/Notes	24V. CONTINUOUS				
Veh Apps	VARIOUS APPLICATIONS	Veh Apps	UNIVERSAL				
Manuf/Sys:		TRYSOME: T011102730		Manuf/Sys:		TRYSOME: T010002737	
		Electrolog: SOLX054				Electrolog: SOLX055	
		Replacing:				Replacing: UC4020757708	
Desc/Notes	24V. RSV CUT-OFF - LH	Desc/Notes	24V. 2X SOLENOIDS				
Veh Apps	VARIOUS APPLICATIONS	Veh Apps	KOMATSU				
Manuf/Sys:		TRYSOME: T554802701		Manuf/Sys: AKEL		TRYSOME: T011102703	
		Electrolog: SOLX056				Electrolog: SOLX043	
		Replacing: 1861525				Replacing: 3919422, 1025	
Desc/Notes	24V. VALVE	Desc/Notes	12V. CUT-OFF				
Veh Apps	CATERPILLAR. KOMATSU	Veh Apps	CUMMINS. KUBOTA. MITSUBISHI				
Manuf/Sys: AKEL		TRYSOME: T200002701		Manuf/Sys: AKEL		TRYSOME: T010002758	
		Electrolog: SOLX057				Electrolog: SOLX083	
		Replacing: 3991624				Replacing: 2356296, 1139	
Desc/Notes	12V. CUT-OFF	Desc/Notes	12V. LONG PLUNGER, CUT-OFF				
Veh Apps	CUMMINS	Veh Apps	YANMAR				

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: AKEL 		TRY SOME: T010002755 Electrolog: SOLX079 Replacing: 3991625, 1200		Manuf/Sys: BOSCH Photo Not Available 		TRY SOME: T773719-NH Electrolog: SOL1221 Replacing: 0330101026	
Desc/Notes	24V. CUT-OFF	Desc/Notes	24V. CUT-OFF				
Veh Apps	CUMMINS	Veh Apps	CASE. DEUTZ. FIAT. IVECO. KHD				
Manuf/Sys: COLE HERSEE 		TRY SOME: T010302702 Electrolog: SOLX001G Replacing: 24059		Manuf/Sys: COLE HERSEE 		TRY SOME: T550302702 Electrolog: SOLX012 Replacing: 24401	
Desc/Notes	12V. 85A CONTINUOUS DUTY	Desc/Notes	12V. 6-POSTS - CAN BE USED FOR POSITIVE AND NEGATIVE SIMULTANEOUSLY - 85A CONTINUOUS - OPEN CONTACT				
Veh Apps	UNIVERSAL	Veh Apps	UNIVERSAL				
Manuf/Sys: COLE HERSEE 		TRY SOME: T010302703, T010302703B Electrolog: SOLX003G Replacing: 24063		Manuf/Sys: COLE HERSEE 		TRY SOME: T010002747 Electrolog: SOLX058 Replacing: 48785	
Desc/Notes	24V. 85A CONTINUOUS DUTY	Desc/Notes	24V:12V. 85A CONTINUOUS; 175A INTERMITTENT				
Veh Apps	UNIVERSAL	Veh Apps	VARIOUS APPLICATIONS				
Manuf/Sys: MURPHY 		TRY SOME: T010002707 Electrolog: SOLFM002 Replacing: RP2309B		Manuf/Sys: MURPHY 		TRY SOME: T010002759 Electrolog: SOLFM003 Replacing: RP2307B	
Desc/Notes	12V. CUT-OFF 38MM TRAVEL - 3-WIRE / 2-STAGE	Desc/Notes	12V. CUT-OFF 25MM TRAVEL - 3-WIRE/2-STAGE, CUT-OFF				
Veh Apps	VARIOUS APPLICATIONS	Veh Apps	UNIVERSAL				
Manuf/Sys: MURPHY 		TRY SOME: T010002739 Electrolog: SOLFM001 Replacing: RP2310B		Manuf/Sys: WARN 		TRY SOME: T010002709 Electrolog: SOL0456 Replacing: 28396	
Desc/Notes	24V. CUT-OFF 38MM TRAVEL - 3-WIRE / 2-STAGE	Desc/Notes	12V. WINCH SOLENOID				
Veh Apps	VARIOUS APPLICATIONS	Veh Apps	VARIOUS APPLICATIONS				


Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Auxiliary/Cut-Off Solenoids

Manuf/Sys: WINGATE		TRYSOME: T010002705	Electrolog: SOLX011 Replacing: 7012	Manuf/Sys: WOODWARD		TRYSOME: T011102710	Electrolog: SOLWW001 Replacing: SA5213
Desc/Notes	12V. ALARM CUT-OFF			Desc/Notes	12V. SHUTDOWN		
Veh Apps	VARIOUS APPLICATIONS			Veh Apps	THERMO KING. YANMAR		
Manuf/Sys: WOODWARD		TRYSOME: T011102712	Electrolog: SOLWW003 Replacing: SA374212V	Manuf/Sys: WOODWARD		TRYSOME: T011102783	Electrolog: SOLWW007 Replacing: 15002014
Desc/Notes	12V. RSV SHUTDOWN			Desc/Notes	12V. CUT-OFF - UNIVERSAL - 2-TERMINAL		
Veh Apps	DEUTZ			Veh Apps	VARIOUS APPLICATIONS		
Manuf/Sys: WOODWARD		TRYSOME: T011102798B	Electrolog: SOLWW011 Replacing: 15001004	Manuf/Sys: WOODWARD		TRYSOME: T011102704	Electrolog: SOLX062 Replacing: 1224253512
Desc/Notes	12V. SHUTDOWN - 3-TERMINAL UNIVERSAL			Desc/Notes	12V. CUT-OFF - 3-WIRE (WITH 3-PIN PLUG)		
Veh Apps	VARIOUS APPLICATIONS			Veh Apps	VARIOUS APPLICATIONS		
Manuf/Sys: WOODWARD		TRYSOME: T011102801	Electrolog: SOLX063 Replacing: 19212070	Manuf/Sys: WOODWARD		TRYSOME: T011102807	Electrolog: SOLX064 Replacing: 1215.2620.05
Desc/Notes	12V. SHUTDOWN - 14MM STROKE - 3-PIN			Desc/Notes	12V. CUT-OFF 3-TERMINAL		
Veh Apps	CATERPILLAR			Veh Apps	BOMAG		
Manuf/Sys: WOODWARD		TRYSOME: T011102711	Electrolog: SOLWW002 Replacing: SA481824	Manuf/Sys: WOODWARD		TRYSOME: T011102718B	Electrolog: SOLWW006 Replacing: SA374224
Desc/Notes	24V. SHUTDOWN			Desc/Notes	24V. CUT-OFF RSV - RH		
Veh Apps	CUMMINS			Veh Apps	DEUTZ		

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Manuf/Sys: WOODWARD 		TRY SOME: T011102795B Electrolog: SOLWW008 Replacing: 1751ES24A7ULB1S5		Manuf/Sys: WOODWARD 		TRY SOME: T011102799 Electrolog: SOLWW012 Replacing: 20004010	
Desc/Notes	24V. CUT-OFF - FLANGE MOUNT	Desc/Notes	24V. CUT-OFF - 3-TERMINAL UNIVERSAL				
Veh Apps	CUMMINS	Veh Apps	VARIOUS APPLICATIONS				
Manuf/Sys: WOODWARD 		TRY SOME: T011102715 Electrolog: SOLX033 Replacing: 1224351410		Manuf/Sys: WOODWARD 		TRY SOME: T011102721 Electrolog: SOLX034 Replacing: 19263100	
Desc/Notes	24V. CUT-OFF - DUAL COIL	Desc/Notes	24V. CUT-OFF - 3-TERMINAL				
Veh Apps	JCB	Veh Apps	SISU DIESEL				




WOODWARD

Solenoid Components for Control Systems

Tough, dependable, high-performance solenoids for every engine environment!

Woodward solenoids are found on the dirtiest, hottest engines operating in the most extreme conditions in the world—such as hazardous environments or submerged conditions. We know that your engine's control system has to work perfectly, no matter where that engine is running or what it is running. That's why OEMs team up with Woodward engineers when solenoids are key components of their control systems.

To provide long life and high reliability in the toughest engine application, Woodward solenoids are designed with hard chrome plated plungers, brass sleeve plunger guides, strong steel housings and brackets, and premium silicon rubber or epichlorohydrin solenoid boots.

Whatever your stroke, force, voltage, mounting, sealing, or contamination protection requirements, you'll find a Woodward solenoid to meet your needs. Or, we can custom design one for your exact specifications.

Solenoids • Solenoid Accessories • Shutdown Kits

Although we have gone to great lengths to ensure all data was correct at the time of printing, we cannot be held responsible for any consequential or any other damages whatsoever resulting from any errors or omissions. It is up to the individual purchasing or fitting the relative item to make sure that it is correct before ordering or fitting the item. The item displayed might not always represent the manufacturer/system or item type that will be supplied for the relevant application. All product information, manufacturer/OE names, part numbers and vehicle applications listed are used for reference purposes only.

Cross Reference Index

Alternators			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022809203	ALT1025	9123325002, 0123325002, 2706002060	3
T020409245B	ALT1029	01220AA1J0, 12317508052, 0986041750, YLE000040	8
T021009217B	ALT1030	0120468143, 0091549902, 081768143	11
T020403603	ALT1036	120489710	1
T020403660	ALT1036	120489710	1
T020409204	ALT1036	120489710	1
T022703607	ALT 0	9120690233	1
T020403698	ALT1046	9120690498, 9120690508, 9360185500, R120690508	2
T020003603	ALT1047	0120468116, 98424748, 0120468094, 0120468124, 0120468129	9
T021009207	ALT1047	0120468116, 98424748, 0120468094, 0120468124, 0120468129	9
T020009208	ALT1048	0120468131, 1394969	9
T020409221B	ALT1048	0120468131, 1394969	9
T021009201B	ALT1048	0120468131, 1394969	9
T021009203	ALT1048	0120468131, 1394969	9
T020403647	ALT1054	9120690132, 9120690377, 9120690279, 9120690239	1
T022509203	ALT1057	9120690207, 9120690206	1
T020409214	ALT1059	0120469729, 0120469732, 0120469863, R120469729	3
T028909201B	ALT1055	0123320065, 0111540602	5
T020403672	ALT1073	0120489326, 0120489324, 0120489325, 0120489323, 0071545802	2
T020403623B	ALT1080	0120489315, 0120489032	2
T020403651	ALT1084	0120468093, 0120468135, 1096758, 8156817	11
T020409229	ALT1084	0120468093, 0120468135, 1096758, 8156817	11
T020009242	ALT1086	0120469686, 0120469982, 0091540702, 0071542702, 51261017185	9
T020403653	ALT1086	0120469686, 0120469982, 0091540702, 0071542702, 51261017185	9
T020409211	ALT1086	0120469686, 0120469982, 0091540702, 0071542702, 51261017185	9
T028809207	ALT1086	0120469686, 0120469982, 0091540702, 0071542702, 51261017185	9
T020409223	ALT1086	0120469686, 0120469982, 0091540702, 0071542702, 51261017185	9
T020409206	ALT1095	9120690434	2
T020409207B	ALT1104	9123335002, 0123335002, 0091540202	4
T098604203R	ALT1105	0124325003, 028903028D	4
T020409247	ALT1105	0123510053, 0123510007, 95VW10300KB	6
T020403655B	ALT1114	0120468114, 1089862	9
T020409217	ALT1121	0124225028, 93603241	3
T020409252R	ALT1127	9123320007, 0123320007, 028903025Q, 95VW10300NA	5
T020403658	ALT1130	0120689545, 0120689533, 0120689520	12
T020403652	ALT1135	0120489316, 0120488277, 0120488256	8
T020403611	ALT1137	0120469679, 0120469978, 98419031, 0120469849, 0120469549	8
T021009226B	ALT1142	0120689512, 0120689513, 0120689503, 0120689508	11
T020403656	ALT1144	0120689535, 0120689571, 0081547802, 0111545002	12
T021009226B	ALT1144	0120689535, 0120689571, 0081547802, 0111545002	12
T020409220B	ALT1145	0124655001, A0111548702, 0111548702, DC221717	11
T020409220IM	ALT1145	0124655001, A0111548702, 0111548702, DC221717	11
T098604206R	ALT1148	0124415009, 0124415025	5

T098604205	ALT1149	0124515032	6
T020409230B	ALT1152	0120689527, 0120689541	12
T021009213	ALT1153	6033GB3054, 0120468137	11
T0210409213	ALT1163	0124325001, 038903023L	4
T020403696	ALT1170	0120488185, G205900010011, 1178521, 20030014	2
T020409209	ALT1173	0120469585, 0120469008, 0120469030, 0120469773	9
T020409231	ALT1183	0124555017, 20466315	10
T020009203	ALT1187	0123510095, 60655296	6
T020409227	ALT1190	0124525045, 12317521490	7
T020009234B	ALT1191	0124415002, 90561971, 9195753	5
T098604236OR	ALT1192	0124555001, 0124555032, 0131542902	10
T020409210B	ALT1192	0124555001, 0124555032, 0131542902	10
T021009206	ALT1199	0120468107, 0120468053, 0120468113	10
T021009206B	ALT1199	0120468107, 0120468053, 0120468113	10
T0204036105	ALT1203	0124415013, 7700434900	5
T020409239	ALT1206	66021155B	4
T020409260/B	ALT1207	0124325165, 270600P120	5
T020409258B	ALT1208	0124515044, 0986042820, 500335719	6
T028809203B	ALT1224	0124555002, 0124555022, A0121541002, A0131544002, A0121546802	10
T020409251	ALT1229	0124315029, 270600D130	3
T020409207B	ALT1230	9123335002, 0123335002, 0091540202, 0123320044, 9123369044, 0101544602	4
T020409233B	ALT1230	0123320044, 9123369044, 0101544602	4
T025509200	ALT1230	0123320044, 9123369044, 0101544602	4
T020409249	ALT1239	0124515050, 0986041810, 12317501599, 12317501690, 12317501597	6
T020409310	ALT1239	0124515050, 0986041810, 12317501599, 12317501690, 12317501597	6
T020409256B	ALT1240	0123515502, RE185213	8
T020009223A	ALT1242	0124525091, 06F903023F	7
T020409212B	ALT1247	0124655007, 1475569	11
T098604202B	ALT1247	0124655007, 1475569	11
T021009231	ALT1250	0120689562, 0986044060, 475885	12
T020403693	ALT1251	0120469038, 0120469562, 0120469527	8
T020403601B	ALT1253	0120489185, 0120489364, 0120489365, 0120489499, 0120489370	2
T020409234B	ALT1265	0123520006, 0101542902	7
T020409219	ALT1266	0120484027, AH165975	7
T020409225	ALT1269	0120469116, 6033GB3019	10
T020409254B	ALT1269	0120469116, 6033GB3019	10
T021009218	ALT1269	0120469116, 6033GB3019	10
T021009223	ALT1269	0120469116, 6033GB3019	10
T020409244B	ALT1270	0120339531, 0986030130	1
T020409237	ALT1277	0124655008, 20409240	12
T098604201B	ALT1277	0124655008, 20409240	12
T020403669	ALT1281	9120690167	1
T020409208/A	ALT1282	0124315034, 270600L030	3
T028909247B	ALT1284	0124615009, 068903016Q	7
T021009208B	ALT1285	0120469569, 0120469643	9
T20101052	ALT1285	0120469569, 0120469643	9
T020409218	ALT1287	0124315033, 270600L040	3
T010409203B	ALT1306	0124525035, 0986046240, 5705AS	7
T0210409208	ALT1321	0124555018, 1626130	10
T098604208	ALT1342	0124515085, 24437121	6
T010409201B	ALT1554	0120488294, 0120488206, 3284392	8
T020009222B	ALT1881	0123525501, 51261017232, 51261017234, 51261017242, 51261017247	12
T020009246B	ALT1882	0124325013, 0124325032, 037903025M, 038903018A, 037903025T	4

Manuf/Sys - CAV (TVS) - INDIA			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022303602	ALT4033	260015240101, 5R24523	13

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Manuf/Sys - CHANA			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO20019200	ALT5801	3701010AB	13

Manuf/Sys - DELCO			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO21103676B	ALT2002	-	14
TO21103617B	ALT2007	1105451, 1101164, 1101236, 1101113, CA5202	14
TO20009273	ALT2012	219091, DRA3593, 96224432	14
TO22309210	ALT2013	65261017157A	19
TO21109233	ALT2017	10490000, 10490073, 96252551	13
TO21103601B	ALT2018	1102922, 1105178, 1103035, 1103165	13
TO21103621B	ALT2019	10459028, 1117896, 1117904, 1117908, 1117928	15
TO21103605	ALT2021	19011167	15
TO21103635A	ALT2022	10459199, 19011168	19
TO28909213	ALT2027	OK43A18300A, 373004X001, 373004X000	15
TO21009235	ALT2046	8600000	14
TO21009285	ALT2046	8600000	14
TO21103602	ALT2602	1100080, 1100073, 1100083	13
TO21009283	ALT2603	1100077, C5107, 211129	17
TO210409211	ALT2603	1100077, C5107, 211129	17
TO21103642DR	ALT2612	1117618, 321666, 257029, 586986C91, 20S112V	13
TO21103628B	ALT2615	19020302	15
TO21009232A	ALT2616	19011157	15
T19011101	ALT2618	19011101	16
TO21103627	ALT2619	8600064	16
TO21103620R	ALT2620	1117042, 1117645, 1117650, 1117642	17
TO28809206B	ALT2620	1117042, 1117645, 1117650, 1117642	17
TO20009276	ALT2620	1117042, 1117645, 1117650, 1117642	17
TO21103640DR	ALT2621	1117950, 1117880, 1117894, 1117905	14
TO20009214B	ALT2624	1117900, 1117915, 1117944, 19010108, 1117897	18
TO21103646R	ALT2624	1117900, 1117915, 1117944, 19010108, 1117897	18
TO28809202	ALT2624	1117900, 1117915, 1117944, 19010108, 1117897	18
TO21103626B	ALT2625	1117069, 1117238, 1117239, 1117256	19
TO21014712	ALT2627	1117916, 1117924, 1117917, 1117921	16
TO21103645DR	ALT2627A	19010126	16
TO28809201B	ALT2627A	19010126	16
TO21103616B	ALT2627A	19010126	16
TO21103678	ALT2628	8600125, 8700045	17
TO21103622B	ALT2629	19020382, 19020307, 10459333, 3935530	17
TO21103648DR	ALT2629	19020382, 19020307, 10459333, 3935530	17
TO20009277	ALT2631	1117805, 900113097, 20132, 321671	18
TO21103630B	ALT2631	1117805, 900113097, 20132, 321671	18
TO21103682	ALT2632	8600315	17
TO21103624B	ALT2645	19011019	18
TO21103625R	ALT2650	19010000, 19010008, 10459071, 10459076	18
TO28809205B	ALT2650	19010000, 19010008, 10459071, 10459076	18
TO24009203	ALT2654	10480167, 10480168, 10480198, 10463651, 8104636510	14
TO21103633B	ALT2655	19011180, 19011175, 10459196, 10459251, 3675235RX	19
TO21103652DR	ALT2655	19011180, 19011175, 10459196, 10459251, 3675235RX	19
TO21009234	ALT2656	10459142, 10459181, 19011152, 19011161, 19011173	15
TO28809204	ALT2656	10459142, 10459181, 19011152, 19011161, 19011173	15
TO21109230	ALT2658	10459590, 1117817, 1117828, 1117838	20

TO21109230DR	ALT2658	10459590, 1117817, 1117828, 1117838	20
TO21109230R	ALT2658	10459590, 1117817, 1117828, 1117838	20
TO21103687B	ALT2659A	8600889	17
TO21009286R	ALT2670	19011207, 10459354, 1694319, 2002232	19
TO21009282	ALT2671	-	18
T1117733	ALT2673	1117733, 1117747, 3604679RX	20
TO21009280	ALT2680	19010024	19
TO21103623R	ALT2698	8600017, 8600019, 8600020, 8600360, 8600407	18
TO21103621	ALT2699A	8600142	16
TO21009233B	ALT2750	19011177	16

Manuf/Sys - DONGFENG			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO20009252	ALT5804	C3415691	20

Manuf/Sys - FORD			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO20009218	ALT8901	XS6110300CA, XS61CA	20
TO20009204B	ALT8902	XS6110300BD, XS61BD, XS6110300BE, XS61BE	20
TO20009261	ALT8908	2015001001, 4063782, 2S6T10300FB	20

Manuf/Sys - HITACHI/HITACHI (SAWAFUJI)			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO20009244	ALT3008	231007403REPL, LR160728EREPL, 23100-7T403	22
TO21909206	ALT3011	LR1504538, 8971876540	21
TO22803609	ALT3020	2310043G08, 2310054G01, LR150428S, 2310002N18, 23100-54G01	22
TO22803609B	ALT3020	2310043G08, 2310054G01, LR150428S, 2310002N18, 23100-54G01	22
TO21909212	ALT3021	8944017932, LR1501558, 8-94401-793-2	21
TO25603601	ALT3021	8944017932, LR1501558, 8-94401-793-2	21
TO5010500001	ALT3021	8944017932, LR1501558, 8-94401-793-2	21
TO21209204B	ALT3028	23100VJ210, 23100-VJ210	21
TO22803607B	ALT3032	LT150421, 8944017933, LR150442, 894382600, 8-94401-793-3	21
TO22803607	ALT3032	LT150421, 8944017933, LR150442, 894382600, 8-94401-793-3	21
TO20009206	ALT3033	23100Z5702HIT, 02011520420HIT, 02011520422HIT, 23100-25702	24
TO22803610B	ALT3034	270402191HIT, 27040-2191	23
TO28709201	ALT3035	LR250517, 8971865510, 8971443921, 8-97186-551-0, 8-97144-392-1	24
TO20009212B	ALT3036	LR1100502, LR1100502B, LR1100502E, LR1100502F, LR1100502G	23
TO21909207B	ALT3038	LR180513B, 8973272181	22
TO21909213B	ALT3039	LR190729, 231000W000	22
TO28909203B	ALT3052	LR170505, 8972410210, LR170511, 8971502000, 8971502001	22
TO21909214B	ALT3068	LR190763	23
TO21909209R	ALT3072	LR180761, 23100VH300, 23100-VH300	22
TO21903636	ALT3089	LR22580B, 23100S9000, 23100-S9000	23
TO24009201R	ALT3090	231000T002, LR235502B, 23100-OT002	23
TO20009278	ALT3091	231000S300, LR160727, LR1607270, 23100-0S300	21
TO21103604	ALT3097	2704054060A	21
TO23809201B	ALT3098	2310004D00	23
TO20009220	ALT3098	2310004D00	23
TO21909215B	ALT3122	LR250708E, 8980750260	24

Manuf/Sys - ISKRA			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO27909213	ALT7904	11203399, AAK5568, IA1026	26
TO27909201	ALT7907	11201095, AAG1310, IA0095	24
TO27909203	ALT7909	11203398, AAK5567, IA1023	25
TO27909204	ALT7910	11201097, AAK1130, IA0097	24
TO27909206	ALT7912	11201708, AAK5120, IA0708	25

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Cross Reference Index

T027909208	ALT7914	11201096, AAG1311, IA0096	24
T027909215/B	ALT7916	11203396, IA1076, AAK5565	26
T027909212	ALT7930	11209422, AAN3112, IA9413	26
T027909210	ALT7941	11201463, AAK3563, IAD463	25
T027909222	ALT7952	11201875, AAK5165, IAD875	25
T027909220	ALT7955	11204138, AAK5813, IA0908	25
T027909211B	ALT7969	IA1031, 11.204.409, AAN5836	26
T027909218	ALT7975	IA1225, 11.203.823, AAK5760	25

Manuf/Sys - JHECO

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020009263	ALT5800	JFZ19273	26

Manuf/Sys - LUCAS

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T028909205	ALT4003	92018	26
T022303606IM	ALT4004	66021155, 66022265, EL21155, EL22265	27
T260009202	ALT4004	66021155, 66022265, EL21155, EL22265	27
T022303616	ALT4014	66021113, 86BC10300BA, EL21113	27
T022309203	ALT4015	66021115, 86BC10300AA, EL21115	27
T022309203B	ALT4015	66021115, 86BC10300AA, EL21115	27
T022309211	ALT4017	66021101, 66021099, 93584704, 93580698, 66011103	28
T022303603B	ALT4022A	26021081, 257315100108	27
T022309204R	ALT4029	26021309, 050404651, 278615999971, 26021309A	29
T022303605	ALT4032	26021253, 393668000, 275415400101	27
T0120469001	ALT4034	66021134, EL21134	28
T022309201	ALT4036	66021174, EL21174	28
T023103621	ALT4036	66021174, EL21174	28
T022309206	ALT4037	66021205, 23300ES003, EL21205	27
T022303604	ALT4041	26021117, 265415400129	28
T022303674	ALT4052	26021326, 284315400101	28
T020009228B	ALT4107	ALTO001LUC	29
T022503602	ALT4110	66021306, BW920008, EL21306	28

Manuf/Sys - MAGNETI-MARELLI

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020009226	ALT9001	63321243, AMR3107, AMR3107E	30
T022409201	ALT9001	63321243, AMR3107, AMR3107E	30
T020009240	ALT9011	TPN758, 12041	29
T028909211B	ALT9015	63321358, AMR4248	30
T022409205	ALT9016	63321715, 46516740	30
T028909206B	ALT9017	63320200, 63320219	29
T022403602	ALT9020	63320021, 63305206, 63305236	29
T020009238	ALT9022	63321244, 96FF10300DC	29
T020009213B	ALT9052	63321678, 98AB10300DG	30
T022409202B	ALT9054	63377464, 3469825	30

Manuf/Sys - MANDO

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T025409201	ALT8702	3730022200, AB190058, 37300-22200	32
T020009229B	ALT8703	3730033013, 3730033010, A3T03392ZC, A3T03391, A3T03392	32
T020009211	ALT8704	3730022020, 3730022011, AB175019, AB175054, 203303A	31
T028909208	ALT8706	3730042620, AD165454, 37300-42620	31
T020009233	ALT8707	3730033103, 3730033101, 3730033100, AB190025, 37300-33103	32
T028909254B	ALT8709	TA000A48401, TA000A48402, 6675292, 6678205	32
T026009200	ALT8712	AB165104, 96314258	31

T020003600	ALT8716	TA000A64201, 3730042711, 37300-42711	31
T020009224	ALT8717	AD165432, OK65A18300A, O21219012, 3730042500	30
T028909209B	ALT8717	AD165432, OK65A18300A, O21219012, 3730042500	30
T025409208	ALT8718	AB112112, 3730039010, 37300-39010	32
T021609202	ALT8720	AF175353, OK72B18300	31
T022509225	ALT8731	3730002550, TA000A55601, AB160108, 37300-02550	31
T025409202R	ALT8731	3730002550, TA000A55601, AB160108, 37300-02550	31

Manuf/Sys - MITSUBISHI

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T0210409209	ALT5012	A1T03191, A1T03191ZC, 3140060A20, 96058486, 96069102	33
T020009256	ALT5015	A7TA0477A, 32A6810201	33
T020009209B	ALT5017	A2TB3191A, A2TB3191, 231004M510	34
T022509216	ALT5020	ME017509, A2T70571, A2T61471, ME017507, A2T61871	36
T022509201R	ALT5025	A5T20484, MD013740, LMD013740	33
T022509207R	ALT5027	A2TB0191, A2TB0191A, A2TB0191B, FP3418300, FP3418300A	34
T022509210	ALT5037	LR180761, 23100VH300, 23100-VH300	34
T022509204B	ALT5038	A3TN5387, ME049281	36
T012309202	ALT5049	26021338	35
T021909203	ALT5053	A4TU5485, 1812005902	37
T022509214	ALT5053TP	A4TU5485, 1812005902	37
T0210409202	ALT5071	A3TG0081, LF1818300	35
T022509220	ALT5072	A5TA7692, A005TA7692, 2S6T10300CB	34
T022509200	ALT5073	A3T08293, A003T08293, MD168989	35
T022509218	ALT5076	A3TG0091, LB1318300	35
T022515601	ALT5081	A2T71583, ME017550	36
T022503621	ALT5097	A3TA3098A, ME202755	35
T020403606R	ALT5098	A2T33191, FS0518300, FS6418300, GL445	34
T022509223	ALT5099	A7T02071C, 31A6800402	32
T021209203	ALT5120	A3TN5082, 231000T060, A003TN5082	36
T020009205	ALT5121	A3TA1191A, MD350609	36
T020009267	ALT5126	A3T09799A, ME200697	33
T022509206	ALT5128	A3T07399, MD167060	34
T021909208B	ALT5130	A3TB5099, 23100VK010	35
T022509212	ALT5137	A2T12771, A2T12978, A2T13278, A5T22583	33
T0210409203	ALT5158	A2TB6481, 2310000QA1, 7711134728	36
T020003605	ALT5999	A2TA6099, A2TA6924	33
T021609201	ALT5999	A2TA6099, A2TA6924	33
T021609201B	ALT5999	A2TA6099, A2TA6924	33

Manuf/Sys - MOTOROLA

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022602681R	ALT0517	A00002, 2M021, A00-002	37
T022609201	ALT0530	A00160, HA60241, A00-160	37
T022303625B	ALT0583	8SC3009ZA, SC175, 110298, 110258, 8SC3009Z	37
T022303629B	ALT0589	8EK2010NA, 110400, 8MR2185L, 2D72787G01, 447156	37

Manuf/Sys - NIEHOFF

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T024103601R	ALT2900	C612	38

Manuf/Sys - NIKKO

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022903605	ALT8810	O330005860, 6008216120	38
T022909201B	ALT8814	O350004000, 1812004164	38

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

T021909800	ALT8815	0330006550, 0330006551, 0330006552, 1812004400, 1812004401	38
T022903624	ALT8817	0350000462, 6008613111	38
T0210409206	ALT8812DP	0350000390, 0350000391, 0350000392, 6008253120	38

Manuf/Sys - NIPPON DENSO

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022809227	ALT6001	2702031031, 0210001084, 2702031030, 2702031033, 2702031032	39
T020009275	ALT6010	2706062011, 2706062012, 1002113320, 1002113321, 1002117460	41
T022803608	ALT6020	2704054060, 2702054190, 1002130290, 1210001160, 1210001163	40
T022803603	ALT6021	1002114540, 2706078003	39
T020409208A	ALT6037	27060-30040, 2706030040	41
T022803605	ALT6039	1002114100, 1002114101, 1002114103, 1002114104, 270607830071	43
T022809206B	ALT6042	270402220B, 1022110430	44
T022809206	ALT6042	270402220B, 1022110430	44
T022809241	ALT6049	2706078301, 1002114003	39
T022809201	ALT6052	2706075150, 1022115050, 27060-75150	40
T023409205	ALT6052	2706075150, 1022115050, 27060-75150	40
T023403630	ALT6053	2704054210, 1002115090, 1002130941, 1002131130, 27040-54210	40
T022809202/B	ALT6055	270607870071, 270607820271, 1022115190, 1012113730, 27060-78700	39
T022809253	ALT6056	270607830571, 2706078305, 27060-78305-71, 27060-78305	39
T022809235	ALT6058	1012112770, 1012112780, 1449954, 1449952	40
T022809239	ALT6058	1012112770, 1012112780, 1449954, 1449952	40
T020009269	ALT6063	1012118400, 2871A703, 2267683	44
T020009215	ALT6068	2706067070, 1012110970	42
T022809246	ALT6078	1012118340, 1978820	44
T024703618R	ALT6078	1012118340, 1978820	44
T022809246B	ALT6078	1012118340, 1978820	44
T022803616	ALT6081	1012112310, 1012112240, 1052811, 1052812	40
T022809236B	ALT6081	1012112310, 1012112240, 1052811, 1052812	40
T0210409204	ALT6087	2706015080, 1012110060, 270601508084	40
T022809229B	ALT6096	1002132530, ERR6999	42
T022809231	ALT6097	1042104460, 2706030080	42
T022809207B	ALT6098	1042103762, 3M5T10300VC, 30667071	42
T021909201	ALT6106	8943991571	43
T022803617	ALT6118	1022118660, 1022118661, 13153236, 13117236	43
T022803611	ALT6119	27060-0C020, 1042109000, 270600C020	41
T022809233	ALT6120	23100Z5672	44
T022809244B	ALT6121	1022118640	42
T020003606	ALT6130	1042103710, 1042103711, YLE500200, YLE500400	43
T0200092010	ALT6132	1042103291, 1042103292	42
T022809243	ALT6151	270600T010	41
T020009271	ALT6151	270600T010	41
T022409203	ALT6154	1002118040, 63341679, 98AB10300GK, 98AB10300GF, 98AB10300GE	41
T022809250	ALT6155	1022111480, 270600D020, 270600D030, 2706022010	41
T022803615	ALT6156	1042104281, 2706075350	43
T022809248	ALT6160	2706031100, 2706031101, 2706031102	43

T022803601R	ALT6550	1002111660, 1002111610, 1002111611	39
T020003602B	ALT6550	1002111660, 1002111610, 1002111611	39
T020003602	ALT6550	1002111660, 1002111610, 1002111611	39

Manuf/Sys - POONG SUNG

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T025409206	ALT6901	021319271, 373003E100	44

Manuf/Sys - PRESOLITE

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020009272	ALT1260P	860804GB	45
T022303633R	ALT9705	BLD3314GH, 110806, 8RG3078	46
T022303632	ALT9714	A0014867JB, 4867JB, A0014869JB	45
T022303626	ALT9715	8TA2031G, 110475	44
T022303628	ALT9716	A0014949PA, 4949PA	45
T022303633B	ALT9726	8LHA2071V, 1105551	45
T022303630R	ALT9727	BLD2308, 110804	45
T023109204	ALT9740	AV1147S3008HD	45

Manuf/Sys - SAWAFUJI

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T0238036001	ALT9801	6008219321, 6008219381, 02141520411, 02141520271	46
T021105301	ALT9801A	6008219550, 6008219560, 02142020321, 02142020320	47
T021909204B	ALT9810	02011520422, 23100Z5702, 23100-25702	46
T023409203	ALT9811	02148510013, 270501112A	46
T023809203	ALT9811	02148510013, 270501112A	46
T023803605	ALT9812	270402192A, 02011521013	46
T023809204B	ALT9812	270402192A, 02011521013	46
T023809206	ALT9813	02011023012, 02011023013	46
T020009219	ALT9816	2310000Z0A, 02011720920	47

Manuf/Sys - VALEO

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T028909210	ALT0003	A13N271, 01180648KZ, 14760, 439190	47
T028909253B	ALT0005	SG12B098, SG12B052, 23100AW300, 7711135333	48
T028909243B	ALT0017	SG9B037, 2542412A, A0121544502	47
T0210409205	ALT0018	A13N272, 2541708, 11806650	49
T020409242	ALT0019	2542611B, TG17C010, 7789981A103	49
T010409202B	ALT0028	2542397, 2542490, A13V1277, SG10B022, 437193	47
T028909256	ALT0044	TG17C027, 2542918A, 12317537959, 12317537962, 12317540993	49
T028909251B	ALT0046	TG15C093, 12317790548, 12317795620	48
T0210409210	ALT0048	TG17C015, 2542720D, 2542720, 12317521178, 12317525376	48
T025409210	ALT0049	2655633, 3730003100	49
T028909246	ALT0065	SG12B023	48
T028909249	ALT0067	TG11C062, 2310000QBA	48
T028909244B	ALT0067	TG11C062, 2310000QBA	48
T0210409212	ALT0076	A13V151, 96122648, 96122643, 96122561	47
T020009259	ALT0083	A14V128, 2542251B, 12312247389	48
T028909204	ALT0086	TG17C028, TG17C030, 6421540202	49
T010019644	ALT0098	2655447, 373002B101	49

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Cross Reference Index

Brackets

Pulley End/DE

Manuf/Sys - Bosch

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020413201	BDEA1001	9121691017, 9121691292	51
T020400506	BDEA1003	9121691037, 9121691036	51
T020400525	BDEA1094	1125824432, 51261110001	51

Manuf/Sys - Delco

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021100504B	BDEA2604	1852038, 1985700, 9L6781	51
T021100538B	BDEA2607	10467267, D3461	51
T021100509R	BDEA2608	1894483, 7N7810, 73117748	51
T021100530	BDEA2609	1852726, 2P5616, D8HZ10333B, GD356	51
T1852726	BDEA2609	1852726, 2P5616, D8HZ10333B, GD356	51
T021100532B	BDEA2610	10491185, 10491186	52
T021103334B	BDEA2611	10483415	52

Manuf/Sys - Iskra

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T027900501	BDEA7900	16.908.831	52

Manuf/Sys - Niehoff

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T024103112	BDEA2900	A5547	52

Manuf/Sys - Prestolite

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022600510	BDEA9701	A015102959S	52

SRE/CE

Manuf/Sys - Bosch

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010400601	BCEA1003	1125884484, 1125884477	52
T020400604	BCEA1004	9121691204, 9121690001, 9121691205, 1125884393	52

Manuf/Sys - Delco

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021100533R	BCEA2001	10491175	53
T021100536B	BCEA2600	1894465	53
T021100537B	BCEA2602	10467269	53
T021100603B	BCEA2603	1852630, 1988072, 9L6778	53
T021100539R	BCEA2605	1876762	53
T021101111B	BCEA2656	10483417	53

Manuf/Sys - Niehoff

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T024103118	BCEA2900	A5319	53
T024103104	BCEA2901	A5339	54

Manuf/Sys - Prestolite

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T025002506	RCT9713	A011105567S	54

Manuf/Sys - Valeo

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T1696942	BCEA0001	1696942	54

Covers

Manuf/Sys - Delco

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021110730B	COA2602	1876814	54
T021110702	COA2603	1969001	54
T021108725B	COA2604	1876813, 9N0943	54
T1894444	COA2611	1894444	54

Manuf/Sys - Iskra

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T027911202	COA7901	15421538	55

Manuf/Sys - Nippon Denso

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T024703603	COA6036	215510940	55

Manuf/Sys - Prestolite

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T027308702	COA9700	K185103973S	55

Brush Holders

Manuf/Sys - CAV

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T023100802	BHA7302	6270495	57

Manuf/Sys - Delco

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021000901	BHA2001	1964682, 1965276	57
T021100906B	BHA2002	1971521, 801466, 1852002, 8125179	57
T021100908	BHA2601	10492749.00	57
T011000909	BHA2610	10503492, 10521657	57
T021100904	BHA2610	10503492, 10521657	57
T021100931	BRA2600	10500024	57

Manuf/Sys - Hitachi

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010000911	BHA3008	L170G4330	57

Manuf/Sys - Lucas

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022300901	BHA4001	54200349, 66200084	57

Manuf/Sys - Motorola

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T092600901	BHA0501	31, 3204152, 3-1	57
T022300805	BHA0509	3-16, 3-46, 103-16, 103-46	57

Manuf/Sys - Nikko

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T1-33720-0792	BHA8803	1337200792	58

Manuf/Sys - Nippon Denso

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T018809200	BHA6008	0216203020	58
T022800900	BHA6008	216203020.00	58

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Manuf/Sys - Prestolite			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T025000901	BHA8501	A009101716, 101716	58

Diodes & Diode Plates			
Manuf/Sys - No Name Brand			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020002601	DEXX001	AC4, 1N5408	59
T260010401	DEXX004	1N5404	59
T020002004	DNEX000	2095332, 2098287, 1958826, AC2N	59
T028002001	DNEX002	2098287, 1958826, 2095332, AC1N	59
T020002101	DPOX001	2095331, 1852931, 1958825, 6L7646, AC1P	59
T020002105	DPOX004	1959829, 1852929, 328925, D3911, AC2P	59
T021002107	DPOX004	1959829, 1852929, 328925, D3911, AC2P	59

Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020002107	DPO1001	0270100405, 0270100333	59
T020402101	DPO1001	0270100405, 0270100333	59

Manuf/Sys - CAV			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T023103804	DKT7300	6010239	59

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021002108	DPP2601	1971670	59
T021100025B	DPP2601	1971670	59
T021102627B	DTR2601	830891, 1977064, 9L6767, 801817, D3918	59
T0211024001	DTR2601	830891, 1977064, 9L6767, 801817, D3918	59
T021102435	DTR2604	10491182	60
T10472644	DTR2606	10472644, 10475293	60

Manuf/Sys - Motorola			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022602601	DIS0501	1A209	60
T022602101	DPP0505	1A145, A01234, A01-234	60

Manuf/Sys - Nippon Denso			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020002103	DPOX005	C5AF10374B, AC3P	60

Manuf/Sys - Prestolite			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022308425	DPP9700	10182	60

Manuf/Sys - Sawafuji			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T0238025002	DPN9801	SD123506410X0, 123506410X0	60

Miscellaneous Parts			
Kits			
Manuf/Sys - Iskra			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T027905301	KST7902	16.906.722	61

Retainers			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T01111505005	RETA1013	1121038019, 1121038500, F00M146801, F00M146802	61

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021010701	RETA2601	1970407	61

Rotor Coils			
Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021115006B	ROC2633	10493059	61
T021115001R	ROC2639	10491238	61

Manuf/Sys - Niehoff			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T024103107	ROC2900	A7229	61

Manuf/Sys - Nikko			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022900203	ROC8805	-	61

Slip Rings			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020403201	SRG1002	1124303001	62

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021003201	SRG2601	10472180, 1975346	62

Manuf/Sys - Leece Neville			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T025003201	SRG8511	71189	62

Manuf/Sys - Lucas			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020003203	SRG4004	-	62

Manuf/Sys - Motorola			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022300802	SRG0510	112-22	62

Through Bolts			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020401104	BTA1001	1123410047, 1123429101, 1123429201	62
T436400101	BTA1002	1123429203	62

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021101110	BTA2610	801810.00	63
T021101101	BTA2612	1894445, 1989690, 7N9024	63

Manuf/Sys - Iskra			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T027901101	BTA7900	15.300.696	63

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Cross Reference Index

Manuf/Sys - Niehoff			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T430001101	BTA2900	A9813	63

Pulleys			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020401409	PUL1001	0001557318, A0001557318	66
T020001421	PUL1007	F00M147741, F00M991118	67
T020401407	PUL1016	6033GC5059, 9121692238, 1126600487	65
T020401412	PUL1018	F00M991002, F00M991122	65
T020401428	PUL1018	F00M991002, F00M991122	65
T020401405	PUL1031	9121690031	65
T028901401	PUL1061	F00M991051, F00M991156, F00M991232, F00M147760	67
T020401410	PUL1063	1126601568, 6033GD5036, 6021500060	66
T020401420R	PUL1063	1126601568, 6033GD5036, 6021500060	66
T027001430	PUL1064	1126601559, 038903119, 038903165	66
T027001422	PUL1065	1126601556, 1126601557, 028903119S	65
T027001419	PUL1070	1126601572, 1126601549, F00M991392	66
T027001417	PUL1072	F00M991125, F00M991099, F00M991190, F00M991303	66
T027001436	PUL1074	F00M147764, F00M991171, F00M991271, F00M991907	65
T027001424	PUL1100	F00M147722, F00M991042	66
T027001449	PUL1119	F00M991139	65
T027001434	PUL1121	F00M147732, F00M991108, 2549858	65
T023101402	PUL1125	F00M147743	67
T028901407	PUL1126	1126601102, 0011552115	67
T022801408	PUL1132	1126600154, 1126600222, 1126600262, 1126600265, 1126600308	66

Manuf/Sys - Daewoo			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020001402	PULX014	-	67

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020001404	PUL2002	-	68
T022801405	PUL2003	-	68
T022801401	PUL2006	4N8090, 4N8225	68
T020001410	PUL2644	1687644CL	67
T020001412	PUL2646	-	67
T020001408	PUL9810	-	68

Manuf/Sys - Ford			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T027001415	PUL8989	F81U10A352CA	68
T028901405	PUL8997	-	68

Manuf/Sys - Hitachi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T027001413	PUL3041	-	68

Manuf/Sys - Mitsubishi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020001425	PULX015	-	69

Manuf/Sys - Nippon Denso			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T028901412	PUL6004	0210401170, 0210401320, 0210401130	69
T210412100	PUL6006	0210412100	69
T028901411	PUL6067	1210411140, 77363948	69
T027001442	PUL6104	0210401070, 274150L030	69

T027001446	PUL6105	720110750	69
T028901409	PUL6110	1042103761	69
T027001444	PUL6111	274150W010, 274150W0130	70

Manuf/Sys - Valeo			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T027001426	PUL0007	2547917, 593521, 593527	70
T027001440	PUL0009	2655703	70
T027001438	PUL0102	2546999, 2548621, 2601992	70
T027001448	PUL0107	2602881, 595210	70

Rectifiers			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T029102501	RCT1004	1127011098, 1127320599, 1127320546, 1127320598, 1127320991	71
T020402505	RCT1005	1127320164, 1127320162	72
T020002506	RCT1007	1127320326, 1127320501, 1127320624, 1127011125, 088375501	71
T020402507	RCT1007	1127320326, 1127320501, 1127320624, 1127011125, 088375501	71
T020402508	RCT1007	1127320326, 1127320501, 1127320624, 1127011125, 088375501	71
T020402516A	RCT1010	1127320946, 1127320995, 1127320928, 0011542116	72
T020402522	RCT1011	1127320652, 1127320580, 1127011139, 81AB10304DA	71
T020002508	RCT1015	1127320992	71
T020402503	RCT1023	1127319690, 1127320860	72
T024002502	RCT1043	1127320571, 1127320547, 0001545116, 0001545416, 8122274	72
T020402501	RCT1050	F00M133224, 0011543616, 2TB903357A, F00M133286	72
T020402509	RCT1067	1127320665, 1127320664, 1127320666, 068903359B, A187917	71
T020402519	RCT1067	1127320665, 1127320664, 1127320666, 068903359B, A187917	71
T020402511	RCT1095	1127320569, 1127320316, 1127320142, 1127320317, 1127320115	72
T020402517	RCT1096	9121057385	71
T020402513	RCT1143	1127319110, 1127320750	72
T260002500	RCT1177	1127320753	71

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021002502	RCT2034	10475034	73
T020003102	RCT2604	801816, 1875645, 1892914, 9L6776	73
T021102504B	RCT2604	801816, 1875645, 1892914, 9L6776	73
T021102521	RCT2606	1988976	73
T021102534B	RCT2611	10470609, 10501634, 10501636, D3992, D3990	73
T021002504	RCT2617	1985801, D3985	73
T0211002506	RCT2643	10510456	73
T23232N3300	RCT3002	23230H0300, 23230U0100, L1407320, 3144100808, XL125832000	73

Manuf/Sys - Hitachi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021902501	RCT3001	5812180290, L130M1330, L14023201, 145624510, 23137J5300	74
T021902503	RCT3003	5812180330, L14053201, 8942469570, 8942469571	74
T021902505	RCT3006	23232W1700, 8942377290, L15013204	74
T021902507	RCT3006	23232W1700, 8942377290, L15013204	74
T020003134	RCT3012	L170G23203, 6205428	74

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

T021902509	RCT3030	L18013202, 2323064J00	74
T0200031001	RCT4100	8971481691	74

Manuf/Sys - Iskra			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T0227902501	RCT7901	16902097	75
T0227902505	RCT7905	16902659	74

Manuf/Sys - Leece Neville			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T025002502	RCT8503	101411, 101441	75

Manuf/Sys - Lucas			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022302503	RCT4003	83166, UBB110, 84443, 83520, 83844	75
T022302519	RCT4015	66201570, 84499	75
T022302515	RCT4015	66201570, 84499	75
T022302505	RCT4048	26948040A, 26991540	75

Manuf/Sys - Mitsubishi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022502501	RCT5002	A860T23070, A860T28070, MD611564, MD611768	75
T022502510	RCT5016	A860T08770, A860T15170, RF0318300C, 2323004D00, MD607680	76
T024802501	RCT5025	A860T38670, A860T40270, K80118W60, F32Z10304B	76
T020003132	RCT5070	A860T27170, A860T25870, MD611778, MD611688	76
T2J23051H00	RCT5071	A860X52570, ME701439, ME701569	76
T022502505	RCT5078	A860T39070, FS1118W60	75

Manuf/Sys - Nikko			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T0-33730-1800	RCT8803	0337301800	76
T0-35730-0510B	RCT8805	0357300510	76
T0-35730-0270	RCT8806	0357300270, 0357300300, 0357300460, 1812191070	77
T0-35730-0080	RCT8812	0357300080	77
T0-33730-2560	REG8812	0337302560	76

Manuf/Sys - Nippon Denso			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T260002502	RCT6002	0215803130, 2735772150	77
T022802523	RCT6015	2735763020, 0215802160, 0215802230	77
T022802525	RCT6018	0215803830, 0215804030, 2735755080, 2735762040, 31127PT0003	77
T022802527	RCT6019	0215805350	77
T022802521	RCT6027	0215803640, 0215804840, 8970708080	77

Manuf/Sys - Prestolite			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022302507	RCT9700	A051104922S	78
T023102501B	RCT9704	-	78
T025002505	RCT9712	101-193	78

Manuf/Sys - Valeo			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T023202501	RCT9501	103551, 139672, 873817, 11994491, 940038305	78
T020002504	RCT9503	593174, 593204, 593306, 593329, 7701045154	78

Regulators

Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T1197-311-022	REG1003	1197311003, 1197311007, 1197311008, 1197311009, 1197311022	79
T02040251A	REG1006	1197311090, 0192052001, 0192052005, 1197311001, 1197311000	79
T020403103B	REG1006	1197311090, 0192052001, 0192052005, 1197311001, 1197311000	79
T020403131	REG1008	1197311510	79
T020003151	REG1012	1197311300, 1197311301, 1197311304, 1197311314, 6033RD0002	81
T020403127B	REG1012	1197311300, 1197311301, 1197311304, 1197311314, 6033RD0002	81
T020403135	REG1012	1197311300, 1197311301, 1197311304, 1197311314, 6033RD0002	81
T020003155	REG1013	1197311212, 1197311214, 1197311220, 1197311221, 1197311228	79
T020403111B	REG1013	1197311212, 1197311214, 1197311220, 1197311221, 1197311228	79
T020403102	REG1019	0190350068, 0190350069, 0190350079, 0190350084	79
T020003124	REG1025	0192053025, 1197311315, 0192053003, 0192053009, 0192053012	81
T020403109	REG1025	0192053025, 1197311315, 0192053003, 0192053009, 0192053012	81
T020403113	REG1027	F00M145883, F00M145483, F00M144155, F00M145266, F00M145365	79
T025103101	REG1033	1197311554, 1197311558, 0272220217	81
T020403126	REG1035	1197011000, 0192053010, 1197311318	81
T020003157	REG1036	9190067018	79
T020003116	REG1050	F00M145256, F00M145302, F00M145298, A000154240426, 000154240426	82
T020003104	REG1071	F00M145225, F00M145200, F00M145237, F00M145218, 038903803	80
T020003153	REG1071	F00M145225, F00M145200, F00M145237, F00M145218, 038903803	80
T020003186	REG1071	F00M145225, F00M145200, F00M145237, F00M145218, 038903803	80
T020403133	REG1073	F00M145231, F00M145282, F00M145201, 93176380, 9117942	80
T020403105	REG1075	F00M145305, F00M145236, F00M145873	80
T020003113	REG1101	F00M145220, F00M145349	80
T020003111	REG1102	1197311506, 12311702927	80
T020403129	REG1103	F00M145239, F00M145387, 7701048230	80
T020003105	REG1108	F00M145236, F00M145245, F00M145360, F00M145251, 7501752	80
TF00M145214	REG1109	F00M145214, F00M145348	81
T020403107	REG1111	F00M255200, F00M255201, F00M255202	81
T020403104	REG1117	F00M145228, F00M145265, F00M145283, F00M145364, F00M145371	81
T026403101	REG1195	1197311323	82

Manuf/Sys - CAV			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020003146	REG7301	1697D520	82
T020703105	REG7301	1697D520	82
T020003182	REG7303	631731A, 546R529, 1830029	82
T023109201	REG7306	1861A726, CAV1861A726	82

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Cross Reference Index

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021003104	REG2004	1116387, 1116423, 1116380, 1116392, 3N3754	82
T020003176	REG2600	19009701, 10479914, 10479947, 940038030, 1204270	82
T021103112B	REG2612	1116389, 1116383, 1876388, 1988949, 9L6774	83
T1116433	REG2613	35126	83
T0211031406	REG2614	19020401	83
T0200031003	REG2624	1894460, 1116388, 2S0857, 3T6354	83
T021003103	REG2624	1894460, 1116388, 2S0857, 3T6354	83
T021103120B	REG2624	1894460, 1116388, 2S0857, 3T6354	83
T021103130	REG2630	1969110, 10498824, 1892824	83
T021003197B	REG2634	1116411, 1116436, 1116437, 1116429	83
T021103122	REG2650	10514474	83

Manuf/Sys - Hitachi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021903121	REG3002	8942025810, 8942059560, 94021596, 94021595, 0260002510	84
T021903119	REG3003	2321588900, 2321594601, 2321589800, 23215P2500, 429907110	84
T2350099008	REG3005	2350099008, 11912977820, 5812510160	84
T020003119	REG3010	23215W1700, S20824520, 23125W1701, 8942377280, 8942509640	84
TVR507	REG3015	8941674100, L15033155, 94167410, A556536A	84
T020003189	REG3021	TR1Z127	84
T021903111	REG3021	TR1Z127	84
T020003166	REG3024	82250134, 9822501120, 9822501340, 82211520	85
T020003141	REG3028	L15093155, L16063153, L15063601, 2352818G01, 23528V7200	84
T020003169	REG3093	-	85
T0200031200	REG3094	-	85

Manuf/Sys - Iskra			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T027903103	REG7903	11125122, 11125149, AER1528, AER1543	85
T027903101B	REG7904	16908850, 16908833	85
T027903100	REG7907	11125124, 11125188, 11125208, 16906352, AER1603	85

Manuf/Sys - Leece Neville			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022603194	REG8500	8RL3013, 105251, 446390, 5251	86
T022303101	REG9704	411740, 8RG2060A, 200025, 105335, 5335	85
T022603192	REG9705	5329, 105329, 8RG2101A, 8RG2112	86
T022603196	REG9706	8RG3078, 105353	86
T022303190	REG9707	105247, 8RG3029	86

Manuf/Sys - Lucas			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022303110	REG4010	66201555, UCB150, 54048473, 37707	86
T022303103	REG4014	9999TV659009, TV659009, 26938180A	86
T022303105	REG4051	26215686	86

Manuf/Sys - Magneti-Marelli			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T0200031146	REG9007	85562541, 85562801	87

Manuf/Sys - Mando			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T028903100	REG5056	3737042300	87
T025403100	REG8706	TA500C09001, 3737022600	87

Manuf/Sys - Mitsubishi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020003148	REG5003	A866T03470, SE2124520, A866T03070, MD607619, MD618302	87
T022503105	REG5005	A866X02470, S50918300C, S50124520, S20218300A, S50218300C	87
T020003136	REG5006	A866T00470, 550124520, A866T00670, N22124520, MD607570	87
T022503131	REG5009	A866X36272, A866X42672	87
T024003101	REG5012	A866X04872, E35618W70, 3737021200, E8GY10316, FE6524520	88
T020003122	REG5018	A866X09171, MD611481, 940038082	88
T0225031001	REG5019	A866X28372, ME701399	89
T022503129	REG5019	A866X28372, ME701399	89
T028003101	REG5019	A866X28372, ME701399	89
T020003163	REG5021	3737022200	88
T020003120	REG5022	A866X25572, MD618735, MD619167	88
T020003137B	REG5026	A866X05272, MD611432, 2312504P10, 940038088, MD611710	88
T021602501	REG5027	MD618957, 2857226A, 2857328D, A866X28572	88
T020003105	REG5030	A866X20472, JE4818W70, F1CZ10316A, 2044208J, B64J18300B	88
TVV1906	REG5030	A866X20472, JE4818W70, F1CZ10316A, 2044208J, B64J18300B	88
T020003159	REG5033	A866X26070, A866X26072, ME701302	89
T020003180	REG5034	3737042540, 3737042500	89
T022503133	REG5042	A866X23772, A866X23773, 3250060A21	89
T022703101	REG5053	A866X46572, GY0118W70	89
T020003130	REG5103	A866X50572	89

Manuf/Sys - Motorola			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022603101	REG0542	105396, 8RL3024	90
T022603199	REG0555	5MSA125	89
T022603156	REG0585	5185, 8RH3018A, 5-185	90
T022603197	REG9703	8RG2122, 105363	90

Manuf/Sys - Niehoff			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T024103113	REG2900	A2126	90
T0249031001	REG2901	A2111	90
T024103101	REG2902	A2146	90

Manuf/Sys - Nikko			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022903101	REG8801	1440000580, 1440000730, 1812510040, 1812510240, 5812510120	90
T022903104	REG8803	0337190030, 1812600050, 0337190100, 8941730520, 1440000900	91
TO-35719-0151	REG8804	0357190151, 7440000901	91
T0229031105	REG8804	0357190151, 7440000901	91
TO-33730-2560	REG8812	337302560.00	91

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

TO-35719-0180	REG9805G	0357190180, KD0357190180	91
---------------	----------	--------------------------	----

Manuf/Sys - Nippon Denso			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022803105	REG6005	2770063021, 2770072070, 1260000340, 2770063020, 31150PD2004	91
T022803152	REG6007	2770063010, 2770072030, 0260004300, 2770013090, 2770063040	91
T022803158	REG6009	2770057060, 1260000180, 1260000770, 1260000820	91
TIN921	REG6011	1260000920, 1260001460, 2700064040, 126000-0920	92
T020003100	REG6011B	1260000920, 126000-0920	92
T022803103	REG6015	1260000380, 7T2798, 126000-0380	94
T778236005	REG6019	2770087207, 1260001160, 1260000600, 2770096301	92
TIN255	REG6019D	1260000970	92
T020003107	REG6022	1260007040	92
T020003161	REG6022	1260007040	92
T022803156	REG6032	1260000410, 1260000470, 31500PE0003	92
T020003126	REG6041	1260002190, 1260002450, 31150P5G003	92
T022803112	REG6057	1260000371	93
T020003109	REG6058	1260001800	93
T022803107	REG6058	1260001800	93
T022803110	REG6059	1260007010	94
T024703101B	REG6065	1260002540	94
T022803160	REG6069	1260000610, 1260001440, 2770050010, 2770074010	93
T020003139	REG6098	1260001730, 1260001930, 2770066040, 2770011070	93
T022803154	REG6107	1266000150	93
T0260007000	REG6130	0260007000	93
T020003164B	REG6901	1215000011	93
T022803102	REG6901	1215000011	93
T020003128	REG9808	129100800X0, 277001700, 2350029007, 121900800X0SF	94

Manuf/Sys - Paris-Rhone			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T028903114	REG9515	92966, YL135	94

Manuf/Sys - Prestolite			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022603190	REG9708	8RL3028S	94

Manuf/Sys - Sawafuji			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T023803101	REG6064	1260003270, 2350029014	94
T151002901X0	REG9804	SD151002910X0, 151002910X0	95
T17010008000	REG9804B	277001510, 121900400, 2350099005, SD151002910X0, 151002910X0	95
T020003118	REG9809	129101000X0, 2350099109, 277001810	95

Manuf/Sys - Valeo			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T025703102	REG0001	872368, 6009116099797, 590536, ZV3729	96
T028903116	REG0012	592802, YV1668H, 2541407, 940038185	95
T028903120	REG0016	593384, 593396, YM1636P1	95
T020003149B	REG0020	593455	95
T028903102	REG0020	593455	95
T020003184	REG0021	593454, YM1666FP5	95

T020003144	REG0022	593353, 2542207B	96
T020003194	REG0022	593353, 2542207B	96
T028903105	REG0024	593529	96
T028903112	REG0024	593529	96
T028903118	REG0025	2543327B	96
T028903104	REG0061	593689	96

Manuf/Sys - Visteon			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020003103	REG8901	BFOA10376AA	96
T020003199	REG8901	BFOA10376AA	96
T020003175	REG8902	-	96

Rotors			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020400211R	ROT1024	1124035094, 1124035198, 1124035199, 1124035231	97
TF00M131616R	ROT1045	F00M131645, R945N	97
T020403681R	ROT1055	1124035168, 1124035077, 1124035258, R955N	97
T020403682R	ROT1051	1124034644	97
T020400209R	ROT1087	1124037001, 1124037002, 1127037003, 1127037004, R9T1N	97
T020400205	ROT1211	1124035261	97

Manuf/Sys - CAV			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T023100201	ROT7308	A1388, 6332A1433, 6332A1388, R720N	97

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021100216R	ROT2609	10510452	98
T021100210	ROT2610	1852040, 1978872, 9L6784, R210N	98
T021100213B	ROT2613	1978873, 1944881, 1870542	98

Manuf/Sys - Niehoff			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T024103108	ROT2900	A7320	98

Manuf/Sys - Nikko			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020400403R	ROT8805	7331000120, 7331000121	98

Stators			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020400418R	STA1016	1125045012, 9121690003	99
T020400436	STA1022	1125045021, 1125045034, S905N	99
T021900402R	STA1081	1125045212, 1125045233, 1125045234, 1125045537, S917N	99
T020400426	STA1091	1125045167, 1125045165, 1125045152, 1125045197, S991N	99
T020400415B	STA1099	1125045128, 1125045132, 1125045203	99
T020400416R	STA1099	1125045128, 1125045132, 1125045203	99
T020400425	STA1099	1125045128, 1125045132, 1125045203	99

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T021100432B	STA2010	10491242	100
T021100424B	STA2603	1968892, 1971465, S207N	100
T10468714	STA2604	10468714, 10467263, 10472540, 10472882, 10494279	99

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Cross Reference Index

T021100434B	STA2610	10492139	100
T021100427B	STA2619	801818, 1852033, 98818, 9L6775	101
T021100433	STA2643	10497825, D8HZ10336B, 1876804	100
T1894490B	STA2645	1894490	99
T021100421R	STA2677	1874548, 1974548, 67013361, 1894467, 7N7804	100
T021100422R	STA2678	10470688, 10470875, S213N	100
T021100435B	STA2694	10493268	100

Manuf/Sys - Iskra

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T027900401	STA7902	16350129	101
T027900402	STA7905	16350137	101

Manuf/Sys - Lucas

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022300408P	STA4008	66200364, S21N	101
T022300403R	STA4020	66201619	101

Manuf/Sys - Motorola

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T022300402	STA0513	113-71	101

Manuf/Sys - Niehoff

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T024103115	STA2900	A7192	102
T024103105	STA2901	A7054	101

Manuf/Sys - Nikko

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T020400404R	STA8802	1332001230	102
T022900402R	STA8807	0352000320	102

Manuf/Sys - Nippon Denso

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T7T6418	STA6004	0211002690, 7T6418	102

Manuf/Sys - Prestolite

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T025000401	STA9749	A022101888S, 101888	102

Bearings

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TBRG62304	BEA0100		104
T100005311	BEA0102		104
TBRG902	BEA0113		103
TBRG608	BEA06082RS		105
T100020664	BEA0664		105
TBRG6004B-2RS	BEA1004		104
T020005301	BEA1050		103
T108805300	BEA1050		103
T022305326	BEA1144		104
T100405302	BEA1155		104
T100005314	BEA1569		103
T100005309	BEA1586		103
TB885	BEA1885		105
TBRG62201B	BEA2201		103
TBRGHK2216	BEA2216		104
T2000910015	BEA2217		103
TBRG1799	BEA2268		104
T021104301B	BEA2431		103
T1000A2431	BEA2431		103
T1000A2436	BEA2436		103

TBRG15-69	BEA2790		103
TBRG63001	BEA3001		103
TBRG3012	BEA3012		104
TBRG336	BEA3360		103
TBRG-NU305	BEA4012		104
T108805302	BEA4969		103
T62304-17	BEA5005		104
TBRG62301	BEA5005		104
T025005301	BEA5305		104
TBRG62/28	BEA5381		104
TBRG6000	BEA6000		103
TBRG6002	BEA6002		103
TBRG6003	BEA6003		103
TBRGAAK	BEA6003DW		103
TBRG6005	BEA6005		104
TBRG6007	BEA6007		105
TBRG16009	BEA6009		105
TBRG6200	BEA6200		103
TBRG6201B	BEA6201		103
TBRG6202	BEA6202		103
TBRG6203-2RS	BEA6203		104
TBRG6205	BEA6205		104
T100005306	BEA62306		104
TBRG62306	BEA62306		104
TBRG6301	BEA6301		103
T105405301	BEA6303		104
TBRG6303	BEA6303		104
TBRG6304	BEA6304		104
T022305324	BEA6305		104
TBRG6306	BEA6306C3		104
TBRG6307	BEA6307		105
T010005306	BEA6384NB		103
TBRG6403	BEA6403A		104
TBRG6903	BEA6903		103
TBRG6905	BEA6905		104
TBRG17127	BEA7127		104
T100018038	BEA8038		103
T100029040	BEA9040		103
T100005301	BEA9043		104

Complete Starters

Manuf/Sys - Bosch

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010403688	STR1000	0001212401, 0001212400, 027911023	111
T018903603B	STR1005	0001108065, 0001108115, 0001108054	109
T010019619	STR1015	9000692068, 9000692067	109
T018903605B	STR1017	9000692070, BCA911023A	109
T018703605R	STR1018	9000695006, 0001114006, 0001114005, 1HS911023B, 1HS911023A	108
T010403612	STR1020	0001362305, 081382305	115
T010403612B	STR1020	0001362305, 081382305	115
T018803604	STR1020	0001362305, 081382305	115
T012515003	STR1022	9000692009, R000692009	109
T0104036119B	STR1026	0001311047, 73GB11000AA, 73GX11000AA	114
T018903616	STR1036	9000692036	112
T0104036113	STR1047	0001416002, 0001415001, 081466002	122
T010403649R	STR1047	0001416002, 0001415001, 081466002	122
T018803601	STR1047	0001416002, 0001415001, 081466002	122
T010403658B	STR1052	0001410041	121
T0104036105	STR1053	0001369001	118
T010403669	STR1055	0001368055, 0001368309	122
T010403669B	STR1055	0001368055, 0001368309	122
T018803602R	STR1055	0001368055, 0001368309	122
T0104036102	STR1060	0001401049, BNG412V, 0001401011, 081490034	115
T010403644R	STR1061	1811001891R, 0230001030R, 0230001301R, 0230003010R	127

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

T010403668	STR1068	0001367059,0001367034,0001367303,081387034	115
T010403624R	STR1070	0001368001,081388001	122
T018803603R	STR1070	0001368001,081388001	122
T0104036156	STR1072	0001110041	109
T010403611	STR1077	0001416009,081466009	124
T010403648	STR1077	0001416009,081466009	124
T018903602B	STR1085	9000694007	107
T018703601R	STR1087	0001112035,93599000,90508036,FO00AL0304,93288991	106
T010419606	STR1090	0001107016,938B11000CB,938B11000CA	116
T010003685B	STR1099	0001125012,0001125013,02A911023R,0001125042	117
T010419600	STR1100	0001417025,6114855,82DB10300BB,82DB11000BB,1174649	124
T0104036128B	STR1102	9000694022,95NX11000AA	108
TT9200	STR1102	9000694022,95NX11000AA	108
T0104036123B	STR1104	0001121006,020911023F	109
T0104036161	STR1105	0001211246,44703770	119
T0104036126	STR1107	F004A94009,9000694010,BW920253,BW920009	111
T012503604	STR1107	F004A94009,9000694010,BW920253,BW920009	111
T010003652BR	STR1110	0001230006,1180928	115
T010403650B	STR1111	0001510017	125
T0104036144	STR1118	9000694021	106
T014003601B	STR1124	9000695002	112
T018903606B	STR1126	0001107030,2810002040,2810016180	107
T018803605R	STR1130	0001107045,FO05M00024,90512189,90518627,92066449	112
T010415004	STR1135	0001108079,0001107015,99336462	112
T0104036137B	STR1137	0001110086,0001110087,024911023H	117
T018703603	STR1140	0001107037,0001107072,0001107096,RO01107096	112
T0104036112B	STR1143	0001218174,99451753	114
T010403625R	STR1143	0001218174,99451753	114
T010003692	STR1144	0001108114,0001108113,078911023	110
T018703604R	STR1145	0001108157,143869601	110
T0104036144B	STR1150	0001314047	118
T010419613	STR1151	0001410109,0001416035	125
T0110419607	STR1152	0001365004	114
T010403693	STR1162	0001218172,1180180,069911023F	120
T0104036132B	STR1164	0001369023,82005342,82013922	119
T0110419603	STR1164	0001369023,82005342,82013922	119
T010419603	STR1166	0001110120,0001109040	107
T012303665	STR1166	0001110120,0001109040	107
T010403655	STR1174	0001231005,01180999KZ	121
T0104036148	STR1175	0001231003,0041518601,0041518601	121
T0104036122B	STR1178	0001110128,0001110136,068911024G,0001110129	112
T015515001	STR1178	0001110128,0001110136,068911024G,0001110129	112
T0104036141	STR1181	0001223002,01180995KZ,1180995,01180995	120
T0104036151	STR1182	0001115006,0051510101	116
T0110419606	STR1186	0001110076	110
T0104036165B	STR1188	9001107088,281000D110,0001107088,281000D030	119
T010403601	STR1191	0001372001,A0031519401,0041519401,0041518801,081392001	125
T010403605	STR1191	0001372001,A0031519401,0041519401,0041518801,081392001	125
T012819622	STR1192	0001367039,12270774,0031511401	115
T010403607B	STR1205	0001231002,0051512001,0041518401,081495002	121
T010403699B	STR1205	0001231002,0051512001,0041518401,081495002	121
T010403623	STR1206	0001223016,1181751	113
T010403696	STR1206	0001223016,1181751	113
T011003662B	STR1208	0001371006,1357709,081391006	126
T018903610BR	STR1209	0001223003	111
T0104036139B	STR1213	0001108181,18508662	108
T0104036105B	STR1216	0001231007,51262017157	124

T010436105B	STR1216	0001231007,51262017157	124
T010403694	STR1218	0001109035,1850866	108
T010419602	STR1233	0001120406,0001120407,02T911023R	117
T011003683	STR1236	0001241003,1604246	127
T010819601	STR1237	6004AA0003,04793493,4793493	106
T0104036146	STR1238	0001231016,4892338	123
T018903610	STR1239	0001112007,0001112019,0001112029,0001112041	106
T012503601	STR1241	F004A94002,4M3411000CA,RO04A94002	120
T010019658	STR1242	0001108400,96253825,1342792080	116
T0104036135B	STR1244	0001231013,1346162	126
T010419623	STR1245	0001121402,02M911023G	116
T0104036101	STR1246	F004A94008,281000L080,281000L081	113
T010019613	STR1247	0001223013	111
T010019621	STR1249	0001109021,059911023H	116
T011003659B	STR1251	0001372006,A0051515001,0051515001	125
T018903608B	STR1254	0001125018,0001125019,0001125048,02M911023A	117
T0104036158B	STR1258	0001108166,7700103386	110
T010003648R	STR1260	0001241008,012600090293,D612600090293,WD61509QD	124
T0104036117B	STR1263	0001230002,RE503226	120
T0104036173B	STR1267	0001354108,40000700	120
T015115002	STR1269	0001359102,4703751,4169096	114
T010403652B	STR1271	0001417001,51262017110,0031514601,0041516101,5000816041	122
T0104036116	STR1275	0001107410,2S6U11000DA,4S6911000AA,0001107418,F004A94418	117
T010419610	STR1280	0001107406,0051513901	106
T018903620/B	STR1290	F004A94001,3M3411000BB	117
T0104036169	STR1292	9000694017,R000694017	108
T0104036142	STR1293	0001107077,0001107098	106
T0104036107	STR1295	0001109014,0001109036,0041519201	118
T0104036130B	STR1307	0001123014,0001123015	118
T0104036167B	STR1310	0001115005,1121510001	114
T0104036124	STR1311	0001231008	123
T010019617	STR1312	0001368026,0001368040,0001368051,0001368065,0001368085	123
T015519600	STR1313	0001115047,0001115048	121
T010003613	STR1314	0001417075,1547049,3095060,3964839	127
T010019650	STR1319	0001218159	111
T010019637	STR1326	F004A94403,RO04A94403	108
T010003689B	STR1329	0001123012,0001123013,02Z911023F,02Z911023FX	118
T0104036143B	STR1331	0001359108,0001362035,0001362022	120
T011003669	STR1333	0001368081,0001368016	123
T0104036157B	STR1334	0001231006,1181101	123
T0104036163B	STR1340	0001109025,12412246570,12412242703,12412446570	110
T010419619	STR1341	0001107427,0001107428,0986021210,068911023A	113
T010419604R	STR1342	0001109300,5820AQ,1347058080	113
T010003681	STR1343	0001241005,0001241009,0001241021,51261017220,51262017220	127
T0104036151BR	STR1343	0001241005,0001241009,0001241021,51261017220,51262017220	127
T0104036162B	STR1345	0001241001,1447911	127
T011003660B	STR1346	0001371008,1382290,571464	125
T011003660R	STR1346	0001371008,1382290,571464	125
T010019639	STR1347	0001371010,0001372002,0001372007,1317220,1318615	126
T010419621	STR1348	0001231017,1387383,AELO21	123
T0104036174B	STR1351	F004A94007,281000C040	107
T0104036159	STR1353	F004A94012	107
T010003658	STR1354	0001109250,0051516601	119
T010403695	STR1354	0001109250,0051516601	119
T010419617	STR1355	F004A94434	107
T010019660	STR1357	0001110072,0986016920,12411729981,12411736921	110
T010419625	STR1359	0001231014	124
T010003604	STR1360	0001417002,4778060	122

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Cross Reference Index

T011003656	STR1362	0001372003, 0001372008, 1284775	126
T011003667	STR1363	0001368083, 1201327	122
T010419608R	STR1366	0001121408, 0001121409, 022911023E, 022911023G	116
T0104036149B	STR1367	0001109018, 0001110025, 0001110092, 0001110102, 0001110124	119
T010419612	STR1373	0001107426	111
T010019643	STR1381	0001362021, 0001354067	113
T0104036121	STR1384	F004A94000, 3M3411000AB	118
T010419627	STR1386	0001109205, 0001109324	121
T010419631	STR1403	0001340501	126
T016003601	STR1411	-	124
T010436107	STR1419	0001231034, 51262017222	125
T010436107B	STR1419	0001231034, 51262017222	125
T010419635	STR1429	F002G20550	114
T0198019601	STR1429	F002G20550	114
T010019627	STR1430	0001108236, 93175890	119
T017919606B	STR1513	0001109043, 50353511	113
T010419629B	STR1532	0001330013	126
T015919600	STR1532	0001330013	126
T010019602	STR1615	0001330008, 1447912	127
T015519601	STR1680	0001362029, 0001362030	115

Manuf/Sys - Chinese Manuf

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010019653	STRX002	CA0233708010	128

Manuf/Sys - Daewoo

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010019600	STR2614	111916, OK9BV18400A	128
T015419603	STR2614	111916, OK9BV18400A	128

Manuf/Sys - Delco

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T011019601	STR2001	410013, 2A0003A, 1107237, 1107248, 1107259	128
T011003685	STR2002	410011, 1107233, 1108385	128
T014003604	STR2003	410014, 1109528, 1985737	128
T010003654	STR2013	19011501, A0051513401	136
T010003654IM	STR2013	19011501, A0051513401	136
T015619600	STR2016	12321234, 94204438, 94241705, 8942044381, 8942417050	128
T012903626	STR2017	10479626, 10461470, 0041518401, 0051512001	132
T011103609DR	STR2021	10461719	132
T011103613DR	STR2022	10461720	136
T011103614B	STR2023	10461055	131
T011103620	STR2025	10465045, 10465046, 1113275, 1113278	129
T010019605	STR2034	9000762, 9000768, 9000789, 9000819, 9000821	130
T010019652	STR2043	8200761	134
T011003653DR	STR2600	1109757, 3T3430, 7N8604, 3T2781	136
T011103601R	STR2601	1113842, 1114710, 1113814, 2A0051	134
T011103646B	STR2601	1113842, 1114710, 1113814, 2A0051	134
T011103601B	STR2603	1113923, 1114805, 1113934, 1113959	136
T011103665DR	STR2604	1990379, 1993795, 1993806, 19933795	132
T011003635	STR2605	1990357, 1990413, 4N3182	136
T011003642B	STR2605	1990357, 1990413, 4N3182	136
T011103666R	STR2605	1990357, 1990413, 4N3182	136
T011003689	STR2607	8200050, 8200090	130
T011115001B	STR2610	1107582, 71490, 1107557	129
T011003650BCON	STR2611	1109642, 1109836, 1109979, 3T8967	134
T100383	STR2611PL	3603868PL	134
T011103612B	STR2613	1114055, 1114098, 1114119, 1114889	130
T010003656BR	STR2617	10478809, 1990396, 1990450, 1990458, F1HT11001AA	131

T011103604R	STR2617	10478809, 1990396, 1990450, 1990458, F1HT11001AA	131
T011103611	STR2617A	10461052, 1990337, 1990420, 10461038, 8L8206	131
T012303672B	STR2621	65262017074A	134
T011003651B	STR2624	19011522	133
T011003693B	STR2625	10461443, 10461473, 10479628, 10479630, 1113271	129
T011103654	STR2629	8200033, 8200040, 10461753, 19011506, 19011518	131
T011103654B	STR2629	8200033, 8200040, 10461753, 19011506, 19011518	131
T011103641B	STR2637NH	10478811, 1993918, 8C4774	135
T011103646R	STR2642	10478998, 10461058, 1990344, 1990367, 4N0957	134
T010003615	STR2642A	10478998, 10461058, 1990344, 1990367, 4N0957	133
T011003691	STR2642A	10478998, 10461058, 1990344, 1990367, 4N0957	133
T011003650	STR2652	10479339, 10478911, 10461739	133
T011003650A	STR2652	10479339, 10478911, 10461739	133
T011003650DR	STR2652	10479339, 10478911, 10461739	133
T011103650R	STR2652	10479339, 10478911, 10461739	133
T011003652	STR2653	19026030, 19026026, 8200000, 8200072, 8300025	135
T010019649	STR2654	8200435	135
T011015001	STR2655	10479662, 10479652, A0051518501, 0051518501	132
T011103602B	STR2665	1113288, 10461484, 0230002000, 1109540	129
T011103617B	STR2666W	10461285, 10465211, 1113292, 3604654RX	129
T011103621	STR2670	1113290, 0230002010	130
T011003688B	STR2671	8200433	132
T011003690	STR2672	10461770, 19011400	129
T011119600B	STR2674	8200138, A0061512101	133
T011003696B	STR2675	10461756, 19011509, 19011523	133
T011103645B	STR2676	10461395, 10478961, 10479013, 0R4263	135
T011103659	STR2680	1113273, 10465058, 323451	131
T018903619B	STR2682	1113277, 10461468, 0230002030, 0230002470	132
T011103628B	STR2682W	10461469, 10461486, 10479623	133
T018903619	STR2682W	10461469, 10461486, 10479623	133
T011103664DR	STR2686	10478817, 10461239, 3921403, 9Y1945, 3E2298	136
T10479205	STR2686	10478817, 10461239, 3921403, 9Y1945, 3E2298	136
T010003682	STR2688	19011500, 10461334, M9T70379, M009T70379	131
T011103656B	STR2689	19011524	135
T1990308B	STR2690	10461044, 1993738, 323818, 1993759, 1993850	130
T1990308B	STR2690A	1990308, 10461044, 1993738, 323818, 1993759	130
T011003687B	STR2696	8200321	135

Manuf/Sys - Ford

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010219601	STR8001	SA661A, D4TZ11002D, D5TF11001AA, D5TF11001DA, D6TF11001DA	137
T011103660	STR8900	F17U11000AB, F1TZ11002A, SA785	137

Manuf/Sys - Hitachi

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010003617	STR3001	2330010505, 2330010500, S11492K, 23300-10505	138
T011203611B	STR3003	2330021006, 2330021009, 23300U6000, 2330021005, 23300U0102	139
T011903604B	STR3004	2330015815, 23300P5110, M3T06473, 23300-15815	139
T010003621	STR3007	S114315, 23300M8000, 23300M8200, 23300M8010, 23300-M8000	138

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

T010003645	STR3009	94022494, 9821006350, 9821006060, S114247A, 9402-2494	140
T010003602R	STR3011	S11455, S11487, S11487K, S11487L, S11487M	138
T011203632	STR3012	2330031W02, 23300G7002, S1268B, 23300-31W02	139
T015615001R	STR3018	S13114A, 8944604010, 8-94460-417-1, 8-97112-549-0	141
T018703608R	STR3018	S13114A, 8944604010, 8-94460-417-1, 8-97112-549-0	141
T018703619B	STR3019	S25501, S25501A, 8971722110	142
T010003623	STR3022	23300Y0501, 23300Y0701, S114172E, S114172D, 23300-Y0501	139
T011203627	STR3023	S13107, 2330010T02, 2330010T01, 2330037700, 2330080G00	141
T018703614B	STR3023	S13107, 2330010T02, 2330010T01, 2330037700, 2330080G00	141
T018703614R	STR3023	S13107, 2330010T02, 2330010T01, 2330037700, 2330080G00	141
T011203603R	STR3024	23300T9008, S2401D	142
T011903629	STR3026	2330088G00, 2330088G01, S114528, 23300-88G00, 23300-88G01	139
T018703618B	STR3026	2330088G00, 2330088G01, S114528, 23300-88G00, 23300-88G01	139
T011903608B	STR3030	S114758, 2330050Y02	138
T014803602B	STR3031	8943334380, 5811001280, 5811001282, 8942549221, S2403C	142
T011903611B	STR3038	S13527B, 233002W200, 23300DB000	140
T010003646B	STR3039	S114829, S114829A, 8971891181, 6202000, 97189118	141
T010019635	STR3039	S114829, S114829A, 8971891181, 6202000, 97189118	141
T010003643R	STR3040	8971333691, S114850, S114850A, 8-971333-691	139
T8971333691	STR3040	8971333691, S114850, S114850A, 8-971333-691	139
T011903634B	STR3045	S114625, 11986577011	140
T010003657	STR3047	S114650A, S114650D, 11435177011, 41435177011	137
T011919604	STR3049	S114808, S114808A	141
T011203630	STR3052	23300Z5512, 23300-Z5512	142
T011203601	STR3052	23300Z5512, 23300-Z5512	142
T010003619	STR3054	S114570, S114570A, S114570B, 2330073Y00, 2330073Y01	137
T011219600	STR3065	S114306, S114309	138
T013415004	STR3065	S114306, S114309	138
T018703611B	STR3092	23300Z5515, S25164A	142
T011903605BR	STR3096	S114651A, 11436277011	137
T011903610	STR3103		141
T018719603R	STR3109	S114257G, S114483, S114483A, 12957377010	141
T010003683	STR3114	S13204, 12990077010	140
T018703600	STR3114	S13204, 12990077010	140
T018703600B	STR3114	S13204, 12990077010	140
T011903631	STR3120	S114443, S114443A, S114653, S114653A, S114653B	138
T017915001B	STR3129	S114414, S114414A, S114651, S114651A, 11436177011	137
T011919606	STR3151	S114705A, 2330052F00	140
T011919601B	STR3152	S13555A, 8973658240	140

Manuf/Sys - Iskra

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T017917201	STR7817	IS0367, 11130367	145
T017915016	STR7902	11130627, AZJ3201, IS0627	144
T017915022	STR7903	11130645, AZJ3211, IS0645, 35532040F	144

T017915001	STR7905	11131186, AZE1230, IS1056, 11439977010, 11436277011	142
T017915007	STR7905	11131186, AZE1230, IS1056, 11439977010, 11436277011	142
T017915020	STR7914	11131419, AZE2178, 2834752	144
T017903602	STR7915	11130793, RE505745	143
T017915027	STR7915	11130793, RE505745	143
T017915003	STR7917	11130697, AZJ3237, IS0366	143
T017919605	STR7921	AZG4654, 11131587, 01183039	145
T017915005	STR7924	11130432, IS0432, AZJ3123	143
T017915009	STR7926	11131143, IS1057, AZJ3387	144
T017915011	STR7927	11130532, IS0532, AZJ3156	143
T017915013	STR7928	11139506, IS9035, AZK5545	144
T017915015	STR7929	11130412, IS0412, AZJ3118	143
T017915018	STR7931	11131399, IS1130, AZF4104	145
T017919608	STR7934	11.130.842, AZF4515, IS0842	144
T017919608B	STR7934	11.130.842, AZF4515, IS0842	144
T017915025	STR7940	11130403, AZJ3110, IS0403	143
T017919603	STR7971	11131905, AZG4687, IS1179	145

Manuf/Sys - Lucas

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012303666	STR4008	66925094, 66925194, EL25194	147
T012303660	STR4009	66925095, 66925195, EL200B, EL25195	146
TEL25195	STR4009	66925095, 66925195, EX1200B, EL25195	146
T012303601	STR4022	66925149, 66925109, FNA1200A, EL25149	146
T010403660	STR4029	66925196, 66925096, 93586274, EL25196	147
T012303656	STR4031	66925090, TC27433	148
T012303656B	STR4031	66925090, TC27433	148
T011615001	STR4040	66925093, 66925193, 8811000B1A, 8811000AA, EL25193	147
T012303664B	STR4043	26024055A, 4093888, 278615999970	149
T012303650B	STR4050	66925170, 27500, 26339	148
T010019648	STR4052	26341	148
T012303668	STR4053	66925111, EL25111	146
T012303675	STR4061	27433, 66925051	148
T010015004	STR4067	66925169, EL25169	146
T012319603	STR4071	66925137, 027911023, EL25137	146
T012319604	STR4078	66925148, NX1200A, EL25148	145
T012303677B	STR4094	66925225, EL25225	145
T012319601	STR4099	66925092, 66925192, 8811000B1A, EL25192	148
T013103602	STR4099	66925092, 66925192, 8811000B1A, EL25192	148
T012303657	STR4105	66925089, 26357, LRS161, 3581576, 28738071	148
T012303657B	STR4105	66925089, 26357, LRS161, 3581576, 28738071	148
T012303662	STR4122G	26925113S, 26925113F, 26925113	147
T012303673B	STR4127	26925127A, 257415100105	147
T012303673	STR4127G	26925127A, 257415100105	147
T012303663R	STR4135	26925121H, 26925121A, 26925121E, 265415109902	146

Manuf/Sys - Magneti-Marelli

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010003616B	STR9009	4280001290, 63280041, MSN8041, 2873K405	149
T010003632	STR9009	4280001290, 63280041, MSN8041, 2873K405	149
T017915010BR	STR9009	4280001290, 63280041, MSN8041, 2873K405	149

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Cross Reference Index

T010419607B	STR9016	7788680, 4280000660, MS4280000660, 280000660	150
T010019604	STR9017	63280040, MSN8040, 2873K404	149
T013119601	STR9017	63280040, MSN8040, 2873K404	149
T0110419605	STR9066	63216827, MT68, MT71Z	149
T012419600	STR9068	63216831	149
T0104036111	STR9070	63217126	149
T012819609B	STR9072	63101018, 63101015	150

Manuf/Sys - Mando			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010003640	STR8701	3610011130, 3610021740, 3610022000, MC107012, MC109025	150
T010003641/B	STR8702	M53436, 3610023100, 438017, D6RA78, 36100-23100	150
T012519628B	STR8708	M62957, 3610037210	150
T015419601	STR8715	TM000A23601, 361004A000	150

Manuf/Sys - Mitsubishi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012503646B	STR5998	SM61205, 31200PNDAA01, PND3J, 31200PNDAA02	151

Manuf/Sys - Mitsubishi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T015119600	STR5002	042618400A, 022218400A, 0426-18-400, 0426-18-400A	153
T015119600	STR5005	M3T15772, MD021665, MD001550, MD003551, M3T15072	153
T010003644R	STR5006	M3T22581, M3T22582, MD034120, MD034121, 808818400	152
T012503629B	STR5007	M2T61071, MD164977, M002T61071	157
T011903632R	STR5010	23300P5112, M3T21281	152
T018703617	STR5012	M8T60071A, M008T60071A, ME077796, M8T60071, 1149831	160
T010003639B	STR5015	30118400, M3T38882, MAZS111C36, M3T30281, 301-18-400	152
T012503625	STR5025	M2T64271, M2T64272, ME017004, ME017001, 8S9096	158
T018703615R	STR5025	M2T64271, M2T64272, ME017004, ME017001, 8S9096	158
T012503606	STR5027	ME017034, M2T66871	157
T010003642R	STR5028	M2T56182, MD164975, MG120413, 3610042011, M2T56181	154
T012503610	STR5028	M2T56182, MD164975, MG120413, 3610042011, M2T56181	154
T010003605B	STR5029	M3T56071, M3T56074, ME037636, ME037330, M000A0291	159
T012519602	STR5030	M4T50073	160
T010003601B	STR5031	M2T65271, 3446620102	158
T012503612B	STR5033	M1T72583, MD172863, 3610035020	151
T018903614	STR5035	M1T60081, M1T60381, 23300W9810, 23300K9160	153
T012503608	STR5038	M008T87171M, ME049303M, M8T87171M, ME080740M	159
T012503637	STR5039	MOT81291, MOT86181, MOT91581, 233000QAW, 233000QUA	156
T015103602	STR5040	M2T62271, 32A6600101, 920670, M002T52271, 32A66-00101	155
T012503602R	STR5041	M008T80071, M8T80071, ME014418, ME013008	157
TWL9118400	STR5042	WL9118400, M2T87271, M002T87271, M002T87271ZT, WL0218400A	155
T011103655B	STR5044	M009T61171, M9T61171, 20430564	160
T012503644	STR5044	M009T61171, M9T61171, 20430564	160
T0104036108	STR5045	M3T95082, M3T95071, ME057990, ME057350, 3610083010	161
T012503630A	STR5047	M9T82571, 2330000Z05	158
T012503630BR	STR5047	M9T82571, 2330000Z05	158
T012503635	STR5048	M2T63271, ME200206, M002T63271	154
T010019633	STR5050	M3T10473, M3T10475, M3T10476, 220052112, 489318400B	156
T012503636B	STR5051	M8T60372, M8T60371, M8T60771, M008T60371, 32B6600202	158

T012503648B	STR5056	MM409410, M2T50381	157
T018903621	STR5059	M3T41781, M003T41781, 3110083030, 3110083031	151
T018903622B	STR5071	M1T79781, MD318086, MD320618	154
T018903622R	STR5071	M1T79781, MD318086, MD320618	154
T012519613	STR5072	M1T70281, M1T70283, M1T75283	152
T012503645IMP	STR5083	MOT87081, 233008H500	157
T010019659	STR5084	M000T87881, 8200584675	156
T012503639B	STR5085	M008T50071, M8T50071, F4TZ11002A, F5TU11000AA, F5TU11000AB	157
T012503642B	STR5087	M9T60672, M009T60672, 5010508379	160
T012519617	STR5089	MOT80581, MOT81281, MD332022	152
T010003622	STR5100	M002T78681, 233000T005, 233000T003, M2T78681	159
T018703622B	STR5100	M002T78681, 233000T005, 233000T003, M2T78681	159
T018703622R	STR5100	M002T78681, 233000T005, 233000T003, M2T78681	159
T012903675B	STR5104	6008133650, 6008133651, 6008133660	161
T010003655R	STR5114	M8T75171, 32A6610100, 32A6610101	155
T012503633	STR5114	M8T75171, 32A6610100, 32A6610101	155
T012503618	STR5117	M2T87071, M2T84071, MD312857, MD312858	154
T012503603B	STR5118	M8T75071, ME201650	155
T260015210	STR5118	M8T75071, ME201650	155
T012503616B	STR5119	M9T60171, M009T60171, ME152487J, ME152487, 031227069	159
T018903618	STR5122	M1T77381, FS0518400, FS1118400, FS1118400A, F32Z11002A	154
T011103655	STR5123	M9T82171, M009T82171, 11127679	160
T011103655IM	STR5123	M9T82171, M009T82171, 11127679	160
T010003654	STR5127	19011501, 0051516401, A0051516401	160
T010003654IM	STR5127	19011501, 0051516401, A0051516401	160
T010403608B	STR5127	19011501, 0051516401, A0051516401	160
T012503614	STR5129	M2T50981, G60218400, G60218400A, G60218400B	156
T011903632R	STR5131	M3T21882D, M3T21882, 2330000H10, 23300L1110, 23300L1111	153
T012519606	STR5141	M001T79581, 3110077E20, M1T79581	151
T010019609	STR5145	M2T30581, 3110073031, 31100-73031	151
T012703601	STR5151	M1T50471, G60118400B, G60118400A	153
T012519608	STR5152	M1T74287ZC, 56041014, M1T74281, M1T74286, M1T74287	155
T011903607B	STR5157	M000T32171, 23300BC20A, MOT32171	154
T012503631B	STR5158	M008T60972, 8980608540	159
T010019654	STR5159	M009T80971, 1811003413	159
T012519630	STR5161	MOT20471, MOT20472, MD362207	152
T010019641	STR5162	M009T64371, A0061514801	161
T012519625	STR5162	M009T64371, A0061514801	161
T012519604	STR5163	M000T84881, M000T84881ZC, MOT84881, MOT84881ZC, 5033067AA	153
T012519610B	STR5169	M8T76071, 23300EB30A	155
T011919600	STR5171	M002T50571, M002T50575, M2T50571, M2T50575, 23300VK500	156
T012519611B	STR5172	M9T60471, M9T61571, 5001853713, 5010306592, 5010480196	158
T012519623	STR5191	M000T82081, M000T85381	156
T012519619	STR5192	M8T60871, M8T60872, 32B6602102	158
T012519621	STR5193	M000T23171, 3110078K00	151

Manuf/Sys - Nikko			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010003610	STR8801	0230001030, 0230001031, 0230001032, 1811002640, 1811002641	162
T012919602	STR8801	0230001030, 0230001031, 0230001032, 1811002640, 1811002641	162
T012903623R	STR8806	0230007161, 0230007160, 0230007770, 6008137110, 6008137112	162
T012903679	STR8818	0230007742, 3756620501	162
T012919604	STR8820	0230001231, 6008134120, 0230001270, 6008133390, 0230001230	163
T012919604B	STR8820	0230001231, 6008134120, 0230001270, 6008133390, 0230001230	163

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

T012903678B	STR8829	0230001750, 0230001752, 6008134422, 6008134420, 023000-1750	162
T012903686B	STR8830	0230001980, 8943675660	161
T012903681B	STR8831	0230000260, 0230000261, 0230000262, 6008131721	161
T012903621B	STR8832	0240003060, 0240003240, 6008634510, 6008634410	161
T012903622R	STR8835	0230007861, 6008134933	162
T011903602	STR8836	0230006220, 0230006221, 0230006222, 0230007292, 1811002141	162
T021503642B	STR8837	0240000178, 8980703211	163

Manuf/Sys - Nippon Denso			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010003636	STR3081	2810060070, 0280008220, 28100-60070	166
T012803676	STR3092ND	2330025515ND, S25164AND	174
T010003622B	STR5100ND	M002T78681ND, 233000T005ND, 233000T003ND, M2T78681ND	175
T012515002BR	STR5102ND	281002624AND, 281002624ND, 03555020017ND	175
T012803618	STR6002	0280005910, 0280005912, 2810013010, 0280008440	164
T010003680	STR6007	2810024031, 2810024070, 2810024030, 0280004650, 0280004680	164
T012803669	STR6007	2810024031, 2810024070, 2810024030, 0280004650, 0280004680	164
T010003625	STR6008	2810015060, 0280007981, 28100-15060	165
T010003624B	STR6009	2810010030, 1280001620, 1280001621, 28100-10030	163
T010003628	STR6010	2810026080, 28100-26080	165
T010003630	STR6014	2810034010, 2810036040, 2810040041, 28100-40041	165
T012803616A	STR6016	5811001830, 0280007791, 8941364001, 60081231721, 1280004662	167
T018703607R	STR6016	5811001830, 0280007791, 8941364001, 60081231721, 1280004662	167
T0127150001	STR6019	1280000040, RF0118400, RF01-18-400	166
T012803659B	STR6024	2810056040, 2810056050, 0280005520, 28100-56040	170
T012803681	STR6025	2810056030, 0280005530, 2810056100, 28100-56030	173
T012803686	STR6026	2810064020, 2810064050, 0280008370, 0280008371, 0280009670	165
T012815001	STR6030	2810077090, 0280005300, 1811001620, 1811001890, 0280005481	173
T012803653	STR6031	1280005730, 1280005733, 1280005732, 3E5381, 8C4774	172
T012803653R	STR6031	1280005730, 1280005733, 1280005732, 3E5381, 8C4774	172
T012819604	STR6032	2280005021, 2810067050, 28100-67050	167
T013415001B	STR6032	2280005021, 2810067050, 28100-67050	167
T012803615B	STR6035	281002366071, 2280003710, 2280003711, 28100-40291	170
T012819616B	STR6035	281002366071, 2280003710, 2280003711, 28100-40291	170
T010015002	STR6037	2280006482, 228000-6482, WL6118400A	166
T018703620	STR6039	OK60A18400, 031114200	169
T012803691	STR6040	0280007620, 2810041050, 2810041030	164
T012819614	STR6046	2280005980, 2810017080	174
T018703610	STR6047	2810072010, 0280009260, 2810072080, 28100-72010, 28100-72080	165
T012803665	STR6048	2810074120, 2810074130, 28100-74120, 28100-74130	171
T012803650	STR6050	2810054070, 0280007370, 0280007372, 0280007373, 28100-54070	169
T018703606R	STR6050	2810054070, 0280007370, 0280007372, 0280007373, 28100-54070	169
T0100150002B	STR6052	2280007380, 2280007381, 2280005630, 2280005631, 10465538	172
T012803673B	STR6053	2280009140, RE504244	170
T010003634	STR6055	2810054380REPL, 2810014070REPL, 2280002120REPL, 28100-54380	168
T010003609	STR6056	1280005720, 1280005721, 1280005722, 1280005723, 3E5382	168

T012803674B	STR6058	128000-054, 128000054, 128000-0540, 1280000540, 228000-195	171
T012819607	STR6066	2280003980, 2280003981, NAD100580	169
T010003645B	STR6067	8944692460, 8943718330, 8941566710, 1280002040, 1280007560	167
T010003635B	STR6069	2810056310, 2810056311, 2280003070, 28100-56311, 28100-56310	170
T012819600R	STR6069	2810056310, 2810056311, 2280003070, 28100-56311, 28100-56310	170
T012619600	STR6070	12112077011, 1280000710, 5712800071, 451718	171
T018719601	STR6070	12112077011, 1280000710, 5712800071, 451718	171
T012803647	STR6072	2810017010, 2810017040, 1280008640, 1280008641, 2280001610	170
T012803677B	STR6072	2810017010, 2810017040, 1280008640, 1280008641, 2280001610	170
T012803647	STR6075	2810017060, 2280005992	171
T010403656B	STR6076	2330095000ND, 2330096060ND, 2330096105ND	174
T012819610	STR6081	2280006470, 2280006471, RE68470, TY24438	171
T012819610B	STR6081	2280006470, 2280006471, RE68470, TY24438	171
T010003633	STR6085	2810054270, 2280006614, 28100-54270	168
T2810054270	STR6085	2810054270, 2280006614, 28100-54270	168
T012803656	STR6087	2810054090, 2810054061, 0280005580, 0280006860, 0280006880	169
T010003626B	STR6088	2810016071, 1280005680, 2810016070, 2810016041, 1280006422	166
T012803671B	STR6089	2280006572, RE70475	172
T012803679B	STR6108	2280007220, NAD101240	164
T012819628	STR6112	2280006320, 2280006321	171
T010003637	STR6117	2280005302, 2810062050	164
T015603601	STR6118G	1280000830, 1280000831, 1280000832, 8941337583, 8941337584	167
T015603601R	STR6118G	1280000830, 1280000831, 1280000832, 8941337583, 8941337584	167
T012819626	STR6121	1280007330, 2810074040, 28100-74040	166
T012819620	STR6124	1280006280, 1901363011	169
T012803692R	STR6130	-	168
T010003638R	STR6132	1280005840, 1280007680, 2810042040, 2810075010, 28100-75010	164
T011115011	STR6137	1280001000, 1280001001, 1280001002	173
T010019625B	STR6149	2280004960, 2280004961, 31200P9ME00	169
T010003687B	STR6151	1280001050	168
T012819618	STR6152	4280001241, 4280001242, 2810031040, 2810031041	167
T1826000001	STR6154	1280009970, 228000144, 8944532111, 6008131420, 6008131721	170
T012819630	STR6156	4280004111, 4280004113, 281000T030	166
T012803688B	STR6158	1811003241, 8980608540	172
T010003684	STR6160	2280007550, 42498115, 99486046	172
T010003611	STR6161	4280000131, RE522852	174
T012819605B	STR6164	2280008540, 2810021020, 2810021030	165
T012519615	STR6179	2280008930, 3110080G00	163
T012803685	STR6188	2280007411, 2280007410, RE501050	174
T012819632	STR6191	2280009252, 2810097401	163
T010019623	STR6402	1280003641, 3110085291	163
T014003602B	STR6402	1280003641, 3110085291	163
T012803678B	STR6403	0280006202, 1811001411	173
T012819612	STR6404	1280006870, 2280005740, 7X1057, 6669633, 6667987	168
T012819624	STR6407	2280003260, 2810066060	167
T012819634	STR6408	281002623AND, 03555020015ND	174
T0133803606	STR6408	281002623AND, 03555020015ND	174
T010003651	STR6550	1280002450, 1280002451, 1811002301	173
T012803667R	STR6550	1280002450, 1280002451, 1811002301	173
T012803672BR	STR6550	1280002450, 1280002451, 1811002301	173
T021103621R	STR6550	1280002450, 1280002451, 1811002301	173
T012803683B	STR6851	6301300041, 281001090	173

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Cross Reference Index

T012919600B	STR8826ND	0240003001ND, 0240003020ND, 0240003030ND, 0240003031ND, 0240003041ND	175
T0210409207	STR8832ND	0240003060ND, 0240003240ND	172

Manuf/Sys - Prestolite

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010019615	STR9706B	-	175
T011003658	STR9710	M105R3031SE, M105431	176
T011003658B	STR9710	M105R3031SE, M105431	176
T013119603	STR9720	M125R3001SE, M125R3001SEP, M125701	175
T0110419602	STR9727	M100R2004SE, 12187645	175

Manuf/Sys - Sawafuji

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012515002	STR9805	03555020050, 2810078063	176
T0133803606R	STR9805	03555020050, 2810078063	176
T013803605	STR9810	03656020018, 281002865C	177
T0110419601	STR9852	23300Z5572, 03505020321, 23300-Z5572	176
T018703613	STR9853	2330097510, 03507020612, 03507020610, 03507020611, 2330097517	177
T011203602B	STR9854	2330096509, 03506020331, 23300-96509	176
T013803604	STR9854	2330096509, 03506020331, 23300-96509	176
T018703612	STR9854	2330096509, 03506020331, 23300-96509	176
T013803603B	STR9859	03555020211, 2810078090B, 2810078090, 28100-78090, 03555020212	176
T013803607	STR9870	03555020110, 23300Z5578	176

Manuf/Sys - Valeo

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T018919618	STRO001	D6RA32, 25A32136, 455699, 455973, 432632	179
T0210419600	STRO002	D6RA19, 19F90214	178
T018903612	STRO003	D9R91, 432539, ERR5009, PRC5109	178
T018703621B	STRO012	TM000A36101, 3610042350, 36100-42350	180
T018703621R	STRO012	TM000A36101, 3610042350, 36100-42350	180
T018903623R	STRO012	TM000A36101, 3610042350, 36100-42350	180
T018919616	STRO014	D6RA73, 455738, 438016, 7700100647	179
T012315002	STRO016	D7R24, 438013	179
T018919603	STRO018	TM000A28901, 6685190, 6676957, DSL6685190, DSL6676957	181
T010003669B	STRO019	D7E40, 455985, 233001F772	177
T0110419600	STRO025	D6RA107, 455956, 438087	180
T010003608B	STRO027	D7R43, 0051511301, 455720	181
T018919626	STRO030	D7E27, D7E47, TS10E3	177
T018919606	STRO033	D6RA661	178
T018919601	STRO034	D7R14, 438012, RE60641	180
T018903625	STRO038	D6RA63, D6RA063, 7700865985, 8111635, 455693	178
T018919621	STRO039	D7E2, D7E5, D7E7, 190263, 455748	178
T018919619B	STRO051	D7E15, 7700274303, 274303	177
T018919614	STRO055	D6RA83, 438079	179
T013203601	STRO060	D6G3, 9648644680	179
T018903627B	STRO064	D6RA110, 455982, 966401698001, 9664016980, 9646679980	181
T018919623	STRO065	D6GS13, 438173, 02T911023M, 02T911023I	180
T0100036185B	STRO067	D7ED281, 1661510001	177
T018919604	STRO069	D7G5, D7R44, D7R47, D7R49	180
T018919604B	STRO069	D7G5, D7R44, D7R47, D7R49	180
T010019611	STRO076	D7G4, 12417787354, 12417787356	179
T018919625	STRO078	281000Q012, TS10E1	178
T0110419604	STRO275	D7E33	180

Armatures

Manuf/Sys - Bosch

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010400103	ARM1017	1004012420, 1004012446, 1004012912, 1004012400, SA9303N	182
T030400124	ARM1019	1004012413, 1004012913, 1004012915, 055911311B, SA9310N	182
T010400124	ARM1024	2004004074, SA927N	182
T010000109	ARM1029	2004004081, AL19229, 1299235, 8122135, SA9201N	182
T010400136	ARM1036	2004004003, 2004014960, 2004004006, SA9212N, 084059003	183
T010400143	ARM1043	2004004112, 2004004061, SA9204N, 084059112	183
T010400171	ARM1046	2004004076, 2004004091, 2004004094, 2004014953	182
T010400137	ARM1053	2004005051, 2004005917, SA9100N	183
T010400157	ARM1057	2004005025, SA9104N, 084060025	183
T010400160B	ARM1060	2004005153, 2004005022, 2004005046, 2004005037, SA9105N	183
T010400168	ARM1068	2004004033, 2004014975, 2004004032, 2004004035, SA9213N	184
T010400101	ARM1073	6033AD5148	183
T010400161J	ARM1085	2004004092, 2004014952, SA9285N	182
T011000102	ARM1089	2004014028, 2004014029, SA9290N	184
T010400100	ARM1094	1004011088, 1004011072, 9948377, 9947827, 281600B020	182
T010400154	ARM1095	2004006101, 2004006102, 2004006091, 1290084, SA9QBN	184
T010400173	ARM1101	2004014034, SA9221N, CS165, 084014034	184
T010400169R	ARM1108	9003334039, 6033AD0285, 6033AD4013, 6033AD4080, SA9453N	183
T010000112	ARM1149	2134015050	184

Manuf/Sys - Delco

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T011000108	ARM2053	10515833	184
T011100127B	ARM2601	10456466, 10457618, 0231000311, 0231000316, SA220N	184
T011100101	ARM2606	1950417, 1969375, 1949190, SA211N, CS89	185
T011100105R	ARM2610	1967042, 1942244, 1932872, SA202N	185
T011000105	ARM2613	1967045, 1948999, 1946391, 665389, SA216N	185
T011100128B	ARM2620	10457117, 10457622, SA222N	186
T011100124	ARM2624	1945500, 1945511, 4M1868, 73116874, SA201N	187
T011100124L	ARM2624	1945500, 1945511, 4M1868, 73116874, SA201N	187
T1985249	ARM2637	1985249, 1987175, SA237N, CS49	185
T1988322B	ARM2638	1988322	186
T011100141B	ARM2641	1987989, SA241N	185
T011100153	ARM2642	1988435, 7T3276, SA242N	186
T011100153B	ARM2642	1988435, 7T3276, SA242N	186
T011100153V	ARM2642	1988435, 7T3276, SA242N	186
T011100154B	ARM2643	10472559, 9X3412, 3E7855, SA243N	186
T011100151B	ARM2651	1951254, 3T5425, 7M0323, SA213N	186
T011100152B	ARM2652	1945840, 1953233, 7M8651, 1211396H1, SA212N	186
T011100103B	ARM2655	10516266, 10511758, 0282008330	185
T021003804	ARM2655	10516266, 10511758, 0282008330	185
T10473852	ARM2672	10473852	185
T01100102B	ARM5003	10511750	186

Manuf/Sys - Hitachi

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T011900100	ARM3003	213061004, 213081004, 233100Y000, 8944355610, SA871N	187

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

TYM121254-77402	ARM3066	YM12125477402	187
-----------------	---------	---------------	-----

Manuf/Sys - Iskra			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T017900103	ARM7901	16.360.524	187
T017900101	ARM7917	16.908.339	187

Manuf/Sys - Lucas			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012300131	ARM4003	54254042,TBG104, CSTC, SA1CN	188
T012300183	ARM4015	66240713, CS27, SA14N	187
T012300179	ARM4040	54251818, TIB113, CS15B, SA7N	188
T012300133	ARM4057	54248609, TIB107	187
T012300181	ARM4062	54247379, TIB108, CS28, SA5N	188
T012300176	ARM4076	54243590, TJB103, CS26	188
T012300180	ARM4081	54243592, 60251459, TJB104, CS29, SA29N	188

Manuf/Sys - Lucas (TVS)			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012300135	ARM4124	26253642	188

Manuf/Sys - Mitsubishi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010000105	ARM5025	M105X29371, ME700136, 233100T003, M105X56471, SA136N	188
T012500103	ARM5034	-	189
T012500122R	ARM5036	M105X45071, SA5036N	189
T012500101	ARM5038	M105X43671, ME701446, M105X43672	189

Manuf/Sys - Nikko			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012900112	ARM8803	0231000121, 1231000120, 1811210330, 7231000040	190
T01200114B	ARM8805	0231000231, 0231000230, KD0231000230, 0-23100-0230, SA750N	189
T012900114R	ARM8805	0231000231, 0231000230, KD0231000230, 0-23100-0230, SA750N	189
T012900125	ARM8806	0231000261, 0510001910	190
T144815261B	ARM8806	0231000261, 0510001910	190
T012900115	ARM8812	0231000430	190
T012900115R	ARM8812	0231000430	190
T012900122	ARM8822	0231000161, 1231000160, 7231000220, 7231000190	189
T012900113B	ARM8846	0231000251, 7231000310	190
T012900113R	ARM8846	0231000251, 7231000310	190
T012900108	ARM8852	0241000030	189
TO-23100-0201	ARM8853	0231000200, 0231000201, 7231000160, 7231000240, 7231000330	189

Manuf/Sys - Nippon Denso			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012800101	ARM6012	2816047040, 0282001780, 28160-47040, SA360N	190
T012800103	ARM6012	2816047040, 0282001780, 28160-47040, SA360N	190

Manuf/Sys - Prestolite			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T1431001002	ARM9701	MBD2506B, MBD2556A, 1431001002, MBD3556A, 16914	190
T1431001003	ARM9710	-	190

Manuf/Sys - Sawafuji			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T0138001002	ARM9812	132007710X0	191
T0138001001	ARM9861	132007800X0, 281601460	191

T013802705	ARM9863	132009801X0	191
T012900123	ARM9866	132006340X0	191

Manuf/Sys - Valeo			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010000111	ARM0006	594112, 182591, NE824, 594278	191

Bendix Drives			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T0104028131	DRV1003	2006209470, 2006209483, 9001451343, 79026090, 9936730	196
T010402820	DRV1006	2006209475, 11540050300018, 49049900, 1530394C1, 1320117	198
T010402820R	DRV1006	2006209475, 11540050300018, 49049900, 1530394C1, 1320117	198
T0104028117B	DRV1010	1006209404, 1006209470, 1006209414, 1006209447, 1006209410	193
T010403613	DRV1013	6033AD0061, 1319754	198
T0104028991	DRV1016	1006209061, 1006209104, 1006209233, 1006209339, 2006209161	193
T010002805	DRV1017	9001690446	194
T0104028104R	DRV1017	9001690446	194
T0104028148	DRV1017	9001690446	194
T010402845	DRV1021	1006209412, 1006209439	193
T0104028158	DRV1023	9002336230	198
T010402816	DRV1026	1006209921, 1006209544, 1006209543, F000AL1520	192
T010402837	DRV1026	1006209921, 1006209544, 1006209543, F000AL1520	192
T0104028103	DRV1027	1006209449, 1006209406, 9001692096	194
T010402805	DRV1031	1006209526, 1006209506, 1006209536, 049911335A, 9941314	192
T010402831R	DRV1031	1006209526, 1006209506, 1006209536, 049911335A, 9941314	192
T0104028150	DRV1032	1006209536, 1006209563	192
T010402835B	DRV1035	2006209492, 2006209000, 2006209536, 1308742, 42487785	196
T010402836	DRV1036	9001690111, 1006209592, 1006209554	194
T010402838B	DRV1037	9001690067	192
T010402801R	DRV1053	1006209633, 1006209715, 1006209706, F000AL1324, 5835C7	192
T0104028134	DRV1053	1006209633, 1006209715, 1006209706, F000AL1324, 5835C7	192
T0104028998	DRV1053	1006209633, 1006209715, 1006209706, F000AL1324, 5835C7	192
T010402808Z	DRV1056	1006209585, 1006209916, 020911335A	192
T0104028128	DRV1059	1006209539, 1006209538, 9940740	197
T010402861	DRV1061	2006209476, 2006209469, 2006209336, 12155224, 1308144	195
T0104028109	DRV1062	2006209301, 2006209107, 2006209341	196
T0104028116	DRV1063	2006209422, 2006209406, 2006209436, 9001083436, 086264436	196
T010402873R	DRV1070	2006209425, 2006209491, 2006209494, 2006209535, 3079550R91	199
T0104028126	DRV1075	2006209499, 2006209495, 2006209462, 82DB11350AA, 3079360R91	197
T010402875R	DRV1075	2006209499, 2006209495, 2006209462, 82DB11350AA, 3079360R91	197
T1006209566	DRV1075	2006209499, 2006209495, 2006209462, 82DB11350AA, 3079360R91	197
T010002801	DRV1076	2006209329, 05726971, 49048300	200
T010402870	DRV1078	2006209438, 2006209342, 3078979R91, 1320455	199
T010420100	DRV1079	1006209516, 1006209510, 1006209566, 1006209318	197
T010402891	DRV1091	2006382176, 2006382150, 1290195, 8122128, 81262090015	195
T010402895	DRV1092	2006383152	198
T010402893	DRV1093	2006382162, 9920368, 50000809447, 5100140386	199
T010402807	DRV1095	2006382018, 2006382156, 086437156	198
T0104028138	DRV1095	2006382018, 2006382156, 086437156	198
T0104028120	DRV1097	-	199

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Cross Reference Index

T010402897	DRV1097	-	199
T0104028132	DRV1106	2006209457, 2006209459, 2006209427, 2006209551, A187777	197
T010402867	DRV1106	2006209457, 2006209459, 2006209427, 2006209551, A187777	197
T010402825	DRV1118	1006209558, 1006209565, 1006209910, 1006209553, 1006209583	197
T010402810	DRV1121	2006382062, 1301161	199
T0104028146	DRV1123	1006209634, 1006209983	194
T0104028156	DRV1123	1006209634, 1006209983	194
T010402894	DRV1134	1006209618, 1006209677, 1006209638, 1006209690, 9947831	192
T010002820	DRV1135	2006382188, 79052234, 93191516	197
T0104028136	DRV1136	1006209680, 1006209880, F000AL11000, 1006209621, 1006209648	197
T0104028153	DRV1138	9002336238	195
T010002807R	DRV1140	1006209695, 1006209695, 280110D030280110D030	198
T010402868	DRV1143	6033AD4034, 1340081, 6033AD4148	195
T011003672	DRV1143	6033AD4034, 1340081, 6033AD4148	195
T011002801	DRV1144	2006202010, 2006202011, 1337448, 0001501031	199
T0104028165R	DRV1145	1006209650, 1006209850, 49071200	194
T0104028155	DRV1148	1006209821	194
T010402822	DRV1148	1006209821	194
T0104028124R	DRV1151C	6033AD5078	200
T0104028100R	DRV1155	6033AD1002, 6033AD0077	196
T0104028111	DRV1161	6033AD4052	199
T010402802R	DRV1200	6033AD3108, 6033AD3006, 0011514113, 1319806, 086289006	195
T0104028996	DRV1201	6033AD0129, 6033AD4243, 33099583	200
T0104028164	DRV1202	6033AD0044, 1006209524, 9003336280, 9002336209, 9002336224	194
T010402818	DRV1204	6033AD1052, 1340070	195
T010402826	DRV1206	1006209808	193
T010402813	DRV1207	1006209675, 1006209607, 9947838, 2801102010, 28730312	193
T010402813R	DRV1207	1006209675, 1006209607, 9947838, 2801102010, 28730312	193
T010402830	DRV1207	1006209675, 1006209607, 9947838, 2801102010, 28730312	193
T0104028101R	DRV1208	1006209804	196
T0104028161	DRV1208	1006209804	196
T010402872	DRV1208	1006209804	196
T0104028993	DRV1222	1006209799, 1006209981, 280110D130	193
T0104028108	DRV1293	9003336283, F000AL1881	195
T0104028105R	DRV1295	6033AD0467, 6033AD4232, 6033AD0304, 6033AD0242	198
T6382060	DRV1343	2006382060	196
T010402803R	DRV1384	1006209645, 1006209802, 1006209950	193

Manuf/Sys - Butec			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012902812R	DRV0401	850363, 852758, 850758, 852957	200
T010502801R	DRV0402	850629, 850173, 850760, 852959, 858394	200

Manuf/Sys - CAV			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010402885	DRV7302	2006380500, 5549306CH18100104, 9001084045	200
T010702801	DRV7335	5549306AH, 5549306AJ, 5549306T	200

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T014002802	DRV2601	800026, 1892899	201
T011102806	DRV2602	1952410, 1932188, 1939506	201
T011002807	DRV2605	10457057, D2054	202
T011102804	DRV2606	10457058, 10457168	202
T011102802R	DRV2607	10457059	201
T011102811	DRV2610	1941157, 1971707, 21939608	201

T011002805R	DRV2613	1943818, 1968131, 10497522, 1877345, 1947912	201
T011102815R	DRV2615	1875852, 1934488, 1940134, 1940138	202
T021102836B	DRV2617	1985262, 1985626	203
T021102838B	DRV2617	1985262, 1985626	203
T011102837R/B	DRV2618	1986244, E6HZ11350A	201
T10472565R	DRV2621	10472565	203
T011102823B	DRV2623	1967779, 800066, 1976884	202
T011002811	DRV2624	1970711, 1114087, 1893560, 1894213, 1946957	203
T011102824	DRV2624	1970711, 1114087, 1893560, 1894213, 1946957	203
T011102824J	DRV2624	1970711, 1114087, 1893560, 1894213, 1946957	203
T011002814	DRV2626	1977006, 1893562, 1894214, 1947520, 800069	203
T011102825B	DRV2626	1977006, 1893562, 1894214, 1947520, 800069	203
T1979836R	DRV2630	1894220, 1977012, 1979836, 1946174, 800075	202
T1979835R	DRV2631	1894221, 1949450, 800077, 1979835, 1967952	202
T011002804R	DRV2633	10456455, 10457056, 10457167	201
T011102832B	DRV2633	10456455, 10457056, 10457167	201
T10476528R	DRV2652	10476528, 270999	202
T011103901R	DRV5114	10511410	203

Manuf/Sys - Hitachi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T23312T5601	DRV3006	9821212340, 2331276201, 212025001, 2331237502	204
TYM129953-77660	DRV3006	9821212340, 2331276201, 212025001, 2331237502	204
T011902820	DRV3008	23312J2003, 21305500, 21307500, 23312C6800, 225045003	204
T011902807	DRV3013	225085005, 23314Z9002, 23312T9003, 225045004, 227085000	205
T011902816R	DRV3015	2331390005, 22505500, 22506500, 23313-90005	205
T014002801	DRV3032	211415507, 2331203J00	204
T0104028151R	DRV3053	8972305640	204
T0104028149	DRV3056	213025005, 214015003, 21401500, 8970475480, 8944355630	203
T011902808	DRV3056	213025005, 214015003, 21401500, 8970475480, 8944355630	203
T0104028143	DRV3088	2331243000, 213015005, 213015505, 213095007, 23312-43G00	204
T011902819	DRV3093	22406501, 22402501, 8970256710	205
T011902812	DRV3121	22404500, 22407500, 2331202N00	204
T011902804	DRV3128	22402500, 22408500, 22409500	204
T011902813	DRV3142	211465004, 211495002, TMJ102, 23312M1500, 23312M1501	203

Manuf/Sys - Iskra			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T017902806R	DRV7904	16901752	206
T017902812	DRV7904	16901752	206
T017902803	DRV7906	16908352	205
T017902805	DRV7908	16903166	205
T017902810	DRV7909	16901658	205
T017902801	DRV7915	16907267	205

Manuf/Sys - Lucas			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012302801	DRV4002	54247077, 54247076, TNB137, 54247181, 54244686	207
T012302740	DRV4013	66241919	206
T012302741R	DRV4018	66241322	207
T012302884	DRV4020	54269360	206
T0104028140	DRV4021	66241709	206
T012302882	DRV4035	66240367, 54252212, TLB112	206
T012302839	DRV4042	66241622, 66242134	206

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

TO104028113	DRV4054	60600341, 291875, 54255889, TLB117, 292130	208
TO12302863B	DRV4063	60600024, 54247034, TMB120, TNB108	208
TO12302864R	DRV4067	54243781, 54246662, 60600050, TMB102	208
TO12302874R	DRV4069	54247389, 60600038, 54268142, TMB121, TNB169	208
TO104028115	DRV4073	54247187, 54243783, 54246738, 54246896, TMB115	207
TO12302873B	DRV4073	54247187, 54243783, 54246738, 54246896, TMB115	207
TO12302873R	DRV4073	54247187, 54243783, 54246738, 54246896, TMB115	207
TO12302803	DRV4075	54290474, 54294338, TNB173	207
TO12302881	DRV4080	54269213, 54263748, 54268928, TMB166	207
TO13102800	DRV4086	66242137, 66241323	206
TO12302804R	DRV4104	26253397	207
TO12302843	DRV4120	26241399	207
TO19902801B	DRV4120	26241399	207
TO12302841	DRV4164	26255474	208

Manuf/Sys - Magneti-Marelli			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO104028119	DRV9004	9929081, 79023774, 9000862, 72139007, 72363401	208
TO12402802	DRV9010	72138801	208
TO12402800	DRV9016	-	209

Manuf/Sys - Mitsubishi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO125028018	DRV5002	M357X73571, ME700042, ME700041, M231X00684	209
TO12028005	DRV5003	808824722, MD607283, 23312Y5011	209
T2600156459	DRV5005C	-	211
TO12503902R	DRV5007	M191T68471	210
TO125028019	DRV5011	57471	210
TO12502809R	DRV5023	ME700040, M357X84571	210
TO12520100	DRV5026	M191T13671, M191T14671	210
TO125028023	DRV5041	M191T72672, ME701209	211
TO125028016R	DRV5046	-	211
TO104028142	DRV5082	M191T12171, 2335420R10, E92Z11350B, M191T13271, SDE336	209
TO125028014	DRV5087	M191T22071, M191T23071, E7GZ11350A, 2335442L11, 3132079030	209
TO125028021B	DRV5087	M191T22071, M191T23071, E7GZ11350A, 2335442L11, 3132079030	209
TO125028025	DRV5089	M191T22271, M191T22871, M191T23171	209
TO125028020	DRV5098	M191T63271	210
TO125028015	DRV5099	M191T63371, M191T65671, ME700401, ME700681	210
TO125028017R	DRV5099	M191T63371, M191T65671, ME700401, ME700681	210
TO11902802	DRV5103	M191X67585, M191X67571	211
TO12502833B	DRV5104	M191X68071, M191T15071, MD618963, WL0218X25	209
TO12503904R	DRV5107	M191X90171, 10511410	211
TO125028012	DRV5117	M191T72971, M191T73471	211
TO125028010	DRV5118	M191T61771	210

Manuf/Sys - Nikko			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO12902803R	DRV8803	1235000170	212
TO12902802R	DRV8804	1235000160	212
TO12902805R	DRV8808	-	213
T1-23500-0190	DRV8808	-	213
TO12902820R	DRV8809	0235000390	212
TO11902806	DRV8810	1811220040, 82121220, 181122004, 1215000650, 1215001590	212
TO12902806R	DRV8815	1811220390, 1235000990, 1811220400	212
TO-23500-0392	DRV8816	0235000392	212
TO12902804	DRV8818	0245110040	211

TO12902801	DRV8819	0235000250, 0235000251, 1235000250	212
------------	---------	------------------------------------	-----

Manuf/Sys - Nippon Denso			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO128028004	DRV6004	0283000851, 2801122020, 2811013033, 0283001020, 3132063210	213
TO101001	DRV6007	5811240060, 0283001841, 581124006, 5-81124-006-0	213
TO12802808	DRV6008	2801154070, 0280992700, 2810054310, 28011-54070	214
TO104028144	DRV6009	0283001791, 2801126042, 2801126040, 0283001602, 0283001603	213
TO128028011	DRV6009	0283001791, 2801126042, 2801126040, 0283001602, 0283001603	213
TO128028007B	DRV6020	2801154010, 0283002011, 2801177090, 2801112660, 1811220490	214
TO12802820R	DRV6020	2801154010, 0283002011, 2801177090, 2801112660, 1811220490	214
TO12802856	DRV6026	0283003690, 0283006550, 0283006610, RE47369, 7T6093	214
TO128028012	DRV6027	2801113060, 0283005400	213
TO104028110B	DRV6065	2801154380, 28011-54380	214
TO12802803	DRV6089	0283009541	213
TO128028013	DRV6154	0283004390, 0283005850	213

Manuf/Sys - Sawafuji			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO13802804	DRV9808	-	214

Manuf/Sys - Valeo			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO10002811	DRV0004	594410, 188993	214
TO10002810	DRV0006	187084, 594308	215
TO10020100	DRV0010	594252, 594177, NE877	214
TO18902800	DRV7826	584185, 185915, 549185, 594185, NE834	215

Brackets			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO10400626	BCES1012	2005856050, 2005856104, 4797265, 693030, 9925344	217
TO10400621B	BCES1077	2005854094	216
TO10400568R	BDES1015	6033AD0082, 6033AD0448	217
TO10400525	BDES1025	-	217
TO20400509	BDES1028	-	217
TO10400536	BDES1036	2005825083, 2005825186, 2005825081, 240740, 697879	217
T530013247	BDES1038	-	217
TO10400549	BDES1050	-	217
TO10400558	BDES1060	2005825071	218
T530013269	BDES1070	2005825316	218
TO10400511	BDES1099	2005824916, 2004824692	218
TO10400514	BDES1250	-	218
TO10400570	BDES1263	-	218

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO10468709	BCES2601	10468709, 10469809, D3339	216
T10468709	BCES2601	10468709, 10469809, D3339	216
T1945848	BCES2666	1945847, 1945848, 1953227	216
T532500602R	BCES2670	10511780	216
TO22500600	BDES2013	-	218
TO11100505B	BDES2605	1949606, 1945506, 1957846, 8L5265, 9M7202	218
T1951258	BDES2606	1109781, 1951257, 1951258, 7M0334	219
TO11100554B	BDES2608	10512027	219
TO11000508	BDES2609	1988748	219

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Cross Reference Index

T011100542	BDES2642	1988779, 1988137, 1988438	219
T011100542R	BDES2642	1988779, 1988137, 1988438	219
T011100521	BDES2665	10457052, 0233101380	219
T1986351	BDES2704	1986351	219
T1979870	BINS2677	1979870, 7M0333, 1953223, 1945857, 1979598	220

Manuf/Sys - Lucas			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012300650R	BCES4027	54246328	216

Manuf/Sys - Nikko			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO-23711-0221	BCES8800	0237110221	216
T012900602	BCES8801	0237100221	216
TO-23310-1580	BDES8802	0233101580	219
TO-23300-0270	BDES8803	0233000270	220
T1-23600-0080	BINS8800	1236000080	220

Manuf/Sys - Nippon Denso			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T534700501	BDES6084	-	220

Manuf/Sys - Prestolite			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T143100501	BDESM9700	MBD523, 22515	220

Manuf/Sys - Sawafuji			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T013810801	BINS9800	224406821X0	220

Brush Holders			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T018300901	BHS1003	2004336031, 2004336046, 085836031	222
T010400906	BHS1006	2004336028, 2004336044, 085836028	222
T01110104004	BHS1009	2004336027, 085836027	221
T010400904	BHS1010	2004336041	221
T010400922	BHS1016	2004335070, 2004335072	221
T010014207B	BHS1017	1004336961, 1004336821, 1004336417, 085831951	221
T0104000908	BHS1017	1004336961, 1004336821, 1004336417, 085831951	221
T010014205B	BHS1018	1004336963, F000AL1055	221
T011000904	BHS1021	2004336078	222
T011000902	BHS1033	2004336085, 085836085	222
T010400926	BHS1034	6033AD0368, 6033AD0401, 6033AD1246	221
T010400902	BHS1128	1004336361	221

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T011100911B	BHS2611	1948515, 1945517, 4M1846, 9M7623	222
T011100913B	BHS2612	1979387, 1979494	222
T011100916	BHS2616	1945849, 1953229, 1967354, 3T9525, 7M0330	222
T011100901B	BHS2617	1984974, 1985065	223
T011100941B	BHS2642	1988121, 1988122, 8T8570	223

Manuf/Sys - Hitachi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010000913	BHS3027	213063022, 22403310, 233781W400, 8944788630, 213053021	223
TYM121254-77571	BHS3035	213033021	223

Manuf/Sys - Iskra			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T017900902	BHS7900	16905687	223

Manuf/Sys - Lucas			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012300906	BHS4001	66240004, 66740126	223
T012300904J	BHS4004	54266043	223

Manuf/Sys - Magneti-Marelli			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T580000806	BHS9006	83226336	224

Manuf/Sys - Mitsubishi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010000906	BHS5001	M649T05072, ME700140	224
T012500901	BHS5002	M649T04971, M649T07371	224
T012600901	BHS5005	M649T01271, MD611217, 2337842L70, M649T01272, M649T01273	224
T2337842L70	BHS5005	M649T01271, MD611217, 2337842L70, M649T01272, M649T01273	224
T010000909	BHS5005	M649T01271, MD611217, 2337842L70, M649T01272, M649T01273	224
TM649X20471	BHS5013	M649X20471, ME701467	224

Manuf/Sys - Nikko			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
TO-21750-1432	BHS8801	1811180180, 0217501432	225
TO-23750-0050	BHS8804	1811180320, 0237500050, 0237500250, 7237500120	224
T7-23750-0120	BHS8804	1811180320, 0237500050, 0237500250, 7237500120	224
T012900902	BHS8809	0247500030	225
TO-23750-0220	BHS8815	0237500220	224

Manuf/Sys - Nippon Denso			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012800920	BHS6020	2814077090, 0285100500	225
T012800953	BHS6421		225

Manuf/Sys - Sawafuji			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T263800001	BHS9804	281401280, 2333099202, 133103900X0	225
T013800902	BHS9807	133107100X0	225
T133103410X9	BHS9816	133103410X9	225
T013800803	BHS9820	281401290, 133104300X0, 133104600X0	226

Field Coils			
Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010400305	FCS1005	9001692019, 1004112553, 1004112564, 582069	227
T010400325A	FCS1025	2004114060, 2004114291, 2004114061, 2004114297, 2004114137	227
T010400335	FCS1025	2004114060, 2004114291, 2004114061, 2004114297, 2004114137	227
T018300301	FCS1025	2004114060, 2004114291, 2004114061, 2004114297, 2004114137	227
T010400334	FCS1034	2004114065, 2004114295, 2004114135, 2004114066, 2004114067	227
T010402889	FCS1040	2004105017, 2004105012, 2004105015	227
T010400354	FCS1043	2004116099	227

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering



T010400319	FCS1045	6033AD0151, 6033AD4098, 6033AD4108	227
T010400351	FCS1051	2004125083, 2004125076, 084180083	228
T010402884	FCS1077	2004125089	227
T011000301	FCS1083	2004124005, 1337451, 0001519655, 084179005	228
T011100328	FCS2603	10456473, 10483822	228
T011100337	FCS2619	1985324	228
T011100303B	FCS2703	10511404	228
T021000801	FCS5010Y	10511404	228

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T011100302	FCS2602	1956384, 1891918, 3M5833, 8M5833	228
T011100340B	FCS2607	10472563, 3E7852, 9X0288	229
T011100316B	FCS2616	1945496, 1846926, 1974929, 4M1839, 7N1283	229
T011013801	FCS2621Y	10515832	229
T011100342B	FCS2699	1988442, 7T3277	229
T011000305	FCS2702	1951857	229
T012500302	FCS5013Y	-	229

Manuf/Sys - Lucas			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012300316	FCS4016	272394, TEB132, 60600054, CF4	229
T012300324	FCS4024	54267617, 54243851, 60251471, 60600018, TEB105	230

Manuf/Sys - Magneti-Marelli			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010000306	FCS9009	-	230

Manuf/Sys - Mitsubishi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010000302	FCS5005	M800T43171, ME700046	230

Manuf/Sys - Nikko			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012900303	FCS8801	0232300150	230
T012900301	FCS8802	5811120190, 1811293960, 0232300110	230
TF/COILO1	FCS8802	5811120190, 1811293960, 0232300110	230
T012900307	FCS8802Y	0232000120	230
T012900305	FCS8806	202900301, 0232000342	230
T012900309	FCS8811	0242000040	231

Manuf/Sys - Nippon Denso			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T0501000	FCS6001	-	231
T012800323	FCS6002	2812166010, 0281100870	231
T012800320	FCS6020	2812047040	231

Manuf/Sys - Prestolite			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T1431003001	FCS9704	-	231

Manuf/Sys - Sawafuji			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T013800302	FCS9816Y	131010030X0	231
T013800308	FCS9817Y	131013401X0	231

Miscellaneous Parts

Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T2003429063	BOS1002	2003429067, 2003429066	232
T2600156209	CLU1020	2006401904, 5586517, 086456904	232
T010403940	CLU1040	2006401527, 2003162005, 2003162006, 2003162016, 76431527	232
T010403941R	CLU1066	2000780133	232
T010410712	COS1012	2000580121, 2000580127, 085580127	232
T010403002	FRK1002	1001933101, 82GB11057AA	232
T010403005J	FRK1005	2001933149, 2001933148, 2001933175, 83BB11057AA, 085988175	233
T010411103	PLU1003	2003050076, 2007010047, 087065047	234
T010411101	PLU1007	2007010049, 2003050077, 2007010048	234
T010411110	PLU1009	2007010045, 2003010075, 2003050075, 087065045	234
T010410506	SLES1006	2005825077	235

Manuf/Sys - Delco			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T011104002	BOS2603	1914869	232
T011103040B	FRK2608	1945484, 4M1853	233
T011111140	PLU2612	1948522	234
T011111111B	PLU2613	1988775, 1988139	234

Manuf/Sys - Hitachi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T2331229000	GEAR3005	22503113	234

Manuf/Sys - Lucas			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012301110	BTS4010	54247722	235
T012303005	FRK4005A	54267369, 60600649	233

Manuf/Sys - Mitsubishi			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T260015610023	PLU5000	-	234

Manuf/Sys - Nikko			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T7233200060	FRK8801	7233200060	233
T01290301	FRK8802	7233200040	233
T012903001	FRK8803	7233200010	233

Manuf/Sys - Nippon Denso			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012811101	PLU6002	0536607120, 0536807120, NP130	235
T010011102	PLU6003	0536600401, 0536607250, 2823554070	235

Manuf/Sys - Sawafuji			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T013803004	FRK9800	137204200X0	233

Starter Solenoids

Manuf/Sys - Bosch			
Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010002720	SOL1004	9330331006, A0011521310, BF6T11390A, 93278025, 2339303858	236
T011009502	SOL1011	2339403006, 1405979, 0011526310	237
T010402702B	SOL1015	0331402015, 0331402007, 0331402054, 0331402051, 0331402507	238

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

Cross Reference Index

T010402773	SOL1020	0331303006, 0331303002, 9330693019, 9330693020, 2339303293	236
T010402722	SOL1022	0331302064, 0331302040, 933061028, 9330691001, 9330691089	236
T550002712	SOL1031	9330691007, 0331302044, 0331302045, 9330691001, 9330691013	236
T010402785	SOL1032	0331100023, 0331100022	238
T010002745	SOL1043	0331303005, 0331303016, 77EB11390BA, 083303005	236
T010402752	SOL1052	0331402001, 0331402004, 0331402700, 0331402035, 0331402513	236
T010402752B	SOL1052	0331402001, 0331402004, 0331402700, 0331402035, 0331402513	236
T010402793	SOL1054	0331401001, 083402073	236
T550402702	SOL1058	0331402008	238
T010402763A	SOL1063	0331402010, 0331402037, 0331402537, 0331402615, 0331402201	238
T010402774B	SOL1065	0331303147, 0331303647, 2339303222, 2339303412	237
T010402777	SOL1077	0331101002, 0331101004, 083101004	238
T010402779	SOL1079	0331101011, 083105011	237
T010402780B	SOL1080	0331101006, 0331101005, 083105006	238
T010402799	SOL1080	0331101006, 0331101005, 083105006	238
T010402704	SOL1081	2339402220, 1658730	238
T010402795	SOL1092	2339304009, 2339304005, 2339304013, 2339304040	237
T010402753B	SOL1094	2339403010, 0011523210, 083413010	239
T2339403010	SOL1094	2339403010, 0011523210, 083413010	239
T010002703	SOL1095	0331402068, 0331402006, 0331402042, 0331402530, 0331402705	237
T010402797	SOL1098	9330331010, 1319265	237
T010402708	SOL1100	2339304023, 2339304006, 2339304007, 2339304019, 2339304068	237
T011009505	SOL1107	2339402156, 2339402180, 2339402117, 0011524810	239
T010402701	SOL1397	2339402133, 2339402168	239

Manuf/Sys - Butec

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T550502701	SOL0401	850686	239

Manuf/Sys - Delco

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T011102701	SOL2601	1114356, 1114251, 1114379, 83091, 3204349	239
TESOL356	SOL2601	1114356, 1114251, 1114379, 83091, 3204349	239
T011102719	SOL2607	1115513, 1115543, 1115512, 1115536	240
T011102706	SOL2609	1115701, 1115664, 1115712	239
T011102706R	SOL2609	1115701, 1115664, 1115712	239
T011102781B	SOL2609	1115701, 1115664, 1115712	239
T011102707B	SOL2610	1115667	240
T1115556	SOL2615	1115556, 10456390, 3T5045, EIHZ11390A	239
T011102716B	SOL2616	1119848, 1119832, 10456391, 3T4704, 4N3890	240
T010002754B	SOL2617	1119848, 1119832	241
T011102744	SOL2617	1119848, 1119832	241
T011102745B	SOL2617	1119848, 1119832	241
T011102708B	SOL2618	1115515, 1115567, 1115568	241
T251015301	SOL2624	10518782	241
T011102723	SOL2642	1115595, 1115608, 10456394, 9X9511, 7T0258	241
T011102742	SOL2642	1115595, 1115608, 10456394, 9X9511, 7T0258	241
T011102722	SOL2643	1115593, 1115645, 10456393	240
T011102741B	SOL2643	1115593, 1115645, 10456393	240
T011002707	SOL2651	10515838	240
T0111002705	SOL2677	10457055, D930A	240
T011102728	SOL2677	10457055, D930A	240
T011002705	SOL2701	10475646	240

Manuf/Sys - Ford

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010002749	SOL5074	E90Z11390A, F02Z11390A, F3VY11390B, F4DZ11390A	241

Manuf/Sys - Hitachi

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T011902704	SOL3000	5811510080	242
T011202702	SOL3001	2334343G00, 2334302N00, 213067005, 23343-43G00	241
T011902706	SOL3001	2334343G00, 2334302N00, 213067005, 23343-43G00	241
T011902708	SOL3009	23343H5000, 23343H5001	241
T550002701	SOL3010	5811510150, 2334361504, 23343G7001, 2334331W00, 5811510290	242
T015102701	SOL3014	2334367002, 2334337506	242
T011202704	SOL3030	2334399008, 2334399007, 2334399008, 2334399010, 225011700Y	242

Manuf/Sys - Iskra

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T050009528	SOL7903	16905754	242
T017902701	SOL7908	16.907.266	242

Manuf/Sys - Lucas

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012302703	SOL4001	SS703, 76415, 76417, 76425, 76426	242
T012302715	SOL4012	26964022A, 265115104902	243
T015615004	SOL4020	96403, 96405, 66964105	243
T012302760	SOL4035	66964109, 66964032, 66964035	243
T012302750	SOL4050	76796, 76908, 76755, TOB162, TOB113	243
T012302758	SOL4050	76796, 76908, 76755, TOB162, TOB113	243
T012302753	SOL4053	66964044, 76901, 77054A	243
T012302754B	SOL4054	60933111, 66925090S, 77131, 77132, TPB111	243
T012302756	SOL4056	66964045	243

Manuf/Sys - Lucas (TVS)

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012302717	SOL4030	26240792	244

Manuf/Sys - Magneti-Marelli

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010002735	SOL9009	63633801, 63633825, 79036683, 7980335, 669302	244
T010002718	SOL9011	63602109, 63602404, 63602502	244

Manuf/Sys - Mitsubishi

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T550002708	SOL5002	M371X60171, M371X62871, M371X62271, MD607889, M371X60371	244
T010002743	SOL5003	MD034120, MD607549, M371X50671, 23343R9000, MD607547	244
T011002701	SOL5013	10511409, 10511799	244
T011902702	SOL5015	M372X10171, M372X10371, ME700119, ME700316, M372X10271	245
T012502701	SOL5015	M372X10171, M372X10371, ME700119, ME700316, M372X10271	245
T011102726	SOL5023	10511408, 10511807	244
T012502711	SOL5024	-	245
T011002702	SOL5069	M373X04571, ME700174	245
T012502705	SOL5069	M373X04571, ME700174	245
T012502707	SOL5069	M373X04571, ME700174	245

Manuf/Sys - Nikko

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012902709B	SOL8800	0471003510, 2334399207	245

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

T012902708B	SOL8808	1811510470, 0471002690, 1811510300, 1811510080, 0471003040	245
T012902722B	SOL8822	5811510360, 0471003110, 0471003100, 2334399211, 5-81151-036-0	245
T012902710B	SOL8825	0471003420, ZZ0011607, KD0471003420	245
T01292710B	SOL8825	0471003420, ZZ0011607, KD0471003420	245

Manuf/Sys - Nippon Denso

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T012800301	SOL6003	2815015011, 2815015012, 2815015010, 2815087704, 492105602	246
T012802703B	SOL6006	2815077090, 0534004700, 0534003940, 28150-77090	246
T013402701	SOL6014	2815054070, 28150-54070	246
T012802702	SOL6020	2815056040, 0534004720, 0534003080, 0534003081, ME2815054031	246

Manuf/Sys - Sawafuji

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T013802704B	SOL9804	135012100X9, 2330899007, SS2719	246
T010002741	SOL9809	281801260, 135010100X9, 135010100XA	246
T013802708	SOL9814	281801240, 135009700X9	246
T013802707	SOL9819	-	247
T013802708B	SOL9819	-	247
T013802701	SOL9826	135010911X9	247

Manuf/Sys - Valeo

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010002730	SOL0013	594309, CED5022	247
T010002713	SOL0014	182464, 594155, CED518	247

Manuf/Sys - No Name Brand

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010002741	SOL9809	281801260, 135010100X9, 135010100XA	246

Auxiliary/Cut-Off Solenoids

Manuf/Sys - Akel

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T011102703	SOLX043	3919422, 1025	248
T200002701	SOLX057	3991624	248
T010002755	SOLX079	3991625, 1200	249
T010002758	SOLX083	2356296, 1139	248

Manuf/Sys - Bosch

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T773719-NH	SOL1221	0330101026	249

Manuf/Sys - Cole Hersee

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010302702	SOLX001G	24059	249
T550302702	SOLX012	24401	249
T010302703	SOLX003G	24063	249
T010302703B	SOLX003G	24063	249
T010002747	SOLX058	48785	249

Manuf/Sys - Murphy

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010002739	SOLFMO01	RP2310B	249
T010002707	SOLFMO02	RP2309B	249
T010002759	SOLFMO03	RP2307B	249

Manuf/Sys - Warn

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010002709	SOL0456	28396	249

Manuf/Sys - Wingate

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T010002705	SOLX011	7012	250


Manuf/Sys - Woodward

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T011102710	SOLWW001	SA5213	250
T011102711	SOLWW002	SA481824	250
T011102712	SOLWW003	SA374212V	250
T011102718B	SOLWW006	SA374224	250
T011102783	SOLWW007	15002014	250
T011102795B	SOLWW008	1751ES24A7ULB1S5	251
T011102798B	SOLWW011	15001004	250
T011102799	SOLWW012	20004010	251
T011102715	SOLX033	1224351410	251
T011102721	SOLX034	19263100	251
T011102704	SOLX062	1224253512	250
T011102801	SOLX063	19212070	250
T011102807	SOLX064	1215.2620.05	250

Manuf/Sys - No Name Brand

Trysome No.	Electrolog No.	OE Part Numbers	Page No.
T550002710B	SOLX003	24063B	248
T010002728	SOLX043T	-	248
T011102730	SOLX054	-	248
T010002737	SOLX055	UC4020757708	248
T554802701	SOLX056	1861525	248
T011102792	SOLX059	19112111	248
T011102794	SOLX061	2003ES	248

Trysome's range of Rotating Equipment is broad and deep and boasts this impressive range of brands:



When enquiring about any part in this catalogue, ensure to ask about the brand range available for each application as we cater for all budgets and application needs.

Note: Ordered numerically by Electrolog number. Where multiple part numbers are featured for a common Electrolog or OE number this denotes a multiple brand offering

TRYSOME Distribution Network



South African Branches:

Gauteng (HO):

T: +27 (0)11 823 5650

KwaZulu Natal:

T: +27 (0)31 303 4129

Northern Cape:

T: +27 (0)53 723 3415

Western Cape:

T: +27 (0)21 945 1453

North West:

T: +27 (0)14 596 5257

Mpumalanga:

T: +27 (0)13 692 8132

African Branches:

Zambia:

T: +26 (0)21 222 5338

Mozambique:

T: +258 252 20666

Authorised Distributors:

Namibia:

T: +264 64 200566

trading@trysome.cc • www.trysome.co.za • P.O. Box 13677, Witfield, 1467



HEAVY-DUTY
AUTO ELECTRICAL



COLLISION
AVOIDANCE



SERVICE AND
INSTALLATION



UNDERGROUND
AUTO ELECTRICAL



BATTERIES &
ACCESSORIES



LIGHT-DUTY
AUTO ELECTRICAL

