INVESTIGATING ELECTRONIC VOICE PHENOMENA

Popular Electronics

Ghost Voices

Are the dead trying to contact us through electronic means? Try these experiments and see for yourself

Build the Faux Fax Scanner

Turn your Fax machine into a high-resolution scanner

Build an Equatorial Camera Mount

Take stunning photographs of the nighttime sky

Using a Spectrum Analyzer

See the radio spectrum at a glance





#B%BDCCH CAR-RT SDRT ** 2024 #60506DHM997GA0G6# FEB96 F30

EJBERT DAHM RESP

119


\$3.50 U.S. \$3.95 CAN.

997 GRAND ALE AURORA IL

60506-2513

MIXED-MODE SIMULATION

Design & Verify Faster with Electronics Workbench®



True mixed-mode simulation: Simultaneous AM transmission, digitization and pulse-code modulation of a signal

Analog, Digital & **Mixed Circuits**

Electronics Workbench® Version 4 is a fully integrated schematic capture, simulator and graphical waveform generator. It is simple to mix analog and digital parts in any combination.

Design and Verify Circuits... Fast!

Electronics Workbench's simple, direct interface helps you build circuits in a fraction of the time. Try what if scenarios and fine tune your designs painlessly.

Electronics Workbench delivers the power you need to design and verify analog, digital and true mixed mode circuits. Over 20,000 customers have already put Electronics Workbench to the test. The result: Better designs... Faster. And over 90% would recommend it to their colleagues.

Electronics Workbench will save you time and money. We guarantee it.*

Call Now: 800-263-5552

*30 day money-back guarantee Free unlimited technical support










+ 15 S/H

\$599

+ 15 S/H



Electronics Workbench

• Schematic capture Includes:

- Simulator
- · Graphical waveform generator
- · 350 models

Engineer's Pack

Includes:

- · Electronics Workbench
- 2,000 Extra Models
- Export/Import to/from SPICE
- Export to PCB packages

Yes, I'm inter	ested in	
Electronics	Workber	nch.

Name:	 	_	
fide			

Address:		
Dhome		

1 [refer to	be co	ntacted by	email/ta	ix at:	

INTERACTIVE IMAGE TECHNOLOGIES LTD. 908 Magara Falls Blvd. #068,

North Tonawanda, NY 14120-2060 Telephone: 416-977-5550 FAX: 416-977-1818

E-mail: ewb@interactiv.com CompuServe: 71333,3435 BBS: 416-977-3540



9EA1FP4

Trademarks are property of their respective holders. Offer is in U.S. dollars and valid only in the United States and Canada

Australia: 25193993 • Paradi 11.4535598 • Cyprus: 2621068 • Czech Rephilis: 19224908 • Denmark: 33250109 • Finlanch 02075093 • Fazince: 149089000 • Germany: 711627740 • Greece: 15249981 • Hungary: 12150082 Indict 15441343 • Indionesia 214721730 Israel: 36475613 • Italy: 114375549 • Japan: 333823136 • Malaysia: 37742189 • Mexico: 55935260 • Netherlands: 180317666 • New Zealand: 92671756 • Norway: 22467045 Portugal 18146609 • Simgapore 7772302 • Slovenia 61317490 • South Africa: 33168209 • South Korea: 222222431 • Spain: 15533234 • Sri Lanka: 1865970 • Sweeker: 87405500 • Thailanch 6623986952 • UAE 4453505 • UK 205233216 CIRCLE 169 ON FREE INFORMATION CARD

October 1995, Popular Electronics

Popular Electronics

COVER STORY

37 Ghost Voices

Are the dead trying to communicate with us through electronic means? Find out for yourself as we explore the mystery surrounding Electronic Voice Phenomena—Konstantinos

CONSTRUCTION

48 Build a Vocal Sound-Effects Generator

Create a ghoulish voice this Halloween with this fun-to-build, fun-to-use project—David Williams

50 Build the Pathfinder

Use it as an aid for the blind, or in a variety of other applications— Luther M. Stroud

54 Build an Equatorial Camera Mount

Take stunning photographs of the nighttime sky—John lovine

59 Build the Faux Fax Scanner

Use your Fax machine as a high-resolution scanner for your personal computer—*Thomas E. Black*

FEATURES

42 Radio Astronomy

Radio is one of astronomy's most important tools as scientists try to learn the mysteries of the universe—Karl T. Thurber

62 Using a Spectrum Analyzer

"See" the entire spectrum at a glance with this valuable radio accessory—Bill Clarke

OCTOBER 1995

Vol. 12, No. 10





Page 37



Page 42



Page 59

POPULAR ELECTRONICS (ISSN 1042-170-X) Published monthly by Gernsback Publications, Inc. 500 Bi-County Boulevard. Fermingdale, NY 11735-3931. Second-Class postage paid at Farmingdale, NY and at additional mailing offices. One-year, twelve issues, subscription rate U.S. and possessions \$21.95, Canada \$28.84 (includes G.S.T. Canadian Goods and Services Tax Registration No. R125166280), all other countries \$29.45. Subscription orders payable in U.S. funds only, International Postal Money Order or check drawn an a U.S. bank. U.S. single copy price \$3.50. Copyright 1995 by Gernsback Publications. Inc. All rights reserved. Hands-on Electronics and Gizmo trademarks are registered in U.S. and Canada by Gernsback Publications, Inc. Printed in U.S.A.

Postmaster: Please send address changes to Popular Electronics, Subscription Dept., P.O. Box 338, Mount Morris, IL 61054-9932

A stamped self-addressed envelope must accompany all submitted manuscripts and/or artwork or photographs if their return is desired should they be rejected. We disclaim any responsibility for the loss or damage of manuscripts and/or artwork or photographs while in our possession or otherwise.

As a service to readers, Popular Electronics publishes available plans or information relating to newsworthy products, techniques, and scientific and technological developments. Because af possible variances in the quality and condition of materials and workmanship used by readers, Popular Electronics disclaims any responsibility for the safe and proper functioning of reader-built prajects based upon ar from plans or information published in this magazine.

OCTOBER 1995

PRODUCT REVIEWS

9 Gizmo

Sony Personal Communicator, Canon Notebook Computer, Franklin Electronic Books, and more

27 Hands-On-Report

Data Depot Post-Code Reader

30 Product Test Report

Sony CCD-TRV30 Camcorder

COLUMNS

24 Multimedia Watch

Slide-show software—Marc Spiwak

64 Computer Bits

Managing system resources—Jeff Holtzman

66 Antique Radio

Building a starter ham receiver—Marc Ellis

72 Think Tank

Circuits of yore—John Yacono

76 Circuit Circus

Some LED fun—Charles D. Rakes

80 DX Listening

Radio still reigns—Don Jensen

82 Ham Radio

Workshop stuff—Joseph J. Carr

84 Scanner Scene

The good, the bad, and the scrambled—Marc Saxon

DEPARTMENTS

- 3 Editorial
- 4 Letters
- 6 New Products
- 79 Electronics Market Place
- **86 Electronics Library**
- 93 Popular Electronics Market Center
- 134 Advertiser's Index
- 135 Free Information Card

Popular Electronics

Larry Steckler, EHF, CET, editor-in-chief and publisher

EDITORIAL DEPARTMENT

Carl Laron, editor

Dan Karagiannis, associate editor

Teri Scaduto, assistant editor

Evelyn Rose, editorial assistant Marc Spiwak, editorial associate

Stephen A. Booth, contributing editor

Joseph J. Carr, K4IPV,

contributing editor

Marc Ellis, contributing editor

Jeffrey K. Holtzman,
contributing editor

Don Jensen, contributing editor Charles D. Rakes, contributing editor

Marc Saxon, contributing editor John Yacono, contributing editor

PRODUCTION DEPARTMENT

Ruby M. Yee, production director Karen S. Brown,

production manager

Kathy Campbell,
production assistant

ART DEPARTMENT

Andre Duzant, art director Russell C. Truelson, illustrator

Jacqueline P. Cheeseboro, circulation director

Michele Torrillo, POPULAR ELECTRONICS bookstore

BUSINESS AND EDITORIAL OFFICES

Gemsback Publications. Inc 500 Bi-County Blvd Farmingdale, NY 11735-3931 1-516-293-3000 FAX: 1-516-293-3115 President: Larry Steckler

SUBSCRIPTION CUSTOMER SERVICE/ ORDER ENTRY 1-800-827-0383 7.30 AM - 8:30 PM EST

Advertising Sales Offices listed on page 134

Composition by Mates Graphics

Cover by Loewy Design
Cover Illustration by Scott Pollock





Since some of the equipment and circuitry described in POPULAR ELECTRONICS may relate to or be covered by U.S. patents. POPULAR ELECTRONICS disclaims any liability for the infringement of such patents by the making using a selling of such equipment or circuitry, and suggests that anyone interested in such projects consult a patent attorney.

EDITORIAL

VOICES FROM BEYOND

Halloween is fast approaching, and in the spirit of wonderful weirdness that the holiday evokes, this month **Popular Electronics** presents one of its most unusual stories ever. Since the invention of the tape recorder, people have claimed to hear mysterious voices on the tape recordings they have made. Called "electronic voice phenomena" by serious researchers, and "ghost voices" by the popular press and others, there does appear to be something to it.

What that something is, however, is an entirely different question. Are the dead really trying to communicate with us through electronic means, or are the sounds heard of a more mundane nature? That is, are they the product of an overactive imagination or even out-and-out hoaxes?

What's the truth? Well, that's for you to decide! In "Ghost Voices" we describe the techniques and experiments researchers have used to record electronic voice phenomena, the results they achieved, and show you how you can duplicate those experiments on your own, if you dare! The story begins on page 37.

On a more earthly note, this month also marks the return of one of our more popular features of the past: Product Test Reports. Each month, we'll select a video, audio, or computer product and put it through the wringer.

Our exhaustive bench tests, performed by Frank Barr and the staff at the Advanced Product Evaluation Laboratories (APEL), one of the foremost electronics-testing facilities in the country, will tell you the true story behind the specifications. And our user tests tell you how well, or how poorly, the product actually performs. The feature is written by Stephen Booth, formerly the Editor-in-Chief of *Video Review* and Electronics Editor of *Popular Mechanics*. Look for it this month on page 30.

Carl Laron Editor

EARN YOUR B.S. DEGREE IN COMPUTERS OR ELECTRONICS



By Studying at Home

Grantham College of Engineering, now in our 45th year, is highly experienced in "distance education"—teaching by correspondence—through printed materials, computer materials, fax, modem, and phone.

No commuting to class. Study at your own pace, while continuing on your present job. Learn from easy-to-understand but complete and thorough lesson materials, with additional help from our instructors.

Grantham offers three separate distanceeducation programs, leading to the following accredited degrees;

- (1) The B.S.E.T. with Major Emphasis in Electronics.
- (2) The B.S.E.T. with Major Emphasis in Computers.
- (3) The B.S.C.S. the Bachelor of Science in Computer Science.

An important part of being prepared to move up is holding the right college degree, and the absolutely necessary part is knowing your field. Grantham can help you both ways—to learn more and to earn your degree in the process.

Write or phone for our free catalog. Toll free, 1-800-955-2527, or see mailing address below.

Accredited by the Accrediting Commission of the Distance Education and Training Council

GRANTHAM College of Engineering

Grantham College Road Slidell, LA 70460

3

SUBWOOFER CLARIFICATIONS

Thanks to all of you who wrote in regarding my article, "Build a Subwoofer" (Popular Electronics, July 1995). In order to answer the many questions you asked about it, let me give everyone the following information.

First, as Fig. 3 of the article shows, it is only a single channel (not "stereo") subwoofer. Two are required for stereo use. Or one can be used with an electronic active (not passive) circuit for summing the two stereo channels' outputs, and with a filter to deliver only the low frequencies to a single amplifier to drive the system. Some Dolby Surround Sound processors for home-theater use have such a circuit built in, which would simplify building your system if you plan to use it as part of a home-theater installation.

In fact, from the beginning the system was designed with the idea that two subwoofers were to be used. Note that the cabinets are rather long and narrow in shape, making the system easy to hide behind a couch, or even to be placed between pieces of furniture in a room, without being immediately noticeable. One of them could even be used as a TV stand when placed on some 4–6-inch legs.

Second, some of you wrote in asking if the particular 8-inch driver used in the article could be further optimized to go down even deeper into the bass. The answer is that the system was already optimized by mathematical analysis before the prototype was ever built. So, no, there is nothing more to be done with this particular system design.

For those interested in creating their own subwoofer designs, my BASIC programs for IBM-compatible PCs ("Design Your Own Loudspeakers,"

Popular Electronics, February 1994) will be very helpful. The programs are for doing a sealed-type ("acoustic suspension") system.

I hope this information has been of use to everyone interested in the project. WILLIAM R. HOFFMAN

LETTERS

"TRICKY" g MACHINE

I enjoyed reading the article "Build the 'g' Machine" (Popular Electronics, May 1995) that described building an accelerometer based around the Analog Devices ADXL50. However, it included some inaccuracies that relate more to physics than to electronics.

In essence, acceleration = force/mass, as Newton put it. A change in velocity with time, dV/dT, is something else again.

Specifically, when a car is traveling at a constant speed of 60 miles-per-hour, the accelerometer will *not* record zero, but rather an acceleration that is the equivalent of the rolling and aerodynamic resistance of the car. That will be appreciable for a rubber-tired vehicle at 60 miles-per-hour. Try it!

Also, a car stopping from 60 miles-per-hour in eight seconds will not necessarily record a deceleration of 0.34g, unless the road is absolutely level throughout. Clearly, stopping down grade in eight seconds requires a higher deceleration.

Finally, when the car comes to rest, and the velocity is zero, the accelerometer will record the grade of the road (for example, 0.5g on a 30° slope), not zero, because that is then equivalent to the force exerted by the parking brake.

Ironically, the closest the accelerometer comes to zero on any grade is at the moment the parking brake is released and the car starts to free-roll at a small velocity.

Tricky things, accelerometers! C.B.M.

Vancouver, B.C., Canada

WHEN IT RAINS . . .

I just finished Walter Schopp's article, "Sprinkler Guardian" (**Popular Electronics**, April 1995), and must disagree with him on one point.

Here in Florida, the sun can be shining on one side of the street while it is pouring on the other. Therefore, if the 555 has been set to run for an hour (or whatever length of time) and the rain moves in, you have sprinklers on in the rain.

That said, the idea is a good one. The version I built was a spin-off of a basement highwater alarm that appeared some years back in **Popular Electronics**. The sensors are simply a short piece of #10–2 vinyl outdoor house wire stripped on one end and shaped to fit in a 1×3×½-inch homemade pan. A light shower has no effect, but if it gets to about ¼ inch of rain, the sprinklers shut off.

I have enjoyed your magazine for years!. Keep it up! P.U.

Deltona, FL

SPEAKING OUT FOR "SILENT SAM"

Thank you for the Hands-on Report write-up on "Silent Sam" (Popular Electronics, April 1995). It was nicely done, but some of the information presented was a bit out of date. As the device's inventor, I'd like to clear up any confusion.

- 1. Turn-signal reminders are now included on many cars as factory equipment. But, unlike Sam, they take a long time before sounding off—about 100 clicks. Sam's signal is never more than about 18 seconds away.
- Factory models emit a continuous signal after timing out.
 That forces the driver to react to quiet it. Sam's short signal can be ignored if the driver so chooses.
- 3. Factory units work only if you are moving and not when stopped. Sam beeps when you are stopped but not on the brake. That is a common habit that causes premature wear of clutch facings and throw-out bearings.

The most important change is that Sam is now compatible with all electronic, solid-state, and thermal flashers; the same model works with all cars on the road..

That aside, I appreciate your fine article. Thank you.
HENRY P. GIOVANNI
Columbus, OH

HAVES & NEEDS

I have acquired a beautiful antique radio and would like to know if anyone can identify it and describe the speaker that might have been used with it.

The radio is in a mahogany case about 28 inches long, 10 inches high, and 10 inches deep. It has nine tubes mounted breadboard style. The frontpanel escutcheon says "Skyrover." A metal plate says:

SKYROVER ELECTRIC RADIO

Serial 3472 110 volts
Licensed under GE and
Westinghouse patents
BUTLER BROTHERS
MFG by A.A.M. Corporation
Chicago USA

The unit is in working condition, but minus its speaker. I have determined that a speaker matching transformer must be used externally.

The tube line up includes: four number 226 RF amplifiers, a 227 detector audio tube, a 227 phase inverter, and two 71A push-pull output tubes. A separate power supply chassis inside the cabinet has a 280 rectifier.

Any information would be appreciated. Thanks!
ART MANNING, N4XNM
104 Landing Road
Brunswick, GA 31520

I would like a copy of the operating manual, circuit diagram, and description of theory of operation (which should be found in the manual) for an EICO model 902 audio distortion analyzer. If anyone can make a copy available, it would be much appreciated. I certainly will pay copy and mailing costs. Thank you.

PAUL FREEDMAN P. O. Box 286 Florissant, CO 80816

CircuitMaker

The Ultimate Circuit Design Tool But don't take our word for it

"BRAVO! Incredible graphics, flexibility and selection of components. I regret having wasted time and money on your competitors product." Owen Bordelon, Lunar Technology Corp.

"I have played with CircuitMaker all weekend and haven't found a single problem. I was able to produce usable work I hour after setup!" Joseph Bouche, Amherst College "Very Intuitive!"
Mike Grover, STS Production

"This is an incredible product."
Michael Boberski, Vanderbilt Univ.

"CircuitMaker really shines in the simulation phase..."
Macworld Computer Magazine




Comprehensive Device Library

Version 3 features a new, state-of-the-art device browser which greatly simplifies the task of organizing and selecting devices. With its newly expanded device library, CircuitMaker now ships with more devices (at no additional cost) than any competing product. If you need a device that isn't provided, CircuitMaker provides industry standard SPICE import and a powerful Macro capability to enable you to create new devices. CircuitMaker provides you with the tools to get the job done right.

Printed Circuit Board Netlist Output

The new PCB output capability helps you complete your design cycle, by generating a netlist that can be imported into any compatible PCB program. This is not a costly "add-on" product. It comes standard with every copy of CircuitMaker.




Professional Schematic Layout

This easy to use layout tool is unmatched. It includes many advanced schematic editing features not found in similar programs. These powerful features minimize the time and task associated with drawing a schematic and insure a professional looking final product. Printout and export options are numerous and results are of the highest quality. But that's what people have come to expect from CircuitMaker.

573 W. 1830 N. Suite 4 Orem, UT 84057 USA Phone (801) 226-4470 FAX (801) 226-6532

Analog, Digital and Mixed-Mode Simulation

CircuitMaker's SPICE3 based analog simulator provides fast and accurate simulation. New SPICE sub circuits allow mixed-mode simulation with all base level digital devices. Digital simulation is live and highly interactive. This powerful simulation trio is tightly integrated into one package and will confirm your circuit designs with accuracy and ease.



To order or request additional information call 800-419-4242







CIRCLE 42 ON FREE INFORMATION CARD


A demo version is available on major on-line services or for \$10 direct. Competitive upgrades are available for \$149. Call for details. CircuitMaker is a registered trademark of MicroCode

NEW PRODUCTS

TV/ Multimedia Monitor

Designed to address the changing needs for display devices in multimedia environments, the Toshiba Integrated Multimedia Monitor (TIMM) is a 20-inch monitor that combines a 181channel tuner and an FST Black picture tube with a direct VGA input. (An adapter allow hookup to Macintosh computers.) Because TIMM's dot pitch of 0.58 millimeters is up to 36% finer than that of conventional TVs, it is able to reproduce in sharp detail the dramatic color graphics of high-resolution video games and multimedia programs. It also enhances interactive applications including CD-ROM, CD-i, on-line services, and business conferencing.

The newly designed picture tube is capable of handling both



multimedia and conventional TV functions. The first Invar Shadow Mask to be used in a 20-inch TV allows TIMM to operate at the higher voltages needed to create brighter, sharper images.

A built-in stereo television tuner offers full TV reception with picture and audio quality unequaled by computer add-on boards. It features 500 lines of horizontal resolution. The FST Black picture tube reduces ambient light reflection to improve contrast and black reproduction. The tuner also offers closed captioning, which is rarely found on TV tuner cards. Composite and S-video inputs allow easy connection of a laserdisc player or VCR. To take advantage of the full potential of digital audio, the monitor features a built-in 100-watt audio system and a tuned-horn structure said to provide improved signal separation and enhanced full-frequency performance. The monitor also offers a Sub Bass System circuit for powerful bass response, as well as an MTS stereo decoder with SAP and dbx noise reduction.

TIMM is the first multimedia monitor to come with a remote control. In addition to directing all TV functions, the remote also controls computer-related features, including picture sizing, which allows users to expand and contract the RGB image vertically and horizontally and to adjust its location on the screen.

The Toshiba Integrated Multimedia Monitor has a suggested retail price of \$999. For more information, contact Toshiba America Consumer Products, Inc., 82 Totowa Road, Wayne, NJ 07470.

CIRCLE 100 ON FREE INFORMATION CARD

CREDIT-CARD-SIZE DMM

Wavetek's DM78A digital multimeter is so small that users can keep it with them at all times, ready to make a measurement at any moment. It is intended for use in all electronic and fieldservice work—particularly for testing fax, computer, copier, security, and consumer-electronic equipment—as well as for handy home use.

The DM78A offers a 3200-count display with a 32-segment bar graph, useful for measuring peaking and nulling circuits and locating bad diodes. It features data hold, which freezes a reading on display for



later evaluation, providing safer operation when in a dangerous area. The meter is designed to meet UL and EN (IEC) safety standards.

The DM78A credit-card-size digital multimeter has a list price of \$35.95. For additional information, contact Wavetek Corporation, Instruments Division, 9045 Balboa Avenue, San Diego, CA 92123; Tel. 619-279-2200; Fax: 619-565-9558.

CIRCLE 101 ON FREE INFORMATION CARD

MULTIFUNCTION INKJET PRINTER


Crowded small offices and home offices can conserve valuable space with Sanyo's SFX-P55, a plain-paper inkjet printer that also serves as a fax, copier, and telephone. With optional fax software and its built-in RS2322C interface, it also offers fax/modem/scanner capabilities.

The SFX-P55 offers plain-paper printing, emulating several leading printers for compatibility with a wide range of DOS and Windows applications. A convenient, 100-page sheet feeder keeps legal- or letter-size paper in ready supply.

Fax features include a 256-Kb reception memory (approximately 17 pages), 32-shade half-tone reproduction, a 10-sheet automatic document feeder, customized header print capability, a 16-character LCD, and timed transmission of up to ten pages with a 24-hour delay. Automatic dial memory accom-

SPECTRUM ANALYZERS

Made in USA




Features:

- -100 to +13 dBm Signal Input Range
- Center Frequency Display (100kHz Res.) switchable to Marker Frequency
- **Built-in Tracking Generator (HM5006)**
- Measurement Output to PC (optional)



True analog display (43 Hz refresh rate)



HZ 530: Set of 3 active E & H near field probes (10kHz-1GHz)

Applications:

EMI Pre-Compliance Measurements Location of emission "hot spots" Radiated and conducted emission evaluation EMI Diagnostics at the Prototype level Cellular Phone und Pocket Pager testing **CATV and MATV System Troubleshooting**

Model	Frequency	Tracking	Retail
Number	Range	Generator	Price
HM 5005	0.2 to 500 MHz	no	\$ 1,148
HM 5006	0.2 to 500 MHz	yes	\$ 1,548
HM 5010	0.15 to 1,050 MHz	no	\$ 1,985

3 Year Full Parts and Labor Warranty

Call now: Toll-free (800) 247-1241

HAMELING. 266 East Meadow Ave.

(516) 794-1855

East Meadow, NY11554 (516) 794-4080

1939 Plaza Real Oceanside, CA 92056

(619) 630-4080 (619) 630-6507

modates up to 30 telephone numbers, including eight onetouch numbers and 22 speeddial numbers. To switch calls between the fax and an outside answering machine, voice prompts and automatic switchover capability are built in.

As a copier, the SFX-P55 offers a fine mode with or without halftone, superfine with halftone, and three sizes of image reduction. Up to 99 consecutive copies can be printed at one time. The unit




also includes a complete telephone, an ink cartridge, and an instruction manual. A large, wire exit tray is available as an option.

The SFX-P55 multifunction inkjet printer has a suggested retail price of \$1099.95. For more information, contact Sanyo, 21350 Lassen Street, Chatsworth, CA 91311-2329; Tel. 818-998-7322: Fax: 818-701-4149.

> **CIRCLE 102 ON FREE** INFORMATION CARD

PROSPECTOR'S METAL DETECTOR

The Gold Bug-2 metal detector from Fisher Research Laboratory is engineered specifically for electronic prospecting. It features an iron-discrimination mode for hot rock and ferrous target identification, an audioboost mode for faint, deep targets, and three mineralization modes for nugget hunting in just about any ground condition.



According to Fisher, the Gold Bug-2's 17-kHz operating frequency is the highest, by far, of any metal detector made. That makes it easier to find small nuggets buried deep in mineralized soil. The irondiscrimination mode increases its ability to pick out good targets next to iron in any highly mineralized soil.

The Gold Bug-2 weighs less than three pounds and is available with a submersible 6.5-. 10-, or 14-inch elliptical search coil. For rugged durability, it features a dust- and rain-resistant control housing and quartzcrystal locked electronics.

The Gold Bug-2 prospecting metal detector has a suggested list price of \$775 with the 6.5- or 10-inch coil, or \$795 with the 14inch coil. For additional information, contact Fisher Research Laboratory, 200 West Willmott Road, Dept. 6MO. Los Banos, CA 93635;

Tel. 1-800-M-SCOPE-1; Fax: 209-826-0416.

CIRCLE 103 ON FREE INFORMATION CARD

440-MHz PACKET **RADIO**

The PCS-9600D from Azden is a 35-watt, 9600-baud, digital transceiver that offers all the special features required by high-speed packet radios. Included are 35 watts of output, 20-kHz wideband IF, wide frequency range (430-450 MHz), and solid-state diode TX/RX



switching. It offers 20 memory channels plus one temporary memory location. A full DTMF dynamic microphone is included for voice operation when needed

The PCS-9600 9600-baud packet radio costs \$649. For additional information, contact Azden Corporation, 147 New Hyde Park Road, Franklin Square, NY 11010; Tel. 516-328-7500:

Fax: 516-328-7506 CIRCLE 104 ON FREE

INFORMATION CARD

Remarkable new self-defense device is more effective than mace, pepper sprays, stun guns and handgunsand it's perfectly legal and non-lethal!

by Tammy Wallens

Today, too many Americans find themselves confronted with the ever-increasing threat of crime. As the fear of becoming a victim of crime proliferates, the desire to find a method to protect oneself is an issue that more and more Americans, both young and old, will confront. In response to these

issues, Air Taser, Inc. has developed a safe and effective method of non-lethal self-protection.

Ultimate non-lethal protection. Air Taser is a hand-held self-defense system that uses compressed air to launch two probes. When it is fired, the probes hit the target as far away as 15 feet. The probes are connected to the launcher by a thin wire that transmits electrical signals called T-waves. These electrical signals enter the assailant through the probes, penetrating the nervous system regardless of the placement of the probes. The result? An instant loss of the attacker's neuromuscular control and the ability to perform coordinated actions. These T-waves can be transmitted through as much as two inches of clothing-not even a leather jacket will stop Air Taser.

How does it work? When Air Taser is fired, compressed air projects two probes, up to 15 feet, at a speed of 200 feet per second. Upon contact with the target's body or clothing, an electrical signal is transmitted throughout the region where the probes make contact.

Air Taser uses an automatic timing mechanism to apply the electric charge. Once the probes are launched, Air Taser releases an electric current in a pre-set time sequence of muscular system, resulting in loss of control. Air Taser won't damage muscles, nerves or other body elements. Studies confirm that T-waves do not interrupt the heart beat or damage pacemakers. You can't electrocute the target, even if he's standing in water. And because the output is metered and consistent, the electrical output

electrical energy is

the possibility of criminal use cannot be transferred from a tasered person to anyone else, even if they touch.

AIR TASER..

15 feet away

Effective

target's body

Excludes

Works up to

Won't cause

any permanent or

serious damage

anywhere on the

Has a back-up

protection device

After being "tasered," the target will feel dazed for several minutes, and won't be up to resuming an attack. The electrical output causes involuntary muscle contractions, resulting in a sense of vertigo. While Air Taser can momentarily stun or render an attacker unconscious, this technology is clinically proven not to leave long-term injuries.

Easy to use. Firing Air Taser is easy. With your elbow at your side, hold the unit toward the attacker and fire. The probes

will work anywhere on the target, but it's best to aim for the largest area—the torso. In the event that the probes totally miss the target, you can use Air Taser just like a normal stun gun!

Criminal-proof. Air Taser, Inc. has instituted an Anti-Felon Identification system through which criminal

use of Air Taser can be traced. Tiny pieces of film (AFIDs) with the unit's registration number are expelled when the unit is fired, leaving evidence at the scene of the crime to identify the user. No other self-defense device in the world can say the same. Plus, Air Taser cannot be modified to become lethal without destroying the device.

Air Taser comes wit an instructional video practice target, two air cartridges, a carrying strap, a 9V battery and a high-impact molded

carrying case Try it risk-free. Air Taser is backed by our exclusive risk-free home trial. If you're not satisfied, return it within 90 days for a full refund, "No Questions Asked." It also comes with a lifetime manufacturer's warranty. Most orders are processed within 72 hours and shipped UPS. (You must be 18 years or older to order.) Air Taser™

Replacement cartridges (two-pack). . . \$49 \$4 S&H Please mention promotional code 1041-PL-6633.

For fastest service, call toll-free 24 hours a day



To order by mail, send check or money order for the total amount including S&H (VA residents add 4.5% sales tax). To charge it, enclose account number and exp. date.

COMTRAD INDUSTRIES

2820 Waterford Lake Drive, Suite 106 Midlothian, Virginia 23113

eight seconds, pauses briefly, and then continues administering the electric current in fivesecond increments for a total of 30 seconds. This ensures that the nervous system of the assailant doesn't recover enough to allow him to remove the probes. Follow-up bursts disrupt the process of reequilibration of the nervous system, keeping the target disabled. This allows the user to drop the device and run while Air Taser continues to disable the target. Proven non-lethal. The Consumer Product

THE MOST EFFECTIVE SELF-DEFENSE DEVICE AVAILABLE



When you fire your Air Taser, compressed air projects the two probes up to 15 feet.

HOW IT WORKS







Safety Commission has found taser® technology

to be non-lethal. Its electrical output interferes

with communication between the brain and



TARGET AREAS Unlike Other methods, Air Taser's disable an attacker no matter where



A CHRONICLE OF CONSUMER ELECTRONICS

Staying Connected

PIC-1000 MAGIC LINK PERSONAL COMMUNICATOR. From: Sony Corporation, One Sony Drive, Park Ridge, NJ 07656. Tel. 201-930-1000. Price: \$995.

E-mail has become increasingly more important as a way to communicate. It seems that not having e-mail access is becoming equivalent to trying to run a business without a telephone. E-mail has become especially important for mobile professionals who need to be able receive messages reliably when traveling out of town.

The Sony Magic Link PIC-1000 Personal Intelligent Communicator provides a way to stay in touch wherever you go. Unlike other personal digital assistants or PDAs—which often seem to be solutions in search of problems—the Magic Link has a single primary purpose: sending and receiving messages. However, it can also do many of the things that other PDAs can do, because it contains built-in addressbook, notebook, appointment-book, spreadsheet, and game applications.

The Magic Link is based on General Magic Inc.'s Magic Cap operating system, an object-oriented, multitasking communications platform. The messaging functions of the Magic Link are built around AT&T's PersonaLink service, which allows users to exchange e-mail with all public services, including MCI Mail and the Internet. Messages can be sent with voice-annotation and electronic ink, but only to other devices that support Magic Cap. The Magic Link can also send messages to any fax machine via its 2400/9600 bps fax/modem.

The Magic Link weighs about 1.2 pounds and is powered by 6 "AAA" batteries or an optional (\$70) Sony 7.2-volt lithium-ion rechargeable battery pack. The Magic Link, too large for a coat-



pocket, measures about $7\frac{1}{2} \times 5\frac{1}{4} \times 1$ inch Its front panel is dominated by a large $(4\frac{3}{4} \times 3\frac{1}{4})$ inch) touch-sensitive liquid-crystal display. By the top corners are two OPTION WC buttons. Three small holes by the bottom left indicate where the microphone is, and the speaker is on the right side of the display.


Virtually all user input is accomplished by tapping and writing on the LCD with a plastic stylus. (There is nothing special about the stylus—anything that won't scratch the screen can be used as well, including your finger.) We rarely used the OPTION buttons, which provide shortcuts to some features. Their operation wasn't intuitive, so we preferred the standard input method.

The Magic Link doesn't use traditional menus. Instead, its functions are accessed through a "geography" of rooms along a hallway or buildings on a street. The "main menu," so to speak, is a desktop.

The desktop contains a telephone, Rolodex, postcard, notebook, calculator, and appointment book. On the wall on the far side of the desk is a clock, and an in box and out box for messages. A file cabinet is in front of the wall. Two desk drawers hold stationery and accessories.

On the bottom of the screen are seven "buttons" that are always accessible even as you move through the hallway or the street "downtown." First is a desk icon that always gets you back to the desktop. There's also a rubber stamp that lets you put canned graphic images on your communications with other Magic Cap devices. A genie's lamp calls up a menu of commands that provide quick access to some of the communicator's functions. A tote bag provides a temporary storage location for virtually anything you are working on. A tool holder contains pencils, markers, shapes, erasers, and more. A keyboard calls up an on-screen QWERTY keyboard for text input. A garbage truck provides a place to drag and drop items and files you wish to discard.

From the desk, you can move to the hallway by tapping the pointing-hand icon at the top right corner of the screen. The





A number of accessories are available for the Magic Link personal communicator. Pictured here, counter clockwise from top left are a lithium-ion battery, telephone headset, data-entry keyboard, memory card, and pager card.

pointing hand always points to someplace you're likely to want to go. For example, if you are at the desk, it points to the hallway. If you are in the hallway, it points to downtown. If you are downtown, it points back to the hallway.

The hallway has doors leading to other rooms. One door gets you back to the desk. Another gets you to the library, where you can read a number of "books" by tapping on their icons. A storeroom lets you look at a file directory. Applications and data appear as boxes on shelves. A gameroom lets you play solitaire and MindBender, a pattern-guessing game.

Downtown consists of a main street occupied by several buildings. First is your home. Tap on your home, and you enter the hallway. Other buildings include the AT&T PersonaLink Center and America Online. Although that hardly seems like a very well-populated downtown, the area will expand as new services are offered.

The Magic Cap environment on which the Magic Link is based sports Telescript technology, a communications language or standard that provides "intelligent assistants" or "agents" for users. Those agents are launched into the world of electronics services and screen, route, and deliver electronic correspondence. As new applications are added, they are expected to be able to shop for goods and services and seek out time-critical information. They are basically mobile software programs that go places and carry out their

Gizmo is published by Gernsback Publica-

tions, Inc., 500-B Bi-County Blvd., Farm-

registered trademark. All rights reserved.

owner's instructions. They are programmed with contingency plans.

Let's say, for example, that you are preparing for an upcoming trip to Chicago. You could commission an agent to negotiate with airlines for ideal flights and seats or hotels for a good rate and convenient location, and even make dinner reservations at area restaurants and rent a car.

After you've booked the trip, your agent could stay in the network and monitor your flight. You could be notified if it has been delayed.

Of course, all of that is dependent on your agent having other agents to negotiate with. As of now, there are precious few companies who are making themselves available on the Magic Cap platform. During our review of the Magic Link, Downtown seemed more like a ghost town. Several companies, however, plan to open up downtown "stores," including the 800-FLOWERS floral gift service, the Computer Express computer catalog service, and Everything Magic, a software and novelty gift shop from eShop. However, the AT&T Market Square Services on which the electronic shops are to be based is apparently well behind schedule.

The one place that we were able to get a feel of just how intelligent agents can work is with the Communicator's main purpose, sending and receiving electronic messages. The AT&T PersonaLink Services mailbox can be personalized with a series of rules. For example, we could forward a copy of all messages to a pager, to another user, or another address. Or we could ignore messages from people we didn't want to hear from.

The Magic Link is an ideal way to stay in touch while you're on the road. An alphanumeric pager PCMCIA card (\$250)—

along with an appropriate paging subscription-lets you receive messages even if you can't get access to a telephone line. Although the Magic Cap platform shows great promise, the lack of available services makes it difficult to judge fairly. We have no way of knowing whether intelligent agents will live up to their potential.

We found the screen difficult to read because of its low contrast and excessive glare. Sony apparently chose to forego a back light, which would help the screen's readability, because it would decrease the battery life from the currently too short 5 hours when active or 13 hours when idle. (The rechargeable battery pack allows about 10 hours of active battery use.)

Although the Magic Link is a standalone product, it could certainly benefit from being linked to a PC. Unfortunately, the PC interface is an optional accessory available from IntelliLink Corp. We think that such an essential item should have been included as part of the package. Because we had no way to link the Magic Link to our PC, we were unable to test addon software packages, such as Palm Computing's excellent Graffiti handwriting recognition software. We also had no way to conveniently move name- and addressbook data stored on our PC to the Magic Link.

Other accessories that are available for the Magic Link include a telephone headset (\$80) that allows the unit to function as a standard telephone, a full-size keyboard (\$130) for lengthy data entry, and a onemegabyte static-RAM memory card to expand the device's internal one-megabyte memory (\$220).

Although the Magic Link is a real, complete product, it's not for us-yet. We believe that many mobile professionals will fully appreciate its communications power and its relatively small size. However, until its support of Telescript becomes less limited-which will happen only when more services open Downtown-and until its modem speed catches up with that of PCs, we'll find other ways to get our email both at home and on the road.

You Can Take It With You

INNOVA BOOK 200LS NOTEBOOK COMPUTER MODEL IB100/520LS. Manufactured by: Canon Computer Systems, 2995 Redhill Avenue, Costa Mesa, CA 92626. Tel. 714-438-3000. Price: \$3633 (suggested), \$3199 (estimated street).

Portable computers have come a long way from the days when they were the size

ingdale, NY 11735. Senior Writers: Chris F. O'Brian and Teri Scaduto. Copyright 1995 by Gernsback Publications, Inc. Gizmo is a 10

of large suitcases and were more properly called "transportable" computers. Nevertheless, cramming the full functionality and power of a desktop PC into an easily toteable notebook-sized package cannot be done without some compromise. However, the new Canon Innova Book 200LS Model IB100/520LS makes those compromises hard to find.

One of the most striking features of the notebook is its 11.3-inch dual-scan color display—that's over 40 percent larger than a standard (9½-inch) display. The 200LS features one megabyte of video RAM and 32-bit accelerated local-bus video. The LCD can deliver a resolution of 640×480. Although higher resolution display modes can be selected—up to 1024×768×256 colors—the entire image cannot be displayed at one time on the LCD. Instead, a virtual desktop pans and scrolls to display the image.

The resolutions above 640 × 480 are primarily intended for display on an external monitor. Using an external monitor is a simple matter of clicking on the CRT button on the display-driver control panel, a provided Windows application. Alternatively, you can choose to display an image on both the LCD and CRT simultaneously. A hot-key combination, can also be used to switch between modes. Other hot-key combinations can be used to access other display features, including the screen's contrast and brightness.

Users of the Innova Book don't have to sacrifice power for portability. The computer is built around an Intel 100-MHz 486DX4 microprocessor, and is supplied with eight megabytes of main memory. (It can be expanded up to 32 megabytes with plug-in modules.)

The Innova Book 200LS is equipped with full audio capabilities. Stereo speakers are located on the base of the unit, on

the top corners directly under the LCD. A microphone is built into the top center of the unit, also directly below the LCD. The 16-bit sound system is SoundBlaster compatible.

The Innova Book 200LS is ready to use out of the box, coming with Windows 3.11 and MS-DOS 6.22 pre-loaded on the hard drive. Distribution diskettes are not included with the system, but a provided utility allows you to create a backup set of installation diskettes. A full backup of all supplied software requires 23 diskettes.

Along with Windows and MS-DOS, the Innova Book is loaded with software utilities that are required to use the system to its full capability. They include display-driver software from Chips (V3.11), ESS audio application (V3.0), PhoenixCard Manager Plus (V3.1), and Logitech Track-point Mouse Drivers (V6.24).

The other software pre-loaded on the system is specifically targeted toward mobile professionals. Take, for example, City Streets for Windows V3.0. The version shipped with the Innova Book is supplied with limited sample city maps of downtown Washington D.C., midtown Manhattan, and downtown San Francisco. Complete map databases are available for \$29.95 each (plus \$8 shipping and handling), with prices declining for multiplecity orders.

CompuServe Information Manager V1.3, which provides access to the subscription CompuServe information service, is also provided for mobile users who want to stay in touch via e-mail and the Internet.

Borland's SideKick for Windows provides a number of helpful tools for keeping information on contacts, to-do lists, appointment calendars, and free-form notes. It includes utilities to import and export cardfiles in a number of different formats

www.americaniadiohistory.com

including dBase, Paradox, Data-Interchange Format (DIF), Microsoft Cardfile, tab-delimited, and comma-delimited. Fortunately, the software is easy to use and has a good help file—manuals are not supplied.

OAG FlightDesk is a travel-information and -planning tool that lets you search airline schedules for more than 650,000 direct and connecting flights. Subscriptions for monthly updates are available. One free update is offered with the installed software. Frequent business travelers will find the travel information provided by FlightDesk to be priceless. Prices for twelve monthly updates are \$107 for the Worldwide edition, or \$77 for the North American edition. (Normal prices are \$248 and \$198, respectively.)

Several manuals are supplied with the Innova Book: concise Windows and DOS guides, a Canon user's guide, and a User's manual for the PhoenixCARD Manager Plus

The PhoenixCARD Manager Plus (PCM Plus) software allows the use of a wide range of PC cards that conform to the PCMCIA (Personal Computer Memory Card International Association) standards. The notebook has two PC card slots on its left side. Two Type 2 cards or one Type 3 card can be inserted at a time. (Type 2 cards, 5.5-mm thick, are the thinner of the two. Memory cards, modems, and network adapters are typically found as Type 2 cards. The thicker Type 3 cards are typically PC-card hard-disk drives.)


The Innova Book comes with Card and Socket Services pre-installed. Card Services is a layer of software drivers that allocate and manage system resources for the card. Socket Services is PC Card BIOS (Basic Input/Output System) software that provides a standard interface for manipulating PC Cards, sockets, and adapters. Socket Services hides the hardware specifics from card drivers and applications in much the same way as a computer system's BIOS does.

The PCM Plus software makes it relatively easy for even novices to install and configure a wide variety of cards. It also allows sophisticated users to access advanced features.

The software provided with the notebook is a sensible mix—there is nothing gimmicky about it, perhaps with the exception of City Streets, which is supplied as such a limited package that it ends up as nothing more than an advertisement for the software. However, there are a couple of things that we wish Canon had supplied. First, we would have preferred to see Windows for Workgroups—it would make it easier to integrate the computer into a network when returning to the office from a road trip.

Short of that, we would like to have seen





It's easy to upgrade the Innova Book's hard drive. The removable unit can be pulled out and replaced in a snap!

a better utility for transferring files between the laptop and a desktop computer. Of course, the Interlnk file-transfer utility is built into MS-DOS versions 6.0 and higher. Although the manual contains good instructions on how to use it, it's still a clunky way to link two computers together.

The computer sports a small, one-line LCD below the main display that contains icons that serve as caps-lock, Numericlock, and scroll-lock; hard-disk access, floppy-disk access, PC-Card access, connection to a DC power supply, charging status, suspend-mode status, and battery status.

The computer is supplied with a NiMH (nickel metal hydride) battery pack. The operating life of the battery is about two hours between recharges, depending, of course, on the kinds of activity that your software performs, and whether you take care to use power-conservation features. Frequent disk access, as you might very well expect, lessens the life span of the battery considerably.

The Innova Book conforms to the EPA's Energy Star guidelines for Green PCs, meaning that the computer can be set to enter a energy-saving "sleep" mode after periods of inactivity. Settings are made through the Phoenix SETUP program, which can be accessed during the unit's boot-up procedure.

The system has four potential energy states: full power, doze sleep, and suspend. In the system doze mode, the CPU speed changes to a minimum value after a period of inactivity. The feature can be disabled or set to engage after 4, 8, or 16 seconds. A key-press or mouse movement brings the speed up to high virtually instantly.

In the system-sleep mode, more power is saved as the LCD is blanked. The system

can enter the sleep mode after the computer has been in its doze mode for 1, 2, 4, 6, 8, 12, or 16 minutes. The feature can also be disabled if the user wishes. Finally, the system offers a suspend mode. The suspend mode does not depend on the sleep or doze modes; even if those two modes are disabled, the suspend mode can still be activated.

In the suspend mode, the system is virtually turned off. It saves the current contents of memory either to RAM or the disk so that when the system is reactivated, it returns you to where you were when it powered down.

If you choose to save to disk, the contents are stored to a separate partition on the hard disk, and the system powers down, providing power only for the CMOS RAM and real-time clock. (The system comes with a 21-megabyte partition configured on the drive for storing the memory contents.) If you choose to save to memory, the memory contents are stored in the system's static RAM. That RAM must also be powered in the suspend mode if the save-to-RAM option is selected, so it is not as efficient in prolonging battery life as the save-to-disk mode.

The power settings can also be used to

turn off the hard disk after periods of inactivity of 1, 2, 5, 10, or 15 minutes. The setup program also allows settings for port addresses and interrupts, memory cache setup, and other typical BIOS settings.

The keyboard is comfortable to use, thanks in part to an extended platform on which you can rest your wrists as you type. The platform extends about 3¾ inches below the space bar. Two "mouse" selection buttons are located on the platform below the spacebar.

The "mouse" is actually a pressuresensitive pointing device that protrudes like a small pencil eraser at the intersection of the G, H, and B keys. The pointing device is, we think, the most practical for a notebook computer. However, it was, at the same time, the source of the biggest complaints from us.


Our sample unit suffered from a manufacturing defect that could make the pointing device virtually unusable. The mouse cursor would not always stay still when the pressure was removed from the pointing device—instead it would drift slowly down the screen. It made it very difficult to use—especially when it began to move faster. It was virtually impossible to double-click on an icon without dragging it along with the cursor.

It became evident to us that the problem with the mouse was heat-sensitive. On initial power-up, it would work fine. It would then begin to drift slowly, getting worse the longer we used the notebook.

We then hit on the idea of setting the power-saving features to their maximums. That reduced the amount of heat that the computer's circuitry generated, and kept the pointer steady as a rock. At other times, we disabled the pointer from the BIOS setup and plugged in an external mouse.

A PS/2 mouse/keyboard connector is provided on the rear panel behind a hinged fold-down door. All of the other connectors that you'd expect to find on a fully configured desktop computer are there, too: serial port, parallel port, VGA port, microphone-in jack, and stereo audio-out jacks. There's also a "port replicator

(Continued on page 18)



The rear panel of the notebook offers, behind a fold-down door, all of the I/O ports that you'd expect to find in a desktop.

13



How ultrasonic power can safely deter unwelcome animals from your yard...

Yard Gard creates a wall of silent noise that drives away annoying dogs, cats and many wild animals without harming them.

by Charles Anton

e honest. Even if you're an animal lover, you don't want strange animals in your yard.

You know what I'm talking about... dogs that dig holes and foul your lawn, cats that

trample your flowers and sleep on your car. If you live in a rural area, you've probably had trouble with uninvited visitors like raccoons, possums, rabbits, or armadillos.

Until now, there weren't many options. After all, you wouldn't want to harm a stray animal, and your animal control agency may take days to respond, if they ever do.

High-tech solution.

Fortunately, modern technology has provided an answer: the new Yard Gard. It uses high frequency sound waves to force unwanted animals to leave the area.

Yard Gard eliminates the need for repellents, trapping or physical attacks. Pests learn to avoid the areas Yard Gard protects.

Ultrasonic Power. Yard Gard's electronic ultrasonic generator broadcasts powerful "silent noise" that repels four-legged yard pests, yet is generally unobtrusive to people. Tones are harmless but animals find the

sounds so unpleasant that they flee.

Why it works. Small animals depend on their acute hearing for survival. They can hear in the 18 to 25.5 kilohertz range which is beyond the range of most humans. When critical hearing frequencies are disrupted by strong pulses, animals feel threatened and leave the noisy area. Yard Gard takes advantage of this fact to protect your yard from pests.

Break their habits.

Animals are creatures of habit. They establish a territory and generally follow the same travel routes. Yard Gard forces animals to change their patterns and establish new ones. They soon modify their habitual routes to avoid Yard Gard zones.

Just plug it in. Are animals turning Yard Gard's trans- your yard into a zoo? former plugs into any standard household outlet. Electricity consumption is very low and costs only about 25¢ a month to operate.

Yard Gard is designed for outdoor operation in all types of weather. You can use your Yard Gard all year.

Mount your Yard Gard on a wall, post, or fence or place it on a flat surface. Yard Gard is essentially maintenance-free and requires only a minimum of care.

Three settings. Yard Gard has three frequency settings. At its lowest frequency setting, one Yard Gard covers an oval area of approximately 4,000 square feet the size of an average city lot. Additional units can be added to especially large yards.

Do dogs like your yard better than their own?



Are rabbits eating as much from your garden as you are?



Do you have problems with unusual animals?



Do neighborhood cats think your garden is a litter box?

Keep the birds.

Do you love to watch and feed birds in your yard? If you have problems with cats chasing birds away or killing them, Yard Gard is the answer. Birds are not affected by the high frequency sound waves. They can't hear it, but cats can't stand it.

Risk-free offer. For a limited time, you can get the new Yard Gard at the introductory price of just \$99. Call today to take advantage of this special factory direct pricing. All Comtrad products are backed by our "No Ouestions Asked" money-back guarantee. If you're not satisfied with the Yard Gard, simply return it within 30 days for a full refund. Yard Gard is also backed by a two year manufacturers warranty.

Yard Gard.....\$99 \$12 S&H Q

Please mention promotional code 502-PL-6634.

For fastest service call toll-free 24 hours a day









To order by mail, send check or money order for the total amount including S&H (VA residents add 4.5% males tax.) Or charge it to your credit card, enclose your account number and expiration date

COMTRAD

2820 Waterford Lake Drive Suite 106 Midlothian, Virginia 23113

Cruelty-free pest control that works...

n the past, people relied on poisons or violent means to get rid of unwanted animal pests. Recent environmental awareness has increased the demand for clean, non-letha' methods of pest control. Safe and humane, Yard Gard is the modern solution for vest control.

Humane. Yard Gard causes no harm to animals. By creating a wall of high frequency sound, it forces them to leave the area and create new habitual routes. While the sound is very annoying to animals, it is virtually unobtrusive to people.

Nature friendly. Poisons and pesticides can pollute soil end water sources. Yard Gard deters

pests with sound so it causes no damage to the environment.



Non-toxic. Chemicals used to eliminate pests can be dangerous to humans or neighborhood pets. Yard Gard poses no health risk when used as directed.



Library Cards

BOOKMAN ELECTRONIC BOOKS AND CARTRIDGES. From Franklin Electronic Publishers, One Franklin Plaza, Burlington, NJ 08016-4907; Tel. 609-386-2500. Prices: Base units: \$59.95 to \$149.95; cartridges, \$9.95 to \$89.95.

We are avid bibliophiles. We enjoy buying books, holding them, reading them, and having them on hand, ready to answer any questions that might arise. If we need to know when to prune a rose bush, how to cook a turkey, what type of bird is nesting in the maple tree, who won the 1972 World Series, what states we'd drive through if we were going to visit friends in Michigan, whether to put a hot or cold compress on a sprain, how to fix a leaky faucet—we pull out the appropriate volume.

It goes without saying that our bookshelves are filled to overflowing. In fact, our book collection takes up far more room than we can spare.

But we can't say that about the last four books that we've collected—a cookbook, two health references, and a dictionary/ thesaurus. All four fit in a shirt pocket at the same time, with room to spare.

They are all part of Franklin Electronics' Bookman line of electronic books. "Bookman™" is a platform that consists of base units and compatible book cartridges. Every Bookman base unit comes with one book built in. A slot on the back



Cartridges slip into a slot on the back of the Bookman unit.

allows other Bookman cartridges to be inserted. Each tiny cartridge—they measure approximately $2\frac{1}{2} \times \frac{1}{2} \times \frac{1}{8}$ inch—contains the complete text of a book. Instead of buying separate units, you can add a book to your Bookman library by simply adding a cartridge.

Bookman base units are available in three models: pocket, desktop, and speaking desktop. The pocket-sized unit measures $4\frac{1}{2} \times 3\frac{1}{2} \times \frac{1}{2}$ inch, weighs less than four ounces, and has a protective flipdown lid. The desktop-style unit is just slightly larger $(5\frac{1}{2} \times 4 \times 1)$ inch), and has a raised display angled for easy viewing. The speaking version adds a small speaker. Prices for the Bookman base units range from \$59.95 to \$149.95, depending on the style and which book is built in.

Each Bookman base unit features an LCD readout, QWERTY-style keypad, and assorted function keys arranged virtually identically to those found on any other Bookman product. The only visible hardware difference is the labeling of the four color-coded keys found directly above the alphabet keys. Those take on different functions each time a new cartridge is inserted.

Several titles are currently available on separate Bookman cartridges. So, if you buy a Bookman base unit equipped with the *Total Baseball Encyclopedia*, you can simply plug in *Betty Crocker's Cookbook* when the game's over and it's time to cook dinner. Franklin expects to publish more than 100 Bookman titles by this time next year, ranging in price from \$9.95 to \$89.95.

We examined the Pocket Dictionary & Thesaurus base unit, along with a sampling of cartridges: Betty Crocker's Cookbook, Parent's Emergency Medical Guide, and Diet & Nutrition Guide.

A POCKETFUL OF WORDS

The Pocket Dictionary & Thesaurus (MWD-440, \$59.95), which contains more than 83,000 dictionary entries and 41,000 thesaurus entries with 496,000 synonyms, fits the standard Bookman format. Its red, green, yellow, and blue keys are labeled THES, CONF, GAMES, and LIST, respectively. They are used to access the

thesaurus, display "confusables" (words that are often confused with others), select a game to play, and show the User List menu.

The MWD-440 offers a major advantage over paper dictionaries in that you don't have to know how to spell a word in order to look it up. For instance, keying in "numonia" will result in a correction list topped by the word we sought: pneumonia. The list also contained several other possible words that we might have meant with our misspelled one: nominee, gnomon, numbing, gnomonic, and mnemonic.


That brings us to the second advantage of an electronic dictionary: the ability to easily look up the meaning of any word that appears on its screen. We already knew the definition of pneumonia; gnomon, however, had us baffled. So we selected that word from the list by highlighting it and pressing the ENTER button, and learned that a gnomon is a pointer on a sundial. (We couldn't, however, come up with an example of how "gnomonic" would be used in a sentence.) It's possible to look up any word that appears on the screen in the same manner, and you can look up a word that appears in some of the other Bookman cartridges, if that book allows such cross-referencing (some do not).

The Pocket Dictionary & Thesaurus lets you know when the word you've looked up has synonyms listed in the thesaurus by flashing "thes" in the upper-right corner of the screen when the definition first appears. A press of the THES key reveals the synonyms for various definitions of the word. For instance, it provided lists of synonyms for 11 different definitions of the word "bear"-none of them relating to the animal. (A small sampling: synonyms for "to put up with something trying or difficult" included abide, brook, endure, lump, stand, and stomach; for "to produce offspring," it suggested procreate, beget, breed, and generate.)

When we looked up the definition of the word bear, "conf" also flashed on the screen, letting us know that the word can be confused with other words that sound and/or are spelled the same. In this case, we found that there were two "confusables" for the noun "bear" (the animal): the verb "bear," meaning to carry, and the adjective "bare," meaning naked.

In another example, the word "bow" (pronounced "bou") had several definitions, including to submit, to bend the head or body, and the front of a ship. Its confusables were "bow" (curve), "beau" (boyfriend), or "bough" (branch).

Unfortunately, the electronic dictionary does not offer pronunciation keys for the words it defines, and that can be more confusing than the confusables. Among



the definitions that the Pocket Dictionary offered for "bow" were "weapon for shooting arrows," "knot with loops," and "rod with stretched horsehairs for playing a stringed instrument." Our trusty pocket Random House Dictionary lists all of those definitions separately, under the pronunciation "bo." So we would expect those definitions—as well as "the front of a ship"—to be listed as confusables that are spelled the same but pronounced differently and have different definitions. Perhaps the confusion would be cleared up if we had the speaking version.

The MWD-440 has a few more tricks that are beyond the scope of printed dictionaries. It allows you to find all of the definitions in which a specific word appears. The word "bear" showed up in the definitions of 13 other words, including afford, attest, bruin, fructify, reproduce, sterile, stomach, and yield. It also allows you to "fill in the blanks." You can find missing letters in words by typing in question marks to replace the unknown letters. The Bookman comes up with a "MatchMaker List" of all the possible words, which comes in handy if you're a crossword fan. You can highlight any word in the list and hit ENTER to see if its definition matches the crossword clue. Word games enthusiasts will also appreciate the unit's built-in games: Hangman, Anagrams, and Word Train. Finally, you can create a user list of up to 40 words, even adding words that don't appear in the dictionary. You might use that list as an aid in learning a new word each day, for instance.

The Pocket Dictionary & Thesaurus clearly demonstrates the virtues of elec-

tronic books. It allows you quick, easy access to word definitions and synonyms. It also lets you play around with words, perhaps learning as you do so. And because you're not likely to spend time actually reading the dictionary or thesaurus, or typing in long strings of text, the small screen and tiny keypad are not significant drawbacks.

REDUCED-SIZE DIET & NUTRITION GUIDE

The Diet & Nutrition Guide cartridge (SLM-2013, \$44.95), provides nutritional data for a wide variety of foods, including generic, brand-name, and even restaurant foods. You can place the data for the foods you eat into a personal list that allows you to see the nutritional values of your daily diet. The cartridge also provides nutritional advice and a section on kitchen tips intended to help you eat more healthily.

Once the cartridge is inserted in the slot on the back of the Bookman and the CARD key is pressed, the Diet & Nutrition Guide's logo appears on screen next to the dictionary's logo. Highlighting "Diet & Nutrition" and pressing ENTER takes you into the book. Before actually using the book, you can watch a quick demonstration to see its capabilities, or you can scroll through a textual tutorial that explains the functions of various keys and commands.

With the Diet & Nutrition Guide inserted, the Bookman's four color-coded function keys take on new roles. For quick reference, however, the cartridge itself is adorned with icons representing the four keys and their application-specific labels: FOOD, BRAND, TEXT, and LIST.

The red FOOD key is used to access the list of generic foods, which ranges alphabetically from "abalone, raw" to "zucchini." You can scroll through the list, or you can type in the food you're looking for. There's no need to type in the entire word; the Bookman hones in on the word you want as you type in each letter.


When you find the item you want, pressing the ENTER key will bring up either its nutritional data or a list of more specific options. For instance, there are six choices listed under yogurt: coffee lowfat, fruit lowfat, plain, plain lowfat, plain no fat, and vanilla lowfat. By selecting plain lowfat, you can learn that an 8-ounce serving has 144 calories, 4 grams of fat, 2 grams of saturated fat, 36 calories from fat, 16 grams of carbohydrates, 14 milligrams of cholesterol, 12 grams of protein, and 159 milligrams of sodium; the sugar content has not been calculated.

The generic menu is quite extensive, including all your basic pantry items (flour, butter, sugar, eggs, and the like), and virtually every fruit and vegetable known to mankind. It even offers a wide selection of ethnic foodstuffs, including Indian kebabs, tostadas, matzo, egg-roll wrappers, and risotto. We were able to stump it on a few items, however, including basil. The rest of the ingredients for pesto sauce were listed however, including pine nuts.

Actually, the Diet & Nutrition Guide stumped us much more frequently. We consider ourselves quite knowledgeable when it comes to food, but we've never heard of acerola, akee, or amaranth—and that's just the "A's"! Unfortunately, the Diet & Nutrition Guide is not one of the cartridges that interacts with others, so we were unable to look those words up without exiting the book to use the dictionary.

We were curious enough to do so, but only one of the three appeared in the dictionary: Amaranth is an "imaginary flower that never fades," or an "herb with colorful flowers." We're not sure why that would be included and the ever-popular basil (and the very trendy cilantro) omitted. And we still don't know what akee or acerola are—they weren't in our printed dictionary either.

The green BRAND key is used to find the nutritional values of brand-name and chain restaurant foods, from All-Bran, Kelloggs, to Zings (another item we weren't familiar with). It allows you to compare different brand names of the same food type before you get to the supermarket. And it lets you know just what you're getting when you order a Big Mac, large fries, and a low-fat chocolate shake (1220 calories, 231 from fat; 49 grams of fat; 24 grams of protein; 154 grams of carbohydrates; and 1330 milligrams of sodium) at McDonald's.



If you are content to be consuming a steady diet of fast food, you probably won't be using the Nutrition Guide anyway. But if you find yourself eating at burger joints more often than you'd like due to circumstances beyond your control—because it's a quick, cheap meal that you can squeeze in between errands on your lunch break, or because the kids are clamoring for a Happy Meal with toys and it's easier to give in than to fight with them while cooking, serving, and cleaning up after a real dinner—the Diet & Nutrition Guide can help you make healthier choices while you're there.

It also allows you to keep track of the nutritional content of everything you eat on a day-to-day basis. While the data for any food from either the generic or the brand-name list is displayed, pressing the ENTER key will bring up the question "Add to today? (Y/N)." If you opt to do so, it then asks if you need to adjust the portion size. By inputting everything you eat each day, you can see the precise breakdown of the calories, fat grams, etc. that you've ingested.

The blue function key, labeled LIST, can be used to access your personal list to view today's total, or to start calculating another day's nutritional intake. You can also have the device calculate your weekly average.

The yellow function key, labeled TEXT, provides some interesting reading material. It includes recommendations concerning healthy eating, cholesterol levels, and high blood pressure. Explanations of each of the nutritional categories—calories, protein, fat, etc.—provide a look at how much is needed in the daily diet, what the substance does to help you, and how it can hurt you. Kitchen tips for healthier eating include common-sense ways to lower fat, cholesterol, and sodium (remove the skin from poultry, use milk instead of cream, broil instead of frying, limit the amount of meat you eat, limit the use of prepared foods, eat fresh fruit and vegetables ...). Finally, the guide provides answers to the 20 most commonly asked nutritional questions: Are sugar substitutes safe? Which is better, butter or margarine? Is caffeine dangerous?

While it's nice to have such information on hand, you won't want to spend much time reading it on the Bookman's small screen. Once you've scanned through the text and reached a clearer understanding of what you should be eating—and not eating—the Diet & Nutrition Guide does provide a convenient way to track your food intake, and, perhaps, begin eating in a more healthy manner.

COOKING WITH BETTY

If, horrified at the nutritional content of fast foods, you find yourself inspired to start doing some home cooking, the next Bookman cartridge to plug in is Betty Crocker's Cookbook (BCC-2007, \$89.95). The 40th anniversary edition of the classic American cookbook has been updated for the 90s, with an emphasis on quick, healthy cooking using less fat, sugar, and sodium and more fresh ingredients.

The cookbook presents a combination of favorite recipes from past editions (denoted by an on-screen symbol supposed to resemble a sheaf of wheat), "fix-it-fast" recipes that take less than 30 minutes to prepare (a clock icon appears on screen), and trendy ethnic-influenced dishes. There are four recipes for good of meatloaf, but you can also learn how to prepare beef with chipolte sauce, or bok choy with tofu.

As with the other Bookman cartridges, this one provides an on-screen demo and tutorial to help familiarize new users with its contents and how to access them. In case you get "lost," help is available at virtually every screen, with a press of the HELP key.

There are a few different ways to find recipes in Betty Crocker's Cookbook. You can search by typing in the name of the recipe, if you know it. If you don't know

the precise name, typing in part of it will call up a list of "matches"—recipe names in which that word appears. And if you misspell the word, the cartridge will call up a list of possible corrections.

By selecting Index from the menu screen, you can begin a search by typing in the first few letters of the recipe name. The Cookbook locates its matches for you. The same method can be used to initiate a search by ingredient or recipe categories.

You can also select "Recipe Category" from the Contents menu to scroll through an extensive list that includes meats, breads, appetizers, beverages, shellfish, pasta, legumes, soups, and sandwiches, to name a few. Within each of those categories, you'll find not only recipes, but extensive information relevant to the subject.

Under Vegetables, for instance, there's an introduction extolling the virtues of eating your vegetables, a look at vegetable basics that explains the proper "doneness" of various types, and some suggested vegetable accompaniments—flavored butters, sauces, and crumb toppings. For each individual vegetable, there's an in-depth explanation of how to select it at the supermarket and various basic cooking techniques. (You'll never be intimidated by artichokes or spaghetti squash again.) The recipes for each vegetable type are listed following its introduction.

Finally, you can search for recipes by ingredients, using the yellow function key marked INGR. Say, for instance, that on Sunday morning you had eggs, bacon, and potatoes on hand, but didn't feel like having the usual eggs over easy with hash browns and a side of bacon. You might want to whip up Betty's Breakfast Potato Casserole for brunch instead.

In this case, you could put your fresh potatoes back into the pantry. The recipe calls for a package of hash-brown potato mix instead. Despite the cookbook's claim to use more fresh ingredients and less fat, sugar, and sodium "wherever possible," many recipes—too many for our tastes—call for pre-packaged ingredients and ingredients that could easily be replaced by reduced-fat equivalents.

The Breakfast Potato Casserole contained 19 grams of fat per serving, which isn't bad. But we would probably have substituted reduced-fat cheddar, 2% milk, and three whole eggs and four egg whites for the cheddar, milk, and five whole eggs called for in the recipe. And we would have shredded the fresh potato we had on hand instead of using a packaged mix.

On the plus side, every recipe is accompanied by complete nutritional information—more complete, in fact, than the data offered in the Nutrition & Health Guide cartridge. Besides providing the total calories, fat, protein, carbohydrates, cholesterol, and sodium per serving, the

cartridge lets you know the percentage of the recommended daily allowance of protein, vitamins A and C, thiamine, riboflavin, niacin, calcium, and iron. The green function key, labeled NUTR, can be used from within any recipe to access its nutritional data.

If you are seriously interested in reducing the fat in a recipe, you can find some pointers on how to do so in the "Reducing Fat in Your Diet" chapter located under "Special Helps" in the Contents menu. In it, you'll find basic tips (choose lean cuts of meat and trim all visible fat; use nonstick cookware), as well as suggestions on how to reduce or substitute for fats within recipes.

the blue LIST key to add a note to a recipe. Depending upon the length of each, approximately eight notes can be stored. (They won't be saved, however, if you remove the cartridge from the Bookman.)

The recipes contain enough details to guide even total beginners step-by-step to a successful dish. The banana-bread recipe, for example, tells the cook where to position the oven rack, what size pans will work, different baking times for differently shaped pans, how to use a toothpick to tell if it's done, and how to cool, wrap, and store the finished loaf. It even offered a tip that experienced cooks might not know of—ripe bananas can be mashed with a little lemon juice and frozen until

give you the proper advice for your particular situation.

Upon selecting the cartridge, you are asked to enter the problem. We typed in "spots," and were asked to respond to a question—Did the rash begin suddenly, and is your child having difficulty breathing?—by pressing Y for yes or N for no. We answered no for our hypothetical situation. The Bookman then asked if the child has a fever, to which we responded yes. It told us to "Call your doctor or clinic or emergency room immediately if the rash is purple spots. Otherwise, see the 'Doctor's Advice' section for Fever, then press CLEAR and type 'rash' for more advice."


There's no need to start over again by pressing CLEAR and typing in "fever." An XREF symbol next to the word fever let us know that we could go directly to the cross-referenced information—in this case, the section on fever—by pressing the ENTER key.

Once again, we are presented with a decision tree: "Can you answer yes to any of the following questions?" Those asked if the child is experiencing convulsions, delirium, difficulty breathing, stiff neck, or difficulty waking, among other symptoms. If so, we are again directed to call the doctor or go to an emergency room. In that way, we learn the temperature levels considered dangerous at various ages, and what symptoms, in addition to the fever, require immediate attention.

If the answer to that list of questions is no, and the child "seems comfortable, alert, and active and has a normal appetite" despite the rash and mild fever, we learn that she doesn't need fever medicine or medical attention. "She probably has a viral infection such as a cold, mild flu, or a viral rash. Handle these problems as necessary. Do not recheck her temperature unless the situation changes."

In that manner, The Parents' Emergency Medical Guide provides two important services. First, it lets parents know precisely when the situation requires immediate, professional medical attention something that is often difficult to determine on one's own. Even when faced with seemingly alarming symptoms, many parents are reluctant to call the doctor, particularly in the middle of the night and on weekends, unless it really is an emergency. Other parents reach for the phone or run to the emergency room for problems that could easily be handled at home. Second, the guide usually lets you know how to cope with non-emergency situations on your own.

The above example, however, is an unfortunate exception. Not all parents know how to "handle these problems as necessary" and just what changes in the situation warrant taking the child's temperature



The Special Helps section contains a wealth of basic information about cooking and related topics. It offers advice on grilling, microwaving, and cooking in highaltitudes; table-setting and entertaining; yields and equivalents (if your recipe calls for 1 cup of chopped apple, you'll need approximately one medium apple); nutrition basics; emergency substitutions (for 1 ounce of unsweetened chocolate, use 3 tablespoons unsweetened cocoa powder and 1 tablespoon vegetable shortening); herbs and spices; and canning.

Also found in the Contents menu is "Cooking with Confidence." It covers the fundamentals, including kitchen setup and equipment, measurements, a glossary of food terms, and the basics of food preparation (how to separate an egg, melt chocolate, peel a tomato).

More advice is available within many of the recipes themselves. If an XREF or FOOT symbol appears within the text of a recipe, that means that more information pertaining to that recipe is available elsewhere. By highlighting the symbol and pressing ENTER, you can view the cross-reference or footnote. Pressing BACK returns you to the recipe.

If you have your own tips that you'd like to jot down "in the margin," you can press

you're ready to bake with them.


Those details, along with the textual information found in the contents menu, make Betty Crocker's Cookbook an excellent gift for the first-time cook. A college student who is living off-campus, for example, would be able to put it to good use along with various Bookman reference cartridges.

911? INFORMATION, PLEASE

As any parent knows, keeping your kids well fed is only one part of keeping them healthy. In spite of our best intentions, kids manage to get sick or hurt—and they tend to do so in the middle of the night or on holiday weekends, just when we're least likely to be able to reach the doctor.

What do you do when the baby learns to climb at 3 AM, and falls out of his crib? When your five-year-old is running a fever of 104°? When your roller-blading teenager runs into a tree? When your two-month old won't stop crying? When your little girl is covered with little red spots?

You can find the answers to each of those questions, and dozens more, in the Parents' Emergency Medical Guide (EMG-2006, \$44.95). For each problem, the device uses what it calls "decision trees" to narrow down the problem and



again. There were no easy cross references to cold, mild flu, or viral rash, although each could be found in the guide. And such less-than-helpful answers appear only for those situations in which the child is only mildly ill and doesn't require any immediate intervention by parents or doctor.

If, on the other hand, we had answered the last question in the decision tree affirmatively, we would have received detailed directions on how to treat a child with a fever. The Parents' Emergency Medical Guide lists the symptoms of dehydration, which often accompanies a fever, and offers suggestions on how to prevent it in children of different ages. It tells you how often to take the child's temperature, what over-the-counter medications are all right to give children (with a cross-reference to an age and weight chart for appropriate dosages), how to dress a feverish child, the proper room temperature, and to use lukewarm water (not rubbing alcohol) for a sponge bath. The guide then provides a list of additional symptoms for which you should call the doctor during regular office hours

While learning about fevers, we could also press the red INFO key to view the information about fever located in the cartridge's general reference section. We could also check the "How to Use a Thermometer" cross-reference.

Such detailed advice is available for just about any ailment you can dream up. The Contents menu is divided into sections titled Emergencies, Common Problems and Concerns, and Prevention. The first two categories each contain general information as well as specific topics.

Under Emergencies, you'll find text on how to handle emergencies, CPR, going to the emergency room, and hospitalization. There are also 15 emergency topics from which to choose, including burns, choking, bone and joint injuries, poisoning, frostbite, and head injuries. Under Common Problems and Concerns, there

are sections on how to use medicines and how to choose a doctor for your child, as well as 26 more topics. Those include medical problems—earaches, fever, colds, coughing, rashes, stomach aches, and the like—and other parenting dilemmas, such as dealing with toddlers who say "no" and fussy babies. Other topics include caring for newborn babies, feeding babies and young children, growth and development, and child abuse. Each of the topics listed under Emergencies and Common Problems can be accessed by typing in the topic heading, or its number, which can be found in the manual.

The Prevention section is divided into three main topics intended to help parents ward off as many accidents, illnesses, and injuries as possible. It presents some grim statistics—accidents account for more deaths among American children than the total fatalities caused by the four leading children's illnesses, with vehicular accidents topping the list. With an emphasis on practical precautions, not over-protectiveness, the Parents' Emergency Medical Guide provides information on car, home, toy, bicycle, skating, water, and animal safety; immunizations; and physical fitness.

We liked the way the Parents' Emergency Medical Guide is set up. The questions-and-answers process used in the decision trees is the same method that our pediatrician uses when we call her with a problem.

The Parents' Emergency Medical Guide is not meant to take the place of professional medical help. What it does do is calm parents down enough to handle some of childhood's mild crises on their own, while letting them know when it is time to call on a professional.

We're not ready to replace our stack of printed parents' references, but we will keep the Bookman version of Parents' Emergency Medical Guide with them.

POSTSCRIPT

We have mixed feelings about electronic

books. After all, you don't have to worry about a printed cookbook "closing" itself if more than three minutes elapses without it being touched as you're cooking a meal. Yet three minutes is the longest shut-off time delay provided by the Betty Crocker's Cookbook cartridge. And a print book is more likely to be easily found, in its place on a bookshelf, than the pint-sized Bookman-which might be hiding in a briefcase, under a stack of papers on a desk, in the cushions of a couch, or just about anywhere else. (We misplaced our unit several times while testing it.) That could prove disastrous if the book you needed was Parent's Emergency Medical Guide. We'd also like to see a Bookman carrying case with room to store the extra cartridges, which are even more likely to be mislaid.

Right now, the cartridge prices are still quite a bit higher than you'd expect to pay for the hardcover print versions of the same books. According to Franklin, however, "As silicon prices continue to drop, Bookman electronic books will be cheaper than printed reference books in three years or so."

On the plus side, it could be nice not to have stacks of books cluttering up a desk top or the whole house. And, yes, it's terrific to have so much information literally in the palm of your hand. So, although we're not anywhere near ready to give up our library of printed books, we like the convenience having the Bookman on hand as well.

CANNON NOTEBOOK

(Continued from page 12)

port." We assume that it's for connection to a docking station—the documentation remained mum about it.

The Innova Book is an ideal computer for mobile professionals and for small-of-fice/home-office (SOHO) workers. The only things missing from the Canon Innova Book 200LS are a fax/modem and CD-ROM drive, both of which can be added easily enough with off-the-shelf solutions. (PC-card modems are readily available, as are portable parallel-port CD-ROM drives, and PC-card SCSI CD-ROM interfaces.)

The notebook could easily be a virtually no-compromise desktop PC for space-starved home offices thanks to its large display. However, if you have more room and if you prefer to use a full-size keyboard and traditional display, they can be accommodated easily enough. The ability to easily insert a new hard-disk drive increases the system's versatility dramatically.

19



Frustrated bartender develops incredible device to clean and disinfect your entire home...

Vapormax, a revolutionary new cleaning system, uses dry vapor to provide versatility and power never before available for home use.

by Annabel Woodward



Lipstick-stained bar glasses and a cappuccino machine. Believe it or not, these two things led to the development of a cleaning system like nothing you've ever seen—Vapormax.

The inventor of this system was a bartender whose hardest task was removing lipstick stains from glasses. He'd scrub and scrub, but

to no avail-the stains were almost impossible to remove. Then, one day, on a whim, he passed a lipstickstained glass under the steam vent of a cappuccino machine. It workedthe stain wiped off easily! The result of this discovery is Vapormax, a system that cleans with high-temperature vapor (lowmoisture steam).

Powerful clean. Vapormax doesn't use high pressure, lots of water, a motor,

chemicals or vacuum bags. So how does it clean? Vapormax uses water, heat and gentle scrubbing to clean everything in your home from upholstery to your barbecue grill. The heat produced by Vapormax weakens the physical bond that holds dirt and stains to surfaces. Water, converted to "dry vapor" by the heat, is considered to be nature's most perfect solvent. Various attachments gently scrub the surface, loosening dirt. The dirt particles are suspended in water droplets that result from

condensation of the vapor. And then, because water flows in the direction of the least resistance, the dirt and moisture are absorbed by a cotton towel.

Versatility. With its wide variety of attachments, Vapormax can clean and sanitize virtually anything in your home. Clean bathrooms, upholstery, kitchens, rugs (even oriental rugs can be cleaned carefully), drapes and mattresses. Use Vapormax to clean the interior of your car from the seats to the windows. Take it outside to clean barbecue grills and

patio furniture. The high-temperature vapor also sanitizes things like children's toys. You can even use Vapormax as a humidifier or a clothes steamer!

Built for safety. Physics dictates that steam under pressure loses its heat energy almost immediately as soon as it is allowed to expand. So while the steam in the tank reaches 280° F. it cools to 180-200° F at the cleaning surface, and to body temperature six inches from the tip. While it is possible to burn yourself, as it is with an iron, it's unlikely with responsible use.

Vapormax also has other features to ensure your safety. First, every part of the system which is exposed to steam is insulated or made of polycarbonate materials that will not transmit heat to the user. Second, the release of steam is controlled by a valve inside the unit. So if the hose is disconnected from the tank, even accidentally, the valve cuts off the flow of steam instantly. Finally, all the pressure elements have been

Children's toys Tubs and toilets Clothing Even humidifies! tested safe to 10 times maximum operating pressure. If internal pressure is too high, an

VAPORMAX

Upholstery on

chairs and sofas

Carpets, rugs,

■ Basins, fixtures

and countertops

Drapes and

Car interiors

■ Bedding and

Patio furniture

Ovens, stoves

and barbecue grills

windows

mattresses

tile and floors

electrical safety device will shut the unit off. The filler cap also releases steam automatically and harmlessly to reduce internal pressure. For a healthier environment. Not only will your home look and smell cleaner with Vapormax, but germs and irritants including

staphylococcus ("staph") and streptococcus ("strep") will be removed from your environment. You will notice a difference immediately after a Vapormax cleaning-especially if you are an allergy sufferer!

Try it risk-free. Vapormax is backed by our exclusive risk-free home trial. Try it, and if you're not completely satisfied, simply return it within 90 days for a full refund, "No Questions Asked." It is also backed by a oneyear manufacturer's warranty. Most orders are processed within 72 hours and shipped UPS.

Vapormax (with instructional video) . . . \$499 \$29 S&H Please mention promotional code 1061-PL-6632.

For fastest service, call toll-free 24 hours a day

800-992-2966









To order by mail, send check or money order for the total amount including S&H (VA residents add 4.5% sales tax). To charge it, enclose account number and exp. date.

INDUSTRIES

2820 Waterford Lake Drive, Suite 106 Midlothian, Virginia 23113

HOW VAPORMAX WORKS

Vapormax uses electricity to heat the water in its tank, creating steam under pressure. When the pressure reaches approximately 50 psi, the temperature



of the steam reaches about 280° F and the moisture content of the steam goes down to about 5%. An electronicallycontrolled solenoid valve releases pressure from the tank, and pressure to the tip is requlated with a manual valve similar to a water faucet. The steam travels

from the tank to the tip through a pressure line inside an insulated hose. At the tip, the variety of brushes or other accessories allows the steam to reach the dirty surface while a brushing action is applied, releasing and removing dirt and stain particles from the surface you are cleaning.

GIZMO NEWS

Teens Just Wanna Watch TV

Teenagers in the U.S. love high technology, but they're content to sit in front of the tube. According to a survey conducted by Chilton Research Services (Radnor, PA), nearly half of America's teenagers (11-18 years old) use a computer at home, and about twenty percent of them log in to online services or bulletin boards (BBSs) with their home computers. They're not just doing homework and research, however. Playing video games is the main attraction of online services. Chatting online ranks a distant second.

Teenagers are more familiar with hightech products than the population at large. More than half of them have used a CD-ROM player (most at school) and about six percent of all teens have bought a CD-ROM title in the month in which they were surveyed.

TV, however, is still king. Forty percent—twice as many as go online—say that watching TV is more fun than going online. Sitcoms are the most popular programming genre. The most popular network? Fox. The most popular show? Home Improvement.

More than 96 percent of American teenagers have or have access to a VCR. About 79 percent of teenagers had rented or purchased a videotape in the few months before the survey was conducted. Although most teenagers "veg out" thanks to electronics technology, most think that innovations and advances in technology will help them gain a better lifestyle than their parents enjoy.

Keep Those Products Coming!

The electronics industry has a lot of happy consumers. A national survey conducted by the Consumer Electronics Group of the Electronic Industries Association (EIA/CEG) asked owners of audio equipment to compare the value of their systems with other recreational and entertainment products that they own—which included everything from swimming pools to boats to exercise equipment.

We're not surprised that their specialty audio equipment (69%) was judged to be a better value than their exercise equipment. Fourteen percent said that the two were of equal value. More surprising is that more than half of the respondents said that their specialty audio equipment was of better or equal value than their swimming pools—this being written during an early summer heat wave (43% said that audio equipment was a better value, 13% said the two were equal).

Pool tables fared even worse, with 76 percent saying that their audio equipment was a better value, and 14 percent saying that the two were equal. Hot tubs and boats didn't fare all that much better. Because we don't own either, that makes us feel good (59%/70% said that their audio equipment was of better/better or equal value than their hot tub, 49%/63% said that their audio equipment was of better/or better or equal value as their boat).

Radio Sounds Good Today

Another survey conducted by the EIA/CEG tried to find out how our attitudes and practices regarding home entertainment change as we get older. Not much, apparently.

The EIA surveyed 1200 households, 500 of which had home theaters, 500 that had full stereo systems, and 200 that had neither. The results indicate that, for Americans 36 years and older, the radio is a major source of music, much as it was when they were younger. The Beatles are no longer their favorite performers, but songs from the fifties or sixties are still popular, being heard primarily on oldies stations.

When asked for their favorite band or artist when they were 18 to 25 years old, the Baby Boomers, now 26-55 years old, mentioned the Rolling Stones, Beach Boys, Elvis Presley, and Chicago along with the Beatles.

Today, Baby Boomer tastes run to Reba McIntyre, Kenny G, Garth Brooks, the Eagles, and Elton John. Seventeen percent could not name a favorite performer. An even larger number—twenty percent—of those over 55 could not name a favorite performer, indicating that age brings a

modest decline in interest in specific performers. The interest in music in general does not drop, however.

Baby Boomers listen most to oldies from the 1950s and early 1960s, with more than 80% saying that they listen to such music. Next in popularity is classic rock, starting with the Beatles and ending with disco.


Today, most music listening is still via radio (89%), followed by compact discs (72%), tapes (70%), and LP records (23%). The amount of time spent listening remains relatively unchanged over time. About 32 percent said that music-listening time increased, 24 percent said it decreased, and 43 percent said it was unchanged.

Supercomputer Centers Linked

In 1987, the National Science Foundation built what became known as the NSFnet, a high-speed backbone linking several Supercomputing Centers across the U.S. The backbone was to provide higher speed than the original ARPAnet—which formed the beginning of what we now call the Internet—was able to. The NSFnet was the primary backbone of the Internet until recently.

The NSF has teamed with MCI Communications to build a new national network connecting five supercomputing sites. The network, called the very high speed Backbone Network Service (vBNS), will be used by major science laboratories for various research-and-development projects such as environmental modeling and weather forecasting.

One of the driving forces behind the network is the ability to solve the Grand Challenges. The Grand Challenges, first



The MCI very high speed Backbone Network Service (vBNS) links supercomputing sites together.

articulated by the U.S. Office of Science and Technology Policy, are fundamental problems in science and engineering with broad economic and scientific importance whose solutions can be advanced by applying high-performance computing techniques and advanced networking resources. Examples include the weather forecasting and environmental modeling already mentioned, along with such other problems as understanding the structure of biological molecules to fight heart disease, building more energy-efficient cars and planes, and understanding how galaxies are formed.

The network will use a combination of asynchronous transfer mode (ATM) and synchronous optical network (SONET) technologies. The vBNS will initially operate at speeds of 155 million bits per second (Mbps) and is planned to operate at greater than 600 Mbps in 1996. According to MCI, new fiberoptic technologies will eventually allow networks to reach transmission speeds of 40 gigabits per secondenough for nearly half a million simultaneous Internet conversations over a single fiber pair.

The five-year, \$50-million agreement will tie together the Pittsburgh and San Diego Supercomputing Centers, the Cornell Theory Center, the National Center for

Supercomputer Applications in Urbana, Illinois, and the National Center for Atmospheric Research in Colorado. The vBNS will also be accessible to NSF-approved researchers through access points in New York, San Francisco, Chicago, and Washington, D.C. Eventually, the vBNS will be accessible by outside research organizations, government, and commercial networks through those access points, using standard Internet access.

SDTV—A Step Forward?

By the end of this year, the Federal Communications Commission is expected to approve a final specification for high-definition television or HDTV. It now looks as if the standard will include provision for SDTV or—you guessed it—standard-definition TV.

Terrestrial broadcasters see SDTV as a bridge, a way to compete with digital satellite, cable, and (eventual) phone-company video networks. The flexibility that it will provide broadcasters will allow them to deliver picture resolution based on programming, and more channels, perhaps for non-programming services. For example, when broadcasting an old black-andwhite sitcom rerun, broadcasters do not want to be forced to use the full channel capacity of 20-megabits per second.

HDTV proponents see SDTV doing nothing more than delaying the acceptance of HDTV and the delivery of HDTV programming.

Third DBS Satellite Launched

DBS-3, the third high-power directbroadcast satellite for the DirecTv service, was launched successfully in June. When operational, the satellite will expand DirecTv's channel capacity.

The three satellites are co-located at the 101° West longitude orbital location. The program providers, DirecTv and USSB, are licensed to transmit from that location. USSB is licensed to transmit carriers on five frequencies, and DirecTv is authorized to transmit carriers on 27 frequencies. DBS-1, which contains all five of USSB's transponders and nine transponders for DirecTv, transmits at 120 watts per transponder. When DBS-3 is up and running, both it and DBS-2 will be configured to transmit eight carriers each, with 240 watts per transponder.


Digital compression allows about 175 channels to be broadcast via the 32 licensed frequencies. USSB delivers about 25 channels, with DirecTv delivering the rest. Programming can be received only with RCA or Sony DSS Digital Satellite System receivers and satellite dishes.

ELECTRONICS WISH LIST


The Ultimate Home Theater

Anyone determined to have the ultimate home theater might consider taking out a second mortgage to buy the Vidikron/Faroudja VP-400 Video Processor and VPF-50HD projection monitor from Vidikron of America, Inc. (150 Bay Street, Jersey City, NJ 07302). The line-quadrupling processor converts conventional 525-line interlaced NTSC video signals to progressively scanned, 2100-lines-perframe output, completely eliminating scan lines and delivering a stunning improvement in overall picture quality. It incorporates a Super-NTSC Decoder that eliminates color blurring, with anti-artifact comb filters that prevent cross-color interference without digital artifacts. Patented correction circuits prevent dotcrawl and hanging dot errors and bandwidth-expansion circuitry maximizes image detail. The line-quadrupler requires a suitably high-scan-rate monitor, such as the VP-50HD projector, which offers 64-kHz horizontal scanning frequency with scan-deflection circuitry capable of 2.5-microseconds retrace time. It also features a high-precision, dual-yoke design for extremely accurate focus to the edges of the picture, improved-uniformity luminance circuitry for constant edgeto-edge brightness, and higher beam current that yields significantly greater light output with finer-spot tubes. The projector can produce a 5- to 25-foot diagonal image, variable aspect ratios, and on-screen graphic control menus. The top-ofthe-line VPF-50HD/Auto adds an auto-convergence calibration system that uses a motorized and computer-controlled color video camera to deliver perfectly accurate color convergence in less than five minutes. Either projector, when used with the processor, provides high-resolution images that genuinely rival 35-mm film what the company calls "Virtual HDTV." Prices: VP-400 Video Processor, \$20,000; VPF-50HD, \$19,995; VPF-50HD/Auto, \$22,995.

CIRCLE 61 ON FREE INFORMATION CARD



Vidikron/Faroudja Line-Quadrupler



Vidikron Video Projector

ELECTRONICS WISH LIST



AT&T Computer Phone



TCI Kid Control



Staedtler Erasable Lumolabels

Computer Phone

The Computer Telephone 8130 from AT&T (5 Wood Hollow Road, Parsippany, NJ 07054) is a phone and software package that combines the power of a PC with the familiarity and simplicity of standard telephone. Designed for use in home offices, the two-line speakerphone is the first phone that connects directly to a PC. The Computer Telephone can store up to 5000 names and phone numbers for onetouch dialing. It gives users access to customer records stored in their computers with a couple of key strokes, even before the customer's call is answered. (When used in conjunction with Caller ID service, the device displays the caller's phone number on the computer screen between the first and second ring, making it possible to access stored notes and files easily.) It provides a call log of all incoming and outgoing calls, which can be sorted by name, phone number, or date, and redialed with the click of a mouse. It allows users to handle all phone functions, such as setting up three-way conference calls, putting calls on hold or mute, or redialing calls, either by phone or computer. The phone holds an 18-call memory to dial the most frequently used numbers, and can store up to 15 incoming call numbers in memory when the PC is off. Those are downloaded to the PC when it is turned back on. The Computer Telephone is compatible with TAPI (Telephone Application Program Interface) standards. Price: \$199

CIRCLE 62 ON FREE INFORMATION CARD

Kid Controls

Give your kids fast access to their favorite television channels—and no access to the rest—with the TCI Kid Control from Telecommunications, Inc. (TCI) (Terrace Tower II, 5619 DTC Park way, Englewood, CO 80111-3000). The pre-programmed universal remote control features eight buttons emblazoned not with numbers, but with the highly recognized logos of the channels kids like to watch most: The Disney Channel, Nickelodeon, The Discovery Channel, The Learning Channel, Cartoon Network, The Family Channel, and a local PBS affiliate. The eighth button is left free for local customization. The Kid Control is available in two models, a bright orange dinosaur and a purple puppy sporting sunglasses. Each comes with an activity book and crayons and an offer for a free issue of Better Viewing, a magazine geared toward helping families make informed television viewing decisions. Price: \$29.95.

CIRCLE 63 ON FREE INFORMATION CARD

Wrist Waterbed

The Waterbed For Your Wrists from Waveco (P. O. Box 1331, Palmetto, FL 34220; Tel. 813-723-2229) provides comfortable support and shock absorption for computer typists' wrists. The gel-filled wrist cushion supports the wrists during typing, not just during periods of rest. Unlike traditional wrist rests, the Waterbed doesn't create pressure lines across the underside of the wrists. The gel conforms exactly to the contour of the wrists and palms, so that perfect contact between the pad and the user's hands is consistently maintained, regardless of the orientation of the arms and hands. The gel has vibration- and shock-absorbing properties said to help prevent Carpal Tunnel syndrome. If over-exertion still causes aching wrists, the pad can be refrigerated to provide cold therapy. Price: \$19.95 plus shipping and handling.

CIRCLE 64 ON FREE INFORMATION CARD

Erasable Labels

If you use your cassette tapes, videotapes, and floppy disks more than once, you've probably experienced labeling problems. Either you get a build-up of new labels over old ones, or you have almost illegible labels with new information written over the original. Staedtler, Inc.'s (21900 Plummer Street, Chatsworth, CA 91311) Lumolabels solve those problems. The erasable labels come in three shapes and sizes, each designed specifically for use on audio tapes, videotapes, or 3.5-inch disks. Each box of 18 labels includes a special Lumolabel pen and eraser. The writing is essentially permanent unless the eraser (or rubbing alcohol) is used to remove it. The system allows quick, clean labeling of consumer-recordable media, with the ability to change content listings as needed. Price: \$4.98/box.

CIRCLE 65 ON FREE INFORMATION CARD

Get 3 PROFESSIONAL BOOKS for \$ only

Plus 1 book FREE upon prepayment When you join the ELECTRONICS ENGINEERS'BOOK CLUB®

Values to \$226.50



0209847-XXX \$110.50



0039695 \$45.00



3837H \$27.95



3710P \$21,95 Softcover




0709645-XX \$70.00



2962P \$18.95



0156751 \$55.00



0376034-XX \$59.50 Counts as 2





0494347 \$52.00





0686637-XX \$89.50



0410836 \$59.50





0696217-XX \$55.00



0164223 \$60.00



0376026 \$42.95



TYMER HTSHMEN



0289778-XX \$52.00 Counts as 2








0375054 \$39.50







0375046 \$39.50





0415250-XX \$66.34 Counts as 2



0031541 \$34.50

As a member of the Electronics Engineers' Book Club . . .

you'll enjoy receiving Club bullet ns every 3-4 weeks containing exciting offers on the latest books in the field at savings of up to 50% off of regular publishers' prices. If you want the Main Selection, do nothing and it will be shipped automatically. If you want another book, or no book at all, simply return the reply form to us by the date specifiec. You'll have at least 10 days to decide. If you ever receive a book you don't want due to late del very of the bulletin, you can return it at our expense. And you'll be eligible for FREE BOOKS: hrough the Bonus Book Program. Your only obligation is to purchase 3 more books during the next 2 years, after which you may cancel your membership at any time. @1995 EEBC

All books are hardcover unless otherwise noted. Publishers' prices shown. A shipping/handling charge & sales tax will be added to all orders. If you select a book that counts as 2 choices, write the book number in one box and XX in the next. If you select a counts as 3 choice, write the book number in one box and XXX in the next 2 boxes.

If coupon is missing, write to: Electronics Engineers' Book Club A Division of McGraw-Hill, Inc., P.O. Box 549, BlackLok, OH 43004-9918

ELECTRONICS ENGINEERS' BOOK CLUB

A Division of McGraw-Hill, Inc. P.O. Box 549, Blacklick, OH 43004-9918

YESI Rush me the following title(s), billing me just \$9.95 (plus shipping/handling & sales tax). Enroll me as a member of the Electronics Engineers' Book Club according to the terms outlined in this ad. If not satisfied, I may return the book(s) within 10 days for a full refund and my membership will be cancelled. I agree to purchase just 3 more selections at regular Club prices during the next 2 years and may resign anytime thereafter. Bill me (FREE book not available with this payment option.)

SPECIAL OFFER! Prepay your order by check, money order, or credit card and receive a 4th book of your choice FREE.

YES! I want the FREE BOOK indicated at right. My introductory Code # of payment of \$9.95 plus \$9.95 shipping/handling* and applicable sales tax is enclosed.

my FREE BOOK-

SELECTION ONLY

Code #'s of my book(s) for \$9.95

If you select a book that counts as	2 choices, write the book number in one box and XX in the next.
If you select a Counts as 3 choice	, write the book number in one box and XXX in the next 2 boxes.

Check or money order enclosed made payable to: McGraw-Hill, Inc. Please charge my: VISA MasterCard American Express Discover

Acct. No.		Exp. Date
Name	Signature	(required on all credit card orders)
Address / Apt./		

City/State/Zip Otty-claster/Lip
Offer valid for new members only, subject to acceptance by EEBC. U.S. orders are shipped 4th Class Book Post. Canada must remit in U.S. funds drawn on U.S. banks. "Canadian orders are shipped International Book Post—add \$12.50 ethic plantage and participation of the properties of th

23

MULTIMEDIA WATCH

By Marc Spiwak

Slide-Show Software

while back I reported on a very unusual cordless pointing device that feels more like a TV remote control than a mouse. That unit was the *RemotePoint* from *Interlink Electronics*, and it is a handheld, wireless infrared (IR) mouse.

RemotePoint uses Interlink's force-sensitive resistor (FSR) technology, which is basically a thin film sheet that changes its resistance plied on the sheet. Remote-Point has a circular rubber disc on top that can be "tilted" 360 degrees. The tilting motion replaces a normal mouse's X-Y motion and moves the cursor on the screen in the direction that the disc is tilted in.

Cursor speed depends on the pressure applied to the edge of the disc.

To use it, you point RemotePoint at a small

To use it, you point RemotePoint at a small desktop IR receiver that plugs into your computer's mouse port. The primary (left) mouse button is located on the underside of the transmitter in a comfortable trigger position; it is placed so that the unit can be used in either hand. The secondary (right) mouse button spans the width of the top of the remote. The transmitter will work up to 40 feet away from the receiver.

Now, even though RemotePoint is really neat on its own, you still need to have a good reason to use a mouse that requires batteries. Probably the best reason is to control presentations from a convenient distance, Toward that end, RemotePoint is now available in a bundle that includes a neat little software package called SlideWorks; the bundle's list price is \$219.95 (The wireless mouse itself has a suggested list price of \$159.95).

SlideWorks, a perfect companion software for RemotePoint, is a new software toolkit that allows a PC presenter to highlight,

underline, or circle elements on the screen: simulate a laser pointer; advance slides; maanify detail; create custom slide shows: and more, all from up to 40 feet away. Specific tools can be programmed to be activated by a click, double click, or click combinations, to make swapping tools as easy as possible. The software runs in Windows and installs in minutes from a single 3½inch disk.

A pen function "writes" with opaque "ink," hiding whatever it covers. A "highliahter" draws a vellow tint on the screen where you drag it, while allowing whatever was there to still show through. The pen and highlighter can be switched to a "straight" mode where it draws only perfect vertical or horizontal lines. Boxes, ellipses, and bars can be drawn, sized, and dragged around the screen. The screen can be blanked and unblanked or a translucent shade can be pulled over a screen. Even sounds can be activated.


Many more tricks can be performed with the software, including the creating of custom slide shows. That function lets you capture images, windows, areas, and more, and use the captured images to create and display a slide show.

RemotePoint was helpful for doing presentation work all by itself. But with the SlideWorks companion software, it's a much more complete package.



SlideWorks lets you highlight and circle things on your computer screen with the RemotePoint wireless mouse.

according to the pressure applied to it. The material can indicate both the amount of pressure applied and where pressure is ap-



You've Grown to Expect from Heathkit

We Teach You, Take Care Of You, And We Put Our Money Where Our Mouth Is

Using real-world exercises and easy-to-understand lessons, you will learn all the theory, the skills, and the trade secrets to confront and conquer the practical and technical aspects of the PC revolution. And unlike others, we back it up with a guarantee of satisfaction—or your money back.

Heathkit is Better Our Exclusive Computer-Aided Instruction Makes Learning Easy, Fast, & Fun

The truly qualified PC Technicians possess knowledge of the inner workings of a computer right down to the electronics level. This is the only type of technician we are interested in producing—the kind that ends up "truly qualified." So Heathkit

provides an electronics curriculum in our exclusive computer-aided instruction format—which is today the fastest, most effective learning media around, and is the most extensive electronics curriculum of it's kind in the world.

Heathkit is Better We Send You

"The Good Stuff"

On Day-1 With Heathkit, from day 1 you have the entire training package including a fully loaded Zenith Data Systems 486 computer including a SVGA color monitor, 2MB of memory, Windows*, and diagnostic software.

Other home study schools string you along for dozens of weeks before they send you what is by then obsolete pieces of a no-name clone that *might* work if assembled correctly into a computer.

Our computer is fully assembled and tested, and covered by a 1 - y e a r on-site warrantee.

Heathkit is Better

You Be

The Judge


Call today for more information!

1-800-253-0570

Yes! Send me more information on
Heathkit's Mastercourse in Personal Computers.
Name
Address
Address
City
StateZip
Phone ()
W Heathkit*
P.O. Box 1288
•Please mention this code when calling 107-036

CIRCLE 155 ON FREE INFORMATION CARD





Here's Micro Multimedia Labs' TC 1490SP amplifier/speaker combo. The amplifier is designed to fit under a monitor.

Shanghai contains four tilematching games on one disc. For \$49.95 you can play The Great Wall, where tiles fall as lower ones are removed; Beijing, where you match rows of tiles; Action Shanghai, where new tiles appear if you aren't fast enough; and Classic Shanghai, which can be played with the files face up or down. Atari 2600 Action Pack contains 15 of the original Atari 2600 games that many people

MORE NEW SPEAKERS.

Liust checked out a new multimedia speaker system that's a cut above the often disappointing speakers that usually come with a multimedia upgrade package. The TC 1490SP amplifier/ speaker combo from Micro Multimedia Labs consists of the company's TC 1490 40watt-per-channel amplifier and SP 510 speakers. The combo has a list price of \$249.95.

I like that kind of speaker system for multimedia. I prefer to use the line-level output of a sound card and have a separate amplifier with real controls on it; with on-card amplifiers, you must use software controls, which can be a nuisance. The amplifier is designed to fit under a monitor, with a sturdy metal cabinet that's only about 1½-inches high. The unit has a 5-band graphic equalizer, LED level meter, and tone-defeat control. It includes built-in microphone-mixing circuitry and has a microphone and a headphone jack on the front panel. There's also a line-level output jack for a self-powered subwoofer with a separate level control on the front panel.

The matching speakers use a 2-way bass-reflex design with a solid cabinet. Aside from being a little bit bigger in size than I person-



New from Electronics Arts, 3D Atlas contains images of the globe created from actual satellite data.

ally like for my desktop, they sound great and are certainly more than adequate for multimedia use.

NEW STUFF.

American Journey 1896-1945 is an interactive CD-ROM that's loaded with over 1300 vintage photographs, historic maps, charts and graphs, and more. Two hours of audio includes narration, interviews, speeches, and famous radio broadcasts. Video clips are also included. American Journey from Ibis Communications has a suggested retail price of \$59.95.

Two new discs from Activision this month include Shanghai: Great Moments and Atari 2600 Action Pack.

will love rediscovering in Windows. Included are Boxing, Chopper Command, Cosmic Commuter, Crackpots, Fishing Derby, Freeway, Frostbite, Grand Prix, H.E.R.O., Kaboom, Pitfall, River Raid, Seaguest, Sky Jinks, and Spider Fighter, all for \$29.95.

3D Atlas from Electronic Arts is an unusual atlas with images of the globe created from actual satellite data. While the images are more interesting than an ordinary atlas, there is less map detail as far as geographical features than you would normally expect to see. But what it lacks in depth is made up for in features that an ordinary atlas wouldn't have. With the disc you can generate

WHERE TO GET IT

Activision

11601 Wilshire Boulevard Suite 1000 Los Angeles, CA 90025 CIRCLE 50 ON FREE INFORMATION CARD

Flectronic Arts

P.O. Box 7578 San Mateo, CA 94403 **CIRCLE 51 ON FREE** INFORMATION CARD

Ibis Communications, Inc.

9350-F Snowden River Parkway Suite 251 Columbia, MD 21045 **CIRCLE 52 ON FREE** INFORMATION CARD

Interlink Electronics

546 Flynn Road Camarillo, CA 93012 CIRCLE 53 ON FREE INFORMATION CARD

Micro Multimedia Labs, Inc.

458 Main Street Reistertown, MD 21136 **CIRCLE 54 ON FREE** INFORMATION CARD

Technology Solutions

475 Park Avenue South New York, NY 10016 CIRCLE 55 ON FREE INFORMATION CARD

Videodiscovery

1700 Westlake Ave. N. Suite 600 Seattle, WA 98109 CIRCLE 56 ON FREE INFORMATION CARD

Westwind Media

P.O. Box 27578 Panama City, FL 32411 **CIRCLE 57 ON FREE** INFORMATION CARD


maps and charts that com pare statistics, play narrated video clips, and play games, 3D Atlas costs \$79.95.

Science Sleuths from Videodiscovery lets children 12 years of age and older perform over 600 experiments and tests in a virtual science lab. The goal is to solve The Mystery Of The Blob and The Mystery Of The Exploding Lawnmowers through investigative research and laboratory experiments. Interactive tools such as bunsen

(Continued on page 78)



Data Depot MiniPOST Post-Code Reader



CIRCLE 119 ON FREE INFORMATION CARD

When a PC fails to boot, it's POST codes to the rescue.

roubleshooting anything, including electronic circuits, is similar to detective work in that one must follow a series of clues to find the cause of a failure. Sometimes things are pretty straightforward, such as when you turn on a stereo receiver and everything works except the FM section; obviously, that's where you start looking. Likewise, if an entire unit is completely dead, then you have to suspect the power supply.

Computers are another story, though. If a computer is up and running and something starts to act up, someone familiar with operating a PC might know what to do. If you are lucky, the problem will turn out to be an annoying setup problem. If you have slightly less luck, your computer will turn on, but something such as the floppy-disk drive will not work and need to be replaced.

If your computer is completely dead, and you suspect the power supply, you can swap it. If it turns out that you were right and your system is up and running again, then three cheers for you because you still had a bit of luck left.

On the other hand, if you've completely run out of luck and there is a problem with your computer's motherboard, a computer will not boot at all. For most people, that's the end of the line.

While many people are technically adept enough to swap a mother-board, the cost of doing so might not be worth it. Other times, a replacement motherboard will simply not be available for one reason or another. In those situations, the only alternative is to have the motherboard repaired by someone who knows how to do it.

However, even someone who knows how to repair motherboards needs something to help pinpoint the problem. A dead motherboard is a tricky thing to troubleshoot because there are so many components on it and a failure in almost any section can bring down the entire board.

Fortunately there's help even for people who have to troubleshoot and repair motherboards. POST codes, or Power-On Self-Test codes, are built into the BIOS of most IBM-compatible PCs. POST codes are generated by a computer at boot-up

time, or when the computer is supposed to boot.

Sometimes POST codes will generate patterns of beeps from the motherboard; the meanings of the beeps vary from system to system, but can usually be found in the documentation. However, sometimes the POST codes are evident only as data bits on the expansion bus, and in such cases a POST-code reader will be needed.

MiniPOST, from Data Depat, Inc., is a tiny little POST-code diagnostic card that pops into an empty expansion slot on the motherboard. The card measures only 3¾ inches long by 1½ inches high, yet it contains a 4-segment DIP switch for configuring the card for different motherboard types, four tiny LEDs to indicate whether motherboard voltages are present, two 7-segment hexadecimal LED displays, and all the circuitry it needs to make them display POST codes.

MiniPOST works with all XT, AT, ISA (Industry Standard Architecture), EISA (Extended Industry Standard Architecture), and PS/2 ISA architectures. It will also work in any ISA or EISA bus slot in VESA, PCI, or other local-bus architec-

You can Build Gadgets! Here are 3 reasons why!



BP345—GETTING
STARTED IN
PRACTICAL
ELECTRONICS\$5.95

If you are looking into launching an exciting hobby activity, this text provides minimum essentials for the builder and 30 easy-to-build fun projects every experi-

menter should toy with. Printed-circuit board designs are included to give your project a professional appearance.

BP349—
PRACTICAL OPTOELECTRONIC
PROJECTS \$5.95

If you shun opto-electronic projects for lack of knowledge, this is the book for you. A bit of introductory theory comes first and then a number of practical projects



which utilize a range of opto devices, from a filament bulb to modern infrared sensors and emitters—all are easy to build.



BP363—
PRACTICAL
ELECTRONIC
MUSIC PROJECTS
......\$5,95

The text contains a goodly number of practical music projects most often requested by musicians. All the projects are relatively low-in-cost to build

and all use standard, readily-available components that you can buy. The project categories are guitar, general music and MIDI.

Mail to:

Electronic Technology Today, Inc. P.O. Box 240 Massapequa Park, NY 11762-0240 Shipping Charges in USA & Canada

\$0.01 to \$5.00\$2.00	\$30.01 to \$40.00\$6.00
\$5.01 to \$10.00\$3.00	\$40.01 to \$50.00\$7.00
\$10.01 to \$20.00\$4.00	\$50.01 and above\$8.50
\$20.01 to \$30.00\$5.00	

Sorry, no orders accepted outside of USA and Canada. All payments must be in U.S. funds only

Canada. All payments must be in U.S. funds only.
Number of books ordered.
Total price of books\$
Shipping (see chart)\$
Subtotal\$
Sales Tax (NYS only)\$
Total enclosed \$
Name
Address

Please allow 6-8 weeks for delivery.

State _

tures. The primary function of Mini-POST is to help determine why a computer won't boot. But it is also helpful if the computer will boot but won't run properly. The card costs \$119.

Using MiniPOST. A DIP switch on the card sets MiniPOST to work with different architectures. Most of the time the switches are simply left in the "000" factory default settings for all IBM AT and XT/AT clones. A chart in the user's manual explains how to set the switches.

While the card installs in any ISA or EISA bus slot, it is best if the card is installed in a slot that allows viewing of the four LEDs that indicate the status of the motherboard voltages. A motherboard should have clean \pm 12- and \pm 5-volt supplies.

Next, you turn on power and observe the four power-indicator LEDs. If it is suspected that a power supply is causing intermittent resets, the fourth DIP switch is toggled to the on position after power is applied. Then, if a power glitch occurs, a reset indicator LED (a decimal point on one of the 7-segment displays) will turn on and stay on, flagging the problem.

After power is turned on, you must observe the hexadecimal display and jot down any codes that appear. The codes flash until the computer either fails or boots. If no codes appear, either the DIP switches are set wrong, the system BIOS has failed, or the system does not issue codes (a few don't). The last code that appears indicates the section that failed in the boot sequence.


It would be great if every BIOS maker used the same codes to indicate the same things. Of course, that is not the case; each BIOS is unique. The unit's manual lists the codes for a number of popular BIOSes, and the addresses and phone numbers of manufacturers in case yours is not among them. The post codes for your particular motherboard are also usually available in the manufacturer's technical reference.

About POST Codes. As just stated, different computer BIOSes generate different POST codes. That's why it is important to have the right ones for your computer. Tracking a problem using the wrong POST codes is like

driving through a state using a map of a different state—certainly you would end up more lost than when you beagn.

With a list of the right codes, the information that appears on Mini-POST's hexadecimal display can be extremely helpful in locating troublesome parts. POST codes can inform the user of specific problems such as ROM BIOS checksum failure, CMOS RAM shutdown register failure, cache errors, and so on. Of course, it goes without saying that a better designed BIOS will more thoroughly test a motherboard and generate more specific POST codes on power up than a poorly designed one.

MiniPOST can't actively test a com-



If your computer fails to boot, this tiny card could give you the information you need to find the cause.

puter, as it is a passive device. It also can't display POST results any better than a system BIOS will allow. Problems that can't be detected before boot up, such as bad hard-disk sectors or hardware incompatibilities, can't be detected through POST results. But those limitations aside, just like any other tool, MiniPOST is very useful when used for the right jobs.

It is inevitable that an old computer—and maybe even one that's not so old—will eventually break down. Considering that, anyone who owns a lot of computers or fixes a lot of them, might find MiniPOST to be a worth-while investment.

For more information on the Mini-POST post-code reader, contact Data Depot, Inc at the address given below, or circle no. 119 on the Free Information Card.

FOR MORE INFORMATION

Data Depot, Inc. 1710 Drew Street Clearwater, FL 34615 Tel. 813-446-3402 or 800-767-3424

The Four-Year Electronics Degree Program That Really Hits Home!

Bring The Technology Home With A Bachelor Of Electronics Engineering Degree. No Hassles. No High Cost!



Now's the time to prepare for a profitable career.

We've lowered the cost of higher education.

It's true! You can earn a four-year Bachelor of Electronics Engineering Technology degree today ... and prepare yourself for a high-paying electronics career ... without quitting your job or ever leaving your home. Because World College, an affiliate of the Cleveland Institute of Electronics, offers you the total flexibility of independent study programs proven effective for people like you who truly want to succeed! World College independent study lessons help you build valuable skills

Mail/Fax Today or Call 1-800-696-7532

step-by-step, and expert instructors are personally available to you with a toll-free call. What a way to earn an education!

Aworld of opportunity.

Where is your career headed? With a four-year bachelor's degree from World College, you call the shots choosing from incredible, high-paying opportunities in electronics, telecommunications, computer electrical power, and many other growing fields.

0000000

World College gives you the skills, the knowledge, the power to take advantage of your best opportunity in electronics. And you can do it all at your own pace!

Without leaving home.

World College continually works to provide its students with the most advanced education tools. From the latest equipment and reference books to breakthrough computer-simulated experiments, students are exposed to the latest technological advancements.

All the equipment, parts, and software you need are included in your affordable tuition, including more than 300 hands-on lab experiments you can complete in your home.

Choose your own pace.

Earn your bachelor's degree on your time — and at your pace — because you pay tuition to World College only as you complete the upper-level semesters close to graduation. The faster you make it through, the less you pay. So you have an incentive to make your future happen quickly — yet the freedom to choose your own pace!

Send today for your FREE course catalog — and give yourself that future you've always wanted — with an electronics degree education from World.College.



Take charge of your future in electronics.

Four Powerful Reasons To Connect With World College Today:

- Earn your four-year degree!
- 2 Self-paced training!
- Independent study in your home!
- 4 Expert instruction!

Give Me The Power!

Send me a FREE World College course catalog today!



(Please Print Neatly

(1 16036	of this recally)	
Name		
Address		
City		
State, Zip		
Phone ()	

For faster service, call 1-800-696-7532,

or call 1-804-464-4600.

Or fax this coupon to 1-804-464-3687.



Lake Shores Plaza 5193 Drive, Suite 113 Virginia Beach, VA 23455-2500



Affiliated with
Cleveland Institute of Electronics
WAH22

PRODUCT TEST REPORTS

By Stephen A. Booth

Sony CCD-TRV30 Camcorder

Sony usually is known for firsts, but the company was a latecomer to the field of compact camcorders equipped with large. monitor-style, color LCD viewfinders. Better late than never, however, as shown by the CCD-TRV30, one of three new Handycam 8mm units with that feature, It's the entry-level model in the "TR" line—Sony's smallest and lightest camcorders, designed with the traveler in mind.

The inclusion of a flat-



The Sony CCD-TRV30 camcorder features a 3-inch, monitorstyle, color LCD viewfinder.

panel color viewfinder brings that Handycam up to 3.25 pounds, yet makes especial sense in the TR line. When deployed from the left side of the camcorder's body, the pivoting LCD may be used as a waist-level viewfinder, in place of or to supplement the conventional, black-and-white, monocular-style viewfinder. But the 3-inch color screen also serves as a playback monitor, for viewing camcorder footage on the go.

In that mode, the display faces outward while lying flush with the body, and a built-in loudspeaker delivers the soundtrack. Families with children might tote a selection of entertainment programming, either prerecorded or dubbed onto 8mm cassettes, An AC power adaptor/charger for the NiCd batteries is included; a DC cord for car/ RV cigarette-lighter receptacles is an available option. Unlike other companies that market camcorders with color LCD screens, Sony does not offer an accessory TV-tuner pack.

FEATURES

With up to two and a half hours of recording time available on 8mm videocassettes in the "Standard Play" mode, it ought to be easy to keep the kids amused. Meanwhile, the CCD-TRV30 has enough tricks to keep adults interested—but not so many tricks as to confuse.

Although it's an entrylevel model, the Handycam has most of the desirable moviemaking and playback features, including infrared remote control for lens-zooming and tapetransport functions. As you might expect, focus is automatic (TTL contrastdetection), as is white-balance (or color-temperature setting). There are no manual options here, although the backlight-compensation is user-selectable. Power zooming over the 12 × -range can be slow or fast, depending on the finger-pressure applied to the rocker-switch.

That's the only digital aspect of the lens: Otherwise, it's a purely optical zoomno electronic magnification. (So-called "digital zooms" simply enlarge a smaller piece of the optical image, and sharpness is lost because fewer lines of resolution appear on your TV screen.) There's no digital or optical image-stabilization either-but because the LCD viewfinder encourages waist-level, two-hand shooting with the camcorder, camera-shake isn't much of an issue.

The "Program AE" (auto exposure) feature in the model covers the important bases for home moviemaking. The press of a button activates preprogrammed settings that optimize shutter speed and lens aperture for some typical shooting situations. Those include portrait closeups; a twilight mode for sunsets, fireworks, and other trickylighting scenes; a setting for sports action, and even a high-speed shutter mode (up to 1/4000-sec.).

The latter is the proverbial "aolf-and-tennis" setting, designed to yield clear images for slow-motion playback (but only when recorded in bright light). A more important consideration, for professional-looking movies, is the Handvcam's fade-in/fade-out feature. When the fader's activated (before recording and before pausing), sound and image appear and recede gradually. Other "trick" optical special-effects include mosaic pattern, psychedelic-like solarization, sepia tone, black-and-white, and negative reversal.

The crisp, 3-inch color LCD will be the focal point of the camcorder; the videographer may use that as a viewfinder when recording from behind the camcorder. When the LCD is deployed so, the conventional, eve-level monochrome viewfinder is disabled. The LCD also flips over 180-degrees so that subjects, perhaps even a remote-control video-

Maximum Output (built-in mic):

Input Sensitivity (external mic):




Fig. 1. As this vectorscope photo shows, phase is dead-on while chroma—just above the cross-hairs—is a bit oversaturated.

arapher, can monitor the composition from in front of the camcorder (despite the flip, the image in the LCD automatically rights itself). Only when the LCD faces the subject are both viewfinders active—on the assumption that the moviemaker might want to get back behind the camera to refine the composition.

The choice between LCD or conventional viewfinder

0.52-volts

2.2-m/volts

is a smart move on Sony's part, for the sake of battery conservation. The downside of monitor-style color LCD viewfinders is power consumption. The supplied NiCd battery is good for up to 70 minutes when playing back through the LCD. In

moviemaking, though, using the LCD can cut that time by half; you can expect 45 to 50 minutes if you use the eye-level viewfinder only. Those times reflect typical hands-on usezooming, pausing, multiple starts and stops, etc. The battery takes about 90 minutes to charge from empty, and should be trickleddown before recharging. Sany does offer optional power-packs with greater capacity.

TEST RESULTS

The CCD-TRV30 endured through the usual battery of performance tests—cruel but fair—at the Advanced Product Evaluation Laboratory (APEL), an independent testing facility located in Bethel, Connecticut, Overall, the camcorder checked out as an able performer, though not a

TABLE 1—TEST RESULTS

INDEL I ILOT HEG	0210
Video Measurements	
Minimum Illumination:	0.9-lux
Resolution Video Output: Camera:	240 lines 350 lines
Signal-to-Noise Ratio (Video Output) Chroma AM: Luminance:	42.6 dB 42.2 dB
Signal-to-Noise Ratio (Camera) Chroma AM: Luminance:	48.3 dB 41.9 dB
Color Contamination:	14 IRE
White Balance:	6 IRE
Streaking/Lag, Image Retention:	Excellent
Color Quality (see vectorscope photo) Phase Accuracy: Chroma Saturation:	Excellent Slight oversaturation
Minimum Focus Distance Telephoto: Macro:	30 inches %-inch
Audio Measurements	
Signal-to-Noise Ratio:	57.8 dB



CIRCLE 16 ON FREE INFORMATION CARD

record-setter. Sony already has plenty of those. As you examine the test results in the accompanying chart, keep the following in mind.

Minimum illumination rates the camcorder's ability to record in low light and still capture a viewable image. It won't, however, be a great image: There'll be snowy noise and murky color, and depth of focus will be very limited. But something will register.

Manufacturers specify minimum light in lux-the lower the number, the better. But it's a meaningless specification and a moot point, besides. Meaningless, because manufacturers don't all measure lux the same way, making comparison of "advertised" specs impossible. That might soon change, as a standardized rating for lux is in the works-in fact, APEL is one of the companies developing that specification with the Electronic Industries Association. Meanwhile, APEL's lux measurements are at least consistent and comparable. Sony's excellent 0.9-lux rating here is par for the course nowadays.

As for the lux specification being moot in this reviewer's eyes, it is because you'll seldom shoot in near-darkness. Even average household lighting yields better pictures. An accessory lamp is a good investment, if only to punch up colors.

Perhaps a more meaningful measurement for camcorders is signal-to-noise. It's measured under optimal lighting conditions and shows the amount of usable signal, for color (chroma AM) and brightness (luminance, blackand-white), above the threshold of electrical noise. On both video output (the on-tape recording) and

TABLE 2—FEATURES

Format: 8mm/NTSC

Record Modes: SP only

Playback Modes: SP and EP

Image Sensor: %-in. CCD

Zoom Ratio: 12× (optical)

Focal Length: 5.4mm-64.8mm (video) 39mm-468mm (35mm equivalent)

3-inch color LCD monitor (active matrix, 324 × 234 pixels) 1-inch monochrome electronic

camera (straight throughthe-lens operation), the CCD-TRV30 is average here.

Viewfinders (2):

The signal-to-noise ratio for the camcorder's FM monaural audio is quite good. Moreover, the input sensitivity for the external microphone jack means you can equip this camcorder with just about any accessory mike, at a reasonable cost.

White balance rates a camcorder's ability to adjust to different temperatures of light, for example, sunshine or incandescent, and to reproduce white purely (and thereby, produce correctly-balanced colors). No problem here with the Sony's automatic adjustment.

Color contamination, on the other hand, was a bit high compared to other units. That test reveals the presence of unwanted color specks as found in a black-and-white test pattern. In a moving picture, though, the Sony's performance shouldn't be objectionable. The color contamination will probably be negligible even if you're doing close-up stills in the macro-mode (you can shoot from as close as 1/8inch away; great for shooting those butterflies, coins, or stamps in your collection). Actually, APEL's Frank Barr suspects the unit's mediocre color-contamination rating is a by-product of this camcorder's excellent resolution.

At 240 lines of horizontal resolution recorded to tape at the video output, the CCD-TRV30 hits the theoretical ceiling for the conventional 8mm format (Hi8, or high-band 8mm, can handle 400 lines). Resolution means sharpness, and it's gauged by the number of image-making lines the camcorder records, in picket-fence fashion across your TV screen.

By way of comparison, a live TV broadcast, the sharpest kind, delivers about 330 lines of resolution. That is the quality you can expect from the CCD-TRV30's resolution in camera mode. Normally, test reports don't make much of camera resolution, because it's the videotaped image most people care about. However, given the popularity of home multimedia computers, and the proliferation of video boards that permit frame-capture (and even motion-video recording), APEL and Popular **Electronics** believe that the camera resolution will be an item of serious concern to computer and video enthusiasts on a go-forward

Image retention, APEL's test for streaking/lag, looks for flares or tails of light and color that trail behind the highlights of a moving subject. You'll see that on live TV, particularly in ball games when light reflects off shiny helmets. That artifact is virtually nonexistent in home camcorders.

That brings us to color quality, defined by phase accuracy and chroma saturation. Each is measured using the color red—the most difficult for video to reproduce. The phase-accuracy portion of the test looks for deviation from true red, toward magenta or yellow. Chroma saturation gauges depth, or intensity of hue.

As the vectorscope photo in Fig. 1 shows, phase is dead-on while chroma—just above the cross-hairs—is a bit oversaturated. Saturation, over and under, does affect a picture visibly. If you find the slightly-richer red image that results to be bothersome, you can fix it in the mix by resorting to the color controls on your TV monitor.

Otherwise, sit back and enjoy some very nice pictures—not a little bit influenced by the CCD-TRV30's angle of view. The wide-angle setting (5.4mm) is the equivalent of a 39mm lens in a still-photo 35mm film camera; slightly wider than normal—just enough to squeeze in all the family during tight-quarters shooting indoors—yet not so wide as to distort, contort, or insult those relatives on the periphery.

The Sony CCD-TRV30 camcorder has a suggested retail price of \$1099. For more information on the unit, contact the manufacturer directly at the address given below, or circle no. 120 on the Free Information Card.

FOR MORE INFORMATION

Sony Electronics, Inc. Sony Drive Park Ridge, NJ 07656

Be a high-paid computer service technician

Train With NRI — America's #1 Choice in Computer Training

Only NRI gets you inside a powerful 486DX2/66 MHz Intel-based computer system you keep-giving you the hands-on experience you need to work with, troubleshoot, and repair today's most widely used computer systems. There's no more affordable way to start a money-making career, even a business of your own, as a computer service technician.

Rely on the original - NRI

Over a decade ago, NRI pioneered at-home training in computer servicing. Today, NRI offers the only computer servicing course with real-world experiments using state-of-the-art computer equipment

There's no doubt about it: Working "hands-on" with all the most sought-after technology gives you practical skills and lasting confidence. Performing key tests and demonstrations, you're able to see for yourself how things work, what can go

wrong, and how you can fix it.

Train with and keep the most advanced computer in home study today

NRI's unique training has you explore a topnotch computer system and its peripherals, beginning with the 486DX2 Intel CPU and Pentium Overdrive-ready motherboard.

Your computer features 8 meg RAM, 420 meg hard drive, and fax/modem to store, receive, and send huge amounts

You'll also appreciate the brilliant display of your Super VGA color monitor, the drama of your CD-ROM drive and 16-bit sound card, as well as the cutting-edge technology of Windows 95.

Plus learn to use Ultra-X professional diagnostic hardware and software to pinpoint problems on any IBM-compatible machine.

No experience needed, NRI builds it in

Studies show that jobs for computer service technicians will be up by 38% in the next 10 years. Even if you've never worked with



computers before, NRI's interactive training builds such a solid foundation of know-how and practical experience that tomorrow's jobs can be yours.

Right from the start, hands-on experiments reinforce concepts presented in NRI's bite-sized lessons. And because your work is reviewed by your personal instructor, you know for certain that you can apply theory to real-world demands.

FREE NRI catalog tells more

Send today for your free, full-color catalog describing every aspect of NRI's innovative computer training in the up-and-coming field of your choice.

YOU GET EVERYTHING YOU NEED FOR SUCCESS

POWERFUL 486DX2/66 MHz INTEL-BASED

Features IBM compatibility, 8 meg RAM, Pentium Overdrive-ready motherboard, and math coprocessor

M SUPER VGA COLOR MONITOR

With .28mm dot pitch for high-resolution graphics and tilt-swivel base

420 MEG HARD DRIVE

For greater data storage capacity and data access speed

EXCITING MULTIMEDIA **PERIPHERALS**

Double-speed CD-ROM drive, 16-bit sound card with speakers, and reference CD

FAX/MODEM

Gives you access to a world of on-line information

ULTRA-X DIAGNOSTIC PACKAGE

R.A.C.E.R. plug-in card and QuickTech-PRO software help you detect problems on virtually all IBM-compatible machines, even if computer is 5% operational

NRI DISCOVERY LAB

Complete breadboarding system lets you design and modify circuits, diagnose and repair faults

III DIGITAL MULTIMETER

Professional, hand-held test instrument for quick and easy measurements

The time-saving operating system that everyone will be using tomorrow

If the coupon is missing, write to: NRI Schools, McGraw-Hill Continuing Education Center, 4401 Connecticut Avenue, NW, Washington, DC 20008.

M is a registered trademark of the IBM Corporation. R.	A.C.E.R. and OuickTech-PRO are registered tra	ademarks of Ultra-X, Inc.
SEND TODAY F	OR FREE NRI CA	TALOG!
McGraw-Hill Continuing Education Center 4401 Connecticut Avenue, NW, Washington, DC 20008		
☐ Check one FREE catalog only ☐ MICROCOMPUTER SERVICING		Check for details on career courses approved under GI Bill
☐ TV/Video/Audio Servicing	■ Bookkeeping and Accounting	ng
☐ Desktop Publishing & Design	☐ Programming in C++ with Windows	
Name (please print)	-33	Age
Address		
City	State	Zip
Accredited Member, National Home Study Council		0018-10

RETAILERS THAT SELL OUR MAGAZINE MONTHLY

Alaska

Frigid North Co. 1207 W. 36th Avenue Anchorage, AK 99503

Alabama

Radio Distribuiting Supply 121 East Broad Street Gadsden, AL 35903

Arizona

Dalis Electronics 2829 E. McDowell Road Phoenix, AZ 85008

California

California Electronics 221 N. Johnson Ave. El Cajon, CA 90202

Signal Electronics 22307 Ocean Avenue Torrance, CA 90505

Ford Electronics 8431 Commonwealth Avenue Buena Park, CA 90621

All Electronics 14928 Oxnard Street Van Nuys, CA 91411

Gateway Electronics of CA 9222 Chesapeake Drive San Diego, CA 92123

Mac's Electronics 191 South "E" Street San Bernardino, CA 92401

Electronics Warehouse 2691 Main Street Riverside, CA 92501

Orvac Electronics 1645 E Orangethorpe Ave. Fullerton, CA 92631

Sav-On Electronics 13225 Harbor Blvd. Garden Grove, CA 92643

Marvac Dow Electronics 980 S. A Street Oxnard, CA 93030

Kandarian Electronics 1101 19th Street Bakersfield, CA 93301 Whitcomm Electronics 105 W. Dakota #106 Clovia, CA 93612

Marvac Dow Electronics 265-B Reservation Road Marina, CA 93933

Minuteman Electronics 37111 Post St., Suite 1 Fremont, CA 94536

HCS Electronics 6819 S. Redwood Drive Cotati, CA 94931

Halted Specialties Co. 3500 Ryder Street Santa Clara, CA 95051

JDR Micro Devices 2233 Branham Lane San Jose, CA 95124

Metro Electronics 1831 J Street Sacramento, CA 95814

The Radio Place, Inc. 5675-A Power Inn Road Sacramento, CA 95824

HSC Electronics 4837 Amber Lane Sacramento, CA 95841

Colorado

Gateway Electronics of CO 2525 Federal Blvd. Denver, CO 80211

Centennial Electronics 2324 E. Bijou Colorado Sps., CO 80909

Connecticut

Signal Electronics Supply 589 New Park Avenue W. Hartford, CT 06110

Electronic Service Prod. 437 Washington Avenue North Haven, CT 06473

Georgia

Norman's Electronics, Inc. 3653 Clairmont Road Chamblee, GA 30341

Idaho

The Current Source 5159 Glenwood Boise, ID 83714

Illinois

Tri State Elex 200 W. Northwest Hwy. Mt. Prospect, IL 60056

Maryland

Mark Elec. Supply Inc. 5015 Herzel Place Beltsville, MD 20705

Massachusetts

U-Do-It Electronics 40 Franklin Street Needham, MA 02194

Michigan

Purchase Radio Supply 327 East Hoover Avenue Ann Arbor, MI 48104

The Elec. Connection 37387 Ford Road Westland, MI 48185

Minnesota

Acme Electronics 224 Washington Avenue N. Minneapolis, MN 55401

Missouri

Gateway Electronics Of MO 8123-25 Page Blvd. St. Louis, MO 63130

New Jersey

Lashen Electronics Inc. 21 Broadway Denville, NJ 07834

New York

Computrs 7 Great Jones Street New York, NY 10012

Sylvan Wellington Co. 269 Canal Street New York, NY 10013 Unicorn Electronics Valley Plaza Johnson City, NY 13790

Ohio

Philcap Electronic Suppliers 275 E. Market Street Akron, OH 44308

Oregon

Norvac Electronics 7940 SW Nimbus Avenue Beaverton, OR 97005

Portland Radio Supply 234 S.E. Grand Avenue Portland, OR 97214

Texas

Tanner Electronics 1301 W. Beltine Carrollton, TX 75006

Mouser Electronics 2401 Hwy. 287 N Mansfield, TX 76063

Electronic Parts Outlet 17318 Highway 3 Webster, TX 77598

Virginia

Elec. Equipment Bank 323 Mill Street, N.E. Vienna, VA 22180

Cain Electronics Co. 1530 Ingleside Road Norfolk, VA 23502

Washington

Amateur Radio Supply Co. 5963 Corson Ave., Ste 140 Seattle, WA 98108


Wisconsin

Appleton Electronic Dist. 205 W. Wis Avenue Appleton, WI 54911

Wyoming

Chris Supply 2007 S. Douglas Hwy., Ste. C Gillette, WY 82716

If you'd like to sell our magazine in your store, please circle 180 on Free Information Card.



GHOST VOICES:

Exploring the Mysteriesof Electronic Voice Phenomena

Are the dead communicating with us through electronic means?

BY KONSTANTINOS

since the invention of the tape recorder, people all around the world have taped various sounds for various reasons. But occasionally, what's heard on the resulting tapes is not exactly what was expected. Sometimes, phantom voices appear.

What do the voices say? Well, those who research Electronic Voice Phenomena (EVP) claim that the paranormal voices are relaying information about the "afterlife." That's right, many believe that through such recordings, we can receive messages from the

dead. However, there are those investigating the voices on the tapes who think that psychokinesis, or the ability to affect physical matter with the mind, might explain the phenomena. Some feel that the voices were simply auditory hallucinations caused by a noisy tape recorder. And of course, there are those who consider EVP tapes to be pure hoaxes.

What's really going on here? Are the dead trying to break through the vell between the worlds? We'd like to let you be the Judge. You see, it's possible to recreate the experiments carried

out by EVP researchers right in your own home. So, this Halloween, break out the old tape recorder; you just might be able to solve the mystery.

The Beginning. It's not possible to know for certain when the first "ghost voices" were recorded, because the first individuals to accidentally record the voices might not have recognized the bizarre speech patterns that EVPs can assume. As a result, the first people to record the phenomena probably discarded their recordings as "being filled with noise." We do know, however, of two separate instances of documented first recordings of EVPs. We'll look at the most famous of those first.

On a summer day in 1959, a producer of documentaries by the name of Friedrich Jurgenson took his tape recorder out to the Swedish countryside to record some birds singing. When he played his tape back later, however, Jurgenson found that the chirping birds on his tape were accompanied by a mysterious commentator (speaking in Norwegian) who had much to say on the subject of bird song. Jurgenson was instantly fascinated, and checked to see what radio programs were broadcast in his vicinity at that time, just in case his recorder was somehow picking up radio signals. His search came up empty-he could find no program having to do with bird song that was broadcast at the appropriate time.

Faced with a mystery, Jurgenson started holding open-air taping sessions in hopes of catching more phantom voices on tape. He was successful on many occasions, and published his results in Sweden, claiming that not only was he getting messages from voices that called him by name, but from those that claimed to be deceased individuals that he knew or was related to! With those claims, an absolute obsession filled many in Europe, who immediately started holding their own taping sessions.

In 1965, Jurgenson's research attracted the attention of a psychologist by the name of Dr. Konstantin Raudive, and the two began to work together. Using some of the methods described in this article, those two EVP researchers began to gather hundreds of ghost voices on tape. Many




Fig. 1. Instead of recording ghost voices off an unused radio frequency, you can use this white-noise generator to simulate the noise. The OC81 transistor can be replaced with any PNP germanium transistor, or with a germanium diode.

of the voices called the two by name, and related pieces of information that were of personal interest to the researchers. Later on, as the two began to drift apart in their research, Raudive began working with physicist Alex Schneider to improve his taping results (we'll look more at the work of Raudive later).

The results of Raudive's experiments with Jurgenson, as well as those of his later work with various physicists and technicians, were published in his book, Breakthrough (see the Suggested Reading Box for more information). When the book was published in 1971, Raudive also made available to the public a recording of some EVPs. He did that for two reasons: First, he wanted to prove that he was actually getting results. Second, the voices are hard to recognize at first, and Raudive knew that the record would familiarize listeners with the bizarre rhythms of EVPs (see the listening tips at the end of this article).

As a result of the publication of Breakthrough, most EVP researchers in the world consider Jurgenson to be the discoverer of the phenomena. However, there is evidence suggesting that a "supernatural" taping session might have occurred in the United States years before the famous bird-song tape was made. What is that evidence? Well, approximately two months before Jurgenson announced his findings in 1959, two psychical investigators, Raymond Bayless and Attila von Szalay, published a paper in the Journal of the American Society for Psychical Research, describing the results of a three-year experiment they completed.

It all started when the two men

heard that a psychic in their area, named Sophia Williams, was allegedly able to make a disembodied voice appear on a tape. They were fascinated by the possibility, because Szalay claimed to have gotten similar results in the past, accidentally. When the two looked into Ms. Williams' alleged abilities, however, they found her to be little more than a fraud who had mastered ventriloquism. Their interest in the possibility of causing voices to appear on a tape did not go away with that setback, though.

Bayless and Szalay set up a studio in 1956 to carry out their research. In it, they built what they called a "special wooden cabinet." It was in that reduced-noise environment that they set up a microphone, the cable of which ran out to a tape recorder and speaker in the main room. While the tape recorder was recording, Szalay would sit in the cabinet; Bayless would sit outside and listen for strange noises coming over the speakers. The two were not sure what caused the voices they were looking to record, but Szalay was sure that he had somehow "caused" them to manifest on tape before, and by sitting in the cabinet, hoped to do so again.

Bayless would hear strange noises come over the speaker, but never anything distinct. Finally, on December 5, 1956, after a typical session of hearing little more than bizarre noise, the two played back their session tape to find a clear voice saying: "This is G." Bayless did not hear that voice while Szalay was in the cabinet, but only during playback.

Soon after, the two discovered that they could record the strange voices without Szalay being in the cabinet at all. Similar to the discoveries of Jurgenson and Raudive, Bayless and Szalay found that the voices would answer questions and even claim to be deceased individuals that they knew. Also, what's most interesting about the claims of both sets of researchers is that many of the voices "proved" that they were who they claimed to be, revealing bits of information that only the deceased individuals would know.

Raudive's Breakthroughs. Even though Jurgenson and Raudive were not the first to document the recording of EVPs, they are still considered the first men responsible for the serious scientific study of the phenomena. That is mostly because of Dr. Raudive's constant efforts to come up with more advanced ways of recording the voices, and his publishing of those methods in Breakthrough, which carried the intriguing subtitle: An Amazing Experiment in Electronic Communication with the Dead.

The publication of that book in both German and English ensured that a good majority of the scientific community (and a great number of casual readers) would be exposed to both the existence of the voices and the several different methods of recording them. In fact, the book contained much more than details of Raudive's experiments; it contained various letters from scientists all around the world who tried those experiments on their own and got the same results!

Modern equivalents of the experiments carried out in the late 60s and early 70s will each be examined closely later on, so that you could repeat them for yourself. But for now, let's cover some basic facts that Raudive uncovered, and the system of analysis he used to do so.

In a period of nine years, ending with his death in 1974, Raudive managed to record and catalog well over 70,000 voices. In fact, a good portion of his book (approximately 270 pages of it) consists of transcriptions of selected voice recordings. Each session would begin with Raudive (or on occasion, another researcher) stating the date and time on the tape. Then, someone in the room would either ask for the voices to speak, or would ask a particular question, sometimes addressed to a particular entity (whether

it was previously contacted or not). Strangely, the best results were achieved when the researchers present asked in all seriousness for the voices to speak. You might want to keep that in mind for when you do your own experimenting.

Of course to many, the initial questioning that Raudive often did seemed to resemble a sort of seance. A traditional seance is when a group of people gather to help a psychic person—who acts as a medium—contact spirits. Raudive's sessions definitely had the same motive, and even had a non-living medium—the tape recorder. But what separates the Raudive sessions from seances is obvious: scientific evidence. When Raudive completed a taping, he had tapes that evidently contained voices.

Raudive felt certain that the voices he was receiving were in fact from the dead, and made his feelings very clear to the scientific community, both in person and through his book. As I mentioned earlier, there were those who attributed Raudive's recorded voices (and all EVPs) to either unconscious, psychokinetic manipulation of the tape, hallucinations caused by background noise, or just plain hoaxes. Raudive maintained that his recorded voices could not be explained by any of those theories.

Let's look at the first explanation psychokinesis. A strong graument against that explanation is that the mind of the researcher could not be responsible for any voices that are recorded in foreign languages. Although the majority of voices received by Raudive and his colleagues were in languages that at least some of them could understand, there were instances when the language used was foreign to all present. Also, it seems improbable that the subconscious mind could relate verifiable facts to the researcher, without his or her prior knowledge of them. Many individuals record voices that tell them of things they never even heard of, let alone knew anything about.

As for the possibility that the voices are little more than complex hallucinations, statistically, it is improbable that seven or eight people listening to a tape in a room could all imagine that the same words were being spoken. The odds of mass hallucination




Fig. 2. While how or why it works can not be easily explained, this diode circuit can be used to record the clearest ghost voices. Make sure to use a good earth-ground connection for best results.

become even more remote when we consider the fact that Raudive played certain tapes for hundreds of people. Of course, all who listen to EVPs have to grow accustomed to the bizarre speed and rhythm of the voices (more on that later), but once that initial "training" is completed, hearing them is easy. Also, the chance that the voices are mere hallucinations was ruled out by the voice-print analysis performed by several independent scientists over the past two decades—the sounds carry the distinct characteristics of voices.

Now, for the argument that EVPs are hoaxes. Researchers have been accused of perpetrating hoaxes both intentionally and unintentionally. An intentional hoax would be if a researcher somehow generated the voices and claimed that they came "from beyond." Raudive and others have used, in the presence of many skeptics, brand-new tape recorders and tapes to prove that they were recording right on the spot whatever would manifest on the tape, thereby minimizing any chance of fraud.

What about an unintentional hoax? That would be if a researcher were somehow picking up radio broadcasts and was immediately attributing them to the voices of spirits. To prove that was not the case, Raudive and others have simply pointed to what the voices are saying. A ghost voice will often actually address individuals in the room using their first, and sometimes last, names. The chances of such statements coming from a broadcast station are virtually nonexistent.

So what did the voices say? Considering the enormous number of mes-

sages Raudive and others have received, perhaps asking what they didn't say would be a more appropriate question. The information those voices relayed varies from hints of better recording techniques that Raudive should try, to personal messages from familiar voices of loved ones, to descriptions of the surroundings the voice-entities "live" in!

Here are sample quotes of entities, taken from Raudive's book. This first group is from relatives. Note how bizarre the phrasing of some of the sentences used by voice-entities is:

"Konstantin, here is your mother."
"Don't cry, here is Tekla... Tekla, your sister."

"Flying in earnest to earth to Konstant. Brother, this interests mightily. Alexis!"

That last name was indeed that of Raudive's brother. It's interesting to note that among all the tapes, the



Can an ordinary microphone like this be used to record the voices of the dead? Try it and see!

voices used several different nicknames for Raudive that the people they claimed to be used when they were alive: Kosta, Kosti, and Konstant were some of them.

Let's look at some more voices from various entities, commenting on different topics:

Once, a psychologist was in the room with Raudive, and was acting very skeptical, to the point where the voices said: "Chase the old man away, Konstantin!" The voices on other occasions commented on the skepticism that was being displayed as the tape was rolling. They said: "There are no people, no attentive people."

The voices often gave recording advice to Raudive and his assistants as well, mostly in the form of simple tips. Once, an experimenter in the room was considering keeping his radio

tuned to a particular frequency for use as white noise (more on that later). The voice on the tape agreed, saying: "Hold the wavelength, brother! Marvelous!" Another time, when there was only a little tape left during a session, the researchers felt they should go on using it after they played back their latest take. The voice apparently disagreed, saying, "Good Morning! Take a new tape, dear Konstantin."

Finally, before we move on, let's look at some mixed views on the afterlife, which the voices had to share:

"The dead live, Konstantin."
"God, Konstantin, we are happy."
"It's terribly good here."
"Kosti, it is really strict here."
"...we are all forgotten."
"City of the dead."
"There are many moments here."

Those who have heard the voices for themselves, and who have examined the preceding facts that Raudive's research uncovered, often draw the conclusion that the voices can be nothing other than what they claim to be.

There's no need to take our word for that, however. It is not that difficult to recreate the experiments and see for yourself. So read on with an open mind, because we're about to explore the techniques you can use to record and hear the voices.

Microphone Method. The "microphone method" is by far the easiest of the techniques that you can use. In its most basic form, that technique of recording the voices consists of simply plugging a good-quality microphone into the mic input of a tape recorder, moving the microphone far away from the recorder (to cut down on machine noise), inserting a tape into the machine, and hitting the record button. Then ask the voices to speak, and try to keep the room as quiet as possible during the rest of the recording process.

The first EVPs were recorded using that method, and clear voices can be caught on tape with it. However, you will have to go through a lot of tape before you find the real loud ones. For the most part, you will be left with many whispery voices that are difficult to understand, with only an occasional clear one popping up.

A way of improving the results of the

microphone method is to use an electret condenser microphone connected to a low-noise, high-gain preamplifier. However, before looking into acquiring such equipment, keep in mind that most researchers only use the microphone method as an introduction to EVP recording. There are much better ways to get those elusive voices.

Radio Method. The "radio method" is another simple way of obtaining paranormal voices, and like the microphone method, you most likely have all the equipment you need. In Raudive's day, that technique required connecting the output of a radio to a reel-to-reel tape recorder. Now, you can find in almost every home some kind of radio with a tape recorder built in, whether it's part of a large stereo system or a portable.




Fig. 3. Some researchers prefer this diode circuit to the one shown in Fig. 2. They claim that voices of "higher frequencies" can be received with it.

Place a fresh cassette into the recorder and turn on the radio. Tune on either the AM or FM bands and try to find a part of the band with nothing but "white noise" (the familiar rushing sound you hear when you tune to an unused frequency). When you're sure that no stations are broadcasting there, press the record button. For reasons we'll get into later, keep your sessions to about five minutes.

The quality of the voices received using this method are certainly much better than that of the ones recorded by microphone. Some of the weaker EVPs sound as if they are created by a "bending" of the white noise, but they are often still understandable. The louder voices received this way sound as if they are speaking over the noise itself.

As we saw earlier, critics of the radio

method of recording argue that the voices could be stray broadcasts. Of course the nature of the messages received makes an argument against that assumption. But still, it might be easier to prove to others that what you're getting are truly paranormal voices if you don't use a radio. For that reason, you might want to use a different source of white noise.

White-Noise Method. Figure 1 shows the schematic for a simple white-noise generator. The circuit is powered by a 9-volt battery, B1. An LF351 op-amp, U1, is configured as a high-gain amplifier. Unstable noise generated by the OC81 germanium transistor, Q1, is amplified by U1, filtered by C2, and output at jack J1.

The circuit can be built on either perforated board or on a PC board, if you can design your own. All the parts, except for the germanium transistor, should be simple to find. If you can't locate the OC81, any other PNP aermanium transistor can be used; or, you could substitute a 1N34A germanium diode, which is available from Radio Shack (catalog no. 276-1123) as well as some other sources. Install the resistors and capacitors, and then the transistor and IC. Double-check the orientation of the components before attaching a cable to J1 and connecting it to the line input of your tape recorder. Then, turn on power switch, S1.

The unit should now be producing white noise. Press the record button on your tape recorder, record a few seconds, and play it back to make sure. You should hear an irregular noise "stream" on the tape. If not, check your circuitry again. When you have it working, try a five minute session to see what voices you get.

Diode Method. According to Raudive and the researchers who would come after, the "diode method" is the best way to record EVPs without using advanced filtering (definitely a topic for another article). Several different circuit designs were used for that method, but we will only look at two of them here.

The first of those is shown in Fig. 2. A paranormal signal is believed to be picked up by ANT1, which is made of a three-inch piece of stiff wire (a straightened paper clip is ideal). What

Raudive considered a slightly tuned coil, L1, is a 0.5-mH choke coil. How those components work with the resistor and germanium diode is pretty unclear. The whole circuit resembles an early "cat-whisker" radio design, but you will most likely find that the messages received on the miniature antenna are not being broadcast by a radio station. If for some reason you do pick up something that sounds like radio interference, try either shortening the antenna or moving to another room.

The whole circuit should be enclosed in an aluminum project case, to provide shielding. You could still get results without shielding, but there will be a lot of hum heard on the tape. Wire the components as shown, and drill a hole in the case for the antenna to stick out. Wrap some insulating material around the base of the antenna so that it does not come into electrical contact with the enclosure. Connect the shielded cable to the circuit and case as shown in the figure; use a plug for PL1 that matches your tape recorder's input.

A good earth ground is required for the circuit to work properly. Solder an alligator clip to one end of an insulated wire, wrap the other end around a screw on the enclosure and solder it (that will ensure a good mechanical and electrical connection). Before you use the unit, attach the alligator clip to something that will provide a ground connection (i.e. a cold-water pipe). Then, all you have to do is plug the unit in, and hit record.

Another diode schematic is shown in Fig. 3. That unit does not use a coil at all, but includes a capacitor. The antenna insulation and grounding tips given for the other diode circuit still apply here. Once again, the entire circuit is mounted in an aluminum project enclosure, and is connected to a tape recorder in the same fashion as the last one. According to Raudive's colleagues, the second unit helps you pick up "higher-frequency voices," aithough what was meant by that statement is unclear.

How to Hear the Voices. Once you've done your recording, using one of the previously mentioned methods, you will have to have some idea of what you will be listening for on the resulting tapes. Most EVPs are



Combination radio/tape recorders like this one make the radio method of recording voices simple to experiment with. Just insert a tape, tune in an unused frequency, and press record.

faint and difficult to make out, and you won't want to accidentally pass over them.

First of all, no matter which of the methods described in the preceding sections are used, keep your recording sessions short. You will need to play back each minute of tape several times in order to "catch" the sometimes elusive voices. The ideal time for each recording period after each question you ask is approximately five minutes. And you might go over that section of tape for an hour before you make out any of the voices for the first time!

Of course, not every "take" will result in your "catching" any EVPs. In an experiment carried out by New York City's CBS affiliate, WCBS, and aired as part of their late news, it took a couple of hours before a really clear voice could be heard. But as that demonstration showed, with perseverance, experimenters can get results. So, don't get discouraged if you can't make out the voices right away.

SUGGESTED READING

Bander, Peter. Voices from the Tapes: Recordings from the Other World. Drake Publishers, New York. 1973. Raudive, Konstantin Breakthrough: An Amazing Experiment in Electronic Communication with the Dead. Taplinger Publishing Company, New York. 1971.

Rogo, D. Scott. In Search of the Unknown. Taplinger Publishing Company, New York, 1976.

Sherman, Harold, The Dead are Alive: They can and do Communicate with You Fawcett, New York, 1993. Welch, William, Talks with the Dead Pinnacle Books, New York, 1975. The voices are difficult to recognize at first, for a couple of reasons. One of the biggest ones is that they often seem to be talking at twice the speed that we normally do. That is only made worse by the fact that the syllables of each word are pronounced in a monotonous, metered fashion, with almost no accent or emphasis on any particular syllable.

You'd have the best chance of hearing the voices during playback if you put on headphones—preferably the type that cover the ear completely, as you don't want any outside noise distracting you. Turn up the volume to the loudest comfortable level. However, make sure that the volume isn't too loud, because that would tire your ears, resulting in a temporary loss of some of your ability to discern between subtle differences in sound. And you'll need all the sensitivity of hearing you can get for your first attempt at trying to make out those elusive EVPs on tape.

If you used the microphone method, listen for any faint rhythms against the silence. When you find one, play it back repeatedly. That is known as "developing" a voice. Unlike normal taped signals, an EVP will become stronger in volume and clarity if it is played several times or copied onto another cassette. The same holds true for voices recorded with the other methods.

For tapes made with either the radio or white-noise methods, just listen for anything in the background that sounds different than whatever noise you are using. As mentioned earlier, some voices will sound as if they are made from a manipulation of the noise, and some will sound louder. Again, develop any different-sounding noises through repeated playback, and maybe by copying them to another tape. That should make the messages somewhat easier to understand.

Finally, for tapes made with the diode method, prepare to be surprised. You should have the easiest time picking out the EVPs caught on tape with that method. However, you will still have to develop them somewhat for maximum clarity.

And that's all there is to it. If you still are skeptical, why not give it a try and see for yourself if those voices have anything to say to you!



ost people know that astronomy is the study of the universe and the objects in it. When many of them hear the word "astronomy," however, they automatically assume that a form of "optical" science is being discussed—in other words, images of telescopes and eyepieces come to mind. But the study of the cosmos is not limited to visual means alone.

While the visible sky contains all the familiar constellations and the faint glow of our own Milky Way galaxy, there's another window to the universe open to anyone with the proper equipment. We are referring to the

"radio sky," which is speckled with radio sources that only rarely match the positions of visible stars. The branch of science that deals with the detection and study of those sources is radio astronomy.

Radio Astronomy—A History. In the early 1930s, a radio engineer named Karl G. Jansky tried to determine the causes of radio communications static on transoceanic telephone connections for Bell Telephone Laboratories. Jansky didn't locate any specific source of the static and interference. But he dld note that as he turned his Bruce curtain

antenna toward the galactic plane of the Milky Way, he recorded an increase in static "hiss." After much testing and verification, he concluded that the source of the interference was from the direction of the center of the Milky Way.

Jansky's discovery didn't conclusively establish the existence of radio emissions from the sky (then quite a novel idea), and the broad beam of his antenna only vaguely suggested any details of those emissions on 20.5 MHz. As a result, his work didn't appear to create much interest, and Jansky

Photo courtesy of NRAO/AUI.



didn't immediately have the opportunity to pursue his discovery in depth.

Then, beginning in 1937 and continuing into the 1940s, an amateur radio operator, Grote Reber, W9GFZ, of Wheaton, Illinois built a backyard, 31-foot, parabolic dish antenna to continue Jansky's work. By "observing" VHF and UHF as high as 500 MHz, Reber discovered discrete regions of intense radio emissions, or static hiss.

Greber then plotted regions of the sky according to the intensity of the radio sources ("bright" radio objects that emit large amounts of radio waves over a characteristic spectrum). He ultimately published a map

of a large part of the sky in 1944 based on his work. Jansky's and Reber's efforts are considered by many to represent the very foundations of modern radio astronomy.

In 1942, radar operators in England reported a new kind of "enemy jamming" observed on their then-new radar. Weak radar echoes became lost in the "grass" on their screens, as though swamped by noise from a powerful transmitter. Scientist J. S. Hey examined the reports and determined that the source of the "jamming" wasn't from an enemy station, but was coming from the sun, having noticed that a very large sunspot was crossing the sun's face at the time.

In the late 1940s, it was found that the radio waves picked up by Jansky and Reber came not only from the "nearby" Milky Way galactic neighborhood, but also from definite, more-distant points in the sky. It was as if individual stars were transmitting to us, even though there were no visible stars at those points. It was not until 1952 that those "radio stars" were correlated with visible objects. Even then, the objects were so faint that only the largest optical telescopes could find them.

Galactic Radio Emissions. There are several galactic radio emissions. The first type, discovered in 1932 by Jansky, is spread over a wide band of radio frequencies. It's produced when free electrons are scattered by collisions with heavier ions in the ionized interstellar gases surrounding hot, bright stars. (Some of the planets in our own solar system, including Venus, Jupiter, and Saturn, emit intense radio waves of thermal origin.)

A second type, synchrotron radiation, is emitted by energetic electrons as they rapidly spiral within the strong magnetic fields in the vicinity of supernova remnants. Some of the strongest radio sources in our galaxy are of that type.

A third type originates in interstellar matter. It radiates at discrete frequencies characteristic of the quantum jumps made by electrons in atoms and molecules, such as hydrogen and helium, in the interstellar medium.

Radio waves also come from beyond the Milky Way. Some extragalactic radio sources are detected only by their radio emissions, while others are correlated with optically observed galaxies and other objects. Radio sources produce either "continuum radiation" that covers a broad range of wavelengths, or "line radiation" that is radiated at one specific wavelength, much like an optical spectral line.

Besides localized radio sources, there is also uniform low-level cosmic radio noise coming from every direction in the sky. That cosmic background radiation (CBR) lends support to the theory that the universe began with an explosive "big bang," rather than always having existed in an unchanging steady state having isotropic (uniform in all directions) characteristics.

The Electromagnetic Spectrum.

Before we go any further in our discussion, we should discuss the electromagnetic spectrum, which is an array of radiant energies. All those energies are electromagnetic particlewaves (photons) that propagate through space (see Fig. 1). Let's take a look at those energies in order of decreasing wavelength and increasing frequency:

Radio and Microwaves: The total usable radio and microwave electromagnetic spectrum generally is considered to extend from a few hertz (HZ) to at least 300 gigahertz (GHz). Scientists break up that almost unimaginably immense range of frequencies into smaller groupings for discussion and ease of understanding.

The radio and microwave spectrum is often classified into nine frequency bands; most bands are ten times as high in frequency as the band lying just below them in the spectrum. The lowest range is the group of frequencies known as the ultra-low frequencies (ULF), from zero to 3 Hz. Just above ULF lie the extremely low frequencies (ELF); they cover 3 Hz to 3 kHz. Above that, from 3 to 30 kHz, are the very low frequencies (VLF). Higher still are the low frequencies (LF), from 30 to 300 kHz.

From 3 MHz to 30 MHz are the high frequencies (HF). Above them are the very-high frequencies (VHF), from 30 to 300 MHz. The ultra-high frequencies (UHF) extend from 300 to 3000 MHz, or 3 GHz. From 3 GHz to 30 GHz are the




Fig. 1. The electromagnetic spectrum is an array of radiant energies. This illustration depicts the relative transparency of the earth's atmosphere and ionosphere at various wavelengths.

super-high frequencies (SHF), and from 30 GHz to 300 GHz, the extremely high frequencies (EHF). EHF often is referred to loosely as the millimeterwave band, corresponding to frequencies between 30 and 300 GHz, or wavelengths between 1 millimeter and 1 centimeter.

Radio astronomers are concerned mainly with UHF and higher frequencies, notably microwaves. Microwaves are electromagnetic radiation having a frequency range from 1 to 300 GHz, corresponding to wavelengths from about 300 millimeters (30 centimeters) to 1 millimeter.

Radio astronomers conduct much of their work in that very promising region between wavelengths of 1 millimeter (just below the infrared region) and 30 centimeters—they generally prefer to use wavelength rather than frequency designators. That region is the so-called "cosmic window" of minimum sky noise. Signals on longer wavelengths (lower frequencies) tend to be obscured by background galactic noise; shorter wavelengths (higher frequencies) are obscured by photon noise. That window is narrowed for radio telescopes on earth, the upper half of the window being partially obscured by the earth's atmosphere (see Fig. 2).

Infrared: The common unit of measurement in this region is the Angstrom. The Angstrom is a unit of length equal to 10⁻¹⁰ meters that is used to measure the wavelengths of light and of other forms of radiation. Scientists generally prefer to use the nanometer (nm), often called a millimicron; 1 nm = 10 Angstroms, or 10⁻¹⁰ meters.

Infrared radiation (IR) is elec-

ASTRONOMICAL MEASUREMENTS

The Speed of Light: Radio signals travel at the speed of light. That is the speed of propagation of electromagnetic waves in a vacuum, a physical constant that's nominally 186,282 miles (or 299,793 kilometers) per second.

The Astronomical Unit: The astronomical unit (AU) is the basic unit used by scientists to measure distances within the solar system. It's the mean distance between the center of the earth and the center of the sun. One AU is about 92,956,000 miles (149,598,480 kilometers).

The Parsec: The AU is also used to a limited extent for interstellar distances through definition of the parsec (pc). Essentially, it's a unit of distance derived from parallax, being the distance at which a hypothetical star would have a parallax equal to 1 second of arc. In a distance-measurement sense, the parsec is a unit of length that's approximately equal to 206,265 Astronomical Units. 3,258 light-years, 1,917 × 1013 miles, or 3,085 × 1013 kilometers.

The Light-Year: Essential to convenient expression of interstellar distances is the light-year. The light-year is the distance traversed by light in one sidereal (star-based) year. That is about 5.879,000,000,000 (nearly six trillion, or 5.879 × 1012) miles, or 9.461 × 1012 kilometers.

tromagnetic radiation similar to, but of a somewhat longer wavelength than, visible light, which ranges from 400 nm (extreme violet) to 770 nm (extreme red). Infrared has a wavelength in the range of about 770 nm to 1,000,000 nm (1 millimeter). That range lies at frequencies less than that of red visible light and greater than that of microwaves. IR is thermal-based radiation, produced by a body

having a temperature above absolute zero.

X-rays and Gamma Rays: X-rays are invisible, highly penetrating electromagnetic radiation (photons) of much shorter wavelength than visible light. The wavelength range is from about 0.01 to 10 nanometers. Among other applications, x-rays are used in diagnostic medicine and in the study of crystal structure. In radio astronomy, x-rays come mainly from outside the solar system.

Gamma rays have very short wavelengths—less than 10-10 meters—and are the most energetic form of electromagnetic radiation known. They essentially are very energetic x-rays.

Cosmic Rays: Cosmic rays are streams of ionizing radiation of extraterrestrial origin. They consist chiefly of protons, alpha particles, and other atomic nuclei, but include some highenergy electrons. Those electrons might produce secondary radiation, mainly pions, muons, electrons, and gamma rays.

Radio-Astronomy Equipment. Two main problems face the radio astronomer seeking to study waves from some stellar object or region of the sky, which might be billions of light-years away. First, the signals usually are quite faint: the power level of the signals processed by radio telescope receivers is on the order of only 10-15 to 10-20 watts.

Second, the beam width of the antenna is usually much greater than the angular size of the object, and the radiation it picks up might have come from many other objects in the region. Both difficulties, of signal strength and resolving power, call for very large,

AMATEUR RADIO ASTRONOMY

Is there anything left for the amateur to discover in radio astronomy? For microwave observations you'd need some special equipment, such as a parabolic dish antenna, a low-noise amplifier (LNA), and a low-noise microwave receiver—much like what you'd need in a good satellite TV setup.

On the other hand, less-complex gear is needed to observe radio emissions from the planet Jupiter. The Jovian signals are to be found mainly in the 18-to 26-MHz HF band. Many radio amateurs and shortwave listeners (SWLs) have successfully intercepted and recorded those signals using simple directional antennas and ordinary shortwave radios.

If you have an interest in radio astronomy and would like to become an amateur radio astronomer, consider joining the Society of Amateur Radio Astronomers, or SARA. SARA is inspired by the pioneering work of amateur radio astronomer and ham-radio operator Grote. Reber.

SARA was organized in 1981 and has about 275 members worldwide. Though small, it probably is the largest amateur radio-astronomy group in the world. Its members are involved in solar radio astronomy, sky surveys, and other experiments. The group's yearly conference normally is held in June at the National Radio Astronomy Observatory (NRAO) in Green Bank, West Virginia.


Yearly membership is \$20 and includes a year's subscription to the SARA Newsletter. For more information, contact the SARA Membership Service, Vincent Caracci, 247 N. Linden St., Massapequa, NY 11758.

narrow-beam antenna systems.

To complicate matters, the character of the signals from the stars is similar to "receiver noise." That is, the signals usually consist of incoherent radiation whose properties don't differ appreciably from the noise originating in the receiver or from background radiation coupled to the receiver by the antenna.

Various sophisticated methods of detecting small-noise signals are used. In radio astronomy it's often necessary to select only that part of the noise that's coming from a small source in the sky, while disregarding a large proportion from a diffuse background of other sources.

The antennas and receivers used in present-day radio astronomy vary widely, so it's difficult to describe a "typical" arrangement. However, in




The National Radio Astronomy Observatory's Very Large Array near Socorro, New Mexico, has the equivalent resolution of a 22-mile-diameter telescope and consists of 27 radio dishes, each 85 feet in diameter (Photo courtesy of NRAO/AUI).

general, the antenna—of whatever type—intercepts and collects the radio signal from the celestial scurce. After preamplification at the teedpoint, the signal is carried by cable to the main receiver, where it's selected according to frequency and amplified.

The intercepted signal is amplified further, detected, and integrated, and the output is displayed on an analog recorder or other device. It also can be recorded in digital form on magnetic tape for further processing by high-speed computers. The final result usually is displayed by a large plotting machine.

Radio interferometers are specialpurpose radio telescopes in which the mutual interference or reinforcement of signals is made to yield information. Interferometers consist of two or more separated antennas connected by transmission lines to one



The Very Long Baseline Array interferometer is an array of ten identical antennas, each about 82 feet in diameter, located at ten independent sites spread across 5,000 miles from the Virgin Islands to Hawaii. This system of coordinated telescopes can produce image resolutions better than any other instrument (Photo courtesy of NRAO/AUI).


receiver. The antennas used by interferometers can be placed close together or they can be thousands of miles apart.

The physical separation of antennas causes parts of the radio waves to reach the antennas at slightly different times. That offers the potential for high resolving power so the signals can be used to determine the position or diameter of a radio source, or to separate two closely spaced radio sources.

Another type of observation tool is a phased-array radio telescope, which has large numbers of relatively small antenna elements arranged in various configurations over a large area. That setup yields the effective sensitivity and resolution of a much larger antenna.

Finally, there are also radio telescopes, of American and European origin, that are in orbit above the Earth's surface and its atmosphere. Some are also carried aloft on Space Shuttle missions. Those telescopes are very useful because far-infrared radiation, far-ultraviolet radiation, x-rays, and gamma rays cannot easily penetrate the earth's atmosphere.

Major Radio Telescopes. A number of observatories worldwide investigate extraterrestrial radio phenomena. Overseas, those include the Radio Astronomy Center at Ootaca-



Some telescopes, such as those for the millimeter-wave region, are studying ultra-short-wave parts of the spectrum for the first time. One of those telescopes is the 36-foot millimeter-wave radio telescope at the Kitt Peak National Observatory near Tucson, Arizona (Photo courtesy of NRAO/AUI).

mund, India; the Max Planck Institute for Radio Astronomy at Effelsberg, Germany; the Nuffield Radio Astronomical Laboratories at Jodrell Bank, England; the Mullard Radio Astronomy Observatory at Cambridge, England; and the Special Astrophysical Observatory at Zelenchukskaya, Russia. There also are many others—over 25 countries have major, world-class radio telescopes.

Various arrays of radio telescopes can provide unprecedented image resolution and signal sensitivity. In the United States, such observatories include the National Radio Astronomy Observatory (NRAO) Very-Large Array (VLA), on the plains near Socorro, New




Fig. 2. Radio astronomers conduct much of their work in the promising region between wavelengths of 1 millimeter and 30 centimeters. This is the so-called "cosmic window" of minimum sky noise. Signals on longer wavelengths tend to be obscured by background galactic noise; shorter wavelengths are obscured by photon noise. The window is narrowed for radio telescopes on earth, the upper half of this window being partially obscured by the earth's atmosphere.

AMATEUR RADIO-ASTRONOMY SUPPLIES

If you want to pursue amateur radicastronomy projects, it's normally pretty expensive stuff—at least as expensive as amateur radio. However, a small Georgia firm offers everything from radio telescopes to amplifiers, bandpass filers, feed horns, mixers, A/D conveners, noise sources, software, and various "how to" publications on amateur radio astronomy.

Two popular radio telescopes are offered. One is a 1420-MHz hydrogen-line radio telescope. It consists of a cylindrical feed horn, low noise amplifier (LNA), converter, 70-MHz iF amplifier, detector and integrator, and DC amplifier, for \$625.

A similar system for 600 MHz, which uses a dipole instead of a feed horn and a slightly different converter, is \$600. Spectral-line radio telescopes are also available.

For a brochure, contact Jeff Lichtman, 190 Jade Cove Dr., Roswell, GA 30075; Tel. 404-992-4959.

Mexico that reportedly is the most powerful phased-array radio telescope system in the world. The VLA has the equivalent resolution of a 22-milediameter telescope and consists of 27 radio dishes, each 85 feet in diameter. When the dishes, which can be moved along 12-mile-long railroad tracks, are connected together electronically, they effectively act as a single antenna over 3000 feet across.

Another array is the new Very-Long Baseline Array (VLBA) interferometer. It's an array of ten identical antennas, each about 82 feet in diameter, centered in New Mexico but actually located at ten different interconnected sites spread across 5000 miles from the Virgin Islands to Hawaii. That system of coordinated telescopes can yield image resolutions better than any other instrument.

Some telescopes, such as those designed for the "millimeter-wave" region, are studying ultra-short-wave parts of the spectrum for the first time. One of those is the 36-foot millimeter-wave radio telescope at the Kitt Peak National Observatory near Tucson, Arizona. It's the first radio telescope to look at the universe at wavelengths as short as 1 millimeter.

Not to be overlooked is the Arecibo Observatory in Puerto Rico, with its 1000-foot dish. That dish is actually a fixed spherical reflector suspended over a large sinkhole; it's also equipped with a radar transmitter to study radar signals reflected from planets and other objects in our solar system.

Some Remarkable Objects. Radio astronomy has led to the discovery of many remarkable objects and phenomena, or has contributed greatly to their understanding. Let's take a look at some of those:

Pulsars: Pulsars are "lighthouse beacons," or radio sources that emit brief, intense, periodic pulses of radio waves, X-rays, or visible light; those pulses recur at precise intervals. They are believed to be rotating neutron stars that radiate in a narrow beam. Because of such a star's rotation, the beam sweeps across the line of sight, causing the observed pulses.

Quasars: These are faint, blue, starlike "auasi-stellar" objects that are believed to be the most distant and most luminous objects in the universe. They might, in fact, be as distant as 8 billion light-years and as luminous intrinsically as 100 galaxies combined.

The spectral lines of quasars have enormous red shifts (Doppler shifts). Those shifts suggest that quasars are receding or moving away from our galaxy with speeds as great as 80% of the speed of light. Quasars emit a powerful blue light and often give off radio waves.

Supernovas: A supernova is an exploding star that suddenly increases its energy output as much as a billionfold and then slowly fades to less than its original brightness. At its peak intensity, it can outshine the entire galaxy in which it occurs.

Supernovas represent a catastrophic stage of stellar evolution. A sudden implosion of the core of certain massive stars produces a rapidly rotating collapsed stellar remnant, the explosive ejection of the stellar envelope at great velocity, and the release of tremendous energy.

Over 120 galactic radio sources have been identified as supernova remnants. Of those, only four have been positively associated with explosions that were observed optically in history. Those events occurred in 1006, 1054 (the remnant of which now is visible as the Crab Nebula), 1572, and 1604.

Black Holes: A black hole is the

core of a massive star that has "gone supernova." Its collapse has continued past the neutron star stage to densities so extreme that matter can't exist in normal forms. Under those conditions, matter and energy are drawn in and can't escape.

The most remarkable feature of a black hole is its surface, called the horizon, which completely pockets or encloses the collapsed matter. That horizon is an ideal one-way mem-

SUGGESTED READING

Journal and Magazine Articles

Benka, Stephen G. "The Very Long Baseline Array Opens Its Eyes. Physics Today, April 1994, p. 19 Bunge, Robert. "Big Ears." Astronomy. August 1994, p. 34. Carr, Joseph J. "Shortwave Science." Science Teacher, April 1994, p. 34. Kellerman, Kenneth I. "Radio Astronomy: The Next Decade," Sky & Telescope, September 1991, p. 247 Kellerman, Kenneth I, and David S. Heeschen "Radioastronomy in the 1990s." Physics Today, April 1991, p. 40. Lemonick, Michael D. and J. Madeleine Nash. "Unraveling Universe." Time, March 6, 1995, p. 76. Sinnott, Roger W. "Discover the Radio

Sky." Sky & Telescope, January 1995,

Wearner, Robert, "The Birth of Radio Astronomy." Astronomy, June 1992, p. 46, Wilkes, Belinda. "The Emerging Picture of Quasars." Astronomy. December 1991, p. 34.

Brown, R. Hanbury. Boffin: A Personal Story of the Early Days of Radar, Radio Astronomy, and Quantum Physics Bristol, England and New York: Adam Hilger/IOP Publishing Ltd., 1991.

Cohen, Nathan Gravity's Lens: Views of the New Cosmology. New York: Wiley,

Goddard, Dorothy E. and Douglas K. Milne, eds. Parkes: Thirty Years of Radio Astronomy, Melbourne, Australia: CSIRO Publications, 1994.

Kraus, John D. Big Ear Two. Powell, OH: Cygnus-Quasar, 1995.


Kraus, John D. Our Cosmic Universe. Powell. OH: Cygnus-Quasar, 1980.

Kraus, John D. Radio Astronomy, Secand Edition. Powell, OH; Cygnus-Quasar, 1986.

McDonough, Thomas R. The Search for Extraterrestrial Intelligence. New York: Wiley, 1987

Poynter, Margaret and Michael J. Klein. Cosmic Quest. New York: Atheneum,

Wright, Helen, Explorer of the Universe: A Biography of George Ellery Hale. New York: AIP Press, 1994.



Here's the former 300-foot radio telescope dish at the National Radio Observatory in Green Bank, West Virginia. The dish collapsed in 1988 due to stresses on the metal, but a new, 320foot replacement should be ready by 1996. That will be the world's largest, fully steerable radio telescope (Photo courtesy NRAO/AUI).

brane: particles and light can go inward through the surface, but none can go outward. As a result, the object is dark (black), and it hides from view a finite region of space (a hole).

Because black holes are unobservable, their presence can only be detected as a result of their effects on other matter. Thus scientists must construct a theoretical model to explain the observational data and show that the most reasonable explanation is that a black hole is responsible for the observed effects. Such is the case with the binary, x-ray star system, Cygnus X-1, which is a weak radio source in which the smaller and invisible companion of the blue supergiant star might actually be a black hole.

Other Phenomena: In the last generation, many other strange phenomena and stellar objects have been postulated, discovered, classified, and discussed. Some of those include aravitational lensing, or light distortion caused by galaxies; cosmic strings, which are energetic defects in the geometry of space and time that make for a "lumpy" universe; and great "bubbles," or balloon-like groups or superclusters of galaxies around huge, megaparsec-size "great voids" in space that are devoid of galaxies.

Yet to Come. We have only discussed pieces of the cosmic puzzle so far, but there are many loose ends. Still unanswered are some fundamental, tantalizing questions relating to the origin, composition, and age of the uni-(Continued on page 89)

f you want to add some scary sound effects to this year's Halloween fun, try building the Vocal Sound-Effects Generator described in this article. With it, you can add both reverb and echo to make vourself sound like a creepy ghost, shift the pitch of your voice higher to sound like a shrieking banshee, or shift the pitch lower to create a ghoulish monster voice. Plus, a warbling vibrato can be combined with any of the previous effects to create even stranger effects!

The battery-powered project, including its small microphone and remote speaker, is very portable. You can easily incorporate it into any costume or use your imagination and have a talking pumpkin greet the trick-or-treaters at your front door. However it is used, the Effects Generator will provide hours of fun and entertainment!

Circuit Description. The schematic diagram for the Vocal Sound-Effects Generator is shown in Figure 1. Four AA batteries supply 6 volts to the LM386 audio amplifier, U2. Resistor R4 and Zener-diode D1 convert and regulate the battery voltage to 3.6 volts to power the HT8950 signal-processor chip, U1. The power switch, S1, is part of the volume-control potentiometer, R5. Capacitors C8 and C5 provide power filtering for the circuit.

During operation, the user's voice is picked up by electret-microphone MIC1 and the signal is AC coupled by C1 to pin 6 of U1 (which is the input of the chip's preamplifier stage). Resistors R8 and R9 set the gain of the internal preamplifier at approximately 8, which is figured out by:

 $V_{out} = (R9/R8) \times V_{in}$

The output of the HT8950's preamplifier stage is buffered and fed into the chip's internal, 8-bit, analogto-digital converter. That A/D converter samples the speech signal at 8 kHz under the control of a time-base generator, and the 8-bit digital values are stored in internal SRAM memory. Simultaneously, the chip's control circuit clocks the SRAM data out to a digitalto-analog converter (DAC) that restores the analog signal and outputs it at pin 9. The signal then passes through a low-pass filter formed by R2 and C2. Amplifier U2 provides the final



BY DAVID WILLIAMS

Create a truly ghoulish voice for yourself and get into the spirit of Halloween with this fun project.

amplification and drives speaker SPKR1; potentiometer R5 controls the volume.

If the speech data is clocked in and out of U1's SRAM at the exact same rate, the original signal gets reproduced with no changes. But if the digital data is manipulated before it passes though the DAC, some pretty weird effects can be created! The four-position DIP switch, S2, is used to set the operating modes of the HT8950 (see Table 1).

The HT8950 can be set for NORMAL

VOICE, ROBOT VOICE, and several pitchshift-up and pitch-shift-down modes; vibrato can be added to each of those modes. The normal setting requires no explanation. As for the ROBOT VOICE mode, that adds echo and reverb effects by delaying part of the digitized audio then adding the delayed signal to the original. The pitchshifting modes are analogous to speeding up or slowing down a tape recording during playback. Voice pitch is shifted by changing the clocking ratio of the internal time-base generator. Vibrato is created when the HT8950 automatically shifts the pitch of the input signal up and down alternatively at a rate of 8 Hz.

Construction. The simplest way to build your own Vocal Sound-Effects Generator is to use a printed-circuit board. A template for that is shown in Fig. 2. If you don't want to fabricate your own board, a pre-etched and drilled board can be purchased from the source mentioned in the Parts List (you can also purchase other parts. and even a complete kit, from the same source). Of course, the circuit can also be built on perforated board. Most of the parts for the project are fairly easy to find. The one exception is the HT8950 (U1); if you can't find it locally, it can be purchased from the source given in the Parts List or from Alltronics (2300-D Zanker Road, San Jose, CA 95131: Tel. 408-943-9773).

If you do build the circuit on a PC board, use the parts-placement diagram in Fig. 3 as a guide. First, install

TABLE 1

DIP-	SWITC	H SETT				
82-a	\$2-b	S2-c	82-d	MODE		
*	χ	Х	0	NORMAL VOICE		
	0	0	Х	PITCH-SHIFT UP1		
	Χ	0	Х	PITCH-SHIFT UP2		
	0	X	Х	PITCH-SHIFT UP3		
	0	Х	0	PITCH-SHIFT DOWN1		
	Х	0	0	PITCH-SHIFT DOWN2		
	0	0	0	PITCH-SHIFT DOWN3		
	X	Х	Х	ROBOT VOICE		

*SW1 Toggles VIBRATO mode ON & OFF in combination with all other modes. Note: X=OFF, O=ON




Fig. 1. As this schematic shows, the heart of the Vocal Sound-Effects Generator is the HT8950 sound modulator IC, U1. An audio signal fed to that chip from MIC1 is converted to a digital signal, modulated by a variety of effects (which you can select using S2), and converted back to analog for output to SPKR1.





Fig. 2. You can use this full-size foil pattern to etch your own printed-circuit board. The board is also available from the source given in the Parts List.



As this internal view shows, twisting the wires connecting the jacks and potentiometer to the board will yield a neater assembly.

the Zener diode, D1, paying close attention to the proper orientation. Then, solder all the fixed resistors to the board, and trim the excess leads before proceeding to the next step. Potentiometer R5 will be installed later.

Next, install IC sockets for U1 and U2. Make sure that the sockets are oriented properly by double-checking the parts-placement diagram.

Solder the non-polarized capaci-

PARTS LIST FOR THE VOCAL SOUND-EFFECTS GENERATOR

SEMICONDUCTORS

U1—HT8950 sound modulator, integrated circuit U2—LM386 audio amplifier, integrated circuit D1—IN5117 3.6-volt Zener diode

RESISTORS

(All resistors are ¼-watt, 5% units.)
R1—2-ohm
R2—330-ohm
R3, R4—470-ohm
R5—1000-ohm potentiometer with
SPST switch
R6—2200-ohm

R7, R8—4700-ohm R9—39,000-ohm R10—47,000-ohm R11—100,000-ohm

CAPACITORS

C1-C5-0.1-μF, ceramic-disc C6-4.7-μF, 16-WVDC, electrolytic C7-10-μF, 16-WVDC, electrolytic C8, C9-100-μF, 16-WVDC, electrolytic

ADDITIONAL PARTS AND MATERIALS

MIC1—Electret microphone (see text)

SPKR1—8-ohm speaker (VANCO Model: SPB-3 or equivalent; see text)

J1, J2—3.5-mm mono miniature jack PL1, PL2—3.5-mm mono miniature plug (optional; see text)

S1—SPST switch (part of R5)


S2—4-position DIP switch

B1—6-volt battery (four AA batteries wired in series)

Printed-circuit materials, project enclosure, IC sockets. AA-battery holder (four-battery type), plastic knob, wire, solder, hardware, etc.

Note: The following items are available from LNS Technologies (20993 Foothill Blvd., Suite 307P, Hayward, CA 94541-1511; Tel. 800-886-7150): soundmodulator U1 (ICHT8950)-\$10.00; etched and drilled circuit board (VEP-PCB)-\$7.00; complete kit of parts including PC board, plastic case, microphone, speaker, and all other components listed above (VEP-KIT)-\$49.00. Please add \$5.00 shipping/ handling. California residents please add local sales tax. Mastercard and Visa orders are accepted. Sorry, no C.O.D. orders.

(Continued on page 90)



nyone who has a visually impaired friend or relative is well aware of the difficulties that day-to-day routines can present to such individuals. Simple things that most of us take for granted (such as navigating unfamiliar territory) can be major obstacles to blind people. To aid the blind in their quest for independence, the Pathfinder—a navigational aid for the blind—was developed.

The Pathfinder, which requires no special skills for effective use, is an easy-to-build, light-sensing circuit that can be used to sweep an area to locate the direction of light sources. As light intensity changes, Pathfinder's audio output varies in pitch, allowing visually impaired persons to determine the location of windows and doors, or of lights that were left on for other individuals.

Circuit Description. Figure 1 shows the Pathfinder schematic diagram. The circuit is little more than a simple two-transistor oscillator (a relaxation type) whose frequency is controlled by a light-dependent resistor (LDR). The oscillator can be built using nearly any NPN and PNP transistor combination desired, and its operation is as simple as its parts count is low.

While pushbutton-switch S1 is depressed, C1 begins charging through R1 (the LDR) until the capacitor's charge reaches about 0.6 volts. That charge is sufficient to turn on Q1, which in turn supplies forward bias for Q2; transistor Q2 responds by drawing

battery current through BZ1. As Q2 reaches saturation, C1 is discharged and the circuit relaxes as both transistors turn off. Then C1 once again begins to charge through R1 to repeat the process.

The resistance of R1 and the value of C1 determine the oscillating frequency of the circuit, which varies from a slow tick in darkness (when R1 is about 100,000 ohms) to a high-pitched tone in bright light (when R1 is 1000 ohms). The change in frequency is heard through the transducer, BZ1. Power for the circuit is furnished by a single, 1.5-volt AA battery; because the Pathfinder draws so little power, it will function normally until the battery voltage drops to about 0.9 volt.

Construction. There is nothing critical about the building of the circuit, so it can be assembled using any standard project-building method.




Fig. 1. The Pathfinder is little more than a simple two-transistor oscillator with a frequency that's controlled by light-dependent resistor R1.

The author's prototype unit was assembled on a small, L-shaped section of perfboard, with the components interconnected using point-to-point wiring. That board was housed in a clear, plastic, pillbox-like enclosure, producing a compact assembly. Because the author used a clear enclosure, an additional hole was not needed to allow light to reach the R1. A short piece of black heat-shrink tubing was placed around the lens of R1 to make the unit respond to light coming only from the direction in which it is aimed.

When connecting the miniature audio transducer, BZ1, to the circuit, be sure to observe proper polarity—the positive side of the transducer should be connected to the emitter of Q1. No damage will be done to the device if the transducer is wired incorrectly, but the output volume will be diminished. The transducer can also be replaced with an 8- to 16-ohm speaker for greater volume.

No special skills are needed to use the Pathfinder effectively. Just hold down \$1, and wave the unit back and forth to sweep the area of interest. As light intensity varies, due to lightobstructing objects or the lack thereof, the Pathfinder's output tone will also vary.

Modifications and Applications.

While the Pathfinder was originally designed to aid the visually impaired, it can easily be modified to perform useful tasks for those who can see. For (Continued on page 92)

JOIN THE

Electronics Book Club®

VALUES TO \$165.75

The leading source of information for electronics hobbyists for over 30 years!



0376514-XX \$44.95 Counts as 2/Hordcover



3825P \$19.95



0156778 \$44.95 Hardcover



4112H \$34.95 Hardcover




3258P \$19.95



4139P \$16.95


McGraw-Hill CIRCUIT ENCYCLOPEDIA & Troubleshooting Guide



2880P \$15.95



0487375 \$24.95



0376034 XX \$59.50 Counts as 2/Hardcover




4491P \$24.95



0304165 \$26.95 Hardcover



2613P \$19.95



0673764-XX \$54.95 Counts as 2/Hardcover



3627P \$19.95



2790P \$17.95



4179H 328.95 Hardcover



0156700 \$24.95




3475P \$21.95




3700H-XX \$36.95 Counts as 2/Hardcover



3632P \$10.95



0708223-XX \$44.95 Counts as 2/Hardcover



0376107-XX \$59.50 Counts as 2/Hardcover

As a member of the ELECTRONICS BOOK CLUB... you'll enjoy receiving Club bulletins every 3-4 weeks containing exciting offers on the latest books in the field at savings of up to 50% off the regular publishers' prices. If you want the Main Selection, da nothing and it will be shipped automatically. If you want another book, or no book at all, simply return the reply form to us by the date specified. You'll have at least 10 days to decide. If you ever receive a book you don't want due to late delivery of the bulletin, you can return it at our expense. Your only obligation is to purchase 3 more books during the next 12 months after which you may cancel your membership at any time. And you'll be eligible for FREE BOOKS through our Bonus Book Program.

A shipping/handling charge and sales tax will be added to all orders. All books are softcover unless otherwise noted. If you select a book that counts as 2 choices, write the book number in one box and XX in the next. (Publishers' Prices Shown) @1995 EBC

PE 1095

October 1995, Popular Electronics


have all seen photographs of the night sky. While some of them only seem to show what we can expect to see with the naked eye, some photos reveal what seem to be millions of stars and, on occasion, brilliantly colored aaseous nebulae. The maanificence of such advanced photos might drive you outside in the middle of the night to attempt to capture similar "spacescapes" for yourself. But don't go running off with just your tripod and trusty 35-mm camera just vet. Because after the film is developed, you will most likely be completely disappointed with what's there.

As you might have guessed, extra time is needed for the faint light of the stars to be caught on film. But if you keep a camera shutter open for more than 10 seconds, the stars will begin to make circular trails on the photograph due to their apparent motion. That time restraint severely limits the quality of photographs you can take. While shorter exposures do eliminate star trails, they also eliminate most faint stars and all nebulae.

So, what can you do to get those impressive astrophotographs? You can build the *Equatorial Camera Mount* described in this article. Because the Mount moves the camera at the same rate as the stars appear to move across the sky, you can take exposures as long as about 30 minutes without any star trails. Those longer exposures will allow you to capture details in the night sky you ordinarily can't see.

Following the Stars. Most who read this probably know that the apparent motion of stars is caused by the rotation of the earth. As a result, the stars seem to move across the sky at a speed of approximately 15.041 degrees per hour. The motion of the stars will appear greatest at the horizon and least near Polaris, the pole star of the Northern Hemisphere.

To explain that better, imagine the earth as being surrounded by a transparent sphere that has celestial objects printed on its inside surface (see Fig. 1). Now picture that the earth rotates in a counter-clockwise direction (with respect to the North Celestial Pole) on a pivot point located at Polaris. As a result of that rotation, the



Build an **Equatorial Camera Mount**

Use it to take long-exposure photographs of the nighttime sky.

BY JOHN KOVINE

celestial objects appear to move in a clockwise direction.

To make up for the perceived motion of the stars when trying to take a sky photo, a mount must be used that moves the camera on an axis similar to that of the earth—in other words, an equatorial mount. The Equatorial Camera Mount we will be looking at in this article is one of the simplest types—the barn-door type.

Basically, a barn-door-type mount is

made of two boards of some matericil, connected at the ends with hinges, that can open and close like a book. The bottom board must be aligned to the star Polaris (more an that later), while the top board moves upward via a drive screw attached to a stepper motor. The resulting upward motion keeps a camera mounted on the top board moving in sync with the stars with enough accuracy to make long exposures possible. **Circuit Description.** Let's take a look at the electronics that control the stepper motor just mentioned. The schematic for the Mount's control circuitry is shown in Fig. 2. Power is provided by a 12-volt source, which is fed directly to stepper-motor MOT1 and dropped to 5 volts by a 7805 regulator (U3) for use by the rest of the circuit.

A 555 timer circuit, U1, generates a squarewave with a 3.2-Hz pulse. That output is fed to pin 11 of U2, a UNC5804B stepper-motor controller. Stepper-motor MOT1 will then run at half step, which doubles the units resolution (an important consideration for photography).

Switch S1 is used to set MOT1 to run either slow or fast. When S1 is set to slow, the unit will move at the proper speed to take astrophotos. The fast setting can be used to rewind the screw, preparing the unit for a new photo. Of course, before MOT1 can be used to rewind the drive screw, the direction of the motor's rotation will have to be reversed; switch S2 is used to accomplish that. When S1 is set to slow, MOT1 should turn at 1 rotation per minute; potentiometer R4 is used to fine-adjust the speed of the motor.

Construction. There is nothing critical about the layout of the circuit, so it can be built on perforated board. However, for those who prefer to use a PC board, a full-size template is shown




Fig. 1. Imagine the earth as rotating within a transparent sphere that has celestial objects printed on its inside surface. To someone standing on the earth, those objects appear to move.




Fig. 2. Here's the schematic for the stepper-motor control circuitry. The low parts count is a result of the integrated functions of the UNC5804B stepper controller, U2.

in Fig. 3. You can use that pattern to etch your own board, or you can order a pre-etched and drilled board from the source mentioned in the Parts List.

For those who do use a PC board, a parts-placement diagram is shown in Fig. 4. There are relatively few components in the circuit, so assembly should be simple. Install the resistors and capacitors first, making sure to check the orientation of the two polarized capacitors. Mount IC sockets for U1 and U2, checking that the sockets are oriented properly. Finally, insert U1 and U2, and solder U3 to the board.

The three switches should be mounted off the circuit board, to make it easy to control the unit from a distance. Just run wires from the appropriate points on the board to a remote panel containing the switches.

The stepper motor can be connected to the circuit using PC board wire terminals, or by simply soldering the appropriate wires to their respective pads. Use the parts-placement diagram as a guide when doing so.

When the circuit is finished, check and adjust the speed of the motor before proceeding to assemble the mount itself. Set S1 to slow, and time one revolution of the stepper motor; you might want to attach a wire indicator arm to the stepper motor




Fig. 3. If you'd like to etch your own PC board for the Mount's control circuitry, use this full-size foil pattern.

shaft with clay or putty to make it easier to time a revolution. Remember, you want the motor to spin at one revolution per minute. If it doesn't, adjust potentiometer R4 to speed up or slow down the stepper motor.

Now it's time to build the Mount itself. Start by cutting two 8- by 12-inch pieces of ¾-inch-thick lumber (plywood or pressboard is fine). Then cut them into T shapes using the dimensions shown in Fig. 5. Save the scrap wood cut from those pieces for use in other parts of the Mount.




Fig. 4. This parts-placement diagram should make building the control circuit easier.

Join the two pieces of wood at their 8-inch sides with a pair of 3-inch brass hinges; the two wood pieces can then open and close like a book (see Fig. 6). On one board, which will become the bottom, measure exactly 11% inches from the pins of the hinges. Drill a hole at that point, centered from side to side, that will accept a ½-20 T-nut. Hammer a T-nut into that hole from what will be the inside when the boards are folded together. That hole is where the 2½-inch drive screw will be placed (see Fig. 6).

Drill another hole on the bottom board in the position indicated in Fig. 6. Hammer another T-nut from the inside into that hole. That hole is where the Mount will be secured to a camera tripod. Note that the 1/4-20 thread of the T-nut is a standard for camera tripods.

Finally, drill a hole on the top board about 6 inches from either end, centered side to side. Hammer another Inut in from the inside. That hole is for securing the camera to the Mount.

The camera arm can be made from one of the scraps of wood you saved. Cut the piece so that it measures about 2×3 inches. Drill a hole on one end through the width of the wood, and on the other end, drill another hole through the thickness (see Fig. 7). Secure an L-shaped bracket to




Fig. 5. Use this template as a guide when cutting the two boards for use in the Mount.

the T-nut on the top board of the Mount using a ½-20 bolt and matching wing nut. Pass another ½-20 bolt through the hole going through the width of the camera arm, and attach it to the other end of the L bracket with a wing nut (see Fig. 7). By adjusting the wing nuts at each end of the L bracket, you can position the camera arm




Fig. 6. The two pieces of wood that make up the barn-door mount are joined at their 8-inch sides with hinges. Note the placement of the three T-nuts.

at any desired angle.

Pass a 2-inch 1/4-20 bolt through the other camera-arm hole. Secure it with one wing nut. Then, screw another wing nut, wings pointing towards the camera arm, onto the bolt. Place the camera onto the same bolt and lock it into place by tightening the wing nut up to the base of the camera (see Fig. 7).

Now it's time to secure the circuit board and stepper motor to the Mount. The circuit board should be attached to the top side of the top board. You can use a few machine




Fig. 7. Because the camera arm is mounted this way, it can be adjusted using the wing nuts on both ends of the L bracket.

screws and aluminum spacers to accomplish that.

As for the stepper motor, that's secured to the bottom side of the bottom board (see Fig. 8). Position the motor on the opposite side from where the T-nut was placed for the tripod. The flexible shaft that will connect the motor to the drive screw (more on that later) shouldn't be made to bend up too much, so you will have to position the stepper motor a bit lower than the bottom board. Make a spacer out of three $2 \times 1\frac{1}{2}$ × 3/4-inch wood blocks (cut from some of the scrap wood). Just pile them on top of each other, and secure them to each other with hot glue or epoxy.

Glue the spacer to the bottom board, and drill two small holes on the bottom board, one on each side of the spacer. You can then secure the stepper motor by threading wire through the holes and around the stepper motor. Then just twist and tie the wire. To make the assembly more




Fig. 8. Finding Polaris is pretty easy. Just follow the line made by the front two stars of the Big Dipper.

secure, glue the wire to the spacer and motor.

All that remains is to attach the flexible shaft. For that you will need two identical couplers, which are available from the source mentioned in the Parts List. They have a 1/4-inch-diameter opening on one end, and a

PARTS LIST FOR THE EQUATORIAL CAMERA MOUNT

SEMICONDUCTORS

U1—555 timer, integrated circuit
U2—UNC5804B stepper controller,
integrated circuit
U3—7805 5-volt regulator, integrated
circuit

RESISTORS

(All fixed resistors are \(\frac{4}{\text{-watt}}, 5\% \) units.)

R1-10.000-ohm

R2-100,000-ohm

R3-47,000-ohm

R4—100,000-ohm potentiometer, PC-mount

CAPACITORS

C1—1-µF, 16-WVDC, electrolytic C2—0.022-µF, polyester C3—100-µF, 16-WVDC, electrolytic

ADDITIONAL PARTS AND MATERIALS

S1, S2—SPDT toggle switch
S3—SPST toggle switch
MOT1—Stepper motor, 24-volt
Printed-circuit materials, 12-volt
power supply, wood, hot glue or
epoxy, hinges, ¼-20 T-nuts, ¼-20
bolts and wing nuts, L bracket,
screws, brackets, flexible shaft,
couplers (see text), wire, solder,
hardware, etc.

Note: The following are available from Images Company (P.O. Box 140742, Staten Island, NY 10314; Tel. 718-698-8305): UNC-5804B stepper controller-\$8.00; stepper motor-\$10.00; pre-etched and drilled PC board-\$10.00; 2 couplers-\$10.00 (\$5.00 each); flexible shaft-\$5.00. When ordering all items together, the shipping and handling charge is \$7.50. For information on shipping charges on individual items, contact the Images Company. New York residents, please add appropriate sales tax.

%6-inch-diameter opening on the other end. Attach the stepper-motor shaft and a 2½-inch-long, ¼-20 driver bolt to the ¼-inch ends of the couplers (you can see the actual assembly in the photo shown at the beginning of this article). The flexible shaft itself has a diameter of about %-inch, so you need to use a small piece of plastic tubing over the shaft to increase its diameter before connecting it to the ¾6-inch ends of the

couplers. In a pinch, wrap a few layers of electrical tape around the flexible shaft to build up the necessary diamoter.

The circuit and stepper motor operate from a 12-volt power supply. You can use any 12-volt battery capable of delivering 500 mA. Eight 1.5-volt, "D"-cell batteries strung in series will do the trick. However, the author used an old, 12-volt, lead-acid car battery. Although that is a little more bulky to carry around, it drives the mount for hours and, of course, it is rechargeable.

Alignment and Use. The Equatorial Mount has to be aligned before it is used. First, attach the Mount to the tripod. Then stand to the south of the Mount, and point it due north with its hinges on your left side. The next step is to align the Mount with Polaris; if you don't know where that star is, you can find it by using the pointing stars on the front edge of the Big Dipper (see Fig. 8). Use the tripod to "sight" Polaris along the hinge pins. When the unit is aligned in that way, fasten the tripod head firmly in place.


You can put a small-diameter tube along the hinge pins to use as a sighting scope for Polaris. A 2-inch piece of a plastic straw was used on the author's prototype.

At this point, the Equatorial Mount is aligned and you're ready to go. The driver screw should be all the way down (don't bind the drive screw into the wood, leave 1/2-inch clearance). Switch \$1 should be set to slow, and the direction switch should be set so that the screw will turn counter-clockwise and slowly raise the upper board when the motor is started.

Now, align the camera to any area or star you want to photograph. Then start the stepper motor. The motor will turn the drive screw at one revolution per minute, which will slowly lift the upper board (and camera) in sync with the movement of the stars.

You should start your testing of the Equatorial Mount with exposures of 1 to 10 minutes. Work towards longer exposures as you gain experience. You might also want to try using a telephoto lens on the camera. The mount should be accurate enough to use a 200-mm lens for approximately 30 minutes.

When the exposure is complete,



The circuit board is mounted using four metal spacers.

turn off power to the circuit. Reverse the direction using \$2, and set \$1 to FAST. Then apply power to the circuit again; that will quickly lower the board to reset the Equatorial Mount for another photo.

Some people find that equatorial mounts will track more smoothly with the top board moving downwards instead of up. You could try that with the Equatorial Mount if you'd like. Just make these changes: When you align the unit with Polaris, have the hinge pins to your right. Set the controls to turn the drive screw clockwise, and start the Mount with its boards opened. The boards will then slowly close, following whatever celestial objects you select.

Film Speed and Aperture. There is a large variety of film available. To get the best results, use a fast ASA color print or slide film, like a 1600 or 3200 ASA speed. The aperture setting on the camera controls the amount of light entering the camera. Keep in mind that the smaller the F stop, the more light that enters. You want to set the aperture to its widest opening (lowest stop number), which is usually around 2 or 2.4.

With the camera set at its largest aperture setting, the lens might not produce the sharpest picture. If you get blurry pictures, you might need to close down the aperture to get the sharpest picture possible.

It's a good idea to start each roll of film with a few standard photographs, that way the photo-lab that does the developing will have frame markings to use. Otherwise they might end up inadvertently cutting some pictures in half. Also, tell the photo-lab to print all the pictures. Otherwise, they might take your star photographs as errors and not print them.

Light Pollution. If you live in or near a large city, then you might be a little discouraged by the photos you take with the Mount. That's because of the common problem of light pollution. The author lives in New York City, and the preliminary photos he took of the sky looked like a dirty brown soup with a couple of stars floating in it.

To prevent such disasters from befalling your photos, you have two options: Either take the Mount away from the city lights to take your pictures, or purchase a light-pollution filter. Lightpollution filters are available from most photography-equipment suppliers.

Those filters block out the parts of the visual spectrum that are emitted by street lamps and other artificial light sources. At the same time, they allow the transmission of the rest of the visual spectrum for your exposures.

If you don't want to make the initial investment in a commercial light-pollution filter (they can cost as much as \$100) you can try your hand at using an improvised one. Use an extreme red filter, like a #25 or #29 filter. You are restricted to using black and white film with that simple filter, however.

Well, with that said, grab your gear and go get those astrophotos!

dding custom blackand-white graphics to your documents is easy if you own a grayscale scanner. However, if you don't have access to a scanner, but do own a fax machine and a computer with a fax/modem, you have another option-just send the photo or document from your fax machine to your computer's fax/modem. Now, ordinarily you'd need two phone lines to accomplish that feat, but even if you had them, you might not want to "tie up" both lines.

So, how can you use your fax machine as a scanner without closing yourself off to communication with the rest of the world? Build the Faux Fax Scanner described in this article. It allows you to directly connect your fax machine to your computer's fax/ modem. Best of all, it can be built in about an hour, and for less than ten dollars.


Computer Requirements. As mentioned, the Faux Fax Scanner requires that your computer has a fax/modem (internal or external). The computer system used can be an IBM PC (PC/XT/AT or compatible) or an Apple (MAC or equivalent) system. Because most fax machines use the Group-3 signaling standard, your fax/modem should be a Class-2 type in order to support the Group-3 transmission mode.

You will also need a fax-application software package. Usually such a package comes bundled with a fax/modem; if you are using a PC, your software might operate either under DOS or Windows. Some popular fax software packages are QuickLink II for Windows and Winfax, as well as many others.

The software must have a "manual receive" feature, which might not be available on some fax software programs (if necessary, consult your software supplier for upgrade availability). For example, QuickLink II for DOS does not have a manual receive feature, but the Windows version does.

The software must also include a file-export function so that you can

Build the



"Faux-Fax" Scanner

Use an ordinary fax machine as a full-page scanner for your PC.

BY THOMAS E. BLACK

convert the received image into a standard file format that is compatible with your word-processing or graphics-editing programs. Typically, fax/modem software will let you convert the received file into the TIFF format, which is compatible with most popular programs.




Fig. 1. As this schematic shows, the circuit for the Faux Fax Scanner is incredibly simple. The circuit provides a talk path for any telephone equipment hooked up to the two jacks, letting you connect your fax machine directly to your fax/modem.

Once you have your received image on disk, you can use a graphics-editing program to modify it. For example, most popular editing programs will allow you to reverse the image, remove defects, change the scale factor, and crop the image. Some programs will even allow you to modify the grayscale, which can help improve the appearance of scanned photographs.

Of course you can omit the graphic-editing step altogether, but for professional results you should consider touching-up your scanned images. My favorite software for that purpose is Corel PhotoPaint, but you should experiment to find what program you like best.

Circuit Description. The schematic for the Faux Fax Scanner is shown in Fig. 1. Two 9-volt batteries. B1 and

B2, wired in series provide the necessary voltage to simulate a telephone talk path. Current is limited by resistors R1 and R2 (you need not be concerned about damaging your fax machine or modem, because the talk-path current is limited to just a few milliamps).

A typical phone connection is established by modular-telephone-jacks J1 and J2. The unit can not generate a dial tone or ringing voltages, but such features are not necessary to transmit data between your fax machine and fax/modem.

The LED glows when a connected fax machine or PC is in use. An on/off switch is not needed because the only time power is consumed is when your fax machine is actually transmitting to your computer's fax/modem.

Construction. A printed-circuit board is certainly not needed to build this project. In fact, simple point-to-point wiring works great and helps keep the cost low. Another economical step would be to check your junk box for the resistors and LED. If you also happen to have a couple of modular telephone jacks lying around, your Faux Fax Scanner could cost next to nothing.



As shown here, no board was used in the author's prototype.

Start by mounting the two modular jacks to a suitable enclosure (the author used a $3.25 \cdot \times 2.25 \cdot \times 1.5$ -inch case). If necessary, use five-minute epoxy to secure the jacks. The project only uses the jacks' red and green wires, so if your jacks have wires already connected, leave only the red and green ones attached.

Next, mount the LED. You can use either epoxy to hold it in place, or use an LED holder. Trim the LED leads so they are about 1/4-inch long. Be sure to note which lead is adjacent to the LED's flat spot (on the lens edge), because that marks the cathode end.

Solder R1 directly to the LED. Be sure to insulate the resistor's leads using heatshrink tubing or an equivalent material. Solder both green wires from the modular jacks to the cathode end of the LED.

You will need two battery snaps with leads. Solder the anode lead of the LED to the red (positive lead) of one of the battery-snap connectors. Then solder the black (negative) lead of that battery snap to the red lead of the other battery holder.

Solder both red wires from the modular jacks to one end of R2. Next, solder the other end of that resistor to the remaining black wire of the battery connector. Insulate all solder connections to prevent accidental shorts.

Note that it is not necessary to actually mount the components to a circuit board, because the LED and two jacks are mounted to the enclosure. Just mount the two resistors to the inside of the case with a bit of epoxy, and your circuit is secure.

Install a fresh set of 9-volt alkaline batteries and screw the lid onto the enclosure. A piece of padding or double sided tape on the batteries will prevent them from rattling around.

Checkout. Plug a pair of telephones into the modular jacks. You should see the LED glow only if a phone is offhook. If the LED does not glow, there might be some kind of wiring error. Of course if the batteries need to be replaced, the LED will no longer light up either, so make sure the batteries in the unit are fresh.

You should be able to talk on the connected phones and hear high-quality speech. Do not be concerned if the phone's dial-pad does not work; the available current might not be high enough to reliably operate some electronic phones. If you experience problems and have verified that the adapter is wired correctly, then try different phones. Western Electric 500 or 2500 series desk phones are considered an industry standard and will work as test phones if your project is assembled correctly.

Using the Scanner. Because the Faux Fax Scanner only provides a talk path and can not ring up the fax/ modem, you will have to rely on a simple, manual, send/receive technique to transmit data.

GO7468444 D

Fig. 2. This familiar portrait of President Washington should give you an idea of the type of output you can expect from your Faux Fax Scanner setup.

PARTS LIST FOR THE FAUX FAX SCANNER

LED1—Light-emitting diode, green R1—100-ohm, ½-watt, 5% resistor R2—470-ohm, ½-watt, 5% resistor J1, J2—Modular telephone jack, RJ11-type

B1, B2—9-volt alkaline battery
Battery-snap connectors (2), plastic
enclosure, telephone cords (2),
wire, solder, hardware, etc.

Start out by connecting your fax machine and fax/modem to the unit using telephone cords. The circuit is bi-directional, so it does not matter which jack you use for either of the two devices.

Next, prepare your computer by starting up your fax/modem application software. Do not select any operating modes at this time. Insert the document you wish to scan into the fax machine. Set the fax machine's resolution to its grayscale "photo" mode if you are scanning a B/W photo or drawing. Use the machine's "super fine" resolution if you are scanning text or a non-grayscaled image. Note that both of those modes can take several minutes to send a single page.

Then, lift the handset of your fax machine and press its Start (send) button. The fax machine is now in the manual send mode; you should see the adapter's LED light up. Most fax machines require that you hang up the handset at this time.

Immediately choose the manual receive feature in your PC's fax software program. You must perform this step before the fax machine timesout (about 30–60 seconds). Your image is now being scanned. The image will be ready as soon as the LED on the Faux Fax Scanner goes out.

Fax-Resolution Information. Some fax machines can transmit fairly high resolutions (about 200 dpi), and most can support 16 grayscale levels (some as high as 64). As you can see, the quality you can expect depends on the fax machine that you use as the page scanner.

So how do the scans look when they are done? A sample is shown in Fig. 2. In many cases, the results look as good as from an expensive page scanner!



Does fighting the crowds at Christmas short-circuit your holiday fun? Don't blow a fuse this year...for the friend who shares your love of project-oriented electronics — or a youngster who may need only a spark to ignite a life-long interest — give a gift subscription to Popular Electronics.

Popular Electronics readers get the know how they need to build exciting, educational, and useful projects like these...a professional-quality home-security system...an autoranging frequency counter...a nine-band shortwave receiver...a radio-controlled car...a telephone scrambler...an aviation receiver...and even a robot!

PLUS...Gizmo, our honest and straight-shooting review of the latest consumer-electronics gear...Market Center, featuring mail-order merchants that are ready to help you in all your hobby activities...articles and columns covering every aspect of the electronics hobby — including antique radio, shortwave listening, ham radio, computers, scanners, circuit design, and more!

SAVE MONEY...A great gift to receive, Popular Electronics is also a great gift for *you* to give! The Special Holiday Rate saves you \$25.05* off the newsstand price on each gift. You can save another \$25.05* when you start or extend your own subscription at the same time. It's our "thank-you" for sharing Popular Electronics with a friend at Christmas.

Send no money, unless you prefer. We'll be glad to bill you in January, 1995. Just take a brief moment to go over your gift list and make sure you haven't forgotten anyone who might appreciate the many benefits of Popular Electronics. Then write the names on the attached Gift Certificate and mail it back in the postage-paid reply envelope...we'll take it from there!

Your friends will receive a handsome gift announcement card signed with your name just before Christmas. And all through the new year they'll remember and appreciate your thoughtful gift! So don't blow a fuse...take it easy and enjoy the holidays. Give Christmas gifts of Popular Electronics!

Popular Electronics


*Basic sub rate-1 vr/\$21.9

Using a Spectrum Analyzer

Use a spectrum analyzer and "see" the presence of signals.

BY BILL CLARKE

plays.



When I was operating a spectrum display back in those days, I was searching for clandestine military-aircraft operations, where the basic band of frequencies was known, but not the exact operating frequency. A tour of duty consisted of mind-numbing and eye-burning staring at the spectrum-display screen, watching for signals to pop up where there should not have been any. When I saw a signal (called a spike), we would take a photo of the screen for later analysis, and then attempt to tune a separate receiver to the frequency, which could be interpreted from the location of the spike on the screen (as read from a grid scale that was located on the screen's face).

If the transmission was of a long enough duration, we could often successfully tune a receiver and record the transmission. If not, the receiver would have to be set close to the unknown frequency and the waiting game restarted.



SDUs Today. Modern equipment now consists of SDUs that indicate onscreen the exact frequencies of spikes, along with other data such as relative signal strength. Those displays also have receivers slaved to them, which allows for instant signal monitoring. Of course that modern equipment is great to use, but it is costly. Typical government equipment falls in the price range of \$30,000 to \$100,000 per unit—not exactly what a hobbyist would generally spend on something for a radio shack.

Luckily there are affordable, receiver-controlling SDUs with LCD readouts. Such SDUs make modern spectrum analysis a reality for the professional technician and the hobbyist. We'll look at a particular one later on in the article.

But why should one perform spectrum analysis? Generally, searches are made either for a single signal (or group of like signals), a stretch of heavily or sparsely used spectrum, or for signs of unusual propagation-related activity. Let's take a look at how such a search can be accomplished.


Public Service Searches. Ask any scanner user and you will quickly be told that not all public-safety radio communications take place on published frequencies. It is not unusual for police departments to use unlisted frequencies as tactical or special-purpose channels. For example, a police department might use a frequency licensed to another agency (highway, water, etc.) within their jurisdiction for a

drug task force's use. The only indication of such a channel heard on the scanner tuned to the published dispatcher's frequency might be a phrase instructing a unit to switch to the special channel.

If the scanner user was viewing a spectrum display at the time that phrase was heard, it would be possible to see a spike indicating communications on another frequency that was timed with the approximate dispatcher announcement. Using a "grab," a means of locking onto a specific spike, it would be possible to change the receiver's frequency and monitor the communications. If that turns out to be the channel sought, the frequency is displayed on the spectrum-display unit's screen and



The AOR SDU-5000A Spectrum-Display Unit is shown here with its slave allband receiver, the AOR-3000A. The combination provides excellent performance at an affordable price.



The two AOR units make a small operating package and could easily be used portably out of a large brief case.

the receiver's readout. It can then be entered into a log or the receiver/ scanner memory, as appropriate.

Asimilar scenario applies to rescuesquad frequencies. Often you will hear the dispatcher assign a channel or frequency number to a specific vehicle on, or going to, the scene. That frequency is where talk between the EMTs and the hospital will take place. If you don't have the frequency, the spectrum-display unit can be used as in the previous example.

The process of "spike and grab" just described is made easier when an SDU with a slaved receiver is used, because the operator can select frequencies based upon the displayed spikes and directly control the receiver. It is a fast and accurate way to search for a single signal or a group of like signals.

A Repeater-Operator Aid. There are a number of problems facing today's commercial- or amateur-repeater operator. Probably the biggest difficulty encountered is interference from other radio signals, either in the form of intermodulation or direct nearby-channel interference.

Using an SDU allows an operator to examine the immediate nearby portion of the band for signals that might be interfering with repeater op-

eration. While you monitor the repeater, spikes are grabbed and tuned whenever interference is noted, allowing the offending signals to be identified.

Finding Scattered Activity. Often a band is known to be used; however, the activity is so spread out that it is difficult to find any signals. An example of that is the 118- to 136-MHz aviation band.

Most aviation transmissions are relatively short, so that an operator will miss them if he or she isn't on the exact frequency at the exact time the transmission(s) are made. Using an SDU, an operator can visually see the spikes for each of those speedy transmissions, and can tune the receiver using the spike and grab manner discussed earlier.

Ham Operators. The most common use of an SDU for ham-radio operators is a quick examination of a band to see if it is open. In other words, is there propagation supporting communication activity? That is extremely important for the DX operator, and more so during the current low portion of the sun-spot cycle.

With only a receiver, the operator must change to the band in question and manually tune through it to deter-

mine if there is activity, and if so, what frequency it's on. With the use of an SDU, the operator inputs the center frequency of the band to be examined and watches the display for spikes indicating signals. An advantage of that method is that the larger the spike the stronger the signal.

The AOR Spectrum-Display Unit. For the purposes of this article, I used the AOR SDU-5000A Spectrum-Display Unit connected to the AOR-3000A all-band receiver (which acts as a slave). I used that setup for HF, VHF, and UHF studies (frequency coverage of the AOR-3000A is 100 kHz to 2036 MHz). The equipment combination provides an excellent level of results at an affordable price—around \$2000.

The setup just described provides a level of capability that even professionals did not have just a few years ago. The two units make a small operating package and could easily be used on-the-go out of a large brief case, with power being supplied by batteries.

The AOR SDU-5000A has an LCD color display, measuring about 3×3 inches, with easy operator control of brightness and contrast. Its center frequency is pushbutton selectable and is always indicated on the display; that setting can be scrolled up or down in operator-selected size steps. The receiver, being slaved, follows as the displayed frequency changes. The scanwidth of the displayed spectrum is selectable from 1 kHz to 10 MHz.

A panel-controlled marker can be moved from spike-to-spike in signal-strength order or manually. When selected, the marker will set the slave receiver to the frequency of the spike indicated.

Another feature of the SDU-5000A is its monitor output; a PAL or NTSC composite monitor can be connected to that when a larger display is desired. That output could also be fed to a VCR.

The AOR Spectrum-Display Unit is also available in versions to work directly with certain ICOM receivers. AOR products are distributed by EDCO (323 Mill Street, NE, Vienna, VA 22180) and are available through most shortwave and scanner dealers. Contact your favorite dealer for current product information, pricing, and availability.

October 1995, Popular Electronics

COMPUTER BITS

By Jeff Holtzman

System Resource Management

System resources in today's PCs must be managed carefully. Without careful resource management, your system might not operate optimally; it might be unstable, mysteriously crashing at inopportune moments, or it might not operate at all.

That could soon change. A recent initiative by Microsoft and Intel, called Plug-n-Play (PnP), aims at automating much of the system configuration process. But

PnP will only work in a completely automatic way with new systems that contain a PnP BIOS, a PnP operating system (primarily Windows 95 at this point), and PnP expansion cards and peripherals.

In the absence of total PnP support, tracking resources manually is the only way. However, with a clear understanding of what resources are required, used, and available, performing maintenance and installing upgrades can be a quick and efficient process, guaranteed to impress family and friends.

RESOURCE TYPES

There are four types of resources that must be tracked: DMA channels, I/O ports, IRQ lines, and physical memory address ranges. DMA stands for Direct Memory Access. The purpose of DMA is to allow peripheral devices, such as disk controllers, optical scanners, sound cards, and network interface cards, to read and write main memory directly, without help from the CPU. That allows the CPU to do other things in the meantime, and helps increase overall system throughput.

The CPU uses I/O ports to communicate with nearly all peripheral devices. That includes all those just mentioned, as well as serial, parallel, and game ports.

IRQ lines allow peripheral devices to issue an interrupt request (hence the name) to the main CPU. When an IRQ occurs, the CPU stops what it is doing, services the device that caused the interrupt, and then returns to

its original task. The system uses IRQs for all sorts of tasks, ranging from hardware timing to serial-port management and more.

Physical-memory address ranges contain normal RAM and ROM, Some devices have fixed ROM addresses. For example, the system BIOS usually (but not always!) occupies the upper 64K of the first megabyte of memory, from F000:0000 to F000:FFFF. Video adapters typically occupy 32K of space at C000:0000 to C000:7FFF Finally, hard-disk adapters often occupy 16K of space at C800:0000 to CBFF:000. There are exceptions to all those rules; you absolutely must check your system documentation to be certain!

There are eight DMA channels, 64K of I/O ports, 16 IRQ lines, and potentially 4GB of address space to keep track of. However, not all of each type of resource is available for general-purpose use. For example, DMA channel 0 is used by the system's DRAM-refresh circuitry, and channel 3 by the floppy-disk controller. For detailed information on other pre-assigned system resources, I highly recommend a small but dense little book, The XT-AT Handbook Fifth Edition (1995) by John P. Choisser and John O. Foster (Annabooks, 11838 Bernardo Plaza Court, San Diego, CA 92128-2414) ISBN: 0-929392-26-4. There are few true bargains in life, but \$10 for this book is one.

A SIMPLE SYSTEM

Through years of hard experience, I've found that it's best to keep an explicit list

System Resource Configuration Device DMA I/O IRQ Memory DM1

COM1		
COM2		
LPT1		
LPT2		
Network		
Sound (DOS)		
Sound (Win)		
Game		
SCSI		
Scanner		

Notes

Fig. 1. Track system resource usage easily by printing a table on a 3×5 Post-It and affixing it to the back of each PC. Update the table whenever you perform system maintenance or upgrades, and relieve a big headache.

of system resources used by a computer on a sticker taped to the back or side of the machine. To simplify the process and make record keeping somewhat consistent, I created a document in my word processor that I can print at any time. The document, which is shown in Fig. 1, contains a simple table listing resource types in the columns, and actual devices in the rows. Documenting system resource usage is then as simple as filling in a few blanks. The table contains predefined rows for common devices such as COM ports, printer ports, and so on. It also contains half a dozen rows for custom devices.

There are a couple of tricks that make the process particularly nice. One is that I print the table directly on a 3- \times 5-inch *Post-It* sticker, which can then be transferred easily to the machine itself. To do so, first I print the table on a normal $8.5- \times 11$ -inch piece of paper. Then I peel a Post-It from the pad, and overlay it exactly over the table as printed on the paper. Then I print another copy of the document and run the same sheet of paper through the printer again. Voila: a perfectly aligned system configuration resource table, ready to go whenever you need it.

Okay, it's not the highesttech solution, but it's simple, it works on every machine from my oldest XT to the latest and greatest, and it is convenient enough that I actually use it! If you would like to give it a try for yourself, you can get a copy of my system resource table in Word for Windows 6.0 format from the Gernsback BBS (516-293-2283); look for file SYSRESMG.DOC.

Popular Electronics

REPRINT BOOKSTORE

	_	-1 					
	225	Popular Electronics (1995 back issues) \$5.00		211	Radio-Electronics (1991 back issues) . \$5.00 Write in issues desired		
	224	Write in issues desired Popular Electronics (1994 back issues) \$5.00		210	Radio-Electronics (1990 back issues) . \$5.00		
	223	Write in issues desired Popular Electronics (1993 back issues) \$5.00			REPRINTS REPRINTS		
	222	Write in issues desired Popular Electronics (1992 back issues) \$5.00		174	Electronics Comics (The Best of) \$2.00		
_		Write in issues desired			From Not-Working to Networking		
	221	Popular Electronics (1991 back issues, Jan., Mar. not available)			Troubleshooting Local-Area Networks \$5.00		
		Write in issues desired			33 Bench-Tested Circuits \$2.00		
	220	Popular Electronics (1990 back issues) \$5.00 Write in issues desired	_		36 Time Tested Circuits		
	EH9	4S Experimenters Handbook			Science Book 1		
	EH9	Summer Edition (1994) \$5.00 4W Experimenters Handbook		170	A High-Voltage Projects for Fun and Science Book 2		
		Winter Edition (1994)		169	Think Tank (133 Circuits)		
		4 Experimenters Handbook (1994) \$5.00		169	A. Think Tank Vol. 2		
		3 Experimenters Handbook (1993) \$5.00			Fact Cards (#34-66)\$3.00		
_		2 Experimenters Handbook (1992) \$5.00			C Fact Cards (#67-99)		
_		© Experimenters Handbook (1990) \$5.00			D Fact Cards (#100-132)		
	HH9	14S Hobbyist Handbook			· ·		
Ιп	ння	Spring Edition (1994)			Designing With IC's		
		Fall Edition (1994)		100	Fips(62 pages. April Fools Collection) \$5.00		
_		3 Hobbyist Handbook (1993) \$5.00		165	How to Repair CD Disc Players \$5.00		
		12 Hobbyist Handbook (1992)		164	Modern Electrics (April 1908) \$3.00		
_		11 Hobbyist Handbook (1991) \$5.00		163	Receiving Satellite TV		
		O Hobbyist Handbook (1990) \$5.00		162	Build Your Own Satellite TV Receiver \$5.00		
l⊔	uiz	Gizmo—The Consumers Guide to Electronics		161	Descrambling (Feb. 1984) \$4.00		
I_{\sqcap}	Rad	liocraft 1993 Projects for Hobbyists \$5.00			New Ideas - 42 Circuits		
		Electronics Now (1995 back issues) \$5.00			Low Frequency Receiving Techniques		
l		Write in issues desired			Building and using VLF Antennas \$5.00		
		Electronics Now (1994 back issues) \$5.00 Write in issues desired		158	Electro Importing Co. Catalog (Circa 1918)		
	213	Radio-Electronics/Electronics Now (1993 back issues)		157	All About Kits		
		Write in issues desired		156	How To Make PC Boards\$2.00		
	212	Radio-Electronics (1992 back issues) \$5.00		154	How To Repair VCR's \$3.50		
0 y C D	To order any of the items indicated above, check off the ones you want. Complete the order form below, include your payment, check or money order (DO NOT SEND CASH), payable to and mail to Claggk Inc., Reprint Department, P.O. Box 4099, Farmingdale, NY 11735. To use your Visa or Mastercard, complete the following: No COD's! To place a credit card order by phone, Visa or Mastercard only, CALL: 516-293-3751.						
C	ard l	y 🗆 Visa 🔲 Mastercard					
)ate					
s	igna	ture					
MAIL TO: Claggk Inc. Reprint Bookstore, P.O. Box 4099, Farmingdale NY 11735 All payments must be in U.S. funds SHIPPING CHARGES IN USA & CANADA \$0.01 to \$5.00 \$2.00 \$30.01 to 40.00 \$6.00 \$0RRY — We only ship to USA & \$5.01 to \$10.00 \$3.00 \$40.01 to 50.00 \$7.00 Canada \$10.01 to 20.00 \$5.00 \$50.01 and above \$8.50							
Total price of merchandise \$ Shipping Charge (see chart) \$ Subtotal \$ Sales Tax (New York State Residents only) \$							
	lame		_		Total Enclosed \$		
1 1		SS					
		StateZip			RBSO1		
1 4	··· / -						

ANTIQUE RADIO

By Marc Ellis

Building a Starter Ham Receiver— 1930 Style

ack in 1930, as today, the American Radio Relay League (ARRL) was a highly influential, national organization for amateurradio operators. Besides voicing the interests of the radio amateur in the halls of Congress, the ARRL vigorously promotes the use of cutting-edge technology and operating techniques in the amateur-radio community. But the organization has also sought to keep the hobby a dynamic and growing one by encouraging new and prospective hams.

Among its many reference books and texts, the

book was to assist the newcomer in qualifying for a ham license and to guide him or her in putting together a first, basic station.

The 1930 edition of How to Become a Radio Amateur included a simple 2-tube regenerative receiver covering the 80- and 160-meter ham bands. That has to have been one of the most popular starter shortwave sets ever introduced. It was most certainly built and used by thousands of hams—both new and experienced.

Because of its simple construction and the fact that it could be built using parts cannibalized from obsolete, battery broadcast receivers, the radio was quite easy on the pocket-book. That was quite an important consideration during those cash-starved depression years.



The 1930 How To Become a Radio Amateur set used two 01-A tubes configured, respectively, as a regenerative detector and audio amplifier (see schematic). Coil "L1-L2" is actually a single 160-meter coil, close-wound on a cardboard form and tapped for a ground connection. Not shown in the schematic, but detailed in the accompanying text, is another tap for operation on the 80-meter band. Wound separately on the same form is the "tickler" coil, L3, which is used to obtain regeneration.


The 1928 edition of *The Radio Amateur's Handbook,* another ARRL publication,

showed a predecessor of the 1930 circuit (also using 01-As) that was similar in design but employed a series of plug-in coils to achieve wider frequency coverage. Those were freestanding (no form) coils made on a jig, and look like they'd be quite annoying to construct. You had your choice between basketwave or space-wound styles.

I've seen spinoffs of the 1928 and 1930 sets—sometimes credited to the ARRL and sometimes not—in shortwave "how to" manuals published as late as 1940. The later sets tended to use plug-in coils, and generally substituted the type-30 tube (a triode introduced for use in farm sets operating from 2-volt wet cells) instead of the archaic 01-A.

The influence of the 1928–1930 design is also evident in the 2-tube regenerative starter set included in the fifteenth edition (1956) of How To Become A Radio Amateur, though the radio used 6AQ5 beam power tubes rather than 01-As or type 30 triodes.

It's not surprising that the 1956 construction article included a disclaimer. Pointing out that the radio was regenerative, a design long-ago rendered obsolete by the superheterodyne, it continued: "... Nevertheless, the regenerative receiver represents a very worthwhile project for the beginning amateur because good sensitivity is obtained with simple circuit and construction"



A receiver from the 1930 edition of the ARRL's How To Become A Radio Amateur. Note the bracket-mounted controls (tuning at left, regeneration at right). The grid-leak assembly is behind the tuning control, between the coil and the detector tube.

ARRL has always included several aimed specifically at the newcomer. One of those, How To Become a Radio Amateur, was published for decades—going through many editions—until superseded by other publications in the 1970s or 1980s. The mission of the

early nomenclature, both of the tube types mentioned are 01-As-the first made by RCA and the second by Cunningham. Tube designations were simplified in the early 1930s, with the deletion of codes indicating manufacturer and base style.

However, even the 1930

article had to acknowl-

edge that it was an old

ers may notice that the

design! "Some of our read-

circuit is simply the old fa-

The 1928 intro goes on to say that the "new" UX-200-A (otherwise known as the 00-A), which is a "soff" (low vacuum) tube, makes a sensitive detector of weak signals because it will oscillate at a low voltage on short wavelengths. However, it also points out there might also be an objectionable hissing noise. The 00-A is a fairly rare tube, but I think I have one and am looking forward to comparing its performance as a detector to that of the 01-A.

BUILDING A REPLICA

I felt that building a replica of the ARRL shortwave starter set would be a great project for the column and, without much hesitation, decided to tackle the 1930 version. The 1930 set has a lower parts count and simpler coil construction than

Those of you who followed the construction of the NBS crystal radio replica in an earlier series of Antique Radio columns know that I've never been guilty of doing things the

build yours until I complete and test mine. That way vou'll be less likely to fall into any pitfalls I might encounter.

Some of the problems I expect to have to deal with relate to the coil. In the first place, I want to modify its frequency coverage, making the set tune 80 and 40 meters rather than 160 and 80 meters. There will then be more stations (ham and commercial) for us to listen

Ax evan enlared nodille certification exams, it's better than a cheat sheet. (It's legal.) This new Heathkit® interactive,

computer-based course offers computer service professionals the easiest way to pass the A+ Certification exams.

• Practice the test on your PC just the way you'll take the A+ core exam and specialty modules (Windows®/DOS® and Macintosh™OS). Fifteen, timed practice tests give instant feedback on what you already know, and what you need to learn.

• Study only those areas where you need help. "Browse Mode" tells you the exact page and text to find the answers. Saves you hours of reading time.

• Comes with study guide and comprehensive reference library to fully prepare you to earn your A+ Certification the first time.

For more information or to order, call 1-800-253-0570.




PO Box 1288 Benton Harbor, Michigan 49023-1288 (616) 925-6000 • FAX: (616) 925-2898

Our Individual Learning Programs are accredited by the International Association For Continuing Education and Training (IACET).

107-035

October 1995, Popular Electronics



The schematic diagram of the 1930 set. The tap for bandswitching (see text) is not shown.

to. That's an important advantage in view of the fact that we'll have only the one permanently-installed coil instead of a series of plugin ones.

Second, the double cotton-covered wire specified is all but unobtainable now, and I'll undoubtedly be substituting enamel-covered magnet wire. That is likely to affect the frequency coverage of the radio (it did with the NBS set built earlier), and I might have to rewind the coil with a different number of turns.

CIRCUIT ANALYSIS

Looking at the diagram again, you'll note that the signal flows from antenna to ground through the short (L2) section of coil L1–L2 but that the tuning capacitor and detector tube are connected across the longer (L1) section. The resulting transformer action makes the signal voltage at the detector tube larger than that between antenna and ground, effectively amplifying the received signal.

Components R1 and C2 are in the familiar "grid leak detector" configuration as used by DeForest in his original Audion circuit and employed in almost all receivers for many years

thereafter. The presence of L3 tells us that this detector also has regeneration, which is an improvement to the grid leak detector invented by Edwin Armstrong in 1914.

Part of the energy in the plate circuit of the detector tube (labeled "D") is coupled back into coil L1–L2 (and hence into the grid circuit of the detector tube) via "tickler" coil L3. Thus the same signal passes through the tube over and over again and is amplified more with each pass—greatly improving the performance of the detector. Rheostat R3 controls the

degree of regeneration so that it can be adjusted for maximum effect.

Transformer "T" steps up the signal from the detector plate and couples it to the grid of the audio-amplifier tube ("A"). After passing through "A," the signals are loud enough to be comfortably heard in the headphones ("P"), which are in the tube's plate circuit.

R2 represents a "Lynch equalizer," which was a specialized resistor designed to keep the filaments at constant voltage as battery voltage declined. However, that function can also be performed manually by substituting the more conventional rheostat for R2 and—not having an equalizer at hand—that's what I plan to do.

The receiver is intended to be powered by batteries (6 volts to light the filaments, 45 volts for the detector plate, and 90 volts for the amplifier plate). Those are connected to the receiver via the terminals labeled A-, A+/B-, B+45V, and B+90V.

CONSTRUCTION STYLE


The set is constructed on

a 10- \times 14-inch board, representing half of a standard-sized breadboard of the era. What's a breadboard? Think back and you might remember having seen your grandma use one to roll out dough. The other half of the breadboard was set aside for later construction of the accompanying transmitter. I might look around for a real breadboard, just to be authentic. But if I have the sliahtest difficulty in finding one, I won't hesitate to substitute a piece of knot-free pine lumber cut to the appropriate dimensions.

The construction specifications suggest that the controls (tuning, regeneration, and—in my case filament voltage) be mounted on metal anale brackets fastened to the top of the breadboard or on small sections of panel attached to the front edge of it. I'd rather not have to fabricate the brackets, and I think the individual panels would be messy looking. I'm planning to install a onepiece panel over the entire front of the board, probably using the black Lucite material (which closely resembles old-time Bakelite) available from Antique Electronic Supply.

As to the wiring, I'll keep it authentic by using heavy insulated bus-bar running parallel to the edges of the board and, of course, making perfect right-angle turns. AES is helpful here, too, stocking both appropriate bus-bar and authenticlooking black spaghetti insulation. If you don't have the very useful AES catalogue, by the way, write for a free one: Antique Electronic Supply, 6221 S. Maple Ave., Tempe, AZ 85283.

That's all the space for this time. See you again next month, when the project will continue.



This 1940 spinoff of the ARRL starter shortwave radio has type-30 tubes, a Bakelite front panel, and plug-in coils.

Just like these Fully Trained Electronics Professionals



"Thanks to CIE I have tripled my previous salary, and I am now in a challenging and rewarding new field where only the sky is the limit."

Daniel Wade Reynolds Industrial Electrician Ore-Ida Foods



"CIE was recommended to me by my boss It was appealing since I could study at my own pace at home and during business travel."

Marketing Manager/Consumer Products
Analog Devices, Inc.



"I loved the flexibility CIE offered. It was the only way I could continue both school and my demanding job." Britt A. Hanks

Director of Engineering Petroleum Helicopters, Inc



"I liked the way the school was set up with laboratory assignments to enforce conceptual learning. The thing which impressed me the most about CIE's curriculum is the way they show application for all the theory that is presented." Daniel N. Parkman

Missile Electro-Mechanical Technician U.S. Air Force



"Completing the course gave me the ability to efficiently troubleshoot modern microprocessor based audio and video systems and enjoy a sense of job security." Tony Revnolds

Service Manager/Technician Threshold Audio & Video

Graduate with an Associate Degree from CIE!

CIE is the best educational value you can receive if you want to learn about electronics, and earn a good income with that knowledge. CIE's reputation as the world leader in home study electronics is based solely on the success of our graduates. And we've earned our reputation with an unconditional commitment to provide our students with the very best electronics training.

Just ask any of the 150,000-plus graduates of the Cleveland Institute of Electronics who are working in high-paying positions with aerospace, computer, medical, automotive and communications firms throughout the world. They'll tell you success didn't come easy...but it did come...thanks to their CIE training. And today, a career in electronics offers more rewards than ever before.

CIE'S COMMITTED TO BEING THE BEST...IN ONE AREA...ELECTRONICS.

CIE isn't another beeverything-to-everyone school. CIE teaches only one subject and we believe we're the best at what we do. Also, CIE is accredited by the National Home Study Council. And with more than 1,000 graduates each year, we're the largest home study school specializing exclusively in electronics. CIE has been training career-minded students for nearly sixty years and we're the best at our subject..

ELECTRONICS...
IT'S THE ONLY SUBJECT
WE TEACH!

CIE PROVIDES A LEARNING METHOD SO GOOD IT'S PATENTED.

CIE's AUTO-PRO-GRAMMED® lessons are a proven learning method for building valuable electronics career skills. Each lesson is designed to take you step-by-step and principle-by-principle. And while all of CIE's lessons are designed for independent study, CIE's instructors are personally available to assist you with just a toll free call. The result is practical training... the kind of experience you can put to work in today's marketplace.

electronics. And every CIE
Course earns credit towards
the completion of your
Associate in Applied Science
Degree. So you can work
toward your degree in stages
or as fast as you wish. In fact,
CIE is the only school that
actually rewards you for fast
study, which can save you
money.



and the first
Microprocessor
Course. Today, no
other home study
school can match CIE's
state-of-the-art equipment
and training. And all your
laboratory equipment, books
and lessons are included in
your tuition. It's all yours to
use while you study and for
on-the-job after you
graduate.

PERSONALIZED TRAINING....TO MATCH YOUR BACKGROUND.

While some of our students have a working knowledge of electronics others are just starting out. That's why CIE has developed twelve career courses and an A.A.S. Degree program to choose from. So, even if you're not sure which electronics career is best for you, CIE can get you started with core lessons applicable to all areas in

Send for CIE's FREE Course Catalog and See How We Can Help Your Career Too! YES! I want to get started. Send me my CIE course catalog including details about the ' Associate Degree Program. (For your convenience, CIE will have a representative contact you - there is no obligation.)

	•	
Name		
1401110	 	 _

Hame
Address
City
State Zip Age
Phone No.
Check box for G.I. Bill Benefits.
Veteran Active Duty AH70

Cleveland Institute of Electronics, Inc. 1776 East 17th Street Cleveland, OH 44114

> A School of Thousands. A Class of One, Since 1934.

THINK TANK

By John J. Yacono Technical Editor Windows Magazine

Circuits of Yore

really did it this time. By
the time I finished with all
this month's letters and artwork, I ran out of space and
time for my tutorial. Oh well,
we'll pick it up again next
month. But now, let's look at
letters that deal with comments and revisions to
circuits gone by, starting
with some comments from
a disgruntled "critic."

PAN MAIL

This is just a short note to let you know that Dwight Eggleston is correct on all counts in his evaluation of the Walkman amp circuit (see Fig. 1) presented in the July 1995 issue. Your explanations show either a great




Fig. 1. If a down and dirty audio amp is what you need, try this miniature unit. Among other things, it can be used to boost the output of an earphone for the hearing impaired. Just be sure to use germanium transistors for Q1 and Q2.

sense of humor or an abysmal lack of knowledge of elementary electronics. But don't take my word for it, build it and see.

By the way, I have been convinced for years that there is a group of engineers who send nonfunctional circuits to *Think Tank* just to laugh at you when you unwittingly publish them.

-Michael Eck, Martinsville, NJ Thanks for keeping it short. As it turns out, I do have a good sense of humor. To prove it, I'll follow your letter with one that I received from a possible "conspirator."

THE LITTLE AMP

I am writing about the explanation of the Walkman amp in *Think Tank*, **Popular Electronics**, July 1995. First, the output level of the Q1 is important, if it is wrongly set the amplified signal will be distorted.

Second, Q1 and Q2 do have a bias: The base/collector-leakage current flows also from the base to the emitter and is amplified that way. That can be easily demonstrated with germanium transistors: Connect a voltage across the emitter and collector and measure the current. It will be about 50 to 100 µA when the base is floating. Connect the base to the emitter and the current will be reduced to about 10 µA. In that situation you are measuring only the collector/base leakage. I tried

that with a 2N3904 and I could not measure anything; the currents were well below 1 μ A. Silicon transistors have a very low leakage. I suspect Q2 (2N31A) is a germanium transistor, giving a higher bias as it would be needed to handle the amplified signal from Q1.

Third, the time constant of R1 and C5 is 1 millisecond, thus suppressing frequencies above 1 kHz. With good reason, the signal amplified by Q1 is in all likelihood very distorted because Q1 is operating at an extremely low bias. Replacing Q1 with a germanium transistor would help, or one could connect the base of Q1 with a 1- or 2-megohm resistor to the positive voltage.

Finally, a very long time ago, I built a circuit like this to amplify my "cat's whisker" radio. I used germanium transistors and, of course, it worked just fine.

—Otto Baade, Minneapolis, MN

Thank you for your truly insightful analysis. I agree with all your points, but let me just clarify my old expla-




Fig. 2. These servo drivers connect to a servo's three terminals (power, control, and ground) to control it throughout a 90-degree rotation.

nation. When I said the output level of Q1 wasn't important. I was talkina about its DC level, not amplitude. I agree the transistors need and have bias current, I only said they required no biasing network. Finally, you hit the nail on the head when you said Q1 and Q2 are germanium transistors. The schematic I received did not have a label for Q1 and, in a rush, I scribbled down a silicon part number.

I think you might be the only reader that wasn't thrown by my error. Thanks again.

RC FUN

Great column you have (Think Tank) for us experimenter types. I am into radio-controlled aircraft, and find your column very helpful when I want to put an idea to use in one of my planes.

The October 1994 Think Tank was devoted to Hobby Circuits (I love to see that stuff). One circuit was of a servo driver. I couldn't get it to work, however, until I swapped pins 2 and 3 (see Fig. 2). Was there an error in the drawing of the 555?

The servos I'm using are a Futaba 148 and an RCD Hitec Apollo 10. Those servos seem to operate like you had intended, sweeping through a 90° arc, but are sluggish. Servo torque is way down. When I measured the signal voltage I found it to be less than a volt. But when I measured it from my receiver, I found it to be about 4 volts.

How could I change this circuit to truly drive a servo to its torque rating? I would like to install this device, controlled by a switch, in a plane on the throttle servo, to help warm up the engine. The switch would make it so I wouldn't have to turn on my transmitter.




Fig. 3. This circuit should sweep the circuits in Fig. 2, causing the servo to rotate and return.

Also, is it possible to modify the circuit so that when power is applied it will operate the servo from one extreme to the other with a travel time of about 15 or 20 seconds, and then return to its start position? That would allow the engine to run through its RPM range and return to idle.

I feel that would be a great safety feature for myself and the other club members. It never fails, every year someone turns a transmitter on when they shouldn't. Your help will be greatly appreciated, and I will look forward to reading your column; keep up the good work.

—Carmen Florio, Prescott, Ontario, Canada

I'm very glad to be of service. You're right about the pins. The labels were swapped when the artwork was redrawn for publication. Sorry.

Your circuit request is a tall order to fill, but I can point you in the right direction. Pin 5 of the 555 can be used to modulate the high time of the pulse at pin 3. By supplying that pin with a varying voltage, you can vary the position of the servo. A voltage signal tapped off a timing capacitor in another 555 circuit (see Fig. 3) set up to only charge and discharge

once might just do the trick. Use R10 to set the maximum voltage provided by the circuit; use R9 to set the minimum.

One sticky detail is the value of C2. For the cycle duration you want, you'll have to use a leaky electrolytic. Try to keep the

cycle time as low as possible to minimize the effects of leakage current. With that in mind, you'll also have to choose the values of R6 and R7 to give you the timing you want with R10 set appropriately.

REVISED LOCK

This is in regards to Mr. Chieh's "Simplified Digital Lock" in the April 1995 *Think Tank*. I made the change you suggested, using one resistor to return to the gate of the BS170 (see Fig. 4). I got more reliable operation by using a 22k resistor (R6) for that job. Also, I changed R2 from 220k to 100k.

I found that if you use a number twice in a sequence they have to be decoupled by a diode as shown, otherwise the Q-output that should go high is being held low by the sec-

Earn \$1000

A Week While You Learn High Paying VCR Repair.

Earn While You Learn . . . Secrets Revealed . . .



Train at Home

If you are able to work with small handtools and possess average mechanical ability, you could earn top dollar part time or full

time. Our learn by doing method teaches you how to work on VCR's without boring unnecessary electronic basics.

For Free Information Package Send Coupon to: Foley-Belsaw Institute, 6301 Equitable Road, Kansas City, MO 64120

	tailoas oity, into 04120
Check VCR or another High Paying Career Field FOLEY BELSOUD	(Check One Box Only) VCR Repair. Dept. 62368 Computer Repair, Dept. 64265 TV/Satellite Dish, Dept. 31144 Advance VCR Repair, Dept. 65051 Camcorder Repair, Dept. 66061 Fax Repair, Dept. 67061 Printer Repair, Dept. 68060 Computer Programming, Dept. 35092
Name	
Address	
City	
State	Zip

CIRCLE 172 ON FREE INFORMATION CARD




Fig. 4. Here's a one-IC answer to your digital lock needs. The circuit will not activate a lock unless it receives the correct 7-digit code.

ond same number in your code sequence.

By using a smaller capacitor, C2, at the reset pin, you must key-in your correct sequence code in a shorter time frame. Shown also is the circuit I attached to pin 10 (the Q7 output) of the 4022. It operates my garage-door opener. With the values shown, the relay will close for approximately one second.

I used the unused keys on the pad as a return to reset pin 15. That narrows the chance of trying to figure out the correct code to open the lock. Incidentally, the code for the setup in Fig. 4 is 9271924.




Fig. 5. If you've banged one of your big toes on the dresser enough times to form it into a ping-pong ball shape, then this circuit can at least save your other big toe from the same fate.

I added LED1 to indicate the Q7 output as I was

wiring the circuit; LED2 was mounted on the keyboard location to indicate that the circuit is powered up. I found the best supply voltage to be anywhere from 12.5- to 16-volts DC.

—Roger W. Hamel, Cedarville, MI

Thanks for giving my idea a whirl. By the way, Roger needs an inexpensive circuit to convert the matrix (row and column) output of a phone keypad into 12 discrete outputs. I sat and thought about it for a while, but didn't come up with anything worth committing to paper. Anybody out there have any ideas?

REVAMPED NIGHTLIGHT

After seeing the "Timed Night Light" circuit by J. de-Prisco in Think Tank, October 1991, I thought that removing the relay would increase battery life. This is the circuit I came up with (see Fig. 5). By using a transistor instead of a relay, the use of multiple poles for other items is obviously out of the question. In this version, pushbutton S1 turns on Q3, which supplies power only to the 555, After releasing the button, transistor Q1 keeps power applied to the circuit. Note that power for the type-47 lamp comes directly from the battery and not through the 2N4403. In the relay version, lamp power came through the relay.

—Dennis Hewett, Pittsburgh, KS

Definitely some worthwhile changes. A 9-volt NiCd battery connected via a jack to a wall transformer could keep this circuit at the ready for a power outage.

That's all for now. If you'd like your work to be included here too, write to Think Tank, Popular Electronics, 500-B Bi-County Bvd., Farmingdale, NY 11735.

1990 was a Great Year for

Popular Electronics

The twelve 1990 issues of Popular Electronics reveal many fascinating articles. There's a bonanza of build-it project plans, informative theory articles and timeless feature stories. Check out the partial list of titles packed into the 1990 issues and you'll agree that 1990 was a banner year. If you see an article about a project, theory topic or newsworthy feature, you can have that article, with the entire issue for only \$6.50. To get your 1990 issue(s) of Popular Electronics, place a vin the box that indicates the month you want and complete the coupon below. Note that ordering six or more copies reduces the price per issue! Tear out this page, or make a photo copy of it, and mail or FAX it today! Just follow the directions below.

Popular Electronics 1990 Issues

TOPICS FROM THE PAST

Selected Projects

Audio Ambiance Ditherizer, April Bit Grabber for Parallel I/O Testing, December Car-Radio Silencer, October Cordless Test Probes, January CW and SSB, Add to a SW Receiver, May Digital Entry Switch, November Economy Portable SW Receiver, August Exhaust Monitor for Car, June Experimental AC Hum Sniffer, September Game Reaction Timer, April Headphone Output for Your CD Player, July Hot-Wire Glass Bottle Cutter, December Indoor Burglar Alarm, December IR-Triggered Sound-Effects Generator, October Lie Detector, Simple, January Microphone Preamp, Simplest, March Mobile Battery Charger, March NiCd Battery Tester, August Plasma Display, Custom, February Receiver Circuits You Can Build, March Remote-Control FAX Switch, August Serial Cable Tester, January Telephone Toll Totalizer, August Tesla's Lightning Generators, September The Lepton Candle, Dctober Ultrasonic Morse-Code Transceivers, July Universal 3-Terminal Power Supply, November Video Titler, Super Simple, September Vision System for Robotic Toys, March VLF Receiver and Transmitter, July Water Leak Alarm, January

Special Features

Anterna Installation, **September**Capacitors, Choosing and Using, **June**Classic Amateur Receivers, **November**Drying Out Flood-Damaged Equipment, **January**Early Radio Transmitters, **May**

External Drive for Laptop, June
First Electric Motor Project, October
Ground Fault Technology, November
Keeping Up with Pacemakers, July
Living with Lightning, October
Make Your Own Iron-on PC Patterns, July
Old-time Radio Circuits, March
Oliver Lodge: Radio's Forgotten Pioneer, July
Restoring a Classic SW Receiver, April
Solar Power, Experimenting with, June.
St. Elmo's Fire, September
Surface Mount Technology, November
Television Night, a Look Back, July
Tune-in to Satellite Radio, May
Using Appliances Overseas, January

Theory for Everyone

3-Terminal Voltage Regulators, May 200,000-volt van de Graaff Generator, Dctober All About Batteries. August All About Thermistors, December CCTV Installation Guide, November Connect Anything to Your Computer, August Designing Power-supply Circuits, February Digital Electronics Introduction, April Experiments in Electrophotography, March Fiber-Optic Communications, April Galvanometer, Build and Learn, September Lasers, All About, September Printer Technology, October Signal Generator Circuits Cookbook, November Stepping Motors Introduction, March Troubleshooting Computer Disk Drives, May Troubleshooting Your Printer, December Typing Practice Program, August Sideband Amplifiers, January Wimshurst Machine, December WW1 Long Island Spy Station, December

anuary	February	March	April	iviay	June	July	August	Зері.	OCI.	1400.	Dec.	
Check the issue(s) you want. How to Determine Cost per Copy USA Bank Check US or Internnational Money Order							oney Order					
antity	——— Price p United States	er copy —— Canada	Foreian	- Credit C (If used)	ard Number				E:	kp. Date	/	
			5	Signatu	re				Total No	. of Copies _		

 Quantity
 United States
 Canada
 Foreign

 1-5
 \$6.75 US
 \$7.75 US

 6-12
 5.75
 6.75
 \$8.50 US

Prices include handling and shipping costs. Prices subject to change. All Canada and foreign orders payable in U.S.A. funds only, via international money order, check drawn on a U.S. bank, or acceptable credit card (Visa, MasterCard) in U.S.A. funds. Allow 6-8 weeks delivery. Minimum foreign order--6 issues. Foreign orders may take longer.

,	
Conditional to CLACCIA Inc. DO. Doy 40	200 Formingdolo NV 11735 No COD orders
Send orders to: CLAGGK, Inc. P.O. Box 40	199, Farmingdale, NY 11735. No COD orders.
Credit Card user may telephone or FAX or	der. Telephone 516-293-3751 or FAX 516-293-3115.

State_____

Print Name______ Total Amount \$

75

Address _____

City

CIRCUIT CIRCUS

Charles D. Rakes

Some LED Fun

Welcome fellow circuiteers! In this month's visit we are going to have some fun and light up a number of LEDs.

Not too long ago, I was asked, by a young fellow iust aettina into electronics. how to determine the value of the resistor that's connected between an LED and its power source. He became somewhat confused after looking over several circuits that operated from similar supply voltages, but used different valued resistors in series with the LED. Some of the circuits operated with resistor values as low as 100 ohms. while others used values as high as 4700 ohms.

Let's see if we can help our young friend unravel his resistor dilemma by taking a look at the simple LED circuit shown in Fig. 1. Of course, before we can determine the resistor value




Fig. 1. The purpose of R1 is to limit the current the LED sees to a safe level. Its value is determined by the supply voltage, the LED's forward voltage drop, and the desired current through the LED.

needed for that or any circuit design, we must know several facts about the LED and the circuit in which it is used.

The forward voltage drop that occurs across an LED while operating can vary from about 1.75 to 2.8 volts. The exact voltage drop for a particular unit can usually

be found in the specification data supplied by the manufacturer. But if you're using surplus or grab-bag LEDs, the forward voltage drop is likely to be unknown. While the drop can be found by supplying a 20-mA current through the device and measuring the voltage drop across it, in most cases the LED's average forward voltage drop is about 2 volts, and that value can almost always be used to determine the proper value for the series current-limiting resistor (although, due to their chemical make up, blue LEDs have a much higher forward voltage drop).

Here's how that's done: Subtract the forward voltage drop (2 volts) from the supply voltage and divide the desired LED current into that voltage. In other words, R1 = (supply voltage - 2)/I.If the calculated resistance is not a standard 5% value. select the next higher standard resistor value for R1. As an example, if the supply voltage is 9 and the current is 20 mA, the calculated value is 350 ohms, and a 360-ohm resistor should be used.

Note that any number of




Fig. 2. A single currentlimiting resistor can be used to feed several LEDs in series.

similar LEDs may be connected in series, as shown in Fig. 2, and operated from a single supply with a shared current-limiting resistor. To calculate the needed current-limiting resistance, just add together each LED's forward voltage drop, subtract the total from the supply voltage, and divide the resulting voltage by the desired LED current.

LED CONSTANT-CURRENT SOURCE

Our next entry, see Fig. 3, solves the current-versus-operating-voltage problem by turning a 7805 voltage-regulator IC into a constant-current source. As long as the supply voltage is greater than 8 volts and less than 24 volts, the LED will always see the same current and will shine at the




Fig. 3. This setup ensures that the LED will glow with equal brightness as long as the input voltage remains between 8 and 24 volts.

same brilliance. To figure R1's value, divide the IC's regulated output voltage (5 volts) by the LED's operating current. That's R1 = 5/1.

The constant-current circuit could also be used in measuring an LED's forward voltage drop. Set the circuit up for the desired test current (that is, select the appropriate value for R1)

PARTS LIST FOR THE CONSTANT-CURRENT SOURCE (Fig. 3)

U1—7805 5-volt regulator, integrated circuit LED1—Light-emitting diode, any color R1—See text Wire, solder, etc.

and measure the voltage drop across the LED under test.

LED PILOT LAMP

Our next circuit (Fig. 4) places an LED in an AC circuit where it operates as a pilot lamp. The capacitor value sets the LED's current. For 120-volt AC operation, a 0.1-µF, 400-volt capacitor




Fig. 4. Who needs a neon lamp? This circuit will let an LED function as a pilot lamp in an AC circuit.

+1.5V 8 6 5 U1 LM3909 1 C1 2 4 470

Fig. 5. The LM3909 is one of the easiest-to-use LED flashers around. It could run for years using a standard "D" cell.

LED flasher/oscillator IC ever made, take a look at the LM3909-based circuit shown in Fig. 5. The LM3909 operates from a single 1.5volt cell and will flash an LED for over two years using a single "D" cell for power. The timing capacitor, C1,

PARTS LIST FOR THE DC LEVEL INDICATOR (Fig. 6)

LED1-LED4—Light-emitting diode, any color R1-R4—1000-ohm, ¼-watt, 5% resistor Wire, solder, etc.




Fig. 6. Here's a simple DC-level indicator.

the rate, increase the value.

DC-LEVEL INDICATOR

The next circuit, shown in Fig. 6, is a simple DC-level indicator. In it, four LEDs are each connected in series with a 1k current-limiting resistor. When slightly over 2 volts is connected to the input, LED1 lights; when the voltage reaches 4 volts. LED2 lights; LED3 lights when the voltage level reaches between 6 and 7 volts; and LED4 turns on when the voltage level reaches 9 volts. At the 9-volt level, all four of the LEDs are lit.

That's all for now. There's just enough time to say so long till we meet here again next issue.

PARTS LIST FOR THE LED PILOT LAMP (Fig. 4)

DI—IN4004 silicon diode LEDI—Light-emitting diode, any color C1—0.1- to 0.22-µF, Mylar capacitor Wire, solder, etc.

PARTS LIST FOR THE LED FLASHER (Fig. 5)

U1—LM3909 LED flasher/oscillator, integrated circuit LED1—Light-emitting diode, any color C1—470-μF, 16-WVDC, electrolytic capacitor Wire, solder, etc.

will result in a 5- to 10-mA current, and a $0.22-\mu F$ unit will produce approximately 20 mA of current.

LED FLASHER

In case you haven't been exposed to the neatest little

also serves as a voltage booster to supply over 2 volts to the LED. With the 470-µF unit shown, the circuit will flash at a rate of about ½ Hz. To increase the flash rate, reduce the capacitor value; to decrease

Coll Design and Construction Manual

YOU CAN WIND YOUR OWN COILS?

There's no trick to it except knowing what you are doing. In a unique, 106-page book you can become expert in winding RF, IF, audio and power coils, chokes and transformers. Practically every type of coil is discussed and necessary calculations are given

with the mathematical data simplified for use by anyone. Get your copy today!

			بجده	
A	lich	coul	non	to:
- 11	nan	www	oon	w.

Electronics Technology Today, Inc. P.O. Box 240 • Massapequa Park, NY 11762-0240

Please send me my copy of *Coil Design and Construction Manual* (BP160). I enclose a check or money order for \$8.45 to cover the book's cost and shipping-and-handling expenses. NY state residents must add local sales tax.

Name			
Address			
City	State	ZIP	

All orders must be paid in U.S. funds only. Sorry, no orders accepted outside of USA and Canada. Please allow 6-8 weeks for delivery.

ober 1995, Popular Electronics


Dear Classified Advertiser:

Effective with the January 1996, issue the Electronics Market Place will be merged with the Market Center Classified. To order new advertising use the form in the Market Center Classified section. For information contact our New York Advertising Department.

Sincerely,

Larry Steckler, EHF, CET Publisher, Editor-in-Chief

LS/ce



Whether you wish to save money, boldly go where no guitarist has gone before or simply have fun building electronic gadgets designed for your musical pleasure, then read

Electronic Projects for

\$12<u>95</u>

Some of the add-on guitar gadgets you can build are:

Preamplifier • Headphone Amplifier • Soft Distortion Effects Unit • Compressor • Auto-waa • Waa-waa Pedal • Phaser • Dual Tracking Effects • Distortion Unit • Expander • Dynamic Treble Booster • Direct Injection Box • Dynamic Tremelo • Thin Distortion Unit • and Guitar Tuner.

Anyone with some previous electronic project building experience should have no problem assembling the projects.

ELECTRONIC	S TECHNOLOGY	TODAY INC.
P.O. Box 240,	Massapequa Par	k, NY 11762-024

Yes, send my copy of ELECTRONIC PROJECTS FOR GUITAR by RA Penfold to the address at right. I am enclosing \$12.95 plus \$2.95 for shipping charges in USA and Canada. All payments must be made in US funds. Sorry, no orders accepted outside of USA and Canada. New York State residents add local sales tax. Allow 6-8 weeks for delivery.

Check enclosed.

Please charge my	☐ Visa	☐ MasterCard	
Signature			
Account No			
Vame			
Address			
City	State	e ZIP _	

MULTIMEDIA WATCH (Continued from page 26)

burners and Geiger counters are used.

Technology Solutions' new title, Jewels of the Oracle, is set in an ancient civilization filled with artifacts and hieroglyphs. There are many puzzles to discover and decipher, some that date back thousands of years. Graphics and sound create this unusual environment. Jewels of the Oracle is recommended for ages 12 and up, and has a suggested retail price of \$69.95.

Last this month is the multimedia version of Edgar Allen Poe's classic tale, The Fall of the House of Usher on CD-ROM from Westwind Media. Filled with animation, graphics, and sound, the disc livens up the story of one man's madness. Users can also enter a 3D maze with 16 levels of auestions that can be answered with the newly learned knowledge of the story. The Fall of the House of Usher is for ages 12 and up and sells for 24.95.



ELECTRONICS MARKET PLACE

FOR SALE

CABLE test chips. Jerrold, Tocom, S.A., Zenith. Puts cable boxes into full service mode! \$29.95 to \$59.95. 1(800) 452-7090, (310) 902-0841.

THE Case against Patents. Thoroughly tested and proven alternatives that work in the real world. \$28.50. SYNERGETICS PRESS, Box 809-C, Thatcher, AZ 85552. (520) 428-4073. Visa/MC.

T.V. notch filters, free brochure, MICROTHINC., Box 63/6025, Margate, FL 33063. (305)

300 Experimenters Circuits - Complete in 6 practical books using diodes, relays, FETs, LEDs, IC 555s, and IC CA3130s for building blocks. Only \$33.00 plus \$6.00 for shipping. USA and Canada only. US funds. ETT, INC., PO Box 240, Massapequa Park, NY 11762-0240.

CABLE descramblers. Bargain headquarters, below wholesale prices. Absolutely the lowest prices! Money-back guarantee. Nobody beats us! RP ELECTRONICS, 1 (800) 304-3604.

CABLE TV equipment & accessories. Wholesalers welcome! 30 day moneyback guarantee! Free catalog! PERFORMANCE ELECTRONICS, INC., 1 (800) 815-1512.

RESISTORS \$1.00 a dozen. Catalog \$1.00, foreign add \$1.00. ZIPFAST, Box 12238, Lexington, KY 40581-2238.

ELECTRONIC sales, installation of **Intruder ID** security systems for home, apartment, or business, call (812) 295-4240.

CABLE Descrambler and test turn-on kits available for most makes and models. No catalog, no 800 number equals your lowest prices. Čall others, then compare our prices! We pay cash for unwanted cable boxes. No Florida sales. (305) 425-0751.

\$14.95 DCV/A, ACV(200 & 750), OHM, HFE, Diode Test, 3.5 Digit Multimeter, \$29.95 add ACA, ACV (200m-700), 20M-OHM resistance. \$39.95 add capacitance (2nF-20uF). California residents plus 8.25% tax. Shipping and handling 1-10 pieces \$4.00. One year warranty. Mail check to ANC TECHNOLOGY, 1105 Flagler Lane, Redondo Beach, CA 90278.

DESCRAMBLE cable with simple circuit added to Radio Shack RF Modulator and using VCR as tuner. Instructions \$10.00. TELCOM, PO Box 832-P10, Brusly, LA 70719.

ZAP IT! For Jerrold or Pioneer cable boxes. Other quality cable products too! Toll free: 1 (800) 899-9707.

PLANS & KITS

60 Solderless Breadboard Projects in two easyto-read pocket books. Complete with circuit descriptions, schematics, parts layouts, component listings, etc. Both books (BP107 & BP113) only \$11.90 plus \$4.00 for shipping. USA and Canada only. US funds. ETT, INC., PO Box 240, Massapegua Park, NY 11762-0240.

SURVEILLANCE/countersurveillance, bugging/ phone tapping detector, telephone/fax encryption, vehicle tracking, covert video, transmitter kit, and more...A.B. ELECTRONICS, 1. (800) U-ANTI-

CRYSTAL set Handbook - Visit antiquity by building the radios your grandfather built. Assemble a "Quaker Oats" rig, wind coils that work and make it look like the 1920's! Only \$10.95 plus \$4.00 for shipping and handling. CLAGGK INC., PO Box 4099, Farmingdale, NY 11735. US funds only! USA and Canada — no foreign orders.

FIBER optics experimenters parts, supplies and tools: Fiber, cable, connectors, splices, detectors, lasers, kits, plans, newsletter. Send \$2.00 for catalog. LIGHTLINE ENGINEERING, PO Box 24, Mullica Hill, NJ 08062.

ANARCHY Online: Controversial and unusual information online. Hackers/crackers/phreaks welcome. Telnet: anarchy-online.com Modem: (214) 289-8328.

BUSINESS OPPORTUNITIES

EASY work! Excellent pay! Assemble products at home. Call toll free 1 (800) 467-5566 ext. 5730.

START your own technical venture! Don Lancaster's newly updated Incredible Secret Money Machine II tells how. We now have autographed copies of the Guru's underground classic for \$18.50. SYNERGETICS PRESS, Box 809-C, Thatcher, AZ 85552. (520) 428-4073. Visa/MC.

INCREDIBLE opportunity! High tech homebased business gives you financial security! Recorded information: 1 (800) 228-8193 ext. 23010. Listen then call us: 1 (800) 899-9707.

SATELLITE TELEVISION

NEW 18" satellite broadcast network. Great business opportunity too! Recorded information: 1 (800) 228-8193 ext. 23010. Listen then call us: 1 (800) 899-9707.

BEST BY MAIL Rates: Write National, Box 5, Sarasota, FL 34230

OF INTEREST TO ALL

DOES BUYING A computer have you baffled?? Get "Buying A Computer Made Easy!" Proven system guaranteed! Send \$8.00 today! PC Prescriptions, Ste.134-(PE), 18 Concordia Center, Cranbury, NJ 08512.

HIGH SCHOOL DIPLOMA At Home, Accredited, Fast, "Failure-Proof" 1-800-470-4723, American Academy, 12651 S. Dixie Highway, Miami, FL 33156.

\$1,000'S WEEKLY MAILING Letters. FREE Stamps/Envelopes, Rush Self Addressed Stamped Envelope. COLOSSAL, Box 040215-BUJ, Brooklyn, NY 11204. FREE BOOK, MONTHLY INCOME, You Choose — GUARAN-

TEE Fax 1-703-904-0005 Ext. 100.

ANTIQUE RADIO CLASSIFIED STEPPENIN' Free Sample!

Antique Radio's Largest Circulation Monthly. Articles, Ads & Classifieds.

6-Month Trial: \$17.95. 1-Yr: \$34.95 (\$51.95-1st Class). A.R.C., P.O. Box 802-L14, Carlisle, MA 01741 Phone:(508) 371-0512 VISA/MC Fax:(508) 371-7129

1995 CATALOG OF THE WORLD'S MOST FAMOUS **CB ANTENNAS & ACCESSORIES** FIRESTIK CB ANTENNAS

2614 E. Adams · Phoenix, AZ 85034 Write or Call, 602-273-7151



RECEIVING TUBES **OVER 3000 TYPES IN STOCK!**

Also hard-to-find transformers, capacitors and parts for tube equipment. Send \$2.00 for our 36 page catalog.

ANTIQUE ELECTRONIC SUPPLY 6221 S. Maple Ave. • Tempe, AZ 85283 • 602 - 820 - 5411

INVENTIONS

FREE Invention package: DAVISON & ASSO-CIATES offers customized development, patenting, and licensing for new products and ideas. Proven results: 1 (800) 677-6382.

EDUCATION/INSTRUCTION


BECOME an electrician. Approved home study. Free career literature. **P.C.D.I.**, Atlanta, Georgia. 1 (800) 362-7070 Dept. TEL341.

LEARN PC assembly language. Disk \$5.00, book \$18.00. ZIPFAST, Box 12238, Lexington, KY 40581-2238

LEARN VCR repair. Great profits. Home study P.C.D.I., Atlanta, Georgia. Free literature. 1 (800) 362-7070 Dept. VRL341.

TODAY'S electronics. Don't get left behind! Top home-study courses developed by U.S. Military. Free Catalog. FEDERAL TECHNICAL PUB-LISHERS, Box 1218, E. Glen Lake, MN 55345.

Get your copy of the **CRYSTAL SET HANDBOOK**



Go back to antiquity and build the radios that your grandfather built. Build the "Quaker Oats" type rig. wind coils that work and make it look like the 1920's! Only \$10.95 plus \$4.00 for shipping and handling. Claggk Inc., P.O. Box 4099, Farmingdale, NY 11735. USA Funds ONLY! USA and Canada no foreign orders. Allow 6-8 weeks for delivery.

Be a PC repair expert! Home study. Learn PC repairs, troubleshoot-

Home study. Learn PC repairs, moderating, installation, upgrading, servicing. For free career literature, call now: 800-223-4542.

The School of PC Repair, Dept. JL341, PCDI 6065 Roswell Road, Atlanta, Georgia 30328



October 1995, Popular Electronics

DX LISTENING

By Don Jensen

Radio Still Reigns

Certain communications pundits keep trying to tell us that shortwave radio is dying. Shortwave, they say, is a septuagenarian in failing health. Soon it will gasp its last breath in a 21st Century dominated by the computer and a worldwide "Information Superhighway." Satellite broadcasting will shove aside old-fashioned shortwave radio.

It's true that we have seen a number of major international SW broadcasters struggling, but their problems seem more tled to government funding than outmoded technology. Despite problems, it seems, shortwave listening just



Despite predictions to the contrary, even after all these years, there are still a lot of shortwave broadcasters, and listeners, around.

won't go away, no matter the predictions from those of little faith.

Bearing that out is a recent observation by Larry Magne, publisher of Passport To Worldband Radio, the respected shortwave reference annual. "For all the talk about 'dead' shortwave," says Magne, "in the U.S., listening to shortwave is almost at a historic high."

That is true, he notes.

even when today's SWL activity is compared to the pre-WWII era, considered by some radio historians to be the golden age of SWLing. "While the market for shortwave receivers flattened out after the Gulf War, several years ago, when it increased considerably and suddenly, major manufacturers tell me that sales are once again on the rise."

So what is the attraction of shortwave radio that remains strong after so many decades? It seem to me that there are a number of reasons. First there is the ability of shortwave to deliver the news globally. That might seem odd in a world with CNN and satellite-video links, but nevertheless, the attraction remains.

Perhaps that is because radio is a medium of the mind, in which the spoken word triggers pictures within one's head that are more vivid and dramatic than anything on a TV screen. Keeping up with the news and views aired in real time from other countries overseas is a strong reason why SW radio lives on.

Likewise, shortwave radio remains a viable window to the cultures and music of other lands, a way to learn or brush-up on another language. Most Americans have ethnic roots in other countries. For many of them, SW offers a chance to tune in to the "old country," even if it's the old country they know only through stories of an elderly grandparent.

Often I get questions from listeners who want to know when and where they can

tune in SW broadcasts from the "homeland," That might be Germany, Greece, the Ukraine, Italy, Poland, or wherever, I try to include a good sampling of such listeners' tips in the "Down The Dial Section" of the column each month. Maybe, though, the particular stations you're interested in haven't been included recently, If so, drop me a line. The address is DX Listening, Popular Electronics, 500 Bi-County Blvd., Farminadale, NY 11735.

RADIO ROYALTY

Longtime listeners will remember the Zenith Trans-Oceanic with great fondness. For more than four decades, that receiver was the most expensive, and romantic, of portable radios.

Who listened to the world on a Trans-Oceanic? Kings, presidents, yachtsmen, world explorers, American troops during three wars, and ordinary shortwave listeners.

Two university professors, and not incidentally, expert DX listeners, John H. Bryant and Harold N. Cones, have thoroughly researched the background of that famed receiver, which was manufactured from the 1940s to the 1980s. Now they have written a newly published history, The Zenith Trans-Oceanic: The Royalty of Radios (Schiffer Publications).

The book traces the history of SW portables from the 1920s, leading to the development of the Trans-Oceanic. The vacuum-tube portable, originally about the size of a small carry-on piece of luggage, was first

The stylish Trans-Oceanic carried a hefty price tag for its day, but it opened up world communications for both travelers and armchair travelers. During its 40-year history, the company continued to improve its design and electronics. As vacuum tubes gave way to solid-state circuitry, the receiver's size and weight shrank, while its performance improved.

Zenith produced 10 basic Trans-Oceanic models, 24 if you consider variations and sub-models, according to Bryant and Cones. Those included the classic Clipper, introduced back in 1942, various sets dubbed Royal in the 1960s, and the R-7000 sets of the line's final decade.

The 160-page softcover book is loaded with great photos, including historic shots of Mt. Everest conqueror Sir Edmund Hillary with his Trans-Oceanic Royal 1000, and Frank Sinatra posing with his Clipper model. Other black-and-white and color illustrations depict the long history of that shortwave portable.

For the collector of oldtime SW gear, the book has plenty of reference information and charts. For the would-be collector, the authors include a chapter on what to look for and how to restore these old sets. For the rest of us, it is a fascinating read and is well recommended. The book is available for \$24.95 plus \$2 shipping/handling (\$3 in Canada), from Radio Professors, P.O. Box 592, Stillwater, OK 74076.

IN THE MAIL

"I'm both a shortwave listener and licensed ham," writes Phil Morrison, Raleigh,

NC. "One day, a while back, I caught part of a QSO in which a couple of hams were talking about an SWL ham network on 40 meters. Later I got to wondering about this SWL net. Have you got any details?"

Surely vou're referring to the ANARC SWL Ham Net-ANARC stands for the Association of North American Radio Clubs, the umbrella organization for SWL and other radio-listening clubs in the U.S. and Canada. The net has been in operation for a number of years now, convening on 7,240 kHz, lower sideband, every Sunday morning at 10 a.m. Eastern time. You'll hear a number of ham/SWLs exchanging logging tips on new stations, program schedules, frequencies, and other shortwave listening subjects of interest.

What's nice about the net is that non-hams aren't left out. Obviously, you can simply listen in if you wish. If you want to participate, though, you can telephone (they'll announce the number) one of the "gateway" stations, which will then relay your information or tips over the net. Incidentally, the ANARC SWL Ham net is best heard east of the Mississippi; it is difficult to hear in the Far West.

DOWN THE DIAL

Here are some stations you might like to try. What are you hearing? Why not write and tell the rest of usl

AUSTRALIA—9,510kHz.

*Credits: Mark Anderson, MI; Dean Bianco, NY; Jim Ducharme, MA; Bill Flynn, OR; Rufus Jordan, PA; Jerry Klinck, NY; Marie Lam, NY; William McGuire, MD; Ed Newbury, NE; Robert Pietraszek, MA; Ed Rausch, NJ; World DX Club, c/o 2216 Burkey Dr., Wyomissing, PA 19610; North American SW Association, 45 Wildflower Road, Levittown, PA 19057.

Radio Australia was heard from 1300 UTC sign on with the Southeast Asian Night Service in English, including news and features.

CANADA—6,005 kHz. *CFCX*, Montreal, was noted with French programming, including pop music and commercials from about 1400 UTC.

ECUADOR—4,920 kHz. Radio Quito programs here in Spanish, with a DJ playing popular Spanish- and English-language ballads around 0130 UTC.

FRANCE—15,365 kHz. Radio France International was heard on this frequency at 1230 UTC in English with a news actuality from a reporter in Somalia.

INDONESIA—9,680 kHz.
Radio Republik Indonesia,
Jakarta, broadcasts here in
Indonesian at 1230 UTC with
exotic sounding music, then
news at 1300 UTC.

MEXICO—2,390 kHz. Radio Huayacocotla has great Latin music here at 1200 UTC. Programming is, of course, in Spanish. Some RTTY interference is noted.

NAMIBIA—3,270 kHz. Namibia Broadcasting Co. was logged here in English at 0500 UTC, including a promotion for the Miss Namibia beauty contest.

POLAND—7,285 kHz.

Polish Radio in Warsaw has
English at 1825 UTC, but a
better frequency at this
time is 7,270 kHz.

SOUTH AFRICA—4,810 kHz. *Radio 2000*, a South African SW home-service outlet has been heard at 2300 UTC with cricket commentary in English.

UGANDA—4,976 kHz. Radio Uganda was reported here at 0405 UTC with a talk in English about public health and agriculture.



Our New and Highly Effective Advanced-Piacement Program for experienced Electronic Technicians grants credit for previous Schooling and Professional Experience, and can greatly reduce the time required to complete Program and reach graduation. No residence schooling required for qualified Electronic Technicians. Through this Special Program you can pull all of the loose ends of your electronics background together and earn your B.S.E.E. Degree. Upgrade your status and pay to the Engineering Level. Advance Rapidly! Many finish in 12 months or less. Students and graduates in all 50 States and throughout the World. Established Over 40-Years! Write for free Descriptive Literature.

COOK'S INSTITUTE
OF ELECTRONICS ENGINEERING

TE JACKSON, MISSISSIPPI 39212


CIRCLE 15 ON FREE INFORMATION CARD

HAM RADIO

By Joseph J. Carr, K4IPV

Shop Stuff

ot long after I put together my first hamradio station (a Heathkit DX-35 transmitter, a borrowed World-War II surplus BC-342 receiver, and a 40meter dipole antenna), I started the process of collecting tools and instruments for an electronics/ham-radio workbench . . . that's lots of collecting for lots of years! Over those years, I've developed some ideas of what I need on that bench. While some items are obvious to anyone who knows



When looking for a meter to monitor the AC line, choose one intended for that purpose and featuring an expanded scale.

anything about electronics, others are not. Let's take a look at a few of those.

AC LINE-VOLTAGE METER

The power source to all but a tiny minority of homes in the U.S. is 110 volts, 60 Hz, alternating current (AC). That 110 volts is the root-mean-square (rms) value of the AC potential, so the peak voltage is nominally 156 volts, and the peak-to-peak voltage is 311 volts.

That nominal "110-volts rms" actually varies quite regularly from 105- to about 125-volts rms, and most equipment is designed to operate normally over that range. (However, at times, I've noted as high as 128 volts, and during a summertime "brownout," one ham told me he saw 95 volts at his location.)

In some cases, however, calibration of dials, especially frequency dials, is only guaranteed to be within the best specification at certain specific voltages, or over a much narrower range than the proper operation range, especially in older equipment. In other cases, circuits such as crystal oscillators as well as some pieces of test gear don't work properly at voltages near the extremes.

One answer is to provide an AC line-voltage meter on the workbench. While that instrument doesn't adjust the voltage to the proper level, it allows you to know what the actual voltage is at any given time. It's relatively easy to find 0- to 150-volt AC (rms) meters, but those are hard to read at distances of a yard or two. The best meter is one intended for monitoring the AC line voltage and featuring an "extended scale." In such a meter, the bottom end is just a little below 100 volts, while the upper scale is a bit more than 130 volts. Those expanded-scale voltmeters are easier to read at normal working distances, and are easier to interpret.

ISOLATION TRANSFORMER

The 110-volt AC line can

be lethal. Tangle with it and you might die. And please, please, please don't listen to any "yahoo" who tries to tell you that 110 volts isn't dangerous because "it's the current that kills." I actually heard a medical doctor say that once. I asked him if he'd ever heard of Ohm's law, and reckoned that if he hadn't, then he could get a real harsh lesson by sticking his finger in the wall outlet:

110 volts will kill!

It's difficult to work on electronic equipment without coming into close proximity with 110-volts AC. If your shop is like mine, down in the basement on a concrete floor (or in a garage), then the floor is somewhat conductive. Because the AC-power system in the U.S. is grounded on one side, current can and will flow dangerously and painfully to ground . . . through you!

There are several partial solutions to the safety problem in your workshop. One partial solution is to put down a non-conductive floor covering of rubber, masonite, or some other material (and keep it dry!). That will insulate you from the conductive concrete floor.

Another partial solution is to power every AC outlet on the workbench from an isolation transformer. An isolation transformer is either a 1:1-ratio transformer for isolating 110-volt outlets from the 110-volt line, or a 2:1 unit to isolate 110-volt outlets from the 220-volt AC line (you have both 110- and 220-volt service in your home if it was built in the last 50 years). The isolation transformer provides two


lines for the AC, just like the lines from the power company, but neither line is grounded (i.e. they are "floating" above ground). That arrangement means that there is no path to ground if you accidentally touch one of those floating lines. I have a 1500-voltampere-rated, 1:1-ratio isolation transformer that powers the bench in my basement workshop.

Keep one thing absolutely clear in your mind: An isolation transformer reduces the danger, but does not eliminate it. In other words, it is a whole lot less likely that you will be shocked, injured, or killed by touching a single AC-power point. However, if you come across two points, with 110 volts between them, then you are still at risk despite the isolation transformer!

RADIO RECEIVER

Believe it or not, I've got two receivers on my workbench and plan to add a third in the near future. One receiver is a digitally synthesized modern unit that operates from 100 kHz to 38 MHz. The other is an antique Hallicrafters SX-100 made in the 1950s. I bought that radio at a hamfest several years ago, and then refurbished it. I also modified it to allow me to input signals directly to the IF (for testing), and to bring the DC voltage from the automatic gain control to an outside port (also for certain types of tests).

Receivers can be used on the workbench for a number of chores. One principal chore is to find an oscillator's frequency, or to discover whether or not it is even operating. A simple probe, made by connecting a piece of wire to the end of a piece of coax that feeds the antenna in-



Here is one of my bench receivers—a salvaged old war horse. Also seen here (behind the receiver) are two elderly, but working, RF signal generators, and my oscilloscope.

put on the receiver, will allow you to safely probe around the oscillator circuit, while tuning for the frequency on the dial. The receiver can also be used to test receiver accessories, band converters, antenna tuners, and so forth.

But, please don't do anything silly. Many years ago I saw a guy (no, not mel) who wanted to test his 75-watt Novice transmitter to see if it was working, so he connected the antenna output of the transmitter to the antenna input of the receiver, and then pressed the key down. The results were quite impressive, though there was not much left of the receiver!

MULTIMETERS


I own a number of multimeters, all but one of which is digital. One of them measures inductance and capacitance, in addition to the usual ohms, volts, and milliamperes. I also own a new Radio Shack digital multimeter that has a PC computer interface. I can plug it into the RS-232 serial-communications port, and with the supplied software, use the meter as a data acquisition system.

Everyone should have at least one good digital multimeter. But multimeters

have one significant drawback for hams—they can be useless around operating transmitters. Even if the transmitter is operating into a dummy load, there is usually enough RF leakage getting onto the meter's test leads to drive the unit off scale.

So what's the alternative? Well, actually, it's the same one your grandpa might have used: an old-fashioned analog volt-ohm-milliammeter (VOM). Those meters are completely passive, so one will not respond to an RF field until it gets strong enough so that you don't want to be around it anyway.

Not all analog meters are true VOMs, and that includes some that are called "VOMs." Many meters are electronic ana-



Here's part of my collection of dummy loads. The switchselectable unit contains a series of non-inductive resistances ranging from 6 to 300 ohms.

log voltmeters, and those suffer the same problem as digital meters, If the meter tests FETs or any other type of transistor, avoid it when searching for an RF-proof instrument. Another good hint is the battery. The true VOMs used a single 1.5-volt dry cell to power the ohmmeter section. If there are two batteries, or if the battery is higher than 1.5 volts, then it's a good bet that there is an amplifier in the instrument. Models to look for include the Simpson 260 or 270, or the Triplett 630. Those are all old, but they are still useful.

DUMMY LOADS

There are many RF circuits that will not work properly unless terminated in their proper impedance (usually 50 ohms, except for TV circuits in which case 75 or 300 ohms is used). I keep four 50-ohm dummy loads on my bench. Two of the loads are fixed, CB-style, dummy loads. They contain a 50-ohm, noninductive resistor (and in one case a heatsink), connected to a PL-259 UHF coaxial connector. Another unit I own is selectable, containing a dozen or so carbon (i.e. noninductive) resistors with values from 6 to 300 ohms. 1 can switch-select any resistance I need, or pass the input straight through to an output connector. Another load I own is a simple, male, BNC coaxial connector with two 100-ohm resistors connected in parallel (forming a 50-ohm load). That load is real convenient when working on filters and other small cir-

That's all for now. Until next month, if you have any questions, kudos, brickbats, or suggestions for future topics, then contact me at RO. Box 1099, Falls Church, VA 22041.

SCANNER SCENE

By Marc Saxon

The Good, the Bad, and the Scrambled

here's good news and bad news relating to the ever-popular world of cordless-telephone monitoring. The good news is that the FCC has allocated new channel pairs not far from the existing 46/49-MHz channels. The bad news is that a number of the better cordless phones operating on those frequencies will most likely use analog voice-scrambling circuits to thwart eavesdropping by scanner owners.

Analog scramblers are nothing new in certain

Power / Bypass

RAMSEY
Speech Scrambler

OFF PASS

SUPER AMPLIFIER 3001

GAIN CONTROL

The Ramsey SS-70—the small, simple unit shown sitting atop a GRE Super Amplifier—enables any scanner to decode analog-scrambled cordless-phone conversations.

more expensive models of 46/49-MHz cordless phones. Radio Shack, Motorola, and others already sell them. You might have encountered their strange, unreadable signals on cordless-phone frequencies. Raymond (Glendale, Avoca,

PA) is only one of the many readers who have asked about those signals.

Did you know that there is an analog speech scrambler and descrambler available that you can add to any phone in order to scramble voice transmissions? The good news for Raymond and other scanner owners is that the very same device can be added to any scanner to make sense out of all those received signals that use analog scrambling.

The device is called the Ramsey SS-70. To use it with a scanner, you merely insert it in the cable that runs between a scanner's external speaker connection and its external speaker. The SS-70 requires an internal 9-volt battery, or can be powered by an external 9volt source. When a signal using an analog scrambler is observed, you press the front-panel button, and the SS-70 turns that signal into something you can understand. When you're listening to regular signals, you pop out the button, and the SS-70 shuts off, There's a volume control that regulates only the descrambled signals. The SS-70 is not intended to decode digitally scrambled transmissions, which are not encountered with 46/49-MHz cordless phones, anyway,

The SS-70 is available as a kit with a matching case. It also comes factory wired and tested. Complete instructions for wiring and hookup are provided. It's

from Ramsey Electronics Inc., 793 Canning Parkway, Victor, NY 14564; Tel. 716-924-4560.

WHAT NEW CORDLESS FREQUENCIES?

To relieve congestion on the 10 existing 46/49-MHz paired cordless-phone freauencies, the FCC made available 15 new channel pairs. Newly made cordless phones can have 25-channel capability. Some of the new channels are shared with stations long licensed in other radio services that were previously allocated the use of those frequencies. The FCC said that they felt the risk of interference between those stations and the cordless phones was "very low."

The newly created cordless base frequencies are: 43.72, 43.74, 43.82, 43.84, 43.92, 43.96, 44.12, 44.15, 44.18, 44.20, 44.32, 44.36, 44.40, 44.46, and 44.48 MHz. The handset frequencies that match up with those are: 48.76, 48.84, 48.92, 49.02, 49.08, 49.10, 49.16, 49.20, 49.24, 49.28, 49.36, 49.40, 49.46, and 49.50 MHz.

We might add that our own listening on the 48-MHz channels has turned up several commercial dispatchers, so we'll keep our fingers crossed about the low risks of interference. If you monitor the frequencies between the 10 existing "old" 46-MHz cordlessphone channels, you might hear a surprising amount of two-way traffic.

The frequency band between 482 and 488 MHz is really TV channel 16. In the area in and around New York City, there is a shortage of communications frequencies for use by publicsafety agencies, and not much need for telecasting on TV Channel 16.

The FCC has therefore decided to allow that band to be used for the next five vears by public-safety agencies in the metropolitan New York area, which includes northern New Jersey and Long Island. The arrangement could be allowed to continue for longer than five years, but the FCC will most likely want to clear those stations out when advanced television technology (such as HDTV) is ready to go. HDTV is frequency hungry, and will have first call on those frequencies at that time.

That might be a long way down the road. Meanwhile, if you are in monitoring range of the New York metro area, you can start searching there. The bases will be operating between 482 and 485 MHz; mobiles and handhelds will operate from 485 to 488 MHz.

HOW ABOUT THOSE NEWBIES?

John Difloure, of Nebraska, dropped us a line asking if the latest scanners lend themselves to modifications that will restore the locked out 800-MHz cellular bands.

The FCC decreed that newly designed scanners released after April of 1984 were not supposed to be able to have the cellular bands restored by means of simple user modifications. Inasmuch as scanner models must have FCC approval before they can be offered for sale, it's not likely that any of the latest models can have those bands restored. However, there are many other worthwhile modifications that users can make to them, as with earlier models scanners.

EYES IN THE SKY

A note from Ronald J. (Farmington Hills, MI) wonders about directly monitoring traffic helicopters used by radio stations. Ron feels that the information is passed down from the 'copters to the stations as much as 10 to 15 minutes before they get it on the air.

The Iwo primary bands to search for that activity in all U.S. areas are 450–451 MHz and 455–456 MHz. In some instances, a helicopter will use the 455-MHz frequencies, while the radio station's ground station operates in the 450-MHz band. One thing to remember is that there might be restrictions or limitations to using a scanner in a vehicle in some areas.

Several radio stations in my own area run "live" broadcasts from their traffic aircraft. It was only when I happened to check them out on my scanner that I realized that at least one station actually plays a tape of a communication made about five minutes earlier, although they don't say that it's a delayed recording. Well, the same station broadcasts listener phone calls and doesn't announce that they are recordings, either. So, apparently that's the way they do those things!

We are always looking for your questions, loggings, frequencies, and clippings about scanners and scanning. Help keep us tops by writing to *Scanner Scene*, **Popular Electronics**, 500 Bi-County Blvd., Farmingdale, NY 11735.

NEW BOOKS for the Project Builder




BP350—ELECTRONIC BOARD GAMES\$6.00

Twenty novel electronic board games that you can build from the plans in this book. Whether you are interested in motor racing, searching for buried treasure on a desert island or for gold in Fort Knox, spinning the wheel of fortune, or doing a musical quiz—there is something for you to build and enjoy!

PCP119—ELECTRONIC MUSIC AND MIDI PROJECTS......\$14.95

Save cash by building the MIDI gadgets you need. Want a MIDI THRU box, program change pedal, Metronome, analog echo unit, MIDI patchbay or switcher? Over 16 practical and very useful music and MIDI projects—all in this book! The projects are explained in detail with full instructions on assembly.





BP301—ANTENNAS FOR VHF AND UHF......\$6.00

From installing a TV or FM antenna to setting up a multi-antenna array for shortwave listening or amateur radio, this book explains the basics of VHF and UHF antenna operation and installation. The text describes in easy-to-understand terms the essential information about how antennas works, the advantages of different antenna types, and how to get the best performance from an antenna.

Mail to: Electronic Technology Today, Inc. P.O. Box 240 • Massapequa Park, NY 11762-0240

Shipping Charges in USA & Canada

\$0.01 to \$5.00	\$40.01 to \$50.00\$7.00 \$50.01 and above\$8.50	
\$20.01 to \$30.00\$5.00		
O and and accombad and	oids of LICA and Canada, All	

Sorry, no orders accepted outside of USA and Canada. All payments must be in U.S. funds only.

Nun	nber of books ord	lered.	
Total price of books		\$	
Shipping (see chart)			
Subtotal			
Sales Tax (NYS only)		\$	
Total enclosed			
Name			
Address			
City	State	ZIP	

Please allow 6-8 weeks for delivery.

oper 1995, Popular Electronics

ET04

ELECTRONICS LIBRARY

Step Into Virtual Reality

by John lovine

For most people, virtual reality remains an intriguing, but inaccessible technology. They've seen it on TV, and read about it in newspapers and magazines, but they haven't been able to actually experience virtual worlds. Consumer VR gear is all but nonexistent, and the cost of commercial equipment is prohibitive.

This book brings virtual reality into the real world. It shows readers how to build a complete VR system using their own PCs and available software. The book offers a dozen simple projexplorer (T-bot), tactile actuators, and a VR exercise bike.

The included companion diskette provides 3DBENCH, a benchmark program that tests the capabilities of the user's computer; 3DV, which allows the user to move and rotate 3D models in real time; BIKE, a stand-alone VR world created with the Virtual Reality Study program for use with the VR bike; and GIF, which contains two stereographic pairs of .GIF images that can be used with the LCD shutter glasses.

The book also provides convenient listings of virtual reality vendors and suppliers.

Step into Virtual Reality costs \$32.95 and is published by Windcrest/McGraw-Hill, Blue Ridge Summit, PA 17294-0850; Tel. 1-800-233-1128;

INFORMATION CARD

Fax: 717-794-2103. **CIRCLE 90 ON FREE**

MINIATURE SATELLITE DISHES:

The New Digital Television, Second **Edition**

by Dr. Frank Baylin


This book covers all aspects of the new direct broadcast satellite (DBS) industry, including the technology, the players, and the programming. Issues such as signal security are discussed, and practical considerations such as installation methods are explored.

The book's first three chapters provide an overview of the field and cover the underlying technology of satellite systems. Topics include digital video compression, bit error rate, receiver design, and compatibility of large- and small-dish sys-

The DBS providers, including DirecTv, USSB, Primestar, and EchoStar, along with their satellites and systems, are examined

MINIATURE SATELLITE DISHES

The New Digital Television



in the fourth chapter. Detailed discussions of how DBS differs from large-dish satellite TV and cable TV, the origins of DBS, and DBS frequency allocations are included. Topics such as rain fade and solar outages are explored.


Subsequent chapters cover the encryption systems used for signal security in large- and small-dish systems and the program packages and prices offered by the various vendors. The book provides step-by-step instructions for the installation of both small- and large-dish satellite systems, and demonstrates the methods used to hook up and interface home-entertainment systems-including off-air antennas, stereos, and VCRswith home satellite TV receivers.

Miniature Satellite Dishes: The New Digital TV is available for \$20 plus \$4 for shipping and handling from Baylin Publications, 1905 Mariposa, Boulder, CO 80302; Tel. 303-449-4551; Fax: 303-939-8720.

> **CIRCLE 91 ON FREE** INFORMATION CARD

THE AUDIO SOURCE **CATALOG**

If you have an audio problem,



ects that teach readers how to build their own VR equipment and interfaces to create and enter a virtual environment. Projects include a headmounted display unit, LCD stereoscopic shutter glasses, a data glove, a telepresence robot car

from Sescom, Inc.

you can probably find the solution in this catalog of audio specialty and construction products-and find it on sale until August 31, 1995. Sescom's 14page summer sale brochure features devices designed for "plug-n-play" real-world applications. The line of "rackem'n'stackem" products, for instance, includes a fourchannel audio-distribution amplifier, a stereo-buffer amplifier, and a stereo combiner, all of which are easy to connect and easy to use, and are designed to fit in rack systems or just about anywhere else. Also featured are a selection of in-line



devices that eliminate hum and buzz; XLR adaptors; and audio SIPs. Portable audio equipment includes mic-line drivers, a dual interface box, and a stereo line driver.


The Audio Source catalog is free upon request from Sescom, Inc., 2100 Ward Drive, Henderson, NV 898015-4249; Tel. 702-565-3400 or 800-634-3457; Fax: 702-565-4828 or 800-551-2749.

CIRCLE 92 ON FREE INFORMATION CARD

INFORMATION HIGHWAYS AND BYWAYS: From the Telegraph to the 21st Century

by Irwin Lebow

Spanning the entire history of electrical communications, this book traces the history, and forecasts the future, of communication technologies. It examines how such inventions



have driven cultural changes in the past, and how the future of our society might be affected by the Internet and the information superhighway.

The book uses anecdotes, historical recreations, and nontechnical explanations to illustrate the impact that communications have had on our world during the past 150 years-since Samuel Morse introduced the telegraph. It tells the stories of the inventors and entrepreneurs who brought the technologies to the public, and even discusses the litigators, antitrust lawyers, and regulators who influenced the course of technology's progress. The book provides non-technical readers with an understanding of the communications systems of yesterday, today, and tomorrow, and provides insight into the turmoil of today's information and entertainment industries.

Information Highways & Byways: From the Telegraph to the 21st Century (order number PP4275) lists for \$29.95 and is available to IEEE members for \$25. It is published by the Institute of Electrical and Electronics Engineers (IEEE), 445 Hoes Lane, P. O. Box 1331, Piscataway, NJ 08855-1331; Tel. 1-800-678-IEEE.

CIRCLE 93 ON FREE INFORMATION CARD

RADIO COMMUNICATION EXCITEMENT

from C. Crane Company

This 80-page catalog goes beyond radios and antennas to also offer a selection of fax

machines, telephones, audio equipment, and weather stations. In most product categories, the catalog offers two basic lines of each item: the "best made" and the "best for the money."

The catalog features radios and antennas for regular AM/FM broadcast listening, as well as shortwave, CB, and scanner gear. Other product categories include satellite-receiving equipment, alternative power sources, lightning protection, home-theater and audio equipment, car radios, and books. Accessories include headphones, adaptors, and batteries and chargers. The catalog also



provides convenient information on the radio spectrum, frequency allocation, radio noise, and even the design for a "cheapo" do-it-yourself shortwave and AM antenna.

Radio Communication Excitement (Catalog No. 6) is free upon request from C. Crane Company, 558 10th Street, Fortuna, CA 95540-2350; Tel. 1-800-522-8863.

CIRCLE 94 ON FREE INFORMATION CARD


THE NORTH AMERICAN REPEATER ATLAS 1995/96 Edition

by Bob Martin, N7JXN

Written for the ham on the go who wants to keep in touch with nearby repeaters, this book contains complete repeater maps for every U.S. state and Canadian province, as well as for Mexico, Central America, and the Caribbean. You'll want to bring it along on business

trips and vacations, or keep a copy handy in your RV.

The book provides street maps that show repeater frequencies for most U.S. metropolitan areas. It lists repeater information, including frequency, subaudible tone (if necessary), and indications of



which repeaters have autopatch capability. Repeater listings are provided for 10 meters, 2 meters, 220 MHz, 440 MHz, 900 MHz, and 1.2 GHZ. The book also provides information for a number of "linked" repeater systems.

The North American Repeater Atlas, 1995/96 Edition costs \$10 and is published by The American Radio Relay League, 225 Main Street, Newington, CT 06111; Tel. 203-666-1541; Fax: 203-665-7531

CIRCLE 95 ON FREE INFORMATION CARD


THE OFFICIAL GUIDE TO BUYING, CONNECTING & USING CONSUMER ELECTRONICS PRODUCTS

from the Electronic Industries Association/Consumer Electronics Group (EIA/CEG)

Each year, Americans spend more than 80-billion dollars on consumer-electronics products. That's quite an investment in televisions, VCRs, audio equipment, camcorders, hometheater components, personal computers, telephones, homeoffice equipment, mobile electronics, and all the accessories that go with them. This book is

intended to help consumers invest their money, time, and effort wisely. It can take the place of that knowledgeable friend who, you drag along to the electronics store to advise you before buying and then beg to come over to help you hook up your new purchases.

The book opens with an overview of consumer electronics that includes a history from Edison's time up to the 1990s, along with a discussion of the



basics of today's consumer electronics. The rest of the book is divided into sections on audio, auto sound, mobile electronics, video, home theater, telecommunications, computers, home office, and home control. The main sections are divided subsections that deal with individual products. For each product, the book provides the information needed to make a wise purchase decision. In most cases, it discusses features, explains installation, describes available accessories, defines "tech talk." and explains proper maintenance procedures.

The Official Guide to Buying, Connecting, & Using Consumer Electronics Products is available for \$9 (including shipping and handling) from the Electronic Industries Association/Consumer Electronics Group, CE Book, 2500 Wilson Blvd., Arlington, VA 22201; Tel. 703-907-7636; Fax: 703-907-7690.

CIRCLE 96 ON FREE INFORMATION CARD

SOLDERING IRONS CATALOG

from M.M. Newman Corporation

This catalog includes miniature

and standard soldering irons. temperature-control stations. tips, and stands for electronics and industrial assembly and field-service repair work. It features Antex precision soldering irons, with heating elements located directly under their tips for maximum efficiency. Also featured is a power-supply unit that operates on 115 VAC and converts line voltage to a safe 24 VDC, an independent solderingiron controller, and control stations for precisely controlling tip temperatures. The catalog provides photographs and specifications for each product, and offers a fully illustrated chart of slide-on replaceable tips to help users select the best tip for the job.

The Soldering Irons Catalog is free upon request from M.M. Newman Corporation, 24 Tioga Way, P. O. Box 615, Marblehead, MA 01945; Tel. 617-631-7100;

Fax: 617-631-8887. CIRCLE 97 ON FREE


BUILD YOUR OWN LOW-COST SIGNAL GENERATOR

INFORMATION CARD

by Delton T. Horn

A signal generator is an important piece of electronic test equipment, but a commercial signal generator can put a big dent in your wallet. This book shows you how to save money and improve your electronic skills by building your own signal generator.

Filled with interesting and useful sub-assembly projects, the book features one complete project—an inexpensive signal generator with a wide array of electronic applications, including troubleshooting, repair, and circuit design. The book pro-



vides complete circuits and parts lists for generating all types of signals, ranging from direct current to complex digital synthesis. Some of the signals covered include sine waves, amplitude and frequency modulation, op-amp-generated square and rectangular waves, sawtooth and staircase waves. special-purpose waveforms, pink-noise and white-noise generators, and IC-based signal generators. Sub-assembly projects include sound generators, power supplies, and test gear useful for typical hobbyist applications.

Build Your Own Low-Cost Signal Generator costs \$19.95 and is published by Tab Books Inc., Blue Ridge Summit, PA 17294-0850;

Tel. 1-800-233-1128.

CIRCLE 99 ON FREE INFORMATION CARD


ANALOG-TO-DIGITAL CONVERSION: A Practical Approach

by Kevin M. Daugherty

This comprehensive guide focuses on viable, cost-effective techniques and procedures that demystify analog-to-digital (A/D) conversion. Its thorough examinations of design considerations, trade-offs, and limitations are intended to enable costconscious engineers to analyze and adjust a design for both performance and cost. The book is filled with in-depth information on useful A/D techniques, from low-cost discrete converters to highperformance flash converters.

The book takes the reader through a step-by-step process that shows how specific techniques work and which type of A/D conversion will be the most effective for use in particular real-life situations. Its emphasis is on practical applications, and many helpful examples of the various techniques involved.

A wide variety of topics are discussed. The book reports on microcontroller A/D techniques, giving economical examples that could mean the difference between success or failure in the marketplace. It provides complete explanations of single and multislope A/D and shows how to make the procedures



both workable and cost-effective. The book also explores the delta-sigma/oversampling A/D technique.

Analog-to-Digital Conversion: A Practical Approach costs \$55 and is published by McGraw-Hill Book Company, 11 West 19th Street, New York, NY 10011; Tel. 1-800-2-MCGRAW.

CIRCLE 66 ON FREE INFORMATION CARD

ELECTRONIC KITS CATALOG

from North Country Radio

This 32-page catalog offers a selection of ready-to-build electronics kits, most based on articles published in Popular **Electronics** and *Electronics* Now (or Radio-Electronics). The kits include everything necessary to build the printed-circuit boards for each project. All designs are professionally engineered and tested, and, in general, require only commonly available test equipment to complete. Projects include Amateur TV (ATV) transmitters and receivers, ATV amplifiers and downconverters, a wireless FM stereo transmitter, a shortwave converter for car radios, and many others. Also included are kit enclosures and lenses for video cameras.

The Electronic Kits Catalog is available for \$1 plus a self-addressed 6 × 9-inch envelope with \$.75 postage from North Country Radio, P. O. Box 53, Wykagyl Station, New Rochelle, NY 10804-0053;

Tel. 914-235-6611; Fax: 914-576-6051.

CIRCLE 67 ON FREE INFORMATION CARD


RADIO ASTRONOMY

(Continued from page 47)

verse; the true nature of quasars; and how much of distant galaxies' mass is invisible (some scientists believe that "dark matter" or "missing mass" might represent 99 percent of the universe's mass, which could explain the motion of galaxies in clusters).

Science still hasn't determined how galaxies formed in the earliest stages of the universe; and what the universe might be like many billions of years in the future. Also unresolved are questions of how the process of galactic evolution can be modeled, whether the universe is open or closed, and what the values of its parameters are.

As you might imagine, the universe's countless riddles and mysteries probably won't be solved conclusively anytime in the near future. But radio astronomy will most likely do much to revolutionize our present and future views of both ourselves and the universe of which we are a part.



It started in America!

The creators are the masters in manufacturing the finest video products...

You probably don't associate VCR's with American technology. Fact is, video recording has its origins in America and it was 3M that brought video recording out of the lab and into your living room. Today, 3M video tape is the choice of all the major networks. No other tape company has ever won an Oscar or an Emmy. 3M Black Watch tape follows in this tradition—service and quality go hand in hand. Here are three Black Watch products you should be using at home!

Clean up! With constant playing and using of degrading dry or wet cleaners, the output of your video tapes has slowly diminished to an unacceptable level and the VCR plays as if it has a head cold! The culprit is most likely clogged and dirty video and/or audio heads. The 3M Black Watch™ Head Cleaner Videocassette uses a patented magnetic tape-based cleaning formation to remove head clogging debris. No foreign substances such as cloth, plastics or messy liquids and no harsh abrasive materials are present. The cleaner's usable life is 400 cleanings or more!

It's easy to use. Place the 3M Black WatchTMHead Cleaner Videocassette in the VCR and press the Play button. A pre-recorded message will appear clearly on your screen and an audible tone is heard, telling you that the cleaning process is now completed. No guess work; you never over clean! Priced at \$19.95.

For the VCR! Once your VCR's record and playback heads are cured, and the unit plays like new, consider using the finest videocassette you can buy—the 3M Black Watch™ T120 Hi Pro VHS 4410 Videocassette. The 4410 is the highest performing videocassette available today for use with all standard format VHS recording hardware!

Here's what you hear and see....A sharp, clear picture—brightest ever colors—freedom from streaks, flashes and snow—outstanding high-fidelity audio reproduction—optimum camcorder performance—maintains recording integrity. 3M Black WatchTM video tape is 100% laser inspected to guarantee surface smoothness and drop-out free performance. Priced at \$8.00

You saw it here first! 3M Black WatchTM 0900 8mm video tape cassette loaded into your Hi Band camcorder delivers the finest picture and sound possible in the 8mm format. Extremely fine particles of pure iron alloyed with nickel and cobalt deliver a video performance exceeding 400 lines of horizontal resolution. You get the advantage of an exceptional video image with superior audio re-



production. This means your Hi 8 format camcorder will produce the best video and audio definition possible. With the 3M Black WatchTM 8mm cassette, the recording capability and performance of your camcorder will be significantly enhanced. Priced at \$14.95.

Claggk Inc. — 3M VHS Special Offer P.O. Box 4099, Farmingdale, New York 11735
Yes, I like your offer and here is my order for 3M Black Watch™ products!
3M Black Watch™ 0900 Hi Band-120 8mm Cassette (\$14.95 each) \$
3M Biack Watch™ T120 Hi Pro VHS 4410 Videocassette (\$8.00 each) \$
3M Black Watch™ Head Cleaner Videocassette (\$19.95 each) \$
Shipping and handling per order \$4.00
Total Amount in U.S. Funds only\$
New York residents add local sales tax. Canadians add \$6.00 per order. No foreign orders. Do not send cash.
Bill my UISA MasterCard Card No
Expire Date// Signature
Name (Please print)
Address
CityStateZIP

TIPS FOR MAIL ORDER PURCHASE

It is impossible for us to verify the claims of advertisers, including but not limited to product availability, credibility, reliability and existence of warranties. The following information is provided as a service for your protection. It is not intended to constitute legal advice and readers are advised to obtain independent advice on how to best protect their own interests based upon their individual circumstances and jurisdictions.

- Confirm price and merchandise information with the seller, including brand, model, color or finish, accessories and rebates included in the price.
- 2. Understand the seiler's return and/or refund policy, including the allowable return period, who pays the postage for returned merchandise and whether there is any "restocking" or "return" charge.
- 3. Understand the product's warranty. Is there a manufacturer's warranty, and if so, is it for a U.S. or foreign manufacturer? Note that many manufacturers assert that, even if the product comes with a U.S. manufacturer's warranty, if you purchase from an unauthorized dealer, you are not covered by the manufacturer's warranty. If in doubt, contact the manufacturer directly. In addition to, or instead of the manufacturer's warranty, the seller may offer its own warranty. In either case, what is covered by warranty, how long is the warranty period, where will the product be serviced, is there a charge for service, what do you have to do to obtain service and will the product be repaired or replaced? You may want to receive a copy of the written warranty before placing your order.
- 4. Keep a copy of all transactions, including but not limited to cancelled check, receipt and correspondence. For phone orders, make a note of the order including merchandise ordered, price, order date, expected delivery date and salesperson's name.
- 5. If the merchandise is not shipped within the promised time, or if no time was promised, within 30 days of receipt of the order, you generally have the right to cancel the order and get a refund.
- Merchandise substitution without your express prior consent is generally not allowed.
- 7. If you have a problem with your order or the merchandise, write a letter to the seller with all the pertinent information and keep a copy.
- 8. If you are unable to obtain satisfaction from the seller, contact the consumer protection agency in the seller's state and your local Post Office.
- If, after following the guidelines, you experience a problem with a mall order advertiser that you are unable to resolve, please let us know. Write to Advertising Department, Gernsback Publications inc., 500B Bi-County Bivd. Farmingdale, NY 11735.

Be sure to include copies of all correspondence.

VOCAL EFECTS GENERATOR

(Continued from page 49)

tors (C1–C5) to their respective pads. Then install the electrolytic capacitors (C6–C9); be sure to properly orient those components on the board.

Next, solder the 4-position DIP switch, \$2, to the circuit board; check the orientation of that component. To connect the jacks and potentiometer to the circuit, use pieces of 24-gauge stranded hookup wire. After you've done that, attach the battery holder to the PC board.

Now you can insert U1 and U2 into their respective sockets. Use care when handling the ICs; they are static sensitive.

Drill three holes for J1, J2, and R5 in the top edge of the enclosure you

holder inside the plastic enclosure below the PC board. Finally, slide the control knob onto the shaft of R5 and tighten the set-screw.

Note: If you are using the parts included in the kit (see the Parts List for details), then your speaker and microphone will come already connected to their respective plugs. If you wish to use your own parts for MIC1 and SPKR1, however, you will have to connect them to two plugs—PL1 and PL2. For that reason, the plugs are indicated in the Parts List as being optional.

Using the Generator. Install four AA batteries and set the DIP switch (S2) to the desired mode, referring of course to Table 1. Plug the electret microphone into J1 and the remote speaker into J2. Turn the unit on and set the volume at about half-way. Keep the




Fig. 3. If you build the Effects Generator on a PC board, use this parts-placement diagram as a guide. Note the off-board connections to J1, J2, and R5/S1.

plan on using. Also cut an opening on the back cover to allow access to the DIP switch. If you plan to wear the unit on your belt, you can also attach a belt clip to the cover at this point.

Mount the PC board inside the plastic case with screws. Then install J1, J2, and R5 into their holes on the enclosure. You might need to remove the small metal tab sticking up from the potentiometer body so that it will not interfere with the component's mounting. Secure the three parts with the appropriate mounting hardware.

The next step is to use hot-melt or epoxy glue to attach the battery

microphone away from the speaker, or you will experience a loud feedback squeal.


Each time that the Vocal Sound-Effects Generator is turned on, it will initialize to the mode selected by S2. As you speak into the microphone, you can change the settings of S2 and experiment to see how your voice sounds when the unit is in each of the modes.

With a little experimentation, you should be able to find the perfect sound to enhance whatever your Halloween plans are this year. So, go out and have some ghastly fun!

GET THE LATEST ADVANCES IN ELECTRONICS

SUBSCRIBE TO—

ELECTIONS TOM PANEL-METER PAGES WITH YOUR PC MISS MISS REPORT OF THE PAGES WITH YOUR PC MISS MISS REPORT OF THE PAGES WITH YOUR PC REP



Electronics Now gives you exciting articles like:

- Buyer's Guide to Digital Oscilloscopes
- Build A Scanner Converter
- Single-Chip Voice Recorder
- Build A MIDI Interface for your PC
- Troubleshoot Microprocessor Circuits
- Build A High-Power Amplifier for your Car
- Add Music On Hold to your Phone
- All About Binaural Recording
- VGA-to-NTSC Converter

ENJOY THE WORLD OF ELECTRONICS EACH MONTH!

Subscribe to the best informed electronics magazine—the one that brings you the latest high-tech construction projects, feature articles on new technology, practical troubleshooting techniques, circuit design fundamentals, and much more.

Electronics Now looks to the future and shows you what new video, audio and computer products are on the horizon. You'll find helpful, monthly departments such as Video News, Equipment Reports, Hardware Hacker, Audio Update, Drawing Board, Computer Connections, New Products, and more. All designed to give you instruction, tips, and fun.



FOR FAST SERVICE CALL OUR TOLL-FREE NUMBER!

1-800-999-7139 DON'T DELAY — SUBSCRIBE TODAY!

If you prefer, just fill out the order card in this magazine and mail it in today.



Your Ticket To SUCCESS

Over 28,000 technicians have gained admittance worldwide as certified professionals.

Let your ticket start opening doors for you.

ISCET offers Journeyman certification in Consumer Electronics, Industrial, Medical, Communications, Radar, Computer and Video. For more information, contact the International Society of Certified Electronics Technicians, 2708 West Berry Street. Fort Worth, TX 76109; (817) 921-9101.

Name	
Address	
City	
State	Zip

Send material about ISCET and becoming certified.

Send one "Study Guide for the Associate Level CET Test." Enclosed is \$10 (inc. postage).

Invest a stamp



Save a bundle

For the price of a stamp, you can get the latest edition of the federal government's free **Consumer Information Catalog**. It lists more than 200 free or low-cost publications on federal benefits, jobs, health, housing, education, cars, and more, to help you save money, make money, and spend it a little more wisely.

So stamp out ignorance with our free Catalog. Send your name and address to:

Consumer Information Center
Department SB
Pueblo, Colorado 81009

BUILD THE PATHFINDER

(Continued from page 50)

instance, replacing the light-dependent resistor with a 10,000-ohm fixed resistor, and installing Q1 and Q2 in sockets yields a simple transistor checker. To use the circuit that way, simply remove either Q1 or Q2 from its socket and insert the suspected "bad" transistor in its place. If the transistor is "good," pressing S1 will produce an output from the transducer.

That first modification to the circuit can also be used to check transistor type and lead configuration; a PNP transistor will not allow oscillation to take place if it is installed in the NPN socket (or vice versa). Also, the circuit will not oscillate if the transistor's termi-

PARTS LIST FOR THE PATHFINDER

Q1—2N2907 general-purpose PNP transistor


Q2—2N2222 general-purpose NPN transistor

R1—Cadmium-sulfide lightdependent resistor (1000 ohms in full light, 100,000 ohms in full dark)

C1—0.1-µF, ceramic-disc capacitor S1—Miniature pushbutton switch, normally open

BZ1—Miniature, polarized audio transducer

BI—1.5-volt "AA" battery
Perfboard materials, battery holder,
suitable enclosure, black heatshrink tubing, wire, solder,
hardware, etc.



Here's the author's prototype board. It was assembled on a small section of perfboard and housed in a clear, plastic, pillbox-like enclosure.

nals are improperly oriented. The circuit can even give a relative indication of gain; for example, the audio tone will increase in pitch as the device's gain increases. And if test leads are inserted into one of the transistor sockets, Pathfinder can be used for in-circuit transistor checks, using a voltage so low that you need not worry about damage to the circuit (or unit) under test.

Replacing the light-dependent resistor with other types of sensors can result in some useful applications as well. One possibility is to replace R1 with a thermistor, thereby creating an audible thermometer. With a little bit of experimentation, you might even be able to get a humidity-sensing re-

sistor to work with the circuit.

Finally, the circuit can easily be used by those who enjoy the great outdoors. If you like fishing, adjust the Pathfinder for a ticking sound and seal it in a weighted, waterproof container. When submerged, it will act as a fish

Note: Some of the aforementioned applications will require you to replace \$1, the pushbutton switch, with an SPST toggle or slide switch. That is necessary if you wish to keep the circuit on for long periods of time, without having to hold \$1 down.

As you can see, there's a myriad of things that the Pathfinder can do either with or without modification. We're sure you'll find others.


opular Electronics October 1995

Paperback Books

GREAT BOOKS AT BUDGET PRICES

□ 100 RADIO HOOKUPS **--#7--\$3.00**

First published in May, 1923 this popular booklet went into reprint editions nine times. It is packed with circuits, theory, antenna installation and tips on consumer radio receivers that were popular in the early 1920's. Antique radio buffs and those inquisitive about the early days of radio will find this booklet an exciting, invaluable and excellent reference into the minds of earlydav radio listeners. Sorry, we cannot honor the original 25-cent cover price.



□ INTERNATIONAL RADIO STATIONS GUIDE-BP255 -\$9.95

Provides the casual listener. amateur radio DXer and the professional radio monitor with an essential reference work designed as a guide for listening tothe complex radio bands. Includes coverage on Listening to Shortwave Radio, ITU Country Codes, Worldwide Radio Stations, European Long Wave and Medium Wave Stations, Broadcasts in English and more.



How to Use

☐ HOW TO USE OP AMPS -BP88--\$5.95

The engineer's best friend is the op amp. This basic building block is found in many circuits, analog and digital alike. The op amp finds many useful purposes such as: oscillators, inverters, isolators, high- and low-filters, notch and band-pass filters, noise generator, power supplies, audio, MIDI, and much more. Prepared as a designer's guide, some limited math is used, however engineers and hobbyists alike find it a useful text for their design needs.



□ WIRELESS & **ELECTRICAL CYCLOPEDIA** -ETT1-\$5.75

A slice of history. This early electronics catalog was issued in 1918. It consists of 176 pages that document the early history of electricity, radio and electronics. It was the "bible" of the electrical experimenter of the period. Take a look at history and see how far we have come. And by the way, don't try to order any of the radio parts and receivers shown, it's very unlikely that it will be available.

Number of books ordered

ELECTRONIC TECHNOLOGY TODAY INC. P.O. BOX 240, Massapequa, NY 11762-0240

_____State ____Zip ____

SHIPPING CHARGES IN

USA AND CANADA	
\$0.01 to \$5.00	\$2.00
\$5.01 to \$10.00	\$3.00
\$10.01 to 20.00	\$4.00
\$20.01 to 30.00	.\$5.00
\$30.01 to 40.00	.\$6.00
\$40.01 to 50.00	\$7.00
\$50.01 and above	.\$8.50

SORRY No orders accepted outside of USA & Canada

Total price of merchandise Shipping (see chart) Subtotal . Sales Tax (NYS only)..... Total Enclosed\$


All payments must be in U.S. funds!

Substantial SAVINGS on New & Pre-Owned B+K Precision, Fluke, Hewlett-Packard, Goldstar, Leader, Tektronix, and more ...



🕌 GoldStar Precision

New Oscilloscope Specials



FREE SHIPPING! ON ALL GOLDSTAR EQUIPMENT-ANYWHERE IN THE U.S.

SUPER SALE!

Model OS-9100P **→** \$999.00 Full 100 MHz Bandwidth!

Model OS-904RD - 40 MHz Bandwidth -On-Screen Measuring Cursors & Readout! \$699.00

- TV Synchronization Trigger
- . Dual-Channel, High Sensitivity
- Calibrated Delayed Sweep
- Two Probes Included
- 2 Year Warranty

WE BUY SURPLUS EQUIPMENT!

Professional Quality Digital Storage Oscilloscopes at Affordable Prices!

Transmit and Receive Data with Standard RS-232C Interface

- Includes FREE Comprehensive Communication Software
- Waveform Save, Calculation, and Print
- Dual Channel. Delayed Sweep, TV Synchronization Trigger
- 20 MS/s Sampling Rate, Two Save Memories
- Switch Between Analog and Digital Modes
- CRT Readout Including Measurement Cursors
- Incudes Two Probes, 2 Year Warranty.

Bandwidth	20 MHz	40 MHz	60 MHz
Model	OS-3020	OS-3040	OS-3060
SALE Price	\$1,199,00	\$1,599.00	\$1,899.00

Pre-Owned Oscilloscope Specials

100 MHz Tektronix 465 \$589.00 100 MHz Tektronix 465B \$689.00 Tektronix 475 200 MHz \$749.00 Tektronix 475A 250 MHz \$849.00

- Professionally Refurbished
- Calibrated to Original Specifications
- Dual Channel, Calibrated Delayed Sweep
- 90 Day Warranty

NTSC Generator with RGB Model 1249A \$569.00

- NTSC Color Bars ± 5° and ± 5 IEEE Units
- Ch. 3, 4, and IF Outputs Crystal Controlled
- Calibrated 1 Vp-p or Variable Composite Video Output
- RGB Outputs on BNC or 9-pin D Connector
- Composite, Vertical, and Horizontal Sync. Outputs
- Interlaced or Progressive Scan
- 1 Year Warranty

Hand-Held Parts Tester Model 815 \$99.00

- · Large 0.8" digits, 26 User Ranges
- Tests Transistor hFE and Leakage Iceo
- Checks SCR's, Diodes, LED's, Caps, and Resistors
- Tests Batteries Under Actual Load Conditions
- 1 Year Warranty

Variable 1-150VAC Isolation Transformer

- · Metered Display of Voltage or Current
- 2 Amp. Continuous Output
- · Eliminate Shock Hazard while servicing "Hot-Chassis" Equipment

Full line of Oscilloscopes, RF, Video & Audio Test Equipment, Power Supplies, Meters, Probes and Accessories.

1-800-996-3837

CORPORATION

P.O. BOX 708

Medford, MA 02155

(617) 665-1400

FAX (617) 665-0780







CONTROL PANEL

KEYBOARD

Keyboard with 6 LEDs and ribbon cable. Make fake alarms as this is the same nit found on the front door control panels for many professional home alarms Size: 4 9/16" sq.



G2904

NOW ONLY \$3:80 SALE \$2,75!

BASIC **SMD LEARN** TO SOLDER KIT

Contains 1 small SMD single sided circuit board which is etched (ready for component)

G3113 \$3.00 (ready for Component mounting), and over 50 various SMD components: ICs. resistors, capacitors. There isn't room to mount all the parts, but we give you extra ones in case you ruin them. The circuit is totally nonfunctional, but it is a tremendous way to introduce your self to this exciting new technology which industry all over the world is adopting. Size of board about 1.1/2" x 3/4".

HUMAN VOICE AND VARIOUS SOUND MODULES MODULES

External View

Internal View Small electronic

pushbuttons that produce human voices and various sounds. You need only to provide a speaker and 4.5VDC (3AA batteries connected in series work line). Size of the modules about 4" 2 1/4". Only 4 wires to connect (2 tor power and 2 for the speaker). We have 4 different modules

Stocks	Voice Button	Sound Button
G6664	"Emergency 911."	Ambulance Siren Sound
66665	"Unload "	Idling Dump Truck Sound
G6666	"Fire! Let's Go!"/Siren	Idling Fire Truck Sound
G6667	"Load em up!"	Race Car Revving Up Sour

YOUR CHOICE \$1.25 ea.

UHF WIRELESS REMOTE

These compact remote controls were designed to

choose satellite type and satellite number remotety, but they are also a great experimentors item! These are complete miniature UHF tone transmitters and contain a 4069 IC. 2 transistor circuit with a lerrite slug tuned coil. Also contains 2 pushbutton switches, frimmers, diodes, capacitors and resistors. Size of circuit board: 1 3/16" x 2 1/4". Features an attractive black plastic case. Size: 4 z 1/A - Peatures an attractive black plastic case. Size 4 7/8" x 1 1/2" x 15/16" Has a Panasonic 9V battery installed inside, however the battery has gone dead from storage (simply remove 1 screw to access the battery and circuit board). NOTE: Wording on outside case may vary from picture shown. from picture

G2962 10/\$3.00 • 1000/\$250.00

PIR (PASSIVE INFRARED) PEOPLE DETECTING

Brand new pocket-sized PIR alarm is perfect to take with you on vaca-tions. Protect your ho-



Alert by Snapit* It detects people using a sensitive PIR detector, and sounds a loud electronic alarm when they intrude into its field of view, Compact unit is only 4" x 3" x Operates on one 9V battery (not included)

G6954 \$9.95 9V Alkaline Battery (Stock# 66955): \$1.79

SECRET ALERT

ALARM Hide this attractive

small size atarm in briefcases, medicine chests, drawers, cabinets,

chests, trawers, trainers, as soon as light strikes it (from someone opening the cabinet door etc.) the alarm sounds until it's once again in the dark. Great for warning you of intrusions into areas that children and intruders should stay out of. These have a Velcro® peel and stick piece on the back of each unit, that allows you to securely hold the unit to the back of a cabinet. allows you to securely note the unit to the back of a cabinet. Although these alarms are new, they were manufactured several years ago and the adhesive on the double stick vetcro surface has dried out on the G6948 units which means on those units you'll have to use give on the adhesive sides of the vetcro if you wish to mount them (mounting is totally optional). The G6949 on to have this problem. Both types are electrically perfect it's only the lease adhesion problem. veicro adhesive problem. Red plastic case is approximately 3" x 2 1/2" x 7/8".

G6948 (Bad Adhesive) G6949 (Good Adhesive) \$2.49

LM2575T-12 P+

REGULATOR IC

Switching regulator type L M2575T-12 P+ for 12V applications. These are prime new marked units but their leads are slightly shorter than normal length so we are selling them cheap. Made by National. Ver 14V-40V, Vox 12V, lost.

G6953 3/\$1.25 • 100/\$39.00

DC TO DC CONVERTER Super efficient tiny DC to

Super efficient tiny DC to DC converte convers lower voltage DC to a higher voltage DC (see table below). These are the ward new made by TDK and are only 1 3/8"L x 7/8"W x 3/8"1. Very efficient and tatest technology using SMD and standard technology. Power a 9-Viransistor radio from 1 AA battery. Charge several AA batteries from one solar cell, power a 99 Viranet voltage to 2 AA cells, etc. Has only 4 leads (±in and ±out). With hookup diagram.

POWER TABLE			
Voltage In DC	Voltage Out DC	Current Out	
0.5VDC(solar)	3V	1mA	
1.5VDC	9V	15mA	
3VDC	9V	40mA	

G6344

NOTE: All sale prices advertised are valid only through the month of the cover date

For **Phone Orders Call (602) 451-7454** or Fax Your Orders to (602) 451-9495

ELECTRONIC MInimum Order: \$10.00 (plus \$4.00 Shipping and Handling). We accept MasterCard. Visa and personal checks, however, we cannot accept personal checks on orders outside GOLDMINE the United States. Canadians and orders that need US MAIL send minimum \$5.00 S&H. GOLDMINE



PHONE ORDERS (602) 451-7454

IF YOU CAN'T FIND WHAT YOU ARE LOOKING FOR, CALL FOR A FREE COPY OF OUR LATEST CATALOG. THIS CATALOG CONTAINS OUR ENTIRE PRODUCT LINE OF ALMOST 4.000 ITEMS AND IT IS STILL GROWING!



complete infrared controlled FM digital tuners. They were made to decode digital CD music that was transmitted from

satellites to your local cable company. We were told that the satellites these were set up for are no longer transmit-ling - we don't know. We do know that the main unit consists of a sonhisticated tuner circuit and readout consists of a sophisticated funer circuit and readout circuit that displays any channel number 001 to 26 when you press the buttons on the remote control. After a while the display shows EE indicating the cable TV signal short present. Inside the 9 3/4" x 5-5/8" x 2 3/8" main unit are various ICs, readouts, a custom microprocessor IC, unit are module, power transformers, resistors, caps, diodes, etc. Use this for experimenting with digital tuners, IR remote control, etc. We have absolutely no into except the instructions of operation that came with the units. You get the complete IP-9 of idital steren luner and 1 You get the complete DP-91 digital stereo tuner and 1 infrared remote control which uses 2 AA batteries (not included). These look new but probably were taken out of service when the satellite programming ended. Looks like a great hobbyist item but to take apart the main unit you will need to use a tork type screwdriver. Hurry,

Limited quantity. G6506 \$15.95

\$12.95!



Very useful fluorescent light strip features 4 watt replaceable light bulb and 3 handy power outlets. Add light to any counter, shell or workbench and have power outlets also. Rated 13 amps 125VAC for outlets. Has on/off swirch and 3 ft. Ing SPT-3 power cord. Brand new - made by Leviton.

G6951

\$9.95

SUPER SENSI-TIVE SOUND ACTI-100 VATED 2 CHANNEL COLOR ORGAN

This ultra sensitive 2 channel color organ produces brilliant flashes of light (from any incandescent lamp of your choice - up to 200W) in response to music or other sounds. It is fully assembled (except for line cord and outlets) and features 2 response controls, on/off switch outlets) and leatures 2 response controls, circums which, sensitive FT microphore (no hookup to stere on eededr) and 3 transistor, 2 SCR circuitry, Operates from standard 120 VAC and requires that you solder your line cord and 2 outlets (for lamps) to the board. We strongly recom-ment that you install the color organ in an insultated case for safety reasons as it operates from the AC line. Great and the color of the color of the same and source and outlets. for DJ's as there is no connection to the sound source. Size of board: 3 3/4" x 4 1/4". Color organ board only -you supply lamps, line cord, knobs, case and outlets.

> \$4.95 G3319

EXTRA STRONG MUELLER PEEWEE CLIP

This alligator has jaws that really grip. Made by Mueller This alligator has Jaws that really grip. Made by Muelei part 4.5, this foll features sore leminal for write, and heavy duty spring to provide a secure electrical/me-chanical grip. Rated 10amps - plated steel finish. Size about 1 1/2": x1/4". Brand new in sealed foil pouch made for the government.

G6952 39cea. 10/\$3.00

LARGE "STICK-ON" CLOCK

This large "stick-on" clock features easy to read 3/4" tall digits-not like the small round clocks. Displays time, date and seconds Overall size: 2 1/4"L x 1 1/4"T x 3/8"W. Great or placing on dashboards, phones, computers, etc. Has "Peel-N-Stick" mount on back. These are new in a box with instructions, however the battery has gone dead from storage. Uses 1 type 186 watch battery. Easy to replace, just unscrew battery cover. Buy a new battery and you'll have a nice timepiece.

> G6950 \$1.89



Assortment of all types, colors, sizes and shapes of prime quality LEDs. This large assortment even contains a clear LED that lights up blue! Our largest and most spectacular assortment contains 250 pieces.

\$10.00

G6554

RADIOSONDE

Very late model Radiosonde made for all types of weather data. These were to be sent aloft attached to a weather balloon

Inese were to be sent alona datached to a weather balloon (not included), Each is about 10 1/2" Lx 8" W x 3 3/8" D. Inside the removeable cardboard sleeve is a styroloam chamber housing a sophisticated 8 IC circuit board which has sensors attached to measure atmosphereic pressure, temperature and humidity. As it gathers, it transmits the data at about 1 677 GHz These are prime, brand new units that were awarting shipment from the manufacturer (Space Data Corporation) to the government when the contract was cancelled. These are compiled except for battery (see G6850 below). We connected two 9V batteries in series and the unit worked perfectly from them. Each Radiosonde has a complete calibration data sheet. They were made in Feb. of 92. Sorry no schematic available. The main board contains the following ICs: 7555, CD4051, CD4520, LM324, 4151, TLC271. (2 pcs.) and a 78M150 voltage regulator. It also has the precision T05 case pressure sensor, hygristor sensor holder (humidity) sensor plate in a scaled container ready to insert into the holder), themistor for temperature measurements and nose cone transmitter temperature measurements and nose cone transmitter antenna assembly. Hurry, get your Radiosonde today!

G5058 \$6.95

WATER ACTIVATED **BATTERY IN** A CAN

Made for radiosondes (above) these batteries are about 2 1/2"T x 2"W x 1 1/2"D.

2 1/2" X 2"W x 1 1/2"D. They were made in 1982 but they have aimost an unlimited shelf life because they are not activated until you out to pen life can, remove them and immerse in water for 2 minutes. Great for emergencies. camping, etc. We activated one as a test: We connected 2500 load resistor to the battery and powered the load for 10 hours. Terminal voltage was 20VDC and current flow was 80ma These do need ventilation as they discharge and should be used outside only. Comes in sealed factory cans. Very unique item!

G6850 10/\$15.00 • 100/\$100.00

CIRCLE 139 ON FREE INFORMATION CARD

Electronic Tool Kit Model TK-1000

A professional organizer tool kit at affordable prices. No

student should be without this unique tool kit that holds all



Line Tracker MV-963 \$52.95 (Infra-red Sensor)

The robot follows a black line on white paper Preassembled PCB

Robotic Arm

Y-01

\$49.95

(Wired Control)

& releases,

lifts & lowers,

Movement grabs

pivots from side to side



Dual-Display LCR Meter w/ Stat Functions B+K Model 878 \$239.95

Auto/manual range Many features with Q factor High Accuracy

Stereo Cassette Player



TR-18K \$16.95 Headphones Included

Kit

Solder 60/40 6" Screwdriver 6" Phillips Driver Safety Goggles IC Putter 3pc Nut Drivers Iron 25W Iron Stand Solder Wick Desoldering Pump 5 pc Solder Ease Kit

the tools you need.

Diagonal Cutter

Long Nose Pliers

6" Wire Stripper

Including:

6pc Precision Screwdriver Digital



LCR-680 \$79.95 3-1/2 Digit LCD Display Inductance 1uH to 20MΩ

Int/Ext Operation

GF-8026

\$239

\$39.95

Sine, Square, Triangle, Pulse Ramp, .2 to 2MHz, Freq Ctr

Function Generator



Digital Multimeter EDM-83B \$175.00

Almost every feature available Bargain of the decade

3-3/4 Digit Multimeter



Elenco LCR + DMM LCM-1950 \$79

12 Functions Freq to 4MHz Inductance Capacitance



Multimeter Kit

w/ Training Course

Full function 34 ranges

Ideal school project

Digital

M-2665K

\$49.95

Digital Capacitance Meter CM-1555 \$49.95

Measures capacitors from .1pf to 20,000µf

Frequency Counter

F-1225 \$225.00 8 Digit LED display Wide meas range High sensitivity

Data hold function Input impedance 1M Ω or 50 Ω 10:1 input attenuation function

Fluke Multimeters (All Models Available Call)

Scopemeters Model 97 \$1,795 10 Series \$62.95 Model 10 Model 12 \$84.95 20 Series

Model 29II \$175

70 Series Model 70II \$69.95 Model 731 \$97 50 Model 77II \$149 Model 79II \$175 80 Series

Model 87 \$289

Wide Band

Signal

Triple Power



Supply XP-620 By Elenco \$75.00

BK-390

\$139.00

0.1% DCV accy

Analog bar graph

Auto/manual ranging

Capacitance meas

Temperature probe

3 fully regulated supplies; 1.5-15V @ 1A, -1.5 to -15V @ 1A or 3-30V @ 1A & 5V @ 3A Kit XP-620K \$49.95 **Quad Power**

M-2661 (Assembled) \$55.00

Supply XP-581 By Elenco \$79.95

Four supplies in one unit; 2-20V @ 2.5A. 5V @ 3A, -5V @ .5A and 12V @ 1A. All regulated and short protected **High Current DC**

Power Supply BK-1686 \$169.95 3 to 14 VDC Output 12A @ 13.8V For servicing high

power car stereos, camcorders, ham radios, etc. Connect 2 or more in parallel

Generators SG-9000 \$124.95 RF Frequency 100K-450MHz

AM modulation of 1KHz Variable SG-9500 150MHz \$239.00

Telephone Kit PT-223K

\$14.95 Available **Assembled** PT-223 \$15.95



AM/FM Transistor Radio Kit with Training Course Model AM/FM 108 \$29.95

14 Transistor, 5 Diodes Easy to build because schematic is printed on the PCB Makes a great school project Model AM-550 AM Only \$17.95 **Function Generator** Blox



#9600 Ву Elenco \$29.95

Kit \$28.95 Sine, Triangle, Square Wave

Telephone Line Analyzer



Kit TT-400K \$19.95 Assembled TT-400 \$26.95 Learn to Build & Program Computers with this Kit



MM-8000 By Elenco \$129.00

From scratch you build a complete system. Our Micro-Master trainer teaches you to write into RAMs, ROMs and run a 8085 microprocessor, which uses similar machine language as IBM PC.

Digital/Analog Trainer Complete Mini-Lab For Building, Testing, Prototyping Analog and Digital



By Elenco in U.S.A.

XK-550 \$169.95

XK-550K \$139.95

Designed for school projects, with 5 built-in power supplies. Includes a function generator with continuously variable, sine, triangular, square wave forms. All power supplies are regulated and protected against shorts.

WE WILL NOT BE UNDERSOLD UPS SHIPPING: 48 STATES 5%

IL RES 7.5% TAX (\$3 min \$10 max) OTHERS CALL

1245 ROSEWOOD, DEERFIELD, IL 60015 FAX: 708-520-0085 (708) 541-0710



15 DAY MONEY BACK GUARANTEE **FULL FACTORY WARRANTY**

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

October 1995, Popular Electronics

2- YEAR WARRANTY



60MHz

S-1360 \$775

Delayed Sweep

5-1365 \$849

Cursor Readout

- Voltage, Time
- Frequency differences displayed on CRT

5-1340

2- Channel

S-1345 \$575

Delayed Sweep

- Beam Find
- Component Tester

\$349 5-1325

2- Channel

5-1330 \$449

Delayed Sweep

- Beam Find
- Component Tester

B+K 20MHz

2 Channel Model 2120 \$389.00



Delayed Sweep Model 2125 \$539.95

40MHz DUAL -TRACE

Madel 15418

 1mV/div sensitivity Video sync separators Z axis input

Single sweep

V mode-displays 2 signals unrelated in frequency

60MHz DUAL-TRACE

Model 2160

 1mV/div sensitivity · Sweep to 5ns/div Dual time base

\$949.95

- · Signal delay line Component tester
- V mode-displays 2 signals unrelated in frequency

100MHz THREE-TRACE

Model 2190

\$869.95

 1mV/div sensitivity · Sweeps to 2ns/div

\$1,379,95

Dual time base

 Signal delay line 19kV accelaerating voltage Calibrated delay time multiplier

20MHz ANALOG with DIGITAL STORAGE

· 20MHz analog bandwidth 20MS/s sampling rate

Model 2522A . 2k memory per channel 20MHz equivalent

time sampling

Dependable Equipment at Affordable Prices

HITACHI POPULAR SERIES

MUMITING

V-212 - 20MHz, 2 Channel	\$449.00
V-222 - 20MHz, DC Offset	\$695.00
V-422 - 40MHz, Dual Trace	\$849.00
V-522 - 50MHz, Dual Trace	\$975.00
V-523 - 50MHz, Delayed Sweep	\$995.00
V-525 - 50MHz w/ Cursor	\$1,069.00

HITACHI COMPACT SERIES SCOPES

V-660 - 60MHz, Dual Trace \$1,375.00 \$1,449.00 V-665A - 60MHz, DT, w/cursor \$1,549,00 V-1060 - 100MHz, Dual Trace V-1065A - 100MHz, DT, w/cursor \$1,695.00 \$2,125.00 V-1085 - 100MHz, QT, w/cursor VC-6045A - 100MHz, Digital Stor CALL VC-6025A - 50MHz, Digital Stor CALL

1245 ROSEWOOD, DEERFIELD, IL 60015

Elenco DS-203 20MHz, 10MS/s Digital Storage Oscilloscope



\$749

2K Word Per Channel • Plotter Output 8 Bit Vert. Resolution @ 2048 Pts Hor. Resolution . Much Mare.

CALL TOLL FREE

1-800-292-7711 1-800-445-3201 (Can)



FLUKE SCOPEMETERS A handheld instrument that combines a

50MHz, 25MS/s dual channel digital storage oscilloscope with feature-packed 3000 count digital multimeter.



- Model 93 \$1,225 Wodel 95 - \$1,549 Model 97 - \$1,795
- Autoset, automatically sets voltage, time & trigger
 - Multimeter display;
- 3-2/3 digits (>3000 counts) True RMS volts; AC or AC+DC up to 600V

15 DAY MONEY BACK GUARANTEE **FULL FACTORY WARRANTY** ALL PRODUCTS ARE FACTORY NEW

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

FAX: 708-520-0085 (708) 541-0710 CIRCLE 132 ON FREE INFORMATION CARD



Rainbow's new amateur radio transmitter.

With it's new and improved design it will not only test your radar detector...BUT it's tuned to the amateur radio band.

 While your out on American highways personally test yours and your fellow travelers radar detectors.

The "ZAPPER II" is a 10.450 GHz to 10.550 CW oscillator. It has a code key jack installed for those who want to send Morse code.

PHONE TRANSMITTER

Small but mighty, it fits anywhere. Phone line powered, never needs batteries. Transmits both sides of a phone

conversation loud and clear, wireless, to any FM radio at great distances. Variable tunes from 70MHz to 130MHz FM. You can also use it as a speaker phone. SIZE:1.25" x .5".

TEL-B1 KIT \$12.95 BUILT \$29.95



FM STEREO TRANSMITTER

Own your own FM radio station. Any stereo signal you plug into the FMST-100 will be transmitted to any FM radio tuneable from 76

to 108MHz FM. Transmit a wireless link through an auditorium, from your car to your camper, listen to your CD's while mowing the lawn, Play music on one channel sing on the other. Clarity is excellent, aprox. 40dB stereo separation. Length of antenna determines the distance of transmission. Complete with stereo input level controls & crystal for stereo separation. 9v battery operation. SIZE: 1.5" x 2.5" x 3"

FMST-100

кгт \$29.95 / Cabinet \$8.95



A stand alone D•T•M•F decoder display unit

Connects to any phone, scanner, or amateur radio.

DECODES ANY DTMF SIGNALS



KIT \$3995

2 thru 22

Our TV filters eliminate unwanted TV channels or interference that alters both sound and video with a beep beep beep. Works on cable channels 2 thru 22) only

NOTE: All TV Filter Kits are sold for educational purposes only. You must obtain permission from your local cable company before using these filters on your cable system.

DF-222

кіт \$14.95



This Manual contains schematics, parts lists & P.C. board layouts for many of the Rainbow Kits. Use your own parts to construct our kits.

KIT BOOK

\$14.95 \$9.95 with the

purchase of any kit.

COMPLETE WITH BLACK ANODIZED CABINET

* Is someone hiding the numbers they are calling by using another credit card?

Who's using secret codes on the air waves. The DTMF DECODER can grab

DTMF-DIS

Great for telephone installers

KIT \$11995/

them from the air. Power requirement 9v DC. SIZE: 3.5" x 4" x 1" Decode the thousand of secret numbers sent over your scanner daily,

BUILT 159%



WIRELESS FM MICROPHONE Small but mighty

See what numbers people are calling on your phone?

See the hidden phone numbers in your software.

this little jewel will out perform most units many times

its price. It really stomps out a signal. The WM-1 kit is a buffered wireless mike that operates from 80MHz to 120MHz FM, the frequency of any broadcast FM radio. Includes a mini-electret mike. 6 to 12v DC. SIZE: 1.25" x 1"

WM-1

October 1995, Popular Electronics

98

KIT \$14.95

Please add sufficient postage First lb \$5.00 Canada \$7.00 Additional LB. Add \$1.00 US FUNDS ONLY We will accept telephone orders for Visa or Mastercard



To Order Call 317-291-7262



ELECTRONIC RAINBOW

6254 LaPas Trail • Indianapolis, IN 46268 FAX 317-291-7269



SUPER SNOOPER **BIG EAR**

Listen through walls, hear conversations across the room. Add a parabolic

reflector and hear blocks away. The BIG EAR can be hidden about anywhere. Makes an ultra sensitive intercom. Can be used as a 1.5W AMP. We supply a mini-electret mike in the kit. Power requirement 6 to 12v DC. SIZE: 1" x .75"


AA-1 KIT \$10.95 BUILT \$29.95

CIRCLE 147 ON FREE INFORMATION CARD

YOU ASKED FOR IT WE'VE GOT IT SPECTRUM ANALYZER SCOPE ADAPTER



1 MHz TO 500MHz SPECTRUM ANALYZER



AS SEEN ON YOUR SCOPE
MADE IN THE USA

100% FACTORY ASSEMBLED NOT A KIT

A MUST FOR EVERY SHOP:


The SA500ADP Spectrum Analyzer Scope Adapter works with any Scope Just one connection to the Vertical & Trigger Inputs and any scope becomes a full function Spectrum Analyzer. Tune H.T.'s Filters, Mixers. Check all RF based Systems. The SA500ADP Scope Adapter will compliment

any Ham Shack, Radio Service Shop or EMI Test Lab.. MADE IN THE USA Not a kit. If you have been waiting for a low cost High performance Spectrum Analyzer at an affordable price, take Advantage of our special introductory offer. Add a 500MHz Tracking/Noise Generator for only \$100 and save a total of \$200.

SA500ADP ONLY \$399.00 Add Tracking Gen. \$100.00

Introductory offer only
\$499.00

SAVE OVER \$200 Reg. price \$699



SETTING THE STANDARD

SA500A, SA1300B, SA1800C

SPECTRUM ANALYZERS

STARTING AT \$995.00

MADE IN THE USA

6" x 12"x 16" (H x W x D) (only 16 LB)

SA1800C Shown \$2395.00

Model SA1300B 1-1300 MHz In One Sweep \$1995.00 Options 1.3.5.6

SPECTRUM DISPLAY MONITOR \$995.00

The SA500A easily attaches to any receiver IF output jack. Providing a panoramic signal display of your scanner or communication receiver. The SA500A is a Full Function Spectrum Analyzer with +/- 5KHz Narrow Band Filter, Center Freq. Display, 50 MHz Marker. SA500A The first affordable Professional Spectrum Monitor/Analyzer for all serious Ham Radio and Radio Monitoring Operators. With Opt. 1,3,5,6

TWO FULL FUNCTION ANALYZERS

Quality & Performance with 80dB on Screen, -100 dBm Sensitivity, Center Freq. Display, +/- 5KHz Narrow Band Filter 50 MHz Marker. DISPERSION ZOOM, Baseline Clipper, Adjustable Sweep Speed, Video Filter, and 40dB Input Attenuation. SA1300B 1-1300MHz

SA1800C 1-1300 & 850-1850MHz **\$2395** With Opt. 1,3,5,6

ADVANTAGE INSTRUMENTS CORP. MC-VISA - DISCOVER call 800-566-1818

3579 Hwy. 50 East Carson City, Nevada 89701 702-885-0234 FAX 702-885-7600
PRICES & SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE OR OBLIGATION. F.O.B. CARSON CITY NV. NV. RESIDENTS ADD SALES TAX.
CIRCLE 163 ON FREE INFORMATION CARD

www.americannadiohistory.com

Mystery Levitatina Device!



Remember War of the World? Objects float in air and move to the touch. Defies gravity, amazing gift, conversation piece, magic trick or great science project.

Easy to Assemble Kit / Plans

Laser Ray Gun



Advanced project produces a burst of light energy capable of burning holes in most materials. Hand-held device uses rechargeable batteries. 500 joules of flash energy excite either a neodynium glass, yag or other suitable 3" laser rod. This is a dangerous CLASS IV project (individual parts/assemblies available). LAGUN1 Plans . \$20.00 LAGUN1K Kit / Plans .. .Price on Request

Extended Play



READY TO USE! Automatically controls and records on our X-4 extended play recorder, taping both sides of a telephone conversation. Intended for order entry verification. Check your local laws as some states may require an alerting beeper. TAP20X Ready to Use System



Neat little device allows you to make hand and shock balls, shock wands and electrify objects, charge capacitors. Great payback for those wise guys who have wronged you!

Easy to Assemble Electronic Kit



Electric Charge Gun

All New Technology!

Stuns/immobilizes attackers up to 15 feet away! *Legal in most state (not in NY, NJ, MA, WI) * More knock-down power than most handguns . No permanent injury . ID coded . Free 80KV stun gun with every purchase. ECG1 Data Packet, Creditable toward purcase ..

ECG10 Charge Gun, Ready to Use, w/Free 80KV Gun \$249.50

Homing / Tracking Transmitter

Beeper device, 3 mile range. HOD1 Plans\$10.00 HOD1K Kit / Plans \$49.50

Listen Through Walls, Floors

Highly sensitive stethoscope mike. STETH1K Kit/Plans \$44.50 STETH1 Plans. \$8.00

Infinity Transmitter ++



Telephone Line Grabber/ Room Monitor / Controller


All New - The Ultimate in Home/Office Security & Safety! Simple to use! Call your home or office, push a secret tone on your telephone keypad to access: • On premises sounds and voices • Ongoing phone conversation w/break-in capability . Up to 10 external electrical functions, lights, TV, alarms, coffee pots, heater, etc. CAUTION! Check legality with your state's attorney general's office before use for monitoring of voices.

TELECOM2 Kit, includes PC Board TELECOM2 Ready to Use. \$199.50

Visible Beam Laser

Easy to build, RED Beam, visible for miles. Use for light shows, window bounce holography, cloud illumination and much more! LAS1KM Kit w/1mw Laser Tube, Class II. \$69.50 LAS3KM Kit w/2.5mw Laser Tube, Class IIIA \$99.50

Life is Precious -Protect It!





lon Ray Gun

Projects charged ions that induce shocks in people and objects without any connection! Great science project as well as a high tech party prank. IOG3 Plans . IOG3K Kit/Plans ..

Invisible Pain **Field Generator**

Shirt pocket size electronic device produces time variant

complex shock waves of intense directional acoustic energy, capable of warding off aggressive animals, etc. .\$8.00 IPG7 Plans. IPG7K Kit/Plans ...\$49.50 IPG70 Assembled



1000 Ft++ otato Cannon

NOT A TOY. Uses electronic or piezo ignition. CAUTION REQUIRED! Plans. (Dangerous Product)...

FireBall Gun

Shoots flaming ball - two shot capacity Great for special effects and remote fire starting. CAUTION REQUIRED! FIREBALL Plans (Dangerous Product)...





\$ 19.50

TV & FM Joker / Jammer

Shirt pocket device allows you to totally control and remotely disrupt TV or radio reception. Great gag to play on family or friends. Discretion required.

EJK1KM Easy to Assemble Electronic Kit\$24,50

ATTENTION: High Voltage Fans!

4,000 volts in the palm of your hand! Experiment with anit-gravity, hovercraft, ion guns, force fields, plasma guns, shock devices, wireless energy and electrical pyrotechnics. Input: 9-14VDC. MINIMAX4 Ready to Use



'Laser Bounce" Listener System

NEW - Latest Technology! Allows you to hear sounds from a premises without gaining access. Aim at room window and listen to sounds from within via reflected laser light. Not for illegal use. Requires video tripods.

LWB3K 5mw Laser and Receiver Kit. LWB30 Ready to Use, includes Laser Gun Sight \$199,50



5mw Visible Red Pocket Laser

Utilizes our touch power control!

VRL5KM Kit / Plans...



Puts subjects under control using highly effective electronic stimuli. Intended for parties and entertainment but must be used with caution. Includes valuable text book reference and plans. EH2 Plans and Text Book .. \$19.50

Automotive

Easy-to-install 4-Tube Kit for Cars, Trucks, Vans! Available in Pink, Purple, Blue or Green please specify color when ordering. RG4K (Specify Color) \$ 129.50

Flash-To-Music Option for above kit FMU1.....\$ 29.50



(Specify Color) LIC1K

3 Mi FM Wireless Microphone

Subminiature! Crystal clear, ultra sensitive pickup transmits voices and sounds to FM radio. Excellent for security, monitoring of children or invalids. Become the neighborhood disk jockey! FMV1 Plans.....\$7.00 FMV1K Kit and Plans \$39.50

Telephone Transmitter – 3 Mi

Automatically transmits both sides of a telephone conversation to an FM radio. • Tunable Frequency • Undetectable on Phone • Easy to Build and Use • Up to 3 Mile Range • Only transmits during phone use. VWPM7 Plans \$7.00 Kit/Plans .. \$39.50



Dept PEM18, Box 716, Amherst, NH 03031 Phone: 603-673-4730 FAX 603-672-5406

MC, VISA, COD, Checks accepted Please add \$5.00 Shipping & Handling

CATALOG With many more items! Free with Order or send \$1 P&H

Order by Mail or by 24 Hour Orders-Only Phone 800-221-1705

October 1995, Popular Electronics

There's No Easier Way to TROUBLESHOOT AND REPAIR **Your Electronics!**



It's easy, fast and rewarding to do it yourself with the Electronics Repair Manual!



The Electronics Repair Manual will be a valuable reference for years to come. Supplements, each containing 140 pages, add new repair projects, valuable insights into new technologies, diagnostic and repair techniques, and more schematic diagrams into your manual. Just \$30 each plus shipping and handling. Supplements are sent 4-5 times a year and are fully guaranteed. Return any supplements you don't want within 30-days and owe nothing. Cancel anytime.

MODULAR FORMAT MANUAL

- SCHEMATIC DIAGRAMS
- FOR TEST EQUIPMENT
- REPLACEMENT PARTS

only \$59.95 (I may take \$10 of the price when I enclose my check Plus, I get free shipping and handling!) I understand that if I am not satisfied I may return the book within 30 days for a full 100% refund of

credit approval. Signature and phone number required to process your

Shipping and handling to Canada. \$10 (U.S. currency); Overseas, \$15 (foreign orders must be prepaid) CT residents add 6% sales tax. Supplements will be sent 4-5 times a year on a fully-guaranteed, 30-day that basis. They may be cancelled at any time.

31187 MAIL TO: WEKA Publishing, Inc. 1077 Bridgeport Avenue, Shelton, Connecticut 06484

1-800-222-WEKA

FAX: 1-203 944-3663

DMM 89 \$199.95

Most Advanced DMM

All Purpose & Communication -80.7 to 81.4 dBm with 4Ω -1200Ω 20 reference impedances True RMS

Frequency counter: 0.01Hz-10MHz Capacitance: 1pF-50,000µF Measure AC volt to 20kHz 5000 counts, 0.1% accuracy Auto/manual range, fast bar graph Min/Max/Ave/DH/Relative/Zoom Auto power off Input warning Splash proof



DMM 2360 \$119.95

DMM+LCR Meter Very Versatile DMM Inductance: 1µH-40H

Capacitance: 1pF-40uF

Frequency: 1Hz - 4MHz Temperature: -40-302 TTL Logic Test 20MHz Diode, Continuity Volt, Amp, Ohm 3999 count display Peak Hold Auto power off Ruggerdized case Temperature probe included

Rubber Holster \$8:00



DMM 20 \$74.95

Inductance: 1µH-40H Capacitance: 1pF-200µF Frequency: 1Hz-20MHz Volt, amp, ohm, diode, 20 Amp AC/DC current Transistor HFE Continuity, duty % Peak hold/Max Ruggerdized case Rubber holster \$8.00

Full line of DMMs economy, compact, ruggerdized, solar cell, automotive, heavy duty, industrial, starts from \$15.95

Fluke Multimeter Fluke 12 \$84.95 Holster C-10 \$10 Fluke 70 li \$67.5 Fluke 73 II \$94 Fluke 75 II \$129 Holster C-70 \$16 Fluke 77 II \$149 Fluke 79 II \$169 Fluke 29 II \$169 Fluke 83 \$225 Fluke 85 \$259 Fluke 87 \$287 Fluke 97 Scope Meter\$1785



LCR Meter 131D \$229.95

Volt, amp, ohm, logic, diode, continuity

Ruggerdized case

Rubber holster included

Most Advanced LCR

Dual display:UQ or C/D Inductance: 0.1μH-1000H Capacitance: 0.1pF-10.000uF Impedance: $1m\Omega$ - $10M\Omega$ 0.7% basic accuracy Auto/manual range Dissipation factor & Q factor Serial & parallel mode Relative mode for comparison and to remove parasitics Statistics, tolerance, Best for design, incoming testing & production SMD and thip component test probe \$25.00



LCR Meter 814 \$189.95

Best Resolution LCR

Inductance: 0.1μH-200H Capacitance: 0.1pF-20,000μF Resistance: 1mΩ-20MΩ 1% basic accuracy
Dissipation factor indicates leakage in capacitor and Q factor in inductor Zero adjustment to reduce parasitics Best for high frequency RF

SMD and chip component test probe \$25.00

LIMITED OUANTITY SPECIAL DIGITAL LCR METER \$74.95 0.1pF, 1μH, 10mΩ resolution



Frequency Counter FC-1200 \$129.95

Frequency: 0.1 Hz-1.25 GHz
Display: 8 digit LCD
Penod: 0.1 us-0.1s
Records Max/Min/Average
Data hold, relative mode

Data hold, relative mode
Telescoping antenna \$8.00
Deluxe case \$5.00
Also Available:
AC/DC clamp meter, Light meter,
Thermometer, pH meter, High
voltage probe, Digital caliper,
Anemometer, Electronic scale,
Force gauge, Tachometer,
Stroboscope, Humidity & EMF
adapter, Sound level meter,
Frequency counter, SWR/field
strendth/power meter. Dig meter strength/power meter, Dip meter




20 MHz Oscilloscope with Delay Sweep PS-205 \$429.95

Dual Trace, Component test, 6" CRT, X-Y Operation, TV Sync, Z-Modulation, CH2 Output, Graticule Illum, 2 probes each has x1,x10 switch. Best price with delay sweep.
PS-200 20 MHz DUAL TRACE \$339.95 PS-400 40 MHz DUAL TRACE

PS-405 40 MHz DELAY SWEEP \$569.95 PS-605 60 MHz DELAY SWEEP \$769.95 Scope Probe: 60MHz x1, x10 \$15, 100MHz x1, x10 \$22 Digital Storage Scope

DS-203 20MHz, 10M Sample/sec \$729.95 DS-303 30MHz, 20M Sample/sec \$849.96 DS-303P with RS-232 interface \$1,049.96

Switchable between digital and analog modes 2 K word per channel storage 8 bit vertical resolution (25 Lerel/div) Expanded Timebase 10ms/div - 0.5 s/div Refresh, Roll, Save all , Save CH2, Pre-Trig Plotter control



DC Power Supply

PS-303 \$159.00

0-30 VDC , 0-3A output Constant voltage & constant current mode 0.02% + 2mV line regulation 0.02% + 3mV load regulation 1 mVrms noise and ripple

Short circuit and overload protected PS-8200 with digital voltmeter \$179.00 Also available: 30V/5A, 60V/3A, 60V/5A 16V/10A, 30V/10A



250MHz x1, x10 \$29, 250MHz x100 \$39

DC Power Supply Triple Output PS-8202 \$499.95

Two 0-30 VDC , 0-3A outputs One fixed 5VDC, 3A output Capable of independent or tracking operation Constant voltage and constant current mode Four digital meters for volt and current display Excellent regulation and low ripple EXCENSIVE Equation and over impre-Short circuit and overload protected Also available: 30V/5A, triple output \$549 Dual tracking 30V/3A, 30V/5A, 60V/3A, 60V/5A \$549.95



RF SIGNAL GENERATOR SG-4160B \$119.00

100 kHz-150MHz sinewave in 6

RF Output 100mVrms to 35 MHz Internal 1kHz, External 50Hz-20kHz AM modulation

Audio output 1 kHz, 1 Vrms

GEN./COUNTER

source Sensitivity <50mV

Generates RF signal same as

SG-4162 AD \$229.95

6 digit frequency counter 1Hz - 150

MHz for internal and external

RF SIGNAL

SG-4160B

AUDIO GENERATOR AG-2601A \$119.00

10Hz - 1MHz in 5 ranges Output: 0-8Vrms sinewave

0-10Vp-p squarewave Synchronization: +3% of oscillation frequency per Vrms

Output distortion: 0.05% 500Hz - 50kHz 0.5 % 50Hz - 500kHz Output impedance: 600 ohm

AUDIO GEN./COUNTER

AG-2603AD \$229.95 Generates audio signal same as

AG-2601A

6 digit frequency counter 1Hz-150MHz for internal and external sources Sensitivity <50mV

FUNCTION GENERATOR FG-2100A \$169.95

0.2 Hz -2 MHz in 7 ranges Sine, square, triangle, pulse and ramp Output: 5mV-20Vp-p 1% distortion, DC offset + 10V VCF: 0-10V control frequency to 1000:1

FUNCTION GEN/COUNTER FG-2102AD \$229.95

Generates signal same as FG-2100A Frequency counter 4 digits Feature TTL and CMOS output

SWEEP FUNCTION **GEN./COUNTER** \$329.95

0.5Hz to 5 MHz in 7 ranges Sweep: Linear 10:1/Log 10:1 20ms to 2s **AM Modulation**

Gated Burst, Voltage Control Generator Generator Control Voltage & 6 digit counter 1Hz-10MHz for internal & external sources

ALFA ELECTRONICS

741 Alexander Rd., Princeton, NJ 08540

(800) 526-2532/(609) 520-2002 15 DAY MONEY BACK GUARANTEE. 1 YEAR WARRANTY FAX:(609) 520-2007

CALL OR WRITE FOR FREE CATALOG AND BEST OFFER.

Visa, Master Card. American Express, COD, Purchase Order Welcome

CIRCLE 26 ON FREE INFORMATION CARD

VCR ALIGNEMENT TOOL KIT

- 7 Assorted head & guide aligners
- VCB Head puller
- Retaining ring rem
- Spring hook
- Micro screw
- Hex key se
- Fitted vinyl

VCR HEADS Order No 24-3350

24-2800

24-0150

24-2475

24-0275

24-0350

24-0475

24-0550

24-2550

24-1750

24-0650 24-0775

24-0800

24-0900

24-1075 24-1200

24-1375

24-3900

24-2000

24-1950

24-2625

24-2100

24-2300

- Soft zippered case
- 3 Reversable screwdrivers (Small-Flat-Philips)

Dimensions: 91/2"(W) X 121/4"(L)

DAEWOO

GOLDSTAR

GOLDSTAR

FUNAL

HITACHI

HITACHI

JVC

JVC

ORION

PANASONIC

PANASONIC

PANASONIC

PANASONIC

PANASONIC

PANASONIC

PANASONIC

PANASONIC

SAMSUNG

SHARP

SHARP

TOSHIBA

SONY



\$16.50

16.50

14 99 19.00

16.50

35.00

28 50

32.50

14 99

16 50

15.00

14.99

14.99

14 99

30.00

28:00

28.00

41.95

16.50

35.00

14.99

14.99

975A215400

545-7952/9781

805901-05

4130504

5132090

545-8321

PU-20850C

PQ-20014-B

1590D000002

PDM2008A

VEH-0116

VEHS-0095

VEHS-0115

VEHS-0015

VEHS-0077

VEHS-0146

VFHS-0495

DRS84R

70321991

6900-370-011

DDRMU0002HE21

DDRMU0004E10

VEHS-0385/0191

SEMICONDUCTORS

Low Frequency Power Transistors

SHIP UP TO 5 Ib. FOR ONLY \$395/ 2nd DAY AIR

1-800-325-2264

(AF driver, VCBO: 180V, 1.5A, 100 hFE)

We carry over 14,000 original

Semi-conductors & many

other electronic parts

Please mention this >> CODE REO6 (Excluding Alaska, Hawaii, & P.R.) when ordering

(NPN-Si) BD-135 Repl. ECG: 373 (PNP-Si) BD-136 Repl ECG: 374

(Volte	ige Regulators) No.	Repl. ECG Nº
7805	(Pos VR, 5V, 1A)	960
7806	(Pos VR, 6V, 1A)	962
7809	(Pos VR, 9V, 1A)	1910
7812	(Pos VR, 12V, 1A)	966
7818	(Pos VR, 18V, 1A)	
7824	(Pos VR, 24V, 1A)	972
7905	(Neg VR, 5V, 1A)	961
7906	(Neg VR, 6V, 1A)	963
7912	(Neg VR, 12V, 1A)	967
7915	(Neg VR, 15V, 1A)	969
7918	(Neg VR, 18V, 1A)	959
7924	(Neg VR 24V 1A)	971

\$20.00 MINIMUM ORDER




While Supplies Last Up to 60% Off On all replacement

FLYBACK TRANSFORMERS

Order N°		-	
63-0425	CURTIS-MATHES	471-05200	\$19.00
63-0196	DAEWOO	DCF-1577	11.50
62-810	EMERSON	04-321-4002	14.90
63-0286	EMERSON	04-321-4003	12.50
63-0189	GOLDSTAR	154-074R	12.50
63-460	GOLDSTAR	154-122E	11.99
62-850	HITACHI	243-4391	16.50
62-860	HITACHI	243-4401	13.99
62-490	PANASONIC	TLF-14617F	14.50
62-560	PANASONIC	TLF-14530F	19.50
62-601	PANASONIC	TLF-14706F	19.95
63-0475	RCA (original)	1455864-501	19.95
63-0160	SAMSUNG	FCC-1415AL	11.50
63-0203	SAMSUNG	FCK-1415AL	11.50
63-810	SHARP	RTRNF-0003PEZZ	12.50
63-0126	SHARP	RTRNF-0011PED	12.50
63-840	SHARP	RTRNF-0015CEZZ	12.50
63-0112	SONY	1-439-254-13	12.50
63-0170	SONY.	1-439-254-00	12.50
63-0113	SONY	1-439-273-00	15.99
63-0346	SONY	1-439-235-00/11/21	17.00

ROCK BOTTOM PRICES ON POPULAR SEMI'S (Minimum 10 pieces per Item.)



VIDEO HEAD TESTER

To determine whether a video head is in good condition by detecting the wear state of the video head and indicating it on the meter. This will serve as a tentative guidance for confirming the wear state of the video head.



CONNECTORS F Male for RG 59/U Cable

• 1/4" ring included Order Nº 15-0459

D Sub Connector

• 25 Pins • Solder Type

Order N°15-0976 ---- Male Order N°15-0973 ----Female



CABLES Order N°

6 feet long 17-1298 3 Prong AC cord SONY Type

Panasonic Type 17-1460 Universal Type Minimum 10 pieces per Item











SPLITTERS

Zinc die cast • UHF/VHF/FM Order N° • 75Ω • 5-900 MHz

55-610 2Way B 55-640 ... 3Wav

C ... 55-670 4Way Minimum 10 pieces per Item







QHF/VHF/FM Indoor usage • 75-300 Ω 19¢ Order N° 55-120

Matching Tarnsformers

. F-59 push on to twin lead • 4-ft cable w/F-59 Conn

69¢ • 75-300 Ω · VHF Order Nº 55-170

UNIVERSAL AC/DC CONVERTERS

. Multi-Output AC/DC Wall Outlet Adaptor Order No

40-001 (1.5, 3, 4.5, 6, 7.5, 9, 12V DC) 40-002 (3, 4.5, 6, 7.5, 9, 12V DC) 40-003 (3, 4.5, 6, 7.5, 9, 12V DC)

- LED power indicator
- · Polarity Reversing Switch
- Switchable 110/220VAC 50/60 Hz
- 6' Molded Cable with Multi-connector

Minimum 5 Order nº	pieces Specs	(No Mixing Pleas	,
40-001	18W -10	00mA \$2.7	75

..... 9W - 500mA 40-002 40-003 5W - 300mA ... 1.99 Please mention this >> CODE REO6





4225 N.W. 72nd Ave. • Miami • Florida • 33166 Tel.: (305) 716-1016 • Fax: (305) 594-6588

3" TEST TIP TO BANANA PLUGS

· Black and Red set

Minimum 10 Pleces Order N° 56-1006



4¢

UNIVERSAL DUAL TV ANTENNA

• 5 sections • 9 1/2" collapsed • 39" extended



Order Nº 58-205 Minimum 10 pieces

DIGITAL MULTIMETER

- . Withstands 5' drop.. Includes Fuse & spare
- 2000 Hr Battery life(9V) Test leads.
- DC Voltage range: 200mV-1000V.
 AC Voltage range: 200V,750V.
 DC Current: 2-200mA,20A
- Dim.: 6 1/2"(H) x 3 1/4"(W) x 1 1/2"(D).

Order Nº 50-047



10 COLOR CODED LEADS Order N° 56-500 HEAVY DUTY

. 10 Total Leads 2 each Black, Green, Red, Yellow, White

• Insulated 11/2* Alligator Clips

20 Gauge Wire Size Minimum 5 pieces

6 OUTLETS POWER STRIP A.C. 125Volt, 15 Amp.(4 feet Cord)

- Lighted Switch
- · Reset Circuit Breaker

Minimum 2 pleces Order Nº 40-029



Overload protection on all ranges

- Diode test function Built-In tilt stand.
 Polarity & Overload Indicators
- Resistance: 200Ω-20MΩ.





INDOOR TV ANTENNA

- · UHF / VHF / FM · 10" metal dish
- Antenna Length 37" extended
 Tuning / Rotator Knobs Base dimensions (6 3/4" X 9") Order Nº 58-1025 "Ivory Color"

Order Nº 58-1059 "Black Color" Minimum 2 pieces per item



QUALITY PARTS . DISCOUNT PRICES . FAST SERVICE

INCREDIBLE SAVINGS! 30' CABLE



Originally made to connect Digital Audio Tape machine to a remote controller, this "snake" cable consists of four separate 9 conductor

plus drain wire, foil-shielded cables in one jacket. The conductors are stranded 24 AWG wire. Each end of each smaller cable is terminated with DB-9P connectors. The cable is wellmade and quite flexible for its size. Snake cable nominal O.D. is 0.52". Interior cable O.D. is 0.15". The outer jacket can be slit and removed if only the 9 conductor cable is required. DB-9 connectors include thumbscrew holddowns. If you are using

multiconductor shielded cable this is a great deal. CAT# CBL-3

2 for \$10.00

720K 3.5" INTERNAL **FLOPPY DRIVE**

Sony # MP-F11W-2Z Brand new 720 KB floppy drives. Built for an OEM product, these are, in every way, compatible with PC/XT/AT computers except that

the faceplate is slightly larger than those on exact replacements. The faceplate size on these is 4.04" X 1.23". (Normal size is 4" X 1"). The faceplate is removable and can be trimmed if desired. In some cases it may work without trimming. Also, we have found that, when used in 5.25" bays with the adapter kit below, the adapter can easily be modified to accommodate the unit. Because of this slight inconvenience, we are selling these drives at \$

an incredibly low price. CAT# MPF-11SF

10 for \$120.00

each

INSTALLATION KIT for MPF-11SF

allows for installation into 5.25" drive bays. Simply cut and remove three plastic gussets to install. CAT# FDD-3.5 \$3.50 each

LARGE QUANTITY AVAILABLE

9 FOOT DUAL **AUDIO CABLE**



9' shielded dual audio cable with color coded (red and yellow) RCA style pin plugs either end. Black cable.

CAT# DCB-108

10 for \$8.50 • 100 for \$75.00 1000 for \$500.00

SMALL STEPPING MOTOR

Airpax # NB82115-M3 12 Vdc, 65 ohm stepper motor with 6 leads, 15 degree step angle. 1" diameter x 0.5" high.

Mounting flange with holes on 1.25" centers. 0.08" (2mm) dia, X 0.2" long shaft, 0.27" dia pulley is press-it onto shaft. Great 50 for robotics and experimentation. each

CAT# SMT-13

10 for \$12.50

VIDEO HOOK-U



High quality 6' video patch cables. Belden # 9104 "Duobond" dual shielded RG-59 cable with heavy-duty F connectors hex-crimped onto each end. 00

Large quantity available.

CAT# VHU-6S

10 for \$7.50 • 100 for \$60.00

"HI-8" VIDEO CASSETTE (USED)

8 mm Video Camcorder Users!.

Top quality, metal particle 120 minute video cassettes. Used for a short time, then bulk-erased Each cassette has its own plastic storage box. Satisfaction Guaranteed!

CAT # VCU-8




10 for \$28.00 100 for \$250.00

NOW! Visit Our World Wide Web Site .. http://www.allcorp.com/allcorp/

9 VOLT 60 MA SOLAR PANEL

These 6" X 6" glass enclosed photovoltaic panels produce 9 Vdc at 60 mA. Ideal for charging batteries and powering small devices. Put two or more together for more current and voltage. Includes metal connectors and instructions for soldering directly to panel.

\$525 each



CAT # SPL-960

640 X 480 LCD PANELS WITH BUILT-IN DIGITIZER

Two sizes available, both originally designed for laptop computer/note pad. Built-in digitizer to be used with a stylus for hand written notations. Onboard drivers operate on 5 vdc (logic) and 18 vdc (LCD). Full documentation on both

SHARP LM64P90

Built-in CCFT backlight. Overall dimensions: 10.19" x 7" x 0.35" Viewing area: 7.88" X 6"



Dot size: 0.27mm X 0.27mm. White dots on black background. CAT # LCD-31

SHARP LM64194F

Overall dimensions: 8" x 5.75" Viewing area: 6" X 4.5". Dot size: 0.21mm X Black dots on



white background. CAT # LCD-32

MANUFACTURERS - We Purchase EXCESS INVENTORIES ... Call, Write or Fax YOUR LIST.

CALL, WRITE or FAX For A Free 64 Page CATALOG. Outside the U.S.A.

send \$2.00 postage.

ORDER TOLL FREE

MAIL ORDERS TO: ALL ELECTRONICS CORP. P.O. BOX 567 VAN NUYS, CA 91408-0567

1-800-826-5 E-MAIL allcorp@allcorp.com

FAX (818) 781-2653 INFO (818) 904-0524



NO MINIMUM ORDER • All Orders Can Be Charged to Visa, Mastercard or Discover • Checks and Money Orders Accepted by Mail . Orders Delivered in the State of California must include California State Sales Tax . NO C.O.D • Shipping and Handling \$5.00 for the 48 Continental United States - ALL OTHERS including Alaska, Hawail, P.R. and Canada Must Pay Full Shipping • Quantities Limited • Prices Subject to change without notice.



NATIONS LARGEST RECEIVER OUTLET

SUMMER SUPER SALE!!!

AOR

AR27001-3 \$399.95 AR80001-3 \$599.95 AR3000A 1-3 \$1029 \$997.95 SDU5000A/I

CRUNDIC

YB305 \$137.95 NEW \$179.95 **YB400** HOT \$388.95 Special SAT700

DOWE

\$579.95 HF150 Compact \$999.95 HF225E Europa

SANGEAN

\$99.95 ATS202 ATS606P w/Ant60 \$169.95 \$137.95 **ATS808** \$147.95 **ATS818**

REALISTIC

PRO62 (CALL) \$239.95 (CALL) \$359.95 PRO2035

Bearcat SALE!!!

BC3000XLT 25-550/760-1300MHz(1) #

Scan 100ch/sec, search 300ch/sec, 400 memory channels, 20 x 20 banks.

LIST \$499.95 EEB \$369.95

BC9000XLT 25-550/760-1300MHz(1)

· Alpha numeric LCD on all 500 memory ch. Scan 100 ch/sec, search 300 ch/sec, data skip, attenuator 15dB, COR recorder control.

LIST \$769.95 EEB \$389.95

BCT-7 All Band 26-956MHz(1)

· A must for the frequent highway travellers. 7135 pre-programmed chs., search by state & service. Police, HP, DOT, Fire, News, WX, CB, plus 100 User memories, scan 100 ch/sec



Other BEARCAT Scanners...

\$129.95 BC760XLT(1-2) \$199.95 BC120XLT SC150Y/B(1) \$169.95 BC860XLT(1) \$169.95 BC148XLT-1(1) \$99.95 BC890XLT(1-2) \$229.95 BC220XLT(1) \$224.95

- (1) Cellular Block (not restorable)
- Cellular Block, but can be restored (3) Un-Blocked O.K. to qualified buyers (Govt., Export, etc.)

Check out EEB's NEW BBS!!!

Dial us up, Check us out! Tech Info, Used-Demo Specials, MORE!

1 - 703 - 938 - 3781

JOIN THE OPTO/AOR REVOLUTION!!!

 OPTO Electronics and AOR are revolutionizing the scanner world. The new Scout 40 version 3.1 and the AOR AR2700/AR8000 scanners gives you the intercept power in your hands, that just a few years ago could only be a dream. Imagine having your scanner hop on

a signal the instant someone presses the mic button. The Scout will reaction tune your AOR scanner in a blink of an eve to any locally generated signal.

■ WHERE is the Scout most effective?) Sporting events, car races, air shows, NEWS gatherings, accident scenes, air ports, railroads, marinas, fast food drive-thrus, many more applications. Everywhere you turn today there's a walkie-talkie in use. Listen in, it's your world.

WHO needs the Scout/AOR System?) NEWS service, local TV/Radio stations, Police, DEA, Air ports, anyone that wants to know what is being transmitted in the immediate area, plus thousands of scanner listeners, FBI, Law enforcement, SWAT team, and surveillance.

WHAT do you need? 1. Scout 40 version3.1

2. AOR AR2700/AR8000 3. Input jack, modification to scanner

4. Interconnect cable. 5. Scout 40 V3.0 requires CB-AR cable \$49.00 EEB SPECIAL PACKAGE DEAL

AR2700, Scout 40 version3.1, Mod to AR2700, cable, (regular discount price \$899.90)...Package Deal \$839.95

AR8000, Scout 40 version 3.1, Mod to AR8000, cable, (regular discount price \$1090)... Package Deal \$1039.95

EEB will install jack and wire in scanner, assure that your AOR warranty is good for one year and completely check out your system on our lab prior to shipping.

FREE with system purchase.

FREE AR2700/AR8000 Modification (\$50 value) AR2708 list \$499.95 DR \$399.95 AR8000 list \$799.95 EER \$599.95

SAVE up to \$300

OFF list price

EEB \$50.00 MODS EEB \$20.00 Cable CB RT EEB \$419.95 SCOUT 40 v3.1 list \$449.95

Special SONY Summer SALE!!!

• ICFSW55 •

"Among the best performers in compact portables, audio quality among the best, a superior performer in it's size class". (IBS Passport)

• 150kHz • 30MHz, 76 • 108MHz • AM, FM, CW, LSB, USB

· 125 station memory preset · Factory preset name tuning provides easy access to popular SWL stations . Direct keyboard entry . World clock rotary tuning dial for roam-1001 ing the dial . Power 6VDC, or

Other SONY's at Special

included.

Summer Prices

ICFSW7600G \$179.95 · ICFSW100 \$344.95

· ICFSW30 \$104.95 ICFSW77 \$459.95 ICFSW33 \$159.95 \$344.95 . ICF2010



Limited Time... \$319.95

95 Catalog...FREE

96 Pages, SWL,

Scanners, Amennas,

Books, Lots more.

3 year Extended Warranty \$32.95

W.J HF1000 World's Ultimate Receiver

\$3799 Opt. Preselector




HE1000D \$649.00 **GE SUPERADIO II**

Puts the fun back into AM Radio!!! Everyone needs a good AM/FM DX radio. Great audio, large ferrite antenna, 4 LF, stages

\$59.95



- Improved Ergonomics Dynamic range (+100dB) 3rd OIP +20dBm
- Increase memory to 440 ch. Scan 40 ch/sec.



your R8, call for Quote. R8A \$1085.00

FREE in the U.S., 3rd class (4 weeks) \$2 1st class (1 week) \$2 Can/Mex. \$5 e sewhere

ELECTRONIC EQUIPMENT BANK


323 MILL Street NE Vienna, VA 22180

ORDERS: 800-368-3270 Local Tech: 703-938-3350 FAX: 703-938-6911

- Free Catalog in USA
- · Prices Subject to change
- Prices do not include freight
- · Returns subject to restock fee up to 20%

October 1995, Popular Electronics













The Ultimate Meter

Popular Electronics (reviewed 5/93) 'Not only does the Kelvin 94 boast a lot of features...the features go the extra distance."

"If we had to run into a burning building to do some emergency trouble-shooting and could carry only one piece of equipment, the Kelvin 94 would be it!'

True RMS. LCR. Hz. dBm ★ 0.1% Accuracy ★



AC/DC Voltages Cont. Tester-Buzzer 3-1/2 Digit LCD Low Battery Indicator **Battery Test** #990087

Transistor Battery Test DC Current 10 Amp

#990122

Freq. Counter up to 20MHz Capacitance from 1pF to 20uF **Transistor** AC/DC Current 10 Amp #990123

TANDARD A AC/DC Voltages DC Current Resistance
Continuity Tester Buzzer Diode Test
EATURES: 10M ohm Input Imp. Accuracy +/- 0.5% RDG

Protective Meter Cases for 100-300LE 990088 Protective Meter Case for 400LE990094 \$495

Inductance resolution of 1uH Freq. Counter up to 20MHz Cap. from

1pF to 200uF AC/DC Current **Transistor Duty %** 20 Amp

#990124

INSTRUMENTS IN ONE

DC Voltmeter, AC Voltmeter, Ohmmeter. AC Current, DC Current. Diode Tester. Audible Cont: Tester, dBm, Freq. Counter, Capac. Meter, Inductance Meter. Logic Probe #990111

GoldStar Precision

ANALOG **OSCILLOSCOPES**

OS-9020A 20Mhz, 2-Ch. **Dual Trace**

#740085 **\$**



COMMON FEATURES

- 6" Rectangle CRT (8x10 Division);
- Variable Hold-off Function.
- Ch 2 Polarity Inversion Switch
- Level Control for superior triggering
- High Sensitivity X-Y Operation Z-Axis (Intensity Modulation)
- Vertical Gain Sensitivity
- Horizontal Sweep Time X10 mag.
- TV Sync Circuit
- Automatic Focus
- 100-240V, 50/60 Hz Power Source
- Meets IEC-348 Safety Req.
- 2 Year Warranty
- Includes: operator's manual, spare fuses, power cord and probe set

100 MHz Analog w/ delayed sweep (Model OS-9100P)......#740111 1079

GoldStar Pracision 2MHz Sweep **Function Generator**



FEATURES

- 0.02 Hz 2 MHz Sine, Triangle, Square, Ramp, Pulse, and TTL
- Variable Symmetry
- VCF
- DC Offset
- Maximum Attenuation: 40 dB

(Model FG-8002)

#720098

MT-100 Reg. \$599.

\$399.00

Four Instruments in One Instrument

1 Function Generator

- Sine, Square, Triangle, Pulse, Skewed Sine, Ramp, TTL. 0.2 Hz ~ 2MHz
- ² Frequency Counter
 - 8 Digit LED 1 Hz ~ 100MHz
 - ± (1 Hz + 1 dgt. + Time Base Error)

3 Power Supply

- 3-1/2 Digit LCD Triple output: #1, 0~50V, 0.5A MAX #2, 15V, 1A #3, 5V, 2A

4 Digital Multimeter

- 3-1/2 Digit LCD
 DCV, ACV, Ω, DCA, ACA

• ± (0.5% + 2 dgts)

2MHz Function Generator FG-140

Reg. \$249. \$149.00



- 0.2 Hz ~ 2.0 MHz, 7 Decades Sine, Square, Triangle, Pulse,
- Ramp, Skewed Sine

 VCF, Symmetry Variable DC Offset Control

2MHz Sweep Function Gen. w/Freq. Counter FG-150

Rea. \$399. \$229.00



- · 4 Digit LED Display Sine, Square, Triangle, TTL, Pulse, Ramp, Skewed Sine
- Linear/Logarithmic
- Sweep
 10 MHz Freq.

1.0GHz Frequency Counter, High Resolution FC-200

Reg. \$399. \$219.00



- 1.0 Hz ~ 1.0 GHz • 8 Digit LED
- Display Auto & Manual
- Range 4 Selectable Gate Times
 • 1MΩ & 50Ω Input
- Impedance

GoldStar O'scopes

Cursor Readout & Digital Storage

Call for BMC Unbeatable Prices



PS-500 DC Power Supply Reg. \$249. \$159.00

- 0-30VDC
- . Short & Overload Protection



DC Power Supply PS-540 Reg. \$399. \$289.00

- 0 16 VDC
- 0.1 ~ 10A
- Short & Overload Protection

Deluxe O'scopes w/Phillips CRT. 2 yr. Parts/Labor Warranty

OS-3304

Reg. \$499. \$339.00



OS-3324

Reg. \$599. \$399.00



OS-3344

Reg. \$899. \$649.00



Oscilloscope Probe Kit

Switch Selectable X1/X10

HP-9060, 60MH: Reg. \$29, \$19.00

HP-9150, 150MHz Reg. \$49. **\$29.00**

OS-3304 25MHz, Dual Trace

- 1 DC to 25 MHz. Dual Channel 6" Rectangular CRT with Internal Graticule 10x8cm (Phillips P31)
 - Uncalibration LED.
 - . High Sensitivity 1 mV/div to 2mV/div X-Y modes, Z Axis (intensity modulation)
 - Rise time 14n Sec. or less
 - Full TV Trigger for TV-V & TV-H
 - Acceleration Potential 2kV
 - 60MHz (X1.X10) Probe Kit: 2 sets

Power: 115/230V AC

0S-3324, 3 Function

- 1 OS-3304
- 2 Dual Component Tester/Comparator
- 3 Triple DC Power Supply 5VDC, +12 VDC, -12VDC

OS-3344. 5 Function

- 1 + 2 + 3 OS-3324
- Frequency Counter
 100MHz, 7 Digit LED Display
- 5 Function Generator 0.02 Hz to 2.0 MHz

CM210

• 3 1/2 Digit

9 Ranges • 0.5% basic

Zero Adjust

Test Leads &

Accu

Knob

0.1p-20,000µF

LCD

Capacitance Meter

Reg. \$79. \$49.00

OS-3315 40MHz. Dual Trace **Sweep Delayed**

Reg. \$799.

\$549.00



- . DC to 40 MHz. Dual Channel
- Delayed Sweep 100nS to 1.0S 7 decade
- · 6" Rectangular CRT with Internal Graticule 10x8cm (Phillips P31)
- Uncalibration LED.
- High Sensitivity 1 mV/div to 2mV/div X-Y modes, Z Axis (intensity modulation)
- · Rise time 8.5nS or less. • Full TV Trigger for TV-V & TV-H
- Acceleration Potential 12kV
- Variable Hold Off • 16ns ~ 1.0s Time Base
- . 60MHz (X1.X10) Probe Kit: 2 sets
- Power: 115/230V AC

Multifunction DMM



Reg. \$89. \$59.00



DM3050

- 3 1/2 Digit 1.5" Big LCD
 Heavy Duty,
- 20A AC/DC Capacitance
- Diode Continuity
- Frequency
 TR-hFE



BelMERIT DM5050C DM5100

Reg. \$149. \$89.00

> including Deluze Holster

Features (DM5050C/DM5100)

- Basic DCV Accuracy: ± 0.25%
- AC/DC Volt & Amp, Ohm
- Diode, Continuity Beeper Alligator Clip Test Leads
- · Lead Holders/Velcro Strap Holster

DM5050C, DMM + Capacitance

- 9 Function / 42 Range
- Multimeter Ohm: Up to $\mathbf{2000M}\Omega$ Amp: AC/DC 2 Amp
- Extended Capacitance Meter (9 Range) 0.1pF 20,000µF
- Zero Adjust Knob Trig Lamp

DM5100, Wide Range w/Logic

- 11 Function / 45 Range
- Auto Power Off
- · Data Hold & Peak Hold
- Freq: Up to 20MHz
- · Amp: Up to 20A AC/DC
- \bullet Ohm: Up to 200M Ω Capacitance: 1p - 200μF
- · Logic: TTL, TR hFE

HP-9250, 250MHz Reg. \$59. \$39.00 Your Best Source for High Standard Electronics

20 Highpoint, Dove Canyon, CA 92679

Order & Free Catalog



108

October 1995, Popular Electronics

Pen-Type DMM w/Logic

Reg. \$79. \$59.00

DM150

• 3 1/2 Digit

· DCV. ACV.

· Dual Display

Auto & Manua

ACA, DCA, Ω

Logic CMOS/TTL

Data Hold

Continuity

Diode

Gateway Products Corp.

Please mail orders to: P. O. Box: 93-6397 Margate, FL 33093

DEAL U3.....\$5.00

Includes 2 pcs of each: LM324, LM339, LM358, NE555, LM556, LM741.

DEAL V2.....\$4.00



Includes 2 pcs of each: CMOS IC: CD4001B. CD4011B CD4013B CD4017B CD4028B CD4066B. CD4069B

DEAL A2.....\$3.00

Rated 50V. Radial Electrolytic Capacitors. Includes 5 pcs of each:

33uF 10E 4.7uF 10uF 2 2uF 47uF 3.3uF 22uF

DEAL A7... \$4.00

Rated 25V. Radial Electrolytic Capacitors. Includes 5 pcs of each:

10uF 47uF 330uF 100uF 470uF 33uF 220uF

DEAL R4.....\$2.50

50V. Rated Ceramic Capacitors. In-Disc cludes 5 pcs of each:

150pF 10pF 33pF 47pF 100pF 22pF 220pF 27pF

DEAL R7.... \$2.50

Rated 50V. Ceramic Disc Capacitors. Includes 5 pcs of each:

270pF .001uF .047uF .01uF 330pF 470pF .022uF

DEAL B5.....\$2.50

Rated 50V. Mono Caps. Includes 10pcs of each: .01uF .047uF 022uF 1uF

DEAL T6.....\$3.50

Rated 35V, Radial Tantalum Capacitors. Includes 5 pcs of each:

DEAL Y6.....\$2.00

1 Amp Schottky Diodes. Includes 3 pcs of each: 1N5817(1A/20V) 1N5818(1A/30V) 1N5819(1A/40V)

DEAL Y9.....\$3.00

3 Amp Schottky Diodes. Includes 3 pcs of each: 1N5820(3A/20V) 1N5821(3A/30V) (3A/40V) 1N5822

DEAL Z5....\$2.00

Watt Zener Diodes Includes 5 pcs of each: 1N4728A..... 1N4733A..... (5.1V) (9.1V) 1N4739A..... 1N4742A.....(12V) 1N4744A 1N4746A (18V

DEAL H8.....\$3.00

Includes 5 pcs of each: 1N5401(3A/100V),(3A/400V). 1N5404 1N5408 (3A/1kV) 6A10(6A/100V 6A100 (6A/1kV

DEAL P7.....\$2.00

Includes 10pcs of each: 1N914. 1N4148. 1N4001 (1A/50V), 1N4004(1A/400V), 1N4007 (1A/1kV)

DEAL G5.....\$2.50

Germanium Diodes. Includes 6 pcs of each: 1N34A 1N60 1N270

DEAL W2.....\$2.50 -(11111)-

1/4W 5% Resistors. Includes 20 pcs of each: 10, 47, 100, 470, 1K, 4.7K

DEAL W5.....\$2.50 -

1/4W 5% Resistors. Includes 20 pcs of each: 10K, 47K, 100K, 470K, 1M

DEAL S3.....\$5.00 1/4" panel hole. Incl. 2 of each:

SPDT.....on-on SPDT... on-off-on DPDT.....on-on DPDT

DEAL L3....\$2.50 6mm (T1 3/4) LEDs Includes 10pcs of each color:

Red Green Yellow

\$3.50 DEAL N8....

Small signal transistors. includes 10pcs of each: PN2222A 2N3906 PN2907A 2N3904 2N4403

DEAL M3....\$5.50 Vtg. Regulators.

Incl. 3 pcs.each: 7805 7905 7812 7912

DEAL J1....\$3,50 Vtg. Regulators. Incl. 5 pcs each: 78L05 78L12

DEAL X8.....\$3.00



Includes 2 pcs of each 400V Bridge Rectifiers.

DEAL L6....\$2.50 3mm (T1) LEDs Includes 10pcs of each color:

Red Green Yellow

DEAL Q2.....\$4.00

Small signal transistors. Includes 5 pcs of each: MPSA05 MPSA42 MPSA56 MPSA27 MPSA92

More Regulators 7808 7815.....47¢ 7824..... 47¢ 70n8 50¢ 50¢ 7915 LM317T 80¢

More **Transistors** 2N2222A ... 30¢

2N4124.....8¢ 2N4126. MPSH10 10¢

2N3055.....52¢

.40¢ TIP32C 40¢ TIP117.....50¢ TIP120..... 50¢ TIP125 504

2 2uF .. on-off-on \$10.00 minimum order. We accept VISA, MC, MO, Checks. Sorry no CODs. Please add \$4 for shipping & handling (foreign addresses: \$8). Florida addresses add 6% sales tax. Hours: Mon-Fri: 9AM to 5PM, Sat: 9AM to 12PM (EST). All new premium parts. Send for free Catalog.

BREAST CANCER BEGINS THAT SWHY YOU NEED A YEARLY MAMMOGRAM

ESPECIALLY AS

YOU GET OLDER.

MAMMOGRAMS

CAN DETEC



Radiotelephone - Radiotelegraph

Commercial License

Why Take Chances?

Discover how easy it is to pass the exams. Study with the most current materials available. Our Homestudy Guides, Audio, Video or PC "Q&A" pools make it so fast, easy and inexpensive. No college or experience needed. The new commercial FCC exams have been revised, covering updated Aviation, Marine, Radar, Microwave, New Rules & Regs, Digital Circuitry & more.We feature the Popular "Complete Electronic Career Guide" 1000's of satisfied customers Guarantee to pass or money back.

Send for FREE DETAILS or call 1-800-800-7588 WPT Publications 4701 N.E. 47th Street

Vancouver, WA 98661 Name Address

> St. Zip 1-800-800-7588

Tap into a World of...

FREE ELECTRICITY

Our 150+ page Self-Reliance Catalog IS JUST LOADED WITH DC to AC ENERGY INDEPENDENCE ...

We offer:

Solar, Wind & Hydroelectric energy systems. True Sine Wave DC to AC Inverters. Electric Boat & Car kits. Portable power packs. Solar Lighting & Cooling systems. Solar Pool Heaters. Solar Battery chargers. Solar Books & Toys, DC Appliances. Active & Passive Solar Air & Water Heating Systems.

Composting Toilets. Hydroponic, Fish-Farming, Solarium & Greenhouse Systems. Water Testing, Treatment, & Pumping Systems.

Emergency Food & H₂0 Kits. High Efficiency AC/DC Refrigeration + More...

A LOT OF INFORMTION FOR ONLY \$6.75 SEND CHECK or MO TO:

Self-Reliance Company Inc. Florisssant, MO 63032 P.O. Box 306.



818-913-6735

ORDER TOLL FREE

1-800-669-4406

24 hr. Fax: 818-912-9598

ERPOM UV ERASER

The ERA-08 EPROM Eraser can hold up to eight devices on its antistatic, conductive foam lined tray. A built-in timer (1-60 min.) provides proper exposure and correct intensity levels, assuring a long life for EPROM's and other erasable devices. A 9V AC adapter is included with the unit.



#M12FRA-08 \$98 95

DIGITAL VOICE MODULE

The DVM-58D has variable length message capabilities and can store up to 16 individual messages for immediate playback. Use it to add real voice prompting or instruction to any project, via the mic. input. Standard 1Mb DRAM on-board (32 sec.@ 32Kbps) with options to expand up to 16Mb (8 min.@ 32K bps). ADM recording with selectable 16/32/44K bps sampling rates and very low power consumption.

RF RECEIVER + DECODER MODULES



#M105858 \$89.95 1Mb DRAM \$5,15 4Mb DRAM \$21.95

The RE-01 Motherboard will

decode a 12-bit address or 8-

The TX-01 Motherboard can encode a 12-bit address code with 4096 possible code combinations or can be used to encode an 8-bit address code

> #M10001E \$9.95



The TX-99 interfaces with the TX-

01 as the RF carrier module, 300

MHz AM with a typical range of 50'

transmitter is also available, model TX-


99K \$15.95)

100' line-of-sight. (Key-chain

#M100003

\$5.95

RF TRANSMITTER + ENCODER MODULES



with a 4-bit data code.

The RE-99 interfaces with the RE-01 as the RF carrier's receiver module and requires only a few solder connections to mate the two. 300 MHz AM.

#M109904 \$6.95




bit address with 4-bits of data. depending on which of the two included IC's is installed into the board. #M10001D \$14,95



PC INTERFACE CARD PROTECTOR

The Data Genie P-300 is a device that allows quick and easy installation of add-on cards or prototype circuits for testing externally on your PC without having to turn off the computer. Maintains complete protection for your motherboard via the built-in protection circuitry & current limit fuses. Adds 3 expansion slots



#M12P300 \$349.95

PIR DETECTOR

The Medusa Passive Infrared Detector has been tested at 20V/m over the frequency range 20 to 1000 MHz. proving that the unit has ultra-high RFI protection and reliability. With N.C contacts including tamper, plus selectable pulse counts of 1,3 or 5, Medusa makes for confident installations

Detects ambient body heat and movement to trigger your connected security system, announcement buzzer, or warning device



#M113300 \$24.95 3+ at \$19.95 each

LASER POINTER

The Infiniter "NBK-2" Laser Pointer's high polished, chrome-like finish is lightweight and can project a beam over 150' to enhance any demonstration or presentation. It even works well on overhead projection screens and can be used in conference rooms, exhibition hall, construction sites, museums, etc.



(2-"AAA" Batteries not included)


#M160012 \$49.95

MELODY DEMO KIT

The HT-381XDPB Demo Sampler Kit comes complete with a preassembled playback board, battery holder and ten Holtek melody IC's. Great for experimenting or adding a musical melody to a project.

Included melodies:

Karinka-Happy Birthday-It's A Small World-Home Sweet Home Yankee Doodle Rock - A-Bye Baby Are You Sleeping? Song Of Joy My Little Tricycle When The Saints Go Marchino In



#M14HT38XDPB \$14.95

ORDER BY MAIL:

ELECTRONICS 123 17921 ROWLAND ST. INDUSTRY, CA 91748 FREE Catalog Available!

Technical Support 818-912-9864

S&H Charges Continental US, up to 3 lbs: **UPSGround** UPS 3-Day \$8.00

UPS Blue UPS Red (Next Day) COD's Add: Calif. Orders Add.

\$10.00

\$20.00 \$4.50

CANADA S&H Charges, up to 3 lbs: US Postal. First Class \$10.00 Prepayment by credit card required.

Sorry No COD orders.

Are Cable Companies Sucking You Dry?



All Major Brands!

catalog

Take a Bite out of High Rental Fees with your own

Converters & Descramblers





Everquest • Panasonic • Jerrold • Zenith • Pioneer Scientific Atlanta • Oak • Eagle • Hamlin • Tocom



Order Toll-Free 1 800 624-1150

Call today for a FREE catalog!

MD Electronics



875 S. 72 Street • Omaha, NE 68114



October 1995, Popular Electronics

October 1995, Popular Electronics

EARN MORE MONEY!



No costly school. No commuting to class. The Original Home-Study course prepares you for the "FCC Commercial Radiotelephone License." This valuable license is your professional "ticket" to thousands of exciting jobs in Communications, Radio-TV, Microwave, Maritime, Radar, Avionics and more... even start your own business! You don't need a college degree to qualify, but you do need an FCC License.

No Need to Quit Your Job or Go To School
This proven course is easy, fast and low
cost! GUARANTEED PASS—You get your
FCC License or money refunded. Send for
FREE facts now. MAIL COUPON TODAY!
Or, Call 1-800-932-4268 Ext. 240

COMMAND	PRODUCTIONS
COMMINION	PRODUCTIONS


FCC LICENSE TRAINING, Dept. 240 P.O. Box 2824, San Francisco, CA 94126 Please rush FREE details immediately!

NAME		
ADDRESS		
CITY	STATE	ZIP

OSCILLOSCOPE

The O-SCOPE is a pocket-size module that plugs into a PC's printer port and turns it into a DSO, Spectrum Analyzer, Freq. Counter, DVM and Data Logger. Accepts standard probes.





Includes software & instructions. Made in U.S.A. Inquiries and Orders Accepted at: 1-800-980-9806

Same-day shipping.

ALLISON TECHNOLOGY CORP.

Technical Phone: 713-777-0401 FAX: 713-777-4746 BBS: 713-777-4753 8343 Carvel Houston, TX. 77036 U. S. A.



CABLE TV Converters & Descramblers

Compatible with

Jerrold, Scientific Atlanta, Pioneer, Oak, & Hamlin

Equipment

BRAND NEW!

6-MONTH GUARANTEE

LOWEST PRICES

Volume Control & Parental Lockout Available

Greenleaf Electronics

1-800-742-2567

NO ILLINOIS SALES

It is not the intent of Greenleaf Electronics to defraud any pay television operator and we will not assist any company or individual in doing the same.

AMREL Offers Lowest Prices & Best Warranties on DC Power Supplies ANYWHERE! AMREL Offers Superior Analog Power Supplies Starting as Low as \$149.00

- Low Output noise rating less than 0.3mV.
- Line/load regulation rated at low 0.01% + 1mV.
- Transient response time of 50µ Sec.
- Overload protection, and Output enable/disable.
- · Coarse and fine voltage/current adjustment.
- Auto series/parallel operations for triple output supplies.

AMREL Offers Features And Prices on Digital Power Supplies That The Competition Can't Beat!

- · Microprocessor controlled.
- · User friendly keypad data entry.
- · Low output noise rating less than 1mV.
- · Line/Load regulation rated less than 2mV.
- Output enable/disable and Power off memory.
- Optional RS-232 interface capability.

Model	LPS-101	LPS-102	LPS-103	LPS-104	LPS-105	LPS-106	LPS-301	LPS-302	LPS-303	LPS-304	LPS-305
Rating	30V/1A	30V/2A	30V/3A	+30V/1A -30V/1A 3-6.5V/3A	+30V/3A -30V/3A 3-6.5V/3A	60V/1A	15V/2A(H) 30V/1A(L)	15V/4A(H) 30V/2A(L)	30V/3A	+30V/1A -30V/1A 5V/2A	+30V/2.5A -50V/2.5A -3-5V/3A
List Price	\$195	\$225	\$295	\$395	\$495	\$245	\$249	\$299	\$,369	\$399	2599
Sale Price	\$149	\$179	\$199	\$375	\$469	\$219	\$199	\$285	\$350	\$379	:569

8931 Brookville Road • Silver Spring, Maryland 20910 • Fax: 800-545-005



call: 1-800-638-2020







CIRCLE 46 ON FREE INFORMATION CARD



CABLE TV

Universal Descrambler NEW PRODUCT



UNIVERSAL 5000

\$199.95

Our fully assembled product is factory tested and *GUARANTEED* to work on your system.

MODEL 4000 KIT

\$ 79.95

The 4000 KIT comes with all the electronic parts and our Cad designed PC board. We provide parts list, full schmatic, wiring diagram and tutorial.

MODEL 4000A Enclosure

£ 44 05

The 4000A Enc. Package will provide the hobbyist, who has our 4000 Kit, a custom enclosure, AC adaptor and finish accessories to enclose their kit.

MODEL 4000 And 5000 Features

- The latest in Video Amplification Technology.
- New clocking circuits to stabilize color and picture performance.
- The most advanced picture locking circuitry.
- Inverted Video Option is available.
- NO CONVERTER BOX is necessary.

The Halcyon Group 1-800-664-6999

Learn MICROCONTROLLERS EMBEDDED SYSTEMS and PROGRAMMING with the New AES-10

The AES-10... a complete learning system, a complete embedded control system.

Extensive manuals guide you through your 8051 development project.

Assembly, BASIC, and C programmable.

All hardware details, complete schematics.

Learn to program the LCD, keypad, digital and analog 1/Os. The entire board is software reconfigurable for your applications. Everything you need, nothing extra required.

80C32 Computer/Microcontroller board with:

• 32K Byte ROM. 32K Byte RAM • 2 by 16 Liquid Crystal Display • 4 by 5 Keypad • Two serial ports • 5 interrupt sources • 3 timers • A/D, D/A, PWM and digital I/O • Built in Logic Probe • Power supply (can also be battery operated) • Extended Intel BASIC and AES Monitor in ROM • RS-232 cable to connect to PC for programming • 805 1/52 DOS Cross Assembler • Program disks with well documented examples • User's Manual, Language Manual, and Text (over 400 pages).

AES-10 \$285 Complete Money Back Guarantee Free Info Pack, M/C Visa 714 - 550-8094 Fax 714 - 550-9941



CALL 1 - 800 - 730-3232

A anced Educational Systems 970 W. 17th St., Santa Ana, California, 92706 USA



UCANDO's unique computer animation makes learning electronics fast and easy. These videos will...allow you to learn at your own pace...help you remember more of what you leam...give you years of quality use...become a valuable source of reference material...make your understanding of electronics complete...and help you build your future today. Call today and see how UCANDO is ...

"Changing The Way The World Learns Electronics."

VT102 Introduction to VCR Repair \$44.95	VT301 Digital 1 \$44.95	VT403 FM Radio Part 2
VT103 VCR Maint. & Repair\$29.95	VT302 Digital 2 \$44.95	VT404 TV Part 1 "Intro to TV" \$44.95
VT201 Direct Current \$44.95	VT303 Digital 3 \$44.95	VT405 TV Part 2 "The Front End" \$44.95
VT202 Alternating Current \$44.95	VT304 Digital 4 \$44.95	VT501 Fiber Optics \$44.95
VT203 Semiconductors \$44.95	VT305 Digital 5 \$44.95	NEW VT406 TV Part 3 "Audio" \$44.95
VT204 Power Supplies\$44.95	VT306 Digital 6 \$44.95	NEW VT502 Laser Technology \$44.95
VT205 Amplifiers \$44.95	VT401 AM Radio \$44.95	
VT206 Oscillators \$44.95	VT402 FM Radio Part 1 \$44.95	Miles

SATISFACTION GUARANTEED!

SAVE! Any 6 videos for only \$240 ... SAVE MORE!!! Any 12 videos for only \$450



Call toll-free 1-800-678-6113

or mail check or money order to:

UCANDO Videos, P.O. Box 928, Greenville, OH 45331



CIRCLE 136 ON FREE INFORMATION CARD

FM TRANSMITTERS **ELECTRONIC KITS AND MORE!**

GUARANTEED!

SHIPPING & HANDLING EXTRA



BUY WITH CONFIDENCE FROM XANDI 30-DAY REFUND POLICY TECH SUPPORT NUMBER (602-894-0992)

- Tunes 88-108 MHz
- Powerful 2 stage audio amplifier
- Sensitive, picks up sounds at the level of a whisper.
- Up to 1 mile range.
- Requires 9V battery. (Not incl.)

SUPER-MINIATURE FM TRANSMITTER Super small FM transmitter. Use with any FM broad-cast receiver. Easy to assemble, all chip (SMT) parts

XST500 (E-Z) Kit

Dial your phone from anywhere and listen to the sounds in-side your home.

Two digit Touch Tone code for secure operation

TELEPHONE SNOOP

The latest in home or office security. Call home from any where, enter a two digit security code, and hear the sounds in your home. Automatically turns on without ringing the shone, verifies code, then activates for one and a half minutes.

XPS-CASE KIT \$13.95 XPS1000 (C) KIT.

- Digital voice changing: male to female, female to male, adult to child, child to adult.
- Anonymity on any call.
- Button for normal operation.
- 16 levels of voice masking.

VOICE CHANGING TELEPHONE

STOP THOSE ANNOYING TELEPHONE CALLS! Sound older and tougher when you want to. Not a kit Fully assembled. Single phone operation only.

TRANSITION 2000 ..

- Miniature photo battery mounts right on circuit board. (Included
- Tunes 88-108 MHz.
- Up to 1/2 mile range.
- Sensitive 2 stage audio amplifier, picks up sounds at the level of a whisper.

MICRO-MINIATURE FM TRANSMITTER Including the battery, this is the Worlds smallest FM transmitter. Use with any FM broadcast receiver. Easy

Transmits a continuous beeping tone

 Adjustable from 88; to 108 MHz.

Up to 1 mile range.

Works with any FM broadcast receiver

TRACKING TRANSMITTER

Only 0.7 by 2.4 inches, the XTR100 operates at voltages of to 18 Volts and is ideal for use in locating lost model rockets bicycles, automobiles, games of hide and seek, and contest

XTR100 (C) Kit ...

- Digital voice changing: male to female, female to male, adult to child, child to adult.
- Use with any modular phone
- 16 levels of voice masking.

Connects between handset and phone

VOICE CHANGING ACCESSORY STOP THOSE ANNOYING TELEPHONE CALLS! Sound older and tougher when you want to. Not a kit. Fully assembled. Use with single or multi-line phones.

 Up to 1/2 mile range. Miniature photo battery mounts

right on circuit board Transmits at 143 MHz.

Amazing audio sensitivity, picks up sounds at the level of a whisper.

CRYSTAL CONTROLLED FM TRANSMITTER Including the battery, this is the Worlds smallest crystal con

trolled FM transmitter. Transmits to any scanner type re ceiver. Easy to assemble, uses pre-assembled circuit board

XTL1000 E-Z KIT

 Uses sensitive microwave transistor amplifier

- Covers 1 to 2,000 MHz
- Compact hand held unit.
- Includes miniature loud speaker for audio indication of detected signals

SUPER SENSITIVE BUG DETECTOR When the XBD200 intercepts a signal in the 1 to 2,000 MHz range, it emits a growl that increases to a high

pitched squeal as the signal strength increases XBD200 (C) Kit ..

- Uninterrupted coverage of 800 to 950 MHz.
- Works with any scanner that can receive 400 to 550 MHz.

800-950 MHz SCANNER CONVERTER KIT If your scanner can receive 400-550 MHz, just add the XLC900 for uninterrupted 800-950 MHz coverage. It converts all 800-950 MHz signals down to 400-550 MHz so your scanner can receive them! Add our custom case kit for that "Professional" look.

XLC-CASE KIT

- Smallest Phone transmit
- Tunes 88-108 MHz
- No batteries required, powered by phone line Up to 1/4 mile range
- Attach to phone line anywhere in house.

SUPER-MINIATURE PHONE TRANSMITTER

Worlds smallest FM phone transmitter. Use with any FM broadcast receiver. Easy to assemble, all chip com-

ponents are pre-assembled to the circuit board

XSP250 (E-Z) Kit Use with any FM broadcast receiver

 Hear every sound in an entire house!

 Up to 1 mile range Powerful 2 stage

audio amplifier.

MINIATURE FM TRANSMITTER

The XFM100 has a super sensitive microphone and is capable of picking up sounds at the level of a whisper and transmitting them to any FM broadcast receiver.

XFM100 (C) Kit Transmit high quality stereo to any FM stereo receiver.

 Built-in output level monitor for quick and easy tuning.

Ideal for use with personal

FM STEREO TRANSMITTER

Transmit full-bodied Hi Fi stereo to any FM stereo re ceiver. Separate left and right inputs and gain controls

includes an output booster stage for greater range. XFS-CASE KIT \$41.95

TEMPE, AZ 85285-5647

XFS108 (C) KIT . SEND MAIL XANDI ELECTRONICS BOX 25647 ORDERS TO:

XANDI Serving to Serving the public since 1981 1270 E Broadway Rd. # 113, Tempe AZ 85282

TOLL FREE ORDER LINE 1-800-336-7389 ASK FOR FREE CATALOG OF OUR PRODUCTS

CIRCLE 134 ON FREE INFORMATION CARD

www.americannadiohistory.com

Check Out These Deals From CUIT SPECIALISTS

Circuit Specialist's Positive Photo Resist Pre-Sensitized Printed Circuit Boards



These pre-sensitized printed circuit boards are ideal for small production runs. They provide high resolution and excellent line width control. High sensitive positive resist coated on loz, copper foil allows you to go direct from your computer plot or art work layout. No need to reverse art.

Electronic Soldering System

Here's the ideal solution when Temperature Control is required. Easy to use slide control allows user to set system from 300°F to 840°F. Voltage to iron from control unit is 24V. Iron heating power is 48W. Replace-able 5.3mm tip is standard. Replacement

irons a	na tips are available	· .	
		PRICE	EACH
CAT NO	DESCRIPTION	1	5
SLIORE	Temperature Controlled	\$56.00	\$50.00
	Soldering Iron		
SI 24V/DE	Spare 24V Soldering Iron	10.50	7.50



Single-Sided, Toz. Copper Foil on Paper Phenolic Substrate

			PRICE EACH	1
CATNO	DESCRIPTION	1	10	50
PP101RE	100mm x 150mm/3.91" x 5.91"	\$2.55	\$1.90	\$1.70
PP114RE	114mm x 185mm/4.6" x 6.6"	2.98	2.45	1.98
PP152RE	150mm x 250mm/5.91" x 9.84"	5.40	3.98	3.60
PP153RE	150mm x 300mm/5.91" x 11.81"	6.15	4.48	4.10
Single-S.	ided, 1oz. Copper Foil on Flbei	glass S	ubstrate	

			RICELACII	
CATNO	DESCRIPTION	1	10	50
GS101RE	100mm x 150mm/3.91" x 5.91" \$	3.90	\$2.98	\$2.60
	114mm x 185mm/4.6" x 6.6"	4.80	3.49	3.20
GS152RE	150mm x 250mm/5.91" x 9.84"	8.69	5.98	5.78
GS153RE	150mm x 300mm/5.91" x 11.81"	10.20	7.20	6.80
Daubla S	ided Toz Conner Foil on Fiha	ralass	Substrate	

		PRICE EACH		
CATNO	DESCRIPTION	1	10	50
GD101RE	100mm x 150mm/3.91" x 5.91"	\$ 5.07	\$3.68	\$3.38
	114mm x 185mm/4.6" x 6.6"	5.95	4.29	3.99
GD152RE	150mm x 250mm/5.91" x 9.84"	10.47	7.39	6.98
GD153RE	150mm x 300mm/5.91" x 11.81"	11.95	8.69	8.30

Electronic Soldering SystemAS LOW with LED Display

Deluxe temperature controlled system with LED display for maximum accuracy. Temperature is adjustable from 160°-480°C (320°-900°F). Iron heating power is 48 Watts. Runs on 24V from controller unit. Replacement irons and tips are available. Tip size is 5.3mm.

		PRICE EACH		
CAT NO	DESCRIPTION	1	5	
SL30RE	Deluxe Soldering System	\$86.00	\$75.00	
SL24VRE	w/LED Spare 24V Soldering	10.50	7.50	
	Iron for SL10 or SL30			

RECEIVE YOUR

REE COPY OF

UR 100 PAGE

It's chock full of all types of electronic equipment and supplies. We've got I.C.'s. capacitors, resistors, pots,

a message on our catalog request line

ATALOG!



Etching Chemicals/Ferric Chloride

A dry concentrate that mixes with water to make 1 pint of etchant, enough to etch 400 sq. inches of loz board.


PRICE EACH DESCRIPTION CATNO \$3,50 \$2.75 ER-3RE Makes 1 pint



Developer

This product is used as the developer on our positive photo-resist printed circuit boards. includes instructions. 50 gram package, mixes with water, makes 1 quart.

10000		P	RICEEAC	H
CAT NO COSDEVRE	DESCRIPTION Positive Developer	\$.95	10 \$.80	25 \$.50



Etching Tank

CAT NO ETIORE



This attractive injection moulded designed tank is ideal for etching your PCBs. It includes a thermostatically controlled glass heater, electric agitator and PCB hanging accessories. Measuring graduations are included. Maximum PCB size is 160mm x 250mm or 200mm x 250mm w/o heater. Typi-

Etch Tank System QUANTITY PRICING DOES NOT APPLY TO MIXED ITEMS!

DESCRIPTION

REDUCES ETCHING TIME!

cal etching time is 4 minutes,

800-528-1417 602-464-2485 602-464-5824(FAX)

data acquisition products, personal computers and

computer parts, plus much, much more. FAX us your name and address or call 800-528-1417, ext. 5 and leave

CIRCUIT SPECIALISTS, SINCE 1971

WE ACCEPT:

VISA, Mastercard, Discover Card & American Express



PRICE



CABLE VIEWERS...get back to your BASIC Cable Needs

Call 800-577-8775

For information regarding all of your BASIC cable needs.

- 5 GOOD REASONS TO BUY OUR FAR SUPERIOR PRODUCT
- * PRICE
- *** EFFICIENT SALES AND SERVICE**
- *** WE SPECIALIZE IN 5, 10 LOT PRICING**
- * ALL FUNCTIONS (COMPATIBLE WITH ALL MAJOR BRANDS)
- * ANY SIZE ORDER FILLED WITH SAME DAY SHIPPING

We handle NEW equipment ONLY - Don't trust last year's OBSOLETE and UNSOLD stock! COMPETITIVE PRICING—DEALERS WELCOME

HOURS: Monday-Saturday 9-5 C.S.T.

of B.E.S.W. to defraud any pay television operator an we will not assist any company or individual in dorin


P.O. Box 8180 Bartlett, IL 60103 800-577-8775

CORPORATION

ITSTEK Test & Measuring Instruments

20 MHZ, 2-Channel, OSCILLOSCOPE

- model #0S-622B
- ≥ 20MHz, Dual Channel
- △ High Sensitivity 1mV/DIV
- ⚠ TV Synchronization
- ▲ ALT Triggering Function
- △ Hold Off Function
- △ Trigger Level Lock Function
- △ CH 1 Output
- ♠ Includes Probes (x1, x10)
- △ 2 Year Warranty



Regular \$499.00 Sale \$389.95







Test Instruments, Equipment, Tools & Supplies For Electronic Production, Maintenance & Service 8931 Brookville Road, Silver Spring, MD, 20910 * 800-638-2020 * Fax 800-545-0058

PLANS-KITS-SCHEMATICS

BUILD - FIVE-digit, ohms, capacitance, frequency, pulse, multimeter. Board and instructions \$9.95. Bagnall Electronics, 179 May, Fairfield, CT 06430

ALL-IN-ONE catalog. AM/FM/ham/spy, transmitters, amplifiers, receivers. Voice scramblers/disguisers, audio, TV, Tesla coils, plans, "secret" books, kits, imports, exports and more. Start your own licensed or unlicensed radio station, 60 full pages for \$1.00. PAN-COM INTERNATIONAL, PO Box 130-H10, Paradise, CA 95967.

FM STEREO TRANSMITTER kit broadcasts any audio signal to FM stereo radios throughout your home. Uses unique BA1404 IC. Complete kit: PC board/components — \$24.00. Visa/MC. TENT-RONIX, 3605 Broken Arrow, Coeur d'Alene, ID 83814. (208) 664-2312.

HOBBYIST CIRCUITS — Remote room monitor, tone decoder, long distance circuit control. Simple unusual experiments for the novice. **CATALOG** \$2.00 — Garrett Plans, PO Box 155, Jamesburg, NJ 08831

CRYSTAL SET Handbook - Visit antiquity by CHYSTAL SET Handbook — Visit antiquity by building the radios your grandfather built. Assemble a "Quaker Oats" rig, wind coils that work and make it look like the 1920's! Only \$10.95 plus \$4.00 for shipping and handling. CLAGGK Inc., PO Box 4099, Farmingdale, NY 11735. US funds only! USA and Canada — no foreign orders.

CIRCUITS! CIRCUITS! The very best in plans, kits, schematics, and books. Too many to list. Satisfaction guaranteed! Send for free listing. HOBBYTECH, Dept. PE1, 1748 SE Alder, Hillsboro, OR 97123.

FASCINATING ELECTRONIC devices! Tazer! Dazer! Super spy microphone! Vocal truth detector! Universal IC tester! Radar and laser jammers! Surveillance! Countermeasures! Ultrasonic! Tesla! High voltage! More! Plans & kits catalog \$2.00. QUANTUM RESEARCH, 17919 — 77th Avenue, Edmonton, Alberta, Canada T5T 2S1.

HEATH COMPANY is selling photocopies of most Heathkit manuals. Only authorized source for copyright manuals. Phone: (616) 925-5899, 8-4

DIRECTIONAL MICROPHONE! Inexpensive to make but can professionally record the faintest sound from a distance. Send \$5.00: Freedom Enterprise, PO Box 69059, Edmonton, Alberta T6U-1A0

UNIVERSAL REMOTE CONTROL SYSTEMS infrared, RF, miniature transmitters, receivers. Items for novice, technician or educator. Combine your home and vehicle control. Automate anything. FREE CATALOG. Inventive Solutions, PO Box 8, Stratford, NY 13470.

007 WOULD SHOP HERE! Electronic surveillance and privacy assurance devices - wire and bug detectors, hidden cameras. Send a \$5.00 check or money order payable to I-Spy, PO Box 1707, Amherst, NY 14226. (716) 831-0222 for our catalog.

THIS AD COULD SAVE YOUR LIFE, COMBUSTIBLE GAS, CO2, EMI AND OTHER EXOTIC SENSORS + SMT(Surface Mount Tech) Kits W/ tools, manuals, & PCB's both analog and digital. For free catalog write/call pcSMT Co., 9018 Balboa Blvd. #574, Northridge, CA 91402 or call (818) 890-3211 7-5pm PST. Visa/MC.

MUSIC & ACCESSORIES

LOUDSPEAKER COMPONENTS, Car amplifiers, woofers, midranges, tweeters, crossover components, CD players, equalizers, custom built loudspeaker and subwoofer systems, DJ mixers, and more!!! Call 1 (800) AUDIO-28 for FREE CAT-ALOG!!!



We Carry A Full Line of Premium Descramblers And Converters Compatible With:

- JERROLD[™] (Add-ons and Combos)
- GENERAL INSTRUMENTS™
- SCIENTIFIC ATLANTA™
- PIONEER™
- TOCOM™
- ZENITH™
- HAMLIN™
- OAK[™] (all except Sigma)



Please have the MAKE & MODEL # of your area's cable box ready when you call!

AR ELECTRONICS HOURS: 9-6 M-F 10-3 Sat EST

It is not the intent of Alistar Electronics to defraud any pay TV operator. Anyone implying theft of service will be denied assistance. All brand names are registered trademarks of their respective owners and are used for reference only. 110-64 Queens Blvd., #465, Forest Hills, NY 11375. NO NYS SALES!

URVEILLANC & COUNTERSURVEILLANCE Electronic Devices

Hidden Video Cameras • Electronic Kits • Voice Changer Bug and Phone Tap Detectors • Shotgun Mics • Micro Recorders Vehicle Tracking • Locksmithing • AND MORE!

Extra Long Play Telephone Recorders - Silently Tapes \$125.00 incoming/Outgoing Phone calls automatically... and up

FOR CATALOG SEND \$5.00 TO ... P.O. Box 337, OUTLET Buffalo, NY 14226 (716) 691-3476 - (716) 695-8660

REPAIRS-SERVICES

TEST EQUIPMENT REPAIR, including power supplies. REPAIR of citizens band, two way radio. scanners call (812) 295-4240.

TEST EQUIPMENT

ELECTRONIC TEST equipment and parts. Free catalog. EF Electronics, Box 326, Aurora,



94 11 10 10

ine model 1525 is a 75-110MHz RF amplifler that connects to mono of stereo FM transmitters and produces a powerful 15-20 watt signal which could broadcast up to 5 miles or more! Requires 75-250 mW drive

tiste by step plans complete with part source \$14 PLUS \$2 S&H
information and antenna designs . . . ONLY \$1 Progressive Concepts
14324 N. MILLS AVE., SUITE A
CLAREMONT, CA 91711 (909) 626-4989
908) 626-4FAX

Run prototype applications of experimental hardware from the serial port - WITHOUT PROGRAMMINGS

October 1995, Popular Electronics

001 5150	TRONIOS E
C & L ELEC	TRONICS * 90 DAY GUARANTEE *
BUY - SELL	- TRADE 10 Day Inspection Period
Assoc. Research 5040 AT	Hy Pot Tester 500.00
Bertan Assoc. Model 215	H.V. Supply, 3000 Volt, 5 M.A.D.C 500.00
Dranetz 606	Powerline Analyzer 650.00
Dranetz 606-3	Powerline Analyzer 650.00
E.S.I. SR1	Standard Resistor, 100 Kilo Ohm 90.00
Fluke 332B	DC Voltage Calibrator
Fluke 895A	Differential Voltmeter
Fluke 1953A	Frequency Counter
Fluke 3320B	Programmable Current/Volt Calibrator 1,500.00
Fluke 5200A	AC Calibrator 1,500.00
Fluke 6160A	Frequency Synthesizer 600.00
General Radio 1657	RLC Digital Bridge 800.00 Display Section 500.00
HP 334A	Distortion Analyzer 600.00
HP 606B	Signal Generator
HP 1740A	100MHZ Scope 500.00
HP 3320B	Automatic Synthesizer 400.00
HP 3330B	Automatic Synthesizer 800.00
HP 3467A HP 3490A	Logging Digital Multimeter 900.00 Digital Voltmeter
HP 3498A	Extender
HP 3551A	Transmission Set
HP 3581A	Wave Analyzer 900.00
HP 3581C	Selective Voltmeter
HP 3722A	Noise Generator
HP 4800A/4801A	Vector Impedance Meter
HP 5340A	Frequency Counter, 10HZ to 18GHZ. 1,000.00
HP 5345A	Frequency Counter, DC to 500MHZ . 1,000.00
HP 6111A	Power Supply, 0-20V, 0-1A 275.00
HP 6112A	Power Supply, 0-40V, 0-5A
HP 7044A	X-Y Recorder
HP 8443A	Generator (less cable)
HP 8552A	IF Section
HP 8552B	IF Section 600.00
HP 8653B	RF Section
HP 8620C	Sweep Oscillator Frame
Krohn-Hite 3500	Wideband Amplifier
Krohn-Hite 7500 ,	Wideband Amplifier 700.00
Keithley 225	Current Source
TEK C30B	Scope Camera
TEK DM5010	Programmable Digital Multimeter 700.00
TEK P6042	Current Probe, 50 MHZ 500.00
TEK S-4	Sampling Head
TEK TM503	Mainframe
TEK TM504	Mainframe
TEK TM506	Mainframe 200.00
TEK TM5003	Mainframe
TEK 465 w/DM44 TEK 465B	Scope, 100 MHZ
TEK 475	200MHZ Scope
TEK R485	300 MHZ Scope 1,200.00
TEK 520A	Vectroscope NTSC 600.00
TEK 7A13	Differential Comparator LED 400.00
TEK 7A18	75MHZ Amp Dual Trace
TEK 7A24	Amplifier 500.00
TEK 7A26	200MHZ Amp Dual Trace 100.00
TEK 7A29	Plug-In, 1GHZ
TEK 7B15	Time Base
TEK 7D15	Curve Tracer, 0.5W
TEK 7D20	Programmable Digitizer 1,000.00
TEK 7L5/L3	Spectrum Analyzer 2,000.00
TEK 7L13	Spectrum Analyzer, 1KHZ to 1.8 GHZ 2,850.00
TEK 7812	Sampling Plug-in
TEK 2901	Time Mark Generator
TEK 5111A	Storage Scope, 2 MHZ 600.00
TEK 7603	100MHZ Scope Mainframe
TEK 7844	Dual Beam Scope, 400MHZ 750.00
TEK 7904	DC Voltage Calibrator
	Cash Paid Within 24 Hours!
P.O. Box 52153	Fax (215)
Philadelphia, PA 19	115 (215) 969-5519 464-5856

* THE BEST * 8085 MICROPROCESSOR TRAINING SYSTEM JUST GOT BETTER

Are you interested in Single Board Computers and Microprocessor-based systems? If the answer is yes and you want to know more about these fascinating subjects the PRIMER Trainer is the place to start. The PRIMER teaches more and is easier to use than other comparably priced trainers. The over 100 page Self Instruction manual takes you from binary number systems to processing interrupts. At the end of the


manual are working examples of using a photocell, a temperature sensor, making a waveform generator, a programmable timer with alarm, and a new motor speed control lab using back EMF. The PRIMER

back EMF. The PRIMER
comes with everything you need
to start programming in machine language. Continue on to program in
Assembler, Forth or BASIC with optional upgrade and software. Upgrade
includes: RS232 serial port, a serial cable and, 32K of battery backed RAM.
Picture shown with upgrade option and optional heavy-duty keypad installed.
THE PRIMER IS ONLY \$119.95 QUANTITY 1 IN KIT FORM. THE PRIMER
ASSEMBLED & TESTED BY EMAC IS \$169.95. ORDER NOW AND RECEIVE

ONE FREE POWER SUPPLY WHEN YOU MENTION THIS AD. PLEASE ADD

\$5.00 FOR SHIPPING WITHIN THE U.S.

618-529-4525 FAX: 457-0110 BBS: 529-5708 P.O.BOX 2042 CARBONDALE, IL 62902



846 SEVENTEENTH STREET • PRAIRIE DU SAC. WISCONSIN 53578

Includes Stepper Controller Card, 12VCT Transformer, (2) 4 Phase Stepper Motors, Easy to use I.B.M Software! Connects to any I.B.M. Compatible LPT Port (1,2,3)....



- * Nothing more to Buy!
- * Easy Installation 15 minutes or Less!
- * No Tools Required!
- * Design Robots, Plotters, Laser Systems!
- * Drives (2), 4 Phase Stepping Motors!
- * Bi-Directional 8 Bit Read and Write Port!
- * Board Addressable, 16 Possible Choices!
- * Fits in Standard 19" inch Card Rack!
- * With Additional Cards Control 32 Motors on 1 LPT Printer Port!
- Features Include: Variable Speed, Step, Range, Direction, and On\Off Control!
- * Free QBasic & Gwbasic Source Code \$ 59.95 value! *

Send Check or M.O. to:

CYBERMATION

"Intelligent Controllers"

Call Us Today! Tel (714) 879-2000 Visa\Master Charge Accepted

1943 Sunny Crest Dr., Suite 288, Fullerton, CA 92635

* Add \$12.00 S&H; CA residents please add sales tax *



Your Cable Connection To The Stars!

Order your FREE catalog today!

1-800-643-4258





STARGATE SST

- Converters & Descramblers
- · All Makes & Models
- · Quantity Discounts
- 30-day Money Back Guarantee
- Best Warranties

Show Time Cable 643 N 98th St STE 260 Omaha, NE 68114

COD • MasterCard • Visa • Amex • Discover

Tube & General Purpose Projects





SESCOM, INC. 2100 WARD DRIVE HENDERSON, NV 89015 U.S.A.

ORDER TODAY
PRICES INCLUDE WORLDWIDE SHIPPINGS
USA, CANADA & MEXICO; B IS REST OF WORLD

VISA MasterCard

Monday thru Friday 8 am-'til 4 pm (PST)

HOURS

ORDERS (800) 634-3457 ■ FAX (800) 551-2749 OFFICE (702) 565-3400 ■ FAX (702) 565-4828 TECH LINE (702) 565-3993 M-Th 8 am to 4 pm (PST) SESCOM, INC. is not responsible for inadvertent type graphical errors.

Prices and specifications are subject to change without notice.

O SOLUTIONS, CONSTRUCTOR'S HARDWARE, AUDIO SIPS and AUDIO TRANSFORMERS

October 1995, Popular Electronics

Double Your Income! Own your own computer repair business or add computer repair to your existing business.

TechServ can put you into your own computer repair business quickly, economically and efficiently. Research indicates that during a recession, computer repair businesses will grow at twice the rate of hardware sales. TechServ's complete support program gives you the opportunity to be a part of this fast growing industry.

Proven Marketing Plan

Recognition

Nationally recognized trademarks and logos give you immediate recognition as a professional computer repair specialist in your area.

Training

Level 1 286/386/486/586

Troubleshooting, upgrades, advanced

diagnostics

Level 2 Networking/Novel/Unix/Multi-user/ Multi-tasking configuration/Installation/ Maintenance. Prepare for C.N.E. (Certified Network Engineer) test

Parts and Board Repair

Single source for OEM/generic parts and board repair. Order 7 days a week/24 hours a day. \$45 million in parts in stock, ready to ship any where, overnight if required.

Documentation

We provide manuals, documentation and advanced diagnostic software.

New Hardware

We provide new hardware for IBM, Compag, Apple and compatibles at huge discounts. Custom build your own systems.

Over 300 dealers worldwide

Find out why the Wall Street Journal and Fortune Magazine call computer repair the business opportunity of the 1990s.

Call TechServ at (212) 967-1865 or fill out coupon below and mail to:



America's largest chain of independent, licensed computer repair centers

253 West 28th Street, New York, NY 10001

NAME			
ADDRESS			
CITY	STATE	ZIP	
TELEPHONE			[PE 2/93]

CIRCLE 130 ON FREE INFORMATION CARD



CONSUMERTRONICS 2011 Crescent Dr., P.O. Drawer 537 Alamogordo, NM 88310

Voice: (505) 439-1776, 439-8551; 8AM - 7PM MST, Mon - Sat Eax: (505) 434-0234, 434-1778 (orders only; if you get voice, enter "#11 #11" any time); 24-hr Free Tech Support: (relate directly to your order or prospective order); Tues, and Thurs, only.

10% Off an orders \$100+. 15% Off over \$200+ Add \$5 total \$H (US, Canada), All items in stock, VISA, MCard OK, No CODs or 'bill me's. New Calalog (200+ offers) \$2 w order, \$5 w6 (check or Mo), No (ealers, Since 1971, As seen on CBS '80 Minutes," Forbes, etc. By John Williams -former Lockheed Senior Engineer, NMSU CS Professor, DOD Electronic Weapons Engineer, NIH Health Physicist. Wanted: 7 MAC (lifx, PC486, better - buy, trade.

*All software supports all IBM-PC con patible x86 systems (8086 - Pentium)

OFF-THE-SHELF HARDWARE
Van Eck Systems ♦ Data Card Reader-Willers ♦
ATM2 ♦ RFEM-Radar-Ultrasoniz/IR Delectors-Racelyers/Xmitters/Jammers/Blasters
\$\infty\ Security\ Surveitiance
\$\infty\ Em Lab\ Weaponry\ Countermeasures
\$\infty\ Neurophone\ Rife\ Hieronymus\ Resonant\ Crystal\ Radionics ophon-Rille/Hieronymus Resonant Crystal Radionics

+ Voice Disquisers + Phone Color Boxes + DTMF Decoders + Lineman's Handsels + Bug & Tap Delector/
Blaster + Carjack/Kidnap Foller + Hearing Assistor +
Shriek Module + TENS + Gith Sense Communicator +
Subliminal Mixer/Amp + Levilator + Vortex Generator
+ Noise Cancelling System + Ultrasensitive Sound/
Light/H?MF Detectors + Electronic Dowser + Laser
+ Bacteria Detection Kit - morel See our New Calalogi SPECIAL PROJECTS

We design/build/bblain/epai/modify/maintain/consult on any device/system/process/project - electrica/belectronic/ phone-Computer/mechanica/bujica/alvulomotive for busi-ness/personal/nvention need. Confidentiality guaranteed. Describe and include \$30 per-engineering fee (does not obligate you). Time and cost estimates in 7-10 days.

The HACKER FILES
Compilation of 100s of the best articles written (in ASCII) by top hackers & phreakers, Covers every major topic in hackerdomi 3 HD Disks * \$59.

COMPUTER PHREAKING Describes in detail how computers penetrate each other, and how VIRUSES, TROJAN HORSES, WORMS, etc are implemented. Dozens of computer crime and abuse imperiented. Ducers of computer crime and abuse methods and countermeasures, includes sids filled with hacker text files and utilities, and the legendary FLU-SHOT+ protection system (Ed. Choice, PC Magazine), BBS advice, password defeats, glossary - much morel Manual + Disks* \$39.

Beyond VAN ECK PHREAKING Eavesdropping on IV and computer video signals using an ordinary TV described in detail, includes security in-dustry reports. Range up to 1 KM, Plans include both the Consumertronics and the original Top Secret Van Endescinct 128. Eck designs! \$29.

See our Catalog for our Inflamous cellphone modifica-tion guide (\$59) - detailed, comprehensive, covers all makes - 10 times more info than competitor's "guide"). (Do Special Projects (above) for up-to-date hardware

VOICE MAIL HACKING How Voice Mail Box (VMB) systems are used and the specific ways they are hacked. Includes ASPEN, MES-SAGE CENTER, BIX, SERIESIS, EZ, SYDNEY, PHOME MAIL, AUDIX, CINDY, CENTAGRAM, SPERBY LINK, RSVP, etc. Absolutely required for all users, sysops and security personnell \$29.

1,000s of PRS are hacked to the tune of \$ Billions/r1
While "Voice MAIL HACKING" details how VMSs are hacked to r'phun' and profit - Including VMS methods for hacking PBXs themselves - 'PBX HACKING' addresses ALL issues relating to PBX hacking, including countermeasures! Can your business or agency afford a \$90,000 phone fraud loss (the average loss due to hacked PBXs)? As described in Fothes Magazine. \$29

PHREAKING CALLER ID & ANI Details on how they work and dozens of effective ways of defeating Cailer ID, ANI, "59, "57, and Cail Blocking and "67. Also describes Cailer ID, Orange, Beige, Cheese and CF Bores, ESS, SS7, E-911, various CLASS Services, CMA, NON PUB DA, CAMA, DNR, 800-ECR, Diverlers, Exienders, Centrex - more, \$29.

Beyond PHONE COLOR BOXES Dozens phone color boxes described - many circuits. Plus Call Forwarding, Conferencing, Phreak History, Glossary, Diverters, Extenders, Loops, REMOBS, Bridging Heads & Cans, Optocom, 3rd Party and many other non-box methods - more. \$39.

ROBOFONE AUTODIALER Powerful, versaille, menu-driven "Wargames" autodialer lets you dial any quantity (up to 10K) or mix of local/ long distance numbers in any order, over any length of time, whether busy or answered (your choice) and log the times, commands and results to monitor, printer and-or disk, Quick-dial directory of up to 600 numbers. BUSY redial options. Direct modern command and control. All Result Codes, including VOICE and RINGING. Optional shell to terminal program upon CONNECT, Exit to menu or 00S (for batching). Manual + Disk* \$29.

Bold for educational purposes only

STOPPING POWER METERS
As reported on CBS "60 Minutes": How certain devices can slow down - even stop - waithout maters while loads draw full power! Device simply plugs into
one outlet and normal loads into other outlets. Also deone outlet and normal loads into other outlets. Also describes meter creep, overload droop, etc. Plans \$29.

L.G. MANUAL: External magnetic ways (applied to the meter kself) to slow down and stop waithout meters white drawing full loads. Plans. \$19. KW-HB METERS: How waithour meters work, calibration, error modes (many), ANSI Standards, etc. Demand and Polyphase Meters. Experimental results to slow and stop meters by others. \$19. Any 2, \$38. All 3, \$59.

Stop meters by others. \$19. Any 2, \$38. Aul.3, \$39. Au

Cardholders, merchants, banks suffer \$ Bildons in losses annually because of credit card fraud. Describes every known means of credit card fraud and scams

CONS. SCAMS & SWINDLES
Cons & scams and related swindles fleece Americans of
\$100 + Billion per year! The most comprehensive survival manual on cons & scams of all kinds - from the
classic to hi-tech. Details on 100s and their many variations, and countermeasures. Protect yourself! \$39.

STEALTH TECHNOLOGY
Police radar is fascinating it also has error rates of 1020% Every known error mode - stealth method and material used to minimize radar reflections - tacilic and strategy to light unjust radar tickets (that cost you \$100s in insurance and risk cancellation) - methods to detect and jam signals - fully described \$29.

SECRET & SURVIVAL RADIO
Optimum survival and security radio equipment methods, freq allocations and volcetlata scrambiling/encoding. Includes small receivers transmitters, telemetry, an tenna optimizations, remote monitoring and control, se-curity, surveillance, and ultrasonic, fiber-optic and infra-red commo. 70+ circuit plans, tables. \$29.

HIGH VOLTAGE DEVICES

HV devices plans: Stun Gun, Taser, Prod. Cane,
Flasher, Blaster, Zapper, AudiorBFRader Jammer,
Jacob's Ladder, Plasma & Yan de Graaff Gens., Fence
Charger, Gelger Counter, Ozone Gen., Fish Shunner,
Plant Stim., Kiritan, more! All plans for only \$29.

UNDER ATTACK!
Electromagnetic interference and Electronic Weapon
Attacks cause: Cancer, birth defects, and profound psy-Attacks cause: Cancer, birth defects, and profound psychological, neurological, cardiovascular and Immune system disorders! Destructive to people, animals, plants, equipment includes ATTUAL CASE OF FEM ATTACKS (we investigated)! Includes how to verify and pinpoint EMI and electronic attack sources, and specific counterneasures. \$29. EM BRAINGLASTER: Tutorial and plans for powerful ELECTROMAGNETIC WEAPONS and LAB BEVICES. Diptimum circuits, frees, waveforms, duty cycles, intensities. Thorough. \$29. Both \$49.

porty cycles, intensities. Introdugh. 279. Both \$49.

Exciting electrical, electronic, electromagnetic therapeutic, diagnostic & preventive devices (mostly experimental). History, descriptions, plans (dozens), availabilities of Radionics Devices from early to modern. While drugs cost \$ Hundreds, sleetricity costs pennies! \$29. HEALTHYSELF1 Plans for 3 major electronic therapeutic devices of types approved by FDA \$19. Both \$39.

CRYPTANALYSIS TECHNIQUES Five powerful menu-driven crypto programs (in .COM ar .BAS source code) to analyze, decrypt "secure" o phertexts. Worked-out examples. Recommended by pre-tiglous "Computers & Security." Manual + Disk" \$29.

By an ORDER of the MAGNITUDE the most comprehensive, hard-filling, hi-tech survival book ever writtent Topics include electronics. computers, energy, weapons, concealment, revenge, alarms, etc to survive today's dangerous world. We all face increasingly flancially and physically brutal fimes! Field-expedient use of technology in various threat and conflict environments and scenarios. \$48.

conflict environments and scenarios. \$48.

ROCKET'S RED GLARE

How to design and build solid-propellant amateur and survival rockets. Emphasis on formulation, manufacture, installation of propellants motors, igniters, etc. includes list of commonly available materials, and the design of launch pads and lest beds and their electronics. \$29.

FIREWORKS: How firecrackers (M-80s, blockbusters, cherry bombs), small rockets, volcanos, fountains, spanders and salety fluses are made and colored. Simple, cheap, common ingredients. \$9. Both \$38.

SAVVY DRIVING

Detailed, comprehensive manual describes 100 + tacti-cal and strategic driving tips. Includes how to avoid and evade criminals, avoid and evade head-on collisions and other accidents, properly react to accidents, emergencles and police pullovers, avoid tickets, minimize insur ance premiums and loss risk, prepare for trips and op-timize routes and long-distance driving, optimize parking, more. For all drivers - beginners to pros. \$29.

ULTIMATE SUCCESS MANUAL
Underpald, overworked, harassed or abused? Victim of office politics? Stuck in a dead-end job? Can't find a good job? Expect to be laid off, fired or transferred soon?
The ultimate no-holds-barred, looking-after-#1 Machia-vellian techniques to find, obtain, oplimize and keep top jobs, pay and benefits. THE RULES DF THE GAME FOR A GAME WITHOUT RULES! From resume to CEO. \$29.

Philippine Property and the second


72-2055 Full Feature DMM

Make TENMA™ Your Test Equipment Source

Tenma fills the testing needs of todays service professional. The vast selection of benchtop and portable test equipment is available at truly affordable prices. This includes DMMs, Power Supplies, Function Generators, Oscilloscopes and more. If you service electronics, Tenma is for you.

Look to MCM Electronics for the complete Tenma product offering. Call today for your free 332 page catalog filled with one of the widest selections of tools, repair parts, semiconductors and test equipment.

Tenma Test Equipment Tested Accurate. Proven Reliable



CODE: POP23

Call Toll Free:

0-543-4330



MCM ELECTRONICS™ 650 CONGRESS PARK DR. CENTERVILLE, OH 45459-4072

A PREMIER Company

Hours: M-F 7a.m. 9p.m., Sat. 9a.m. 6p.m. EST

GET FAST DELIVERY FROM OUR DISTRIBUTION CENTERS NEAR DAYTON, OH AND RENO, NV!

CIRCLE 165 ON FREE INFORMATION CARD

CONVERTERS

DESCRAMBLERS

/IDEO STABILIZERS

FREE Cable TV Catalog

New you can tune-in your favorite

cable TV programming and SAVE \$100'S · EVEN \$1000'S

on pramium CABLE TV EQUIPMENT.

ECTRONICS

2-25 S. 156TH CIRCLE • OMAHA, NE 68130

SURVEILLANCE

FM TRANSMITTERS MINI (KITS)

3-VOLT FM XMTR, up to 300 ft. indoors, 1500 ft. outdoors PHONE XMTR, range to 500 ft., uses phone-line power Sound-Activated XMTR, range to 500 ft.

2-STAGE XMTR, 9-Volt, very powerful

All above require simple soldering at 2 to 4 places. \$29.95** ea.

TELE FM WIRELESS MONITORING SYSTEM. (Kit) \$99.00°

TELE CALL FORWARDER. Transfers incoming calls. \$99.00°

CALLER ID. Registers incoming number.

TEL REGISTER WITH PRINTER. Records dialed number, duration, and prints record. \$139.00*

12-HOUR LONG-PLAY RECORDER. Modified Panasonic. Records 6 hrs. on each side of 120 tape (supplied). Compatible with VOX and Tel Rec Adapter, \$119.00*

VOX VOICE-ACTIVATED SWITCH, Makes recorder self-activating with voices or other sounds. \$28.50**

TELE RECORDING ADAPTER. Records incoming and outgoing calls. \$28.50**

TELEPHONE SCRAMBLERS. Over 4,000 separate codes. \$199.00*

VOICE CHANGER, Changes man's voice to lady's and vice versa. \$49.00*

For Shipping & Handling add *\$5.00 and **\$2.00 per item. Colo, residents add sales tax. Mail Order, VISA, M/C, COD's o.k. Inquire for dealer prices. Free catalog.

MUCH, MUCH MORE - OUR 25TH YEAR! **TOLL FREE 1-800-926-2488**

A.M.C. SALES, INC. 193 Vaquero Dr., Boulder, CO 80303 Tel: (303) 499-5405, Fax: (303) 494-4924 Mon.-Fri. 8 a.m.-5 p.m. Mtn. Time

CIRCLE 140 ON FREE INFORMATION CARD



If you are not getting this catalog you are missing out on some of the best deals in

electronics today! We have thousands of items ranging from unique, hard-to-find parts to standard production components. Call, write, or fax today to start your free subscription to the most unique catalog in the industry, filled with super values on surplus electronic and hobbyist type items. If you have a friend who would like to receive our catalog, send us their name and address and we will gladly forward them a complementary 100 page catalog.

Why pay more? Call today.






340 East First Street Fax Order Line 1-800-344-6324 Dayton, Ohio 45404

Order Toll-Free 1-800-344-4465

CIRCLE 149 ON FREE INFORMATION CARD





EPROM+

EPROMS (24,28,32 & 40 PIN*)+27C AND 25XX 1702*,2708,TM\$2716*,32,32A,64,64A,128,128A 256,512,513,011,010,101,1001,1000,1024,210,020 255,512,513,011,010,101,1001,1000,1024,210,020
2001,220,2048,4001/2,040,080,240,4096,68764/66
FLASH EPROMS 28F256, 28F512, 28F010
28F020,29C257,29C010,29C040,29F010,29F040
EEPROMS & NVRAMS (18,24 & 28 PIN+CXX)
2210, 2212, 2804, 2816, 2816A, 2817, 2864, 2865
28256, 28C010, DS1220, DS1225, DS1230
SERIAL EPROMS* (8 & 14 PIN PLUS CXX)
ER1400,M58657, 2401,02,04,08,16,32,65, 2444
59C11,80011A,9306,46,56,66,8572,82,92,168/9XX
BIPOLAR PROMS* (16 THROUGH 24 PINS)
74SXXX AND 82SXXX FAMIL Y
MICROCONTROLLERS* 8781, 42, 48, 49, 8751
C51, 52, C52, 87C5XXX, 87C75X, 89C5X, 68705
68HC705, 68HC711E9, PIC16CXX, TMS7742
**ADAPTER REQUIRED - DIAGRAMS INCLUDED

ADAPTER REQUIRED - DIAGRAMS INCLUDED

SOFTWARE - READ, VERIFY, PROGRAM, COPY DISK FILE LOAD/SAVE, CHECKSUM, FULL SCREEN BUFFER EDITOR W/20 COMMANDS READS HEX, S-RECORD AND BINARY FILES
FAST-DEVICES PROGRAM IN UNDER 20 SEC RUGGED (9"X6"X3")ENCLOSURE W/I MADE IN USA - 1 YEAR WARRANTY

SYSTEM INCLUDES: PROGRAMMING UNIT PRINTER PORT CABLE POWER PACK, MANUAL AND SOFTWARE.

\$5.00 C.O.D. VISA/MASTERCARD

ANDROMEDA RESEARCH, P.O. BOX 222, MILFORD, OH 45150 (513) 831-9708 FAX (513) 831-7562



CHALLENGER SYSTEM 33-Channel 52dB+ Gain Complete Grid \$265 Five Year Warranty FREE SHIPPING

Quality Microwave TV Systems WIRELESS CABLE - ITFS - MMDS ATV - INTERNATIONAL - S-BAND Amplifiers • Antennas • Books • Components Filters • Systems • Video Products

- RF Frequency 1990 2700 MHz
 Cable Ready VHF UHF Outputs
- SASE For "FREE" Catalog or Send \$1

PHILLIPS-TECH ELECTRONICS

PO Box 8533 • Scottsdale, AZ 85252 ORDER LINE CATALOG / INFO

FAX LINE

800-880-MMDS 602-947-7700 602-947-7799

Visa • M/C • Amx • Disc • COD's • Qty Pricing

CIRCLE 164 ON FREE INFORMATION CARD



Features: 200mV full scale input 9VDC operation. Decimal point selectable. 13mm digit height, auto polarity indication, zero reading for O volt input. Meosures 2.67" x 1.73" x 0.28" above panel thickness, 0.57" overall thickness. LCD size: 1.83" x 0.8": Has many useful applications and is easy to install.

CAT# PM-1 \$17.00 each

Stepper Motor Controller Kit



This kit allows you to adjust the speed and direction of a stepper motor. You can move the motor in one step increments or rotate it at a constant speed. Visual indicators show the sequence of motion. Includes stepper motor, pc board, parts and instructions. (12vdc power source not included.)

\$25.00 each



HI-8 120 MINUTE TAPE (used)

They were recorded on once and ployed only a few times. Made by a major brand name manufacturer. Professional series metal topes. Includes plastic jewel box.

\$3.00 each CAT# CCT-1

10 or more - 2.80 each

1-800-526-3717

645 Temple 7B ▲ Long Beach ▲ California 90814 ▲ (310) 434-5641 ▲ FAX (310) 434-9142 ▲

- 1. California residents must include sales tax.
- 2. Checks and money order accepted.
- 3. Quanties limited prices subject to change.

Black Feather



For years of easy rockin', make **U.S. Savings Bonds** part of your retirement savings program.

U.S. Savings Bonds are safe - they're backed by the full faith and credit of the United States. They're also guaranteed to earn interest. And they're both easy to buy - get them where you work or bank - and easy to afford. You can buy them for as little as \$25.

Ask your banker or your employer about including U.S. Savings Bonds in your retirement savings program.

For a recorded message of current rate information, call 1-800-4US BOND 1-800-487-2663



A public service of this publication

NOW Find the Right Part for Your VCR!



The 119-page Fifth Edition of the VCR Cross Reference contains both model and part number cross references. Over 1300 new parts and 360 new models have been added.

VCR's are made in a few factories from which hundreds of different brand names and model numbers identify cosmetically-changed identical and near-identical manufactured units. Interchangeable parts are very common. An exact replacement part may be available only a few minutes away from you even though the original brandname supplier is out of stock. Also, you may be able to cannibalize scrap units at no cost.

Only \$38.00 for pages \$69.95 diskette

Claggk Inc.
VCR CROSS REFERENCE OFFER
P.O. Box 4099
Farmingdale, New York 11735
Al-

Name
Business
Address

City _____ Zip ____

Enclosed \$38.00 for the ISCET VCR Cross Reference, Fifth Edition.

Enclosed \$69.95 for the diskette containing the ISCET VCR Cross Reference, Ver 6.0. Please specify:

51/4 Diskettes (2) 31/2 Diskette (1)

Include \$3.00 for shipping each Cross Reference (Pages or Diskette)

The total amount of my order is \$ __

Check enclosed—do not send cash.

☐ Visa ☐ MasterCard Exp. Date__/_/_

Signature ____

New York State residents must add applicable local sales tax to total.

CB03

with the ISCET VCR CROSS REFERENCE

NEW! The Fifth Edition is contained on a diskette for IBM PC AT/XT compatibles, DOS 2.1 or higher. The disk software allows technicians to search by manufacturer for model numbers and description of part numbers. A parts editing sequence gives an onscreen view of all substitutes for parts entered. With the diskette, the technician can update files by adding model and parts

crosses of future models. The Fifth Edition can be printed on pages completely from the diskette.

The ISCET VCR Cross Reference, Fifth Edition, is on $8\frac{1}{2} \times 11$ -in., pre-punched pages and sell for \$38.00. The $3\frac{1}{2}$ inch diskette sells for \$69.95 and you can view listings from a monitor or printed page.



Are you overpaying . . .

... your cable company?

You are if . . .



. . . you are <u>leasing their</u> equipment.

- Forest Electronics, Inc. offers a complete line of New Cable Decoders and Converters that are fully Compatible with your cable system,
- All systems come with: Remote Control, & Parental Guidance Feature. Volume Control is also available.
- All Equipment is fully guaranteed & comes with a 30 day money back option.

For More Information Call Us 24 Hours a Day At:

800-332-1996

FAX: 708-860-9048

CABLE T.V. EQUIPMENT

Friendly, Knowledgeable Service



ORDERS CALL: 1-800-361-4586



- All Equipment New
- Convertors & Descramblers
- 30 Day Money Back Guarentee
 - 6 Month Warranty
 - · Visa, MC, C.O.D. Welcome

KDE ELECTRONICS, INC.

P.O. Box 1494 Addison, IL 60101

Info. 708-889-0281 HRS: Mon-Fri, 9-6 CST

Fax 708-889-0283

Sat, 9-3 CST

The Electronics Industry is looking for a lot of good people!

Here is your chance to get in on the ground floor as an Associate CET. Is your job title "Electronics Service Technician?" Would you like to have that title? You can prove you qualify for the title with a CET Associate Certificate. It can be your career door-opener and begin your rapid advancement!

A technician or student of electronics with less than a total of four years of basic experience may take the Associate Level Exam. The exam is the basic electronics portion of the full-credit CET exam. The 75-question, multiple-choice test covers basic electronics, math, DC and AC circuits, transistors and semiconductors, instruments, measurements and troubleshooting. A successful Associate CET will receive a wall certificate valid for four years and is eligible to join ISCET as an Associate Member. ISCET is the International Society of Certified Electronics Technicians.

The ISCET Computer-Aided Associate-Level Study Guide prepares you for the Associate CET Certificate by randomly selecting sample questions with appropriate diagrams, provides multiple-choice answers, grades the test and provides a summary of your strong and weak points.

CLAGGK INC. – CET Computer-Aided Study Guide Offer PO Box 4099, Farmingdale, New York 11735
Yes, I want to step up to a career in servicing. Here is my order for the CET Computer-Aided Study Guide on a 3.5 diskette.
Bill my USA MasterCard Expire Date/ USA Bank Check US or International Money Order
Card No.
Signature
Name (Please Print)
Address
CityStateZip
New York residents add local sales taxes. Canadians add \$6.00 per order. No foreign orders. Do not send cash. Checks drawn on US Bank and International Money Orders in US funds only. Credit card users may telephone or FAX orders. Telephone 516-293-3751 or FAX 516-293-3115. Price subject to change. Allow 6 to 8 weeks for delivery.

Proof Positive that you are a Certified Electronics Technician



Computer Software Program — ISCET Computer-Aided Associate-Level Study Guide

Prepare yourself for the 75-question CET Associate Examination. Model examinations provide the technician with a study program and introduction to the actual examinations. The model examinations are automatically graded in decimal numbers and bar graphs that can be outputted on your printer. The questions for each exam are selected randomly from a loaded data base—no two exams are exactly the same. When you answer a question, the correct answer is displayed and an explanation is given. From the printouts you will determine whether you need more practice and in which topic areas, or if you are ready to take the real test and continue to promote your electronics career today!

October 1995, Popular Electronics

On the Safety Circuit



Fire Can Happen Any Time!

And if it does, every second counts. Will you and your family know what to do?

- Practice an escape plan from each room in the house. Feel your way out with your eyes closed.
- · Teach your family to stop, drop to the ground and roll if their clothes catch on fire.
- Keep the fire department's number by the phone. By your bed, have a flashlight to help you see and whistle to alert your family.
- Install smoke detectors on every level of your house. Test them monthly, and change the batteries at least once a year.



Remember, fire can happen anytime, so make plans for a surprise visit.





A message from the U.S. Fire Administration

ESCRAMBLERS

	1-4	5-9	10-19	20-49	50+
For Jerrold System	ms				
TNT+	59	55	49	45	40
Stealth+	55	49	44	39	34
FTB3	49	39	35	32	30
For Scientific Atla	an ta System	s			
M80	69	62	55	45	40
SA3	55	45	40	36	33
For Pioneer Syste	ems				
Super-PIO+	69	62	55	45	40
Panasonic Conve	erter				
TZPC1003	75	67	62	59	57

1-800-818-9688

not sell to anyone who will not comply with Federal and State laws. No Florida Sales.

U.S. Cable TV Inc. M-F: 9-6 EST

4100 N. Powerline Rd., Bldg.F4 Pompano Beach, FL 33073 U.S. Cable will only sell the cable equipment to authorized cable subscribers. It is illegal to operate this equipment without paying for the basic and the premium services. U.S. Cable will

New!

Pocket Cube™ with Filter

Would you like to wireless command a rental cable box into FULL service?

Smallest cube on the market just under 1"x 2"!

Simply clip it onto a 9V battery for 10sec!

Only \$69.95!

(plus \$8 S&H)

30 Day Warranty!

Quantity discounts available. Dealers Welcome! Test chips also available.

Order Toll Free 1-800-417-6689

> Mon-Fri, 9AM-10PM et. If busy please keep trying. VISA, MC, MO & COD

EC. P O Box: 80762, Atlanta, GA 30366

Pocket Cube is a test generator ONLY. Do not use these devices without authorization from your local cable company. No GA & TN sales.





Pars Express is proud to announce that we now stock the NTE line of replacement semiconductors. NTE has been supplying the electronics

industry with top notch replacement parts for over 15 years. All NTE products meet or exceed industry specifications and offer an exclusive 2 year manufacturer warranty.

We also offer a complete line of parts for the service repair industry. Test equipment, loudspeakers, video and audio heads, magnetrons,



belts, idler assemblies, tools, soldering equipment, just to name some of the 12,000 items we stock. Ask about our new dealer program for resellers. Call toll free for a copy of our FREE 212 page catalog. Source Code: POM

CIRCLE 148 ON FREE INFORMATION CARD

125

October 1995, Popular Electronics

USE POPULAR ELECTRONICS CLASSIFIEDS

READ BY BUYERS OF ELECTRONIC EQUIPMENT ACCESSORIES AND PARTS

INSTRUCTIONS FOR PLACING YOUR AD!

HOW TO WRITE YOUR AD

TYPE or PRINT your classified ad copy CLEARLY (not in all capitals) using the form below. If you wish to place more than one ad, use a separate sheet for each additional one (a photo copy of this form will work as well). Place a category number in the space at the top of the order form (special categories are available). If you do not specify a category, we will place your ad under miscellaneous or whatever section we deem most appropriate.

We cannot bill for classified ads. PAYMENT IN FULL MUST ACCOMPANY YOUR ORDER. We do permit repeat ads or multiple ads in the same issue, but, in all cases, full payment must accompany your order.

WHAT WE DO

The first word and company name of each ad are set in bold caps at no extra charge. No special positioning, centering, dots, extra space, etc. can be accommodated.

RATES

Our classified ad rate is \$1.75 per word. Minimum charge is \$26.25 per ad per insertion (15 words). Any words that you want set in bold are each .40 extra. Indicate bold words by underlining. Words normally written in all caps and accepted abbreviations are not charged anything additional. State abbreviations must be post office 2-letter abbreviations. A phone number is one word.

If you use a Box number you must include your permanent address and phone number for our files. ADS SUBMITTED WITHOUT THIS INFORMATION WILL NOT BE ACCEPTED.

For firms or individuals offering Commercial products or Services. Minimum 15 Words. 5% discount for same ad in 6 issues within one year; 10% discount for same ad in 12 issues. Boldface (not available as all caps), add .40 per word additional. Entire ad in boldface, add 20%. Tint screen behind entire ad, add 25%. Tint screen plus all boldface ad, add 45%. Expanded type ad, add \$2.25 per word.

General Information: A copy of your ad must be in our hands by the 13th of the fourth month preceding the date of issue (i.e. Sept issue copy must be received by May 13th). When normal closing date falls on Saturday, Sunday or Holiday, issue closes on preceding work day. Send for the classified brochure.

DEADLINES

Ads not received by our closing date will run in the next issue. For example, ads received by November 13 will appear in the March issue that is on sale January 17. POPULAR ELECTRONICS is published monthly. No cancellations permitted after the closing date. No copy changes can be made after we have typeset your ad. NO REFUNDS, advertising credit only. No phone orders.

CONTENT

All classified advertising in POPULAR ELECTRONICS is limited to electronics items only. All ads are subject to the publishers approval. WE RESERVE THE RIGHT TO REJECT OR EDIT ALL ADS.

AD RATES: \$1.75 per word, Minimum \$26.25

Send you ad payments to:

POPULAR ELECTRONICS 500 Bi-County Blvd, Farmingdale, NY 11735-3931

CATEGORIES

- 100 Antique Electronics 270 - Computer Equipment Wanted 130 - Audio-Video Lasers 300 - Computer Hardware 160 -- Business Opportunities 330 -- Computer Software
- 360 Education
- 190 -- Cable TV 210 -- CB-Scanners

Address_

- 390 -- FAX 240 - Components 420 - Ham Gear For Sale
- 450 -- Ham Gear Wanted
 - 480 Miscellaneous Electronics For Sale

Phone _____

_City State Zip _____

- 510 Miscellaneous Electronics Wanted
- 540 -- Music & Accessories
- 570 Plans-Kits-Schematics
- 600 Publications
- 630 Repairs-Services
- 660 Satellite Equipment
- 690 -- Security
- 710 -- Telephone
- 720 Test Equipment 730 - Wanted
- CLASSIFIED AD COPY ORDER FORM

Place this ad in Category #_ Special Category \$20.00 Additional _ 1 - \$26.25 2 - \$26.25 3 - \$26.25 4 - \$26.25 30 - \$52.50 31 - \$ 54.25 5 - \$26.25 6 - \$26.25 - \$26.25 34 - \$59.50 35 - \$61.25 36 - \$63.00 - \$26.25 10 - \$26.25 11 - \$26.25 12 - \$ 26.25 37 - \$64.75 38 - \$66.50 39 - \$68.25 Total words _____ \$1.75 per word = \$____ 13 - \$26.25 14 - \$26.25 15 - \$26.25 Bold Face _____ \$0.40 per word = \$___ 17 - \$29.7518 - \$31.50 19 - \$ 33.25 Special Heading \$20.00 22 - \$38.50 24 - \$42.00 23 - \$40.25 25 - \$ 43.75 26 - \$45.50 27 - \$47.25 Total classified ad payment \$_____ enclosed TOTAL COST OF AD \$ Card # _____ Expiration Date ___/__ [] Check [] Mastercard [] Visa Signature_

126

www.americaniadiohistory.com

127



Custom Overlays for Prototyping / Projects.

New, low cost process for silk-screen type vinyl overlays. C-TEK will provide these overlays with switch, LED, or other component provisions either above the overlay or behind it. Will make any device more professional looking without the high cost of silkscreening. Finished product supplied with easy peel adhesive backing. 8 X 10 Sheet \$36.00 with artwork provided, any size, all colors available. Uses: Equipment Faceplates; Overlays; Prototypes; Evacuation maps; Displays; Signage: Artwork. Contact us for samples and Signage; Artwork. Contact us for samples and

C-TEK, P.O. Box 1413 Frisco, TX 75034 (214) 335-4964 CTEK

E-Mail: 73544.2225@compuserve.com



Introducing the RCA brand DSS™ (Digital Satellite System) the ultimate digital entertainment expe rience The advanced digital compression technology delivers broadcast pictures with laser disc precision accuracy and CD-quality sound clarity. All from a small 18" dish that can be easily installed on your home or property.

RCA Brand DSS™. The future of television today and beyond!










ENVESDROPPING is unbelievably widespread! Electronic Devices with emazing capabilities can be monitoring your telephone and room conversations RIGHT NOW! Are you are you're safe? FREE CATALOG tells you fest! Includes Free Bonus details on fantastic opportunities now open in Counter-Surveillance field. Exciting, immensely interesting and EXTREMELY profitable (up to \$250 hr) full/pert-time income. Call Now!

NOTWORKIN

NETWORKING



NETWORK PROFESSIONA

Packed with hundreds of quality brand name products for installing, testing, & maintaining networks. A full selection of network analyzers, interface cards, hubs & concentrators, cable testers, tool kits, crimping tools, connectors, adapters, software and much more. Full color photos with detailed descriptions

In a hurry to receive your catalog?

Call (800) 282-1800

Contact East, Inc., Dept. R535 335 Willow St., No. Andover, MA 01845

CIRCLE 154 ON FREE INFORMATION CARD

DC/CAD - \$95

(available for saudents only)

normal prace range \$295 - \$2500

From Not-Working to Networking!

Troubleshooting Local-Area Networks!

Now, complete for the first time in one detailed booklet!

Gain a fuller knowledge of network fundamentals and how they developed from the early days of main frames, from XNS to Ethernet technology, the OSI stack for interconnecting different computers,

basic and specialized test instruments, etc. Several tough LAN case histories brings you from theory to thepractical side of troubleshooting.

CLAGGK Inc., Reprint Bookstore P.O. Box 4099, Farmingdale, NY 11735

City

Please rush my copy of "From Not-Working to Networking." I enclosed payment of \$5.50 which includes shipping charges.

Name Address ZIP

Sorry, no orders accepted outside of United States and Canada. All Payments must be in U.S. funds. Send check or money order payable to CLAGGK Inc.—do not send cash or stamps. New York State residents RBS02 add applicable sales tax. Allow 6 to 8 weeks for delivery.

State



introducing...

THE TERMINATOR

Super High Density Router (Complete with Schematic & PCB EDITOR)

Features the following powerful algorithm & capability:

- Rip up and Retry
- · Pre-routing of SMT components
- Real-Time via minimization
- Real-Time clean up passes
- User defined strategies
- Window 3.0 capability as DOS Task
- 1-mil Autoplacer and Autopanning
- Two-way Gerber and DXF
- Automatic Ground Plane w/ Cross-Hatching
- Complete w/ Schematic & Dolly Libraries
- Optional simulation capability & protected mode for 386 users
- * PCB LAYOUT SERVICE AT LOW COST *

LEASE PROGRAM & SITE LICENSE AVAILABLE



Design Computation

1771 State Highway 34 Farmingdale, NJ 07727 (908) 681 - 7700 • (908) 681 - 8733 (FAX)

" DC/CAD . . . The focal point of future CAD market "

PUT YOUR PC TO WORK!

THIS IS THE MACHINE YOU'VE BEEN WAITING FOR!


Imagine using your computer to turn 3D CAD drawings into actual working parts! Machine and drill printed circuits directly from blank material. Fabricate intricate mechanical components from raw plastic or aluminum. Route wood to make signs or "digitally" carve three dimensional art objects AND MOREI Sound interesting? You bet it is and with your creativity the sky's the limit! The NEURACTOR CNC-4+,5 & 6 Desktop Manufacturing Systems may be just the edge you need! Utilizing patent pending technology the ROBOMAX and NEURACTOR CNC kits provide you with machining resolution of .001". All mechanical components are pre-fabricated, pre-machined, plated and painted. The CNC-

4+ machines an area approximately 18"x18"x4.6" and includes four 83 oz/in CY-MOTORs. The CNC-5 & 6 (42"x42"x4.6" and 66"x42"x4.6" respectively) include four 125 oz/in CY-MOTORS. Interface card, 5 amp power supply, 10 pitch steel lead screws, 4 proprietary Slide Block actuator mechanisms, 4 aluminum linear actuator channels,

polished steel guide-rods, toolholder bracket, hardware, etc., are surface.) It's a complete kitl All you do is put it together, calibrate A FREE, FULL-FEATURED 3D CAD/CAM SOFTWARE PACKAGE WITH EACH UNITI CNC-4+ is \$595 + 24.95 S/H, CNC-5 is \$895 + 57.95 S/H, CNC-6 is \$995 + 69.95 S/H. ROBOMAX(tm) Vertical MiniMil is \$695 + 49.95 S/H. Order now or call about our complete line of supplies & accessoriesI MICRO-DRILLS, FLEX-SHAFTS, MILLS & BITS, ETCHERS, CHEMICALS, BLANK

BOARDS, ETC.! Allow 4 weeks min, for delivery, CALL NOW!

U.S. CYBERLAB, 14786 State Gap Rd., West Fork, AR 72774 (501) 839-8293



Interface card, 5 amp power supply, 10 prich steel lead screws, 4 proprietary Slide Block actuator mechanisms, 4 aluminum linear actuator channels, polished steel guide-rods, toolholder bracket, hardware, etc., are included with each unit. (You provide Dremel(tm) Tool or flex-shaft router and work surface.) It's a complete kit! All you do is put it together, calibrate it and TURN IT LOOSE! IF THAT'S NOT EXCITING ENOUGH, WE'RE THROWING IN



PE MARKET CENTER CLASSIFIEDS



Test chips for JERROLD, TOCOM, ZENITH, S.A. & more. Puts cable boxes in full service mode. Easy installation. Zenith only \$39.95. Most others under \$50ea. FAX: (310)902-0851.
No Ca mia Not for use in cable co. remod equip For use we test uid only.



CABLE TV

"BULLET" BUSTER. Protect your cable box against the infamous cable "bullet." The "Bullet" Buster acts as an electronic shield. Installs in-line in seconds. Don't wait until it's too late! \$19.95 +\$3.00 S&H. Visa/MC/Amex. ELECTROMAN, Box 24474, New Orleans, LA 70184. (504) 482-3017.

CABLE — SAFE. Guarantee cable privacy. The one way valve for your cable TV signal. Cable signals come in, but they don't go out! \$29.95, + \$3.00 S&H. Visa/MC/Amex. ELECTROMAN, Box 24474, New Orleans, LA 70184. (504) 482-3017.

DESCRAMBLER SCHEMATICS REVEALED. A powerful guide to descrambling schemes. \$10.00. Visa/MC/Amex. **ELECTROMAN**, Box 24474, New Orleans, LA 70184. (504) 482-3017.

CABLE UNSCRAMBLED. Everything you want to know about cable, but are afraid to ask. \$10.00. Visa/MC/Amex. ELECTROMAN, Box 24474, New Orleans, LA 70184. (504) 482-3017.

UNIVERSAL DESCRAMBLER. Unscramble signals using your VCR as the tuner. Works with virtually any system, this is the only one you need. Declare cable box independence! \$129.95 + \$5.00 S&H. Visa/MC/Amex. ELECTROMAN, Box 24474, New Orleans, LA 70184. (504) 482-3017.

ATTN. CABLE box owners. Get your Bullet and ID stopper before it's too late. Send \$20.50 to R.R. Enterprise, Box 3532, Easton, PA 18043.

CABLE DESCRAMBLING, New secret manual. Build your own descramblers for cable and subscription TV. Instructions, schematics for SSAVI, gated sync, sinewave, some free methods (HBO, Cinemax, Showtime, UHF, Adult) \$12.95, \$2.00 postage. CABLETRONICS, Box 30502PE, Bethesda, MD 20824.

CABLE DESCRAMBLER! Build for UNDER \$12.00 with 7 Radlo Shack parts! Instructions \$8.00: F.A.S.T., Box 369-EP, Pt. Salerno, FL 34992-0369.

CATV TEST chips as low as \$8.95 for testing converter boxes infull service modes. Jerrold, Tocom, Scientific Atlanta, Pioneer BA5XXX — BA67XX cubes clears E2—E5. Micro Masters, 1 (800) 360-7654.

"BASEBAND VIDEO EXPLAINED." Discover what a Baseband Signal is and how it's constructed. Learn the advantages of doing things the "Baseband" Way. \$10.00. Visa/MC/Amex. ELECTROMAN, Box 24474, New Orleans, LA 70184. (504) 482-3017.

ZAP IT! For Jerrold or pioneer cable boxes, descramblers for other models also available. 1-year warranty. 1 (800) 899-9707.

DESCRAMBLERS. CONFUSED? We'll explain all your options. Most models available. Quality service. Sunstate Engineering, 1 (800) 717-1575.

GET THE LATEST TECHNOLOGY IN CABLE CONVERTERS AND DESCRAMBLERS. SAVE ON EQUIPMENT, CABLE RENTAL FEES. WE'LL BEAT ANY PRICE! STEALTHS, M-80, ZENITH, ETC. DEALER INQUIRES WELCOME. VISA/MASTERCARD, DISCOVER, C.O.D. QUALITY ENTERTAINMENT 1 (800) 72-BOXES FOR ALL SALES.

SPACE AGE technology. Wireless external activators for all Jerrold, Pioneer, Scientific Atlanta converters, including baseband. Get the whole picture! Guaranteed! Buy where the dealers buy. Wholesale! Call 24 hours (516) 561-3788.

BLOWOUT SPECIAL! Cable hackers handbook, perfect companion for hobbyists or professional. Universal descrambler plans included for free. Only \$24.95 plus \$3.00 S&H. Check or money order please. Bates, 5541 West Quincy, Chicago, II 60644.

PROTECT YOUR investment. The "Bulletstopper electronically neutrilizes any harmful "surges." SUNSTATE ENGINEERING, 1 (800) 717-1575.

TEST CHIPS under \$15.00. Combo descramblers under \$150.00. Don't get ripped off again, send for report that contians info on over 20 companies to purchase equipment below wholesale! Only \$15.95 guaranteed to save you big \$. Bates, 5541 West Quincy, Chicago, IL 60644.

SATELLITE EQUIPMENT

SATELLITE RADIO BOOK AND GUIDE. New book covers all audio services, SCPC, subcarriers, FM squared, facsimile, press services, weather services. Simple how-to-receive instructions. \$16.95 plus \$3.00 Priority Mail. UNIVERSAL ELECTRONICS, 4555 Groves Road, #12, Columbus, OH 43232. (614) 866-4605.

VIDEOCYPHER II descrambling manual. Schematics, video and audio. Explains DES, EPROM, CloneMaster, Pay-per-view (HBO, Cinemax, Showtime, Adult, etc.) \$16.95, \$2.00 postage. Schematics for Videocypher Plus, \$20.00. Schematics for Videocypher 032, \$15.00. Collection of software to copy and alter EPROM codes, \$25.00. VCII Plus EPROM, binary and source code, \$30.00. CABLETRONICS, Box 30502PE, Bethesda, MD 20824.

COMPUTER HARDWARE

FREE Catalog. Chips, ICs, parts, products. Amiga, C64/128, IBM, quality electronics. JSP, SSF, CA 94083-5060. 24hrs. (415)871-5158.

NOW A QUALITY SATELLITE SCPC AUDIO RECEIVER

AT AN AFFORDABLE PRICE



UNIVERSAL SCPC-100 AUDIO RECEIVER

SERVICES ON SCPC RADIO

ALL SPORTS - NEWS NETWORKS - AP - UPI - RADIO NETS - HOMETOWN SPORTS - TALK SHOWS - MUSIC (CLASSICAL, JAZZ, ROCK) - MAJOR RADIO STATIONS - FINANCIAL NEWS - NEW, QUICK LOCATOR CHANNEL GUIDE FURNISHED - OVER 430 CHANNELS AND GROWING!

FEATURES OF THE SCPC-100

MICROPROCESSOR TUNING, EASY TO TUNE - 50 CHANNEL MEMORY RECALL -WORKS WITH 950-1450 SYSTEMS - 3-MINUTE HODKUP - 1/2" DISPLAY - C AND Ku BAND SCPC - DOES NOT DISABLE VIDEO IN USE - USE WITH HI-FI SYSTEM -RECEIVES ALL SCPC CHANNELS - SIMPLE TO USE - TUNE ALL "HIDDEN" CHANNELS.

RETAIL PRICE \$399 + S&H


UNIVERSAL ELECTRONICS, INC.

4555 GROVES RD., SUITE 12, COLUMBUS, OH 43232 (614) 866-4605 FAX (614) 866-1201

Make your projects speak for themselves... Ours do!

DIGITAL VOICE RECORDERS

- Record up to 218 seconds
- 1 to 8 messages
- High quality speech 12 bit
- Switch-closure actuation
- Sample rates up to 20Khz
- On-board backup
- Direct speaker output
- Wide operating range
- Small size 2.6" X 2.6"
- Made in U.S.A.



MODEL AudioQ -218

Call or write for more information

OEM price and delivery available

Custom designs and enclosures

Single unit price \$149.00 plus s+h

Quantity pricing as low as \$99.00

GETTECH,Inc

402 Riley Road, New Windsor, NY 12553 (914) 564-5347

Specifications and price subject to change









Toll Free, 24 Hours! For orders, dial 800 445 7717. For Fax Facts Instant catalog sheet service, dial 317 849 8683. Computer BBS 317-579-2045. Fax: 317 849 8794. Email: ACESCANS@aol.com. Mastercard, Visa, Checks, Approved P.O.'s & COD (add \$5.50) & AMEX, Discover. Prices, specs and availability subject to change. Ground shipping and handling charge \$6.95. 10707 E. 106th St. Fishers, IN 46038

ACE COMMUNICATIONS
CIRCLE 25 ON FREE INFORMATION CARD

Professional Desoldering Made Easy & Affordable



Try Our

Unique, All in the Handle, with Built-in Diaphragm Pump for Superior Suction & Effeciency Variable Temperature Control Quick Replacement Filter SMD Removal Capability - ESD Safe Ergonomic Design for Comfort One Year Parts & Labor Warranty

DEN-ON SC7000Desoldering Tool

for a 15 Day

FREE TRIAL


Regular Price \$499.00



We MEET or BEAT Advertized Prices

Purchase in advance and receive a 30 DAY MONEY BACK GUARANTEE





\$139* Laser LightShow



Draw with a laser beam! Animation.
text. music & more! Includes galvos. servo
amp. oscillators, software listing, analog &
digital computer interfaces. Call for details



Computerized Motors \$39*

Includes: 2 Stepper motors, computer interface, 32 page training manual, & software listing. Expandable system! Up to 12 motors, up to 3 amps per phase. Call for details

** Add \$6 for shipping. Computer with parallel printer port.

Assembly. Power supply. & Laser are required

Co or fox for FREE FLYER

SVS

Light & Motion in kit form 1273 Industrial Pky, West Bldg, 460 PO Box 55125 Hayward CA 94545-0125

Voice 510-582-6602 Fax 510-582-6603

CABLE TV DESCRAMBLERS

Never rent again! Save \$100's on premium Cable TV Descramblers & Converters compatible with Jerrold, Scientific Atlanta, Zenith, Pioneer, Tocom and More! Get your best prices and call us last! Please have the MAKE & MODEL # of your area's cable box ready. GUARANTEED TO WORK IN YOUR AREA! 1 year warranty and 30 day money back guarantee! Allstar Electronics 1-800-782-7214

PE MARKET CENTER CLASSIFIEDS

MISCELLANEOUS ELECTRONICS FOR SALE

THE CASE Against Patents. Thoroughly tested and proven alternatives that work in the real world. \$28.50. \$YNERGETICS PRESS, Box 809-C, Thatcher, AZ 85552. (520) 428-4073. Visa/MC.

TURBO CHARGE your amplifier. Guide to increase wattage of existing power amplifiers. Send \$7.50 for complete book. JAM Electronics, 7391 St. Hwy 78, Gratiot, WI 53541.

REMOTE CONTROL miniature encoded transmitters and receivers. Send for free catalog to: Inventive Solutions, PO Box 8, Stratford, NY 13470.

FREE BUY/Sell listing searches. FREE 2 month listing. Used/surplus/antique equipment/parts/books. Communications/Computer/Electronics BBS. Modem: (201) 993-0811 (8/N/1/ANSI) or Suite 111, 103 Washington, Morristown, NJ 07960.

57 ELECTRONIC journals, How to get free subscriptions \$5.00. CABLETRONICS, Box 30502PE, Bethesda, MD 20824.

BUSINESS OPPORTUNITIES

START your own technical venture! Don Lancaster's newly updated Incredible Secret Money Machine II tells how. We now have autographed copies of the Guru's underground classic for \$18.50. SYNERGETICS PRESS, Box 809-C, Thatcher, AZ 85552. (520) 428-4073. Visa/MC.

SMALL BUSINESS "Government" loans available nationwide! It's easy when you know how — Call NIC: 1 (800) 226-3601, BF7930.

MAKE \$75,000 to \$250,000 YEARLY. Repairing all kinds IBM monitors. Successful home based business, anywhere. Telephone required. Details: USA \$3.00 cash (no checks), Dealerships: Canada-all foreign countries: \$85.00 for application-brochure. Randall Display, Box 2168H, Van Nuys, CA 91404.

GET SERIOUS! A wealth of information to make you wealthy. Money, PO Box 69059, Edmonton, Alberta T6V 1A0.

GREAT EXTRA income! Assemble craft products at home. Easy/fun! Program guaranteed! Call: 1 (800) 377-6000 ex7930.

EDUCATION

LEARN IBM PC ASSEMBLY LANGUAGE. Disk \$5.00, Book \$18.00. ZIPFAST, Box 12238, Lexington, KY 40581-2238.

ESP, BIOELECTRICITY, microwave hearing, comprehensive booklist ... \$1.00; \$2.00 foreign. Research Associates, PO Box 3583, Boynton Beach, FL 33424-3583

PUBLICATIONS

NEW TESLA COIL/HIGH-VOLTAGE NEWSLET-TER! Send SASE for more information: TC/HV Experimenter, PO Box 173811, Arlington, TX 76003-3811

SECURITY

HI-TECH. ELECTRONICS, The best for less, (spy, security, laser), catalog \$5.00 postage: F & P Enterprises, Box 51272, Palo Alto, CA 94303-A.

FREE

catalog and construction plans for any of these kits (limit two) Call 513-752-0279

P.O. Box 421, Batavia, OH 45103

Educational Kits for the Serious Hobbyist

Caller Block

Connects between your telephone and its wall jack, and prevents the phone from ringing unless the calling party is one which you've entered into memory using your touch-tone phone. Your answering machine can handle all other calls. Change between two separate directories of callers with a simple flip of a switch. \$48.00

Telephone Scrambler

Scrambles your voice before sending it over the telephone line, and descrambles it on the other end. Connects between your telephone and wall jack. No modifications are required to your telephone. Full duplex your telephone. operation. \$43.00

Telephone Caller ID

Connects to telephone wall jack. Shows the telephone number of the calling party along with the time of day the call was received, on a 18x1 character LCD display. Stores the info from the last five calls in memory. Complete stand alone, no computer interface needed. \$52.50

IR Remote Control Receiver

Learns and records the data patterns emitted by standard infrared remote controls used by TVs, VCRs, Stereos, etc. Lets you control all your electronic projects with your TV remote. Seven individual I/O plns can be assigned to any button on your remote, and can be configured for either 'topole' or 'momentary' action... \$32.00 "toggle" or "momentary" action. \$32.00

Telephone Call Restrictor

Connects to telephone wall jack. Disables all phones on the line if attempting to either: dial a number that has been stored in memory 'Block Mode' or, dial a number that has not been stored in memory 'Allow Mode". Use touch-tone phone to enter telephone numbers into memory, and choose mode. Program from any phone on the line using your password. \$35.00

> **Vocal Filter** An audio device which can be used with a home component stereo system, to filter out the main vocal sound track from main vocal sound track from standard stereo recordings (CD, tape, record or FM), leaving the background music to sing along with. Produce your own karaoke tapes. \$40.00

50 MHz Frequency Counter

Reads frequency from 1Hz to 50MHz and displays it on a 16x1 character LCD display. Auto-range feature provides floating decimal point and automatically affixes the correct suffix (Hz, KHz, or MHz). Microcontroller based, very few additional components. \$48.50

DTMF Decoder/Logger

Keep track of all numbers dialed or Keep track of all numbers lailed of mired from any phone on your line. Connects to your telephone wall jack. Decodes all 16 touchtones and displays them on an LCD display. Holds the last 240 digits in a nonvolitile memory. Scroll a nonvolitile memory. Scroli through and view all telephone numbers dialed, credit card numbers entered, etc. \$54.50

CABLE TV DESCRAMBLER KITS

Universal-New Product

This Product includes all the Parts, PC Board, Complete Schematic with Functional Guide. Generates Sync for most Video Applications.

\$79.95

Tri-Mode Descrambler

This product includes all the parts PC Board and AC Adaptor. NO Enclosure included.

\$59.95

SB-3 Descrambler

This Product includes all the Parts. PC Board and AC Adaptor. Enclosure is not included.

\$44.95



Call Toll Free 1-800-886-8699

M & G Electronics, P.O. Box 3310, No. Attleboro Mass. 02761

VISA

Anyone implying theft of Cable service will be denied assistance.

NO MASSACHUSETTS SALES!

SILICON-CONTROLLED RECTIFIER PROJECTS

1586T-From TAB Books. A treasure trove of exciting proiects using SCR's and other low-cost thyristor devices for power-control applications. Includes a sophisticated burglaralarm system, an SCR-based smoke- alarm system, a remote-control garage-door opener, and a high-tech light dimmer



that uses the output from your stereo to modulate the intensity of your lights. And then there are 20 more. To order-ask for book 1586T. and include your check for \$12.95 (includes s&h) in US and Canada, and order from -Electronic Technology Today Inc., P.O. Box 240, Massapequa Park, NY 11762-0240. US funds only, use US bank check or International money order. Allow 6-8 weeks for delivery.

Privacy • Communications Hobbyist

Experienced & Specialists in: countermeasures Scanners • Frequency Counters • Night Scopes ·Confidential Frequencies ·Codes ·Binoculars · Spy Scopes •Reports & Journals On Locating And Removing Electronic Evesdropping Devices C.B.'s & Accessories •And Much More

We Guarantee Top Quality! Catalog \$5.00 (deductible with 1st order)

We Also Do "Sweeps" For Local Residents.


Precision Electronics

78 -11 Roseda Blvd, Suite 223 Roseda CA 91335 (818) 344-5863 FAX (800) 555-7446 24 hr orderline

Save Big \$ and watch what you want!

Cable TV Descramblers Converters * Filters * Accessories

Free Catalog 30 day Free Trial - NO RISK!





Credit Cards Welcome!

We'll beat anyone's price!



Prices starting as low as \$99! October 1995, Popular Electronics

CUT > YOUR GROCERY BILL



Save up to 50% and More on over 1,000 National Name Brand Products.

SELECT THE COUPONS YOU WANT FOR THE GROCERIES YOU BUY!

Imagine having a coupon for almost every item that you buy at the grocery store! Think of the savings, especially on double and triple coupon days.

By selecting the coupons for the groceries you buy, you will save from 20 to 50 percent and more on your grocery bill! It's Guar-

anteed!

YOU GET TO SELECT FROM A LIST OF OVER 1000
NATIONAL NAME BRAND PRODUCTS. Kraft, Frito Lay,
Colgate, Folgers, Campbells, Nabisco, Oscar Mayer,
Green Giant, Johnson's Gerber, Hunts, Kelloggs, Pillsbury, Dole, Heinz . . . And the list goes on!

These manufacturer's coupons can be used wherever you shop and as often as you like. When you use this Grocery Coupon Certificate Book Program, you are guaranteed to save money at the grocery store! You select the coupons you want from a list of over 1,000 national name brand products. Stretching your grocery shopping dollar has never been easier.

Grocery Coupon Certificate Books contain certificates valued at \$10.00 each. For example: the \$200.00 Grocery Coupon Certificate Book contains twenty \$10.00 certificates. Each certificate is redeemed for manufacturer's coupons through the Coupon Redemption Center. The number of \$10.00 Certificates that you redeem at one time depends upon your grocery buying needs. The coupons that you receive can be redeemed at your favorite grocery store. So now you can buy trusted name brand products at generic brand prices using manufacturer's coupons. Your savings are guaranteed when you use this money saving Grocery Coupon Certificate Book Program! You can't lose! Coupons valid in U.S. stores only!

Order Your Grocery Coupon Certificate Book Today!

✓ Yes. I want to save big at the grocery store! Please send the Grocery Coupon Certificate Book(s) indicated at right.		
☐ Visa ☐ MasterCard ☐ USA Bank Check ☐ US	S/International Money Order	
Total Amount \$ (NY State resident	ts add local sales tax.)	
Credit Card NoSignature	_Expire Date/	
Print Name		
Address		
CityState	ZIP	

Send orders to CLAGGK INC., PO Box 4099, Farmingdale, NY 11735-0793. Credit card users may FAX orders: 516-293-3115. US funds only. Prices subject to change. Allow 6-8 weeks delivery.

☐ Please send Grocery Coupon Certificate Book(s) each good for *One Hundred Dollars* of face-value Grocery Coupons, at \$6.95 each. Plus, receive a *Ten Dollar Bonus!*

To save even more money!

☐ Please send Grocery Coupon Certificate Books each good for *Two Hundred Dollars* of face-value Grocery Coupons, at \$12.95 each.

Plus, receive a Twenty Dollar Bonus!

CB04



MULTIMEDIA on the PC!

What is Multimedia? What can it do for you? It can do lots of nice things! This 184-page book helps you create your own multimedia presentation.

Multimedia applications by people like you can revolutionize educational and business applications as well as bring more FUN, FUN, FUN into your leisure computer activities.

Mail coupo	n 1	0:
------------	-----	----

Electronics Technology Today, Inc. P.O. Box 240 Massapequa Park, NY 11762-0240

Please send me my copy of Multiomedia on the PC (PCP120). I enclose a check or money order for \$18.95 to cover the book's cost and shipping-and-handling expenses. NY state resident must add local sales tax.

Name.	
170,1110	
Address	

City State Zip

All orders must be paid in U.S. funds only. Sorry, no orders accepted outside of USA and Canada. Please allow 6-8 weeks for delivery.

Plant Trees for America



en free Colorado blue spruces, or other conifers selected to grow in your area, will be given to each person who joins the Arbor Day Foundation.

Your trees will be shipped postpaid at the right time for planting in your area, February through May in the spring or October through mid December in the fall. The six to twelve inch trees are guaranteed to grow, or they will be replaced free.

To become a member and to receive your free trees, send a \$10 membership contribution to Ten Blue Spruces, National Arbor Day Foundation, 100 Arbor Avenue, Nebraska City, NE 68410.

Join today, and plant your Trees for America!





For **Equipment Repairmen Electronics Technicians** Hobbylsts & Modelers

Hot-Aero Miniature Heatgun
For Heat-Shrink Tubing



Uses most adjustable will not burn lighters . Shrinks tubing in seconds; tubing nor components • Compact, shirt-pocket size for toolboxes • Safety-valve mouthpiece • Simple & easy to use Completely portable . No moving parts . Patented air-injector turbocharges the flame, producing a precise 1/2 inch diameter, super-hot air-stream and no carbon soot mess . Unbreakable & built to last a lifetime . Heats-up instantly & cools-down in seconds . Made with precision & top-quality materials; Hardened stainless steel, Heat-resistant nylon, Polyurethane recoil tubing . Professional . Rugged . Limited lifetime warranty . Satisfaction guaranteed

Limited Time, introductory Price \$14.95

If you solder wire connections together, you will love this tool! Now using heat-shrink tubing with the Hot-Aero is faster, easier and more convenient than tape or big, loud electric heatguns.

Send check/money-order (\$3.00 S/H) to:

Rose Research & Development P.O. Box 12212 Santa Rosa, CA 95406


1-800-606-9044 Free Color Brochure



199 EETOOLS 4 GANG

49 SUNSHINE 1 GANG 99 SUNSHINE 4 GANG

169 SUNSHINE 8 GANG



GENERAL DEVICE INSTRUMENTS 408) 241-7376 Fax 241-6375 BBS 983-1234

The Pocket Programmer



\$129.95 The portable programmer that uses the printer port of vour PC instead of a internal card.

Easy to use software that programs E(E)prom, Flash & Dallas Ram. 27(C)/ 28(C)(F)/29(C)(F)/25 series from 16K to 8 Megabit with a 32 pin socket. Adapters available for MCU's 874X, 875X, Pic, 40-Pin X 16 & Serial Eprom's, PLCC, 5-Gang and Eprom Emulator to 32K X 8.


Same Name, Address & Phone # for 13 Years.... Isn't it Amazing?

Intronics, Inc.

Box 13723 / 612 Newton St. Edwardsville, KS 66113 Add \$4.75 COD Tel. (913) 422-2094 Add \$4.00 Shipping

Fax (913) 441-1623

Visa / Master Charge



An incredible interactive collection of robot info. film clips (Star Wars, 2001, etc.), stories, mechanical demos & more. View 100's of robot pictures from Sci Fi & industry, read the full text of 50+ Asimov robot stories, assemble & animate on-screen robots. A "must have" resource for every robot enthusiast.

Mac #3-135 or Windows #3-138 \$67.95

Dave's Solar Motor Kit

"Get rolling while the sun shines!"

Now you can harness fusion energy & give life your creations! Everything you need to build a micro powerplant that "pumps" solar energy to drive microbots without recharging! Has solar cell. DC motor, parts & great instructions. BONUS: Includes Dave's new article on "Solar Rollerballs" & his other "living" mini robots.

#3-119 \$34.95

Gadgeteer's Goldmine

400+ pages of unique high-tech projects & practical info on robots, Tesla & Van de Graaff generators, Kirlian photos, lasers, holography, night vision, espionage. Illustrations, sources & more. Get it and expand your inventing library!



Muscle Wires Project Book & Deluxe Kit

Create direct linear action with Muscle Wires. They contract up to 5% when powered! For robots, planes, railroads - anything needing strong all-electric motion. 128 page book has full plans for Boris the motorless robot & 14 other projects. Kit has 1 meter each 50, 100 & 150 μm dia Muscle Wires. #3-168 \$59.95 Get moving today!





Mondo-tronics

524 San Anselmo Ave. #107-86 San Anselma, CA 94960 Questions: 415-455-9330 Fax: 415-455-9333 Internet: info@mondo.com

To Order: Send check, MO or credit card info. All orders add \$5.00 P & H. Calif. orders also add sales tax.

International Orders Welcome! First Class P&H: \$11.00

October 1995, Popular Electronics

133

October 1995, Popular Electronics

ADVERTISING INDEX

POPULAR ELECTRONICS magazine does not assume any responsibility for errors that may appear in the index below.

Free	Information No. Page	Free	e Information No. Page
25	Ace Communications	171	Heath Company67
163	Advantage Instruments	-	
26	Alfa Electronics		Home Automation Systems 122
28	All Electronics		Howard Electronics
20		_	I.E.C
	Allican Technology 113	_	ISCET92
	Allston Flortnerics 117 120	-	Information Unlimited100
140	Allstar Electronics 117, 130	169	Interactive Image Technologies . CV2
140	AMC Sales	_	Intronics
_	Andromeda Research	-	KDE ELectronics
_	Antique Electronics Supply79	38	Kelvin Electronics
_	Antique Radio Classified,79		M&G Electronics
_	Basic Electrical Supply 116	165	MCM Electronics
30	Bel Merit	_	MD Electronics111
_	Black Feather122	_	Mega Electronics 127
_	C&C Specialties	149	Mendelsohn's121
_	C&L Electronics	42	MicroCode Engineering5
132	C&S Sales	_	Ming Engineering110
_	Circuit Specialties	_	Modern Electronics 121
_	CLAGGK, Inc 79, 89	_	Mondo-tronics
-	CLAGGK, Inc 123, 124	16	Nat'l Electronic Wholesalers31
_	CLAGGK, Inc.	_	NRI Schools
_	Cleveland Inst. of Electronics71	43	Optoelectronics
_	Command Productions 112	_	Orion Electronics
_	Comtrad Industries8, 13, 19	148	Parts Express
_	Consumertronics 120	164	Phillips Tech 122
154	Contact East 127	47	Prairie Digital Inc118
15	Cook's Institute of Elec. Eng 81	_	Precision Electronics 131
_	CTek127	46	Print113
_	Cybermation 119	162	Print116
137	Dalbani	_	Progressive Concepts 117
_	Design Computation127	_	Rose Research & Development 133
_	EDE Spy Outlet117	_	The School of PC Repair 79
-	Electronic Equipment Bank 105	_	Self-Reliance Co. Inc 109
139	Electronic Goldmine95	_	Sescom Inc
147	Electronic Rainbow	_	Show Time
_	Electronics Tech. Today CV3, 28, 77	_	Silicon Valley Surplus 130
_	Electronics Tech. Today 85, 78, 93	_	Skyvision Inc. 106, 128
_	Electronics Tech. Today 131, 133	-	Software Science
_	EMAC118	_	Tab Books
-	Firestik II	130	Tech Serv
172	Foley-Belsaw Institute	_	Tri Star Satellite Systems 127
_	Forest Electronics 123	136	UCANDO Videos
_	Fotronic Corporation94	_	Universal Electronics Inc 129
_	Gateway Products109	_	US Cable
_	General Device Instruments 133	_	US Cyberlab
_	Get-Tech Inc	_	Vision Electronics
_	Grantham College of Engineering . 3	_	Weeder Technologies
_	Great Southern Security 127	_	Weka Publishing
_	Greenleaf Electronics Inc 112	_	World College (Div. of C.I.E.) 29
_	Halcyon Group	_	WPT Publications109
170	Hameg Instruments67	134	Xandi Electronics 114
155	Heath Company		

ADVERTISING SALES OFFICE

Gernsback Publications, Inc. 500 Bi-County Blvd. Farmingdale, NY 11735-3931 1-(516) 293-3000

Larry Steckler, EHF/CET
President

Christina Estrada
Assistant to the President

For Advertising ONLY 1-516-293-3000 Fax 1-516-293-3115

Larry Steckler publisher

Arline Fishman advertising director

Denise Mullen advertising assistant

Kelly Twist credit manager

Subscription/ Customer Service/ Order Entry 1-800-827-0383 7:30 AM - 8:30 PM EST

ADVERTISING SALES OFFICES EAST/SOUTHEAST

Stanley Levitan
 Eastern Sales
1 Overlook Ave.
Great Neck, NY 11021-3750
1-516-487-9357, 1-516-293-3000
Fax 1-516-487-8402

MIDWEST/Texas/Arkansas/ Oklahoma, Colorado, Arizona

Ralph Bergen Midwest Sales One Northfield Plaza, Suite 300 Northfield, IL 60093-1214 1-708-446-1444 Fax 1-708-559-0562

PACIFIC COAST/Mountain States

Anita Bartman
Hutch Looney & Assoc., Inc.
6310 San Vicente Blvd.
Suite 360
Los Angeles, CA 90048-5426
1-213-931-3444
Fax 1-213-931-7309

134

Electronics Paperback Books



BP88-How to Use OpAmps...\$5.95. A designer's guide that covers operational amplifiers. Serving as both a source book of circuits and a reference book for design calculations. The text is non-mathematical and easy to understand



BP113-30 Solderless Breadboard Projects-Book 2. \$5.95. Companion to BP107. Presented in exactly the same style using "Verobloc" breadboards. All the breadboard projects in this book are based on CMOS logic integrat-



BP177—Introduction to Computer Communications...\$5.95 Details on types of modems and their suitability for specific application, plus details of connecting various computers to modems, and modems to the tele-



BP350-Electronic Board Games...\$6.00. Twenty novel electronic board games that you can build from the plans in this book. Some games are motor racing, searching for buried treasure or for gold in Fort Knox. there is something for you to build and enjoy!



BP61—Beginners Guide to Digital Techniques...\$5.00. Covers the basics of digital techniques-decimal, binary. octal and hexadecimal numbering systems are covered plus insights on weighted and non-weighted binarycoded-decimal codes and alphanumeric codes. The basic building blocks of circuit logic, the common AND, OR, NAND, NOR and EXCLUSIVE-OR gates and bi-stables are thoroughly covered.



BP285-A Reginners Guide to Modern Electronics Components... \$6.50. It is easy for newcomers to electronics to become confused. There are a great many different types of components available often with numerous variations of each type. This book presents the reader with a vast amount of invaluable parts information to enable the right component to be selected every time for repairs and projects.



PCP103-Practical MIDI Handbook...\$9.95. The Musical Instrument Digital Interface (MIDI) is surrounded by a great deal of misunderstanding. This book is aimed at musicians and technicians who want to explore the vast capabilities of MIDI. It covers MIDI-based equipment you can use: keyboards. drum machines, sequencers, effects units, mixers, drum pads guitars. There's also a section on computer music



PCP119-Electronic Music and MIDI Projects...\$14.95. Save cash by building the MIDI gadgets you need. Want a MIDI Thru box, program change pedal, Metronome, analog echo unit? Over 16 practical and very useful music and MIDI projects



BP121-How to Design and Make Your Own PCBs...\$5.75. Simple methods for copying printed-circuit board designs from magazines and books on to copper. Covers all aspects of simple PCB construction as comprehensively as



☐ BP44—IC 555 Projects...\$5.95. Every so often a device appears that is so useful that one wonders how life went on before without it. The 555 timer integrated-circuit chip is one such device. Included are basic and general circuits used by most hobbyists



Electronics Data Book . \$10.00. An invaluable source of electronics information-the text contains sections that deal

PCP109-Everyday

with the underlying theory of electronic circuits and a wide range of practical electronic uses for everyone.



BP301-Antennas for VHF and UHF...\$6.00. From installing a TV or FM antenna to setting up a multi-antenna array for shortwave listening or amateur radio, this book explains the basics of VHF and UHF antenna operation and installation. The text describes in easyto-understand terms the essential infor mation about how antennas work, the advantages of different antenna types, and how to get the best performance.



☐ BP297—Loudspeakers for Musicians...\$6.25. Contains all the information that a working musician needs to know about loudspeakers: the different types, how they work, the most suitable for different instruments, for cabaret work, and for vocals. It gives tips on constructing cabinets, wiring up, available fittings, finishing and how to connect multi-speaker arrays, etc. Includes ten enclosure designs with plans.



PCP110—Electronic Power Supply Handbook...\$10.95. All types of power supplies used for electronics purposes are covered in detail, starting with cells and batteries and extending by way of rectified supplies and linear stabilizers to modern switch-mode systems. IC switchmode regulators, DC-converters and inverters. The devices, their operating principles and typical circuits, are dealt with

Number of books ordered



BP254—From Atoms to Amperes... \$6.50. Explains in crystal-clear terms the fundamentals behind the whole of electricity and electronics. Really helps you to understand the basis of the complex subject perhaps for the first time ever



PCP101—Practical Digital Electronics Handbook...\$9.95. An introduction to digital circuits. logic gates, bi-stables, timers, microprocessors, memory and I/O devices. A special feature of the book is the section on digital test gear projects.



BP315-Introduction to the Electromagnetic Wave...\$5,95

A fundamental and easy-to-understand approach to a complicated theory topic. The beginner requires no more than elementary mathematics and basic knowledge of electronics



#228—Essential Theory for the Hobbyist...\$5.25. Supplies to the hobbyist background knowledge tailored to the specific requirements of the hobbyist. Relevant material is presented it in a readable manner matics

TEST EQUIPMENT SPECIALS

- BP239—Getting the Most from Your Multimeter...\$5.95 Covers analog and digital gear, component and gear testing.
- BP267—How to Use Oscilloscopes & Other Testing Equipment...\$6.95 Get with the next step to proficient troubleshooting
- PCP111—Electronic Test Equipment Handbook...\$13.95 The all-purpose, all-pro handbook that covers basics to in-circuit testing.

SUBSTITUTION GUIDES FOR HOBBYISTS

- BP85—International Transistor Equivalents Guide...\$7.50 The ultimate guide to replacing foreign and domestic transistors.
- BP108—International Diode Equivalents Guide...\$5.95 Rectifiers, Zeners, LEDs, OCIs, diacs, triacs...all hobby types.
- BP140—Digital Equivalents and Pin Connectors...\$12.50 A master reference for builders who design projects

ELECTRONIC TECHNOLOGY TODAY INC.

P.O. BOX 240, Massapequa, NY 11762-0240

Name Address City

State	Zip	

SHIPPING CHARGES IN **USA AND CANADA**

\$2.00 \$0.01 to \$5.00 \$5.01 to \$10.00 \$3.00 \$10.01 to 20.00 \$4.00 \$20.01 to 30.00 \$5.00 \$30.01 to 40.00 \$6.00 \$40.01 to 50.00 \$7.00 \$50.01 and above \$8.50

SORRY No orders accepted

outside of USA & Canada Total price of merchandise Shipping (see chart)..... Subtotal Sales Tax (NYS only) Total Enclosed All payments must be in U.S. funds!

www.americannadiohistory.com

We don't make SCANNERS, We make them more FUN to use

Featuring The OptoScaning, Computer Controlled Scanning,

Tone Decoding and Increased Scanning Speed for the Pro-2035

Introducing th∈ OptoScan535, the next generation in computer controlled interface boards for the Fadio Shack series of scanners. A Pro-2035 with an OptoScan535 is not only faster than an unmodified Pro-2035, it is faster than any other scanner using computer control. And that's just scratching the surface.

The OptoScan535 comes with two builtin CI-V interface convertor jacks, elimiliating the meed for an external convertor box . The OptoScan535 modification provides decoding on screen of CTCSS, DCS, and DTMF (Touch Tone®).

In addition to the speed and performance computer control offers, the OptoScan535 can a so be used with the revolutionary Scout™. The Scout Reaction Tune™ feature allows the Scout to simultaneously tune the Pro-2035 through the CI-V port the OptoScan535 modification provides

- Computer control pf the Pro-2035
- Decodes CTCSS, DCS, and DTMF tones
- Two built-in CI-V data ports
- Use with the Scout[™] for Reaction Tune[™]
- Supported by Probe, Scanstar, Scandat, ScannerWear for Windows, Radio Manager for Windows and WAVE for Mac
- Import files from PerCon FCC database
- Records frequencies into memory
- locations while unattended
- AM, FM-Narrowband and FM Wideband modes are supported:
- Includes Hardware, Computer serial cable, and Demonstration software

We don't make scanners. we make them more fun to use

anger not included

Defuxe Vinyl Opto Case. Holds Laptop, OS535 Accessories \$39



5821 NE 14th Avenue Fort Lauderdale, Florida 33334

anBlaster Systems; Including the Scout™, OptoScan456 or 535 and an array of accessories at great savings.

Contact Factory for shipping prices. Visa, Master Card, & C.O.D. (cash or money order only) All prices and specifications are subject to change without notice or obligation.

Made in the U.S.A. CIRCLE 43 ON FREE INFORMATION CARD

Order Line: (800) 327-5912 Tel: (305) 771-2050 Fax: (305) 771-2052

Ask about

www americantadiohistory c