

Jahren und auch früher, ihre Behaarung verlieren, mehr-, und daher mitunter auch kleinblüthiger werden, und ihren erst zarten Wuchs sowie ihre Farbe gegen den Habitus und das Himmelblau ihrer Schwester in der Ebene vertauschen, kurz zur *Myosotis sylvatica* L. umgewandelt sehen.*)

(Schluss folgt.)

Die Pilze Böhmen's.

Von Friedrich Veselsky, k. k. Oberlandesgerichts-Rath in Eperies.
(Fortsetzung.)

(*Peziza*) *sulphurea* Pers.
 barbata Kze.
 corticalis Pers.
 syringeae Wallr.
 sphaerocephala Wallr.
 caulicola Fries.
 sericea Alb. Schw.
 cerina Pers.
 biolor Bull.
 calycina Schum.
 patula Pers.
 nivea Fries.
 virginea Batsch.
 ciliaris Schrad.
 stercorea Pers.
 setosa Nees.
 scutellota L.
 hemisphaerica Hoffm.
 sthenostoma Mart.
 coccinea Jacq.
 tiliacea Fries.
 furfuracea Pers.
 fascicularis Alb. Schw.
 miliaris Wallr.
 omphalodes Bull.
 humosa Fries.
 leucoloma Reb.
 umbrosa Schrad.
 violacea Pers.
 carbonaria Alb. Schw.
 catinus Holmsk.
 bulbosa Nees.
 macropus Pers.
 vesiculosa Bull.
 cerea Sow.
 repanda Wahl.
 cochleata Huds.
 aurantia Oed.

onotica Pers.
 leporina Batsch.
 abietina Pers.
 badia Pers.
 reticulata Grev.
 venosa Pers.
 sulcata Pers.
 acetabulum L.
 eriophora Op.
 scutellaeformis Op.
 Rhizina Fries.
 undulata Fries.
 Leotia Hill.
 lubrica Pers.
 circinans Pers.
 Verpa Sw.
 digitaliformis Pers.
 helvelloides Krombh.
 Helvella L.
 fistulosa Alb. Schw.
 elastica Bull.
 pulla Holmsk.
 atra Kön.
 infula Schöff.
 fastigiata Krombh.
 biretum Krombh.
 rhodopus Krombh.
 tremellosa Krombh.
 suspecta Krombh.
 esculenta Pers.
 gigas Krombh.
 lacunosa Afz.
 crispa Fries.
 Morchella Dill.
 esculenta Pers.
 conica Pers.
 deliciosa Fries.
 elata Fries.

*) Was selbst Koch zugibt.

pubescens Pers.
crassipes Dec.
tremelloides Dec.
rimosipes Dec.
hybrida Pers.
bohemica Krombh.
patula Pers.

D. Pileati Fries.

Phlebia Fries.
vaga Fries.
Thelephora Ehrh.
tectorum Op.
calcea Pers.
lilacina Rab.
pubera Fries.
comedens Nees.
incarnata Pers.
cinerea Pers.
quercina Pers.
miniata Op.
serialis Fries.
ochracea Fries.
viscosa Pers.
velutina Dec.
sanguinea Fries.
rosea Pers.
laevis Pers.
radiosa Fries.
lactea Fries.
imbriata Op.
pulverulenta Op.
gigantea Fries.
versiformis Fries.
mesenterica Pers.
atnea Fries.
pini Fries.
rugosa Pers.
frustulata Pers.
disciformis Dec.
rubiginosa Schrad.
sanguinolenta Alb. Schw.
spadicea Pers.
hirsuta Willd.
purpurea Schum.
bombycina Som.
domestica Fries.
unbrina Alb. Schw.
puteanea Schum.

sebacea Fries.
byssoides Fries.
crustacea Schum.
laciniata Pers.
spiculosa Fries.
cristata Fries.
terrestris Ehrh.
palmata Fries.
coralloides Fries.
caryophyllea Pers.
pannosa Fries.

Craterellus Fries.
sinuosus Fries.
cornucopioides Fries.
lutescens Fries.

Grandinia Fries.
crustosa Fries.
granulosa Fries.

Odontia Fries.
imbriata Fries.
barba Jovis Fries.
pruni Lasch.

Radulum Fries.
tomentosum Fries.
quereinum Fries.

Irpex Fries.
obliquus Fries.
candidus Weinm.
fuscoviolaceus Fries.

Hericium Fries.
mori Op.
Reichii Op.

Hydnum L.
fasciculare Alb. Schw.
byssinum Schrad.
farinaceum Pers.
obtusum Schrad.
macrodon Pers.
bicolor Alb. Schw.
viride Fries.
ferruginosum Fries.
cirrhatum Pers.
gelatinosum Scop.
erinaceus Bull.
coralloides Scop.
auriscalpium L.
tomentosum L.
nigrum Fries.
cyathiforme Bull.

- cinereum* Bull.
aurantiacum Alb. Schw.
compactum Pers.
suaveolens Scop.
violascens Alb. Schw.
repandum L.
imbricatum L.
aterrimum Op.
Tischeri Op.
brevipes Op.
Fistulina Bull.
hepatica Fries.
Porothelium Fries.
fimbriatum Fries.
subtile Fries.
Merulius Hall.
lacrymans Schum.
aureus Fries.
corium Fries.
tremellosus Schrad.
Beneschii Corda.
Daedalea Pers.
unicolor Fries.
quercina Pers.
polymorpha Op.
Ceriumycis Corda.
Fischeri Corda.
Trametes Fries.
gibbosa Fries.
rubescens Fries.
Nepeonyi Op.
suaveolens Fries.
pini Fries.
Polyporus Fries.
vaporarius Fries.
sanguinolentus Alb. Schw.
vulgaris Fries.
callosus Fries.
obducens Pers.
vitreus Fries.
mucidus Fries.
medulla panis Fries.
rufus Fries.
ferruginosus Fries.
Hrabalii Op.
contiguus Fries.
stereoides Fries.
versicolor Fries.
zonatus Fries.
- velutinus* Fries.
luteoporosus Op.
hirsutus Fries.
albidus Trog.
cryptarum Fries.
annosus Fries.
fraxineus Fries.
roseus Fries.
pinicola Fries.
cinnamomeus Trog.
ribis Fries.
fulvus Scop.
igniarius Fries.
fomentarius Fries.
applanatus Wallr.
betulinus Fries.
adustus Fries.
fumosus Fries.
rutilus Fries.
destructor Fries.
alutaceus Fries.
sulphureus Fries.
brevipes Op.
giganteus Fries.
confluens Fries.
frondosus Fries.
umbellatus Fries.
lucidus Fries.
suberosus Fries.
varius Fries.
squamosus Fries.
perennis Fries.
tomentosus Fries.
leptocephalus Fries.
ovinus Fries.
subsquamosus Fries.
- Boletus** Dill.
rubellus Krombh.
cyanescens Bull.
scaber Fries.
rufus Pers.
aeneus Bull.
edulis Bull.
regius Krombh.
luridus Schöff.
satanas Lenz.
pachypus Fries.
calopus Pers.

(Schluss folgt.)

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Österreichische Botanische Zeitschrift = Plant Systematics and Evolution](#)

Jahr/Year: 1856

Band/Volume: [006](#)

Autor(en)/Author(s): Veselsky Friedrich

Artikel/Article: [Die Pilze Böhmen`s. 139-141](#)