




Additions to the Flora of Kerala since Gamble (1935)

Manilal K.S. & K. Raveendrakumar



How to cite:

Manilal K.S. & K. Raveendrakumar 1998. Additions to the Flora of Kerala since Gamble (1935). *Rheedia* 8(2): 179–241.

<https://dx.doi.org/10.22244/rheedia.1998.08.02.08>

Published in print: 31.12.1998

Published Online: 01.01.2022

Additions to the Flora of Kerala since Gamble (1935)

K.S. Manilal and K. Raveendrakumar*

Department of Botany, University of Calicut, Calicut - 673 635, Kerala, India

Abstract

In the absence of a separate Flora of Kerala, Gamble's *Flora of the Presidency of Madras* (1915-35) is the usual authority that is consulted by general taxonomists and students for the study and identification of flowering plants of Kerala. As a large number of new species and records reported since then, has made Gamble's Flora obsolete, an attempt is made here to collect all the scattered published information available on the subject. Details regarding 625 new taxa that belong to 103 families, of which seven families are new to Kerala are compiled and presented. Of these new taxa, 240 are new to the world flora, with six new genera, 190 new species, three new sub-species and 41 new varieties.

The maximum number of new reports is from Orchidaceae with 118.9% increase in comparison with Gamble, followed by Zingiberaceae (88.2%) and Araceae (69.2%). The localities from where the maximum new reports are recorded are Silent Valley of Palghat District (36) and Chandanathode of Kannur District (33). Possible reasons for these are suggested. A complete list of References is provided for verification of details and further information about the additions to the Flora recorded.

INTRODUCTION

The first book ever printed on the Flora of any part of Kerala was *Hortus Malabaricus* by H.A. Van Rheedea, published in 12 volumes from Amsterdam during 1678 - 1693. It contained the descriptions and illustrations of medicinal and other economically important plants found mostly in and around Cochin. Linnaeus was so impressed by this book that in his *Species Plantarum* (1753), the nomenclature of many of his Indian and other Asian plants were based on the information given in it. During the seventeenth and eighteenth centuries many European Botanists such as Herman, Boerhaave, Adriaan van Royan, Johannes Burman, George Everhard Rumphius, Paul Herman, W. Roxburgh and many others also established the binomial nomenclature of many taxa based on *Hortus Malabaricus*.

* Sree Vyasa N.S.S. College, Vyasagiri P.O., Wadakkanchery, Thrissur - 680 623, Kerala, India.

K.S. Manilal and K. Raveendrakumar

The illustrated series of South Indian plants published by Robert Wight in the middle of 19th century contained many taxa found in Kerala. The multi-volume *Flora of British India* by Joseph Dalton Hooker was published during 1872-1897, which covered the Kerala region also. This was followed by many detailed regional Indian Floras like the *Flora of Upper Gangetic Plains* by J.F. Duthie (1903), *Flora of Bihar and Orissa* by H.H. Haines (1921-1924), *Flora of Bombay Presidency* by T. Cooke (1903-1908), etc.

Forest Trees of Travancore, published in 1908 by Bourdillon and the *Flowering Plants of Travancore* in 1914 by Rama Rao are other important works on the flora of this region in that period. A comprehensive *Flora of the Presidency of Madras* was begun by J. S. Gamble in 1915 and completed by C.E.C.Fischer in 1935, which covered large parts of the present day Tamil Nadu, Karnataka, Andhra Pradesh and Kerala.

Although no separate Flora of Kerala State has been published yet, floristic explorations have been going on in many parts of Kerala in greater or lesser detail. These localised studies have resulted in the publication of many papers and books, reporting many new taxa and many new records of taxa in Kerala. Notable among such books are the *Flora of Calicut* by K.S.Manilal & V.V.Sivarajan published in 1982, *Flora of Silent Valley* by K.S.Manilal published in 1988, *Flora of Cannanore* by V.J.Nair & V.S.Ramachandran published in 1988, *Flora of Palghat* by E.Vajravelu published in 1990, *Flora of Kerala: Grasses* by Sreekumar & Nair published in 1991, *Flora of Nilambur* by V.V.Sivarajan & Philip Mathew published in 1996 and *Flowering Plants of Thrissur Forest (Western Ghats, Kerala, India)* by N. Sasidharan and V.V. Sivarajan in 1996. A number of papers have also been published by Ansari, R., Joseph, J., Joseph, K.T., Karthikeyan, S., Sathish Kumar, C., Mukthesh Kumar, M.S., Mangaly, J.K., Manilal, K.S., Philip Mathew, Nair, K.K.N., Nair, N.C., Nair, V.J., Nayar, M.P., Pradeep, A.K., Ramachandran, V.S., Ravi, N., Renuka, C., Sabu, M., Sabu, T., Sasidharan, N., Sivadasan, M., Sivarajan, V.V., Sreekumar, P.V., Subramanian, K.N., Swaroopanandan, K., Thothathri, K., Vajravelu, E., Vasudevan Nair, R., Velayudhan, K.C. and several others (for details see the References), adding to our knowledge on the subject. *An Annotated Bibliography of Taxonomic Botany of Peninsular India 1959-1978*, by Karthikeyan, S., Nayar, M.P. & Vijayaraghavan, R.S., the *Key Works to the Taxonomy of Flowering Plants of India* (1984) by Nayar, M.P., and *Malvaceae of Southern Peninsular India* (1996) by V.V.Sivarajan and A.K.Pradeep are worthy of special mention as useful references in the study of the floristic works of this region.

All these studies undertaken after Gamble's work, have brought to light several new taxa and new records that were not found in his Flora. Since these information lie scattered in various research papers, reports and other publications, many of which are difficult to locate, general taxonomists and students who consult Gamble which is the only comprehensive Flora available for the region today, are misled and do not get a clear and factual picture of the Flora of Kerala or even of the information on the subject which is already in print and is

Additions to the Flora of Kerala

expected to be available. A compilation of the available information on the subject has been a long felt need and the present paper is an attempt to fill this urgent exigency.

MATERIALS AND METHODS

Information about all the new taxa, new records and new combinations of angiosperms reported from Kerala since Gamble, is collected and given here. Families are arranged in alphabetical order. Names of taxa under each family are also arranged alphabetically. Additional information such as the locality from where the taxa were reported and the reference number for the concerned publication to facilitate easy checking of the original publication given under the **References**, are provided.

ANALYSIS OF ADDITIONAL DATA COLLECTED

An analysis of the number of taxa reported under each family is given in Table 1, giving details such as new genus, new species, new variety, new sub-species and new report. Information regarding 625 new taxa coming under 103 different families are found to be published by various workers since Gamble. Of these, 240 are new additions to the world flora. This includes six new genera, *Kanjaram* (Acanthaceae), *Haplothismia* (Burmanniaceae), *Chandrasekharania* and *Silentvalleya* (Poaceae), *Seidenfadeniella* (Orchidaceae) and *Janakia* (Periplocaceae); 193 new species, three new sub-species and 41 new varieties. Apart from the new taxa, some relevant new combinations are also included in the list.

Table 1. Familywise Analysis of New Taxa

No.	Name of Family	Sp. nov.	Gen. nov.	Comb. nov.	var. nov.	ssp. nov.	New Rec.	Total
1.	ACANTHACEAE	2	1	1			10	14
2	ALISMATACEAE						2	2
3	AMARANTHACEAE						4	4
4	ANACARDIACEAE				1			1
5	ANNONACEAE	2					3	5
6	APIACEAE	1					1	2
7	APOCYNACEAE						3	3
8	APONOGETONACEAE	1						1
9	ARACEAE	14			1		2	17

K.S. Manilal and K. Raveendrakumar

No.	Name of Family	Sp. nov.	Gen. nov.	Comb. nov.	var. nov.	ssp. nov.	New Rec.	Total
10	ARALIACEAE	1					1	2
11	ARECACEAE	3					3	6
12	ARISTOLOCHACEAE	5						5
13	ASCLEPIADACEAE	2		1			11	14
14	ASTERACEAE	2					10	12
15	BALSAMINACEAE	3					3	6
16	BEGONIACEAE	1						1
17	BIXACEAE						1	1
18	BOMBACACEAE	1						1
19	BORAGINACEAE	1					1	2
20	BURMANNIACEAE	1	1				1	3
21	CABOMBACEAE						1	1
22	CACTACEAE						1	1
23	CAESALPINIACEAE	1			1		2	4
24	CAMPANULACEAE						2	2
25	CAPPARIDACEAE						4	4
26	CARICACEAE				1			1
27	CELASTRACEAE	1					2	3
28	CHENOPODIACEAE						1	1
29	CHLORANTHACEAE						1	1
30	COMMELINACEAE	1					3	4
31	CONVOLVULACEAE	1				1	7	9
32	CRASSULACEAE						1	1
33	CUCURBITACEAE	1			2		7	10
34	CYPERACEAE	8			2		7	17
35	DIPTEROCARPACEAE						3	3
36	EBENACEAE	2					3	5

Additions to the Flora of Kerala

No.	Name of Family	Sp. nov.	Gen. nov.	Comb. nov.	var. nov.	ssp. nov.	New Rec.	Total
37	ELATINACEAE						1	1
38	ERIOCAULACEAE	2						2
39	EUPHORBIACEAE	5			2		13	20
40	FABACEAE	6			5		24	35
41	FLACOURTIACEAE	1			1		1	3
42	GENTIANACEAE						2	2
43	GESNERIACEAE						3	3
44	GRAMINEAE	32	2	1	2		41	78
45	GUTTIFERAE	1			1		3	5
46	HALORAGACEAE						2	2
47	HIPPOCRATAACEAE						1	1
48	ICACINACEAE						1	1
49	IRIDACEAE						2	2
50	JUNCACEAE						1	1
51	LAMIACEAE	1		1	2		6	10
52	LAURACEAE	3					3	6
53	LEMNACEAE						1	1
54	LENTIBULARIACEAE	3					3	6
55	LILIACEAE						2	2
56	LINACEAE						1	1
57	LOGANIACEAE						1	1
58	LORANTHACEAE						1	1
59	LYTHRACEAE	4					5	9
60	MALPIGHIACEAE						1	1
61	MALVACEAE	5					4	9
62	MELASTOMATAACEAE	8			2		3	13
63	MELIACEAE						1	1
64	MENISPERMACEAE						1	1

K.S. Manilal and K. Raveendrakumar

No.	Name of Family	Sp. nov.	Gen. nov.	Comb. nov.	var. nov.	ssp. nov.	New Rec.	Total
65	MENYANTHACEAE	3						3
66	MIMOSACEAE						3	3
67	MOLLUGINACEAE						1	1
68	MORACEAE				1		3	4
69	MUSACEAE	3						3
70	MYRSINACEAE	1					3	4
71	MYRTACEAE	1					4	5
72	NYCTAGINACEAE						2	2
73	OLEACEAE				1		1	2
74	ORCHIDACEAE	15	1	4	6		62	88
75	OROBANCHACEAE	1						1
76	OXALIDACEAE	2						2
77	PANDANACEAE						1	1
78	PASSIFLORACEAE						2	2
79	PEDALIACEAE						1	1
80	PERIPLOCACEAE		1					1
81	PHYTOLACCACEAE						1	1
82	PIPERACEAE	3			1		1	5
83	PODOSTEMACEAE	3					3	6
84	POLYGALACEAE	1					4	5
85	POLYGONACEAE						2	2
86	PORTULACACEAE				2	1		3
87	RHAMNACEAE						1	1
88	RUBIACEAE	20		1	3		12	36
89	RUTACEAE				1		2	3
90	SAPOTACEAE	1					1	2
91	SCROPHULARIACEAE	3			1		5	9
92	SIMAROUBACEAE						1	1

Additions to the Flora of Kerala

No.	Name of Family	Sp. nov.	Gen. nov.	Comb. nov.	var. nov.	ssp. nov.	New Rec.	Total
93	SOLANACEAE						1	1
94	STERCULIACEAE						4	4
95	SYMPLOCACEAE					1	2	3
96	TACCACEAE						1	1
97	THYMELEACEAE						1	1
98	TILIACEAE						1	1
99	TRICHOPODACEAE						1	1
100	URTICACEAE						2	2
101	VERBENACEAE				1		9	10
102	VITACEAE	1						1
103	ZINGIBERACEAE	8			1		6	15

An analysis of the percentage of new reports from Kerala since Gamble might reveal the reason for the high percentage of increase of taxa in certain families occurring here. Eight families with the highest percentage of new reports are shown in Table 2.

Table 2. Families with 15 or more new reports in comparison with Gamble's Flora

No.	Family	No. of spp. in Gamble	Addl. spp. since Gamble	Total	% of new reports since Gamble
1	ARACEAE	26	18	44	69.2
2	CYPERACEAE	86	17	103	19.8
3	EUPHORBIACEAE	102	20	122	19.6
4	FABACEAE	122	35	157	28.7
5	GRAMINEAE	188	78	266	41.5
6	ORCHIDACEAE	74	88	162	118.9
7	RUBIACEAE	128	36	164	28.1
8	ZINGIBERACEAE	17	15	32	88.2

K.S. Manilal and K. Raveendrakumar

From Table 2, the percentage of new taxa recorded, reveal that Orchidaceae, Zingiberaceae and Araceae are the families which show a very high increase in number since Gamble. This may be due to the fact that these families were extensively studied by specialists of those families. Students of Taxonomy who wish to study these families are therefore subjected to serious limitations if their consultation and reference is limited to Gamble's Flora alone.

Localities from where new reports have been made have also been recorded separately. The maximum number of reports are from Silent Valley - 36 (Palakkad Dt.) Chandanathode - 33 (Kannur Dt.) and Thenmala - 21 (Kollam Dt.). Localities with 5 or more reports include Agasthyamala (15), Thenhipalam (11), Peerumedu (11), Bonaccord (10), Ponmudi (10), Idukki(10), Nilambur (10), Devicolam (10), Attapadi (9), Anamudi (9), Nelliampathi (9), Cochin (8), Peechi (8), Shenduruny (8), Sabarimala (6), Changanassery (6), Bramhagiri (6), Eravikulam (6), Tirunelli (6), Theerthundamala (6), Parambikulam (5), Kannothe (5), Parumba (5). In addition to this, there are many reports where localities are not mentioned specifically. They are grouped under three categories such as General: Travancore (25), General: Western Ghats (23), and General Malabar (6). Localities from where five or more new reports are made are shown in the map (Fig. 1).

An analysis of the different localities show that the new reports are chiefly from forest areas and high ranges of Western Ghats. The district-wise analysis shows that Kannur with 99 reports tops the list, followed by Palakkad with 95, Idukki 80, Thiruvananthapuram 68, Kollam 57, Kozhikode 43, Wynaad 39, Thrissur 31, Malappuram 27, Eranakulam 20, Pathanamthitta 19, Kottayam and Alappuzha 17 each and Kasaragod 15. The large number of reports from Kannur, Palakkad, Idukki, Thiruvananthapuram, Kollam, Kozhikode etc. may be due to more exploratory floristic studies conducted in these regions. Reports below five taxa per locality also support the above statement. The study also indicates that forested areas in the comparatively undisturbed mountain regions harbour a rich flora, further thorough explorations of which may reveal the presence of more additional or unknown taxa.

A list of localities arranged district-wise is given in Table 3, with their respective reference numbers, provided in the enumeration.

Additions to the Flora of Kerala




Fig. 1. Map of Kerala with localities from where the largest number of new taxa reported.

K.S. Manilal and K. Raveendrakumar

Table 3. Localities and their Reference Numbers

Locality	Reference number	Locality	Reference number
Thiruvananthapuram	I	Nedumudi	4
Agasthyamala	1	Thakazhi	5
Athiramala	2	Thanneermukkam	6
Bonaccord	3	Thotapally	7
Chemungi	4	Thrikkunnapuzha	8
Kallar	5	Vembanad	9
Karyavattom	6	Pathanamthitta	IV
Kottur	7	Adoor	1
Kovalam	8	Chalakkayam	2
Neyyar	9	Kakki	3
Palode	10	Kalanjoor	4
Pattampara	11	Kochu Pampa Hills	5
Pattom	12	Konni	6
Ponmudi	13	Pambavalley	7
Vellevamala	14	Ponnambalamedu	8
Veli	15	Ranni	9
Walayar	16	Sabarimala	10
Kollam	II	Kottayam	V
Acchankovil	1	Changanassery	1
Aryankavu	2	Kurisumala	2
Chandanathopu	3	Thiruvalla	3
Cheenikkala	4	Idukki	VI
Kulathurpuzha	5	Adimali	1
Moozhiyar	6	Anamala hills	2
Sasthamkotta	7	Anamudi	3
Shenduruny	8	Devicolam	4
Thenmala	9	Eravikulam	5
Palkulangara	10	Kanjayar	6
Pandymotta	11	Kumali	7
Pongumala	12	Meenmutty	8
Punalur	13	Moolakkayam	9
Yerur	14	Moolamattam	10
Alappuzha	III	Munnar	11
Ambalapuzha	1	Pachakannam	12
Cherthala	2	Peerumedu	13
Mannarshala	3	Poonjar	14

Additions to the Flora of Kerala

Locality	Reference number	Locality	Reference number
Project area	15	Malampuzha	9
Rajamala	16	Mannar	10
Thekkadi	17	Mandampotti	11
Udumbanchola	18	Mannarghat	12
Vagavurairi	19	Mukkali	13
Vazhukkapara	20	Muthikulam	14
Ernakulam	VII	Nelliyampathi	15
Alwaye	1	Nemmara	16
Cherai	2	Parambikulam	17
Chottanikkara	3	Silent Valley	18
Cochin	4	Sispara Ghat	19
Malayattur	5	Valpara	20
Muvattupuzha	6	Walakkad (Silent Valley)	21
Neriamangalam	7	Walayar	22
North Parur	8	Malappuram	X
Thrissur	VIII	Chelari	1
Anakayam	1	Chemmaniyod	2
Anthikad	2	Idimuzhikkal	3
Athirapally	3	Kottakkal	4
Chalakuudi	4	Nilambur	5
Guruvayur	5	Parappanangadi	6
Pavartty	6	Thenhipalam	7
Peechi	7	Vallikkunnu	8
Poringalkuthu	8	Kozhikode	XI
Pullamkandam	9	Adivaram	1
Sholayar	10	Ambumala	2
Valappad	11	Badagara	3
Vazhachal	12	Beyypore	4
Vellanikkara	13	Devagiri	5
Palakkad	IX	Feroke	6
Attapadi	1	Jeerakapara	7
Dhoni hills	2	Kadalundi	8
Kanjikode	3	Kanjirakadavu	9
Kanjirapuzha	4	Kakkayam	10
Karapara	5	Kalarimala	11
Karivara	6	Kallai	12
Kunthipuzha	7	Kottampara	13
Madampati	8	Malabar Coast	14

K.S. Manilal and K. Raveendrakumar

Locality	Reference number	Locality	Reference number
Pannikkode	15	Payangadi	19
Peruvannamuzhi	16	Thalassery	20
Pokkunnamala	17	Taliparamba	21
Vellarimala	18	Theerthundamala	22
		Sea Shore	23
Wynad	XII	Kasaragod	XIV
Begur	1	Bekkal	1
Chundale	2	Bela	2
Mananthavadi	3	Bremhagiri	3
Nadgani	4	Hosdurg	4
Pakshipathalam	5	Mulleriya	5
Periya	6	Neeleswaram	6
Pookottu Lake	7	General - Malabar	XV
Poothumoola	8	Hills of Malabar	1
S. Battery	9	General - Travancore	XVI
Thirunelli	10	Chumbuvurrai	1
Tholpetty	11	High Range	2
Vythiri	12	Kadalar Valley	3
Kannur	XIII	Kulkunthal	4
Aduthila	1	Mannavanshola	5
Ambayathode	2	Neman Hills	6
Aralam	3	Ottapara ridge	7
Baveli	4	Pandyanpara hill top	8
Chandanathode	5	Umayar	9
Cherkala	6	Uruliar	10
Ezhimala	7	General - Western Ghats	XVII
Kalliassery	8	Kozhikode	1
Kannothe	9	Kannur	2
Karimbam	10	Kottayam	3
Madai	11	Thiruvananthapuram	4
Madaipara	12	Not specified by the original collectors	XVIII
Mattannur	13	Not Located	XIX
Mukkarikandam	14		
Muzhappilangadi	15		
Nedumpoyil	16		
Panoth	17		
Parumba	18		

Additions to the Flora of Kerala

ENUMERATION OF THE ADDITIONAL TAXA SINCE GAMBLE

Sl.No.	Name of the Plant	Ref. No.	Locality
<u>ACANTHACEAE</u>			
1.	<i>Blepharis repens</i> (Vahl) Roth	196	XIII-23
2.	<i>Dyschoriste erecta</i> (Burm. f.) O. Kuntze	347	II-9
3.	<i>Hemigraphis latebrosa</i> (Roth.) Nees	196	XII-11
4.	<i>Hemigraphis venosa</i> Clarke	200	XIII-4
5. *	<i>Justicia ekakusuma</i> Pradeep & Sivar.	186	XIII-11
6.	<i>Justicia nilgherrensis</i> (Nees) Wall. ex T. Anders	200	XIV-3
7. **	<i>Kanjarum palghatense</i> Ramamurthy	203	IX
8.	<i>Lepidagathis chlorostachya</i> Nees	176	VI-8
9. *	<i>Lepidagathis keralensis</i> Madhu. & Singh	85	XIII-12
10.	<i>Mackenzia gracilis</i> (Bedd.) Brem.	23	VI-11
11.	<i>Nilgiranthus urceolaris</i> (Gamble) Brem.	201	XII-6,XIII-5,21
12.	<i>Pleocaulis sessilis</i> (Nees) Brem.	197	XIV-3
13.	<i>Staurogyne glutinosa</i> (Wall. ex Clarke) O.Kuntze	33	VIII-2
14.@	<i>Thunbergia bicolor</i> (Wight) Manilal & Suresh	112	IX-21
<u>ALISMACEAE</u>			
15.	<i>Limnocharis flava</i> (Linn.) Buch.	78	III-1
16.	<i>Wiesneria triandra</i> (Dalz.) Micheli	66	I-7
<u>AMARANTHACEAE</u>			
17.	<i>Alternanthera tenella</i> Colla.	314	VII-4
18.	<i>Amaranthus polygonoides</i> Linn.	143	V-1
19.	<i>Cyathula tomentosa</i> Moq.	347	II-9
20.	<i>Telanthera ficoidea</i> Moq.	347	II-9
<u>ANACARDIACEAE</u>			
21. #	<i>Nothopegia beddomei</i> Gamble var. <i>wynaadica</i> Ellis & Chandra.	37	XIII-5
<u>ANNONACEAE</u>			
22.	<i>Annona glabra</i> Linn.	321	III-6
23.	<i>Goniothalamus wynaadensis</i> (Bedd.) Ramachandran & V.J. Nair	197	XIII-2

** - New Genus from Kerala; * - New Species from Kerala; \$ - New Sub-species from Kerala;
- New Variety from Kerala; @ - New Combination.

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
24.	<i>Orophea erythrocarpa</i> Bedd.	198	XIII-17
25. *	<i>Orophea malabarica</i> Sasi. & Sivar.	252	XVII
26. *	<i>Polyalthia shendurunii</i> Basha & Sasi.	22	II-8
<u>APIACEAE</u>			
27.	<i>Eryngium foetidum</i> Linn.	38	XIII-5
28. *	<i>Peucedanum josephianum</i> Wadhwa & Chowdhery	384	I-1
<u>APOCYNACEAE</u>			
29.	<i>Anodendron rhinosporum</i> Thw.	367	IX-15
30.	<i>Hunteria zeylanica</i> (Retz.) Gardn. ex Thw.	172	VI-15
31.	<i>Voacanga grandifolia</i> (Miq.) Rolfe	354	III
<u>APONOGETONACEAE</u>			
32. *	<i>Aponogeton appendiculatus</i> van Bruggen	21	III-9
<u>ARACEAE</u>			
33. *	<i>Amorphophallus bonaccordensis</i> Sivadasan & Mohanan	285	I-3
34. *	<i>Amorphophallus nicolsonianus</i> Sivadasan	281	IX-18, XII-3
35. *	<i>Amorphophallus smithsonianus</i> Sivadasan	282	I-1
36. *	<i>Arisaema agasthyanum</i> Sivadasan & Sathish.	289	I-1
37. *	<i>Arisaema attenuatum</i> Barnes & Fischer	263	VI-11
38. *	<i>Arisaema auriculata</i> Barnes	263	X-5, XII
39. *	<i>Arisaema muricaudatum</i> Sivadasan	280	XII-12
40. *	<i>Arisaema peltatum</i> Fischer	263	VI-11
41. *	<i>Arisaema psittacus</i> Barnes	263	XVI-1
42. *	<i>Arisaema sarracenioides</i> Barnes & Fischer	263	XVI
43.	<i>Caladium bicolor</i> Vent.	347	II-9
44. *	<i>Lagenandra nairii</i> Ramamurthy & Rajan	207	VIII-3
45. #	<i>Lagenandra toxicaria</i> Dalz. var. <i>barnesii</i> Fischer	263	XII-4
46.	<i>Lasia spinosa</i> (Linn.) Thwaites	288	XI-15
47. *	<i>Pothos crassipedunculatus</i> Sivadasan & Mohanan	287	I-1
48. *	<i>Pothos keralensis</i> Pandurangan & V.J. Nair	175	VI-8

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
49.	<i>Scindapsus officinalis</i> Schott	347	II-9
50. *	<i>Theriophonum fischeri</i> Sivadasan	279	IX-1
<u>ARALIACEAE</u>			
51. *	<i>Schefflera chandrasekharanii</i> Ramamurthy & Rajan	205	VI-11
52.	<i>Schefflera roxburghii</i> Gamble	347	II-9
<u>ARECACEAE</u>			
53.	<i>Calamus brandisti</i> Becc.	130	I-1, II-11
54. *	<i>Calamus dransfieldii</i> Renuka	236	IX-2
55.	<i>Calamus metzianus</i> Schlecht.	237	X-5
56.	<i>Calamus nagbettaii</i> Fernandez & Dey	246	II-8
57. *	<i>Calamus neelagiricus</i> Renuka	239	IX-18
58. *	<i>Calamus vattayila</i> Renuka	238	II-9 X-5,XII
<u>ARISTOLOCHIACEAE</u>			
59. *	<i>Aristolochia krisagathra</i> Sivar. & Pradeep	316	XVII-4
60. *	<i>Thottea dinghoui</i> Swarup.	355	II-6
61. *	<i>Thottea duchartrei</i> Sivar., Babu & Indu.	297	X-4
62. *	<i>Thottea idukkiana</i> Panduragan & V.J. Nair	174	VI-6
63. *	<i>Thottea ponmudiana</i> Sivar.	294	I-13
<u>ASCLEPIADACEAE</u>			
64. *	<i>Ceropegia barnesii</i> Bruce & Chatterjee	133	XIX
65.	<i>Ceropegia elegans</i> Wall.	197	XIII-5
66.	<i>Ceropegia omissa</i> H. Huber	133	XIX
67.	<i>Genianthus laurifolius</i> (Roxb.) Hook. f.	200	XIII-9
68.	<i>Gynema khandalense</i> Sant.	255	VIII-12
69.	<i>Gynema montana</i> (Roxb.) Hook. f. var. <i>pubiflora</i> Hook. f.	198	XIII-5
70.	<i>Hemidesmus indicus</i> (Linn.) Schult, var. <i>pubescens</i> (Wight & Arn.) Hook. f.	200	XII-11,XIII-2
71. @	<i>Heterostemma decanense</i> (Talb.) Swarup. & Mangaly	356	VIII-7
72. *	<i>Heterostemma vasudevani</i> Swarup. & Mangaly	356	VIII-7
73.	<i>Hoya retusa</i> Dalz.	347	II-5

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
74.	<i>Marsdenia raziana</i> Yog. & Subraman.	255	II-8
75.	<i>Marsdenia tirunelvelica</i> Henry & Subraman.	246	II-12
76.	<i>Tylophora dalzellii</i> Hook. f.	199	XII-10
77.	<i>Tylophora subramanii</i> Henry	274	VI-16
<u>ASTERACEAE</u>			
78. *	<i>Anaphalis barnesii</i> Fischer	263	XVI-2
79.	<i>Eleutheranthera ruderalis</i> (Sw.) Sch.-Bip.	248	VII-2, VIII-7
80.	<i>Erigeron canadensis</i> Linn.	347	XVI-9
81.	<i>Mikania cordata</i> B.L. Robin.	132	V, XIII-5
82.	<i>Parthenium hysterophorus</i> Linn.	214	XVIII
83.	<i>Spilanthes ciliata</i> H.B.K.	313	X-5
84.	<i>Spilanthes radicans</i> Jacq.	313	X-5, XI-6
85.	<i>Struchium sparganophorum</i> (Linn.) O.Kuntze	373	I
86.	<i>Tithonia diversifolia</i> (Hemsl.) A.Gray	347	II-9
87. *	<i>Vernonia anaimudica</i> Shetty & Vivek.	273	VI-16
88.	<i>Vernonia dalzelliana</i> Drumm & Hutch.	197	XIV-3
89.	<i>Wedelia trilobata</i> (Linn.) A.S. Hitchc.	315	XI
<u>BALSAMINACEAE</u>			
90.	<i>Hydrocera triflora</i> Wight & Arn.	152	III
91.	<i>Impatiens acaulis</i> Arn.	197	XIII-5
92.	<i>Impatiens dasysperma</i> Wight	197	XIII-21
93. *	<i>Impatiens munnarensis</i> Barnes	263	VI-11
94. *	<i>Impatiens pandata</i> Barnes	263	VI-3
95. *	<i>Impatiens sivarajanii</i> Muktesh & Stephen	129	IX-18
<u>BEGONIACEAE</u>			
96. *	<i>Begonia aliciae</i> Fischer	263	XVI-3
<u>BIXACEAE</u>			
97.	<i>Scolopia pusilla</i> (Gaertn.) Willd.	326	XVI-6
<u>BOMBACACEAE</u>			
98. *	<i>Cullenia rosayroana</i> Koster.	81	XVIII

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
<u>BORAGINACEAE</u>			
99.	<i>Cordia cylindristachya</i> Roem. & Schult.	232	II-7
100. *	<i>Heliotropium keralense</i> Sivar. & Manilal	302	XI
<u>BURMANNIACEAE</u>			
101.	<i>Burmannia championii</i> Thw.	63	IX-18
102. *	<i>Burmannia indica</i> Jonker	263	XVI
103. **	<i>Haplothismia exannulata</i> Airy Shaw	2	IX-17
<u>CABOMBACEAE</u>			
104.	<i>Cabomba aquatica</i> Aubl.	5	VII-4
<u>CACTACEAE</u>			
105.	<i>Cereus forbesii</i> Foerst.	305	XI-6
<u>CAESALPINIACEAE</u>			
106.	<i>Caesalpinia jayabo</i> Maza.	347	II-8
107. *	<i>Cassia intermedia</i> Sharma, Vivek. & Radhak.	267	XIX
108.	<i>Cassia pumila</i> Lam.	200	XIII-20
109. #	<i>Humboldtia unijuga</i> Bedd. var. <i>trijuga</i> Joseph & Chandra.	68	I-3
<u>CAMPANULACEAE</u>			
110.	<i>Lobelia alsinoides</i> Lam.	113	XVIII
111.	<i>Lobelia zeylanica</i> Linn.	295	I-13
<u>CAPPARIDACEAE</u>			
112.	<i>Capparis cleghornii</i> Dunn	197	XIII-5
113.	<i>Capparis fusifera</i> Dunn	67	I-9
114.	<i>Cleome rutidosperma</i> DC.	190	I-8, II-6, X-6
115.	<i>Cleome spinosa</i> Jacq.	322	IX-17
<u>CARICACEAE</u>			
116. #	<i>Carica papaya</i> Linn. var. <i>flava</i> Kumar & Abraham	133	XVI

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
<u>CELASTRACEAE</u>			
117. *	<i>Cassine kedarnathii</i> Sasi. & Swarup.	254	IX-1
118.	<i>Glyptopetalum grandiflorum</i> Bedd.	197	XIII-5
119.	<i>Reissantia grahamii</i> (Wight) Ding Hou	144	II-9
<u>CHENOPODIACEAE</u>			
120.	<i>Pisonia aculeata</i> Linn.	197	XIII-13
<u>CHLORANTHACEAE</u>			
121.	<i>Sarcandra irvingbaileyi</i> Swamy	263	XV-1
<u>COMMELINACEAE</u>			
122.	<i>Commelina indehiscens</i> Barnes	263	XVI-2
123. *	<i>Cyanotis arcotensis</i> Rolla Rao	215	IX
124.	<i>Cyanotis cerifolia</i> Rolla Rao & Kammathy	196	XIII-5,16
125.	<i>Murdannia lanuginosa</i> (Wall. ex Clarke) Brueckn.	197	XII-10
<u>CONVOLVULACEAE</u>			
126.	<i>Argyreia hirsuta</i> Arn.	347	XVI-10
127.	<i>Evolvulus nummularius</i> Linn.	301	X-6, XI-5
128.	<i>Ipomoea macrantha</i> Roem. & Schult.	290	XI-8
129. §	<i>Ipomoea prescaprae</i> (Linn.) Sweet. ssp. <i>brasiliensis</i> (Linn.) Oostst.	224	II, II-13
130.	<i>Ipomoea triloba</i> Linn.	24	IV-2
131. *	<i>Lepistemon verdcourtii</i> P. Mathew & Biju	114	IV-6
132.	<i>Merremia cissoides</i> (Lam.) Hall. f.	17	I-12
133.	<i>Merremia hirta</i> (Linn.) Merrill	18	X-7
134.	<i>Neuropeltis malabarica</i> V. Oostst.	263	XV
<u>CRASSULACEAE</u>			
135.	<i>Kalanchoe glandulosa</i> Hochst. ex A. Rich.	366	IX
<u>CUCURBITACEAE</u>			
136. *	<i>Cucumella silentvalleyii</i> Manilal, Sabu & P. Mathew	94	IX-18

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
137. #	<i>Cucurbita maxima</i> Duch. var. <i>badagarensis</i> Mudaliar	192	XI-3
138.	<i>Dicaelospermum ritchiei</i> Clarke	12	V-2
139.	<i>Kedrostis rostrata</i> (Rottl.) Cong.	347	II-9
140.	<i>Melothria ritchiei</i> Chakrav.	134	XIX
141.	<i>Momordica balsamina</i> Descourt.	347	II-2
142.	<i>Trichosanthes brevibracteata</i> Kundu	78	XIX
143.	<i>Trichosanthes brevibracteata</i> Kundu var. <i>sublobata</i> Kundu	78	XIX
144.	<i>Trichosanthes villosula</i> Cong.	347	XVI
145. #	<i>Zehneria maysorensis</i> (Wight & Arn.) Arn. var. <i>oblonga</i> Prasad & Mini	189	VI-7
<u>CYPERACEAE</u>			
146.	<i>Cyperus amabilis</i> Vahl	320	X-2
147.	<i>Cyperus longus</i> Linn.	320	X-5
148.	<i>Eleocharis spiralis</i> (Rottb.) Roem. & Schult.	196	XIII-20
149. #	<i>Fimbristylis aestivalis</i> (Retz.) Vahl var. <i>trichopoda</i> Kern	79	XV
150. *	<i>Fimbristylis dauciformis</i> Govind.	78	XIX
151.	<i>Fimbristylis eragrostis</i> (Nees) Hance	196	XIII-5
152. *	<i>Fimbristylis hirsutifolia</i> Govind.	51	X-7
153. *	<i>Fimbristylis humerosa</i> Govind.	53	VIII-8
154. *	<i>Fimbristylis hyalina</i> Govind. et Sasi.	55	VIII-3
155. *	<i>Fimbristylis perspicua</i> Govind. et Sasi.	55	VIII-7
156. *	<i>Fimbristylis pseudomicrocarya</i> Govind.	51	IX-15
157. *	<i>Fimbristylis swamyii</i> Govind.	50	IX-15
158. *	<i>Fuirena ponmudiensis</i> Ravi & Anil.	229	I-13
159.	<i>Kyllinga pumila</i> Michx.	54	VIII-7
160.	<i>Scleria biflora</i> Roxb.	16	XI-16
161. #	<i>Scleria littosperma</i> var. <i>muricata</i> Govind.	49	XVIII
162.	<i>Scleria pergracilis</i> (Nees) Kunth.	16	VI-20
<u>DIPTEROCARPACEAE</u>			
163.	<i>Balanocarpus erosa</i> Bedd.	196	XIII-5
164.	<i>Hopea erosa</i> (Bedd.) Slooten.	197	XIII-5
165.	<i>Vateria macrocarpa</i> B.L.Gupta	352	IX-14

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
<u>EBENACEAE</u>			
166. *	<i>Diospyros ghatensis</i> Ramesh & DeFranceschi	210	II-14, IX-22
167.	<i>Diospyros hirsuta</i> Linn. f.	146	II
168. *	<i>Diospyros pyrrocarpoides</i> Remesh & DeFranceschi	210	II-8, IX-8
169.	<i>Diospyros saldanhae</i> Kosterm.	200	XII-10, XIII-22, XIV-3
170.	<i>Diospyros trichophylla</i> Alston	172	VI-8
<u>ELATINACEAE</u>			
171.	<i>Bergia capensis</i> Linn.	152	III-1, V-1
<u>ERIOCAULACEAE</u>			
172. *	<i>Eriocaulon kasaragodense</i> Ansari, V.J.Nair & N.C. Nair	10	XIV-1
173. *	<i>Eriocaulon keralense</i> Ansari, V.J.Nair & N.C.Nair	10	XIV-2
<u>EUPHORBIACEAE</u>			
174.	<i>Antidesma bunius</i> (Linn.) Spr.	197	XIV-3
175.	<i>Claoxylon anomalum</i> Hook. f.	195	VI-15
176. *	<i>Cleistanthus sankunnianus</i> Sivar. & Indu.	300	X-4
177. #	<i>Croton caudatus</i> Geisel. var. <i>obovoideus</i> Balakr. & Chakrab.	13	II-1, IV-7, IX-17
178.	<i>Dalechampia taminifolia</i> Lam.	357	I
179.	<i>Euphorbia cotinoides</i> Miq.	19	IV-4
180. #	<i>Euphorbia katrajensis</i> Gage. var. <i>kasaragodensis</i> V.J.Nair, Binoj. & Ansari	157	XIV-2
181.	<i>Homonoia retusa</i> (Grah. ex Wight) Muell.- Arg.	196	XIII-9
182.	<i>Jatropha tanjorensis</i> Ellis & Saroja	196	XIII-20
183.	<i>Mallotus intercedens</i> Pax & Hoffm.	78	XIX
184.	<i>Margaritaria indica</i> (Dalz.) Airy Shaw	194	VI, XII
185.	<i>Meineckia parvifolia</i> (Wight) Webster	306	XI
186. *	<i>Ostodes integrifolia</i> Airy Shaw	3	XVIII
187. *	<i>Phyllanthus kozhikodianus</i> Sivar. & Manilal	309	X-7
188.	<i>Phyllanthus maderaspatensis</i> Linn.	347	II-9
189.	<i>Phyllanthus tenellus</i> Roxb.	36	X-8, I-10
190.	<i>Reidia gageana</i> Gamble	67	I-2,3

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
191. *	<i>Sauropus saksenianus</i> Manilal, Prasannakumar & Sivar.	91	IX-18
192. *	<i>Sauropus varierii</i> Sivar. & Indu	299	X-4
193.	<i>Suregada angustifolia</i> (Muell.- Arg.) Airy Shaw	109	XI-6
<u>FABACEAE</u>			
194.	<i>Aeschynomene americana</i> Linn.	26	IV-9
195.	<i>Canavalia podocarpa</i> Dunn	180	II
196.	<i>Centrosema virginianum</i> (Linn.) Benth.	364	XVIII
197.	<i>Crotalaria clarkei</i> Gamble	199	XII-10
198.	<i>Crotalaria incana</i> Linn.	222	I
199.	<i>Crotalaria willdenowiana</i> DC.	152	IV-7
200.	<i>Dalbergia acaciifolia</i> Dalz.	136	XIV-3
201. *	<i>Dalbergia beddomei</i> Thoth.	361	IX-18
202.	<i>Dalbergia benthamii</i> Prain	135	VII-6
203. #	<i>Dalbergia horrida</i> (Dennst.) Mabberley var. <i>glabrescens</i> (Prain) Thoth. & K.K.N. Nair	363	II-9
204.	<i>Dalbergia pseudo-sisso</i> Miq.	136	IV-9
205. *	<i>Dalbergia travancorica</i> Thoth.	360	XVI-2
206.	<i>Derris brevipes</i> Baker var. <i>coriacea</i> Baker emed. Thoth.	358	IX-1
207. #	<i>Derris brevipes</i> Baker var. <i>travancorensis</i> Thoth.	359	I-14
208. *	<i>Derris thothathri</i> Bennet	14	XVIII
209.	<i>Derris velutinum</i> DC.	78	XIX
210.	<i>Desmodium scorpiurus</i> (Swartz) Desvaux	34	XI
211.	<i>Desmodium tortuosum</i> (Sw.) DC.	32	I-6
212.	<i>Desmodium uncinatum</i> (Jacq.) DC.	244	VI-11
213.	<i>Erythrina mysorensis</i> Gamble	347	VI-9
214. #	<i>Geissaspis tenella</i> Benth., var. <i>malabarica</i> Sivar. & Babu	296	X-7
215.	<i>Gliricidia maculata</i> H.B. & K.	347	II-9
216. #	<i>Glycine wightii</i> Verdcourt sub. sp. <i>wightii</i> Verdcourt var. <i>coimbatorensis</i> Ajith Sen	4	VI-7,17
217.	<i>Indigofera benthamiana</i> Hance	225	II-3
218.	<i>Indigofera teysmanii</i> Miq.	74	XI-12
219. *	<i>Kunstleria keralensis</i> Mohanan & N.C. Nair	117	IV-1
220.	<i>Mezonevron hymenocarpum</i> Prain	350	VIII-12
221.	<i>Mucuna gigantea</i> DC.	152	III-3

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
222. #	<i>Mucuna pruriens</i> (L)DC. var. <i>thekkadiensis</i> Thoth. et Ravikumar.	365	VI-17
223.	<i>Ormocarpum sennoides</i> (Willd.) DC.	196	XIII-9
224.	<i>Ougeinia oojeinensis</i> (Roxb.) Hochr.	213	IX-12
225.	<i>Phaseolus adenanthus</i> Meyer	152	III-7
226.	<i>Pueraria phaseoloides</i> (Roxb.) Benth.	27	IV-9
227. *	<i>Tephrosia travancorica</i> Thoth. & Das	362	XVIII
228. *	<i>Zornia quilonensis</i> Ravi	220	II
<u>FLACOURTIACEAE</u>			
229. #	<i>Casearia rubescens</i> Dalz. var. <i>gamblei</i> Mukh.	125	VI-13
230. *	<i>Hydnocarpus pendulus</i> Manilal, Sabu & Sivar.	95	IX-18
231.	<i>Taraktogenus kurzii</i> King	347	II-9
<u>GENTIANACEAE</u>			
232.	<i>Exacum walkeri</i> Griseb.	121	I-13
233.	<i>Swertia lawii</i> (Wight ex Clarke) Burkill	197	XIII-5
<u>GESNERIACEAE</u>			
234.	<i>Didymocarpus humboldtiana</i> Gardn.	347	XVI-8
235.	<i>Didymocarpus macrostachya</i> Barnes	263	XVI-7
236.	<i>Epithema carnosum</i> Benth. var. <i>hispida</i> Clarke	197	XIII-16
<u>GRAMINEAE</u>			
237.	<i>Acroceras munroanum</i> (Balansa) Henr.	331	II,III
238.	<i>Alloteropsis semialata</i> (R.Br.) Hitch. var. <i>viatica</i> (Griff.) Ellis & Karthik.	77	XVII-1
239.	<i>Andropogon polytychus</i> Steud. var. <i>deccanensis</i> Bor	269	XVIII
240.	<i>Apocopis mangalorensis</i> (Hochst.) Henry	77	XIII
241. *	<i>Arundinella kannanorica</i> V.J. Nair, Sreekumar & N.C. Nair.	163	XIV-2
242.	<i>Arthraxon lanceolatus</i> (Roxb.) Hochst.	162	VI-11
243.	<i>Arthraxon nudus</i> (Steud.) Hochst.	77	XVII-2
244.	<i>Arthraxon villosus</i> Fischer.	162	VI-11
245.	<i>Axonopus compressus</i> (Sw.) P.Beauv.	77	XVII-1,3

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
246. *	<i>Bhidea fischeri</i> Sreekumar & Shetty.	344	XIII-14
247.	<i>Bothriochloa intermedia</i> (R.Br.) A. Camus var. <i>punctata</i> (Roxb.) Keng	77	XVII-1
248. *	<i>Bothriochloa parameswaranii</i> Sreekumar, Malathi & V.J. Nair.	330	VI-5
249. **	<i>Chandrasekharania keralensis</i> V.J. Nair, Ramachandran & Sreekumar	160	XIII-9
250. *	<i>Chrysopogon tadulingamii</i> Sreekumar, V.J. Nair & N.C. Nair	339	XII-6
251.	<i>Coix aquatica</i> Roxb.	77	VI-2, XVII-1
252. #	<i>Cymbopogon martinii</i> (Roxb.) Wats. var. <i>sofia</i> Gupta	56	XVIII
253.	<i>Cyrtococcum deccanense</i> Bor	77	XVII-3
254. *	<i>Dimeria borii</i> Sreekumar, V.J.Nair & N.C.Nair	335	XI-7
255.	<i>Dimeria ceylanica</i> Bor	77	VII-4
256. *	<i>Dimeria copeana</i> Sreekumar, V.J.Nair & N.C. Nair	334	III-8
257. *	<i>Dimeria chelariensis</i> Ravi	227	X-1
258.	<i>Dimeria deccanensis</i> Bor	90	IX-21
259. *	<i>Dimeria eradii</i> Ravi	227	X-7
260. *	<i>Dimeria jainii</i> Sreekumar, V.J.Nair & N.C.Nair	336	XI-17
261. *	<i>Dimeria kanjirapalliana</i> Jacob	58	VI-13
262. *	<i>Dimeria keralae</i> N.C.Nair, Sreekumar & V.J.Nair	154	XIII-18
263. *	<i>Dimeria kurumthotticalana</i> Jacob	58	VI-13
264. *	<i>Dimeria namboodiriana</i> Ravi et Mohanan	231	IV-8
265. *	<i>Dimeria raizadae</i> V.J.Nair, Sreekumar & N.C. Nair	164	XI-17
266. *	<i>Dimeria sivarajanii</i> Mohanan et Ravi	123	IV-5
267.	<i>Eragrostis cumingii</i> Steud.	124	I-15
268.	<i>Eragrostis subsecunda</i> (Lam.) Fourn.	327	II,III
269.	<i>Eragrostis tremula</i> (Lamk.) Hochst. ex Steud.	196	XIII-15
270. #	<i>Eragrostis uniloides</i> Nees var. <i>tremula</i> Jacob	58	V-3
271.	<i>Eragrostis zeylanica</i> Nees & Mey	158	XIV-4
272.	<i>Eulalia thwaitesii</i> (Hack.) O.Kuntze	269	VI-3
273.	<i>Garnotia exaristata</i> Gould.	379	XVIII
274.	<i>Garnotia longipila</i> Santos.	263	XVI
275.	<i>Garnotia tenella</i> (Arn. ex Miq.) Gould.	379	XVIII
276.	<i>Garnotia tenuis</i> Santos.	134	VII-4, XVI
277.	<i>Isachne fischeri</i> Bor	263	VI-3
278.	<i>Isachne gracilis</i> C.E. Hubb.	150	IX-18
279. *	<i>Isachne henryi</i> Srinivasan & Sreekumar	345	XII-8

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
280.	<i>Isachne lutaria</i> Santos.	263	XVI
281. *	<i>Ischaemum agastyamalayanum</i> Sreekumar, Janarthanam & Henry	329	I-1
282. *	<i>Ischaemum calicutensis</i> Sreekumar, V.J.Nair & N.C. Nair	337	XI-17
283. *	<i>Ischaemum kannanorensis</i> Sreekumar, V.J.Nair & N.C. Nair	337	XIII-18
284. *	<i>Ischaemum copeanum</i> Sreekumar, V.J. Nair & N.C. Nair	343	XIII-6
285.	<i>Ischaemum indicum</i> (Houtt.) Merrill var. <i>longipilum</i> (Hack.) Bor	328	XIII-5
286.	<i>Ischaemum indicum</i> (Houtt.) Merrill var. <i>indicum</i> sub. var. <i>scrobiculatum</i> (Nees ex Steud.) Bor	328	III,XI
287. *	<i>Ischaemum jayachandranii</i> Ansari, Ramachandran & Sreekumar	11	XIV-6
288. *	<i>Ischaemum keralensis</i> Sreekumar, V.J. Nair & N.C. Nair	342	XVIII
289. *	<i>Ischaemum malabaricum</i> Sreekumar, V.J.Nair & N.C. Nair	341	XI-11,17 XIII-7,18
290. *	<i>Ischaemum nairii</i> V.J.Nair & Sreekumar	161	XI-9
291. *	<i>Ischaemum tadulingamii</i> N.C.Nair & Sreekumar	151	VI-5
292. *	<i>Ischaemum vembnadense</i> Patil & D'Cruz	178	III-11
293.	<i>Ischaemum zeylanicum</i> Bor	158	XI, XII-12, XIII-5
294.	<i>Leptaspis urceolata</i> (Roxb.) R.Br.	77	II-9
295.	<i>Limnopoia meeboldii</i> (Fischer) C.E.Hubb.	156	VII-3,4 VIII-4
296.	<i>Lolium temulentum</i> Linn.	77	XVII-3
297. *	<i>Ochlandra ebracteata</i> Raizada & Chatterjee	191	I-7
298. *	<i>Oryza malampuzhaensis</i> Krishnaswamy & Chandra.	83	IX-9
299.	<i>Oryza perennis</i> Moench ssp. <i>balunga</i>	139	XVIII
300.	<i>Panicum auritum</i> Presl ex Nees	162	III-5
301.	<i>Panicum humidorum</i> Buch.- Ham. ex Hook. f.	202	XIII-3
302.	<i>Panicum psilopodium</i> Trin. var. <i>coloratum</i> Hook. f.	162	VIII-13
303.	<i>Paspalum canarae</i> (Steud.) Veldk. var. <i>fimbriatum</i> (Bor) Veldk.	198	XIII-5
304.	<i>Pennisetum orientale</i> L.C. Rich.	162	I-6
305.	<i>Pseudoxylanthera stocksii</i> (Munro) Naithani	128	XIX
306.	<i>Rhynchelytrum repens</i> (Willd.) C.E. Hubb.	77	XVII-3
307.	<i>Setaria barbata</i> (Lam.) Kunth	162	I,II
308.	<i>Setaria homonyma</i> (Steud.) Chiov.	77	XVII-2

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
309. **	<i>Silentvalleya nairii</i> V.J. Nair, Sreekumar, Vajravelu & Bhargavan	165	IX-18
310.	<i>Sinarundinaria microphylla</i> (Munro) Chao & Renv.	80	VI-5
311. *	<i>Themeda sabarimalayana</i> Sreekumar & V.J. Nair	333	IV-10
312. *	<i>Tripogon anantaswamianus</i> Sreekuamr, V.J.Nair & N.C.Nair	340	VI-5
313. *	<i>Tripogon narayanii</i> Sreekumar, V.J.Nair & N.C.Nair	338	VI-5
314. *	<i>Zenkeria jainii</i> N.C. Nair, Sreekumar & V.J.Nair	153	VI-5
<u>GUTTIFERAE</u>			
315.	<i>Calophyllum austroindicum</i> Kosterm. Ex. P.F. Stevens	171	XIX
316. #	<i>Garcinia echinocarpa</i> Thw. var. <i>monticola</i> Maheshwari	87	XIV-2
317. *	<i>Garcinia rubro-echinata</i> Kosterm.	134	XIX
318.	<i>Mesua ferrea</i> Linn. ssp. <i>pulchella</i> Vesque.	86	VI-18
319.	<i>Mesua ferrea</i> Linn. ssp. <i>thwaitessi</i> Vesque.	86	XVI-4
<u>HALORAGACEAE</u>			
320.	<i>Laurembergia hirsuta</i> (Wight & Arn.) Schindl.	134	XIX
321.	<i>Myriophyllum tuberculatum</i> Roxb.	378	VII- 1
<u>HIPPOCRATEACEAE</u>			
322.	<i>Salacia beddomei</i> Gamble	197	XIII-5
<u>ICACINACEAE</u>			
323.	<i>Miquelia dentata</i> Bedd.	196	XIII-5
<u>IRIDACEAE</u>			
324.	<i>Aristea ecklonii</i> Baker	318	VI-5,11
325.	<i>Eleutherine bulbosa</i> (Miller) Urban	181	X-7, XIII-19
<u>JUNCACEAE</u>			
326.	<i>Juncus effusus</i> Linn.	274	VI-3, XII-12

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
<u>LAMIACEAE</u>			
327.	<i>Anisomeles indica</i> O.Ktze. var. <i>albiflora</i> (Hassk.) Backer	303	XI
328.	<i>Eusteralis gracilis</i> (Dalz.) Panigrahi	197	XIII-15
329. *	<i>Gomphostemma keralensis</i> Vivek., Gopalan & Ansari.	383	VI-15
330.	<i>Hyptis capitata</i> Jacq.	370	V
331. @	<i>Leucas lavanduliifolia</i> Rees. var. <i>dcepiens</i> (Hook.f.) Chandr. & Srin.	25	VI
332.	<i>Leucas urticifolia</i> (Vahl.) R.Br.	197	XII-3
333. #	<i>Leucas vestita</i> Benth. var. <i>devicolamensis</i> Shetty & Vivek.	271	VI-19
334.	<i>Orthosiphon rubicundus</i> Benth. var. <i>hohenackeri</i> Hook. f.	197	XIII-4
335. #	<i>Pogostemon travancoricus</i> Bedd. var. <i>devicolamensis</i> Shetty & Vivek.	275	VI-3
336.	<i>Scutellaria oblonga</i> Benth.	115	IX-18, X-5.
<u>LAURACEAE</u>			
337. *	<i>Cinnamomum chemungianum</i> Mohan & Henry	120	I-4
338. *	<i>Cinnamomum keralaense</i> Kosterm.	82	XVII
339. *	<i>Cinnamomum nicolsonianum</i> Manilal & Shylaja	106	XV, XVII
340.	<i>Cryptocarya beddomei</i> Gamble	197	XIII-22
341.	<i>Cryptocarya griffithiana</i> Wight	133	IX
342.	<i>Litsea ghatica</i> Saldanha	351	XII-1
<u>LEMNACEAE</u>			
343.	<i>Lemna eleanorae</i> McCann	78	XIX
<u>LENTIBULARIACEAE</u>			
344. *	<i>Utricularia malabarica</i> Janarthanam & Henry	60	XIV-5
345.	<i>Utricularia minutissima</i> Vahl	372	IX
346. *	<i>Utricularia nayarii</i> Janarthanam & Henry	59	VI-16
347.	<i>Utricularia nivea</i> Vahl	78	XIX
348.	<i>Utricularia striata</i> Sm.	347	II-9
349. *	<i>Utricularia subramanii</i> Janarthanam & Henry	61	IV

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
<u>LILIACEAE</u>			
350.	<i>Chlorophytum nimmonii</i> Dalz.	78	XIX
351.	<i>Sansevieria languinosa</i> Willd.	111	XVIII
<u>LINACEAE</u>			
352.	<i>Hugonia belli</i> Sedgwick	158	XIII-17
<u>LOGANIACEAE</u>			
353.	<i>Mitrasacme pygmaea</i> R. Br. var. <i>malaccensis</i> (Wight) Hara	67	I-7
<u>LORANTHACEAE</u>			
354.	<i>Tolypanthus lagenifer</i> (Wight) Tiegh.	367	IX-6
<u>LYTHRACEAE</u>			
355.	<i>Ammania auriculata</i> Willd.	376	XIII-20
356.	<i>Ammania pygmaea</i> Kurz.	374	XVIII
357.	<i>Hydrolithrum wallichii</i> Hook.f.	371	VII-1
358.	<i>Nesaea brevipes</i> Koehne	196	XII-11
359. *	<i>Rotala cookii</i> Joseph & Sivar.	72	X-6
360. *	<i>Rotala malabarica</i> Pradeep, Joseph & Sivar.	184	XIII-1
361. *	<i>Rotala malampuzhensis</i> R.V. Nair	377	VII-8, IX-9, XI-3
362.	<i>Rotala ritchiei</i> (Clarke) Koehne	193	VI-17
363. *	<i>Rotala vasudevanii</i> Joseph & Sivar.	72	VII-1
<u>MALPIGHIACEAE</u>			
364.	<i>Hiptage acuminata</i> Wall. ex Juss.	177	VI-15
<u>MALVACEAE</u>			
365. *	<i>Hibiscus sreenarayananus</i> Anil. & Ravi	8	II-10
366. *	<i>Julostylis ampumalensis</i> Pradeep & Sivar.	187	XI-2
367.	<i>Julostylis angustifolia</i> (Arn.) Thw.	208	XVII
368. *	<i>Julostylis polyandra</i> Ravi & Anil.	228	I-13, IV-3

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
369. *	<i>Sida beddomei</i> Jacob	58	XIII-9
370.	<i>Sida elongata</i> Bl.	116	X-5
371. *	<i>Sida fryxellii</i> Sivar. & Pradeep	317	XI-4
372.	<i>Sida javensis</i> Cav.	116	X-5
373.	<i>Sida linifolia</i> Cav.	188	I
<u>MELASTOMATACEAE</u>			
374.	<i>Clidemia hirta</i> (Linn.) D.Don	166	XVIII
375.	<i>Memecylon talbotianum</i> Brandis	200	XIII-5
376. *	<i>Osbeckia abrahamii</i> Giri & Nayar	43	VIII
377. #	<i>Osbeckia lineolata</i> Gamble var. <i>anamalayana</i> Giri & Nayar	41	VI-4, IX-17
378. *	<i>Osbeckia mehrana</i> Giri & Nayar	47	I-4
379. *	<i>Sonerila kannanorensis</i> Giri & Nayar	46	XIII-5
380. *	<i>Sonerila devicolamensis</i> Nayar	169	VI-4
381. #	<i>Sonerila elegans</i> Wight var. <i>beddomei</i> Giri & Nayar	45	IX
382. *	<i>Sonerila gamblei</i> Giri & Nayar	44	VI-3
383. *	<i>Sonerila sadasivanii</i> Nayar	167	XVIII
384. *	<i>Sonerila sahyadrica</i> Giri & Nayar	42	I-13, IX-1
385. *	<i>Sonerila wynaadensis</i> Nayar	168	XII
386.	<i>Sonerila zeylanica</i> Wight & Arn.	353	II-6
<u>MELIACEAE</u>			
387.	<i>Amoora beddomei</i> Kosterm.	75	VI-13
<u>MENISPERMACEAE</u>			
388.	<i>Cyclea barbata</i> Miers	93	IX-18
<u>MENYANTHACEAE</u>			
389. *	<i>Nymphoides krishnakesara</i> Joseph & Sivar.	73	XIII-11
390. *	<i>Nymphoides macrospermum</i> Vasudevan	375	VII-1, XI-3
391. *	<i>Nymphoides sivarajanii</i> Joseph	71	X-6
<u>MIMOSACEAE</u>			
392.	<i>Entada monostachya</i> DC.	234	XVIII

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
393.	<i>Mimosa invisa</i> Mart.	142	V-1
394.	<i>Mimosa invisa</i> Mart. var. <i>inermis</i> Adelb.	170	V-1, VIII
<u>MOLLUGINACEAE</u>			
395.	<i>Mollugo stricta</i> Linn.	323	XVIII
<u>MORACEAE</u>			
396.	<i>Artocarpus gomezianus</i> Wall. ex Trec. ssp. <i>zeylanicus</i> Jarrett	78	XIX
397.	<i>Ficus auriculata</i> Lour.	198	XIII-3
398. #	<i>Ficus glaberrima</i> Bl. var. <i>bracteata</i> Corner	29	XVIII
399.	<i>Ficus rigida</i> var. <i>bracteata</i> (Corner) Bennet	367	IX-15
<u>MUSACEAE</u>			
400. *	<i>Musa kattuvazhana</i> Jacob	134	XIX
401. *	<i>Musa ochracea</i> Shepherd	268	XVII
402. *	<i>Musa sapidisiaca</i> Jacob	134	XIX
<u>MYRSINACEAE</u>			
403.	<i>Antistrophe serratifolia</i> (Bedd.) Hook.	144	IX-18
404.	<i>Ardisia gardneri</i> Clarke var. <i>zeylanica</i> Trimen	145	IX-15
405.	<i>Ardisia missionis</i> Wall. ex DC.	198	XIII-17
406. *	<i>Ardisia stonei</i> Sasi. & Sivar.	253	II-8, VIII-7
<u>MYRTACEAE</u>			
407.	<i>Syzygium makul</i> Gaertn. f.	92	IX-18
408.	<i>Syzygium montanum</i> (Wight) Gamble	198	XIII-22
409.	<i>Syzygium neesianum</i> Arn.	92	IX-21
410. *	<i>Syzygium parameswaranii</i> Mohan & Henry	119	I-1
411.	<i>Syzygium tamilnadensis</i> Radhak. & Chitra	197	XIII-22
<u>NYCTAGINACEAE</u>			
412.	<i>Boerhaavia punarnava</i> Saha & Krishnam	149	VII-4
413.	<i>Pisonia aculeata</i> Linn.	196	XIII-13

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
<u>OLEACEAE</u>			
414. #	<i>Chionanthus ramiflorus</i> Roxb. var. <i>peninsularis</i> Ravikumar & Lakshmanan	235	VI-4
415.	<i>Schrebera swietenoides</i> Roxb.	197	XIII-4
<u>ORCHIDACEAE</u>			
416.	<i>Acampe ochracea</i> (Lindl.) Hochr.	266	VI-12
417.	<i>Acampe rigida</i> (Buch.-Ham. ex J.E.Smith) P.F.Hunt	278	IX-3
418.	<i>Aphyllorchis montana</i> (Thw.) Reichb. f.	122	I-3
419.	<i>Aphyllorchis prainii</i> Hook. f.	368	IX-18
420.	<i>Brachycorythis splendida</i> Summerh.	217	VI-2,4
421.	<i>Brachycorythis wightii</i> Summerh.	217	XVII-4
422.	<i>Bulbophyllum elegans</i> Gard ex Thw.	262	I-1
423. *	<i>Bulbophyllum rheedei</i> Manilal & Sathish.	105	I-10,II-4
424.	<i>Bulbophyllum xylophyllum</i> Par & Reichb.	245	II-8
425.	<i>Calanthe vestita</i> Lindl.	1	IX-1
426.	<i>Cheirostylis seidenfadeniana</i> Sathish. & Rasmus.	258	XVIII
427.	<i>Coelogyne flaccida</i> Lindl.	1	IX-1
428.	<i>Coelogyne ovalis</i> Lindl.	1	XVIII
429.	<i>Dendrobium crepidatum</i> Lindl.	158	XIII-20
430.	<i>Dendrobium densiflorum</i> Lindl. ex Wall.	1	XVIII
431.	<i>Dendrobium lawianum</i> Lindl.	127	VIII-7
432.	<i>Dendrobium mablae</i> Gammie	247	XIII-5
433.	<i>Dendrobium panduratum</i> Lindl.	103	IX-18
434. @	<i>Eria chandraskharanii</i> (Bhargavan & Mohanan) Sathish. & Manilal	259	IX-18
435. #	<i>Eria muscicola</i> (Lindl.) Lindl. var. <i>brevilinguis</i> Joseph & Chandra.	64	I-1,VI
436. #	<i>Eria muscicola</i> (Lindl.) Lindl. var. <i>ponmudiana</i> Mohan & Henry	118	I-13
437.	<i>Eria pseudoclavicaulis</i> Blatt. & McCann	1	VI-3
438. *	<i>Eria tiagii</i> Manilal, Sathish. & Wood	100	IX-18
439.	<i>Eulophia cullenii</i> (Wight) Bl.	122	I-11
440.	<i>Eulophia emiliana</i> Saldanha	144	IX-1
441. *	<i>Eulophia hirsuta</i> Joseph & Vajravelu	69	IX-16
442.	<i>Gastrochilus bigibbus</i> (Reichb.f.ex J.D.Hook.) Kuntze	262	IX- 11,13
443.	<i>Gastrochilus dalzellianus</i> (Sant.) Sant. & Kapadia	266	IV-8

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
444.	<i>Gastrochilus flabelliformis</i> (Blatt. & McCann) Saldanha	1	I-3,13, II-9
445.	<i>Habenaria furcifera</i> Lindl.	217	IX
446.	<i>Habenaria multicaudata</i> Sedgewick	201	XIII-5
447.	<i>Ipea malabarica</i> (Reichb. f.) Hook. f.	97	IX-18
448.*	<i>Kingidium niveum</i> Sathish.	262	VIII-10,IX-14,21
449.*	<i>Liparis indiraii</i> Manilal & Sathish.	102	IX-18
450.	<i>Liparis prazeri</i> King & Pantl.	39	XII-9
451.*	<i>Luisia abrahami</i> Vatsala	1	II-9
452.	<i>Luisia evangelinae</i> Blatt. & McCann	1	XIII-5
453.	<i>Luisia macrantha</i> Blatt. & McCann	28	II-6
454.	<i>Malaxis congesta</i> (Lindl.) Deb	1	XII
455.	<i>Malaxis latifolia</i> Sm.	122	I-3
456.	<i>Malaxis mackinnoni</i> (Duthie) Ames.	1	VI-13,IX-15
457.#	<i>Malaxis versicolor</i> (Lindl.) Abeywickr. var. I	1	XVII
458.#	<i>Malaxis versicolor</i> (Lindl.) Abeywickr. var. II	1	VI-4
459.#	<i>Malaxis versicolor</i> (Lindl.) Abeywickr. var. III	1	XII
460.	<i>Malleola rosea</i> (Lindl.) Schltr.	217	VI-2
461.	<i>Nervilia crispata</i> (Bl.) Schltr.	150	XIII-18
462.	<i>Nervilia infundibulifolia</i> Blatt. & McCann	1	X-4
463.	<i>Nervilia prainiana</i> (King & Pantl.) Seidenfaden & Smitin	1	XIII-5
464.*	<i>Oberonia agastyamalayana</i> Sathish.	262	I-1
465.*	<i>Oberonia anamalayana</i> Joseph	217	XVIII
466.	<i>Oberonia bicornis</i> Lindl.	96	IX-18
467.*	<i>Oberonia bisaccata</i> Manilal & Sathish.	98	IX-18
468.	<i>Oberonia brachyphylla</i> Blatt. & McCann	70	IX-12
469.*	<i>Oberonia chandrasekharanii</i> V.J.Nair, Ramachandran & Ansari	159	XIII-5
470.	<i>Oberonia gammiei</i> King & Pantl.	266	IV-10
471.	<i>Oberonia iridifolia</i> Lindl.	217	VI-13
472.	<i>Oberonia longibracteata</i> Lindl.	147	VI
473.*	<i>Oberonia sebastiana</i> Shetty & Vivek.	276	VI-3
474.	<i>Oberonia tenuis</i> Lindl.	96	IX-18
475.	<i>Oberonia thwaitesii</i> Hook. f.	101	II-9
476.#	<i>Oberonia wightiana</i> Lindl. var. <i>nilgirensis</i> Ansari <i>et al.</i>	171	VI
477.*	<i>Oberonia wynadensis</i> Sivadasan & Balakrishanan	283	XII
478.@	<i>Pachystoma hirsuta</i> (Joseph & Vajravelu) Sathish. & Manilal	260	I-1,13 VI-11, IX-16

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
479.	<i>Papilionanthe subulata</i> (Koenig) Garay	348	VI-4
480.	<i>Peristylis lawii</i> Wight	1	I-13
481.	<i>Phaius luridus</i> Thw.	62	I-1
482.	<i>Phalaenopsis mysorensis</i> Saldanha	158	XII-10, XIII-5
483.	<i>Phreatia elegans</i> Lindl.	1	VI-11
484.	<i>Pomatocalpa mannii</i> (Reich. f.) Sm.	247	IX-22
485. *	<i>Porpax chandrasekharanii</i> Bhargavan & Mohanan	15	IX-18
486. *	<i>Robiquetia josephiana</i> Manilal & Sathish.	99	IX-18
487.	<i>Schoenorchis latifolia</i> (Fischer) Saldanha	172	VI
488. @**	<i>Seidenfadeniella chrysantha</i> (Alston) Sathish.	262	VI-4, 11
489. @**	<i>Seidenfadeniella roseus</i> (Wight) Sathish.	262	XII-5, IX-19
490.	<i>Smithsonia maculata</i> (Dalz.) Saldanha	247	VI-14
491.	<i>Smithsonia straminea</i> Saldanha	70	IX-13
492.	<i>Smithsonia viridiflora</i> (Dalz.) Saldanha	78	IV-10
493.	<i>Thrixspermum album</i> (Ridl.) Schltr.	146	IV-6
494.	<i>Thrixspermum arachnites</i> (Bl.) Reich. f.	1	XIII-5
495.	<i>Thrixspermum complanatum</i> (Koenig) Sehltr.	262	XII-3
496.	<i>Thrixspermum pulchellum</i> (Thw.) Schltr.	104	I-10
497. *	<i>Trias bonaccordensis</i> Sathish.	257	I-3
498. @	<i>Trias crassifolia</i> (Thw. ex Trimen) Sathish.	257	I-3
499.	<i>Trias stocksii</i> Benth. ex Hook. f.	382	VI-13
500.	<i>Tropidia angulosa</i> (Lindl.) Bl.	201	XIII-5
501.	<i>Tropidia curculigoides</i> Lindl.	216	VI-9
502.	<i>Vanilla aphylla</i> Bl.	269	I
503.	<i>Zeuxine clandestina</i> Bl.	211	IX-18
<u>OROBANCHACEAE</u>			
504. *	<i>Christisonia keralensis</i> Erady	40	IX-15
<u>OXALIDACEAE</u>			
505. *	<i>Biophytum congestiflorum</i> Govind.	52	VI-13
506. *	<i>Biophytum longipedunculatum</i> Govind.	52	VIII-1,8
<u>PANDANACEAE</u>			
507.	<i>Pandanus kaida</i> Kurz	110	III-2, VIII-11

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
<u>PASSIFLORACEAE</u>			
508.	<i>Adenia hondala</i> (Gaertn.) de Wilde	212	IX-5
509.	<i>Adenia wightiana</i> (Wall. ex Wight & Arn.) Engler	212	IX-9
<u>PEDALIACEAE</u>			
510.	<i>Sesamum orientale</i> Linn. var. <i>malabaricum</i> Nar.	263	XV
<u>PERIPLOCACEAE</u>			
511. **	<i>Janakia arayalpathra</i> Joseph & Chandra.	65	V-2
<u>PHYTOLACCACEAE</u>			
512. *	<i>Petiveria alliacea</i> Linn	35	I
<u>PIPERACEAE</u>			
513. *	<i>Peperomia cochinchinensis</i> DC.	263	VII-4
514. #	<i>Piper nigrum</i> Linn. var. <i>hirtellousum</i> Asokan & Ravindran	233	IX-18
515. *	<i>Piper pseudonigrum</i> Velayudhan & Amalraj	381	IX-17,18, VI
516.	<i>Piper schmidtii</i> Hook. f.	347	II-9
517. *	<i>Piper silentvalleyensis</i> Ravindran, M.K. Nair & Asokan	233	IX-18
<u>PODOSTEMACEAE</u>			
518. *	<i>Dicraea filifolia</i> Ramamurthy & Joseph	204	IX-17
519.	<i>Farmeria metzgerioides</i> (Trim.) Willis	218	XIII, XIV
520.	<i>Podostemon subulatus</i> Gardn.	145	IX-5
521. *	<i>Polypleurum munnarensense</i> Nagendran & Arekal	131	VI-11
522.	<i>Polypleurum wallichii</i> (R. Br. ex Griff.) Warm.	219	IX-5, XI, XIII
523. *	<i>Willisia arekaliana</i> Shivamurthy & Sadanant.	277	IX-18
<u>POLYGALACEAE</u>			
524.	<i>Polygala arillata</i> Buch - Ham. forma <i>meeboldii</i> Mukherjee	78	XIX

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
525.	<i>Polygala erioptera</i> DC. var. <i>vahliana</i> (DC.) Chodat	78	XIX
526.	<i>Polygala javana</i> DC. var. <i>angustifolia</i> Thw.	78	XIX
527.	<i>Polygala jacobii</i> Chandr.	84	II-2
528. *	<i>Polygala ramaswamiana</i> Mukherjee	126	VI-13
<u>POLYGONACEAE</u>			
529.	<i>Oxygonum sinuatum</i> (Hochst. & Steud. ex Meisn.) Dammer.	226	II
530.	<i>Polygonum barbatum</i> Linn.	347	II-8
<u>PORTULACACEAE</u>			
531. #	<i>Portulaca oleracea</i> Linn. var. <i>linearifolia</i> Sivar. & Manilal	308	XVIII
532. \$	<i>Portulaca pilosa</i> Linn. ssp. <i>grandiflora</i> (Hook.) Geesink	292	XI
533. #	<i>Portulaca pilosa</i> Linn. var. <i>tuberosa</i> (Roxb.) Sivar.	292	XI
<u>RHAMNACEAE</u>			
534.	<i>Sageratia hamosa</i> Brongn.	200	XIII-5
<u>RUBIACEAE</u>			
535. *	<i>Agrostemma anupama</i> Sivar.	293	X-6
536.	<i>Agrostemma rostratum</i> Wall.	265	VII-7
537. #	<i>Borreria articularis</i> (Linn. f.) F.N. Williams var. <i>hispida</i> (Linn.) Sivar. & Manilal	307	XI, XVI
538. #	<i>Borreria articularis</i> (Linn. f.) F.N. Williams var. <i>articularis</i> Sivar. & Manilal	307	XI
539. *	<i>Borreria eradii</i> Ravi	221	II
540. *	<i>Borreria malabarica</i> Sivar. & Manilal	304	XI
541. #	<i>Borreria stricta</i> (Linn. f.) K.Schum. var. <i>rosea</i> Sivar. & Manilal	304	XI
542.	<i>Coffea robusta</i> Linn.	347	I-5
543.	<i>Diodia teres</i> Walter	230	II
544.	<i>Hedyotis bourdillonii</i> (Gamble) Rolla Rao & Hemadri	150	IX-18, XVI

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
545. *	<i>Hedyotis devicolamensis</i> Deb & Dutta	31	VI-4
546. *	<i>Hedyotis erecta</i> Manilal & Sivar.	108	X-3
547.	<i>Hedyotis pinifolia</i> Wall. ex G.Don.	249	VIII-7
548. *	<i>Hedyotis santapau</i> Shetty & Vivek.	272	VI-4
549. *	<i>Hedyotis silent-valleyensis</i> Vajravelu, Rathak. & Bhargavan	369	IX-7
550. *	<i>Ixora agasthyamalanum</i> Sivadasan & Mohanan	284	I-1
551. *	<i>Ixora manantoddii</i> Husain & Paul	57	XII-3
552. *	<i>Ixora sivarajiana</i> Pradeep	182	XI-18
553.	<i>Mitracarpus verticillatus</i> (Schum.& Thonn.) Vatke.	264	V, VIII, IX, XI
554. *	<i>Oldenlandia hygrophila</i> Brem.	20	IX
555.	<i>Ophiorrhiza barnesii</i> Fischer	263	I-5
556.	<i>Ophiorrhiza caudata</i> Fischer	263	I-5
557.	<i>Ophiorrhiza incarnata</i> Fischer	263	XII-4
558. *	<i>Ophiorrhiza munnarensis</i> Fischer	263	VI-11
559. *	<i>Ophiorrhiza nairii</i> Ramamurthy & Rajan	209	VI-1
560. *	<i>Psilanthus bababadanii</i> Sivar., Biju & P.Mathew	311	XII-2
561. *	<i>Psilanthus bridsoniae</i> Sivar., Biju & P.Mathew	311	VIII-7
562. *	<i>Psilanthus malabaricus</i> Sivar., Biju & P.Mathew	311	XV
563. *	<i>Psychotria keralensis</i> Deb & Gang.	30	XIII-5
564.	<i>Psychotria sarmentosa</i> Bl.	152	III-8
565. *	<i>Psychotria sekharana</i> Ramamurthy & Rajan	206	VIII
566.	<i>Richardia scabra</i> Linn.	196	XII-3
567.	<i>Spermacoce assurgens</i> Ruiz & Pavon	325	VII-4
568. @	<i>Spermacoce malabarica</i> (Sivar. & Manilal) Sivar., R.V.Nair & Ahmed kunju	325	VII-4
569. *	<i>Spermacoce ramanii</i> Sivar. & R.V.Nair	324	X-7
570. *	<i>Tarenna trichurensis</i> Sasi. & Sivar.	251	VIII

RUTACEAE

571. #	<i>Atalantia recemosa</i> Wight. Var. <i>bourdillonii</i> K.N.Nair & M.P.Nayar	138	II, VIII-9
572.	<i>Clausena excavata</i> Burm. f.	78	XIX
573.	<i>Glycosmis macrocarpa</i> Wight	197	XIII-5

SAPOTACEAE

574.	<i>Isonandra perrottetiana</i> Wight	137	VII-5
575. *	<i>Palaquium ravii</i> Sasi. & Vink	256	VIII-7

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
<u>SCROPHULARIACEAE</u>			
576.	<i>Adenosma subrepens</i> Benth. & Hook. f.	67	I
577. *	<i>Limnophila glandulifera</i> Philcox	179	XVI
578.	<i>Lindernia angustifolia</i> (Benth.) Wettst.	223	II-13
579. *	<i>Lindernia manilaliana</i> Sivar.	291	XV
580. #	<i>Lindernia tenuifolia</i> var. <i>pygmaea</i> Sivar. & P.Mathew	312	XI-12
581.	<i>Mecardonia procumbens</i> (Miller) Small	74	XII-12
582.	<i>Stemodia verticillata</i> (Miller) Sprague	296	X-7
583. *	<i>Torenia lindernioides</i> Saldanha	243	XII-2
584.	<i>Torenia violacea</i> (Azaolo. ex Blanco) Pennell	243	XIII-7
<u>SIMAROUBACEAE</u>			
585.	<i>Brucea amarissima</i> (Lour.) Merr.	140	V-1
<u>SOLANACEAE</u>			
586.	<i>Physalis longifolia</i> Nutt.	141	V-1
<u>STERCULIACEAE</u>			
587.	<i>Cullenia exarillata</i> Robyns	78	XIX
588.	<i>Eriolaena lushingtonii</i> Dunn	173	VI
589.	<i>Melochia nodiflora</i> Swartz	332	I-6
590.	<i>Pterocymbium tinctorium</i> (Blanco) Merr. var. <i>javanicum</i> (R.Br.) Kosterm.	319	XI-16
<u>SYMPLOCACEAE</u>			
591.	<i>Symplocos kurgensis</i> Clarke	346	XIII-5
592. \$	<i>Symplocos macrophylla</i> Wall. ex DC. ssp. <i>namboodirianus</i> Sivadasan & Mohanan	286	I-1
593.	<i>Symplocos pulchra</i> Wight ssp. <i>pulchra</i> Wight	144	IX-21
<u>TACCACEAE</u>			
594.	<i>Tacca econtopetaloides</i> (Limn.) O Kuntze	107	IX-16

Additions to the Flora of Kerala

Sl.No.	Name of the Plant	Ref. No.	Locality
<u>THYMELEACEAE</u>			
595.	<i>Gyrinops walla</i> Gaertn.	67	I
<u>TILIACEAE</u>			
596.	<i>Triumfetta tungarensis</i> Billore	208	VIII-3
<u>TRICHOPODACEAE</u>			
597.	<i>Trichopus zeylanicus</i> Gaertn. ssp. <i>travancoricus</i> (Bedd.) Burkill	67	I-3
<u>URTICACEAE</u>			
598.	<i>Elatostema cuneatum</i> Wight	197	XIII-13
599.	<i>Elatostema lineolatum</i> Wight var. <i>setosum</i> Henry	197	XIII-22
<u>VERBENACEAE</u>			
600.	<i>Clerodendrum bracteosum</i> Kostel.	133	XIX
601.	<i>Clerodendrum calamitosum</i> Linn.	155	XIII
602.	<i>Clerodendrum heterophyllum</i> (Poir.) R.Br	310	XV
603.	<i>Clerodendrum paniculatum</i> Linn.	382	VI-13
604.	<i>Clerodendrum philippinum</i> Schau.	310	XVIII
605.	<i>Clerodendrum wallichii</i> Merr.	183	XII-12
606.	<i>Stachytarpheta cayennensis</i> (L.C. Rich.) Schau.	148	III-4, IV-9
607.	<i>Stachytarpheta dichotoma</i> Vahl	185	XII-7
608.	<i>Symphorema involucrata</i> Roxb.	200	XIII-17
609. #	<i>Vitex negundo</i> var. <i>purpurascens</i> Sivar. & Moldenke	310	XVIII
<u>VITACEAE</u>			
610. *	<i>Tetrastigma gamblei</i> Shetty & P.Singh	270	XIII-16, 17
<u>ZINGIBERACEAE</u>			
611.	<i>Alpinia mutica</i> Roxb.	48	IX, XIV

K.S. Manilal and K. Raveendrakumar

Sl.No.	Name of the Plant	Ref. No.	Locality
612. *	<i>Alpinia smithiae</i> Sabu & Mangaly	240	IX-1
613.	<i>Amomum microstephanum</i> Baker	367	IX-7
614.	<i>Amomum muricatum</i> Bedd.	197	XII, XIII-16
615.	<i>Curcuma aurantiaca</i> Van Zijp	6	XVIII
616. *	<i>Curcuma kannanorensis</i> Ansari, V.J.Nair & N.C. Nair	9	XIII-10
617. #	<i>Curcuma kannanorensis</i> var. <i>lutea</i> Ansari, V.J.Nair & N.C.Nair	9	XIII-8
618. *	<i>Curcuma coriacea</i> Mangaly & Sabu	88	XVII
619. *	<i>Curcuma ecalcarata</i> Sivar. & Indu.	298	XVII
620.	<i>Curcuma lutea</i> (Ansari <i>et al.</i>) Amalraj <i>et al.</i>	7	XIII-8
621. *	<i>Curcuma malabarica</i> Velayudhan, Amalraj & Murali.	380	VIII-6, XII, XIV
622. *	<i>Curcuma peethapushpa</i> Sasi. & Sivar.	250	XVII
623. *	<i>Curcuma raktakanta</i> Mangaly & Sabu	89	VII-8, VIII-5
624. *	<i>Curcuma vamana</i> Sabu & Mangaly	241	II-9, IX-4
625.	<i>Globba cernua</i> Baker	242	VI, X-5

REFERENCES CITED

1. Abraham A. & P. Vatsala. 1981. *Introduction to Orchids*. T.B.G.R.I., Trivandrum, India.
2. Airy Shaw, H.K. 1952. A new genus and species of Burmanniaceae from South India. *Kew Bull.* 2 : 277 - 279.
3. Airy Shaw, H.K. 1963. Notes on Malaysian and other Asiatic Euphorbiaceae. *Kew Bull.* 16 : 341 - 372.
4. Ajith Sen. 1977. A new variety of *Glycine wightii* ssp. *wightii* Verdcourt from South India. *J. Bombay Nat. Hist. Soc.* 74(1) : 330 - 332.
5. Aleykutty, K.M. & Inamdar, J.A. 1978. *Cabomba aquatica* Aubl. - a new record for India, from Kerala. *Curr. Sci.* 47 : 136 - 137.
6. Amalraj, V.A., K.C. Velayudhan & V.K. Muralidharan, 1992. *Curcuma aurantiaca* Van Zijp. (Zingiberaceae) - a new record for India. *Ind. J. Forestry* 15(1) : 88 - 89.
7. Amalraj, V.A., K.C. Velayudhan & V.K. Muralidharan, 1992. A note on *Curcuma kannanorensis* var. *lutea* Ansari *et al.* (Zingiberaceae). *J. Econ. Tax. Bot.* 16(2) : 349-350.
8. Anilkumar, N. & Ravi, N. 1994. An interesting new species of *Hibiscus* Linn. (Malvaceae) from Kerala, India. *Rheedea* 4(2) : 129 - 132.

Additions to the Flora of Kerala

9. Ansari, R., V.J. Nair & N.C. Nair. 1982. Two new taxa of *Curcuma* Linn. (Zingiberaceae) from Cannanore Dist., Kerala, India. *Curr. Sci.* 51 : 293.
10. Ansari, R., V.J. Nair & N.C. Nair. 1987. Two new species of *Eriocaulon* Linn. (Eriocaulaceae) from Kerala state, India. *J. Econ. Tax. Bot.* 11(1) : 235 - 238.
11. Ansari, R., V.S.Ramachandran & P.V. Sreekumar. 1984. *Ischaemum jayachandranii* - a new species of Poaceae from Kerala, India. *Curr. Sci.* 53 : 151 - 153.
12. Antony, V.A., Antony Kadavil & A.N. Henry. 1991. Rediscovery of *Dicaelospermum ritchiei* Clarke. Cucurbitaceae) from Kerala, Southern India. *J. Econ. Tax. Bot.* 15(3) : 739.
13. Balakrishnan, N.P. & T. Chakravarty. 1983. A new variety of *Croton caudatus* Geisel. (Euphorbiaceae) from Peninsular India. *Bull. bot. Surv. India* 25 (1-4) : 190 -191.
14. Bennet, S.S.R. 1978. Nonmenclature of few flowering plants. *Ind. J. Forestry.* 1(1-4) : 22 - 24.
15. Bhargavan, P. & C.N. Mohanan. 1982. *Porpax chandrasekharanii* - a new species of Orchid from Silent Valley. *Curr. Sci.* 51(20) : 990 - 992.
16. Bhargvan, P. & R. Rajan. 1987. Two noteworthy sedges from South India. *J. Econ. Tax. Bot.* 9(2) : 253-254.
17. Biju, S.D. & Mathew, Philip. 1993. *Merremia cissoides* (Lam.) Hall. f. (Convolvulaceae) - a new record for India. *J. Bombay Nat. Hist. Soc.* 90(1) : 121.
18. Biju, S.D. & Mathew, Philip. 1994. *Merremia hirta* (Linn.) Merrill (Convolvulaceae) - a new record for Peninsular India. *J. Econ. Tax. Bot.* 18(1) : 181 - 183.
19. Binojkumar, M.S. & N.P. Balakrishnan. 1991. *Euphorbia cotinoides* Miq. (Euphorbiaceae) - a new record for India. *J. Econ. Tax. Bot.* 15(2) : 463 - 464.
20. Bremekamp, C.B.E. 1974. A new species of *Oldenlandia* from India with remarks on its inflorescence morphology. *Kew Bull.* 29 : 359 - 361.
21. Bruggen, H.W.E. van. 1968. A new species of *Aponogeton* from India. *Blumea* 16 : 264 - 265.
22. Chand Basha, S. & N. Sasidharan. 1994. A new species of *Polyalthia* Bl. (Annonaceae) from Peninsular India. *Rheedea* 4(1) : 21 - 23.
23. Chandrabose, M., Nair, N.C. & Chandrasekaran, V. 1980. Notes on some rare and interesting plants from South India. *Indian J. Bot.* 3(2) : 176 - 177.
24. Chandrabose, M., S.R.Srinivasan & N.C.Nair. 1971. *Ipomoea triloba* Linn.(Convolvulaceae) - a new record for South India. *Ind. J. Forestry* 2(1) : 23 - 24.
25. Chandrabose, M. & S.R. Srinivasan. 1975. *Leucas lavandulifolia* Rees. and its varieties (Lamiaceae) in South India. *Bull. Bot. Surv. India* 17(1-4) : 164 - 167.

K.S. Manilal and K. Raveendrakumar

26. Chandrabose, M. & S.R. Srinivasan. 1976. Notes on some rare and interesting plants from South India. *Bull. Bot. Surv. India* 18(1-4) : 236 - 238.
27. Chandrabose, M. & S.R. Srinivasan. 1981. Notes on two rare and interesting plants from South India. *J. Bombay Nat. Hist. Soc.* 78(3) : 630 - 632.
28. Chandrasekaran, R. 1993. *Luisia macrantha* Blatt. & McCann - a rare Orchid from Moozhiar Forest, Kerala. *J. Econ. Tax. Bot.* 17(1) : 69 - 70.
29. Corner, E.J.H. 1960. Taxonomic notes on *Ficus* Linn., Asia & Australia -5. *Gdns. Bull. Singapore* 17: 368 - 485.
30. Deb, D.B. & Mohan Gangopadhyay. 1983. New taxa of the genus *Psychotria* (Rubiaceae) in India. *Bull. Bot. Surv. India* 25(1-4) : 211 - 216.
31. Deb, D.B. & Ratna Dutta. 1985. A new species of *Hedyotis* Linn. (Rubiaceae) from South India. *J. Bombay Nat. Hist. Soc.* 82(3) : 619 - 621.
32. Dhruvan Tandyekkal. 1997. *Desmodium tortuosum* (Sw.) DC (Fabaceae): a new record for Kerala. *J. Econ. Tax. Bot.* 21 (3) : 663 - 666.
33. Dhruvan Tandyekkal & Philip Mathew. 1995. *Staurogyne glutinosa* (Wall. ex Clarke) O. Kuntze (Acanthaceae) a new record for Peninsular India. *Rheedea* 5(1): 60 - 62.
34. Dhruvan Tandyekkal & Philip Mathew 1995. *Desmodium scorpiurus* (Swartz) Desvaux, (Leguminosae - Papilionoideae) : A new record for India. *Rheedea* 5(2) : 177 - 179.
35. Dhruvan Tandyekkal, Mathew Dan & Philip Mathew. 1997. *Petiveria alliacea* L (Phytolaccaceae): a new record for Peninsular India. *Rheedea* 7(1) : 37 - 40.
36. Dhruvan Tandyekkal & K. Ramla. 1997. *Phyllanthus tenellus* Roxb. (Euphorbiaceae) : a new record for Kerala. *J. Econ. Tax. Bot.* 21 (3) : 731 - 733
37. Ellis, J.L. & V. Chandrasekaran. 1970. A new variety of *Nothopegia beddomei* Gamble (Anacardiaceae) from Kerala, South India. *Bull. Bot. Surv. India* 12(1-4) : 257 - 258.
38. Ellis, J.L. & S. Karthikeyan. 1973. Notes on some interesting plants from South India - II. *J. Bombay Nat. Hist. Soc.* 70(3) : 599.
39. Ellis, J.L. & M.S. Swaminathan. 1966. Notes on some interesting plants from South India-I. *J. Bombay Nat. Hist. Soc.* 66(1) : 233 - 234.
40. Erady, N.A. 1967. A new species of *Christisonia* Gardn. from South India. *J. Bombay Nat. Hist. Soc.* 64(1) : 10 - 12.
41. Giri, G.S. & M.P. Nayar. 1983. New taxa of *Osbeckia* Linn. with a note on *Osbeckia lineolata* Gamble. *Bull. Bot. Surv. India* 25(1-4) : 241 - 245.

Additions to the Flora of Kerala

42. Giri, G.S. & M.P. Nayar. 1984. A new species and notes on two species of *Sonerila* Roxb. (Melastomataceae) from South India. *Bull. Bot. Surv. India* 26(3-4) : 174 - 180.
43. Giri, G.S. & M.P. Nayar. 1984. A new species of *Osbeckia* Linn. (Melastomataceae) from Kerala (India). *J. Bombay Nat. Hist. Soc.* 81(2) : 434 - 436.
44. Giri, G.S. & M.P. Nayar. 1985. A new species of *Sonerila* (Melastomataceae) from India. *Blumea* 31(1) : 235 - 238.
45. Giri, G.S. & M.P. Nayar. 1985. A new variety of *Sonerila elegans* Wight (Melastomataceae) from Kerala, India. *Bull. Bot. Surv. India* 27(1-4) : 72 -74.
46. Giri, G.S. & M.P. Nayar. 1985. A new species of *Sonerila* Roxb. (Melastomataceae) from Southern India. *Bull. Bot. Surv. India* 27(1-4) : 86 - 89.
47. Giri, G.S. & M.P. Nayar. 1986. A new species of *Osbeckia* (Melastomataceae) from Southern India. *Kew Bull.* 41(2): 429-431.
48. Gopalakrishna Bhat, K. & M.N. Venugopal. 1987. *Alpinia mutica* Roxb. (Zingiberaceae) - a new record for Peninsular India. *J. Bombay Nat. Hist. Soc.* 84(3) : 714 - 716.
49. Govindarajalu, E. 1970. Studies in Cyperaceae - 3. Novelties in *Scleria* Berg. *Proc. Indian Acad. Sci.* 71 B : 221 - 225.
50. Govindarajalu, E. 1985. Studies in Cyperaceae : XIX. Species of new Cyperaceae in memory of Professor Swamy. *Proc. Indian Acad. Sci. (Plant sci.)* 94(1) : 11 - 32.
51. Govindarajalu, E. 1990. New species in *Fimbristylis* (Linn.) Vahl. and their vegetative Anatomy. *Proc. Indian Acad. Sci. (Plant Sci.)* 100(1) : 77 - 84 .
52. Govindarajalu, E. 1996. Two new species of *Biophytum* from South India. *J. Econ. Tax. Bot.* 20(2) : 311 - 315.
53. Govindarajalu, E. 1997. Monographia Indicorum Fimbristylum Praecursores - Novelties in *Fimbristylis* Vahl - II. *Rheedea* 7(2) : 115 -126
54. Govindarajalu, E. & K. Ramani. 1994. Cyperaceae Indiae Australis Praecursores - Two new species and one new record in *Kyllinga* Rottb. and scanning electron microscopic observations. *J. Econ. Tax. Bot.* 18(2) : 335 - 343.
55. Govindarajalu, E. & N. Sasidharan. 1997. Monographia Indicorum Fimbristylum Praecursores - Novelties. *J. Econ. Tax. Bot.* 21 (2) : 373 - 376
56. Gupta, B.K. 1970. Studies on the genus *Cymbopogon* Spreng. f. Some new varieties in Indian Cymbopogons. *Proc. Indian Acad. Sci.* 71 B : 94 - 99.
57. Husain, T. & S.R.Paul. 1991. *Ixora manantoddii* new species of *Ixora* Linn. (Rubiaceae - Pavetteae) from India. *Bull. Jard. Bot. Natl. Belg.* 61(1/2) :15 - 19.

K.S. Manilal and K. Raveendrakumar

58. Jacob, K.C. 1947. Some new species of South Indian plants. *J. Bombay Nat. Hist. Soc.* 47 : 48.
59. Janarthanam, M.K. & A.N. Henry. 1986. A new *Utricularia* Linn. (Lentibulariaceae) from Kerala India. *Bull. Bot. Surv. India* 28(1-4) : 195 - 197.
60. Janarthanam, M.K. & A.N. Henry. 1989. *Utricularia malabarica* (Lentibulariaceae) - a terrestrial bladderwort from Southern India. *J. Bombay Nat. Hist. Soc.* 86(1) : 84 - 85.
61. Janarthanam, M.K. & A.N. Henry. 1990. A new *Utricularia* Linn. (Lentibulariaceae) from Peninsular India. *J. Bombay Nat. Hist. Soc.* 87(3) : 441 - 442.
62. Joseph, J. 1974. *Phaius luridus* Thw. (Orchidaceae) - a new record for India, from Agasteya hills, South India. *Bull. Bot. Surv. India* 16(1-4) : 147 - 149.
63. Joseph, J., R. Ansari & C.N. Mohanan. 1977. *Burmanna championii* Thw. - an addition to the flora of South India. *J. Bombay Nat. Hist. Soc.* 76 : 552.
64. Joseph, J. & V. Chandrasekaran. 1973. *Eria muscicola* (Lindl.) Lindl. var. *brevilinguis* - a new variety of Orchid from Agastyamalai, South India. *Bull. Bot. Surv. India* 15 : 267 - 269.
65. Joseph, J. & V. Chandrasekaran. 1978. A new genus and species of Periplocaceae from Kerala - South India. *J. Ind. Bot. Soc.* 57(4) : 308 - 312.
66. Joseph, J. & V. Chandrasekaran. 1980. *Wiesneria triandra* (Dalz.) Micheli. (Alismataceae) - an interesting and rare addition to the flora of the Presidency of Madras, from Kerala, South India. *J. Bombay Nat. Hist. Soc.* 77(1) : 169 - 171.
67. Joseph, J. & V. Chandrasekaran. 1982. An account of the flora & vegetation of Neyyar Wild life Sanctuary and its vicinity, Trivandrum Dist., Kerala. *Ind. J. Bot.* 5(2) : 143 - 150.
68. Joseph, J. & V. Chandrasekaran. 1984. A new variety of *Humboldtia unijuga* Bedd. (Caesalpiniaceae) from South India. *J. Bombay Nat. Hist. Soc.* 81(3) : 729 - 731.
69. Joseph, J. & Vajravelu, E. 1975. *Eulophia hirsuta* (Orchidaceae) - new species from South India. *Bull. Bot. Surv. India* 17 : 192 - 194.
70. Joseph, J. & Vajravelu, E. 1978. First report of *Oberonia brachyphylla* and *Smithsonia straminea* (Orchidaceae) in Kerala. *Bull. Bot. Surv. India* 20(1-4) : 169.
71. Joseph, K.T. 1991. *Nymphoides sivarajanii* (Menyanthaceae) - a new species from India. *Willdenowia* 20(1-2) : 135 - 138.
72. Joseph, K.T. & V.V. Sivarajan. 1989. *Rotala* Linn. (Lythraceae) in Peninsular India. *Proc. Indian Acad. Sci. (Plant Sci.)* 99(3) : 179 - 197.
73. Joseph, K.T. & V.V. Sivarajan. 1990. A new species of *Nymphoides* (Menyanthaceae) from India. *Nord. J. Bot.* 10(3) : 281 - 283.

Additions to the Flora of Kerala

74. Joseph, K.T. & C.R. Suresh. 1982. Notes on two interesting exotic species from South India. *Ind. J. Botany* 5(2) : 126 - 127.
75. Kamble, S.Y. & B.D. Sharma. 1984. A note on the distribution of *Amoora beddomei* Kosterm (Meliaceae) in India. *J. Econ. Tax. Bot.* 5(2) : 493.
76. Kammathy, R.V. & Subramanyam, K. 1967. *Limnocharis* H.B.K. - a genus new to India. *J. Bombay Nat. Hist. Soc.* 64 : 389 - 390.
77. Karthikeyan, S. 1971. A contribution to the family Gramineae of the 'Flora of the Presidency of Madras.' *Bull. Bot. Surv. India* 13(3-4) : 175 - 179.
78. Karthikeyan, S. & B.D. Sharma. 1985. A catalogue of species added to Gamble's 'Flora of the Presidency of Madras.' *J. Bombay Nat. Hist. Soc.* 80 : 63 - 79.
79. Kern, J.H. 1963. Florae Malesianae Precursores-32. Some new Cyperaceae. *Bulmea* 12 : 23 - 30.
80. Kishorekumar, K. & Muktesh Kumar. 1997. *Sinarundinaria microphylla* (Munro) Chao & Renv. (Poaceae): a new record of a bamboo for Peninsular India. *Rheedea* 7 (1) : 11 - 14
81. Kostermans, A.J.G.H. 1956. The genus *Cullenia* Wight (Bombaceae). *Reinwardtia* 4 : 69 - 74.
82. Kostermans, A.J.G.H. 1983. The South Indian species of *Cinnamomum* Schaeffer (Lauraceae). *Bull. Bot. Surv. India.* 25(1-4) : 90 - 133.
83. Krishnaswamy, N. & Chandrasekaran, P. 1957. Note on a naturally occurring tetraploid species of *Oryza*. *Sci. & Cult.* 23 : 308 - 310.
84. Kulkarni, B.G. & N.P. Singh. 1973. On the distribution of *Polygala jacobii* Chandr. *Curr. Sci.* 42 : 359.
85. Madhusoodanan, P.V. & N.P. Singh. 1992. A new species of *Lepadagathis* (Acanthaceae) from South India. *Kew Bull.* 47(2): 301-303.
86. Maheswari, J.K. 1963-64. Taxonomic studies on Indian Guttiferae II . The genus *Mesua* Linn. *Bull. Bot. Surv. India* 5 : 339.
87. Maheswari, J.K. 1964. Taxonomic studies on Indian Guttiferae III. The genus *Garcinia* Linn. *Bull. Bot. Surv. India* 6(2-4) : 107 - 135.
88. Mangaly, Jose K. & M. Sabu. 1988. A new species of *Curcuma* from south India. *Notes. R. Bot. Gard. Edinb.* 45(3) : 429 - 432.
89. Mangaly, Jose K. & M. Sabu. 1988. *Curcuma raktakanta* (Zingiberaceae) - a new species from South India. *J. Econ. Tax. Bot.* 12(2) : 475 - 477.
90. Manilal, K.S. 1987. *Dimeria deccanensis* Bor., a new record for Kerala. *Indian J. Pl. Sci.* 5(1): 33 - 34.

K.S. Manilal and K. Raveendrakumar

91. Manilal, K.S., K.S. Prasannakumar & V.V. Sivarajan. 1985. A new species of *Sauropus* Bl. (Euphorbiaceae) from India. *J. Indian Bot. Soc.* 64 : 294 - 296.
92. Manilal, K. S. & T. Sabu. 1984. Discovery of two species of *Syzygium* Gaertn. f., hitherto endemic to Sri Lanka, from Silent Valley. *J. Econ. Tax. Bot.* 5(2) : 418 - 420.
93. Manilal, K.S. & T. Sabu. 1985. *Cyclea barbata* Miers (Menispermaceae) - a new record of a medicinal plant from South India. *Ancient Science of Life*. IV(4) : 229 - 231.
94. Manilal, K.S., T. Sabu & Mathew, Philip. 1985. A new species of *Cucumella* (Cucurbitaceae) from Kerala. *Acta. Bot. Indica* 13(2) : 283 - 284.
95. Manilal, K.S., T. Sabu & V.V. Sivarajan. 1983. A new species of *Hydnocarpus* Gaertn. (Flacourtiaceae) from India. *Trop. Plant Sci. Res.* 1(4) : 355.
96. Manilal, K.S. & C. Sathishkumar. 1983. Two new records of *Oberonias* from Kerala. *J. Econ. Tax. Bot.* 4(3) : 987 - 989.
97. Manilal, K.S. & C. Sathishkumar. 1983. Rediscovery of *Ipea malabarica* (Reichb. f.) Hook. f., an endemic orchid species from Silent Valley, Kerala. *Bull. of Pure and Applied Sciences* 2 C : 38 - 41.
98. Manilal, K.S. & C. Sathishkumar. 1984. A new species of *Oberonia* (Orchidaceae) from India. *Kew Bull.* 39(1): 121 - 122.
99. Manilal, K.S. & C. Sathishkumar. 1984. *Robiquetia josephiana* Manilal & Sathish. - A new orchid from India. *Orchid Rev.* 92 : 293.
100. Manilal, K.S. & C. Sathishkumar. 1984. A new species of *Eria* Lindl. (Orchidaceae) from India. *J. Econ. Tax. Bot.* 5(2) : 483 - 485.
101. Manilal, K.S. & C. Sathishkumar. 1984. *Oberonia thwaitesii* Hook. f., an addition to the orchid flora of India. *Curr. Sci.* 53(20) : 1106 - 1107.
102. Manilal, K.S. & C. Sathishkumar. 1984. A new species of *Liparis* (Orchidaceae) from India. *Pl. Syst. Evol.* 145 : 155 - 158.
103. Manilal, K.S. & C. Sathishkumar. 1985. *Dendrobium panduratum* Lindl. - a new record for India. *J. Indian Bot. Soc.* 64 : 299 - 301.
104. Manilal, K.S. & C. Sathishkumar. 1986. *Thrixspermum pulchellum* (Thw.) Schltr. (Orchidaceae) - a new record for India. *Ind. J. Botany* 9(1) : 11 - 13.
105. Manilal, K.S. & C. Sathishkumar. 1991. The reappearance of VanRheede's Tsjerou Tecka Maravara as a new species of *Bulbophyllum* Thouars (Orchidaceae). *Rheedea* 1 (1-2) : 52 - 56.

Additions to the Flora of Kerala

106. Manilal, K.S. & M. Shylaja. 1986. A new species of *Cinnamomum* Schaeffer (Lauraceae) from Malabar (India). *Bull. Bot. Surv. India* 28(1-4) : 111 - 113.
107. Manilal, K.S., M. Sivadasan & C.R. Suresh. 1984. The identity of '*Katu Schena*' of Van Rheedee. *Bull. of Pure and applied sciences* 3(B) : 94 - 95.
108. Manilal, K.S. & V.V. Sivarajan. 1975. *Hedyotis erecta* Manilal & Sivar. (Rubiaceae), a new species from South India *Bot. Notiser* 129 : 191-192.
109. Manilal, K.S. & Sivarajan, V.V. 1975. Two little known plants from India. *Sci. & Cult.* 41 : 436 - 438.
110. Manilal, K.S. & C.R. Suresh. 1984. The Pandani in Rheedee's Hortus Malabaricus. *New Botanist* 11(2) : 120 - 125.
111. Manilal, K.S. & C.R. Suresh. 1984. The identity of '*Katu kapel*' of Hortus Malabaricus. 1984 (Abstract). *54 th Sess. Nat. Acad. Sci. India*, Madurai, B. : 15.
112. Manilal, K.S. & C.R. Suresh. 1984. New combination for *Thunbergia wightiana* T. Anderson. *J. Econ. Tax. Bot.* 5(2) : 421 - 422.
113. Manilal, K.S. & C.R. Suresh. 1986. A note on the identity of Katou - Tsjeria - Manga - Nari of Hortus Malabaricus. *J. Indian. Bot. Soc.* 65(Suppl.) : 56 - 57.
114. Mathew, Philip & S.D. Biju. 1991. *Lepistemon verdcourtii* - a new species of convolvulaceae from India, with notes on *Lepistemon binectariferum* and *Lepistemon leiocalyx*. *Kew Bull.* 46(3) : 559 - 562.
115. Mathew, Philip., K.S. Manilal & V.V. Sivarajan. 1984. Two Ceylonese elements new to Indian Flora. *J. Econ. Tax. Bot.* 5(2) : 501- 503.
116. Mathew, Philip. & V.V. Sivarajan. 1983. *Sida elongata* Blume and *Sida javensis* Cav. (Malvaceae) new records for India. *J. Econ. Tax. Bot.* 4(2) : 617 - 619.
117. Mohanan, C.N. & N.C. Nair. 1981. *Kunstleria*, new record for India. *Proc. Indian Acad. Sci.* (Plant Sci.) 90(3) : 207 - 210.
118. Mohanan, M. & A.N. Henry. 1986. A new variety of *Eria muscicola* (Lindl.) Lindl. (Orchidaceae) from Trivandrum Dist., Kerala, Southern India. *J. Econ. Tax. Bot.* 8(2): 425.
119. Mohanan, M. & A.N. Henry. 1987. *Syzygium parameswaranii* (Myrtaceae) - a species from Southern India. *J. Bombay nat. Hist. Soc.* 84(2) : 408 -409.
120. Mohanan, M. & A.N. Henry. 1991. *Cinnamomum chemungianun* (Lauraceae) - a new species from Kerala, South India. *J. Bombay nat. Hist. Soc.* 88(1) : 97 - 99.
121. Mohanan, M., A.N. Henry & N.C. Nair. 1982. *Exacum walke* Griseb. (Gentianaceae) - a new record for India. *J. Bombay Nat. Hist. Soc.* 79(2) : 450 - 451.

K.S. Manilal and K. Raveendrakumar

122. Mohanan, M., A.N. Henry & N.C. Nair. 1982. Notes on three rare and interesting orchids collected from Trivandrum Dist., Kerala. *J. Bombay Nat. Hist. Soc.* 79(1) : 234 - 236.
123. Mohanan, N., N. Ravi. 1996. *Dimeria sivarajanii* (Poaceae), a new species from Kerala, India. *Rheedea* 6 (2) : 47 - 50
124. Mohanan, M. & P.V. Sreekumar. 1982. On the occurrence of *Eragrostis cumingii* Steud. (Poaceae) in India. *J. Econ. Tax. Bot.* 3(2) : 447 - 448.
125. Mukeherjee, N. 1972. Six new taxa of Flacourtiaceae from India and Burma. *J. Bombay Nat. Hist. Soc.* 69 : 390 - 394.
126. Mukherjee, S.K. 1955. A new *Polygala* from South India. *J. Bombay Nat. Hist. Soc.* 53 : 55.
127. Muktheshkumar, S. & N. Sasidharan. 1986. On the occurrence of *Dendrobium lawianum* Lindl. In Kerala. *Curr. Sci.* 55(4) : 187 - 188.
128. Mukthesh Kumar & Stephen Sequiera. 1996. *Pseudoxytenanthera stocksii* (Munro) Naithani-A bamboo new record to Kerala. *J. Econ. Tax. Bot.* 19 (3) : 525 - 528
129. Mukthesh Kumar & Stephen Sequiera. 1996. *Impatiens sivarajanii* - A new species of Balsaminaceae from Silent Valley National Park, Kerala, India. *Rheedea* 6 (2) : 51 - 54
130. Mukunthakumar, S. & K. Vijayan. 1990. A new record of *Calamus brandisti* Becc. (Arecaceae) from Kerala forest. *J. Econ. Tax. Bot.* 14(1) : 192 - 194.
131. Negendran, C.R. & G.D. Arekal. 1979. A new species of *Polypleurum* (Podostemaceae) from India. *Bot. Notiser* 132(1) : 49 - 50.
132. Nair Bhaskaran, V.K. 1967. *Mikania cordata* B.L. Robin an alien new to South India. *Rubb. Bd. Bull.* 9 : 28 - 29.
133. Nair, K.K.N. 1985. Addition to Gamble's Flora of Presidency of Madras (1915 - 1935) from the states of Kerala, Tamil Nadu, Karnataka and Andhra Pradesh upto 1982. *Ind. J. Forestry* 8(4) : 258.
134. Nair, K.K.N. 1986. Addition to Gamble's Flora of Presidency of Madras (1915 - 1935) from the states of Kerala, Tamil Nadu, Karnataka and Andhra Pradesh upto 1982. *Ind. J. Forestry* 9(3) : 204 - 219.
135. Nair, K.K.N. 1985. Identity and distribution of *Dalbergia benthamii* Prain and *Dalbergia rubiginosa* Roxb. (Fabaceae). *J. Econ. Tax. Bot.* 7(3) : 561 - 565.
136. Nair, K.K.N. 1985. Two unrecored species of *Dalbergia* (Fabaceae) in Kerala - India. *J. Econ. Tax. Bot.* 7(3) : 730 - 734.
137. Nair, K.K.N. 1993. Southern Peninsular Indian Endemic trees in the proposed Pooyamkutty Hydroelectric project area. *J. Econ. Tax. Bot.* 17(2) : 265 - 273.

Additions to the Flora of Kerala

138. Nair Narayanan, K. & M.P. Nayar. 1990. A new variety of *Atalantia racemosa* Wight (Rutaceae) from south India. *Ind. J. Forestry* 13(1) : 69 - 70.
139. Nair, M.R., Nayar, N.M. & Sahadevan, P.C. 1964. On the occurrence of *Oryza* species in South Western India and its significance. *Curr. Sci.* 33 : 515 - 517.
140. Nair, N.C. 1960. *Brucea amarissima* (Lour.) Merr. - a new record for South India. *J. Bombay Nat. Hist. Soc.* 57 : 237 - 238.
141. Nair, N.C. 1962. *Physalis longifolia* Nutt. a new record for Kerala state. *J. Bombay Nat. Hist. Soc.* 59 : 323 - 324.
142. Nair, N.C. 1964. *Mimosa invisa* Mart. (Mimosaceae) - a new record for India. *J. Bombay Nat. Hist. Soc.* 61 : 469 - 471.
143. Nair, N.C. 1966. *Amaranthus ploygonoides* Linn. - a new record for South India. *J. Bombay Nat. Hist. Soc.* 69 : 687.
144. Nair, N.C. & P.Bhargavan. 1982. Recent finds of some rare and little known plants from Silent Valley and its close vicinity, India. *J. Econ. Tax. Bot.* 3(1) : 295 - 302.
145. Nair, N.C. & P. Bhargavan. 1985. Notes on four interesting species of flowering plants from Kerala. *J. Econ. Tax. Bot.* 6(3) : 709 - 710.
146. Nair, N.C. & C.N. Mohanan. 1982. *Diospyros hirsuta* - new record and *Thrixspermum album* new record from Peninsular India. *J. Econ. Tax. Bot.* 3(1) : 285 - 286
147. Nair, N.C., Mohanan, C.N. & Ansari, R. 1982. *Obernoia longidracteata* Lindl., an addition to the orchid flora of India. *J. Econ. Tax. Bot.* 3(2) : 623 - 624.
148. Nair, N.C., Mohanan C.N. & P.V. Sreekumar. 1982. *Stachytarpheta cayennensis* (L.C. Rich.) Schau. - a new record for India and with a key to the Indian species. *J. Bombay Nat. Hist. Soc.* 79(1) : 230 - 232.
149. Nair, N.C. & Nair, V.J. 1964. *Boerhaavia punarnava* Saha & Krishnam - a new record for Kerala state. *J. Bombay Nat. Hist. Soc.* 61 : 216 - 217.
150. Nair, N.C., V.J. Nair & Ansari, R. 1980. Notes on some rare plants from South India. *Bull. Bot. Surv. India* 22(1-4) : 205 - 207.
151. Nair, N.C. & P.V. Sreekumar. 1985. A new species of *Ischaemum* Linn. (Poaceae) from Kerala, India. *Blumea* 30(2) : 385 - 387.
152. Nair, N.C., P.V. Sreekumar & V.J. Nair. 1981. Some rare and interesting plants from Kerala state (India). *J. Econ. Tax. Bot.* 2 : 223 - 226.

K.S. Manilal and K. Raveendrakumar

153. Nair, N.C., P.V. Sreekumar & V.J. Nair. 1981 *Zenkeria jainii* - a new species of Poaceae from Kerala. *J. Bombay Nat. Hist. Soc.* 78(2) : 352 - 354.
154. Nair, N.C., P.V. Sreekumar & V.J. Nair. 1983. *Dimeria keralae* (Poaceae) - a novelty from Kerala, India. *J. Bombay Nat. Hist. Soc.* 80(3) : 626 - 629.
155. Nair, V.J. & Ansari, R. 1982. *Clerodendrum calamitosum* Linn. (Verbinaceae) - a naturalised weed forming new record for India. *J. Econ. Tax. Bot.* 3(2) : 605.
156. Nair, V.J., R. Ansari & P.V. Sreekumar. 1985. On the collection of *Linnopoa meeboldii* (Fischer) C.E. Hubb. (Gramineae) - an extremely rare endemic and endangered species of Kerala. *J. Econ. Tax. Bot.* 7(1) : 210 - 212.
157. Nair, V.J., Binoj Kumar, M.S. & Ansari, R. 1990. *Euphorbia katrajensis* Gage. var. *kasaragodensis* (Euphorbiaceae) - a new variety from Kerala, India. *J. Econ. Tax. Bot.* 14(2) : 471 - 472.
158. Nair, V.J. & V.S. Ramachandran. 1980. Five plant records for Kerala. *Bull. Bot. Surv. India* 22(1-4) : 193 - 194.
159. Nair, V.J., V.S. Ramachandran & Ansari, R. 1983. A new *Oberonia* (Orchidaceae) from Kerala, India. *Blumea* 28 : 361 - 362.
160. Nair, V.J., V.S. Ramachandran & P.V. Sreekumar. 1982. *Chandrasekharania* - new genus of Poaceae from Kerala. *India. Proc. Indian. Acad. Sci. (Plant Sci.)* 92(2) : 79 - 82.
161. Nair, V.J. & P.V. Sreekumar. 1984. *Ischaemum nairii* - a new species of Poaceae from Kerala, India. *J. Econ. Tax. Bot.* 5(5) : 1205 - 1208.
162. Nair, V.J., P.V. Sreekumar & N.C. Nair. 1982. Notes on the distribution of some rare grasses in Kerala state, India. *J. Econ. Tax. Bot.* 3(1) : 270 - 278.
163. Nair, V.J., P.V. Sreekumar & N.C. Nair. 1983. *Arundinella kannanorica* - a new species of Poaceae from Kerala, India. *J. Bombay Nat. Hist. Soc.* 80(2) : 396 - 399.
164. Nair, V.J., P.V. Sreekumar & N.C. Nair. 1983. *Dimeria raizadae* - a new species of Poaceae from Kerala, India. *Ind. J. Forestry* 6(2) : 163 - 165.
165. Nair, V.J., P.V. Sreekumar, E. Vajravelu & P. Bhargavan. 1982. *Silentvalleya* - a new genus of Poaceae from Kerala, India. *J. Bombay Nat. Hist. Soc.* 79(3) : 654 - 657.
166. Nayar, M.P. 1966. Contributions to the knowledge of Indo - Malaysian and other Asiatic Melastomataceae. *Kew Bull.* 20 : 155 - 161.
167. Nayar, M.P. 1969. A new species of *Sone ila* Roxb. (Melastomataceae) from South India. *Proc. Ind. Acad. Sci. Sect. - B.* 69(5) : 256 - 258.
168. Nayar, M.P. 1969. New species and notes on the genus *Sonerila* Roxb. (Melastomataceae) *J. Ind. Bot. Soc.* 48 : 321 - 325.

Additions to the Flora of Kerala

169. Nayar, M.P. 1974. A new species of *Sonerila* (Melastomataceae) from Kerala, South India. *J. Bombay Nat. Hist. Soc.* 71 : 632 - 633.
170. Nayar, M.P. & Giri, G.S. 1982. *Mimosa invisida* Mart. var. *inermis* Adelb. (Mimosae) - a new extrant to the Indian flora. *J. Econ. Tax. Bot.* 3(2) : 603 - 604.
171. Nayar, M.P. & S. Karthikayan. 1984. Catalogue of additions of flowering plants of India, Nepal & Bhutan (1979 - 1982). *J. Econ. Tax. Bot.* 5(2) : 261 - 272.
172. Panduragan, A.G., C.N. Mohanan & N.C. Nair. 1985. Rare or little known vascular plants from Idukki hydro- electric project area. *J. Econ. Tax. Bot.* 6(2) : 271 - 274.
173. Panduragan, A.G. & V.J. Nair. 1993. Some rare plants from Idukki hydro-electic project area in Kerala, India. *J. Econ. Tax. Bot.* 17(1) : 173 - 185.
174. Panduragan, A.G. & V.J. Nair. 1993. *Thottea idukkiana* - a new species of Aristolochiaceae from Kerala, India. *J. Econ. Tax. Bot.* 17(2) : 465 - 467.
175. Panduragan, A.G. & V.J. Nair. 1994. *Pothos keralensis* - a new species of Araceae from Kerala, India. *Ind. J. Forestry* 17(1) : 64 - 65.
176. Panduragan, A.G. & V.J. Nair. 1994. *Lepidagathis chlorostachya* Nees (Acanthaceae) - a new record for India. *Ind. J. Forestry* 17(2) : 178 - 179.
177. Panduragan, A.G., V.S. Ramachandran & C.N. Mohanan. 1985. A new distributional record for *Hiptage acuminata* Wall. ex Juss. (Malpighiaceae) from Peninsular India. *J. Econ. Tax. Bot.* 6(1) : 227 - 228.
178. Patil, R.B. & D'Cruz, R. 1974. A new species of *Ischaemum* Linn. from India. *J. Bombay Nat. Hist. Soc.* 70 : 324 - 325.
179. Philcox, D. 1967. Two new species of *Limnophila* R. Br. (Scrophulariaceae). *Kew Bull.* 21 : 157 - 160.
180. Piper, C.V. & S.T. Dunn. 1922. XII - A revision of *Canavalia*. *Kew Bull.* 1922 : 137.
181. Pradeep, A.K. 1995. *Eleutherine bulbosa* (Miller) Urban (Iridaceae - Tirgidieae) : a little understood exotic in India. *Rheedea* 5 (2) : 180 - 183
182. Pradeep, A. K. 1997. *Ixora sivarajiana*, a new species of Rubiaceae from India. *Nord. J. Bot.* 17 (3) : 315 - 317
183. Pradeep, A.K. & K.M. Jayaram. 1991. Occurance of *Clerodendrum wallichii* Merr. (Verbenaceae) in South India. *J. Bombay Nat. Hist. Soc.* 88(3) : 467.
184. Pradeep, A.K., K.T. Joseph & V.V. Sivarajan. 1990. *Rotala malabarica* - a new species of Lythraceae from Kerala, India. *Bot. Bull. Acad. Sin.* (1990) 31 : 59 - 61.

K.S. Manilal and K. Raveendrakumar

185. Pradeep, A.K. & V.V. Sivarajan. 1990. *Stachytarpheta dichotoma* Vahl. (Verbinaceae) - a new record for Peninsular India. *J. Econ. Tax. Bot.* 14(3) : 619 - 620.
186. Pradeep, A.K. & V.V. Sivarajan. 1991. A new species of Acanthaceae from Peninsular India. *Rheedea* 1(1-2) : 40 - 43.
187. Pradeep, A.K. & V.V. Sivarajan. 1993. A revision of the genus *Julostylis* Thw. (Malvaceae) with a new species from India. *Bot. Bull. Acad. Sin.* 34 : 277 - 286.
188. Pradeep, A.K. & V.V. Sivarajan. 1993. *Sida linifolia* Cav. (Malvaceae) - a new record for India. *Rheedea* 3(1) : 22 - 25.
189. Prasad, V.P. & Mini Prasad. 1993. A new variety of *Zehneria maysorensis* (Wight & Arn.) Arn. from Kerala, South India. *J. Econ. Tax. Bot.* 17(2) : 471 - 472.
190. Raghavan, R.S. 1984. On *Cleome burmanni* Wight & Arn. (Capparidaceae) - its identity and distribution. *J. Econ. Tax. Bot.* 5(2) : 463 - 466.
191. Raizada, M.B. & R.N. Chatterjee. 1963. A new bamboo from South India. *Indian Forester* 89: 362.
192. Rajasekhara Mudaliar, C. 1950. A new variety of *Cucurbita maxima* from Badagara, Kerala. *Bombay Nat. Hist. Soc.* 49 : 242 - 243.
193. Rajesh, K.P., Jomy Augustine & N. Sasidharan. 1996. Occurance of *Rotala ritchiei* (Clarke) Koehne (Lythraceae) in Periyar Tiger Reserve, Kerala. *J. Econ. Tax. Bot.* 20 (3) : 725 - 727
194. Raju, Vatsavaya. S. 1984. Distributional notes on *Margaritaria* Linn. f. (Euphorbiaceae) in Southern India and Sri Lanka. *J. Bombay Nat. Hist. Soc.* 81(2) : 526 - 528.
195. Raju, Vatsavaya. S. & C.N. Mohanan. 1984. *Claoxylon anomalum* - a little and imperfectly known endemic species from Southren India. *J. Econ. Tax. Bot.* 5(5) : 1201 - 1204.
196. Ramachandran, V.S. & V.J. Nair. 1982. Plant records from Kerala state. *J. Econ. Tax. Bot.* 3(2) : 659 - 662.
197. Ramachandran, V.S. & V.J. Nair. 1988. *Flora of Cannanore*. Botanical Survey of India.
198. Ramachandran, V.S., V.J. Nair & N.C. Nair. 1980. On some very rare, or noteworthy plants from Kerala state. *J. Econ. Tax. Bot.* 1 : 93 - 97.
199. Ramachandran, V.S., V.J. Nair & N.C. Nair. 1984. Notes on some intersting plants collected from Kerala. *J. Econ. Tax. Bot.* 5(1) : 135 - 137.
200. Ramachandran, V.S., V.J. Nair & N.C. Nair. 1984. Some plant records from Kerla state, [India]. *J. Econ. Tax. Bot.* 5(1) : 139 - 142.

Additions to the Flora of Kerala

201. Ramachandran, V.S. , V.J. Nair. & N.C. Nair. 1985. Notes on four endemic and rare species from Kerala, South India. *J. Econ. Tax. Bot.* 6(2) : 263 - 265.
202. Ramachandran, V.S., P.V. Sreekumar & V.J. Nair. 1984. *Panicum humidorum* - new record and addition to the grass flora of South India. *J. Econ. Tax. Bot.* 5(5) : 1009 - 1012.
203. Ramamurthy, K. 1971. A new genus of Acanthaceae from Kerala state, South India. *Bull. Bot. Surv. India* 13(1-2) : 153 - 155.
204. Ramamurthy, K. & J. Joseph. 1964. A new species of *Dicraea* from South India. *Bull. Bot. Surv. India* 6(2-4) : 333 - 334.
205. Ramamurthy, K. & R.Rajan. 1982. A new species of *Schefflera* J.R. & G. Forst. (Araliaceae) from Kerala State, India. *J. Bombay Nat. Hist. Soc.* 79(1) : 163 - 164.
206. Ramamurthy, K. & R. Rajan. 1983. A new species of *Psychotria* Linn. (Rubiaceae) from Kerala state, India. *J. Bombay Nat. Hist. Soc.* 80(3) : 621 - 623.
207. Ramamurthy, K. & R. Rajan. 1983. A new species of *Lagenandra* Dalz. (Araceae) from Kerala state, India. *J. Bombay Nat. Hist. Soc.* 80(3) : 613 - 615.
208. Ramamurthy, K. & R.Rajan. 1985. Two noteworthy plants from Kerala. *J. Econ. Tax. Bot.* 7: 728 - 729.
209. Ramamurthy, K. & R. Rajan. 1985. A new species of *Ophiorrhiza* Linn. (Rubiaceae) from Kerala state, India. *J. Bombay Nat. Hist. Soc.* 82(1) : 174 - 176.
210. Ramesh, B.R. & D.De Franceschi. 1993. Two new species of *Diospyros* (Ebenaceae) from India. *Blumea* 38(1) : 131 - 136.
211. Rao Nageswara, A. 1988. *Zeuxine clandestina* Bl. (Orchidaceae) - a new record to India. *Indian Forester* 114(2) : 95 - 97.
212. Rao, N. Rama, D. Narasimhan & A.N. Henry. 1987. The genus *Adenia* Forsskal (Passifloraceae) in Southern India. *J. Econ. Tax. Bot.* 11(1) : 241 - 245.
213. Rao, N. Rama, T. Ravisankar & D. Narasimhan. 1988. Occurrence of *Ougeinia oojeinensis* (Roxb.) Hochr. (Papilionaceae) in Kerala. *Ind. J. Forestry* 11(4) : 338.
214. Rao Rolla, S. 1956. *Parthenium hysterophorus* Linn. New record for India. *J. Bombay Nat. Hist. Soc.* 54 : 218 - 220.
215. Rao Rolla, S. 1966. Indian species of Commelinaceae - Miscellaneous notes. *Blumea* 14 : 346- 348.
216. Rao Rolla, S. & (Miss.) K.K. Ahuja. 1968. New and noteworthy plant records from India. *Bull. Bot. Surv. India* 10(3-4) : 360 - 366.

K.S. Manilal and K. Raveendrakumar

217. Rathakrishnan, N.C. 1971. Notes on the distribution, taxonomy and nomenclature of some South Indian plants. *Bull. Bot. Surv. India* 13(1-2):1 - 6.
218. Raveendran, T.P. & Mathew, Philip. 1990. *Farmeria metzgerioides* (Trim.) Willis. (Podostemaceae) - a new plant record for India. *J. Econ. Tax. Bot.* 14(3) : 715 - 716.
219. Raveendran, T.P. & Mathew, Philip. 1994. *Polypleurum wallichii* (R. Br. ex Griff) Warm. (Podostemaceae) - a new plant record for South India. *Rheedea* 4(2) : 106 - 108.
220. Ravi, N. 1969. A new species of *Zornia* Gmel. from South India. *J. Bombay Nat. Hist. Soc.* 66: 489 - 490
221. Ravi, N. 1970. A new species of *Borreria* Mey., from South India. *J. Bombay Nat. Hist. Soc.* 66: 539 - 541.
222. Ravi, N. 1970. A new record for *Crotalaria incana* Linn. from South India. *J. Bombay Nat. Hist. Soc.* 67(1) : 132 - 133.
223. Ravi, N. 1971. *Lindernia angustifolia* (Benth.) Wellst. - a new record for South India. *J. Bombay Nat. Hist. Soc.* 67 : 611 - 613.
224. Ravi, N. 1975. On the identity of subspecies of *Ipomoea prescaprae* (Linn.) Sweet. in India. *Bull. Bot. Surv. India* 17 197 - 198.
225. Ravi, N. 1976. *Indigofera benthamiana* Hance (Papilionaceae) - a new record from India. *J. Bombay Nat. Hist. Soc.* 73(1) : 242 - 243.
226. Ravi, N. 1985. *Oxygonum* Burch. (Polygonaceae) - an interesting new record from India. *J. Bombay Nat. Hist. Soc.* 82(2) : 442 - 444.
227. Ravi, N. 1995. Two new species of *Dimeria* R.Br. (Poaceae) from Kerala, India. *Rheedea* 5 (1): 37 - 42.
228. Ravi, N. & N. Anilkumar. 1990. *Julostylis polyandra* (Malvaceae) - a new species from India. *J. Bombay Nat. Hist. Soc.* 87(2) : 260 - 262.
229. Ravi, N. & N. Anilkumar. 1994. A new species of *Fuirena* Rottb. (Cyperaceae) from Kerala, India. *Rheedea* 4(2) : 102 - 105.
230. Ravi, N., Anilkumar, N. & T.K. Balachandran. 1989. *Diodia* Linn. (Rubiaceae) - a new generic report from India. *J. Bombay Nat. Hist. Soc.* 86(2) : 277 - 278.
231. Ravi, N. & N. Mohanan 1997. *Dimeria namboodiriana*, another new species of Poaceae from Kerala, India. *Rheedea* 7(1) : 1 - 4
232. Ravi, N. & P.N. Muraleedharan. 1988. *Cordia cylindristachya* Roem. & Schult. (Boraginaceae) naturalised in India. *Bull. Bot. Surv. India* 30(1-4) : 171 - 173.

Additions to the Flora of Kerala

233. Ravindran, P.N., M.K. Nair & R. Asokan Nair. 1987. New taxa of *Piper* (Piperaceae) from Silent Valley forest, Kerala. *J. Econ. Tax. Bot.* 10(1) : 167 - 169.
234. Ravindra P. Subhedar. 1985. A little known plant from South India. *J. Bombay Nat. Hist. Soc.* 82(1) : 234.
235. Ravikumar, K. & V. Lakshmanan. 1989. A new variety of *Chionanthus ramiflorus* Roxb. (Oleaceae) from South India. *Bull. Bot. Surv. India* 31(1-4) : 163 - 165.
236. Renuka, C. 1987. A new species of *Calamus* (Palmae) from India. *Kew Bull.* 42(2) : 433 - 435.
237. Renuka, C. & K.M. Bhat. 1987. On the occurrence of *Calamus metzianus* Schlecht. in Kerala. *Curr. Sci.* 56(7) : 313 - 314.
238. Renuka, C. 1987. A new species of the genus *Calamus* Linn. (Arecaceae) from India. *Curr. Sci.* 56(19) : 1012 - 1013.
239. Renuka, C., N. Sasidharan & P. V. Anto 1997. A new species of *Calamus* (Arecaceae) from Silent Valley, Kerala, India. *Rheedea* 7 (2) : 69 - 71
240. Sabu, M. & Jose, K. Mangaly. 1991. *Alpinia smithiae* - a new species (Zingiberaceae) from South India. *Edinb. J. Bot.* 48(1) : 69 - 72.
241. Sabu, M. & Jose, K. Mangaly. 1987. *Curcuma vamana* (Zingiberaceae) - a new species from South India. *J. Econ. Tax. Bot.* 10(2) : 307 - 309.
242. Sabu, M. & Jose .K. Mangaly. 1988. *Globba cernua* Baker (Zingiberaceae) - a new record from India. *J. Econ. Tax. Bot.* 12(2) : 478 - 480.
243. Saldanha, C.J. 1966. The genus *Torenia* Linn. in Western Peninsular India. *Bull. Bot. Surv. India* 8(2) : 126 - 132.
244. Sasidharan, N. 1996. *Desmodium uncinatum* (Jacq) DC. (Fabaceae) : A new record for India. *Rheedea* 6 (2): 71 - 72.
245. Sasidharan, N. 1997. *J. Bombay Nat. Hist. Soc.* 94 : 474.
246. Sasidharan, N. & P.V. Anto 1997. New records of two rare and threatened plants for Kerala. *J. Econ. Tax. Bot.* 21(1): 247 -248
247. Sasidharan, N. & Mukteshkumar. 1985. Three species of orchids new to Kerala forest. *J. Bombay Nat. Hist. Soc.* 82(1) : 241.
248. Sasidharan, N. & V.P.K. Nambiar. 1981. *Eleutheranthera ruderalis* (Sw.) Sch.- Bip. (Compositae) - a new record for South India. *Ind. J. Forestry* 4(3): 240 -241.
249. Sasidharan, N. & V.P.K. Nambiar. 1983. *Hedyotis pinifolia* Wall. ex. G. Don. (Rubiaceae) - a new record for South India. *Ind. J. Forestry* 6(3) : 234.

K.S. Manilal and K. Raveendrakumar

250. Sasidharan, N. & V.V. Sivarajan. 1988. *Curcuma peethapushpa* - new species of Zingiberaceae from India. *Notes. Roy. Bot. Gard. Edinb.* 45(3) : 425 - 428.
251. Sasidharan, N. & V.V. Sivarajan. 1990. *Tarenna trichurensis* - a new species of Rubiaceae from Western Peninsular India. *J. Econ. Tax. Bot.* 14(1) : 243 - 245.
252. Sasidharan, N. & V.V. Sivarajan. 1990. *Orophea malabarica* (Annonaceae) - a new species from Peninsular India. *Blumea* 35(1) : 269 - 271.
253. Sasidharan, N. & V.V. Sivarajan. 1994. A new species of *Ardisia* Sw. (Myrsinaceae) from Peninsular India. *Rheedea* 4(2) : 116 - 119.
254. Sasidharan, N. & Swarupanandan, K. 1992. A new species of *Cassine* (Celastraceae) from India. *Reinwardtia* 11(1) : 29 - 32.
255. Sasidharan, N. & K. Swarupanandan. 1994. Discovery of some rare and interesting Asclepiads from Kerala. *J. Econ. Tax. Bot.* 18 (3) : 631 - 637
256. Sasidharan, N. & W. Vink. 1991. A new species of *Palaquium* Blanco (Sapotaceae) from India. *Blumea* 35(2) : 385 - 387.
257. Sathishkumar, C. 1989. Two novelties in the genus *Trias* Lindl. (Orchidaceae). *Blumea* 34(1): 103 - 109.
258. Sathishkumar, C. & Finn, N. Rasmussen. 1987. *Cheirostylis seidenfadeniana*, new species (Orchidaceae) from India. *Nord. J. Bot.* 7(4) : 409 - 411.
259. Sathishkumar, C. & Manilal, K.S. 1986. Nomenclatural changes in two Indian orchids. *Taxon* 35: 719 - 720.
260. Sathishkumar, C. & Manilal, K.S. 1987. A synopsis of *Ipsea* (Orchidaceae). *Kew Bull.* 42(4): 937 - 943.
261. Sathishkumar, C. & Manilal, K.S. 1993. *Vanilla aphylla* Sathishkumar, C. & Manilal, K.S. report on an addition to India's orchid flora. *American Orchid Soc. Bull.* 1993 : 394 - 397.
262. Sathishkumar, C. & Manilal, K.S. 1994. *A catalogue of Indian Orchids*. Bishen Singh Mahendra Pal Singh, Dehra Dun.
263. Sebastine, K.M. 1962. Some addition to the flora of the Presidency of Madras. *Bull. Bot. Surv. India* 4(1-4) : 219 - 225.
264. Sebastine, K.M. & Ramamurthy, K. 1967. *Mitracarpus verticillatus* (Schum. & Thonn.) Vatke. - a new record for India. *Bull. Bot. Surv. India* 9: 291 - 292.
265. Sebastine, K.M. & K. Vivekananthan. 1967. A contribution to the flora of Devicolam, Kottayam Dist., Kerala. *Bull. Bot. Surv. India* 9(1-4) : 163 - 185.

Additions to the Flora of Kerala

266. Sharma, B.D. & N.C. Rathakrishnan. 1978. New orchid records from Kerala state. *J. Bombay Nat. Hist. Soc.* 75 : 524 - 525.
267. Sharma, B.D., Vivekananthan, K. & Rathakrishnan, N.C. 1974. *Cassia intermedia* (Casalpiniaceae) - a new species from South India. *Proc. Indian. Acad. Sci.* 80 : 301 - 306.
268. Shepherd, K. 1964. A new species of Banana. *Kew Bull.* 17 : 461 - 463.
269. Shetty, B.V., Karthikeyan, S. & Vivekananthan, K. 1973. Notes on some interesting grasses from Southern India. *Bull. Bot. Surv. India* 15(3-4) : 276 - 278.
270. Shetty, B.V. & Paramjith Singh. 1987. A new species of Vitaceae from Peninsular India. *Kew Bull.* 42(4) : 933 - 935.
271. Shetty, B.V. & Vivekananthan, K. 1968. New and little known taxa from Anamudi and surrounding regions, Devicolam, Kerala - I: a new variety of *Leucas vestita* Benth. *Bull. Bot. Surv. India.* 10(2) : 236 - 237.
272. Shetty, B.V. & Vivekananthan, K. 1969. New and little known taxa from Anamudi and surrounding regions, Devicolam, Kerala - II : a new species of *Hedyotis* Linn. *Bull. Bot. Surv. India* 11(3-4) : 447 - 449.
273. Shetty, B.V. & Vivekananthan, K. 1970. New and little known taxa from Anamudi and surrounding regions, Devicolam, Kerala - II : a new species of *Vernonia* Schreb. *Bull. Bot. Surv. India* 12(1-4) : 266 - 268.
274. Shetty, B.V. & Vivekananthan, K. 1972. New and little known taxa from Anamudi and surrounding regions, Devicolam, Kerala - IV : notes on rare species. *Bull. Bot. Surv. India* 14(1-4) : 19 - 23.
275. Shetty, B.V. & Vivekananthan, K. 1973. New and little known taxa from Anamudi and surrounding regions, Devicolam, Kerala - V. *Bull. Bot. Surv. India* 15 : 155 - 157.
276. Shetty, B.V. & Vivekananthan, K. 1975. New and little known taxa from Anamudi and surrounding regions, Devicolam, Kerala - VI : an undescribed species of *Oberonia* Lindl. (Orchidaceae). *Bull. Bot. Surv. India* 17(1-4) : 157 - 159.
277. Shivamurthy, G.R. & K. B. Sadanand. 1997. A new species of *Willisia* Warm. (Podostemaceae) from the Silent Valley, Kerala, India. *Kew Bull.* 52 (1) : 243 - 245
278. Singh, N.P. & M.S. Dawre. 1983. On the occurrence of *Acampe rigida* (Buch. - Ham. ex J.E. Smith) P.F. Hunt (Orchidaceae) in Peninsular India. *J. Econ. Tax. Bot.* 4(3) : 1021 - 1022.
279. Sivadasan, M. 1981. A new species of *Theriophonum* Bl. (Araceae) from India. *Aroideana* 4 : 64.
280. Sivadasan, M. 1985. A new species of *Arisaema* (Araceae) from South India. *Kew Bull.* 40 : 801 - 803.

K.S. Manilal and K. Raveendrakumar

281. Sivadasan, M. 1986. *Amorphophallus nicolsonianus* (Araceae) - a new species from India. *Pl. Syst. Evol.* 153 : 165 - 170.
282. Sivadasan, M. 1989. *Amorphophallus smithsonianus* (Araceae) - a new species from India and a note on A. Sect. Synantherias. *Willdenowia* 18 : 435 - 440.
283. Sivadasan, M. & Balakrishnan. 1989. *Oberonia wynadensis* - a new species of Orchidaceae from India. *Nordic J. Bot.* 9 : 395 - 396.
284. Sivadasan, M. & N. Mohanan. 1991. *Ixora agasthyamalayanum* - a new species of Rubiaceae from India. *Bot. Bull. Acad. Sin.* 32 : 313 - 316.
285. Sivadasan, M. & N. Mohanan. 1994. *Amorphophallus bonaccordensis* - a new species of Araceae from India. *Blumea* 39 : 295 - 299.
286. Sivadasan, M., N. Mohanan & G. Rajakumar. 1997. A new subspecies of *Symplocos macrophylla* Wall. ex DC. (Symplocaceae) from India. *Rheedea* 7 (2): 89 - 92.
287. Sivadasan, M., N. Mohanan. & C. Sathishkumar. 1989. *Pothos crassipedunculatus* - a new species of *Pothos* sect. *Allopothos* (Araceae) from India. *Pl. Syst. Evol.* 168: 221 - 225.
288. Sivadasan, M. & U. Sajeev 1996. *Lasia spinosa* (L) Thwaites (Araceae) - A new report for South -West Peninsular India. *Rheedea* 6 (2) : 97 - 101.
289. Sivadasan, M. & C. Sathishkumar. 1987. A new species of *Arisaema* (Araceae) from India with a note on variation and evolution of staminate flowers. *Aroideana* 10: 18 - 21.
290. Sivarajan, V.V. 1975. *Ipomoea micrantha* Roem. & Schult. in Malabar, a new record. *Geobios* 2: 122 - 123.
291. Sivarajan, V.V. 1976. A new species of *Lindernia* (Scrophulariaceae) from India. *Kew Bull.* 31 : 151 - 153.
292. Sivarajan, V.V. 1981. Taxonomic notes of the genus *Portulaca* Linn. in India. *J. Bombay Nat. Hist. Soc.* 78(2) : 256 - 260.
293. Sivarajan, V.V. 1984. A new species of *Agrostemma* (Rubiaceae) from India. *J. Indian. Bot. Soc.* 63 : 462 - 463.
294. Sivarajan, V.V. 1985. A new species of *Thottea* (Aristolochiaceae) from India. *Pl. Syst. Evol.* 150(3-4) : 201 - 204.
295. Sivarajan, V.V. 1986. *Lobelia zeylanica* Linn. A misunderstood species and related Indian taxa. *J. Econ. Tax. Bot.* 7(1) : 221 - 223.
296. Sivarajan, V.V. & Babu, A. 1984 Floristic notes on some new elements in Indian flora. *J. Econ. Tax. Bot.* 5(4) : 941 - 944.

Additions to the Flora of Kerala

297. Sivarajan, V.V., Babu, A. & Indu Balachandran. 1985. A new species of *Thottea* Rottb. (Aristolochiaceae) with notes on the identity of *Thottea siliquosa* (Lam.) Ding Hou. *Ind. J. Forestry* 8(4) : 265 - 268.
298. Sivarajan, V.V. & Indu Balachandran. 1983. *Curcuma ecalcarata* - new species from Southern India. *Notes. Roy. Bot. Gard. Edinb.* 41(2) : 321 - 324.
299. Sivarajan, V.V. & Indu Balachandran. 1984. *Sauropus varierii* - a new species of Euphorbiaceae from India. *J. Econ. Tax. Bot.* 5(4) : 917 - 919.
300. Sivarajan, V.V. & Indu Balachandran. 1985. *Cleistanthus sankunnianus* - a new species of Euphorbiaceae from India. *Kew Bull.* 40(1) : 121 - 123.
301. Sivarajan, V.V. & K.S. Manilal. 1970. Note on the occurrence of *Evolvulus nummularius* Linn. in Kerala State. *Bull. Bot. Surv. India* 12(1-4) : 279.
302. Sivarajan, V.V. & K.S. Manilal. 1972. A new species of *Heliotropium* Linn. from South India. *J. Bot. Soc.* 51 : 348 - 350.
303. Sivarajan, V.V. & K.S. Manilal. 1972. *Anisomeles indica* var. *albiflora* (Hassk.) Backer - a new record from India. *Proc. Natn. Acad. Sci. India* 42 B : 225 - 226.
304. Sivarajan, V.V. & K.S. Manilal. 1972. Two novelties in the genus *Borreria* G.F.W. Mey. *Bull. Bot. Soc. Univ. Saugar* 19(1-2) : 31 - 34.
305. Sivarajan, V.V. & K.S. Manilal. 1973. A little known *Cereus* (Cactaceae) from India. *Proc. Natn. Acad. Sci. India* 43 B : 128.
306. Sivarajan, V.V. & K.S. Manilal. 1975. A new record of *Meineckia parvifolia* (Wight) Webster from India. *J. Bombay Nat. Hist. Soc.* 72 : 237.
307. Sivarajan, V.V. & K.S. Manilal. 1975. A taxonomic note on *Borreria articularis* (Linn. f.) Williams. *New Botanist* II : 2 : 88 - 90.
308. Sivarajan, V.V. & K.S. Manilal. 1977. Taxonomic notes on *Portulaca oleracea* Linn. in India. *New Botanist* IV(1-4) : 29 - 31.
309. Sivarajan, V.V. & K.S. Manilal. 1977. A new species of *Phyllanthus* from Kerala. *J. Indian Bot. Soc.* 56 : 165 - 168.
310. Sivarajan, V.V. & K.S. Manilal. 1982. Notes on some interesting species of Verbinaceae from South India. *J. Econ. Tax. Bot.* 3(3) : 813 - 817.
311. Sivarajan, V.V., S.D. Biju & Mathew Philip. 1992. Revision of genus *Psilanthus* Hook. f. (Rubiaceae tribe coffeaeae) in India. *Bot. Bull. Acad. Sin.* 33: 209 - 224.
312. Sivarajan, V.V. & Mathew Philip. 1983. The genus *Lindernia* (Scrophulariaceae) in India. *J. Bombay Nat. Hist. Soc.* 80(1) : 131 - 1403.

K.S. Manilal and K. Raveendrakumar

313. Sivarajan, V.V. & Mathew Philip. 1984. Notes on three immigrant species of *Spilanthes* Jacq. (Asteraceae) in India and the identity of the common 'Tooth - Ache plant'. *Ancient science of Life* III (3) : 169 - 173.
314. Sivarajan, V.V. & Mathew Philip. 1984. Notes on Indian species of *Alternanthera* Forsk. (Amaranthaceae) (Kashmir Valley excluded) with a new record. *Ind. J. Forestry* 7(1): 46 - 53.
315. Sivarajan, V.V. & A.K. Pradeep. 1988. *Wedelia trilobata* (Linn.) A.S.Hitchc. (Asteraceae) - a new plant record for India. *Ind. J. Forestry* 11(2) : 161 - 162.
316. Sivarajan, V.V. & A.K. Pradeep. 1989. A new species of *Aristolochia* (Aristolochiaceae) from India with co-evolutionary notes on *Aristolochia indica* and papilionid butterflies. *Pl. Syst. Evol.* 163(1-2) : 31 - 34.
317. Sivarajan, V.V. & A.K. Pradeep. 1990. *Sida fryxellii* - a new species of Malvaceae from Peninsular India. *Kew Bull.* 45(4) : 725 - 727.
318. Sivarajan, V.V. & A.K. Pradeep. 1995. *Aristea ecklonii* Baker (Iridaceae)- a new record for India. *Rheedea* 5 (2) :173 - 176.
319. Sivarajan, V.V., A.K. Pradeep & S.D. Biju. 1991. *Pterocymbium tinctorium* (Blanco.) Merr. var. *javanicum* (R.Br.) Kosterm. - a new introduction to India. *Higher plants of Indian Subcontinent* II : 5 -8
320. Sivarajan, V.V. & A. Rejani. 1987. *Cyperus longes* Linn. & *Cyperus amabilis* Vahl. - two interesting sedges from South India. *J. Econ. Tax. Bot.* 10(1) : 229 - 231.
321. Sivarajan, V.V. & C.N. Sunil. 1993. *Annona glabra* Linn. (Annonaceae) - a new record for India. *Rheedea* 3(1) : 90 - 93.
322. Sivarajan, V.V. & C.N. Sunil. 1995. *Cleome spinosa* Jacq. (Capparadaceae), a new record for peninsular India. *Rheedea* 5 (2) : 184 - 186
323. Sivarajan, V.V. & T. Usha. 1983. On reinstating *Mollugo stricta* Linn. (Molluginaceae). *Taxon* 32: 123 - 126.
324. Sivarajan, V.V. & R. Vasudevan Nair. 1986. Taxonomic and nonmenclatural notes on the *Spermacoce hispida* - *articularis* complex and *Spermacoce stricta* - *pusilla* complex (Rubiaceae). *Taxon* 35 : 363 - 369.
325. Sivarajan, V.V., R. Vasudevan Nair & T.U. Ahmedkunju. 1972. Genus *Spermacoce* Linn. (Rubiaceae) in India. *Proc.Indian Acad. Sci. (Plant Sci.)* 97(4) : 347 - 358.
326. Sleumer, H. 1972. A taxonomic rivision of the genus *Scolopia* Schreb. (Flacourtiaceae). *Blumea* 20 : 25 - 64.

Additions to the Flora of Kerala

327. Sreekumar, P.V. 1990. *Eragrostis subsecunda* (Lam.) Fourm. (Poaceae) - a new record for India. *J. Econ. Tax. Bot.* 14(3) : 626 - 628.
328. Sreekumar, P.V. 1991. Two new grass records for India. *J. Econ. Tax. Bot.* 15(2) : 353 - 354.
329. Sreekumar, P.V., Janarthanam, M.K. & A.N. Henry. 1987. *Ischaemum agastyamalayanum* - a new species of Poaceae from Kerala, India. *J. Bombay Nat. Hist. Soc.* 84(3) : 643 - 645.
330. Sreekumar, P.V., C.P. Malathi, & V.J. Nair. 1988. *Bothriochloa parameswaranii* - a new species of Poaceae from Kerala, India. *J. Bombay Nat. Hist. Soc.* 85(1) : 163 - 165.
331. Sreekumar, P.V., C.N. Mohanan & V.J. Nair. 1982. *Acroceras munroanum* new record : An addition to the grass flora of South India. *J. Econ. Tax. Bot.* 3(1) : 267 - 269.
332. Sreekumar, P.V. & N.C. Nair. 1981. *Melochia nodiflora* Swartz. (Sterculiaceae) - a new record for India. *J. Bombay Nat. Hist. Soc.* 78(2) : 424 - 245.
333. Sreekumar, P.V. & V.J. Nair. 1987. *Themeda sabarimalayana* - a new species of Poaceae from Kerala, India. *Bull. Bot. Surv. India* 29(1-4) : 127 - 128.
334. Sreekumar, P.V., V.J. Nair & N.C. Nair. 1981. *Dimeria copeana* - a new grass from Kerala, India. *J. Bombay nat. Hist. Soc.* 78 : 577 - 579.
335. Sreekumar, P.V., V.J. Nair & N.C. Nair. 1982. *Dimeria borii* (Poaceae) - a new species for Kerala, India. *J. Econ. Tax. Bot.* 3(2) : 657 - 658.
336. Sreekumar, P.V., V.J. Nair & N.C. Nair. 1983. *Dimeria jainii* (Poaceae) - a novelty from Kerala, India. *Curr. Sci.* 52(6) : 259 - 260.
337. Sreekumar, P.V., V.J. Nair & N.C. Nair. 1983. Novelty in *Ischaemum* Linn. (Poaceae) from Kerala, India. *J. Econ. Tax. Bot.* 4(3) : 1007 - 1012.
338. Sreekumar, P.V., V.J. Nair & N.C. Nair. 1983. *Tripogon narayanii* - a new species of Poaceae from Kerala, India. *J. Bombay Nat. Hist. Soc.* 80(1) : 196 - 198.
339. Sreekumar, P.V., V.J. Nair & N.C. Nair. 1983. *Chrysopogon tadulinganii* - a new species of Poaceae from Kerala, India. *J. Bombay Nat. Hist. Soc.* 80(1) : 198 - 200.
340. Sreekumar, P.V., V.J. Nair & N.C. Nair. 1983. *Tripogon anantaswamianus* - a new grass from Kerala, India. *Bull. Bot. Surv. India* 25(1-4) : 185 - 187.
341. Sreekumar, P.V., V.J. Nair & N.C. Nair. 1984. *Ischaemum malabaricum* - a new species of Gramineae from India. *Kew Bull.* 39(4) : 743 - 746.
342. Sreekumar, P.V., V.J. Nair & N.C. Nair. 1985. *Ischaemum keralensis* - new species of Poaceae from Kerala, India. *Bull. Mus. Natl. Hist. Nat. Sect. B. Adansonia. Bot. Phytochim.* 7(2) : 135 - 138.

K.S. Manilal and K. Raveendrakumar

343. Sreekumar, P.V., V.J. Nair & N.C. Nair. 1985. A new *Ischaemum* Linn. (Poaceae) from Kerala, India. *J. Bombay Nat. Hist. Soc.* 82(2) : 390 - 392.
344. Sreekumar, P.V. & B.V. Shetty. 1987. *Bhidea fischeri* - a new species of Gramineae from India. *Kew Bull.* 42(3) : 683 - 685.
345. Srinivasan, S.R. & Sreekumar, P.V. 1987. *Isachne henryi* - a new species of Poaceae from Kerala, India. *J. Bombay Nat. Hist. Soc.* 84(3) : 647 - 649.
346. Subba Rao, G.V. & R. Gopalan. 1981. Notes on an interesting species of *Symplocos* Jacq. *J. Bombay Nat. Hist. Soc.* 78(1) : 191 - 192.
347. Subramanian, K.N. 1970. Some plant records for Kerala State. *Ind. Forester* 96(7) : 527 - 529.
348. Subramanian, K.N. & B. Gurudev Singh. 1987. Notes on Orchidaceae of Kerala state. *J. Econ. Tax. Bot.* 11(1) : 9 - 11.
349. Subramanian, K.N., B. Gurudev Singh & K.R. Sasidharan. 1988. *Glycosmis macrocarpa* Wight - a rare species and new distributional record to Kerala state. *J. Econ. Tax. Bot.* 12(1) : 233 - 234.
350. Subramanian, K.N., B. Gurudev Singh & K.R. Sasidharan. 1989. *Mezonevron hymenocarpum* Prain - a new distributional record for Indian mainland. *J. Bombay Nat. Hist. Soc.* 86(2) : 271 - 272.
351. Subramanian, K.N., B. Gurudev Singh, N. Venkatasubramanian & K.R. Sasidharan. 1989. *Litsea ghatica* Saldanha - a new distributional record to Kerala state. *Ind. Forester* 115(2) : 117 - 119.
352. Subramanian, K.N., Jayachandran, C.K. & Venkatasubramanian, N. 1982. Occurrence of *Vateria macrocarpa* B.L. Gupta in Kerala. *J. Econ. Tax. Bot.* 3(2) : 620.
353. Subramanian, K.N., Venkatasubramanian, N. & K.R. Sasidharan. 1986. *Sonerila zeylanica* Wight & Arn. - a new record to the flora of the Kerala state. *Ind. J. Forestry* 9(2) : 173 - 174.
354. Sunil, C.N. & V.V. Sivarajan. 1994. *Voacanga grandifolia* (Miq.) Rolfe. (Apocynaceae) - a new record for Southern Peninsular India. *Rheedea* 4(2) : 109 - 112.
355. Swarupanandan, K. 1983. A new species of *Thottea* (Aristolochiaceae) from India. *Blumea* 28(2) : 407 - 412.
356. Swarupanandan, K., N. Sasidharan & Jose .K. Mangaly. 1989. A reconsideration of the generic circumscription of *Heterostemma* Wight & Arn. (Asclepiadaceae) and a new species from India. *Bot. J. of the Linn. Soc.* 101 : 249 - 259.

Additions to the Flora of Kerala

357. Thomas. K.J. 1963. A contribution to our knowledge of *Dalechampia taminifolia* Lam. *J. Bombay Nat. Hist. Soc.* 60 : 475 - 478.
358. Thothathri, K. 1961. Studies in Leguminosae - 1. A taxonomic revision of the genus *Derris* Lour. in India. *Bull. Bot. Surv. India* 3(2) : 175 - 200.
359. Thothathri, K. (1964) 1965. Studies in Leguminosae - 4. New varieties of *Crotalaria paniculata* Willd. and *Derris brevipes* Baker. *Bull. Bot. Surv. India* 6 : 67 - 68.
360. Thothathri, K. 1972. Studies in Leguminosae - 15. New taxa of *Dalbergia* Linn. f. from India and Burma. *Reinwardtia* 8(2) : 329 - 331.
361. Thothathri, K. 1983. Studies in Leguminosae - 31. New taxa and notes on *Dalbergia* Linn. f. and *Derris* Lour. *Proc. Indian. Acad. Sci. (Plant Sci.)* 92(1) : 23 - 28.
362. Thothathri, K. & D.N. Das. 1991. A new species of *Tephrosia* Pers. from Kerala. *Rheedea* 1(1-2) : 57 - 58.
363. Thothathri, K. & K.K.N. Nair. 1981. Dalbergias in *Hortus Malabaricus*. *Taxon* 30(1) : 46 - 47.
364. Thothathri, K. & Prasad, R. 1970. On *Centrosema virginianum* (Linn.) Benth. in India. *Curr. Sci.* 39 : 353.
365. Thothathri, K. & S. Ravikumar. 1997. A new variety of the tribal Pulse, *Mucuna pruriens* (L.) DC. from the Thekkady Forest, Kerala. *J. Econ. Tax. Bot.* 21 (3) : 703 - 704
366. Vajravelu, E. & P. Bhargavan. 1982. Notes on some rare plants from South India. *J. Econ. Tax. Bot.* 3(3) : 969 - 973.
367. Vajravelu, E. & P. Bhargavan. 1984. Notes on some rare plants from South India -II. *J. Econ. Tax. Bot.* 5(2) : 423 - 429.
368. Vajravelu, E. & Rathakrishnan, N.C. 1968. *Aphyllorchis parinii* Hook. f. (Orchidaceae) - a new record for South India. *Bull. Bot. Surv. India* 10 : 97 - 99.
369. Vajravelu, E., Rathakrishnan, N.C. & P. Bhargavan. 1983. *Hedyotis silent-valleyensis* (Rubiaceae) - a species from South India. *J. Bombay Nat. Hist. Soc.* 80(2) : 402 - 404.

K.S. Manilal and K. Raveendrakumar

370. Varghese, T.G. 1979. Record of *Hyptis capitata* Jacq. (Labiatae) from Peninsular India. *J. Bombay Nat. Hist. Soc.* 76(1) : 200 - 201.
371. Vasudevan Nair, R. 1964. A new record for *Hydrolithrum wallichii* Hook. f. from South India. *J. Bombay Nat. Hist. Soc.* 61 : 718 - 719.
372. Vasudavan Nair, R. 1965. New record of *Utricularia minutissima* Vahl. in South India. *J. Bombay Nat. Hist. Soc.* 62 : 180 - 182.
373. Vasudevan Nair, R. 1966. *Struchium sparganophorum* (Linn.) O. Kuntze. (Compositae) - a new record for India. *Bull. Bot. Surv. India* 8(2) : 202 - 203.
374. Vasudevan Nair, R. & Nambiar, V.P.K. (1966) 1967. A new record for *Ammania pygmaea* Kurz. from South India. *J. Bombay Nat. Hist. Soc.* 63(3) : 784 - 785.
375. Vasudevan Nair, R. 1968. A new species of *Nymphoides* (Menyanthaceae) from South India. *Kew Bull.* 22(1) : 101 - 106.
376. Vasudevan Nair, R. 1968. A new record for *Ammania auriculata* Willd. (*A. senegalensis* Lamk.) from South India. *Bull. Bot. Surv. India* 10(2) : 238 - 239.
377. Vasudevan Nair, R. 1975. A new species of *Rotala* from Palghat, Kerala. *J. Bombay Nat. Hist. Soc.* 72 : 56 - 60.
378. Vasudevan Nair, R. & Kesavan Nair, K. 1967. *Myriophyllum tuberculatum* Roxb. - a new record from Kerala state, South India. *J. Bombay Nat. Hist. Soc.* 64 : 391- 394.
379. Ved Prakash, U. Shikla, D.C. Pal & S.K. Jain. 1978. Addition to the grass flora in last two decades. *Bull. Bot. Surv. India* 20(1-4) : 145.
380. Velayudhan, K.C., V.A. Amalraj & V.K. Muralidharn. 1990. *Curcuma malabarica* (Zingiberaceae) - a new species from West coast of South India. *J. Econ. Tax. Bot.* 14(1) : 189 - 191.
381. Velayudhan, K.C. & V.A. Amalraj. 1992. *Piper pseudonigrum* - a new species from Western Ghats. *J. Econ. Tax. Bot.* 16(1) : 247 - 250.
382. Vivekananthan, K. 1969. Notes on the occurrence of *Clerodendrum paniculatum* Linn. & *Trias stocksii* Benth. ex Hook. f. in South India. *Bull. Bot. Surv. India* 10(2) : 240 - 241.

Additions to the Flora of Kerala

383. Vivekananthan, K., R. Gopalan & R. Ansari. 1983. *Gomphostemma keralensis* - new species (Labiatae) from Kerala, India. *Kew Bull.* 38(2) : 189 - 190.
384. Wadhwa, B.M. & H.J. Chowdhery. 1990. A new species of *Peucedanum* Linn. (Apiaceae) from South India. *Ind. J. Forestry* 13(1) : 78 - 79.